

# Computer algebra independent integration tests

1-Algebraic-functions/1.2-Trinomial-products/1.2.1-Quadratic/1.2.1.4-  
 $d+e-x^m-f+g-x^n-a+b-x+c-x^2-p$

Nasser M. Abbasi

September 20, 2021

Compiled on September 20, 2021 at 11:31am

## Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>detailed summary tables of results</b>	<b>19</b>
<b>3</b>	<b>Listing of integrals</b>	<b>207</b>
<b>4</b>	<b>Appendix</b>	<b>3855</b>



# Chapter 1

## Introduction

### Local contents

1.1	Listing of CAS systems tested . . . . .	4
1.2	Results . . . . .	5
1.3	Performance . . . . .	9
1.4	list of integrals that has no closed form antiderivative . . . . .	11
1.5	list of integrals solved by CAS but has no known antiderivative . . . . .	12
1.6	list of integrals solved by CAS but failed verification . . . . .	13
1.7	Timing . . . . .	13
1.8	Verification . . . . .	14
1.9	Important notes about some of the results . . . . .	14
1.10	Design of the test system . . . . .	16

This report gives the result of running the computer algebra independent integration test. Elementary Algebraic integrals version.

The download section below contains links to download the problems in plain text format used for all CAS systems.

The number of integrals in this report is [ 632 ]. This is test number [ 22 ].

## 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.3.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.45 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)
9. IntegrateAlgebraic under Mathematica 12.3.1 on windows 10. [https://github.com/stblake/algebraic\\_integration](https://github.com/stblake/algebraic_integration). September 15, 2021 version.

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.



## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 ( 632 )	0.00 ( 0 )
Mathematica	100.00 ( 632 )	0.00 ( 0 )
Maple	99.84 ( 631 )	0.16 ( 1 )
Fricas	93.51 ( 591 )	6.49 ( 41 )
IntegrateAlgebraic	76.90 ( 486 )	23.10 ( 146 )
Maxima	51.90 ( 328 )	48.10 ( 304 )
Giac	43.67 ( 276 )	56.33 ( 356 )
Mupad	42.88 ( 271 )	57.12 ( 361 )
Sympy	27.53 ( 174 )	% 72.47 ( 458 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	99.84	0.16	0.00	0.00
Mathematica	87.03	0.32	12.66	0.00
IntegrateAlgebraic	66.93	5.22	4.75	23.10
Fricas	62.50	31.01	0.00	6.49
Maple	53.16	45.09	1.58	0.16
Maxima	43.51	5.70	2.69	48.10
Giac	26.74	16.77	0.16	56.33
Sympy	12.50	2.53	12.50	72.47
Mupad	N/A	42.88	0.00	57.12

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure F.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned F(-2). This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima

and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	1	100.00 %	0.00 %	0.00 %
Fricas	41	0.00 %	100.00 %	0.00 %
IntegrateAlgebraic	146	47.95 %	52.05 %	0.00 %
Giac	356	14.89 %	27.53 %	57.58 %
Maxima	304	72.04 %	0.99 %	26.97 %
Sympy	458	65.72 %	33.84 %	0.44 %
Mupad	361	98.06 %	1.94 %	0.00 %

Table 1.4: Failure statistics for each CAS


## 1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.43	201.39	1.00	163.00	1.00
Mathematica	0.46	183.93	1.06	124.00	0.87
Maple	0.03	1172.33	3.34	260.00	1.69
Maxima	0.73	200.40	1.31	151.50	1.19
Fricas	3.51	724.40	3.13	258.00	1.92
Sympy	21.02	967.48	6.11	386.00	3.31
Giac	0.41	517.79	2.22	188.50	1.49
Mupad	4.29	2066.54	5.70	162.00	1.29
IntegrateAlgebraic	3.97	562.49	2.98	148.00	1.04

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





## 1.4 list of integrals that has no closed form antiderivative

{

## 1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

IntegrateAlgebraic {}



## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

**Rubi** {}

**Mathematica** {313, 328, 330, 332, 406, 576}

**IntegrateAlgebraic** {}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

**Mupad** Verification phase not implemented yet.

## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by

failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using sagemath (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```

from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')

```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.9.2 Important note about FriCAS and Giac/XCAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user slelievre at [https://ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
```

```
# 1.7 is a fudge factor since it is low side from actual leaf count
leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

### 1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine,'cos(x)*sin(x)')
the_variable = evalin(symengine,'x')
anti = int(integrand,the_variable)
```

Which gives  $\sin(x)^2/2$

## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



**One record (line) per one integral result. The line is CSV comma separated. This is description of each record**

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. integer. 1 if result was verified or 0 if not verified.  
*The following field present only in Rubi and Mathematica Tables*
14. integer. Number of rules used.
15. integer. Integrand leaf size.
16. real number. Ratio of field 14 over field 15
17. integer. 1 if result was verified or 0 if not verified.
18. String of form "{n,n,...}" which is list of the rules used by Rubi

### High level overview of the CAS independent integration test build system

Nasser M. Abbasi  
May 11, 2021



# Chapter 2

## detailed summary tables of results

### Local contents

2.1	List of integrals sorted by grade for each CAS . . . . .	20
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	29
2.3	Detailed conclusion table specific for Rubi results . . . . .	187

## 2.1 List of integrals sorted by grade for each CAS

### Local contents

2.1.1	Rubi	21
2.1.2	Mathematica	22
2.1.3	Maple	23
2.1.4	Maxima	24
2.1.5	FriCAS	24
2.1.6	Sympy	25
2.1.7	Giac	26
2.1.8	Mupad	27
2.1.9	IntegrateAlgebraic	28



### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632 }

B grade: { 576 }

C grade: { }

F grade: { }

## 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 12, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 44, 45, 46, 47, 48, 49, 54, 55, 56, 57, 58, 59, 60, 61, 65, 66, 67, 68, 69, 70, 71, 83, 84, 85, 86, 87, 88, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 227, 228, 229, 230, 231, 232, 233, 234, 235, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 325, 327, 329, 331, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 391, 392, 393, 394, 395, 396, 398, 399, 400, 401, 405, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 423, 424, 425, 426, 427, 428, 429, 432, 433, 434, 435, 439, 440, 441, 442, 446, 447, 448, 449, 450, 451, 452, 456, 457, 458, 459, 460, 461, 463, 467, 468, 469, 470, 471, 472, 475, 479, 480, 481, 482, 483, 484, 485, 486, 489, 490, 491, 492, 493, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 513, 514, 515, 516, 517, 518, 519, 520, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631 }

B grade: { 269, 632 }

C grade: { 8, 9, 10, 11, 13, 14, 15, 42, 43, 50, 51, 52, 53, 62, 63, 64, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 89, 90, 91, 226, 236, 250, 251, 252, 313, 324, 326, 328, 330, 332, 389, 390, 397, 402, 403, 404, 406, 421, 422, 430, 431, 436, 437, 438, 443, 444, 445, 453, 454, 455, 462, 464, 465, 466, 473, 474, 476, 477, 478, 487, 488, 494, 495, 512, 521, 522, 542, 581, 582 }

F grade: { }

### 2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 80, 81, 82, 83, 86, 87, 88, 89, 90, 91, 92, 93, 96, 103, 107, 117, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 161, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 192, 193, 198, 200, 201, 211, 212, 213, 214, 215, 216, 218, 219, 224, 226, 237, 238, 239, 243, 244, 252, 261, 263, 264, 274, 304, 305, 306, 307, 308, 309, 310, 314, 315, 316, 321, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 350, 351, 352, 353, 354, 355, 359, 360, 361, 362, 363, 364, 365, 368, 371, 372, 373, 374, 375, 379, 380, 384, 385, 386, 390, 391, 392, 393, 394, 395, 398, 399, 400, 401, 402, 406, 421, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 446, 447, 448, 449, 450, 451, 452, 453, 454, 456, 457, 458, 459, 460, 461, 462, 463, 464, 467, 468, 469, 470, 471, 475, 479, 480, 481, 482, 483, 484, 485, 486, 489, 490, 491, 492, 493, 495, 496, 497, 498, 499, 502, 503, 504, 505, 506, 507, 508, 511, 513, 514, 515, 516, 517, 520, 524, 525, 526, 527, 528, 529, 530, 531, 532, 534, 535, 536, 537, 538, 539, 556, 557, 563, 564, 565, 566, 570, 571, 572, 583, 584, 591, 592, 618 }

B grade: { 9, 10, 11, 45, 78, 79, 84, 85, 94, 95, 97, 98, 99, 100, 101, 102, 104, 105, 106, 108, 109, 110, 111, 112, 113, 114, 115, 116, 118, 136, 137, 138, 158, 159, 160, 162, 163, 164, 165, 166, 167, 168, 169, 170, 191, 194, 195, 196, 197, 199, 202, 203, 204, 205, 206, 207, 208, 209, 210, 217, 220, 221, 222, 223, 225, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 240, 241, 242, 245, 246, 247, 248, 249, 250, 251, 253, 254, 255, 256, 257, 258, 259, 260, 262, 265, 266, 267, 268, 269, 270, 271, 272, 273, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 311, 312, 313, 317, 318, 319, 320, 322, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 356, 357, 358, 366, 367, 369, 370, 376, 377, 378, 381, 382, 383, 387, 388, 389, 396, 397, 403, 404, 405, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 422, 423, 445, 455, 465, 466, 472, 473, 474, 476, 477, 478, 487, 488, 494, 500, 501, 509, 510, 512, 518, 519, 521, 522, 523, 540, 541, 542, 553, 554, 555, 558, 559, 560, 561, 562, 567, 568, 569, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 585, 586, 587, 588, 589, 590, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632 }

C grade: { 543, 544, 545, 546, 547, 548, 549, 550, 551, 552 }

F grade: { 533 }

### 2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 127, 128, 129, 130, 131, 132, 137, 139, 140, 141, 142, 143, 148, 149, 150, 151, 152, 153, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 179, 180, 181, 182, 183, 184, 202, 203, 220, 224, 227, 228, 229, 230, 231, 232, 237, 238, 239, 240, 241, 245, 246, 247, 248, 249, 253, 254, 255, 256, 257, 258, 262, 263, 264, 265, 266, 267, 323, 325, 327, 329, 331, 333, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 386, 391, 392, 393, 394, 398, 399, 400, 401, 424, 425, 426, 427, 432, 433, 434, 435, 439, 440, 441, 442, 446, 447, 448, 449, 450, 456, 457, 458, 459, 460, 467, 468, 469, 470, 471, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 543, 544, 545, 548, 549, 550, 555, 556, 557, 558, 559, 562, 563, 564, 565, 569, 570, 571, 572 }

B grade: { 11, 19, 20, 21, 22, 44, 45, 83, 84, 85, 136, 138, 192, 193, 211, 212, 213, 214, 215, 222, 268, 269, 270, 283, 294, 381, 382, 383, 384, 385, 553, 554, 629, 630, 631, 632 }

C grade: { 102, 103, 104, 105, 106, 107, 157, 158, 159, 160, 161, 162, 198, 199, 200, 201, 406 }

F grade: { 98, 99, 100, 101, 124, 125, 126, 133, 134, 135, 144, 145, 146, 147, 154, 155, 156, 176, 177, 178, 185, 186, 187, 188, 189, 190, 191, 194, 195, 196, 197, 204, 205, 206, 207, 208, 209, 210, 216, 217, 218, 219, 221, 223, 225, 226, 233, 234, 235, 236, 242, 243, 244, 250, 251, 252, 259, 260, 261, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 324, 326, 328, 330, 332, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 387, 388, 389, 390, 395, 396, 397, 402, 403, 404, 405, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 428, 429, 430, 431, 436, 437, 438, 443, 444, 445, 451, 452, 453, 454, 455, 461, 462, 463, 464, 465, 466, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 539, 540, 541, 542, 546, 547, 551, 552, 560, 561, 566, 567, 568, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628 }

### 2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 28, 29, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 133, 134, 135, 136, 137, 145, 146, 147, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211,

212, 213, 214, 215, 217, 218, 219, 220, 222, 224, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 242, 243, 244, 252, 259, 260, 261, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 304, 305, 306, 307, 308, 309, 310, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 350, 351, 352, 353, 354, 359, 360, 361, 362, 364, 371, 372, 374, 375, 385, 386, 391, 392, 393, 394, 395, 398, 399, 400, 401, 405, 406, 422, 423, 424, 425, 426, 427, 428, 432, 433, 434, 435, 439, 440, 441, 446, 447, 448, 449, 450, 451, 456, 457, 458, 459, 460, 461, 462, 467, 468, 469, 470, 472, 473, 474, 479, 480, 481, 482, 487, 488, 489, 494, 495, 500, 501, 502, 503, 504, 509, 510, 511, 512, 513, 518, 519, 520, 521, 522, 523, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 543, 544, 545, 548, 549, 557, 558, 559, 562, 563, 564, 565, 566, 569, 570, 571, 572, 577, 578, 579, 580, 583, 585, 586, 587, 588, 600 }

B grade: { 18, 20, 21, 22, 23, 24, 25, 26, 27, 30, 31, 131, 132, 138, 139, 140, 141, 142, 143, 144, 148, 149, 216, 221, 223, 225, 241, 245, 246, 247, 248, 249, 250, 251, 253, 254, 255, 256, 257, 258, 262, 263, 264, 265, 266, 267, 268, 269, 270, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 355, 356, 357, 358, 363, 365, 366, 367, 368, 369, 370, 373, 376, 377, 378, 379, 380, 381, 382, 383, 384, 387, 388, 389, 390, 396, 397, 402, 403, 404, 409, 410, 413, 414, 415, 417, 418, 420, 421, 429, 430, 431, 436, 437, 438, 442, 443, 444, 445, 452, 453, 454, 455, 463, 464, 465, 466, 471, 475, 476, 477, 478, 483, 484, 485, 486, 490, 491, 492, 493, 496, 497, 498, 499, 505, 506, 507, 508, 514, 515, 516, 517, 524, 525, 526, 527, 528, 540, 541, 542, 546, 550, 553, 554, 555, 556, 567, 568, 573, 574, 575, 576, 581, 582, 584, 589, 590, 591, 592, 594, 616, 617, 618, 623, 624, 625, 629, 630, 631, 632 }

C grade: { }

F grade: { 303, 349, 407, 408, 411, 412, 416, 419, 547, 551, 552, 560, 561, 593, 595, 596, 597, 598, 599, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 619, 620, 621, 622, 626, 627, 628 }

## 2.1.6 Sympy

A grade: { 3, 5, 6, 25, 32, 34, 36, 37, 54, 55, 56, 57, 58, 62, 65, 67, 69, 104, 106, 117, 157, 159, 161, 220, 222, 224, 226, 262, 263, 264, 265, 266, 267, 333, 338, 350, 351, 352, 353, 359, 360, 361, 362, 363, 364, 368, 371, 372, 373, 374, 375, 378, 379, 380, 390, 392, 393, 394, 395, 398, 399, 400, 401, 402, 554, 555, 556, 562, 563, 564, 565, 566, 569, 570, 571, 572, 573, 629, 630 }

B grade: { 19, 21, 23, 354, 355, 356, 357, 358, 365, 366, 367, 369, 370, 376, 377, 557 }

C grade: { 1, 2, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 22, 24, 26, 27, 28, 29, 30, 31, 33, 35, 38, 39, 40, 41, 42, 43, 59, 60, 61, 63, 64, 66, 68, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 102, 103, 105, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 118, 158, 160, 162, 163, 164, 165, 166, 167, 168, 169, 170, 406, 545 }

F grade: { 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 221, 223, 225, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237,

238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 334, 335, 336, 337, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 381, 382, 383, 384, 385, 386, 387, 388, 389, 391, 396, 397, 403, 404, 405, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 546, 547, 548, 549, 550, 551, 552, 553, 558, 559, 560, 561, 567, 568, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 631, 632 }

### 2.1.7 Giac

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 117, 130, 134, 151, 152, 153, 154, 186, 187, 195, 196, 197, 219, 226, 227, 228, 229, 230, 231, 233, 234, 235, 237, 238, 239, 240, 241, 243, 244, 246, 247, 248, 249, 251, 252, 259, 327, 333, 338, 348, 350, 354, 359, 360, 365, 366, 377, 378, 383, 384, 385, 386, 390, 391, 392, 393, 394, 395, 396, 397, 399, 400, 401, 402, 403, 404, 405, 406, 423, 531, 532, 543, 544, 545, 557, 558, 559, 560, 563, 564, 565, 566, 567, 571, 572, 573, 574, 576, 577, 578, 579, 580, 581, 585, 588, 617 }

B grade: { 9, 10, 11, 12, 13, 14, 15, 40, 41, 42, 43, 60, 61, 62, 63, 64, 75, 76, 77, 78, 79, 80, 81, 82, 98, 118, 156, 236, 245, 262, 263, 264, 265, 266, 267, 268, 269, 270, 323, 325, 334, 335, 336, 337, 339, 341, 342, 343, 344, 345, 346, 347, 349, 351, 352, 353, 361, 362, 363, 364, 371, 372, 373, 374, 375, 376, 381, 382, 387, 389, 398, 421, 422, 528, 529, 530, 546, 548, 549, 550, 553, 554, 555, 556, 561, 562, 568, 569, 570, 575, 582, 583, 584, 586, 587, 589, 603, 620, 623, 624, 625, 628, 629, 630, 631, 632 }

C grade: { 388 }

F grade: { 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 131, 132, 133, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 155, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 188, 189, 190, 191, 192, 193, 194, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 220, 221, 222, 223, 224, 225, 232, 242, 250, 253, 254, 255, 256, 257, 258, 260, 261, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 324, 326, 328, 329, 330, 331, 332, 340, 355, 356, 357, 358, 367, 368, 369, 370, 379, 380, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420,

424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 547, 551, 552, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 618, 619, 621, 622, 626, 627 }

## 2.1.8 Mupad

A grade: { }

B grade: { 7, 8, 9, 12, 13, 14, 15, 16, 17, 18, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 46, 47, 48, 49, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 86, 87, 88, 117, 118, 123, 130, 131, 132, 139, 140, 141, 142, 143, 148, 149, 150, 151, 152, 153, 154, 155, 156, 172, 173, 174, 175, 182, 183, 184, 192, 193, 210, 211, 212, 213, 214, 215, 220, 222, 224, 226, 262, 263, 264, 265, 266, 267, 268, 269, 270, 307, 314, 315, 316, 321, 322, 323, 325, 327, 329, 331, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 384, 385, 386, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 420, 421, 422, 423, 424, 425, 426, 427, 432, 433, 434, 435, 439, 440, 441, 442, 446, 447, 448, 449, 450, 456, 457, 458, 459, 460, 467, 468, 469, 470, 471, 483, 484, 485, 486, 490, 491, 492, 493, 496, 497, 498, 499, 505, 506, 507, 508, 514, 515, 516, 517, 524, 525, 526, 527, 528, 529, 530, 531, 532, 534, 535, 536, 537, 538, 543, 544, 545, 546, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 579, 580, 583, 584, 587, 588, 591, 592, 629, 630, 631, 632 }

C grade: { }

F grade: { 1, 2, 3, 4, 5, 6, 10, 11, 19, 20, 21, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 50, 51, 52, 53, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 119, 120, 121, 122, 124, 125, 126, 127, 128, 129, 133, 134, 135, 136, 137, 138, 144, 145, 146, 147, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 176, 177, 178, 179, 180, 181, 185, 186, 187, 188, 189, 190, 191, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 216, 217, 218, 219, 221, 223, 225, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 308, 309, 310, 311, 312, 313, 317, 318, 319, 320, 324, 326, 328, 330, 332, 381, 382, 383, 387, 388, 389, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 428, 429, 430, 431, 436, 437, 438, 443, 444, 445, 451, 452, 453, 454, 455, 461, 462, 463, 464, 465, 466, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 487, 488, 489, 494, 495, 500, 501, 502, 503, 504, 509, 510, 511, 512, 513, 518, 519, 520, 521, 522, 523, 533, 539, 540, 541, 542, 547, 548, 549, 550, 551, 552, 578, 581, 582, 585, 586, 589, 590, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628 }

## 2.1.9 Integrate Algebraic

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 219, 220, 222, 224, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 273, 275, 276, 277, 278, 279, 284, 285, 286, 287, 288, 299, 305, 307, 308, 309, 310, 320, 328, 335, 336, 339, 340, 341, 344, 381, 382, 383, 384, 385, 386, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 421, 424, 425, 426, 427, 432, 433, 434, 435, 439, 440, 441, 442, 448, 449, 450, 458, 459, 460, 461, 462, 470, 471, 472, 473, 479, 480, 481, 482, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 500, 501, 502, 503, 504, 506, 507, 508, 509, 510, 511, 512, 513, 515, 519, 520, 521, 522, 523, 533, 535, 536, 537, 538, 545, 546, 547, 551, 563, 564, 565, 566, 567, 568, 570, 571, 572, 573, 574, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 595, 596, 597, 598, 599, 600, 601, 602, 607, 608, 613, 614, 615, 616, 617, 618, 622, 623, 624, 625, 626 }

B grade: { 98, 241, 272, 274, 283, 306, 313, 314, 315, 316, 406, 422, 423, 446, 447, 483, 505, 514, 524, 534, 543, 544, 548, 549, 550, 562, 569, 575, 606, 609, 610, 619, 621 }

C grade: { 218, 226, 334, 337, 338, 342, 343, 345, 346, 347, 348, 349, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 428, 451, 452, 539 }

F grade: { 221, 223, 225, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 280, 281, 282, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 300, 301, 302, 303, 304, 311, 312, 317, 318, 319, 321, 322, 323, 324, 325, 326, 327, 329, 330, 331, 332, 333, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 387, 388, 389, 429, 430, 431, 436, 437, 438, 443, 444, 445, 453, 454, 455, 456, 457, 463, 464, 465, 466, 467, 468, 469, 474, 475, 476, 477, 478, 499, 516, 517, 518, 525, 526, 527, 528, 529, 530, 531, 532, 540, 541, 542, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 594, 603, 604, 605, 611, 612, 620, 627, 628, 629, 630, 631, 632 }



## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column N. S. in the table below, which stands for **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$ . To help make the table fit, Mathematica was abbreviated to MMA and IntegrateAlgebraic to I. A.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	132	132	112	125	104	95	279	74	-1	114
N.S.	1	1.00	0.85	0.95	0.79	0.72	2.11	0.56	-0.01	0.86
time (sec)	N/A	0.076	0.124	0.059	0.983	0.397	5.478	0.258	0.000	0.889
Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	201	201	157	198	177	138	830	117	-1	158
N.S.	1	1.00	0.78	0.99	0.88	0.69	4.13	0.58	-0.00	0.79
time (sec)	N/A	0.149	0.214	0.045	0.989	0.399	17.835	0.220	0.000	0.502
Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	172	172	146	173	152	127	775	106	-1	147
N.S.	1	1.00	0.85	1.01	0.88	0.74	4.51	0.62	-0.01	0.85
time (sec)	N/A	0.101	0.191	0.023	0.977	0.413	17.170	0.226	0.000	0.458

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	159	159	135	148	127	116	653	96	-1	136
N.S.	1	1.00	0.85	0.93	0.80	0.73	4.11	0.60	-0.01	0.86
time (sec)	N/A	0.108	0.175	0.045	0.949	0.397	12.267	0.227	0.000	0.448

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	116	116	124	123	102	105	580	84	-1	125
N.S.	1	1.00	1.07	1.06	0.88	0.91	5.00	0.72	-0.01	1.08
time (sec)	N/A	0.034	0.142	0.015	0.984	0.403	12.059	0.212	0.000	0.407

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	116	116	124	123	102	105	580	84	-1	125
N.S.	1	1.00	1.07	1.06	0.88	0.91	5.00	0.72	-0.01	1.08
time (sec)	N/A	0.033	0.042	0.000	0.980	0.415	12.180	0.340	0.000	0.001

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	113	113	124	151	124	107	469	99	107	142
N.S.	1	1.00	1.10	1.34	1.10	0.95	4.15	0.88	0.95	1.26
time (sec)	N/A	0.098	0.184	0.019	0.985	0.414	22.411	0.273	2.904	0.510

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	117	117	124	182	129	124	386	157	114	143
N.S.	1	1.00	1.06	1.56	1.10	1.06	3.30	1.34	0.97	1.22
time (sec)	N/A	0.092	0.174	0.033	0.990	0.408	8.182	0.254	3.513	0.480

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	121	121	110	212	160	133	461	217	120	146
N.S.	1	1.00	0.91	1.75	1.32	1.10	3.81	1.79	0.99	1.21
time (sec)	N/A	0.094	0.077	0.022	0.988	0.415	9.533	0.276	3.735	0.685

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	120	120	111	235	184	129	457	261	-1	141
N.S.	1	1.00	0.92	1.96	1.53	1.08	3.81	2.18	-0.01	1.18
time (sec)	N/A	0.092	0.060	0.022	0.982	0.417	8.932	0.234	0.000	0.591

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	B	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	118	118	133	260	210	119	541	297	-1	141
N.S.	1	1.00	1.13	2.20	1.78	1.01	4.58	2.52	-0.01	1.19
time (sec)	N/A	0.092	0.089	0.025	0.983	0.408	11.056	0.232	0.000	0.595

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	108	108	133	158	155	98	774	368	93	155
N.S.	1	1.00	1.23	1.46	1.44	0.91	7.17	3.41	0.86	1.44
time (sec)	N/A	0.063	0.061	0.033	0.994	0.395	11.365	0.246	4.264	0.621

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	143	143	59	186	180	109	918	431	118	126
N.S.	1	1.00	0.41	1.30	1.26	0.76	6.42	3.01	0.83	0.88
time (sec)	N/A	0.095	0.021	0.031	0.988	0.427	15.254	0.276	4.660	0.616

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	172	172	72	211	205	120	1037	494	192	137
N.S.	1	1.00	0.42	1.23	1.19	0.70	6.03	2.87	1.12	0.80
time (sec)	N/A	0.125	0.020	0.042	0.990	0.421	16.620	0.256	5.334	0.684

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	201	201	73	236	230	131	1159	431	212	148
N.S.	1	1.00	0.36	1.17	1.14	0.65	5.77	2.14	1.05	0.74
time (sec)	N/A	0.156	0.022	0.073	0.995	0.446	22.545	0.256	6.044	0.741

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	103	103	70	102	81	72	177	54	112	92
N.S.	1	1.00	0.68	0.99	0.79	0.70	1.72	0.52	1.09	0.89
time (sec)	N/A	0.053	0.038	0.019	0.985	0.405	5.254	0.245	3.138	0.242

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	73	73	77	99	78	87	184	66	87	84
N.S.	1	1.00	1.05	1.36	1.07	1.19	2.52	0.90	1.19	1.15
time (sec)	N/A	0.042	0.031	0.019	0.979	0.403	9.708	0.252	2.956	0.466

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	58	58	52	55	88	104	231	51	55	59
N.S.	1	1.00	0.90	0.95	1.52	1.79	3.98	0.88	0.95	1.02
time (sec)	N/A	0.026	0.021	0.009	0.444	0.391	9.883	0.295	2.590	0.427

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	161	161	155	227	312	278	2004	120	-1	152
N.S.	1	1.00	0.96	1.41	1.94	1.73	12.45	0.75	-0.01	0.94
time (sec)	N/A	0.139	0.097	0.074	1.029	0.467	66.418	0.279	0.000	0.777

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	B	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	147	147	142	195	278	263	1821	109	-1	137
N.S.	1	1.00	0.97	1.33	1.89	1.79	12.39	0.74	-0.01	0.93
time (sec)	N/A	0.120	0.087	0.025	1.032	0.420	62.081	0.272	0.000	0.732

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	B	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	122	130	166	250	247	1739	97	-1	125
N.S.	1	1.00	1.07	1.36	2.05	2.02	14.25	0.80	-0.01	1.02
time (sec)	N/A	0.081	0.081	0.021	1.011	0.408	73.140	0.308	0.000	0.679

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	B	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	84	84	82	77	159	171	418	64	78	82
N.S.	1	1.00	0.98	0.92	1.89	2.04	4.98	0.76	0.93	0.98
time (sec)	N/A	0.052	0.025	0.010	0.453	0.391	63.869	0.272	2.701	0.521

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	B	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	90	90	82	77	134	172	337	58	78	82
N.S.	1	1.00	0.91	0.86	1.49	1.91	3.74	0.64	0.87	0.91
time (sec)	N/A	0.042	0.023	0.010	0.448	0.407	20.548	0.278	2.659	0.482

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	94	94	82	77	112	173	513	64	78	82
N.S.	1	1.00	0.87	0.82	1.19	1.84	5.46	0.68	0.83	0.87
time (sec)	N/A	0.046	0.025	0.009	0.438	0.416	21.308	0.269	2.615	0.517

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	83	83	82	77	87	172	432	57	78	82
N.S.	1	1.00	0.99	0.93	1.05	2.07	5.20	0.69	0.94	0.99
time (sec)	N/A	0.023	0.035	0.009	0.436	0.415	22.679	0.267	2.621	0.507
Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	80	80	82	77	80	171	604	65	78	82
N.S.	1	1.00	1.02	0.96	1.00	2.14	7.55	0.81	0.98	1.02
time (sec)	N/A	0.021	0.029	0.009	0.435	0.420	24.406	0.260	2.584	0.002
Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	117	117	131	163	157	244	2378	122	127	122
N.S.	1	1.00	1.12	1.39	1.34	2.09	20.32	1.04	1.09	1.04
time (sec)	N/A	0.103	0.063	0.013	0.445	0.423	41.141	0.274	3.079	0.724
Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	153	153	147	195	189	270	2404	189	141	137
N.S.	1	1.00	0.96	1.27	1.24	1.76	15.71	1.24	0.92	0.90
time (sec)	N/A	0.127	0.073	0.016	0.463	0.442	31.225	0.286	3.305	0.610

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	184	184	183	227	221	291	2691	260	181	150
N.S.	1	1.00	0.99	1.23	1.20	1.58	14.62	1.41	0.98	0.82
time (sec)	N/A	0.160	0.135	0.016	0.468	0.511	35.060	0.359	3.428	0.813

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	121	121	104	99	135	239	903	77	164	104
N.S.	1	1.00	0.86	0.82	1.12	1.98	7.46	0.64	1.36	0.86
time (sec)	N/A	0.053	0.040	0.012	0.440	0.469	22.733	0.274	2.690	0.554

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	148	148	126	121	158	305	1401	90	202	126
N.S.	1	1.00	0.85	0.82	1.07	2.06	9.47	0.61	1.36	0.85
time (sec)	N/A	0.062	0.049	0.014	0.448	0.762	48.458	0.298	2.737	0.623

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	54	54	50	85	63	66	102	70	84	74
N.S.	1	1.00	0.93	1.57	1.17	1.22	1.89	1.30	1.56	1.37
time (sec)	N/A	0.034	0.029	0.016	0.964	0.401	8.328	0.211	0.088	0.409



Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	173	173	103	174	153	105	558	84	-1	125
N.S.	1	1.00	0.60	1.01	0.88	0.61	3.23	0.49	-0.01	0.72
time (sec)	N/A	0.227	0.099	0.028	0.978	0.410	13.484	0.269	0.000	0.416
Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	144	144	92	149	128	94	357	73	-1	114
N.S.	1	1.00	0.64	1.03	0.89	0.65	2.48	0.51	-0.01	0.79
time (sec)	N/A	0.186	0.090	0.010	0.973	0.413	7.871	0.263	0.000	0.420
Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	115	115	81	124	103	83	386	63	-1	103
N.S.	1	1.00	0.70	1.08	0.90	0.72	3.36	0.55	-0.01	0.90
time (sec)	N/A	0.145	0.070	0.011	0.968	0.398	9.327	0.252	0.000	0.388
Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	83	83	69	98	77	71	218	49	-1	89
N.S.	1	1.00	0.83	1.18	0.93	0.86	2.63	0.59	-0.01	1.07
time (sec)	N/A	0.085	0.054	0.009	0.970	0.401	5.617	0.253	0.000	0.389

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	83	83	58	71	53	60	269	40	-1	81
N.S.	1	1.00	0.70	0.86	0.64	0.72	3.24	0.48	-0.01	0.98
time (sec)	N/A	0.028	0.036	0.008	0.970	0.414	5.044	0.251	0.000	0.014

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	66	66	66	91	62	73	184	65	-1	104
N.S.	1	1.00	1.00	1.38	0.94	1.11	2.79	0.98	-0.02	1.58
time (sec)	N/A	0.111	0.027	0.010	0.971	0.397	6.958	0.257	0.000	0.382

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	68	68	68	93	64	79	207	107	-1	102
N.S.	1	1.00	1.00	1.37	0.94	1.16	3.04	1.57	-0.01	1.50
time (sec)	N/A	0.115	0.030	0.011	0.962	0.403	4.296	0.256	0.000	0.404

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	80	80	122	86	83	63	214	170	-1	122
N.S.	1	1.00	1.52	1.08	1.04	0.79	2.68	2.12	-0.01	1.52
time (sec)	N/A	0.109	0.243	0.012	0.951	0.392	6.721	0.269	0.000	0.462

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	107	107	87	114	108	74	303	239	-1	91
N.S.	1	1.00	0.81	1.07	1.01	0.69	2.83	2.23	-0.01	0.85
time (sec)	N/A	0.137	0.150	0.013	0.970	0.402	6.090	0.305	0.000	0.474
Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	140	140	155	139	133	87	449	305	-1	104
N.S.	1	1.00	1.11	0.99	0.95	0.62	3.21	2.18	-0.01	0.74
time (sec)	N/A	0.172	0.148	0.015	0.970	0.402	10.316	0.290	0.000	0.546
Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	169	169	79	164	158	98	510	365	-1	115
N.S.	1	1.00	0.47	0.97	0.93	0.58	3.02	2.16	-0.01	0.68
time (sec)	N/A	0.195	0.040	0.016	0.984	0.396	8.957	0.272	0.000	0.641
Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	143	143	111	193	276	188	0	106	-1	126
N.S.	1	1.00	0.78	1.35	1.93	1.31	0.00	0.74	-0.01	0.88
time (sec)	N/A	0.271	0.212	0.010	1.016	0.402	0.000	0.298	0.000	0.652

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	121	121	96	236	298	172	0	95	-1	114
N.S.	1	1.00	0.79	1.95	2.46	1.42	0.00	0.79	-0.01	0.94
time (sec)	N/A	0.208	0.202	0.018	1.004	0.420	0.000	0.280	0.000	0.617
Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	97	97	63	65	155	116	0	63	66	70
N.S.	1	1.00	0.65	0.67	1.60	1.20	0.00	0.65	0.68	0.72
time (sec)	N/A	0.173	0.060	0.008	0.445	0.400	0.000	0.287	2.893	0.493
Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	87	87	63	66	131	117	0	61	67	70
N.S.	1	1.00	0.72	0.76	1.51	1.34	0.00	0.70	0.77	0.80
time (sec)	N/A	0.120	0.055	0.010	0.445	0.400	0.000	0.284	2.865	0.481
Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	89	89	62	64	109	117	0	64	65	69
N.S.	1	1.00	0.70	0.72	1.22	1.31	0.00	0.72	0.73	0.78
time (sec)	N/A	0.033	0.051	0.008	0.438	0.411	0.000	0.276	2.862	0.546

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	77	77	63	65	78	116	0	61	66	70
N.S.	1	1.00	0.82	0.84	1.01	1.51	0.00	0.79	0.86	0.91
time (sec)	N/A	0.020	0.042	0.008	0.438	0.404	0.000	0.315	2.814	0.047
Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	117	117	81	160	154	169	0	118	-1	111
N.S.	1	1.00	0.69	1.37	1.32	1.44	0.00	1.01	-0.01	0.95
time (sec)	N/A	0.159	0.042	0.010	0.456	0.393	0.000	0.288	0.000	0.652
Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	145	145	90	193	187	195	0	188	-1	126
N.S.	1	1.00	0.62	1.33	1.29	1.34	0.00	1.30	-0.01	0.87
time (sec)	N/A	0.275	0.050	0.011	0.466	0.417	0.000	0.288	0.000	0.735
Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	182	182	117	224	218	216	0	260	-1	139
N.S.	1	1.00	0.64	1.23	1.20	1.19	0.00	1.43	-0.01	0.76
time (sec)	N/A	0.358	0.056	0.016	0.469	0.428	0.000	0.298	0.000	0.930

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	209	209	105	249	243	227	0	325	-1	150
N.S.	1	1.00	0.50	1.19	1.16	1.09	0.00	1.56	-0.00	0.72
time (sec)	N/A	0.474	0.054	0.020	0.478	0.473	0.000	0.351	0.000	1.053

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	81	81	42	71	70	50	73	34	36	58
N.S.	1	1.00	0.52	0.88	0.86	0.62	0.90	0.42	0.44	0.72
time (sec)	N/A	0.093	0.036	0.012	0.968	0.400	1.409	0.182	2.501	0.232

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	63	63	37	57	56	45	60	30	31	53
N.S.	1	1.00	0.59	0.90	0.89	0.71	0.95	0.48	0.49	0.84
time (sec)	N/A	0.081	0.028	0.007	0.969	0.384	0.810	0.192	0.029	0.224

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	41	41	26	41	40	38	37	21	22	46
N.S.	1	1.00	0.63	1.00	0.98	0.93	0.90	0.51	0.54	1.12
time (sec)	N/A	0.048	0.017	0.005	0.971	0.396	0.408	0.220	0.029	0.186

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	40	40	25	29	28	33	27	19	21	41
N.S.	1	1.00	0.62	0.72	0.70	0.82	0.68	0.48	0.52	1.02
time (sec)	N/A	0.012	0.015	0.003	0.961	0.396	0.242	0.195	0.030	0.186

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	32	32	32	29	41	46	31	34	32	52
N.S.	1	1.00	1.00	0.91	1.28	1.44	0.97	1.06	1.00	1.62
time (sec)	N/A	0.059	0.010	0.005	0.979	0.390	6.295	0.180	0.047	0.183

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	33	33	33	30	42	53	51	55	35	57
N.S.	1	1.00	1.00	0.91	1.27	1.61	1.55	1.67	1.06	1.73
time (sec)	N/A	0.063	0.016	0.008	0.971	0.404	4.684	0.184	0.079	0.169

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	51	51	40	42	54	43	116	91	47	48
N.S.	1	1.00	0.78	0.82	1.06	0.84	2.27	1.78	0.92	0.94
time (sec)	N/A	0.061	0.020	0.007	0.969	0.403	7.033	0.179	2.487	0.165

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	67	67	43	56	68	48	128	125	67	47
N.S.	1	1.00	0.64	0.84	1.01	0.72	1.91	1.87	1.00	0.70
time (sec)	N/A	0.074	0.024	0.008	0.964	0.396	8.348	0.186	0.032	0.170

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	A	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	89	89	73	70	82	53	223	163	77	58
N.S.	1	1.00	0.82	0.79	0.92	0.60	2.51	1.83	0.87	0.65
time (sec)	N/A	0.090	0.038	0.009	0.972	0.403	11.059	0.184	0.032	0.165

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	107	107	50	84	96	58	201	199	90	63
N.S.	1	1.00	0.47	0.79	0.90	0.54	1.88	1.86	0.84	0.59
time (sec)	N/A	0.103	0.017	0.008	0.969	0.403	12.693	0.198	0.036	0.175

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	134	134	196	212	159	111	544	295	-1	134
N.S.	1	1.00	1.46	1.58	1.19	0.83	4.06	2.20	-0.01	1.00
time (sec)	N/A	0.215	0.243	0.022	0.982	0.420	10.027	0.273	0.000	0.559



Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	310	310	212	291	270	194	2273	170	-1	213
N.S.	1	1.00	0.68	0.94	0.87	0.63	7.33	0.55	-0.00	0.69
time (sec)	N/A	0.487	0.358	0.107	1.002	0.433	101.431	0.258	0.000	0.879

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	281	281	200	266	245	183	2028	160	-1	202
N.S.	1	1.00	0.71	0.95	0.87	0.65	7.22	0.57	-0.00	0.72
time (sec)	N/A	0.406	0.330	0.018	0.987	0.415	64.638	0.256	0.000	0.626

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	252	252	189	241	220	172	1919	149	-1	191
N.S.	1	1.00	0.75	0.96	0.87	0.68	7.62	0.59	-0.00	0.76
time (sec)	N/A	0.364	0.297	0.015	0.992	0.414	59.744	0.242	0.000	0.676

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	223	223	178	216	195	161	1681	139	-1	180
N.S.	1	1.00	0.80	0.97	0.87	0.72	7.54	0.62	-0.00	0.81
time (sec)	N/A	0.306	0.267	0.014	0.993	0.419	40.610	0.292	0.000	0.693

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	230	230	167	191	170	150	1554	128	-1	169
N.S.	1	1.00	0.73	0.83	0.74	0.65	6.76	0.56	-0.00	0.73
time (sec)	N/A	0.121	0.379	0.010	0.987	0.404	40.183	0.240	0.000	0.589

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	188	188	156	154	136	139	1284	117	-1	158
N.S.	1	1.00	0.83	0.82	0.72	0.74	6.83	0.62	-0.01	0.84
time (sec)	N/A	0.082	0.326	0.010	0.985	0.406	25.884	0.249	0.000	0.485

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	190	190	168	231	204	151	1263	143	-1	186
N.S.	1	1.00	0.88	1.22	1.07	0.79	6.65	0.75	-0.01	0.98
time (sec)	N/A	0.307	0.355	0.011	1.004	0.426	47.722	0.260	0.000	0.580

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	193	193	221	243	217	167	1057	199	-1	187
N.S.	1	1.00	1.15	1.26	1.12	0.87	5.48	1.03	-0.01	0.97
time (sec)	N/A	0.305	0.525	0.013	0.998	0.427	19.884	0.245	0.000	0.575

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	207	207	259	252	229	179	1059	262	-1	189
N.S.	1	1.00	1.25	1.22	1.11	0.86	5.12	1.27	-0.00	0.91
time (sec)	N/A	0.313	0.640	0.017	1.004	0.427	22.217	0.252	0.000	0.716

Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	210	210	251	277	226	179	911	318	-1	192
N.S.	1	1.00	1.20	1.32	1.08	0.85	4.34	1.51	-0.00	0.91
time (sec)	N/A	0.314	0.272	0.017	1.008	0.422	15.742	0.289	0.000	0.616

Problem 75	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	209	209	195	302	250	180	1028	374	-1	194
N.S.	1	1.00	0.93	1.44	1.20	0.86	4.92	1.79	-0.00	0.93
time (sec)	N/A	0.319	0.100	0.021	0.993	0.424	20.103	0.267	0.000	0.677

Problem 76	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	216	216	199	327	278	180	1178	430	-1	194
N.S.	1	1.00	0.92	1.51	1.29	0.83	5.45	1.99	-0.00	0.90
time (sec)	N/A	0.313	0.094	0.027	0.994	0.434	20.702	0.276	0.000	0.750

Problem 77	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	214	214	286	352	303	179	1397	485	-1	194
N.S.	1	1.00	1.34	1.64	1.42	0.84	6.53	2.27	-0.00	0.91
time (sec)	N/A	0.312	0.223	0.034	1.001	0.440	21.706	0.311	0.000	0.800

Problem 78	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	206	206	247	377	326	173	1513	510	-1	188
N.S.	1	1.00	1.20	1.83	1.58	0.84	7.34	2.48	-0.00	0.91
time (sec)	N/A	0.311	0.152	0.046	1.010	0.412	22.293	0.311	0.000	0.799

Problem 79	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	204	204	245	402	352	163	1719	538	-1	186
N.S.	1	1.00	1.20	1.97	1.73	0.80	8.43	2.64	-0.00	0.91
time (sec)	N/A	0.304	0.149	0.065	1.009	0.483	31.403	0.313	0.000	0.829

Problem 80	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	187	187	218	250	247	142	1889	620	-1	159
N.S.	1	1.00	1.17	1.34	1.32	0.76	10.10	3.32	-0.01	0.85
time (sec)	N/A	0.260	0.165	0.098	0.997	0.463	36.712	0.466	0.000	0.879

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	225	225	102	278	272	153	2159	683	-1	170
N.S.	1	1.00	0.45	1.24	1.21	0.68	9.60	3.04	-0.00	0.76
time (sec)	N/A	0.298	0.064	0.152	1.013	0.518	49.867	0.361	0.000	0.986
Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	C	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	254	254	112	303	297	164	2397	746	-1	181
N.S.	1	1.00	0.44	1.19	1.17	0.65	9.44	2.94	-0.00	0.71
time (sec)	N/A	0.329	0.061	0.241	1.005	0.576	74.516	0.363	0.000	1.053
Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	174	174	131	222	305	192	0	118	-1	123
N.S.	1	1.00	0.75	1.28	1.75	1.10	0.00	0.68	-0.01	0.71
time (sec)	N/A	0.405	0.237	0.013	1.028	0.434	0.000	0.301	0.000	0.580
Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	142	142	119	262	324	177	0	107	-1	108
N.S.	1	1.00	0.84	1.85	2.28	1.25	0.00	0.75	-0.01	0.76
time (sec)	N/A	0.325	0.199	0.010	1.019	0.417	0.000	0.293	0.000	0.543

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	118	118	112	234	296	161	0	95	-1	96
N.S.	1	1.00	0.95	1.98	2.51	1.36	0.00	0.81	-0.01	0.81
time (sec)	N/A	0.216	0.151	0.013	1.017	0.404	0.000	0.292	0.000	0.619

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	93	93	58	55	154	106	0	72	49	53
N.S.	1	1.00	0.62	0.59	1.66	1.14	0.00	0.77	0.53	0.57
time (sec)	N/A	0.126	0.079	0.006	0.453	0.398	0.000	0.284	2.690	0.444

Problem 87	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	86	86	55	52	128	104	0	60	46	53
N.S.	1	1.00	0.64	0.60	1.49	1.21	0.00	0.70	0.53	0.62
time (sec)	N/A	0.036	0.176	0.009	0.443	0.390	0.000	0.308	2.656	0.425

Problem 88	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	103	103	58	55	101	106	0	70	49	53
N.S.	1	1.00	0.56	0.53	0.98	1.03	0.00	0.68	0.48	0.51
time (sec)	N/A	0.048	0.059	0.008	0.439	0.402	0.000	0.291	2.657	0.002

Problem 89	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	114	114	81	158	152	158	0	117	-1	93
N.S.	1	1.00	0.71	1.39	1.33	1.39	0.00	1.03	-0.01	0.82
time (sec)	N/A	0.159	0.059	0.014	0.458	0.406	0.000	0.291	0.000	0.669
Problem 90	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	145	145	96	190	184	184	0	185	-1	108
N.S.	1	1.00	0.66	1.31	1.27	1.27	0.00	1.28	-0.01	0.74
time (sec)	N/A	0.287	0.056	0.012	0.472	0.423	0.000	0.290	0.000	0.591
Problem 91	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	182	182	119	222	216	205	0	259	-1	121
N.S.	1	1.00	0.65	1.22	1.19	1.13	0.00	1.42	-0.01	0.66
time (sec)	N/A	0.362	0.069	0.014	0.475	0.418	0.000	0.331	0.000	0.721
Problem 92	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	147	147	91	208	125	95	0	77	-1	114
N.S.	1	1.00	0.62	1.41	0.85	0.65	0.00	0.52	-0.01	0.78
time (sec)	N/A	0.142	0.140	0.018	0.990	0.405	0.000	0.205	0.000	0.263

Problem 93	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	118	118	80	185	101	83	0	66	-1	103
N.S.	1	1.00	0.68	1.57	0.86	0.70	0.00	0.56	-0.01	0.87
time (sec)	N/A	0.099	0.101	0.013	0.990	0.404	0.000	0.211	0.000	0.265

Problem 94	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	86	86	69	160	77	73	0	54	-1	92
N.S.	1	1.00	0.80	1.86	0.90	0.85	0.00	0.63	-0.01	1.07
time (sec)	N/A	0.110	0.073	0.012	0.988	0.404	0.000	0.203	0.000	0.246

Problem 95	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	62	62	57	140	56	60	0	43	-1	80
N.S.	1	1.00	0.92	2.26	0.90	0.97	0.00	0.69	-0.02	1.29
time (sec)	N/A	0.041	0.059	0.010	0.971	0.401	0.000	0.220	0.000	0.224

Problem 96	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	46	46	43	77	31	52	0	31	-1	65
N.S.	1	1.00	0.93	1.67	0.67	1.13	0.00	0.67	-0.02	1.41
time (sec)	N/A	0.016	0.023	0.004	0.972	0.390	0.000	0.214	0.000	0.197



Problem 97	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	46	46	46	137	56	54	0	48	-1	84
N.S.	1	1.00	1.00	2.98	1.22	1.17	0.00	1.04	-0.02	1.83
time (sec)	N/A	0.059	0.038	0.013	0.988	0.425	0.000	0.212	0.000	0.209
Problem 98	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	51	51	53	222	0	50	0	102	-1	103
N.S.	1	1.00	1.04	4.35	0.00	0.98	0.00	2.00	-0.02	2.02
time (sec)	N/A	0.057	0.064	0.012	0.000	0.395	0.000	0.211	0.000	0.261
Problem 99	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	82	82	70	254	0	63	0	0	-1	79
N.S.	1	1.00	0.85	3.10	0.00	0.77	0.00	0.00	-0.01	0.96
time (sec)	N/A	0.078	0.104	0.011	0.000	0.385	0.000	0.000	0.000	0.287
Problem 100	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	114	114	84	280	0	75	0	0	-1	137
N.S.	1	1.00	0.74	2.46	0.00	0.66	0.00	0.00	-0.01	1.20
time (sec)	N/A	0.110	0.108	0.012	0.000	0.396	0.000	0.000	0.000	0.384

Problem 101	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	143	143	95	304	0	86	0	0	-1	104
N.S.	1	1.00	0.66	2.13	0.00	0.60	0.00	0.00	-0.01	0.73
time (sec)	N/A	0.135	0.127	0.013	0.000	0.392	0.000	0.000	0.000	0.410
Problem 102	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	C	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	113	113	112	222	174	94	279	0	-1	114
N.S.	1	1.00	0.99	1.96	1.54	0.83	2.47	0.00	-0.01	1.01
time (sec)	N/A	0.131	0.118	0.015	1.011	0.394	7.848	0.000	0.000	0.244
Problem 103	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	C	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	201	201	135	330	246	139	830	0	-1	158
N.S.	1	1.00	0.67	1.64	1.22	0.69	4.13	0.00	-0.00	0.79
time (sec)	N/A	0.160	0.174	0.016	1.042	0.410	25.151	0.000	0.000	0.376
Problem 104	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	C	A	A	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	172	172	124	305	221	127	775	0	-1	147
N.S.	1	1.00	0.72	1.77	1.28	0.74	4.51	0.00	-0.01	0.85
time (sec)	N/A	0.123	0.131	0.012	1.033	0.402	23.006	0.000	0.000	0.387

Problem 105	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	C	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	140	140	113	282	198	117	653	0	-1	136
N.S.	1	1.00	0.81	2.01	1.41	0.84	4.66	0.00	-0.01	0.97
time (sec)	N/A	0.150	0.102	0.014	1.045	0.406	16.657	0.000	0.000	0.392
Problem 106	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	C	A	A	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	116	116	102	260	176	105	580	0	-1	125
N.S.	1	1.00	0.88	2.24	1.52	0.91	5.00	0.00	-0.01	1.08
time (sec)	N/A	0.059	0.087	0.010	1.016	0.403	16.117	0.000	0.000	0.378
Problem 107	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	C	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	100	100	91	147	109	95	435	0	-1	114
N.S.	1	1.00	0.91	1.47	1.09	0.95	4.35	0.00	-0.01	1.14
time (sec)	N/A	0.031	0.055	0.006	0.992	0.397	10.461	0.000	0.000	0.384
Problem 108	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	113	113	108	245	124	107	469	0	-1	142
N.S.	1	1.00	0.96	2.17	1.10	0.95	4.15	0.00	-0.01	1.26
time (sec)	N/A	0.116	0.088	0.011	0.990	0.415	25.649	0.000	0.000	0.437

Problem 109	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	115	115	114	380	131	123	386	0	-1	143
N.S.	1	1.00	0.99	3.30	1.14	1.07	3.36	0.00	-0.01	1.24
time (sec)	N/A	0.118	0.125	0.011	0.989	0.394	10.205	0.000	0.000	0.452

Problem 110	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	121	121	119	411	138	135	461	0	-1	145
N.S.	1	1.00	0.98	3.40	1.14	1.12	3.81	0.00	-0.01	1.20
time (sec)	N/A	0.113	0.155	0.012	0.975	0.423	13.347	0.000	0.000	0.656

Problem 111	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	120	120	116	439	132	130	457	0	-1	141
N.S.	1	1.00	0.97	3.66	1.10	1.08	3.81	0.00	-0.01	1.18
time (sec)	N/A	0.114	0.154	0.013	0.986	0.412	11.684	0.000	0.000	0.501

Problem 112	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	119	119	111	463	159	119	541	0	-1	142
N.S.	1	1.00	0.93	3.89	1.34	1.00	4.55	0.00	-0.01	1.19
time (sec)	N/A	0.115	0.185	0.014	1.009	0.414	14.371	0.000	0.000	0.579

Problem 113	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	108	108	106	493	153	97	774	0	-1	155
N.S.	1	1.00	0.98	4.56	1.42	0.90	7.17	0.00	-0.01	1.44
time (sec)	N/A	0.089	0.147	0.016	1.002	0.405	13.939	0.000	0.000	0.587
Problem 114	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	143	143	117	521	178	108	918	0	-1	126
N.S.	1	1.00	0.82	3.64	1.24	0.76	6.42	0.00	-0.01	0.88
time (sec)	N/A	0.120	0.177	0.014	0.996	0.419	18.691	0.000	0.000	0.612
Problem 115	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	172	172	128	546	203	119	1037	0	-1	137
N.S.	1	1.00	0.74	3.17	1.18	0.69	6.03	0.00	-0.01	0.80
time (sec)	N/A	0.154	0.190	0.015	0.994	0.425	18.790	0.000	0.000	0.679
Problem 116	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	201	201	139	571	228	130	1159	0	-1	148
N.S.	1	1.00	0.69	2.84	1.13	0.65	5.77	0.00	-0.00	0.74
time (sec)	N/A	0.190	0.212	0.017	0.998	0.460	27.712	0.000	0.000	0.741

Problem 117	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	27	27	26	34	28	31	29	19	20	37
N.S.	1	1.00	0.96	1.26	1.04	1.15	1.07	0.70	0.74	1.37
time (sec)	N/A	0.017	0.038	0.007	0.976	0.410	3.350	0.164	0.039	0.180

Problem 118	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	51	51	49	238	68	74	170	125	74	95
N.S.	1	1.00	0.96	4.67	1.33	1.45	3.33	2.45	1.45	1.86
time (sec)	N/A	0.072	0.037	0.018	0.989	0.410	6.533	0.195	0.051	0.437

Problem 119	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	118	118	91	147	113	112	0	0	-1	109
N.S.	1	1.00	0.77	1.25	0.96	0.95	0.00	0.00	-0.01	0.92
time (sec)	N/A	0.096	0.088	0.014	1.007	0.407	0.000	0.000	0.000	0.456

Problem 120	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	91	91	80	120	86	101	0	0	-1	98
N.S.	1	1.00	0.88	1.32	0.95	1.11	0.00	0.00	-0.01	1.08
time (sec)	N/A	0.064	0.059	0.011	0.997	0.405	0.000	0.000	0.000	0.364

Problem 121	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	77	77	59	97	63	85	0	0	-1	81
N.S.	1	1.00	0.77	1.26	0.82	1.10	0.00	0.00	-0.01	1.05
time (sec)	N/A	0.097	0.070	0.010	0.976	0.409	0.000	0.000	0.000	0.338
Problem 122	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	52	52	49	74	40	67	0	0	-1	71
N.S.	1	1.00	0.94	1.42	0.77	1.29	0.00	0.00	-0.02	1.37
time (sec)	N/A	0.022	0.029	0.010	0.974	0.397	0.000	0.000	0.000	0.289
Problem 123	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	31	31	32	29	30	35	0	0	29	31
N.S.	1	1.00	1.03	0.94	0.97	1.13	0.00	0.00	0.94	1.00
time (sec)	N/A	0.011	0.006	0.006	0.976	0.384	0.000	0.000	2.643	0.002
Problem 124	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	54	54	52	88	0	62	0	0	-1	70
N.S.	1	1.00	0.96	1.63	0.00	1.15	0.00	0.00	-0.02	1.30
time (sec)	N/A	0.044	0.037	0.012	0.000	0.385	0.000	0.000	0.000	0.397

Problem 125	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	81	81	62	108	0	88	0	0	-1	82
N.S.	1	1.00	0.77	1.33	0.00	1.09	0.00	0.00	-0.01	1.01
time (sec)	N/A	0.064	0.053	0.012	0.000	0.408	0.000	0.000	0.000	0.364
Problem 126	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	113	113	127	133	0	113	0	0	-1	97
N.S.	1	1.00	1.12	1.18	0.00	1.00	0.00	0.00	-0.01	0.86
time (sec)	N/A	0.091	0.317	0.014	0.000	0.407	0.000	0.000	0.000	0.440
Problem 127	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	128	128	106	208	151	190	0	0	-1	130
N.S.	1	1.00	0.83	1.62	1.18	1.48	0.00	0.00	-0.01	1.02
time (sec)	N/A	0.105	0.170	0.021	1.015	0.403	0.000	0.000	0.000	0.520
Problem 128	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	113	113	93	179	124	175	0	0	-1	114
N.S.	1	1.00	0.82	1.58	1.10	1.55	0.00	0.00	-0.01	1.01
time (sec)	N/A	0.094	0.135	0.010	1.010	0.423	0.000	0.000	0.000	0.457



Problem 129	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	89	89	80	153	99	157	0	0	-1	102
N.S.	1	1.00	0.90	1.72	1.11	1.76	0.00	0.00	-0.01	1.15
time (sec)	N/A	0.070	0.122	0.011	1.003	0.419	0.000	0.000	0.000	0.438
Problem 130	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	60	60	60	48	86	103	0	1	56	60
N.S.	1	1.00	1.00	0.80	1.43	1.72	0.00	0.02	0.93	1.00
time (sec)	N/A	0.035	0.052	0.008	0.464	0.403	0.000	0.245	2.712	0.393
Problem 131	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	58	58	56	44	67	101	0	0	52	56
N.S.	1	1.00	0.97	0.76	1.16	1.74	0.00	0.00	0.90	0.97
time (sec)	N/A	0.020	0.045	0.008	0.458	0.411	0.000	0.000	2.712	0.368
Problem 132	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	58	58	58	46	65	102	0	0	56	60
N.S.	1	1.00	1.00	0.79	1.12	1.76	0.00	0.00	0.97	1.03
time (sec)	N/A	0.015	0.033	0.007	0.453	0.395	0.000	0.000	2.714	0.377

Problem 133	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	88	88	83	142	0	155	0	0	-1	99
N.S.	1	1.00	0.94	1.61	0.00	1.76	0.00	0.00	-0.01	1.12
time (sec)	N/A	0.075	0.103	0.012	0.000	0.401	0.000	0.000	0.000	0.530
Problem 134	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	120	120	101	188	0	181	0	1	-1	115
N.S.	1	1.00	0.84	1.57	0.00	1.51	0.00	0.01	-0.01	0.96
time (sec)	N/A	0.103	0.119	0.017	0.000	0.391	0.000	0.252	0.000	0.492
Problem 135	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	152	152	115	216	0	201	0	0	-1	128
N.S.	1	1.00	0.76	1.42	0.00	1.32	0.00	0.00	-0.01	0.84
time (sec)	N/A	0.129	0.104	0.016	0.000	0.418	0.000	0.000	0.000	0.572
Problem 136	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	162	162	128	318	289	274	0	0	-1	152
N.S.	1	1.00	0.79	1.96	1.78	1.69	0.00	0.00	-0.01	0.94
time (sec)	N/A	0.160	0.240	0.049	1.091	0.463	0.000	0.000	0.000	0.644

Problem 137	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	148	148	115	288	259	258	0	0	-1	137
N.S.	1	1.00	0.78	1.95	1.75	1.74	0.00	0.00	-0.01	0.93
time (sec)	N/A	0.137	0.192	0.011	1.091	0.437	0.000	0.000	0.000	0.574
Problem 138	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	122	103	259	234	241	0	0	-1	124
N.S.	1	1.00	0.84	2.12	1.92	1.98	0.00	0.00	-0.01	1.02
time (sec)	N/A	0.102	0.145	0.010	1.060	0.427	0.000	0.000	0.000	0.535
Problem 139	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	85	85	82	70	134	168	0	0	78	82
N.S.	1	1.00	0.96	0.82	1.58	1.98	0.00	0.00	0.92	0.96
time (sec)	N/A	0.074	0.086	0.008	0.499	0.406	0.000	0.000	2.952	0.449
Problem 140	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	91	91	82	70	110	171	0	0	78	82
N.S.	1	1.00	0.90	0.77	1.21	1.88	0.00	0.00	0.86	0.90
time (sec)	N/A	0.069	0.071	0.008	0.470	0.406	0.000	0.000	2.835	0.445

Problem 141	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	95	95	82	70	110	170	0	0	78	82
N.S.	1	1.00	0.86	0.74	1.16	1.79	0.00	0.00	0.82	0.86
time (sec)	N/A	0.053	0.060	0.009	0.478	0.410	0.000	0.000	2.788	0.435
Problem 142	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	85	85	82	70	90	171	0	0	78	82
N.S.	1	1.00	0.96	0.82	1.06	2.01	0.00	0.00	0.92	0.96
time (sec)	N/A	0.029	0.055	0.008	0.490	0.418	0.000	0.000	2.784	0.418
Problem 143	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	82	82	82	70	85	168	0	0	78	82
N.S.	1	1.00	1.00	0.85	1.04	2.05	0.00	0.00	0.95	1.00
time (sec)	N/A	0.022	0.039	0.008	0.452	0.414	0.000	0.000	2.759	0.005
Problem 144	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	119	119	106	196	0	237	0	0	-1	122
N.S.	1	1.00	0.89	1.65	0.00	1.99	0.00	0.00	-0.01	1.03
time (sec)	N/A	0.107	0.090	0.015	0.000	0.422	0.000	0.000	0.000	0.661

Problem 145	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	154	154	122	268	0	265	0	0	-1	137
N.S.	1	1.00	0.79	1.74	0.00	1.72	0.00	0.00	-0.01	0.89
time (sec)	N/A	0.136	0.124	0.016	0.000	0.448	0.000	0.000	0.000	0.760
Problem 146	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	186	186	137	298	0	286	0	0	-1	150
N.S.	1	1.00	0.74	1.60	0.00	1.54	0.00	0.00	-0.01	0.81
time (sec)	N/A	0.168	0.130	0.017	0.000	0.508	0.000	0.000	0.000	1.041
Problem 147	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	215	215	148	326	0	297	0	0	-1	161
N.S.	1	1.00	0.69	1.52	0.00	1.38	0.00	0.00	-0.00	0.75
time (sec)	N/A	0.210	0.162	0.021	0.000	0.520	0.000	0.000	0.000	1.425
Problem 148	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	118	118	104	92	133	239	0	0	161	104
N.S.	1	1.00	0.88	0.78	1.13	2.03	0.00	0.00	1.36	0.88
time (sec)	N/A	0.077	0.120	0.010	0.508	0.488	0.000	0.000	2.948	0.779

Problem 149	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	123	123	104	92	133	238	0	0	161	104
N.S.	1	1.00	0.85	0.75	1.08	1.93	0.00	0.00	1.31	0.85
time (sec)	N/A	0.058	0.080	0.010	0.485	0.491	0.000	0.000	2.883	0.681
Problem 150	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	66	66	54	100	68	75	0	0	116	86
N.S.	1	1.00	0.82	1.52	1.03	1.14	0.00	0.00	1.76	1.30
time (sec)	N/A	0.054	0.051	0.014	0.975	0.415	0.000	0.000	0.071	0.432
Problem 151	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	55	55	37	84	52	66	0	70	84	74
N.S.	1	1.00	0.67	1.53	0.95	1.20	0.00	1.27	1.53	1.35
time (sec)	N/A	0.086	0.053	0.008	0.978	0.400	0.000	0.198	0.067	0.318
Problem 152	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	34	34	31	65	33	58	0	52	57	67
N.S.	1	1.00	0.91	1.91	0.97	1.71	0.00	1.53	1.68	1.97
time (sec)	N/A	0.017	0.024	0.009	0.986	0.405	0.000	0.215	2.605	0.335

Problem 153	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	26	26	25	22	23	28	0	34	23	26
N.S.	1	1.00	0.96	0.85	0.88	1.08	0.00	1.31	0.88	1.00
time (sec)	N/A	0.010	0.006	0.006	0.975	0.387	0.000	0.200	2.588	0.316
Problem 154	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	41	41	41	58	0	52	0	74	58	55
N.S.	1	1.00	1.00	1.41	0.00	1.27	0.00	1.80	1.41	1.34
time (sec)	N/A	0.040	0.028	0.014	0.000	0.400	0.000	0.208	2.652	0.453
Problem 155	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	64	64	50	73	0	76	0	0	81	64
N.S.	1	1.00	0.78	1.14	0.00	1.19	0.00	0.00	1.27	1.00
time (sec)	N/A	0.053	0.041	0.013	0.000	0.398	0.000	0.000	2.592	0.444
Problem 156	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	90	90	63	94	0	97	0	213	105	76
N.S.	1	1.00	0.70	1.04	0.00	1.08	0.00	2.37	1.17	0.84
time (sec)	N/A	0.079	0.055	0.013	0.000	0.402	0.000	0.208	2.611	0.551

Problem 157	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	C	A	A	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	229	229	135	375	299	138	571	0	-1	158
N.S.	1	1.00	0.59	1.64	1.31	0.60	2.49	0.00	-0.00	0.69
time (sec)	N/A	0.315	0.213	0.020	1.072	0.402	17.476	0.000	0.000	0.725

Problem 158	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	C	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	200	200	124	350	275	128	690	0	-1	147
N.S.	1	1.00	0.62	1.75	1.38	0.64	3.45	0.00	-0.00	0.74
time (sec)	N/A	0.270	0.155	0.015	1.039	0.404	21.396	0.000	0.000	0.648

Problem 159	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	C	A	A	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	171	171	113	327	251	116	450	0	-1	136
N.S.	1	1.00	0.66	1.91	1.47	0.68	2.63	0.00	-0.01	0.80
time (sec)	N/A	0.215	0.127	0.016	1.038	0.411	12.029	0.000	0.000	0.646

Problem 160	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	C	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	142	142	102	303	230	106	541	0	-1	125
N.S.	1	1.00	0.72	2.13	1.62	0.75	3.81	0.00	-0.01	0.88
time (sec)	N/A	0.177	0.114	0.014	1.030	0.406	14.453	0.000	0.000	0.574



Problem 161	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	C	A	A	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	136	136	91	198	167	94	321	0	-1	114
N.S.	1	1.00	0.67	1.46	1.23	0.69	2.36	0.00	-0.01	0.84
time (sec)	N/A	0.057	0.076	0.013	1.002	0.393	8.566	0.000	0.000	0.463
Problem 162	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	C	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	108	108	80	194	119	84	350	0	-1	103
N.S.	1	1.00	0.74	1.80	1.10	0.78	3.24	0.00	-0.01	0.95
time (sec)	N/A	0.042	0.048	0.006	0.991	0.398	9.349	0.000	0.000	0.435
Problem 163	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	96	96	96	290	103	95	267	0	-1	128
N.S.	1	1.00	1.00	3.02	1.07	0.99	2.78	0.00	-0.01	1.33
time (sec)	N/A	0.162	0.096	0.012	0.987	0.414	14.833	0.000	0.000	0.478
Problem 164	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	105	105	100	425	112	111	347	0	-1	131
N.S.	1	1.00	0.95	4.05	1.07	1.06	3.30	0.00	-0.01	1.25
time (sec)	N/A	0.161	0.127	0.013	1.118	0.404	9.854	0.000	0.000	0.598

Problem 165	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	110	110	102	456	111	119	347	0	-1	128
N.S.	1	1.00	0.93	4.15	1.01	1.08	3.15	0.00	-0.01	1.16
time (sec)	N/A	0.163	0.140	0.014	0.986	0.406	10.175	0.000	0.000	0.504

Problem 166	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	102	102	96	479	134	106	338	0	-1	129
N.S.	1	1.00	0.94	4.70	1.31	1.04	3.31	0.00	-0.01	1.26
time (sec)	N/A	0.163	0.178	0.016	0.991	0.417	9.735	0.000	0.000	0.543

Problem 167	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	108	108	95	513	130	86	422	0	-1	144
N.S.	1	1.00	0.88	4.75	1.20	0.80	3.91	0.00	-0.01	1.33
time (sec)	N/A	0.147	0.175	0.016	1.008	0.392	12.355	0.000	0.000	0.719

Problem 168	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	140	140	106	541	155	97	660	0	-1	115
N.S.	1	1.00	0.76	3.86	1.11	0.69	4.71	0.00	-0.01	0.82
time (sec)	N/A	0.177	0.168	0.016	0.991	0.408	13.422	0.000	0.000	0.707

Problem 169	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	169	169	117	566	180	108	808	0	-1	126
N.S.	1	1.00	0.69	3.35	1.07	0.64	4.78	0.00	-0.01	0.75
time (sec)	N/A	0.208	0.234	0.017	1.010	0.416	19.721	0.000	0.000	0.752
Problem 170	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	C	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	198	198	128	591	205	119	835	0	-1	137
N.S.	1	1.00	0.65	2.98	1.04	0.60	4.22	0.00	-0.01	0.69
time (sec)	N/A	0.236	0.234	0.018	0.988	0.404	18.183	0.000	0.000	0.854
Problem 171	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	123	123	106	198	170	171	0	0	-1	114
N.S.	1	1.00	0.86	1.61	1.38	1.39	0.00	0.00	-0.01	0.93
time (sec)	N/A	0.238	0.158	0.017	1.015	0.410	0.000	0.000	0.000	0.670
Problem 172	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	99	99	70	65	157	116	0	0	66	70
N.S.	1	1.00	0.71	0.66	1.59	1.17	0.00	0.00	0.67	0.71
time (sec)	N/A	0.204	0.077	0.007	0.468	0.398	0.000	0.000	2.970	0.543

Problem 173	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	89	89	70	65	136	118	0	0	66	70
N.S.	1	1.00	0.79	0.73	1.53	1.33	0.00	0.00	0.74	0.79
time (sec)	N/A	0.142	0.064	0.009	0.468	0.390	0.000	0.000	2.896	0.542

Problem 174	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	91	91	69	64	138	116	0	0	65	69
N.S.	1	1.00	0.76	0.70	1.52	1.27	0.00	0.00	0.71	0.76
time (sec)	N/A	0.036	0.054	0.010	0.464	0.398	0.000	0.000	2.879	0.483

Problem 175	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	91	91	70	66	136	115	0	0	66	70
N.S.	1	1.00	0.77	0.73	1.49	1.26	0.00	0.00	0.73	0.77
time (sec)	N/A	0.031	0.037	0.008	0.445	0.385	0.000	0.000	2.847	0.516

Problem 176	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	118	118	95	187	0	168	0	0	-1	111
N.S.	1	1.00	0.81	1.58	0.00	1.42	0.00	0.00	-0.01	0.94
time (sec)	N/A	0.178	0.087	0.012	0.000	0.404	0.000	0.000	0.000	0.764

Problem 177	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	146	146	112	234	0	194	0	0	-1	126
N.S.	1	1.00	0.77	1.60	0.00	1.33	0.00	0.00	-0.01	0.86
time (sec)	N/A	0.300	0.108	0.012	0.000	0.420	0.000	0.000	0.000	0.779

Problem 178	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	183	183	127	259	0	215	0	0	-1	139
N.S.	1	1.00	0.69	1.42	0.00	1.17	0.00	0.00	-0.01	0.76
time (sec)	N/A	0.375	0.131	0.017	0.000	0.432	0.000	0.000	0.000	0.949

Problem 179	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	177	177	98	212	185	190	0	0	-1	121
N.S.	1	1.00	0.55	1.20	1.05	1.07	0.00	0.00	-0.01	0.68
time (sec)	N/A	0.439	0.193	0.019	1.000	0.434	0.000	0.000	0.000	0.689

Problem 180	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	146	146	85	187	160	174	0	0	-1	106
N.S.	1	1.00	0.58	1.28	1.10	1.19	0.00	0.00	-0.01	0.73
time (sec)	N/A	0.365	0.150	0.016	0.984	0.413	0.000	0.000	0.000	0.725

Problem 181	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	120	120	73	163	136	157	0	0	-1	93
N.S.	1	1.00	0.61	1.36	1.13	1.31	0.00	0.00	-0.01	0.78
time (sec)	N/A	0.261	0.113	0.013	0.985	0.407	0.000	0.000	0.000	0.604

Problem 182	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	95	95	52	55	125	104	0	0	48	52
N.S.	1	1.00	0.55	0.58	1.32	1.09	0.00	0.00	0.51	0.55
time (sec)	N/A	0.128	0.061	0.008	0.983	0.397	0.000	0.000	2.762	0.526

Problem 183	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	97	97	49	52	129	100	0	0	45	52
N.S.	1	1.00	0.51	0.54	1.33	1.03	0.00	0.00	0.46	0.54
time (sec)	N/A	0.045	0.049	0.008	0.984	0.397	0.000	0.000	2.590	0.483

Problem 184	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	100	100	52	55	128	104	0	0	48	52
N.S.	1	1.00	0.52	0.55	1.28	1.04	0.00	0.00	0.48	0.52
time (sec)	N/A	0.037	0.029	0.007	0.984	0.406	0.000	0.000	2.619	0.003

Problem 185	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	115	115	76	179	0	153	0	0	-1	92
N.S.	1	1.00	0.66	1.56	0.00	1.33	0.00	0.00	-0.01	0.80
time (sec)	N/A	0.179	0.120	0.012	0.000	0.401	0.000	0.000	0.000	0.905
Problem 186	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	146	146	92	199	0	181	0	1	-1	107
N.S.	1	1.00	0.63	1.36	0.00	1.24	0.00	0.01	-0.01	0.73
time (sec)	N/A	0.305	0.177	0.013	0.000	0.407	0.000	0.302	0.000	0.698
Problem 187	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	183	183	107	222	0	202	0	1	-1	120
N.S.	1	1.00	0.58	1.21	0.00	1.10	0.00	0.01	-0.01	0.66
time (sec)	N/A	0.380	0.173	0.014	0.000	0.421	0.000	0.293	0.000	0.955
Problem 188	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-1)	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	204	204	109	297	0	200	0	0	-1	130
N.S.	1	1.00	0.53	1.46	0.00	0.98	0.00	0.00	-0.00	0.64
time (sec)	N/A	0.593	0.184	0.025	0.000	0.440	0.000	0.000	0.000	0.758

Problem 189	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-1)	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	160	160	98	273	0	190	0	0	-1	121
N.S.	1	1.00	0.61	1.71	0.00	1.19	0.00	0.00	-0.01	0.76
time (sec)	N/A	0.415	0.179	0.014	0.000	0.428	0.000	0.000	0.000	0.823

Problem 190	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-1)	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	148	148	85	212	0	174	0	0	-1	106
N.S.	1	1.00	0.57	1.43	0.00	1.18	0.00	0.00	-0.01	0.72
time (sec)	N/A	0.246	0.130	0.011	0.000	0.418	0.000	0.000	0.000	0.648

Problem 191	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	115	115	73	214	0	157	0	0	-1	94
N.S.	1	1.00	0.63	1.86	0.00	1.37	0.00	0.00	-0.01	0.82
time (sec)	N/A	0.147	0.122	0.011	0.000	0.413	0.000	0.000	0.000	0.686

Problem 192	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	64	64	50	42	125	102	0	0	46	52
N.S.	1	1.00	0.78	0.66	1.95	1.59	0.00	0.00	0.72	0.81
time (sec)	N/A	0.027	0.049	0.007	0.447	0.395	0.000	0.000	2.904	0.591



Problem 193	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	67	67	51	43	123	104	0	0	47	51
N.S.	1	1.00	0.76	0.64	1.84	1.55	0.00	0.00	0.70	0.76
time (sec)	N/A	0.024	0.028	0.006	0.445	0.408	0.000	0.000	2.776	0.619
Problem 194	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	110	110	76	196	0	153	0	0	-1	92
N.S.	1	1.00	0.69	1.78	0.00	1.39	0.00	0.00	-0.01	0.84
time (sec)	N/A	0.220	0.137	0.013	0.000	0.408	0.000	0.000	0.000	0.914
Problem 195	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	143	143	92	361	0	181	0	1	-1	107
N.S.	1	1.00	0.64	2.52	0.00	1.27	0.00	0.01	-0.01	0.75
time (sec)	N/A	0.306	0.209	0.012	0.000	0.415	0.000	0.283	0.000	0.588
Problem 196	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	183	183	107	389	0	202	0	1	-1	120
N.S.	1	1.00	0.58	2.13	0.00	1.10	0.00	0.01	-0.01	0.66
time (sec)	N/A	0.392	0.229	0.013	0.000	0.423	0.000	0.303	0.000	0.794

Problem 197	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	210	210	118	412	0	213	0	1	-1	131
N.S.	1	1.00	0.56	1.96	0.00	1.01	0.00	0.00	-0.00	0.62
time (sec)	N/A	0.494	0.266	0.019	0.000	0.456	0.000	0.368	0.000	1.148

Problem 198	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	C	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	252	252	131	416	478	156	0	0	-1	154
N.S.	1	1.00	0.52	1.65	1.90	0.62	0.00	0.00	-0.00	0.61
time (sec)	N/A	0.663	0.232	0.026	1.059	0.426	0.000	0.000	0.000	0.605

Problem 199	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	C	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	224	224	125	393	456	146	0	0	-1	143
N.S.	1	1.00	0.56	1.75	2.04	0.65	0.00	0.00	-0.00	0.64
time (sec)	N/A	0.534	0.163	0.015	1.040	0.413	0.000	0.000	0.000	0.649

Problem 200	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	C	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	192	192	109	285	407	134	0	0	-1	132
N.S.	1	1.00	0.57	1.48	2.12	0.70	0.00	0.00	-0.01	0.69
time (sec)	N/A	0.435	0.136	0.017	1.029	0.402	0.000	0.000	0.000	0.538

Problem 201	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	C	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	182	182	103	288	363	124	0	0	-1	121
N.S.	1	1.00	0.57	1.58	1.99	0.68	0.00	0.00	-0.01	0.66
time (sec)	N/A	0.219	0.119	0.012	1.023	0.407	0.000	0.000	0.000	0.539
Problem 202	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	130	130	83	290	235	111	0	0	-1	107
N.S.	1	1.00	0.64	2.23	1.81	0.85	0.00	0.00	-0.01	0.82
time (sec)	N/A	0.064	0.101	0.011	0.985	0.401	0.000	0.000	0.000	0.484
Problem 203	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	113	113	75	284	134	99	0	0	-1	98
N.S.	1	1.00	0.66	2.51	1.19	0.88	0.00	0.00	-0.01	0.87
time (sec)	N/A	0.048	0.065	0.007	0.978	0.404	0.000	0.000	0.000	0.451
Problem 204	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	89	89	79	378	0	111	0	0	-1	117
N.S.	1	1.00	0.89	4.25	0.00	1.25	0.00	0.00	-0.01	1.31
time (sec)	N/A	0.211	0.147	0.012	0.000	0.414	0.000	0.000	0.000	0.645

Problem 205	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	94	94	84	515	0	127	0	0	-1	117
N.S.	1	1.00	0.89	5.48	0.00	1.35	0.00	0.00	-0.01	1.24
time (sec)	N/A	0.216	0.187	0.013	0.000	0.421	0.000	0.000	0.000	0.539
Problem 206	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	110	110	85	504	0	112	0	0	-1	140
N.S.	1	1.00	0.77	4.58	0.00	1.02	0.00	0.00	-0.01	1.27
time (sec)	N/A	0.215	0.221	0.013	0.000	0.411	0.000	0.000	0.000	0.622
Problem 207	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	137	137	94	575	0	123	0	0	-1	109
N.S.	1	1.00	0.69	4.20	0.00	0.90	0.00	0.00	-0.01	0.80
time (sec)	N/A	0.297	0.247	0.018	0.000	0.397	0.000	0.000	0.000	0.762
Problem 208	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	170	170	107	600	0	136	0	0	-1	122
N.S.	1	1.00	0.63	3.53	0.00	0.80	0.00	0.00	-0.01	0.72
time (sec)	N/A	0.394	0.268	0.017	0.000	0.398	0.000	0.000	0.000	0.936

Problem 209	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	196	196	118	628	0	147	0	0	-1	131
N.S.	1	1.00	0.60	3.20	0.00	0.75	0.00	0.00	-0.01	0.67
time (sec)	N/A	0.517	0.331	0.018	0.000	0.406	0.000	0.000	0.000	1.063

Problem 210	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	95	95	50	200	0	126	0	0	220	85
N.S.	1	1.00	0.53	2.11	0.00	1.33	0.00	0.00	2.32	0.89
time (sec)	N/A	0.132	0.114	0.018	0.000	0.404	0.000	0.000	2.703	0.694

Problem 211	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	88	88	50	44	153	102	0	0	287	50
N.S.	1	1.00	0.57	0.50	1.74	1.16	0.00	0.00	3.26	0.57
time (sec)	N/A	0.123	0.072	0.007	0.444	0.402	0.000	0.000	0.061	0.723

Problem 212	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	209	209	137	132	399	316	0	0	252	137
N.S.	1	1.00	0.66	0.63	1.91	1.51	0.00	0.00	1.21	0.66
time (sec)	N/A	0.315	0.176	0.011	0.496	0.922	0.000	0.000	3.217	0.975

Problem 213	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	209	209	137	132	401	317	0	0	252	137
N.S.	1	1.00	0.66	0.63	1.92	1.52	0.00	0.00	1.21	0.66
time (sec)	N/A	0.207	0.100	0.013	0.493	0.965	0.000	0.000	3.189	0.772
Problem 214	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	211	211	137	132	405	316	0	0	252	137
N.S.	1	1.00	0.65	0.63	1.92	1.50	0.00	0.00	1.19	0.65
time (sec)	N/A	0.105	0.088	0.011	0.490	1.042	0.000	0.000	3.194	0.896
Problem 215	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	205	205	137	132	393	314	0	0	242	137
N.S.	1	1.00	0.67	0.64	1.92	1.53	0.00	0.00	1.18	0.67
time (sec)	N/A	0.091	0.066	0.010	0.500	1.139	0.000	0.000	3.118	0.047
Problem 216	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	234	234	161	385	0	432	0	0	-1	177
N.S.	1	1.00	0.69	1.65	0.00	1.85	0.00	0.00	-0.00	0.76
time (sec)	N/A	0.385	0.172	0.028	0.000	1.181	0.000	0.000	0.000	1.321

Problem 217	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	271	271	183	484	0	458	0	0	-1	192
N.S.	1	1.00	0.68	1.79	0.00	1.69	0.00	0.00	-0.00	0.71
time (sec)	N/A	0.680	0.210	0.018	0.000	1.779	0.000	0.000	0.000	1.309
Problem 218	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	102	102	93	95	0	217	0	0	-1	123
N.S.	1	1.00	0.91	0.93	0.00	2.13	0.00	0.00	-0.01	1.21
time (sec)	N/A	0.112	0.095	0.049	0.000	0.419	0.000	0.000	0.000	0.478
Problem 219	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	39	39	67	58	0	110	0	57	-1	54
N.S.	1	1.00	1.72	1.49	0.00	2.82	0.00	1.46	-0.03	1.38
time (sec)	N/A	0.040	0.035	0.018	0.000	0.406	0.000	0.172	0.000	0.337
Problem 220	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	35	35	35	62	48	92	83	0	38	54
N.S.	1	1.00	1.00	1.77	1.37	2.63	2.37	0.00	1.09	1.54
time (sec)	N/A	0.010	0.015	0.008	0.957	0.400	1.904	0.000	2.985	0.081

Problem 221	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	35	35	35	76	0	199	0	0	-1	0
N.S.	1	1.00	1.00	2.17	0.00	5.69	0.00	0.00	-0.03	0.00
time (sec)	N/A	0.029	0.009	0.016	0.000	0.440	0.000	0.000	0.000	2.086
Problem 222	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	34	34	34	57	68	90	29	0	36	46
N.S.	1	1.00	1.00	1.68	2.00	2.65	0.85	0.00	1.06	1.35
time (sec)	N/A	0.009	0.012	0.006	0.955	0.418	1.966	0.000	3.000	0.064
Problem 223	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	34	34	34	86	0	208	0	0	-1	0
N.S.	1	1.00	1.00	2.53	0.00	6.12	0.00	0.00	-0.03	0.00
time (sec)	N/A	0.028	0.012	0.014	0.000	0.451	0.000	0.000	0.000	2.206
Problem 224	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	63	63	49	79	82	111	148	0	54	74
N.S.	1	1.00	0.78	1.25	1.30	1.76	2.35	0.00	0.86	1.17
time (sec)	N/A	0.015	0.020	0.005	0.959	0.414	3.391	0.000	2.597	0.088



Problem 225	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	63	63	49	92	0	221	0	0	-1	0
N.S.	1	1.00	0.78	1.46	0.00	3.51	0.00	0.00	-0.02	0.00
time (sec)	N/A	0.033	0.007	0.014	0.000	0.445	0.000	0.000	0.000	2.023
Problem 226	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	A	A	A	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	214	214	60	240	0	307	68	167	201	68
N.S.	1	1.00	0.28	1.12	0.00	1.43	0.32	0.78	0.94	0.32
time (sec)	N/A	0.247	0.043	0.117	0.000	0.420	11.157	0.896	0.111	0.383
Problem 227	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	255	255	259	560	249	1104	0	252	-1	283
N.S.	1	1.00	1.02	2.20	0.98	4.33	0.00	0.99	-0.00	1.11
time (sec)	N/A	0.629	0.613	0.021	0.682	6.900	0.000	0.210	0.000	0.912
Problem 228	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	211	211	225	515	207	963	0	201	-1	236
N.S.	1	1.00	1.07	2.44	0.98	4.56	0.00	0.95	-0.00	1.12
time (sec)	N/A	0.390	0.400	0.011	0.584	7.039	0.000	0.219	0.000	0.671

Problem 229	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	153	153	193	448	144	776	0	157	-1	203
N.S.	1	1.00	1.26	2.93	0.94	5.07	0.00	1.03	-0.01	1.33
time (sec)	N/A	0.211	0.319	0.013	0.524	0.689	0.000	0.210	0.000	0.591
Problem 230	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	127	127	175	423	122	684	0	135	-1	177
N.S.	1	1.00	1.38	3.33	0.96	5.39	0.00	1.06	-0.01	1.39
time (sec)	N/A	0.105	0.275	0.008	0.505	0.676	0.000	0.199	0.000	0.466
Problem 231	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	103	103	99	381	84	574	0	109	-1	151
N.S.	1	1.00	0.96	3.70	0.82	5.57	0.00	1.06	-0.01	1.47
time (sec)	N/A	0.071	0.024	0.006	0.483	0.510	0.000	0.191	0.000	0.006
Problem 232	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	116	116	113	420	103	1316	0	0	-1	181
N.S.	1	1.00	0.97	3.62	0.89	11.34	0.00	0.00	-0.01	1.56
time (sec)	N/A	0.100	0.048	0.010	0.499	1.150	0.000	0.000	0.000	0.395

Problem 233	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	105	105	178	486	0	599	0	145	-1	167
N.S.	1	1.00	1.70	4.63	0.00	5.70	0.00	1.38	-0.01	1.59
time (sec)	N/A	0.167	0.238	0.012	0.000	0.481	0.000	0.220	0.000	0.450
Problem 234	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	160	160	283	567	0	726	0	230	-1	184
N.S.	1	1.00	1.77	3.54	0.00	4.54	0.00	1.44	-0.01	1.15
time (sec)	N/A	0.211	0.397	0.013	0.000	0.489	0.000	0.217	0.000	0.635
Problem 235	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	191	191	301	600	0	824	0	309	-1	214
N.S.	1	1.00	1.58	3.14	0.00	4.31	0.00	1.62	-0.01	1.12
time (sec)	N/A	0.232	1.020	0.015	0.000	0.506	0.000	0.212	0.000	0.861
Problem 236	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	A	F	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	274	274	344	703	0	1007	0	596	-1	252
N.S.	1	1.00	1.26	2.57	0.00	3.68	0.00	2.18	-0.00	0.92
time (sec)	N/A	0.297	1.097	0.016	0.000	0.575	0.000	0.260	0.000	1.130

Problem 237	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	195	195	149	260	171	1060	0	163	-1	217
N.S.	1	1.00	0.76	1.33	0.88	5.44	0.00	0.84	-0.01	1.11
time (sec)	N/A	0.482	0.227	0.016	0.547	2.879	0.000	0.213	0.000	0.632

Problem 238	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	152	152	131	217	130	924	0	129	-1	194
N.S.	1	1.00	0.86	1.43	0.86	6.08	0.00	0.85	-0.01	1.28
time (sec)	N/A	0.274	0.222	0.010	0.518	2.802	0.000	0.224	0.000	0.466

Problem 239	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	109	109	105	172	90	745	0	105	-1	170
N.S.	1	1.00	0.96	1.58	0.83	6.83	0.00	0.96	-0.01	1.56
time (sec)	N/A	0.128	0.074	0.009	0.491	0.529	0.000	0.226	0.000	0.454

Problem 240	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	86	86	86	151	71	631	0	88	-1	150
N.S.	1	1.00	1.00	1.76	0.83	7.34	0.00	1.02	-0.01	1.74
time (sec)	N/A	0.044	0.026	0.010	0.485	0.532	0.000	0.201	0.000	0.371

Problem 241	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	54	54	54	127	52	211	0	59	-1	114
N.S.	1	1.00	1.00	2.35	0.96	3.91	0.00	1.09	-0.02	2.11
time (sec)	N/A	0.017	0.007	0.005	0.463	0.425	0.000	0.189	0.000	0.005
Problem 242	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	86	86	86	158	0	634	0	0	-1	161
N.S.	1	1.00	1.00	1.84	0.00	7.37	0.00	0.00	-0.01	1.87
time (sec)	N/A	0.083	0.045	0.012	0.000	0.461	0.000	0.000	0.000	0.348
Problem 243	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	111	111	107	180	0	767	0	142	-1	186
N.S.	1	1.00	0.96	1.62	0.00	6.91	0.00	1.28	-0.01	1.68
time (sec)	N/A	0.095	0.083	0.012	0.000	0.484	0.000	0.221	0.000	0.404
Problem 244	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	168	168	163	236	0	956	0	239	-1	203
N.S.	1	1.00	0.97	1.40	0.00	5.69	0.00	1.42	-0.01	1.21
time (sec)	N/A	0.140	0.642	0.014	0.000	0.504	0.000	0.222	0.000	0.690

Problem 245	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	146	146	179	396	251	1525	0	299	-1	223
N.S.	1	1.00	1.23	2.71	1.72	10.45	0.00	2.05	-0.01	1.53
time (sec)	N/A	0.312	0.444	0.020	0.621	4.653	0.000	0.265	0.000	0.846

Problem 246	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	123	123	153	354	211	1323	0	219	-1	189
N.S.	1	1.00	1.24	2.88	1.72	10.76	0.00	1.78	-0.01	1.54
time (sec)	N/A	0.165	0.280	0.010	0.587	4.690	0.000	0.235	0.000	0.691

Problem 247	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	95	95	95	311	171	455	0	174	-1	156
N.S.	1	1.00	1.00	3.27	1.80	4.79	0.00	1.83	-0.01	1.64
time (sec)	N/A	0.111	0.084	0.012	0.546	0.474	0.000	0.217	0.000	0.512

Problem 248	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	88	88	88	283	148	425	0	162	-1	149
N.S.	1	1.00	1.00	3.22	1.68	4.83	0.00	1.84	-0.01	1.69
time (sec)	N/A	0.052	0.053	0.007	0.540	0.479	0.000	0.205	0.000	0.531

Problem 249	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	94	94	94	260	123	456	0	172	-1	154
N.S.	1	1.00	1.00	2.77	1.31	4.85	0.00	1.83	-0.01	1.64
time (sec)	N/A	0.046	0.045	0.006	0.502	0.486	0.000	0.232	0.000	0.012

Problem 250	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	147	147	132	318	0	1325	0	0	-1	200
N.S.	1	1.00	0.90	2.16	0.00	9.01	0.00	0.00	-0.01	1.36
time (sec)	N/A	0.135	0.168	0.013	0.000	0.692	0.000	0.000	0.000	1.141

Problem 251	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	194	194	163	363	0	1556	0	266	-1	242
N.S.	1	1.00	0.84	1.87	0.00	8.02	0.00	1.37	-0.01	1.25
time (sec)	N/A	0.167	0.405	0.012	0.000	0.717	0.000	0.251	0.000	0.734

Problem 252	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	276	275	203	439	0	1943	0	358	-1	287
N.S.	1	1.00	0.74	1.59	0.00	7.04	0.00	1.30	-0.00	1.04
time (sec)	N/A	0.236	0.342	0.014	0.000	1.044	0.000	0.289	0.000	1.019

Problem 253	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	244	244	230	474	274	2025	0	0	-1	291
N.S.	1	1.00	0.94	1.94	1.12	8.30	0.00	0.00	-0.00	1.19
time (sec)	N/A	0.890	0.513	0.019	0.604	41.858	0.000	0.000	0.000	1.587

Problem 254	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	204	204	208	435	233	1786	0	0	-1	238
N.S.	1	1.00	1.02	2.13	1.14	8.75	0.00	0.00	-0.00	1.17
time (sec)	N/A	0.523	0.366	0.013	0.571	66.283	0.000	0.000	0.000	1.351

Problem 255	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	160	160	184	386	193	1449	0	0	-1	197
N.S.	1	1.00	1.15	2.41	1.21	9.06	0.00	0.00	-0.01	1.23
time (sec)	N/A	0.327	0.274	0.013	0.543	6.774	0.000	0.000	0.000	1.117

Problem 256	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	137	137	172	368	171	1260	0	0	-1	168
N.S.	1	1.00	1.26	2.69	1.25	9.20	0.00	0.00	-0.01	1.23
time (sec)	N/A	0.168	0.323	0.011	0.533	6.367	0.000	0.000	0.000	0.806



Problem 257	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	90	90	90	340	148	382	0	0	-1	150
N.S.	1	1.00	1.00	3.78	1.64	4.24	0.00	0.00	-0.01	1.67
time (sec)	N/A	0.038	0.046	0.009	0.515	0.458	0.000	0.000	0.000	0.609
Problem 258	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	91	91	115	210	93	381	0	0	-1	151
N.S.	1	1.00	1.26	2.31	1.02	4.19	0.00	0.00	-0.01	1.66
time (sec)	N/A	0.034	0.074	0.006	0.490	0.458	0.000	0.000	0.000	0.007
Problem 259	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	179	179	178	364	0	1261	0	126	-1	178
N.S.	1	1.00	0.99	2.03	0.00	7.04	0.00	0.70	-0.01	0.99
time (sec)	N/A	0.137	0.222	0.011	0.000	0.808	0.000	0.566	0.000	0.804
Problem 260	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	212	212	197	395	0	1512	0	0	-1	214
N.S.	1	1.00	0.93	1.86	0.00	7.13	0.00	0.00	-0.00	1.01
time (sec)	N/A	0.168	0.328	0.012	0.000	0.761	0.000	0.000	0.000	1.317

Problem 261	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	268	268	229	452	0	1867	0	0	-1	248
N.S.	1	1.00	0.85	1.69	0.00	6.97	0.00	0.00	-0.00	0.93
time (sec)	N/A	0.222	0.448	0.012	0.000	1.291	0.000	0.000	0.000	1.784

Problem 262	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	135	135	114	328	210	368	4134	624	363	0
N.S.	1	1.00	0.84	2.43	1.56	2.73	30.62	4.62	2.69	0.00
time (sec)	N/A	0.082	0.092	0.007	0.472	0.415	6.697	0.194	2.816	0.062

Problem 263	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	102	102	109	195	146	250	2181	410	255	0
N.S.	1	1.00	1.07	1.91	1.43	2.45	21.38	4.02	2.50	0.00
time (sec)	N/A	0.052	0.104	0.005	0.467	0.414	3.535	0.189	2.701	0.045

Problem 264	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	70	70	65	100	89	148	952	237	163	0
N.S.	1	1.00	0.93	1.43	1.27	2.11	13.60	3.39	2.33	0.00
time (sec)	N/A	0.031	0.041	0.004	0.457	0.411	2.073	0.164	2.629	0.041

Problem 265	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	232	232	199	1000	447	1027	14317	1750	932	0
N.S.	1	1.00	0.86	4.31	1.93	4.43	61.71	7.54	4.02	0.00
time (sec)	N/A	0.139	0.181	0.016	0.505	0.435	21.587	0.215	3.119	0.068

Problem 266	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	185	185	323	677	335	757	8940	1266	723	0
N.S.	1	1.00	1.75	3.66	1.81	4.09	48.32	6.84	3.91	0.00
time (sec)	N/A	0.100	0.498	0.012	0.500	0.424	13.801	0.215	3.051	0.060

Problem 267	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	140	140	160	420	235	519	5097	851	496	0
N.S.	1	1.00	1.14	3.00	1.68	3.71	36.41	6.08	3.54	0.00
time (sec)	N/A	0.068	0.178	0.010	0.477	0.418	7.128	0.200	2.837	0.055

Problem 268	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	343	343	302	2232	795	2165	0	3713	1796	0
N.S.	1	1.00	0.88	6.51	2.32	6.31	0.00	10.83	5.24	0.00
time (sec)	N/A	0.211	0.248	0.024	0.550	0.449	0.000	0.304	3.809	0.085

Problem 269	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	282	282	709	1639	625	1675	0	2851	1459	0
N.S.	1	1.00	2.51	5.81	2.22	5.94	0.00	10.11	5.17	0.00
time (sec)	N/A	0.168	1.468	0.018	0.532	0.446	0.000	0.253	3.478	0.073

Problem 270	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	223	223	347	1140	472	1244	0	2085	1144	0
N.S.	1	1.00	1.56	5.11	2.12	5.58	0.00	9.35	5.13	0.00
time (sec)	N/A	0.126	0.498	0.014	0.507	0.414	0.000	0.235	3.164	0.070

Problem 271	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	345	345	304	946	0	678	0	0	-1	0
N.S.	1	1.00	0.88	2.74	0.00	1.97	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.506	1.593	0.028	0.000	0.574	0.000	0.000	0.000	180.359

Problem 272	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	F(-2)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	251	251	245	713	0	536	0	0	-1	13727
N.S.	1	1.00	0.98	2.84	0.00	2.14	0.00	0.00	-0.00	54.69
time (sec)	N/A	0.260	0.825	0.014	0.000	0.472	0.000	0.000	0.000	14.050

Problem 273	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	207	207	197	516	0	418	0	0	-1	330
N.S.	1	1.00	0.95	2.49	0.00	2.02	0.00	0.00	-0.00	1.59
time (sec)	N/A	0.192	0.661	0.010	0.000	0.434	0.000	0.000	0.000	2.221
Problem 274	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	A	F	F(-2)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	131	131	155	205	0	337	0	0	-1	272
N.S.	1	1.00	1.18	1.56	0.00	2.57	0.00	0.00	-0.01	2.08
time (sec)	N/A	0.070	0.752	0.006	0.000	0.436	0.000	0.000	0.000	0.017
Problem 275	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	168	168	210	439	0	947	0	0	-1	325
N.S.	1	1.00	1.25	2.61	0.00	5.64	0.00	0.00	-0.01	1.93
time (sec)	N/A	0.167	0.182	0.015	0.000	0.655	0.000	0.000	0.000	0.683
Problem 276	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	137	137	117	594	0	355	0	0	-1	124
N.S.	1	1.00	0.85	4.34	0.00	2.59	0.00	0.00	-0.01	0.91
time (sec)	N/A	0.142	0.139	0.015	0.000	0.519	0.000	0.000	0.000	0.569

Problem 277	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	202	202	162	882	0	442	0	0	-1	170
N.S.	1	1.00	0.80	4.37	0.00	2.19	0.00	0.00	-0.00	0.84
time (sec)	N/A	0.276	0.160	0.017	0.000	0.914	0.000	0.000	0.000	0.895

Problem 278	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	286	286	210	1165	0	558	0	0	-1	228
N.S.	1	1.00	0.73	4.07	0.00	1.95	0.00	0.00	-0.00	0.80
time (sec)	N/A	0.404	0.239	0.019	0.000	2.116	0.000	0.000	0.000	1.225

Problem 279	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	389	389	273	1494	0	702	0	0	-1	307
N.S.	1	1.00	0.70	3.84	0.00	1.80	0.00	0.00	-0.00	0.79
time (sec)	N/A	0.594	0.362	0.023	0.000	9.699	0.000	0.000	0.000	1.745

Problem 280	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	449	449	425	1883	0	1044	0	0	-1	0
N.S.	1	1.00	0.95	4.19	0.00	2.33	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.570	2.288	0.026	0.000	0.508	0.000	0.000	0.000	180.434

Problem 281	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	352	352	497	1560	0	846	0	0	-1	0
N.S.	1	1.00	1.41	4.43	0.00	2.40	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.328	2.771	0.016	0.000	0.459	0.000	0.000	0.000	181.183
Problem 282	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	295	295	276	1279	0	676	0	0	-1	0
N.S.	1	1.00	0.94	4.34	0.00	2.29	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.282	1.240	0.012	0.000	0.459	0.000	0.000	0.000	180.774
Problem 283	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	F	F(-2)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	201	201	264	566	462	532	0	0	-1	13228
N.S.	1	1.00	1.31	2.82	2.30	2.65	0.00	0.00	-0.00	65.81
time (sec)	N/A	0.117	0.675	0.010	0.503	0.428	0.000	0.000	0.000	0.228
Problem 284	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	251	251	275	1130	0	1327	0	0	-1	428
N.S.	1	1.00	1.10	4.50	0.00	5.29	0.00	0.00	-0.00	1.71
time (sec)	N/A	0.276	0.853	0.015	0.000	4.404	0.000	0.000	0.000	4.805

Problem 285	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	240	240	263	1310	0	1221	0	0	-1	383
N.S.	1	1.00	1.10	5.46	0.00	5.09	0.00	0.00	-0.00	1.60
time (sec)	N/A	0.273	1.201	0.017	0.000	1.801	0.000	0.000	0.000	2.289
Problem 286	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	256	256	285	1604	0	1375	0	0	-1	395
N.S.	1	1.00	1.11	6.27	0.00	5.37	0.00	0.00	-0.00	1.54
time (sec)	N/A	0.283	2.446	0.019	0.000	2.314	0.000	0.000	0.000	1.891
Problem 287	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	211	211	188	1945	0	558	0	0	-1	229
N.S.	1	1.00	0.89	9.22	0.00	2.64	0.00	0.00	-0.00	1.09
time (sec)	N/A	0.236	0.277	0.022	0.000	1.554	0.000	0.000	0.000	1.832
Problem 288	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	295	295	253	2427	0	704	0	0	-1	307
N.S.	1	1.00	0.86	8.23	0.00	2.39	0.00	0.00	-0.00	1.04
time (sec)	N/A	0.386	0.303	0.027	0.000	8.659	0.000	0.000	0.000	2.191



Problem 289	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	395	395	310	2888	0	872	0	0	-1	0
N.S.	1	1.00	0.78	7.31	0.00	2.21	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.514	0.487	0.033	0.000	20.245	0.000	0.000	0.000	180.107

Problem 290	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	498	498	380	3387	0	1072	0	0	-1	0
N.S.	1	1.00	0.76	6.80	0.00	2.15	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.725	0.775	0.045	0.000	55.728	0.000	0.000	0.000	180.876

Problem 291	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	574	574	681	3178	0	1524	0	0	-1	0
N.S.	1	1.00	1.19	5.54	0.00	2.66	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.695	3.608	0.028	0.000	0.574	0.000	0.000	0.000	180.030

Problem 292	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	452	452	562	2731	0	1272	0	0	-1	0
N.S.	1	1.00	1.24	6.04	0.00	2.81	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.410	5.706	0.018	0.000	0.507	0.000	0.000	0.000	180.074

Problem 293	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	381	381	506	2411	0	1046	0	0	-1	0
N.S.	1	1.00	1.33	6.33	0.00	2.75	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.386	2.735	0.013	0.000	0.491	0.000	0.000	0.000	180.018
Problem 294	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	A	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	274	274	384	1123	915	844	0	0	-1	0
N.S.	1	1.00	1.40	4.10	3.34	3.08	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.185	1.217	0.010	0.574	0.461	0.000	0.000	0.000	180.036
Problem 295	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	F	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	394	394	390	2180	0	1873	0	0	-1	0
N.S.	1	1.00	0.99	5.53	0.00	4.75	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.450	2.007	0.017	0.000	45.741	0.000	0.000	0.000	180.014
Problem 296	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	352	352	350	2364	0	1717	0	0	-1	0
N.S.	1	1.00	0.99	6.72	0.00	4.88	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.432	2.073	0.018	0.000	15.202	0.000	0.000	0.000	180.158

Problem 297	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	339	339	334	2688	0	1569	0	0	-1	0
N.S.	1	1.00	0.99	7.93	0.00	4.63	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.388	2.245	0.021	0.000	7.419	0.000	0.000	0.000	180.012
Problem 298	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	371	371	357	3144	0	1741	0	0	-1	0
N.S.	1	1.00	0.96	8.47	0.00	4.69	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.470	3.038	0.027	0.000	8.715	0.000	0.000	0.000	180.006
Problem 299	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	404	404	404	3646	0	1917	0	0	-1	544
N.S.	1	1.00	1.00	9.02	0.00	4.75	0.00	0.00	-0.00	1.35
time (sec)	N/A	0.456	3.482	0.033	0.000	24.351	0.000	0.000	0.000	2.567
Problem 300	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	289	289	295	3991	0	872	0	0	-1	0
N.S.	1	1.00	1.02	13.81	0.00	3.02	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.328	0.939	0.045	0.000	19.496	0.000	0.000	0.000	180.096

Problem 301	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	386	386	344	4735	0	1072	0	0	-1	0
N.S.	1	1.00	0.89	12.27	0.00	2.78	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.495	0.994	0.064	0.000	60.752	0.000	0.000	0.000	180.313
Problem 302	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	500	500	408	5353	0	1300	0	0	-1	0
N.S.	1	1.00	0.82	10.71	0.00	2.60	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.639	0.747	0.086	0.000	124.864	0.000	0.000	0.000	184.301
Problem 303	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	F(-1)	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	628	628	512	6030	0	0	0	0	-1	0
N.S.	1	1.00	0.82	9.60	0.00	0.00	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.885	1.456	0.128	0.000	0.000	0.000	0.000	0.000	180.027
Problem 304	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	A	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	271	298	331	391	0	758	0	0	-1	0
N.S.	1	1.10	1.22	1.44	0.00	2.80	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.341	0.514	0.021	0.000	0.903	0.000	0.000	0.000	180.011

Problem 305	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	195	195	255	241	0	586	0	0	-1	328
N.S.	1	1.00	1.31	1.24	0.00	3.01	0.00	0.00	-0.01	1.68
time (sec)	N/A	0.346	0.364	0.013	0.000	0.568	0.000	0.000	0.000	1.803
Problem 306	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	A	F	F(-2)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	139	139	189	131	0	443	0	0	-1	296
N.S.	1	1.00	1.36	0.94	0.00	3.19	0.00	0.00	-0.01	2.13
time (sec)	N/A	0.109	0.416	0.010	0.000	0.551	0.000	0.000	0.000	0.740
Problem 307	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	52	52	42	51	0	59	0	0	50	52
N.S.	1	1.00	0.81	0.98	0.00	1.13	0.00	0.00	0.96	1.00
time (sec)	N/A	0.024	0.016	0.008	0.000	0.475	0.000	0.000	2.645	0.003
Problem 308	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	143	143	131	136	0	454	0	0	-1	146
N.S.	1	1.00	0.92	0.95	0.00	3.17	0.00	0.00	-0.01	1.02
time (sec)	N/A	0.175	0.126	0.016	0.000	0.773	0.000	0.000	0.000	0.545

Problem 309	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	229	229	201	253	0	610	0	0	-1	178
N.S.	1	1.00	0.88	1.10	0.00	2.66	0.00	0.00	-0.00	0.78
time (sec)	N/A	0.292	0.123	0.016	0.000	1.538	0.000	0.000	0.000	0.973

Problem 310	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	329	329	283	414	0	792	0	0	-1	256
N.S.	1	1.00	0.86	1.26	0.00	2.41	0.00	0.00	-0.00	0.78
time (sec)	N/A	0.508	0.189	0.017	0.000	3.716	0.000	0.000	0.000	1.451

Problem 311	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	515	515	296	1680	0	2120	0	0	-1	0
N.S.	1	1.00	0.57	3.26	0.00	4.12	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.619	5.632	0.030	0.000	6.648	0.000	0.000	0.000	180.027

Problem 312	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	438	438	387	1266	0	1782	0	0	-1	0
N.S.	1	1.00	0.88	2.89	0.00	4.07	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.541	1.342	0.013	0.000	2.663	0.000	0.000	0.000	180.170

Problem 313	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F(-2)	B	F	F(-2)	F	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	297	297	1443	977	0	1466	0	0	-1	10635
N.S.	1	1.00	4.86	3.29	0.00	4.94	0.00	0.00	-0.00	35.81
time (sec)	N/A	0.293	4.640	0.014	0.000	3.244	0.000	0.000	0.000	10.109
Problem 314	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	B	F	F(-2)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	126	126	99	145	0	308	0	0	1071	20752
N.S.	1	1.00	0.79	1.15	0.00	2.44	0.00	0.00	8.50	164.70
time (sec)	N/A	0.108	0.065	0.011	0.000	2.825	0.000	0.000	3.603	152.020
Problem 315	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	B	F	F(-2)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	138	138	100	149	0	314	0	0	499	25359
N.S.	1	1.00	0.72	1.08	0.00	2.28	0.00	0.00	3.62	183.76
time (sec)	N/A	0.094	0.035	0.010	0.000	2.719	0.000	0.000	3.319	153.712
Problem 316	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	B	F	F(-2)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	121	121	95	138	0	306	0	0	120	27688
N.S.	1	1.00	0.79	1.14	0.00	2.53	0.00	0.00	0.99	228.83
time (sec)	N/A	0.042	0.032	0.010	0.000	2.297	0.000	0.000	2.885	0.024

Problem 317	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	271	271	262	682	0	1476	0	0	-1	0
N.S.	1	1.00	0.97	2.52	0.00	5.45	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.338	0.415	0.016	0.000	6.516	0.000	0.000	0.000	180.566
Problem 318	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	394	394	370	912	0	1812	0	0	-1	0
N.S.	1	1.00	0.94	2.31	0.00	4.60	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.590	0.569	0.016	0.000	19.593	0.000	0.000	0.000	180.035
Problem 319	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	522	522	467	1319	0	2162	0	0	-1	0
N.S.	1	1.00	0.89	2.53	0.00	4.14	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.800	0.935	0.020	0.000	42.287	0.000	0.000	0.000	180.165
Problem 320	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	664	664	593	1705	0	2526	0	0	-1	711
N.S.	1	1.00	0.89	2.57	0.00	3.80	0.00	0.00	-0.00	1.07
time (sec)	N/A	1.170	1.395	0.021	0.000	93.161	0.000	0.000	0.000	9.132



Problem 321	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	B	F(-1)	F(-2)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	259	259	235	366	0	820	0	0	3099	0
N.S.	1	1.00	0.91	1.41	0.00	3.17	0.00	0.00	11.97	0.00
time (sec)	N/A	0.236	0.123	0.014	0.000	27.129	0.000	0.000	4.327	180.065
Problem 322	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F(-1)	F(-2)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	341	341	433	663	0	1540	0	0	11469	0
N.S.	1	1.00	1.27	1.94	0.00	4.52	0.00	0.00	33.63	0.00
time (sec)	N/A	0.289	0.195	0.020	0.000	167.967	0.000	0.000	7.725	180.032
Problem 323	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	23	23	23	18	22	22	0	67	22	0
N.S.	1	1.00	1.00	0.78	0.96	0.96	0.00	2.91	0.96	0.00
time (sec)	N/A	0.018	0.032	0.003	0.955	0.383	0.000	0.241	2.620	33.849
Problem 324	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	66	66	197	43	0	60	0	0	-1	0
N.S.	1	1.00	2.98	0.65	0.00	0.91	0.00	0.00	-0.02	0.00
time (sec)	N/A	0.033	0.407	0.026	0.000	0.400	0.000	0.000	0.000	22.478

Problem 325	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	23	23	23	18	27	27	0	173	25	0
N.S.	1	1.00	1.00	0.78	1.17	1.17	0.00	7.52	1.09	0.00
time (sec)	N/A	0.021	0.042	0.005	0.974	0.386	0.000	0.610	0.117	71.299

Problem 326	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	A	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	94	94	201	57	0	65	0	0	-1	0
N.S.	1	1.00	2.14	0.61	0.00	0.69	0.00	0.00	-0.01	0.00
time (sec)	N/A	0.041	0.296	0.011	0.000	0.398	0.000	0.000	0.000	48.003

Problem 327	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	23	23	23	18	22	17	0	18	9	0
N.S.	1	1.00	1.00	0.78	0.96	0.74	0.00	0.78	0.39	0.00
time (sec)	N/A	0.019	0.024	0.005	0.970	0.383	0.000	0.179	0.150	150.827

Problem 328	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	A	F	F	F	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	42	42	2463	33	0	43	0	0	-1	61
N.S.	1	1.00	58.64	0.79	0.00	1.02	0.00	0.00	-0.02	1.45
time (sec)	N/A	0.026	12.801	0.028	0.000	0.394	0.000	0.000	0.000	8.247

Problem 329	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	23	23	23	18	17	24	0	0	17	0
N.S.	1	1.00	1.00	0.78	0.74	1.04	0.00	0.00	0.74	0.00
time (sec)	N/A	0.021	0.030	0.006	0.978	0.377	0.000	0.000	2.692	173.280
Problem 330	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	66	66	2511	43	0	78	0	0	-1	0
N.S.	1	1.00	38.05	0.65	0.00	1.18	0.00	0.00	-0.02	0.00
time (sec)	N/A	0.034	6.077	0.041	0.000	0.388	0.000	0.000	0.000	122.667
Problem 331	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	23	23	23	18	24	29	0	0	82	0
N.S.	1	1.00	1.00	0.78	1.04	1.26	0.00	0.00	3.57	0.00
time (sec)	N/A	0.021	0.040	0.005	0.971	0.396	0.000	0.000	2.875	180.004
Problem 332	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	A	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	96	96	2539	69	0	101	0	0	-1	0
N.S.	1	1.00	26.45	0.72	0.00	1.05	0.00	0.00	-0.01	0.00
time (sec)	N/A	0.037	6.089	0.063	0.000	0.385	0.000	0.000	0.000	169.093

Problem 333	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	97	97	78	68	75	134	88	71	84	0
N.S.	1	1.00	0.80	0.70	0.77	1.38	0.91	0.73	0.87	0.00
time (sec)	N/A	0.071	0.052	0.013	0.960	0.391	0.243	0.183	0.129	0.000
Problem 334	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	490	490	568	2218	0	5507	0	1171	13879	784
N.S.	1	1.00	1.16	4.53	0.00	11.24	0.00	2.39	28.32	1.60
time (sec)	N/A	14.847	0.746	0.110	0.000	1.003	0.000	0.827	4.857	2.224
Problem 335	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	326	397	466	1764	0	4245	0	1045	11143	584
N.S.	1	1.22	1.43	5.41	0.00	13.02	0.00	3.21	34.18	1.79
time (sec)	N/A	7.466	0.531	0.058	0.000	0.718	0.000	0.564	4.366	1.505
Problem 336	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	316	316	375	1329	0	2966	0	868	8171	445
N.S.	1	1.00	1.19	4.21	0.00	9.39	0.00	2.75	25.86	1.41
time (sec)	N/A	3.158	0.442	0.045	0.000	0.524	0.000	0.447	3.911	1.163

Problem 337	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	287	287	301	926	0	1721	0	753	5664	387
N.S.	1	1.00	1.05	3.23	0.00	6.00	0.00	2.62	19.74	1.35
time (sec)	N/A	3.200	0.406	0.038	0.000	0.455	0.000	0.412	3.820	1.184
Problem 338	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	A	A	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	198	198	175	545	0	715	155	223	709	275
N.S.	1	1.00	0.88	2.75	0.00	3.61	0.78	1.13	3.58	1.39
time (sec)	N/A	0.271	0.397	0.027	0.000	0.422	50.096	0.268	2.992	0.002
Problem 339	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	275	275	267	581	0	2446	0	712	10894	274
N.S.	1	1.00	0.97	2.11	0.00	8.89	0.00	2.59	39.61	1.00
time (sec)	N/A	1.129	0.938	0.058	0.000	0.786	0.000	0.392	7.410	0.994
Problem 340	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	368	356	364	999	0	4860	0	0	19887	424
N.S.	1	0.97	0.99	2.71	0.00	13.21	0.00	0.00	54.04	1.15
time (sec)	N/A	3.664	1.591	0.050	0.000	9.995	0.000	0.000	6.814	1.708

Problem 341	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	531	531	516	1486	0	7425	0	1041	33838	577
N.S.	1	1.00	0.97	2.80	0.00	13.98	0.00	1.96	63.73	1.09
time (sec)	N/A	3.569	2.335	0.051	0.000	149.303	0.000	0.585	8.089	2.462

Problem 342	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	650	650	808	3685	0	14340	0	1577	31485	1229
N.S.	1	1.00	1.24	5.67	0.00	22.06	0.00	2.43	48.44	1.89
time (sec)	N/A	2.679	1.116	0.081	0.000	11.223	0.000	0.686	7.969	3.483

Problem 343	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	581	581	680	2988	0	11459	0	1362	25497	996
N.S.	1	1.00	1.17	5.14	0.00	19.72	0.00	2.34	43.88	1.71
time (sec)	N/A	15.247	0.904	0.063	0.000	6.061	0.000	0.584	7.139	2.968

Problem 344	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	441	441	538	2358	0	8530	0	1160	19465	702
N.S.	1	1.00	1.22	5.35	0.00	19.34	0.00	2.63	44.14	1.59
time (sec)	N/A	2.150	0.675	0.059	0.000	2.404	0.000	0.526	5.724	1.934

Problem 345	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	453	453	779	1714	0	5572	0	978	13841	599
N.S.	1	1.00	1.72	3.78	0.00	12.30	0.00	2.16	30.55	1.32
time (sec)	N/A	4.529	1.489	0.052	0.000	1.126	0.000	0.460	4.723	2.023
Problem 346	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	322	322	317	1138	0	2770	0	783	8334	436
N.S.	1	1.00	0.98	3.53	0.00	8.60	0.00	2.43	25.88	1.35
time (sec)	N/A	1.244	0.705	0.038	0.000	0.543	0.000	0.422	4.435	0.002
Problem 347	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	B	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	340	340	331	944	0	5167	0	822	20897	383
N.S.	1	1.00	0.97	2.78	0.00	15.20	0.00	2.42	61.46	1.13
time (sec)	N/A	1.578	1.160	0.043	0.000	7.611	0.000	0.405	8.163	1.399
Problem 348	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	A	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	403	402	393	1215	0	8653	0	425	29890	529
N.S.	1	1.00	0.98	3.01	0.00	21.47	0.00	1.05	74.17	1.31
time (sec)	N/A	3.075	1.540	0.048	0.000	34.642	0.000	0.547	7.365	1.998

Problem 349	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	F(-1)	F(-1)	B	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	607	607	587	1880	0	0	0	1121	44649	759
N.S.	1	1.00	0.97	3.10	0.00	0.00	0.00	1.85	73.56	1.25
time (sec)	N/A	3.931	2.857	0.056	0.000	0.000	0.000	0.612	8.194	3.204

Problem 350	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	141	141	134	186	175	176	150	249	351	0
N.S.	1	1.00	0.95	1.32	1.24	1.25	1.06	1.77	2.49	0.00
time (sec)	N/A	0.183	0.077	0.006	0.472	0.386	0.604	0.164	0.111	0.001

Problem 351	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	109	109	103	145	138	139	109	211	197	0
N.S.	1	1.00	0.94	1.33	1.27	1.28	1.00	1.94	1.81	0.00
time (sec)	N/A	0.136	0.054	0.005	0.446	0.410	0.479	0.209	2.586	0.001

Problem 352	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	65	65	73	110	97	98	70	172	127	0
N.S.	1	1.00	1.12	1.69	1.49	1.51	1.08	2.65	1.95	0.00
time (sec)	N/A	0.060	0.034	0.003	0.445	0.388	0.381	0.155	0.071	0.001



Problem 353	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	43	82	63	64	46	134	65	0
N.S.	1	1.00	0.86	1.64	1.26	1.28	0.92	2.68	1.30	0.00
time (sec)	N/A	0.034	0.020	0.003	0.439	0.390	0.291	0.170	2.605	0.001

Problem 354	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	62	62	55	107	82	76	112	81	81	0
N.S.	1	1.00	0.89	1.73	1.32	1.23	1.81	1.31	1.31	0.00
time (sec)	N/A	0.080	0.022	0.008	0.445	0.407	0.645	0.152	0.154	0.001

Problem 355	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	B	F(-2)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	86	86	82	149	113	165	182	0	109	0
N.S.	1	1.00	0.95	1.73	1.31	1.92	2.12	0.00	1.27	0.00
time (sec)	N/A	0.086	0.047	0.010	0.456	0.396	1.002	0.000	2.696	0.001

Problem 356	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	B	F(-2)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	87	87	87	206	149	271	185	0	100	0
N.S.	1	1.00	1.00	2.37	1.71	3.11	2.13	0.00	1.15	0.00
time (sec)	N/A	0.097	0.075	0.011	0.450	0.405	1.027	0.000	0.129	0.001

Problem 357	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	B	F(-2)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	113	113	122	259	206	400	248	0	152	0
N.S.	1	1.00	1.08	2.29	1.82	3.54	2.19	0.00	1.35	0.00
time (sec)	N/A	0.116	0.059	0.010	0.478	0.387	1.416	0.000	2.650	0.001

Problem 358	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	B	F(-2)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	139	139	142	312	236	511	282	0	180	0
N.S.	1	1.00	1.02	2.24	1.70	3.68	2.03	0.00	1.29	0.00
time (sec)	N/A	0.133	0.090	0.012	0.494	0.422	1.925	0.000	0.145	0.001

Problem 359	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	218	218	226	286	258	328	250	367	1029	0
N.S.	1	1.00	1.04	1.31	1.18	1.50	1.15	1.68	4.72	0.00
time (sec)	N/A	0.284	0.121	0.012	0.453	0.415	1.203	0.183	2.641	0.001

Problem 360	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	177	177	185	245	218	288	199	327	565	0
N.S.	1	1.00	1.05	1.38	1.23	1.63	1.12	1.85	3.19	0.00
time (sec)	N/A	0.232	0.120	0.010	0.448	0.392	1.014	0.182	2.615	0.001

Problem 361	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	146	146	154	204	182	251	162	291	316	0
N.S.	1	1.00	1.05	1.40	1.25	1.72	1.11	1.99	2.16	0.00
time (sec)	N/A	0.181	0.093	0.010	0.460	0.400	0.854	0.188	0.094	0.001
Problem 362	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	107	107	115	167	141	206	119	250	185	0
N.S.	1	1.00	1.07	1.56	1.32	1.93	1.11	2.34	1.73	0.00
time (sec)	N/A	0.136	0.085	0.010	0.450	0.386	0.743	0.174	0.070	0.001
Problem 363	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	78	78	83	138	104	157	94	212	116	0
N.S.	1	1.00	1.06	1.77	1.33	2.01	1.21	2.72	1.49	0.00
time (sec)	N/A	0.096	0.058	0.007	0.442	0.385	0.586	0.184	2.535	0.001
Problem 364	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	50	50	46	96	69	95	61	160	72	0
N.S.	1	1.00	0.92	1.92	1.38	1.90	1.22	3.20	1.44	0.00
time (sec)	N/A	0.057	0.049	0.007	0.439	0.378	0.402	0.170	2.561	0.001

Problem 365	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	86	86	91	156	114	168	182	159	111	0
N.S.	1	1.00	1.06	1.81	1.33	1.95	2.12	1.85	1.29	0.00
time (sec)	N/A	0.082	0.049	0.009	0.453	0.387	1.040	0.185	2.644	0.001

Problem 366	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	74	74	85	180	111	155	156	101	115	0
N.S.	1	1.00	1.15	2.43	1.50	2.09	2.11	1.36	1.55	0.00
time (sec)	N/A	0.029	0.038	0.012	0.439	0.408	0.714	0.161	2.606	0.001

Problem 367	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	B	F(-2)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	121	121	139	253	212	417	279	0	198	0
N.S.	1	1.00	1.15	2.09	1.75	3.45	2.31	0.00	1.64	0.00
time (sec)	N/A	0.136	0.114	0.013	0.466	0.384	1.264	0.000	0.146	0.001

Problem 368	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	F(-2)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	146	146	171	270	197	337	241	0	148	0
N.S.	1	1.00	1.17	1.85	1.35	2.31	1.65	0.00	1.01	0.00
time (sec)	N/A	0.155	0.095	0.015	0.479	0.384	1.360	0.000	2.632	0.001

Problem 369	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	B	F(-2)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	178	178	195	341	298	648	376	0	274	0
N.S.	1	1.00	1.10	1.92	1.67	3.64	2.11	0.00	1.54	0.00
time (sec)	N/A	0.200	0.144	0.016	0.504	0.403	1.928	0.000	2.700	0.001
Problem 370	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	B	F(-2)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	210	210	229	394	342	693	427	0	314	0
N.S.	1	1.00	1.09	1.88	1.63	3.30	2.03	0.00	1.50	0.00
time (sec)	N/A	0.242	0.182	0.018	0.534	0.398	2.152	0.000	2.718	0.001
Problem 371	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	179	179	193	263	227	336	219	364	375	0
N.S.	1	1.00	1.08	1.47	1.27	1.88	1.22	2.03	2.09	0.00
time (sec)	N/A	0.241	0.100	0.010	0.468	0.382	1.551	0.194	0.141	0.001
Problem 372	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	149	149	157	228	188	294	178	324	240	0
N.S.	1	1.00	1.05	1.53	1.26	1.97	1.19	2.17	1.61	0.00
time (sec)	N/A	0.197	0.083	0.009	0.460	0.380	1.372	0.196	0.105	0.001

Problem 373	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	118	118	118	198	149	241	151	273	161	0
N.S.	1	1.00	1.00	1.68	1.26	2.04	1.28	2.31	1.36	0.00
time (sec)	N/A	0.143	0.090	0.009	0.457	0.388	1.212	0.377	2.597	0.001
Problem 374	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	81	81	93	151	105	159	102	227	107	0
N.S.	1	1.00	1.15	1.86	1.30	1.96	1.26	2.80	1.32	0.00
time (sec)	N/A	0.101	0.040	0.009	0.451	0.402	0.872	0.205	2.598	0.001
Problem 375	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	61	61	49	105	81	100	83	195	80	0
N.S.	1	1.00	0.80	1.72	1.33	1.64	1.36	3.20	1.31	0.00
time (sec)	N/A	0.060	0.026	0.007	0.443	0.382	0.540	0.204	0.069	0.001
Problem 376	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	B	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	88	88	90	218	150	271	185	197	103	0
N.S.	1	1.00	1.02	2.48	1.70	3.08	2.10	2.24	1.17	0.00
time (sec)	N/A	0.099	0.077	0.011	0.463	0.406	1.011	0.174	0.134	0.001

Problem 377	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	122	140	257	211	417	277	191	198	0
N.S.	1	1.00	1.15	2.11	1.73	3.42	2.27	1.57	1.62	0.00
time (sec)	N/A	0.115	0.102	0.030	0.471	0.398	1.325	0.168	2.638	0.001

Problem 378	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	127	127	110	298	152	252	144	127	114	0
N.S.	1	1.00	0.87	2.35	1.20	1.98	1.13	1.00	0.90	0.00
time (sec)	N/A	0.061	0.045	0.015	0.449	0.402	0.998	0.166	0.103	0.001

Problem 379	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	F(-2)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	188	188	197	348	308	662	321	0	249	0
N.S.	1	1.00	1.05	1.85	1.64	3.52	1.71	0.00	1.32	0.00
time (sec)	N/A	0.210	0.155	0.015	0.497	0.401	1.831	0.000	2.679	0.001

Problem 380	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	F(-2)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	235	235	244	421	359	793	372	0	296	0
N.S.	1	1.00	1.04	1.79	1.53	3.37	1.58	0.00	1.26	0.00
time (sec)	N/A	0.273	0.174	0.017	0.510	0.405	2.146	0.000	2.639	0.001

Problem 381	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	F(-1)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	269	269	193	1308	1579	807	0	537	-1	385
N.S.	1	1.00	0.72	4.86	5.87	3.00	0.00	2.00	-0.00	1.43
time (sec)	N/A	0.975	0.968	0.059	1.054	0.494	0.000	0.661	0.000	1.982
Problem 382	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	F(-1)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	215	215	168	1030	1178	624	0	411	-1	294
N.S.	1	1.00	0.78	4.79	5.48	2.90	0.00	1.91	-0.00	1.37
time (sec)	N/A	0.666	0.741	0.014	1.044	0.573	0.000	0.405	0.000	1.574
Problem 383	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	183	183	182	713	891	454	0	309	-1	223
N.S.	1	1.00	0.99	3.90	4.87	2.48	0.00	1.69	-0.01	1.22
time (sec)	N/A	0.403	0.807	0.013	1.032	0.440	0.000	0.380	0.000	1.117
Problem 384	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	B	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	145	145	110	131	583	279	0	198	125	129
N.S.	1	1.00	0.76	0.90	4.02	1.92	0.00	1.37	0.86	0.89
time (sec)	N/A	0.224	0.393	0.011	0.467	0.418	0.000	0.340	2.871	0.767



Problem 385	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	B	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	117	117	83	85	373	183	0	139	79	83
N.S.	1	1.00	0.71	0.73	3.19	1.56	0.00	1.19	0.68	0.71
time (sec)	N/A	0.059	0.237	0.009	0.464	0.390	0.000	0.332	2.791	0.550
Problem 386	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	103	103	58	55	101	106	0	70	49	53
N.S.	1	1.00	0.56	0.53	0.98	1.03	0.00	0.68	0.48	0.51
time (sec)	N/A	0.049	0.060	0.008	0.440	0.401	0.000	0.304	2.701	0.001
Problem 387	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	242	242	225	3961	0	1767	0	2966	-1	0
N.S.	1	1.00	0.93	16.37	0.00	7.30	0.00	12.26	-0.00	0.00
time (sec)	N/A	0.618	0.394	0.050	0.000	0.481	0.000	0.456	0.000	180.980
Problem 388	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F	C	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	311	311	341	6760	0	3305	0	4343	-1	0
N.S.	1	1.00	1.10	21.74	0.00	10.63	0.00	13.96	-0.00	0.00
time (sec)	N/A	1.264	0.610	0.029	0.000	1.017	0.000	2.968	0.000	180.048

Problem 389	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F(-2)	B	F	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	398	398	387	9593	0	5361	0	6017	-1	0
N.S.	1	1.00	0.97	24.10	0.00	13.47	0.00	15.12	-0.00	0.00
time (sec)	N/A	2.568	1.141	0.032	0.000	3.547	0.000	2.091	0.000	180.613

Problem 390	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F(-2)	B	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	112	112	91	114	0	499	107	116	124	118
N.S.	1	1.00	0.81	1.02	0.00	4.46	0.96	1.04	1.11	1.05
time (sec)	N/A	0.215	0.089	0.019	0.000	0.434	87.879	0.187	0.234	0.221

Problem 391	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	240	240	207	365	326	324	0	378	222	427
N.S.	1	1.00	0.86	1.52	1.36	1.35	0.00	1.58	0.92	1.78
time (sec)	N/A	0.345	0.245	0.007	0.448	0.400	0.000	0.181	0.119	0.171

Problem 392	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	175	175	149	215	197	197	673	243	159	250
N.S.	1	1.00	0.85	1.23	1.13	1.13	3.85	1.39	0.91	1.43
time (sec)	N/A	0.237	0.150	0.007	0.448	0.394	108.501	0.172	2.580	0.113

Problem 393	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	113	113	94	101	104	100	374	134	100	117
N.S.	1	1.00	0.83	0.89	0.92	0.88	3.31	1.19	0.88	1.04
time (sec)	N/A	0.074	0.087	0.005	0.444	0.388	61.129	0.179	0.073	0.068
Problem 394	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	61	61	44	41	53	40	150	53	44	48
N.S.	1	1.00	0.72	0.67	0.87	0.66	2.46	0.87	0.72	0.79
time (sec)	N/A	0.026	0.026	0.004	0.433	0.400	13.098	0.154	2.558	0.035
Problem 395	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	104	104	92	132	0	297	100	107	107	105
N.S.	1	1.00	0.88	1.27	0.00	2.86	0.96	1.03	1.03	1.01
time (sec)	N/A	0.124	0.160	0.015	0.000	0.415	48.655	0.200	0.107	0.165
Problem 396	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	122	171	237	0	539	0	148	128	179
N.S.	1	1.00	1.40	1.94	0.00	4.42	0.00	1.21	1.05	1.47
time (sec)	N/A	0.203	0.288	0.017	0.000	0.409	0.000	0.174	2.682	0.512

Problem 397	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F(-2)	B	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	178	178	207	384	0	896	0	278	224	225
N.S.	1	1.00	1.16	2.16	0.00	5.03	0.00	1.56	1.26	1.26
time (sec)	N/A	0.303	0.816	0.021	0.000	0.428	0.000	0.209	2.909	0.855

Problem 398	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	238	238	207	365	334	333	328	453	292	427
N.S.	1	1.00	0.87	1.53	1.40	1.40	1.38	1.90	1.23	1.79
time (sec)	N/A	0.268	0.240	0.008	0.460	0.393	110.873	0.209	0.091	0.181

Problem 399	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	173	173	149	215	205	206	204	275	199	250
N.S.	1	1.00	0.86	1.24	1.18	1.19	1.18	1.59	1.15	1.45
time (sec)	N/A	0.204	0.154	0.006	0.449	0.382	50.851	0.326	2.658	0.121

Problem 400	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	111	111	92	101	112	110	112	143	111	117
N.S.	1	1.00	0.83	0.91	1.01	0.99	1.01	1.29	1.00	1.05
time (sec)	N/A	0.066	0.083	0.004	0.445	0.396	25.285	0.213	0.075	0.067

Problem 401	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	59	59	43	41	54	49	58	56	44	47
N.S.	1	1.00	0.73	0.69	0.92	0.83	0.98	0.95	0.75	0.80
time (sec)	N/A	0.026	0.028	0.004	0.443	0.379	10.144	0.181	0.054	0.034
Problem 402	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F(-2)	B	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	112	112	90	165	0	492	104	101	141	128
N.S.	1	1.00	0.80	1.47	0.00	4.39	0.93	0.90	1.26	1.14
time (sec)	N/A	0.174	0.068	0.014	0.000	0.425	41.279	0.200	0.136	0.221
Problem 403	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F(-2)	B	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	144	144	118	269	0	906	0	225	187	210
N.S.	1	1.00	0.82	1.87	0.00	6.29	0.00	1.56	1.30	1.46
time (sec)	N/A	0.271	0.082	0.021	0.000	0.433	0.000	0.191	3.287	0.569
Problem 404	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F(-2)	B	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	214	214	140	546	0	1539	0	361	310	369
N.S.	1	1.00	0.65	2.55	0.00	7.19	0.00	1.69	1.45	1.72
time (sec)	N/A	0.505	0.096	0.025	0.000	0.448	0.000	0.221	3.367	1.061









Problem 417	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	F(-1)	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	351	351	265	5383	0	5844	0	0	-1	401
N.S.	1	1.00	0.75	15.34	0.00	16.65	0.00	0.00	-0.00	1.14
time (sec)	N/A	1.806	0.641	0.056	0.000	66.392	0.000	0.000	0.000	1.276
Problem 418	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F	F(-1)	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	354	354	287	10977	0	12028	0	0	-1	393
N.S.	1	1.00	0.81	31.01	0.00	33.98	0.00	0.00	-0.00	1.11
time (sec)	N/A	0.763	0.778	0.090	0.000	126.494	0.000	0.000	0.000	1.053
Problem 419	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	F(-1)	F	F(-1)	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	549	543	521	30656	0	0	0	0	-1	492
N.S.	1	0.99	0.95	55.84	0.00	0.00	0.00	0.00	-0.00	0.90
time (sec)	N/A	1.324	2.065	0.227	0.000	0.000	0.000	0.000	0.000	1.692
Problem 420	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F	F(-1)	B	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	65	65	63	305	0	744	0	0	1610	59
N.S.	1	1.00	0.97	4.69	0.00	11.45	0.00	0.00	24.77	0.91
time (sec)	N/A	0.049	0.061	0.174	0.000	0.480	0.000	0.000	8.490	0.094

Problem 421	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	80	80	91	125	0	193	0	266	164	98
N.S.	1	1.00	1.14	1.56	0.00	2.41	0.00	3.32	2.05	1.22
time (sec)	N/A	0.143	0.136	0.018	0.000	0.399	0.000	0.350	2.955	0.354

Problem 422	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	A	F	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	107	107	148	1178	0	318	0	208	148	971
N.S.	1	1.00	1.38	11.01	0.00	2.97	0.00	1.94	1.38	9.07
time (sec)	N/A	0.241	0.296	0.038	0.000	0.543	0.000	0.588	0.286	2.556

Problem 423	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	107	107	120	524	0	318	0	131	148	971
N.S.	1	1.00	1.12	4.90	0.00	2.97	0.00	1.22	1.38	9.07
time (sec)	N/A	0.179	0.108	0.021	0.000	0.558	0.000	0.461	0.125	1.777

Problem 424	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	269	269	136	188	218	193	0	0	218	394
N.S.	1	1.00	0.51	0.70	0.81	0.72	0.00	0.00	0.81	1.46
time (sec)	N/A	0.423	0.127	0.009	0.656	0.421	0.000	0.000	3.658	0.849

Problem 425	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	200	200	89	116	133	123	0	0	142	199
N.S.	1	1.00	0.44	0.58	0.66	0.62	0.00	0.00	0.71	1.00
time (sec)	N/A	0.233	0.076	0.008	0.613	0.441	0.000	0.000	3.404	0.439
Problem 426	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	125	125	53	67	65	71	0	0	88	92
N.S.	1	1.00	0.42	0.54	0.52	0.57	0.00	0.00	0.70	0.74
time (sec)	N/A	0.092	0.047	0.007	0.551	0.399	0.000	0.000	3.226	0.234
Problem 427	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	46	46	35	50	18	49	0	0	54	57
N.S.	1	1.00	0.76	1.09	0.39	1.07	0.00	0.00	1.17	1.24
time (sec)	N/A	0.021	0.017	0.005	0.503	0.407	0.000	0.000	3.196	0.004
Problem 428	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	80	80	93	87	0	252	0	0	-1	609
N.S.	1	1.00	1.16	1.09	0.00	3.15	0.00	0.00	-0.01	7.61
time (sec)	N/A	0.131	0.042	0.030	0.000	0.424	0.000	0.000	0.000	5.269

Problem 429	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	140	140	136	168	0	703	0	0	-1	0
N.S.	1	1.00	0.97	1.20	0.00	5.02	0.00	0.00	-0.01	0.00
time (sec)	N/A	0.191	0.106	0.023	0.000	0.426	0.000	0.000	0.000	180.128
Problem 430	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	213	213	77	285	0	1283	0	0	-1	0
N.S.	1	1.00	0.36	1.34	0.00	6.02	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.314	0.045	0.023	0.000	0.447	0.000	0.000	0.000	180.006
Problem 431	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	280	280	77	450	0	2027	0	0	-1	0
N.S.	1	1.00	0.28	1.61	0.00	7.24	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.424	0.044	0.024	0.000	0.472	0.000	0.000	0.000	180.011
Problem 432	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	257	257	134	187	165	216	0	0	252	202
N.S.	1	1.00	0.52	0.73	0.64	0.84	0.00	0.00	0.98	0.79
time (sec)	N/A	0.331	0.099	0.009	0.697	0.418	0.000	0.000	3.614	3.644

Problem 433	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	181	181	88	116	98	147	0	0	178	119
N.S.	1	1.00	0.49	0.64	0.54	0.81	0.00	0.00	0.98	0.66
time (sec)	N/A	0.185	0.068	0.007	0.632	0.411	0.000	0.000	3.433	2.125
Problem 434	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	150	150	51	66	48	96	0	0	118	63
N.S.	1	1.00	0.34	0.44	0.32	0.64	0.00	0.00	0.79	0.42
time (sec)	N/A	0.144	0.040	0.007	0.570	0.404	0.000	0.000	3.368	1.362
Problem 435	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	46	46	35	50	18	74	0	0	82	43
N.S.	1	1.00	0.76	1.09	0.39	1.61	0.00	0.00	1.78	0.93
time (sec)	N/A	0.022	0.012	0.003	0.512	0.414	0.000	0.000	3.265	0.005
Problem 436	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	133	133	71	128	0	553	0	0	-1	0
N.S.	1	1.00	0.53	0.96	0.00	4.16	0.00	0.00	-0.01	0.00
time (sec)	N/A	0.176	0.028	0.026	0.000	0.436	0.000	0.000	0.000	180.017

Problem 437	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	202	202	73	225	0	1067	0	0	-1	0
N.S.	1	1.00	0.36	1.11	0.00	5.28	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.257	0.033	0.030	0.000	0.448	0.000	0.000	0.000	180.015

Problem 438	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	274	274	77	379	0	1863	0	0	-1	0
N.S.	1	1.00	0.28	1.38	0.00	6.80	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.352	0.038	0.035	0.000	0.470	0.000	0.000	0.000	180.004

Problem 439	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	239	239	131	187	219	251	0	0	278	201
N.S.	1	1.00	0.55	0.78	0.92	1.05	0.00	0.00	1.16	0.84
time (sec)	N/A	0.280	0.110	0.009	0.744	0.419	0.000	0.000	3.773	4.476

Problem 440	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	211	211	87	116	138	180	0	0	206	120
N.S.	1	1.00	0.41	0.55	0.65	0.85	0.00	0.00	0.98	0.57
time (sec)	N/A	0.220	0.070	0.009	0.673	0.408	0.000	0.000	3.609	2.987

Problem 441	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	154	154	52	66	73	129	0	0	149	66
N.S.	1	1.00	0.34	0.43	0.47	0.84	0.00	0.00	0.97	0.43
time (sec)	N/A	0.134	0.048	0.007	0.602	0.411	0.000	0.000	3.504	1.960
Problem 442	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	48	48	37	50	28	107	0	0	110	45
N.S.	1	1.00	0.77	1.04	0.58	2.23	0.00	0.00	2.29	0.94
time (sec)	N/A	0.022	0.029	0.003	0.519	0.407	0.000	0.000	3.316	0.003
Problem 443	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	188	188	73	219	0	1015	0	0	-1	0
N.S.	1	1.00	0.39	1.16	0.00	5.40	0.00	0.00	-0.01	0.00
time (sec)	N/A	0.270	0.036	0.030	0.000	0.431	0.000	0.000	0.000	180.056
Problem 444	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	268	268	75	424	0	1907	0	0	-1	0
N.S.	1	1.00	0.28	1.58	0.00	7.12	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.340	0.045	0.035	0.000	0.482	0.000	0.000	0.000	180.635

Problem 445	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	342	342	79	670	0	2935	0	0	-1	0
N.S.	1	1.00	0.23	1.96	0.00	8.58	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.538	0.051	0.038	0.000	0.490	0.000	0.000	0.000	180.027

Problem 446	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	336	336	195	283	320	375	0	0	347	7594
N.S.	1	1.00	0.58	0.84	0.95	1.12	0.00	0.00	1.03	22.60
time (sec)	N/A	0.607	0.177	0.009	0.708	0.402	0.000	0.000	3.599	23.689

Problem 447	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	269	269	136	188	218	264	0	0	242	676
N.S.	1	1.00	0.51	0.70	0.81	0.98	0.00	0.00	0.90	2.51
time (sec)	N/A	0.390	0.117	0.010	0.646	0.415	0.000	0.000	3.371	1.254

Problem 448	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	200	200	90	116	133	173	0	0	157	365
N.S.	1	1.00	0.45	0.58	0.66	0.86	0.00	0.00	0.78	1.82
time (sec)	N/A	0.228	0.079	0.007	0.592	0.414	0.000	0.000	3.255	0.636



Problem 449	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	125	125	54	67	65	102	0	0	93	169
N.S.	1	1.00	0.43	0.54	0.52	0.82	0.00	0.00	0.74	1.35
time (sec)	N/A	0.095	0.049	0.006	0.541	0.415	0.000	0.000	3.131	0.321

Problem 450	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	48	48	37	50	18	57	0	0	49	82
N.S.	1	1.00	0.77	1.04	0.38	1.19	0.00	0.00	1.02	1.71
time (sec)	N/A	0.021	0.024	0.003	0.493	0.431	0.000	0.000	3.047	0.003

Problem 451	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-1)	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	124	124	101	153	0	318	0	0	-1	931
N.S.	1	1.00	0.81	1.23	0.00	2.56	0.00	0.00	-0.01	7.51
time (sec)	N/A	0.186	0.131	0.022	0.000	0.441	0.000	0.000	0.000	4.696

Problem 452	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F	F(-1)	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	132	132	110	161	0	562	0	0	-1	1241
N.S.	1	1.00	0.83	1.22	0.00	4.26	0.00	0.00	-0.01	9.40
time (sec)	N/A	0.161	0.192	0.025	0.000	0.451	0.000	0.000	0.000	12.699

Problem 453	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	207	207	79	285	0	1056	0	0	-1	0
N.S.	1	1.00	0.38	1.38	0.00	5.10	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.273	0.040	0.030	0.000	0.450	0.000	0.000	0.000	180.007
Problem 454	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	277	277	79	453	0	1732	0	0	-1	0
N.S.	1	1.00	0.29	1.64	0.00	6.25	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.350	0.043	0.036	0.000	0.504	0.000	0.000	0.000	180.023
Problem 455	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	347	347	79	696	0	2610	0	0	-1	0
N.S.	1	1.00	0.23	2.01	0.00	7.52	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.454	0.043	0.035	0.000	0.476	0.000	0.000	0.000	180.018
Problem 456	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	336	336	195	283	413	472	0	0	445	0
N.S.	1	1.00	0.58	0.84	1.23	1.40	0.00	0.00	1.32	0.00
time (sec)	N/A	0.607	0.231	0.010	0.741	0.430	0.000	0.000	3.800	180.097

Problem 457	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	269	269	137	188	294	340	0	0	310	0
N.S.	1	1.00	0.51	0.70	1.09	1.26	0.00	0.00	1.15	0.00
time (sec)	N/A	0.407	0.166	0.009	0.687	0.443	0.000	0.000	3.646	180.007

Problem 458	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	200	200	90	116	192	230	0	0	206	120
N.S.	1	1.00	0.45	0.58	0.96	1.15	0.00	0.00	1.03	0.60
time (sec)	N/A	0.233	0.119	0.009	0.625	0.418	0.000	0.000	3.426	2.269

Problem 459	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	125	125	54	67	107	137	0	0	109	67
N.S.	1	1.00	0.43	0.54	0.86	1.10	0.00	0.00	0.87	0.54
time (sec)	N/A	0.101	0.074	0.005	0.571	0.413	0.000	0.000	3.250	1.313

Problem 460	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	48	48	37	50	43	74	0	0	62	45
N.S.	1	1.00	0.77	1.04	0.90	1.54	0.00	0.00	1.29	0.94
time (sec)	N/A	0.023	0.032	0.005	0.505	0.397	0.000	0.000	3.077	0.003

Problem 461	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	179	179	132	263	0	408	0	0	-1	151
N.S.	1	1.00	0.74	1.47	0.00	2.28	0.00	0.00	-0.01	0.84
time (sec)	N/A	0.304	0.264	0.023	0.000	0.436	0.000	0.000	0.000	7.975
Problem 462	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	178	178	75	306	0	444	0	0	-1	159
N.S.	1	1.00	0.42	1.72	0.00	2.49	0.00	0.00	-0.01	0.89
time (sec)	N/A	0.251	0.051	0.030	0.000	0.524	0.000	0.000	0.000	103.687
Problem 463	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	195	195	135	276	0	840	0	0	-1	0
N.S.	1	1.00	0.69	1.42	0.00	4.31	0.00	0.00	-0.01	0.00
time (sec)	N/A	0.256	0.323	0.029	0.000	0.453	0.000	0.000	0.000	180.003
Problem 464	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	265	265	79	453	0	1434	0	0	-1	0
N.S.	1	1.00	0.30	1.71	0.00	5.41	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.349	0.062	0.032	0.000	0.468	0.000	0.000	0.000	180.027

Problem 465	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	335	335	79	665	0	2238	0	0	-1	0
N.S.	1	1.00	0.24	1.99	0.00	6.68	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.452	0.061	0.041	0.000	0.485	0.000	0.000	0.000	180.005
Problem 466	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	405	405	79	955	0	3204	0	0	-1	0
N.S.	1	1.00	0.20	2.36	0.00	7.91	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.563	0.064	0.039	0.000	0.531	0.000	0.000	0.000	180.335
Problem 467	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F(-2)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	336	336	205	283	498	567	0	0	523	0
N.S.	1	1.00	0.61	0.84	1.48	1.69	0.00	0.00	1.56	0.00
time (sec)	N/A	0.618	0.209	0.010	0.761	0.419	0.000	0.000	4.086	180.021
Problem 468	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F(-2)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	269	269	147	188	362	416	0	0	379	0
N.S.	1	1.00	0.55	0.70	1.35	1.55	0.00	0.00	1.41	0.00
time (sec)	N/A	0.397	0.159	0.011	0.697	0.404	0.000	0.000	3.805	180.508

Problem 469	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F(-2)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	200	200	100	116	243	284	0	0	259	0
N.S.	1	1.00	0.50	0.58	1.22	1.42	0.00	0.00	1.30	0.00
time (sec)	N/A	0.235	0.112	0.009	0.637	0.418	0.000	0.000	3.562	180.007

Problem 470	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	125	125	64	67	141	173	0	0	134	67
N.S.	1	1.00	0.51	0.54	1.13	1.38	0.00	0.00	1.07	0.54
time (sec)	N/A	0.100	0.079	0.005	0.567	0.422	0.000	0.000	3.373	1.733

Problem 471	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	48	48	37	50	60	91	0	0	79	45
N.S.	1	1.00	0.77	1.04	1.25	1.90	0.00	0.00	1.65	0.94
time (sec)	N/A	0.021	0.040	0.005	0.508	0.406	0.000	0.000	3.160	0.003

Problem 472	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	236	236	145	431	0	587	0	0	-1	189
N.S.	1	1.00	0.61	1.83	0.00	2.49	0.00	0.00	-0.00	0.80
time (sec)	N/A	0.467	0.363	0.023	0.000	0.444	0.000	0.000	0.000	11.678

Problem 473	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	235	235	75	523	0	672	0	0	-1	215
N.S.	1	1.00	0.32	2.23	0.00	2.86	0.00	0.00	-0.00	0.91
time (sec)	N/A	0.378	0.068	0.031	0.000	0.486	0.000	0.000	0.000	104.169
Problem 474	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	A	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	246	246	79	526	0	683	0	0	-1	0
N.S.	1	1.00	0.32	2.14	0.00	2.78	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.342	0.072	0.033	0.000	0.624	0.000	0.000	0.000	180.036
Problem 475	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	253	253	171	441	0	1140	0	0	-1	0
N.S.	1	1.00	0.68	1.74	0.00	4.51	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.336	0.371	0.033	0.000	0.459	0.000	0.000	0.000	180.028
Problem 476	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	323	323	79	665	0	1862	0	0	-1	0
N.S.	1	1.00	0.24	2.06	0.00	5.76	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.473	0.075	0.035	0.000	0.477	0.000	0.000	0.000	180.022

Problem 477	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	393	393	79	924	0	2750	0	0	-1	0
N.S.	1	1.00	0.20	2.35	0.00	7.00	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.572	0.080	0.043	0.000	0.531	0.000	0.000	0.000	180.316

Problem 478	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	463	463	79	1261	0	3872	0	0	-1	0
N.S.	1	1.00	0.17	2.72	0.00	8.36	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.716	0.082	0.042	0.000	0.555	0.000	0.000	0.000	180.021

Problem 479	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	313	313	269	511	0	841	0	0	-1	238
N.S.	1	1.00	0.86	1.63	0.00	2.69	0.00	0.00	-0.00	0.76
time (sec)	N/A	0.562	0.606	0.045	0.000	1.560	0.000	0.000	0.000	8.641

Problem 480	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	244	244	234	328	0	655	0	0	-1	206
N.S.	1	1.00	0.96	1.34	0.00	2.68	0.00	0.00	-0.00	0.84
time (sec)	N/A	0.366	0.473	0.029	0.000	1.236	0.000	0.000	0.000	7.753



Problem 481	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	169	169	213	201	0	521	0	0	-1	171
N.S.	1	1.00	1.26	1.19	0.00	3.08	0.00	0.00	-0.01	1.01
time (sec)	N/A	0.222	0.192	0.025	0.000	1.145	0.000	0.000	0.000	0.710
Problem 482	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	105	105	160	120	0	343	0	0	-1	167
N.S.	1	1.00	1.52	1.14	0.00	3.27	0.00	0.00	-0.01	1.59
time (sec)	N/A	0.118	0.112	0.030	0.000	1.044	0.000	0.000	0.000	0.748
Problem 483	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	61	61	50	63	0	114	0	0	100	143
N.S.	1	1.00	0.82	1.03	0.00	1.87	0.00	0.00	1.64	2.34
time (sec)	N/A	0.065	0.031	0.007	0.000	0.426	0.000	0.000	4.638	0.641
Problem 484	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	129	129	69	98	0	288	0	0	147	196
N.S.	1	1.00	0.53	0.76	0.00	2.23	0.00	0.00	1.14	1.52
time (sec)	N/A	0.143	0.055	0.008	0.000	0.420	0.000	0.000	4.898	3.441

Problem 485	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	198	198	105	169	0	572	0	0	242	137
N.S.	1	1.00	0.53	0.85	0.00	2.89	0.00	0.00	1.22	0.69
time (sec)	N/A	0.219	0.086	0.010	0.000	0.450	0.000	0.000	5.170	8.502
Problem 486	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	267	267	152	260	0	953	0	0	357	169
N.S.	1	1.00	0.57	0.97	0.00	3.57	0.00	0.00	1.34	0.63
time (sec)	N/A	0.313	0.120	0.012	0.000	0.456	0.000	0.000	5.511	8.732
Problem 487	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	A	F(-1)	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	301	301	100	648	0	971	0	0	-1	342
N.S.	1	1.00	0.33	2.15	0.00	3.23	0.00	0.00	-0.00	1.14
time (sec)	N/A	0.469	0.118	0.038	0.000	1.226	0.000	0.000	0.000	3.856
Problem 488	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	A	F(-1)	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	227	227	100	396	0	725	0	0	-1	238
N.S.	1	1.00	0.44	1.74	0.00	3.19	0.00	0.00	-0.00	1.05
time (sec)	N/A	0.314	0.084	0.030	0.000	1.139	0.000	0.000	0.000	2.257

Problem 489	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	161	161	176	210	0	569	0	0	-1	162
N.S.	1	1.00	1.09	1.30	0.00	3.53	0.00	0.00	-0.01	1.01
time (sec)	N/A	0.196	0.369	0.027	0.000	1.100	0.000	0.000	0.000	0.973
Problem 490	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	61	61	50	63	0	125	0	0	147	118
N.S.	1	1.00	0.82	1.03	0.00	2.05	0.00	0.00	2.41	1.93
time (sec)	N/A	0.069	0.027	0.006	0.000	0.441	0.000	0.000	4.678	0.853
Problem 491	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	124	124	64	97	0	325	0	0	151	132
N.S.	1	1.00	0.52	0.78	0.00	2.62	0.00	0.00	1.22	1.06
time (sec)	N/A	0.154	0.049	0.007	0.000	0.436	0.000	0.000	4.976	0.883
Problem 492	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	192	192	105	168	0	649	0	0	268	198
N.S.	1	1.00	0.55	0.88	0.00	3.38	0.00	0.00	1.40	1.03
time (sec)	N/A	0.247	0.068	0.010	0.000	0.458	0.000	0.000	5.333	1.088

Problem 493	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	262	262	150	259	0	1062	0	0	414	289
N.S.	1	1.00	0.57	0.99	0.00	4.05	0.00	0.00	1.58	1.10
time (sec)	N/A	0.329	0.094	0.013	0.000	0.513	0.000	0.000	5.701	1.309
Problem 494	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	A	F(-1)	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	289	289	102	652	0	1055	0	0	-1	319
N.S.	1	1.00	0.35	2.26	0.00	3.65	0.00	0.00	-0.00	1.10
time (sec)	N/A	0.432	0.140	0.044	0.000	1.153	0.000	0.000	0.000	4.553
Problem 495	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	A	F	A	F(-1)	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	219	219	102	343	0	755	0	0	-1	227
N.S.	1	1.00	0.47	1.57	0.00	3.45	0.00	0.00	-0.00	1.04
time (sec)	N/A	0.289	0.105	0.030	0.000	1.126	0.000	0.000	0.000	2.673
Problem 496	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-2)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	63	63	52	63	0	193	0	0	169	99
N.S.	1	1.00	0.83	1.00	0.00	3.06	0.00	0.00	2.68	1.57
time (sec)	N/A	0.066	0.031	0.008	0.000	0.414	0.000	0.000	4.322	1.092

Problem 497	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	128	128	68	99	0	318	0	0	246	119
N.S.	1	1.00	0.53	0.77	0.00	2.48	0.00	0.00	1.92	0.93
time (sec)	N/A	0.141	0.055	0.008	0.000	0.453	0.000	0.000	5.059	1.031
Problem 498	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	194	194	103	169	0	667	0	0	255	198
N.S.	1	1.00	0.53	0.87	0.00	3.44	0.00	0.00	1.31	1.02
time (sec)	N/A	0.220	0.066	0.010	0.000	0.453	0.000	0.000	5.282	1.203
Problem 499	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	260	260	152	258	0	1065	0	0	416	0
N.S.	1	1.00	0.58	0.99	0.00	4.10	0.00	0.00	1.60	0.00
time (sec)	N/A	0.313	0.097	0.012	0.000	0.510	0.000	0.000	5.859	180.094
Problem 500	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	385	385	300	870	0	1065	0	0	-1	259
N.S.	1	1.00	0.78	2.26	0.00	2.77	0.00	0.00	-0.00	0.67
time (sec)	N/A	0.718	1.156	0.031	0.000	2.691	0.000	0.000	0.000	8.584

Problem 501	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	313	313	255	602	0	847	0	0	-1	231
N.S.	1	1.00	0.81	1.92	0.00	2.71	0.00	0.00	-0.00	0.74
time (sec)	N/A	0.518	0.844	0.028	0.000	1.501	0.000	0.000	0.000	7.679
Problem 502	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	241	241	215	385	0	657	0	0	-1	227
N.S.	1	1.00	0.89	1.60	0.00	2.73	0.00	0.00	-0.00	0.94
time (sec)	N/A	0.352	0.594	0.022	0.000	1.202	0.000	0.000	0.000	0.781
Problem 503	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	167	167	173	198	0	516	0	0	-1	164
N.S.	1	1.00	1.04	1.19	0.00	3.09	0.00	0.00	-0.01	0.98
time (sec)	N/A	0.209	0.814	0.023	0.000	1.140	0.000	0.000	0.000	0.714
Problem 504	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	158	158	169	197	0	521	0	0	-1	213
N.S.	1	1.00	1.07	1.25	0.00	3.30	0.00	0.00	-0.01	1.35
time (sec)	N/A	0.188	0.789	0.031	0.000	1.073	0.000	0.000	0.000	1.972

Problem 505	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	63	63	52	63	0	169	0	0	136	145
N.S.	1	1.00	0.83	1.00	0.00	2.68	0.00	0.00	2.16	2.30
time (sec)	N/A	0.065	0.033	0.007	0.000	0.427	0.000	0.000	3.923	2.661
Problem 506	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	129	129	69	99	0	402	0	0	187	196
N.S.	1	1.00	0.53	0.77	0.00	3.12	0.00	0.00	1.45	1.52
time (sec)	N/A	0.139	0.054	0.008	0.000	0.435	0.000	0.000	4.084	3.125
Problem 507	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	198	198	105	169	0	748	0	0	289	137
N.S.	1	1.00	0.53	0.85	0.00	3.78	0.00	0.00	1.46	0.69
time (sec)	N/A	0.220	0.092	0.009	0.000	0.455	0.000	0.000	4.290	8.341
Problem 508	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	267	267	152	260	0	1179	0	0	409	169
N.S.	1	1.00	0.57	0.97	0.00	4.42	0.00	0.00	1.53	0.63
time (sec)	N/A	0.308	0.139	0.013	0.000	0.468	0.000	0.000	4.501	8.876

Problem 509	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	382	382	302	870	0	1059	0	0	-1	431
N.S.	1	1.00	0.79	2.28	0.00	2.77	0.00	0.00	-0.00	1.13
time (sec)	N/A	0.711	1.170	0.025	0.000	2.676	0.000	0.000	0.000	2.050
Problem 510	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	310	310	254	602	0	847	0	0	-1	316
N.S.	1	1.00	0.82	1.94	0.00	2.73	0.00	0.00	-0.00	1.02
time (sec)	N/A	0.533	0.829	0.024	0.000	1.513	0.000	0.000	0.000	1.787
Problem 511	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	238	238	193	325	0	651	0	0	-1	222
N.S.	1	1.00	0.81	1.37	0.00	2.74	0.00	0.00	-0.00	0.93
time (sec)	N/A	0.345	0.771	0.027	0.000	1.209	0.000	0.000	0.000	1.381
Problem 512	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	222	222	102	383	0	663	0	0	-1	178
N.S.	1	1.00	0.46	1.73	0.00	2.99	0.00	0.00	-0.00	0.80
time (sec)	N/A	0.303	0.158	0.031	0.000	1.124	0.000	0.000	0.000	1.450



Problem 513	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	214	214	188	331	0	685	0	0	-1	173
N.S.	1	1.00	0.88	1.55	0.00	3.20	0.00	0.00	-0.00	0.81
time (sec)	N/A	0.278	1.063	0.034	0.000	1.078	0.000	0.000	0.000	1.542
Problem 514	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	63	63	52	63	0	232	0	0	232	168
N.S.	1	1.00	0.83	1.00	0.00	3.68	0.00	0.00	3.68	2.67
time (sec)	N/A	0.070	0.052	0.008	0.000	0.439	0.000	0.000	4.067	1.396
Problem 515	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	129	129	69	99	0	526	0	0	247	249
N.S.	1	1.00	0.53	0.77	0.00	4.08	0.00	0.00	1.91	1.93
time (sec)	N/A	0.148	0.085	0.008	0.000	0.466	0.000	0.000	4.305	1.714
Problem 516	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	198	198	105	169	0	918	0	0	377	0
N.S.	1	1.00	0.53	0.85	0.00	4.64	0.00	0.00	1.90	0.00
time (sec)	N/A	0.228	0.129	0.010	0.000	0.464	0.000	0.000	4.478	180.007

Problem 517	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	267	267	152	260	0	1420	0	0	519	0
N.S.	1	1.00	0.57	0.97	0.00	5.32	0.00	0.00	1.94	0.00
time (sec)	N/A	0.324	0.176	0.013	0.000	0.503	0.000	0.000	4.833	180.016

Problem 518	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-2)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	448	448	285	1191	0	1331	0	0	-1	0
N.S.	1	1.00	0.64	2.66	0.00	2.97	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.889	6.013	0.031	0.000	5.788	0.000	0.000	0.000	180.024

Problem 519	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	376	376	299	870	0	1065	0	0	-1	431
N.S.	1	1.00	0.80	2.31	0.00	2.83	0.00	0.00	-0.00	1.15
time (sec)	N/A	0.678	1.135	0.025	0.000	2.711	0.000	0.000	0.000	2.590

Problem 520	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	304	304	229	508	0	837	0	0	-1	310
N.S.	1	1.00	0.75	1.67	0.00	2.75	0.00	0.00	-0.00	1.02
time (sec)	N/A	0.487	0.998	0.031	0.000	1.555	0.000	0.000	0.000	1.837

Problem 521	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	294	294	112	635	0	915	0	0	-1	255
N.S.	1	1.00	0.38	2.16	0.00	3.11	0.00	0.00	-0.00	0.87
time (sec)	N/A	0.428	0.104	0.033	0.000	1.197	0.000	0.000	0.000	2.065
Problem 522	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	284	284	112	638	0	973	0	0	-1	240
N.S.	1	1.00	0.39	2.25	0.00	3.43	0.00	0.00	-0.00	0.85
time (sec)	N/A	0.404	0.123	0.032	0.000	1.146	0.000	0.000	0.000	2.235
Problem 523	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	A	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	274	274	224	511	0	933	0	0	-1	230
N.S.	1	1.00	0.82	1.86	0.00	3.41	0.00	0.00	-0.00	0.84
time (sec)	N/A	0.366	1.369	0.037	0.000	1.097	0.000	0.000	0.000	2.428
Problem 524	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	63	63	52	63	0	299	0	0	325	248
N.S.	1	1.00	0.83	1.00	0.00	4.75	0.00	0.00	5.16	3.94
time (sec)	N/A	0.069	0.077	0.008	0.000	0.442	0.000	0.000	4.343	1.877

Problem 525	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	129	129	79	99	0	639	0	0	315	0
N.S.	1	1.00	0.61	0.77	0.00	4.95	0.00	0.00	2.44	0.00
time (sec)	N/A	0.149	0.082	0.009	0.000	0.471	0.000	0.000	4.543	180.011
Problem 526	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	198	198	115	169	0	1101	0	0	465	0
N.S.	1	1.00	0.58	0.85	0.00	5.56	0.00	0.00	2.35	0.00
time (sec)	N/A	0.230	0.108	0.011	0.000	0.479	0.000	0.000	4.822	180.014
Problem 527	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	267	267	162	260	0	1648	0	0	627	0
N.S.	1	1.00	0.61	0.97	0.00	6.17	0.00	0.00	2.35	0.00
time (sec)	N/A	0.324	0.141	0.014	0.000	0.536	0.000	0.000	5.119	180.022
Problem 528	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	343	343	134	527	331	705	0	2024	615	0
N.S.	1	1.00	0.39	1.54	0.97	2.06	0.00	5.90	1.79	0.00
time (sec)	N/A	0.449	0.172	0.011	0.606	0.442	0.000	0.331	3.753	0.690

Problem 529	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	246	246	131	235	193	350	0	981	327	0
N.S.	1	1.00	0.53	0.96	0.78	1.42	0.00	3.99	1.33	0.00
time (sec)	N/A	0.205	0.108	0.010	0.556	0.460	0.000	0.280	3.518	0.407
Problem 530	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-2)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	150	150	67	89	94	145	0	369	139	0
N.S.	1	1.00	0.45	0.59	0.63	0.97	0.00	2.46	0.93	0.00
time (sec)	N/A	0.082	0.062	0.005	0.517	0.422	0.000	0.254	3.362	0.260
Problem 531	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-2)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	54	54	42	57	33	57	0	87	57	0
N.S.	1	1.00	0.78	1.06	0.61	1.06	0.00	1.61	1.06	0.00
time (sec)	N/A	0.015	0.022	0.003	0.473	0.424	0.000	0.225	3.248	0.003
Problem 532	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	65	65	53	64	49	66	0	114	63	0
N.S.	1	1.00	0.82	0.98	0.75	1.02	0.00	1.75	0.97	0.00
time (sec)	N/A	0.044	0.029	0.003	0.495	0.421	0.000	0.247	3.543	0.162

Problem 533	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	F	A	A	F(-1)	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	78	78	64	0	32	35	0	0	-1	64
N.S.	1	1.00	0.82	0.00	0.41	0.45	0.00	0.00	-0.01	0.82
time (sec)	N/A	0.150	0.035	0.242	0.504	0.428	0.000	0.000	0.000	0.393
Problem 534	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F(-1)	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	501	501	246	641	693	597	0	0	653	8325
N.S.	1	1.00	0.49	1.28	1.38	1.19	0.00	0.00	1.30	16.62
time (sec)	N/A	0.894	0.419	0.011	0.739	0.422	0.000	0.000	4.088	38.390
Problem 535	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	412	412	264	425	484	408	0	0	438	676
N.S.	1	1.00	0.64	1.03	1.17	0.99	0.00	0.00	1.06	1.64
time (sec)	N/A	0.627	0.273	0.010	0.685	0.423	0.000	0.000	3.864	1.395
Problem 536	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	321	321	169	255	309	256	0	0	279	365
N.S.	1	1.00	0.53	0.79	0.96	0.80	0.00	0.00	0.87	1.14
time (sec)	N/A	0.420	0.180	0.010	0.627	0.426	0.000	0.000	3.711	0.801

Problem 537	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	209	209	96	131	168	141	0	0	152	170
N.S.	1	1.00	0.46	0.63	0.80	0.67	0.00	0.00	0.73	0.81
time (sec)	N/A	0.198	0.096	0.005	0.570	0.406	0.000	0.000	3.484	0.411

Problem 538	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	F	F	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	109	109	54	69	65	73	0	0	85	80
N.S.	1	1.00	0.50	0.63	0.60	0.67	0.00	0.00	0.78	0.73
time (sec)	N/A	0.059	0.042	0.003	0.504	0.406	0.000	0.000	3.364	0.002

Problem 539	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	A	F	F	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	139	139	140	163	0	511	0	0	-1	2866
N.S.	1	1.00	1.01	1.17	0.00	3.68	0.00	0.00	-0.01	20.62
time (sec)	N/A	0.192	0.108	0.024	0.000	0.436	0.000	0.000	0.000	20.818

Problem 540	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	170	170	155	347	0	896	0	0	-1	0
N.S.	1	1.00	0.91	2.04	0.00	5.27	0.00	0.00	-0.01	0.00
time (sec)	N/A	0.234	0.147	0.028	0.000	0.443	0.000	0.000	0.000	180.016

Problem 541	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	261	261	189	673	0	1704	0	0	-1	0
N.S.	1	1.00	0.72	2.58	0.00	6.53	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.355	0.423	0.042	0.000	0.470	0.000	0.000	0.000	180.006

Problem 542	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F	B	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	351	351	132	1142	0	2736	0	0	-1	0
N.S.	1	1.00	0.38	3.25	0.00	7.79	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.558	0.103	0.047	0.000	0.489	0.000	0.000	0.000	180.018

Problem 543	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	324	324	229	602	365	251	0	412	1768	1219
N.S.	1	1.00	0.71	1.86	1.13	0.77	0.00	1.27	5.46	3.76
time (sec)	N/A	0.934	0.264	0.059	0.978	0.421	0.000	0.618	31.330	0.628

Problem 544	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	166	166	114	291	171	134	0	196	897	446
N.S.	1	1.00	0.69	1.75	1.03	0.81	0.00	1.18	5.40	2.69
time (sec)	N/A	0.319	0.116	0.027	0.973	0.424	0.000	0.422	13.854	0.289



Problem 545	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	C	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	63	63	45	117	57	67	282	76	232	117
N.S.	1	1.00	0.71	1.86	0.90	1.06	4.48	1.21	3.68	1.86
time (sec)	N/A	0.063	0.033	0.018	0.970	0.419	49.711	0.268	7.760	0.002

Problem 546	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	F	B	F	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	282	282	260	1759	0	4313	0	684	33018	372
N.S.	1	1.00	0.92	6.24	0.00	15.29	0.00	2.43	117.09	1.32
time (sec)	N/A	0.522	0.558	0.141	0.000	0.614	0.000	1.505	82.367	1.998

Problem 547	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	F	F(-1)	F(-1)	F(-1)	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	571	571	508	41837	0	0	0	0	-1	1064
N.S.	1	1.00	0.89	73.27	0.00	0.00	0.00	0.00	-0.00	1.86
time (sec)	N/A	5.235	1.282	0.814	0.000	0.000	0.000	0.000	0.000	50.062

Problem 548	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	C	A	A	F(-1)	B	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	276	276	239	755	371	376	0	732	-1	1332
N.S.	1	1.00	0.87	2.74	1.34	1.36	0.00	2.65	-0.00	4.83
time (sec)	N/A	0.598	0.241	0.040	0.980	0.422	0.000	0.611	0.000	0.603



Problem 553	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	275	275	249	2017	811	2032	0	3760	1943	0
N.S.	1	1.00	0.91	7.33	2.95	7.39	0.00	13.67	7.07	0.00
time (sec)	N/A	0.263	0.313	0.019	0.597	0.482	0.000	0.585	3.901	0.155
Problem 554	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	208	208	187	1048	512	1122	11946	2114	1133	0
N.S.	1	1.00	0.90	5.04	2.46	5.39	57.43	10.16	5.45	0.00
time (sec)	N/A	0.188	0.199	0.013	0.543	0.443	11.821	0.230	3.522	0.106
Problem 555	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	146	146	141	449	289	549	4952	1018	572	0
N.S.	1	1.00	0.97	3.08	1.98	3.76	33.92	6.97	3.92	0.00
time (sec)	N/A	0.112	0.280	0.007	0.505	0.429	5.269	0.387	3.288	0.083
Problem 556	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	84	84	73	147	135	218	1489	373	211	0
N.S.	1	1.00	0.87	1.75	1.61	2.60	17.73	4.44	2.51	0.00
time (sec)	N/A	0.063	0.100	0.005	0.475	0.409	2.212	0.188	3.072	0.056

Problem 557	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	B	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	83	83	85	142	87	99	420	88	84	0
N.S.	1	1.00	1.02	1.71	1.05	1.19	5.06	1.06	1.01	0.00
time (sec)	N/A	0.100	0.049	0.008	0.445	0.398	9.516	0.176	3.420	0.001

Problem 558	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	184	184	177	444	255	313	0	281	266	0
N.S.	1	1.00	0.96	2.41	1.39	1.70	0.00	1.53	1.45	0.00
time (sec)	N/A	0.312	0.148	0.012	0.450	0.713	0.000	0.169	3.505	0.001

Problem 559	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	531	531	476	1232	721	736	0	907	794	0
N.S.	1	1.00	0.90	2.32	1.36	1.39	0.00	1.71	1.50	0.00
time (sec)	N/A	0.988	0.423	0.020	0.488	3.897	0.000	0.171	4.195	0.001

Problem 560	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	246	246	246	606	0	0	0	392	12173	0
N.S.	1	1.00	1.00	2.46	0.00	0.00	0.00	1.59	49.48	0.00
time (sec)	N/A	0.468	0.324	0.012	0.000	0.000	0.000	0.185	19.247	0.001

Problem 561	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	644	644	710	9103	0	0	0	3315	130035	0
N.S.	1	1.00	1.10	14.14	0.00	0.00	0.00	5.15	201.92	0.00
time (sec)	N/A	2.052	2.632	0.050	0.000	0.000	0.000	0.276	32.634	0.001
Problem 562	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	287	287	249	540	429	429	1544	565	283	634
N.S.	1	1.00	0.87	1.88	1.49	1.49	5.38	1.97	0.99	2.21
time (sec)	N/A	0.495	0.412	0.009	0.459	0.558	164.697	0.200	0.150	0.347
Problem 563	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	212	212	184	315	261	260	1001	363	204	368
N.S.	1	1.00	0.87	1.49	1.23	1.23	4.72	1.71	0.96	1.74
time (sec)	N/A	0.339	0.341	0.009	0.449	0.540	105.539	0.233	3.169	0.215
Problem 564	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	137	137	131	144	129	125	549	199	125	168
N.S.	1	1.00	0.96	1.05	0.94	0.91	4.01	1.45	0.91	1.23
time (sec)	N/A	0.109	0.193	0.006	0.457	0.561	55.828	0.192	0.077	0.133

Problem 565	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	73	73	54	53	77	54	223	77	58	62
N.S.	1	1.00	0.74	0.73	1.05	0.74	3.05	1.05	0.79	0.85
time (sec)	N/A	0.042	0.048	0.003	0.442	0.721	10.865	0.171	3.119	0.038
Problem 566	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	116	116	118	189	0	341	112	128	117	117
N.S.	1	1.00	1.02	1.63	0.00	2.94	0.97	1.10	1.01	1.01
time (sec)	N/A	0.168	0.192	0.013	0.000	0.566	37.629	0.167	0.142	0.170
Problem 567	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	140	140	150	371	0	637	0	175	146	200
N.S.	1	1.00	1.07	2.65	0.00	4.55	0.00	1.25	1.04	1.43
time (sec)	N/A	0.290	0.560	0.019	0.000	0.651	0.000	0.182	0.233	0.546
Problem 568	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	206	206	297	538	0	1096	0	373	270	293
N.S.	1	1.00	1.44	2.61	0.00	5.32	0.00	1.81	1.31	1.42
time (sec)	N/A	0.386	0.646	0.021	0.000	0.661	0.000	0.200	0.281	0.896

Problem 569	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	A	A	A	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	285	285	249	540	437	438	452	669	394	634
N.S.	1	1.00	0.87	1.89	1.53	1.54	1.59	2.35	1.38	2.22
time (sec)	N/A	0.405	0.729	0.009	0.462	0.620	158.555	0.235	0.116	0.303

Problem 570	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	210	210	184	315	269	269	272	404	270	368
N.S.	1	1.00	0.88	1.50	1.28	1.28	1.30	1.92	1.29	1.75
time (sec)	N/A	0.289	0.356	0.008	0.445	0.608	79.487	0.230	3.127	0.203

Problem 571	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	135	135	128	144	137	135	141	204	147	168
N.S.	1	1.00	0.95	1.07	1.01	1.00	1.04	1.51	1.09	1.24
time (sec)	N/A	0.098	0.179	0.005	0.443	0.393	34.525	0.181	3.134	0.112

Problem 572	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	A	A	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	71	71	54	53	66	63	70	74	58	61
N.S.	1	1.00	0.76	0.75	0.93	0.89	0.99	1.04	0.82	0.86
time (sec)	N/A	0.042	0.055	0.004	0.441	0.398	13.121	0.153	0.060	0.045

Problem 573	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	A	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	122	124	237	0	540	116	112	162	139
N.S.	1	1.00	1.02	1.94	0.00	4.43	0.95	0.92	1.33	1.14
time (sec)	N/A	0.221	0.291	0.014	0.000	0.439	52.234	0.255	3.209	0.195
Problem 574	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	165	165	176	418	0	1088	0	282	218	268
N.S.	1	1.00	1.07	2.53	0.00	6.59	0.00	1.71	1.32	1.62
time (sec)	N/A	0.367	0.407	0.022	0.000	0.456	0.000	0.229	0.300	0.688
Problem 575	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	248	248	290	847	0	1883	0	462	363	497
N.S.	1	1.00	1.17	3.42	0.00	7.59	0.00	1.86	1.46	2.00
time (sec)	N/A	0.629	1.102	0.026	0.000	0.497	0.000	0.257	3.409	1.199
Problem 576	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	B	A	B	F	B	F	A	B	A
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD	NO
size	91	191	113	231	0	214	0	16	916	110
N.S.	1	2.10	1.24	2.54	0.00	2.35	0.00	0.18	10.07	1.21
time (sec)	N/A	0.141	0.212	0.086	0.000	0.432	0.000	0.198	5.018	0.306



Problem 577	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	164	164	173	425	0	380	0	179	833	229
N.S.	1	1.00	1.05	2.59	0.00	2.32	0.00	1.09	5.08	1.40
time (sec)	N/A	0.179	0.775	0.029	0.000	0.497	0.000	0.261	22.379	0.388
Problem 578	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F(-1)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	333	333	313	1207	0	852	0	448	-1	643
N.S.	1	1.00	0.94	3.62	0.00	2.56	0.00	1.35	-0.00	1.93
time (sec)	N/A	0.353	1.538	0.032	0.000	0.658	0.000	0.415	0.000	0.734
Problem 579	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F(-1)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	246	246	225	763	0	576	0	291	1832	357
N.S.	1	1.00	0.91	3.10	0.00	2.34	0.00	1.18	7.45	1.45
time (sec)	N/A	0.256	1.008	0.023	0.000	0.522	0.000	0.349	74.336	1.093
Problem 580	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	164	164	173	425	0	380	0	179	833	229
N.S.	1	1.00	1.05	2.59	0.00	2.32	0.00	1.09	5.08	1.40
time (sec)	N/A	0.143	0.622	0.000	0.000	0.509	0.000	0.252	0.002	0.002

Problem 581	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F(-2)	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	129	129	222	697	0	588	0	201	-1	216
N.S.	1	1.00	1.72	5.40	0.00	4.56	0.00	1.56	-0.01	1.67
time (sec)	N/A	0.135	0.592	0.029	0.000	1.436	0.000	0.387	0.000	0.341

Problem 582	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	C	B	F(-2)	B	F(-1)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	160	160	173	773	0	792	0	504	-1	161
N.S.	1	1.00	1.08	4.83	0.00	4.95	0.00	3.15	-0.01	1.01
time (sec)	N/A	0.180	0.230	0.028	0.000	3.553	0.000	0.685	0.000	0.226

Problem 583	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	A	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	198	198	178	238	0	353	0	1080	260	177
N.S.	1	1.00	0.90	1.20	0.00	1.78	0.00	5.45	1.31	0.89
time (sec)	N/A	0.212	0.228	0.010	0.000	10.806	0.000	0.853	4.304	0.172

Problem 584	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	B	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	281	281	332	468	0	641	0	1868	452	311
N.S.	1	1.00	1.18	1.67	0.00	2.28	0.00	6.65	1.61	1.11
time (sec)	N/A	0.291	0.353	0.010	0.000	36.001	0.000	1.272	4.654	0.230

Problem 585	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	249	249	196	834	0	580	0	237	-1	382
N.S.	1	1.00	0.79	3.35	0.00	2.33	0.00	0.95	-0.00	1.53
time (sec)	N/A	0.280	1.091	0.042	0.000	0.980	0.000	0.440	0.000	0.500
Problem 586	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F(-1)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	240	240	204	571	0	546	0	717	-1	367
N.S.	1	1.00	0.85	2.38	0.00	2.28	0.00	2.99	-0.00	1.53
time (sec)	N/A	0.225	0.848	0.044	0.000	0.463	0.000	0.519	0.000	0.459
Problem 587	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F(-1)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	176	176	163	392	0	414	0	441	1797	220
N.S.	1	1.00	0.93	2.23	0.00	2.35	0.00	2.51	10.21	1.25
time (sec)	N/A	0.171	0.437	0.025	0.000	0.457	0.000	0.382	73.154	0.670
Problem 588	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	122	122	135	247	0	308	0	145	893	196
N.S.	1	1.00	1.11	2.02	0.00	2.52	0.00	1.19	7.32	1.61
time (sec)	N/A	0.124	0.408	0.029	0.000	0.545	0.000	0.244	20.635	0.294

Problem 589	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	108	108	134	438	0	463	0	193	-1	146
N.S.	1	1.00	1.24	4.06	0.00	4.29	0.00	1.79	-0.01	1.35
time (sec)	N/A	0.120	0.337	0.032	0.000	0.541	0.000	0.364	0.000	0.239

Problem 590	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F(-1)	F(-1)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	116	116	128	601	0	665	0	0	-1	99
N.S.	1	1.00	1.10	5.18	0.00	5.73	0.00	0.00	-0.01	0.85
time (sec)	N/A	0.121	0.296	0.032	0.000	0.604	0.000	0.000	0.000	0.170

Problem 591	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	133	133	110	150	0	293	0	0	268	115
N.S.	1	1.00	0.83	1.13	0.00	2.20	0.00	0.00	2.02	0.86
time (sec)	N/A	0.130	0.084	0.012	0.000	1.055	0.000	0.000	4.301	0.139

Problem 592	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F(-2)	B	F(-1)	F(-1)	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	189	189	173	248	0	487	0	0	389	185
N.S.	1	1.00	0.92	1.31	0.00	2.58	0.00	0.00	2.06	0.98
time (sec)	N/A	0.192	0.121	0.013	0.000	2.230	0.000	0.000	4.506	0.166



Problem 597	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	532	532	559	3941	0	0	0	0	-1	788
N.S.	1	1.00	1.05	7.41	0.00	0.00	0.00	0.00	-0.00	1.48
time (sec)	N/A	1.704	1.013	0.038	0.000	0.000	0.000	0.000	0.000	4.588
Problem 598	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	325	325	372	2602	0	0	0	0	-1	428
N.S.	1	1.00	1.14	8.01	0.00	0.00	0.00	0.00	-0.00	1.32
time (sec)	N/A	0.708	0.415	0.016	0.000	0.000	0.000	0.000	0.000	2.034
Problem 599	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	219	219	216	1559	0	0	0	0	-1	229
N.S.	1	1.00	0.99	7.12	0.00	0.00	0.00	0.00	-0.00	1.05
time (sec)	N/A	0.324	0.347	0.010	0.000	0.000	0.000	0.000	0.000	1.005
Problem 600	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	A	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	152	152	145	715	0	992	0	0	-1	191
N.S.	1	1.00	0.95	4.70	0.00	6.53	0.00	0.00	-0.01	1.26
time (sec)	N/A	0.151	0.155	0.006	0.000	1.984	0.000	0.000	0.000	0.001









Problem 613	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	431	431	553	1597	0	0	0	0	-1	509
N.S.	1	1.00	1.28	3.71	0.00	0.00	0.00	0.00	-0.00	1.18
time (sec)	N/A	1.370	0.888	0.029	0.000	0.000	0.000	0.000	0.000	2.714
Problem 614	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	270	270	358	1007	0	0	0	0	-1	308
N.S.	1	1.00	1.33	3.73	0.00	0.00	0.00	0.00	-0.00	1.14
time (sec)	N/A	0.708	0.380	0.016	0.000	0.000	0.000	0.000	0.000	1.414
Problem 615	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	176	176	170	613	0	0	0	0	-1	210
N.S.	1	1.00	0.97	3.48	0.00	0.00	0.00	0.00	-0.01	1.19
time (sec)	N/A	0.305	0.483	0.015	0.000	0.000	0.000	0.000	0.000	0.766
Problem 616	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	131	131	126	349	0	1071	0	0	-1	152
N.S.	1	1.00	0.96	2.66	0.00	8.18	0.00	0.00	-0.01	1.16
time (sec)	N/A	0.093	0.151	0.008	0.000	31.643	0.000	0.000	0.000	0.526

Problem 617	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	79	79	78	157	0	343	0	72	-1	138
N.S.	1	1.00	0.99	1.99	0.00	4.34	0.00	0.91	-0.01	1.75
time (sec)	N/A	0.038	0.014	0.006	0.000	0.554	0.000	0.229	0.000	0.002
Problem 618	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	A	F	B	F	F	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	182	182	169	327	0	1952	0	0	-1	299
N.S.	1	1.00	0.93	1.80	0.00	10.73	0.00	0.00	-0.01	1.64
time (sec)	N/A	0.219	0.249	0.017	0.000	123.751	0.000	0.000	0.000	0.867
Problem 619	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	F(-1)	F	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	340	340	256	788	0	0	0	0	-1	2266
N.S.	1	1.00	0.75	2.32	0.00	0.00	0.00	0.00	-0.00	6.66
time (sec)	N/A	0.394	0.955	0.020	0.000	0.000	0.000	0.000	0.000	21.822
Problem 620	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	F(-1)	F	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	587	587	549	1817	0	0	0	2256	-1	0
N.S.	1	1.00	0.94	3.10	0.00	0.00	0.00	3.84	-0.00	0.00
time (sec)	N/A	0.810	2.429	0.024	0.000	0.000	0.000	3.260	0.000	180.019

Problem 621	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	496	496	587	4453	0	0	0	0	-1	5425
N.S.	1	1.00	1.18	8.98	0.00	0.00	0.00	0.00	-0.00	10.94
time (sec)	N/A	1.199	2.457	0.025	0.000	0.000	0.000	0.000	0.000	21.859
Problem 622	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	357	357	373	3127	0	0	0	0	-1	437
N.S.	1	1.00	1.04	8.76	0.00	0.00	0.00	0.00	-0.00	1.22
time (sec)	N/A	0.528	1.044	0.016	0.000	0.000	0.000	0.000	0.000	6.466
Problem 623	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	240	240	265	2123	0	2023	0	757	-1	323
N.S.	1	1.00	1.10	8.85	0.00	8.43	0.00	3.15	-0.00	1.35
time (sec)	N/A	0.305	0.633	0.016	0.000	7.789	0.000	0.351	0.000	1.360
Problem 624	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	187	187	183	1261	0	1663	0	568	-1	233
N.S.	1	1.00	0.98	6.74	0.00	8.89	0.00	3.04	-0.01	1.25
time (sec)	N/A	0.135	0.161	0.009	0.000	5.000	0.000	0.323	0.000	0.986

Problem 625	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F(-2)	B	F	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	155	155	162	603	0	1349	0	447	-1	215
N.S.	1	1.00	1.05	3.89	0.00	8.70	0.00	2.88	-0.01	1.39
time (sec)	N/A	0.101	0.256	0.008	0.000	0.912	0.000	0.318	0.000	0.004

Problem 626	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	F(-1)	F	F(-2)	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	352	352	317	1343	0	0	0	0	-1	463
N.S.	1	1.00	0.90	3.82	0.00	0.00	0.00	0.00	-0.00	1.32
time (sec)	N/A	0.443	1.224	0.021	0.000	0.000	0.000	0.000	0.000	5.379

Problem 627	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	F(-1)	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	642	642	623	2807	0	0	0	0	-1	0
N.S.	1	1.00	0.97	4.37	0.00	0.00	0.00	0.00	-0.00	0.00
time (sec)	N/A	0.911	5.084	0.026	0.000	0.000	0.000	0.000	0.000	180.075

Problem 628	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	F	F(-1)	F	B	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	1064	1064	1013	5459	0	0	0	14731	-1	0
N.S.	1	1.00	0.95	5.13	0.00	0.00	0.00	13.84	-0.00	0.00
time (sec)	N/A	1.898	5.738	0.035	0.000	0.000	0.000	21.913	0.000	180.079

Problem 629	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	220	220	198	1347	684	1381	15757	2740	1354	0
N.S.	1	1.00	0.90	6.12	3.11	6.28	71.62	12.45	6.15	0.00
time (sec)	N/A	0.215	0.273	0.016	0.577	0.658	14.705	0.271	3.945	0.108

Problem 630	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	A	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	144	144	180	503	352	613	5930	1162	602	0
N.S.	1	1.00	1.25	3.49	2.44	4.26	41.18	8.07	4.18	0.00
time (sec)	N/A	0.113	0.331	0.008	0.520	0.430	5.863	0.198	3.594	0.073

Problem 631	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	A	B	B	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	525	525	492	5890	2034	4747	0	10489	4871	0
N.S.	1	1.00	0.94	11.22	3.87	9.04	0.00	19.98	9.28	0.00
time (sec)	N/A	0.615	0.773	0.035	0.787	0.526	0.000	0.547	5.383	0.631

Problem 632	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad	I.A.
grade	A	A	B	B	B	B	F(-1)	B	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD	Yes
size	311	311	655	2563	1118	2368	0	4940	2307	0
N.S.	1	1.00	2.11	8.24	3.59	7.61	0.00	15.88	7.42	0.00
time (sec)	N/A	0.392	1.523	0.020	0.669	0.453	0.000	0.355	4.380	0.145

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [236] had the largest ratio of [.6364]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	10	5	1.00	25	0.200
2	A	8	5	1.00	25	0.200
3	A	7	5	1.00	25	0.200
4	A	12	5	1.00	25	0.200
5	A	5	4	1.00	23	0.174
6	A	5	4	1.00	23	0.174
7	A	8	7	1.00	25	0.280
8	A	8	8	1.00	25	0.320
9	A	8	7	1.00	25	0.280
10	A	8	8	1.00	25	0.320
11	A	8	7	1.00	25	0.280
12	A	6	5	1.00	25	0.200
13	A	7	6	1.00	25	0.240
14	A	8	6	1.00	25	0.240
15	A	9	6	1.00	25	0.240
16	A	8	5	1.00	25	0.200
17	A	5	5	1.00	25	0.200
18	A	3	3	1.00	25	0.120
19	A	6	4	1.00	25	0.160
20	A	6	4	1.00	25	0.160
21	A	5	4	1.00	25	0.160
22	A	4	3	1.00	25	0.120
23	A	3	3	1.00	25	0.120
24	A	3	3	1.00	25	0.120
25	A	3	3	1.00	23	0.130
26	A	3	3	1.00	22	0.136

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
27	A	7	5	1.00	25	0.200
28	A	7	5	1.00	25	0.200
29	A	8	6	1.00	25	0.240
30	A	4	4	1.00	25	0.160
31	A	5	4	1.00	25	0.160
32	A	4	4	1.00	24	0.167
33	A	7	5	1.00	27	0.185
34	A	6	5	1.00	27	0.185
35	A	5	5	1.00	27	0.185
36	A	4	4	1.00	25	0.160
37	A	4	4	1.00	24	0.167
38	A	7	7	1.00	27	0.259
39	A	7	7	1.00	27	0.259
40	A	5	5	1.00	27	0.185
41	A	6	6	1.00	27	0.222
42	A	7	6	1.00	27	0.222
43	A	8	6	1.00	27	0.222
44	A	6	5	1.00	27	0.185
45	A	6	5	1.00	27	0.185
46	A	3	2	1.00	27	0.074
47	A	3	3	1.00	27	0.111
48	A	3	3	1.00	25	0.120
49	A	3	3	1.00	24	0.125
50	A	7	6	1.00	27	0.222
51	A	7	5	1.00	27	0.185
52	A	8	6	1.00	27	0.222
53	A	9	6	1.00	27	0.222
54	A	5	4	1.00	20	0.200
55	A	4	4	1.00	20	0.200
56	A	3	3	1.00	18	0.167
57	A	3	3	1.00	17	0.176
58	A	6	6	1.00	20	0.300
59	A	6	6	1.00	20	0.300
60	A	5	5	1.00	20	0.250

Continued on next page



Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
61	A	6	6	1.00	20	0.300
62	A	7	6	1.00	20	0.300
63	A	8	6	1.00	20	0.300
64	A	9	8	1.00	27	0.296
65	A	12	6	1.00	27	0.222
66	A	11	6	1.00	27	0.222
67	A	10	6	1.00	27	0.222
68	A	9	6	1.00	27	0.222
69	A	9	6	1.00	25	0.240
70	A	8	5	1.00	24	0.208
71	A	11	8	1.00	27	0.296
72	A	11	9	1.00	27	0.333
73	A	11	8	1.00	27	0.296
74	A	11	9	1.00	27	0.333
75	A	11	9	1.00	27	0.333
76	A	11	8	1.00	27	0.296
77	A	11	9	1.00	27	0.333
78	A	11	9	1.00	27	0.333
79	A	11	8	1.00	27	0.296
80	A	9	6	1.00	27	0.222
81	A	10	7	1.00	27	0.259
82	A	11	7	1.00	27	0.259
83	A	7	5	1.00	27	0.185
84	A	6	4	1.00	27	0.148
85	A	5	4	1.00	27	0.148
86	A	3	3	1.00	27	0.111
87	A	3	3	1.00	25	0.120
88	A	4	3	1.00	24	0.125
89	A	7	6	1.00	27	0.222
90	A	7	5	1.00	27	0.185
91	A	8	6	1.00	27	0.222
92	A	7	5	1.00	27	0.185
93	A	6	5	1.00	27	0.185
94	A	6	6	1.00	27	0.222

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
95	A	4	4	1.00	25	0.160
96	A	3	3	1.00	24	0.125
97	A	7	7	1.00	27	0.259
98	A	5	5	1.00	27	0.185
99	A	6	6	1.00	27	0.222
100	A	7	6	1.00	27	0.222
101	A	8	6	1.00	27	0.222
102	A	7	7	1.00	27	0.259
103	A	9	6	1.00	27	0.222
104	A	8	6	1.00	27	0.222
105	A	8	7	1.00	27	0.259
106	A	6	5	1.00	25	0.200
107	A	5	4	1.00	24	0.167
108	A	9	8	1.00	27	0.296
109	A	9	9	1.00	27	0.333
110	A	9	8	1.00	27	0.296
111	A	9	9	1.00	27	0.333
112	A	9	8	1.00	27	0.296
113	A	7	6	1.00	27	0.222
114	A	8	7	1.00	27	0.259
115	A	9	7	1.00	27	0.259
116	A	10	7	1.00	27	0.259
117	A	3	3	1.00	18	0.167
118	A	7	7	1.00	26	0.269
119	A	6	6	1.00	27	0.222
120	A	5	5	1.00	27	0.185
121	A	5	5	1.00	27	0.185
122	A	3	3	1.00	25	0.120
123	A	1	1	1.00	24	0.042
124	A	5	5	1.00	27	0.185
125	A	5	5	1.00	27	0.185
126	A	6	6	1.00	27	0.222
127	A	6	5	1.00	27	0.185
128	A	6	5	1.00	27	0.185

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
129	A	5	5	1.00	27	0.185
130	A	3	3	1.00	27	0.111
131	A	2	2	1.00	25	0.080
132	A	2	2	1.00	24	0.083
133	A	6	6	1.00	27	0.222
134	A	6	6	1.00	27	0.222
135	A	7	7	1.00	27	0.259
136	A	7	5	1.00	27	0.185
137	A	7	5	1.00	27	0.185
138	A	6	5	1.00	27	0.185
139	A	5	4	1.00	27	0.148
140	A	4	4	1.00	27	0.148
141	A	3	3	1.00	27	0.111
142	A	3	3	1.00	25	0.120
143	A	3	3	1.00	24	0.125
144	A	7	6	1.00	27	0.222
145	A	7	6	1.00	27	0.222
146	A	8	7	1.00	27	0.259
147	A	9	7	1.00	27	0.259
148	A	5	5	1.00	27	0.185
149	A	4	4	1.00	27	0.148
150	A	4	4	1.00	25	0.160
151	A	4	4	1.00	25	0.160
152	A	2	2	1.00	23	0.087
153	A	1	1	1.00	22	0.045
154	A	5	5	1.00	26	0.192
155	A	5	5	1.00	26	0.192
156	A	6	6	1.00	26	0.231
157	A	10	7	1.00	27	0.259
158	A	9	7	1.00	27	0.259
159	A	8	7	1.00	27	0.259
160	A	7	7	1.00	27	0.259
161	A	6	5	1.00	25	0.200
162	A	6	6	1.00	24	0.250

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
163	A	9	9	1.00	27	0.333
164	A	9	9	1.00	27	0.333
165	A	9	9	1.00	27	0.333
166	A	9	9	1.00	27	0.333
167	A	7	7	1.00	27	0.259
168	A	8	8	1.00	27	0.296
169	A	9	8	1.00	27	0.296
170	A	10	8	1.00	27	0.296
171	A	7	6	1.00	27	0.222
172	A	4	3	1.00	27	0.111
173	A	4	4	1.00	27	0.148
174	A	3	3	1.00	25	0.120
175	A	3	2	1.00	24	0.083
176	A	8	7	1.00	27	0.259
177	A	8	6	1.00	27	0.222
178	A	9	7	1.00	27	0.259
179	A	8	6	1.00	27	0.222
180	A	7	5	1.00	27	0.185
181	A	6	5	1.00	27	0.185
182	A	4	4	1.00	27	0.148
183	A	3	3	1.00	25	0.120
184	A	3	2	1.00	24	0.083
185	A	8	7	1.00	27	0.259
186	A	8	6	1.00	27	0.222
187	A	9	7	1.00	27	0.259
188	A	9	6	1.00	27	0.222
189	A	7	5	1.00	27	0.185
190	A	9	7	1.00	27	0.259
191	A	8	6	1.00	27	0.222
192	A	2	2	1.00	25	0.080
193	A	2	2	1.00	24	0.083
194	A	8	7	1.00	27	0.259
195	A	8	6	1.00	27	0.222
196	A	9	7	1.00	27	0.259

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
197	A	10	7	1.00	27	0.259
198	A	11	6	1.00	27	0.222
199	A	10	6	1.00	27	0.222
200	A	9	6	1.00	27	0.222
201	A	8	7	1.00	27	0.259
202	A	6	6	1.00	25	0.240
203	A	5	4	1.00	24	0.167
204	A	9	9	1.00	27	0.333
205	A	9	9	1.00	27	0.333
206	A	7	7	1.00	27	0.259
207	A	8	7	1.00	27	0.259
208	A	9	7	1.00	27	0.259
209	A	10	7	1.00	27	0.259
210	A	7	5	1.00	26	0.192
211	A	4	4	1.00	26	0.154
212	A	9	5	1.00	27	0.185
213	A	8	5	1.00	27	0.185
214	A	7	4	1.00	25	0.160
215	A	7	3	1.00	24	0.125
216	A	12	7	1.00	27	0.259
217	A	12	6	1.00	27	0.222
218	A	4	4	1.00	29	0.138
219	A	2	2	1.00	29	0.069
220	A	3	3	1.00	16	0.188
221	A	4	4	1.00	29	0.138
222	A	3	3	1.00	15	0.200
223	A	4	4	1.00	30	0.133
224	A	4	3	1.00	16	0.188
225	A	5	4	1.00	29	0.138
226	A	11	7	1.00	16	0.438
227	A	9	6	1.00	22	0.273
228	A	8	6	1.00	22	0.273
229	A	8	7	1.00	22	0.318
230	A	6	5	1.00	20	0.250

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
231	A	6	5	1.00	19	0.263
232	A	9	8	1.00	22	0.364
233	A	15	11	1.00	22	0.500
234	A	19	12	1.00	22	0.546
235	A	20	13	1.00	22	0.591
236	A	25	14	1.00	22	0.636
237	A	8	5	1.00	22	0.227
238	A	7	5	1.00	22	0.227
239	A	7	6	1.00	22	0.273
240	A	5	4	1.00	20	0.200
241	A	2	2	1.00	19	0.105
242	A	7	6	1.00	22	0.273
243	A	8	7	1.00	22	0.318
244	A	12	8	1.00	22	0.364
245	A	7	6	1.00	22	0.273
246	A	6	5	1.00	22	0.227
247	A	4	4	1.00	22	0.182
248	A	4	4	1.00	20	0.200
249	A	4	4	1.00	19	0.210
250	A	10	9	1.00	22	0.409
251	A	12	11	1.00	22	0.500
252	A	17	11	1.00	22	0.500
253	A	9	6	1.00	22	0.273
254	A	8	6	1.00	22	0.273
255	A	7	6	1.00	22	0.273
256	A	6	5	1.00	22	0.227
257	A	3	3	1.00	20	0.150
258	A	3	3	1.00	19	0.158
259	A	10	7	1.00	22	0.318
260	A	11	8	1.00	22	0.364
261	A	15	9	1.00	22	0.409
262	A	2	1	1.00	18	0.056
263	A	2	1	1.00	16	0.062
264	A	2	1	1.00	15	0.067

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
265	A	2	1	1.00	20	0.050
266	A	2	1	1.00	18	0.056
267	A	2	1	1.00	17	0.059
268	A	2	1	1.00	20	0.050
269	A	2	1	1.00	18	0.056
270	A	2	1	1.00	17	0.059
271	A	6	5	1.00	40	0.125
272	A	5	5	1.00	40	0.125
273	A	4	4	1.00	38	0.105
274	A	3	3	1.00	37	0.081
275	A	6	5	1.00	40	0.125
276	A	4	4	1.00	40	0.100
277	A	5	5	1.00	40	0.125
278	A	6	5	1.00	40	0.125
279	A	7	5	1.00	40	0.125
280	A	7	6	1.00	40	0.150
281	A	6	6	1.00	40	0.150
282	A	5	5	1.00	38	0.132
283	A	4	4	1.00	37	0.108
284	A	7	6	1.00	40	0.150
285	A	7	6	1.00	40	0.150
286	A	7	6	1.00	40	0.150
287	A	5	5	1.00	40	0.125
288	A	6	6	1.00	40	0.150
289	A	7	6	1.00	40	0.150
290	A	8	6	1.00	40	0.150
291	A	8	6	1.00	40	0.150
292	A	7	6	1.00	40	0.150
293	A	6	5	1.00	38	0.132
294	A	5	4	1.00	37	0.108
295	A	8	6	1.00	40	0.150
296	A	8	7	1.00	40	0.175
297	A	8	6	1.00	40	0.150
298	A	8	7	1.00	40	0.175

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
299	A	8	6	1.00	40	0.150
300	A	6	5	1.00	40	0.125
301	A	7	6	1.00	40	0.150
302	A	8	6	1.00	40	0.150
303	A	9	6	1.00	40	0.150
304	A	5	5	1.10	40	0.125
305	A	4	4	1.00	40	0.100
306	A	3	3	1.00	38	0.079
307	A	1	1	1.00	37	0.027
308	A	5	5	1.00	40	0.125
309	A	5	5	1.00	40	0.125
310	A	6	6	1.00	40	0.150
311	A	6	5	1.00	40	0.125
312	A	6	5	1.00	40	0.125
313	A	5	5	1.00	40	0.125
314	A	3	3	1.00	40	0.075
315	A	2	2	1.00	38	0.053
316	A	2	2	1.00	37	0.054
317	A	6	5	1.00	40	0.125
318	A	6	5	1.00	40	0.125
319	A	7	6	1.00	40	0.150
320	A	8	6	1.00	40	0.150
321	A	3	3	1.00	40	0.075
322	A	4	4	1.00	40	0.100
323	A	1	1	1.00	23	0.043
324	A	5	5	1.00	23	0.217
325	A	1	1	1.00	23	0.043
326	A	6	5	1.00	23	0.217
327	A	1	1	1.00	23	0.043
328	A	4	4	1.00	23	0.174
329	A	1	1	1.00	23	0.043
330	A	5	5	1.00	23	0.217
331	A	1	1	1.00	23	0.043
332	A	6	5	1.00	23	0.217

Continued on next page



Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
333	A	7	6	1.00	19	0.316
334	A	6	4	1.00	25	0.160
335	A	6	4	1.22	25	0.160
336	A	6	4	1.00	25	0.160
337	A	5	4	1.00	23	0.174
338	A	4	3	1.00	22	0.136
339	A	7	5	1.00	25	0.200
340	A	9	6	0.97	25	0.240
341	A	12	6	1.00	25	0.240
342	A	6	4	1.00	25	0.160
343	A	6	4	1.00	25	0.160
344	A	6	4	1.00	25	0.160
345	A	6	4	1.00	23	0.174
346	A	5	4	1.00	22	0.182
347	A	7	5	1.00	25	0.200
348	A	9	6	1.00	25	0.240
349	A	12	6	1.00	25	0.240
350	A	3	2	1.00	29	0.069
351	A	3	2	1.00	29	0.069
352	A	3	2	1.00	29	0.069
353	A	3	2	1.00	27	0.074
354	A	5	3	1.00	22	0.136
355	A	3	2	1.00	29	0.069
356	A	4	3	1.00	29	0.103
357	A	4	3	1.00	29	0.103
358	A	4	3	1.00	29	0.103
359	A	3	2	1.00	29	0.069
360	A	3	2	1.00	29	0.069
361	A	3	2	1.00	29	0.069
362	A	3	2	1.00	29	0.069
363	A	3	2	1.00	29	0.069
364	A	3	2	1.00	29	0.069
365	A	3	2	1.00	27	0.074
366	A	2	2	1.00	22	0.091

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
367	A	4	3	1.00	29	0.103
368	A	4	3	1.00	29	0.103
369	A	4	3	1.00	29	0.103
370	A	4	3	1.00	29	0.103
371	A	3	2	1.00	29	0.069
372	A	3	2	1.00	29	0.069
373	A	3	2	1.00	29	0.069
374	A	3	2	1.00	29	0.069
375	A	3	2	1.00	29	0.069
376	A	4	3	1.00	29	0.103
377	A	4	3	1.00	27	0.111
378	A	3	3	1.00	22	0.136
379	A	4	3	1.00	29	0.103
380	A	4	3	1.00	29	0.103
381	A	7	5	1.00	31	0.161
382	A	6	4	1.00	31	0.129
383	A	5	4	1.00	31	0.129
384	A	3	3	1.00	31	0.097
385	A	3	3	1.00	29	0.103
386	A	4	3	1.00	24	0.125
387	A	6	5	1.00	31	0.161
388	A	6	4	1.00	31	0.129
389	A	7	5	1.00	31	0.161
390	A	4	3	1.00	24	0.125
391	A	3	2	1.00	24	0.083
392	A	3	2	1.00	24	0.083
393	A	2	1	1.00	22	0.045
394	A	2	1	1.00	17	0.059
395	A	4	3	1.00	24	0.125
396	A	4	4	1.00	24	0.167
397	A	4	4	1.00	24	0.167
398	A	3	2	1.00	24	0.083
399	A	3	2	1.00	24	0.083
400	A	2	1	1.00	22	0.045

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
401	A	2	1	1.00	17	0.059
402	A	4	3	1.00	24	0.125
403	A	4	4	1.00	24	0.167
404	A	5	5	1.00	24	0.208
405	A	5	5	1.00	26	0.192
406	A	1	1	1.00	22	0.045
407	A	11	8	1.00	28	0.286
408	A	10	7	1.00	28	0.250
409	A	6	3	1.00	28	0.107
410	A	8	5	1.00	28	0.179
411	A	11	7	1.00	28	0.250
412	A	11	7	1.00	28	0.250
413	A	6	3	1.00	28	0.107
414	A	6	3	1.00	28	0.107
415	A	8	4	1.00	28	0.143
416	A	19	9	1.00	28	0.321
417	A	8	5	1.00	28	0.179
418	A	8	4	1.00	28	0.143
419	A	12	6	0.99	28	0.214
420	A	6	3	1.00	20	0.150
421	A	5	5	1.00	26	0.192
422	A	6	6	1.00	30	0.200
423	A	5	5	1.00	29	0.172
424	A	4	3	1.00	46	0.065
425	A	3	3	1.00	46	0.065
426	A	2	2	1.00	44	0.045
427	A	1	1	1.00	39	0.026
428	A	2	2	1.00	46	0.043
429	A	3	3	1.00	46	0.065
430	A	4	3	1.00	46	0.065
431	A	5	3	1.00	46	0.065
432	A	4	4	1.00	46	0.087
433	A	3	3	1.00	46	0.065
434	A	2	2	1.00	44	0.045

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
435	A	1	1	1.00	39	0.026
436	A	3	3	1.00	46	0.065
437	A	4	4	1.00	46	0.087
438	A	5	4	1.00	46	0.087
439	A	4	3	1.00	46	0.065
440	A	3	3	1.00	46	0.065
441	A	2	2	1.00	44	0.045
442	A	1	1	1.00	39	0.026
443	A	4	3	1.00	46	0.065
444	A	5	4	1.00	46	0.087
445	A	6	4	1.00	46	0.087
446	A	5	3	1.00	46	0.065
447	A	4	3	1.00	46	0.065
448	A	3	3	1.00	46	0.065
449	A	2	2	1.00	44	0.045
450	A	1	1	1.00	39	0.026
451	A	3	3	1.00	46	0.065
452	A	3	3	1.00	46	0.065
453	A	4	4	1.00	46	0.087
454	A	5	4	1.00	46	0.087
455	A	6	4	1.00	46	0.087
456	A	5	3	1.00	46	0.065
457	A	4	3	1.00	46	0.065
458	A	3	3	1.00	46	0.065
459	A	2	2	1.00	44	0.045
460	A	1	1	1.00	39	0.026
461	A	4	3	1.00	46	0.065
462	A	4	4	1.00	46	0.087
463	A	4	3	1.00	46	0.065
464	A	5	4	1.00	46	0.087
465	A	6	4	1.00	46	0.087
466	A	7	4	1.00	46	0.087
467	A	5	3	1.00	46	0.065
468	A	4	3	1.00	46	0.065

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
469	A	3	3	1.00	46	0.065
470	A	2	2	1.00	44	0.045
471	A	1	1	1.00	39	0.026
472	A	5	3	1.00	46	0.065
473	A	5	4	1.00	46	0.087
474	A	5	4	1.00	46	0.087
475	A	5	3	1.00	46	0.065
476	A	6	4	1.00	46	0.087
477	A	7	4	1.00	46	0.087
478	A	8	4	1.00	46	0.087
479	A	7	5	1.00	48	0.104
480	A	6	5	1.00	48	0.104
481	A	5	5	1.00	48	0.104
482	A	4	4	1.00	48	0.083
483	A	1	1	1.00	48	0.021
484	A	2	2	1.00	48	0.042
485	A	3	2	1.00	48	0.042
486	A	4	2	1.00	48	0.042
487	A	7	6	1.00	48	0.125
488	A	6	6	1.00	48	0.125
489	A	5	5	1.00	48	0.104
490	A	1	1	1.00	48	0.021
491	A	2	2	1.00	48	0.042
492	A	3	3	1.00	48	0.062
493	A	4	3	1.00	48	0.062
494	A	7	6	1.00	48	0.125
495	A	6	5	1.00	48	0.104
496	A	1	1	1.00	48	0.021
497	A	2	2	1.00	48	0.042
498	A	3	2	1.00	48	0.042
499	A	4	3	1.00	48	0.062
500	A	8	6	1.00	48	0.125
501	A	7	6	1.00	48	0.125
502	A	6	6	1.00	48	0.125

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
503	A	5	5	1.00	48	0.104
504	A	5	5	1.00	48	0.104
505	A	1	1	1.00	48	0.021
506	A	2	2	1.00	48	0.042
507	A	3	2	1.00	48	0.042
508	A	4	2	1.00	48	0.042
509	A	8	6	1.00	48	0.125
510	A	7	6	1.00	48	0.125
511	A	6	5	1.00	48	0.104
512	A	6	6	1.00	48	0.125
513	A	6	5	1.00	48	0.104
514	A	1	1	1.00	48	0.021
515	A	2	2	1.00	48	0.042
516	A	3	2	1.00	48	0.042
517	A	4	2	1.00	48	0.042
518	A	9	6	1.00	48	0.125
519	A	8	6	1.00	48	0.125
520	A	7	5	1.00	48	0.104
521	A	7	6	1.00	48	0.125
522	A	7	6	1.00	48	0.125
523	A	7	5	1.00	48	0.104
524	A	1	1	1.00	48	0.021
525	A	2	2	1.00	48	0.042
526	A	3	2	1.00	48	0.042
527	A	4	2	1.00	48	0.042
528	A	4	3	1.00	44	0.068
529	A	3	3	1.00	44	0.068
530	A	2	2	1.00	42	0.048
531	A	1	1	1.00	37	0.027
532	A	1	1	1.00	47	0.021
533	A	3	3	1.00	73	0.041
534	A	6	4	1.00	46	0.087
535	A	5	4	1.00	46	0.087
536	A	4	4	1.00	46	0.087

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
537	A	3	3	1.00	44	0.068
538	A	2	2	1.00	39	0.051
539	A	3	3	1.00	46	0.065
540	A	3	3	1.00	46	0.065
541	A	4	4	1.00	46	0.087
542	A	5	4	1.00	46	0.087
543	A	8	4	1.00	32	0.125
544	A	6	4	1.00	32	0.125
545	A	4	4	1.00	30	0.133
546	A	6	4	1.00	32	0.125
547	A	7	5	1.00	32	0.156
548	A	7	5	1.00	32	0.156
549	A	5	5	1.00	32	0.156
550	A	4	4	1.00	30	0.133
551	A	7	5	1.00	32	0.156
552	A	8	6	1.00	32	0.188
553	A	2	1	1.00	28	0.036
554	A	2	1	1.00	28	0.036
555	A	2	1	1.00	26	0.038
556	A	2	1	1.00	21	0.048
557	A	2	1	1.00	25	0.040
558	A	2	1	1.00	27	0.037
559	A	2	1	1.00	27	0.037
560	A	6	5	1.00	27	0.185
561	A	9	6	1.00	27	0.222
562	A	3	2	1.00	27	0.074
563	A	3	2	1.00	27	0.074
564	A	2	1	1.00	25	0.040
565	A	2	1	1.00	20	0.050
566	A	4	3	1.00	27	0.111
567	A	4	4	1.00	27	0.148
568	A	4	4	1.00	27	0.148
569	A	3	2	1.00	27	0.074
570	A	3	2	1.00	27	0.074

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
571	A	2	1	1.00	25	0.040
572	A	2	1	1.00	20	0.050
573	A	4	3	1.00	27	0.111
574	A	4	4	1.00	27	0.148
575	A	5	5	1.00	27	0.185
576	B	9	7	2.10	25	0.280
577	A	5	5	1.00	29	0.172
578	A	7	6	1.00	29	0.207
579	A	6	6	1.00	29	0.207
580	A	5	5	1.00	29	0.172
581	A	5	5	1.00	29	0.172
582	A	5	5	1.00	29	0.172
583	A	3	3	1.00	29	0.103
584	A	4	4	1.00	29	0.138
585	A	6	6	1.00	29	0.207
586	A	7	6	1.00	38	0.158
587	A	6	6	1.00	38	0.158
588	A	5	5	1.00	38	0.132
589	A	5	5	1.00	38	0.132
590	A	5	5	1.00	38	0.132
591	A	3	3	1.00	38	0.079
592	A	4	4	1.00	38	0.105
593	A	11	7	1.00	31	0.226
594	A	6	3	1.00	31	0.097
595	A	6	3	1.00	31	0.097
596	A	8	4	1.00	31	0.129
597	A	8	6	1.00	29	0.207
598	A	7	6	1.00	29	0.207
599	A	6	5	1.00	27	0.185
600	A	6	5	1.00	22	0.227
601	A	8	5	1.00	29	0.172
602	A	20	7	1.00	29	0.241
603	A	23	8	1.00	29	0.276
604	A	27	9	1.00	29	0.310

Continued on next page



Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
605	A	9	6	1.00	29	0.207
606	A	8	6	1.00	29	0.207
607	A	7	5	1.00	27	0.185
608	A	7	6	1.00	22	0.273
609	A	13	7	1.00	29	0.241
610	A	23	8	1.00	29	0.276
611	A	30	9	1.00	29	0.310
612	A	15	7	1.00	29	0.241
613	A	8	5	1.00	29	0.172
614	A	7	5	1.00	29	0.172
615	A	6	5	1.00	29	0.172
616	A	5	4	1.00	27	0.148
617	A	2	2	1.00	22	0.091
618	A	6	3	1.00	29	0.103
619	A	9	4	1.00	29	0.138
620	A	13	6	1.00	29	0.207
621	A	7	6	1.00	29	0.207
622	A	6	5	1.00	29	0.172
623	A	4	4	1.00	29	0.138
624	A	4	4	1.00	27	0.148
625	A	4	4	1.00	22	0.182
626	A	10	5	1.00	29	0.172
627	A	14	6	1.00	29	0.207
628	A	19	7	1.00	29	0.241
629	A	2	1	1.00	25	0.040
630	A	2	1	1.00	23	0.043
631	A	2	1	1.00	27	0.037
632	A	2	1	1.00	25	0.040



# Chapter 3

## Listing of integrals

### Local contents

3.1	$\int x^2(d+ex)\sqrt{d^2-e^2x^2} dx$	236
3.2	$\int x^4(d+ex)(d^2-e^2x^2)^{3/2} dx$	240
3.3	$\int x^3(d+ex)(d^2-e^2x^2)^{3/2} dx$	245
3.4	$\int x^2(d+ex)(d^2-e^2x^2)^{3/2} dx$	250
3.5	$\int x(d+ex)(d^2-e^2x^2)^{3/2} dx$	255
3.6	$\int x(d+ex)(d^2-e^2x^2)^{3/2} dx$	259
3.7	$\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x} dx$	263
3.8	$\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^2} dx$	268
3.9	$\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^3} dx$	273
3.10	$\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^4} dx$	279
3.11	$\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^5} dx$	284
3.12	$\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^6} dx$	290
3.13	$\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^7} dx$	295
3.14	$\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^8} dx$	301
3.15	$\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^9} dx$	307
3.16	$\int \frac{x^2(d+ex)}{\sqrt{d^2-e^2x^2}} dx$	313

3.17	$\int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{3/2}} dx$	317
3.18	$\int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{5/2}} dx$	321
3.19	$\int \frac{x^7(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$	325
3.20	$\int \frac{x^6(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$	331
3.21	$\int \frac{x^5(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$	336
3.22	$\int \frac{x^4(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$	341
3.23	$\int \frac{x^3(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$	345
3.24	$\int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$	349
3.25	$\int \frac{x(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$	353
3.26	$\int \frac{d+ex}{(d^2-e^2x^2)^{7/2}} dx$	357
3.27	$\int \frac{d+ex}{x(d^2-e^2x^2)^{7/2}} dx$	361
3.28	$\int \frac{d+ex}{x^2(d^2-e^2x^2)^{7/2}} dx$	368
3.29	$\int \frac{d+ex}{x^3(d^2-e^2x^2)^{7/2}} dx$	375
3.30	$\int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{9/2}} dx$	382
3.31	$\int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{11/2}} dx$	387
3.32	$\int \frac{x^2(1-ax)}{(1-a^2x^2)^{3/2}} dx$	392
3.33	$\int \frac{x^4(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$	396
3.34	$\int \frac{x^3(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$	401
3.35	$\int \frac{x^2(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$	406
3.36	$\int \frac{x(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$	411
3.37	$\int \frac{(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$	415
3.38	$\int \frac{(d+ex)^2}{x\sqrt{d^2-e^2x^2}} dx$	419

3.39	$\int \frac{(d+ex)^2}{x^2 \sqrt{d^2-e^2x^2}} dx$	424
3.40	$\int \frac{(d+ex)^2}{x^3 \sqrt{d^2-e^2x^2}} dx$	429
3.41	$\int \frac{(d+ex)^2}{x^4 \sqrt{d^2-e^2x^2}} dx$	434
3.42	$\int \frac{(d+ex)^2}{x^5 \sqrt{d^2-e^2x^2}} dx$	439
3.43	$\int \frac{(d+ex)^2}{x^6 \sqrt{d^2-e^2x^2}} dx$	445
3.44	$\int \frac{x^5(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$	451
3.45	$\int \frac{x^4(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$	456
3.46	$\int \frac{x^3(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$	461
3.47	$\int \frac{x^2(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$	465
3.48	$\int \frac{x(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$	469
3.49	$\int \frac{(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$	473
3.50	$\int \frac{(d+ex)^2}{x(d^2-e^2x^2)^{7/2}} dx$	477
3.51	$\int \frac{(d+ex)^2}{x^2(d^2-e^2x^2)^{7/2}} dx$	482
3.52	$\int \frac{(d+ex)^2}{x^3(d^2-e^2x^2)^{7/2}} dx$	487
3.53	$\int \frac{(d+ex)^2}{x^4(d^2-e^2x^2)^{7/2}} dx$	493
3.54	$\int \frac{x^3(1+x)^2}{\sqrt{1-x^2}} dx$	499
3.55	$\int \frac{x^2(1+x)^2}{\sqrt{1-x^2}} dx$	503
3.56	$\int \frac{x(1+x)^2}{\sqrt{1-x^2}} dx$	507
3.57	$\int \frac{(1+x)^2}{\sqrt{1-x^2}} dx$	510
3.58	$\int \frac{(1+x)^2}{x\sqrt{1-x^2}} dx$	513
3.59	$\int \frac{(1+x)^2}{x^2\sqrt{1-x^2}} dx$	517
3.60	$\int \frac{(1+x)^2}{x^3\sqrt{1-x^2}} dx$	521
3.61	$\int \frac{(1+x)^2}{x^4\sqrt{1-x^2}} dx$	525

3.62	$\int \frac{(1+x)^2}{x^5 \sqrt{1-x^2}} dx$	530
3.63	$\int \frac{(1+x)^2}{x^6 \sqrt{1-x^2}} dx$	535
3.64	$\int \frac{(d+ex)^3 \sqrt{d^2-e^2x^2}}{x^5} dx$	540
3.65	$\int x^5 (d+ex)^3 (d^2-e^2x^2)^{5/2} dx$	546
3.66	$\int x^4 (d+ex)^3 (d^2-e^2x^2)^{5/2} dx$	553
3.67	$\int x^3 (d+ex)^3 (d^2-e^2x^2)^{5/2} dx$	560
3.68	$\int x^2 (d+ex)^3 (d^2-e^2x^2)^{5/2} dx$	566
3.69	$\int x (d+ex)^3 (d^2-e^2x^2)^{5/2} dx$	572
3.70	$\int (d+ex)^3 (d^2-e^2x^2)^{5/2} dx$	578
3.71	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x} dx$	583
3.72	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^2} dx$	589
3.73	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^3} dx$	595
3.74	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^4} dx$	601
3.75	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^5} dx$	607
3.76	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^6} dx$	613
3.77	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^7} dx$	619
3.78	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^8} dx$	626
3.79	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^9} dx$	633
3.80	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^{10}} dx$	640
3.81	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^{11}} dx$	647
3.82	$\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^{12}} dx$	654
3.83	$\int \frac{x^5 (d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$	661
3.84	$\int \frac{x^4 (d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$	666
3.85	$\int \frac{x^3 (d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$	671

3.86	$\int \frac{x^2(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$	675
3.87	$\int \frac{x(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$	679
3.88	$\int \frac{(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$	683
3.89	$\int \frac{(d+ex)^3}{x(d^2-e^2x^2)^{7/2}} dx$	687
3.90	$\int \frac{(d+ex)^3}{x^2(d^2-e^2x^2)^{7/2}} dx$	692
3.91	$\int \frac{(d+ex)^3}{x^3(d^2-e^2x^2)^{7/2}} dx$	697
3.92	$\int \frac{x^4\sqrt{d^2-e^2x^2}}{d+ex} dx$	703
3.93	$\int \frac{x^3\sqrt{d^2-e^2x^2}}{d+ex} dx$	707
3.94	$\int \frac{x^2\sqrt{d^2-e^2x^2}}{d+ex} dx$	711
3.95	$\int \frac{x\sqrt{d^2-e^2x^2}}{d+ex} dx$	716
3.96	$\int \frac{\sqrt{d^2-e^2x^2}}{d+ex} dx$	720
3.97	$\int \frac{\sqrt{d^2-e^2x^2}}{x(d+ex)} dx$	724
3.98	$\int \frac{\sqrt{d^2-e^2x^2}}{x^2(d+ex)} dx$	728
3.99	$\int \frac{\sqrt{d^2-e^2x^2}}{x^3(d+ex)} dx$	732
3.100	$\int \frac{\sqrt{d^2-e^2x^2}}{x^4(d+ex)} dx$	737
3.101	$\int \frac{\sqrt{d^2-e^2x^2}}{x^5(d+ex)} dx$	742
3.102	$\int \frac{x^2(d^2-e^2x^2)^{3/2}}{d+ex} dx$	748
3.103	$\int \frac{x^4(d^2-e^2x^2)^{5/2}}{d+ex} dx$	753
3.104	$\int \frac{x^3(d^2-e^2x^2)^{5/2}}{d+ex} dx$	759
3.105	$\int \frac{x^2(d^2-e^2x^2)^{5/2}}{d+ex} dx$	765
3.106	$\int \frac{x(d^2-e^2x^2)^{5/2}}{d+ex} dx$	771
3.107	$\int \frac{(d^2-e^2x^2)^{5/2}}{d+ex} dx$	776
3.108	$\int \frac{(d^2-e^2x^2)^{5/2}}{x(d+ex)} dx$	780

3.109	$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^2(d+ex)} dx$	785
3.110	$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^3(d+ex)} dx$	791
3.111	$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^4(d+ex)} dx$	797
3.112	$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^5(d+ex)} dx$	803
3.113	$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^6(d+ex)} dx$	809
3.114	$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^7(d+ex)} dx$	815
3.115	$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^8(d+ex)} dx$	822
3.116	$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^9(d+ex)} dx$	829
3.117	$\int \frac{x\sqrt{1-x^2}}{1+x} dx$	837
3.118	$\int \frac{(1-a^2x^2)^{3/2}}{x^2(1-ax)} dx$	840
3.119	$\int \frac{x^4}{(d+ex)\sqrt{d^2 - e^2 x^2}} dx$	845
3.120	$\int \frac{x^3}{(d+ex)\sqrt{d^2 - e^2 x^2}} dx$	850
3.121	$\int \frac{x^2}{(d+ex)\sqrt{d^2 - e^2 x^2}} dx$	854
3.122	$\int \frac{x}{(d+ex)\sqrt{d^2 - e^2 x^2}} dx$	858
3.123	$\int \frac{1}{(d+ex)\sqrt{d^2 - e^2 x^2}} dx$	862
3.124	$\int \frac{1}{x(d+ex)\sqrt{d^2 - e^2 x^2}} dx$	865
3.125	$\int \frac{1}{x^2(d+ex)\sqrt{d^2 - e^2 x^2}} dx$	869
3.126	$\int \frac{1}{x^3(d+ex)\sqrt{d^2 - e^2 x^2}} dx$	873
3.127	$\int \frac{x^5}{(d+ex)(d^2 - e^2 x^2)^{3/2}} dx$	878
3.128	$\int \frac{x^4}{(d+ex)(d^2 - e^2 x^2)^{3/2}} dx$	883
3.129	$\int \frac{x^3}{(d+ex)(d^2 - e^2 x^2)^{3/2}} dx$	888
3.130	$\int \frac{x^2}{(d+ex)(d^2 - e^2 x^2)^{3/2}} dx$	892
3.131	$\int \frac{x}{(d+ex)(d^2 - e^2 x^2)^{3/2}} dx$	896



3.132	$\int \frac{1}{(d+ex)(d^2-e^2x^2)^{3/2}} dx$	899
3.133	$\int \frac{1}{x(d+ex)(d^2-e^2x^2)^{3/2}} dx$	902
3.134	$\int \frac{1}{x^2(d+ex)(d^2-e^2x^2)^{3/2}} dx$	907
3.135	$\int \frac{1}{x^3(d+ex)(d^2-e^2x^2)^{3/2}} dx$	912
3.136	$\int \frac{x^7}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$	917
3.137	$\int \frac{x^6}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$	922
3.138	$\int \frac{x^5}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$	927
3.139	$\int \frac{x^4}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$	932
3.140	$\int \frac{x^3}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$	936
3.141	$\int \frac{x^2}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$	940
3.142	$\int \frac{x}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$	944
3.143	$\int \frac{1}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$	948
3.144	$\int \frac{1}{x(d+ex)(d^2-e^2x^2)^{5/2}} dx$	952
3.145	$\int \frac{1}{x^2(d+ex)(d^2-e^2x^2)^{5/2}} dx$	957
3.146	$\int \frac{1}{x^3(d+ex)(d^2-e^2x^2)^{5/2}} dx$	962
3.147	$\int \frac{1}{x^4(d+ex)(d^2-e^2x^2)^{5/2}} dx$	967
3.148	$\int \frac{x^3}{(d+ex)(d^2-e^2x^2)^{7/2}} dx$	972
3.149	$\int \frac{x^2}{(d+ex)(d^2-e^2x^2)^{7/2}} dx$	977
3.150	$\int \frac{x^3}{(1+ax)\sqrt{1-a^2x^2}} dx$	981
3.151	$\int \frac{x^2}{(1+ax)\sqrt{1-a^2x^2}} dx$	985
3.152	$\int \frac{x}{(1+ax)\sqrt{1-a^2x^2}} dx$	989
3.153	$\int \frac{1}{(1+ax)\sqrt{1-a^2x^2}} dx$	992
3.154	$\int \frac{1}{x(1-ax)\sqrt{1-a^2x^2}} dx$	995

3.155	$\int \frac{1}{x^2(1-ax)\sqrt{1-a^2x^2}} dx$	999
3.156	$\int \frac{1}{x^3(1-ax)\sqrt{1-a^2x^2}} dx$	1003
3.157	$\int \frac{x^5(d^2-e^2x^2)^{5/2}}{(d+ex)^2} dx$	1008
3.158	$\int \frac{x^4(d^2-e^2x^2)^{5/2}}{(d+ex)^2} dx$	1014
3.159	$\int \frac{x^3(d^2-e^2x^2)^{5/2}}{(d+ex)^2} dx$	1020
3.160	$\int \frac{x^2(d^2-e^2x^2)^{5/2}}{(d+ex)^2} dx$	1025
3.161	$\int \frac{x(d^2-e^2x^2)^{5/2}}{(d+ex)^2} dx$	1030
3.162	$\int \frac{(d^2-e^2x^2)^{5/2}}{(d+ex)^2} dx$	1035
3.163	$\int \frac{(d^2-e^2x^2)^{5/2}}{x(d+ex)^2} dx$	1040
3.164	$\int \frac{(d^2-e^2x^2)^{5/2}}{x^2(d+ex)^2} dx$	1045
3.165	$\int \frac{(d^2-e^2x^2)^{5/2}}{x^3(d+ex)^2} dx$	1050
3.166	$\int \frac{(d^2-e^2x^2)^{5/2}}{x^4(d+ex)^2} dx$	1055
3.167	$\int \frac{(d^2-e^2x^2)^{5/2}}{x^5(d+ex)^2} dx$	1061
3.168	$\int \frac{(d^2-e^2x^2)^{5/2}}{x^6(d+ex)^2} dx$	1067
3.169	$\int \frac{(d^2-e^2x^2)^{5/2}}{x^7(d+ex)^2} dx$	1073
3.170	$\int \frac{(d^2-e^2x^2)^{5/2}}{x^8(d+ex)^2} dx$	1079
3.171	$\int \frac{x^4}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$	1085
3.172	$\int \frac{x^3}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$	1090
3.173	$\int \frac{x^2}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$	1094
3.174	$\int \frac{x}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$	1098
3.175	$\int \frac{1}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$	1102
3.176	$\int \frac{1}{x(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$	1106

3.177	$\int \frac{1}{x^2(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$	.1111
3.178	$\int \frac{1}{x^3(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$	.1116
3.179	$\int \frac{x^5}{(d+ex)^3\sqrt{d^2-e^2x^2}} dx$	.1121
3.180	$\int \frac{x^4}{(d+ex)^3\sqrt{d^2-e^2x^2}} dx$	.1127
3.181	$\int \frac{x^3}{(d+ex)^3\sqrt{d^2-e^2x^2}} dx$	.1133
3.182	$\int \frac{x^2}{(d+ex)^3\sqrt{d^2-e^2x^2}} dx$	.1138
3.183	$\int \frac{x}{(d+ex)^3\sqrt{d^2-e^2x^2}} dx$	.1142
3.184	$\int \frac{1}{(d+ex)^3\sqrt{d^2-e^2x^2}} dx$	.1146
3.185	$\int \frac{1}{x(d+ex)^3\sqrt{d^2-e^2x^2}} dx$	.1150
3.186	$\int \frac{1}{x^2(d+ex)^3\sqrt{d^2-e^2x^2}} dx$	.1156
3.187	$\int \frac{1}{x^3(d+ex)^3\sqrt{d^2-e^2x^2}} dx$	.1161
3.188	$\int \frac{x^5\sqrt{d^2-e^2x^2}}{(d+ex)^4} dx$	.1166
3.189	$\int \frac{x^4\sqrt{d^2-e^2x^2}}{(d+ex)^4} dx$	.1172
3.190	$\int \frac{x^3\sqrt{d^2-e^2x^2}}{(d+ex)^4} dx$	.1178
3.191	$\int \frac{x^2\sqrt{d^2-e^2x^2}}{(d+ex)^4} dx$	.1184
3.192	$\int \frac{x\sqrt{d^2-e^2x^2}}{(d+ex)^4} dx$	.1189
3.193	$\int \frac{\sqrt{d^2-e^2x^2}}{(d+ex)^4} dx$	.1193
3.194	$\int \frac{\sqrt{d^2-e^2x^2}}{x(d+ex)^4} dx$	.1197
3.195	$\int \frac{\sqrt{d^2-e^2x^2}}{x^2(d+ex)^4} dx$	.1203
3.196	$\int \frac{\sqrt{d^2-e^2x^2}}{x^3(d+ex)^4} dx$	.1208
3.197	$\int \frac{\sqrt{d^2-e^2x^2}}{x^4(d+ex)^4} dx$	.1213
3.198	$\int \frac{x^5(d^2-e^2x^2)^{5/2}}{(d+ex)^4} dx$	.1219
3.199	$\int \frac{x^4(d^2-e^2x^2)^{5/2}}{(d+ex)^4} dx$	.1226
3.200	$\int \frac{x^3(d^2-e^2x^2)^{5/2}}{(d+ex)^4} dx$	.1233

3.201	$\int \frac{x^2(d^2 - e^2x^2)^{5/2}}{(d+ex)^4} dx$	1239
3.202	$\int \frac{x(d^2 - e^2x^2)^{5/2}}{(d+ex)^4} dx$	1245
3.203	$\int \frac{(d^2 - e^2x^2)^{5/2}}{(d+ex)^4} dx$	1251
3.204	$\int \frac{(d^2 - e^2x^2)^{5/2}}{x(d+ex)^4} dx$	1256
3.205	$\int \frac{(d^2 - e^2x^2)^{5/2}}{x^2(d+ex)^4} dx$	1262
3.206	$\int \frac{(d^2 - e^2x^2)^{5/2}}{x^3(d+ex)^4} dx$	1268
3.207	$\int \frac{(d^2 - e^2x^2)^{5/2}}{x^4(d+ex)^4} dx$	1274
3.208	$\int \frac{(d^2 - e^2x^2)^{5/2}}{x^5(d+ex)^4} dx$	1280
3.209	$\int \frac{(d^2 - e^2x^2)^{5/2}}{x^6(d+ex)^4} dx$	1286
3.210	$\int \frac{x^2\sqrt{1-a^2x^2}}{(1-ax)^4} dx$	1293
3.211	$\int \frac{x^2\sqrt{1-a^2x^2}}{(1-ax)^5} dx$	1297
3.212	$\int \frac{x^3}{(d+ex)^4(d^2 - e^2x^2)^{7/2}} dx$	1301
3.213	$\int \frac{x^2}{(d+ex)^4(d^2 - e^2x^2)^{7/2}} dx$	1307
3.214	$\int \frac{x}{(d+ex)^4(d^2 - e^2x^2)^{7/2}} dx$	1313
3.215	$\int \frac{1}{(d+ex)^4(d^2 - e^2x^2)^{7/2}} dx$	1318
3.216	$\int \frac{1}{x(d+ex)^4(d^2 - e^2x^2)^{7/2}} dx$	1323
3.217	$\int \frac{1}{x^2(d+ex)^4(d^2 - e^2x^2)^{7/2}} dx$	1329
3.218	$\int \frac{\sqrt{c-ax}\sqrt{1-a^2x^2}}{x^2} dx$	1335
3.219	$\int \frac{\sqrt{c-ax}}{x\sqrt{1-a^2x^2}} dx$	1339
3.220	$\int \frac{\sqrt{1-ax}}{\sqrt{x}} dx$	1342
3.221	$\int \frac{\sqrt{1-a^2x^2}}{\sqrt{x}\sqrt{1+ax}} dx$	1347
3.222	$\int \frac{\sqrt{1+ax}}{\sqrt{x}} dx$	1351
3.223	$\int \frac{\sqrt{1-a^2x^2}}{\sqrt{x}\sqrt{1-ax}} dx$	1355

3.224	$\int \sqrt{x} \sqrt{1-ax} dx$	. . . . .	.1359
3.225	$\int \frac{\sqrt{x} \sqrt{1-a^2x^2}}{\sqrt{1+ax}} dx$	. . . . .	.1364
3.226	$\int \frac{x\sqrt{1+x}}{1+x^2} dx$	. . . . .	.1368
3.227	$\int \frac{x^4 \sqrt{a+cx^2}}{d+ex} dx$	. . . . .	.1373
3.228	$\int \frac{x^3 \sqrt{a+cx^2}}{d+ex} dx$	. . . . .	.1379
3.229	$\int \frac{x^2 \sqrt{a+cx^2}}{d+ex} dx$	. . . . .	.1385
3.230	$\int \frac{x \sqrt{a+cx^2}}{d+ex} dx$	. . . . .	.1391
3.231	$\int \frac{\sqrt{a+cx^2}}{d+ex} dx$	. . . . .	.1396
3.232	$\int \frac{\sqrt{a+cx^2}}{x(d+ex)} dx$	. . . . .	.1401
3.233	$\int \frac{\sqrt{a+cx^2}}{x^2(d+ex)} dx$	. . . . .	.1407
3.234	$\int \frac{\sqrt{a+cx^2}}{x^3(d+ex)} dx$	. . . . .	.1413
3.235	$\int \frac{\sqrt{a+cx^2}}{x^4(d+ex)} dx$	. . . . .	.1419
3.236	$\int \frac{\sqrt{a+cx^2}}{x^5(d+ex)} dx$	. . . . .	.1426
3.237	$\int \frac{x^4}{(d+ex)\sqrt{a+cx^2}} dx$	. . . . .	.1433
3.238	$\int \frac{x^3}{(d+ex)\sqrt{a+cx^2}} dx$	. . . . .	.1438
3.239	$\int \frac{x^2}{(d+ex)\sqrt{a+cx^2}} dx$	. . . . .	.1443
3.240	$\int \frac{x}{(d+ex)\sqrt{a+cx^2}} dx$	. . . . .	.1448
3.241	$\int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx$	. . . . .	.1452
3.242	$\int \frac{1}{x(d+ex)\sqrt{a+cx^2}} dx$	. . . . .	.1456
3.243	$\int \frac{1}{x^2(d+ex)\sqrt{a+cx^2}} dx$	. . . . .	.1461
3.244	$\int \frac{1}{x^3(d+ex)\sqrt{a+cx^2}} dx$	. . . . .	.1466
3.245	$\int \frac{x^4}{(d+ex)(a+cx^2)^{3/2}} dx$	. . . . .	.1472
3.246	$\int \frac{x^3}{(d+ex)(a+cx^2)^{3/2}} dx$	. . . . .	.1478
3.247	$\int \frac{x^2}{(d+ex)(a+cx^2)^{3/2}} dx$	. . . . .	.1483
3.248	$\int \frac{x}{(d+ex)(a+cx^2)^{3/2}} dx$	. . . . .	.1487

3.249	$\int \frac{1}{(d+ex)(a+cx^2)^{3/2}} dx$	.1491
3.250	$\int \frac{1}{x(d+ex)(a+cx^2)^{3/2}} dx$	.1495
3.251	$\int \frac{1}{x^2(d+ex)(a+cx^2)^{3/2}} dx$	.1501
3.252	$\int \frac{1}{x^3(d+ex)(a+cx^2)^{3/2}} dx$	.1507
3.253	$\int \frac{x^5}{(d+ex)^2 \sqrt{a+cx^2}} dx$	.1514
3.254	$\int \frac{x^4}{(d+ex)^2 \sqrt{a+cx^2}} dx$	.1520
3.255	$\int \frac{x^3}{(d+ex)^2 \sqrt{a+cx^2}} dx$	.1526
3.256	$\int \frac{x^2}{(d+ex)^2 \sqrt{a+cx^2}} dx$	.1532
3.257	$\int \frac{x}{(d+ex)^2 \sqrt{a+cx^2}} dx$	.1537
3.258	$\int \frac{1}{(d+ex)^2 \sqrt{a+cx^2}} dx$	.1541
3.259	$\int \frac{1}{x(d+ex)^2 \sqrt{a+cx^2}} dx$	.1545
3.260	$\int \frac{1}{x^2(d+ex)^2 \sqrt{a+cx^2}} dx$	.1551
3.261	$\int \frac{1}{x^3(d+ex)^2 \sqrt{a+cx^2}} dx$	.1557
3.262	$\int x^2(a+bx)^n (c+dx^2) dx$	.1563
3.263	$\int x(a+bx)^n (c+dx^2) dx$	.1569
3.264	$\int (a+bx)^n (c+dx^2) dx$	.1574
3.265	$\int x^2(a+bx)^n (c+dx^2)^2 dx$	.1578
3.266	$\int x(a+bx)^n (c+dx^2)^2 dx$	.1591
3.267	$\int (a+bx)^n (c+dx^2)^2 dx$	.1601
3.268	$\int x^2(a+bx)^n (c+dx^2)^3 dx$	.1608
3.269	$\int x(a+bx)^n (c+dx^2)^3 dx$	.1617
3.270	$\int (a+bx)^n (c+dx^2)^3 dx$	.1624
3.271	$\int \frac{x^3 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{d+ex} dx$	.1630
3.272	$\int \frac{x^2 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{d+ex} dx$	.1636
3.273	$\int \frac{x \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{d+ex} dx$	.1641
3.274	$\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{d+ex} dx$	.1646

3.275	$\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{x(d+ex)} dx$	.1650
3.276	$\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{x^2(d+ex)} dx$	.1655
3.277	$\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{x^3(d+ex)} dx$	.1660
3.278	$\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{x^4(d+ex)} dx$	.1666
3.279	$\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{x^5(d+ex)} dx$	.1673
3.280	$\int \frac{x^3(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{d+ex} dx$	.1682
3.281	$\int \frac{x^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{d+ex} dx$	.1689
3.282	$\int \frac{x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{d+ex} dx$	.1695
3.283	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{d+ex} dx$	.1701
3.284	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{x(d+ex)} dx$	.1706
3.285	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{x^2(d+ex)} dx$	.1712
3.286	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{x^3(d+ex)} dx$	.1718
3.287	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{x^4(d+ex)} dx$	.1724
3.288	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{x^5(d+ex)} dx$	.1731
3.289	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{x^6(d+ex)} dx$	.1740
3.290	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{x^7(d+ex)} dx$	.1751
3.291	$\int \frac{x^3(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{d+ex} dx$	.1765
3.292	$\int \frac{x^2(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{d+ex} dx$	.1773
3.293	$\int \frac{x(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{d+ex} dx$	.1780
3.294	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{d+ex} dx$	.1787
3.295	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{x(d+ex)} dx$	.1793
3.296	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{x^2(d+ex)} dx$	.1800

3.297	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{x^3(d+ex)} dx$	.1807
3.298	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{x^4(d+ex)} dx$	.1814
3.299	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{x^5(d+ex)} dx$	.1821
3.300	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{x^6(d+ex)} dx$	.1829
3.301	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{x^7(d+ex)} dx$	.1840
3.302	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{x^8(d+ex)} dx$	.1848
3.303	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{x^9(d+ex)} dx$	.1854
3.304	$\int \frac{x^3}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.1859
3.305	$\int \frac{x^2}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.1865
3.306	$\int \frac{x}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.1870
3.307	$\int \frac{1}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.1874
3.308	$\int \frac{1}{x(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.1877
3.309	$\int \frac{1}{x^2(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.1882
3.310	$\int \frac{1}{x^3(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.1888
3.311	$\int \frac{x^5}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.1894
3.312	$\int \frac{x^4}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.1901
3.313	$\int \frac{x^3}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.1907
3.314	$\int \frac{x^2}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.1914
3.315	$\int \frac{x}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.1918
3.316	$\int \frac{1}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.1922
3.317	$\int \frac{1}{x(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.1926



3.318	$\int \frac{1}{x^2(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	. . . . .	1932
3.319	$\int \frac{1}{x^3(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	. . . . .	1938
3.320	$\int \frac{1}{x^4(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	. . . . .	1945
3.321	$\int \frac{x^2}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$	. . . . .	1953
3.322	$\int \frac{x^2}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{7/2}} dx$	. . . . .	1959
3.323	$\int x^2 \sqrt{1+x} \sqrt{1-x+x^2} dx$	. . . . .	1969
3.324	$\int \frac{\sqrt{1+x} \sqrt{1-x+x^2}}{x} dx$	. . . . .	1972
3.325	$\int x^2(1+x)^{3/2} (1-x+x^2)^{3/2} dx$	. . . . .	1976
3.326	$\int \frac{(1+x)^{3/2}(1-x+x^2)^{3/2}}{x^2} dx$	. . . . .	1979
3.327	$\int \frac{x^2}{\sqrt{1+x} \sqrt{1-x+x^2}} dx$	. . . . .	1983
3.328	$\int \frac{1}{x\sqrt{1+x} \sqrt{1-x+x^2}} dx$	. . . . .	1986
3.329	$\int \frac{x^2}{(1+x)^{3/2}(1-x+x^2)^{3/2}} dx$	. . . . .	1991
3.330	$\int \frac{1}{x(1+x)^{3/2}(1-x+x^2)^{3/2}} dx$	. . . . .	1994
3.331	$\int \frac{x^2}{(1+x)^{5/2}(1-x+x^2)^{5/2}} dx$	. . . . .	1999
3.332	$\int \frac{1}{x(1+x)^{5/2}(1-x+x^2)^{5/2}} dx$	. . . . .	2002
3.333	$\int \frac{x}{(-1+x)^3(3+5x+4x^2)^2} dx$	. . . . .	2007
3.334	$\int \frac{x^4 \sqrt{d+ex}}{a+bx+cx^2} dx$	. . . . .	2012
3.335	$\int \frac{x^3 \sqrt{d+ex}}{a+bx+cx^2} dx$	. . . . .	2028
3.336	$\int \frac{x^2 \sqrt{d+ex}}{a+bx+cx^2} dx$	. . . . .	2041
3.337	$\int \frac{x \sqrt{d+ex}}{a+bx+cx^2} dx$	. . . . .	2052
3.338	$\int \frac{\sqrt{d+ex}}{a+bx+cx^2} dx$	. . . . .	2060
3.339	$\int \frac{\sqrt{d+ex}}{x(a+bx+cx^2)} dx$	. . . . .	2065
3.340	$\int \frac{\sqrt{d+ex}}{x^2(a+bx+cx^2)} dx$	. . . . .	2077
3.341	$\int \frac{\sqrt{d+ex}}{x^3(a+bx+cx^2)} dx$	. . . . .	2094

3.342	$\int \frac{x^4(d+ex)^{3/2}}{a+bx+cx^2} dx$	. . . . .	.2120
3.343	$\int \frac{x^3(d+ex)^{3/2}}{a+bx+cx^2} dx$	. . . . .	.2150
3.344	$\int \frac{x^2(d+ex)^{3/2}}{a+bx+cx^2} dx$	. . . . .	.2175
3.345	$\int \frac{x(d+ex)^{3/2}}{a+bx+cx^2} dx$	. . . . .	.2194
3.346	$\int \frac{(d+ex)^{3/2}}{a+bx+cx^2} dx$	. . . . .	.2209
3.347	$\int \frac{(d+ex)^{3/2}}{x(a+bx+cx^2)} dx$	. . . . .	.2219
3.348	$\int \frac{(d+ex)^{3/2}}{x^2(a+bx+cx^2)} dx$	. . . . .	.2237
3.349	$\int \frac{(d+ex)^{3/2}}{x^3(a+bx+cx^2)} dx$	. . . . .	.2260
3.350	$\int \frac{(d+ex)^4(f+gx)^2}{d^2-e^2x^2} dx$	. . . . .	.2288
3.351	$\int \frac{(d+ex)^3(f+gx)^2}{d^2-e^2x^2} dx$	. . . . .	.2292
3.352	$\int \frac{(d+ex)^2(f+gx)^2}{d^2-e^2x^2} dx$	. . . . .	.2296
3.353	$\int \frac{(d+ex)(f+gx)^2}{d^2-e^2x^2} dx$	. . . . .	.2300
3.354	$\int \frac{(f+gx)^2}{d^2-e^2x^2} dx$	. . . . .	.2303
3.355	$\int \frac{(f+gx)^2}{(d+ex)(d^2-e^2x^2)} dx$	. . . . .	.2307
3.356	$\int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)} dx$	. . . . .	.2311
3.357	$\int \frac{(f+gx)^2}{(d+ex)^3(d^2-e^2x^2)} dx$	. . . . .	.2315
3.358	$\int \frac{(f+gx)^2}{(d+ex)^4(d^2-e^2x^2)} dx$	. . . . .	.2319
3.359	$\int \frac{(d+ex)^7(f+gx)^2}{(d^2-e^2x^2)^2} dx$	. . . . .	.2324
3.360	$\int \frac{(d+ex)^6(f+gx)^2}{(d^2-e^2x^2)^2} dx$	. . . . .	.2329
3.361	$\int \frac{(d+ex)^5(f+gx)^2}{(d^2-e^2x^2)^2} dx$	. . . . .	.2333
3.362	$\int \frac{(d+ex)^4(f+gx)^2}{(d^2-e^2x^2)^2} dx$	. . . . .	.2337
3.363	$\int \frac{(d+ex)^3(f+gx)^2}{(d^2-e^2x^2)^2} dx$	. . . . .	.2341
3.364	$\int \frac{(d+ex)^2(f+gx)^2}{(d^2-e^2x^2)^2} dx$	. . . . .	.2345
3.365	$\int \frac{(d+ex)(f+gx)^2}{(d^2-e^2x^2)^2} dx$	. . . . .	.2349

3.366	$\int \frac{(f+gx)^2}{(d^2-e^2x^2)^2} dx$	. . . . .	.2353
3.367	$\int \frac{(f+gx)^2}{(d+ex)(d^2-e^2x^2)^2} dx$	. . . . .	.2357
3.368	$\int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)^2} dx$	. . . . .	.2361
3.369	$\int \frac{(f+gx)^2}{(d+ex)^3(d^2-e^2x^2)^2} dx$	. . . . .	.2366
3.370	$\int \frac{(f+gx)^2}{(d+ex)^4(d^2-e^2x^2)^2} dx$	. . . . .	.2371
3.371	$\int \frac{(d+ex)^7(f+gx)^2}{(d^2-e^2x^2)^3} dx$	. . . . .	.2376
3.372	$\int \frac{(d+ex)^6(f+gx)^2}{(d^2-e^2x^2)^3} dx$	. . . . .	.2380
3.373	$\int \frac{(d+ex)^5(f+gx)^2}{(d^2-e^2x^2)^3} dx$	. . . . .	.2384
3.374	$\int \frac{(d+ex)^4(f+gx)^2}{(d^2-e^2x^2)^3} dx$	. . . . .	.2388
3.375	$\int \frac{(d+ex)^3(f+gx)^2}{(d^2-e^2x^2)^3} dx$	. . . . .	.2392
3.376	$\int \frac{(d+ex)^2(f+gx)^2}{(d^2-e^2x^2)^3} dx$	. . . . .	.2396
3.377	$\int \frac{(d+ex)(f+gx)^2}{(d^2-e^2x^2)^3} dx$	. . . . .	.2400
3.378	$\int \frac{(f+gx)^2}{(d^2-e^2x^2)^3} dx$	. . . . .	.2404
3.379	$\int \frac{(f+gx)^2}{(d+ex)(d^2-e^2x^2)^3} dx$	. . . . .	.2408
3.380	$\int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)^3} dx$	. . . . .	.2413
3.381	$\int \frac{(d+ex)^3(f+gx)^5}{(d^2-e^2x^2)^{7/2}} dx$	. . . . .	.2418
3.382	$\int \frac{(d+ex)^3(f+gx)^4}{(d^2-e^2x^2)^{7/2}} dx$	. . . . .	.2425
3.383	$\int \frac{(d+ex)^3(f+gx)^3}{(d^2-e^2x^2)^{7/2}} dx$	. . . . .	.2431
3.384	$\int \frac{(d+ex)^3(f+gx)^2}{(d^2-e^2x^2)^{7/2}} dx$	. . . . .	.2436
3.385	$\int \frac{(d+ex)^3(f+gx)}{(d^2-e^2x^2)^{7/2}} dx$	. . . . .	.2440
3.386	$\int \frac{(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$	. . . . .	.2444

3.387	$\int \frac{(d+ex)^3}{(f+gx)(d^2-e^2x^2)^{7/2}} dx$	.2448
3.388	$\int \frac{(d+ex)^3}{(f+gx)^2(d^2-e^2x^2)^{7/2}} dx$	.2457
3.389	$\int \frac{(d+ex)^3}{(f+gx)^3(d^2-e^2x^2)^{7/2}} dx$	.2465
3.390	$\int \frac{a+cx^2}{(d+ex)^{3/2}(f+gx)} dx$	.2476
3.391	$\int \frac{(d+ex)^3(a+cx^2)}{\sqrt{f+gx}} dx$	.2481
3.392	$\int \frac{(d+ex)^2(a+cx^2)}{\sqrt{f+gx}} dx$	.2485
3.393	$\int \frac{(d+ex)(a+cx^2)}{\sqrt{f+gx}} dx$	.2489
3.394	$\int \frac{a+cx^2}{\sqrt{f+gx}} dx$	.2493
3.395	$\int \frac{a+cx^2}{(d+ex)\sqrt{f+gx}} dx$	.2497
3.396	$\int \frac{a+cx^2}{(d+ex)^2\sqrt{f+gx}} dx$	.2501
3.397	$\int \frac{a+cx^2}{(d+ex)^3\sqrt{f+gx}} dx$	.2506
3.398	$\int \frac{(d+ex)^3(a+cx^2)}{(f+gx)^{3/2}} dx$	.2511
3.399	$\int \frac{(d+ex)^2(a+cx^2)}{(f+gx)^{3/2}} dx$	.2516
3.400	$\int \frac{(d+ex)(a+cx^2)}{(f+gx)^{3/2}} dx$	.2520
3.401	$\int \frac{a+cx^2}{(f+gx)^{3/2}} dx$	.2524
3.402	$\int \frac{a+cx^2}{(d+ex)(f+gx)^{3/2}} dx$	.2527
3.403	$\int \frac{a+cx^2}{(d+ex)^2(f+gx)^{3/2}} dx$	.2531
3.404	$\int \frac{a+cx^2}{(d+ex)^3(f+gx)^{3/2}} dx$	.2536
3.405	$\int \frac{a+cx^2}{\sqrt{d+ex}\sqrt{f+gx}} dx$	.2542
3.406	$\int \frac{-1+2x^2}{\sqrt{-1+x}\sqrt{1+x}} dx$	.2547
3.407	$\int \frac{(d+ex)^{3/2}\sqrt{f+gx}}{a+cx^2} dx$	.2550
3.408	$\int \frac{\sqrt{d+ex}\sqrt{f+gx}}{a+cx^2} dx$	.2556
3.409	$\int \frac{\sqrt{f+gx}}{\sqrt{d+ex}(a+cx^2)} dx$	.2562
3.410	$\int \frac{\sqrt{f+gx}}{(d+ex)^{3/2}(a+cx^2)} dx$	.2571

- 3.411  $\int \frac{\sqrt{f+gx}}{(d+ex)^{5/2}(a+cx^2)} dx \dots\dots\dots .2578$
- 3.412  $\int \frac{(d+ex)^{3/2}}{\sqrt{f+gx}(a+cx^2)} dx \dots\dots\dots .2583$
- 3.413  $\int \frac{\sqrt{d+ex}}{\sqrt{f+gx}(a+cx^2)} dx \dots\dots\dots .2589$
- 3.414  $\int \frac{1}{\sqrt{d+ex}\sqrt{f+gx}(a+cx^2)} dx \dots\dots\dots .2595$
- 3.415  $\int \frac{1}{(d+ex)^{3/2}\sqrt{f+gx}(a+cx^2)} dx \dots\dots\dots .2601$
- 3.416  $\int \frac{(d+ex)^{3/2}}{(f+gx)^{3/2}(a+cx^2)} dx \dots\dots\dots .2610$
- 3.417  $\int \frac{\sqrt{d+ex}}{(f+gx)^{3/2}(a+cx^2)} dx \dots\dots\dots .2616$
- 3.418  $\int \frac{1}{\sqrt{d+ex}(f+gx)^{3/2}(a+cx^2)} dx \dots\dots\dots .2623$
- 3.419  $\int \frac{1}{(d+ex)^{3/2}(f+gx)^{3/2}(a+cx^2)} dx \dots\dots\dots .2632$
- 3.420  $\int \frac{\sqrt{x}}{\sqrt{1+x}(1+x^2)} dx \dots\dots\dots .2637$
- 3.421  $\int \frac{(f+gx)^2\sqrt{1-x^2}}{(1-x)^4} dx \dots\dots\dots .2643$
- 3.422  $\int \frac{(1-a^2x^2)^{3/2}}{(1-ax)^2(c+dx)} dx \dots\dots\dots .2648$
- 3.423  $\int \frac{(1+ax)^2}{(c+dx)\sqrt{1-a^2x^2}} dx \dots\dots\dots .2653$
- 3.424  $\int \frac{\sqrt{d+ex}(f+gx)^3}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .2658$
- 3.425  $\int \frac{\sqrt{d+ex}(f+gx)^2}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .2663$
- 3.426  $\int \frac{\sqrt{d+ex}(f+gx)}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .2667$
- 3.427  $\int \frac{\sqrt{d+ex}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .2671$
- 3.428  $\int \frac{\sqrt{d+ex}}{(f+gx)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .2674$
- 3.429  $\int \frac{\sqrt{d+ex}}{(f+gx)^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .2678$
- 3.430  $\int \frac{\sqrt{d+ex}}{(f+gx)^3\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .2682$
- 3.431  $\int \frac{\sqrt{d+ex}}{(f+gx)^4\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .2687$
- 3.432  $\int \frac{(d+ex)^{3/2}(f+gx)^3}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx \dots\dots\dots .2692$

3.433	$\int \frac{(d+ex)^{3/2}(f+gx)^2}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2697
3.434	$\int \frac{(d+ex)^{3/2}(f+gx)}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2701
3.435	$\int \frac{(d+ex)^{3/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2705
3.436	$\int \frac{(d+ex)^{3/2}}{(f+gx)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2708
3.437	$\int \frac{(d+ex)^{3/2}}{(f+gx)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2712
3.438	$\int \frac{(d+ex)^{3/2}}{(f+gx)^3(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2717
3.439	$\int \frac{(d+ex)^{5/2}(f+gx)^3}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$	.2723
3.440	$\int \frac{(d+ex)^{5/2}(f+gx)^2}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$	.2727
3.441	$\int \frac{(d+ex)^{5/2}(f+gx)}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$	.2731
3.442	$\int \frac{(d+ex)^{5/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$	.2735
3.443	$\int \frac{(d+ex)^{5/2}}{(f+gx)(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$	.2738
3.444	$\int \frac{(d+ex)^{5/2}}{(f+gx)^2(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$	.2743
3.445	$\int \frac{(d+ex)^{5/2}}{(f+gx)^3(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$	.2748
3.446	$\int \frac{(f+gx)^4 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$	.2755
3.447	$\int \frac{(f+gx)^3 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$	.2760
3.448	$\int \frac{(f+gx)^2 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$	.2765
3.449	$\int \frac{(f+gx) \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$	.2769
3.450	$\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$	.2773
3.451	$\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)} dx$	.2776
3.452	$\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^2} dx$	.2781

- 3.453  $\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^3} dx \dots\dots\dots .2786$
- 3.454  $\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^4} dx \dots\dots\dots .2791$
- 3.455  $\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^5} dx \dots\dots\dots .2796$
- 3.456  $\int \frac{(f+gx)^4(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}} dx \dots\dots\dots .2802$
- 3.457  $\int \frac{(f+gx)^3(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}} dx \dots\dots\dots .2807$
- 3.458  $\int \frac{(f+gx)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}} dx \dots\dots\dots .2811$
- 3.459  $\int \frac{(f+gx)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}} dx \dots\dots\dots .2815$
- 3.460  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}} dx \dots\dots\dots .2819$
- 3.461  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)} dx \dots\dots\dots .2822$
- 3.462  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^2} dx \dots\dots\dots .2827$
- 3.463  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^3} dx \dots\dots\dots .2832$
- 3.464  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^4} dx \dots\dots\dots .2837$
- 3.465  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^5} dx \dots\dots\dots .2842$
- 3.466  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^6} dx \dots\dots\dots .2848$
- 3.467  $\int \frac{(f+gx)^4(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}} dx \dots\dots\dots .2855$
- 3.468  $\int \frac{(f+gx)^3(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}} dx \dots\dots\dots .2860$
- 3.469  $\int \frac{(f+gx)^2(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}} dx \dots\dots\dots .2865$
- 3.470  $\int \frac{(f+gx)(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}} dx \dots\dots\dots .2869$
- 3.471  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}} dx \dots\dots\dots .2873$
- 3.472  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)} dx \dots\dots\dots .2876$
- 3.473  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^2} dx \dots\dots\dots .2881$

3.474	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^3} dx$	.2886
3.475	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^4} dx$	.2891
3.476	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^5} dx$	.2896
3.477	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^6} dx$	.2902
3.478	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^7} dx$	.2909
3.479	$\int \frac{\sqrt{d+ex} (f+gx)^{5/2}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.2916
3.480	$\int \frac{\sqrt{d+ex} (f+gx)^{3/2}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.2922
3.481	$\int \frac{\sqrt{d+ex} \sqrt{f+gx}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.2928
3.482	$\int \frac{\sqrt{d+ex}}{\sqrt{f+gx} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.2934
3.483	$\int \frac{\sqrt{d+ex}}{(f+gx)^{3/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.2939
3.484	$\int \frac{\sqrt{d+ex}}{(f+gx)^{5/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.2943
3.485	$\int \frac{\sqrt{d+ex}}{(f+gx)^{7/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.2947
3.486	$\int \frac{\sqrt{d+ex}}{(f+gx)^{9/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	.2951
3.487	$\int \frac{(d+ex)^{3/2} (f+gx)^{5/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2956
3.488	$\int \frac{(d+ex)^{3/2} (f+gx)^{3/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2962
3.489	$\int \frac{(d+ex)^{3/2} \sqrt{f+gx}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2968
3.490	$\int \frac{(d+ex)^{3/2}}{\sqrt{f+gx} (ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2974
3.491	$\int \frac{(d+ex)^{3/2}}{(f+gx)^{3/2} (ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2978
3.492	$\int \frac{(d+ex)^{3/2}}{(f+gx)^{5/2} (ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2982
3.493	$\int \frac{(d+ex)^{3/2}}{(f+gx)^{7/2} (ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$	.2987



- 3.494  $\int \frac{(d+ex)^{5/2}(f+gx)^{5/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \dots\dots\dots .2992$
- 3.495  $\int \frac{(d+ex)^{5/2}(f+gx)^{3/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \dots\dots\dots .2998$
- 3.496  $\int \frac{(d+ex)^{5/2}\sqrt{f+gx}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \dots\dots\dots .3004$
- 3.497  $\int \frac{(d+ex)^{5/2}}{\sqrt{f+gx}(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \dots\dots\dots .3008$
- 3.498  $\int \frac{(d+ex)^{5/2}}{(f+gx)^{3/2}(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \dots\dots\dots .3012$
- 3.499  $\int \frac{(d+ex)^{5/2}}{(f+gx)^{5/2}(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \dots\dots\dots .3016$
- 3.500  $\int \frac{(f+gx)^{5/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx \dots\dots\dots .3021$
- 3.501  $\int \frac{(f+gx)^{3/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx \dots\dots\dots .3027$
- 3.502  $\int \frac{\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx \dots\dots\dots .3033$
- 3.503  $\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}\sqrt{f+gx}} dx \dots\dots\dots .3039$
- 3.504  $\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^{3/2}} dx \dots\dots\dots .3045$
- 3.505  $\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^{5/2}} dx \dots\dots\dots .3051$
- 3.506  $\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^{7/2}} dx \dots\dots\dots .3055$
- 3.507  $\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^{9/2}} dx \dots\dots\dots .3059$
- 3.508  $\int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^{11/2}} dx \dots\dots\dots .3063$
- 3.509  $\int \frac{(f+gx)^{3/2}(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}} dx \dots\dots\dots .3068$
- 3.510  $\int \frac{\sqrt{f+gx}(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}} dx \dots\dots\dots .3074$
- 3.511  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}\sqrt{f+gx}} dx \dots\dots\dots .3080$
- 3.512  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{3/2}} dx \dots\dots\dots .3086$
- 3.513  $\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{5/2}} dx \dots\dots\dots .3092$

3.514	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{7/2}} dx$	. . . . .	.3098
3.515	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{9/2}} dx$	. . . . .	.3102
3.516	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{11/2}} dx$	. . . . .	.3106
3.517	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{13/2}} dx$	. . . . .	.3110
3.518	$\int \frac{(f+gx)^{3/2}(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}} dx$	. . . . .	.3115
3.519	$\int \frac{\sqrt{f+gx}(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}} dx$	. . . . .	.3122
3.520	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}\sqrt{f+gx}} dx$	. . . . .	.3129
3.521	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{3/2}} dx$	. . . . .	.3135
3.522	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{5/2}} dx$	. . . . .	.3141
3.523	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{7/2}} dx$	. . . . .	.3147
3.524	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{9/2}} dx$	. . . . .	.3153
3.525	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{11/2}} dx$	. . . . .	.3157
3.526	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{13/2}} dx$	. . . . .	.3161
3.527	$\int \frac{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{15/2}} dx$	. . . . .	.3166
3.528	$\int (d+ex)^m (f+gx)^3 (ade+(cd^2+ae^2)x+cdex^2)^{-m} dx$	. . . . .	.3171
3.529	$\int (d+ex)^m (f+gx)^2 (ade+(cd^2+ae^2)x+cdex^2)^{-m} dx$	. . . . .	.3177
3.530	$\int (d+ex)^m (f+gx) (ade+(cd^2+ae^2)x+cdex^2)^{-m} dx$	. . . . .	.3182
3.531	$\int (d+ex)^m (ade+(cd^2+ae^2)x+cdex^2)^{-m} dx$	. . . . .	.3186
3.532	$\int (ae+cdx)^n (d+ex)^m (ade+(cd^2+ae^2)x+cdex^2)^{-m} dx$	. . . . .	.3189
3.533	$\int (d+ex)^m (cd^2eg - e(cd^2+ae^2)g - cde^2gx)^{-1+m} (ade+(cd^2+ae^2)x+cdex^2)^{-m} dx$	. . . . .	.3192
3.534	$\int \frac{(d+ex)^{3/2}(f+gx)^4}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	. . . . .	.3196
3.535	$\int \frac{(d+ex)^{3/2}(f+gx)^3}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	. . . . .	.3202
3.536	$\int \frac{(d+ex)^{3/2}(f+gx)^2}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$	. . . . .	.3207

- 3.537  $\int \frac{(d+ex)^{3/2}(f+gx)}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .3212$
- 3.538  $\int \frac{(d+ex)^{3/2}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .3216$
- 3.539  $\int \frac{(d+ex)^{3/2}}{(f+gx)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .3220$
- 3.540  $\int \frac{(d+ex)^{3/2}}{(f+gx)^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .3226$
- 3.541  $\int \frac{(d+ex)^{3/2}}{(f+gx)^3\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .3231$
- 3.542  $\int \frac{(d+ex)^{3/2}}{(f+gx)^4\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \dots\dots\dots .3237$
- 3.543  $\int \frac{(a+bx+cx^2)^3}{\sqrt{1-dx}\sqrt{1+dx}} dx \dots\dots\dots .3244$
- 3.544  $\int \frac{(a+bx+cx^2)^2}{\sqrt{1-dx}\sqrt{1+dx}} dx \dots\dots\dots .3250$
- 3.545  $\int \frac{a+bx+cx^2}{\sqrt{1-dx}\sqrt{1+dx}} dx \dots\dots\dots .3255$
- 3.546  $\int \frac{1}{\sqrt{1-dx}\sqrt{1+dx}(a+bx+cx^2)} dx \dots\dots\dots .3259$
- 3.547  $\int \frac{1}{\sqrt{1-dx}\sqrt{1+dx}(a+bx+cx^2)^2} dx \dots\dots\dots .3288$
- 3.548  $\int \frac{(a+bx+cx^2)^3}{(1-dx)^{3/2}(1+dx)^{3/2}} dx \dots\dots\dots .3293$
- 3.549  $\int \frac{(a+bx+cx^2)^2}{(1-dx)^{3/2}(1+dx)^{3/2}} dx \dots\dots\dots .3299$
- 3.550  $\int \frac{a+bx+cx^2}{(1-dx)^{3/2}(1+dx)^{3/2}} dx \dots\dots\dots .3304$
- 3.551  $\int \frac{1}{(1-dx)^{3/2}(1+dx)^{3/2}(a+bx+cx^2)} dx \dots\dots\dots .3308$
- 3.552  $\int \frac{1}{(1-dx)^{3/2}(1+dx)^{3/2}(a+bx+cx^2)^2} dx \dots\dots\dots .3313$
- 3.553  $\int (d+ex)^3(f+gx)^n(a+2cdx+cex^2) dx \dots\dots\dots .3319$
- 3.554  $\int (d+ex)^2(f+gx)^n(a+2cdx+cex^2) dx \dots\dots\dots .3327$
- 3.555  $\int (d+ex)(f+gx)^n(a+2cdx+cex^2) dx \dots\dots\dots .3339$
- 3.556  $\int (f+gx)^n(a+2cdx+cex^2) dx \dots\dots\dots .3346$
- 3.557  $\int \frac{a+bx+cx^2}{(d+ex)(f+gx)} dx \dots\dots\dots .3350$
- 3.558  $\int \frac{(a+bx+cx^2)^2}{(d+ex)(f+gx)} dx \dots\dots\dots .3354$
- 3.559  $\int \frac{(a+bx+cx^2)^3}{(d+ex)(f+gx)} dx \dots\dots\dots .3358$

3.560	$\int \frac{1}{(d+ex)(f+gx)(a+bx+cx^2)} dx$	.3363
3.561	$\int \frac{1}{(d+ex)(f+gx)(a+bx+cx^2)^2} dx$	.3373
3.562	$\int \frac{(d+ex)^3(a+bx+cx^2)}{\sqrt{f+gx}} dx$	.3437
3.563	$\int \frac{(d+ex)^2(a+bx+cx^2)}{\sqrt{f+gx}} dx$	.3443
3.564	$\int \frac{(d+ex)(a+bx+cx^2)}{\sqrt{f+gx}} dx$	.3448
3.565	$\int \frac{a+bx+cx^2}{\sqrt{f+gx}} dx$	.3452
3.566	$\int \frac{a+bx+cx^2}{(d+ex)\sqrt{f+gx}} dx$	.3456
3.567	$\int \frac{a+bx+cx^2}{(d+ex)^2\sqrt{f+gx}} dx$	.3460
3.568	$\int \frac{a+bx+cx^2}{(d+ex)^3\sqrt{f+gx}} dx$	.3465
3.569	$\int \frac{(d+ex)^3(a+bx+cx^2)}{(f+gx)^{3/2}} dx$	.3470
3.570	$\int \frac{(d+ex)^2(a+bx+cx^2)}{(f+gx)^{3/2}} dx$	.3475
3.571	$\int \frac{(d+ex)(a+bx+cx^2)}{(f+gx)^{3/2}} dx$	.3479
3.572	$\int \frac{a+bx+cx^2}{(f+gx)^{3/2}} dx$	.3483
3.573	$\int \frac{a+bx+cx^2}{(d+ex)(f+gx)^{3/2}} dx$	.3486
3.574	$\int \frac{a+bx+cx^2}{(d+ex)^2(f+gx)^{3/2}} dx$	.3491
3.575	$\int \frac{a+bx+cx^2}{(d+ex)^3(f+gx)^{3/2}} dx$	.3496
3.576	$\int \frac{\sqrt{-1+x}\sqrt{1+x}}{1+x-x^2} dx$	.3503
3.577	$\int \frac{a+bx+cx^2}{\sqrt{d+ex}\sqrt{f+gx}} dx$	.3509
3.578	$\int \frac{(d+ex)^{3/2}(a+bx+cx^2)}{\sqrt{f+gx}} dx$	.3514
3.579	$\int \frac{\sqrt{d+ex}(a+bx+cx^2)}{\sqrt{f+gx}} dx$	.3521
3.580	$\int \frac{a+bx+cx^2}{\sqrt{d+ex}\sqrt{f+gx}} dx$	.3528
3.581	$\int \frac{a+bx+cx^2}{(d+ex)^{3/2}\sqrt{f+gx}} dx$	.3533
3.582	$\int \frac{a+bx+cx^2}{(d+ex)^{5/2}\sqrt{f+gx}} dx$	.3538
3.583	$\int \frac{a+bx+cx^2}{(d+ex)^{7/2}\sqrt{f+gx}} dx$	.3543

3.584	$\int \frac{a+bx+cx^2}{(d+ex)^{9/2} \sqrt{f+gx}} dx$	. . . . .	.3548
3.585	$\int \frac{\sqrt{d+ex} (a+bx+cx^2)}{(e+fx)^{3/2}} dx$	. . . . .	.3554
3.586	$\int \frac{(d+ex)^{3/2} (15d^2+20dex+8e^2x^2)}{\sqrt{a+bx}} dx$	. . . . .	.3560
3.587	$\int \frac{\sqrt{d+ex} (15d^2+20dex+8e^2x^2)}{\sqrt{a+bx}} dx$	. . . . .	.3566
3.588	$\int \frac{15d^2+20dex+8e^2x^2}{\sqrt{a+bx} \sqrt{d+ex}} dx$	. . . . .	.3573
3.589	$\int \frac{15d^2+20dex+8e^2x^2}{\sqrt{a+bx} (d+ex)^{3/2}} dx$	. . . . .	.3578
3.590	$\int \frac{15d^2+20dex+8e^2x^2}{\sqrt{a+bx} (d+ex)^{5/2}} dx$	. . . . .	.3583
3.591	$\int \frac{15d^2+20dex+8e^2x^2}{\sqrt{a+bx} (d+ex)^{7/2}} dx$	. . . . .	.3588
3.592	$\int \frac{15d^2+20dex+8e^2x^2}{\sqrt{a+bx} (d+ex)^{9/2}} dx$	. . . . .	.3592
3.593	$\int \frac{(d+ex)^{3/2}}{\sqrt{f+gx} (a+bx+cx^2)} dx$	. . . . .	.3597
3.594	$\int \frac{\sqrt{d+ex}}{\sqrt{f+gx} (a+bx+cx^2)} dx$	. . . . .	.3602
3.595	$\int \frac{1}{\sqrt{d+ex} \sqrt{f+gx} (a+bx+cx^2)} dx$	. . . . .	.3608
3.596	$\int \frac{1}{(d+ex)^{3/2} \sqrt{f+gx} (a+bx+cx^2)} dx$	. . . . .	.3612
3.597	$\int \frac{(f+gx)^3 \sqrt{a+bx+cx^2}}{d+ex} dx$	. . . . .	.3617
3.598	$\int \frac{(f+gx)^2 \sqrt{a+bx+cx^2}}{d+ex} dx$	. . . . .	.3624
3.599	$\int \frac{(f+gx) \sqrt{a+bx+cx^2}}{d+ex} dx$	. . . . .	.3630
3.600	$\int \frac{\sqrt{a+bx+cx^2}}{d+ex} dx$	. . . . .	.3635
3.601	$\int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)} dx$	. . . . .	.3640
3.602	$\int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)^2} dx$	. . . . .	.3645
3.603	$\int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)^3} dx$	. . . . .	.3651
3.604	$\int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)^4} dx$	. . . . .	.3657
3.605	$\int \frac{(f+gx)^3 (a+bx+cx^2)^{3/2}}{d+ex} dx$	. . . . .	.3663
3.606	$\int \frac{(f+gx)^2 (a+bx+cx^2)^{3/2}}{d+ex} dx$	. . . . .	.3668
3.607	$\int \frac{(f+gx) (a+bx+cx^2)^{3/2}}{d+ex} dx$	. . . . .	.3673

3.608	$\int \frac{(a+bx+cx^2)^{3/2}}{d+ex} dx$	. . . . .	.3680
3.609	$\int \frac{(a+bx+cx^2)^{3/2}}{(d+ex)(f+gx)} dx$	. . . . .	.3686
3.610	$\int \frac{(a+bx+cx^2)^{3/2}}{(d+ex)(f+gx)^2} dx$	. . . . .	.3694
3.611	$\int \frac{(a+bx+cx^2)^{3/2}}{(d+ex)(f+gx)^3} dx$	. . . . .	.3702
3.612	$\int \frac{(a+bx+cx^2)^{5/2}}{(d+ex)(f+gx)} dx$	. . . . .	.3708
3.613	$\int \frac{(f+gx)^4}{(d+ex)\sqrt{a+bx+cx^2}} dx$	. . . . .	.3713
3.614	$\int \frac{(f+gx)^3}{(d+ex)\sqrt{a+bx+cx^2}} dx$	. . . . .	.3719
3.615	$\int \frac{(f+gx)^2}{(d+ex)\sqrt{a+bx+cx^2}} dx$	. . . . .	.3724
3.616	$\int \frac{f+gx}{(d+ex)\sqrt{a+bx+cx^2}} dx$	. . . . .	.3729
3.617	$\int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx$	. . . . .	.3734
3.618	$\int \frac{1}{(d+ex)(f+gx)\sqrt{a+bx+cx^2}} dx$	. . . . .	.3738
3.619	$\int \frac{1}{(d+ex)(f+gx)^2\sqrt{a+bx+cx^2}} dx$	. . . . .	.3743
3.620	$\int \frac{1}{(d+ex)(f+gx)^3\sqrt{a+bx+cx^2}} dx$	. . . . .	.3748
3.621	$\int \frac{(f+gx)^4}{(d+ex)(a+bx+cx^2)^{3/2}} dx$	. . . . .	.3755
3.622	$\int \frac{(f+gx)^3}{(d+ex)(a+bx+cx^2)^{3/2}} dx$	. . . . .	.3762
3.623	$\int \frac{(f+gx)^2}{(d+ex)(a+bx+cx^2)^{3/2}} dx$	. . . . .	.3768
3.624	$\int \frac{f+gx}{(d+ex)(a+bx+cx^2)^{3/2}} dx$	. . . . .	.3774
3.625	$\int \frac{1}{(d+ex)(a+bx+cx^2)^{3/2}} dx$	. . . . .	.3780
3.626	$\int \frac{1}{(d+ex)(f+gx)(a+bx+cx^2)^{3/2}} dx$	. . . . .	.3785
3.627	$\int \frac{1}{(d+ex)(f+gx)^2(a+bx+cx^2)^{3/2}} dx$	. . . . .	.3791
3.628	$\int \frac{1}{(d+ex)(f+gx)^3(a+bx+cx^2)^{3/2}} dx$	. . . . .	.3797
3.629	$\int (d+ex)^m (f+gx)^2 (a+bx+cx^2) dx$	. . . . .	.3809
3.630	$\int (d+ex)^m (f+gx) (a+bx+cx^2) dx$	. . . . .	.3824
3.631	$\int (d+ex)^m (f+gx)^2 (a+bx+cx^2)^2 dx$	. . . . .	.3831

3.632  $\int (d + ex)^m (f + gx) (a + bx + cx^2)^2 dx \dots\dots\dots .3845$

### 3.1 $\int x^2(d + ex)\sqrt{d^2 - e^2x^2} dx$

**Optimal.** Leaf size=132

$$-\frac{dx(d^2 - e^2x^2)^{3/2}}{4e^2} - \frac{d^2(d^2 - e^2x^2)^{3/2}}{3e^3} + \frac{(d^2 - e^2x^2)^{5/2}}{5e^3} + \frac{d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{8e^3} + \frac{d^3x\sqrt{d^2 - e^2x^2}}{8e^2}$$

**Rubi [A]** time = 0.08, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {797, 641, 195, 217, 203}

$$\frac{d^3x\sqrt{d^2 - e^2x^2}}{8e^2} - \frac{d^2(d^2 - e^2x^2)^{3/2}}{3e^3} - \frac{dx(d^2 - e^2x^2)^{3/2}}{4e^2} + \frac{(d^2 - e^2x^2)^{5/2}}{5e^3} + \frac{d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{8e^3}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2],x]

[Out] (d^3\*x\*Sqrt[d^2 - e^2\*x^2])/(8\*e^2) - (d^2\*(d^2 - e^2\*x^2)^(3/2))/(3\*e^3) - (d\*x\*(d^2 - e^2\*x^2)^(3/2))/(4\*e^2) + (d^2 - e^2\*x^2)^(5/2)/(5\*e^3) + (d^5 \*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(8\*e^3)

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /



; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 797

Int[(x\_)^2\*((f\_) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[1/c, Int[(f + g\*x)\*(a + c\*x^2)^(p + 1), x], x] - Dist[a/c, Int[(f + g\*x)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, f, g, p}, x] && EqQ[a\*g^2 + f^2\*c, 0]

### Rubi steps

$$\begin{aligned}
 \int x^2(d+ex)\sqrt{d^2-e^2x^2} dx &= -\frac{\int(d+ex)(d^2-e^2x^2)^{3/2} dx}{e^2} + \frac{d^2 \int(d+ex)\sqrt{d^2-e^2x^2} dx}{e^2} \\
 &= -\frac{d^2(d^2-e^2x^2)^{3/2}}{3e^3} + \frac{(d^2-e^2x^2)^{5/2}}{5e^3} - \frac{d \int(d^2-e^2x^2)^{3/2} dx}{e^2} + \frac{d^3 \int \sqrt{d^2-e^2x^2} dx}{e^2} \\
 &= \frac{d^3x\sqrt{d^2-e^2x^2}}{2e^2} - \frac{d^2(d^2-e^2x^2)^{3/2}}{3e^3} - \frac{dx(d^2-e^2x^2)^{3/2}}{4e^2} + \frac{(d^2-e^2x^2)^{5/2}}{5e^3} - \frac{(3d^3) \int \sqrt{d^2-e^2x^2} dx}{e^2} \\
 &= \frac{d^3x\sqrt{d^2-e^2x^2}}{8e^2} - \frac{d^2(d^2-e^2x^2)^{3/2}}{3e^3} - \frac{dx(d^2-e^2x^2)^{3/2}}{4e^2} + \frac{(d^2-e^2x^2)^{5/2}}{5e^3} - \frac{(3d^5) \int \sqrt{d^2-e^2x^2} dx}{e^2} \\
 &= \frac{d^3x\sqrt{d^2-e^2x^2}}{8e^2} - \frac{d^2(d^2-e^2x^2)^{3/2}}{3e^3} - \frac{dx(d^2-e^2x^2)^{3/2}}{4e^2} + \frac{(d^2-e^2x^2)^{5/2}}{5e^3} + \frac{d^5 \tan^{-1}\left(\frac{ex}{d}\right)}{e^2} \\
 &= \frac{d^3x\sqrt{d^2-e^2x^2}}{8e^2} - \frac{d^2(d^2-e^2x^2)^{3/2}}{3e^3} - \frac{dx(d^2-e^2x^2)^{3/2}}{4e^2} + \frac{(d^2-e^2x^2)^{5/2}}{5e^3} + \frac{d^5 \tan^{-1}\left(\frac{ex}{d}\right)}{e^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 112, normalized size = 0.85

$$\frac{\sqrt{d^2-e^2x^2} \left( 15d^4 \sin^{-1}\left(\frac{ex}{d}\right) + \sqrt{1-\frac{e^2x^2}{d^2}} \left( -16d^4 - 15d^3ex - 8d^2e^2x^2 + 30de^3x^3 + 24e^4x^4 \right) \right)}{120e^3 \sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2], x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(Sqrt[1 - (e^2\*x^2)/d^2]\*(-16\*d^4 - 15\*d^3\*e\*x - 8\*d^2\*e^2\*x^2 + 30\*d\*e^3\*x^3 + 24\*e^4\*x^4) + 15\*d^4\*ArcSin[(e\*x)/d]))/(120\*e^3\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.89, size = 114, normalized size = 0.86

$$\frac{d^5 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{8e^4} + \frac{\sqrt{d^2 - e^2 x^2} (-16d^4 - 15d^3 ex - 8d^2 e^2 x^2 + 30de^3 x^3 + 24e^4 x^4)}{120e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2], x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-16\*d^4 - 15\*d^3\*e\*x - 8\*d^2\*e^2\*x^2 + 30\*d\*e^3\*x^3 + 24\*e^4\*x^4))/(120\*e^3) + (d^5\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(8\*e^4)

**fricas [A]** time = 0.40, size = 95, normalized size = 0.72

$$\frac{30 d^5 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) - (24 e^4 x^4 + 30 d e^3 x^3 - 8 d^2 e^2 x^2 - 15 d^3 e x - 16 d^4) \sqrt{-e^2 x^2 + d^2}}{120 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)\*(-e^2\*x^2+d^2)^(1/2), x, algorithm="fricas")

[Out] -1/120\*(30\*d^5\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (24\*e^4\*x^4 + 30\*d\*e^3\*x^3 - 8\*d^2\*e^2\*x^2 - 15\*d^3\*e\*x - 16\*d^4)\*sqrt(-e^2\*x^2 + d^2))/e^3

**giac [A]** time = 0.26, size = 74, normalized size = 0.56

$$\frac{1}{8} d^5 \arcsin\left(\frac{xe}{d}\right) e^{(-3)} \operatorname{sgn}(d) - \frac{1}{120} (16 d^4 e^{(-3)} + (15 d^3 e^{(-2)} + 2 (4 d^2 e^{(-1)} - 3 (4 x e + 5 d) x) x) \sqrt{-x^2 e^2 + d^2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)\*(-e^2\*x^2+d^2)^(1/2), x, algorithm="giac")

[Out] 1/8\*d^5\*arcsin(x\*e/d)\*e^(-3)\*sgn(d) - 1/120\*(16\*d^4\*e^(-3) + (15\*d^3\*e^(-2) + 2\*(4\*d^2\*e^(-1) - 3\*(4\*x\*e + 5\*d)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple [A]** time = 0.06, size = 125, normalized size = 0.95

$$\frac{d^5 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{8\sqrt{e^2} e^2} + \frac{\sqrt{-e^2 x^2 + d^2} d^3 x}{8e^2} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} x^2}{5e} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} dx}{4e^2} - \frac{2(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2}{15e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(e\*x+d)\*(-e^2\*x^2+d^2)^(1/2), x)

[Out]  $-1/5*x^2*(-e^2*x^2+d^2)^{(3/2)}/e^{-2/15*d^2*(-e^2*x^2+d^2)^{(3/2)}/e^{-3-1/4*d*x*(-e^2*x^2+d^2)^{(3/2)}/e^{2+1/8*d^3*x*(-e^2*x^2+d^2)^{(1/2)}/e^{2+1/8*d^5/e^2/(e^2)^{(1/2)*\arctan((e^2)^{(1/2)*x/(-e^2*x^2+d^2)^{(1/2)}}$

**maxima** [A] time = 0.98, size = 104, normalized size = 0.79

$$\frac{d^5 \arcsin\left(\frac{ex}{d}\right)}{8e^3} + \frac{\sqrt{-e^2x^2 + d^2} d^3 x}{8e^2} - \frac{(-e^2x^2 + d^2)^{\frac{3}{2}} x^2}{5e} - \frac{(-e^2x^2 + d^2)^{\frac{3}{2}} dx}{4e^2} - \frac{2(-e^2x^2 + d^2)^{\frac{3}{2}} d^2}{15e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)*(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out]  $1/8*d^5*\arcsin(e*x/d)/e^3 + 1/8*\sqrt{-e^2*x^2 + d^2}*d^3*x/e^2 - 1/5*(-e^2*x^2 + d^2)^{(3/2)*x^2/e - 1/4*(-e^2*x^2 + d^2)^{(3/2)*d*x/e^2 - 2/15*(-e^2*x^2 + d^2)^{(3/2)*d^2/e^3}$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \sqrt{d^2 - e^2 x^2} (d + ex) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(d^2 - e^2*x^2)^(1/2)*(d + e*x),x)`

[Out] `int(x^2*(d^2 - e^2*x^2)^(1/2)*(d + e*x), x)`

**sympy** [C] time = 5.48, size = 279, normalized size = 2.11

$$d \left( \begin{array}{l} \left( \begin{array}{l} -\frac{id^4 \operatorname{acosh}\left(\frac{ex}{d}\right)}{8e^3} + \frac{id^3 x}{8e^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} - \frac{3idx^3}{8\sqrt{-1 + \frac{e^2 x^2}{d^2}}} + \frac{ie^2 x^5}{4d \sqrt{-1 + \frac{e^2 x^2}{d^2}}} \\ \frac{d^4 \operatorname{asin}\left(\frac{ex}{d}\right)}{8e^3} - \frac{d^3 x}{8e^2 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{3dx^3}{8\sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{e^2 x^5}{4d \sqrt{1 - \frac{e^2 x^2}{d^2}}} \end{array} \right) \text{ for } \left| \frac{e^2 x^2}{d^2} \right| > 1 \\ \text{otherwise} \end{array} \right) + e \left( \begin{array}{l} \left( \begin{array}{l} -\frac{2d^4 \sqrt{d^2 - e^2 x^2}}{15e^4} - \frac{d^2 x^2 \sqrt{d^2 - e^2 x^2}}{15e^2} + \frac{x^4 \sqrt{d^2 - e^2 x^2}}{5} \\ \frac{x^4 \sqrt{d^2}}{4} \end{array} \right) \text{ for } e \neq 0 \\ \text{otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x+d)*(-e**2*x**2+d**2)**(1/2),x)`

[Out] `d*Piecewise((-I*d**4*acosh(e*x/d)/(8*e**3) + I*d**3*x/(8*e**2*sqrt(-1 + e**2*x**2/d**2)) - 3*I*d*x**3/(8*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**5/(4*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**4*asin(e*x/d)/(8*e**3) - d**3*x/(8*e**2*sqrt(1 - e**2*x**2/d**2)) + 3*d*x**3/(8*sqrt(1 - e**2*x**2/d**2)) - e**2*x**5/(4*d*sqrt(1 - e**2*x**2/d**2))), True)) + e*Piecewise((-2*d**4*sqrt(d**2 - e**2*x**2)/(15*e**4) - d**2*x**2*sqrt(d**2 - e**2*x**2)/(15*e**2) + x**4*sqrt(d**2 - e**2*x**2)/5, Ne(e, 0)), (x**4*sqrt(d**2)/4, True))`

$$3.2 \quad \int x^4(d + ex) (d^2 - e^2x^2)^{3/2} dx$$

**Optimal.** Leaf size=201

$$\frac{x^4 (d^2 - e^2x^2)^{5/2}}{9e} - \frac{dx^3 (d^2 - e^2x^2)^{5/2}}{8e^2} - \frac{4d^2x^2 (d^2 - e^2x^2)^{5/2}}{63e^3} + \frac{3d^9 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e^5} + \frac{3d^7x\sqrt{d^2 - e^2x^2}}{128e^4} + \frac{d^5x(d^2 - e^2x^2)^{3/2}}{64e^4}$$

**Rubi [A]** time = 0.15, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {833, 780, 195, 217, 203}

$$\frac{3d^7x\sqrt{d^2 - e^2x^2}}{128e^4} + \frac{d^5x(d^2 - e^2x^2)^{3/2}}{64e^4} - \frac{d^3(128d + 315ex)(d^2 - e^2x^2)^{5/2}}{5040e^5} - \frac{4d^2x^2(d^2 - e^2x^2)^{5/2}}{63e^3} - \frac{dx^3(d^2 - e^2x^2)^{5/2}}{8e^2} - \frac{x^4(d^2 - e^2x^2)^{5/2}}{9e} + \frac{3d^9 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e^5}$$

Antiderivative was successfully verified.

[In] Int[x^4\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out] (3\*d^7\*x\*sqrt[d^2 - e^2\*x^2])/(128\*e^4) + (d^5\*x\*(d^2 - e^2\*x^2)^(3/2))/(64\*e^4) - (4\*d^2\*x^2\*(d^2 - e^2\*x^2)^(5/2))/(63\*e^3) - (d\*x^3\*(d^2 - e^2\*x^2)^(5/2))/(8\*e^2) - (x^4\*(d^2 - e^2\*x^2)^(5/2))/(9\*e) - (d^3\*(128\*d + 315\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(5040\*e^5) + (3\*d^9\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(128\*e^5)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rubi steps

$$\begin{aligned}
\int x^4(d+ex)(d^2-e^2x^2)^{3/2} dx &= -\frac{x^4(d^2-e^2x^2)^{5/2}}{9e} - \frac{\int x^3(-4d^2e-9de^2x)(d^2-e^2x^2)^{3/2} dx}{9e^2} \\
&= -\frac{dx^3(d^2-e^2x^2)^{5/2}}{8e^2} - \frac{x^4(d^2-e^2x^2)^{5/2}}{9e} + \frac{\int x^2(27d^3e^2+32d^2e^3x)(d^2-e^2x^2)^{3/2} dx}{72e^4} \\
&= -\frac{4d^2x^2(d^2-e^2x^2)^{5/2}}{63e^3} - \frac{dx^3(d^2-e^2x^2)^{5/2}}{8e^2} - \frac{x^4(d^2-e^2x^2)^{5/2}}{9e} - \frac{\int x(-64d^4e^3+32d^3e^2x)(d^2-e^2x^2)^{3/2} dx}{72e^4} \\
&= -\frac{4d^2x^2(d^2-e^2x^2)^{5/2}}{63e^3} - \frac{dx^3(d^2-e^2x^2)^{5/2}}{8e^2} - \frac{x^4(d^2-e^2x^2)^{5/2}}{9e} - \frac{d^3(128d+31e^2x)}{5e^4} \\
&= \frac{d^5x(d^2-e^2x^2)^{3/2}}{64e^4} - \frac{4d^2x^2(d^2-e^2x^2)^{5/2}}{63e^3} - \frac{dx^3(d^2-e^2x^2)^{5/2}}{8e^2} - \frac{x^4(d^2-e^2x^2)^{5/2}}{9e} \\
&= \frac{3d^7x\sqrt{d^2-e^2x^2}}{128e^4} + \frac{d^5x(d^2-e^2x^2)^{3/2}}{64e^4} - \frac{4d^2x^2(d^2-e^2x^2)^{5/2}}{63e^3} - \frac{dx^3(d^2-e^2x^2)^{5/2}}{8e^2} \\
&= \frac{3d^7x\sqrt{d^2-e^2x^2}}{128e^4} + \frac{d^5x(d^2-e^2x^2)^{3/2}}{64e^4} - \frac{4d^2x^2(d^2-e^2x^2)^{5/2}}{63e^3} - \frac{dx^3(d^2-e^2x^2)^{5/2}}{8e^2} \\
&= \frac{3d^7x\sqrt{d^2-e^2x^2}}{128e^4} + \frac{d^5x(d^2-e^2x^2)^{3/2}}{64e^4} - \frac{4d^2x^2(d^2-e^2x^2)^{5/2}}{63e^3} - \frac{dx^3(d^2-e^2x^2)^{5/2}}{8e^2}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 157, normalized size = 0.78

$$\frac{\sqrt{d^2 - e^2 x^2} \left( 945 d^8 \sin^{-1} \left( \frac{ex}{d} \right) - \sqrt{1 - \frac{e^2 x^2}{d^2}} \left( 1024 d^8 + 945 d^7 ex + 512 d^6 e^2 x^2 + 630 d^5 e^3 x^3 + 384 d^4 e^4 x^4 - 7560 d^3 e^5 x^5 - 6400 d^2 e^6 x^6 + 5040 d e^7 x^7 + 4480 e^8 x^8 \right) \right)}{40320 e^5 \sqrt{1 - \frac{e^2 x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-(Sqrt[1 - (e^2\*x^2)/d^2])\*(1024\*d^8 + 945\*d^7\*e\*x + 512\*d^6\*e^2\*x^2 + 630\*d^5\*e^3\*x^3 + 384\*d^4\*e^4\*x^4 - 7560\*d^3\*e^5\*x^5 - 6400\*d^2\*e^6\*x^6 + 5040\*d\*e^7\*x^7 + 4480\*e^8\*x^8)) + 945\*d^8\*ArcSin[(e\*x)/d]))/(40320\*e^5\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.50, size = 158, normalized size = 0.79

$$\frac{3d^9 \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right)}{128 e^6} + \frac{\sqrt{d^2 - e^2 x^2} \left( -1024 d^8 - 945 d^7 ex - 512 d^6 e^2 x^2 - 630 d^5 e^3 x^3 - 384 d^4 e^4 x^4 + 7560 d^3 e^5 x^5 + 6400 d^2 e^6 x^6 - 5040 d e^7 x^7 - 4480 e^8 x^8 \right)}{40320 e^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^4\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-1024\*d^8 - 945\*d^7\*e\*x - 512\*d^6\*e^2\*x^2 - 630\*d^5\*e^3\*x^3 - 384\*d^4\*e^4\*x^4 + 7560\*d^3\*e^5\*x^5 + 6400\*d^2\*e^6\*x^6 - 5040\*d\*e^7\*x^7 - 4480\*e^8\*x^8))/(40320\*e^5) + (3\*d^9\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(128\*e^6)

**fricas [A]** time = 0.40, size = 138, normalized size = 0.69

$$\frac{1890 d^9 \arctan \left( -\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex} \right) + (4480 e^8 x^8 + 5040 d e^7 x^7 - 6400 d^2 e^6 x^6 - 7560 d^3 e^5 x^5 + 384 d^4 e^4 x^4 + 630 d^5 e^3 x^3 + 512 d^6 e^2 x^2 + 945 d^7 ex + 1024 d^8) \sqrt{-e^2 x^2 + d^2}}{40320 e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2), x, algorithm="fricas")

[Out] -1/40320\*(1890\*d^9\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (4480\*e^8\*x^8 + 5040\*d\*e^7\*x^7 - 6400\*d^2\*e^6\*x^6 - 7560\*d^3\*e^5\*x^5 + 384\*d^4\*e^4\*x^4 + 630\*d^5\*e^3\*x^3 + 512\*d^6\*e^2\*x^2 + 945\*d^7\*e\*x + 1024\*d^8)\*sqrt(-e^2\*x^2 + d^2))/e^5

**giac [A]** time = 0.22, size = 117, normalized size = 0.58

$$\frac{3}{128} d^9 \arcsin \left( \frac{xe}{d} \right) e^{(-5) \operatorname{sgn}(d)} - \frac{1}{40320} \left( 1024 d^8 e^{(-5)} + (945 d^7 e^{(-4)} + 2(256 d^6 e^{(-3)} + (315 d^5 e^{(-2)} + 4(48 d^4 e^{(-1)} - 5(189 d^3 + 2(80 d^2 e - 7(8 x e^2 + 9 d e^2)x)x)x)x)x) \sqrt{-x^2 e^2 + d^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] 3/128\*d^9\*arcsin(x\*e/d)\*e^(-5)\*sgn(d) - 1/40320\*(1024\*d^8\*e^(-5) + (945\*d^7\*e^(-4) + 2\*(256\*d^6\*e^(-3) + (315\*d^5\*e^(-2) + 4\*(48\*d^4\*e^(-1) - 5\*(189\*d^3 + 2\*(80\*d^2\*e - 7\*(8\*x\*e^3 + 9\*d\*e^2)\*x)\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple [A]** time = 0.04, size = 198, normalized size = 0.99

$$\frac{3d^9 \arctan\left(\frac{\sqrt{e^2 x}}{\sqrt{-e^2 x^2 + d^2}}\right)}{128\sqrt{e^2} e^4} + \frac{3\sqrt{-e^2 x^2 + d^2} d^7 x}{128e^4} - \frac{(-e^2 x^2 + d^2)^{5/2} x^4}{9e} + \frac{(-e^2 x^2 + d^2)^{3/2} d^5 x}{64e^4} - \frac{(-e^2 x^2 + d^2)^{5/2} d x^3}{8e^2} - \frac{4(-e^2 x^2 + d^2)^{5/2} d^2 x^2}{63e^3} - \frac{(-e^2 x^2 + d^2)^{5/2} d^3 x}{16e^4} - \frac{8(-e^2 x^2 + d^2)^{5/2} d^4}{315e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2),x)

[Out] -1/9\*x^4\*(-e^2\*x^2+d^2)^(5/2)/e-4/63\*d^2\*x^2\*(-e^2\*x^2+d^2)^(5/2)/e^3-8/315\*d^4/e^5\*(-e^2\*x^2+d^2)^(5/2)-1/8\*d\*x^3\*(-e^2\*x^2+d^2)^(5/2)/e^2-1/16\*d^3/e^4\*x\*(-e^2\*x^2+d^2)^(5/2)+1/64\*d^5\*x\*(-e^2\*x^2+d^2)^(3/2)/e^4+3/128\*d^7\*x\*(-e^2\*x^2+d^2)^(1/2)/e^4+3/128\*d^9/e^4/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)

**maxima [A]** time = 0.99, size = 177, normalized size = 0.88

$$\frac{(-e^2 x^2 + d^2)^{5/2} x^4}{9e} + \frac{3d^9 \arcsin\left(\frac{ex}{d}\right)}{128e^5} + \frac{3\sqrt{-e^2 x^2 + d^2} d^7 x}{128e^4} - \frac{(-e^2 x^2 + d^2)^{5/2} d x^3}{8e^2} + \frac{(-e^2 x^2 + d^2)^{3/2} d^5 x}{64e^4} - \frac{4(-e^2 x^2 + d^2)^{5/2} d^2 x^2}{63e^3} - \frac{(-e^2 x^2 + d^2)^{5/2} d^3 x}{16e^4} - \frac{8(-e^2 x^2 + d^2)^{5/2} d^4}{315e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out] -1/9\*(-e^2\*x^2 + d^2)^(5/2)\*x^4/e + 3/128\*d^9\*arcsin(e\*x/d)/e^5 + 3/128\*sqrt(-e^2\*x^2 + d^2)\*d^7\*x/e^4 - 1/8\*(-e^2\*x^2 + d^2)^(5/2)\*d\*x^3/e^2 + 1/64\*(-e^2\*x^2 + d^2)^(3/2)\*d^5\*x/e^4 - 4/63\*(-e^2\*x^2 + d^2)^(5/2)\*d^2\*x^2/e^3 - 1/16\*(-e^2\*x^2 + d^2)^(5/2)\*d^3\*x/e^4 - 8/315\*(-e^2\*x^2 + d^2)^(5/2)\*d^4/e^5

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 (d^2 - e^2 x^2)^{3/2} (d + ex) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x),x)

[Out] int(x^4\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x), x)

sympy [C] time = 17.83, size = 830, normalized size = 4.13

$$\int \left( \frac{\frac{d^2 \operatorname{acosh}\left(\frac{x}{d}\right)}{16d^2} + \frac{d^2 x}{16d^2 \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{d^2 x^2}{64d^2 \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{7d^2 x^3}{24d^2 \sqrt{-1 + \frac{x^2}{d^2}}} + \frac{d^2 x^4}{64d^2 \sqrt{-1 + \frac{x^2}{d^2}}} \operatorname{for} \left| \frac{x}{d} \right| > 1 \right)}{\left( \frac{d^2 \operatorname{asin}\left(\frac{x}{d}\right)}{16d^2} - \frac{d^2 x}{16d^2 \sqrt{1 - \frac{x^2}{d^2}}} + \frac{d^2 x^2}{64d^2 \sqrt{1 - \frac{x^2}{d^2}}} - \frac{7d^2 x^3}{24d^2 \sqrt{1 - \frac{x^2}{d^2}}} + \frac{d^2 x^4}{64d^2 \sqrt{1 - \frac{x^2}{d^2}}} \operatorname{for} \left| \frac{x}{d} \right| < 1 \right)} \right) dx = \frac{d^2 \sqrt{\frac{x^2}{d^2} - 1}}{16d^2} \left( \frac{d^2 \operatorname{acosh}\left(\frac{x}{d}\right)}{16d^2} + \frac{d^2 x}{128d^2 \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{d^2 x^2}{384d^2 \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{7d^2 x^3}{192d^2 \sqrt{-1 + \frac{x^2}{d^2}}} + \frac{d^2 x^4}{64d^2 \sqrt{-1 + \frac{x^2}{d^2}}} \operatorname{for} \left| \frac{x}{d} \right| > 1 \right) - \frac{d^2 \sqrt{1 - \frac{x^2}{d^2}}}{16d^2} \left( \frac{d^2 \operatorname{asin}\left(\frac{x}{d}\right)}{16d^2} - \frac{d^2 x}{128d^2 \sqrt{1 - \frac{x^2}{d^2}}} + \frac{d^2 x^2}{384d^2 \sqrt{1 - \frac{x^2}{d^2}}} - \frac{7d^2 x^3}{192d^2 \sqrt{1 - \frac{x^2}{d^2}}} + \frac{d^2 x^4}{64d^2 \sqrt{1 - \frac{x^2}{d^2}}} \operatorname{for} \left| \frac{x}{d} \right| < 1 \right) + \frac{d^2 \sqrt{d^2 - x^2}}{105e^{**6}} - \frac{4d^2 x^2 \sqrt{d^2 - x^2}}{(105e^{**4})} - \frac{d^2 x^4 \sqrt{d^2 - x^2}}{(35e^{**2})} + \frac{x^6 \sqrt{d^2 - x^2}}{7}, \operatorname{Ne}(e, 0)), \left( \frac{x^6 \sqrt{d^2}}{6}, \operatorname{True} \right) - \frac{d^2 e^{**2} \sqrt{d^2 - x^2}}{16d^2} \left( \frac{-5d^2 \operatorname{acosh}\left(\frac{x}{d}\right)}{128e^{**7}} + \frac{5d^2 x}{128e^{**6} \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{5d^2 x^3}{384e^{**4} \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{d^2 x^5}{192e^{**2} \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{7d^2 x^7}{48 \sqrt{-1 + \frac{x^2}{d^2}}} + \frac{d^2 x^9}{8d^2 \sqrt{-1 + \frac{x^2}{d^2}}} \operatorname{for} \left| \frac{x}{d} \right| > 1 \right) + \frac{5d^2 x^8 \operatorname{asin}\left(\frac{x}{d}\right)}{128e^{**7}} - \frac{5d^2 x^7}{128e^{**6} \sqrt{1 - \frac{x^2}{d^2}}} + \frac{5d^2 x^5 x^3}{384e^{**4} \sqrt{1 - \frac{x^2}{d^2}}} + \frac{d^2 x^3 x^5}{192e^{**2} \sqrt{1 - \frac{x^2}{d^2}}} + \frac{7d^2 x^7}{48 \sqrt{1 - \frac{x^2}{d^2}}} - \frac{d^2 x^9}{8d^2 \sqrt{1 - \frac{x^2}{d^2}}} \operatorname{for} \left| \frac{x}{d} \right| < 1 \right) - \frac{e^{**3} \sqrt{d^2 - x^2}}{16d^2} \left( \frac{-16d^2 \sqrt{d^2 - x^2}}{315e^{**8}} - \frac{8d^2 x^2 \sqrt{d^2 - x^2}}{315e^{**6}} - \frac{2d^2 x^4 \sqrt{d^2 - x^2}}{(105e^{**4})} - \frac{d^2 x^6 \sqrt{d^2 - x^2}}{(63e^{**2})} + \frac{x^8 \sqrt{d^2 - x^2}}{9}, \operatorname{Ne}(e, 0)), \left( \frac{x^8 \sqrt{d^2}}{8}, \operatorname{True} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(e\*x+d)\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2), x)

[Out] d\*\*3\*Piecewise((-I\*d\*\*6\*acosh(e\*x/d)/(16\*e\*\*5) + I\*d\*\*5\*x/(16\*e\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - I\*d\*\*3\*x\*\*3/(48\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 5\*I\*d\*x\*\*5/(24\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*7/(6\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*6\*asin(e\*x/d)/(16\*e\*\*5) - d\*\*5\*x/(16\*e\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + d\*\*3\*x\*\*3/(48\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 5\*d\*x\*\*5/(24\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*7/(6\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) + d\*\*2\*e\*Piecewise((-8\*d\*\*6\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(105\*e\*\*6) - 4\*d\*\*4\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(105\*e\*\*4) - d\*\*2\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(35\*e\*\*2) + x\*\*6\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/7, Ne(e, 0)), (x\*\*6\*sqrt(d\*\*2)/6, True)) - d\*e\*\*2\*Piecewise((-5\*I\*d\*\*8\*acosh(e\*x/d)/(128\*e\*\*7) + 5\*I\*d\*\*7\*x/(128\*e\*\*6\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 5\*I\*d\*\*5\*x\*\*3/(384\*e\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - I\*d\*\*3\*x\*\*5/(192\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 7\*I\*d\*x\*\*7/(48\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*9/(8\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (5\*d\*\*8\*asin(e\*x/d)/(128\*e\*\*7) - 5\*d\*\*7\*x/(128\*e\*\*6\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 5\*d\*\*5\*x\*\*3/(384\*e\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + d\*\*3\*x\*\*5/(192\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 7\*d\*x\*\*7/(48\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*9/(8\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) - e\*\*3\*Piecewise((-16\*d\*\*8\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(315\*e\*\*8) - 8\*d\*\*6\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(315\*e\*\*6) - 2\*d\*\*4\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(105\*e\*\*4) - d\*\*2\*x\*\*6\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(63\*e\*\*2) + x\*\*8\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/9, Ne(e, 0)), (x\*\*8\*sqrt(d\*\*2)/8, True))



### 3.3 $\int x^3(d + ex)(d^2 - e^2x^2)^{3/2} dx$

**Optimal.** Leaf size=172

$$\frac{dx^2(d^2 - e^2x^2)^{5/2}}{7e^2} - \frac{x^3(d^2 - e^2x^2)^{5/2}}{8e} - \frac{d^2(32d + 35ex)(d^2 - e^2x^2)^{5/2}}{560e^4} + \frac{3d^8 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e^4} + \frac{3d^6x\sqrt{d^2 - e^2x^2}}{128e^3} +$$

**Rubi [A]** time = 0.10, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {833, 780, 195, 217, 203}

$$\frac{3d^6x\sqrt{d^2 - e^2x^2}}{128e^3} + \frac{d^4x(d^2 - e^2x^2)^{3/2}}{64e^3} - \frac{d^2(32d + 35ex)(d^2 - e^2x^2)^{5/2}}{560e^4} - \frac{dx^2(d^2 - e^2x^2)^{5/2}}{7e^2} - \frac{x^3(d^2 - e^2x^2)^{5/2}}{8e} + \frac{3d^8 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e^4}$$

Antiderivative was successfully verified.

[In] Int[x^3\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out] (3\*d^6\*x\*Sqrt[d^2 - e^2\*x^2])/(128\*e^3) + (d^4\*x\*(d^2 - e^2\*x^2)^(3/2))/(64\*e^3) - (d\*x^2\*(d^2 - e^2\*x^2)^(5/2))/(7\*e^2) - (x^3\*(d^2 - e^2\*x^2)^(5/2))/(8\*e) - (d^2\*(32\*d + 35\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(560\*e^4) + (3\*d^8\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(128\*e^4)

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^(m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rubi steps

$$\begin{aligned}
\int x^3(d+ex)(d^2-e^2x^2)^{3/2} dx &= -\frac{x^3(d^2-e^2x^2)^{5/2}}{8e} - \frac{\int x^2(-3d^2e-8de^2x)(d^2-e^2x^2)^{3/2} dx}{8e^2} \\
&= -\frac{dx^2(d^2-e^2x^2)^{5/2}}{7e^2} - \frac{x^3(d^2-e^2x^2)^{5/2}}{8e} + \frac{\int x(16d^3e^2+21d^2e^3x)(d^2-e^2x^2)^{3/2}}{56e^4} \\
&= -\frac{dx^2(d^2-e^2x^2)^{5/2}}{7e^2} - \frac{x^3(d^2-e^2x^2)^{5/2}}{8e} - \frac{d^2(32d+35ex)(d^2-e^2x^2)^{5/2}}{560e^4} + \frac{d^4 \int (d^2-e^2x^2)^{3/2}}{560e^4} \\
&= \frac{d^4x(d^2-e^2x^2)^{3/2}}{64e^3} - \frac{dx^2(d^2-e^2x^2)^{5/2}}{7e^2} - \frac{x^3(d^2-e^2x^2)^{5/2}}{8e} - \frac{d^2(32d+35ex)(d^2-e^2x^2)^{5/2}}{560e^4} \\
&= \frac{3d^6x\sqrt{d^2-e^2x^2}}{128e^3} + \frac{d^4x(d^2-e^2x^2)^{3/2}}{64e^3} - \frac{dx^2(d^2-e^2x^2)^{5/2}}{7e^2} - \frac{x^3(d^2-e^2x^2)^{5/2}}{8e} \\
&= \frac{3d^6x\sqrt{d^2-e^2x^2}}{128e^3} + \frac{d^4x(d^2-e^2x^2)^{3/2}}{64e^3} - \frac{dx^2(d^2-e^2x^2)^{5/2}}{7e^2} - \frac{x^3(d^2-e^2x^2)^{5/2}}{8e} \\
&= \frac{3d^6x\sqrt{d^2-e^2x^2}}{128e^3} + \frac{d^4x(d^2-e^2x^2)^{3/2}}{64e^3} - \frac{dx^2(d^2-e^2x^2)^{5/2}}{7e^2} - \frac{x^3(d^2-e^2x^2)^{5/2}}{8e}
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 146, normalized size = 0.85

$$\frac{\sqrt{d^2-e^2x^2} \left( 105d^7 \sin^{-1}\left(\frac{ex}{d}\right) - \sqrt{1-\frac{e^2x^2}{d^2}} \left( 256d^7 + 105d^6ex + 128d^5e^2x^2 + 70d^4e^3x^3 - 1024d^3e^4x^4 - 840d^2e^5x^5 + 640de^6x^6 + 560e^7x^7 \right) \right)}{4480e^4\sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-(Sqrt[1 - (e^2\*x^2)/d^2]\*(256\*d^7 + 105\*d^6\*e\*x + 128\*d^5\*e^2\*x^2 + 70\*d^4\*e^3\*x^3 - 1024\*d^3\*e^4\*x^4 - 840\*d^2\*e^5\*x^5 + 640\*d\*e^6\*x^6 + 560\*e^7\*x^7)) + 105\*d^7\*ArcSin[(e\*x)/d]))/(4480\*e^4\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.46, size = 147, normalized size = 0.85

$$\frac{3d^8\sqrt{-e^2}\log\left(\frac{\sqrt{d^2-e^2x^2}-\sqrt{-e^2}x}{128e^5}\right)+\sqrt{d^2-e^2x^2}\left(\frac{-256d^7-105d^6ex-128d^5e^2x^2-70d^4e^3x^3+1024d^3e^4x^4+840d^2e^5x^5-640de^6x^6-560e^7x^7}{4480e^4}\right)}{4480e^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-256\*d^7 - 105\*d^6\*e\*x - 128\*d^5\*e^2\*x^2 - 70\*d^4\*e^3\*x^3 + 1024\*d^3\*e^4\*x^4 + 840\*d^2\*e^5\*x^5 - 640\*d\*e^6\*x^6 - 560\*e^7\*x^7))/(4480\*e^4) + (3\*d^8\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(128\*e^5)

**fricas [A]** time = 0.41, size = 127, normalized size = 0.74

$$\frac{210d^8\arctan\left(\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right)+(560e^7x^7+640de^6x^6-840d^2e^5x^5-1024d^3e^4x^4+70d^4e^3x^3+128d^5e^2x^2+105d^6ex+256d^7)\sqrt{-e^2x^2+d^2}}{4480e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] -1/4480\*(210\*d^8\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (560\*e^7\*x^7 + 640\*d\*e^6\*x^6 - 840\*d^2\*e^5\*x^5 - 1024\*d^3\*e^4\*x^4 + 70\*d^4\*e^3\*x^3 + 128\*d^5\*e^2\*x^2 + 105\*d^6\*e\*x + 256\*d^7)\*sqrt(-e^2\*x^2 + d^2))/e^4

**giac [A]** time = 0.23, size = 106, normalized size = 0.62

$$\frac{3}{128}d^8\arcsin\left(\frac{xe}{d}\right)e^{(-4)\operatorname{sgn}(d)}-\frac{1}{4480}\left(256d^7e^{(-4)}+(105d^6e^{(-3)}+2(64d^5e^{(-2)}+(35d^4e^{(-1)}-4(128d^3+5(21d^2e-2(7xe^3+8de^2)x)x)x)x)\sqrt{-x^2e^2+d^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] 3/128\*d^8\*arcsin(x\*e/d)\*e^(-4)\*sgn(d) - 1/4480\*(256\*d^7\*e^(-4) + (105\*d^6\*e^(-3) + 2\*(64\*d^5\*e^(-2) + (35\*d^4\*e^(-1) - 4\*(128\*d^3 + 5\*(21\*d^2\*e - 2\*(7\*x\*e^3 + 8\*d\*e^2)\*x)\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple [A]** time = 0.02, size = 173, normalized size = 1.01

$$\frac{3d^8 \arctan\left(\frac{\sqrt{e^2 x}}{\sqrt{-e^2 x^2 + d^2}}\right)}{128\sqrt{e^2} e^3} + \frac{3\sqrt{-e^2 x^2 + d^2} d^6 x}{128e^3} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d^4 x}{64e^3} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} x^3}{8e} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d x^2}{7e^2} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d^2 x}{16e^3} - \frac{2(-e^2 x^2 + d^2)^{\frac{5}{2}} d^3}{35e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2), x)

[Out] -1/8\*x^3\*(-e^2\*x^2+d^2)^(5/2)/e-1/16\*d^2/e^3\*x\*(-e^2\*x^2+d^2)^(5/2)+1/64\*d^4\*x\*(-e^2\*x^2+d^2)^(3/2)/e^3+3/128\*d^6\*x\*(-e^2\*x^2+d^2)^(1/2)/e^3+3/128\*d^8/e^3/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)-1/7\*d\*x^2\*(-e^2\*x^2+d^2)^(5/2)/e^2-2/35\*d^3/e^4\*(-e^2\*x^2+d^2)^(5/2)

**maxima [A]** time = 0.98, size = 152, normalized size = 0.88

$$\frac{3d^8 \arcsin\left(\frac{ex}{d}\right)}{128e^4} + \frac{3\sqrt{-e^2 x^2 + d^2} d^6 x}{128e^3} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} x^3}{8e} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d^4 x}{64e^3} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d x^2}{7e^2} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d^2 x}{16e^3} - \frac{2(-e^2 x^2 + d^2)^{\frac{5}{2}} d^3}{35e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2), x, algorithm="maxima")

[Out] 3/128\*d^8\*arcsin(e\*x/d)/e^4 + 3/128\*sqrt(-e^2\*x^2 + d^2)\*d^6\*x/e^3 - 1/8\*(-e^2\*x^2 + d^2)^(5/2)\*x^3/e + 1/64\*(-e^2\*x^2 + d^2)^(3/2)\*d^4\*x/e^3 - 1/7\*(-e^2\*x^2 + d^2)^(5/2)\*d\*x^2/e^2 - 1/16\*(-e^2\*x^2 + d^2)^(5/2)\*d^2\*x/e^3 - 2/35\*(-e^2\*x^2 + d^2)^(5/2)\*d^3/e^4

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (d^2 - e^2 x^2)^{3/2} (d + ex) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x), x)

[Out] int(x^3\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x), x)

**sympy [A]** time = 17.17, size = 775, normalized size = 4.51

$$d^4 \left( \begin{cases} \frac{3\sqrt{e^2 x^2 + d^2}}{128e^4} + \frac{3\sqrt{-e^2 x^2 + d^2}}{128e^3} + \frac{3\sqrt{-e^2 x^2 + d^2}}{128e^3} & \text{for } e \neq 0 \\ \frac{3\sqrt{-e^2 x^2 + d^2}}{128e^3} & \text{otherwise} \end{cases} + d^2 \left( \begin{cases} \frac{d^8 \operatorname{arcsinh}\left(\frac{x}{d}\right)}{128e^4} + \frac{d^6 x}{128e^3 \sqrt{-e^2 x^2 + d^2}} - \frac{d^6 x}{64e^3 \sqrt{-e^2 x^2 + d^2}} + \frac{d^4 x^3}{24e^3 \sqrt{-e^2 x^2 + d^2}} + \frac{d^4 x^3}{24e^3 \sqrt{-e^2 x^2 + d^2}} & \text{for } |x/d| > 1 \\ \frac{d^8 \operatorname{arcsin}\left(\frac{x}{d}\right)}{128e^4} - \frac{d^6 x}{128e^3 \sqrt{-e^2 x^2 + d^2}} + \frac{d^6 x}{64e^3 \sqrt{-e^2 x^2 + d^2}} - \frac{d^4 x^3}{24e^3 \sqrt{-e^2 x^2 + d^2}} + \frac{d^4 x^3}{24e^3 \sqrt{-e^2 x^2 + d^2}} & \text{otherwise} \end{cases} \right) - d^2 \left( \begin{cases} \frac{3\sqrt{e^2 x^2 + d^2}}{128e^4} + \frac{3\sqrt{-e^2 x^2 + d^2}}{128e^3} + \frac{3\sqrt{-e^2 x^2 + d^2}}{128e^3} & \text{for } e \neq 0 \\ \frac{3\sqrt{-e^2 x^2 + d^2}}{128e^3} & \text{otherwise} \end{cases} - d^2 \left( \begin{cases} \frac{d^8 \operatorname{arcsinh}\left(\frac{x}{d}\right)}{128e^4} + \frac{d^6 x}{128e^3 \sqrt{-e^2 x^2 + d^2}} - \frac{d^6 x}{64e^3 \sqrt{-e^2 x^2 + d^2}} + \frac{d^4 x^3}{24e^3 \sqrt{-e^2 x^2 + d^2}} + \frac{d^4 x^3}{24e^3 \sqrt{-e^2 x^2 + d^2}} & \text{for } |x/d| > 1 \\ \frac{d^8 \operatorname{arcsin}\left(\frac{x}{d}\right)}{128e^4} - \frac{d^6 x}{128e^3 \sqrt{-e^2 x^2 + d^2}} + \frac{d^6 x}{64e^3 \sqrt{-e^2 x^2 + d^2}} - \frac{d^4 x^3}{24e^3 \sqrt{-e^2 x^2 + d^2}} + \frac{d^4 x^3}{24e^3 \sqrt{-e^2 x^2 + d^2}} & \text{otherwise} \end{cases} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(e\*x+d)\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2), x)

```
[Out] d**3*Piecewise((-2*d**4*sqrt(d**2 - e**2*x**2)/(15*e**4) - d**2*x**2*sqrt(d
**2 - e**2*x**2)/(15*e**2) + x**4*sqrt(d**2 - e**2*x**2)/5, Ne(e, 0)), (x**
4*sqrt(d**2)/4, True)) + d**2*e*Piecewise((-I*d**6*acosh(e*x/d)/(16*e**5) +
I*d**5*x/(16*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**3/(48*e**2*sqrt(-
1 + e**2*x**2/d**2)) - 5*I*d*x**5/(24*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x
**7/(6*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**6*asin(e
*x/d)/(16*e**5) - d**5*x/(16*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**3/(48
*e**2*sqrt(1 - e**2*x**2/d**2)) + 5*d*x**5/(24*sqrt(1 - e**2*x**2/d**2)) -
e**2*x**7/(6*d*sqrt(1 - e**2*x**2/d**2)), True)) - d*e**2*Piecewise((-8*d**
6*sqrt(d**2 - e**2*x**2)/(105*e**6) - 4*d**4*x**2*sqrt(d**2 - e**2*x**2)/(1
05*e**4) - d**2*x**4*sqrt(d**2 - e**2*x**2)/(35*e**2) + x**6*sqrt(d**2 - e
**2*x**2)/7, Ne(e, 0)), (x**6*sqrt(d**2)/6, True)) - e**3*Piecewise((-5*I*d*
**8*acosh(e*x/d)/(128*e**7) + 5*I*d**7*x/(128*e**6*sqrt(-1 + e**2*x**2/d**2)
) - 5*I*d**5*x**3/(384*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**5/(192*e
**2*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d*x**7/(48*sqrt(-1 + e**2*x**2/d**2))
+ I*e**2*x**9/(8*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (5
*d**8*asin(e*x/d)/(128*e**7) - 5*d**7*x/(128*e**6*sqrt(1 - e**2*x**2/d**2))
+ 5*d**5*x**3/(384*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**5/(192*e**2*sq
rt(1 - e**2*x**2/d**2)) + 7*d*x**7/(48*sqrt(1 - e**2*x**2/d**2)) - e**2*x**
9/(8*d*sqrt(1 - e**2*x**2/d**2)), True))
```

### 3.4 $\int x^2(d + ex)(d^2 - e^2x^2)^{3/2} dx$

**Optimal.** Leaf size=159

$$\frac{dx(d^2 - e^2x^2)^{5/2}}{6e^2} - \frac{d^2(d^2 - e^2x^2)^{5/2}}{5e^3} + \frac{(d^2 - e^2x^2)^{7/2}}{7e^3} + \frac{d^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^3} + \frac{d^5x\sqrt{d^2 - e^2x^2}}{16e^2} + \frac{d^3x(d^2 - e^2x^2)^{3/2}}{24e^2}$$

**Rubi [A]** time = 0.11, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {797, 641, 195, 217, 203}

$$\frac{d^5x\sqrt{d^2 - e^2x^2}}{16e^2} + \frac{d^3x(d^2 - e^2x^2)^{3/2}}{24e^2} - \frac{d^2(d^2 - e^2x^2)^{5/2}}{5e^3} - \frac{dx(d^2 - e^2x^2)^{5/2}}{6e^2} + \frac{(d^2 - e^2x^2)^{7/2}}{7e^3} + \frac{d^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^3}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out] (d^5\*x\*Sqrt[d^2 - e^2\*x^2])/(16\*e^2) + (d^3\*x\*(d^2 - e^2\*x^2)^(3/2))/(24\*e^2) - (d^2\*(d^2 - e^2\*x^2)^(5/2))/(5\*e^3) - (d\*x\*(d^2 - e^2\*x^2)^(5/2))/(6\*e^2) + (d^2 - e^2\*x^2)^(7/2)/(7\*e^3) + (d^7\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(16\*e^3)

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 641

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

### Rule 797

```
Int[(x_)^2*((f_) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dis
t[1/c, Int[(f + g*x)*(a + c*x^2)^(p + 1), x], x] - Dist[a/c, Int[(f + g*x)*
(a + c*x^2)^p, x], x] /; FreeQ[{a, c, f, g, p}, x] && EqQ[a*g^2 + f^2*c, 0]
```

### Rubi steps

$$\begin{aligned}
\int x^2(d+ex)(d^2-e^2x^2)^{3/2} dx &= -\frac{\int(d+ex)(d^2-e^2x^2)^{5/2} dx}{e^2} + \frac{d^2 \int(d+ex)(d^2-e^2x^2)^{3/2} dx}{e^2} \\
&= -\frac{d^2(d^2-e^2x^2)^{5/2}}{5e^3} + \frac{(d^2-e^2x^2)^{7/2}}{7e^3} - \frac{d \int(d^2-e^2x^2)^{5/2} dx}{e^2} + \frac{d^3 \int(d^2-e^2x^2)^{3/2} dx}{e^2} \\
&= \frac{d^3x(d^2-e^2x^2)^{3/2}}{4e^2} - \frac{d^2(d^2-e^2x^2)^{5/2}}{5e^3} - \frac{dx(d^2-e^2x^2)^{5/2}}{6e^2} + \frac{(d^2-e^2x^2)^{7/2}}{7e^3} - \frac{d^3 \int(d^2-e^2x^2)^{3/2} dx}{e^2} \\
&= \frac{3d^5x\sqrt{d^2-e^2x^2}}{8e^2} + \frac{d^3x(d^2-e^2x^2)^{3/2}}{24e^2} - \frac{d^2(d^2-e^2x^2)^{5/2}}{5e^3} - \frac{dx(d^2-e^2x^2)^{5/2}}{6e^2} + \frac{d^3 \int(d^2-e^2x^2)^{3/2} dx}{e^2} \\
&= \frac{d^5x\sqrt{d^2-e^2x^2}}{16e^2} + \frac{d^3x(d^2-e^2x^2)^{3/2}}{24e^2} - \frac{d^2(d^2-e^2x^2)^{5/2}}{5e^3} - \frac{dx(d^2-e^2x^2)^{5/2}}{6e^2} + \frac{d^3 \int(d^2-e^2x^2)^{3/2} dx}{e^2} \\
&= \frac{d^5x\sqrt{d^2-e^2x^2}}{16e^2} + \frac{d^3x(d^2-e^2x^2)^{3/2}}{24e^2} - \frac{d^2(d^2-e^2x^2)^{5/2}}{5e^3} - \frac{dx(d^2-e^2x^2)^{5/2}}{6e^2} + \frac{d^3 \int(d^2-e^2x^2)^{3/2} dx}{e^2} \\
&= \frac{d^5x\sqrt{d^2-e^2x^2}}{16e^2} + \frac{d^3x(d^2-e^2x^2)^{3/2}}{24e^2} - \frac{d^2(d^2-e^2x^2)^{5/2}}{5e^3} - \frac{dx(d^2-e^2x^2)^{5/2}}{6e^2} + \frac{d^3 \int(d^2-e^2x^2)^{3/2} dx}{e^2}
\end{aligned}$$

**Mathematica [A]** time = 0.17, size = 135, normalized size = 0.85

$$\frac{\sqrt{d^2-e^2x^2} \left( 105d^6 \sin^{-1}\left(\frac{ex}{d}\right) - \sqrt{1-\frac{e^2x^2}{d^2}} \left( 96d^6 + 105d^5ex + 48d^4e^2x^2 - 490d^3e^3x^3 - 384d^2e^4x^4 + 280de^5x^5 + 240e^6x^6 \right) \right)}{1680e^3 \sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out]  $(\sqrt{d^2 - e^2 x^2}) * (-(\sqrt{1 - (e^2 x^2)/d^2}) * (96 d^6 + 105 d^5 e x + 48 d^4 e^2 x^2 - 490 d^3 e^3 x^3 - 384 d^2 e^4 x^4 + 280 d e^5 x^5 + 240 e^6 x^6)) + 105 d^6 \operatorname{ArcSin}[(e x)/d]) / (1680 e^3 \sqrt{1 - (e^2 x^2)/d^2})$

**IntegrateAlgebraic [A]** time = 0.45, size = 136, normalized size = 0.86

$$\frac{d^7 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{16e^4} + \frac{\sqrt{d^2 - e^2 x^2} (-96d^6 - 105d^5 ex - 48d^4 e^2 x^2 + 490d^3 e^3 x^3 + 384d^2 e^4 x^4 - 280de^5 x^5 - 240e^6 x^6)}{1680e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out]  $(\sqrt{d^2 - e^2 x^2}) * (-96 d^6 - 105 d^5 e x - 48 d^4 e^2 x^2 + 490 d^3 e^3 x^3 + 384 d^2 e^4 x^4 - 280 d e^5 x^5 - 240 e^6 x^6) / (1680 e^3) + (d^7 \sqrt{-e^2} * \operatorname{Log}[-(\sqrt{-e^2} x) + \sqrt{d^2 - e^2 x^2}]) / (16 e^4)$

**fricas [A]** time = 0.40, size = 116, normalized size = 0.73

$$\frac{210 d^7 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) + (240 e^6 x^6 + 280 d e^5 x^5 - 384 d^2 e^4 x^4 - 490 d^3 e^3 x^3 + 48 d^4 e^2 x^2 + 105 d^5 ex + 96 d^6) \sqrt{-e^2 x^2 + d^2}}{1680 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2), x, algorithm="fricas")

[Out]  $-1/1680 * (210 d^7 \arctan(-(d - \sqrt{-e^2 x^2 + d^2})/(e x)) + (240 e^6 x^6 + 280 d e^5 x^5 - 384 d^2 e^4 x^4 - 490 d^3 e^3 x^3 + 48 d^4 e^2 x^2 + 105 d^5 e x + 96 d^6) \sqrt{-e^2 x^2 + d^2}) / e^3$

**giac [A]** time = 0.23, size = 96, normalized size = 0.60

$$\frac{1}{16} d^7 \arcsin\left(\frac{x e}{d}\right) e^{(-3) \operatorname{sgn}(d)} - \frac{1}{1680} (96 d^6 e^{(-3)} + (105 d^5 e^{(-2)} + 2(24 d^4 e^{(-1)} - (245 d^3 + 4(48 d^2 e - 5(6 x e^3 + 7 d e^2) x) x) x) \sqrt{-x^2 e^2 + d^2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2), x, algorithm="giac")

[Out]  $1/16 d^7 \arcsin(x e/d) e^{(-3)} \operatorname{sgn}(d) - 1/1680 (96 d^6 e^{(-3)} + (105 d^5 e^{(-2)} + 2(24 d^4 e^{(-1)} - (245 d^3 + 4(48 d^2 e - 5(6 x e^3 + 7 d e^2) x) x) x) \sqrt{-x^2 e^2 + d^2})$

**maple [A]** time = 0.04, size = 148, normalized size = 0.93

$$\frac{d^7 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{16 \sqrt{e^2} e^2} + \frac{\sqrt{-e^2 x^2 + d^2} d^5 x}{16 e^2} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d^3 x}{24 e^2} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} x^2}{7 e} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} dx}{6 e^2} - \frac{2(-e^2 x^2 + d^2)^{\frac{5}{2}} d^2}{35 e^3}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x+d)*(-e^2*x^2+d^2)^(3/2), x)`

[Out]  $-1/7*x^2*(-e^2*x^2+d^2)^{(5/2)}/e-2/35*d^2*(-e^2*x^2+d^2)^{(5/2)}/e^3-1/6*d*x*(-e^2*x^2+d^2)^{(5/2)}/e^2+1/24*d^3*x*(-e^2*x^2+d^2)^{(3/2)}/e^2+1/16*d^5*x*(-e^2*x^2+d^2)^{(1/2)}/e^2+1/16*d^7/e^2/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)})*x$

**maxima** [A] time = 0.95, size = 127, normalized size = 0.80

$$\frac{d^7 \arcsin\left(\frac{ex}{d}\right)}{16e^3} + \frac{\sqrt{-e^2x^2+d^2} d^5 x}{16e^2} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}} d^3 x}{24e^2} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}} x^2}{7e} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}} dx}{6e^2} - \frac{2(-e^2x^2+d^2)^{\frac{5}{2}} d^2}{35e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)*(-e^2*x^2+d^2)^(3/2), x, algorithm="maxima")`

[Out]  $1/16*d^7*\arcsin(e*x/d)/e^3 + 1/16*\sqrt{-e^2*x^2 + d^2}*d^5*x/e^2 + 1/24*(-e^2*x^2 + d^2)^{(3/2)}*d^3*x/e^2 - 1/7*(-e^2*x^2 + d^2)^{(5/2)}*x^2/e - 1/6*(-e^2*x^2 + d^2)^{(5/2)}*d*x/e^2 - 2/35*(-e^2*x^2 + d^2)^{(5/2)}*d^2/e^3$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (d^2 - e^2 x^2)^{3/2} (d + ex) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(d^2 - e^2*x^2)^(3/2)*(d + e*x), x)`

[Out] `int(x^2*(d^2 - e^2*x^2)^(3/2)*(d + e*x), x)`

**sympy** [C] time = 12.27, size = 653, normalized size = 4.11

$$d^3 \left( \begin{cases} \frac{d^4 \operatorname{acosh}\left(\frac{e}{d}\right)}{16e^3} + \frac{d^2 x}{8e^2 \sqrt{1-d^2/e^2}} - \frac{3d^2 x^2}{8\sqrt{1-d^2/e^2}} + \frac{e^2 x^3}{4\sqrt{1-d^2/e^2}} & \text{for } \left|\frac{e^2}{d^2}\right| > 1 \\ \frac{d^4 \operatorname{asin}\left(\frac{e}{d}\right)}{16e^3} - \frac{d^2 x}{8e^2 \sqrt{1-d^2/e^2}} + \frac{3d^2 x^2}{8\sqrt{1-d^2/e^2}} - \frac{e^2 x^3}{4\sqrt{1-d^2/e^2}} & \text{otherwise} \end{cases} \right) + d^2 e \left( \begin{cases} \frac{2d^4 \sqrt{d^2-e^2}}{15e^4} - \frac{d^2 x \sqrt{d^2-e^2}}{15e^4} + \frac{e^4 \sqrt{d^2-e^2}}{5} & \text{for } e \neq 0 \\ \frac{e^4 \sqrt{d^2-e^2}}{4} & \text{otherwise} \end{cases} \right) - d^2 e \left( \begin{cases} \frac{d^4 \operatorname{acosh}\left(\frac{e}{d}\right)}{16e^3} + \frac{d^2 x}{16e^2 \sqrt{1-d^2/e^2}} - \frac{d^2 x^2}{48e^2 \sqrt{1-d^2/e^2}} - \frac{5d^2 x^3}{24\sqrt{1-d^2/e^2}} + \frac{e^2 x^4}{6\sqrt{1-d^2/e^2}} & \text{for } \left|\frac{e^2}{d^2}\right| > 1 \\ \frac{d^4 \operatorname{asin}\left(\frac{e}{d}\right)}{16e^3} - \frac{d^2 x}{16e^2 \sqrt{1-d^2/e^2}} + \frac{d^2 x^2}{48e^2 \sqrt{1-d^2/e^2}} - \frac{5d^2 x^3}{24\sqrt{1-d^2/e^2}} - \frac{e^2 x^4}{6\sqrt{1-d^2/e^2}} & \text{otherwise} \end{cases} \right) - e^3 \left( \begin{cases} \frac{d^4 \sqrt{d^2-e^2}}{105e^4} - \frac{d^2 x \sqrt{d^2-e^2}}{105e^4} - \frac{e^2 x^2 \sqrt{d^2-e^2}}{35e^4} + \frac{e^4 \sqrt{d^2-e^2}}{7} & \text{for } e \neq 0 \\ \frac{e^4 \sqrt{d^2-e^2}}{4} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x+d)*(-e**2*x**2+d**2)**(3/2), x)`

[Out]  $d**3*\text{Piecewise}((-I*d**4*\operatorname{acosh}(e*x/d)/(8*e**3) + I*d**3*x/(8*e**2*\sqrt{-1 + e**2*x**2/d**2})) - 3*I*d*x**3/(8*\sqrt{-1 + e**2*x**2/d**2})) + I*e**2*x**5/(4*d*\sqrt{-1 + e**2*x**2/d**2}), \operatorname{Abs}(e**2*x**2/d**2) > 1), (d**4*\operatorname{asin}(e*x/d)/(8*e**3) - d**3*x/(8*e**2*\sqrt{1 - e**2*x**2/d**2}) + 3*d*x**3/(8*\sqrt{1 - e**2*x**2/d**2})) - e**2*x**5/(4*d*\sqrt{1 - e**2*x**2/d**2}), \operatorname{True})) + d**2*e*\text{Piecewise}((-2*d**4*\sqrt{d**2 - e**2*x**2}/(15*e**4) - d**2*x**2*\sqrt{d**2 - e**2*x**2}/(15*e**4) - d**2*x**2*\sqrt{d**2 - e**2*x**2}/(15*e**4) - d**2*x**2*\sqrt{d**2 - e**2*x**2}/(15*e**4)), \operatorname{Abs}(e**2*x**2/d**2) > 1), (d**4*\operatorname{asin}(e*x/d)/(8*e**3) - d**3*x/(8*e**2*\sqrt{1 - e**2*x**2/d**2}) + 3*d*x**3/(8*\sqrt{1 - e**2*x**2/d**2})) - e**2*x**5/(4*d*\sqrt{1 - e**2*x**2/d**2}), \operatorname{True}))$

```

2 - e**2*x**2)/(15*e**2) + x**4*sqrt(d**2 - e**2*x**2)/5, Ne(e, 0)), (x**4*
sqrt(d**2)/4, True)) - d*e**2*Piecewise((-I*d**6*acosh(e*x/d)/(16*e**5) + I
*d**5*x/(16*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**3/(48*e**2*sqrt(-1
+ e**2*x**2/d**2)) - 5*I*d*x**5/(24*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**
7/(6*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**6*asin(e*x
/d)/(16*e**5) - d**5*x/(16*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**3/(48*e
**2*sqrt(1 - e**2*x**2/d**2)) + 5*d*x**5/(24*sqrt(1 - e**2*x**2/d**2)) - e
**2*x**7/(6*d*sqrt(1 - e**2*x**2/d**2)), True)) - e**3*Piecewise((-8*d**6*sq
rt(d**2 - e**2*x**2)/(105*e**6) - 4*d**4*x**2*sqrt(d**2 - e**2*x**2)/(105*e
**4) - d**2*x**4*sqrt(d**2 - e**2*x**2)/(35*e**2) + x**6*sqrt(d**2 - e**2*x
**2)/7, Ne(e, 0)), (x**6*sqrt(d**2)/6, True))

```

### 3.5 $\int x(d + ex) (d^2 - e^2x^2)^{3/2} dx$

**Optimal.** Leaf size=116

$$\frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^2} + \frac{d^4x\sqrt{d^2 - e^2x^2}}{16e}$$

**Rubi [A]** time = 0.03, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {780, 195, 217, 203}

$$\frac{d^4x\sqrt{d^2 - e^2x^2}}{16e} + \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^2}$$

Antiderivative was successfully verified.

[In] Int[x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out] (d^4\*x\*sqrt[d^2 - e^2\*x^2])/(16\*e) + (d^2\*x\*(d^2 - e^2\*x^2)^(3/2))/(24\*e) - ((6\*d + 5\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(30\*e^2) + (d^6\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(16\*e^2)

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p

+ 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le Q[p, -1]

### Rubi steps

$$\begin{aligned}
 \int x(d + ex)(d^2 - e^2x^2)^{3/2} dx &= -\frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^2 \int (d^2 - e^2x^2)^{3/2} dx}{6e} \\
 &= \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^4 \int \sqrt{d^2 - e^2x^2} dx}{8e} \\
 &= \frac{d^4x\sqrt{d^2 - e^2x^2}}{16e} + \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^6 \int \frac{1}{\sqrt{d^2 - e^2x^2}} dx}{16e} \\
 &= \frac{d^4x\sqrt{d^2 - e^2x^2}}{16e} + \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^6 \text{Subst}\left(\int \frac{1}{\sqrt{d^2 - e^2x^2}} dx\right)}{16e} \\
 &= \frac{d^4x\sqrt{d^2 - e^2x^2}}{16e} + \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^6 \tan^{-1}\left(\frac{e}{\sqrt{d^2 - e^2x^2}}\right)}{16e^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.14, size = 124, normalized size = 1.07

$$\frac{\sqrt{d^2 - e^2x^2} \left( 15d^5 \sin^{-1}\left(\frac{ex}{d}\right) - \sqrt{1 - \frac{e^2x^2}{d^2}} (48d^5 + 15d^4ex - 96d^3e^2x^2 - 70d^2e^3x^3 + 48de^4x^4 + 40e^5x^5) \right)}{240e^2 \sqrt{1 - \frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-(Sqrt[1 - (e^2\*x^2)/d^2]\*(48\*d^5 + 15\*d^4\*e\*x - 96\*d^3\*e^2\*x^2 - 70\*d^2\*e^3\*x^3 + 48\*d\*e^4\*x^4 + 40\*e^5\*x^5)) + 15\*d^5\*ArcSin[(e\*x)/d]))/(240\*e^2\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.41, size = 125, normalized size = 1.08

$$\frac{d^6 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2} x\right)}{16e^3} + \frac{\sqrt{d^2 - e^2x^2} (-48d^5 - 15d^4ex + 96d^3e^2x^2 + 70d^2e^3x^3 - 48de^4x^4 - 40e^5x^5)}{240e^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-48\*d^5 - 15\*d^4\*e\*x + 96\*d^3\*e^2\*x^2 + 70\*d^2\*e^3\*x^3 - 48\*d\*e^4\*x^4 - 40\*e^5\*x^5))/(240\*e^2) + (d^6\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(16\*e^3)

**fricas** [A] time = 0.40, size = 105, normalized size = 0.91

$$\frac{30 d^6 \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) + (40 e^5 x^5 + 48 d e^4 x^4 - 70 d^2 e^3 x^3 - 96 d^3 e^2 x^2 + 15 d^4 e x + 48 d^5) \sqrt{-e^2 x^2 + d^2}}{240 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2), x, algorithm="fricas")

[Out] -1/240\*(30\*d^6\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (40\*e^5\*x^5 + 48\*d\*e^4\*x^4 - 70\*d^2\*e^3\*x^3 - 96\*d^3\*e^2\*x^2 + 15\*d^4\*e\*x + 48\*d^5)\*sqrt(-e^2\*x^2 + d^2))/e^2

**giac** [A] time = 0.21, size = 84, normalized size = 0.72

$$\frac{1}{16} d^6 \arcsin\left(\frac{x e}{d}\right) e^{(-2) \operatorname{sgn}(d)} - \frac{1}{240} (48 d^5 e^{(-2)} + (15 d^4 e^{(-1)} - 2 (48 d^3 + (35 d^2 e - 4 (5 x e^3 + 6 d e^2) x) x) x) \sqrt{-e^2 x^2 + d^2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2), x, algorithm="giac")

[Out] 1/16\*d^6\*arcsin(x\*e/d)\*e^(-2)\*sgn(d) - 1/240\*(48\*d^5\*e^(-2) + (15\*d^4\*e^(-1) - 2\*(48\*d^3 + (35\*d^2\*e - 4\*(5\*x\*e^3 + 6\*d\*e^2)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple** [A] time = 0.02, size = 123, normalized size = 1.06

$$\frac{d^6 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{16 \sqrt{e^2} e} + \frac{\sqrt{-e^2 x^2 + d^2} d^4 x}{16 e} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2 x}{24 e} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} x}{6 e} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d}{5 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2), x)

[Out] -1/6\*x\*(-e^2\*x^2+d^2)^(5/2)/e+1/24\*d^2\*x\*(-e^2\*x^2+d^2)^(3/2)/e+1/16\*d^4\*x\*(-e^2\*x^2+d^2)^(1/2)/e+1/16\*d^6/e/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)-1/5\*d/e^2\*(-e^2\*x^2+d^2)^(5/2)

**maxima** [A] time = 0.98, size = 102, normalized size = 0.88

$$\frac{d^6 \arcsin\left(\frac{ex}{d}\right)}{16e^2} + \frac{\sqrt{-e^2x^2 + d^2} d^4 x}{16e} + \frac{(-e^2x^2 + d^2)^{\frac{3}{2}} d^2 x}{24e} - \frac{(-e^2x^2 + d^2)^{\frac{5}{2}} x}{6e} - \frac{(-e^2x^2 + d^2)^{\frac{5}{2}} d}{5e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out] 1/16\*d^6\*arcsin(e\*x/d)/e^2 + 1/16\*sqrt(-e^2\*x^2 + d^2)\*d^4\*x/e + 1/24\*(-e^2\*x^2 + d^2)^(3/2)\*d^2\*x/e - 1/6\*(-e^2\*x^2 + d^2)^(5/2)\*x/e - 1/5\*(-e^2\*x^2 + d^2)^(5/2)\*d/e^2

**mpad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x (d^2 - e^2 x^2)^{3/2} (d + e x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x),x)

[Out] int(x\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x), x)

**sympy** [A] time = 12.06, size = 580, normalized size = 5.00

$$d^6 \left( \begin{cases} \frac{d^2 \sqrt{d^2}}{2} & \text{for } e^2 = 0 \\ -\frac{d^2 \sqrt{e^2 x^2}}{2e^2} & \text{otherwise} \end{cases} + d^6 e \int \left( \begin{cases} \frac{d^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{8e^3} + \frac{d^6 x}{8e^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} - \frac{3d^6 x^3}{8e^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} + \frac{d^6 x^5}{4e \sqrt{-1 + \frac{e^2 x^2}{d^2}}} & \text{for } \left| \frac{e^2 x^2}{d^2} \right| > 1 \\ \frac{d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{8e^3} - \frac{d^6 x}{8e^2 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{3d^6 x^3}{8e^2 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{d^6 x^5}{4e \sqrt{1 - \frac{e^2 x^2}{d^2}}} & \text{otherwise} \end{cases} \right) - d^6 \int \left( \begin{cases} \frac{2e^4 \sqrt{d^2 - e^2 x^2}}{15e^4} - \frac{d^6 \sqrt{d^2 - e^2 x^2}}{15e^2} + \frac{e^4 \sqrt{d^2 - e^2 x^2}}{3} & \text{for } e \neq 0 \\ \frac{d^6 \sqrt{d^2}}{4} & \text{otherwise} \end{cases} \right) - e^3 \int \left( \begin{cases} -\frac{d^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{16e^5} + \frac{d^6 x}{16e^4 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} - \frac{d^6 x^3}{48e^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} - \frac{5d^6 x^5}{24 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} + \frac{d^6 x^7}{6d \sqrt{-1 + \frac{e^2 x^2}{d^2}}} & \text{for } \left| \frac{e^2 x^2}{d^2} \right| > 1 \\ \frac{d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{16e^5} - \frac{d^6 x}{16e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{d^6 x^3}{48e^2 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{5d^6 x^5}{24 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{d^6 x^7}{6d \sqrt{1 - \frac{e^2 x^2}{d^2}}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2),x)

[Out] d\*\*3\*Piecewise((x\*\*2\*sqrt(d\*\*2)/2, Eq(e\*\*2, 0)), (-d\*\*2 - e\*\*2\*x\*\*2)\*\*(3/2)/(3\*e\*\*2), True)) + d\*\*2\*e\*Piecewise((-I\*d\*\*4\*acosh(e\*x/d)/(8\*e\*\*3) + I\*d\*\*3\*x/(8\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 3\*I\*d\*x\*\*3/(8\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*5/(4\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*4\*asin(e\*x/d)/(8\*e\*\*3) - d\*\*3\*x/(8\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 3\*d\*x\*\*3/(8\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*5/(4\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) - d\*e\*\*2\*Piecewise((-2\*d\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(15\*e\*\*4) - d\*\*2\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(15\*e\*\*2) + x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/5, Ne(e, 0)), (x\*\*4\*sqrt(d\*\*2)/4, True)) - e\*\*3\*Piecewise((-I\*d\*\*6\*acosh(e\*x/d)/(16\*e\*\*5) + I\*d\*\*5\*x/(16\*e\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - I\*d\*\*3\*x\*\*3/(48\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 5\*I\*d\*x\*\*5/(24\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*7/(6\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*6\*asin(e\*x/d)/(16\*e\*\*5) - d\*\*5\*x/(16\*e\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + d\*\*3\*x\*\*3/(48\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 5\*d\*x\*\*5/(24\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*7/(6\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True))

### 3.6 $\int x(d + ex) (d^2 - e^2x^2)^{3/2} dx$

**Optimal.** Leaf size=116

$$\frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^2} + \frac{d^4x\sqrt{d^2 - e^2x^2}}{16e}$$

**Rubi [A]** time = 0.03, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {780, 195, 217, 203}

$$\frac{d^4x\sqrt{d^2 - e^2x^2}}{16e} + \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^2}$$

Antiderivative was successfully verified.

[In] Int[x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out] (d^4\*x\*sqrt[d^2 - e^2\*x^2])/(16\*e) + (d^2\*x\*(d^2 - e^2\*x^2)^(3/2))/(24\*e) - ((6\*d + 5\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(30\*e^2) + (d^6\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(16\*e^2)

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p

+ 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le Q[p, -1]

### Rubi steps

$$\begin{aligned}
 \int x(d + ex)(d^2 - e^2x^2)^{3/2} dx &= -\frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^2 \int (d^2 - e^2x^2)^{3/2} dx}{6e} \\
 &= \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^4 \int \sqrt{d^2 - e^2x^2} dx}{8e} \\
 &= \frac{d^4x\sqrt{d^2 - e^2x^2}}{16e} + \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^6 \int \frac{1}{\sqrt{d^2 - e^2x^2}} dx}{16e} \\
 &= \frac{d^4x\sqrt{d^2 - e^2x^2}}{16e} + \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^6 \operatorname{Subst}\left(\int \frac{1}{\sqrt{d^2 - e^2x^2}} dx\right)}{16e} \\
 &= \frac{d^4x\sqrt{d^2 - e^2x^2}}{16e} + \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d + 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} + \frac{d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 124, normalized size = 1.07

$$\frac{\sqrt{d^2 - e^2x^2} \left( 15d^5 \sin^{-1}\left(\frac{ex}{d}\right) - \sqrt{1 - \frac{e^2x^2}{d^2}} (48d^5 + 15d^4ex - 96d^3e^2x^2 - 70d^2e^3x^3 + 48de^4x^4 + 40e^5x^5) \right)}{240e^2\sqrt{1 - \frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-(Sqrt[1 - (e^2\*x^2)/d^2]\*(48\*d^5 + 15\*d^4\*e\*x - 96\*d^3\*e^2\*x^2 - 70\*d^2\*e^3\*x^3 + 48\*d\*e^4\*x^4 + 40\*e^5\*x^5)) + 15\*d^5\*ArcSin[(e\*x)/d]))/(240\*e^2\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.00, size = 125, normalized size = 1.08

$$\frac{d^6\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{16e^3} + \frac{\sqrt{d^2 - e^2x^2} (-48d^5 - 15d^4ex + 96d^3e^2x^2 + 70d^2e^3x^3 - 48de^4x^4 - 40e^5x^5)}{240e^2}$$

Antiderivative was successfully verified.



[In] IntegrateAlgebraic[x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-48\*d^5 - 15\*d^4\*e\*x + 96\*d^3\*e^2\*x^2 + 70\*d^2\*e^3\*x^3 - 48\*d\*e^4\*x^4 - 40\*e^5\*x^5))/(240\*e^2) + (d^6\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(16\*e^3)

**fricas** [A] time = 0.41, size = 105, normalized size = 0.91

$$\frac{30 d^6 \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) + (40 e^5 x^5 + 48 d e^4 x^4 - 70 d^2 e^3 x^3 - 96 d^3 e^2 x^2 + 15 d^4 e x + 48 d^5) \sqrt{-e^2 x^2 + d^2}}{240 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2), x, algorithm="fricas")

[Out] -1/240\*(30\*d^6\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (40\*e^5\*x^5 + 48\*d\*e^4\*x^4 - 70\*d^2\*e^3\*x^3 - 96\*d^3\*e^2\*x^2 + 15\*d^4\*e\*x + 48\*d^5)\*sqrt(-e^2\*x^2 + d^2))/e^2

**giac** [A] time = 0.34, size = 84, normalized size = 0.72

$$\frac{1}{16} d^6 \arcsin\left(\frac{x e}{d}\right) e^{(-2) \operatorname{sgn}(d)} - \frac{1}{240} (48 d^5 e^{(-2)} + (15 d^4 e^{(-1)} - 2 (48 d^3 + (35 d^2 e - 4 (5 x e^3 + 6 d e^2) x) x) x) \sqrt{-x^2 e^2 + d^2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2), x, algorithm="giac")

[Out] 1/16\*d^6\*arcsin(x\*e/d)\*e^(-2)\*sgn(d) - 1/240\*(48\*d^5\*e^(-2) + (15\*d^4\*e^(-1) - 2\*(48\*d^3 + (35\*d^2\*e - 4\*(5\*x\*e^3 + 6\*d\*e^2)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple** [A] time = 0.00, size = 123, normalized size = 1.06

$$\frac{d^6 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{16 \sqrt{e^2} e} + \frac{\sqrt{-e^2 x^2 + d^2} d^4 x}{16 e} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2 x}{24 e} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} x}{6 e} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d}{5 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2), x)

[Out] 1/16/(e^2)^(1/2)\*d^6/e\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)+1/16\*(-e^2\*x^2+d^2)^(1/2)\*d^4/e\*x+1/24\*(-e^2\*x^2+d^2)^(3/2)\*d^2/e\*x-1/6\*(-e^2\*x^2+d^2)^(5/2)/e\*x-1/5\*(-e^2\*x^2+d^2)^(5/2)\*d/e^2

**maxima** [A] time = 0.98, size = 102, normalized size = 0.88

$$\frac{d^6 \arcsin\left(\frac{ex}{d}\right)}{16e^2} + \frac{\sqrt{-e^2x^2 + d^2} d^4 x}{16e} + \frac{(-e^2x^2 + d^2)^{\frac{3}{2}} d^2 x}{24e} - \frac{(-e^2x^2 + d^2)^{\frac{5}{2}} x}{6e} - \frac{(-e^2x^2 + d^2)^{\frac{5}{2}} d}{5e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out] 1/16\*d^6\*arcsin(e\*x/d)/e^2 + 1/16\*sqrt(-e^2\*x^2 + d^2)\*d^4\*x/e + 1/24\*(-e^2\*x^2 + d^2)^(3/2)\*d^2\*x/e - 1/6\*(-e^2\*x^2 + d^2)^(5/2)\*x/e - 1/5\*(-e^2\*x^2 + d^2)^(5/2)\*d/e^2

**mpad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x (d^2 - e^2 x^2)^{3/2} (d + e x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x),x)

[Out] int(x\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x), x)

**sympy** [A] time = 12.18, size = 580, normalized size = 5.00

$$d^6 \left( \begin{cases} \frac{d^2 \sqrt{d^2}}{2} & \text{for } e^2 = 0 \\ -\frac{d^2 \sqrt{e^2 x^2}}{2e^2} & \text{otherwise} \end{cases} + d^6 e \int \left( \begin{cases} \frac{d^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{8e^3} + \frac{d^6 x}{8e^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} - \frac{3d^6 x^3}{8e^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} + \frac{d^6 x^5}{4e \sqrt{-1 + \frac{e^2 x^2}{d^2}}} & \text{for } \left| \frac{x^2}{d^2} \right| > 1 \\ \frac{d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{8e^3} - \frac{d^6 x}{8e^2 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{3d^6 x^3}{8e^2 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{d^6 x^5}{4e \sqrt{1 - \frac{e^2 x^2}{d^2}}} & \text{otherwise} \end{cases} \right) - d^6 \int \left( \begin{cases} \frac{2e^4 \sqrt{d^2 - e^2 x^2}}{15e^4} - \frac{d^6 \sqrt{d^2 - e^2 x^2}}{15e^2} + \frac{e^4 \sqrt{d^2 - e^2 x^2}}{3} & \text{for } e \neq 0 \\ \frac{d^6 \sqrt{d^2}}{4} & \text{otherwise} \end{cases} \right) - e^3 \left( \begin{cases} -\frac{d^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{16e^5} + \frac{d^6 x}{16e^4 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} - \frac{d^6 x^3}{48e^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} - \frac{5d^6 x^5}{24 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} + \frac{d^6 x^7}{6d \sqrt{-1 + \frac{e^2 x^2}{d^2}}} & \text{for } \left| \frac{x^2}{d^2} \right| > 1 \\ \frac{d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{16e^5} - \frac{d^6 x}{16e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{d^6 x^3}{48e^2 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{5d^6 x^5}{24 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{d^6 x^7}{6d \sqrt{1 - \frac{e^2 x^2}{d^2}}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2),x)

[Out] d\*\*3\*Piecewise((x\*\*2\*sqrt(d\*\*2)/2, Eq(e\*\*2, 0)), (-d\*\*2 - e\*\*2\*x\*\*2)\*\*(3/2)/(3\*e\*\*2), True)) + d\*\*2\*e\*Piecewise((-I\*d\*\*4\*acosh(e\*x/d)/(8\*e\*\*3) + I\*d\*\*3\*x/(8\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 3\*I\*d\*x\*\*3/(8\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*5/(4\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*4\*asin(e\*x/d)/(8\*e\*\*3) - d\*\*3\*x/(8\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 3\*d\*x\*\*3/(8\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*5/(4\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) - d\*e\*\*2\*Piecewise((-2\*d\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(15\*e\*\*4) - d\*\*2\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(15\*e\*\*2) + x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/5, Ne(e, 0)), (x\*\*4\*sqrt(d\*\*2)/4, True)) - e\*\*3\*Piecewise((-I\*d\*\*6\*acosh(e\*x/d)/(16\*e\*\*5) + I\*d\*\*5\*x/(16\*e\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - I\*d\*\*3\*x\*\*3/(48\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 5\*I\*d\*x\*\*5/(24\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*7/(6\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*6\*asin(e\*x/d)/(16\*e\*\*5) - d\*\*5\*x/(16\*e\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + d\*\*3\*x\*\*3/(48\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 5\*d\*x\*\*5/(24\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*7/(6\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True))

$$3.7 \quad \int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x} dx$$

**Optimal.** Leaf size=113

$$\frac{1}{8}d^2(8d+3ex)\sqrt{d^2-e^2x^2} + \frac{1}{12}(4d+3ex)(d^2-e^2x^2)^{3/2} + \frac{3}{8}d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - d^4 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.10, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {815, 844, 217, 203, 266, 63, 208}

$$\frac{1}{8}d^2(8d+3ex)\sqrt{d^2-e^2x^2} + \frac{1}{12}(4d+3ex)(d^2-e^2x^2)^{3/2} + \frac{3}{8}d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - d^4 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x,x]

[Out] (d^2\*(8\*d + 3\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/8 + ((4\*d + 3\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/12 + (3\*d^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/8 - d^4\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 815

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x} dx &= \frac{1}{12}(4d+3ex)(d^2-e^2x^2)^{3/2} - \frac{\int \frac{(-4d^3e^2-3d^2e^3x)\sqrt{d^2-e^2x^2}}{x} dx}{4e^2} \\
&= \frac{1}{8}d^2(8d+3ex)\sqrt{d^2-e^2x^2} + \frac{1}{12}(4d+3ex)(d^2-e^2x^2)^{3/2} + \frac{\int \frac{8d^5e^4+3d^4e^5x}{x\sqrt{d^2-e^2x^2}} dx}{8e^4} \\
&= \frac{1}{8}d^2(8d+3ex)\sqrt{d^2-e^2x^2} + \frac{1}{12}(4d+3ex)(d^2-e^2x^2)^{3/2} + d^5 \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx \\
&= \frac{1}{8}d^2(8d+3ex)\sqrt{d^2-e^2x^2} + \frac{1}{12}(4d+3ex)(d^2-e^2x^2)^{3/2} + \frac{1}{2}d^5 \text{Subst}\left(\int \frac{1}{x\sqrt{d^2}}\right) \\
&= \frac{1}{8}d^2(8d+3ex)\sqrt{d^2-e^2x^2} + \frac{1}{12}(4d+3ex)(d^2-e^2x^2)^{3/2} + \frac{3}{8}d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) \\
&= \frac{1}{8}d^2(8d+3ex)\sqrt{d^2-e^2x^2} + \frac{1}{12}(4d+3ex)(d^2-e^2x^2)^{3/2} + \frac{3}{8}d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 124, normalized size = 1.10

$$d^4 \left( -\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right) \right) + \frac{3d^3\sqrt{d^2-e^2x^2} \sin^{-1}\left(\frac{ex}{d}\right)}{8\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{1}{24}\sqrt{d^2-e^2x^2} (32d^3+15d^2ex-8de^2x^2-6e^3x^3)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(32\*d^3 + 15\*d^2\*e\*x - 8\*d\*e^2\*x^2 - 6\*e^3\*x^3))/24 + (3\*d^3\*Sqrt[d^2 - e^2\*x^2]\*ArcSin[(e\*x)/d])/(8\*Sqrt[1 - (e^2\*x^2)/d^2]) - d^4\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

**IntegrateAlgebraic [A]** time = 0.51, size = 142, normalized size = 1.26

$$\frac{3d^4\sqrt{-e^2} \log\left(\sqrt{d^2-e^2x^2} - \sqrt{-e^2}x\right)}{8e} + 2d^4 \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2-e^2x^2}}{d}\right) + \frac{1}{24}\sqrt{d^2-e^2x^2} (32d^3+15d^2ex-8de^2x^2-6e^3x^3)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(32\*d^3 + 15\*d^2\*e\*x - 8\*d\*e^2\*x^2 - 6\*e^3\*x^3))/24 + 2\*d^4\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] + (3\*d^4\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(8\*e)

**fricas** [A] time = 0.41, size = 107, normalized size = 0.95

$$-\frac{3}{4}d^4 \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + d^4 \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - \frac{1}{24}(6e^3x^3 + 8de^2x^2 - 15d^2ex - 32d^3)\sqrt{-e^2x^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x,x, algorithm="fricas")

[Out] -3/4\*d^4\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + d^4\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - 1/24\*(6\*e^3\*x^3 + 8\*d\*e^2\*x^2 - 15\*d^2\*e\*x - 32\*d^3)\*sqrt(-e^2\*x^2 + d^2)

**giac** [A] time = 0.27, size = 99, normalized size = 0.88

$$\frac{3}{8}d^4 \arcsin\left(\frac{xe}{d}\right) \operatorname{sgn}(d) - d^4 \log\left(\frac{|-2de - 2\sqrt{-x^2e^2 + d^2}e|e^{(-2)}}{2|x|}\right) + \frac{1}{24}(32d^3 + (15d^2e - 2(3xe^3 + 4de^2)x)x)\sqrt{-x^2e^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x,x, algorithm="giac")

[Out] 3/8\*d^4\*arcsin(x\*e/d)\*sgn(d) - d^4\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x)) + 1/24\*(32\*d^3 + (15\*d^2\*e - 2\*(3\*x\*e^3 + 4\*d\*e^2)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple** [A] time = 0.02, size = 151, normalized size = 1.34

$$-\frac{d^5 \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2}} + \frac{3d^4 e \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2x^2 + d^2}}\right)}{8\sqrt{e^2}} + \frac{3\sqrt{-e^2x^2 + d^2} d^2 ex}{8} + \sqrt{-e^2x^2 + d^2} d^3 + \frac{(-e^2x^2 + d^2)^{\frac{3}{2}} ex}{4} + \frac{(-e^2x^2 + d^2)^{\frac{3}{2}} d}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x,x)

[Out] 1/4\*e\*x\*(-e^2\*x^2+d^2)^(3/2)+3/8\*e\*d^2\*x\*(-e^2\*x^2+d^2)^(1/2)+3/8\*e\*d^4/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)+1/3\*d\*(-e^2\*x^2+d^2)^(3/2)+d^3\*(-e^2\*x^2+d^2)^(1/2)-d^5/(d^2)^(1/2)\*ln((2\*d^2+2\*(d^2)^(1/2)\*(-e^2\*x^2+d^2)^(1/2))/x)

**maxima** [A] time = 0.99, size = 124, normalized size = 1.10

$$\frac{3}{8}d^4 \arcsin\left(\frac{ex}{d}\right) - d^4 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2 + d^2}d}{|x|}\right) + \frac{3}{8}\sqrt{-e^2x^2 + d^2}d^2ex + \sqrt{-e^2x^2 + d^2}d^3 + \frac{1}{4}(-e^2x^2 + d^2)^{\frac{3}{2}}ex + \frac{1}{3}(-e^2x^2 + d^2)^{\frac{3}{2}}d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x,x, algorithm="maxima")

[Out]  $\frac{3}{8}d^4 \arcsin(e*x/d) - d^4 \log(2*d^2/\text{abs}(x) + 2*\sqrt{-e^2*x^2 + d^2})d/\text{abs}(x) + 3/8*\sqrt{-e^2*x^2 + d^2}*d^2*e*x + \sqrt{-e^2*x^2 + d^2}*d^3 + 1/4*(-e^2*x^2 + d^2)^(3/2)*e*x + 1/3*(-e^2*x^2 + d^2)^(3/2)*d$

**mupad [B]** time = 2.90, size = 107, normalized size = 0.95

$$\frac{d(d^2 - e^2 x^2)^{3/2}}{3} - d^4 \operatorname{atanh}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right) + d^3 \sqrt{d^2 - e^2 x^2} + \frac{e x (d^2 - e^2 x^2)^{3/2} {}_2F_1\left(-\frac{3}{2}, \frac{1}{2}; \frac{3}{2}; \frac{e^2 x^2}{d^2}\right)}{\left(1 - \frac{e^2 x^2}{d^2}\right)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x))/x,x)

[Out]  $(d*(d^2 - e^2*x^2)^(3/2))/3 - d^4*\operatorname{atanh}((d^2 - e^2*x^2)^(1/2)/d) + d^3*(d^2 - e^2*x^2)^(1/2) + (e*x*(d^2 - e^2*x^2)^(3/2)*\operatorname{hypergeom}([-3/2, 1/2], 3/2, (e^2*x^2)/d^2))/(1 - (e^2*x^2)/d^2)^(3/2)$

**sympy [C]** time = 22.41, size = 469, normalized size = 4.15

$$d^3 \left( \begin{cases} \frac{d^2}{e\sqrt{\frac{d^2}{e^2}-1}} - d \operatorname{acosh}\left(\frac{d}{e}\right) - \frac{ex}{\sqrt{\frac{d^2}{e^2}-1}} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ -\frac{id^2}{e\sqrt{-\frac{d^2}{e^2}+1}} + id \operatorname{asin}\left(\frac{d}{e}\right) + \frac{icx}{\sqrt{-\frac{d^2}{e^2}+1}} & \text{otherwise} \end{cases} \right) + d^2 e \left( \begin{cases} -\frac{id^2 \operatorname{acosh}\left(\frac{d}{e}\right)}{2e} - \frac{idx}{2\sqrt{-1+\frac{d^2}{e^2}}} + \frac{d^2 x^2}{2d\sqrt{-1+\frac{d^2}{e^2}}} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{d}{e}\right)}{2e} + \frac{dx\sqrt{1-\frac{d^2}{e^2}}}{2} & \text{otherwise} \end{cases} \right) - d e^2 \left( \begin{cases} \frac{x^2 \sqrt{d^2}}{2} & \text{for } e^2 = 0 \\ -\frac{(d^2 - e^2 x^2)^3}{3e^2} & \text{otherwise} \end{cases} \right) - e^3 \left( \begin{cases} -\frac{id^4 \operatorname{acosh}\left(\frac{d}{e}\right)}{8e^3} + \frac{id^3 x}{8e^2 \sqrt{-1+\frac{d^2}{e^2}}} - \frac{3idx^3}{8\sqrt{-1+\frac{d^2}{e^2}}} + \frac{id^2 x^5}{4d\sqrt{-1+\frac{d^2}{e^2}}} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^4 \operatorname{asin}\left(\frac{d}{e}\right)}{8e^3} - \frac{d^3 x}{8e^2 \sqrt{1-\frac{d^2}{e^2}}} + \frac{3dx^3}{8\sqrt{1-\frac{d^2}{e^2}}} - \frac{e^2 x^5}{4d\sqrt{1-\frac{d^2}{e^2}}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2)/x,x)

[Out]  $d**3*\operatorname{Piecewise}((d**2/(e*x*\sqrt{d**2/(e**2*x**2) - 1}) - d*\operatorname{acosh}(d/(e*x))) - e*x/\sqrt{d**2/(e**2*x**2) - 1}, \operatorname{Abs}(d**2/(e**2*x**2)) > 1), (-I*d**2/(e*x*\sqrt{-d**2/(e**2*x**2) + 1}) + I*d*\operatorname{asin}(d/(e*x)) + I*e*x/\sqrt{-d**2/(e**2*x**2) + 1}), \operatorname{True})) + d**2*e*\operatorname{Piecewise}((-I*d**2*\operatorname{acosh}(e*x/d)/(2*e) - I*d*x/(2*\sqrt{-1 + e**2*x**2/d**2})) + I*e**2*x**3/(2*d*\sqrt{-1 + e**2*x**2/d**2})), \operatorname{Abs}(e**2*x**2/d**2) > 1), (d**2*\operatorname{asin}(e*x/d)/(2*e) + d*x*\sqrt{1 - e**2*x**2/d**2}/2, \operatorname{True})) - d*e**2*\operatorname{Piecewise}((x**2*\sqrt{d**2}/2, \operatorname{Eq}(e**2, 0)), (-d**2 - e**2*x**2)**(3/2)/(3*e**2), \operatorname{True})) - e**3*\operatorname{Piecewise}((-I*d**4*\operatorname{acosh}(e*x/d)/(8*e**3) + I*d**3*x/(8*e**2*\sqrt{-1 + e**2*x**2/d**2}) - 3*I*d*x**3/(8*\sqrt{-1 + e**2*x**2/d**2})) + I*e**2*x**5/(4*d*\sqrt{-1 + e**2*x**2/d**2})), \operatorname{Abs}(e**2*x**2/d**2) > 1), (d**4*\operatorname{asin}(e*x/d)/(8*e**3) - d**3*x/(8*e**2*\sqrt{1 - e**2*x**2/d**2}) + 3*d*x**3/(8*\sqrt{1 - e**2*x**2/d**2}) - e**2*x**5/(4*d*\sqrt{1 - e**2*x**2/d**2})), \operatorname{True}))$

$$3.8 \quad \int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^2} dx$$

**Optimal.** Leaf size=117

$$\frac{1}{2}de(2d-3ex)\sqrt{d^2-e^2x^2} - \frac{(3d-ex)(d^2-e^2x^2)^{3/2}}{3x} - \frac{3}{2}d^3e \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - d^3e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.09, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {813, 815, 844, 217, 203, 266, 63, 208}

$$\frac{1}{2}de(2d-3ex)\sqrt{d^2-e^2x^2} - \frac{(3d-ex)(d^2-e^2x^2)^{3/2}}{3x} - \frac{3}{2}d^3e \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - d^3e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^2,x]

[Out] (d\*e\*(2\*d - 3\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/2 - ((3\*d - e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(3\*x) - (3\*d^3\*e\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/2 - d^3\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217



$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x\_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

### Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] \text{ /; FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 813

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x\_Symbol] \rightarrow \text{Simp}[(d + e*x)^{(m + 1)}*(e*f*(m + 2*p + 2) - d*g*(2*p + 1) + e*g*(m + 1)*x*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + \text{Dist}[p/(e^2*(m + 1)*(m + 2*p + 2)), \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^{(p - 1)}*\text{Simp}[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x], x] \text{ /; FreeQ}\{a, c, d, e, f, g, m\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{RationalQ}[p] \ \&\& \ p > 0 \ \&\& \ (\text{LtQ}[m, -1] \ || \ \text{EqQ}[p, 1] \ || \ (\text{IntegerQ}[p] \ \&\& \ !\text{RationalQ}[m])) \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ !\text{ILtQ}[m + 2*p + 1, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p])$

### Rule 815

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x\_Symbol] \rightarrow \text{Simp}[(d + e*x)^{(m + 1)}*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] + \text{Dist}[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), \text{Int}[(d + e*x)^m*(a + c*x^2)^{(p - 1)}*\text{Simp}[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x] \text{ /; FreeQ}\{a, c, d, e, f, g, m\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ !\text{RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 0])) \ \&\& \ !\text{ILtQ}[m + 2*p, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p])$

### Rule 844

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x\_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^m*(a + c*x^2)^p, x], x] \text{ /; FreeQ}\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ !\text{IGtQ}[m, 0]$

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^2} dx &= -\frac{(3d-ex)(d^2-e^2x^2)^{3/2}}{3x} - \frac{1}{2} \int \frac{(-2d^2e+6de^2x)\sqrt{d^2-e^2x^2}}{x} dx \\
&= \frac{1}{2}de(2d-3ex)\sqrt{d^2-e^2x^2} - \frac{(3d-ex)(d^2-e^2x^2)^{3/2}}{3x} + \frac{\int \frac{4d^4e^3-6d^3e^4x}{x\sqrt{d^2-e^2x^2}} dx}{4e^2} \\
&= \frac{1}{2}de(2d-3ex)\sqrt{d^2-e^2x^2} - \frac{(3d-ex)(d^2-e^2x^2)^{3/2}}{3x} + (d^4e) \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx - \\
&= \frac{1}{2}de(2d-3ex)\sqrt{d^2-e^2x^2} - \frac{(3d-ex)(d^2-e^2x^2)^{3/2}}{3x} + \frac{1}{2}(d^4e) \text{Subst} \left( \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx - \right. \\
&= \frac{1}{2}de(2d-3ex)\sqrt{d^2-e^2x^2} - \frac{(3d-ex)(d^2-e^2x^2)^{3/2}}{3x} - \frac{3}{2}d^3e \tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right) - \\
&= \frac{1}{2}de(2d-3ex)\sqrt{d^2-e^2x^2} - \frac{(3d-ex)(d^2-e^2x^2)^{3/2}}{3x} - \frac{3}{2}d^3e \tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right) -
\end{aligned}$$

**Mathematica [C]** time = 0.17, size = 124, normalized size = 1.06

$$-\frac{d^5 \sqrt{1 - \frac{e^2 x^2}{d^2}} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; \frac{e^2 x^2}{d^2}\right)}{x \sqrt{d^2 - e^2 x^2}} - \frac{1}{3} e \left( \sqrt{d^2 - e^2 x^2} (e^2 x^2 - 4d^2) + 3d^3 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^2,x]

[Out] -1/3\*(e\*(Sqrt[d^2 - e^2\*x^2]\*(-4\*d^2 + e^2\*x^2) + 3\*d^3\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])) - (d^5\*Sqrt[1 - (e^2\*x^2)/d^2]\*Hypergeometric2F1[-3/2, -1/2, 1/2, (e^2\*x^2)/d^2])/(x\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.48, size = 143, normalized size = 1.22

$$-\frac{3}{2}d^3\sqrt{-e^2} \log\left(\sqrt{d^2-e^2x^2}-\sqrt{-e^2}x\right)+2d^3e \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d}-\frac{\sqrt{d^2-e^2x^2}}{d}\right)+\frac{\sqrt{d^2-e^2x^2}(-6d^3+8d^2ex-3de^2x^2-2e^3x^3)}{6x}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^2,x]

[Out]  $(\sqrt{d^2 - e^2 x^2} * (-6d^3 + 8d^2 e x - 3d e^2 x^2 - 2e^3 x^3)) / (6x) + 2d^3 e \operatorname{ArcTanh}[(\sqrt{-e^2} x) / d - \sqrt{d^2 - e^2 x^2} / d] - (3d^3 \sqrt{-e^2} * \operatorname{Log}[-(\sqrt{-e^2} x) + \sqrt{d^2 - e^2 x^2}]) / 2$

**fricas** [A] time = 0.41, size = 124, normalized size = 1.06

$$\frac{18d^3 ex \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) + 6d^3 ex \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + 8d^3 ex - (2e^3 x^3 + 3de^2 x^2 - 8d^2 ex + 6d^3) \sqrt{-e^2 x^2 + d^2}}{6x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^2,x, algorithm="fricas")`

[Out]  $1/6 * (18d^3 e x \arctan(-(d - \sqrt{-e^2 x^2 + d^2}) / (e x)) + 6d^3 e x \log(-(d - \sqrt{-e^2 x^2 + d^2}) / x) + 8d^3 e x - (2e^3 x^3 + 3d e^2 x^2 - 8d^2 e x + 6d^3) \sqrt{-e^2 x^2 + d^2}) / x$

**giac** [A] time = 0.25, size = 157, normalized size = 1.34

$$-\frac{3}{2} d^3 \arcsin\left(\frac{xe}{d}\right) \operatorname{esgn}(d) - d^3 e \log\left(\frac{|-2de - 2\sqrt{-x^2 e^2 + d^2} e| e^{(-2)}}{2|x|}\right) + \frac{d^3 x e^3}{2(de + \sqrt{-x^2 e^2 + d^2} e)} - \frac{(de + \sqrt{-x^2 e^2 + d^2} e) d^3 e^{(-1)}}{2x} + \frac{1}{6} \sqrt{-x^2 e^2 + d^2} (8d^2 e - (2x e^3 + 3d e^2) x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^2,x, algorithm="giac")`

[Out]  $-3/2 * d^3 * \arcsin(x * e / d) * e * \operatorname{sgn}(d) - d^3 * e * \log(1/2 * \operatorname{abs}(-2 * d * e - 2 * \sqrt{-x^2 * e^2 + d^2} * e) * e^{(-2)} / \operatorname{abs}(x)) + 1/2 * d^3 * x * e^3 / (d * e + \sqrt{-x^2 * e^2 + d^2} * e) - 1/2 * (d * e + \sqrt{-x^2 * e^2 + d^2} * e) * d^3 * e^{(-1)} / x + 1/6 * \sqrt{-x^2 * e^2 + d^2} * (8 * d^2 * e - (2 * x * e^3 + 3 * d * e^2) * x)$

**maple** [A] time = 0.03, size = 182, normalized size = 1.56

$$-\frac{d^4 e \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2 x^2 + d^2}}{x}\right)}{\sqrt{d^2}} - \frac{3d^3 e^2 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2 + d^2}}{\sqrt{-e^2 x^2 + d^2}}\right)}{2\sqrt{e^2}} - \frac{3\sqrt{-e^2 x^2 + d^2} d^2 e^2 x}{2} + \sqrt{-e^2 x^2 + d^2} d^2 e - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} e^2 x}{d} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} e}{3} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}}}{dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^2,x)`

[Out]  $-1/d/x * (-e^2 x^2 + d^2)^{(5/2)} - e^2/d * x * (-e^2 x^2 + d^2)^{(3/2)} - 3/2 * d * e^2 * x * (-e^2 x^2 + d^2)^{(1/2)} - 3/2 * e^2 * d^3 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (-e^2 x^2 + d^2)^{(1/2)} * x) + 1/3 * e * (-e^2 x^2 + d^2)^{(3/2)} + e * d^2 * (-e^2 x^2 + d^2)^{(1/2)} - e * d^4 / (d^2)^{(1/2)} * \ln((2 * d^2 + 2 * (d^2)^{(1/2)} * (-e^2 x^2 + d^2)^{(1/2)}) / x)$

**maxima** [A] time = 0.99, size = 129, normalized size = 1.10

$$-\frac{3}{2} d^3 e \arcsin\left(\frac{ex}{d}\right) - d^3 e \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2 x^2 + d^2} d}{|x|}\right) - \frac{3}{2} \sqrt{-e^2 x^2 + d^2} d^2 e x + \sqrt{-e^2 x^2 + d^2} d^2 e + \frac{1}{3} (-e^2 x^2 + d^2)^{\frac{3}{2}} e - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^2,x, algorithm="maxima")

[Out]  $-3/2*d^3*e*\arcsin(e*x/d) - d^3*e*\log(2*d^2/\text{abs}(x) + 2*\sqrt{-e^2*x^2 + d^2})*d/\text{abs}(x) - 3/2*\sqrt{-e^2*x^2 + d^2}*d*e^2*x + \sqrt{-e^2*x^2 + d^2}*d^2*e + 1/3*(-e^2*x^2 + d^2)^(3/2)*e - (-e^2*x^2 + d^2)^(3/2)*d/x$

**mupad [B]** time = 3.51, size = 114, normalized size = 0.97

$$\frac{e(d^2 - e^2 x^2)^{3/2}}{3} + d^2 e \sqrt{d^2 - e^2 x^2} - d^3 e \operatorname{atanh}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right) - \frac{d^3 \sqrt{d^2 - e^2 x^2} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; \frac{e^2 x^2}{d^2}\right)}{x \sqrt{1 - \frac{e^2 x^2}{d^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x))/x^2,x)

[Out]  $(e*(d^2 - e^2*x^2)^(3/2))/3 + d^2*e*(d^2 - e^2*x^2)^(1/2) - d^3*e*\operatorname{atanh}((d^2 - e^2*x^2)^(1/2)/d) - (d^3*(d^2 - e^2*x^2)^(1/2)*\operatorname{hypergeom}([-3/2, -1/2], 1/2, (e^2*x^2)/d^2))/(x*(1 - (e^2*x^2)/d^2)^(1/2))$

**sympy [C]** time = 8.18, size = 386, normalized size = 3.30

$$d^3 \left\{ \begin{array}{l} \frac{id}{x\sqrt{-1+\frac{d^2}{e^2}}} + ie \operatorname{acosh}\left(\frac{ex}{d}\right) - \frac{i^2 x}{d\sqrt{-1+\frac{d^2}{e^2}}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d}{x\sqrt{1-\frac{d^2}{e^2}}} - e \operatorname{asin}\left(\frac{ex}{d}\right) + \frac{e^2 x}{d\sqrt{1-\frac{d^2}{e^2}}} \text{ otherwise} \end{array} \right\} + d^2 e \left\{ \begin{array}{l} \frac{d^2}{ex\sqrt{\frac{d^2}{e^2}-1}} - d \operatorname{acosh}\left(\frac{d}{ex}\right) - \frac{ex}{\sqrt{\frac{d^2}{e^2}-1}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ -\frac{id^2}{ex\sqrt{-\frac{d^2}{e^2}+1}} + id \operatorname{asin}\left(\frac{d}{ex}\right) + \frac{ix}{\sqrt{-\frac{d^2}{e^2}+1}} \text{ otherwise} \end{array} \right\} - d e^2 \left\{ \begin{array}{l} -\frac{id^2 \operatorname{acosh}\left(\frac{ex}{d}\right)}{2e} - \frac{idx}{2\sqrt{-1+\frac{d^2}{e^2}}} + \frac{i^2 x^3}{2d\sqrt{-1+\frac{d^2}{e^2}}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{ex}{d}\right)}{2e} + \frac{dx\sqrt{1-\frac{d^2}{e^2}}}{2} \text{ otherwise} \end{array} \right\} - e^3 \left\{ \begin{array}{l} \frac{x^2 \sqrt{e^2}}{2} \text{ for } e^2 = 0 \\ \frac{(d^2 - e^2 x^2)^{3/2}}{3e^2} \text{ otherwise} \end{array} \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2)/x\*\*2,x)

[Out]  $d**3*\operatorname{Piecewise}((I*d/(x*\sqrt{-1 + e**2*x**2/d**2}) + I*e*\operatorname{acosh}(e*x/d) - I*e**2*x/(d*\sqrt{-1 + e**2*x**2/d**2}), \operatorname{Abs}(e**2*x**2/d**2) > 1), (-d/(x*\sqrt{1 - e**2*x**2/d**2}) - e*\operatorname{asin}(e*x/d) + e**2*x/(d*\sqrt{1 - e**2*x**2/d**2})), \operatorname{True})) + d**2*e*\operatorname{Piecewise}((d**2/(e*x*\sqrt{d**2/(e**2*x**2) - 1}) - d*\operatorname{acosh}(d/(e*x)) - e*x/\sqrt{d**2/(e**2*x**2) - 1}), \operatorname{Abs}(d**2/(e**2*x**2)) > 1), (-I*d**2/(e*x*\sqrt{-d**2/(e**2*x**2) + 1}) + I*d*\operatorname{asin}(d/(e*x)) + I*e*x/\sqrt{-d**2/(e**2*x**2) + 1}), \operatorname{True})) - d*e**2*\operatorname{Piecewise}((-I*d**2*\operatorname{acosh}(e*x/d)/(2*e) - I*d*x/(2*\sqrt{-1 + e**2*x**2/d**2}) + I*e**2*x**3/(2*d*\sqrt{-1 + e**2*x**2/d**2})), \operatorname{Abs}(e**2*x**2/d**2) > 1), (d**2*\operatorname{asin}(e*x/d)/(2*e) + d*x*\sqrt{1 - e**2*x**2/d**2}/2, \operatorname{True})) - e**3*\operatorname{Piecewise}((x**2*\sqrt{d**2}/2, \operatorname{Eq}(e**2, 0)), (-d**2 - e**2*x**2)**(3/2)/(3*e**2), \operatorname{True}))$

$$3.9 \quad \int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^3} dx$$

**Optimal.** Leaf size=121

$$\frac{3de(d+ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(d-ex)(d^2-e^2x^2)^{3/2}}{2x^2} - \frac{3}{2}d^2e^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + \frac{3}{2}d^2e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.09, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {813, 844, 217, 203, 266, 63, 208}

$$\frac{3de(d+ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(d-ex)(d^2-e^2x^2)^{3/2}}{2x^2} - \frac{3}{2}d^2e^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + \frac{3}{2}d^2e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^3, x]

[Out] (-3\*d\*e\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*x) - ((d - e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(2\*x^2) - (3\*d^2\*e^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/2 + (3\*d^2\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/2

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_)^2)^(m\_)\*((c\_.) + (d\_.)\*(x\_)^n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 813

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^3} dx &= -\frac{(d-ex)(d^2-e^2x^2)^{3/2}}{2x^2} - \frac{3}{8} \int \frac{(-4d^2e+4de^2x)\sqrt{d^2-e^2x^2}}{x^2} dx \\
&= -\frac{3de(d+ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(d-ex)(d^2-e^2x^2)^{3/2}}{2x^2} + \frac{3}{16} \int \frac{-8d^3e^2-8d^2e^3x}{x\sqrt{d^2-e^2x^2}} dx \\
&= -\frac{3de(d+ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(d-ex)(d^2-e^2x^2)^{3/2}}{2x^2} - \frac{1}{2} (3d^3e^2) \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx \\
&= -\frac{3de(d+ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(d-ex)(d^2-e^2x^2)^{3/2}}{2x^2} - \frac{1}{4} (3d^3e^2) \text{Subst} \left( \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx \right) \\
&= -\frac{3de(d+ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(d-ex)(d^2-e^2x^2)^{3/2}}{2x^2} - \frac{3}{2} d^2 e^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right) \\
&= -\frac{3de(d+ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(d-ex)(d^2-e^2x^2)^{3/2}}{2x^2} - \frac{3}{2} d^2 e^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right)
\end{aligned}$$

**Mathematica [C]** time = 0.08, size = 110, normalized size = 0.91

$$-\frac{d^2 e \sqrt{d^2 - e^2 x^2} {}_2F_1 \left( -\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; \frac{e^2 x^2}{d^2} \right)}{x \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{e^2 (d^2 - e^2 x^2)^{5/2} {}_2F_1 \left( 2, \frac{5}{2}; \frac{7}{2}; 1 - \frac{e^2 x^2}{d^2} \right)}{5d^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^3,x]

[Out] -((d^2\*e\*Sqrt[d^2 - e^2\*x^2]\*Hypergeometric2F1[-3/2, -1/2, 1/2, (e^2\*x^2)/d^2])/(x\*Sqrt[1 - (e^2\*x^2)/d^2])) - (e^2\*(d^2 - e^2\*x^2)^(5/2)\*Hypergeometric2F1[2, 5/2, 7/2, 1 - (e^2\*x^2)/d^2])/(5\*d^3)

**IntegrateAlgebraic [A]** time = 0.69, size = 146, normalized size = 1.21

$$-\frac{3}{2} d^2 e \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right) - 3d^2 e^2 \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right) + \frac{\sqrt{d^2 - e^2 x^2} (-d^3 - 2d^2 e x - 2d e^2 x^2 - e^3 x^3)}{2x^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^3,x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-d^3 - 2*d^2*e*x - 2*d*e^2*x^2 - e^3*x^3))/(2*x^2) - 3*d^2*e^2*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d] - (3*d^2*e*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]])/2$

**fricas** [A] time = 0.41, size = 133, normalized size = 1.10

$$\frac{6d^2e^2x^2 \arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) - 3d^2e^2x^2 \log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) - 2d^2e^2x^2 - (e^3x^3 + 2de^2x^2 + 2d^2ex + d^3)\sqrt{-e^2x^2+d^2}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^3,x, algorithm="fricas")`

[Out]  $1/2*(6*d^2*e^2*x^2*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) - 3*d^2*e^2*x^2*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) - 2*d^2*e^2*x^2 - (e^3*x^3 + 2*d*e^2*x^2 + 2*d^2*e*x + d^3)*\text{sqrt}(-e^2*x^2 + d^2))/x^2$

**giac** [B] time = 0.28, size = 217, normalized size = 1.79

$$-\frac{3}{2}d^2 \arcsin\left(\frac{xe}{d}\right)e^2 \text{sgn}(d) + \frac{3}{2}d^2e^2 \log\left(\frac{-2de - 2\sqrt{-x^2e^2 + d^2}e^{(-2)}}{2|x|}\right) - \frac{1}{8}\left(\frac{4(de + \sqrt{-x^2e^2 + d^2}e)}{x} + \frac{(de + \sqrt{-x^2e^2 + d^2}e)^2}{x^2}\right)e^{(-8)} - \frac{1}{2}\sqrt{-x^2e^2 + d^2}(xe^3 + 2de^2) + \frac{\left(d^2e^6 + \frac{4(de + \sqrt{-x^2e^2 + d^2}e)d^2e^4}{x}\right)x^2}{8(de + \sqrt{-x^2e^2 + d^2}e)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^3,x, algorithm="giac")`

[Out]  $-3/2*d^2*\arcsin(xe/d)*e^2*\text{sgn}(d) + 3/2*d^2*e^2*\log(1/2*\text{abs}(-2*d*e - 2*\text{sqrt}(-x^2*e^2 + d^2)*e)*e^{(-2)}/\text{abs}(x)) - 1/8*(4*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d^2*e^8/x + (d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d^2*e^6/x^2)*e^{(-8)} - 1/2*\text{sqrt}(-x^2*e^2 + d^2)*(x*e^3 + 2*d*e^2) + 1/8*(d^2*e^6 + 4*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d^2*e^4/x)*x^2/(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2$

**maple** [B] time = 0.02, size = 212, normalized size = 1.75

$$\frac{3d^3e^2 \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{2\sqrt{d^2}} - \frac{3d^2e^3 \arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2+d^2}}\right)}{2\sqrt{e^2}} - \frac{3\sqrt{-e^2x^2+d^2}e^3x}{2} - \frac{3\sqrt{-e^2x^2+d^2}de^2}{2} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^3x}{d^2} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^2}{2d} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e}{d^2x} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}}{2dx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^3,x)`

[Out]  $-e/d^2/x*(-e^2*x^2+d^2)^{(5/2)} - e^3/d^2*x*(-e^2*x^2+d^2)^{(3/2)} - 3/2*e^3*x*(-e^2*x^2+d^2)^{(1/2)} - 3/2*e^3*d^2/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x) - 1/2/d/x^2*(-e^2*x^2+d^2)^{(5/2)} - 1/2*e^2/d*(-e^2*x^2+d^2)^{(3/2)} - 3/2*d*e^2*(-e^2*x^2+d^2)^{(1/2)} + 3/2*e^2*d^3/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)$



**maxima [A]** time = 0.99, size = 160, normalized size = 1.32

$$-\frac{3}{2}d^2e^2 \arcsin\left(\frac{ex}{d}\right) + \frac{3}{2}d^2e^2 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2 + d^2}d}{|x|}\right) - \frac{3}{2}\sqrt{-e^2x^2 + d^2}e^3x - \frac{3}{2}\sqrt{-e^2x^2 + d^2}de^2 - \frac{(-e^2x^2 + d^2)^{\frac{3}{2}}e^2}{2d} - \frac{(-e^2x^2 + d^2)^{\frac{3}{2}}e}{x} - \frac{(-e^2x^2 + d^2)^{\frac{5}{2}}}{2dx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^3,x, algorithm="maxima")

[Out]  $-3/2*d^2*e^2*\arcsin(e*x/d) + 3/2*d^2*e^2*\log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x)) - 3/2*sqrt(-e^2*x^2 + d^2)*e^3*x - 3/2*sqrt(-e^2*x^2 + d^2)*d*e^2 - 1/2*(-e^2*x^2 + d^2)^(3/2)*e^2/d - (-e^2*x^2 + d^2)^(3/2)*e/x - 1/2*(-e^2*x^2 + d^2)^(5/2)/(d*x^2)$

**mupad [B]** time = 3.74, size = 120, normalized size = 0.99

$$\frac{3d^2e^2 \operatorname{atanh}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{2} - \frac{d^3\sqrt{d^2 - e^2x^2}}{2x^2} - d e^2 \sqrt{d^2 - e^2x^2} - \frac{e(d^2 - e^2x^2)^{3/2} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; \frac{e^2x^2}{d^2}\right)}{x\left(1 - \frac{e^2x^2}{d^2}\right)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x))/x^3,x)

[Out]  $(3*d^2*e^2*\operatorname{atanh}((d^2 - e^2*x^2)^(1/2)/d))/2 - (d^3*(d^2 - e^2*x^2)^(1/2))/(2*x^2) - d*e^2*(d^2 - e^2*x^2)^(1/2) - (e*(d^2 - e^2*x^2)^(3/2)*\operatorname{hypergeom}([-3/2, -1/2], 1/2, (e^2*x^2)/d^2))/(x*(1 - (e^2*x^2)/d^2)^(3/2))$

**sympy [C]** time = 9.53, size = 461, normalized size = 3.81

$$d^3 \left( \begin{cases} \frac{\frac{d^2}{2e^3\sqrt{d^2-1}} + \frac{e}{2e\sqrt{d^2-1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{e}\right)}{2d} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{e\sqrt{d^2+1}}{2e} - \frac{e^2 \operatorname{asin}\left(\frac{d}{e}\right)}{2d} \text{ otherwise} \end{cases} + d^2 e \left( \begin{cases} \frac{d}{e\sqrt{1+\frac{d^2}{e^2}}} + i e \operatorname{acosh}\left(\frac{d}{e}\right) - \frac{e^2}{d\sqrt{-1+\frac{d^2}{e^2}}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ -\frac{d}{e\sqrt{1+\frac{d^2}{e^2}}} - e \operatorname{asin}\left(\frac{d}{e}\right) + \frac{e^2}{d\sqrt{1-\frac{d^2}{e^2}}} \text{ otherwise} \end{cases} \right) - d e^2 \left( \begin{cases} \frac{d^2}{e\sqrt{d^2-1}} - d \operatorname{acosh}\left(\frac{d}{e}\right) - \frac{e}{\sqrt{d^2-1}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{d}{e}\right)}{2e} + \frac{d e \sqrt{1+\frac{d^2}{e^2}}}{2} \text{ otherwise} \end{cases} \right) - e^3 \left( \begin{cases} \frac{d^2 \operatorname{acosh}\left(\frac{d}{e}\right)}{2e} - \frac{d e}{2\sqrt{1+\frac{d^2}{e^2}}} + \frac{e^2}{2d\sqrt{1+\frac{d^2}{e^2}}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{d}{e}\right)}{2e} + \frac{d e \sqrt{1+\frac{d^2}{e^2}}}{2} \text{ otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2)/x\*\*3,x)

[Out]  $d**3*\operatorname{Piecewise}((-d**2/(2*e*x**3*sqrt(d**2/(e**2*x**2) - 1)) + e/(2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**2*\operatorname{acosh}(d/(e*x))/(2*d), \operatorname{Abs}(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(2*x) - I*e**2*\operatorname{asin}(d/(e*x))/(2*d), \operatorname{True})) + d**2*e*\operatorname{Piecewise}((I*d/(x*sqrt(-1 + e**2*x**2/d**2)) + I*e*\operatorname{acosh}(e*x/d) - I*e**2*x/(d*sqrt(-1 + e**2*x**2/d**2))), \operatorname{Abs}(e**2*x**2/d**2) > 1), (-d/(x*sqrt(1 - e**2*x**2/d**2)) - e*\operatorname{asin}(e*x/d) + e**2*x/(d*sqrt(1 - e**2*x**2/d**2))), \operatorname{True})) - d*e**2*\operatorname{Piecewise}((d**2/(e*x*sqrt(d**2/(e**2*x**2) - 1)) - d*\operatorname{acosh}(d/(e*x)) - e*x/sqrt(d**2/(e**2*x**2) - 1), \operatorname{Abs}(d**2/(e**2*x**2)) > 1), (-d/(x*sqrt(1 - e**2*x**2/d**2)) - e*\operatorname{asin}(e*x/d) + e**2*x/(d*sqrt(1 - e**2*x**2/d**2))), \operatorname{True}))$

```

> 1), (-I*d**2/(e*x*sqrt(-d**2/(e**2*x**2) + 1)) + I*d*asin(d/(e*x)) + I*e*
x/sqrt(-d**2/(e**2*x**2) + 1), True)) - e**3*Piecewise((-I*d**2*acosh(e*x/d
)/(2*e) - I*d*x/(2*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**3/(2*d*sqrt(-1 +
e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**2*asin(e*x/d)/(2*e) + d*x*s
qrt(1 - e**2*x**2/d**2)/2, True))

```

$$3.10 \quad \int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^4} dx$$

**Optimal.** Leaf size=120

$$\frac{e^2(2d-3ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(2d+3ex)(d^2-e^2x^2)^{3/2}}{6x^3} + de^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + \frac{3}{2}de^3 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.09, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {811, 813, 844, 217, 203, 266, 63, 208}

$$\frac{e^2(2d-3ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(2d+3ex)(d^2-e^2x^2)^{3/2}}{6x^3} + de^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + \frac{3}{2}de^3 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^4,x]

[Out] (e^2\*(2\*d - 3\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*x) - ((2\*d + 3\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(6\*x^3) + d\*e^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] + (3\*d\*e^3\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/2

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 811

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(a + c*x^2)^p*((d*g - e*f*(m + 2
))*(c*d^2 + a*e^2) - 2*c*d^2*p*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 + a*e^2) +
2*c*d*p*(e*f - d*g)*x))/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), x] - Dist[
p/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 2)*(a + c*x^2)^
(p - 1)*Simp[2*a*c*e*(e*f - d*g)*(m + 2) - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m
+ 2*p + 2)) - 2*a*e^2*g*(m + 1))*x, x], x] /; FreeQ[{a, c, d, e, f, g}
, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2*p, 0]
&& !ILtQ[m + 2*p + 3, 0]
```

### Rule 813

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^4} dx &= -\frac{(2d+3ex)(d^2-e^2x^2)^{3/2}}{6x^3} - \int \frac{(4d^3e^2+6d^2e^3x)\sqrt{d^2-e^2x^2}}{x^2} dx \\
&= \frac{e^2(2d-3ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(2d+3ex)(d^2-e^2x^2)^{3/2}}{6x^3} + \frac{\int \frac{-12d^4e^3+8d^3e^4x}{x\sqrt{d^2-e^2x^2}} dx}{8d^2} \\
&= \frac{e^2(2d-3ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(2d+3ex)(d^2-e^2x^2)^{3/2}}{6x^3} - \frac{1}{2}(3d^2e^3) \int \frac{1}{x\sqrt{d^2-e^2x^2}} \\
&= \frac{e^2(2d-3ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(2d+3ex)(d^2-e^2x^2)^{3/2}}{6x^3} - \frac{1}{4}(3d^2e^3) \text{Subst} \left( \int \frac{1}{x\sqrt{d^2}} \right. \\
&= \frac{e^2(2d-3ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(2d+3ex)(d^2-e^2x^2)^{3/2}}{6x^3} + de^3 \tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right) + \\
&= \frac{e^2(2d-3ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(2d+3ex)(d^2-e^2x^2)^{3/2}}{6x^3} + de^3 \tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right) +
\end{aligned}$$

**Mathematica [C]** time = 0.06, size = 111, normalized size = 0.92

$$-\frac{e^3(d^2-e^2x^2)^{5/2}}{5d^4} - \frac{d^3\sqrt{d^2-e^2x^2}}{3x^3\sqrt{1-\frac{e^2x^2}{d^2}}} {}_2F_1\left(2, \frac{5}{2}; \frac{7}{2}; 1-\frac{e^2x^2}{d^2}\right) - \frac{d^3\sqrt{d^2-e^2x^2}}{3x^3\sqrt{1-\frac{e^2x^2}{d^2}}} {}_2F_1\left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; \frac{e^2x^2}{d^2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^4, x]

[Out] -1/3\*(d^3\*Sqrt[d^2 - e^2\*x^2]\*Hypergeometric2F1[-3/2, -3/2, -1/2, (e^2\*x^2)/d^2])/(x^3\*Sqrt[1 - (e^2\*x^2)/d^2]) - (e^3\*(d^2 - e^2\*x^2)^(5/2)\*Hypergeometric2F1[2, 5/2, 7/2, 1 - (e^2\*x^2)/d^2])/(5\*d^4)

**IntegrateAlgebraic [A]** time = 0.59, size = 141, normalized size = 1.18

$$d\sqrt{-e^2} e^2 \log\left(\sqrt{d^2-e^2x^2} - \sqrt{-e^2} x\right) - 3de^3 \tanh^{-1}\left(\frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2-e^2x^2}}{d}\right) + \frac{\sqrt{d^2-e^2x^2}(-2d^3-3d^2ex+8de^2x^2-6e^3x^3)}{6x^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^4, x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-2*d^3 - 3*d^2*e*x + 8*d*e^2*x^2 - 6*e^3*x^3))/(6*x^3) - 3*d*e^3*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d] + d*e^2*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]]$

**fricas** [A] time = 0.42, size = 129, normalized size = 1.08

$$\frac{12 de^3 x^3 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) + 9 de^3 x^3 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + 6 de^3 x^3 + (6 e^3 x^3 - 8 de^2 x^2 + 3 d^2 ex + 2 d^3) \sqrt{-e^2 x^2 + d^2}}{6 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^4,x, algorithm="fricas")`

[Out]  $-1/6*(12*d*e^3*x^3*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) + 9*d*e^3*x^3*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) + 6*d*e^3*x^3 + (6*e^3*x^3 - 8*d*e^2*x^2 + 3*d^2*e*x + 2*d^3)*\text{sqrt}(-e^2*x^2 + d^2))/x^3$

**giac** [B] time = 0.23, size = 261, normalized size = 2.18

$$d \arcsin\left(\frac{x e}{d}\right) e^3 \text{sgn}(d) + \frac{3}{2} d e^3 \log\left(\frac{|-2 d e - 2 \sqrt{-x^2 e^2 + d^2} e| e^{(-2)}}{2|x|}\right) + \frac{\left(d e^3 + \frac{3(d e + \sqrt{-x^2 e^2 + d^2} e) d e^6}{x} - \frac{15(d e + \sqrt{-x^2 e^2 + d^2} e)^2 d e^4}{x^2}\right) x^3 e}{24(d e + \sqrt{-x^2 e^2 + d^2} e)^3} + \frac{1}{24} \left(\frac{15(d e + \sqrt{-x^2 e^2 + d^2} e) d e^{16}}{x} - \frac{3(d e + \sqrt{-x^2 e^2 + d^2} e)^2 d e^{14}}{x^2} - \frac{(d e + \sqrt{-x^2 e^2 + d^2} e)^3 d e^{12}}{x^3}\right) e^{(-15)} - \sqrt{-x^2 e^2 + d^2} e^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^4,x, algorithm="giac")`

[Out]  $d*\arcsin(x*e/d)*e^3*\text{sgn}(d) + 3/2*d*e^3*\log(1/2*\text{abs}(-2*d*e - 2*\text{sqrt}(-x^2*e^2 + d^2)*e)*e^{(-2)}/\text{abs}(x)) + 1/24*(d*e^8 + 3*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d*e^6/x - 15*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d*e^4/x^2)*x^3*e/(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3 + 1/24*(15*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d*e^16/x - 3*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d*e^14/x^2 - (d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*d*e^12/x^3)*e^{(-15)} - \text{sqrt}(-x^2*e^2 + d^2)*e^3$

**maple** [B] time = 0.02, size = 235, normalized size = 1.96

$$\frac{3d^2 e^3 \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2 x^2}}{x}\right)}{2\sqrt{d^2}} + \frac{d e^4 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{-e^2 x^2 + d^2}}\right)}{\sqrt{d^2}} + \frac{\sqrt{-e^2 x^2 + d^2} e^4 x}{d} - \frac{3\sqrt{-e^2 x^2 + d^2} e^3}{2} + \frac{2(-e^2 x^2 + d^2)^{\frac{3}{2}} e^4 x}{3d^3} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} e^3}{2d^2} + \frac{2(-e^2 x^2 + d^2)^{\frac{5}{2}} e^2}{3d^3 x} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} e}{2d^2 x^2} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}}}{3d x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^4,x)`

[Out]  $-1/3/d/x^3*(-e^2*x^2+d^2)^(5/2)+2/3*e^2/d^3/x*(-e^2*x^2+d^2)^(5/2)+2/3*e^4/d^3*x*(-e^2*x^2+d^2)^(3/2)+e^4/d*x*(-e^2*x^2+d^2)^(1/2)+d*e^4/(e^2)^(1/2)*\text{arctan}((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-1/2*e/d^2/x^2*(-e^2*x^2+d^2)^(5/2)-1/2*e^3/d^2*(-e^2*x^2+d^2)^(3/2)-3/2*e^3*(-e^2*x^2+d^2)^(1/2)+3/2*e^3*d^2/(d^2)^(1/2)*\ln((2*d^2+2*(d^2)^(1/2)*(-e^2*x^2+d^2)^(1/2))/x)$

**maxima [A]** time = 0.98, size = 184, normalized size = 1.53

$$de^3 \arcsin\left(\frac{ex}{d}\right) + \frac{3}{2} de^3 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2 + d^2}d}{|x|}\right) + \frac{\sqrt{-e^2x^2 + d^2}e^4x}{d} - \frac{3}{2} \sqrt{-e^2x^2 + d^2} e^3 - \frac{(-e^2x^2 + d^2)^{\frac{3}{2}} e^3}{2d^2} + \frac{2(-e^2x^2 + d^2)^{\frac{3}{2}} e^2}{3dx} - \frac{(-e^2x^2 + d^2)^{\frac{5}{2}} e}{2d^2x^2} - \frac{(-e^2x^2 + d^2)^{\frac{5}{2}}}{3dx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^4,x, algorithm="maxima")

[Out] d\*e^3\*arcsin(e\*x/d) + 3/2\*d\*e^3\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x)) + sqrt(-e^2\*x^2 + d^2)\*e^4\*x/d - 3/2\*sqrt(-e^2\*x^2 + d^2)\*e^3 - 1/2\*(-e^2\*x^2 + d^2)^(3/2)\*e^3/d^2 + 2/3\*(-e^2\*x^2 + d^2)^(3/2)\*e^2/(d\*x) - 1/2\*(-e^2\*x^2 + d^2)^(5/2)\*e/(d^2\*x^2) - 1/3\*(-e^2\*x^2 + d^2)^(5/2)/(d\*x^3)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{3/2} (d + ex)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x))/x^4,x)

[Out] int(((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x))/x^4, x)

**sympy [C]** time = 8.93, size = 457, normalized size = 3.81

$$d^3 \left( \begin{cases} \frac{e\sqrt{\frac{d^2}{2e^2}-1}}{3d^2} + \frac{e^3\sqrt{\frac{d^2}{2e^2}-1}}{3d^2} & \text{for } \left|\frac{d^2}{2e^2}\right| > 1 \\ \frac{ie\sqrt{\frac{d^2}{2e^2}+1}}{3d^2} + \frac{ie^3\sqrt{\frac{d^2}{2e^2}+1}}{3d^2} & \text{otherwise} \end{cases} \right) + d^2 e \left( \begin{cases} -\frac{d^2}{2e^3\sqrt{\frac{d^2}{2e^2}-1}} + \frac{e}{2e\sqrt{\frac{d^2}{2e^2}-1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{e}\right)}{2d} & \text{for } \left|\frac{d^2}{2e^2}\right| > 1 \\ \frac{ie\sqrt{\frac{d^2}{2e^2}+1}}{2e} - \frac{ie^2 \operatorname{asin}\left(\frac{d}{e}\right)}{2d} & \text{otherwise} \end{cases} \right) - d e^2 \left( \begin{cases} \frac{id}{\sqrt{-1+\frac{d^2}{2e^2}}} + ie \operatorname{acosh}\left(\frac{d}{e}\right) - \frac{ie^2x}{d\sqrt{-1+\frac{d^2}{2e^2}}} & \text{for } \left|\frac{d^2}{2e^2}\right| > 1 \\ \frac{d}{x\sqrt{1-\frac{d^2}{2e^2}}} - e \operatorname{asin}\left(\frac{d}{e}\right) + \frac{e^2x}{d\sqrt{1-\frac{d^2}{2e^2}}} & \text{otherwise} \end{cases} \right) - e^3 \left( \begin{cases} \frac{d^2}{e^3\sqrt{\frac{d^2}{2e^2}-1}} - d \operatorname{acosh}\left(\frac{d}{e}\right) - \frac{ex}{\sqrt{\frac{d^2}{2e^2}-1}} & \text{for } \left|\frac{d^2}{2e^2}\right| > 1 \\ -\frac{ie^2}{e^3\sqrt{\frac{d^2}{2e^2}+1}} + id \operatorname{asin}\left(\frac{d}{e}\right) + \frac{ie^2x}{\sqrt{\frac{d^2}{2e^2}+1}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2)/x\*\*4,x)

[Out] d\*\*3\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3\*x\*\*2) + e\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3\*d\*\*2), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3\*x\*\*2) + I\*e\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3\*d\*\*2), True)) + d\*\*2\*e\*Piecewise((-d\*\*2/(2\*e\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e/(2\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*2\*acosh(d/(e\*x))/(2\*d), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(2\*x) - I\*e\*\*2\*asin(d/(e\*x))/(2\*d), True)) - d\*e\*\*2\*Piecewise((I\*d/(x\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*acosh(e\*x/d) - I\*e\*\*2\*x/(d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (-d/(x\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*asin(e\*x/d) + e\*\*2\*x/(d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) - e\*\*3\*Piecewise((d\*\*2/(e\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - d\*acosh(d/(e\*x)) - e\*x/sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*d\*\*2/(e\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*d\*asin(d/(e\*x)) + I\*e\*x/sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1), True))

$$3.11 \quad \int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^5} dx$$

**Optimal.** Leaf size=118

$$\frac{e^2(3d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{(3d+4ex)(d^2-e^2x^2)^{3/2}}{12x^4} + e^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - \frac{3}{8}e^4 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.09, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {811, 844, 217, 203, 266, 63, 208}

$$\frac{e^2(3d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{(3d+4ex)(d^2-e^2x^2)^{3/2}}{12x^4} + e^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - \frac{3}{8}e^4 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^5, x]

[Out] (e^2\*(3\*d + 8\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(8\*x^2) - ((3\*d + 4\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(12\*x^4) + e^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - (3\*e^4\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/8

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217



```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 811

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(a + c*x^2)^p*((d*g - e*f*(m + 2
))*(c*d^2 + a*e^2) - 2*c*d^2*p*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 + a*e^2) +
2*c*d*p*(e*f - d*g))*x)/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), x] - Dist[
p/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 2)*(a + c*x^2)^
(p - 1)*Simp[2*a*c*e*(e*f - d*g)*(m + 2) - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m
+ 2*p + 2)) - 2*a*e^2*g*(m + 1))*x, x], x] /; FreeQ[{a, c, d, e, f, g}
, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2*p, 0]
&& !ILtQ[m + 2*p + 3, 0]
```

### Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^5} dx &= -\frac{(3d+4ex)(d^2-e^2x^2)^{3/2}}{12x^4} - \frac{\int \frac{(6d^3e^2+8d^2e^3x)\sqrt{d^2-e^2x^2}}{x^3} dx}{8d^2} \\
&= \frac{e^2(3d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{(3d+4ex)(d^2-e^2x^2)^{3/2}}{12x^4} + \frac{\int \frac{12d^5e^4+32d^4e^5x}{x\sqrt{d^2-e^2x^2}} dx}{32d^4} \\
&= \frac{e^2(3d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{(3d+4ex)(d^2-e^2x^2)^{3/2}}{12x^4} + \frac{1}{8}(3de^4) \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx \\
&= \frac{e^2(3d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{(3d+4ex)(d^2-e^2x^2)^{3/2}}{12x^4} + \frac{1}{16}(3de^4) \text{Subst} \left( \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx \right) \\
&= \frac{e^2(3d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{(3d+4ex)(d^2-e^2x^2)^{3/2}}{12x^4} + e^4 \tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right) - \frac{1}{8} \\
&= \frac{e^2(3d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{(3d+4ex)(d^2-e^2x^2)^{3/2}}{12x^4} + e^4 \tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right) - \frac{3}{8}
\end{aligned}$$

**Mathematica [C]** time = 0.09, size = 133, normalized size = 1.13

$$\frac{\sqrt{d^2-e^2x^2} \left( 3d^2(2d^2-5e^2x^2) \sqrt{1-\frac{e^2x^2}{d^2}} + 9e^4x^4 \tanh^{-1} \left( \sqrt{1-\frac{e^2x^2}{d^2}} \right) + 8d^3ex {}_2F_1 \left( -\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; \frac{e^2x^2}{d^2} \right) \right)}{24dx^4 \sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^5, x]

[Out] -1/24\*(Sqrt[d^2 - e^2\*x^2]\*(3\*d^2\*(2\*d^2 - 5\*e^2\*x^2)\*Sqrt[1 - (e^2\*x^2)/d^2] + 9\*e^4\*x^4\*ArcTanh[Sqrt[1 - (e^2\*x^2)/d^2]] + 8\*d^3\*e\*x\*Hypergeometric2F1[-3/2, -3/2, -1/2, (e^2\*x^2)/d^2]))/(d\*x^4\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.59, size = 141, normalized size = 1.19

$$\frac{3}{4}e^4 \tanh^{-1} \left( \frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2-e^2x^2}}{d} \right) + \sqrt{-e^2} e^3 \log \left( \sqrt{d^2-e^2x^2} - \sqrt{-e^2} x \right) + \frac{\sqrt{d^2-e^2x^2} (-6d^3 - 8d^2ex + 15de^2x^2 + 32e^3x^3)}{24x^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^5, x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-6*d^3 - 8*d^2*e*x + 15*d*e^2*x^2 + 32*e^3*x^3))/(24*x^4) + (3*e^4*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d])/4 + e^3*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]]$

**fricas** [A] time = 0.41, size = 119, normalized size = 1.01

$$\frac{48 e^4 x^4 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - 9 e^4 x^4 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - (32 e^3 x^3 + 15 d e^2 x^2 - 8 d^2 e x - 6 d^3) \sqrt{-e^2 x^2 + d^2}}{24 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^5,x, algorithm="fricas")`

[Out]  $-1/24*(48*e^4*x^4*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) - 9*e^4*x^4*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) - (32*e^3*x^3 + 15*d*e^2*x^2 - 8*d^2*e*x - 6*d^3)*\text{sqrt}(-e^2*x^2 + d^2))/x^4$

**giac** [B] time = 0.23, size = 297, normalized size = 2.52

$$\arcsin\left(\frac{x}{d}\right) e^4 \text{sgn}(d) + \frac{x^4 \left( \frac{8(d + \sqrt{-x^2 e^2 + d^2})^8}{x} - \frac{24(d + \sqrt{-x^2 e^2 + d^2})^7 e^8}{x^2} + \frac{120(d + \sqrt{-x^2 e^2 + d^2})^6 e^{16}}{x^3} + 3e^{10} \right)}{192(d + \sqrt{-x^2 e^2 + d^2})^4} + \frac{1}{192} \left( \frac{120(d + \sqrt{-x^2 e^2 + d^2})^{20}}{x} + \frac{24(d + \sqrt{-x^2 e^2 + d^2})^{18} e^{24}}{x^2} - \frac{8(d + \sqrt{-x^2 e^2 + d^2})^{16} e^{22}}{x^3} - \frac{3(d + \sqrt{-x^2 e^2 + d^2})^{14} e^{20}}{x^4} \right) e^{(-20)} - \frac{3}{8} e^4 \log\left(\frac{-2de - 2\sqrt{-x^2 e^2 + d^2} e^{(-2)}}{2|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^5,x, algorithm="giac")`

[Out]  $\arcsin(x*e/d)*e^4*\text{sgn}(d) + 1/192*x^4*(8*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*e^8/x - 24*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*e^6/x^2 - 120*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*e^4/x^3 + 3*e^{10}*e^2/(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^4 + 1/192*(120*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*e^{26}/x + 24*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*e^{24}/x^2 - 8*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*e^{22}/x^3 - 3*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^4*e^{20}/x^4)*e^{(-24)} - 3/8*e^4*\log(1/2*\text{abs}(-2*d*e - 2*\text{sqrt}(-x^2*e^2 + d^2)*e)*e^{(-2)}/\text{abs}(x))$

**maple** [B] time = 0.02, size = 260, normalized size = 2.20

$$-\frac{3de^4 \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2 x^2}}{x}\right)}{8\sqrt{d^2}} + \frac{e^5 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{d^2 - e^2 x^2 + d^2}}\right)}{\sqrt{d^2}} + \frac{\sqrt{-e^2 x^2 + d^2} e^5 x}{d^2} + \frac{3\sqrt{-e^2 x^2 + d^2} e^4}{8d} + \frac{2(-e^2 x^2 + d^2)^{3/2} e^5 x}{3d^4} + \frac{(-e^2 x^2 + d^2)^{3/2} e^4}{8d^3} + \frac{2(-e^2 x^2 + d^2)^{5/2} e^3}{3d^4 x} + \frac{(-e^2 x^2 + d^2)^{5/2} e^2}{8d^3 x^2} - \frac{(-e^2 x^2 + d^2)^{5/2} e}{3d^3 x^3} - \frac{(-e^2 x^2 + d^2)^{5/2}}{4d x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^5,x)`

[Out]  $-1/4/d/x^4*(-e^2*x^2+d^2)^(5/2)+1/8*e^2/d^3/x^2*(-e^2*x^2+d^2)^(5/2)+1/8*e^4/d^3*(-e^2*x^2+d^2)^(3/2)+3/8*e^4/d*(-e^2*x^2+d^2)^(1/2)-3/8*d*e^4/(d^2)^(1/2)*\ln((2*d^2+2*(d^2)^(1/2)*(-e^2*x^2+d^2)^(1/2))/x)-1/3*e/d^2/x^3*(-e^2*x^2+d^2)^(5/2)+2/3*e^3/d^4/x*(-e^2*x^2+d^2)^(5/2)+2/3*e^5/d^4*x*(-e^2*x^2+d^2)^(5/2)$

$$2)^{(3/2)} + e^5/d^2 * x * (-e^2 * x^2 + d^2)^{(1/2)} + e^5/(e^2)^{(1/2)} * \arctan((e^2)^{(1/2)}) / (-e^2 * x^2 + d^2)^{(1/2)} * x$$

**maxima [B]** time = 0.98, size = 210, normalized size = 1.78

$$e^4 \arcsin\left(\frac{ex}{d}\right) - \frac{3}{8} e^4 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2 + d^2}d}{|x|}\right) + \frac{\sqrt{-e^2x^2 + d^2}e^5x}{d^2} + \frac{3\sqrt{-e^2x^2 + d^2}e^4}{8d} + \frac{(-e^2x^2 + d^2)^{3/2}e^4}{8d^3} + \frac{2(-e^2x^2 + d^2)^{3/2}e^3}{3d^2x} + \frac{(-e^2x^2 + d^2)^{5/2}e^2}{8d^3x^2} - \frac{(-e^2x^2 + d^2)^{5/2}e}{3d^2x^3} - \frac{(-e^2x^2 + d^2)^{5/2}}{4dx^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^5,x, algorithm="maxima")

[Out]  $e^4 \arcsin(e*x/d) - 3/8 * e^4 * \log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x)) + sqrt(-e^2*x^2 + d^2)*e^5*x/d^2 + 3/8 * sqrt(-e^2*x^2 + d^2)*e^4/d + 1/8 * (-e^2*x^2 + d^2)^(3/2)*e^4/d^3 + 2/3 * (-e^2*x^2 + d^2)^(3/2)*e^3/(d^2*x) + 1/8 * (-e^2*x^2 + d^2)^(5/2)*e^2/(d^3*x^2) - 1/3 * (-e^2*x^2 + d^2)^(5/2)*e/(d^2*x^3) - 1/4 * (-e^2*x^2 + d^2)^(5/2)/(d*x^4)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{3/2} (d + ex)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x))/x^5,x)

[Out] int(((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x))/x^5, x)

**sympy [C]** time = 11.06, size = 541, normalized size = 4.58

$$d^3 \left\{ \begin{array}{l} -\frac{d^2}{4e^4\sqrt{\frac{d^2}{e^2}+1}} + \frac{3e}{8e^3\sqrt{\frac{d^2}{e^2}+1}} - \frac{e^3}{8e^2\sqrt{\frac{d^2}{e^2}-1}} + \frac{e^4 \operatorname{acosh}\left(\frac{d}{e}\right)}{8d^3} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{ie^2}{4e^3\sqrt{\frac{d^2}{e^2}+1}} - \frac{3ie}{8e^2\sqrt{\frac{d^2}{e^2}+1}} + \frac{ie^3}{8e\sqrt{\frac{d^2}{e^2}-1}} - \frac{ie^4 \operatorname{asin}\left(\frac{d}{e}\right)}{8d^3} \text{ otherwise} \end{array} \right\} + d^2 e \left\{ \begin{array}{l} -\frac{e\sqrt{\frac{d^2}{e^2}-1}}{3e^2} + \frac{e^3\sqrt{\frac{d^2}{e^2}-1}}{3e^2} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{ie\sqrt{\frac{d^2}{e^2}+1}}{3e^2} + \frac{ie^3\sqrt{\frac{d^2}{e^2}+1}}{3e^2} \text{ otherwise} \end{array} \right\} - d^2 \left\{ \begin{array}{l} -\frac{d^2}{2e^3\sqrt{\frac{d^2}{e^2}-1}} + \frac{e}{2e\sqrt{\frac{d^2}{e^2}-1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{e}\right)}{2d} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{ie\sqrt{\frac{d^2}{e^2}+1}}{2e} - \frac{ie^2 \operatorname{asin}\left(\frac{d}{e}\right)}{2d} \text{ otherwise} \end{array} \right\} - e^3 \left\{ \begin{array}{l} \frac{d}{e\sqrt{-1+\frac{e^2d^2}{e^2}}} + ie \operatorname{acosh}\left(\frac{d}{e}\right) - \frac{ie^2x}{d\sqrt{-1+\frac{e^2d^2}{e^2}}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ -\frac{d}{e\sqrt{1-\frac{e^2d^2}{e^2}}} - e \operatorname{asin}\left(\frac{d}{e}\right) + \frac{e^2x}{d\sqrt{1-\frac{e^2d^2}{e^2}}} \text{ otherwise} \end{array} \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2)/x\*\*5,x)

[Out]  $d**3 * \text{Piecewise}((-d**2/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 3*e/(8*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**3/(8*d**2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**4*acosh(d/(e*x))/(8*d**3), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(4*e*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e/(8*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**3/(8*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**4*asin(d/(e*x))/(8*d**3), True)) + d**2*e*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*x**2) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(3*x**2) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(3*d**2), True)) - d*e**2*Piecewise((-d**2/(2*e*x**3*sqrt(d**2/(e**2*x**2) -$

```

1)) + e/(2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**2*acosh(d/(e*x))/(2*d), Abs(d
**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(2*x) - I*e**2*asi
n(d/(e*x))/(2*d), True)) - e**3*Piecewise((I*d/(x*sqrt(-1 + e**2*x**2/d**2)
) + I*e*acosh(e*x/d) - I*e**2*x/(d*sqrt(-1 + e**2*x**2/d**2))), Abs(e**2*x**
2/d**2) > 1), (-d/(x*sqrt(1 - e**2*x**2/d**2)) - e*asin(e*x/d) + e**2*x/(d*
sqrt(1 - e**2*x**2/d**2)), True))

```

$$3.12 \quad \int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^6} dx$$

**Optimal.** Leaf size=108

$$-\frac{(d^2 - e^2x^2)^{5/2}}{5dx^5} - \frac{e(d^2 - e^2x^2)^{3/2}}{4x^4} - \frac{3e^5 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{8d} + \frac{3e^3\sqrt{d^2 - e^2x^2}}{8x^2}$$

**Rubi [A]** time = 0.06, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {807, 266, 47, 63, 208}

$$\frac{3e^3\sqrt{d^2 - e^2x^2}}{8x^2} - \frac{e(d^2 - e^2x^2)^{3/2}}{4x^4} - \frac{(d^2 - e^2x^2)^{5/2}}{5dx^5} - \frac{3e^5 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{8d}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^6,x]

[Out] (3\*e^3\*sqrt[d^2 - e^2\*x^2])/(8\*x^2) - (e\*(d^2 - e^2\*x^2)^(3/2))/(4\*x^4) - (d^2 - e^2\*x^2)^(5/2)/(5\*d\*x^5) - (3\*e^5\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(8\*d)

#### Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(IntegerQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[  
Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b  
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p  
\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))  
/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), In  
t[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}  
, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex)(d^2 - e^2x^2)^{3/2}}{x^6} dx &= -\frac{(d^2 - e^2x^2)^{5/2}}{5dx^5} + e \int \frac{(d^2 - e^2x^2)^{3/2}}{x^5} dx \\
 &= -\frac{(d^2 - e^2x^2)^{5/2}}{5dx^5} + \frac{1}{2}e \operatorname{Subst}\left(\int \frac{(d^2 - e^2x)^{3/2}}{x^3} dx, x, x^2\right) \\
 &= -\frac{e(d^2 - e^2x^2)^{3/2}}{4x^4} - \frac{(d^2 - e^2x^2)^{5/2}}{5dx^5} - \frac{1}{8}(3e^3) \operatorname{Subst}\left(\int \frac{\sqrt{d^2 - e^2x}}{x^2} dx, x, x^2\right) \\
 &= \frac{3e^3\sqrt{d^2 - e^2x^2}}{8x^2} - \frac{e(d^2 - e^2x^2)^{3/2}}{4x^4} - \frac{(d^2 - e^2x^2)^{5/2}}{5dx^5} + \frac{1}{16}(3e^5) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{d^2 - e^2x}} dx, x, x^2\right) \\
 &= \frac{3e^3\sqrt{d^2 - e^2x^2}}{8x^2} - \frac{e(d^2 - e^2x^2)^{3/2}}{4x^4} - \frac{(d^2 - e^2x^2)^{5/2}}{5dx^5} - \frac{1}{8}(3e^3) \operatorname{Subst}\left(\int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} d\left(\frac{d^2}{e^2} - \frac{x^2}{e^2}\right)\right) \\
 &= \frac{3e^3\sqrt{d^2 - e^2x^2}}{8x^2} - \frac{e(d^2 - e^2x^2)^{3/2}}{4x^4} - \frac{(d^2 - e^2x^2)^{5/2}}{5dx^5} - \frac{3e^5 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{8d}
 \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 133, normalized size = 1.23

$$\frac{8d^6 + 10d^5ex - 24d^4e^2x^2 - 35d^3e^3x^3 + 24d^2e^4x^4 + 15de^5x^5\sqrt{1 - \frac{e^2x^2}{d^2}} \tanh^{-1}\left(\sqrt{1 - \frac{e^2x^2}{d^2}}\right) + 25de^5x^5 - 8e^6x^6}{40dx^5\sqrt{d^2 - e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^6,x]

[Out] 
$$-1/40*(8*d^6 + 10*d^5*e*x - 24*d^4*e^2*x^2 - 35*d^3*e^3*x^3 + 24*d^2*e^4*x^4 + 25*d*e^5*x^5 - 8*e^6*x^6 + 15*d*e^5*x^5*\text{Sqrt}[1 - (e^2*x^2)/d^2]*\text{ArcTanh}[\text{Sqrt}[1 - (e^2*x^2)/d^2]])/(d*x^5*\text{Sqrt}[d^2 - e^2*x^2])$$

**IntegrateAlgebraic [A]** time = 0.62, size = 155, normalized size = 1.44

$$\frac{3e^5 \log(\sqrt{d^2 - e^2 x^2} + d - \sqrt{-e^2} x)}{8d} + \frac{3e^5 \log(-d\sqrt{d^2 - e^2 x^2} + d^2 + d\sqrt{-e^2} x)}{8d} + \frac{\sqrt{d^2 - e^2 x^2} (-8d^4 - 10d^3 e x + 16d^2 e^2 x^2 + 25d e^3 x^3 - 8e^4 x^4)}{40dx^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^6,x]

[Out] 
$$(\text{Sqrt}[d^2 - e^2*x^2]*(-8*d^4 - 10*d^3*e*x + 16*d^2*e^2*x^2 + 25*d*e^3*x^3 - 8*e^4*x^4))/(40*d*x^5) - (3*e^5*\text{Log}[d - \text{Sqrt}[-e^2]*x + \text{Sqrt}[d^2 - e^2*x^2]])/(8*d) + (3*e^5*\text{Log}[d^2 + d*\text{Sqrt}[-e^2]*x - d*\text{Sqrt}[d^2 - e^2*x^2]])/(8*d)$$

**fricas [A]** time = 0.39, size = 98, normalized size = 0.91

$$\frac{15e^5 x^5 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - (8e^4 x^4 - 25de^3 x^3 - 16d^2 e^2 x^2 + 10d^3 e x + 8d^4) \sqrt{-e^2 x^2 + d^2}}{40 dx^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^6,x, algorithm="fricas")

[Out] 
$$1/40*(15*e^5*x^5*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) - (8*e^4*x^4 - 25*d*e^3*x^3 - 16*d^2*e^2*x^2 + 10*d^3*e*x + 8*d^4)*\text{sqrt}(-e^2*x^2 + d^2))/(d*x^5)$$

**giac [B]** time = 0.25, size = 368, normalized size = 3.41

$$\frac{x^5 \left( \frac{5(d + \sqrt{-e^2 x^2 + d^2})^{20}}{x} - \frac{10(d + \sqrt{-e^2 x^2 + d^2})^2 e^5}{x^2} - \frac{40(d + \sqrt{-e^2 x^2 + d^2})^3 e^5}{x^3} + \frac{20(d + \sqrt{-e^2 x^2 + d^2})^4 e^5}{x^4} + 2e^{12} \right) e^3 - 3e^5 \log\left(\frac{1 + 2d - 2\sqrt{-e^2 x^2 + d^2} + d^2}{2|x|}\right) - \left( \frac{20(d + \sqrt{-e^2 x^2 + d^2})^{26}}{x} - \frac{40(d + \sqrt{-e^2 x^2 + d^2})^3 e^{26}}{x^2} - \frac{10(d + \sqrt{-e^2 x^2 + d^2})^4 e^{24}}{x^3} + \frac{5(d + \sqrt{-e^2 x^2 + d^2})^5 e^{22}}{x^4} + \frac{2(d + \sqrt{-e^2 x^2 + d^2})^6 e^{20}}{x^5} \right) e^{-35}}{320(d + \sqrt{-e^2 x^2 + d^2})^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^6,x, algorithm="giac")

[Out] 
$$1/320*x^5*(5*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*e^{10}/x - 10*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*e^8/x^2 - 40*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*e^6/x^3 + 20*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^4*e^4/x^4 + 2*e^{12})*e^3/((d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^5*d) - 3/8*e^5*\log(1/2*\text{abs}(-2*d*e - 2*\text{sqrt}(-x^2*e^2 + d^2)*e)*e^{(-2)/\text{abs}(x)})/d - 1/320*(20*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d^4*e^{38}/x - 40*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d^4*e^{36}/x^2 - 10*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*d^4*e^{34}/x^3 + 5*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^4*d^4*e^{32}/x^4 + 2*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^5*d^4*e^{30}/x^5)$$



) $e^3 d^4 e^{34/x^3} + 5(d e + \sqrt{-x^2 e^2 + d^2}) e^4 d^4 e^{32/x^4} + 2(d e + \sqrt{-x^2 e^2 + d^2}) e^5 d^4 e^{30/x^5} e^{(-35)/d^5}$

**maple [A]** time = 0.03, size = 158, normalized size = 1.46

$$-\frac{3e^5 \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2 x^2 + d^2}}{x}\right)}{8\sqrt{d^2}} + \frac{3\sqrt{-e^2 x^2 + d^2} e^5}{8d^2} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} e^5}{8d^4} + \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} e^3}{8d^4 x^2} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} e}{4d^2 x^4} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}}}{5d x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^6,x)`

[Out]  $-1/5(-e^2 x^2 + d^2)^{5/2}/d/x^5 - 1/4 e/d^2/x^4(-e^2 x^2 + d^2)^{5/2} + 1/8 e^3/d^4/x^2(-e^2 x^2 + d^2)^{5/2} + 1/8 e^5/d^4(-e^2 x^2 + d^2)^{3/2} + 3/8 e^5/d^2(-e^2 x^2 + d^2)^{1/2} - 3/8 e^5/(d^2)^{1/2} \ln((2d^2 + 2(d^2)^{1/2}(-e^2 x^2 + d^2)^{1/2})/x)$

**maxima [A]** time = 0.99, size = 155, normalized size = 1.44

$$-\frac{3e^5 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2 x^2 + d^2} d}{|x|}\right)}{8d} + \frac{3\sqrt{-e^2 x^2 + d^2} e^5}{8d^2} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} e^5}{8d^4} + \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} e^3}{8d^4 x^2} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} e}{4d^2 x^4} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}}}{5d x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^6,x, algorithm="maxima")`

[Out]  $-3/8 e^5 \log(2d^2/\text{abs}(x) + 2\sqrt{-e^2 x^2 + d^2} d/\text{abs}(x))/d + 3/8 \sqrt{-e^2 x^2 + d^2} e^5/d^2 + 1/8(-e^2 x^2 + d^2)^{3/2} e^5/d^4 + 1/8(-e^2 x^2 + d^2)^{5/2} e^3/(d^4 x^2) - 1/4(-e^2 x^2 + d^2)^{5/2} e/(d^2 x^4) - 1/5(-e^2 x^2 + d^2)^{5/2}/(d x^5)$

**mupad [B]** time = 4.26, size = 93, normalized size = 0.86

$$\frac{3d^2 e \sqrt{d^2 - e^2 x^2}}{8x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{5d x^5} - \frac{3e^5 \operatorname{atanh}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{8d} - \frac{5e(d^2 - e^2 x^2)^{3/2}}{8x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d^2 - e^2*x^2)^(3/2)*(d + e*x))/x^6,x)`

[Out]  $(3d^2 e (d^2 - e^2 x^2)^{1/2})/(8x^4) - (d^2 - e^2 x^2)^{5/2}/(5d x^5) - (3e^5 \operatorname{atanh}((d^2 - e^2 x^2)^{1/2}/d))/(8d) - (5e (d^2 - e^2 x^2)^{3/2})/(8x^4)$

sympy [C] time = 11.36, size = 774, normalized size = 7.17

$$d^3 \left( \left( \begin{array}{l} \frac{3d^3 \sqrt{-1 + \frac{d^2}{x^2}}}{-15d^3 d^3 + 15d^3 d^3} - \frac{4d^3 d^3 \sqrt{-1 + \frac{d^2}{x^2}}}{-15d^3 d^3 + 15d^3 d^3} + \frac{2d^3 d^3 \sqrt{-1 + \frac{d^2}{x^2}}}{-15d^3 d^3 + 15d^3 d^3} - \frac{d^3 d^3 \sqrt{-1 + \frac{d^2}{x^2}}}{-15d^3 d^3 + 15d^3 d^3} \text{ for } \left| \frac{d^2}{x^2} \right| > 1 \\ \frac{3d^3 \sqrt{1 - \frac{d^2}{x^2}}}{-15d^3 d^3 + 15d^3 d^3} - \frac{4d^3 d^3 \sqrt{1 - \frac{d^2}{x^2}}}{-15d^3 d^3 + 15d^3 d^3} + \frac{2d^3 d^3 \sqrt{1 - \frac{d^2}{x^2}}}{-15d^3 d^3 + 15d^3 d^3} - \frac{d^3 d^3 \sqrt{1 - \frac{d^2}{x^2}}}{-15d^3 d^3 + 15d^3 d^3} \text{ otherwise} \end{array} \right) + d^2 e^x \left( \begin{array}{l} -\frac{d^2}{4d^3 \sqrt{\frac{d^2}{x^2} - 1}} + \frac{3e}{8d^3 \sqrt{\frac{d^2}{x^2} - 1}} - \frac{d^2}{8d^3 \sqrt{\frac{d^2}{x^2} - 1}} + \frac{d^2 \operatorname{acosh}\left(\frac{d}{e^x}\right)}{8d^3} \text{ for } \left| \frac{d^2}{x^2} \right| > 1 \\ \frac{d^2}{4d^3 \sqrt{\frac{d^2}{x^2} + 1}} - \frac{3e}{8d^3 \sqrt{\frac{d^2}{x^2} + 1}} + \frac{d^2}{8d^3 \sqrt{\frac{d^2}{x^2} + 1}} - \frac{d^2 \operatorname{asin}\left(\frac{d}{e^x}\right)}{8d^3} \text{ otherwise} \end{array} \right) - d^2 e^x \left( \begin{array}{l} \frac{d^2 \sqrt{\frac{d^2}{x^2} - 1}}{3d^2} + \frac{d^2 \sqrt{\frac{d^2}{x^2} - 1}}{3d^2} \text{ for } \left| \frac{d^2}{x^2} \right| > 1 \\ \frac{d^2 \sqrt{\frac{d^2}{x^2} + 1}}{3d^2} + \frac{d^2 \sqrt{\frac{d^2}{x^2} + 1}}{3d^2} \text{ otherwise} \end{array} \right) - e^x \left( \begin{array}{l} -\frac{d^2}{2d^3 \sqrt{\frac{d^2}{x^2} - 1}} + \frac{e}{2d^3 \sqrt{\frac{d^2}{x^2} - 1}} + \frac{d^2 \operatorname{acosh}\left(\frac{d}{e^x}\right)}{2d} \text{ for } \left| \frac{d^2}{x^2} \right| > 1 \\ \frac{d^2 \sqrt{\frac{d^2}{x^2} + 1}}{2d} - \frac{d^2 \operatorname{asin}\left(\frac{d}{e^x}\right)}{2d} \text{ otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2)/x\*\*6,x)

[Out] d\*\*3\*Piecewise((3\*I\*d\*\*3\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) - 4\*I\*d\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) + 2\*I\*e\*\*6\*x\*\*6\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*5\*x\*\*5 + 15\*d\*\*3\*e\*\*2\*x\*\*7) - I\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*3\*x\*\*5 + 15\*d\*e\*\*2\*x\*\*7), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (3\*d\*\*3\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) - 4\*d\*e\*\*2\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) + 2\*e\*\*6\*x\*\*6\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*5\*x\*\*5 + 15\*d\*\*3\*e\*\*2\*x\*\*7) - e\*\*4\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*3\*x\*\*5 + 15\*d\*e\*\*2\*x\*\*7), True)) + d\*\*2\*e\*Piecewise((-d\*\*2/(4\*e\*x\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + 3\*e/(8\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - e\*\*3/(8\*d\*\*2\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*4\*acosh(d/(e\*x))/(8\*d\*\*3), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (I\*d\*\*2/(4\*e\*x\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - 3\*I\*e/(8\*x\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*e\*\*3/(8\*d\*\*2\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e\*\*4\*asin(d/(e\*x))/(8\*d\*\*3), True)) - d\*\*2\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3\*x\*\*2) + e\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3\*d\*\*2), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3\*x\*\*2) + I\*e\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3\*d\*\*2), True)) - e\*\*3\*Piecewise((-d\*\*2/(2\*e\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e/(2\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*2\*acosh(d/(e\*x))/(2\*d), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(2\*x) - I\*e\*\*2\*asin(d/(e\*x))/(2\*d), True))

$$3.13 \quad \int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^7} dx$$

**Optimal.** Leaf size=143

$$-\frac{(d^2 - e^2x^2)^{5/2}}{6dx^6} - \frac{e(d^2 - e^2x^2)^{5/2}}{5d^2x^5} - \frac{e^2(d^2 - e^2x^2)^{3/2}}{24dx^4} - \frac{e^6 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{16d^2} + \frac{e^4\sqrt{d^2 - e^2x^2}}{16dx^2}$$

**Rubi [A]** time = 0.09, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {835, 807, 266, 47, 63, 208}

$$\frac{e^4\sqrt{d^2 - e^2x^2}}{16dx^2} - \frac{e^2(d^2 - e^2x^2)^{3/2}}{24dx^4} - \frac{e(d^2 - e^2x^2)^{5/2}}{5d^2x^5} - \frac{(d^2 - e^2x^2)^{5/2}}{6dx^6} - \frac{e^6 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{16d^2}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^7, x]

[Out] (e^4\*sqrt[d^2 - e^2\*x^2])/(16\*d\*x^2) - (e^2\*(d^2 - e^2\*x^2)^(3/2))/(24\*d\*x^4) - (d^2 - e^2\*x^2)^(5/2)/(6\*d\*x^6) - (e\*(d^2 - e^2\*x^2)^(5/2))/(5\*d^2\*x^5) - (e^6\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(16\*d^2)

#### Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^7} dx &= -\frac{(d^2-e^2x^2)^{5/2}}{6dx^6} - \frac{\int \frac{(-6d^2e-de^2x)(d^2-e^2x^2)^{3/2}}{x^6} dx}{6d^2} \\
&= -\frac{(d^2-e^2x^2)^{5/2}}{6dx^6} - \frac{e(d^2-e^2x^2)^{5/2}}{5d^2x^5} + \frac{e^2 \int \frac{(d^2-e^2x^2)^{3/2}}{x^5} dx}{6d} \\
&= -\frac{(d^2-e^2x^2)^{5/2}}{6dx^6} - \frac{e(d^2-e^2x^2)^{5/2}}{5d^2x^5} + \frac{e^2 \text{Subst}\left(\int \frac{(d^2-e^2x)^{3/2}}{x^3} dx, x, x^2\right)}{12d} \\
&= -\frac{e^2(d^2-e^2x^2)^{3/2}}{24dx^4} - \frac{(d^2-e^2x^2)^{5/2}}{6dx^6} - \frac{e(d^2-e^2x^2)^{5/2}}{5d^2x^5} - \frac{e^4 \text{Subst}\left(\int \frac{\sqrt{d^2-e^2x}}{x^2} dx, x, x^2\right)}{16d} \\
&= \frac{e^4\sqrt{d^2-e^2x^2}}{16dx^2} - \frac{e^2(d^2-e^2x^2)^{3/2}}{24dx^4} - \frac{(d^2-e^2x^2)^{5/2}}{6dx^6} - \frac{e(d^2-e^2x^2)^{5/2}}{5d^2x^5} + \frac{e^6 \text{Subst}\left(\int \frac{1}{x} dx, x, x^2\right)}{16d} \\
&= \frac{e^4\sqrt{d^2-e^2x^2}}{16dx^2} - \frac{e^2(d^2-e^2x^2)^{3/2}}{24dx^4} - \frac{(d^2-e^2x^2)^{5/2}}{6dx^6} - \frac{e(d^2-e^2x^2)^{5/2}}{5d^2x^5} - \frac{e^4 \text{Subst}\left(\int \frac{1}{x} dx, x, x^2\right)}{16d} \\
&= \frac{e^4\sqrt{d^2-e^2x^2}}{16dx^2} - \frac{e^2(d^2-e^2x^2)^{3/2}}{24dx^4} - \frac{(d^2-e^2x^2)^{5/2}}{6dx^6} - \frac{e(d^2-e^2x^2)^{5/2}}{5d^2x^5} - \frac{e^6 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{16d}
\end{aligned}$$

**Mathematica [C]** time = 0.02, size = 59, normalized size = 0.41

$$-\frac{e(d^2-e^2x^2)^{5/2} \left(d^5 + e^5x^5 {}_2F_1\left(\frac{5}{2}, 4; \frac{7}{2}; 1 - \frac{e^2x^2}{d^2}\right)\right)}{5d^7x^5}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^7, x]

[Out] -1/5\*(e\*(d^2 - e^2\*x^2)^(5/2)\*(d^5 + e^5\*x^5\*Hypergeometric2F1[5/2, 4, 7/2, 1 - (e^2\*x^2)/d^2]))/(d^7\*x^5)

**IntegrateAlgebraic [A]** time = 0.62, size = 126, normalized size = 0.88

$$\frac{e^6 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2-e^2x^2}}{d}\right)}{8d^2} + \frac{\sqrt{d^2-e^2x^2}(-40d^5 - 48d^4ex + 70d^3e^2x^2 + 96d^2e^3x^3 - 15de^4x^4 - 48e^5x^5)}{240d^2x^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^7,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-40\*d^5 - 48\*d^4\*e\*x + 70\*d^3\*e^2\*x^2 + 96\*d^2\*e^3\*x^3 - 15\*d\*e^4\*x^4 - 48\*e^5\*x^5))/(240\*d^2\*x^6) + (e^6\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/(8\*d^2)

**fricas** [A] time = 0.43, size = 109, normalized size = 0.76

$$\frac{15e^6x^6 \log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) - (48e^5x^5 + 15de^4x^4 - 96d^2e^3x^3 - 70d^3e^2x^2 + 48d^4ex + 40d^5)\sqrt{-e^2x^2+d^2}}{240d^2x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^7,x, algorithm="fricas")

[Out] 1/240\*(15\*e^6\*x^6\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (48\*e^5\*x^5 + 15\*d\*e^4\*x^4 - 96\*d^2\*e^3\*x^3 - 70\*d^3\*e^2\*x^2 + 48\*d^4\*e\*x + 40\*d^5)\*sqrt(-e^2\*x^2 + d^2))/(d^2\*x^6)

**giac** [B] time = 0.28, size = 431, normalized size = 3.01

$$\frac{x^6 \log\left(\frac{15(d+\sqrt{-e^2x^2+d^2})^{12}}{x^{12}} - \frac{15(d+\sqrt{-e^2x^2+d^2})^8}{x^8} - \frac{60(d+\sqrt{-e^2x^2+d^2})^4}{x^4} + \frac{120(d+\sqrt{-e^2x^2+d^2})^2}{x^2} + 5e^{14}\right) e^6 \log\left(\frac{2d-2\sqrt{-e^2x^2+d^2}}{2|x|}\right) - \left(\frac{120(d+\sqrt{-e^2x^2+d^2})^{12}}{x^{12}} - \frac{15(d+\sqrt{-e^2x^2+d^2})^8}{x^8} - \frac{60(d+\sqrt{-e^2x^2+d^2})^4}{x^4} - \frac{15(d+\sqrt{-e^2x^2+d^2})^2}{x^2} + \frac{12(d+\sqrt{-e^2x^2+d^2})^2}{x^2} + \frac{5(d+\sqrt{-e^2x^2+d^2})^2}{x^2}\right) e^{14}}{1920(d+\sqrt{-e^2x^2+d^2})^6 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^7,x, algorithm="giac")

[Out] 1/1920\*x^6\*(12\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^12/x - 15\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*e^10/x^2 - 60\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*e^8/x^3 - 15\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*e^6/x^4 + 120\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5\*e^4/x^5 + 5\*e^14)\*e^4/((d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^6\*d^2) - 1/16\*e^6\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d^2 - 1/1920\*(120\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^10\*e^52/x - 15\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*d^10\*e^50/x^2 - 60\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*d^10\*e^48/x^3 - 15\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*d^10\*e^46/x^4 + 12\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5\*d^10\*e^44/x^5 + 5\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^6\*d^10\*e^42/x^6)\*e^(-48)/d^12

**maple** [A] time = 0.03, size = 186, normalized size = 1.30

$$-\frac{e^6 \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{16\sqrt{d^2}d} + \frac{\sqrt{-e^2x^2+d^2}e^6}{16d^3} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^6}{48d^5} + \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e^4}{48d^5x^2} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e^2}{24d^3x^4} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e}{5d^2x^5} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}}{6dx^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^7,x)`

[Out] 
$$-1/5*e*(-e^2*x^2+d^2)^(5/2)/d^2/x^5-1/6*(-e^2*x^2+d^2)^(5/2)/d/x^6-1/24*e^2/d^3/x^4*(-e^2*x^2+d^2)^(5/2)+1/48*e^4/d^5/x^2*(-e^2*x^2+d^2)^(5/2)+1/48*e^6/d^5*(-e^2*x^2+d^2)^(3/2)+1/16*e^6/d^3*(-e^2*x^2+d^2)^(1/2)-1/16*e^6/d/(d^2)^(1/2)*\ln((2*d^2+2*(d^2)^(1/2)*(-e^2*x^2+d^2)^(1/2))/x)$$

**maxima [A]** time = 0.99, size = 180, normalized size = 1.26

$$-\frac{e^6 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{16d^2} + \frac{\sqrt{-e^2x^2+d^2}e^6}{16d^3} + \frac{(-e^2x^2+d^2)^{3/2}e^6}{48d^5} + \frac{(-e^2x^2+d^2)^{5/2}e^4}{48d^5x^2} - \frac{(-e^2x^2+d^2)^{5/2}e^2}{24d^3x^4} - \frac{(-e^2x^2+d^2)^{5/2}e}{5d^2x^5} - \frac{(-e^2x^2+d^2)^{5/2}}{6dx^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^7,x, algorithm="maxima")`

[Out] 
$$-1/16*e^6*\log(2*d^2/\text{abs}(x) + 2*\text{sqrt}(-e^2*x^2 + d^2)*d/\text{abs}(x))/d^2 + 1/16*\text{sqrt}(-e^2*x^2 + d^2)*e^6/d^3 + 1/48*(-e^2*x^2 + d^2)^(3/2)*e^6/d^5 + 1/48*(-e^2*x^2 + d^2)^(5/2)*e^4/(d^5*x^2) - 1/24*(-e^2*x^2 + d^2)^(5/2)*e^2/(d^3*x^4) - 1/5*(-e^2*x^2 + d^2)^(5/2)*e/(d^2*x^5) - 1/6*(-e^2*x^2 + d^2)^(5/2)/(d*x^6)$$

**mupad [B]** time = 4.66, size = 118, normalized size = 0.83

$$\frac{d^3 \sqrt{d^2 - e^2 x^2}}{16 x^6} - \frac{d (d^2 - e^2 x^2)^{3/2}}{6 x^6} - \frac{(d^2 - e^2 x^2)^{5/2}}{16 d x^6} - \frac{e (d^2 - e^2 x^2)^{5/2}}{5 d^2 x^5} + \frac{e^6 \operatorname{atan}\left(\frac{\sqrt{d^2 - e^2 x^2} 1i}{d}\right) 1i}{16 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d^2 - e^2*x^2)^(3/2)*(d + e*x))/x^7,x)`

[Out] 
$$(d^3*(d^2 - e^2*x^2)^(1/2))/(16*x^6) - (d*(d^2 - e^2*x^2)^(3/2))/(6*x^6) - (d^2 - e^2*x^2)^(5/2)/(16*d*x^6) + (e^6*\operatorname{atan}(((d^2 - e^2*x^2)^(1/2)*1i)/d)*1i)/(16*d^2) - (e*(d^2 - e^2*x^2)^(5/2))/(5*d^2*x^5)$$

**sympy [C]** time = 15.25, size = 918, normalized size = 6.42

$$d^2 \left( \begin{array}{l} \frac{d^2}{64\sqrt{\frac{d}{2d+1}}} + \frac{3e}{24\sqrt{\frac{d}{2d+1}}} + \frac{e^2}{48\sqrt{\frac{d}{2d+1}}} - \frac{e^2}{16d^2\sqrt{\frac{d}{2d+1}}} + \frac{e^4 \operatorname{atan}\left(\frac{e}{2d}\right)}{16d^2} \text{ for } \left|\frac{d^2}{2d+1}\right| > 1 \\ \frac{d^2}{64\sqrt{\frac{d}{2d+1}}} - \frac{3e}{24\sqrt{\frac{d}{2d+1}}} + \frac{e^2}{48\sqrt{\frac{d}{2d+1}}} + \frac{e^2}{16d^2\sqrt{\frac{d}{2d+1}}} - \frac{e^4 \operatorname{atan}\left(\frac{e}{2d}\right)}{16d^2} \text{ otherwise} \end{array} \right) + d^2 e \left( \begin{array}{l} \frac{3d^2\sqrt{-1+2\frac{d}{2d+1}}}{15d^2\sqrt{15d^2}} - \frac{4d^2e\sqrt{-1+2\frac{d}{2d+1}}}{15d^2\sqrt{15d^2}} + \frac{2d^2e^2\sqrt{-1+2\frac{d}{2d+1}}}{15d^2\sqrt{15d^2}} - \frac{e^4e\sqrt{-1+2\frac{d}{2d+1}}}{15d^2\sqrt{15d^2}} \text{ for } \left|\frac{d^2}{2d+1}\right| > 1 \\ \frac{3d^2\sqrt{1+2\frac{d}{2d+1}}}{15d^2\sqrt{15d^2}} - \frac{4d^2e\sqrt{1+2\frac{d}{2d+1}}}{15d^2\sqrt{15d^2}} + \frac{2d^2e^2\sqrt{1+2\frac{d}{2d+1}}}{15d^2\sqrt{15d^2}} - \frac{e^4e\sqrt{1+2\frac{d}{2d+1}}}{15d^2\sqrt{15d^2}} \text{ otherwise} \end{array} \right) - d^2 \left( \begin{array}{l} \frac{d^2}{64\sqrt{\frac{d}{2d+1}}} + \frac{3e}{24\sqrt{\frac{d}{2d+1}}} - \frac{e^2}{48\sqrt{\frac{d}{2d+1}}} + \frac{e^4 \operatorname{atan}\left(\frac{e}{2d}\right)}{8d^2} \text{ for } \left|\frac{d^2}{2d+1}\right| > 1 \\ \frac{d^2}{64\sqrt{\frac{d}{2d+1}}} - \frac{3e}{24\sqrt{\frac{d}{2d+1}}} + \frac{e^2}{48\sqrt{\frac{d}{2d+1}}} - \frac{e^4 \operatorname{atan}\left(\frac{e}{2d}\right)}{8d^2} \text{ otherwise} \end{array} \right) - d^2 \left( \begin{array}{l} \frac{d^2}{64\sqrt{\frac{d}{2d+1}}} + \frac{e^2}{48\sqrt{\frac{d}{2d+1}}} + \frac{e^2}{16d^2\sqrt{\frac{d}{2d+1}}} + \frac{e^4 \operatorname{atan}\left(\frac{e}{2d}\right)}{8d^2} \text{ for } \left|\frac{d^2}{2d+1}\right| > 1 \\ \frac{d^2}{64\sqrt{\frac{d}{2d+1}}} - \frac{e^2}{48\sqrt{\frac{d}{2d+1}}} - \frac{e^2}{16d^2\sqrt{\frac{d}{2d+1}}} + \frac{e^4 \operatorname{atan}\left(\frac{e}{2d}\right)}{8d^2} \text{ otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e**2*x**2+d**2)**(3/2)/x**7,x)`

[Out] 
$$d**3*\text{Piecewise}((-d**2/(6*e*x**7*\text{sqrt}(d**2/(e**2*x**2) - 1)) + 5*e/(24*x**5*\text{sqrt}(d**2/(e**2*x**2) - 1)) + e**3/(48*d**2*x**3*\text{sqrt}(d**2/(e**2*x**2) - 1))$$

```

) - e**5/(16*d**4*x*sqrt(d**2/(e**2*x**2) - 1)) + e**6*acosh(d/(e*x))/(16*d
**5), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(6*e*x**7*sqrt(-d**2/(e**2*x**2)
+ 1)) - 5*I*e/(24*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(48*d**2*x**3*
sqrt(-d**2/(e**2*x**2) + 1)) + I*e**5/(16*d**4*x*sqrt(-d**2/(e**2*x**2) + 1
)) - I*e**6*asin(d/(e*x))/(16*d**5), True)) + d**2*e*Piecewise((3*I*d**3*sq
rt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*I*d*e**2*x**2*sq
rt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*I*e**6*x**6*sqrt
(-1 + e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - I*e**4*x**4*sq
rt(-1 + e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), Abs(e**2*x**2/d**2
) > 1), (3*d**3*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4
*d*e**2*x**2*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*e
**6*x**6*sqrt(1 - e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - e**4
*x**4*sqrt(1 - e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), True)) - d
**2*e**2*Piecewise((-d**2/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 3*e/(8*x**3*
sqrt(d**2/(e**2*x**2) - 1)) - e**3/(8*d**2*x*sqrt(d**2/(e**2*x**2) - 1)) +
e**4*acosh(d/(e*x))/(8*d**3), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(4*e*x**5
*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e/(8*x**3*sqrt(-d**2/(e**2*x**2) + 1))
+ I*e**3/(8*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**4*asin(d/(e*x))/(8*d
**3), True)) - e**3*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*x**2) + e**
3*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sq
rt(-d**2/(e**2*x**2) + 1)/(3*x**2) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(3*
d**2), True))

```



$$3.14 \quad \int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^8} dx$$

**Optimal.** Leaf size=172

$$\frac{(d^2 - e^2x^2)^{5/2}}{7dx^7} - \frac{e(d^2 - e^2x^2)^{5/2}}{6d^2x^6} + \frac{e^5\sqrt{d^2 - e^2x^2}}{16d^2x^2} - \frac{e^3(d^2 - e^2x^2)^{3/2}}{24d^2x^4} - \frac{2e^2(d^2 - e^2x^2)^{5/2}}{35d^3x^5} - \frac{e^7 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{16d^3}$$

**Rubi [A]** time = 0.13, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {835, 807, 266, 47, 63, 208}

$$\frac{e^5\sqrt{d^2 - e^2x^2}}{16d^2x^2} - \frac{e^3(d^2 - e^2x^2)^{3/2}}{24d^2x^4} - \frac{2e^2(d^2 - e^2x^2)^{5/2}}{35d^3x^5} - \frac{e(d^2 - e^2x^2)^{5/2}}{6d^2x^6} - \frac{(d^2 - e^2x^2)^{5/2}}{7dx^7} - \frac{e^7 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{16d^3}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^8,x]

[Out] (e^5\*sqrt[d^2 - e^2\*x^2])/(16\*d^2\*x^2) - (e^3\*(d^2 - e^2\*x^2)^(3/2))/(24\*d^2\*x^4) - (d^2 - e^2\*x^2)^(5/2)/(7\*d\*x^7) - (e\*(d^2 - e^2\*x^2)^(5/2))/(6\*d^2\*x^6) - (2\*e^2\*(d^2 - e^2\*x^2)^(5/2))/(35\*d^3\*x^5) - (e^7\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(16\*d^3)

#### Rule 47

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2\*n + m + 1, 0])) & IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^8} dx &= -\frac{(d^2-e^2x^2)^{5/2}}{7dx^7} - \frac{\int \frac{(-7d^2e-2de^2x)(d^2-e^2x^2)^{3/2}}{x^7} dx}{7d^2} \\
&= -\frac{(d^2-e^2x^2)^{5/2}}{7dx^7} - \frac{e(d^2-e^2x^2)^{5/2}}{6d^2x^6} + \frac{\int \frac{(12d^3e^2+7d^2e^3x)(d^2-e^2x^2)^{3/2}}{x^6} dx}{42d^4} \\
&= -\frac{(d^2-e^2x^2)^{5/2}}{7dx^7} - \frac{e(d^2-e^2x^2)^{5/2}}{6d^2x^6} - \frac{2e^2(d^2-e^2x^2)^{5/2}}{35d^3x^5} + \frac{e^3 \int \frac{(d^2-e^2x^2)^{3/2}}{x^5} dx}{6d^2} \\
&= -\frac{(d^2-e^2x^2)^{5/2}}{7dx^7} - \frac{e(d^2-e^2x^2)^{5/2}}{6d^2x^6} - \frac{2e^2(d^2-e^2x^2)^{5/2}}{35d^3x^5} + \frac{e^3 \text{Subst}\left(\int \frac{(d^2-e^2x^2)^{3/2}}{x^3} dx\right)}{12d^2} \\
&= -\frac{e^3(d^2-e^2x^2)^{3/2}}{24d^2x^4} - \frac{(d^2-e^2x^2)^{5/2}}{7dx^7} - \frac{e(d^2-e^2x^2)^{5/2}}{6d^2x^6} - \frac{2e^2(d^2-e^2x^2)^{5/2}}{35d^3x^5} - \frac{e^5 \text{Subst}\left(\int \frac{(d^2-e^2x^2)^{3/2}}{x^3} dx\right)}{12d^2} \\
&= \frac{e^5\sqrt{d^2-e^2x^2}}{16d^2x^2} - \frac{e^3(d^2-e^2x^2)^{3/2}}{24d^2x^4} - \frac{(d^2-e^2x^2)^{5/2}}{7dx^7} - \frac{e(d^2-e^2x^2)^{5/2}}{6d^2x^6} - \frac{2e^2(d^2-e^2x^2)^{5/2}}{35d^3x^5} \\
&= \frac{e^5\sqrt{d^2-e^2x^2}}{16d^2x^2} - \frac{e^3(d^2-e^2x^2)^{3/2}}{24d^2x^4} - \frac{(d^2-e^2x^2)^{5/2}}{7dx^7} - \frac{e(d^2-e^2x^2)^{5/2}}{6d^2x^6} - \frac{2e^2(d^2-e^2x^2)^{5/2}}{35d^3x^5} \\
&= \frac{e^5\sqrt{d^2-e^2x^2}}{16d^2x^2} - \frac{e^3(d^2-e^2x^2)^{3/2}}{24d^2x^4} - \frac{(d^2-e^2x^2)^{5/2}}{7dx^7} - \frac{e(d^2-e^2x^2)^{5/2}}{6d^2x^6} - \frac{2e^2(d^2-e^2x^2)^{5/2}}{35d^3x^5}
\end{aligned}$$

**Mathematica [C]** time = 0.02, size = 72, normalized size = 0.42

$$-\frac{(d^2-e^2x^2)^{5/2} \left(5d^7 + 2d^5e^2x^2 + 7e^7x^7 {}_2F_1\left(\frac{5}{2}, 4; \frac{7}{2}; 1 - \frac{e^2x^2}{d^2}\right)\right)}{35d^8x^7}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^8,x]

[Out] -1/35\*((d^2 - e^2\*x^2)^(5/2)\*(5\*d^7 + 2\*d^5\*e^2\*x^2 + 7\*e^7\*x^7\*Hypergeometric2F1[5/2, 4, 7/2, 1 - (e^2\*x^2)/d^2]))/(d^8\*x^7)

**IntegrateAlgebraic [A]** time = 0.68, size = 137, normalized size = 0.80

$$\frac{e^7 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2-e^2x^2}}{d}\right)}{8d^3} + \frac{\sqrt{d^2-e^2x^2} (-240d^6 - 280d^5ex + 384d^4e^2x^2 + 490d^3e^3x^3 - 48d^2e^4x^4 - 105de^5x^5 - 96e^6x^6)}{1680d^3x^7}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^8,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-240\*d^6 - 280\*d^5\*e\*x + 384\*d^4\*e^2\*x^2 + 490\*d^3\*e^3\*x^3 - 48\*d^2\*e^4\*x^4 - 105\*d\*e^5\*x^5 - 96\*e^6\*x^6))/(1680\*d^3\*x^7) + (e^7 \* ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/(8\*d^3)

**fricas** [A] time = 0.42, size = 120, normalized size = 0.70

$$\frac{105 e^7 x^7 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - (96 e^6 x^6 + 105 d e^5 x^5 + 48 d^2 e^4 x^4 - 490 d^3 e^3 x^3 - 384 d^4 e^2 x^2 + 280 d^5 e x + 240 d^6) \sqrt{-e^2 x^2 + d^2}}{1680 d^3 x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^8,x, algorithm="fricas")

[Out] 1/1680\*(105\*e^7\*x^7\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (96\*e^6\*x^6 + 105\*d\*e^5\*x^5 + 48\*d^2\*e^4\*x^4 - 490\*d^3\*e^3\*x^3 - 384\*d^4\*e^2\*x^2 + 280\*d^5\*e\*x + 240\*d^6)\*sqrt(-e^2\*x^2 + d^2))/(d^3\*x^7)

**giac** [B] time = 0.26, size = 494, normalized size = 2.87

$$\frac{\left(\frac{20(\sqrt{-e^2 x^2 + d^2})^{10}}{x} - \frac{20(\sqrt{-e^2 x^2 + d^2})^8}{x} - \frac{20(\sqrt{-e^2 x^2 + d^2})^6}{x} - \frac{20(\sqrt{-e^2 x^2 + d^2})^4}{x} - \frac{20(\sqrt{-e^2 x^2 + d^2})^2}{x} + 15e^{16}\right) e^7 \log\left(\frac{2d - 2\sqrt{-e^2 x^2 + d^2}}{2d}\right) - \frac{20(\sqrt{-e^2 x^2 + d^2})^{10}}{x} - \frac{20(\sqrt{-e^2 x^2 + d^2})^8}{x} - \frac{20(\sqrt{-e^2 x^2 + d^2})^6}{x} - \frac{20(\sqrt{-e^2 x^2 + d^2})^4}{x} - \frac{20(\sqrt{-e^2 x^2 + d^2})^2}{x} + 15e^{16}}{13440(d + \sqrt{-e^2 x^2 + d^2})^7 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^8,x, algorithm="giac")

[Out] 1/13440\*x^7\*(35\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^14/x - 21\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*e^12/x^2 - 105\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*e^10/x^3 - 105\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*e^8/x^4 - 105\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5\*e^6/x^5 + 315\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^6\*e^4/x^6 + 15\*e^16)\*e^5/((d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^7\*d^3) - 1/16\*e^7\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d^3 - 1/13440\*(315\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^18\*e^68/x - 105\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*d^18\*e^66/x^2 - 105\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*d^18\*e^64/x^3 - 105\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*d^18\*e^62/x^4 - 21\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5\*d^18\*e^60/x^5 + 35\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^6\*d^18\*e^58/x^6 + 15\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^7\*d^18\*e^56/x^7)\*e^(-63)/d^21

**maple** [A] time = 0.04, size = 211, normalized size = 1.23

$$-\frac{e^7 \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2 x^2 + d^2}}{x}\right)}{16\sqrt{d^2} d^2} + \frac{\sqrt{-e^2 x^2 + d^2} e^7}{16d^4} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} e^7}{48d^6} + \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} e^5}{48d^6 x^2} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} e^3}{24d^4 x^4} - \frac{2(-e^2 x^2 + d^2)^{\frac{5}{2}} e^2}{35d^3 x^5} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} e}{6d^2 x^6} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}}}{7d x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^8,x)`

[Out] 
$$-1/7*(-e^2*x^2+d^2)^(5/2)/d/x^7-2/35*e^2*(-e^2*x^2+d^2)^(5/2)/d^3/x^5-1/6*e^2*(-e^2*x^2+d^2)^(5/2)/d^2/x^6-1/24*e^3/d^4/x^4*(-e^2*x^2+d^2)^(5/2)+1/48*e^5/d^6/x^2*(-e^2*x^2+d^2)^(5/2)+1/48*e^7/d^6*(-e^2*x^2+d^2)^(3/2)+1/16*e^7/d^4*(-e^2*x^2+d^2)^(1/2)-1/16*e^7/d^2/(d^2)^(1/2)*\ln((2*d^2+2*(d^2)^(1/2))*(-e^2*x^2+d^2)^(1/2))/x)$$

**maxima** [A] time = 0.99, size = 205, normalized size = 1.19

$$-\frac{e^7 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{16d^3} + \frac{\sqrt{-e^2x^2+d^2}e^7}{16d^4} + \frac{(-e^2x^2+d^2)^{3/2}e^7}{48d^6} + \frac{(-e^2x^2+d^2)^{5/2}e^5}{48d^6x^2} - \frac{(-e^2x^2+d^2)^{5/2}e^3}{24d^4x^4} - \frac{2(-e^2x^2+d^2)^{5/2}e^2}{35d^3x^5} - \frac{(-e^2x^2+d^2)^{5/2}e}{6d^2x^6} - \frac{(-e^2x^2+d^2)^{5/2}}{7dx^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e^2*x^2+d^2)^(3/2)/x^8,x, algorithm="maxima")`

[Out] 
$$-1/16*e^7*\log(2*d^2/\text{abs}(x) + 2*\text{sqrt}(-e^2*x^2 + d^2)*d/\text{abs}(x))/d^3 + 1/16*\text{sqrt}(-e^2*x^2 + d^2)*e^7/d^4 + 1/48*(-e^2*x^2 + d^2)^(3/2)*e^7/d^6 + 1/48*(-e^2*x^2 + d^2)^(5/2)*e^5/(d^6*x^2) - 1/24*(-e^2*x^2 + d^2)^(5/2)*e^3/(d^4*x^4) - 2/35*(-e^2*x^2 + d^2)^(5/2)*e^2/(d^3*x^5) - 1/6*(-e^2*x^2 + d^2)^(5/2)*e/(d^2*x^6) - 1/7*(-e^2*x^2 + d^2)^(5/2)/(d*x^7)$$

**mupad** [B] time = 5.33, size = 192, normalized size = 1.12

$$\frac{8de^2\sqrt{d^2-e^2x^2}}{35x^5} - \frac{d^3\sqrt{d^2-e^2x^2}}{7x^7} - \frac{e^4\sqrt{d^2-e^2x^2}}{35dx^3} - \frac{2e^6\sqrt{d^2-e^2x^2}}{35d^3x} - \frac{e(d^2-e^2x^2)^{3/2}}{6x^6} + \frac{d^2e\sqrt{d^2-e^2x^2}}{16x^6} - \frac{e(d^2-e^2x^2)^{5/2}}{16d^2x^6} + \frac{e^7 \operatorname{atan}\left(\frac{\sqrt{d^2-e^2x^2}d}{d}\right) \operatorname{li}}{16d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d^2 - e^2*x^2)^(3/2)*(d + e*x))/x^8,x)`

[Out] 
$$(e^7*\operatorname{atan}(((d^2 - e^2*x^2)^(1/2)*1i)/d)*1i)/(16*d^3) - (d^3*(d^2 - e^2*x^2)^(1/2))/(7*x^7) - (e*(d^2 - e^2*x^2)^(3/2))/(6*x^6) - (e^4*(d^2 - e^2*x^2)^(1/2))/(35*d*x^3) - (2*e^6*(d^2 - e^2*x^2)^(1/2))/(35*d^3*x) + (8*d*e^2*(d^2 - e^2*x^2)^(1/2))/(35*x^5) + (d^2*e*(d^2 - e^2*x^2)^(1/2))/(16*x^6) - (e*(d^2 - e^2*x^2)^(5/2))/(16*d^2*x^6)$$

**sympy** [C] time = 16.62, size = 1037, normalized size = 6.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(-e**2*x**2+d**2)**(3/2)/x**8,x)`

[Out] 
$$d**3*\text{Piecewise}((-e*\text{sqrt}(d**2/(e**2*x**2) - 1))/(7*x**6) + e**3*\text{sqrt}(d**2/(e**2*x**2) - 1))/(35*d**2*x**4) + 4*e**5*\text{sqrt}(d**2/(e**2*x**2) - 1)/(105*d**4*x**2) + 8*e**7*\text{sqrt}(d**2/(e**2*x**2) - 1)/(105*d**6), \text{Abs}(d**2/(e**2*x**2)))$$

```

> 1), (-I*e**sqrt(-d**2/(e**2*x**2) + 1)/(7*x**6) + I*e**3*sqrt(-d**2/(e**2
*x**2) + 1)/(35*d**2*x**4) + 4*I*e**5*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**4
*x**2) + 8*I*e**7*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**6), True)) + d**2*eP
iecewise((-d**2/(6*e*x**7*sqrt(d**2/(e**2*x**2) - 1)) + 5*e/(24*x**5*sqrt(d
**2/(e**2*x**2) - 1)) + e**3/(48*d**2*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e
**5/(16*d**4*x*sqrt(d**2/(e**2*x**2) - 1)) + e**6*acosh(d/(e*x))/(16*d**5),
Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(6*e*x**7*sqrt(-d**2/(e**2*x**2) + 1))
- 5*I*e/(24*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(48*d**2*x**3*sqrt(-
d**2/(e**2*x**2) + 1)) + I*e**5/(16*d**4*x*sqrt(-d**2/(e**2*x**2) + 1)) - I
*e**6*asin(d/(e*x))/(16*d**5), True)) - d*e**2*Piecewise((3*I*d**3*sqrt(-1
+ e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*I*d*e**2*x**2*sqrt(-1
+ e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - I*e**4*x**4*sqrt(-1
+ e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), Abs(e**2*x**2/d**2) > 1)
, (3*d**3*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*d*e**
2*x**2*sqrt(1 - e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - e**4*x**4*
sqrt(1 - e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), True)) - e**3*Pi
iecewise((-d**2/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 3*e/(8*x**3*sqrt(d**
2/(e**2*x**2) - 1)) - e**3/(8*d**2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**4*aco
sh(d/(e*x))/(8*d**3), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(4*e*x**5*sqrt(-d
**2/(e**2*x**2) + 1)) - 3*I*e/(8*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**3
/(8*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**4*asin(d/(e*x))/(8*d**3), Tr
ue))

```

$$3.15 \quad \int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^9} dx$$

**Optimal.** Leaf size=201

$$\frac{(d^2 - e^2x^2)^{5/2}}{8dx^8} - \frac{e(d^2 - e^2x^2)^{5/2}}{7d^2x^7} - \frac{3e^8 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{128d^4} - \frac{2e^3(d^2 - e^2x^2)^{5/2}}{35d^4x^5} - \frac{e^2(d^2 - e^2x^2)^{5/2}}{16d^3x^6} + \frac{3e^6\sqrt{d^2 - e^2x^2}}{128d^3x^2}$$

**Rubi [A]** time = 0.16, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {835, 807, 266, 47, 63, 208}

$$\frac{3e^6\sqrt{d^2 - e^2x^2}}{128d^3x^2} - \frac{e^4(d^2 - e^2x^2)^{3/2}}{64d^3x^4} - \frac{2e^3(d^2 - e^2x^2)^{5/2}}{35d^4x^5} - \frac{e^2(d^2 - e^2x^2)^{5/2}}{16d^3x^6} - \frac{e(d^2 - e^2x^2)^{5/2}}{7d^2x^7} - \frac{(d^2 - e^2x^2)^{5/2}}{8dx^8} - \frac{3e^8 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{128d^4}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^9, x]

[Out] (3\*e^6\*sqrt[d^2 - e^2\*x^2])/(128\*d^3\*x^2) - (e^4\*(d^2 - e^2\*x^2)^(3/2))/(64\*d^3\*x^4) - (d^2 - e^2\*x^2)^(5/2)/(8\*d\*x^8) - (e\*(d^2 - e^2\*x^2)^(5/2))/(7\*d^2\*x^7) - (e^2\*(d^2 - e^2\*x^2)^(5/2))/(16\*d^3\*x^6) - (2\*e^3\*(d^2 - e^2\*x^2)^(5/2))/(35\*d^4\*x^5) - (3\*e^8\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(128\*d^4)

#### Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rubi steps



$$\begin{aligned}
\int \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{x^9} dx &= -\frac{(d^2-e^2x^2)^{5/2}}{8dx^8} - \frac{\int \frac{(-8d^2e-3de^2x)(d^2-e^2x^2)^{3/2}}{x^8} dx}{8d^2} \\
&= -\frac{(d^2-e^2x^2)^{5/2}}{8dx^8} - \frac{e(d^2-e^2x^2)^{5/2}}{7d^2x^7} + \frac{\int \frac{(21d^3e^2+16d^2e^3x)(d^2-e^2x^2)^{3/2}}{x^7} dx}{56d^4} \\
&= -\frac{(d^2-e^2x^2)^{5/2}}{8dx^8} - \frac{e(d^2-e^2x^2)^{5/2}}{7d^2x^7} - \frac{e^2(d^2-e^2x^2)^{5/2}}{16d^3x^6} - \frac{\int \frac{(-96d^4e^3-21d^3e^4x)(d^2-e^2x^2)^{3/2}}{x^6} dx}{336d^6} \\
&= -\frac{(d^2-e^2x^2)^{5/2}}{8dx^8} - \frac{e(d^2-e^2x^2)^{5/2}}{7d^2x^7} - \frac{e^2(d^2-e^2x^2)^{5/2}}{16d^3x^6} - \frac{2e^3(d^2-e^2x^2)^{5/2}}{35d^4x^5} + \frac{e^4 \int \dots}{\dots} \\
&= -\frac{(d^2-e^2x^2)^{5/2}}{8dx^8} - \frac{e(d^2-e^2x^2)^{5/2}}{7d^2x^7} - \frac{e^2(d^2-e^2x^2)^{5/2}}{16d^3x^6} - \frac{2e^3(d^2-e^2x^2)^{5/2}}{35d^4x^5} + \frac{e^4 \int \dots}{\dots} \\
&= -\frac{e^4(d^2-e^2x^2)^{3/2}}{64d^3x^4} - \frac{(d^2-e^2x^2)^{5/2}}{8dx^8} - \frac{e(d^2-e^2x^2)^{5/2}}{7d^2x^7} - \frac{e^2(d^2-e^2x^2)^{5/2}}{16d^3x^6} - \frac{2e^3(d^2-e^2x^2)^{5/2}}{35d^4x^5} + \dots \\
&= \frac{3e^6\sqrt{d^2-e^2x^2}}{128d^3x^2} - \frac{e^4(d^2-e^2x^2)^{3/2}}{64d^3x^4} - \frac{(d^2-e^2x^2)^{5/2}}{8dx^8} - \frac{e(d^2-e^2x^2)^{5/2}}{7d^2x^7} - \frac{e^2(d^2-e^2x^2)^{5/2}}{16d^3x^6} \\
&= \frac{3e^6\sqrt{d^2-e^2x^2}}{128d^3x^2} - \frac{e^4(d^2-e^2x^2)^{3/2}}{64d^3x^4} - \frac{(d^2-e^2x^2)^{5/2}}{8dx^8} - \frac{e(d^2-e^2x^2)^{5/2}}{7d^2x^7} - \frac{e^2(d^2-e^2x^2)^{5/2}}{16d^3x^6} \\
&= \frac{3e^6\sqrt{d^2-e^2x^2}}{128d^3x^2} - \frac{e^4(d^2-e^2x^2)^{3/2}}{64d^3x^4} - \frac{(d^2-e^2x^2)^{5/2}}{8dx^8} - \frac{e(d^2-e^2x^2)^{5/2}}{7d^2x^7} - \frac{e^2(d^2-e^2x^2)^{5/2}}{16d^3x^6}
\end{aligned}$$

**Mathematica [C]** time = 0.02, size = 73, normalized size = 0.36

$$-\frac{e(d^2-e^2x^2)^{5/2} \left( 5d^7 + 2d^5e^2x^2 + 7e^7x^7 {}_2F_1\left(\frac{5}{2}, 5; \frac{7}{2}; 1 - \frac{e^2x^2}{d^2}\right) \right)}{35d^9x^7}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^9, x]

[Out] -1/35\*(e\*(d^2 - e^2\*x^2)^(5/2)\*(5\*d^7 + 2\*d^5\*e^2\*x^2 + 7\*e^7\*x^7\*Hypergeometric2F1[5/2, 5, 7/2, 1 - (e^2\*x^2)/d^2]))/(d^9\*x^7)

**IntegrateAlgebraic [A]** time = 0.74, size = 148, normalized size = 0.74

$$\frac{3e^8 \tanh^{-1}\left(\frac{\sqrt{-e^2x} - \sqrt{d^2 - e^2x^2}}{d}\right)}{64d^4} + \frac{\sqrt{d^2 - e^2x^2} (-560d^7 - 640d^6ex + 840d^5e^2x^2 + 1024d^4e^3x^3 - 70d^3e^4x^4 - 128d^2e^5x^5 - 105de^6x^6 - 256e^7x^7)}{4480d^4x^8}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic(((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/x^9,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-560\*d^7 - 640\*d^6\*e\*x + 840\*d^5\*e^2\*x^2 + 1024\*d^4\*e^3\*x^3 - 70\*d^3\*e^4\*x^4 - 128\*d^2\*e^5\*x^5 - 105\*d\*e^6\*x^6 - 256\*e^7\*x^7))/(4480\*d^4\*x^8) + (3\*e^8\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/(64\*d^4)

**fricas [A]** time = 0.45, size = 131, normalized size = 0.65

$$\frac{105e^8x^8 \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (256e^7x^7 + 105de^6x^6 + 128d^2e^5x^5 + 70d^3e^4x^4 - 1024d^4e^3x^3 - 840d^5e^2x^2 + 640d^6ex + 560d^7)\sqrt{-e^2x^2 + d^2}}{4480d^4x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^9,x, algorithm="fricas")

[Out] 1/4480\*(105\*e^8\*x^8\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (256\*e^7\*x^7 + 105\*d\*e^6\*x^6 + 128\*d^2\*e^5\*x^5 + 70\*d^3\*e^4\*x^4 - 1024\*d^4\*e^3\*x^3 - 840\*d^5\*e^2\*x^2 + 640\*d^6\*e\*x + 560\*d^7)\*sqrt(-e^2\*x^2 + d^2))/(d^4\*x^8)

**giac [B]** time = 0.26, size = 431, normalized size = 2.14

$$\frac{x^8 \left( \frac{80(e + \sqrt{-e^2x^2 + d^2})^{10}}{d^{10}} - \frac{112(e + \sqrt{-e^2x^2 + d^2})^{12}}{d^{12}} - \frac{280(e + \sqrt{-e^2x^2 + d^2})^{14}}{d^{14}} - \frac{560(e + \sqrt{-e^2x^2 + d^2})^{16}}{d^{16}} + \frac{1680(e + \sqrt{-e^2x^2 + d^2})^{18}}{d^{18}} + 35e^{18} \right) - 3e^8 \log\left(\frac{2d - 2\sqrt{-e^2x^2 + d^2}}{2dx}\right) - \frac{1680(e + \sqrt{-e^2x^2 + d^2})^{20}}{d^{20}} - \frac{560(e + \sqrt{-e^2x^2 + d^2})^{22}}{d^{22}} - \frac{280(e + \sqrt{-e^2x^2 + d^2})^{24}}{d^{24}} - \frac{112(e + \sqrt{-e^2x^2 + d^2})^{26}}{d^{26}} + \frac{80(e + \sqrt{-e^2x^2 + d^2})^{28}}{d^{28}} + \frac{35(e + \sqrt{-e^2x^2 + d^2})^{30}}{d^{30}}}{71680(d + \sqrt{-e^2x^2 + d^2})^8 d^8}}{128d^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^9,x, algorithm="giac")

[Out] 1/71680\*x^8\*(80\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^16/x - 112\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*e^12/x^3 - 280\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*e^10/x^4 - 560\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5\*e^8/x^5 + 1680\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^7\*e^4/x^7 + 35\*e^18)\*e^6/((d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^8\*d^4) - 3/128\*e^8\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d^4 - 1/71680\*(1680\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^28\*e^86/x - 560\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*d^28\*e^82/x^3 - 280\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*d^28\*e^80/x^4 - 112\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5\*d^28\*e^78/x^5 + 80\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^7\*d^28\*e^74/x^7 + 35\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^8\*d^28\*e^72/x^8)\*e^(-80)/d^32

**maple [A]** time = 0.07, size = 236, normalized size = 1.17

$$-\frac{3e^8 \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{128\sqrt{d^2}d^3} + \frac{3\sqrt{-e^2x^2+d^2}e^8}{128d^5} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^8}{128d^7} + \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e^6}{128d^7x^2} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e^4}{64d^5x^4} - \frac{2(-e^2x^2+d^2)^{\frac{5}{2}}e^3}{35d^4x^5} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e^2}{16d^3x^6} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e}{7d^2x^7} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}}{8dx^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^9,x)

[Out]  $-1/8*(-e^2*x^2+d^2)^{(5/2)}/d/x^8-1/16*e^2*(-e^2*x^2+d^2)^{(5/2)}/d^3/x^6-1/64*e^4/d^5/x^4*(-e^2*x^2+d^2)^{(5/2)}+1/128*e^6/d^7/x^2*(-e^2*x^2+d^2)^{(5/2)}+1/128*e^8/d^7*(-e^2*x^2+d^2)^{(3/2)}+3/128*e^8/d^5*(-e^2*x^2+d^2)^{(1/2)}-3/128*e^8/d^3/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-1/7*e*(-e^2*x^2+d^2)^{(5/2)}/d^2/x^7-2/35*e^3*(-e^2*x^2+d^2)^{(5/2)}/d^4/x^5$

**maxima [A]** time = 0.99, size = 230, normalized size = 1.14

$$-\frac{3e^8 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}}{|x|}\right)}{128d^4} + \frac{3\sqrt{-e^2x^2+d^2}e^8}{128d^5} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^8}{128d^7} + \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e^6}{128d^7x^2} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e^4}{64d^5x^4} - \frac{2(-e^2x^2+d^2)^{\frac{5}{2}}e^3}{35d^4x^5} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e^2}{16d^3x^6} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}e}{7d^2x^7} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}}{8dx^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(-e^2\*x^2+d^2)^(3/2)/x^9,x, algorithm="maxima")

[Out]  $-3/128*e^8*\log(2*d^2/\text{abs}(x) + 2*\text{sqrt}(-e^2*x^2 + d^2)*d/\text{abs}(x))/d^4 + 3/128*\text{sqrt}(-e^2*x^2 + d^2)*e^8/d^5 + 1/128*(-e^2*x^2 + d^2)^{(3/2)}*e^8/d^7 + 1/128*(-e^2*x^2 + d^2)^{(5/2)}*e^6/(d^7*x^2) - 1/64*(-e^2*x^2 + d^2)^{(5/2)}*e^4/(d^5*x^4) - 2/35*(-e^2*x^2 + d^2)^{(5/2)}*e^3/(d^4*x^5) - 1/16*(-e^2*x^2 + d^2)^{(5/2)}*e^2/(d^3*x^6) - 1/7*(-e^2*x^2 + d^2)^{(5/2)}*e/(d^2*x^7) - 1/8*(-e^2*x^2 + d^2)^{(5/2)}/(d*x^8)$

**mupad [B]** time = 6.04, size = 212, normalized size = 1.05

$$\frac{3d^3\sqrt{d^2-e^2x^2}}{128x^8} - \frac{11d(d^2-e^2x^2)^{3/2}}{128x^8} - \frac{11(d^2-e^2x^2)^{5/2}}{128dx^8} + \frac{3(d^2-e^2x^2)^{7/2}}{128d^3x^8} + \frac{8e^3\sqrt{d^2-e^2x^2}}{35x^5} - \frac{e^5\sqrt{d^2-e^2x^2}}{35d^2x^3} - \frac{2e^7\sqrt{d^2-e^2x^2}}{35d^4x} - \frac{de\sqrt{d^2-e^2x^2}}{7x^7} + \frac{e^8 \operatorname{atan}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right) 3i}{128d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x))/x^9,x)

[Out]  $(3*d^3*(d^2 - e^2*x^2)^{(1/2)})/(128*x^8) - (11*d*(d^2 - e^2*x^2)^{(3/2)})/(128*x^8) - (11*(d^2 - e^2*x^2)^{(5/2)})/(128*d*x^8) + (3*(d^2 - e^2*x^2)^{(7/2)})/(128*d^3*x^8) + (8*e^3*(d^2 - e^2*x^2)^{(1/2)})/(35*x^5) + (e^8*\operatorname{atan}(((d^2 - e^2*x^2)^{(1/2)}*1i)/d)*3i)/(128*d^4) - (e^5*(d^2 - e^2*x^2)^{(1/2)})/(35*d^2*x^3) - (2*e^7*(d^2 - e^2*x^2)^{(1/2)})/(35*d^4*x) - (d^2*e*(d^2 - e^2*x^2)^{(1/2)})/(7*x^7)$

**sympy [C]** time = 22.55, size = 1159, normalized size = 5.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(-e**2*x**2+d**2)**(3/2)/x**9,x)
```

```
[Out] d**3*Piecewise((-d**2/(8*e*x**9*sqrt(d**2/(e**2*x**2) - 1)) + 7*e/(48*x**7*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(192*d**2*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 5*e**5/(384*d**4*x**3*sqrt(d**2/(e**2*x**2) - 1)) - 5*e**7/(128*d**6*x*sqrt(d**2/(e**2*x**2) - 1)) + 5*e**8*acosh(d/(e*x))/(128*d**7), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(8*e*x**9*sqrt(-d**2/(e**2*x**2) + 1)) - 7*I*e/(48*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(192*d**2*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e**5/(384*d**4*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + 5*I*e**7/(128*d**6*x*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e**8*asin(d/(e*x))/(128*d**7), True)) + d**2*e*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(7*x**6) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(35*d**2*x**4) + 4*e**5*sqrt(d**2/(e**2*x**2) - 1)/(105*d**4*x**2) + 8*e**7*sqrt(d**2/(e**2*x**2) - 1)/(105*d**6), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(7*x**6) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(35*d**2*x**4) + 4*I*e**5*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**4*x**2) + 8*I*e**7*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**6), True)) - d*e**2*Piecewise((-d**2/(6*e*x**7*sqrt(d**2/(e**2*x**2) - 1)) + 5*e/(24*x**5*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(48*d**2*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**5/(16*d**4*x*sqrt(d**2/(e**2*x**2) - 1)) + e**6*acosh(d/(e*x))/(16*d**5), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(6*e*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e/(24*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(48*d**2*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**5/(16*d**4*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**6*asin(d/(e*x))/(16*d**5), True)) - e**3*Piecewise((3*I*d**3*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*I*d*e**2*x**2*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*I*e**6*x**6*sqrt(-1 + e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - I*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), Abs(e**2*x**2/d**2) > 1), (3*d**3*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*d*e**2*x**2*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*e**6*x**6*sqrt(1 - e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - e**4*x**4*sqrt(1 - e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), True))
```

$$3.16 \quad \int \frac{x^2(d+ex)}{\sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=103

$$-\frac{dx\sqrt{d^2-e^2x^2}}{2e^2} - \frac{d^2\sqrt{d^2-e^2x^2}}{e^3} + \frac{(d^2-e^2x^2)^{3/2}}{3e^3} + \frac{d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^3}$$

**Rubi** [A] time = 0.05, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {797, 641, 195, 217, 203}

$$-\frac{d^2\sqrt{d^2-e^2x^2}}{e^3} - \frac{dx\sqrt{d^2-e^2x^2}}{2e^2} + \frac{(d^2-e^2x^2)^{3/2}}{3e^3} + \frac{d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x))/Sqrt[d^2 - e^2\*x^2], x]

[Out] -((d^2\*Sqrt[d^2 - e^2\*x^2])/e^3) - (d\*x\*Sqrt[d^2 - e^2\*x^2])/(2\*e^2) + (d^2 - e^2\*x^2)^(3/2)/(3\*e^3) + (d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e^3)

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /

; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 797

Int[(x\_)^2\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Dist[1/c, Int[(f + g\*x)\*(a + c\*x^2)^(p + 1), x], x] - Dist[a/c, Int[(f + g\*x)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, f, g, p}, x] && EqQ[a\*g^2 + f^2\*c, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^2(d+ex)}{\sqrt{d^2-e^2x^2}} dx &= -\frac{\int (d+ex)\sqrt{d^2-e^2x^2} dx}{e^2} + \frac{d^2 \int \frac{d+ex}{\sqrt{d^2-e^2x^2}} dx}{e^2} \\
 &= -\frac{d^2\sqrt{d^2-e^2x^2}}{e^3} + \frac{(d^2-e^2x^2)^{3/2}}{3e^3} - \frac{d \int \sqrt{d^2-e^2x^2} dx}{e^2} + \frac{d^3 \int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^2} \\
 &= -\frac{d^2\sqrt{d^2-e^2x^2}}{e^3} - \frac{dx\sqrt{d^2-e^2x^2}}{2e^2} + \frac{(d^2-e^2x^2)^{3/2}}{3e^3} - \frac{d^3 \int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{2e^2} + \frac{d^3 \text{Subst}\left(\int \frac{1}{1+e^2x^2} dx\right)}{e^2} \\
 &= -\frac{d^2\sqrt{d^2-e^2x^2}}{e^3} - \frac{dx\sqrt{d^2-e^2x^2}}{2e^2} + \frac{(d^2-e^2x^2)^{3/2}}{3e^3} + \frac{d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^3} - \frac{d^3 \text{Subst}\left(\int \frac{1}{1+e^2x^2} dx\right)}{2e^2} \\
 &= -\frac{d^2\sqrt{d^2-e^2x^2}}{e^3} - \frac{dx\sqrt{d^2-e^2x^2}}{2e^2} + \frac{(d^2-e^2x^2)^{3/2}}{3e^3} + \frac{d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^3}
 \end{aligned}$$

**Mathematica** [A] time = 0.04, size = 70, normalized size = 0.68

$$\frac{3d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - \sqrt{d^2-e^2x^2} (4d^2 + 3dex + 2e^2x^2)}{6e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x))/Sqrt[d^2 - e^2\*x^2], x]

[Out] (-(Sqrt[d^2 - e^2\*x^2]\*(4\*d^2 + 3\*d\*e\*x + 2\*e^2\*x^2)) + 3\*d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(6\*e^3)

**IntegrateAlgebraic** [A] time = 0.24, size = 92, normalized size = 0.89

$$\frac{(-4d^2 - 3dex - 2e^2x^2)\sqrt{d^2-e^2x^2}}{6e^3} + \frac{d^3\sqrt{-e^2} \log\left(\sqrt{d^2-e^2x^2} - \sqrt{-e^2}x\right)}{2e^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d + e\*x))/Sqrt[d^2 - e^2\*x^2],x]

[Out] ((-4\*d^2 - 3\*d\*e\*x - 2\*e^2\*x^2)\*Sqrt[d^2 - e^2\*x^2])/(6\*e^3) + (d^3\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(2\*e^4)

**fricas** [A] time = 0.40, size = 72, normalized size = 0.70

$$\frac{6d^3 \arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + (2e^2x^2 + 3dex + 4d^2)\sqrt{-e^2x^2 + d^2}}{6e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] -1/6\*(6\*d^3\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (2\*e^2\*x^2 + 3\*d\*e\*x + 4\*d^2)\*sqrt(-e^2\*x^2 + d^2))/e^3

**giac** [A] time = 0.24, size = 54, normalized size = 0.52

$$\frac{1}{2}d^3 \arcsin\left(\frac{xe}{d}\right)e^{(-3)}\operatorname{sgn}(d) - \frac{1}{6}\sqrt{-x^2e^2 + d^2}(4d^2e^{(-3)} + (2xe^{(-1)} + 3de^{(-2)})x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] 1/2\*d^3\*arcsin(x\*e/d)\*e^(-3)\*sgn(d) - 1/6\*sqrt(-x^2\*e^2 + d^2)\*(4\*d^2\*e^(-3) + (2\*x\*e^(-1) + 3\*d\*e^(-2))\*x)

**maple** [A] time = 0.02, size = 102, normalized size = 0.99

$$\frac{d^3 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2x^2+d^2}}\right)}{2\sqrt{e^2} e^2} - \frac{\sqrt{-e^2x^2 + d^2} x^2}{3e} - \frac{\sqrt{-e^2x^2 + d^2} dx}{2e^2} - \frac{2\sqrt{-e^2x^2 + d^2} d^2}{3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x)

[Out] -1/3\*x^2/e\*(-e^2\*x^2+d^2)^(1/2)-2/3\*d^2\*(-e^2\*x^2+d^2)^(1/2)/e^3-1/2\*d\*x\*(-e^2\*x^2+d^2)^(1/2)/e^2+1/2\*d^3/e^2/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)

**maxima** [A] time = 0.99, size = 81, normalized size = 0.79

$$-\frac{\sqrt{-e^2x^2 + d^2} x^2}{3e} + \frac{d^3 \arcsin\left(\frac{ex}{d}\right)}{2e^3} - \frac{\sqrt{-e^2x^2 + d^2} dx}{2e^2} - \frac{2\sqrt{-e^2x^2 + d^2} d^2}{3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="maxima")

[Out] -1/3\*sqrt(-e^2\*x^2 + d^2)\*x^2/e + 1/2\*d^3\*arcsin(e\*x/d)/e^3 - 1/2\*sqrt(-e^2\*x^2 + d^2)\*d\*x/e^2 - 2/3\*sqrt(-e^2\*x^2 + d^2)\*d^2/e^3

mupad [B] time = 3.14, size = 112, normalized size = 1.09

$$\begin{cases} \frac{dx^3}{3\sqrt{d^2}} & \text{if } e = 0 \\ -\frac{\sqrt{d^2 - e^2 x^2} (2d^2 + e^2 x^2)}{3e^3} - \frac{d^3 \ln(2x\sqrt{-e^2 + 2\sqrt{d^2 - e^2 x^2}})}{2(-e^2)^{3/2}} - \frac{dx\sqrt{d^2 - e^2 x^2}}{2e^2} & \text{if } e \neq 0 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(1/2),x)

[Out] piecewise(e == 0, (d\*x^3)/(3\*(d^2)^(1/2)), e != 0, -((d^2 - e^2\*x^2)^(1/2) \* (2\*d^2 + e^2\*x^2))/(3\*e^3) - (d^3\*log(2\*x\*(-e^2)^(1/2) + 2\*(d^2 - e^2\*x^2)^(1/2)))/(2\*(-e^2)^(3/2)) - (d\*x\*(d^2 - e^2\*x^2)^(1/2))/(2\*e^2))

sympy [C] time = 5.25, size = 177, normalized size = 1.72

$$d \left( \begin{cases} -\frac{id^2 \operatorname{acosh}\left(\frac{ex}{d}\right)}{2e^3} - \frac{idx\sqrt{-1 + \frac{e^2 x^2}{d^2}}}{2e^2} & \text{for } \left|\frac{e^2 x^2}{d^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{ex}{d}\right)}{2e^3} - \frac{dx}{2e^2\sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{x^3}{2d\sqrt{1 - \frac{e^2 x^2}{d^2}}} & \text{otherwise} \end{cases} \right) + e \left( \begin{cases} -\frac{2d^2\sqrt{d^2 - e^2 x^2}}{3e^4} - \frac{x^2\sqrt{d^2 - e^2 x^2}}{3e^2} & \text{for } e \neq 0 \\ \frac{x^4}{4\sqrt{d^2}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2),x)

[Out] d\*Piecewise((-I\*d\*\*2\*acosh(e\*x/d)/(2\*e\*\*3) - I\*d\*x\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(2\*e\*\*2), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*2\*asin(e\*x/d)/(2\*e\*\*3) - d\*x/(2\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + x\*\*3/(2\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2))), True)) + e\*Piecewise((-2\*d\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(3\*e\*\*4) - x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(3\*e\*\*2), Ne(e, 0)), (x\*\*4/(4\*sqrt(d\*\*2)), True))



$$3.17 \quad \int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{3/2}} dx$$

Optimal. Leaf size=73

$$\frac{d(d+ex)}{e^3\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^3}$$

**Rubi [A]** time = 0.04, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {797, 641, 217, 203, 637}

$$\frac{d(d+ex)}{e^3\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(3/2), x]

[Out] (d\*(d + e\*x))/(e^3\*Sqrt[d^2 - e^2\*x^2]) + Sqrt[d^2 - e^2\*x^2]/e^3 - (d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e^3

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 637

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2)^(3/2), x\_Symbol] :> Simp[(-(a\*e) + c\*d\*x)/(a\*c\*Sqrt[a + c\*x^2]), x] /; FreeQ[{a, c, d, e}, x]

Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 797

```
Int[(x_)^2*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Dist[1/c, Int[(f + g*x)*(a + c*x^2)^(p + 1), x], x] - Dist[a/c, Int[(f + g*x)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, f, g, p}, x] && EqQ[a*g^2 + f^2*c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{3/2}} dx &= -\frac{\int \frac{d+ex}{\sqrt{d^2-e^2x^2}} dx}{e^2} + \frac{d^2 \int \frac{d+ex}{(d^2-e^2x^2)^{3/2}} dx}{e^2} \\ &= \frac{d(d+ex)}{e^3\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{d \int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^2} \\ &= \frac{d(d+ex)}{e^3\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{d \operatorname{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x, \frac{x}{\sqrt{d^2-e^2x^2}}\right)}{e^2} \\ &= \frac{d(d+ex)}{e^3\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^3} \end{aligned}$$

**Mathematica** [A] time = 0.03, size = 77, normalized size = 1.05

$$\frac{-d\sqrt{d^2-e^2x^2} \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + 2d^2 + dex - e^2x^2}{e^3\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(3/2), x]

[Out] (2\*d^2 + d\*e\*x - e^2\*x^2 - d\*Sqrt[d^2 - e^2\*x^2]\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(e^3\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic** [A] time = 0.47, size = 84, normalized size = 1.15

$$-\frac{d\sqrt{-e^2} \log\left(\sqrt{d^2-e^2x^2} - \sqrt{-e^2} x\right)}{e^4} - \frac{\sqrt{d^2-e^2x^2} (2d-ex)}{e^3(ex-d)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(3/2), x]

[Out]  $-\left(\frac{(2d - ex)\sqrt{d^2 - e^2x^2}}{e^3(-d + ex)}\right) - \left(\frac{d\sqrt{-e^2}\operatorname{Log}[-(\sqrt{-e^2}x) + \sqrt{d^2 - e^2x^2}]}{e^4}\right)$

**fricas** [A] time = 0.40, size = 87, normalized size = 1.19

$$\frac{2dex - 2d^2 + 2(dex - d^2)\arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + \sqrt{-e^2x^2 + d^2}(ex - 2d)}{e^4x - de^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)/(-e^2*x^2+d^2)^(3/2),x, algorithm="fricas")`

[Out]  $(2d^2ex - 2d^2 + 2(dex - d^2)\arctan(-(d - \sqrt{-e^2x^2 + d^2})/(ex)) + \sqrt{-e^2x^2 + d^2}(ex - 2d))/(e^4x - d^2e^3)$

**giac** [A] time = 0.25, size = 66, normalized size = 0.90

$$-d \arcsin\left(\frac{xe}{d}\right)e^{(-3)}\operatorname{sgn}(d) - \frac{\sqrt{-x^2e^2 + d^2}(2d^2e^{(-3)} - (xe^{(-1)} - de^{(-2)})x)}{x^2e^2 - d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)/(-e^2*x^2+d^2)^(3/2),x, algorithm="giac")`

[Out]  $-d\arcsin(xe/d)e^{(-3)}\operatorname{sgn}(d) - \sqrt{-x^2e^2 + d^2}(2d^2e^{(-3)} - (xe^{(-1)} - de^{(-2)})x)/(x^2e^2 - d^2)$

**maple** [A] time = 0.02, size = 99, normalized size = 1.36

$$-\frac{x^2}{\sqrt{-e^2x^2 + d^2}e} + \frac{dx}{\sqrt{-e^2x^2 + d^2}e^2} - \frac{d \arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2 + d^2}}\right)}{\sqrt{e^2}e^2} + \frac{2d^2}{\sqrt{-e^2x^2 + d^2}e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x+d)/(-e^2*x^2+d^2)^(3/2),x)`

[Out]  $-x^2/e/(-e^2x^2+d^2)^{(1/2)} + 2d^2/e^3/(-e^2x^2+d^2)^{(1/2)} + dx/e^2/(-e^2x^2+d^2)^{(1/2)} - d/e^2/(e^2)^{(1/2)}\arctan((e^2)^{(1/2)}/(-e^2x^2+d^2)^{(1/2)}x)$

**maxima** [A] time = 0.98, size = 78, normalized size = 1.07

$$-\frac{x^2}{\sqrt{-e^2x^2 + d^2}e} + \frac{dx}{\sqrt{-e^2x^2 + d^2}e^2} - \frac{d \arcsin\left(\frac{ex}{d}\right)}{e^3} + \frac{2d^2}{\sqrt{-e^2x^2 + d^2}e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out]  $-x^2/(\sqrt{-e^2x^2 + d^2})e + dx/(\sqrt{-e^2x^2 + d^2})e^2 - d \arcsin(e*x/d)/e^3 + 2*d^2/(\sqrt{-e^2x^2 + d^2})e^3$

**mupad [B]** time = 2.96, size = 87, normalized size = 1.19

$$\frac{2d^2 - e^2x^2}{e^3\sqrt{d^2 - e^2x^2}} + \frac{d \ln\left(x\sqrt{-e^2} + \sqrt{d^2 - e^2x^2}\right)}{(-e^2)^{3/2}} + \frac{dx}{e^2\sqrt{d^2 - e^2x^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(3/2),x)

[Out]  $(2*d^2 - e^2*x^2)/(e^3*(d^2 - e^2*x^2)^{(1/2)}) + (d*\log(x*(-e^2)^{(1/2)} + (d^2 - e^2*x^2)^{(1/2)}))/(-e^2)^{(3/2)} + (d*x)/(e^2*(d^2 - e^2*x^2)^{(1/2)})$

**sympy [C]** time = 9.71, size = 184, normalized size = 2.52

$$d \left( \begin{array}{l} \left( \frac{i \operatorname{acosh}\left(\frac{ex}{d}\right) - \frac{ix}{de^2\sqrt{-1+\frac{e^2x^2}{d^2}}}}{e^3} \quad \text{for } \left| \frac{e^2x^2}{d^2} \right| > 1 \right. \\ \left. -\frac{\operatorname{asin}\left(\frac{ex}{d}\right)}{e^3} + \frac{x}{de^2\sqrt{1-\frac{e^2x^2}{d^2}}} \quad \text{otherwise} \right) + e \left( \begin{array}{l} \infty x^4 \quad \text{for } (d=0 \vee d=-\sqrt{e^2x^2} \vee d=\sqrt{e^2x^2}) \wedge (d=-\sqrt{e^2x^2} \vee d=\sqrt{e^2x^2} \vee e=0) \\ \frac{x^4}{4(d^2)^{3/2}} \quad \text{for } e=0 \\ \frac{2d^2}{e^4\sqrt{d^2-e^2x^2}} - \frac{x^2}{e^2\sqrt{d^2-e^2x^2}} \quad \text{otherwise} \end{array} \right) \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2),x)

[Out]  $d*\text{Piecewise}((I*\operatorname{acosh}(e*x/d)/e**3 - I*x/(d*e**2*\sqrt{-1 + e**2*x**2/d**2})), \operatorname{Abs}(e**2*x**2/d**2) > 1), (-\operatorname{asin}(e*x/d)/e**3 + x/(d*e**2*\sqrt{1 - e**2*x**2/d**2})), \operatorname{True})) + e*\text{Piecewise}((\operatorname{zoo}x**4, (\operatorname{Eq}(d, 0) | \operatorname{Eq}(d, \sqrt{e**2*x**2}) | \operatorname{Eq}(d, -\sqrt{e**2*x**2}))) \& (\operatorname{Eq}(e, 0) | \operatorname{Eq}(d, \sqrt{e**2*x**2}) | \operatorname{Eq}(d, -\sqrt{e**2*x**2}))), (x**4/(4*(d**2)**(3/2)), \operatorname{Eq}(e, 0)), (2*d**2/(e**4*\sqrt{d**2 - e**2*x**2}) - x**2/(e**2*\sqrt{d**2 - e**2*x**2})), \operatorname{True}))$

$$3.18 \quad \int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{5/2}} dx$$

Optimal. Leaf size=58

$$\frac{x^2(d+ex)}{3de(d^2-e^2x^2)^{3/2}} - \frac{2}{3e^3\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.03, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {796, 12, 261}

$$\frac{x^2(d+ex)}{3de(d^2-e^2x^2)^{3/2}} - \frac{2}{3e^3\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(5/2), x]

[Out] (x^2\*(d + e\*x))/(3\*d\*e\*(d^2 - e^2\*x^2)^(3/2)) - 2/(3\*e^3\*Sqrt[d^2 - e^2\*x^2])

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 261

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

Rule 796

Int[(x\_)^2\*((f\_) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(x^2\*(a\*g - c\*f\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[1/(2\*a\*c\*(p + 1)), Int[x\*Simp[2\*a\*g - c\*f\*(2\*p + 5)\*x, x]\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, f, g}, x] && EqQ[a\*g^2 + f^2\*c, 0] && LtQ[p, -2]

Rubi steps

$$\begin{aligned}
\int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{5/2}} dx &= \frac{x^2(d+ex)}{3de(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{2d^2ex}{(d^2-e^2x^2)^{3/2}} dx}{3d^2e^2} \\
&= \frac{x^2(d+ex)}{3de(d^2-e^2x^2)^{3/2}} - \frac{2 \int \frac{x}{(d^2-e^2x^2)^{3/2}} dx}{3e} \\
&= \frac{x^2(d+ex)}{3de(d^2-e^2x^2)^{3/2}} - \frac{2}{3e^3\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 52, normalized size = 0.90

$$\frac{-2d^2 + 2dex + e^2x^2}{3de^3(d-ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(5/2), x]

[Out] (-2\*d^2 + 2\*d\*e\*x + e^2\*x^2)/(3\*d\*e^3\*(d - e\*x)\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.43, size = 59, normalized size = 1.02

$$\frac{\sqrt{d^2 - e^2x^2} (-2d^2 + 2dex + e^2x^2)}{3de^3(d-ex)^2(d+ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(5/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-2\*d^2 + 2\*d\*e\*x + e^2\*x^2))/(3\*d\*e^3\*(d - e\*x)^2\*(d + e\*x))

**fricas [B]** time = 0.39, size = 104, normalized size = 1.79

$$\frac{2e^3x^3 - 2de^2x^2 - 2d^2ex + 2d^3 - (e^2x^2 + 2dex - 2d^2)\sqrt{-e^2x^2 + d^2}}{3(de^6x^3 - d^2e^5x^2 - d^3e^4x + d^4e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(5/2), x, algorithm="fricas")

[Out]  $-1/3*(2*e^3*x^3 - 2*d*e^2*x^2 - 2*d^2*e*x + 2*d^3 - (e^2*x^2 + 2*d*e*x - 2*d^2)*\sqrt{-e^2*x^2 + d^2})/(d*e^6*x^3 - d^2*e^5*x^2 - d^3*e^4*x + d^4*e^3)$

**giac** [A] time = 0.30, size = 51, normalized size = 0.88

$$\frac{\left(x^2\left(\frac{x}{d} + 3e^{(-1)}\right) - 2d^2e^{(-3)}\right)\sqrt{-x^2e^2 + d^2}}{3\left(x^2e^2 - d^2\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)/(-e^2*x^2+d^2)^(5/2),x, algorithm="giac")`

[Out]  $1/3*(x^2*(x/d + 3e^{(-1)}) - 2*d^2*e^{(-3)})*\sqrt{-x^2*e^2 + d^2}/(x^2*e^2 - d^2)^2$

**maple** [A] time = 0.01, size = 55, normalized size = 0.95

$$\frac{(-ex + d)(ex + d)^2(-e^2x^2 - 2dex + 2d^2)}{3(-e^2x^2 + d^2)^{\frac{5}{2}}de^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x+d)/(-e^2*x^2+d^2)^(5/2),x)`

[Out]  $-1/3*(-e*x+d)*(e*x+d)^2*(-e^2*x^2-2*d*e*x+2*d^2)/d/e^3/(-e^2*x^2+d^2)^(5/2)$

**maxima** [A] time = 0.44, size = 88, normalized size = 1.52

$$\frac{x^2}{(-e^2x^2 + d^2)^{\frac{3}{2}}e} + \frac{dx}{3(-e^2x^2 + d^2)^{\frac{3}{2}}e^2} - \frac{2d^2}{3(-e^2x^2 + d^2)^{\frac{3}{2}}e^3} - \frac{x}{3\sqrt{-e^2x^2 + d^2}de^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)/(-e^2*x^2+d^2)^(5/2),x, algorithm="maxima")`

[Out]  $x^2/((-e^2*x^2 + d^2)^(3/2)*e) + 1/3*d*x/((-e^2*x^2 + d^2)^(3/2)*e^2) - 2/3*d^2/((-e^2*x^2 + d^2)^(3/2)*e^3) - 1/3*x/(sqrt(-e^2*x^2 + d^2)*d*e^2)$

**mupad** [B] time = 2.59, size = 55, normalized size = 0.95

$$\frac{\sqrt{d^2 - e^2 x^2} (-2 d^2 + 2 d e x + e^2 x^2)}{3 d e^3 (d + e x) (d - e x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(d + e*x))/(d^2 - e^2*x^2)^(5/2), x)`

[Out] `((d^2 - e^2*x^2)^(1/2)*(e^2*x^2 - 2*d^2 + 2*d*e*x))/(3*d*e^3*(d + e*x)*(d - e*x)^2)`

**sympy [C]** time = 9.88, size = 231, normalized size = 3.98

$$d \left( \begin{array}{l} \left( \frac{ix^3}{-3d^5\sqrt{-1+\frac{e^2x^2}{d^2}}+3d^3e^2x^2\sqrt{-1+\frac{e^2x^2}{d^2}}} \right) \text{ for } \left| \frac{e^2x^2}{d^2} \right| > 1 \\ \left( \frac{x^3}{-3d^5\sqrt{1-\frac{e^2x^2}{d^2}}+3d^3e^2x^2\sqrt{1-\frac{e^2x^2}{d^2}}} \right) \text{ otherwise} \end{array} \right) + e \left( \begin{array}{l} \left( \frac{2d^2}{-3d^2e^4\sqrt{d^2-e^2x^2}+3e^6x^2\sqrt{d^2-e^2x^2}} - \frac{3e^2x^2}{-3d^2e^4\sqrt{d^2-e^2x^2}+3e^6x^2\sqrt{d^2-e^2x^2}} \right) \text{ for } e \neq 0 \\ \left( \frac{x^4}{4(d^2)^{\frac{5}{2}}} \right) \text{ otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x+d)/(-e**2*x**2+d**2)**(5/2), x)`

[Out] `d*Piecewise((I*x**3/(-3*d**5*sqrt(-1 + e**2*x**2/d**2) + 3*d**3*e**2*x**2*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (-x**3/(-3*d**5*sqrt(1 - e**2*x**2/d**2) + 3*d**3*e**2*x**2*sqrt(1 - e**2*x**2/d**2)), True)) + e*Piecewise((2*d**2/(-3*d**2*e**4*sqrt(d**2 - e**2*x**2) + 3*e**6*x**2*sqrt(d**2 - e**2*x**2)) - 3*e**2*x**2/(-3*d**2*e**4*sqrt(d**2 - e**2*x**2) + 3*e**6*x**2*sqrt(d**2 - e**2*x**2)), Ne(e, 0)), (x**4/(4*(d**2)**(5/2)), True))`



$$3.19 \quad \int \frac{x^7(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=161

$$\frac{x^6(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} + \frac{(32d+35ex)\sqrt{d^2-e^2x^2}}{10e^8} - \frac{7d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^8} + \frac{x^2(24d+35ex)}{15e^6\sqrt{d^2-e^2x^2}} - \frac{x^4(6d+7ex)}{15e^4(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.14, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {819, 780, 217, 203}

$$\frac{x^6(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d+7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x^2(24d+35ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{(32d+35ex)\sqrt{d^2-e^2x^2}}{10e^8} - \frac{7d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^8}$$

Antiderivative was successfully verified.

[In] Int[(x^7\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (x^6\*(d + e\*x))/(5\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - (x^4\*(6\*d + 7\*e\*x))/(15\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + (x^2\*(24\*d + 35\*e\*x))/(15\*e^6\*sqrt[d^2 - e^2\*x^2]) + ((32\*d + 35\*e\*x)\*sqrt[d^2 - e^2\*x^2])/(10\*e^8) - (7\*d^2\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(2\*e^8)

Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 780

Int[((d\_) + (e\_)\*(x\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

## Rule 819

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g
) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!LtQ[m + 2*p + 3, 0])
```

## Rubi steps

$$\begin{aligned}
\int \frac{x^7(d+ex)}{(d^2-e^2x^2)^{7/2}} dx &= \frac{x^6(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{x^5(6d^3+7d^2ex)}{(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
&= \frac{x^6(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d+7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{x^3(24d^5+35d^4ex)}{(d^2-e^2x^2)^{3/2}} dx}{15d^4e^4} \\
&= \frac{x^6(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d+7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x^2(24d+35ex)}{15e^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{x(48d^7+105d^6ex)}{\sqrt{d^2-e^2x^2}} dx}{15d^6e^6} \\
&= \frac{x^6(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d+7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x^2(24d+35ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{(32d+35ex)\sqrt{d^2-e^2x^2}}{10e^8} - \dots \\
&= \frac{x^6(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d+7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x^2(24d+35ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{(32d+35ex)\sqrt{d^2-e^2x^2}}{10e^8} - \dots \\
&= \frac{x^6(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d+7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x^2(24d+35ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{(32d+35ex)\sqrt{d^2-e^2x^2}}{10e^8} - \dots
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 155, normalized size = 0.96

$$\frac{96d^6 + 9d^5ex - 249d^4e^2x^2 + 4d^3e^3x^3 + 176d^2e^4x^4 - 105d^2(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2} \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - 15de^5x^5 - 15e^6x^6}{30e^8(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (96\*d^6 + 9\*d^5\*e\*x - 249\*d^4\*e^2\*x^2 + 4\*d^3\*e^3\*x^3 + 176\*d^2\*e^4\*x^4 - 15\*d\*e^5\*x^5 - 15\*e^6\*x^6 - 105\*d^2\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]]/(30\*e^8\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.78, size = 152, normalized size = 0.94

$$\frac{7d^2\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{2e^9} - \frac{\sqrt{d^2 - e^2x^2} (96d^6 + 9d^5ex - 249d^4e^2x^2 + 4d^3e^3x^3 + 176d^2e^4x^4 - 15de^5x^5 - 15e^6x^6)}{30e^8(ex - d)^3(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^7\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] -1/30\*(Sqrt[d^2 - e^2\*x^2]\*(96\*d^6 + 9\*d^5\*e\*x - 249\*d^4\*e^2\*x^2 + 4\*d^3\*e^3\*x^3 + 176\*d^2\*e^4\*x^4 - 15\*d\*e^5\*x^5 - 15\*e^6\*x^6))/(e^8\*(-d + e\*x)^3\*(d + e\*x)^2) - (7\*d^2\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(2\*e^9)

**fricas [A]** time = 0.47, size = 278, normalized size = 1.73

$$\frac{96d^2e^5x^5 - 96d^3e^4x^4 - 192d^4e^3x^3 + 192d^5e^2x^2 + 96d^6ex - 96d^7 + 210(d^2e^5x^5 - d^3e^4x^4 - 2d^4e^3x^3 + 2d^5e^2x^2 + d^6ex - d^7) \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (15e^6x^6 + 15de^5x^5 - 176d^2e^4x^4 - 4d^3e^3x^3 + 249d^4e^2x^2 - 9d^5ex - 96d^6)\sqrt{-e^2x^2 + d^2}}{30(e^{13}x^5 - de^{12}x^4 - 2d^2e^{11}x^3 + 2d^3e^{10}x^2 + d^4e^9x - d^5e^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out] 1/30\*(96\*d^2\*e^5\*x^5 - 96\*d^3\*e^4\*x^4 - 192\*d^4\*e^3\*x^3 + 192\*d^5\*e^2\*x^2 + 96\*d^6\*e\*x - 96\*d^7 + 210\*(d^2\*e^5\*x^5 - d^3\*e^4\*x^4 - 2\*d^4\*e^3\*x^3 + 2\*d^5\*e^2\*x^2 + d^6\*e\*x - d^7)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (15\*e^6\*x^6 + 15\*d\*e^5\*x^5 - 176\*d^2\*e^4\*x^4 - 4\*d^3\*e^3\*x^3 + 249\*d^4\*e^2\*x^2 - 9\*d^5\*e\*x - 96\*d^6)\*sqrt(-e^2\*x^2 + d^2))/(e^13\*x^5 - d\*e^12\*x^4 - 2\*d^2\*e^11\*x^3 + 2\*d^3\*e^10\*x^2 + d^4\*e^9\*x - d^5\*e^8)

**giac [A]** time = 0.28, size = 120, normalized size = 0.75

$$-\frac{7}{2}d^2 \arcsin\left(\frac{xe}{d}\right)e^{(-8)}\operatorname{sgn}(d) - \frac{(96d^7e^{(-8)} + (105d^6e^{(-7)} - (240d^5e^{(-6)} + (245d^4e^{(-5)} - (180d^3e^{(-4)} + (161d^2e^{(-3)} - 15(xe^{(-1)} + 2de^{(-2)})x)x)x)x)\sqrt{-x^2e^2 + d^2}}{30(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2), x, algorithm="giac")

[Out] -7/2\*d^2\*arcsin(x\*e/d)\*e^(-8)\*sgn(d) - 1/30\*(96\*d^7\*e^(-8) + (105\*d^6\*e^(-7) - (240\*d^5\*e^(-6) + (245\*d^4\*e^(-5) - (180\*d^3\*e^(-4) + (161\*d^2\*e^(-3) -

$15*(x*e^{(-1)} + 2*d*e^{(-2)})*(x)*x*(x)*x*(x)*x*\sqrt{-x^2*e^2 + d^2}/(x^2*e^2 - d^2)^3$

**maple [A]** time = 0.07, size = 227, normalized size = 1.41

$$\frac{x^7}{2(-e^2x^2 + d^2)^{\frac{5}{2}}e} - \frac{dx^6}{(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} + \frac{7d^2x^5}{10(-e^2x^2 + d^2)^{\frac{5}{2}}e^3} + \frac{6d^3x^4}{(-e^2x^2 + d^2)^{\frac{5}{2}}e^4} - \frac{8d^5x^2}{(-e^2x^2 + d^2)^{\frac{5}{2}}e^6} - \frac{7d^2x^3}{6(-e^2x^2 + d^2)^{\frac{3}{2}}e^5} + \frac{16d^7}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e^8} + \frac{7d^2x}{2\sqrt{-e^2x^2 + d^2}e^7} - \frac{7d^2 \arctan\left(\frac{\sqrt{e^2x^2 + d^2}}{\sqrt{-e^2x^2 + d^2}}\right)}{2\sqrt{e^2}e^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^7*(e*x+d)/(-e^2*x^2+d^2)^{(7/2)}, x)$

[Out]  $-1/2*x^7/e/(-e^2*x^2+d^2)^{(5/2)}+7/10*d^2/e^3*x^5/(-e^2*x^2+d^2)^{(5/2)}-7/6*d^2/e^5*x^3/(-e^2*x^2+d^2)^{(3/2)}+7/2*d^2/e^7*x/(-e^2*x^2+d^2)^{(1/2)}-7/2*d^2/e^7/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)-d*x^6/e^2/(-e^2*x^2+d^2)^{(5/2)}+6*d^3/e^4*x^4/(-e^2*x^2+d^2)^{(5/2)}-8*d^5/e^6*x^2/(-e^2*x^2+d^2)^{(5/2)}+16/5*d^7/e^8/(-e^2*x^2+d^2)^{(5/2)}$

**maxima [B]** time = 1.03, size = 312, normalized size = 1.94

$$\frac{x^7}{2(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{7d^2x \left( \frac{15x^4}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^2} - \frac{20d^2x^2}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^4} + \frac{8d^4}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^6} \right)}{30e} - \frac{dx^6}{(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{7d^2x \left( \frac{3x^2}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^2} - \frac{2d^2}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^4} \right)}{6e^3} + \frac{6d^3x^4}{(-e^2x^2 + d^2)^{\frac{5}{2}}e^4} - \frac{8d^5x^2}{(-e^2x^2 + d^2)^{\frac{5}{2}}e^6} + \frac{16d^7}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e^8} + \frac{14d^4x}{15(-e^2x^2 + d^2)^{\frac{3}{2}}e^7} - \frac{49d^2x}{30\sqrt{-e^2x^2 + d^2}e^7} - \frac{7d^2 \arcsin\left(\frac{x}{d}\right)}{2e^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^7*(e*x+d)/(-e^2*x^2+d^2)^{(7/2)}, x, \text{algorithm}="maxima")$

[Out]  $-1/2*x^7/((-e^2*x^2 + d^2)^{(5/2)}*e) + 7/30*d^2*x*(15*x^4/((-e^2*x^2 + d^2)^{(5/2)}*e^2) - 20*d^2*x^2/((-e^2*x^2 + d^2)^{(5/2)}*e^4) + 8*d^4/((-e^2*x^2 + d^2)^{(5/2)}*e^6))/e - d*x^6/((-e^2*x^2 + d^2)^{(5/2)}*e^2) - 7/6*d^2*x*(3*x^2/((-e^2*x^2 + d^2)^{(3/2)}*e^2) - 2*d^2/((-e^2*x^2 + d^2)^{(3/2)}*e^4))/e^3 + 6*d^3*x^4/((-e^2*x^2 + d^2)^{(5/2)}*e^4) - 8*d^5*x^2/((-e^2*x^2 + d^2)^{(5/2)}*e^6) + 16/5*d^7/((-e^2*x^2 + d^2)^{(5/2)}*e^8) + 14/15*d^4*x/((-e^2*x^2 + d^2)^{(3/2)}*e^7) - 49/30*d^2*x/(sqrt(-e^2*x^2 + d^2)*e^7) - 7/2*d^2*arcsin(e*x/d)/e^8$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^7 (d + ex)}{(d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((x^7*(d + e*x))/(d^2 - e^2*x^2)^{(7/2)}, x)$

[Out]  $\text{int}((x^7*(d + e*x))/(d^2 - e^2*x^2)^{(7/2)}, x)$

sympy [B] time = 66.42, size = 2004, normalized size = 12.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*7\*(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2),x)

[Out] d\*Piecewise((16\*d\*\*6/(5\*d\*\*4\*e\*\*8\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 10\*d\*\*2\*e\*\*10\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 5\*e\*\*12\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)) - 40\*d\*\*4\*e\*\*2\*x\*\*2/(5\*d\*\*4\*e\*\*8\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 10\*d\*\*2\*e\*\*10\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 5\*e\*\*12\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)) + 30\*d\*\*2\*e\*\*4\*x\*\*4/(5\*d\*\*4\*e\*\*8\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 10\*d\*\*2\*e\*\*10\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 5\*e\*\*12\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)) - 5\*e\*\*6\*x\*\*6/(5\*d\*\*4\*e\*\*8\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 10\*d\*\*2\*e\*\*10\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 5\*e\*\*12\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)), Ne(e, 0)), (x\*\*8/(8\*(d\*\*2)\*\*(7/2)), True)) + e\*Piecewise((-210\*I\*d\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)\*acosh(e\*x/d)/(-60\*d\*\*5\*e\*\*9\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 120\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*e\*\*13\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 105\*pi\*d\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-60\*d\*\*5\*e\*\*9\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 120\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*e\*\*13\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 210\*I\*d\*\*6\*e\*x/(-60\*d\*\*5\*e\*\*9\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 120\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*e\*\*13\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 420\*I\*d\*\*5\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)\*acosh(e\*x/d)/(-60\*d\*\*5\*e\*\*9\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 120\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*e\*\*13\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 210\*pi\*d\*\*5\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-60\*d\*\*5\*e\*\*9\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 120\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*e\*\*13\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 490\*I\*d\*\*4\*e\*\*3\*x\*\*3/(-60\*d\*\*5\*e\*\*9\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 120\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*e\*\*13\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 210\*I\*d\*\*3\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)\*acosh(e\*x/d)/(-60\*d\*\*5\*e\*\*9\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 120\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*e\*\*13\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 105\*pi\*d\*\*3\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-60\*d\*\*5\*e\*\*9\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 120\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*e\*\*13\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 322\*I\*d\*\*2\*e\*\*5\*x\*\*5/(-60\*d\*\*5\*e\*\*9\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 120\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*e\*\*13\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 30\*I\*e\*\*7\*x\*\*7/(-60\*d\*\*5\*e\*\*9\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 120\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*e\*\*13\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (-105\*d\*\*7\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)\*asin(e\*x/d)/(30\*d\*\*5\*e\*\*9\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 30\*d\*e\*\*13\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 105\*d\*\*6\*e\*x/(30\*d\*\*5\*e\*\*9\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 30\*d\*e\*\*13\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 210\*d\*\*5\*e\*\*2\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)\*asin(e\*x/d)/(30\*d\*\*5\*e\*\*9\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 60\*d\*\*3\*e\*\*11\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 30\*d\*e\*\*13\*x

```

**4*sqrt(1 - e**2*x**2/d**2)) - 245*d**4*e**3*x**3/(30*d**5*e**9*sqrt(1 - e
**2*x**2/d**2) - 60*d**3*e**11*x**2*sqrt(1 - e**2*x**2/d**2) + 30*d*e**13*x
**4*sqrt(1 - e**2*x**2/d**2)) - 105*d**3*e**4*x**4*sqrt(1 - e**2*x**2/d**2)
*asin(e*x/d)/(30*d**5*e**9*sqrt(1 - e**2*x**2/d**2) - 60*d**3*e**11*x**2*sq
rt(1 - e**2*x**2/d**2) + 30*d*e**13*x**4*sqrt(1 - e**2*x**2/d**2)) + 161*d*
**2*e**5*x**5/(30*d**5*e**9*sqrt(1 - e**2*x**2/d**2) - 60*d**3*e**11*x**2*sq
rt(1 - e**2*x**2/d**2) + 30*d*e**13*x**4*sqrt(1 - e**2*x**2/d**2)) - 15*e**
7*x**7/(30*d**5*e**9*sqrt(1 - e**2*x**2/d**2) - 60*d**3*e**11*x**2*sqrt(1 -
e**2*x**2/d**2) + 30*d*e**13*x**4*sqrt(1 - e**2*x**2/d**2)), True))

```

$$3.20 \quad \int \frac{x^6(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=147

$$\frac{x^5(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} + \frac{16\sqrt{d^2-e^2x^2}}{5e^7} - \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^7} + \frac{x(5d+8ex)}{5e^6\sqrt{d^2-e^2x^2}} - \frac{x^3(5d+6ex)}{15e^4(d^2-e^2x^2)^{3/2}}$$

**Rubi** [A] time = 0.12, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {819, 641, 217, 203}

$$\frac{x^5(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d+6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x(5d+8ex)}{5e^6\sqrt{d^2-e^2x^2}} + \frac{16\sqrt{d^2-e^2x^2}}{5e^7} - \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^7}$$

Antiderivative was successfully verified.

[In] Int[(x^6\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (x^5\*(d + e\*x))/(5\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - (x^3\*(5\*d + 6\*e\*x))/(15\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + (x\*(5\*d + 8\*e\*x))/(5\*e^6\*sqrt[d^2 - e^2\*x^2]) + (16\*sqrt[d^2 - e^2\*x^2])/(5\*e^7) - (d\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/e^7

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 819

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g
) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!LtQ[m + 2*p + 3, 0])

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^6(d+ex)}{(d^2-e^2x^2)^{7/2}} dx &= \frac{x^5(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{x^4(5d^3+6d^2ex)}{(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
&= \frac{x^5(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d+6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{x^2(15d^5+24d^4ex)}{(d^2-e^2x^2)^{3/2}} dx}{15d^4e^4} \\
&= \frac{x^5(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d+6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x(5d+8ex)}{5e^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{15d^7+48d^6ex}{\sqrt{d^2-e^2x^2}} dx}{15d^6e^6} \\
&= \frac{x^5(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d+6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x(5d+8ex)}{5e^6\sqrt{d^2-e^2x^2}} + \frac{16\sqrt{d^2-e^2x^2}}{5e^7} - \frac{d \int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^6} \\
&= \frac{x^5(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d+6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x(5d+8ex)}{5e^6\sqrt{d^2-e^2x^2}} + \frac{16\sqrt{d^2-e^2x^2}}{5e^7} - \frac{d \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-u^2}} du\right)}{e^6} \\
&= \frac{x^5(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d+6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x(5d+8ex)}{5e^6\sqrt{d^2-e^2x^2}} + \frac{16\sqrt{d^2-e^2x^2}}{5e^7} - \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^7}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 142, normalized size = 0.97

$$\frac{48d^5 - 33d^4ex - 87d^3e^2x^2 + 52d^2e^3x^3 - 15d(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2} \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + 38de^4x^4 - 15e^5x^5}{15e^7(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.



[In] Integrate[(x^6\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (48\*d^5 - 33\*d^4\*e\*x - 87\*d^3\*e^2\*x^2 + 52\*d^2\*e^3\*x^3 + 38\*d\*e^4\*x^4 - 15\*e^5\*x^5 - 15\*d\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(15\*e^7\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.73, size = 137, normalized size = 0.93

$$\frac{d\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{e^8} - \frac{\sqrt{d^2 - e^2x^2} (48d^5 - 33d^4ex - 87d^3e^2x^2 + 52d^2e^3x^3 + 38de^4x^4 - 15e^5x^5)}{15e^7(ex - d)^3(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^6\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] -1/15\*(Sqrt[d^2 - e^2\*x^2]\*(48\*d^5 - 33\*d^4\*e\*x - 87\*d^3\*e^2\*x^2 + 52\*d^2\*e^3\*x^3 + 38\*d\*e^4\*x^4 - 15\*e^5\*x^5))/(e^7\*(-d + e\*x)^3\*(d + e\*x)^2) - (d\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^8

**fricas [B]** time = 0.42, size = 263, normalized size = 1.79

$$\frac{48d^5e^5x^5 - 48d^4e^4x^4 - 96d^3e^3x^3 + 96d^2e^2x^2 + 48d^5ex - 48d^6 + 30(d^5e^5x^5 - d^2e^4x^4 - 2d^3e^3x^3 + 2d^4e^2x^2 + d^5ex - d^6) \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (15e^5x^5 - 38d^4e^4x^4 - 52d^3e^3x^3 + 87d^2e^2x^2 + 33d^4ex - 48d^5)\sqrt{-e^2x^2 + d^2}}{15(e^{12}x^5 - d^{11}x^4 - 2d^2e^{10}x^3 + 2d^3e^9x^2 + d^4e^8x - d^5e^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out] 1/15\*(48\*d\*e^5\*x^5 - 48\*d^2\*e^4\*x^4 - 96\*d^3\*e^3\*x^3 + 96\*d^4\*e^2\*x^2 + 48\*d^5\*e\*x - 48\*d^6 + 30\*(d\*e^5\*x^5 - d^2\*e^4\*x^4 - 2\*d^3\*e^3\*x^3 + 2\*d^4\*e^2\*x^2 + d^5\*e\*x - d^6)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (15\*e^5\*x^5 - 38\*d\*e^4\*x^4 - 52\*d^2\*e^3\*x^3 + 87\*d^3\*e^2\*x^2 + 33\*d^4\*e\*x - 48\*d^5)\*sqrt(-e^2\*x^2 + d^2))/(e^12\*x^5 - d\*e^11\*x^4 - 2\*d^2\*e^10\*x^3 + 2\*d^3\*e^9\*x^2 + d^4\*e^8\*x - d^5\*e^7)

**giac [A]** time = 0.27, size = 109, normalized size = 0.74

$$-d \arcsin\left(\frac{xe}{d}\right) e^{(-7)\operatorname{sgn}(d)} - \frac{(48d^6e^{(-7)} + (15d^5e^{(-6)} - (120d^4e^{(-5)} + (35d^3e^{(-4)} - (90d^2e^{(-3)} - (15xe^{(-1)} - 23de^{(-2)})x)x)x)\sqrt{-x^2e^2 + d^2}}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2), x, algorithm="giac")

[Out] -d\*arcsin(x\*e/d)\*e^(-7)\*sgn(d) - 1/15\*(48\*d^6\*e^(-7) + (15\*d^5\*e^(-6) - (120\*d^4\*e^(-5) + (35\*d^3\*e^(-4) - (90\*d^2\*e^(-3) - (15\*x\*e^(-1) - 23\*d\*e^(-2))\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)/(x^2\*e^2 - d^2)^3

**maple [A]** time = 0.02, size = 195, normalized size = 1.33

$$-\frac{x^6}{(-e^2x^2+d^2)^{\frac{5}{2}}e} + \frac{dx^5}{5(-e^2x^2+d^2)^{\frac{5}{2}}e^2} + \frac{6d^2x^4}{(-e^2x^2+d^2)^{\frac{5}{2}}e^3} - \frac{8d^4x^2}{(-e^2x^2+d^2)^{\frac{5}{2}}e^5} - \frac{dx^3}{3(-e^2x^2+d^2)^{\frac{3}{2}}e^4} + \frac{16d^6}{5(-e^2x^2+d^2)^{\frac{5}{2}}e^7} + \frac{dx}{\sqrt{-e^2x^2+d^2}e^6} - \frac{d \arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2+d^2}}\right)}{\sqrt{e^2}e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x)

[Out] -x^6/e/(-e^2\*x^2+d^2)^(5/2)+6\*d^2/e^3\*x^4/(-e^2\*x^2+d^2)^(5/2)-8\*d^4/e^5\*x^2/(-e^2\*x^2+d^2)^(5/2)+16/5\*d^6/e^7/(-e^2\*x^2+d^2)^(5/2)+1/5\*d\*x^5/e^2/(-e^2\*x^2+d^2)^(5/2)-1/3\*d/e^4\*x^3/(-e^2\*x^2+d^2)^(3/2)+d/e^6\*x/(-e^2\*x^2+d^2)^(1/2)-d/e^6/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)

**maxima [B]** time = 1.03, size = 278, normalized size = 1.89

$$\frac{1}{15} dx \left( \frac{15x^4}{(-e^2x^2+d^2)^{\frac{5}{2}}e} - \frac{20d^2x^2}{(-e^2x^2+d^2)^{\frac{5}{2}}e^4} + \frac{8d^4}{(-e^2x^2+d^2)^{\frac{5}{2}}e^6} \right) - \frac{x^6}{(-e^2x^2+d^2)^{\frac{5}{2}}e} - \frac{dx \left( \frac{3x^2}{(-e^2x^2+d^2)^{\frac{3}{2}}e^2} - \frac{2d^2}{(-e^2x^2+d^2)^{\frac{3}{2}}e^4} \right)}{3e^2} + \frac{6d^2x^4}{(-e^2x^2+d^2)^{\frac{5}{2}}e^3} - \frac{8d^4x^2}{(-e^2x^2+d^2)^{\frac{5}{2}}e^5} + \frac{16d^6}{5(-e^2x^2+d^2)^{\frac{5}{2}}e^7} + \frac{4d^3x}{15(-e^2x^2+d^2)^{\frac{3}{2}}e^6} - \frac{7dx}{15\sqrt{-e^2x^2+d^2}e^6} - \frac{d \arcsin\left(\frac{ex}{d}\right)}{e^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out] 1/15\*d\*x\*(15\*x^4/((-e^2\*x^2 + d^2)^(5/2)\*e^2) - 20\*d^2\*x^2/((-e^2\*x^2 + d^2)^(5/2)\*e^4) + 8\*d^4/((-e^2\*x^2 + d^2)^(5/2)\*e^6)) - x^6/((-e^2\*x^2 + d^2)^(5/2)\*e) - 1/3\*d\*x\*(3\*x^2/((-e^2\*x^2 + d^2)^(3/2)\*e^2) - 2\*d^2/((-e^2\*x^2 + d^2)^(3/2)\*e^4))/e^2 + 6\*d^2\*x^4/((-e^2\*x^2 + d^2)^(5/2)\*e^3) - 8\*d^4\*x^2/((-e^2\*x^2 + d^2)^(5/2)\*e^5) + 16/5\*d^6/((-e^2\*x^2 + d^2)^(5/2)\*e^7) + 4/15\*d^3\*x/((-e^2\*x^2 + d^2)^(3/2)\*e^6) - 7/15\*d\*x/(sqrt(-e^2\*x^2 + d^2)\*e^6) - d\*arcsin(e\*x/d)/e^7

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^6 (d + ex)}{(d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^6\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2),x)

[Out] int((x^6\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x)

**sympy [C]** time = 62.08, size = 1821, normalized size = 12.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*6\*(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2),x)

[Out] d\*Piecewise((-30\*I\*d\*\*5\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)\*acosh(e\*x/d)/(-30\*d\*\*5\*e\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 60\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*e\*\*11\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 15\*pi\*d\*\*5\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-30\*d\*\*5\*e\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 60\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*e\*\*11\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 30\*I\*d\*\*4\*e\*x/(-30\*d\*\*5\*e\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 60\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*e\*\*11\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 60\*I\*d\*\*3\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)\*acosh(e\*x/d)/(-30\*d\*\*5\*e\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 60\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*e\*\*11\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 30\*pi\*d\*\*3\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-30\*d\*\*5\*e\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 60\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*e\*\*11\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 70\*I\*d\*\*2\*e\*\*3\*x\*\*3/(-30\*d\*\*5\*e\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 60\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*e\*\*11\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 30\*I\*d\*\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)\*acosh(e\*x/d)/(-30\*d\*\*5\*e\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 60\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*e\*\*11\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 15\*pi\*d\*\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-30\*d\*\*5\*e\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 60\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*e\*\*11\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 46\*I\*\*5\*x\*\*5/(-30\*d\*\*5\*e\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 60\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*e\*\*11\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (-15\*d\*\*5\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)\*asin(e\*x/d)/(15\*d\*\*5\*e\*\*7\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 15\*d\*\*e\*\*11\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 15\*d\*\*4\*e\*x/(15\*d\*\*5\*e\*\*7\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 15\*d\*\*e\*\*11\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 30\*d\*\*3\*e\*\*2\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)\*asin(e\*x/d)/(15\*d\*\*5\*e\*\*7\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 15\*d\*\*e\*\*11\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - 35\*d\*\*2\*e\*\*3\*x\*\*3/(15\*d\*\*5\*e\*\*7\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 15\*d\*\*e\*\*11\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - 15\*d\*\*e\*\*4\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)\*asin(e\*x/d)/(15\*d\*\*5\*e\*\*7\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 15\*d\*\*e\*\*11\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 23\*e\*\*5\*x\*\*5/(15\*d\*\*5\*e\*\*7\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 30\*d\*\*3\*e\*\*9\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 15\*d\*\*e\*\*11\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) + e\*Piecewise((16\*d\*\*6/(5\*d\*\*4\*e\*\*8\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 10\*d\*\*2\*e\*\*10\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 5\*e\*\*12\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)) - 40\*d\*\*4\*e\*\*2\*x\*\*2/(5\*d\*\*4\*e\*\*8\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 10\*d\*\*2\*e\*\*10\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 5\*e\*\*12\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)) + 30\*d\*\*2\*e\*\*4\*x\*\*4/(5\*d\*\*4\*e\*\*8\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 10\*d\*\*2\*e\*\*10\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 5\*e\*\*12\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)) - 5\*e\*\*6\*x\*\*6/(5\*d\*\*4\*e\*\*8\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 10\*d\*\*2\*e\*\*10\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 5\*e\*\*12\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2))), Ne(e, 0)), (x\*\*8/(8\*(d\*\*2)\*\*(7/2)), True))

$$3.21 \quad \int \frac{x^5(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=122

$$\frac{x^4(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} + \frac{8d+15ex}{15e^6\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^6} - \frac{x^2(4d+5ex)}{15e^4(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.08, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {819, 778, 217, 203}

$$\frac{x^4(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^2(4d+5ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{8d+15ex}{15e^6\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^6}$$

Antiderivative was successfully verified.

[In] Int[(x^5\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (x^4\*(d + e\*x))/(5\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - (x^2\*(4\*d + 5\*e\*x))/(15\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + (8\*d + 15\*e\*x)/(15\*e^6\*Sqrt[d^2 - e^2\*x^2]) - ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]]/e^6

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

#### Rule 819

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && (EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) || !ILtQ[m + 2*p + 3, 0])
```

### Rubi steps

$$\begin{aligned}
 \int \frac{x^5(d+ex)}{(d^2-e^2x^2)^{7/2}} dx &= \frac{x^4(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{x^3(4d^3+5d^2ex)}{(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
 &= \frac{x^4(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^2(4d+5ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{x(8d^5+15d^4ex)}{(d^2-e^2x^2)^{3/2}} dx}{15d^4e^4} \\
 &= \frac{x^4(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^2(4d+5ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{8d+15ex}{15e^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^5} \\
 &= \frac{x^4(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^2(4d+5ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{8d+15ex}{15e^6\sqrt{d^2-e^2x^2}} - \frac{\text{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x, \frac{x}{\sqrt{d^2-e^2x^2}}\right)}{e^5} \\
 &= \frac{x^4(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^2(4d+5ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{8d+15ex}{15e^6\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^6}
 \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 130, normalized size = 1.07

$$\frac{8d^4 + 7d^3ex - 27d^2e^2x^2 - 15(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2} \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - 8de^3x^3 + 23e^4x^4}{15e^6(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (8\*d^4 + 7\*d^3\*e\*x - 27\*d^2\*e^2\*x^2 - 8\*d\*e^3\*x^3 + 23\*e^4\*x^4 - 15\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(15\*e^6\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.68, size = 125, normalized size = 1.02

$$\frac{\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{e^7} - \frac{\sqrt{d^2 - e^2 x^2} (8d^4 + 7d^3 ex - 27d^2 e^2 x^2 - 8de^3 x^3 + 23e^4 x^4)}{15e^6 (ex - d)^3 (d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^5\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] -1/15\*(Sqrt[d^2 - e^2\*x^2]\*(8\*d^4 + 7\*d^3\*e\*x - 27\*d^2\*e^2\*x^2 - 8\*d\*e^3\*x^3 + 23\*e^4\*x^4))/(e^6\*(-d + e\*x)^3\*(d + e\*x)^2) - (Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^7

**fricas [B]** time = 0.41, size = 247, normalized size = 2.02

$$\frac{8e^5x^5 - 8de^4x^4 - 16d^2e^3x^3 + 16d^3e^2x^2 + 8d^4ex - 8d^5 + 30(e^5x^5 - de^4x^4 - 2d^2e^3x^3 + 2d^3e^2x^2 + d^4ex - d^5) \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) - (23e^4x^4 - 8de^3x^3 - 27d^2e^2x^2 + 7d^3ex + 8d^4)\sqrt{-e^2x^2 + d^2}}{15(e^{11}x^5 - de^{10}x^4 - 2d^2e^9x^3 + 2d^3e^8x^2 + d^4e^7x - d^5e^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out] 1/15\*(8\*e^5\*x^5 - 8\*d\*e^4\*x^4 - 16\*d^2\*e^3\*x^3 + 16\*d^3\*e^2\*x^2 + 8\*d^4\*e\*x - 8\*d^5 + 30\*(e^5\*x^5 - d\*e^4\*x^4 - 2\*d^2\*e^3\*x^3 + 2\*d^3\*e^2\*x^2 + d^4\*e\*x - d^5)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (23\*e^4\*x^4 - 8\*d\*e^3\*x^3 - 27\*d^2\*e^2\*x^2 + 7\*d^3\*e\*x + 8\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(e^11\*x^5 - d\*e^10\*x^4 - 2\*d^2\*e^9\*x^3 + 2\*d^3\*e^8\*x^2 + d^4\*e^7\*x - d^5\*e^6)

**giac [A]** time = 0.31, size = 97, normalized size = 0.80

$$-\arcsin\left(\frac{xe}{d}\right)e^{(-6)\operatorname{sgn}(d)} - \frac{(8d^5e^{(-6)} + (15d^4e^{(-5)} - (20d^3e^{(-4)} + (35d^2e^{(-3)} - (23xe^{(-1)} + 15de^{(-2)})x)x)x)\sqrt{-x^2e^2 + d^2}}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2), x, algorithm="giac")

[Out] -arcsin(x\*e/d)\*e^{(-6)\*sgn(d)} - 1/15\*(8\*d^5\*e^{(-6)} + (15\*d^4\*e^{(-5)} - (20\*d^3\*e^{(-4)} + (35\*d^2\*e^{(-3)} - (23\*x\*e^{(-1)} + 15\*d\*e^{(-2)})\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)/(x^2\*e^2 - d^2)^3

**maple [A]** time = 0.02, size = 166, normalized size = 1.36

$$\frac{x^5}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{dx^4}{(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{4d^3x^2}{3(-e^2x^2 + d^2)^{\frac{5}{2}}e^4} - \frac{x^3}{3(-e^2x^2 + d^2)^{\frac{3}{2}}e^3} + \frac{8d^5}{15(-e^2x^2 + d^2)^{\frac{5}{2}}e^6} + \frac{x}{\sqrt{-e^2x^2 + d^2}e^5} - \frac{\arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2 + d^2}}\right)}{\sqrt{e^2}e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(e*x+d)/(-e^2*x^2+d^2)^(7/2),x)`

[Out]  $\frac{1}{5}x^5/e/(-e^2x^2+d^2)^{(5/2)} - \frac{1}{3}e^3x^3/(-e^2x^2+d^2)^{(3/2)} + 1/e^5x/(-e^2x^2+d^2)^{(1/2)} - 1/e^5/(e^2)^{(1/2)} \arctan((e^2)^{(1/2)}/(-e^2x^2+d^2)^{(1/2)}) * x + dx^4/e^2/(-e^2x^2+d^2)^{(5/2)} - 4/3*d^3/e^4*x^2/(-e^2x^2+d^2)^{(5/2)} + 8/15*d^5/e^6/(-e^2x^2+d^2)^{(5/2)}$

**maxima** [B] time = 1.01, size = 250, normalized size = 2.05

$$\frac{1}{15} e^x \left( \frac{15x^4}{(-e^2x^2+d^2)^{\frac{5}{2}} e^2} - \frac{20d^2x^2}{(-e^2x^2+d^2)^{\frac{5}{2}} e^4} + \frac{8d^4}{(-e^2x^2+d^2)^{\frac{5}{2}} e^6} \right) - \frac{x \left( \frac{3x^2}{(-e^2x^2+d^2)^{\frac{3}{2}} e^2} - \frac{2d^2}{(-e^2x^2+d^2)^{\frac{3}{2}} e^4} \right)}{3e} + \frac{dx^4}{(-e^2x^2+d^2)^{\frac{5}{2}} e^2} - \frac{4d^3x^2}{3(-e^2x^2+d^2)^{\frac{5}{2}} e^4} + \frac{8d^5}{15(-e^2x^2+d^2)^{\frac{5}{2}} e^6} + \frac{4d^2x}{15(-e^2x^2+d^2)^{\frac{3}{2}} e^5} - \frac{7x}{15\sqrt{-e^2x^2+d^2} e^5} - \frac{\arcsin\left(\frac{ex}{d}\right)}{e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(e*x+d)/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out]  $\frac{1}{15}e*x*(15*x^4/((-e^2*x^2 + d^2)^{(5/2)}*e^2) - 20*d^2*x^2/((-e^2*x^2 + d^2)^{(5/2)}*e^4) + 8*d^4/((-e^2*x^2 + d^2)^{(5/2)}*e^6)) - \frac{1}{3}*x*(3*x^2/((-e^2*x^2 + d^2)^{(3/2)}*e^2) - 2*d^2/((-e^2*x^2 + d^2)^{(3/2)}*e^4))/e + dx^4/((-e^2*x^2 + d^2)^{(5/2)}*e^2) - \frac{4}{3}*d^3*x^2/((-e^2*x^2 + d^2)^{(5/2)}*e^4) + \frac{8}{15}*d^5/((-e^2*x^2 + d^2)^{(5/2)}*e^6) + \frac{4}{15}*d^2*x/((-e^2*x^2 + d^2)^{(3/2)}*e^5) - \frac{7}{15}*x/(\sqrt{-e^2*x^2 + d^2}*e^5) - \arcsin(e*x/d)/e^6$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5 (d + ex)}{(d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(d + e*x))/(d^2 - e^2*x^2)^(7/2),x)`

[Out] `int((x^5*(d + e*x))/(d^2 - e^2*x^2)^(7/2), x)`

**sympy** [B] time = 73.14, size = 1739, normalized size = 14.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(e*x+d)/(-e**2*x**2+d**2)**(7/2),x)`

[Out] `d*Piecewise((8*d**4/(15*d**4*e**6*sqrt(d**2 - e**2*x**2) - 30*d**2*e**8*x**2*sqrt(d**2 - e**2*x**2) + 15*e**10*x**4*sqrt(d**2 - e**2*x**2)) - 20*d**2*e**2*x**2/(15*d**4*e**6*sqrt(d**2 - e**2*x**2) - 30*d**2*e**8*x**2*sqrt(d**2 - e**2*x**2) + 15*e**10*x**4*sqrt(d**2 - e**2*x**2)) + 15*e**4*x**4/(15*d`

```

**4***6**sqrt(d**2 - e**2*x**2) - 30*d**2***8*x**2**sqrt(d**2 - e**2*x**2)
+ 15*e**10*x**4**sqrt(d**2 - e**2*x**2)), Ne(e, 0)), (x**6/(6*(d**2)**(7/2))
, True)) + e*Piecewise((-30*I*d**5**sqrt(-1 + e**2*x**2/d**2)*acosh(e*x/d)/(
-30*d**5***7**sqrt(-1 + e**2*x**2/d**2) + 60*d**3***9*x**2**sqrt(-1 + e**2*
x**2/d**2) - 30*d*e**11*x**4**sqrt(-1 + e**2*x**2/d**2)) + 15*pi*d**5**sqrt(-
1 + e**2*x**2/d**2)/(-30*d**5***7**sqrt(-1 + e**2*x**2/d**2) + 60*d**3***9
*x**2**sqrt(-1 + e**2*x**2/d**2) - 30*d*e**11*x**4**sqrt(-1 + e**2*x**2/d**2)
) + 30*I*d**4*e*x/(-30*d**5***7**sqrt(-1 + e**2*x**2/d**2) + 60*d**3***9*x
**2**sqrt(-1 + e**2*x**2/d**2) - 30*d*e**11*x**4**sqrt(-1 + e**2*x**2/d**2))
+ 60*I*d**3***e**2*x**2**sqrt(-1 + e**2*x**2/d**2)*acosh(e*x/d)/(-30*d**5***7
**sqrt(-1 + e**2*x**2/d**2) + 60*d**3***9*x**2**sqrt(-1 + e**2*x**2/d**2) -
30*d*e**11*x**4**sqrt(-1 + e**2*x**2/d**2)) - 30*pi*d**3***e**2*x**2**sqrt(-1 +
e**2*x**2/d**2)/(-30*d**5***7**sqrt(-1 + e**2*x**2/d**2) + 60*d**3***9*x
**2**sqrt(-1 + e**2*x**2/d**2) - 30*d*e**11*x**4**sqrt(-1 + e**2*x**2/d**2)) -
70*I*d**2***e**3*x**3/(-30*d**5***7**sqrt(-1 + e**2*x**2/d**2) + 60*d**3***e**
9*x**2**sqrt(-1 + e**2*x**2/d**2) - 30*d*e**11*x**4**sqrt(-1 + e**2*x**2/d**2
)) - 30*I*d***e**4*x**4**sqrt(-1 + e**2*x**2/d**2)*acosh(e*x/d)/(-30*d**5***7
**sqrt(-1 + e**2*x**2/d**2) + 60*d**3***9*x**2**sqrt(-1 + e**2*x**2/d**2) -
30*d*e**11*x**4**sqrt(-1 + e**2*x**2/d**2)) + 15*pi*d***e**4*x**4**sqrt(-1 + e
**2*x**2/d**2)/(-30*d**5***7**sqrt(-1 + e**2*x**2/d**2) + 60*d**3***9*x**2*
sqrt(-1 + e**2*x**2/d**2) - 30*d*e**11*x**4**sqrt(-1 + e**2*x**2/d**2)) + 46
*I***e**5*x**5/(-30*d**5***7**sqrt(-1 + e**2*x**2/d**2) + 60*d**3***9*x**2*s
qrt(-1 + e**2*x**2/d**2) - 30*d*e**11*x**4**sqrt(-1 + e**2*x**2/d**2)), Abs(
e**2*x**2/d**2) > 1), (-15*d**5**sqrt(1 - e**2*x**2/d**2)*asin(e*x/d)/(15*d*
**5***7**sqrt(1 - e**2*x**2/d**2) - 30*d**3***9*x**2**sqrt(1 - e**2*x**2/d**
2) + 15*d*e**11*x**4**sqrt(1 - e**2*x**2/d**2)) + 15*d**4*e*x/(15*d**5***7*
sqrt(1 - e**2*x**2/d**2) - 30*d**3***9*x**2**sqrt(1 - e**2*x**2/d**2) + 15*
d*e**11*x**4**sqrt(1 - e**2*x**2/d**2)) + 30*d**3***e**2*x**2**sqrt(1 - e**2*x
**2/d**2)*asin(e*x/d)/(15*d**5***7**sqrt(1 - e**2*x**2/d**2) - 30*d**3***9*
x**2**sqrt(1 - e**2*x**2/d**2) + 15*d*e**11*x**4**sqrt(1 - e**2*x**2/d**2)) -
35*d**2***e**3*x**3/(15*d**5***7**sqrt(1 - e**2*x**2/d**2) - 30*d**3***9*x*
**2**sqrt(1 - e**2*x**2/d**2) + 15*d*e**11*x**4**sqrt(1 - e**2*x**2/d**2)) - 1
5*d***e**4*x**4**sqrt(1 - e**2*x**2/d**2)*asin(e*x/d)/(15*d**5***7**sqrt(1 - e
**2*x**2/d**2) - 30*d**3***9*x**2**sqrt(1 - e**2*x**2/d**2) + 15*d*e**11*x*
**4**sqrt(1 - e**2*x**2/d**2)) + 23***e**5*x**5/(15*d**5***7**sqrt(1 - e**2*x**
2/d**2) - 30*d**3***9*x**2**sqrt(1 - e**2*x**2/d**2) + 15*d*e**11*x**4**sqrt
(1 - e**2*x**2/d**2)), True))

```



$$3.22 \quad \int \frac{x^4(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=84

$$\frac{x^4(d+ex)}{5de(d^2-e^2x^2)^{5/2}} + \frac{4}{5e^5\sqrt{d^2-e^2x^2}} - \frac{4d^2}{15e^5(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.05, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {805, 266, 43}

$$\frac{x^4(d+ex)}{5de(d^2-e^2x^2)^{5/2}} + \frac{4}{5e^5\sqrt{d^2-e^2x^2}} - \frac{4d^2}{15e^5(d^2-e^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (x^4\*(d + e\*x))/(5\*d\*e\*(d^2 - e^2\*x^2)^(5/2)) - (4\*d^2)/(15\*e^5\*(d^2 - e^2\*x^2)^(3/2)) + 4/(5\*e^5\*sqrt[d^2 - e^2\*x^2])

### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 805

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(a + c\*x^2)^(p + 1)\*(a\*g - c\*f\*x))/(2\*a\*c\*(p + 1)), x] - Dist[(m\*(c\*d\*f + a\*e\*g))/(2\*a\*c\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0] && LtQ[p, -1]

### Rubi steps

$$\begin{aligned}
\int \frac{x^4(d+ex)}{(d^2-e^2x^2)^{7/2}} dx &= \frac{x^4(d+ex)}{5de(d^2-e^2x^2)^{5/2}} - \frac{4 \int \frac{x^3}{(d^2-e^2x^2)^{5/2}} dx}{5e} \\
&= \frac{x^4(d+ex)}{5de(d^2-e^2x^2)^{5/2}} - \frac{2 \operatorname{Subst}\left(\int \frac{x}{(d^2-e^2x)^{5/2}} dx, x, x^2\right)}{5e} \\
&= \frac{x^4(d+ex)}{5de(d^2-e^2x^2)^{5/2}} - \frac{2 \operatorname{Subst}\left(\int \left(\frac{d^2}{e^2(d^2-e^2x)^{5/2}} - \frac{1}{e^2(d^2-e^2x)^{3/2}}\right) dx, x, x^2\right)}{5e} \\
&= \frac{x^4(d+ex)}{5de(d^2-e^2x^2)^{5/2}} - \frac{4d^2}{15e^5(d^2-e^2x^2)^{3/2}} + \frac{4}{5e^5\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 82, normalized size = 0.98

$$\frac{8d^4 - 8d^3ex - 12d^2e^2x^2 + 12de^3x^3 + 3e^4x^4}{15de^5(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (8\*d^4 - 8\*d^3\*e\*x - 12\*d^2\*e^2\*x^2 + 12\*d\*e^3\*x^3 + 3\*e^4\*x^4)/(15\*d\*e^5\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.52, size = 82, normalized size = 0.98

$$\frac{\sqrt{d^2 - e^2x^2} (8d^4 - 8d^3ex - 12d^2e^2x^2 + 12de^3x^3 + 3e^4x^4)}{15de^5(d-ex)^3(d+ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(8\*d^4 - 8\*d^3\*e\*x - 12\*d^2\*e^2\*x^2 + 12\*d\*e^3\*x^3 + 3\*e^4\*x^4))/(15\*d\*e^5\*(d - e\*x)^3\*(d + e\*x)^2)

**fricas [B]** time = 0.39, size = 171, normalized size = 2.04

$$\frac{8e^5x^5 - 8de^4x^4 - 16d^2e^3x^3 + 16d^3e^2x^2 + 8d^4ex - 8d^5 - (3e^4x^4 + 12de^3x^3 - 12d^2e^2x^2 - 8d^3ex + 8d^4)\sqrt{-e^2x^2 + d^2}}{15(d^10x^5 - d^2e^9x^4 - 2d^3e^8x^3 + 2d^4e^7x^2 + d^5e^6x - d^6e^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 1/15\*(8\*e^5\*x^5 - 8\*d\*e^4\*x^4 - 16\*d^2\*e^3\*x^3 + 16\*d^3\*e^2\*x^2 + 8\*d^4\*e\*x - 8\*d^5 - (3\*e^4\*x^4 + 12\*d\*e^3\*x^3 - 12\*d^2\*e^2\*x^2 - 8\*d^3\*e\*x + 8\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d\*e^10\*x^5 - d^2\*e^9\*x^4 - 2\*d^3\*e^8\*x^3 + 2\*d^4\*e^7\*x^2 + d^5\*e^6\*x - d^6\*e^5)

**giac** [A] time = 0.27, size = 64, normalized size = 0.76

$$\frac{(8d^4e^{(-5)} + (3x^2(\frac{x}{d} + 5e^{(-1)}) - 20d^2e^{(-3)})x^2)\sqrt{-x^2e^2 + d^2}}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] -1/15\*(8\*d^4\*e^(-5) + (3\*x^2\*(x/d + 5\*e^(-1)) - 20\*d^2\*e^(-3))\*x^2)\*sqrt(-x^2\*e^2 + d^2)/(x^2\*e^2 - d^2)^3

**maple** [A] time = 0.01, size = 77, normalized size = 0.92

$$\frac{(-ex + d)(ex + d)^2(3x^4e^4 + 12x^3de^3 - 12d^2x^2e^2 - 8d^3xe + 8d^4)}{15(-e^2x^2 + d^2)^{\frac{7}{2}}de^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x)

[Out] 1/15\*(-e\*x+d)\*(e\*x+d)^2\*(3\*e^4\*x^4+12\*d\*e^3\*x^3-12\*d^2\*e^2\*x^2-8\*d^3\*e\*x+8\*d^4)/d/e^5/(-e^2\*x^2+d^2)^(7/2)

**maxima** [B] time = 0.45, size = 159, normalized size = 1.89

$$\frac{x^4}{(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{dx^3}{2(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{4d^2x^2}{3(-e^2x^2 + d^2)^{\frac{5}{2}}e^3} - \frac{3d^3x}{10(-e^2x^2 + d^2)^{\frac{5}{2}}e^4} + \frac{8d^4}{15(-e^2x^2 + d^2)^{\frac{5}{2}}e^5} + \frac{dx}{10(-e^2x^2 + d^2)^{\frac{3}{2}}e^4} + \frac{x}{5\sqrt{-e^2x^2 + d^2}de^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out] x^4/((-e^2\*x^2 + d^2)^(5/2)\*e) + 1/2\*d\*x^3/((-e^2\*x^2 + d^2)^(5/2)\*e^2) - 4/3\*d^2\*x^2/((-e^2\*x^2 + d^2)^(5/2)\*e^3) - 3/10\*d^3\*x/((-e^2\*x^2 + d^2)^(5/2)\*e^4) + 8/15\*d^4/((-e^2\*x^2 + d^2)^(5/2)\*e^5) + 1/10\*d\*x/((-e^2\*x^2 + d^2)^(3/2)\*e^4) + 1/5\*x/(sqrt(-e^2\*x^2 + d^2)\*d\*e^4)

mupad [B] time = 2.70, size = 78, normalized size = 0.93

$$\frac{\sqrt{d^2 - e^2 x^2} (8d^4 - 8d^3 e x - 12d^2 e^2 x^2 + 12d e^3 x^3 + 3e^4 x^4)}{15d e^5 (d + e x)^2 (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x)

[Out] ((d^2 - e^2\*x^2)^(1/2)\*(8\*d^4 + 3\*e^4\*x^4 + 12\*d\*e^3\*x^3 - 12\*d^2\*e^2\*x^2 - 8\*d^3\*e\*x))/(15\*d\*e^5\*(d + e\*x)^2\*(d - e\*x)^3)

sympy [C] time = 63.87, size = 418, normalized size = 4.98

$$d \left( \begin{cases} \frac{i^5}{5d^7 \sqrt{-1 + \frac{e^2 x^2}{d^2}} - 10d^5 e^2 x^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}} + 5d^3 e^4 x^4 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} & \text{for } \left| \frac{e^2 x^2}{d^2} \right| > 1 \\ \frac{i^5}{5d^7 \sqrt{1 - \frac{e^2 x^2}{d^2}} - 10d^5 e^2 x^2 \sqrt{1 - \frac{e^2 x^2}{d^2}} + 5d^3 e^4 x^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} & \text{otherwise} \end{cases} \right) + e \left( \begin{cases} \frac{8d^4}{15d^4 e^6 \sqrt{d^2 - e^2 x^2} - 30d^2 e^8 x^2 \sqrt{d^2 - e^2 x^2} + 15e^{10} x^4 \sqrt{d^2 - e^2 x^2}} - \frac{20d^2 e^2 x^2}{15d^4 e^6 \sqrt{d^2 - e^2 x^2} - 30d^2 e^8 x^2 \sqrt{d^2 - e^2 x^2} + 15e^{10} x^4 \sqrt{d^2 - e^2 x^2}} + \frac{15e^4 x^4}{15d^4 e^6 \sqrt{d^2 - e^2 x^2} - 30d^2 e^8 x^2 \sqrt{d^2 - e^2 x^2} + 15e^{10} x^4 \sqrt{d^2 - e^2 x^2}} & \text{for } e \neq 0 \\ \frac{e^6}{6(d^2)^2} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] d\*Piecewise((-I\*x\*\*5/(5\*d\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 10\*d\*\*5\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 5\*d\*\*3\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (x\*\*5/(5\*d\*\*7\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 10\*d\*\*5\*e\*\*2\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 5\*d\*\*3\*e\*\*4\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) + e\*Piecewise((8\*d\*\*4/(15\*d\*\*4\*e\*\*6\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 30\*d\*\*2\*e\*\*8\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 15\*e\*\*10\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)) - 20\*d\*\*2\*e\*\*2\*x\*\*2/(15\*d\*\*4\*e\*\*6\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 30\*d\*\*2\*e\*\*8\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 15\*e\*\*10\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)) + 15\*e\*\*4\*x\*\*4/(15\*d\*\*4\*e\*\*6\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 30\*d\*\*2\*e\*\*8\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 15\*e\*\*10\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)), Ne(e, 0)), (x\*\*6/(6\*(d\*\*2)\*\*(7/2)), True))

$$3.23 \quad \int \frac{x^3(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=90

$$\frac{x^2(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2d+3ex}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x}{5d^2e^3\sqrt{d^2-e^2x^2}}$$

Rubi [A] time = 0.04, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {819, 778, 191}

$$\frac{x^2(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} + \frac{x}{5d^2e^3\sqrt{d^2-e^2x^2}} - \frac{2d+3ex}{15e^4(d^2-e^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (x^2\*(d + e\*x))/(5\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - (2\*d + 3\*e\*x)/(15\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + x/(5\*d^2\*e^3\*Sqrt[d^2 - e^2\*x^2])

#### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

#### Rule 819

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1)\*(a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x))/(2\*a\*c\*(p + 1)), x] - Dist[1/(2\*a\*c\*(p + 1)), Int[(d + e\*x)^(m - 2)\*(a + c\*x^2)^(p + 1)\*Simp[a\*e\*(e\*f\*(m - 1) + d\*g\*m) - c\*d^2\*f\*(2\*p + 3) + e\*(a\*e\*g\*m - c\*d\*f\*(m + 2\*p + 2))\*x, x], x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && (EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) || !ILtQ[m + 2\*p + 3, 0])

Rubi steps

$$\begin{aligned}
\int \frac{x^3(d+ex)}{(d^2-e^2x^2)^{7/2}} dx &= \frac{x^2(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{x(2d^3+3d^2ex)}{(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
&= \frac{x^2(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2d+3ex}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{5e^3} \\
&= \frac{x^2(d+ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2d+3ex}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x}{5d^2e^3\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 82, normalized size = 0.91

$$\frac{-2d^4 + 2d^3ex + 3d^2e^2x^2 - 3de^3x^3 + 3e^4x^4}{15d^2e^4(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (-2\*d^4 + 2\*d^3\*e\*x + 3\*d^2\*e^2\*x^2 - 3\*d\*e^3\*x^3 + 3\*e^4\*x^4)/(15\*d^2\*e^4\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.48, size = 82, normalized size = 0.91

$$\frac{\sqrt{d^2 - e^2x^2} (-2d^4 + 2d^3ex + 3d^2e^2x^2 - 3de^3x^3 + 3e^4x^4)}{15d^2e^4(d-ex)^3(d+ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-2\*d^4 + 2\*d^3\*e\*x + 3\*d^2\*e^2\*x^2 - 3\*d\*e^3\*x^3 + 3\*e^4\*x^4))/(15\*d^2\*e^4\*(d - e\*x)^3\*(d + e\*x)^2)

**fricas [B]** time = 0.41, size = 172, normalized size = 1.91

$$\frac{2e^5x^5 - 2de^4x^4 - 4d^2e^3x^3 + 4d^3e^2x^2 + 2d^4ex - 2d^5 + (3e^4x^4 - 3de^3x^3 + 3d^2e^2x^2 + 2d^3ex - 2d^4)\sqrt{-e^2x^2 + d^2}}{15(d^2e^9x^5 - d^3e^8x^4 - 2d^4e^7x^3 + 2d^5e^6x^2 + d^6e^5x - d^7e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 
$$-1/15*(2*e^5*x^5 - 2*d*e^4*x^4 - 4*d^2*e^3*x^3 + 4*d^3*e^2*x^2 + 2*d^4*e*x - 2*d^5 + (3*e^4*x^4 - 3*d*e^3*x^3 + 3*d^2*e^2*x^2 + 2*d^3*e*x - 2*d^4)*\sqrt{(-e^2*x^2 + d^2)})/(d^2*e^9*x^5 - d^3*e^8*x^4 - 2*d^4*e^7*x^3 + 2*d^5*e^6*x^2 + d^6*e^5*x - d^7*e^4)$$

**giac** [A] time = 0.28, size = 58, normalized size = 0.64

$$\frac{\left(2d^3e^{(-4)} - \left(\frac{3x^3e}{d^2} + 5de^{(-2)}\right)x^2\right)\sqrt{-x^2e^2 + d^2}}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] 
$$1/15*(2*d^3*e^{(-4)} - (3*x^3*e/d^2 + 5*d*e^{(-2)})*x^2)*\sqrt{-x^2*e^2 + d^2}/(x^2*e^2 - d^2)^3$$

**maple** [A] time = 0.01, size = 77, normalized size = 0.86

$$-\frac{(-ex + d)(ex + d)^2(-3x^4e^4 + 3x^3de^3 - 3d^2x^2e^2 - 2d^3xe + 2d^4)}{15(-e^2x^2 + d^2)^{\frac{7}{2}}d^2e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x)

[Out] 
$$-1/15*(-e*x+d)*(e*x+d)^2*(-3*e^4*x^4+3*d*e^3*x^3-3*d^2*e^2*x^2-2*d^3*e*x+2*d^4)/d^2/e^4/(-e^2*x^2+d^2)^(7/2)$$

**maxima** [A] time = 0.45, size = 134, normalized size = 1.49

$$\frac{x^3}{2(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{dx^2}{3(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{3d^2x}{10(-e^2x^2 + d^2)^{\frac{5}{2}}e^3} - \frac{2d^3}{15(-e^2x^2 + d^2)^{\frac{5}{2}}e^4} + \frac{x}{10(-e^2x^2 + d^2)^{\frac{3}{2}}e^3} + \frac{x}{5\sqrt{-e^2x^2 + d^2}d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out] 
$$1/2*x^3/((-e^2*x^2 + d^2)^(5/2)*e) + 1/3*d*x^2/((-e^2*x^2 + d^2)^(5/2)*e^2) - 3/10*d^2*x/((-e^2*x^2 + d^2)^(5/2)*e^3) - 2/15*d^3/((-e^2*x^2 + d^2)^(5/2)*e^4)$$

2)\*e^4) + 1/10\*x/((-e^2\*x^2 + d^2)^(3/2)\*e^3) + 1/5\*x/(sqrt(-e^2\*x^2 + d^2)\*d^2\*e^3)

**mupad [B]** time = 2.66, size = 78, normalized size = 0.87

$$\frac{\sqrt{d^2 - e^2 x^2} (-2d^4 + 2d^3 e x + 3d^2 e^2 x^2 - 3d e^3 x^3 + 3e^4 x^4)}{15d^2 e^4 (d + e x)^2 (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x)

[Out] ((d^2 - e^2\*x^2)^(1/2)\*(3\*e^4\*x^4 - 2\*d^4 - 3\*d\*e^3\*x^3 + 3\*d^2\*e^2\*x^2 + 2\*d^3\*e\*x))/(15\*d^2\*e^4\*(d + e\*x)^2\*(d - e\*x)^3)

**sympy [B]** time = 20.55, size = 337, normalized size = 3.74

$$d \left\{ \begin{array}{l} \frac{2d^2}{15d^4 e^4 \sqrt{d^2 - e^2 x^2} - 30d^2 e^6 x^2 \sqrt{d^2 - e^2 x^2} + 15e^8 x^4 \sqrt{d^2 - e^2 x^2}} + \frac{5e^2 x^2}{15d^4 e^4 \sqrt{d^2 - e^2 x^2} - 30d^2 e^6 x^2 \sqrt{d^2 - e^2 x^2} + 15e^8 x^4 \sqrt{d^2 - e^2 x^2}} \text{ for } e \neq 0 \\ \frac{x^4}{4(d^2)^{7/2}} \text{ otherwise} \end{array} \right\} + e \left\{ \begin{array}{l} \frac{ix^5}{5d^7 \sqrt{-1 + \frac{e^2 x^2}{d^2}} - 10d^5 e^2 x^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}} + 5d^3 e^4 x^4 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} \text{ for } \left| \frac{e^2 x^2}{d^2} \right| > 1 \\ \frac{x^5}{5d^7 \sqrt{1 - \frac{e^2 x^2}{d^2}} - 10d^5 e^2 x^2 \sqrt{1 - \frac{e^2 x^2}{d^2}} + 5d^3 e^4 x^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} \text{ otherwise} \end{array} \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] d\*Piecewise((-2\*d\*\*2/(15\*d\*\*4\*e\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 30\*d\*\*2\*e\*\*6\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 15\*e\*\*8\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)) + 5\*e\*\*2\*x\*\*2/(15\*d\*\*4\*e\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) - 30\*d\*\*2\*e\*\*6\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2) + 15\*e\*\*8\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2))), Ne(e, 0)), (x\*\*4/(4\*(d\*\*2)\*\*(7/2)), True)) + e\*Piecewise((-I\*x\*\*5/(5\*d\*\*7\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 10\*d\*\*5\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 5\*d\*\*3\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (x\*\*5/(5\*d\*\*7\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 10\*d\*\*5\*e\*\*2\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 5\*d\*\*3\*e\*\*4\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True))



$$3.24 \quad \int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=94

$$\frac{x^2(d+ex)}{5de(d^2-e^2x^2)^{5/2}} - \frac{2(d-ex)}{15de^3(d^2-e^2x^2)^{3/2}} - \frac{2x}{15d^3e^2\sqrt{d^2-e^2x^2}}$$

**Rubi** [A] time = 0.05, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {796, 778, 191}

$$\frac{x^2(d+ex)}{5de(d^2-e^2x^2)^{5/2}} - \frac{2x}{15d^3e^2\sqrt{d^2-e^2x^2}} - \frac{2(d-ex)}{15de^3(d^2-e^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (x^2\*(d + e\*x))/(5\*d\*e\*(d^2 - e^2\*x^2)^(5/2)) - (2\*(d - e\*x))/(15\*d\*e^3\*(d^2 - e^2\*x^2)^(3/2)) - (2\*x)/(15\*d^3\*e^2\*Sqrt[d^2 - e^2\*x^2])

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

Rule 796

Int[(x\_)^2\*((f\_) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(x^2\*(a\*g - c\*f\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[1/(2\*a\*c\*(p + 1)), Int[x\*Simp[2\*a\*g - c\*f\*(2\*p + 5)\*x, x]\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, f, g}, x] && EqQ[a\*g^2 + f^2\*c, 0] && LtQ[p, -2]

Rubi steps

$$\begin{aligned}
\int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{7/2}} dx &= \frac{x^2(d+ex)}{5de(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{x(2d^2e-2de^2x)}{(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
&= \frac{x^2(d+ex)}{5de(d^2-e^2x^2)^{5/2}} - \frac{2(d-ex)}{15de^3(d^2-e^2x^2)^{3/2}} - \frac{2 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{15de^2} \\
&= \frac{x^2(d+ex)}{5de(d^2-e^2x^2)^{5/2}} - \frac{2(d-ex)}{15de^3(d^2-e^2x^2)^{3/2}} - \frac{2x}{15d^3e^2\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 82, normalized size = 0.87

$$\frac{-2d^4 + 2d^3ex + 3d^2e^2x^2 + 2de^3x^3 - 2e^4x^4}{15d^3e^3(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (-2\*d^4 + 2\*d^3\*e\*x + 3\*d^2\*e^2\*x^2 + 2\*d\*e^3\*x^3 - 2\*e^4\*x^4)/(15\*d^3\*e^3\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.52, size = 82, normalized size = 0.87

$$\frac{\sqrt{d^2 - e^2x^2} (-2d^4 + 2d^3ex + 3d^2e^2x^2 + 2de^3x^3 - 2e^4x^4)}{15d^3e^3(d-ex)^3(d+ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-2\*d^4 + 2\*d^3\*e\*x + 3\*d^2\*e^2\*x^2 + 2\*d\*e^3\*x^3 - 2\*e^4\*x^4))/(15\*d^3\*e^3\*(d - e\*x)^3\*(d + e\*x)^2)

**fricas [B]** time = 0.42, size = 173, normalized size = 1.84

$$\frac{2e^5x^5 - 2de^4x^4 - 4d^2e^3x^3 + 4d^3e^2x^2 + 2d^4ex - 2d^5 - (2e^4x^4 - 2de^3x^3 - 3d^2e^2x^2 - 2d^3ex + 2d^4)\sqrt{-e^2x^2 + d^2}}{15(d^3e^8x^5 - d^4e^7x^4 - 2d^5e^6x^3 + 2d^6e^5x^2 + d^7e^4x - d^8e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 
$$-1/15*(2*e^5*x^5 - 2*d*e^4*x^4 - 4*d^2*e^3*x^3 + 4*d^3*e^2*x^2 + 2*d^4*e*x - 2*d^5 - (2*e^4*x^4 - 2*d*e^3*x^3 - 3*d^2*e^2*x^2 - 2*d^3*e*x + 2*d^4)*\sqrt{(-e^2*x^2 + d^2)})/(d^3*e^8*x^5 - d^4*e^7*x^4 - 2*d^5*e^6*x^3 + 2*d^6*e^5*x^2 + d^7*e^4*x - d^8*e^3)$$

**giac** [A] time = 0.27, size = 64, normalized size = 0.68

$$\frac{\left(\left(x\left(\frac{2x^2e^2}{d^3} - \frac{5}{d}\right) - 5e^{(-1)}\right)x^2 + 2d^2e^{(-3)}\right)\sqrt{-x^2e^2 + d^2}}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] 
$$1/15*((x*(2*x^2*e^2/d^3 - 5/d) - 5*e^{(-1)})x^2 + 2*d^2*e^{(-3)})*\sqrt{(-x^2*e^2 + d^2)}/(x^2*e^2 - d^2)^3$$

**maple** [A] time = 0.01, size = 77, normalized size = 0.82

$$\frac{(-ex + d)(ex + d)^2(2x^4e^4 - 2x^3de^3 - 3d^2x^2e^2 - 2d^3xe + 2d^4)}{15(-e^2x^2 + d^2)^{\frac{7}{2}}d^3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x)

[Out] 
$$-1/15*(-e*x+d)*(e*x+d)^2*(2*e^4*x^4-2*d*e^3*x^3-3*d^2*e^2*x^2-2*d^3*e*x+2*d^4)/d^3/e^3/(-e^2*x^2+d^2)^(7/2)$$

**maxima** [A] time = 0.44, size = 112, normalized size = 1.19

$$\frac{x^2}{3(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{dx}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{2d^2}{15(-e^2x^2 + d^2)^{\frac{5}{2}}e^3} - \frac{x}{15(-e^2x^2 + d^2)^{\frac{3}{2}}de^2} - \frac{2x}{15\sqrt{-e^2x^2 + d^2}d^3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out] 
$$1/3*x^2/((-e^2*x^2 + d^2)^(5/2)*e) + 1/5*d*x/((-e^2*x^2 + d^2)^(5/2)*e^2) - 2/15*d^2/((-e^2*x^2 + d^2)^(5/2)*e^3) - 1/15*x/((-e^2*x^2 + d^2)^(3/2)*d*e^2) - 2/15*x/(sqrt(-e^2*x^2 + d^2)*d^3*e^2)$$

**mupad [B]** time = 2.61, size = 78, normalized size = 0.83

$$\frac{\sqrt{d^2 - e^2 x^2} \left( -2d^4 + 2d^3 e x + 3d^2 e^2 x^2 + 2d e^3 x^3 - 2e^4 x^4 \right)}{15d^3 e^3 (d + e x)^2 (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(d + e*x))/(d^2 - e^2*x^2)^(7/2), x)`

[Out]  $((d^2 - e^2 x^2)^{(1/2)} * (2 * d * e^3 * x^3 - 2 * e^4 * x^4 - 2 * d^4 + 3 * d^2 * e^2 * x^2 + 2 * d^3 * e * x)) / (15 * d^3 * e^3 * (d + e * x)^2 * (d - e * x)^3)$

**sympy [C]** time = 21.31, size = 513, normalized size = 5.46

$$d \left( \begin{array}{l} \frac{5d^2 e^3}{15d^2 \sqrt{-1 + \frac{d^2}{e^2}} - 30d^2 e^2 \sqrt{-1 + \frac{d^2}{e^2}} + 15d^2 e^4 \sqrt{-1 + \frac{d^2}{e^2}}} + \frac{2d^2 e^5}{15d^2 \sqrt{-1 + \frac{d^2}{e^2}} - 30d^2 e^2 \sqrt{-1 + \frac{d^2}{e^2}} + 15d^2 e^4 \sqrt{-1 + \frac{d^2}{e^2}}} \text{ for } \left| \frac{d^2}{e^2} \right| > 1 \\ \frac{5d^2 e^3}{15d^2 \sqrt{1 - \frac{d^2}{e^2}} - 30d^2 e^2 \sqrt{1 - \frac{d^2}{e^2}} + 15d^2 e^4 \sqrt{1 - \frac{d^2}{e^2}}} - \frac{2d^2 e^5}{15d^2 \sqrt{1 - \frac{d^2}{e^2}} - 30d^2 e^2 \sqrt{1 - \frac{d^2}{e^2}} + 15d^2 e^4 \sqrt{1 - \frac{d^2}{e^2}}} \text{ otherwise} \end{array} \right) + e \left( \begin{array}{l} -\frac{2d^2}{15d^2 e^4 \sqrt{d^2 - e^2 x^2} - 30d^2 e^2 \sqrt{d^2 - e^2 x^2} + 15d^2 e^4 \sqrt{d^2 - e^2 x^2}} + \frac{5e^2 x^2}{15d^2 e^4 \sqrt{d^2 - e^2 x^2} - 30d^2 e^2 \sqrt{d^2 - e^2 x^2} + 15d^2 e^4 \sqrt{d^2 - e^2 x^2}} \text{ for } e \neq 0 \\ \frac{x^4}{4(\beta)^2} \text{ otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x+d)/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `d*Piecewise((-5*I*d**2*x**3/(15*d**9*sqrt(-1 + e**2*x**2/d**2) - 30*d**7*e**2*x**2*sqrt(-1 + e**2*x**2/d**2) + 15*d**5*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)) + 2*I*e**2*x**5/(15*d**9*sqrt(-1 + e**2*x**2/d**2) - 30*d**7*e**2*x**2*sqrt(-1 + e**2*x**2/d**2) + 15*d**5*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (5*d**2*x**3/(15*d**9*sqrt(1 - e**2*x**2/d**2) - 30*d**7*e**2*x**2*sqrt(1 - e**2*x**2/d**2) + 15*d**5*e**4*x**4*sqrt(1 - e**2*x**2/d**2)) - 2*e**2*x**5/(15*d**9*sqrt(1 - e**2*x**2/d**2) - 30*d**7*e**2*x**2*sqrt(1 - e**2*x**2/d**2) + 15*d**5*e**4*x**4*sqrt(1 - e**2*x**2/d**2)), True)) + e*Piecewise((-2*d**2/(15*d**4*e**4*sqrt(d**2 - e**2*x**2) - 30*d**2*e**6*x**2*sqrt(d**2 - e**2*x**2) + 15*e**8*x**4*sqrt(d**2 - e**2*x**2)) + 5*e**2*x**2/(15*d**4*e**4*sqrt(d**2 - e**2*x**2) - 30*d**2*e**6*x**2*sqrt(d**2 - e**2*x**2) + 15*e**8*x**4*sqrt(d**2 - e**2*x**2)), Ne(e, 0)), (x**4/(4*(d**2)**(7/2)), True))`

$$3.25 \quad \int \frac{x(d+ex)}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=83

$$-\frac{x}{15d^2e(d^2-e^2x^2)^{3/2}} + \frac{d+ex}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2x}{15d^4e\sqrt{d^2-e^2x^2}}$$

**Rubi** [A] time = 0.02, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {778, 192, 191}

$$-\frac{2x}{15d^4e\sqrt{d^2-e^2x^2}} - \frac{x}{15d^2e(d^2-e^2x^2)^{3/2}} + \frac{d+ex}{5e^2(d^2-e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d + e\*x)/(5\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - x/(15\*d^2\*e\*(d^2 - e^2\*x^2)^(3/2)) - (2\*x)/(15\*d^4\*e\*Sqrt[d^2 - e^2\*x^2])

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{x(d+ex)}{(d^2-e^2x^2)^{7/2}} dx &= \frac{d+ex}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{1}{(d^2-e^2x^2)^{5/2}} dx}{5e} \\
&= \frac{d+ex}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x}{15d^2e(d^2-e^2x^2)^{3/2}} - \frac{2 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{15d^2e} \\
&= \frac{d+ex}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x}{15d^2e(d^2-e^2x^2)^{3/2}} - \frac{2x}{15d^4e\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 82, normalized size = 0.99

$$\frac{3d^4 - 3d^3ex + 3d^2e^2x^2 + 2de^3x^3 - 2e^4x^4}{15d^4e^2(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (3\*d^4 - 3\*d^3\*e\*x + 3\*d^2\*e^2\*x^2 + 2\*d\*e^3\*x^3 - 2\*e^4\*x^4)/(15\*d^4\*e^2\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.51, size = 82, normalized size = 0.99

$$\frac{\sqrt{d^2 - e^2x^2} (3d^4 - 3d^3ex + 3d^2e^2x^2 + 2de^3x^3 - 2e^4x^4)}{15d^4e^2(d-ex)^3(d+ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*(d + e\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(3\*d^4 - 3\*d^3\*e\*x + 3\*d^2\*e^2\*x^2 + 2\*d\*e^3\*x^3 - 2\*e^4\*x^4))/(15\*d^4\*e^2\*(d - e\*x)^3\*(d + e\*x)^2)

**fricas [B]** time = 0.42, size = 172, normalized size = 2.07

$$\frac{3e^5x^5 - 3de^4x^4 - 6d^2e^3x^3 + 6d^3e^2x^2 + 3d^4ex - 3d^5 + (2e^4x^4 - 2de^3x^3 - 3d^2e^2x^2 + 3d^3ex - 3d^4)\sqrt{-e^2x^2 + d^2}}{15(d^4e^7x^5 - d^5e^6x^4 - 2d^6e^5x^3 + 2d^7e^4x^2 + d^8e^3x - d^9e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out]  $\frac{1}{15} \cdot (3e^5x^5 - 3d^2e^4x^4 - 6d^2e^3x^3 + 6d^3e^2x^2 + 3d^4e^1x - 3d^5 + (2e^4x^4 - 2d^2e^3x^3 - 3d^2e^2x^2 + 3d^3e^1x - 3d^4) \cdot \sqrt{-e^2x^2 + d^2}) / (d^4e^7x^5 - d^5e^6x^4 - 2d^6e^5x^3 + 2d^7e^4x^2 + d^8e^3x - d^9e^2)$

**giac** [A] time = 0.27, size = 57, normalized size = 0.69

$$\frac{\left(x^3 \left(\frac{2x^2e^3}{d^4} - \frac{5e}{d^2}\right) - 3de^{(-2)}\right) \sqrt{-x^2e^2 + d^2}}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out]  $\frac{1}{15} \cdot (x^3 \cdot (2x^2e^3/d^4 - 5e/d^2) - 3d \cdot e^{(-2)}) \cdot \sqrt{-x^2e^2 + d^2} / (x^2e^2 - d^2)^3$

**maple** [A] time = 0.01, size = 77, normalized size = 0.93

$$\frac{(-ex + d)(ex + d)^2 (-2x^4e^4 + 2x^3de^3 + 3d^2x^2e^2 - 3d^3xe + 3d^4)}{15(-e^2x^2 + d^2)^{\frac{7}{2}} d^4e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x)

[Out]  $\frac{1}{15} \cdot (-e^5x + d^5) \cdot (e^5x + d^5)^2 \cdot (-2e^4x^4 + 2d^2e^3x^3 + 3d^2e^2x^2 - 3d^3e^1x + 3d^4) / d^4e^2 / (-e^2x^2 + d^2)^{7/2}$

**maxima** [A] time = 0.44, size = 87, normalized size = 1.05

$$\frac{x}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{d}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{x}{15(-e^2x^2 + d^2)^{\frac{3}{2}}d^2e} - \frac{2x}{15\sqrt{-e^2x^2 + d^2}d^4e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out]  $\frac{1}{5} \cdot x / ((-e^2x^2 + d^2)^{5/2} \cdot e) + \frac{1}{5} \cdot d / ((-e^2x^2 + d^2)^{5/2} \cdot e^2) - \frac{1}{15} \cdot x / ((-e^2x^2 + d^2)^{3/2} \cdot d^2 \cdot e) - \frac{2}{15} \cdot x / (\sqrt{-e^2x^2 + d^2} \cdot d^4 \cdot e)$

**mupad [B]** time = 2.62, size = 78, normalized size = 0.94

$$\frac{\sqrt{d^2 - e^2 x^2} (3d^4 - 3d^3 ex + 3d^2 e^2 x^2 + 2de^3 x^3 - 2e^4 x^4)}{15d^4 e^2 (d + ex)^2 (d - ex)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(d + e*x))/(d^2 - e^2*x^2)^(7/2), x)`

[Out] `((d^2 - e^2*x^2)^(1/2)*(3*d^4 - 2*e^4*x^4 + 2*d*e^3*x^3 + 3*d^2*e^2*x^2 - 3*d^3*e*x))/(15*d^4*e^2*(d + e*x)^2*(d - e*x)^3)`

**sympy [A]** time = 22.68, size = 432, normalized size = 5.20

$$d \left( \begin{cases} \frac{1}{5d^4 e^2 \sqrt{\beta^2 - e^2 x^2} - 10d^2 e^4 x^2 \sqrt{\beta^2 - e^2 x^2} + 5e^6 x^4 \sqrt{\beta^2 - e^2 x^2}} & \text{for } e \neq 0 \\ \frac{x^2}{2(d^2)^{7/2}} & \text{otherwise} \end{cases} \right) + e \left( \begin{cases} -\frac{5id^2 x^3}{15d^9 \sqrt{-1 + \frac{e^2 x^2}{d^2}} - 30d^7 e^2 x^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}} + 15d^5 e^4 x^4 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} + \frac{2ie^2 x^5}{15d^9 \sqrt{-1 + \frac{e^2 x^2}{d^2}} - 30d^7 e^2 x^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}} + 15d^5 e^4 x^4 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} & \text{for } \left| \frac{e^2 x^2}{d^2} \right| > 1 \\ \frac{5d^2 x^3}{15d^9 \sqrt{1 - \frac{e^2 x^2}{d^2}} - 30d^7 e^2 x^2 \sqrt{1 - \frac{e^2 x^2}{d^2}} + 15d^5 e^4 x^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{2e^2 x^5}{15d^9 \sqrt{1 - \frac{e^2 x^2}{d^2}} - 30d^7 e^2 x^2 \sqrt{1 - \frac{e^2 x^2}{d^2}} + 15d^5 e^4 x^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x+d)/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `d*Piecewise((1/(5*d**4*e**2*sqrt(d**2 - e**2*x**2) - 10*d**2*e**4*x**2*sqrt(d**2 - e**2*x**2) + 5*e**6*x**4*sqrt(d**2 - e**2*x**2)), Ne(e, 0)), (x**2/(2*(d**2)**(7/2)), True)) + e*Piecewise((-5*I*d**2*x**3/(15*d**9*sqrt(-1 + e**2*x**2/d**2) - 30*d**7*e**2*x**2*sqrt(-1 + e**2*x**2/d**2) + 15*d**5*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)) + 2*I*e**2*x**5/(15*d**9*sqrt(-1 + e**2*x**2/d**2) - 30*d**7*e**2*x**2*sqrt(-1 + e**2*x**2/d**2) + 15*d**5*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (5*d**2*x**3/(15*d**9*sqrt(1 - e**2*x**2/d**2) - 30*d**7*e**2*x**2*sqrt(1 - e**2*x**2/d**2) + 15*d**5*e**4*x**4*sqrt(1 - e**2*x**2/d**2)) - 2*e**2*x**5/(15*d**9*sqrt(1 - e**2*x**2/d**2) - 30*d**7*e**2*x**2*sqrt(1 - e**2*x**2/d**2) + 15*d**5*e**4*x**4*sqrt(1 - e**2*x**2/d**2)), True))`



$$3.26 \quad \int \frac{d+ex}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=80

$$\frac{d+ex}{5de(d^2-e^2x^2)^{5/2}} + \frac{8x}{15d^5\sqrt{d^2-e^2x^2}} + \frac{4x}{15d^3(d^2-e^2x^2)^{3/2}}$$

**Rubi** [A] time = 0.02, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {639, 192, 191}

$$\frac{8x}{15d^5\sqrt{d^2-e^2x^2}} + \frac{4x}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{d+ex}{5de(d^2-e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d + e\*x)/(5\*d\*e\*(d^2 - e^2\*x^2)^(5/2)) + (4\*x)/(15\*d^3\*(d^2 - e^2\*x^2)^(3/2)) + (8\*x)/(15\*d^5\*Sqrt[d^2 - e^2\*x^2])

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 639

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((a\*e - c\*d\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] + Dist[(d\*(2\*p + 3))/(2\*a\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && LtQ[p, -1] && NeQ[p, -3/2]

Rubi steps

$$\begin{aligned}
\int \frac{d+ex}{(d^2-e^2x^2)^{7/2}} dx &= \frac{d+ex}{5de(d^2-e^2x^2)^{5/2}} + \frac{4 \int \frac{1}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{d+ex}{5de(d^2-e^2x^2)^{5/2}} + \frac{4x}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{8 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{15d^3} \\
&= \frac{d+ex}{5de(d^2-e^2x^2)^{5/2}} + \frac{4x}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{8x}{15d^5\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 82, normalized size = 1.02

$$\frac{3d^4 + 12d^3ex - 12d^2e^2x^2 - 8de^3x^3 + 8e^4x^4}{15d^5e(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (3\*d^4 + 12\*d^3\*e\*x - 12\*d^2\*e^2\*x^2 - 8\*d\*e^3\*x^3 + 8\*e^4\*x^4)/(15\*d^5\*e\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.00, size = 82, normalized size = 1.02

$$\frac{\sqrt{d^2 - e^2x^2} (3d^4 + 12d^3ex - 12d^2e^2x^2 - 8de^3x^3 + 8e^4x^4)}{15d^5e(d-ex)^3(d+ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(3\*d^4 + 12\*d^3\*e\*x - 12\*d^2\*e^2\*x^2 - 8\*d\*e^3\*x^3 + 8\*e^4\*x^4))/(15\*d^5\*e\*(d - e\*x)^3\*(d + e\*x)^2)

**fricas [B]** time = 0.42, size = 171, normalized size = 2.14

$$\frac{3e^5x^5 - 3de^4x^4 - 6d^2e^3x^3 + 6d^3e^2x^2 + 3d^4ex - 3d^5 - (8e^4x^4 - 8de^3x^3 - 12d^2e^2x^2 + 12d^3ex + 3d^4)\sqrt{-e^2x^2 + d^2}}{15(d^5e^6x^5 - d^6e^5x^4 - 2d^7e^4x^3 + 2d^8e^3x^2 + d^9e^2x - d^{10}e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out]  $\frac{1}{15} \cdot (3e^5x^5 - 3d^4e^3x^4 - 6d^2e^3x^3 + 6d^3e^2x^2 + 3d^4e^2x - 3d^5 - (8e^4x^4 - 8d^3e^3x^3 - 12d^2e^2x^2 + 12d^3e^2x + 3d^4) \cdot \sqrt{-e^2x^2 + d^2}) / (d^5e^6x^5 - d^6e^5x^4 - 2d^7e^4x^3 + 2d^8e^3x^2 + d^9e^2x - d^{10}e)$

**giac** [A] time = 0.26, size = 65, normalized size = 0.81

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( 4x^2 \left( \frac{2x^2e^4}{d^5} - \frac{5e^2}{d^3} \right) + \frac{15}{d} \right) x + 3e^{(-1)} \right)}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out]  $-1/15 \cdot \sqrt{-x^2e^2 + d^2} \cdot ((4x^2 \cdot (2x^2e^4/d^5 - 5e^2/d^3) + 15/d) \cdot x + 3e^{(-1)}) / (x^2e^2 - d^2)^3$

**maple** [A] time = 0.01, size = 77, normalized size = 0.96

$$\frac{(-ex + d)(ex + d)^2 (8x^4e^4 - 8x^3de^3 - 12d^2x^2e^2 + 12d^3xe + 3d^4)}{15(-e^2x^2 + d^2)^{\frac{7}{2}} d^5e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x)

[Out]  $\frac{1}{15} \cdot (-e^5x + d^5) \cdot (e^5x + d^5)^2 \cdot (8e^4x^4 - 8d^3e^3x^3 - 12d^2e^2x^2 + 12d^3e^2x + 3d^4) / d^5 / (-e^2x^2 + d^2)^{7/2}$

**maxima** [A] time = 0.43, size = 80, normalized size = 1.00

$$\frac{x}{5(-e^2x^2 + d^2)^{\frac{5}{2}}d} + \frac{1}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{4x}{15(-e^2x^2 + d^2)^{\frac{3}{2}}d^3} + \frac{8x}{15\sqrt{-e^2x^2 + d^2}d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out]  $\frac{1}{5} \cdot x / ((-e^2x^2 + d^2)^{5/2} \cdot d) + \frac{1}{5} / ((-e^2x^2 + d^2)^{5/2} \cdot e) + \frac{4}{15} \cdot x / ((-e^2x^2 + d^2)^{3/2} \cdot d^3) + \frac{8}{15} \cdot x / (\sqrt{-e^2x^2 + d^2} \cdot d^5)$

**mupad [B]** time = 2.58, size = 78, normalized size = 0.98

$$\frac{\sqrt{d^2 - e^2 x^2} (3d^4 + 12d^3 e x - 12d^2 e^2 x^2 - 8d e^3 x^3 + 8e^4 x^4)}{15d^5 e (d + e x)^2 (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)/(d^2 - e^2*x^2)^(7/2), x)`

[Out] `((d^2 - e^2*x^2)^(1/2)*(3*d^4 + 8*e^4*x^4 - 8*d*e^3*x^3 - 12*d^2*e^2*x^2 + 12*d^3*e*x))/(15*d^5*e*(d + e*x)^2*(d - e*x)^3)`

**sympy [C]** time = 24.41, size = 604, normalized size = 7.55

$$d \left( \left( \frac{15d^4 x}{15d^{11} \sqrt{-1 + \frac{d^2}{e^2}} - 30d^9 e^2 \sqrt{-1 + \frac{d^2}{e^2}} + 15d^7 e^4 \sqrt{-1 + \frac{d^2}{e^2}}} + \frac{20d^2 e^2 x^3}{15d^{11} \sqrt{-1 + \frac{d^2}{e^2}} - 30d^9 e^2 \sqrt{-1 + \frac{d^2}{e^2}} + 15d^7 e^4 \sqrt{-1 + \frac{d^2}{e^2}}} - \frac{8e^4 x^5}{15d^{11} \sqrt{-1 + \frac{d^2}{e^2}} - 30d^9 e^2 \sqrt{-1 + \frac{d^2}{e^2}} + 15d^7 e^4 \sqrt{-1 + \frac{d^2}{e^2}}} \right) \text{ for } \left| \frac{d^2}{e^2} \right| > 1 \right) + e \left( \left( \frac{1}{5d^4 \sqrt{d^2 - e^2 x^2}} - 10d^2 e^2 \sqrt{d^2 - e^2 x^2} + 5e^4 \sqrt{d^2 - e^2 x^2} \right) \text{ for } e \neq 0 \right) + \left( \frac{e^2}{2(d^2)^2} \right) \text{ otherwise}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `d*Piecewise((-15*I*d**4*x/(15*d**11*sqrt(-1 + e**2*x**2/d**2) - 30*d**9*e**2*x**2*sqrt(-1 + e**2*x**2/d**2) + 15*d**7*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)) + 20*I*d**2*e**2*x**3/(15*d**11*sqrt(-1 + e**2*x**2/d**2) - 30*d**9*e**2*x**2*sqrt(-1 + e**2*x**2/d**2) + 15*d**7*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)) - 8*I*e**4*x**5/(15*d**11*sqrt(-1 + e**2*x**2/d**2) - 30*d**9*e**2*x**2*sqrt(-1 + e**2*x**2/d**2) + 15*d**7*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (15*d**4*x/(15*d**11*sqrt(1 - e**2*x**2/d**2) - 30*d**9*e**2*x**2*sqrt(1 - e**2*x**2/d**2) + 15*d**7*e**4*x**4*sqrt(1 - e**2*x**2/d**2)) - 20*d**2*e**2*x**3/(15*d**11*sqrt(1 - e**2*x**2/d**2) - 30*d**9*e**2*x**2*sqrt(1 - e**2*x**2/d**2) + 15*d**7*e**4*x**4*sqrt(1 - e**2*x**2/d**2)) + 8*e**4*x**5/(15*d**11*sqrt(1 - e**2*x**2/d**2) - 30*d**9*e**2*x**2*sqrt(1 - e**2*x**2/d**2) + 15*d**7*e**4*x**4*sqrt(1 - e**2*x**2/d**2)), True)) + e*Piecewise((1/(5*d**4*e**2*sqrt(d**2 - e**2*x**2) - 10*d**2*e**4*x**2*sqrt(d**2 - e**2*x**2) + 5*e**6*x**4*sqrt(d**2 - e**2*x**2)), Ne(e, 0)), (x**2/(2*(d**2)**(7/2)), True))`

$$3.27 \quad \int \frac{d+ex}{x(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=117

$$\frac{d+ex}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{15d+8ex}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6} + \frac{5d+4ex}{15d^4(d^2-e^2x^2)^{3/2}}$$

**Rubi** [A] time = 0.10, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {823, 12, 266, 63, 208}

$$\frac{d+ex}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{15d+8ex}{15d^6\sqrt{d^2-e^2x^2}} + \frac{5d+4ex}{15d^4(d^2-e^2x^2)^{3/2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)/(x\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (d + e\*x)/(5\*d^2\*(d^2 - e^2\*x^2)^(5/2)) + (5\*d + 4\*e\*x)/(15\*d^4\*(d^2 - e^2\*x^2)^(3/2)) + (15\*d + 8\*e\*x)/(15\*d^6\*Sqrt[d^2 - e^2\*x^2]) - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]/d^6

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 823

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

### Rubi steps

$$\begin{aligned}
\int \frac{d+ex}{x(d^2-e^2x^2)^{7/2}} dx &= \frac{d+ex}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{\int \frac{5d^3e^2+4d^2e^3x}{x(d^2-e^2x^2)^{5/2}} dx}{5d^4e^2} \\
&= \frac{d+ex}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{5d+4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{15d^5e^4+8d^4e^5x}{x(d^2-e^2x^2)^{3/2}} dx}{15d^8e^4} \\
&= \frac{d+ex}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{5d+4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{15d+8ex}{15d^6\sqrt{d^2-e^2x^2}} + \frac{\int \frac{15d^7e^6}{x\sqrt{d^2-e^2x^2}} dx}{15d^{12}e^6} \\
&= \frac{d+ex}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{5d+4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{15d+8ex}{15d^6\sqrt{d^2-e^2x^2}} + \frac{\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{d^5} \\
&= \frac{d+ex}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{5d+4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{15d+8ex}{15d^6\sqrt{d^2-e^2x^2}} + \frac{\text{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x}} dx, x, \sqrt{d^2-e^2x^2}\right)}{2d^5} \\
&= \frac{d+ex}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{5d+4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{15d+8ex}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\text{Subst}\left(\int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2-e^2x^2}\right)}{d^5e^2} \\
&= \frac{d+ex}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{5d+4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{15d+8ex}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 131, normalized size = 1.12

$$\frac{23d^4 - 8d^3ex - 27d^2e^2x^2 - 15(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2} \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right) + 7de^3x^3 + 8e^4x^4}{15d^6(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)/(x\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (23\*d^4 - 8\*d^3\*e\*x - 27\*d^2\*e^2\*x^2 + 7\*d\*e^3\*x^3 + 8\*e^4\*x^4 - 15\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(15\*d^6\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.72, size = 122, normalized size = 1.04

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^6} + \frac{\sqrt{d^2 - e^2x^2} (23d^4 - 8d^3ex - 27d^2e^2x^2 + 7de^3x^3 + 8e^4x^4)}{15d^6(d - ex)^3(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)/(x\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(23\*d^4 - 8\*d^3\*e\*x - 27\*d^2\*e^2\*x^2 + 7\*d\*e^3\*x^3 + 8\*e^4\*x^4))/(15\*d^6\*(d - e\*x)^3\*(d + e\*x)^2) + (2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^6

**fricas [B]** time = 0.42, size = 244, normalized size = 2.09

$$\frac{23e^5x^5 - 23de^4x^4 - 46d^2e^3x^3 + 46d^3e^2x^2 + 23d^4ex - 23d^5 + 15(e^5x^5 - de^4x^4 - 2d^2e^3x^3 + 2d^3e^2x^2 + d^4ex - d^5) \log\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (8e^4x^4 + 7de^3x^3 - 27d^2e^2x^2 - 8d^3ex + 23d^4)\sqrt{-e^2x^2 + d^2}}{15(d^6e^5x^5 - d^7e^4x^4 - 2d^8e^3x^3 + 2d^9e^2x^2 + d^{10}ex - d^{11})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)/x/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 1/15\*(23\*e^5\*x^5 - 23\*d\*e^4\*x^4 - 46\*d^2\*e^3\*x^3 + 46\*d^3\*e^2\*x^2 + 23\*d^4\*e\*x - 23\*d^5 + 15\*(e^5\*x^5 - d\*e^4\*x^4 - 2\*d^2\*e^3\*x^3 + 2\*d^3\*e^2\*x^2 + d^4\*e\*x - d^5)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (8\*e^4\*x^4 + 7\*d\*e^3\*x^3 - 27\*d^2\*e^2\*x^2 - 8\*d^3\*e\*x + 23\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d^6\*e^5\*x^5 - d^7\*e^4\*x^4 - 2\*d^8\*e^3\*x^3 + 2\*d^9\*e^2\*x^2 + d^10\*e\*x - d^11)

**giac [A]** time = 0.27, size = 122, normalized size = 1.04

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( \left( \left( x \left( \frac{8xe^5}{d^6} + \frac{15e^4}{d^5} \right) - \frac{20e^3}{d^4} \right) x - \frac{35e^2}{d^3} \right) x + \frac{15e}{d^2} \right) x + \frac{23}{d} \right)}{15(x^2e^2 - d^2)^3} - \frac{\log\left(\frac{-2de - 2\sqrt{-x^2e^2 + d^2}e|e^{(-2)}}{2|x|}\right)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)/x/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] -1/15\*sqrt(-x^2\*e^2 + d^2)\*(((x\*(8\*x\*e^5/d^6 + 15\*e^4/d^5) - 20\*e^3/d^4)\*x - 35\*e^2/d^3)\*x + 15\*e/d^2)\*x + 23/d)/(x^2\*e^2 - d^2)^3 - log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d^6

**maple [A]** time = 0.01, size = 163, normalized size = 1.39

$$\frac{ex}{5(-e^2x^2 + d^2)^{\frac{5}{2}}d^2} + \frac{1}{5(-e^2x^2 + d^2)^{\frac{5}{2}}d} + \frac{4ex}{15(-e^2x^2 + d^2)^{\frac{3}{2}}d^4} + \frac{1}{3(-e^2x^2 + d^2)^{\frac{3}{2}}d^3} - \frac{\ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2}d^5} + \frac{8ex}{15\sqrt{-e^2x^2 + d^2}d^6} + \frac{1}{\sqrt{-e^2x^2 + d^2}d^5}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)/x/(-e^2*x^2+d^2)^(7/2),x)`

[Out]  $\frac{1}{5} \frac{e*x}{d^2} (-e^2*x^2+d^2)^{(5/2)} + \frac{4}{15} \frac{e}{d^4} x (-e^2*x^2+d^2)^{(3/2)} + \frac{8}{15} \frac{e}{d^6} x^2 (-e^2*x^2+d^2)^{(1/2)} + \frac{1}{5} \frac{d}{(-e^2*x^2+d^2)^{(5/2)}} + \frac{1}{3} \frac{d^3}{(-e^2*x^2+d^2)^{(3/2)}} + \frac{1}{d^5} (-e^2*x^2+d^2)^{(1/2)} - \frac{1}{d^5} (d^2)^{(1/2)} * \ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)$

**maxima** [A] time = 0.45, size = 157, normalized size = 1.34

$$\frac{ex}{5(-e^2x^2+d^2)^{\frac{5}{2}}d^2} + \frac{1}{5(-e^2x^2+d^2)^{\frac{5}{2}}d} + \frac{4ex}{15(-e^2x^2+d^2)^{\frac{3}{2}}d^4} + \frac{1}{3(-e^2x^2+d^2)^{\frac{3}{2}}d^3} + \frac{8ex}{15\sqrt{-e^2x^2+d^2}d^6} - \frac{\log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{d^6} + \frac{1}{\sqrt{-e^2x^2+d^2}d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)/x/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out]  $\frac{1}{5} \frac{e*x}{((-e^2*x^2+d^2)^{(5/2)}*d^2)} + \frac{1}{5} \frac{1}{((-e^2*x^2+d^2)^{(5/2)}*d)} + \frac{4}{15} \frac{e*x}{((-e^2*x^2+d^2)^{(3/2)}*d^4)} + \frac{1}{3} \frac{1}{((-e^2*x^2+d^2)^{(3/2)}*d^3)} + \frac{8}{15} \frac{e*x}{(\text{sqrt}(-e^2*x^2+d^2)*d^6)} - \frac{\log(2*d^2/\text{abs}(x) + 2*\text{sqrt}(-e^2*x^2+d^2)*d/\text{abs}(x))}{d^6} + \frac{1}{(\text{sqrt}(-e^2*x^2+d^2)*d^5)}$

**mupad** [B] time = 3.08, size = 127, normalized size = 1.09

$$\frac{\frac{d^2-e^2x^2}{3d^3} + \frac{(d^2-e^2x^2)^2}{d^5} + \frac{1}{5d}}{(d^2-e^2x^2)^{5/2}} - \frac{\text{atanh}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6} + \frac{ex(15d^4-20d^2e^2x^2+8e^4x^4)}{15d^6(d^2-e^2x^2)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e*x)/(x*(d^2-e^2*x^2)^(7/2)),x)`

[Out]  $\frac{(d^2-e^2*x^2)/(3*d^3) + (d^2-e^2*x^2)^2/d^5 + 1/(5*d)}{(d^2-e^2*x^2)^{(5/2)}} - \frac{\text{atanh}((d^2-e^2*x^2)^{(1/2)}/d)}{d^6} + \frac{e*x*(15*d^4+8*e^4*x^4-20*d^2*e^2*x^2)}{(15*d^6*(d^2-e^2*x^2)^{(5/2)})}$

**sympy** [C] time = 41.14, size = 2378, normalized size = 20.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)/x/(-e**2*x**2+d**2)**(7/2),x)`

[Out]  $d*\text{Piecewise}((46*I*d**6*\text{sqrt}(-1+e**2*x**2/d**2)/(30*d**13-90*d**11*e**2*x**2+90*d**9*e**4*x**4-30*d**7*e**6*x**6))+15*d**6*\log(e**2*x**2/d**2))$

$$\begin{aligned}
& / (30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - \\
& 30*d^6*\log(e*x/d)/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) + 30*I*d^6*\operatorname{asin}(d/(e*x))/(30*d^{13} - 90*d^{11}*e^{2*x^2} + \\
& 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - 70*I*d^4*e^{2*x^2}*sqrt(-1 + e^{2*x^2}/d^2)/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - \\
& 45*d^4*e^{2*x^2}*log(e^{2*x^2}/d^2)/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) + 90*d^4*e^{2*x^2}*log(e*x/d) / (30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - \\
& 90*I*d^4*e^{2*x^2}*\operatorname{asin}(d/(e*x))/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) + 30*I*d^2*e^{4*x^4}*sqrt(-1 + e^{2*x^2}/d^2) / (30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - \\
& 15*e^{6*x^6}*log(e^{2*x^2}/d^2)/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) + 30*e^{6*x^6}*log(e*x/d)/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - \\
& 30*I*e^{6*x^6}*\operatorname{asin}(d/(e*x))/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}), \operatorname{Abs}(e^{2*x^2}/d^2) > 1), (46*d^6*sqrt(1 - e^{2*x^2}/d^2) / (30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) + \\
& 15*d^6*log(e^{2*x^2}/d^2)/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - 30*d^6*log(sqrt(1 - e^{2*x^2}/d^2) + 1) / (30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) + \\
& 15*I*pi*d^6/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - 70*d^4*e^{2*x^2}*sqrt(1 - e^{2*x^2}/d^2)/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - \\
& 45*d^4*e^{2*x^2}*log(e^{2*x^2}/d^2)/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) + 90*d^4*e^{2*x^2}*log(sqrt(1 - e^{2*x^2}/d^2) + 1) / (30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - \\
& 45*I*pi*d^4*e^{2*x^2}/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) + 30*d^2*e^{4*x^4}*sqrt(1 - e^{2*x^2}/d^2)/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) + \\
& 45*d^2*e^{4*x^4}*log(e^{2*x^2}/d^2)/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - 90*d^2*e^{4*x^4}*log(sqrt(1 - e^{2*x^2}/d^2) + 1) / (30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) + \\
& 45*I*pi*d^2*e^{4*x^4}/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - 15*e^{6*x^6}*log(e^{2*x^2}/d^2)/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) + 30*e^{6*x^6}*log(sqrt(1 - e^{2*x^2}/d^2) + 1) / (30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}) - \\
& 15*I*pi*e^{6*x^6}/(30*d^{13} - 90*d^{11}*e^{2*x^2} + 90*d^9*e^{4*x^4} - 30*d^7*e^{6*x^6}), \operatorname{True})) + e*\operatorname{Piecewise}((-15*I*d^4*x/(15*d^{11}*sqrt(-1 + e^{2*x^2}/d^2) - 30*d^9*e^{2*x^2}*sqrt(-1 + e^{2*x^2}/d^2) + 15*d^7*e^{4*x^4}*sqrt(-1 + e^{2*x^2}/d^2)) + 20*I*d^2*e^{2*x^3}/(15*d^{11}*sqrt(-1 + e^{2*x^2}/d^2) - 30*d^9*e^{2*x^2}*sqrt(-1 + e
\end{aligned}$$

```

*2*x**2/d**2) + 15*d**7*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)) - 8*I*e**4*x**
5/(15*d**11*sqrt(-1 + e**2*x**2/d**2) - 30*d**9*e**2*x**2*sqrt(-1 + e**2*x*
**2/d**2) + 15*d**7*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2
) > 1), (15*d**4*x/(15*d**11*sqrt(1 - e**2*x**2/d**2) - 30*d**9*e**2*x**2*s
qrt(1 - e**2*x**2/d**2) + 15*d**7*e**4*x**4*sqrt(1 - e**2*x**2/d**2)) - 20*
d**2*e**2*x**3/(15*d**11*sqrt(1 - e**2*x**2/d**2) - 30*d**9*e**2*x**2*sqrt(
1 - e**2*x**2/d**2) + 15*d**7*e**4*x**4*sqrt(1 - e**2*x**2/d**2)) + 8*e**4*
x**5/(15*d**11*sqrt(1 - e**2*x**2/d**2) - 30*d**9*e**2*x**2*sqrt(1 - e**2*x
**2/d**2) + 15*d**7*e**4*x**4*sqrt(1 - e**2*x**2/d**2)), True))

```

$$3.28 \quad \int \frac{d+ex}{x^2(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=153

$$\frac{d+ex}{5d^2x(d^2-e^2x^2)^{5/2}} - \frac{16\sqrt{d^2-e^2x^2}}{5d^7x} - \frac{e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^7} + \frac{8d+5ex}{5d^6x\sqrt{d^2-e^2x^2}} + \frac{6d+5ex}{15d^4x(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.13, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {823, 807, 266, 63, 208}

$$\frac{d+ex}{5d^2x(d^2-e^2x^2)^{5/2}} - \frac{16\sqrt{d^2-e^2x^2}}{5d^7x} + \frac{8d+5ex}{5d^6x\sqrt{d^2-e^2x^2}} + \frac{6d+5ex}{15d^4x(d^2-e^2x^2)^{3/2}} - \frac{e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^7}$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x)/(x^2*(d^2 - e^2*x^2)^(7/2)),x]
```

```
[Out] (d + e*x)/(5*d^2*x*(d^2 - e^2*x^2)^(5/2)) + (6*d + 5*e*x)/(15*d^4*x*(d^2 - e^2*x^2)^(3/2)) + (8*d + 5*e*x)/(5*d^6*x*Sqrt[d^2 - e^2*x^2]) - (16*Sqrt[d^2 - e^2*x^2])/(5*d^7*x) - (e*ArcTanh[Sqrt[d^2 - e^2*x^2]/d])/d^7
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 823

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

Rubi steps

$$\begin{aligned}
\int \frac{d+ex}{x^2(d^2-e^2x^2)^{7/2}} dx &= \frac{d+ex}{5d^2x(d^2-e^2x^2)^{5/2}} + \frac{\int \frac{6d^3e^2+5d^2e^3x}{x^2(d^2-e^2x^2)^{5/2}} dx}{5d^4e^2} \\
&= \frac{d+ex}{5d^2x(d^2-e^2x^2)^{5/2}} + \frac{6d+5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{24d^5e^4+15d^4e^5x}{x^2(d^2-e^2x^2)^{3/2}} dx}{15d^8e^4} \\
&= \frac{d+ex}{5d^2x(d^2-e^2x^2)^{5/2}} + \frac{6d+5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{8d+5ex}{5d^6x\sqrt{d^2-e^2x^2}} + \frac{\int \frac{48d^7e^6+15d^6e^7x}{x^2\sqrt{d^2-e^2x^2}} dx}{15d^{12}e^6} \\
&= \frac{d+ex}{5d^2x(d^2-e^2x^2)^{5/2}} + \frac{6d+5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{8d+5ex}{5d^6x\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d^2-e^2x^2}}{5d^7x} + \frac{e \int \frac{16\sqrt{d^2-e^2x^2}}{x} dx}{15d^{12}e^6} \\
&= \frac{d+ex}{5d^2x(d^2-e^2x^2)^{5/2}} + \frac{6d+5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{8d+5ex}{5d^6x\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d^2-e^2x^2}}{5d^7x} + \frac{e \int \frac{16\sqrt{d^2-e^2x^2}}{x} dx}{15d^{12}e^6} \\
&= \frac{d+ex}{5d^2x(d^2-e^2x^2)^{5/2}} + \frac{6d+5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{8d+5ex}{5d^6x\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d^2-e^2x^2}}{5d^7x} - \frac{16\sqrt{d^2-e^2x^2}}{5d^7x} \\
&= \frac{d+ex}{5d^2x(d^2-e^2x^2)^{5/2}} + \frac{6d+5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{8d+5ex}{5d^6x\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d^2-e^2x^2}}{5d^7x} - \frac{16\sqrt{d^2-e^2x^2}}{5d^7x}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 147, normalized size = 0.96

$$\frac{-15d^5 + 38d^4ex + 52d^3e^2x^2 - 87d^2e^3x^3 - 15ex(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2} \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right) - 33de^4x^4 + 48e^5x^5}{15d^7x(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)/(x^2\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (-15\*d^5 + 38\*d^4\*e\*x + 52\*d^3\*e^2\*x^2 - 87\*d^2\*e^3\*x^3 - 33\*d\*e^4\*x^4 + 48\*e^5\*x^5 - 15\*e\*x\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(15\*d^7\*x\*(d - e\*x)^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.61, size = 137, normalized size = 0.90

$$\frac{2e \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^7} + \frac{\sqrt{d^2 - e^2x^2}(-15d^5 + 38d^4ex + 52d^3e^2x^2 - 87d^2e^3x^3 - 33de^4x^4 + 48e^5x^5)}{15d^7x(d - ex)^3(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)/(x^2\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-15\*d^5 + 38\*d^4\*e\*x + 52\*d^3\*e^2\*x^2 - 87\*d^2\*e^3\*x^3 - 33\*d\*e^4\*x^4 + 48\*e^5\*x^5))/(15\*d^7\*x\*(d - e\*x)^3\*(d + e\*x)^2) + (2\*e\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^7

**fricas [A]** time = 0.44, size = 270, normalized size = 1.76

$$\frac{23e^6x^6 - 23de^5x^5 - 46d^2e^4x^4 + 46d^3e^3x^3 + 23d^4e^2x^2 - 23d^5ex + 15(e^6x^6 - de^5x^5 - 2d^2e^4x^4 + 2d^3e^3x^3 + d^4e^2x^2 - d^5ex) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (48e^5x^5 - 33de^4x^4 - 87d^2e^3x^3 + 52d^3e^2x^2 + 38d^4ex - 15d^5)\sqrt{-e^2x^2 + d^2}}{15(d^7e^6x^6 - d^6e^4x^5 - 2d^3e^3x^4 + 2d^4e^2x^3 + d^11ex^2 - d^12x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)/x^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 1/15\*(23\*e^6\*x^6 - 23\*d\*e^5\*x^5 - 46\*d^2\*e^4\*x^4 + 46\*d^3\*e^3\*x^3 + 23\*d^4\*e^2\*x^2 - 23\*d^5\*e\*x + 15\*(e^6\*x^6 - d\*e^5\*x^5 - 2\*d^2\*e^4\*x^4 + 2\*d^3\*e^3\*x^3 + d^4\*e^2\*x^2 - d^5\*e\*x)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (48\*e^5\*x^5 - 33\*d\*e^4\*x^4 - 87\*d^2\*e^3\*x^3 + 52\*d^3\*e^2\*x^2 + 38\*d^4\*e\*x - 15\*d^5)\*sqrt(-e^2\*x^2 + d^2))/(d^7\*e^5\*x^6 - d^8\*e^4\*x^5 - 2\*d^9\*e^3\*x^4 + 2\*d^10\*e^2\*x^3 + d^11\*e\*x^2 - d^12\*x)

**giac [A]** time = 0.29, size = 189, normalized size = 1.24

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( \left( 3 \left( x \left( \frac{11xe^6}{d^7} + \frac{5e^5}{d^6} \right) - \frac{25e^4}{d^5} \right) x - \frac{35e^3}{d^4} \right) x + \frac{45e^2}{d^3} \right) x + \frac{23e}{d^2} \right)}{15(x^2e^2 - d^2)^3} - \frac{e \log\left(\frac{|-2de - 2\sqrt{-x^2e^2 + d^2}e|e^{(-2)}}{2|x|}\right)}{d^7} + \frac{xe^3}{2(de + \sqrt{-x^2e^2 + d^2}e)d^7} - \frac{(de + \sqrt{-x^2e^2 + d^2}e)e^{(-1)}}{2d^7x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)/x^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] -1/15\*sqrt(-x^2\*e^2 + d^2)\*(((3\*(x\*(11\*x\*e^6/d^7 + 5\*e^5/d^6) - 25\*e^4/d^5)\*x - 35\*e^3/d^4)\*x + 45\*e^2/d^3)\*x + 23\*e/d^2)/(x^2\*e^2 - d^2)^3 - e\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d^7 + 1/2\*x\*e^3/((d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^7) - 1/2\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-1)/(d^7\*x)

**maple [A]** time = 0.02, size = 195, normalized size = 1.27

$$\frac{6e^2x}{5(-e^2x^2 + d^2)^{\frac{5}{2}}d^3} + \frac{e}{5(-e^2x^2 + d^2)^{\frac{5}{2}}d^2} - \frac{1}{(-e^2x^2 + d^2)^{\frac{5}{2}}dx} + \frac{8e^2x}{5(-e^2x^2 + d^2)^{\frac{3}{2}}d^5} + \frac{e}{3(-e^2x^2 + d^2)^{\frac{3}{2}}d^4} - \frac{e \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2}d^6} + \frac{16e^2x}{5\sqrt{-e^2x^2 + d^2}d^7} + \frac{e}{\sqrt{-e^2x^2 + d^2}d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)/x^2/(-e^2*x^2+d^2)^(7/2),x)`

[Out]  $\frac{1}{5}e/d^2/(-e^2x^2+d^2)^{5/2} + \frac{1}{3}e/d^4/(-e^2x^2+d^2)^{3/2} + e/d^6/(-e^2x^2+d^2)^{1/2} - e/d^6/(d^2)^{1/2} * \ln((2d^2+2*(d^2)^{1/2}*(-e^2x^2+d^2)^{1/2}))/x - 1/d/x/(-e^2x^2+d^2)^{5/2} + 6/5e^2/d^3x/(-e^2x^2+d^2)^{5/2} + 8/5e^2/d^5x/(-e^2x^2+d^2)^{3/2} + 16/5e^2/d^7x/(-e^2x^2+d^2)^{1/2}$

**maxima** [A] time = 0.46, size = 189, normalized size = 1.24

$$\frac{6e^2x}{5(-e^2x^2+d^2)^{5/2}} + \frac{e}{5(-e^2x^2+d^2)^{5/2}d^2} + \frac{8e^2x}{5(-e^2x^2+d^2)^{3/2}d^5} + \frac{e}{3(-e^2x^2+d^2)^{3/2}d^4} - \frac{1}{(-e^2x^2+d^2)^{5/2}dx} + \frac{16e^2x}{5\sqrt{-e^2x^2+d^2}d^7} - \frac{e \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{d^7} + \frac{e}{\sqrt{-e^2x^2+d^2}d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)/x^2/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out]  $\frac{6}{5}e^2x/((-e^2x^2+d^2)^{5/2}*d^3) + \frac{1}{5}e/((-e^2x^2+d^2)^{5/2}*d^2) + \frac{8}{5}e^2x/((-e^2x^2+d^2)^{3/2}*d^5) + \frac{1}{3}e/((-e^2x^2+d^2)^{3/2}*d^4) - \frac{1}{((-e^2x^2+d^2)^{5/2}*d*x)} + \frac{16}{5}e^2x/(\sqrt{-e^2x^2+d^2}*d^7) - e*\log(2*d^2/abs(x) + 2*\sqrt{-e^2x^2+d^2}*d/abs(x))/d^7 + e/(\sqrt{-e^2x^2+d^2}*d^6)$

**mupad** [B] time = 3.31, size = 141, normalized size = 0.92

$$\frac{\frac{e}{5d^2} + \frac{e(d^2-e^2x^2)^2}{d^6} + \frac{e(d^2-e^2x^2)}{3d^4}}{(d^2-e^2x^2)^{5/2}} - \frac{e \operatorname{atanh}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^7} - \frac{d^6 - 6d^4e^2x^2 + 8d^2e^4x^4 - \frac{16e^6x^6}{5}}{d^7x(d^2-e^2x^2)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)/(x^2*(d^2 - e^2*x^2)^(7/2)),x)`

[Out]  $\frac{e}{(5*d^2)} + \frac{e*(d^2 - e^2*x^2)^2}{d^6} + \frac{e*(d^2 - e^2*x^2)}{(3*d^4)} / (d^2 - e^2*x^2)^{5/2} - \frac{e*\operatorname{atanh}((d^2 - e^2*x^2)^{1/2}/d)}{d^7} - \frac{(d^6 - (16*e^6*x^6)/5 - 6*d^4*e^2*x^2 + 8*d^2*e^4*x^4)}{(d^7*x*(d^2 - e^2*x^2)^{5/2})}$

**sympy** [C] time = 31.22, size = 2404, normalized size = 15.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)/x**2/(-e**2*x**2+d**2)**(7/2),x)`

[Out]  $d*\operatorname{Piecewise}((5*d**6*e*\sqrt{d**2/(e**2*x**2)} - 1)/(-5*d**14 + 15*d**12*e**2*x**2 - 15*d**10*e**4*x**4 + 5*d**8*e**6*x**6) - 30*d**4*e**3*x**2*\sqrt{d**2}$



$$\begin{aligned}
& /((e^{2x^2}) - 1)/(-5d^{14} + 15d^{12}e^{2x^2} - 15d^{10}e^{4x^4} + 5d^{8}e^{6x^6}) + 40d^2e^{5x^4}\sqrt{d^2/(e^{2x^2}) - 1}/(-5d^{14} + 15d^{12}e^{2x^2} - 15d^{10}e^{4x^4} + 5d^8e^{6x^6}) - 16e^{7x^6}\sqrt{d^2/(e^{2x^2}) - 1}/(-5d^{14} + 15d^{12}e^{2x^2} - 15d^{10}e^{4x^4} + 5d^8e^{6x^6}), \text{Abs}(d^2/(e^{2x^2})) > 1), (5I d^6 e \sqrt{-d^2/(e^{2x^2}) + 1}/(-5d^{14} + 15d^{12}e^{2x^2} - 15d^{10}e^{4x^4} + 5d^8e^{6x^6}) - 30I d^4 e^3 x^2 \sqrt{-d^2/(e^{2x^2}) + 1}/(-5d^{14} + 15d^{12}e^{2x^2} - 15d^{10}e^{4x^4} + 5d^8e^{6x^6}) + 40I d^2 e^5 x^4 \sqrt{-d^2/(e^{2x^2}) + 1}/(-5d^{14} + 15d^{12}e^{2x^2} - 15d^{10}e^{4x^4} + 5d^8e^{6x^6}) - 16I e^{7x^6} \sqrt{-d^2/(e^{2x^2}) + 1}/(-5d^{14} + 15d^{12}e^{2x^2} - 15d^{10}e^{4x^4} + 5d^8e^{6x^6}), \\
& \text{True})) + e^{\text{Piecewise}((46I d^6 \sqrt{-1 + e^{2x^2}/d^2})/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) + 15d^6 \log(e^{2x^2}/d^2)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) - 30d^6 \log(e^x/d)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) + 30I d^6 \arcsin(d/(e^x))/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) - 70I d^4 e^{2x^2} \sqrt{-1 + e^{2x^2}/d^2})/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) - 45d^4 e^{2x^2} \log(e^{2x^2}/d^2)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) + 90d^4 e^{2x^2} \log(e^x/d)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) - 90I d^4 e^{2x^2} \arcsin(d/(e^x))/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) + 30I d^2 e^{4x^4} \sqrt{-1 + e^{2x^2}/d^2})/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) + 45d^2 e^{4x^4} \log(e^{2x^2}/d^2)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) - 90d^2 e^{4x^4} \log(e^x/d)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) + 90I d^2 e^{4x^4} \arcsin(d/(e^x))/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) - 15e^{6x^6} \log(e^{2x^2}/d^2)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) + 30e^{6x^6} \log(e^x/d)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) - 30I e^{6x^6} \arcsin(d/(e^x))/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}), \text{Abs}(e^{2x^2}/d^2) > 1), (46d^6 \sqrt{1 - e^{2x^2}/d^2})/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) + 15d^6 \log(e^{2x^2}/d^2)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) - 30d^6 \log(\sqrt{1 - e^{2x^2}/d^2} + 1)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) + 15I \pi d^6/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) - 70d^4 e^{2x^2} \sqrt{1 - e^{2x^2}/d^2})/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) - 45d^4 e^{2x^2} \log(e^{2x^2}/d^2)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) + 90d^4 e^{2x^2} \log(\sqrt{1 - e^{2x^2}/d^2} + 1)/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) - 45I \pi d^4 e^{2x^2}/(30d^{13} - 90d^{11}e^{2x^2} + 90d^9 e^{4x^4} - 30d^7 e^{6x^6}) + 30d^2 e^{4x^4} \sqrt{1 - e^{2x^2}/d^2}
\end{aligned}$$

```

2)/(30*d**13 - 90*d**11*e**2*x**2 + 90*d**9*e**4*x**4 - 30*d**7*e**6*x**6)
+ 45*d**2*e**4*x**4*log(e**2*x**2/d**2)/(30*d**13 - 90*d**11*e**2*x**2 + 90
*d**9*e**4*x**4 - 30*d**7*e**6*x**6) - 90*d**2*e**4*x**4*log(sqrt(1 - e**2*
x**2/d**2) + 1)/(30*d**13 - 90*d**11*e**2*x**2 + 90*d**9*e**4*x**4 - 30*d**
7*e**6*x**6) + 45*I*pi*d**2*e**4*x**4/(30*d**13 - 90*d**11*e**2*x**2 + 90*d
**9*e**4*x**4 - 30*d**7*e**6*x**6) - 15*e**6*x**6*log(e**2*x**2/d**2)/(30*d
**13 - 90*d**11*e**2*x**2 + 90*d**9*e**4*x**4 - 30*d**7*e**6*x**6) + 30*e**
6*x**6*log(sqrt(1 - e**2*x**2/d**2) + 1)/(30*d**13 - 90*d**11*e**2*x**2 + 9
0*d**9*e**4*x**4 - 30*d**7*e**6*x**6) - 15*I*pi*e**6*x**6/(30*d**13 - 90*d*
*11*e**2*x**2 + 90*d**9*e**4*x**4 - 30*d**7*e**6*x**6), True))

```

$$3.29 \quad \int \frac{d+ex}{x^3(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=184

$$\frac{d+ex}{5d^2x^2(d^2-e^2x^2)^{5/2}} - \frac{16e\sqrt{d^2-e^2x^2}}{5d^8x} - \frac{7e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^8} - \frac{7\sqrt{d^2-e^2x^2}}{2d^7x^2} + \frac{35d+24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} + \frac{7d+6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}}$$

Rubi [A] time = 0.16, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {823, 835, 807, 266, 63, 208}

$$-\frac{16e\sqrt{d^2-e^2x^2}}{5d^8x} - \frac{7\sqrt{d^2-e^2x^2}}{2d^7x^2} + \frac{35d+24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} + \frac{7d+6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{d+ex}{5d^2x^2(d^2-e^2x^2)^{5/2}} - \frac{7e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^8}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)/(x^3\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (d + e\*x)/(5\*d^2\*x^2\*(d^2 - e^2\*x^2)^(5/2)) + (7\*d + 6\*e\*x)/(15\*d^4\*x^2\*(d^2 - e^2\*x^2)^(3/2)) + (35\*d + 24\*e\*x)/(15\*d^6\*x^2\*Sqrt[d^2 - e^2\*x^2]) - (7\*Sqrt[d^2 - e^2\*x^2])/(2\*d^7\*x^2) - (16\*e\*Sqrt[d^2 - e^2\*x^2])/(5\*d^8\*x) - (7\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^8)

Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 823

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rubi steps

$$\begin{aligned}
\int \frac{d+ex}{x^3(d^2-e^2x^2)^{7/2}} dx &= \frac{d+ex}{5d^2x^2(d^2-e^2x^2)^{5/2}} + \frac{\int \frac{7d^3e^2+6d^2e^3x}{x^3(d^2-e^2x^2)^{5/2}} dx}{5d^4e^2} \\
&= \frac{d+ex}{5d^2x^2(d^2-e^2x^2)^{5/2}} + \frac{7d+6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{35d^5e^4+24d^4e^5x}{x^3(d^2-e^2x^2)^{3/2}} dx}{15d^8e^4} \\
&= \frac{d+ex}{5d^2x^2(d^2-e^2x^2)^{5/2}} + \frac{7d+6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{35d+24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} + \frac{\int \frac{105d^7e^6+48d^6e^7x}{x^3\sqrt{d^2-e^2x^2}} dx}{15d^{12}e^6} \\
&= \frac{d+ex}{5d^2x^2(d^2-e^2x^2)^{5/2}} + \frac{7d+6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{35d+24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{2d^7x^2} - \frac{\int \frac{105d^9e^8+72d^8e^9x}{x^3\sqrt{d^2-e^2x^2}} dx}{15d^{14}e^8} \\
&= \frac{d+ex}{5d^2x^2(d^2-e^2x^2)^{5/2}} + \frac{7d+6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{35d+24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{2d^7x^2} - \frac{1}{15d^{14}e^8} \\
&= \frac{d+ex}{5d^2x^2(d^2-e^2x^2)^{5/2}} + \frac{7d+6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{35d+24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{2d^7x^2} - \frac{1}{15d^{14}e^8} \\
&= \frac{d+ex}{5d^2x^2(d^2-e^2x^2)^{5/2}} + \frac{7d+6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{35d+24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{2d^7x^2} - \frac{1}{15d^{14}e^8} \\
&= \frac{d+ex}{5d^2x^2(d^2-e^2x^2)^{5/2}} + \frac{7d+6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{35d+24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{2d^7x^2} - \frac{1}{15d^{14}e^8} \\
&= \frac{d+ex}{5d^2x^2(d^2-e^2x^2)^{5/2}} + \frac{7d+6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{35d+24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{2d^7x^2} - \frac{1}{15d^{14}e^8}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 183, normalized size = 0.99

$$\frac{105e^2x^2(d+ex)^2(ex-d)^3 \tanh^{-1}\left(\sqrt{1-\frac{e^2x^2}{d^2}}\right) + d\sqrt{1-\frac{e^2x^2}{d^2}}(-15d^6-15d^5ex+176d^4e^2x^2+4d^3e^3x^3-249d^2e^4x^4+9de^5x^5+96e^6x^6)}{30d^9x^2(d-ex)^2(d+ex)\sqrt{d^2-e^2x^2}\sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)/(x^3\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out]  $(d*\text{Sqrt}[1 - (e^2*x^2)/d^2]*(-15*d^6 - 15*d^5*e*x + 176*d^4*e^2*x^2 + 4*d^3*e^3*x^3 - 249*d^2*e^4*x^4 + 9*d*e^5*x^5 + 96*e^6*x^6) + 105*e^2*x^2*(-d + e*x)^3*(d + e*x)^2*\text{ArcTanh}[\text{Sqrt}[1 - (e^2*x^2)/d^2]])/(30*d^9*x^2*(d - e*x)^2*(d + e*x)*\text{Sqrt}[d^2 - e^2*x^2]*\text{Sqrt}[1 - (e^2*x^2)/d^2])$

**IntegrateAlgebraic [A]** time = 0.81, size = 150, normalized size = 0.82

$$\frac{7e^2 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^8} + \frac{\sqrt{d^2 - e^2x^2} (-15d^6 - 15d^5ex + 176d^4e^2x^2 + 4d^3e^3x^3 - 249d^2e^4x^4 + 9de^5x^5 + 96e^6x^6)}{30d^8x^2(d - ex)^3(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)/(x^3\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-15*d^6 - 15*d^5*e*x + 176*d^4*e^2*x^2 + 4*d^3*e^3*x^3 - 249*d^2*e^4*x^4 + 9*d*e^5*x^5 + 96*e^6*x^6))/(30*d^8*x^2*(d - e*x)^3*(d + e*x)^2) + (7*e^2*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d])/d^8$

**fricas [A]** time = 0.51, size = 291, normalized size = 1.58

$$\frac{116e^2x^7 - 116de^6x^6 - 232d^2e^5x^5 + 232d^3e^4x^4 + 116d^4e^3x^3 - 116d^5e^2x^2 + 105(e^2x^7 - de^6x^6 - 2d^2e^5x^5 + 2d^3e^4x^4 + d^4e^3x^3 - d^5e^2x^2) \log\left(\frac{d - \sqrt{-x^2 + d^2}}{x}\right) - (96e^6x^6 + 9de^5x^5 - 249d^2e^4x^4 + 4d^3e^3x^3 + 176d^4e^2x^2 - 15d^5e^2x^2 - 15d^6)\sqrt{-x^2 + d^2}}{30(d^8e^2x^7 - d^9e^6x^6 - 2d^{10}e^5x^5 + 2d^{11}e^4x^4 + d^{12}e^3x^3 - d^{13}x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)/x^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out]  $1/30*(116*e^7*x^7 - 116*d*e^6*x^6 - 232*d^2*e^5*x^5 + 232*d^3*e^4*x^4 + 116*d^4*e^3*x^3 - 116*d^5*e^2*x^2 + 105*(e^7*x^7 - d*e^6*x^6 - 2*d^2*e^5*x^5 + 2*d^3*e^4*x^4 + d^4*e^3*x^3 - d^5*e^2*x^2)*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) - (96*e^6*x^6 + 9*d*e^5*x^5 - 249*d^2*e^4*x^4 + 4*d^3*e^3*x^3 + 176*d^4*e^2*x^2 - 15*d^5*e*x - 15*d^6)*\text{sqrt}(-e^2*x^2 + d^2))/(d^8*e^5*x^7 - d^9*e^4*x^6 - 2*d^10*e^3*x^5 + 2*d^11*e^2*x^4 + d^12*e*x^3 - d^13*x^2)$

**giac [A]** time = 0.36, size = 260, normalized size = 1.41

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( 3 \left( x \left( \frac{11xe^7}{d^8} + \frac{15e^6}{d^7} \right) - \frac{25e^5}{d^6} \right) x - \frac{100e^4}{d^5} \right) x + \frac{45e^3}{d^4} \right) x + \frac{58e^2}{d^3}}{15(x^2e^2 - d^2)^3} - \frac{7e^2 \log\left(\frac{1 - 2de - 2\sqrt{-x^2e^2 + d^2}e^{(x^2-d^2)}}{2|x|}\right)}{2d^8} + \frac{x^2 \left( \frac{4(d + \sqrt{-x^2e^2 + d^2}e)}{x} + e^6 \right)}{8(d + \sqrt{-x^2e^2 + d^2}e)^2 d^8} - \frac{\left( \frac{4(d + \sqrt{-x^2e^2 + d^2}e)}{x} \right)^2 d^6 e^6}{8d^{16}}}{e^{(-8)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)/x^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out]  $-1/15*\text{sqrt}(-x^2*e^2 + d^2)*(((3*(x*(11*x*e^7/d^8 + 15*e^6/d^7) - 25*e^5/d^6)*x - 100*e^4/d^5)*x + 45*e^3/d^4)*x + 58*e^2/d^3)/(x^2*e^2 - d^2)^3 - 7/2*e^2*\log(1/2*\text{abs}(-2*d*e - 2*\text{sqrt}(-x^2*e^2 + d^2)*e)*e^{(-2)}/\text{abs}(x))/d^8 + 1/8$

$x^2*(4*(d*e + \sqrt{-x^2*e^2 + d^2})*e)*e^4/x + e^6)/((d*e + \sqrt{-x^2*e^2 + d^2})*e)^2*d^8) - 1/8*(4*(d*e + \sqrt{-x^2*e^2 + d^2})*e)*d^8*e^8/x + (d*e + \sqrt{-x^2*e^2 + d^2})*e)^2*d^8*e^6/x^2)*e^{(-8)}/d^{16}$

**maple [A]** time = 0.02, size = 227, normalized size = 1.23

$$\frac{6e^3x}{5(-e^2x^2+d^2)^{\frac{5}{2}}d^4} + \frac{7e^2}{10(-e^2x^2+d^2)^{\frac{5}{2}}d^3} - \frac{e}{(-e^2x^2+d^2)^{\frac{5}{2}}d^2x} + \frac{8e^3x}{5(-e^2x^2+d^2)^{\frac{3}{2}}d^6} - \frac{1}{2(-e^2x^2+d^2)^{\frac{5}{2}}d^2x} + \frac{7e^2}{6(-e^2x^2+d^2)^{\frac{3}{2}}d^5} - \frac{7e^2 \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{2\sqrt{d^2}d^7} + \frac{16e^3x}{5\sqrt{-e^2x^2+d^2}d^8} + \frac{7e^2}{2\sqrt{-e^2x^2+d^2}d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)/x^3/(-e^2\*x^2+d^2)^(7/2), x)

[Out]  $-1/2/d/x^2/(-e^2*x^2+d^2)^{(5/2)}+7/10*e^2/d^3/(-e^2*x^2+d^2)^{(5/2)}+7/6*e^2/d^5/(-e^2*x^2+d^2)^{(3/2)}+7/2*e^2/d^7/(-e^2*x^2+d^2)^{(1/2)}-7/2*e^2/d^7/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-e/d^2/x/(-e^2*x^2+d^2)^{(5/2)}+6/5*e^3/d^4*x/(-e^2*x^2+d^2)^{(5/2)}+8/5*e^3/d^6*x/(-e^2*x^2+d^2)^{(3/2)}+16/5*e^3/d^8*x/(-e^2*x^2+d^2)^{(1/2)}$

**maxima [A]** time = 0.47, size = 221, normalized size = 1.20

$$\frac{6e^3x}{5(-e^2x^2+d^2)^{\frac{5}{2}}d^4} + \frac{7e^2}{10(-e^2x^2+d^2)^{\frac{5}{2}}d^3} + \frac{8e^3x}{5(-e^2x^2+d^2)^{\frac{3}{2}}d^6} + \frac{7e^2}{6(-e^2x^2+d^2)^{\frac{3}{2}}d^5} - \frac{e}{(-e^2x^2+d^2)^{\frac{5}{2}}d^2x} + \frac{16e^3x}{5\sqrt{-e^2x^2+d^2}d^8} - \frac{7e^2 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}}{|x|}\right)}{2d^8} + \frac{7e^2}{2\sqrt{-e^2x^2+d^2}d^7} - \frac{1}{2(-e^2x^2+d^2)^{\frac{5}{2}}dx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)/x^3/(-e^2\*x^2+d^2)^(7/2), x, algorithm="maxima")

[Out]  $6/5*e^3*x/((-e^2*x^2 + d^2)^{(5/2)}*d^4) + 7/10*e^2/((-e^2*x^2 + d^2)^{(5/2)}*d^3) + 8/5*e^3*x/((-e^2*x^2 + d^2)^{(3/2)}*d^6) + 7/6*e^2/((-e^2*x^2 + d^2)^{(3/2)}*d^5) - e/((-e^2*x^2 + d^2)^{(5/2)}*d^2*x) + 16/5*e^3*x/(sqrt(-e^2*x^2 + d^2)*d^8) - 7/2*e^2*log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x))/d^8 + 7/2*e^2/(sqrt(-e^2*x^2 + d^2)*d^7) - 1/2/((-e^2*x^2 + d^2)^{(5/2)}*d*x^2)$

**mupad [B]** time = 3.43, size = 181, normalized size = 0.98

$$\frac{161e^2}{30d^3(d^2-e^2x^2)^{5/2}} - \frac{1}{2dx^2(d^2-e^2x^2)^{5/2}} - \frac{7e^2 \operatorname{atanh}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^8} - \frac{49e^4x^2}{6d^5(d^2-e^2x^2)^{5/2}} + \frac{7e^6x^4}{2d^7(d^2-e^2x^2)^{5/2}} - \frac{e(5d^6-30d^4e^2x^2+40d^2e^4x^4-16e^6x^6)}{5d^8x(d^2-e^2x^2)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)/(x^3\*(d^2 - e^2\*x^2)^(7/2)), x)

[Out]  $(161*e^2)/(30*d^3*(d^2 - e^2*x^2)^{(5/2)}) - 1/(2*d*x^2*(d^2 - e^2*x^2)^{(5/2)}) - (7*e^2*atanh((d^2 - e^2*x^2)^{(1/2)}/d))/(2*d^8) - (49*e^4*x^2)/(6*d^5*(d^2 - e^2*x^2)^{(5/2)}) + (7*e^6*x^4)/(2*d^7*(d^2 - e^2*x^2)^{(5/2)}) - (e*(5*d^6 - 30*d^4*e^2*x^2 + 40*d^2*e^4*x^4 - 16*e^6*x^6))/(5*d^8*x*(d^2 - e^2*x^2)^{(5/2)})$

$$6 - 16e^6x^6 - 30d^4e^2x^2 + 40d^2e^4x^4)/(5d^8x(d^2 - e^2x^2)^{(5/2)})$$

sympy [C] time = 35.06, size = 2691, normalized size = 14.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)/x\*\*3/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] d\*Piecewise((-30\*I\*d\*\*8\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) + 322\*I\*d\*\*6\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) + 105\*d\*\*6\*e\*\*2\*x\*\*2\*log(e\*\*2\*x\*\*2/d\*\*2)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) - 210\*d\*\*6\*e\*\*2\*x\*\*2\*log(e\*x/d)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) + 210\*I\*d\*\*6\*e\*\*2\*x\*\*2\*asin(d/(e\*x))/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) - 490\*I\*d\*\*4\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) - 315\*d\*\*4\*e\*\*4\*x\*\*4\*log(e\*\*2\*x\*\*2/d\*\*2)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) + 630\*d\*\*4\*e\*\*4\*x\*\*4\*log(e\*x/d)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) - 630\*I\*d\*\*4\*e\*\*4\*x\*\*4\*asin(d/(e\*x))/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) + 210\*I\*d\*\*2\*e\*\*6\*x\*\*6\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) + 315\*d\*\*2\*e\*\*6\*x\*\*6\*log(e\*\*2\*x\*\*2/d\*\*2)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) - 630\*d\*\*2\*e\*\*6\*x\*\*6\*log(e\*x/d)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) + 630\*I\*d\*\*2\*e\*\*6\*x\*\*6\*asin(d/(e\*x))/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) - 105\*e\*\*8\*x\*\*8\*log(e\*\*2\*x\*\*2/d\*\*2)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) + 210\*e\*\*8\*x\*\*8\*log(e\*x/d)/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8) - 210\*I\*e\*\*8\*x\*\*8\*asin(d/(e\*x))/(60\*d\*\*15\*x\*\*2 - 180\*d\*\*13\*e\*\*2\*x\*\*4 + 180\*d\*\*11\*e\*\*4\*x\*\*6 - 60\*d\*\*9\*e\*\*6\*x\*\*8), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (30\*d\*\*8\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-60\*d\*\*15\*x\*\*2 + 180\*d\*\*13\*e\*\*2\*x\*\*4 - 180\*d\*\*11\*e\*\*4\*x\*\*6 + 60\*d\*\*9\*e\*\*6\*x\*\*8) - 322\*d\*\*6\*e\*\*2\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-60\*d\*\*15\*x\*\*2 + 180\*d\*\*13\*e\*\*2\*x\*\*4 - 180\*d\*\*11\*e\*\*4\*x\*\*6 + 60\*d\*\*9\*e\*\*6\*x\*\*8) - 105\*d\*\*6\*e\*\*2\*x\*\*2\*log(e\*\*2\*x\*\*2/d\*\*2)/(-60\*d\*\*15\*x\*\*2 + 180\*d\*\*13\*e\*\*2\*x\*\*4 - 180\*d\*\*11\*e\*\*4\*x\*\*6 + 60\*d\*\*9\*e\*\*6\*x\*\*8) + 210\*d\*\*6\*e\*\*2\*x\*\*2\*log(sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) + 1)/(-60\*d\*\*15\*x\*\*2 + 180\*d\*\*13\*e\*\*2\*x\*\*4 - 180\*d\*\*11\*e\*\*4\*x\*\*6 + 60\*d\*\*9\*e\*\*6\*x\*\*8) - 105\*I\*pi\*d\*\*6\*e\*\*2\*x\*\*2/(-60\*d\*\*15\*x\*\*2 + 180\*d\*\*13\*e\*\*2\*x\*\*4 - 180\*d\*\*11\*e\*\*4\*x\*\*6 + 60\*d\*\*9\*e\*\*6\*x\*\*8) + 490\*d\*\*4\*e\*\*4\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-60\*d\*\*15\*x\*\*2 + 180\*d\*\*13\*e\*\*2\*x\*\*4 - 180



```

*d**11*e**4*x**6 + 60*d**9*e**6*x**8) + 315*d**4*e**4*x**4*log(e**2*x**2/d**2)/(-60*d**15*x**2 + 180*d**13*e**2*x**4 - 180*d**11*e**4*x**6 + 60*d**9*e**6*x**8) - 630*d**4*e**4*x**4*log(sqrt(1 - e**2*x**2/d**2) + 1)/(-60*d**15*x**2 + 180*d**13*e**2*x**4 - 180*d**11*e**4*x**6 + 60*d**9*e**6*x**8) + 315*I*pi*d**4*e**4*x**4/(-60*d**15*x**2 + 180*d**13*e**2*x**4 - 180*d**11*e**4*x**6 + 60*d**9*e**6*x**8) - 210*d**2*e**6*x**6*sqrt(1 - e**2*x**2/d**2)/(-60*d**15*x**2 + 180*d**13*e**2*x**4 - 180*d**11*e**4*x**6 + 60*d**9*e**6*x**8) - 315*d**2*e**6*x**6*log(e**2*x**2/d**2)/(-60*d**15*x**2 + 180*d**13*e**2*x**4 - 180*d**11*e**4*x**6 + 60*d**9*e**6*x**8) + 630*d**2*e**6*x**6*log(sqrt(1 - e**2*x**2/d**2) + 1)/(-60*d**15*x**2 + 180*d**13*e**2*x**4 - 180*d**11*e**4*x**6 + 60*d**9*e**6*x**8) - 315*I*pi*d**2*e**6*x**6/(-60*d**15*x**2 + 180*d**13*e**2*x**4 - 180*d**11*e**4*x**6 + 60*d**9*e**6*x**8) + 105*e**8*x**8*log(e**2*x**2/d**2)/(-60*d**15*x**2 + 180*d**13*e**2*x**4 - 180*d**11*e**4*x**6 + 60*d**9*e**6*x**8) - 210*e**8*x**8*log(sqrt(1 - e**2*x**2/d**2) + 1)/(-60*d**15*x**2 + 180*d**13*e**2*x**4 - 180*d**11*e**4*x**6 + 60*d**9*e**6*x**8) + 105*I*pi*e**8*x**8/(-60*d**15*x**2 + 180*d**13*e**2*x**4 - 180*d**11*e**4*x**6 + 60*d**9*e**6*x**8), True)) + e*Piecewise((5*d**6*e*sqrt(d**2/(e**2*x**2) - 1)/(-5*d**14 + 15*d**12*e**2*x**2 - 15*d**10*e**4*x**4 + 5*d**8*e**6*x**6) - 30*d**4*e**3*x**2*sqrt(d**2/(e**2*x**2) - 1)/(-5*d**14 + 15*d**12*e**2*x**2 - 15*d**10*e**4*x**4 + 5*d**8*e**6*x**6) + 40*d**2*e**5*x**4*sqrt(d**2/(e**2*x**2) - 1)/(-5*d**14 + 15*d**12*e**2*x**2 - 15*d**10*e**4*x**4 + 5*d**8*e**6*x**6) - 16*e**7*x**6*sqrt(d**2/(e**2*x**2) - 1)/(-5*d**14 + 15*d**12*e**2*x**2 - 15*d**10*e**4*x**4 + 5*d**8*e**6*x**6), Abs(d**2/(e**2*x**2)) > 1), (5*I*d**6*e*sqrt(-d**2/(e**2*x**2) + 1)/(-5*d**14 + 15*d**12*e**2*x**2 - 15*d**10*e**4*x**4 + 5*d**8*e**6*x**6) - 30*I*d**4*e**3*x**2*sqrt(-d**2/(e**2*x**2) + 1)/(-5*d**14 + 15*d**12*e**2*x**2 - 15*d**10*e**4*x**4 + 5*d**8*e**6*x**6) + 40*I*d**2*e**5*x**4*sqrt(-d**2/(e**2*x**2) + 1)/(-5*d**14 + 15*d**12*e**2*x**2 - 15*d**10*e**4*x**4 + 5*d**8*e**6*x**6) - 16*I*e**7*x**6*sqrt(-d**2/(e**2*x**2) + 1)/(-5*d**14 + 15*d**12*e**2*x**2 - 15*d**10*e**4*x**4 + 5*d**8*e**6*x**6), True))

```

$$3.30 \quad \int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{9/2}} dx$$

**Optimal.** Leaf size=121

$$\frac{x^2(d+ex)}{7de(d^2-e^2x^2)^{7/2}} - \frac{2(d-2ex)}{35de^3(d^2-e^2x^2)^{5/2}} - \frac{8x}{105d^5e^2\sqrt{d^2-e^2x^2}} - \frac{4x}{105d^3e^2(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.05, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {796, 778, 192, 191}

$$\frac{x^2(d+ex)}{7de(d^2-e^2x^2)^{7/2}} - \frac{8x}{105d^5e^2\sqrt{d^2-e^2x^2}} - \frac{4x}{105d^3e^2(d^2-e^2x^2)^{3/2}} - \frac{2(d-2ex)}{35de^3(d^2-e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(9/2), x]

[Out] (x^2\*(d + e\*x))/(7\*d\*e\*(d^2 - e^2\*x^2)^(7/2)) - (2\*(d - 2\*e\*x))/(35\*d\*e^3\*(d^2 - e^2\*x^2)^(5/2)) - (4\*x)/(105\*d^3\*e^2\*(d^2 - e^2\*x^2)^(3/2)) - (8\*x)/(105\*d^5\*e^2\*sqrt[d^2 - e^2\*x^2])

#### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

#### Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

#### Rule 796

```
Int[(x_)^2*((f_) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Sim
p[(x^2*(a*g - c*f*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] - Dist[1/(2*a
*c*(p + 1)), Int[x* Simp[2*a*g - c*f*(2*p + 5)*x, x]*(a + c*x^2)^(p + 1), x]
, x] /; FreeQ[{a, c, f, g}, x] && EqQ[a*g^2 + f^2*c, 0] && LtQ[p, -2]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{9/2}} dx &= \frac{x^2(d+ex)}{7de(d^2-e^2x^2)^{7/2}} - \frac{\int \frac{x(2d^2e-4de^2x)}{(d^2-e^2x^2)^{7/2}} dx}{7d^2e^2} \\ &= \frac{x^2(d+ex)}{7de(d^2-e^2x^2)^{7/2}} - \frac{2(d-2ex)}{35de^3(d^2-e^2x^2)^{5/2}} - \frac{4 \int \frac{1}{(d^2-e^2x^2)^{5/2}} dx}{35de^2} \\ &= \frac{x^2(d+ex)}{7de(d^2-e^2x^2)^{7/2}} - \frac{2(d-2ex)}{35de^3(d^2-e^2x^2)^{5/2}} - \frac{4x}{105d^3e^2(d^2-e^2x^2)^{3/2}} - \frac{8 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{105d^3e^2} \\ &= \frac{x^2(d+ex)}{7de(d^2-e^2x^2)^{7/2}} - \frac{2(d-2ex)}{35de^3(d^2-e^2x^2)^{5/2}} - \frac{4x}{105d^3e^2(d^2-e^2x^2)^{3/2}} - \frac{8x}{105d^5e^2\sqrt{d^2-e^2x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 104, normalized size = 0.86

$$\frac{-6d^6 + 6d^5ex + 15d^4e^2x^2 + 20d^3e^3x^3 - 20d^2e^4x^4 - 8de^5x^5 + 8e^6x^6}{105d^5e^3(d-ex)^3(d+ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(9/2), x]

[Out] (-6\*d^6 + 6\*d^5\*e\*x + 15\*d^4\*e^2\*x^2 + 20\*d^3\*e^3\*x^3 - 20\*d^2\*e^4\*x^4 - 8\*d\*e^5\*x^5 + 8\*e^6\*x^6)/(105\*d^5\*e^3\*(d - e\*x)^3\*(d + e\*x)^2\* Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.55, size = 104, normalized size = 0.86

$$\frac{\sqrt{d^2-e^2x^2}(-6d^6 + 6d^5ex + 15d^4e^2x^2 + 20d^3e^3x^3 - 20d^2e^4x^4 - 8de^5x^5 + 8e^6x^6)}{105d^5e^3(d-ex)^4(d+ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(9/2),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-6\*d^6 + 6\*d^5\*e\*x + 15\*d^4\*e^2\*x^2 + 20\*d^3\*e^3\*x^3 - 20\*d^2\*e^4\*x^4 - 8\*d\*e^5\*x^5 + 8\*e^6\*x^6))/(105\*d^5\*e^3\*(d - e\*x)^4\*(d + e\*x)^3)

**fricas** [B] time = 0.47, size = 239, normalized size = 1.98

$$\frac{6e^7x^7 - 6de^6x^6 - 18d^2e^5x^5 + 18d^3e^4x^4 + 18d^4e^3x^3 - 18d^5e^2x^2 - 6d^6ex + 6d^7 - (8e^6x^6 - 8de^5x^5 - 20d^2e^4x^4 + 20d^3e^3x^3 + 15d^4e^2x^2 + 6d^5ex - 6d^6)\sqrt{-e^2x^2 + d^2}}{105(d^5e^{10}x^7 - d^6e^9x^6 - 3d^7e^8x^5 + 3d^8e^7x^4 + 3d^9e^6x^3 - 3d^{10}e^5x^2 - d^{11}e^4x + d^{12}e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(9/2),x, algorithm="fricas")

[Out] -1/105\*(6\*e^7\*x^7 - 6\*d\*e^6\*x^6 - 18\*d^2\*e^5\*x^5 + 18\*d^3\*e^4\*x^4 + 18\*d^4\*e^3\*x^3 - 18\*d^5\*e^2\*x^2 - 6\*d^6\*e\*x + 6\*d^7 - (8\*e^6\*x^6 - 8\*d\*e^5\*x^5 - 20\*d^2\*e^4\*x^4 + 20\*d^3\*e^3\*x^3 + 15\*d^4\*e^2\*x^2 + 6\*d^5\*e\*x - 6\*d^6)\*sqrt(-e^2\*x^2 + d^2))/(d^5\*e^10\*x^7 - d^6\*e^9\*x^6 - 3\*d^7\*e^8\*x^5 + 3\*d^8\*e^7\*x^4 + 3\*d^9\*e^6\*x^3 - 3\*d^10\*e^5\*x^2 - d^11\*e^4\*x + d^12\*e^3)

**giac** [A] time = 0.27, size = 77, normalized size = 0.64

$$\frac{\left(\left(4x^2\left(\frac{2x^2e^4}{d^5} - \frac{7e^2}{d^3}\right) + \frac{35}{d}\right)x + 21e^{(-1)}\right)x^2 - 6d^2e^{(-3)}\sqrt{-x^2e^2 + d^2}}{105(x^2e^2 - d^2)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(9/2),x, algorithm="giac")

[Out] 1/105\*(((4\*x^2\*(2\*x^2\*e^4/d^5 - 7\*e^2/d^3) + 35/d)\*x + 21\*e^(-1))\*x^2 - 6\*d^2\*e^(-3))\*sqrt(-x^2\*e^2 + d^2)/(x^2\*e^2 - d^2)^4

**maple** [A] time = 0.01, size = 99, normalized size = 0.82

$$\frac{(-ex + d)(ex + d)^2(-8e^6x^6 + 8e^5x^5d + 20e^4x^4d^2 - 20x^3d^3e^3 - 15x^2d^4e^2 - 6xd^5e + 6d^6)}{105(-e^2x^2 + d^2)^{\frac{9}{2}}d^5e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(9/2),x)

[Out] -1/105\*(-e\*x+d)\*(e\*x+d)^2\*(-8\*e^6\*x^6+8\*d\*e^5\*x^5+20\*d^2\*e^4\*x^4-20\*d^3\*e^3\*x^3-15\*d^4\*e^2\*x^2-6\*d^5\*e\*x+6\*d^6)/d^5/e^3/(-e^2\*x^2+d^2)^(9/2)

**maxima [A]** time = 0.44, size = 135, normalized size = 1.12

$$\frac{x^2}{5(-e^2x^2 + d^2)^{\frac{7}{2}}e} + \frac{dx}{7(-e^2x^2 + d^2)^{\frac{7}{2}}e^2} - \frac{2d^2}{35(-e^2x^2 + d^2)^{\frac{7}{2}}e^3} - \frac{x}{35(-e^2x^2 + d^2)^{\frac{5}{2}}de^2} - \frac{4x}{105(-e^2x^2 + d^2)^{\frac{3}{2}}d^3e^2} - \frac{8x}{105\sqrt{-e^2x^2 + d^2}d^5e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(9/2),x, algorithm="maxima")

[Out] 1/5\*x^2/((-e^2\*x^2 + d^2)^(7/2)\*e) + 1/7\*d\*x/((-e^2\*x^2 + d^2)^(7/2)\*e^2) - 2/35\*d^2/((-e^2\*x^2 + d^2)^(7/2)\*e^3) - 1/35\*x/((-e^2\*x^2 + d^2)^(5/2)\*d\*e^2) - 4/105\*x/((-e^2\*x^2 + d^2)^(3/2)\*d^3\*e^2) - 8/105\*x/(sqrt(-e^2\*x^2 + d^2)\*d^5\*e^2)

**mupad [B]** time = 2.69, size = 164, normalized size = 1.36

$$\frac{\sqrt{d^2 - e^2 x^2}}{56 d^2 e^3 (d - e x)^4} - \frac{\sqrt{d^2 - e^2 x^2} \left( \frac{2}{35 e^3} - \frac{3x}{70 d e^2} \right)}{(d + e x)^3 (d - e x)^3} - \frac{\sqrt{d^2 - e^2 x^2} \left( \frac{1}{56 d^2 e^3} + \frac{4x}{105 d^3 e^2} \right)}{(d + e x)^2 (d - e x)^2} - \frac{8x \sqrt{d^2 - e^2 x^2}}{105 d^5 e^2 (d + e x) (d - e x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(9/2),x)

[Out] (d^2 - e^2\*x^2)^(1/2)/(56\*d^2\*e^3\*(d - e\*x)^4) - ((d^2 - e^2\*x^2)^(1/2)\*(2/(35\*e^3) - (3\*x)/(70\*d\*e^2)))/((d + e\*x)^3\*(d - e\*x)^3) - ((d^2 - e^2\*x^2)^(1/2)\*(1/(56\*d^2\*e^3) + (4\*x)/(105\*d^3\*e^2)))/((d + e\*x)^2\*(d - e\*x)^2) - (8\*x\*(d^2 - e^2\*x^2)^(1/2))/(105\*d^5\*e^2\*(d + e\*x)\*(d - e\*x))

**sympy [C]** time = 22.73, size = 903, normalized size = 7.46

$$\left( \frac{\sqrt{-e^2 x^2 + d^2}}{56 d^2 e^3 (d - e x)^4} - \frac{\sqrt{-e^2 x^2 + d^2} \left( \frac{2}{35 e^3} - \frac{3 x}{70 d e^2} \right)}{(d + e x)^3 (d - e x)^3} - \frac{\sqrt{-e^2 x^2 + d^2} \left( \frac{1}{56 d^2 e^3} + \frac{4 x}{105 d^3 e^2} \right)}{(d + e x)^2 (d - e x)^2} - \frac{8 x \sqrt{-e^2 x^2 + d^2}}{105 d^5 e^2 (d + e x) (d - e x)} \right) \text{ for } |x| > 1$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(9/2),x)

[Out] d\*Piecewise((35\*I\*d\*\*4\*x\*\*3/(-105\*d\*\*13\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 315\*d\*\*11\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 315\*d\*\*9\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 105\*d\*\*7\*e\*\*6\*x\*\*6\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 28\*I\*d\*\*2\*e\*\*2\*x\*\*5/(-105\*d\*\*13\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 315\*d\*\*11\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 315\*d\*\*9\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 105\*d\*\*7\*e\*\*6\*x\*\*6\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 8\*I\*e\*\*4\*x\*\*7/(-105\*d\*\*13\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + 315\*d\*\*11\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) - 315\*d\*\*9\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2) + 105\*d\*\*7\*e\*\*6\*x\*\*6\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (-35\*d\*\*4\*x\*\*3/(-105\*d\*\*13\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 315\*d\*\*11\*e\*\*2\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2) - 315\*d\*\*9\*e\*\*4

```

***4*sqrt(1 - e**2*x**2/d**2) + 105*d**7*e**6*x**6*sqrt(1 - e**2*x**2/d**2
)) + 28*d**2*e**2*x**5/(-105*d**13*sqrt(1 - e**2*x**2/d**2) + 315*d**11*e**
2*x**2*sqrt(1 - e**2*x**2/d**2) - 315*d**9*e**4*x**4*sqrt(1 - e**2*x**2/d**
2) + 105*d**7*e**6*x**6*sqrt(1 - e**2*x**2/d**2)) - 8*e**4*x**7/(-105*d**13
*sqrt(1 - e**2*x**2/d**2) + 315*d**11*e**2*x**2*sqrt(1 - e**2*x**2/d**2) -
315*d**9*e**4*x**4*sqrt(1 - e**2*x**2/d**2) + 105*d**7*e**6*x**6*sqrt(1 - e
**2*x**2/d**2)), True)) + e*Piecewise((2*d**2/(-35*d**6*e**4*sqrt(d**2 - e**
2*x**2) + 105*d**4*e**6*x**2*sqrt(d**2 - e**2*x**2) - 105*d**2*e**8*x**4*s
qrt(d**2 - e**2*x**2) + 35*e**10*x**6*sqrt(d**2 - e**2*x**2)) - 7*e**2*x**2
/(-35*d**6*e**4*sqrt(d**2 - e**2*x**2) + 105*d**4*e**6*x**2*sqrt(d**2 - e**
2*x**2) - 105*d**2*e**8*x**4*sqrt(d**2 - e**2*x**2) + 35*e**10*x**6*sqrt(d*
*2 - e**2*x**2)), Ne(e, 0)), (x**4/(4*(d**2)**(9/2)), True))

```

$$3.31 \quad \int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{11/2}} dx$$

**Optimal.** Leaf size=148

$$\frac{x^2(d+ex)}{9de(d^2-e^2x^2)^{9/2}} - \frac{2(d-3ex)}{63de^3(d^2-e^2x^2)^{7/2}} - \frac{16x}{315d^7e^2\sqrt{d^2-e^2x^2}} - \frac{8x}{315d^5e^2(d^2-e^2x^2)^{3/2}} - \frac{2x}{105d^3e^2(d^2-e^2x^2)^{5/2}}$$

**Rubi [A]** time = 0.06, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {796, 778, 192, 191}

$$\frac{x^2(d+ex)}{9de(d^2-e^2x^2)^{9/2}} - \frac{16x}{315d^7e^2\sqrt{d^2-e^2x^2}} - \frac{8x}{315d^5e^2(d^2-e^2x^2)^{3/2}} - \frac{2x}{105d^3e^2(d^2-e^2x^2)^{5/2}} - \frac{2(d-3ex)}{63de^3(d^2-e^2x^2)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(11/2), x]

[Out] (x^2\*(d + e\*x))/(9\*d\*e\*(d^2 - e^2\*x^2)^(9/2)) - (2\*(d - 3\*e\*x))/(63\*d\*e^3\*(d^2 - e^2\*x^2)^(7/2)) - (2\*x)/(105\*d^3\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - (8\*x)/(315\*d^5\*e^2\*(d^2 - e^2\*x^2)^(3/2)) - (16\*x)/(315\*d^7\*e^2\*sqrt[d^2 - e^2\*x^2])

### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

### Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

### Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

### Rule 796

```
Int[(x_)^2*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Sim
p[(x^2*(a*g - c*f*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] - Dist[1/(2*a
*c*(p + 1)), Int[x*Simp[2*a*g - c*f*(2*p + 5)*x, x]*(a + c*x^2)^(p + 1), x]
, x] /; FreeQ[{a, c, f, g}, x] && EqQ[a*g^2 + f^2*c, 0] && LtQ[p, -2]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2(d+ex)}{(d^2-e^2x^2)^{11/2}} dx &= \frac{x^2(d+ex)}{9de(d^2-e^2x^2)^{9/2}} - \frac{\int \frac{x(2d^2e-6de^2x)}{(d^2-e^2x^2)^{9/2}} dx}{9d^2e^2} \\
&= \frac{x^2(d+ex)}{9de(d^2-e^2x^2)^{9/2}} - \frac{2(d-3ex)}{63de^3(d^2-e^2x^2)^{7/2}} - \frac{2 \int \frac{1}{(d^2-e^2x^2)^{7/2}} dx}{21de^2} \\
&= \frac{x^2(d+ex)}{9de(d^2-e^2x^2)^{9/2}} - \frac{2(d-3ex)}{63de^3(d^2-e^2x^2)^{7/2}} - \frac{2x}{105d^3e^2(d^2-e^2x^2)^{5/2}} - \frac{8 \int \frac{1}{(d^2-e^2x^2)^{5/2}} dx}{105d^3e^2} \\
&= \frac{x^2(d+ex)}{9de(d^2-e^2x^2)^{9/2}} - \frac{2(d-3ex)}{63de^3(d^2-e^2x^2)^{7/2}} - \frac{2x}{105d^3e^2(d^2-e^2x^2)^{5/2}} - \frac{8x}{315d^5e^2(d^2-e^2x^2)^3} \\
&= \frac{x^2(d+ex)}{9de(d^2-e^2x^2)^{9/2}} - \frac{2(d-3ex)}{63de^3(d^2-e^2x^2)^{7/2}} - \frac{2x}{105d^3e^2(d^2-e^2x^2)^{5/2}} - \frac{8x}{315d^5e^2(d^2-e^2x^2)^3}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 126, normalized size = 0.85

$$\frac{-10d^8 + 10d^7ex + 35d^6e^2x^2 + 70d^5e^3x^3 - 70d^4e^4x^4 - 56d^3e^5x^5 + 56d^2e^6x^6 + 16de^7x^7 - 16e^8x^8}{315d^7e^3(d-ex)^4(d+ex)^3\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(11/2), x]

[Out] (-10\*d^8 + 10\*d^7\*e\*x + 35\*d^6\*e^2\*x^2 + 70\*d^5\*e^3\*x^3 - 70\*d^4\*e^4\*x^4 - 56\*d^3\*e^5\*x^5 + 56\*d^2\*e^6\*x^6 + 16\*d\*e^7\*x^7 - 16\*e^8\*x^8)/(315\*d^7\*e^3\*(d - e\*x)^4\*(d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.62, size = 126, normalized size = 0.85

$$\frac{\sqrt{d^2-e^2x^2}(-10d^8 + 10d^7ex + 35d^6e^2x^2 + 70d^5e^3x^3 - 70d^4e^4x^4 - 56d^3e^5x^5 + 56d^2e^6x^6 + 16de^7x^7 - 16e^8x^8)}{315d^7e^3(d-ex)^5(d+ex)^4}$$



Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(11/2),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-10\*d^8 + 10\*d^7\*e\*x + 35\*d^6\*e^2\*x^2 + 70\*d^5\*e^3\*x^3 - 70\*d^4\*e^4\*x^4 - 56\*d^3\*e^5\*x^5 + 56\*d^2\*e^6\*x^6 + 16\*d\*e^7\*x^7 - 16\*e^8\*x^8))/(315\*d^7\*e^3\*(d - e\*x)^5\*(d + e\*x)^4)

**fricas** [B] time = 0.76, size = 305, normalized size = 2.06

$$\frac{10e^2x^9 - 10de^2x^8 - 40d^2e^2x^7 + 40d^3e^2x^6 + 60d^4e^2x^5 - 60d^5e^2x^4 - 40d^6e^2x^3 + 40d^7e^2x^2 + 10d^8ex - 10d^9 - (16e^8x^8 - 16de^7x^7 - 56d^2e^6x^6 + 56d^3e^5x^5 + 70d^4e^4x^4 - 70d^5e^3x^3 - 35d^6e^2x^2 - 10d^7ex + 10d^8)\sqrt{-e^2x^2 + d^2}}{315(d^7e^{12}x^9 - d^8e^{11}x^8 - 4d^9e^{10}x^7 + 4d^{10}e^9x^6 + 6d^{11}e^8x^5 - 6d^{12}e^7x^4 - 4d^{13}e^6x^3 + 4d^{14}e^5x^2 + d^{15}e^4x - d^{16}e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(11/2),x, algorithm="fricas")

[Out] -1/315\*(10\*e^9\*x^9 - 10\*d\*e^8\*x^8 - 40\*d^2\*e^7\*x^7 + 40\*d^3\*e^6\*x^6 + 60\*d^4\*e^5\*x^5 - 60\*d^5\*e^4\*x^4 - 40\*d^6\*e^3\*x^3 + 40\*d^7\*e^2\*x^2 + 10\*d^8\*e\*x - 10\*d^9 - (16\*e^8\*x^8 - 16\*d\*e^7\*x^7 - 56\*d^2\*e^6\*x^6 + 56\*d^3\*e^5\*x^5 + 70\*d^4\*e^4\*x^4 - 70\*d^5\*e^3\*x^3 - 35\*d^6\*e^2\*x^2 - 10\*d^7\*e\*x + 10\*d^8)\*sqrt(-e^2\*x^2 + d^2))/(d^7\*e^12\*x^9 - d^8\*e^11\*x^8 - 4\*d^9\*e^10\*x^7 + 4\*d^10\*e^9\*x^6 + 6\*d^11\*e^8\*x^5 - 6\*d^12\*e^7\*x^4 - 4\*d^13\*e^6\*x^3 + 4\*d^14\*e^5\*x^2 + d^15\*e^4\*x - d^16\*e^3)

**giac** [A] time = 0.30, size = 90, normalized size = 0.61

$$\frac{\left(\left(\left(2\left(4x^2\left(\frac{2x^2e^6}{d^7} - \frac{9e^4}{d^5}\right) + \frac{63e^2}{d^3}\right)x^2 - \frac{105}{d}\right)x - 45e^{(-1)}\right)x^2 + 10d^2e^{(-3)}\right)\sqrt{-x^2e^2 + d^2}}{315(x^2e^2 - d^2)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(11/2),x, algorithm="giac")

[Out] 1/315\*(((2\*(4\*x^2\*(2\*x^2\*e^6/d^7 - 9\*e^4/d^5) + 63\*e^2/d^3)\*x^2 - 105/d)\*x - 45\*e^(-1))\*x^2 + 10\*d^2\*e^(-3))\*sqrt(-x^2\*e^2 + d^2)/(x^2\*e^2 - d^2)^5

**maple** [A] time = 0.01, size = 121, normalized size = 0.82

$$\frac{(-ex + d)(ex + d)^2(16e^8x^8 - 16e^7x^7d - 56e^6x^6d^2 + 56e^5x^5d^3 + 70e^4x^4d^4 - 70x^3d^5e^3 - 35x^2d^6e^2 - 10xd^7e + 10d^8)}{315(-e^2x^2 + d^2)^{\frac{11}{2}}d^7e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(11/2),x)

[Out]  $-1/315*(-e*x+d)*(e*x+d)^2*(16*e^8*x^8-16*d*e^7*x^7-56*d^2*e^6*x^6+56*d^3*e^5*x^5+70*d^4*e^4*x^4-70*d^5*e^3*x^3-35*d^6*e^2*x^2-10*d^7*e*x+10*d^8)/d^7/e^3/(-e^2*x^2+d^2)^(11/2)$

**maxima [A]** time = 0.45, size = 158, normalized size = 1.07

$$\frac{x^2}{7(-e^2x^2+d^2)^{\frac{9}{2}}e} + \frac{dx}{9(-e^2x^2+d^2)^{\frac{9}{2}}e^2} - \frac{2d^2}{63(-e^2x^2+d^2)^{\frac{9}{2}}e^3} - \frac{x}{63(-e^2x^2+d^2)^{\frac{7}{2}}de^2} - \frac{2x}{105(-e^2x^2+d^2)^{\frac{5}{2}}d^3e^2} - \frac{8x}{315(-e^2x^2+d^2)^{\frac{3}{2}}d^5e^2} - \frac{16x}{315\sqrt{-e^2x^2+d^2}d^7e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)/(-e^2\*x^2+d^2)^(11/2),x, algorithm="maxima")

[Out]  $1/7*x^2/((-e^2*x^2 + d^2)^(9/2)*e) + 1/9*d*x/((-e^2*x^2 + d^2)^(9/2)*e^2) - 2/63*d^2/((-e^2*x^2 + d^2)^(9/2)*e^3) - 1/63*x/((-e^2*x^2 + d^2)^(7/2)*d*e^2) - 2/105*x/((-e^2*x^2 + d^2)^(5/2)*d^3*e^2) - 8/315*x/((-e^2*x^2 + d^2)^(3/2)*d^5*e^2) - 16/315*x/(sqrt(-e^2*x^2 + d^2)*d^7*e^2)$

**mupad [B]** time = 2.74, size = 202, normalized size = 1.36

$$\frac{\sqrt{d^2 - e^2 x^2}}{144 d^3 e^3 (d - e x)^5} - \frac{\sqrt{d^2 - e^2 x^2} \left( \frac{1}{252 e^3} - \frac{17 x}{252 d e^2} \right)}{(d + e x)^4 (d - e x)^4} - \frac{\sqrt{d^2 - e^2 x^2} \left( \frac{5}{144 d^2 e^3} + \frac{131 x}{5040 d^3 e^2} \right)}{(d + e x)^3 (d - e x)^3} - \frac{8 x \sqrt{d^2 - e^2 x^2}}{315 d^5 e^2 (d + e x)^2 (d - e x)^2} - \frac{16 x \sqrt{d^2 - e^2 x^2}}{315 d^7 e^2 (d + e x) (d - e x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(d + e\*x))/(d^2 - e^2\*x^2)^(11/2),x)

[Out]  $(d^2 - e^2*x^2)^(1/2)/(144*d^3*e^3*(d - e*x)^5) - ((d^2 - e^2*x^2)^(1/2)*(1/(252*e^3) - (17*x)/(252*d*e^2)))/((d + e*x)^4*(d - e*x)^4) - ((d^2 - e^2*x^2)^(1/2)*(5/(144*d^2*e^3) + (131*x)/(5040*d^3*e^2)))/((d + e*x)^3*(d - e*x)^3) - (8*x*(d^2 - e^2*x^2)^(1/2))/(315*d^5*e^2*(d + e*x)^2*(d - e*x)^2) - (16*x*(d^2 - e^2*x^2)^(1/2))/(315*d^7*e^2*(d + e*x)*(d - e*x))$

**sympy [C]** time = 48.46, size = 1401, normalized size = 9.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(11/2),x)

[Out]  $d*\text{Piecewise}((-105*I*d**6*x**3/(315*d**17*\text{sqrt}(-1 + e**2*x**2/d**2)) - 1260*d**15*e**2*x**2*\text{sqrt}(-1 + e**2*x**2/d**2) + 1890*d**13*e**4*x**4*\text{sqrt}(-1 + e**2*x**2/d**2) - 1260*d**11*e**6*x**6*\text{sqrt}(-1 + e**2*x**2/d**2) + 315*d**9*e**8*x**8*\text{sqrt}(-1 + e**2*x**2/d**2)) + 126*I*d**4*e**2*x**5/(315*d**17*\text{sqrt}(-1 + e**2*x**2/d**2)) - 1260*d**15*e**2*x**2*\text{sqrt}(-1 + e**2*x**2/d**2) + 1890*d**13*e**4*x**4*\text{sqrt}(-1 + e**2*x**2/d**2) - 1260*d**11*e**6*x**6*\text{sqrt}(-1 + e**2*x**2/d**2) + 315*d**9*e**8*x**8*\text{sqrt}(-1 + e**2*x**2/d**2)) - 72*I*d**2*e**4*x**7/(315*d**17*\text{sqrt}(-1 + e**2*x**2/d**2)) - 1260*d**15*e**2*x**2*s$

```

qrt(-1 + e**2*x**2/d**2) + 1890*d**13*e**4*x**4*sqrt(-1 + e**2*x**2/d**2) -
1260*d**11*e**6*x**6*sqrt(-1 + e**2*x**2/d**2) + 315*d**9*e**8*x**8*sqrt(-
1 + e**2*x**2/d**2)) + 16*I*e**6*x**9/(315*d**17*sqrt(-1 + e**2*x**2/d**2)
- 1260*d**15*e**2*x**2*sqrt(-1 + e**2*x**2/d**2) + 1890*d**13*e**4*x**4*sqrt
(-1 + e**2*x**2/d**2) - 1260*d**11*e**6*x**6*sqrt(-1 + e**2*x**2/d**2) + 3
15*d**9*e**8*x**8*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (10
5*d**6*x**3/(315*d**17*sqrt(1 - e**2*x**2/d**2) - 1260*d**15*e**2*x**2*sqrt
(1 - e**2*x**2/d**2) + 1890*d**13*e**4*x**4*sqrt(1 - e**2*x**2/d**2) - 1260
*d**11*e**6*x**6*sqrt(1 - e**2*x**2/d**2) + 315*d**9*e**8*x**8*sqrt(1 - e**
2*x**2/d**2)) - 126*d**4*e**2*x**5/(315*d**17*sqrt(1 - e**2*x**2/d**2) - 12
60*d**15*e**2*x**2*sqrt(1 - e**2*x**2/d**2) + 1890*d**13*e**4*x**4*sqrt(1 -
e**2*x**2/d**2) - 1260*d**11*e**6*x**6*sqrt(1 - e**2*x**2/d**2) + 315*d**9
*e**8*x**8*sqrt(1 - e**2*x**2/d**2)) + 72*d**2*e**4*x**7/(315*d**17*sqrt(1
- e**2*x**2/d**2) - 1260*d**15*e**2*x**2*sqrt(1 - e**2*x**2/d**2) + 1890*d
**13*e**4*x**4*sqrt(1 - e**2*x**2/d**2) - 1260*d**11*e**6*x**6*sqrt(1 - e**2
*x**2/d**2) + 315*d**9*e**8*x**8*sqrt(1 - e**2*x**2/d**2)) - 16*e**6*x**9/(
315*d**17*sqrt(1 - e**2*x**2/d**2) - 1260*d**15*e**2*x**2*sqrt(1 - e**2*x**
2/d**2) + 1890*d**13*e**4*x**4*sqrt(1 - e**2*x**2/d**2) - 1260*d**11*e**6*x
**6*sqrt(1 - e**2*x**2/d**2) + 315*d**9*e**8*x**8*sqrt(1 - e**2*x**2/d**2))
, True)) + e*Piecewise((-2*d**2/(63*d**8*e**4*sqrt(d**2 - e**2*x**2) - 252*
d**6*e**6*x**2*sqrt(d**2 - e**2*x**2) + 378*d**4*e**8*x**4*sqrt(d**2 - e**2
*x**2) - 252*d**2*e**10*x**6*sqrt(d**2 - e**2*x**2) + 63*e**12*x**8*sqrt(d
**2 - e**2*x**2)) + 9*e**2*x**2/(63*d**8*e**4*sqrt(d**2 - e**2*x**2) - 252*d
**6*e**6*x**2*sqrt(d**2 - e**2*x**2) + 378*d**4*e**8*x**4*sqrt(d**2 - e**2*
x**2) - 252*d**2*e**10*x**6*sqrt(d**2 - e**2*x**2) + 63*e**12*x**8*sqrt(d**
2 - e**2*x**2)), Ne(e, 0)), (x**4/(4*(d**2)**(11/2)), True))

```

$$3.32 \quad \int \frac{x^2(1-ax)}{(1-a^2x^2)^{3/2}} dx$$

Optimal. Leaf size=54

$$-\frac{\sin^{-1}(ax)}{a^3} - \frac{1-ax}{a^3\sqrt{1-a^2x^2}} - \frac{\sqrt{1-a^2x^2}}{a^3}$$

**Rubi [A]** time = 0.03, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {797, 641, 216, 637}

$$-\frac{1-ax}{a^3\sqrt{1-a^2x^2}} - \frac{\sqrt{1-a^2x^2}}{a^3} - \frac{\sin^{-1}(ax)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(1 - a\*x))/(1 - a^2\*x^2)^(3/2),x]

[Out] -((1 - a\*x)/(a^3\*Sqrt[1 - a^2\*x^2])) - Sqrt[1 - a^2\*x^2]/a^3 - ArcSin[a\*x]/a^3

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 637

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(-(a\*e) + c\*d\*x)/(a\*c\*Sqrt[a + c\*x^2]), x] /; FreeQ[{a, c, d, e}, x]

#### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

#### Rule 797

Int[(x\_)^2\*((f\_) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[1/c, Int[(f + g\*x)\*(a + c\*x^2)^(p + 1), x], x] - Dist[a/c, Int[(f + g\*x)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, f, g, p}, x] && EqQ[a\*g^2 + f^2\*c, 0]

Rubi steps

$$\begin{aligned} \int \frac{x^2(1-ax)}{(1-a^2x^2)^{3/2}} dx &= \frac{\int \frac{1-ax}{(1-a^2x^2)^{3/2}} dx}{a^2} - \frac{\int \frac{1-ax}{\sqrt{1-a^2x^2}} dx}{a^2} \\ &= -\frac{1-ax}{a^3\sqrt{1-a^2x^2}} - \frac{\sqrt{1-a^2x^2}}{a^3} - \frac{\int \frac{1}{\sqrt{1-a^2x^2}} dx}{a^2} \\ &= -\frac{1-ax}{a^3\sqrt{1-a^2x^2}} - \frac{\sqrt{1-a^2x^2}}{a^3} - \frac{\sin^{-1}(ax)}{a^3} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 50, normalized size = 0.93

$$\frac{a^2x^2 - \sqrt{1-a^2x^2} \sin^{-1}(ax) + ax - 2}{a^3\sqrt{1-a^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(1 - a\*x))/(1 - a^2\*x^2)^(3/2), x]

[Out] (-2 + a\*x + a^2\*x^2 - Sqrt[1 - a^2\*x^2]\*ArcSin[a\*x])/(a^3\*Sqrt[1 - a^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.41, size = 74, normalized size = 1.37

$$\frac{(-ax - 2)\sqrt{1-a^2x^2}}{a^3(ax+1)} - \frac{\sqrt{-a^2} \log\left(\sqrt{1-a^2x^2} - \sqrt{-a^2}x\right)}{a^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(1 - a\*x))/(1 - a^2\*x^2)^(3/2), x]

[Out] ((-2 - a\*x)\*Sqrt[1 - a^2\*x^2])/(a^3\*(1 + a\*x)) - (Sqrt[-a^2]\*Log[-(Sqrt[-a^2]\*x) + Sqrt[1 - a^2\*x^2]])/a^4

**fricas [A]** time = 0.40, size = 66, normalized size = 1.22

$$\frac{2ax - 2(ax+1) \arctan\left(\frac{\sqrt{-a^2x^2+1}-1}{ax}\right) + \sqrt{-a^2x^2+1}(ax+2) + 2}{a^4x + a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-a\*x+1)/(-a^2\*x^2+1)^(3/2),x, algorithm="fricas")

[Out]  $-(2*a*x - 2*(a*x + 1)*\arctan((\sqrt{-a^2*x^2 + 1} - 1)/(a*x)) + \sqrt{-a^2*x^2 + 1}*(a*x + 2) + 2)/(a^4*x + a^3)$

**giac** [A] time = 0.21, size = 70, normalized size = 1.30

$$-\frac{\arcsin(ax) \operatorname{sgn}(a)}{a^2|a|} - \frac{\sqrt{-a^2x^2 + 1}}{a^3} + \frac{2}{a^2 \left( \frac{\sqrt{-a^2x^2 + 1}|a| + a}{a^2x} + 1 \right) |a|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-a\*x+1)/(-a^2\*x^2+1)^(3/2),x, algorithm="giac")

[Out]  $-\arcsin(a*x)*\operatorname{sgn}(a)/(a^2*\operatorname{abs}(a)) - \sqrt{-a^2*x^2 + 1}/a^3 + 2/(a^2*((\sqrt{-a^2*x^2 + 1})*\operatorname{abs}(a) + a)/(a^2*x) + 1)*\operatorname{abs}(a))$

**maple** [A] time = 0.02, size = 85, normalized size = 1.57

$$\frac{x^2}{\sqrt{-a^2x^2 + 1} a} + \frac{x}{\sqrt{-a^2x^2 + 1} a^2} - \frac{\arctan\left(\frac{\sqrt{a^2} x}{\sqrt{-a^2x^2 + 1}}\right)}{\sqrt{a^2} a^2} - \frac{2}{\sqrt{-a^2x^2 + 1} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-a\*x+1)/(-a^2\*x^2+1)^(3/2),x)

[Out]  $x^2/a/(-a^2*x^2+1)^(1/2) - 2/a^3/(-a^2*x^2+1)^(1/2) + x/a^2/(-a^2*x^2+1)^(1/2) - 1/a^2/(a^2)^(1/2)*\arctan((a^2)^(1/2)*x/(-a^2*x^2+1)^(1/2))$

**maxima** [A] time = 0.96, size = 63, normalized size = 1.17

$$\frac{x^2}{\sqrt{-a^2x^2 + 1} a} + \frac{x}{\sqrt{-a^2x^2 + 1} a^2} - \frac{\arcsin(ax)}{a^3} - \frac{2}{\sqrt{-a^2x^2 + 1} a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-a\*x+1)/(-a^2\*x^2+1)^(3/2),x, algorithm="maxima")

[Out]  $x^2/(\sqrt{-a^2*x^2 + 1}*a) + x/(\sqrt{-a^2*x^2 + 1}*a^2) - \arcsin(a*x)/a^3 - 2/(\sqrt{-a^2*x^2 + 1}*a^3)$

**mupad** [B] time = 0.09, size = 84, normalized size = 1.56

$$\frac{\sqrt{1 - a^2 x^2}}{(a \sqrt{-a^2} + a^2 x \sqrt{-a^2}) \sqrt{-a^2}} - \frac{\operatorname{asinh}\left(x \sqrt{-a^2}\right)}{a^2 \sqrt{-a^2}} - \frac{\sqrt{1 - a^2 x^2}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2*(a*x - 1))/(1 - a^2*x^2)^(3/2), x)`

[Out]  $(1 - a^2x^2)^{1/2} / ((a(-a^2)^{1/2} + a^2x(-a^2)^{1/2}) * (-a^2)^{1/2}) - \operatorname{asinh}(x(-a^2)^{1/2}) / (a^2(-a^2)^{1/2}) - (1 - a^2x^2)^{1/2} / a^3$

**sympy** [A] time = 8.33, size = 102, normalized size = 1.89

$$-a \left( \begin{cases} -\frac{x^2}{a^2\sqrt{-a^2x^2+1}} + \frac{2}{a^4\sqrt{-a^2x^2+1}} & \text{for } a \neq 0 \\ \frac{x^4}{4} & \text{otherwise} \end{cases} \right) + \begin{cases} -\frac{ix}{a^2\sqrt{a^2x^2-1}} + \frac{i \operatorname{acosh}(ax)}{a^3} & \text{for } |a^2x^2| > 1 \\ \frac{x}{a^2\sqrt{-a^2x^2+1}} - \frac{\operatorname{asin}(ax)}{a^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(-a*x+1)/(-a**2*x**2+1)**(3/2), x)`

[Out] `-a*Piecewise((-x**2/(a**2*sqrt(-a**2*x**2 + 1)) + 2/(a**4*sqrt(-a**2*x**2 + 1)), Ne(a, 0)), (x**4/4, True)) + Piecewise((-I*x/(a**2*sqrt(a**2*x**2 - 1)) + I*acosh(a*x)/a**3, Abs(a**2*x**2) > 1), (x/(a**2*sqrt(-a**2*x**2 + 1)) - asin(a*x)/a**3, True))`

$$3.33 \quad \int \frac{x^4(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$$

**Optimal.** Leaf size=173

$$-\frac{1}{6}x^5\sqrt{d^2-e^2x^2} - \frac{2dx^4\sqrt{d^2-e^2x^2}}{5e} - \frac{11d^2x^3\sqrt{d^2-e^2x^2}}{24e^2} + \frac{11d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{16e^5} - \frac{d^4(256d+165ex)\sqrt{d^2-e^2x^2}}{240e^5} - 8$$

**Rubi [A]** time = 0.23, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1809, 833, 780, 217, 203}

$$-\frac{d^4(256d+165ex)\sqrt{d^2-e^2x^2}}{240e^5} - \frac{8d^3x^2\sqrt{d^2-e^2x^2}}{15e^3} - \frac{11d^2x^3\sqrt{d^2-e^2x^2}}{24e^2} - \frac{2dx^4\sqrt{d^2-e^2x^2}}{5e} - \frac{1}{6}x^5\sqrt{d^2-e^2x^2} + \frac{11d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{16e^5}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]

[Out] (-8\*d^3\*x^2\*Sqrt[d^2 - e^2\*x^2])/(15\*e^3) - (11\*d^2\*x^3\*Sqrt[d^2 - e^2\*x^2])/(24\*e^2) - (2\*d\*x^4\*Sqrt[d^2 - e^2\*x^2])/(5\*e) - (x^5\*Sqrt[d^2 - e^2\*x^2])/6 - (d^4\*(256\*d + 165\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(240\*e^5) + (11\*d^6\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(16\*e^5)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

### Rule 833



```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])

```

### Rule 1809

```

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx &= -\frac{1}{6}x^5\sqrt{d^2-e^2x^2} - \frac{\int \frac{x^4(-11d^2e^2-12de^3x)}{\sqrt{d^2-e^2x^2}} dx}{6e^2} \\
&= -\frac{2dx^4\sqrt{d^2-e^2x^2}}{5e} - \frac{1}{6}x^5\sqrt{d^2-e^2x^2} + \frac{\int \frac{x^3(48d^3e^3+55d^2e^4x)}{\sqrt{d^2-e^2x^2}} dx}{30e^4} \\
&= -\frac{11d^2x^3\sqrt{d^2-e^2x^2}}{24e^2} - \frac{2dx^4\sqrt{d^2-e^2x^2}}{5e} - \frac{1}{6}x^5\sqrt{d^2-e^2x^2} - \frac{\int \frac{x^2(-165d^4e^4-192d^3e^5x)}{\sqrt{d^2-e^2x^2}} dx}{120e^6} \\
&= -\frac{8d^3x^2\sqrt{d^2-e^2x^2}}{15e^3} - \frac{11d^2x^3\sqrt{d^2-e^2x^2}}{24e^2} - \frac{2dx^4\sqrt{d^2-e^2x^2}}{5e} - \frac{1}{6}x^5\sqrt{d^2-e^2x^2} + \frac{\int \frac{x(384d^5e^5)}{\sqrt{d^2-e^2x^2}} dx}{30e^5} \\
&= -\frac{8d^3x^2\sqrt{d^2-e^2x^2}}{15e^3} - \frac{11d^2x^3\sqrt{d^2-e^2x^2}}{24e^2} - \frac{2dx^4\sqrt{d^2-e^2x^2}}{5e} - \frac{1}{6}x^5\sqrt{d^2-e^2x^2} - \frac{d^4(256d+)}{6} \\
&= -\frac{8d^3x^2\sqrt{d^2-e^2x^2}}{15e^3} - \frac{11d^2x^3\sqrt{d^2-e^2x^2}}{24e^2} - \frac{2dx^4\sqrt{d^2-e^2x^2}}{5e} - \frac{1}{6}x^5\sqrt{d^2-e^2x^2} - \frac{d^4(256d+)}{6} \\
&= -\frac{8d^3x^2\sqrt{d^2-e^2x^2}}{15e^3} - \frac{11d^2x^3\sqrt{d^2-e^2x^2}}{24e^2} - \frac{2dx^4\sqrt{d^2-e^2x^2}}{5e} - \frac{1}{6}x^5\sqrt{d^2-e^2x^2} - \frac{d^4(256d+)}{6}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 103, normalized size = 0.60

$$\frac{165d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) - \sqrt{d^2 - e^2x^2} (256d^5 + 165d^4ex + 128d^3e^2x^2 + 110d^2e^3x^3 + 96de^4x^4 + 40e^5x^5)}{240e^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]

[Out]  $(-\text{Sqrt}[d^2 - e^2*x^2]*(256*d^5 + 165*d^4*e*x + 128*d^3*e^2*x^2 + 110*d^2*e^3*x^3 + 96*d*e^4*x^4 + 40*e^5*x^5)) + 165*d^6*\text{ArcTan}[(e*x)/\text{Sqrt}[d^2 - e^2*x^2]]/(240*e^5)$

**IntegrateAlgebraic [A]** time = 0.42, size = 125, normalized size = 0.72

$$\frac{11d^6\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{16e^6} + \frac{\sqrt{d^2 - e^2x^2} (-256d^5 - 165d^4ex - 128d^3e^2x^2 - 110d^2e^3x^3 - 96de^4x^4 - 40e^5x^5)}{240e^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-256*d^5 - 165*d^4*e*x - 128*d^3*e^2*x^2 - 110*d^2*e^3*x^3 - 96*d*e^4*x^4 - 40*e^5*x^5))/(240*e^5) + (11*d^6*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]])/(16*e^6)$

**fricas [A]** time = 0.41, size = 105, normalized size = 0.61

$$\frac{330d^6 \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (40e^5x^5 + 96de^4x^4 + 110d^2e^3x^3 + 128d^3e^2x^2 + 165d^4ex + 256d^5)\sqrt{-e^2x^2 + d^2}}{240e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(1/2), x, algorithm="fricas")

[Out]  $-1/240*(330*d^6*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) + (40*e^5*x^5 + 96*d*e^4*x^4 + 110*d^2*e^3*x^3 + 128*d^3*e^2*x^2 + 165*d^4*e*x + 256*d^5)*\text{sqrt}(-e^2*x^2 + d^2))/e^5$

**giac [A]** time = 0.27, size = 84, normalized size = 0.49

$$\frac{11}{16}d^6 \arcsin\left(\frac{xe}{d}\right) e^{(-5)\text{sgn}(d)} - \frac{1}{240} (256d^5e^{(-5)} + (165d^4e^{(-4)} + 2(64d^3e^{(-3)} + (55d^2e^{(-2)} + 4(12de^{(-1)} + 5x)x)x)x)\sqrt{-x^2e^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(1/2), x, algorithm="giac")

[Out]  $11/16*d^6*\arcsin(x*e/d)*e^{-5}*sgn(d) - 1/240*(256*d^5*e^{-5} + (165*d^4*e^{-4} + 2*(64*d^3*e^{-3} + (55*d^2*e^{-2} + 4*(12*d*e^{-1} + 5*x)*x)*x)*x)*x)*\sqrt{-x^2*e^2 + d^2}$

**maple** [A] time = 0.03, size = 174, normalized size = 1.01

$$-\frac{\sqrt{-e^2x^2+d^2}x^5}{6} - \frac{2\sqrt{-e^2x^2+d^2}dx^4}{5e} + \frac{11d^6\arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2+d^2}}\right)}{16\sqrt{e^2}e^4} - \frac{11\sqrt{-e^2x^2+d^2}d^3x^3}{24e^2} - \frac{8\sqrt{-e^2x^2+d^2}d^3x^2}{15e^3} - \frac{11\sqrt{-e^2x^2+d^2}d^4x}{16e^4} - \frac{16\sqrt{-e^2x^2+d^2}d^5}{15e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^4*(e*x+d)^2/(-e^2*x^2+d^2)^{(1/2)}, x)$

[Out]  $-1/6*x^5*(-e^2*x^2+d^2)^{(1/2)} - 11/24*d^2*x^3*(-e^2*x^2+d^2)^{(1/2)}/e^2 - 11/16*d^4*x*(-e^2*x^2+d^2)^{(1/2)}/e^4 + 11/16/e^4*d^6/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x) - 2/5*d*x^4*(-e^2*x^2+d^2)^{(1/2)}/e - 8/15*d^3*x^2*(-e^2*x^2+d^2)^{(1/2)}/e^3 - 16/15*d^5*(-e^2*x^2+d^2)^{(1/2)}/e^5$

**maxima** [A] time = 0.98, size = 153, normalized size = 0.88

$$-\frac{1}{6}\sqrt{-e^2x^2+d^2}x^5 - \frac{2\sqrt{-e^2x^2+d^2}dx^4}{5e} - \frac{11\sqrt{-e^2x^2+d^2}d^2x^3}{24e^2} - \frac{8\sqrt{-e^2x^2+d^2}d^3x^2}{15e^3} + \frac{11d^6\arcsin\left(\frac{ex}{d}\right)}{16e^5} - \frac{11\sqrt{-e^2x^2+d^2}d^4x}{16e^4} - \frac{16\sqrt{-e^2x^2+d^2}d^5}{15e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^4*(e*x+d)^2/(-e^2*x^2+d^2)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out]  $-1/6*\sqrt{-e^2*x^2 + d^2}*x^5 - 2/5*\sqrt{-e^2*x^2 + d^2}*d*x^4/e - 11/24*\sqrt{-e^2*x^2 + d^2}*d^2*x^3/e^2 - 8/15*\sqrt{-e^2*x^2 + d^2}*d^3*x^2/e^3 + 11/16*d^6*\arcsin(e*x/d)/e^5 - 11/16*\sqrt{-e^2*x^2 + d^2}*d^4*x/e^4 - 16/15*\sqrt{-e^2*x^2 + d^2}*d^5/e^5$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4 (d + ex)^2}{\sqrt{d^2 - e^2 x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((x^4*(d + e*x)^2)/(d^2 - e^2*x^2)^{(1/2)}, x)$

[Out]  $\text{int}((x^4*(d + e*x)^2)/(d^2 - e^2*x^2)^{(1/2)}, x)$

**sympy** [C] time = 13.48, size = 558, normalized size = 3.23

$$d^2 \left( \begin{cases} \left( -\frac{3id^4 \operatorname{acosh}\left(\frac{x}{d}\right)}{8e^5} + \frac{3ie^3x}{8e^4\sqrt{-1+\frac{e^2x^2}{d^2}}} - \frac{id^3}{8e^2\sqrt{-1+\frac{e^2x^2}{d^2}}} - \frac{ix^5}{4d\sqrt{-1+\frac{e^2x^2}{d^2}}} \right) & \text{for } \left|\frac{e^2x^2}{d^2}\right| > 1 \\ \left( \frac{3d^4 \operatorname{asin}\left(\frac{x}{d}\right)}{8e^5} - \frac{3ie^3x}{8e^4\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{d^3}{8e^2\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{x^5}{4d\sqrt{1-\frac{e^2x^2}{d^2}}} \right) & \text{otherwise} \end{cases} \right) + 2id \left( \begin{cases} \left( -\frac{8d^4\sqrt{d^2-e^2x^2}}{15e^6} - \frac{4d^2\sqrt{d^2-e^2x^2}}{15e^4} - \frac{x^4\sqrt{d^2-e^2x^2}}{5e^2} \right) & \text{for } e \neq 0 \\ \frac{x^6}{6\sqrt{d^2}} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} \left( -\frac{5id^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{16e^7} + \frac{5id^5x}{16e^6\sqrt{-1+\frac{e^2x^2}{d^2}}} - \frac{5id^3x^3}{48e^4\sqrt{-1+\frac{e^2x^2}{d^2}}} - \frac{id^5}{24e^2\sqrt{-1+\frac{e^2x^2}{d^2}}} - \frac{ix^7}{6d\sqrt{-1+\frac{e^2x^2}{d^2}}} \right) & \text{for } \left|\frac{e^2x^2}{d^2}\right| > 1 \\ \left( \frac{5id^6 \operatorname{asin}\left(\frac{x}{d}\right)}{16e^7} - \frac{5id^5x}{16e^6\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{5id^3x^3}{48e^4\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{d^5}{24e^2\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{x^7}{6d\sqrt{1-\frac{e^2x^2}{d^2}}} \right) & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(e*x+d)**2/(-e**2*x**2+d**2)**(1/2),x)
```

```
[Out] d**2*Piecewise((-3*I*d**4*acosh(e*x/d)/(8*e**5) + 3*I*d**3*x/(8*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d*x**3/(8*e**2*sqrt(-1 + e**2*x**2/d**2)) - I*x**5/(4*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (3*d**4*asin(e*x/d)/(8*e**5) - 3*d**3*x/(8*e**4*sqrt(1 - e**2*x**2/d**2)) + d*x**3/(8*e**2*sqrt(1 - e**2*x**2/d**2)) + x**5/(4*d*sqrt(1 - e**2*x**2/d**2)), True)) + 2*d*e*Piecewise((-8*d**4*sqrt(d**2 - e**2*x**2)/(15*e**6) - 4*d**2*x**2*sqrt(d**2 - e**2*x**2)/(15*e**4) - x**4*sqrt(d**2 - e**2*x**2)/(5*e**2), Ne(e, 0)), (x**6/(6*sqrt(d**2)), True)) + e**2*Piecewise((-5*I*d**6*acosh(e*x/d)/(16*e**7) + 5*I*d**5*x/(16*e**6*sqrt(-1 + e**2*x**2/d**2)) - 5*I*d**3*x**3/(48*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d*x**5/(24*e**2*sqrt(-1 + e**2*x**2/d**2)) - I*x**7/(6*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (5*d**6*asin(e*x/d)/(16*e**7) - 5*d**5*x/(16*e**6*sqrt(1 - e**2*x**2/d**2)) + 5*d**3*x**3/(48*e**4*sqrt(1 - e**2*x**2/d**2)) + d*x**5/(24*e**2*sqrt(1 - e**2*x**2/d**2)) + x**7/(6*d*sqrt(1 - e**2*x**2/d**2)), True))
```

$$3.34 \quad \int \frac{x^3(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$$

**Optimal.** Leaf size=144

$$\frac{3d^2x^2\sqrt{d^2-e^2x^2}}{5e^2} - \frac{1}{5}x^4\sqrt{d^2-e^2x^2} - \frac{dx^3\sqrt{d^2-e^2x^2}}{2e} + \frac{3d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{4e^4} - \frac{3d^3(8d+5ex)\sqrt{d^2-e^2x^2}}{20e^4}$$

**Rubi [A]** time = 0.19, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1809, 833, 780, 217, 203}

$$-\frac{3d^3(8d+5ex)\sqrt{d^2-e^2x^2}}{20e^4} - \frac{3d^2x^2\sqrt{d^2-e^2x^2}}{5e^2} - \frac{dx^3\sqrt{d^2-e^2x^2}}{2e} - \frac{1}{5}x^4\sqrt{d^2-e^2x^2} + \frac{3d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{4e^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]

[Out] (-3\*d^2\*x^2\*Sqrt[d^2 - e^2\*x^2])/(5\*e^2) - (d\*x^3\*Sqrt[d^2 - e^2\*x^2])/(2\*e) - (x^4\*Sqrt[d^2 - e^2\*x^2])/5 - (3\*d^3\*(8\*d + 5\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(20\*e^4) + (3\*d^5\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(4\*e^4)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

### Rule 833

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2))

```
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 1809

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && ( !IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx &= -\frac{1}{5}x^4\sqrt{d^2-e^2x^2} - \frac{\int \frac{x^3(-9d^2e^2-10de^3x)}{\sqrt{d^2-e^2x^2}} dx}{5e^2} \\
&= -\frac{dx^3\sqrt{d^2-e^2x^2}}{2e} - \frac{1}{5}x^4\sqrt{d^2-e^2x^2} + \frac{\int \frac{x^2(30d^3e^3+36d^2e^4x)}{\sqrt{d^2-e^2x^2}} dx}{20e^4} \\
&= -\frac{3d^2x^2\sqrt{d^2-e^2x^2}}{5e^2} - \frac{dx^3\sqrt{d^2-e^2x^2}}{2e} - \frac{1}{5}x^4\sqrt{d^2-e^2x^2} - \frac{\int \frac{x(-72d^4e^4-90d^3e^5x)}{\sqrt{d^2-e^2x^2}} dx}{60e^6} \\
&= -\frac{3d^2x^2\sqrt{d^2-e^2x^2}}{5e^2} - \frac{dx^3\sqrt{d^2-e^2x^2}}{2e} - \frac{1}{5}x^4\sqrt{d^2-e^2x^2} - \frac{3d^3(8d+5ex)\sqrt{d^2-e^2x^2}}{20e^4} + \frac{(3d^5)}{20e^4} \\
&= -\frac{3d^2x^2\sqrt{d^2-e^2x^2}}{5e^2} - \frac{dx^3\sqrt{d^2-e^2x^2}}{2e} - \frac{1}{5}x^4\sqrt{d^2-e^2x^2} - \frac{3d^3(8d+5ex)\sqrt{d^2-e^2x^2}}{20e^4} + \frac{(3d^5)}{20e^4} \\
&= -\frac{3d^2x^2\sqrt{d^2-e^2x^2}}{5e^2} - \frac{dx^3\sqrt{d^2-e^2x^2}}{2e} - \frac{1}{5}x^4\sqrt{d^2-e^2x^2} - \frac{3d^3(8d+5ex)\sqrt{d^2-e^2x^2}}{20e^4} + \frac{3d^5}{20e^4}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 92, normalized size = 0.64

$$\frac{15d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - \sqrt{d^2-e^2x^2} (24d^4 + 15d^3ex + 12d^2e^2x^2 + 10de^3x^3 + 4e^4x^4)}{20e^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]

[Out]  $(-(\text{Sqrt}[d^2 - e^2*x^2]*(24*d^4 + 15*d^3*e*x + 12*d^2*e^2*x^2 + 10*d*e^3*x^3 + 4*e^4*x^4)) + 15*d^5*\text{ArcTan}[(e*x)/\text{Sqrt}[d^2 - e^2*x^2]])/(20*e^4)$

**IntegrateAlgebraic [A]** time = 0.42, size = 114, normalized size = 0.79

$$\frac{3d^5\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{4e^5} + \frac{\sqrt{d^2 - e^2x^2}(-24d^4 - 15d^3ex - 12d^2e^2x^2 - 10de^3x^3 - 4e^4x^4)}{20e^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-24*d^4 - 15*d^3*e*x - 12*d^2*e^2*x^2 - 10*d*e^3*x^3 - 4*e^4*x^4))/(20*e^4) + (3*d^5*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]])/(4*e^5)$

**fricas [A]** time = 0.41, size = 94, normalized size = 0.65

$$\frac{30d^5 \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (4e^4x^4 + 10de^3x^3 + 12d^2e^2x^2 + 15d^3ex + 24d^4)\sqrt{-e^2x^2 + d^2}}{20e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(1/2), x, algorithm="fricas")

[Out]  $-1/20*(30*d^5*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) + (4*e^4*x^4 + 10*d*e^3*x^3 + 12*d^2*e^2*x^2 + 15*d^3*e*x + 24*d^4)*\text{sqrt}(-e^2*x^2 + d^2))/e^4$

**giac [A]** time = 0.26, size = 73, normalized size = 0.51

$$\frac{3}{4}d^5 \arcsin\left(\frac{xe}{d}\right)e^{(-4)}\text{sgn}(d) - \frac{1}{20}(24d^4e^{(-4)} + (15d^3e^{(-3)} + 2(6d^2e^{(-2)} + (5de^{(-1)} + 2x)x)x)\sqrt{-x^2e^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(1/2), x, algorithm="giac")

[Out]  $3/4*d^5*\arcsin(x*e/d)*e^{(-4)}*\text{sgn}(d) - 1/20*(24*d^4*e^{(-4)} + (15*d^3*e^{(-3)} + 2*(6*d^2*e^{(-2)} + (5*d*e^{(-1)} + 2*x)*x)*x)*\text{sqrt}(-x^2*e^2 + d^2)$

**maple [A]** time = 0.01, size = 149, normalized size = 1.03

$$\frac{\sqrt{-e^2x^2 + d^2}x^4}{5} + \frac{3d^5 \arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2 + d^2}}\right)}{4\sqrt{e^2}e^3} - \frac{\sqrt{-e^2x^2 + d^2}dx^3}{2e} - \frac{3\sqrt{-e^2x^2 + d^2}d^2x^2}{5e^2} - \frac{3\sqrt{-e^2x^2 + d^2}d^3x}{4e^3} - \frac{6\sqrt{-e^2x^2 + d^2}d^4}{5e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(e*x+d)^2/(-e^2*x^2+d^2)^(1/2),x)`

[Out] 
$$-1/5*x^4*(-e^2*x^2+d^2)^(1/2)-3/5*d^2*x^2*(-e^2*x^2+d^2)^(1/2)/e^2-6/5*d^4*(-e^2*x^2+d^2)^(1/2)/e^4-1/2*d*x^3*(-e^2*x^2+d^2)^(1/2)/e-3/4*d^3*x*(-e^2*x^2+d^2)^(1/2)/e^3+3/4*d^5/e^3/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2))*x$$

**maxima** [A] time = 0.97, size = 128, normalized size = 0.89

$$-\frac{1}{5}\sqrt{-e^2x^2+d^2}x^4 - \frac{\sqrt{-e^2x^2+d^2}dx^3}{2e} - \frac{3\sqrt{-e^2x^2+d^2}d^2x^2}{5e^2} + \frac{3d^5\arcsin\left(\frac{ex}{d}\right)}{4e^4} - \frac{3\sqrt{-e^2x^2+d^2}d^3x}{4e^3} - \frac{6\sqrt{-e^2x^2+d^2}d^4}{5e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x+d)^2/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out] 
$$-1/5*\sqrt{-e^2*x^2 + d^2}*x^4 - 1/2*\sqrt{-e^2*x^2 + d^2}*d*x^3/e - 3/5*\sqrt{-e^2*x^2 + d^2}*d^2*x^2/e^2 + 3/4*d^5*\arcsin(e*x/d)/e^4 - 3/4*\sqrt{-e^2*x^2 + d^2}*d^3*x/e^3 - 6/5*\sqrt{-e^2*x^2 + d^2}*d^4/e^4$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 (d + e x)^2}{\sqrt{d^2 - e^2 x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(d + e*x)^2)/(d^2 - e^2*x^2)^(1/2),x)`

[Out] `int((x^3*(d + e*x)^2)/(d^2 - e^2*x^2)^(1/2), x)`

**sympy** [A] time = 7.87, size = 357, normalized size = 2.48

$$d^2 \left( \begin{cases} \frac{2d^2\sqrt{d^2-e^2x^2}}{3e^4} - \frac{x^2\sqrt{d^2-e^2x^2}}{3e^2} & \text{for } e \neq 0 \\ \frac{x^4}{4\sqrt{d^2}} & \text{otherwise} \end{cases} \right) + 2de \left( \begin{cases} \frac{-3id^4\operatorname{acosh}\left(\frac{ex}{d}\right)}{8e^5} + \frac{3id^3x}{8e^4\sqrt{-1+\frac{2x^2}{d^2}}} - \frac{id^3x^3}{8e^2\sqrt{-1+\frac{2x^2}{d^2}}} - \frac{ix^5}{4d\sqrt{-1+\frac{2x^2}{d^2}}} & \text{for } \left|\frac{e^2x^2}{d^2}\right| > 1 \\ \frac{3d^4\operatorname{asin}\left(\frac{ex}{d}\right)}{8e^5} - \frac{3d^3x}{8e^4\sqrt{1-\frac{2x^2}{d^2}}} + \frac{dx^3}{8e^2\sqrt{1-\frac{2x^2}{d^2}}} + \frac{x^5}{4d\sqrt{1-\frac{2x^2}{d^2}}} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} \frac{-8d^4\sqrt{d^2-e^2x^2}}{15e^6} - \frac{4d^2x^2\sqrt{d^2-e^2x^2}}{15e^4} - \frac{x^4\sqrt{d^2-e^2x^2}}{5e^2} & \text{for } e \neq 0 \\ \frac{x^6}{6\sqrt{d^2}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x+d)**2/(-e**2*x**2+d**2)**(1/2),x)`

[Out] 
$$d^{**2}*\operatorname{Piecewise}\left(\left(-2*d^{**2}*\sqrt{d^{**2} - e^{**2}*x^{**2}}\right)/\left(3*e^{**4}\right) - x^{**2}*\sqrt{d^{**2} - e^{**2}*x^{**2}}\right)/\left(3*e^{**2}\right), \operatorname{Ne}\left(e, 0\right)\right), \left(x^{**4}/\left(4*\sqrt{d^{**2}}\right)\right), \operatorname{True}\right) + 2*d*e*\operatorname{Piecewise}\left(\left(-3*I*d^{**4}*\operatorname{acosh}\left(e*x/d\right)\right)/\left(8*e^{**5}\right) + 3*I*d^{**3}*x/\left(8*e^{**4}*\sqrt{-1 + e^{**2}*x^{**2}/d^{**2}}\right) - I*d*x^{**3}/\left(8*e^{**2}*\sqrt{-1 + e^{**2}*x^{**2}/d^{**2}}\right) - I*x^{**5}/\left(4*d*\sqrt{-1 + e^{**2}*x^{**2}/d^{**2}}\right)\right), \operatorname{True}\right)$$



```

-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (3*d**4*asin(e*x/d)/(8*e**
5) - 3*d**3*x/(8*e**4*sqrt(1 - e**2*x**2/d**2)) + d*x**3/(8*e**2*sqrt(1 - e
**2*x**2/d**2)) + x**5/(4*d*sqrt(1 - e**2*x**2/d**2)), True)) + e**2*Piecew
ise((-8*d**4*sqrt(d**2 - e**2*x**2)/(15*e**6) - 4*d**2*x**2*sqrt(d**2 - e**
2*x**2)/(15*e**4) - x**4*sqrt(d**2 - e**2*x**2)/(5*e**2), Ne(e, 0)), (x**6/
(6*sqrt(d**2)), True))

```

$$3.35 \quad \int \frac{x^2(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=115

$$-\frac{2dx^2\sqrt{d^2-e^2x^2}}{3e} - \frac{1}{4}x^3\sqrt{d^2-e^2x^2} - \frac{d^2(32d+21ex)\sqrt{d^2-e^2x^2}}{24e^3} + \frac{7d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{8e^3}$$

**Rubi [A]** time = 0.15, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1809, 833, 780, 217, 203}

$$-\frac{d^2(32d+21ex)\sqrt{d^2-e^2x^2}}{24e^3} - \frac{2dx^2\sqrt{d^2-e^2x^2}}{3e} - \frac{1}{4}x^3\sqrt{d^2-e^2x^2} + \frac{7d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{8e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]

[Out] (-2\*d\*x^2\*Sqrt[d^2 - e^2\*x^2])/(3\*e) - (x^3\*Sqrt[d^2 - e^2\*x^2])/4 - (d^2\*(32\*d + 21\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(24\*e^3) + (7\*d^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(8\*e^3)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

### Rule 833

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])

```

### Rule 1809

```

Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx &= -\frac{1}{4}x^3\sqrt{d^2-e^2x^2} - \frac{\int \frac{x^2(-7d^2e^2-8de^3x)}{\sqrt{d^2-e^2x^2}} dx}{4e^2} \\
&= -\frac{2dx^2\sqrt{d^2-e^2x^2}}{3e} - \frac{1}{4}x^3\sqrt{d^2-e^2x^2} + \frac{\int \frac{x(16d^3e^3+21d^2e^4x)}{\sqrt{d^2-e^2x^2}} dx}{12e^4} \\
&= -\frac{2dx^2\sqrt{d^2-e^2x^2}}{3e} - \frac{1}{4}x^3\sqrt{d^2-e^2x^2} - \frac{d^2(32d+21ex)\sqrt{d^2-e^2x^2}}{24e^3} + \frac{(7d^4) \int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{8e^2} \\
&= -\frac{2dx^2\sqrt{d^2-e^2x^2}}{3e} - \frac{1}{4}x^3\sqrt{d^2-e^2x^2} - \frac{d^2(32d+21ex)\sqrt{d^2-e^2x^2}}{24e^3} + \frac{(7d^4) \text{Subst}\left(\int \frac{1}{1+e^2x^2}\right)}{8e^2} \\
&= -\frac{2dx^2\sqrt{d^2-e^2x^2}}{3e} - \frac{1}{4}x^3\sqrt{d^2-e^2x^2} - \frac{d^2(32d+21ex)\sqrt{d^2-e^2x^2}}{24e^3} + \frac{7d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{8e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 81, normalized size = 0.70

$$\frac{21d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - \sqrt{d^2-e^2x^2} (32d^3 + 21d^2ex + 16de^2x^2 + 6e^3x^3)}{24e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]

[Out]  $(-\text{Sqrt}[d^2 - e^2*x^2]*(32*d^3 + 21*d^2*e*x + 16*d*e^2*x^2 + 6*e^3*x^3)) + 21*d^4*\text{ArcTan}[(e*x)/\text{Sqrt}[d^2 - e^2*x^2]]/(24*e^3)$

**IntegrateAlgebraic [A]** time = 0.39, size = 103, normalized size = 0.90

$$\frac{7d^4\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{8e^4} + \frac{\sqrt{d^2 - e^2x^2}(-32d^3 - 21d^2ex - 16de^2x^2 - 6e^3x^3)}{24e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-32*d^3 - 21*d^2*e*x - 16*d*e^2*x^2 - 6*e^3*x^3))/(24*e^3) + (7*d^4*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]])/(8*e^4)$

**fricas [A]** time = 0.40, size = 83, normalized size = 0.72

$$\frac{42d^4 \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (6e^3x^3 + 16de^2x^2 + 21d^2ex + 32d^3)\sqrt{-e^2x^2 + d^2}}{24e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(1/2), x, algorithm="fricas")

[Out]  $-1/24*(42*d^4*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) + (6*e^3*x^3 + 16*d*e^2*x^2 + 21*d^2*e*x + 32*d^3)*\text{sqrt}(-e^2*x^2 + d^2))/e^3$

**giac [A]** time = 0.25, size = 63, normalized size = 0.55

$$\frac{7}{8}d^4 \arcsin\left(\frac{xe}{d}\right)e^{(-3)}\text{sgn}(d) - \frac{1}{24}\left(32d^3e^{(-3)} + (21d^2e^{(-2)} + 2(8de^{(-1)} + 3x)x)x\right)\sqrt{-x^2e^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(1/2), x, algorithm="giac")

[Out]  $7/8*d^4*\arcsin(x*e/d)*e^{(-3)}*\text{sgn}(d) - 1/24*(32*d^3*e^{(-3)} + (21*d^2*e^{(-2)} + 2*(8*d*e^{(-1)} + 3*x)*x)*\text{sqrt}(-x^2*e^2 + d^2))$

**maple [A]** time = 0.01, size = 124, normalized size = 1.08

$$\frac{7d^4 \arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2 + d^2}}\right)}{8\sqrt{e^2}e^2} - \frac{\sqrt{-e^2x^2 + d^2}x^3}{4} - \frac{2\sqrt{-e^2x^2 + d^2}dx^2}{3e} - \frac{7\sqrt{-e^2x^2 + d^2}d^2x}{8e^2} - \frac{4\sqrt{-e^2x^2 + d^2}d^3}{3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x+d)^2/(-e^2*x^2+d^2)^(1/2),x)`

[Out]  $-1/4*x^3*(-e^2*x^2+d^2)^(1/2)-7/8/e^2*d^2*x*(-e^2*x^2+d^2)^(1/2)+7/8/e^2*d^4/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-2/3*d*x^2*(-e^2*x^2+d^2)^(1/2)/e-4/3*d^3*(-e^2*x^2+d^2)^(1/2)/e^3$

**maxima** [A] time = 0.97, size = 103, normalized size = 0.90

$$-\frac{1}{4}\sqrt{-e^2x^2+d^2}x^3 - \frac{2\sqrt{-e^2x^2+d^2}dx^2}{3e} + \frac{7d^4\arcsin\left(\frac{ex}{d}\right)}{8e^3} - \frac{7\sqrt{-e^2x^2+d^2}d^2x}{8e^2} - \frac{4\sqrt{-e^2x^2+d^2}d^3}{3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)^2/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out]  $-1/4*\sqrt{-e^2*x^2+d^2}*x^3 - 2/3*\sqrt{-e^2*x^2+d^2}*d*x^2/e + 7/8*d^4*\arcsin(e*x/d)/e^3 - 7/8*\sqrt{-e^2*x^2+d^2}*d^2*x/e^2 - 4/3*\sqrt{-e^2*x^2+d^2}*d^3/e^3$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(d+e*x)^2)/(d^2-e^2*x^2)^(1/2),x)`

[Out] `int((x^2*(d+e*x)^2)/(d^2-e^2*x^2)^(1/2),x)`

**sympy** [C] time = 9.33, size = 386, normalized size = 3.36

$$d^2 \left( \begin{cases} -\frac{id^2 \operatorname{acosh}\left(\frac{ex}{d}\right)}{2e^3} - \frac{idx\sqrt{-1+\frac{e^2x^2}{d^2}}}{2e^2} & \text{for } \left|\frac{e^2x^2}{d^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{ex}{d}\right)}{2e^3} - \frac{dx}{2e^2\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{x^3}{2d\sqrt{1-\frac{e^2x^2}{d^2}}} & \text{otherwise} \end{cases} \right) + 2de \left( \begin{cases} -\frac{2d^2\sqrt{d^2-e^2x^2}}{3e^4} - \frac{x^2\sqrt{d^2-e^2x^2}}{3e^2} & \text{for } e \neq 0 \\ \frac{x^4}{4\sqrt{d^2}} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} -\frac{3id^4 \operatorname{acosh}\left(\frac{ex}{d}\right)}{8e^5} + \frac{3id^3x}{8e^4\sqrt{-1+\frac{e^2x^2}{d^2}}} - \frac{idx^3}{8e^2\sqrt{-1+\frac{e^2x^2}{d^2}}} - \frac{ix^5}{4d\sqrt{-1+\frac{e^2x^2}{d^2}}} & \text{for } \left|\frac{e^2x^2}{d^2}\right| > 1 \\ \frac{3d^4 \operatorname{asin}\left(\frac{ex}{d}\right)}{8e^5} - \frac{3d^3x}{8e^4\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{dx^3}{8e^2\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{x^5}{4d\sqrt{1-\frac{e^2x^2}{d^2}}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x+d)**2/(-e**2*x**2+d**2)**(1/2),x)`

[Out]  $d**2*\text{Piecewise}((-I*d**2*\operatorname{acosh}(e*x/d)/(2*e**3) - I*d*x*\sqrt{-1 + e**2*x**2/d**2})/(2*e**2), \operatorname{Abs}(e**2*x**2/d**2) > 1), (d**2*\operatorname{asin}(e*x/d)/(2*e**3) - d*x/(2*e**2*\sqrt{1 - e**2*x**2/d**2})) + x**3/(2*d*\sqrt{1 - e**2*x**2/d**2}), \operatorname{True})) + 2*d*e*\text{Piecewise}((-2*d**2*\sqrt{d**2 - e**2*x**2})/(3*e**4) - x**2*\sqrt{d**2 - e**2*x**2})/(3*e**2), \operatorname{Ne}(e, 0)), (x**4/(4*\sqrt{d**2}), \operatorname{True})) + e**2*$

```
Piecewise((-3*I*d**4*acosh(e*x/d)/(8*e**5) + 3*I*d**3*x/(8*e**4*sqrt(-1 + e
**2*x**2/d**2)) - I*d*x**3/(8*e**2*sqrt(-1 + e**2*x**2/d**2)) - I*x**5/(4*d
*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (3*d**4*asin(e*x/d)/
(8*e**5) - 3*d**3*x/(8*e**4*sqrt(1 - e**2*x**2/d**2)) + d*x**3/(8*e**2*sqrt
(1 - e**2*x**2/d**2)) + x**5/(4*d*sqrt(1 - e**2*x**2/d**2)), True))
```

$$3.36 \quad \int \frac{x(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=83

$$-\frac{d(5d+3ex)\sqrt{d^2-e^2x^2}}{3e^2} - \frac{1}{3}x^2\sqrt{d^2-e^2x^2} + \frac{d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^2}$$

**Rubi [A]** time = 0.08, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {1809, 780, 217, 203}

$$-\frac{d(5d+3ex)\sqrt{d^2-e^2x^2}}{3e^2} - \frac{1}{3}x^2\sqrt{d^2-e^2x^2} + \frac{d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]

[Out] -(x^2\*Sqrt[d^2 - e^2\*x^2])/3 - (d\*(5\*d + 3\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(3\*e^2) + (d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e^2

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

#### Rule 1809

Int[(Pq\_)\*((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(c\*x)^(m + q -

1)\*(a + b\*x^2)^(p + 1))/(b\*c^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(b\*(m + q + 2\*p + 1)), Int[(c\*x)^m\*(a + b\*x^2)^p\*ExpandToSum[b\*(m + q + 2\*p + 1)\*Pq - b\*f\*(m + q + 2\*p + 1)\*x^q - a\*f\*(m + q - 1)\*x^(q - 2), x], x] /; GtQ[q, 1] && NeQ[m + q + 2\*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])

### Rubi steps

$$\begin{aligned} \int \frac{x(d + ex)^2}{\sqrt{d^2 - e^2x^2}} dx &= -\frac{1}{3}x^2\sqrt{d^2 - e^2x^2} - \frac{\int \frac{x(-5d^2e^2 - 6de^3x)}{\sqrt{d^2 - e^2x^2}} dx}{3e^2} \\ &= -\frac{1}{3}x^2\sqrt{d^2 - e^2x^2} - \frac{d(5d + 3ex)\sqrt{d^2 - e^2x^2}}{3e^2} + \frac{d^3 \int \frac{1}{\sqrt{d^2 - e^2x^2}} dx}{e} \\ &= -\frac{1}{3}x^2\sqrt{d^2 - e^2x^2} - \frac{d(5d + 3ex)\sqrt{d^2 - e^2x^2}}{3e^2} + \frac{d^3 \text{Subst}\left(\int \frac{1}{1 + e^2x^2} dx, x, \frac{x}{\sqrt{d^2 - e^2x^2}}\right)}{e} \\ &= -\frac{1}{3}x^2\sqrt{d^2 - e^2x^2} - \frac{d(5d + 3ex)\sqrt{d^2 - e^2x^2}}{3e^2} + \frac{d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{e^2} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 69, normalized size = 0.83

$$\frac{3d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) - \sqrt{d^2 - e^2x^2} (5d^2 + 3dex + e^2x^2)}{3e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]

[Out] (-(Sqrt[d^2 - e^2\*x^2]\*(5\*d^2 + 3\*d\*e\*x + e^2\*x^2)) + 3\*d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(3\*e^2)

**IntegrateAlgebraic [A]** time = 0.39, size = 89, normalized size = 1.07

$$\frac{\sqrt{d^2 - e^2x^2} (-5d^2 - 3dex - e^2x^2)}{3e^2} + \frac{d^3 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2} x\right)}{e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*(d + e\*x)^2)/Sqrt[d^2 - e^2\*x^2], x]



[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-5*d^2 - 3*d*e*x - e^2*x^2))/(3*e^2) + (d^3*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]])/e^3$

**fricas** [A] time = 0.40, size = 71, normalized size = 0.86

$$\frac{6d^3 \arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + (e^2x^2 + 3dex + 5d^2)\sqrt{-e^2x^2 + d^2}}{3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x+d)^2/(-e^2*x^2+d^2)^(1/2),x, algorithm="fricas")`

[Out]  $-1/3*(6*d^3*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) + (e^2*x^2 + 3*d*e*x + 5*d^2)*\text{sqrt}(-e^2*x^2 + d^2))/e^2$

**giac** [A] time = 0.25, size = 49, normalized size = 0.59

$$d^3 \arcsin\left(\frac{xe}{d}\right) e^{(-2)} \text{sgn}(d) - \frac{1}{3} \sqrt{-x^2e^2 + d^2} (5d^2e^{(-2)} + (3de^{(-1)} + x)x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x+d)^2/(-e^2*x^2+d^2)^(1/2),x, algorithm="giac")`

[Out]  $d^3*\arcsin(x*e/d)*e^{(-2)}*\text{sgn}(d) - 1/3*\text{sqrt}(-x^2*e^2 + d^2)*(5*d^2*e^{(-2)} + (3*d*e^{(-1)} + x)*x)$

**maple** [A] time = 0.01, size = 98, normalized size = 1.18

$$\frac{d^3 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2x^2+d^2}}\right)}{\sqrt{e^2} e} - \frac{\sqrt{-e^2x^2 + d^2} x^2}{3} - \frac{\sqrt{-e^2x^2 + d^2} dx}{e} - \frac{5\sqrt{-e^2x^2 + d^2} d^2}{3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x+d)^2/(-e^2*x^2+d^2)^(1/2),x)`

[Out]  $-1/3*x^2*(-e^2*x^2+d^2)^(1/2)-5/3*d^2/e^2*(-e^2*x^2+d^2)^(1/2)-d*x*(-e^2*x^2+d^2)^(1/2)/e+d^3/e/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)$

**maxima** [A] time = 0.97, size = 77, normalized size = 0.93

$$-\frac{1}{3} \sqrt{-e^2x^2 + d^2} x^2 + \frac{d^3 \arcsin\left(\frac{ex}{d}\right)}{e^2} - \frac{\sqrt{-e^2x^2 + d^2} dx}{e} - \frac{5\sqrt{-e^2x^2 + d^2} d^2}{3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(1/2),x, algorithm="maxima")

[Out] -1/3\*sqrt(-e^2\*x^2 + d^2)\*x^2 + d^3\*arcsin(e\*x/d)/e^2 - sqrt(-e^2\*x^2 + d^2)\*d\*x/e - 5/3\*sqrt(-e^2\*x^2 + d^2)\*d^2/e^2

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(1/2),x)

[Out] int((x\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(1/2), x)

sympy [A] time = 5.62, size = 218, normalized size = 2.63

$$d^2 \left( \begin{cases} \frac{x^2}{2\sqrt{d^2}} & \text{for } e^2 = 0 \\ -\frac{\sqrt{d^2-e^2x^2}}{e^2} & \text{otherwise} \end{cases} \right) + 2de \left( \begin{cases} -\frac{id^2 \operatorname{acosh}\left(\frac{ex}{d}\right)}{2e^3} - \frac{idx\sqrt{-1+\frac{e^2x^2}{d^2}}}{2e^2} & \text{for } \left|\frac{e^2x^2}{d^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{ex}{d}\right)}{2e^3} - \frac{dx}{2e^2\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{x^3}{2d\sqrt{1-\frac{e^2x^2}{d^2}}} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} \frac{2d^2\sqrt{d^2-e^2x^2}}{3e^4} - \frac{x^2\sqrt{d^2-e^2x^2}}{3e^2} & \text{for } e \neq 0 \\ \frac{x^4}{4\sqrt{d^2}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2),x)

[Out] d\*\*2\*Piecewise((x\*\*2/(2\*sqrt(d\*\*2)), Eq(e\*\*2, 0)), (-sqrt(d\*\*2 - e\*\*2\*x\*\*2)/e\*\*2, True)) + 2\*d\*e\*Piecewise((-I\*d\*\*2\*acosh(e\*x/d)/(2\*e\*\*3) - I\*d\*x\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(2\*e\*\*2), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*2\*asin(e\*x/d)/(2\*e\*\*3) - d\*x/(2\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + x\*\*3/(2\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) + e\*\*2\*Piecewise((-2\*d\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(3\*e\*\*4) - x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(3\*e\*\*2), Ne(e, 0)), (x\*\*4/(4\*sqrt(d\*\*2)), True))

$$3.37 \quad \int \frac{(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=83

$$-\frac{3d\sqrt{d^2-e^2x^2}}{2e} - \frac{(d+ex)\sqrt{d^2-e^2x^2}}{2e} + \frac{3d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e}$$

**Rubi [A]** time = 0.03, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {671, 641, 217, 203}

$$-\frac{3d\sqrt{d^2-e^2x^2}}{2e} - \frac{(d+ex)\sqrt{d^2-e^2x^2}}{2e} + \frac{3d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/Sqrt[d^2 - e^2\*x^2], x]

[Out] (-3\*d\*Sqrt[d^2 - e^2\*x^2])/(2\*e) - ((d + e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*e) + (3\*d^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e)

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

#### Rule 671

Int[((d\_) + (e\_.)\*(x\_)^m)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 1)), x] + Dist[(2\*c\*d\*(m + p))/(c\*(m + 2\*p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && GtQ[m, 1] && NeQ[m

+ 2\*p + 1, 0] && IntegerQ[2\*p]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d+ex)^2}{\sqrt{d^2-e^2x^2}} dx &= -\frac{(d+ex)\sqrt{d^2-e^2x^2}}{2e} + \frac{1}{2}(3d) \int \frac{d+ex}{\sqrt{d^2-e^2x^2}} dx \\
 &= -\frac{3d\sqrt{d^2-e^2x^2}}{2e} - \frac{(d+ex)\sqrt{d^2-e^2x^2}}{2e} + \frac{1}{2}(3d^2) \int \frac{1}{\sqrt{d^2-e^2x^2}} dx \\
 &= -\frac{3d\sqrt{d^2-e^2x^2}}{2e} - \frac{(d+ex)\sqrt{d^2-e^2x^2}}{2e} + \frac{1}{2}(3d^2) \text{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x, \frac{x}{\sqrt{d^2-e^2x^2}}\right) \\
 &= -\frac{3d\sqrt{d^2-e^2x^2}}{2e} - \frac{(d+ex)\sqrt{d^2-e^2x^2}}{2e} + \frac{3d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e}
 \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 58, normalized size = 0.70

$$\frac{3d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - (4d+ex)\sqrt{d^2-e^2x^2}}{2e}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/Sqrt[d^2 - e^2\*x^2], x]

[Out] (-((4\*d + e\*x)\*Sqrt[d^2 - e^2\*x^2]) + 3\*d^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e)

**IntegrateAlgebraic [A]** time = 0.01, size = 81, normalized size = 0.98

$$\frac{(-4d-ex)\sqrt{d^2-e^2x^2}}{2e} + \frac{3d^2\sqrt{-e^2} \log\left(\sqrt{d^2-e^2x^2} - \sqrt{-e^2}x\right)}{2e^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^2/Sqrt[d^2 - e^2\*x^2], x]

[Out] ((-4\*d - e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*e) + (3\*d^2\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(2\*e^2)

**fricas [A]** time = 0.41, size = 60, normalized size = 0.72

$$\frac{6d^2 \arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + \sqrt{-e^2x^2+d^2}(ex+4d)}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out]  $-1/2*(6*d^2*\arctan(-(d - \sqrt{-e^2*x^2 + d^2})/(e*x)) + \sqrt{-e^2*x^2 + d^2})*(e*x + 4*d))/e$

**giac** [A] time = 0.25, size = 40, normalized size = 0.48

$$\frac{3}{2} d^2 \arcsin\left(\frac{xe}{d}\right) e^{(-1)} \operatorname{sgn}(d) - \frac{1}{2} \sqrt{-x^2 e^2 + d^2} (4 d e^{(-1)} + x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out]  $3/2*d^2*\arcsin(x*e/d)*e^{(-1)}*\operatorname{sgn}(d) - 1/2*\sqrt{-x^2*e^2 + d^2}*(4*d*e^{(-1)} + x)$

**maple** [A] time = 0.01, size = 71, normalized size = 0.86

$$\frac{3d^2 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{2\sqrt{e^2}} - \frac{\sqrt{-e^2 x^2 + d^2} x}{2} - \frac{2\sqrt{-e^2 x^2 + d^2} d}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^2/(-e^2\*x^2+d^2)^(1/2),x)

[Out]  $-1/2*x*(-e^2*x^2+d^2)^(1/2)+3/2*d^2/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-2*d*(-e^2*x^2+d^2)^(1/2)/e$

**maxima** [A] time = 0.97, size = 53, normalized size = 0.64

$$\frac{3 d^2 \arcsin\left(\frac{ex}{d}\right)}{2 e} - \frac{1}{2} \sqrt{-e^2 x^2 + d^2} x - \frac{2 \sqrt{-e^2 x^2 + d^2} d}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/(-e^2\*x^2+d^2)^(1/2),x, algorithm="maxima")

[Out]  $3/2*d^2*\arcsin(e*x/d)/e - 1/2*\sqrt{-e^2*x^2 + d^2}*x - 2*\sqrt{-e^2*x^2 + d^2}*d/e$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d + ex)^2}{\sqrt{d^2 - e^2 x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^2/(d^2 - e^2*x^2)^(1/2), x)`

[Out] `int((d + e*x)^2/(d^2 - e^2*x^2)^(1/2), x)`

**sympy [A]** time = 5.04, size = 269, normalized size = 3.24

$$d^2 \left( \begin{array}{l} \frac{\sqrt{\frac{d^2}{e^2}} \operatorname{asin}\left(x\sqrt{\frac{e^2}{d^2}}\right)}{\sqrt{d^2}} \quad \text{for } d^2 > 0 \wedge e^2 > 0 \\ \frac{\sqrt{-\frac{d^2}{e^2}} \operatorname{asinh}\left(x\sqrt{-\frac{e^2}{d^2}}\right)}{\sqrt{d^2}} \quad \text{for } d^2 > 0 \wedge e^2 < 0 \\ \frac{\sqrt{\frac{d^2}{e^2}} \operatorname{acosh}\left(x\sqrt{\frac{e^2}{d^2}}\right)}{\sqrt{-d^2}} \quad \text{for } d^2 < 0 \wedge e^2 < 0 \end{array} \right) + 2de \left( \begin{array}{l} \frac{x^2}{2\sqrt{d^2}} \quad \text{for } e^2 = 0 \\ -\frac{\sqrt{d^2 - e^2 x^2}}{e^2} \quad \text{otherwise} \end{array} \right) + e^2 \left( \begin{array}{l} -\frac{id^2 \operatorname{acosh}\left(\frac{ex}{d}\right) - idx\sqrt{-1 + \frac{e^2 x^2}{d^2}}}{2e^3} \quad \text{for } \left|\frac{e^2 x^2}{d^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{ex}{d}\right) - dx}{2e^3} + \frac{x^3}{2d\sqrt{1 - \frac{e^2 x^2}{d^2}}} \quad \text{otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**2/(-e**2*x**2+d**2)**(1/2), x)`

[Out] `d**2*Piecewise((sqrt(d**2/e**2)*asin(x*sqrt(e**2/d**2))/sqrt(d**2), (d**2 > 0) & (e**2 > 0)), (sqrt(-d**2/e**2)*asinh(x*sqrt(-e**2/d**2))/sqrt(d**2), (d**2 > 0) & (e**2 < 0)), (sqrt(d**2/e**2)*acosh(x*sqrt(e**2/d**2))/sqrt(-d**2), (d**2 < 0) & (e**2 < 0))) + 2*d*e*Piecewise((x**2/(2*sqrt(d**2)), Eq(e**2, 0)), (-sqrt(d**2 - e**2*x**2)/e**2, True)) + e**2*Piecewise((-I*d**2*acosh(e*x/d)/(2*e**3) - I*d*x*sqrt(-1 + e**2*x**2/d**2)/(2*e**2), Abs(e**2*x**2/d**2) > 1), (d**2*asin(e*x/d)/(2*e**3) - d*x/(2*e**2*sqrt(1 - e**2*x**2/d**2)) + x**3/(2*d*sqrt(1 - e**2*x**2/d**2)), True))`

$$3.38 \quad \int \frac{(d+ex)^2}{x\sqrt{d^2-e^2x^2}} dx$$

**Optimal.** Leaf size=66

$$-\sqrt{d^2 - e^2x^2} + 2d \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) - d \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.11, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {1809, 844, 217, 203, 266, 63, 208}

$$-\sqrt{d^2 - e^2x^2} + 2d \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) - d \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/(x\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] -Sqrt[d^2 - e^2\*x^2] + 2\*d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - d\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1809

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex)^2}{x\sqrt{d^2 - e^2x^2}} dx &= -\sqrt{d^2 - e^2x^2} - \frac{\int \frac{-d^2e^2 - 2de^3x}{x\sqrt{d^2 - e^2x^2}} dx}{e^2} \\
&= -\sqrt{d^2 - e^2x^2} + d^2 \int \frac{1}{x\sqrt{d^2 - e^2x^2}} dx + (2de) \int \frac{1}{\sqrt{d^2 - e^2x^2}} dx \\
&= -\sqrt{d^2 - e^2x^2} + \frac{1}{2}d^2 \text{Subst}\left(\int \frac{1}{x\sqrt{d^2 - e^2x}} dx, x, x^2\right) + (2de) \text{Subst}\left(\int \frac{1}{1 + e^2x^2} dx, x, \frac{\sqrt{d^2 - e^2x^2}}{e}\right) \\
&= -\sqrt{d^2 - e^2x^2} + 2d \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) - \frac{d^2 \text{Subst}\left(\int \frac{1}{\frac{d^2}{e^2} - x^2} dx, x, \sqrt{d^2 - e^2x^2}\right)}{e^2} \\
&= -\sqrt{d^2 - e^2x^2} + 2d \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) - d \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)
\end{aligned}$$



**Mathematica [A]** time = 0.03, size = 66, normalized size = 1.00

$$-\sqrt{d^2 - e^2 x^2} + 2d \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - d \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/(x\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -Sqrt[d^2 - e^2\*x^2] + 2\*d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - d\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

**IntegrateAlgebraic [A]** time = 0.38, size = 104, normalized size = 1.58

$$-\sqrt{d^2 - e^2 x^2} + \frac{2d\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{e} + 2d \tanh^{-1}\left(\frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^2/(x\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -Sqrt[d^2 - e^2\*x^2] + 2\*d\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] + (2\*d\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e

**fricas [A]** time = 0.40, size = 73, normalized size = 1.11

$$-4d \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) + d \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - \sqrt{-e^2 x^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] -4\*d\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + d\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - sqrt(-e^2\*x^2 + d^2)

**giac [A]** time = 0.26, size = 65, normalized size = 0.98

$$2d \arcsin\left(\frac{xe}{d}\right) \operatorname{sgn}(d) - d \log\left(\frac{|-2de - 2\sqrt{-x^2 e^2 + d^2} e| e^{(-2)}}{2|x|}\right) - \sqrt{-x^2 e^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out]  $2*d*\arcsin(x*e/d)*\operatorname{sgn}(d) - d*\log(1/2*\operatorname{abs}(-2*d*e - 2*\sqrt{-x^2*e^2 + d^2})*e^e)^{-2}/\operatorname{abs}(x)) - \sqrt{-x^2*e^2 + d^2}$

**maple** [A] time = 0.01, size = 91, normalized size = 1.38

$$-\frac{d^2 \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{\sqrt{d^2}} + \frac{2de \arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2+d^2}}\right)}{\sqrt{e^2}} - \sqrt{-e^2x^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^2/x/(-e^2*x^2+d^2)^(1/2),x)`

[Out]  $-(-e^2*x^2+d^2)^{(1/2)}+2*e*d/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)-d^2/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)$

**maxima** [A] time = 0.97, size = 62, normalized size = 0.94

$$2d \arcsin\left(\frac{ex}{d}\right) - d \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2 + d^2}d}{|x|}\right) - \sqrt{-e^2x^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2/x/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out]  $2*d*\arcsin(e*x/d) - d*\log(2*d^2/\operatorname{abs}(x) + 2*\sqrt{-e^2*x^2 + d^2}*d/\operatorname{abs}(x)) - \sqrt{-e^2*x^2 + d^2}$

**mpad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(d + ex)^2}{x \sqrt{d^2 - e^2 x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^2/(x*(d^2 - e^2*x^2)^(1/2)),x)`

[Out] `int((d + e*x)^2/(x*(d^2 - e^2*x^2)^(1/2)), x)`

**sympy** [C] time = 6.96, size = 184, normalized size = 2.79

$$d^2 \left( \left( \begin{array}{l} -\frac{\operatorname{acosh}\left(\frac{d}{ex}\right)}{d} \\ i \operatorname{asin}\left(\frac{d}{ex}\right) \end{array} \right) \text{ for } \left| \frac{d^2}{e^2 x^2} \right| > 1 \text{ otherwise} \right) + 2de \left( \left( \begin{array}{l} \frac{\sqrt{\frac{d^2}{e^2}} \operatorname{asin}\left(x \sqrt{\frac{e^2}{d^2}}\right)}{\sqrt{d^2}} \\ \frac{\sqrt{-\frac{d^2}{e^2}} \operatorname{asinh}\left(x \sqrt{-\frac{e^2}{d^2}}\right)}{\sqrt{d^2}} \\ \frac{\sqrt{\frac{d^2}{e^2}} \operatorname{acosh}\left(x \sqrt{\frac{e^2}{d^2}}\right)}{\sqrt{-d^2}} \end{array} \right) \text{ for } d^2 > 0 \wedge e^2 > 0 \\ \text{for } d^2 > 0 \wedge e^2 < 0 \\ \text{for } d^2 < 0 \wedge e^2 < 0 \end{array} \right) + e^2 \left( \left( \begin{array}{l} \frac{x^2}{2\sqrt{d^2}} \\ -\frac{\sqrt{d^2 - e^2 x^2}}{e^2} \end{array} \right) \text{ for } e^2 = 0 \text{ otherwise} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**2/x/(-e**2*x**2+d**2)**(1/2),x)
```

```
[Out] d**2*Piecewise((-acosh(d/(e*x))/d, Abs(d**2/(e**2*x**2)) > 1), (I*asin(d/(e*x))/d, True)) + 2*d*e*Piecewise((sqrt(d**2/e**2)*asin(x*sqrt(e**2/d**2))/sqrt(d**2), (d**2 > 0) & (e**2 > 0)), (sqrt(-d**2/e**2)*asinh(x*sqrt(-e**2/d**2))/sqrt(d**2), (d**2 > 0) & (e**2 < 0)), (sqrt(d**2/e**2)*acosh(x*sqrt(e**2/d**2))/sqrt(-d**2), (d**2 < 0) & (e**2 < 0))) + e**2*Piecewise((x**2/(2*sqrt(d**2)), Eq(e**2, 0)), (-sqrt(d**2 - e**2*x**2)/e**2, True))
```

$$3.39 \quad \int \frac{(d+ex)^2}{x^2 \sqrt{d^2-e^2x^2}} dx$$

**Optimal.** Leaf size=68

$$-\frac{\sqrt{d^2-e^2x^2}}{x} + e \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - 2e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.12, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {1807, 844, 217, 203, 266, 63, 208}

$$-\frac{\sqrt{d^2-e^2x^2}}{x} + e \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - 2e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/(x^2\*sqrt[d^2 - e^2\*x^2]),x]

[Out] -(sqrt[d^2 - e^2\*x^2]/x) + e\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]] - 2\*e\*ArcTanh[sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

Int[1/sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[  
Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b,  
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 844

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

Rule 1807

Int[(Pq\_)\*((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{  
Q = PolynomialQuotient[Pq, c\*x, x], R = PolynomialRemainder[Pq, c\*x, x]}, Simp[  
R\*(c\*x)^(m + 1)\*(a + b\*x^2)^(p + 1)/(a\*c\*(m + 1)), x] + Dist[1/(a\*c\*(  
m + 1)), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m  
+ 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ  
[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex)^2}{x^2 \sqrt{d^2 - e^2 x^2}} dx &= -\frac{\sqrt{d^2 - e^2 x^2}}{x} - \frac{\int \frac{-2d^3 e - d^2 e^2 x}{x \sqrt{d^2 - e^2 x^2}} dx}{d^2} \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{x} + (2de) \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx + e^2 \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{x} + (de) \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, x^2 \right) + e^2 \text{Subst} \left( \int \frac{1}{1 + e^2 x^2} dx, x, \frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{d^2}} \right) \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{x} + e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - \frac{(2d) \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - x^2} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{e} \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{x} + e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - 2e \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)
 \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 68, normalized size = 1.00

$$-\frac{\sqrt{d^2 - e^2 x^2}}{x} + e \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - 2e \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/(x^2\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -(Sqrt[d^2 - e^2\*x^2]/x) + e\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - 2\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

**IntegrateAlgebraic [A]** time = 0.40, size = 102, normalized size = 1.50

$$-\frac{\sqrt{d^2 - e^2 x^2}}{x} + \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right) + 4e \tanh^{-1}\left(\frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^2/(x^2\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -(Sqrt[d^2 - e^2\*x^2]/x) + 4\*e\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] + Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]]

**fricas [A]** time = 0.40, size = 79, normalized size = 1.16

$$\frac{2ex \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) - 2ex \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + \sqrt{-e^2 x^2 + d^2}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^2/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] -(2\*e\*x\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - 2\*e\*x\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + sqrt(-e^2\*x^2 + d^2))/x

**giac [A]** time = 0.26, size = 107, normalized size = 1.57

$$\arcsin\left(\frac{xe}{d}\right) \operatorname{esgn}(d) - 2e \log\left(\frac{|-2de - 2\sqrt{-x^2 e^2 + d^2} e| e^{(-2)}}{2|x|}\right) + \frac{xe^3}{2(de + \sqrt{-x^2 e^2 + d^2} e)} - \frac{(de + \sqrt{-x^2 e^2 + d^2} e)^{(-1)}}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^2/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out]  $\arcsin(x*e/d)*e*\text{sgn}(d) - 2*e*\log(1/2*\text{abs}(-2*d*e - 2*\sqrt{-x^2*e^2 + d^2})*e)*e^{-2}/\text{abs}(x) + 1/2*x*e^3/(d*e + \sqrt{-x^2*e^2 + d^2})*e - 1/2*(d*e + \sqrt{-x^2*e^2 + d^2})*e^{-1}/x$

**maple** [A] time = 0.01, size = 93, normalized size = 1.37

$$-\frac{2de \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{\sqrt{d^2}} + \frac{e^2 \arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2+d^2}}\right)}{\sqrt{e^2}} - \frac{\sqrt{-e^2x^2+d^2}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^2/x^2/(-e^2*x^2+d^2)^{(1/2)}, x)$

[Out]  $e^2/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x) - (-e^2*x^2+d^2)^{(1/2)}/x - 2*d*e/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)}))/x$

**maxima** [A] time = 0.96, size = 64, normalized size = 0.94

$$e \arcsin\left(\frac{ex}{d}\right) - 2e \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right) - \frac{\sqrt{-e^2x^2+d^2}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)^2/x^2/(-e^2*x^2+d^2)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out]  $e*\arcsin(e*x/d) - 2*e*\log(2*d^2/\text{abs}(x) + 2*\sqrt{-e^2*x^2 + d^2}*d/\text{abs}(x)) - \sqrt{-e^2*x^2 + d^2}/x$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\begin{cases} \frac{e^2 \ln(x \sqrt{-e^2 + \sqrt{d^2 - e^2 x^2}})}{\sqrt{-e^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{x} - \frac{2de \ln\left(\frac{\sqrt{d^2} + \sqrt{d^2 - e^2 x^2}}{x}\right)}{\sqrt{d^2}} & \text{if } e^2 < 0 \\ \int \frac{e^2}{\sqrt{d^2 - e^2 x^2}} + \frac{d^2}{x^2 \sqrt{d^2 - e^2 x^2}} + \frac{2de}{x \sqrt{d^2 - e^2 x^2}} dx & \text{if } -e^2 < 0 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d + e*x)^2/(x^2*(d^2 - e^2*x^2)^{(1/2)}), x)$

[Out]  $\text{piecewise}(e^2 < 0, -(d^2 - e^2*x^2)^{(1/2)}/x + (e^2*\log(x*(-e^2)^{(1/2)} + (d^2 - e^2*x^2)^{(1/2)}))/(-e^2)^{(1/2)} - (2*d*e*\log(((d^2)^{(1/2)} + (d^2 - e^2*x^2)^{(1/2)})/x))/(d^2)^{(1/2)}, \sim e^2 < 0, \text{int}(e^2/(d^2 - e^2*x^2)^{(1/2)} + d^2/(x^2*(d^2 - e^2*x^2)^{(1/2)}) + (2*d*e)/(x*(d^2 - e^2*x^2)^{(1/2)}), x)$

sympy [C] time = 4.30, size = 207, normalized size = 3.04

$$d^2 \left( \begin{cases} -\frac{e\sqrt{\frac{d^2}{e^2x^2}-1}}{d^2} & \text{for } \left| \frac{d^2}{e^2x^2} \right| > 1 \\ -\frac{ie\sqrt{-\frac{d^2}{e^2x^2}+1}}{d^2} & \text{otherwise} \end{cases} \right) + 2de \left( \begin{cases} -\frac{\operatorname{acosh}\left(\frac{d}{ex}\right)}{d} & \text{for } \left| \frac{d^2}{e^2x^2} \right| > 1 \\ \frac{i\operatorname{asin}\left(\frac{d}{ex}\right)}{d} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} \frac{\sqrt{\frac{d^2}{e^2}} \operatorname{asin}\left(x\sqrt{\frac{e^2}{d^2}}\right)}{\sqrt{d^2}} & \text{for } d^2 > 0 \wedge e^2 > 0 \\ \frac{\sqrt{-\frac{d^2}{e^2}} \operatorname{asinh}\left(x\sqrt{-\frac{e^2}{d^2}}\right)}{\sqrt{d^2}} & \text{for } d^2 > 0 \wedge e^2 < 0 \\ \frac{\sqrt{\frac{d^2}{e^2}} \operatorname{acosh}\left(x\sqrt{\frac{e^2}{d^2}}\right)}{\sqrt{-d^2}} & \text{for } d^2 < 0 \wedge e^2 < 0 \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*2/x\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2), x)

[Out] d\*\*2\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/d\*\*2, Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/d\*\*2, True)) + 2\*d\*e\*Piecewise((-acosh(d/(e\*x))/d, Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (I\*asin(d/(e\*x))/d, True)) + e\*\*2\*Piecewise((sqrt(d\*\*2/e\*\*2)\*asin(x\*sqrt(e\*\*2/d\*\*2))/sqrt(d\*\*2), (d\*\*2 > 0) & (e\*\*2 > 0)), (sqrt(-d\*\*2/e\*\*2)\*asinh(x\*sqrt(-e\*\*2/d\*\*2))/sqrt(d\*\*2), (d\*\*2 > 0) & (e\*\*2 < 0)), (sqrt(d\*\*2/e\*\*2)\*acosh(x\*sqrt(e\*\*2/d\*\*2))/sqrt(-d\*\*2), (d\*\*2 < 0) & (e\*\*2 < 0)))



$$3.40 \quad \int \frac{(d+ex)^2}{x^3 \sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=80

$$-\frac{2e\sqrt{d^2-e^2x^2}}{dx} - \frac{\sqrt{d^2-e^2x^2}}{2x^2} - \frac{3e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d}$$

**Rubi** [A] time = 0.11, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1807, 807, 266, 63, 208}

$$-\frac{2e\sqrt{d^2-e^2x^2}}{dx} - \frac{\sqrt{d^2-e^2x^2}}{2x^2} - \frac{3e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/(x^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -Sqrt[d^2 - e^2\*x^2]/(2\*x^2) - (2\*e\*Sqrt[d^2 - e^2\*x^2])/(d\*x) - (3\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex)^2}{x^3 \sqrt{d^2 - e^2 x^2}} dx &= -\frac{\sqrt{d^2 - e^2 x^2}}{2x^2} - \frac{\int \frac{-4d^3 e - 3d^2 e^2 x}{x^2 \sqrt{d^2 - e^2 x^2}} dx}{2d^2} \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{2x^2} - \frac{2e\sqrt{d^2 - e^2 x^2}}{dx} + \frac{1}{2} (3e^2) \int \frac{1}{x\sqrt{d^2 - e^2 x^2}} dx \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{2x^2} - \frac{2e\sqrt{d^2 - e^2 x^2}}{dx} + \frac{1}{4} (3e^2) \text{Subst} \left( \int \frac{1}{x\sqrt{d^2 - e^2 x}} dx, x, x^2 \right) \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{2x^2} - \frac{2e\sqrt{d^2 - e^2 x^2}}{dx} - \frac{3}{2} \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2 x^2} \right) \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{2x^2} - \frac{2e\sqrt{d^2 - e^2 x^2}}{dx} - \frac{3e^2 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{2d}
 \end{aligned}$$

**Mathematica** [A] time = 0.24, size = 122, normalized size = 1.52

$$\frac{e \left( -\frac{4d\sqrt{d^2 - e^2 x^2}}{x} - 2de \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right) - e\sqrt{d^2 - e^2 x^2} \left( \frac{d^2}{e^2 x^2} + \frac{\tanh^{-1} \left( \sqrt{1 - \frac{e^2 x^2}{d^2}} \right)}{\sqrt{1 - \frac{e^2 x^2}{d^2}}} \right) \right)}{2d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/(x^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (e\*((-4\*d\*Sqrt[d^2 - e^2\*x^2])/x - 2\*d\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d] - e\*Sqrt[d^2 - e^2\*x^2]\*(d^2/(e^2\*x^2) + ArcTanh[Sqrt[1 - (e^2\*x^2)/d^2]]/Sqrt[1 - (e^2\*x^2)/d^2]))/(2\*d^2)

**IntegrateAlgebraic [A]** time = 0.46, size = 122, normalized size = 1.52

$$\frac{(-d - 4ex)\sqrt{d^2 - e^2x^2}}{2dx^2} - \frac{3e^2 \log\left(\sqrt{d^2 - e^2x^2} + d - \sqrt{-e^2x}\right)}{2d} + \frac{3e^2 \log\left(-d\sqrt{d^2 - e^2x^2} + d^2 + d\sqrt{-e^2x}\right)}{2d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^2/(x^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] ((-d - 4\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*d\*x^2) - (3\*e^2\*Log[d - Sqrt[-e^2]\*x + Sqrt[d^2 - e^2\*x^2]])/(2\*d) + (3\*e^2\*Log[d^2 + d\*Sqrt[-e^2]\*x - d\*Sqrt[d^2 - e^2\*x^2]])/(2\*d)

**fricas [A]** time = 0.39, size = 63, normalized size = 0.79

$$\frac{3e^2x^2 \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - \sqrt{-e^2x^2 + d^2}(4ex + d)}{2dx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] 1/2\*(3\*e^2\*x^2\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - sqrt(-e^2\*x^2 + d^2)\*(4\*e\*x + d))/(d\*x^2)

**giac [B]** time = 0.27, size = 170, normalized size = 2.12

$$-\frac{3e^2 \log\left(\frac{|-2de - 2\sqrt{-x^2e^2 + d^2}e|e^{(-2)}}{2|x|}\right)}{2d} + \frac{x^2 \left(\frac{8(de + \sqrt{-x^2e^2 + d^2}e)e^4}{x} + e^6\right)}{8(de + \sqrt{-x^2e^2 + d^2}e)^2 d} - \frac{\left(\frac{8(de + \sqrt{-x^2e^2 + d^2}e)de^8}{x} + \frac{(de + \sqrt{-x^2e^2 + d^2}e)^2 de^6}{x^2}\right)e^{(-8)}}{8d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] -3/2\*e^2\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d + 1/8\*x^2\*(8\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^4/x + e^6)/((d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*d) - 1/8\*(8\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d\*e^8/x + (d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*d\*e^6/x^2)\*e^(-8)/d^2

**maple [A]** time = 0.01, size = 86, normalized size = 1.08

$$\frac{3e^2 \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{2\sqrt{d^2}} - \frac{2\sqrt{-e^2x^2+d^2}e}{dx} - \frac{\sqrt{-e^2x^2+d^2}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^2/x^3/(-e^2\*x^2+d^2)^(1/2),x)

[Out] -1/2\*(-e^2\*x^2+d^2)^(1/2)/x^2-3/2\*e^2/(d^2)^(1/2)\*ln((2\*d^2+2\*(d^2)^(1/2)\*(-e^2\*x^2+d^2)^(1/2))/x)-2\*e\*(-e^2\*x^2+d^2)^(1/2)/d/x

**maxima [A]** time = 0.95, size = 83, normalized size = 1.04

$$\frac{3e^2 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{2d} - \frac{2\sqrt{-e^2x^2+d^2}e}{dx} - \frac{\sqrt{-e^2x^2+d^2}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="maxima")

[Out] -3/2\*e^2\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x))/d - 2\*sqrt(-e^2\*x^2 + d^2)\*e/(d\*x) - 1/2\*sqrt(-e^2\*x^2 + d^2)/x^2

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d + ex)^2}{x^3 \sqrt{d^2 - e^2 x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^2/(x^3\*(d^2 - e^2\*x^2)^(1/2)),x)

[Out] int((d + e\*x)^2/(x^3\*(d^2 - e^2\*x^2)^(1/2)), x)

**sympy [C]** time = 6.72, size = 214, normalized size = 2.68

$$d^2 \left\{ \begin{array}{ll} \frac{e\sqrt{\frac{d^2}{e^2x^2}-1}}{2d^2x} - \frac{e^2 \operatorname{acosh}\left(\frac{d}{ex}\right)}{2d^3} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ \frac{i}{2ex^3\sqrt{-\frac{d^2}{e^2x^2}+1}} - \frac{ie}{2d^2x\sqrt{-\frac{d^2}{e^2x^2}+1}} + \frac{ie^2 \operatorname{asin}\left(\frac{d}{ex}\right)}{2d^3} & \text{otherwise} \end{array} \right\} + 2de \left\{ \begin{array}{ll} \frac{e\sqrt{\frac{d^2}{e^2x^2}-1}}{d^2} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ -\frac{ie\sqrt{-\frac{d^2}{e^2x^2}+1}}{d^2} & \text{otherwise} \end{array} \right\} + e^2 \left\{ \begin{array}{ll} \frac{\operatorname{acosh}\left(\frac{d}{ex}\right)}{d} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ \frac{i \operatorname{asin}\left(\frac{d}{ex}\right)}{d} & \text{otherwise} \end{array} \right\}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**2/x**3/(-e**2*x**2+d**2)**(1/2),x)
```

```
[Out] d**2*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(2*d**2*x) - e**2*acosh(d/(e*
x))/(2*d**3), Abs(d**2/(e**2*x**2)) > 1), (I/(2*e*x**3*sqrt(-d**2/(e**2*x**
2) + 1)) - I*e/(2*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**2*asin(d/(e*x)
)/(2*d**3), True)) + 2*d*e*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/d**2, A
bs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/d**2, True)) +
e**2*Piecewise((-acosh(d/(e*x))/d, Abs(d**2/(e**2*x**2)) > 1), (I*asin(d/(
e*x))/d, True))
```

$$3.41 \quad \int \frac{(d+ex)^2}{x^4 \sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=107

$$-\frac{5e^2\sqrt{d^2-e^2x^2}}{3d^2x} - \frac{e\sqrt{d^2-e^2x^2}}{dx^2} - \frac{\sqrt{d^2-e^2x^2}}{3x^3} - \frac{e^3 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^2}$$

**Rubi [A]** time = 0.14, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1807, 835, 807, 266, 63, 208}

$$-\frac{5e^2\sqrt{d^2-e^2x^2}}{3d^2x} - \frac{e\sqrt{d^2-e^2x^2}}{dx^2} - \frac{\sqrt{d^2-e^2x^2}}{3x^3} - \frac{e^3 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/(x^4\*sqrt[d^2 - e^2\*x^2]),x]

[Out] -sqrt[d^2 - e^2\*x^2]/(3\*x^3) - (e\*sqrt[d^2 - e^2\*x^2])/(d\*x^2) - (5\*e^2\*sqrt[d^2 - e^2\*x^2])/(3\*d^2\*x) - (e^3\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^2

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

### Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^2}{x^4\sqrt{d^2-e^2x^2}} dx &= -\frac{\sqrt{d^2-e^2x^2}}{3x^3} - \frac{\int \frac{-6d^3e-5d^2e^2x}{x^3\sqrt{d^2-e^2x^2}} dx}{3d^2} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{3x^3} - \frac{e\sqrt{d^2-e^2x^2}}{dx^2} + \frac{\int \frac{10d^4e^2+6d^3e^3x}{x^2\sqrt{d^2-e^2x^2}} dx}{6d^4} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{3x^3} - \frac{e\sqrt{d^2-e^2x^2}}{dx^2} - \frac{5e^2\sqrt{d^2-e^2x^2}}{3d^2x} + \frac{e^3 \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{d} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{3x^3} - \frac{e\sqrt{d^2-e^2x^2}}{dx^2} - \frac{5e^2\sqrt{d^2-e^2x^2}}{3d^2x} + \frac{e^3 \text{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x}} dx, x, x^2\right)}{2d} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{3x^3} - \frac{e\sqrt{d^2-e^2x^2}}{dx^2} - \frac{5e^2\sqrt{d^2-e^2x^2}}{3d^2x} - \frac{e \text{Subst}\left(\int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2-e^2x^2}\right)}{d} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{3x^3} - \frac{e\sqrt{d^2-e^2x^2}}{dx^2} - \frac{5e^2\sqrt{d^2-e^2x^2}}{3d^2x} - \frac{e^3 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^2}
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 87, normalized size = 0.81

$$\frac{\sqrt{d^2-e^2x^2} \left( -\frac{d(d^2+3dex+5e^2x^2)}{x^3} - \frac{3e^3 \tanh^{-1}\left(\sqrt{1-\frac{e^2x^2}{d^2}}\right)}{\sqrt{1-\frac{e^2x^2}{d^2}}} \right)}{3d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/(x^4\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-(d\*(d^2 + 3\*d\*e\*x + 5\*e^2\*x^2))/x^3) - (3\*e^3\*ArcTanh[Sqrt[1 - (e^2\*x^2)/d^2]]/Sqrt[1 - (e^2\*x^2)/d^2]))/(3\*d^3)

**IntegrateAlgebraic [A]** time = 0.47, size = 91, normalized size = 0.85

$$\frac{(-d^2 - 3dex - 5e^2x^2)\sqrt{d^2-e^2x^2}}{3d^2x^3} + \frac{2e^3 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^2}$$

Antiderivative was successfully verified.



[In] IntegrateAlgebraic[(d + e\*x)^2/(x^4\*sqrt[d^2 - e^2\*x^2]),x]

[Out]  $((-d^2 - 3*d*e*x - 5*e^2*x^2)*\sqrt{d^2 - e^2*x^2})/(3*d^2*x^3) + (2*e^3*\text{ArcTanh}[(\sqrt{-e^2}*x)/d - \sqrt{d^2 - e^2*x^2}/d])/d^2$

**fricas** [A] time = 0.40, size = 74, normalized size = 0.69

$$\frac{3e^3x^3 \log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) - (5e^2x^2 + 3dex + d^2)\sqrt{-e^2x^2 + d^2}}{3d^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^4/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out]  $1/3*(3*e^3*x^3*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) - (5*e^2*x^2 + 3*d*e*x + d^2)*\text{sqrt}(-e^2*x^2 + d^2))/(d^2*x^3)$

**giac** [B] time = 0.30, size = 239, normalized size = 2.23

$$\frac{x^3 \left( \frac{6(de + \sqrt{-x^2e^2 + d^2})e^6}{x} + \frac{21(de + \sqrt{-x^2e^2 + d^2})^2e^4}{x^2} + e^8 \right) e}{24(de + \sqrt{-x^2e^2 + d^2})^3d^2} - \frac{e^3 \log\left(\frac{-2de - 2\sqrt{-x^2e^2 + d^2}e|e^{-2}|}{2|x|}\right)}{d^2} - \frac{\left( \frac{21(de + \sqrt{-x^2e^2 + d^2})d^4e^{16}}{x} + \frac{6(de + \sqrt{-x^2e^2 + d^2})^2d^4e^{14}}{x^2} + \frac{(de + \sqrt{-x^2e^2 + d^2})^3d^4e^{12}}{x^3} \right) e^{(-15)}}{24d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^4/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out]  $1/24*x^3*(6*(d*e + \text{sqrt}(-x^2*e^2 + d^2))*e)*e^6/x + 21*(d*e + \text{sqrt}(-x^2*e^2 + d^2))*e^2*e^4/x^2 + e^8)*e/((d*e + \text{sqrt}(-x^2*e^2 + d^2))*e)^3*d^2) - e^3*\log(1/2*\text{abs}(-2*d*e - 2*\text{sqrt}(-x^2*e^2 + d^2))*e)^{-2}/\text{abs}(x))/d^2 - 1/24*(21*(d*e + \text{sqrt}(-x^2*e^2 + d^2))*e)*d^4*e^{16}/x + 6*(d*e + \text{sqrt}(-x^2*e^2 + d^2))*e^2*d^4*e^{14}/x^2 + (d*e + \text{sqrt}(-x^2*e^2 + d^2))*e)^3*d^4*e^{12}/x^3)*e^{-15}/d^6$

**maple** [A] time = 0.01, size = 114, normalized size = 1.07

$$\frac{e^3 \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2} d} - \frac{5\sqrt{-e^2x^2 + d^2} e^2}{3d^2x} - \frac{\sqrt{-e^2x^2 + d^2} e}{d x^2} - \frac{\sqrt{-e^2x^2 + d^2}}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^2/x^4/(-e^2\*x^2+d^2)^(1/2),x)

[Out]  $-e*(-e^2*x^2+d^2)^{(1/2)}/d/x^2-1/d*e^3/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-5/3*e^2*(-e^2*x^2+d^2)^{(1/2)}/d^2/x-1/3*(-e^2*x^2+d^2)^{(1/2)}/x^3$

**maxima** [A] time = 0.97, size = 108, normalized size = 1.01

$$-\frac{e^3 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{d^2} - \frac{5\sqrt{-e^2x^2+d^2}e^2}{3d^2x} - \frac{\sqrt{-e^2x^2+d^2}e}{dx^2} - \frac{\sqrt{-e^2x^2+d^2}}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^4/(-e^2\*x^2+d^2)^(1/2), x, algorithm="maxima")

[Out] -e^3\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x))/d^2 - 5/3\*sqrt(-e^2\*x^2 + d^2)\*e^2/(d^2\*x) - sqrt(-e^2\*x^2 + d^2)\*e/(d\*x^2) - 1/3\*sqrt(-e^2\*x^2 + d^2)/x^3

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d + ex)^2}{x^4 \sqrt{d^2 - e^2 x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^2/(x^4\*(d^2 - e^2\*x^2)^(1/2)), x)

[Out] int((d + e\*x)^2/(x^4\*(d^2 - e^2\*x^2)^(1/2)), x)

**sympy** [C] time = 6.09, size = 303, normalized size = 2.83

$$d^2 \left( \begin{cases} \frac{e\sqrt{\frac{d^2}{e^2x^2}-1}}{3d^2x^2} - \frac{2e^3\sqrt{\frac{d^2}{e^2x^2}-1}}{3d^4} & \text{for } \left| \frac{d^2}{e^2x^2} \right| > 1 \\ -\frac{ie\sqrt{-\frac{d^2}{e^2x^2}+1}}{3d^2x^2} - \frac{2ie^3\sqrt{-\frac{d^2}{e^2x^2}+1}}{3d^4} & \text{otherwise} \end{cases} \right) + 2de \left( \begin{cases} \frac{e\sqrt{\frac{d^2}{e^2x^2}-1}}{2d^2x} - \frac{e^2 \operatorname{acosh}\left(\frac{d}{ex}\right)}{2d^3} & \text{for } \left| \frac{d^2}{e^2x^2} \right| > 1 \\ \frac{i}{2ex^3\sqrt{-\frac{d^2}{e^2x^2}+1}} - \frac{ie}{2d^2x\sqrt{-\frac{d^2}{e^2x^2}+1}} + \frac{ie^2 \operatorname{asin}\left(\frac{d}{ex}\right)}{2d^3} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} \frac{e\sqrt{\frac{d^2}{e^2x^2}-1}}{d^2} & \text{for } \left| \frac{d^2}{e^2x^2} \right| > 1 \\ -\frac{ie\sqrt{-\frac{d^2}{e^2x^2}+1}}{d^2} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*2/x\*\*4/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2), x)

[Out] d\*\*2\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3\*d\*\*2\*x\*\*2) - 2\*e\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3\*d\*\*4), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3\*d\*\*2\*x\*\*2) - 2\*I\*e\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3\*d\*\*4), True)) + 2\*d\*e\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(2\*d\*\*2\*x) - e\*\*2\*acosh(d/(e\*x))/(2\*d\*\*3), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (I/(2\*e\*x\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e/(2\*d\*\*2\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*e\*\*2\*asin(d/(e\*x))/(2\*d\*\*3), True)) + e\*\*2\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/d\*\*2, Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/d\*\*2, True))

$$3.42 \quad \int \frac{(d+ex)^2}{x^5 \sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=140

$$-\frac{7e^2\sqrt{d^2-e^2x^2}}{8d^2x^2} - \frac{\sqrt{d^2-e^2x^2}}{4x^4} - \frac{2e\sqrt{d^2-e^2x^2}}{3dx^3} - \frac{7e^4 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{8d^3} - \frac{4e^3\sqrt{d^2-e^2x^2}}{3d^3x}$$

**Rubi** [A] time = 0.17, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1807, 835, 807, 266, 63, 208}

$$-\frac{4e^3\sqrt{d^2-e^2x^2}}{3d^3x} - \frac{7e^2\sqrt{d^2-e^2x^2}}{8d^2x^2} - \frac{2e\sqrt{d^2-e^2x^2}}{3dx^3} - \frac{\sqrt{d^2-e^2x^2}}{4x^4} - \frac{7e^4 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{8d^3}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/(x^5\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -Sqrt[d^2 - e^2\*x^2]/(4\*x^4) - (2\*e\*Sqrt[d^2 - e^2\*x^2])/(3\*d\*x^3) - (7\*e^2\*Sqrt[d^2 - e^2\*x^2])/(8\*d^2\*x^2) - (4\*e^3\*Sqrt[d^2 - e^2\*x^2])/(3\*d^3\*x) - (7\*e^4\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(8\*d^3)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^2}{x^5\sqrt{d^2-e^2x^2}} dx &= -\frac{\sqrt{d^2-e^2x^2}}{4x^4} - \frac{\int \frac{-8d^3e-7d^2e^2x}{x^4\sqrt{d^2-e^2x^2}} dx}{4d^2} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{4x^4} - \frac{2e\sqrt{d^2-e^2x^2}}{3dx^3} + \frac{\int \frac{21d^4e^2+16d^3e^3x}{x^3\sqrt{d^2-e^2x^2}} dx}{12d^4} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{4x^4} - \frac{2e\sqrt{d^2-e^2x^2}}{3dx^3} - \frac{7e^2\sqrt{d^2-e^2x^2}}{8d^2x^2} - \frac{\int \frac{-32d^5e^3-21d^4e^4x}{x^2\sqrt{d^2-e^2x^2}} dx}{24d^6} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{4x^4} - \frac{2e\sqrt{d^2-e^2x^2}}{3dx^3} - \frac{7e^2\sqrt{d^2-e^2x^2}}{8d^2x^2} - \frac{4e^3\sqrt{d^2-e^2x^2}}{3d^3x} + \frac{(7e^4) \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{8d^2} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{4x^4} - \frac{2e\sqrt{d^2-e^2x^2}}{3dx^3} - \frac{7e^2\sqrt{d^2-e^2x^2}}{8d^2x^2} - \frac{4e^3\sqrt{d^2-e^2x^2}}{3d^3x} + \frac{(7e^4) \text{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx\right)}{16d^2} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{4x^4} - \frac{2e\sqrt{d^2-e^2x^2}}{3dx^3} - \frac{7e^2\sqrt{d^2-e^2x^2}}{8d^2x^2} - \frac{4e^3\sqrt{d^2-e^2x^2}}{3d^3x} - \frac{(7e^2) \text{Subst}\left(\int \frac{1}{\frac{d^2-x}{e^2}-e} dx\right)}{8d^2} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{4x^4} - \frac{2e\sqrt{d^2-e^2x^2}}{3dx^3} - \frac{7e^2\sqrt{d^2-e^2x^2}}{8d^2x^2} - \frac{4e^3\sqrt{d^2-e^2x^2}}{3d^3x} - \frac{7e^4 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{8d^3}
\end{aligned}$$

**Mathematica [C]** time = 0.15, size = 155, normalized size = 1.11

$$\frac{e\sqrt{d^2-e^2x^2} \left( d(4d^2+3dex+8e^2x^2) \sqrt{1-\frac{e^2x^2}{d^2}} + 6e^3x^3 \sqrt{1-\frac{e^2x^2}{d^2}} {}_2F_1\left(\frac{1}{2}, 3; \frac{3}{2}; 1-\frac{e^2x^2}{d^2}\right) + 3e^3x^3 \tanh^{-1}\left(\sqrt{1-\frac{e^2x^2}{d^2}}\right) \right)}{6d^4x^3\sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/(x^5\*Sqrt[d^2 - e^2\*x^2]), x]

[Out]  $-\frac{1}{6} \frac{(e \sqrt{d^2 - e^2 x^2}) (d (4 d^2 + 3 d e x + 8 e^2 x^2) \sqrt{1 - (e^2 x^2)/d^2} + 3 e^3 x^3 \text{ArcTanh}[\sqrt{1 - (e^2 x^2)/d^2}] + 6 e^3 x^3 \sqrt{1 - (e^2 x^2)/d^2}) \text{Hypergeometric2F1}[1/2, 3, 3/2, 1 - (e^2 x^2)/d^2])}{d^4 x^3 \sqrt{1 - (e^2 x^2)/d^2}}$

**IntegrateAlgebraic [A]** time = 0.55, size = 104, normalized size = 0.74

$$\frac{7e^4 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2-e^2x^2}}{d}\right)}{4d^3} + \frac{\sqrt{d^2-e^2x^2} (-6d^3 - 16d^2ex - 21de^2x^2 - 32e^3x^3)}{24d^3x^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^2/(x^5\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-6\*d^3 - 16\*d^2\*e\*x - 21\*d\*e^2\*x^2 - 32\*e^3\*x^3))/(24\*d^3\*x^4) + (7\*e^4\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/(4\*d^3)

**fricas** [A] time = 0.40, size = 87, normalized size = 0.62

$$\frac{21 e^4 x^4 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - (32 e^3 x^3 + 21 d e^2 x^2 + 16 d^2 e x + 6 d^3) \sqrt{-e^2 x^2 + d^2}}{24 d^3 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^5/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] 1/24\*(21\*e^4\*x^4\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (32\*e^3\*x^3 + 21\*d\*e^2\*x^2 + 16\*d^2\*e\*x + 6\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(d^3\*x^4)

**giac** [B] time = 0.29, size = 305, normalized size = 2.18

$$\frac{x^4 \left( \frac{16 (d e + \sqrt{-x^2 e^2 + d^2} e)^6}{x} + \frac{48 (d e + \sqrt{-x^2 e^2 + d^2} e)^2 e^6}{x^2} + \frac{144 (d e + \sqrt{-x^2 e^2 + d^2} e)^4 e^4}{x^3} + 3 e^{10} \right) e^2 - 7 e^4 \log\left(\frac{-2 d e - 2 \sqrt{-x^2 e^2 + d^2} e}{2 |x|}\right) - \left( \frac{144 (d e + \sqrt{-x^2 e^2 + d^2} e)^2 e^{26}}{x} + \frac{48 (d e + \sqrt{-x^2 e^2 + d^2} e)^2 e^{24}}{x^2} + \frac{16 (d e + \sqrt{-x^2 e^2 + d^2} e)^3 e^{22}}{x^3} + \frac{3 (d e + \sqrt{-x^2 e^2 + d^2} e)^4 e^{20}}{x^4} \right) e^{(-24)}}{192 (d e + \sqrt{-x^2 e^2 + d^2} e)^4 d^3} - \frac{7 e^4 \log\left(\frac{-2 d e - 2 \sqrt{-x^2 e^2 + d^2} e}{2 |x|}\right)}{8 d^3} - \frac{\left( \frac{144 (d e + \sqrt{-x^2 e^2 + d^2} e)^2 e^{26}}{x} + \frac{48 (d e + \sqrt{-x^2 e^2 + d^2} e)^2 e^{24}}{x^2} + \frac{16 (d e + \sqrt{-x^2 e^2 + d^2} e)^3 e^{22}}{x^3} + \frac{3 (d e + \sqrt{-x^2 e^2 + d^2} e)^4 e^{20}}{x^4} \right) e^{(-24)}}{192 d^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^5/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] 1/192\*x^4\*(16\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^8/x + 48\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*e^6/x^2 + 144\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*e^4/x^3 + 3\*e^10)\*e^2/((d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*d^3) - 7/8\*e^4\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d^3 - 1/192\*(144\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^9\*e^26/x + 48\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*d^9\*e^24/x^2 + 16\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*d^9\*e^22/x^3 + 3\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*d^9\*e^20/x^4)\*e^(-24)/d^12

**maple** [A] time = 0.02, size = 139, normalized size = 0.99

$$\frac{7 e^4 \ln\left(\frac{2 d^2 + 2 \sqrt{d^2} \sqrt{-e^2 x^2 + d^2}}{x}\right)}{8 \sqrt{d^2} d^2} - \frac{4 \sqrt{-e^2 x^2 + d^2} e^3}{3 d^3 x} - \frac{7 \sqrt{-e^2 x^2 + d^2} e^2}{8 d^2 x^2} - \frac{2 \sqrt{-e^2 x^2 + d^2} e}{3 d x^3} - \frac{\sqrt{-e^2 x^2 + d^2}}{4 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^2/x^5/(-e^2\*x^2+d^2)^(1/2),x)

[Out]  $-2/3e^*(e^{-2x^2+d^2})^{(1/2)}/d/x^3-4/3e^3*(e^{-2x^2+d^2})^{(1/2)}/d^3/x-7/8e^2*(e^{-2x^2+d^2})^{(1/2)}/d^2/x^2-7/8e^4/d^2/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(e^{-2x^2+d^2})^{(1/2)})/x)-1/4*(e^{-2x^2+d^2})^{(1/2)}/x^4$

**maxima** [A] time = 0.97, size = 133, normalized size = 0.95

$$\frac{7e^4 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{8d^3} - \frac{4\sqrt{-e^2x^2+d^2}e^3}{3d^3x} - \frac{7\sqrt{-e^2x^2+d^2}e^2}{8d^2x^2} - \frac{2\sqrt{-e^2x^2+d^2}e}{3dx^3} - \frac{\sqrt{-e^2x^2+d^2}}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2/x^5/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out]  $-7/8e^4*\log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x))/d^3 - 4/3*sqrt(-e^2*x^2 + d^2)*e^3/(d^3*x) - 7/8*sqrt(-e^2*x^2 + d^2)*e^2/(d^2*x^2) - 2/3*sqrt(-e^2*x^2 + d^2)*e/(d*x^3) - 1/4*sqrt(-e^2*x^2 + d^2)/x^4$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d + ex)^2}{x^5 \sqrt{d^2 - e^2 x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^2/(x^5*(d^2 - e^2*x^2)^(1/2)),x)`

[Out] `int((d + e*x)^2/(x^5*(d^2 - e^2*x^2)^(1/2)), x)`

**sympy** [C] time = 10.32, size = 449, normalized size = 3.21

$$d^2 \left( \begin{cases} \frac{1}{4ex^5\sqrt{\frac{d^2}{e^2x^2}-1}} - \frac{e}{8d^2x^3\sqrt{\frac{d^2}{e^2x^2}-1}} + \frac{3e^3}{8d^4x\sqrt{\frac{d^2}{e^2x^2}-1}} - \frac{3e^4 \operatorname{acosh}\left(\frac{d}{ex}\right)}{8d^5} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ \frac{i}{4ex^5\sqrt{-\frac{d^2}{e^2x^2}+1}} + \frac{ie}{8d^2x^3\sqrt{-\frac{d^2}{e^2x^2}+1}} - \frac{3ie^3}{8d^4x\sqrt{-\frac{d^2}{e^2x^2}+1}} + \frac{3ie^4 \operatorname{asin}\left(\frac{d}{ex}\right)}{8d^5} & \text{otherwise} \end{cases} \right) + 2de \left( \begin{cases} -\frac{e\sqrt{\frac{d^2}{e^2x^2}-1}}{3d^2x^2} - \frac{2e^3\sqrt{\frac{d^2}{e^2x^2}-1}}{3d^4} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ \frac{ie\sqrt{-\frac{d^2}{e^2x^2}+1}}{-3d^2x^2} - \frac{2ie^3\sqrt{-\frac{d^2}{e^2x^2}+1}}{3d^4} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} -\frac{e\sqrt{\frac{d^2}{e^2x^2}-1}}{2d^2x} - \frac{e^2 \operatorname{acosh}\left(\frac{d}{ex}\right)}{2d^5} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ \frac{i}{2ex^3\sqrt{-\frac{d^2}{e^2x^2}+1}} - \frac{ie}{2d^2x\sqrt{-\frac{d^2}{e^2x^2}+1}} + \frac{i^2 \operatorname{asin}\left(\frac{d}{ex}\right)}{2d^5} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**2/x**5/(-e**2*x**2+d**2)**(1/2),x)`

[Out]  $d**2*\text{Piecewise}((-1/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) - e/(8*d**2*x**3*sqrt(d**2/(e**2*x**2) - 1)) + 3*e**3/(8*d**4*x*sqrt(d**2/(e**2*x**2) - 1)) - 3*e**4*acosh(d/(e*x))/(8*d**5), Abs(d**2/(e**2*x**2)) > 1), (1/(4*e*x**5*sqrt(-d**2/(e**2*x**2) + 1)) + I*e/(8*d**2*x**3*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e**3/(8*d**4*x*sqrt(-d**2/(e**2*x**2) + 1)) + 3*I*e**4*asin(d/(e*x))/(8*d**5), True)) + 2*d*e*\text{Piecewise}((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2*x**2) - 2*e**3*sqrt(d**2/(e**2*x**2) - 1)/(3*d**4), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(3*d**2*x**2) - 2*I*e**3*sqrt(-d**2/$

```

(e**2*x**2) + 1)/(3*d**4), True)) + e**2*Piecewise((-e*sqrt(d**2/(e**2*x**2)
) - 1)/(2*d**2*x) - e**2*acosh(d/(e*x))/(2*d**3), Abs(d**2/(e**2*x**2)) > 1
), (I/(2*e*x**3*sqrt(-d**2/(e**2*x**2) + 1)) - I*e/(2*d**2*x*sqrt(-d**2/(e*
**2*x**2) + 1)) + I*e**2*asin(d/(e*x))/(2*d**3), True))

```



$$3.43 \quad \int \frac{(d+ex)^2}{x^6 \sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=169

$$\frac{\sqrt{d^2-e^2x^2}}{5x^5} - \frac{e\sqrt{d^2-e^2x^2}}{2dx^4} - \frac{3e^2\sqrt{d^2-e^2x^2}}{5d^2x^3} - \frac{3e^5 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{4d^4} - \frac{6e^4\sqrt{d^2-e^2x^2}}{5d^4x} - \frac{3e^3\sqrt{d^2-e^2x^2}}{4d^3x^2}$$

**Rubi [A]** time = 0.20, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1807, 835, 807, 266, 63, 208}

$$\frac{6e^4\sqrt{d^2-e^2x^2}}{5d^4x} - \frac{3e^3\sqrt{d^2-e^2x^2}}{4d^3x^2} - \frac{3e^2\sqrt{d^2-e^2x^2}}{5d^2x^3} - \frac{e\sqrt{d^2-e^2x^2}}{2dx^4} - \frac{\sqrt{d^2-e^2x^2}}{5x^5} - \frac{3e^5 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{4d^4}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/(x^6\*sqrt[d^2 - e^2\*x^2]), x]

[Out] -sqrt[d^2 - e^2\*x^2]/(5\*x^5) - (e\*sqrt[d^2 - e^2\*x^2])/(2\*d\*x^4) - (3\*e^2\*sqrt[d^2 - e^2\*x^2])/(5\*d^2\*x^3) - (3\*e^3\*sqrt[d^2 - e^2\*x^2])/(4\*d^3\*x^2) - (6\*e^4\*sqrt[d^2 - e^2\*x^2])/(5\*d^4\*x) - (3\*e^5\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(4\*d^4)

### Rule 63

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^2}{x^6 \sqrt{d^2-e^2x^2}} dx &= -\frac{\sqrt{d^2-e^2x^2}}{5x^5} - \frac{\int \frac{-10d^3e-9d^2e^2x}{x^5 \sqrt{d^2-e^2x^2}} dx}{5d^2} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{5x^5} - \frac{e\sqrt{d^2-e^2x^2}}{2dx^4} + \frac{\int \frac{36d^4e^2+30d^3e^3x}{x^4 \sqrt{d^2-e^2x^2}} dx}{20d^4} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{5x^5} - \frac{e\sqrt{d^2-e^2x^2}}{2dx^4} - \frac{3e^2\sqrt{d^2-e^2x^2}}{5d^2x^3} - \frac{\int \frac{-90d^5e^3-72d^4e^4x}{x^3 \sqrt{d^2-e^2x^2}} dx}{60d^6} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{5x^5} - \frac{e\sqrt{d^2-e^2x^2}}{2dx^4} - \frac{3e^2\sqrt{d^2-e^2x^2}}{5d^2x^3} - \frac{3e^3\sqrt{d^2-e^2x^2}}{4d^3x^2} + \frac{\int \frac{144d^6e^4+90d^5e^5x}{x^2 \sqrt{d^2-e^2x^2}} dx}{120d^8} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{5x^5} - \frac{e\sqrt{d^2-e^2x^2}}{2dx^4} - \frac{3e^2\sqrt{d^2-e^2x^2}}{5d^2x^3} - \frac{3e^3\sqrt{d^2-e^2x^2}}{4d^3x^2} - \frac{6e^4\sqrt{d^2-e^2x^2}}{5d^4x} + \frac{(3e^5)}{120d^8} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{5x^5} - \frac{e\sqrt{d^2-e^2x^2}}{2dx^4} - \frac{3e^2\sqrt{d^2-e^2x^2}}{5d^2x^3} - \frac{3e^3\sqrt{d^2-e^2x^2}}{4d^3x^2} - \frac{6e^4\sqrt{d^2-e^2x^2}}{5d^4x} + \frac{(3e^5)}{120d^8} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{5x^5} - \frac{e\sqrt{d^2-e^2x^2}}{2dx^4} - \frac{3e^2\sqrt{d^2-e^2x^2}}{5d^2x^3} - \frac{3e^3\sqrt{d^2-e^2x^2}}{4d^3x^2} - \frac{6e^4\sqrt{d^2-e^2x^2}}{5d^4x} - \frac{(3e^5)}{120d^8} \\
&= -\frac{\sqrt{d^2-e^2x^2}}{5x^5} - \frac{e\sqrt{d^2-e^2x^2}}{2dx^4} - \frac{3e^2\sqrt{d^2-e^2x^2}}{5d^2x^3} - \frac{3e^3\sqrt{d^2-e^2x^2}}{4d^3x^2} - \frac{6e^4\sqrt{d^2-e^2x^2}}{5d^4x} - \frac{3e^5}{120d^8}
\end{aligned}$$

**Mathematica [C]** time = 0.04, size = 79, normalized size = 0.47

$$\frac{\sqrt{d^2-e^2x^2} \left( d^5 + 3d^3e^2x^2 + 10e^5x^5 {}_2F_1 \left( \frac{1}{2}, 3; \frac{3}{2}; 1 - \frac{e^2x^2}{d^2} \right) + 6de^4x^4 \right)}{5d^5x^5}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/(x^6\*sqrt[d^2 - e^2\*x^2]),x]

[Out] -1/5\*(sqrt[d^2 - e^2\*x^2]\*(d^5 + 3\*d^3\*e^2\*x^2 + 6\*d\*e^4\*x^4 + 10\*e^5\*x^5\*Hypergeometric2F1[1/2, 3, 3/2, 1 - (e^2\*x^2)/d^2]))/(d^5\*x^5)

**IntegrateAlgebraic [A]** time = 0.64, size = 115, normalized size = 0.68

$$\frac{3e^5 \tanh^{-1} \left( \frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2-e^2x^2}}{d} \right)}{2d^4} + \frac{\sqrt{d^2-e^2x^2} (-4d^4 - 10d^3ex - 12d^2e^2x^2 - 15de^3x^3 - 24e^4x^4)}{20d^4x^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^2/(x^6\*sqrt[d^2 - e^2\*x^2]),x]

[Out] (sqrt[d^2 - e^2\*x^2]\*(-4\*d^4 - 10\*d^3\*e\*x - 12\*d^2\*e^2\*x^2 - 15\*d\*e^3\*x^3 - 24\*e^4\*x^4))/(20\*d^4\*x^5) + (3\*e^5\*ArcTanh[(sqrt[-e^2]\*x)/d - sqrt[d^2 - e^2\*x^2]/d])/(2\*d^4)

**fricas** [A] time = 0.40, size = 98, normalized size = 0.58

$$\frac{15e^5x^5 \log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) - (24e^4x^4 + 15de^3x^3 + 12d^2e^2x^2 + 10d^3ex + 4d^4)\sqrt{-e^2x^2+d^2}}{20d^4x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^6/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] 1/20\*(15\*e^5\*x^5\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (24\*e^4\*x^4 + 15\*d\*e^3\*x^3 + 12\*d^2\*e^2\*x^2 + 10\*d^3\*e\*x + 4\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d^4\*x^5)

**giac** [B] time = 0.27, size = 365, normalized size = 2.16

$$\frac{x^5 \left( \frac{5(d+\sqrt{-e^2x^2+d^2})^{20}}{x} + \frac{15(d+\sqrt{-e^2x^2+d^2})^2}{x^2} + \frac{40(d+\sqrt{-e^2x^2+d^2})^3}{x^3} + \frac{110(d+\sqrt{-e^2x^2+d^2})^4}{x^4} + d^2 \right)^3 - 3e^5 \log\left(\frac{-2de-2\sqrt{-e^2x^2+d^2}d^{e-2i}}{2i}\right)}{160(d+\sqrt{-e^2x^2+d^2})^5 d^4} - \frac{\left( \frac{110(d+\sqrt{-e^2x^2+d^2})^{16}e^{26}}{x} + \frac{40(d+\sqrt{-e^2x^2+d^2})^2}{x^2} d^{16}e^{26} + \frac{15(d+\sqrt{-e^2x^2+d^2})^3}{x^3} d^{16}e^{24} + \frac{5(d+\sqrt{-e^2x^2+d^2})^4}{x^4} d^{16}e^{20} + \frac{(d+\sqrt{-e^2x^2+d^2})^5}{x^5} d^{16}e^{20} \right) d^{-35}}{160d^{20}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^6/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] 1/160\*x^5\*(5\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^10/x + 15\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*e^8/x^2 + 40\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*e^6/x^3 + 110\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*e^4/x^4 + e^12)\*e^3/((d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5\*d^4) - 3/4\*e^5\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)^(-2)/abs(x))/d^4 - 1/160\*(110\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^16\*e^38/x + 40\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*d^16\*e^36/x^2 + 15\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*d^16\*e^34/x^3 + 5\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*d^16\*e^32/x^4 + (d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5\*d^16\*e^30/x^5)\*e^(-35)/d^20

**maple** [A] time = 0.02, size = 164, normalized size = 0.97

$$\frac{3e^5 \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{4\sqrt{d^2}d^3} - \frac{6\sqrt{-e^2x^2+d^2}e^4}{5d^4x} - \frac{3\sqrt{-e^2x^2+d^2}e^3}{4d^3x^2} - \frac{3\sqrt{-e^2x^2+d^2}e^2}{5d^2x^3} - \frac{\sqrt{-e^2x^2+d^2}e}{2dx^4} - \frac{\sqrt{-e^2x^2+d^2}}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^2/x^6/(-e^2*x^2+d^2)^{(1/2)}, x)$

[Out]  $-3/5*e^2*(-e^2*x^2+d^2)^{(1/2)}/d^2/x^3-6/5*e^4*(-e^2*x^2+d^2)^{(1/2)}/d^4/x-1/2*e*(-e^2*x^2+d^2)^{(1/2)}/d/x^4-3/4*e^3*(-e^2*x^2+d^2)^{(1/2)}/d^3/x^2-3/4/d^3*e^5/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-1/5*(-e^2*x^2+d^2)^{(1/2)}/x^5$

**maxima** [A] time = 0.98, size = 158, normalized size = 0.93

$$\frac{3e^5 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{4d^4} - \frac{6\sqrt{-e^2x^2+d^2}e^4}{5d^4x} - \frac{3\sqrt{-e^2x^2+d^2}e^3}{4d^3x^2} - \frac{3\sqrt{-e^2x^2+d^2}e^2}{5d^2x^3} - \frac{\sqrt{-e^2x^2+d^2}e}{2dx^4} - \frac{\sqrt{-e^2x^2+d^2}}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)^2/x^6/(-e^2*x^2+d^2)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out]  $-3/4*e^5*\log(2*d^2/\text{abs}(x) + 2*\text{sqrt}(-e^2*x^2 + d^2)*d/\text{abs}(x))/d^4 - 6/5*\text{sqrt}(-e^2*x^2 + d^2)*e^4/(d^4*x) - 3/4*\text{sqrt}(-e^2*x^2 + d^2)*e^3/(d^3*x^2) - 3/5*\text{sqrt}(-e^2*x^2 + d^2)*e^2/(d^2*x^3) - 1/2*\text{sqrt}(-e^2*x^2 + d^2)*e/(d*x^4) - 1/5*\text{sqrt}(-e^2*x^2 + d^2)/x^5$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d+ex)^2}{x^6 \sqrt{d^2 - e^2x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d + e*x)^2/(x^6*(d^2 - e^2*x^2)^{(1/2)}), x)$

[Out]  $\text{int}((d + e*x)^2/(x^6*(d^2 - e^2*x^2)^{(1/2)}), x)$

**sympy** [C] time = 8.96, size = 510, normalized size = 3.02

$$d^2 \left( \left( \frac{e\sqrt{\frac{d^2}{2x^2}-1}}{5d^2x^4} - \frac{4e^3\sqrt{\frac{d^2}{2x^2}-1}}{15d^4x^2} - \frac{8e^5\sqrt{\frac{d^2}{2x^2}-1}}{15d^6} \right) \text{ for } \left| \frac{d^2}{2x^2} \right| > 1 \right) + 2de \left( \left( \frac{1}{4e^5\sqrt{\frac{d^2}{2x^2}-1}} - \frac{e}{8d^2x^3\sqrt{\frac{d^2}{2x^2}-1}} + \frac{3e^3}{8d^4x\sqrt{\frac{d^2}{2x^2}-1}} - \frac{3e^4 \operatorname{acosh}\left(\frac{d}{\sqrt{2}x}\right)}{8d^5} \right) \text{ for } \left| \frac{d^2}{2x^2} \right| > 1 \right) + e^2 \left( \left( \frac{e\sqrt{\frac{d^2}{2x^2}-1}}{3d^2x^2} - \frac{2e^3\sqrt{\frac{d^2}{2x^2}-1}}{3d^4} \right) \text{ for } \left| \frac{d^2}{2x^2} \right| > 1 \right) + \left( \left( \frac{-ie\sqrt{\frac{d^2}{2x^2}+1}}{5d^2x^4} - \frac{4ie^3\sqrt{\frac{d^2}{2x^2}+1}}{15d^4x^2} - \frac{8ie^5\sqrt{\frac{d^2}{2x^2}+1}}{15d^6} \right) \text{ otherwise} \right) + \left( \left( \frac{i}{4e^5\sqrt{\frac{d^2}{2x^2}+1}} + \frac{ie}{8d^2x^3\sqrt{\frac{d^2}{2x^2}+1}} - \frac{3ie^3}{8d^4x\sqrt{\frac{d^2}{2x^2}+1}} + \frac{3ie^4 \operatorname{asin}\left(\frac{d}{\sqrt{2}x}\right)}{8d^5} \right) \text{ otherwise} \right) + \left( \left( \frac{-ie\sqrt{\frac{d^2}{2x^2}+1}}{3d^2x^2} - \frac{2ie^3\sqrt{\frac{d^2}{2x^2}+1}}{3d^4} \right) \text{ otherwise} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)**2/x**6/(-e**2*x**2+d**2)**(1/2), x)$

[Out]  $d**2*\text{Piecewise}((-e*\text{sqrt}(d**2/(e**2*x**2) - 1))/(5*d**2*x**4) - 4*e**3*\text{sqrt}(d**2/(e**2*x**2) - 1))/(15*d**4*x**2) - 8*e**5*\text{sqrt}(d**2/(e**2*x**2) - 1))/(15*d**6), \text{Abs}(d**2/(e**2*x**2)) > 1), (-I*e*\text{sqrt}(-d**2/(e**2*x**2) + 1))/(5*d**2*x**4) - 4*I*e**3*\text{sqrt}(-d**2/(e**2*x**2) + 1))/(15*d**4*x**2) - 8*I*e**5*\text{sqrt}(-d**2/(e**2*x**2) + 1))/(15*d**6), \text{True})) + 2*d*e*\text{Piecewise}((-1/(4*e*x**$

```

5*sqrt(d**2/(e**2*x**2) - 1)) - e/(8*d**2*x**3*sqrt(d**2/(e**2*x**2) - 1))
+ 3*e**3/(8*d**4*x*sqrt(d**2/(e**2*x**2) - 1)) - 3*e**4*acosh(d/(e*x))/(8*d
**5), Abs(d**2/(e**2*x**2)) > 1), (I/(4*e*x**5*sqrt(-d**2/(e**2*x**2) + 1))
+ I*e/(8*d**2*x**3*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e**3/(8*d**4*x*sqrt(
-d**2/(e**2*x**2) + 1)) + 3*I*e**4*asin(d/(e*x))/(8*d**5), True)) + e**2*Pi
ecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2*x**2) - 2*e**3*sqrt(d**2/(e
**2*x**2) - 1)/(3*d**4), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*
x**2) + 1)/(3*d**2*x**2) - 2*I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(3*d**4), T
rue))

```

$$3.44 \quad \int \frac{x^5(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=143

$$\frac{2d(30d+23ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^6} - \frac{2d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^6} + \frac{d^4(d+ex)^2}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{22d^3(d+ex)}{15e^6(d^2-e^2x^2)^{3/2}}$$

**Rubi** [A] time = 0.27, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1635, 1814, 641, 217, 203}

$$\frac{d^4(d+ex)^2}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{22d^3(d+ex)}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{2d(30d+23ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^6} - \frac{2d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^6}$$

Antiderivative was successfully verified.

[In] Int[(x^5\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d^4\*(d + e\*x)^2)/(5\*e^6\*(d^2 - e^2\*x^2)^(5/2)) - (22\*d^3\*(d + e\*x))/(15\*e^6\*(d^2 - e^2\*x^2)^(3/2)) + (2\*d\*(30\*d + 23\*e\*x))/(15\*e^6\*sqrt[d^2 - e^2\*x^2]) + sqrt[d^2 - e^2\*x^2]/e^6 - (2\*d\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/e^6

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1635

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]

```

### Rule 1814

```

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :=> With[{Q = PolynomialQuot
ient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((a*g -
b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int
[(a + b*x^2)^(p + 1)*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x]] /
; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]

```

### Rubi steps



$$\begin{aligned}
\int \frac{x^5(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx &= \frac{d^4(d+ex)^2}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d+ex)\left(\frac{2d^5}{e^5} + \frac{5d^4x}{e^4} + \frac{5d^3x^2}{e^3} + \frac{5d^2x^3}{e^2} + \frac{5dx^4}{e}\right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{d^4(d+ex)^2}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{22d^3(d+ex)}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{\frac{16d^5}{e^5} + \frac{45d^4x}{e^4} + \frac{30d^3x^2}{e^3} + \frac{15d^2x^3}{e^2}}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
&= \frac{d^4(d+ex)^2}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{22d^3(d+ex)}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{2d(30d+23ex)}{15e^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{\frac{30d^5}{e^5} + \frac{15d^4x}{e^4}}{\sqrt{d^2-e^2x^2}} dx}{15d^4} \\
&= \frac{d^4(d+ex)^2}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{22d^3(d+ex)}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{2d(30d+23ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^6} - \frac{(2d) \int \frac{1}{\sqrt{d^2-e^2x^2}}}{e^5} \\
&= \frac{d^4(d+ex)^2}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{22d^3(d+ex)}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{2d(30d+23ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^6} - \frac{(2d) \text{Subst}\left(\frac{1}{\sqrt{d^2-e^2x^2}}\right)}{e^5} \\
&= \frac{d^4(d+ex)^2}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{22d^3(d+ex)}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{2d(30d+23ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^6} - \frac{2d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^6}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 111, normalized size = 0.78

$$\frac{56d^4 - 82d^3ex - 32d^2e^2x^2 - \frac{30(d-ex)^3(d+ex) \sin^{-1}\left(\frac{ex}{d}\right)}{\sqrt{1-\frac{e^2x^2}{d^2}}} + 76de^3x^3 - 15e^4x^4}{15e^6(d-ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (56\*d^4 - 82\*d^3\*e\*x - 32\*d^2\*e^2\*x^2 + 76\*d\*e^3\*x^3 - 15\*e^4\*x^4 - (30\*(d - e\*x)^3\*(d + e\*x)\*ArcSin[(e\*x)/d])/Sqrt[1 - (e^2\*x^2)/d^2]/(15\*e^6\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.65, size = 126, normalized size = 0.88

$$\frac{2d\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{e^7} - \frac{\sqrt{d^2 - e^2x^2} (56d^4 - 82d^3ex - 32d^2e^2x^2 + 76de^3x^3 - 15e^4x^4)}{15e^6(ex - d)^3(d + ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^5\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] -1/15\*(Sqrt[d^2 - e^2\*x^2]\*(56\*d^4 - 82\*d^3\*e\*x - 32\*d^2\*e^2\*x^2 + 76\*d\*e^3\*x^3 - 15\*e^4\*x^4))/(e^6\*(-d + e\*x)^3\*(d + e\*x)) - (2\*d\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^7

**fricas [A]** time = 0.40, size = 188, normalized size = 1.31

$$\frac{56de^4x^4 - 112d^2e^3x^3 + 112d^4ex - 56d^5 + 60(d^4e^4 - 2d^2e^3x^3 + 2d^4ex - d^5) \arctan\left(\frac{-d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (15e^4x^4 - 76de^3x^3 + 32d^2e^2x^2 + 82d^3ex - 56d^4)\sqrt{-e^2x^2 + d^2}}{15(e^{10}x^4 - 2de^9x^3 + 2d^3e^7x - d^4e^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out] 1/15\*(56\*d\*e^4\*x^4 - 112\*d^2\*e^3\*x^3 + 112\*d^4\*e\*x - 56\*d^5 + 60\*(d\*e^4\*x^4 - 2\*d^2\*e^3\*x^3 + 2\*d^4\*e\*x - d^5)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (15\*e^4\*x^4 - 76\*d\*e^3\*x^3 + 32\*d^2\*e^2\*x^2 + 82\*d^3\*e\*x - 56\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(e^10\*x^4 - 2\*d\*e^9\*x^3 + 2\*d^3\*e^7\*x - d^4\*e^6)

**giac [A]** time = 0.30, size = 106, normalized size = 0.74

$$-2d \arcsin\left(\frac{xe}{d}\right) e^{(-6)} \operatorname{sgn}(d) - \frac{(56d^6e^{(-6)} + (30d^5e^{(-5)} - (140d^4e^{(-4)} + (70d^3e^{(-3)} - (105d^2e^{(-2)} + (46de^{(-1)} - 15x)x)x)x)\sqrt{-e^2e^2 + d^2})}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2), x, algorithm="giac")

[Out] -2\*d\*arcsin(x\*e/d)\*e^(-6)\*sgn(d) - 1/15\*(56\*d^6\*e^(-6) + (30\*d^5\*e^(-5) - (140\*d^4\*e^(-4) + (70\*d^3\*e^(-3) - (105\*d^2\*e^(-2) + (46\*d\*e^(-1) - 15\*x)\*x)\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)/(x^2\*e^2 - d^2)^3

**maple [A]** time = 0.01, size = 193, normalized size = 1.35

$$-\frac{x^6}{(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{2dx^5}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{7d^2x^4}{(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{28d^4x^2}{3(-e^2x^2 + d^2)^{\frac{5}{2}}e^4} - \frac{2dx^3}{3(-e^2x^2 + d^2)^{\frac{3}{2}}e^3} + \frac{56d^6}{15(-e^2x^2 + d^2)^{\frac{5}{2}}e^6} + \frac{2dx}{\sqrt{-e^2x^2 + d^2}e^5} - \frac{2d \arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2 + d^2}}\right)}{\sqrt{e^2}e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(e*x+d)^2/(-e^2*x^2+d^2)^(7/2),x)`

[Out] 
$$-x^6/(-e^2*x^2+d^2)^{(5/2)}+7/e^2*d^2*x^4/(-e^2*x^2+d^2)^{(5/2)}-28/3/e^4*d^4*x^2/(-e^2*x^2+d^2)^{(5/2)}+56/15/e^6*d^6/(-e^2*x^2+d^2)^{(5/2)}+2/5/e*d*x^5/(-e^2*x^2+d^2)^{(5/2)}-2/3/e^3*d*x^3/(-e^2*x^2+d^2)^{(3/2)}+2/e^5*d*x/(-e^2*x^2+d^2)^{(1/2)}-2/e^5*d/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)$$

**maxima** [B] time = 1.02, size = 276, normalized size = 1.93

$$\frac{2}{15} dx \left( \frac{15x^4}{(-e^2x^2+d^2)^{3/2}e^2} - \frac{20d^2x^2}{(-e^2x^2+d^2)^{3/2}e^4} + \frac{8d^4}{(-e^2x^2+d^2)^{3/2}e^6} \right) - \frac{x^6}{(-e^2x^2+d^2)^{5/2}} - \frac{2dx \left( \frac{3x^2}{(-e^2x^2+d^2)^{3/2}e^2} - \frac{2d^2}{(-e^2x^2+d^2)^{3/2}e^4} \right)}{3e} + \frac{7d^2x^4}{(-e^2x^2+d^2)^{5/2}e^2} - \frac{28d^4x^2}{3(-e^2x^2+d^2)^{5/2}e^4} + \frac{56d^6}{15(-e^2x^2+d^2)^{5/2}e^6} + \frac{8d^3x}{15(-e^2x^2+d^2)^{3/2}e^5} - \frac{14dx}{15\sqrt{-e^2x^2+d^2}e^5} - \frac{2d \arcsin\left(\frac{x}{d}\right)}{e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(e*x+d)^2/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out] 
$$\begin{aligned} & 2/15*d*e*x*(15*x^4/((-e^2*x^2 + d^2)^{(5/2)}*e^2) - 20*d^2*x^2/((-e^2*x^2 + d^2)^{(5/2)}*e^4) + 8*d^4/((-e^2*x^2 + d^2)^{(5/2)}*e^6)) - x^6/(-e^2*x^2 + d^2)^{(5/2)} \\ & - 2/3*d*x*(3*x^2/((-e^2*x^2 + d^2)^{(3/2)}*e^2) - 2*d^2/((-e^2*x^2 + d^2)^{(3/2)}*e^4))/e + 7*d^2*x^4/((-e^2*x^2 + d^2)^{(5/2)}*e^2) - 28/3*d^4*x^2/((-e^2*x^2 + d^2)^{(5/2)}*e^4) \\ & + 56/15*d^6/((-e^2*x^2 + d^2)^{(5/2)}*e^6) + 8/15*d^3*x/((-e^2*x^2 + d^2)^{(3/2)}*e^5) - 14/15*d*x/(sqrt(-e^2*x^2 + d^2)*e^5) - 2*d*arcsin(e*x/d)/e^6 \end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5 (d + e x)^2}{(d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(d + e*x)^2)/(d^2 - e^2*x^2)^(7/2),x)`

[Out] `int((x^5*(d + e*x)^2)/(d^2 - e^2*x^2)^(7/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 (d + e x)^2}{(-(-d + e x) (d + e x))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(e*x+d)**2/(-e**2*x**2+d**2)**(7/2),x)`

[Out] `Integral(x**5*(d + e*x)**2/(-(-d + e*x)*(d + e*x))**2, x)`

$$3.45 \quad \int \frac{x^4(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=121

$$-\frac{17d^2(d+ex)}{15e^5(d^2-e^2x^2)^{3/2}} + \frac{2(15d+13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5} + \frac{d^3(d+ex)^2}{5e^5(d^2-e^2x^2)^{5/2}}$$

**Rubi [A]** time = 0.21, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1635, 1814, 12, 217, 203}

$$\frac{d^3(d+ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{17d^2(d+ex)}{15e^5(d^2-e^2x^2)^{3/2}} + \frac{2(15d+13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d^3\*(d + e\*x)^2)/(5\*e^5\*(d^2 - e^2\*x^2)^(5/2)) - (17\*d^2\*(d + e\*x))/(15\*e^5\*(d^2 - e^2\*x^2)^(3/2)) + (2\*(15\*d + 13\*e\*x))/(15\*e^5\*sqrt[d^2 - e^2\*x^2]) - ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]]/e^5

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 1635

Int[(Pq\_)\*((d\_) + (e\_.)\*(x\_))^(m\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, a\*e + c\*d\*x, x], f = PolynomialRemainder

[Pq, a\*e + c\*d\*x, x]}, -Simp[(d\*f\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*a\*e\*(p + 1)), x] + Dist[d/(2\*a\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1)\*ExpandToSum[2\*a\*e\*(p + 1)\*Q + f\*(m + 2\*p + 2), x], x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c\*d^2 + a\*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]

### Rule 1814

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b\*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b\*x^2, x], x, 1]}, Simp[((a\*g - b\*f\*x)\*(a + b\*x^2)^(p + 1))/(2\*a\*b\*(p + 1)), x] + Dist[1/(2\*a\*(p + 1)), Int[(a + b\*x^2)^(p + 1)\*ExpandToSum[2\*a\*(p + 1)\*Q + f\*(2\*p + 3), x], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^4(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx &= \frac{d^3(d+ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d+ex)\left(\frac{2d^4}{e^4} + \frac{5d^3x}{e^3} + \frac{5d^2x^2}{e^2} + \frac{5dx^3}{e}\right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
 &= \frac{d^3(d+ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{17d^2(d+ex)}{15e^5(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{\frac{11d^4}{e^4} + \frac{30d^3x}{e^3} + \frac{15d^2x^2}{e^2}}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
 &= \frac{d^3(d+ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{17d^2(d+ex)}{15e^5(d^2-e^2x^2)^{3/2}} + \frac{2(15d+13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\int \frac{15d^4}{e^4\sqrt{d^2-e^2x^2}} dx}{15d^4} \\
 &= \frac{d^3(d+ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{17d^2(d+ex)}{15e^5(d^2-e^2x^2)^{3/2}} + \frac{2(15d+13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^4} \\
 &= \frac{d^3(d+ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{17d^2(d+ex)}{15e^5(d^2-e^2x^2)^{3/2}} + \frac{2(15d+13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\text{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x, \frac{x}{\sqrt{d^2-e^2x^2}}\right)}{e^4} \\
 &= \frac{d^3(d+ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{17d^2(d+ex)}{15e^5(d^2-e^2x^2)^{3/2}} + \frac{2(15d+13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5}
 \end{aligned}$$

**Mathematica [A]** time = 0.20, size = 96, normalized size = 0.79

$$\frac{16d^3 - 15d(d - ex)^2 \sqrt{1 - \frac{e^2 x^2}{d^2}} \sin^{-1}\left(\frac{ex}{d}\right) - 17d^2 ex - 22de^2 x^2 + 26e^3 x^3}{15e^5 (d - ex)^2 \sqrt{d^2 - e^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (16\*d^3 - 17\*d^2\*e\*x - 22\*d\*e^2\*x^2 + 26\*e^3\*x^3 - 15\*d\*(d - e\*x)^2\*sqrt[1 - (e^2\*x^2)/d^2])\*ArcSin[(e\*x)/d]/(15\*e^5\*(d - e\*x)^2\*sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.62, size = 114, normalized size = 0.94

$$-\frac{\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{e^6} - \frac{\sqrt{d^2 - e^2 x^2} (16d^3 - 17d^2 ex - 22de^2 x^2 + 26e^3 x^3)}{15e^5 (ex - d)^3 (d + ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] -1/15\*(sqrt[d^2 - e^2\*x^2]\*(16\*d^3 - 17\*d^2\*e\*x - 22\*d\*e^2\*x^2 + 26\*e^3\*x^3))/(e^5\*(-d + e\*x)^3\*(d + e\*x)) - (sqrt[-e^2]\*Log[-(sqrt[-e^2]\*x) + sqrt[d^2 - e^2\*x^2]])/e^6

**fricas [A]** time = 0.42, size = 172, normalized size = 1.42

$$\frac{16e^4 x^4 - 32de^3 x^3 + 32d^3 ex - 16d^4 + 30(e^4 x^4 - 2de^3 x^3 + 2d^3 ex - d^4) \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) - (26e^3 x^3 - 22de^2 x^2 - 17d^2 ex + 16d^3) \sqrt{-e^2 x^2 + d^2}}{15(e^9 x^4 - 2de^8 x^3 + 2d^3 e^6 x - d^4 e^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out] 1/15\*(16\*e^4\*x^4 - 32\*d\*e^3\*x^3 + 32\*d^3\*e\*x - 16\*d^4 + 30\*(e^4\*x^4 - 2\*d\*e^3\*x^3 + 2\*d^3\*e\*x - d^4)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (26\*e^3\*x^3 - 22\*d\*e^2\*x^2 - 17\*d^2\*e\*x + 16\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(e^9\*x^4 - 2\*d\*e^8\*x^3 + 2\*d^3\*e^6\*x - d^4\*e^5)

**giac [A]** time = 0.28, size = 95, normalized size = 0.79

$$-\arcsin\left(\frac{xe}{d}\right) e^{(-5) \operatorname{sgn}(d)} - \frac{(16d^5 e^{(-5)} + (15d^4 e^{(-4)} - (40d^3 e^{(-3)} + (35d^2 e^{(-2)} - 2(15de^{(-1)} + 13x)x)x)x)\sqrt{-x^2 e^2 + d^2}}{15(x^2 e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] -arcsin(x\*e/d)\*e^(-5)\*sgn(d) - 1/15\*(16\*d^5\*e^(-5) + (15\*d^4\*e^(-4) - (40\*d^3\*e^(-3) + (35\*d^2\*e^(-2) - 2\*(15\*d\*e^(-1) + 13\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)/(x^2\*e^2 - d^2)^3

**maple [B]** time = 0.02, size = 236, normalized size = 1.95

$$\frac{x^5}{5(-e^2x^2+d^2)^{\frac{5}{2}}} + \frac{2dx^4}{(-e^2x^2+d^2)^{\frac{5}{2}}e} + \frac{d^2x^3}{2(-e^2x^2+d^2)^{\frac{5}{2}}e^2} - \frac{8d^3x^2}{3(-e^2x^2+d^2)^{\frac{5}{2}}e^3} - \frac{3d^4x}{10(-e^2x^2+d^2)^{\frac{5}{2}}e^4} - \frac{x^3}{3(-e^2x^2+d^2)^{\frac{3}{2}}e^2} + \frac{16d^5}{15(-e^2x^2+d^2)^{\frac{5}{2}}e^5} + \frac{d^2x}{10(-e^2x^2+d^2)^{\frac{3}{2}}e^4} + \frac{6x}{5\sqrt{-e^2x^2+d^2}e^4} - \frac{\arctan\left(\frac{\sqrt{e^2x^2+d^2}}{\sqrt{-e^2x^2+d^2}}\right)}{\sqrt{e^2}e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2),x)

[Out] 1/5\*x^5/(-e^2\*x^2+d^2)^(5/2)-1/3\*x^3/e^2/(-e^2\*x^2+d^2)^(3/2)+6/5/e^4\*x/(-e^2\*x^2+d^2)^(1/2)-1/e^4/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)+2\*d/e\*x^4/(-e^2\*x^2+d^2)^(5/2)-8/3\*d^3/e^3\*x^2/(-e^2\*x^2+d^2)^(5/2)+16/15\*d^5/e^5/(-e^2\*x^2+d^2)^(5/2)+1/2\*d^2\*x^3/e^2/(-e^2\*x^2+d^2)^(5/2)-3/10\*d^4/e^4\*x/(-e^2\*x^2+d^2)^(5/2)+1/10\*d^2/e^4\*x/(-e^2\*x^2+d^2)^(3/2)

**maxima [B]** time = 1.00, size = 298, normalized size = 2.46

$$\frac{1}{15}e^4\left(\frac{15x^4}{(-e^2x^2+d^2)^{\frac{5}{2}}e^2} - \frac{20d^2x^2}{(-e^2x^2+d^2)^{\frac{5}{2}}e^4} + \frac{8d^4}{(-e^2x^2+d^2)^{\frac{5}{2}}e^6}\right) - \frac{1}{3}\left(\frac{3x^2}{(-e^2x^2+d^2)^{\frac{3}{2}}e^2} - \frac{2d^2}{(-e^2x^2+d^2)^{\frac{3}{2}}e^4}\right) + \frac{2dx^4}{(-e^2x^2+d^2)^{\frac{5}{2}}e} + \frac{d^2x^3}{2(-e^2x^2+d^2)^{\frac{3}{2}}e^2} - \frac{8d^3x^2}{3(-e^2x^2+d^2)^{\frac{3}{2}}e^3} - \frac{3d^4x}{10(-e^2x^2+d^2)^{\frac{5}{2}}e^4} + \frac{16d^5}{15(-e^2x^2+d^2)^{\frac{5}{2}}e^5} + \frac{11d^2x}{30(-e^2x^2+d^2)^{\frac{3}{2}}e^4} - \frac{4x}{15\sqrt{-e^2x^2+d^2}e^4} - \frac{\arcsin\left(\frac{e}{e}\right)}{e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out] 1/15\*e^2\*x\*(15\*x^4/((-e^2\*x^2 + d^2)^(5/2)\*e^2) - 20\*d^2\*x^2/((-e^2\*x^2 + d^2)^(5/2)\*e^4) + 8\*d^4/((-e^2\*x^2 + d^2)^(5/2)\*e^6) - 1/3\*x\*(3\*x^2/((-e^2\*x^2 + d^2)^(3/2)\*e^2) - 2\*d^2/((-e^2\*x^2 + d^2)^(3/2)\*e^4)) + 2\*d\*x^4/((-e^2\*x^2 + d^2)^(5/2)\*e) + 1/2\*d^2\*x^3/((-e^2\*x^2 + d^2)^(5/2)\*e^2) - 8/3\*d^3\*x^2/((-e^2\*x^2 + d^2)^(5/2)\*e^3) - 3/10\*d^4\*x/((-e^2\*x^2 + d^2)^(5/2)\*e^4) + 16/15\*d^5/((-e^2\*x^2 + d^2)^(5/2)\*e^5) + 11/30\*d^2\*x/((-e^2\*x^2 + d^2)^(3/2)\*e^4) - 4/15\*x/(sqrt(-e^2\*x^2 + d^2)\*e^4) - arcsin(e\*x/d)/e^5

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4 (d + ex)^2}{(d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2),x)

[Out] int((x^4\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (d + ex)^2}{(-(-d + ex)(d + ex))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(e\*x+d)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] Integral(x\*\*4\*(d + e\*x)\*\*2/(-(-d + e\*x)\*(d + e\*x))\*\* (7/2), x)



$$3.46 \quad \int \frac{x^3(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=97

$$\frac{d^2(d+ex)^2}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{4d(d+ex)}{5e^4(d^2-e^2x^2)^{3/2}} + \frac{5d+2ex}{5de^4\sqrt{d^2-e^2x^2}}$$

**Rubi** [A] time = 0.17, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {1635, 637}

$$\frac{d^2(d+ex)^2}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{4d(d+ex)}{5e^4(d^2-e^2x^2)^{3/2}} + \frac{5d+2ex}{5de^4\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d^2\*(d + e\*x)^2)/(5\*e^4\*(d^2 - e^2\*x^2)^(5/2)) - (4\*d\*(d + e\*x))/(5\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + (5\*d + 2\*e\*x)/(5\*d\*e^4\*sqrt[d^2 - e^2\*x^2])

Rule 637

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(-(a\*e) + c\*d\*x)/(a\*c\*sqrt[a + c\*x^2]), x] /; FreeQ[{a, c, d, e}, x]

Rule 1635

Int[(Pq\_)\*((d\_) + (e\_.)\*(x\_)^(m\_.))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[Pq, a\*e + c\*d\*x, x], f = PolynomialRemainder[Pq, a\*e + c\*d\*x, x]}, -Simp[(d\*f\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*a\*e\*(p + 1)), x] + Dist[d/(2\*a\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1)\*ExpandToSum[2\*a\*e\*(p + 1)\*Q + f\*(m + 2\*p + 2), x], x], x] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c\*d^2 + a\*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^3(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx &= \frac{d^2(d+ex)^2}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d+ex)\left(\frac{2d^3}{e^3} + \frac{5d^2x}{e^2} + \frac{5dx^2}{e}\right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{d^2(d+ex)^2}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{4d(d+ex)}{5e^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{\frac{6d^3}{e^3} + \frac{15d^2x}{e^2}}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
&= \frac{d^2(d+ex)^2}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{4d(d+ex)}{5e^4(d^2-e^2x^2)^{3/2}} + \frac{5d+2ex}{5de^4\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 63, normalized size = 0.65

$$\frac{2d^3 - 4d^2ex + de^2x^2 + 2e^3x^3}{5de^4(d-ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (2\*d^3 - 4\*d^2\*e\*x + d\*e^2\*x^2 + 2\*e^3\*x^3)/(5\*d\*e^4\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.49, size = 70, normalized size = 0.72

$$\frac{\sqrt{d^2 - e^2x^2} (2d^3 - 4d^2ex + de^2x^2 + 2e^3x^3)}{5de^4(d-ex)^3(d+ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(2\*d^3 - 4\*d^2\*e\*x + d\*e^2\*x^2 + 2\*e^3\*x^3))/(5\*d\*e^4\*(d - e\*x)^3\*(d + e\*x))

**fricas [A]** time = 0.40, size = 116, normalized size = 1.20

$$\frac{2e^4x^4 - 4de^3x^3 + 4d^3ex - 2d^4 - (2e^3x^3 + de^2x^2 - 4d^2ex + 2d^3)\sqrt{-e^2x^2 + d^2}}{5(de^8x^4 - 2d^2e^7x^3 + 2d^4e^5x - d^5e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out]  $\frac{1}{5} \cdot (2e^4x^4 - 4d^3e^3x^3 + 4d^3e^2x^2 - 2d^4 - (2e^3x^3 + d^2e^2x^2 - 4d^2e^2x + 2d^3) \cdot \sqrt{-e^2x^2 + d^2}) / (d^8e^8x^4 - 2d^2e^7x^3 + 2d^4e^5x - d^5e^4)$

**giac** [A] time = 0.29, size = 63, normalized size = 0.65

$$\frac{\left(2d^4e^{(-4)} + \left(x^2\left(\frac{2xe}{d} + 5\right) - 5d^2e^{(-2)}\right)x^2\right)\sqrt{-x^2e^2 + d^2}}{5(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out]  $-1/5 \cdot (2d^4e^{(-4)} + (x^2 \cdot (2x \cdot e/d + 5) - 5d^2e^{(-2)}) \cdot x^2) \cdot \sqrt{-x^2e^2 + d^2} / (x^2e^2 - d^2)^3$

**maple** [A] time = 0.01, size = 65, normalized size = 0.67

$$\frac{(-ex + d)(ex + d)^3(2e^3x^3 + de^2x^2 - 4d^2ex + 2d^3)}{5(-e^2x^2 + d^2)^{\frac{7}{2}}de^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2),x)

[Out]  $1/5 \cdot (-e \cdot x + d) \cdot (e \cdot x + d)^3 \cdot (2e^3x^3 + d^2e^2x^2 - 4d^2e^2x + 2d^3) / d \cdot e^4 / (-e^2x^2 + d^2)^{7/2}$

**maxima** [A] time = 0.45, size = 155, normalized size = 1.60

$$\frac{x^4}{(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{dx^3}{(-e^2x^2 + d^2)^{\frac{5}{2}}e} - \frac{d^2x^2}{(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{3d^3x}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e^3} + \frac{2d^4}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e^4} + \frac{dx}{5(-e^2x^2 + d^2)^{\frac{3}{2}}e^3} + \frac{2x}{5\sqrt{-e^2x^2 + d^2}de^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out]  $x^4 / (-e^2x^2 + d^2)^{5/2} + d \cdot x^3 / ((-e^2x^2 + d^2)^{5/2} \cdot e) - d^2 \cdot x^2 / ((-e^2x^2 + d^2)^{5/2} \cdot e^2) - 3/5 \cdot d^3 \cdot x / ((-e^2x^2 + d^2)^{5/2} \cdot e^3) + 2/5 \cdot d^4 / ((-e^2x^2 + d^2)^{5/2} \cdot e^4) + 1/5 \cdot d \cdot x / ((-e^2x^2 + d^2)^{3/2} \cdot e^3) + 2/5 \cdot x / (\sqrt{-e^2x^2 + d^2} \cdot d \cdot e^3)$

**mupad** [B] time = 2.89, size = 66, normalized size = 0.68

$$\frac{\sqrt{d^2 - e^2 x^2} (2d^3 - 4d^2 e x + d e^2 x^2 + 2e^3 x^3)}{5d e^4 (d + e x) (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(d + e*x)^2)/(d^2 - e^2*x^2)^(7/2), x)`

[Out] `((d^2 - e^2*x^2)^(1/2)*(2*d^3 + 2*e^3*x^3 + d*e^2*x^2 - 4*d^2*e*x))/(5*d*e^4*(d + e*x)*(d - e*x)^3)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (d + e x)^2}{(-(-d + e x) (d + e x))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x+d)**2/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `Integral(x**3*(d + e*x)**2/(-(-d + e*x)*(d + e*x))**(7/2), x)`

$$3.47 \quad \int \frac{x^2(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=87

$$\frac{x}{15d^2e^2\sqrt{d^2-e^2x^2}} + \frac{d(d+ex)^2}{5e^3(d^2-e^2x^2)^{5/2}} - \frac{7(d+ex)}{15e^3(d^2-e^2x^2)^{3/2}}$$

**Rubi** [A] time = 0.12, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {1635, 778, 191}

$$\frac{d(d+ex)^2}{5e^3(d^2-e^2x^2)^{5/2}} - \frac{7(d+ex)}{15e^3(d^2-e^2x^2)^{3/2}} + \frac{x}{15d^2e^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d\*(d + e\*x)^2)/(5\*e^3\*(d^2 - e^2\*x^2)^(5/2)) - (7\*(d + e\*x))/(15\*e^3\*(d^2 - e^2\*x^2)^(3/2)) + x/(15\*d^2\*e^2\*Sqrt[d^2 - e^2\*x^2])

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

Rule 1635

Int[(Pq\_)\*((d\_) + (e\_.)\*(x\_))^(m\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, a\*e + c\*d\*x, x], f = PolynomialRemainder[Pq, a\*e + c\*d\*x, x]}, -Simp[(d\*f\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*a\*e\*(p + 1)), x] + Dist[d/(2\*a\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1)\*ExpandToSum[2\*a\*e\*(p + 1)\*Q + f\*(m + 2\*p + 2), x], x], x] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c\*d^2 + a\*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx &= \frac{d(d+ex)^2}{5e^3(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{\left(\frac{2d^2}{e^2} + \frac{5dx}{e}\right)(d+ex)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{d(d+ex)^2}{5e^3(d^2-e^2x^2)^{5/2}} - \frac{7(d+ex)}{15e^3(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{15e^2} \\
&= \frac{d(d+ex)^2}{5e^3(d^2-e^2x^2)^{5/2}} - \frac{7(d+ex)}{15e^3(d^2-e^2x^2)^{3/2}} + \frac{x}{15d^2e^2\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica** [A] time = 0.06, size = 63, normalized size = 0.72

$$\frac{-4d^3 + 8d^2ex - 2de^2x^2 + e^3x^3}{15d^2e^3(d-ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (-4\*d^3 + 8\*d^2\*e\*x - 2\*d\*e^2\*x^2 + e^3\*x^3)/(15\*d^2\*e^3\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic** [A] time = 0.48, size = 70, normalized size = 0.80

$$\frac{\sqrt{d^2 - e^2x^2} (-4d^3 + 8d^2ex - 2de^2x^2 + e^3x^3)}{15d^2e^3(d-ex)^3(d+ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-4\*d^3 + 8\*d^2\*e\*x - 2\*d\*e^2\*x^2 + e^3\*x^3))/(15\*d^2\*e^3\*(d - e\*x)^3\*(d + e\*x))

**fricas** [A] time = 0.40, size = 117, normalized size = 1.34

$$\frac{4e^4x^4 - 8de^3x^3 + 8d^3ex - 4d^4 + (e^3x^3 - 2de^2x^2 + 8d^2ex - 4d^3)\sqrt{-e^2x^2 + d^2}}{15(d^2e^7x^4 - 2d^3e^6x^3 + 2d^5e^4x - d^6e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)^2/(-e^2*x^2+d^2)^(7/2),x, algorithm="fricas")`

[Out] 
$$-1/15*(4*e^4*x^4 - 8*d*e^3*x^3 + 8*d^3*e*x - 4*d^4 + (e^3*x^3 - 2*d*e^2*x^2 + 8*d^2*e*x - 4*d^3)*\sqrt{-e^2*x^2 + d^2})/(d^2*e^7*x^4 - 2*d^3*e^6*x^3 + 2*d^5*e^4*x - d^6*e^3)$$

**giac** [A] time = 0.28, size = 61, normalized size = 0.70

$$\frac{\left(4d^3e^{(-3)} - \left(x\left(\frac{x^2e^2}{d^2} + 5\right) + 10de^{(-1)}\right)x^2\right)\sqrt{-x^2e^2 + d^2}}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)^2/(-e^2*x^2+d^2)^(7/2),x, algorithm="giac")`

[Out] 
$$1/15*(4*d^3*e^{(-3)} - (x*(x^2*e^2/d^2 + 5) + 10*d*e^{(-1)})*x^2)*\sqrt{-x^2*e^2 + d^2}/(x^2*e^2 - d^2)^3$$

**maple** [A] time = 0.01, size = 66, normalized size = 0.76

$$\frac{(-ex + d)(ex + d)^3(-e^3x^3 + 2de^2x^2 - 8d^2ex + 4d^3)}{15(-e^2x^2 + d^2)^{\frac{7}{2}}d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x+d)^2/(-e^2*x^2+d^2)^(7/2),x)`

[Out] 
$$-1/15*(-e*x+d)*(e*x+d)^3*(-e^3*x^3+2*d*e^2*x^2-8*d^2*e*x+4*d^3)/d^2/e^3/(-e^2*x^2+d^2)^(7/2)$$

**maxima** [A] time = 0.45, size = 131, normalized size = 1.51

$$\frac{x^3}{2(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{2dx^2}{3(-e^2x^2 + d^2)^{\frac{5}{2}}e} - \frac{d^2x}{10(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{4d^3}{15(-e^2x^2 + d^2)^{\frac{5}{2}}e^3} + \frac{x}{30(-e^2x^2 + d^2)^{\frac{3}{2}}e^2} + \frac{x}{15\sqrt{-e^2x^2 + d^2}d^2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)^2/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out] 
$$1/2*x^3/(-e^2*x^2 + d^2)^(5/2) + 2/3*d*x^2/((-e^2*x^2 + d^2)^(5/2)*e) - 1/10*d^2*x/((-e^2*x^2 + d^2)^(5/2)*e^2) - 4/15*d^3/((-e^2*x^2 + d^2)^(5/2)*e^3) + 1/30*x/((-e^2*x^2 + d^2)^(3/2)*e^2) + 1/15*x/(sqrt(-e^2*x^2 + d^2)*d^2*e^2)$$

mupad [B] time = 2.87, size = 67, normalized size = 0.77

$$\frac{\sqrt{d^2 - e^2 x^2} (4d^3 - 8d^2 e x + 2d e^2 x^2 - e^3 x^3)}{15d^2 e^3 (d + e x) (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x)

[Out] -((d^2 - e^2\*x^2)^(1/2)\*(4\*d^3 - e^3\*x^3 + 2\*d\*e^2\*x^2 - 8\*d^2\*e\*x))/(15\*d^2\*e^3\*(d + e\*x)\*(d - e\*x)^3)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (d + e x)^2}{(-(-d + e x) (d + e x))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(e\*x+d)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] Integral(x\*\*2\*(d + e\*x)\*\*2/(-(-d + e\*x)\*(d + e\*x))\*\*(7/2), x)



$$3.48 \quad \int \frac{x(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=89

$$\frac{(d+ex)^2}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2(d+ex)}{15de^2(d^2-e^2x^2)^{3/2}} - \frac{4x}{15d^3e\sqrt{d^2-e^2x^2}}$$

**Rubi** [A] time = 0.03, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {789, 639, 191}

$$\frac{(d+ex)^2}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2(d+ex)}{15de^2(d^2-e^2x^2)^{3/2}} - \frac{4x}{15d^3e\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d + e\*x)^2/(5\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - (2\*(d + e\*x))/(15\*d\*e^2\*(d^2 - e^2\*x^2)^(3/2)) - (4\*x)/(15\*d^3\*e\*Sqrt[d^2 - e^2\*x^2])

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 639

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*e - c\*d\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] + Dist[(d\*(2\*p + 3))/(2\*a\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 789

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d\*g + e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] - Dist[(e\*(m\*(d\*g + e\*f) + 2\*e\*f\*(p + 1)))/(2\*c\*d\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && EqQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx &= \frac{(d+ex)^2}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2 \int \frac{d+ex}{(d^2-e^2x^2)^{5/2}} dx}{5e} \\
&= \frac{(d+ex)^2}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2(d+ex)}{15de^2(d^2-e^2x^2)^{3/2}} - \frac{4 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{15de} \\
&= \frac{(d+ex)^2}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2(d+ex)}{15de^2(d^2-e^2x^2)^{3/2}} - \frac{4x}{15d^3e\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 62, normalized size = 0.70

$$\frac{d^3 - 2d^2ex + 8de^2x^2 - 4e^3x^3}{15d^3e^2(d-ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d^3 - 2\*d^2\*e\*x + 8\*d\*e^2\*x^2 - 4\*e^3\*x^3)/(15\*d^3\*e^2\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.55, size = 69, normalized size = 0.78

$$\frac{\sqrt{d^2 - e^2x^2} (d^3 - 2d^2ex + 8de^2x^2 - 4e^3x^3)}{15d^3e^2(d-ex)^3(d+ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(d^3 - 2\*d^2\*e\*x + 8\*d\*e^2\*x^2 - 4\*e^3\*x^3))/(15\*d^3\*e^2\*(d - e\*x)^3\*(d + e\*x))

**fricas [A]** time = 0.41, size = 117, normalized size = 1.31

$$\frac{e^4x^4 - 2de^3x^3 + 2d^3ex - d^4 + (4e^3x^3 - 8de^2x^2 + 2d^2ex - d^3)\sqrt{-e^2x^2 + d^2}}{15(d^3e^6x^4 - 2d^4e^5x^3 + 2d^6e^3x - d^7e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out]  $1/15*(e^4*x^4 - 2*d*e^3*x^3 + 2*d^3*e*x - d^4 + (4*e^3*x^3 - 8*d*e^2*x^2 + 2*d^2*e*x - d^3)*\sqrt{-e^2*x^2 + d^2})/(d^3*e^6*x^4 - 2*d^4*e^5*x^3 + 2*d^6*e^3*x - d^7*e^2)$

**giac** [A] time = 0.28, size = 64, normalized size = 0.72

$$\frac{\left(2x\left(\frac{2x^2e^3}{d^3} - \frac{5e}{d}\right) - 5\right)x^2 - d^2e^{(-2)}\sqrt{-x^2e^2 + d^2}}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out]  $1/15*((2*x*(2*x^2*e^3/d^3 - 5*e/d) - 5)*x^2 - d^2*e^{(-2)})*\sqrt{-x^2*e^2 + d^2}/(x^2*e^2 - d^2)^3$

**maple** [A] time = 0.01, size = 64, normalized size = 0.72

$$\frac{(-ex + d)(ex + d)^3(-4e^3x^3 + 8de^2x^2 - 2d^2ex + d^3)}{15(-e^2x^2 + d^2)^{\frac{7}{2}}d^3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2),x)

[Out]  $1/15*(-e*x+d)*(e*x+d)^3*(-4*e^3*x^3+8*d*e^2*x^2-2*d^2*e*x+d^3)/d^3/e^2/(-e^2*x^2+d^2)^(7/2)$

**maxima** [A] time = 0.44, size = 109, normalized size = 1.22

$$\frac{x^2}{3(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{2dx}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{d^2}{15(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{2x}{15(-e^2x^2 + d^2)^{\frac{3}{2}}de} - \frac{4x}{15\sqrt{-e^2x^2 + d^2}d^3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out]  $1/3*x^2/(-e^2*x^2 + d^2)^(5/2) + 2/5*d*x/((-e^2*x^2 + d^2)^(5/2)*e) + 1/15*d^2/((-e^2*x^2 + d^2)^(5/2)*e^2) - 2/15*x/((-e^2*x^2 + d^2)^(3/2)*d*e) - 4/15*x/(sqrt(-e^2*x^2 + d^2)*d^3*e)$

mupad [B] time = 2.86, size = 65, normalized size = 0.73

$$\frac{\sqrt{d^2 - e^2 x^2} (d^3 - 2 d^2 e x + 8 d e^2 x^2 - 4 e^3 x^3)}{15 d^3 e^2 (d + e x) (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(d + e*x)^2)/(d^2 - e^2*x^2)^(7/2), x)`

[Out] `((d^2 - e^2*x^2)^(1/2)*(d^3 - 4*e^3*x^3 + 8*d*e^2*x^2 - 2*d^2*e*x))/(15*d^3*e^2*(d + e*x)*(d - e*x)^3)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x (d + e x)^2}{(-(-d + e x) (d + e x))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x+d)**2/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `Integral(x*(d + e*x)**2/(-(-d + e*x)*(d + e*x))**(7/2), x)`

$$3.49 \quad \int \frac{(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=77

$$\frac{x}{5d^2 (d^2 - e^2x^2)^{3/2}} + \frac{2(d+ex)}{5e (d^2 - e^2x^2)^{5/2}} + \frac{2x}{5d^4 \sqrt{d^2 - e^2x^2}}$$

**Rubi [A]** time = 0.02, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {653, 192, 191}

$$\frac{2x}{5d^4 \sqrt{d^2 - e^2x^2}} + \frac{x}{5d^2 (d^2 - e^2x^2)^{3/2}} + \frac{2(d+ex)}{5e (d^2 - e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (2\*(d + e\*x))/(5\*e\*(d^2 - e^2\*x^2)^(5/2)) + x/(5\*d^2\*(d^2 - e^2\*x^2)^(3/2)) + (2\*x)/(5\*d^4\*Sqrt[d^2 - e^2\*x^2])

Rule 191

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 653

Int[((d\_) + (e\_)\*(x\_)^2\*((a\_) + (c\_)\*(x\_)^2)^(p\_)), x\_Symbol] := Simp[(e\*(d + e\*x)\*(a + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e^2\*(p + 2))/(c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && LtQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^2}{(d^2-e^2x^2)^{7/2}} dx &= \frac{2(d+ex)}{5e(d^2-e^2x^2)^{5/2}} + \frac{3}{5} \int \frac{1}{(d^2-e^2x^2)^{5/2}} dx \\
&= \frac{2(d+ex)}{5e(d^2-e^2x^2)^{5/2}} + \frac{x}{5d^2(d^2-e^2x^2)^{3/2}} + \frac{2 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{5d^2} \\
&= \frac{2(d+ex)}{5e(d^2-e^2x^2)^{5/2}} + \frac{x}{5d^2(d^2-e^2x^2)^{3/2}} + \frac{2x}{5d^4\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 63, normalized size = 0.82

$$\frac{2d^3 + d^2ex - 4de^2x^2 + 2e^3x^3}{5d^4e(d-ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (2\*d^3 + d^2\*e\*x - 4\*d\*e^2\*x^2 + 2\*e^3\*x^3)/(5\*d^4\*e\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.05, size = 70, normalized size = 0.91

$$\frac{\sqrt{d^2 - e^2x^2} (2d^3 + d^2ex - 4de^2x^2 + 2e^3x^3)}{5d^4e(d-ex)^3(d+ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^2/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(2\*d^3 + d^2\*e\*x - 4\*d\*e^2\*x^2 + 2\*e^3\*x^3))/(5\*d^4\*e\*(d - e\*x)^3\*(d + e\*x))

**fricas [A]** time = 0.40, size = 116, normalized size = 1.51

$$\frac{2e^4x^4 - 4de^3x^3 + 4d^3ex - 2d^4 - (2e^3x^3 - 4de^2x^2 + d^2ex + 2d^3)\sqrt{-e^2x^2 + d^2}}{5(d^4e^5x^4 - 2d^5e^4x^3 + 2d^7e^2x - d^8e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out]  $\frac{1}{5} \cdot (2e^4x^4 - 4d^3e^3x^3 + 4d^3e^2x^2 - 2d^4 - (2e^3x^3 - 4d^2e^2x^2 + d^2e^2x + 2d^3)) \cdot \sqrt{-e^2x^2 + d^2} / (d^4e^5x^4 - 2d^5e^4x^3 + 2d^7e^2x - d^8e)$

**giac** [A] time = 0.31, size = 61, normalized size = 0.79

$$-\frac{\sqrt{-x^2e^2 + d^2} \left( \left( x^2 \left( \frac{2x^2e^4}{d^4} - \frac{5e^2}{d^2} \right) + 5 \right) x + 2de^{(-1)} \right)}{5(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2/(-e^2*x^2+d^2)^(7/2),x, algorithm="giac")`

[Out]  $-1/5 \cdot \sqrt{-x^2e^2 + d^2} \cdot ((x^2 \cdot (2x^2e^4/d^4 - 5e^2/d^2) + 5) \cdot x + 2d \cdot e^{(-1)}) / (x^2e^2 - d^2)^3$

**maple** [A] time = 0.01, size = 65, normalized size = 0.84

$$\frac{(-ex + d)(ex + d)^3 (2e^3x^3 - 4de^2x^2 + d^2ex + 2d^3)}{5(-e^2x^2 + d^2)^{\frac{7}{2}} d^4e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^2/(-e^2*x^2+d^2)^(7/2),x)`

[Out]  $\frac{1}{5} \cdot (-e \cdot x + d) \cdot (e \cdot x + d)^3 \cdot (2e^3x^3 - 4d^2e^2x^2 + d^2e^2x + 2d^3) / d^4e / (-e^2x^2 + d^2)^{(7/2)}$

**maxima** [A] time = 0.44, size = 78, normalized size = 1.01

$$\frac{2x}{5(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{2d}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{x}{5(-e^2x^2 + d^2)^{\frac{3}{2}}d^2} + \frac{2x}{5\sqrt{-e^2x^2 + d^2}d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out]  $\frac{2}{5} \cdot x / (-e^2x^2 + d^2)^{(5/2)} + \frac{2}{5} \cdot d / ((-e^2x^2 + d^2)^{(5/2)} \cdot e) + \frac{1}{5} \cdot x / ((-e^2x^2 + d^2)^{(3/2)} \cdot d^2) + \frac{2}{5} \cdot x / (\sqrt{-e^2x^2 + d^2} \cdot d^4)$

**mupad** [B] time = 2.81, size = 66, normalized size = 0.86

$$\frac{\sqrt{d^2 - e^2x^2} (2d^3 + d^2ex - 4de^2x^2 + 2e^3x^3)}{5d^4e(d + ex)(d - ex)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^2/(d^2 - e^2*x^2)^(7/2), x)`

[Out]  $((d^2 - e^2*x^2)^{(1/2)}*(2*d^3 + 2*e^3*x^3 - 4*d*e^2*x^2 + d^2*e*x))/(5*d^4*e*(d + e*x)*(d - e*x)^3)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^2}{(-(-d + ex)(d + ex))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**2/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `Integral((d + e*x)**2/(-(-d + e*x)*(d + e*x))**(7/2), x)`



$$3.50 \quad \int \frac{(d+ex)^2}{x(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=117

$$\frac{2(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{15d+16ex}{15d^5\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5} + \frac{5d+8ex}{15d^3(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.16, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1805, 823, 12, 266, 63, 208}

$$\frac{2(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{15d+16ex}{15d^5\sqrt{d^2-e^2x^2}} + \frac{5d+8ex}{15d^3(d^2-e^2x^2)^{3/2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/(x\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (2\*(d + e\*x))/(5\*d\*(d^2 - e^2\*x^2)^(5/2)) + (5\*d + 8\*e\*x)/(15\*d^3\*(d^2 - e^2\*x^2)^(3/2)) + (15\*d + 16\*e\*x)/(15\*d^5\*sqrt[d^2 - e^2\*x^2]) - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]/d^5

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 823

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

Rule 1805

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x], x] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^2}{x(d^2-e^2x^2)^{7/2}} dx &= \frac{2(d+ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^2-8dex}{x(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= \frac{2(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d+8ex}{15d^3(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{-15d^4e^2-16d^3e^3x}{x(d^2-e^2x^2)^{3/2}} dx}{15d^6e^2} \\
&= \frac{2(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d+8ex}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{15d+16ex}{15d^5\sqrt{d^2-e^2x^2}} - \frac{\int -\frac{15d^6e^4}{x\sqrt{d^2-e^2x^2}} dx}{15d^{10}e^4} \\
&= \frac{2(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d+8ex}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{15d+16ex}{15d^5\sqrt{d^2-e^2x^2}} + \frac{\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{d^4} \\
&= \frac{2(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d+8ex}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{15d+16ex}{15d^5\sqrt{d^2-e^2x^2}} + \frac{\text{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x}} dx, x, x\right)}{2d^4} \\
&= \frac{2(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d+8ex}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{15d+16ex}{15d^5\sqrt{d^2-e^2x^2}} - \frac{\text{Subst}\left(\int \frac{1}{\frac{d^2-x^2}{e^2}-\frac{x^2}{e^2}} dx, x, \sqrt{d^2-e^2x^2}\right)}{d^4e^2} \\
&= \frac{2(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d+8ex}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{15d+16ex}{15d^5\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5}
\end{aligned}$$

**Mathematica [C]** time = 0.04, size = 81, normalized size = 0.69

$$\frac{3d^5 + 30d^4ex - 40d^2e^3x^3 + 3d^5 {}_2F_1\left(-\frac{5}{2}, 1; -\frac{3}{2}; 1 - \frac{e^2x^2}{d^2}\right) + 16e^5x^5}{15d^5(d^2 - e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/(x\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (3\*d^5 + 30\*d^4\*e\*x - 40\*d^2\*e^3\*x^3 + 16\*e^5\*x^5 + 3\*d^5\*Hypergeometric2F1[-5/2, 1, -3/2, 1 - (e^2\*x^2)/d^2])/(15\*d^5\*(d^2 - e^2\*x^2)^(5/2))

**IntegrateAlgebraic [A]** time = 0.65, size = 111, normalized size = 0.95

$$\frac{2 \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{d^5} + \frac{\sqrt{d^2 - e^2 x^2} (26d^3 - 22d^2 ex - 17de^2 x^2 + 16e^3 x^3)}{15d^5 (d - ex)^3 (d + ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^2/(x\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(26\*d^3 - 22\*d^2\*e\*x - 17\*d\*e^2\*x^2 + 16\*e^3\*x^3))/(15\*d^5\*(d - e\*x)^3\*(d + e\*x)) + (2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^5

**fricas [A]** time = 0.39, size = 169, normalized size = 1.44

$$\frac{26e^4x^4 - 52de^3x^3 + 52d^3ex - 26d^4 + 15(e^4x^4 - 2de^3x^3 + 2d^3ex - d^4) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (16e^3x^3 - 17de^2x^2 - 22d^2ex + 26d^3)\sqrt{-e^2x^2 + d^2}}{15(d^5e^4x^4 - 2d^6e^3x^3 + 2d^8ex - d^9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 1/15\*(26\*e^4\*x^4 - 52\*d\*e^3\*x^3 + 52\*d^3\*e\*x - 26\*d^4 + 15\*(e^4\*x^4 - 2\*d\*e^3\*x^3 + 2\*d^3\*e\*x - d^4)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (16\*e^3\*x^3 - 17\*d\*e^2\*x^2 - 22\*d^2\*e\*x + 26\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(d^5\*e^4\*x^4 - 2\*d^6\*e^3\*x^3 + 2\*d^8\*e\*x - d^9)

**giac [A]** time = 0.29, size = 118, normalized size = 1.01

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( \left( \left( x \left( \frac{16xe^5}{d^5} + \frac{15e^4}{d^4} \right) - \frac{40e^3}{d^3} \right) x - \frac{35e^2}{d^2} \right) x + \frac{30e}{d} \right) x + 26 \right)}{15(x^2e^2 - d^2)^3} - \frac{\log\left(\frac{|-2de - 2\sqrt{-x^2e^2 + d^2}e|e^{(-2)}}{2|x|}\right)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] -1/15\*sqrt(-x^2\*e^2 + d^2)\*(((x\*(16\*x\*e^5/d^5 + 15\*e^4/d^4) - 40\*e^3/d^3)\*x - 35\*e^2/d^2)\*x + 30\*e/d)\*x + 26)/(x^2\*e^2 - d^2)^3 - log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d^5

**maple [A]** time = 0.01, size = 160, normalized size = 1.37

$$\frac{2ex}{5(-e^2x^2 + d^2)^{\frac{5}{2}}d} + \frac{8ex}{15(-e^2x^2 + d^2)^{\frac{3}{2}}d^3} + \frac{1}{3(-e^2x^2 + d^2)^{\frac{3}{2}}d^2} - \frac{\ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2}d^4} + \frac{16ex}{15\sqrt{-e^2x^2 + d^2}d^5} + \frac{1}{\sqrt{-e^2x^2 + d^2}d^4} + \frac{2}{5(-e^2x^2 + d^2)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^2/x/(-e^2*x^2+d^2)^(7/2), x)`

[Out]  $2/5/(-e^2*x^2+d^2)^{(5/2)}+2/5/d*e*x/(-e^2*x^2+d^2)^{(5/2)}+8/15/d^3*e*x/(-e^2*x^2+d^2)^{(3/2)}+16/15/d^5*e*x/(-e^2*x^2+d^2)^{(1/2)}+1/3/d^2/(-e^2*x^2+d^2)^{(3/2)}+1/d^4/(-e^2*x^2+d^2)^{(1/2)}-1/d^4/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)$

**maxima** [A] time = 0.46, size = 154, normalized size = 1.32

$$\frac{2ex}{5(-e^2x^2+d^2)^{5/2}d} + \frac{2}{5(-e^2x^2+d^2)^{5/2}} + \frac{8ex}{15(-e^2x^2+d^2)^{3/2}d^3} + \frac{1}{3(-e^2x^2+d^2)^{1/2}d^2} + \frac{16ex}{15\sqrt{-e^2x^2+d^2}d^5} - \frac{\log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{d^5} + \frac{1}{\sqrt{-e^2x^2+d^2}d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2/x/(-e^2*x^2+d^2)^(7/2), x, algorithm="maxima")`

[Out]  $2/5*e*x/((-e^2*x^2 + d^2)^{(5/2)}*d) + 2/5/(-e^2*x^2 + d^2)^{(5/2)} + 8/15*e*x/((-e^2*x^2 + d^2)^{(3/2)}*d^3) + 1/3/((-e^2*x^2 + d^2)^{(3/2)}*d^2) + 16/15*e*x/(\sqrt{-e^2*x^2 + d^2}*d^5) - \log(2*d^2/abs(x) + 2*\sqrt{-e^2*x^2 + d^2}*d/abs(x))/d^5 + 1/(\sqrt{-e^2*x^2 + d^2}*d^4)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d+ex)^2}{x(d^2-e^2x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^2/(x*(d^2 - e^2*x^2)^(7/2)), x)`

[Out] `int((d + e*x)^2/(x*(d^2 - e^2*x^2)^(7/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^2}{x(-(-d+ex)(d+ex))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**2/x/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `Integral((d + e*x)**2/(x*(-(-d + e*x)*(d + e*x))**(7/2)), x)`

$$3.51 \quad \int \frac{(d+ex)^2}{x^2(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=145

$$\frac{2e(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} + \frac{e(30d+41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{2e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6} + \frac{e(10d+13ex)}{15d^4(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.28, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1805, 807, 266, 63, 208}

$$\frac{2e(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} + \frac{e(30d+41ex)}{15d^6\sqrt{d^2-e^2x^2}} + \frac{e(10d+13ex)}{15d^4(d^2-e^2x^2)^{3/2}} - \frac{2e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/(x^2\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (2\*e\*(d + e\*x))/(5\*d^2\*(d^2 - e^2\*x^2)^(5/2)) + (e\*(10\*d + 13\*e\*x))/(15\*d^4\*(d^2 - e^2\*x^2)^(3/2)) + (e\*(30\*d + 41\*e\*x))/(15\*d^6\*Sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(d^6\*x) - (2\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^6

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^2}{x^2(d^2-e^2x^2)^{7/2}} dx &= \frac{2e(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^2-10dex-8e^2x^2}{x^2(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= \frac{2e(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e(10d+13ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{15d^2+30dex+26e^2x^2}{x^2(d^2-e^2x^2)^{3/2}} dx}{15d^4} \\
&= \frac{2e(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e(10d+13ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e(30d+41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-15d^2-30dex}{x^2\sqrt{d^2-e^2x^2}} dx}{15d^6} \\
&= \frac{2e(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e(10d+13ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e(30d+41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} + \frac{(2e) \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{d^5} \\
&= \frac{2e(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e(10d+13ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e(30d+41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} + \frac{e \operatorname{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx\right)}{d^5} \\
&= \frac{2e(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e(10d+13ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e(30d+41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} - \frac{2 \operatorname{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx\right)}{d^5} \\
&= \frac{2e(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e(10d+13ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e(30d+41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} - \frac{2e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5}
\end{aligned}$$

**Mathematica [C]** time = 0.05, size = 90, normalized size = 0.62

$$\frac{-15d^6 + 105d^4e^2x^2 - 140d^2e^4x^4 + 6d^5ex {}_2F_1\left(-\frac{5}{2}, 1; -\frac{3}{2}; 1 - \frac{e^2x^2}{d^2}\right) + 56e^6x^6}{15d^6x(d^2 - e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/(x^2\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (-15\*d^6 + 105\*d^4\*e^2\*x^2 - 140\*d^2\*e^4\*x^4 + 56\*e^6\*x^6 + 6\*d^5\*e\*x\*Hypergeometric2F1[-5/2, 1, -3/2, 1 - (e^2\*x^2)/d^2])/(15\*d^6\*x\*(d^2 - e^2\*x^2)^(5/2))



**IntegrateAlgebraic [A]** time = 0.73, size = 126, normalized size = 0.87

$$\frac{4e \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^6} + \frac{\sqrt{d^2 - e^2x^2} (-15d^4 + 76d^3ex - 32d^2e^2x^2 - 82de^3x^3 + 56e^4x^4)}{15d^6x(d - ex)^3(d + ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^2/(x^2\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-15\*d^4 + 76\*d^3\*e\*x - 32\*d^2\*e^2\*x^2 - 82\*d\*e^3\*x^3 + 56\*e^4\*x^4))/(15\*d^6\*x\*(d - e\*x)^3\*(d + e\*x)) + (4\*e\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^6

**fricas [A]** time = 0.42, size = 195, normalized size = 1.34

$$\frac{46e^5x^5 - 92de^4x^4 + 92d^3e^2x^2 - 46d^4ex + 30(e^5x^5 - 2de^4x^4 + 2d^3e^2x^2 - d^4ex) \log\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (56e^4x^4 - 82de^3x^3 - 32d^2e^2x^2 + 76d^3ex - 15d^4)\sqrt{-e^2x^2 + d^2}}{15(d^6e^4x^5 - 2d^7e^3x^4 + 2d^9e^2x^2 - d^{10}x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^2/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out] 1/15\*(46\*e^5\*x^5 - 92\*d\*e^4\*x^4 + 92\*d^3\*e^2\*x^2 - 46\*d^4\*e\*x + 30\*(e^5\*x^5 - 2\*d\*e^4\*x^4 + 2\*d^3\*e^2\*x^2 - d^4\*e\*x)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (56\*e^4\*x^4 - 82\*d\*e^3\*x^3 - 32\*d^2\*e^2\*x^2 + 76\*d^3\*e\*x - 15\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d^6\*e^4\*x^5 - 2\*d^7\*e^3\*x^4 + 2\*d^9\*e^2\*x^2 - d^10\*x)

**giac [A]** time = 0.29, size = 188, normalized size = 1.30

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( \left( x \left( \frac{41xe^6}{d^6} + \frac{30e^5}{d^5} \right) - \frac{95e^4}{d^4} \right) x - \frac{70e^3}{d^3} \right) x + \frac{60e^2}{d^2} \right) x + \frac{46e}{d}}{15(x^2e^2 - d^2)^3} - \frac{2e \log\left(\frac{-2de - 2\sqrt{-x^2e^2 + d^2}e^{(-2)}}{2|x|}\right)}{d^6} + \frac{xe^3}{2(de + \sqrt{-x^2e^2 + d^2})d^6} - \frac{(de + \sqrt{-x^2e^2 + d^2})e^{(-1)}}{2d^6x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^2/(-e^2\*x^2+d^2)^(7/2), x, algorithm="giac")

[Out] -1/15\*sqrt(-x^2\*e^2 + d^2)\*(((x\*(41\*x\*e^6/d^6 + 30\*e^5/d^5) - 95\*e^4/d^4)\*x - 70\*e^3/d^3)\*x + 60\*e^2/d^2)\*x + 46\*e/d)/(x^2\*e^2 - d^2)^3 - 2\*e\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d^6 + 1/2\*x\*e^3/((d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^6) - 1/2\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-1)/(d^6\*x)

**maple [A]** time = 0.01, size = 193, normalized size = 1.33

$$\frac{7e^2x}{5(-e^2x^2 + d^2)^{\frac{5}{2}}d^2} + \frac{2e}{5(-e^2x^2 + d^2)^{\frac{5}{2}}d} + \frac{28e^2x}{15(-e^2x^2 + d^2)^{\frac{3}{2}}d^4} - \frac{1}{(-e^2x^2 + d^2)^{\frac{5}{2}}x} + \frac{2e}{3(-e^2x^2 + d^2)^{\frac{3}{2}}d^3} - \frac{2e \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2} d^5} + \frac{56e^2x}{15\sqrt{-e^2x^2 + d^2} d^6} + \frac{2e}{\sqrt{-e^2x^2 + d^2} d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^2/x^2/(-e^2*x^2+d^2)^(7/2),x)`

[Out]  $7/5*e^2*x/d^2/(-e^2*x^2+d^2)^(5/2)+28/15*e^2/d^4*x/(-e^2*x^2+d^2)^(3/2)+56/15*e^2/d^6*x/(-e^2*x^2+d^2)^(1/2)+2/5/d*e/(-e^2*x^2+d^2)^(5/2)+2/3/d^3*e/(-e^2*x^2+d^2)^(3/2)+2/d^5*e/(-e^2*x^2+d^2)^(1/2)-2/d^5*e/(d^2)^(1/2)*\ln((2*d^2+2*(d^2)^(1/2)*(-e^2*x^2+d^2)^(1/2))/x)-1/x/(-e^2*x^2+d^2)^(5/2)$

**maxima** [A] time = 0.47, size = 187, normalized size = 1.29

$$\frac{7e^2x}{5(-e^2x^2+d^2)^{5/2}d^2} + \frac{2e}{5(-e^2x^2+d^2)^{5/2}d} + \frac{28e^2x}{15(-e^2x^2+d^2)^{3/2}d^4} + \frac{2e}{3(-e^2x^2+d^2)^{3/2}d^3} - \frac{1}{(-e^2x^2+d^2)^{5/2}x} + \frac{56e^2x}{15\sqrt{-e^2x^2+d^2}d^6} - \frac{2e \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{d^6} + \frac{2e}{\sqrt{-e^2x^2+d^2}d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2/x^2/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out]  $7/5*e^2*x/((-e^2*x^2+d^2)^(5/2)*d^2) + 2/5*e/((-e^2*x^2+d^2)^(5/2)*d) + 28/15*e^2*x/((-e^2*x^2+d^2)^(3/2)*d^4) + 2/3*e/((-e^2*x^2+d^2)^(3/2)*d^3) - 1/((-e^2*x^2+d^2)^(5/2)*x) + 56/15*e^2*x/(\text{sqrt}(-e^2*x^2+d^2)*d^6) - 2*e*\log(2*d^2/\text{abs}(x) + 2*\text{sqrt}(-e^2*x^2+d^2)*d/\text{abs}(x))/d^6 + 2*e/(\text{sqrt}(-e^2*x^2+d^2)*d^5)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d+ex)^2}{x^2(d^2-e^2x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e*x)^2/(x^2*(d^2-e^2*x^2)^(7/2)),x)`

[Out] `int((d+e*x)^2/(x^2*(d^2-e^2*x^2)^(7/2)),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^2}{x^2(-(-d+ex)(d+ex))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**2/x**2/(-e**2*x**2+d**2)**(7/2),x)`

[Out] `Integral((d+e*x)**2/(x**2*(-(-d+e*x)*(d+e*x))**(7/2)),x)`

$$3.52 \quad \int \frac{(d+ex)^2}{x^3(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=182

$$\frac{2e^2(10d+11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{2e\sqrt{d^2-e^2x^2}}{d^7x} - \frac{9e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^7} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} + \frac{e^2(5d+6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(d+ex)}{5d^3(d^2-e^2x^2)^{5/2}}$$

**Rubi [A]** time = 0.36, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1805, 1807, 807, 266, 63, 208}

$$\frac{2e^2(10d+11ex)}{5d^7\sqrt{d^2-e^2x^2}} + \frac{e^2(5d+6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(d+ex)}{5d^3(d^2-e^2x^2)^{5/2}} - \frac{2e\sqrt{d^2-e^2x^2}}{d^7x} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} - \frac{9e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^7}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/(x^3\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (2\*e^2\*(d + e\*x))/(5\*d^3\*(d^2 - e^2\*x^2)^(5/2)) + (e^2\*(5\*d + 6\*e\*x))/(5\*d^5\*(d^2 - e^2\*x^2)^(3/2)) + (2\*e^2\*(10\*d + 11\*e\*x))/(5\*d^7\*Sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(2\*d^6\*x^2) - (2\*e\*Sqrt[d^2 - e^2\*x^2])/(d^7\*x) - (9\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^7)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m+1)-1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m+1)/n]-1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m+1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*ExpandToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^2}{x^3(d^2-e^2x^2)^{7/2}} dx &= \frac{2e^2(d+ex)}{5d^3(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^2-10dex-10e^2x^2-\frac{8e^3x^3}{d}}{x^3(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= \frac{2e^2(d+ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d+6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{15d^2+30dex+45e^2x^2+\frac{36e^3x^3}{d}}{x^3(d^2-e^2x^2)^{3/2}} dx}{15d^4} \\
&= \frac{2e^2(d+ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d+6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d+11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-15d^2-30dex-60e^2x^2}{x^3\sqrt{d^2-e^2x^2}} dx}{15d^6} \\
&= \frac{2e^2(d+ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d+6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d+11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} + \frac{\int \frac{60d^3e+135}{x^2\sqrt{d^2-e^2x^2}} dx}{30d} \\
&= \frac{2e^2(d+ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d+6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d+11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} - \frac{2e\sqrt{d^2-e^2x^2}}{d^7x} \\
&= \frac{2e^2(d+ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d+6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d+11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} - \frac{2e\sqrt{d^2-e^2x^2}}{d^7x} \\
&= \frac{2e^2(d+ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d+6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d+11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} - \frac{2e\sqrt{d^2-e^2x^2}}{d^7x} \\
&= \frac{2e^2(d+ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d+6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d+11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} - \frac{2e\sqrt{d^2-e^2x^2}}{d^7x}
\end{aligned}$$

**Mathematica [C]** time = 0.06, size = 117, normalized size = 0.64

$$\frac{e\left(-10d^6 + 60d^4e^2x^2 - 80d^2e^4x^4 + d^5ex {}_2F_1\left(-\frac{5}{2}, 1; -\frac{3}{2}; 1 - \frac{e^2x^2}{d^2}\right) + d^5ex {}_2F_1\left(-\frac{5}{2}, 2; -\frac{3}{2}; 1 - \frac{e^2x^2}{d^2}\right) + 32e^6x^6\right)}{5d^7x(d^2 - e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/(x^3\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out]  $(e*(-10*d^6 + 60*d^4*e^2*x^2 - 80*d^2*e^4*x^4 + 32*e^6*x^6 + d^5*e*x*Hypergeometric2F1[-5/2, 1, -3/2, 1 - (e^2*x^2)/d^2] + d^5*e*x*Hypergeometric2F1[-5/2, 2, -3/2, 1 - (e^2*x^2)/d^2]))/(5*d^7*x*(d^2 - e^2*x^2)^{(5/2)})$

**IntegrateAlgebraic [A]** time = 0.93, size = 139, normalized size = 0.76

$$\frac{9e^2 \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^7} + \frac{\sqrt{d^2 - e^2x^2} (-5d^5 - 10d^4ex + 94d^3e^2x^2 - 58d^2e^3x^3 - 83de^4x^4 + 64e^5x^5)}{10d^7x^2(d - ex)^3(d + ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^2/(x^3\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-5*d^5 - 10*d^4*e*x + 94*d^3*e^2*x^2 - 58*d^2*e^3*x^3 - 83*d*e^4*x^4 + 64*e^5*x^5))/(10*d^7*x^2*(d - e*x)^3*(d + e*x)) + (9*e^2*ArcTanh[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d])/d^7$

**fricas [A]** time = 0.43, size = 216, normalized size = 1.19

$$\frac{54e^6x^6 - 108de^5x^5 + 108d^3e^3x^3 - 54d^4e^2x^2 + 45(e^6x^6 - 2de^5x^5 + 2d^3e^3x^3 - d^4e^2x^2) \log\left(\frac{-d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (64e^5x^5 - 83de^4x^4 - 58d^2e^3x^3 + 94d^3e^2x^2 - 10d^4ex - 5d^5)\sqrt{-e^2x^2 + d^2}}{10(d^7e^4x^6 - 2d^8e^3x^5 + 2d^{10}ex^3 - d^{11}x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^3/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out]  $1/10*(54*e^6*x^6 - 108*d*e^5*x^5 + 108*d^3*e^3*x^3 - 54*d^4*e^2*x^2 + 45*(e^6*x^6 - 2*d*e^5*x^5 + 2*d^3*e^3*x^3 - d^4*e^2*x^2)*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) - (64*e^5*x^5 - 83*d*e^4*x^4 - 58*d^2*e^3*x^3 + 94*d^3*e^2*x^2 - 10*d^4*e*x - 5*d^5)*\text{sqrt}(-e^2*x^2 + d^2))/(d^7*e^4*x^6 - 2*d^8*e^3*x^5 + 2*d^{10}*e*x^3 - d^{11}*x^2)$

**giac [A]** time = 0.30, size = 260, normalized size = 1.43

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( 2 \left( x \left( \frac{11x^7}{d^7} + \frac{10e^6}{d^6} \right) - \frac{25e^5}{d^5} \right) x - \frac{45e^4}{d^4} \right) x + \frac{30e^3}{d^3} \right) x + \frac{27e^2}{d^2}}{5(x^2e^2 - d^2)^3} - \frac{9e^2 \log\left(\frac{|-2d-2\sqrt{-x^2e^2+d^2}e|d^{-2}|}{2|x|}\right)}{2d^7} + \frac{x^2 \left( \frac{8(d + \sqrt{-x^2e^2 + d^2})e^4}{x} + e^6 \right)}{8(d + \sqrt{-x^2e^2 + d^2})^2 d^7} - \frac{\left( \frac{8(d + \sqrt{-x^2e^2 + d^2})e^8}{x} + \frac{(d + \sqrt{-x^2e^2 + d^2})^2 d^7 e^6}{x^2} \right) e^{(-8)}}{8d^{14}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^3/(-e^2\*x^2+d^2)^(7/2), x, algorithm="giac")

[Out]  $-1/5*\text{sqrt}(-x^2*e^2 + d^2)*(((2*(x*(11*x*e^7/d^7 + 10*e^6/d^6) - 25*e^5/d^5)*x - 45*e^4/d^4)*x + 30*e^3/d^3)*x + 27*e^2/d^2)/(x^2*e^2 - d^2)^3 - 9/2*e^2*\log(1/2*\text{abs}(-2*d*e - 2*\text{sqrt}(-x^2*e^2 + d^2)*e)*e^{(-2)}/\text{abs}(x))/d^7 + 1/8*x^2*(8*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*e^4/x + e^6)/((d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2)$

$(-2)*e)^2*d^7) - 1/8*(8*(d*e + \sqrt{-x^2*e^2 + d^2})*e)*d^7*e^8/x + (d*e + \sqrt{-x^2*e^2 + d^2})*e)^2*d^7*e^6/x^2)*e^{(-8)}/d^{14}$

**maple** [A] time = 0.02, size = 224, normalized size = 1.23

$$\frac{12e^3x}{5(-e^2x^2+d^2)^{\frac{5}{2}}d^3} + \frac{9e^2}{10(-e^2x^2+d^2)^{\frac{5}{2}}d^2} - \frac{2e}{(-e^2x^2+d^2)^{\frac{5}{2}}dx} + \frac{16e^3x}{5(-e^2x^2+d^2)^{\frac{3}{2}}d^5} + \frac{3e^2}{2(-e^2x^2+d^2)^{\frac{3}{2}}d^4} - \frac{1}{2(-e^2x^2+d^2)^{\frac{5}{2}}x^2} - \frac{9e^2 \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{2\sqrt{d^2}d^6} + \frac{32e^3x}{5\sqrt{-e^2x^2+d^2}d^7} + \frac{9e^2}{2\sqrt{-e^2x^2+d^2}d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^2/x^3/(-e^2*x^2+d^2)^(7/2), x)`

[Out]  $9/10*e^2/d^2/(-e^2*x^2+d^2)^{(5/2)}+3/2*e^2/d^4/(-e^2*x^2+d^2)^{(3/2)}+9/2*e^2/d^6/(-e^2*x^2+d^2)^{(1/2)}-9/2*e^2/d^6/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-2/d*e/x/(-e^2*x^2+d^2)^{(5/2)}+12/5/d^3*e^3*x/(-e^2*x^2+d^2)^{(5/2)}+16/5/d^5*e^3*x/(-e^2*x^2+d^2)^{(3/2)}+32/5/d^7*e^3*x/(-e^2*x^2+d^2)^{(1/2)}-1/2/x^2/(-e^2*x^2+d^2)^{(5/2)}$

**maxima** [A] time = 0.47, size = 218, normalized size = 1.20

$$\frac{12e^3x}{5(-e^2x^2+d^2)^{\frac{5}{2}}d^3} + \frac{9e^2}{10(-e^2x^2+d^2)^{\frac{5}{2}}d^2} + \frac{16e^3x}{5(-e^2x^2+d^2)^{\frac{3}{2}}d^5} + \frac{3e^2}{2(-e^2x^2+d^2)^{\frac{3}{2}}d^4} - \frac{2e}{(-e^2x^2+d^2)^{\frac{5}{2}}dx} + \frac{32e^3x}{5\sqrt{-e^2x^2+d^2}d^7} - \frac{9e^2 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}}{|x|}\right)}{2d^7} + \frac{9e^2}{2\sqrt{-e^2x^2+d^2}d^6} - \frac{1}{2(-e^2x^2+d^2)^{\frac{5}{2}}x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2/x^3/(-e^2*x^2+d^2)^(7/2), x, algorithm="maxima")`

[Out]  $12/5*e^3*x/((-e^2*x^2 + d^2)^{(5/2)}*d^3) + 9/10*e^2/((-e^2*x^2 + d^2)^{(5/2)}*d^2) + 16/5*e^3*x/((-e^2*x^2 + d^2)^{(3/2)}*d^5) + 3/2*e^2/((-e^2*x^2 + d^2)^{(3/2)}*d^4) - 2*e/((-e^2*x^2 + d^2)^{(5/2)}*d*x) + 32/5*e^3*x/(\sqrt{-e^2*x^2 + d^2}*d^7) - 9/2*e^2*\log(2*d^2/abs(x) + 2*\sqrt{-e^2*x^2 + d^2}*d/abs(x))/d^7 + 9/2*e^2/(\sqrt{-e^2*x^2 + d^2}*d^6) - 1/2/((-e^2*x^2 + d^2)^{(5/2)}*x^2)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d+ex)^2}{x^3(d^2-e^2x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^2/(x^3*(d^2 - e^2*x^2)^(7/2)), x)`

[Out] `int((d + e*x)^2/(x^3*(d^2 - e^2*x^2)^(7/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^2}{x^3(-(-d+ex)(d+ex))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**2/x**3/(-e**2*x**2+d**2)**(7/2),x)
```

```
[Out] Integral((d + e*x)**2/(x**3*(-(-d + e*x)*(d + e*x))**(7/2)), x)
```



$$3.53 \quad \int \frac{(d+ex)^2}{x^4(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=209

$$\frac{14e^2\sqrt{d^2-e^2x^2}}{3d^8x} + \frac{2e^3(45d+53ex)}{15d^8\sqrt{d^2-e^2x^2}} - \frac{7e^3 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^8} - \frac{e\sqrt{d^2-e^2x^2}}{d^7x^2} - \frac{\sqrt{d^2-e^2x^2}}{3d^6x^3} + \frac{e^3(20d+23ex)}{15d^6(d^2-e^2x^2)^{3/2}} + \dots$$

**Rubi [A]** time = 0.47, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1805, 1807, 807, 266, 63, 208}

$$\frac{2e^3(45d+53ex)}{15d^8\sqrt{d^2-e^2x^2}} + \frac{e^3(20d+23ex)}{15d^6(d^2-e^2x^2)^{3/2}} + \frac{2e^3(d+ex)}{5d^4(d^2-e^2x^2)^{5/2}} - \frac{14e^2\sqrt{d^2-e^2x^2}}{3d^8x} - \frac{e\sqrt{d^2-e^2x^2}}{d^7x^2} - \frac{\sqrt{d^2-e^2x^2}}{3d^6x^3} - \frac{7e^3 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^8}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2/(x^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (2\*e^3\*(d + e\*x))/(5\*d^4\*(d^2 - e^2\*x^2)^(5/2)) + (e^3\*(20\*d + 23\*e\*x))/(15\*d^6\*(d^2 - e^2\*x^2)^(3/2)) + (2\*e^3\*(45\*d + 53\*e\*x))/(15\*d^8\*sqrt[d^2 - e^2\*x^2]) - sqrt[d^2 - e^2\*x^2]/(3\*d^6\*x^3) - (e\*sqrt[d^2 - e^2\*x^2])/(d^7\*x^2) - (14\*e^2\*sqrt[d^2 - e^2\*x^2])/(3\*d^8\*x) - (7\*e^3\*ArcTanh[sqrt[d^2 - e^2\*x^2]/d])/d^8

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

### Rule 1805

Int[(Pq\_)\*((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[(c\*x)^m\*Pq, a + b\*x^2, x], f = Coeff[PolynomialRemainder[(c\*x)^m\*Pq, a + b\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c\*x)^m\*Pq, a + b\*x^2, x], x, 1]}, Simp[((a\*g - b\*f\*x)\*(a + b\*x^2)^(p + 1))/(2\*a\*b\*(p + 1)), x] + Dist[1/(2\*a\*(p + 1)), Int[(c\*x)^m\*(a + b\*x^2)^(p + 1)\*ExpandToSum[(2\*a\*(p + 1)\*Q)/(c\*x)^m + (f\*(2\*p + 3))/(c\*x)^m, x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]

### Rule 1807

Int[(Pq\_)\*((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[Pq, c\*x, x], R = PolynomialRemainder[Pq, c\*x, x]}, Simp[(R\*(c\*x)^(m + 1)\*(a + b\*x^2)^(p + 1))/(a\*c\*(m + 1)), x] + Dist[1/(a\*c\*(m + 1)), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^2}{x^4(d^2-e^2x^2)^{7/2}} dx &= \frac{2e^3(d+ex)}{5d^4(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^2-10dex-10e^2x^2-\frac{10e^3x^3}{d}-\frac{8e^4x^4}{d^2}}{x^4(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= \frac{2e^3(d+ex)}{5d^4(d^2-e^2x^2)^{5/2}} + \frac{e^3(20d+23ex)}{15d^6(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{15d^2+30dex+45e^2x^2+\frac{60e^3x^3}{d}+\frac{46e^4x^4}{d^2}}{x^4(d^2-e^2x^2)^{3/2}} dx}{15d^4} \\
&= \frac{2e^3(d+ex)}{5d^4(d^2-e^2x^2)^{5/2}} + \frac{e^3(20d+23ex)}{15d^6(d^2-e^2x^2)^{3/2}} + \frac{2e^3(45d+53ex)}{15d^8\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-15d^2-30dex-60e^2x^2-\frac{90e^3x^3}{d}}{x^4\sqrt{d^2-e^2x^2}} dx}{15d^6} \\
&= \frac{2e^3(d+ex)}{5d^4(d^2-e^2x^2)^{5/2}} + \frac{e^3(20d+23ex)}{15d^6(d^2-e^2x^2)^{3/2}} + \frac{2e^3(45d+53ex)}{15d^8\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{3d^6x^3} + \frac{\int \frac{90d^3e+2}{x}}{d^7x^2} \\
&= \frac{2e^3(d+ex)}{5d^4(d^2-e^2x^2)^{5/2}} + \frac{e^3(20d+23ex)}{15d^6(d^2-e^2x^2)^{3/2}} + \frac{2e^3(45d+53ex)}{15d^8\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{3d^6x^3} - \frac{e\sqrt{d^2-e^2x^2}}{d^7x^2} \\
&= \frac{2e^3(d+ex)}{5d^4(d^2-e^2x^2)^{5/2}} + \frac{e^3(20d+23ex)}{15d^6(d^2-e^2x^2)^{3/2}} + \frac{2e^3(45d+53ex)}{15d^8\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{3d^6x^3} - \frac{e\sqrt{d^2-e^2x^2}}{d^7x^2} \\
&= \frac{2e^3(d+ex)}{5d^4(d^2-e^2x^2)^{5/2}} + \frac{e^3(20d+23ex)}{15d^6(d^2-e^2x^2)^{3/2}} + \frac{2e^3(45d+53ex)}{15d^8\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{3d^6x^3} - \frac{e\sqrt{d^2-e^2x^2}}{d^7x^2} \\
&= \frac{2e^3(d+ex)}{5d^4(d^2-e^2x^2)^{5/2}} + \frac{e^3(20d+23ex)}{15d^6(d^2-e^2x^2)^{3/2}} + \frac{2e^3(45d+53ex)}{15d^8\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{3d^6x^3} - \frac{e\sqrt{d^2-e^2x^2}}{d^7x^2} \\
&= \frac{2e^3(d+ex)}{5d^4(d^2-e^2x^2)^{5/2}} + \frac{e^3(20d+23ex)}{15d^6(d^2-e^2x^2)^{3/2}} + \frac{2e^3(45d+53ex)}{15d^8\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{3d^6x^3} - \frac{e\sqrt{d^2-e^2x^2}}{d^7x^2}
\end{aligned}$$

**Mathematica [C]** time = 0.05, size = 105, normalized size = 0.50

$$\frac{-5d^8 - 55d^6e^2x^2 + 330d^4e^4x^4 - 440d^2e^6x^6 + 6d^5e^3x^3 {}_2F_1\left(-\frac{5}{2}, 2; -\frac{3}{2}; 1 - \frac{e^2x^2}{d^2}\right) + 176e^8x^8}{15d^8x^3(d^2-e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2/(x^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (-5\*d^8 - 55\*d^6\*e^2\*x^2 + 330\*d^4\*e^4\*x^4 - 440\*d^2\*e^6\*x^6 + 176\*e^8\*x^8 + 6\*d^5\*e^3\*x^3\*Hypergeometric2F1[-5/2, 2, -3/2, 1 - (e^2\*x^2)/d^2])/(15\*d^8\*x^3\*(d^2 - e^2\*x^2)^(5/2))

**IntegrateAlgebraic [A]** time = 1.05, size = 150, normalized size = 0.72

$$\frac{14e^3 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^8} + \frac{\sqrt{d^2 - e^2x^2} (-5d^6 - 5d^5ex - 40d^4e^2x^2 + 246d^3e^3x^3 - 122d^2e^4x^4 - 247de^5x^5 + 176e^6x^6)}{15d^8x^3(d - ex)^3(d + ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^2/(x^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-5\*d^6 - 5\*d^5\*e\*x - 40\*d^4\*e^2\*x^2 + 246\*d^3\*e^3\*x^3 - 122\*d^2\*e^4\*x^4 - 247\*d\*e^5\*x^5 + 176\*e^6\*x^6))/(15\*d^8\*x^3\*(d - e\*x)^3\*(d + e\*x)) + (14\*e^3\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^8

**fricas [A]** time = 0.47, size = 227, normalized size = 1.09

$$\frac{116e^7x^7 - 232de^6x^6 + 232d^3e^4x^4 - 116d^4e^3x^3 + 105(e^7x^7 - 2de^6x^6 + 2d^3e^4x^4 - d^4e^3x^3) \log\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (176e^6x^6 - 247de^5x^5 - 122d^2e^4x^4 + 246d^3e^3x^3 - 40d^4e^2x^2 - 5d^5ex - 5d^6)\sqrt{-e^2x^2 + d^2}}{15(d^8e^7x^7 - 2d^9e^3x^6 + 2d^{11}ex^4 - d^{12}x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^4/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out] 1/15\*(116\*e^7\*x^7 - 232\*d\*e^6\*x^6 + 232\*d^3\*e^4\*x^4 - 116\*d^4\*e^3\*x^3 + 105\*(e^7\*x^7 - 2\*d\*e^6\*x^6 + 2\*d^3\*e^4\*x^4 - d^4\*e^3\*x^3)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (176\*e^6\*x^6 - 247\*d\*e^5\*x^5 - 122\*d^2\*e^4\*x^4 + 246\*d^3\*e^3\*x^3 - 40\*d^4\*e^2\*x^2 - 5\*d^5\*e\*x - 5\*d^6)\*sqrt(-e^2\*x^2 + d^2))/(d^8\*e^4\*x^7 - 2\*d^9\*e^3\*x^6 + 2\*d^11\*e\*x^4 - d^12\*x^3)

**giac [A]** time = 0.35, size = 325, normalized size = 1.56

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( \left( 2x \left( \frac{53x^8}{d^8} + \frac{45e^7}{d^7} \right) - \frac{235e^6}{d^6} \right) x - \frac{200e^5}{d^5} \right) x + \frac{135e^4}{d^4} \right) x + \frac{116e^3}{d^3}}{15(x^2e^2 - d^2)^3} + \frac{x^3 \left( \frac{6(d e + \sqrt{-x^2e^2 + d^2} e)}{x} + \frac{57(d + \sqrt{-x^2e^2 + d^2} e)^2}{x^2} + e^8 \right)}{24(d e + \sqrt{-x^2e^2 + d^2} e)^3 d^8} - \frac{7e^3 \log\left(\frac{|-2de - 2\sqrt{-x^2e^2 + d^2} e| e^{-2x}}{2|x|}\right)}{d^8} - \frac{\left( \frac{57(d e + \sqrt{-x^2e^2 + d^2} e) d^{16/16}}{x} + \frac{6(d + \sqrt{-x^2e^2 + d^2} e)^2 d^{16/14}}{x^2} + \frac{(d e + \sqrt{-x^2e^2 + d^2} e)^3 d^{16/12}}{x^3} \right) e^{-15}}{24 d^{24}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^4/(-e^2\*x^2+d^2)^(7/2), x, algorithm="giac")

[Out] -1/15\*sqrt(-x^2\*e^2 + d^2)\*(((2\*x\*(53\*x\*e^8/d^8 + 45\*e^7/d^7) - 235\*e^6/d^6)\*x - 200\*e^5/d^5)\*x + 135\*e^4/d^4)\*x + 116\*e^3/d^3)/(x^2\*e^2 - d^2)^3 + 1

$/24*x^3*(6*(d*e + \sqrt{-x^2*e^2 + d^2})*e)*e^6/x + 57*(d*e + \sqrt{-x^2*e^2 + d^2})*e^2*e^4/x^2 + e^8)*e/((d*e + \sqrt{-x^2*e^2 + d^2})*e)^3*d^8) - 7*e^3*\log(1/2*abs(-2*d*e - 2*\sqrt{-x^2*e^2 + d^2})*e)*e^{(-2)}/abs(x))/d^8 - 1/24*(57*(d*e + \sqrt{-x^2*e^2 + d^2})*e)*d^{16}*e^{16}/x + 6*(d*e + \sqrt{-x^2*e^2 + d^2})*e^2*d^{16}*e^{14}/x^2 + (d*e + \sqrt{-x^2*e^2 + d^2})*e)^3*d^{16}*e^{12}/x^3)*e^{(-15)}/d^{24}$

**maple [A]** time = 0.02, size = 249, normalized size = 1.19

$$\frac{22e^4x}{5(-e^2x^2+d^2)^{\frac{5}{2}}d^4} + \frac{7e^3}{5(-e^2x^2+d^2)^{\frac{3}{2}}d^3} - \frac{11e^2}{3(-e^2x^2+d^2)^{\frac{5}{2}}d^2x} + \frac{88e^4x}{15(-e^2x^2+d^2)^{\frac{3}{2}}d^6} - \frac{e}{(-e^2x^2+d^2)^{\frac{5}{2}}dx^2} + \frac{7e^3}{3(-e^2x^2+d^2)^{\frac{3}{2}}d^6} - \frac{7e^3 \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{\sqrt{d^2}d^7} + \frac{176e^4x}{15\sqrt{-e^2x^2+d^2}d^6} - \frac{1}{3(-e^2x^2+d^2)^{\frac{3}{2}}x^3} + \frac{7e^3}{\sqrt{-e^2x^2+d^2}d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^2/x^4/(-e^2\*x^2+d^2)^(7/2), x)

[Out]  $-1/d*e/x^2/(-e^2*x^2+d^2)^{(5/2)}+7/5/d^3*e^3/(-e^2*x^2+d^2)^{(5/2)}+7/3/d^5*e^3/(-e^2*x^2+d^2)^{(3/2)}+7/d^7*e^3/(-e^2*x^2+d^2)^{(1/2)}-7/d^7*e^3/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-11/3*e^2/d^2/x/(-e^2*x^2+d^2)^{(5/2)}+22/5*e^4/d^4*x/(-e^2*x^2+d^2)^{(5/2)}+88/15*e^4/d^6*x/(-e^2*x^2+d^2)^{(3/2)}+176/15*e^4/d^8*x/(-e^2*x^2+d^2)^{(1/2)}-1/3/x^3/(-e^2*x^2+d^2)^{(5/2)}$

**maxima [A]** time = 0.48, size = 243, normalized size = 1.16

$$\frac{22e^4x}{5(-e^2x^2+d^2)^{\frac{5}{2}}d^4} + \frac{7e^3}{5(-e^2x^2+d^2)^{\frac{3}{2}}d^3} + \frac{88e^4x}{15(-e^2x^2+d^2)^{\frac{3}{2}}d^6} + \frac{7e^3}{3(-e^2x^2+d^2)^{\frac{3}{2}}d^6} - \frac{11e^2}{3(-e^2x^2+d^2)^{\frac{5}{2}}d^2x} + \frac{176e^4x}{15\sqrt{-e^2x^2+d^2}d^6} - \frac{7e^3 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{d^8} + \frac{7e^3}{\sqrt{-e^2x^2+d^2}d^7} - \frac{e}{(-e^2x^2+d^2)^{\frac{5}{2}}dx^2} - \frac{1}{3(-e^2x^2+d^2)^{\frac{5}{2}}x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2/x^4/(-e^2\*x^2+d^2)^(7/2), x, algorithm="maxima")

[Out]  $22/5*e^4*x/((-e^2*x^2 + d^2)^{(5/2)}*d^4) + 7/5*e^3/((-e^2*x^2 + d^2)^{(5/2)}*d^3) + 88/15*e^4*x/((-e^2*x^2 + d^2)^{(3/2)}*d^6) + 7/3*e^3/((-e^2*x^2 + d^2)^{(3/2)}*d^5) - 11/3*e^2/((-e^2*x^2 + d^2)^{(5/2)}*d^2*x) + 176/15*e^4*x/(sqrt(-e^2*x^2 + d^2)*d^8) - 7*e^3*log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x))/d^8 + 7*e^3/(sqrt(-e^2*x^2 + d^2)*d^7) - e/((-e^2*x^2 + d^2)^{(5/2)}*d*x^2) - 1/3/((-e^2*x^2 + d^2)^{(5/2)}*x^3)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex)^2}{x^4 (d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^2/(x^4\*(d^2 - e^2\*x^2)^(7/2)), x)

[Out] `int((d + e*x)^2/(x^4*(d^2 - e^2*x^2)^(7/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^2}{x^4 (-(-d + ex)(d + ex))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**2/x**4/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `Integral((d + e*x)**2/(x**4*(-(-d + e*x)*(d + e*x))**(7/2)), x)`

$$3.54 \quad \int \frac{x^3(1+x)^2}{\sqrt{1-x^2}} dx$$

**Optimal.** Leaf size=81

$$-\frac{3}{5}\sqrt{1-x^2}x^2 - \frac{3}{20}(5x+8)\sqrt{1-x^2} - \frac{1}{5}\sqrt{1-x^2}x^4 - \frac{1}{2}\sqrt{1-x^2}x^3 + \frac{3}{4}\sin^{-1}(x)$$

**Rubi [A]** time = 0.09, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {1809, 833, 780, 216}

$$-\frac{1}{5}\sqrt{1-x^2}x^4 - \frac{1}{2}\sqrt{1-x^2}x^3 - \frac{3}{5}\sqrt{1-x^2}x^2 - \frac{3}{20}(5x+8)\sqrt{1-x^2} + \frac{3}{4}\sin^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(1 + x)^2)/Sqrt[1 - x^2],x]

[Out] (-3\*x^2\*Sqrt[1 - x^2])/5 - (x^3\*Sqrt[1 - x^2])/2 - (x^4\*Sqrt[1 - x^2])/5 - (3\*(8 + 5\*x)\*Sqrt[1 - x^2])/20 + (3\*ArcSin[x])/4

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 833

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[1/(c\*(m + 2\*p + 2)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^p\*Simp[c\*d\*f\*(m + 2\*p + 2) - a\*e\*g\*m + c\*(e\*f\*(m + 2\*p + 2) + d\*g\*m)\*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && GtQ[m, 0] && NeQ[m + 2\*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

Rule 1809

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3(1+x)^2}{\sqrt{1-x^2}} dx &= -\frac{1}{5}x^4\sqrt{1-x^2} - \frac{1}{5} \int \frac{(-9-10x)x^3}{\sqrt{1-x^2}} dx \\
&= -\frac{1}{2}x^3\sqrt{1-x^2} - \frac{1}{5}x^4\sqrt{1-x^2} + \frac{1}{20} \int \frac{x^2(30+36x)}{\sqrt{1-x^2}} dx \\
&= -\frac{3}{5}x^2\sqrt{1-x^2} - \frac{1}{2}x^3\sqrt{1-x^2} - \frac{1}{5}x^4\sqrt{1-x^2} - \frac{1}{60} \int \frac{(-72-90x)x}{\sqrt{1-x^2}} dx \\
&= -\frac{3}{5}x^2\sqrt{1-x^2} - \frac{1}{2}x^3\sqrt{1-x^2} - \frac{1}{5}x^4\sqrt{1-x^2} - \frac{3}{20}(8+5x)\sqrt{1-x^2} + \frac{3}{4} \int \frac{1}{\sqrt{1-x^2}} dx \\
&= -\frac{3}{5}x^2\sqrt{1-x^2} - \frac{1}{2}x^3\sqrt{1-x^2} - \frac{1}{5}x^4\sqrt{1-x^2} - \frac{3}{20}(8+5x)\sqrt{1-x^2} + \frac{3}{4} \sin^{-1}(x)
\end{aligned}$$

**Mathematica** [A] time = 0.04, size = 42, normalized size = 0.52

$$\frac{3}{4} \sin^{-1}(x) - \frac{1}{20} \sqrt{1-x^2} (4x^4 + 10x^3 + 12x^2 + 15x + 24)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(1+x)^2)/Sqrt[1-x^2],x]

[Out] -1/20\*(Sqrt[1-x^2]\*(24+15\*x+12\*x^2+10\*x^3+4\*x^4)) + (3\*ArcSin[x])/4

**IntegrateAlgebraic** [A] time = 0.23, size = 58, normalized size = 0.72

$$\frac{3}{2} \tan^{-1}\left(\frac{x}{\sqrt{1-x^2}-1}\right) + \frac{1}{20} \sqrt{1-x^2} (-4x^4 - 10x^3 - 12x^2 - 15x - 24)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*(1+x)^2)/Sqrt[1-x^2],x]



[Out]  $(\text{Sqrt}[1 - x^2] * (-24 - 15x - 12x^2 - 10x^3 - 4x^4)) / 20 + (3 * \text{ArcTan}[x / (-1 + \text{Sqrt}[1 - x^2])]) / 2$

**fricas** [A] time = 0.40, size = 50, normalized size = 0.62

$$-\frac{1}{20} (4x^4 + 10x^3 + 12x^2 + 15x + 24) \sqrt{-x^2 + 1} - \frac{3}{2} \arctan\left(\frac{\sqrt{-x^2 + 1} - 1}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(1+x)^2/(-x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $-1/20 * (4x^4 + 10x^3 + 12x^2 + 15x + 24) * \text{sqrt}(-x^2 + 1) - 3/2 * \text{arctan}((\text{sqrt}(-x^2 + 1) - 1)/x)$

**giac** [A] time = 0.18, size = 34, normalized size = 0.42

$$-\frac{1}{20} ((2((2x + 5)x + 6)x + 15)x + 24) \sqrt{-x^2 + 1} + \frac{3}{4} \arcsin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(1+x)^2/(-x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $-1/20 * ((2 * ((2x + 5)x + 6)x + 15)x + 24) * \text{sqrt}(-x^2 + 1) + 3/4 * \arcsin(x)$

**maple** [A] time = 0.01, size = 71, normalized size = 0.88

$$-\frac{\sqrt{-x^2 + 1} x^4}{5} - \frac{\sqrt{-x^2 + 1} x^3}{2} - \frac{3\sqrt{-x^2 + 1} x^2}{5} - \frac{3\sqrt{-x^2 + 1} x}{4} + \frac{3 \arcsin(x)}{4} - \frac{6\sqrt{-x^2 + 1}}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(1+x)^2/(-x^2+1)^(1/2),x)`

[Out]  $-1/5 * x^4 * (-x^2 + 1)^{(1/2)} - 3/5 * x^2 * (-x^2 + 1)^{(1/2)} - 6/5 * (-x^2 + 1)^{(1/2)} - 1/2 * x^3 * (-x^2 + 1)^{(1/2)} - 3/4 * x * (-x^2 + 1)^{(1/2)} + 3/4 * \arcsin(x)$

**maxima** [A] time = 0.97, size = 70, normalized size = 0.86

$$-\frac{1}{5} \sqrt{-x^2 + 1} x^4 - \frac{1}{2} \sqrt{-x^2 + 1} x^3 - \frac{3}{5} \sqrt{-x^2 + 1} x^2 - \frac{3}{4} \sqrt{-x^2 + 1} x - \frac{6}{5} \sqrt{-x^2 + 1} + \frac{3}{4} \arcsin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(1+x)^2/(-x^2+1)^(1/2),x, algorithm="maxima")`

[Out]  $-1/5 * \text{sqrt}(-x^2 + 1) * x^4 - 1/2 * \text{sqrt}(-x^2 + 1) * x^3 - 3/5 * \text{sqrt}(-x^2 + 1) * x^2 - 3/4 * \text{sqrt}(-x^2 + 1) * x - 6/5 * \text{sqrt}(-x^2 + 1) + 3/4 * \arcsin(x)$

**mupad [B]** time = 2.50, size = 36, normalized size = 0.44

$$\frac{3 \operatorname{asin}(x)}{4} - \sqrt{1-x^2} \left( \frac{x^4}{5} + \frac{x^3}{2} + \frac{3x^2}{5} + \frac{3x}{4} + \frac{6}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(x + 1)^2)/(1 - x^2)^(1/2), x)`

[Out] `(3*asin(x))/4 - (1 - x^2)^(1/2)*((3*x)/4 + (3*x^2)/5 + x^3/2 + x^4/5 + 6/5)`

**sympy [A]** time = 1.41, size = 73, normalized size = 0.90

$$-\frac{x^4\sqrt{1-x^2}}{5} - \frac{x^3\sqrt{1-x^2}}{2} - \frac{3x^2\sqrt{1-x^2}}{5} - \frac{3x\sqrt{1-x^2}}{4} - \frac{6\sqrt{1-x^2}}{5} + \frac{3 \operatorname{asin}(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(1+x)**2/(-x**2+1)**(1/2), x)`

[Out] `-x**4*sqrt(1 - x**2)/5 - x**3*sqrt(1 - x**2)/2 - 3*x**2*sqrt(1 - x**2)/5 - 3*x*sqrt(1 - x**2)/4 - 6*sqrt(1 - x**2)/5 + 3*asin(x)/4`

$$3.55 \quad \int \frac{x^2(1+x)^2}{\sqrt{1-x^2}} dx$$

Optimal. Leaf size=63

$$-\frac{2}{3}\sqrt{1-x^2}x^2 - \frac{1}{24}(21x+32)\sqrt{1-x^2} - \frac{1}{4}\sqrt{1-x^2}x^3 + \frac{7}{8}\sin^{-1}(x)$$

Rubi [A] time = 0.08, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {1809, 833, 780, 216}

$$-\frac{1}{4}\sqrt{1-x^2}x^3 - \frac{2}{3}\sqrt{1-x^2}x^2 - \frac{1}{24}(21x+32)\sqrt{1-x^2} + \frac{7}{8}\sin^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(1 + x)^2)/Sqrt[1 - x^2],x]

[Out] (-2\*x^2\*Sqrt[1 - x^2])/3 - (x^3\*Sqrt[1 - x^2])/4 - ((32 + 21\*x)\*Sqrt[1 - x^2])/24 + (7\*ArcSin[x])/8

Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 780

Int[((d\_) + (e\_)\*(x\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 833

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[1/(c\*(m + 2\*p + 2)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^p\*Simp[c\*d\*f\*(m + 2\*p + 2) - a\*e\*g\*m + c\*(e\*f\*(m + 2\*p + 2) + d\*g\*m)\*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && GtQ[m, 0] && NeQ[m + 2\*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

Rule 1809

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2(1+x)^2}{\sqrt{1-x^2}} dx &= -\frac{1}{4}x^3\sqrt{1-x^2} - \frac{1}{4} \int \frac{(-7-8x)x^2}{\sqrt{1-x^2}} dx \\
&= -\frac{2}{3}x^2\sqrt{1-x^2} - \frac{1}{4}x^3\sqrt{1-x^2} + \frac{1}{12} \int \frac{x(16+21x)}{\sqrt{1-x^2}} dx \\
&= -\frac{2}{3}x^2\sqrt{1-x^2} - \frac{1}{4}x^3\sqrt{1-x^2} - \frac{1}{24}(32+21x)\sqrt{1-x^2} + \frac{7}{8} \int \frac{1}{\sqrt{1-x^2}} dx \\
&= -\frac{2}{3}x^2\sqrt{1-x^2} - \frac{1}{4}x^3\sqrt{1-x^2} - \frac{1}{24}(32+21x)\sqrt{1-x^2} + \frac{7}{8} \sin^{-1}(x)
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 37, normalized size = 0.59

$$\frac{7}{8} \sin^{-1}(x) - \frac{1}{24} \sqrt{1-x^2} (6x^3 + 16x^2 + 21x + 32)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(1+x)^2)/Sqrt[1-x^2],x]

[Out] -1/24\*(Sqrt[1-x^2]\*(32+21\*x+16\*x^2+6\*x^3))+ (7\*ArcSin[x])/8

**IntegrateAlgebraic [A]** time = 0.22, size = 53, normalized size = 0.84

$$\frac{7}{4} \tan^{-1}\left(\frac{x}{\sqrt{1-x^2}-1}\right) + \frac{1}{24} \sqrt{1-x^2} (-6x^3 - 16x^2 - 21x - 32)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(1+x)^2)/Sqrt[1-x^2],x]

[Out] (Sqrt[1-x^2]\*(-32-21\*x-16\*x^2-6\*x^3))/24 + (7\*ArcTan[x/(-1+Sqrt[1-x^2])])/4

**fricas** [A] time = 0.38, size = 45, normalized size = 0.71

$$-\frac{1}{24} (6x^3 + 16x^2 + 21x + 32)\sqrt{-x^2 + 1} - \frac{7}{4} \arctan\left(\frac{\sqrt{-x^2 + 1} - 1}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(1+x)^2/(-x^2+1)^(1/2),x, algorithm="fricas")

[Out] -1/24\*(6\*x^3 + 16\*x^2 + 21\*x + 32)\*sqrt(-x^2 + 1) - 7/4\*arctan((sqrt(-x^2 + 1) - 1)/x)

**giac** [A] time = 0.19, size = 30, normalized size = 0.48

$$-\frac{1}{24} ((2(3x + 8)x + 21)x + 32)\sqrt{-x^2 + 1} + \frac{7}{8} \arcsin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(1+x)^2/(-x^2+1)^(1/2),x, algorithm="giac")

[Out] -1/24\*((2\*(3\*x + 8)\*x + 21)\*x + 32)\*sqrt(-x^2 + 1) + 7/8\*arcsin(x)

**maple** [A] time = 0.01, size = 57, normalized size = 0.90

$$-\frac{\sqrt{-x^2 + 1} x^3}{4} - \frac{2\sqrt{-x^2 + 1} x^2}{3} - \frac{7\sqrt{-x^2 + 1} x}{8} + \frac{7 \arcsin(x)}{8} - \frac{4\sqrt{-x^2 + 1}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(1+x)^2/(-x^2+1)^(1/2),x)

[Out] -1/4\*(-x^2+1)^(1/2)\*x^3-7/8\*(-x^2+1)^(1/2)\*x+7/8\*arcsin(x)-2/3\*(-x^2+1)^(1/2)\*x^2-4/3\*(-x^2+1)^(1/2)

**maxima** [A] time = 0.97, size = 56, normalized size = 0.89

$$-\frac{1}{4} \sqrt{-x^2 + 1} x^3 - \frac{2}{3} \sqrt{-x^2 + 1} x^2 - \frac{7}{8} \sqrt{-x^2 + 1} x - \frac{4}{3} \sqrt{-x^2 + 1} + \frac{7}{8} \arcsin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(1+x)^2/(-x^2+1)^(1/2),x, algorithm="maxima")

[Out] -1/4\*sqrt(-x^2 + 1)\*x^3 - 2/3\*sqrt(-x^2 + 1)\*x^2 - 7/8\*sqrt(-x^2 + 1)\*x - 4/3\*sqrt(-x^2 + 1) + 7/8\*arcsin(x)

**mupad [B]** time = 0.03, size = 31, normalized size = 0.49

$$\frac{7 \operatorname{asin}(x)}{8} - \sqrt{1-x^2} \left( \frac{x^3}{4} + \frac{2x^2}{3} + \frac{7x}{8} + \frac{4}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(x + 1)^2)/(1 - x^2)^(1/2), x)`

[Out] `(7*asin(x))/8 - (1 - x^2)^(1/2)*((7*x)/8 + (2*x^2)/3 + x^3/4 + 4/3)`

**sympy [A]** time = 0.81, size = 60, normalized size = 0.95

$$-\frac{x^3\sqrt{1-x^2}}{4} - \frac{2x^2\sqrt{1-x^2}}{3} - \frac{7x\sqrt{1-x^2}}{8} - \frac{4\sqrt{1-x^2}}{3} + \frac{7 \operatorname{asin}(x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(1+x)**2/(-x**2+1)**(1/2), x)`

[Out] `-x**3*sqrt(1 - x**2)/4 - 2*x**2*sqrt(1 - x**2)/3 - 7*x*sqrt(1 - x**2)/8 - 4*sqrt(1 - x**2)/3 + 7*asin(x)/8`

$$3.56 \quad \int \frac{x(1+x)^2}{\sqrt{1-x^2}} dx$$

Optimal. Leaf size=41

$$-\frac{1}{3}\sqrt{1-x^2} x^2 - \frac{1}{3}(3x+5)\sqrt{1-x^2} + \sin^{-1}(x)$$

**Rubi [A]** time = 0.05, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {1809, 780, 216}

$$-\frac{1}{3}\sqrt{1-x^2} x^2 - \frac{1}{3}(3x+5)\sqrt{1-x^2} + \sin^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(x\*(1 + x)^2)/Sqrt[1 - x^2], x]

[Out] -(x^2\*Sqrt[1 - x^2])/3 - ((5 + 3\*x)\*Sqrt[1 - x^2])/3 + ArcSin[x]

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1809

Int[(Pq\_)\*((c\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(c\*x)^(m + q - 1)\*(a + b\*x^2)^(p + 1))/(b\*c^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(b\*(m + q + 2\*p + 1)), Int[(c\*x)^m\*(a + b\*x^2)^p\*ExpandToSum[b\*(m + q + 2\*p + 1)\*Pq - b\*f\*(m + q + 2\*p + 1)\*x^q - a\*f\*(m + q - 1)\*x^(q - 2), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2\*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])

Rubi steps

$$\begin{aligned}
\int \frac{x(1+x)^2}{\sqrt{1-x^2}} dx &= -\frac{1}{3}x^2\sqrt{1-x^2} - \frac{1}{3} \int \frac{(-5-6x)x}{\sqrt{1-x^2}} dx \\
&= -\frac{1}{3}x^2\sqrt{1-x^2} - \frac{1}{3}(5+3x)\sqrt{1-x^2} + \int \frac{1}{\sqrt{1-x^2}} dx \\
&= -\frac{1}{3}x^2\sqrt{1-x^2} - \frac{1}{3}(5+3x)\sqrt{1-x^2} + \sin^{-1}(x)
\end{aligned}$$

**Mathematica** [A] time = 0.02, size = 26, normalized size = 0.63

$$\sin^{-1}(x) - \frac{1}{3}\sqrt{1-x^2}(x^2 + 3x + 5)$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(1 + x)^2)/Sqrt[1 - x^2], x]

[Out] -1/3\*(Sqrt[1 - x^2]\*(5 + 3\*x + x^2)) + ArcSin[x]

**IntegrateAlgebraic** [A] time = 0.19, size = 46, normalized size = 1.12

$$\frac{1}{3}\sqrt{1-x^2}(-x^2 - 3x - 5) + 2 \tan^{-1}\left(\frac{x}{\sqrt{1-x^2} - 1}\right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*(1 + x)^2)/Sqrt[1 - x^2], x]

[Out] (Sqrt[1 - x^2]\*(-5 - 3\*x - x^2))/3 + 2\*ArcTan[x/(-1 + Sqrt[1 - x^2])]

**fricas** [A] time = 0.40, size = 38, normalized size = 0.93

$$-\frac{1}{3}(x^2 + 3x + 5)\sqrt{-x^2 + 1} - 2 \arctan\left(\frac{\sqrt{-x^2 + 1} - 1}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(1+x)^2/(-x^2+1)^(1/2), x, algorithm="fricas")

[Out] -1/3\*(x^2 + 3\*x + 5)\*sqrt(-x^2 + 1) - 2\*arctan((sqrt(-x^2 + 1) - 1)/x)

**giac** [A] time = 0.22, size = 21, normalized size = 0.51

$$-\frac{1}{3}((x + 3)x + 5)\sqrt{-x^2 + 1} + \arcsin(x)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(1+x)^2/(-x^2+1)^(1/2),x, algorithm="giac")

[Out] -1/3\*((x + 3)\*x + 5)\*sqrt(-x^2 + 1) + arcsin(x)

**maple** [A] time = 0.00, size = 41, normalized size = 1.00

$$-\frac{\sqrt{-x^2+1} x^2}{3} - \sqrt{-x^2+1} x + \arcsin(x) - \frac{5\sqrt{-x^2+1}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(1+x)^2/(-x^2+1)^(1/2),x)

[Out] -1/3\*(-x^2+1)^(1/2)\*x^2-5/3\*(-x^2+1)^(1/2)-(-x^2+1)^(1/2)\*x+arcsin(x)

**maxima** [A] time = 0.97, size = 40, normalized size = 0.98

$$-\frac{1}{3}\sqrt{-x^2+1}x^2 - \sqrt{-x^2+1}x - \frac{5}{3}\sqrt{-x^2+1} + \arcsin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(1+x)^2/(-x^2+1)^(1/2),x, algorithm="maxima")

[Out] -1/3\*sqrt(-x^2 + 1)\*x^2 - sqrt(-x^2 + 1)\*x - 5/3\*sqrt(-x^2 + 1) + arcsin(x)

**mupad** [B] time = 0.03, size = 22, normalized size = 0.54

$$\arcsin(x) - \sqrt{1-x^2} \left( \frac{x^2}{3} + x + \frac{5}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(x + 1)^2)/(1 - x^2)^(1/2),x)

[Out] asin(x) - (1 - x^2)^(1/2)\*(x + x^2/3 + 5/3)

**sympy** [A] time = 0.41, size = 37, normalized size = 0.90

$$-\frac{x^2\sqrt{1-x^2}}{3} - x\sqrt{1-x^2} - \frac{5\sqrt{1-x^2}}{3} + \arcsin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(1+x)\*\*2/(-x\*\*2+1)\*\*(1/2),x)

[Out] -x\*\*2\*sqrt(1 - x\*\*2)/3 - x\*sqrt(1 - x\*\*2) - 5\*sqrt(1 - x\*\*2)/3 + asin(x)

$$3.57 \quad \int \frac{(1+x)^2}{\sqrt{1-x^2}} dx$$

Optimal. Leaf size=40

$$-\frac{1}{2}\sqrt{1-x^2}(x+1) - \frac{3\sqrt{1-x^2}}{2} + \frac{3}{2}\sin^{-1}(x)$$

**Rubi [A]** time = 0.01, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {671, 641, 216}

$$-\frac{1}{2}\sqrt{1-x^2}(x+1) - \frac{3\sqrt{1-x^2}}{2} + \frac{3}{2}\sin^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)^2/Sqrt[1 - x^2], x]

[Out] (-3\*Sqrt[1 - x^2])/2 - ((1 + x)\*Sqrt[1 - x^2])/2 + (3\*ArcSin[x])/2

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 671

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 1)), x] + Dist[(2\*c\*d\*(m + p))/(c\*(m + 2\*p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && GtQ[m, 1] && NeQ[m + 2\*p + 1, 0] && IntegerQ[2\*p]

Rubi steps

$$\begin{aligned}
\int \frac{(1+x)^2}{\sqrt{1-x^2}} dx &= -\frac{1}{2}(1+x)\sqrt{1-x^2} + \frac{3}{2} \int \frac{1+x}{\sqrt{1-x^2}} dx \\
&= -\frac{3}{2}\sqrt{1-x^2} - \frac{1}{2}(1+x)\sqrt{1-x^2} + \frac{3}{2} \int \frac{1}{\sqrt{1-x^2}} dx \\
&= -\frac{3}{2}\sqrt{1-x^2} - \frac{1}{2}(1+x)\sqrt{1-x^2} + \frac{3}{2} \sin^{-1}(x)
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 25, normalized size = 0.62

$$\frac{1}{2} \left( 3 \sin^{-1}(x) - (x+4)\sqrt{1-x^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)^2/Sqrt[1 - x^2], x]

[Out] (-(4 + x)\*Sqrt[1 - x^2]) + 3\*ArcSin[x])/2

**IntegrateAlgebraic [A]** time = 0.19, size = 41, normalized size = 1.02

$$\frac{1}{2}(-x-4)\sqrt{1-x^2} - 3 \tan^{-1} \left( \frac{\sqrt{1-x^2}}{x+1} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 + x)^2/Sqrt[1 - x^2], x]

[Out] ((-4 - x)\*Sqrt[1 - x^2])/2 - 3\*ArcTan[Sqrt[1 - x^2]/(1 + x)]

**fricas [A]** time = 0.40, size = 33, normalized size = 0.82

$$-\frac{1}{2} \sqrt{-x^2+1} (x+4) - 3 \arctan \left( \frac{\sqrt{-x^2+1}-1}{x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/(-x^2+1)^(1/2), x, algorithm="fricas")

[Out] -1/2\*sqrt(-x^2 + 1)\*(x + 4) - 3\*arctan((sqrt(-x^2 + 1) - 1)/x)

**giac [A]** time = 0.19, size = 19, normalized size = 0.48

$$-\frac{1}{2} \sqrt{-x^2+1} (x+4) + \frac{3}{2} \arcsin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/(-x^2+1)^(1/2),x, algorithm="giac")

[Out] -1/2\*sqrt(-x^2 + 1)\*(x + 4) + 3/2\*arcsin(x)

maple [A] time = 0.00, size = 29, normalized size = 0.72

$$-\frac{\sqrt{-x^2+1} x}{2} + \frac{3 \arcsin(x)}{2} - 2\sqrt{-x^2+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x)^2/(-x^2+1)^(1/2),x)

[Out] -1/2\*(-x^2+1)^(1/2)\*x+3/2\*arcsin(x)-2\*(-x^2+1)^(1/2)

maxima [A] time = 0.96, size = 28, normalized size = 0.70

$$-\frac{1}{2}\sqrt{-x^2+1}x - 2\sqrt{-x^2+1} + \frac{3}{2}\arcsin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/(-x^2+1)^(1/2),x, algorithm="maxima")

[Out] -1/2\*sqrt(-x^2 + 1)\*x - 2\*sqrt(-x^2 + 1) + 3/2\*arcsin(x)

mupad [B] time = 0.03, size = 21, normalized size = 0.52

$$\frac{3 \operatorname{asin}(x)}{2} - \left(\frac{x}{2} + 2\right) \sqrt{1 - x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 1)^2/(1 - x^2)^(1/2),x)

[Out] (3\*asin(x))/2 - (x/2 + 2)\*(1 - x^2)^(1/2)

sympy [A] time = 0.24, size = 27, normalized size = 0.68

$$-\frac{x\sqrt{1-x^2}}{2} - 2\sqrt{1-x^2} + \frac{3 \operatorname{asin}(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)\*\*2/(-x\*\*2+1)\*\*(1/2),x)

[Out] -x\*sqrt(1 - x\*\*2)/2 - 2\*sqrt(1 - x\*\*2) + 3\*asin(x)/2

$$3.58 \quad \int \frac{(1+x)^2}{x\sqrt{1-x^2}} dx$$

Optimal. Leaf size=32

$$-\sqrt{1-x^2} - \tanh^{-1}\left(\sqrt{1-x^2}\right) + 2\sin^{-1}(x)$$

**Rubi** [A] time = 0.06, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {1809, 844, 216, 266, 63, 206}

$$-\sqrt{1-x^2} - \tanh^{-1}\left(\sqrt{1-x^2}\right) + 2\sin^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)^2/(x\*sqrt[1 - x^2]),x]

[Out] -sqrt[1 - x^2] + 2\*ArcSin[x] - ArcTanh[Sqrt[1 - x^2]]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && ( !IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(1+x)^2}{x\sqrt{1-x^2}} dx &= -\sqrt{1-x^2} - \int \frac{-1-2x}{x\sqrt{1-x^2}} dx \\
&= -\sqrt{1-x^2} + 2 \int \frac{1}{\sqrt{1-x^2}} dx + \int \frac{1}{x\sqrt{1-x^2}} dx \\
&= -\sqrt{1-x^2} + 2 \sin^{-1}(x) + \frac{1}{2} \text{Subst} \left( \int \frac{1}{\sqrt{1-xx}} dx, x, x^2 \right) \\
&= -\sqrt{1-x^2} + 2 \sin^{-1}(x) - \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \sqrt{1-x^2} \right) \\
&= -\sqrt{1-x^2} + 2 \sin^{-1}(x) - \tanh^{-1} \left( \sqrt{1-x^2} \right)
\end{aligned}$$

**Mathematica** [A] time = 0.01, size = 32, normalized size = 1.00

$$-\sqrt{1-x^2} - \tanh^{-1} \left( \sqrt{1-x^2} \right) + 2 \sin^{-1}(x)$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + x)^2/(x*Sqrt[1 - x^2]), x]
```

```
[Out] -Sqrt[1 - x^2] + 2*ArcSin[x] - ArcTanh[Sqrt[1 - x^2]]
```

**IntegrateAlgebraic** [A] time = 0.18, size = 52, normalized size = 1.62

$$-\sqrt{1-x^2} + \log\left(\sqrt{1-x^2}-1\right) + 4 \tan^{-1}\left(\frac{x}{\sqrt{1-x^2}-1}\right) - \log(x)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1+x)^2/(x\*Sqrt[1-x^2]),x]

[Out] -Sqrt[1-x^2] + 4\*ArcTan[x/(-1+Sqrt[1-x^2])] - Log[x] + Log[-1+Sqrt[1-x^2]]

**fricas** [A] time = 0.39, size = 46, normalized size = 1.44

$$-\sqrt{-x^2+1} - 4 \arctan\left(\frac{\sqrt{-x^2+1}-1}{x}\right) + \log\left(\frac{\sqrt{-x^2+1}-1}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x/(-x^2+1)^(1/2),x, algorithm="fricas")

[Out] -sqrt(-x^2+1) - 4\*arctan((sqrt(-x^2+1)-1)/x) + log((sqrt(-x^2+1)-1)/x)

**giac** [A] time = 0.18, size = 34, normalized size = 1.06

$$-\sqrt{-x^2+1} + 2 \arcsin(x) + \log\left(-\frac{\sqrt{-x^2+1}-1}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x/(-x^2+1)^(1/2),x, algorithm="giac")

[Out] -sqrt(-x^2+1) + 2\*arcsin(x) + log(-(sqrt(-x^2+1)-1)/abs(x))

**maple** [A] time = 0.00, size = 29, normalized size = 0.91

$$-\operatorname{arctanh}\left(\frac{1}{\sqrt{-x^2+1}}\right) + 2 \arcsin(x) - \sqrt{-x^2+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x)^2/x/(-x^2+1)^(1/2),x)

[Out] -(-x^2+1)^(1/2)+2\*arcsin(x)-arctanh(1/(-x^2+1)^(1/2))

**maxima [A]** time = 0.98, size = 41, normalized size = 1.28

$$-\sqrt{-x^2 + 1} + 2 \arcsin(x) - \log\left(\frac{2\sqrt{-x^2 + 1}}{|x|} + \frac{2}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x/(-x^2+1)^(1/2),x, algorithm="maxima")

[Out] -sqrt(-x^2 + 1) + 2\*arcsin(x) - log(2\*sqrt(-x^2 + 1)/abs(x) + 2/abs(x))

**mupad [B]** time = 0.05, size = 32, normalized size = 1.00

$$2 \operatorname{asin}(x) + \ln\left(\sqrt{\frac{1}{x^2} - 1} - \sqrt{\frac{1}{x^2}}\right) - \sqrt{1 - x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 1)^2/(x\*(1 - x^2)^(1/2)),x)

[Out] 2\*asin(x) + log((1/x^2 - 1)^(1/2) - (1/x^2)^(1/2)) - (1 - x^2)^(1/2)

**sympy [A]** time = 6.30, size = 31, normalized size = 0.97

$$-\sqrt{1 - x^2} + \begin{cases} -\operatorname{acosh}\left(\frac{1}{x}\right) & \text{for } \frac{1}{|x^2|} > 1 \\ i \operatorname{asin}\left(\frac{1}{x}\right) & \text{otherwise} \end{cases} + 2 \operatorname{asin}(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)\*\*2/x/(-x\*\*2+1)\*\*(1/2),x)

[Out] -sqrt(1 - x\*\*2) + Piecewise((-acosh(1/x), 1/Abs(x\*\*2) > 1), (I\*asin(1/x), True)) + 2\*asin(x)



$$3.59 \quad \int \frac{(1+x)^2}{x^2 \sqrt{1-x^2}} dx$$

Optimal. Leaf size=33

$$-\frac{\sqrt{1-x^2}}{x} - 2 \tanh^{-1}\left(\sqrt{1-x^2}\right) + \sin^{-1}(x)$$

**Rubi [A]** time = 0.06, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {1807, 844, 216, 266, 63, 206}

$$-\frac{\sqrt{1-x^2}}{x} - 2 \tanh^{-1}\left(\sqrt{1-x^2}\right) + \sin^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)^2/(x^2\*Sqrt[1 - x^2]),x]

[Out] -(Sqrt[1 - x^2]/x) + ArcSin[x] - 2\*ArcTanh[Sqrt[1 - x^2]]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(1+x)^2}{x^2\sqrt{1-x^2}} dx &= -\frac{\sqrt{1-x^2}}{x} - \int \frac{-2-x}{x\sqrt{1-x^2}} dx \\
&= -\frac{\sqrt{1-x^2}}{x} + 2 \int \frac{1}{x\sqrt{1-x^2}} dx + \int \frac{1}{\sqrt{1-x^2}} dx \\
&= -\frac{\sqrt{1-x^2}}{x} + \sin^{-1}(x) + \text{Subst}\left(\int \frac{1}{\sqrt{1-xx}} dx, x, x^2\right) \\
&= -\frac{\sqrt{1-x^2}}{x} + \sin^{-1}(x) - 2 \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \sqrt{1-x^2}\right) \\
&= -\frac{\sqrt{1-x^2}}{x} + \sin^{-1}(x) - 2 \tanh^{-1}\left(\sqrt{1-x^2}\right)
\end{aligned}$$

**Mathematica** [A] time = 0.02, size = 33, normalized size = 1.00

$$-\frac{\sqrt{1-x^2}}{x} - 2 \tanh^{-1}\left(\sqrt{1-x^2}\right) + \sin^{-1}(x)$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + x)^2/(x^2*Sqrt[1 - x^2]), x]
```

```
[Out] -(Sqrt[1 - x^2]/x) + ArcSin[x] - 2*ArcTanh[Sqrt[1 - x^2]]
```

**IntegrateAlgebraic** [A] time = 0.17, size = 57, normalized size = 1.73

$$-\frac{\sqrt{1-x^2}}{x} + 2 \log\left(\sqrt{1-x^2} - 1\right) + 2 \tan^{-1}\left(\frac{x}{\sqrt{1-x^2} - 1}\right) - 2 \log(x)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 + x)^2/(x^2\*Sqrt[1 - x^2]),x]

[Out] -(Sqrt[1 - x^2]/x) + 2\*ArcTan[x/(-1 + Sqrt[1 - x^2])] - 2\*Log[x] + 2\*Log[-1 + Sqrt[1 - x^2]]

**fricas** [A] time = 0.40, size = 53, normalized size = 1.61

$$\frac{2x \arctan\left(\frac{\sqrt{-x^2+1}-1}{x}\right) - 2x \log\left(\frac{\sqrt{-x^2+1}-1}{x}\right) + \sqrt{-x^2+1}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x^2/(-x^2+1)^(1/2),x, algorithm="fricas")

[Out] -(2\*x\*arctan((sqrt(-x^2 + 1) - 1)/x) - 2\*x\*log((sqrt(-x^2 + 1) - 1)/x) + sqrt(-x^2 + 1))/x

**giac** [A] time = 0.18, size = 55, normalized size = 1.67

$$\frac{x}{2\left(\sqrt{-x^2+1}-1\right)} - \frac{\sqrt{-x^2+1}-1}{2x} + \arcsin(x) + 2 \log\left(-\frac{\sqrt{-x^2+1}-1}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x^2/(-x^2+1)^(1/2),x, algorithm="giac")

[Out] 1/2\*x/(sqrt(-x^2 + 1) - 1) - 1/2\*(sqrt(-x^2 + 1) - 1)/x + arcsin(x) + 2\*log(-(sqrt(-x^2 + 1) - 1)/abs(x))

**maple** [A] time = 0.01, size = 30, normalized size = 0.91

$$-2 \operatorname{arctanh}\left(\frac{1}{\sqrt{-x^2+1}}\right) + \arcsin(x) - \frac{\sqrt{-x^2+1}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x)^2/x^2/(-x^2+1)^(1/2),x)

[Out]  $\arcsin(x) - (-x^2+1)^{(1/2)}/x - 2*\operatorname{arctanh}(1/(-x^2+1)^{(1/2)})$

**maxima** [A] time = 0.97, size = 42, normalized size = 1.27

$$-\frac{\sqrt{-x^2+1}}{x} + \arcsin(x) - 2 \log\left(\frac{2\sqrt{-x^2+1}}{|x|} + \frac{2}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)^2/x^2/(-x^2+1)^(1/2),x, algorithm="maxima")`

[Out]  $-\sqrt{-x^2+1}/x + \arcsin(x) - 2*\log(2*\sqrt{-x^2+1}/\operatorname{abs}(x) + 2/\operatorname{abs}(x))$

**mupad** [B] time = 0.08, size = 35, normalized size = 1.06

$$\operatorname{asin}(x) + 2 \ln\left(\sqrt{\frac{1}{x^2}-1} - \sqrt{\frac{1}{x^2}}\right) - \frac{\sqrt{1-x^2}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x+1)^2/(x^2*(1-x^2)^(1/2)),x)`

[Out]  $\operatorname{asin}(x) + 2*\log((1/x^2-1)^{(1/2)} - (1/x^2)^{(1/2)}) - (1-x^2)^{(1/2)}/x$

**sympy** [C] time = 4.68, size = 51, normalized size = 1.55

$$\begin{cases} -\frac{i\sqrt{x^2-1}}{x} & \text{for } |x^2| > 1 \\ -\frac{\sqrt{1-x^2}}{x} & \text{otherwise} \end{cases} + 2 \left( \begin{cases} -\operatorname{acosh}\left(\frac{1}{x}\right) & \text{for } \frac{1}{|x^2|} > 1 \\ i\operatorname{asin}\left(\frac{1}{x}\right) & \text{otherwise} \end{cases} \right) + \operatorname{asin}(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)**2/x**2/(-x**2+1)**(1/2),x)`

[Out] `Piecewise((-I*sqrt(x**2-1)/x, Abs(x**2) > 1), (-sqrt(1-x**2)/x, True)) + 2*Piecewise((-acosh(1/x), 1/Abs(x**2) > 1), (I*asin(1/x), True)) + asin(x)`

$$3.60 \quad \int \frac{(1+x)^2}{x^3 \sqrt{1-x^2}} dx$$

Optimal. Leaf size=51

$$-\frac{2\sqrt{1-x^2}}{x} - \frac{\sqrt{1-x^2}}{2x^2} - \frac{3}{2} \tanh^{-1}\left(\sqrt{1-x^2}\right)$$

**Rubi [A]** time = 0.06, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {1807, 807, 266, 63, 206}

$$-\frac{2\sqrt{1-x^2}}{x} - \frac{\sqrt{1-x^2}}{2x^2} - \frac{3}{2} \tanh^{-1}\left(\sqrt{1-x^2}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)^2/(x^3\*Sqrt[1 - x^2]),x]

[Out] -Sqrt[1 - x^2]/(2\*x^2) - (2\*Sqrt[1 - x^2])/x - (3\*ArcTanh[Sqrt[1 - x^2]])/2

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), In

`t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]`

### Rule 1807

`Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])`

### Rubi steps

$$\begin{aligned}
 \int \frac{(1+x)^2}{x^3\sqrt{1-x^2}} dx &= -\frac{\sqrt{1-x^2}}{2x^2} - \frac{1}{2} \int \frac{-4-3x}{x^2\sqrt{1-x^2}} dx \\
 &= -\frac{\sqrt{1-x^2}}{2x^2} - \frac{2\sqrt{1-x^2}}{x} + \frac{3}{2} \int \frac{1}{x\sqrt{1-x^2}} dx \\
 &= -\frac{\sqrt{1-x^2}}{2x^2} - \frac{2\sqrt{1-x^2}}{x} + \frac{3}{4} \text{Subst}\left(\int \frac{1}{\sqrt{1-x}x} dx, x, x^2\right) \\
 &= -\frac{\sqrt{1-x^2}}{2x^2} - \frac{2\sqrt{1-x^2}}{x} - \frac{3}{2} \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \sqrt{1-x^2}\right) \\
 &= -\frac{\sqrt{1-x^2}}{2x^2} - \frac{2\sqrt{1-x^2}}{x} - \frac{3}{2} \tanh^{-1}\left(\sqrt{1-x^2}\right)
 \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 40, normalized size = 0.78

$$-\frac{\sqrt{1-x^2}(4x+1)}{2x^2} - \frac{3}{2} \tanh^{-1}\left(\sqrt{1-x^2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)^2/(x^3\*Sqrt[1 - x^2]), x]

[Out] -1/2\*((1 + 4\*x)\*Sqrt[1 - x^2])/x^2 - (3\*ArcTanh[Sqrt[1 - x^2]])/2

**IntegrateAlgebraic [A]** time = 0.17, size = 48, normalized size = 0.94

$$\frac{\sqrt{1-x^2}(-4x-1)}{2x^2} + \frac{3}{2} \log\left(\sqrt{1-x^2} - 1\right) - \frac{3 \log(x)}{2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 + x)^2/(x^3\*Sqrt[1 - x^2]),x]

[Out] ((-1 - 4\*x)\*Sqrt[1 - x^2])/(2\*x^2) - (3\*Log[x])/2 + (3\*Log[-1 + Sqrt[1 - x^2]])/2

**fricas** [A] time = 0.40, size = 43, normalized size = 0.84

$$\frac{3x^2 \log\left(\frac{\sqrt{-x^2+1}-1}{x}\right) - \sqrt{-x^2+1}(4x+1)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x^3/(-x^2+1)^(1/2),x, algorithm="fricas")

[Out] 1/2\*(3\*x^2\*log((sqrt(-x^2 + 1) - 1)/x) - sqrt(-x^2 + 1)\*(4\*x + 1))/x^2

**giac** [B] time = 0.18, size = 91, normalized size = 1.78

$$\frac{x^2 \left( \frac{8(\sqrt{-x^2+1}-1)}{x} - 1 \right)}{8(\sqrt{-x^2+1}-1)^2} - \frac{\sqrt{-x^2+1}-1}{x} + \frac{(\sqrt{-x^2+1}-1)^2}{8x^2} + \frac{3}{2} \log\left(-\frac{\sqrt{-x^2+1}-1}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x^3/(-x^2+1)^(1/2),x, algorithm="giac")

[Out] 1/8\*x^2\*(8\*(sqrt(-x^2 + 1) - 1)/x - 1)/(sqrt(-x^2 + 1) - 1)^2 - (sqrt(-x^2 + 1) - 1)/x + 1/8\*(sqrt(-x^2 + 1) - 1)^2/x^2 + 3/2\*log(-(sqrt(-x^2 + 1) - 1)/abs(x))

**maple** [A] time = 0.01, size = 42, normalized size = 0.82

$$-\frac{3 \operatorname{arctanh}\left(\frac{1}{\sqrt{-x^2+1}}\right)}{2} - \frac{2\sqrt{-x^2+1}}{x} - \frac{\sqrt{-x^2+1}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x)^2/x^3/(-x^2+1)^(1/2),x)

[Out] -2\*(-x^2+1)^(1/2)/x-3/2\*arctanh(1/(-x^2+1)^(1/2))-1/2\*(-x^2+1)^(1/2)/x^2

**maxima** [A] time = 0.97, size = 54, normalized size = 1.06

$$-\frac{2\sqrt{-x^2+1}}{x} - \frac{\sqrt{-x^2+1}}{2x^2} - \frac{3}{2} \log\left(\frac{2\sqrt{-x^2+1}}{|x|} + \frac{2}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x^3/(-x^2+1)^(1/2),x, algorithm="maxima")

[Out] -2\*sqrt(-x^2 + 1)/x - 1/2\*sqrt(-x^2 + 1)/x^2 - 3/2\*log(2\*sqrt(-x^2 + 1)/abs(x) + 2/abs(x))

**mupad** [B] time = 2.49, size = 47, normalized size = 0.92

$$\frac{3 \ln\left(\sqrt{\frac{1}{x^2}-1} - \sqrt{\frac{1}{x^2}}\right)}{2} - \frac{2\sqrt{1-x^2}}{x} - \frac{\sqrt{1-x^2}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 1)^2/(x^3\*(1 - x^2)^(1/2)),x)

[Out] (3\*log((1/x^2 - 1)^(1/2) - (1/x^2)^(1/2)))/2 - (2\*(1 - x^2)^(1/2))/x - (1 - x^2)^(1/2)/(2\*x^2)

**sympy** [C] time = 7.03, size = 116, normalized size = 2.27

$$2 \left( \begin{cases} -\frac{i\sqrt{x^2-1}}{x} & \text{for } |x^2| > 1 \\ -\frac{\sqrt{1-x^2}}{x} & \text{otherwise} \end{cases} \right) + \begin{cases} -\frac{\operatorname{acosh}\left(\frac{1}{x}\right)}{2} - \frac{\sqrt{-1+\frac{1}{x^2}}}{2x} & \text{for } \frac{1}{|x^2|} > 1 \\ \frac{i \operatorname{asin}\left(\frac{1}{x}\right)}{2} - \frac{i}{2x\sqrt{1-\frac{1}{x^2}}} + \frac{i}{2x^3\sqrt{1-\frac{1}{x^2}}} & \text{otherwise} \end{cases} + \begin{cases} -\operatorname{acosh}\left(\frac{1}{x}\right) & \text{for } \frac{1}{|x^2|} > 1 \\ i \operatorname{asin}\left(\frac{1}{x}\right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)\*\*2/x\*\*3/(-x\*\*2+1)\*\*(1/2),x)

[Out] 2\*Piecewise((-I\*sqrt(x\*\*2 - 1)/x, Abs(x\*\*2) > 1), (-sqrt(1 - x\*\*2)/x, True)) + Piecewise((-acosh(1/x)/2 - sqrt(-1 + x\*\*(-2))/(2\*x), 1/Abs(x\*\*2) > 1), (I\*asin(1/x)/2 - I/(2\*x\*sqrt(1 - 1/x\*\*2)) + I/(2\*x\*\*3\*sqrt(1 - 1/x\*\*2)), True)) + Piecewise((-acosh(1/x), 1/Abs(x\*\*2) > 1), (I\*asin(1/x), True))



$$3.61 \quad \int \frac{(1+x)^2}{x^4 \sqrt{1-x^2}} dx$$

Optimal. Leaf size=67

$$-\frac{5\sqrt{1-x^2}}{3x} - \frac{\sqrt{1-x^2}}{x^2} - \tanh^{-1}\left(\sqrt{1-x^2}\right) - \frac{\sqrt{1-x^2}}{3x^3}$$

**Rubi [A]** time = 0.07, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {1807, 835, 807, 266, 63, 206}

$$-\frac{5\sqrt{1-x^2}}{3x} - \frac{\sqrt{1-x^2}}{x^2} - \frac{\sqrt{1-x^2}}{3x^3} - \tanh^{-1}\left(\sqrt{1-x^2}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)^2/(x^4\*sqrt[1 - x^2]),x]

[Out] -sqrt[1 - x^2]/(3\*x^3) - sqrt[1 - x^2]/x^2 - (5\*sqrt[1 - x^2])/(3\*x) - ArcTanh[sqrt[1 - x^2]]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))

$\int \frac{(1+x)^2}{x^4 \sqrt{1-x^2}} dx = -\frac{\sqrt{1-x^2}}{3x^3} - \frac{1}{3} \int \frac{-6-5x}{x^3 \sqrt{1-x^2}} dx$   
 $= -\frac{\sqrt{1-x^2}}{3x^3} - \frac{\sqrt{1-x^2}}{x^2} + \frac{1}{6} \int \frac{10+6x}{x^2 \sqrt{1-x^2}} dx$   
 $= -\frac{\sqrt{1-x^2}}{3x^3} - \frac{\sqrt{1-x^2}}{x^2} - \frac{5\sqrt{1-x^2}}{3x} + \int \frac{1}{x \sqrt{1-x^2}} dx$   
 $= -\frac{\sqrt{1-x^2}}{3x^3} - \frac{\sqrt{1-x^2}}{x^2} - \frac{5\sqrt{1-x^2}}{3x} + \frac{1}{2} \text{Subst} \left( \int \frac{1}{\sqrt{1-xx}} dx, x, x^2 \right)$   
 $= -\frac{\sqrt{1-x^2}}{3x^3} - \frac{\sqrt{1-x^2}}{x^2} - \frac{5\sqrt{1-x^2}}{3x} - \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \sqrt{1-x^2} \right)$   
 $= -\frac{\sqrt{1-x^2}}{3x^3} - \frac{\sqrt{1-x^2}}{x^2} - \frac{5\sqrt{1-x^2}}{3x} - \tanh^{-1}(\sqrt{1-x^2})$

### Rule 835

$\text{Int}[\frac{(d + e*x)^{m+1} * (a + c*x^2)^{p+1}}{(m+1)*(c*d^2 + a*e^2)}, x] + \text{Dist}[\frac{(c*d*f + a*e*g)}{(c*d^2 + a*e^2)}, \text{Int}[(d + e*x)^{m+1} * (a + c*x^2)^p, x], x] /;$  FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

### Rule 1807

$\text{Int}[(Pq_*) * ((c_*) * (x_)^m) * ((a_) + (b_*) * (x_)^2)^{p_}], x\_Symbol] :> \text{With}[\{Q = \text{PolynomialQuotient}[Pq, c*x, x], R = \text{PolynomialRemainder}[Pq, c*x, x]\}, \text{Simp}[(R * (c*x)^{m+1} * (a + b*x^2)^{p+1}) / (a*c*(m+1)), x] + \text{Dist}[1 / (a*c*(m+1)), \text{Int}[(c*x)^{m+1} * (a + b*x^2)^p * \text{ExpandToSum}[a*c*(m+1)*Q - b*R*(m+2*p+3)*x, x], x], x] /;$  FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

### Rubi steps

$$\int \frac{(1+x)^2}{x^4 \sqrt{1-x^2}} dx = -\frac{\sqrt{1-x^2}}{3x^3} - \frac{1}{3} \int \frac{-6-5x}{x^3 \sqrt{1-x^2}} dx$$

$$= -\frac{\sqrt{1-x^2}}{3x^3} - \frac{\sqrt{1-x^2}}{x^2} + \frac{1}{6} \int \frac{10+6x}{x^2 \sqrt{1-x^2}} dx$$

$$= -\frac{\sqrt{1-x^2}}{3x^3} - \frac{\sqrt{1-x^2}}{x^2} - \frac{5\sqrt{1-x^2}}{3x} + \int \frac{1}{x \sqrt{1-x^2}} dx$$

$$= -\frac{\sqrt{1-x^2}}{3x^3} - \frac{\sqrt{1-x^2}}{x^2} - \frac{5\sqrt{1-x^2}}{3x} + \frac{1}{2} \text{Subst} \left( \int \frac{1}{\sqrt{1-xx}} dx, x, x^2 \right)$$

$$= -\frac{\sqrt{1-x^2}}{3x^3} - \frac{\sqrt{1-x^2}}{x^2} - \frac{5\sqrt{1-x^2}}{3x} - \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \sqrt{1-x^2} \right)$$

$$= -\frac{\sqrt{1-x^2}}{3x^3} - \frac{\sqrt{1-x^2}}{x^2} - \frac{5\sqrt{1-x^2}}{3x} - \tanh^{-1}(\sqrt{1-x^2})$$

**Mathematica [A]** time = 0.02, size = 43, normalized size = 0.64

$$-\tanh^{-1}\left(\sqrt{1-x^2}\right) - \frac{\sqrt{1-x^2}(5x^2+3x+1)}{3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(1+x)^2/(x^4\*Sqrt[1-x^2]),x]

[Out] -1/3\*(Sqrt[1-x^2]\*(1+3\*x+5\*x^2))/x^3 - ArcTanh[Sqrt[1-x^2]]

**IntegrateAlgebraic [A]** time = 0.17, size = 47, normalized size = 0.70

$$\log\left(\sqrt{1-x^2}-1\right) + \frac{\sqrt{1-x^2}(-5x^2-3x-1)}{3x^3} - \log(x)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1+x)^2/(x^4\*Sqrt[1-x^2]),x]

[Out] ((-1-3\*x-5\*x^2)\*Sqrt[1-x^2])/(3\*x^3) - Log[x] + Log[-1+Sqrt[1-x^2]]

**fricas [A]** time = 0.40, size = 48, normalized size = 0.72

$$\frac{3x^3 \log\left(\frac{\sqrt{-x^2+1}-1}{x}\right) - (5x^2+3x+1)\sqrt{-x^2+1}}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x^4/(-x^2+1)^(1/2),x, algorithm="fricas")

[Out] 1/3\*(3\*x^3\*log((sqrt(-x^2+1)-1)/x) - (5\*x^2+3\*x+1)\*sqrt(-x^2+1))/x^3

**giac [B]** time = 0.19, size = 125, normalized size = 1.87

$$\frac{x^3 \left( \frac{6(\sqrt{-x^2+1}-1)}{x} - \frac{21(\sqrt{-x^2+1}-1)^2}{x^2} - 1 \right)}{24(\sqrt{-x^2+1}-1)^3} - \frac{7(\sqrt{-x^2+1}-1)}{8x} + \frac{(\sqrt{-x^2+1}-1)^2}{4x^2} - \frac{(\sqrt{-x^2+1}-1)^3}{24x^3} + \log\left(-\frac{\sqrt{-x^2+1}-1}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x^4/(-x^2+1)^(1/2),x, algorithm="giac")

[Out]  $-1/24*x^3*(6*(\sqrt{-x^2 + 1} - 1)/x - 21*(\sqrt{-x^2 + 1} - 1)^2/x^2 - 1)/(\sqrt{-x^2 + 1} - 1)^3 - 7/8*(\sqrt{-x^2 + 1} - 1)/x + 1/4*(\sqrt{-x^2 + 1} - 1)^2/x^2 - 1/24*(\sqrt{-x^2 + 1} - 1)^3/x^3 + \log(-(\sqrt{-x^2 + 1} - 1)/\text{abs}(x))$

**maple** [A] time = 0.01, size = 56, normalized size = 0.84

$$-\operatorname{arctanh}\left(\frac{1}{\sqrt{-x^2+1}}\right) - \frac{5\sqrt{-x^2+1}}{3x} - \frac{\sqrt{-x^2+1}}{x^2} - \frac{\sqrt{-x^2+1}}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((1+x)^2/x^4/(-x^2+1)^{(1/2)}, x)$

[Out]  $-5/3*(-x^2+1)^{(1/2)}/x - 1/3*(-x^2+1)^{(1/2)}/x^3 - (-x^2+1)^{(1/2)}/x^2 - \operatorname{arctanh}(1/(-x^2+1)^{(1/2)})$

**maxima** [A] time = 0.96, size = 68, normalized size = 1.01

$$-\frac{5\sqrt{-x^2+1}}{3x} - \frac{\sqrt{-x^2+1}}{x^2} - \frac{\sqrt{-x^2+1}}{3x^3} - \log\left(\frac{2\sqrt{-x^2+1}}{|x|} + \frac{2}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((1+x)^2/x^4/(-x^2+1)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out]  $-5/3*\sqrt{-x^2 + 1}/x - \sqrt{-x^2 + 1}/x^2 - 1/3*\sqrt{-x^2 + 1}/x^3 - \log(2*\sqrt{-x^2 + 1}/\text{abs}(x) + 2/\text{abs}(x))$

**mupad** [B] time = 0.03, size = 67, normalized size = 1.00

$$\ln\left(\sqrt{\frac{1}{x^2}-1} - \sqrt{\frac{1}{x^2}}\right) - \sqrt{1-x^2} \left(\frac{2}{3x} + \frac{1}{3x^3}\right) - \frac{\sqrt{1-x^2}}{x} - \frac{\sqrt{1-x^2}}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((x+1)^2/(x^4*(1-x^2)^{(1/2)}), x)$

[Out]  $\log((1/x^2 - 1)^{(1/2)} - (1/x^2)^{(1/2)}) - (1 - x^2)^{(1/2)}*(2/(3*x) + 1/(3*x^3)) - (1 - x^2)^{(1/2)}/x - (1 - x^2)^{(1/2)}/x^2$

**sympy** [C] time = 8.35, size = 128, normalized size = 1.91

$$\left\{ -\frac{\sqrt{1-x^2}}{x} - \frac{(1-x^2)^{3/2}}{3x^3} \text{ for } x > -1 \wedge x < 1 + \begin{cases} -\frac{i\sqrt{x^2-1}}{x} & \text{for } |x^2| > 1 \\ -\frac{\sqrt{1-x^2}}{x} & \text{otherwise} \end{cases} + 2 \left( \begin{cases} -\frac{\operatorname{acosh}\left(\frac{1}{x}\right)}{2} - \frac{\sqrt{-1+\frac{1}{x^2}}}{2x} & \text{for } \frac{1}{|x^2|} > 1 \\ \frac{i\operatorname{asin}\left(\frac{1}{x}\right)}{2} - \frac{i}{2x\sqrt{1-\frac{1}{x^2}}} + \frac{i}{2x^3\sqrt{1-\frac{1}{x^2}}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+x)**2/x**4/(-x**2+1)**(1/2),x)
```

```
[Out] Piecewise((-sqrt(1 - x**2)/x - (1 - x**2)**(3/2)/(3*x**3), (x > -1) & (x < 1))) + Piecewise((-I*sqrt(x**2 - 1)/x, Abs(x**2) > 1), (-sqrt(1 - x**2)/x, True)) + 2*Piecewise((-acosh(1/x)/2 - sqrt(-1 + x**(-2))/(2*x), 1/Abs(x**2) > 1), (I*asin(1/x)/2 - I/(2*x*sqrt(1 - 1/x**2)) + I/(2*x**3*sqrt(1 - 1/x**2)), True))
```

$$3.62 \quad \int \frac{(1+x)^2}{x^5 \sqrt{1-x^2}} dx$$

**Optimal.** Leaf size=89

$$-\frac{4\sqrt{1-x^2}}{3x} - \frac{7\sqrt{1-x^2}}{8x^2} - \frac{7}{8} \tanh^{-1}\left(\sqrt{1-x^2}\right) - \frac{\sqrt{1-x^2}}{4x^4} - \frac{2\sqrt{1-x^2}}{3x^3}$$

**Rubi [A]** time = 0.09, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {1807, 835, 807, 266, 63, 206}

$$-\frac{4\sqrt{1-x^2}}{3x} - \frac{7\sqrt{1-x^2}}{8x^2} - \frac{2\sqrt{1-x^2}}{3x^3} - \frac{\sqrt{1-x^2}}{4x^4} - \frac{7}{8} \tanh^{-1}\left(\sqrt{1-x^2}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)^2/(x^5\*Sqrt[1 - x^2]),x]

[Out] -Sqrt[1 - x^2]/(4\*x^4) - (2\*Sqrt[1 - x^2])/(3\*x^3) - (7\*Sqrt[1 - x^2])/(8\*x^2) - (4\*Sqrt[1 - x^2])/(3\*x) - (7\*ArcTanh[Sqrt[1 - x^2]])/8

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))

```
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(1+x)^2}{x^5 \sqrt{1-x^2}} dx &= -\frac{\sqrt{1-x^2}}{4x^4} - \frac{1}{4} \int \frac{-8-7x}{x^4 \sqrt{1-x^2}} dx \\
&= -\frac{\sqrt{1-x^2}}{4x^4} - \frac{2\sqrt{1-x^2}}{3x^3} + \frac{1}{12} \int \frac{21+16x}{x^3 \sqrt{1-x^2}} dx \\
&= -\frac{\sqrt{1-x^2}}{4x^4} - \frac{2\sqrt{1-x^2}}{3x^3} - \frac{7\sqrt{1-x^2}}{8x^2} - \frac{1}{24} \int \frac{-32-21x}{x^2 \sqrt{1-x^2}} dx \\
&= -\frac{\sqrt{1-x^2}}{4x^4} - \frac{2\sqrt{1-x^2}}{3x^3} - \frac{7\sqrt{1-x^2}}{8x^2} - \frac{4\sqrt{1-x^2}}{3x} + \frac{7}{8} \int \frac{1}{x\sqrt{1-x^2}} dx \\
&= -\frac{\sqrt{1-x^2}}{4x^4} - \frac{2\sqrt{1-x^2}}{3x^3} - \frac{7\sqrt{1-x^2}}{8x^2} - \frac{4\sqrt{1-x^2}}{3x} + \frac{7}{16} \text{Subst} \left( \int \frac{1}{\sqrt{1-xx}} dx, x, x^2 \right) \\
&= -\frac{\sqrt{1-x^2}}{4x^4} - \frac{2\sqrt{1-x^2}}{3x^3} - \frac{7\sqrt{1-x^2}}{8x^2} - \frac{4\sqrt{1-x^2}}{3x} - \frac{7}{8} \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \sqrt{1-x^2} \right) \\
&= -\frac{\sqrt{1-x^2}}{4x^4} - \frac{2\sqrt{1-x^2}}{3x^3} - \frac{7\sqrt{1-x^2}}{8x^2} - \frac{4\sqrt{1-x^2}}{3x} - \frac{7}{8} \tanh^{-1} \left( \sqrt{1-x^2} \right)
\end{aligned}$$

**Mathematica [C]** time = 0.04, size = 73, normalized size = 0.82

$$-\sqrt{1-x^2} {}_2F_1 \left( \frac{1}{2}, 3; \frac{3}{2}; 1-x^2 \right) - \frac{1}{2} \tanh^{-1} \left( \sqrt{1-x^2} \right) - \frac{\sqrt{1-x^2} (8x^2 + 3x + 4)}{6x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(1+x)^2/(x^5\*Sqrt[1-x^2]),x]

[Out] -1/6\*(Sqrt[1-x^2]\*(4+3\*x+8\*x^2))/x^3 - ArcTanh[Sqrt[1-x^2]]/2 - Sqrt[1-x^2]\*Hypergeometric2F1[1/2, 3, 3/2, 1-x^2]

**IntegrateAlgebraic [A]** time = 0.17, size = 58, normalized size = 0.65

$$\frac{7}{8} \log \left( \sqrt{1-x^2} - 1 \right) + \frac{\sqrt{1-x^2} (-32x^3 - 21x^2 - 16x - 6)}{24x^4} - \frac{7 \log(x)}{8}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1+x)^2/(x^5\*Sqrt[1-x^2]),x]

[Out] (Sqrt[1-x^2]\*(-6-16\*x-21\*x^2-32\*x^3))/(24\*x^4) - (7\*Log[x])/8 + (7\*Log[-1+Sqrt[1-x^2]])/8



**fricas [A]** time = 0.40, size = 53, normalized size = 0.60

$$\frac{21x^4 \log\left(\frac{\sqrt{-x^2+1}-1}{x}\right) - (32x^3 + 21x^2 + 16x + 6)\sqrt{-x^2+1}}{24x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x^5/(-x^2+1)^(1/2),x, algorithm="fricas")

[Out] 1/24\*(21\*x^4\*log((sqrt(-x^2 + 1) - 1)/x) - (32\*x^3 + 21\*x^2 + 16\*x + 6)\*sqrt(-x^2 + 1))/x^4

**giac [B]** time = 0.18, size = 163, normalized size = 1.83

$$\frac{x^4 \left( \frac{16(\sqrt{-x^2+1}-1)}{x} - \frac{48(\sqrt{-x^2+1}-1)^2}{x^2} + \frac{144(\sqrt{-x^2+1}-1)^3}{x^3} - 3 \right)}{192(\sqrt{-x^2+1}-1)^4} - \frac{3(\sqrt{-x^2+1}-1)}{4x} + \frac{(\sqrt{-x^2+1}-1)^2}{4x^2} - \frac{(\sqrt{-x^2+1}-1)^3}{12x^3} + \frac{(\sqrt{-x^2+1}-1)^4}{64x^4} + \frac{7}{8} \log\left(-\frac{\sqrt{-x^2+1}-1}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x^5/(-x^2+1)^(1/2),x, algorithm="giac")

[Out] 1/192\*x^4\*(16\*(sqrt(-x^2 + 1) - 1)/x - 48\*(sqrt(-x^2 + 1) - 1)^2/x^2 + 144\*(sqrt(-x^2 + 1) - 1)^3/x^3 - 3)/(sqrt(-x^2 + 1) - 1)^4 - 3/4\*(sqrt(-x^2 + 1) - 1)/x + 1/4\*(sqrt(-x^2 + 1) - 1)^2/x^2 - 1/12\*(sqrt(-x^2 + 1) - 1)^3/x^3 + 1/64\*(sqrt(-x^2 + 1) - 1)^4/x^4 + 7/8\*log(-(sqrt(-x^2 + 1) - 1)/abs(x))

**maple [A]** time = 0.01, size = 70, normalized size = 0.79

$$\frac{7 \operatorname{arctanh}\left(\frac{1}{\sqrt{-x^2+1}}\right)}{8} - \frac{4\sqrt{-x^2+1}}{3x} - \frac{7\sqrt{-x^2+1}}{8x^2} - \frac{2\sqrt{-x^2+1}}{3x^3} - \frac{\sqrt{-x^2+1}}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x)^2/x^5/(-x^2+1)^(1/2),x)

[Out] -7/8\*(-x^2+1)^(1/2)/x^2-7/8\*arctanh(1/(-x^2+1)^(1/2))-2/3\*(-x^2+1)^(1/2)/x^3-4/3\*(-x^2+1)^(1/2)/x-1/4\*(-x^2+1)^(1/2)/x^4

**maxima [A]** time = 0.97, size = 82, normalized size = 0.92

$$-\frac{4\sqrt{-x^2+1}}{3x} - \frac{7\sqrt{-x^2+1}}{8x^2} - \frac{2\sqrt{-x^2+1}}{3x^3} - \frac{\sqrt{-x^2+1}}{4x^4} - \frac{7}{8} \log\left(\frac{2\sqrt{-x^2+1}}{|x|} + \frac{2}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x^5/(-x^2+1)^(1/2),x, algorithm="maxima")

[Out]  $-4/3\sqrt{-x^2 + 1}/x - 7/8\sqrt{-x^2 + 1}/x^2 - 2/3\sqrt{-x^2 + 1}/x^3 - 1/4\sqrt{-x^2 + 1}/x^4 - 7/8\log(2\sqrt{-x^2 + 1}/\text{abs}(x) + 2/\text{abs}(x))$

**mupad [B]** time = 0.03, size = 77, normalized size = 0.87

$$\frac{7 \ln\left(\sqrt{\frac{1}{x^2} - 1} - \sqrt{\frac{1}{x^2}}\right)}{8} - \sqrt{1 - x^2} \left(\frac{4}{3x} + \frac{2}{3x^3}\right) - \sqrt{1 - x^2} \left(\frac{3}{8x^2} + \frac{1}{4x^4}\right) - \frac{\sqrt{1 - x^2}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 1)^2/(x^5\*(1 - x^2)^(1/2)),x)

[Out]  $(7*\log((1/x^2 - 1)^(1/2) - (1/x^2)^(1/2)))/8 - (1 - x^2)^(1/2)*(4/(3*x) + 2/(3*x^3)) - (1 - x^2)^(1/2)*(3/(8*x^2) + 1/(4*x^4)) - (1 - x^2)^(1/2)/(2*x^2)$

**sympy [A]** time = 11.06, size = 223, normalized size = 2.51

$$2 \left( \left( -\frac{\sqrt{1-x^2}}{x} - \frac{(1-x^2)^{3/2}}{3x^3} \right) \text{ for } x > -1 \wedge x < 1 \right) + \begin{cases} \frac{\operatorname{acosh}\left(\frac{1}{x}\right)}{2} - \frac{\sqrt{-1+\frac{1}{x^2}}}{2x} & \text{for } \frac{1}{|x^2|} > 1 \\ \frac{i \operatorname{asin}\left(\frac{1}{x}\right)}{2} - \frac{i}{2x\sqrt{1-\frac{1}{x^2}}} + \frac{i}{2x^3\sqrt{1-\frac{1}{x^2}}} & \text{otherwise} \end{cases} + \begin{cases} -\frac{3 \operatorname{acosh}\left(\frac{1}{x}\right)}{8} + \frac{3}{8x\sqrt{-1+\frac{1}{x^2}}} - \frac{1}{8x^3\sqrt{-1+\frac{1}{x^2}}} - \frac{1}{4x^5\sqrt{-1+\frac{1}{x^2}}} & \text{for } \frac{1}{|x^2|} > 1 \\ \frac{3i \operatorname{asin}\left(\frac{1}{x}\right)}{8} - \frac{3i}{8x\sqrt{1-\frac{1}{x^2}}} + \frac{i}{8x^3\sqrt{1-\frac{1}{x^2}}} + \frac{i}{4x^5\sqrt{1-\frac{1}{x^2}}} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)\*\*2/x\*\*5/(-x\*\*2+1)\*\*(1/2),x)

[Out]  $2*\text{Piecewise}((-sqrt(1 - x**2)/x - (1 - x**2)**(3/2)/(3*x**3), (x > -1) \& (x < 1))) + \text{Piecewise}((-acosh(1/x)/2 - sqrt(-1 + x**(-2))/(2*x), 1/\text{Abs}(x**2) > 1), (I*asin(1/x)/2 - I/(2*x*sqrt(1 - 1/x**2)) + I/(2*x**3*sqrt(1 - 1/x**2)), \text{True})) + \text{Piecewise}((-3*acosh(1/x)/8 + 3/(8*x*sqrt(-1 + x**(-2))) - 1/(8*x**3*sqrt(-1 + x**(-2))) - 1/(4*x**5*sqrt(-1 + x**(-2))), 1/\text{Abs}(x**2) > 1), (3*I*asin(1/x)/8 - 3*I/(8*x*sqrt(1 - 1/x**2)) + I/(8*x**3*sqrt(1 - 1/x**2)) + I/(4*x**5*sqrt(1 - 1/x**2)), \text{True}))$

$$3.63 \quad \int \frac{(1+x)^2}{x^6 \sqrt{1-x^2}} dx$$

**Optimal.** Leaf size=107

$$-\frac{6\sqrt{1-x^2}}{5x} - \frac{3\sqrt{1-x^2}}{4x^2} - \frac{3}{4} \tanh^{-1}\left(\sqrt{1-x^2}\right) - \frac{\sqrt{1-x^2}}{5x^5} - \frac{\sqrt{1-x^2}}{2x^4} - \frac{3\sqrt{1-x^2}}{5x^3}$$

**Rubi [A]** time = 0.10, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {1807, 835, 807, 266, 63, 206}

$$-\frac{6\sqrt{1-x^2}}{5x} - \frac{3\sqrt{1-x^2}}{4x^2} - \frac{3\sqrt{1-x^2}}{5x^3} - \frac{\sqrt{1-x^2}}{2x^4} - \frac{\sqrt{1-x^2}}{5x^5} - \frac{3}{4} \tanh^{-1}\left(\sqrt{1-x^2}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + x)^2/(x^6\*sqrt[1 - x^2]),x]

[Out] -sqrt[1 - x^2]/(5\*x^5) - sqrt[1 - x^2]/(2\*x^4) - (3\*sqrt[1 - x^2])/(5\*x^3) - (3\*sqrt[1 - x^2])/(4\*x^2) - (6\*sqrt[1 - x^2])/(5\*x) - (3\*ArcTanh[sqrt[1 - x^2]])/4

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

### Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(1+x)^2}{x^6\sqrt{1-x^2}} dx &= -\frac{\sqrt{1-x^2}}{5x^5} - \frac{1}{5} \int \frac{-10-9x}{x^5\sqrt{1-x^2}} dx \\
&= -\frac{\sqrt{1-x^2}}{5x^5} - \frac{\sqrt{1-x^2}}{2x^4} + \frac{1}{20} \int \frac{36+30x}{x^4\sqrt{1-x^2}} dx \\
&= -\frac{\sqrt{1-x^2}}{5x^5} - \frac{\sqrt{1-x^2}}{2x^4} - \frac{3\sqrt{1-x^2}}{5x^3} - \frac{1}{60} \int \frac{-90-72x}{x^3\sqrt{1-x^2}} dx \\
&= -\frac{\sqrt{1-x^2}}{5x^5} - \frac{\sqrt{1-x^2}}{2x^4} - \frac{3\sqrt{1-x^2}}{5x^3} - \frac{3\sqrt{1-x^2}}{4x^2} + \frac{1}{120} \int \frac{144+90x}{x^2\sqrt{1-x^2}} dx \\
&= -\frac{\sqrt{1-x^2}}{5x^5} - \frac{\sqrt{1-x^2}}{2x^4} - \frac{3\sqrt{1-x^2}}{5x^3} - \frac{3\sqrt{1-x^2}}{4x^2} - \frac{6\sqrt{1-x^2}}{5x} + \frac{3}{4} \int \frac{1}{x\sqrt{1-x^2}} dx \\
&= -\frac{\sqrt{1-x^2}}{5x^5} - \frac{\sqrt{1-x^2}}{2x^4} - \frac{3\sqrt{1-x^2}}{5x^3} - \frac{3\sqrt{1-x^2}}{4x^2} - \frac{6\sqrt{1-x^2}}{5x} + \frac{3}{8} \text{Subst} \left( \int \frac{1}{\sqrt{1-x}x} dx, x, \sqrt{1-x^2} \right) \\
&= -\frac{\sqrt{1-x^2}}{5x^5} - \frac{\sqrt{1-x^2}}{2x^4} - \frac{3\sqrt{1-x^2}}{5x^3} - \frac{3\sqrt{1-x^2}}{4x^2} - \frac{6\sqrt{1-x^2}}{5x} - \frac{3}{4} \text{Subst} \left( \int \frac{1}{1-x^2} dx, x, \sqrt{1-x^2} \right) \\
&= -\frac{\sqrt{1-x^2}}{5x^5} - \frac{\sqrt{1-x^2}}{2x^4} - \frac{3\sqrt{1-x^2}}{5x^3} - \frac{3\sqrt{1-x^2}}{4x^2} - \frac{6\sqrt{1-x^2}}{5x} - \frac{3}{4} \tanh^{-1}(\sqrt{1-x^2})
\end{aligned}$$

**Mathematica [C]** time = 0.02, size = 50, normalized size = 0.47

$$\frac{\sqrt{1-x^2} \left( 10x^5 {}_2F_1 \left( \frac{1}{2}, 3; \frac{3}{2}; 1-x^2 \right) + 6x^4 + 3x^2 + 1 \right)}{5x^5}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x)^2/(x^6\*Sqrt[1 - x^2]), x]

[Out] -1/5\*(Sqrt[1 - x^2]\*(1 + 3\*x^2 + 6\*x^4 + 10\*x^5\*Hypergeometric2F1[1/2, 3, 3/2, 1 - x^2]))/x^5

**IntegrateAlgebraic [A]** time = 0.18, size = 63, normalized size = 0.59

$$\frac{3}{4} \log(\sqrt{1-x^2} - 1) + \frac{\sqrt{1-x^2} (-24x^4 - 15x^3 - 12x^2 - 10x - 4)}{20x^5} - \frac{3 \log(x)}{4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 + x)^2/(x^6\*Sqrt[1 - x^2]), x]

[Out]  $(\text{Sqrt}[1 - x^2] * (-4 - 10*x - 12*x^2 - 15*x^3 - 24*x^4)) / (20*x^5) - (3*\text{Log}[x]) / 4 + (3*\text{Log}[-1 + \text{Sqrt}[1 - x^2]]) / 4$

**fricas [A]** time = 0.40, size = 58, normalized size = 0.54

$$\frac{15x^5 \log\left(\frac{\sqrt{-x^2+1}-1}{x}\right) - (24x^4 + 15x^3 + 12x^2 + 10x + 4)\sqrt{-x^2+1}}{20x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)^2/x^6/(-x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $1/20*(15*x^5*\log((\text{sqrt}(-x^2 + 1) - 1)/x) - (24*x^4 + 15*x^3 + 12*x^2 + 10*x + 4)*\text{sqrt}(-x^2 + 1))/x^5$

**giac [B]** time = 0.20, size = 199, normalized size = 1.86

$$\frac{x^3 \left( \frac{5(\sqrt{-x^2+1}-1)}{x} - \frac{15(\sqrt{-x^2+1}-1)^2}{x^2} + \frac{40(\sqrt{-x^2+1}-1)^3}{x^3} - \frac{110(\sqrt{-x^2+1}-1)^4}{x^4} - 1 \right)}{160(\sqrt{-x^2+1}-1)^5} - \frac{11(\sqrt{-x^2+1}-1)}{16x} + \frac{(\sqrt{-x^2+1}-1)^2}{4x^2} - \frac{3(\sqrt{-x^2+1}-1)^3}{32x^3} + \frac{(\sqrt{-x^2+1}-1)^4}{32x^4} - \frac{(\sqrt{-x^2+1}-1)^5}{160x^5} + \frac{3}{4} \log\left(-\frac{\sqrt{-x^2+1}-1}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)^2/x^6/(-x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $-1/160*x^5*(5*(\text{sqrt}(-x^2 + 1) - 1)/x - 15*(\text{sqrt}(-x^2 + 1) - 1)^2/x^2 + 40*(\text{sqrt}(-x^2 + 1) - 1)^3/x^3 - 110*(\text{sqrt}(-x^2 + 1) - 1)^4/x^4 - 1)/(\text{sqrt}(-x^2 + 1) - 1)^5 - 11/16*(\text{sqrt}(-x^2 + 1) - 1)/x + 1/4*(\text{sqrt}(-x^2 + 1) - 1)^2/x^2 - 3/32*(\text{sqrt}(-x^2 + 1) - 1)^3/x^3 + 1/32*(\text{sqrt}(-x^2 + 1) - 1)^4/x^4 - 1/160*(\text{sqrt}(-x^2 + 1) - 1)^5/x^5 + 3/4*\log(-(\text{sqrt}(-x^2 + 1) - 1)/\text{abs}(x))$

**maple [A]** time = 0.01, size = 84, normalized size = 0.79

$$-\frac{3 \operatorname{arctanh}\left(\frac{1}{\sqrt{-x^2+1}}\right)}{4} - \frac{6\sqrt{-x^2+1}}{5x} - \frac{3\sqrt{-x^2+1}}{4x^2} - \frac{3\sqrt{-x^2+1}}{5x^3} - \frac{\sqrt{-x^2+1}}{2x^4} - \frac{\sqrt{-x^2+1}}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+x)^2/x^6/(-x^2+1)^(1/2),x)`

[Out]  $-1/5*(-x^2+1)^(1/2)/x^5 - 3/5*(-x^2+1)^(1/2)/x^3 - 6/5*(-x^2+1)^(1/2)/x - 1/2*(-x^2+1)^(1/2)/x^4 - 3/4*(-x^2+1)^(1/2)/x^2 - 3/4*\operatorname{arctanh}(1/(-x^2+1)^(1/2))$

**maxima [A]** time = 0.97, size = 96, normalized size = 0.90

$$-\frac{6\sqrt{-x^2+1}}{5x} - \frac{3\sqrt{-x^2+1}}{4x^2} - \frac{3\sqrt{-x^2+1}}{5x^3} - \frac{\sqrt{-x^2+1}}{2x^4} - \frac{\sqrt{-x^2+1}}{5x^5} - \frac{3}{4} \log\left(\frac{2\sqrt{-x^2+1}}{|x|} + \frac{2}{|x|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^2/x^6/(-x^2+1)^(1/2),x, algorithm="maxima")

[Out] -6/5\*sqrt(-x^2 + 1)/x - 3/4\*sqrt(-x^2 + 1)/x^2 - 3/5\*sqrt(-x^2 + 1)/x^3 - 1/2\*sqrt(-x^2 + 1)/x^4 - 1/5\*sqrt(-x^2 + 1)/x^5 - 3/4\*log(2\*sqrt(-x^2 + 1)/abs(x) + 2/abs(x))

**mupad [B]** time = 0.04, size = 90, normalized size = 0.84

$$\frac{3 \ln\left(\sqrt{\frac{1}{x^2}-1}-\sqrt{\frac{1}{x^2}}\right)}{4}-\sqrt{1-x^2}\left(\frac{2}{3x}+\frac{1}{3x^3}\right)-\sqrt{1-x^2}\left(\frac{3}{4x^2}+\frac{1}{2x^4}\right)-\sqrt{1-x^2}\left(\frac{8}{15x}+\frac{4}{15x^3}+\frac{1}{5x^5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 1)^2/(x^6\*(1 - x^2)^(1/2)),x)

[Out] (3\*log((1/x^2 - 1)^(1/2) - (1/x^2)^(1/2)))/4 - (1 - x^2)^(1/2)\*(2/(3\*x) + 1/(3\*x^3)) - (1 - x^2)^(1/2)\*(3/(4\*x^2) + 1/(2\*x^4)) - (1 - x^2)^(1/2)\*(8/(15\*x) + 4/(15\*x^3) + 1/(5\*x^5))

**sympy [C]** time = 12.69, size = 201, normalized size = 1.88

$$\left\{ \begin{array}{l} -\frac{\sqrt{1-x^2}}{x} - \frac{(1-x^2)^{\frac{3}{2}}}{3x^3} \quad \text{for } x > -1 \wedge x < 1 \\ -\frac{\sqrt{1-x^2}}{x} - \frac{2(1-x^2)^{\frac{3}{2}}}{3x^3} - \frac{(1-x^2)^{\frac{5}{2}}}{5x^5} \quad \text{for } x > -1 \wedge x < 1 + 2 \end{array} \right. \left\{ \begin{array}{l} -\frac{3 \operatorname{acosh}\left(\frac{1}{x}\right)}{8} + \frac{3}{8x\sqrt{-1+\frac{1}{x^2}}} - \frac{1}{8x^3\sqrt{-1+\frac{1}{x^2}}} - \frac{1}{4x^5\sqrt{-1+\frac{1}{x^2}}} \quad \text{for } \frac{1}{|x^2|} > 1 \\ \frac{3i \operatorname{asin}\left(\frac{1}{x}\right)}{8} - \frac{3i}{8x\sqrt{1-\frac{1}{x^2}}} + \frac{i}{8x^3\sqrt{1-\frac{1}{x^2}}} + \frac{i}{4x^5\sqrt{1-\frac{1}{x^2}}} \quad \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)\*\*2/x\*\*6/(-x\*\*2+1)\*\*(1/2),x)

[Out] Piecewise((-sqrt(1 - x\*\*2)/x - (1 - x\*\*2)\*\*(3/2)/(3\*x\*\*3), (x > -1) & (x < 1))) + Piecewise((-sqrt(1 - x\*\*2)/x - 2\*(1 - x\*\*2)\*\*(3/2)/(3\*x\*\*3) - (1 - x\*\*2)\*\*(5/2)/(5\*x\*\*5), (x > -1) & (x < 1))) + 2\*Piecewise((-3\*acosh(1/x)/8 + 3/(8\*x\*sqrt(-1 + x\*\*(-2))) - 1/(8\*x\*\*3\*sqrt(-1 + x\*\*(-2))) - 1/(4\*x\*\*5\*sqrt(-1 + x\*\*(-2))), 1/Abs(x\*\*2) > 1), (3\*I\*asin(1/x)/8 - 3\*I/(8\*x\*sqrt(1 - 1/x\*\*2)) + I/(8\*x\*\*3\*sqrt(1 - 1/x\*\*2)) + I/(4\*x\*\*5\*sqrt(1 - 1/x\*\*2)), True))

$$3.64 \quad \int \frac{(d+ex)^3 \sqrt{d^2 - e^2 x^2}}{x^5} dx$$

**Optimal.** Leaf size=134

$$-\frac{e^2(13d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{d(d^2-e^2x^2)^{3/2}}{4x^4} - \frac{e(d^2-e^2x^2)^{3/2}}{x^3} + e^4 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right) \right) + \frac{13}{8} e^4 \tanh^{-1} \left( \frac{\sqrt{d^2-e^2x^2}}{d} \right)$$

**Rubi [A]** time = 0.22, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {1807, 811, 844, 217, 203, 266, 63, 208}

$$-\frac{e^2(13d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{e(d^2-e^2x^2)^{3/2}}{x^3} - \frac{d(d^2-e^2x^2)^{3/2}}{4x^4} + e^4 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right) \right) + \frac{13}{8} e^4 \tanh^{-1} \left( \frac{\sqrt{d^2-e^2x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2])/x^5,x]

[Out] -(e^2\*(13\*d + 8\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(8\*x^2) - (d\*(d^2 - e^2\*x^2)^(3/2))/(4\*x^4) - (e\*(d^2 - e^2\*x^2)^(3/2))/x^3 - e^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] + (13\*e^4\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/8

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217



`Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],  
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

### Rule 266

`Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[  
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,  
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]`

### Rule 811

`Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p  
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(a + c*x^2)^p*((d*g - e*f*(m + 2  
))*(c*d^2 + a*e^2) - 2*c*d^2*p*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 + a*e^2) +  
2*c*d*p*(e*f - d*g)*x))/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), x] - Dist[  
p/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 2)*(a + c*x^2)^(  
p - 1)*Simp[2*a*c*e*(e*f - d*g)*(m + 2) - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m  
+ 2*p + 2)) - 2*a*e^2*g*(m + 1)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g},  
x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2*p, 0]  
&& !ILtQ[m + 2*p + 3, 0]`

### Rule 844

`Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p  
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D  
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,  
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]`

### Rule 1807

`Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{  
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S  
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(  
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m  
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ  
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])`

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3 \sqrt{d^2-e^2x^2}}{x^5} dx &= -\frac{d(d^2-e^2x^2)^{3/2}}{4x^4} - \frac{\int \frac{\sqrt{d^2-e^2x^2}(-12d^4e-13d^3e^2x-4d^2e^3x^2)}{x^4} dx}{4d^2} \\
&= -\frac{d(d^2-e^2x^2)^{3/2}}{4x^4} - \frac{e(d^2-e^2x^2)^{3/2}}{x^3} + \frac{\int \frac{(39d^5e^2+12d^4e^3x)\sqrt{d^2-e^2x^2}}{x^3} dx}{12d^4} \\
&= -\frac{e^2(13d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{d(d^2-e^2x^2)^{3/2}}{4x^4} - \frac{e(d^2-e^2x^2)^{3/2}}{x^3} - \frac{\int \frac{78d^7e^4+48d^6e^5x}{x\sqrt{d^2-e^2x^2}} dx}{48d^6} \\
&= -\frac{e^2(13d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{d(d^2-e^2x^2)^{3/2}}{4x^4} - \frac{e(d^2-e^2x^2)^{3/2}}{x^3} - \frac{1}{8}(13de^4) \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx \\
&= -\frac{e^2(13d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{d(d^2-e^2x^2)^{3/2}}{4x^4} - \frac{e(d^2-e^2x^2)^{3/2}}{x^3} - \frac{1}{16}(13de^4) \text{Subst} \\
&= -\frac{e^2(13d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{d(d^2-e^2x^2)^{3/2}}{4x^4} - \frac{e(d^2-e^2x^2)^{3/2}}{x^3} - e^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) \\
&= -\frac{e^2(13d+8ex)\sqrt{d^2-e^2x^2}}{8x^2} - \frac{d(d^2-e^2x^2)^{3/2}}{4x^4} - \frac{e(d^2-e^2x^2)^{3/2}}{x^3} - e^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)
\end{aligned}$$

**Mathematica [C]** time = 0.24, size = 196, normalized size = 1.46

$$\frac{e\sqrt{d^2-e^2x^2} \left( 6d^2e^3x^3 \sin^{-1}\left(\frac{ex}{d}\right) + 2e^3x^3(d^2-e^2x^2)\sqrt{1-\frac{e^2x^2}{d^2}} {}_2F_1\left(\frac{3}{2}, 3; \frac{5}{2}; 1-\frac{e^2x^2}{d^2}\right) - 9d^2e^3x^3 \tanh^{-1}\left(\sqrt{1-\frac{e^2x^2}{d^2}}\right) + 6d^5\sqrt{1-\frac{e^2x^2}{d^2}} + 9d^4ex\sqrt{1-\frac{e^2x^2}{d^2}} \right)}{6d^3x^3\sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2])/x^5,x]

[Out] -1/6\*(e\*Sqrt[d^2 - e^2\*x^2]\*(6\*d^5\*Sqrt[1 - (e^2\*x^2)/d^2] + 9\*d^4\*e\*x\*Sqrt[1 - (e^2\*x^2)/d^2] + 6\*d^2\*e^3\*x^3\*ArcSin[(e\*x)/d] - 9\*d^2\*e^3\*x^3\*ArcTanh[Sqrt[1 - (e^2\*x^2)/d^2]]) + 2\*e^3\*x^3\*(d^2 - e^2\*x^2)\*Sqrt[1 - (e^2\*x^2)/d^2]\*Hypergeometric2F1[3/2, 3, 5/2, 1 - (e^2\*x^2)/d^2])/(d^3\*x^3\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.56, size = 134, normalized size = 1.00

$$-\frac{13}{4}e^4 \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2-e^2x^2}}{d}\right) - \sqrt{-e^2}e^3 \log\left(\sqrt{d^2-e^2x^2} - \sqrt{-e^2}x\right) + \frac{\sqrt{d^2-e^2x^2}(-2d^3-8d^2ex-11de^2x^2)}{8x^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2])/x^5,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-2\*d^3 - 8\*d^2\*e\*x - 11\*d\*e^2\*x^2))/(8\*x^4) - (13\*e^4 \*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/4 - e^3\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]]

**fricas** [A] time = 0.42, size = 111, normalized size = 0.83

$$\frac{16 e^4 x^4 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) - 13 e^4 x^4 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - (11 d e^2 x^2 + 8 d^2 e x + 2 d^3) \sqrt{-e^2 x^2 + d^2}}{8 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(1/2)/x^5,x, algorithm="fricas")

[Out] 1/8\*(16\*e^4\*x^4\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - 13\*e^4\*x^4\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (11\*d\*e^2\*x^2 + 8\*d^2\*e\*x + 2\*d^3)\*sqrt(-e^2\*x^2 + d^2))/x^4

**giac** [B] time = 0.27, size = 295, normalized size = 2.20

$$-\arcsin\left(\frac{ex}{d}\right) e^4 \operatorname{sgn}(d) + \frac{x^4 \left( \frac{8(d + \sqrt{-x^2 e^2 + d^2})^8}{x} + \frac{24(d + \sqrt{-x^2 e^2 + d^2})^7 e^4}{x^2} + \frac{8(d + \sqrt{-x^2 e^2 + d^2})^6 e^8}{x^3} + e^{10} \right)}{64(d + \sqrt{-x^2 e^2 + d^2})^4} - \frac{1}{64} \left( \frac{8(d + \sqrt{-x^2 e^2 + d^2})^{26}}{x} + \frac{24(d + \sqrt{-x^2 e^2 + d^2})^{24} e^{24}}{x^2} + \frac{8(d + \sqrt{-x^2 e^2 + d^2})^{22} e^{22}}{x^3} + \frac{(d + \sqrt{-x^2 e^2 + d^2})^{20} e^{20}}{x^4} \right) e^{-24} + \frac{13}{8} e^4 \log\left(\frac{-2de - 2\sqrt{-x^2 e^2 + d^2} |d|^{d-2}}{2|d|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(1/2)/x^5,x, algorithm="giac")

[Out] -arcsin(x\*e/d)\*e^4\*sgn(d) + 1/64\*x^4\*(8\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^8/x + 24\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*e^6/x^2 + 8\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*e^4/x^3 + e^10)\*e^2/(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4 - 1/64\*(8\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^26/x + 24\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*e^24/x^2 + 8\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*e^22/x^3 + (d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*e^20/x^4)\*e^(-24) + 13/8\*e^4\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))

**maple** [A] time = 0.02, size = 212, normalized size = 1.58

$$\frac{13 d e^4 \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2 x^2 + d^2}}{x}\right)}{8\sqrt{d^2}} - \frac{e^5 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{\sqrt{e^2}} - \frac{\sqrt{-e^2 x^2 + d^2} e^5 x}{d^2} - \frac{13\sqrt{-e^2 x^2 + d^2} e^4}{8d} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} e^3}{d^2 x} - \frac{13(-e^2 x^2 + d^2)^{\frac{3}{2}} e^2}{8d x^2} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} e}{x^3} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(-e^2\*x^2+d^2)^(1/2)/x^5,x)

[Out]  $-1/4*d*(-e^2*x^2+d^2)^{(3/2)}/x^4-13/8/d*e^2/x^2*(-e^2*x^2+d^2)^{(3/2)}-13/8*(-e^2*x^2+d^2)^{(1/2)}/d*e^4+13/8/(d^2)^{(1/2)}*d*e^4*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-e^3/d^2/x*(-e^2*x^2+d^2)^{(3/2)}-(-e^2*x^2+d^2)^{(1/2)}/d^2*e^5*x-1/(e^2)^{(1/2)}*e^5*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)-e*(-e^2*x^2+d^2)^{(3/2)}/x^3$

**maxima** [A] time = 0.98, size = 159, normalized size = 1.19

$$-e^4 \arcsin\left(\frac{ex}{d}\right) + \frac{13}{8} e^4 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right) - \frac{13\sqrt{-e^2x^2+d^2}e^4}{8d} - \frac{\sqrt{-e^2x^2+d^2}e^3}{x} - \frac{13(-e^2x^2+d^2)^{\frac{3}{2}}e^2}{8dx^2} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e}{x^3} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}d}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(1/2)/x^5,x, algorithm="maxima")

[Out]  $-e^4*\arcsin(e*x/d) + 13/8*e^4*\log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x)) - 13/8*sqrt(-e^2*x^2 + d^2)*e^4/d - sqrt(-e^2*x^2 + d^2)*e^3/x - 13/8*(-e^2*x^2 + d^2)^{(3/2)}*e^2/(d*x^2) - (-e^2*x^2 + d^2)^{(3/2)}*e/x^3 - 1/4*(-e^2*x^2 + d^2)^{(3/2)}*d/x^4$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{d^2 - e^2 x^2} (d + ex)^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)^3)/x^5,x)

[Out] int(((d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)^3)/x^5, x)

**sympy** [C] time = 10.03, size = 544, normalized size = 4.06

$$d^3 \left( \begin{cases} -\frac{d^2}{4e^5\sqrt{\frac{d^2}{e^2}-1}} + \frac{3e}{8e^3\sqrt{\frac{d^2}{e^2}-1}} - \frac{e^3}{8e^2\sqrt{\frac{d^2}{e^2}-1}} + \frac{e^4 \operatorname{acosh}\left(\frac{d}{e}\right)}{8e^2} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^2}{4e^5\sqrt{\frac{d^2}{e^2}+1}} - \frac{3e}{8e^3\sqrt{\frac{d^2}{e^2}+1}} + \frac{e^3}{8e^2\sqrt{\frac{d^2}{e^2}+1}} - \frac{e^4 \operatorname{asin}\left(\frac{d}{e}\right)}{8e^2} & \text{otherwise} \end{cases} \right) + 3d^2e \left( \begin{cases} \frac{e\sqrt{\frac{d^2}{e^2}-1}}{3e^2} + \frac{e^2\sqrt{\frac{d^2}{e^2}-1}}{3e^2} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{ie\sqrt{\frac{d^2}{e^2}+1}}{3e^2} + \frac{ie^2\sqrt{\frac{d^2}{e^2}+1}}{3e^2} & \text{otherwise} \end{cases} \right) + 3de^2 \left( \begin{cases} -\frac{d^2}{2e^5\sqrt{\frac{d^2}{e^2}-1}} + \frac{e}{2e^3\sqrt{\frac{d^2}{e^2}-1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{e}\right)}{2d} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{ie\sqrt{\frac{d^2}{e^2}+1}}{2e} - \frac{ie^2 \operatorname{asin}\left(\frac{d}{e}\right)}{2d} & \text{otherwise} \end{cases} \right) + e^3 \left( \begin{cases} \frac{d}{e\sqrt{1-\frac{d^2}{e^2}}} + ie \operatorname{acosh}\left(\frac{d}{e}\right) - \frac{d^2e}{d\sqrt{1-\frac{d^2}{e^2}}} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ -\frac{d}{e\sqrt{1+\frac{d^2}{e^2}}} - e \operatorname{asin}\left(\frac{d}{e}\right) + \frac{d^2e}{d\sqrt{1+\frac{d^2}{e^2}}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2)/x\*\*5,x)

[Out]  $d**3*\text{Piecewise}((-d**2/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 3*e/(8*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**3/(8*d**2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**4*acosh(d/(e*x))/(8*d**3), \text{Abs}(d**2/(e**2*x**2)) > 1), (I*d**2/(4*e*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e/(8*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**3/(8*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**4*asin(d/(e*x))/(8*d**3), \text{True})) + 3*d**2*e*\text{Piecewise}((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*x**2) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2), \text{Abs}(d**2/(e**2*x**2)) > 1), (-I*e$

```

*sqrt(-d**2/(e**2*x**2) + 1)/(3*x**2) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/
(3*d**2), True)) + 3*d*e**2*Piecewise((-d**2/(2*e*x**3*sqrt(d**2/(e**2*x**2)
) - 1)) + e/(2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**2*acosh(d/(e*x))/(2*d), A
bs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(2*x) - I*e**2
*asin(d/(e*x))/(2*d), True)) + e**3*Piecewise((I*d/(x*sqrt(-1 + e**2*x**2/d
**2)) + I*e*acosh(e*x/d) - I*e**2*x/(d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2
*x**2/d**2) > 1), (-d/(x*sqrt(1 - e**2*x**2/d**2)) - e*asin(e*x/d) + e**2*x
/(d*sqrt(1 - e**2*x**2/d**2)), True))

```

$$3.65 \quad \int x^5(d+ex)^3(d^2-e^2x^2)^{5/2} dx$$

Optimal. Leaf size=310

$$-\frac{1}{14}ex^7(d^2-e^2x^2)^{7/2} - \frac{3}{13}dx^6(d^2-e^2x^2)^{7/2} - \frac{7d^2x^5(d^2-e^2x^2)^{7/2}}{24e} + \frac{35d^{14}\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2048e^6} + \frac{35d^{12}x\sqrt{d^2-e^2x^2}}{2048e^5} + \dots$$

**Rubi [A]** time = 0.49, antiderivative size = 310, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1809, 833, 780, 195, 217, 203}

$$\frac{35d^{12}x\sqrt{d^2-e^2x^2}}{2048e^5} + \frac{35d^{10}x(d^2-e^2x^2)^{3/2}}{3072e^5} + \frac{7d^8x(d^2-e^2x^2)^{5/2}}{768e^5} - \frac{d^6(31744d+63063ex)(d^2-e^2x^2)^{7/2}}{1153152e^6} - \frac{124d^6x^2(d^2-e^2x^2)^{7/2}}{1287e^4} - \frac{7d^4x^3(d^2-e^2x^2)^{7/2}}{48e^3} - \frac{31d^4x^4(d^2-e^2x^2)^{7/2}}{143e^2} - \frac{7d^2x^5(d^2-e^2x^2)^{7/2}}{24e} - \frac{3}{13}dx^6(d^2-e^2x^2)^{7/2} - \frac{1}{14}ex^7(d^2-e^2x^2)^{7/2} + \frac{35d^{14}\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2048e^6}$$

Antiderivative was successfully verified.

[In] Int[x^5\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (35\*d^12\*x\*sqrt[d^2 - e^2\*x^2])/(2048\*e^5) + (35\*d^10\*x\*(d^2 - e^2\*x^2)^(3/2))/(3072\*e^5) + (7\*d^8\*x\*(d^2 - e^2\*x^2)^(5/2))/(768\*e^5) - (124\*d^5\*x^2\*(d^2 - e^2\*x^2)^(7/2))/(1287\*e^4) - (7\*d^4\*x^3\*(d^2 - e^2\*x^2)^(7/2))/(48\*e^3) - (31\*d^3\*x^4\*(d^2 - e^2\*x^2)^(7/2))/(143\*e^2) - (7\*d^2\*x^5\*(d^2 - e^2\*x^2)^(7/2))/(24\*e) - (3\*d\*x^6\*(d^2 - e^2\*x^2)^(7/2))/13 - (e\*x^7\*(d^2 - e^2\*x^2)^(7/2))/14 - (d^6\*(31744\*d + 63063\*e\*x)\*(d^2 - e^2\*x^2)^(7/2))/(1153152\*e^6) + (35\*d^14\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(2048\*e^6)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rubi steps

$$\begin{aligned}
\int x^5(d+ex)^3(d^2-e^2x^2)^{5/2} dx &= -\frac{1}{14}ex^7(d^2-e^2x^2)^{7/2} - \frac{\int x^5(d^2-e^2x^2)^{5/2}(-14d^3e^2-49d^2e^3x-42de^4x^2) dx}{14e^2} \\
&= -\frac{3}{13}dx^6(d^2-e^2x^2)^{7/2} - \frac{1}{14}ex^7(d^2-e^2x^2)^{7/2} + \frac{\int x^5(434d^3e^4+637d^2e^5x)(d^2-e^2x^2)^{5/2} dx}{182e^4} \\
&= -\frac{7d^2x^5(d^2-e^2x^2)^{7/2}}{24e} - \frac{3}{13}dx^6(d^2-e^2x^2)^{7/2} - \frac{1}{14}ex^7(d^2-e^2x^2)^{7/2} - \frac{\int x^4(-31d^3e^4-42de^5x)(d^2-e^2x^2)^{5/2} dx}{182e^4} \\
&= -\frac{31d^3x^4(d^2-e^2x^2)^{7/2}}{143e^2} - \frac{7d^2x^5(d^2-e^2x^2)^{7/2}}{24e} - \frac{3}{13}dx^6(d^2-e^2x^2)^{7/2} - \frac{1}{14}ex^7(d^2-e^2x^2)^{7/2} \\
&= -\frac{7d^4x^3(d^2-e^2x^2)^{7/2}}{48e^3} - \frac{31d^3x^4(d^2-e^2x^2)^{7/2}}{143e^2} - \frac{3}{13}dx^6(d^2-e^2x^2)^{7/2} - \frac{3}{13}dx^6(d^2-e^2x^2)^{7/2} \\
&= -\frac{124d^5x^2(d^2-e^2x^2)^{7/2}}{1287e^4} - \frac{7d^4x^3(d^2-e^2x^2)^{7/2}}{48e^3} - \frac{31d^3x^4(d^2-e^2x^2)^{7/2}}{143e^2} - \frac{3}{13}dx^6(d^2-e^2x^2)^{7/2} \\
&= -\frac{124d^5x^2(d^2-e^2x^2)^{7/2}}{1287e^4} - \frac{7d^4x^3(d^2-e^2x^2)^{7/2}}{48e^3} - \frac{31d^3x^4(d^2-e^2x^2)^{7/2}}{143e^2} - \frac{3}{13}dx^6(d^2-e^2x^2)^{7/2} \\
&= \frac{7d^8x(d^2-e^2x^2)^{5/2}}{768e^5} - \frac{124d^5x^2(d^2-e^2x^2)^{7/2}}{1287e^4} - \frac{7d^4x^3(d^2-e^2x^2)^{7/2}}{48e^3} - \frac{31d^3x^4(d^2-e^2x^2)^{7/2}}{143e^2} \\
&= \frac{35d^{10}x(d^2-e^2x^2)^{3/2}}{3072e^5} + \frac{7d^8x(d^2-e^2x^2)^{5/2}}{768e^5} - \frac{124d^5x^2(d^2-e^2x^2)^{7/2}}{1287e^4} - \frac{31d^3x^4(d^2-e^2x^2)^{7/2}}{143e^2} \\
&= \frac{35d^{12}x\sqrt{d^2-e^2x^2}}{2048e^5} + \frac{35d^{10}x(d^2-e^2x^2)^{3/2}}{3072e^5} + \frac{7d^8x(d^2-e^2x^2)^{5/2}}{768e^5} - \frac{124d^5x^2(d^2-e^2x^2)^{7/2}}{1287e^4} \\
&= \frac{35d^{12}x\sqrt{d^2-e^2x^2}}{2048e^5} + \frac{35d^{10}x(d^2-e^2x^2)^{3/2}}{3072e^5} + \frac{7d^8x(d^2-e^2x^2)^{5/2}}{768e^5} - \frac{124d^5x^2(d^2-e^2x^2)^{7/2}}{1287e^4} \\
&= \frac{35d^{12}x\sqrt{d^2-e^2x^2}}{2048e^5} + \frac{35d^{10}x(d^2-e^2x^2)^{3/2}}{3072e^5} + \frac{7d^8x(d^2-e^2x^2)^{5/2}}{768e^5} - \frac{124d^5x^2(d^2-e^2x^2)^{7/2}}{1287e^4}
\end{aligned}$$

**Mathematica [A]** time = 0.36, size = 212, normalized size = 0.68

$$\frac{\sqrt{d^2-e^2x^2} \left( 315315d^{13} \sin^{-1}\left(\frac{x}{d}\right) - \sqrt{1-\frac{d^2}{e^2}} (507904d^{13} + 315315d^2ex + 253952d^{11}e^2x^2 + 210210d^{10}e^3x^3 + 190464d^9e^4x^4 + 168168d^8e^5x^5 - 2916352d^7e^6x^6 - 7763184d^6e^7x^7 - 2551808d^5e^8x^8 + 9499776d^4e^9x^9 + 8773632d^3e^{10}x^{10} - 1427712d^2e^{11}x^{11} - 4257792de^{12}x^{12} - 1317888e^{13}x^{13}) \right)}{18450432e^5\sqrt{1-\frac{d^2}{e^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^5\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]



[Out]  $(\sqrt{d^2 - e^2 x^2}) * (-(\sqrt{1 - (e^2 x^2)/d^2}) * (507904 d^{13} + 315315 d^{12} e x + 253952 d^{11} e^2 x^2 + 210210 d^{10} e^3 x^3 + 190464 d^9 e^4 x^4 + 168168 d^8 e^5 x^5 - 2916352 d^7 e^6 x^6 - 7763184 d^6 e^7 x^7 - 2551808 d^5 e^8 x^8 + 9499776 d^4 e^9 x^9 + 8773632 d^3 e^{10} x^{10} - 1427712 d^2 e^{11} x^{11} - 4257792 d e^{12} x^{12} - 1317888 e^{13} x^{13})) + 315315 d^{13} \text{ArcSin}[(e x)/d]) / (18450432 e^6 \sqrt{1 - (e^2 x^2)/d^2})$

**IntegrateAlgebraic [A]** time = 0.88, size = 213, normalized size = 0.69

$$\frac{35d^{14}\sqrt{-e^2}\log\left(\frac{\sqrt{d^2-e^2x^2}-\sqrt{-e^2x}}{\sqrt{d^2-e^2x^2}}\right)+\sqrt{d^2-e^2x^2}\left(-507904d^{13}-315315d^{12}ex-253952d^{11}e^2x^2-210210d^{10}e^3x^3-190464d^9e^4x^4-168168d^8e^5x^5+2916352d^7e^6x^6+7763184d^6e^7x^7+2551808d^5e^8x^8-9499776d^4e^9x^9+8773632d^3e^{10}x^{10}-1427712d^2e^{11}x^{11}+4257792de^{12}x^{12}+1317888e^{13}x^{13}\right)}{2048e^6} + \frac{18450432e^6}{18450432e^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^5\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out]  $(\sqrt{d^2 - e^2 x^2}) * (-507904 d^{13} - 315315 d^{12} e x - 253952 d^{11} e^2 x^2 - 210210 d^{10} e^3 x^3 - 190464 d^9 e^4 x^4 - 168168 d^8 e^5 x^5 + 2916352 d^7 e^6 x^6 + 7763184 d^6 e^7 x^7 + 2551808 d^5 e^8 x^8 - 9499776 d^4 e^9 x^9 - 8773632 d^3 e^{10} x^{10} + 1427712 d^2 e^{11} x^{11} + 4257792 d e^{12} x^{12} + 1317888 e^{13} x^{13}) / (18450432 e^6) + (35 d^{14} \sqrt{-e^2} * \text{Log}[-(\sqrt{-e^2} * x) + \sqrt{d^2 - e^2 x^2}]) / (2048 e^7)$

**fricas [A]** time = 0.43, size = 194, normalized size = 0.63

$$\frac{630630d^{14}\arctan\left(\frac{d-\sqrt{-e^2x^2}}{ex}\right)-\left(1317888e^{13}x^{13}+4257792de^{12}x^{12}+1427712d^2e^{11}x^{11}-8773632d^3e^{10}x^{10}-9499776d^4e^9x^9+2551808d^5e^8x^8+7763184d^6e^7x^7+2916352d^7e^6x^6-168168d^8e^5x^5-190464d^9e^4x^4-210210d^{10}e^3x^3-253952d^{11}e^2x^2-315315d^{12}ex-507904d^{13}\right)\sqrt{-e^2x^2+d^2}}{18450432e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x, algorithm="fricas")

[Out]  $-1/18450432 * (630630 d^{14} \arctan(-(d - \sqrt{-e^2 x^2 + d^2})/(e x)) - (1317888 e^{13} x^{13} + 4257792 d e^{12} x^{12} + 1427712 d^2 e^{11} x^{11} - 8773632 d^3 e^{10} x^{10} - 9499776 d^4 e^9 x^9 + 2551808 d^5 e^8 x^8 + 7763184 d^6 e^7 x^7 + 2916352 d^7 e^6 x^6 - 168168 d^8 e^5 x^5 - 190464 d^9 e^4 x^4 - 210210 d^{10} e^3 x^3 - 253952 d^{11} e^2 x^2 - 315315 d^{12} e x - 507904 d^{13}) \sqrt{-e^2 x^2 + d^2}) / e^6$

**giac [A]** time = 0.26, size = 170, normalized size = 0.55

$$\frac{35}{2048}d^{14}\arcsin\left(\frac{x}{d}\right)\text{sgn}(d)-\frac{1}{18450432}\left(507904d^{13}e^{-6}+(315315d^{12}e^{-5})+2(126976d^{11}e^{-4})+(105105d^{10}e^{-3})+4(23808d^9e^{-2})+(21021d^8e^{-1})-2(182272d^7+(485199d^6e+(19936d^5e^2-3(24739d^4e^3+2(11424d^3e^4-11(169d^2e^5+12(13x^2+42d^6)))))x))x))x))\sqrt{-e^2x^2+d^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x, algorithm="giac")

[Out]  $35/2048 d^{14} \arcsin(x e/d) e^{-6} \text{sgn}(d) - 1/18450432 * (507904 d^{13} e^{-6} + (315315 d^{12} e^{-5}) + 2 * (126976 d^{11} e^{-4}) + (105105 d^{10} e^{-3}) + 4 * (238$



result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(e\*x+d)\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2),x)

[Out]  $d^{7} \text{Piecewise}\left(\frac{-8d^{6}\sqrt{d^{2}-e^{2}x^{2}}}{105e^{6}} - 4d^{4}x^{2}\sqrt{d^{2}-e^{2}x^{2}}/(105e^{4}) - d^{2}x^{4}\sqrt{d^{2}-e^{2}x^{2}}/(35e^{2}) + x^{6}\sqrt{d^{2}-e^{2}x^{2}}/7, \text{Ne}(e, 0)\right), \left(x^{6}\sqrt{d^{2}}/6, \text{True}\right) + 3d^{6}e \text{Piecewise}\left(\frac{-5I d^{8} \operatorname{acosh}(e x / d)}{(128 e^{7})} + 5 I d^{7} x / (128 e^{6} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - 5 I d^{5} x^{3} / (384 e^{4} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - I d^{3} x^{5} / (192 e^{2} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - 7 I d x^{7} / (48 \sqrt{-1 + e^{2} x^{2} / d^{2}}) + I e^{2} x^{9} / (8 d \sqrt{-1 + e^{2} x^{2} / d^{2}}), \text{Abs}(e^{2} x^{2} / d^{2}) > 1\right), \left(5 d^{8} \operatorname{asin}(e x / d) / (128 e^{7}) - 5 d^{7} x / (128 e^{6} \sqrt{1 - e^{2} x^{2} / d^{2}}) + 5 d^{5} x^{3} / (384 e^{4} \sqrt{1 - e^{2} x^{2} / d^{2}}) + d^{3} x^{5} / (192 e^{2} \sqrt{1 - e^{2} x^{2} / d^{2}}) + 7 d x^{7} / (48 \sqrt{1 - e^{2} x^{2} / d^{2}}) - e^{2} x^{9} / (8 d \sqrt{1 - e^{2} x^{2} / d^{2}}), \text{True}\right) + d^{5} e^{2} \text{Piecewise}\left(\frac{-16 d^{8} \sqrt{d^{2}-e^{2} x^{2}}}{315 e^{8}} - 8 d^{6} x^{2} \sqrt{d^{2}-e^{2} x^{2}} / (315 e^{6}) - 2 d^{4} x^{4} \sqrt{d^{2}-e^{2} x^{2}} / (105 e^{4}) - d^{2} x^{6} \sqrt{d^{2}-e^{2} x^{2}} / (63 e^{2}) + x^{8} \sqrt{d^{2}-e^{2} x^{2}} / 9, \text{Ne}(e, 0)\right), \left(x^{8} \sqrt{d^{2}} / 8, \text{True}\right) - 5 d^{4} e^{3} \text{Piecewise}\left(\frac{-7 I d^{10} \operatorname{acosh}(e x / d)}{(256 e^{9})} + 7 I d^{9} x / (256 e^{8} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - 7 I d^{7} x^{3} / (768 e^{6} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - 7 I d^{5} x^{5} / (1920 e^{4} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - I d^{3} x^{7} / (480 e^{2} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - 9 I d x^{9} / (80 \sqrt{-1 + e^{2} x^{2} / d^{2}}) + I e^{2} x^{11} / (10 d \sqrt{-1 + e^{2} x^{2} / d^{2}}), \text{Abs}(e^{2} x^{2} / d^{2}) > 1\right), \left(7 d^{10} \operatorname{asin}(e x / d) / (256 e^{9}) - 7 d^{9} x / (256 e^{8} \sqrt{1 - e^{2} x^{2} / d^{2}}) + 7 d^{7} x^{3} / (768 e^{6} \sqrt{1 - e^{2} x^{2} / d^{2}}) + 7 d^{5} x^{5} / (1920 e^{4} \sqrt{1 - e^{2} x^{2} / d^{2}}) + d^{3} x^{7} / (480 e^{2} \sqrt{1 - e^{2} x^{2} / d^{2}}) + 9 d x^{9} / (80 \sqrt{1 - e^{2} x^{2} / d^{2}}) - e^{2} x^{11} / (10 d \sqrt{1 - e^{2} x^{2} / d^{2}}), \text{True}\right) - 5 d^{3} e^{4} \text{Piecewise}\left(\frac{-128 d^{10} \sqrt{d^{2}-e^{2} x^{2}}}{(3465 e^{10})} - 64 d^{8} x^{2} \sqrt{d^{2}-e^{2} x^{2}} / (3465 e^{8}) - 16 d^{6} x^{4} \sqrt{d^{2}-e^{2} x^{2}} / (1155 e^{6}) - 8 d^{4} x^{6} \sqrt{d^{2}-e^{2} x^{2}} / (693 e^{4}) - d^{2} x^{8} \sqrt{d^{2}-e^{2} x^{2}} / (99 e^{2}) + x^{10} \sqrt{d^{2}-e^{2} x^{2}} / 11, \text{Ne}(e, 0)\right), \left(x^{10} \sqrt{d^{2}} / 10, \text{True}\right) + d^{2} e^{5} \text{Piecewise}\left(\frac{-21 I d^{12} \operatorname{acosh}(e x / d)}{(1024 e^{11})} + 21 I d^{11} x / (1024 e^{10} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - 7 I d^{9} x^{3} / (1024 e^{8} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - 7 I d^{7} x^{5} / (2560 e^{6} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - I d^{5} x^{7} / (640 e^{4} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - I d^{3} x^{9} / (960 e^{2} \sqrt{-1 + e^{2} x^{2} / d^{2}}) - 11 I d x^{11} / (120 \sqrt{-1 + e^{2} x^{2} / d^{2}}) + I e^{2} x^{13} / (12 d \sqrt{-1 + e^{2} x^{2} / d^{2}}), \text{Abs}(e^{2} x^{2} / d^{2}) > 1\right), \left(21 d^{12} \operatorname{asin}(e x / d) / (1024 e^{11}) - 21 d^{11} x / (1024 e^{10} \sqrt{1 - e^{2} x^{2} / d^{2}}) + 7 d^{9} x^{3} / (1024 e^{8} \sqrt{1 - e^{2} x^{2} / d^{2}}) + 7 d^{7} x^{5} / (2560 e^{6} \sqrt{1 - e^{2} x^{2} / d^{2}}) + d^{5} x^{7} / (640 e^{4} \sqrt{1 - e^{2} x^{2} / d^{2}}) + d^{3} x^{9} / (960 e^{2} \sqrt{1 - e^{2} x^{2} / d^{2}}) + 11 d x^{11} / (120 \sqrt{1 - e^{2} x^{2} / d^{2}}) - e^{2} x^{13} / (12 d \sqrt{1 - e^{2} x^{2} / d^{2}}), \text{True}\right) + 3 d e^{6} \text{Piecewise}\left(\frac{-256 d^{7} \sqrt{d^{2}-e^{2} x^{2}}}{(105 e^{6})} - 4 d^{4} x^{2} \sqrt{d^{2}-e^{2} x^{2}} / (105 e^{4}) - d^{2} x^{4} \sqrt{d^{2}-e^{2} x^{2}} / (35 e^{2}) + x^{6} \sqrt{d^{2}-e^{2} x^{2}} / 7, \text{Ne}(e, 0)\right), \left(x^{6} \sqrt{d^{2}} / 6, \text{True}\right)$

```

**12*sqrt(d**2 - e**2*x**2)/(9009*e**12) - 128*d**10*x**2*sqrt(d**2 - e**2*
x**2)/(9009*e**10) - 32*d**8*x**4*sqrt(d**2 - e**2*x**2)/(3003*e**8) - 80*d
**6*x**6*sqrt(d**2 - e**2*x**2)/(9009*e**6) - 10*d**4*x**8*sqrt(d**2 - e**2
*x**2)/(1287*e**4) - d**2*x**10*sqrt(d**2 - e**2*x**2)/(143*e**2) + x**12*s
qrt(d**2 - e**2*x**2)/13, Ne(e, 0)), (x**12*sqrt(d**2)/12, True)) + e**7*Pi
ecewise((-33*I*d**14*acosh(e*x/d)/(2048*e**13) + 33*I*d**13*x/(2048*e**12*s
qrt(-1 + e**2*x**2/d**2)) - 11*I*d**11*x**3/(2048*e**10*sqrt(-1 + e**2*x**2
/d**2)) - 11*I*d**9*x**5/(5120*e**8*sqrt(-1 + e**2*x**2/d**2)) - 11*I*d**7*
x**7/(8960*e**6*sqrt(-1 + e**2*x**2/d**2)) - 11*I*d**5*x**9/(13440*e**4*sqr
t(-1 + e**2*x**2/d**2)) - I*d**3*x**11/(1680*e**2*sqrt(-1 + e**2*x**2/d**2)
) - 13*I*d*x**13/(168*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**15/(14*d*sqrt(
-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (33*d**14*asin(e*x/d)/(204
8*e**13) - 33*d**13*x/(2048*e**12*sqrt(1 - e**2*x**2/d**2)) + 11*d**11*x**3
/(2048*e**10*sqrt(1 - e**2*x**2/d**2)) + 11*d**9*x**5/(5120*e**8*sqrt(1 - e
**2*x**2/d**2)) + 11*d**7*x**7/(8960*e**6*sqrt(1 - e**2*x**2/d**2)) + 11*d*
**5*x**9/(13440*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**11/(1680*e**2*sqrt(
1 - e**2*x**2/d**2)) + 13*d*x**13/(168*sqrt(1 - e**2*x**2/d**2)) - e**2*x**
15/(14*d*sqrt(1 - e**2*x**2/d**2)), True))

```

$$3.66 \quad \int x^4(d + ex)^3 (d^2 - e^2x^2)^{5/2} dx$$

Optimal. Leaf size=281

$$-\frac{1}{13}ex^6(d^2 - e^2x^2)^{7/2} - \frac{1}{4}dx^5(d^2 - e^2x^2)^{7/2} - \frac{45d^2x^4(d^2 - e^2x^2)^{7/2}}{143e} + \frac{27d^{13}\tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{1024e^5} + \frac{27d^{11}x\sqrt{d^2 - e^2x^2}}{1024e^4}$$

**Rubi [A]** time = 0.41, antiderivative size = 281, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 27, number of rules / integrand size = 0.222, Rules used = {1809, 833, 780, 195, 217, 203}

$$\frac{27d^{11}x\sqrt{d^2 - e^2x^2}}{1024e^4} + \frac{9d^9x(d^2 - e^2x^2)^{3/2}}{512e^4} + \frac{9d^7x(d^2 - e^2x^2)^{5/2}}{640e^4} - \frac{d^5(12800d + 27027ex)(d^2 - e^2x^2)^{7/2}}{320320e^5} - \frac{20d^4x^2(d^2 - e^2x^2)^{7/2}}{143e^3} - \frac{9d^3x^3(d^2 - e^2x^2)^{7/2}}{40e^2} - \frac{45d^2x^4(d^2 - e^2x^2)^{7/2}}{143e} - \frac{1}{4}dx^5(d^2 - e^2x^2)^{7/2} - \frac{1}{13}ex^6(d^2 - e^2x^2)^{7/2} + \frac{27d^{13}\tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{1024e^5}$$

Antiderivative was successfully verified.

[In] Int[x^4\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (27\*d^11\*x\*sqrt[d^2 - e^2\*x^2])/(1024\*e^4) + (9\*d^9\*x\*(d^2 - e^2\*x^2)^(3/2))/(512\*e^4) + (9\*d^7\*x\*(d^2 - e^2\*x^2)^(5/2))/(640\*e^4) - (20\*d^4\*x^2\*(d^2 - e^2\*x^2)^(7/2))/(143\*e^3) - (9\*d^3\*x^3\*(d^2 - e^2\*x^2)^(7/2))/(40\*e^2) - (45\*d^2\*x^4\*(d^2 - e^2\*x^2)^(7/2))/(143\*e) - (d\*x^5\*(d^2 - e^2\*x^2)^(7/2))/4 - (e\*x^6\*(d^2 - e^2\*x^2)^(7/2))/13 - (d^5\*(12800\*d + 27027\*e\*x)\*(d^2 - e^2\*x^2)^(7/2))/(320320\*e^5) + (27\*d^13\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(1024\*e^5)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

Rule 833

```
Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1809

```
Int[(Pq_)*((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rubi steps

$$\begin{aligned}
\int x^4(d+ex)^3(d^2-e^2x^2)^{5/2} dx &= -\frac{1}{13}ex^6(d^2-e^2x^2)^{7/2} - \frac{\int x^4(d^2-e^2x^2)^{5/2}(-13d^3e^2-45d^2e^3x-39de^4x^2) dx}{13e^2} \\
&= -\frac{1}{4}dx^5(d^2-e^2x^2)^{7/2} - \frac{1}{13}ex^6(d^2-e^2x^2)^{7/2} + \frac{\int x^4(351d^3e^4+540d^2e^5x)(d^2-e^2x^2)^{5/2} dx}{156e^4} \\
&= -\frac{45d^2x^4(d^2-e^2x^2)^{7/2}}{143e} - \frac{1}{4}dx^5(d^2-e^2x^2)^{7/2} - \frac{1}{13}ex^6(d^2-e^2x^2)^{7/2} - \frac{\int x^3(-45d^2e^3x-39de^4x^2)(d^2-e^2x^2)^{5/2} dx}{156e^4} \\
&= -\frac{9d^3x^3(d^2-e^2x^2)^{7/2}}{40e^2} - \frac{45d^2x^4(d^2-e^2x^2)^{7/2}}{143e} - \frac{1}{4}dx^5(d^2-e^2x^2)^{7/2} - \frac{1}{13}ex^6(d^2-e^2x^2)^{7/2} \\
&= -\frac{20d^4x^2(d^2-e^2x^2)^{7/2}}{143e^3} - \frac{9d^3x^3(d^2-e^2x^2)^{7/2}}{40e^2} - \frac{45d^2x^4(d^2-e^2x^2)^{7/2}}{143e} - \frac{1}{4}dx^5(d^2-e^2x^2)^{7/2} \\
&= -\frac{20d^4x^2(d^2-e^2x^2)^{7/2}}{143e^3} - \frac{9d^3x^3(d^2-e^2x^2)^{7/2}}{40e^2} - \frac{45d^2x^4(d^2-e^2x^2)^{7/2}}{143e} - \frac{1}{4}dx^5(d^2-e^2x^2)^{7/2} \\
&= \frac{9d^7x(d^2-e^2x^2)^{5/2}}{640e^4} - \frac{20d^4x^2(d^2-e^2x^2)^{7/2}}{143e^3} - \frac{9d^3x^3(d^2-e^2x^2)^{7/2}}{40e^2} - \frac{45d^2x^4(d^2-e^2x^2)^{7/2}}{143e} \\
&= \frac{9d^9x(d^2-e^2x^2)^{3/2}}{512e^4} + \frac{9d^7x(d^2-e^2x^2)^{5/2}}{640e^4} - \frac{20d^4x^2(d^2-e^2x^2)^{7/2}}{143e^3} - \frac{9d^3x^3(d^2-e^2x^2)^{7/2}}{40e^2} \\
&= \frac{27d^{11}x\sqrt{d^2-e^2x^2}}{1024e^4} + \frac{9d^9x(d^2-e^2x^2)^{3/2}}{512e^4} + \frac{9d^7x(d^2-e^2x^2)^{5/2}}{640e^4} - \frac{20d^4x^2(d^2-e^2x^2)^{7/2}}{143e^3} \\
&= \frac{27d^{11}x\sqrt{d^2-e^2x^2}}{1024e^4} + \frac{9d^9x(d^2-e^2x^2)^{3/2}}{512e^4} + \frac{9d^7x(d^2-e^2x^2)^{5/2}}{640e^4} - \frac{20d^4x^2(d^2-e^2x^2)^{7/2}}{143e^3} \\
&= \frac{27d^{11}x\sqrt{d^2-e^2x^2}}{1024e^4} + \frac{9d^9x(d^2-e^2x^2)^{3/2}}{512e^4} + \frac{9d^7x(d^2-e^2x^2)^{5/2}}{640e^4} - \frac{20d^4x^2(d^2-e^2x^2)^{7/2}}{143e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.33, size = 200, normalized size = 0.71

$$\frac{\sqrt{d^2-e^2x^2} \left( 135135d^{12} \sin^{-1}\left(\frac{x}{d}\right) + \sqrt{1-\frac{e^2x^2}{d^2}} (-204800d^{12} - 135135d^{11}ex - 102400d^{10}e^2x^2 - 90090d^9e^3x^3 - 76800d^8e^4x^4 + 952952d^7e^5x^5 + 2498560d^6e^6x^6 + 816816d^5e^7x^7 - 2938880d^4e^8x^8 - 2690688d^3e^9x^9 + 430080d^2e^{10}x^{10} + 1281280de^{11}x^{11} + 394240e^{12}x^{12}) \right)}{5125120e^5\sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(Sqrt[1 - (e^2\*x^2)/d^2]\*(-204800\*d^12 - 135135\*d^11\*e\*x - 102400\*d^10\*e^2\*x^2 - 90090\*d^9\*e^3\*x^3 - 76800\*d^8\*e^4\*x^4 + 952952\*d^7\*e^5\*x^5 + 2498560\*d^6\*e^6\*x^6 + 816816\*d^5\*e^7\*x^7 - 2938880\*d^4\*e^8\*x^8

- 2690688\*d^3\*e^9\*x^9 + 430080\*d^2\*e^10\*x^10 + 1281280\*d\*e^11\*x^11 + 394240\*e^12\*x^12) + 135135\*d^12\*ArcSin[(e\*x)/d])/ (5125120\*e^5\*sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.63, size = 202, normalized size = 0.72

$$\frac{27d^{13}\sqrt{-d^2} \log\left(\frac{\sqrt{d^2 - e^2x^2} - \sqrt{-d^2}x}{1024e^6}\right) + \sqrt{d^2 - e^2x^2} (-204800d^{12} - 135135d^{11}ex - 102400d^{10}e^2x^2 - 90090d^9e^3x^3 - 76800d^8e^4x^4 + 952952d^7e^5x^5 + 2498560d^6e^6x^6 + 816816d^5e^7x^7 - 2938880d^4e^8x^8 - 2690688d^3e^9x^9 + 430080d^2e^{10}x^{10} + 1281280de^{11}x^{11} + 394240e^{12}x^{12})}{5125120e^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^4\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (sqrt[d^2 - e^2\*x^2]\*(-204800\*d^12 - 135135\*d^11\*e\*x - 102400\*d^10\*e^2\*x^2 - 90090\*d^9\*e^3\*x^3 - 76800\*d^8\*e^4\*x^4 + 952952\*d^7\*e^5\*x^5 + 2498560\*d^6\*e^6\*x^6 + 816816\*d^5\*e^7\*x^7 - 2938880\*d^4\*e^8\*x^8 - 2690688\*d^3\*e^9\*x^9 + 430080\*d^2\*e^10\*x^10 + 1281280\*d\*e^11\*x^11 + 394240\*e^12\*x^12))/ (5125120\*e^5) + (27\*d^13\*sqrt[-e^2]\*Log[-(sqrt[-e^2]\*x) + sqrt[d^2 - e^2\*x^2]])/(1024\*e^6)

**fricas [A]** time = 0.41, size = 183, normalized size = 0.65

$$\frac{270270d^{13} \arctan\left(\frac{d - \sqrt{-d^2 + d^2}}{ex}\right) - (394240e^{12}x^{12} + 1281280de^{11}x^{11} + 430080d^2e^{10}x^{10} - 2690688d^3e^9x^9 - 2938880d^4e^8x^8 + 816816d^5e^7x^7 + 2498560d^6e^6x^6 + 952952d^7e^5x^5 - 76800d^8e^4x^4 - 90090d^9e^3x^3 - 102400d^{10}e^2x^2 - 135135d^{11}ex - 204800d^{12})\sqrt{-d^2 + d^2}}{5125120e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x, algorithm="fricas")

[Out] -1/5125120\*(270270\*d^13\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (394240\*e^12\*x^12 + 1281280\*d\*e^11\*x^11 + 430080\*d^2\*e^10\*x^10 - 2690688\*d^3\*e^9\*x^9 - 2938880\*d^4\*e^8\*x^8 + 816816\*d^5\*e^7\*x^7 + 2498560\*d^6\*e^6\*x^6 + 952952\*d^7\*e^5\*x^5 - 76800\*d^8\*e^4\*x^4 - 90090\*d^9\*e^3\*x^3 - 102400\*d^10\*e^2\*x^2 - 135135\*d^11\*e\*x - 204800\*d^12)\*sqrt(-e^2\*x^2 + d^2))/e^5

**giac [A]** time = 0.26, size = 160, normalized size = 0.57

$$\frac{27}{1024}d^{13} \arcsin\left(\frac{ex}{d}\right) e^{-5} \operatorname{sgn}(d) - \frac{1}{5125120} (204800d^{12}e^{-5} + (135135d^{11}e^{-4} + 2(51200d^{10}e^{-3}) + (45045d^9e^{-2} + 4(9600d^8e^{-1}) - (119119d^7 + 2(156160d^6e + 7(7293d^5e^2 - 8(3280d^4e^3 + (3003d^3e^4 - 10(48d^2e^5 + 11(4xe^7 + 13de^6)x)x)x)x)x)x)\sqrt{-x^2 + d^2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x, algorithm="giac")

[Out] 27/1024\*d^13\*arcsin(x\*e/d)\*e^(-5)\*sgn(d) - 1/5125120\*(204800\*d^12\*e^(-5) + (135135\*d^11\*e^(-4) + 2\*(51200\*d^10\*e^(-3) + (45045\*d^9\*e^(-2) + 4\*(9600\*d^8\*e^(-1) - (119119\*d^7 + 2\*(156160\*d^6\*e + 7\*(7293\*d^5\*e^2 - 8\*(3280\*d^4\*e^3 + (3003\*d^3\*e^4 - 10\*(48\*d^2\*e^5 + 11\*(4\*x\*e^7 + 13\*d\*e^6)\*x)\*x)\*x)\*x)\*x)\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)



**maple [A]** time = 0.02, size = 266, normalized size = 0.95

$$\frac{27d^{13} \arctan\left(\frac{\sqrt{d^2-x^2}}{\sqrt{-e^2x^2+d^2}}\right)}{1024\sqrt{e^2-d^4}} + \frac{27\sqrt{-e^2x^2+d^2}d^{11}x}{1024d^4} - \frac{(-e^2x^2+d^2)^{\frac{7}{2}}e^4x^6}{13} + \frac{9(-e^2x^2+d^2)^{\frac{3}{2}}d^7x}{512d^4} - \frac{(-e^2x^2+d^2)^{\frac{7}{2}}dx^5}{4} - \frac{45(-e^2x^2+d^2)^{\frac{7}{2}}d^2x^4}{143e} + \frac{9(-e^2x^2+d^2)^{\frac{5}{2}}d^7x}{640d^4} - \frac{9(-e^2x^2+d^2)^{\frac{7}{2}}d^3x^3}{40e^2} - \frac{20(-e^2x^2+d^2)^{\frac{7}{2}}d^4x^2}{143e^3} - \frac{27(-e^2x^2+d^2)^{\frac{7}{2}}d^5x}{320d^4} - \frac{40(-e^2x^2+d^2)^{\frac{7}{2}}d^6}{1001e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x)

[Out]  $-1/13*e*x^6*(-e^2*x^2+d^2)^{(7/2)} - 45/143*d^2*x^4*(-e^2*x^2+d^2)^{(7/2)}/e - 20/143*d^4*x^2*(-e^2*x^2+d^2)^{(7/2)}/e^3 - 40/1001/e^5*d^6*(-e^2*x^2+d^2)^{(7/2)} - 1/4*d*x^5*(-e^2*x^2+d^2)^{(7/2)} - 9/40*d^3*x^3*(-e^2*x^2+d^2)^{(7/2)}/e^2 - 27/320/e^4*d^5*x*(-e^2*x^2+d^2)^{(7/2)} + 9/640*d^7*x*(-e^2*x^2+d^2)^{(5/2)}/e^4 + 9/512*d^9*x*(-e^2*x^2+d^2)^{(3/2)}/e^4 + 27/1024*d^{11}*x*(-e^2*x^2+d^2)^{(1/2)}/e^4 + 27/1024/e^4*d^{13}/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)$

**maxima [A]** time = 0.99, size = 245, normalized size = 0.87

$$-\frac{1}{13}(-e^2x^2+d^2)^{\frac{7}{2}}e^4x^6 - \frac{1}{4}(-e^2x^2+d^2)^{\frac{7}{2}}dx^5 + \frac{27d^{13}\arcsin\left(\frac{x}{d}\right)}{1024e^5} + \frac{27\sqrt{-e^2x^2+d^2}d^{11}x}{1024e^4} - \frac{45(-e^2x^2+d^2)^{\frac{7}{2}}d^2x^4}{143e} + \frac{9(-e^2x^2+d^2)^{\frac{3}{2}}d^7x}{512e^4} - \frac{9(-e^2x^2+d^2)^{\frac{7}{2}}d^3x^3}{40e^2} + \frac{9(-e^2x^2+d^2)^{\frac{5}{2}}d^7x}{640e^4} - \frac{9(-e^2x^2+d^2)^{\frac{7}{2}}d^4x^2}{143e^3} - \frac{27(-e^2x^2+d^2)^{\frac{7}{2}}d^5x}{320e^4} - \frac{40(-e^2x^2+d^2)^{\frac{7}{2}}d^6}{1001e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x, algorithm="maxima")

[Out]  $-1/13*(-e^2*x^2+d^2)^{(7/2)}*e*x^6 - 1/4*(-e^2*x^2+d^2)^{(7/2)}*d*x^5 + 27/1024*d^{13}*arcsin(e*x/d)/e^5 + 27/1024*sqrt(-e^2*x^2+d^2)*d^{11}*x/e^4 - 45/143*(-e^2*x^2+d^2)^{(7/2)}*d^2*x^4/e + 9/512*(-e^2*x^2+d^2)^{(3/2)}*d^7*x/e^4 - 9/40*(-e^2*x^2+d^2)^{(7/2)}*d^3*x^3/e^2 + 9/640*(-e^2*x^2+d^2)^{(5/2)}*d^7*x/e^4 - 20/143*(-e^2*x^2+d^2)^{(7/2)}*d^4*x^2/e^3 - 27/320*(-e^2*x^2+d^2)^{(7/2)}*d^5*x/e^4 - 40/1001*(-e^2*x^2+d^2)^{(7/2)}*d^6/e^5$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 (d^2 - e^2 x^2)^{5/2} (d + e x)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3, x)

[Out] int(x^4\*(d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3, x)

**sympy [C]** time = 64.64, size = 2028, normalized size = 7.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(e\*x+d)\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2), x)

```
[Out] d**7*Piecewise((-I*d**6*acosh(e*x/d)/(16*e**5) + I*d**5*x/(16*e**4*sqrt(-1
+ e**2*x**2/d**2)) - I*d**3*x**3/(48*e**2*sqrt(-1 + e**2*x**2/d**2)) - 5*I*
d*x**5/(24*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**7/(6*d*sqrt(-1 + e**2*x**
2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**6*asin(e*x/d)/(16*e**5) - d**5*x/(1
6*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**3/(48*e**2*sqrt(1 - e**2*x**2/d*
**2)) + 5*d*x**5/(24*sqrt(1 - e**2*x**2/d**2)) - e**2*x**7/(6*d*sqrt(1 - e**
2*x**2/d**2)), True)) + 3*d**6*e*Piecewise((-8*d**6*sqrt(d**2 - e**2*x**2)/
(105*e**6) - 4*d**4*x**2*sqrt(d**2 - e**2*x**2)/(105*e**4) - d**2*x**4*sqrt
(d**2 - e**2*x**2)/(35*e**2) + x**6*sqrt(d**2 - e**2*x**2)/7, Ne(e, 0)), (x
**6*sqrt(d**2)/6, True)) + d**5*e**2*Piecewise((-5*I*d**8*acosh(e*x/d)/(128
*e**7) + 5*I*d**7*x/(128*e**6*sqrt(-1 + e**2*x**2/d**2)) - 5*I*d**5*x**3/(3
84*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**5/(192*e**2*sqrt(-1 + e**2*x
**2/d**2)) - 7*I*d*x**7/(48*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**9/(8*d*s
qrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (5*d**8*asin(e*x/d)/(1
28*e**7) - 5*d**7*x/(128*e**6*sqrt(1 - e**2*x**2/d**2)) + 5*d**5*x**3/(384*
e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**5/(192*e**2*sqrt(1 - e**2*x**2/d**
2)) + 7*d*x**7/(48*sqrt(1 - e**2*x**2/d**2)) - e**2*x**9/(8*d*sqrt(1 - e**2
*x**2/d**2)), True)) - 5*d**4*e**3*Piecewise((-16*d**8*sqrt(d**2 - e**2*x**
2)/(315*e**8) - 8*d**6*x**2*sqrt(d**2 - e**2*x**2)/(315*e**6) - 2*d**4*x**4
*sqrt(d**2 - e**2*x**2)/(105*e**4) - d**2*x**6*sqrt(d**2 - e**2*x**2)/(63*e
**2) + x**8*sqrt(d**2 - e**2*x**2)/9, Ne(e, 0)), (x**8*sqrt(d**2)/8, True))
- 5*d**3*e**4*Piecewise((-7*I*d**10*acosh(e*x/d)/(256*e**9) + 7*I*d**9*x/(
256*e**8*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d**7*x**3/(768*e**6*sqrt(-1 + e**
2*x**2/d**2)) - 7*I*d**5*x**5/(1920*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**
3*x**7/(480*e**2*sqrt(-1 + e**2*x**2/d**2)) - 9*I*d*x**9/(80*sqrt(-1 + e**2
*x**2/d**2)) + I*e**2*x**11/(10*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2
/d**2) > 1), (7*d**10*asin(e*x/d)/(256*e**9) - 7*d**9*x/(256*e**8*sqrt(1 -
e**2*x**2/d**2)) + 7*d**7*x**3/(768*e**6*sqrt(1 - e**2*x**2/d**2)) + 7*d**5
*x**5/(1920*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**7/(480*e**2*sqrt(1 - e
**2*x**2/d**2)) + 9*d*x**9/(80*sqrt(1 - e**2*x**2/d**2)) - e**2*x**11/(10*d
*sqrt(1 - e**2*x**2/d**2)), True)) + d**2*e**5*Piecewise((-128*d**10*sqrt(d
**2 - e**2*x**2)/(3465*e**10) - 64*d**8*x**2*sqrt(d**2 - e**2*x**2)/(3465*e
**8) - 16*d**6*x**4*sqrt(d**2 - e**2*x**2)/(1155*e**6) - 8*d**4*x**6*sqrt(d
**2 - e**2*x**2)/(693*e**4) - d**2*x**8*sqrt(d**2 - e**2*x**2)/(99*e**2) +
x**10*sqrt(d**2 - e**2*x**2)/11, Ne(e, 0)), (x**10*sqrt(d**2)/10, True)) +
3*d**e**6*Piecewise((-21*I*d**12*acosh(e*x/d)/(1024*e**11) + 21*I*d**11*x/(1
024*e**10*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d**9*x**3/(1024*e**8*sqrt(-1 + e
**2*x**2/d**2)) - 7*I*d**7*x**5/(2560*e**6*sqrt(-1 + e**2*x**2/d**2)) - I*d
**5*x**7/(640*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**9/(960*e**2*sqrt(
-1 + e**2*x**2/d**2)) - 11*I*d*x**11/(120*sqrt(-1 + e**2*x**2/d**2)) + I*e
**2*x**13/(12*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (21*d
**12*asin(e*x/d)/(1024*e**11) - 21*d**11*x/(1024*e**10*sqrt(1 - e**2*x**2/d
**2)) + 7*d**9*x**3/(1024*e**8*sqrt(1 - e**2*x**2/d**2)) + 7*d**7*x**5/(2560
*e**6*sqrt(1 - e**2*x**2/d**2)) + d**5*x**7/(640*e**4*sqrt(1 - e**2*x**2/d*
**2)) + d**3*x**9/(960*e**2*sqrt(1 - e**2*x**2/d**2)) + 11*d*x**11/(120*sqrt
```

```

(1 - e**2*x**2/d**2)) - e**2*x**13/(12*d*sqrt(1 - e**2*x**2/d**2)), True))
+ e**7*Piecewise((-256*d**12*sqrt(d**2 - e**2*x**2)/(9009*e**12) - 128*d**1
0*x**2*sqrt(d**2 - e**2*x**2)/(9009*e**10) - 32*d**8*x**4*sqrt(d**2 - e**2*
x**2)/(3003*e**8) - 80*d**6*x**6*sqrt(d**2 - e**2*x**2)/(9009*e**6) - 10*d*
*4*x**8*sqrt(d**2 - e**2*x**2)/(1287*e**4) - d**2*x**10*sqrt(d**2 - e**2*x*
*2)/(143*e**2) + x**12*sqrt(d**2 - e**2*x**2)/13, Ne(e, 0)), (x**12*sqrt(d*
*2)/12, True))

```

$$3.67 \quad \int x^3(d + ex)^3 (d^2 - e^2x^2)^{5/2} dx$$

Optimal. Leaf size=252

$$-\frac{1}{12}ex^5 (d^2 - e^2x^2)^{7/2} - \frac{3}{11}dx^4 (d^2 - e^2x^2)^{7/2} - \frac{41d^2x^3 (d^2 - e^2x^2)^{7/2}}{120e} + \frac{41d^{12} \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{1024e^4} + \frac{41d^{10}x\sqrt{d^2 - e^2x^2}}{1024e^3} +$$

Rubi [A] time = 0.36, antiderivative size = 252, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1809, 833, 780, 195, 217, 203}

$$\frac{41d^{10}x\sqrt{d^2 - e^2x^2}}{1024e^3} + \frac{41d^8x(d^2 - e^2x^2)^{3/2}}{1536e^3} + \frac{41d^6x(d^2 - e^2x^2)^{5/2}}{1920e^3} - \frac{d^4(14720d + 28413ex)(d^2 - e^2x^2)^{7/2}}{221760e^4} - \frac{23d^3x^2(d^2 - e^2x^2)^{7/2}}{99e^2} - \frac{41d^2x^3(d^2 - e^2x^2)^{7/2}}{120e} - \frac{3}{11}dx^4(d^2 - e^2x^2)^{7/2} - \frac{1}{12}ex^5(d^2 - e^2x^2)^{7/2} + \frac{41d^{12} \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{1024e^4}$$

Antiderivative was successfully verified.

[In] Int[x^3\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (41\*d^10\*x\*sqrt[d^2 - e^2\*x^2])/(1024\*e^3) + (41\*d^8\*x\*(d^2 - e^2\*x^2)^(3/2))/(1536\*e^3) + (41\*d^6\*x\*(d^2 - e^2\*x^2)^(5/2))/(1920\*e^3) - (23\*d^3\*x^2\*(d^2 - e^2\*x^2)^(7/2))/(99\*e^2) - (41\*d^2\*x^3\*(d^2 - e^2\*x^2)^(7/2))/(120\*e) - (3\*d\*x^4\*(d^2 - e^2\*x^2)^(7/2))/11 - (e\*x^5\*(d^2 - e^2\*x^2)^(7/2))/12 - (d^4\*(14720\*d + 28413\*e\*x)\*(d^2 - e^2\*x^2)^(7/2))/(221760\*e^4) + (41\*d^12\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(1024\*e^4)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned}
\int x^3(d+ex)^3(d^2-e^2x^2)^{5/2} dx &= -\frac{1}{12}ex^5(d^2-e^2x^2)^{7/2} - \frac{\int x^3(d^2-e^2x^2)^{5/2}(-12d^3e^2-41d^2e^3x-36de^4x^2) dx}{12e^2} \\
&= -\frac{3}{11}dx^4(d^2-e^2x^2)^{7/2} - \frac{1}{12}ex^5(d^2-e^2x^2)^{7/2} + \frac{\int x^3(276d^3e^4+451d^2e^5x)(d^2-e^2x^2)^{5/2} dx}{132e^4} \\
&= -\frac{41d^2x^3(d^2-e^2x^2)^{7/2}}{120e} - \frac{3}{11}dx^4(d^2-e^2x^2)^{7/2} - \frac{1}{12}ex^5(d^2-e^2x^2)^{7/2} - \frac{\int x^2(-23d^3e^2-41d^2e^3x-36de^4x^2)(d^2-e^2x^2)^{5/2} dx}{120e} \\
&= -\frac{23d^3x^2(d^2-e^2x^2)^{7/2}}{99e^2} - \frac{41d^2x^3(d^2-e^2x^2)^{7/2}}{120e} - \frac{3}{11}dx^4(d^2-e^2x^2)^{7/2} - \frac{1}{12}ex^5(d^2-e^2x^2)^{7/2} \\
&= -\frac{23d^3x^2(d^2-e^2x^2)^{7/2}}{99e^2} - \frac{41d^2x^3(d^2-e^2x^2)^{7/2}}{120e} - \frac{3}{11}dx^4(d^2-e^2x^2)^{7/2} - \frac{1}{12}ex^5(d^2-e^2x^2)^{7/2} \\
&= \frac{41d^6x(d^2-e^2x^2)^{5/2}}{1920e^3} - \frac{23d^3x^2(d^2-e^2x^2)^{7/2}}{99e^2} - \frac{41d^2x^3(d^2-e^2x^2)^{7/2}}{120e} - \frac{3}{11}dx^4(d^2-e^2x^2)^{7/2} \\
&= \frac{41d^8x(d^2-e^2x^2)^{3/2}}{1536e^3} + \frac{41d^6x(d^2-e^2x^2)^{5/2}}{1920e^3} - \frac{23d^3x^2(d^2-e^2x^2)^{7/2}}{99e^2} - \frac{41d^2x^3(d^2-e^2x^2)^{7/2}}{120e} \\
&= \frac{41d^{10}x\sqrt{d^2-e^2x^2}}{1024e^3} + \frac{41d^8x(d^2-e^2x^2)^{3/2}}{1536e^3} + \frac{41d^6x(d^2-e^2x^2)^{5/2}}{1920e^3} - \frac{23d^3x^2(d^2-e^2x^2)^{7/2}}{99e^2} \\
&= \frac{41d^{10}x\sqrt{d^2-e^2x^2}}{1024e^3} + \frac{41d^8x(d^2-e^2x^2)^{3/2}}{1536e^3} + \frac{41d^6x(d^2-e^2x^2)^{5/2}}{1920e^3} - \frac{23d^3x^2(d^2-e^2x^2)^{7/2}}{99e^2} \\
&= \frac{41d^{10}x\sqrt{d^2-e^2x^2}}{1024e^3} + \frac{41d^8x(d^2-e^2x^2)^{3/2}}{1536e^3} + \frac{41d^6x(d^2-e^2x^2)^{5/2}}{1920e^3} - \frac{23d^3x^2(d^2-e^2x^2)^{7/2}}{99e^2}
\end{aligned}$$

**Mathematica [A]** time = 0.30, size = 189, normalized size = 0.75

$$\frac{\sqrt{d^2-e^2x^2} \left( 142065d^{11} \sin^{-1}\left(\frac{ex}{d}\right) + \sqrt{1-\frac{e^2x^2}{d^2}} \left( -235520d^{11} - 142065d^{10}ex - 117760d^9e^2x^2 - 94710d^8e^3x^3 + 798720d^7e^4x^4 + 2053128d^6e^5x^5 + 665600d^5e^6x^6 - 2295216d^4e^7x^7 - 2078720d^3e^8x^8 + 325248d^2e^9x^9 + 967680de^{10}x^{10} + 295680e^{11}x^{11} \right) \right)}{3548160e^4\sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(Sqrt[1 - (e^2\*x^2)/d^2]\*(-235520\*d^11 - 142065\*d^10\*e\*x - 117760\*d^9\*e^2\*x^2 - 94710\*d^8\*e^3\*x^3 + 798720\*d^7\*e^4\*x^4 + 2053128\*d^6\*e^5\*x^5 + 665600\*d^5\*e^6\*x^6 - 2295216\*d^4\*e^7\*x^7 - 2078720\*d^3\*e^8\*x^8 + 325248\*d^2\*e^9\*x^9 + 967680\*d\*e^10\*x^10 + 295680\*e^11\*x^11) + 142065\*d^11\*ArcSin[(e\*x)/d]))/(3548160\*e^4\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.68, size = 191, normalized size = 0.76

$$\frac{41d^{12}\sqrt{-e^2}\log\left(\frac{\sqrt{d^2-e^2x^2}-\sqrt{-e^2}x}{\sqrt{d^2-e^2x^2}}\right)+\sqrt{d^2-e^2x^2}\left(-235520d^{11}-142065d^{10}ex-117760d^9e^2x^2-94710d^8e^3x^3+798720d^7e^4x^4+2053128d^6e^5x^5+665600d^5e^6x^6-2295216d^4e^7x^7-2078720d^3e^8x^8+325248d^2e^9x^9+967680de^{10}x^{10}+295680d^{11}x^{11}\right)}{1024e^6} + \frac{3548160e^4}{3548160e^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-235520\*d^11 - 142065\*d^10\*e\*x - 117760\*d^9\*e^2\*x^2 - 94710\*d^8\*e^3\*x^3 + 798720\*d^7\*e^4\*x^4 + 2053128\*d^6\*e^5\*x^5 + 665600\*d^5\*e^6\*x^6 - 2295216\*d^4\*e^7\*x^7 - 2078720\*d^3\*e^8\*x^8 + 325248\*d^2\*e^9\*x^9 + 967680\*d\*e^10\*x^10 + 295680\*e^11\*x^11))/(3548160\*e^4) + (41\*d^12\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(1024\*e^5)

**fricas [A]** time = 0.41, size = 172, normalized size = 0.68

$$\frac{284130d^{12}\arctan\left(\frac{d-\sqrt{-e^2x^2}}{ex}\right)-(295680e^{11}x^{11}+967680de^{10}x^{10}+325248d^2e^9x^9-2078720d^3e^8x^8-2295216d^4e^7x^7+665600d^5e^6x^6+2053128d^6e^5x^5+798720d^7e^4x^4-94710d^8e^3x^3-117760d^9e^2x^2-142065d^{10}ex-235520d^{11})\sqrt{-e^2x^2+d^2}}{3548160e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x, algorithm="fricas")

[Out] -1/3548160\*(284130\*d^12\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (295680\*e^11\*x^11 + 967680\*d\*e^10\*x^10 + 325248\*d^2\*e^9\*x^9 - 2078720\*d^3\*e^8\*x^8 - 2295216\*d^4\*e^7\*x^7 + 665600\*d^5\*e^6\*x^6 + 2053128\*d^6\*e^5\*x^5 + 798720\*d^7\*e^4\*x^4 - 94710\*d^8\*e^3\*x^3 - 117760\*d^9\*e^2\*x^2 - 142065\*d^10\*e\*x - 235520\*d^11)\*sqrt(-e^2\*x^2 + d^2))/e^4

**giac [A]** time = 0.24, size = 149, normalized size = 0.59

$$\frac{41}{1024}d^{12}\arcsin\left(\frac{xc}{d}\right)e^{(-4)\operatorname{sgn}(d)}-\frac{1}{3548160}\left(235520d^{11}e^{(-4)}+(142065d^{10}e^{(-3)}+2(58880d^9e^{(-2)}+(47355d^8e^{(-1)}-4(99840d^7+2(256641d^6e+2(41600d^5e^2-7(20493d^4e^3+8(2320d^3e^4-3(121d^2e^5+10(11xe^7+36de^6)x)x)x)x)x)x)\sqrt{-e^2x^2+d^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x, algorithm="giac")

[Out] 41/1024\*d^12\*arcsin(x\*e/d)\*e^(-4)\*sgn(d) - 1/3548160\*(235520\*d^11\*e^(-4) + (142065\*d^10\*e^(-3) + 2\*(58880\*d^9\*e^(-2) + (47355\*d^8\*e^(-1) - 4\*(99840\*d^7 + (256641\*d^6\*e + 2\*(41600\*d^5\*e^2 - 7\*(20493\*d^4\*e^3 + 8\*(2320\*d^3\*e^4 - 3\*(121\*d^2\*e^5 + 10\*(11\*x\*e^7 + 36\*d\*e^6)\*x)\*x)\*x)\*x)\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple [A]** time = 0.02, size = 241, normalized size = 0.96

$$\frac{41d^{12}\arctan\left(\frac{\sqrt{-e^2}x}{\sqrt{-e^2x^2+d^2}}\right)+41\sqrt{-e^2x^2+d^2}d^{10}x+41(-e^2x^2+d^2)^{\frac{3}{2}}d^8x-\frac{(-e^2x^2+d^2)^{\frac{7}{2}}ex^5}{12}-\frac{3(-e^2x^2+d^2)^{\frac{7}{2}}d^4x^4}{11}+\frac{41(-e^2x^2+d^2)^{\frac{5}{2}}d^6x}{1920e^3}-\frac{41(-e^2x^2+d^2)^{\frac{5}{2}}d^2x^3}{120e}-\frac{23(-e^2x^2+d^2)^{\frac{5}{2}}d^3x^2}{99e^2}-\frac{41(-e^2x^2+d^2)^{\frac{5}{2}}d^4x}{320e^3}-\frac{46(-e^2x^2+d^2)^{\frac{5}{2}}d^5}{693e^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(e*x+d)^3*(-e^2*x^2+d^2)^(5/2),x)`

[Out] 
$$-1/12*e*x^5*(-e^2*x^2+d^2)^(7/2)-41/120*d^2*x^3*(-e^2*x^2+d^2)^(7/2)/e-41/320/e^3*d^4*x*(-e^2*x^2+d^2)^(7/2)+41/1920*d^6*x*(-e^2*x^2+d^2)^(5/2)/e^3+41/1536*d^8*x*(-e^2*x^2+d^2)^(3/2)/e^3+41/1024*d^10*x*(-e^2*x^2+d^2)^(1/2)/e^3+41/1024/e^3*d^12/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-3/11*d*x^4*(-e^2*x^2+d^2)^(7/2)-23/99*d^3*x^2*(-e^2*x^2+d^2)^(7/2)/e^2-46/693/e^4*d^5*(-e^2*x^2+d^2)^(7/2)$$

**maxima** [A] time = 0.99, size = 220, normalized size = 0.87

$$\frac{1}{12}(-e^2x^2+d^2)^{7/2}ex^5 + \frac{41d^{12}\arcsin\left(\frac{ex}{d}\right)}{1024e^4} + \frac{41\sqrt{-e^2x^2+d^2}d^{10}x}{1024e^3} - \frac{3}{11}(-e^2x^2+d^2)^{7/2}dx^4 + \frac{41(-e^2x^2+d^2)^{5/2}d^6x}{1536e^3} - \frac{41(-e^2x^2+d^2)^{7/2}d^2x^3}{120e} + \frac{41(-e^2x^2+d^2)^{5/2}d^8x}{1920e^3} - \frac{23(-e^2x^2+d^2)^{7/2}d^3x^2}{99e^2} - \frac{41(-e^2x^2+d^2)^{7/2}d^4x}{320e^3} - \frac{46(-e^2x^2+d^2)^{7/2}d^5}{693e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x+d)^3*(-e^2*x^2+d^2)^(5/2),x, algorithm="maxima")`

[Out] 
$$-1/12*(-e^2*x^2 + d^2)^(7/2)*e*x^5 + 41/1024*d^12*\arcsin(e*x/d)/e^4 + 41/1024*\sqrt{-e^2*x^2 + d^2}*d^10*x/e^3 - 3/11*(-e^2*x^2 + d^2)^(7/2)*d*x^4 + 41/1536*(-e^2*x^2 + d^2)^(3/2)*d^8*x/e^3 - 41/120*(-e^2*x^2 + d^2)^(7/2)*d^2*x^3/e + 41/1920*(-e^2*x^2 + d^2)^(5/2)*d^6*x/e^3 - 23/99*(-e^2*x^2 + d^2)^(7/2)*d^3*x^2/e^2 - 41/320*(-e^2*x^2 + d^2)^(7/2)*d^4*x/e^3 - 46/693*(-e^2*x^2 + d^2)^(7/2)*d^5/e^4$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 (d^2 - e^2 x^2)^{5/2} (d + ex)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(d^2 - e^2*x^2)^(5/2)*(d + e*x)^3,x)`

[Out] `int(x^3*(d^2 - e^2*x^2)^(5/2)*(d + e*x)^3, x)`

**sympy** [A] time = 59.74, size = 1919, normalized size = 7.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x+d)**3*(-e**2*x**2+d**2)**(5/2),x)`

[Out] 
$$d^{**7}*\text{Piecewise}((-2*d^{**4}*\sqrt{d^{**2} - e^{**2}*x^{**2}})/(15*e^{**4}) - d^{**2}*x^{**2}*\sqrt{d^{**2} - e^{**2}*x^{**2}}/(15*e^{**2}) + x^{**4}*\sqrt{d^{**2} - e^{**2}*x^{**2}}/5, \text{Ne}(e, 0)), (x^{**4}*\sqrt{d^{**2}}/4, \text{True})) + 3*d^{**6}*e*\text{Piecewise}((-I*d^{**6}*\text{acosh}(e*x/d)/(16*e^{**5}) + I*d^{**5}*x/(16*e^{**4}*\sqrt{-1 + e^{**2}*x^{**2}/d^{**2}})) - I*d^{**3}*x^{**3}/(48*e^{**2}*\sqrt{-1 + e^{**2}*x^{**2}/d^{**2}})) - 5*I*d*x^{**5}/(24*\sqrt{-1 + e^{**2}*x^{**2}/d^{**2}})) + I*e^{**2}*x^{**7}/(6*d*\sqrt{-1 + e^{**2}*x^{**2}/d^{**2}}), \text{Abs}(e^{**2}*x^{**2}/d^{**2}) > 1), (d^{**6}*\text{asin}$$



```

(e*x/d)/(16*e**5) - d**5*x/(16*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**3/(
48*e**2*sqrt(1 - e**2*x**2/d**2)) + 5*d*x**5/(24*sqrt(1 - e**2*x**2/d**2))
- e**2*x**7/(6*d*sqrt(1 - e**2*x**2/d**2)), True)) + d**5*e**2*Piecewise((-
8*d**6*sqrt(d**2 - e**2*x**2)/(105*e**6) - 4*d**4*x**2*sqrt(d**2 - e**2*x**
2)/(105*e**4) - d**2*x**4*sqrt(d**2 - e**2*x**2)/(35*e**2) + x**6*sqrt(d**2
- e**2*x**2)/7, Ne(e, 0)), (x**6*sqrt(d**2)/6, True)) - 5*d**4*e**3*Piecewis
ise((-5*I*d**8*acosh(e*x/d)/(128*e**7) + 5*I*d**7*x/(128*e**6*sqrt(-1 + e**
2*x**2/d**2)) - 5*I*d**5*x**3/(384*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3
*x**5/(192*e**2*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d*x**7/(48*sqrt(-1 + e**2*
x**2/d**2)) + I*e**2*x**9/(8*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**
2) > 1), (5*d**8*asin(e*x/d)/(128*e**7) - 5*d**7*x/(128*e**6*sqrt(1 - e**2
*x**2/d**2)) + 5*d**5*x**3/(384*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**5/
(192*e**2*sqrt(1 - e**2*x**2/d**2)) + 7*d*x**7/(48*sqrt(1 - e**2*x**2/d**2)
) - e**2*x**9/(8*d*sqrt(1 - e**2*x**2/d**2)), True)) - 5*d**3*e**4*Piecewis
e((-16*d**8*sqrt(d**2 - e**2*x**2)/(315*e**8) - 8*d**6*x**2*sqrt(d**2 - e**
2*x**2)/(315*e**6) - 2*d**4*x**4*sqrt(d**2 - e**2*x**2)/(105*e**4) - d**2*x
**6*sqrt(d**2 - e**2*x**2)/(63*e**2) + x**8*sqrt(d**2 - e**2*x**2)/9, Ne(e,
0)), (x**8*sqrt(d**2)/8, True)) + d**2*e**5*Piecewise((-7*I*d**10*acosh(e*
x/d)/(256*e**9) + 7*I*d**9*x/(256*e**8*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d**
7*x**3/(768*e**6*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d**5*x**5/(1920*e**4*sqrt
(-1 + e**2*x**2/d**2)) - I*d**3*x**7/(480*e**2*sqrt(-1 + e**2*x**2/d**2)) -
9*I*d*x**9/(80*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**11/(10*d*sqrt(-1 + e
**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (7*d**10*asin(e*x/d)/(256*e**9)
- 7*d**9*x/(256*e**8*sqrt(1 - e**2*x**2/d**2)) + 7*d**7*x**3/(768*e**6*sqrt
(1 - e**2*x**2/d**2)) + 7*d**5*x**5/(1920*e**4*sqrt(1 - e**2*x**2/d**2)) +
d**3*x**7/(480*e**2*sqrt(1 - e**2*x**2/d**2)) + 9*d*x**9/(80*sqrt(1 - e**2*
x**2/d**2)) - e**2*x**11/(10*d*sqrt(1 - e**2*x**2/d**2)), True)) + 3*d*e**6
*Piecewise((-128*d**10*sqrt(d**2 - e**2*x**2)/(3465*e**10) - 64*d**8*x**2*s
qrt(d**2 - e**2*x**2)/(3465*e**8) - 16*d**6*x**4*sqrt(d**2 - e**2*x**2)/(11
55*e**6) - 8*d**4*x**6*sqrt(d**2 - e**2*x**2)/(693*e**4) - d**2*x**8*sqrt(d
**2 - e**2*x**2)/(99*e**2) + x**10*sqrt(d**2 - e**2*x**2)/11, Ne(e, 0)), (x
**10*sqrt(d**2)/10, True)) + e**7*Piecewise((-21*I*d**12*acosh(e*x/d)/(1024
*e**11) + 21*I*d**11*x/(1024*e**10*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d**9*x*
3/(1024*e**8*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d**7*x**5/(2560*e**6*sqrt(-1
+ e**2*x**2/d**2)) - I*d**5*x**7/(640*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*
d**3*x**9/(960*e**2*sqrt(-1 + e**2*x**2/d**2)) - 11*I*d*x**11/(120*sqrt(-1
+ e**2*x**2/d**2)) + I*e**2*x**13/(12*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**
2*x**2/d**2) > 1), (21*d**12*asin(e*x/d)/(1024*e**11) - 21*d**11*x/(1024*e*
**10*sqrt(1 - e**2*x**2/d**2)) + 7*d**9*x**3/(1024*e**8*sqrt(1 - e**2*x**2/d
**2)) + 7*d**7*x**5/(2560*e**6*sqrt(1 - e**2*x**2/d**2)) + d**5*x**7/(640*e
**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**9/(960*e**2*sqrt(1 - e**2*x**2/d**2
)) + 11*d*x**11/(120*sqrt(1 - e**2*x**2/d**2)) - e**2*x**13/(12*d*sqrt(1 -
e**2*x**2/d**2)), True))

```

$$3.68 \quad \int x^2(d + ex)^3 (d^2 - e^2x^2)^{5/2} dx$$

**Optimal.** Leaf size=223

$$-\frac{37d^2x^2(d^2 - e^2x^2)^{7/2}}{99e} - \frac{1}{11}ex^4(d^2 - e^2x^2)^{7/2} - \frac{3}{10}dx^3(d^2 - e^2x^2)^{7/2} + \frac{19d^{11} \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{256e^3} + \frac{19d^9x\sqrt{d^2 - e^2x^2}}{256e^2} + \dots$$

**Rubi [A]** time = 0.31, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1809, 833, 780, 195, 217, 203}

$$\frac{19d^9x\sqrt{d^2 - e^2x^2}}{256e^2} + \frac{19d^7x(d^2 - e^2x^2)^{3/2}}{384e^2} + \frac{19d^5x(d^2 - e^2x^2)^{5/2}}{480e^2} - \frac{d^3(5920d + 13167ex)(d^2 - e^2x^2)^{7/2}}{55440e^3} - \frac{37d^2x^2(d^2 - e^2x^2)^{7/2}}{99e} - \frac{3}{10}dx^3(d^2 - e^2x^2)^{7/2} - \frac{1}{11}ex^4(d^2 - e^2x^2)^{7/2} + \frac{19d^{11} \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{256e^3}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2),x]

[Out] (19\*d^9\*x\*sqrt[d^2 - e^2\*x^2])/(256\*e^2) + (19\*d^7\*x\*(d^2 - e^2\*x^2)^(3/2))/(384\*e^2) + (19\*d^5\*x\*(d^2 - e^2\*x^2)^(5/2))/(480\*e^2) - (37\*d^2\*x^2\*(d^2 - e^2\*x^2)^(7/2))/(99\*e) - (3\*d\*x^3\*(d^2 - e^2\*x^2)^(7/2))/10 - (e\*x^4\*(d^2 - e^2\*x^2)^(7/2))/11 - (d^3\*(5920\*d + 13167\*e\*x)\*(d^2 - e^2\*x^2)^(7/2))/(55440\*e^3) + (19\*d^11\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(256\*e^3)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned}
\int x^2(d+ex)^3(d^2-e^2x^2)^{5/2} dx &= -\frac{1}{11}ex^4(d^2-e^2x^2)^{7/2} - \frac{\int x^2(d^2-e^2x^2)^{5/2}(-11d^3e^2-37d^2e^3x-33de^4x^2) dx}{11e^2} \\
&= -\frac{3}{10}dx^3(d^2-e^2x^2)^{7/2} - \frac{1}{11}ex^4(d^2-e^2x^2)^{7/2} + \frac{\int x^2(209d^3e^4+370d^2e^5x)(d^2-e^2x^2)^{5/2} dx}{110e^4} \\
&= -\frac{37d^2x^2(d^2-e^2x^2)^{7/2}}{99e} - \frac{3}{10}dx^3(d^2-e^2x^2)^{7/2} - \frac{1}{11}ex^4(d^2-e^2x^2)^{7/2} - \frac{\int x(-7d^3e^4-37d^2e^5x)(d^2-e^2x^2)^{5/2} dx}{110e^4} \\
&= -\frac{37d^2x^2(d^2-e^2x^2)^{7/2}}{99e} - \frac{3}{10}dx^3(d^2-e^2x^2)^{7/2} - \frac{1}{11}ex^4(d^2-e^2x^2)^{7/2} - \frac{d^3(592d^3e^4+370d^2e^5x)(d^2-e^2x^2)^{5/2}}{110e^4} \\
&= \frac{19d^5x(d^2-e^2x^2)^{5/2}}{480e^2} - \frac{37d^2x^2(d^2-e^2x^2)^{7/2}}{99e} - \frac{3}{10}dx^3(d^2-e^2x^2)^{7/2} - \frac{1}{11}ex^4(d^2-e^2x^2)^{7/2} \\
&= \frac{19d^7x(d^2-e^2x^2)^{3/2}}{384e^2} + \frac{19d^5x(d^2-e^2x^2)^{5/2}}{480e^2} - \frac{37d^2x^2(d^2-e^2x^2)^{7/2}}{99e} - \frac{3}{10}dx^3(d^2-e^2x^2)^{7/2} \\
&= \frac{19d^9x\sqrt{d^2-e^2x^2}}{256e^2} + \frac{19d^7x(d^2-e^2x^2)^{3/2}}{384e^2} + \frac{19d^5x(d^2-e^2x^2)^{5/2}}{480e^2} - \frac{37d^2x^2(d^2-e^2x^2)^{7/2}}{99e} \\
&= \frac{19d^9x\sqrt{d^2-e^2x^2}}{256e^2} + \frac{19d^7x(d^2-e^2x^2)^{3/2}}{384e^2} + \frac{19d^5x(d^2-e^2x^2)^{5/2}}{480e^2} - \frac{37d^2x^2(d^2-e^2x^2)^{7/2}}{99e} \\
&= \frac{19d^9x\sqrt{d^2-e^2x^2}}{256e^2} + \frac{19d^7x(d^2-e^2x^2)^{3/2}}{384e^2} + \frac{19d^5x(d^2-e^2x^2)^{5/2}}{480e^2} - \frac{37d^2x^2(d^2-e^2x^2)^{7/2}}{99e}
\end{aligned}$$

**Mathematica [A]** time = 0.27, size = 178, normalized size = 0.80

$$\frac{\sqrt{d^2-e^2x^2} \left( 65835d^{10} \sin^{-1}\left(\frac{ex}{d}\right) + \sqrt{1-\frac{e^2x^2}{d^2}} \left( -94720d^{10} - 65835d^9ex - 47360d^8e^2x^2 + 251790d^7e^3x^3 + 629760d^6e^4x^4 + 201432d^5e^5x^5 - 657920d^4e^6x^6 - 587664d^3e^7x^7 + 89600d^2e^8x^8 + 266112de^9x^9 + 80640e^{10}x^{10} \right) \right)}{887040e^3 \sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(Sqrt[1 - (e^2\*x^2)/d^2]\*(-94720\*d^10 - 65835\*d^9\*e\*x - 47360\*d^8\*e^2\*x^2 + 251790\*d^7\*e^3\*x^3 + 629760\*d^6\*e^4\*x^4 + 201432\*d^5\*e^5\*x^5 - 657920\*d^4\*e^6\*x^6 - 587664\*d^3\*e^7\*x^7 + 89600\*d^2\*e^8\*x^8 + 266112\*d\*e^9\*x^9 + 80640\*e^10\*x^10) + 65835\*d^10\*ArcSin[(e\*x)/d]))/(887040\*e^3\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.69, size = 180, normalized size = 0.81

$$\frac{19d^{11}\sqrt{-e^2} \log\left(\sqrt{d^2-e^2x^2} - \sqrt{-e^2}x\right) + \sqrt{d^2-e^2x^2} \left( -94720d^{10} - 65835d^9ex - 47360d^8e^2x^2 + 251790d^7e^3x^3 + 629760d^6e^4x^4 + 201432d^5e^5x^5 - 657920d^4e^6x^6 - 587664d^3e^7x^7 + 89600d^2e^8x^8 + 266112de^9x^9 + 80640e^{10}x^{10} \right)}{256e^4} + \frac{\sqrt{d^2-e^2x^2} \left( -94720d^{10} - 65835d^9ex - 47360d^8e^2x^2 + 251790d^7e^3x^3 + 629760d^6e^4x^4 + 201432d^5e^5x^5 - 657920d^4e^6x^6 - 587664d^3e^7x^7 + 89600d^2e^8x^8 + 266112de^9x^9 + 80640e^{10}x^{10} \right)}{887040e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-94720\*d^10 - 65835\*d^9\*e\*x - 47360\*d^8\*e^2\*x^2 + 251790\*d^7\*e^3\*x^3 + 629760\*d^6\*e^4\*x^4 + 201432\*d^5\*e^5\*x^5 - 657920\*d^4\*e^6\*x^6 - 587664\*d^3\*e^7\*x^7 + 89600\*d^2\*e^8\*x^8 + 266112\*d\*e^9\*x^9 + 80640\*e^10\*x^10))/(887040\*e^3) + (19\*d^11\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(256\*e^4)

**fricas** [A] time = 0.42, size = 161, normalized size = 0.72

$$\frac{131670 d^{11} \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - (80640 e^{10} x^{10} + 266112 d e^9 x^9 + 89600 d^2 e^8 x^8 - 587664 d^3 e^7 x^7 - 657920 d^4 e^6 x^6 + 201432 d^5 e^5 x^5 + 629760 d^6 e^4 x^4 + 251790 d^7 e^3 x^3 - 47360 d^8 e^2 x^2 - 65835 d^9 e x - 94720 d^{10}) \sqrt{-e^2 x^2 + d^2}}{887040 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out] -1/887040\*(131670\*d^11\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (80640\*e^10\*x^10 + 266112\*d\*e^9\*x^9 + 89600\*d^2\*e^8\*x^8 - 587664\*d^3\*e^7\*x^7 - 657920\*d^4\*e^6\*x^6 + 201432\*d^5\*e^5\*x^5 + 629760\*d^6\*e^4\*x^4 + 251790\*d^7\*e^3\*x^3 - 47360\*d^8\*e^2\*x^2 - 65835\*d^9\*e\*x - 94720\*d^10)\*sqrt(-e^2\*x^2 + d^2))/e^3

**giac** [A] time = 0.29, size = 139, normalized size = 0.62

$$\frac{19}{256} d^{11} \arcsin\left(\frac{e x}{d}\right) \operatorname{sgn}(d) - \frac{1}{887040} (94720 d^{10} e^{-3} + (65835 d^9 e^{-2} + 2(23680 d^8 e^{-1} - (125895 d^7 + 4(78720 d^6 e + (25179 d^5 e^2 - 2(41120 d^4 e^3 + 7(5247 d^3 e^4 - 8(100 d^2 e^5 + 9(10 x e^7 + 33 d e^6)x)x)x)x)x) \sqrt{-x^2 e^2 + d^2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] 19/256\*d^11\*arcsin(x\*e/d)\*e^(-3)\*sgn(d) - 1/887040\*(94720\*d^10\*e^(-3) + (65835\*d^9\*e^(-2) + 2\*(23680\*d^8\*e^(-1) - (125895\*d^7 + 4\*(78720\*d^6\*e + (25179\*d^5\*e^2 - 2\*(41120\*d^4\*e^3 + 7\*(5247\*d^3\*e^4 - 8\*(100\*d^2\*e^5 + 9\*(10\*x\*e^7 + 33\*d\*e^6)\*x)\*x)\*x)\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple** [A] time = 0.01, size = 216, normalized size = 0.97

$$\frac{19 d^{11} \arctan\left(\frac{\sqrt{e} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{256 \sqrt{e^2}} + \frac{19 \sqrt{-e^2 x^2 + d^2} d^9 x}{256 e^2} + \frac{19 (-e^2 x^2 + d^2)^{\frac{3}{2}} d^7 x}{384 e^2} - \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}} e x^4}{11} + \frac{19 (-e^2 x^2 + d^2)^{\frac{5}{2}} d^5 x}{480 e^2} - \frac{3 (-e^2 x^2 + d^2)^{\frac{7}{2}} d x^3}{10} - \frac{37 (-e^2 x^2 + d^2)^{\frac{7}{2}} d^2 x^2}{99 e} - \frac{19 (-e^2 x^2 + d^2)^{\frac{7}{2}} d^3 x}{80 e^2} - \frac{74 (-e^2 x^2 + d^2)^{\frac{7}{2}} d^4}{693 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2),x)

[Out] -1/11\*e\*x^4\*(-e^2\*x^2+d^2)^(7/2)-37/99\*d^2\*x^2\*(-e^2\*x^2+d^2)^(7/2)/e-74/693/e^3\*d^4\*(-e^2\*x^2+d^2)^(7/2)-3/10\*d\*x^3\*(-e^2\*x^2+d^2)^(7/2)-19/80/e^2\*d^

$3*x*(-e^2*x^2+d^2)^{(7/2)}+19/480*d^5*x*(-e^2*x^2+d^2)^{(5/2)}/e^2+19/384*d^7*x$   
 $*(-e^2*x^2+d^2)^{(3/2)}/e^2+19/256*d^9*x*(-e^2*x^2+d^2)^{(1/2)}/e^2+19/256/e^2*$   
 $d^{11}/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)$

**maxima** [A] time = 0.99, size = 195, normalized size = 0.87

$$\frac{19d^{11}\arcsin\left(\frac{x}{d}\right)}{256e^3} + \frac{19\sqrt{-e^2x^2+d^2}d^9x}{256e^2} - \frac{1}{11}(-e^2x^2+d^2)^{\frac{7}{2}}ex^4 + \frac{19(-e^2x^2+d^2)^{\frac{3}{2}}d^7x}{384e^2} - \frac{3}{10}(-e^2x^2+d^2)^{\frac{7}{2}}dx^3 + \frac{19(-e^2x^2+d^2)^{\frac{5}{2}}d^5x}{480e^2} - \frac{37(-e^2x^2+d^2)^{\frac{7}{2}}d^3x^2}{99e} - \frac{19(-e^2x^2+d^2)^{\frac{7}{2}}d^3x}{80e^2} - \frac{74(-e^2x^2+d^2)^{\frac{7}{2}}d^4}{693e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2),x, algorithm="maxima")

[Out]  $19/256*d^{11}*\arcsin(e*x/d)/e^3 + 19/256*\sqrt{-e^2*x^2 + d^2}*d^9*x/e^2 - 1/11$   
 $1*(-e^2*x^2 + d^2)^{(7/2)}*e*x^4 + 19/384*(-e^2*x^2 + d^2)^{(3/2)}*d^7*x/e^2 -$   
 $3/10*(-e^2*x^2 + d^2)^{(7/2)}*d*x^3 + 19/480*(-e^2*x^2 + d^2)^{(5/2)}*d^5*x/e^2$   
 $- 37/99*(-e^2*x^2 + d^2)^{(7/2)}*d^2*x^2/e - 19/80*(-e^2*x^2 + d^2)^{(7/2)}*d^3$   
 $3*x/e^2 - 74/693*(-e^2*x^2 + d^2)^{(7/2)}*d^4/e^3$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (d^2 - e^2 x^2)^{5/2} (d + e x)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3,x)

[Out] int(x^2\*(d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3, x)

**sympy** [C] time = 40.61, size = 1681, normalized size = 7.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(e\*x+d)\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2),x)

[Out]  $d^{11}*\text{Piecewise}((-I*d^{11}*\text{acosh}(e*x/d)/(8*e^{11}) + I*d^{11}*x/(8*e^{10}*\sqrt{-1 + e^{10}*x^{10}/d^{10}})) - 3*I*d^{11}*x^3/(8*\sqrt{-1 + e^{10}*x^{10}/d^{10}}) + I*e^{10}*x^{10}/(4*d*\sqrt{-1 + e^{10}*x^{10}/d^{10}}), \text{Abs}(e^{10}*x^{10}/d^{10}) > 1), (d^{11}*\text{asin}(e*x/d)/(8*e^{11}) - d^{11}*x/(8*e^{10}*\sqrt{1 - e^{10}*x^{10}/d^{10}}) + 3*d^{11}*x^3/(8*\sqrt{1 - e^{10}*x^{10}/d^{10}}) - e^{10}*x^{10}/(4*d*\sqrt{1 - e^{10}*x^{10}/d^{10}}), \text{True})) + 3*d^{11}*$   
 $6*e*\text{Piecewise}((-2*d^{11}*\sqrt{d^{11} - e^{10}*x^{10}})/(15*e^{11}) - d^{11}*x^{10}*\sqrt{d^{11} - e^{10}*x^{10}}/(15*e^{10}) + x^{11}*\sqrt{d^{11} - e^{10}*x^{10}}/5, \text{Ne}(e, 0)), (x^{11}*$   
 $4*\sqrt{d^{11}}/4, \text{True})) + d^{11}*e^{10}*\text{Piecewise}((-I*d^{11}*\text{acosh}(e*x/d)/(16*e^{11}) + I*d^{11}*x/(16*e^{10}*\sqrt{-1 + e^{10}*x^{10}/d^{10}})) - I*d^{11}*x^3/(48*e^{10}*\sqrt{-1 + e^{10}*x^{10}/d^{10}}) - 5*I*d^{11}*x^5/(24*\sqrt{-1 + e^{10}*x^{10}/d^{10}}) + I*e^{10}$   
 $*x^{10}/(6*d*\sqrt{-1 + e^{10}*x^{10}/d^{10}}), \text{Abs}(e^{10}*x^{10}/d^{10}) > 1), (d^{11}*\text{asi$

```

n(e*x/d)/(16*e**5) - d**5*x/(16*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**3/
(48*e**2*sqrt(1 - e**2*x**2/d**2)) + 5*d*x**5/(24*sqrt(1 - e**2*x**2/d**2))
- e**2*x**7/(6*d*sqrt(1 - e**2*x**2/d**2)), True)) - 5*d**4*e**3*Piecewise
((-8*d**6*sqrt(d**2 - e**2*x**2)/(105*e**6) - 4*d**4*x**2*sqrt(d**2 - e**2*
x**2)/(105*e**4) - d**2*x**4*sqrt(d**2 - e**2*x**2)/(35*e**2) + x**6*sqrt(d
**2 - e**2*x**2)/7, Ne(e, 0)), (x**6*sqrt(d**2)/6, True)) - 5*d**3*e**4*Pie
cewise((-5*I*d**8*acosh(e*x/d)/(128*e**7) + 5*I*d**7*x/(128*e**6*sqrt(-1 +
e**2*x**2/d**2)) - 5*I*d**5*x**3/(384*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d
**3*x**5/(192*e**2*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d*x**7/(48*sqrt(-1 + e
**2*x**2/d**2)) + I*e**2*x**9/(8*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2
/d**2) > 1), (5*d**8*asin(e*x/d)/(128*e**7) - 5*d**7*x/(128*e**6*sqrt(1 - e
**2*x**2/d**2)) + 5*d**5*x**3/(384*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x
**5/(192*e**2*sqrt(1 - e**2*x**2/d**2)) + 7*d*x**7/(48*sqrt(1 - e**2*x**2/d
**2)) - e**2*x**9/(8*d*sqrt(1 - e**2*x**2/d**2)), True)) + d**2*e**5*Piecewi
se((-16*d**8*sqrt(d**2 - e**2*x**2)/(315*e**8) - 8*d**6*x**2*sqrt(d**2 - e
**2*x**2)/(315*e**6) - 2*d**4*x**4*sqrt(d**2 - e**2*x**2)/(105*e**4) - d**2*
x**6*sqrt(d**2 - e**2*x**2)/(63*e**2) + x**8*sqrt(d**2 - e**2*x**2)/9, Ne(e
, 0)), (x**8*sqrt(d**2)/8, True)) + 3*d*e**6*Piecewise((-7*I*d**10*acosh(e
x/d)/(256*e**9) + 7*I*d**9*x/(256*e**8*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d**
7*x**3/(768*e**6*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d**5*x**5/(1920*e**4*sqrt
(-1 + e**2*x**2/d**2)) - I*d**3*x**7/(480*e**2*sqrt(-1 + e**2*x**2/d**2)) -
9*I*d*x**9/(80*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**11/(10*d*sqrt(-1 + e
**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (7*d**10*asin(e*x/d)/(256*e**9)
- 7*d**9*x/(256*e**8*sqrt(1 - e**2*x**2/d**2)) + 7*d**7*x**3/(768*e**6*sqrt
(1 - e**2*x**2/d**2)) + 7*d**5*x**5/(1920*e**4*sqrt(1 - e**2*x**2/d**2)) +
d**3*x**7/(480*e**2*sqrt(1 - e**2*x**2/d**2)) + 9*d*x**9/(80*sqrt(1 - e**2*
x**2/d**2)) - e**2*x**11/(10*d*sqrt(1 - e**2*x**2/d**2)), True)) + e**7*Pie
cewise((-128*d**10*sqrt(d**2 - e**2*x**2)/(3465*e**10) - 64*d**8*x**2*sqrt(
d**2 - e**2*x**2)/(3465*e**8) - 16*d**6*x**4*sqrt(d**2 - e**2*x**2)/(1155*
e**6) - 8*d**4*x**6*sqrt(d**2 - e**2*x**2)/(693*e**4) - d**2*x**8*sqrt(d**2
- e**2*x**2)/(99*e**2) + x**10*sqrt(d**2 - e**2*x**2)/11, Ne(e, 0)), (x**10
*sqrt(d**2)/10, True))

```

$$3.69 \quad \int x(d + ex)^3 (d^2 - e^2x^2)^{5/2} dx$$

**Optimal.** Leaf size=230

$$\frac{11d^2(d + ex)(d^2 - e^2x^2)^{7/2}}{240e^2} - \frac{d(d + ex)^2(d^2 - e^2x^2)^{7/2}}{30e^2} - \frac{(d + ex)^3(d^2 - e^2x^2)^{7/2}}{10e^2} + \frac{33d^{10} \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{256e^2} + \frac{33d^8x^2}{256e^2}$$

**Rubi [A]** time = 0.12, antiderivative size = 230, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {795, 671, 641, 195, 217, 203}

$$\frac{33d^8x\sqrt{d^2 - e^2x^2}}{256e} + \frac{11d^6x(d^2 - e^2x^2)^{3/2}}{128e} + \frac{11d^4x(d^2 - e^2x^2)^{5/2}}{160e} - \frac{33d^3(d^2 - e^2x^2)^{7/2}}{560e^2} - \frac{11d^2(d + ex)(d^2 - e^2x^2)^{7/2}}{240e^2} - \frac{d(d + ex)^2(d^2 - e^2x^2)^{7/2}}{30e^2} - \frac{(d + ex)^3(d^2 - e^2x^2)^{7/2}}{10e^2} + \frac{33d^{10} \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{256e^2}$$

Antiderivative was successfully verified.

[In] Int[x\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2),x]

[Out] (33\*d^8\*x\*sqrt[d^2 - e^2\*x^2])/(256\*e) + (11\*d^6\*x\*(d^2 - e^2\*x^2)^(3/2))/(128\*e) + (11\*d^4\*x\*(d^2 - e^2\*x^2)^(5/2))/(160\*e) - (33\*d^3\*(d^2 - e^2\*x^2)^(7/2))/(560\*e^2) - (11\*d^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(7/2))/(240\*e^2) - (d\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(7/2))/(30\*e^2) - ((d + e\*x)^3\*(d^2 - e^2\*x^2)^(7/2))/(10\*e^2) + (33\*d^10\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(256\*e^2)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 641



```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

### Rule 671

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 1)), x] + Dist[(2*c
*d*(m + p))/(c*(m + 2*p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p, x], x]
/; FreeQ[{a, c, d, e, p}, x] && EqQ[c*d^2 + a*e^2, 0] && GtQ[m, 1] && NeQ[m
+ 2*p + 1, 0] && IntegerQ[2*p]
```

### Rule 795

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_
), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)),
x] + Dist[(m*(d*g + e*f) + 2*e*f*(p + 1))/(e*(m + 2*p + 2)), Int[(d + e*x)
^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && EqQ[c*d^2
+ a*e^2, 0] && NeQ[m + 2*p + 2, 0] && NeQ[m, 2]
```

### Rubi steps

$$\begin{aligned}
\int x(d+ex)^3(d^2-e^2x^2)^{5/2} dx &= -\frac{(d+ex)^3(d^2-e^2x^2)^{7/2}}{10e^2} + \frac{(3d)\int(d+ex)^3(d^2-e^2x^2)^{5/2} dx}{10e} \\
&= -\frac{d(d+ex)^2(d^2-e^2x^2)^{7/2}}{30e^2} - \frac{(d+ex)^3(d^2-e^2x^2)^{7/2}}{10e^2} + \frac{(11d^2)\int(d+ex)^2(d^2-e^2x^2)^{5/2} dx}{30e} \\
&= -\frac{11d^2(d+ex)(d^2-e^2x^2)^{7/2}}{240e^2} - \frac{d(d+ex)^2(d^2-e^2x^2)^{7/2}}{30e^2} - \frac{(d+ex)^3(d^2-e^2x^2)^{7/2}}{10e^2} \\
&= -\frac{33d^3(d^2-e^2x^2)^{7/2}}{560e^2} - \frac{11d^2(d+ex)(d^2-e^2x^2)^{7/2}}{240e^2} - \frac{d(d+ex)^2(d^2-e^2x^2)^{7/2}}{30e^2} \\
&= \frac{11d^4x(d^2-e^2x^2)^{5/2}}{160e} - \frac{33d^3(d^2-e^2x^2)^{7/2}}{560e^2} - \frac{11d^2(d+ex)(d^2-e^2x^2)^{7/2}}{240e^2} - \frac{d(d+ex)^3(d^2-e^2x^2)^{7/2}}{10e^2} \\
&= \frac{11d^6x(d^2-e^2x^2)^{3/2}}{128e} + \frac{11d^4x(d^2-e^2x^2)^{5/2}}{160e} - \frac{33d^3(d^2-e^2x^2)^{7/2}}{560e^2} - \frac{11d^2(d+ex)(d^2-e^2x^2)^{7/2}}{240e^2} \\
&= \frac{33d^8x\sqrt{d^2-e^2x^2}}{256e} + \frac{11d^6x(d^2-e^2x^2)^{3/2}}{128e} + \frac{11d^4x(d^2-e^2x^2)^{5/2}}{160e} - \frac{33d^3(d^2-e^2x^2)^{7/2}}{560e^2} \\
&= \frac{33d^8x\sqrt{d^2-e^2x^2}}{256e} + \frac{11d^6x(d^2-e^2x^2)^{3/2}}{128e} + \frac{11d^4x(d^2-e^2x^2)^{5/2}}{160e} - \frac{33d^3(d^2-e^2x^2)^{7/2}}{560e^2} \\
&= \frac{33d^8x\sqrt{d^2-e^2x^2}}{256e} + \frac{11d^6x(d^2-e^2x^2)^{3/2}}{128e} + \frac{11d^4x(d^2-e^2x^2)^{5/2}}{160e} - \frac{33d^3(d^2-e^2x^2)^{7/2}}{560e^2}
\end{aligned}$$

**Mathematica [A]** time = 0.38, size = 167, normalized size = 0.73

$$\frac{\sqrt{d^2-e^2x^2} \left( 3465d^9 \sin^{-1}\left(\frac{ex}{d}\right) + \sqrt{1-\frac{e^2x^2}{d^2}} (-6400d^9 - 3465d^8ex + 10240d^7e^2x^2 + 24570d^6e^3x^3 + 7680d^5e^4x^4 - 23352d^4e^5x^5 - 20480d^3e^6x^6 + 3024d^2e^7x^7 + 8960de^8x^8 + 2688e^9x^9) \right)}{26880e^2\sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(Sqrt[1 - (e^2\*x^2)/d^2]\*(-6400\*d^9 - 3465\*d^8\*e\*x + 10240\*d^7\*e^2\*x^2 + 24570\*d^6\*e^3\*x^3 + 7680\*d^5\*e^4\*x^4 - 23352\*d^4\*e^5\*x^5 - 20480\*d^3\*e^6\*x^6 + 3024\*d^2\*e^7\*x^7 + 8960\*d\*e^8\*x^8 + 2688\*e^9\*x^9) + 3465\*d^9\*ArcSin[(e\*x)/d]))/(26880\*e^2\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.59, size = 169, normalized size = 0.73

$$\frac{33d^{10}\sqrt{-e^2} \log\left(\sqrt{d^2-e^2x^2}-\sqrt{-e^2}x\right)}{256e^3} + \frac{\sqrt{d^2-e^2x^2}(-6400d^9-3465d^8ex+10240d^7e^2x^2+24570d^6e^3x^3+7680d^5e^4x^4-23352d^4e^5x^5-20480d^3e^6x^6+3024d^2e^7x^7+8960de^8x^8+2688e^9x^9)}{26880e^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-6400\*d^9 - 3465\*d^8\*e\*x + 10240\*d^7\*e^2\*x^2 + 24570\*d^6\*e^3\*x^3 + 7680\*d^5\*e^4\*x^4 - 23352\*d^4\*e^5\*x^5 - 20480\*d^3\*e^6\*x^6 + 3024\*d^2\*e^7\*x^7 + 8960\*d\*e^8\*x^8 + 2688\*e^9\*x^9))/(26880\*e^2) + (33\*d^10\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(256\*e^3)

**fricas** [A] time = 0.40, size = 150, normalized size = 0.65

$$\frac{6930 d^{10} \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - (2688 e^9 x^9 + 8960 d e^8 x^8 + 3024 d^2 e^7 x^7 - 20480 d^3 e^6 x^6 - 23352 d^4 e^5 x^5 + 7680 d^5 e^4 x^4 + 24570 d^6 e^3 x^3 + 10240 d^7 e^2 x^2 - 3465 d^8 e x - 6400 d^9) \sqrt{-e^2 x^2 + d^2}}{26880 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x, algorithm="fricas")

[Out] -1/26880\*(6930\*d^10\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (2688\*e^9\*x^9 + 8960\*d\*e^8\*x^8 + 3024\*d^2\*e^7\*x^7 - 20480\*d^3\*e^6\*x^6 - 23352\*d^4\*e^5\*x^5 + 7680\*d^5\*e^4\*x^4 + 24570\*d^6\*e^3\*x^3 + 10240\*d^7\*e^2\*x^2 - 3465\*d^8\*e\*x - 6400\*d^9)\*sqrt(-e^2\*x^2 + d^2))/e^2

**giac** [A] time = 0.24, size = 128, normalized size = 0.56

$$\frac{33}{256} d^{10} \arcsin\left(\frac{x e}{d}\right) e^{(-2) \operatorname{sgn}(d)} - \frac{1}{26880} (6400 d^9 e^{(-2)} + (3465 d^8 e^{(-1)} - 2(5120 d^7 + (12285 d^6 e + 4(960 d^5 e^2 - (2919 d^4 e^3 + 2(1280 d^3 e^4 - 7(27 d^2 e^5 + 8(3 x e^7 + 10 d e^6) x) x) x) x) x) x) \sqrt{-e^2 x^2 + d^2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x, algorithm="giac")

[Out] 33/256\*d^10\*arcsin(x\*e/d)\*e^(-2)\*sgn(d) - 1/26880\*(6400\*d^9\*e^(-2) + (3465\*d^8\*e^(-1) - 2\*(5120\*d^7 + (12285\*d^6\*e + 4\*(960\*d^5\*e^2 - (2919\*d^4\*e^3 + 2\*(1280\*d^3\*e^4 - 7\*(27\*d^2\*e^5 + 8\*(3\*x\*e^7 + 10\*d\*e^6)\*x)\*x)\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple** [A] time = 0.01, size = 191, normalized size = 0.83

$$\frac{33 d^{10} \arctan\left(\frac{\sqrt{e^2 x^2 + d^2}}{e}\right)}{256 \sqrt{e^2} e} + \frac{33 \sqrt{-e^2 x^2 + d^2} d^8 x}{256 e} + \frac{11 (-e^2 x^2 + d^2)^3 d^6 x}{128 e} + \frac{11 (-e^2 x^2 + d^2)^5 d^4 x}{160 e} - \frac{(-e^2 x^2 + d^2)^7 e x^3}{10} - \frac{(-e^2 x^2 + d^2)^7 d x^2}{3} - \frac{33 (-e^2 x^2 + d^2)^7 d^2 x}{80 e} - \frac{5 (-e^2 x^2 + d^2)^7 d^3}{21 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x)

[Out] -1/10\*e\*x^3\*(-e^2\*x^2+d^2)^(7/2)-33/80/e\*d^2\*x\*(-e^2\*x^2+d^2)^(7/2)+11/160\*d^4\*x\*(-e^2\*x^2+d^2)^(5/2)/e+11/128\*d^6\*x\*(-e^2\*x^2+d^2)^(3/2)/e+33/256\*d^8\*x\*(-e^2\*x^2+d^2)^(1/2)/e+33/256/e\*d^10/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2))

$$2*x^2+d^2)^{(1/2)*x}-1/3*d*x^2*(-e^2*x^2+d^2)^{(7/2)}-5/21*d^3*(-e^2*x^2+d^2)^{(7/2)}/e^2$$

**maxima** [A] time = 0.99, size = 170, normalized size = 0.74

$$\frac{33 d^{10} \arcsin\left(\frac{ex}{d}\right)}{256 e^2} + \frac{33 \sqrt{-e^2 x^2 + d^2} d^8 x}{256 e} + \frac{11 (-e^2 x^2 + d^2)^{\frac{3}{2}} d^6 x}{128 e} - \frac{1}{10} (-e^2 x^2 + d^2)^{\frac{7}{2}} e x^3 + \frac{11 (-e^2 x^2 + d^2)^{\frac{5}{2}} d^4 x}{160 e} - \frac{1}{3} (-e^2 x^2 + d^2)^{\frac{7}{2}} d x^2 - \frac{33 (-e^2 x^2 + d^2)^{\frac{7}{2}} d^2 x}{80 e} - \frac{5 (-e^2 x^2 + d^2)^{\frac{7}{2}} d^3}{21 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2),x, algorithm="maxima")

[Out] 33/256\*d^10\*arcsin(e\*x/d)/e^2 + 33/256\*sqrt(-e^2\*x^2 + d^2)\*d^8\*x/e + 11/12  
8\*(-e^2\*x^2 + d^2)^(3/2)\*d^6\*x/e - 1/10\*(-e^2\*x^2 + d^2)^(7/2)\*e\*x^3 + 11/1  
60\*(-e^2\*x^2 + d^2)^(5/2)\*d^4\*x/e - 1/3\*(-e^2\*x^2 + d^2)^(7/2)\*d\*x^2 - 33/8  
0\*(-e^2\*x^2 + d^2)^(7/2)\*d^2\*x/e - 5/21\*(-e^2\*x^2 + d^2)^(7/2)\*d^3/e^2

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x (d^2 - e^2 x^2)^{5/2} (d + ex)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3,x)

[Out] int(x\*(d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3, x)

**sympy** [A] time = 40.18, size = 1554, normalized size = 6.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2),x)

[Out] d\*\*7\*Piecewise((x\*\*2\*sqrt(d\*\*2)/2, Eq(e\*\*2, 0)), (-d\*\*2 - e\*\*2\*x\*\*2)\*\*(3/2)/(3\*e\*\*2), True)) + 3\*d\*\*6\*e\*Piecewise((-I\*d\*\*4\*acosh(e\*x/d)/(8\*e\*\*3) + I\*d\*\*3\*x/(8\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 3\*I\*d\*x\*\*3/(8\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*5/(4\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*4\*asin(e\*x/d)/(8\*e\*\*3) - d\*\*3\*x/(8\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 3\*d\*x\*\*3/(8\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*5/(4\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2))), True)) + d\*\*5\*e\*\*2\*Piecewise((-2\*d\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(15\*e\*\*4) - d\*\*2\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(15\*e\*\*2) + x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/5, Ne(e, 0)), (x\*\*4\*sqrt(d\*\*2)/4, True)) - 5\*d\*\*4\*e\*\*3\*Piecewise((-I\*d\*\*6\*acosh(e\*x/d)/(16\*e\*\*5) + I\*d\*\*5\*x/(16\*e\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - I\*d\*\*3\*x\*\*3/(48\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 5\*I\*d\*x\*\*5/(24\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*7/(6\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*6\*asin(e\*x/d)/(16\*e\*\*5) - d\*\*5\*x/(16\*e\*\*4\*sqrt(1 - e

```

**2*x**2/d**2)) + d**3*x**3/(48*e**2*sqrt(1 - e**2*x**2/d**2)) + 5*d*x**5/(
24*sqrt(1 - e**2*x**2/d**2)) - e**2*x**7/(6*d*sqrt(1 - e**2*x**2/d**2)), Tr
ue)) - 5*d**3*e**4*Piecewise((-8*d**6*sqrt(d**2 - e**2*x**2)/(105*e**6) - 4
*d**4*x**2*sqrt(d**2 - e**2*x**2)/(105*e**4) - d**2*x**4*sqrt(d**2 - e**2*x
**2)/(35*e**2) + x**6*sqrt(d**2 - e**2*x**2)/7, Ne(e, 0)), (x**6*sqrt(d**2)
/6, True)) + d**2*e**5*Piecewise((-5*I*d**8*acosh(e*x/d)/(128*e**7) + 5*I*d
**7*x/(128*e**6*sqrt(-1 + e**2*x**2/d**2)) - 5*I*d**5*x**3/(384*e**4*sqrt(-
1 + e**2*x**2/d**2)) - I*d**3*x**5/(192*e**2*sqrt(-1 + e**2*x**2/d**2)) - 7
*I*d*x**7/(48*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**9/(8*d*sqrt(-1 + e**2*
x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (5*d**8*asin(e*x/d)/(128*e**7) - 5*d
**7*x/(128*e**6*sqrt(1 - e**2*x**2/d**2)) + 5*d**5*x**3/(384*e**4*sqrt(1 -
e**2*x**2/d**2)) + d**3*x**5/(192*e**2*sqrt(1 - e**2*x**2/d**2)) + 7*d*x**7
/(48*sqrt(1 - e**2*x**2/d**2)) - e**2*x**9/(8*d*sqrt(1 - e**2*x**2/d**2)),
True)) + 3*d*e**6*Piecewise((-16*d**8*sqrt(d**2 - e**2*x**2)/(315*e**8) - 8
*d**6*x**2*sqrt(d**2 - e**2*x**2)/(315*e**6) - 2*d**4*x**4*sqrt(d**2 - e**2
*x**2)/(105*e**4) - d**2*x**6*sqrt(d**2 - e**2*x**2)/(63*e**2) + x**8*sqrt(
d**2 - e**2*x**2)/9, Ne(e, 0)), (x**8*sqrt(d**2)/8, True)) + e**7*Piecewise
((-7*I*d**10*acosh(e*x/d)/(256*e**9) + 7*I*d**9*x/(256*e**8*sqrt(-1 + e**2*
x**2/d**2)) - 7*I*d**7*x**3/(768*e**6*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d**5
*x**5/(1920*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**7/(480*e**2*sqrt(-1
+ e**2*x**2/d**2)) - 9*I*d*x**9/(80*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x*
*11/(10*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (7*d**10*as
in(e*x/d)/(256*e**9) - 7*d**9*x/(256*e**8*sqrt(1 - e**2*x**2/d**2)) + 7*d**
7*x**3/(768*e**6*sqrt(1 - e**2*x**2/d**2)) + 7*d**5*x**5/(1920*e**4*sqrt(1
- e**2*x**2/d**2)) + d**3*x**7/(480*e**2*sqrt(1 - e**2*x**2/d**2)) + 9*d*x*
*9/(80*sqrt(1 - e**2*x**2/d**2)) - e**2*x**11/(10*d*sqrt(1 - e**2*x**2/d**2
)), True))

```

$$3.70 \quad \int (d + ex)^3 (d^2 - e^2x^2)^{5/2} dx$$

**Optimal.** Leaf size=188

$$\frac{11d^2 (d^2 - e^2x^2)^{7/2}}{56e} - \frac{11d(d + ex)(d^2 - e^2x^2)^{7/2}}{72e} - \frac{(d + ex)^2 (d^2 - e^2x^2)^{7/2}}{9e} + \frac{55d^9 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e} + \frac{55}{128} d^7 x \sqrt{d^2 - e^2x^2}$$

**Rubi [A]** time = 0.08, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {671, 641, 195, 217, 203}

$$\frac{55}{128} d^7 x \sqrt{d^2 - e^2x^2} + \frac{55}{192} d^5 x (d^2 - e^2x^2)^{3/2} + \frac{11}{48} d^3 x (d^2 - e^2x^2)^{5/2} - \frac{11d^2 (d^2 - e^2x^2)^{7/2}}{56e} - \frac{11d(d + ex)(d^2 - e^2x^2)^{7/2}}{72e} - \frac{(d + ex)^2 (d^2 - e^2x^2)^{7/2}}{9e} + \frac{55d^9 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2),x]

[Out] (55\*d^7\*x\*Sqrt[d^2 - e^2\*x^2])/128 + (55\*d^5\*x\*(d^2 - e^2\*x^2)^(3/2))/192 + (11\*d^3\*x\*(d^2 - e^2\*x^2)^(5/2))/48 - (11\*d^2\*(d^2 - e^2\*x^2)^(7/2))/(56\*e) - (11\*d\*(d + e\*x)\*(d^2 - e^2\*x^2)^(7/2))/(72\*e) - ((d + e\*x)^2\*(d^2 - e^2\*x^2)^(7/2))/(9\*e) + (55\*d^9\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(128\*e)

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /

; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 671

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 1)), x] + Dist[(2*c
*d*(m + p))/(c*(m + 2*p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p, x], x]
/; FreeQ[{a, c, d, e, p}, x] && EqQ[c*d^2 + a*e^2, 0] && GtQ[m, 1] && NeQ[m
+ 2*p + 1, 0] && IntegerQ[2*p]
```

### Rubi steps

$$\begin{aligned}
\int (d + ex)^3 (d^2 - e^2x^2)^{5/2} dx &= -\frac{(d + ex)^2 (d^2 - e^2x^2)^{7/2}}{9e} + \frac{1}{9}(11d) \int (d + ex)^2 (d^2 - e^2x^2)^{5/2} dx \\
&= -\frac{11d(d + ex)(d^2 - e^2x^2)^{7/2}}{72e} - \frac{(d + ex)^2 (d^2 - e^2x^2)^{7/2}}{9e} + \frac{1}{8}(11d^2) \int (d + ex)(d^2 - e^2x^2)^{5/2} dx \\
&= -\frac{11d^2 (d^2 - e^2x^2)^{7/2}}{56e} - \frac{11d(d + ex)(d^2 - e^2x^2)^{7/2}}{72e} - \frac{(d + ex)^2 (d^2 - e^2x^2)^{7/2}}{9e} + \frac{1}{8} \int (d + ex)(d^2 - e^2x^2)^{3/2} dx \\
&= \frac{11}{48}d^3x (d^2 - e^2x^2)^{5/2} - \frac{11d^2 (d^2 - e^2x^2)^{7/2}}{56e} - \frac{11d(d + ex)(d^2 - e^2x^2)^{7/2}}{72e} - \frac{(d + ex)^2 (d^2 - e^2x^2)^{7/2}}{9e} \\
&= \frac{55}{192}d^5x (d^2 - e^2x^2)^{3/2} + \frac{11}{48}d^3x (d^2 - e^2x^2)^{5/2} - \frac{11d^2 (d^2 - e^2x^2)^{7/2}}{56e} - \frac{11d(d + ex)(d^2 - e^2x^2)^{7/2}}{72e} \\
&= \frac{55}{128}d^7x\sqrt{d^2 - e^2x^2} + \frac{55}{192}d^5x (d^2 - e^2x^2)^{3/2} + \frac{11}{48}d^3x (d^2 - e^2x^2)^{5/2} - \frac{11d^2 (d^2 - e^2x^2)^{7/2}}{56e} \\
&= \frac{55}{128}d^7x\sqrt{d^2 - e^2x^2} + \frac{55}{192}d^5x (d^2 - e^2x^2)^{3/2} + \frac{11}{48}d^3x (d^2 - e^2x^2)^{5/2} - \frac{11d^2 (d^2 - e^2x^2)^{7/2}}{56e} \\
&= \frac{55}{128}d^7x\sqrt{d^2 - e^2x^2} + \frac{55}{192}d^5x (d^2 - e^2x^2)^{3/2} + \frac{11}{48}d^3x (d^2 - e^2x^2)^{5/2} - \frac{11d^2 (d^2 - e^2x^2)^{7/2}}{56e}
\end{aligned}$$

**Mathematica [A]** time = 0.33, size = 156, normalized size = 0.83

$$\frac{\sqrt{d^2 - e^2x^2} \left( 3465d^8 \sin^{-1}\left(\frac{ex}{d}\right) + \sqrt{1 - \frac{e^2x^2}{d^2}} \left( -3712d^8 + 4599d^7ex + 10240d^6e^2x^2 + 3066d^5e^3x^3 - 8448d^4e^4x^4 - 7224d^3e^5x^5 + 1024d^2e^6x^6 + 3024de^7x^7 + 896e^8x^8 \right) \right)}{8064e\sqrt{1 - \frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(Sqrt[1 - (e^2\*x^2)/d^2]\*(-3712\*d^8 + 4599\*d^7\*e\*x + 10240\*d^6\*e^2\*x^2 + 3066\*d^5\*e^3\*x^3 - 8448\*d^4\*e^4\*x^4 - 7224\*d^3\*e^5\*x^5 + 1024\*d^2\*e^6\*x^6 + 3024\*d\*e^7\*x^7 + 896\*e^8\*x^8) + 3465\*d^8\*ArcSin[(e\*x)/d]))/(8064\*e\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.48, size = 158, normalized size = 0.84

$$\frac{55d^9\sqrt{-e^2}\log\left(\frac{\sqrt{d^2-e^2x^2}-\sqrt{-e^2x}}{128e^2}\right)+\sqrt{d^2-e^2x^2}\left(-3712d^8+4599d^7ex+10240d^6e^2x^2+3066d^5e^3x^3-8448d^4e^4x^4-7224d^3e^5x^5+1024d^2e^6x^6+3024de^7x^7+896e^8x^8\right)}{8064e}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-3712\*d^8 + 4599\*d^7\*e\*x + 10240\*d^6\*e^2\*x^2 + 3066\*d^5\*e^3\*x^3 - 8448\*d^4\*e^4\*x^4 - 7224\*d^3\*e^5\*x^5 + 1024\*d^2\*e^6\*x^6 + 3024\*d\*e^7\*x^7 + 896\*e^8\*x^8))/(8064\*e) + (55\*d^9\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(128\*e^2)

**fricas [A]** time = 0.41, size = 139, normalized size = 0.74

$$\frac{6930d^9\arctan\left(\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right)-\left(896e^8x^8+3024de^7x^7+1024d^2e^6x^6-7224d^3e^5x^5-8448d^4e^4x^4+3066d^5e^3x^3+10240d^6e^2x^2+4599d^7ex-3712d^8\right)\sqrt{-e^2x^2+d^2}}{8064e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x, algorithm="fricas")

[Out] -1/8064\*(6930\*d^9\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (896\*e^8\*x^8 + 3024\*d\*e^7\*x^7 + 1024\*d^2\*e^6\*x^6 - 7224\*d^3\*e^5\*x^5 - 8448\*d^4\*e^4\*x^4 + 3066\*d^5\*e^3\*x^3 + 10240\*d^6\*e^2\*x^2 + 4599\*d^7\*e\*x - 3712\*d^8)\*sqrt(-e^2\*x^2 + d^2))/e

**giac [A]** time = 0.25, size = 117, normalized size = 0.62

$$\frac{55}{128}d^9\arcsin\left(\frac{xe}{d}\right)e^{(-1)\operatorname{sgn}(d)}-\frac{1}{8064}\left(3712d^8e^{(-1)}-(4599d^7+2(5120d^6e+(1533d^5e^2-4(1056d^4e^3+(903d^3e^4-2(64d^2e^5+7(8xe^7+27d^6e)x)x)x)x)x)\sqrt{-x^2e^2+d^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2), x, algorithm="giac")

[Out] 55/128\*d^9\*arcsin(x\*e/d)\*e^(-1)\*sgn(d) - 1/8064\*(3712\*d^8\*e^(-1) - (4599\*d^7 + 2\*(5120\*d^6\*e + (1533\*d^5\*e^2 - 4\*(1056\*d^4\*e^3 + (903\*d^3\*e^4 - 2\*(64\*d^2\*e^5 + 7\*(8\*x\*e^7 + 27\*d\*e^6)\*x)\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple [A]** time = 0.01, size = 154, normalized size = 0.82

$$\frac{55d^9\arctan\left(\frac{\sqrt{e^2x}}{\sqrt{-e^2x^2+d^2}}\right)}{128\sqrt{e^2}}+\frac{55\sqrt{-e^2x^2+d^2}d^7x}{128}+\frac{55(-e^2x^2+d^2)^{\frac{3}{2}}d^5x}{192}+\frac{11(-e^2x^2+d^2)^{\frac{5}{2}}d^3x}{48}-\frac{(-e^2x^2+d^2)^{\frac{7}{2}}ex^2}{9}-\frac{3(-e^2x^2+d^2)^{\frac{7}{2}}dx}{8}-\frac{29(-e^2x^2+d^2)^{\frac{7}{2}}d^2}{63e}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^3*(-e^2*x^2+d^2)^(5/2),x)`

[Out]  $-1/9*e*x^2*(-e^2*x^2+d^2)^(7/2)-29/63*d^2*(-e^2*x^2+d^2)^(7/2)/e-3/8*d*x*(-e^2*x^2+d^2)^(7/2)+11/48*d^3*x*(-e^2*x^2+d^2)^(5/2)+55/192*d^5*x*(-e^2*x^2+d^2)^(3/2)+55/128*d^7*x*(-e^2*x^2+d^2)^(1/2)+55/128*d^9/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)$

**maxima** [A] time = 0.98, size = 136, normalized size = 0.72

$$\frac{55d^9 \arcsin\left(\frac{ex}{d}\right)}{128e} + \frac{55}{128} \sqrt{-e^2x^2 + d^2} d^7 x + \frac{55}{192} (-e^2x^2 + d^2)^{\frac{3}{2}} d^5 x + \frac{11}{48} (-e^2x^2 + d^2)^{\frac{5}{2}} d^3 x - \frac{1}{9} (-e^2x^2 + d^2)^{\frac{7}{2}} ex^2 - \frac{3}{8} (-e^2x^2 + d^2)^{\frac{7}{2}} dx - \frac{29(-e^2x^2 + d^2)^{\frac{7}{2}} d^2}{63e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3*(-e^2*x^2+d^2)^(5/2),x, algorithm="maxima")`

[Out]  $55/128*d^9*\arcsin(e*x/d)/e + 55/128*\sqrt{-e^2*x^2 + d^2}*d^7*x + 55/192*(-e^2*x^2 + d^2)^(3/2)*d^5*x + 11/48*(-e^2*x^2 + d^2)^(5/2)*d^3*x - 1/9*(-e^2*x^2 + d^2)^(7/2)*e*x^2 - 3/8*(-e^2*x^2 + d^2)^(7/2)*d*x - 29/63*(-e^2*x^2 + d^2)^(7/2)*d^2/e$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (d^2 - e^2 x^2)^{5/2} (d + ex)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3,x)`

[Out] `int((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3, x)`

**sympy** [C] time = 25.88, size = 1284, normalized size = 6.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**3*(-e**2*x**2+d**2)**(5/2),x)`

[Out]  $d**7*\text{Piecewise}((-I*d**2*\text{acosh}(e*x/d)/(2*e) - I*d*x/(2*\sqrt{-1 + e**2*x**2/d**2})) + I*e**2*x**3/(2*d*\sqrt{-1 + e**2*x**2/d**2})), \text{Abs}(e**2*x**2/d**2) > 1), (d**2*\text{asin}(e*x/d)/(2*e) + d*x*\sqrt{1 - e**2*x**2/d**2}/2, \text{True})) + 3*d**6*e*\text{Piecewise}((x**2*\sqrt{d**2}/2, \text{Eq}(e**2, 0)), (-d**2 - e**2*x**2)**(3/2)/(3*e**2), \text{True})) + d**5*e**2*\text{Piecewise}((-I*d**4*\text{acosh}(e*x/d)/(8*e**3) + I*d**3*x/(8*e**2*\sqrt{-1 + e**2*x**2/d**2})) - 3*I*d*x**3/(8*\sqrt{-1 + e**2*x**2/d**2})) + I*e**2*x**5/(4*d*\sqrt{-1 + e**2*x**2/d**2})), \text{Abs}(e**2*x**2/d**2) > 1), (d**4*\text{asin}(e*x/d)/(8*e**3) - d**3*x/(8*e**2*\sqrt{1 - e**2*x**2/d**2}))$

```

2)) + 3*d*x**3/(8*sqrt(1 - e**2*x**2/d**2)) - e**2*x**5/(4*d*sqrt(1 - e**2*
x**2/d**2)), True)) - 5*d**4*e**3*Piecewise((-2*d**4*sqrt(d**2 - e**2*x**2)
/(15*e**4) - d**2*x**2*sqrt(d**2 - e**2*x**2)/(15*e**2) + x**4*sqrt(d**2 -
e**2*x**2)/5, Ne(e, 0)), (x**4*sqrt(d**2)/4, True)) - 5*d**3*e**4*Piecewise
((-I*d**6*acosh(e*x/d)/(16*e**5) + I*d**5*x/(16*e**4*sqrt(-1 + e**2*x**2/d
**2)) - I*d**3*x**3/(48*e**2*sqrt(-1 + e**2*x**2/d**2)) - 5*I*d*x**5/(24*sq
rt(-1 + e**2*x**2/d**2)) + I*e**2*x**7/(6*d*sqrt(-1 + e**2*x**2/d**2)), Abs(
e**2*x**2/d**2) > 1), (d**6*asin(e*x/d)/(16*e**5) - d**5*x/(16*e**4*sqrt(1
- e**2*x**2/d**2)) + d**3*x**3/(48*e**2*sqrt(1 - e**2*x**2/d**2)) + 5*d*x**
5/(24*sqrt(1 - e**2*x**2/d**2)) - e**2*x**7/(6*d*sqrt(1 - e**2*x**2/d**2)),
True)) + d**2*e**5*Piecewise((-8*d**6*sqrt(d**2 - e**2*x**2)/(105*e**6) -
4*d**4*x**2*sqrt(d**2 - e**2*x**2)/(105*e**4) - d**2*x**4*sqrt(d**2 - e**2*
x**2)/(35*e**2) + x**6*sqrt(d**2 - e**2*x**2)/7, Ne(e, 0)), (x**6*sqrt(d**2
)/6, True)) + 3*d*e**6*Piecewise((-5*I*d**8*acosh(e*x/d)/(128*e**7) + 5*I*d
**7*x/(128*e**6*sqrt(-1 + e**2*x**2/d**2)) - 5*I*d**5*x**3/(384*e**4*sqrt(-
1 + e**2*x**2/d**2)) - I*d**3*x**5/(192*e**2*sqrt(-1 + e**2*x**2/d**2)) - 7
*I*d*x**7/(48*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**9/(8*d*sqrt(-1 + e**2*
x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (5*d**8*asin(e*x/d)/(128*e**7) - 5*d
**7*x/(128*e**6*sqrt(1 - e**2*x**2/d**2)) + 5*d**5*x**3/(384*e**4*sqrt(1 -
e**2*x**2/d**2)) + d**3*x**5/(192*e**2*sqrt(1 - e**2*x**2/d**2)) + 7*d*x**7
/(48*sqrt(1 - e**2*x**2/d**2)) - e**2*x**9/(8*d*sqrt(1 - e**2*x**2/d**2)),
True)) + e**7*Piecewise((-16*d**8*sqrt(d**2 - e**2*x**2)/(315*e**8) - 8*d**
6*x**2*sqrt(d**2 - e**2*x**2)/(315*e**6) - 2*d**4*x**4*sqrt(d**2 - e**2*x**
2)/(105*e**4) - d**2*x**6*sqrt(d**2 - e**2*x**2)/(63*e**2) + x**8*sqrt(d**2
- e**2*x**2)/9, Ne(e, 0)), (x**8*sqrt(d**2)/8, True))

```

$$3.71 \quad \int \frac{(d+ex)^3(d^2-e^2x^2)^{5/2}}{x} dx$$

**Optimal.** Leaf size=190

$$\frac{1}{240}d^2(48d+125ex)(d^2-e^2x^2)^{5/2} - \frac{3}{7}d(d^2-e^2x^2)^{7/2} - \frac{1}{8}ex(d^2-e^2x^2)^{7/2} + \frac{125}{128}d^8 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - d^8 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.31, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {1809, 815, 844, 217, 203, 266, 63, 208}

$$\frac{1}{128}d^6(128d+125ex)\sqrt{d^2-e^2x^2} + \frac{1}{192}d^4(64d+125ex)(d^2-e^2x^2)^{3/2} + \frac{1}{240}d^2(48d+125ex)(d^2-e^2x^2)^{5/2} - \frac{3}{7}d(d^2-e^2x^2)^{7/2} - \frac{1}{8}ex(d^2-e^2x^2)^{7/2} + \frac{125}{128}d^8 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - d^8 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x,x]

[Out] (d^6\*(128\*d + 125\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/128 + (d^4\*(64\*d + 125\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/192 + (d^2\*(48\*d + 125\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/240 - (3\*d\*(d^2 - e^2\*x^2)^(7/2))/7 - (e\*x\*(d^2 - e^2\*x^2)^(7/2))/8 + (125\*d^8\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/128 - d^8\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 815

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
/; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1809

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3 (d^2 - e^2x^2)^{5/2}}{x} dx &= -\frac{1}{8}ex (d^2 - e^2x^2)^{7/2} - \int \frac{(d^2 - e^2x^2)^{5/2} (-8d^3e^2 - 25d^2e^3x - 24de^4x^2)}{x} dx \\
&= -\frac{3}{7}d (d^2 - e^2x^2)^{7/2} - \frac{1}{8}ex (d^2 - e^2x^2)^{7/2} + \int \frac{(56d^3e^4 + 175d^2e^5x)(d^2 - e^2x^2)^{5/2}}{x} dx \\
&= \frac{1}{240}d^2(48d + 125ex) (d^2 - e^2x^2)^{5/2} - \frac{3}{7}d (d^2 - e^2x^2)^{7/2} - \frac{1}{8}ex (d^2 - e^2x^2)^{7/2} - \int \\
&= \frac{1}{192}d^4(64d + 125ex) (d^2 - e^2x^2)^{3/2} + \frac{1}{240}d^2(48d + 125ex) (d^2 - e^2x^2)^{5/2} - \frac{3}{7}d (d^2 - e^2x^2)^{7/2} \\
&= \frac{1}{128}d^6(128d + 125ex)\sqrt{d^2 - e^2x^2} + \frac{1}{192}d^4(64d + 125ex) (d^2 - e^2x^2)^{3/2} + \frac{1}{240}d^2(48d + 125ex) (d^2 - e^2x^2)^{5/2} \\
&= \frac{1}{128}d^6(128d + 125ex)\sqrt{d^2 - e^2x^2} + \frac{1}{192}d^4(64d + 125ex) (d^2 - e^2x^2)^{3/2} + \frac{1}{240}d^2(48d + 125ex) (d^2 - e^2x^2)^{5/2} \\
&= \frac{1}{128}d^6(128d + 125ex)\sqrt{d^2 - e^2x^2} + \frac{1}{192}d^4(64d + 125ex) (d^2 - e^2x^2)^{3/2} + \frac{1}{240}d^2(48d + 125ex) (d^2 - e^2x^2)^{5/2} \\
&= \frac{1}{128}d^6(128d + 125ex)\sqrt{d^2 - e^2x^2} + \frac{1}{192}d^4(64d + 125ex) (d^2 - e^2x^2)^{3/2} + \frac{1}{240}d^2(48d + 125ex) (d^2 - e^2x^2)^{5/2} \\
&= \frac{1}{128}d^6(128d + 125ex)\sqrt{d^2 - e^2x^2} + \frac{1}{192}d^4(64d + 125ex) (d^2 - e^2x^2)^{3/2} + \frac{1}{240}d^2(48d + 125ex) (d^2 - e^2x^2)^{5/2} \\
&= \frac{1}{128}d^6(128d + 125ex)\sqrt{d^2 - e^2x^2} + \frac{1}{192}d^4(64d + 125ex) (d^2 - e^2x^2)^{3/2} + \frac{1}{240}d^2(48d + 125ex) (d^2 - e^2x^2)^{5/2}
\end{aligned}$$

**Mathematica [A]** time = 0.36, size = 168, normalized size = 0.88

$$d^8 \left( -\tanh^{-1} \left( \frac{\sqrt{d^2 - e^2x^2}}{d} \right) \right) + \frac{125d^7 \sqrt{d^2 - e^2x^2} \sin^{-1} \left( \frac{ex}{d} \right) + \sqrt{d^2 - e^2x^2} (14848d^7 + 27195d^6ex + 7424d^5e^2x^2 - 17710d^4e^3x^3 - 14592d^3e^4x^4 + 1960d^2e^5x^5 + 5760de^6x^6 + 1680e^7x^7)}{13440}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(14848\*d^7 + 27195\*d^6\*e\*x + 7424\*d^5\*e^2\*x^2 - 17710\*d^4\*e^3\*x^3 - 14592\*d^3\*e^4\*x^4 + 1960\*d^2\*e^5\*x^5 + 5760\*d\*e^6\*x^6 + 1680\*e^7\*x^7))/13440 + (125\*d^7\*Sqrt[d^2 - e^2\*x^2]\*ArcSin[(e\*x)/d])/(128\*Sqrt[1 - (e^2\*x^2)/d^2]) - d^8\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

**IntegrateAlgebraic [A]** time = 0.58, size = 186, normalized size = 0.98

$$\frac{125d^8\sqrt{-e^2}\log\left(\frac{\sqrt{d^2-e^2x^2}-\sqrt{-e^2}x}{128e}\right)+2d^8\operatorname{tanh}^{-1}\left(\frac{\sqrt{-e^2}x}{d}-\frac{\sqrt{d^2-e^2x^2}}{d}\right)+\frac{\sqrt{d^2-e^2x^2}(14848d^7+27195d^6ex+7424d^5e^2x^2-17710d^4e^3x^3-14592d^3e^4x^4+1960d^2e^5x^5+5760de^6x^6+1680e^7x^7)}{13440}}{13440}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic(((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x,x)

[Out] (Sqrt[d^2 - e^2\*x^2]\*(14848\*d^7 + 27195\*d^6\*e\*x + 7424\*d^5\*e^2\*x^2 - 17710\*d^4\*e^3\*x^3 - 14592\*d^3\*e^4\*x^4 + 1960\*d^2\*e^5\*x^5 + 5760\*d\*e^6\*x^6 + 1680\*e^7\*x^7))/13440 + 2\*d^8\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] + (125\*d^8\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(128\*e)

**fricas [A]** time = 0.43, size = 151, normalized size = 0.79

$$-\frac{125}{64}d^8\arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right)+d^8\log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right)+\frac{1}{13440}(1680e^7x^7+5760de^6x^6+1960d^2e^5x^5-14592d^3e^4x^4-17710d^4e^3x^3+7424d^5e^2x^2+27195d^6ex+14848d^7)\sqrt{-e^2x^2+d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x,x, algorithm="fricas")

[Out] -125/64\*d^8\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + d^8\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + 1/13440\*(1680\*e^7\*x^7 + 5760\*d\*e^6\*x^6 + 1960\*d^2\*e^5\*x^5 - 14592\*d^3\*e^4\*x^4 - 17710\*d^4\*e^3\*x^3 + 7424\*d^5\*e^2\*x^2 + 27195\*d^6\*e\*x + 14848\*d^7)\*sqrt(-e^2\*x^2 + d^2)

**giac [A]** time = 0.26, size = 143, normalized size = 0.75

$$\frac{125}{128}d^8\arcsin\left(\frac{xe}{d}\right)\operatorname{sgn}(d)-d^8\log\left(\frac{-2de-2\sqrt{-x^2e^2+d^2}e|e^{(-2)}}{2|x|}\right)+\frac{1}{13440}(14848d^7+(27195d^6e+2(3712d^5e^2-(8855d^4e^3+4(1824d^3e^4-5(49d^2e^5+6(7xe^7+24de^6)x)x)x)x)\sqrt{-x^2e^2+d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x,x, algorithm="giac")

[Out] 125/128\*d^8\*arcsin(x\*e/d)\*sgn(d) - d^8\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x)) + 1/13440\*(14848\*d^7 + (27195\*d^6\*e + 2\*(3712\*d^5\*e^2 - (8855\*d^4\*e^3 + 4\*(1824\*d^3\*e^4 - 5\*(49\*d^2\*e^5 + 6\*(7\*x\*e^7 + 24\*d\*e^6)\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple [A]** time = 0.01, size = 231, normalized size = 1.22

$$-\frac{d^8\ln\left(\frac{2d^2+2\sqrt{d^2-e^2x^2}}{x}\right)}{\sqrt{d^2}}+\frac{125d^8e\arctan\left(\frac{\sqrt{d^2}x}{\sqrt{-e^2x^2+d^2}}\right)}{128\sqrt{e^2}}+\frac{125\sqrt{-e^2x^2+d^2}d^6ex}{128}+\sqrt{-e^2x^2+d^2}d^7+\frac{125(-e^2x^2+d^2)^{\frac{3}{2}}d^4ex}{192}+\frac{(-e^2x^2+d^2)^{\frac{3}{2}}d^5}{3}+\frac{25(-e^2x^2+d^2)^{\frac{5}{2}}d^2ex}{48}+\frac{(-e^2x^2+d^2)^{\frac{5}{2}}d^3}{5}-\frac{(-e^2x^2+d^2)^{\frac{7}{2}}ex}{8}-\frac{3(-e^2x^2+d^2)^{\frac{7}{2}}d}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x,x)

```
[Out] -1/8*e*x*(-e^2*x^2+d^2)^(7/2)+25/48*d^2*e*x*(-e^2*x^2+d^2)^(5/2)+125/192*e*d^4*x*(-e^2*x^2+d^2)^(3/2)+125/128*e*d^6*x*(-e^2*x^2+d^2)^(1/2)+125/128*e*d^8/(e^2)^(1/2)*arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-3/7*d*(-e^2*x^2+d^2)^(7/2)+1/5*d^3*(-e^2*x^2+d^2)^(5/2)+1/3*d^5*(-e^2*x^2+d^2)^(3/2)+d^7*(-e^2*x^2+d^2)^(1/2)-d^9/(d^2)^(1/2)*ln((2*d^2+2*(d^2)^(1/2)*(-e^2*x^2+d^2)^(1/2))/x)
```

**maxima [A]** time = 1.00, size = 204, normalized size = 1.07

$$\frac{125}{128} d^8 \arcsin\left(\frac{ex}{d}\right) - d^8 \log\left(\frac{2d^2 + \frac{2\sqrt{-e^2x^2 + d^2}d}{|x|}}{|x|}\right) + \frac{125}{128} \sqrt{-e^2x^2 + d^2} d^6 ex + \sqrt{-e^2x^2 + d^2} d^7 + \frac{125}{192} (-e^2x^2 + d^2)^{\frac{3}{2}} d^4 ex + \frac{1}{3} (-e^2x^2 + d^2)^{\frac{3}{2}} d^5 + \frac{25}{48} (-e^2x^2 + d^2)^{\frac{5}{2}} d^2 ex + \frac{1}{5} (-e^2x^2 + d^2)^{\frac{5}{2}} d^3 - \frac{1}{8} (-e^2x^2 + d^2)^{\frac{7}{2}} ex - \frac{3}{7} (-e^2x^2 + d^2)^{\frac{7}{2}} d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*(-e^2*x^2+d^2)^(5/2)/x,x, algorithm="maxima")
```

```
[Out] 125/128*d^8*arcsin(e*x/d) - d^8*log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x)) + 125/128*sqrt(-e^2*x^2 + d^2)*d^6*e*x + sqrt(-e^2*x^2 + d^2)*d^7 + 125/192*(-e^2*x^2 + d^2)^(3/2)*d^4*e*x + 1/3*(-e^2*x^2 + d^2)^(3/2)*d^5 + 25/48*(-e^2*x^2 + d^2)^(5/2)*d^2*e*x + 1/5*(-e^2*x^2 + d^2)^(5/2)*d^3 - 1/8*(-e^2*x^2 + d^2)^(7/2)*e*x - 3/7*(-e^2*x^2 + d^2)^(7/2)*d
```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + ex)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x,x)
```

```
[Out] int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x, x)
```

**sympy [C]** time = 47.72, size = 1263, normalized size = 6.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(-e**2*x**2+d**2)**(5/2)/x,x)
```

```
[Out] d**7*Piecewise((d**2/(e*x*sqrt(d**2/(e**2*x**2) - 1)) - d*acosh(d/(e*x)) - e*x/sqrt(d**2/(e**2*x**2) - 1), Abs(d**2/(e**2*x**2)) > 1), (-I*d**2/(e*x*sqrt(-d**2/(e**2*x**2) + 1)) + I*d*asin(d/(e*x)) + I*e*x/sqrt(-d**2/(e**2*x**2) + 1), True)) + 3*d**6*e*Piecewise((-I*d**2*acosh(e*x/d)/(2*e) - I*d*x/(2*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**3/(2*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**2*asin(e*x/d)/(2*e) + d*x*sqrt(1 - e**2*x**2/d**2)/2, True)) + d**5*e**2*Piecewise((x**2*sqrt(d**2)/2, Eq(e**2, 0)), (- (d**2 - e**2*x**2)**(3/2)/(3*e**2), True)) - 5*d**4*e**3*Piecewise((-I*d**4
```

```

*acosh(e*x/d)/(8*e**3) + I*d**3*x/(8*e**2*sqrt(-1 + e**2*x**2/d**2)) - 3*I*
d*x**3/(8*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**5/(4*d*sqrt(-1 + e**2*x**2
/d**2)), Abs(e**2*x**2/d**2) > 1), (d**4*asin(e*x/d)/(8*e**3) - d**3*x/(8*e
**2*sqrt(1 - e**2*x**2/d**2)) + 3*d*x**3/(8*sqrt(1 - e**2*x**2/d**2)) - e**
2*x**5/(4*d*sqrt(1 - e**2*x**2/d**2)), True)) - 5*d**3*e**4*Piecewise((-2*d
**4*sqrt(d**2 - e**2*x**2)/(15*e**4) - d**2*x**2*sqrt(d**2 - e**2*x**2)/(15
*e**2) + x**4*sqrt(d**2 - e**2*x**2)/5, Ne(e, 0)), (x**4*sqrt(d**2)/4, True
)) + d**2*e**5*Piecewise((-I*d**6*acosh(e*x/d)/(16*e**5) + I*d**5*x/(16*e**
4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**3/(48*e**2*sqrt(-1 + e**2*x**2/d**
2)) - 5*I*d*x**5/(24*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**7/(6*d*sqrt(-1
+ e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**6*asin(e*x/d)/(16*e**5) -
d**5*x/(16*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**3/(48*e**2*sqrt(1 - e
**2*x**2/d**2)) + 5*d*x**5/(24*sqrt(1 - e**2*x**2/d**2)) - e**2*x**7/(6*d*sq
rt(1 - e**2*x**2/d**2)), True)) + 3*d*e**6*Piecewise((-8*d**6*sqrt(d**2 - e
**2*x**2)/(105*e**6) - 4*d**4*x**2*sqrt(d**2 - e**2*x**2)/(105*e**4) - d**2
*x**4*sqrt(d**2 - e**2*x**2)/(35*e**2) + x**6*sqrt(d**2 - e**2*x**2)/7, Ne(
e, 0)), (x**6*sqrt(d**2)/6, True)) + e**7*Piecewise((-5*I*d**8*acosh(e*x/d)
/(128*e**7) + 5*I*d**7*x/(128*e**6*sqrt(-1 + e**2*x**2/d**2)) - 5*I*d**5*x
**3/(384*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**5/(192*e**2*sqrt(-1 + e
**2*x**2/d**2)) - 7*I*d*x**7/(48*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**9/(
8*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (5*d**8*asin(e*x/
d)/(128*e**7) - 5*d**7*x/(128*e**6*sqrt(1 - e**2*x**2/d**2)) + 5*d**5*x**3/
(384*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**5/(192*e**2*sqrt(1 - e**2*x**
2/d**2)) + 7*d*x**7/(48*sqrt(1 - e**2*x**2/d**2)) - e**2*x**9/(8*d*sqrt(1 -
e**2*x**2/d**2)), True))

```



$$3.72 \quad \int \frac{(d+ex)^3(d^2-e^2x^2)^{5/2}}{x^2} dx$$

**Optimal.** Leaf size=193

$$-\frac{d(d^2-e^2x^2)^{7/2}}{x} + \frac{1}{10}de(6d-5ex)(d^2-e^2x^2)^{5/2} - \frac{1}{7}e(d^2-e^2x^2)^{7/2} - \frac{15}{16}d^7e \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - 3d^7e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.31, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {1807, 1809, 815, 844, 217, 203, 266, 63, 208}

$$\frac{3}{16}d^5e(16d-5ex)\sqrt{d^2-e^2x^2} + \frac{1}{8}d^3e(8d-5ex)(d^2-e^2x^2)^{3/2} - \frac{d(d^2-e^2x^2)^{7/2}}{x} + \frac{1}{10}de(6d-5ex)(d^2-e^2x^2)^{5/2} - \frac{1}{7}e(d^2-e^2x^2)^{7/2} - \frac{15}{16}d^7e \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - 3d^7e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^2,x]

[Out] (3\*d^5\*e\*(16\*d - 5\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/16 + (d^3\*e\*(8\*d - 5\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/8 + (d\*e\*(6\*d - 5\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/10 - (e\*(d^2 - e^2\*x^2)^(7/2))/7 - (d\*(d^2 - e^2\*x^2)^(7/2))/x - (15\*d^7\*e\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/16 - 3\*d^7\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 815

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1807

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rule 1809

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
```

Pq, x] && ( !IGtQ[m, 0] || IGtQ[p + 1/2, -1])

### Rubi steps

$$\begin{aligned}
 \int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^2} dx &= -\frac{d(d^2-e^2x^2)^{7/2}}{x} - \frac{\int \frac{(d^2-e^2x^2)^{5/2}(-3d^4e+3d^3e^2x-d^2e^3x^2)}{x} dx}{d^2} \\
 &= -\frac{1}{7}e(d^2-e^2x^2)^{7/2} - \frac{d(d^2-e^2x^2)^{7/2}}{x} + \frac{\int \frac{(21d^4e^3-21d^3e^4x)(d^2-e^2x^2)^{5/2}}{x} dx}{7d^2e^2} \\
 &= \frac{1}{10}de(6d-5ex)(d^2-e^2x^2)^{5/2} - \frac{1}{7}e(d^2-e^2x^2)^{7/2} - \frac{d(d^2-e^2x^2)^{7/2}}{x} - \frac{\int \frac{(-126d^6e}{x}}{7d^2e^2} dx}{7d^2e^2} \\
 &= \frac{1}{8}d^3e(8d-5ex)(d^2-e^2x^2)^{3/2} + \frac{1}{10}de(6d-5ex)(d^2-e^2x^2)^{5/2} - \frac{1}{7}e(d^2-e^2x^2)^{7/2} \\
 &= \frac{3}{16}d^5e(16d-5ex)\sqrt{d^2-e^2x^2} + \frac{1}{8}d^3e(8d-5ex)(d^2-e^2x^2)^{3/2} + \frac{1}{10}de(6d-5ex)(d^2-e^2x^2)^{5/2} \\
 &= \frac{3}{16}d^5e(16d-5ex)\sqrt{d^2-e^2x^2} + \frac{1}{8}d^3e(8d-5ex)(d^2-e^2x^2)^{3/2} + \frac{1}{10}de(6d-5ex)(d^2-e^2x^2)^{5/2} \\
 &= \frac{3}{16}d^5e(16d-5ex)\sqrt{d^2-e^2x^2} + \frac{1}{8}d^3e(8d-5ex)(d^2-e^2x^2)^{3/2} + \frac{1}{10}de(6d-5ex)(d^2-e^2x^2)^{5/2} \\
 &= \frac{3}{16}d^5e(16d-5ex)\sqrt{d^2-e^2x^2} + \frac{1}{8}d^3e(8d-5ex)(d^2-e^2x^2)^{3/2} + \frac{1}{10}de(6d-5ex)(d^2-e^2x^2)^{5/2} \\
 &= \frac{3}{16}d^5e(16d-5ex)\sqrt{d^2-e^2x^2} + \frac{1}{8}d^3e(8d-5ex)(d^2-e^2x^2)^{3/2} + \frac{1}{10}de(6d-5ex)(d^2-e^2x^2)^{5/2} \\
 &= \frac{3}{16}d^5e(16d-5ex)\sqrt{d^2-e^2x^2} + \frac{1}{8}d^3e(8d-5ex)(d^2-e^2x^2)^{3/2} + \frac{1}{10}de(6d-5ex)(d^2-e^2x^2)^{5/2}
 \end{aligned}$$

**Mathematica [C]** time = 0.53, size = 221, normalized size = 1.15

$$-\frac{d^7\sqrt{d^2-e^2x^2} {}_2F_1\left(-\frac{5}{2}, -\frac{1}{2}; \frac{1}{2}; \frac{e^2x^2}{d^2}\right)}{x\sqrt{1-\frac{e^2x^2}{d^2}}} - 3d^7e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right) + \frac{15d^6e\sqrt{d^2-e^2x^2} \sin^{-1}\left(\frac{ex}{d}\right)}{16\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{1}{560}e\sqrt{d^2-e^2x^2} (2496d^6 + 1155d^5ex - 992d^4e^2x^2 - 910d^3e^3x^3 + 96d^2e^4x^4 + 280de^5x^5 + 80e^6x^6)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^2, x]

[Out]  $(e*\sqrt{d^2 - e^2*x^2}*(2496*d^6 + 1155*d^5*e*x - 992*d^4*e^2*x^2 - 910*d^3*e^3*x^3 + 96*d^2*e^4*x^4 + 280*d*e^5*x^5 + 80*e^6*x^6))/560 + (15*d^6*e*\sqrt{d^2 - e^2*x^2}*\text{ArcSin}[(e*x)/d])/(16*\sqrt{1 - (e^2*x^2)/d^2}) - 3*d^7*e*\text{ArcTanh}[\sqrt{d^2 - e^2*x^2}/d] - (d^7*\sqrt{d^2 - e^2*x^2}*\text{Hypergeometric2F1}[-5/2, -1/2, 1/2, (e^2*x^2)/d^2])/(x*\sqrt{1 - (e^2*x^2)/d^2})$

**IntegrateAlgebraic [A]** time = 0.57, size = 187, normalized size = 0.97

$$-\frac{15}{16}d^7\sqrt{-e^2}\log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right) + 6d^7e\tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right) + \frac{\sqrt{d^2 - e^2x^2}(-560d^7 + 2496d^6ex + 525d^5e^2x^2 - 992d^4e^3x^3 - 770d^3e^4x^4 + 96d^2e^5x^5 + 280de^6x^6 + 80e^7x^7)}{560x}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^2,x]

[Out]  $(\sqrt{d^2 - e^2*x^2}*(-560*d^7 + 2496*d^6*e*x + 525*d^5*e^2*x^2 - 992*d^4*e^3*x^3 - 770*d^3*e^4*x^4 + 96*d^2*e^5*x^5 + 280*d*e^6*x^6 + 80*e^7*x^7))/(560*x) + 6*d^7*e*\text{ArcTanh}[(\sqrt{-e^2}*x)/d - \sqrt{d^2 - e^2*x^2}/d] - (15*d^7*\sqrt{-e^2}*\text{Log}[-(\sqrt{-e^2}*x) + \sqrt{d^2 - e^2*x^2}])/16$

**fricas [A]** time = 0.43, size = 167, normalized size = 0.87

$$\frac{1050d^7ex\arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + 1680d^7ex\log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) + 2496d^7ex + (80e^7x^7 + 280de^6x^6 + 96d^2e^5x^5 - 770d^3e^4x^4 - 992d^4e^3x^3 + 525d^5e^2x^2 + 2496d^6ex - 560d^7)\sqrt{-e^2x^2+d^2}}{560x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^2,x, algorithm="fricas")

[Out]  $1/560*(1050*d^7*e*x*\arctan(-(d - \sqrt{-e^2*x^2 + d^2}))/e*x) + 1680*d^7*e*x*\log(-(d - \sqrt{-e^2*x^2 + d^2}))/x + 2496*d^7*e*x + (80*e^7*x^7 + 280*d*e^6*x^6 + 96*d^2*e^5*x^5 - 770*d^3*e^4*x^4 - 992*d^4*e^3*x^3 + 525*d^5*e^2*x^2 + 2496*d^6*e*x - 560*d^7)*\sqrt{-e^2*x^2 + d^2}))/x$

**giac [A]** time = 0.24, size = 199, normalized size = 1.03

$$-\frac{15}{16}d^7\arcsin\left(\frac{xe}{d}\right)\text{sgn}(d) - 3d^7e\log\left(\frac{-2de - 2\sqrt{-x^2e^2 + d^2}e^{(-2)}}{2|x|}\right) + \frac{d^7xe^3}{2(de + \sqrt{-x^2e^2 + d^2}e)} - \frac{(de + \sqrt{-x^2e^2 + d^2}e)d^7e^{(-1)}}{2x} + \frac{1}{560}(2496d^6e + (525d^5e^2 - 2(496d^4e^3 + (385d^3e^4 - 4(12d^2e^5 + 5(2xe^7 + 7de^6)x)x)x)\sqrt{-x^2e^2 + d^2}))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^2,x, algorithm="giac")

[Out]  $-15/16*d^7*\arcsin(x*e/d)*e*\text{sgn}(d) - 3*d^7*e*\log(1/2*\text{abs}(-2*d*e - 2*\sqrt{-x^2*e^2 + d^2})*e)*e^{(-2)}/\text{abs}(x) + 1/2*d^7*x*e^3/(d*e + \sqrt{-x^2*e^2 + d^2})*e - 1/2*(d*e + \sqrt{-x^2*e^2 + d^2})*e*d^7*e^{(-1)}/x + 1/560*(2496*d^6*e + (525*d^5*e^2 - 2*(496*d^4*e^3 + (385*d^3*e^4 - 4*(12*d^2*e^5 + 5*(2*x*e^7 + 7*d*e^6)*x)*x)*x)*\sqrt{-x^2*e^2 + d^2}))$

**maple [A]** time = 0.01, size = 243, normalized size = 1.26

$$-\frac{3d^6 e \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2 x^2} \sqrt{-e^2 x^2 + d^2}}{x}\right)}{\sqrt{d^2}} - \frac{15d^7 e^2 \arctan\left(\frac{\sqrt{d^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{16\sqrt{e^2}} - \frac{15\sqrt{-e^2 x^2 + d^2} d^5 e^2 x}{16} + 3\sqrt{-e^2 x^2 + d^2} d^6 e - \frac{5(-e^2 x^2 + d^2)^{\frac{3}{2}} d^3 e^2 x}{8} + (-e^2 x^2 + d^2)^{\frac{3}{2}} d^4 e - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d e^2 x}{2} + \frac{3(-e^2 x^2 + d^2)^{\frac{5}{2}} d^2 e}{5} - \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}} e}{7} - \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}} d}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^2,x)

[Out]  $-1/7 * e * (-e^2 * x^2 + d^2)^{(7/2)} - 1/2 * d * e^2 * x * (-e^2 * x^2 + d^2)^{(5/2)} - 5/8 * d^3 * e^2 * x * (-e^2 * x^2 + d^2)^{(3/2)} - 15/16 * d^5 * e^2 * x * (-e^2 * x^2 + d^2)^{(1/2)} - 15/16 * d^7 * e^2 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (-e^2 * x^2 + d^2)^{(1/2)} * x) - d * (-e^2 * x^2 + d^2)^{(7/2)} / x + 3/5 * d^2 * e * (-e^2 * x^2 + d^2)^{(5/2)} + d^4 * e * (-e^2 * x^2 + d^2)^{(3/2)} + 3 * d^6 * e * (-e^2 * x^2 + d^2)^{(1/2)} - 3 * d^8 * e / (d^2)^{(1/2)} * \ln((2 * d^2 + 2 * (d^2)^{(1/2)} * (-e^2 * x^2 + d^2)^{(1/2)}) / x)$

**maxima [A]** time = 1.00, size = 217, normalized size = 1.12

$$-\frac{15}{16} d^7 e \arcsin\left(\frac{ex}{d}\right) - 3 d^7 e \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2 x^2 + d^2} d}{|x|}\right) - \frac{15}{16} \sqrt{-e^2 x^2 + d^2} d^5 e^2 x + 3 \sqrt{-e^2 x^2 + d^2} d^6 e - \frac{5}{8} (-e^2 x^2 + d^2)^{\frac{3}{2}} d^3 e^2 x + (-e^2 x^2 + d^2)^{\frac{3}{2}} d^4 e + \frac{1}{2} (-e^2 x^2 + d^2)^{\frac{5}{2}} d e^2 x + \frac{3}{5} (-e^2 x^2 + d^2)^{\frac{5}{2}} d^2 e - \frac{1}{7} (-e^2 x^2 + d^2)^{\frac{7}{2}} e - \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}} d^3}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^2,x, algorithm="maxima")

[Out]  $-15/16 * d^7 * e * \arcsin(e * x / d) - 3 * d^7 * e * \log(2 * d^2 / \text{abs}(x) + 2 * \text{sqrt}(-e^2 * x^2 + d^2) * d / \text{abs}(x)) - 15/16 * \text{sqrt}(-e^2 * x^2 + d^2) * d^5 * e^2 * x + 3 * \text{sqrt}(-e^2 * x^2 + d^2) * d^6 * e - 5/8 * (-e^2 * x^2 + d^2)^{(3/2)} * d^3 * e^2 * x + (-e^2 * x^2 + d^2)^{(3/2)} * d^4 * e + 1/2 * (-e^2 * x^2 + d^2)^{(5/2)} * d * e^2 * x + 3/5 * (-e^2 * x^2 + d^2)^{(5/2)} * d^2 * e - 1/7 * (-e^2 * x^2 + d^2)^{(7/2)} * e - (-e^2 * x^2 + d^2)^{(5/2)} * d^3 / x$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + e x)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(5/2))\*(d + e\*x)^3)/x^2,x)

[Out] int(((d^2 - e^2\*x^2)^(5/2))\*(d + e\*x)^3)/x^2, x)

**sympy [C]** time = 19.88, size = 1057, normalized size = 5.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*2,x)

```
[Out] d**7*Piecewise((I*d/(x*sqrt(-1 + e**2*x**2/d**2)) + I*e*acosh(e*x/d) - I*e*
*2*x/(d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (-d/(x*sqrt(1
- e**2*x**2/d**2)) - e*asin(e*x/d) + e**2*x/(d*sqrt(1 - e**2*x**2/d**2)),
True)) + 3*d**6*e*Piecewise((d**2/(e*x*sqrt(d**2/(e**2*x**2) - 1)) - d*acos
h(d/(e*x)) - e*x/sqrt(d**2/(e**2*x**2) - 1), Abs(d**2/(e**2*x**2)) > 1), (-
I*d**2/(e*x*sqrt(-d**2/(e**2*x**2) + 1)) + I*d*asin(d/(e*x)) + I*e*x/sqrt(-
d**2/(e**2*x**2) + 1), True)) + d**5*e**2*Piecewise((-I*d**2*acosh(e*x/d)/(
2*e) - I*d*x/(2*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**3/(2*d*sqrt(-1 + e**
2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**2*asin(e*x/d)/(2*e) + d*x*sqrt
(1 - e**2*x**2/d**2)/2, True)) - 5*d**4*e**3*Piecewise((x**2*sqrt(d**2)/2,
Eq(e**2, 0)), (-d**2 - e**2*x**2)**(3/2)/(3*e**2), True)) - 5*d**3*e**4*Pi
ecewise((-I*d**4*acosh(e*x/d)/(8*e**3) + I*d**3*x/(8*e**2*sqrt(-1 + e**2*x*
**2/d**2)) - 3*I*d*x**3/(8*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**5/(4*d*sq
rt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**4*asin(e*x/d)/(8*e**
3) - d**3*x/(8*e**2*sqrt(1 - e**2*x**2/d**2)) + 3*d*x**3/(8*sqrt(1 - e**2*x
**2/d**2)) - e**2*x**5/(4*d*sqrt(1 - e**2*x**2/d**2))), True)) + d**2*e**5*P
iecewise((-2*d**4*sqrt(d**2 - e**2*x**2)/(15*e**4) - d**2*x**2*sqrt(d**2 -
e**2*x**2)/(15*e**2) + x**4*sqrt(d**2 - e**2*x**2)/5, Ne(e, 0)), (x**4*sqrt
(d**2)/4, True)) + 3*d*e**6*Piecewise((-I*d**6*acosh(e*x/d)/(16*e**5) + I*d
**5*x/(16*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**3/(48*e**2*sqrt(-1 +
e**2*x**2/d**2)) - 5*I*d*x**5/(24*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**7/
(6*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**6*asin(e*x/d
)/(16*e**5) - d**5*x/(16*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**3/(48*e**
2*sqrt(1 - e**2*x**2/d**2)) + 5*d*x**5/(24*sqrt(1 - e**2*x**2/d**2)) - e**2
*x**7/(6*d*sqrt(1 - e**2*x**2/d**2))), True)) + e**7*Piecewise((-8*d**6*sqrt
(d**2 - e**2*x**2)/(105*e**6) - 4*d**4*x**2*sqrt(d**2 - e**2*x**2)/(105*e**
4) - d**2*x**4*sqrt(d**2 - e**2*x**2)/(35*e**2) + x**6*sqrt(d**2 - e**2*x**
2)/7, Ne(e, 0)), (x**6*sqrt(d**2)/6, True))
```

$$3.73 \quad \int \frac{(d+ex)^3 (d^2 - e^2 x^2)^{5/2}}{x^3} dx$$

**Optimal.** Leaf size=207

$$\frac{1}{24} d^2 e^2 (4d - 85ex) (d^2 - e^2 x^2)^{3/2} - \frac{d (d^2 - e^2 x^2)^{7/2}}{2x^2} - \frac{3e (d^2 - e^2 x^2)^{7/2}}{x} + \frac{1}{30} e^2 (3d - 85ex) (d^2 - e^2 x^2)^{5/2} - \frac{85}{16} d^6 e^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - \frac{1}{2} d^6 e^2 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

**Rubi [A]** time = 0.31, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {1807, 815, 844, 217, 203, 266, 63, 208}

$$\frac{1}{16} d^4 e^2 (8d - 85ex) \sqrt{d^2 - e^2 x^2} + \frac{1}{24} d^2 e^2 (4d - 85ex) (d^2 - e^2 x^2)^{3/2} - \frac{d (d^2 - e^2 x^2)^{7/2}}{2x^2} - \frac{3e (d^2 - e^2 x^2)^{7/2}}{x} + \frac{1}{30} e^2 (3d - 85ex) (d^2 - e^2 x^2)^{5/2} - \frac{85}{16} d^6 e^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - \frac{1}{2} d^6 e^2 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^3,x]

[Out] (d^4\*e^2\*(8\*d - 85\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/16 + (d^2\*e^2\*(4\*d - 85\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/24 + (e^2\*(3\*d - 85\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/30 - (d\*(d^2 - e^2\*x^2)^(7/2))/(2\*x^2) - (3\*e\*(d^2 - e^2\*x^2)^(7/2))/x - (85\*d^6\*e^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/16 - (d^6\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/2

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 815

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1807

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rubi steps



$$\begin{aligned}
\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^3} dx &= -\frac{d(d^2-e^2x^2)^{7/2}}{2x^2} - \frac{\int \frac{(d^2-e^2x^2)^{5/2}(-6d^4e-d^3e^2x-2d^2e^3x^2)}{x^2} dx}{2d^2} \\
&= -\frac{d(d^2-e^2x^2)^{7/2}}{2x^2} - \frac{3e(d^2-e^2x^2)^{7/2}}{x} + \frac{\int \frac{(d^5e^2-34d^4e^3x)(d^2-e^2x^2)^{5/2}}{x} dx}{2d^4} \\
&= \frac{1}{30}e^2(3d-85ex)(d^2-e^2x^2)^{5/2} - \frac{d(d^2-e^2x^2)^{7/2}}{2x^2} - \frac{3e(d^2-e^2x^2)^{7/2}}{x} - \frac{\int \frac{(-6d^7e^4)}{x} dx}{2d^4} \\
&= \frac{1}{24}d^2e^2(4d-85ex)(d^2-e^2x^2)^{3/2} + \frac{1}{30}e^2(3d-85ex)(d^2-e^2x^2)^{5/2} - \frac{d(d^2-e^2x^2)^{7/2}}{2x^2} \\
&= \frac{1}{16}d^4e^2(8d-85ex)\sqrt{d^2-e^2x^2} + \frac{1}{24}d^2e^2(4d-85ex)(d^2-e^2x^2)^{3/2} + \frac{1}{30}e^2(3d-85ex)(d^2-e^2x^2)^{5/2} \\
&= \frac{1}{16}d^4e^2(8d-85ex)\sqrt{d^2-e^2x^2} + \frac{1}{24}d^2e^2(4d-85ex)(d^2-e^2x^2)^{3/2} + \frac{1}{30}e^2(3d-85ex)(d^2-e^2x^2)^{5/2} \\
&= \frac{1}{16}d^4e^2(8d-85ex)\sqrt{d^2-e^2x^2} + \frac{1}{24}d^2e^2(4d-85ex)(d^2-e^2x^2)^{3/2} + \frac{1}{30}e^2(3d-85ex)(d^2-e^2x^2)^{5/2} \\
&= \frac{1}{16}d^4e^2(8d-85ex)\sqrt{d^2-e^2x^2} + \frac{1}{24}d^2e^2(4d-85ex)(d^2-e^2x^2)^{3/2} + \frac{1}{30}e^2(3d-85ex)(d^2-e^2x^2)^{5/2} \\
&= \frac{1}{16}d^4e^2(8d-85ex)\sqrt{d^2-e^2x^2} + \frac{1}{24}d^2e^2(4d-85ex)(d^2-e^2x^2)^{3/2} + \frac{1}{30}e^2(3d-85ex)(d^2-e^2x^2)^{5/2}
\end{aligned}$$

**Mathematica [C]** time = 0.64, size = 259, normalized size = 1.25

$$\frac{e \left( 5040d^9 \sqrt{1 - \frac{e^2x^2}{d^2}} {}_2F_1 \left( \frac{5}{2}, -\frac{1}{2}; \frac{7}{2}; \frac{e^2x^2}{d^2} \right) + ex \left( 240(d^2 - e^2x^2)^4 {}_2F_1 \left( \frac{7}{2}, \frac{9}{2}; 1 - \frac{e^2x^2}{d^2} \right) - 7d \left( 1104d^7 + 165d^6ex - 1632d^5e^2x^2 - 295d^4e^3x^3 + 672d^3e^4x^4 + 170d^2e^5x^5 + 75d^2 \sqrt{1 - \frac{e^2x^2}{d^2}} \sin^{-1} \left( \frac{ex}{d} \right) - 720d^6 \sqrt{d^2 - e^2x^2} \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2x^2}}{d} \right) - 144de^6x^6 - 40e^7x^7 \right) \right)}{1680dx \sqrt{d^2 - e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^3,x]

[Out] -1/1680\*(e\*(5040\*d^9\*sqrt[1 - (e^2\*x^2)/d^2]\*Hypergeometric2F1[-5/2, -1/2, 1/2, (e^2\*x^2)/d^2] + e\*x\*(-7\*d\*(1104\*d^7 + 165\*d^6\*e\*x - 1632\*d^5\*e^2\*x^2 - 295\*d^4\*e^3\*x^3 + 672\*d^3\*e^4\*x^4 + 170\*d^2\*e^5\*x^5 - 144\*d\*e^6\*x^6 - 40\*e^7\*x^7 + 75\*d^7\*sqrt[1 - (e^2\*x^2)/d^2]\*ArcSin[(e\*x)/d] - 720\*d^6\*sqrt[d^2 - e^2\*x^2]\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]) + 240\*(d^2 - e^2\*x^2)^4\*Hypergeometric2F1[2, 7/2, 9/2, 1 - (e^2\*x^2)/d^2]))/(d\*x\*sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.72, size = 189, normalized size = 0.91

$$-\frac{85}{16}d^6e\sqrt{-e^2}\log\left(\sqrt{d^2-e^2x^2}-\sqrt{-e^2x}\right)+d^6e^2\tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d}-\frac{\sqrt{d^2-e^2x^2}}{d}\right)+\frac{\sqrt{d^2-e^2x^2}\left(-120d^7-720d^6ex+544d^5e^2x^2-645d^4e^3x^3-448d^3e^4x^4+50d^2e^5x^5+144de^6x^6+40e^7x^7\right)}{240x^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic(((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^3,x)

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-120\*d^7 - 720\*d^6\*e\*x + 544\*d^5\*e^2\*x^2 - 645\*d^4\*e^3\*x^3 - 448\*d^3\*e^4\*x^4 + 50\*d^2\*e^5\*x^5 + 144\*d\*e^6\*x^6 + 40\*e^7\*x^7))/(240\*x^2) + d^6\*e^2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] - (85\*d^6\*e\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/16

**fricas [A]** time = 0.43, size = 179, normalized size = 0.86

$$\frac{2550d^6e^2x^2\arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right)+120d^6e^2x^2\log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right)+544d^6e^2x^2+(40e^7x^7+144de^6x^6+50d^2e^5x^5-448d^3e^4x^4-645d^4e^3x^3+544d^5e^2x^2-720d^6ex-120d^7)\sqrt{-e^2x^2+d^2}}{240x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^3,x, algorithm="fricas")

[Out] 1/240\*(2550\*d^6\*e^2\*x^2\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + 120\*d^6\*e^2\*x^2\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + 544\*d^6\*e^2\*x^2 + (40\*e^7\*x^7 + 144\*d\*e^6\*x^6 + 50\*d^2\*e^5\*x^5 - 448\*d^3\*e^4\*x^4 - 645\*d^4\*e^3\*x^3 + 544\*d^5\*e^2\*x^2 - 720\*d^6\*e\*x - 120\*d^7)\*sqrt(-e^2\*x^2 + d^2))/x^2

**giac [A]** time = 0.25, size = 262, normalized size = 1.27

$$\frac{85}{16}d^6\arcsin\left(\frac{xe}{d}\right)e^2\operatorname{sgn}(d)-\frac{1}{2}d^6e^2\log\left(\frac{-2de-2\sqrt{-x^2e^2+d^2}e^2}{2|x|}\right)-\frac{1}{8}\left(\frac{12(de+\sqrt{-x^2e^2+d^2}e)^d e^8}{x}+\frac{(de+\sqrt{-x^2e^2+d^2}e)^2 d^6 e^6}{x^2}\right)e^{-8}+\frac{1}{240}(544d^6e^2-(645d^4e^3+2(224d^3e^4-(25d^2e^5+4(5xe^7+18d^2e^6)*x)*x)*x)*x)\sqrt{-x^2e^2+d^2}+\frac{\left(d^6e^6+\frac{12(de+\sqrt{-x^2e^2+d^2}e)^d e^4}{x}\right)^2}{8(de+\sqrt{-x^2e^2+d^2}e)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^3,x, algorithm="giac")

[Out] -85/16\*d^6\*arcsin(x\*e/d)\*e^2\*sgn(d) - 1/2\*d^6\*e^2\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x)) - 1/8\*(12\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^6\*e^8/x + (d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*d^6\*e^6/x^2)\*e^(-8) + 1/240\*(544\*d^5\*e^2 - (645\*d^4\*e^3 + 2\*(224\*d^3\*e^4 - (25\*d^2\*e^5 + 4\*(5\*x\*e^7 + 18\*d^2\*e^6)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2) + 1/8\*(d^6\*e^6 + 12\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^6\*e^4/x)\*x^2/(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2

**maple [A]** time = 0.02, size = 252, normalized size = 1.22

$$\frac{d^7 e^2 \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2 x^2} \sqrt{-e^2 x^2 + d^2}}{x}\right)}{2\sqrt{d^2}} - \frac{85d^6 e^3 \arctan\left(\frac{\sqrt{-e^2 x}}{\sqrt{-e^2 x^2 + d^2}}\right)}{16\sqrt{d^2}} - \frac{85\sqrt{-e^2 x^2 + d^2} d^4 e^3 x}{16} + \frac{\sqrt{-e^2 x^2 + d^2} d^6 e^2}{2} - \frac{85(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2 e^3 x}{24} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d^6 e^2}{6} - \frac{17(-e^2 x^2 + d^2)^{\frac{3}{2}} e^3 x}{6} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d e^2}{10} - \frac{3(-e^2 x^2 + d^2)^{\frac{3}{2}} e}{x} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^3*(-e^2*x^2+d^2)^(5/2)/x^3,x)`

[Out]  $-17/6*e^3*x*(-e^2*x^2+d^2)^{(5/2)}-85/24*e^3*d^2*x*(-e^2*x^2+d^2)^{(3/2)}-85/16*e^3*d^4*x*(-e^2*x^2+d^2)^{(1/2)}-85/16*e^3*d^6/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)})/(-e^2*x^2+d^2)^{(1/2)}*x)-1/2*d*(-e^2*x^2+d^2)^{(7/2)}/x^2+1/10*d*e^2*(-e^2*x^2+d^2)^{(5/2)}+1/6*d^3*e^2*(-e^2*x^2+d^2)^{(3/2)}+1/2*d^5*e^2*(-e^2*x^2+d^2)^{(1/2)}-1/2*d^7*e^2/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-3*e*(-e^2*x^2+d^2)^{(7/2)}/x$

**maxima** [A] time = 1.00, size = 229, normalized size = 1.11

$\frac{85}{16}d^6e^2\arcsin\left(\frac{ex}{d}\right)-\frac{1}{2}d^6e^2\log\left(\frac{2d^2}{|x|}+\frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)-\frac{85}{16}\sqrt{-e^2x^2+d^2}d^4e^3x+\frac{1}{2}\sqrt{-e^2x^2+d^2}d^6e^2-\frac{85}{24}(-e^2x^2+d^2)^{\frac{3}{2}}d^2e^3x+\frac{1}{6}(-e^2x^2+d^2)^{\frac{3}{2}}d^4e^2+\frac{1}{6}(-e^2x^2+d^2)^{\frac{5}{2}}e^3x+\frac{1}{10}(-e^2x^2+d^2)^{\frac{5}{2}}de^2-\frac{3(-e^2x^2+d^2)^{\frac{5}{2}}d^2e}{x}-\frac{(-e^2x^2+d^2)^{\frac{7}{2}}d}{2x^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3*(-e^2*x^2+d^2)^(5/2)/x^3,x, algorithm="maxima")`

[Out]  $-85/16*d^6*e^2*\arcsin(e*x/d) - 1/2*d^6*e^2*\log(2*d^2/abs(x) + 2*\sqrt{-e^2*x^2 + d^2}*d/abs(x)) - 85/16*\sqrt{-e^2*x^2 + d^2}*d^4*e^3*x + 1/2*\sqrt{-e^2*x^2 + d^2}*d^5*e^2 - 85/24*(-e^2*x^2 + d^2)^{(3/2)}*d^2*e^3*x + 1/6*(-e^2*x^2 + d^2)^{(3/2)}*d^3*e^2 + 1/6*(-e^2*x^2 + d^2)^{(5/2)}*e^3*x + 1/10*(-e^2*x^2 + d^2)^{(5/2)}*d*e^2 - 3*(-e^2*x^2 + d^2)^{(5/2)}*d^2*e/x - 1/2*(-e^2*x^2 + d^2)^{(7/2)}*d/x^2$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + e x)^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x^3,x)`

[Out] `int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x^3, x)`

**sympy** [C] time = 22.22, size = 1059, normalized size = 5.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**3*(-e**2*x**2+d**2)**(5/2)/x**3,x)`

[Out] `d**7*Piecewise((-d**2/(2*e*x**3*sqrt(d**2/(e**2*x**2) - 1)) + e/(2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**2*acosh(d/(e*x))/(2*d), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(2*x) - I*e**2*asin(d/(e*x))/(2*d), T`

```

rue)) + 3*d**6*e*Piecewise((I*d/(x*sqrt(-1 + e**2*x**2/d**2)) + I*e*acosh(e
*x/d) - I*e**2*x/(d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (
-d/(x*sqrt(1 - e**2*x**2/d**2)) - e*asin(e*x/d) + e**2*x/(d*sqrt(1 - e**2*x
**2/d**2)), True)) + d**5*e**2*Piecewise((d**2/(e*x*sqrt(d**2/(e**2*x**2) -
1)) - d*acosh(d/(e*x)) - e*x/sqrt(d**2/(e**2*x**2) - 1), Abs(d**2/(e**2*x*
*2)) > 1), (-I*d**2/(e*x*sqrt(-d**2/(e**2*x**2) + 1)) + I*d*asin(d/(e*x)) +
I*e*x/sqrt(-d**2/(e**2*x**2) + 1), True)) - 5*d**4*e**3*Piecewise((-I*d**2
*acosh(e*x/d)/(2*e) - I*d*x/(2*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**3/(2*
d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**2*asin(e*x/d)/(
2*e) + d*x*sqrt(1 - e**2*x**2/d**2)/2, True)) - 5*d**3*e**4*Piecewise((x**2
*sqrt(d**2)/2, Eq(e**2, 0)), (-(d**2 - e**2*x**2)**(3/2)/(3*e**2), True)) +
d**2*e**5*Piecewise((-I*d**4*acosh(e*x/d)/(8*e**3) + I*d**3*x/(8*e**2*sqrt
(-1 + e**2*x**2/d**2)) - 3*I*d*x**3/(8*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*
x**5/(4*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**4*asin(
e*x/d)/(8*e**3) - d**3*x/(8*e**2*sqrt(1 - e**2*x**2/d**2)) + 3*d*x**3/(8*sq
rt(1 - e**2*x**2/d**2)) - e**2*x**5/(4*d*sqrt(1 - e**2*x**2/d**2)), True))
+ 3*d*e**6*Piecewise((-2*d**4*sqrt(d**2 - e**2*x**2)/(15*e**4) - d**2*x**2*
sqrt(d**2 - e**2*x**2)/(15*e**2) + x**4*sqrt(d**2 - e**2*x**2)/5, Ne(e, 0))
, (x**4*sqrt(d**2)/4, True)) + e**7*Piecewise((-I*d**6*acosh(e*x/d)/(16*e**
5) + I*d**5*x/(16*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**3/(48*e**2*sq
rt(-1 + e**2*x**2/d**2)) - 5*I*d*x**5/(24*sqrt(-1 + e**2*x**2/d**2)) + I*e*
**2*x**7/(6*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**6*as
in(e*x/d)/(16*e**5) - d**5*x/(16*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**3
/(48*e**2*sqrt(1 - e**2*x**2/d**2)) + 5*d*x**5/(24*sqrt(1 - e**2*x**2/d**2)
) - e**2*x**7/(6*d*sqrt(1 - e**2*x**2/d**2)), True))

```

$$3.74 \quad \int \frac{(d+ex)^3 (d^2 - e^2 x^2)^{5/2}}{x^4} dx$$

**Optimal.** Leaf size=210

$$\frac{3e(d^2 - e^2 x^2)^{7/2}}{2x^2} - \frac{e^2(50d + 39ex)(d^2 - e^2 x^2)^{5/2}}{30x} - \frac{d(d^2 - e^2 x^2)^{7/2}}{3x^3} - \frac{1}{12} de^3(26d + 25ex)(d^2 - e^2 x^2)^{3/2} - \frac{25}{8} d^5 e^3 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \frac{13}{2} d^5 e^3 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

**Rubi [A]** time = 0.31, antiderivative size = 210, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {1807, 813, 815, 844, 217, 203, 266, 63, 208}

$$-\frac{1}{8} d^3 e^3 (52d + 25ex) \sqrt{d^2 - e^2 x^2} - \frac{d(d^2 - e^2 x^2)^{7/2}}{3x^3} - \frac{1}{12} d e^3 (26d + 25ex) (d^2 - e^2 x^2)^{3/2} - \frac{3e(d^2 - e^2 x^2)^{7/2}}{2x^2} - \frac{e^2(50d + 39ex)(d^2 - e^2 x^2)^{5/2}}{30x} - \frac{25}{8} d^5 e^3 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \frac{13}{2} d^5 e^3 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^4, x]

[Out] -(d^3\*e^3\*(52\*d + 25\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/8 - (d\*e^3\*(26\*d + 25\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/12 - (e^2\*(50\*d + 39\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(30\*x) - (d\*(d^2 - e^2\*x^2)^(7/2))/(3\*x^3) - (3\*e\*(d^2 - e^2\*x^2)^(7/2))/(2\*x^2) - (25\*d^5\*e^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/8 + (13\*d^5\*e^3\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/2

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 813

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

### Rule 815

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1807

```
Int[(Pq)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
```

$m + 1)$ ), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex)^3 (d^2 - e^2 x^2)^{5/2}}{x^4} dx &= -\frac{d (d^2 - e^2 x^2)^{7/2}}{3x^3} - \frac{\int \frac{(d^2 - e^2 x^2)^{5/2} (-9d^4 e - 5d^3 e^2 x - 3d^2 e^3 x^2)}{x^3} dx}{3d^2} \\
 &= -\frac{d (d^2 - e^2 x^2)^{7/2}}{3x^3} - \frac{3e (d^2 - e^2 x^2)^{7/2}}{2x^2} + \frac{\int \frac{(10d^5 e^2 - 39d^4 e^3 x) (d^2 - e^2 x^2)^{5/2}}{x^2} dx}{6d^4} \\
 &= -\frac{e^2 (50d + 39ex) (d^2 - e^2 x^2)^{5/2}}{30x} - \frac{d (d^2 - e^2 x^2)^{7/2}}{3x^3} - \frac{3e (d^2 - e^2 x^2)^{7/2}}{2x^2} - \frac{\int \frac{(78d^6 e^3)}{x} dx}{6d^4} \\
 &= -\frac{1}{12} d e^3 (26d + 25ex) (d^2 - e^2 x^2)^{3/2} - \frac{e^2 (50d + 39ex) (d^2 - e^2 x^2)^{5/2}}{30x} - \frac{d (d^2 - e^2 x^2)^{7/2}}{3x^3} \\
 &= -\frac{1}{8} d^3 e^3 (52d + 25ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{12} d e^3 (26d + 25ex) (d^2 - e^2 x^2)^{3/2} - \frac{e^2 (50d + 39ex) (d^2 - e^2 x^2)^{5/2}}{30x} \\
 &= -\frac{1}{8} d^3 e^3 (52d + 25ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{12} d e^3 (26d + 25ex) (d^2 - e^2 x^2)^{3/2} - \frac{e^2 (50d + 39ex) (d^2 - e^2 x^2)^{5/2}}{30x} \\
 &= -\frac{1}{8} d^3 e^3 (52d + 25ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{12} d e^3 (26d + 25ex) (d^2 - e^2 x^2)^{3/2} - \frac{e^2 (50d + 39ex) (d^2 - e^2 x^2)^{5/2}}{30x} \\
 &= -\frac{1}{8} d^3 e^3 (52d + 25ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{12} d e^3 (26d + 25ex) (d^2 - e^2 x^2)^{3/2} - \frac{e^2 (50d + 39ex) (d^2 - e^2 x^2)^{5/2}}{30x} \\
 &= -\frac{1}{8} d^3 e^3 (52d + 25ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{12} d e^3 (26d + 25ex) (d^2 - e^2 x^2)^{3/2} - \frac{e^2 (50d + 39ex) (d^2 - e^2 x^2)^{5/2}}{30x}
 \end{aligned}$$

**Mathematica [C]** time = 0.27, size = 251, normalized size = 1.20

$$-\frac{3e^3 (d^2 - e^2 x^2)^{7/2} {}_2F_1\left(2, \frac{7}{2}; \frac{9}{2}; 1 - \frac{e^2 x^2}{d^2}\right)}{7d^2} - \frac{d^7 \sqrt{d^2 - e^2 x^2} {}_2F_1\left(-\frac{5}{2}, -\frac{3}{2}; -\frac{1}{2}; \frac{e^2 x^2}{d^2}\right)}{3x^3 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{3d^5 e^2 \sqrt{d^2 - e^2 x^2} {}_2F_1\left(-\frac{5}{2}, -\frac{1}{2}; \frac{1}{2}; \frac{e^2 x^2}{d^2}\right)}{x \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{1}{15} e^3 \left( \sqrt{d^2 - e^2 x^2} (23d^4 - 11d^2 e^2 x^2 + 3e^4 x^4) - 15d^3 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^4, x]

[Out]  $(e^3(\sqrt{d^2 - e^2x^2})(23d^4 - 11d^2e^2x^2 + 3e^4x^4) - 15d^5\text{ArcTanh}[\sqrt{d^2 - e^2x^2}/d])/15 - (d^7\sqrt{d^2 - e^2x^2}\text{Hypergeometric2F1}[-5/2, -3/2, -1/2, (e^2x^2)/d^2])/(3x^3\sqrt{1 - (e^2x^2)/d^2}) - (3d^5e^2\sqrt{d^2 - e^2x^2}\text{Hypergeometric2F1}[-5/2, -1/2, 1/2, (e^2x^2)/d^2])/(x\sqrt{1 - (e^2x^2)/d^2}) - (3e^3(d^2 - e^2x^2)^{7/2}\text{Hypergeometric2F1}[2, 7/2, 9/2, 1 - (e^2x^2)/d^2])/(7d^2)$

**IntegrateAlgebraic [A]** time = 0.62, size = 192, normalized size = 0.91

$$-\frac{25}{8}d^5e^2\sqrt{-e^2}\log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right) - 13d^5e^3\tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right) + \frac{\sqrt{d^2 - e^2x^2}(-40d^7 - 180d^6ex - 80d^5e^2x^2 - 656d^4e^3x^3 - 345d^3e^4x^4 + 32d^2e^5x^5 + 90de^6x^6 + 24e^7x^7)}{120x^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic(((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^4, x)

[Out]  $(\sqrt{d^2 - e^2x^2}(-40d^7 - 180d^6ex - 80d^5e^2x^2 - 656d^4e^3x^3 - 345d^3e^4x^4 + 32d^2e^5x^5 + 90de^6x^6 + 24e^7x^7))/(120x^3) - 13d^5e^3\text{ArcTanh}[(\sqrt{-e^2}x)/d - \sqrt{d^2 - e^2x^2}/d] - (25d^5e^2\sqrt{-e^2}\text{Log}[-(\sqrt{-e^2}x) + \sqrt{d^2 - e^2x^2}])/8$

**fricas [A]** time = 0.42, size = 179, normalized size = 0.85

$$\frac{750d^5e^3x^3\arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) - 780d^5e^3x^3\log\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - 656d^5e^3x^3 + (24e^7x^7 + 90de^6x^6 + 32d^2e^5x^5 - 345d^3e^4x^4 - 656d^4e^3x^3 - 80d^5e^2x^2 - 180d^6ex - 40d^7)\sqrt{-e^2x^2 + d^2}}{120x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^4, x, algorithm="fricas")

[Out]  $1/120*(750*d^5*e^3*x^3*\arctan(-(d - \sqrt{-e^2*x^2 + d^2})/(e*x)) - 780*d^5*e^3*x^3*\log(-(d - \sqrt{-e^2*x^2 + d^2})/x) - 656*d^5*e^3*x^3 + (24*e^7*x^7 + 90*d*e^6*x^6 + 32*d^2*e^5*x^5 - 345*d^3*e^4*x^4 - 656*d^4*e^3*x^3 - 80*d^5*e^2*x^2 - 180*d^6*e*x - 40*d^7)*\sqrt{-e^2*x^2 + d^2})/x^3$

**giac [A]** time = 0.29, size = 318, normalized size = 1.51

$$\frac{25}{8}d^5\arcsin\left(\frac{ex}{d}\right) + \frac{13}{2}d^5e^3\log\left(\frac{1-2dx-2\sqrt{-x^2e^2+d^2}d^{d-2}}{2|x|}\right) + \frac{\left(\frac{d^5e^6 + \frac{9(d+\sqrt{-x^2e^2+d^2})e^{16}}{x} + \frac{9(d+\sqrt{-x^2e^2+d^2})^2d^{14}}{x^2}\right)^{3/2}}{24(d+\sqrt{-x^2e^2+d^2})^3} - \frac{1}{24}\left(\frac{9(d+\sqrt{-x^2e^2+d^2})d^{16}}{x} + \frac{9(d+\sqrt{-x^2e^2+d^2})^2d^{14}}{x^2} + \frac{(d+\sqrt{-x^2e^2+d^2})^3d^{12}}{x^3}\right)e^{-10} - \frac{1}{120}(656d^5e^3 + 345d^6e^4 - 2(16d^6e^5 + 3(4xe^7 + 15d^6e^5)))\sqrt{-x^2e^2+d^2}}{120x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^4, x, algorithm="giac")

[Out]  $-25/8*d^5*\arcsin(x*e/d)*e^3*\text{sgn}(d) + 13/2*d^5*e^3*\log(1/2*\text{abs}(-2*d*e - 2*\sqrt{-x^2*e^2 + d^2})*e)*e^{(-2)}/\text{abs}(x) + 1/24*(d^5*e^8 + 9*(d*e + \sqrt{-x^2*e^2 + d^2})*e)*d^5*e^6/x + 9*(d*e + \sqrt{-x^2*e^2 + d^2})*e)^2*d^5*e^4/x^2)*x^3*e/(d*e + \sqrt{-x^2*e^2 + d^2})*e)^3 - 1/24*(9*(d*e + \sqrt{-x^2*e^2 + d^2})*e)*d^5*e^16/x + 9*(d*e + \sqrt{-x^2*e^2 + d^2})*e)^2*d^5*e^14/x^2 + (d*e + \sqrt{-x^2*e^2 + d^2})*e)^3*d^5*e^12/x^3$



$\text{rt}(-x^2e^2 + d^2)e^3d^5e^{12/x^3}e^{-15} - 1/120(656d^4e^3 + (345d^3e^4 - 2(16d^2e^5 + 3(4xe^7 + 15d^6e^6)x)x)*x)*\sqrt{-x^2e^2 + d^2}$

**maple [A]** time = 0.02, size = 277, normalized size = 1.32

$$\frac{13d^6e^3 \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2x^2}}{x}\right)}{2\sqrt{d^2}} - \frac{25d^6e^4 \arctan\left(\frac{\sqrt{d^2 - e^2x^2}}{\sqrt{-e^2x^2 + d^2}}\right)}{8\sqrt{d^2}} - \frac{25\sqrt{-e^2x^2 + d^2} d^6 e^4 x}{8} - \frac{13\sqrt{-e^2x^2 + d^2} d^4 e^3}{2} - \frac{25(-e^2x^2 + d^2)^{3/2} d^4 e^3}{12} - \frac{13(-e^2x^2 + d^2)^{3/2} d^2 e^3}{6} - \frac{5(-e^2x^2 + d^2)^{5/2} e^4 x}{3d} - \frac{13(-e^2x^2 + d^2)^{5/2} e^3}{10} - \frac{5(-e^2x^2 + d^2)^{7/2} e^2}{3dx} - \frac{3(-e^2x^2 + d^2)^{7/2} e}{2x^2} - \frac{(-e^2x^2 + d^2)^{7/2} d}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^3*(-e^2*x^2+d^2)^{(5/2)}/x^4, x)$

[Out]  $-1/3*d*(-e^2*x^2+d^2)^{(7/2)}/x^3-5/3/d*e^2/x*(-e^2*x^2+d^2)^{(7/2)}-5/3/d*e^4*x*(-e^2*x^2+d^2)^{(5/2)}-25/12*d*e^4*x*(-e^2*x^2+d^2)^{(3/2)}-25/8*d^3*e^4*x*(-e^2*x^2+d^2)^{(1/2)}-25/8*d^5*e^4/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)-3/2*e*(-e^2*x^2+d^2)^{(7/2)}/x^2-13/10*e^3*(-e^2*x^2+d^2)^{(5/2)}-13/6*d^2*e^3*(-e^2*x^2+d^2)^{(3/2)}-13/2*d^4*e^3*(-e^2*x^2+d^2)^{(1/2)}+13/2*d^6*e^3/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)$

**maxima [A]** time = 1.01, size = 226, normalized size = 1.08

$$-\frac{25}{8}d^6e^3 \arcsin\left(\frac{ex}{d}\right) + \frac{13}{2}d^6e^3 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2 + d^2}d}{|x|}\right) - \frac{25}{8}\sqrt{-e^2x^2 + d^2}d^6e^4x - \frac{13}{2}\sqrt{-e^2x^2 + d^2}d^4e^3 - \frac{25}{12}(-e^2x^2 + d^2)^{3/2}de^4x - \frac{13}{6}(-e^2x^2 + d^2)^{3/2}d^2e^3 - \frac{13}{10}(-e^2x^2 + d^2)^{5/2}e^3 - \frac{5(-e^2x^2 + d^2)^{5/2}de^2}{3x} - \frac{3(-e^2x^2 + d^2)^{7/2}e}{2x^2} - \frac{(-e^2x^2 + d^2)^{7/2}d}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)^3*(-e^2*x^2+d^2)^{(5/2)}/x^4, x, \text{algorithm}="maxima")$

[Out]  $-25/8*d^5*e^3*\arcsin(e*x/d) + 13/2*d^5*e^3*\log(2*d^2/\text{abs}(x) + 2*\sqrt{-e^2*x^2 + d^2}*d/\text{abs}(x)) - 25/8*\sqrt{-e^2*x^2 + d^2}*d^3*e^4*x - 13/2*\sqrt{-e^2*x^2 + d^2}*d^4*e^3 - 25/12*(-e^2*x^2 + d^2)^{(3/2)}*d*e^4*x - 13/6*(-e^2*x^2 + d^2)^{(3/2)}*d^2*e^3 - 13/10*(-e^2*x^2 + d^2)^{(5/2)}*e^3 - 5/3*(-e^2*x^2 + d^2)^{(5/2)}*d*e^2/x - 3/2*(-e^2*x^2 + d^2)^{(7/2)}*e/x^2 - 1/3*(-e^2*x^2 + d^2)^{(7/2)}*d/x^3$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + e x)^3}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(((d^2 - e^2*x^2)^{(5/2)}*(d + e*x)^3)/x^4, x)$

[Out]  $\text{int}(((d^2 - e^2*x^2)^{(5/2)}*(d + e*x)^3)/x^4, x)$

**sympy [C]** time = 15.74, size = 911, normalized size = 4.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(-e**2*x**2+d**2)**(5/2)/x**4,x)
```

```
[Out] d**7*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*x**2) + e**3*sqrt(d**2/(e*
*2*x**2) - 1)/(3*d**2), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*
x**2) + 1)/(3*x**2) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(3*d**2), True)) +
3*d**6*e*Piecewise((-d**2/(2*e*x**3*sqrt(d**2/(e**2*x**2) - 1)) + e/(2*x*s
qrt(d**2/(e**2*x**2) - 1)) + e**2*acosh(d/(e*x))/(2*d), Abs(d**2/(e**2*x**2
)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(2*x) - I*e**2*asin(d/(e*x))/(2*
d), True)) + d**5*e**2*Piecewise((I*d/(x*sqrt(-1 + e**2*x**2/d**2)) + I*e*a
cosh(e*x/d) - I*e**2*x/(d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) >
1), (-d/(x*sqrt(1 - e**2*x**2/d**2)) - e*asin(e*x/d) + e**2*x/(d*sqrt(1 -
e**2*x**2/d**2)), True)) - 5*d**4*e**3*Piecewise((d**2/(e*x*sqrt(d**2/(e**2
*x**2) - 1)) - d*acosh(d/(e*x)) - e*x/sqrt(d**2/(e**2*x**2) - 1), Abs(d**2/
(e**2*x**2)) > 1), (-I*d**2/(e*x*sqrt(-d**2/(e**2*x**2) + 1)) + I*d*asin(d/
(e*x)) + I*e*x/sqrt(-d**2/(e**2*x**2) + 1), True)) - 5*d**3*e**4*Piecewise(
(-I*d**2*acosh(e*x/d)/(2*e) - I*d*x/(2*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*
x**3/(2*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**2*asin(
e*x/d)/(2*e) + d*x*sqrt(1 - e**2*x**2/d**2)/2, True)) + d**2*e**5*Piecewise
((x**2*sqrt(d**2)/2, Eq(e**2, 0)), -(d**2 - e**2*x**2)**(3/2)/(3*e**2), Tr
ue)) + 3*d**6*Piecewise((-I*d**4*acosh(e*x/d)/(8*e**3) + I*d**3*x/(8*e**2
*sqrt(-1 + e**2*x**2/d**2)) - 3*I*d*x**3/(8*sqrt(-1 + e**2*x**2/d**2)) + I*
e**2*x**5/(4*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**4*
asin(e*x/d)/(8*e**3) - d**3*x/(8*e**2*sqrt(1 - e**2*x**2/d**2)) + 3*d*x**3/
(8*sqrt(1 - e**2*x**2/d**2)) - e**2*x**5/(4*d*sqrt(1 - e**2*x**2/d**2)), Tr
ue)) + e**7*Piecewise((-2*d**4*sqrt(d**2 - e**2*x**2)/(15*e**4) - d**2*x**2
*sqrt(d**2 - e**2*x**2)/(15*e**2) + x**4*sqrt(d**2 - e**2*x**2)/5, Ne(e, 0)
), (x**4*sqrt(d**2)/4, True))
```

$$3.75 \quad \int \frac{(d+ex)^3(d^2-e^2x^2)^{5/2}}{x^5} dx$$

**Optimal.** Leaf size=209

$$-\frac{3e^2(3d+2ex)(d^2-e^2x^2)^{5/2}}{8x^2} - \frac{d(d^2-e^2x^2)^{7/2}}{4x^4} - \frac{e(d^2-e^2x^2)^{7/2}}{x^3} - \frac{45}{8}d^2e^4(d-ex)\sqrt{d^2-e^2x^2} + \frac{15de^3(2d-ex)(d^2-e^2x^2)^{3/2}}{8x}$$

**Rubi [A]** time = 0.32, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 27, number of rules / integrand size = 0.333, Rules used = {1807, 813, 815, 844, 217, 203, 266, 63, 208}

$$-\frac{45}{8}d^2e^4(d-ex)\sqrt{d^2-e^2x^2} + \frac{15de^3(2d-ex)(d^2-e^2x^2)^{3/2}}{8x} - \frac{3e^2(3d+2ex)(d^2-e^2x^2)^{5/2}}{8x^2} - \frac{e(d^2-e^2x^2)^{7/2}}{x^3} - \frac{d(d^2-e^2x^2)^{7/2}}{4x^4} + \frac{45}{8}d^4e^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + \frac{45}{8}d^4e^4 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^5, x]

[Out] (-45\*d^2\*e^4\*(d - e\*x)\*Sqrt[d^2 - e^2\*x^2])/8 + (15\*d\*e^3\*(2\*d - e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(8\*x) - (3\*e^2\*(3\*d + 2\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(8\*x^2) - (d\*(d^2 - e^2\*x^2)^(7/2))/(4\*x^4) - (e\*(d^2 - e^2\*x^2)^(7/2))/x^3 + (45\*d^4\*e^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/8 + (45\*d^4\*e^4\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/8

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 813

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

### Rule 815

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1807

```
Int[(Pq)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
```

$m + 1)$ ), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex)^3 (d^2 - e^2 x^2)^{5/2}}{x^5} dx &= -\frac{d (d^2 - e^2 x^2)^{7/2}}{4x^4} - \frac{\int \frac{(d^2 - e^2 x^2)^{5/2} (-12d^4 e - 9d^3 e^2 x - 4d^2 e^3 x^2)}{x^4} dx}{4d^2} \\
 &= -\frac{d (d^2 - e^2 x^2)^{7/2}}{4x^4} - \frac{e (d^2 - e^2 x^2)^{7/2}}{x^3} + \frac{\int \frac{(27d^5 e^2 - 36d^4 e^3 x) (d^2 - e^2 x^2)^{5/2}}{x^3} dx}{12d^4} \\
 &= -\frac{3e^2 (3d + 2ex) (d^2 - e^2 x^2)^{5/2}}{8x^2} - \frac{d (d^2 - e^2 x^2)^{7/2}}{4x^4} - \frac{e (d^2 - e^2 x^2)^{7/2}}{x^3} - \frac{5 \int \frac{(144d^6 e^2)}{x^3} dx}{12d^4} \\
 &= \frac{15de^3 (2d - ex) (d^2 - e^2 x^2)^{3/2}}{8x} - \frac{3e^2 (3d + 2ex) (d^2 - e^2 x^2)^{5/2}}{8x^2} - \frac{d (d^2 - e^2 x^2)^{7/2}}{4x^4} \\
 &= -\frac{45}{8} d^2 e^4 (d - ex) \sqrt{d^2 - e^2 x^2} + \frac{15de^3 (2d - ex) (d^2 - e^2 x^2)^{3/2}}{8x} - \frac{3e^2 (3d + 2ex) (d^2 - e^2 x^2)^{5/2}}{8x^2} \\
 &= -\frac{45}{8} d^2 e^4 (d - ex) \sqrt{d^2 - e^2 x^2} + \frac{15de^3 (2d - ex) (d^2 - e^2 x^2)^{3/2}}{8x} - \frac{3e^2 (3d + 2ex) (d^2 - e^2 x^2)^{5/2}}{8x^2} \\
 &= -\frac{45}{8} d^2 e^4 (d - ex) \sqrt{d^2 - e^2 x^2} + \frac{15de^3 (2d - ex) (d^2 - e^2 x^2)^{3/2}}{8x} - \frac{3e^2 (3d + 2ex) (d^2 - e^2 x^2)^{5/2}}{8x^2} \\
 &= -\frac{45}{8} d^2 e^4 (d - ex) \sqrt{d^2 - e^2 x^2} + \frac{15de^3 (2d - ex) (d^2 - e^2 x^2)^{3/2}}{8x} - \frac{3e^2 (3d + 2ex) (d^2 - e^2 x^2)^{5/2}}{8x^2} \\
 &= -\frac{45}{8} d^2 e^4 (d - ex) \sqrt{d^2 - e^2 x^2} + \frac{15de^3 (2d - ex) (d^2 - e^2 x^2)^{3/2}}{8x} - \frac{3e^2 (3d + 2ex) (d^2 - e^2 x^2)^{5/2}}{8x^2}
 \end{aligned}$$

**Mathematica [C]** time = 0.10, size = 195, normalized size = 0.93

$$\frac{e\sqrt{d^2 - e^2 x^2} \left( 3(e^3 x^2 - d^2 e)^3 {}_2F_1\left(2, \frac{7}{2}; \frac{9}{2}; 1 - \frac{e^2 x^2}{d^2}\right) + (e^3 x^2 - d^2 e)^3 {}_2F_1\left(3, \frac{7}{2}; \frac{9}{2}; 1 - \frac{e^2 x^2}{d^2}\right) - \frac{7d^9 {}_2F_1\left(-\frac{5}{2}, -\frac{3}{2}; -\frac{1}{2}; \frac{e^2 x^2}{d^2}\right)}{x^3 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{7d^7 e^2 {}_2F_1\left(-\frac{5}{2}, -\frac{1}{2}; \frac{1}{2}; \frac{e^2 x^2}{d^2}\right)}{x \sqrt{1 - \frac{e^2 x^2}{d^2}}} \right)}{7d^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^5,x]

[Out] (e\*Sqrt[d^2 - e^2\*x^2]\*((-7\*d^9\*Hypergeometric2F1[-5/2, -3/2, -1/2, (e^2\*x^2)/d^2]))/(x^3\*Sqrt[1 - (e^2\*x^2)/d^2]) - (7\*d^7\*e^2\*Hypergeometric2F1[-5/2, -1/2, 1/2, (e^2\*x^2)/d^2])/(x\*Sqrt[1 - (e^2\*x^2)/d^2]) + 3\*(-(d^2\*e) + e^3\*x^2)^3\*Hypergeometric2F1[2, 7/2, 9/2, 1 - (e^2\*x^2)/d^2] + (-(d^2\*e) + e^3\*x^2)^3\*Hypergeometric2F1[3, 7/2, 9/2, 1 - (e^2\*x^2)/d^2]))/(7\*d^3)

**IntegrateAlgebraic [A]** time = 0.68, size = 194, normalized size = 0.93

$$\frac{45}{4}d^4e^4 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right) + \frac{45}{8}d^4e^3\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right) + \frac{\sqrt{d^2 - e^2x^2}(-2d^7 - 8d^6ex - 3d^5e^2x^2 + 48d^4e^3x^3 - 48d^3e^4x^4 + 3d^2e^5x^5 + 8de^6x^6 + 2e^7x^7)}{8x^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^5,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-2\*d^7 - 8\*d^6\*e\*x - 3\*d^5\*e^2\*x^2 + 48\*d^4\*e^3\*x^3 - 48\*d^3\*e^4\*x^4 + 3\*d^2\*e^5\*x^5 + 8\*d\*e^6\*x^6 + 2\*e^7\*x^7))/(8\*x^4) - (45\*d^4\*e^4\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/4 + (45\*d^4\*e^3\*sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/8

**fricas [A]** time = 0.42, size = 180, normalized size = 0.86

$$\frac{90d^4e^4x^4 \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + 45d^4e^4x^4 \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + 48d^4e^4x^4 - (2e^7x^7 + 8de^6x^6 + 3d^2e^5x^5 - 48d^3e^4x^4 + 48d^4e^3x^3 - 3d^5e^2x^2 - 8d^6ex - 2d^7)\sqrt{-e^2x^2 + d^2}}{8x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^5,x, algorithm="fricas")

[Out] -1/8\*(90\*d^4\*e^4\*x^4\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + 45\*d^4\*e^4\*x^4\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + 48\*d^4\*e^4\*x^4 - (2\*e^7\*x^7 + 8\*d\*e^6\*x^6 + 3\*d^2\*e^5\*x^5 - 48\*d^3\*e^4\*x^4 + 48\*d^4\*e^3\*x^3 - 3\*d^5\*e^2\*x^2 - 8\*d^6\*e\*x - 2\*d^7)\*sqrt(-e^2\*x^2 + d^2))/x^4

**giac [B]** time = 0.27, size = 374, normalized size = 1.79

$$\frac{45}{8}d^4 \arcsin\left(\frac{ex}{d}\right) \operatorname{sgn}(d) + \frac{45}{8}d^4 \log\left(\frac{-2de - 2\sqrt{-e^2x^2 + d^2}}{2d}\right) + \frac{\left(\frac{d^2e^4}{x} + \frac{8(d + \sqrt{-e^2x^2 + d^2})^2e^4}{x} + \frac{8(d + \sqrt{-e^2x^2 + d^2})^2e^4}{x} - \frac{184(d + \sqrt{-e^2x^2 + d^2})^2e^4}{x}\right)e^{2x} + \frac{184(d + \sqrt{-e^2x^2 + d^2})^2e^{2x}}{x} - \frac{8(d + \sqrt{-e^2x^2 + d^2})^2e^{2x}}{x} - \frac{8(d + \sqrt{-e^2x^2 + d^2})^2e^{2x}}{x} - \frac{(d + \sqrt{-e^2x^2 + d^2})^4e^{2x}}{x}}{64(d + \sqrt{-e^2x^2 + d^2})^4} + \frac{1}{64}\left(\frac{184(d + \sqrt{-e^2x^2 + d^2})^2e^{2x}}{x} - \frac{8(d + \sqrt{-e^2x^2 + d^2})^2e^{2x}}{x} - \frac{8(d + \sqrt{-e^2x^2 + d^2})^2e^{2x}}{x} - \frac{(d + \sqrt{-e^2x^2 + d^2})^4e^{2x}}{x}\right)e^{-2x} - \frac{1}{8}(8d^6e^4 - (5d^6e^4 + 2(x^2 + 4de^2))\sqrt{-e^2x^2 + d^2})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^5,x, algorithm="giac")

[Out] 45/8\*d^4\*arcsin(x\*e/d)\*e^4\*sgn(d) + 45/8\*d^4\*e^4\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x)) + 1/64\*(d^4\*e^10 + 8\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^4\*e^8/x + 8\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*d^4\*e^6/x^2 - 184\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*d^4\*e^4/x^3)\*x^4\*e^2/(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)

$\sqrt{2 + d^2} * e)^4 + 1/64 * (184 * (d * e + \sqrt{-x^2 * e^2 + d^2} * e) * d^4 * e^{26} / x - 8 * (d * e + \sqrt{-x^2 * e^2 + d^2} * e)^2 * d^4 * e^{24} / x^2 - 8 * (d * e + \sqrt{-x^2 * e^2 + d^2} * e)^3 * d^4 * e^{22} / x^3 - (d * e + \sqrt{-x^2 * e^2 + d^2} * e)^4 * d^4 * e^{20} / x^4) * e^{(-24)} - 1/8 * (48 * d^3 * e^4 - (3 * d^2 * e^5 + 2 * (x * e^7 + 4 * d * e^6) * x) * x) * \sqrt{-x^2 * e^2 + d^2}$

**maple [A]** time = 0.02, size = 302, normalized size = 1.44

$$\frac{45d^4e^4 \ln\left(\frac{2d^2+2\sqrt{-x^2e^2+d^2}}{x}\right)}{8\sqrt{d}} + \frac{45d^4e^4 \arctan\left(\frac{\sqrt{-x^2e^2+d^2}}{x}\right)}{8\sqrt{d}} + \frac{45\sqrt{-e^2x^2+d^2}d^2d^3e^4}{8} - \frac{45\sqrt{-e^2x^2+d^2}d^3e^4}{8} + \frac{15(-e^2x^2+d^2)^{\frac{3}{2}}e^4}{4} - \frac{15(-e^2x^2+d^2)^{\frac{3}{2}}d^4e^4}{8} + \frac{3(-e^2x^2+d^2)^{\frac{5}{2}}e^4}{d^2} - \frac{9(-e^2x^2+d^2)^{\frac{5}{2}}e^4}{8d} + \frac{3(-e^2x^2+d^2)^{\frac{7}{2}}e^4}{d^2x} - \frac{9(-e^2x^2+d^2)^{\frac{7}{2}}e^4}{8dx^2} - \frac{(-e^2x^2+d^2)^{\frac{7}{2}}e^4}{x^3} - \frac{(-e^2x^2+d^2)^{\frac{7}{2}}d}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^5,x)

[Out]  $-e * (-e^2 * x^2 + d^2)^{(7/2)} / x^3 + 3/d^2 * e^3 * x * (-e^2 * x^2 + d^2)^{(7/2)} + 3/d^2 * e^5 * x * (-e^2 * x^2 + d^2)^{(5/2)} + 15/4 * e^5 * x * (-e^2 * x^2 + d^2)^{(3/2)} + 45/8 * d^2 * e^5 * x * (-e^2 * x^2 + d^2)^{(1/2)} + 45/8 * d^4 * e^5 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (-e^2 * x^2 + d^2)^{(1/2)}) * x - 9/8/d * e^2/x^2 * (-e^2 * x^2 + d^2)^{(7/2)} - 9/8/d * e^4 * (-e^2 * x^2 + d^2)^{(5/2)} - 15/8 * d * e^4 * (-e^2 * x^2 + d^2)^{(3/2)} - 45/8 * d^3 * e^4 * (-e^2 * x^2 + d^2)^{(1/2)} + 45/8 * d^5 * e^4 / (d^2)^{(1/2)} * \ln((2 * d^2 + 2 * (d^2)^{(1/2)} * (-e^2 * x^2 + d^2)^{(1/2)}) / x) - 1/4 * d * (-e^2 * x^2 + d^2)^{(7/2)} / x^4$

**maxima [A]** time = 0.99, size = 250, normalized size = 1.20

$$\frac{45}{8} d^4 e^4 \arcsin\left(\frac{ex}{d}\right) + \frac{45}{8} d^4 e^4 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}}{|x|}\right) + \frac{45}{8} \sqrt{-e^2x^2+d^2} d^2 d^3 e^4 - \frac{45}{8} \sqrt{-e^2x^2+d^2} d^3 e^4 + \frac{15}{4} (-e^2x^2+d^2)^{\frac{3}{2}} e^4 x - \frac{15}{8} (-e^2x^2+d^2)^{\frac{3}{2}} d^4 e^4 - \frac{9(-e^2x^2+d^2)^{\frac{5}{2}} e^4}{8d} + \frac{3(-e^2x^2+d^2)^{\frac{5}{2}} e^4}{x} - \frac{9(-e^2x^2+d^2)^{\frac{7}{2}} e^4}{8dx^2} - \frac{(-e^2x^2+d^2)^{\frac{7}{2}} e^4}{x^3} - \frac{(-e^2x^2+d^2)^{\frac{7}{2}} d}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^5,x, algorithm="maxima")

[Out]  $45/8 * d^4 * e^4 * \arcsin(e * x / d) + 45/8 * d^4 * e^4 * \log(2 * d^2 / \text{abs}(x) + 2 * \sqrt{-e^2 * x^2 + d^2} * d / \text{abs}(x)) + 45/8 * \sqrt{-e^2 * x^2 + d^2} * d^2 * e^5 * x - 45/8 * \sqrt{-e^2 * x^2 + d^2} * d^3 * e^4 + 15/4 * (-e^2 * x^2 + d^2)^{(3/2)} * e^5 * x - 15/8 * (-e^2 * x^2 + d^2)^{(3/2)} * d * e^4 - 9/8 * (-e^2 * x^2 + d^2)^{(5/2)} * e^4 / d + 3 * (-e^2 * x^2 + d^2)^{(5/2)} * e^3 / x - 9/8 * (-e^2 * x^2 + d^2)^{(7/2)} * e^2 / (d * x^2) - (-e^2 * x^2 + d^2)^{(7/2)} * e / x^3 - 1/4 * (-e^2 * x^2 + d^2)^{(7/2)} * d / x^4$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + e x)^3}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3)/x^5,x)

[Out] int(((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3)/x^5, x)

sympy [C] time = 20.10, size = 1028, normalized size = 4.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*5,x)

[Out]  $d^{**7} \text{Piecewise}((-d^{**2}/(4e^{**2}x^{**5}\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1}) + 3e/(8x^{**3}\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1}) - e^{**3}/(8d^{**2}x\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1}) + e^{**4}\text{acosh}(d/(e*x))/(8d^{**3}), \text{Abs}(d^{**2}/(e^{**2}x^{**2})) > 1), (I*d^{**2}/(4e^{**2}x^{**5}\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1}) - 3Ie/(8x^{**3}\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1}) + Ie^{**3}/(8d^{**2}x\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1}) - Ie^{**4}\text{asin}(d/(e*x))/(8d^{**3}), \text{True})) + 3d^{**6}e \text{Piecewise}((-e\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1}/(3x^{**2}) + e^{**3}\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1}/(3d^{**2}), \text{Abs}(d^{**2}/(e^{**2}x^{**2})) > 1), (-Ie\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1}/(3x^{**2}) + Ie^{**3}\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1}/(3d^{**2}), \text{True})) + d^{**5}e^{**2} \text{Piecewise}((-d^{**2}/(2e^{**2}x^{**3}\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1}) + e/(2x\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1}) + e^{**2}\text{acosh}(d/(e*x))/(2d), \text{Abs}(d^{**2}/(e^{**2}x^{**2})) > 1), (-Ie\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1}/(2x) - Ie^{**2}\text{asin}(d/(e*x))/(2d), \text{True})) - 5d^{**4}e^{**3} \text{Piecewise}((I*d/(x\sqrt{-1 + e^{**2}x^{**2}/d^{**2}}) + Ie\text{acosh}(e*x/d) - Ie^{**2}x/(d\sqrt{-1 + e^{**2}x^{**2}/d^{**2}}), \text{Abs}(e^{**2}x^{**2}/d^{**2}) > 1), (-d/(x\sqrt{1 - e^{**2}x^{**2}/d^{**2}}) - e\text{asin}(e*x/d) + e^{**2}x/(d\sqrt{1 - e^{**2}x^{**2}/d^{**2}}), \text{True})) - 5d^{**3}e^{**4} \text{Piecewise}((d^{**2}/(e*x\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1}) - d\text{acosh}(d/(e*x)) - e*x/\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1}), \text{Abs}(d^{**2}/(e^{**2}x^{**2})) > 1), (-I*d^{**2}/(e*x\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1}) + I*d\text{asin}(d/(e*x)) + Ie*x/\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1}), \text{True})) + d^{**2}e^{**5} \text{Piecewise}((-I*d^{**2}\text{acosh}(e*x/d)/(2e) - I*d*x/(2\sqrt{-1 + e^{**2}x^{**2}/d^{**2}}) + Ie^{**2}x^{**3}/(2d\sqrt{-1 + e^{**2}x^{**2}/d^{**2}}), \text{Abs}(e^{**2}x^{**2}/d^{**2}) > 1), (d^{**2}\text{asin}(e*x/d)/(2e) + d*x\sqrt{1 - e^{**2}x^{**2}/d^{**2}}/2, \text{True})) + 3d^{**6} \text{Piecewise}((x^{**2}\sqrt{d^{**2}}/2, \text{Eq}(e^{**2}, 0)), -(d^{**2} - e^{**2}x^{**2})^{**3/2}/(3e^{**2}), \text{True})) + e^{**7} \text{Piecewise}((-I*d^{**4}\text{acosh}(e*x/d)/(8e^{**3}) + I*d^{**3}x/(8e^{**2}\sqrt{-1 + e^{**2}x^{**2}/d^{**2}}) - 3I*d*x^{**3}/(8\sqrt{-1 + e^{**2}x^{**2}/d^{**2}}) + Ie^{**2}x^{**5}/(4d\sqrt{-1 + e^{**2}x^{**2}/d^{**2}}), \text{Abs}(e^{**2}x^{**2}/d^{**2}) > 1), (d^{**4}\text{asin}(e*x/d)/(8e^{**3}) - d^{**3}x/(8e^{**2}\sqrt{1 - e^{**2}x^{**2}/d^{**2}}) + 3d*x^{**3}/(8\sqrt{1 - e^{**2}x^{**2}/d^{**2}}) - e^{**2}x^{**5}/(4d\sqrt{1 - e^{**2}x^{**2}/d^{**2}}), \text{True}))$



$$3.76 \quad \int \frac{(d+ex)^3(d^2-e^2x^2)^{5/2}}{x^6} dx$$

**Optimal.** Leaf size=216

$$\frac{d(d^2-e^2x^2)^{7/2}}{5x^5} - \frac{3e(d^2-e^2x^2)^{7/2}}{4x^4} - \frac{e^2(52d+25ex)(d^2-e^2x^2)^{5/2}}{60x^3} + \frac{d^2e^4(52d+25ex)\sqrt{d^2-e^2x^2}}{8x} + \frac{de^3(25d-52e^2x^2)}{8}$$

**Rubi [A]** time = 0.31, antiderivative size = 216, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 27, number of rules / integrand size = 0.296, Rules used = {1807, 813, 844, 217, 203, 266, 63, 208}

$$\frac{d^2e^4(52d+25ex)\sqrt{d^2-e^2x^2}}{8x} + \frac{de^3(25d-52e^2x^2)(d^2-e^2x^2)^{3/2}}{24x^2} - \frac{e^2(52d+25ex)(d^2-e^2x^2)^{5/2}}{60x^3} - \frac{3e(d^2-e^2x^2)^{7/2}}{4x^4} - \frac{d(d^2-e^2x^2)^{7/2}}{5x^5} + \frac{13}{2}d^3e^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - \frac{25}{8}d^3e^5 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^6, x]

[Out] (d^2\*e^4\*(52\*d + 25\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(8\*x) + (d\*e^3\*(25\*d - 52\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(24\*x^2) - (e^2\*(52\*d + 25\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(60\*x^3) - (d\*(d^2 - e^2\*x^2)^(7/2))/(5\*x^5) - (3\*e\*(d^2 - e^2\*x^2)^(7/2))/(4\*x^4) + (13\*d^3\*e^5\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/2 - (25\*d^3\*e^5\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/8

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 813

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1807

```
Int[(Pq_)*((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3 (d^2 - e^2x^2)^{5/2}}{x^6} dx &= -\frac{d(d^2 - e^2x^2)^{7/2}}{5x^5} - \frac{\int \frac{(d^2 - e^2x^2)^{5/2} (-15d^4e - 13d^3e^2x - 5d^2e^3x^2)}{x^5} dx}{5d^2} \\
&= -\frac{d(d^2 - e^2x^2)^{7/2}}{5x^5} - \frac{3e(d^2 - e^2x^2)^{7/2}}{4x^4} + \frac{\int \frac{(52d^5e^2 - 25d^4e^3x)(d^2 - e^2x^2)^{5/2}}{x^4} dx}{20d^4} \\
&= -\frac{e^2(52d + 25ex)(d^2 - e^2x^2)^{5/2}}{60x^3} - \frac{d(d^2 - e^2x^2)^{7/2}}{5x^5} - \frac{3e(d^2 - e^2x^2)^{7/2}}{4x^4} - \frac{\int \frac{(150d^6e^3 - 105d^5e^4x)(d^2 - e^2x^2)^{3/2}}{x^3} dx}{60} \\
&= \frac{de^3(25d - 52ex)(d^2 - e^2x^2)^{3/2}}{24x^2} - \frac{e^2(52d + 25ex)(d^2 - e^2x^2)^{5/2}}{60x^3} - \frac{d(d^2 - e^2x^2)^{7/2}}{5x^5} \\
&= \frac{d^2e^4(52d + 25ex)\sqrt{d^2 - e^2x^2}}{8x} + \frac{de^3(25d - 52ex)(d^2 - e^2x^2)^{3/2}}{24x^2} - \frac{e^2(52d + 25ex)(d^2 - e^2x^2)^{5/2}}{60} \\
&= \frac{d^2e^4(52d + 25ex)\sqrt{d^2 - e^2x^2}}{8x} + \frac{de^3(25d - 52ex)(d^2 - e^2x^2)^{3/2}}{24x^2} - \frac{e^2(52d + 25ex)(d^2 - e^2x^2)^{5/2}}{60} \\
&= \frac{d^2e^4(52d + 25ex)\sqrt{d^2 - e^2x^2}}{8x} + \frac{de^3(25d - 52ex)(d^2 - e^2x^2)^{3/2}}{24x^2} - \frac{e^2(52d + 25ex)(d^2 - e^2x^2)^{5/2}}{60} \\
&= \frac{d^2e^4(52d + 25ex)\sqrt{d^2 - e^2x^2}}{8x} + \frac{de^3(25d - 52ex)(d^2 - e^2x^2)^{3/2}}{24x^2} - \frac{e^2(52d + 25ex)(d^2 - e^2x^2)^{5/2}}{60} \\
&= \frac{d^2e^4(52d + 25ex)\sqrt{d^2 - e^2x^2}}{8x} + \frac{de^3(25d - 52ex)(d^2 - e^2x^2)^{3/2}}{24x^2} - \frac{e^2(52d + 25ex)(d^2 - e^2x^2)^{5/2}}{60}
\end{aligned}$$

**Mathematica [C]** time = 0.09, size = 199, normalized size = 0.92

$$\frac{\sqrt{d^2 - e^2x^2} \left( 5e^5 (e^2x^2 - d^2)^3 {}_2F_1\left(2, \frac{7}{2}; \frac{9}{2}; 1 - \frac{e^2x^2}{d^2}\right) + 15e^5 (e^2x^2 - d^2)^3 {}_2F_1\left(3, \frac{7}{2}; \frac{9}{2}; 1 - \frac{e^2x^2}{d^2}\right) - \frac{7d^{11} {}_2F_1\left(-\frac{5}{2}, -\frac{5}{2}; \frac{3}{2}; \frac{e^2x^2}{d^2}\right)}{x^5 \sqrt{1 - \frac{e^2x^2}{d^2}}} - \frac{35d^9 e^2 {}_2F_1\left(-\frac{5}{2}, \frac{3}{2}; -\frac{1}{2}; \frac{e^2x^2}{d^2}\right)}{x^3 \sqrt{1 - \frac{e^2x^2}{d^2}}} \right)}{35d^4}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^6, x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*((-7\*d^11\*Hypergeometric2F1[-5/2, -5/2, -3/2, (e^2\*x^2)/d^2]))/(x^5\*Sqrt[1 - (e^2\*x^2)/d^2]) - (35\*d^9\*e^2\*Hypergeometric2F1[-5/2, -3/2, -1/2, (e^2\*x^2)/d^2]))/(x^3\*Sqrt[1 - (e^2\*x^2)/d^2]) + 5\*e^5\*(-d^2 +

$e^{2*x^2})^3 \text{Hypergeometric2F1}[2, 7/2, 9/2, 1 - (e^{2*x^2})/d^2] + 15*e^5*(-d^2 + e^{2*x^2})^3 \text{Hypergeometric2F1}[3, 7/2, 9/2, 1 - (e^{2*x^2})/d^2]) / (35*d^4)$

**IntegrateAlgebraic [A]** time = 0.75, size = 194, normalized size = 0.90

$$\frac{25}{4}d^3e^5 \tanh^{-1}\left(\frac{\sqrt{-e^2x} - \sqrt{d^2 - e^2x^2}}{d}\right) + \frac{13}{2}d^3\sqrt{-e^2}e^4 \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2x}\right) + \frac{\sqrt{d^2 - e^2x^2}(-24d^7 - 90d^6ex - 32d^5e^2x^2 + 345d^4e^3x^3 + 656d^3e^4x^4 + 80d^2e^5x^5 + 180de^6x^6 + 40e^7x^7)}{120x^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic(((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^6,x)

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-24\*d^7 - 90\*d^6\*e\*x - 32\*d^5\*e^2\*x^2 + 345\*d^4\*e^3\*x^3 + 656\*d^3\*e^4\*x^4 + 80\*d^2\*e^5\*x^5 + 180\*d\*e^6\*x^6 + 40\*e^7\*x^7))/(120\*x^5) + (25\*d^3\*e^5\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/4 + (13\*d^3\*e^4\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/2

**fricas [A]** time = 0.43, size = 180, normalized size = 0.83

$$\frac{1560d^3e^5x^5 \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) - 375d^3e^5x^5 \log\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - 80d^3e^5x^5 - (40e^7x^7 + 180de^6x^6 + 80d^2e^5x^5 + 656d^3e^4x^4 + 345d^4e^3x^3 - 32d^5e^2x^2 - 90d^6ex - 24d^7)\sqrt{-e^2x^2 + d^2}}{120x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^6,x, algorithm="fricas")

[Out] -1/120\*(1560\*d^3\*e^5\*x^5\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - 375\*d^3\*e^5\*x^5\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - 80\*d^3\*e^5\*x^5 - (40\*e^7\*x^7 + 180\*d\*e^6\*x^6 + 80\*d^2\*e^5\*x^5 + 656\*d^3\*e^4\*x^4 + 345\*d^4\*e^3\*x^3 - 32\*d^5\*e^2\*x^2 - 90\*d^6\*e\*x - 24\*d^7)\*sqrt(-e^2\*x^2 + d^2))/x^5

**giac [B]** time = 0.28, size = 430, normalized size = 1.99

$$\frac{25}{4}d^3 \arcsin\left(\frac{x}{d}\right) e^{5 \operatorname{sgn}(d)} - \frac{25}{8}d^3 e^5 \log\left(\frac{1}{2} \operatorname{abs}(-2de - 2\sqrt{-x^2e^2 + d^2}e) e^{-2} / \operatorname{abs}(x)\right) + \frac{1}{960}(6d^3e^{12} + 45(d e + \sqrt{-x^2e^2 + d^2}e) d^3 e^{10} / x + 50(d e + \sqrt{-x^2e^2 + d^2}e)^2 d^3 e^8 / x^2 - 600(d e + \sqrt{-x^2e^2 + d^2}e)^3 d^3 e^6 / x^3 - 2580(d e + \sqrt{-x^2e^2 + d^2}e)^4 d^3 e^4 / x^4) x^5 e^3 / (d e + \sqrt{-x^2e^2 + d^2}e)^5 + \frac{1}{960}(2580(d e + \sqrt{-x^2e^2 + d^2}e) d^3 e^{38} / x + 600(d e + \sqrt{-x^2e^2 + d^2}e)^2 d^3 e^{36} / x^2 - 50(d e + \sqrt{-x^2e^2 + d^2}e)^3 d^3 e^{34} / x^3 - 45(d e + \sqrt{-x^2e^2 + d^2}e)^4 d^3 e^{32} / x^4 - 6(d e + \sqrt{-x^2e^2 + d^2}e)^5 d^3 e^{30} / x^5) e^{-2} / (d e + \sqrt{-x^2e^2 + d^2}e)^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^6,x, algorithm="giac")

[Out] 13/2\*d^3\*arcsin(x\*e/d)\*e^5\*sgn(d) - 25/8\*d^3\*e^5\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x)) + 1/960\*(6\*d^3\*e^12 + 45\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^3\*e^10/x + 50\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*d^3\*e^8/x^2 - 600\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*d^3\*e^6/x^3 - 2580\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*d^3\*e^4/x^4)\*x^5\*e^3/(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5 + 1/960\*(2580\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^3\*e^38/x + 600\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*d^3\*e^36/x^2 - 50\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*d^3\*e^34/x^3 - 45\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*d^3\*e^32/x^4 - 6\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5\*d^3\*e^30/x^5)\*e^(-2)/(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5

$x^2 e^2 + d^2) e^5 d^3 e^{30/x^5} e^{-35} + 1/6(4d^2 e^5 + (2xe^7 + 9d^2 e^6)x) \sqrt{-x^2 e^2 + d^2}$

**maple [A]** time = 0.03, size = 327, normalized size = 1.51

$$\frac{25d^4 e^5 \ln\left(\frac{2d^2 + 2\sqrt{-x^2 e^2 + d^2}}{x}\right)}{8\sqrt{d^2}} + \frac{13d^3 e^5 \arctan\left(\frac{\sqrt{-x^2 e^2 + d^2}}{\sqrt{-x^2 e^2 + d^2}}\right)}{2\sqrt{d^2}} + \frac{13\sqrt{-x^2 e^2 + d^2} d^4 e^5}{2} + \frac{25\sqrt{-x^2 e^2 + d^2} d^4 e^5}{8} + \frac{13(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{3d} + \frac{25(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{24} + \frac{52(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{15d^3} + \frac{5(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{8d^2} + \frac{52(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{15dx} + \frac{5(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{8d^2 x^2} - \frac{13(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{15dx^3} - \frac{3(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{4x^4} - \frac{(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^6,x)

[Out]  $-3/4 e^5 (-e^2 x^2 + d^2)^{7/2} / x^4 + 5/8 d^2 e^3 / x^2 (-e^2 x^2 + d^2)^{7/2} + 5/8 d^2 e^5 (-e^2 x^2 + d^2)^{5/2} + 25/24 e^5 (-e^2 x^2 + d^2)^{3/2} + 25/8 d^2 e^5 (-e^2 x^2 + d^2)^{1/2} - 25/8 d^4 e^5 / (d^2)^{1/2} * \ln((2d^2 + 2(d^2)^{1/2} (-e^2 x^2 + d^2)^{1/2}) / x) - 13/15 d e^2 / x^3 (-e^2 x^2 + d^2)^{7/2} + 52/15 d^3 e^4 / x (-e^2 x^2 + d^2)^{7/2} + 52/15 d^3 e^6 x (-e^2 x^2 + d^2)^{5/2} + 13/3 d e^6 x x (-e^2 x^2 + d^2)^{3/2} + 13/2 d e^6 x x (-e^2 x^2 + d^2)^{1/2} + 13/2 d^3 e^6 / (e^2)^{1/2} * \arctan((e^2)^{1/2} / (-e^2 x^2 + d^2)^{1/2} x) - 1/5 d (-e^2 x^2 + d^2)^{7/2} / x^5$

**maxima [A]** time = 0.99, size = 278, normalized size = 1.29

$$\frac{13}{2} d^3 e^5 \arcsin\left(\frac{e x}{d}\right) - \frac{25}{8} d^4 e^5 \log\left(\frac{2d^2 + 2\sqrt{-x^2 e^2 + d^2}}{|x|}\right) + \frac{13}{2} \sqrt{-x^2 e^2 + d^2} d^4 e^5 + \frac{25}{8} \sqrt{-x^2 e^2 + d^2} d^4 e^5 + \frac{13(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{3d} + \frac{25(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{24} + \frac{5(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{8d^2} + \frac{52(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{15dx} + \frac{5(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{8d^2 x^2} - \frac{13(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{15dx^3} - \frac{3(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{4x^4} - \frac{(-x^2 e^2 + d^2)^{3/2} d^4 e^5}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^6,x, algorithm="maxima")

[Out]  $13/2 d^3 e^5 \arcsin(e x / d) - 25/8 d^4 e^5 \log(2d^2 / \text{abs}(x) + 2\sqrt{-e^2 x^2 + d^2} d / \text{abs}(x)) + 13/2 \sqrt{-e^2 x^2 + d^2} d^4 e^5 + 25/8 \sqrt{-e^2 x^2 + d^2} d^4 e^5 + 13/3 (-e^2 x^2 + d^2)^{3/2} e^6 x / d + 25/24 (-e^2 x^2 + d^2)^{3/2} e^5 + 5/8 (-e^2 x^2 + d^2)^{5/2} e^5 / d^2 + 52/15 (-e^2 x^2 + d^2)^{5/2} e^4 / (d x) + 5/8 (-e^2 x^2 + d^2)^{7/2} e^3 / (d^2 x^2) - 13/15 (-e^2 x^2 + d^2)^{7/2} e^2 / (d x^3) - 3/4 (-e^2 x^2 + d^2)^{7/2} e / x^4 - 1/5 (-e^2 x^2 + d^2)^{7/2} d / x^5$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + e x)^3}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3)/x^6,x)

[Out] int(((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3)/x^6, x)

**sympy [C]** time = 20.70, size = 1178, normalized size = 5.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(-e**2*x**2+d**2)**(5/2)/x**6,x)
```

```
[Out] d**7*Piecewise((3*I*d**3*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*I*d*e**2*x**2*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*I*e**6*x**6*sqrt(-1 + e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - I*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), Abs(e**2*x**2/d**2) > 1), (3*d**3*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*d*e**2*x**2*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*e**6*x**6*sqrt(1 - e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - e**4*x**4*sqrt(1 - e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), True)) + 3*d**6*e*Piecewise((-d**2/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 3*e/(8*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**3/(8*d**2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**4*acosh(d/(e*x))/(8*d**3), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(4*e*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e/(8*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**3/(8*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**4*asin(d/(e*x))/(8*d**3), True)) + d**5*e**2*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*x**2) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(3*x**2) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(3*d**2), True)) - 5*d**4*e**3*Piecewise((-d**2/(2*e*x**3*sqrt(d**2/(e**2*x**2) - 1)) + e/(2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**2*acosh(d/(e*x))/(2*d), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(2*x) - I*e**2*asin(d/(e*x))/(2*d), True)) - 5*d**3*e**4*Piecewise((I*d/(x*sqrt(-1 + e**2*x**2/d**2)) + I*e*acosh(e*x/d) - I*e**2*x/(d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (-d/(x*sqrt(1 - e**2*x**2/d**2)) - e*asin(e*x/d) + e**2*x/(d*sqrt(1 - e**2*x**2/d**2)), True)) + d**2*e**5*Piecewise((d**2/(e*x*sqrt(d**2/(e**2*x**2) - 1)) - d*acosh(d/(e*x)) - e*x/sqrt(d**2/(e**2*x**2) - 1), Abs(d**2/(e**2*x**2)) > 1), (-I*d**2/(e*x*sqrt(-d**2/(e**2*x**2) + 1)) + I*d*asin(d/(e*x)) + I*e*x/sqrt(-d**2/(e**2*x**2) + 1), True)) + 3*d*e**6*Piecewise((-I*d**2*acosh(e*x/d)/(2*e) - I*d*x/(2*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**3/(2*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**2*asin(e*x/d)/(2*e) + d*x*sqrt(1 - e**2*x**2/d**2)/2, True)) + e**7*Piecewise((x**2*sqrt(d**2)/2, Eq(e**2, 0)), (-d**2 - e**2*x**2)**(3/2)/(3*e**2), True))
```

$$3.77 \quad \int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^7} dx$$

**Optimal.** Leaf size=214

$$\frac{d(d^2-e^2x^2)^{7/2}}{6x^6} - \frac{3e(d^2-e^2x^2)^{7/2}}{5x^5} - \frac{e^2(85d+12ex)(d^2-e^2x^2)^{5/2}}{120x^4} - \frac{1}{2}d^2e^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - \frac{85}{16}d^2e^6 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.31, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 27, number of rules / integrand size = 0.333, Rules used = {1807, 813, 811, 844, 217, 203, 266, 63, 208}

$$\frac{de^5(8d-85ex)\sqrt{d^2-e^2x^2}}{16x} + \frac{de^2(8d+85ex)(d^2-e^2x^2)^{3/2}}{48x^3} - \frac{e^2(85d+12ex)(d^2-e^2x^2)^{5/2}}{120x^4} - \frac{3e(d^2-e^2x^2)^{7/2}}{5x^5} - \frac{d(d^2-e^2x^2)^{7/2}}{6x^6} - \frac{1}{2}d^2e^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) - \frac{85}{16}d^2e^6 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^7, x]

[Out] -(d\*e^5\*(8\*d - 85\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(16\*x) + (d\*e^3\*(8\*d + 85\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(48\*x^3) - (e^2\*(85\*d + 12\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(120\*x^4) - (d\*(d^2 - e^2\*x^2)^(7/2))/(6\*x^6) - (3\*e\*(d^2 - e^2\*x^2)^(7/2))/(5\*x^5) - (d^2\*e^6\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/2 - (85\*d^2\*e^6\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/16

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x\_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

### Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] \text{ /; FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 811

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x\_Symbol] \rightarrow -\text{Simp}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p*((d*g - e*f*(m + 2))*(c*d^2 + a*e^2) - 2*c*d^2*p*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 + a*e^2) + 2*c*d*p*(e*f - d*g)*x))/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), x] - \text{Dist}[p/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), \text{Int}[(d + e*x)^{(m + 2)}*(a + c*x^2)^{(p - 1)}*\text{Simp}[2*a*c*e*(e*f - d*g)*(m + 2) - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m + 2*p + 2)) - 2*a*e^2*g*(m + 1))*x, x], x] \text{ /; FreeQ}\{a, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{LtQ}[m, -2] \ \&\& \ \text{LtQ}[m + 2*p, 0] \ \&\& \ !\text{LtQ}[m + 2*p + 3, 0]$

### Rule 813

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x\_Symbol] \rightarrow \text{Simp}[(d + e*x)^{(m + 1)}*(e*f*(m + 2*p + 2) - d*g*(2*p + 1) + e*g*(m + 1)*x*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + \text{Dist}[p/(e^2*(m + 1)*(m + 2*p + 2)), \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^{(p - 1)}*\text{Simp}[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x], x] \text{ /; FreeQ}\{a, c, d, e, f, g, m\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{RationalQ}[p] \ \&\& \ p > 0 \ \&\& \ (\text{LtQ}[m, -1] \ || \ \text{EqQ}[p, 1] \ || \ (\text{IntegerQ}[p] \ \&\& \ !\text{RationalQ}[m])) \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ !\text{LtQ}[m + 2*p + 1, 0] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p])$

### Rule 844

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x\_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^m*(a + c*x^2)^p, x], x] \text{ /; FreeQ}\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ !\text{GtQ}[m, 0]$

### Rule 1807

$\text{Int}[(Pq_)*((c_)*(x_))^{(m_)}*((a_ + (b_)*(x_)^2)^{(p_)}), x\_Symbol] \rightarrow \text{With}[Q = \text{PolynomialQuotient}[Pq, c*x, x], R = \text{PolynomialRemainder}[Pq, c*x, x]], \text{Simp}[(R*(c*x)^{(m + 1)}*(a + b*x^2)^{(p + 1)})/(a*c*(m + 1)), x] + \text{Dist}[1/(a*c*($



$m + 1)$ ), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex)^3 (d^2 - e^2 x^2)^{5/2}}{x^7} dx &= -\frac{d (d^2 - e^2 x^2)^{7/2}}{6x^6} - \frac{\int \frac{(d^2 - e^2 x^2)^{5/2} (-18d^4 e - 17d^3 e^2 x - 6d^2 e^3 x^2)}{x^6} dx}{6d^2} \\
 &= -\frac{d (d^2 - e^2 x^2)^{7/2}}{6x^6} - \frac{3e (d^2 - e^2 x^2)^{7/2}}{5x^5} + \frac{\int \frac{(85d^5 e^2 - 6d^4 e^3 x)(d^2 - e^2 x^2)^{5/2}}{x^5} dx}{30d^4} \\
 &= -\frac{e^2 (85d + 12ex) (d^2 - e^2 x^2)^{5/2}}{120x^4} - \frac{d (d^2 - e^2 x^2)^{7/2}}{6x^6} - \frac{3e (d^2 - e^2 x^2)^{7/2}}{5x^5} - \frac{\int \frac{48d^6 e^5}{x^5} dx}{60d^6} \\
 &= -\frac{de^3 (8d + 85ex) (d^2 - e^2 x^2)^{3/2}}{48x^3} - \frac{e^2 (85d + 12ex) (d^2 - e^2 x^2)^{5/2}}{120x^4} - \frac{d (d^2 - e^2 x^2)^{7/2}}{6x^6} \\
 &= -\frac{de^5 (8d - 85ex) \sqrt{d^2 - e^2 x^2}}{16x} + \frac{de^3 (8d + 85ex) (d^2 - e^2 x^2)^{3/2}}{48x^3} - \frac{e^2 (85d + 12ex) (d^2 - e^2 x^2)^{5/2}}{120x^4} \\
 &= -\frac{de^5 (8d - 85ex) \sqrt{d^2 - e^2 x^2}}{16x} + \frac{de^3 (8d + 85ex) (d^2 - e^2 x^2)^{3/2}}{48x^3} - \frac{e^2 (85d + 12ex) (d^2 - e^2 x^2)^{5/2}}{120x^4} \\
 &= -\frac{de^5 (8d - 85ex) \sqrt{d^2 - e^2 x^2}}{16x} + \frac{de^3 (8d + 85ex) (d^2 - e^2 x^2)^{3/2}}{48x^3} - \frac{e^2 (85d + 12ex) (d^2 - e^2 x^2)^{5/2}}{120x^4} \\
 &= -\frac{de^5 (8d - 85ex) \sqrt{d^2 - e^2 x^2}}{16x} + \frac{de^3 (8d + 85ex) (d^2 - e^2 x^2)^{3/2}}{48x^3} - \frac{e^2 (85d + 12ex) (d^2 - e^2 x^2)^{5/2}}{120x^4} \\
 &= -\frac{de^5 (8d - 85ex) \sqrt{d^2 - e^2 x^2}}{16x} + \frac{de^3 (8d + 85ex) (d^2 - e^2 x^2)^{3/2}}{48x^3} - \frac{e^2 (85d + 12ex) (d^2 - e^2 x^2)^{5/2}}{120x^4}
 \end{aligned}$$

**Mathematica [C]** time = 0.22, size = 286, normalized size = 1.34

$$\frac{3d^6 e \sqrt{d^2 - e^2 x^2} {}_2F_1\left(-\frac{5}{2}, -\frac{5}{2}; -\frac{3}{2}, \frac{e^2 x^2}{d^2}\right)}{5x^5 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{3e^6 (d^2 - e^2 x^2)^{7/2} {}_2F_1\left(3, \frac{7}{2}; \frac{9}{2}; 1 - \frac{e^2 x^2}{d^2}\right)}{7d^6} - \frac{d^4 e^3 \sqrt{d^2 - e^2 x^2} {}_2F_1\left(-\frac{5}{2}, -\frac{3}{2}; -\frac{1}{2}, \frac{e^2 x^2}{d^2}\right)}{3x^3 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{-8d^9 + 34d^7 e^2 x^2 - 59d^5 e^4 x^4 + 33d^3 e^6 x^6 + 15d^2 e^6 x^6 \sqrt{1 - \frac{e^2 x^2}{d^2}} \tanh^{-1}\left(\sqrt{1 - \frac{e^2 x^2}{d^2}}\right)}{48x^6 \sqrt{d^2 - e^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^7, x]

[Out]  $(-8*d^9 + 34*d^7*e^2*x^2 - 59*d^5*e^4*x^4 + 33*d^3*e^6*x^6 + 15*d^3*e^6*x^6 * \text{Sqrt}[1 - (e^2*x^2)/d^2] * \text{ArcTanh}[\text{Sqrt}[1 - (e^2*x^2)/d^2]]) / (48*x^6 * \text{Sqrt}[d^2 - e^2*x^2]) - (3*d^6*e * \text{Sqrt}[d^2 - e^2*x^2] * \text{Hypergeometric2F1}[-5/2, -5/2, -3/2, (e^2*x^2)/d^2]) / (5*x^5 * \text{Sqrt}[1 - (e^2*x^2)/d^2]) - (d^4*e^3 * \text{Sqrt}[d^2 - e^2*x^2] * \text{Hypergeometric2F1}[-5/2, -3/2, -1/2, (e^2*x^2)/d^2]) / (3*x^3 * \text{Sqrt}[1 - (e^2*x^2)/d^2]) - (3*e^6*(d^2 - e^2*x^2)^{(7/2)} * \text{Hypergeometric2F1}[3, 7/2, 9/2, 1 - (e^2*x^2)/d^2]) / (7*d^5)$

**IntegrateAlgebraic [A]** time = 0.80, size = 194, normalized size = 0.91

$$\frac{85}{8}d^2e^6 \tanh^{-1}\left(\frac{\sqrt{-e^2x} - \sqrt{d^2 - e^2x^2}}{d}\right) - \frac{1}{2}d^2\sqrt{-e^2}e^5 \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2x}\right) + \frac{\sqrt{d^2 - e^2x^2}(-40d^7 - 144d^6ex - 50d^5e^2x^2 + 448d^4e^3x^3 + 645d^3e^4x^4 - 544d^2e^5x^5 + 720de^6x^6 + 120e^7x^7)}{240x^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic(((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^7,x)

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2] * (-40*d^7 - 144*d^6*e*x - 50*d^5*e^2*x^2 + 448*d^4*e^3*x^3 + 645*d^3*e^4*x^4 - 544*d^2*e^5*x^5 + 720*d*e^6*x^6 + 120*e^7*x^7)) / (240*x^6) + (85*d^2*e^6 * \text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d]) / 8 - (d^2*e^5 * \text{Sqrt}[-e^2] * \text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]]) / 2$

**fricas [A]** time = 0.44, size = 179, normalized size = 0.84

$$\frac{240d^2e^6x^6 \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + 1275d^2e^6x^6 \log\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + 720d^2e^6x^6 + (120e^7x^7 + 720de^6x^6 - 544d^2e^5x^5 + 645d^3e^4x^4 + 448d^4e^3x^3 - 50d^5e^2x^2 - 144d^6ex - 40d^7)\sqrt{-e^2x^2 + d^2}}{240x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^7,x, algorithm="fricas")

[Out]  $1/240*(240*d^2*e^6*x^6*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) + 1275*d^2*e^6*x^6*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) + 720*d^2*e^6*x^6 + (120*e^7*x^7 + 720*d*e^6*x^6 - 544*d^2*e^5*x^5 + 645*d^3*e^4*x^4 + 448*d^4*e^3*x^3 - 50*d^5*e^2*x^2 - 144*d^6*e*x - 40*d^7)*\text{sqrt}(-e^2*x^2 + d^2))/x^6$

**giac [B]** time = 0.31, size = 485, normalized size = 2.27

$$\frac{1}{2}d^2 \arcsin\left(\frac{x}{d}\right) e^6 \log\left(\frac{-2de - 2\sqrt{-x^2e^2 + d^2}}{3d}\right) + \frac{1}{1920} \left( \frac{1800(d + \sqrt{-x^2e^2 + d^2})e^6}{x} - \frac{1215(d + \sqrt{-x^2e^2 + d^2})e^6}{x^2} - \frac{340(d + \sqrt{-x^2e^2 + d^2})e^6}{x^3} - \frac{45(d + \sqrt{-x^2e^2 + d^2})e^6}{x^4} - \frac{3(d + \sqrt{-x^2e^2 + d^2})e^6}{x^5} - \frac{5(d + \sqrt{-x^2e^2 + d^2})e^6}{x^6} \right) - \frac{1}{2}\sqrt{-x^2e^2 + d^2} \log\left(\frac{d + \sqrt{-x^2e^2 + d^2}}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^7,x, algorithm="giac")

[Out]  $-1/2*d^2*\arcsin(x*e/d)*e^6*\text{sgn}(d) - 85/16*d^2*e^6*\log(1/2*\text{abs}(-2*d*e - 2*\text{sqrt}(-x^2*e^2 + d^2))*e)*e^{(-2)}/\text{abs}(x) + 1/1920*(5*d^2*e^{14} + 36*(d*e + \text{sqrt}(-x^2*e^2 + d^2))*e)*d^2*e^{12}/x + 45*(d*e + \text{sqrt}(-x^2*e^2 + d^2))*e^2*d^2*e^{10}/x^2 - 340*(d*e + \text{sqrt}(-x^2*e^2 + d^2))*e^3*d^2*e^8/x^3 - 1215*(d*e + \text{sqrt}(-x^2*e^2 + d^2))*e^4*d^2*e^6/x^4 - 45*(d*e + \text{sqrt}(-x^2*e^2 + d^2))*e^5*d^2*e^4/x^5 - 3*(d*e + \text{sqrt}(-x^2*e^2 + d^2))*e^6*d^2*e^2/x^6 - 5*(d*e + \text{sqrt}(-x^2*e^2 + d^2))*e^7*d^2*e^0/x^7 - 1/2*\text{sqrt}(-x^2*e^2 + d^2)*\log\left(\frac{d + \sqrt{-x^2e^2 + d^2}}{d}\right)$

$$(-x^2e^2 + d^2)e^4 d^2 e^6 / x^4 + 1800(d e + \sqrt{-x^2e^2 + d^2})e^5 d^2 e^4 / x^5 * x^6 e^4 / (d e + \sqrt{-x^2e^2 + d^2})e^6 - 1/1920(1800(d e + \sqrt{-x^2e^2 + d^2})e^5 d^2 e^4 / x^5 - 1215(d e + \sqrt{-x^2e^2 + d^2})e^4 d^2 e^5 / x^2 - 340(d e + \sqrt{-x^2e^2 + d^2})e^3 d^2 e^4 / x^3 + 45(d e + \sqrt{-x^2e^2 + d^2})e^4 d^2 e^4 / x^5 + 5(d e + \sqrt{-x^2e^2 + d^2})e^6 d^2 e^4 / x^6) e^{-48} + 1/2 \sqrt{-x^2e^2 + d^2} (x e^7 + 6 d e^6)$$

**maple [A]** time = 0.03, size = 352, normalized size = 1.64

$$\frac{85d^6 e^6 \ln\left(\frac{2d^2 + \sqrt{-x^2e^2 + d^2}}{x}\right)}{16\sqrt{d^2}} - \frac{d^2 e^6 \arctan\left(\frac{\sqrt{-x^2e^2 + d^2}}{x}\right)}{2\sqrt{d^2}} - \frac{\sqrt{-x^2e^2 + d^2} e^6}{2} + \frac{85\sqrt{-x^2e^2 + d^2} d^6 e^6}{16} - \frac{(-x^2e^2 + d^2)^{3/2} e^6}{3d^2} + \frac{85(-x^2e^2 + d^2)^{3/2} e^6}{48d} + \frac{4(-x^2e^2 + d^2)^{3/2} e^6}{15d^3} + \frac{17(-x^2e^2 + d^2)^{3/2} e^6}{16d^3} - \frac{4(-x^2e^2 + d^2)^{3/2} e^6}{15d^3 x} + \frac{17(-x^2e^2 + d^2)^{3/2} e^6}{16d^3 x^2} + \frac{(-x^2e^2 + d^2)^{3/2} e^6}{15d^3 x^3} + \frac{17(-x^2e^2 + d^2)^{3/2} e^6}{24d^3 x^4} - \frac{3(-x^2e^2 + d^2)^{3/2} e^6}{5x^5} - \frac{(-x^2e^2 + d^2)^{3/2} d}{6x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^7,x)

[Out] 1/15\*e^3/d^2/x^3\*(-e^2\*x^2+d^2)^(7/2)-4/15\*e^5/d^4/x\*(-e^2\*x^2+d^2)^(7/2)-4/15\*e^7/d^4\*x\*(-e^2\*x^2+d^2)^(5/2)-1/3\*e^7/d^2\*x\*(-e^2\*x^2+d^2)^(3/2)-1/2\*e^7\*d^2/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)-17/24/d\*e^2/x^4\*(-e^2\*x^2+d^2)^(7/2)+17/16/d^3\*e^4/x^2\*(-e^2\*x^2+d^2)^(7/2)-85/16\*d^3\*e^6/(d^2)^(1/2)\*ln((2\*d^2+2\*(d^2)^(1/2)\*(-e^2\*x^2+d^2)^(1/2))/x)-3/5\*e\*(-e^2\*x^2+d^2)^(7/2)/x^5-1/6\*d\*(-e^2\*x^2+d^2)^(7/2)/x^6-1/2\*e^7\*x\*(-e^2\*x^2+d^2)^(1/2)+17/16/d^3\*e^6\*(-e^2\*x^2+d^2)^(5/2)+85/48/d\*e^6\*(-e^2\*x^2+d^2)^(3/2)+85/16\*d\*e^6\*(-e^2\*x^2+d^2)^(1/2)

**maxima [A]** time = 1.00, size = 303, normalized size = 1.42

$$\frac{1}{2} d^6 e^6 \arcsin\left(\frac{e x}{d}\right) - \frac{85}{16} d^6 e^6 \log\left(\frac{2d^2 + \sqrt{-x^2e^2 + d^2}}{|x|}\right) - \frac{1}{2} \sqrt{-x^2e^2 + d^2} e^6 + \frac{85\sqrt{-x^2e^2 + d^2} d^6 e^6}{16} - \frac{(-x^2e^2 + d^2)^{3/2} e^6}{3d^2} + \frac{85(-x^2e^2 + d^2)^{3/2} e^6}{48d} + \frac{17(-x^2e^2 + d^2)^{3/2} e^6}{16d^3} - \frac{4(-x^2e^2 + d^2)^{3/2} e^6}{15d^3 x} + \frac{17(-x^2e^2 + d^2)^{3/2} e^6}{16d^3 x^2} + \frac{(-x^2e^2 + d^2)^{3/2} e^6}{15d^3 x^3} - \frac{17(-x^2e^2 + d^2)^{3/2} e^6}{24d^3 x^4} - \frac{3(-x^2e^2 + d^2)^{3/2} e^6}{5x^5} - \frac{(-x^2e^2 + d^2)^{3/2} d}{6x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^7,x, algorithm="maxima")

[Out] -1/2\*d^2\*e^6\*arcsin(e\*x/d) - 85/16\*d^2\*e^6\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x)) - 1/2\*sqrt(-e^2\*x^2 + d^2)\*e^7\*x + 85/16\*sqrt(-e^2\*x^2 + d^2)\*d\*e^6 - 1/3\*(-e^2\*x^2 + d^2)^(3/2)\*e^7\*x/d^2 + 85/48\*(-e^2\*x^2 + d^2)^(3/2)\*e^6/d + 17/16\*(-e^2\*x^2 + d^2)^(5/2)\*e^6/d^3 - 4/15\*(-e^2\*x^2 + d^2)^(5/2)\*e^5/(d^2\*x) + 17/16\*(-e^2\*x^2 + d^2)^(7/2)\*e^4/(d^3\*x^2) + 1/15\*(-e^2\*x^2 + d^2)^(7/2)\*e^3/(d^2\*x^3) - 17/24\*(-e^2\*x^2 + d^2)^(7/2)\*e^2/(d\*x^4) - 3/5\*(-e^2\*x^2 + d^2)^(7/2)\*e/x^5 - 1/6\*(-e^2\*x^2 + d^2)^(7/2)\*d/x^6

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + e x)^3}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x^7, x)
```

```
[Out] int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x^7, x)
```

**sympy** [C] time = 21.71, size = 1397, normalized size = 6.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(-e**2*x**2+d**2)**(5/2)/x**7, x)
```

```
[Out] d**7*Piecewise((-d**2/(6*e*x**7*sqrt(d**2/(e**2*x**2) - 1)) + 5*e/(24*x**5*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(48*d**2*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**5/(16*d**4*x*sqrt(d**2/(e**2*x**2) - 1)) + e**6*acosh(d/(e*x))/(16*d**5), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(6*e*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e/(24*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(48*d**2*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**5/(16*d**4*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**6*asin(d/(e*x))/(16*d**5), True)) + 3*d**6*e*Piecewise((3*I*d**3*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*I*d*e**2*x**2*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*I*e**6*x**6*sqrt(-1 + e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - I*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), Abs(e**2*x**2/d**2) > 1), (3*d**3*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*d*e**2*x**2*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*e**6*x**6*sqrt(1 - e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - e**4*x**4*sqrt(1 - e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), True)) + d**5*e**2*Piecewise((-d**2/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 3*e/(8*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**3/(8*d**2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**4*acosh(d/(e*x))/(8*d**3), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(4*e*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e/(8*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**3/(8*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**4*asin(d/(e*x))/(8*d**3), True)) - 5*d**4*e**3*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*x**2) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(3*x**2) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(3*d**2), True)) - 5*d**3*e**4*Piecewise((-d**2/(2*e*x**3*sqrt(d**2/(e**2*x**2) - 1)) + e/(2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**2*acosh(d/(e*x))/(2*d), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(2*x) - I*e**2*asin(d/(e*x))/(2*d), True)) + d**2*e**5*Piecewise((I*d/(x*sqrt(-1 + e**2*x**2/d**2)) + I*e*acosh(e*x/d) - I*e**2*x/(d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (-d/(x*sqrt(1 - e**2*x**2/d**2)) - e*asin(e*x/d) + e**2*x/(d*sqrt(1 - e**2*x**2/d**2))), True)) + 3*d*e**6*Piecewise((d**2/(e*x*sqrt(d**2/(e**2*x**2) - 1)) - d*acosh(d/(e*x)) - e*x/sqrt(d**2/(e**2*x**2) - 1), Abs(d**2/(e**2*x**2)) > 1), (-I*d**2/(e*x*sqrt(-d**2/(e**2*x**2) + 1)) + I*d*asin(d/(e*x)) + I*e*x/sqrt(-d**2/(e**2*x**2) + 1), True)) + e**7*Piecewise((-I*d**2*acosh(e*x/d)/(2*e) - I*d*x/(2*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**3/(2*d*sqrt(-1 + e**2*x**2/d**2))), Abs(e**2*x**2/d**2))
```

2) > 1), (d\*\*2\*asin(e\*x/d)/(2\*e) + d\*x\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/2, True))

$$3.78 \quad \int \frac{(d+ex)^3 (d^2 - e^2 x^2)^{5/2}}{x^8} dx$$

**Optimal.** Leaf size=206

$$-\frac{d(d^2 - e^2 x^2)^{7/2}}{7x^7} - \frac{e(d^2 - e^2 x^2)^{7/2}}{2x^6} - \frac{e^2(24d + 5ex)(d^2 - e^2 x^2)^{5/2}}{40x^5} - 3de^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - \frac{15}{16}de^7 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)$$

**Rubi [A]** time = 0.31, antiderivative size = 206, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {1807, 811, 813, 844, 217, 203, 266, 63, 208}

$$-\frac{3e^6(16d - 5ex)\sqrt{d^2 - e^2 x^2}}{16x} + \frac{e^4(16d + 5ex)(d^2 - e^2 x^2)^{3/2}}{16x^3} - \frac{e^2(24d + 5ex)(d^2 - e^2 x^2)^{5/2}}{40x^5} - \frac{e(d^2 - e^2 x^2)^{7/2}}{2x^6} - \frac{d(d^2 - e^2 x^2)^{7/2}}{7x^7} - 3de^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - \frac{15}{16}de^7 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^8,x]

[Out] (-3\*e^6\*(16\*d - 5\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(16\*x) + (e^4\*(16\*d + 5\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(16\*x^3) - (e^2\*(24\*d + 5\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(40\*x^5) - (e\*(d^2 - e^2\*x^2)^(7/2))/(7\*x^7) - (e\*(d^2 - e^2\*x^2)^(7/2))/(2\*x^6) - 3\*d\*e^7\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - (15\*d\*e^7\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/16

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[  
Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b,  
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 811

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p  
\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(a + c\*x^2)^p\*((d\*g - e\*f\*(m + 2  
)\*(c\*d^2 + a\*e^2) - 2\*c\*d^2\*p\*(e\*f - d\*g) - e\*(g\*(m + 1)\*(c\*d^2 + a\*e^2) +  
2\*c\*d\*p\*(e\*f - d\*g)\*x))/(e^2\*(m + 1)\*(m + 2)\*(c\*d^2 + a\*e^2)), x] - Dist[  
p/(e^2\*(m + 1)\*(m + 2)\*(c\*d^2 + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + c\*x^2)^(  
p - 1)\*Simp[2\*a\*c\*e\*(e\*f - d\*g)\*(m + 2) - c\*(2\*c\*d\*(d\*g\*(2\*p + 1) - e\*f\*(m  
+ 2\*p + 2)) - 2\*a\*e^2\*g\*(m + 1)\*x, x], x], x] /; FreeQ[{a, c, d, e, f, g},  
x] && NeQ[c\*d^2 + a\*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2\*p, 0]  
&& !ILtQ[m + 2\*p + 3, 0]

### Rule 813

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p  
\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(e\*f\*(m + 2\*p + 2) - d\*g\*(2\*p + 1  
) + e\*g\*(m + 1)\*x)\*(a + c\*x^2)^p/(e^2\*(m + 1)\*(m + 2\*p + 2)), x] + Dist[p/  
(e^2\*(m + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p - 1)\*Simp  
[g\*(2\*a\*e + 2\*a\*e\*m) + (g\*(2\*c\*d + 4\*c\*d\*p) - 2\*c\*e\*f\*(m + 2\*p + 2))\*x, x],  
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && Rati  
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational  
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2\*p + 1, 0] && (IntegerQ[m] || IntegerQ[  
p] || IntegersQ[2\*m, 2\*p])

### Rule 844

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p  
\_), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + D  
ist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d,  
e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 1807

Int[(Pq\_)\*((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{  
Q = PolynomialQuotient[Pq, c\*x, x], R = PolynomialRemainder[Pq, c\*x, x]}, S  
imp[(R\*(c\*x)^(m + 1)\*(a + b\*x^2)^(p + 1))/(a\*c\*(m + 1)), x] + Dist[1/(a\*c\*(

$m + 1)$ ), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex)^3 (d^2 - e^2 x^2)^{5/2}}{x^8} dx &= -\frac{d (d^2 - e^2 x^2)^{7/2}}{7x^7} - \frac{\int \frac{(d^2 - e^2 x^2)^{5/2} (-21d^4 e - 21d^3 e^2 x - 7d^2 e^3 x^2)}{x^7} dx}{7d^2} \\
 &= -\frac{d (d^2 - e^2 x^2)^{7/2}}{7x^7} - \frac{e (d^2 - e^2 x^2)^{7/2}}{2x^6} + \frac{\int \frac{(126d^5 e^2 + 21d^4 e^3 x) (d^2 - e^2 x^2)^{5/2}}{x^6} dx}{42d^4} \\
 &= -\frac{e^2 (24d + 5ex) (d^2 - e^2 x^2)^{5/2}}{40x^5} - \frac{d (d^2 - e^2 x^2)^{7/2}}{7x^7} - \frac{e (d^2 - e^2 x^2)^{7/2}}{2x^6} - \frac{\int \frac{(1008d^7 e^4 + 21d^6 e^5 x) (d^2 - e^2 x^2)^{3/2}}{x^5} dx}{42d^4} \\
 &= \frac{e^4 (16d + 5ex) (d^2 - e^2 x^2)^{3/2}}{16x^3} - \frac{e^2 (24d + 5ex) (d^2 - e^2 x^2)^{5/2}}{40x^5} - \frac{d (d^2 - e^2 x^2)^{7/2}}{7x^7} - \frac{e (d^2 - e^2 x^2)^{7/2}}{2x^6} \\
 &= -\frac{3e^6 (16d - 5ex) \sqrt{d^2 - e^2 x^2}}{16x} + \frac{e^4 (16d + 5ex) (d^2 - e^2 x^2)^{3/2}}{16x^3} - \frac{e^2 (24d + 5ex) (d^2 - e^2 x^2)^{5/2}}{40x^5} \\
 &= -\frac{3e^6 (16d - 5ex) \sqrt{d^2 - e^2 x^2}}{16x} + \frac{e^4 (16d + 5ex) (d^2 - e^2 x^2)^{3/2}}{16x^3} - \frac{e^2 (24d + 5ex) (d^2 - e^2 x^2)^{5/2}}{40x^5} \\
 &= -\frac{3e^6 (16d - 5ex) \sqrt{d^2 - e^2 x^2}}{16x} + \frac{e^4 (16d + 5ex) (d^2 - e^2 x^2)^{3/2}}{16x^3} - \frac{e^2 (24d + 5ex) (d^2 - e^2 x^2)^{5/2}}{40x^5} \\
 &= -\frac{3e^6 (16d - 5ex) \sqrt{d^2 - e^2 x^2}}{16x} + \frac{e^4 (16d + 5ex) (d^2 - e^2 x^2)^{3/2}}{16x^3} - \frac{e^2 (24d + 5ex) (d^2 - e^2 x^2)^{5/2}}{40x^5} \\
 &= -\frac{3e^6 (16d - 5ex) \sqrt{d^2 - e^2 x^2}}{16x} + \frac{e^4 (16d + 5ex) (d^2 - e^2 x^2)^{3/2}}{16x^3} - \frac{e^2 (24d + 5ex) (d^2 - e^2 x^2)^{5/2}}{40x^5}
 \end{aligned}$$

**Mathematica [C]** time = 0.15, size = 247, normalized size = 1.20

$$\frac{d (d^2 - e^2 x^2)^{7/2}}{7x^7} - \frac{e^7 (d^2 - e^2 x^2)^{7/2} {}_2F_1\left(3, \frac{7}{2}; \frac{9}{2}; 1 - \frac{e^2 x^2}{d^2}\right)}{7d^6} - \frac{3d^5 e^2 \sqrt{d^2 - e^2 x^2} {}_2F_1\left(-\frac{5}{2}, -\frac{5}{2}; -\frac{3}{2}; \frac{e^2 x^2}{d^2}\right)}{5x^5 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{-8d^8 e + 34d^6 e^3 x^2 - 59d^4 e^5 x^4 + 33d^2 e^7 x^6 + 15d^2 e^7 x^6 \sqrt{1 - \frac{e^2 x^2}{d^2}} \tanh^{-1}\left(\sqrt{1 - \frac{e^2 x^2}{d^2}}\right)}{16x^6 \sqrt{d^2 - e^2 x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^8, x]



[Out]  $-1/7*(d*(d^2 - e^2*x^2)^{(7/2)})/x^7 + (-8*d^8*e + 34*d^6*e^3*x^2 - 59*d^4*e^5*x^4 + 33*d^2*e^7*x^6 + 15*d^2*e^7*x^6*\text{Sqrt}[1 - (e^2*x^2)/d^2]*\text{ArcTanh}[\text{Sqrt}[1 - (e^2*x^2)/d^2]])/(16*x^6*\text{Sqrt}[d^2 - e^2*x^2]) - (3*d^5*e^2*\text{Sqrt}[d^2 - e^2*x^2]*\text{Hypergeometric2F1}[-5/2, -5/2, -3/2, (e^2*x^2)/d^2])/(5*x^5*\text{Sqrt}[1 - (e^2*x^2)/d^2]) - (e^7*(d^2 - e^2*x^2)^{(7/2)}*\text{Hypergeometric2F1}[3, 7/2, 9/2, 1 - (e^2*x^2)/d^2])/(7*d^6)$

**IntegrateAlgebraic [A]** time = 0.80, size = 188, normalized size = 0.91

$$\frac{15}{8}de^7 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right) - 3d\sqrt{-e^2}e^6 \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right) + \frac{\sqrt{d^2 - e^2x^2}(-80d^7 - 280d^6ex - 96d^5e^2x^2 + 770d^4e^3x^3 + 992d^3e^4x^4 - 525d^2e^5x^5 - 2496de^6x^6 + 560e^7x^7)}{560x^7}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^8, x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-80*d^7 - 280*d^6*e*x - 96*d^5*e^2*x^2 + 770*d^4*e^3*x^3 + 992*d^3*e^4*x^4 - 525*d^2*e^5*x^5 - 2496*d*e^6*x^6 + 560*e^7*x^7))/(560*x^7) + (15*d*e^7*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d])/8 - 3*d*e^6*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]]$

**fricas [A]** time = 0.41, size = 173, normalized size = 0.84

$$\frac{3360de^7x^7 \arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + 525de^7x^7 \log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) + 560de^7x^7 + (560e^7x^7 - 2496de^6x^6 - 525d^2e^5x^5 + 992d^3e^4x^4 + 770d^4e^3x^3 - 96d^5e^2x^2 - 280d^6ex - 80d^7)\sqrt{-e^2x^2+d^2}}{560x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^8, x, algorithm="fricas")

[Out]  $1/560*(3360*d*e^7*x^7*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) + 525*d*e^7*x^7*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) + 560*d*e^7*x^7 + (560*e^7*x^7 - 2496*d*e^6*x^6 - 525*d^2*e^5*x^5 + 992*d^3*e^4*x^4 + 770*d^4*e^3*x^3 - 96*d^5*e^2*x^2 - 280*d^6*e*x - 80*d^7)*\text{sqrt}(-e^2*x^2 + d^2))/x^7$

**giac [B]** time = 0.31, size = 510, normalized size = 2.48

$$\frac{-3d \arcsin\left(\frac{x e}{d}\right) e^7 \text{sgn}(d) - \frac{15}{16} d e^7 \log\left(\frac{1}{2} \text{abs}(-2 d e - 2 \text{sqrt}(-x^2 e^2 + d^2) e)\right) e^{-2} / \text{abs}(x) + \frac{1}{4480} (5 d e^{16} + 35 (d e + \text{sqrt}(-x^2 e^2 + d^2) e) d e^{14} / x + 49 (d e + \text{sqrt}(-x^2 e^2 + d^2) e)^2 d e^{12} / x^2 - 245 (d e + \text{sqrt}(-x^2 e^2 + d^2) e)^3 d e^{10} / x^3 - 875 (d e + \text{sqrt}(-x^2 e^2 + d^2) e)^4 d e^8 / x^4 + 455 (d e + \text{sqrt}(-x^2 e^2 + d^2) e)^5 d e^6 / x^5 + 9065 (d e + \text{sqrt}(-x^2 e^2 + d^2) e)^6 d e^4 / x^6 - 105 (d e + \text{sqrt}(-x^2 e^2 + d^2) e)^7 d e^2 / x^7 + 105 d e^7}{4480 (d e + \text{sqrt}(-x^2 e^2 + d^2) e)^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^8, x, algorithm="giac")

[Out]  $-3*d*\arcsin(x*e/d)*e^7*\text{sgn}(d) - 15/16*d*e^7*\log(1/2*\text{abs}(-2*d*e - 2*\text{sqrt}(-x^2*e^2 + d^2)*e)*e^{-2}/\text{abs}(x)) + 1/4480*(5*d*e^{16} + 35*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d*e^{14}/x + 49*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d*e^{12}/x^2 - 245*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*d*e^{10}/x^3 - 875*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^4*d*e^8/x^4 + 455*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^5*d*e^6/x^5 + 9065*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^6*d*e^4/x^6 - 105*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^7*d*e^2/x^7 + 105*d*e^7$

$d*e + \sqrt{-x^2*e^2 + d^2}*e)^6*d*e^4/x^6)*x^7*e^5/(d*e + \sqrt{-x^2*e^2 + d^2}*e)^7 - 1/4480*(9065*(d*e + \sqrt{-x^2*e^2 + d^2}*e)*d*e^68/x + 455*(d*e + \sqrt{-x^2*e^2 + d^2}*e)^2*d*e^66/x^2 - 875*(d*e + \sqrt{-x^2*e^2 + d^2}*e)^3*d*e^64/x^3 - 245*(d*e + \sqrt{-x^2*e^2 + d^2}*e)^4*d*e^62/x^4 + 49*(d*e + \sqrt{-x^2*e^2 + d^2}*e)^5*d*e^60/x^5 + 35*(d*e + \sqrt{-x^2*e^2 + d^2}*e)^6*d*e^58/x^6 + 5*(d*e + \sqrt{-x^2*e^2 + d^2}*e)^7*d*e^56/x^7)*e^{(-63)} + \sqrt{-x^2*e^2 + d^2}*e^7$

**maple [B]** time = 0.05, size = 377, normalized size = 1.83

$$\frac{15d^2e^7 \ln\left(\frac{2d^2 + \sqrt{d^2 - e^2x^2}}{d}\right)}{16\sqrt{d^2}} - \frac{3d^2e^7 \arctan\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{\sqrt{d^2}} - \frac{3\sqrt{-e^2x^2 + d^2}e^8}{d} + \frac{15\sqrt{-e^2x^2 + d^2}e^7}{16} - \frac{2(-e^2x^2 + d^2)^{3/2}e^8}{d^3} + \frac{5(-e^2x^2 + d^2)^{3/2}e^7}{16d^2} - \frac{8(-e^2x^2 + d^2)^{3/2}e^6}{5d^4} + \frac{3(-e^2x^2 + d^2)^{3/2}e^5}{16d^4} - \frac{8(-e^2x^2 + d^2)^{3/2}e^4}{5d^4x} + \frac{3(-e^2x^2 + d^2)^{3/2}e^3}{16d^4x^2} - \frac{2(-e^2x^2 + d^2)^{3/2}e^2}{5d^4x^2} - \frac{(-e^2x^2 + d^2)^{3/2}e}{8d^4x^4} - \frac{3(-e^2x^2 + d^2)^{3/2}e}{5d^4x^5} - \frac{(-e^2x^2 + d^2)^{3/2}e}{2x^6} - \frac{(-e^2x^2 + d^2)^{3/2}d}{7x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^3*(-e^2*x^2+d^2)^(5/2)/x^8,x)`

[Out]  $-3/5/d*e^2/x^5*(-e^2*x^2+d^2)^(7/2)+2/5/d^3*e^4/x^3*(-e^2*x^2+d^2)^(7/2)-8/5/d^5*e^6/x*(-e^2*x^2+d^2)^(7/2)-8/5/d^5*e^8*x*(-e^2*x^2+d^2)^(5/2)-2/d^3*e^8*x*(-e^2*x^2+d^2)^(3/2)-3/d*e^8*x*(-e^2*x^2+d^2)^(1/2)-3*d*e^8/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-1/2*e*(-e^2*x^2+d^2)^(7/2)/x^6-1/8/d^2*e^3/x^4*(-e^2*x^2+d^2)^(7/2)+3/16/d^4*e^5/x^2*(-e^2*x^2+d^2)^(7/2)+3/16/d^4*e^7*(-e^2*x^2+d^2)^(5/2)+5/16/d^2*e^7*(-e^2*x^2+d^2)^(3/2)+15/16*e^7*(-e^2*x^2+d^2)^(1/2)-15/16*d^2*e^7/(d^2)^(1/2)*\ln((2*d^2+2*(d^2)^(1/2)*(-e^2*x^2+d^2)^(1/2))/x)-1/7*d*(-e^2*x^2+d^2)^(7/2)/x^7$

**maxima [A]** time = 1.01, size = 326, normalized size = 1.58

$$-3d^2e^7 \arcsin\left(\frac{e}{d}\right) - \frac{15}{16}d^2e^7 \log\left(\frac{2d^2 + \sqrt{d^2 - e^2x^2}}{|x|}\right) - \frac{3\sqrt{-e^2x^2 + d^2}e^8}{d} + \frac{15\sqrt{-e^2x^2 + d^2}e^7}{16} - \frac{2(-e^2x^2 + d^2)^{3/2}e^8}{d^3} + \frac{5(-e^2x^2 + d^2)^{3/2}e^7}{16d^2} + \frac{3(-e^2x^2 + d^2)^{3/2}e^6}{16d^4} - \frac{8(-e^2x^2 + d^2)^{3/2}e^5}{5d^4x} + \frac{3(-e^2x^2 + d^2)^{3/2}e^4}{16d^4x^2} + \frac{2(-e^2x^2 + d^2)^{3/2}e^3}{5d^4x^2} - \frac{(-e^2x^2 + d^2)^{3/2}e^2}{8d^4x^4} - \frac{3(-e^2x^2 + d^2)^{3/2}e}{5d^4x^5} - \frac{(-e^2x^2 + d^2)^{3/2}e}{2x^6} - \frac{(-e^2x^2 + d^2)^{3/2}d}{7x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3*(-e^2*x^2+d^2)^(5/2)/x^8,x, algorithm="maxima")`

[Out]  $-3*d*e^7*\arcsin(e*x/d) - 15/16*d*e^7*\log(2*d^2/abs(x) + 2*\sqrt{-e^2*x^2 + d^2}*d/abs(x)) - 3*\sqrt{-e^2*x^2 + d^2}*e^8*x/d + 15/16*\sqrt{-e^2*x^2 + d^2}*e^7 - 2*(-e^2*x^2 + d^2)^(3/2)*e^8*x/d^3 + 5/16*(-e^2*x^2 + d^2)^(3/2)*e^7/d^2 + 3/16*(-e^2*x^2 + d^2)^(5/2)*e^7/d^4 - 8/5*(-e^2*x^2 + d^2)^(5/2)*e^6/(d^3*x) + 3/16*(-e^2*x^2 + d^2)^(7/2)*e^5/(d^4*x^2) + 2/5*(-e^2*x^2 + d^2)^(7/2)*e^4/(d^3*x^3) - 1/8*(-e^2*x^2 + d^2)^(7/2)*e^3/(d^2*x^4) - 3/5*(-e^2*x^2 + d^2)^(7/2)*e^2/(d*x^5) - 1/2*(-e^2*x^2 + d^2)^(7/2)*e/x^6 - 1/7*(-e^2*x^2 + d^2)^(7/2)*d/x^7$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + e x)^3}{x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x^8,x)
```

```
[Out] int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x^8, x)
```

```
sympy [C] time = 22.29, size = 1513, normalized size = 7.34
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(-e**2*x**2+d**2)**(5/2)/x**8,x)
```

```
[Out] d**7*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(7*x**6) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(35*d**2*x**4) + 4*e**5*sqrt(d**2/(e**2*x**2) - 1)/(105*d**4*x**2) + 8*e**7*sqrt(d**2/(e**2*x**2) - 1)/(105*d**6), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(7*x**6) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(35*d**2*x**4) + 4*I*e**5*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**4*x**2) + 8*I*e**7*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**6), True)) + 3*d**6*e*Piecewise((-d**2/(6*e*x**7*sqrt(d**2/(e**2*x**2) - 1)) + 5*e/(24*x**5*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(48*d**2*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**5/(16*d**4*x*sqrt(d**2/(e**2*x**2) - 1)) + e**6*acosh(d/(e*x))/(16*d**5), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(6*e*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e/(24*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(48*d**2*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**5/(16*d**4*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**6*asin(d/(e*x))/(16*d**5), True)) + d**5*e**2*Piecewise((3*I*d**3*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*I*d**2*x**2*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*I*e**6*x**6*sqrt(-1 + e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - I*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), Abs(e**2*x**2/d**2) > 1), (3*d**3*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*d**2*x**2*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*e**6*x**6*sqrt(1 - e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - e**4*x**4*sqrt(1 - e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), True)) - 5*d**4*e**3*Piecewise((-d**2/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 3*e/(8*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**3/(8*d**2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**4*acosh(d/(e*x))/(8*d**3), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(4*e*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e/(8*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**3/(8*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**4*asin(d/(e*x))/(8*d**3), True)) - 5*d**3*e**4*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*x**2) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(3*x**2) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(3*d**2), True)) + d**2*e**5*Piecewise((-d**2/(2*e*x**3*sqrt(d**2/(e**2*x**2) - 1)) + e/(2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**2*acosh(d/(e*x))/(2*d), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(2*x) - I*e**2*asin(d/(e*x))/(2*d), True)) + 3*d*e**6*Piecewise((I*d/(x*sqrt(-1
```

```

+ e**2*x**2/d**2)) + I*e*acosh(e*x/d) - I*e**2*x/(d*sqrt(-1 + e**2*x**2/d**
2)), Abs(e**2*x**2/d**2) > 1), (-d/(x*sqrt(1 - e**2*x**2/d**2)) - e*asin(e*
x/d) + e**2*x/(d*sqrt(1 - e**2*x**2/d**2)), True)) + e**7*Piecewise((d**2/(
e*x*sqrt(d**2/(e**2*x**2) - 1)) - d*acosh(d/(e*x)) - e*x/sqrt(d**2/(e**2*x*
*2) - 1), Abs(d**2/(e**2*x**2)) > 1), (-I*d**2/(e*x*sqrt(-d**2/(e**2*x**2)
+ 1)) + I*d*asin(d/(e*x)) + I*e*x/sqrt(-d**2/(e**2*x**2) + 1), True))

```

$$3.79 \quad \int \frac{(d+ex)^3 (d^2 - e^2 x^2)^{5/2}}{x^9} dx$$

**Optimal.** Leaf size=204

$$-\frac{d(d^2 - e^2 x^2)^{7/2}}{8x^8} - \frac{3e(d^2 - e^2 x^2)^{7/2}}{7x^7} - \frac{e^2(125d + 48ex)(d^2 - e^2 x^2)^{5/2}}{240x^6} + e^8 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) \right) + \frac{125}{128} e^8 \tanh^{-1}$$

**Rubi [A]** time = 0.30, antiderivative size = 204, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 27, number of rules / integrand size = 0.296, Rules used = {1807, 811, 844, 217, 203, 266, 63, 208}

$$-\frac{e^6(125d + 128ex)\sqrt{d^2 - e^2 x^2}}{128x^2} + \frac{e^4(125d + 64ex)(d^2 - e^2 x^2)^{3/2}}{192x^4} - \frac{e^2(125d + 48ex)(d^2 - e^2 x^2)^{5/2}}{240x^6} - \frac{3e(d^2 - e^2 x^2)^{7/2}}{7x^7} - \frac{d(d^2 - e^2 x^2)^{7/2}}{8x^8} + e^8 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) \right) + \frac{125}{128} e^8 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^9, x]

[Out] -(e^6\*(125\*d + 128\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(128\*x^2) + (e^4\*(125\*d + 64\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(192\*x^4) - (e^2\*(125\*d + 48\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(240\*x^6) - (d\*(d^2 - e^2\*x^2)^(7/2))/(8\*x^8) - (3\*e\*(d^2 - e^2\*x^2)^(7/2))/(7\*x^7) - e^8\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] + (125\*e^8\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/128

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 811

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(a + c*x^2)^p*((d*g - e*f*(m + 2
))*(c*d^2 + a*e^2) - 2*c*d^2*p*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 + a*e^2) +
2*c*d*p*(e*f - d*g)*x))/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), x] - Dist[
p/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 2)*(a + c*x^2)^
(p - 1)*Simp[2*a*c*e*(e*f - d*g)*(m + 2) - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m
+ 2*p + 2)) - 2*a*e^2*g*(m + 1))*x, x], x] /; FreeQ[{a, c, d, e, f, g}
, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2*p, 0]
&& !ILtQ[m + 2*p + 3, 0]
```

### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3 (d^2 - e^2x^2)^{5/2}}{x^9} dx &= -\frac{d(d^2 - e^2x^2)^{7/2}}{8x^8} - \frac{\int \frac{(d^2 - e^2x^2)^{5/2} (-24d^4e - 25d^3e^2x - 8d^2e^3x^2)}{x^8} dx}{8d^2} \\
&= -\frac{d(d^2 - e^2x^2)^{7/2}}{8x^8} - \frac{3e(d^2 - e^2x^2)^{7/2}}{7x^7} + \frac{\int \frac{(175d^5e^2 + 56d^4e^3x)(d^2 - e^2x^2)^{5/2}}{x^7} dx}{56d^4} \\
&= -\frac{e^2(125d + 48ex)(d^2 - e^2x^2)^{5/2}}{240x^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{8x^8} - \frac{3e(d^2 - e^2x^2)^{7/2}}{7x^7} - \frac{\int \frac{(175d^5e^2 + 56d^4e^3x)(d^2 - e^2x^2)^{5/2}}{x^7} dx}{56d^4} \\
&= \frac{e^4(125d + 64ex)(d^2 - e^2x^2)^{3/2}}{192x^4} - \frac{e^2(125d + 48ex)(d^2 - e^2x^2)^{5/2}}{240x^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{8x^8} \\
&= -\frac{e^6(125d + 128ex)\sqrt{d^2 - e^2x^2}}{128x^2} + \frac{e^4(125d + 64ex)(d^2 - e^2x^2)^{3/2}}{192x^4} - \frac{e^2(125d + 48ex)(d^2 - e^2x^2)^{5/2}}{240x^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{8x^8} \\
&= -\frac{e^6(125d + 128ex)\sqrt{d^2 - e^2x^2}}{128x^2} + \frac{e^4(125d + 64ex)(d^2 - e^2x^2)^{3/2}}{192x^4} - \frac{e^2(125d + 48ex)(d^2 - e^2x^2)^{5/2}}{240x^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{8x^8} \\
&= -\frac{e^6(125d + 128ex)\sqrt{d^2 - e^2x^2}}{128x^2} + \frac{e^4(125d + 64ex)(d^2 - e^2x^2)^{3/2}}{192x^4} - \frac{e^2(125d + 48ex)(d^2 - e^2x^2)^{5/2}}{240x^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{8x^8} \\
&= -\frac{e^6(125d + 128ex)\sqrt{d^2 - e^2x^2}}{128x^2} + \frac{e^4(125d + 64ex)(d^2 - e^2x^2)^{3/2}}{192x^4} - \frac{e^2(125d + 48ex)(d^2 - e^2x^2)^{5/2}}{240x^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{8x^8} \\
&= -\frac{e^6(125d + 128ex)\sqrt{d^2 - e^2x^2}}{128x^2} + \frac{e^4(125d + 64ex)(d^2 - e^2x^2)^{3/2}}{192x^4} - \frac{e^2(125d + 48ex)(d^2 - e^2x^2)^{5/2}}{240x^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{8x^8}
\end{aligned}$$

**Mathematica [C]** time = 0.15, size = 245, normalized size = 1.20

$$-\frac{3e(d^2 - e^2x^2)^{7/2}}{7x^7} - \frac{e^8(d^2 - e^2x^2)^{7/2}}{7d^7} - \frac{{}_2F_1\left(\frac{7}{2}, 5; \frac{9}{2}; 1 - \frac{e^2x^2}{d^2}\right)}{5x^5\sqrt{1 - \frac{e^2x^2}{d^2}}} - \frac{d^4e^3\sqrt{d^2 - e^2x^2} {}_2F_1\left(-\frac{5}{2}, -\frac{5}{2}; -\frac{3}{2}; \frac{e^2x^2}{d^2}\right)}{16x^6\sqrt{d^2 - e^2x^2}} + \frac{-8d^7e^2 + 34d^5e^4x^2 - 59d^3e^6x^4 + 15d^8x^6\sqrt{1 - \frac{e^2x^2}{d^2}} \operatorname{tanh}^{-1}\left(\sqrt{1 - \frac{e^2x^2}{d^2}}\right) + 33d^8x^6}{16x^6\sqrt{d^2 - e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^9, x]

[Out] (-3\*e\*(d^2 - e^2\*x^2)^(7/2))/(7\*x^7) + (-8\*d^7\*e^2 + 34\*d^5\*e^4\*x^2 - 59\*d^3\*e^6\*x^4 + 33\*d\*e^8\*x^6 + 15\*d\*e^8\*x^6\*sqrt[1 - (e^2\*x^2)/d^2]\*ArcTanh[sqrt[1 - (e^2\*x^2)/d^2]])/(16\*x^6\*sqrt[d^2 - e^2\*x^2]) - (d^4\*e^3\*sqrt[d^2 - e^2\*x^2])\*(Hypergeometric2F1[-5/2, -5/2, -3/2, (e^2\*x^2)/d^2])/(5\*x^5\*sqrt[1 -

$(e^{2*x^2}/d^2) - (e^{8*(d^2 - e^{2*x^2})^{7/2}} * \text{Hypergeometric2F1}[7/2, 5, 9/2, 1 - (e^{2*x^2}/d^2)]) / (7*d^7)$

**IntegrateAlgebraic [A]** time = 0.83, size = 186, normalized size = 0.91

$$\frac{125}{64} e^8 \tanh^{-1}\left(\frac{\sqrt{-e^2} x - \sqrt{d^2 - e^2 x^2}}{d}\right) - \sqrt{-e^2} e^7 \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right) + \frac{\sqrt{d^2 - e^2 x^2} (-1680d^7 - 5760d^6 e x - 1960d^5 e^2 x^2 + 14592d^4 e^3 x^3 + 17710d^3 e^4 x^4 - 7424d^2 e^5 x^5 - 27195d e^6 x^6 - 14848e^7 x^7)}{13440x^8}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic(((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^9, x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-1680\*d^7 - 5760\*d^6\*e\*x - 1960\*d^5\*e^2\*x^2 + 14592\*d^4\*e^3\*x^3 + 17710\*d^3\*e^4\*x^4 - 7424\*d^2\*e^5\*x^5 - 27195\*d\*e^6\*x^6 - 14848\*e^7\*x^7))/(13440\*x^8) - (125\*e^8\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/64 - e^7\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]]

**fricas [A]** time = 0.48, size = 163, normalized size = 0.80

$$\frac{26880 e^8 x^8 \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - 13125 e^8 x^8 \log\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - (14848 e^7 x^7 + 27195 d e^6 x^6 + 7424 d^2 e^5 x^5 - 17710 d^3 e^4 x^4 - 14592 d^4 e^3 x^3 + 1960 d^5 e^2 x^2 + 5760 d^6 e x + 1680 d^7) \sqrt{-e^2 x^2 + d^2}}{13440 x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^9, x, algorithm="fricas")

[Out] 1/13440\*(26880\*e^8\*x^8\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - 13125\*e^8\*x^8\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (14848\*e^7\*x^7 + 27195\*d\*e^6\*x^6 + 7424\*d^2\*e^5\*x^5 - 17710\*d^3\*e^4\*x^4 - 14592\*d^4\*e^3\*x^3 + 1960\*d^5\*e^2\*x^2 + 5760\*d^6\*e\*x + 1680\*d^7)\*sqrt(-e^2\*x^2 + d^2))/x^8

**giac [B]** time = 0.31, size = 538, normalized size = 2.64

$$\frac{\frac{1}{13440} \left( \frac{26880 e^8 x^8 \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - 13125 e^8 x^8 \log\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - (14848 e^7 x^7 + 27195 d e^6 x^6 + 7424 d^2 e^5 x^5 - 17710 d^3 e^4 x^4 - 14592 d^4 e^3 x^3 + 1960 d^5 e^2 x^2 + 5760 d^6 e x + 1680 d^7) \sqrt{-e^2 x^2 + d^2}}{13440 x^8} \right)}{13440 x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^9, x, algorithm="giac")

[Out] -arcsin(x\*e/d)\*e^8\*sgn(d) + 1/215040\*x^8\*(720\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^16/x + 1120\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^14/x^2 - 3696\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^12/x^3 - 14280\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^10/x^4 - 560\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^8/x^5 + 77280\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^6/x^6 + 122640\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^4/x^7 + 105\*e^18)\*e^6/(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^8 - 1/215040\*(122640\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^86/x + 77280\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^84/x^2 - 560\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^82/x^3 - 14280\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^80/x^4 - 3696\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^78/x^5 + 77280\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^76/x^6 + 122640\*(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^74/x^7 + 105\*e^18)\*e^6/(d\*e + sqrt(-x^2\*e^2 + d^2))\*e^8



$8/x^5 + 1120*(d*e + \sqrt{-x^2*e^2 + d^2})*e^6*e^{76}/x^6 + 720*(d*e + \sqrt{-x^2*e^2 + d^2})*e^7*e^{74}/x^7 + 105*(d*e + \sqrt{-x^2*e^2 + d^2})*e^8*e^{72}/x^8$   
 $)e^{(-80)} + 125/128*e^8*\log(1/2*abs(-2*d*e - 2*\sqrt{-x^2*e^2 + d^2})*e^{(-2)/abs(x)})$

**maple [B]** time = 0.06, size = 402, normalized size = 1.97

$\frac{125d^6 \ln\left(\frac{2d^2 + 2\sqrt{-d^2 + e^2 x^2}}{\sqrt{-d^2 + e^2 x^2}}\right) - e^8 \arctan\left(\frac{\sqrt{-d^2 + e^2 x^2}}{d}\right) - \sqrt{-d^2 + e^2 x^2} e^8 - 125\sqrt{-d^2 + e^2 x^2} e^8}{128d^6} - \frac{2(-d^2 + e^2 x^2)^{3/2} e^8}{3d^4} - \frac{125(-d^2 + e^2 x^2)^{5/2} e^8}{384d^6} - \frac{8(-d^2 + e^2 x^2)^{7/2} e^8}{15d^8} - \frac{25(-d^2 + e^2 x^2)^{9/2} e^8}{128d^{10}} - \frac{8(-d^2 + e^2 x^2)^{11/2} e^8}{15d^{12}} - \frac{25(-d^2 + e^2 x^2)^{13/2} e^8}{128d^{14}} - \frac{2(-d^2 + e^2 x^2)^{15/2} e^8}{15d^{16}} - \frac{25(-d^2 + e^2 x^2)^{17/2} e^8}{192d^{18}} - \frac{(-d^2 + e^2 x^2)^{19/2} e^8}{5d^{20}} - \frac{25(-d^2 + e^2 x^2)^{21/2} e^8}{48d^{22}} - \frac{3(-d^2 + e^2 x^2)^{23/2} e^8}{7d^{24}} - \frac{(-d^2 + e^2 x^2)^{25/2} d}{8d^8}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^9,x)

[Out]  $-1/8*d*(-e^2*x^2+d^2)^{(7/2)}/x^8 - 25/48/d*e^2/x^6*(-e^2*x^2+d^2)^{(7/2)} + 25/192/d^3*e^4/x^4*(-e^2*x^2+d^2)^{(7/2)} - 25/128/d^5*e^6/x^2*(-e^2*x^2+d^2)^{(7/2)} - 5/128/d^5*e^8*(-e^2*x^2+d^2)^{(5/2)} - 125/384/d^3*e^8*(-e^2*x^2+d^2)^{(3/2)} - 125/128/d*e^8*(-e^2*x^2+d^2)^{(1/2)} + 125/128*d*e^8/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x) - 3/7*e*(-e^2*x^2+d^2)^{(7/2)}/x^7 - 1/5*e^3/d^2/x^5*(-e^2*x^2+d^2)^{(7/2)} + 2/15*e^5/d^4/x^3*(-e^2*x^2+d^2)^{(7/2)} - 8/15*e^7/d^6/x*(-e^2*x^2+d^2)^{(7/2)} - 8/15*e^9/d^6*x*(-e^2*x^2+d^2)^{(5/2)} - 2/3*e^9/d^4*x*(-e^2*x^2+d^2)^{(3/2)} - e^9/d^2*x*(-e^2*x^2+d^2)^{(1/2)} - e^9/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)$

**maxima [A]** time = 1.01, size = 352, normalized size = 1.73

$-e^8 \arcsin\left(\frac{e x}{d}\right) + \frac{125}{128} e^8 \log\left(\frac{2 d^2 + 2 \sqrt{-d^2 + e^2 x^2}}{|d|}\right) - \frac{\sqrt{-d^2 + e^2 x^2} e^8}{d^2} - \frac{125 \sqrt{-d^2 + e^2 x^2} e^8}{128 d} - \frac{2(-d^2 + e^2 x^2)^{3/2} e^8}{3 d^4} - \frac{125(-d^2 + e^2 x^2)^{5/2} e^8}{384 d^6} - \frac{25(-d^2 + e^2 x^2)^{7/2} e^8}{128 d^8} - \frac{8(-d^2 + e^2 x^2)^{9/2} e^8}{15 d^{10}} - \frac{25(-d^2 + e^2 x^2)^{11/2} e^8}{128 d^{12}} - \frac{2(-d^2 + e^2 x^2)^{13/2} e^8}{15 d^{14}} - \frac{25(-d^2 + e^2 x^2)^{15/2} e^8}{192 d^{16}} - \frac{(-d^2 + e^2 x^2)^{17/2} e^8}{5 d^{18}} - \frac{25(-d^2 + e^2 x^2)^{19/2} e^8}{48 d^{20}} - \frac{3(-d^2 + e^2 x^2)^{21/2} e^8}{7 d^{22}} - \frac{(-d^2 + e^2 x^2)^{23/2} d}{8 d^8}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^9,x, algorithm="maxima")

[Out]  $-e^8*\arcsin(e*x/d) + 125/128*e^8*\log(2*d^2/abs(x) + 2*\sqrt{-e^2*x^2 + d^2})*d/abs(x) - \sqrt{-e^2*x^2 + d^2}*e^9*x/d^2 - 125/128*\sqrt{-e^2*x^2 + d^2}*e^8/d - 2/3*(-e^2*x^2 + d^2)^{(3/2)}*e^9*x/d^4 - 125/384*(-e^2*x^2 + d^2)^{(3/2)}*e^8/d^3 - 25/128*(-e^2*x^2 + d^2)^{(5/2)}*e^8/d^5 - 8/15*(-e^2*x^2 + d^2)^{(5/2)}*e^7/(d^4*x) - 25/128*(-e^2*x^2 + d^2)^{(7/2)}*e^6/(d^5*x^2) + 2/15*(-e^2*x^2 + d^2)^{(7/2)}*e^5/(d^4*x^3) + 25/192*(-e^2*x^2 + d^2)^{(7/2)}*e^4/(d^3*x^4) - 1/5*(-e^2*x^2 + d^2)^{(7/2)}*e^3/(d^2*x^5) - 25/48*(-e^2*x^2 + d^2)^{(7/2)}*e^2/(d*x^6) - 3/7*(-e^2*x^2 + d^2)^{(7/2)}*e/x^7 - 1/8*(-e^2*x^2 + d^2)^{(7/2)}*d/x^8$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + e x)^3}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x^9, x)
```

```
[Out] int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x^9, x)
```

**sympy** [C] time = 31.40, size = 1719, normalized size = 8.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(-e**2*x**2+d**2)**(5/2)/x**9, x)
```

```
[Out] d**7*Piecewise((-d**2/(8*e*x**9*sqrt(d**2/(e**2*x**2) - 1)) + 7*e/(48*x**7*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(192*d**2*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 5*e**5/(384*d**4*x**3*sqrt(d**2/(e**2*x**2) - 1)) - 5*e**7/(128*d**6*x*sqrt(d**2/(e**2*x**2) - 1)) + 5*e**8*acosh(d/(e*x))/(128*d**7), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(8*e*x**9*sqrt(-d**2/(e**2*x**2) + 1)) - 7*I*e/(48*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(192*d**2*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e**5/(384*d**4*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + 5*I*e**7/(128*d**6*x*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e**8*asin(d/(e*x))/(128*d**7), True)) + 3*d**6*e*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(7*x**6) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(35*d**2*x**4) + 4*e**5*sqrt(d**2/(e**2*x**2) - 1)/(105*d**4*x**2) + 8*e**7*sqrt(d**2/(e**2*x**2) - 1)/(105*d**6), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(7*x**6) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(35*d**2*x**4) + 4*I*e**5*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**4*x**2) + 8*I*e**7*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**6), True)) + d**5*e**2*Piecewise((-d**2/(6*e*x**7*sqrt(d**2/(e**2*x**2) - 1)) + 5*e/(24*x**5*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(48*d**2*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**5/(16*d**4*x*sqrt(d**2/(e**2*x**2) - 1)) + e**6*acosh(d/(e*x))/(16*d**5), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(6*e*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e/(24*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(48*d**2*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**5/(16*d**4*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**6*asin(d/(e*x))/(16*d**5), True)) - 5*d**4*e**3*Piecewise((3*I*d**3*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*I*d*e**2*x**2*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*I*e**6*x**6*sqrt(-1 + e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - I*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), Abs(e**2*x**2/d**2) > 1), (3*d**3*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*d*e**2*x**2*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*e**6*x**6*sqrt(1 - e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - e**4*x**4*sqrt(1 - e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), True)) - 5*d**3*e**4*Piecewise((-d**2/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 3*e/(8*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**3/(8*d**2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**4*acosh(d/(e*x))/(8*d**3), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(4*e*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e/(8*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**3/(8*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**4*asin(d/(e*x))/(8*d**3), True)) + d**2*e**5*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(7*x**6) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(35*d**2*x**4) + 4*e**5*sqrt(d**2/(e**2*x**2) - 1)/(105*d**4*x**2) + 8*e**7*sqrt(d**2/(e**2*x**2) - 1)/(105*d**6), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(7*x**6) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(35*d**2*x**4) + 4*I*e**5*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**4*x**2) + 8*I*e**7*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**6), True))
```

$$\begin{aligned}
& 2/(e^{2x^2} - 1)/(3x^2) + e^3 \sqrt{d^2/(e^{2x^2} - 1)/(3d^2)}, \text{Abs} \\
& (d^2/(e^{2x^2})) > 1), (-Ie \sqrt{-d^2/(e^{2x^2} + 1)/(3x^2)} + Ie^3 \\
& \sqrt{-d^2/(e^{2x^2} + 1)/(3d^2)}, \text{True})) + 3d e^6 \text{Piecewise}((-d^2/ \\
& (2e^{x^3} \sqrt{d^2/(e^{2x^2} - 1)} + e/(2x \sqrt{d^2/(e^{2x^2} - 1)})) \\
& + e^2 \text{acosh}(d/(ex))/(2d), \text{Abs}(d^2/(e^{2x^2})) > 1), (-Ie \sqrt{-d^2/( \\
& e^{2x^2} + 1)/(2x)} - Ie^2 \text{asin}(d/(ex))/(2d), \text{True})) + e^7 \text{Piecewise} \\
& ((I d/(x \sqrt{-1 + e^{2x^2}/d^2})) + Ie \text{acosh}(ex/d) - Ie^2 x/(d \sqrt{- \\
& 1 + e^{2x^2}/d^2})), \text{Abs}(e^{2x^2}/d^2) > 1), (-d/(x \sqrt{1 - e^{2x^2}/d \\
& ^2})) - e \text{asin}(ex/d) + e^2 x/(d \sqrt{1 - e^{2x^2}/d^2})), \text{True}))
\end{aligned}$$

$$3.80 \quad \int \frac{(d+ex)^3(d^2-e^2x^2)^{5/2}}{x^{10}} dx$$

**Optimal.** Leaf size=187

$$\frac{d(d^2-e^2x^2)^{7/2}}{9x^9} - \frac{3e(d^2-e^2x^2)^{7/2}}{8x^8} - \frac{29e^2(d^2-e^2x^2)^{7/2}}{63dx^7} + \frac{55e^9 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{128d} - \frac{55e^7\sqrt{d^2-e^2x^2}}{128x^2} + \frac{55e^5(d^2-e^2x^2)^{3/2}}{192x^4}$$

**Rubi [A]** time = 0.26, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1807, 807, 266, 47, 63, 208}

$$-\frac{55e^7\sqrt{d^2-e^2x^2}}{128x^2} + \frac{55e^5(d^2-e^2x^2)^{3/2}}{192x^4} - \frac{11e^3(d^2-e^2x^2)^{5/2}}{48x^6} - \frac{29e^2(d^2-e^2x^2)^{7/2}}{63dx^7} - \frac{3e(d^2-e^2x^2)^{7/2}}{8x^8} - \frac{d(d^2-e^2x^2)^{7/2}}{9x^9} + \frac{55e^9 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{128d}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^10,x]

[Out] (-55\*e^7\*Sqrt[d^2 - e^2\*x^2])/(128\*x^2) + (55\*e^5\*(d^2 - e^2\*x^2)^(3/2))/(192\*x^4) - (11\*e^3\*(d^2 - e^2\*x^2)^(5/2))/(48\*x^6) - (d\*(d^2 - e^2\*x^2)^(7/2))/(9\*x^9) - (3\*e\*(d^2 - e^2\*x^2)^(7/2))/(8\*x^8) - (29\*e^2\*(d^2 - e^2\*x^2)^(7/2))/(63\*d\*x^7) + (55\*e^9\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(128\*d)

### Rule 47

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(IntegerQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2\*n + m + 1, 0])) && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^{10}} dx &= -\frac{d(d^2-e^2x^2)^{7/2}}{9x^9} - \frac{\int \frac{(d^2-e^2x^2)^{5/2}(-27d^4e-29d^3e^2x-9d^2e^3x^2)}{x^9} dx}{9d^2} \\
&= -\frac{d(d^2-e^2x^2)^{7/2}}{9x^9} - \frac{3e(d^2-e^2x^2)^{7/2}}{8x^8} + \frac{\int \frac{(232d^5e^2+99d^4e^3x)(d^2-e^2x^2)^{5/2}}{x^8} dx}{72d^4} \\
&= -\frac{d(d^2-e^2x^2)^{7/2}}{9x^9} - \frac{3e(d^2-e^2x^2)^{7/2}}{8x^8} - \frac{29e^2(d^2-e^2x^2)^{7/2}}{63dx^7} + \frac{1}{8}(11e^3) \int \frac{(d^2-e^2x^2)^{5/2}}{x^7} dx \\
&= -\frac{d(d^2-e^2x^2)^{7/2}}{9x^9} - \frac{3e(d^2-e^2x^2)^{7/2}}{8x^8} - \frac{29e^2(d^2-e^2x^2)^{7/2}}{63dx^7} + \frac{1}{16}(11e^3) \text{Subst} \left( \int \frac{(d^2-e^2x^2)^{5/2}}{x^7} dx \right) \\
&= -\frac{11e^3(d^2-e^2x^2)^{5/2}}{48x^6} - \frac{d(d^2-e^2x^2)^{7/2}}{9x^9} - \frac{3e(d^2-e^2x^2)^{7/2}}{8x^8} - \frac{29e^2(d^2-e^2x^2)^{7/2}}{63dx^7} \\
&= \frac{55e^5(d^2-e^2x^2)^{3/2}}{192x^4} - \frac{11e^3(d^2-e^2x^2)^{5/2}}{48x^6} - \frac{d(d^2-e^2x^2)^{7/2}}{9x^9} - \frac{3e(d^2-e^2x^2)^{7/2}}{8x^8} \\
&= -\frac{55e^7\sqrt{d^2-e^2x^2}}{128x^2} + \frac{55e^5(d^2-e^2x^2)^{3/2}}{192x^4} - \frac{11e^3(d^2-e^2x^2)^{5/2}}{48x^6} - \frac{d(d^2-e^2x^2)^{7/2}}{9x^9} \\
&= -\frac{55e^7\sqrt{d^2-e^2x^2}}{128x^2} + \frac{55e^5(d^2-e^2x^2)^{3/2}}{192x^4} - \frac{11e^3(d^2-e^2x^2)^{5/2}}{48x^6} - \frac{d(d^2-e^2x^2)^{7/2}}{9x^9} \\
&= -\frac{55e^7\sqrt{d^2-e^2x^2}}{128x^2} + \frac{55e^5(d^2-e^2x^2)^{3/2}}{192x^4} - \frac{11e^3(d^2-e^2x^2)^{5/2}}{48x^6} - \frac{d(d^2-e^2x^2)^{7/2}}{9x^9}
\end{aligned}$$

**Mathematica [C]** time = 0.17, size = 218, normalized size = 1.17

$$\frac{-112d^{10} - 16d^8e^2x^2 - 168d^7e^3x^3 + 1184d^6e^4x^4 + 714d^5e^5x^5 - 2336d^4e^6x^6 - 1239d^3e^7x^7 + 1744d^2e^8x^8 + 693de^9x^9 - 464e^{10}x^{10} + 315d^9e^9x^9 \sqrt{1 - \frac{e^2x^2}{d^2}} \operatorname{tanh}^{-1} \left( \sqrt{1 - \frac{e^2x^2}{d^2}} \right) + 693de^9x^9 - 464e^{10}x^{10}}{1008dx^9\sqrt{d^2 - e^2x^2}} - \frac{3e^9(d^2 - e^2x^2)^{7/2} {}_2F_1\left(\frac{7}{2}, 5; \frac{9}{2}, 1 - \frac{e^2x^2}{d^2}\right)}{7d^8}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^10,x]

[Out] (-112\*d^10 - 16\*d^8\*e^2\*x^2 - 168\*d^7\*e^3\*x^3 + 1184\*d^6\*e^4\*x^4 + 714\*d^5\*e^5\*x^5 - 2336\*d^4\*e^6\*x^6 - 1239\*d^3\*e^7\*x^7 + 1744\*d^2\*e^8\*x^8 + 693\*d\*e^9\*x^9 - 464\*e^10\*x^10 + 315\*d\*e^9\*x^9\*sqrt[1 - (e^2\*x^2)/d^2]\*ArcTanh[sqrt[1 - (e^2\*x^2)/d^2]])/(1008\*d\*x^9\*sqrt[d^2 - e^2\*x^2]) - (3\*e^9\*(d^2 - e^2\*x^2)^(7/2)\*Hypergeometric2F1[7/2, 5, 9/2, 1 - (e^2\*x^2)/d^2])/(7\*d^8)

**IntegrateAlgebraic [A]** time = 0.88, size = 159, normalized size = 0.85

$$\frac{\sqrt{d^2 - e^2 x^2} (-896d^8 - 3024d^7 ex - 1024d^6 e^2 x^2 + 7224d^5 e^3 x^3 + 8448d^4 e^4 x^4 - 3066d^3 e^5 x^5 - 10240d^2 e^6 x^6 - 4599de^7 x^7 + 3712e^8 x^8)}{8064dx^9} - \frac{55e^9 \tanh^{-1}\left(\frac{\sqrt{-e^2 x^2} - \frac{\sqrt{d^2 - e^2 x^2}}{d}}{d}\right)}{64d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^10,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-896\*d^8 - 3024\*d^7\*e\*x - 1024\*d^6\*e^2\*x^2 + 7224\*d^5\*e^3\*x^3 + 8448\*d^4\*e^4\*x^4 - 3066\*d^3\*e^5\*x^5 - 10240\*d^2\*e^6\*x^6 - 4599\*d\*e^7\*x^7 + 3712\*e^8\*x^8))/(8064\*d\*x^9) - (55\*e^9\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/(64\*d)

**fricas [A]** time = 0.46, size = 142, normalized size = 0.76

$$\frac{3465e^9 x^9 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - (3712e^8 x^8 - 4599de^7 x^7 - 10240d^2 e^6 x^6 - 3066d^3 e^5 x^5 + 8448d^4 e^4 x^4 + 7224d^5 e^3 x^3 - 1024d^6 e^2 x^2 - 3024d^7 ex - 896d^8) \sqrt{-e^2 x^2 + d^2}}{8064dx^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^10,x, algorithm="fricas")

[Out] -1/8064\*(3465\*e^9\*x^9\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (3712\*e^8\*x^8 - 4599\*d\*e^7\*x^7 - 10240\*d^2\*e^6\*x^6 - 3066\*d^3\*e^5\*x^5 + 8448\*d^4\*e^4\*x^4 + 7224\*d^5\*e^3\*x^3 - 1024\*d^6\*e^2\*x^2 - 3024\*d^7\*e\*x - 896\*d^8)\*sqrt(-e^2\*x^2 + d^2))/(d\*x^9)

**giac [B]** time = 0.47, size = 620, normalized size = 3.32

$$\frac{\int \frac{\sqrt{-e^2 x^2 + d^2} \sqrt{d + ex}^3}{x^{10}} dx}{129024} - \frac{55e^9 \log\left(\frac{1}{2} \operatorname{abs}(-2de - 2\sqrt{-e^2 x^2 + d^2}e) \frac{e^{-2}}{\operatorname{abs}(x)}\right)}{128e^9} + \frac{\int \frac{\sqrt{-e^2 x^2 + d^2} \sqrt{d + ex}^3}{x^{10}} dx}{129024}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^10,x, algorithm="giac")

[Out] 1/129024\*x^9\*(189\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^18/x + 324\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*e^16/x^2 - 672\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*e^14/x^3 - 3024\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*e^12/x^4 - 1512\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5\*e^10/x^5 + 9744\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^6\*e^8/x^6 + 18144\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^7\*e^6/x^7 - 16632\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^8\*e^4/x^8 + 28\*e^20)\*e^7/((d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^9\*d) + 55/128\*e^9\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d + 1/129024\*(16632\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^8\*e^106/x - 18144\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^2\*d^8\*e^104/x^2 - 9744\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^3\*d^8\*e^102/x^3 + 1512\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^4\*d^8\*e^100/x^4 + 3024\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)^5\*d^8\*e^98/x^5 + 672\*(d\*e + sqrt(-x^2\*

$e^2 + d^2) * e)^6 * d^8 * e^9 / x^6 - 324 * (d * e + \sqrt{-x^2 * e^2 + d^2} * e)^7 * d^8 * e^9 / x^7 - 189 * (d * e + \sqrt{-x^2 * e^2 + d^2} * e)^8 * d^8 * e^9 / x^8 - 28 * (d * e + \sqrt{-x^2 * e^2 + d^2} * e)^9 * d^8 * e^9 / x^9 * e^{-99} / d^9$

**maple [A]** time = 0.10, size = 250, normalized size = 1.34

$$\frac{55e^9 \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2x^2} - \sqrt{-e^2x^2 + d^2}}{x}\right)}{128\sqrt{d^2}} - \frac{55\sqrt{-e^2x^2 + d^2} e^9}{128d^2} - \frac{55(-e^2x^2 + d^2)^{\frac{3}{2}} e^9}{384d^4} - \frac{11(-e^2x^2 + d^2)^{\frac{5}{2}} e^9}{128d^6} - \frac{11(-e^2x^2 + d^2)^{\frac{7}{2}} e^7}{128d^6x^2} + \frac{11(-e^2x^2 + d^2)^{\frac{7}{2}} e^5}{192d^4x^4} - \frac{11(-e^2x^2 + d^2)^{\frac{7}{2}} e^3}{48d^2x^6} - \frac{29(-e^2x^2 + d^2)^{\frac{7}{2}} e^2}{63dx^7} - \frac{3(-e^2x^2 + d^2)^{\frac{7}{2}} e}{8x^8} - \frac{(-e^2x^2 + d^2)^{\frac{7}{2}} d}{9x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^10,x)

[Out]  $-29/63 * e^2 * (-e^2 * x^2 + d^2)^{(7/2)} / d / x^7 - 3/8 * e * (-e^2 * x^2 + d^2)^{(7/2)} / x^8 - 11/48 / d^2 * e^3 / x^6 * (-e^2 * x^2 + d^2)^{(7/2)} + 11/192 / d^4 * e^5 / x^4 * (-e^2 * x^2 + d^2)^{(7/2)} - 11/128 / d^6 * e^7 / x^2 * (-e^2 * x^2 + d^2)^{(7/2)} - 11/128 / d^6 * e^9 * (-e^2 * x^2 + d^2)^{(5/2)} - 5/384 / d^4 * e^9 * (-e^2 * x^2 + d^2)^{(3/2)} - 55/128 / d^2 * e^9 * (-e^2 * x^2 + d^2)^{(1/2)} + 55/128 * e^9 / (d^2)^{(1/2)} * \ln((2 * d^2 + 2 * (d^2)^{(1/2)} * (-e^2 * x^2 + d^2)^{(1/2)}) / x) - 1/9 * d * (-e^2 * x^2 + d^2)^{(7/2)} / x^9$

**maxima [A]** time = 1.00, size = 247, normalized size = 1.32

$$\frac{55e^9 \log\left(\frac{2d^2}{|d|} + \frac{2\sqrt{-e^2x^2 + d^2}d}{|d|}\right)}{128d} - \frac{55\sqrt{-e^2x^2 + d^2} e^9}{128d^2} - \frac{55(-e^2x^2 + d^2)^{\frac{3}{2}} e^9}{384d^4} - \frac{11(-e^2x^2 + d^2)^{\frac{5}{2}} e^9}{128d^6} - \frac{11(-e^2x^2 + d^2)^{\frac{7}{2}} e^7}{128d^6x^2} + \frac{11(-e^2x^2 + d^2)^{\frac{7}{2}} e^5}{192d^4x^4} - \frac{11(-e^2x^2 + d^2)^{\frac{7}{2}} e^3}{48d^2x^6} - \frac{29(-e^2x^2 + d^2)^{\frac{7}{2}} e^2}{63dx^7} - \frac{3(-e^2x^2 + d^2)^{\frac{7}{2}} e}{8x^8} - \frac{(-e^2x^2 + d^2)^{\frac{7}{2}} d}{9x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^10,x, algorithm="maxima")

[Out]  $55/128 * e^9 * \log(2 * d^2 / \text{abs}(x) + 2 * \sqrt{-e^2 * x^2 + d^2} * d / \text{abs}(x)) / d - 55/128 * \sqrt{-e^2 * x^2 + d^2} * e^9 / d^2 - 55/384 * (-e^2 * x^2 + d^2)^{(3/2)} * e^9 / d^4 - 11/128 * (-e^2 * x^2 + d^2)^{(5/2)} * e^9 / d^6 - 11/128 * (-e^2 * x^2 + d^2)^{(7/2)} * e^7 / (d^6 * x^2) + 11/192 * (-e^2 * x^2 + d^2)^{(7/2)} * e^5 / (d^4 * x^4) - 11/48 * (-e^2 * x^2 + d^2)^{(7/2)} * e^3 / (d^2 * x^6) - 29/63 * (-e^2 * x^2 + d^2)^{(7/2)} * e^2 / (d * x^7) - 3/8 * (-e^2 * x^2 + d^2)^{(7/2)} * e / x^8 - 1/9 * (-e^2 * x^2 + d^2)^{(7/2)} * d / x^9$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + e x)^3}{x^{10}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3)/x^10,x)

[Out] int(((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3)/x^10, x)

**sympy [C]** time = 36.71, size = 1889, normalized size = 10.10



result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(-e**2*x**2+d**2)**(5/2)/x**10,x)
```

```
[Out] d**7*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(9*x**8) + e**3*sqrt(d**2/(e*
*2*x**2) - 1)/(63*d**2*x**6) + 2*e**5*sqrt(d**2/(e**2*x**2) - 1)/(105*d**4*
x**4) + 8*e**7*sqrt(d**2/(e**2*x**2) - 1)/(315*d**6*x**2) + 16*e**9*sqrt(d*
**2/(e**2*x**2) - 1)/(315*d**8), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**
2/(e**2*x**2) + 1)/(9*x**8) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(63*d**2*x
**6) + 2*I*e**5*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**4*x**4) + 8*I*e**7*sqrt
(-d**2/(e**2*x**2) + 1)/(315*d**6*x**2) + 16*I*e**9*sqrt(-d**2/(e**2*x**2)
+ 1)/(315*d**8), True)) + 3*d**6*e*Piecewise((-d**2/(8*e*x**9*sqrt(d**2/(e*
*2*x**2) - 1)) + 7*e/(48*x**7*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(192*d**2*
x**5*sqrt(d**2/(e**2*x**2) - 1)) + 5*e**5/(384*d**4*x**3*sqrt(d**2/(e**2*x*
*2) - 1)) - 5*e**7/(128*d**6*x*sqrt(d**2/(e**2*x**2) - 1)) + 5*e**8*acosh(d
/(e*x))/(128*d**7), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(8*e*x**9*sqrt(-d**
2/(e**2*x**2) + 1)) - 7*I*e/(48*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/
(192*d**2*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e**5/(384*d**4*x**3*sqrt(
-d**2/(e**2*x**2) + 1)) + 5*I*e**7/(128*d**6*x*sqrt(-d**2/(e**2*x**2) + 1))
- 5*I*e**8*asin(d/(e*x))/(128*d**7), True)) + d**5*e**2*Piecewise((-e*sqrt
(d**2/(e**2*x**2) - 1)/(7*x**6) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(35*d**2*
x**4) + 4*e**5*sqrt(d**2/(e**2*x**2) - 1)/(105*d**4*x**2) + 8*e**7*sqrt(d**
2/(e**2*x**2) - 1)/(105*d**6), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2
/(e**2*x**2) + 1)/(7*x**6) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(35*d**2*x*
**4) + 4*I*e**5*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**4*x**2) + 8*I*e**7*sqrt(
-d**2/(e**2*x**2) + 1)/(105*d**6), True)) - 5*d**4*e**3*Piecewise((-d**2/(6
*e*x**7*sqrt(d**2/(e**2*x**2) - 1)) + 5*e/(24*x**5*sqrt(d**2/(e**2*x**2) -
1)) + e**3/(48*d**2*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**5/(16*d**4*x*sqrt
(d**2/(e**2*x**2) - 1)) + e**6*acosh(d/(e*x))/(16*d**5), Abs(d**2/(e**2*x**
2)) > 1), (I*d**2/(6*e*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e/(24*x**5*s
qrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(48*d**2*x**3*sqrt(-d**2/(e**2*x**2) +
1)) + I*e**5/(16*d**4*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**6*asin(d/(e*x)
)/(16*d**5), True)) - 5*d**3*e**4*Piecewise((3*I*d**3*sqrt(-1 + e**2*x**2/d
**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*I*d**e**2*x**2*sqrt(-1 + e**2*x**2/d
**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*I*e**6*x**6*sqrt(-1 + e**2*x**2/d**
2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - I*e**4*x**4*sqrt(-1 + e**2*x**2/d*
*2)/(-15*d**3*x**5 + 15*d**e**2*x**7), Abs(e**2*x**2/d**2) > 1), (3*d**3*sqr
t(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*d**e**2*x**2*sqrt(1
- e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*e**6*x**6*sqrt(1 - e*
*2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - e**4*x**4*sqrt(1 - e**2
*x**2/d**2)/(-15*d**3*x**5 + 15*d**e**2*x**7), True)) + d**2*e**5*Piecewise(
(-d**2/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 3*e/(8*x**3*sqrt(d**2/(e**2*
x**2) - 1)) - e**3/(8*d**2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**4*acosh(d/(e*
x))/(8*d**3), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(4*e*x**5*sqrt(-d**2/(e**
```

```

2*x**2) + 1)) - 3*I*e/(8*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**3/(8*d**2
*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**4*asin(d/(e*x))/(8*d**3, True)) + 3
*d*e**6*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*x**2) + e**3*sqrt(d**2/
(e**2*x**2) - 1)/(3*d**2), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e
**2*x**2) + 1)/(3*x**2) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(3*d**2), True)
) + e**7*Piecewise((-d**2/(2*e*x**3*sqrt(d**2/(e**2*x**2) - 1)) + e/(2*x*sq
rt(d**2/(e**2*x**2) - 1)) + e**2*acosh(d/(e*x))/(2*d), Abs(d**2/(e**2*x**2)
) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(2*x) - I*e**2*asin(d/(e*x))/(2*d
), True))

```

$$3.81 \quad \int \frac{(d+ex)^3(d^2-e^2x^2)^{5/2}}{x^{11}} dx$$

**Optimal.** Leaf size=225

$$\frac{d(d^2-e^2x^2)^{7/2}}{10x^{10}} - \frac{e(d^2-e^2x^2)^{7/2}}{3x^9} - \frac{33e^2(d^2-e^2x^2)^{7/2}}{80dx^8} + \frac{33e^{10} \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{256d^2} - \frac{33e^8\sqrt{d^2-e^2x^2}}{256dx^2} + \frac{11e^6(d^2-e^2x^2)^{3/2}}{128d^2}$$

**Rubi [A]** time = 0.30, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {1807, 835, 807, 266, 47, 63, 208}

$$-\frac{33e^8\sqrt{d^2-e^2x^2}}{256dx^2} + \frac{11e^6(d^2-e^2x^2)^{3/2}}{128dx^4} - \frac{11e^4(d^2-e^2x^2)^{5/2}}{160dx^6} - \frac{5e^3(d^2-e^2x^2)^{7/2}}{21d^2x^7} - \frac{33e^2(d^2-e^2x^2)^{7/2}}{80dx^8} - \frac{e(d^2-e^2x^2)^{7/2}}{3x^9} - \frac{d(d^2-e^2x^2)^{7/2}}{10x^{10}} + \frac{33e^{10} \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{256d^2}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^11,x]

[Out] (-33\*e^8\*sqrt[d^2 - e^2\*x^2])/(256\*d\*x^2) + (11\*e^6\*(d^2 - e^2\*x^2)^(3/2))/(128\*d\*x^4) - (11\*e^4\*(d^2 - e^2\*x^2)^(5/2))/(160\*d\*x^6) - (d\*(d^2 - e^2\*x^2)^(7/2))/(10\*x^10) - (e\*(d^2 - e^2\*x^2)^(7/2))/(3\*x^9) - (33\*e^2\*(d^2 - e^2\*x^2)^(7/2))/(80\*d\*x^8) - (5\*e^3\*(d^2 - e^2\*x^2)^(7/2))/(21\*d^2\*x^7) + (33\*e^10\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(256\*d^2)

**Rule 47**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2\*n + m + 1, 0])) && IntLinearQ[a, b, c, d, m, n, x]

**Rule 63**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

**Rule 208**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

### Rule 835

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[1/((m + 1)\*(c\*d^2 + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p\*Simp[(c\*d\*f + a\*e\*g)\*(m + 1) - c\*(e\*f - d\*g)\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 1807

Int[(Pq\_)\*((c\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, c\*x, x], R = PolynomialRemainder[Pq, c\*x, x]}, Simp[(R\*(c\*x)^(m + 1)\*(a + b\*x^2)^(p + 1))/(a\*c\*(m + 1)), x] + Dist[1/(a\*c\*(m + 1)), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3 (d^2 - e^2x^2)^{5/2}}{x^{11}} dx &= -\frac{d(d^2 - e^2x^2)^{7/2}}{10x^{10}} - \frac{\int \frac{(d^2 - e^2x^2)^{5/2} (-30d^4e - 33d^3e^2x - 10d^2e^3x^2)}{x^{10}} dx}{10d^2} \\
&= -\frac{d(d^2 - e^2x^2)^{7/2}}{10x^{10}} - \frac{e(d^2 - e^2x^2)^{7/2}}{3x^9} + \frac{\int \frac{(297d^5e^2 + 150d^4e^3x)(d^2 - e^2x^2)^{5/2}}{x^9} dx}{90d^4} \\
&= -\frac{d(d^2 - e^2x^2)^{7/2}}{10x^{10}} - \frac{e(d^2 - e^2x^2)^{7/2}}{3x^9} - \frac{33e^2(d^2 - e^2x^2)^{7/2}}{80dx^8} - \frac{\int \frac{(-1200d^6e^3 - 297d^5e^4x)}{x^8} dx}{720d^6} \\
&= -\frac{d(d^2 - e^2x^2)^{7/2}}{10x^{10}} - \frac{e(d^2 - e^2x^2)^{7/2}}{3x^9} - \frac{33e^2(d^2 - e^2x^2)^{7/2}}{80dx^8} - \frac{5e^3(d^2 - e^2x^2)^{7/2}}{21d^2x^7} + \\
&= -\frac{d(d^2 - e^2x^2)^{7/2}}{10x^{10}} - \frac{e(d^2 - e^2x^2)^{7/2}}{3x^9} - \frac{33e^2(d^2 - e^2x^2)^{7/2}}{80dx^8} - \frac{5e^3(d^2 - e^2x^2)^{7/2}}{21d^2x^7} + \\
&= -\frac{11e^4(d^2 - e^2x^2)^{5/2}}{160dx^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{10x^{10}} - \frac{e(d^2 - e^2x^2)^{7/2}}{3x^9} - \frac{33e^2(d^2 - e^2x^2)^{7/2}}{80dx^8} \\
&= \frac{11e^6(d^2 - e^2x^2)^{3/2}}{128dx^4} - \frac{11e^4(d^2 - e^2x^2)^{5/2}}{160dx^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{10x^{10}} - \frac{e(d^2 - e^2x^2)^{7/2}}{3x^9} \\
&= -\frac{33e^8\sqrt{d^2 - e^2x^2}}{256dx^2} + \frac{11e^6(d^2 - e^2x^2)^{3/2}}{128dx^4} - \frac{11e^4(d^2 - e^2x^2)^{5/2}}{160dx^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{10x^{10}} \\
&= -\frac{33e^8\sqrt{d^2 - e^2x^2}}{256dx^2} + \frac{11e^6(d^2 - e^2x^2)^{3/2}}{128dx^4} - \frac{11e^4(d^2 - e^2x^2)^{5/2}}{160dx^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{10x^{10}} \\
&= -\frac{33e^8\sqrt{d^2 - e^2x^2}}{256dx^2} + \frac{11e^6(d^2 - e^2x^2)^{3/2}}{128dx^4} - \frac{11e^4(d^2 - e^2x^2)^{5/2}}{160dx^6} - \frac{d(d^2 - e^2x^2)^{7/2}}{10x^{10}}
\end{aligned}$$

**Mathematica [C]** time = 0.06, size = 102, normalized size = 0.45

$$\frac{e(d^2 - e^2x^2)^{7/2} \left( 7d^9 + 5d^7e^2x^2 + 9e^9x^9 {}_2F_1\left(\frac{7}{2}, 5; \frac{9}{2}; 1 - \frac{e^2x^2}{d^2}\right) + 3e^9x^9 {}_2F_1\left(\frac{7}{2}, 6; \frac{9}{2}; 1 - \frac{e^2x^2}{d^2}\right) \right)}{21d^9x^9}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^11,x]

[Out]  $-1/21*(e*(d^2 - e^2*x^2)^{(7/2)}*(7*d^9 + 5*d^7*e^2*x^2 + 9*e^9*x^9*Hypergeometric2F1[7/2, 5, 9/2, 1 - (e^2*x^2)/d^2] + 3*e^9*x^9*Hypergeometric2F1[7/2, 6, 9/2, 1 - (e^2*x^2)/d^2]))/(d^9*x^9)$

**IntegrateAlgebraic [A]** time = 0.99, size = 170, normalized size = 0.76

$$\frac{\sqrt{d^2 - e^2x^2} (-2688d^9 - 8960d^8ex - 3024d^7e^2x^2 + 20480d^6e^3x^3 + 23352d^5e^4x^4 - 7680d^4e^5x^5 - 24570d^3e^6x^6 - 10240d^2e^7x^7 + 3465de^8x^8 + 6400e^9x^9)}{26880d^2x^{10}} - \frac{33e^{10} \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{128d^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic(((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^11,x)

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-2688*d^9 - 8960*d^8*e*x - 3024*d^7*e^2*x^2 + 20480*d^6*e^3*x^3 + 23352*d^5*e^4*x^4 - 7680*d^4*e^5*x^5 - 24570*d^3*e^6*x^6 - 10240*d^2*e^7*x^7 + 3465*d*e^8*x^8 + 6400*e^9*x^9))/(26880*d^2*x^{10}) - (33*e^{10}*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d])/(128*d^2)$

**fricas [A]** time = 0.52, size = 153, normalized size = 0.68

$$\frac{3465e^{10}x^{10} \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (6400e^9x^9 + 3465de^8x^8 - 10240d^2e^7x^7 - 24570d^3e^6x^6 - 7680d^4e^5x^5 + 23352d^5e^4x^4 + 20480d^6e^3x^3 - 3024d^7e^2x^2 - 8960d^8ex - 2688d^9)\sqrt{-e^2x^2 + d^2}}{26880d^2x^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^11,x, algorithm="fricas")

[Out]  $-1/26880*(3465*e^{10}*x^{10}*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) - (6400*e^9*x^9 + 3465*d*e^8*x^8 - 10240*d^2*e^7*x^7 - 24570*d^3*e^6*x^6 - 7680*d^4*e^5*x^5 + 23352*d^5*e^4*x^4 + 20480*d^6*e^3*x^3 - 3024*d^7*e^2*x^2 - 8960*d^8*e*x - 2688*d^9)*\text{sqrt}(-e^2*x^2 + d^2))/(d^2*x^{10})$

**giac [B]** time = 0.36, size = 683, normalized size = 3.04

$$\frac{1}{26880} \frac{3465e^{10}x^{10} \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (6400e^9x^9 + 3465de^8x^8 - 10240d^2e^7x^7 - 24570d^3e^6x^6 - 7680d^4e^5x^5 + 23352d^5e^4x^4 + 20480d^6e^3x^3 - 3024d^7e^2x^2 - 8960d^8ex - 2688d^9)\sqrt{-e^2x^2 + d^2}}{d^2x^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^11,x, algorithm="giac")

[Out]  $1/430080*x^{10}*(280*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*e^{20}/x + 525*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*e^{18}/x^2 - 600*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*e^{16}/x^3 - 3570*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^4*e^{14}/x^4 - 3360*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^5*e^{12}/x^5 + 5880*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^6*e^{10}/x^6 + 16800*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^7*e^8/x^7 + 10500*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^8*e^6/x^8 - 31920*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^9*e^4/x^9 + 42*e^{22}*e^8/((d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^{10}*d^2) + 33/256*e^{10}*\log(1/2*abs(-2*d*e - 2*\text{sqrt}(-x^2*e^2 + d^2)*e)*e^{(-2)}/abs(x))/d^2 + 1/430080*(31920*$

$(d*e + \sqrt{-x^2*e^2 + d^2})*e*d^{18}*e^{128}/x - 10500*(d*e + \sqrt{-x^2*e^2 + d^2})*e^2*d^{18}*e^{126}/x^2 - 16800*(d*e + \sqrt{-x^2*e^2 + d^2})*e^3*d^{18}*e^{124}/x^3 - 5880*(d*e + \sqrt{-x^2*e^2 + d^2})*e^4*d^{18}*e^{122}/x^4 + 3360*(d*e + \sqrt{-x^2*e^2 + d^2})*e^5*d^{18}*e^{120}/x^5 + 3570*(d*e + \sqrt{-x^2*e^2 + d^2})*e^6*d^{18}*e^{118}/x^6 + 600*(d*e + \sqrt{-x^2*e^2 + d^2})*e^7*d^{18}*e^{116}/x^7 - 525*(d*e + \sqrt{-x^2*e^2 + d^2})*e^8*d^{18}*e^{114}/x^8 - 280*(d*e + \sqrt{-x^2*e^2 + d^2})*e^9*d^{18}*e^{112}/x^9 - 42*(d*e + \sqrt{-x^2*e^2 + d^2})*e^{10}*d^{18}*e^{110}/x^{10})*e^{(-120)}/d^{20}$

**maple [A]** time = 0.15, size = 278, normalized size = 1.24

$$\frac{33e^{10} \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2 x^2} + d^2}{x}\right)}{256\sqrt{d^2} d} - \frac{33\sqrt{-e^2 x^2 + d^2} e^{10}}{256d^3} - \frac{11(-e^2 x^2 + d^2)^{\frac{3}{2}} e^{10}}{256d^5} - \frac{33(-e^2 x^2 + d^2)^{\frac{5}{2}} e^{10}}{1280d^7} - \frac{33(-e^2 x^2 + d^2)^{\frac{7}{2}} e^8}{1280d^7 x^2} + \frac{11(-e^2 x^2 + d^2)^{\frac{7}{2}} e^6}{640d^5 x^4} - \frac{11(-e^2 x^2 + d^2)^{\frac{7}{2}} e^4}{160d^3 x^6} - \frac{5(-e^2 x^2 + d^2)^{\frac{7}{2}} e^3}{21d^2 x^7} - \frac{33(-e^2 x^2 + d^2)^{\frac{7}{2}} e^2}{80d x^8} - \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}} e}{3x^9} - \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}} d}{10x^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^3*(-e^2*x^2+d^2)^(5/2)/x^11,x)`

[Out]  $-1/3*e*(-e^2*x^2+d^2)^{(7/2)}/x^9-5/21*e^3*(-e^2*x^2+d^2)^{(7/2)}/d^2/x^7-33/80*e^2*(-e^2*x^2+d^2)^{(7/2)}/d/x^8-11/160/d^3*e^4/x^6*(-e^2*x^2+d^2)^{(7/2)}+11/640/d^5*e^6/x^4*(-e^2*x^2+d^2)^{(7/2)}-33/1280/d^7*e^8/x^2*(-e^2*x^2+d^2)^{(7/2)}-33/1280/d^7*e^{10}*(-e^2*x^2+d^2)^{(5/2)}-11/256/d^5*e^{10}*(-e^2*x^2+d^2)^{(3/2)}-33/256/d^3*e^{10}*(-e^2*x^2+d^2)^{(1/2)}+33/256/d*e^{10}/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-1/10*d*(-e^2*x^2+d^2)^{(7/2)}/x^{10}$

**maxima [A]** time = 1.01, size = 272, normalized size = 1.21

$$\frac{33e^{10} \log\left(\frac{2d^2}{|d|} + \frac{2\sqrt{-e^2 x^2 + d^2}}{|d|}\right)}{256d^2} - \frac{33\sqrt{-e^2 x^2 + d^2} e^{10}}{256d^3} - \frac{11(-e^2 x^2 + d^2)^{\frac{3}{2}} e^{10}}{256d^5} - \frac{33(-e^2 x^2 + d^2)^{\frac{5}{2}} e^{10}}{1280d^7} - \frac{33(-e^2 x^2 + d^2)^{\frac{7}{2}} e^8}{1280d^7 x^2} + \frac{11(-e^2 x^2 + d^2)^{\frac{7}{2}} e^6}{640d^5 x^4} - \frac{11(-e^2 x^2 + d^2)^{\frac{7}{2}} e^4}{160d^3 x^6} - \frac{5(-e^2 x^2 + d^2)^{\frac{7}{2}} e^3}{21d^2 x^7} - \frac{33(-e^2 x^2 + d^2)^{\frac{7}{2}} e^2}{80d x^8} - \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}} e}{3x^9} - \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}} d}{10x^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3*(-e^2*x^2+d^2)^(5/2)/x^11,x, algorithm="maxima")`

[Out]  $33/256*e^{10}*\log(2*d^2/\text{abs}(x) + 2*\sqrt{-e^2*x^2 + d^2})*d/\text{abs}(x))/d^2 - 33/256*\sqrt{-e^2*x^2 + d^2})*e^{10}/d^3 - 11/256*(-e^2*x^2 + d^2)^{(3/2)})*e^{10}/d^5 - 33/1280*(-e^2*x^2 + d^2)^{(5/2)})*e^{10}/d^7 - 33/1280*(-e^2*x^2 + d^2)^{(7/2)})*e^8/(d^7*x^2) + 11/640*(-e^2*x^2 + d^2)^{(7/2)})*e^6/(d^5*x^4) - 11/160*(-e^2*x^2 + d^2)^{(7/2)})*e^4/(d^3*x^6) - 5/21*(-e^2*x^2 + d^2)^{(7/2)})*e^3/(d^2*x^7) - 33/80*(-e^2*x^2 + d^2)^{(7/2)})*e^2/(d*x^8) - 1/3*(-e^2*x^2 + d^2)^{(7/2)})*e/x^9 - 1/10*(-e^2*x^2 + d^2)^{(7/2)})*d/x^{10}$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + e x)^3}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x^11,x)
```

```
[Out] int(((d^2 - e^2*x^2)^(5/2)*(d + e*x)^3)/x^11, x)
```

**sympy** [C] time = 49.87, size = 2159, normalized size = 9.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(-e**2*x**2+d**2)**(5/2)/x**11,x)
```

```
[Out] d**7*Piecewise((-d**2/(10*e*x**11*sqrt(d**2/(e**2*x**2) - 1)) + 9*e/(80*x**9*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(480*d**2*x**7*sqrt(d**2/(e**2*x**2) - 1)) + 7*e**5/(1920*d**4*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 7*e**7/(768*d**6*x**3*sqrt(d**2/(e**2*x**2) - 1)) - 7*e**9/(256*d**8*x*sqrt(d**2/(e**2*x**2) - 1)) + 7*e**10*acosh(d/(e*x))/(256*d**9), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(10*e*x**11*sqrt(-d**2/(e**2*x**2) + 1)) - 9*I*e/(80*x**9*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(480*d**2*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - 7*I*e**5/(1920*d**4*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 7*I*e**7/(768*d**6*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + 7*I*e**9/(256*d**8*x*sqrt(-d**2/(e**2*x**2) + 1)) - 7*I*e**10*asin(d/(e*x))/(256*d**9), True)) + 3*d**6*e*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(9*x**8) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(63*d**2*x**6) + 2*e**5*sqrt(d**2/(e**2*x**2) - 1)/(105*d**4*x**4) + 8*e**7*sqrt(d**2/(e**2*x**2) - 1)/(315*d**6*x**2) + 16*e**9*sqrt(d**2/(e**2*x**2) - 1)/(315*d**8), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(9*x**8) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(63*d**2*x**6) + 2*I*e**5*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**4*x**4) + 8*I*e**7*sqrt(-d**2/(e**2*x**2) + 1)/(315*d**6*x**2) + 16*I*e**9*sqrt(-d**2/(e**2*x**2) + 1)/(315*d**8), True)) + d**5*e**2*Piecewise((-d**2/(8*e*x**9*sqrt(d**2/(e**2*x**2) - 1)) + 7*e/(48*x**7*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(192*d**2*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 5*e**5/(384*d**4*x**3*sqrt(d**2/(e**2*x**2) - 1)) - 5*e**7/(128*d**6*x*sqrt(d**2/(e**2*x**2) - 1)) + 5*e**8*acosh(d/(e*x))/(128*d**7), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(8*e*x**9*sqrt(-d**2/(e**2*x**2) + 1)) - 7*I*e/(48*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(192*d**2*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e**5/(384*d**4*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + 5*I*e**7/(128*d**6*x*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e**8*asin(d/(e*x))/(128*d**7), True)) - 5*d**4*e**3*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(7*x**6) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(35*d**2*x**4) + 4*e**5*sqrt(d**2/(e**2*x**2) - 1)/(105*d**4*x**2) + 8*e**7*sqrt(d**2/(e**2*x**2) - 1)/(105*d**6), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(7*x**6) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(35*d**2*x**4) + 4*I*e**5*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**4*x**2) + 8*I*e**7*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**6), True)) - 5*d**3*e**4*Piecewise((-d**2/(6*e*x**7*sqrt(d**2/(e**2*x**2) - 1)) + 5*e/(24*x**5*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(48*d**2*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**5/(16*d**4*x*sqrt(d**2/(e**2*x**2) - 1)) + e**6*acosh(d/(e*x))/(16*d**5), Abs(d**2/(e**2*x**2)) > 1), (
```



$$\begin{aligned}
& I*d^{**2}/(6*e*x^{**7}*sqrt(-d^{**2}/(e^{**2}*x^{**2}) + 1)) - 5*I*e/(24*x^{**5}*sqrt(-d^{**2}/(e^{**2}*x^{**2}) + 1)) - I*e^{**3}/(48*d^{**2}*x^{**3}*sqrt(-d^{**2}/(e^{**2}*x^{**2}) + 1)) + I*e^{**5}/(16*d^{**4}*x*sqrt(-d^{**2}/(e^{**2}*x^{**2}) + 1)) - I*e^{**6}*asin(d/(e*x))/(16*d^{**5}), True)) + d^{**2}*e^{**5}*Piecewise((3*I*d^{**3}*sqrt(-1 + e^{**2}*x^{**2}/d^{**2})/(-15*d^{**2}*x^{**5} + 15*e^{**2}*x^{**7}) - 4*I*d*e^{**2}*x^{**2}*sqrt(-1 + e^{**2}*x^{**2}/d^{**2})/(-15*d^{**2}*x^{**5} + 15*e^{**2}*x^{**7}) + 2*I*e^{**6}*x^{**6}*sqrt(-1 + e^{**2}*x^{**2}/d^{**2})/(-15*d^{**5}*x^{**5} + 15*d^{**3}*e^{**2}*x^{**7}) - I*e^{**4}*x^{**4}*sqrt(-1 + e^{**2}*x^{**2}/d^{**2})/(-15*d^{**3}*x^{**5} + 15*d*e^{**2}*x^{**7}), Abs(e^{**2}*x^{**2}/d^{**2}) > 1), (3*d^{**3}*sqrt(1 - e^{**2}*x^{**2}/d^{**2})/(-15*d^{**2}*x^{**5} + 15*e^{**2}*x^{**7}) - 4*d*e^{**2}*x^{**2}*sqrt(1 - e^{**2}*x^{**2}/d^{**2})/(-15*d^{**2}*x^{**5} + 15*e^{**2}*x^{**7}) + 2*e^{**6}*x^{**6}*sqrt(1 - e^{**2}*x^{**2}/d^{**2})/(-15*d^{**5}*x^{**5} + 15*d^{**3}*e^{**2}*x^{**7}) - e^{**4}*x^{**4}*sqrt(1 - e^{**2}*x^{**2}/d^{**2})/(-15*d^{**3}*x^{**5} + 15*d*e^{**2}*x^{**7}), True)) + 3*d*e^{**6}*Piecewise((-d^{**2}/(4*e*x^{**5}*sqrt(d^{**2}/(e^{**2}*x^{**2}) - 1)) + 3*e/(8*x^{**3}*sqrt(d^{**2}/(e^{**2}*x^{**2}) - 1)) - e^{**3}/(8*d^{**2}*x*sqrt(d^{**2}/(e^{**2}*x^{**2}) - 1)) + e^{**4}*acosh(d/(e*x))/(8*d^{**3}), Abs(d^{**2}/(e^{**2}*x^{**2})) > 1), (I*d^{**2}/(4*e*x^{**5}*sqrt(-d^{**2}/(e^{**2}*x^{**2}) + 1)) - 3*I*e/(8*x^{**3}*sqrt(-d^{**2}/(e^{**2}*x^{**2}) + 1)) + I*e^{**3}/(8*d^{**2}*x*sqrt(-d^{**2}/(e^{**2}*x^{**2}) + 1)) - I*e^{**4}*asin(d/(e*x))/(8*d^{**3}), True)) + e^{**7}*Piecewise((-e*sqrt(d^{**2}/(e^{**2}*x^{**2}) - 1)/(3*x^{**2}) + e^{**3}*sqrt(d^{**2}/(e^{**2}*x^{**2}) - 1)/(3*d^{**2}), Abs(d^{**2}/(e^{**2}*x^{**2})) > 1), (-I*e*sqrt(-d^{**2}/(e^{**2}*x^{**2}) + 1)/(3*x^{**2}) + I*e^{**3}*sqrt(-d^{**2}/(e^{**2}*x^{**2}) + 1)/(3*d^{**2}), True))
\end{aligned}$$

$$3.82 \quad \int \frac{(d+ex)^3 (d^2 - e^2 x^2)^{5/2}}{x^{12}} dx$$

**Optimal.** Leaf size=254

$$\frac{d(d^2 - e^2 x^2)^{7/2}}{11x^{11}} - \frac{3e(d^2 - e^2 x^2)^{7/2}}{10x^{10}} - \frac{37e^2(d^2 - e^2 x^2)^{7/2}}{99dx^9} - \frac{19e^9 \sqrt{d^2 - e^2 x^2}}{256d^2 x^2} + \frac{19e^7 (d^2 - e^2 x^2)^{3/2}}{384d^2 x^4} - \frac{19e^5 (d^2 - e^2 x^2)^5}{480d^2 x^6}$$

**Rubi [A]** time = 0.33, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {1807, 835, 807, 266, 47, 63, 208}

$$\frac{19e^9 \sqrt{d^2 - e^2 x^2}}{256d^2 x^2} + \frac{19e^7 (d^2 - e^2 x^2)^{3/2}}{384d^2 x^4} - \frac{19e^5 (d^2 - e^2 x^2)^{5/2}}{480d^2 x^6} - \frac{74e^4 (d^2 - e^2 x^2)^{7/2}}{693d^3 x^7} - \frac{19e^3 (d^2 - e^2 x^2)^{7/2}}{80d^2 x^8} - \frac{37e^2 (d^2 - e^2 x^2)^{7/2}}{99dx^9} - \frac{3e(d^2 - e^2 x^2)^{7/2}}{10x^{10}} - \frac{d(d^2 - e^2 x^2)^{7/2}}{11x^{11}} + \frac{19e^{11} \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{256d^3}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^12,x]

[Out] (-19\*e^9\*sqrt[d^2 - e^2\*x^2])/(256\*d^2\*x^2) + (19\*e^7\*(d^2 - e^2\*x^2)^(3/2))/(384\*d^2\*x^4) - (19\*e^5\*(d^2 - e^2\*x^2)^(5/2))/(480\*d^2\*x^6) - (d\*(d^2 - e^2\*x^2)^(7/2))/(11\*x^11) - (3\*e\*(d^2 - e^2\*x^2)^(7/2))/(10\*x^10) - (37\*e^2\*(d^2 - e^2\*x^2)^(7/2))/(99\*d\*x^9) - (19\*e^3\*(d^2 - e^2\*x^2)^(7/2))/(80\*d^2\*x^8) - (74\*e^4\*(d^2 - e^2\*x^2)^(7/2))/(693\*d^3\*x^7) + (19\*e^11\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(256\*d^3)

**Rule 47**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2\*n + m + 1, 0])) && IntLinearQ[a, b, c, d, m, n, x]

**Rule 63**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

**Rule 208**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

### Rule 835

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/((m + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[1/((m + 1)\*(c\*d^2 + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p\*Simp[(c\*d\*f + a\*e\*g)\*(m + 1) - c\*(e\*f - d\*g)\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 1807

Int[(Pq)\*((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, c\*x, x], R = PolynomialRemainder[Pq, c\*x, x]}, Simp[(R\*(c\*x)^(m + 1)\*(a + b\*x^2)^(p + 1))/(a\*c\*(m + 1)), x] + Dist[1/(a\*c\*(m + 1)), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3 (d^2-e^2x^2)^{5/2}}{x^{12}} dx &= -\frac{d(d^2-e^2x^2)^{7/2}}{11x^{11}} - \frac{\int \frac{(d^2-e^2x^2)^{5/2}(-33d^4e-37d^3e^2x-11d^2e^3x^2)}{x^{11}} dx}{11d^2} \\
&= -\frac{d(d^2-e^2x^2)^{7/2}}{11x^{11}} - \frac{3e(d^2-e^2x^2)^{7/2}}{10x^{10}} + \frac{\int \frac{(370d^5e^2+209d^4e^3x)(d^2-e^2x^2)^{5/2}}{x^{10}} dx}{110d^4} \\
&= -\frac{d(d^2-e^2x^2)^{7/2}}{11x^{11}} - \frac{3e(d^2-e^2x^2)^{7/2}}{10x^{10}} - \frac{37e^2(d^2-e^2x^2)^{7/2}}{99dx^9} - \frac{\int \frac{(-1881d^6e^3-740d^5e^4x)}{x^9} dx}{990d^6} \\
&= -\frac{d(d^2-e^2x^2)^{7/2}}{11x^{11}} - \frac{3e(d^2-e^2x^2)^{7/2}}{10x^{10}} - \frac{37e^2(d^2-e^2x^2)^{7/2}}{99dx^9} - \frac{19e^3(d^2-e^2x^2)^{7/2}}{80d^2x^8} \\
&= -\frac{d(d^2-e^2x^2)^{7/2}}{11x^{11}} - \frac{3e(d^2-e^2x^2)^{7/2}}{10x^{10}} - \frac{37e^2(d^2-e^2x^2)^{7/2}}{99dx^9} - \frac{19e^3(d^2-e^2x^2)^{7/2}}{80d^2x^8} \\
&= -\frac{d(d^2-e^2x^2)^{7/2}}{11x^{11}} - \frac{3e(d^2-e^2x^2)^{7/2}}{10x^{10}} - \frac{37e^2(d^2-e^2x^2)^{7/2}}{99dx^9} - \frac{19e^3(d^2-e^2x^2)^{7/2}}{80d^2x^8} \\
&= -\frac{19e^5(d^2-e^2x^2)^{5/2}}{480d^2x^6} - \frac{d(d^2-e^2x^2)^{7/2}}{11x^{11}} - \frac{3e(d^2-e^2x^2)^{7/2}}{10x^{10}} - \frac{37e^2(d^2-e^2x^2)^{7/2}}{99dx^9} \\
&= \frac{19e^7(d^2-e^2x^2)^{3/2}}{384d^2x^4} - \frac{19e^5(d^2-e^2x^2)^{5/2}}{480d^2x^6} - \frac{d(d^2-e^2x^2)^{7/2}}{11x^{11}} - \frac{3e(d^2-e^2x^2)^{7/2}}{10x^{10}} \\
&= -\frac{19e^9\sqrt{d^2-e^2x^2}}{256d^2x^2} + \frac{19e^7(d^2-e^2x^2)^{3/2}}{384d^2x^4} - \frac{19e^5(d^2-e^2x^2)^{5/2}}{480d^2x^6} - \frac{d(d^2-e^2x^2)^{7/2}}{11x^{11}} \\
&= -\frac{19e^9\sqrt{d^2-e^2x^2}}{256d^2x^2} + \frac{19e^7(d^2-e^2x^2)^{3/2}}{384d^2x^4} - \frac{19e^5(d^2-e^2x^2)^{5/2}}{480d^2x^6} - \frac{d(d^2-e^2x^2)^{7/2}}{11x^{11}} \\
&= -\frac{19e^9\sqrt{d^2-e^2x^2}}{256d^2x^2} + \frac{19e^7(d^2-e^2x^2)^{3/2}}{384d^2x^4} - \frac{19e^5(d^2-e^2x^2)^{5/2}}{480d^2x^6} - \frac{d(d^2-e^2x^2)^{7/2}}{11x^{11}}
\end{aligned}$$

**Mathematica [C]** time = 0.06, size = 112, normalized size = 0.44

$$\frac{(d^2-e^2x^2)^{7/2} \left( 63d^{11} + 259d^9e^2x^2 + 74d^7e^4x^4 + 99e^{11}x^{11} {}_2F_1\left(\frac{7}{2}, 5; \frac{9}{2}; 1 - \frac{e^2x^2}{d^2}\right) + 297e^{11}x^{11} {}_2F_1\left(\frac{7}{2}, 6; \frac{9}{2}; 1 - \frac{e^2x^2}{d^2}\right) \right)}{693d^{10}x^{11}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^12,x]

[Out] 
$$-1/693*((d^2 - e^2*x^2)^{(7/2)}*(63*d^{11} + 259*d^9*e^2*x^2 + 74*d^7*e^4*x^4 + 99*e^{11}*x^{11}*Hypergeometric2F1[7/2, 5, 9/2, 1 - (e^2*x^2)/d^2] + 297*e^{11}*x^{11}*Hypergeometric2F1[7/2, 6, 9/2, 1 - (e^2*x^2)/d^2]))/(d^{10}*x^{11})$$

**IntegrateAlgebraic [A]** time = 1.05, size = 181, normalized size = 0.71

$$\frac{\sqrt{d^2 - e^2x^2} (-80640d^{10} - 266112d^9ex - 89600d^8e^2x^2 + 587664d^7e^3x^3 + 657920d^6e^4x^4 - 201432d^5e^5x^5 - 629760d^4e^6x^6 - 251790d^3e^7x^7 + 47360d^2e^8x^8 + 65835de^9x^9 + 94720e^{10}x^{10})}{887040d^3x^{11}} - \frac{19e^{11} \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{128d^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2))/x^12,x]

[Out] 
$$\frac{(\text{Sqrt}[d^2 - e^2*x^2]*(-80640*d^{10} - 266112*d^9*e*x - 89600*d^8*e^2*x^2 + 587664*d^7*e^3*x^3 + 657920*d^6*e^4*x^4 - 201432*d^5*e^5*x^5 - 629760*d^4*e^6*x^6 - 251790*d^3*e^7*x^7 + 47360*d^2*e^8*x^8 + 65835*d*e^9*x^9 + 94720*e^{10}*x^{10}))/((887040*d^3*x^{11}) - (19*e^{11}*ArcTanh[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d]))/(128*d^3)$$

**fricas [A]** time = 0.58, size = 164, normalized size = 0.65

$$\frac{65835e^{11}x^{11} \log\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (94720e^{10}x^{10} + 65835de^9x^9 + 47360d^2e^8x^8 - 251790d^3e^7x^7 - 629760d^4e^6x^6 - 201432d^5e^5x^5 + 657920d^6e^4x^4 + 587664d^7e^3x^3 - 89600d^8e^2x^2 - 266112d^9ex - 80640d^{10})\sqrt{-e^2x^2 + d^2}}{887040d^3x^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^12,x, algorithm="fricas")

[Out] 
$$-1/887040*(65835*e^{11}*x^{11}*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) - (94720*e^{10}*x^{10} + 65835*d*e^9*x^9 + 47360*d^2*e^8*x^8 - 251790*d^3*e^7*x^7 - 629760*d^4*e^6*x^6 - 201432*d^5*e^5*x^5 + 657920*d^6*e^4*x^4 + 587664*d^7*e^3*x^3 - 89600*d^8*e^2*x^2 - 266112*d^9*e*x - 80640*d^{10})*\text{sqrt}(-e^2*x^2 + d^2)))/(d^3*x^{11})$$

**giac [B]** time = 0.36, size = 746, normalized size = 2.94

$$\frac{1}{14192640}x^{11}*(4158*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*e^{22}/x + 8470*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*e^{20}/x^2 - 3465*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*e^{18}/x^3 - 40590*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^4*e^{16}/x^4 - 57750*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^5*e^{14}/x^5 + 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^6*e^{12}/x^6 - 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^7*e^{10}/x^7 + 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^8*e^8/x^8 - 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^9*e^6/x^9 + 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^{10}*e^4/x^{10} - 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^{11}*e^2/x^{11} + 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^{12})/x^{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^12,x, algorithm="giac")

[Out] 
$$1/14192640*x^{11}*(4158*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*e^{22}/x + 8470*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*e^{20}/x^2 - 3465*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*e^{18}/x^3 - 40590*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^4*e^{16}/x^4 - 57750*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^5*e^{14}/x^5 + 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^6*e^{12}/x^6 - 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^7*e^{10}/x^7 + 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^8*e^8/x^8 - 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^9*e^6/x^9 + 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^{10}*e^4/x^{10} - 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^{11}*e^2/x^{11} + 105000*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^{12})/x^{12}$$

```

rt(-x^2*e^2 + d^2)*e)^5*e^14/x^5 + 6930*(d*e + sqrt(-x^2*e^2 + d^2)*e)^6*e^
12/x^6 + 138600*(d*e + sqrt(-x^2*e^2 + d^2)*e)^7*e^10/x^7 + 244860*(d*e + s
qrt(-x^2*e^2 + d^2)*e)^8*e^8/x^8 + 152460*(d*e + sqrt(-x^2*e^2 + d^2)*e)^9*
e^6/x^9 - 568260*(d*e + sqrt(-x^2*e^2 + d^2)*e)^10*e^4/x^10 + 630*e^24)*e^9
/((d*e + sqrt(-x^2*e^2 + d^2)*e)^11*d^3) + 19/256*e^11*log(1/2*abs(-2*d*e -
2*sqrt(-x^2*e^2 + d^2)*e)*e^(-2)/abs(x))/d^3 + 1/14192640*(568260*(d*e + s
qrt(-x^2*e^2 + d^2)*e)*d^30*e^152/x - 152460*(d*e + sqrt(-x^2*e^2 + d^2)*e)
^2*d^30*e^150/x^2 - 244860*(d*e + sqrt(-x^2*e^2 + d^2)*e)^3*d^30*e^148/x^3
- 138600*(d*e + sqrt(-x^2*e^2 + d^2)*e)^4*d^30*e^146/x^4 - 6930*(d*e + sqrt
(-x^2*e^2 + d^2)*e)^5*d^30*e^144/x^5 + 57750*(d*e + sqrt(-x^2*e^2 + d^2)*e)
^6*d^30*e^142/x^6 + 40590*(d*e + sqrt(-x^2*e^2 + d^2)*e)^7*d^30*e^140/x^7 +
3465*(d*e + sqrt(-x^2*e^2 + d^2)*e)^8*d^30*e^138/x^8 - 8470*(d*e + sqrt(-x
^2*e^2 + d^2)*e)^9*d^30*e^136/x^9 - 4158*(d*e + sqrt(-x^2*e^2 + d^2)*e)^10*
d^30*e^134/x^10 - 630*(d*e + sqrt(-x^2*e^2 + d^2)*e)^11*d^30*e^132/x^11)*e^
(-143)/d^33

```

**maple [A]** time = 0.24, size = 303, normalized size = 1.19

$$\frac{19e^{11} \ln\left(\frac{2d^2+2\sqrt{d^2+d^2}}{d}\right)}{256\sqrt{d^2+d^2}} - \frac{19\sqrt{-d^2+d^2}}{256d^3} e^{11} - \frac{19(-d^2+d^2)^{\frac{3}{2}}e^{11}}{768d^6} - \frac{19(-d^2+d^2)^{\frac{5}{2}}e^{11}}{1280d^8} - \frac{19(-d^2+d^2)^{\frac{7}{2}}e^9}{1280d^8x^2} + \frac{19(-d^2+d^2)^{\frac{7}{2}}e^7}{1920d^8x^4} - \frac{19(-d^2+d^2)^{\frac{7}{2}}e^5}{480d^8x^6} - \frac{74(-d^2+d^2)^{\frac{7}{2}}e^4}{693d^8x^7} - \frac{19(-d^2+d^2)^{\frac{7}{2}}e^3}{80d^8x^8} - \frac{37(-d^2+d^2)^{\frac{7}{2}}e^2}{99d^8x^9} - \frac{3(-d^2+d^2)^{\frac{7}{2}}e}{10x^{10}} - \frac{(-d^2+d^2)^{\frac{7}{2}}d}{11x^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^12,x)

```

[Out] -37/99*e^2*(-e^2*x^2+d^2)^(7/2)/d/x^9-74/693*e^4*(-e^2*x^2+d^2)^(7/2)/d^3/x
^7-19/80*e^3*(-e^2*x^2+d^2)^(7/2)/d^2/x^8-19/480*e^5/d^4/x^6*(-e^2*x^2+d^2)
^(7/2)+19/1920*e^7/d^6/x^4*(-e^2*x^2+d^2)^(7/2)-19/1280*e^9/d^8/x^2*(-e^2*x
^2+d^2)^(7/2)-19/1280*e^11/d^8*(-e^2*x^2+d^2)^(5/2)-19/768*e^11/d^6*(-e^2*x
^2+d^2)^(3/2)-19/256*e^11/d^4*(-e^2*x^2+d^2)^(1/2)+19/256*e^11/d^2/(d^2)^(1
/2)*ln((2*d^2+2*(d^2)^(1/2)*(-e^2*x^2+d^2)^(1/2))/x)-1/11*d*(-e^2*x^2+d^2)^(
7/2)/x^11-3/10*e*(-e^2*x^2+d^2)^(7/2)/x^10

```

**maxima [A]** time = 1.01, size = 297, normalized size = 1.17

$$\frac{19e^{11} \log\left(\frac{2d^2+2\sqrt{-d^2+d^2}}{d}\right)}{256d^3} - \frac{19\sqrt{-d^2+d^2}}{256d^3} e^{11} - \frac{19(-d^2+d^2)^{\frac{3}{2}}e^{11}}{768d^6} - \frac{19(-d^2+d^2)^{\frac{5}{2}}e^{11}}{1280d^8} - \frac{19(-d^2+d^2)^{\frac{7}{2}}e^9}{1280d^8x^2} + \frac{19(-d^2+d^2)^{\frac{7}{2}}e^7}{1920d^8x^4} - \frac{19(-d^2+d^2)^{\frac{7}{2}}e^5}{480d^8x^6} - \frac{74(-d^2+d^2)^{\frac{7}{2}}e^4}{693d^8x^7} - \frac{19(-d^2+d^2)^{\frac{7}{2}}e^3}{80d^8x^8} - \frac{37(-d^2+d^2)^{\frac{7}{2}}e^2}{99d^8x^9} - \frac{3(-d^2+d^2)^{\frac{7}{2}}e}{10x^{10}} - \frac{(-d^2+d^2)^{\frac{7}{2}}d}{11x^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(-e^2\*x^2+d^2)^(5/2)/x^12,x, algorithm="maxima")

```

[Out] 19/256*e^11*log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x))/d^3 - 19/25
6*sqrt(-e^2*x^2 + d^2)*e^11/d^4 - 19/768*(-e^2*x^2 + d^2)^(3/2)*e^11/d^6 -
19/1280*(-e^2*x^2 + d^2)^(5/2)*e^11/d^8 - 19/1280*(-e^2*x^2 + d^2)^(7/2)*e^
9/(d^8*x^2) + 19/1920*(-e^2*x^2 + d^2)^(7/2)*e^7/(d^6*x^4) - 19/480*(-e^2*x
^2 + d^2)^(7/2)*e^5/(d^4*x^6) - 74/693*(-e^2*x^2 + d^2)^(7/2)*e^4/(d^3*x^7)
- 19/80*(-e^2*x^2 + d^2)^(7/2)*e^3/(d^2*x^8) - 37/99*(-e^2*x^2 + d^2)^(7/2)

```

) $e^2/(d*x^9) - 3/10*(-e^2*x^2 + d^2)^{(7/2)}*e/x^{10} - 1/11*(-e^2*x^2 + d^2)^{(7/2)}*d/x^{11}$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d^2 - e^2 x^2)^{5/2} (d + ex)^3}{x^{12}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3)/x^12,x)

[Out] int(((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)^3)/x^12, x)

sympy [C] time = 74.52, size = 2397, normalized size = 9.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*12,x)

[Out] d\*\*7\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(11\*x\*\*10) + e\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(99\*d\*\*2\*x\*\*8) + 8\*e\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(693\*d\*\*4\*x\*\*6) + 16\*e\*\*7\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(1155\*d\*\*6\*x\*\*4) + 64\*e\*\*9\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3465\*d\*\*8\*x\*\*2) + 128\*e\*\*11\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3465\*d\*\*10), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(11\*x\*\*10) + I\*e\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(99\*d\*\*2\*x\*\*8) + 8\*I\*e\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(693\*d\*\*4\*x\*\*6) + 16\*I\*e\*\*7\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(1155\*d\*\*6\*x\*\*4) + 64\*I\*e\*\*9\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3465\*d\*\*8\*x\*\*2) + 128\*I\*e\*\*11\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3465\*d\*\*10), True)) + 3\*d\*\*6\*e\*Piecewise((-d\*\*2/(10\*e\*x\*\*11\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + 9\*e/(80\*x\*\*9\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*3/(480\*d\*\*2\*x\*\*7\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + 7\*e\*\*5/(1920\*d\*\*4\*x\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + 7\*e\*\*7/(768\*d\*\*6\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - 7\*e\*\*9/(256\*d\*\*8\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + 7\*e\*\*10\*acosh(d/(e\*x))/(256\*d\*\*9), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (I\*d\*\*2/(10\*e\*x\*\*11\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - 9\*I\*e/(80\*x\*\*9\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e\*\*3/(480\*d\*\*2\*x\*\*7\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - 7\*I\*e\*\*5/(1920\*d\*\*4\*x\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - 7\*I\*e\*\*7/(768\*d\*\*6\*x\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + 7\*I\*e\*\*9/(256\*d\*\*8\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - 7\*I\*e\*\*10\*asin(d/(e\*x))/(256\*d\*\*9), True)) + d\*\*5\*e\*\*2\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(9\*x\*\*8) + e\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(63\*d\*\*2\*x\*\*6) + 2\*e\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(105\*d\*\*4\*x\*\*4) + 8\*e\*\*7\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(315\*d\*\*6\*x\*\*2) + 16\*e\*\*9\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(315\*d\*\*8), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(9\*x\*\*8) + I\*e\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(63\*d\*\*2\*x\*\*6) + 2\*I\*e\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(105\*d\*\*4\*x\*\*4) + 8\*I\*e\*\*7\*sqrt(-d\*\*2

$$\begin{aligned}
& /(\epsilon^{**2}x^{**2}) + 1)/(315d^{**6}x^{**2}) + 16I\epsilon^{**9}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1}/( \\
& 315d^{**8}), \text{True})) - 5d^{**4}\epsilon^{**3}\text{Piecewise}((-d^{**2}/(8\epsilon^{**9}\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})) + 7e/(48x^{**7}\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})) + \epsilon^{**3}/(192d^{**2}x^{**5} \\
& 5\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})) + 5\epsilon^{**5}/(384d^{**4}x^{**3}\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})) - 5\epsilon^{**7}/(128d^{**6}x\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})) + 5\epsilon^{**8}\text{acosh}(d/(e \\
& x))/(128d^{**7}), \text{Abs}(d^{**2}/(\epsilon^{**2}x^{**2})) > 1), (I d^{**2}/(8\epsilon^{**9}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})) - 7Ie/(48x^{**7}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})) - I\epsilon^{**3}/(19 \\
& 2d^{**2}x^{**5}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})) - 5I\epsilon^{**5}/(384d^{**4}x^{**3}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})) + 5I\epsilon^{**7}/(128d^{**6}x\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})) - \\
& 5I\epsilon^{**8}\text{asin}(d/(e x))/(128d^{**7}), \text{True})) - 5d^{**3}\epsilon^{**4}\text{Piecewise}((-e\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})/(7x^{**6}) + \epsilon^{**3}\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})/(35d^{**2}x \\
& **4) + 4\epsilon^{**5}\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})/(105d^{**4}x^{**2}) + 8\epsilon^{**7}\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})/(105d^{**6}), \text{Abs}(d^{**2}/(\epsilon^{**2}x^{**2})) > 1), (-Ie\sqrt{-d^{**2}/ \\
& (\epsilon^{**2}x^{**2}) + 1})/(7x^{**6}) + I\epsilon^{**3}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})/(35d^{**2}x \\
& **4) + 4I\epsilon^{**5}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})/(105d^{**4}x^{**2}) + 8I\epsilon^{**7}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})/(105d^{**6}), \text{True})) + d^{**2}\epsilon^{**5}\text{Piecewise}((-d^{**2}/(6\epsilon \\
& x^{**7}\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})) + 5e/(24x^{**5}\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})) + \epsilon^{**3}/(48d^{**2}x^{**3}\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})) - \epsilon^{**5}/(16d^{**4}x\sqrt{d \\
& **2}/(\epsilon^{**2}x^{**2}) - 1)) + \epsilon^{**6}\text{acosh}(d/(e x))/(16d^{**5}), \text{Abs}(d^{**2}/(\epsilon^{**2}x^{**2})) > 1), (I d^{**2}/(6\epsilon x^{**7}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})) - 5Ie/(24x^{**5}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})) - I\epsilon^{**3}/(48d^{**2}x^{**3}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1}) \\
& ) + I\epsilon^{**5}/(16d^{**4}x\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})) - I\epsilon^{**6}\text{asin}(d/(e x))/( \\
& 16d^{**5}), \text{True})) + 3d\epsilon^{**6}\text{Piecewise}((3I d^{**3}\sqrt{-1 + \epsilon^{**2}x^{**2}/d^{**2}})/( \\
& -15d^{**2}x^{**5} + 15\epsilon^{**2}x^{**7}) - 4I d\epsilon^{**2}x^{**2}\sqrt{-1 + \epsilon^{**2}x^{**2}/d^{**2}})/( \\
& -15d^{**2}x^{**5} + 15\epsilon^{**2}x^{**7}) + 2I\epsilon^{**6}x^{**6}\sqrt{-1 + \epsilon^{**2}x^{**2}/d^{**2}}/(-1 \\
& 5d^{**5}x^{**5} + 15d^{**3}\epsilon^{**2}x^{**7}) - I\epsilon^{**4}x^{**4}\sqrt{-1 + \epsilon^{**2}x^{**2}/d^{**2}}/(- \\
& 15d^{**3}x^{**5} + 15d\epsilon^{**2}x^{**7}), \text{Abs}(\epsilon^{**2}x^{**2}/d^{**2}) > 1), (3d^{**3}\sqrt{1 - \epsilon \\
& **2}x^{**2}/d^{**2}}/(-15d^{**2}x^{**5} + 15\epsilon^{**2}x^{**7}) - 4d\epsilon^{**2}x^{**2}\sqrt{1 - \epsilon \\
& **2}x^{**2}/d^{**2}}/(-15d^{**2}x^{**5} + 15\epsilon^{**2}x^{**7}) + 2\epsilon^{**6}x^{**6}\sqrt{1 - \epsilon^{**2}x^{**2} \\
& /d^{**2}}/(-15d^{**5}x^{**5} + 15d^{**3}\epsilon^{**2}x^{**7}) - \epsilon^{**4}x^{**4}\sqrt{1 - \epsilon^{**2}x^{**2}/ \\
& d^{**2}}/(-15d^{**3}x^{**5} + 15d\epsilon^{**2}x^{**7}), \text{True})) + \epsilon^{**7}\text{Piecewise}((-d^{**2}/(4\epsilon \\
& x^{**5}\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})) + 3e/(8x^{**3}\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})) \\
& - \epsilon^{**3}/(8d^{**2}x\sqrt{d^{**2}/(\epsilon^{**2}x^{**2}) - 1})) + \epsilon^{**4}\text{acosh}(d/(e x))/(8d^{**3} \\
& ), \text{Abs}(d^{**2}/(\epsilon^{**2}x^{**2})) > 1), (I d^{**2}/(4\epsilon x^{**5}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})) - 3Ie/(8x^{**3}\sqrt{-d^{**2}/(\epsilon^{**2}x^{**2}) + 1})) + I\epsilon^{**3}/(8d^{**2}x\sqrt{-d \\
& **2}/(\epsilon^{**2}x^{**2}) + 1)) - I\epsilon^{**4}\text{asin}(d/(e x))/(8d^{**3}), \text{True}))
\end{aligned}$$



$$3.83 \quad \int \frac{x^5(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=174

$$\frac{127d^2(d+ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{3d\sqrt{d^2-e^2x^2}}{e^6} - \frac{13d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^6} + \frac{x\sqrt{d^2-e^2x^2}}{2e^5} + \frac{d^4(d+ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d+ex)^2}{15e^6(d^2-e^2x^2)^{3/2}}$$

**Rubi** [A] time = 0.40, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1635, 1815, 641, 217, 203}

$$\frac{d^4(d+ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d+ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d+ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{3d\sqrt{d^2-e^2x^2}}{e^6} + \frac{x\sqrt{d^2-e^2x^2}}{2e^5} - \frac{13d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^6}$$

Antiderivative was successfully verified.

[In] Int[(x^5\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d^4\*(d + e\*x)^3)/(5\*e^6\*(d^2 - e^2\*x^2)^(5/2)) - (23\*d^3\*(d + e\*x)^2)/(15\*e^6\*(d^2 - e^2\*x^2)^(3/2)) + (127\*d^2\*(d + e\*x))/(15\*e^6\*sqrt[d^2 - e^2\*x^2]) + (3\*d\*sqrt[d^2 - e^2\*x^2])/e^6 + (x\*sqrt[d^2 - e^2\*x^2])/(2\*e^5) - (13\*d^2\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(2\*e^6)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 1635

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]

```

### Rule 1815

```

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :=> With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*
(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x
], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^5(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx &= \frac{d^4(d+ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d+ex)^2 \left( \frac{3d^5}{e^5} + \frac{5d^4x}{e^4} + \frac{5d^3x^2}{e^3} + \frac{5d^2x^3}{e^2} + \frac{5dx^4}{e} \right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{d^4(d+ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d+ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{(d+ex) \left( \frac{37d^5}{e^5} + \frac{45d^4x}{e^4} + \frac{30d^3x^2}{e^3} + \frac{15d^2x^3}{e^2} \right)}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
&= \frac{d^4(d+ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d+ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d+ex)}{15e^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{\frac{90d^5}{e^5} + \frac{45d^4x}{e^4} + \frac{15d^3x^2}{e^3}}{\sqrt{d^2-e^2x^2}} dx}{15d^3} \\
&= \frac{d^4(d+ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d+ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d+ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{x\sqrt{d^2-e^2x^2}}{2e^5} + \frac{\int \frac{-\frac{195d^5}{e^5} - \frac{90d^4x}{e^4}}{\sqrt{d^2-e^2x^2}} dx}{30d^3e^2} \\
&= \frac{d^4(d+ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d+ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d+ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{3d\sqrt{d^2-e^2x^2}}{e^6} + \frac{x\sqrt{d^2-e^2x^2}}{2e^5} \\
&= \frac{d^4(d+ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d+ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d+ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{3d\sqrt{d^2-e^2x^2}}{e^6} + \frac{x\sqrt{d^2-e^2x^2}}{2e^5} \\
&= \frac{d^4(d+ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d+ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d+ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{3d\sqrt{d^2-e^2x^2}}{e^6} + \frac{x\sqrt{d^2-e^2x^2}}{2e^5}
\end{aligned}$$

**Mathematica [A]** time = 0.24, size = 131, normalized size = 0.75

$$\frac{(d+ex) \left( \sqrt{1 - \frac{e^2x^2}{d^2}} (304d^4 - 717d^3ex + 479d^2e^2x^2 - 45de^3x^3 - 15e^4x^4) - 195d(d-ex)^3 \sin^{-1} \left( \frac{ex}{d} \right) \right)}{30e^6(d-ex)^2 \sqrt{d^2 - e^2x^2} \sqrt{1 - \frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] ((d + e\*x)\*(Sqrt[1 - (e^2\*x^2)/d^2]\*(304\*d^4 - 717\*d^3\*e\*x + 479\*d^2\*e^2\*x^2 - 45\*d\*e^3\*x^3 - 15\*e^4\*x^4) - 195\*d\*(d - e\*x)^3\*ArcSin[(e\*x)/d]))/(30\*e^6\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2]\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.58, size = 123, normalized size = 0.71

$$\frac{13d^2\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{2e^7} - \frac{\sqrt{d^2 - e^2x^2} (304d^4 - 717d^3ex + 479d^2e^2x^2 - 45de^3x^3 - 15e^4x^4)}{30e^6(ex - d)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^5\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] -1/30\*(Sqrt[d^2 - e^2\*x^2]\*(304\*d^4 - 717\*d^3\*e\*x + 479\*d^2\*e^2\*x^2 - 45\*d\*e^3\*x^3 - 15\*e^4\*x^4))/(e^6\*(-d + e\*x)^3) - (13\*d^2\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(2\*e^7)

**fricas [A]** time = 0.43, size = 192, normalized size = 1.10

$$\frac{304d^2e^3x^3 - 912d^3e^2x^2 + 912d^4ex - 304d^5 + 390(d^2e^3x^3 - 3d^3e^2x^2 + 3d^4ex - d^5) \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (15e^4x^4 + 45de^3x^3 - 479d^2e^2x^2 + 717d^3ex - 304d^4)\sqrt{-e^2x^2 + d^2}}{30(e^9x^3 - 3de^8x^2 + 3d^2e^7x - d^3e^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out] 1/30\*(304\*d^2\*e^3\*x^3 - 912\*d^3\*e^2\*x^2 + 912\*d^4\*e\*x - 304\*d^5 + 390\*(d^2\*e^3\*x^3 - 3\*d^3\*e^2\*x^2 + 3\*d^4\*e\*x - d^5)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (15\*e^4\*x^4 + 45\*d\*e^3\*x^3 - 479\*d^2\*e^2\*x^2 + 717\*d^3\*e\*x - 304\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(e^9\*x^3 - 3\*d\*e^8\*x^2 + 3\*d^2\*e^7\*x - d^3\*e^6)

**giac [A]** time = 0.30, size = 118, normalized size = 0.68

$$-\frac{13}{2}d^2 \arcsin\left(\frac{xe}{d}\right)e^{(-6)\operatorname{sgn}(d)} - \frac{(304d^7e^{(-6)} + (195d^6e^{(-5)} - (760d^5e^{(-4)} + (455d^4e^{(-3)} - (570d^3e^{(-2)} + (299d^2e^{(-1)} - 15(xe + 6d)x)x)x)x)\sqrt{-x^2e^2 + d^2}}{30(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2), x, algorithm="giac")

[Out] -13/2\*d^2\*arcsin(x\*e/d)\*e^(-6)\*sgn(d) - 1/30\*(304\*d^7\*e^(-6) + (195\*d^6\*e^(-5) - (760\*d^5\*e^(-4) + (455\*d^4\*e^(-3) - (570\*d^3\*e^(-2) + (299\*d^2\*e^(-1) - 15\*(x\*e + 6\*d)\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)/(x^2\*e^2 - d^2)^3

**maple [A]** time = 0.01, size = 222, normalized size = 1.28

$$-\frac{ex^7}{2(-e^2x^2 + d^2)^{\frac{5}{2}}} - \frac{3dx^6}{(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{13d^2x^5}{10(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{19d^3x^4}{(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{76d^5x^2}{3(-e^2x^2 + d^2)^{\frac{5}{2}}e^4} - \frac{13d^2x^3}{6(-e^2x^2 + d^2)^{\frac{3}{2}}e^3} + \frac{152d^7}{15(-e^2x^2 + d^2)^{\frac{5}{2}}e^6} + \frac{13d^2x}{2\sqrt{-e^2x^2 + d^2}e^5} - \frac{13d^2 \arctan\left(\frac{\sqrt{-e^2x^2 + d^2}}{\sqrt{-e^2x^2 + d^2}}\right)}{2\sqrt{-e^2x^2 + d^2}e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(e*x+d)^3/(-e^2*x^2+d^2)^(7/2),x)`

[Out] 
$$-1/2*e*x^7/(-e^2*x^2+d^2)^(5/2)+13/10*e*d^2*x^5/(-e^2*x^2+d^2)^(5/2)-13/6/e^3*d^2*x^3/(-e^2*x^2+d^2)^(3/2)+13/2/e^5*d^2*x/(-e^2*x^2+d^2)^(1/2)-13/2/e^5*d^2/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-3*d*x^6/(-e^2*x^2+d^2)^(5/2)+19/e^2*d^3*x^4/(-e^2*x^2+d^2)^(5/2)-76/3/e^4*d^5*x^2/(-e^2*x^2+d^2)^(5/2)+152/15/e^6*d^7/(-e^2*x^2+d^2)^(5/2)$$

**maxima** [B] time = 1.03, size = 305, normalized size = 1.75

$$-\frac{ex^7}{2(-e^2x^2+d^2)^{5/2}} + \frac{13}{30}d^2 \arctan\left(\frac{15x^4}{(-e^2x^2+d^2)^{3/2}e^2} - \frac{20d^2x^2}{(-e^2x^2+d^2)^{3/2}e^4} + \frac{8d^4}{(-e^2x^2+d^2)^{3/2}e^6}\right) - \frac{3dx^6}{(-e^2x^2+d^2)^{5/2}} - \frac{13d^2x}{6e} \left(\frac{3x^2}{(-e^2x^2+d^2)^{3/2}e^2} - \frac{2d^2}{(-e^2x^2+d^2)^{3/2}e^4}\right) + \frac{19d^3x^4}{(-e^2x^2+d^2)^{5/2}e^2} - \frac{76d^5x^2}{3(-e^2x^2+d^2)^{5/2}e^4} + \frac{152d^7}{15(-e^2x^2+d^2)^{5/2}e^6} + \frac{26d^4x}{15(-e^2x^2+d^2)^{5/2}e^6} - \frac{91d^2x}{30\sqrt{-e^2x^2+d^2}e^5} - \frac{13d^2 \arcsin\left(\frac{x}{d}\right)}{2e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(e*x+d)^3/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out] 
$$-1/2*e*x^7/(-e^2*x^2+d^2)^(5/2)+13/30*d^2*e*x*(15*x^4/((-e^2*x^2+d^2)^(5/2)*e^2)-20*d^2*x^2/((-e^2*x^2+d^2)^(5/2)*e^4)+8*d^4/((-e^2*x^2+d^2)^(5/2)*e^6))-3*d*x^6/(-e^2*x^2+d^2)^(5/2)-13/6*d^2*x*(3*x^2/((-e^2*x^2+d^2)^(3/2)*e^2)-2*d^2/((-e^2*x^2+d^2)^(3/2)*e^4))/e+19*d^3*x^4/((-e^2*x^2+d^2)^(5/2)*e^2)-76/3*d^5*x^2/((-e^2*x^2+d^2)^(5/2)*e^4)+152/15*d^7/((-e^2*x^2+d^2)^(5/2)*e^6)+26/15*d^4*x/((-e^2*x^2+d^2)^(3/2)*e^5)-91/30*d^2*x/(sqrt(-e^2*x^2+d^2)*e^5)-13/2*d^2*arcsin(e*x/d)/e^6$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5 (d + ex)^3}{(d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(d+e*x)^3)/(d^2-e^2*x^2)^(7/2),x)`

[Out] `int((x^5*(d+e*x)^3)/(d^2-e^2*x^2)^(7/2),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 (d + ex)^3}{(-(-d + ex)(d + ex))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(e*x+d)**3/(-e**2*x**2+d**2)**(7/2),x)`

[Out] `Integral(x**5*(d+e*x)**3/(-(-d+e*x)*(d+e*x))**2,x)`

$$3.84 \quad \int \frac{x^4(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=142

$$-\frac{6d^2(d+ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} + \frac{24d(d+ex)}{5e^5\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^5} - \frac{3d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5} + \frac{d^3(d+ex)^3}{5e^5(d^2-e^2x^2)^{5/2}}$$

**Rubi [A]** time = 0.32, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {1635, 641, 217, 203}

$$\frac{d^3(d+ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{6d^2(d+ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} + \frac{24d(d+ex)}{5e^5\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^5} - \frac{3d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d^3\*(d + e\*x)^3)/(5\*e^5\*(d^2 - e^2\*x^2)^(5/2)) - (6\*d^2\*(d + e\*x)^2)/(5\*e^5\*(d^2 - e^2\*x^2)^(3/2)) + (24\*d\*(d + e\*x))/(5\*e^5\*sqrt[d^2 - e^2\*x^2]) + Sqrt[d^2 - e^2\*x^2]/e^5 - (3\*d\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/e^5

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1635

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx &= \frac{d^3(d+ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d+ex)^2 \left( \frac{3d^4}{e^4} + \frac{5d^3x}{e^3} + \frac{5d^2x^2}{e^2} + \frac{5dx^3}{e} \right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{d^3(d+ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{6d^2(d+ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{(d+ex) \left( \frac{27d^4}{e^4} + \frac{30d^3x}{e^3} + \frac{15d^2x^2}{e^2} \right)}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
&= \frac{d^3(d+ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{6d^2(d+ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} + \frac{24d(d+ex)}{5e^5\sqrt{d^2-e^2x^2}} - \frac{\int \frac{\frac{45d^4}{e^4} + \frac{15d^3x}{e^3}}{\sqrt{d^2-e^2x^2}} dx}{15d^3} \\
&= \frac{d^3(d+ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{6d^2(d+ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} + \frac{24d(d+ex)}{5e^5\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^5} - \frac{(3d) \int \frac{1}{\sqrt{d^2-e^2x^2}}}{e^4} \\
&= \frac{d^3(d+ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{6d^2(d+ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} + \frac{24d(d+ex)}{5e^5\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^5} - \frac{(3d) \text{Subst} \left( \int \frac{1}{\sqrt{d^2-e^2x^2}} \right)}{e^4} \\
&= \frac{d^3(d+ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{6d^2(d+ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} + \frac{24d(d+ex)}{5e^5\sqrt{d^2-e^2x^2}} + \frac{\sqrt{d^2-e^2x^2}}{e^5} - \frac{3d \tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right)}{e^5}
\end{aligned}$$

**Mathematica [A]** time = 0.20, size = 119, normalized size = 0.84

$$\frac{(d+ex) \left( \sqrt{1 - \frac{e^2x^2}{d^2}} (24d^3 - 57d^2ex + 39de^2x^2 - 5e^3x^3) - 15(d-ex)^3 \sin^{-1} \left( \frac{ex}{d} \right) \right)}{5e^5(d-ex)^2 \sqrt{d^2-e^2x^2} \sqrt{1 - \frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] ((d + e\*x)\*(Sqrt[1 - (e^2\*x^2)/d^2]\*(24\*d^3 - 57\*d^2\*e\*x + 39\*d\*e^2\*x^2 - 5\*e^3\*x^3) - 15\*(d - e\*x)^3\*ArcSin[(e\*x)/d]))/(5\*e^5\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2]\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.54, size = 108, normalized size = 0.76

$$\frac{3d\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{e^6} - \frac{\sqrt{d^2 - e^2x^2} (24d^3 - 57d^2ex + 39de^2x^2 - 5e^3x^3)}{5e^5(ex - d)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] -1/5\*(Sqrt[d^2 - e^2\*x^2]\*(24\*d^3 - 57\*d^2\*e\*x + 39\*d\*e^2\*x^2 - 5\*e^3\*x^3))/(e^5\*(-d + e\*x)^3) - (3\*d\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^6

**fricas [A]** time = 0.42, size = 177, normalized size = 1.25

$$\frac{24de^3x^3 - 72d^2e^2x^2 + 72d^3ex - 24d^4 + 30(de^3x^3 - 3d^2e^2x^2 + 3d^3ex - d^4) \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (5e^3x^3 - 39de^2x^2 + 57d^2ex - 24d^3)\sqrt{-e^2x^2 + d^2}}{5(e^8x^3 - 3de^7x^2 + 3d^2e^6x - d^3e^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out] 1/5\*(24\*d\*e^3\*x^3 - 72\*d^2\*e^2\*x^2 + 72\*d^3\*e\*x - 24\*d^4 + 30\*(d\*e^3\*x^3 - 3\*d^2\*e^2\*x^2 + 3\*d^3\*e\*x - d^4)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (5\*e^3\*x^3 - 39\*d\*e^2\*x^2 + 57\*d^2\*e\*x - 24\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(e^8\*x^3 - 3\*d\*e^7\*x^2 + 3\*d^2\*e^6\*x - d^3\*e^5)

**giac [A]** time = 0.29, size = 107, normalized size = 0.75

$$-3d \arcsin\left(\frac{xe}{d}\right) e^{(-5)} \operatorname{sgn}(d) - \frac{(24d^6e^{(-5)} + (15d^5e^{(-4)} - (60d^4e^{(-3)} + (35d^3e^{(-2)} - (45d^2e^{(-1)} - (5xe - 24d)x)x)x)\sqrt{-x^2e^2 + d^2}}{5(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2), x, algorithm="giac")

[Out] -3\*d\*arcsin(x\*e/d)\*e^(-5)\*sgn(d) - 1/5\*(24\*d^6\*e^(-5) + (15\*d^5\*e^(-4) - (60\*d^4\*e^(-3) + (35\*d^3\*e^(-2) - (45\*d^2\*e^(-1) - (5\*x\*e - 24\*d)\*x)\*x)\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)/(x^2\*e^2 - d^2)^3



**maple [B]** time = 0.01, size = 262, normalized size = 1.85

$$\frac{e x^6}{(-e^2 x^2 + d^2)^{\frac{5}{2}}} + \frac{3 d x^5}{5(-e^2 x^2 + d^2)^{\frac{5}{2}}} + \frac{9 d^2 x^4}{(-e^2 x^2 + d^2)^{\frac{5}{2}} e} + \frac{d^3 x^3}{2(-e^2 x^2 + d^2)^{\frac{5}{2}} e^2} - \frac{12 d^4 x^2}{(-e^2 x^2 + d^2)^{\frac{5}{2}} e^3} - \frac{3 d^5 x}{10(-e^2 x^2 + d^2)^{\frac{5}{2}} e^4} - \frac{d x^3}{(-e^2 x^2 + d^2)^{\frac{3}{2}} e^2} + \frac{24 d^6}{5(-e^2 x^2 + d^2)^{\frac{3}{2}} e^5} + \frac{d^3 x}{10(-e^2 x^2 + d^2)^{\frac{3}{2}} e^4} + \frac{16 d x}{5 \sqrt{-e^2 x^2 + d^2} e^4} - \frac{3 d \arctan\left(\frac{\sqrt{d} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{\sqrt{d} e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2), x)

[Out]  $-e x^6 / (-e^2 x^2 + d^2)^{5/2} + 9 e d^2 x^4 / (-e^2 x^2 + d^2)^{5/2} - 12 / e^3 d^4 x^2 / (-e^2 x^2 + d^2)^{5/2} + 24 / 5 e^5 d^6 / (-e^2 x^2 + d^2)^{5/2} + 3 / 5 d^3 x^5 / (-e^2 x^2 + d^2)^{5/2} - d / e^2 x^3 / (-e^2 x^2 + d^2)^{3/2} + 16 / 5 d e^4 x / (-e^2 x^2 + d^2)^{1/2} - 3 d e^4 / (e^2)^{1/2} * \arctan((e^2)^{1/2} / (-e^2 x^2 + d^2)^{1/2} * x) + 1 / 2 d^3 x^3 / e^2 / (-e^2 x^2 + d^2)^{5/2} - 3 / 10 d^5 / e^4 x / (-e^2 x^2 + d^2)^{5/2} + 1 / 10 d^3 / e^4 x / (-e^2 x^2 + d^2)^{3/2}$

**maxima [B]** time = 1.02, size = 324, normalized size = 2.28

$$\frac{1}{5} d^2 x^4 \left( \frac{15 x^4}{(-e^2 x^2 + d^2)^{\frac{5}{2}} e^2} - \frac{20 d^2 x^2}{(-e^2 x^2 + d^2)^{\frac{5}{2}} e^4} + \frac{8 d^4}{(-e^2 x^2 + d^2)^{\frac{5}{2}} e^6} \right) - \frac{e x^6}{(-e^2 x^2 + d^2)^{\frac{5}{2}}} - d x \left( \frac{3 x^2}{(-e^2 x^2 + d^2)^{\frac{3}{2}} e^2} - \frac{2 d^2}{(-e^2 x^2 + d^2)^{\frac{3}{2}} e^4} \right) + \frac{9 d^2 x^4}{(-e^2 x^2 + d^2)^{\frac{3}{2}} e} + \frac{d^3 x^3}{2(-e^2 x^2 + d^2)^{\frac{3}{2}} e^2} - \frac{12 d^4 x^2}{(-e^2 x^2 + d^2)^{\frac{3}{2}} e^3} - \frac{3 d^5 x}{10(-e^2 x^2 + d^2)^{\frac{3}{2}} e^4} + \frac{24 d^6}{5(-e^2 x^2 + d^2)^{\frac{3}{2}} e^5} + \frac{9 d^3 x}{10(-e^2 x^2 + d^2)^{\frac{3}{2}} e^4} - \frac{6 d x}{5 \sqrt{-e^2 x^2 + d^2} e^4} - \frac{3 d \arcsin\left(\frac{x}{e}\right)}{e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2), x, algorithm="maxima")

[Out]  $1/5 d e^2 x^4 (15 x^4 / ((-e^2 x^2 + d^2)^{5/2} e^2) - 20 d^2 x^2 / ((-e^2 x^2 + d^2)^{5/2} e^4) + 8 d^4 / ((-e^2 x^2 + d^2)^{5/2} e^6)) - e x^6 / (-e^2 x^2 + d^2)^{5/2} - d x (3 x^2 / ((-e^2 x^2 + d^2)^{3/2} e^2) - 2 d^2 / ((-e^2 x^2 + d^2)^{3/2} e^4)) + 9 d^2 x^4 / ((-e^2 x^2 + d^2)^{3/2} e) + 1/2 d^3 x^3 / ((-e^2 x^2 + d^2)^{3/2} e^2) - 12 d^4 x^2 / ((-e^2 x^2 + d^2)^{3/2} e^3) - 3/10 d^5 x / ((-e^2 x^2 + d^2)^{3/2} e^4) + 24/5 d^6 / ((-e^2 x^2 + d^2)^{3/2} e^5) + 9/10 d^3 x / ((-e^2 x^2 + d^2)^{3/2} e^4) - 6/5 d x / (\sqrt{-e^2 x^2 + d^2} e^4) - 3 d \arcsin(e x / d) / e^5$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4 (d + e x)^3}{(d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x)

[Out] int((x^4\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (d + e x)^3}{(-(-d + e x) (d + e x))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(e*x+d)**3/(-e**2*x**2+d**2)**(7/2),x)
```

```
[Out] Integral(x**4*(d + e*x)**3/(-(-d + e*x)*(d + e*x))**(7/2), x)
```

$$3.85 \quad \int \frac{x^3(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=118

$$\frac{d^2(d+ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d+ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{32(d+ex)}{15e^4\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^4}$$

**Rubi** [A] time = 0.22, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {1635, 778, 217, 203}

$$\frac{d^2(d+ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d+ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{32(d+ex)}{15e^4\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d^2\*(d + e\*x)^3)/(5\*e^4\*(d^2 - e^2\*x^2)^(5/2)) - (13\*d\*(d + e\*x)^2)/(15\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + (32\*(d + e\*x))/(15\*e^4\*sqrt[d^2 - e^2\*x^2]) - ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]]/e^4

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

Rule 1635

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx &= \frac{d^2(d+ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d+ex)^2 \left( \frac{3d^3}{e^3} + \frac{5d^2x}{e^2} + \frac{5dx^2}{e} \right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{d^2(d+ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d+ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{\left( \frac{17d^3}{e^3} + \frac{15d^2x}{e^2} \right)(d+ex)}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
&= \frac{d^2(d+ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d+ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{32(d+ex)}{15e^4\sqrt{d^2-e^2x^2}} - \frac{\int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^3} \\
&= \frac{d^2(d+ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d+ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{32(d+ex)}{15e^4\sqrt{d^2-e^2x^2}} - \frac{\text{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x, \frac{x}{\sqrt{d^2-e^2x^2}}\right)}{e^3} \\
&= \frac{d^2(d+ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d+ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{32(d+ex)}{15e^4\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^4}
\end{aligned}$$

**Mathematica** [A] time = 0.15, size = 112, normalized size = 0.95

$$\frac{(d+ex) \left( d \left( 22d^2 - 51dex + 32e^2x^2 \right) \sqrt{1 - \frac{e^2x^2}{d^2}} - 15(d-ex)^3 \sin^{-1}\left(\frac{ex}{d}\right) \right)}{15de^4(d-ex)^2 \sqrt{d^2 - e^2x^2} \sqrt{1 - \frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^3*(d + e*x)^3)/(d^2 - e^2*x^2)^(7/2), x]
```

[Out]  $((d + e*x)*(d*(22*d^2 - 51*d*e*x + 32*e^2*x^2)*\text{Sqrt}[1 - (e^2*x^2)/d^2] - 15*(d - e*x)^3*\text{ArcSin}[(e*x)/d]))/(15*d*e^4*(d - e*x)^2*\text{Sqrt}[d^2 - e^2*x^2]*\text{Sqrt}[1 - (e^2*x^2)/d^2])$

**IntegrateAlgebraic [A]** time = 0.62, size = 96, normalized size = 0.81

$$-\frac{\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2} x\right)}{e^5} - \frac{\sqrt{d^2 - e^2x^2} (22d^2 - 51dex + 32e^2x^2)}{15e^4(ex - d)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out]  $-1/15*(\text{Sqrt}[d^2 - e^2*x^2]*(22*d^2 - 51*d*e*x + 32*e^2*x^2))/(e^4*(-d + e*x)^3) - (\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]])/e^5$

**fricas [A]** time = 0.40, size = 161, normalized size = 1.36

$$\frac{22e^3x^3 - 66de^2x^2 + 66d^2ex - 22d^3 + 30(e^3x^3 - 3de^2x^2 + 3d^2ex - d^3) \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) - (32e^2x^2 - 51dex + 22d^2)\sqrt{-e^2x^2 + d^2}}{15(e^7x^3 - 3de^6x^2 + 3d^2e^5x - d^3e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out]  $1/15*(22*e^3*x^3 - 66*d*e^2*x^2 + 66*d^2*e*x - 22*d^3 + 30*(e^3*x^3 - 3*d*e^2*x^2 + 3*d^2*e*x - d^3)*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) - (32*e^2*x^2 - 51*d*e*x + 22*d^2)*\text{sqrt}(-e^2*x^2 + d^2))/(e^7*x^3 - 3*d*e^6*x^2 + 3*d^2*e^5*x - d^3*e^4)$

**giac [A]** time = 0.29, size = 95, normalized size = 0.81

$$-\arcsin\left(\frac{xe}{d}\right)e^{(-4)}\text{sgn}(d) - \frac{(22d^5e^{(-4)} + (15d^4e^{(-3)} - (55d^3e^{(-2)} + (35d^2e^{(-1)} - (32xe + 45d)x)x)x)\sqrt{-x^2e^2 + d^2}}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2), x, algorithm="giac")

[Out]  $-\arcsin(x*e/d)*e^{(-4)}*\text{sgn}(d) - 1/15*(22*d^5*e^{(-4)} + (15*d^4*e^{(-3)} - (55*d^3*e^{(-2)} + (35*d^2*e^{(-1)} - (32*x*e + 45*d)*x)*x)*x)*\text{sqrt}(-x^2*e^2 + d^2)/(x^2*e^2 - d^2)^3$

**maple [B]** time = 0.01, size = 234, normalized size = 1.98

$$\frac{e x^5}{5(-e^2 x^2 + d^2)^{\frac{5}{2}}} + \frac{3 d x^4}{(-e^2 x^2 + d^2)^{\frac{5}{2}}} + \frac{3 d^2 x^3}{2(-e^2 x^2 + d^2)^{\frac{5}{2}} e} - \frac{11 d^3 x^2}{3(-e^2 x^2 + d^2)^{\frac{5}{2}} e^2} - \frac{9 d^4 x}{10(-e^2 x^2 + d^2)^{\frac{5}{2}} e^3} - \frac{x^3}{3(-e^2 x^2 + d^2)^{\frac{3}{2}} e} + \frac{22 d^5}{15(-e^2 x^2 + d^2)^{\frac{5}{2}} e^4} + \frac{3 d^2 x}{10(-e^2 x^2 + d^2)^{\frac{3}{2}} e^3} + \frac{8 x}{5\sqrt{-e^2 x^2 + d^2} e^3} - \frac{\arctan\left(\frac{\sqrt{-e^2 x^2 + d^2}}{\sqrt{e^2} e^3}\right)}{\sqrt{e^2} e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(e*x+d)^3/(-e^2*x^2+d^2)^(7/2),x)`

[Out]  $\frac{1}{5}e^3x^5/(-e^2x^2+d^2)^{(5/2)} - \frac{1}{3}e^3x^3/(-e^2x^2+d^2)^{(3/2)} + \frac{8}{5}e^3x/(-e^2x^2+d^2)^{(1/2)} - \frac{1}{e^3} \arctan\left(\frac{e^{1/2}}{(-e^2x^2+d^2)^{(1/2)}}\right) + 3d^2x^4/(-e^2x^2+d^2)^{(5/2)} - \frac{11}{3}e^2d^3x^2/(-e^2x^2+d^2)^{(5/2)} + \frac{22}{15}e^4d^5/(-e^2x^2+d^2)^{(5/2)} + \frac{3}{2}e^2d^2x^3/(-e^2x^2+d^2)^{(5/2)} - \frac{9}{10}e^3d^4x/(-e^2x^2+d^2)^{(5/2)} + \frac{3}{10}e^3d^2x/(-e^2x^2+d^2)^{(3/2)}$

**maxima** [B] time = 1.02, size = 296, normalized size = 2.51

$$\frac{1}{15}e^3x \left( \frac{15x^4}{(-e^2x^2+d^2)^{5/2}} - \frac{20d^2x^2}{(-e^2x^2+d^2)^{3/2}} + \frac{8d^4}{(-e^2x^2+d^2)^{1/2}} \right) - \frac{1}{3} \arctan\left(\frac{e^{1/2}}{(-e^2x^2+d^2)^{1/2}}\right) + \frac{3dx^4}{(-e^2x^2+d^2)^{5/2}} + \frac{3d^2x^3}{2(-e^2x^2+d^2)^{5/2}} - \frac{11d^3x^2}{3(-e^2x^2+d^2)^{5/2}} - \frac{9d^4x}{10(-e^2x^2+d^2)^{5/2}} + \frac{22d^5}{15(-e^2x^2+d^2)^{5/2}} + \frac{17d^2x}{30(-e^2x^2+d^2)^{3/2}} + \frac{2x}{15\sqrt{-e^2x^2+d^2}} - \frac{\arcsin\left(\frac{e}{d}\right)}{e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x+d)^3/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out]  $\frac{1}{15}e^3x^5/(15x^4/((-e^2x^2+d^2)^{(5/2)}e^2) - 20d^2x^2/((-e^2x^2+d^2)^{(5/2)}e^4) + 8d^4/((-e^2x^2+d^2)^{(5/2)}e^6)) - \frac{1}{3}e^3x^3/(3x^2/((-e^2x^2+d^2)^{(3/2)}e^2) - 2d^2/((-e^2x^2+d^2)^{(3/2)}e^4)) + \frac{3d^2x^4}{(-e^2x^2+d^2)^{(5/2)}e^2} + \frac{3}{2}d^2x^3/((-e^2x^2+d^2)^{(5/2)}e^2) - \frac{11}{3}d^3x^2/((-e^2x^2+d^2)^{(5/2)}e^2) - \frac{9}{10}d^4x/((-e^2x^2+d^2)^{(5/2)}e^3) + \frac{2}{15}d^5/((-e^2x^2+d^2)^{(5/2)}e^4) + \frac{17}{30}d^2x/((-e^2x^2+d^2)^{(3/2)}e^3) + \frac{2}{15}x/(\sqrt{-e^2x^2+d^2}e^3) - \arcsin(e*x/d)/e^4$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 (d + ex)^3}{(d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(d + e*x)^3)/(d^2 - e^2*x^2)^(7/2),x)`

[Out] `int((x^3*(d + e*x)^3)/(d^2 - e^2*x^2)^(7/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (d + ex)^3}{(-(-d + ex)(d + ex))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x+d)**3/(-e**2*x**2+d**2)**(7/2),x)`

[Out] `Integral(x**3*(d + e*x)**3/((-d + e*x)*(d + e*x))**7/2, x)`

$$3.86 \quad \int \frac{x^2(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=93

$$\frac{d(d+ex)^3}{5e^3(d^2-e^2x^2)^{5/2}} - \frac{8(d+ex)^2}{15e^3(d^2-e^2x^2)^{3/2}} + \frac{7(d+ex)}{15de^3\sqrt{d^2-e^2x^2}}$$

Rubi [A] time = 0.13, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {1635, 789, 637}

$$\frac{d(d+ex)^3}{5e^3(d^2-e^2x^2)^{5/2}} - \frac{8(d+ex)^2}{15e^3(d^2-e^2x^2)^{3/2}} + \frac{7(d+ex)}{15de^3\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d\*(d + e\*x)^3)/(5\*e^3\*(d^2 - e^2\*x^2)^(5/2)) - (8\*(d + e\*x)^2)/(15\*e^3\*(d^2 - e^2\*x^2)^(3/2)) + (7\*(d + e\*x))/(15\*d\*e^3\*Sqrt[d^2 - e^2\*x^2])

Rule 637

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (c\_)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(-(a\*e) + c\*d\*x)/(a\*c\*Sqrt[a + c\*x^2]), x] /; FreeQ[{a, c, d, e}, x]

Rule 789

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d\*g + e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] - Dist[(e\*(m\*(d\*g + e\*f) + 2\*e\*f\*(p + 1)))/(2\*c\*d\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && EqQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 0]

Rule 1635

Int[(Pq\_)\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := > With[{Q = PolynomialQuotient[Pq, a\*e + c\*d\*x, x], f = PolynomialRemainder[Pq, a\*e + c\*d\*x, x]}, -Simp[(d\*f\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*a\*e\*(p + 1)), x] + Dist[d/(2\*a\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1)\*ExpandToSum[2\*a\*e\*(p + 1)\*Q + f\*(m + 2\*p + 2), x], x], x] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c\*d^2 + a\*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx &= \frac{d(d+ex)^3}{5e^3(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{\left(\frac{3d^2}{e^2} + \frac{5dx}{e}\right)(d+ex)^2}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{d(d+ex)^3}{5e^3(d^2-e^2x^2)^{5/2}} - \frac{8(d+ex)^2}{15e^3(d^2-e^2x^2)^{3/2}} + \frac{7 \int \frac{d+ex}{(d^2-e^2x^2)^{3/2}} dx}{15e^2} \\
&= \frac{d(d+ex)^3}{5e^3(d^2-e^2x^2)^{5/2}} - \frac{8(d+ex)^2}{15e^3(d^2-e^2x^2)^{3/2}} + \frac{7(d+ex)}{15de^3\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 58, normalized size = 0.62

$$\frac{(d+ex)(2d^2-6dex+7e^2x^2)}{15de^3(d-ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d+e\*x)^3)/(d^2-e^2\*x^2)^(7/2),x]

[Out] ((d+e\*x)\*(2\*d^2-6\*d\*e\*x+7\*e^2\*x^2))/(15\*d\*e^3\*(d-e\*x)^2\*Sqrt[d^2-e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.44, size = 53, normalized size = 0.57

$$\frac{\sqrt{d^2-e^2x^2}(2d^2-6dex+7e^2x^2)}{15de^3(d-ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d+e\*x)^3)/(d^2-e^2\*x^2)^(7/2),x]

[Out] (Sqrt[d^2-e^2\*x^2]\*(2\*d^2-6\*d\*e\*x+7\*e^2\*x^2))/(15\*d\*e^3\*(d-e\*x)^3)

**fricas [A]** time = 0.40, size = 106, normalized size = 1.14

$$\frac{2e^3x^3-6de^2x^2+6d^2ex-2d^3-(7e^2x^2-6dex+2d^2)\sqrt{-e^2x^2+d^2}}{15(de^6x^3-3d^2e^5x^2+3d^3e^4x-d^4e^3)}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)^3/(-e^2*x^2+d^2)^(7/2),x, algorithm="fricas")`

[Out]  $\frac{1}{15} \cdot (2e^3x^3 - 6d^2e^2x^2 + 6d^2e^2x - 2d^3 - (7e^2x^2 - 6d^2e^2x + 2d^2) \cdot \sqrt{-e^2x^2 + d^2}) / (d^6e^6x^3 - 3d^2e^5x^2 + 3d^3e^4x - d^4e^3)$

**giac** [A] time = 0.28, size = 72, normalized size = 0.77

$$\frac{\left(2d^4e^{(-3)} - \left(5d^2e^{(-1)} - \left(x\left(\frac{7xe^2}{d} + 15e\right) + 5d\right)x\right)x^2\right)\sqrt{-x^2e^2 + d^2}}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)^3/(-e^2*x^2+d^2)^(7/2),x, algorithm="giac")`

[Out]  $-1/15 \cdot (2d^4e^{(-3)} - (5d^2e^{(-1)} - (x(7*x*e^2/d + 15*e) + 5*d)*x)*x^2) \cdot \sqrt{-x^2e^2 + d^2} / (x^2e^2 - d^2)^3$

**maple** [A] time = 0.01, size = 55, normalized size = 0.59

$$\frac{(-ex + d)(ex + d)^4(7e^2x^2 - 6dex + 2d^2)}{15(-e^2x^2 + d^2)^{\frac{7}{2}}de^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x+d)^3/(-e^2*x^2+d^2)^(7/2),x)`

[Out]  $1/15 \cdot (-e*x+d) \cdot (e*x+d)^4 \cdot (7e^2x^2 - 6d^2e^2x + 2d^2) / d \cdot e^3 / (-e^2x^2 + d^2)^{(7/2)}$

**maxima** [A] time = 0.45, size = 154, normalized size = 1.66

$$\frac{ex^4}{(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{3dx^3}{2(-e^2x^2 + d^2)^{\frac{5}{2}}} - \frac{d^2x^2}{3(-e^2x^2 + d^2)^{\frac{5}{2}}e} - \frac{7d^3x}{10(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} + \frac{2d^4}{15(-e^2x^2 + d^2)^{\frac{5}{2}}e^3} + \frac{7dx}{30(-e^2x^2 + d^2)^{\frac{3}{2}}e^2} + \frac{7x}{15\sqrt{-e^2x^2 + d^2}de^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)^3/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out]  $e*x^4/(-e^2*x^2 + d^2)^{(5/2)} + 3/2*d*x^3/(-e^2*x^2 + d^2)^{(5/2)} - 1/3*d^2*x^2/((-e^2*x^2 + d^2)^{(5/2)}*e) - 7/10*d^3*x/((-e^2*x^2 + d^2)^{(5/2)}*e^2) + 2/15*d^4/((-e^2*x^2 + d^2)^{(5/2)}*e^3) + 7/30*d*x/((-e^2*x^2 + d^2)^{(3/2)}*e^2) + 7/15*x/(sqrt(-e^2*x^2 + d^2)*d*e^2)$

mupad [B] time = 2.69, size = 49, normalized size = 0.53

$$\frac{\sqrt{d^2 - e^2 x^2} (2d^2 - 6dex + 7e^2 x^2)}{15de^3(d - ex)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(d + e*x)^3)/(d^2 - e^2*x^2)^(7/2), x)`

[Out] `((d^2 - e^2*x^2)^(1/2)*(2*d^2 + 7*e^2*x^2 - 6*d*e*x))/(15*d*e^3*(d - e*x)^3)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (d + ex)^3}{(-(-d + ex)(d + ex))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x+d)**3/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `Integral(x**2*(d + e*x)**3/(-(-d + e*x)*(d + e*x))**(7/2), x)`

$$3.87 \quad \int \frac{x(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=86

$$\frac{(d+ex)^3}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2(d+ex)}{5e^2(d^2-e^2x^2)^{3/2}} - \frac{x}{5d^2e\sqrt{d^2-e^2x^2}}$$

**Rubi** [A] time = 0.04, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {789, 653, 191}

$$\frac{(d+ex)^3}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2(d+ex)}{5e^2(d^2-e^2x^2)^{3/2}} - \frac{x}{5d^2e\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (d + e\*x)^3/(5\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - (2\*(d + e\*x))/(5\*e^2\*(d^2 - e^2\*x^2)^(3/2)) - x/(5\*d^2\*e\*Sqrt[d^2 - e^2\*x^2])

#### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rule 653

Int[((d\_) + (e\_.)\*(x\_))^(2\*((a\_) + (c\_.)\*(x\_)^2)^(p\_)), x\_Symbol] :> Simp[(e\*(d + e\*x)\*(a + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e^2\*(p + 2))/(c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && LtQ[p, -1]

#### Rule 789

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d\*g + e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] - Dist[(e\*(m\*(d\*g + e\*f) + 2\*e\*f\*(p + 1)))/(2\*c\*d\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && EqQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{x(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx &= \frac{(d+ex)^3}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{3 \int \frac{(d+ex)^2}{(d^2-e^2x^2)^{5/2}} dx}{5e} \\
&= \frac{(d+ex)^3}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2(d+ex)}{5e^2(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{5e} \\
&= \frac{(d+ex)^3}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2(d+ex)}{5e^2(d^2-e^2x^2)^{3/2}} - \frac{x}{5d^2e\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 55, normalized size = 0.64

$$-\frac{(d+ex)(d^2-3dex+e^2x^2)}{5d^2e^2(d-ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] -1/5\*((d + e\*x)\*(d^2 - 3\*d\*e\*x + e^2\*x^2))/(d^2\*e^2\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.42, size = 53, normalized size = 0.62

$$\frac{\sqrt{d^2 - e^2x^2} (-d^2 + 3dex - e^2x^2)}{5d^2e^2(d - ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-d^2 + 3\*d\*e\*x - e^2\*x^2))/(5\*d^2\*e^2\*(d - e\*x)^3)

**fricas [A]** time = 0.39, size = 104, normalized size = 1.21

$$-\frac{e^3x^3 - 3de^2x^2 + 3d^2ex - d^3 - (e^2x^2 - 3dex + d^2)\sqrt{-e^2x^2 + d^2}}{5(d^2e^5x^3 - 3d^3e^4x^2 + 3d^4e^3x - d^5e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out]  $-1/5*(e^3*x^3 - 3*d*e^2*x^2 + 3*d^2*e*x - d^3 - (e^2*x^2 - 3*d*e*x + d^2)*\text{sqrt}(-e^2*x^2 + d^2))/(d^2*e^5*x^3 - 3*d^3*e^4*x^2 + 3*d^4*e^3*x - d^5*e^2)$

**giac** [A] time = 0.31, size = 60, normalized size = 0.70

$$\frac{\left(d^3 e^{(-2)} + \left(x \left(\frac{x^2 e^3}{d^2} - 5e\right) - 5d\right) x^2\right) \sqrt{-x^2 e^2 + d^2}}{5 \left(x^2 e^2 - d^2\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out]  $1/5*(d^3*e^{(-2)} + (x*(x^2*e^3/d^2 - 5*e) - 5*d)*x^2)*\text{sqrt}(-x^2*e^2 + d^2)/(x^2*e^2 - d^2)^3$

**maple** [A] time = 0.01, size = 52, normalized size = 0.60

$$\frac{(-ex + d)(ex + d)^4 (e^2 x^2 - 3dex + d^2)}{5 \left(-e^2 x^2 + d^2\right)^{\frac{7}{2}} d^2 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x)

[Out]  $-1/5*(-e*x+d)*(e*x+d)^4*(e^2*x^2-3*d*e*x+d^2)/d^2/e^2/(-e^2*x^2+d^2)^(7/2)$

**maxima** [A] time = 0.44, size = 128, normalized size = 1.49

$$\frac{ex^3}{2(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{dx^2}{(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{3d^2x}{10(-e^2x^2 + d^2)^{\frac{5}{2}}e} - \frac{d^3}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} - \frac{x}{10(-e^2x^2 + d^2)^{\frac{3}{2}}e} - \frac{x}{5\sqrt{-e^2x^2 + d^2}d^2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out]  $1/2*e*x^3/(-e^2*x^2 + d^2)^(5/2) + d*x^2/(-e^2*x^2 + d^2)^(5/2) + 3/10*d^2*x/((-e^2*x^2 + d^2)^(5/2)*e) - 1/5*d^3/((-e^2*x^2 + d^2)^(5/2)*e^2) - 1/10*x/((-e^2*x^2 + d^2)^(3/2)*e) - 1/5*x/(sqrt(-e^2*x^2 + d^2)*d^2*e)$

**mupad** [B] time = 2.66, size = 46, normalized size = 0.53

$$\frac{\sqrt{d^2 - e^2 x^2} (d^2 - 3 d e x + e^2 x^2)}{5 d^2 e^2 (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(d + e*x)^3)/(d^2 - e^2*x^2)^(7/2), x)`

[Out] `-((d^2 - e^2*x^2)^(1/2)*(d^2 + e^2*x^2 - 3*d*e*x))/(5*d^2*e^2*(d - e*x)^3)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(d+ex)^3}{(-(-d+ex)(d+ex))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x+d)**3/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `Integral(x*(d + e*x)**3/(-(-d + e*x)*(d + e*x))**(7/2), x)`

$$3.88 \quad \int \frac{(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=103

$$\frac{2\sqrt{d^2-e^2x^2}}{15d^2e(d-ex)^2} + \frac{\sqrt{d^2-e^2x^2}}{5de(d-ex)^3} + \frac{2\sqrt{d^2-e^2x^2}}{15d^3e(d-ex)}$$

**Rubi [A]** time = 0.05, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {655, 659, 651}

$$\frac{2\sqrt{d^2-e^2x^2}}{15d^3e(d-ex)} + \frac{2\sqrt{d^2-e^2x^2}}{15d^2e(d-ex)^2} + \frac{\sqrt{d^2-e^2x^2}}{5de(d-ex)^3}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^3/(d^2 - e^2\*x^2)^(7/2), x]

[Out] Sqrt[d^2 - e^2\*x^2]/(5\*d\*e\*(d - e\*x)^3) + (2\*Sqrt[d^2 - e^2\*x^2])/(15\*d^2\*e\*(d - e\*x)^2) + (2\*Sqrt[d^2 - e^2\*x^2])/(15\*d^3\*e\*(d - e\*x))

Rule 651

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + 2\*p + 2, 0]

Rule 655

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Dist[d^(2\*m)/a^m, Int[(a + c\*x^2)^(m + p)/(d - e\*x)^m, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && IntegerQ[m] && RationalQ[p] && (LtQ[0, -m, p] || LtQ[p, -m, 0]) && NeQ[m, 2] && NeQ[m, -1]

Rule 659

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[y[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx &= \int \frac{1}{(d-ex)^3 \sqrt{d^2-e^2x^2}} dx \\
&= \frac{\sqrt{d^2-e^2x^2}}{5de(d-ex)^3} + \frac{2 \int \frac{1}{(d-ex)^2 \sqrt{d^2-e^2x^2}} dx}{5d} \\
&= \frac{\sqrt{d^2-e^2x^2}}{5de(d-ex)^3} + \frac{2\sqrt{d^2-e^2x^2}}{15d^2e(d-ex)^2} + \frac{2 \int \frac{1}{(d-ex)\sqrt{d^2-e^2x^2}} dx}{15d^2} \\
&= \frac{\sqrt{d^2-e^2x^2}}{5de(d-ex)^3} + \frac{2\sqrt{d^2-e^2x^2}}{15d^2e(d-ex)^2} + \frac{2\sqrt{d^2-e^2x^2}}{15d^3e(d-ex)}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 58, normalized size = 0.56

$$\frac{(d+ex)(7d^2-6dex+2e^2x^2)}{15d^3e(d-ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^3/(d^2 - e^2\*x^2)^(7/2), x]

[Out] ((d + e\*x)\*(7\*d^2 - 6\*d\*e\*x + 2\*e^2\*x^2))/(15\*d^3\*e\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.00, size = 53, normalized size = 0.51

$$\frac{\sqrt{d^2-e^2x^2}(7d^2-6dex+2e^2x^2)}{15d^3e(d-ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^3/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(7\*d^2 - 6\*d\*e\*x + 2\*e^2\*x^2))/(15\*d^3\*e\*(d - e\*x)^3)

**fricas [A]** time = 0.40, size = 106, normalized size = 1.03

$$\frac{7e^3x^3 - 21de^2x^2 + 21d^2ex - 7d^3 - (2e^2x^2 - 6dex + 7d^2)\sqrt{-e^2x^2 + d^2}}{15(d^3e^4x^3 - 3d^4e^3x^2 + 3d^5e^2x - d^6e)}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out]  $\frac{1}{15} \cdot (7e^3x^3 - 21d^2e^2x^2 + 21d^2e^2x - 7d^3 - (2e^2x^2 - 6d^2e^2x + 7d^2) \cdot \sqrt{-e^2x^2 + d^2}) / (d^3e^4x^3 - 3d^4e^3x^2 + 3d^5e^2x - d^6e)$

**giac** [A] time = 0.29, size = 70, normalized size = 0.68

$$\frac{\sqrt{-x^2e^2 + d^2} \left( 7d^2e^{(-1)} + \left( \left( x \left( \frac{2x^2e^4}{d^3} - \frac{5e^2}{d} \right) + 5e \right) x + 15d \right) x \right)}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out]  $\frac{-1/15 \cdot \sqrt{-x^2e^2 + d^2} \cdot (7d^2e^{(-1)} + ((x \cdot (2x^2e^4/d^3 - 5e^2/d) + 5e) \cdot x + 15d) \cdot x)}{(x^2e^2 - d^2)^3}$

**maple** [A] time = 0.01, size = 55, normalized size = 0.53

$$\frac{(-ex + d)(ex + d)^4 (2e^2x^2 - 6dex + 7d^2)}{15(-e^2x^2 + d^2)^{\frac{7}{2}} d^3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x)

[Out]  $\frac{1}{15} \cdot (-e*x+d) \cdot (e*x+d)^4 \cdot (2e^2x^2 - 6d^2e^2x + 7d^2) / d^3e / (-e^2x^2 + d^2)^{(7/2)}$

**maxima** [A] time = 0.44, size = 101, normalized size = 0.98

$$\frac{ex^2}{3(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{4dx}{5(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{7d^2}{15(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{x}{15(-e^2x^2 + d^2)^{\frac{3}{2}}d} + \frac{2x}{15\sqrt{-e^2x^2 + d^2}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out]  $\frac{1}{3} \cdot e \cdot x^2 / (-e^2x^2 + d^2)^{(5/2)} + \frac{4}{5} \cdot d \cdot x / (-e^2x^2 + d^2)^{(5/2)} + \frac{7}{15} \cdot d^2 / ((-e^2x^2 + d^2)^{(5/2)} \cdot e) + \frac{1}{15} \cdot x / ((-e^2x^2 + d^2)^{(3/2)} \cdot d) + \frac{2}{15} \cdot x / (\sqrt{-e^2x^2 + d^2} \cdot d^3)$

mupad [B] time = 2.66, size = 49, normalized size = 0.48

$$\frac{\sqrt{d^2 - e^2 x^2} (7d^2 - 6dex + 2e^2 x^2)}{15d^3 e (d - ex)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^3/(d^2 - e^2\*x^2)^(7/2),x)

[Out] ((d^2 - e^2\*x^2)^(1/2)\*(7\*d^2 + 2\*e^2\*x^2 - 6\*d\*e\*x))/(15\*d^3\*e\*(d - e\*x)^3)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^3}{(-(-d + ex)(d + ex))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2),x)

[Out] Integral((d + e\*x)\*\*3/(-(-d + e\*x)\*(d + e\*x))\*\*(7/2), x)

$$3.89 \quad \int \frac{(d+ex)^3}{x(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=114

$$\frac{4(d+ex)}{5(d^2-e^2x^2)^{5/2}} + \frac{5d+11ex}{15d^2(d^2-e^2x^2)^{3/2}} + \frac{15d+22ex}{15d^4\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^4}$$

**Rubi [A]** time = 0.16, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1805, 823, 12, 266, 63, 208}

$$\frac{4(d+ex)}{5(d^2-e^2x^2)^{5/2}} + \frac{15d+22ex}{15d^4\sqrt{d^2-e^2x^2}} + \frac{5d+11ex}{15d^2(d^2-e^2x^2)^{3/2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^4}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^3/(x\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (4\*(d + e\*x))/(5\*(d^2 - e^2\*x^2)^(5/2)) + (5\*d + 11\*e\*x)/(15\*d^2\*(d^2 - e^2\*x^2)^(3/2)) + (15\*d + 22\*e\*x)/(15\*d^4\*sqrt[d^2 - e^2\*x^2]) - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]/d^4

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 823

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

Rule 1805

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x], x] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3}{x(d^2-e^2x^2)^{7/2}} dx &= \frac{4(d+ex)}{5(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^3-11d^2ex}{x(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= \frac{4(d+ex)}{5(d^2-e^2x^2)^{5/2}} + \frac{5d+11ex}{15d^2(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{-15d^5e^2-22d^4e^3x}{x(d^2-e^2x^2)^{3/2}} dx}{15d^6e^2} \\
&= \frac{4(d+ex)}{5(d^2-e^2x^2)^{5/2}} + \frac{5d+11ex}{15d^2(d^2-e^2x^2)^{3/2}} + \frac{15d+22ex}{15d^4\sqrt{d^2-e^2x^2}} - \frac{\int -\frac{15d^7e^4}{x\sqrt{d^2-e^2x^2}} dx}{15d^{10}e^4} \\
&= \frac{4(d+ex)}{5(d^2-e^2x^2)^{5/2}} + \frac{5d+11ex}{15d^2(d^2-e^2x^2)^{3/2}} + \frac{15d+22ex}{15d^4\sqrt{d^2-e^2x^2}} + \frac{\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{d^3} \\
&= \frac{4(d+ex)}{5(d^2-e^2x^2)^{5/2}} + \frac{5d+11ex}{15d^2(d^2-e^2x^2)^{3/2}} + \frac{15d+22ex}{15d^4\sqrt{d^2-e^2x^2}} + \frac{\text{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx, x, x^2\right)}{2d^3} \\
&= \frac{4(d+ex)}{5(d^2-e^2x^2)^{5/2}} + \frac{5d+11ex}{15d^2(d^2-e^2x^2)^{3/2}} + \frac{15d+22ex}{15d^4\sqrt{d^2-e^2x^2}} - \frac{\text{Subst}\left(\int \frac{1}{\frac{d^2-x^2}{e^2}-\frac{x^2}{e^2}} dx, x, \sqrt{d^2-e^2x^2}\right)}{d^3e^2} \\
&= \frac{4(d+ex)}{5(d^2-e^2x^2)^{5/2}} + \frac{5d+11ex}{15d^2(d^2-e^2x^2)^{3/2}} + \frac{15d+22ex}{15d^4\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^4}
\end{aligned}$$

**Mathematica [C]** time = 0.06, size = 81, normalized size = 0.71

$$\frac{9d^5 + 45d^4ex - 55d^2e^3x^3 + 3d^5 {}_2F_1\left(-\frac{5}{2}, 1; -\frac{3}{2}; 1 - \frac{e^2x^2}{d^2}\right) + 22e^5x^5}{15d^4(d^2 - e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^3/(x\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (9\*d^5 + 45\*d^4\*e\*x - 55\*d^2\*e^3\*x^3 + 22\*e^5\*x^5 + 3\*d^5\*Hypergeometric2F1[-5/2, 1, -3/2, 1 - (e^2\*x^2)/d^2])/(15\*d^4\*(d^2 - e^2\*x^2)^(5/2))

**IntegrateAlgebraic [A]** time = 0.67, size = 93, normalized size = 0.82

$$\frac{\sqrt{d^2 - e^2 x^2} (32d^2 - 51dex + 22e^2 x^2)}{15d^4(d - ex)^3} + \frac{2 \tanh^{-1}\left(\frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^3/(x\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(32\*d^2 - 51\*d\*e\*x + 22\*e^2\*x^2))/(15\*d^4\*(d - e\*x)^3) + (2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^4

**fricas [A]** time = 0.41, size = 158, normalized size = 1.39

$$\frac{32e^3x^3 - 96de^2x^2 + 96d^2ex - 32d^3 + 15(e^3x^3 - 3de^2x^2 + 3d^2ex - d^3) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (22e^2x^2 - 51dex + 32d^2)\sqrt{-e^2x^2 + d^2}}{15(d^4e^3x^3 - 3d^5e^2x^2 + 3d^6ex - d^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/x/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 1/15\*(32\*e^3\*x^3 - 96\*d\*e^2\*x^2 + 96\*d^2\*e\*x - 32\*d^3 + 15\*(e^3\*x^3 - 3\*d\*e^2\*x^2 + 3\*d^2\*e\*x - d^3)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (22\*e^2\*x^2 - 51\*d\*e\*x + 32\*d^2)\*sqrt(-e^2\*x^2 + d^2))/(d^4\*e^3\*x^3 - 3\*d^5\*e^2\*x^2 + 3\*d^6\*e\*x - d^7)

**giac [A]** time = 0.29, size = 117, normalized size = 1.03

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( \left( x \left( \frac{22xe^5}{d^4} + \frac{15e^4}{d^3} \right) - \frac{55e^3}{d^2} \right) x - \frac{35e^2}{d} \right) x + 45e \right) x + 32d}{15(x^2e^2 - d^2)^3} - \frac{\log\left(\frac{|-2de - 2\sqrt{-x^2e^2 + d^2}e|e^{(-2)}}{2|x|}\right)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/x/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] -1/15\*sqrt(-x^2\*e^2 + d^2)\*(((x\*(22\*x\*e^5/d^4 + 15\*e^4/d^3) - 55\*e^3/d^2)\*x - 35\*e^2/d)\*x + 45\*e)\*x + 32\*d)/(x^2\*e^2 - d^2)^3 - log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d^4

**maple [A]** time = 0.01, size = 158, normalized size = 1.39

$$\frac{4ex}{5(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{4d}{5(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{11ex}{15(-e^2x^2 + d^2)^{\frac{3}{2}}d^2} + \frac{1}{3(-e^2x^2 + d^2)^{\frac{3}{2}}d} - \frac{\ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2}d^3} + \frac{22ex}{15\sqrt{-e^2x^2 + d^2}d^4} + \frac{1}{\sqrt{-e^2x^2 + d^2}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^3/x/(-e^2*x^2+d^2)^(7/2), x)`

[Out]  $\frac{4}{5}e*x/(-e^2*x^2+d^2)^{(5/2)} + \frac{11}{15}e/d^2*x/(-e^2*x^2+d^2)^{(3/2)} + \frac{22}{15}e/d^4*x/(-e^2*x^2+d^2)^{(1/2)} + \frac{4}{5}d/(-e^2*x^2+d^2)^{(5/2)} + \frac{1}{3}d/(-e^2*x^2+d^2)^{(3/2)} + \frac{1}{d^3}/(-e^2*x^2+d^2)^{(1/2)} - \frac{1}{d^3}/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)$

**maxima** [A] time = 0.46, size = 152, normalized size = 1.33

$$\frac{4ex}{5(-e^2x^2+d^2)^{\frac{5}{2}}} + \frac{4d}{5(-e^2x^2+d^2)^{\frac{5}{2}}} + \frac{11ex}{15(-e^2x^2+d^2)^{\frac{3}{2}}d^2} + \frac{1}{3(-e^2x^2+d^2)^{\frac{3}{2}}d} + \frac{22ex}{15\sqrt{-e^2x^2+d^2}d^4} - \frac{\log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{d^4} + \frac{1}{\sqrt{-e^2x^2+d^2}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3/x/(-e^2*x^2+d^2)^(7/2), x, algorithm="maxima")`

[Out]  $\frac{4}{5}e*x/(-e^2*x^2+d^2)^{(5/2)} + \frac{4}{5}d/(-e^2*x^2+d^2)^{(5/2)} + \frac{11}{15}e*x/((-e^2*x^2+d^2)^{(3/2)}*d^2) + \frac{1}{3}/((-e^2*x^2+d^2)^{(3/2)}*d) + \frac{22}{15}e*x/(sqrt(-e^2*x^2+d^2)*d^4) - \frac{\log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2+d^2)*d/abs(x))}{d^4} + \frac{1}{(sqrt(-e^2*x^2+d^2)*d^3)}$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d+ex)^3}{x(d^2-e^2x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e*x)^3/(x*(d^2-e^2*x^2)^(7/2)), x)`

[Out] `int((d+e*x)^3/(x*(d^2-e^2*x^2)^(7/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^3}{x(-(-d+ex)(d+ex))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**3/x/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `Integral((d+e*x)**3/(x*(-(-d+e*x)*(d+e*x))**(7/2)), x)`

$$3.90 \quad \int \frac{(d+ex)^3}{x^2(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=145

$$\frac{4e(d+ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} + \frac{e(15d+19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{3e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5} + \frac{e(5d+7ex)}{5d^3(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.29, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1805, 807, 266, 63, 208}

$$\frac{4e(d+ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} + \frac{e(15d+19ex)}{5d^5\sqrt{d^2-e^2x^2}} + \frac{e(5d+7ex)}{5d^3(d^2-e^2x^2)^{3/2}} - \frac{3e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^3/(x^2\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (4\*e\*(d + e\*x))/(5\*d\*(d^2 - e^2\*x^2)^(5/2)) + (e\*(5\*d + 7\*e\*x))/(5\*d^3\*(d^2 - e^2\*x^2)^(3/2)) + (e\*(15\*d + 19\*e\*x))/(5\*d^5\*Sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(d^5\*x) - (3\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^5

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]



Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3}{x^2(d^2-e^2x^2)^{7/2}} dx &= \frac{4e(d+ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^3-15d^2ex-16de^2x^2}{x^2(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= \frac{4e(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{e(5d+7ex)}{5d^3(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{15d^3+45d^2ex+42de^2x^2}{x^2(d^2-e^2x^2)^{3/2}} dx}{15d^4} \\
&= \frac{4e(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{e(5d+7ex)}{5d^3(d^2-e^2x^2)^{3/2}} + \frac{e(15d+19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-15d^3-45d^2ex}{x^2\sqrt{d^2-e^2x^2}} dx}{15d^6} \\
&= \frac{4e(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{e(5d+7ex)}{5d^3(d^2-e^2x^2)^{3/2}} + \frac{e(15d+19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} + \frac{(3e) \int \frac{1}{x\sqrt{d^2-e^2x^2}}}{d^4} \\
&= \frac{4e(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{e(5d+7ex)}{5d^3(d^2-e^2x^2)^{3/2}} + \frac{e(15d+19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} + \frac{(3e) \operatorname{Subst} \left( \int \frac{1}{x\sqrt{d^2-e^2x^2}} \right)}{d^4} \\
&= \frac{4e(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{e(5d+7ex)}{5d^3(d^2-e^2x^2)^{3/2}} + \frac{e(15d+19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} - \frac{3 \operatorname{Subst} \left( \int \frac{d^2}{\frac{d^2}{e^2}} \right)}{d^4} \\
&= \frac{4e(d+ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{e(5d+7ex)}{5d^3(d^2-e^2x^2)^{3/2}} + \frac{e(15d+19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} - \frac{3e \tanh^{-1} \left( \frac{\sqrt{d^2-e^2x^2}}{d} \right)}{d^5}
\end{aligned}$$

**Mathematica [C]** time = 0.06, size = 96, normalized size = 0.66

$$\frac{-5d^6 + d^5ex + 45d^4e^2x^2 - 60d^2e^4x^4 + 3d^5ex {}_2F_1\left(-\frac{5}{2}, 1; -\frac{3}{2}; 1 - \frac{e^2x^2}{d^2}\right) + 24e^6x^6}{5d^5x(d^2 - e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^3/(x^2\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (-5\*d^6 + d^5\*e\*x + 45\*d^4\*e^2\*x^2 - 60\*d^2\*e^4\*x^4 + 24\*e^6\*x^6 + 3\*d^5\*e\*x\*Hypergeometric2F1[-5/2, 1, -3/2, 1 - (e^2\*x^2)/d^2])/(5\*d^5\*x\*(d^2 - e^2\*x^2)^(5/2))

**IntegrateAlgebraic [A]** time = 0.59, size = 108, normalized size = 0.74

$$\frac{6e \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^5} + \frac{\sqrt{d^2 - e^2x^2}(-5d^3 + 39d^2ex - 57de^2x^2 + 24e^3x^3)}{5d^5x(d - ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^3/(x^2\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-5\*d^3 + 39\*d^2\*e\*x - 57\*d\*e^2\*x^2 + 24\*e^3\*x^3))/(5\*d^5\*x\*(d - e\*x)^3) + (6\*e\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^5

**fricas [A]** time = 0.42, size = 184, normalized size = 1.27

$$\frac{24e^4x^4 - 72de^3x^3 + 72d^2e^2x^2 - 24d^3ex + 15(e^4x^4 - 3de^3x^3 + 3d^2e^2x^2 - d^3ex) \log\left(\frac{-d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (24e^3x^3 - 57de^2x^2 + 39d^2ex - 5d^3)\sqrt{-e^2x^2 + d^2}}{5(d^5e^3x^4 - 3d^6e^2x^3 + 3d^7ex^2 - d^8x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/x^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 1/5\*(24\*e^4\*x^4 - 72\*d\*e^3\*x^3 + 72\*d^2\*e^2\*x^2 - 24\*d^3\*e\*x + 15\*(e^4\*x^4 - 3\*d\*e^3\*x^3 + 3\*d^2\*e^2\*x^2 - d^3\*e\*x)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (24\*e^3\*x^3 - 57\*d\*e^2\*x^2 + 39\*d^2\*e\*x - 5\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(d^5\*e^3\*x^4 - 3\*d^6\*e^2\*x^3 + 3\*d^7\*e\*x^2 - d^8\*x)

**giac [A]** time = 0.29, size = 185, normalized size = 1.28

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( \left( x \left( \frac{19xe^6}{d^5} + \frac{15e^5}{d^4} \right) - \frac{45e^4}{d^3} \right) x - \frac{35e^3}{d^2} \right) x + \frac{30e^2}{d} \right) x + 24e}{5(x^2e^2 - d^2)^3} - \frac{3e \log\left(\frac{-2de - 2\sqrt{-x^2e^2 + d^2}e^{(e^{-2})}}{2|x|}\right)}{d^5} + \frac{xe^3}{2(de + \sqrt{-x^2e^2 + d^2})d^5} - \frac{(de + \sqrt{-x^2e^2 + d^2})e^{(-1)}}{2d^5x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/x^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] -1/5\*sqrt(-x^2\*e^2 + d^2)\*(((x\*(19\*x\*e^6/d^5 + 15\*e^5/d^4) - 45\*e^4/d^3)\*x - 35\*e^3/d^2)\*x + 30\*e^2/d)\*x + 24\*e)/(x^2\*e^2 - d^2)^3 - 3\*e\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d^5 + 1/2\*x\*e^3/((d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d^5) - 1/2\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-1)/(d^5\*x)

**maple [A]** time = 0.01, size = 190, normalized size = 1.31

$$\frac{9e^2x}{5(-e^2x^2 + d^2)^{\frac{5}{2}}d} + \frac{4e}{5(-e^2x^2 + d^2)^{\frac{5}{2}}} - \frac{d}{(-e^2x^2 + d^2)^{\frac{5}{2}}x} + \frac{12e^2x}{5(-e^2x^2 + d^2)^{\frac{3}{2}}d^3} + \frac{e}{(-e^2x^2 + d^2)^{\frac{3}{2}}d^2} - \frac{3e \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2}d^4} + \frac{24e^2x}{5\sqrt{-e^2x^2 + d^2}d^5} + \frac{3e}{\sqrt{-e^2x^2 + d^2}d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^3/x^2/(-e^2*x^2+d^2)^(7/2),x)`

[Out]  $\frac{4}{5}e/(-e^2x^2+d^2)^{5/2}+9/5e^2/dx/(-e^2x^2+d^2)^{5/2}+12/5e^2/d^3x/(-e^2x^2+d^2)^{3/2}+24/5e^2/d^5x/(-e^2x^2+d^2)^{1/2}-d/x/(-e^2x^2+d^2)^{5/2}+e/d^2/(-e^2x^2+d^2)^{3/2}+3e/d^4/(-e^2x^2+d^2)^{1/2}-3e/d^4/(d^2)^{1/2}*\ln((2*d^2+2*(d^2)^{1/2}*(-e^2x^2+d^2)^{1/2})/x)$

**maxima** [A] time = 0.47, size = 184, normalized size = 1.27

$$\frac{9e^2x}{5(-e^2x^2+d^2)^{5/2}d} + \frac{4e}{5(-e^2x^2+d^2)^{5/2}} + \frac{12e^2x}{5(-e^2x^2+d^2)^{3/2}d^3} + \frac{e}{(-e^2x^2+d^2)^{3/2}d^2} - \frac{d}{(-e^2x^2+d^2)^{5/2}x} + \frac{24e^2x}{5\sqrt{-e^2x^2+d^2}d^5} - \frac{3e\log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{d^5} + \frac{3e}{\sqrt{-e^2x^2+d^2}d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3/x^2/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out]  $\frac{9}{5}e^2x/((-e^2x^2+d^2)^{5/2}*d) + \frac{4}{5}e/(-e^2x^2+d^2)^{5/2} + \frac{12}{5}e^2x/((-e^2x^2+d^2)^{3/2}*d^3) + e/((-e^2x^2+d^2)^{3/2}*d^2) - d/((-e^2x^2+d^2)^{5/2}*x) + \frac{24}{5}e^2x/(\text{sqrt}(-e^2x^2+d^2)*d^5) - 3e*\log(2*d^2/\text{abs}(x) + 2*\text{sqrt}(-e^2x^2+d^2)*d/\text{abs}(x))/d^5 + 3e/(\text{sqrt}(-e^2x^2+d^2)*d^4)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d+ex)^3}{x^2(d^2-e^2x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e*x)^3/(x^2*(d^2-e^2*x^2)^(7/2)),x)`

[Out] `int((d+e*x)^3/(x^2*(d^2-e^2*x^2)^(7/2)),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^3}{x^2(-(-d+ex)(d+ex))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**3/x**2/(-e**2*x**2+d**2)**(7/2),x)`

[Out] `Integral((d+e*x)**3/(x**2*(-(-d+e*x)*(d+e*x))**(7/2)),x)`

$$3.91 \quad \int \frac{(d+ex)^3}{x^3(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=182

$$\frac{4e^2(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(90d+107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{3e\sqrt{d^2-e^2x^2}}{d^6x} - \frac{13e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^6} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{e^2(25d+31ex)}{15d^4(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.36, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1805, 1807, 807, 266, 63, 208}

$$\frac{e^2(90d+107ex)}{15d^6\sqrt{d^2-e^2x^2}} + \frac{e^2(25d+31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{4e^2(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{3e\sqrt{d^2-e^2x^2}}{d^6x} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} - \frac{13e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^6}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^3/(x^3\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (4\*e^2\*(d + e\*x))/(5\*d^2\*(d^2 - e^2\*x^2)^(5/2)) + (e^2\*(25\*d + 31\*e\*x))/(15\*d^4\*(d^2 - e^2\*x^2)^(3/2)) + (e^2\*(90\*d + 107\*e\*x))/(15\*d^6\*sqrt[d^2 - e^2\*x^2]) - sqrt[d^2 - e^2\*x^2]/(2\*d^5\*x^2) - (3\*e\*sqrt[d^2 - e^2\*x^2])/(d^6\*x) - (13\*e^2\*ArcTanh[sqrt[d^2 - e^2\*x^2]/d])/(2\*d^6)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*ExpandToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, Simp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3}{x^3(d^2-e^2x^2)^{7/2}} dx &= \frac{4e^2(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^3-15d^2ex-20de^2x^2-16e^3x^3}{x^3(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= \frac{4e^2(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d+31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{15d^3+45d^2ex+75de^2x^2+62e^3x^3}{x^3(d^2-e^2x^2)^{3/2}} dx}{15d^4} \\
&= \frac{4e^2(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d+31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d+107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-15d^3-45d^2ex-90de^2x^2}{x^3\sqrt{d^2-e^2x^2}} dx}{15d^6} \\
&= \frac{4e^2(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d+31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d+107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{\int \frac{90d^4e+107e^2x}{x^2\sqrt{d^2-e^2x^2}} dx}{30} \\
&= \frac{4e^2(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d+31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d+107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} - \frac{3e\sqrt{d^2-e^2x^2}}{d^6x} \\
&= \frac{4e^2(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d+31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d+107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} - \frac{3e\sqrt{d^2-e^2x^2}}{d^6x} \\
&= \frac{4e^2(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d+31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d+107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} - \frac{3e\sqrt{d^2-e^2x^2}}{d^6x} \\
&= \frac{4e^2(d+ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d+31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d+107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} - \frac{3e\sqrt{d^2-e^2x^2}}{d^6x}
\end{aligned}$$

**Mathematica [C]** time = 0.07, size = 119, normalized size = 0.65

$$\frac{e\left(-45d^6 + 285d^4e^2x^2 - 380d^2e^4x^4 + 9d^5ex {}_2F_1\left(-\frac{5}{2}, 1; -\frac{3}{2}; 1 - \frac{e^2x^2}{d^2}\right) + 3d^5ex {}_2F_1\left(-\frac{5}{2}, 2; -\frac{3}{2}; 1 - \frac{e^2x^2}{d^2}\right) + 152e^6x^6\right)}{15d^6x(d^2 - e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^3/(x^3\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out]  $(e^{*}(-45*d^6 + 285*d^4*e^2*x^2 - 380*d^2*e^4*x^4 + 152*e^6*x^6 + 9*d^5*e*x*Hypergeometric2F1[-5/2, 1, -3/2, 1 - (e^2*x^2)/d^2] + 3*d^5*e*x*Hypergeometric2F1[-5/2, 2, -3/2, 1 - (e^2*x^2)/d^2]))/(15*d^6*x*(d^2 - e^2*x^2)^{(5/2)})$

**IntegrateAlgebraic [A]** time = 0.72, size = 121, normalized size = 0.66

$$\frac{13e^2 \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^6} + \frac{\sqrt{d^2 - e^2x^2} (-15d^4 - 45d^3ex + 479d^2e^2x^2 - 717de^3x^3 + 304e^4x^4)}{30d^6x^2(d - ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^3/(x^3\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-15*d^4 - 45*d^3*e*x + 479*d^2*e^2*x^2 - 717*d*e^3*x^3 + 304*e^4*x^4))/(30*d^6*x^2*(d - e*x)^3) + (13*e^2*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d])/d^6$

**fricas [A]** time = 0.42, size = 205, normalized size = 1.13

$$\frac{254e^5x^5 - 762de^4x^4 + 762d^2e^3x^3 - 254d^3e^2x^2 + 195(e^5x^5 - 3de^4x^4 + 3d^2e^3x^3 - d^3e^2x^2) \log\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) - (304e^4x^4 - 717de^3x^3 + 479d^2e^2x^2 - 45d^3ex - 15d^4)\sqrt{-e^2x^2 + d^2}}{30(d^6e^3x^5 - 3d^7e^2x^4 + 3d^8ex^3 - d^9x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/x^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out]  $1/30*(254*e^5*x^5 - 762*d*e^4*x^4 + 762*d^2*e^3*x^3 - 254*d^3*e^2*x^2 + 195*(e^5*x^5 - 3*d*e^4*x^4 + 3*d^2*e^3*x^3 - d^3*e^2*x^2)*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) - (304*e^4*x^4 - 717*d*e^3*x^3 + 479*d^2*e^2*x^2 - 45*d^3*e*x - 15*d^4)*\text{sqrt}(-e^2*x^2 + d^2))/(d^6*e^3*x^5 - 3*d^7*e^2*x^4 + 3*d^8*e*x^3 - d^9*x^2)$

**giac [A]** time = 0.33, size = 259, normalized size = 1.42

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( \left( x \left( \frac{107xe^7}{d^6} + \frac{90e^6}{d^5} \right) - \frac{245e^5}{d^4} \right) x - \frac{205e^4}{d^3} \right) x + \frac{150e^3}{d^2} \right) x + \frac{127e^2}{d}}{15(x^2e^2 - d^2)^3} - \frac{13e^2 \log\left(\frac{-2de - 2\sqrt{-x^2e^2 + d^2}e}{2|x|} d^{(-2)}\right)}{2d^6} + \frac{x^2 \left( \frac{12(de + \sqrt{-x^2e^2 + d^2}e)e^4}{x} + e^6 \right)}{8(de + \sqrt{-x^2e^2 + d^2}e)^2 d^6} - \frac{\left( \frac{12(de + \sqrt{-x^2e^2 + d^2}e)d^6e^8}{x} + \frac{(de + \sqrt{-x^2e^2 + d^2}e)^2 d^6e^6}{x^2} \right) e^{(-8)}}{8d^{12}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/x^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out]  $-1/15*\text{sqrt}(-x^2*e^2 + d^2)*(((x*(107*x*e^7/d^6 + 90*e^6/d^5) - 245*e^5/d^4)*x - 205*e^4/d^3)*x + 150*e^3/d^2)*x + 127*e^2/d)/(x^2*e^2 - d^2)^3 - 13/2*e^2*\log(1/2*\text{abs}(-2*d*e - 2*\text{sqrt}(-x^2*e^2 + d^2)*e)*e^{(-2)}/\text{abs}(x))/d^6 + 1/8*x^2*(12*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*e^4/x + e^6)/((d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d^6) - (12*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d^6*e^8/x + (d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d^6*e^6/x^2)*e^{(-8)}/(8*d^{12})$



$$+ d^2) * e)^2 * d^6) - 1/8 * (12 * (d * e + \sqrt{-x^2 * e^2 + d^2}) * e) * d^6 * e^8 / x + (d * e + \sqrt{-x^2 * e^2 + d^2}) * e)^2 * d^6 * e^6 / x^2) * e^{-8} / d^{12}$$

**maple [A]** time = 0.01, size = 222, normalized size = 1.22

$$\frac{19e^3x}{5(-e^2x^2+d^2)^{\frac{5}{2}}d^2} + \frac{13e^2}{10(-e^2x^2+d^2)^{\frac{5}{2}}d} + \frac{76e^3x}{15(-e^2x^2+d^2)^{\frac{5}{2}}d^4} - \frac{3e}{(-e^2x^2+d^2)^{\frac{5}{2}}x} - \frac{d}{2(-e^2x^2+d^2)^{\frac{5}{2}}x^2} + \frac{13e^2}{6(-e^2x^2+d^2)^{\frac{5}{2}}d^3} - \frac{13e^2 \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{2\sqrt{d^2}d^5} + \frac{152e^3x}{15\sqrt{-e^2x^2+d^2}d^6} + \frac{13e^2}{2\sqrt{-e^2x^2+d^2}d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3/x^3/(-e^2\*x^2+d^2)^(7/2), x)

[Out] 19/5\*e^3\*x/d^2/(-e^2\*x^2+d^2)^(5/2)+76/15\*e^3/d^4\*x/(-e^2\*x^2+d^2)^(3/2)+15/2/15\*e^3/d^6\*x/(-e^2\*x^2+d^2)^(1/2)-3\*e/x/(-e^2\*x^2+d^2)^(5/2)+13/10\*e^2/d/(-e^2\*x^2+d^2)^(5/2)+13/6\*e^2/d^3/(-e^2\*x^2+d^2)^(3/2)+13/2\*e^2/d^5/(-e^2\*x^2+d^2)^(1/2)-13/2\*e^2/d^5/(d^2)^(1/2)\*ln((2\*d^2+2\*(d^2)^(1/2)\*(-e^2\*x^2+d^2)^(1/2))/x)-1/2\*d/x^2/(-e^2\*x^2+d^2)^(5/2)

**maxima [A]** time = 0.48, size = 216, normalized size = 1.19

$$\frac{19e^3x}{5(-e^2x^2+d^2)^{\frac{5}{2}}d^2} + \frac{13e^2}{10(-e^2x^2+d^2)^{\frac{5}{2}}d} + \frac{76e^3x}{15(-e^2x^2+d^2)^{\frac{5}{2}}d^4} + \frac{13e^2}{6(-e^2x^2+d^2)^{\frac{5}{2}}d^3} - \frac{3e}{(-e^2x^2+d^2)^{\frac{5}{2}}x} + \frac{152e^3x}{15\sqrt{-e^2x^2+d^2}d^6} - \frac{13e^2 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{2d^6} + \frac{13e^2}{2\sqrt{-e^2x^2+d^2}d^5} - \frac{d}{2(-e^2x^2+d^2)^{\frac{5}{2}}x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/x^3/(-e^2\*x^2+d^2)^(7/2), x, algorithm="maxima")

[Out] 19/5\*e^3\*x/((-e^2\*x^2 + d^2)^(5/2)\*d^2) + 13/10\*e^2/((-e^2\*x^2 + d^2)^(5/2))\*d + 76/15\*e^3\*x/((-e^2\*x^2 + d^2)^(3/2)\*d^4) + 13/6\*e^2/((-e^2\*x^2 + d^2)^(3/2)\*d^3) - 3\*e/((-e^2\*x^2 + d^2)^(5/2)\*x) + 152/15\*e^3\*x/(sqrt(-e^2\*x^2 + d^2)\*d^6) - 13/2\*e^2\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x))/d^6 + 13/2\*e^2/(sqrt(-e^2\*x^2 + d^2)\*d^5) - 1/2\*d/((-e^2\*x^2 + d^2)^(5/2)\*x^2)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d + ex)^3}{x^3 (d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^3/(x^3\*(d^2 - e^2\*x^2)^(7/2)), x)

[Out] int((d + e\*x)^3/(x^3\*(d^2 - e^2\*x^2)^(7/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^3}{x^3 (-(-d + ex)(d + ex))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3/x\*\*3/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] Integral((d + e\*x)\*\*3/(x\*\*3\*(-(-d + e\*x)\*(d + e\*x))\*\*(7/2)), x)

$$3.92 \quad \int \frac{x^4 \sqrt{d^2 - e^2 x^2}}{d + ex} dx$$

Optimal. Leaf size=147

$$\frac{x^4 \sqrt{d^2 - e^2 x^2}}{5e} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{4e^2} + \frac{4d^2 x^2 \sqrt{d^2 - e^2 x^2}}{15e^3} + \frac{3d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{8e^5} + \frac{d^3(64d - 45ex)\sqrt{d^2 - e^2 x^2}}{120e^5}$$

**Rubi [A]** time = 0.14, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {850, 833, 780, 217, 203}

$$\frac{d^3(64d - 45ex)\sqrt{d^2 - e^2 x^2}}{120e^5} + \frac{4d^2 x^2 \sqrt{d^2 - e^2 x^2}}{15e^3} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{4e^2} + \frac{x^4 \sqrt{d^2 - e^2 x^2}}{5e} + \frac{3d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{8e^5}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*sqrt[d^2 - e^2\*x^2])/(d + e\*x), x]

[Out] (4\*d^2\*x^2\*sqrt[d^2 - e^2\*x^2])/(15\*e^3) - (d\*x^3\*sqrt[d^2 - e^2\*x^2])/(4\*e^2) + (x^4\*sqrt[d^2 - e^2\*x^2])/(5\*e) + (d^3\*(64\*d - 45\*e\*x)\*sqrt[d^2 - e^2\*x^2])/(120\*e^5) + (3\*d^5\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(8\*e^5)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

### Rule 833

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2))

```
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 850

```
Int[((x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 \sqrt{d^2 - e^2 x^2}}{d + ex} dx &= \int \frac{x^4 (d - ex)}{\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{x^4 \sqrt{d^2 - e^2 x^2}}{5e} - \frac{\int \frac{x^3 (4d^2 e - 5de^2 x)}{\sqrt{d^2 - e^2 x^2}} dx}{5e^2} \\
&= -\frac{dx^3 \sqrt{d^2 - e^2 x^2}}{4e^2} + \frac{x^4 \sqrt{d^2 - e^2 x^2}}{5e} + \frac{\int \frac{x^2 (15d^3 e^2 - 16d^2 e^3 x)}{\sqrt{d^2 - e^2 x^2}} dx}{20e^4} \\
&= \frac{4d^2 x^2 \sqrt{d^2 - e^2 x^2}}{15e^3} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{4e^2} + \frac{x^4 \sqrt{d^2 - e^2 x^2}}{5e} - \frac{\int \frac{x (32d^4 e^3 - 45d^3 e^4 x)}{\sqrt{d^2 - e^2 x^2}} dx}{60e^6} \\
&= \frac{4d^2 x^2 \sqrt{d^2 - e^2 x^2}}{15e^3} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{4e^2} + \frac{x^4 \sqrt{d^2 - e^2 x^2}}{5e} + \frac{d^3 (64d - 45ex) \sqrt{d^2 - e^2 x^2}}{120e^5} + \frac{(3d^5)}{120e^5} \\
&= \frac{4d^2 x^2 \sqrt{d^2 - e^2 x^2}}{15e^3} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{4e^2} + \frac{x^4 \sqrt{d^2 - e^2 x^2}}{5e} + \frac{d^3 (64d - 45ex) \sqrt{d^2 - e^2 x^2}}{120e^5} + \frac{(3d^5)}{120e^5} \\
&= \frac{4d^2 x^2 \sqrt{d^2 - e^2 x^2}}{15e^3} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{4e^2} + \frac{x^4 \sqrt{d^2 - e^2 x^2}}{5e} + \frac{d^3 (64d - 45ex) \sqrt{d^2 - e^2 x^2}}{120e^5} + \frac{3d^5}{120e^5}
\end{aligned}$$

**Mathematica** [A] time = 0.14, size = 91, normalized size = 0.62

$$\frac{45d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) + \sqrt{d^2 - e^2 x^2} (64d^4 - 45d^3 ex + 32d^2 e^2 x^2 - 30de^3 x^3 + 24e^4 x^4)}{120e^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(64\*d^4 - 45\*d^3\*e\*x + 32\*d^2\*e^2\*x^2 - 30\*d\*e^3\*x^3 + 24\*e^4\*x^4) + 45\*d^5\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(120\*e^5)

**IntegrateAlgebraic [A]** time = 0.26, size = 114, normalized size = 0.78

$$\frac{3d^5\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{8e^6} + \frac{\sqrt{d^2 - e^2x^2} (64d^4 - 45d^3ex + 32d^2e^2x^2 - 30de^3x^3 + 24e^4x^4)}{120e^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(64\*d^4 - 45\*d^3\*e\*x + 32\*d^2\*e^2\*x^2 - 30\*d\*e^3\*x^3 + 24\*e^4\*x^4))/(120\*e^5) + (3\*d^5\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(8\*e^6)

**fricas [A]** time = 0.41, size = 95, normalized size = 0.65

$$\frac{90d^5 \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) - (24e^4x^4 - 30de^3x^3 + 32d^2e^2x^2 - 45d^3ex + 64d^4)\sqrt{-e^2x^2 + d^2}}{120e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d), x, algorithm="fricas")

[Out] -1/120\*(90\*d^5\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (24\*e^4\*x^4 - 30\*d\*e^3\*x^3 + 32\*d^2\*e^2\*x^2 - 45\*d^3\*e\*x + 64\*d^4)\*sqrt(-e^2\*x^2 + d^2))/e^5

**giac [A]** time = 0.20, size = 77, normalized size = 0.52

$$\frac{3}{8}d^5 \arcsin\left(\frac{xe}{d}\right)e^{(-5)}\operatorname{sgn}(d) + \frac{1}{120} (64d^4e^{(-5)} - (45d^3e^{(-4)} - 2(16d^2e^{(-3)} + 3(4xe^{(-1)} - 5de^{(-2)})x)x)\sqrt{-x^2e^2 + d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d), x, algorithm="giac")

[Out] 3/8\*d^5\*arcsin(x\*e/d)\*e^(-5)\*sgn(d) + 1/120\*(64\*d^4\*e^(-5) - (45\*d^3\*e^(-4) - 2\*(16\*d^2\*e^(-3) + 3\*(4\*x\*e^(-1) - 5\*d\*e^(-2))\*x)\*x)\*sqrt(-x^2\*e^2 + d^2))

**maple [A]** time = 0.02, size = 208, normalized size = 1.41

$$\frac{d^5 \arctan\left(\frac{\sqrt{2} x}{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2}}\right)}{\sqrt{2} e^4} - \frac{5d^5 \arctan\left(\frac{\sqrt{2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{8\sqrt{e^2} e^4} - \frac{5\sqrt{-e^2 x^2 + d^2} d^3 x}{8e^4} + \frac{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2} d^4}{e^5} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} x^2}{5e^3} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} dx}{4e^4} - \frac{7(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2}{15e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d), x)

[Out]  $-1/5/e^3*x^2*(-e^2*x^2+d^2)^{(3/2)}-7/15*d^2/e^5*(-e^2*x^2+d^2)^{(3/2)}+1/4*d/e^4*x*(-e^2*x^2+d^2)^{(3/2)}-5/8*d^3/e^4*x*(-e^2*x^2+d^2)^{(1/2)}-5/8*d^5/e^4/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)+d^4/e^5*(-(x+d/e)^2*e^2+2*d*e*(x+d/e))^{(1/2)}+d^5/e^4/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}*x/(-(x+d/e)^2*e^2+2*d*e*(x+d/e))^{(1/2)})$

**maxima [A]** time = 0.99, size = 125, normalized size = 0.85

$$\frac{3d^5 \arcsin\left(\frac{ex}{d}\right)}{8e^5} - \frac{5\sqrt{-e^2 x^2 + d^2} d^3 x}{8e^4} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} x^2}{5e^3} + \frac{\sqrt{-e^2 x^2 + d^2} d^4}{e^5} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} dx}{4e^4} - \frac{7(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2}{15e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d), x, algorithm="maxima")

[Out]  $3/8*d^5*\arcsin(e*x/d)/e^5 - 5/8*\sqrt{-e^2*x^2 + d^2}*d^3*x/e^4 - 1/5*(-e^2*x^2 + d^2)^{(3/2)}*x^2/e^3 + \sqrt{-e^2*x^2 + d^2}*d^4/e^5 + 1/4*(-e^2*x^2 + d^2)^{(3/2)}*d*x/e^4 - 7/15*(-e^2*x^2 + d^2)^{(3/2)}*d^2/e^5$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4 \sqrt{d^2 - e^2 x^2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4\*(d^2 - e^2\*x^2)^(1/2))/(d + e\*x), x)

[Out] int((x^4\*(d^2 - e^2\*x^2)^(1/2))/(d + e\*x), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sqrt{-(-d + ex)(d + ex)}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2)/(e\*x+d), x)

[Out] Integral(x\*\*4\*sqrt(-(-d + e\*x)\*(d + e\*x))/(d + e\*x), x)

$$3.93 \quad \int \frac{x^3 \sqrt{d^2 - e^2 x^2}}{d + ex} dx$$

Optimal. Leaf size=118

$$-\frac{dx^2 \sqrt{d^2 - e^2 x^2}}{3e^2} + \frac{x^3 \sqrt{d^2 - e^2 x^2}}{4e} - \frac{d^2(16d - 9ex) \sqrt{d^2 - e^2 x^2}}{24e^4} - \frac{3d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{8e^4}$$

**Rubi** [A] time = 0.10, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {850, 833, 780, 217, 203}

$$-\frac{d^2(16d - 9ex) \sqrt{d^2 - e^2 x^2}}{24e^4} - \frac{dx^2 \sqrt{d^2 - e^2 x^2}}{3e^2} + \frac{x^3 \sqrt{d^2 - e^2 x^2}}{4e} - \frac{3d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{8e^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x), x]

[Out] -(d\*x^2\*Sqrt[d^2 - e^2\*x^2])/(3\*e^2) + (x^3\*Sqrt[d^2 - e^2\*x^2])/(4\*e) - (d^2\*(16\*d - 9\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(24\*e^4) - (3\*d^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(8\*e^4)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

### Rule 833

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])

```

### Rule 850

```

Int[((x_)^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sqrt{d^2 - e^2 x^2}}{d + ex} dx &= \int \frac{x^3 (d - ex)}{\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{x^3 \sqrt{d^2 - e^2 x^2}}{4e} - \int \frac{x^2 (3d^2 e - 4de^2 x)}{\sqrt{d^2 - e^2 x^2}} dx \\
&= -\frac{dx^2 \sqrt{d^2 - e^2 x^2}}{3e^2} + \frac{x^3 \sqrt{d^2 - e^2 x^2}}{4e} + \frac{\int \frac{x(8d^3 e^2 - 9d^2 e^3 x)}{\sqrt{d^2 - e^2 x^2}} dx}{12e^4} \\
&= -\frac{dx^2 \sqrt{d^2 - e^2 x^2}}{3e^2} + \frac{x^3 \sqrt{d^2 - e^2 x^2}}{4e} - \frac{d^2 (16d - 9ex) \sqrt{d^2 - e^2 x^2}}{24e^4} - \frac{(3d^4) \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx}{8e^3} \\
&= -\frac{dx^2 \sqrt{d^2 - e^2 x^2}}{3e^2} + \frac{x^3 \sqrt{d^2 - e^2 x^2}}{4e} - \frac{d^2 (16d - 9ex) \sqrt{d^2 - e^2 x^2}}{24e^4} - \frac{(3d^4) \operatorname{Subst}\left(\int \frac{1}{1+e^2 x^2} dx\right)}{8e^3} \\
&= -\frac{dx^2 \sqrt{d^2 - e^2 x^2}}{3e^2} + \frac{x^3 \sqrt{d^2 - e^2 x^2}}{4e} - \frac{d^2 (16d - 9ex) \sqrt{d^2 - e^2 x^2}}{24e^4} - \frac{3d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{8e^4}
\end{aligned}$$

**Mathematica** [A] time = 0.10, size = 80, normalized size = 0.68

$$\frac{\sqrt{d^2 - e^2 x^2} (-16d^3 + 9d^2 ex - 8de^2 x^2 + 6e^3 x^3) - 9d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{24e^4}$$

Antiderivative was successfully verified.



[In] Integrate[(x^3\*sqrt[d^2 - e^2\*x^2])/(d + e\*x),x]

[Out] (sqrt[d^2 - e^2\*x^2]\*(-16\*d^3 + 9\*d^2\*e\*x - 8\*d\*e^2\*x^2 + 6\*e^3\*x^3) - 9\*d^4\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(24\*e^4)

**IntegrateAlgebraic [A]** time = 0.27, size = 103, normalized size = 0.87

$$\frac{\sqrt{d^2 - e^2 x^2} (-16d^3 + 9d^2 e x - 8d e^2 x^2 + 6e^3 x^3)}{24e^4} - \frac{3d^4 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{8e^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*sqrt[d^2 - e^2\*x^2])/(d + e\*x),x]

[Out] (sqrt[d^2 - e^2\*x^2]\*(-16\*d^3 + 9\*d^2\*e\*x - 8\*d\*e^2\*x^2 + 6\*e^3\*x^3))/(24\*e^4) - (3\*d^4\*sqrt[-e^2]\*Log[-(sqrt[-e^2]\*x) + sqrt[d^2 - e^2\*x^2]])/(8\*e^5)

**fricas [A]** time = 0.40, size = 83, normalized size = 0.70

$$\frac{18d^4 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) + (6e^3 x^3 - 8de^2 x^2 + 9d^2 ex - 16d^3)\sqrt{-e^2 x^2 + d^2}}{24e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d),x, algorithm="fricas")

[Out] 1/24\*(18\*d^4\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (6\*e^3\*x^3 - 8\*d\*e^2\*x^2 + 9\*d^2\*e\*x - 16\*d^3)\*sqrt(-e^2\*x^2 + d^2))/e^4

**giac [A]** time = 0.21, size = 66, normalized size = 0.56

$$-\frac{3}{8}d^4 \arcsin\left(\frac{xe}{d}\right)e^{(-4)}\operatorname{sgn}(d) - \frac{1}{24}\left(16d^3e^{(-4)} - (9d^2e^{(-3)} + 2(3xe^{(-1)} - 4de^{(-2)})x)x\right)\sqrt{-x^2e^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d),x, algorithm="giac")

[Out] -3/8\*d^4\*arcsin(x\*e/d)\*e^(-4)\*sgn(d) - 1/24\*(16\*d^3\*e^(-4) - (9\*d^2\*e^(-3) + 2\*(3\*x\*e^(-1) - 4\*d\*e^(-2))\*x)\*x)\*sqrt(-x^2\*e^2 + d^2)

**maple [A]** time = 0.01, size = 185, normalized size = 1.57

$$-\frac{d^4 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2}}\right)}{\sqrt{e^2} e^3} + \frac{5d^4 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{8\sqrt{e^2} e^3} + \frac{5\sqrt{-e^2 x^2 + d^2} d^2 x}{8e^3} - \frac{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2} d^3}{e^4} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} x}{4e^3} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d}{3e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(-e^2*x^2+d^2)^(1/2)/(e*x+d),x)`

[Out] 
$$-1/4/e^3*x*(-e^2*x^2+d^2)^(3/2)+5/8*d^2/e^3*x*(-e^2*x^2+d^2)^(1/2)+5/8/e^3*d^4/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)+1/3*d/e^4*(-e^2*x^2+d^2)^(3/2)-d^3/e^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)-d^4/e^3/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x)$$

**maxima** [A] time = 0.99, size = 101, normalized size = 0.86

$$-\frac{3d^4 \arcsin\left(\frac{ex}{d}\right)}{8e^4} + \frac{5\sqrt{-e^2x^2+d^2}d^2x}{8e^3} - \frac{\sqrt{-e^2x^2+d^2}d^3}{e^4} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}x}{4e^3} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}d}{3e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-e^2*x^2+d^2)^(1/2)/(e*x+d),x, algorithm="maxima")`

[Out] 
$$-3/8*d^4*\arcsin(e*x/d)/e^4 + 5/8*\sqrt{-e^2*x^2 + d^2}*d^2*x/e^3 - \sqrt{-e^2*x^2 + d^2}*d^3/e^4 - 1/4*(-e^2*x^2 + d^2)^(3/2)*x/e^3 + 1/3*(-e^2*x^2 + d^2)^(3/2)*d/e^4$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 \sqrt{d^2 - e^2 x^2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(d^2 - e^2*x^2)^(1/2))/(d + e*x),x)`

[Out] `int((x^3*(d^2 - e^2*x^2)^(1/2))/(d + e*x), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sqrt{-(-d + ex)(d + ex)}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(-e**2*x**2+d**2)**(1/2)/(e*x+d),x)`

[Out] `Integral(x**3*sqrt(-(-d + e*x)*(d + e*x))/(d + e*x), x)`

$$3.94 \quad \int \frac{x^2 \sqrt{d^2 - e^2 x^2}}{d + ex} dx$$

Optimal. Leaf size=86

$$\frac{d(2d - ex)\sqrt{d^2 - e^2 x^2}}{2e^3} - \frac{(d^2 - e^2 x^2)^{3/2}}{3e^3} + \frac{d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{2e^3}$$

**Rubi [A]** time = 0.11, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1639, 12, 785, 780, 217, 203}

$$\frac{d(2d - ex)\sqrt{d^2 - e^2 x^2}}{2e^3} - \frac{(d^2 - e^2 x^2)^{3/2}}{3e^3} + \frac{d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{2e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x), x]

[Out] (d\*(2\*d - e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*e^3) - (d^2 - e^2\*x^2)^(3/2)/(3\*e^3) + (d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e^3)

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le

Q[p, -1]

### Rule 785

```
Int[(x_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :>
Dist[d^m*e^m, Int[(x*(a + c*x^2)^(m + p))/(a*e + c*d*x)^m, x], x] /; FreeQ[
{a, c, d, e, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0]
&& EqQ[m, -1] && !ILtQ[p - 1/2, 0]
```

### Rule 1639

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1)/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - 2*e*f*(m +
p + q)*(d + e*x)^(q - 2)*(a*e - c*d*x), x], x], x] /; NeQ[m + q + 2*p + 1,
0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0
] && !IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 \sqrt{d^2 - e^2 x^2}}{d + ex} dx &= -\frac{(d^2 - e^2 x^2)^{3/2}}{3e^3} - \frac{\int \frac{3de^3 x \sqrt{d^2 - e^2 x^2}}{d + ex} dx}{3e^4} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{3e^3} - \frac{d \int \frac{x \sqrt{d^2 - e^2 x^2}}{d + ex} dx}{e} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{3e^3} - \frac{\int \frac{x(d^2 e - de^2 x)}{\sqrt{d^2 - e^2 x^2}} dx}{e^2} \\
&= \frac{d(2d - ex)\sqrt{d^2 - e^2 x^2}}{2e^3} - \frac{(d^2 - e^2 x^2)^{3/2}}{3e^3} + \frac{d^3 \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx}{2e^2} \\
&= \frac{d(2d - ex)\sqrt{d^2 - e^2 x^2}}{2e^3} - \frac{(d^2 - e^2 x^2)^{3/2}}{3e^3} + \frac{d^3 \operatorname{Subst}\left(\int \frac{1}{1 + e^2 x^2} dx, x, \frac{x}{\sqrt{d^2 - e^2 x^2}}\right)}{2e^2} \\
&= \frac{d(2d - ex)\sqrt{d^2 - e^2 x^2}}{2e^3} - \frac{(d^2 - e^2 x^2)^{3/2}}{3e^3} + \frac{d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{2e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 69, normalized size = 0.80

$$\frac{\sqrt{d^2 - e^2 x^2} (4d^2 - 3dex + 2e^2 x^2) + 3d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{6e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(4\*d^2 - 3\*d\*e\*x + 2\*e^2\*x^2) + 3\*d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(6\*e^3)

**IntegrateAlgebraic [A]** time = 0.25, size = 92, normalized size = 1.07

$$\frac{\sqrt{d^2 - e^2 x^2} (4d^2 - 3dex + 2e^2 x^2)}{6e^3} + \frac{d^3 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{2e^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(4\*d^2 - 3\*d\*e\*x + 2\*e^2\*x^2))/(6\*e^3) + (d^3\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(2\*e^4)

**fricas [A]** time = 0.40, size = 73, normalized size = 0.85

$$\frac{6d^3 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) - (2e^2 x^2 - 3dex + 4d^2) \sqrt{-e^2 x^2 + d^2}}{6e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d), x, algorithm="fricas")

[Out] -1/6\*(6\*d^3\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (2\*e^2\*x^2 - 3\*d\*e\*x + 4\*d^2)\*sqrt(-e^2\*x^2 + d^2))/e^3

**giac [A]** time = 0.20, size = 54, normalized size = 0.63

$$\frac{1}{2} d^3 \arcsin\left(\frac{xe}{d}\right) e^{(-3)} \operatorname{sgn}(d) + \frac{1}{6} \sqrt{-x^2 e^2 + d^2} (4d^2 e^{(-3)} + (2xe^{(-1)} - 3de^{(-2)})x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d), x, algorithm="giac")

[Out]  $1/2*d^3*\arcsin(x*e/d)*e^{-3}*sgn(d) + 1/6*\sqrt{-x^2*e^2 + d^2}*(4*d^2*e^{-3}) + (2*x*e^{-1} - 3*d*e^{-2})*x$

**maple** [B] time = 0.01, size = 160, normalized size = 1.86

$$\frac{d^3 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2}}\right)}{\sqrt{e^2} e^2} - \frac{d^3 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{2\sqrt{e^2} e^2} - \frac{\sqrt{-e^2 x^2 + d^2} dx}{2e^2} + \frac{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2} d^2}{e^3} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}}}{3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(-e^2*x^2+d^2)^{(1/2)}/(e*x+d), x)$

[Out]  $-1/3*(-e^2*x^2+d^2)^{(3/2)}/e^3-1/2*(-e^2*x^2+d^2)^{(1/2)}*d/e^2*x-1/2/(e^2)^{(1/2)}*d^3/e^2*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)+d^2/e^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)+d^3/e^2/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x)$

**maxima** [A] time = 0.99, size = 77, normalized size = 0.90

$$\frac{d^3 \arcsin\left(\frac{ex}{d}\right)}{2e^3} - \frac{\sqrt{-e^2 x^2 + d^2} dx}{2e^2} + \frac{\sqrt{-e^2 x^2 + d^2} d^2}{e^3} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}}}{3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^2*(-e^2*x^2+d^2)^{(1/2)}/(e*x+d), x, \text{algorithm}="maxima")$

[Out]  $1/2*d^3*\arcsin(e*x/d)/e^3 - 1/2*\sqrt{-e^2*x^2 + d^2}*d*x/e^2 + \sqrt{-e^2*x^2 + d^2}*d^2/e^3 - 1/3*(-e^2*x^2 + d^2)^{(3/2)}/e^3$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 \sqrt{d^2 - e^2 x^2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((x^2*(d^2 - e^2*x^2)^{(1/2)})/(d + e*x), x)$

[Out]  $\text{int}((x^2*(d^2 - e^2*x^2)^{(1/2)})/(d + e*x), x)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sqrt{-(-d + ex)(d + ex)}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(-e**2*x**2+d**2)**(1/2)/(e*x+d),x)
```

```
[Out] Integral(x**2*sqrt(-(-d + e*x)*(d + e*x))/(d + e*x), x)
```

$$3.95 \quad \int \frac{x\sqrt{d^2 - e^2x^2}}{d + ex} dx$$

**Optimal.** Leaf size=62

$$-\frac{(2d - ex)\sqrt{d^2 - e^2x^2}}{2e^2} - \frac{d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{2e^2}$$

**Rubi [A]** time = 0.04, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {785, 780, 217, 203}

$$-\frac{(2d - ex)\sqrt{d^2 - e^2x^2}}{2e^2} - \frac{d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{2e^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x),x]

[Out] -((2\*d - e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*e^2) - (d^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e^2)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

### Rule 785

Int[(x\_)\*((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Dist[d^m\*e^m, Int[(x\*(a + c\*x^2)^(m + p))/(a\*e + c\*d\*x)^m, x], x] /; FreeQ[



{a, c, d, e, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0]  
 && EqQ[m, -1] && !ILtQ[p - 1/2, 0]

Rubi steps

$$\begin{aligned} \int \frac{x\sqrt{d^2 - e^2x^2}}{d + ex} dx &= \frac{\int \frac{x(d^2e - de^2x)}{\sqrt{d^2 - e^2x^2}} dx}{de} \\ &= -\frac{(2d - ex)\sqrt{d^2 - e^2x^2}}{2e^2} - \frac{d^2 \int \frac{1}{\sqrt{d^2 - e^2x^2}} dx}{2e} \\ &= -\frac{(2d - ex)\sqrt{d^2 - e^2x^2}}{2e^2} - \frac{d^2 \text{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x, \frac{x}{\sqrt{d^2 - e^2x^2}}\right)}{2e} \\ &= -\frac{(2d - ex)\sqrt{d^2 - e^2x^2}}{2e^2} - \frac{d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{2e^2} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 57, normalized size = 0.92

$$\frac{(ex - 2d)\sqrt{d^2 - e^2x^2} - d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{2e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x), x]

[Out] ((-2\*d + e\*x)\*Sqrt[d^2 - e^2\*x^2] - d^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e^2)

**IntegrateAlgebraic [A]** time = 0.22, size = 80, normalized size = 1.29

$$\frac{(ex - 2d)\sqrt{d^2 - e^2x^2}}{2e^2} - \frac{d^2\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{2e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x), x]

[Out] ((-2\*d + e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*e^2) - (d^2\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(2\*e^3)

**fricas** [A] time = 0.40, size = 60, normalized size = 0.97

$$\frac{2d^2 \arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + \sqrt{-e^2x^2+d^2}(ex-2d)}{2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d),x, algorithm="fricas")

[Out] 1/2\*(2\*d^2\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + sqrt(-e^2\*x^2 + d^2)\*(e\*x - 2\*d))/e^2

**giac** [A] time = 0.22, size = 43, normalized size = 0.69

$$-\frac{1}{2}d^2 \arcsin\left(\frac{xe}{d}\right)e^{(-2)}\operatorname{sgn}(d) + \frac{1}{2}\sqrt{-x^2e^2+d^2}(xe^{(-1)}-2de^{(-2)})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d),x, algorithm="giac")

[Out] -1/2\*d^2\*arcsin(x\*e/d)\*e^(-2)\*sgn(d) + 1/2\*sqrt(-x^2\*e^2 + d^2)\*(x\*e^(-1) - 2\*d\*e^(-2))

**maple** [B] time = 0.01, size = 140, normalized size = 2.26

$$-\frac{d^2 \arctan\left(\frac{\sqrt{e^2}x}{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}}\right)}{\sqrt{e^2}e} + \frac{d^2 \arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2+d^2}}\right)}{2\sqrt{e^2}e} + \frac{\sqrt{-e^2x^2+d^2}x}{2e} - \frac{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}d}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d),x)

[Out] 1/2/e\*x\*(-e^2\*x^2+d^2)^(1/2)+1/2/e\*d^2/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)-d/e^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)-d^2/e/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x)

**maxima** [A] time = 0.97, size = 56, normalized size = 0.90

$$-\frac{d^2 \arcsin\left(\frac{ex}{d}\right)}{2e^2} + \frac{\sqrt{-e^2x^2+d^2}x}{2e} - \frac{\sqrt{-e^2x^2+d^2}d}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d),x, algorithm="maxima")

[Out]  $-1/2*d^2*\arcsin(e*x/d)/e^2 + 1/2*\sqrt{-e^2*x^2 + d^2}*x/e - \sqrt{-e^2*x^2 + d^2}*d/e^2$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x \sqrt{d^2 - e^2 x^2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(d^2 - e^2\*x^2)^(1/2))/(d + e\*x),x)

[Out] int((x\*(d^2 - e^2\*x^2)^(1/2))/(d + e\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sqrt{-(-d + e x)(d + e x)}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2)/(e\*x+d),x)

[Out] Integral(x\*sqrt(-(-d + e\*x)\*(d + e\*x))/(d + e\*x), x)

$$3.96 \quad \int \frac{\sqrt{d^2 - e^2 x^2}}{d + ex} dx$$

**Optimal.** Leaf size=46

$$\frac{\sqrt{d^2 - e^2 x^2}}{e} + \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{e}$$

**Rubi [A]** time = 0.02, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {665, 217, 203}

$$\frac{\sqrt{d^2 - e^2 x^2}}{e} + \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{e}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d^2 - e^2\*x^2]/(d + e\*x),x]

[Out] Sqrt[d^2 - e^2\*x^2]/e + (d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 665

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + c\*x^2)^p)/(e\*(m + 2\*p + 1)), x] - Dist[(2\*c\*d\*p)/(e^2\*(m + 2\*p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 + a\*e^2, 0] && GtQ[p, 0] && (LeQ[-2, m, 0] || EqQ[m + p + 1, 0]) && NeQ[m + 2\*p + 1, 0] && IntegerQ[2\*p]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d^2 - e^2 x^2}}{d + ex} dx &= \frac{\sqrt{d^2 - e^2 x^2}}{e} + d \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{\sqrt{d^2 - e^2 x^2}}{e} + d \operatorname{Subst} \left( \int \frac{1}{1 + e^2 x^2} dx, x, \frac{x}{\sqrt{d^2 - e^2 x^2}} \right) \\
&= \frac{\sqrt{d^2 - e^2 x^2}}{e} + \frac{d \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)}{e}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 43, normalized size = 0.93

$$\frac{\sqrt{d^2 - e^2 x^2} + d \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)}{e}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d^2 - e^2\*x^2]/(d + e\*x), x]

[Out] (Sqrt[d^2 - e^2\*x^2] + d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e

**IntegrateAlgebraic [A]** time = 0.20, size = 65, normalized size = 1.41

$$\frac{\sqrt{d^2 - e^2 x^2}}{e} + \frac{d \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right)}{e^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d^2 - e^2\*x^2]/(d + e\*x), x]

[Out] Sqrt[d^2 - e^2\*x^2]/e + (d\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^2

**fricas [A]** time = 0.39, size = 52, normalized size = 1.13

$$\frac{2 d \arctan \left( -\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex} \right) - \sqrt{-e^2 x^2 + d^2}}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/(e\*x+d), x, algorithm="fricas")

[Out] -(2\*d\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - sqrt(-e^2\*x^2 + d^2))/e

**giac** [A] time = 0.21, size = 31, normalized size = 0.67

$$d \arcsin\left(\frac{xe}{d}\right) e^{(-1)} \operatorname{sgn}(d) + \sqrt{-x^2 e^2 + d^2} e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/(e\*x+d),x, algorithm="giac")

[Out] d\*arcsin(x\*e/d)\*e^(-1)\*sgn(d) + sqrt(-x^2\*e^2 + d^2)\*e^(-1)

**maple** [A] time = 0.00, size = 77, normalized size = 1.67

$$\frac{d \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2}}\right)}{\sqrt{e^2}} + \frac{\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2}}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(1/2)/(e\*x+d),x)

[Out] 1/e\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)+d/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x)

**maxima** [A] time = 0.97, size = 31, normalized size = 0.67

$$\frac{d \arcsin\left(\frac{ex}{d}\right)}{e} + \frac{\sqrt{-e^2 x^2 + d^2}}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/(e\*x+d),x, algorithm="maxima")

[Out] d\*arcsin(e\*x/d)/e + sqrt(-e^2\*x^2 + d^2)/e

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{d^2 - e^2 x^2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(1/2)/(d + e\*x),x)

[Out] int((d^2 - e^2\*x^2)^(1/2)/(d + e\*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(-d + ex)(d + ex)}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2)/(e\*x+d), x)

[Out] Integral(sqrt(-(-d + e\*x)\*(d + e\*x))/(d + e\*x), x)

$$3.97 \quad \int \frac{\sqrt{d^2 - e^2 x^2}}{x(d + ex)} dx$$

**Optimal.** Leaf size=46

$$-\tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)$$

**Rubi [A]** time = 0.06, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {850, 844, 217, 203, 266, 63, 208}

$$-\tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d^2 - e^2\*x^2]/(x\*(d + e\*x)),x]

[Out] -ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]



Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 850

```
Int[((x_)^(n_)*((a_) + (c_)*(x_)^2)^(p_))/((d_) + (e_)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d^2 - e^2 x^2}}{x(d + ex)} dx &= \int \frac{d - ex}{x\sqrt{d^2 - e^2 x^2}} dx \\
&= d \int \frac{1}{x\sqrt{d^2 - e^2 x^2}} dx - e \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{1}{2} d \operatorname{Subst} \left( \int \frac{1}{x\sqrt{d^2 - e^2 x}} dx, x, x^2 \right) - e \operatorname{Subst} \left( \int \frac{1}{1 + e^2 x^2} dx, x, \frac{x}{\sqrt{d^2 - e^2 x^2}} \right) \\
&= -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - \frac{d \operatorname{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{e^2} \\
&= -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 46, normalized size = 1.00

$$-\log \left( \sqrt{d^2 - e^2 x^2} + d \right) - \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d^2 - e^2\*x^2]/(x\*(d + e\*x)),x]

[Out] -ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] + Log[x] - Log[d + Sqrt[d^2 - e^2\*x^2]]

**IntegrateAlgebraic [A]** time = 0.21, size = 84, normalized size = 1.83

$$2 \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right) - \frac{\sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right)}{e}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d^2 - e^2\*x^2]/(x\*(d + e\*x)),x]

[Out] 2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] - (Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e

**fricas [A]** time = 0.43, size = 54, normalized size = 1.17

$$2 \arctan \left( -\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex} \right) + \log \left( -\frac{d - \sqrt{-e^2 x^2 + d^2}}{x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x/(e\*x+d),x, algorithm="fricas")

[Out] 2\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + log(-(d - sqrt(-e^2\*x^2 + d^2))/x)

**giac [A]** time = 0.21, size = 48, normalized size = 1.04

$$-\arcsin \left( \frac{xe}{d} \right) \operatorname{sgn}(d) - \log \left( \frac{|-2de - 2\sqrt{-x^2e^2 + d^2}e|e^{(-2)}}{2|x|} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x/(e\*x+d),x, algorithm="giac")

[Out] -arcsin(x\*e/d)\*sgn(d) - log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))

**maple [B]** time = 0.01, size = 137, normalized size = 2.98

$$\frac{d \ln \left( \frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2 x^2 + d^2}}{x} \right)}{\sqrt{d^2}} - \frac{e \arctan \left( \frac{\sqrt{e^2} x}{\sqrt{2 \left( x + \frac{d}{e} \right) de - \left( x + \frac{d}{e} \right)^2 e^2}} \right)}{\sqrt{e^2}} + \frac{\sqrt{-e^2 x^2 + d^2}}{d} - \frac{\sqrt{2 \left( x + \frac{d}{e} \right) de - \left( x + \frac{d}{e} \right)^2 e^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-e^2*x^2+d^2)^(1/2)/x/(e*x+d), x)`

[Out]  $(-e^2x^2+d^2)^{1/2}/d-d/(d^2)^{1/2}*\ln((2*d^2+2*(d^2)^{1/2}*(-e^2*x^2+d^2)^{1/2})/x)-1/d*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{1/2}-e/(e^2)^{1/2}*\arctan((e^2)^{1/2}/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{1/2}*x)$

**maxima** [A] time = 0.99, size = 56, normalized size = 1.22

$$\frac{e \left( \frac{d \arcsin\left(\frac{ex}{d}\right)}{e} + \frac{d \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{e} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(1/2)/x/(e*x+d), x, algorithm="maxima")`

[Out]  $-e*(d*\arcsin(e*x/d)/e + d*\log(2*d^2/abs(x) + 2*\sqrt{-e^2*x^2 + d^2}*d/abs(x)))/e/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{d^2 - e^2 x^2}}{x (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(1/2)/(x*(d + e*x)), x)`

[Out] `int((d^2 - e^2*x^2)^(1/2)/(x*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(-d + ex)(d + ex)}}{x(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(1/2)/x/(e*x+d), x)`

[Out] `Integral(sqrt(-(-d + e*x)*(d + e*x))/(x*(d + e*x)), x)`

$$3.98 \quad \int \frac{\sqrt{d^2 - e^2 x^2}}{x^2(d + ex)} dx$$

**Optimal.** Leaf size=51

$$\frac{e \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{dx}$$

**Rubi [A]** time = 0.06, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {850, 807, 266, 63, 208}

$$\frac{e \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{dx}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d^2 - e^2\*x^2]/(x^2\*(d + e\*x)),x]

[Out] -(Sqrt[d^2 - e^2\*x^2]/(d\*x)) + (e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

#### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

#### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
```

```
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 850

```
Int[((x_)^(n_)*((a_) + (c_)*(x_)^2)^(p_))/((d_) + (e_)*(x_)), x_Symbol]
:> Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{d^2 - e^2 x^2}}{x^2(d + ex)} dx &= \int \frac{d - ex}{x^2 \sqrt{d^2 - e^2 x^2}} dx \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{dx} - e \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{dx} - \frac{1}{2} e \operatorname{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, x^2 \right) \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{dx} + \frac{\operatorname{Subst} \left( \int \frac{1}{\frac{d^2 - x^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{e} \\
 &= -\frac{\sqrt{d^2 - e^2 x^2}}{dx} + \frac{e \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{d}
 \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 53, normalized size = 1.04

$$\frac{\sqrt{d^2 - e^2 x^2} - ex \log \left( \sqrt{d^2 - e^2 x^2} + d \right) + ex \log(x)}{dx}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[d^2 - e^2*x^2]/(x^2*(d + e*x)),x]
```

```
[Out] -((Sqrt[d^2 - e^2*x^2] + e*x*Log[x] - e*x*Log[d + Sqrt[d^2 - e^2*x^2]])/(d*x))
```

**IntegrateAlgebraic [B]** time = 0.26, size = 103, normalized size = 2.02

$$-\frac{\sqrt{d^2 - e^2 x^2}}{dx} + \frac{e \log\left(\sqrt{d^2 - e^2 x^2} + d - \sqrt{-e^2} x\right)}{d} - \frac{e \log\left(-d\sqrt{d^2 - e^2 x^2} + d^2 + d\sqrt{-e^2} x\right)}{d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d^2 - e^2\*x^2]/(x^2\*(d + e\*x)),x]

[Out] -(Sqrt[d^2 - e^2\*x^2]/(d\*x)) + (e\*Log[d - Sqrt[-e^2]\*x + Sqrt[d^2 - e^2\*x^2]])/d - (e\*Log[d^2 + d\*Sqrt[-e^2]\*x - d\*Sqrt[d^2 - e^2\*x^2]])/d

**fricas [A]** time = 0.40, size = 50, normalized size = 0.98

$$\frac{ex \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + \sqrt{-e^2 x^2 + d^2}}{dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^2/(e\*x+d),x, algorithm="fricas")

[Out] -(e\*x\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + sqrt(-e^2\*x^2 + d^2))/(d\*x)

**giac [B]** time = 0.21, size = 102, normalized size = 2.00

$$\frac{e \log\left(\frac{|-2de - 2\sqrt{-x^2 e^2 + d^2} e| e^{(-2)}}{2|x|}\right)}{d} + \frac{xe^3}{2\left(de + \sqrt{-x^2 e^2 + d^2} e\right)d} - \frac{\left(de + \sqrt{-x^2 e^2 + d^2} e\right) e^{(-1)}}{2 dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^2/(e\*x+d),x, algorithm="giac")

[Out] e\*log(1/2\*abs(-2\*d\*e - 2\*sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-2)/abs(x))/d + 1/2\*x\*e^3/((d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*d) - 1/2\*(d\*e + sqrt(-x^2\*e^2 + d^2)\*e)\*e^(-1)/(d\*x)

**maple [B]** time = 0.01, size = 222, normalized size = 4.35

$$\frac{e^2 \arctan\left(\frac{\sqrt{d^2} x}{\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2}}\right)}{\sqrt{e^2} d} - \frac{e^2 \arctan\left(\frac{\sqrt{d^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{\sqrt{e^2} d} + \frac{e \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2 x^2 + d^2}}{x}\right)}{\sqrt{d^2}} - \frac{\sqrt{-e^2 x^2 + d^2} e^2 x}{d^3} - \frac{\sqrt{-e^2 x^2 + d^2} e}{d^2} + \frac{\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2} e}{d^2} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}}}{d^3 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-e^2*x^2+d^2)^(1/2)/x^2/(e*x+d),x)`

[Out] 
$$-1/d^3/x*(-e^2*x^2+d^2)^{(3/2)}-1/d^3*e^2*x*(-e^2*x^2+d^2)^{(1/2)}-1/d*e^2/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)-e/d^2*(-e^2*x^2+d^2)^{(1/2)}+e/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)+e/d^2*(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2})^{(1/2)}+e^2/d/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2})^{(1/2)}*x)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-e^2x^2 + d^2}}{(ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(1/2)/x^2/(e*x+d),x, algorithm="maxima")`

[Out] `integrate(sqrt(-e^2*x^2 + d^2)/((e*x + d)*x^2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{d^2 - e^2x^2}}{x^2(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(1/2)/(x^2*(d + e*x)),x)`

[Out] `int((d^2 - e^2*x^2)^(1/2)/(x^2*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(-d + ex)(d + ex)}}{x^2(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(1/2)/x**2/(e*x+d),x)`

[Out] `Integral(sqrt(-(-d + e*x)*(d + e*x))/(x**2*(d + e*x)), x)`

$$3.99 \quad \int \frac{\sqrt{d^2 - e^2 x^2}}{x^3(d + ex)} dx$$

**Optimal.** Leaf size=82

$$\frac{e\sqrt{d^2 - e^2 x^2}}{d^2 x} - \frac{\sqrt{d^2 - e^2 x^2}}{2dx^2} - \frac{e^2 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{2d^2}$$

**Rubi [A]** time = 0.08, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {850, 835, 807, 266, 63, 208}

$$\frac{e\sqrt{d^2 - e^2 x^2}}{d^2 x} - \frac{\sqrt{d^2 - e^2 x^2}}{2dx^2} - \frac{e^2 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{2d^2}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[d^2 - e^2*x^2]/(x^3*(d + e*x)),x]
```

```
[Out] -Sqrt[d^2 - e^2*x^2]/(2*d*x^2) + (e*Sqrt[d^2 - e^2*x^2])/(d^2*x) - (e^2*ArcTanh[Sqrt[d^2 - e^2*x^2]/d])/(2*d^2)
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 807



```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

### Rule 850

```
Int[((x_)^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d^2 - e^2 x^2}}{x^3(d + ex)} dx &= \int \frac{d - ex}{x^3 \sqrt{d^2 - e^2 x^2}} dx \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{2dx^2} - \frac{\int \frac{2d^2 e - de^2 x}{x^2 \sqrt{d^2 - e^2 x^2}} dx}{2d^2} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{2dx^2} + \frac{e\sqrt{d^2 - e^2 x^2}}{d^2 x} + \frac{e^2 \int \frac{1}{x\sqrt{d^2 - e^2 x^2}} dx}{2d} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{2dx^2} + \frac{e\sqrt{d^2 - e^2 x^2}}{d^2 x} + \frac{e^2 \text{Subst}\left(\int \frac{1}{x\sqrt{d^2 - e^2 x}} dx, x, x^2\right)}{4d} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{2dx^2} + \frac{e\sqrt{d^2 - e^2 x^2}}{d^2 x} - \frac{\text{Subst}\left(\int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2 x^2}\right)}{2d} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{2dx^2} + \frac{e\sqrt{d^2 - e^2 x^2}}{d^2 x} - \frac{e^2 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{2d^2}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 70, normalized size = 0.85

$$\frac{(d - 2ex)\sqrt{d^2 - e^2 x^2} + e^2 x^2 \log\left(\sqrt{d^2 - e^2 x^2} + d\right) - e^2 x^2 \log(x)}{2d^2 x^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d^2 - e^2\*x^2]/(x^3\*(d + e\*x)),x]

[Out] -1/2\*((d - 2\*e\*x)\*Sqrt[d^2 - e^2\*x^2] - e^2\*x^2\*Log[x] + e^2\*x^2\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(d^2\*x^2)

**IntegrateAlgebraic [A]** time = 0.29, size = 79, normalized size = 0.96

$$\frac{(2ex - d)\sqrt{d^2 - e^2 x^2}}{2d^2 x^2} + \frac{e^2 \tanh^{-1}\left(\frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d^2 - e^2\*x^2]/(x^3\*(d + e\*x)),x]

[Out] ((-d + 2\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*d^2\*x^2) + (e^2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^2

**fricas** [A] time = 0.39, size = 63, normalized size = 0.77

$$\frac{e^2 x^2 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + \sqrt{-e^2 x^2 + d^2} (2ex - d)}{2d^2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^3/(e\*x+d),x, algorithm="fricas")

[Out] 1/2\*(e^2\*x^2\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + sqrt(-e^2\*x^2 + d^2)\*(2\*e\*x - d))/(d^2\*x^2)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^3/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/8\*(exp(2)^3+2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(2)^3/x/exp(2))/d^2/(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2/exp(1)^4+1/16\*(-2\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^4\*exp(2)^5-4\*d^2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^6\*exp(2)^4/x/exp(2))/d^4/exp(1)^6/exp(2)^3+1/2\*(exp(2)^3-2\*exp(1)^4\*exp(2))\*ln(1/2\*abs(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/abs(x)/exp(2))/d^2/exp(1)^3/exp(1)+1/2\*(4\*exp(1)^3\*exp(2)-4\*exp(1)\*exp(2)^2)\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/d^2/sqrt(-exp(1)^4+exp(2)^2)/exp(1)

**maple** [B] time = 0.01, size = 254, normalized size = 3.10

$$-\frac{e^2 \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2 x^2 + d^2}}{x}\right)}{2\sqrt{d^2} d} - \frac{e^3 \arctan\left(\frac{\sqrt{2} x}{\sqrt{2\left(x+\frac{d}{e}\right)e - \left(x+\frac{d}{e}\right)^2}}\right)}{\sqrt{e^2} d^2} + \frac{e^3 \arctan\left(\frac{\sqrt{2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{\sqrt{e^2} d^2} + \frac{\sqrt{-e^2 x^2 + d^2} e^3 x}{d^4} + \frac{\sqrt{-e^2 x^2 + d^2} e^2}{2d^3} - \frac{\sqrt{2\left(x+\frac{d}{e}\right)e - \left(x+\frac{d}{e}\right)^2} e^2}{d^3} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} e}{d^4 x} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}}}{2d^3 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(1/2)/x^3/(e\*x+d),x)

[Out] e/d^4/x\*(-e^2\*x^2+d^2)^(3/2)+e^3/d^4\*x\*(-e^2\*x^2+d^2)^(1/2)+e^3/d^2/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)-1/2/d^3/x^2\*(-e^2\*x^2+d^2)^(3/2)+1/2/d^3\*e^2\*(-e^2\*x^2+d^2)^(1/2)-1/2/d\*e^2/(d^2)^(1/2)\*ln((2\*d^2+2\*(d^2)^(1/2)\*(-e^2\*x^2+d^2)^(1/2))/x)-1/d^3\*e^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)-1/d^2\*e^3/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-e^2x^2 + d^2}}{(ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^3/(e\*x+d),x, algorithm="maxima")

[Out] integrate(sqrt(-e^2\*x^2 + d^2)/((e\*x + d)\*x^3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{d^2 - e^2 x^2}}{x^3 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(1/2)/(x^3\*(d + e\*x)),x)

[Out] int((d^2 - e^2\*x^2)^(1/2)/(x^3\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(-d + ex)(d + ex)}}{x^3 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2)/x\*\*3/(e\*x+d),x)

[Out] Integral(sqrt(-(-d + e\*x)\*(d + e\*x))/(x\*\*3\*(d + e\*x)), x)

$$3.100 \quad \int \frac{\sqrt{d^2 - e^2 x^2}}{x^4(d+ex)} dx$$

Optimal. Leaf size=114

$$\frac{e\sqrt{d^2 - e^2 x^2}}{2d^2 x^2} - \frac{\sqrt{d^2 - e^2 x^2}}{3dx^3} - \frac{2e^2\sqrt{d^2 - e^2 x^2}}{3d^3 x} + \frac{e^3 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{2d^3}$$

Rubi [A] time = 0.11, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {850, 835, 807, 266, 63, 208}

$$-\frac{2e^2\sqrt{d^2 - e^2 x^2}}{3d^3 x} + \frac{e\sqrt{d^2 - e^2 x^2}}{2d^2 x^2} - \frac{\sqrt{d^2 - e^2 x^2}}{3dx^3} + \frac{e^3 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{2d^3}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d^2 - e^2\*x^2]/(x^4\*(d + e\*x)),x]

[Out] -Sqrt[d^2 - e^2\*x^2]/(3\*d\*x^3) + (e\*Sqrt[d^2 - e^2\*x^2])/(2\*d^2\*x^2) - (2\*e^2\*Sqrt[d^2 - e^2\*x^2])/(3\*d^3\*x) + (e^3\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^3)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

### Rule 850

```
Int[((x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d^2 - e^2 x^2}}{x^4(d + ex)} dx &= \int \frac{d - ex}{x^4 \sqrt{d^2 - e^2 x^2}} dx \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{3dx^3} - \frac{\int \frac{3d^2 e - 2de^2 x}{x^3 \sqrt{d^2 - e^2 x^2}} dx}{3d^2} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{3dx^3} + \frac{e\sqrt{d^2 - e^2 x^2}}{2d^2 x^2} + \frac{\int \frac{4d^3 e^2 - 3d^2 e^3 x}{x^2 \sqrt{d^2 - e^2 x^2}} dx}{6d^4} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{3dx^3} + \frac{e\sqrt{d^2 - e^2 x^2}}{2d^2 x^2} - \frac{2e^2 \sqrt{d^2 - e^2 x^2}}{3d^3 x} - \frac{e^3 \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx}{2d^2} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{3dx^3} + \frac{e\sqrt{d^2 - e^2 x^2}}{2d^2 x^2} - \frac{2e^2 \sqrt{d^2 - e^2 x^2}}{3d^3 x} - \frac{e^3 \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, x^2 \right)}{4d^2} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{3dx^3} + \frac{e\sqrt{d^2 - e^2 x^2}}{2d^2 x^2} - \frac{2e^2 \sqrt{d^2 - e^2 x^2}}{3d^3 x} + \frac{e \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{2d^2} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{3dx^3} + \frac{e\sqrt{d^2 - e^2 x^2}}{2d^2 x^2} - \frac{2e^2 \sqrt{d^2 - e^2 x^2}}{3d^3 x} + \frac{e^3 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{2d^3}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 84, normalized size = 0.74

$$\frac{(-2d^2 + 3dex - 4e^2x^2) \sqrt{d^2 - e^2x^2} + 3e^3x^3 \log(\sqrt{d^2 - e^2x^2} + d) - 3e^3x^3 \log(x)}{6d^3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d^2 - e^2\*x^2]/(x^4\*(d + e\*x)),x]

[Out] ((-2\*d^2 + 3\*d\*e\*x - 4\*e^2\*x^2)\*Sqrt[d^2 - e^2\*x^2] - 3\*e^3\*x^3\*Log[x] + 3\*e^3\*x^3\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(6\*d^3\*x^3)

**IntegrateAlgebraic [A]** time = 0.38, size = 137, normalized size = 1.20

$$\frac{(-2d^2 + 3dex - 4e^2x^2) \sqrt{d^2 - e^2x^2}}{6d^3x^3} + \frac{e^3 \log(\sqrt{d^2 - e^2x^2} + d - \sqrt{-e^2x})}{2d^3} - \frac{e^3 \log(d^4 + d^3\sqrt{-e^2x} - d^3\sqrt{d^2 - e^2x^2})}{2d^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d^2 - e^2\*x^2]/(x^4\*(d + e\*x)),x]

[Out]  $((-2*d^2 + 3*d*e*x - 4*e^2*x^2)*\text{Sqrt}[d^2 - e^2*x^2])/(6*d^3*x^3) + (e^3*\text{Log}[d - \text{Sqrt}[-e^2]*x + \text{Sqrt}[d^2 - e^2*x^2]])/(2*d^3) - (e^3*\text{Log}[d^4 + d^3*\text{Sqrt}[-e^2]*x - d^3*\text{Sqrt}[d^2 - e^2*x^2]])/(2*d^3)$

**fricas** [A] time = 0.40, size = 75, normalized size = 0.66

$$\frac{3e^3x^3 \log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) + (4e^2x^2 - 3dex + 2d^2)\sqrt{-e^2x^2 + d^2}}{6d^3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(1/2)/x^4/(e*x+d),x, algorithm="fricas")`

[Out]  $-1/6*(3*e^3*x^3*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) + (4*e^2*x^2 - 3*d*e*x + 2*d^2)*\text{sqrt}(-e^2*x^2 + d^2))/(d^3*x^3)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(1/2)/x^4/(e*x+d),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $1/24*((-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^2*(12*\exp(1)^4*\exp(2)^2-3*\exp(2)^4)+\exp(2)^4+3/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))*\exp(2)^4/x/\exp(2))/d^3/(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^3/\exp(1)^5+1/512*(64*d^6*(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^2*\exp(1)^{10}*\exp(2)^7-64/3*d^6*(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^3*\exp(1)^8*\exp(2)^8+96*d^6*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))*\exp(1)^8*\exp(2)^8/x/\exp(2)-128*d^6*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))*\exp(1)^{10}*\exp(2)^7/x/\exp(2)+128*d^6*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))*\exp(1)^{12}*\exp(2)^6/x/\exp(2))/d^9/\exp(1)^{15}/\exp(2)^3+1/2*(4*\exp(2)^3-4*\exp(1)^4*\exp(2))*\text{atan}((-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x+\exp(2))/\text{sqrt}(-\exp(1)^4+\exp(2)^2))/d^3/\text{sqrt}(-\exp(1)^4+\exp(2)^2)/\exp(1)+1/2*(-\exp(2)^3+2*\exp(1)^4*\exp(2))*\ln(1/2*\text{abs}(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/\text{abs}(x)/\exp(2))/d^3/\exp(1)/\exp(2)$

**maple** [B] time = 0.01, size = 280, normalized size = 2.46

$$\frac{e^3 \ln\left(\frac{2d^2+2\sqrt{d^2-x^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{2\sqrt{d^2}d^2} + \frac{e^4 \arctan\left(\frac{\sqrt{d^2-x^2}}{\sqrt{2\left(x+\frac{d}{e}\right)d-\left(x+\frac{d}{e}\right)^2}}\right)}{\sqrt{e^2}d^3} - \frac{e^4 \arctan\left(\frac{-\sqrt{d^2-x^2}}{\sqrt{-e^2x^2+d^2}}\right)}{\sqrt{e^2}d^3} - \frac{\sqrt{-e^2x^2+d^2}e^4x}{d^5} - \frac{\sqrt{-e^2x^2+d^2}e^3}{2d^4} + \frac{\sqrt{2\left(x+\frac{d}{e}\right)d-\left(x+\frac{d}{e}\right)^2}e^2e^3}{d^4} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^2}{d^5x} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e}{2d^4x^2} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}}{3d^3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((-e^2*x^2+d^2)^(1/2)/x^4/(e*x+d), x)`

[Out] 
$$-1/d^5 e^2/x (-e^2 x^2 + d^2)^{3/2} - 1/d^5 e^4 x (-e^2 x^2 + d^2)^{1/2} - 1/d^3 e^4 / (e^2)^{1/2} \arctan((e^2)^{1/2} / (-e^2 x^2 + d^2)^{1/2} x) + 1/2 e/d^4/x^2 (-e^2 x^2 + d^2)^{3/2} - 1/2 e^3/d^4 (-e^2 x^2 + d^2)^{1/2} + 1/2 e^3/d^2/(d^2)^{1/2} \ln((2*d^2+2*(d^2)^{1/2}*(-e^2*x^2+d^2)^{1/2})/x) - 1/3/d^3/x^3*(-e^2*x^2+d^2)^{3/2} + 1/d^4*e^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{1/2} + 1/d^3*e^4/(e^2)^{1/2} \arctan((e^2)^{1/2}/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{1/2} * x)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-e^2 x^2 + d^2}}{(e x + d) x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(1/2)/x^4/(e*x+d), x, algorithm="maxima")`

[Out] `integrate(sqrt(-e^2*x^2 + d^2)/((e*x + d)*x^4), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{d^2 - e^2 x^2}}{x^4 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(1/2)/(x^4*(d + e*x)), x)`

[Out] `int((d^2 - e^2*x^2)^(1/2)/(x^4*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(-d + e x)(d + e x)}}{x^4 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(1/2)/x**4/(e*x+d), x)`

[Out] `Integral(sqrt(-(-d + e*x)*(d + e*x))/(x**4*(d + e*x)), x)`

$$3.101 \quad \int \frac{\sqrt{d^2 - e^2 x^2}}{x^5(d+ex)} dx$$

**Optimal.** Leaf size=143

$$-\frac{\sqrt{d^2 - e^2 x^2}}{4dx^4} + \frac{e\sqrt{d^2 - e^2 x^2}}{3d^2x^3} - \frac{3e^4 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{8d^4} + \frac{2e^3\sqrt{d^2 - e^2 x^2}}{3d^4x} - \frac{3e^2\sqrt{d^2 - e^2 x^2}}{8d^3x^2}$$

**Rubi [A]** time = 0.14, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {850, 835, 807, 266, 63, 208}

$$\frac{2e^3\sqrt{d^2 - e^2 x^2}}{3d^4x} - \frac{3e^2\sqrt{d^2 - e^2 x^2}}{8d^3x^2} + \frac{e\sqrt{d^2 - e^2 x^2}}{3d^2x^3} - \frac{\sqrt{d^2 - e^2 x^2}}{4dx^4} - \frac{3e^4 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{8d^4}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d^2 - e^2\*x^2]/(x^5\*(d + e\*x)),x]

[Out] -Sqrt[d^2 - e^2\*x^2]/(4\*d\*x^4) + (e\*Sqrt[d^2 - e^2\*x^2])/(3\*d^2\*x^3) - (3\*e^2\*Sqrt[d^2 - e^2\*x^2])/(8\*d^3\*x^2) + (2\*e^3\*Sqrt[d^2 - e^2\*x^2])/(3\*d^4\*x) - (3\*e^4\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(8\*d^4)

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

### Rule 850

```
Int[((x_)^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d^2 - e^2 x^2}}{x^5(d + ex)} dx &= \int \frac{d - ex}{x^5 \sqrt{d^2 - e^2 x^2}} dx \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{4dx^4} - \frac{\int \frac{4d^2 e - 3de^2 x}{x^4 \sqrt{d^2 - e^2 x^2}} dx}{4d^2} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{4dx^4} + \frac{e\sqrt{d^2 - e^2 x^2}}{3d^2 x^3} + \frac{\int \frac{9d^3 e^2 - 8d^2 e^3 x}{x^3 \sqrt{d^2 - e^2 x^2}} dx}{12d^4} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{4dx^4} + \frac{e\sqrt{d^2 - e^2 x^2}}{3d^2 x^3} - \frac{3e^2 \sqrt{d^2 - e^2 x^2}}{8d^3 x^2} - \frac{\int \frac{16d^4 e^3 - 9d^3 e^4 x}{x^2 \sqrt{d^2 - e^2 x^2}} dx}{24d^6} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{4dx^4} + \frac{e\sqrt{d^2 - e^2 x^2}}{3d^2 x^3} - \frac{3e^2 \sqrt{d^2 - e^2 x^2}}{8d^3 x^2} + \frac{2e^3 \sqrt{d^2 - e^2 x^2}}{3d^4 x} + \frac{(3e^4) \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx}{8d^3} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{4dx^4} + \frac{e\sqrt{d^2 - e^2 x^2}}{3d^2 x^3} - \frac{3e^2 \sqrt{d^2 - e^2 x^2}}{8d^3 x^2} + \frac{2e^3 \sqrt{d^2 - e^2 x^2}}{3d^4 x} + \frac{(3e^4) \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx \right)}{16d^3} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{4dx^4} + \frac{e\sqrt{d^2 - e^2 x^2}}{3d^2 x^3} - \frac{3e^2 \sqrt{d^2 - e^2 x^2}}{8d^3 x^2} + \frac{2e^3 \sqrt{d^2 - e^2 x^2}}{3d^4 x} - \frac{(3e^2) \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx \right)}{8d^3} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{4dx^4} + \frac{e\sqrt{d^2 - e^2 x^2}}{3d^2 x^3} - \frac{3e^2 \sqrt{d^2 - e^2 x^2}}{8d^3 x^2} + \frac{2e^3 \sqrt{d^2 - e^2 x^2}}{3d^4 x} - \frac{3e^4 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{8d^4}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 95, normalized size = 0.66

$$\frac{-9e^4 x^4 \log(\sqrt{d^2 - e^2 x^2} + d) + \sqrt{d^2 - e^2 x^2} (-6d^3 + 8d^2 ex - 9de^2 x^2 + 16e^3 x^3) + 9e^4 x^4 \log(x)}{24d^4 x^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d^2 - e^2\*x^2]/(x^5\*(d + e\*x)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-6\*d^3 + 8\*d^2\*e\*x - 9\*d\*e^2\*x^2 + 16\*e^3\*x^3) + 9\*e^4\*x^4\*Log[x] - 9\*e^4\*x^4\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(24\*d^4\*x^4)

**IntegrateAlgebraic [A]** time = 0.41, size = 104, normalized size = 0.73

$$\frac{3e^4 \tanh^{-1} \left( \frac{\sqrt{-e^2 x}}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{4d^4} + \frac{\sqrt{d^2 - e^2 x^2} (-6d^3 + 8d^2 ex - 9de^2 x^2 + 16e^3 x^3)}{24d^4 x^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d^2 - e^2\*x^2]/(x^5\*(d + e\*x)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-6\*d^3 + 8\*d^2\*e\*x - 9\*d\*e^2\*x^2 + 16\*e^3\*x^3))/(24\*d^4\*x^4) + (3\*e^4\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/(4\*d^4)

**fricas** [A] time = 0.39, size = 86, normalized size = 0.60

$$\frac{9 e^4 x^4 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + (16 e^3 x^3 - 9 d e^2 x^2 + 8 d^2 e x - 6 d^3) \sqrt{-e^2 x^2 + d^2}}{24 d^4 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^5/(e\*x+d),x, algorithm="fricas")

[Out] 1/24\*(9\*e^4\*x^4\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (16\*e^3\*x^3 - 9\*d\*e^2\*x^2 + 8\*d^2\*e\*x - 6\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(d^4\*x^4)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^5/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/192 \* ((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*(-96\*exp(1)^6\*exp(2)^2+96\*exp(1)^4\*exp(2)^3-72\*exp(2)^5)+24\*exp(1)^4\*exp(2)^3\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2+3\*exp(2)^5+4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(2)^5/x/exp(2))/d^4/(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4/exp(1)^6+1/65536\*(-8192\*d^12\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^22\*exp(2)^7+8192/3\*d^12\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^20\*exp(2)^8-1024\*d^12\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^18\*exp(2)^9+8192\*d^12\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^20\*exp(2)^8-8192\*d^12\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^18\*exp(2)^9-12288\*d^12\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^20\*exp(2)^8/x/exp(2)+16384\*d^12\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^22\*exp(2)^7/x/exp(2)-16384\*d^12\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^24\*exp(2)^6/x/exp(2))/d^16/exp(1)^24/exp(2)^4+1/2\*(-4\*exp(1)^3\*exp(2)^2+4\*exp(1)^5\*exp(2))\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/d^4/sqrt(-exp(1)^4+exp(2)^2)/exp(1)+1/8\*(8\*exp(1)^6\*exp(2)^2-4\*exp(1)^4\*exp(2)^3+exp(2)^5-8\*exp(1)^8\*exp(2))\*ln(1/2\*ab

$s(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/\text{abs}(x)/\exp(2))/d^4/\exp(1)^5/\exp(1)$

**maple [B]** time = 0.01, size = 304, normalized size = 2.13

$$\frac{3e^4 \ln\left(\frac{2d^2+2\sqrt{d^2-x^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{8\sqrt{d^2}d^3} - \frac{e^5 \arctan\left(\frac{\sqrt{d^2-x^2}}{\sqrt{2\left(\frac{d}{e}\right)d - \left(\frac{d}{e}\right)^2}}\right)}{\sqrt{e^2}d^4} + \frac{e^5 \arctan\left(\frac{\sqrt{d^2-x^2}}{\sqrt{-e^2x^2+d^2}}\right)}{\sqrt{e^2}d^4} + \frac{\sqrt{-e^2x^2+d^2}e^5x}{d^6} + \frac{3\sqrt{-e^2x^2+d^2}e^4}{8d^6} - \frac{\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2}e^2e^4}{d^5} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^3}{d^5x} - \frac{5(-e^2x^2+d^2)^{\frac{3}{2}}e^2}{8d^5x^2} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e}{3d^4x^3} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}}{4d^3x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-e^2*x^2+d^2)^(1/2)/x^5/(e*x+d), x)`

[Out]  $-1/4/d^3/x^4*(-e^2*x^2+d^2)^{(3/2)}-5/8/d^5*e^2/x^2*(-e^2*x^2+d^2)^{(3/2)}+3/8/d^5*e^4*(-e^2*x^2+d^2)^{(1/2)}-3/8/d^3*e^4/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)+1/d^6*e^3/x*(-e^2*x^2+d^2)^{(3/2)}+1/d^6*e^5*x*(-e^2*x^2+d^2)^{(1/2)}+1/d^4*e^5/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)+1/3*e/d^4/x^3*(-e^2*x^2+d^2)^{(3/2)}-1/d^5*e^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}-1/d^4*e^5/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x)$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-e^2x^2 + d^2}}{(ex + d)x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(1/2)/x^5/(e*x+d), x, algorithm="maxima")`

[Out] `integrate(sqrt(-e^2*x^2 + d^2)/((e*x + d)*x^5), x)`

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{d^2 - e^2 x^2}}{x^5 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(1/2)/(x^5*(d + e*x)), x)`

[Out] `int((d^2 - e^2*x^2)^(1/2)/(x^5*(d + e*x)), x)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(-d + ex)(d + ex)}}{x^5 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-e**2*x**2+d**2)**(1/2)/x**5/(e*x+d), x)
```

```
[Out] Integral(sqrt(-(-d + e*x)*(d + e*x))/(x**5*(d + e*x)), x)
```

$$3.102 \quad \int \frac{x^2(d^2 - e^2x^2)^{3/2}}{d + ex} dx$$

**Optimal.** Leaf size=113

$$\frac{d(4d - 3ex)(d^2 - e^2x^2)^{3/2}}{12e^3} - \frac{(d^2 - e^2x^2)^{5/2}}{5e^3} + \frac{d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{8e^3} + \frac{d^3x\sqrt{d^2 - e^2x^2}}{8e^2}$$

**Rubi [A]** time = 0.13, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {1639, 12, 785, 780, 195, 217, 203}

$$\frac{d^3x\sqrt{d^2 - e^2x^2}}{8e^2} + \frac{d(4d - 3ex)(d^2 - e^2x^2)^{3/2}}{12e^3} - \frac{(d^2 - e^2x^2)^{5/2}}{5e^3} + \frac{d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{8e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d^2 - e^2\*x^2)^(3/2))/(d + e\*x), x]

[Out] (d^3\*x\*sqrt[d^2 - e^2\*x^2])/(8\*e^2) + (d\*(4\*d - 3\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(12\*e^3) - (d^2 - e^2\*x^2)^(5/2)/(5\*e^3) + (d^5\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(8\*e^3)

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217



```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 780

```
Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x
_Symbol] := Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 785

```
Int[(x_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :=
Dist[d^m*e^m, Int[(x*(a + c*x^2)^(m + p))/(a*e + c*d*x)^m, x], x] /; FreeQ[
{a, c, d, e, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0]
&& EqQ[m, -1] && !ILtQ[p - 1/2, 0]
```

### Rule 1639

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - 2*e*f*(m +
p + q)*(d + e*x)^(q - 2)*(a*e - c*d*x), x], x], x] /; NeQ[m + q + 2*p + 1,
0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0]
] && !IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (d^2 - e^2 x^2)^{3/2}}{d + ex} dx &= -\frac{(d^2 - e^2 x^2)^{5/2}}{5e^3} - \frac{\int \frac{5de^3 x (d^2 - e^2 x^2)^{3/2}}{d+ex} dx}{5e^4} \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{5e^3} - \frac{d \int \frac{x (d^2 - e^2 x^2)^{3/2}}{d+ex} dx}{e} \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{5e^3} - \frac{\int x (d^2 e - de^2 x) \sqrt{d^2 - e^2 x^2} dx}{e^2} \\
&= \frac{d(4d - 3ex) (d^2 - e^2 x^2)^{3/2}}{12e^3} - \frac{(d^2 - e^2 x^2)^{5/2}}{5e^3} + \frac{d^3 \int \sqrt{d^2 - e^2 x^2} dx}{4e^2} \\
&= \frac{d^3 x \sqrt{d^2 - e^2 x^2}}{8e^2} + \frac{d(4d - 3ex) (d^2 - e^2 x^2)^{3/2}}{12e^3} - \frac{(d^2 - e^2 x^2)^{5/2}}{5e^3} + \frac{d^5 \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx}{8e^2} \\
&= \frac{d^3 x \sqrt{d^2 - e^2 x^2}}{8e^2} + \frac{d(4d - 3ex) (d^2 - e^2 x^2)^{3/2}}{12e^3} - \frac{(d^2 - e^2 x^2)^{5/2}}{5e^3} + \frac{d^5 \text{Subst} \left( \int \frac{1}{1+e^2 x^2} dx, x \right)}{8e^2} \\
&= \frac{d^3 x \sqrt{d^2 - e^2 x^2}}{8e^2} + \frac{d(4d - 3ex) (d^2 - e^2 x^2)^{3/2}}{12e^3} - \frac{(d^2 - e^2 x^2)^{5/2}}{5e^3} + \frac{d^5 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)}{8e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 112, normalized size = 0.99

$$\frac{\sqrt{d^2 - e^2 x^2} \left( 15d^4 \sin^{-1} \left( \frac{ex}{d} \right) + \sqrt{1 - \frac{e^2 x^2}{d^2}} (16d^4 - 15d^3 ex + 8d^2 e^2 x^2 + 30de^3 x^3 - 24e^4 x^4) \right)}{120e^3 \sqrt{1 - \frac{e^2 x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d^2 - e^2\*x^2)^(3/2))/(d + e\*x), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(Sqrt[1 - (e^2\*x^2)/d^2]\*(16\*d^4 - 15\*d^3\*e\*x + 8\*d^2\*e^2\*x^2 + 30\*d\*e^3\*x^3 - 24\*e^4\*x^4) + 15\*d^4\*ArcSin[(e\*x)/d]))/(120\*e^3\*Sqrt[1 - (e^2\*x^2)/d^2])

**IntegrateAlgebraic [A]** time = 0.24, size = 114, normalized size = 1.01

$$\frac{d^5 \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right)}{8e^4} + \frac{\sqrt{d^2 - e^2 x^2} (16d^4 - 15d^3 ex + 8d^2 e^2 x^2 + 30de^3 x^3 - 24e^4 x^4)}{120e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d^2 - e^2\*x^2)^(3/2))/(d + e\*x),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(16\*d^4 - 15\*d^3\*e\*x + 8\*d^2\*e^2\*x^2 + 30\*d\*e^3\*x^3 - 24\*e^4\*x^4))/(120\*e^3) + (d^5\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(8\*e^4)

**fricas** [A] time = 0.39, size = 94, normalized size = 0.83

$$\frac{30 d^5 \arctan\left(-\frac{d-\sqrt{-e^2 x^2+d^2}}{e x}\right) + \left(24 e^4 x^4 - 30 d e^3 x^3 - 8 d^2 e^2 x^2 + 15 d^3 e x - 16 d^4\right) \sqrt{-e^2 x^2+d^2}}{120 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(3/2)/(e\*x+d),x, algorithm="fricas")

[Out] -1/120\*(30\*d^5\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (24\*e^4\*x^4 - 30\*d\*e^3\*x^3 - 8\*d^2\*e^2\*x^2 + 15\*d^3\*e\*x - 16\*d^4)\*sqrt(-e^2\*x^2 + d^2))/e^3

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(3/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/2\*(4\*d^5\*exp(2)^3-4\*d^5\*exp(1)^4\*exp(2))\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/sqrt(-exp(1)^4+exp(2)^2)/exp(1)^6/exp(1)+1/8\*d^5\*sign(d)\*asin(x\*exp(2)/d/exp(1))/exp(1)/exp(2)+2\*((( (-192\*exp(1)^7\*1/1920/exp(1)^6\*x+240\*exp(1)^6\*d\*1/1920/exp(1)^6)\*x+64\*exp(1)^5\*d^2\*1/1920/exp(1)^6)\*x-120\*exp(1)^4\*d^3\*1/1920/exp(1)^6)\*x+128\*exp(1)^3\*d^4\*1/1920/exp(1)^6)\*sqrt(d^2-x^2\*exp(2))

**maple** [B] time = 0.02, size = 222, normalized size = 1.96

$$\frac{d^5 \arctan\left(\frac{\sqrt{x}}{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2}}\right)}{2\sqrt{e^2} e^2} - \frac{3d^5 \arctan\left(\frac{\sqrt{x}}{\sqrt{-e^2 x^2+d^2}}\right)}{8\sqrt{e^2} e^2} - \frac{3\sqrt{-e^2 x^2+d^2} d^3 x}{8e^2} + \frac{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2} d^3 x}{2e^2} - \frac{(-e^2 x^2+d^2)^{\frac{3}{2}} dx}{4e^2} + \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} d^2}{3e^3} - \frac{(-e^2 x^2+d^2)^{\frac{5}{2}}}{5e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-e^2\*x^2+d^2)^(3/2)/(e\*x+d),x)

[Out] -1/5\*(-e^2\*x^2+d^2)^(5/2)/e^3-1/4\*(-e^2\*x^2+d^2)^(3/2)\*d/e^2\*x-3/8\*(-e^2\*x^2+d^2)^(1/2)\*d^3/e^2\*x-3/8/(e^2)^(1/2)\*d^5/e^2\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)+1/3\*d^2/e^3\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)+1/2\*d^3/e^2\*

$(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2})^{(1/2)}*x+1/2*d^5/e^2/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2})^{(1/2)}*x)$

**maxima [C]** time = 1.01, size = 174, normalized size = 1.54

$$\frac{id^5 \arcsin\left(\frac{ex}{d} + 2\right)}{2e^3} - \frac{3d^5 \arcsin\left(\frac{ex}{d}\right)}{8e^3} + \frac{\sqrt{e^2x^2 + 4dex + 3d^2} d^3x}{2e^2} - \frac{3\sqrt{-e^2x^2 + d^2} d^3x}{8e^2} + \frac{\sqrt{e^2x^2 + 4dex + 3d^2} d^4}{e^3} - \frac{(-e^2x^2 + d^2)^{3/2} dx}{4e^2} + \frac{(-e^2x^2 + d^2)^{3/2} d^2}{3e^3} - \frac{(-e^2x^2 + d^2)^{5/2}}{5e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(3/2)/(e\*x+d),x, algorithm="maxima")

[Out]  $-1/2*I*d^5*\arcsin(e*x/d + 2)/e^3 - 3/8*d^5*\arcsin(e*x/d)/e^3 + 1/2*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^3*x/e^2 - 3/8*\sqrt{-e^2*x^2 + d^2}*d^3*x/e^2 + \sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^4/e^3 - 1/4*(-e^2*x^2 + d^2)^{(3/2)}*d*x/e^2 + 1/3*(-e^2*x^2 + d^2)^{(3/2)}*d^2/e^3 - 1/5*(-e^2*x^2 + d^2)^{(5/2)}/e^3$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 (d^2 - e^2 x^2)^{3/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(d^2 - e^2\*x^2)^(3/2))/(d + e\*x),x)

[Out] int((x^2\*(d^2 - e^2\*x^2)^(3/2))/(d + e\*x), x)

**sympy [C]** time = 7.85, size = 279, normalized size = 2.47

$$d \left( \begin{array}{l} \left( \begin{array}{l} -\frac{id^4 \operatorname{acosh}\left(\frac{ex}{d}\right)}{8e^3} + \frac{id^3x}{8e^2\sqrt{-1+\frac{e^2x^2}{d^2}}} - \frac{3id^3}{8\sqrt{-1+\frac{e^2x^2}{d^2}}} + \frac{ie^2x^5}{4d\sqrt{-1+\frac{e^2x^2}{d^2}}} \\ \frac{d^4 \operatorname{asin}\left(\frac{ex}{d}\right)}{8e^3} - \frac{d^3x}{8e^2\sqrt{1-\frac{e^2x^2}{d^2}}} + \frac{3d^3}{8\sqrt{1-\frac{e^2x^2}{d^2}}} - \frac{e^2x^5}{4d\sqrt{1-\frac{e^2x^2}{d^2}}} \end{array} \right) \text{ for } \left| \frac{e^2x^2}{d^2} \right| > 1 \\ \text{otherwise} \end{array} \right) - e \left( \begin{array}{l} \left( \begin{array}{l} -\frac{2d^4\sqrt{d^2-e^2x^2}}{15e^4} - \frac{d^2x^2\sqrt{d^2-e^2x^2}}{15e^2} + \frac{x^4\sqrt{d^2-e^2x^2}}{5} \\ \frac{x^4\sqrt{d^2}}{4} \end{array} \right) \text{ for } e \neq 0 \\ \text{otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2)/(e\*x+d),x)

[Out]  $d*\text{Piecewise}((-I*d**4*\operatorname{acosh}(e*x/d)/(8*e**3) + I*d**3*x/(8*e**2*\sqrt{-1 + e**2*x**2/d**2})) - 3*I*d*x**3/(8*\sqrt{-1 + e**2*x**2/d**2})) + I*e**2*x**5/(4*d*\sqrt{-1 + e**2*x**2/d**2}), \operatorname{Abs}(e**2*x**2/d**2) > 1), (d**4*\operatorname{asin}(e*x/d)/(8*e**3) - d**3*x/(8*e**2*\sqrt{1 - e**2*x**2/d**2})) + 3*d*x**3/(8*\sqrt{1 - e**2*x**2/d**2}) - e**2*x**5/(4*d*\sqrt{1 - e**2*x**2/d**2}), \operatorname{True})) - e*\text{Piecewise}((-2*d**4*\sqrt{d**2 - e**2*x**2}/(15*e**4) - d**2*x**2*\sqrt{d**2 - e**2*x**2}/(15*e**2) + x**4*\sqrt{d**2 - e**2*x**2}/5, \operatorname{Ne}(e, 0)), (x**4*\sqrt{d**2}/4, \operatorname{True}))$

$$3.103 \quad \int \frac{x^4(d^2 - e^2x^2)^{5/2}}{d+ex} dx$$

**Optimal.** Leaf size=201

$$\frac{x^4(d^2 - e^2x^2)^{5/2}}{9e} - \frac{dx^3(d^2 - e^2x^2)^{5/2}}{8e^2} + \frac{4d^2x^2(d^2 - e^2x^2)^{5/2}}{63e^3} + \frac{3d^9 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e^5} + \frac{3d^7x\sqrt{d^2 - e^2x^2}}{128e^4} + \frac{d^5x(d^2 - e^2x^2)^{3/2}}{64e^4}$$

**Rubi [A]** time = 0.16, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {850, 833, 780, 195, 217, 203}

$$\frac{3d^7x\sqrt{d^2 - e^2x^2}}{128e^4} + \frac{d^5x(d^2 - e^2x^2)^{3/2}}{64e^4} + \frac{d^3(128d - 315ex)(d^2 - e^2x^2)^{5/2}}{5040e^5} + \frac{4d^2x^2(d^2 - e^2x^2)^{5/2}}{63e^3} - \frac{dx^3(d^2 - e^2x^2)^{5/2}}{8e^2} + \frac{x^4(d^2 - e^2x^2)^{5/2}}{9e} + \frac{3d^9 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e^5}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x]

[Out] (3\*d^7\*x\*Sqrt[d^2 - e^2\*x^2])/(128\*e^4) + (d^5\*x\*(d^2 - e^2\*x^2)^(3/2))/(64\*e^4) + (4\*d^2\*x^2\*(d^2 - e^2\*x^2)^(5/2))/(63\*e^3) - (d\*x^3\*(d^2 - e^2\*x^2)^(5/2))/(8\*e^2) + (x^4\*(d^2 - e^2\*x^2)^(5/2))/(9\*e) + (d^3\*(128\*d - 315\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(5040\*e^5) + (3\*d^9\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(128\*e^5)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 850

```
Int[(x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_)/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 (d^2 - e^2 x^2)^{5/2}}{d + ex} dx &= \int x^4 (d - ex) (d^2 - e^2 x^2)^{3/2} dx \\
&= \frac{x^4 (d^2 - e^2 x^2)^{5/2}}{9e} - \frac{\int x^3 (4d^2 e - 9de^2 x) (d^2 - e^2 x^2)^{3/2} dx}{9e^2} \\
&= -\frac{dx^3 (d^2 - e^2 x^2)^{5/2}}{8e^2} + \frac{x^4 (d^2 - e^2 x^2)^{5/2}}{9e} + \frac{\int x^2 (27d^3 e^2 - 32d^2 e^3 x) (d^2 - e^2 x^2)^{3/2} dx}{72e^4} \\
&= \frac{4d^2 x^2 (d^2 - e^2 x^2)^{5/2}}{63e^3} - \frac{dx^3 (d^2 - e^2 x^2)^{5/2}}{8e^2} + \frac{x^4 (d^2 - e^2 x^2)^{5/2}}{9e} - \frac{\int x (64d^4 e^3 - 189d^3 e^4 x) (d^2 - e^2 x^2)^{3/2} dx}{504e^5} \\
&= \frac{4d^2 x^2 (d^2 - e^2 x^2)^{5/2}}{63e^3} - \frac{dx^3 (d^2 - e^2 x^2)^{5/2}}{8e^2} + \frac{x^4 (d^2 - e^2 x^2)^{5/2}}{9e} + \frac{d^3 (128d - 315ex) (d^2 - e^2 x^2)^{3/2}}{5040e^5} \\
&= \frac{d^5 x (d^2 - e^2 x^2)^{3/2}}{64e^4} + \frac{4d^2 x^2 (d^2 - e^2 x^2)^{5/2}}{63e^3} - \frac{dx^3 (d^2 - e^2 x^2)^{5/2}}{8e^2} + \frac{x^4 (d^2 - e^2 x^2)^{5/2}}{9e} + \frac{d^3 (128d - 315ex) (d^2 - e^2 x^2)^{3/2}}{5040e^5} \\
&= \frac{3d^7 x \sqrt{d^2 - e^2 x^2}}{128e^4} + \frac{d^5 x (d^2 - e^2 x^2)^{3/2}}{64e^4} + \frac{4d^2 x^2 (d^2 - e^2 x^2)^{5/2}}{63e^3} - \frac{dx^3 (d^2 - e^2 x^2)^{5/2}}{8e^2} + \frac{d^3 (128d - 315ex) (d^2 - e^2 x^2)^{3/2}}{5040e^5} \\
&= \frac{3d^7 x \sqrt{d^2 - e^2 x^2}}{128e^4} + \frac{d^5 x (d^2 - e^2 x^2)^{3/2}}{64e^4} + \frac{4d^2 x^2 (d^2 - e^2 x^2)^{5/2}}{63e^3} - \frac{dx^3 (d^2 - e^2 x^2)^{5/2}}{8e^2} + \frac{d^3 (128d - 315ex) (d^2 - e^2 x^2)^{3/2}}{5040e^5} \\
&= \frac{3d^7 x \sqrt{d^2 - e^2 x^2}}{128e^4} + \frac{d^5 x (d^2 - e^2 x^2)^{3/2}}{64e^4} + \frac{4d^2 x^2 (d^2 - e^2 x^2)^{5/2}}{63e^3} - \frac{dx^3 (d^2 - e^2 x^2)^{5/2}}{8e^2} + \frac{d^3 (128d - 315ex) (d^2 - e^2 x^2)^{3/2}}{5040e^5}
\end{aligned}$$

**Mathematica [A]** time = 0.17, size = 135, normalized size = 0.67

$$\frac{945d^9 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) + \sqrt{d^2 - e^2 x^2} (1024d^8 - 945d^7 ex + 512d^6 e^2 x^2 - 630d^5 e^3 x^3 + 384d^4 e^4 x^4 + 7560d^3 e^5 x^5 - 6400d^2 e^6 x^6 - 5040d e^7 x^7 + 4480e^8 x^8)}{40320e^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(1024\*d^8 - 945\*d^7\*e\*x + 512\*d^6\*e^2\*x^2 - 630\*d^5\*e^3\*x^3 + 384\*d^4\*e^4\*x^4 + 7560\*d^3\*e^5\*x^5 - 6400\*d^2\*e^6\*x^6 - 5040\*d\*e^7\*x^7 + 4480\*e^8\*x^8) + 945\*d^9\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(40320\*e^5)

**IntegrateAlgebraic [A]** time = 0.38, size = 158, normalized size = 0.79

$$\frac{3d^9 \sqrt{-e^2} \log\left(\frac{\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x}{\sqrt{d^2 - e^2 x^2}}\right) + \sqrt{d^2 - e^2 x^2} (1024d^8 - 945d^7 ex + 512d^6 e^2 x^2 - 630d^5 e^3 x^3 + 384d^4 e^4 x^4 + 7560d^3 e^5 x^5 - 6400d^2 e^6 x^6 - 5040d e^7 x^7 + 4480e^8 x^8)}{128e^6} + \frac{\sqrt{d^2 - e^2 x^2} (1024d^8 - 945d^7 ex + 512d^6 e^2 x^2 - 630d^5 e^3 x^3 + 384d^4 e^4 x^4 + 7560d^3 e^5 x^5 - 6400d^2 e^6 x^6 - 5040d e^7 x^7 + 4480e^8 x^8)}{40320e^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(1024\*d^8 - 945\*d^7\*e\*x + 512\*d^6\*e^2\*x^2 - 630\*d^5\*e^3\*x^3 + 384\*d^4\*e^4\*x^4 + 7560\*d^3\*e^5\*x^5 - 6400\*d^2\*e^6\*x^6 - 5040\*d\*e^7\*x^7 + 4480\*e^8\*x^8))/(40320\*e^5) + (3\*d^9\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(128\*e^6)

**fricas** [A] time = 0.41, size = 139, normalized size = 0.69

$$\frac{1890 d^9 \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - (4480 e^8 x^8 - 5040 d e^7 x^7 - 6400 d^2 e^6 x^6 + 7560 d^3 e^5 x^5 + 384 d^4 e^4 x^4 - 630 d^5 e^3 x^3 + 512 d^6 e^2 x^2 - 945 d^7 e x + 1024 d^8) \sqrt{-e^2 x^2 + d^2}}{40320 e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d),x, algorithm="fricas")

[Out] -1/40320\*(1890\*d^9\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (4480\*e^8\*x^8 - 5040\*d\*e^7\*x^7 - 6400\*d^2\*e^6\*x^6 + 7560\*d^3\*e^5\*x^5 + 384\*d^4\*e^4\*x^4 - 630\*d^5\*e^3\*x^3 + 512\*d^6\*e^2\*x^2 - 945\*d^7\*e\*x + 1024\*d^8)\*sqrt(-e^2\*x^2 + d^2))/e^5

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/2\*(12\*d^9\*exp(1)^4\*exp(2)^2-8\*d^9\*exp(2)^4-4\*d^9\*exp(1)^6\*exp(2))\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/sqrt(-exp(1)^4+exp(2)^2)/exp(1)^10/exp(1)+3/128\*d^9\*sign(d)\*asin(x\*exp(2)/d/exp(1))/exp(1)^5+2\*(((322560\*exp(1)^17\*1/5806080/exp(1)^14\*x-362880\*exp(1)^16\*d\*1/5806080/exp(1)^14)\*x-460800\*exp(1)^15\*d^2\*1/5806080/exp(1)^14)\*x+544320\*exp(1)^14\*d^3\*1/5806080/exp(1)^14)\*x+27648\*exp(1)^13\*d^4\*1/5806080/exp(1)^14)\*x-45360\*exp(1)^12\*d^5\*1/5806080/exp(1)^14)\*x+36864\*exp(1)^11\*d^6\*1/5806080/exp(1)^14)\*x-68040\*exp(1)^10\*d^7\*1/5806080/exp(1)^14)\*x+73728\*exp(1)^9\*d^8\*1/5806080/exp(1)^14)\*sqrt(d^2-x^2\*exp(2))

**maple** [A] time = 0.02, size = 330, normalized size = 1.64

$$\frac{3d^9 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{d^2 + d e + e^2 x^2}}\right) - 45d^9 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{d^2 + d e + e^2 x^2}}\right) - 45\sqrt{-e^2 x^2 + d^2} d^9 x + 3\sqrt{2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2} d^9 x - 15(-e^2 x^2 + d^2)^{\frac{3}{2}} d^9 x + \left(2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} d^9 x - 3(-e^2 x^2 + d^2)^{\frac{3}{2}} d^9 x + \left(2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} d^9 x - (-e^2 x^2 + d^2)^{\frac{3}{2}} x^2 + (-e^2 x^2 + d^2)^{\frac{3}{2}} d x - 11(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2}{8\sqrt{d^2 - e^2 x^2} e^4 - 128\sqrt{d^2 - e^2 x^2} e^4 - 128e^4 + 8e^4 - 64e^4 + 4e^4 - 16e^4 + 5e^4 + 9e^4 + 8e^4 - 63e^4}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int(x^4\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d), x)

[Out]  $-1/9/e^3*x^2*(-e^2*x^2+d^2)^{(7/2)}-11/63*d^2/e^5*(-e^2*x^2+d^2)^{(7/2)}+1/8*d/e^4*x*(-e^2*x^2+d^2)^{(7/2)}-3/16*(-e^2*x^2+d^2)^{(5/2)}*d^3/e^4*x-15/64*(-e^2*x^2+d^2)^{(3/2)}*d^5/e^4*x-45/128*(-e^2*x^2+d^2)^{(1/2)}*d^7/e^4*x-45/128/(e^2)^{(1/2)}*d^9/e^4*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)+1/5*d^4/e^5*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(5/2)}+1/4*d^5/e^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}*x+3/8*d^7/e^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x+3/8*d^9/e^4/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x)$

**maxima** [C] time = 1.04, size = 246, normalized size = 1.22

$$\frac{3i d^9 \arcsin\left(\frac{e^2}{d}\right) + 45 d^9 \arcsin\left(\frac{e^2}{d}\right)}{8 e^5} - \frac{45 d^9 \arcsin\left(\frac{e^2}{d}\right)}{128 e^5} + \frac{3 \sqrt{e^2 x^2 + 4 d e x + 3 d^2} d^7 x}{8 e^4} - \frac{45 \sqrt{-e^2 x^2 + d^2} d^7 x}{128 e^4} + \frac{3 \sqrt{e^2 x^2 + 4 d e x + 3 d^2} d^5}{4 e^3} + \frac{(-e^2 x^2 + d^2)^{3/2} d^3 x}{64 e^4} - \frac{3(-e^2 x^2 + d^2)^{5/2} d^3 x}{16 e^4} - \frac{(-e^2 x^2 + d^2)^{7/2} x^2}{9 e^3} + \frac{(-e^2 x^2 + d^2)^{5/2} d^4}{5 e^5} + \frac{(-e^2 x^2 + d^2)^{3/2} d^4}{8 e^4} - \frac{11(-e^2 x^2 + d^2)^{7/2} d^2}{63 e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d), x, algorithm="maxima")

[Out]  $-3/8*I*d^9*\arcsin(e*x/d + 2)/e^5 - 45/128*d^9*\arcsin(e*x/d)/e^5 + 3/8*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^7*x/e^4 - 45/128*\sqrt{-e^2*x^2 + d^2}*d^7*x/e^4 + 3/4*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^8/e^5 + 1/64*(-e^2*x^2 + d^2)^{(3/2)}*d^5*x/e^4 - 3/16*(-e^2*x^2 + d^2)^{(5/2)}*d^3*x/e^4 - 1/9*(-e^2*x^2 + d^2)^{(7/2)}*x^2/e^3 + 1/5*(-e^2*x^2 + d^2)^{(5/2)}*d^4/e^5 + 1/8*(-e^2*x^2 + d^2)^{(7/2)}*d*x/e^4 - 11/63*(-e^2*x^2 + d^2)^{(7/2)}*d^2/e^5$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (d^2 - e^2 x^2)^{5/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x)

[Out] int((x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x)

**sympy** [C] time = 25.15, size = 830, normalized size = 4.13

$$d^9 \left( \left( \frac{d^9 \operatorname{arcsinh}\left(\frac{e^2}{d}\right)}{16 e^5} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} \right) \text{ for } \left| \frac{e^2}{d} \right| > 1 \right) + d^9 \left( \left( \frac{d^9 \operatorname{arcsinh}\left(\frac{e^2}{d}\right)}{16 e^5} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} \right) \text{ otherwise} \right) + d^9 \left( \left( \frac{d^9 \operatorname{arcsinh}\left(\frac{e^2}{d}\right)}{16 e^5} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} \right) \text{ for } \left| \frac{e^2}{d} \right| > 1 \right) + d^9 \left( \left( \frac{d^9 \operatorname{arcsinh}\left(\frac{e^2}{d}\right)}{16 e^5} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} + \frac{d^9}{16 e^5 \sqrt{-1 + \frac{e^2}{d}}} \right) \text{ otherwise} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d), x)

[Out]  $d**3*\text{Piecewise}((-I*d**6*\operatorname{acosh}(e*x/d)/(16*e**5) + I*d**5*x/(16*e**4*\sqrt{-1 + e**2*x**2/d**2})) - I*d**3*x**3/(48*e**2*\sqrt{-1 + e**2*x**2/d**2})) - 5*I*d*x**5/(24*\sqrt{-1 + e**2*x**2/d**2}) + I*e**2*x**7/(6*d*\sqrt{-1 + e**2*x**2/d**2})$

$2/d^{**2}), \text{Abs}(e^{**2}*x^{**2}/d^{**2}) > 1), (d^{**6}*\text{asin}(e*x/d)/(16*e^{**5}) - d^{**5}*x/(16*e^{**4}*\text{sqrt}(1 - e^{**2}*x^{**2}/d^{**2})) + d^{**3}*x^{**3}/(48*e^{**2}*\text{sqrt}(1 - e^{**2}*x^{**2}/d^{**2})) + 5*d*x^{**5}/(24*\text{sqrt}(1 - e^{**2}*x^{**2}/d^{**2})) - e^{**2}*x^{**7}/(6*d*\text{sqrt}(1 - e^{**2}*x^{**2}/d^{**2}))), \text{True})) - d^{**2}*e*\text{Piecewise}((-8*d^{**6}*\text{sqrt}(d^{**2} - e^{**2}*x^{**2})/(105*e^{**6}) - 4*d^{**4}*x^{**2}*\text{sqrt}(d^{**2} - e^{**2}*x^{**2})/(105*e^{**4}) - d^{**2}*x^{**4}*\text{sqrt}(d^{**2} - e^{**2}*x^{**2})/(35*e^{**2}) + x^{**6}*\text{sqrt}(d^{**2} - e^{**2}*x^{**2})/7, \text{Ne}(e, 0)), (x^{**6}*\text{sqrt}(d^{**2})/6, \text{True})) - d*e^{**2}*\text{Piecewise}((-5*I*d^{**8}*\text{acosh}(e*x/d)/(128*e^{**7}) + 5*I*d^{**7}*x/(128*e^{**6}*\text{sqrt}(-1 + e^{**2}*x^{**2}/d^{**2})) - 5*I*d^{**5}*x^{**3}/(384*e^{**4}*\text{sqrt}(-1 + e^{**2}*x^{**2}/d^{**2})) - I*d^{**3}*x^{**5}/(192*e^{**2}*\text{sqrt}(-1 + e^{**2}*x^{**2}/d^{**2})) - 7*I*d*x^{**7}/(48*\text{sqrt}(-1 + e^{**2}*x^{**2}/d^{**2})) + I*e^{**2}*x^{**9}/(8*d*\text{sqrt}(-1 + e^{**2}*x^{**2}/d^{**2})), \text{Abs}(e^{**2}*x^{**2}/d^{**2}) > 1), (5*d^{**8}*\text{asin}(e*x/d)/(128*e^{**7}) - 5*d^{**7}*x/(128*e^{**6}*\text{sqrt}(1 - e^{**2}*x^{**2}/d^{**2})) + 5*d^{**5}*x^{**3}/(384*e^{**4}*\text{sqrt}(1 - e^{**2}*x^{**2}/d^{**2})) + d^{**3}*x^{**5}/(192*e^{**2}*\text{sqrt}(1 - e^{**2}*x^{**2}/d^{**2})) + 7*d*x^{**7}/(48*\text{sqrt}(1 - e^{**2}*x^{**2}/d^{**2})) - e^{**2}*x^{**9}/(8*d*\text{sqrt}(1 - e^{**2}*x^{**2}/d^{**2}))), \text{True})) + e^{**3}*\text{Piecewise}((-16*d^{**8}*\text{sqrt}(d^{**2} - e^{**2}*x^{**2})/(315*e^{**8}) - 8*d^{**6}*x^{**2}*\text{sqrt}(d^{**2} - e^{**2}*x^{**2})/(315*e^{**6}) - 2*d^{**4}*x^{**4}*\text{sqrt}(d^{**2} - e^{**2}*x^{**2})/(105*e^{**4}) - d^{**2}*x^{**6}*\text{sqrt}(d^{**2} - e^{**2}*x^{**2})/(63*e^{**2}) + x^{**8}*\text{sqrt}(d^{**2} - e^{**2}*x^{**2})/9, \text{Ne}(e, 0)), (x^{**8}*\text{sqrt}(d^{**2})/8, \text{True}))$

$$3.104 \quad \int \frac{x^3(d^2 - e^2x^2)^{5/2}}{d+ex} dx$$

**Optimal.** Leaf size=172

$$\frac{dx^2(d^2 - e^2x^2)^{5/2}}{7e^2} + \frac{x^3(d^2 - e^2x^2)^{5/2}}{8e} - \frac{d^2(32d - 35ex)(d^2 - e^2x^2)^{5/2}}{560e^4} - \frac{3d^8 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e^4} - \frac{3d^6x\sqrt{d^2 - e^2x^2}}{128e^3}$$

**Rubi [A]** time = 0.12, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {850, 833, 780, 195, 217, 203}

$$\frac{3d^6x\sqrt{d^2 - e^2x^2}}{128e^3} - \frac{d^4x(d^2 - e^2x^2)^{3/2}}{64e^3} - \frac{d^2(32d - 35ex)(d^2 - e^2x^2)^{5/2}}{560e^4} - \frac{dx^2(d^2 - e^2x^2)^{5/2}}{7e^2} + \frac{x^3(d^2 - e^2x^2)^{5/2}}{8e} - \frac{3d^8 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x]

[Out] (-3\*d^6\*x\*sqrt[d^2 - e^2\*x^2])/(128\*e^3) - (d^4\*x\*(d^2 - e^2\*x^2)^(3/2))/(64\*e^3) - (d\*x^2\*(d^2 - e^2\*x^2)^(5/2))/(7\*e^2) + (x^3\*(d^2 - e^2\*x^2)^(5/2))/(8\*e) - (d^2\*(32\*d - 35\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(560\*e^4) - (3\*d^8\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(128\*e^4)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 850

```
Int[(x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_)/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{d + ex} dx &= \int x^3 (d - ex) (d^2 - e^2 x^2)^{3/2} dx \\
&= \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{8e} - \frac{\int x^2 (3d^2 e - 8de^2 x) (d^2 - e^2 x^2)^{3/2} dx}{8e^2} \\
&= -\frac{dx^2 (d^2 - e^2 x^2)^{5/2}}{7e^2} + \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{8e} + \frac{\int x (16d^3 e^2 - 21d^2 e^3 x) (d^2 - e^2 x^2)^{3/2} dx}{56e^4} \\
&= -\frac{dx^2 (d^2 - e^2 x^2)^{5/2}}{7e^2} + \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{8e} - \frac{d^2 (32d - 35ex) (d^2 - e^2 x^2)^{5/2}}{560e^4} - \frac{d^4 \int (d^2 - e^2 x^2)^{3/2} dx}{16e^4} \\
&= -\frac{d^4 x (d^2 - e^2 x^2)^{3/2}}{64e^3} - \frac{dx^2 (d^2 - e^2 x^2)^{5/2}}{7e^2} + \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{8e} - \frac{d^2 (32d - 35ex) (d^2 - e^2 x^2)^{5/2}}{560e^4} \\
&= -\frac{3d^6 x \sqrt{d^2 - e^2 x^2}}{128e^3} - \frac{d^4 x (d^2 - e^2 x^2)^{3/2}}{64e^3} - \frac{dx^2 (d^2 - e^2 x^2)^{5/2}}{7e^2} + \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{8e} - \frac{d^2 (32d - 35ex) (d^2 - e^2 x^2)^{5/2}}{560e^4} \\
&= -\frac{3d^6 x \sqrt{d^2 - e^2 x^2}}{128e^3} - \frac{d^4 x (d^2 - e^2 x^2)^{3/2}}{64e^3} - \frac{dx^2 (d^2 - e^2 x^2)^{5/2}}{7e^2} + \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{8e} - \frac{d^2 (32d - 35ex) (d^2 - e^2 x^2)^{5/2}}{560e^4} \\
&= -\frac{3d^6 x \sqrt{d^2 - e^2 x^2}}{128e^3} - \frac{d^4 x (d^2 - e^2 x^2)^{3/2}}{64e^3} - \frac{dx^2 (d^2 - e^2 x^2)^{5/2}}{7e^2} + \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{8e} - \frac{d^2 (32d - 35ex) (d^2 - e^2 x^2)^{5/2}}{560e^4}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 124, normalized size = 0.72

$$\frac{\sqrt{d^2 - e^2 x^2} (-256d^7 + 105d^6 ex - 128d^5 e^2 x^2 + 70d^4 e^3 x^3 + 1024d^3 e^4 x^4 - 840d^2 e^5 x^5 - 640de^6 x^6 + 560e^7 x^7) - 105d^8 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{4480e^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-256\*d^7 + 105\*d^6\*e\*x - 128\*d^5\*e^2\*x^2 + 70\*d^4\*e^3\*x^3 + 1024\*d^3\*e^4\*x^4 - 840\*d^2\*e^5\*x^5 - 640\*d\*e^6\*x^6 + 560\*e^7\*x^7) - 105\*d^8\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(4480\*e^4)

**IntegrateAlgebraic [A]** time = 0.39, size = 147, normalized size = 0.85

$$\frac{\sqrt{d^2 - e^2 x^2} (-256d^7 + 105d^6 ex - 128d^5 e^2 x^2 + 70d^4 e^3 x^3 + 1024d^3 e^4 x^4 - 840d^2 e^5 x^5 - 640de^6 x^6 + 560e^7 x^7)}{4480e^4} - \frac{3d^8 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{128e^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x]

[Out]  $(\sqrt{d^2 - e^2 x^2} * (-256 d^7 + 105 d^6 e x - 128 d^5 e^2 x^2 + 70 d^4 e^3 x^3 + 1024 d^3 e^4 x^4 - 840 d^2 e^5 x^5 - 640 d e^6 x^6 + 560 e^7 x^7)) / (4480 e^4) - (3 d^8 \sqrt{-e^2} * \text{Log}[-(\sqrt{-e^2} x) + \sqrt{d^2 - e^2 x^2}]) / (128 e^5)$

**fricas** [A] time = 0.40, size = 127, normalized size = 0.74

$$\frac{210 d^8 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) + (560 e^7 x^7 - 640 d e^6 x^6 - 840 d^2 e^5 x^5 + 1024 d^3 e^4 x^4 + 70 d^4 e^3 x^3 - 128 d^5 e^2 x^2 + 105 d^6 e x - 256 d^7) \sqrt{-e^2 x^2 + d^2}}{4480 e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d),x, algorithm="fricas")

[Out]  $1/4480 * (210 d^8 \arctan(-(d - \sqrt{-e^2 x^2 + d^2}) / (e x)) + (560 e^7 x^7 - 640 d e^6 x^6 - 840 d^2 e^5 x^5 + 1024 d^3 e^4 x^4 + 70 d^4 e^3 x^3 - 128 d^5 e^2 x^2 + 105 d^6 e x - 256 d^7) \sqrt{-e^2 x^2 + d^2}) / e^4$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $1/2 * (-12 d^8 \exp(1)^4 \exp(2)^2 + 8 d^8 \exp(2)^4 + 4 d^8 \exp(1)^6 \exp(2)) * \text{atan}((-1/2 * (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / (x + \exp(2))) / \sqrt{-\exp(1)^4 + \exp(2)^2}) / \sqrt{-\exp(1)^4 + \exp(2)^2} / \exp(1)^9 / \exp(1) - 3/128 d^8 \text{sign}(d) * \text{asin}(x \exp(2) / d \exp(1)) / \exp(1)^4 + 2 * ((((((40320 \exp(1)^{15} * 1/645120 / \exp(1)^{12} * x - 46080 \exp(1)^{14} * d * 1/645120 / \exp(1)^{12}) * x - 60480 \exp(1)^{13} * d^2 * 1/645120 / \exp(1)^{12}) * x + 73728 \exp(1)^{12} * d^3 * 1/645120 / \exp(1)^{12}) * x + 5040 \exp(1)^{11} * d^4 * 1/645120 / \exp(1)^{12}) * x - 9216 \exp(1)^{10} * d^5 * 1/645120 / \exp(1)^{12}) * x + 7560 \exp(1)^9 * d^6 * 1/645120 / \exp(1)^{12}) * x - 18432 \exp(1)^8 * d^7 * 1/645120 / \exp(1)^{12}) * \sqrt{d^2 - x^2 \exp(2)}$

**maple** [B] time = 0.01, size = 305, normalized size = 1.77

$$\frac{3 d^8 \arctan\left(\frac{\sqrt{d^2 - x^2}}{\sqrt{(d^2 + x^2) e - (x^2 + d^2) e^2}}\right)}{8 \sqrt{d^2} e^3} + \frac{45 d^8 \arctan\left(\frac{\sqrt{d^2 - x^2}}{\sqrt{-e^2 x^2 + d^2}}\right)}{128 \sqrt{d^2} e^3} + \frac{45 \sqrt{-e^2 x^2 + d^2} d^8 x}{128 e^3} - \frac{3 \sqrt{2 \left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2} d^8 x}{8 e^3} + \frac{15 (-e^2 x^2 + d^2)^3 d^8 x}{64 e^3} - \frac{\left(2 \left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} d^8 x}{4 e^3} + \frac{3 (-e^2 x^2 + d^2)^{\frac{5}{2}} d^8 x}{16 e^3} - \frac{\left(2 \left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{5}{2}} d^8}{5 e^4} - \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}} x}{8 e^3} + \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}} d}{7 e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d),x)

[Out]  $-1/8 / e^3 x * (-e^2 x^2 + d^2)^{7/2} + 3/16 * (-e^2 x^2 + d^2)^{5/2} * d^2 / e^3 x + 15/64 * (-e^2 x^2 + d^2)^{3/2} * d^4 / e^3 x + 45/128 * (-e^2 x^2 + d^2)^{1/2} * d^6 / e^3 x + 45/128 /$

$(e^2)^{1/2} * d^8 / e^3 * \arctan((e^2)^{1/2} / (-e^2 * x^2 + d^2)^{1/2} * x) + 1/7 * d / e^4 * (-e^2 * x^2 + d^2)^{7/2} - 1/5 * d^3 / e^4 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{5/2} - 1/4 * d^4 / e^3 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{3/2} * x - 3/8 * d^6 / e^3 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{1/2} * x - 3/8 * d^8 / e^3 / (e^2)^{1/2} * \arctan((e^2)^{1/2} / (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{1/2} * x)$

**maxima [C]** time = 1.03, size = 221, normalized size = 1.28

$$\frac{3id^8 \arcsin\left(\frac{ex}{d} + 2\right)}{8e^4} + \frac{45d^8 \arcsin\left(\frac{ex}{d}\right)}{128e^4} - \frac{3\sqrt{e^2x^2 + 4dex + 3d^2} d^6 x}{8e^3} + \frac{45\sqrt{-e^2x^2 + d^2} d^6 x}{128e^3} - \frac{3\sqrt{e^2x^2 + 4dex + 3d^2} d^7}{4e^4} - \frac{(-e^2x^2 + d^2)^{3/2} d^4 x}{64e^3} + \frac{3(-e^2x^2 + d^2)^{5/2} d^2 x}{16e^3} - \frac{(-e^2x^2 + d^2)^{3/2} d^3}{5e^4} - \frac{(-e^2x^2 + d^2)^{7/2} x}{8e^3} + \frac{(-e^2x^2 + d^2)^{7/2} d}{7e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d), x, algorithm="maxima")

[Out]  $3/8 * I * d^8 * \arcsin(ex/d + 2) / e^4 + 45/128 * d^8 * \arcsin(ex/d) / e^4 - 3/8 * \sqrt{e^2 * x^2 + 4 * d * e * x + 3 * d^2} * d^6 * x / e^3 + 45/128 * \sqrt{-e^2 * x^2 + d^2} * d^6 * x / e^3 - 3/4 * \sqrt{e^2 * x^2 + 4 * d * e * x + 3 * d^2} * d^7 / e^4 - 1/64 * (-e^2 * x^2 + d^2)^{3/2} * d^4 * x / e^3 + 3/16 * (-e^2 * x^2 + d^2)^{5/2} * d^2 * x / e^3 - 1/5 * (-e^2 * x^2 + d^2)^{5/2} * d^3 / e^4 - 1/8 * (-e^2 * x^2 + d^2)^{7/2} * x / e^3 + 1/7 * (-e^2 * x^2 + d^2)^{7/2} * d / e^4$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x)

[Out] int((x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x)

**sympy [A]** time = 23.01, size = 775, normalized size = 4.51

$$d^8 \left( \left( \frac{3d^4 \sqrt{d^2 - e^2 x^2}}{10e^4} - \frac{d^2 \sqrt{d^2 - e^2 x^2}}{10e^4} + \frac{d^2 \sqrt{d^2 - e^2 x^2}}{5e^4} \right) \text{ for } e \neq 0 \right) - d^8 e^4 \left( \left( \frac{d^8 \arcsin\left(\frac{ex}{d}\right)}{10e^4} + \frac{d^8}{10e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{d^8 x}{40e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{3d^8 x^3}{24e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{d^8 x^5}{8e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} \right) \text{ for } \left| \frac{ex}{d} \right| > 1 \right) - d^8 e^4 \left( \left( \frac{d^8 \arcsin\left(\frac{ex}{d}\right)}{10e^4} - \frac{d^8}{10e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{d^8 x}{40e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{3d^8 x^3}{24e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{d^8 x^5}{8e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} \right) \text{ for } e \neq 0 \right) + e^8 \left( \left( \frac{3d^8 \arcsin\left(\frac{ex}{d}\right)}{128e^4} + \frac{45d^8}{128e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{3d^8 x}{384e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{d^8 x^3}{192e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{3d^8 x^5}{48e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} \right) \text{ for } \left| \frac{ex}{d} \right| > 1 \right) + e^8 \left( \left( \frac{3d^8 \arcsin\left(\frac{ex}{d}\right)}{128e^4} - \frac{45d^8}{128e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{3d^8 x}{384e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{d^8 x^3}{192e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{3d^8 x^5}{48e^4 \sqrt{1 - \frac{e^2 x^2}{d^2}}} \right) \text{ otherwise} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d), x)

[Out]  $d^{**3} * \text{Piecewise}((-2 * d^{**4} * \sqrt{d^{**2} - e^{**2} * x^{**2}} / (15 * e^{**4}) - d^{**2} * x^{**2} * \sqrt{d^{**2} - e^{**2} * x^{**2}} / (15 * e^{**2}) + x^{**4} * \sqrt{d^{**2} - e^{**2} * x^{**2}} / 5, \text{Ne}(e, 0)), (x^{**4} * \sqrt{d^{**2}} / 4, \text{True})) - d^{**2} * e * \text{Piecewise}((-I * d^{**6} * \text{acosh}(ex/d) / (16 * e^{**5}) + I * d^{**5} * x / (16 * e^{**4} * \sqrt{-1 + e^{**2} * x^{**2} / d^{**2}})) - I * d^{**3} * x^{**3} / (48 * e^{**2} * \sqrt{-1 + e^{**2} * x^{**2} / d^{**2}})) - 5 * I * d * x^{**5} / (24 * \sqrt{-1 + e^{**2} * x^{**2} / d^{**2}})) + I * e^{**2} * x^{**7} / (6 * d * \sqrt{-1 + e^{**2} * x^{**2} / d^{**2}})), \text{Abs}(e^{**2} * x^{**2} / d^{**2}) > 1), (d^{**6} * \text{asin}(e$

```

*x/d)/(16*e**5) - d**5*x/(16*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**3/(48
*e**2*sqrt(1 - e**2*x**2/d**2)) + 5*d*x**5/(24*sqrt(1 - e**2*x**2/d**2)) -
e**2*x**7/(6*d*sqrt(1 - e**2*x**2/d**2)), True)) - d*e**2*Piecewise((-8*d**
6*sqrt(d**2 - e**2*x**2)/(105*e**6) - 4*d**4*x**2*sqrt(d**2 - e**2*x**2)/(1
05*e**4) - d**2*x**4*sqrt(d**2 - e**2*x**2)/(35*e**2) + x**6*sqrt(d**2 - e
**2*x**2)/7, Ne(e, 0)), (x**6*sqrt(d**2)/6, True)) + e**3*Piecewise((-5*I*d*
*8*acosh(e*x/d)/(128*e**7) + 5*I*d**7*x/(128*e**6*sqrt(-1 + e**2*x**2/d**2)
) - 5*I*d**5*x**3/(384*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**5/(192*
**2*sqrt(-1 + e**2*x**2/d**2)) - 7*I*d*x**7/(48*sqrt(-1 + e**2*x**2/d**2))
+ I*e**2*x**9/(8*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (5
*d**8*asin(e*x/d)/(128*e**7) - 5*d**7*x/(128*e**6*sqrt(1 - e**2*x**2/d**2))
+ 5*d**5*x**3/(384*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**5/(192*e**2*sq
rt(1 - e**2*x**2/d**2)) + 7*d*x**7/(48*sqrt(1 - e**2*x**2/d**2)) - e**2*x**
9/(8*d*sqrt(1 - e**2*x**2/d**2)), True))

```



$$3.105 \quad \int \frac{x^2(d^2 - e^2x^2)^{5/2}}{d + ex} dx$$

**Optimal.** Leaf size=140

$$\frac{d(6d - 5ex)(d^2 - e^2x^2)^{5/2}}{30e^3} - \frac{(d^2 - e^2x^2)^{7/2}}{7e^3} + \frac{d^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^3} + \frac{d^5x\sqrt{d^2 - e^2x^2}}{16e^2} + \frac{d^3x(d^2 - e^2x^2)^{3/2}}{24e^2}$$

**Rubi [A]** time = 0.15, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {1639, 12, 785, 780, 195, 217, 203}

$$\frac{d^5x\sqrt{d^2 - e^2x^2}}{16e^2} + \frac{d^3x(d^2 - e^2x^2)^{3/2}}{24e^2} + \frac{d(6d - 5ex)(d^2 - e^2x^2)^{5/2}}{30e^3} - \frac{(d^2 - e^2x^2)^{7/2}}{7e^3} + \frac{d^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x]

[Out] (d^5\*x\*sqrt[d^2 - e^2\*x^2])/(16\*e^2) + (d^3\*x\*(d^2 - e^2\*x^2)^(3/2))/(24\*e^2) + (d\*(6\*d - 5\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(30\*e^3) - (d^2 - e^2\*x^2)^(7/2)/(7\*e^3) + (d^7\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(16\*e^3)

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 780

```
Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 785

```
Int[(x_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :=
Dist[d^m*e^m, Int[(x*(a + c*x^2)^(m + p))/(a*e + c*d*x)^m, x], x] /; FreeQ[
{a, c, d, e, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0]
&& EqQ[m, -1] && !ILtQ[p - 1/2, 0]
```

### Rule 1639

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - 2*e*f*(m +
p + q)*(d + e*x)^(q - 2)*(a*e - c*d*x), x], x], x] /; NeQ[m + q + 2*p + 1,
0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0]
] && !IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (d^2 - e^2 x^2)^{5/2}}{d + ex} dx &= -\frac{(d^2 - e^2 x^2)^{7/2}}{7e^3} - \frac{\int \frac{7de^3 x (d^2 - e^2 x^2)^{5/2}}{d+ex} dx}{7e^4} \\
&= -\frac{(d^2 - e^2 x^2)^{7/2}}{7e^3} - \frac{d \int \frac{x (d^2 - e^2 x^2)^{5/2}}{d+ex} dx}{e} \\
&= -\frac{(d^2 - e^2 x^2)^{7/2}}{7e^3} - \frac{\int x (d^2 e - de^2 x) (d^2 - e^2 x^2)^{3/2} dx}{e^2} \\
&= \frac{d(6d - 5ex) (d^2 - e^2 x^2)^{5/2}}{30e^3} - \frac{(d^2 - e^2 x^2)^{7/2}}{7e^3} + \frac{d^3 \int (d^2 - e^2 x^2)^{3/2} dx}{6e^2} \\
&= \frac{d^3 x (d^2 - e^2 x^2)^{3/2}}{24e^2} + \frac{d(6d - 5ex) (d^2 - e^2 x^2)^{5/2}}{30e^3} - \frac{(d^2 - e^2 x^2)^{7/2}}{7e^3} + \frac{d^5 \int \sqrt{d^2 - e^2 x^2} dx}{8e^2} \\
&= \frac{d^5 x \sqrt{d^2 - e^2 x^2}}{16e^2} + \frac{d^3 x (d^2 - e^2 x^2)^{3/2}}{24e^2} + \frac{d(6d - 5ex) (d^2 - e^2 x^2)^{5/2}}{30e^3} - \frac{(d^2 - e^2 x^2)^{7/2}}{7e^3} + \dots \\
&= \frac{d^5 x \sqrt{d^2 - e^2 x^2}}{16e^2} + \frac{d^3 x (d^2 - e^2 x^2)^{3/2}}{24e^2} + \frac{d(6d - 5ex) (d^2 - e^2 x^2)^{5/2}}{30e^3} - \frac{(d^2 - e^2 x^2)^{7/2}}{7e^3} + \dots \\
&= \frac{d^5 x \sqrt{d^2 - e^2 x^2}}{16e^2} + \frac{d^3 x (d^2 - e^2 x^2)^{3/2}}{24e^2} + \frac{d(6d - 5ex) (d^2 - e^2 x^2)^{5/2}}{30e^3} - \frac{(d^2 - e^2 x^2)^{7/2}}{7e^3} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 113, normalized size = 0.81

$$\frac{105d^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) + \sqrt{d^2 - e^2 x^2} (96d^6 - 105d^5 ex + 48d^4 e^2 x^2 + 490d^3 e^3 x^3 - 384d^2 e^4 x^4 - 280de^5 x^5 + 240e^6 x^6)}{1680e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(96\*d^6 - 105\*d^5\*e\*x + 48\*d^4\*e^2\*x^2 + 490\*d^3\*e^3\*x^3 - 384\*d^2\*e^4\*x^4 - 280\*d\*e^5\*x^5 + 240\*e^6\*x^6) + 105\*d^7\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(1680\*e^3)

**IntegrateAlgebraic [A]** time = 0.39, size = 136, normalized size = 0.97

$$\frac{d^7 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{16e^4} + \frac{\sqrt{d^2 - e^2 x^2} (96d^6 - 105d^5 ex + 48d^4 e^2 x^2 + 490d^3 e^3 x^3 - 384d^2 e^4 x^4 - 280de^5 x^5 + 240e^6 x^6)}{1680e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(96\*d^6 - 105\*d^5\*e\*x + 48\*d^4\*e^2\*x^2 + 490\*d^3\*e^3\*x^3 - 384\*d^2\*e^4\*x^4 - 280\*d\*e^5\*x^5 + 240\*e^6\*x^6))/(1680\*e^3) + (d^7\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(16\*e^4)

**fricas** [A] time = 0.41, size = 117, normalized size = 0.84

$$\frac{210 d^7 \arctan\left(-\frac{d-\sqrt{-e^2 x^2+d^2}}{e x}\right) - (240 e^6 x^6 - 280 d e^5 x^5 - 384 d^2 e^4 x^4 + 490 d^3 e^3 x^3 + 48 d^4 e^2 x^2 - 105 d^5 e x + 96 d^6) \sqrt{-e^2 x^2+d^2}}{1680 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d),x, algorithm="fricas")

[Out] -1/1680\*(210\*d^7\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (240\*e^6\*x^6 - 280\*d\*e^5\*x^5 - 384\*d^2\*e^4\*x^4 + 490\*d^3\*e^3\*x^3 + 48\*d^4\*e^2\*x^2 - 105\*d^5\*e\*x + 96\*d^6)\*sqrt(-e^2\*x^2 + d^2))/e^3

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/2\*(12\*d^7\*exp(1)^4\*exp(2)^2-8\*d^7\*exp(2)^4-4\*d^7\*exp(1)^6\*exp(2))\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/sqrt(-exp(1)^4+exp(2)^2)/exp(1)^8/exp(1)+1/16\*d^7\*sign(d)\*asin(x\*exp(2)/d/exp(1))/exp(1)/exp(2)+2\*(((5760\*exp(1)^13\*1/80640/exp(1)^10\*x-6720\*exp(1)^12\*d\*1/80640/exp(1)^10)\*x-9216\*exp(1)^11\*d^2\*1/80640/exp(1)^10)\*x+11760\*exp(1)^10\*d^3\*1/80640/exp(1)^10)\*x+1152\*exp(1)^9\*d^4\*1/80640/exp(1)^10)\*x-2520\*exp(1)^8\*d^5\*1/80640/exp(1)^10)\*x+2304\*exp(1)^7\*d^6\*1/80640/exp(1)^10)\*sqrt(d^2-x^2\*exp(2))

**maple** [B] time = 0.01, size = 282, normalized size = 2.01

$$\frac{3d^7 \arctan\left(\frac{\sqrt{x}}{\sqrt{(1+\frac{d}{e})e-(1+\frac{d}{e})^2}}\right)}{8\sqrt{2}e^2} - \frac{5d^7 \arctan\left(\frac{\sqrt{x}}{\sqrt{-e^2x+d^2}}\right)}{16\sqrt{2}e^2} - \frac{5\sqrt{-e^2x^2+d^2}d^6x}{16e^2} + \frac{3\sqrt{2}\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2d^6x}{8e^2} - \frac{5(-e^2x^2+d^2)^{\frac{3}{2}}d^6x}{24e^2} + \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}d^6x}{4e^2} - \frac{(-e^2x^2+d^2)^{\frac{5}{2}}dx}{6e^2} + \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{5}{2}}d^2}{5e^3} - \frac{(-e^2x^2+d^2)^{\frac{7}{2}}}{7e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d),x)

[Out] -1/7\*(-e^2\*x^2+d^2)^(7/2)/e^3-1/6\*(-e^2\*x^2+d^2)^(5/2)\*d/e^2\*x-5/24\*(-e^2\*x^2+d^2)^(3/2)\*d^3/e^2\*x-5/16\*(-e^2\*x^2+d^2)^(1/2)\*d^5/e^2\*x-5/16/(e^2)^(1/2)

) \* d^7 / e^2 \* arctan((e^2)^(1/2) / (-e^2 \* x^2 + d^2)^(1/2) \* x) + 1/5 \* d^2 / e^3 \* (2 \* (x + d/e) \* d \* e - (x + d/e)^2 \* e^2)^(5/2) + 1/4 \* d^3 / e^2 \* (2 \* (x + d/e) \* d \* e - (x + d/e)^2 \* e^2)^(3/2) \* x + 3/8 \* d^5 / e^2 \* (2 \* (x + d/e) \* d \* e - (x + d/e)^2 \* e^2)^(1/2) \* x + 3/8 \* d^7 / e^2 / (e^2)^(1/2) \* arctan((e^2)^(1/2) / (2 \* (x + d/e) \* d \* e - (x + d/e)^2 \* e^2)^(1/2) \* x)

**maxima [C]** time = 1.04, size = 198, normalized size = 1.41

$$-\frac{3i d^7 \arcsin\left(\frac{ex}{d} + 2\right)}{8e^3} - \frac{5d^7 \arcsin\left(\frac{ex}{d}\right)}{16e^3} + \frac{3\sqrt{e^2x^2 + 4dex + 3d^2} d^5 x}{8e^2} - \frac{5\sqrt{-e^2x^2 + d^2} d^5 x}{16e^2} + \frac{3\sqrt{e^2x^2 + 4dex + 3d^2} d^6}{4e^3} + \frac{(-e^2x^2 + d^2)^{\frac{3}{2}} d^3 x}{24e^2} - \frac{(-e^2x^2 + d^2)^{\frac{5}{2}} dx}{6e^2} + \frac{(-e^2x^2 + d^2)^{\frac{5}{2}} d^2}{5e^3} - \frac{(-e^2x^2 + d^2)^{\frac{7}{2}}}{7e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d), x, algorithm="maxima")

[Out] -3/8\*I\*d^7\*arcsin(e\*x/d + 2)/e^3 - 5/16\*d^7\*arcsin(e\*x/d)/e^3 + 3/8\*sqrt(e^2\*x^2 + 4\*d\*e\*x + 3\*d^2)\*d^5\*x/e^2 - 5/16\*sqrt(-e^2\*x^2 + d^2)\*d^5\*x/e^2 + 3/4\*sqrt(e^2\*x^2 + 4\*d\*e\*x + 3\*d^2)\*d^6/e^3 + 1/24\*(-e^2\*x^2 + d^2)^(3/2)\*d^3\*x/e^2 - 1/6\*(-e^2\*x^2 + d^2)^(5/2)\*d\*x/e^2 + 1/5\*(-e^2\*x^2 + d^2)^(5/2)\*d^2/e^3 - 1/7\*(-e^2\*x^2 + d^2)^(7/2)/e^3

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 (d^2 - e^2 x^2)^{5/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x)

[Out] int((x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x)

**sympy [C]** time = 16.66, size = 653, normalized size = 4.66

$$d^3 \left( \begin{cases} -\frac{d^6 \operatorname{arcsinh}\left(\frac{x}{d}\right)}{e^3} + \frac{d^6 x}{16e^3 \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{3d^6 x}{8\sqrt{-1 + \frac{x^2}{d^2}}} + \frac{d^6 x^3}{4\sqrt{-1 + \frac{x^2}{d^2}}} & \text{for } \left|\frac{x^2}{d^2}\right| > 1 \\ \frac{d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{8e^3} - \frac{d^6 x}{8e^3 \sqrt{1 - \frac{x^2}{d^2}}} + \frac{3d^6 x}{8\sqrt{1 - \frac{x^2}{d^2}}} - \frac{d^6 x^3}{4\sqrt{1 - \frac{x^2}{d^2}}} & \text{otherwise} \end{cases} \right) - d^2 e^2 \left( \begin{cases} \frac{2d^4 \sqrt{d^2 - e^2 x^2}}{15e^4} - \frac{d^4 x^2 \sqrt{d^2 - e^2 x^2}}{15e^4} + \frac{d^4 \sqrt{d^2 - e^2 x^2}}{5} & \text{for } e \neq 0 \\ \frac{d^4 \sqrt{d^2 - e^2 x^2}}{4} & \text{otherwise} \end{cases} \right) - d^2 e^2 \left( \begin{cases} -\frac{d^6 \operatorname{arcsinh}\left(\frac{x}{d}\right)}{16e^3} + \frac{d^6 x}{16e^3 \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{d^6 x^3}{48\sqrt{-1 + \frac{x^2}{d^2}}} - \frac{3d^6 x^3}{24\sqrt{-1 + \frac{x^2}{d^2}}} + \frac{d^6 x^5}{64\sqrt{-1 + \frac{x^2}{d^2}}} & \text{for } \left|\frac{x^2}{d^2}\right| > 1 \\ \frac{d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{16e^3} - \frac{d^6 x}{16e^3 \sqrt{1 - \frac{x^2}{d^2}}} + \frac{d^6 x^3}{48\sqrt{1 - \frac{x^2}{d^2}}} + \frac{3d^6 x^3}{24\sqrt{1 - \frac{x^2}{d^2}}} - \frac{d^6 x^5}{64\sqrt{1 - \frac{x^2}{d^2}}} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} \frac{d^4 \sqrt{d^2 - e^2 x^2}}{165e^4} - \frac{d^4 x^2 \sqrt{d^2 - e^2 x^2}}{165e^4} - \frac{d^4 \sqrt{d^2 - e^2 x^2}}{165e^4} + \frac{d^4 \sqrt{d^2 - e^2 x^2}}{7} & \text{for } e \neq 0 \\ \frac{d^4 \sqrt{d^2 - e^2 x^2}}{6} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d), x)

[Out] d\*\*3\*Piecewise((-I\*d\*\*4\*acosh(e\*x/d)/(8\*e\*\*3) + I\*d\*\*3\*x/(8\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 3\*I\*d\*x\*\*3/(8\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*5/(4\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*4\*asin(e\*x/d)/(8\*e\*\*3) - d\*\*3\*x/(8\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 3\*d\*x\*\*3/(8\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*5/(4\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) - d\*\*2 \* e\*\*2 \* Piecewise((-2\*d\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(15\*e\*\*4) - d\*\*2\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(15\*e\*\*2) + x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/5, Ne(e, 0)), (x\*\*4\*

```

sqrt(d**2)/4, True)) - d*e**2*Piecewise((-I*d**6*acosh(e*x/d)/(16*e**5) + I
*d**5*x/(16*e**4*sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**3/(48*e**2*sqrt(-1
+ e**2*x**2/d**2)) - 5*I*d*x**5/(24*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**
7/(6*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**6*asin(e*x
/d)/(16*e**5) - d**5*x/(16*e**4*sqrt(1 - e**2*x**2/d**2)) + d**3*x**3/(48*e
**2*sqrt(1 - e**2*x**2/d**2)) + 5*d*x**5/(24*sqrt(1 - e**2*x**2/d**2)) - e
*2*x**7/(6*d*sqrt(1 - e**2*x**2/d**2)), True)) + e**3*Piecewise((-8*d**6*sq
rt(d**2 - e**2*x**2)/(105*e**6) - 4*d**4*x**2*sqrt(d**2 - e**2*x**2)/(105*e
**4) - d**2*x**4*sqrt(d**2 - e**2*x**2)/(35*e**2) + x**6*sqrt(d**2 - e**2*x
**2)/7, Ne(e, 0)), (x**6*sqrt(d**2)/6, True))

```

$$3.106 \quad \int \frac{x(d^2 - e^2 x^2)^{5/2}}{d + ex} dx$$

**Optimal.** Leaf size=116

$$-\frac{d^2 x (d^2 - e^2 x^2)^{3/2}}{24e} - \frac{(6d - 5ex)(d^2 - e^2 x^2)^{5/2}}{30e^2} - \frac{d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{16e^2} - \frac{d^4 x \sqrt{d^2 - e^2 x^2}}{16e}$$

**Rubi [A]** time = 0.06, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {785, 780, 195, 217, 203}

$$-\frac{d^4 x \sqrt{d^2 - e^2 x^2}}{16e} - \frac{d^2 x (d^2 - e^2 x^2)^{3/2}}{24e} - \frac{(6d - 5ex)(d^2 - e^2 x^2)^{5/2}}{30e^2} - \frac{d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{16e^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x]

[Out] -(d^4\*x\*Sqrt[d^2 - e^2\*x^2])/(16\*e) - (d^2\*x\*(d^2 - e^2\*x^2)^(3/2))/(24\*e) - ((6\*d - 5\*e\*x)\*(d^2 - e^2\*x^2)^(5/2))/(30\*e^2) - (d^6\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(16\*e^2)

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 785

```
Int[(x_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=
Dist[d^m*e^m, Int[(x*(a + c*x^2)^(m + p))/(a*e + c*d*x)^m, x], x] /; FreeQ[
{a, c, d, e, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0]
&& EqQ[m, -1] && !ILtQ[p - 1/2, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x(d^2 - e^2x^2)^{5/2}}{d + ex} dx &= \frac{\int x(d^2e - de^2x)(d^2 - e^2x^2)^{3/2} dx}{de} \\
&= -\frac{(6d - 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} - \frac{d^2 \int (d^2 - e^2x^2)^{3/2} dx}{6e} \\
&= -\frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d - 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} - \frac{d^4 \int \sqrt{d^2 - e^2x^2} dx}{8e} \\
&= -\frac{d^4x\sqrt{d^2 - e^2x^2}}{16e} - \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d - 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} - \frac{d^6 \int \frac{1}{\sqrt{d^2 - e^2x^2}} dx}{16e} \\
&= -\frac{d^4x\sqrt{d^2 - e^2x^2}}{16e} - \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d - 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} - \frac{d^6 \operatorname{Subst}\left(\int \frac{1}{1+e^2x^2} dx\right)}{16e} \\
&= -\frac{d^4x\sqrt{d^2 - e^2x^2}}{16e} - \frac{d^2x(d^2 - e^2x^2)^{3/2}}{24e} - \frac{(6d - 5ex)(d^2 - e^2x^2)^{5/2}}{30e^2} - \frac{d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^2}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 102, normalized size = 0.88

$$\frac{\sqrt{d^2 - e^2x^2} (-48d^5 + 15d^4ex + 96d^3e^2x^2 - 70d^2e^3x^3 - 48de^4x^4 + 40e^5x^5) - 15d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{240e^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*(d^2 - e^2*x^2)^(5/2))/(d + e*x), x]
```



[Out]  $(\sqrt{d^2 - e^2 x^2} * (-48 d^5 + 15 d^4 e x + 96 d^3 e^2 x^2 - 70 d^2 e^3 x^3 - 48 d e^4 x^4 + 40 e^5 x^5) - 15 d^6 \operatorname{ArcTan}[(e x) / \sqrt{d^2 - e^2 x^2}]) / (240 e^2)$

**IntegrateAlgebraic [A]** time = 0.38, size = 125, normalized size = 1.08

$$\frac{\sqrt{d^2 - e^2 x^2} (-48 d^5 + 15 d^4 e x + 96 d^3 e^2 x^2 - 70 d^2 e^3 x^3 - 48 d e^4 x^4 + 40 e^5 x^5)}{240 e^2} - \frac{d^6 \sqrt{-e^2} \log(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x)}{16 e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x),x]

[Out]  $(\sqrt{d^2 - e^2 x^2} * (-48 d^5 + 15 d^4 e x + 96 d^3 e^2 x^2 - 70 d^2 e^3 x^3 - 48 d e^4 x^4 + 40 e^5 x^5)) / (240 e^2) - (d^6 * \sqrt{-e^2} * \operatorname{Log}[-(\sqrt{-e^2} * x) + \sqrt{d^2 - e^2 x^2}]) / (16 e^3)$

**fricas [A]** time = 0.40, size = 105, normalized size = 0.91

$$\frac{30 d^6 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) + (40 e^5 x^5 - 48 d e^4 x^4 - 70 d^2 e^3 x^3 + 96 d^3 e^2 x^2 + 15 d^4 e x - 48 d^5) \sqrt{-e^2 x^2 + d^2}}{240 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d),x, algorithm="fricas")

[Out]  $1/240 * (30 d^6 \arctan(-(d - \sqrt{-e^2 x^2 + d^2}) / (e x)) + (40 e^5 x^5 - 48 d e^4 x^4 - 70 d^2 e^3 x^3 + 96 d^3 e^2 x^2 + 15 d^4 e x - 48 d^5) \sqrt{-e^2 x^2 + d^2}) / e^2$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $1/2 * (-12 d^6 \exp(1)^4 \exp(2)^2 + 8 d^6 \exp(2)^4 + 4 d^6 \exp(1)^6 \exp(2)) * \operatorname{atan}((-1/2 * (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / (x + \exp(2))) / \sqrt{-\exp(1)^4 + \exp(2)^2} / \sqrt{-\exp(1)^4 + \exp(2)^2} / \exp(1)^7 / \exp(1) - 1/16 d^6 \operatorname{sign}(d) * \operatorname{asin}(x \exp(2) / d / \exp(1)) / \exp(1)^2 + 2 * (((((960 \exp(1)^{11} / 11520 / \exp(1)^8 * x - 1152 \exp(1)^{10} * d * 1 / 11520 / \exp(1)^8) * x - 1680 \exp(1)^9 * d^2 * 1 / 11520 / \exp(1)^8) * x + 2304 \exp(1)^8 * d^3 * 1 / 11520 / \exp(1)^8) * x + 360 \exp(1)^7 * d^4 * 1 / 11520 / \exp(1)^8) * x - 1152 \exp(1)^6 * d^5 * 1 / 11520 / \exp(1)^8) * \sqrt{d^2 - x^2 \exp(2)}$

**maple [B]** time = 0.01, size = 260, normalized size = 2.24

$$\frac{3d^6 \arctan\left(\frac{\sqrt{d^2 x}}{\sqrt{2\left(x+\frac{d}{e}\right)e-\left(x+\frac{d}{e}\right)^2}}\right)}{8\sqrt{d^2} e} + \frac{5d^6 \arctan\left(\frac{\sqrt{d^2 x}}{\sqrt{-d^2 x^2+d^2}}\right)}{16\sqrt{d^2} e} + \frac{5\sqrt{-e^2 x^2+d^2} d^4 x}{16e} - \frac{3\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2} e^2 d^4 x}{8e} + \frac{5(-e^2 x^2+d^2)^{\frac{3}{2}} d^2 x}{24e} - \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2\right)^{\frac{3}{2}} d^2 x}{4e} + \frac{(-e^2 x^2+d^2)^{\frac{5}{2}} x}{6e} - \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2\right)^{\frac{5}{2}} d}{5e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d), x)

[Out]  $\frac{1}{6}(-e^2 x^2 + d^2)^{5/2} / e x + \frac{5}{24}(-e^2 x^2 + d^2)^{3/2} d^2 / e x + \frac{5}{16}(-e^2 x^2 + d^2)^{1/2} d^4 / e x + \frac{5}{16} / (e^2)^{1/2} d^6 / e \arctan\left(\frac{(e^2)^{1/2}}{(-e^2 x^2 + d^2)^{1/2}} x\right) - \frac{1}{5} d / e^2 (2(x+d/e) d e - (x+d/e)^2 e^2)^{5/2} - \frac{1}{4} d^2 / e (2(x+d/e) d e - (x+d/e)^2 e^2)^{3/2} x - \frac{3}{8} d^4 / e (2(x+d/e) d e - (x+d/e)^2 e^2)^{1/2} x - \frac{3}{8} d^6 / e / (e^2)^{1/2} \arctan\left(\frac{(e^2)^{1/2}}{2(x+d/e) d e - (x+d/e)^2 e^2}\right) x$

**maxima [C]** time = 1.02, size = 176, normalized size = 1.52

$$\frac{3i d^6 \arcsin\left(\frac{ex}{d} + 2\right)}{8e^2} + \frac{5d^6 \arcsin\left(\frac{ex}{d}\right)}{16e^2} - \frac{3\sqrt{e^2 x^2 + 4dex + 3d^2} d^4 x}{8e} + \frac{5\sqrt{-e^2 x^2 + d^2} d^4 x}{16e} - \frac{3\sqrt{e^2 x^2 + 4dex + 3d^2} d^5}{4e^2} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2 x}{24e} + \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} x}{6e} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d}{5e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d), x, algorithm="maxima")

[Out]  $\frac{3}{8} I d^6 \arcsin(ex/d + 2) / e^2 + \frac{5}{16} d^6 \arcsin(ex/d) / e^2 - \frac{3}{8} \sqrt{e^2 x^2 + 4d e x + 3d^2} d^4 x / e + \frac{5}{16} \sqrt{-e^2 x^2 + d^2} d^4 x / e - \frac{3}{4} \sqrt{e^2 x^2 + 4d e x + 3d^2} d^5 / e^2 - \frac{1}{24} (-e^2 x^2 + d^2)^{3/2} d^2 x / e + \frac{1}{6} (-e^2 x^2 + d^2)^{5/2} x / e - \frac{1}{5} (-e^2 x^2 + d^2)^{5/2} d / e^2$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x(d^2 - e^2 x^2)^{5/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x)

[Out] int((x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x), x)

**sympy [A]** time = 16.12, size = 580, normalized size = 5.00

$$d^6 \left( \begin{cases} \frac{x^2 \sqrt{d^2}}{2} & \text{for } e^2 = 0 \\ \frac{(\beta^2 - x^2)^{3/2}}{3e^2} & \text{otherwise} \end{cases} - d^2 e \left( \begin{cases} \frac{i^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{8e^3} + \frac{i^6 x}{8e^2 \sqrt{-1 + \frac{d^2}{e^2}}} - \frac{3id^3}{8\sqrt{-1 + \frac{d^2}{e^2}}} + \frac{e^2 x^3}{4d\sqrt{-1 + \frac{d^2}{e^2}}} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{8e^3} - \frac{\beta x}{8e^2 \sqrt{1 - \frac{d^2}{e^2}}} + \frac{3d^3}{8\sqrt{1 - \frac{d^2}{e^2}}} - \frac{e^2 x^3}{4d\sqrt{1 - \frac{d^2}{e^2}}} & \text{otherwise} \end{cases} \right) - d^2 e \left( \begin{cases} \frac{2d^4 \sqrt{d^2 - x^2}}{15e^4} - \frac{\beta^2 x^2 \sqrt{d^2 - x^2}}{15e^2} + \frac{x^4 \sqrt{d^2 - x^2}}{5} & \text{for } e \neq 0 \\ \frac{x^4 \sqrt{d^2}}{4} & \text{otherwise} \end{cases} \right) + e^3 \left( \begin{cases} \frac{i^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{16e^5} + \frac{i^6 x}{16e^4 \sqrt{-1 + \frac{d^2}{e^2}}} - \frac{i^6 \beta^3}{48e^2 \sqrt{-1 + \frac{d^2}{e^2}}} - \frac{5id^3}{24\sqrt{-1 + \frac{d^2}{e^2}}} + \frac{i^2 x^3}{6d\sqrt{-1 + \frac{d^2}{e^2}}} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{16e^5} - \frac{\beta x}{16e^4 \sqrt{1 - \frac{d^2}{e^2}}} + \frac{\beta^3}{48e^2 \sqrt{1 - \frac{d^2}{e^2}}} + \frac{5d^3}{24\sqrt{1 - \frac{d^2}{e^2}}} - \frac{e^2 x^3}{6d\sqrt{1 - \frac{d^2}{e^2}}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d),x)

[Out]  $d^{3/2} \text{Piecewise}\left(\left(\frac{x^2 \sqrt{d^2}}{2}, \text{Eq}(e^2, 0)\right), \left(-\frac{(d^2 - e^2 x^2)^{3/2}}{(3e^2)}, \text{True}\right) - d^2 e \text{Piecewise}\left(\left(-\frac{I d^4 \text{acosh}(e x/d)}{(8e^3)} + \frac{I d^3 x}{(8e^2 \sqrt{-1 + e^2 x^2/d^2})} - \frac{3 I d x^3}{(8 \sqrt{-1 + e^2 x^2/d^2})} + \frac{I e^2 x^5}{(4 d \sqrt{-1 + e^2 x^2/d^2})}, \text{Abs}(e^2 x^2/d^2) > 1\right), \left(\frac{d^4 \text{asin}(e x/d)}{(8e^3)} - \frac{d^3 x}{(8e^2 \sqrt{1 - e^2 x^2/d^2})} + \frac{3 d x^3}{(8 \sqrt{1 - e^2 x^2/d^2})} - \frac{e^2 x^5}{(4 d \sqrt{1 - e^2 x^2/d^2})}, \text{True}\right) - d e^2 \text{Piecewise}\left(\left(-\frac{2 d^4 \sqrt{d^2 - e^2 x^2}}{(15e^4)} - \frac{d^2 x^2 \sqrt{d^2 - e^2 x^2}}{(15e^2)} + \frac{x^4 \sqrt{d^2 - e^2 x^2}}{5}, \text{Ne}(e, 0)\right), \left(\frac{x^4 \sqrt{d^2}}{4}, \text{True}\right) + e^3 \text{Piecewise}\left(\left(-\frac{I d^6 \text{acosh}(e x/d)}{(16e^5)} + \frac{I d^5 x}{(16e^4 \sqrt{-1 + e^2 x^2/d^2})} - \frac{I d^3 x^3}{(48e^2 \sqrt{-1 + e^2 x^2/d^2})} - \frac{5 I d x^5}{(24 \sqrt{-1 + e^2 x^2/d^2})} + \frac{I e^2 x^7}{(6 d \sqrt{-1 + e^2 x^2/d^2})}, \text{Abs}(e^2 x^2/d^2) > 1\right), \left(\frac{d^6 \text{asin}(e x/d)}{(16e^5)} - \frac{d^5 x}{(16e^4 \sqrt{1 - e^2 x^2/d^2})} + \frac{d^3 x^3}{(48e^2 \sqrt{1 - e^2 x^2/d^2})} + \frac{5 d x^5}{(24 \sqrt{1 - e^2 x^2/d^2})} - \frac{e^2 x^7}{(6 d \sqrt{1 - e^2 x^2/d^2})}, \text{True}\right)$

$$3.107 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{d + ex} dx$$

**Optimal.** Leaf size=100

$$\frac{1}{4} dx (d^2 - e^2 x^2)^{3/2} + \frac{(d^2 - e^2 x^2)^{5/2}}{5e} + \frac{3d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{8e} + \frac{3}{8} d^3 x \sqrt{d^2 - e^2 x^2}$$

**Rubi [A]** time = 0.03, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {665, 195, 217, 203}

$$\frac{3}{8} d^3 x \sqrt{d^2 - e^2 x^2} + \frac{1}{4} dx (d^2 - e^2 x^2)^{3/2} + \frac{(d^2 - e^2 x^2)^{5/2}}{5e} + \frac{3d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{8e}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(d + e\*x),x]

[Out] (3\*d^3\*x\*Sqrt[d^2 - e^2\*x^2])/8 + (d\*x\*(d^2 - e^2\*x^2)^(3/2))/4 + (d^2 - e^2\*x^2)^(5/2)/(5\*e) + (3\*d^5\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(8\*e)

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 665

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + c\*x^2)^p)/(e\*(m + 2\*p + 1)), x] - Dist[(2\*c\*d\*p)/(e

$\int (d^2 - e^2 x^2)^{5/2} / (d + e x) dx$ ; FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 + a\*e^2, 0] && GtQ[p, 0] && (LeQ[-2, m, 0] || EqQ[m + p + 1, 0]) && NeQ[m + 2\*p + 1, 0] && IntegerQ[2\*p]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d^2 - e^2 x^2)^{5/2}}{d + e x} dx &= \frac{(d^2 - e^2 x^2)^{5/2}}{5e} + d \int (d^2 - e^2 x^2)^{3/2} dx \\
 &= \frac{1}{4} dx (d^2 - e^2 x^2)^{3/2} + \frac{(d^2 - e^2 x^2)^{5/2}}{5e} + \frac{1}{4} (3d^3) \int \sqrt{d^2 - e^2 x^2} dx \\
 &= \frac{3}{8} d^3 x \sqrt{d^2 - e^2 x^2} + \frac{1}{4} dx (d^2 - e^2 x^2)^{3/2} + \frac{(d^2 - e^2 x^2)^{5/2}}{5e} + \frac{1}{8} (3d^5) \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
 &= \frac{3}{8} d^3 x \sqrt{d^2 - e^2 x^2} + \frac{1}{4} dx (d^2 - e^2 x^2)^{3/2} + \frac{(d^2 - e^2 x^2)^{5/2}}{5e} + \frac{1}{8} (3d^5) \text{Subst} \left( \int \frac{1}{1 + e^2 x^2} dx, \right. \\
 &= \frac{3}{8} d^3 x \sqrt{d^2 - e^2 x^2} + \frac{1}{4} dx (d^2 - e^2 x^2)^{3/2} + \frac{(d^2 - e^2 x^2)^{5/2}}{5e} + \frac{3d^5 \tan^{-1} \left( \frac{e x}{\sqrt{d^2 - e^2 x^2}} \right)}{8e}
 \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 91, normalized size = 0.91

$$\frac{15d^5 \tan^{-1} \left( \frac{e x}{\sqrt{d^2 - e^2 x^2}} \right) + \sqrt{d^2 - e^2 x^2} (8d^4 + 25d^3 e x - 16d^2 e^2 x^2 - 10d e^3 x^3 + 8e^4 x^4)}{40e}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(d + e\*x),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(8\*d^4 + 25\*d^3\*e\*x - 16\*d^2\*e^2\*x^2 - 10\*d\*e^3\*x^3 + 8\*e^4\*x^4) + 15\*d^5\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(40\*e)

**IntegrateAlgebraic [A]** time = 0.38, size = 114, normalized size = 1.14

$$\frac{3d^5 \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right)}{8e^2} + \frac{\sqrt{d^2 - e^2 x^2} (8d^4 + 25d^3 e x - 16d^2 e^2 x^2 - 10d e^3 x^3 + 8e^4 x^4)}{40e}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(d + e\*x),x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(8*d^4 + 25*d^3*e*x - 16*d^2*e^2*x^2 - 10*d*e^3*x^3 + 8*e^4*x^4))/(40*e) + (3*d^5*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]])/(8*e^2)$

**fricas** [A] time = 0.40, size = 95, normalized size = 0.95

$$\frac{30 d^5 \arctan\left(-\frac{d-\sqrt{-e^2 x^2+d^2}}{e x}\right) - (8 e^4 x^4 - 10 d e^3 x^3 - 16 d^2 e^2 x^2 + 25 d^3 e x + 8 d^4) \sqrt{-e^2 x^2 + d^2}}{40 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(5/2)/(e*x+d),x, algorithm="fricas")`

[Out]  $-1/40*(30*d^5*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) - (8*e^4*x^4 - 10*d*e^3*x^3 - 16*d^2*e^2*x^2 + 25*d^3*e*x + 8*d^4)*\text{sqrt}(-e^2*x^2 + d^2))/e$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(5/2)/(e*x+d),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $1/2*(12*d^5*\exp(1)^4*\exp(2)^2-8*d^5*\exp(2)^4-4*d^5*\exp(1)^6*\exp(2))*\text{atan}((-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x+\exp(2))/\text{sqrt}(-\exp(1)^4+\exp(2)^2))/\text{sqrt}(-\exp(1)^4+\exp(2)^2)/\exp(1)^6/\exp(1)+3/8*d^5*\text{sign}(d)*\text{asin}(x*\exp(2)/d/\exp(1))/\exp(1)+2*(((192*\exp(1)^9*1/1920/\exp(1)^6*x-240*\exp(1)^8*d*1/1920/\exp(1)^6)*x-384*\exp(1)^7*d^2*1/1920/\exp(1)^6)*x+600*\exp(1)^6*d^3*1/1920/\exp(1)^6)*x+192*\exp(1)^5*d^4*1/1920/\exp(1)^6)*\text{sqrt}(d^2-x^2*\exp(2))$

**maple** [A] time = 0.01, size = 147, normalized size = 1.47

$$\frac{3d^5 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2}}\right)}{8\sqrt{e^2}} + \frac{3\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2} d^3 x}{8} + \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} dx}{4} + \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2 e^2\right)^{\frac{5}{2}}}{5e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-e^2*x^2+d^2)^(5/2)/(e*x+d),x)`

[Out]  $1/5/e*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(5/2)+1/4*d*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)*x+3/8*d^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x+3/8*d^5/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x)$

**maxima [C]** time = 0.99, size = 109, normalized size = 1.09

$$-\frac{3i d^5 \arcsin\left(\frac{ex}{d} + 2\right)}{8e} + \frac{3}{8} \sqrt{e^2 x^2 + 4dex + 3d^2} d^3 x + \frac{3 \sqrt{e^2 x^2 + 4dex + 3d^2} d^4}{4e} + \frac{1}{4} (-e^2 x^2 + d^2)^{\frac{3}{2}} dx + \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}}}{5e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/(e\*x+d), x, algorithm="maxima")

[Out]  $-3/8*I*d^5*\arcsin(e*x/d + 2)/e + 3/8*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^3*x + 3/4*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^4/e + 1/4*(-e^2*x^2 + d^2)^(3/2)*d*x + 1/5*(-e^2*x^2 + d^2)^(5/2)/e$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(d + e\*x), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(d + e\*x), x)

**sympy [C]** time = 10.46, size = 435, normalized size = 4.35

$$d^3 \left( \begin{cases} \frac{i d^2 \operatorname{acosh}\left(\frac{x}{d}\right)}{2e} - \frac{dx}{2\sqrt{-1+\frac{2x^2}{d^2}}} + \frac{i^2 x^3}{2d\sqrt{-1+\frac{2x^2}{d^2}}} & \text{for } \left|\frac{x^2}{d^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{x}{d}\right)}{2e} + \frac{dx\sqrt{1-\frac{2x^2}{d^2}}}{2} & \text{otherwise} \end{cases} \right) - d^2 e \left( \begin{cases} \frac{x^2 \sqrt{d^2}}{2} & \text{for } e^2 = 0 \\ \frac{(d^2 - e^2 x^2)^{\frac{3}{2}}}{3e^2} & \text{otherwise} \end{cases} \right) - d e^2 \left( \begin{cases} \frac{i d^4 \operatorname{acosh}\left(\frac{x}{d}\right)}{8e^3} + \frac{i d^3 x}{8e^2 \sqrt{-1+\frac{2x^2}{d^2}}} - \frac{3i d x^3}{8\sqrt{-1+\frac{2x^2}{d^2}}} + \frac{i^2 x^5}{4d\sqrt{-1+\frac{2x^2}{d^2}}} & \text{for } \left|\frac{x^2}{d^2}\right| > 1 \\ \frac{d^4 \operatorname{asin}\left(\frac{x}{d}\right)}{8e^3} - \frac{d^3 x}{8e^2 \sqrt{1-\frac{2x^2}{d^2}}} + \frac{3d x^3}{8\sqrt{1-\frac{2x^2}{d^2}}} - \frac{e^2 x^5}{4d\sqrt{1-\frac{2x^2}{d^2}}} & \text{otherwise} \end{cases} \right) + e^3 \left( \begin{cases} \frac{2d^4 \sqrt{d^2 - e^2 x^2}}{15e^4} - \frac{d^2 x^2 \sqrt{d^2 - e^2 x^2}}{15e^2} + \frac{x^4 \sqrt{d^2 - e^2 x^2}}{5} & \text{for } e \neq 0 \\ \frac{x^4 \sqrt{d^2}}{4} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d), x)

[Out]  $d**3*\text{Piecewise}((-I*d**2*\operatorname{acosh}(e*x/d)/(2*e) - I*d*x/(2*\sqrt{-1 + e**2*x**2/d**2})) + I*e**2*x**3/(2*d*\sqrt{-1 + e**2*x**2/d**2}), \operatorname{Abs}(e**2*x**2/d**2) > 1), (d**2*\operatorname{asin}(e*x/d)/(2*e) + d*x*\sqrt{1 - e**2*x**2/d**2}/2, \operatorname{True})) - d**2 * e*\text{Piecewise}((x**2*\sqrt{d**2}/2, \operatorname{Eq}(e**2, 0)), (- (d**2 - e**2*x**2)**(3/2)/(3*e**2), \operatorname{True})) - d*e**2*\text{Piecewise}((-I*d**4*\operatorname{acosh}(e*x/d)/(8*e**3) + I*d**3 *x/(8*e**2*\sqrt{-1 + e**2*x**2/d**2})) - 3*I*d*x**3/(8*\sqrt{-1 + e**2*x**2/d**2})) + I*e**2*x**5/(4*d*\sqrt{-1 + e**2*x**2/d**2}), \operatorname{Abs}(e**2*x**2/d**2) > 1), (d**4*\operatorname{asin}(e*x/d)/(8*e**3) - d**3*x/(8*e**2*\sqrt{1 - e**2*x**2/d**2})) + 3*d*x**3/(8*\sqrt{1 - e**2*x**2/d**2}) - e**2*x**5/(4*d*\sqrt{1 - e**2*x**2/d**2}), \operatorname{True})) + e**3*\text{Piecewise}((-2*d**4*\sqrt{d**2 - e**2*x**2}/(15*e**4) - d**2*x**2*\sqrt{d**2 - e**2*x**2}/(15*e**2) + x**4*\sqrt{d**2 - e**2*x**2}/5, \operatorname{Ne}(e, 0)), (x**4*\sqrt{d**2}/4, \operatorname{True}))$

$$3.108 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x(d + ex)} dx$$

Optimal. Leaf size=113

$$\frac{1}{8}d^2(8d-3ex)\sqrt{d^2 - e^2x^2} + \frac{1}{12}(4d-3ex)(d^2 - e^2x^2)^{3/2} - \frac{3}{8}d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) - d^4 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.12, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {850, 815, 844, 217, 203, 266, 63, 208}

$$\frac{1}{8}d^2(8d - 3ex)\sqrt{d^2 - e^2x^2} + \frac{1}{12}(4d - 3ex)(d^2 - e^2x^2)^{3/2} - \frac{3}{8}d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) - d^4 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)),x]

[Out] (d^2\*(8\*d - 3\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/8 + ((4\*d - 3\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/12 - (3\*d^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/8 - d^4\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217



```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 815

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
/; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 850

```
Int[((x_)^(n_)*((a_) + (c_)*(x_)^2)^(p_))/((d_) + (e_)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x(d + ex)} dx &= \int \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{x} dx \\
&= \frac{1}{12}(4d - 3ex)(d^2 - e^2 x^2)^{3/2} - \frac{\int \frac{(-4d^3 e^2 + 3d^2 e^3 x)\sqrt{d^2 - e^2 x^2}}{x} dx}{4e^2} \\
&= \frac{1}{8}d^2(8d - 3ex)\sqrt{d^2 - e^2 x^2} + \frac{1}{12}(4d - 3ex)(d^2 - e^2 x^2)^{3/2} + \frac{\int \frac{8d^5 e^4 - 3d^4 e^5 x}{x\sqrt{d^2 - e^2 x^2}} dx}{8e^4} \\
&= \frac{1}{8}d^2(8d - 3ex)\sqrt{d^2 - e^2 x^2} + \frac{1}{12}(4d - 3ex)(d^2 - e^2 x^2)^{3/2} + d^5 \int \frac{1}{x\sqrt{d^2 - e^2 x^2}} dx - \frac{1}{8}(3d^4 e^4) \\
&= \frac{1}{8}d^2(8d - 3ex)\sqrt{d^2 - e^2 x^2} + \frac{1}{12}(4d - 3ex)(d^2 - e^2 x^2)^{3/2} + \frac{1}{2}d^5 \text{Subst}\left(\int \frac{1}{x\sqrt{d^2 - e^2 x}} dx, x\right) \\
&= \frac{1}{8}d^2(8d - 3ex)\sqrt{d^2 - e^2 x^2} + \frac{1}{12}(4d - 3ex)(d^2 - e^2 x^2)^{3/2} - \frac{3}{8}d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - \frac{d^5 \text{Subst}\left(\int \frac{1}{x\sqrt{d^2 - e^2 x}} dx, x\right)}{2} \\
&= \frac{1}{8}d^2(8d - 3ex)\sqrt{d^2 - e^2 x^2} + \frac{1}{12}(4d - 3ex)(d^2 - e^2 x^2)^{3/2} - \frac{3}{8}d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 108, normalized size = 0.96

$$d^4 \log(x) - d^4 \log\left(\sqrt{d^2 - e^2 x^2} + d\right) - \frac{3}{8}d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) + \frac{1}{24}\sqrt{d^2 - e^2 x^2} (32d^3 - 15d^2 ex - 8de^2 x^2 + 6e^3 x^3)$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(32\*d^3 - 15\*d^2\*e\*x - 8\*d\*e^2\*x^2 + 6\*e^3\*x^3))/24 - (3\*d^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/8 + d^4\*Log[x] - d^4\*Log[d + Sqrt[d^2 - e^2\*x^2]]

**IntegrateAlgebraic [A]** time = 0.44, size = 142, normalized size = 1.26

$$-\frac{3d^4\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{8e} + 2d^4 \tanh^{-1}\left(\frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right) + \frac{1}{24}\sqrt{d^2 - e^2 x^2} (32d^3 - 15d^2 ex - 8de^2 x^2 + 6e^3 x^3)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)), x]

[Out]  $(\sqrt{d^2 - e^2 x^2} (32 d^3 - 15 d^2 e x - 8 d e^2 x^2 + 6 e^3 x^3)) / 24 + 2 d^4 \operatorname{ArcTanh}(\sqrt{-e^2} x / d - \sqrt{d^2 - e^2 x^2} / d) - (3 d^4 \sqrt{-e^2} \operatorname{Log}[-(\sqrt{-e^2} x) + \sqrt{d^2 - e^2 x^2}]) / (8 e)$

**fricas** [A] time = 0.41, size = 107, normalized size = 0.95

$$\frac{3}{4} d^4 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) + d^4 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + \frac{1}{24} (6 e^3 x^3 - 8 d e^2 x^2 - 15 d^2 e x + 32 d^3) \sqrt{-e^2 x^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(5/2)/x/(e*x+d),x, algorithm="fricas")`

[Out]  $3/4 d^4 \arctan(-(d - \sqrt{-e^2 x^2 + d^2}) / (e x)) + d^4 \log(-(d - \sqrt{-e^2 x^2 + d^2}) / x) + 1/24 (6 e^3 x^3 - 8 d e^2 x^2 - 15 d^2 e x + 32 d^3) \operatorname{sqr}t(-e^2 x^2 + d^2)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(5/2)/x/(e*x+d),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $-3/8 d^4 \operatorname{sign}(d) \operatorname{asin}(x \exp(2) / d / \exp(1)) + 1/2 (-12 d^4 \exp(1)^4 \exp(2)^2 + 8 d^4 \exp(2)^4 + 4 d^4 \exp(1)^6 \exp(2)) \operatorname{atan}((-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / (x + \exp(2)) / \sqrt{-\exp(1)^4 + \exp(2)^2}) / \sqrt{-\exp(1)^4 + \exp(2)^2} / \exp(1)^5 / \exp(1) - d^4 \exp(2) \ln(1/2 \operatorname{abs}(-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / \operatorname{abs}(x) / \exp(2)) / \exp(1)^2 + 2 * ((24 \exp(1)^7 * 1/192 / \exp(1)^4 * x - 32 \exp(1)^6 * d * 1/192 / \exp(1)^4) * x - 60 \exp(1)^5 * d^2 * 1/192 / \exp(1)^4) * x + 128 \exp(1)^4 * d^3 * 1/192 / \exp(1)^4) * \operatorname{sqr}t(d^2 - x^2 \exp(2))$

**maple** [B] time = 0.01, size = 245, normalized size = 2.17

$$\frac{d^5 \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2 x^2} \sqrt{-e^2 x^2 + d^2}}{x}\right)}{\sqrt{d^2}} - \frac{3d^4 e \arctan\left(\frac{\sqrt{d^2} x}{\sqrt{2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2}}\right)}{8\sqrt{e^2}} - \frac{3\sqrt{2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2} d^2 e x}{8} + \sqrt{-e^2 x^2 + d^2} d^3 - \frac{\left(2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} e x}{4} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d}{3} + \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}}}{5d} - \frac{\left(2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{5}{2}}}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-e^2*x^2+d^2)^(5/2)/x/(e*x+d),x)`

[Out]  $1/5 d * (-e^2 x^2 + d^2)^{(5/2)} + 1/3 (-e^2 x^2 + d^2)^{(3/2)} * d + (-e^2 x^2 + d^2)^{(1/2)} * d^3 - 1/(d^2)^{(1/2)} * d^5 \ln((2 * d^2 + 2 * (d^2)^{(1/2)} * (-e^2 x^2 + d^2)^{(1/2)}) / x) - 1/5 / d * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(5/2)} - 1/4 * e * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(3/2)} * x - 3/8 * d^2 * e * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(1/2)} * x - 3/8 * d^4 * e / (e^2)^{(1/2)} * \operatorname{arctan}((e^2)^{(1/2)} / (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(1/2)} * x)$

**maxima** [A] time = 0.99, size = 124, normalized size = 1.10

$$-\frac{3}{8}d^4 \arcsin\left(\frac{ex}{d}\right) - d^4 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2 + d^2}d}{|x|}\right) - \frac{3}{8}\sqrt{-e^2x^2 + d^2}d^2ex + \sqrt{-e^2x^2 + d^2}d^3 - \frac{1}{4}(-e^2x^2 + d^2)^{\frac{3}{2}}ex + \frac{1}{3}(-e^2x^2 + d^2)^{\frac{3}{2}}d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x/(e\*x+d),x, algorithm="maxima")

[Out] -3/8\*d^4\*arcsin(e\*x/d) - d^4\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x)) - 3/8\*sqrt(-e^2\*x^2 + d^2)\*d^2\*e\*x + sqrt(-e^2\*x^2 + d^2)\*d^3 - 1/4\*(-e^2\*x^2 + d^2)^(3/2)\*e\*x + 1/3\*(-e^2\*x^2 + d^2)^(3/2)\*d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)),x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)), x)

**sympy** [C] time = 25.65, size = 469, normalized size = 4.15

$$d^3 \left( \begin{cases} \frac{d^2}{e\sqrt{\frac{d^2}{e^2}-1}} - d \operatorname{acosh}\left(\frac{d}{ex}\right) - \frac{ex}{\sqrt{\frac{d^2}{e^2}-1}} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^2}{e\sqrt{\frac{d^2}{e^2}+1}} + id \operatorname{asin}\left(\frac{d}{ex}\right) + \frac{ix}{\sqrt{\frac{d^2}{e^2}+1}} & \text{otherwise} \end{cases} \right) - d^2 e \left( \begin{cases} -\frac{id^2 \operatorname{acosh}\left(\frac{d}{ex}\right)}{2e} - \frac{ix}{2\sqrt{-1+\frac{d^2}{e^2}}} + \frac{i^2 d^3}{2d\sqrt{-1+\frac{d^2}{e^2}}} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{d}{ex}\right)}{2e} + \frac{dx\sqrt{1-\frac{d^2}{e^2}}}{2} & \text{otherwise} \end{cases} \right) - d e^2 \left( \begin{cases} \frac{d^2 \sqrt{d^2}}{2} & \text{for } e^2 = 0 \\ -\frac{(d^2 - e^2 x^2)^{\frac{3}{2}}}{3e^2} & \text{otherwise} \end{cases} \right) + e^3 \left( \begin{cases} -\frac{id^2 \operatorname{acosh}\left(\frac{d}{ex}\right)}{8e^3} + \frac{id^3 x}{8e^2 \sqrt{-1+\frac{d^2}{e^2}}} - \frac{3id^3}{8\sqrt{-1+\frac{d^2}{e^2}}} + \frac{i^2 d^3}{4d\sqrt{-1+\frac{d^2}{e^2}}} & \text{for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{d}{ex}\right)}{8e^3} - \frac{d^3}{8e^2 \sqrt{1-\frac{d^2}{e^2}}} + \frac{3id^3}{8\sqrt{1-\frac{d^2}{e^2}}} - \frac{e^2 d^3}{4d\sqrt{1-\frac{d^2}{e^2}}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x/(e\*x+d),x)

[Out] d\*\*3\*Piecewise((d\*\*2/(e\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - d\*acosh(d/(e\*x)) - e\*x/sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*d\*\*2/(e\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*d\*asin(d/(e\*x)) + I\*e\*x/sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1), True)) - d\*\*2\*e\*Piecewise((-I\*d\*\*2\*acosh(e\*x/d)/(2\*e) - I\*d\*x/(2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*3/(2\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*2\*asin(e\*x/d)/(2\*e) + d\*x\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/2, True)) - d\*e\*\*2\*Piecewise((x\*\*2\*sqrt(d\*\*2)/2, Eq(e\*\*2, 0)), (-d\*\*2 - e\*\*2\*x\*\*2)\*\*(3/2)/(3\*e\*\*2), True)) + e\*\*3\*Piecewise((-I\*d\*\*4\*acosh(e\*x/d)/(8\*e\*\*3) + I\*d\*\*3\*x/(8\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 3\*I\*d\*x\*\*3/(8\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*5/(4\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*4\*asin(e\*x/d)/(8\*e\*\*3) - d\*\*3\*x/(8\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 3\*d\*x\*\*3/(8\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*5/(4\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True))

$$3.109 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^2(d+ex)} dx$$

Optimal. Leaf size=115

$$-\frac{1}{2}de(2d+3ex)\sqrt{d^2 - e^2x^2} - \frac{(3d + ex)(d^2 - e^2x^2)^{3/2}}{3x} - \frac{3}{2}d^3e \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) + d^3e \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)$$

**Rubi** [A] time = 0.12, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {850, 813, 815, 844, 217, 203, 266, 63, 208}

$$-\frac{1}{2}de(2d + 3ex)\sqrt{d^2 - e^2x^2} - \frac{(3d + ex)(d^2 - e^2x^2)^{3/2}}{3x} - \frac{3}{2}d^3e \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) + d^3e \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^2\*(d + e\*x)),x]

[Out] -(d\*e\*(2\*d + 3\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/2 - ((3\*d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(3\*x) - (3\*d^3\*e\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/2 + d^3\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 813

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

### Rule 815

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 850

```
Int[((x_)^(n_))*((a_) + (c_)*(x_)^2)^(p_)/((d_) + (e_)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
```

tegerQ[2\*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

### Rubi steps

$$\begin{aligned}
 \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^2(d + ex)} dx &= \int \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{x^2} dx \\
 &= -\frac{(3d + ex)(d^2 - e^2 x^2)^{3/2}}{3x} - \frac{1}{2} \int \frac{(2d^2 e + 6de^2 x) \sqrt{d^2 - e^2 x^2}}{x} dx \\
 &= -\frac{1}{2} de(2d + 3ex) \sqrt{d^2 - e^2 x^2} - \frac{(3d + ex)(d^2 - e^2 x^2)^{3/2}}{3x} + \frac{\int \frac{-4d^4 e^3 - 6d^3 e^4 x}{x \sqrt{d^2 - e^2 x^2}} dx}{4e^2} \\
 &= -\frac{1}{2} de(2d + 3ex) \sqrt{d^2 - e^2 x^2} - \frac{(3d + ex)(d^2 - e^2 x^2)^{3/2}}{3x} - (d^4 e) \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx - \frac{1}{2} (3d + ex) \sqrt{d^2 - e^2 x^2} \\
 &= -\frac{1}{2} de(2d + 3ex) \sqrt{d^2 - e^2 x^2} - \frac{(3d + ex)(d^2 - e^2 x^2)^{3/2}}{3x} - \frac{1}{2} (d^4 e) \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx, \frac{d + ex}{e^2 x} \right) \\
 &= -\frac{1}{2} de(2d + 3ex) \sqrt{d^2 - e^2 x^2} - \frac{(3d + ex)(d^2 - e^2 x^2)^{3/2}}{3x} - \frac{3}{2} d^3 e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \frac{d^4 e}{2} \log \left( \frac{d + ex}{\sqrt{d^2 - e^2 x^2}} \right) \\
 &= -\frac{1}{2} de(2d + 3ex) \sqrt{d^2 - e^2 x^2} - \frac{(3d + ex)(d^2 - e^2 x^2)^{3/2}}{3x} - \frac{3}{2} d^3 e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + d^3 e \log \left( \frac{d + ex}{\sqrt{d^2 - e^2 x^2}} \right)
 \end{aligned}$$

**Mathematica [A]** time = 0.13, size = 114, normalized size = 0.99

$$-d^3 e \log(x) + d^3 e \log(\sqrt{d^2 - e^2 x^2} + d) - \frac{3}{2} d^3 e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \sqrt{d^2 - e^2 x^2} \left( -\frac{d^3}{x} - \frac{4d^2 e}{3} - \frac{1}{2} de^2 x + \frac{e^3 x^2}{3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^2\*(d + e\*x)), x]

[Out] Sqrt[d^2 - e^2\*x^2]\*((-4\*d^2\*e)/3 - d^3/x - (d\*e^2\*x)/2 + (e^3\*x^2)/3) - (3\*d^3\*e\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/2 - d^3\*e\*Log[x] + d^3\*e\*Log[d + Sqrt[d^2 - e^2\*x^2]]

**IntegrateAlgebraic [A]** time = 0.45, size = 143, normalized size = 1.24

$$-\frac{3}{2} d^3 \sqrt{-e^2} \log(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x) - 2d^3 e \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right) + \frac{\sqrt{d^2 - e^2 x^2} (-6d^3 - 8d^2 ex - 3de^2 x^2 + 2e^3 x^3)}{6x}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^2\*(d + e\*x)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-6\*d^3 - 8\*d^2\*e\*x - 3\*d\*e^2\*x^2 + 2\*e^3\*x^3))/(6\*x) - 2\*d^3\*e\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] - (3\*d^3\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/2

**fricas** [A] time = 0.39, size = 123, normalized size = 1.07

$$\frac{18 d^3 e x \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - 6 d^3 e x \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - 8 d^3 e x + (2 e^3 x^3 - 3 d e^2 x^2 - 8 d^2 e x - 6 d^3) \sqrt{-e^2 x^2 + d^2}}{6 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^2/(e\*x+d),x, algorithm="fricas")

[Out] 1/6\*(18\*d^3\*e\*x\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - 6\*d^3\*e\*x\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - 8\*d^3\*e\*x + (2\*e^3\*x^3 - 3\*d\*e^2\*x^2 - 8\*d^2\*e\*x - 6\*d^3)\*sqrt(-e^2\*x^2 + d^2))/x

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^2/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/2\*(12\*d^3\*exp(1)^4\*exp(2)^2-8\*d^3\*exp(2)^4-4\*d^3\*exp(1)^6\*exp(2))\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/sqrt(-exp(1)^4+exp(2)^2)/exp(1)^4/exp(1)-d^3\*x\*exp(2)^3/(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/exp(1)/exp(2)+1/4\*d^3\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(2)^4/exp(1)^4/x/exp(1)/exp(2)^2+d^3\*exp(2)\*ln(1/2\*abs(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/abs(x)/exp(2))/exp(1)-3/2\*d^3\*sign(d)\*asin(x\*exp(2)/d/exp(1))\*exp(2)/exp(1)+2\*((4\*exp(1)^5\*1/24/exp(1)^2\*x-6\*exp(1)^4\*d\*1/24/exp(1)^2)\*x-16\*exp(1)^3\*d\*1/24/exp(1)^2)\*sqrt(d^2-x^2\*exp(2))

**maple** [B] time = 0.01, size = 380, normalized size = 3.30

$$\frac{d^3 \ln\left(\frac{2d^2 + \sqrt{d^2 - e^2 x^2}}{2d^2 - \sqrt{d^2 - e^2 x^2}}\right)}{\sqrt{d^2 - e^2 x^2}} + \frac{3d^3 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{d^2 - e^2 x^2}}\right)}{8\sqrt{d^2 - e^2 x^2}} + \frac{15d^3 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{d^2 - e^2 x^2}}\right)}{8\sqrt{d^2 - e^2 x^2}} + \frac{15\sqrt{-e^2 x^2 + d^2} d^3 e x}{8} + \frac{3\sqrt{\left(\frac{d}{e} + \frac{d^2}{e^2}\right) d e - \left(\frac{d}{e} + \frac{d^2}{e^2}\right)^2 d^2 x}}{8} - \frac{5(-e^2 + d)^3 e^2 x}{4d} + \frac{\left(\frac{d}{e} + \frac{d^2}{e^2}\right) d e - \left(\frac{d}{e} + \frac{d^2}{e^2}\right)^2 d^2 x}{4d} + \frac{(-e^2 + d)^3 e^2 x}{3d^3} + \frac{(-e^2 + d)^3 e^2 x}{d^3} + \frac{(-e^2 + d)^3 e^2 x}{3d^3} + \frac{\left(\frac{d}{e} + \frac{d^2}{e^2}\right) d e - \left(\frac{d}{e} + \frac{d^2}{e^2}\right)^2 d^2 x}{3d^3} + \frac{(-e^2 + d)^3 e^2 x}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x^2/(e\*x+d),x)



```
[Out] -1/d^3/x*(-e^2*x^2+d^2)^(7/2)-1/d^3*e^2*x*(-e^2*x^2+d^2)^(5/2)-5/4*(-e^2*x^2+d^2)^(3/2)/d*e^2*x-15/8*(-e^2*x^2+d^2)^(1/2)*d*e^2*x-15/8/(e^2)^(1/2)*d^3*e^2*arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-1/5*e/d^2*(-e^2*x^2+d^2)^(5/2)-1/3*(-e^2*x^2+d^2)^(3/2)*e-(-e^2*x^2+d^2)^(1/2)*d^2*e+1/(d^2)^(1/2)*d^4*e*ln((2*d^2+2*(d^2)^(1/2)*(-e^2*x^2+d^2)^(1/2))/x)+1/5*e/d^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(5/2)+1/4*e^2/d*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)*x+3/8*e^2*d*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x+3/8*e^2*d^3/(e^2)^(1/2)*arctan((e^2)^(1/2)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x)
```

**maxima [A]** time = 0.99, size = 131, normalized size = 1.14

$$-\frac{3}{2}d^3e \arcsin\left(\frac{ex}{d}\right) + d^3e \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right) - \frac{1}{2}\sqrt{-e^2x^2+d^2}de^2x - \sqrt{-e^2x^2+d^2}d^2e - \frac{1}{3}(-e^2x^2+d^2)^{\frac{3}{2}}e - \frac{\sqrt{-e^2x^2+d^2}d^3}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-e^2*x^2+d^2)^(5/2)/x^2/(e*x+d),x, algorithm="maxima")
```

```
[Out] -3/2*d^3*e*arcsin(e*x/d) + d^3*e*log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x)) - 1/2*sqrt(-e^2*x^2 + d^2)*d*e^2*x - sqrt(-e^2*x^2 + d^2)*d^2*e - 1/3*(-e^2*x^2 + d^2)^(3/2)*e - sqrt(-e^2*x^2 + d^2)*d^3/x
```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^2 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d^2 - e^2*x^2)^(5/2)/(x^2*(d + e*x)),x)
```

```
[Out] int((d^2 - e^2*x^2)^(5/2)/(x^2*(d + e*x)), x)
```

**sympy [C]** time = 10.20, size = 386, normalized size = 3.36

$$d^3 \left( \begin{cases} \frac{id}{x\sqrt{-1+\frac{d^2}{d^2}}} + ie \operatorname{acosh}\left(\frac{ex}{d}\right) - \frac{ix^2}{d\sqrt{-1+\frac{d^2}{d^2}}} & \text{for } \left|\frac{d^2}{d^2}\right| > 1 \\ \frac{d}{x\sqrt{1-\frac{d^2}{d^2}}} - e \operatorname{asin}\left(\frac{ex}{d}\right) + \frac{ix^2}{d\sqrt{1-\frac{d^2}{d^2}}} & \text{otherwise} \end{cases} \right) - d^2 e \left( \begin{cases} \frac{d^2}{ex\sqrt{\frac{d^2}{d^2}-1}} - d \operatorname{acosh}\left(\frac{d}{ex}\right) - \frac{ex}{\sqrt{\frac{d^2}{d^2}-1}} & \text{for } \left|\frac{d^2}{d^2}\right| > 1 \\ -\frac{id^2}{ex\sqrt{\frac{d^2}{d^2}+1}} + id \operatorname{asin}\left(\frac{d}{ex}\right) + \frac{ix}{\sqrt{\frac{d^2}{d^2}+1}} & \text{otherwise} \end{cases} \right) - d e^2 \left( \begin{cases} -\frac{id^2 \operatorname{acosh}\left(\frac{d}{ex}\right)}{2e} - \frac{idx}{2\sqrt{-1+\frac{d^2}{d^2}}} + \frac{ix^3}{2d\sqrt{-1+\frac{d^2}{d^2}}} & \text{for } \left|\frac{d^2}{d^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{d}{ex}\right)}{2e} + \frac{dx\sqrt{1-\frac{d^2}{d^2}}}{2} & \text{otherwise} \end{cases} \right) + e^3 \left( \begin{cases} \frac{x^2\sqrt{d^2}}{2} & \text{for } e^2 = 0 \\ -\frac{(d^2-e^2x^2)^{\frac{3}{2}}}{3e^2} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-e**2*x**2+d**2)**(5/2)/x**2/(e*x+d),x)
```

```
[Out] d**3*Piecewise((I*d/(x*sqrt(-1 + e**2*x**2/d**2)) + I*e*acosh(e*x/d) - I*e**2*x/(d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (-d/(x*sqrt(1 - e**2*x**2/d**2)) - e*asin(e*x/d) + e**2*x/(d*sqrt(1 - e**2*x**2/d**2))), True)) - d**2*e*Piecewise((d**2/(e*x*sqrt(d**2/(e**2*x**2) - 1)) - d*acosh(
```

```

d/(e*x)) - e*x/sqrt(d**2/(e**2*x**2) - 1), Abs(d**2/(e**2*x**2)) > 1), (-I*
d**2/(e*x*sqrt(-d**2/(e**2*x**2) + 1)) + I*d*asin(d/(e*x)) + I*e*x/sqrt(-d*
**2/(e**2*x**2) + 1), True)) - d*e**2*Piecewise((-I*d**2*acosh(e*x/d)/(2*e)
- I*d*x/(2*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**3/(2*d*sqrt(-1 + e**2*x**
2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**2*asin(e*x/d)/(2*e) + d*x*sqrt(1 -
e**2*x**2/d**2)/2, True)) + e**3*Piecewise((x**2*sqrt(d**2)/2, Eq(e**2, 0))
, (-(d**2 - e**2*x**2)**(3/2)/(3*e**2), True))

```

$$3.110 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^3(d+ex)} dx$$

**Optimal.** Leaf size=121

$$\frac{3de(d-ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{2x^2} + \frac{3}{2}d^2e^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + \frac{3}{2}d^2e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.11, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {850, 813, 844, 217, 203, 266, 63, 208}

$$\frac{3de(d-ex)\sqrt{d^2-e^2x^2}}{2x} - \frac{(d+ex)(d^2-e^2x^2)^{3/2}}{2x^2} + \frac{3}{2}d^2e^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + \frac{3}{2}d^2e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)),x]

[Out] (3\*d\*e\*(d - e\*x)\*Sqrt[d^2 - e^2\*x^2])/((2\*x) - ((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(2\*x^2) + (3\*d^2\*e^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/2 + (3\*d^2\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/2

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 813

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 850

```
Int[((x_)^(n_)*((a_) + (c_)*(x_)^2)^(p_))/((d_) + (e_)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^3(d + ex)} dx &= \int \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{x^3} dx \\
&= -\frac{(d + ex)(d^2 - e^2 x^2)^{3/2}}{2x^2} - \frac{3}{8} \int \frac{(4d^2 e + 4de^2 x) \sqrt{d^2 - e^2 x^2}}{x^2} dx \\
&= \frac{3de(d - ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d + ex)(d^2 - e^2 x^2)^{3/2}}{2x^2} + \frac{3}{16} \int \frac{-8d^3 e^2 + 8d^2 e^3 x}{x\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{3de(d - ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d + ex)(d^2 - e^2 x^2)^{3/2}}{2x^2} - \frac{1}{2} (3d^3 e^2) \int \frac{1}{x\sqrt{d^2 - e^2 x^2}} dx + \frac{1}{2} (3d^3 e^2) \int \frac{x}{x\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{3de(d - ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d + ex)(d^2 - e^2 x^2)^{3/2}}{2x^2} - \frac{1}{4} (3d^3 e^2) \text{Subst} \left( \int \frac{1}{x\sqrt{d^2 - e^2 x}} dx, x \right) + \frac{1}{2} (3d^3 e^2) \int \frac{x}{x\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{3de(d - ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d + ex)(d^2 - e^2 x^2)^{3/2}}{2x^2} + \frac{3}{2} d^2 e^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \frac{1}{2} (3d^3) \int \frac{x}{x\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{3de(d - ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d + ex)(d^2 - e^2 x^2)^{3/2}}{2x^2} + \frac{3}{2} d^2 e^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \frac{3}{2} d^2 e^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \frac{3}{2} d^2 e^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 119, normalized size = 0.98

$$\frac{1}{2} \left( 3d^2 e^2 \log \left( \sqrt{d^2 - e^2 x^2} + d \right) + 3d^2 e^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - 3d^2 e^2 \log(x) + \frac{\sqrt{d^2 - e^2 x^2} (-d^3 + 2d^2 ex - 2de^2 x^2 + e^3 x^3)}{x^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)),x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(-d^3 + 2\*d^2\*e\*x - 2\*d\*e^2\*x^2 + e^3\*x^3))/x^2 + 3\*d^2\*e^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - 3\*d^2\*e^2\*Log[x] + 3\*d^2\*e^2\*Log[d + Sqrt[d^2 - e^2\*x^2]])/2

**IntegrateAlgebraic [A]** time = 0.66, size = 145, normalized size = 1.20

$$\frac{3}{2} d^2 e \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right) - 3d^2 e^2 \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right) + \frac{\sqrt{d^2 - e^2 x^2} (-d^3 + 2d^2 ex - 2de^2 x^2 + e^3 x^3)}{2x^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)),x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-d^3 + 2*d^2*e*x - 2*d*e^2*x^2 + e^3*x^3))/(2*x^2) - 3*d^2*e^2*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d] + (3*d^2*e*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]])/2$

**fricas** [A] time = 0.42, size = 135, normalized size = 1.12

$$\frac{6d^2e^2x^2 \arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + 3d^2e^2x^2 \log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) + 2d^2e^2x^2 - (e^3x^3 - 2de^2x^2 + 2d^2ex - d^3)\sqrt{-e^2x^2 + d^2}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^3/(e\*x+d),x, algorithm="fricas")

[Out]  $-1/2*(6*d^2*e^2*x^2*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) + 3*d^2*e^2*x^2*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) + 2*d^2*e^2*x^2 - (e^3*x^3 - 2*d*e^2*x^2 + 2*d^2*e*x - d^3)*\text{sqrt}(-e^2*x^2 + d^2))/x^2$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^3/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $1/8*(d^2*\exp(2)^3+2*d^2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))*\exp(2)^3/x/\exp(2))/(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^2/\exp(1)^4+1/16*(-2*d^2*(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^2*\exp(1)^4*\exp(2)^5-4*d^2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))*\exp(1)^6*\exp(2)^4/x/\exp(2))/\exp(1)^6/\exp(2)^3+1/2*(5*d^2*\exp(2)^3-2*d^2*\exp(1)^4*\exp(2))*\ln(1/2*\text{abs}(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/\text{abs}(x)/\exp(2))/\exp(1)^3/\exp(1)+1/2*(-12*d^2*\exp(1)^4*\exp(2)^2+8*d^2*\exp(2)^4+4*d^2*\exp(1)^6*\exp(2))*\text{atan}((-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x+\exp(2))/\text{sqrt}(-\exp(1)^4+\exp(2)^2))/\text{sqrt}(-\exp(1)^4+\exp(2)^2)/\exp(1)^3/\exp(1)+3/2*d^2*\text{sign}(d)*\text{asin}(x*\exp(2)/d/\exp(1))*\exp(1)^2+2*(2*\exp(1)^3/8*x-4*\exp(1)^2/8)*\text{sqrt}(d^2-x^2*\exp(2))$

**maple** [B] time = 0.01, size = 411, normalized size = 3.40

$$\frac{3d^2e^2 \ln\left(\frac{2d^2e^2 \sqrt{-e^2x^2+d^2}}{2\sqrt{e}}\right) - 3d^2e^2 \arctan\left(\frac{\sqrt{-e^2x^2+d^2}}{\sqrt{(d-e)x-(d+e)d}}\right) + 15d^2e^2 \arctan\left(\frac{\sqrt{-e^2x^2+d^2}}{\sqrt{-e^2x^2+d^2}}\right) + 15d^2e^2 \arctan\left(\frac{\sqrt{-e^2x^2+d^2}}{\sqrt{-e^2x^2+d^2}}\right) + 3\sqrt{2}\left(\frac{d+e}{8}\right) \text{atan}\left(\frac{d+e}{d-e}\right) + 3\sqrt{2}\left(\frac{d+e}{8}\right) \text{atan}\left(\frac{d+e}{d-e}\right) + 5(-e^2+d^2)^{3/2}e^2 + \frac{(2(e+2)d^2-(e+2)^2)e^{3/2}}{4d^2} + \frac{(-e^2+d^2)^{3/2}e^2}{2d} + \frac{(-e^2+d^2)^{3/2}e^2}{d^2} + \frac{3(-e^2+d^2)^{3/2}e^2}{10d^2} + \frac{(2(e+2)d^2-(e+2)^2)e^{3/2}}{5d^2} + \frac{(-e^2+d^2)^{3/2}e^2}{d^2} + \frac{(-e^2+d^2)^{3/2}e^2}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x^3/(e\*x+d),x)

[Out]  $e/d^4/x*(-e^2*x^2+d^2)^{(7/2)}+e^3/d^4*x*(-e^2*x^2+d^2)^{(5/2)}+5/4*(-e^2*x^2+d^2)^{(3/2)}/d^2*e^3*x+15/8*(-e^2*x^2+d^2)^{(1/2)}*e^3*x+15/8/(e^2)^{(1/2)}*d^2*e^3*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)-1/2/d^3/x^2*(-e^2*x^2+d^2)^{(7/2)}-3/10/d^3*e^2*(-e^2*x^2+d^2)^{(5/2)}-1/2*(-e^2*x^2+d^2)^{(3/2)}/d*e^2-3/2*(-e^2*x^2+d^2)^{(1/2)}*d*e^2+3/2/(d^2)^{(1/2)}*d^3*e^2*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-1/5/d^3*e^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(5/2)}-1/4/d^2*e^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}*x-3/8*e^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x-3/8*d^2*e^3/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x)$

**maxima** [A] time = 0.97, size = 138, normalized size = 1.14

$$\frac{3}{2}d^2e^2\arcsin\left(\frac{ex}{d}\right)+\frac{3}{2}d^2e^2\log\left(\frac{2d^2}{|x|}+\frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)+\frac{1}{2}\sqrt{-e^2x^2+d^2}e^3x-\frac{3}{2}\sqrt{-e^2x^2+d^2}de^2+\frac{\sqrt{-e^2x^2+d^2}d^2e}{x}-\frac{(-e^2x^2+d^2)^{\frac{3}{2}}d}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(5/2)/x^3/(e*x+d),x, algorithm="maxima")`

[Out]  $3/2*d^2*e^2*\arcsin(e*x/d) + 3/2*d^2*e^2*\log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x)) + 1/2*sqrt(-e^2*x^2 + d^2)*e^3*x - 3/2*sqrt(-e^2*x^2 + d^2)*d*e^2 + sqrt(-e^2*x^2 + d^2)*d^2*e/x - 1/2*(-e^2*x^2 + d^2)^(3/2)*d/x^2$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^3 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(5/2)/(x^3*(d + e*x)),x)`

[Out] `int((d^2 - e^2*x^2)^(5/2)/(x^3*(d + e*x)), x)`

**sympy** [C] time = 13.35, size = 461, normalized size = 3.81

$$d^3 \left( \left( \begin{array}{l} -\frac{d^2}{2e^3\sqrt{\frac{d^2}{e^2}-1}} + \frac{e}{2e\sqrt{\frac{d^2}{e^2}-1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{e}\right)}{2d} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{e\sqrt{\frac{d^2}{e^2}+1}}{2e} - \frac{e^2 \operatorname{asin}\left(\frac{d}{e}\right)}{2d} \text{ otherwise} \end{array} \right) - d^2 e \left( \begin{array}{l} \frac{id}{e\sqrt{1+\frac{d^2}{e^2}}} + ie \operatorname{acosh}\left(\frac{d}{e}\right) - \frac{e^2}{d\sqrt{1+\frac{d^2}{e^2}}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ -\frac{d}{e\sqrt{1+\frac{d^2}{e^2}}} - e \operatorname{asin}\left(\frac{d}{e}\right) + \frac{e^2}{d\sqrt{1+\frac{d^2}{e^2}}} \text{ otherwise} \end{array} \right) - d^2 e \left( \begin{array}{l} \frac{d^2}{e^3\sqrt{\frac{d^2}{e^2}-1}} - d \operatorname{acosh}\left(\frac{d}{e}\right) - \frac{e}{\sqrt{\frac{d^2}{e^2}-1}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ -\frac{id}{e\sqrt{\frac{d^2}{e^2}+1}} + id \operatorname{asin}\left(\frac{d}{e}\right) + \frac{ie^2}{d\sqrt{\frac{d^2}{e^2}+1}} \text{ otherwise} \end{array} \right) + e^3 \left( \begin{array}{l} -\frac{d^2 \operatorname{acosh}\left(\frac{d}{e}\right)}{2e} - \frac{id}{2\sqrt{1+\frac{d^2}{e^2}}} + \frac{e^2}{2d\sqrt{1+\frac{d^2}{e^2}}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{d}{e}\right)}{2e} + \frac{d}{2} \text{ otherwise} \end{array} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(5/2)/x**3/(e*x+d),x)`

[Out]  $d**3*\text{Piecewise}((-d**2/(2*e*x**3*\sqrt{d**2/(e**2*x**2) - 1})) + e/(2*x*\sqrt{d**2/(e**2*x**2) - 1})) + e**2*\operatorname{acosh}(d/(e*x))/(2*d), \operatorname{Abs}(d**2/(e**2*x**2)) > 1), (-I*e*\sqrt{-d**2/(e**2*x**2) + 1})/(2*x) - I*e**2*\operatorname{asin}(d/(e*x))/(2*d), T$

```

rue)) - d**2*e*Piecewise((I*d/(x*sqrt(-1 + e**2*x**2/d**2)) + I*e*acosh(e*x
/d) - I*e**2*x/(d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (-d
/(x*sqrt(1 - e**2*x**2/d**2)) - e*asin(e*x/d) + e**2*x/(d*sqrt(1 - e**2*x**
2/d**2)), True)) - d*e**2*Piecewise((d**2/(e*x*sqrt(d**2/(e**2*x**2) - 1))
- d*acosh(d/(e*x)) - e*x/sqrt(d**2/(e**2*x**2) - 1), Abs(d**2/(e**2*x**2))
> 1), (-I*d**2/(e*x*sqrt(-d**2/(e**2*x**2) + 1)) + I*d*asin(d/(e*x)) + I*e*
x/sqrt(-d**2/(e**2*x**2) + 1), True)) + e**3*Piecewise((-I*d**2*acosh(e*x/d
)/(2*e) - I*d*x/(2*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**3/(2*d*sqrt(-1 +
e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (d**2*asin(e*x/d)/(2*e) + d*x*s
qrt(1 - e**2*x**2/d**2)/2, True))

```



$$3.111 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^4(d+ex)} dx$$

Optimal. Leaf size=120

$$\frac{e^2(2d + 3ex)\sqrt{d^2 - e^2x^2}}{2x} - \frac{(2d - 3ex)(d^2 - e^2x^2)^{3/2}}{6x^3} + de^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) - \frac{3}{2}de^3 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)$$

**Rubi** [A] time = 0.11, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {850, 811, 813, 844, 217, 203, 266, 63, 208}

$$\frac{e^2(2d + 3ex)\sqrt{d^2 - e^2x^2}}{2x} - \frac{(2d - 3ex)(d^2 - e^2x^2)^{3/2}}{6x^3} + de^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) - \frac{3}{2}de^3 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)),x]

[Out] (e^2\*(2\*d + 3\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*x) - ((2\*d - 3\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(6\*x^3) + d\*e^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - (3\*d\*e^3\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/2

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 811

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(a + c\*x^2)^p\*((d\*g - e\*f\*(m + 2))\*(c\*d^2 + a\*e^2) - 2\*c\*d^2\*p\*(e\*f - d\*g) - e\*(g\*(m + 1)\*(c\*d^2 + a\*e^2) + 2\*c\*d\*p\*(e\*f - d\*g)\*x))/(e^2\*(m + 1)\*(m + 2)\*(c\*d^2 + a\*e^2)), x] - Dist[p/(e^2\*(m + 1)\*(m + 2)\*(c\*d^2 + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + c\*x^2)^(p - 1)\*Simp[2\*a\*c\*e\*(e\*f - d\*g)\*(m + 2) - c\*(2\*c\*d\*(d\*g\*(2\*p + 1) - e\*f\*(m + 2\*p + 2)) - 2\*a\*e^2\*g\*(m + 1))\*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2\*p, 0] && !ILtQ[m + 2\*p + 3, 0]

### Rule 813

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(e\*f\*(m + 2\*p + 2) - d\*g\*(2\*p + 1) + e\*g\*(m + 1)\*x)\*(a + c\*x^2)^p)/(e^2\*(m + 1)\*(m + 2\*p + 2)), x] + Dist[p/(e^2\*(m + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p - 1)\*Simp[g\*(2\*a\*e + 2\*a\*e\*m) + (g\*(2\*c\*d + 4\*c\*d\*p) - 2\*c\*e\*f\*(m + 2\*p + 2))\*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2\*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 844

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 850

Int[((x\_)^(n\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_)/((d\_) + (e\_)\*(x\_)), x\_Symbol] := Int[x^n\*(a/d + (c\*x)/e)\*(a + c\*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In

tegerQ[2\*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

### Rubi steps

$$\begin{aligned}
 \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^4(d + ex)} dx &= \int \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{x^4} dx \\
 &= -\frac{(2d - 3ex)(d^2 - e^2 x^2)^{3/2}}{6x^3} - \frac{\int \frac{(4d^3 e^2 - 6d^2 e^3 x) \sqrt{d^2 - e^2 x^2}}{x^2} dx}{4d^2} \\
 &= \frac{e^2(2d + 3ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(2d - 3ex)(d^2 - e^2 x^2)^{3/2}}{6x^3} + \frac{\int \frac{12d^4 e^3 + 8d^3 e^4 x}{x \sqrt{d^2 - e^2 x^2}} dx}{8d^2} \\
 &= \frac{e^2(2d + 3ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(2d - 3ex)(d^2 - e^2 x^2)^{3/2}}{6x^3} + \frac{1}{2} (3d^2 e^3) \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx + (d \\
 &= \frac{e^2(2d + 3ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(2d - 3ex)(d^2 - e^2 x^2)^{3/2}}{6x^3} + \frac{1}{4} (3d^2 e^3) \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x}} dx \right) \\
 &= \frac{e^2(2d + 3ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(2d - 3ex)(d^2 - e^2 x^2)^{3/2}}{6x^3} + de^3 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - \frac{1}{2} (3d^2 e \\
 &= \frac{e^2(2d + 3ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(2d - 3ex)(d^2 - e^2 x^2)^{3/2}}{6x^3} + de^3 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - \frac{3}{2} de^3 \tan
 \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 116, normalized size = 0.97

$$-\frac{3}{2} de^3 \log(\sqrt{d^2 - e^2 x^2} + d) + de^3 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \left( -\frac{d^3}{3x^3} + \frac{d^2 e}{2x^2} + \frac{4de^2}{3x} + e^3 \right) \sqrt{d^2 - e^2 x^2} + \frac{3}{2} de^3 \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)), x]

[Out] (e^3 - d^3/(3\*x^3) + (d^2\*e)/(2\*x^2) + (4\*d\*e^2)/(3\*x))\*Sqrt[d^2 - e^2\*x^2] + d\*e^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] + (3\*d\*e^3\*Log[x])/2 - (3\*d\*e^3\*Log[d + Sqrt[d^2 - e^2\*x^2]])/2

**IntegrateAlgebraic [A]** time = 0.50, size = 141, normalized size = 1.18

$$d\sqrt{-e^2} e^2 \log(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x) + 3de^3 \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right) + \frac{\sqrt{d^2 - e^2 x^2} (-2d^3 + 3d^2 ex + 8de^2 x^2 + 6e^3 x^3)}{6x^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-2\*d^3 + 3\*d^2\*e\*x + 8\*d\*e^2\*x^2 + 6\*e^3\*x^3))/(6\*x^3) + 3\*d\*e^3\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] + d\*e^2\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]]

**fricas** [A] time = 0.41, size = 130, normalized size = 1.08

$$\frac{12de^3x^3 \arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) - 9de^3x^3 \log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) - 6de^3x^3 - (6e^3x^3 + 8de^2x^2 + 3d^2ex - 2d^3)\sqrt{-e^2x^2+d^2}}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^4/(e\*x+d),x, algorithm="fricas")

[Out] -1/6\*(12\*d\*e^3\*x^3\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - 9\*d\*e^3\*x^3\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - 6\*d\*e^3\*x^3 - (6\*e^3\*x^3 + 8\*d\*e^2\*x^2 + 3\*d^2\*e\*x - 2\*d^3)\*sqrt(-e^2\*x^2 + d^2))/x^3

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^4/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/24\*((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*(12\*d\*exp(1)^4\*exp(2)^2-27\*d\*exp(2)^4)+d\*exp(2)^4+3/2\*d\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(2)^4/x/exp(2))/(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3/exp(1)^5+1/512\*(64\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^10\*exp(2)^7-64/3\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^8\*exp(2)^8+96\*d\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^8\*exp(2)^8/x/exp(2)-384\*d\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^10\*exp(2)^7/x/exp(2)+128\*d\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^12\*exp(2)^6/x/exp(2))/exp(1)^15/exp(2)^3+1/2\*(-5\*d\*exp(2)^3+2\*d\*exp(1)^4\*exp(2))\*ln(1/2\*abs(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/abs(x)/exp(2))/exp(1)/exp(2)+1/2\*(12\*d\*exp(1)^4\*exp(2)^2-8\*d\*exp(2)^4-4\*d\*exp(1)^6\*exp(2))\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/sqrt(-exp(1)^4+exp(2)^2)/exp(1)/exp(2)+d\*sign(d)\*asin(x\*exp(2)/d/exp(1))\*exp(1)^3+4\*exp(1)^3/4\*sqrt(d^2-x^2\*exp(2))

**maple [B]** time = 0.01, size = 439, normalized size = 3.66

$$\frac{3d^2 e^3 \ln\left(\frac{2e^2 x^2 + d^2 \sqrt{e^2 x^2 + d^2}}{2\sqrt{e^2}}\right)}{2\sqrt{e^2}} - \frac{3d^2 e^3 \arctan\left(\frac{\sqrt{e^2 x^2 + d^2}}{\sqrt{e^2}}\right)}{8\sqrt{e^2}} - \frac{5d^2 e^3 \arctan\left(\frac{2e^2 x^2 + d^2}{\sqrt{e^2} \sqrt{e^2 x^2 + d^2}}\right)}{8\sqrt{e^2}} - \frac{3\sqrt{2}(x+\frac{d}{2})\sqrt{e^2 x^2 + d^2} - (x+\frac{d}{2})^2 e^2}{8d} e^3 - \frac{3\sqrt{2}(x-\frac{d}{2})\sqrt{e^2 x^2 + d^2} - (x-\frac{d}{2})^2 e^2}{8d} e^3 - \frac{3\sqrt{e^2 x^2 + d^2}}{2} e^3 - \frac{5(-e^2 x^2 + d^2)^{3/2}}{12d^2} e^3 - \frac{(2(x+\frac{d}{2})d - (x+\frac{d}{2})^2 e^2)^{3/2}}{4d^2} e^3 - \frac{(-e^2 x^2 + d^2)^{3/2}}{2d^2} e^3 - \frac{(-e^2 x^2 + d^2)^{3/2}}{3d^2} e^3 - \frac{3(-e^2 x^2 + d^2)^{3/2}}{10d^2} e^3 - \frac{(2(x+\frac{d}{2})d - (x+\frac{d}{2})^2 e^2)^{3/2}}{5d^2} e^3 - \frac{(-e^2 x^2 + d^2)^{3/2}}{3d^2} e^3 - \frac{(-e^2 x^2 + d^2)^{3/2}}{2d^2} e^3 - \frac{(-e^2 x^2 + d^2)^{3/2}}{3d^2} e^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x^4/(e\*x+d), x)

[Out]  $\frac{1}{3}d^5 e^2/x * (-e^2 x^2 + d^2)^{(7/2)} + \frac{1}{3}d^5 e^4 x x * (-e^2 x^2 + d^2)^{(5/2)} + \frac{5}{12} * (-e^2 x^2 + d^2)^{(3/2)}/d^3 e^4 x + \frac{5}{8} * (-e^2 x^2 + d^2)^{(1/2)}/d * e^4 x + \frac{5}{8} / (e^2)^{(1/2)} * d * e^4 * \arctan((e^2)^{(1/2)}/(-e^2 x^2 + d^2)^{(1/2)} * x) + \frac{1}{2} * e/d^4/x^2 * (-e^2 x^2 + d^2)^{(7/2)} + \frac{3}{10} * e^3/d^4 * (-e^2 x^2 + d^2)^{(5/2)} + \frac{1}{2} * (-e^2 x^2 + d^2)^{(3/2)}/d^2 * e^3 + \frac{3}{2} * (-e^2 x^2 + d^2)^{(1/2)} * e^3 - \frac{3}{2} / (d^2)^{(1/2)} * d^2 * e^3 * \ln((2*d^2 + 2*(d^2)^{(1/2)} * (-e^2 x^2 + d^2)^{(1/2)})/x) - \frac{1}{3}d^3/x^3 * (-e^2 x^2 + d^2)^{(7/2)} + \frac{1}{5}d^4 * e^3 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(5/2)} + \frac{1}{4}d^3 * e^4 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(3/2)} * x + \frac{3}{8}d * e^4 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(1/2)} * x + \frac{3}{8}d * e^4 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)}/(2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(1/2)} * x)$

**maxima [A]** time = 0.99, size = 132, normalized size = 1.10

$$de^3 \arcsin\left(\frac{ex}{d}\right) - \frac{3}{2} de^3 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2 x^2 + d^2} d}{|x|}\right) + \frac{3}{2} \sqrt{-e^2 x^2 + d^2} e^3 + \frac{\sqrt{-e^2 x^2 + d^2} de^2}{x} + \frac{(-e^2 x^2 + d^2)^{3/2} e}{2x^2} - \frac{(-e^2 x^2 + d^2)^{3/2} d}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^4/(e\*x+d), x, algorithm="maxima")

[Out]  $d * e^3 * \arcsin(ex/d) - \frac{3}{2} * d * e^3 * \log(2 * d^2 / \text{abs}(x) + 2 * \text{sqrt}(-e^2 * x^2 + d^2) * d / \text{abs}(x)) + \frac{3}{2} * \text{sqrt}(-e^2 * x^2 + d^2) * e^3 + \text{sqrt}(-e^2 * x^2 + d^2) * d * e^2 / x + \frac{1}{2} * (-e^2 * x^2 + d^2)^{(3/2)} * e / x^2 - \frac{1}{3} * (-e^2 * x^2 + d^2)^{(3/2)} * d / x^3$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^4 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)), x)

**sympy [C]** time = 11.68, size = 457, normalized size = 3.81

$$d^3 \left( \left( \frac{\sqrt{\frac{d^2}{2x^2} - 1}}{3x^2} + \frac{\sqrt{\frac{d^2}{2x^2} - 1}}{3d^2} \right) \text{ for } \left| \frac{d^2}{2x^2} \right| > 1 \right) - d^2 e \left( \left( -\frac{d^2}{2x^3 \sqrt{\frac{d^2}{2x^2} - 1}} + \frac{e}{2x \sqrt{\frac{d^2}{2x^2} - 1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{\sqrt{2}x}\right)}{2d} \right) \text{ for } \left| \frac{d^2}{2x^2} \right| > 1 \right) - d^2 e \left( \left( \frac{d}{x \sqrt{1 - \frac{d^2}{2x^2}}} - e \operatorname{asin}\left(\frac{e}{d}\right) + \frac{e^2 x}{d \sqrt{1 - \frac{d^2}{2x^2}}} \right) \text{ otherwise} \right) + e^3 \left( \left( \frac{d^2}{e x \sqrt{\frac{d^2}{2x^2} - 1}} - d \operatorname{acosh}\left(\frac{d}{\sqrt{2}x}\right) - \frac{e x}{\sqrt{\frac{d^2}{2x^2} - 1}} \right) \text{ for } \left| \frac{d^2}{2x^2} \right| > 1 \right) + e^3 \left( \left( -\frac{d^2}{e x \sqrt{\frac{d^2}{2x^2} + 1}} + d \operatorname{asin}\left(\frac{d}{\sqrt{2}x}\right) + \frac{e x}{\sqrt{\frac{d^2}{2x^2} + 1}} \right) \text{ otherwise} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*4/(e\*x+d),x)

[Out]  $d^3 \text{Piecewise}\left(\frac{-e \sqrt{d^2/(e^2 x^2)} - 1}{3 x^2} + e^3 \sqrt{d^2/(e^2 x^2) - 1} / (3 d^2), \text{Abs}(d^2/(e^2 x^2)) > 1\right), \left(-I e \sqrt{-d^2/(e^2 x^2) + 1} / (3 x^2) + I e^3 \sqrt{-d^2/(e^2 x^2) + 1} / (3 d^2), \text{True}\right) - d^2 e \text{Piecewise}\left(\frac{-d^2/(2 e x^3 \sqrt{d^2/(e^2 x^2) - 1}) + e/(2 x \sqrt{d^2/(e^2 x^2) - 1}) + e^2 \text{acosh}(d/(e x)) / (2 d), \text{Abs}(d^2/(e^2 x^2)) > 1\right), \left(-I e \sqrt{-d^2/(e^2 x^2) + 1} / (2 x) - I e^2 \text{asin}(d/(e x)) / (2 d), \text{True}\right) - d e^2 \text{Piecewise}\left(I d / (x \sqrt{-1 + e^2 x^2/d^2}) + I e \text{acosh}(e x/d) - I e^2 x / (d \sqrt{-1 + e^2 x^2/d^2}), \text{Abs}(e^2 x^2/d^2) > 1\right), \left(-d / (x \sqrt{1 - e^2 x^2/d^2}) - e \text{asin}(e x/d) + e^2 x / (d \sqrt{1 - e^2 x^2/d^2}), \text{True}\right) + e^3 \text{Piecewise}\left(\frac{d^2/(e x \sqrt{d^2/(e^2 x^2) - 1}) - d \text{acosh}(d/(e x)) - e x / \sqrt{d^2/(e^2 x^2) - 1}, \text{Abs}(d^2/(e^2 x^2)) > 1\right), \left(-I d^2/(e x \sqrt{-d^2/(e^2 x^2) + 1}) + I d \text{asin}(d/(e x)) + I e x / \sqrt{-d^2/(e^2 x^2) + 1}, \text{True}\right)$

$$3.112 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^5 (d + ex)} dx$$

**Optimal.** Leaf size=119

$$\frac{e^2(3d - 8ex)\sqrt{d^2 - e^2x^2}}{8x^2} - \frac{(3d - 4ex)(d^2 - e^2x^2)^{3/2}}{12x^4} + e^4 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2x^2}} \right) \right) - \frac{3}{8} e^4 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2x^2}}{d} \right)$$

**Rubi [A]** time = 0.11, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {850, 811, 844, 217, 203, 266, 63, 208}

$$\frac{e^2(3d - 8ex)\sqrt{d^2 - e^2x^2}}{8x^2} - \frac{(3d - 4ex)(d^2 - e^2x^2)^{3/2}}{12x^4} + e^4 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2x^2}} \right) \right) - \frac{3}{8} e^4 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)),x]

[Out] (e^2\*(3\*d - 8\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(8\*x^2) - ((3\*d - 4\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(12\*x^4) - e^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - (3\*e^4\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/8

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 811

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(a + c*x^2)^p*((d*g - e*f*(m + 2
))*(c*d^2 + a*e^2) - 2*c*d^2*p*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 + a*e^2) +
2*c*d*p*(e*f - d*g)*x))/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), x] - Dist[
p/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 2)*(a + c*x^2)^
(p - 1)*Simp[2*a*c*e*(e*f - d*g)*(m + 2) - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m
+ 2*p + 2)) - 2*a*e^2*g*(m + 1))*x, x], x] /; FreeQ[{a, c, d, e, f, g}
, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2*p, 0]
&& !ILtQ[m + 2*p + 3, 0]
```

### Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 850

```
Int[((x_)^(n_)*((a_) + (c_)*(x_)^2)^(p_))/((d_) + (e_)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps



$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^5(d + ex)} dx &= \int \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{x^5} dx \\
&= -\frac{(3d - 4ex)(d^2 - e^2 x^2)^{3/2}}{12x^4} - \frac{\int \frac{(6d^3 e^2 - 8d^2 e^3 x)\sqrt{d^2 - e^2 x^2}}{x^3} dx}{8d^2} \\
&= \frac{e^2(3d - 8ex)\sqrt{d^2 - e^2 x^2}}{8x^2} - \frac{(3d - 4ex)(d^2 - e^2 x^2)^{3/2}}{12x^4} + \frac{\int \frac{12d^5 e^4 - 32d^4 e^5 x}{x\sqrt{d^2 - e^2 x^2}} dx}{32d^4} \\
&= \frac{e^2(3d - 8ex)\sqrt{d^2 - e^2 x^2}}{8x^2} - \frac{(3d - 4ex)(d^2 - e^2 x^2)^{3/2}}{12x^4} + \frac{1}{8}(3de^4) \int \frac{1}{x\sqrt{d^2 - e^2 x^2}} dx - e^5 \int \frac{1}{x} dx \\
&= \frac{e^2(3d - 8ex)\sqrt{d^2 - e^2 x^2}}{8x^2} - \frac{(3d - 4ex)(d^2 - e^2 x^2)^{3/2}}{12x^4} + \frac{1}{16}(3de^4) \text{Subst}\left(\int \frac{1}{x\sqrt{d^2 - e^2 x}} dx\right) - e^5 \ln|x| \\
&= \frac{e^2(3d - 8ex)\sqrt{d^2 - e^2 x^2}}{8x^2} - \frac{(3d - 4ex)(d^2 - e^2 x^2)^{3/2}}{12x^4} - e^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - \frac{1}{8}(3de^2) \ln|x| \\
&= \frac{e^2(3d - 8ex)\sqrt{d^2 - e^2 x^2}}{8x^2} - \frac{(3d - 4ex)(d^2 - e^2 x^2)^{3/2}}{12x^4} - e^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - \frac{3}{8}e^4 \tanh^{-1}\left(\frac{ex}{d}\right)
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 111, normalized size = 0.93

$$\frac{1}{24} \left( -9e^4 \log(\sqrt{d^2 - e^2 x^2} + d) - 24e^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) + \frac{\sqrt{d^2 - e^2 x^2}(-6d^3 + 8d^2 ex + 15de^2 x^2 - 32e^3 x^3)}{x^4} + 9e^4 \log(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(-6\*d^3 + 8\*d^2\*e\*x + 15\*d\*e^2\*x^2 - 32\*e^3\*x^3))/x^4 - 24\*e^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] + 9\*e^4\*Log[x] - 9\*e^4\*Log[d + Sqrt[d^2 - e^2\*x^2]])/24

**IntegrateAlgebraic [A]** time = 0.58, size = 142, normalized size = 1.19

$$\frac{3}{4}e^4 \tanh^{-1}\left(\frac{\sqrt{-e^2 x}}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right) - \sqrt{-e^2} e^3 \log(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x) + \frac{\sqrt{d^2 - e^2 x^2}(-6d^3 + 8d^2 ex + 15de^2 x^2 - 32e^3 x^3)}{24x^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)), x]

[Out]  $(\sqrt{d^2 - e^2 x^2} * (-6d^3 + 8d^2 e x + 15d e^2 x^2 - 32e^3 x^3)) / (24x^4) + (3e^4 \operatorname{ArcTanh}[\sqrt{-e^2} x] / d - \sqrt{d^2 - e^2 x^2} / d) / 4 - e^3 \sqrt{-e^2} \operatorname{Log}[-(\sqrt{-e^2} x) + \sqrt{d^2 - e^2 x^2}]$

**fricas** [A] time = 0.41, size = 119, normalized size = 1.00

$$\frac{48e^4 x^4 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) + 9e^4 x^4 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - (32e^3 x^3 - 15de^2 x^2 - 8d^2 ex + 6d^3) \sqrt{-e^2 x^2 + d^2}}{24x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(5/2)/x^5/(e*x+d),x, algorithm="fricas")`

[Out]  $1/24*(48e^4 x^4 \arctan(-(d - \sqrt{-e^2 x^2 + d^2})/(e x)) + 9e^4 x^4 \log(-(d - \sqrt{-e^2 x^2 + d^2})/x) - (32e^3 x^3 - 15d e^2 x^2 - 8d^2 e x + 6d^3) \sqrt{-e^2 x^2 + d^2}) / x^4$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(5/2)/x^5/(e*x+d),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $1/192 * ((-1/2 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1)) / x / exp(2)) ^ 3 * (-96*exp(1) ^ 6 * exp(2) ^ 2 + 288*exp(1) ^ 4 * exp(2) ^ 3 - 72*exp(2) ^ 5) + (-1/2 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1)) / x / exp(2) ^ 2 * (24*exp(1) ^ 4 * exp(2) ^ 3 - 48*exp(2) ^ 5) + 3*exp(2) ^ 5 + 4 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1) * exp(2) ^ 5 / x / exp(2) / (-1/2 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1)) / x / exp(2) ^ 4 / exp(1) ^ 6 + 1/65536 * (-8192 * (-1/2 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1)) / x / exp(2)) ^ 2 * exp(1) ^ 22 * exp(2) ^ 7 + 8192/3 * (-1/2 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1)) / x / exp(2) ^ 3 * exp(1) ^ 20 * exp(2) ^ 8 - 1024 * (-1/2 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1)) / x / exp(2) ^ 4 * exp(1) ^ 18 * exp(2) ^ 9 + 24576 * (-1/2 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1)) / x / exp(2) ^ 2 * exp(1) ^ 20 * exp(2) ^ 8 - 8192 * (-1/2 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1)) / x / exp(2) ^ 2 * exp(1) ^ 18 * exp(2) ^ 9 - 12288 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1) * exp(1) ^ 20 * exp(2) ^ 8 / x / exp(2) + 49152 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1) * exp(1) ^ 22 * exp(2) ^ 7 / x / exp(2) - 16384 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1) * exp(1) ^ 24 * exp(2) ^ 6 / x / exp(2) / exp(1) ^ 24 / exp(2) ^ 4 + 1/2 * (-12*exp(1) ^ 4 * exp(2) ^ 2 + 8*exp(2) ^ 4 + 4*exp(1) ^ 6 * exp(2)) * atan((-1/2 * (-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1)) / x + exp(2)) / sqrt(-exp(1) ^ 4 + exp(2) ^ 2) / sqrt(-exp(1) ^ 4 + exp(2) ^ 2) / exp(1) ^ 2 + 1/8 * (24*exp(1) ^ 6 * exp(2) ^ 2 - 28*exp(1) ^ 4 * exp(2) ^ 3 + 9*exp(2) ^ 5 - 8*exp(1) ^ 8 * exp(2)) * ln(1/2 * abs(-2*d*exp(1) - 2*\sqrt{d^2 - x^2*exp(2)}) * exp(1)) / abs(x) / exp(2) / exp(1) ^ 5 / exp(1) - sign(d) * asin(x*exp(2)/d/exp(1)) * exp(1) ^ 4$

**maple [B]** time = 0.01, size = 463, normalized size = 3.89

$$\frac{3e^4 \ln\left(\frac{d^2 - e^2 x^2 + d^2}{d^2}\right)}{8\sqrt{d}} - \frac{3e^4 \arctan\left(\frac{e^2 x}{\sqrt{d^2 - e^2 x^2 + d^2}}\right)}{8\sqrt{d}} - \frac{3e^4 \arctan\left(\frac{e^2 x}{\sqrt{d^2 - e^2 x^2 + d^2}}\right)}{8\sqrt{d}} - \frac{3e^4 \arctan\left(\frac{e^2 x}{\sqrt{d^2 - e^2 x^2 + d^2}}\right)}{8\sqrt{d}} - \frac{3e^4 \arctan\left(\frac{e^2 x}{\sqrt{d^2 - e^2 x^2 + d^2}}\right)}{8\sqrt{d}} - \frac{3e^4 \arctan\left(\frac{e^2 x}{\sqrt{d^2 - e^2 x^2 + d^2}}\right)}{8\sqrt{d}} - \frac{3e^4 \arctan\left(\frac{e^2 x}{\sqrt{d^2 - e^2 x^2 + d^2}}\right)}{8\sqrt{d}} - \frac{3e^4 \arctan\left(\frac{e^2 x}{\sqrt{d^2 - e^2 x^2 + d^2}}\right)}{8\sqrt{d}} - \frac{3e^4 \arctan\left(\frac{e^2 x}{\sqrt{d^2 - e^2 x^2 + d^2}}\right)}{8\sqrt{d}} - \frac{3e^4 \arctan\left(\frac{e^2 x}{\sqrt{d^2 - e^2 x^2 + d^2}}\right)}{8\sqrt{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x^5/(e\*x+d), x)

[Out] 
$$-5/8/(e^2)^{(1/2)} * e^5 * \arctan((e^2)^{(1/2)}/(-e^2 * x^2 + d^2)^{(1/2)} * x) + 1/8 * (-e^2 * x^2 + d^2)^{(3/2)}/d^3 * e^4 + 3/8 * (-e^2 * x^2 + d^2)^{(1/2)}/d * e^4 - 1/4/d^4 * e^5 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(3/2)} * x - 3/8/d^2 * e^5 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(1/2)} * x + 1/3 * e/d^4/x^3 * (-e^2 * x^2 + d^2)^{(7/2)} - 1/3/d^6 * e^3/x * (-e^2 * x^2 + d^2)^{(7/2)} - 1/3/d^6 * e^5 * x * (-e^2 * x^2 + d^2)^{(5/2)} - 1/8/d^5 * e^2/x^2 * (-e^2 * x^2 + d^2)^{(7/2)} - 5/12 * (-e^2 * x^2 + d^2)^{(3/2)}/d^4 * e^5 * x - 5/8 * (-e^2 * x^2 + d^2)^{(1/2)}/d^2 * e^5 * x - 3/8/(d^2)^{(1/2)} * d * e^4 * \ln((2 * d^2 + 2 * (d^2)^{(1/2)} * (-e^2 * x^2 + d^2)^{(1/2)})/x) - 1/5/d^5 * e^4 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(5/2)} - 3/8 * e^5/(e^2)^{(1/2)} * \arctan((e^2)^{(1/2)}/(2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(1/2)} * x) - 1/4/d^3/x^4 * (-e^2 * x^2 + d^2)^{(7/2)} + 3/40/d^5 * e^4 * (-e^2 * x^2 + d^2)^{(5/2)}$$

**maxima [A]** time = 1.01, size = 159, normalized size = 1.34

$$-e^4 \arcsin\left(\frac{ex}{d}\right) - \frac{3}{8} e^4 \log\left(\frac{2d^2 + 2\sqrt{-e^2x^2 + d^2}d}{|x|}\right) + \frac{3\sqrt{-e^2x^2 + d^2}e^4}{8d} - \frac{\sqrt{-e^2x^2 + d^2}e^3}{x} + \frac{3(-e^2x^2 + d^2)^{\frac{3}{2}}e^2}{8dx^2} + \frac{(-e^2x^2 + d^2)^{\frac{3}{2}}e}{3x^3} - \frac{(-e^2x^2 + d^2)^{\frac{3}{2}}d}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^5/(e\*x+d), x, algorithm="maxima")

[Out] 
$$-e^4 * \arcsin(e * x / d) - 3/8 * e^4 * \log(2 * d^2 / \text{abs}(x) + 2 * \text{sqrt}(-e^2 * x^2 + d^2) * d / \text{abs}(x)) + 3/8 * \text{sqrt}(-e^2 * x^2 + d^2) * e^4 / d - \text{sqrt}(-e^2 * x^2 + d^2) * e^3 / x + 3/8 * (-e^2 * x^2 + d^2)^{(3/2)} * e^2 / (d * x^2) + 1/3 * (-e^2 * x^2 + d^2)^{(3/2)} * e / x^3 - 1/4 * (-e^2 * x^2 + d^2)^{(3/2)} * d / x^4$$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^5 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)), x)

**sympy [C]** time = 14.37, size = 541, normalized size = 4.55

$$\left( \begin{array}{l} \left( -\frac{d^2}{4e^5\sqrt{\frac{d^2}{e^2}-1}} + \frac{3e}{8e^3\sqrt{\frac{d^2}{e^2}-1}} - \frac{e^3}{8e^5\sqrt{\frac{d^2}{e^2}-1}} + \frac{e^4 \operatorname{acosh}\left(\frac{d}{e}\right)}{8e^6} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \right) \\ \left( \frac{d^2}{4e^5\sqrt{\frac{d^2}{e^2}+1}} - \frac{3e}{8e^3\sqrt{\frac{d^2}{e^2}+1}} + \frac{e^3}{8e^5\sqrt{\frac{d^2}{e^2}+1}} - \frac{e^4 \operatorname{asin}\left(\frac{d}{e}\right)}{8e^6} \text{ otherwise} \right) \end{array} \right) - d^2 e \left( \begin{array}{l} \left( \frac{\sqrt{\frac{d^2}{e^2}-1}}{3e^2} + \frac{e^3\sqrt{\frac{d^2}{e^2}-1}}{3e^2} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \right) \\ \left( -\frac{\sqrt{\frac{d^2}{e^2}+1}}{3e^2} + \frac{e^3\sqrt{\frac{d^2}{e^2}+1}}{3e^2} \text{ otherwise} \right) \end{array} \right) - d^2 e^2 \left( \begin{array}{l} \left( -\frac{d^2}{2e^3\sqrt{\frac{d^2}{e^2}-1}} + \frac{e}{2e\sqrt{\frac{d^2}{e^2}-1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{e}\right)}{2d} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \right) \\ \left( -\frac{d^2}{2e\sqrt{\frac{d^2}{e^2}+1}} - \frac{e^2 \operatorname{asin}\left(\frac{d}{e}\right)}{2d} \text{ otherwise} \right) \end{array} \right) + e^3 \left( \begin{array}{l} \left( \frac{d}{e\sqrt{1-\frac{d^2}{e^2}}} + ie \operatorname{acosh}\left(\frac{d}{e}\right) - \frac{e^2 x}{d\sqrt{1-\frac{d^2}{e^2}}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \right) \\ \left( -\frac{d}{e\sqrt{1+\frac{d^2}{e^2}}} - e \operatorname{asin}\left(\frac{d}{e}\right) + \frac{e^2 x}{d\sqrt{1+\frac{d^2}{e^2}}} \text{ otherwise} \right) \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*5/(e\*x+d),x)

[Out] d\*\*3\*Piecewise((-d\*\*2/(4\*e\*x\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + 3\*e/(8\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - e\*\*3/(8\*d\*\*2\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*4\*acosh(d/(e\*x))/(8\*d\*\*3), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (I\*d\*\*2/(4\*e\*x\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - 3\*I\*e/(8\*x\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*e\*\*3/(8\*d\*\*2\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e\*\*4\*asin(d/(e\*x))/(8\*d\*\*3), True)) - d\*\*2\*e\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3\*x\*\*2) + e\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3\*d\*\*2), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3\*x\*\*2) + I\*e\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3\*d\*\*2), True)) - d\*e\*\*2\*Piecewise((-d\*\*2/(2\*e\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e/(2\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*2\*acosh(d/(e\*x))/(2\*d), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(2\*x) - I\*e\*\*2\*asin(d/(e\*x))/(2\*d), True)) + e\*\*3\*Piecewise((I\*d/(x\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*acosh(e\*x/d) - I\*e\*\*2\*x/(d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (-d/(x\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*asin(e\*x/d) + e\*\*2\*x/(d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2))), True))

$$3.113 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^6(d+ex)} dx$$

Optimal. Leaf size=108

$$-\frac{(d^2 - e^2 x^2)^{5/2}}{5dx^5} + \frac{e(d^2 - e^2 x^2)^{3/2}}{4x^4} + \frac{3e^5 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{8d} - \frac{3e^3 \sqrt{d^2 - e^2 x^2}}{8x^2}$$

**Rubi [A]** time = 0.09, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {850, 807, 266, 47, 63, 208}

$$-\frac{3e^3 \sqrt{d^2 - e^2 x^2}}{8x^2} + \frac{e(d^2 - e^2 x^2)^{3/2}}{4x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{5dx^5} + \frac{3e^5 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{8d}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^6\*(d + e\*x)),x]

[Out] (-3\*e^3\*sqrt[d^2 - e^2\*x^2])/(8\*x^2) + (e\*(d^2 - e^2\*x^2)^(3/2))/(4\*x^4) - (d^2 - e^2\*x^2)^(5/2)/(5\*d\*x^5) + (3\*e^5\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(8\*d)

#### Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 850

```
Int[((x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^6(d + ex)} dx &= \int \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{x^6} dx \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{5dx^5} - e \int \frac{(d^2 - e^2 x^2)^{3/2}}{x^5} dx \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{5dx^5} - \frac{1}{2} e \text{Subst} \left( \int \frac{(d^2 - e^2 x)^{3/2}}{x^3} dx, x, x^2 \right) \\
&= \frac{e(d^2 - e^2 x^2)^{3/2}}{4x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{5dx^5} + \frac{1}{8} (3e^3) \text{Subst} \left( \int \frac{\sqrt{d^2 - e^2 x}}{x^2} dx, x, x^2 \right) \\
&= -\frac{3e^3 \sqrt{d^2 - e^2 x^2}}{8x^2} + \frac{e(d^2 - e^2 x^2)^{3/2}}{4x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{5dx^5} - \frac{1}{16} (3e^5) \text{Subst} \left( \int \frac{1}{x\sqrt{d^2 - e^2 x}} dx, x, \sqrt{\frac{d^2 - e^2 x^2}{e^2}} \right) \\
&= -\frac{3e^3 \sqrt{d^2 - e^2 x^2}}{8x^2} + \frac{e(d^2 - e^2 x^2)^{3/2}}{4x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{5dx^5} + \frac{1}{8} (3e^3) \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{\frac{d^2 - e^2 x^2}{e^2}} \right) \\
&= -\frac{3e^3 \sqrt{d^2 - e^2 x^2}}{8x^2} + \frac{e(d^2 - e^2 x^2)^{3/2}}{4x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{5dx^5} + \frac{3e^5 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{8d}
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 106, normalized size = 0.98

$$\frac{15e^5 x^5 \log(\sqrt{d^2 - e^2 x^2} + d) + \sqrt{d^2 - e^2 x^2} (-8d^4 + 10d^3 ex + 16d^2 e^2 x^2 - 25de^3 x^3 - 8e^4 x^4) - 15e^5 x^5 \log(x)}{40dx^5}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^6\*(d + e\*x)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-8\*d^4 + 10\*d^3\*e\*x + 16\*d^2\*e^2\*x^2 - 25\*d\*e^3\*x^3 - 8\*e^4\*x^4) - 15\*e^5\*x^5\*Log[x] + 15\*e^5\*x^5\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(40\*d\*x^5)

**IntegrateAlgebraic [A]** time = 0.59, size = 155, normalized size = 1.44

$$\frac{3e^5 \log(\sqrt{d^2 - e^2 x^2} + d - \sqrt{-e^2 x})}{8d} - \frac{3e^5 \log(-d\sqrt{d^2 - e^2 x^2} + d^2 + d\sqrt{-e^2 x})}{8d} + \frac{\sqrt{d^2 - e^2 x^2} (-8d^4 + 10d^3 ex + 16d^2 e^2 x^2 - 25de^3 x^3 - 8e^4 x^4)}{40dx^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^6\*(d + e\*x)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-8\*d^4 + 10\*d^3\*e\*x + 16\*d^2\*e^2\*x^2 - 25\*d\*e^3\*x^3 - 8\*e^4\*x^4))/(40\*d\*x^5) + (3\*e^5\*Log[d - Sqrt[-e^2]\*x + Sqrt[d^2 - e^2\*x^2]])/(8\*d) - (3\*e^5\*Log[d^2 + d\*Sqrt[-e^2]\*x - d\*Sqrt[d^2 - e^2\*x^2]])/(8\*d)

**fricas** [A] time = 0.40, size = 97, normalized size = 0.90

$$\frac{15 e^5 x^5 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + (8 e^4 x^4 + 25 d e^3 x^3 - 16 d^2 e^2 x^2 - 10 d^3 e x + 8 d^4) \sqrt{-e^2 x^2 + d^2}}{40 d x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^6/(e\*x+d),x, algorithm="fricas")

[Out] -1/40\*(15\*e^5\*x^5\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (8\*e^4\*x^4 + 25\*d\*e^3\*x^3 - 16\*d^2\*e^2\*x^2 - 10\*d^3\*e\*x + 8\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d\*x^5)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^6/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/960 \*((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*(480\*exp(1)^8\*exp(2)^2-1440\*exp(1)^6\*exp(2)^3+1800\*exp(1)^4\*exp(2)^4-780\*exp(2)^6)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*(-120\*exp(1)^6\*exp(2)^3+360\*exp(1)^4\*exp(2)^4-120\*exp(2)^6)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*(40\*exp(1)^4\*exp(2)^4-70\*exp(2)^6)+6\*exp(2)^6+15/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(2)^6/x/exp(2))/(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5/exp(1)^6/d/exp(1)+1/33554432\*(4194304\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^34\*exp(2)^8-4194304/3\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^32\*exp(2)^9+524288\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^30\*exp(2)^10-1048576/5\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^28\*exp(2)^11-12582912\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^32\*exp(2)^9+4194304\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^30\*exp(2)^10+4194304\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^30\*exp(2)^10-5242880/3\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^28\*exp(2)^11+5242880\*d^4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^28\*exp(2)^11/x/exp(2)-18874368\*d^4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))





Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(5/2)/(x^6*(d + e*x)), x)`

[Out] `int((d^2 - e^2*x^2)^(5/2)/(x^6*(d + e*x)), x)`

**sympy** [C] time = 13.94, size = 774, normalized size = 7.17

$$d^2 \left( \begin{array}{l} \left( \frac{3d^2 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^2 e^2 + 15e^2 d^2} - \frac{4d^2 e^2 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^2 e^2 + 15e^2 d^2} - \frac{2d^2 e^4 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^2 e^2 + 15e^2 d^2} - \frac{e^4 e^4 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^2 e^2 + 15e^2 d^2} \right) \text{ for } \left| \frac{d^2}{e^2} \right| > 1 \\ \left( \frac{3d^2 \sqrt{1 - \frac{d^2}{e^2}}}{-15d^2 e^2 + 15e^2 d^2} - \frac{4d^2 e^2 \sqrt{1 - \frac{d^2}{e^2}}}{-15d^2 e^2 + 15e^2 d^2} + \frac{2d^2 e^4 \sqrt{1 - \frac{d^2}{e^2}}}{-15d^2 e^2 + 15e^2 d^2} - \frac{e^4 e^4 \sqrt{1 - \frac{d^2}{e^2}}}{-15d^2 e^2 + 15e^2 d^2} \right) \text{ otherwise} \end{array} \right) - d^2 e \left( \begin{array}{l} \left( -\frac{d^2}{4e^2 \sqrt{\frac{d^2}{e^2} - 1}} + \frac{3e}{8d^2 \sqrt{\frac{d^2}{e^2} - 1}} - \frac{d^2}{8d^2 e \sqrt{\frac{d^2}{e^2} - 1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{e}\right)}{8d^2} \right) \text{ for } \left| \frac{d^2}{e^2} \right| > 1 \\ \left( \frac{d^2}{4e^2 \sqrt{\frac{d^2}{e^2} + 1}} - \frac{3e}{8d^2 \sqrt{\frac{d^2}{e^2} + 1}} + \frac{d^2}{8d^2 e \sqrt{\frac{d^2}{e^2} + 1}} - \frac{e^2 \operatorname{asin}\left(\frac{d}{e}\right)}{8d^2} \right) \text{ otherwise} \end{array} \right) - d^2 e^2 \left( \begin{array}{l} \left( \frac{e \sqrt{\frac{d^2}{e^2} - 1}}{3e^2} + \frac{d^2 \sqrt{\frac{d^2}{e^2} - 1}}{3d^2} \right) \text{ for } \left| \frac{d^2}{e^2} \right| > 1 \\ \left( \frac{e \sqrt{\frac{d^2}{e^2} + 1}}{3e^2} + \frac{d^2 \sqrt{\frac{d^2}{e^2} + 1}}{3d^2} \right) \text{ otherwise} \end{array} \right) + e^2 \left( \begin{array}{l} \left( \frac{d^2}{2e^2 \sqrt{\frac{d^2}{e^2} - 1}} + \frac{e}{2e \sqrt{\frac{d^2}{e^2} - 1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{e}\right)}{2d} \right) \text{ for } \left| \frac{d^2}{e^2} \right| > 1 \\ \left( \frac{d^2}{2e^2 \sqrt{\frac{d^2}{e^2} + 1}} - \frac{e}{2e \sqrt{\frac{d^2}{e^2} + 1}} - \frac{e^2 \operatorname{asin}\left(\frac{d}{e}\right)}{2d} \right) \text{ otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(5/2)/x**6/(e*x+d), x)`

[Out] `d**3*Piecewise((3*I*d**3*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*I*d*e**2*x**2*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*I*e**6*x**6*sqrt(-1 + e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - I*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), Abs(e**2*x**2/d**2) > 1), (3*d**3*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*d*e**2*x**2*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*e**6*x**6*sqrt(1 - e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - e**4*x**4*sqrt(1 - e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), True)) - d**2*e*Piecewise((-d**2/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 3*e/(8*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**3/(8*d**2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**4*acosh(d/(e*x))/(8*d**3), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(4*e*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e/(8*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**3/(8*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**4*asin(d/(e*x))/(8*d**3), True)) - d*e**2*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*x**2) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(3*x**2) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(3*d**2), True)) + e**3*Piecewise((-d**2/(2*e*x**3*sqrt(d**2/(e**2*x**2) - 1)) + e/(2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**2*acosh(d/(e*x))/(2*d), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(2*x) - I*e**2*asin(d/(e*x))/(2*d), True))`

$$3.114 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^7 (d + ex)} dx$$

**Optimal.** Leaf size=143

$$-\frac{(d^2 - e^2 x^2)^{5/2}}{6dx^6} + \frac{e(d^2 - e^2 x^2)^{5/2}}{5d^2 x^5} - \frac{e^2(d^2 - e^2 x^2)^{3/2}}{24dx^4} - \frac{e^6 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{16d^2} + \frac{e^4 \sqrt{d^2 - e^2 x^2}}{16dx^2}$$

**Rubi [A]** time = 0.12, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {850, 835, 807, 266, 47, 63, 208}

$$\frac{e^4 \sqrt{d^2 - e^2 x^2}}{16dx^2} - \frac{e^2 (d^2 - e^2 x^2)^{3/2}}{24dx^4} + \frac{e (d^2 - e^2 x^2)^{5/2}}{5d^2 x^5} - \frac{(d^2 - e^2 x^2)^{5/2}}{6dx^6} - \frac{e^6 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{16d^2}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^7\*(d + e\*x)),x]

[Out] (e^4\*sqrt[d^2 - e^2\*x^2])/(16\*d\*x^2) - (e^2\*(d^2 - e^2\*x^2)^(3/2))/(24\*d\*x^4) - (d^2 - e^2\*x^2)^(5/2)/(6\*d\*x^6) + (e\*(d^2 - e^2\*x^2)^(5/2))/(5\*d^2\*x^5) - (e^6\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(16\*d^2)

#### Rule 47

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2\*n + m + 1, 0])) && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rule 850

```
Int[((x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^7(d + ex)} dx &= \int \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{x^7} dx \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{6dx^6} - \frac{\int \frac{(6d^2 e - de^2 x)(d^2 - e^2 x^2)^{3/2}}{x^6} dx}{6d^2} \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{6dx^6} + \frac{e(d^2 - e^2 x^2)^{5/2}}{5d^2 x^5} + \frac{e^2 \int \frac{(d^2 - e^2 x^2)^{3/2}}{x^5} dx}{6d} \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{6dx^6} + \frac{e(d^2 - e^2 x^2)^{5/2}}{5d^2 x^5} + \frac{e^2 \text{Subst}\left(\int \frac{(d^2 - e^2 x)^{3/2}}{x^3} dx, x, x^2\right)}{12d} \\
&= -\frac{e^2 (d^2 - e^2 x^2)^{3/2}}{24dx^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{6dx^6} + \frac{e(d^2 - e^2 x^2)^{5/2}}{5d^2 x^5} - \frac{e^4 \text{Subst}\left(\int \frac{\sqrt{d^2 - e^2 x}}{x^2} dx, x, x^2\right)}{16d} \\
&= \frac{e^4 \sqrt{d^2 - e^2 x^2}}{16dx^2} - \frac{e^2 (d^2 - e^2 x^2)^{3/2}}{24dx^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{6dx^6} + \frac{e(d^2 - e^2 x^2)^{5/2}}{5d^2 x^5} + \frac{e^6 \text{Subst}\left(\int \frac{1}{x\sqrt{d^2 - e^2 x}} dx, x, x^2\right)}{32d} \\
&= \frac{e^4 \sqrt{d^2 - e^2 x^2}}{16dx^2} - \frac{e^2 (d^2 - e^2 x^2)^{3/2}}{24dx^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{6dx^6} + \frac{e(d^2 - e^2 x^2)^{5/2}}{5d^2 x^5} - \frac{e^4 \text{Subst}\left(\int \frac{1}{\frac{d^2 - x^2}{e^2} - \frac{x^2}{e^2}} dx, x, x^2\right)}{16d} \\
&= \frac{e^4 \sqrt{d^2 - e^2 x^2}}{16dx^2} - \frac{e^2 (d^2 - e^2 x^2)^{3/2}}{24dx^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{6dx^6} + \frac{e(d^2 - e^2 x^2)^{5/2}}{5d^2 x^5} - \frac{e^6 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x}}{d}\right)}{16d^2}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 117, normalized size = 0.82

$$\frac{-15e^6 x^6 \log(\sqrt{d^2 - e^2 x^2} + d) + \sqrt{d^2 - e^2 x^2} (-40d^5 + 48d^4 ex + 70d^3 e^2 x^2 - 96d^2 e^3 x^3 - 15de^4 x^4 + 48e^5 x^5) + 15e^6 x^6 \log(x)}{240d^2 x^6}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^7\*(d + e\*x)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-40\*d^5 + 48\*d^4\*e\*x + 70\*d^3\*e^2\*x^2 - 96\*d^2\*e^3\*x^3 - 15\*d\*e^4\*x^4 + 48\*e^5\*x^5) + 15\*e^6\*x^6\*Log[x] - 15\*e^6\*x^6\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(240\*d^2\*x^6)

**IntegrateAlgebraic [A]** time = 0.61, size = 126, normalized size = 0.88

$$\frac{e^6 \tanh^{-1}\left(\frac{\sqrt{-e^2 x} - \sqrt{d^2 - e^2 x^2}}{d}\right)}{8d^2} + \frac{\sqrt{d^2 - e^2 x^2} (-40d^5 + 48d^4 ex + 70d^3 e^2 x^2 - 96d^2 e^3 x^3 - 15de^4 x^4 + 48e^5 x^5)}{240d^2 x^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^7\*(d + e\*x)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-40\*d^5 + 48\*d^4\*e\*x + 70\*d^3\*e^2\*x^2 - 96\*d^2\*e^3\*x^3 - 15\*d\*e^4\*x^4 + 48\*e^5\*x^5))/(240\*d^2\*x^6) + (e^6\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/(8\*d^2)

**fricas [A]** time = 0.42, size = 108, normalized size = 0.76

$$\frac{15e^6 x^6 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + (48e^5 x^5 - 15de^4 x^4 - 96d^2 e^3 x^3 + 70d^3 e^2 x^2 + 48d^4 ex - 40d^5)\sqrt{-e^2 x^2 + d^2}}{240d^2 x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^7/(e\*x+d),x, algorithm="fricas")

[Out] 1/240\*(15\*e^6\*x^6\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (48\*e^5\*x^5 - 15\*d\*e^4\*x^4 - 96\*d^2\*e^3\*x^3 + 70\*d^3\*e^2\*x^2 + 48\*d^4\*e\*x - 40\*d^5)\*sqrt(-e^2\*x^2 + d^2))/(d^2\*x^6)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^7/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/1920\*((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2)))\*exp(1))/x/exp(2))^5\*(-960\*exp(1)^10\*exp(2)^2+2880\*exp(1)^8\*exp(2)^3-3600\*exp(1)^6\*exp(2)^4+2160\*exp(1)^4\*exp(2)^5-600\*exp(2)^7)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2)))\*exp(1))/x/exp(2))^4\*(240\*exp(1)^8\*exp(2)^3-720\*exp(1)^6\*exp(2)^4+960\*exp(1)^4\*exp(2)^5-495\*exp(2)^7)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2)))\*exp(1))/x/exp(2))^3\*(-80\*exp(1)^6\*exp(2)^4+240\*exp(1)^4\*exp(2)^5-100\*exp(2)^7)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2)))\*exp(1))/x/exp(2))^2\*(30\*exp(1)^4\*exp(2)^5-45\*exp(2)^7)+5\*exp(2)^7+6\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2)))\*exp(1))\*exp(2)^7/x/exp(2))/d^2/(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2)))\*exp(1))/x/exp(2))^6/exp(1)^8+1/68719476736\*(-8589934592\*d^10\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2

\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^48\*exp(2)^9+8589934592/3\*d^10\*(-1/2\*(-2
\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^46\*exp(2)^10-10
73741824\*d^10\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4
\*exp(1)^44\*exp(2)^11+2147483648/5\*d^10\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*ex
p(2))\*exp(1))/x/exp(2))^5\*exp(1)^42\*exp(2)^12-536870912/3\*d^10\*(-1/2\*(-2\*d\*
exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^6\*exp(1)^40\*exp(2)^13+25769
803776\*d^10\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp
(1)^46\*exp(2)^10-8589934592\*d^10\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2)
))\*exp(1))/x/exp(2))^3\*exp(1)^44\*exp(2)^11+3221225472\*d^10\*(-1/2\*(-2\*d\*exp(1
)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^42\*exp(2)^12-3435973836
8\*d^10\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)
^44\*exp(2)^11+10737418240/3\*d^10\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*
exp(1))/x/exp(2))^3\*exp(1)^42\*exp(2)^12-1610612736\*d^10\*(-1/2\*(-2\*d\*exp(1)-
2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^40\*exp(2)^13+25769803776\*
d^10\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^4
2\*exp(2)^12-8053063680\*d^10\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1
))/x/exp(2))^2\*exp(1)^40\*exp(2)^13-10737418240\*d^10\*(-2\*d\*exp(1)-2\*sqrt(d^2
-x^2\*exp(2))\*exp(1))\*exp(1)^42\*exp(2)^12/x/exp(2)+38654705664\*d^10\*(-2\*d\*ex
p(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^44\*exp(2)^11/x/exp(2)-6442450944
0\*d^10\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^46\*exp(2)^10/x/ex
p(2)+51539607552\*d^10\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^48
\*exp(2)^9/x/exp(2)-17179869184\*d^10\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp
(1))\*exp(1)^50\*exp(2)^8/x/exp(2))/d^12/exp(1)^48/exp(2)^6+1/2\*(-12\*exp(1)^5
\*exp(2)^2+12\*exp(1)^3\*exp(2)^3+4\*exp(1)^7\*exp(2)-4\*exp(1)\*exp(2)^4)\*atan((-
1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+ex
p(2)^2))/d^2/sqrt(-exp(1)^4+exp(2)^2)/exp(1)+1/16\*(48\*exp(1)^10\*exp(2)^2-56
\*exp(1)^8\*exp(2)^3+40\*exp(1)^6\*exp(2)^4-30\*exp(1)^4\*exp(2)^5+13\*exp(2)^7-16
\*exp(1)^12\*exp(2))\*ln(1/2\*abs(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/ab
s(x)/exp(2))/d^2/exp(1)^7/exp(1)

maple [B] time = 0.01, size = 521, normalized size = 3.64

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x^7/(e\*x+d), x)

[Out] 1/48\*(-e^2\*x^2+d^2)^(3/2)/d^5\*e^6+1/16\*(-e^2\*x^2+d^2)^(1/2)/d^3\*e^6+1/5\*e/d
^4/x^5\*(-e^2\*x^2+d^2)^(7/2)-1/4/d^6\*e^7\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)
\*x-3/8/d^4\*e^7\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x-3/8/d^2\*e^7/(e^2)^(1/2)
)\*arctan((e^2)^(1/2)/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x)+1/5/d^6\*e^3/x^3
\*(-e^2\*x^2+d^2)^(7/2)+1/5/d^8\*e^5/x\*(-e^2\*x^2+d^2)^(7/2)+1/5/d^8\*e^7\*x\*(-e^
2\*x^2+d^2)^(5/2)+1/4/d^6\*e^7\*x\*(-e^2\*x^2+d^2)^(3/2)+3/8/d^4\*e^7\*x\*(-e^2\*x^2
+d^2)^(1/2)+3/8/d^2\*e^7/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)
\*x)-5/24/d^5\*e^2/x^4\*(-e^2\*x^2+d^2)^(7/2)-3/16/d^7\*e^4/x^2\*(-e^2\*x^2+d^2)^(

7/2)-1/16/(d^2)^(1/2)/d\*e^6\*ln((2\*d^2+2\*(d^2)^(1/2)\*(-e^2\*x^2+d^2)^(1/2))/x)  
 )-1/5/d^7\*e^6\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(5/2)-1/6/d^3/x^6\*(-e^2\*x^2+d^2)  
 )^(7/2)+1/80/d^7\*e^6\*(-e^2\*x^2+d^2)^(5/2)

**maxima [A]** time = 1.00, size = 178, normalized size = 1.24

$$-\frac{e^6 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{16d^2} + \frac{\sqrt{-e^2x^2+d^2}e^6}{16d^3} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^4}{16d^3x^2} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^3}{5d^2x^3} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^2}{8dx^4} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e}{5x^5} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}d}{6x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^7/(e\*x+d), x, algorithm="maxima")

[Out] -1/16\*e^6\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x))/d^2 + 1/16\*sqrt(-e^2\*x^2 + d^2)\*e^6/d^3 + 1/16\*(-e^2\*x^2 + d^2)^(3/2)\*e^4/(d^3\*x^2) - 1/5\*(-e^2\*x^2 + d^2)^(3/2)\*e^3/(d^2\*x^3) + 1/8\*(-e^2\*x^2 + d^2)^(3/2)\*e^2/(d\*x^4) + 1/5\*(-e^2\*x^2 + d^2)^(3/2)\*e/x^5 - 1/6\*(-e^2\*x^2 + d^2)^(3/2)\*d/x^6

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^7 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x^7\*(d + e\*x)), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x^7\*(d + e\*x)), x)

**sympy [C]** time = 18.69, size = 918, normalized size = 6.42

$$d^6 \left( \left( \frac{-\frac{e^6}{6d^2\sqrt{\frac{d^2}{e^2x^2}+1}} + \frac{3e^6}{24d^2\sqrt{\frac{d^2}{e^2x^2}+1}} + \frac{e^6}{48d^2\sqrt{\frac{d^2}{e^2x^2}+1}} - \frac{e^6}{16d^2\sqrt{\frac{d^2}{e^2x^2}+1}} + \frac{e^6 \operatorname{acosh}\left(\frac{d}{e x}\right)}{16d^2} \right) \text{ for } \left|\frac{d^2}{e^2x^2}\right| > 1 \right) - d^6 e \left( \left( \frac{3d^6\sqrt{-1+\frac{d^2}{e^2x^2}}}{-15d^6\sqrt{15d^6}} - \frac{4d^6\sqrt{-1+\frac{d^2}{e^2x^2}}}{-15d^6\sqrt{15d^6}} - \frac{2d^6\sqrt{-1+\frac{d^2}{e^2x^2}}}{-15d^6\sqrt{15d^6}} - \frac{d^6\sqrt{-1+\frac{d^2}{e^2x^2}}}{-15d^6\sqrt{15d^6}} \right) \text{ for } \left|\frac{d^2}{e^2x^2}\right| > 1 \right) - d^6 e \left( \left( \frac{-\frac{e^6}{6d^2\sqrt{\frac{d^2}{e^2x^2}-1}} + \frac{3e^6}{24d^2\sqrt{\frac{d^2}{e^2x^2}-1}} + \frac{e^6}{48d^2\sqrt{\frac{d^2}{e^2x^2}-1}} - \frac{e^6}{16d^2\sqrt{\frac{d^2}{e^2x^2}-1}} + \frac{e^6 \operatorname{acosh}\left(\frac{d}{e x}\right)}{16d^2} \right) \text{ for } \left|\frac{d^2}{e^2x^2}\right| > 1 \right) + e^3 \left( \left( \frac{e^3\sqrt{\frac{d^2}{e^2x^2}+1}}{3d^2} + \frac{e^3\sqrt{\frac{d^2}{e^2x^2}+1}}{3d^2} \right) \text{ for } \left|\frac{d^2}{e^2x^2}\right| > 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*7/(e\*x+d), x)

[Out] d\*\*3\*Piecewise((-d\*\*2/(6\*e\*x\*\*7\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + 5\*e/(24\*x\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*3/(48\*d\*\*2\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - e\*\*5/(16\*d\*\*4\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*6\*acosh(d/(e\*x))/(16\*d\*\*5), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (I\*d\*\*2/(6\*e\*x\*\*7\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - 5\*I\*e/(24\*x\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e\*\*3/(48\*d\*\*2\*x\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*e\*\*5/(16\*d\*\*4\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e\*\*6\*asin(d/(e\*x))/(16\*d\*\*5), True)) - d\*\*2\*e\*Piecewise((3\*I\*d\*\*3\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) - 4\*I\*d\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) - 2\*I\*d\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) - d\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7)



```

rt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*I*e**6*x**6*sqrt
(-1 + e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - I*e**4*x**4*sqrt
(-1 + e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), Abs(e**2*x**2/d**2
) > 1), (3*d**3*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4
*d*e**2*x**2*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*e
**6*x**6*sqrt(1 - e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - e**4
*x**4*sqrt(1 - e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), True)) - d
*e**2*Piecewise((-d**2/(4*e*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 3*e/(8*x**3*
sqrt(d**2/(e**2*x**2) - 1)) - e**3/(8*d**2*x*sqrt(d**2/(e**2*x**2) - 1)) +
e**4*acosh(d/(e*x))/(8*d**3), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(4*e*x**5
*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e/(8*x**3*sqrt(-d**2/(e**2*x**2) + 1))
+ I*e**3/(8*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**4*asin(d/(e*x))/(8*d
**3), True)) + e**3*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(3*x**2) + e**
3*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sq
rt(-d**2/(e**2*x**2) + 1)/(3*x**2) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(3*
d**2), True))

```

$$3.115 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^8(d+ex)} dx$$

Optimal. Leaf size=172

$$-\frac{(d^2 - e^2 x^2)^{5/2}}{7dx^7} + \frac{e(d^2 - e^2 x^2)^{5/2}}{6d^2 x^6} - \frac{e^5 \sqrt{d^2 - e^2 x^2}}{16d^2 x^2} + \frac{e^3 (d^2 - e^2 x^2)^{3/2}}{24d^2 x^4} - \frac{2e^2 (d^2 - e^2 x^2)^{5/2}}{35d^3 x^5} + \frac{e^7 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{16d^3}$$

**Rubi [A]** time = 0.15, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {850, 835, 807, 266, 47, 63, 208}

$$-\frac{e^5 \sqrt{d^2 - e^2 x^2}}{16d^2 x^2} + \frac{e^3 (d^2 - e^2 x^2)^{3/2}}{24d^2 x^4} - \frac{2e^2 (d^2 - e^2 x^2)^{5/2}}{35d^3 x^5} + \frac{e (d^2 - e^2 x^2)^{5/2}}{6d^2 x^6} - \frac{(d^2 - e^2 x^2)^{5/2}}{7dx^7} + \frac{e^7 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{16d^3}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^8\*(d + e\*x)),x]

[Out] -(e^5\*sqrt[d^2 - e^2\*x^2])/(16\*d^2\*x^2) + (e^3\*(d^2 - e^2\*x^2)^(3/2))/(24\*d^2\*x^4) - (d^2 - e^2\*x^2)^(5/2)/(7\*d\*x^7) + (e\*(d^2 - e^2\*x^2)^(5/2))/(6\*d^2\*x^6) - (2\*e^2\*(d^2 - e^2\*x^2)^(5/2))/(35\*d^3\*x^5) + (e^7\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(16\*d^3)

### Rule 47

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2\*n + m + 1, 0])) && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

### Rule 850

```
Int[((x_)^(n_)*((a_) + (c_)*(x_)^2)^(p_))/((d_) + (e_)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^8(d + ex)} dx &= \int \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{x^8} dx \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{7dx^7} - \frac{\int \frac{(7d^2 e - 2de^2 x)(d^2 - e^2 x^2)^{3/2}}{x^7} dx}{7d^2} \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{7dx^7} + \frac{e(d^2 - e^2 x^2)^{5/2}}{6d^2 x^6} + \frac{\int \frac{(12d^3 e^2 - 7d^2 e^3 x)(d^2 - e^2 x^2)^{3/2}}{x^6} dx}{42d^4} \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{7dx^7} + \frac{e(d^2 - e^2 x^2)^{5/2}}{6d^2 x^6} - \frac{2e^2(d^2 - e^2 x^2)^{5/2}}{35d^3 x^5} - \frac{e^3 \int \frac{(d^2 - e^2 x^2)^{3/2}}{x^5} dx}{6d^2} \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{7dx^7} + \frac{e(d^2 - e^2 x^2)^{5/2}}{6d^2 x^6} - \frac{2e^2(d^2 - e^2 x^2)^{5/2}}{35d^3 x^5} - \frac{e^3 \text{Subst}\left(\int \frac{(d^2 - e^2 x)^{3/2}}{x^3} dx, x, x^2\right)}{12d^2} \\
&= \frac{e^3(d^2 - e^2 x^2)^{3/2}}{24d^2 x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{7dx^7} + \frac{e(d^2 - e^2 x^2)^{5/2}}{6d^2 x^6} - \frac{2e^2(d^2 - e^2 x^2)^{5/2}}{35d^3 x^5} + \frac{e^5 \text{Subst}\left(\int \frac{\sqrt{d^2 - e^2 x^2}}{x^5} dx, x, x^2\right)}{16d^2 x^2} \\
&= -\frac{e^5 \sqrt{d^2 - e^2 x^2}}{16d^2 x^2} + \frac{e^3(d^2 - e^2 x^2)^{3/2}}{24d^2 x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{7dx^7} + \frac{e(d^2 - e^2 x^2)^{5/2}}{6d^2 x^6} - \frac{2e^2(d^2 - e^2 x^2)^{5/2}}{35d^3 x^5} \\
&= -\frac{e^5 \sqrt{d^2 - e^2 x^2}}{16d^2 x^2} + \frac{e^3(d^2 - e^2 x^2)^{3/2}}{24d^2 x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{7dx^7} + \frac{e(d^2 - e^2 x^2)^{5/2}}{6d^2 x^6} - \frac{2e^2(d^2 - e^2 x^2)^{5/2}}{35d^3 x^5} \\
&= -\frac{e^5 \sqrt{d^2 - e^2 x^2}}{16d^2 x^2} + \frac{e^3(d^2 - e^2 x^2)^{3/2}}{24d^2 x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{7dx^7} + \frac{e(d^2 - e^2 x^2)^{5/2}}{6d^2 x^6} - \frac{2e^2(d^2 - e^2 x^2)^{5/2}}{35d^3 x^5}
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 128, normalized size = 0.74

$$\frac{105e^7 x^7 \log\left(\sqrt{d^2 - e^2 x^2} + d\right) + \sqrt{d^2 - e^2 x^2} (-240d^6 + 280d^5 ex + 384d^4 e^2 x^2 - 490d^3 e^3 x^3 - 48d^2 e^4 x^4 + 105de^5 x^5 - 96e^6 x^6) - 105e^7 x^7 \log(x)}{1680d^3 x^7}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^8\*(d + e\*x)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-240\*d^6 + 280\*d^5\*e\*x + 384\*d^4\*e^2\*x^2 - 490\*d^3\*e^3\*x^3 - 48\*d^2\*e^4\*x^4 + 105\*d\*e^5\*x^5 - 96\*e^6\*x^6) - 105\*e^7\*x^7\*Log[x] + 105\*e^7\*x^7\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(1680\*d^3\*x^7)

**IntegrateAlgebraic [A]** time = 0.68, size = 137, normalized size = 0.80

$$\frac{\sqrt{d^2 - e^2 x^2} \left( -240d^6 + 280d^5 ex + 384d^4 e^2 x^2 - 490d^3 e^3 x^3 - 48d^2 e^4 x^4 + 105de^5 x^5 - 96e^6 x^6 \right)}{1680d^3 x^7} - \frac{e^7 \tanh^{-1} \left( \frac{\sqrt{-e^2 x} - \sqrt{d^2 - e^2 x^2}}{d} \right)}{8d^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^8\*(d + e\*x)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-240\*d^6 + 280\*d^5\*e\*x + 384\*d^4\*e^2\*x^2 - 490\*d^3\*e^3\*x^3 - 48\*d^2\*e^4\*x^4 + 105\*d\*e^5\*x^5 - 96\*e^6\*x^6))/(1680\*d^3\*x^7) - (e^7 \*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/(8\*d^3)

**fricas [A]** time = 0.43, size = 119, normalized size = 0.69

$$\frac{105 e^7 x^7 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + (96 e^6 x^6 - 105 d e^5 x^5 + 48 d^2 e^4 x^4 + 490 d^3 e^3 x^3 - 384 d^4 e^2 x^2 - 280 d^5 e x + 240 d^6) \sqrt{-e^2 x^2 + d^2}}{1680 d^3 x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^8/(e\*x+d),x, algorithm="fricas")

[Out] -1/1680\*(105\*e^7\*x^7\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (96\*e^6\*x^6 - 105\*d\*e^5\*x^5 + 48\*d^2\*e^4\*x^4 + 490\*d^3\*e^3\*x^3 - 384\*d^4\*e^2\*x^2 - 280\*d^5\*e\*x + 240\*d^6)\*sqrt(-e^2\*x^2 + d^2))/(d^3\*x^7)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^8/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/134 40\*((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^6\*(6720\*exp(1)^12\*exp(2)^2-20160\*exp(1)^10\*exp(2)^3+25200\*exp(1)^8\*exp(2)^4-21840\*exp(1)^6\*exp(2)^5+19320\*exp(1)^4\*exp(2)^6-8925\*exp(2)^8)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*(-1680\*exp(1)^10\*exp(2)^3+5040\*exp(1)^8\*exp(2)^4-6720\*exp(1)^6\*exp(2)^5+5040\*exp(1)^4\*exp(2)^6-1575\*exp(2)^8)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*(560\*exp(1)^8\*exp(2)^4-1680\*exp(1)^6\*exp(2)^5+2380\*exp(1)^4\*exp(2)^6-1365\*exp(2)^8)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*(-210\*exp(1)^6\*exp(2)^5+630\*exp(1)^4\*exp(2)^6-315\*exp(2)^8)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*(84\*exp(1)^4\*exp(2)^6-105\*exp(2)^8)+15\*exp(2)^8+35/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(2)^8/x/exp(2))/d^3/



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-e^2*x^2+d^2)^(5/2)/x^8/(e*x+d), x)`

[Out]  $\frac{1}{4}d^7e^8(2(x+d/e)*d*e-(x+d/e)^2e^2)^{(3/2)*x+3/8}d^5e^8(2(x+d/e)*d*e-(x+d/e)^2e^2)^{(1/2)*x+3/8}d^3e^8/(e^2)^{(1/2)*\arctan((e^2)^{(1/2)/(2(x+d/e)*d*e-(x+d/e)^2e^2)^{(1/2)*x)-1/5}d^5e^2/x^5*(-e^2*x^2+d^2)^{(7/2)+1/6}e/d^4/x^6*(-e^2*x^2+d^2)^{(7/2)-1/5}d^7e^4/x^3*(-e^2*x^2+d^2)^{(7/2)-1/5}d^9e^6/x*(-e^2*x^2+d^2)^{(7/2)-1/5}d^9e^8*x*(-e^2*x^2+d^2)^{(5/2)-1/4}d^7e^8*x*(-e^2*x^2+d^2)^{(3/2)-3/8}d^5e^8*x*(-e^2*x^2+d^2)^{(1/2)-3/8}d^3e^8/(e^2)^{(1/2)*\arctan((e^2)^{(1/2)/(-e^2*x^2+d^2)^{(1/2)*x)+5/24}d^6e^3/x^4*(-e^2*x^2+d^2)^{(7/2)+3/16}d^8e^5/x^2*(-e^2*x^2+d^2)^{(7/2)+1/16}(d^2)^{(1/2)/d^2}e^7*\ln((2*d^2+2*(d^2)^{(1/2)*(-e^2*x^2+d^2)^{(1/2)})/x)+1/5}d^8e^7(2(x+d/e)*d*e-(x+d/e)^2e^2)^{(5/2)-1/80}d^8e^7*(-e^2*x^2+d^2)^{(5/2)-1/7}d^3/x^7*(-e^2*x^2+d^2)^{(7/2)-1/48}*(-e^2*x^2+d^2)^{(3/2)/d^6}e^7-1/16*(-e^2*x^2+d^2)^{(1/2)/d^4}e^7$

**maxima** [A] time = 0.99, size = 203, normalized size = 1.18

$$\frac{e^7 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{16d^3} - \frac{\sqrt{-e^2x^2+d^2}e^7}{16d^4} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^5}{16d^4x^2} + \frac{2(-e^2x^2+d^2)^{\frac{3}{2}}e^4}{35d^3x^3} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^3}{8d^2x^4} + \frac{3(-e^2x^2+d^2)^{\frac{3}{2}}e^2}{35dx^5} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e}{6x^6} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}d}{7x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(5/2)/x^8/(e*x+d), x, algorithm="maxima")`

[Out]  $\frac{1}{16}e^7*\log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x))/d^3 - 1/16*sqrt(-e^2*x^2 + d^2)*e^7/d^4 - 1/16*(-e^2*x^2 + d^2)^{(3/2)*e^5/(d^4*x^2) + 2/35*(-e^2*x^2 + d^2)^{(3/2)*e^4/(d^3*x^3) - 1/8*(-e^2*x^2 + d^2)^{(3/2)*e^3/(d^2*x^4) + 3/35*(-e^2*x^2 + d^2)^{(3/2)*e^2/(d*x^5) + 1/6*(-e^2*x^2 + d^2)^{(3/2)*e/x^6 - 1/7*(-e^2*x^2 + d^2)^{(3/2)*d/x^7}$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^8 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(5/2)/(x^8*(d + e*x)), x)`

[Out] `int((d^2 - e^2*x^2)^(5/2)/(x^8*(d + e*x)), x)`

**sympy** [C] time = 18.79, size = 1037, normalized size = 6.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*8/(e\*x+d),x)

[Out] d\*\*3\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(7\*x\*\*6) + e\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(35\*d\*\*2\*x\*\*4) + 4\*e\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(105\*d\*\*4\*x\*\*2) + 8\*e\*\*7\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(105\*d\*\*6), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(7\*x\*\*6) + I\*e\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(35\*d\*\*2\*x\*\*4) + 4\*I\*e\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(105\*d\*\*4\*x\*\*2) + 8\*I\*e\*\*7\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(105\*d\*\*6), True)) - d\*\*2\*e\*Piecewise((-d\*\*2/(6\*e\*x\*\*7\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + 5\*e/(24\*x\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*3/(48\*d\*\*2\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - e\*\*5/(16\*d\*\*4\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*6\*acosh(d/(e\*x))/(16\*d\*\*5), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (I\*d\*\*2/(6\*e\*x\*\*7\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - 5\*I\*e/(24\*x\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e\*\*3/(48\*d\*\*2\*x\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*e\*\*5/(16\*d\*\*4\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e\*\*6\*asin(d/(e\*x))/(16\*d\*\*5), True)) - d\*e\*\*2\*Piecewise((3\*I\*d\*\*3\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) - 4\*I\*d\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) + 2\*I\*e\*\*6\*x\*\*6\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*5\*x\*\*5 + 15\*d\*\*3\*e\*\*2\*x\*\*7) - I\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*3\*x\*\*5 + 15\*d\*e\*\*2\*x\*\*7), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (3\*d\*\*3\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) - 4\*d\*e\*\*2\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) + 2\*e\*\*6\*x\*\*6\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*5\*x\*\*5 + 15\*d\*\*3\*e\*\*2\*x\*\*7) - e\*\*4\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*3\*x\*\*5 + 15\*d\*e\*\*2\*x\*\*7), True)) + e\*\*3\*Piecewise((-d\*\*2/(4\*e\*x\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + 3\*e/(8\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - e\*\*3/(8\*d\*\*2\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*4\*acosh(d/(e\*x))/(8\*d\*\*3), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (I\*d\*\*2/(4\*e\*x\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - 3\*I\*e/(8\*x\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*e\*\*3/(8\*d\*\*2\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e\*\*4\*asin(d/(e\*x))/(8\*d\*\*3), True))



$$3.116 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^9(d+ex)} dx$$

Optimal. Leaf size=201

$$-\frac{(d^2 - e^2 x^2)^{5/2}}{8dx^8} + \frac{e(d^2 - e^2 x^2)^{5/2}}{7d^2 x^7} - \frac{3e^8 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{128d^4} + \frac{2e^3 (d^2 - e^2 x^2)^{5/2}}{35d^4 x^5} - \frac{e^2 (d^2 - e^2 x^2)^{5/2}}{16d^3 x^6} + \frac{3e^6 \sqrt{d^2 - e^2 x^2}}{128d^3 x^2}$$

**Rubi [A]** time = 0.19, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {850, 835, 807, 266, 47, 63, 208}

$$\frac{3e^6 \sqrt{d^2 - e^2 x^2}}{128d^3 x^2} - \frac{e^4 (d^2 - e^2 x^2)^{3/2}}{64d^3 x^4} + \frac{2e^3 (d^2 - e^2 x^2)^{5/2}}{35d^4 x^5} - \frac{e^2 (d^2 - e^2 x^2)^{5/2}}{16d^3 x^6} + \frac{e (d^2 - e^2 x^2)^{5/2}}{7d^2 x^7} - \frac{(d^2 - e^2 x^2)^{5/2}}{8dx^8} - \frac{3e^8 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{128d^4}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^9\*(d + e\*x)), x]

[Out] (3\*e^6\*sqrt[d^2 - e^2\*x^2])/(128\*d^3\*x^2) - (e^4\*(d^2 - e^2\*x^2)^(3/2))/(64\*d^3\*x^4) - (d^2 - e^2\*x^2)^(5/2)/(8\*d\*x^8) + (e\*(d^2 - e^2\*x^2)^(5/2))/(7\*d^2\*x^7) - (e^2\*(d^2 - e^2\*x^2)^(5/2))/(16\*d^3\*x^6) + (2\*e^3\*(d^2 - e^2\*x^2)^(5/2))/(35\*d^4\*x^5) - (3\*e^8\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(128\*d^4)

### Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

### Rule 850

```
Int[((x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ( !IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^9(d + ex)} dx &= \int \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{x^9} dx \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{8dx^8} - \frac{\int \frac{(8d^2 e - 3de^2 x)(d^2 - e^2 x^2)^{3/2}}{x^8} dx}{8d^2} \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{8dx^8} + \frac{e(d^2 - e^2 x^2)^{5/2}}{7d^2 x^7} + \frac{\int \frac{(21d^3 e^2 - 16d^2 e^3 x)(d^2 - e^2 x^2)^{3/2}}{x^7} dx}{56d^4} \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{8dx^8} + \frac{e(d^2 - e^2 x^2)^{5/2}}{7d^2 x^7} - \frac{e^2(d^2 - e^2 x^2)^{5/2}}{16d^3 x^6} - \frac{\int \frac{(96d^4 e^3 - 21d^3 e^4 x)(d^2 - e^2 x^2)^{3/2}}{x^6} dx}{336d^6} \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{8dx^8} + \frac{e(d^2 - e^2 x^2)^{5/2}}{7d^2 x^7} - \frac{e^2(d^2 - e^2 x^2)^{5/2}}{16d^3 x^6} + \frac{2e^3(d^2 - e^2 x^2)^{5/2}}{35d^4 x^5} + \frac{e^4 \int \frac{(d^2 - e^2 x^2)^{3/2}}{x^5} dx}{16d^3} \\
&= -\frac{(d^2 - e^2 x^2)^{5/2}}{8dx^8} + \frac{e(d^2 - e^2 x^2)^{5/2}}{7d^2 x^7} - \frac{e^2(d^2 - e^2 x^2)^{5/2}}{16d^3 x^6} + \frac{2e^3(d^2 - e^2 x^2)^{5/2}}{35d^4 x^5} + \frac{e^4 \text{Subst}\left(\int \frac{(d^2 - e^2 x^2)^{3/2}}{x^5} dx\right)}{16d^3} \\
&= -\frac{e^4(d^2 - e^2 x^2)^{3/2}}{64d^3 x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{8dx^8} + \frac{e(d^2 - e^2 x^2)^{5/2}}{7d^2 x^7} - \frac{e^2(d^2 - e^2 x^2)^{5/2}}{16d^3 x^6} + \frac{2e^3(d^2 - e^2 x^2)^{5/2}}{35d^4 x^5} \\
&= \frac{3e^6 \sqrt{d^2 - e^2 x^2}}{128d^3 x^2} - \frac{e^4(d^2 - e^2 x^2)^{3/2}}{64d^3 x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{8dx^8} + \frac{e(d^2 - e^2 x^2)^{5/2}}{7d^2 x^7} - \frac{e^2(d^2 - e^2 x^2)^{5/2}}{16d^3 x^6} \\
&= \frac{3e^6 \sqrt{d^2 - e^2 x^2}}{128d^3 x^2} - \frac{e^4(d^2 - e^2 x^2)^{3/2}}{64d^3 x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{8dx^8} + \frac{e(d^2 - e^2 x^2)^{5/2}}{7d^2 x^7} - \frac{e^2(d^2 - e^2 x^2)^{5/2}}{16d^3 x^6} \\
&= \frac{3e^6 \sqrt{d^2 - e^2 x^2}}{128d^3 x^2} - \frac{e^4(d^2 - e^2 x^2)^{3/2}}{64d^3 x^4} - \frac{(d^2 - e^2 x^2)^{5/2}}{8dx^8} + \frac{e(d^2 - e^2 x^2)^{5/2}}{7d^2 x^7} - \frac{e^2(d^2 - e^2 x^2)^{5/2}}{16d^3 x^6}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 139, normalized size = 0.69

$$\frac{-105e^8 x^8 \log(\sqrt{d^2 - e^2 x^2} + d) + \sqrt{d^2 - e^2 x^2} (-560d^7 + 640d^6 ex + 840d^5 e^2 x^2 - 1024d^4 e^3 x^3 - 70d^3 e^4 x^4 + 128d^2 e^5 x^5 - 105de^6 x^6 + 256e^7 x^7) + 105e^8 x^8 \log(x)}{4480d^4 x^8}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^9\*(d + e\*x)), x]

[Out]  $(\sqrt{d^2 - e^2 x^2}) * (-560 d^7 + 640 d^6 e x + 840 d^5 e^2 x^2 - 1024 d^4 e^3 x^3 - 70 d^3 e^4 x^4 + 128 d^2 e^5 x^5 - 105 d e^6 x^6 + 256 e^7 x^7) + 105 e^8 x^8 \operatorname{Log}[x] - 105 e^8 x^8 \operatorname{Log}[d + \sqrt{d^2 - e^2 x^2}] / (4480 d^4 x^8)$

**IntegrateAlgebraic [A]** time = 0.74, size = 148, normalized size = 0.74

$$\frac{3e^8 \tanh^{-1}\left(\frac{\sqrt{-e^2 x}}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{64d^4} + \frac{\sqrt{d^2 - e^2 x^2} (-560d^7 + 640d^6 ex + 840d^5 e^2 x^2 - 1024d^4 e^3 x^3 - 70d^3 e^4 x^4 + 128d^2 e^5 x^5 - 105de^6 x^6 + 256e^7 x^7)}{4480d^4 x^8}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^9\*(d + e\*x)),x]

[Out]  $(\sqrt{d^2 - e^2 x^2}) * (-560 d^7 + 640 d^6 e x + 840 d^5 e^2 x^2 - 1024 d^4 e^3 x^3 - 70 d^3 e^4 x^4 + 128 d^2 e^5 x^5 - 105 d e^6 x^6 + 256 e^7 x^7) / (4480 d^4 x^8) + (3 e^8 \operatorname{ArcTanh}[(\sqrt{-e^2} x) / d - \sqrt{d^2 - e^2 x^2} / d]) / (64 d^4)$

**fricas [A]** time = 0.46, size = 130, normalized size = 0.65

$$\frac{105 e^8 x^8 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + (256 e^7 x^7 - 105 d e^6 x^6 + 128 d^2 e^5 x^5 - 70 d^3 e^4 x^4 - 1024 d^4 e^3 x^3 + 840 d^5 e^2 x^2 + 640 d^6 e x - 560 d^7) \sqrt{-e^2 x^2 + d^2}}{4480 d^4 x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^9/(e\*x+d),x, algorithm="fricas")

[Out]  $1/4480 * (105 * e^8 * x^8 * \log(-(d - \sqrt{-e^2 * x^2 + d^2}) / x) + (256 * e^7 * x^7 - 105 * d * e^6 * x^6 + 128 * d^2 * e^5 * x^5 - 70 * d^3 * e^4 * x^4 - 1024 * d^4 * e^3 * x^3 + 840 * d^5 * e^2 * x^2 + 640 * d^6 * e * x - 560 * d^7) * \sqrt{-e^2 * x^2 + d^2}) / (d^4 * x^8)$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^9/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $1/215040 * ((-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^{7 * (-107520 * \exp(1)^{14} * \exp(2)^2 + 322560 * \exp(1)^{12} * \exp(2)^3 - 403200 * \exp(1)^{10} * \exp(2)^4 + 349440 * \exp(1)^8 * \exp(2)^5 - 309120 * \exp(1)^6 * \exp(2)^6 + 201600 * \exp(1)^4 * \exp(2)^7 - 58800 * \exp(2)^9} + (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^{6 * (26880 * \exp(1)^{12} * \exp(2)^3 - 80640 * \exp(1)^{10} * \exp(2)^4 + 107520 * \exp(1)^8 * \exp(2)^5 - 107520 * \exp(1)^6 * \exp(2)^6 + 105840 * \exp(1)^4 * \exp(2)^7 - 52080 * \exp(2)^9} + (-1/2 * (-$

$$\begin{aligned}
&2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^5*(-8960*exp(1)^{10}*exp(2)^4+26880*exp(1)^8*exp(2)^5-38080*exp(1)^6*exp(2)^6+33600*exp(1)^4*exp(2)^7-11760*exp(2)^9)+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*(3360*exp(1)^8*exp(2)^5-10080*exp(1)^6*exp(2)^6+15120*exp(1)^4*exp(2)^7-9240*exp(2)^9)+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*(-1344*exp(1)^6*exp(2)^6+4032*exp(1)^4*exp(2)^7-2352*exp(2)^9)+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*(560*exp(1)^4*exp(2)^7-560*exp(2)^9)+105*exp(2)^9+120*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(2)^9/x/exp(2))/d^4/(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^8/exp(1)^{10}+1/18446744073709551616*(-2305843009213693952*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^{82}*exp(2)^{11}+2305843009213693952/3*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*exp(1)^{80}*exp(2)^{12}-288230376151711744*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*exp(1)^{78}*exp(2)^{13}+576460752303423488/5*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^5*exp(1)^{76}*exp(2)^{14}-144115188075855872/3*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^6*exp(1)^{74}*exp(2)^{15}+144115188075855872/7*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^7*exp(1)^{72}*exp(2)^{16}-9007199254740992*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^8*exp(1)^{70}*exp(2)^{17}+6917529027641081856*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^{80}*exp(2)^{12}-2305843009213693952*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*exp(1)^{78}*exp(2)^{13}+864691128455135232*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*exp(1)^{76}*exp(2)^{14}-1729382256910270464/5*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^5*exp(1)^{74}*exp(2)^{15}+144115188075855872*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^6*exp(1)^{72}*exp(2)^{16}-9223372036854775808*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^{78}*exp(2)^{13}+9799832789158199296/3*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*exp(1)^{76}*exp(2)^{14}-1297036692682702848*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*exp(1)^{74}*exp(2)^{15}+1008806316530991104/5*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^5*exp(1)^{72}*exp(2)^{16}-288230376151711744/3*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^6*exp(1)^{70}*exp(2)^{17}+9223372036854775808*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^{76}*exp(2)^{14}-2882303761517117440*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*exp(1)^{74}*exp(2)^{15}+1297036692682702848*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*exp(1)^{72}*exp(2)^{16}-9079256848778919936*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^{74}*exp(2)^{15}+1008806316530991104*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*exp(1)^{72}*exp(2)^{16}-504403158265495552*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*exp(1)^{70}*exp(2)^{17}+6485183463413514240*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^{72}*exp(2)^{16}-2017612633061982208*d^{28}*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp
\end{aligned}$$

(2))<sup>2</sup>\*exp(1)<sup>70</sup>\*exp(2)<sup>17-2522015791327477760\*d<sup>28</sup></sup>\*(-2\*d\*exp(1)-2\*sqrt(d<sup>2</sup>-x<sup>2</sup>\*exp(2)))\*exp(1))\*exp(1)<sup>72</sup>\*exp(2)<sup>16/x/exp(2)+8646911284551352320\*d<sup>28</sup></sup>\*(-2\*d\*exp(1)-2\*sqrt(d<sup>2</sup>-x<sup>2</sup>\*exp(2)))\*exp(1))\*exp(1)<sup>74</sup>\*exp(2)<sup>15/x/exp(2)-13258597302978740224\*d<sup>28</sup></sup>\*(-2\*d\*exp(1)-2\*sqrt(d<sup>2</sup>-x<sup>2</sup>\*exp(2)))\*exp(1))\*exp(1)<sup>76</sup>\*exp(2)<sup>14/x/exp(2)+14987979559889010688\*d<sup>28</sup></sup>\*(-2\*d\*exp(1)-2\*sqrt(d<sup>2</sup>-x<sup>2</sup>\*exp(2)))\*exp(1))\*exp(1)<sup>78</sup>\*exp(2)<sup>13/x/exp(2)-17293822569102704640\*d<sup>28</sup></sup>\*(-2\*d\*exp(1)-2\*sqrt(d<sup>2</sup>-x<sup>2</sup>\*exp(2)))\*exp(1))\*exp(1)<sup>80</sup>\*exp(2)<sup>12/x/exp(2)+13835058055282163712\*d<sup>28</sup></sup>\*(-2\*d\*exp(1)-2\*sqrt(d<sup>2</sup>-x<sup>2</sup>\*exp(2)))\*exp(1))\*exp(1)<sup>82</sup>\*exp(2)<sup>11/x/exp(2)-4611686018427387904\*d<sup>28</sup></sup>\*(-2\*d\*exp(1)-2\*sqrt(d<sup>2</sup>-x<sup>2</sup>\*exp(2)))\*exp(1))\*exp(1)<sup>84</sup>\*exp(2)<sup>10/x/exp(2))/d<sup>32</sup>/exp(1)<sup>80</sup>/exp(2)<sup>8+1/2</sup>\*(-12\*exp(1)<sup>7</sup>\*exp(2)<sup>2+12</sup>\*exp(1)<sup>5</sup>\*exp(2)<sup>3-4</sup>\*exp(1)<sup>3</sup>\*exp(2)<sup>4+4</sup>\*exp(1)<sup>9</sup>\*exp(2))\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d<sup>2</sup>-x<sup>2</sup>\*exp(2)))\*exp(1))/x+exp(2))/sqrt(-exp(1)<sup>4</sup>+exp(2)<sup>2</sup>)/d<sup>4</sup>/sqrt(-exp(1)<sup>4</sup>+exp(2)<sup>2</sup>)/exp(1)+1/128\*(384\*exp(1)<sup>14</sup>\*exp(2)<sup>2-448</sup>\*exp(1)<sup>12</sup>\*exp(2)<sup>3+320</sup>\*exp(1)<sup>10</sup>\*exp(2)<sup>4-240</sup>\*exp(1)<sup>8</sup>\*exp(2)<sup>5+208</sup>\*exp(1)<sup>6</sup>\*exp(2)<sup>6-184</sup>\*exp(1)<sup>4</sup>\*exp(2)<sup>7+85</sup>\*exp(2)<sup>9-128</sup>\*exp(1)<sup>16</sup>\*exp(2))\*ln(1/2\*abs(-2\*d\*exp(1)-2\*sqrt(d<sup>2</sup>-x<sup>2</sup>\*exp(2)))\*exp(1))/abs(x)/exp(2))/d<sup>4</sup>/exp(1)<sup>9</sup>/exp(1)</sup>

**maple [B]** time = 0.02, size = 571, normalized size = 2.84

$$\frac{3e^8 \log\left(\frac{2d^2}{|d|} + \frac{2\sqrt{-e^2x^2+d^2}}{|d|}\right)}{128d^4} + \frac{3\sqrt{-e^2x^2+d^2}e^8}{128d^5} + \frac{3(-e^2x^2+d^2)^{\frac{3}{2}}e^6}{128d^5x^2} - \frac{2(-e^2x^2+d^2)^{\frac{3}{2}}e^5}{35d^4x^3} + \frac{3(-e^2x^2+d^2)^{\frac{3}{2}}e^4}{64d^3x^4} - \frac{3(-e^2x^2+d^2)^{\frac{3}{2}}e^3}{35d^2x^5} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^2}{16dx^6} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e}{7x^7} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}d}{8x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(5/2)</sup>/x<sup>9</sup>/(e\*x+d), x)

[Out] -1/4/d<sup>8</sup>\*e<sup>9</sup>\*(2\*(x+d/e)\*d\*e-(x+d/e)<sup>2</sup>\*e<sup>2</sup>)<sup>(3/2)</sup>\*x-3/8/d<sup>6</sup>\*e<sup>9</sup>\*(2\*(x+d/e)\*d\*e-(x+d/e)<sup>2</sup>\*e<sup>2</sup>)<sup>(1/2)</sup>\*x-3/8/d<sup>4</sup>\*e<sup>9</sup>/(e<sup>2</sup>)<sup>(1/2)</sup>\*arctan((e<sup>2</sup>)<sup>(1/2)</sup>/(2\*(x+d/e)\*d\*e-(x+d/e)<sup>2</sup>\*e<sup>2</sup>)<sup>(1/2)</sup>\*x)+1/5/d<sup>6</sup>\*e<sup>3</sup>/x<sup>5</sup>\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(7/2)</sup>-3/16/d<sup>5</sup>\*e<sup>2</sup>/x<sup>6</sup>\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(7/2)</sup>+1/5/d<sup>8</sup>\*e<sup>5</sup>/x<sup>3</sup>\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(7/2)</sup>+1/5/d<sup>10</sup>\*e<sup>7</sup>/x\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(7/2)</sup>+1/5/d<sup>10</sup>\*e<sup>9</sup>\*x\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(5/2)</sup>+1/4/d<sup>8</sup>\*e<sup>9</sup>\*x\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(3/2)</sup>+3/8/d<sup>6</sup>\*e<sup>9</sup>\*x\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(1/2)</sup>+3/8/d<sup>4</sup>\*e<sup>9</sup>/(e<sup>2</sup>)<sup>(1/2)</sup>\*arctan((e<sup>2</sup>)<sup>(1/2)</sup>/(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(1/2)</sup>\*x)-13/64/d<sup>7</sup>\*e<sup>4</sup>/x<sup>4</sup>\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(7/2)</sup>-25/128/d<sup>9</sup>\*e<sup>6</sup>/x<sup>2</sup>\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(7/2)</sup>+1/7\*e/d<sup>4</sup>/x<sup>7</sup>\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(7/2)</sup>-3/128/(d<sup>2</sup>)<sup>(1/2)</sup>/d<sup>3</sup>\*e<sup>8</sup>\*ln((2\*d<sup>2</sup>+2\*(d<sup>2</sup>)<sup>(1/2)</sup>\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(1/2)</sup>)/x)-1/5/d<sup>9</sup>\*e<sup>8</sup>\*(2\*(x+d/e)\*d\*e-(x+d/e)<sup>2</sup>\*e<sup>2</sup>)<sup>(5/2)</sup>-1/8/d<sup>3</sup>/x<sup>8</sup>\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(7/2)</sup>+3/640/d<sup>9</sup>\*e<sup>8</sup>\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(5/2)</sup>+1/128\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(3/2)</sup>/d<sup>7</sup>\*e<sup>8</sup>+3/128\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(1/2)</sup>/d<sup>5</sup>\*e<sup>8</sup>

**maxima [A]** time = 1.00, size = 228, normalized size = 1.13

$$\frac{3e^8 \log\left(\frac{2d^2}{|d|} + \frac{2\sqrt{-e^2x^2+d^2}}{|d|}\right)}{128d^4} + \frac{3\sqrt{-e^2x^2+d^2}e^8}{128d^5} + \frac{3(-e^2x^2+d^2)^{\frac{3}{2}}e^6}{128d^5x^2} - \frac{2(-e^2x^2+d^2)^{\frac{3}{2}}e^5}{35d^4x^3} + \frac{3(-e^2x^2+d^2)^{\frac{3}{2}}e^4}{64d^3x^4} - \frac{3(-e^2x^2+d^2)^{\frac{3}{2}}e^3}{35d^2x^5} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^2}{16dx^6} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e}{7x^7} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}d}{8x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(5/2)</sup>/x<sup>9</sup>/(e\*x+d), x, algorithm="maxima")

```
[Out] -3/128*e^8*log(2*d^2/abs(x) + 2*sqrt(-e^2*x^2 + d^2)*d/abs(x))/d^4 + 3/128*sqrt(-e^2*x^2 + d^2)*e^8/d^5 + 3/128*(-e^2*x^2 + d^2)^(3/2)*e^6/(d^5*x^2) - 2/35*(-e^2*x^2 + d^2)^(3/2)*e^5/(d^4*x^3) + 3/64*(-e^2*x^2 + d^2)^(3/2)*e^4/(d^3*x^4) - 3/35*(-e^2*x^2 + d^2)^(3/2)*e^3/(d^2*x^5) + 1/16*(-e^2*x^2 + d^2)^(3/2)*e^2/(d*x^6) + 1/7*(-e^2*x^2 + d^2)^(3/2)*e/x^7 - 1/8*(-e^2*x^2 + d^2)^(3/2)*d/x^8
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^9 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d^2 - e^2*x^2)^(5/2)/(x^9*(d + e*x)), x)
```

```
[Out] int((d^2 - e^2*x^2)^(5/2)/(x^9*(d + e*x)), x)
```

**sympy** [C] time = 27.71, size = 1159, normalized size = 5.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-e**2*x**2+d**2)**(5/2)/x**9/(e*x+d), x)
```

```
[Out] d**3*Piecewise((-d**2/(8*e*x**9*sqrt(d**2/(e**2*x**2) - 1)) + 7*e/(48*x**7*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(192*d**2*x**5*sqrt(d**2/(e**2*x**2) - 1)) + 5*e**5/(384*d**4*x**3*sqrt(d**2/(e**2*x**2) - 1)) - 5*e**7/(128*d**6*x*sqrt(d**2/(e**2*x**2) - 1)) + 5*e**8*acosh(d/(e*x))/(128*d**7), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(8*e*x**9*sqrt(-d**2/(e**2*x**2) + 1)) - 7*I*e/(48*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(192*d**2*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e**5/(384*d**4*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + 5*I*e**7/(128*d**6*x*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e**8*asin(d/(e*x))/(128*d**7), True)) - d**2*e*Piecewise((-e*sqrt(d**2/(e**2*x**2) - 1)/(7*x**6) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(35*d**2*x**4) + 4*e**5*sqrt(d**2/(e**2*x**2) - 1)/(105*d**4*x**2) + 8*e**7*sqrt(d**2/(e**2*x**2) - 1)/(105*d**6), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(7*x**6) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(35*d**2*x**4) + 4*I*e**5*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**4*x**2) + 8*I*e**7*sqrt(-d**2/(e**2*x**2) + 1)/(105*d**6), True)) - d*e**2*Piecewise((-d**2/(6*e*x**7*sqrt(d**2/(e**2*x**2) - 1)) + 5*e/(24*x**5*sqrt(d**2/(e**2*x**2) - 1)) + e**3/(48*d**2*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**5/(16*d**4*x*sqrt(d**2/(e**2*x**2) - 1)) + e**6*acosh(d/(e*x))/(16*d**5), Abs(d**2/(e**2*x**2)) > 1), (I*d**2/(6*e*x**7*sqrt(-d**2/(e**2*x**2) + 1)) - 5*I*e/(24*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**3/(48*d**2*x**3*sqrt(-d**2/(e**2*x**2) + 1)) + I*e**5/(16*d**4*x*sqrt(-d**2/(e**2*x**2) + 1)) - I*e**6*asin(d/(e*x))/(16*d**5), True)) + e**3*Piecewise((
```

```

3*I*d**3*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) - 4*I*d*e
**2*x**2*sqrt(-1 + e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x**7) + 2*I*e**
6*x**6*sqrt(-1 + e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x**7) - I*e*
*4*x**4*sqrt(-1 + e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7), Abs(e**
2*x**2/d**2) > 1), (3*d**3*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**
2*x**7) - 4*d*e**2*x**2*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*x**5 + 15*e**2*x
**7) + 2*e**6*x**6*sqrt(1 - e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*e**2*x
**7) - e**4*x**4*sqrt(1 - e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d*e**2*x**7),
True))

```



$$3.117 \quad \int \frac{x\sqrt{1-x^2}}{1+x} dx$$

Optimal. Leaf size=27

$$-\frac{1}{2}\sqrt{1-x^2}(2-x) - \frac{1}{2}\sin^{-1}(x)$$

Rubi [A] time = 0.02, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {785, 780, 216}

$$-\frac{1}{2}\sqrt{1-x^2}(2-x) - \frac{1}{2}\sin^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(x\*Sqrt[1 - x^2])/(1 + x),x]

[Out] -((2 - x)\*Sqrt[1 - x^2])/2 - ArcSin[x]/2

Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 780

Int[((d\_) + (e\_)\*(x\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 785

Int[(x\_)\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[d^m\*e^m, Int[(x\*(a + c\*x^2)^(m + p))/(a\*e + c\*d\*x)^m, x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0] && EqQ[m, -1] && !ILtQ[p - 1/2, 0]

Rubi steps

$$\begin{aligned} \int \frac{x\sqrt{1-x^2}}{1+x} dx &= \int \frac{(1-x)x}{\sqrt{1-x^2}} dx \\ &= -\frac{1}{2}(2-x)\sqrt{1-x^2} - \frac{1}{2} \int \frac{1}{\sqrt{1-x^2}} dx \\ &= -\frac{1}{2}(2-x)\sqrt{1-x^2} - \frac{1}{2} \sin^{-1}(x) \end{aligned}$$

**Mathematica** [A] time = 0.04, size = 26, normalized size = 0.96

$$\left(\frac{x}{2} - 1\right)\sqrt{1-x^2} - \frac{1}{2}\sin^{-1}(x)$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Sqrt[1 - x^2])/(1 + x), x]

[Out] (-1 + x/2)\*Sqrt[1 - x^2] - ArcSin[x]/2

**IntegrateAlgebraic** [A] time = 0.18, size = 37, normalized size = 1.37

$$\frac{1}{2}\sqrt{1-x^2}(x-2) + \tan^{-1}\left(\frac{\sqrt{1-x^2}}{x+1}\right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*Sqrt[1 - x^2])/(1 + x), x]

[Out] ((-2 + x)\*Sqrt[1 - x^2])/2 + ArcTan[Sqrt[1 - x^2]/(1 + x)]

**fricas** [A] time = 0.41, size = 31, normalized size = 1.15

$$\frac{1}{2}\sqrt{-x^2+1}(x-2) + \arctan\left(\frac{\sqrt{-x^2+1}-1}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-x^2+1)^(1/2)/(1+x), x, algorithm="fricas")

[Out] 1/2\*sqrt(-x^2 + 1)\*(x - 2) + arctan((sqrt(-x^2 + 1) - 1)/x)

**giac** [A] time = 0.16, size = 19, normalized size = 0.70

$$\frac{1}{2}\sqrt{-x^2+1}(x-2) - \frac{1}{2}\arcsin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-x^2+1)^(1/2)/(1+x),x, algorithm="giac")

[Out] 1/2\*sqrt(-x^2 + 1)\*(x - 2) - 1/2\*arcsin(x)

**maple** [A] time = 0.01, size = 34, normalized size = 1.26

$$\frac{\sqrt{-x^2+1} x}{2} - \frac{\arcsin(x)}{2} - \sqrt{2x - (x+1)^2 + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(-x^2+1)^(1/2)/(1+x),x)

[Out] 1/2\*(-x^2+1)^(1/2)\*x-1/2\*arcsin(x)-(-(1+x)^2+2+2\*x)^(1/2)

**maxima** [A] time = 0.98, size = 28, normalized size = 1.04

$$\frac{1}{2} \sqrt{-x^2+1} x - \sqrt{-x^2+1} - \frac{1}{2} \arcsin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-x^2+1)^(1/2)/(1+x),x, algorithm="maxima")

[Out] 1/2\*sqrt(-x^2 + 1)\*x - sqrt(-x^2 + 1) - 1/2\*arcsin(x)

**mupad** [B] time = 0.04, size = 20, normalized size = 0.74

$$\left(\frac{x}{2} - 1\right) \sqrt{1-x^2} - \frac{\arcsin(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(1 - x^2)^(1/2))/(x + 1),x)

[Out] (x/2 - 1)\*(1 - x^2)^(1/2) - asin(x)/2

**sympy** [A] time = 3.35, size = 29, normalized size = 1.07

$$\begin{cases} \frac{x\sqrt{1-x^2}}{2} - \sqrt{1-x^2} - \frac{\arcsin(x)}{2} & \text{for } x > -1 \wedge x < 1 \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-x\*\*2+1)\*\*(1/2)/(1+x),x)

[Out] Piecewise((x\*sqrt(1 - x\*\*2)/2 - sqrt(1 - x\*\*2) - asin(x)/2, (x > -1) & (x < 1)))

$$3.118 \quad \int \frac{(1-a^2x^2)^{3/2}}{x^2(1-ax)} dx$$

Optimal. Leaf size=51

$$-\frac{\sqrt{1-a^2x^2}(1-ax)}{x} - a \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) - a \sin^{-1}(ax)$$

**Rubi [A]** time = 0.07, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$ , Rules used = {850, 813, 844, 216, 266, 63, 208}

$$-\frac{\sqrt{1-a^2x^2}(1-ax)}{x} - a \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) - a \sin^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Int[(1 - a^2\*x^2)^(3/2)/(x^2\*(1 - a\*x)),x]

[Out] -(((1 - a\*x)\*Sqrt[1 - a^2\*x^2])/x) - a\*ArcSin[a\*x] - a\*ArcTanh[Sqrt[1 - a^2\*x^2]]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 813

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1)
) + e*g*(m + 1)*x*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])

```

Rule 844

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

```

Rule 850

```

Int[((x_)^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

```

Rubi steps

$$\begin{aligned}
\int \frac{(1 - a^2x^2)^{3/2}}{x^2(1 - ax)} dx &= \int \frac{(1 + ax)\sqrt{1 - a^2x^2}}{x^2} dx \\
&= -\frac{(1 - ax)\sqrt{1 - a^2x^2}}{x} - \frac{1}{2} \int \frac{-2a + 2a^2x}{x\sqrt{1 - a^2x^2}} dx \\
&= -\frac{(1 - ax)\sqrt{1 - a^2x^2}}{x} + a \int \frac{1}{x\sqrt{1 - a^2x^2}} dx - a^2 \int \frac{1}{\sqrt{1 - a^2x^2}} dx \\
&= -\frac{(1 - ax)\sqrt{1 - a^2x^2}}{x} - a \sin^{-1}(ax) + \frac{1}{2}a \operatorname{Subst} \left( \int \frac{1}{x\sqrt{1 - a^2x}} dx, x, x^2 \right) \\
&= -\frac{(1 - ax)\sqrt{1 - a^2x^2}}{x} - a \sin^{-1}(ax) - \frac{\operatorname{Subst} \left( \int \frac{1}{\frac{1}{a^2} - \frac{x^2}{a^2}} dx, x, \sqrt{1 - a^2x^2} \right)}{a} \\
&= -\frac{(1 - ax)\sqrt{1 - a^2x^2}}{x} - a \sin^{-1}(ax) - a \tanh^{-1} \left( \sqrt{1 - a^2x^2} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 49, normalized size = 0.96

$$\frac{\sqrt{1 - a^2x^2}(ax - 1)}{x} - a \tanh^{-1} \left( \sqrt{1 - a^2x^2} \right) - a \sin^{-1}(ax)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - a^2\*x^2)^(3/2)/(x^2\*(1 - a\*x)),x]

[Out] ((-1 + a\*x)\*Sqrt[1 - a^2\*x^2])/x - a\*ArcSin[a\*x] - a\*ArcTanh[Sqrt[1 - a^2\*x^2]]

**IntegrateAlgebraic [A]** time = 0.44, size = 95, normalized size = 1.86

$$\frac{\sqrt{1 - a^2x^2}(ax - 1)}{x} - \sqrt{-a^2} \log \left( \sqrt{1 - a^2x^2} - \sqrt{-a^2}x \right) + 2a \tanh^{-1} \left( \sqrt{-a^2}x - \sqrt{1 - a^2x^2} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 - a^2\*x^2)^(3/2)/(x^2\*(1 - a\*x)),x]

[Out] ((-1 + a\*x)\*Sqrt[1 - a^2\*x^2])/x + 2\*a\*ArcTanh[Sqrt[-a^2]\*x - Sqrt[1 - a^2\*x^2]] - Sqrt[-a^2]\*Log[-(Sqrt[-a^2]\*x) + Sqrt[1 - a^2\*x^2]]

**fricas [A]** time = 0.41, size = 74, normalized size = 1.45

$$\frac{2ax \arctan\left(\frac{\sqrt{-a^2x^2+1}-1}{ax}\right) + ax \log\left(\frac{\sqrt{-a^2x^2+1}-1}{x}\right) + ax + \sqrt{-a^2x^2+1}(ax-1)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*x^2+1)^(3/2)/x^2/(-a\*x+1),x, algorithm="fricas")

[Out] (2\*a\*x\*arctan((sqrt(-a^2\*x^2 + 1) - 1)/(a\*x)) + a\*x\*log((sqrt(-a^2\*x^2 + 1) - 1)/x) + a\*x + sqrt(-a^2\*x^2 + 1)\*(a\*x - 1))/x

**giac [B]** time = 0.19, size = 125, normalized size = 2.45

$$\frac{a^4x}{2(\sqrt{-a^2x^2+1}|a|+a)|a|} - \frac{a^2 \arcsin(ax) \operatorname{sgn}(a)}{|a|} - \frac{a^2 \log\left(\frac{|-2\sqrt{-a^2x^2+1}|a|-2a|}{2a^2|x|}\right)}{|a|} + \sqrt{-a^2x^2+1}a - \frac{\sqrt{-a^2x^2+1}|a|+a}{2x|a|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*x^2+1)^(3/2)/x^2/(-a\*x+1),x, algorithm="giac")

[Out] 1/2\*a^4\*x/((sqrt(-a^2\*x^2 + 1)\*abs(a) + a)\*abs(a)) - a^2\*arcsin(a\*x)\*sgn(a)/abs(a) - a^2\*log(1/2\*abs(-2\*sqrt(-a^2\*x^2 + 1)\*abs(a) - 2\*a)/(a^2\*abs(x)))/abs(a) + sqrt(-a^2\*x^2 + 1)\*a - 1/2\*(sqrt(-a^2\*x^2 + 1)\*abs(a) + a)/(x\*abs(a))

**maple [B]** time = 0.02, size = 238, normalized size = 4.67

$$\frac{\sqrt{-(x-\frac{1}{a})^2 a^2 - 2(x-\frac{1}{a})a a^2 x}}{2} - (a^2 x^2 + 1)^{\frac{3}{2}} a^2 x - \frac{3\sqrt{-a^2 x^2 + 1} a^2 x}{2} + \frac{a^2 \arctan\left(\frac{\sqrt{a^2 x}}{\sqrt{-(x-\frac{1}{a})^2 a^2 - 2(x-\frac{1}{a})a a^2 x}}\right)}{2\sqrt{a^2}} - \frac{3a^2 \arctan\left(\frac{\sqrt{a^2 x}}{\sqrt{-a^2 x^2 + 1}}\right)}{2\sqrt{a^2}} - a \operatorname{arctanh}\left(\frac{1}{\sqrt{-a^2 x^2 + 1}}\right) - \frac{-(x-\frac{1}{a})^2 a^2 - 2(x-\frac{1}{a})a a^2}{3} + \frac{(a^2 x^2 + 1)^{\frac{3}{2}} a}{3} + \sqrt{-a^2 x^2 + 1} a - \frac{(a^2 x^2 + 1)^{\frac{3}{2}}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*x^2+1)^(3/2)/x^2/(-a\*x+1),x)

[Out] -1/3\*a\*(-(x-1/a)^2\*a^2-2\*(x-1/a)\*a)^(3/2)+1/2\*a^2\*(-(x-1/a)^2\*a^2-2\*(x-1/a)\*a)^(1/2)\*x+1/2\*a^2/(a^2)^(1/2)\*arctan((a^2)^(1/2)\*x/(-(x-1/a)^2\*a^2-2\*(x-1/a)\*a)^(1/2))-1/x\*(-a^2\*x^2+1)^(5/2)-a^2\*x\*(-a^2\*x^2+1)^(3/2)-3/2\*a^2\*x\*(-a^2\*x^2+1)^(1/2)-3/2\*a^2/(a^2)^(1/2)\*arctan((a^2)^(1/2)/(-(a^2\*x^2+1)^(1/2)\*x))+1/3\*a\*(-a^2\*x^2+1)^(3/2)+a\*(-a^2\*x^2+1)^(1/2)-a\*arctanh(1/(-(a^2\*x^2+1)^(1/2)))

**maxima [A]** time = 0.99, size = 68, normalized size = 1.33

$$-a \arcsin(ax) - a \log\left(\frac{2\sqrt{-a^2x^2+1}}{|x|} + \frac{2}{|x|}\right) + \sqrt{-a^2x^2+1}a - \frac{\sqrt{-a^2x^2+1}}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*x^2+1)^(3/2)/x^2/(-a\*x+1),x, algorithm="maxima")

[Out] -a\*arcsin(a\*x) - a\*log(2\*sqrt(-a^2\*x^2 + 1)/abs(x) + 2/abs(x)) + sqrt(-a^2\*x^2 + 1)\*a - sqrt(-a^2\*x^2 + 1)/x

mupad [B] time = 0.05, size = 74, normalized size = 1.45

$$a\sqrt{1-a^2x^2} - \frac{\sqrt{1-a^2x^2}}{x} - \frac{a^2 \operatorname{asinh}\left(x\sqrt{-a^2}\right)}{\sqrt{-a^2}} + a \operatorname{atan}\left(\sqrt{1-a^2x^2} \operatorname{li}\right) \operatorname{li}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(1 - a^2\*x^2)^(3/2)/(x^2\*(a\*x - 1)),x)

[Out] a\*atan((1 - a^2\*x^2)^(1/2)\*1i)\*1i + a\*(1 - a^2\*x^2)^(1/2) - (1 - a^2\*x^2)^(1/2)/x - (a^2\*asinh(x\*(-a^2)^(1/2)))/(-a^2)^(1/2)

sympy [C] time = 6.53, size = 170, normalized size = 3.33

$$a \left\{ \begin{array}{ll} i\sqrt{a^2x^2-1} - \log(ax) + \frac{\log(a^2x^2)}{2} + i \operatorname{asin}\left(\frac{1}{ax}\right) & \text{for } |a^2x^2| > 1 \\ \sqrt{-a^2x^2+1} + \frac{\log(a^2x^2)}{2} - \log\left(\sqrt{-a^2x^2+1} + 1\right) & \text{otherwise} \end{array} \right\} + \left\{ \begin{array}{ll} -\frac{ia^2x}{\sqrt{a^2x^2-1}} + ia \operatorname{acosh}(ax) + \frac{i}{x\sqrt{a^2x^2-1}} & \text{for } |a^2x^2| > 1 \\ \frac{a^2x}{\sqrt{-a^2x^2+1}} - a \operatorname{asin}(ax) - \frac{1}{x\sqrt{-a^2x^2+1}} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*x\*\*2+1)\*\*(3/2)/x\*\*2/(-a\*x+1),x)

[Out] a\*Piecewise((I\*sqrt(a\*\*2\*x\*\*2 - 1) - log(a\*x) + log(a\*\*2\*x\*\*2)/2 + I\*asin(1/(a\*x)), Abs(a\*\*2\*x\*\*2) > 1), (sqrt(-a\*\*2\*x\*\*2 + 1) + log(a\*\*2\*x\*\*2)/2 - log(sqrt(-a\*\*2\*x\*\*2 + 1) + 1), True)) + Piecewise((-I\*a\*\*2\*x/sqrt(a\*\*2\*x\*\*2 - 1) + I\*a\*acosh(a\*x) + I/(x\*sqrt(a\*\*2\*x\*\*2 - 1)), Abs(a\*\*2\*x\*\*2) > 1), (a\*\*2\*x/sqrt(-a\*\*2\*x\*\*2 + 1) - a\*asin(a\*x) - 1/(x\*sqrt(-a\*\*2\*x\*\*2 + 1)), True))



$$3.119 \quad \int \frac{x^4}{(d+ex)\sqrt{d^2-e^2x^2}} dx$$

**Optimal.** Leaf size=118

$$\frac{x^3(d-ex)}{e^2\sqrt{d^2-e^2x^2}} - \frac{d(16d-9ex)\sqrt{d^2-e^2x^2}}{6e^5} - \frac{4x^2\sqrt{d^2-e^2x^2}}{3e^3} - \frac{3d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^5}$$

**Rubi [A]** time = 0.10, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {850, 819, 833, 780, 217, 203}

$$-\frac{d(16d-9ex)\sqrt{d^2-e^2x^2}}{6e^5} - \frac{4x^2\sqrt{d^2-e^2x^2}}{3e^3} + \frac{x^3(d-ex)}{e^2\sqrt{d^2-e^2x^2}} - \frac{3d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/((d + e\*x)\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] (x^3\*(d - e\*x))/(e^2\*Sqrt[d^2 - e^2\*x^2]) - (4\*x^2\*Sqrt[d^2 - e^2\*x^2])/(3\*e^3) - (d\*(16\*d - 9\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(6\*e^5) - (3\*d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e^5)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

### Rule 819

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g
) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!ILtQ[m + 2*p + 3, 0])

```

### Rule 833

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])

```

### Rule 850

```

Int[((x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4}{(d+ex)\sqrt{d^2-e^2x^2}} dx &= \int \frac{x^4(d-ex)}{(d^2-e^2x^2)^{3/2}} dx \\
&= \frac{x^3(d-ex)}{e^2\sqrt{d^2-e^2x^2}} - \frac{\int \frac{x^2(3d^3-4d^2ex)}{\sqrt{d^2-e^2x^2}} dx}{d^2e^2} \\
&= \frac{x^3(d-ex)}{e^2\sqrt{d^2-e^2x^2}} - \frac{4x^2\sqrt{d^2-e^2x^2}}{3e^3} + \frac{\int \frac{x(8d^4e-9d^3e^2x)}{\sqrt{d^2-e^2x^2}} dx}{3d^2e^4} \\
&= \frac{x^3(d-ex)}{e^2\sqrt{d^2-e^2x^2}} - \frac{4x^2\sqrt{d^2-e^2x^2}}{3e^3} - \frac{d(16d-9ex)\sqrt{d^2-e^2x^2}}{6e^5} - \frac{(3d^3) \int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{2e^4} \\
&= \frac{x^3(d-ex)}{e^2\sqrt{d^2-e^2x^2}} - \frac{4x^2\sqrt{d^2-e^2x^2}}{3e^3} - \frac{d(16d-9ex)\sqrt{d^2-e^2x^2}}{6e^5} - \frac{(3d^3) \text{Subst}\left(\int \frac{1}{1+e^2x^2}\right)}{2e^4} \\
&= \frac{x^3(d-ex)}{e^2\sqrt{d^2-e^2x^2}} - \frac{4x^2\sqrt{d^2-e^2x^2}}{3e^3} - \frac{d(16d-9ex)\sqrt{d^2-e^2x^2}}{6e^5} - \frac{3d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^5}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 91, normalized size = 0.77

$$\frac{\sqrt{d^2-e^2x^2}(-16d^3-7d^2ex+de^2x^2-2e^3x^3)-9d^3(d+ex)\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{6e^5(d+ex)}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d+e\*x)\*Sqrt[d^2-e^2\*x^2]),x]

[Out] (Sqrt[d^2-e^2\*x^2]\*(-16\*d^3-7\*d^2\*e\*x+d\*e^2\*x^2-2\*e^3\*x^3)-9\*d^3\*(d+e\*x)\*ArcTan[(e\*x)/Sqrt[d^2-e^2\*x^2]])/(6\*e^5\*(d+e\*x))

**IntegrateAlgebraic [A]** time = 0.46, size = 109, normalized size = 0.92

$$\frac{\sqrt{d^2-e^2x^2}(-16d^3-7d^2ex+de^2x^2-2e^3x^3)}{6e^5(d+ex)} - \frac{3d^3\sqrt{-e^2}\log\left(\sqrt{d^2-e^2x^2}-\sqrt{-e^2}x\right)}{2e^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^4/((d+e\*x)\*Sqrt[d^2-e^2\*x^2]),x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-16*d^3 - 7*d^2*e*x + d*e^2*x^2 - 2*e^3*x^3))/(6*e^5*(d + e*x)) - (3*d^3*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]])/(2*e^6)$

**fricas** [A] time = 0.41, size = 112, normalized size = 0.95

$$\frac{16d^3ex + 16d^4 - 18(d^3ex + d^4) \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (2e^3x^3 - de^2x^2 + 7d^2ex + 16d^3)\sqrt{-e^2x^2 + d^2}}{6(e^6x + de^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x, algorithm="fricas")`

[Out]  $-1/6*(16*d^3*e*x + 16*d^4 - 18*(d^3*e*x + d^4)*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) + (2*e^3*x^3 - d*e^2*x^2 + 7*d^2*e*x + 16*d^3)*\text{sqrt}(-e^2*x^2 + d^2))/(e^6*x + d*e^5)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $-3/2*d^3*\text{sign}(d)*\text{asin}(x*\exp(2)/d/\exp(1))/\exp(1)^5 - 2*d^3*\exp(2)*\text{atan}((-1/2*(-2*d*\exp(1) - 2*\text{sqrt}(d^2 - x^2*\exp(2))*\exp(1))/x + \exp(2))/\text{sqrt}(-\exp(1)^4 + \exp(2)^2))/\text{sqrt}(-\exp(1)^4 + \exp(2)^2)/\exp(1)^4/\exp(1) + 2*((-16*\exp(1)^{13}*1/96/\exp(1)^{16}*x + 24*\exp(1)^{12}*d*1/96/\exp(1)^{16})*x - 80*\exp(1)^{11}*d^2*1/96/\exp(1)^{16})*\text{sqrt}(-\exp(2)*x^2 + d^2)$

**maple** [A] time = 0.01, size = 147, normalized size = 1.25

$$-\frac{3d^3 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2x^2 + d^2}}\right)}{2\sqrt{e^2} e^4} - \frac{\sqrt{-e^2x^2 + d^2} x^2}{3e^3} + \frac{\sqrt{-e^2x^2 + d^2} dx}{2e^4} - \frac{\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} d^3}{\left(x + \frac{d}{e}\right)e^6} - \frac{5\sqrt{-e^2x^2 + d^2} d^2}{3e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x)`

[Out]  $-1/3*x^2*(-e^2*x^2+d^2)^(1/2)/e^3 - 5/3/e^5*d^2*(-e^2*x^2+d^2)^(1/2) + 1/2*d/e^4*x*(-e^2*x^2+d^2)^(1/2) - 3/2*d^3/e^4/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x) - d^3/e^6/(x+d/e)*(2*(x+d/e)*d*e - (x+d/e)^2*e^2)^(1/2)$

**maxima** [A] time = 1.01, size = 113, normalized size = 0.96

$$-\frac{\sqrt{-e^2x^2 + d^2} d^3}{e^6x + de^5} - \frac{\sqrt{-e^2x^2 + d^2} x^2}{3e^3} - \frac{3d^3 \arcsin\left(\frac{ex}{d}\right)}{2e^5} + \frac{\sqrt{-e^2x^2 + d^2} dx}{2e^4} - \frac{5\sqrt{-e^2x^2 + d^2} d^2}{3e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="maxima")

[Out] -sqrt(-e^2\*x^2 + d^2)\*d^3/(e^6\*x + d\*e^5) - 1/3\*sqrt(-e^2\*x^2 + d^2)\*x^2/e^3 - 3/2\*d^3\*arcsin(e\*x/d)/e^5 + 1/2\*sqrt(-e^2\*x^2 + d^2)\*d\*x/e^4 - 5/3\*sqrt(-e^2\*x^2 + d^2)\*d^2/e^5

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\sqrt{d^2 - e^2 x^2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/((d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)),x)

[Out] int(x^4/((d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{-(-d + ex)(d + ex)} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2),x)

[Out] Integral(x\*\*4/(sqrt(-(-d + e\*x)\*(d + e\*x))\*(d + e\*x)), x)

$$3.120 \quad \int \frac{x^3}{(d+ex)\sqrt{d^2-e^2x^2}} dx$$

**Optimal.** Leaf size=91

$$\frac{x^2(d-ex)}{e^2\sqrt{d^2-e^2x^2}} + \frac{(4d-3ex)\sqrt{d^2-e^2x^2}}{2e^4} + \frac{3d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^4}$$

**Rubi [A]** time = 0.06, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {850, 819, 780, 217, 203}

$$\frac{(4d-3ex)\sqrt{d^2-e^2x^2}}{2e^4} + \frac{x^2(d-ex)}{e^2\sqrt{d^2-e^2x^2}} + \frac{3d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (x^2\*(d - e\*x))/(e^2\*Sqrt[d^2 - e^2\*x^2]) + ((4\*d - 3\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*e^4) + (3\*d^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e^4)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

### Rule 819

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1)\*(a\*(e\*f + d\*g

```
) - (c*d*f - a*e*g*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!ILtQ[m + 2*p + 3, 0])
```

### Rule 850

```
Int[((x_)^(n_)*((a_) + (c_)*(x_)^2)^(p_))/((d_) + (e_)*(x_)), x_Symbol]
:> Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{(d + ex)\sqrt{d^2 - e^2x^2}} dx &= \int \frac{x^3(d - ex)}{(d^2 - e^2x^2)^{3/2}} dx \\
 &= \frac{x^2(d - ex)}{e^2\sqrt{d^2 - e^2x^2}} - \frac{\int \frac{x(2d^3 - 3d^2ex)}{\sqrt{d^2 - e^2x^2}} dx}{d^2e^2} \\
 &= \frac{x^2(d - ex)}{e^2\sqrt{d^2 - e^2x^2}} + \frac{(4d - 3ex)\sqrt{d^2 - e^2x^2}}{2e^4} + \frac{(3d^2) \int \frac{1}{\sqrt{d^2 - e^2x^2}} dx}{2e^3} \\
 &= \frac{x^2(d - ex)}{e^2\sqrt{d^2 - e^2x^2}} + \frac{(4d - 3ex)\sqrt{d^2 - e^2x^2}}{2e^4} + \frac{(3d^2) \operatorname{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x, \frac{x}{\sqrt{d^2 - e^2x^2}}\right)}{2e^3} \\
 &= \frac{x^2(d - ex)}{e^2\sqrt{d^2 - e^2x^2}} + \frac{(4d - 3ex)\sqrt{d^2 - e^2x^2}}{2e^4} + \frac{3d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{2e^4}
 \end{aligned}$$

**Mathematica** [A] time = 0.06, size = 80, normalized size = 0.88

$$\frac{\sqrt{d^2 - e^2x^2} (4d^2 + dex - e^2x^2) + 3d^2(d + ex) \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{2e^4(d + ex)}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3/((d + e*x)*Sqrt[d^2 - e^2*x^2]),x]
```

[Out]  $(\text{Sqrt}[d^2 - e^2 x^2] * (4d^2 + d e x - e^2 x^2) + 3d^2 (d + e x) * \text{ArcTan}[(e x) / \text{Sqrt}[d^2 - e^2 x^2]]) / (2e^4 (d + e x))$

**IntegrateAlgebraic [A]** time = 0.36, size = 98, normalized size = 1.08

$$\frac{3d^2 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{2e^5} + \frac{\sqrt{d^2 - e^2 x^2} (4d^2 + dex - e^2 x^2)}{2e^4 (d + ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out]  $(\text{Sqrt}[d^2 - e^2 x^2] * (4d^2 + d e x - e^2 x^2)) / (2e^4 (d + e x)) + (3d^2 * \text{Sqrt}[-e^2] * \text{Log}[-(\text{Sqrt}[-e^2] * x) + \text{Sqrt}[d^2 - e^2 x^2]]) / (2e^5)$

**fricas [A]** time = 0.40, size = 101, normalized size = 1.11

$$\frac{4d^2 ex + 4d^3 - 6(d^2 ex + d^3) \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) - (e^2 x^2 - dex - 4d^2) \sqrt{-e^2 x^2 + d^2}}{2(e^5 x + de^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out]  $1/2 * (4d^2 e x + 4d^3 - 6(d^2 e x + d^3) * \arctan(-(d - \text{sqrt}(-e^2 x^2 + d^2)) / (e x))) - (e^2 x^2 - d e x - 4d^2) * \text{sqrt}(-e^2 x^2 + d^2) / (e^5 x + d e^4)$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $3/2 * d^2 * \text{sign}(d) * \text{asin}(x * \exp(2) / d / \exp(1)) / \exp(1)^4 + 2 * d^2 * \exp(2) * \text{atan}((-1/2 * (-2 * d * \exp(1) - 2 * \text{sqrt}(d^2 - x^2 * \exp(2)) * \exp(1)) / x + \exp(2)) / \text{sqrt}(-\exp(1)^4 + \exp(2)^2)) / \text{sqrt}(-\exp(1)^4 + \exp(2)^2) / \exp(1)^3 / \exp(1) + 2 * (-4 * \exp(1)^7 * 1/16 / \exp(1)^{10} * x + 8 * \exp(1)^6 * d * 1/16 / \exp(1)^{10}) * \text{sqrt}(-\exp(2) * x^2 + d^2)$

**maple [A]** time = 0.01, size = 120, normalized size = 1.32

$$\frac{3d^2 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{2\sqrt{e^2} e^3} - \frac{\sqrt{-e^2 x^2 + d^2} x}{2e^3} + \frac{\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2 d^2}}{\left(x + \frac{d}{e}\right) e^5} + \frac{\sqrt{-e^2 x^2 + d^2} d}{e^4}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x)`

[Out] 
$$-1/2/e^3*x*(-e^2*x^2+d^2)^(1/2)+3/2*d^2/e^3/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)+d/e^4*(-e^2*x^2+d^2)^(1/2)+d^2/e^5/(x+d/e)*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)$$

**maxima** [A] time = 1.00, size = 86, normalized size = 0.95

$$\frac{\sqrt{-e^2x^2+d^2}d^2}{e^5x+de^4} + \frac{3d^2 \arcsin\left(\frac{ex}{d}\right)}{2e^4} - \frac{\sqrt{-e^2x^2+d^2}x}{2e^3} + \frac{\sqrt{-e^2x^2+d^2}d}{e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out] 
$$\sqrt{-e^2x^2+d^2}*d^2/(e^5*x+d*e^4) + 3/2*d^2*\arcsin(e*x/d)/e^4 - 1/2*\sqrt{-e^2x^2+d^2}*x/e^3 + \sqrt{-e^2x^2+d^2}*d/e^4$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\sqrt{d^2 - e^2 x^2} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/((d^2 - e^2*x^2)^(1/2)*(d + e*x)),x)`

[Out] `int(x^3/((d^2 - e^2*x^2)^(1/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{-(-d+ex)(d+ex)}(d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/(e*x+d)/(-e**2*x**2+d**2)**(1/2),x)`

[Out] `Integral(x**3/(sqrt(-(-d+e*x)*(d+e*x))*(d+e*x)), x)`

$$3.121 \quad \int \frac{x^2}{(d+ex)\sqrt{d^2-e^2x^2}} dx$$

**Optimal.** Leaf size=77

$$\frac{d\sqrt{d^2-e^2x^2}}{e^3(d+ex)} - \frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^3}$$

**Rubi [A]** time = 0.10, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1639, 12, 793, 217, 203}

$$\frac{d\sqrt{d^2-e^2x^2}}{e^3(d+ex)} - \frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -(Sqrt[d^2 - e^2\*x^2]/e^3) - (d\*Sqrt[d^2 - e^2\*x^2])/(e^3\*(d + e\*x)) - (d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e^3

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 793

Int[((d\_) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_)^2)^((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[(m\*(g\*c\*d + c\*e\*f) + 2\*e\*c\*f\*(p + 1))/(e\*(2\*c\*d)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e

, f, g, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1])) || EqQ[m + 2\*p + 2, 0] && NeQ[m + p + 1, 0]

### Rule 1639

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - 2*e*f*(m + p + q)*(d + e*x)^(q - 2)*(a*e - c*d*x), x], x] /; NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{x^2}{(d+ex)\sqrt{d^2-e^2x^2}} dx &= -\frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{\int \frac{de^3x}{(d+ex)\sqrt{d^2-e^2x^2}} dx}{e^4} \\
 &= -\frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{d \int \frac{x}{(d+ex)\sqrt{d^2-e^2x^2}} dx}{e} \\
 &= -\frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{d\sqrt{d^2-e^2x^2}}{e^3(d+ex)} - \frac{d \int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^2} \\
 &= -\frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{d\sqrt{d^2-e^2x^2}}{e^3(d+ex)} - \frac{d \operatorname{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x, \frac{x}{\sqrt{d^2-e^2x^2}}\right)}{e^2} \\
 &= -\frac{\sqrt{d^2-e^2x^2}}{e^3} - \frac{d\sqrt{d^2-e^2x^2}}{e^3(d+ex)} - \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 59, normalized size = 0.77

$$-\frac{\frac{\sqrt{d^2-e^2x^2}(2d+ex)}{d+ex} + d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out]  $-\left(\frac{(2d + ex)\sqrt{d^2 - e^2x^2}}{d + ex} + d\operatorname{ArcTan}\left[\frac{ex}{\sqrt{d^2 - e^2x^2}}\right]\right)/e^3$

**IntegrateAlgebraic** [A] time = 0.34, size = 81, normalized size = 1.05

$$\frac{(-2d - ex)\sqrt{d^2 - e^2x^2}}{e^3(d + ex)} - \frac{d\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{e^4}$$

Antiderivative was successfully verified.

[In] `IntegrateAlgebraic[x^2/((d + e*x)*Sqrt[d^2 - e^2*x^2]),x]`

[Out]  $\left(\frac{(-2d - ex)\sqrt{d^2 - e^2x^2}}{e^3(d + ex)} - \frac{d\sqrt{-e^2}\operatorname{Log}\left[-\left(\operatorname{Sqrt}[-e^2]x + \operatorname{Sqrt}[d^2 - e^2x^2]\right)\right]}{e^4}\right)$

**fricas** [A] time = 0.41, size = 85, normalized size = 1.10

$$\frac{2dex + 2d^2 - 2(dex + d^2)\arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + \sqrt{-e^2x^2 + d^2}(ex + 2d)}{e^4x + de^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x, algorithm="fricas")`

[Out]  $-(2d*ex + 2d^2 - 2*(d*ex + d^2)*\arctan(-(d - \operatorname{sqrt}(-e^2*x^2 + d^2))/(e*x)) + \operatorname{sqrt}(-e^2*x^2 + d^2)*(e*x + 2*d))/(e^4*x + d*e^3)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $-d*\operatorname{sign}(d)*\operatorname{asin}(x*\exp(2)/d/\exp(1))/\exp(1)/\exp(2) - 2*d*\exp(2)*\operatorname{atan}\left(\frac{-1/2*(-2*d*\exp(1) - 2*\operatorname{sqrt}(d^2 - x^2*\exp(2))*\exp(1))/x + \exp(2)}{\operatorname{sqrt}(-\exp(1)^4 + \exp(2)^2)}\right)/\operatorname{sqrt}(-\exp(1)^4 + \exp(2)^2)/\exp(1)/\exp(2) - 4*\exp(1)^{2*1/4}/\exp(1)^5*\operatorname{sqrt}(-\exp(2)*x^2 + d^2)$

**maple** [A] time = 0.01, size = 97, normalized size = 1.26

$$-\frac{d\arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2 + d^2}}\right)}{\sqrt{e^2}e^2} - \frac{\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2d}}{\left(x + \frac{d}{e}\right)e^4} - \frac{\sqrt{-e^2x^2 + d^2}}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x)`

[Out]  $-(e^2x^2+d^2)^{1/2}/e^3-1/(e^2)^{1/2}*d/e^2*\arctan((e^2)^{1/2}/(-e^2x^2+d^2)^{1/2}*x)-d/e^4/(x+d/e)*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{1/2}$

**maxima** [A] time = 0.98, size = 63, normalized size = 0.82

$$-\frac{\sqrt{-e^2x^2+d^2}d}{e^4x+de^3}-\frac{d\arcsin\left(\frac{ex}{d}\right)}{e^3}-\frac{\sqrt{-e^2x^2+d^2}}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out]  $-\sqrt{-e^2x^2+d^2}*d/(e^4*x+d*e^3)-d*\arcsin(e*x/d)/e^3-\sqrt{-e^2x^2+d^2}/e^3$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\sqrt{d^2-e^2x^2}(d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/((d^2-e^2*x^2)^(1/2)*(d+e*x)),x)`

[Out] `int(x^2/((d^2-e^2*x^2)^(1/2)*(d+e*x)),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{-(-d+ex)(d+ex)}(d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(e*x+d)/(-e**2*x**2+d**2)**(1/2),x)`

[Out] `Integral(x**2/(sqrt(-(-d+e*x)*(d+e*x))*(d+e*x)),x)`

$$3.122 \quad \int \frac{x}{(d+ex)\sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=52

$$\frac{\sqrt{d^2 - e^2x^2}}{e^2(d + ex)} + \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{e^2}$$

**Rubi [A]** time = 0.02, antiderivative size = 52, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {793, 217, 203}

$$\frac{\sqrt{d^2 - e^2x^2}}{e^2(d + ex)} + \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{e^2}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] Sqrt[d^2 - e^2\*x^2]/(e^2\*(d + e\*x)) + ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]]/e^2

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 793

Int[((d\_) + (e\_.)\*(x\_)^m)\*((f\_.) + (g\_.)\*(x\_)^p)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_ - m), x\_Symbol] := Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[(m\*(g\*c\*d + c\*e\*f) + 2\*e\*c\*f\*(p + 1))/(e\*(2\*c\*d)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2\*p + 2, 0]) && NeQ[m + p + 1, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x}{(d+ex)\sqrt{d^2-e^2x^2}} dx &= \frac{\sqrt{d^2-e^2x^2}}{e^2(d+ex)} + \frac{\int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e} \\
&= \frac{\sqrt{d^2-e^2x^2}}{e^2(d+ex)} + \frac{\text{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x, \frac{x}{\sqrt{d^2-e^2x^2}}\right)}{e} \\
&= \frac{\sqrt{d^2-e^2x^2}}{e^2(d+ex)} + \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^2}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 49, normalized size = 0.94

$$\frac{\frac{\sqrt{d^2-e^2x^2}}{d+ex} + \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e\*x)\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] (Sqrt[d^2 - e^2\*x^2]/(d + e\*x) + ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e^2

**IntegrateAlgebraic [A]** time = 0.29, size = 71, normalized size = 1.37

$$\frac{\sqrt{d^2-e^2x^2}}{e^2(d+ex)} + \frac{\sqrt{-e^2} \log\left(\sqrt{d^2-e^2x^2} - \sqrt{-e^2} x\right)}{e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((d + e\*x)\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] Sqrt[d^2 - e^2\*x^2]/(e^2\*(d + e\*x)) + (Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^3

**fricas [A]** time = 0.40, size = 67, normalized size = 1.29

$$\frac{ex - 2(ex + d) \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + d + \sqrt{-e^2x^2 + d^2}}{e^3x + de^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2), x, algorithm="fricas")

[Out]  $(e^x - 2*(e^x + d)*\arctan(-(d - \sqrt{-e^2*x^2 + d^2})/(e*x)) + d + \sqrt{-e^2*x^2 + d^2})/(e^3*x + d*e^2)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $\text{sign}(d)*\text{asin}(x*\exp(2)/d/\exp(1))/\exp(1)^2+2*\exp(2)*\text{atan}((-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x+\exp(2))/\sqrt{-\exp(1)^4+\exp(2)^2})/\sqrt{-\exp(1)^4+\exp(2)^2}/\exp(1)^2$

**maple** [A] time = 0.01, size = 74, normalized size = 1.42

$$\frac{\arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{\sqrt{e^2} e} + \frac{\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2}}{\left(x + \frac{d}{e}\right) e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x)`

[Out]  $1/e/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)+1/e^3/(x+d/e)*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}$

**maxima** [A] time = 0.97, size = 40, normalized size = 0.77

$$\frac{\sqrt{-e^2 x^2 + d^2}}{e^3 x + d e^2} + \frac{\arcsin\left(\frac{e x}{d}\right)}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out]  $\sqrt{-e^2*x^2 + d^2}/(e^3*x + d*e^2) + \arcsin(e*x/d)/e^2$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x}{\sqrt{d^2 - e^2 x^2} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(x/((d^2 - e^2*x^2)^(1/2)*(d + e*x)), x)`

[Out] `int(x/((d^2 - e^2*x^2)^(1/2)*(d + e*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{-(-d + ex)(d + ex)}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)/(-e**2*x**2+d**2)**(1/2), x)`

[Out] `Integral(x/(sqrt(-(-d + e*x)*(d + e*x))*(d + e*x)), x)`

$$3.123 \quad \int \frac{1}{(d+ex)\sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=31

$$-\frac{\sqrt{d^2 - e^2x^2}}{de(d + ex)}$$

**Rubi [A]** time = 0.01, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {651}

$$-\frac{\sqrt{d^2 - e^2x^2}}{de(d + ex)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -(Sqrt[d^2 - e^2\*x^2]/(d\*e\*(d + e\*x)))

Rule 651

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + 2\*p + 2, 0]

Rubi steps

$$\int \frac{1}{(d + ex)\sqrt{d^2 - e^2x^2}} dx = -\frac{\sqrt{d^2 - e^2x^2}}{de(d + ex)}$$

**Mathematica [A]** time = 0.01, size = 32, normalized size = 1.03

$$-\frac{\sqrt{d^2 - e^2x^2}}{d^2e + de^2x}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -(Sqrt[d^2 - e^2\*x^2]/(d^2\*e + d\*e^2\*x))

**IntegrateAlgebraic** [A] time = 0.00, size = 31, normalized size = 1.00

$$-\frac{\sqrt{d^2 - e^2x^2}}{de(d + ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -(Sqrt[d^2 - e^2\*x^2]/(d\*e\*(d + e\*x)))

**fricas** [A] time = 0.38, size = 35, normalized size = 1.13

$$-\frac{ex + d + \sqrt{-e^2x^2 + d^2}}{de^2x + d^2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] -(e\*x + d + sqrt(-e^2\*x^2 + d^2))/(d\*e^2\*x + d^2\*e)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: -2\*exp(2)\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/sqrt(-exp(1)^4+exp(2)^2)/d/exp(1)

**maple** [A] time = 0.01, size = 29, normalized size = 0.94

$$-\frac{-ex + d}{\sqrt{-e^2x^2 + d^2} de}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x)

[Out] -(-e\*x+d)/d/e/(-e^2\*x^2+d^2)^(1/2)

**maxima** [A] time = 0.98, size = 30, normalized size = 0.97

$$-\frac{\sqrt{-e^2x^2 + d^2}}{de^2x + d^2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="maxima")

[Out] -sqrt(-e^2\*x^2 + d^2)/(d\*e^2\*x + d^2\*e)

mupad [B] time = 2.64, size = 29, normalized size = 0.94

$$-\frac{\sqrt{d^2 - e^2 x^2}}{d e (d + e x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)),x)

[Out] -(d^2 - e^2\*x^2)^(1/2)/(d\*e\*(d + e\*x))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(-d + ex)(d + ex)}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2),x)

[Out] Integral(1/(sqrt(-(-d + e\*x)\*(d + e\*x))\*(d + e\*x)), x)

$$3.124 \quad \int \frac{1}{x(d+ex)\sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=54

$$\frac{\sqrt{d^2 - e^2x^2}}{d^2(d + ex)} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^2}$$

**Rubi [A]** time = 0.04, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {857, 12, 266, 63, 208}

$$\frac{\sqrt{d^2 - e^2x^2}}{d^2(d + ex)} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] Sqrt[d^2 - e^2\*x^2]/(d^2\*(d + e\*x)) - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]/d^2

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 857

```
Int[((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_)/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex)\sqrt{d^2-e^2x^2}} dx &= \frac{\sqrt{d^2-e^2x^2}}{d^2(d+ex)} + \frac{\int \frac{de^2}{x\sqrt{d^2-e^2x^2}} dx}{d^2e^2} \\
&= \frac{\sqrt{d^2-e^2x^2}}{d^2(d+ex)} + \frac{\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{d} \\
&= \frac{\sqrt{d^2-e^2x^2}}{d^2(d+ex)} + \frac{\text{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x}} dx, x, x^2\right)}{2d} \\
&= \frac{\sqrt{d^2-e^2x^2}}{d^2(d+ex)} - \frac{\text{Subst}\left(\int \frac{1}{\frac{d^2-x^2}{e^2}-\frac{x^2}{e^2}} dx, x, \sqrt{d^2-e^2x^2}\right)}{de^2} \\
&= \frac{\sqrt{d^2-e^2x^2}}{d^2(d+ex)} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 52, normalized size = 0.96

$$\frac{\frac{\sqrt{d^2-e^2x^2}}{d+ex} - \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] (Sqrt[d^2 - e^2\*x^2]/(d + e\*x) - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^2

**IntegrateAlgebraic** [A] time = 0.40, size = 70, normalized size = 1.30

$$\frac{\sqrt{d^2 - e^2 x^2}}{d^2(d + ex)} + \frac{2 \tanh^{-1}\left(\frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] Sqrt[d^2 - e^2\*x^2]/(d^2\*(d + e\*x)) + (2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^2

**fricas** [A] time = 0.38, size = 62, normalized size = 1.15

$$\frac{ex + (ex + d) \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + d + \sqrt{-e^2 x^2 + d^2}}{d^2 ex + d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] (e\*x + (e\*x + d)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + d + sqrt(-e^2\*x^2 + d^2))/(d^2\*e\*x + d^3)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: -exp(2)\*ln(1/2\*abs(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/abs(x)/exp(2))/d^2/exp(1)^2+2\*exp(1)\*exp(2)\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/d^2/sqrt(-exp(1)^4+exp(2)^2)/exp(1)

**maple** [A] time = 0.01, size = 88, normalized size = 1.63

$$-\frac{\ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{\sqrt{d^2}d} + \frac{\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2e^2}}{\left(x+\frac{d}{e}\right)d^2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x)`

[Out]  $-1/d/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)+1/d^2/e/(x+d/e)*(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2})^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-e^2x^2 + d^2} (ex + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(-e^2*x^2 + d^2)*(e*x + d)*x), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{x \sqrt{d^2 - e^2 x^2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(d^2 - e^2*x^2)^(1/2)*(d + e*x)),x)`

[Out] `int(1/(x*(d^2 - e^2*x^2)^(1/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{-(-d + ex)(d + ex)} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(e*x+d)/(-e**2*x**2+d**2)**(1/2),x)`

[Out] `Integral(1/(x*sqrt(-(-d + e*x)*(d + e*x))*(d + e*x)), x)`



$$3.125 \quad \int \frac{1}{x^2(d+ex)\sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=81

$$\frac{\sqrt{d^2-e^2x^2}}{d^2x(d+ex)} - \frac{2\sqrt{d^2-e^2x^2}}{d^3x} + \frac{e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^3}$$

Rubi [A] time = 0.06, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {857, 807, 266, 63, 208}

$$-\frac{2\sqrt{d^2-e^2x^2}}{d^3x} + \frac{\sqrt{d^2-e^2x^2}}{d^2x(d+ex)} + \frac{e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^3}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (-2\*Sqrt[d^2 - e^2\*x^2])/(d^3\*x) + Sqrt[d^2 - e^2\*x^2]/(d^2\*x\*(d + e\*x)) + (e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^3

Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 857

```
Int[(((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol] := Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{x^2(d+ex)\sqrt{d^2-e^2x^2}} dx &= \frac{\sqrt{d^2-e^2x^2}}{d^2x(d+ex)} - \frac{\int \frac{-2de^2+e^3x}{x^2\sqrt{d^2-e^2x^2}} dx}{d^2e^2} \\
 &= -\frac{2\sqrt{d^2-e^2x^2}}{d^3x} + \frac{\sqrt{d^2-e^2x^2}}{d^2x(d+ex)} - \frac{e \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{d^2} \\
 &= -\frac{2\sqrt{d^2-e^2x^2}}{d^3x} + \frac{\sqrt{d^2-e^2x^2}}{d^2x(d+ex)} - \frac{e \operatorname{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x}} dx, x, x^2\right)}{2d^2} \\
 &= -\frac{2\sqrt{d^2-e^2x^2}}{d^3x} + \frac{\sqrt{d^2-e^2x^2}}{d^2x(d+ex)} + \frac{\operatorname{Subst}\left(\int \frac{1}{\frac{d^2-x^2}{e^2}-e^2} dx, x, \sqrt{d^2-e^2x^2}\right)}{d^2e} \\
 &= -\frac{2\sqrt{d^2-e^2x^2}}{d^3x} + \frac{\sqrt{d^2-e^2x^2}}{d^2x(d+ex)} + \frac{e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 62, normalized size = 0.77

$$\frac{e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right) - \frac{(d+2ex)\sqrt{d^2-e^2x^2}}{x(d+ex)}}{d^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out]  $(-(((d + 2*e*x)*Sqrt[d^2 - e^2*x^2])/(x*(d + e*x))) + e*ArcTanh[Sqrt[d^2 - e^2*x^2]/d])/d^3$

**IntegrateAlgebraic [A]** time = 0.36, size = 82, normalized size = 1.01

$$\frac{(-d - 2ex)\sqrt{d^2 - e^2x^2}}{d^3x(d + ex)} - \frac{2e \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out]  $((-d - 2*e*x)*Sqrt[d^2 - e^2*x^2])/(d^3*x*(d + e*x)) - (2*e*ArcTanh[(Sqrt[-e^2]*x)/d - Sqrt[d^2 - e^2*x^2]/d])/d^3$

**fricas [A]** time = 0.41, size = 88, normalized size = 1.09

$$\frac{e^2x^2 + dex + (e^2x^2 + dex) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + \sqrt{-e^2x^2 + d^2} (2ex + d)}{d^3ex^2 + d^4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out]  $-(e^2*x^2 + d*e*x + (e^2*x^2 + d*e*x)*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) + \text{sqrt}(-e^2*x^2 + d^2)*(2*e*x + d))/(d^3*e*x^2 + d^4*x)$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $-x*exp(2)^3/d^3/(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/exp(1)/exp(2)-2*exp(2)^2*atan((-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/d^3/sqrt(-exp(1)^4+exp(2)^2)/exp(1)+1/4*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(2)^3/d^3/x/exp(1)/exp(2)^3+exp(2)*ln(1/2*abs(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/abs(x)/exp(2))/d^3/exp(1)$

**maple** [A] time = 0.01, size = 108, normalized size = 1.33

$$\frac{e \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2} d^2} - \frac{\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2}}{\left(x + \frac{d}{e}\right) d^3} - \frac{\sqrt{-e^2x^2 + d^2}}{d^3 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2), x)

[Out]  $-(e^2x^2 + d^2)^{1/2} / d^3 / x + e/d^2 / (d^2)^{1/2} * \ln((2*d^2 + 2*(d^2)^{1/2} * (-e^2x^2 + d^2)^{1/2}) / x) - 1/d^3 / (x + d/e) * (2*(x + d/e) * d * e - (x + d/e)^2 * e^2)^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-e^2x^2 + d^2} (ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2), x, algorithm="maxima")

[Out] integrate(1/(sqrt(-e^2\*x^2 + d^2)\*(e\*x + d)\*x^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^2 \sqrt{d^2 - e^2 x^2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*(d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)), x)

[Out] int(1/(x^2\*(d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{-(-d + ex)(d + ex)} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2), x)

[Out] Integral(1/(x\*\*2\*sqrt(-(-d + e\*x)\*(d + e\*x))\*(d + e\*x)), x)

$$3.126 \quad \int \frac{1}{x^3(d+ex)\sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=113

$$\frac{\sqrt{d^2 - e^2x^2}}{d^2x^2(d + ex)} + \frac{2e\sqrt{d^2 - e^2x^2}}{d^4x} - \frac{3e^2 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{2d^4} - \frac{3\sqrt{d^2 - e^2x^2}}{2d^3x^2}$$

**Rubi** [A] time = 0.09, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {857, 835, 807, 266, 63, 208}

$$\frac{2e\sqrt{d^2 - e^2x^2}}{d^4x} + \frac{\sqrt{d^2 - e^2x^2}}{d^2x^2(d + ex)} - \frac{3\sqrt{d^2 - e^2x^2}}{2d^3x^2} - \frac{3e^2 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{2d^4}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (-3\*Sqrt[d^2 - e^2\*x^2])/(2\*d^3\*x^2) + (2\*e\*Sqrt[d^2 - e^2\*x^2])/(d^4\*x) + Sqrt[d^2 - e^2\*x^2]/(d^2\*x^2\*(d + e\*x)) - (3\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^4)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

### Rule 857

```
Int[(((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x
_)), x_Symbol] := Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*
f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(
a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x
), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n
, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3(d+ex)\sqrt{d^2-e^2x^2}} dx &= \frac{\sqrt{d^2-e^2x^2}}{d^2x^2(d+ex)} - \frac{\int \frac{-3de^2+2e^3x}{x^3\sqrt{d^2-e^2x^2}} dx}{d^2e^2} \\
&= -\frac{3\sqrt{d^2-e^2x^2}}{2d^3x^2} + \frac{\sqrt{d^2-e^2x^2}}{d^2x^2(d+ex)} + \frac{\int \frac{-4d^2e^3+3de^4x}{x^2\sqrt{d^2-e^2x^2}} dx}{2d^4e^2} \\
&= -\frac{3\sqrt{d^2-e^2x^2}}{2d^3x^2} + \frac{2e\sqrt{d^2-e^2x^2}}{d^4x} + \frac{\sqrt{d^2-e^2x^2}}{d^2x^2(d+ex)} + \frac{(3e^2) \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{2d^3} \\
&= -\frac{3\sqrt{d^2-e^2x^2}}{2d^3x^2} + \frac{2e\sqrt{d^2-e^2x^2}}{d^4x} + \frac{\sqrt{d^2-e^2x^2}}{d^2x^2(d+ex)} + \frac{(3e^2) \text{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx, x, \sqrt{d^2-e^2x^2}\right)}{4d^3} \\
&= -\frac{3\sqrt{d^2-e^2x^2}}{2d^3x^2} + \frac{2e\sqrt{d^2-e^2x^2}}{d^4x} + \frac{\sqrt{d^2-e^2x^2}}{d^2x^2(d+ex)} - \frac{3 \text{Subst}\left(\int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2-e^2x^2}\right)}{2d^3} \\
&= -\frac{3\sqrt{d^2-e^2x^2}}{2d^3x^2} + \frac{2e\sqrt{d^2-e^2x^2}}{d^4x} + \frac{\sqrt{d^2-e^2x^2}}{d^2x^2(d+ex)} - \frac{3e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^4}
\end{aligned}$$

**Mathematica [A]** time = 0.32, size = 127, normalized size = 1.12

$$-\frac{e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^4} - \frac{d^3 + de^2x^2\sqrt{1-\frac{e^2x^2}{d^2}} \tanh^{-1}\left(\sqrt{1-\frac{e^2x^2}{d^2}}\right) - 2d^2ex - 3de^2x^2 + 4e^3x^3}{2d^4x^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] -((e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^4) - (d^3 - 2\*d^2\*e\*x - 3\*d\*e^2\*x^2 + 4\*e^3\*x^3 + d\*e^2\*x^2\*Sqrt[1 - (e^2\*x^2)/d^2]\*ArcTanh[Sqrt[1 - (e^2\*x^2)/d^2]])/(2\*d^4\*x^2\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.44, size = 97, normalized size = 0.86

$$\frac{\sqrt{d^2-e^2x^2}(-d^2+dex+4e^2x^2)}{2d^4x^2(d+ex)} + \frac{3e^2 \tanh^{-1}\left(\frac{\sqrt{-e^2x^2}}{d} - \frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^3\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-d^2 + d\*e\*x + 4\*e^2\*x^2))/(2\*d^4\*x^2\*(d + e\*x)) + (3\*e^2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^4

**fricas** [A] time = 0.41, size = 113, normalized size = 1.00

$$\frac{2e^3x^3 + 2de^2x^2 + 3(e^3x^3 + de^2x^2)\log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) + (4e^2x^2 + dex - d^2)\sqrt{-e^2x^2 + d^2}}{2(d^4ex^3 + d^5x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] 1/2\*(2\*e^3\*x^3 + 2\*d\*e^2\*x^2 + 3\*(e^3\*x^3 + d\*e^2\*x^2)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (4\*e^2\*x^2 + d\*e\*x - d^2)\*sqrt(-e^2\*x^2 + d^2))/(d^4\*e\*x^3 + d^5\*x^2)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/8\*(exp(2)^3+2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(2)^3/x/exp(2))/d^4/(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2/exp(1)^4+1/16\*(-2\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^4\*exp(2)^5-4\*d^4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^6\*exp(2)^4/x/exp(2))/d^8/exp(1)^6/exp(2)^3+1/2\*(-exp(2)^3-2\*exp(1)^4\*exp(2))\*ln(1/2\*abs(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/abs(x)/exp(2))/d^4/exp(1)^3/exp(1)+2\*exp(1)^3\*exp(2)\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/d^4/sqrt(-exp(1)^4+exp(2)^2)/exp(1)

**maple** [A] time = 0.01, size = 133, normalized size = 1.18

$$-\frac{3e^2 \ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{2\sqrt{d^2}d^3} + \frac{\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2e^2}e}{\left(x+\frac{d}{e}\right)d^4} + \frac{\sqrt{-e^2x^2+d^2}e}{d^4x} - \frac{\sqrt{-e^2x^2+d^2}}{2d^3x^2}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(1/x^3/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x)`

[Out]  $e*(-e^2*x^2+d^2)^{(1/2)}/d^4/x-1/2*(-e^2*x^2+d^2)^{(1/2)}/d^3/x^2-3/2/d^3*e^2/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)+1/d^4*e/(x+d/e)*2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-e^2x^2 + d^2} (ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(e*x+d)/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(-e^2*x^2 + d^2)*(e*x + d)*x^3), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^3 \sqrt{d^2 - e^2 x^2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^3*(d^2 - e^2*x^2)^(1/2)*(d + e*x)),x)`

[Out] `int(1/(x^3*(d^2 - e^2*x^2)^(1/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 \sqrt{-(-d + ex)(d + ex)} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**3/(e*x+d)/(-e**2*x**2+d**2)**(1/2),x)`

[Out] `Integral(1/(x**3*sqrt(-(-d + e*x)*(d + e*x))*(d + e*x)), x)`

$$3.127 \quad \int \frac{x^5}{(d+ex)(d^2-e^2x^2)^{3/2}} dx$$

**Optimal.** Leaf size=128

$$\frac{x^4(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{(16d-15ex)\sqrt{d^2-e^2x^2}}{6e^6} - \frac{5d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^6} - \frac{x^2(4d-5ex)}{3e^4\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.11, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {850, 819, 780, 217, 203}

$$\frac{x^4(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{x^2(4d-5ex)}{3e^4\sqrt{d^2-e^2x^2}} - \frac{(16d-15ex)\sqrt{d^2-e^2x^2}}{6e^6} - \frac{5d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^6}$$

Antiderivative was successfully verified.

[In] Int[x^5/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (x^4\*(d - e\*x))/(3\*e^2\*(d^2 - e^2\*x^2)^(3/2)) - (x^2\*(4\*d - 5\*e\*x))/(3\*e^4\*Sqrt[d^2 - e^2\*x^2]) - ((16\*d - 15\*e\*x)\*Sqrt[d^2 - e^2\*x^2])/(6\*e^6) - (5\*d^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e^6)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 819

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g
) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!ILtQ[m + 2*p + 3, 0])
```

Rule 850

```
Int[((x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_.))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{(d+ex)(d^2-e^2x^2)^{3/2}} dx &= \int \frac{x^5(d-ex)}{(d^2-e^2x^2)^{5/2}} dx \\
&= \frac{x^4(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{x^3(4d^3-5d^2ex)}{(d^2-e^2x^2)^{3/2}} dx}{3d^2e^2} \\
&= \frac{x^4(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{x^2(4d-5ex)}{3e^4\sqrt{d^2-e^2x^2}} + \frac{\int \frac{x(8d^5-15d^4ex)}{\sqrt{d^2-e^2x^2}} dx}{3d^4e^4} \\
&= \frac{x^4(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{x^2(4d-5ex)}{3e^4\sqrt{d^2-e^2x^2}} - \frac{(16d-15ex)\sqrt{d^2-e^2x^2}}{6e^6} - \frac{(5d^2) \int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{2e^5} \\
&= \frac{x^4(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{x^2(4d-5ex)}{3e^4\sqrt{d^2-e^2x^2}} - \frac{(16d-15ex)\sqrt{d^2-e^2x^2}}{6e^6} - \frac{(5d^2) \text{Subst}\left(\int \frac{1}{\sqrt{d^2-u^2}} du\right)}{2e^5} \\
&= \frac{x^4(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{x^2(4d-5ex)}{3e^4\sqrt{d^2-e^2x^2}} - \frac{(16d-15ex)\sqrt{d^2-e^2x^2}}{6e^6} - \frac{5d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^6}
\end{aligned}$$

**Mathematica [A]** time = 0.17, size = 106, normalized size = 0.83

$$\frac{\sqrt{d^2 - e^2 x^2} (16d^4 + d^3 e x - 23d^2 e^2 x^2 - 3de^3 x^3 + 3e^4 x^4)}{(ex-d)(d+ex)^2} - 15d^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)}{6e^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(16\*d^4 + d^3\*e\*x - 23\*d^2\*e^2\*x^2 - 3\*d\*e^3\*x^3 + 3\*e^4\*x^4))/((-d + e\*x)\*(d + e\*x)^2) - 15\*d^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(6\*e^6)

**IntegrateAlgebraic [A]** time = 0.52, size = 130, normalized size = 1.02

$$\frac{5d^2 \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right)}{2e^7} - \frac{\sqrt{d^2 - e^2 x^2} (-16d^4 - d^3 e x + 23d^2 e^2 x^2 + 3de^3 x^3 - 3e^4 x^4)}{6e^6 (ex - d)(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^5/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] -1/6\*(Sqrt[d^2 - e^2\*x^2]\*(-16\*d^4 - d^3\*e\*x + 23\*d^2\*e^2\*x^2 + 3\*d\*e^3\*x^3 - 3\*e^4\*x^4))/(e^6\*(-d + e\*x)\*(d + e\*x)^2) - (5\*d^2\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(2\*e^7)

**fricas [A]** time = 0.40, size = 190, normalized size = 1.48

$$\frac{16d^2 e^3 x^3 + 16d^3 e^2 x^2 - 16d^4 e x - 16d^5 - 30(d^2 e^3 x^3 + d^3 e^2 x^2 - d^4 e x - d^5) \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) - (3e^4 x^4 - 3de^3 x^3 - 23d^2 e^2 x^2 + d^3 e x + 16d^4) \sqrt{-e^2 x^2 + d^2}}{6(e^9 x^3 + de^8 x^2 - d^2 e^7 x - d^3 e^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] -1/6\*(16\*d^2\*e^3\*x^3 + 16\*d^3\*e^2\*x^2 - 16\*d^4\*e\*x - 16\*d^5 - 30\*(d^2\*e^3\*x^3 + d^3\*e^2\*x^2 - d^4\*e\*x - d^5)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (3\*e^4\*x^4 - 3\*d\*e^3\*x^3 - 23\*d^2\*e^2\*x^2 + d^3\*e\*x + 16\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(e^9\*x^3 + d\*e^8\*x^2 - d^2\*e^7\*x - d^3\*e^6)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);;OUTPUT:Unable to transpose Error: Bad Argument Valu  
e

maple [A] time = 0.02, size = 208, normalized size = 1.62

$$-\frac{x^3}{2\sqrt{-e^2x^2+d^2}e^3} + \frac{dx^2}{\sqrt{-e^2x^2+d^2}e^4} + \frac{7d^2x}{2\sqrt{-e^2x^2+d^2}e^5} - \frac{2d^2x}{3\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2e^5}} - \frac{5d^2\arctan\left(\frac{\sqrt{2}x}{\sqrt{-e^2x^2+d^2}}\right)}{2\sqrt{e^2}e^5} + \frac{d^4}{3\left(x+\frac{d}{e}\right)\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2e^7}} - \frac{3d^3}{\sqrt{-e^2x^2+d^2}e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x)

[Out]  $-1/2/e^3*x^3/(-e^2*x^2+d^2)^{(1/2)}+7/2/(-e^2*x^2+d^2)^{(1/2)}*d^2/e^5*x-5/2/(e^2)^{(1/2)}*d^2/e^5*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)+d/e^4*x^2/(-e^2*x^2+d^2)^{(1/2)}-3*d^3/e^6/(-e^2*x^2+d^2)^{(1/2)}+1/3*d^4/e^7/(x+d/e)/(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2})^{(1/2)}-2/3*d^2/e^5/(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2})^{(1/2)}*x$

maxima [A] time = 1.01, size = 151, normalized size = 1.18

$$\frac{d^4}{3\left(\sqrt{-e^2x^2+d^2}e^7x+\sqrt{-e^2x^2+d^2}de^6\right)} - \frac{x^3}{2\sqrt{-e^2x^2+d^2}e^3} + \frac{dx^2}{\sqrt{-e^2x^2+d^2}e^4} + \frac{17d^2x}{6\sqrt{-e^2x^2+d^2}e^5} - \frac{5d^2\arcsin\left(\frac{ex}{d}\right)}{2e^6} - \frac{3d^3}{\sqrt{-e^2x^2+d^2}e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out]  $1/3*d^4/(\text{sqrt}(-e^2*x^2+d^2)*e^7*x+\text{sqrt}(-e^2*x^2+d^2)*d*e^6)-1/2*x^3/(\text{sqrt}(-e^2*x^2+d^2)*e^3)+d*x^2/(\text{sqrt}(-e^2*x^2+d^2)*e^4)+17/6*d^2*x/(\text{sqrt}(-e^2*x^2+d^2)*e^5)-5/2*d^2*\arcsin(e*x/d)/e^6-3*d^3/(\text{sqrt}(-e^2*x^2+d^2)*e^6)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5}{(d^2 - e^2 x^2)^{3/2} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)),x)

[Out] int(x^5/((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2), x)

[Out] Integral(x\*\*5/((-(-d + e\*x)\*(d + e\*x))\*\*(3/2)\*(d + e\*x)), x)

$$3.128 \quad \int \frac{x^4}{(d+ex)(d^2-e^2x^2)^{3/2}} dx$$

Optimal. Leaf size=113

$$\frac{x^3(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} + \frac{8\sqrt{d^2-e^2x^2}}{3e^5} + \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5} - \frac{x(3d-4ex)}{3e^4\sqrt{d^2-e^2x^2}}$$

**Rubi** [A] time = 0.09, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {850, 819, 641, 217, 203}

$$\frac{x^3(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{x(3d-4ex)}{3e^4\sqrt{d^2-e^2x^2}} + \frac{8\sqrt{d^2-e^2x^2}}{3e^5} + \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] (x^3\*(d - e\*x))/(3\*e^2\*(d^2 - e^2\*x^2)^(3/2)) - (x\*(3\*d - 4\*e\*x))/(3\*e^4\*Sqrt[d^2 - e^2\*x^2]) + (8\*Sqrt[d^2 - e^2\*x^2])/(3\*e^5) + (d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e^5

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 819

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g
) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!ILtQ[m + 2*p + 3, 0])

```

### Rule 850

```

Int[((x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4}{(d+ex)(d^2-e^2x^2)^{3/2}} dx &= \int \frac{x^4(d-ex)}{(d^2-e^2x^2)^{5/2}} dx \\
&= \frac{x^3(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{x^2(3d^3-4d^2ex)}{(d^2-e^2x^2)^{3/2}} dx}{3d^2e^2} \\
&= \frac{x^3(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{x(3d-4ex)}{3e^4\sqrt{d^2-e^2x^2}} + \frac{\int \frac{3d^5-8d^4ex}{\sqrt{d^2-e^2x^2}} dx}{3d^4e^4} \\
&= \frac{x^3(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{x(3d-4ex)}{3e^4\sqrt{d^2-e^2x^2}} + \frac{8\sqrt{d^2-e^2x^2}}{3e^5} + \frac{d \int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^4} \\
&= \frac{x^3(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{x(3d-4ex)}{3e^4\sqrt{d^2-e^2x^2}} + \frac{8\sqrt{d^2-e^2x^2}}{3e^5} + \frac{d \operatorname{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x, \frac{\sqrt{d^2-e^2x^2}}{\sqrt{d^2-e^2x^2}}\right)}{e^4} \\
&= \frac{x^3(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{x(3d-4ex)}{3e^4\sqrt{d^2-e^2x^2}} + \frac{8\sqrt{d^2-e^2x^2}}{3e^5} + \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5}
\end{aligned}$$



**Mathematica [A]** time = 0.14, size = 93, normalized size = 0.82

$$\frac{3d \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) + \frac{\sqrt{d^2 - e^2x^2}(8d^3 + 5d^2ex - 7de^2x^2 - 3e^3x^3)}{(d - ex)(d + ex)^2}}{3e^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(8\*d^3 + 5\*d^2\*e\*x - 7\*d\*e^2\*x^2 - 3\*e^3\*x^3))/((d - e\*x)\*(d + e\*x)^2) + 3\*d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(3\*e^5)

**IntegrateAlgebraic [A]** time = 0.46, size = 114, normalized size = 1.01

$$\frac{d\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{e^6} - \frac{\sqrt{d^2 - e^2x^2}(8d^3 + 5d^2ex - 7de^2x^2 - 3e^3x^3)}{3e^5(ex - d)(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^4/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] -1/3\*(Sqrt[d^2 - e^2\*x^2]\*(8\*d^3 + 5\*d^2\*e\*x - 7\*d\*e^2\*x^2 - 3\*e^3\*x^3))/(e^5\*(-d + e\*x)\*(d + e\*x)^2) + (d\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^6

**fricas [A]** time = 0.42, size = 175, normalized size = 1.55

$$\frac{8de^3x^3 + 8d^2e^2x^2 - 8d^3ex - 8d^4 - 6(de^3x^3 + d^2e^2x^2 - d^3ex - d^4) \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (3e^3x^3 + 7de^2x^2 - 5d^2ex - 8d^3)\sqrt{-e^2x^2 + d^2}}{3(e^8x^3 + de^7x^2 - d^2e^6x - d^3e^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2), x, algorithm="fricas")

[Out] 1/3\*(8\*d\*e^3\*x^3 + 8\*d^2\*e^2\*x^2 - 8\*d^3\*e\*x - 8\*d^4 - 6\*(d\*e^3\*x^3 + d^2\*e^2\*x^2 - d^3\*e\*x - d^4)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (3\*e^3\*x^3 + 7\*d\*e^2\*x^2 - 5\*d^2\*e\*x - 8\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(e^8\*x^3 + d\*e^7\*x^2 - d^2\*e^6\*x - d^3\*e^5)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x):;OUTPUT:Unable to transpose Error: Bad Argument Valu  
e

maple [A] time = 0.01, size = 179, normalized size = 1.58

$$-\frac{x^2}{\sqrt{-e^2x^2+d^2}e^3} - \frac{2dx}{\sqrt{-e^2x^2+d^2}e^4} + \frac{2dx}{3\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2e^2e^4}} + \frac{d \arctan\left(\frac{\sqrt{e^2x^2+d^2}}{\sqrt{-e^2x^2+d^2}}\right)}{\sqrt{e^2}e^4} - \frac{d^3}{3\left(x+\frac{d}{e}\right)\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2e^2e^6}} + \frac{3d^2}{\sqrt{-e^2x^2+d^2}e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x)

[Out]  $-1/e^3*x^2/(-e^2*x^2+d^2)^{(1/2)}+3*d^2/e^5/(-e^2*x^2+d^2)^{(1/2)}-2/(-e^2*x^2+d^2)^{(1/2)}*d/e^4*x+1/(e^2)^{(1/2)}*d/e^4*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)-1/3*d^3/e^6/(x+d/e)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}+2/3*d/e^4/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x$

maxima [A] time = 1.01, size = 124, normalized size = 1.10

$$-\frac{d^3}{3\left(\sqrt{-e^2x^2+d^2}e^6x + \sqrt{-e^2x^2+d^2}de^5\right)} - \frac{x^2}{\sqrt{-e^2x^2+d^2}e^3} - \frac{4dx}{3\sqrt{-e^2x^2+d^2}e^4} + \frac{d \arcsin\left(\frac{ex}{d}\right)}{e^5} + \frac{3d^2}{\sqrt{-e^2x^2+d^2}e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out]  $-1/3*d^3/(\text{sqrt}(-e^2*x^2 + d^2)*e^6*x + \text{sqrt}(-e^2*x^2 + d^2)*d*e^5) - x^2/(\text{sqrt}(-e^2*x^2 + d^2)*e^3) - 4/3*d*x/(\text{sqrt}(-e^2*x^2 + d^2)*e^4) + d*\arcsin(e*x/d)/e^5 + 3*d^2/(\text{sqrt}(-e^2*x^2 + d^2)*e^5)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{(d^2 - e^2 x^2)^{3/2} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)),x)

[Out] int(x^4/((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2), x)

[Out] Integral(x\*\*4/((-(-d + e\*x)\*(d + e\*x))\*\*(3/2)\*(d + e\*x)), x)

$$3.129 \quad \int \frac{x^3}{(d+ex)(d^2-e^2x^2)^{3/2}} dx$$

Optimal. Leaf size=89

$$\frac{x^2(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{2d-3ex}{3e^4\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^4}$$

**Rubi [A]** time = 0.07, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {850, 819, 778, 217, 203}

$$\frac{x^2(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{2d-3ex}{3e^4\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (x^2\*(d - e\*x))/(3\*e^2\*(d^2 - e^2\*x^2)^(3/2)) - (2\*d - 3\*e\*x)/(3\*e^4\*Sqrt[d^2 - e^2\*x^2]) - ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]]/e^4

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

Rule 819

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g
) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!ILtQ[m + 2*p + 3, 0])

```

### Rule 850

```

Int[((x_)^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3}{(d+ex)(d^2-e^2x^2)^{3/2}} dx &= \int \frac{x^3(d-ex)}{(d^2-e^2x^2)^{5/2}} dx \\
&= \frac{x^2(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{x(2d^3-3d^2ex)}{(d^2-e^2x^2)^{3/2}} dx}{3d^2e^2} \\
&= \frac{x^2(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{2d-3ex}{3e^4\sqrt{d^2-e^2x^2}} - \frac{\int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^3} \\
&= \frac{x^2(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{2d-3ex}{3e^4\sqrt{d^2-e^2x^2}} - \frac{\text{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x, \frac{x}{\sqrt{d^2-e^2x^2}}\right)}{e^3} \\
&= \frac{x^2(d-ex)}{3e^2(d^2-e^2x^2)^{3/2}} - \frac{2d-3ex}{3e^4\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^4}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 80, normalized size = 0.90

$$\frac{\sqrt{d^2-e^2x^2}(-2d^2+dex+4e^2x^2)}{(d-ex)(d+ex)^2} - 3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)$$

$3e^4$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(-2\*d^2 + d\*e\*x + 4\*e^2\*x^2))/((d - e\*x)\*(d + e\*x)^2) - 3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(3\*e^4)

**IntegrateAlgebraic [A]** time = 0.44, size = 102, normalized size = 1.15

$$\frac{\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{e^5} - \frac{\sqrt{d^2 - e^2 x^2} (-2d^2 + dex + 4e^2 x^2)}{3e^4 (ex - d)(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] -1/3\*(Sqrt[d^2 - e^2\*x^2]\*(-2\*d^2 + d\*e\*x + 4\*e^2\*x^2))/(e^4\*(-d + e\*x)\*(d + e\*x)^2) - (Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^5

**fricas [A]** time = 0.42, size = 157, normalized size = 1.76

$$\frac{2e^3x^3 + 2de^2x^2 - 2d^2ex - 2d^3 - 6(e^3x^3 + de^2x^2 - d^2ex - d^3) \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (4e^2x^2 + dex - 2d^2)\sqrt{-e^2x^2 + d^2}}{3(e^7x^3 + de^6x^2 - d^2e^5x - d^3e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] -1/3\*(2\*e^3\*x^3 + 2\*d\*e^2\*x^2 - 2\*d^2\*e\*x - 2\*d^3 - 6\*(e^3\*x^3 + d\*e^2\*x^2 - d^2\*e\*x - d^3)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (4\*e^2\*x^2 + d\*e\*x - 2\*d^2)\*sqrt(-e^2\*x^2 + d^2))/(e^7\*x^3 + d\*e^6\*x^2 - d^2\*e^5\*x - d^3\*e^4)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Valu e

**maple [A]** time = 0.01, size = 153, normalized size = 1.72

$$\frac{2x}{\sqrt{-e^2x^2+d^2}e^3} - \frac{2x}{3\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}e^3} - \frac{\arctan\left(\frac{\sqrt{e^2}x}{\sqrt{-e^2x^2+d^2}}\right)}{\sqrt{e^2}e^3} + \frac{d^2}{3\left(x+\frac{d}{e}\right)\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}e^5} - \frac{d}{\sqrt{-e^2x^2+d^2}e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/(e*x+d)/(-e^2*x^2+d^2)^(3/2),x)`

[Out]  $2/(-e^2*x^2+d^2)^(1/2)/e^3*x-1/(e^2)^(1/2)/e^3*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-d/e^4/(-e^2*x^2+d^2)^(1/2)+1/3*d^2/e^5/(x+d/e)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)-2/3/e^3/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x$

**maxima [A]** time = 1.00, size = 99, normalized size = 1.11

$$\frac{d^2}{3\left(\sqrt{-e^2x^2+d^2}e^5x+\sqrt{-e^2x^2+d^2}de^4\right)} + \frac{4x}{3\sqrt{-e^2x^2+d^2}e^3} - \frac{\arcsin\left(\frac{ex}{d}\right)}{e^4} - \frac{d}{\sqrt{-e^2x^2+d^2}e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/(e*x+d)/(-e^2*x^2+d^2)^(3/2),x, algorithm="maxima")`

[Out]  $1/3*d^2/(sqrt(-e^2*x^2+d^2)*e^5*x+sqrt(-e^2*x^2+d^2)*d*e^4)+4/3*x/(sqrt(-e^2*x^2+d^2)*e^3)-arcsin(e*x/d)/e^4-d/(sqrt(-e^2*x^2+d^2)*e^4)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{(d^2 - e^2 x^2)^{3/2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/((d^2 - e^2*x^2)^(3/2)*(d + e*x)),x)`

[Out] `int(x^3/((d^2 - e^2*x^2)^(3/2)*(d + e*x)), x)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/(e*x+d)/(-e**2*x**2+d**2)**(3/2),x)`

[Out] `Integral(x**3/((-(-d + e*x)*(d + e*x))**(3/2)*(d + e*x)), x)`

$$3.130 \quad \int \frac{x^2}{(d+ex)(d^2-e^2x^2)^{3/2}} dx$$

Optimal. Leaf size=60

$$\frac{2}{3e^3\sqrt{d^2-e^2x^2}} - \frac{x^2}{3de(d+ex)\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {855, 12, 261}

$$\frac{2}{3e^3\sqrt{d^2-e^2x^2}} - \frac{x^2}{3de(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] 2/(3\*e^3\*Sqrt[d^2 - e^2\*x^2]) - x^2/(3\*d\*e\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 261

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a + b\*x^n)^(p + 1)/(b\*n\*(p + 1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n - 1] && NeQ[p, -1]

#### Rule 855

Int[(((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_))/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := Simp[(d\*(f + g\*x)^n\*(a + c\*x^2)^(p + 1))/(2\*a\*e\*p\*(d + e\*x)), x] - Dist[1/(2\*d\*e\*p), Int[(f + g\*x)^(n - 1)\*(a + c\*x^2)^p\*Simp[d\*g\*n - e\*f\*(2\*p + 1) - e\*g\*(n + 2\*p + 1)\*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && IGtQ[n, 0] && ILtQ[n + 2\*p, 0]

#### Rubi steps



$$\begin{aligned}
\int \frac{x^2}{(d+ex)(d^2-e^2x^2)^{3/2}} dx &= -\frac{x^2}{3de(d+ex)\sqrt{d^2-e^2x^2}} + \frac{\int \frac{2dx}{(d^2-e^2x^2)^{3/2}} dx}{3de} \\
&= -\frac{x^2}{3de(d+ex)\sqrt{d^2-e^2x^2}} + \frac{2 \int \frac{x}{(d^2-e^2x^2)^{3/2}} dx}{3e} \\
&= \frac{2}{3e^3\sqrt{d^2-e^2x^2}} - \frac{x^2}{3de(d+ex)\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 60, normalized size = 1.00

$$\frac{\sqrt{d^2 - e^2x^2} (2d^2 + 2dex - e^2x^2)}{3de^3(d - ex)(d + ex)^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(2\*d^2 + 2\*d\*e\*x - e^2\*x^2))/(3\*d\*e^3\*(d - e\*x)\*(d + e\*x)^2)

**IntegrateAlgebraic [A]** time = 0.39, size = 60, normalized size = 1.00

$$\frac{\sqrt{d^2 - e^2x^2} (2d^2 + 2dex - e^2x^2)}{3de^3(d - ex)(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(2\*d^2 + 2\*d\*e\*x - e^2\*x^2))/(3\*d\*e^3\*(d - e\*x)\*(d + e\*x)^2)

**fricas [A]** time = 0.40, size = 103, normalized size = 1.72

$$\frac{2e^3x^3 + 2de^2x^2 - 2d^2ex - 2d^3 + (e^2x^2 - 2dex - 2d^2)\sqrt{-e^2x^2 + d^2}}{3(de^6x^3 + d^2e^5x^2 - d^3e^4x - d^4e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2), x, algorithm="fricas")

[Out]  $\frac{1}{3} \cdot (2e^3x^3 + 2de^2x^2 - 2d^2ex - 2d^3 + (e^2x^2 - 2de^2x - 2d^2) \cdot \sqrt{-e^2x^2 + d^2}) / (d^6e^3x^3 + d^2e^5x^2 - d^3e^4x - d^4e^3)$

giac [A] time = 0.24, size = 1, normalized size = 0.02

$+\infty$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(e*x+d)/(-e^2*x^2+d^2)^(3/2),x, algorithm="giac")`

[Out] +Infinity

maple [A] time = 0.01, size = 48, normalized size = 0.80

$$\frac{(-ex + d)(-e^2x^2 + 2dex + 2d^2)}{3(-e^2x^2 + d^2)^{\frac{3}{2}}de^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(e*x+d)/(-e^2*x^2+d^2)^(3/2),x)`

[Out]  $\frac{1}{3} \cdot (-e^2x^2 + 2dex + 2d^2) / d \cdot e^3 / (-e^2x^2 + d^2)^{3/2}$

maxima [A] time = 0.46, size = 86, normalized size = 1.43

$$\frac{d}{3(\sqrt{-e^2x^2 + d^2}e^4x + \sqrt{-e^2x^2 + d^2}de^3)} - \frac{x}{3\sqrt{-e^2x^2 + d^2}de^2} + \frac{1}{\sqrt{-e^2x^2 + d^2}e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(e*x+d)/(-e^2*x^2+d^2)^(3/2),x, algorithm="maxima")`

[Out]  $-\frac{1}{3} \cdot d / (\sqrt{-e^2x^2 + d^2}e^4x + \sqrt{-e^2x^2 + d^2}de^3) - \frac{1}{3} \cdot x / (\sqrt{-e^2x^2 + d^2}de^2) + \frac{1}{\sqrt{-e^2x^2 + d^2}e^3}$

mupad [B] time = 2.71, size = 56, normalized size = 0.93

$$\frac{\sqrt{d^2 - e^2x^2} (2d^2 + 2dex - e^2x^2)}{3de^3(d+ex)^2(d-ex)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/((d^2 - e^2*x^2)^(3/2)*(d + e*x)),x)`

[Out]  $((d^2 - e^{2*x^2})^{1/2} * (2*d^2 - e^{2*x^2} + 2*d*e*x)) / (3*d*e^3*(d + e*x)^2*(d - e*x))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(e*x+d)/(-e**2*x**2+d**2)**(3/2), x)`

[Out] `Integral(x**2/((-(-d + e*x)*(d + e*x))**(3/2)*(d + e*x)), x)`

$$3.131 \quad \int \frac{x}{(d+ex)(d^2-e^2x^2)^{3/2}} dx$$

**Optimal.** Leaf size=58

$$\frac{x}{3d^2e\sqrt{d^2-e^2x^2}} + \frac{1}{3e^2(d+ex)\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.02, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {793, 191}

$$\frac{x}{3d^2e\sqrt{d^2-e^2x^2}} + \frac{1}{3e^2(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] x/(3\*d^2\*e\*Sqrt[d^2 - e^2\*x^2]) + 1/(3\*e^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

**Rule 191**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

**Rule 793**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[(m\*(g\*c\*d + c\*e\*f) + 2\*e\*c\*f\*(p + 1))/(e\*(2\*c\*d)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1])) || EqQ[m + 2\*p + 2, 0] && NeQ[m + p + 1, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{x}{(d+ex)(d^2-e^2x^2)^{3/2}} dx &= \frac{1}{3e^2(d+ex)\sqrt{d^2-e^2x^2}} + \frac{\int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{3e} \\ &= \frac{x}{3d^2e\sqrt{d^2-e^2x^2}} + \frac{1}{3e^2(d+ex)\sqrt{d^2-e^2x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 56, normalized size = 0.97

$$\frac{\sqrt{d^2 - e^2x^2} (d^2 + dex + e^2x^2)}{3d^2e^2(d - ex)(d + ex)^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(d^2 + d\*e\*x + e^2\*x^2))/(3\*d^2\*e^2\*(d - e\*x)\*(d + e\*x)^2)

**IntegrateAlgebraic [A]** time = 0.37, size = 56, normalized size = 0.97

$$\frac{\sqrt{d^2 - e^2x^2} (d^2 + dex + e^2x^2)}{3d^2e^2(d - ex)(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(d^2 + d\*e\*x + e^2\*x^2))/(3\*d^2\*e^2\*(d - e\*x)\*(d + e\*x)^2)

**fricas [B]** time = 0.41, size = 101, normalized size = 1.74

$$\frac{e^3x^3 + de^2x^2 - d^2ex - d^3 - (e^2x^2 + dex + d^2)\sqrt{-e^2x^2 + d^2}}{3(d^2e^5x^3 + d^3e^4x^2 - d^4e^3x - d^5e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] 1/3\*(e^3\*x^3 + d\*e^2\*x^2 - d^2\*e\*x - d^3 - (e^2\*x^2 + d\*e\*x + d^2)\*sqrt(-e^2\*x^2 + d^2))/(d^2\*e^5\*x^3 + d^3\*e^4\*x^2 - d^4\*e^3\*x - d^5\*e^2)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

*undef*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] undef

**maple [A]** time = 0.01, size = 44, normalized size = 0.76

$$\frac{(-ex + d)(e^2x^2 + dex + d^2)}{3(-e^2x^2 + d^2)^{\frac{3}{2}}d^2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x)

[Out] 1/3\*(-e\*x+d)\*(e^2\*x^2+d\*e\*x+d^2)/d^2/e^2/(-e^2\*x^2+d^2)^(3/2)

**maxima [A]** time = 0.46, size = 67, normalized size = 1.16

$$\frac{1}{3\left(\sqrt{-e^2x^2 + d^2}e^3x + \sqrt{-e^2x^2 + d^2}de^2\right)} + \frac{x}{3\sqrt{-e^2x^2 + d^2}d^2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out] 1/3/(sqrt(-e^2\*x^2 + d^2)\*e^3\*x + sqrt(-e^2\*x^2 + d^2)\*d\*e^2) + 1/3\*x/(sqrt(-e^2\*x^2 + d^2)\*d^2\*e)

**mupad [B]** time = 2.71, size = 52, normalized size = 0.90

$$\frac{\sqrt{d^2 - e^2x^2} (d^2 + dex + e^2x^2)}{3d^2e^2(d + ex)^2(d - ex)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)),x)

[Out] ((d^2 - e^2\*x^2)^(1/2)\*(d^2 + e^2\*x^2 + d\*e\*x))/(3\*d^2\*e^2\*(d + e\*x)^2\*(d - e\*x))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2),x)

[Out] Integral(x/((-(-d + e\*x)\*(d + e\*x))\*\*(3/2)\*(d + e\*x)), x)

$$3.132 \quad \int \frac{1}{(d+ex)(d^2-e^2x^2)^{3/2}} dx$$

Optimal. Leaf size=58

$$\frac{2x}{3d^3\sqrt{d^2-e^2x^2}} - \frac{1}{3de(d+ex)\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.01, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {659, 191}

$$\frac{2x}{3d^3\sqrt{d^2-e^2x^2}} - \frac{1}{3de(d+ex)\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] (2\*x)/(3\*d^3\*Sqrt[d^2 - e^2\*x^2]) - 1/(3\*d\*e\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 659

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

Rubi steps

$$\begin{aligned} \int \frac{1}{(d+ex)(d^2-e^2x^2)^{3/2}} dx &= -\frac{1}{3de(d+ex)\sqrt{d^2-e^2x^2}} + \frac{2 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{3d} \\ &= \frac{2x}{3d^3\sqrt{d^2-e^2x^2}} - \frac{1}{3de(d+ex)\sqrt{d^2-e^2x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 58, normalized size = 1.00

$$\frac{(d^2 - 2dex - 2e^2x^2)\sqrt{d^2 - e^2x^2}}{3d^3e(d - ex)(d + ex)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] -1/3\*((d^2 - 2\*d\*e\*x - 2\*e^2\*x^2)\*Sqrt[d^2 - e^2\*x^2])/(d^3\*e\*(d - e\*x)\*(d + e\*x)^2)

**IntegrateAlgebraic [A]** time = 0.38, size = 60, normalized size = 1.03

$$\frac{\sqrt{d^2 - e^2x^2}(-d^2 + 2dex + 2e^2x^2)}{3d^3e(d - ex)(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-d^2 + 2\*d\*e\*x + 2\*e^2\*x^2))/(3\*d^3\*e\*(d - e\*x)\*(d + e\*x)^2)

**fricas [B]** time = 0.40, size = 102, normalized size = 1.76

$$\frac{e^3x^3 + de^2x^2 - d^2ex - d^3 + (2e^2x^2 + 2dex - d^2)\sqrt{-e^2x^2 + d^2}}{3(d^3e^4x^3 + d^4e^3x^2 - d^5e^2x - d^6e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] -1/3\*(e^3\*x^3 + d\*e^2\*x^2 - d^2\*e\*x - d^3 + (2\*e^2\*x^2 + 2\*d\*e\*x - d^2)\*sqrt(-e^2\*x^2 + d^2))/(d^3\*e^4\*x^3 + d^4\*e^3\*x^2 - d^5\*e^2\*x - d^6\*e)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

*undef*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] undef



**maple [A]** time = 0.01, size = 46, normalized size = 0.79

$$\frac{(-ex + d)(-2e^2x^2 - 2dex + d^2)}{3(-e^2x^2 + d^2)^{\frac{3}{2}}d^3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x)

[Out] -1/3\*(-e\*x+d)\*(-2\*e^2\*x^2-2\*d\*e\*x+d^2)/d^3/e/(-e^2\*x^2+d^2)^(3/2)

**maxima [A]** time = 0.45, size = 65, normalized size = 1.12

$$-\frac{1}{3\left(\sqrt{-e^2x^2+d^2}de^2x+\sqrt{-e^2x^2+d^2}d^2e\right)}+\frac{2x}{3\sqrt{-e^2x^2+d^2}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out] -1/3/(sqrt(-e^2\*x^2 + d^2)\*d\*e^2\*x + sqrt(-e^2\*x^2 + d^2)\*d^2\*e) + 2/3\*x/(sqrt(-e^2\*x^2 + d^2)\*d^3)

**mupad [B]** time = 2.71, size = 56, normalized size = 0.97

$$\frac{\sqrt{d^2 - e^2x^2}(-d^2 + 2dex + 2e^2x^2)}{3d^3e(d+ex)^2(d-ex)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)),x)

[Out] ((d^2 - e^2\*x^2)^(1/2)\*(2\*e^2\*x^2 - d^2 + 2\*d\*e\*x))/(3\*d^3\*e\*(d + e\*x)^2\*(d - e\*x))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2),x)

[Out] Integral(1/((-(-d + e\*x)\*(d + e\*x))\*\*(3/2)\*(d + e\*x)), x)

$$3.133 \quad \int \frac{1}{x(d+ex)(d^2-e^2x^2)^{3/2}} dx$$

**Optimal.** Leaf size=88

$$\frac{1}{3d^2(d+ex)\sqrt{d^2-e^2x^2}} + \frac{3d-2ex}{3d^4\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^4}$$

**Rubi [A]** time = 0.08, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {857, 823, 12, 266, 63, 208}

$$\frac{3d-2ex}{3d^4\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^4}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (3\*d - 2\*e\*x)/(3\*d^4\*Sqrt[d^2 - e^2\*x^2]) + 1/(3\*d^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]) - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]/d^4

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 823

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

### Rule 857

```
Int[(((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x
_)), x_Symbol] := Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*
f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(
a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x
), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n
, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex)(d^2-e^2x^2)^{3/2}} dx &= \frac{1}{3d^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-3de^2+2e^3x}{x(d^2-e^2x^2)^{3/2}} dx}{3d^2e^2} \\
&= \frac{3d-2ex}{3d^4\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{\int -\frac{3d^3e^4}{x\sqrt{d^2-e^2x^2}} dx}{3d^6e^4} \\
&= \frac{3d-2ex}{3d^4\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2(d+ex)\sqrt{d^2-e^2x^2}} + \frac{\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{d^3} \\
&= \frac{3d-2ex}{3d^4\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2(d+ex)\sqrt{d^2-e^2x^2}} + \frac{\text{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x}} dx, x, x^2\right)}{2d^3} \\
&= \frac{3d-2ex}{3d^4\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{\text{Subst}\left(\int \frac{1}{\frac{d^2-x^2}{e^2}-e^2} dx, x, \sqrt{d^2-e^2x^2}\right)}{d^3e^2} \\
&= \frac{3d-2ex}{3d^4\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^4}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 83, normalized size = 0.94

$$\frac{\frac{\sqrt{d^2-e^2x^2}(4d^2+dex-2e^2x^2)}{(d-ex)(d+ex)^2} - 3 \log\left(\sqrt{d^2-e^2x^2} + d\right) + 3 \log(x)}{3d^4}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] (((4\*d^2 + d\*e\*x - 2\*e^2\*x^2)\*Sqrt[d^2 - e^2\*x^2])/((d - e\*x)\*(d + e\*x)^2) + 3\*Log[x] - 3\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(3\*d^4)

**IntegrateAlgebraic [A]** time = 0.53, size = 99, normalized size = 1.12

$$\frac{\sqrt{d^2-e^2x^2}(4d^2+dex-2e^2x^2)}{3d^4(d-ex)(d+ex)^2} + \frac{2 \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out]  $\frac{((4*d^2 + d*e*x - 2*e^2*x^2)*\text{Sqrt}[d^2 - e^2*x^2])/(3*d^4*(d - e*x)*(d + e*x)^2) + (2*\text{ArcTanh}[\text{Sqrt}[-e^2]*x]/d - \text{Sqrt}[d^2 - e^2*x^2]/d)}{d^4}$

**fricas** [A] time = 0.40, size = 155, normalized size = 1.76

$$\frac{4e^3x^3 + 4de^2x^2 - 4d^2ex - 4d^3 + 3(e^3x^3 + de^2x^2 - d^2ex - d^3) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (2e^2x^2 - dex - 4d^2)\sqrt{-e^2x^2 + d^2}}{3(d^4e^3x^3 + d^5e^2x^2 - d^6ex - d^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out]  $\frac{1}{3} * (4 * e^3 * x^3 + 4 * d * e^2 * x^2 - 4 * d^2 * e * x - 4 * d^3 + 3 * (e^3 * x^3 + d * e^2 * x^2 - d^2 * e * x - d^3) * \log(- (d - \text{sqrt}(-e^2 * x^2 + d^2)) / x) + (2 * e^2 * x^2 - d * e * x - 4 * d^2) * \text{sqrt}(-e^2 * x^2 + d^2)) / (d^4 * e^3 * x^3 + d^5 * e^2 * x^2 - d^6 * e * x - d^7)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 142, normalized size = 1.61

$$\frac{\ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2 - e^2x^2 + d^2} d^3} - \frac{2ex}{3\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2 d^4}} + \frac{1}{3\left(x + \frac{d}{e}\right)\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2 d^2 e}} + \frac{1}{\sqrt{-e^2x^2 + d^2} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x)

[Out]  $\frac{1}{(-e^2*x^2+d^2)^{(1/2)}/d^3 - 1/(d^2)^{(1/2)}/d^3 * \ln((2*d^2+2*(d^2)^{(1/2))*(-e^2*x^2+d^2)^{(1/2)})/x) + 1/3/d^2/e/(x+d/e)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)} - 2/3/d^4*e/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)} * x}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2x^2 + d^2)^{\frac{3}{2}}(ex + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((-e^2\*x^2 + d^2)^(3/2)\*(e\*x + d)\*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x(d^2 - e^2 x^2)^{3/2} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)),x)

[Out] int(1/(x\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2),x)

[Out] Integral(1/(x\*(-(-d + e\*x)\*(d + e\*x))\*\*(3/2)\*(d + e\*x)), x)

$$3.134 \quad \int \frac{1}{x^2(d+ex)(d^2-e^2x^2)^{3/2}} dx$$

Optimal. Leaf size=120

$$\frac{1}{3d^2x(d+ex)\sqrt{d^2-e^2x^2}} - \frac{8\sqrt{d^2-e^2x^2}}{3d^5x} + \frac{e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5} + \frac{4d-3ex}{3d^4x\sqrt{d^2-e^2x^2}}$$

**Rubi** [A] time = 0.10, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {857, 823, 807, 266, 63, 208}

$$\frac{4d-3ex}{3d^4x\sqrt{d^2-e^2x^2}} - \frac{8\sqrt{d^2-e^2x^2}}{3d^5x} + \frac{1}{3d^2x(d+ex)\sqrt{d^2-e^2x^2}} + \frac{e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (4\*d - 3\*e\*x)/(3\*d^4\*x\*Sqrt[d^2 - e^2\*x^2]) + 1/(3\*d^2\*x\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]) - (8\*Sqrt[d^2 - e^2\*x^2])/(3\*d^5\*x) + (e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^5

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 823

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

Rule 857

```
Int((((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x
_)), x_Symbol] := Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*
f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(
a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x
), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n
, 0]
```

Rubi steps



$$\begin{aligned}
\int \frac{1}{x^2(d+ex)(d^2-e^2x^2)^{3/2}} dx &= \frac{1}{3d^2x(d+ex)\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-4de^2+3e^3x}{x^2(d^2-e^2x^2)^{3/2}} dx}{3d^2e^2} \\
&= \frac{4d-3ex}{3d^4x\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x(d+ex)\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-8d^3e^4+3d^2e^5x}{x^2\sqrt{d^2-e^2x^2}} dx}{3d^6e^4} \\
&= \frac{4d-3ex}{3d^4x\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x(d+ex)\sqrt{d^2-e^2x^2}} - \frac{8\sqrt{d^2-e^2x^2}}{3d^5x} - \frac{e \int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{d^4} \\
&= \frac{4d-3ex}{3d^4x\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x(d+ex)\sqrt{d^2-e^2x^2}} - \frac{8\sqrt{d^2-e^2x^2}}{3d^5x} - \frac{e \operatorname{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx\right)}{2d^4} \\
&= \frac{4d-3ex}{3d^4x\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x(d+ex)\sqrt{d^2-e^2x^2}} - \frac{8\sqrt{d^2-e^2x^2}}{3d^5x} + \frac{\operatorname{Subst}\left(\int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx\right)}{2d^4} \\
&= \frac{4d-3ex}{3d^4x\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x(d+ex)\sqrt{d^2-e^2x^2}} - \frac{8\sqrt{d^2-e^2x^2}}{3d^5x} + \frac{e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 101, normalized size = 0.84

$$\frac{3e \log\left(\sqrt{d^2-e^2x^2} + d\right) + \frac{\sqrt{d^2-e^2x^2}(3d^3+7d^2ex-5de^2x^2-8e^3x^3)}{x(ex-d)(d+ex)^2} - 3e \log(x)}{3d^5}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(3\*d^3 + 7\*d^2\*e\*x - 5\*d\*e^2\*x^2 - 8\*e^3\*x^3))/(x\*(-d + e\*x)\*(d + e\*x)^2) - 3\*e\*Log[x] + 3\*e\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(3\*d^5)

**IntegrateAlgebraic [A]** time = 0.49, size = 115, normalized size = 0.96

$$\frac{\sqrt{d^2-e^2x^2}(-3d^3-7d^2ex+5de^2x^2+8e^3x^3)}{3d^5x(d-ex)(d+ex)^2} - \frac{2e \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-3\*d^3 - 7\*d^2\*e\*x + 5\*d\*e^2\*x^2 + 8\*e^3\*x^3))/(3\*d^5\*x\*(d - e\*x)\*(d + e\*x)^2) - (2\*e\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^5

**fricas** [A] time = 0.39, size = 181, normalized size = 1.51

$$\frac{4e^4x^4 + 4de^3x^3 - 4d^2e^2x^2 - 4d^3ex + 3(e^4x^4 + de^3x^3 - d^2e^2x^2 - d^3ex) \log\left(\frac{-d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (8e^3x^3 + 5de^2x^2 - 7d^2ex - 3d^3)\sqrt{-e^2x^2 + d^2}}{3(d^5e^3x^4 + d^6e^2x^3 - d^7ex^2 - d^8x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] -1/3\*(4\*e^4\*x^4 + 4\*d\*e^3\*x^3 - 4\*d^2\*e^2\*x^2 - 4\*d^3\*e\*x + 3\*(e^4\*x^4 + d\*e^3\*x^3 - d^2\*e^2\*x^2 - d^3\*e\*x)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (8\*e^3\*x^3 + 5\*d\*e^2\*x^2 - 7\*d^2\*e\*x - 3\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(d^5\*e^3\*x^4 + d^6\*e^2\*x^3 - d^7\*e\*x^2 - d^8\*x)

**giac** [A] time = 0.25, size = 1, normalized size = 0.01

+∞

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] +Infinity

**maple** [A] time = 0.02, size = 188, normalized size = 1.57

$$\frac{e \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2} d^4} + \frac{2e^2x}{\sqrt{-e^2x^2 + d^2} d^5} + \frac{2e^2x}{3\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2 d^5}} - \frac{1}{3\left(x + \frac{d}{e}\right)\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2 d^3}} - \frac{e}{\sqrt{-e^2x^2 + d^2} d^4} - \frac{1}{\sqrt{-e^2x^2 + d^2} d^3x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x)

[Out] -1/d^3/x/(-e^2\*x^2+d^2)^(1/2)+2/(-e^2\*x^2+d^2)^(1/2)/d^5\*e^2\*x-1/(-e^2\*x^2+d^2)^(1/2)/d^4\*e+1/(d^2)^(1/2)/d^4\*e\*ln((2\*d^2+2\*(d^2)^(1/2)\*(-e^2\*x^2+d^2)^(1/2))/x)-1/3/d^3/(x+d/e)/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)+2/3\*e^2/d^5/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2x^2 + d^2)^{\frac{3}{2}}(ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((-e^2\*x^2 + d^2)^(3/2)\*(e\*x + d)\*x^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^2 (d^2 - e^2 x^2)^{3/2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)),x)

[Out] int(1/(x^2\*(d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2),x)

[Out] Integral(1/(x\*\*2\*(-(-d + e\*x)\*(d + e\*x))\*\*(3/2)\*(d + e\*x)), x)

$$3.135 \quad \int \frac{1}{x^3(d+ex)(d^2-e^2x^2)^{3/2}} dx$$

Optimal. Leaf size=152

$$\frac{1}{3d^2x^2(d+ex)\sqrt{d^2-e^2x^2}} + \frac{8e\sqrt{d^2-e^2x^2}}{3d^6x} - \frac{5e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^6} - \frac{5\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{5d-4ex}{3d^4x^2\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.13, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {857, 823, 835, 807, 266, 63, 208}

$$\frac{8e\sqrt{d^2-e^2x^2}}{3d^6x} - \frac{5\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{5d-4ex}{3d^4x^2\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{5e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^6}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] (5\*d - 4\*e\*x)/(3\*d^4\*x^2\*Sqrt[d^2 - e^2\*x^2]) + 1/(3\*d^2\*x^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2]) - (5\*Sqrt[d^2 - e^2\*x^2])/(2\*d^5\*x^2) + (8\*e\*Sqrt[d^2 - e^2\*x^2])/(3\*d^6\*x) - (5\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^6)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 823

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

### Rule 857

```
Int[(((f_.) + (g_.)*(x_))^(n_))*((a_) + (c_.)*(x_)^2)^(p_)/((d_) + (e_.)*(x
_)), x_Symbol] := Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*
f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(
a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x
), x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n
, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3(d+ex)(d^2-e^2x^2)^{3/2}} dx &= \frac{1}{3d^2x^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-5de^2+4e^3x}{x^3(d^2-e^2x^2)^{3/2}} dx}{3d^2e^2} \\
&= \frac{5d-4ex}{3d^4x^2\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-15d^3e^4+8d^2e^5x}{x^3\sqrt{d^2-e^2x^2}} dx}{3d^6e^4} \\
&= \frac{5d-4ex}{3d^4x^2\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{5\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{\int \frac{-16d^4e^5+15d^3e^6x}{x^2\sqrt{d^2-e^2x^2}} dx}{6d^8e^4} \\
&= \frac{5d-4ex}{3d^4x^2\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{5\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{8e\sqrt{d^2-e^2x^2}}{3d^6x} \\
&= \frac{5d-4ex}{3d^4x^2\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{5\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{8e\sqrt{d^2-e^2x^2}}{3d^6x} \\
&= \frac{5d-4ex}{3d^4x^2\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{5\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{8e\sqrt{d^2-e^2x^2}}{3d^6x} \\
&= \frac{5d-4ex}{3d^4x^2\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{5\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{8e\sqrt{d^2-e^2x^2}}{3d^6x} \\
&= \frac{5d-4ex}{3d^4x^2\sqrt{d^2-e^2x^2}} + \frac{1}{3d^2x^2(d+ex)\sqrt{d^2-e^2x^2}} - \frac{5\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{8e\sqrt{d^2-e^2x^2}}{3d^6x}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 115, normalized size = 0.76

$$\frac{-15e^2 \log\left(\sqrt{d^2-e^2x^2} + d\right) + \frac{\sqrt{d^2-e^2x^2} (3d^4-3d^3ex-23d^2e^2x^2+de^3x^3+16e^4x^4)}{x^2(ex-d)(d+ex)^2} + 15e^2 \log(x)}{6d^6}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(3\*d^4 - 3\*d^3\*e\*x - 23\*d^2\*e^2\*x^2 + d\*e^3\*x^3 + 16\*e^4\*x^4))/(x^2\*(-d + e\*x)\*(d + e\*x)^2) + 15\*e^2\*Log[x] - 15\*e^2\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(6\*d^6)

**IntegrateAlgebraic [A]** time = 0.57, size = 128, normalized size = 0.84

$$\frac{5e^2 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^6} + \frac{\sqrt{d^2 - e^2x^2} (-3d^4 + 3d^3ex + 23d^2e^2x^2 - de^3x^3 - 16e^4x^4)}{6d^6x^2(d - ex)(d + ex)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^3\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-3\*d^4 + 3\*d^3\*e\*x + 23\*d^2\*e^2\*x^2 - d\*e^3\*x^3 - 16\*e^4\*x^4))/(6\*d^6\*x^2\*(d - e\*x)\*(d + e\*x)^2) + (5\*e^2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^6

**fricas [A]** time = 0.42, size = 201, normalized size = 1.32

$$\frac{14e^5x^5 + 14de^4x^4 - 14d^2e^3x^3 - 14d^3e^2x^2 + 15(e^5x^5 + de^4x^4 - d^2e^3x^3 - d^3e^2x^2) \log\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (16e^4x^4 + de^3x^3 - 23d^2e^2x^2 - 3d^3ex + 3d^4)\sqrt{-e^2x^2 + d^2}}{6(d^6e^3x^5 + d^7e^2x^4 - d^8ex^3 - d^9x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] 1/6\*(14\*e^5\*x^5 + 14\*d\*e^4\*x^4 - 14\*d^2\*e^3\*x^3 - 14\*d^3\*e^2\*x^2 + 15\*(e^5\*x^5 + d\*e^4\*x^4 - d^2\*e^3\*x^3 - d^3\*e^2\*x^2)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (16\*e^4\*x^4 + d\*e^3\*x^3 - 23\*d^2\*e^2\*x^2 - 3\*d^3\*e\*x + 3\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d^6\*e^3\*x^5 + d^7\*e^2\*x^4 - d^8\*e\*x^3 - d^9\*x^2)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Unable to transpose Error: Bad Argument Value

**maple [A]** time = 0.02, size = 216, normalized size = 1.42

$$\frac{5e^2 \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{2\sqrt{d^2} d^5} - \frac{2e^3x}{\sqrt{-e^2x^2 + d^2} d^6} - \frac{2e^3x}{3\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2 d^6}} + \frac{e}{3\left(x + \frac{d}{e}\right)\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2 d^4}} + \frac{5e^2}{2\sqrt{-e^2x^2 + d^2} d^5} + \frac{e}{\sqrt{-e^2x^2 + d^2} d^4x} - \frac{1}{2\sqrt{-e^2x^2 + d^2} d^3x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^3/(e*x+d)/(-e^2*x^2+d^2)^(3/2),x)`

[Out] 
$$\frac{e/d^4/x/(-e^2x^2+d^2)^{1/2}-2/(-e^2x^2+d^2)^{1/2}/d^6e^3x-1/2/d^3/x^2/(-e^2x^2+d^2)^{1/2}+5/2/(-e^2x^2+d^2)^{1/2}/d^5e^2-5/2/(d^2)^{1/2}/d^5e^2\ln((2d^2+2(d^2)^{1/2}(-e^2x^2+d^2)^{1/2})/x)+1/3/d^4e/(x+d/e)/(2(x+d/e)*d*e-(x+d/e)^2e^2)^{1/2}-2/3/d^6e^3/(2(x+d/e)*d*e-(x+d/e)^2e^2)^{1/2}}{x}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2x^2 + d^2)^{\frac{3}{2}}(ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(e*x+d)/(-e^2*x^2+d^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate(1/((-e^2*x^2 + d^2)^(3/2)*(e*x + d)*x^3), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^3(d^2 - e^2x^2)^{3/2}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^3*(d^2 - e^2*x^2)^(3/2)*(d + e*x)),x)`

[Out] `int(1/(x^3*(d^2 - e^2*x^2)^(3/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**3/(e*x+d)/(-e**2*x**2+d**2)**(3/2),x)`

[Out] `Integral(1/(x**3*(-(-d + e*x)*(d + e*x))**(3/2)*(d + e*x)), x)`



$$3.136 \quad \int \frac{x^7}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

Optimal. Leaf size=162

$$\frac{x^6(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} + \frac{(32d-35ex)\sqrt{d^2-e^2x^2}}{10e^8} + \frac{7d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^8} + \frac{x^2(24d-35ex)}{15e^6\sqrt{d^2-e^2x^2}} - \frac{x^4(6d-7ex)}{15e^4(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.16, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {850, 819, 780, 217, 203}

$$\frac{x^6(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d-7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x^2(24d-35ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{(32d-35ex)\sqrt{d^2-e^2x^2}}{10e^8} + \frac{7d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^8}$$

Antiderivative was successfully verified.

[In] Int[x^7/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] (x^6\*(d - e\*x))/(5\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - (x^4\*(6\*d - 7\*e\*x))/(15\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + (x^2\*(24\*d - 35\*e\*x))/(15\*e^6\*sqrt[d^2 - e^2\*x^2]) + ((32\*d - 35\*e\*x)\*sqrt[d^2 - e^2\*x^2])/(10\*e^8) + (7\*d^2\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(2\*e^8)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 819

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g
) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!ILtQ[m + 2*p + 3, 0])
```

Rule 850

```
Int[((x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7}{(d+ex)(d^2-e^2x^2)^{5/2}} dx &= \int \frac{x^7(d-ex)}{(d^2-e^2x^2)^{7/2}} dx \\
&= \frac{x^6(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{x^5(6d^3-7d^2ex)}{(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
&= \frac{x^6(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d-7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{x^3(24d^5-35d^4ex)}{(d^2-e^2x^2)^{3/2}} dx}{15d^4e^4} \\
&= \frac{x^6(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d-7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x^2(24d-35ex)}{15e^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{x(48d^7-105d^6ex)}{\sqrt{d^2-e^2x^2}} dx}{15d^6e^6} \\
&= \frac{x^6(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d-7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x^2(24d-35ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{(32d-35ex)\sqrt{d^2-e^2x^2}}{10e^8} \\
&= \frac{x^6(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d-7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x^2(24d-35ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{(32d-35ex)\sqrt{d^2-e^2x^2}}{10e^8} \\
&= \frac{x^6(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^4(6d-7ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x^2(24d-35ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{(32d-35ex)\sqrt{d^2-e^2x^2}}{10e^8}
\end{aligned}$$

**Mathematica [A]** time = 0.24, size = 128, normalized size = 0.79

$$\frac{105d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + \frac{\sqrt{d^2-e^2x^2}(96d^6-9d^5ex-249d^4e^2x^2-4d^3e^3x^3+176d^2e^4x^4+15de^5x^5-15e^6x^6)}{(d-ex)^2(d+ex)^3}}{30e^8}$$

Antiderivative was successfully verified.

[In] Integrate[x^7/((d+e\*x)\*(d^2-e^2\*x^2)^(5/2)),x]

[Out] ((Sqrt[d^2-e^2\*x^2]\*(96\*d^6-9\*d^5\*e\*x-249\*d^4\*e^2\*x^2-4\*d^3\*e^3\*x^3+176\*d^2\*e^4\*x^4+15\*d\*e^5\*x^5-15\*e^6\*x^6))/((d-e\*x)^2\*(d+e\*x)^3)+105\*d^2\*ArcTan[(e\*x)/Sqrt[d^2-e^2\*x^2]])/(30\*e^8)

**IntegrateAlgebraic [A]** time = 0.64, size = 152, normalized size = 0.94

$$\frac{7d^2\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{2e^9} + \frac{\sqrt{d^2 - e^2x^2} (96d^6 - 9d^5ex - 249d^4e^2x^2 - 4d^3e^3x^3 + 176d^2e^4x^4 + 15de^5x^5 - 15e^6x^6)}{30e^8(ex - d)^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^7/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(96\*d^6 - 9\*d^5\*e\*x - 249\*d^4\*e^2\*x^2 - 4\*d^3\*e^3\*x^3 + 176\*d^2\*e^4\*x^4 + 15\*d\*e^5\*x^5 - 15\*e^6\*x^6))/(30\*e^8\*(-d + e\*x)^2\*(d + e\*x)^3) + (7\*d^2\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(2\*e^9)

**fricas [A]** time = 0.46, size = 274, normalized size = 1.69

$$\frac{96d^2e^5x^5 + 96d^3e^4x^4 - 192d^4e^3x^3 - 192d^5e^2x^2 + 96d^6ex + 96d^7 - 210(d^2e^5x^5 + d^3e^4x^4 - 2d^4e^3x^3 - 2d^5e^2x^2 + d^6ex + d^7) \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) - (15e^6x^6 - 15d^5e^5x^5 - 176d^2e^4x^4 + 4d^3e^3x^3 + 249d^4e^2x^2 + 9d^5ex - 96d^6)\sqrt{-e^2x^2 + d^2}}{30(e^{13}x^5 + de^{12}x^4 - 2d^2e^{11}x^3 - 2d^3e^{10}x^2 + d^4e^9x + d^5e^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out] 1/30\*(96\*d^2\*e^5\*x^5 + 96\*d^3\*e^4\*x^4 - 192\*d^4\*e^3\*x^3 - 192\*d^5\*e^2\*x^2 + 96\*d^6\*e\*x + 96\*d^7 - 210\*(d^2\*e^5\*x^5 + d^3\*e^4\*x^4 - 2\*d^4\*e^3\*x^3 - 2\*d^5\*e^2\*x^2 + d^6\*e\*x + d^7)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (15\*e^6\*x^6 - 15\*d\*e^5\*x^5 - 176\*d^2\*e^4\*x^4 + 4\*d^3\*e^3\*x^3 + 249\*d^4\*e^2\*x^2 + 9\*d^5\*e\*x - 96\*d^6)\*sqrt(-e^2\*x^2 + d^2))/(e^13\*x^5 + d\*e^12\*x^4 - 2\*d^2\*e^11\*x^3 - 2\*d^3\*e^10\*x^2 + d^4\*e^9\*x + d^5\*e^8)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Unable to transpose Error: Bad Argument Value

**maple [B]** time = 0.05, size = 318, normalized size = 1.96

$$\frac{x^5}{2(-e^2x^2 + d^2)^{\frac{3}{2}}e^5} + \frac{dx^4}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^4} + \frac{7d^2x^3}{6(-e^2x^2 + d^2)^{\frac{3}{2}}e^3} - \frac{5d^3x^2}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^2} + \frac{2d^4x}{3(-e^2x^2 + d^2)^{\frac{3}{2}}e} - \frac{4d^5x}{15\left(2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}e^0} + \frac{d^6}{5\left(x + \frac{d}{e}\right)\left(2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}e^0} + \frac{3d^6}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^6} - \frac{19d^6x}{6\sqrt{-e^2x^2 + d^2}e^6} - \frac{8d^2x}{15\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2}} + \frac{7d^2 \arctan\left(\frac{\sqrt{2}x}{\sqrt{-e^2x^2 + d^2}}\right)}{2\sqrt{2}e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^7/(e*x+d)/(-e^2*x^2+d^2)^(5/2),x)`

[Out] 
$$-1/2/e^3*x^5/(-e^2*x^2+d^2)^{(3/2)}+7/6/(-e^2*x^2+d^2)^{(3/2)}*d^2/e^5*x^3-19/6/(-e^2*x^2+d^2)^{(1/2)}*d^2/e^7*x+7/2/(e^2)^{(1/2)}*d^2/e^7*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)+d/e^4*x^4/(-e^2*x^2+d^2)^{(3/2)}-5*d^3/e^6*x^2/(-e^2*x^2+d^2)^{(3/2)}+3*d^5/e^8/(-e^2*x^2+d^2)^{(3/2)}+2/3*d^4/e^7*x/(-e^2*x^2+d^2)^{(3/2)}+1/5*d^6/e^9/(x+d/e)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}-4/15*d^4/e^7/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}*x-8/15*d^2/e^7/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x$$

**maxima** [B] time = 1.09, size = 289, normalized size = 1.78

$$\frac{d^6}{5((-e^2x^2+d^2)^{5/2}e^3x+(-e^2x^2+d^2)^{3/2}d^6)} - \frac{x^5}{2(-e^2x^2+d^2)^{3/2}e^3} + \frac{dx^4}{(-e^2x^2+d^2)^{3/2}e^4} + \frac{25d^2x^3}{2(-e^2x^2+d^2)^{3/2}e^5} - \frac{65d^3x^2}{6(-e^2x^2+d^2)^{3/2}e^6} - \frac{164d^4x}{15(-e^2x^2+d^2)^{3/2}e^7} - \frac{7dx^2}{6\sqrt{-e^2x^2+d^2}e^6} + \frac{53d^5}{6(-e^2x^2+d^2)^{3/2}e^8} + \frac{229d^2x}{30\sqrt{-e^2x^2+d^2}e^7} + \frac{7d^2\arcsin(\frac{x}{d})}{2e^8} - \frac{14d^3}{3\sqrt{-e^2x^2+d^2}e^8} - \frac{7\sqrt{-e^2x^2+d^2}d}{6e^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7/(e*x+d)/(-e^2*x^2+d^2)^(5/2),x, algorithm="maxima")`

[Out] 
$$1/5*d^6/((-e^2*x^2+d^2)^{(3/2)}*e^9*x+(-e^2*x^2+d^2)^{(3/2)}*d*e^8)-1/2*x^5/((-e^2*x^2+d^2)^{(3/2)}*e^3)+d*x^4/((-e^2*x^2+d^2)^{(3/2)}*e^4)+25/2*d^2*x^3/((-e^2*x^2+d^2)^{(3/2)}*e^5)-65/6*d^3*x^2/((-e^2*x^2+d^2)^{(3/2)}*e^6)-164/15*d^4*x/((-e^2*x^2+d^2)^{(3/2)}*e^7)-7/6*d*x^2/(sqrt(-e^2*x^2+d^2)*e^6)+53/6*d^5/((-e^2*x^2+d^2)^{(3/2)}*e^8)+229/30*d^2*x/(sqrt(-e^2*x^2+d^2)*e^7)+7/2*d^2*arcsin(e*x/d)/e^8-14/3*d^3/(sqrt(-e^2*x^2+d^2)*e^8)-7/6*sqrt(-e^2*x^2+d^2)*d/e^8$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^7}{(d^2 - e^2 x^2)^{5/2} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^7/((d^2 - e^2*x^2)^(5/2)*(d + e*x)),x)`

[Out] `int(x^7/((d^2 - e^2*x^2)^(5/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^7}{(-(-d + ex)(d + ex))^{5/2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**7/(e*x+d)/(-e**2*x**2+d**2)**(5/2),x)`

[Out] `Integral(x**7/((-(-d + e*x)*(d + e*x))**5/2)*(d + e*x), x)`

$$3.137 \quad \int \frac{x^6}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

**Optimal.** Leaf size=148

$$\frac{x^5(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{16\sqrt{d^2-e^2x^2}}{5e^7} - \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^7} + \frac{x(5d-8ex)}{5e^6\sqrt{d^2-e^2x^2}} - \frac{x^3(5d-6ex)}{15e^4(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.14, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {850, 819, 641, 217, 203}

$$\frac{x^5(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d-6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x(5d-8ex)}{5e^6\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d^2-e^2x^2}}{5e^7} - \frac{d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^7}$$

Antiderivative was successfully verified.

[In] Int[x^6/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (x^5\*(d - e\*x))/(5\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - (x^3\*(5\*d - 6\*e\*x))/(15\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + (x\*(5\*d - 8\*e\*x))/(5\*e^6\*sqrt[d^2 - e^2\*x^2]) - (16\*sqrt[d^2 - e^2\*x^2])/(5\*e^7) - (d\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/e^7

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 819

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g
) - (c*d*f - a*e*g)*x)/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!ILtQ[m + 2*p + 3, 0])

```

### Rule 850

```

Int[((x_)^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^6}{(d+ex)(d^2-e^2x^2)^{5/2}} dx &= \int \frac{x^6(d-ex)}{(d^2-e^2x^2)^{7/2}} dx \\
&= \frac{x^5(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{x^4(5d^3-6d^2ex)}{(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
&= \frac{x^5(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d-6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{x^2(15d^5-24d^4ex)}{(d^2-e^2x^2)^{3/2}} dx}{15d^4e^4} \\
&= \frac{x^5(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d-6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x(5d-8ex)}{5e^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{15d^7-48d^6ex}{\sqrt{d^2-e^2x^2}} dx}{15d^6e^6} \\
&= \frac{x^5(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d-6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x(5d-8ex)}{5e^6\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d^2-e^2x^2}}{5e^7} - \frac{d \int \dots}{\dots} \\
&= \frac{x^5(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d-6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x(5d-8ex)}{5e^6\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d^2-e^2x^2}}{5e^7} - \frac{d \text{Su} \dots}{\dots} \\
&= \frac{x^5(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^3(5d-6ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{x(5d-8ex)}{5e^6\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d^2-e^2x^2}}{5e^7} - \frac{d \text{tan} \dots}{\dots}
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 115, normalized size = 0.78

$$\frac{15d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + \frac{\sqrt{d^2-e^2x^2}(48d^5+33d^4ex-87d^3e^2x^2-52d^2e^3x^3+38de^4x^4+15e^5x^5)}{(d-ex)^2(d+ex)^3}}{15e^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^6/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] -1/15\*((Sqrt[d^2 - e^2\*x^2]\*(48\*d^5 + 33\*d^4\*e\*x - 87\*d^3\*e^2\*x^2 - 52\*d^2\*e^3\*x^3 + 38\*d\*e^4\*x^4 + 15\*e^5\*x^5))/((d - e\*x)^2\*(d + e\*x)^3) + 15\*d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e^7



**IntegrateAlgebraic [A]** time = 0.57, size = 137, normalized size = 0.93

$$\frac{\sqrt{d^2 - e^2 x^2} \left( -48d^5 - 33d^4 ex + 87d^3 e^2 x^2 + 52d^2 e^3 x^3 - 38de^4 x^4 - 15e^5 x^5 \right)}{15e^7 (ex - d)^2 (d + ex)^3} - \frac{d\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{e^8}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^6/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-48\*d^5 - 33\*d^4\*e\*x + 87\*d^3\*e^2\*x^2 + 52\*d^2\*e^3\*x^3 - 38\*d\*e^4\*x^4 - 15\*e^5\*x^5))/(15\*e^7\*(-d + e\*x)^2\*(d + e\*x)^3) - (d\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^8

**fricas [A]** time = 0.44, size = 258, normalized size = 1.74

$$\frac{48de^5x^5 + 48d^2e^4x^4 - 96d^3e^3x^3 - 96d^4e^2x^2 + 48d^5ex + 48d^6 - 30(d^5x^5 + d^2e^4x^4 - 2d^3e^3x^3 - 2d^4e^2x^2 + d^5ex + d^6) \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (15e^5x^5 + 38d^4e^4x^4 - 52d^3e^3x^3 - 87d^2e^2x^2 + 33d^4ex + 48d^5)\sqrt{-e^2x^2 + d^2}}{15(e^{12}x^5 + de^{11}x^4 - 2d^2e^{10}x^3 - 2d^3e^9x^2 + d^4e^8x + d^5e^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out] -1/15\*(48\*d\*e^5\*x^5 + 48\*d^2\*e^4\*x^4 - 96\*d^3\*e^3\*x^3 - 96\*d^4\*e^2\*x^2 + 48\*d^5\*e\*x + 48\*d^6 - 30\*(d\*e^5\*x^5 + d^2\*e^4\*x^4 - 2\*d^3\*e^3\*x^3 - 2\*d^4\*e^2\*x^2 + d^5\*e\*x + d^6)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (15\*e^5\*x^5 + 38\*d\*e^4\*x^4 - 52\*d^2\*e^3\*x^3 - 87\*d^3\*e^2\*x^2 + 33\*d^4\*e\*x + 48\*d^5)\*sqrt(-e^2\*x^2 + d^2))/(e^12\*x^5 + d\*e^11\*x^4 - 2\*d^2\*e^10\*x^3 - 2\*d^3\*e^9\*x^2 + d^4\*e^8\*x + d^5\*e^7)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Unable to transpose Error: Bad Argument Value

**maple [B]** time = 0.01, size = 288, normalized size = 1.95

$$\frac{x^4}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^3} - \frac{dx^3}{3(-e^2x^2 + d^2)^{\frac{3}{2}}e^4} + \frac{5d^2x^2}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^5} - \frac{2d^3x}{3(-e^2x^2 + d^2)^{\frac{3}{2}}e^6} + \frac{4d^4}{15\left(2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}e^6} - \frac{d^5}{5\left(x + \frac{d}{e}\right)\left(2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}e^6} - \frac{3d^4}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^7} + \frac{2dx}{3\sqrt{-e^2x^2 + d^2}e^6} + \frac{8dx}{15\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2}e^6} - \frac{d \arctan\left(\frac{\sqrt{-e^2x^2 + d^2}}{\sqrt{2}e^6}\right)}{\sqrt{2}e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6/(e*x+d)/(-e^2*x^2+d^2)^(5/2),x)`

[Out] 
$$-1/e^3*x^4/(-e^2*x^2+d^2)^(3/2)+5/e^5*d^2*x^2/(-e^2*x^2+d^2)^(3/2)-3*d^4/e^7/(-e^2*x^2+d^2)^(3/2)-1/3/(-e^2*x^2+d^2)^(3/2)*d/e^4*x^3+2/3/(-e^2*x^2+d^2)^(1/2)*d/e^6*x-1/(e^2)^(1/2)*d/e^6*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-2/3*d^3/e^6*x/(-e^2*x^2+d^2)^(3/2)-1/5*d^5/e^8/(x+d/e)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)+4/15*d^3/e^6/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)*x+8/15*d/e^6/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x$$

**maxima** [A] time = 1.09, size = 259, normalized size = 1.75

$$\frac{d^5}{5((-e^2x^2+d^2)^{3/2}e^3x+(e^2x^2+d^2)^{3/2}d^2)} - \frac{x^4}{(-e^2x^2+d^2)^{3/2}e^3} - \frac{5dx^3}{(-e^2x^2+d^2)^{3/2}e^4} + \frac{20d^2x^2}{3(-e^2x^2+d^2)^{3/2}e^5} + \frac{64d^3x}{15(-e^2x^2+d^2)^{3/2}e^6} + \frac{x^2}{3\sqrt{-e^2x^2+d^2}e^5} - \frac{14d^4}{3(-e^2x^2+d^2)^{3/2}e^7} - \frac{52dx}{15\sqrt{-e^2x^2+d^2}e^6} - \frac{d\arcsin(\frac{ex}{d})}{e^7} + \frac{4d^2}{3\sqrt{-e^2x^2+d^2}e^7} + \frac{\sqrt{-e^2x^2+d^2}}{3e^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6/(e*x+d)/(-e^2*x^2+d^2)^(5/2),x, algorithm="maxima")`

[Out] 
$$-1/5*d^5/((-e^2*x^2 + d^2)^(3/2)*e^8*x + (-e^2*x^2 + d^2)^(3/2)*d*e^7) - x^4/((-e^2*x^2 + d^2)^(3/2)*e^3) - 5*d*x^3/((-e^2*x^2 + d^2)^(3/2)*e^4) + 20/3*d^2*x^2/((-e^2*x^2 + d^2)^(3/2)*e^5) + 64/15*d^3*x/((-e^2*x^2 + d^2)^(3/2)*e^6) + 1/3*x^2/(sqrt(-e^2*x^2 + d^2)*e^5) - 14/3*d^4/((-e^2*x^2 + d^2)^(3/2)*e^7) - 52/15*d*x/(sqrt(-e^2*x^2 + d^2)*e^6) - d*\arcsin(e*x/d)/e^7 + 4/3*d^2/(sqrt(-e^2*x^2 + d^2)*e^7) + 1/3*sqrt(-e^2*x^2 + d^2)/e^7$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^6}{(d^2 - e^2 x^2)^{5/2} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6/((d^2 - e^2*x^2)^(5/2)*(d + e*x)),x)`

[Out] `int(x^6/((d^2 - e^2*x^2)^(5/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{(-(-d + ex)(d + ex))^{5/2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**6/(e*x+d)/(-e**2*x**2+d**2)**(5/2),x)`

[Out] `Integral(x**6/((-(-d + e*x)*(d + e*x))**5/2)*(d + e*x), x)`

$$3.138 \quad \int \frac{x^5}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

Optimal. Leaf size=122

$$\frac{x^4(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} + \frac{8d-15ex}{15e^6\sqrt{d^2-e^2x^2}} + \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^6} - \frac{x^2(4d-5ex)}{15e^4(d^2-e^2x^2)^{3/2}}$$

**Rubi** [A] time = 0.10, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {850, 819, 778, 217, 203}

$$\frac{x^4(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^2(4d-5ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{8d-15ex}{15e^6\sqrt{d^2-e^2x^2}} + \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^6}$$

Antiderivative was successfully verified.

[In] Int[x^5/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] (x^4\*(d - e\*x))/(5\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - (x^2\*(4\*d - 5\*e\*x))/(15\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + (8\*d - 15\*e\*x)/(15\*e^6\*sqrt[d^2 - e^2\*x^2]) + ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]]/e^6

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

Rule 819

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g
) - (c*d*f - a*e*g)*x)/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!LtQ[m + 2*p + 3, 0])

```

### Rule 850

```

Int[((x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^5}{(d+ex)(d^2-e^2x^2)^{5/2}} dx &= \int \frac{x^5(d-ex)}{(d^2-e^2x^2)^{7/2}} dx \\
&= \frac{x^4(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{x^3(4d^3-5d^2ex)}{(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
&= \frac{x^4(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^2(4d-5ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{x(8d^5-15d^4ex)}{(d^2-e^2x^2)^{3/2}} dx}{15d^4e^4} \\
&= \frac{x^4(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^2(4d-5ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{8d-15ex}{15e^6\sqrt{d^2-e^2x^2}} + \frac{\int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^5} \\
&= \frac{x^4(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^2(4d-5ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{8d-15ex}{15e^6\sqrt{d^2-e^2x^2}} + \frac{\text{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x\right)}{e^5} \\
&= \frac{x^4(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x^2(4d-5ex)}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{8d-15ex}{15e^6\sqrt{d^2-e^2x^2}} + \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^6}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 103, normalized size = 0.84

$$\frac{15 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) + \frac{\sqrt{d^2 - e^2 x^2} (8d^4 - 7d^3 ex - 27d^2 e^2 x^2 + 8de^3 x^3 + 23e^4 x^4)}{(d - ex)^2 (d + ex)^3}}{15e^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(8\*d^4 - 7\*d^3\*e\*x - 27\*d^2\*e^2\*x^2 + 8\*d\*e^3\*x^3 + 23\*e^4\*x^4))/((d - e\*x)^2\*(d + e\*x)^3) + 15\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(15\*e^6)

**IntegrateAlgebraic [A]** time = 0.53, size = 124, normalized size = 1.02

$$\frac{\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{e^7} + \frac{\sqrt{d^2 - e^2 x^2} (8d^4 - 7d^3 ex - 27d^2 e^2 x^2 + 8de^3 x^3 + 23e^4 x^4)}{15e^6 (ex - d)^2 (d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^5/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(8\*d^4 - 7\*d^3\*e\*x - 27\*d^2\*e^2\*x^2 + 8\*d\*e^3\*x^3 + 23\*e^4\*x^4))/(15\*e^6\*(-d + e\*x)^2\*(d + e\*x)^3) + (Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^7

**fricas [B]** time = 0.43, size = 241, normalized size = 1.98

$$\frac{8e^5x^5 + 8de^4x^4 - 16d^2e^3x^3 - 16d^3e^2x^2 + 8d^4ex + 8d^5 - 30(e^5x^5 + de^4x^4 - 2d^2e^3x^3 - 2d^3e^2x^2 + d^4ex + d^5) \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (23e^4x^4 + 8de^3x^3 - 27d^2e^2x^2 - 7d^3ex + 8d^4)\sqrt{-e^2x^2 + d^2}}{15(e^{11}x^5 + de^{10}x^4 - 2d^2e^9x^3 - 2d^3e^8x^2 + d^4e^7x + d^5e^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2), x, algorithm="fricas")

[Out] 1/15\*(8\*e^5\*x^5 + 8\*d\*e^4\*x^4 - 16\*d^2\*e^3\*x^3 - 16\*d^3\*e^2\*x^2 + 8\*d^4\*e\*x + 8\*d^5 - 30\*(e^5\*x^5 + d\*e^4\*x^4 - 2\*d^2\*e^3\*x^3 - 2\*d^3\*e^2\*x^2 + d^4\*e\*x + d^5)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (23\*e^4\*x^4 + 8\*d\*e^3\*x^3 - 27\*d^2\*e^2\*x^2 - 7\*d^3\*e\*x + 8\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(e^11\*x^5 + d\*e^10\*x^4 - 2\*d^2\*e^9\*x^3 - 2\*d^3\*e^8\*x^2 + d^4\*e^7\*x + d^5\*e^6)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x)::OUTPUT:Unable to transpose Error: Bad Argument Valu  
e

**maple [B]** time = 0.01, size = 259, normalized size = 2.12

$$\frac{x^3}{3(-e^2x^2+d^2)^{\frac{3}{2}}e^3} - \frac{dx^2}{(-e^2x^2+d^2)^{\frac{3}{2}}e^4} + \frac{2d^2x}{3(-e^2x^2+d^2)^{\frac{3}{2}}e^5} - \frac{4d^2x}{15\left(2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}e^5} + \frac{d^4}{5\left(x+\frac{d}{e}\right)\left(2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}e^5} + \frac{d^3}{3(-e^2x^2+d^2)^{\frac{3}{2}}e^6} - \frac{2x}{3\sqrt{-e^2x^2+d^2}e^5} - \frac{8x}{15\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2e^2}e^5} + \frac{\arctan\left(\frac{\sqrt{2}x}{\sqrt{-e^2x^2+d^2}}\right)}{\sqrt{2}e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x)

[Out] 1/3/(-e^2\*x^2+d^2)^(3/2)/e^3\*x^3-2/3/(-e^2\*x^2+d^2)^(1/2)/e^5\*x+1/(e^2)^(1/2)/e^5\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)-d/e^4\*x^2/(-e^2\*x^2+d^2)^(3/2)+1/3\*d^3/e^6/(-e^2\*x^2+d^2)^(3/2)+2/3\*d^2/e^5\*x/(-e^2\*x^2+d^2)^(3/2)+1/5\*d^4/e^7/(x+d/e)/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)-4/15\*d^2/e^5/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)\*x-8/15/e^5/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x

**maxima [B]** time = 1.06, size = 234, normalized size = 1.92

$$\frac{d^4}{5\left((-e^2x^2+d^2)^{\frac{3}{2}}e^7x + (-e^2x^2+d^2)^{\frac{3}{2}}de^6\right)} + \frac{x^3}{(-e^2x^2+d^2)^{\frac{3}{2}}e^3} - \frac{8dx^2}{3(-e^2x^2+d^2)^{\frac{3}{2}}e^4} - \frac{4d^2x}{15(-e^2x^2+d^2)^{\frac{3}{2}}e^5} - \frac{x^2}{3\sqrt{-e^2x^2+d^2}de^4} + \frac{2d^3}{(-e^2x^2+d^2)^{\frac{3}{2}}e^6} - \frac{8x}{15\sqrt{-e^2x^2+d^2}e^5} + \frac{\arcsin\left(\frac{x}{d}\right)}{e^6} - \frac{4d}{3\sqrt{-e^2x^2+d^2}e^6} - \frac{\sqrt{-e^2x^2+d^2}}{3de^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="maxima")

[Out] 1/5\*d^4/((-e^2\*x^2 + d^2)^(3/2)\*e^7\*x + (-e^2\*x^2 + d^2)^(3/2)\*d\*e^6) + x^3/((-e^2\*x^2 + d^2)^(3/2)\*e^3) - 8/3\*d\*x^2/((-e^2\*x^2 + d^2)^(3/2)\*e^4) - 4/15\*d^2\*x/((-e^2\*x^2 + d^2)^(3/2)\*e^5) - 1/3\*x^2/(sqrt(-e^2\*x^2 + d^2)\*d\*e^4) + 2\*d^3/((-e^2\*x^2 + d^2)^(3/2)\*e^6) - 8/15\*x/(sqrt(-e^2\*x^2 + d^2)\*e^5) + arcsin(e\*x/d)/e^6 - 4/3\*d/(sqrt(-e^2\*x^2 + d^2)\*e^6) - 1/3\*sqrt(-e^2\*x^2 + d^2)/(d\*e^6)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5}{(d^2 - e^2 x^2)^{5/2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)),x)

[Out] int(x^5/((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{(-(-d + ex)(d + ex))^{\frac{5}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2), x)

[Out] Integral(x\*\*5/((-(-d + e\*x)\*(d + e\*x))\*\*(5/2)\*(d + e\*x)), x)

$$3.139 \quad \int \frac{x^4}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

**Optimal.** Leaf size=85

$$-\frac{x^4(d-ex)}{5de(d^2-e^2x^2)^{5/2}} - \frac{4}{5e^5\sqrt{d^2-e^2x^2}} + \frac{4d^2}{15e^5(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.07, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {850, 805, 266, 43}

$$-\frac{x^4(d-ex)}{5de(d^2-e^2x^2)^{5/2}} - \frac{4}{5e^5\sqrt{d^2-e^2x^2}} + \frac{4d^2}{15e^5(d^2-e^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^4/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] -(x^4\*(d - e\*x))/(5\*d\*e\*(d^2 - e^2\*x^2)^(5/2)) + (4\*d^2)/(15\*e^5\*(d^2 - e^2\*x^2)^(3/2)) - 4/(5\*e^5\*Sqrt[d^2 - e^2\*x^2])

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 805

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(a + c\*x^2)^(p + 1)\*(a\*g - c\*f\*x))/(2\*a\*c\*(p + 1)), x] - Dist[(m\*(c\*d\*f + a\*e\*g))/(2\*a\*c\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0] && LtQ[p, -1]

#### Rule 850



```
Int[((x_)^(n_)*((a_) + (c_)*(x_)^2)^(p_))/((d_) + (e_)*(x_)), x_Symbol]
:> Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4}{(d+ex)(d^2-e^2x^2)^{5/2}} dx &= \int \frac{x^4(d-ex)}{(d^2-e^2x^2)^{7/2}} dx \\
&= -\frac{x^4(d-ex)}{5de(d^2-e^2x^2)^{5/2}} + \frac{4 \int \frac{x^3}{(d^2-e^2x^2)^{5/2}} dx}{5e} \\
&= -\frac{x^4(d-ex)}{5de(d^2-e^2x^2)^{5/2}} + \frac{2 \operatorname{Subst}\left(\int \frac{x}{(d^2-e^2x)^{5/2}} dx, x, x^2\right)}{5e} \\
&= -\frac{x^4(d-ex)}{5de(d^2-e^2x^2)^{5/2}} + \frac{2 \operatorname{Subst}\left(\int \left(\frac{d^2}{e^2(d^2-e^2x)^{5/2}} - \frac{1}{e^2(d^2-e^2x)^{3/2}}\right) dx, x, x^2\right)}{5e} \\
&= -\frac{x^4(d-ex)}{5de(d^2-e^2x^2)^{5/2}} + \frac{4d^2}{15e^5(d^2-e^2x^2)^{3/2}} - \frac{4}{5e^5\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 82, normalized size = 0.96

$$\frac{\sqrt{d^2 - e^2x^2} (8d^4 + 8d^3ex - 12d^2e^2x^2 - 12de^3x^3 + 3e^4x^4)}{15de^5(d-ex)^2(d+ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] -1/15\*(Sqrt[d^2 - e^2\*x^2]\*(8\*d^4 + 8\*d^3\*e\*x - 12\*d^2\*e^2\*x^2 - 12\*d\*e^3\*x^3 + 3\*e^4\*x^4))/(d\*e^5\*(d - e\*x)^2\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.45, size = 82, normalized size = 0.96

$$\frac{\sqrt{d^2 - e^2x^2} (-8d^4 - 8d^3ex + 12d^2e^2x^2 + 12de^3x^3 - 3e^4x^4)}{15de^5(d-ex)^2(d+ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^4/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-8\*d^4 - 8\*d^3\*e\*x + 12\*d^2\*e^2\*x^2 + 12\*d\*e^3\*x^3 - 3\*e^4\*x^4))/(15\*d\*e^5\*(d - e\*x)^2\*(d + e\*x)^3)

**fricas** [B] time = 0.41, size = 168, normalized size = 1.98

$$\frac{8e^5x^5 + 8de^4x^4 - 16d^2e^3x^3 - 16d^3e^2x^2 + 8d^4ex + 8d^5 + (3e^4x^4 - 12de^3x^3 - 12d^2e^2x^2 + 8d^3ex + 8d^4)\sqrt{-e^2x^2 + d^2}}{15(d^{10}x^5 + d^2e^9x^4 - 2d^3e^8x^3 - 2d^4e^7x^2 + d^5e^6x + d^6e^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out] -1/15\*(8\*e^5\*x^5 + 8\*d\*e^4\*x^4 - 16\*d^2\*e^3\*x^3 - 16\*d^3\*e^2\*x^2 + 8\*d^4\*e\*x + 8\*d^5 + (3\*e^4\*x^4 - 12\*d\*e^3\*x^3 - 12\*d^2\*e^2\*x^2 + 8\*d^3\*e\*x + 8\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d\*e^10\*x^5 + d^2\*e^9\*x^4 - 2\*d^3\*e^8\*x^3 - 2\*d^4\*e^7\*x^2 + d^5\*e^6\*x + d^6\*e^5)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x);;OUTPUT:Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 70, normalized size = 0.82

$$\frac{(-ex + d)(3x^4e^4 - 12x^3de^3 - 12d^2x^2e^2 + 8d^3xe + 8d^4)}{15(-e^2x^2 + d^2)^{\frac{5}{2}}de^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x)

[Out] -1/15\*(-e\*x+d)\*(3\*e^4\*x^4-12\*d\*e^3\*x^3-12\*d^2\*e^2\*x^2+8\*d^3\*e\*x+8\*d^4)/d/e^5/(-e^2\*x^2+d^2)^(5/2)

**maxima** [A] time = 0.50, size = 134, normalized size = 1.58

$$\frac{d^3}{5\left((-e^2x^2 + d^2)^{\frac{3}{2}}e^6x + (-e^2x^2 + d^2)^{\frac{3}{2}}de^5\right)} + \frac{x^2}{(-e^2x^2 + d^2)^{\frac{3}{2}}e^3} - \frac{2dx}{5(-e^2x^2 + d^2)^{\frac{3}{2}}e^4} - \frac{d^2}{3(-e^2x^2 + d^2)^{\frac{3}{2}}e^5} + \frac{x}{5\sqrt{-e^2x^2 + d^2}de^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="maxima")

[Out]  $-1/5*d^3/((-e^2*x^2 + d^2)^{(3/2)}*e^6*x + (-e^2*x^2 + d^2)^{(3/2)}*d*e^5) + x^2/((-e^2*x^2 + d^2)^{(3/2)}*e^3) - 2/5*d*x/((-e^2*x^2 + d^2)^{(3/2)}*e^4) - 1/3*d^2/((-e^2*x^2 + d^2)^{(3/2)}*e^5) + 1/5*x/(sqrt(-e^2*x^2 + d^2)*d*e^4)$

**mupad** [B] time = 2.95, size = 78, normalized size = 0.92

$$\frac{\sqrt{d^2 - e^2 x^2} (8 d^4 + 8 d^3 e x - 12 d^2 e^2 x^2 - 12 d e^3 x^3 + 3 e^4 x^4)}{15 d e^5 (d + e x)^3 (d - e x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)),x)

[Out]  $-((d^2 - e^2*x^2)^{(1/2)}*(8*d^4 + 3*e^4*x^4 - 12*d*e^3*x^3 - 12*d^2*e^2*x^2 + 8*d^3*e*x))/(15*d*e^5*(d + e*x)^3*(d - e*x)^2)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{(-(-d + ex)(d + ex))^{\frac{5}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2),x)

[Out] Integral(x\*\*4/((-(-d + e\*x)\*(d + e\*x))\*\*5/2\*(d + e\*x)), x)

$$3.140 \quad \int \frac{x^3}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

Optimal. Leaf size=91

$$\frac{x^2(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2d-3ex}{15e^4(d^2-e^2x^2)^{3/2}} - \frac{x}{5d^2e^3\sqrt{d^2-e^2x^2}}$$

Rubi [A] time = 0.07, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {850, 819, 778, 191}

$$\frac{x^2(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{x}{5d^2e^3\sqrt{d^2-e^2x^2}} - \frac{2d-3ex}{15e^4(d^2-e^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (x^2\*(d - e\*x))/(5\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - (2\*d - 3\*e\*x)/(15\*e^4\*(d^2 - e^2\*x^2)^(3/2)) - x/(5\*d^2\*e^3\*Sqrt[d^2 - e^2\*x^2])

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

Rule 819

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1)\*(a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x))/(2\*a\*c\*(p + 1)), x] - Dist[1/(2\*a\*c\*(p + 1)), Int[(d + e\*x)^(m - 2)\*(a + c\*x^2)^(p + 1)\*Simp[a\*e\*(e\*f\*(m - 1) + d\*g\*m) - c\*d^2\*f\*(2\*p + 3) + e\*(a\*e\*g\*m - c\*d\*f\*(m + 2\*p + 2))\*x, x], x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && (EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) || !ILtQ[m + 2\*p + 3, 0])

Rule 850

```
Int[((x_)^(n_)*((a_) + (c_)*(x_)^2)^(p_))/((d_) + (e_)*(x_)), x_Symbol]
:> Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

Rubi steps

$$\begin{aligned} \int \frac{x^3}{(d+ex)(d^2-e^2x^2)^{5/2}} dx &= \int \frac{x^3(d-ex)}{(d^2-e^2x^2)^{7/2}} dx \\ &= \frac{x^2(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{x(2d^3-3d^2ex)}{(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\ &= \frac{x^2(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2d-3ex}{15e^4(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{5e^3} \\ &= \frac{x^2(d-ex)}{5e^2(d^2-e^2x^2)^{5/2}} - \frac{2d-3ex}{15e^4(d^2-e^2x^2)^{3/2}} - \frac{x}{5d^2e^3\sqrt{d^2-e^2x^2}} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 82, normalized size = 0.90

$$\frac{\sqrt{d^2 - e^2x^2} (-2d^4 - 2d^3ex + 3d^2e^2x^2 + 3de^3x^3 + 3e^4x^4)}{15d^2e^4(d-ex)^2(d+ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-2\*d^4 - 2\*d^3\*e\*x + 3\*d^2\*e^2\*x^2 + 3\*d\*e^3\*x^3 + 3\*e^4\*x^4))/(15\*d^2\*e^4\*(d - e\*x)^2\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.44, size = 82, normalized size = 0.90

$$\frac{\sqrt{d^2 - e^2x^2} (-2d^4 - 2d^3ex + 3d^2e^2x^2 + 3de^3x^3 + 3e^4x^4)}{15d^2e^4(d-ex)^2(d+ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-2\*d^4 - 2\*d^3\*e\*x + 3\*d^2\*e^2\*x^2 + 3\*d\*e^3\*x^3 + 3\*e^4\*x^4))/(15\*d^2\*e^4\*(d - e\*x)^2\*(d + e\*x)^3)

**fricas** [B] time = 0.41, size = 171, normalized size = 1.88

$$\frac{2e^5x^5 + 2de^4x^4 - 4d^2e^3x^3 - 4d^3e^2x^2 + 2d^4ex + 2d^5 - (3e^4x^4 + 3de^3x^3 + 3d^2e^2x^2 - 2d^3ex - 2d^4)\sqrt{-e^2x^2 + d^2}}{15(d^2e^9x^5 + d^3e^8x^4 - 2d^4e^7x^3 - 2d^5e^6x^2 + d^6e^5x + d^7e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out] -1/15\*(2\*e^5\*x^5 + 2\*d\*e^4\*x^4 - 4\*d^2\*e^3\*x^3 - 4\*d^3\*e^2\*x^2 + 2\*d^4\*e\*x + 2\*d^5 - (3\*e^4\*x^4 + 3\*d\*e^3\*x^3 + 3\*d^2\*e^2\*x^2 - 2\*d^3\*e\*x - 2\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d^2\*e^9\*x^5 + d^3\*e^8\*x^4 - 2\*d^4\*e^7\*x^3 - 2\*d^5\*e^6\*x^2 + d^6\*e^5\*x + d^7\*e^4)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 70, normalized size = 0.77

$$\frac{(-ex + d)(-3x^4e^4 - 3x^3de^3 - 3d^2x^2e^2 + 2d^3xe + 2d^4)}{15(-e^2x^2 + d^2)^{\frac{5}{2}}d^2e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x)

[Out] -1/15\*(-e\*x+d)\*(-3\*e^4\*x^4-3\*d\*e^3\*x^3-3\*d^2\*e^2\*x^2+2\*d^3\*e\*x+2\*d^4)/d^2/e^4/(-e^2\*x^2+d^2)^(5/2)

**maxima** [A] time = 0.47, size = 110, normalized size = 1.21

$$\frac{d^2}{5\left(\left(-e^2x^2 + d^2\right)^{\frac{3}{2}}e^5x + \left(-e^2x^2 + d^2\right)^{\frac{3}{2}}de^4\right)} + \frac{2x}{5\left(-e^2x^2 + d^2\right)^{\frac{3}{2}}e^3} - \frac{d}{3\left(-e^2x^2 + d^2\right)^{\frac{3}{2}}e^4} - \frac{x}{5\sqrt{-e^2x^2 + d^2}d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="maxima")

[Out] 1/5\*d^2/((-e^2\*x^2 + d^2)^(3/2)\*e^5\*x + (-e^2\*x^2 + d^2)^(3/2)\*d\*e^4) + 2/5\*x/((-e^2\*x^2 + d^2)^(3/2)\*e^3) - 1/3\*d/((-e^2\*x^2 + d^2)^(3/2)\*e^4) - 1/5\*x/(sqrt(-e^2\*x^2 + d^2)\*d^2\*e^3)

**mupad** [B] time = 2.84, size = 78, normalized size = 0.86

$$\frac{\sqrt{d^2 - e^2 x^2} (-2d^4 - 2d^3 ex + 3d^2 e^2 x^2 + 3de^3 x^3 + 3e^4 x^4)}{15d^2 e^4 (d + ex)^3 (d - ex)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/((d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)),x)

[Out] ((d^2 - e^2\*x^2)^(1/2)\*(3\*e^4\*x^4 - 2\*d^4 + 3\*d\*e^3\*x^3 + 3\*d^2\*e^2\*x^2 - 2\*d^3\*e\*x))/(15\*d^2\*e^4\*(d + e\*x)^3\*(d - e\*x)^2)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(-(-d + ex)(d + ex))^{\frac{5}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2),x)

[Out] Integral(x\*\*3/((-(-d + e\*x)\*(d + e\*x))\*\*5/2\*(d + e\*x)), x)

$$3.141 \quad \int \frac{x^2}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

**Optimal.** Leaf size=95

$$-\frac{x^2}{5de(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{2(d+ex)}{15de^3(d^2-e^2x^2)^{3/2}} - \frac{2x}{15d^3e^2\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.05, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {855, 778, 191}

$$-\frac{x^2}{5de(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{2x}{15d^3e^2\sqrt{d^2-e^2x^2}} + \frac{2(d+ex)}{15de^3(d^2-e^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] -x^2/(5\*d\*e\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)) + (2\*(d + e\*x))/(15\*d\*e^3\*(d^2 - e^2\*x^2)^(3/2)) - (2\*x)/(15\*d^3\*e^2\*sqrt[d^2 - e^2\*x^2])

#### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

#### Rule 855

Int[(((f\_.) + (g\_.)\*(x\_))^(n\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_)/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := Simp[(d\*(f + g\*x)^n\*(a + c\*x^2)^(p + 1))/(2\*a\*e\*p\*(d + e\*x)), x] - Dist[1/(2\*d\*e\*p), Int[(f + g\*x)^(n - 1)\*(a + c\*x^2)^p\*Simp[d\*g\*n - e\*f\*(2\*p + 1) - e\*g\*(n + 2\*p + 1)\*x, x], x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && IGtQ[n, 0] && ILtQ[n + 2\*p, 0]

#### Rubi steps



$$\begin{aligned}
\int \frac{x^2}{(d+ex)(d^2-e^2x^2)^{5/2}} dx &= -\frac{x^2}{5de(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{x(2d+2ex)}{(d^2-e^2x^2)^{5/2}} dx}{5de} \\
&= -\frac{x^2}{5de(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{2(d+ex)}{15de^3(d^2-e^2x^2)^{3/2}} - \frac{2 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{15de^2} \\
&= -\frac{x^2}{5de(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{2(d+ex)}{15de^3(d^2-e^2x^2)^{3/2}} - \frac{2x}{15d^3e^2\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 82, normalized size = 0.86

$$\frac{\sqrt{d^2 - e^2x^2} (2d^4 + 2d^3ex - 3d^2e^2x^2 + 2de^3x^3 + 2e^4x^4)}{15d^3e^3(d - ex)^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(2\*d^4 + 2\*d^3\*e\*x - 3\*d^2\*e^2\*x^2 + 2\*d\*e^3\*x^3 + 2\*e^4\*x^4))/(15\*d^3\*e^3\*(d - e\*x)^2\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.44, size = 82, normalized size = 0.86

$$\frac{\sqrt{d^2 - e^2x^2} (2d^4 + 2d^3ex - 3d^2e^2x^2 + 2de^3x^3 + 2e^4x^4)}{15d^3e^3(d - ex)^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(2\*d^4 + 2\*d^3\*e\*x - 3\*d^2\*e^2\*x^2 + 2\*d\*e^3\*x^3 + 2\*e^4\*x^4))/(15\*d^3\*e^3\*(d - e\*x)^2\*(d + e\*x)^3)

**fricas [B]** time = 0.41, size = 170, normalized size = 1.79

$$\frac{2e^5x^5 + 2de^4x^4 - 4d^2e^3x^3 - 4d^3e^2x^2 + 2d^4ex + 2d^5 + (2e^4x^4 + 2de^3x^3 - 3d^2e^2x^2 + 2d^3ex + 2d^4)\sqrt{-e^2x^2 + d^2}}{15(d^3e^8x^5 + d^4e^7x^4 - 2d^5e^6x^3 - 2d^6e^5x^2 + d^7e^4x + d^8e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out]  $\frac{1}{15} \cdot (2e^5x^5 + 2d^2e^4x^4 - 4d^2e^3x^3 - 4d^3e^2x^2 + 2d^4e^2x + 2d^5 + (2e^4x^4 + 2d^2e^3x^3 - 3d^2e^2x^2 + 2d^3e^2x + 2d^4) \cdot \sqrt{-e^2x^2 + d^2}) / (d^3e^8x^5 + d^4e^7x^4 - 2d^5e^6x^3 - 2d^6e^5x^2 + d^7e^4x + d^8e^3)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x)::OUTPUT:Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 70, normalized size = 0.74

$$\frac{(-ex + d)(2x^4e^4 + 2x^3de^3 - 3d^2x^2e^2 + 2d^3xe + 2d^4)}{15(-e^2x^2 + d^2)^{\frac{5}{2}}d^3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x)

[Out]  $\frac{1}{15} \cdot (-e^2x^2 + d^2) \cdot (2e^4x^4 + 2d^2e^3x^3 - 3d^2e^2x^2 + 2d^3e^2x + 2d^4) / d^3e^3 / (-e^2x^2 + d^2)^{(5/2)}$

**maxima** [A] time = 0.48, size = 110, normalized size = 1.16

$$\frac{d}{5 \left( (-e^2x^2 + d^2)^{\frac{3}{2}} e^4x + (-e^2x^2 + d^2)^{\frac{3}{2}} de^3 \right)} - \frac{x}{15 (-e^2x^2 + d^2)^{\frac{3}{2}} de^2} + \frac{1}{3 (-e^2x^2 + d^2)^{\frac{3}{2}} e^3} - \frac{2x}{15 \sqrt{-e^2x^2 + d^2} d^3 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="maxima")

[Out]  $-\frac{1}{5} \cdot d / ((-e^2x^2 + d^2)^{(3/2)} \cdot e^4x + (-e^2x^2 + d^2)^{(3/2)} \cdot d \cdot e^3) - \frac{1}{15} \cdot x / ((-e^2x^2 + d^2)^{(3/2)} \cdot d \cdot e^2) + \frac{1}{3} / ((-e^2x^2 + d^2)^{(3/2)} \cdot e^3) - \frac{2}{15} \cdot x / (\sqrt{-e^2x^2 + d^2} \cdot d^3 \cdot e^2)$

mupad [B] time = 2.79, size = 78, normalized size = 0.82

$$\frac{\sqrt{d^2 - e^2 x^2} (2d^4 + 2d^3 e x - 3d^2 e^2 x^2 + 2d e^3 x^3 + 2e^4 x^4)}{15d^3 e^3 (d + ex)^3 (d - ex)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/((d^2 - e^2*x^2)^(5/2)*(d + e*x)), x)`

[Out] `((d^2 - e^2*x^2)^(1/2)*(2*d^4 + 2*e^4*x^4 + 2*d*e^3*x^3 - 3*d^2*e^2*x^2 + 2*d^3*e*x))/(15*d^3*e^3*(d + e*x)^3*(d - e*x)^2)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(-(-d + ex)(d + ex))^{\frac{5}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(e*x+d)/(-e**2*x**2+d**2)**(5/2), x)`

[Out] `Integral(x**2/((-(-d + e*x)*(d + e*x))**(5/2)*(d + e*x)), x)`

$$3.142 \quad \int \frac{x}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

**Optimal.** Leaf size=85

$$\frac{x}{15d^2e(d^2-e^2x^2)^{3/2}} + \frac{1}{5e^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{2x}{15d^4e\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.03, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {793, 192, 191}

$$\frac{2x}{15d^4e\sqrt{d^2-e^2x^2}} + \frac{x}{15d^2e(d^2-e^2x^2)^{3/2}} + \frac{1}{5e^2(d+ex)(d^2-e^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] x/(15\*d^2\*e\*(d^2 - e^2\*x^2)^(3/2)) + 1/(5\*e^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)) + (2\*x)/(15\*d^4\*e\*Sqrt[d^2 - e^2\*x^2])

#### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

#### Rule 793

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[(m\*(g\*c\*d + c\*e\*f) + 2\*e\*c\*f\*(p + 1))/(e\*(2\*c\*d)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2\*p + 2, 0]) && NeQ[m + p + 1, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x}{(d+ex)(d^2-e^2x^2)^{5/2}} dx &= \frac{1}{5e^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{1}{(d^2-e^2x^2)^{5/2}} dx}{5e} \\
&= \frac{x}{15d^2e(d^2-e^2x^2)^{3/2}} + \frac{1}{5e^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{2 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{15d^2e} \\
&= \frac{x}{15d^2e(d^2-e^2x^2)^{3/2}} + \frac{1}{5e^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{2x}{15d^4e\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 82, normalized size = 0.96

$$\frac{\sqrt{d^2 - e^2x^2} (3d^4 + 3d^3ex + 3d^2e^2x^2 - 2de^3x^3 - 2e^4x^4)}{15d^4e^2(d - ex)^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(3\*d^4 + 3\*d^3\*e\*x + 3\*d^2\*e^2\*x^2 - 2\*d\*e^3\*x^3 - 2\*e^4\*x^4))/(15\*d^4\*e^2\*(d - e\*x)^2\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.42, size = 82, normalized size = 0.96

$$\frac{\sqrt{d^2 - e^2x^2} (3d^4 + 3d^3ex + 3d^2e^2x^2 - 2de^3x^3 - 2e^4x^4)}{15d^4e^2(d - ex)^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(3\*d^4 + 3\*d^3\*e\*x + 3\*d^2\*e^2\*x^2 - 2\*d\*e^3\*x^3 - 2\*e^4\*x^4))/(15\*d^4\*e^2\*(d - e\*x)^2\*(d + e\*x)^3)

**fricas [B]** time = 0.42, size = 171, normalized size = 2.01

$$\frac{3e^5x^5 + 3de^4x^4 - 6d^2e^3x^3 - 6d^3e^2x^2 + 3d^4ex + 3d^5 - (2e^4x^4 + 2de^3x^3 - 3d^2e^2x^2 - 3d^3ex - 3d^4)\sqrt{-e^2x^2 + d^2}}{15(d^4e^7x^5 + d^5e^6x^4 - 2d^6e^5x^3 - 2d^7e^4x^2 + d^8e^3x + d^9e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out]  $\frac{1}{15} \cdot (3e^5x^5 + 3d^4e^4x^4 - 6d^2e^3x^3 - 6d^3e^2x^2 + 3d^4e^4x + 3d^5 - (2e^4x^4 + 2d^3e^3x^3 - 3d^2e^2x^2 - 3d^3e^4x - 3d^4) \cdot \sqrt{-e^2x^2 + d^2}) / (d^4e^7x^5 + d^5e^6x^4 - 2d^6e^5x^3 - 2d^7e^4x^2 + d^8e^3x + d^9e^2)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 70, normalized size = 0.82

$$\frac{(-ex + d) \left( -2x^4e^4 - 2x^3de^3 + 3d^2x^2e^2 + 3d^3xe + 3d^4 \right)}{15 \left( -e^2x^2 + d^2 \right)^{\frac{5}{2}} d^4e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x)

[Out]  $\frac{1}{15} \cdot (-e^5x^5 + 5d^4e^4x^4 - 10d^2e^3x^3 + 10d^3e^2x^2 + 5d^4e^4x + 5d^5) / (d^4e^2 \cdot (-e^2x^2 + d^2)^{5/2})$

**maxima** [A] time = 0.49, size = 90, normalized size = 1.06

$$\frac{1}{5 \left( (-e^2x^2 + d^2)^{\frac{3}{2}} e^3x + (-e^2x^2 + d^2)^{\frac{3}{2}} de^2 \right)} + \frac{x}{15 \left( -e^2x^2 + d^2 \right)^{\frac{3}{2}} d^2e} + \frac{2x}{15 \sqrt{-e^2x^2 + d^2} d^4e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="maxima")

[Out]  $\frac{1}{5} \cdot \left( (-e^2x^2 + d^2)^{3/2} e^3x + (-e^2x^2 + d^2)^{3/2} d^3e^2 \right) + \frac{1}{15} \cdot \left( (-e^2x^2 + d^2)^{3/2} d^2e + 2 \sqrt{-e^2x^2 + d^2} d^4e \right)$

**mapad** [B] time = 2.78, size = 78, normalized size = 0.92

$$\frac{\sqrt{d^2 - e^2 x^2} \left( 3d^4 + 3d^3 e x + 3d^2 e^2 x^2 - 2d e^3 x^3 - 2e^4 x^4 \right)}{15 d^4 e^2 (d + e x)^3 (d - e x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/((d^2 - e^2*x^2)^(5/2)*(d + e*x)), x)`

[Out]  $((d^2 - e^2*x^2)^{(1/2)}*(3*d^4 - 2*e^4*x^4 - 2*d*e^3*x^3 + 3*d^2*e^2*x^2 + 3*d^3*e*x))/(15*d^4*e^2*(d + e*x)^3*(d - e*x)^2)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(-(-d + ex)(d + ex))^{\frac{5}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)/(-e**2*x**2+d**2)**(5/2), x)`

[Out] `Integral(x/((-(-d + e*x)*(d + e*x))**(5/2)*(d + e*x)), x)`

$$3.143 \quad \int \frac{1}{(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

Optimal. Leaf size=82

$$-\frac{1}{5de(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{8x}{15d^5\sqrt{d^2-e^2x^2}} + \frac{4x}{15d^3(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.02, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {659, 192, 191}

$$\frac{8x}{15d^5\sqrt{d^2-e^2x^2}} + \frac{4x}{15d^3(d^2-e^2x^2)^{3/2}} - \frac{1}{5de(d+ex)(d^2-e^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (4\*x)/(15\*d^3\*(d^2 - e^2\*x^2)^(3/2)) - 1/(5\*d\*e\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)) + (8\*x)/(15\*d^5\*Sqrt[d^2 - e^2\*x^2])

#### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

#### Rule 659

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

#### Rubi steps



$$\begin{aligned}
\int \frac{1}{(d+ex)(d^2-e^2x^2)^{5/2}} dx &= -\frac{1}{5de(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{4 \int \frac{1}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{4x}{15d^3(d^2-e^2x^2)^{3/2}} - \frac{1}{5de(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{8 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{15d^3} \\
&= \frac{4x}{15d^3(d^2-e^2x^2)^{3/2}} - \frac{1}{5de(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{8x}{15d^5\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 82, normalized size = 1.00

$$\frac{\sqrt{d^2 - e^2x^2} (3d^4 - 12d^3ex - 12d^2e^2x^2 + 8de^3x^3 + 8e^4x^4)}{15d^5e(d - ex)^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] -1/15\*(Sqrt[d^2 - e^2\*x^2]\*(3\*d^4 - 12\*d^3\*e\*x - 12\*d^2\*e^2\*x^2 + 8\*d\*e^3\*x^3 + 8\*e^4\*x^4))/(d^5\*e\*(d - e\*x)^2\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.00, size = 82, normalized size = 1.00

$$\frac{\sqrt{d^2 - e^2x^2} (-3d^4 + 12d^3ex + 12d^2e^2x^2 - 8de^3x^3 - 8e^4x^4)}{15d^5e(d - ex)^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-3\*d^4 + 12\*d^3\*e\*x + 12\*d^2\*e^2\*x^2 - 8\*d\*e^3\*x^3 - 8\*e^4\*x^4))/(15\*d^5\*e\*(d - e\*x)^2\*(d + e\*x)^3)

**fricas [B]** time = 0.41, size = 168, normalized size = 2.05

$$\frac{3e^5x^5 + 3de^4x^4 - 6d^2e^3x^3 - 6d^3e^2x^2 + 3d^4ex + 3d^5 + (8e^4x^4 + 8de^3x^3 - 12d^2e^2x^2 - 12d^3ex + 3d^4)\sqrt{-e^2x^2 + d^2}}{15(d^5e^6x^5 + d^6e^5x^4 - 2d^7e^4x^3 - 2d^8e^3x^2 + d^9e^2x + d^{10}e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out] 
$$\frac{-1/15*(3*e^5*x^5 + 3*d*e^4*x^4 - 6*d^2*e^3*x^3 - 6*d^3*e^2*x^2 + 3*d^4*e*x + 3*d^5 + (8*e^4*x^4 + 8*d*e^3*x^3 - 12*d^2*e^2*x^2 - 12*d^3*e*x + 3*d^4)*\text{sqrt}(-e^2*x^2 + d^2))/(d^5*e^6*x^5 + d^6*e^5*x^4 - 2*d^7*e^4*x^3 - 2*d^8*e^3*x^2 + d^9*e^2*x + d^{10}*e)}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 70, normalized size = 0.85

$$\frac{(-ex + d)(8x^4e^4 + 8x^3de^3 - 12d^2x^2e^2 - 12d^3xe + 3d^4)}{15(-e^2x^2 + d^2)^{\frac{5}{2}}d^5e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x)

[Out] 
$$-1/15*(-e*x+d)*(8*e^4*x^4+8*d*e^3*x^3-12*d^2*e^2*x^2-12*d^3*e*x+3*d^4)/d^5/e/(-e^2*x^2+d^2)^{(5/2)}$$

**maxima** [A] time = 0.45, size = 85, normalized size = 1.04

$$\frac{1}{5\left(\left(-e^2x^2 + d^2\right)^{\frac{3}{2}}de^2x + \left(-e^2x^2 + d^2\right)^{\frac{3}{2}}d^2e\right)} + \frac{4x}{15\left(-e^2x^2 + d^2\right)^{\frac{3}{2}}d^3} + \frac{8x}{15\sqrt{-e^2x^2 + d^2}d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="maxima")

[Out] 
$$-1/5/((-e^2*x^2 + d^2)^{(3/2)}*d*e^2*x + (-e^2*x^2 + d^2)^{(3/2)}*d^2*e) + 4/15*x/((-e^2*x^2 + d^2)^{(3/2)}*d^3) + 8/15*x/(\text{sqrt}(-e^2*x^2 + d^2)*d^5)$$

**mupad** [B] time = 2.76, size = 78, normalized size = 0.95

$$\frac{\sqrt{d^2 - e^2 x^2} (3d^4 - 12d^3 e x - 12d^2 e^2 x^2 + 8d e^3 x^3 + 8e^4 x^4)}{15d^5 e (d + e x)^3 (d - e x)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d^2 - e^2*x^2)^(5/2)*(d + e*x)), x)`

[Out]  $-\frac{((d^2 - e^2*x^2)^{(1/2)}*(3*d^4 + 8*e^4*x^4 + 8*d*e^3*x^3 - 12*d^2*e^2*x^2 - 12*d^3*e*x))}{(15*d^5*e*(d + e*x)^3*(d - e*x)^2)}$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-(-d + ex)(d + ex))^{\frac{5}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)/(-e**2*x**2+d**2)**(5/2), x)`

[Out] `Integral(1/((-(-d + e*x)*(d + e*x))**(5/2)*(d + e*x)), x)`

$$3.144 \quad \int \frac{1}{x(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

**Optimal.** Leaf size=119

$$\frac{1}{5d^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{15d-8ex}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6} + \frac{5d-4ex}{15d^4(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.11, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {857, 823, 12, 266, 63, 208}

$$\frac{15d-8ex}{15d^6\sqrt{d^2-e^2x^2}} + \frac{5d-4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (5\*d - 4\*e\*x)/(15\*d^4\*(d^2 - e^2\*x^2)^(3/2)) + 1/(5\*d^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)) + (15\*d - 8\*e\*x)/(15\*d^6\*sqrt[d^2 - e^2\*x^2]) - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]/d^6

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 823

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

### Rule 857

```
Int[(((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x
_)), x_Symbol] := Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*
f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(
a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x
), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n
, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex)(d^2-e^2x^2)^{5/2}} dx &= \frac{1}{5d^2(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{-5de^2+4e^3x}{x(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
&= \frac{5d-4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{-15d^3e^4+8d^2e^5x}{x(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{5d-4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{15d-8ex}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{15d^5e^6}{x\sqrt{d^2-e^2x^2}} dx}{15d^{10}e^6} \\
&= \frac{5d-4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{15d-8ex}{15d^6\sqrt{d^2-e^2x^2}} + \frac{\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{d^5} \\
&= \frac{5d-4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{15d-8ex}{15d^6\sqrt{d^2-e^2x^2}} + \frac{\text{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx\right)}{d^5} \\
&= \frac{5d-4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{15d-8ex}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\text{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx\right)}{d^5} \\
&= \frac{5d-4ex}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{15d-8ex}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 106, normalized size = 0.89

$$\frac{-15 \log\left(\sqrt{d^2 - e^2x^2} + d\right) + \frac{\sqrt{d^2 - e^2x^2} (23d^4 + 8d^3ex - 27d^2e^2x^2 - 7de^3x^3 + 8e^4x^4)}{(d-ex)^2(d+ex)^3} + 15 \log(x)}{15d^6}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(23\*d^4 + 8\*d^3\*e\*x - 27\*d^2\*e^2\*x^2 - 7\*d\*e^3\*x^3 + 8\*e^4\*x^4))/((d - e\*x)^2\*(d + e\*x)^3) + 15\*Log[x] - 15\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(15\*d^6)

**IntegrateAlgebraic [A]** time = 0.66, size = 122, normalized size = 1.03

$$\frac{2 \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{d^6} + \frac{\sqrt{d^2 - e^2 x^2} (23d^4 + 8d^3 ex - 27d^2 e^2 x^2 - 7de^3 x^3 + 8e^4 x^4)}{15d^6 (d - ex)^2 (d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(23\*d^4 + 8\*d^3\*e\*x - 27\*d^2\*e^2\*x^2 - 7\*d\*e^3\*x^3 + 8\*e^4\*x^4))/(15\*d^6\*(d - e\*x)^2\*(d + e\*x)^3) + (2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^6

**fricas [B]** time = 0.42, size = 237, normalized size = 1.99

$$\frac{23e^5x^5 + 23de^4x^4 - 46d^2e^3x^3 - 46d^3e^2x^2 + 23d^4ex + 23d^5 + 15(e^5x^5 + de^4x^4 - 2d^2e^3x^3 - 2d^3e^2x^2 + d^4ex + d^5) \log\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (8e^4x^4 - 7de^3x^3 - 27d^2e^2x^2 + 8d^3ex + 23d^4)\sqrt{-e^2x^2 + d^2}}{15(d^6e^5x^5 + d^7e^4x^4 - 2d^8e^3x^3 - 2d^9e^2x^2 + d^{10}ex + d^{11})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out] 1/15\*(23\*e^5\*x^5 + 23\*d\*e^4\*x^4 - 46\*d^2\*e^3\*x^3 - 46\*d^3\*e^2\*x^2 + 23\*d^4\*e\*x + 23\*d^5 + 15\*(e^5\*x^5 + d\*e^4\*x^4 - 2\*d^2\*e^3\*x^3 - 2\*d^3\*e^2\*x^2 + d^4\*e\*x + d^5)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (8\*e^4\*x^4 - 7\*d\*e^3\*x^3 - 27\*d^2\*e^2\*x^2 + 8\*d^3\*e\*x + 23\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d^6\*e^5\*x^5 + d^7\*e^4\*x^4 - 2\*d^8\*e^3\*x^3 - 2\*d^9\*e^2\*x^2 + d^10\*e\*x + d^11)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Value

**maple [A]** time = 0.02, size = 196, normalized size = 1.65

$$-\frac{4ex}{15\left(2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}d^4} + \frac{1}{5\left(x + \frac{d}{e}\right)\left(2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}d^2e} + \frac{1}{3(-e^2x^2 + d^2)^{\frac{3}{2}}d^3} - \frac{\ln\left(\frac{2d^2 + 2\sqrt{d^2}\sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2}d^5} - \frac{8ex}{15\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2}d^6} + \frac{1}{\sqrt{-e^2x^2 + d^2}d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(e*x+d)/(-e^2*x^2+d^2)^(5/2),x)`

[Out]  $\frac{1}{3}(-e^2x^2+d^2)^{3/2}/d^3+1/(-e^2x^2+d^2)^{1/2}/d^5-1/(d^2)^{1/2}/d^5+1/n((2*d^2+2*(d^2)^{1/2}*(-e^2x^2+d^2)^{1/2})/x)+1/5/d^2/e/(x+d/e)/(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2}^{3/2}-4/15/d^4*e/(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2}^{3/2}*x-8/15/d^6*e/(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2}^{1/2})*x$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2x^2 + d^2)^{\frac{5}{2}}(ex + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(e*x+d)/(-e^2*x^2+d^2)^(5/2),x, algorithm="maxima")`

[Out] `integrate(1/((-e^2*x^2 + d^2)^(5/2)*(e*x + d)*x), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x(d^2 - e^2x^2)^{5/2}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(d^2 - e^2*x^2)^(5/2)*(d + e*x)),x)`

[Out] `int(1/(x*(d^2 - e^2*x^2)^(5/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(-(-d + ex)(d + ex))^{\frac{5}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(e*x+d)/(-e**2*x**2+d**2)**(5/2),x)`

[Out] `Integral(1/(x*(-(-d + e*x)*(d + e*x))**(5/2)*(d + e*x)), x)`



$$3.145 \quad \int \frac{1}{x^2(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

Optimal. Leaf size=154

$$\frac{1}{5d^2x(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{16\sqrt{d^2-e^2x^2}}{5d^7x} + \frac{e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^7} + \frac{8d-5ex}{5d^6x\sqrt{d^2-e^2x^2}} + \frac{6d-5ex}{15d^4x(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.14, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {857, 823, 807, 266, 63, 208}

$$\frac{6d-5ex}{15d^4x(d^2-e^2x^2)^{3/2}} - \frac{16\sqrt{d^2-e^2x^2}}{5d^7x} + \frac{8d-5ex}{5d^6x\sqrt{d^2-e^2x^2}} + \frac{1}{5d^2x(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^7}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] (6\*d - 5\*e\*x)/(15\*d^4\*x\*(d^2 - e^2\*x^2)^(3/2)) + 1/(5\*d^2\*x\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)) + (8\*d - 5\*e\*x)/(5\*d^6\*x\*Sqrt[d^2 - e^2\*x^2]) - (16\*Sqrt[d^2 - e^2\*x^2])/(5\*d^7\*x) + (e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^7

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 823

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

Rule 857

```
Int((((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x
_)), x_Symbol] := Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*
f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(
a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x
), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n
, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2(d+ex)(d^2-e^2x^2)^{5/2}} dx &= \frac{1}{5d^2x(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{-6de^2+5e^3x}{x^2(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
&= \frac{6d-5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{-24d^3e^4+15d^2e^5x}{x^2(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{6d-5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{8d-5ex}{5d^6x\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-48}{x}}{5} \\
&= \frac{6d-5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{8d-5ex}{5d^6x\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d}}{5} \\
&= \frac{6d-5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{8d-5ex}{5d^6x\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d}}{5} \\
&= \frac{6d-5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{8d-5ex}{5d^6x\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d}}{5} \\
&= \frac{6d-5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{8d-5ex}{5d^6x\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d}}{5} \\
&= \frac{6d-5ex}{15d^4x(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{8d-5ex}{5d^6x\sqrt{d^2-e^2x^2}} - \frac{16\sqrt{d}}{5}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 122, normalized size = 0.79

$$\frac{-15e \log\left(\sqrt{d^2 - e^2x^2} + d\right) + \frac{\sqrt{d^2 - e^2x^2} (15d^5 + 38d^4ex - 52d^3e^2x^2 - 87d^2e^3x^3 + 33de^4x^4 + 48e^5x^5)}{x(d-ex)^2(d+ex)^3} + 15e \log(x)}{15d^7}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]

[Out] -1/15\*((Sqrt[d^2 - e^2\*x^2]\*(15\*d^5 + 38\*d^4\*e\*x - 52\*d^3\*e^2\*x^2 - 87\*d^2\*e^3\*x^3 + 33\*d\*e^4\*x^4 + 48\*e^5\*x^5))/(x\*(d - e\*x)^2\*(d + e\*x)^3) + 15\*e\*Log[x] - 15\*e\*Log[d + Sqrt[d^2 - e^2\*x^2]])/d^7

**IntegrateAlgebraic [A]** time = 0.76, size = 137, normalized size = 0.89

$$\frac{\sqrt{d^2 - e^2 x^2} (-15d^5 - 38d^4 ex + 52d^3 e^2 x^2 + 87d^2 e^3 x^3 - 33de^4 x^4 - 48e^5 x^5)}{15d^7 x(d - ex)^2(d + ex)^3} - \frac{2e \tanh^{-1}\left(\frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^7}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-15\*d^5 - 38\*d^4\*e\*x + 52\*d^3\*e^2\*x^2 + 87\*d^2\*e^3\*x^3 - 33\*d\*e^4\*x^4 - 48\*e^5\*x^5))/(15\*d^7\*x\*(d - e\*x)^2\*(d + e\*x)^3) - (2\*e\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^7

**fricas [A]** time = 0.45, size = 265, normalized size = 1.72

$$\frac{23e^6x^6 + 23de^5x^5 - 46d^2e^4x^4 - 46d^3e^3x^3 + 23d^4e^2x^2 + 23d^5ex + 15(e^6x^6 + de^5x^5 - 2d^2e^4x^4 - 2d^3e^3x^3 + d^4e^2x^2 + d^5ex) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (48e^5x^5 + 33de^4x^4 - 87d^2e^3x^3 - 52d^3e^2x^2 + 38d^4ex + 15d^5)\sqrt{-e^2x^2 + d^2}}{15(d^7e^6x^6 + d^8e^5x^5 - 2d^9e^4x^4 - 2d^{10}e^3x^3 + d^{11}e^2x^2 + d^{12}x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out] -1/15\*(23\*e^6\*x^6 + 23\*d\*e^5\*x^5 - 46\*d^2\*e^4\*x^4 - 46\*d^3\*e^3\*x^3 + 23\*d^4\*e^2\*x^2 + 23\*d^5\*e\*x + 15\*(e^6\*x^6 + d\*e^5\*x^5 - 2\*d^2\*e^4\*x^4 - 2\*d^3\*e^3\*x^3 + d^4\*e^2\*x^2 + d^5\*e\*x)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (48\*e^5\*x^5 + 33\*d\*e^4\*x^4 - 87\*d^2\*e^3\*x^3 - 52\*d^3\*e^2\*x^2 + 38\*d^4\*e\*x + 15\*d^5)\*sqrt(-e^2\*x^2 + d^2))/(d^7\*e^5\*x^6 + d^8\*e^4\*x^5 - 2\*d^9\*e^3\*x^4 - 2\*d^10\*e^2\*x^3 + d^11\*e\*x^2 + d^12\*x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Value

**maple [A]** time = 0.02, size = 268, normalized size = 1.74

$$\frac{4e^2x}{3(-e^2x^2 + d^2)^{\frac{3}{2}}d^6} + \frac{4e^2x}{15\left(2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}d^6} - \frac{1}{5\left(x + \frac{d}{e}\right)\left(2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2\right)^{\frac{1}{2}}d^6} - \frac{e}{3(-e^2x^2 + d^2)^{\frac{3}{2}}d^4} - \frac{1}{(-e^2x^2 + d^2)^{\frac{1}{2}}d^3x} + \frac{e \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2x^2} - \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2}d^6} + \frac{8e^2x}{3\sqrt{-e^2x^2 + d^2}d^7} + \frac{8e^2x}{15\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2e^2}d^7} - \frac{e}{\sqrt{-e^2x^2 + d^2}d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(e*x+d)/(-e^2*x^2+d^2)^(5/2),x)`

[Out] 
$$-1/d^3/x/(-e^2*x^2+d^2)^{(3/2)}+4/3/(-e^2*x^2+d^2)^{(3/2)}/d^5*e^2*x+8/3/(-e^2*x^2+d^2)^{(1/2)}/d^7*e^2*x-1/3/(-e^2*x^2+d^2)^{(3/2)}/d^4*e-1/(-e^2*x^2+d^2)^{(1/2)}/d^6*e+1/(d^2)^{(1/2)}/d^6*e*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-1/5/d^3/(x+d/e)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}+4/15*e^2/d^5/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}*x+8/15*e^2/d^7/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2x^2 + d^2)^{\frac{5}{2}}(ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(e*x+d)/(-e^2*x^2+d^2)^(5/2),x, algorithm="maxima")`

[Out] `integrate(1/((-e^2*x^2 + d^2)^(5/2)*(e*x + d)*x^2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^2(d^2 - e^2x^2)^{\frac{5}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*(d^2 - e^2*x^2)^(5/2)*(d + e*x)),x)`

[Out] `int(1/(x^2*(d^2 - e^2*x^2)^(5/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(-(-d + ex)(d + ex))^{\frac{5}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(e*x+d)/(-e**2*x**2+d**2)**(5/2),x)`

[Out] `Integral(1/(x**2*(-(-d + e*x)*(d + e*x))**(5/2)*(d + e*x)), x)`

$$3.146 \quad \int \frac{1}{x^3(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

Optimal. Leaf size=186

$$\frac{1}{5d^2x^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{16e\sqrt{d^2-e^2x^2}}{5d^8x} - \frac{7e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^8} - \frac{7\sqrt{d^2-e^2x^2}}{2d^7x^2} + \frac{35d-24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} + \frac{7}{15d^4x^2}$$

**Rubi [A]** time = 0.17, antiderivative size = 186, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {857, 823, 835, 807, 266, 63, 208}

$$\frac{16e\sqrt{d^2-e^2x^2}}{5d^8x} - \frac{7\sqrt{d^2-e^2x^2}}{2d^7x^2} + \frac{35d-24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} + \frac{7d-6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^2(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{7e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^8}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (7\*d - 6\*e\*x)/(15\*d^4\*x^2\*(d^2 - e^2\*x^2)^(3/2)) + 1/(5\*d^2\*x^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)) + (35\*d - 24\*e\*x)/(15\*d^6\*x^2\*sqrt[d^2 - e^2\*x^2]) - (7\*sqrt[d^2 - e^2\*x^2])/(2\*d^7\*x^2) + (16\*e\*sqrt[d^2 - e^2\*x^2])/(5\*d^8\*x) - (7\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^8)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 823

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rule 857

```
Int[(((f_.) + (g_.)*(x_))^(n_))*((a_) + (c_.)*(x_)^2)^(p_)/((d_) + (e_.)*(x
_)), x_Symbol] := Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*
f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(
a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x
), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n
, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3(d+ex)(d^2-e^2x^2)^{5/2}} dx &= \frac{1}{5d^2x^2(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{-7de^2+6e^3x}{x^3(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
&= \frac{7d-6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^2(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{-35d^3e^4+24d^2e^5x}{x^3(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{7d-6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{35d-24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \int \dots \\
&= \frac{7d-6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{35d-24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{15d^6x^2} \\
&= \frac{7d-6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{35d-24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{15d^6x^2} \\
&= \frac{7d-6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{35d-24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{15d^6x^2} \\
&= \frac{7d-6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{35d-24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{15d^6x^2} \\
&= \frac{7d-6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{35d-24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{15d^6x^2} \\
&= \frac{7d-6ex}{15d^4x^2(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^2(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{35d-24ex}{15d^6x^2\sqrt{d^2-e^2x^2}} - \frac{7\sqrt{d^2-e^2x^2}}{15d^6x^2}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 137, normalized size = 0.74

$$\frac{-105e^2 \log\left(\sqrt{d^2-e^2x^2} + d\right) + \frac{\sqrt{d^2-e^2x^2}(-15d^6+15d^5ex+176d^4e^2x^2-4d^3e^3x^3-249d^2e^4x^4-9de^5x^5+96e^6x^6)}{x^2(d-ex)^2(d+ex)^3} + 105e^2 \log(x)}{30d^8}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)), x]



[Out]  $((\sqrt{d^2 - e^2 x^2}) * (-15 d^6 + 15 d^5 e x + 176 d^4 e^2 x^2 - 4 d^3 e^3 x^3 - 249 d^2 e^4 x^4 - 9 d e^5 x^5 + 96 e^6 x^6)) / (x^2 (d - e x)^2 (d + e x)^3) + 105 e^2 \operatorname{Log}[x] - 105 e^2 \operatorname{Log}[d + \sqrt{d^2 - e^2 x^2}] / (30 d^8)$

**IntegrateAlgebraic [A]** time = 1.04, size = 150, normalized size = 0.81

$$\frac{7e^2 \tanh^{-1}\left(\frac{\sqrt{-e^2 x} - \sqrt{d^2 - e^2 x^2}}{d}\right)}{d^8} + \frac{\sqrt{d^2 - e^2 x^2} (-15d^6 + 15d^5 ex + 176d^4 e^2 x^2 - 4d^3 e^3 x^3 - 249d^2 e^4 x^4 - 9de^5 x^5 + 96e^6 x^6)}{30d^8 x^2 (d - ex)^2 (d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^3\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out]  $(\sqrt{d^2 - e^2 x^2}) * (-15 d^6 + 15 d^5 e x + 176 d^4 e^2 x^2 - 4 d^3 e^3 x^3 - 249 d^2 e^4 x^4 - 9 d e^5 x^5 + 96 e^6 x^6) / (30 d^8 x^2 (d - e x)^2 (d + e x)^3) + (7 e^2 \operatorname{ArcTanh}[(\sqrt{-e^2} x) / d - \sqrt{d^2 - e^2 x^2} / d]) / d^8$

**fricas [A]** time = 0.51, size = 286, normalized size = 1.54

$$\frac{116 e^2 x^7 + 116 d e^6 x^6 - 232 d^2 e^5 x^5 - 232 d^3 e^4 x^4 + 116 d^4 e^3 x^3 + 116 d^5 e^2 x^2 + 105 (e^7 x^7 + d e^6 x^6 - 2 d^2 e^5 x^5 - 2 d^3 e^4 x^4 + d^4 e^3 x^3 + d^5 e^2 x^2) \log\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + (96 e^6 x^6 - 9 d e^5 x^5 - 249 d^2 e^4 x^4 - 4 d^3 e^3 x^3 + 176 d^4 e^2 x^2 + 15 d^5 e x - 15 d^6) \sqrt{-e^2 x^2 + d^2}}{30 (d^6 e^3 x^7 + d^6 e^4 x^6 - 2 d^{10} e^3 x^5 - 2 d^{11} e^2 x^4 + d^{12} e x^3 + d^{13} x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out]  $1/30 * (116 e^7 x^7 + 116 d e^6 x^6 - 232 d^2 e^5 x^5 - 232 d^3 e^4 x^4 + 116 d^4 e^3 x^3 + 116 d^5 e^2 x^2 + 105 (e^7 x^7 + d e^6 x^6 - 2 d^2 e^5 x^5 - 2 d^3 e^4 x^4 + d^4 e^3 x^3 + d^5 e^2 x^2) * \log(-(d - \sqrt{-e^2 x^2 + d^2}) / x) + (96 e^6 x^6 - 9 d e^5 x^5 - 249 d^2 e^4 x^4 - 4 d^3 e^3 x^3 + 176 d^4 e^2 x^2 + 15 d^5 e x - 15 d^6) * \sqrt{-e^2 x^2 + d^2}) / (d^8 e^5 x^7 + d^9 e^4 x^6 - 2 d^{10} e^3 x^5 - 2 d^{11} e^2 x^4 + d^{12} e x^3 + d^{13} x^2)$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP UT:sage2:=int(sage0,x);;OUTPUT:Unable to transpose Error: Bad Argument Value

**maple [A]** time = 0.02, size = 298, normalized size = 1.60

$$\frac{4e^3 x}{3(-e^2 x^2 + d^2)^{3/2} d^6} - \frac{4e^3 x}{15 \left(2 \left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2\right)^{3/2} d^6} + \frac{e}{5 \left(x + \frac{d}{e}\right) \left(2 \left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2\right)^{3/2} d^4} + \frac{7e^2}{6(-e^2 x^2 + d^2)^{3/2} d^6} + \frac{e}{(-e^2 x^2 + d^2)^{3/2} d^4 x} - \frac{7e^2 \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2 x^2}}{x}\right)}{2\sqrt{d^2 - e^2 x^2} d^7} - \frac{8e^3 x}{3\sqrt{-e^2 x^2 + d^2} d^6} - \frac{8e^3 x}{15 \sqrt{2 \left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2} d^6} - \frac{1}{2(-e^2 x^2 + d^2)^{3/2} d^3 x^2} + \frac{7e^2}{2\sqrt{-e^2 x^2 + d^2} d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^3/(e*x+d)/(-e^2*x^2+d^2)^(5/2),x)`

[Out]  $e/d^4/x/(-e^2x^2+d^2)^{(3/2)}-4/3/(-e^2x^2+d^2)^{(3/2)}/d^6e^3x-8/3/(-e^2x^2+d^2)^{(1/2)}/d^8e^3x-1/2/d^3/x^2/(-e^2x^2+d^2)^{(3/2)}+7/6/(-e^2x^2+d^2)^{(3/2)}/d^5e^2+7/2/(-e^2x^2+d^2)^{(1/2)}/d^7e^2-7/2/(d^2)^{(1/2)}/d^7e^2*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2x^2+d^2)^{(1/2)})/x)+1/5/d^4*e/(x+d/e)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}-4/15/d^6e^3/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}*x-8/15/d^8e^3/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2x^2 + d^2)^{\frac{5}{2}}(ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(e*x+d)/(-e^2*x^2+d^2)^(5/2),x, algorithm="maxima")`

[Out] `integrate(1/((-e^2*x^2 + d^2)^(5/2)*(e*x + d)*x^3), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^3(d^2 - e^2x^2)^{\frac{5}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^3*(d^2 - e^2*x^2)^(5/2)*(d + e*x)),x)`

[Out] `int(1/(x^3*(d^2 - e^2*x^2)^(5/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3(-(-d + ex)(d + ex))^{\frac{5}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**3/(e*x+d)/(-e**2*x**2+d**2)**(5/2),x)`

[Out] `Integral(1/(x**3*(-(-d + e*x)*(d + e*x))**(5/2)*(d + e*x)), x)`

$$3.147 \quad \int \frac{1}{x^4(d+ex)(d^2-e^2x^2)^{5/2}} dx$$

Optimal. Leaf size=215

$$\frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{128e^2\sqrt{d^2-e^2x^2}}{15d^9x} + \frac{7e^3 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^9} + \frac{7e\sqrt{d^2-e^2x^2}}{2d^8x^2} - \frac{64\sqrt{d^2-e^2x^2}}{15d^7x^3} + \frac{48e^2\sqrt{d^2-e^2x^2}}{15d^6x^3}$$

**Rubi [A]** time = 0.21, antiderivative size = 215, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {857, 823, 835, 807, 266, 63, 208}

$$-\frac{128e^2\sqrt{d^2-e^2x^2}}{15d^9x} + \frac{7e\sqrt{d^2-e^2x^2}}{2d^8x^2} - \frac{64\sqrt{d^2-e^2x^2}}{15d^7x^3} + \frac{48d-35ex}{15d^6x^3\sqrt{d^2-e^2x^2}} + \frac{8d-7ex}{15d^4x^3(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{7e^3 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^9}$$

Antiderivative was successfully verified.

[In] Int[1/(x^4\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] (8\*d - 7\*e\*x)/(15\*d^4\*x^3\*(d^2 - e^2\*x^2)^(3/2)) + 1/(5\*d^2\*x^3\*(d + e\*x)\*(d^2 - e^2\*x^2)^(3/2)) + (48\*d - 35\*e\*x)/(15\*d^6\*x^3\*Sqrt[d^2 - e^2\*x^2]) - (64\*Sqrt[d^2 - e^2\*x^2])/(15\*d^7\*x^3) + (7\*e\*Sqrt[d^2 - e^2\*x^2])/(2\*d^8\*x^2) - (128\*e^2\*Sqrt[d^2 - e^2\*x^2])/(15\*d^9\*x) + (7\*e^3\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^9)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 823

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/
((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d +
e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 +
a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*
p])
```

Rule 857

```
Int((((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x
_)), x_Symbol] := Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*
f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(
a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x
), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2
+ a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n
, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4(d+ex)(d^2-e^2x^2)^{5/2}} dx &= \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{-8de^2+7e^3x}{x^4(d^2-e^2x^2)^{5/2}} dx}{5d^2e^2} \\
&= \frac{8d-7ex}{15d^4x^3(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{-48d^3e^4+35d^2e^5x}{x^4(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{8d-7ex}{15d^4x^3(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{48d-35ex}{15d^6x^3\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-48d^3e^4+35d^2e^5x}{x^4(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{8d-7ex}{15d^4x^3(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{48d-35ex}{15d^6x^3\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-48d^3e^4+35d^2e^5x}{x^4(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{8d-7ex}{15d^4x^3(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{48d-35ex}{15d^6x^3\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-48d^3e^4+35d^2e^5x}{x^4(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{8d-7ex}{15d^4x^3(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{48d-35ex}{15d^6x^3\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-48d^3e^4+35d^2e^5x}{x^4(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{8d-7ex}{15d^4x^3(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{48d-35ex}{15d^6x^3\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-48d^3e^4+35d^2e^5x}{x^4(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{8d-7ex}{15d^4x^3(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{48d-35ex}{15d^6x^3\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-48d^3e^4+35d^2e^5x}{x^4(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{8d-7ex}{15d^4x^3(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{48d-35ex}{15d^6x^3\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-48d^3e^4+35d^2e^5x}{x^4(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{8d-7ex}{15d^4x^3(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{48d-35ex}{15d^6x^3\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-48d^3e^4+35d^2e^5x}{x^4(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4} \\
&= \frac{8d-7ex}{15d^4x^3(d^2-e^2x^2)^{3/2}} + \frac{1}{5d^2x^3(d+ex)(d^2-e^2x^2)^{3/2}} + \frac{48d-35ex}{15d^6x^3\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-48d^3e^4+35d^2e^5x}{x^4(d^2-e^2x^2)^{3/2}} dx}{15d^6e^4}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 148, normalized size = 0.69

$$\frac{-105e^3 \log\left(\sqrt{d^2-e^2x^2} + d\right) + \frac{\sqrt{d^2-e^2x^2} (10d^7-5d^6ex+75d^5e^2x^2+236d^4e^3x^3-244d^3e^4x^4-489d^2e^5x^5+151de^6x^6+256e^7x^7)}{x^3(d-ex)^2(d+ex)^3} + 105e^3 \log(x)}{30d^9}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] 
$$-1/30 * ((\text{Sqrt}[d^2 - e^2*x^2] * (10*d^7 - 5*d^6*e*x + 75*d^5*e^2*x^2 + 236*d^4*e^3*x^3 - 244*d^3*e^4*x^4 - 489*d^2*e^5*x^5 + 151*d*e^6*x^6 + 256*e^7*x^7)) / (x^3*(d - e*x)^2*(d + e*x)^3) + 105*e^3*\text{Log}[x] - 105*e^3*\text{Log}[d + \text{Sqrt}[d^2 - e^2*x^2]]) / d^9$$

**IntegrateAlgebraic [A]** time = 1.42, size = 161, normalized size = 0.75

$$\frac{\sqrt{d^2 - e^2x^2} (-10d^7 + 5d^6ex - 75d^5e^2x^2 - 236d^4e^3x^3 + 244d^3e^4x^4 + 489d^2e^5x^5 - 151de^6x^6 - 256e^7x^7)}{30d^9x^3(d - ex)^2(d + ex)^3} - \frac{7e^3 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^9}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^4\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)),x]

[Out] 
$$(\text{Sqrt}[d^2 - e^2*x^2] * (-10*d^7 + 5*d^6*e*x - 75*d^5*e^2*x^2 - 236*d^4*e^3*x^3 + 244*d^3*e^4*x^4 + 489*d^2*e^5*x^5 - 151*d*e^6*x^6 - 256*e^7*x^7)) / (30*d^9*x^3*(d - e*x)^2*(d + e*x)^3) - (7*e^3*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d]) / d^9$$

**fricas [A]** time = 0.52, size = 297, normalized size = 1.38

$$\frac{116e^8x^8 + 116de^7x^7 - 232d^2e^6x^6 - 232d^3e^5x^5 + 116d^4e^4x^4 + 116d^5e^3x^3 + 105(e^8x^8 + de^7x^7 - 2d^2e^6x^6 - 2d^3e^5x^5 + d^4e^4x^4 + d^5e^3x^3) \log\left(\frac{-d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (256e^7x^7 + 151de^6x^6 - 489d^2e^5x^5 - 244d^3e^4x^4 + 236d^4e^3x^3 + 75d^5e^2x^2 - 5d^6ex + 10d^7)\sqrt{-e^2x^2 + d^2}}{30(d^9e^8x^8 + d^{10}e^7x^7 - 2d^{11}e^6x^6 - 2d^{12}e^5x^5 + d^{13}e^4x^4 + d^{14}x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="fricas")

[Out] 
$$-1/30 * (116*e^8*x^8 + 116*d*e^7*x^7 - 232*d^2*e^6*x^6 - 232*d^3*e^5*x^5 + 116*d^4*e^4*x^4 + 116*d^5*e^3*x^3 + 105*(e^8*x^8 + d*e^7*x^7 - 2*d^2*e^6*x^6 - 2*d^3*e^5*x^5 + d^4*e^4*x^4 + d^5*e^3*x^3)*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) + (256*e^7*x^7 + 151*d*e^6*x^6 - 489*d^2*e^5*x^5 - 244*d^3*e^4*x^4 + 236*d^4*e^3*x^3 + 75*d^5*e^2*x^2 - 5*d^6*e*x + 10*d^7)*\text{sqrt}(-e^2*x^2 + d^2)) / (d^9*e^8*x^8 + d^{10}*e^7*x^7 - 2*d^{11}*e^6*x^6 - 2*d^{12}*e^5*x^5 + d^{13}*e^4*x^4 + d^{14}*x^3)$$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Valu  
e

**maple** [A] time = 0.02, size = 326, normalized size = 1.52

$$\frac{4e^4x}{(-e^2x^2+d^2)^{5/2}} + \frac{4e^4x}{15\sqrt{2(x+\frac{d}{e})de-(x+\frac{d}{e})^2}e^2} - \frac{e^2}{5(x+\frac{d}{e})\sqrt{2(x+\frac{d}{e})de-(x+\frac{d}{e})^2}e^2} - \frac{7e^2}{6(-e^2x^2+d^2)^{3/2}} - \frac{3e^2}{(-e^2x^2+d^2)^{3/2}} + \frac{7e^2 \ln\left(\frac{2e^2x\sqrt{2(x+\frac{d}{e})de-(x+\frac{d}{e})^2}}{x}\right)}{2\sqrt{d^2}e^6} + \frac{8e^4x}{\sqrt{-e^2x^2+d^2}e^6} + \frac{8e^4x}{15\sqrt{2(x+\frac{d}{e})de-(x+\frac{d}{e})^2}e^2} + \frac{e}{2(-e^2x^2+d^2)^{3/2}} - \frac{7e^2}{2\sqrt{-e^2x^2+d^2}e^6} - \frac{1}{3(-e^2x^2+d^2)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2), x)

[Out]  $-3/d^5e^2/x/(-e^2x^2+d^2)^{3/2}+4/d^7e^4x/(-e^2x^2+d^2)^{3/2}+8/d^9e^4x/(-e^2x^2+d^2)^{1/2}+1/2e/d^4/x^2/(-e^2x^2+d^2)^{3/2}-7/6e^3/d^6/(-e^2x^2+d^2)^{3/2}-7/2e^3/d^8/(-e^2x^2+d^2)^{1/2}+7/2e^3/d^8/(d^2)^{1/2}*\ln((2*d^2+2*(d^2)^{1/2}*(-e^2*x^2+d^2)^{1/2})/x)-1/3/d^3/x^3/(-e^2*x^2+d^2)^{3/2}-1/5/d^5*e^2/(x+d/e)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{3/2}+4/15/d^7*e^4/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{3/2}*x+8/15/d^9*e^4/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{1/2}*x$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2x^2 + d^2)^{5/2}(ex + d)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e\*x+d)/(-e^2\*x^2+d^2)^(5/2), x, algorithm="maxima")

[Out] integrate(1/((-e^2\*x^2 + d^2)^(5/2)\*(e\*x + d)\*x^4), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^4(d^2 - e^2x^2)^{5/2}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4\*(d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)), x)

[Out] int(1/(x^4\*(d^2 - e^2\*x^2)^(5/2)\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4(-(-d + ex)(d + ex))^{5/2}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*4/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2), x)

[Out] Integral(1/(x\*\*4\*(-(-d + e\*x)\*(d + e\*x))\*\*5/2\*(d + e\*x)), x)

$$3.148 \quad \int \frac{x^3}{(d+ex)(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=118

$$\frac{x^2(d-ex)}{7e^2(d^2-e^2x^2)^{7/2}} - \frac{2d-3ex}{35e^4(d^2-e^2x^2)^{5/2}} - \frac{x}{35d^2e^3(d^2-e^2x^2)^{3/2}} - \frac{2x}{35d^4e^3\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.08, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {850, 819, 778, 192, 191}

$$\frac{x^2(d-ex)}{7e^2(d^2-e^2x^2)^{7/2}} - \frac{2x}{35d^4e^3\sqrt{d^2-e^2x^2}} - \frac{x}{35d^2e^3(d^2-e^2x^2)^{3/2}} - \frac{2d-3ex}{35e^4(d^2-e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (x^2\*(d - e\*x))/(7\*e^2\*(d^2 - e^2\*x^2)^(7/2)) - (2\*d - 3\*e\*x)/(35\*e^4\*(d^2 - e^2\*x^2)^(5/2)) - x/(35\*d^2\*e^3\*(d^2 - e^2\*x^2)^(3/2)) - (2\*x)/(35\*d^4\*e^3\*Sqrt[d^2 - e^2\*x^2])

#### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

#### Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

#### Rule 819



```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g
) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(
d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!ILtQ[m + 2*p + 3, 0])

```

### Rule 850

```

Int[((x_)^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3}{(d+ex)(d^2-e^2x^2)^{7/2}} dx &= \int \frac{x^3(d-ex)}{(d^2-e^2x^2)^{9/2}} dx \\
&= \frac{x^2(d-ex)}{7e^2(d^2-e^2x^2)^{7/2}} - \frac{\int \frac{x(2d^3-3d^2ex)}{(d^2-e^2x^2)^{7/2}} dx}{7d^2e^2} \\
&= \frac{x^2(d-ex)}{7e^2(d^2-e^2x^2)^{7/2}} - \frac{2d-3ex}{35e^4(d^2-e^2x^2)^{5/2}} - \frac{3 \int \frac{1}{(d^2-e^2x^2)^{5/2}} dx}{35e^3} \\
&= \frac{x^2(d-ex)}{7e^2(d^2-e^2x^2)^{7/2}} - \frac{2d-3ex}{35e^4(d^2-e^2x^2)^{5/2}} - \frac{x}{35d^2e^3(d^2-e^2x^2)^{3/2}} - \frac{2 \int \frac{1}{(d^2-e^2x^2)^{3/2}}}{35d^2e^3} \\
&= \frac{x^2(d-ex)}{7e^2(d^2-e^2x^2)^{7/2}} - \frac{2d-3ex}{35e^4(d^2-e^2x^2)^{5/2}} - \frac{x}{35d^2e^3(d^2-e^2x^2)^{3/2}} - \frac{2x}{35d^4e^3\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 104, normalized size = 0.88

$$\frac{\sqrt{d^2 - e^2x^2} (2d^6 + 2d^5ex - 5d^4e^2x^2 - 5d^3e^3x^3 - 5d^2e^4x^4 + 2de^5x^5 + 2e^6x^6)}{35d^4e^4(d-ex)^3(d+ex)^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e\*x)\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] 
$$-1/35*(\text{Sqrt}[d^2 - e^2*x^2]*(2*d^6 + 2*d^5*e*x - 5*d^4*e^2*x^2 - 5*d^3*e^3*x^3 - 5*d^2*e^4*x^4 + 2*d*e^5*x^5 + 2*e^6*x^6))/(d^4*e^4*(d - e*x)^3*(d + e*x)^4)$$

**IntegrateAlgebraic [A]** time = 0.78, size = 104, normalized size = 0.88

$$\frac{\sqrt{d^2 - e^2x^2} (-2d^6 - 2d^5ex + 5d^4e^2x^2 + 5d^3e^3x^3 + 5d^2e^4x^4 - 2de^5x^5 - 2e^6x^6)}{35d^4e^4(d - ex)^3(d + ex)^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((d + e\*x)\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] 
$$(\text{Sqrt}[d^2 - e^2*x^2]*(-2*d^6 - 2*d^5*e*x + 5*d^4*e^2*x^2 + 5*d^3*e^3*x^3 + 5*d^2*e^4*x^4 - 2*d*e^5*x^5 - 2*e^6*x^6))/(35*d^4*e^4*(d - e*x)^3*(d + e*x)^4)$$

**fricas [B]** time = 0.49, size = 239, normalized size = 2.03

$$\frac{2e^7x^7 + 2de^6x^6 - 6d^2e^5x^5 - 6d^3e^4x^4 + 6d^4e^3x^3 + 6d^5e^2x^2 - 2d^6ex - 2d^7 - (2e^6x^6 + 2de^5x^5 - 5d^2e^4x^4 - 5d^3e^3x^3 - 5d^4e^2x^2 + 2d^5ex + 2d^6)\sqrt{-e^2x^2 + d^2}}{35(d^4e^{11}x^7 + d^5e^{10}x^6 - 3d^6e^9x^5 - 3d^7e^8x^4 + 3d^8e^7x^3 + 3d^9e^6x^2 - d^{10}e^5x - d^{11}e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 
$$-1/35*(2*e^7*x^7 + 2*d*e^6*x^6 - 6*d^2*e^5*x^5 - 6*d^3*e^4*x^4 + 6*d^4*e^3*x^3 + 6*d^5*e^2*x^2 - 2*d^6*e*x - 2*d^7 - (2*e^6*x^6 + 2*d*e^5*x^5 - 5*d^2*e^4*x^4 - 5*d^3*e^3*x^3 - 5*d^4*e^2*x^2 + 2*d^5*e*x + 2*d^6)*\text{sqrt}(-e^2*x^2 + d^2))/(d^4*e^{11}*x^7 + d^5*e^{10}*x^6 - 3*d^6*e^9*x^5 - 3*d^7*e^8*x^4 + 3*d^8*e^7*x^3 + 3*d^9*e^6*x^2 - d^{10}*e^5*x - d^{11}*e^4)$$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Value

**maple [A]** time = 0.01, size = 92, normalized size = 0.78

$$\frac{(-ex + d)(2e^6x^6 + 2e^5x^5d - 5e^4x^4d^2 - 5x^3d^3e^3 - 5x^2d^4e^2 + 2d^5xe + 2d^6)}{35(-e^2x^2 + d^2)^{\frac{7}{2}}d^4e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(7/2), x)

[Out]  $-1/35*(-e*x+d)*(2*e^6*x^6+2*d*e^5*x^5-5*d^2*e^4*x^4-5*d^3*e^3*x^3-5*d^4*e^2*x^2+2*d^5*e*x+2*d^6)/d^4/e^4/(-e^2*x^2+d^2)^{(7/2)}$

**maxima [A]** time = 0.51, size = 133, normalized size = 1.13

$$\frac{d^2}{7\left((-e^2x^2 + d^2)^{\frac{5}{2}}e^5x + (-e^2x^2 + d^2)^{\frac{5}{2}}de^4\right)} + \frac{8x}{35(-e^2x^2 + d^2)^{\frac{5}{2}}e^3} - \frac{d}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e^4} - \frac{x}{35(-e^2x^2 + d^2)^{\frac{3}{2}}d^2e^3} - \frac{2x}{35\sqrt{-e^2x^2 + d^2}d^4e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(-e^2\*x^2+d^2)^(7/2), x, algorithm="maxima")

[Out]  $1/7*d^2/((-e^2*x^2 + d^2)^{(5/2)}*e^5*x + (-e^2*x^2 + d^2)^{(5/2)}*d*e^4) + 8/35*x/((-e^2*x^2 + d^2)^{(5/2)}*e^3) - 1/5*d/((-e^2*x^2 + d^2)^{(5/2)}*e^4) - 1/35*x/((-e^2*x^2 + d^2)^{(3/2)}*d^2*e^3) - 2/35*x/(sqrt(-e^2*x^2 + d^2)*d^4*e^3)$

**mupad [B]** time = 2.95, size = 161, normalized size = 1.36

$$\frac{\sqrt{d^2 - e^2x^2}}{56d^4(d+ex)^4} - \frac{\sqrt{d^2 - e^2x^2} \left( \frac{1}{56d^4} + \frac{x}{35d^2e^3} \right)}{(d+ex)^2(d-ex)^2} - \frac{\sqrt{d^2 - e^2x^2} \left( \frac{2d}{35e^4} - \frac{11x}{70e^3} \right)}{(d+ex)^3(d-ex)^3} - \frac{2x\sqrt{d^2 - e^2x^2}}{35d^4e^3(d+ex)(d-ex)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/((d^2 - e^2\*x^2)^(7/2)\*(d + e\*x)), x)

[Out]  $(d^2 - e^2*x^2)^{(1/2)}/(56*d*e^4*(d + e*x)^4) - ((d^2 - e^2*x^2)^{(1/2)}*(1/(56*d*e^4) + x/(35*d^2*e^3)))/((d + e*x)^2*(d - e*x)^2) - ((d^2 - e^2*x^2)^{(1/2)}*((2*d)/(35*e^4) - (11*x)/(70*e^3)))/((d + e*x)^3*(d - e*x)^3) - (2*x*(d^2 - e^2*x^2)^{(1/2)})/(35*d^4*e^3*(d + e*x)*(d - e*x))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(-(-d + ex)(d + ex))^{\frac{7}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3/(e*x+d)/(-e**2*x**2+d**2)**(7/2), x)
```

```
[Out] Integral(x**3/((-(-d + e*x)*(d + e*x))**(7/2)*(d + e*x)), x)
```

$$3.149 \quad \int \frac{x^2}{(d+ex)(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=123

$$-\frac{x^2}{7de(d+ex)(d^2-e^2x^2)^{5/2}} + \frac{2(d+2ex)}{35de^3(d^2-e^2x^2)^{5/2}} - \frac{8x}{105d^5e^2\sqrt{d^2-e^2x^2}} - \frac{4x}{105d^3e^2(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.06, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {855, 778, 192, 191}

$$-\frac{x^2}{7de(d+ex)(d^2-e^2x^2)^{5/2}} - \frac{8x}{105d^5e^2\sqrt{d^2-e^2x^2}} - \frac{4x}{105d^3e^2(d^2-e^2x^2)^{3/2}} + \frac{2(d+2ex)}{35de^3(d^2-e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] -x^2/(7\*d\*e\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)) + (2\*(d + 2\*e\*x))/(35\*d\*e^3\*(d^2 - e^2\*x^2)^(5/2)) - (4\*x)/(105\*d^3\*e^2\*(d^2 - e^2\*x^2)^(3/2)) - (8\*x)/(105\*d^5\*e^2\*sqrt[d^2 - e^2\*x^2])

Rule 191

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 192

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

Rule 855

```
Int[(((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(d*(f + g*x)^n*(a + c*x^2)^(p + 1))/(2*a*e*p*(d + e*x)), x] - Dist[1/(2*d*e*p), Int[(f + g*x)^(n - 1)*(a + c*x^2)^p*Simp[d*g*n - e*f*(2*p + 1) - e*g*(n + 2*p + 1)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && IGtQ[n, 0] && ILtQ[n + 2*p, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2}{(d+ex)(d^2-e^2x^2)^{7/2}} dx &= -\frac{x^2}{7de(d+ex)(d^2-e^2x^2)^{5/2}} + \frac{\int \frac{x(2d+4ex)}{(d^2-e^2x^2)^{7/2}} dx}{7de} \\ &= -\frac{x^2}{7de(d+ex)(d^2-e^2x^2)^{5/2}} + \frac{2(d+2ex)}{35d^3(d^2-e^2x^2)^{5/2}} - \frac{4 \int \frac{1}{(d^2-e^2x^2)^{5/2}} dx}{35de^2} \\ &= -\frac{x^2}{7de(d+ex)(d^2-e^2x^2)^{5/2}} + \frac{2(d+2ex)}{35d^3(d^2-e^2x^2)^{5/2}} - \frac{4x}{105d^3e^2(d^2-e^2x^2)^{3/2}} - \frac{8 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{105de^2} \\ &= -\frac{x^2}{7de(d+ex)(d^2-e^2x^2)^{5/2}} + \frac{2(d+2ex)}{35d^3(d^2-e^2x^2)^{5/2}} - \frac{4x}{105d^3e^2(d^2-e^2x^2)^{3/2}} - \frac{8 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{105de^2} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 104, normalized size = 0.85

$$\frac{\sqrt{d^2 - e^2x^2} (6d^6 + 6d^5ex - 15d^4e^2x^2 + 20d^3e^3x^3 + 20d^2e^4x^4 - 8de^5x^5 - 8e^6x^6)}{105d^5e^3(d-ex)^3(d+ex)^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(6\*d^6 + 6\*d^5\*e\*x - 15\*d^4\*e^2\*x^2 + 20\*d^3\*e^3\*x^3 + 20\*d^2\*e^4\*x^4 - 8\*d\*e^5\*x^5 - 8\*e^6\*x^6))/(105\*d^5\*e^3\*(d - e\*x)^3\*(d + e\*x)^4)

**IntegrateAlgebraic [A]** time = 0.68, size = 104, normalized size = 0.85

$$\frac{\sqrt{d^2 - e^2x^2} (6d^6 + 6d^5ex - 15d^4e^2x^2 + 20d^3e^3x^3 + 20d^2e^4x^4 - 8de^5x^5 - 8e^6x^6)}{105d^5e^3(d-ex)^3(d+ex)^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((d + e\*x)\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(6\*d^6 + 6\*d^5\*e\*x - 15\*d^4\*e^2\*x^2 + 20\*d^3\*e^3\*x^3 + 20\*d^2\*e^4\*x^4 - 8\*d\*e^5\*x^5 - 8\*e^6\*x^6))/(105\*d^5\*e^3\*(d - e\*x)^3\*(d + e\*x)^4)

**fricas** [B] time = 0.49, size = 238, normalized size = 1.93

$$\frac{6e^7x^7 + 6de^6x^6 - 18d^2e^5x^5 - 18d^3e^4x^4 + 18d^4e^3x^3 + 18d^5e^2x^2 - 6d^6ex - 6d^7 + (8e^6x^6 + 8de^5x^5 - 20d^2e^4x^4 - 20d^3e^3x^3 + 15d^4e^2x^2 - 6d^5ex - 6d^6)\sqrt{-e^2x^2 + d^2}}{105(d^5e^{10}x^7 + d^6e^9x^6 - 3d^7e^8x^5 - 3d^8e^7x^4 + 3d^9e^6x^3 + 3d^{10}e^5x^2 - d^{11}e^4x - d^{12}e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 1/105\*(6\*e^7\*x^7 + 6\*d\*e^6\*x^6 - 18\*d^2\*e^5\*x^5 - 18\*d^3\*e^4\*x^4 + 18\*d^4\*e^3\*x^3 + 18\*d^5\*e^2\*x^2 - 6\*d^6\*e\*x - 6\*d^7 + (8\*e^6\*x^6 + 8\*d\*e^5\*x^5 - 20\*d^2\*e^4\*x^4 - 20\*d^3\*e^3\*x^3 + 15\*d^4\*e^2\*x^2 - 6\*d^5\*e\*x - 6\*d^6)\*sqrt(-e^2\*x^2 + d^2))/(d^5\*e^10\*x^7 + d^6\*e^9\*x^6 - 3\*d^7\*e^8\*x^5 - 3\*d^8\*e^7\*x^4 + 3\*d^9\*e^6\*x^3 + 3\*d^10\*e^5\*x^2 - d^11\*e^4\*x - d^12\*e^3)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 92, normalized size = 0.75

$$\frac{(-ex + d)(-8e^6x^6 - 8e^5x^5d + 20e^4x^4d^2 + 20x^3d^3e^3 - 15x^2d^4e^2 + 6d^5xe + 6d^6)}{105(-e^2x^2 + d^2)^{\frac{7}{2}}d^5e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x)

[Out] 1/105\*(-e\*x+d)\*(-8\*e^6\*x^6-8\*d\*e^5\*x^5+20\*d^2\*e^4\*x^4+20\*d^3\*e^3\*x^3-15\*d^4\*e^2\*x^2+6\*d^5\*e\*x+6\*d^6)/d^5/e^3/(-e^2\*x^2+d^2)^(7/2)

**maxima [A]** time = 0.48, size = 133, normalized size = 1.08

$$-\frac{d}{7\left((-e^2x^2+d^2)^{\frac{5}{2}}e^4x+(-e^2x^2+d^2)^{\frac{5}{2}}de^3\right)}-\frac{x}{35(-e^2x^2+d^2)^{\frac{5}{2}}de^2}+\frac{1}{5(-e^2x^2+d^2)^{\frac{5}{2}}e^3}-\frac{4x}{105(-e^2x^2+d^2)^{\frac{3}{2}}d^3e^2}-\frac{8x}{105\sqrt{-e^2x^2+d^2}d^5e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out] -1/7\*d/((-e^2\*x^2 + d^2)^(5/2)\*e^4\*x + (-e^2\*x^2 + d^2)^(5/2)\*d\*e^3) - 1/35\*x/((-e^2\*x^2 + d^2)^(5/2)\*d\*e^2) + 1/5/((-e^2\*x^2 + d^2)^(5/2)\*e^3) - 4/105\*x/((-e^2\*x^2 + d^2)^(3/2)\*d^3\*e^2) - 8/105\*x/(sqrt(-e^2\*x^2 + d^2)\*d^5\*e^2)

**mupad [B]** time = 2.88, size = 161, normalized size = 1.31

$$\frac{\sqrt{d^2 - e^2 x^2} \left( \frac{1}{56 d^2 e^3} - \frac{4x}{105 d^3 e^2} \right)}{(d + ex)^2 (d - ex)^2} + \frac{\sqrt{d^2 - e^2 x^2} \left( \frac{2}{35 e^3} + \frac{3x}{70 d e^2} \right)}{(d + ex)^3 (d - ex)^3} - \frac{\sqrt{d^2 - e^2 x^2}}{56 d^2 e^3 (d + ex)^4} - \frac{8x \sqrt{d^2 - e^2 x^2}}{105 d^5 e^2 (d + ex) (d - ex)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((d^2 - e^2\*x^2)^(7/2)\*(d + e\*x)),x)

[Out] ((d^2 - e^2\*x^2)^(1/2)\*(1/(56\*d^2\*e^3) - (4\*x)/(105\*d^3\*e^2)))/((d + e\*x)^2\*(d - e\*x)^2) + ((d^2 - e^2\*x^2)^(1/2)\*(2/(35\*e^3) + (3\*x)/(70\*d\*e^2)))/((d + e\*x)^3\*(d - e\*x)^3) - (d^2 - e^2\*x^2)^(1/2)/(56\*d^2\*e^3\*(d + e\*x)^4) - (8\*x\*(d^2 - e^2\*x^2)^(1/2))/(105\*d^5\*e^2\*(d + e\*x)\*(d - e\*x))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(-(-d + ex)(d + ex))^{\frac{7}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2),x)

[Out] Integral(x\*\*2/((-(-d + e\*x)\*(d + e\*x))\*\*(7/2)\*(d + e\*x)), x)



$$3.150 \quad \int \frac{x^3}{(1+ax)\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=66

$$\frac{3 \sin^{-1}(ax)}{2a^4} + \frac{x^2(1-ax)}{a^2\sqrt{1-a^2x^2}} + \frac{(4-3ax)\sqrt{1-a^2x^2}}{2a^4}$$

**Rubi [A]** time = 0.05, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {850, 819, 780, 216}

$$\frac{x^2(1-ax)}{a^2\sqrt{1-a^2x^2}} + \frac{(4-3ax)\sqrt{1-a^2x^2}}{2a^4} + \frac{3 \sin^{-1}(ax)}{2a^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/((1 + a\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] (x^2\*(1 - a\*x))/(a^2\*Sqrt[1 - a^2\*x^2]) + ((4 - 3\*a\*x)\*Sqrt[1 - a^2\*x^2])/(2\*a^4) + (3\*ArcSin[a\*x])/(2\*a^4)

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

#### Rule 819

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1)\*(a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x))/(2\*a\*c\*(p + 1)), x] - Dist[1/(2\*a\*c\*(p + 1)), Int[(d + e\*x)^(m - 2)\*(a + c\*x^2)^(p + 1)\*Simp[a\*e\*(e\*f\*(m - 1) + d\*g\*m) - c\*d^2\*f\*(2\*p + 3) + e\*(a\*e\*g\*m - c\*d\*f\*(m + 2\*p + 2))\*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && (EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g])) ||

!ILtQ[m + 2\*p + 3, 0])

### Rule 850

```
Int[((x_)^(n_.)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:> Int[x^n*(a/d + (c*x)/e)*(a + c*x^2)^(p - 1), x] /; FreeQ[{a, c, d, e, n,
p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ( !IntegerQ[n] || !In
tegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned} \int \frac{x^3}{(1+ax)\sqrt{1-a^2x^2}} dx &= \int \frac{x^3(1-ax)}{(1-a^2x^2)^{3/2}} dx \\ &= \frac{x^2(1-ax)}{a^2\sqrt{1-a^2x^2}} - \frac{\int \frac{x(2-3ax)}{\sqrt{1-a^2x^2}} dx}{a^2} \\ &= \frac{x^2(1-ax)}{a^2\sqrt{1-a^2x^2}} + \frac{(4-3ax)\sqrt{1-a^2x^2}}{2a^4} + \frac{3 \int \frac{1}{\sqrt{1-a^2x^2}} dx}{2a^3} \\ &= \frac{x^2(1-ax)}{a^2\sqrt{1-a^2x^2}} + \frac{(4-3ax)\sqrt{1-a^2x^2}}{2a^4} + \frac{3 \sin^{-1}(ax)}{2a^4} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 54, normalized size = 0.82

$$\frac{\sqrt{1-a^2x^2}(-a^2x^2+ax+4)+3(ax+1)\sin^{-1}(ax)}{2a^4(ax+1)}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((1+a\*x)\*Sqrt[1-a^2\*x^2]),x]

[Out] (Sqrt[1-a^2\*x^2]\*(4+a\*x-a^2\*x^2)+3\*(1+a\*x)\*ArcSin[a\*x])/(2\*a^4\*(1+a\*x))

**IntegrateAlgebraic [A]** time = 0.43, size = 86, normalized size = 1.30

$$\frac{3\sqrt{-a^2} \log\left(\sqrt{1-a^2x^2}-\sqrt{-a^2}x\right)}{2a^5} + \frac{\sqrt{1-a^2x^2}(-a^2x^2+ax+4)}{2a^4(ax+1)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((1 + a\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] (Sqrt[1 - a^2\*x^2]\*(4 + a\*x - a^2\*x^2))/(2\*a^4\*(1 + a\*x)) + (3\*Sqrt[-a^2]\*Log[-(Sqrt[-a^2]\*x) + Sqrt[1 - a^2\*x^2]])/(2\*a^5)

**fricas** [A] time = 0.42, size = 75, normalized size = 1.14

$$\frac{4ax - 6(ax + 1) \arctan\left(\frac{\sqrt{-a^2x^2+1}-1}{ax}\right) - (a^2x^2 - ax - 4)\sqrt{-a^2x^2+1} + 4}{2(a^5x + a^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] 1/2\*(4\*a\*x - 6\*(a\*x + 1)\*arctan((sqrt(-a^2\*x^2 + 1) - 1)/(a\*x)) - (a^2\*x^2 - a\*x - 4)\*sqrt(-a^2\*x^2 + 1) + 4)/(a^5\*x + a^4)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.01, size = 100, normalized size = 1.52

$$-\frac{\sqrt{-a^2x^2+1}x}{2a^3} + \frac{3 \arctan\left(\frac{\sqrt{a^2}x}{\sqrt{-a^2x^2+1}}\right)}{2\sqrt{a^2}a^3} + \frac{\sqrt{-a^2x^2+1}}{a^4} + \frac{\sqrt{-\left(x + \frac{1}{a}\right)^2 a^2 + 2\left(x + \frac{1}{a}\right)a}}{\left(x + \frac{1}{a}\right)a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a\*x+1)/(-a^2\*x^2+1)^(1/2),x)

[Out] -1/2/a^3\*x\*(-a^2\*x^2+1)^(1/2)+3/2/a^3/(a^2)^(1/2)\*arctan((a^2)^(1/2)/(-a^2\*x^2+1)^(1/2)\*x)+1/a^4\*(-a^2\*x^2+1)^(1/2)+1/a^5/(x+1/a)\*(-(x+1/a)^2\*a^2+2\*(x+1/a)\*a)^(1/2)

**maxima** [A] time = 0.98, size = 68, normalized size = 1.03

$$\frac{\sqrt{-a^2x^2+1}}{a^5x+a^4} - \frac{\sqrt{-a^2x^2+1}x}{2a^3} + \frac{3 \arcsin(ax)}{2a^4} + \frac{\sqrt{-a^2x^2+1}}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] sqrt(-a^2\*x^2 + 1)/(a^5\*x + a^4) - 1/2\*sqrt(-a^2\*x^2 + 1)\*x/a^3 + 3/2\*arcsin(a\*x)/a^4 + sqrt(-a^2\*x^2 + 1)/a^4

**mupad [B]** time = 0.07, size = 116, normalized size = 1.76

$$\frac{3 \operatorname{asinh}\left(x \sqrt{-a^2}\right)}{2 a^3 \sqrt{-a^2}} - \frac{\left(\frac{1}{a^2 \sqrt{-a^2}} + \frac{x \sqrt{-a^2}}{2 a^3}\right) \sqrt{1 - a^2 x^2}}{\sqrt{-a^2}} - \frac{\sqrt{1 - a^2 x^2}}{a^3 \left(x \sqrt{-a^2} + \frac{\sqrt{-a^2}}{a}\right) \sqrt{-a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(((1 - a^2\*x^2)^(1/2))\*(a\*x + 1)),x)

[Out] (3\*asinh(x\*(-a^2)^(1/2)))/(2\*a^3\*(-a^2)^(1/2)) - ((1/(a^2\*(-a^2)^(1/2)) + (x\*(-a^2)^(1/2))/(2\*a^3))\*(1 - a^2\*x^2)^(1/2))/(-a^2)^(1/2) - (1 - a^2\*x^2)^(1/2)/(a^3\*(x\*(-a^2)^(1/2) + (-a^2)^(1/2)/a)\*(-a^2)^(1/2))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{-(ax-1)(ax+1)}(ax+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(a\*x+1)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*3/(sqrt(-(a\*x - 1)\*(a\*x + 1))\*(a\*x + 1)), x)

$$3.151 \quad \int \frac{x^2}{(1+ax)\sqrt{1-a^2x^2}} dx$$

**Optimal.** Leaf size=55

$$-\frac{\sin^{-1}(ax)}{a^3} - \frac{\sqrt{1-a^2x^2}}{a^3(ax+1)} - \frac{\sqrt{1-a^2x^2}}{a^3}$$

**Rubi [A]** time = 0.09, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {1639, 12, 793, 216}

$$-\frac{\sqrt{1-a^2x^2}}{a^3(ax+1)} - \frac{\sqrt{1-a^2x^2}}{a^3} - \frac{\sin^{-1}(ax)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[x^2/((1 + a\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] -(Sqrt[1 - a^2\*x^2]/a^3) - Sqrt[1 - a^2\*x^2]/(a^3\*(1 + a\*x)) - ArcSin[a\*x]/a^3

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 793

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[(m\*(g\*c\*d + c\*e\*f) + 2\*e\*c\*f\*(p + 1))/(e\*(2\*c\*d)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2\*p + 2, 0]) && NeQ[m + p + 1, 0]

#### Rule 1639

Int[(Pq\_)\*((d\_) + (e\_.)\*(x\_))^(m\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(d + e\*x

)^(m + q - 1)\*(a + c\*x^2)^(p + 1)/(c\*e^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(c\*e^q\*(m + q + 2\*p + 1)), Int[(d + e\*x)^m\*(a + c\*x^2)^p\*ExpandToSum[c\*e^q\*(m + q + 2\*p + 1)\*Pq - c\*f\*(m + q + 2\*p + 1)\*(d + e\*x)^q - 2\*e\*f\*(m + p + q)\*(d + e\*x)^(q - 2)\*(a\*e - c\*d\*x), x], x], x] /; NeQ[m + q + 2\*p + 1, 0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rubi steps

$$\begin{aligned} \int \frac{x^2}{(1+ax)\sqrt{1-a^2x^2}} dx &= -\frac{\sqrt{1-a^2x^2}}{a^3} - \frac{\int \frac{a^3x}{(1+ax)\sqrt{1-a^2x^2}} dx}{a^4} \\ &= -\frac{\sqrt{1-a^2x^2}}{a^3} - \frac{\int \frac{x}{(1+ax)\sqrt{1-a^2x^2}} dx}{a} \\ &= -\frac{\sqrt{1-a^2x^2}}{a^3} - \frac{\sqrt{1-a^2x^2}}{a^3(1+ax)} - \frac{\int \frac{1}{\sqrt{1-a^2x^2}} dx}{a^2} \\ &= -\frac{\sqrt{1-a^2x^2}}{a^3} - \frac{\sqrt{1-a^2x^2}}{a^3(1+ax)} - \frac{\sin^{-1}(ax)}{a^3} \end{aligned}$$

**Mathematica** [A] time = 0.05, size = 37, normalized size = 0.67

$$-\frac{\frac{\sqrt{1-a^2x^2}(ax+2)}{ax+1} + \sin^{-1}(ax)}{a^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((1 + a\*x)\*Sqrt[1 - a^2\*x^2]), x]

[Out] -((((2 + a\*x)\*Sqrt[1 - a^2\*x^2])/(1 + a\*x) + ArcSin[a\*x])/a^3)

**IntegrateAlgebraic** [A] time = 0.32, size = 74, normalized size = 1.35

$$\frac{(-ax - 2)\sqrt{1 - a^2x^2}}{a^3(ax + 1)} - \frac{\sqrt{-a^2} \log\left(\sqrt{1 - a^2x^2} - \sqrt{-a^2} x\right)}{a^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((1 + a\*x)\*Sqrt[1 - a^2\*x^2]), x]

[Out]  $((-2 - a*x)*\text{Sqrt}[1 - a^2*x^2])/(a^3*(1 + a*x)) - (\text{Sqrt}[-a^2]*\text{Log}[-(\text{Sqrt}[-a^2]*x) + \text{Sqrt}[1 - a^2*x^2]])/a^4$

**fricas** [A] time = 0.40, size = 66, normalized size = 1.20

$$\frac{2ax - 2(ax + 1) \arctan\left(\frac{\sqrt{-a^2x^2+1}-1}{ax}\right) + \sqrt{-a^2x^2+1}(ax + 2) + 2}{a^4x + a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a*x+1)/(-a^2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out]  $-(2*a*x - 2*(a*x + 1)*\arctan((\text{sqrt}(-a^2*x^2 + 1) - 1)/(a*x)) + \text{sqrt}(-a^2*x^2 + 1)*(a*x + 2) + 2)/(a^4*x + a^3)$

**giac** [A] time = 0.20, size = 70, normalized size = 1.27

$$-\frac{\arcsin(ax) \operatorname{sgn}(a)}{a^2|a|} - \frac{\sqrt{-a^2x^2+1}}{a^3} + \frac{2}{a^2\left(\frac{\sqrt{-a^2x^2+1}|a|+a}{a^2x} + 1\right)|a|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a*x+1)/(-a^2*x^2+1)^(1/2),x, algorithm="giac")`

[Out]  $-\arcsin(a*x)*\operatorname{sgn}(a)/(a^2*\operatorname{abs}(a)) - \text{sqrt}(-a^2*x^2 + 1)/a^3 + 2/(a^2*((\text{sqrt}(-a^2*x^2 + 1)*\operatorname{abs}(a) + a)/(a^2*x) + 1)*\operatorname{abs}(a))$

**maple** [A] time = 0.01, size = 84, normalized size = 1.53

$$\frac{\arctan\left(\frac{\sqrt{a^2}x}{\sqrt{-a^2x^2+1}}\right)}{\sqrt{a^2}a^2} - \frac{\sqrt{-a^2x^2+1}}{a^3} - \frac{\sqrt{-\left(x + \frac{1}{a}\right)^2 a^2 + 2\left(x + \frac{1}{a}\right)a}}{\left(x + \frac{1}{a}\right)a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a*x+1)/(-a^2*x^2+1)^(1/2),x)`

[Out]  $-(a^2*x^2+1)^(1/2)/a^3-1/(a^2)^(1/2)/a^2*\arctan((a^2)^(1/2)/(-a^2*x^2+1)^(1/2)*x)-1/a^4/(x+1/a)*(-(x+1/a)^2*a^2+2*(x+1/a)*a)^(1/2)$

**maxima** [A] time = 0.98, size = 52, normalized size = 0.95

$$-\frac{\sqrt{-a^2x^2+1}}{a^4x + a^3} - \frac{\arcsin(ax)}{a^3} - \frac{\sqrt{-a^2x^2+1}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] -sqrt(-a^2\*x^2 + 1)/(a^4\*x + a^3) - arcsin(a\*x)/a^3 - sqrt(-a^2\*x^2 + 1)/a^3

mupad [B] time = 0.07, size = 84, normalized size = 1.53

$$\frac{\sqrt{1-a^2x^2}}{\left(a\sqrt{-a^2}+a^2x\sqrt{-a^2}\right)\sqrt{-a^2}} - \frac{\operatorname{asinh}\left(x\sqrt{-a^2}\right)}{a^2\sqrt{-a^2}} - \frac{\sqrt{1-a^2x^2}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((1 - a^2\*x^2)^(1/2)\*(a\*x + 1)),x)

[Out] (1 - a^2\*x^2)^(1/2)/((a\*(-a^2)^(1/2) + a^2\*x\*(-a^2)^(1/2))\*(-a^2)^(1/2)) - asinh(x\*(-a^2)^(1/2))/(a^2\*(-a^2)^(1/2)) - (1 - a^2\*x^2)^(1/2)/a^3

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{-(ax-1)(ax+1)}(ax+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(a\*x+1)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(x\*\*2/(sqrt(-(a\*x - 1)\*(a\*x + 1))\*(a\*x + 1)), x)



$$3.152 \quad \int \frac{x}{(1+ax)\sqrt{1-a^2x^2}} dx$$

Optimal. Leaf size=34

$$\frac{\sqrt{1-a^2x^2}}{a^2(ax+1)} + \frac{\sin^{-1}(ax)}{a^2}$$

Rubi [A] time = 0.02, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {793, 216}

$$\frac{\sqrt{1-a^2x^2}}{a^2(ax+1)} + \frac{\sin^{-1}(ax)}{a^2}$$

Antiderivative was successfully verified.

[In] Int[x/((1 + a\*x)\*Sqrt[1 - a^2\*x^2]), x]

[Out] Sqrt[1 - a^2\*x^2]/(a^2\*(1 + a\*x)) + ArcSin[a\*x]/a^2

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 793

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[(m\*(g\*c\*d + c\*e\*f) + 2\*e\*c\*f\*(p + 1))/(e\*(2\*c\*d)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2\*p + 2, 0]) && NeQ[m + p + 1, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{x}{(1+ax)\sqrt{1-a^2x^2}} dx &= \frac{\sqrt{1-a^2x^2}}{a^2(1+ax)} + \int \frac{1}{\sqrt{1-a^2x^2}} dx \\ &= \frac{\sqrt{1-a^2x^2}}{a^2(1+ax)} + \frac{\sin^{-1}(ax)}{a^2} \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 31, normalized size = 0.91

$$\frac{\frac{\sqrt{1-a^2x^2}}{ax+1} + \sin^{-1}(ax)}{a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/((1 + a\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] (Sqrt[1 - a^2\*x^2]/(1 + a\*x) + ArcSin[a\*x])/a^2

**IntegrateAlgebraic [A]** time = 0.34, size = 67, normalized size = 1.97

$$\frac{\sqrt{1-a^2x^2}}{a^2(ax+1)} + \frac{\sqrt{-a^2} \log\left(\sqrt{1-a^2x^2} - \sqrt{-a^2}x\right)}{a^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((1 + a\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] Sqrt[1 - a^2\*x^2]/(a^2\*(1 + a\*x)) + (Sqrt[-a^2]\*Log[-(Sqrt[-a^2]\*x) + Sqrt[1 - a^2\*x^2]])/a^3

**fricas [A]** time = 0.41, size = 58, normalized size = 1.71

$$\frac{ax - 2(ax + 1) \arctan\left(\frac{\sqrt{-a^2x^2+1}-1}{ax}\right) + \sqrt{-a^2x^2+1} + 1}{a^3x + a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] (a\*x - 2\*(a\*x + 1)\*arctan((sqrt(-a^2\*x^2 + 1) - 1)/(a\*x)) + sqrt(-a^2\*x^2 + 1) + 1)/(a^3\*x + a^2)

**giac [A]** time = 0.22, size = 52, normalized size = 1.53

$$\frac{\arcsin(ax) \operatorname{sgn}(a)}{a|a|} - \frac{2}{a\left(\frac{\sqrt{-a^2x^2+1}|a|+a}{a^2x} + 1\right)|a|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out]  $\arcsin(ax) \cdot \operatorname{sgn}(a) / (a \cdot \operatorname{abs}(a)) - 2 / (a \cdot ((\sqrt{-a^2 x^2 + 1}) \cdot \operatorname{abs}(a) + a) / (a^2 x + 1) \cdot \operatorname{abs}(a))$

**maple** [A] time = 0.01, size = 65, normalized size = 1.91

$$\frac{\arctan\left(\frac{\sqrt{a^2} x}{\sqrt{-a^2 x^2 + 1}}\right)}{\sqrt{a^2} a} + \frac{\sqrt{-\left(x + \frac{1}{a}\right)^2 a^2 + 2\left(x + \frac{1}{a}\right) a}}{\left(x + \frac{1}{a}\right) a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}(x/(a*x+1)/(-a^2*x^2+1)^{(1/2)}, x)$

[Out]  $1/a/(a^2)^{(1/2)} \cdot \arctan((a^2)^{(1/2)} / (-a^2*x^2+1)^{(1/2)} * x) + 1/a^3 / (x+1/a) * (-x+1/a)^2 * a^2 + 2 * (x+1/a) * a)^{(1/2)}$

**maxima** [A] time = 0.99, size = 33, normalized size = 0.97

$$\frac{\sqrt{-a^2 x^2 + 1}}{a^3 x + a^2} + \frac{\arcsin(ax)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{integrate}(x/(a*x+1)/(-a^2*x^2+1)^{(1/2)}, x, \operatorname{algorithm}="maxima")$

[Out]  $\sqrt{-a^2*x^2 + 1} / (a^3*x + a^2) + \arcsin(ax) / a^2$

**mupad** [B] time = 2.60, size = 57, normalized size = 1.68

$$\frac{1}{a^2 \sqrt{1 - a^2 x^2}} - \frac{x}{a \sqrt{1 - a^2 x^2}} - \frac{\operatorname{asinh}\left(x \sqrt{-a^2}\right) \sqrt{-a^2}}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}(x/((1 - a^2*x^2)^{(1/2)}*(a*x + 1)), x)$

[Out]  $1/(a^2*(1 - a^2*x^2)^{(1/2)}) - x/(a*(1 - a^2*x^2)^{(1/2)}) - (\operatorname{asinh}(x*(-a^2)^{(1/2)})*(-a^2)^{(1/2)})/a^3$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{-(ax-1)(ax+1)}(ax+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{integrate}(x/(a*x+1)/(-a**2*x**2+1)**(1/2), x)$

[Out]  $\operatorname{Integral}(x/(\sqrt{-(a*x - 1)*(a*x + 1)}*(a*x + 1)), x)$

$$3.153 \quad \int \frac{1}{(1+ax)\sqrt{1-a^2x^2}} dx$$

Optimal. Leaf size=26

$$-\frac{\sqrt{1-a^2x^2}}{a(ax+1)}$$

**Rubi [A]** time = 0.01, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {651}

$$-\frac{\sqrt{1-a^2x^2}}{a(ax+1)}$$

Antiderivative was successfully verified.

[In] Int[1/((1 + a\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] -(Sqrt[1 - a^2\*x^2]/(a\*(1 + a\*x)))

Rule 651

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + 2\*p + 2, 0]

Rubi steps

$$\int \frac{1}{(1+ax)\sqrt{1-a^2x^2}} dx = -\frac{\sqrt{1-a^2x^2}}{a(1+ax)}$$

**Mathematica [A]** time = 0.01, size = 25, normalized size = 0.96

$$-\frac{\sqrt{1-a^2x^2}}{a^2x+a}$$

Antiderivative was successfully verified.

[In] Integrate[1/((1 + a\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] -(Sqrt[1 - a^2\*x^2]/(a + a^2\*x))

**IntegrateAlgebraic** [A] time = 0.32, size = 26, normalized size = 1.00

$$-\frac{\sqrt{1-a^2x^2}}{a(ax+1)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((1+a\*x)\*Sqrt[1-a^2\*x^2]),x]

[Out] -(Sqrt[1-a^2\*x^2]/(a\*(1+a\*x)))

**fricas** [A] time = 0.39, size = 28, normalized size = 1.08

$$-\frac{ax + \sqrt{-a^2x^2 + 1} + 1}{a^2x + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] -(a\*x + sqrt(-a^2\*x^2 + 1) + 1)/(a^2\*x + a)

**giac** [A] time = 0.20, size = 34, normalized size = 1.31

$$\frac{2}{\left(\frac{\sqrt{-a^2x^2+1}|a+a}{a^2x} + 1\right)|a|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] 2/(((sqrt(-a^2\*x^2 + 1)\*abs(a) + a)/(a^2\*x) + 1)\*abs(a))

**maple** [A] time = 0.01, size = 22, normalized size = 0.85

$$\frac{ax - 1}{\sqrt{-a^2x^2 + 1} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a\*x+1)/(-a^2\*x^2+1)^(1/2),x)

[Out] (a\*x-1)/a/(-a^2\*x^2+1)^(1/2)

**maxima** [A] time = 0.97, size = 23, normalized size = 0.88

$$-\frac{\sqrt{-a^2x^2 + 1}}{a^2x + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] -sqrt(-a^2\*x^2 + 1)/(a^2\*x + a)

mupad [B] time = 2.59, size = 23, normalized size = 0.88

$$-\frac{\sqrt{1 - a^2 x^2}}{x a^2 + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1 - a^2\*x^2)^(1/2)\*(a\*x + 1)),x)

[Out] -(1 - a^2\*x^2)^(1/2)/(a + a^2\*x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(ax - 1)(ax + 1)} (ax + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a\*x+1)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(1/(sqrt(-(a\*x - 1)\*(a\*x + 1))\*(a\*x + 1)), x)

$$3.154 \quad \int \frac{1}{x(1-ax)\sqrt{1-a^2x^2}} dx$$

Optimal. Leaf size=41

$$\frac{\sqrt{1-a^2x^2}}{1-ax} - \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)$$

Rubi [A] time = 0.04, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {857, 12, 266, 63, 208}

$$\frac{\sqrt{1-a^2x^2}}{1-ax} - \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(1 - a\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] Sqrt[1 - a^2\*x^2]/(1 - a\*x) - ArcTanh[Sqrt[1 - a^2\*x^2]]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :=> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :=> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 857

```
Int[(((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{x(1-ax)\sqrt{1-a^2x^2}} dx &= \frac{\sqrt{1-a^2x^2}}{1-ax} + \frac{\int \frac{a^2}{x\sqrt{1-a^2x^2}} dx}{a^2} \\
 &= \frac{\sqrt{1-a^2x^2}}{1-ax} + \int \frac{1}{x\sqrt{1-a^2x^2}} dx \\
 &= \frac{\sqrt{1-a^2x^2}}{1-ax} + \frac{1}{2} \text{Subst} \left( \int \frac{1}{x\sqrt{1-a^2x}} dx, x, x^2 \right) \\
 &= \frac{\sqrt{1-a^2x^2}}{1-ax} - \frac{\text{Subst} \left( \int \frac{1}{\frac{1}{a^2} - x^2} dx, x, \sqrt{1-a^2x^2} \right)}{a^2} \\
 &= \frac{\sqrt{1-a^2x^2}}{1-ax} - \tanh^{-1} \left( \sqrt{1-a^2x^2} \right)
 \end{aligned}$$

**Mathematica** [A] time = 0.03, size = 41, normalized size = 1.00

$$\frac{\sqrt{1-a^2x^2}}{1-ax} - \tanh^{-1} \left( \sqrt{1-a^2x^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(1 - a\*x)\*Sqrt[1 - a^2\*x^2]), x]

[Out] Sqrt[1 - a^2\*x^2]/(1 - a\*x) - ArcTanh[Sqrt[1 - a^2\*x^2]]

**IntegrateAlgebraic** [A] time = 0.45, size = 55, normalized size = 1.34

$$\frac{\sqrt{1-a^2x^2}}{1-ax} + 2 \tanh^{-1} \left( \sqrt{-a^2} x - \sqrt{1-a^2x^2} \right)$$

Antiderivative was successfully verified.



[In] IntegrateAlgebraic[1/(x\*(1 - a\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] Sqrt[1 - a^2\*x^2]/(1 - a\*x) + 2\*ArcTanh[Sqrt[-a^2]\*x - Sqrt[1 - a^2\*x^2]]

**fricas** [A] time = 0.40, size = 52, normalized size = 1.27

$$\frac{ax + (ax - 1) \log\left(\frac{\sqrt{-a^2x^2+1}-1}{x}\right) - \sqrt{-a^2x^2+1} - 1}{ax - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] (a\*x + (a\*x - 1)\*log((sqrt(-a^2\*x^2 + 1) - 1)/x) - sqrt(-a^2\*x^2 + 1) - 1)/(a\*x - 1)

**giac** [A] time = 0.21, size = 74, normalized size = 1.80

$$-\frac{a \log\left(\frac{|-2\sqrt{-a^2x^2+1}|a|-2a|}{2a^2|x|}\right)}{|a|} + \frac{2a}{\left(\frac{\sqrt{-a^2x^2+1}|a|+a}{a^2x} - 1\right)|a|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] -a\*log(1/2\*abs(-2\*sqrt(-a^2\*x^2 + 1)\*abs(a) - 2\*a)/(a^2\*abs(x)))/abs(a) + 2\*a/(((sqrt(-a^2\*x^2 + 1)\*abs(a) + a)/(a^2\*x) - 1)\*abs(a))

**maple** [A] time = 0.01, size = 58, normalized size = 1.41

$$-\operatorname{arctanh}\left(\frac{1}{\sqrt{-a^2x^2+1}}\right) - \frac{\sqrt{-\left(x - \frac{1}{a}\right)^2 a^2 - 2\left(x - \frac{1}{a}\right)a}}{\left(x - \frac{1}{a}\right)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(-a\*x+1)/(-a^2\*x^2+1)^(1/2),x)

[Out] -1/a/(x-1/a)\*(-(x-1/a)^2\*a^2-2\*(x-1/a)\*a)^(1/2)-arctanh(1/(-a^2\*x^2+1)^(1/2))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{1}{\sqrt{-a^2x^2+1}(ax-1)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] -integrate(1/(sqrt(-a^2\*x^2 + 1)\*(a\*x - 1)\*x), x)

mupad [B] time = 2.65, size = 58, normalized size = 1.41

$$\frac{a \sqrt{1 - a^2 x^2}}{\sqrt{-a^2} \left( \frac{a}{\sqrt{-a^2}} + x \sqrt{-a^2} \right)} - \operatorname{atanh} \left( \sqrt{1 - a^2 x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-1/(x\*(1 - a^2\*x^2)^(1/2)\*(a\*x - 1)),x)

[Out] (a\*(1 - a^2\*x^2)^(1/2))/((-a^2)^(1/2)\*(a/(-a^2)^(1/2) + x\*(-a^2)^(1/2))) -  
atanh((1 - a^2\*x^2)^(1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{1}{ax^2 \sqrt{-a^2 x^2 + 1} - x \sqrt{-a^2 x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(-a\*x+1)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] -Integral(1/(a\*x\*\*2\*sqrt(-a\*\*2\*x\*\*2 + 1) - x\*sqrt(-a\*\*2\*x\*\*2 + 1)), x)

$$3.155 \quad \int \frac{1}{x^2(1-ax)\sqrt{1-a^2x^2}} dx$$

Optimal. Leaf size=64

$$-\frac{2\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x(1-ax)} - a \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)$$

**Rubi [A]** time = 0.05, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {857, 807, 266, 63, 208}

$$-\frac{2\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x(1-ax)} - a \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(1 - a\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] (-2\*Sqrt[1 - a^2\*x^2])/x + Sqrt[1 - a^2\*x^2]/(x\*(1 - a\*x)) - a\*ArcTanh[Sqrt[1 - a^2\*x^2]]

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))

```
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 857

```
Int[(((f_.) + (g_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{x^2(1-ax)\sqrt{1-a^2x^2}} dx &= \frac{\sqrt{1-a^2x^2}}{x(1-ax)} - \frac{\int \frac{-2a^2-a^3x}{x^2\sqrt{1-a^2x^2}} dx}{a^2} \\ &= -\frac{2\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x(1-ax)} + a \int \frac{1}{x\sqrt{1-a^2x^2}} dx \\ &= -\frac{2\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x(1-ax)} + \frac{1}{2}a \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1-a^2x}} dx, x, x^2\right) \\ &= -\frac{2\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x(1-ax)} - \frac{\operatorname{Subst}\left(\int \frac{1}{\frac{1}{a^2}\frac{x^2}{a^2}} dx, x, \sqrt{1-a^2x^2}\right)}{a} \\ &= -\frac{2\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x(1-ax)} - a \tanh^{-1}\left(\sqrt{1-a^2x^2}\right) \end{aligned}$$

**Mathematica** [A] time = 0.04, size = 50, normalized size = 0.78

$$\frac{(1-2ax)\sqrt{1-a^2x^2}}{x(ax-1)} - a \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(x^2*(1 - a*x)*Sqrt[1 - a^2*x^2]), x]
```

```
[Out] ((1 - 2*a*x)*Sqrt[1 - a^2*x^2])/(x*(-1 + a*x)) - a*ArcTanh[Sqrt[1 - a^2*x^2]]
```

**IntegrateAlgebraic [A]** time = 0.44, size = 64, normalized size = 1.00

$$\frac{\sqrt{1-a^2x^2}(1-2ax)}{x(ax-1)} + 2a \tanh^{-1}\left(\sqrt{-a^2}x - \sqrt{1-a^2x^2}\right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^2\*(1-a\*x)\*Sqrt[1-a^2\*x^2]),x]

[Out] ((1-2\*a\*x)\*Sqrt[1-a^2\*x^2])/(x\*(-1+a\*x)) + 2\*a\*ArcTanh[Sqrt[-a^2]\*x - Sqrt[1-a^2\*x^2]]

**fricas [A]** time = 0.40, size = 76, normalized size = 1.19

$$\frac{a^2x^2 - ax + (a^2x^2 - ax) \log\left(\frac{\sqrt{-a^2x^2+1}-1}{x}\right) - \sqrt{-a^2x^2+1}(2ax-1)}{ax^2 - x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(-a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] (a^2\*x^2 - a\*x + (a^2\*x^2 - a\*x)\*log((sqrt(-a^2\*x^2 + 1) - 1)/x) - sqrt(-a^2\*x^2 + 1)\*(2\*a\*x - 1))/(a\*x^2 - x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(-a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [A]** time = 0.01, size = 73, normalized size = 1.14

$$-a \operatorname{arctanh}\left(\frac{1}{\sqrt{-a^2x^2+1}}\right) - \frac{\sqrt{-a^2x^2+1}}{x} - \frac{\sqrt{-\left(x-\frac{1}{a}\right)^2 a^2 - 2\left(x-\frac{1}{a}\right)a}}{x-\frac{1}{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(-a\*x+1)/(-a^2\*x^2+1)^(1/2),x)

[Out]  $-1/(x-1/a)*(-(x-1/a)^2*a^2-2*(x-1/a)*a)^{(1/2)}-(-a^2*x^2+1)^{(1/2)}/x-a*\arctan h(1/(-a^2*x^2+1)^{(1/2)})$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{1}{\sqrt{-a^2x^2+1}(ax-1)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(-a*x+1)/(-a^2*x^2+1)^(1/2),x, algorithm="maxima")`

[Out] `-integrate(1/(sqrt(-a^2*x^2+1)*(a*x-1)*x^2), x)`

**mupad** [B] time = 2.59, size = 81, normalized size = 1.27

$$\frac{a^2 \sqrt{1-a^2x^2}}{\left(x \sqrt{-a^2} - \frac{\sqrt{-a^2}}{a}\right) \sqrt{-a^2}} - \frac{\sqrt{1-a^2x^2}}{x} - a \operatorname{atanh}\left(\sqrt{1-a^2x^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-1/(x^2*(1-a^2*x^2)^(1/2)*(a*x-1)),x)`

[Out]  $(a^2*(1-a^2*x^2)^{(1/2)})/((x*(-a^2)^{(1/2)}-(-a^2)^{(1/2)}/a)*(-a^2)^{(1/2)}) - (1-a^2*x^2)^{(1/2)}/x - a*\operatorname{atanh}((1-a^2*x^2)^{(1/2)})$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{1}{ax^3\sqrt{-a^2x^2+1}-x^2\sqrt{-a^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(-a*x+1)/(-a**2*x**2+1)**(1/2),x)`

[Out] `-Integral(1/(a*x**3*sqrt(-a**2*x**2+1)-x**2*sqrt(-a**2*x**2+1)), x)`

$$3.156 \quad \int \frac{1}{x^3(1-ax)\sqrt{1-a^2x^2}} dx$$

Optimal. Leaf size=90

$$-\frac{2a\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x^2(1-ax)} - \frac{3\sqrt{1-a^2x^2}}{2x^2} - \frac{3}{2}a^2 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)$$

**Rubi [A]** time = 0.08, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {857, 835, 807, 266, 63, 208}

$$-\frac{2a\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x^2(1-ax)} - \frac{3\sqrt{1-a^2x^2}}{2x^2} - \frac{3}{2}a^2 \tanh^{-1}\left(\sqrt{1-a^2x^2}\right)$$

Antiderivative was successfully verified.

[In] Int[1/(x^3\*(1 - a\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] (-3\*Sqrt[1 - a^2\*x^2])/(2\*x^2) - (2\*a\*Sqrt[1 - a^2\*x^2])/x + Sqrt[1 - a^2\*x^2]/(x^2\*(1 - a\*x)) - (3\*a^2\*ArcTanh[Sqrt[1 - a^2\*x^2]])/2

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))

```
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 835

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 857

```
Int[((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_.)/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[(d*(f + g*x)^(n + 1)*(a + c*x^2)^(p + 1))/(2*a*p*(e*f - d*g)*(d + e*x)), x] + Dist[1/(p*(2*c*d)*(e*f - d*g)), Int[(f + g*x)^n*(a + c*x^2)^p*(c*e*f*(2*p + 1) - c*d*g*(n + 2*p + 1) + c*e*g*(n + 2*p + 2)*x), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[n, 0] && ILtQ[n + 2*p, 0] && !IGtQ[n, 0]
```

### Rubi steps



$$\begin{aligned}
\int \frac{1}{x^3(1-ax)\sqrt{1-a^2x^2}} dx &= \frac{\sqrt{1-a^2x^2}}{x^2(1-ax)} - \frac{\int \frac{-3a^2-2a^3x}{x^3\sqrt{1-a^2x^2}} dx}{a^2} \\
&= -\frac{3\sqrt{1-a^2x^2}}{2x^2} + \frac{\sqrt{1-a^2x^2}}{x^2(1-ax)} + \frac{\int \frac{4a^3+3a^4x}{x^2\sqrt{1-a^2x^2}} dx}{2a^2} \\
&= -\frac{3\sqrt{1-a^2x^2}}{2x^2} - \frac{2a\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x^2(1-ax)} + \frac{1}{2}(3a^2) \int \frac{1}{x\sqrt{1-a^2x^2}} dx \\
&= -\frac{3\sqrt{1-a^2x^2}}{2x^2} - \frac{2a\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x^2(1-ax)} + \frac{1}{4}(3a^2) \text{Subst} \left( \int \frac{1}{x\sqrt{1-a^2x}} dx, x \right) \\
&= -\frac{3\sqrt{1-a^2x^2}}{2x^2} - \frac{2a\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x^2(1-ax)} - \frac{3}{2} \text{Subst} \left( \int \frac{1}{\frac{1}{a^2} - \frac{x^2}{a^2}} dx, x, \sqrt{1-a^2x} \right) \\
&= -\frac{3\sqrt{1-a^2x^2}}{2x^2} - \frac{2a\sqrt{1-a^2x^2}}{x} + \frac{\sqrt{1-a^2x^2}}{x^2(1-ax)} - \frac{3}{2} a^2 \tanh^{-1} \left( \sqrt{1-a^2x^2} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 63, normalized size = 0.70

$$\frac{1}{2} \left( \frac{(-4a^2x^2 + ax + 1)\sqrt{1-a^2x^2}}{x^2(ax-1)} - 3a^2 \tanh^{-1} \left( \sqrt{1-a^2x^2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3\*(1-a\*x)\*Sqrt[1-a^2\*x^2]),x]

[Out] (((1+a\*x-4\*a^2\*x^2)\*Sqrt[1-a^2\*x^2])/(x^2\*(-1+a\*x))-3\*a^2\*ArcTanh[Sqrt[1-a^2\*x^2]])/2

**IntegrateAlgebraic [A]** time = 0.55, size = 76, normalized size = 0.84

$$\frac{(-4a^2x^2 + ax + 1)\sqrt{1-a^2x^2}}{2x^2(ax-1)} + 3a^2 \tanh^{-1} \left( \sqrt{-a^2}x - \sqrt{1-a^2x^2} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^3\*(1-a\*x)\*Sqrt[1-a^2\*x^2]),x]

[Out] ((1+a\*x-4\*a^2\*x^2)\*Sqrt[1-a^2\*x^2])/(2\*x^2\*(-1+a\*x))+3\*a^2\*ArcTanh[Sqrt[-a^2]\*x-Sqrt[1-a^2\*x^2]]

**fricas** [A] time = 0.40, size = 97, normalized size = 1.08

$$\frac{2a^3x^3 - 2a^2x^2 + 3(a^3x^3 - a^2x^2) \log\left(\frac{\sqrt{-a^2x^2+1}-1}{x}\right) - (4a^2x^2 - ax - 1)\sqrt{-a^2x^2+1}}{2(ax^3 - x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(-a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] 1/2\*(2\*a^3\*x^3 - 2\*a^2\*x^2 + 3\*(a^3\*x^3 - a^2\*x^2)\*log((sqrt(-a^2\*x^2 + 1) - 1)/x) - (4\*a^2\*x^2 - a\*x - 1)\*sqrt(-a^2\*x^2 + 1))/(a\*x^3 - x^2)

**giac** [B] time = 0.21, size = 213, normalized size = 2.37

$$\frac{\left(a^3 + \frac{3(\sqrt{-a^2x^2+1}|a|+a)}{x} - \frac{20(\sqrt{-a^2x^2+1}|a|+a)^2}{ax^2}\right)a^4x^2}{8(\sqrt{-a^2x^2+1}|a|+a)^2\left(\frac{\sqrt{-a^2x^2+1}|a|+a}{a^2x} - 1\right)|a|} - \frac{3a^3 \log\left(\frac{|-2\sqrt{-a^2x^2+1}|a|-2a|}{2a^2|x|}\right)}{2|a|} - \frac{\frac{4(\sqrt{-a^2x^2+1}|a|+a)|a|}{x} + \frac{(\sqrt{-a^2x^2+1}|a|+a)^2|a|}{ax^2}}{8a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(-a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out] -1/8\*(a^3 + 3\*(sqrt(-a^2\*x^2 + 1)\*abs(a) + a)\*a/x - 20\*(sqrt(-a^2\*x^2 + 1)\*abs(a) + a)^2/(a\*x^2))\*a^4\*x^2/((sqrt(-a^2\*x^2 + 1)\*abs(a) + a)^2\*((sqrt(-a^2\*x^2 + 1)\*abs(a) + a)/(a^2\*x) - 1)\*abs(a)) - 3/2\*a^3\*log(1/2\*abs(-2\*sqrt(-a^2\*x^2 + 1)\*abs(a) - 2\*a)/(a^2\*abs(x)))/abs(a) - 1/8\*(4\*(sqrt(-a^2\*x^2 + 1)\*abs(a) + a)\*a\*abs(a)/x + (sqrt(-a^2\*x^2 + 1)\*abs(a) + a)^2\*abs(a)/(a\*x^2))/a^2

**maple** [A] time = 0.01, size = 94, normalized size = 1.04

$$-\frac{3a^2 \operatorname{arctanh}\left(\frac{1}{\sqrt{-a^2x^2+1}}\right)}{2} - \frac{\sqrt{-\left(x - \frac{1}{a}\right)^2 a^2 - 2\left(x - \frac{1}{a}\right) a a}}{x - \frac{1}{a}} - \frac{\sqrt{-a^2x^2+1} a}{x} - \frac{\sqrt{-a^2x^2+1}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(-a\*x+1)/(-a^2\*x^2+1)^(1/2),x)

[Out] -a/(x-1/a)\*(-(x-1/a)^2\*a^2-2\*(x-1/a)\*a)^(1/2)-a\*(-a^2\*x^2+1)^(1/2)/x-1/2\*(-a^2\*x^2+1)^(1/2)/x^2-3/2\*a^2\*arctanh(1/(-a^2\*x^2+1)^(1/2))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{1}{\sqrt{-a^2x^2 + 1}(ax - 1)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(-a\*x+1)/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] -integrate(1/(sqrt(-a^2\*x^2 + 1)\*(a\*x - 1)\*x^3), x)

**mupad** [B] time = 2.61, size = 105, normalized size = 1.17

$$\frac{a^3 \sqrt{1 - a^2 x^2}}{\left(x \sqrt{-a^2} - \frac{\sqrt{-a^2}}{a}\right) \sqrt{-a^2}} - \frac{a \sqrt{1 - a^2 x^2}}{x} - \frac{\sqrt{1 - a^2 x^2}}{2x^2} + \frac{a^2 \operatorname{atan}\left(\sqrt{1 - a^2 x^2} \operatorname{li}\right) 3i}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-1/(x^3\*(1 - a^2\*x^2)^(1/2)\*(a\*x - 1)),x)

[Out] (a^2\*atan((1 - a^2\*x^2)^(1/2)\*1i)\*3i)/2 - (1 - a^2\*x^2)^(1/2)/(2\*x^2) - (a\*(1 - a^2\*x^2)^(1/2))/x + (a^3\*(1 - a^2\*x^2)^(1/2))/((x\*(-a^2)^(1/2) - (-a^2)^(1/2)/a)\*(-a^2)^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{1}{ax^4\sqrt{-a^2x^2 + 1} - x^3\sqrt{-a^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*3/(-a\*x+1)/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] -Integral(1/(a\*x\*\*4\*sqrt(-a\*\*2\*x\*\*2 + 1) - x\*\*3\*sqrt(-a\*\*2\*x\*\*2 + 1)), x)

$$3.157 \quad \int \frac{x^5 (d^2 - e^2 x^2)^{5/2}}{(d+ex)^2} dx$$

Optimal. Leaf size=229

$$-\frac{1}{9}x^6 (d^2 - e^2 x^2)^{3/2} + \frac{dx^5 (d^2 - e^2 x^2)^{3/2}}{4e} - \frac{5d^2 x^4 (d^2 - e^2 x^2)^{3/2}}{21e^2} - \frac{5d^9 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{64e^6} - \frac{5d^7 x \sqrt{d^2 - e^2 x^2}}{64e^5} - \frac{d^5 (256d - 315ex)}{2016e^6}$$

**Rubi [A]** time = 0.31, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1809, 833, 780, 195, 217, 203}

$$-\frac{5d^7 x \sqrt{d^2 - e^2 x^2}}{64e^5} - \frac{d^5 (256d - 315ex) (d^2 - e^2 x^2)^{3/2}}{2016e^6} - \frac{4d^4 x^2 (d^2 - e^2 x^2)^{3/2}}{21e^4} + \frac{5d^3 x^3 (d^2 - e^2 x^2)^{3/2}}{24e^3} - \frac{5d^2 x^4 (d^2 - e^2 x^2)^{3/2}}{21e^2} + \frac{dx^5 (d^2 - e^2 x^2)^{3/2}}{4e} - \frac{1}{9}x^6 (d^2 - e^2 x^2)^{3/2} - \frac{5d^9 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{64e^6}$$

Antiderivative was successfully verified.

[In] Int[(x^5\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (-5\*d^7\*x\*sqrt[d^2 - e^2\*x^2])/(64\*e^5) - (4\*d^4\*x^2\*(d^2 - e^2\*x^2)^(3/2))/(21\*e^4) + (5\*d^3\*x^3\*(d^2 - e^2\*x^2)^(3/2))/(24\*e^3) - (5\*d^2\*x^4\*(d^2 - e^2\*x^2)^(3/2))/(21\*e^2) + (d\*x^5\*(d^2 - e^2\*x^2)^(3/2))/(4\*e) - (x^6\*(d^2 - e^2\*x^2)^(3/2))/9 - (d^5\*(256\*d - 315\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(2016\*e^6) - (5\*d^9\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(64\*e^6)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 852

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^5 (d^2 - e^2 x^2)^{5/2}}{(d + ex)^2} dx &= \int x^5 (d - ex)^2 \sqrt{d^2 - e^2 x^2} dx \\
&= -\frac{1}{9} x^6 (d^2 - e^2 x^2)^{3/2} - \frac{\int x^5 (-15d^2 e^2 + 18de^3 x) \sqrt{d^2 - e^2 x^2} dx}{9e^2} \\
&= \frac{dx^5 (d^2 - e^2 x^2)^{3/2}}{4e} - \frac{1}{9} x^6 (d^2 - e^2 x^2)^{3/2} + \frac{\int x^4 (-90d^3 e^3 + 120d^2 e^4 x) \sqrt{d^2 - e^2 x^2} dx}{72e^4} \\
&= -\frac{5d^2 x^4 (d^2 - e^2 x^2)^{3/2}}{21e^2} + \frac{dx^5 (d^2 - e^2 x^2)^{3/2}}{4e} - \frac{1}{9} x^6 (d^2 - e^2 x^2)^{3/2} - \frac{\int x^3 (-480d^4 e^4 + 630d^3 e^5 x) \sqrt{d^2 - e^2 x^2} dx}{504e^6} \\
&= \frac{5d^3 x^3 (d^2 - e^2 x^2)^{3/2}}{24e^3} - \frac{5d^2 x^4 (d^2 - e^2 x^2)^{3/2}}{21e^2} + \frac{dx^5 (d^2 - e^2 x^2)^{3/2}}{4e} - \frac{1}{9} x^6 (d^2 - e^2 x^2)^{3/2} + \\
&= -\frac{4d^4 x^2 (d^2 - e^2 x^2)^{3/2}}{21e^4} + \frac{5d^3 x^3 (d^2 - e^2 x^2)^{3/2}}{24e^3} - \frac{5d^2 x^4 (d^2 - e^2 x^2)^{3/2}}{21e^2} + \frac{dx^5 (d^2 - e^2 x^2)^{3/2}}{4e} \\
&= -\frac{4d^4 x^2 (d^2 - e^2 x^2)^{3/2}}{21e^4} + \frac{5d^3 x^3 (d^2 - e^2 x^2)^{3/2}}{24e^3} - \frac{5d^2 x^4 (d^2 - e^2 x^2)^{3/2}}{21e^2} + \frac{dx^5 (d^2 - e^2 x^2)^{3/2}}{4e} \\
&= -\frac{5d^7 x \sqrt{d^2 - e^2 x^2}}{64e^5} - \frac{4d^4 x^2 (d^2 - e^2 x^2)^{3/2}}{21e^4} + \frac{5d^3 x^3 (d^2 - e^2 x^2)^{3/2}}{24e^3} - \frac{5d^2 x^4 (d^2 - e^2 x^2)^{3/2}}{21e^2} \\
&= -\frac{5d^7 x \sqrt{d^2 - e^2 x^2}}{64e^5} - \frac{4d^4 x^2 (d^2 - e^2 x^2)^{3/2}}{21e^4} + \frac{5d^3 x^3 (d^2 - e^2 x^2)^{3/2}}{24e^3} - \frac{5d^2 x^4 (d^2 - e^2 x^2)^{3/2}}{21e^2} \\
&= -\frac{5d^7 x \sqrt{d^2 - e^2 x^2}}{64e^5} - \frac{4d^4 x^2 (d^2 - e^2 x^2)^{3/2}}{21e^4} + \frac{5d^3 x^3 (d^2 - e^2 x^2)^{3/2}}{24e^3} - \frac{5d^2 x^4 (d^2 - e^2 x^2)^{3/2}}{21e^2}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 135, normalized size = 0.59

$$\frac{\sqrt{d^2 - e^2 x^2} (-512d^8 + 315d^7 ex - 256d^6 e^2 x^2 + 210d^5 e^3 x^3 - 192d^4 e^4 x^4 + 168d^3 e^5 x^5 + 512d^2 e^6 x^6 - 1008de^7 x^7 + 448e^8 x^8) - 315d^9 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{4032e^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-512\*d^8 + 315\*d^7\*e\*x - 256\*d^6\*e^2\*x^2 + 210\*d^5\*e^3\*x^3 - 192\*d^4\*e^4\*x^4 + 168\*d^3\*e^5\*x^5 + 512\*d^2\*e^6\*x^6 - 1008\*d\*e^7\*x^7 + 448\*e^8\*x^8) - 315\*d^9\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(4032\*e^6)

**IntegrateAlgebraic [A]** time = 0.73, size = 158, normalized size = 0.69

$$\frac{\sqrt{d^2 - e^2 x^2} (-512d^8 + 315d^7 ex - 256d^6 e^2 x^2 + 210d^5 e^3 x^3 - 192d^4 e^4 x^4 + 168d^3 e^5 x^5 + 512d^2 e^6 x^6 - 1008de^7 x^7 + 448e^8 x^8)}{4032e^6} - \frac{5d^9 \sqrt{-e^2} \log\left(\frac{\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x}{64e^7}\right)}{64e^7}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^5\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-512\*d^8 + 315\*d^7\*e\*x - 256\*d^6\*e^2\*x^2 + 210\*d^5\*e^3\*x^3 - 192\*d^4\*e^4\*x^4 + 168\*d^3\*e^5\*x^5 + 512\*d^2\*e^6\*x^6 - 1008\*d\*e^7\*x^7 + 448\*e^8\*x^8))/(4032\*e^6) - (5\*d^9\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(64\*e^7)

**fricas** [A] time = 0.40, size = 138, normalized size = 0.60

$$\frac{630 d^9 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) + (448 e^8 x^8 - 1008 d e^7 x^7 + 512 d^2 e^6 x^6 + 168 d^3 e^5 x^5 - 192 d^4 e^4 x^4 + 210 d^5 e^3 x^3 - 256 d^6 e^2 x^2 + 315 d^7 e x - 512 d^8) \sqrt{-e^2 x^2 + d^2}}{4032 e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="fricas")

[Out] 1/4032\*(630\*d^9\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (448\*e^8\*x^8 - 1008\*d\*e^7\*x^7 + 512\*d^2\*e^6\*x^6 + 168\*d^3\*e^5\*x^5 - 192\*d^4\*e^4\*x^4 + 210\*d^5\*e^3\*x^3 - 256\*d^6\*e^2\*x^2 + 315\*d^7\*e\*x - 512\*d^8)\*sqrt(-e^2\*x^2 + d^2))/e^6

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="giac")

[Out] sage0\*x

**maple** [A] time = 0.02, size = 375, normalized size = 1.64

$$\frac{5d^9 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{e x}\right)}{4\sqrt{d^2 - e^2 x^2}} - \frac{85d^9 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{d^2 - e^2 x^2}}\right)}{64\sqrt{d^2 - e^2 x^2}} - \frac{85\sqrt{-e^2 x^2 + d^2} d^7 x}{64e^6} - \frac{5\sqrt{2}\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 d^2 d^7 x}{4e^6} - \frac{85(-e^2 x^2 + d^2)^{3/2} d^7 x}{96e^6} - \frac{5\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 d^2 d^7 x}{6e^6} - \frac{17(-e^2 x^2 + d^2)^{3/2} d^7 x}{24e^6} - \frac{2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 d^2 d^7 x}{3e^6} - \frac{(-e^2 x^2 + d^2)^{3/2} d^7 x}{9e^6} - \frac{(-e^2 x^2 + d^2)^{3/2} d^7 x}{4e^6} - \frac{2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 d^2 d^7 x}{3\left(x + \frac{d}{e}\right)^2 d^7 x} - \frac{29(-e^2 x^2 + d^2)^{3/2} d^7 x}{63e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x)

[Out] -1/9/e^4\*x^2\*(-e^2\*x^2+d^2)^(7/2)-29/63\*d^2/e^6\*(-e^2\*x^2+d^2)^(7/2)+1/4/e^5\*d\*x\*(-e^2\*x^2+d^2)^(7/2)-17/24/e^5\*d^3\*x\*(-e^2\*x^2+d^2)^(5/2)-85/96/e^5\*d^5\*x\*(-e^2\*x^2+d^2)^(3/2)-85/64\*d^7\*x\*(-e^2\*x^2+d^2)^(1/2)/e^5-85/64/e^5\*d^9/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)+2/3/e^6\*d^4\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(5/2)+5/6/e^5\*d^5\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)\*x+5/4/e^5\*d^7\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x+5/4/e^5\*d^9/(e^2)^(1/2)

$/2) \cdot \arctan((e^2)^{1/2} / (2 \cdot (x+d/e) \cdot d \cdot e - (x+d/e)^2 \cdot e^2)^{1/2} \cdot x) - 1/3 \cdot d^4 / e^8 / (x+d/e)^2 \cdot (2 \cdot (x+d/e) \cdot d \cdot e - (x+d/e)^2 \cdot e^2)^{7/2}$

**maxima [C]** time = 1.07, size = 299, normalized size = 1.31

$$\frac{(-e^2x^2 + d^2)^{5/2}}{4(e^2x + de^6)} - \frac{5i d^6 \arcsin\left(\frac{x}{d}\right) + 2}{4e^6} - \frac{85 d^6 \arcsin\left(\frac{x}{d}\right)}{64e^6} + \frac{5\sqrt{e^2x^2 + 4dex + 3d^2}}{4e^6} - \frac{85\sqrt{-e^2x^2 + d^2} d^7 x}{64e^6} + \frac{5\sqrt{e^2x^2 + 4dex + 3d^2} d^6}{2e^6} + \frac{35(-e^2x^2 + d^2)^{3/2} d^5 x}{96e^6} - \frac{5(-e^2x^2 + d^2)^{3/2} d^4}{12e^6} - \frac{17(-e^2x^2 + d^2)^{3/2} d^3 x}{24e^6} - \frac{(-e^2x^2 + d^2)^{7/2} x^2}{9e^4} + \frac{(-e^2x^2 + d^2)^{5/2} d^4}{e^6} + \frac{(-e^2x^2 + d^2)^{3/2} d^2}{4e^6} - \frac{29(-e^2x^2 + d^2)^{7/2} d^2}{63e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="maxima")

[Out]  $-1/4 \cdot (-e^2x^2 + d^2)^{5/2} \cdot d^5 / (e^7x + d \cdot e^6) - 5/4 \cdot I \cdot d^9 \cdot \arcsin(e \cdot x / d + 2) / e^6 - 85/64 \cdot d^9 \cdot \arcsin(e \cdot x / d) / e^6 + 5/4 \cdot \sqrt{e^2x^2 + 4d \cdot e \cdot x + 3d^2} \cdot d^7 \cdot x / e^5 - 85/64 \cdot \sqrt{e^2x^2 + d^2} \cdot d^7 \cdot x / e^5 + 5/2 \cdot \sqrt{e^2x^2 + 4d \cdot e \cdot x + 3d^2} \cdot d^8 / e^6 + 35/96 \cdot (-e^2x^2 + d^2)^{3/2} \cdot d^5 \cdot x / e^5 - 5/12 \cdot (-e^2x^2 + d^2)^{3/2} \cdot d^6 / e^6 - 17/24 \cdot (-e^2x^2 + d^2)^{5/2} \cdot d^3 \cdot x / e^5 - 1/9 \cdot (-e^2x^2 + d^2)^{7/2} \cdot x^2 / e^4 + (-e^2x^2 + d^2)^{5/2} \cdot d^4 / e^6 + 1/4 \cdot (-e^2x^2 + d^2)^{7/2} \cdot d \cdot x / e^5 - 29/63 \cdot (-e^2x^2 + d^2)^{7/2} \cdot d^2 / e^6$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (d^2 - e^2 x^2)^{5/2}}{(d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x)

[Out] int((x^5\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2, x)

**sympy [A]** time = 17.48, size = 571, normalized size = 2.49

$$d^2 \left( \begin{cases} \frac{5d^6 \sqrt{e^2x^2 - d^2}}{105e^6} - \frac{4d^6 \sqrt{e^2x^2 - d^2}}{105d^4} - \frac{d^6 \sqrt{e^2x^2 - d^2}}{35e^2} + \frac{d^6 \sqrt{e^2x^2 - d^2}}{7} & \text{for } e \neq 0 \\ \frac{d^6 \sqrt{e^2x^2 - d^2}}{6} & \text{otherwise} \end{cases} - 2d^6 \left( \begin{cases} \left( -\frac{5d^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{128e^7} + \frac{5d^6 x}{128e^6 \sqrt{-1 + \frac{e^2x^2}{d^2}}} - \frac{5d^6 x^3}{384e^4 \sqrt{-1 + \frac{e^2x^2}{d^2}}} - \frac{d^6 x^5}{192e^2 \sqrt{-1 + \frac{e^2x^2}{d^2}}} - \frac{7d^6 x^7}{48 \sqrt{-1 + \frac{e^2x^2}{d^2}}} + \frac{d^6 x^9}{8d \sqrt{-1 + \frac{e^2x^2}{d^2}}} \right) & \text{for } \left| \frac{e^2x^2}{d^2} \right| > 1 \\ \left( \frac{5d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{128e^7} - \frac{5d^6 x}{128e^6 \sqrt{1 + \frac{e^2x^2}{d^2}}} + \frac{5d^6 x^3}{384e^4 \sqrt{1 + \frac{e^2x^2}{d^2}}} + \frac{d^6 x^5}{192e^2 \sqrt{1 + \frac{e^2x^2}{d^2}}} + \frac{7d^6 x^7}{48 \sqrt{1 + \frac{e^2x^2}{d^2}}} - \frac{d^6 x^9}{8d \sqrt{1 + \frac{e^2x^2}{d^2}}} \right) & \text{otherwise} \end{cases} \right) + d^2 \left( \begin{cases} \frac{16d^6 \sqrt{e^2x^2 - d^2}}{315e^6} - \frac{6d^6 \sqrt{e^2x^2 - d^2}}{315e^6} - \frac{2d^6 \sqrt{e^2x^2 - d^2}}{105d^4} - \frac{d^6 \sqrt{e^2x^2 - d^2}}{63e^2} + \frac{d^6 \sqrt{e^2x^2 - d^2}}{9} & \text{for } e \neq 0 \\ \frac{d^6 \sqrt{e^2x^2 - d^2}}{8} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d)\*\*2,x)

[Out]  $d^{**2} \cdot \text{Piecewise}((-8 \cdot d^{**6} \cdot \sqrt{d^{**2} - e^{**2} \cdot x^{**2}} / (105 \cdot e^{**6}) - 4 \cdot d^{**4} \cdot x^{**2} \cdot \sqrt{d^{**2} - e^{**2} \cdot x^{**2}} / (105 \cdot e^{**4}) - d^{**2} \cdot x^{**4} \cdot \sqrt{d^{**2} - e^{**2} \cdot x^{**2}} / (35 \cdot e^{**2}) + x^{**6} \cdot \sqrt{d^{**2} - e^{**2} \cdot x^{**2}} / 7, \text{Ne}(e, 0)), (x^{**6} \cdot \sqrt{d^{**2}} / 6, \text{True})) - 2 \cdot d \cdot e \cdot \text{Piecewise}((-5 \cdot I \cdot d^{**8} \cdot \operatorname{acosh}(e \cdot x / d) / (128 \cdot e^{**7}) + 5 \cdot I \cdot d^{**7} \cdot x / (128 \cdot e^{**6} \cdot \sqrt{-1 + e^{**2} \cdot x^{**2} / d^{**2}}) - 5 \cdot I \cdot d^{**5} \cdot x^{**3} / (384 \cdot e^{**4} \cdot \sqrt{-1 + e^{**2} \cdot x^{**2} / d^{**2}}) - I \cdot d^{**3} \cdot x^{**5} / (192 \cdot e^{**2} \cdot \sqrt{-1 + e^{**2} \cdot x^{**2} / d^{**2}}) - 7 \cdot I \cdot d \cdot x^{**7} / (48 \cdot \sqrt{-1 + e^{**2} \cdot x^{**2} / d^{**2}}) + I \cdot e^{**2} \cdot x^{**9} / (8 \cdot d \cdot \sqrt{-1 + e^{**2} \cdot x^{**2} / d^{**2}})), \text{Abs}(e$



```

**2*x**2/d**2) > 1), (5*d**8*asin(e*x/d)/(128*e**7) - 5*d**7*x/(128*e**6*sq
rt(1 - e**2*x**2/d**2)) + 5*d**5*x**3/(384*e**4*sqrt(1 - e**2*x**2/d**2)) +
d**3*x**5/(192*e**2*sqrt(1 - e**2*x**2/d**2)) + 7*d*x**7/(48*sqrt(1 - e**2
*x**2/d**2)) - e**2*x**9/(8*d*sqrt(1 - e**2*x**2/d**2)), True)) + e**2*Piec
ewise((-16*d**8*sqrt(d**2 - e**2*x**2)/(315*e**8) - 8*d**6*x**2*sqrt(d**2 -
e**2*x**2)/(315*e**6) - 2*d**4*x**4*sqrt(d**2 - e**2*x**2)/(105*e**4) - d*
**2*x**6*sqrt(d**2 - e**2*x**2)/(63*e**2) + x**8*sqrt(d**2 - e**2*x**2)/9, N
e(e, 0)), (x**8*sqrt(d**2)/8, True))

```

$$3.158 \quad \int \frac{x^4(d^2 - e^2x^2)^{5/2}}{(d+ex)^2} dx$$

Optimal. Leaf size=200

$$-\frac{1}{8}x^5(d^2 - e^2x^2)^{3/2} + \frac{2dx^4(d^2 - e^2x^2)^{3/2}}{7e} - \frac{13d^2x^3(d^2 - e^2x^2)^{3/2}}{48e^2} + \frac{13d^8 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e^5} + \frac{13d^6x\sqrt{d^2 - e^2x^2}}{128e^4} + \frac{d^4(1024d - 1365ex)(d^2 - e^2x^2)^{3/2}}{6720e^5} + \frac{8d^3x^2(d^2 - e^2x^2)^{3/2}}{35e^3} - \frac{13d^2x^3(d^2 - e^2x^2)^{3/2}}{48e^2} + \frac{2dx^4(d^2 - e^2x^2)^{3/2}}{7e} - \frac{1}{8}x^5(d^2 - e^2x^2)^{3/2} + \frac{13d^8 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e^5}$$

**Rubi [A]** time = 0.27, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1809, 833, 780, 195, 217, 203}

$$\frac{13d^6x\sqrt{d^2 - e^2x^2}}{128e^4} + \frac{d^4(1024d - 1365ex)(d^2 - e^2x^2)^{3/2}}{6720e^5} + \frac{8d^3x^2(d^2 - e^2x^2)^{3/2}}{35e^3} - \frac{13d^2x^3(d^2 - e^2x^2)^{3/2}}{48e^2} + \frac{2dx^4(d^2 - e^2x^2)^{3/2}}{7e} - \frac{1}{8}x^5(d^2 - e^2x^2)^{3/2} + \frac{13d^8 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{128e^5}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (13\*d^6\*x\*sqrt[d^2 - e^2\*x^2])/(128\*e^4) + (8\*d^3\*x^2\*(d^2 - e^2\*x^2)^(3/2))/(35\*e^3) - (13\*d^2\*x^3\*(d^2 - e^2\*x^2)^(3/2))/(48\*e^2) + (2\*d\*x^4\*(d^2 - e^2\*x^2)^(3/2))/(7\*e) - (x^5\*(d^2 - e^2\*x^2)^(3/2))/8 + (d^4\*(1024\*d - 1365\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(6720\*e^5) + (13\*d^8\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(128\*e^5)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 852

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 (d^2 - e^2 x^2)^{5/2}}{(d + ex)^2} dx &= \int x^4 (d - ex)^2 \sqrt{d^2 - e^2 x^2} dx \\
&= -\frac{1}{8} x^5 (d^2 - e^2 x^2)^{3/2} - \frac{\int x^4 (-13d^2 e^2 + 16de^3 x) \sqrt{d^2 - e^2 x^2} dx}{8e^2} \\
&= \frac{2dx^4 (d^2 - e^2 x^2)^{3/2}}{7e} - \frac{1}{8} x^5 (d^2 - e^2 x^2)^{3/2} + \frac{\int x^3 (-64d^3 e^3 + 91d^2 e^4 x) \sqrt{d^2 - e^2 x^2} dx}{56e^4} \\
&= -\frac{13d^2 x^3 (d^2 - e^2 x^2)^{3/2}}{48e^2} + \frac{2dx^4 (d^2 - e^2 x^2)^{3/2}}{7e} - \frac{1}{8} x^5 (d^2 - e^2 x^2)^{3/2} - \frac{\int x^2 (-273d^4 e^4 + 3}{56e^4} \\
&= \frac{8d^3 x^2 (d^2 - e^2 x^2)^{3/2}}{35e^3} - \frac{13d^2 x^3 (d^2 - e^2 x^2)^{3/2}}{48e^2} + \frac{2dx^4 (d^2 - e^2 x^2)^{3/2}}{7e} - \frac{1}{8} x^5 (d^2 - e^2 x^2)^{3/2} \\
&= \frac{8d^3 x^2 (d^2 - e^2 x^2)^{3/2}}{35e^3} - \frac{13d^2 x^3 (d^2 - e^2 x^2)^{3/2}}{48e^2} + \frac{2dx^4 (d^2 - e^2 x^2)^{3/2}}{7e} - \frac{1}{8} x^5 (d^2 - e^2 x^2)^{3/2} \\
&= \frac{13d^6 x \sqrt{d^2 - e^2 x^2}}{128e^4} + \frac{8d^3 x^2 (d^2 - e^2 x^2)^{3/2}}{35e^3} - \frac{13d^2 x^3 (d^2 - e^2 x^2)^{3/2}}{48e^2} + \frac{2dx^4 (d^2 - e^2 x^2)^{3/2}}{7e} \\
&= \frac{13d^6 x \sqrt{d^2 - e^2 x^2}}{128e^4} + \frac{8d^3 x^2 (d^2 - e^2 x^2)^{3/2}}{35e^3} - \frac{13d^2 x^3 (d^2 - e^2 x^2)^{3/2}}{48e^2} + \frac{2dx^4 (d^2 - e^2 x^2)^{3/2}}{7e} \\
&= \frac{13d^6 x \sqrt{d^2 - e^2 x^2}}{128e^4} + \frac{8d^3 x^2 (d^2 - e^2 x^2)^{3/2}}{35e^3} - \frac{13d^2 x^3 (d^2 - e^2 x^2)^{3/2}}{48e^2} + \frac{2dx^4 (d^2 - e^2 x^2)^{3/2}}{7e}
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 124, normalized size = 0.62

$$\frac{1365d^8 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) + \sqrt{d^2 - e^2 x^2} (2048d^7 - 1365d^6 ex + 1024d^5 e^2 x^2 - 910d^4 e^3 x^3 + 768d^3 e^4 x^4 + 1960d^2 e^5 x^5 - 3840de^6 x^6 + 1680e^7 x^7)}{13440e^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(2048\*d^7 - 1365\*d^6\*e\*x + 1024\*d^5\*e^2\*x^2 - 910\*d^4\*e^3\*x^3 + 768\*d^3\*e^4\*x^4 + 1960\*d^2\*e^5\*x^5 - 3840\*d\*e^6\*x^6 + 1680\*e^7\*x^7) + 1365\*d^8\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(13440\*e^5)

**IntegrateAlgebraic [A]** time = 0.65, size = 147, normalized size = 0.74

$$\frac{13d^8 \sqrt{-e^2} \log\left(\frac{\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x}{128e^6}\right) + \sqrt{d^2 - e^2 x^2} (2048d^7 - 1365d^6 ex + 1024d^5 e^2 x^2 - 910d^4 e^3 x^3 + 768d^3 e^4 x^4 + 1960d^2 e^5 x^5 - 3840de^6 x^6 + 1680e^7 x^7)}{13440e^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(2048\*d^7 - 1365\*d^6\*e\*x + 1024\*d^5\*e^2\*x^2 - 910\*d^4\*e^3\*x^3 + 768\*d^3\*e^4\*x^4 + 1960\*d^2\*e^5\*x^5 - 3840\*d\*e^6\*x^6 + 1680\*e^7\*x^7))/(13440\*e^5) + (13\*d^8\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(128\*e^6)

**fricas** [A] time = 0.40, size = 128, normalized size = 0.64

$$\frac{2730 d^8 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - (1680 e^7 x^7 - 3840 d e^6 x^6 + 1960 d^2 e^5 x^5 + 768 d^3 e^4 x^4 - 910 d^4 e^3 x^3 + 1024 d^5 e^2 x^2 - 1365 d^6 e x + 2048 d^7) \sqrt{-e^2 x^2 + d^2}}{13440 e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="fricas")

[Out] -1/13440\*(2730\*d^8\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (1680\*e^7\*x^7 - 3840\*d\*e^6\*x^6 + 1960\*d^2\*e^5\*x^5 + 768\*d^3\*e^4\*x^4 - 910\*d^4\*e^3\*x^3 + 1024\*d^5\*e^2\*x^2 - 1365\*d^6\*e\*x + 2048\*d^7)\*sqrt(-e^2\*x^2 + d^2))/e^5

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="giac")

[Out] sage0\*x

**maple** [B] time = 0.02, size = 350, normalized size = 1.75

$$\frac{7d^8 \arctan\left(\frac{e^2 x}{\sqrt{d^2 - e^2 x^2}}\right)}{8\sqrt{2} e^4} + \frac{125d^8 \arctan\left(\frac{\sqrt{2} x}{\sqrt{d^2 - e^2 x^2}}\right)}{128\sqrt{2} e^4} + \frac{125\sqrt{-e^2 x^2 + d^2} d^8 x}{128 e^4} + \frac{7\sqrt{2}\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2 d^2 x}{8 e^4} + \frac{125(-e^2 x^2 + d^2)^{\frac{3}{2}} d^8 x}{192 e^4} + \frac{7\left(2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} d^8 x}{12 e^4} + \frac{25(-e^2 x^2 + d^2)^{\frac{3}{2}} d^8 x}{48 e^4} + \frac{7\left(2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} d^8}{15 e^5} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} x}{8 e^4} + \frac{2\left(2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} d^8}{3\left(x + \frac{d}{e}\right)^2 e^4} + \frac{2(-e^2 x^2 + d^2)^{\frac{3}{2}} d}{7 e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x)

[Out] -1/8/e^4\*x\*(-e^2\*x^2+d^2)^(7/2)+25/48\*d^2/e^4\*x\*(-e^2\*x^2+d^2)^(5/2)+125/192/e^4\*d^4\*x\*(-e^2\*x^2+d^2)^(3/2)+125/128\*d^6\*x\*(-e^2\*x^2+d^2)^(1/2)/e^4+125/128/e^4\*d^8/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)+2/7\*d/e^5\*(-e^2\*x^2+d^2)^(7/2)-7/15/e^5\*d^3\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(5/2)-7/12/e^4\*d^4\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)\*x-7/8/e^4\*d^6\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x-7/8/e^4\*d^8/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x)+1/3\*d^3/e^7/(x+d/e)^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(7/2)

**maxima** [C] time = 1.04, size = 275, normalized size = 1.38

$$\frac{(-e^2x^2 + d^2)^{5/2}d^4}{4(e^2x + de^5)} + \frac{7id^6 \arcsin\left(\frac{x}{d}\right) + 125d^6 \arcsin\left(\frac{x}{d}\right)}{8e^5} + \frac{125d^6 \arcsin\left(\frac{x}{d}\right)}{128e^5} - \frac{7\sqrt{e^2x^2 + 4dex + 3d^2}d^6x}{8e^4} + \frac{125\sqrt{-e^2x^2 + d^2}d^6x}{128e^4} - \frac{7\sqrt{e^2x^2 + 4dex + 3d^2}d^6}{4e^5} - \frac{67(-e^2x^2 + d^2)^{3/2}d^4x}{192e^4} + \frac{5(-e^2x^2 + d^2)^{3/2}d^5}{12e^5} + \frac{25(-e^2x^2 + d^2)^{5/2}d^5}{48e^4} - \frac{4(-e^2x^2 + d^2)^{5/2}d^3}{5e^5} - \frac{(-e^2x^2 + d^2)^{7/2}x}{8e^4} + \frac{2(-e^2x^2 + d^2)^{7/2}d}{7e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="maxima")

[Out] 1/4\*(-e^2\*x^2 + d^2)^(5/2)\*d^4/(e^6\*x + d\*e^5) + 7/8\*I\*d^8\*arcsin(e\*x/d + 2)/e^5 + 125/128\*d^8\*arcsin(e\*x/d)/e^5 - 7/8\*sqrt(e^2\*x^2 + 4\*d\*e\*x + 3\*d^2)\*d^6\*x/e^4 + 125/128\*sqrt(-e^2\*x^2 + d^2)\*d^6\*x/e^4 - 7/4\*sqrt(e^2\*x^2 + 4\*d\*e\*x + 3\*d^2)\*d^7/e^5 - 67/192\*(-e^2\*x^2 + d^2)^(3/2)\*d^4\*x/e^4 + 5/12\*(-e^2\*x^2 + d^2)^(3/2)\*d^5/e^5 + 25/48\*(-e^2\*x^2 + d^2)^(5/2)\*d^2\*x/e^4 - 4/5\*(-e^2\*x^2 + d^2)^(5/2)\*d^3/e^5 - 1/8\*(-e^2\*x^2 + d^2)^(7/2)\*x/e^4 + 2/7\*(-e^2\*x^2 + d^2)^(7/2)\*d/e^5

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (d^2 - e^2 x^2)^{5/2}}{(d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x)

[Out] int((x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2, x)

**sympy** [C] time = 21.40, size = 690, normalized size = 3.45

$$d^2 \left( \begin{array}{l} \frac{d^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{16e^5} + \frac{d^6 x}{16e^4 \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{d^6 x^3}{48e^2 \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{5d^6}{24 \sqrt{-1 + \frac{x^2}{d^2}}} + \frac{d^2 x^7}{6d \sqrt{-1 + \frac{x^2}{d^2}}} \text{ for } \left| \frac{x^2}{d^2} \right| > 1 \\ \frac{d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{16e^5} - \frac{d^6 x}{16e^4 \sqrt{1 - \frac{x^2}{d^2}}} + \frac{d^6 x^3}{48e^2 \sqrt{1 - \frac{x^2}{d^2}}} + \frac{5d^6}{24 \sqrt{1 - \frac{x^2}{d^2}}} - \frac{d^2 x^7}{6d \sqrt{1 - \frac{x^2}{d^2}}} \text{ otherwise} \end{array} \right) - 2dx \left( \begin{array}{l} \frac{5d^6 \sqrt{e^2 x^2 - d^2}}{105e^4} - \frac{4d^6 x \sqrt{e^2 x^2 - d^2}}{105e^4} - \frac{d^6 x^3 \sqrt{e^2 x^2 - d^2}}{35e^2} + \frac{d^6 \sqrt{e^2 x^2 - d^2}}{7} \text{ for } e \neq 0 \\ \frac{d^6 \sqrt{e^2 x^2 - d^2}}{e} \text{ otherwise} \end{array} \right) + e^2 \left( \begin{array}{l} \frac{5d^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{128e^7} + \frac{5d^6 x}{128e^6 \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{5d^6 x^3}{384e^4 \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{d^6 x^5}{192e^2 \sqrt{-1 + \frac{x^2}{d^2}}} - \frac{7d^6}{48 \sqrt{-1 + \frac{x^2}{d^2}}} + \frac{d^2 x^7}{8d \sqrt{-1 + \frac{x^2}{d^2}}} \text{ for } \left| \frac{x^2}{d^2} \right| > 1 \\ \frac{5d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{128e^7} - \frac{5d^6 x}{128e^6 \sqrt{1 - \frac{x^2}{d^2}}} + \frac{5d^6 x^3}{384e^4 \sqrt{1 - \frac{x^2}{d^2}}} + \frac{d^6 x^5}{192e^2 \sqrt{1 - \frac{x^2}{d^2}}} + \frac{7d^6}{48 \sqrt{1 - \frac{x^2}{d^2}}} - \frac{d^2 x^7}{8d \sqrt{1 - \frac{x^2}{d^2}}} \text{ otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d)\*\*2,x)

[Out] d\*\*2\*Piecewise((-I\*d\*\*6\*acosh(e\*x/d)/(16\*e\*\*5) + I\*d\*\*5\*x/(16\*e\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - I\*d\*\*3\*x\*\*3/(48\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 5\*I\*d\*x\*\*5/(24\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*7/(6\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*6\*asin(e\*x/d)/(16\*e\*\*5) - d\*\*5\*x/(16\*e\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + d\*\*3\*x\*\*3/(48\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 5\*d\*x\*\*5/(24\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*7/(6\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) - 2\*d\*e\*Piecewise((-8\*d\*\*6\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(105\*e\*\*6) - 4\*d\*\*4\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(105\*e\*\*4) - d\*\*2\*x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(35\*e\*\*2) + x\*\*6\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/7, Ne(e, 0)), (x\*\*6\*sqrt(d\*\*2)/6, True)) + e\*\*2\*Piecewise((-5\*I\*d\*\*8\*acosh(e\*x/d)/(128\*e\*\*7) +

```

5*I*d**7*x/(128*e**6*sqrt(-1 + e**2*x**2/d**2)) - 5*I*d**5*x**3/(384*e**4*
sqrt(-1 + e**2*x**2/d**2)) - I*d**3*x**5/(192*e**2*sqrt(-1 + e**2*x**2/d**2
)) - 7*I*d*x**7/(48*sqrt(-1 + e**2*x**2/d**2)) + I*e**2*x**9/(8*d*sqrt(-1 +
e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (5*d**8*asin(e*x/d)/(128*e**7)
- 5*d**7*x/(128*e**6*sqrt(1 - e**2*x**2/d**2)) + 5*d**5*x**3/(384*e**4*sqrt
(1 - e**2*x**2/d**2)) + d**3*x**5/(192*e**2*sqrt(1 - e**2*x**2/d**2)) + 7*
d*x**7/(48*sqrt(1 - e**2*x**2/d**2)) - e**2*x**9/(8*d*sqrt(1 - e**2*x**2/d*
*2)), True))

```

$$3.159 \quad \int \frac{x^3(d^2 - e^2x^2)^{5/2}}{(d+ex)^2} dx$$

Optimal. Leaf size=171

$$-\frac{11d^2x^2(d^2 - e^2x^2)^{3/2}}{35e^2} - \frac{1}{7}x^4(d^2 - e^2x^2)^{3/2} + \frac{dx^3(d^2 - e^2x^2)^{3/2}}{3e} - \frac{d^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{8e^4} - \frac{d^5x\sqrt{d^2 - e^2x^2}}{8e^3} - \frac{d^3(88d - 105ex)}{420e^4}$$

**Rubi [A]** time = 0.22, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1809, 833, 780, 195, 217, 203}

$$-\frac{d^5x\sqrt{d^2 - e^2x^2}}{8e^3} - \frac{d^3(88d - 105ex)(d^2 - e^2x^2)^{3/2}}{420e^4} - \frac{11d^2x^2(d^2 - e^2x^2)^{3/2}}{35e^2} + \frac{dx^3(d^2 - e^2x^2)^{3/2}}{3e} - \frac{1}{7}x^4(d^2 - e^2x^2)^{3/2} - \frac{d^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{8e^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] -(d^5\*x\*sqrt[d^2 - e^2\*x^2])/(8\*e^3) - (11\*d^2\*x^2\*(d^2 - e^2\*x^2)^(3/2))/(35\*e^2) + (d\*x^3\*(d^2 - e^2\*x^2)^(3/2))/(3\*e) - (x^4\*(d^2 - e^2\*x^2)^(3/2))/7 - (d^3\*(88\*d - 105\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(420\*e^4) - (d^7\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(8\*e^4)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780



```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 852

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{(d + ex)^2} dx &= \int x^3 (d - ex)^2 \sqrt{d^2 - e^2 x^2} dx \\
&= -\frac{1}{7} x^4 (d^2 - e^2 x^2)^{3/2} - \frac{\int x^3 (-11d^2 e^2 + 14de^3 x) \sqrt{d^2 - e^2 x^2} dx}{7e^2} \\
&= \frac{dx^3 (d^2 - e^2 x^2)^{3/2}}{3e} - \frac{1}{7} x^4 (d^2 - e^2 x^2)^{3/2} + \frac{\int x^2 (-42d^3 e^3 + 66d^2 e^4 x) \sqrt{d^2 - e^2 x^2} dx}{42e^4} \\
&= -\frac{11d^2 x^2 (d^2 - e^2 x^2)^{3/2}}{35e^2} + \frac{dx^3 (d^2 - e^2 x^2)^{3/2}}{3e} - \frac{1}{7} x^4 (d^2 - e^2 x^2)^{3/2} - \frac{\int x (-132d^4 e^4 + 210d^3 e^5 x) \sqrt{d^2 - e^2 x^2} dx}{21e^5} \\
&= -\frac{11d^2 x^2 (d^2 - e^2 x^2)^{3/2}}{35e^2} + \frac{dx^3 (d^2 - e^2 x^2)^{3/2}}{3e} - \frac{1}{7} x^4 (d^2 - e^2 x^2)^{3/2} - \frac{d^3 (88d - 105ex) (d^2 - e^2 x^2)^{3/2}}{420e^4} \\
&= -\frac{d^5 x \sqrt{d^2 - e^2 x^2}}{8e^3} - \frac{11d^2 x^2 (d^2 - e^2 x^2)^{3/2}}{35e^2} + \frac{dx^3 (d^2 - e^2 x^2)^{3/2}}{3e} - \frac{1}{7} x^4 (d^2 - e^2 x^2)^{3/2} - \frac{d^3 (88d - 105ex) (d^2 - e^2 x^2)^{3/2}}{420e^4} \\
&= -\frac{d^5 x \sqrt{d^2 - e^2 x^2}}{8e^3} - \frac{11d^2 x^2 (d^2 - e^2 x^2)^{3/2}}{35e^2} + \frac{dx^3 (d^2 - e^2 x^2)^{3/2}}{3e} - \frac{1}{7} x^4 (d^2 - e^2 x^2)^{3/2} - \frac{d^3 (88d - 105ex) (d^2 - e^2 x^2)^{3/2}}{420e^4} \\
&= -\frac{d^5 x \sqrt{d^2 - e^2 x^2}}{8e^3} - \frac{11d^2 x^2 (d^2 - e^2 x^2)^{3/2}}{35e^2} + \frac{dx^3 (d^2 - e^2 x^2)^{3/2}}{3e} - \frac{1}{7} x^4 (d^2 - e^2 x^2)^{3/2} - \frac{d^3 (88d - 105ex) (d^2 - e^2 x^2)^{3/2}}{420e^4}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 113, normalized size = 0.66

$$\frac{\sqrt{d^2 - e^2 x^2} (-176d^6 + 105d^5 ex - 88d^4 e^2 x^2 + 70d^3 e^3 x^3 + 144d^2 e^4 x^4 - 280de^5 x^5 + 120e^6 x^6) - 105d^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{840e^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-176\*d^6 + 105\*d^5\*e\*x - 88\*d^4\*e^2\*x^2 + 70\*d^3\*e^3\*x^3 + 144\*d^2\*e^4\*x^4 - 280\*d\*e^5\*x^5 + 120\*e^6\*x^6) - 105\*d^7\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(840\*e^4)

**IntegrateAlgebraic [A]** time = 0.65, size = 136, normalized size = 0.80

$$\frac{\sqrt{d^2 - e^2 x^2} (-176d^6 + 105d^5 ex - 88d^4 e^2 x^2 + 70d^3 e^3 x^3 + 144d^2 e^4 x^4 - 280de^5 x^5 + 120e^6 x^6)}{840e^4} - \frac{d^7 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{8e^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-176\*d^6 + 105\*d^5\*e\*x - 88\*d^4\*e^2\*x^2 + 70\*d^3\*e^3\*x^3 + 144\*d^2\*e^4\*x^4 - 280\*d\*e^5\*x^5 + 120\*e^6\*x^6))/(840\*e^4) - (d^7\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(8\*e^5)

**fricas** [A] time = 0.41, size = 116, normalized size = 0.68

$$\frac{210 d^7 \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) + (120 e^6 x^6 - 280 d e^5 x^5 + 144 d^2 e^4 x^4 + 70 d^3 e^3 x^3 - 88 d^4 e^2 x^2 + 105 d^5 e x - 176 d^6) \sqrt{-e^2 x^2 + d^2}}{840 e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="fricas")

[Out] 1/840\*(210\*d^7\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (120\*e^6\*x^6 - 280\*d\*e^5\*x^5 + 144\*d^2\*e^4\*x^4 + 70\*d^3\*e^3\*x^3 - 88\*d^4\*e^2\*x^2 + 105\*d^5\*e\*x - 176\*d^6)\*sqrt(-e^2\*x^2 + d^2))/e^4

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="giac")

[Out] sage0\*x

**maple** [B] time = 0.02, size = 327, normalized size = 1.91

$$\frac{d^7 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{d^2 + e^2 x^2}}\right)}{2\sqrt{d^2} e^3} - \frac{5d^7 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{-e^2 x^2 + d^2}}\right)}{8\sqrt{d^2} e^3} - \frac{5\sqrt{-e^2 x^2 + d^2} d^5 x}{8e^3} + \frac{\sqrt{2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2} d^4 x}{2e^3} - \frac{5(-e^2 x^2 + d^2)^{\frac{3}{2}} d^3 x}{12e^3} + \frac{2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2}{3e^3} d^3 x - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d x}{3e^3} + \frac{4\left(2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{5}{2}} d^2}{15e^4} - \frac{\left(2\left(x + \frac{d}{e}\right) d e - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{7}{2}} d^2}{3\left(x + \frac{d}{e}\right) e^6} - \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}}}{7e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x)

[Out] -1/7/e^4\*(-e^2\*x^2+d^2)^(7/2)-1/3\*d/e^3\*x\*(-e^2\*x^2+d^2)^(5/2)-5/12/e^3\*d^3\*x\*x\*(-e^2\*x^2+d^2)^(3/2)-5/8\*d^5\*x\*x\*(-e^2\*x^2+d^2)^(1/2)/e^3-5/8/e^3\*d^7/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)+4/15/e^4\*d^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(5/2)+1/3/e^3\*d^3\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)\*x+1/2/e^3\*d^5\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x+1/2/e^3\*d^7/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x)-1/3\*d^2/e^6/(x+d/e)^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(7/2)

**maxima** [C] time = 1.04, size = 251, normalized size = 1.47

$$\frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d^3}{4(e^2 x + d e^4)} - \frac{i d^7 \arcsin\left(\frac{e x}{d}\right) + 5 d^7 \arcsin\left(\frac{e x}{d}\right)}{2 e^4} - \frac{5 d^7 \arcsin\left(\frac{e x}{d}\right)}{8 e^4} + \frac{\sqrt{-e^2 x^2 + 4 d e x + 3 d^2} d^5 x}{2 e^3} - \frac{5 \sqrt{-e^2 x^2 + d^2} d^5 x}{8 e^3} + \frac{\sqrt{-e^2 x^2 + 4 d e x + 3 d^2} d^6}{e^4} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d^3 x}{3 e^3} - \frac{5(-e^2 x^2 + d^2)^{\frac{3}{2}} d^4}{12 e^4} - \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d x}{3 e^3} + \frac{3(-e^2 x^2 + d^2)^{\frac{5}{2}} d^2}{5 e^4} - \frac{(-e^2 x^2 + d^2)^{\frac{7}{2}}}{7 e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="maxima")

[Out] 
$$-1/4*(-e^2*x^2 + d^2)^{(5/2)}*d^3/(e^5*x + d*e^4) - 1/2*I*d^7*\arcsin(e*x/d + 2)/e^4 - 5/8*d^7*\arcsin(e*x/d)/e^4 + 1/2*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^5*x/e^3 - 5/8*\sqrt{-e^2*x^2 + d^2}*d^5*x/e^3 + \sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^6/e^4 + 1/3*(-e^2*x^2 + d^2)^{(3/2)}*d^3*x/e^3 - 5/12*(-e^2*x^2 + d^2)^{(3/2)}*d^4/e^4 - 1/3*(-e^2*x^2 + d^2)^{(5/2)}*d*x/e^3 + 3/5*(-e^2*x^2 + d^2)^{(5/2)}*d^2/e^4 - 1/7*(-e^2*x^2 + d^2)^{(7/2)}/e^4$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{(d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x)

[Out] int((x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2, x)

sympy [A] time = 12.03, size = 450, normalized size = 2.63

$$d^2 \left( \begin{cases} -\frac{2d^4\sqrt{d^2-2x^2}}{15d^4} - \frac{d^2\sqrt{d^2-2x^2}}{15d^2} + \frac{x^4\sqrt{d^2-2x^2}}{5} & \text{for } e \neq 0 \\ \frac{x^4\sqrt{d^2}}{4} & \text{otherwise} \end{cases} - 2de \left( \begin{cases} \left( -\frac{i^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{16e^5} + \frac{i^6 x}{16e^4\sqrt{-1-\frac{2x^2}{d^2}}} - \frac{i^6 x^3}{48e^2\sqrt{-1-\frac{2x^2}{d^2}}} - \frac{5id^5}{24\sqrt{-1-\frac{2x^2}{d^2}}} + \frac{i^2 x^7}{6d\sqrt{-1-\frac{2x^2}{d^2}}} \right) & \text{for } \left| \frac{d^2 x^2}{d^2} \right| > 1 \\ \left( \frac{d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{16e^5} - \frac{d^6 x}{16e^4\sqrt{1-\frac{2x^2}{d^2}}} + \frac{d^6 x^3}{48e^2\sqrt{1-\frac{2x^2}{d^2}}} + \frac{5id^5}{24\sqrt{1-\frac{2x^2}{d^2}}} - \frac{d^2 x^7}{6d\sqrt{1-\frac{2x^2}{d^2}}} \right) & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} -\frac{8d^6\sqrt{d^2-2x^2}}{105e^6} - \frac{4d^4\sqrt{d^2-2x^2}}{105e^4} - \frac{d^2\sqrt{d^2-2x^2}}{35e^2} + \frac{x^6\sqrt{d^2-2x^2}}{7} & \text{for } e \neq 0 \\ \frac{x^6\sqrt{d^2}}{6} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d)\*\*2,x)

[Out] 
$$d^{**2}*\text{Piecewise}((-2*d^{**4}*\sqrt{d^{**2} - e^{**2}*x^{**2}})/(15*e^{**4}) - d^{**2}*x^{**2}*\sqrt{d^{**2} - e^{**2}*x^{**2}})/(15*e^{**2}) + x^{**4}*\sqrt{d^{**2} - e^{**2}*x^{**2}}/5, \text{Ne}(e, 0)), (x^{**4}*\sqrt{d^{**2}}/4, \text{True})) - 2*d*e*\text{Piecewise}((-I*d^{**6}*\operatorname{acosh}(e*x/d)/(16*e^{**5}) + I*d^{**5}*x/(16*e^{**4}*\sqrt{-1 + e^{**2}*x^{**2}/d^{**2}}) - I*d^{**3}*x^{**3}/(48*e^{**2}*\sqrt{-1 + e^{**2}*x^{**2}/d^{**2}}) - 5*I*d*x^{**5}/(24*\sqrt{-1 + e^{**2}*x^{**2}/d^{**2}}) + I*e^{**2}*x^{**7}/(6*d*\sqrt{-1 + e^{**2}*x^{**2}/d^{**2}}), \text{Abs}(e^{**2}*x^{**2}/d^{**2}) > 1), (d^{**6}*\operatorname{asin}(e*x/d)/(16*e^{**5}) - d^{**5}*x/(16*e^{**4}*\sqrt{1 - e^{**2}*x^{**2}/d^{**2}}) + d^{**3}*x^{**3}/(48*e^{**2}*\sqrt{1 - e^{**2}*x^{**2}/d^{**2}}) + 5*d*x^{**5}/(24*\sqrt{1 - e^{**2}*x^{**2}/d^{**2}}) - e^{**2}*x^{**7}/(6*d*\sqrt{1 - e^{**2}*x^{**2}/d^{**2}}), \text{True})) + e^{**2}*\text{Piecewise}((-8*d^{**6}*\sqrt{d^{**2} - e^{**2}*x^{**2}})/(105*e^{**6}) - 4*d^{**4}*x^{**2}*\sqrt{d^{**2} - e^{**2}*x^{**2}})/(105*e^{**4}) - d^{**2}*x^{**4}*\sqrt{d^{**2} - e^{**2}*x^{**2}}/(35*e^{**2}) + x^{**6}*\sqrt{d^{**2} - e^{**2}*x^{**2}}/7, \text{Ne}(e, 0)), (x^{**6}*\sqrt{d^{**2}}/6, \text{True}))$$

$$3.160 \quad \int \frac{x^2(d^2 - e^2x^2)^{5/2}}{(d+ex)^2} dx$$

Optimal. Leaf size=142

$$\frac{2dx^2(d^2 - e^2x^2)^{3/2}}{5e} - \frac{1}{6}x^3(d^2 - e^2x^2)^{3/2} + \frac{d^2(32d - 45ex)(d^2 - e^2x^2)^{3/2}}{120e^3} + \frac{3d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^3} + \frac{3d^4x\sqrt{d^2 - e^2x^2}}{16e^2}$$

**Rubi** [A] time = 0.18, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1809, 833, 780, 195, 217, 203}

$$\frac{3d^4x\sqrt{d^2 - e^2x^2}}{16e^2} + \frac{d^2(32d - 45ex)(d^2 - e^2x^2)^{3/2}}{120e^3} + \frac{2dx^2(d^2 - e^2x^2)^{3/2}}{5e} - \frac{1}{6}x^3(d^2 - e^2x^2)^{3/2} + \frac{3d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (3\*d^4\*x\*sqrt[d^2 - e^2\*x^2])/(16\*e^2) + (2\*d\*x^2\*(d^2 - e^2\*x^2)^(3/2))/(5\*e) - (x^3\*(d^2 - e^2\*x^2)^(3/2))/6 + (d^2\*(32\*d - 45\*e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(120\*e^3) + (3\*d^6\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(16\*e^3)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x
_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p
+ 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p
+ 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !Le
Q[p, -1]
```

### Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1809

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (d^2 - e^2 x^2)^{5/2}}{(d + ex)^2} dx &= \int x^2 (d - ex)^2 \sqrt{d^2 - e^2 x^2} dx \\
&= -\frac{1}{6} x^3 (d^2 - e^2 x^2)^{3/2} - \frac{\int x^2 (-9d^2 e^2 + 12de^3 x) \sqrt{d^2 - e^2 x^2} dx}{6e^2} \\
&= \frac{2dx^2 (d^2 - e^2 x^2)^{3/2}}{5e} - \frac{1}{6} x^3 (d^2 - e^2 x^2)^{3/2} + \frac{\int x (-24d^3 e^3 + 45d^2 e^4 x) \sqrt{d^2 - e^2 x^2} dx}{30e^4} \\
&= \frac{2dx^2 (d^2 - e^2 x^2)^{3/2}}{5e} - \frac{1}{6} x^3 (d^2 - e^2 x^2)^{3/2} + \frac{d^2(32d - 45ex) (d^2 - e^2 x^2)^{3/2}}{120e^3} + \frac{(3d^4) \int \sqrt{d^2 - e^2 x^2} dx}{8} \\
&= \frac{3d^4 x \sqrt{d^2 - e^2 x^2}}{16e^2} + \frac{2dx^2 (d^2 - e^2 x^2)^{3/2}}{5e} - \frac{1}{6} x^3 (d^2 - e^2 x^2)^{3/2} + \frac{d^2(32d - 45ex) (d^2 - e^2 x^2)^{3/2}}{120e^3} \\
&= \frac{3d^4 x \sqrt{d^2 - e^2 x^2}}{16e^2} + \frac{2dx^2 (d^2 - e^2 x^2)^{3/2}}{5e} - \frac{1}{6} x^3 (d^2 - e^2 x^2)^{3/2} + \frac{d^2(32d - 45ex) (d^2 - e^2 x^2)^{3/2}}{120e^3} \\
&= \frac{3d^4 x \sqrt{d^2 - e^2 x^2}}{16e^2} + \frac{2dx^2 (d^2 - e^2 x^2)^{3/2}}{5e} - \frac{1}{6} x^3 (d^2 - e^2 x^2)^{3/2} + \frac{d^2(32d - 45ex) (d^2 - e^2 x^2)^{3/2}}{120e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 102, normalized size = 0.72

$$\frac{45d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) + \sqrt{d^2 - e^2 x^2} (64d^5 - 45d^4 ex + 32d^3 e^2 x^2 + 50d^2 e^3 x^3 - 96de^4 x^4 + 40e^5 x^5)}{240e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(64\*d^5 - 45\*d^4\*e\*x + 32\*d^3\*e^2\*x^2 + 50\*d^2\*e^3\*x^3 - 96\*d\*e^4\*x^4 + 40\*e^5\*x^5) + 45\*d^6\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(240\*e^3)

**IntegrateAlgebraic [A]** time = 0.57, size = 125, normalized size = 0.88

$$\frac{3d^6 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{16e^4} + \frac{\sqrt{d^2 - e^2 x^2} (64d^5 - 45d^4 ex + 32d^3 e^2 x^2 + 50d^2 e^3 x^3 - 96de^4 x^4 + 40e^5 x^5)}{240e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(64*d^5 - 45*d^4*e*x + 32*d^3*e^2*x^2 + 50*d^2*e^3*x^3 - 96*d*e^4*x^4 + 40*e^5*x^5))/(240*e^3) + (3*d^6*\text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]])/(16*e^4)$

**fricas** [A] time = 0.41, size = 106, normalized size = 0.75

$$\frac{90 d^6 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - (40 e^5 x^5 - 96 d e^4 x^4 + 50 d^2 e^3 x^3 + 32 d^3 e^2 x^2 - 45 d^4 e x + 64 d^5) \sqrt{-e^2 x^2 + d^2}}{240 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-e^2*x^2+d^2)^(5/2)/(e*x+d)^2,x, algorithm="fricas")`

[Out]  $-1/240*(90*d^6*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) - (40*e^5*x^5 - 96*d*e^4*x^4 + 50*d^2*e^3*x^3 + 32*d^3*e^2*x^2 - 45*d^4*e*x + 64*d^5)*\text{sqrt}(-e^2*x^2 + d^2))/e^3$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-e^2*x^2+d^2)^(5/2)/(e*x+d)^2,x, algorithm="giac")`

[Out] `sage0*x`

**maple** [B] time = 0.01, size = 303, normalized size = 2.13

$$\frac{d^6 \arctan\left(\frac{\sqrt{2} x}{\sqrt{2(x+\frac{d}{e})de - (x+\frac{d}{e})^2} e^2}\right)}{8\sqrt{2} e^2} + \frac{5d^6 \arctan\left(\frac{\sqrt{2} x}{\sqrt{-e^2x^2 + d^2}}\right)}{16\sqrt{2} e^2} + \frac{5\sqrt{-e^2x^2 + d^2} d^4 x}{16e^2} - \frac{\sqrt{2(x+\frac{d}{e})de - (x+\frac{d}{e})^2} e^2 d^4 x}{8e^2} + \frac{5(-e^2x^2 + d^2)^{\frac{3}{2}} d^2 x}{24e^2} - \frac{(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2) e^{\frac{3}{2}} d^2 x}{12e^2} + \frac{(-e^2x^2 + d^2)^{\frac{5}{2}} x}{6e^2} - \frac{(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2) e^{\frac{3}{2}} d}{15e^3} + \frac{(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2) e^{\frac{7}{2}} d}{3(x+\frac{d}{e})^2 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(-e^2*x^2+d^2)^(5/2)/(e*x+d)^2,x)`

[Out]  $1/6*x*(-e^2*x^2+d^2)^(5/2)/e^2+5/24/e^2*d^2*x*(-e^2*x^2+d^2)^(3/2)+5/16*d^4*x*(-e^2*x^2+d^2)^(1/2)/e^2+5/16/e^2*d^6/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-1/15*d/e^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(5/2)-1/12*d^2/e^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)*x-1/8*d^4/e^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x-1/8*d^6/e^2/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x)+1/3*d/e^5/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(7/2)$

**maxima** [C] time = 1.03, size = 230, normalized size = 1.62

$$\frac{i d^6 \arcsin\left(\frac{x}{d}\right) + 5 d^6 \arcsin\left(\frac{x}{d}\right)}{8 e^3} + \frac{5 d^6 \arcsin\left(\frac{x}{d}\right)}{16 e^3} + \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d^2}{4 (e^4 x + d e^3)} - \frac{\sqrt{e^2 x^2 + 4 d e x + 3 d^2} d^4 x}{8 e^2} + \frac{5 \sqrt{-e^2 x^2 + d^2} d^4 x}{16 e^2} - \frac{\sqrt{e^2 x^2 + 4 d e x + 3 d^2} d^5}{4 e^3} - \frac{7 (-e^2 x^2 + d^2)^{\frac{3}{2}} d^2 x}{24 e^2} + \frac{5 (-e^2 x^2 + d^2)^{\frac{3}{2}} d^3}{12 e^3} + \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} x}{6 e^2} - \frac{2 (-e^2 x^2 + d^2)^{\frac{5}{2}} d}{5 e^3}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="maxima")

[Out] 1/8\*I\*d^6\*arcsin(e\*x/d + 2)/e^3 + 5/16\*d^6\*arcsin(e\*x/d)/e^3 + 1/4\*(-e^2\*x^2 + d^2)^(5/2)\*d^2/(e^4\*x + d\*e^3) - 1/8\*sqrt(e^2\*x^2 + 4\*d\*e\*x + 3\*d^2)\*d^4\*x/e^2 + 5/16\*sqrt(-e^2\*x^2 + d^2)\*d^4\*x/e^2 - 1/4\*sqrt(e^2\*x^2 + 4\*d\*e\*x + 3\*d^2)\*d^5/e^3 - 7/24\*(-e^2\*x^2 + d^2)^(3/2)\*d^2\*x/e^2 + 5/12\*(-e^2\*x^2 + d^2)^(3/2)\*d^3/e^3 + 1/6\*(-e^2\*x^2 + d^2)^(5/2)\*x/e^2 - 2/5\*(-e^2\*x^2 + d^2)^(5/2)\*d/e^3

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 (d^2 - e^2 x^2)^{5/2}}{(d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x)

[Out] int((x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2, x)

**sympy** [C] time = 14.45, size = 541, normalized size = 3.81

$$d^2 \left( \begin{array}{l} \left( -\frac{i^4 \operatorname{acosh}\left(\frac{x}{d}\right)}{8e^3} + \frac{i^3 x}{8e^2 \sqrt{-1 + \frac{2x^2}{d^2}}} - \frac{3id^3}{8\sqrt{-1 + \frac{2x^2}{d^2}}} + \frac{i^2 x^5}{4d\sqrt{-1 + \frac{2x^2}{d^2}}} \text{ for } \left| \frac{x^2}{d^2} \right| > 1 \\ \frac{d^4 \operatorname{asin}\left(\frac{x}{d}\right)}{8e^3} - \frac{d^3 x}{8e^2 \sqrt{1 - \frac{2x^2}{d^2}}} + \frac{3d^3}{8\sqrt{1 - \frac{2x^2}{d^2}}} - \frac{2x^5}{4d\sqrt{1 - \frac{2x^2}{d^2}}} \text{ otherwise} \end{array} \right) - 2de \left( \begin{array}{l} \left( -\frac{2d^4 \sqrt{d^2 - 2x^2}}{15e^4} - \frac{d^2 x^2 \sqrt{d^2 - 2x^2}}{15e^2} + \frac{x^4 \sqrt{d^2 - 2x^2}}{5} \text{ for } e \neq 0 \\ \frac{x^4 \sqrt{d^2}}{4} \text{ otherwise} \end{array} \right) + e^2 \left( \begin{array}{l} \left( -\frac{i^6 \operatorname{acosh}\left(\frac{x}{d}\right)}{16e^5} + \frac{i^5 x}{16e^4 \sqrt{-1 + \frac{2x^2}{d^2}}} - \frac{i^4 x^3}{48e^2 \sqrt{-1 + \frac{2x^2}{d^2}}} - \frac{5id^5}{24\sqrt{-1 + \frac{2x^2}{d^2}}} + \frac{i^2 x^7}{6d\sqrt{-1 + \frac{2x^2}{d^2}}} \text{ for } \left| \frac{x^2}{d^2} \right| > 1 \\ \frac{d^6 \operatorname{asin}\left(\frac{x}{d}\right)}{16e^5} - \frac{d^5 x}{16e^4 \sqrt{1 - \frac{2x^2}{d^2}}} + \frac{d^3 x^3}{48e^2 \sqrt{1 - \frac{2x^2}{d^2}}} + \frac{5d^5}{24\sqrt{1 - \frac{2x^2}{d^2}}} - \frac{2x^7}{6d\sqrt{1 - \frac{2x^2}{d^2}}} \text{ otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d)\*\*2,x)

[Out] d\*\*2\*Piecewise((-I\*d\*\*4\*acosh(e\*x/d)/(8\*e\*\*3) + I\*d\*\*3\*x/(8\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 3\*I\*d\*x\*\*3/(8\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*5/(4\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*4\*asin(e\*x/d)/(8\*e\*\*3) - d\*\*3\*x/(8\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 3\*d\*x\*\*3/(8\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*5/(4\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) - 2\*d\*e\*Piecewise((-2\*d\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(15\*e\*\*4) - d\*\*2\*x\*\*2\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/(15\*e\*\*2) + x\*\*4\*sqrt(d\*\*2 - e\*\*2\*x\*\*2)/5, Ne(e, 0)), (x\*\*4\*sqrt(d\*\*2)/4, True)) + e\*\*2\*Piecewise((-I\*d\*\*6\*acosh(e\*x/d)/(16\*e\*\*5) + I\*d\*\*5\*x/(16\*e\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - I\*d\*\*3\*x\*\*3/(48\*e\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) - 5\*I\*d\*x\*\*5/(24\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*7/(6\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*6\*asin(e\*x/d)/(16\*e\*\*5) - d\*\*5\*x/(16\*e\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + d\*\*3\*x\*\*3/(48\*e\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) + 5\*d\*x\*\*5/(24\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*\*2\*x\*\*7/(6\*d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True))

$$3.161 \quad \int \frac{x(d^2 - e^2 x^2)^{5/2}}{(d + ex)^2} dx$$

Optimal. Leaf size=136

$$-\frac{dx(d^2 - e^2 x^2)^{3/2}}{6e} - \frac{(d^2 - e^2 x^2)^{7/2}}{3e^2(d + ex)^2} - \frac{2(d^2 - e^2 x^2)^{5/2}}{15e^2} - \frac{d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{4e^2} - \frac{d^3 x \sqrt{d^2 - e^2 x^2}}{4e}$$

**Rubi [A]** time = 0.06, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {793, 665, 195, 217, 203}

$$-\frac{d^3 x \sqrt{d^2 - e^2 x^2}}{4e} - \frac{dx(d^2 - e^2 x^2)^{3/2}}{6e} - \frac{(d^2 - e^2 x^2)^{7/2}}{3e^2(d + ex)^2} - \frac{2(d^2 - e^2 x^2)^{5/2}}{15e^2} - \frac{d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{4e^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] -(d^3\*x\*sqrt[d^2 - e^2\*x^2])/(4\*e) - (d\*x\*(d^2 - e^2\*x^2)^(3/2))/(6\*e) - (2\*(d^2 - e^2\*x^2)^(5/2))/(15\*e^2) - (d^2 - e^2\*x^2)^(7/2)/(3\*e^2\*(d + e\*x)^2) - (d^5\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(4\*e^2)

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 665

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[(2*c*d*p)/(e
^2*(m + 2*p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1), x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (LeQ[-2, m, 0]
|| EqQ[m + p + 1, 0]) && NeQ[m + 2*p + 1, 0] && IntegerQ[2*p]
```

### Rule 793

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_
), x_Symbol] := Simp[((d*g - e*f)*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*c*d*(
m + p + 1)), x] + Dist[(m*(g*c*d + c*e*f) + 2*e*c*f*(p + 1))/(e*(2*c*d)*(m
+ p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e
, f, g, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p
+ 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2*p + 2, 0]) && NeQ[m + p
+ 1, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x(d^2 - e^2x^2)^{5/2}}{(d + ex)^2} dx &= -\frac{(d^2 - e^2x^2)^{7/2}}{3e^2(d + ex)^2} - \frac{2 \int \frac{(d^2 - e^2x^2)^{5/2}}{d + ex} dx}{3e} \\
&= -\frac{2(d^2 - e^2x^2)^{5/2}}{15e^2} - \frac{(d^2 - e^2x^2)^{7/2}}{3e^2(d + ex)^2} - \frac{(2d) \int (d^2 - e^2x^2)^{3/2} dx}{3e} \\
&= -\frac{dx(d^2 - e^2x^2)^{3/2}}{6e} - \frac{2(d^2 - e^2x^2)^{5/2}}{15e^2} - \frac{(d^2 - e^2x^2)^{7/2}}{3e^2(d + ex)^2} - \frac{d^3 \int \sqrt{d^2 - e^2x^2} dx}{2e} \\
&= -\frac{d^3x\sqrt{d^2 - e^2x^2}}{4e} - \frac{dx(d^2 - e^2x^2)^{3/2}}{6e} - \frac{2(d^2 - e^2x^2)^{5/2}}{15e^2} - \frac{(d^2 - e^2x^2)^{7/2}}{3e^2(d + ex)^2} - \frac{d^5 \int \frac{1}{\sqrt{d^2 - e^2x^2}} dx}{4e} \\
&= -\frac{d^3x\sqrt{d^2 - e^2x^2}}{4e} - \frac{dx(d^2 - e^2x^2)^{3/2}}{6e} - \frac{2(d^2 - e^2x^2)^{5/2}}{15e^2} - \frac{(d^2 - e^2x^2)^{7/2}}{3e^2(d + ex)^2} - \frac{d^5 \operatorname{Subst}\left(\int \frac{1}{\sqrt{d^2 - e^2x^2}} dx\right)}{4e} \\
&= -\frac{d^3x\sqrt{d^2 - e^2x^2}}{4e} - \frac{dx(d^2 - e^2x^2)^{3/2}}{6e} - \frac{2(d^2 - e^2x^2)^{5/2}}{15e^2} - \frac{(d^2 - e^2x^2)^{7/2}}{3e^2(d + ex)^2} - \frac{d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{4e^2}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 91, normalized size = 0.67

$$\frac{\sqrt{d^2 - e^2x^2} (-28d^4 + 15d^3ex + 16d^2e^2x^2 - 30de^3x^3 + 12e^4x^4) - 15d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{60e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-28\*d^4 + 15\*d^3\*e\*x + 16\*d^2\*e^2\*x^2 - 30\*d\*e^3\*x^3 + 12\*e^4\*x^4) - 15\*d^5\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(60\*e^2)

**IntegrateAlgebraic [A]** time = 0.46, size = 114, normalized size = 0.84

$$\frac{\sqrt{d^2 - e^2x^2} (-28d^4 + 15d^3ex + 16d^2e^2x^2 - 30de^3x^3 + 12e^4x^4)}{60e^2} - \frac{d^5\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{4e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^2,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-28\*d^4 + 15\*d^3\*e\*x + 16\*d^2\*e^2\*x^2 - 30\*d\*e^3\*x^3 + 12\*e^4\*x^4))/(60\*e^2) - (d^5\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(4\*e^3)

**fricas [A]** time = 0.39, size = 94, normalized size = 0.69

$$\frac{30d^5 \arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + (12e^4x^4 - 30de^3x^3 + 16d^2e^2x^2 + 15d^3ex - 28d^4)\sqrt{-e^2x^2 + d^2}}{60e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="fricas")

[Out] 1/60\*(30\*d^5\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (12\*e^4\*x^4 - 30\*d\*e^3\*x^3 + 16\*d^2\*e^2\*x^2 + 15\*d^3\*e\*x - 28\*d^4)\*sqrt(-e^2\*x^2 + d^2))/e^2

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

sage0x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="giac")

[Out] sage0\*x

**maple [A]** time = 0.01, size = 198, normalized size = 1.46

$$\frac{d^5 \arctan\left(\frac{\sqrt{2}x}{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}}\right)}{4\sqrt{e^2}e} - \frac{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}d^3x}{4e} - \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}dx}{6e} - \frac{2\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{5}{2}}}{15e^2} - \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{7}{2}}}{3\left(x+\frac{d}{e}\right)^2e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(-e^2*x^2+d^2)^(5/2)/(e*x+d)^2,x)`

[Out] 
$$-2/15/e^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(5/2)-1/6/e*d*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)*x-1/4/e*d^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x-1/4/e*d^5/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x)-1/3/e^4/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(7/2)$$

**maxima** [C] time = 1.00, size = 167, normalized size = 1.23

$$\frac{id^5 \arcsin\left(\frac{ex}{d} + 2\right)}{4e^2} - \frac{\sqrt{e^2x^2 + 4dex + 3d^2} d^3 x}{4e} - \frac{(-e^2x^2 + d^2)^{5/2} d}{4(e^3x + de^2)} - \frac{\sqrt{e^2x^2 + 4dex + 3d^2} d^4}{2e^2} + \frac{(-e^2x^2 + d^2)^{3/2} dx}{4e} - \frac{5(-e^2x^2 + d^2)^{3/2} d^2}{12e^2} + \frac{(-e^2x^2 + d^2)^{5/2}}{5e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-e^2*x^2+d^2)^(5/2)/(e*x+d)^2,x, algorithm="maxima")`

[Out] 
$$1/4*I*d^5*\arcsin(e*x/d + 2)/e^2 - 1/4*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^3*x/e - 1/4*(-e^2*x^2 + d^2)^(5/2)*d/(e^3*x + d*e^2) - 1/2*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^4/e^2 + 1/4*(-e^2*x^2 + d^2)^(3/2)*d*x/e - 5/12*(-e^2*x^2 + d^2)^(3/2)*d^2/e^2 + 1/5*(-e^2*x^2 + d^2)^(5/2)/e^2$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x(d^2 - e^2 x^2)^{5/2}}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(d^2 - e^2*x^2)^(5/2))/(d + e*x)^2,x)`

[Out] `int((x*(d^2 - e^2*x^2)^(5/2))/(d + e*x)^2, x)`

**sympy** [A] time = 8.57, size = 321, normalized size = 2.36

$$d^2 \left( \begin{cases} \frac{x^2 \sqrt{d^2}}{2} & \text{for } e^2 = 0 \\ -\frac{(d^2 - e^2 x^2)^{3/2}}{3e^2} & \text{otherwise} \end{cases} \right) - 2de \left( \begin{cases} -\frac{id^4 \operatorname{acosh}\left(\frac{ex}{d}\right)}{8e^3} + \frac{id^3 x}{8e^2 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} - \frac{3idx^3}{8 \sqrt{-1 + \frac{e^2 x^2}{d^2}}} + \frac{ie^2 x^5}{4i \sqrt{-1 + \frac{e^2 x^2}{d^2}}} & \text{for } \left| \frac{e^2 x^2}{d^2} \right| > 1 \\ \frac{d^4 \operatorname{asin}\left(\frac{ex}{d}\right)}{8e^3} - \frac{d^3 x}{8e^2 \sqrt{1 - \frac{e^2 x^2}{d^2}}} + \frac{3dx^3}{8 \sqrt{1 - \frac{e^2 x^2}{d^2}}} - \frac{e^2 x^5}{4d \sqrt{1 - \frac{e^2 x^2}{d^2}}} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} -\frac{2d^4 \sqrt{d^2 - e^2 x^2}}{15e^4} - \frac{d^2 x^2 \sqrt{d^2 - e^2 x^2}}{15e^2} + \frac{x^4 \sqrt{d^2 - e^2 x^2}}{5} & \text{for } e \neq 0 \\ \frac{x^4 \sqrt{d^2}}{4} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-e**2*x**2+d**2)**(5/2)/(e*x+d)**2,x)`

[Out] 
$$d^{**2}*\operatorname{Piecewise}((x^{**2}*\sqrt{d^{**2}}/2, \operatorname{Eq}(e^{**2}, 0)), (-d^{**2} - e^{**2}*x^{**2})^{**}(3/2)/(3*e^{**2}), \operatorname{True})) - 2*d*e*\operatorname{Piecewise}((-I*d^{**4}*\operatorname{acosh}(e*x/d)/(8*e^{**3}) + I*d^{**$$

```

3*x/(8*e**2*sqrt(-1 + e**2*x**2/d**2)) - 3*I*d*x**3/(8*sqrt(-1 + e**2*x**2/
d**2)) + I*e**2*x**5/(4*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) >
1), (d**4*asin(e*x/d)/(8*e**3) - d**3*x/(8*e**2*sqrt(1 - e**2*x**2/d**2))
+ 3*d*x**3/(8*sqrt(1 - e**2*x**2/d**2)) - e**2*x**5/(4*d*sqrt(1 - e**2*x**2
/d**2)), True)) + e**2*Piecewise((-2*d**4*sqrt(d**2 - e**2*x**2)/(15*e**4)
- d**2*x**2*sqrt(d**2 - e**2*x**2)/(15*e**2) + x**4*sqrt(d**2 - e**2*x**2)/
5, Ne(e, 0)), (x**4*sqrt(d**2)/4, True))

```

$$3.162 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{(d + ex)^2} dx$$

Optimal. Leaf size=108

$$\frac{5}{8} d^2 x \sqrt{d^2 - e^2 x^2} + \frac{5d (d^2 - e^2 x^2)^{3/2}}{12e} + \frac{(d - ex) (d^2 - e^2 x^2)^{3/2}}{4e} + \frac{5d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{8e}$$

**Rubi** [A] time = 0.04, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {655, 671, 641, 195, 217, 203}

$$\frac{5}{8} d^2 x \sqrt{d^2 - e^2 x^2} + \frac{5d (d^2 - e^2 x^2)^{3/2}}{12e} + \frac{(d - ex) (d^2 - e^2 x^2)^{3/2}}{4e} + \frac{5d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{8e}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(d + e\*x)^2,x]

[Out] (5\*d^2\*x\*Sqrt[d^2 - e^2\*x^2])/8 + (5\*d\*(d^2 - e^2\*x^2)^(3/2))/(12\*e) + ((d - e\*x)\*(d^2 - e^2\*x^2)^(3/2))/(4\*e) + (5\*d^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(8\*e)

#### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 641

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(
a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /
; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]
```

### Rule 655

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[
d^(2*m)/a^m, Int[(a + c*x^2)^(m + p)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d,
e, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && IntegerQ[m] && R
ationalQ[p] && (LtQ[0, -m, p] || LtQ[p, -m, 0]) && NeQ[m, 2] && NeQ[m, -1]
```

### Rule 671

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 1)), x] + Dist[(2*c
*d*(m + p))/(c*(m + 2*p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p, x], x]
/; FreeQ[{a, c, d, e, p}, x] && EqQ[c*d^2 + a*e^2, 0] && GtQ[m, 1] && NeQ[m
+ 2*p + 1, 0] && IntegerQ[2*p]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{(d + ex)^2} dx &= \int (d - ex)^2 \sqrt{d^2 - e^2 x^2} dx \\
&= \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{4e} + \frac{1}{4}(5d) \int (d - ex) \sqrt{d^2 - e^2 x^2} dx \\
&= \frac{5d(d^2 - e^2 x^2)^{3/2}}{12e} + \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{4e} + \frac{1}{4}(5d^2) \int \sqrt{d^2 - e^2 x^2} dx \\
&= \frac{5}{8}d^2 x \sqrt{d^2 - e^2 x^2} + \frac{5d(d^2 - e^2 x^2)^{3/2}}{12e} + \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{4e} + \frac{1}{8}(5d^4) \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{5}{8}d^2 x \sqrt{d^2 - e^2 x^2} + \frac{5d(d^2 - e^2 x^2)^{3/2}}{12e} + \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{4e} + \frac{1}{8}(5d^4) \text{Subst} \left( \int \frac{1}{1 + e^2 x} \right. \\
&= \frac{5}{8}d^2 x \sqrt{d^2 - e^2 x^2} + \frac{5d(d^2 - e^2 x^2)^{3/2}}{12e} + \frac{(d - ex)(d^2 - e^2 x^2)^{3/2}}{4e} + \frac{5d^4 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)}{8e}
\end{aligned}$$



**Mathematica [A]** time = 0.05, size = 80, normalized size = 0.74

$$\frac{15d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right) + \sqrt{d^2 - e^2x^2} (16d^3 + 9d^2ex - 16de^2x^2 + 6e^3x^3)}{24e}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(d + e\*x)^2,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(16\*d^3 + 9\*d^2\*e\*x - 16\*d\*e^2\*x^2 + 6\*e^3\*x^3) + 15\*d^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(24\*e)

**IntegrateAlgebraic [A]** time = 0.44, size = 103, normalized size = 0.95

$$\frac{5d^4\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{8e^2} + \frac{\sqrt{d^2 - e^2x^2} (16d^3 + 9d^2ex - 16de^2x^2 + 6e^3x^3)}{24e}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(d + e\*x)^2,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(16\*d^3 + 9\*d^2\*e\*x - 16\*d\*e^2\*x^2 + 6\*e^3\*x^3))/(24\*e) + (5\*d^4\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(8\*e^2)

**fricas [A]** time = 0.40, size = 84, normalized size = 0.78

$$\frac{30d^4 \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) - (6e^3x^3 - 16de^2x^2 + 9d^2ex + 16d^3)\sqrt{-e^2x^2 + d^2}}{24e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="fricas")

[Out] -1/24\*(30\*d^4\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (6\*e^3\*x^3 - 16\*d\*e^2\*x^2 + 9\*d^2\*e\*x + 16\*d^3)\*sqrt(-e^2\*x^2 + d^2))/e

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="giac")

[Out] sage0\*x

**maple [B]** time = 0.01, size = 194, normalized size = 1.80

$$\frac{5d^4 \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2}}\right)}{8\sqrt{e^2}} + \frac{5\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2} d^2 x}{8} + \frac{5\left(2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} x}{12} + \frac{\left(2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2\right)^{\frac{5}{2}}}{3de} + \frac{\left(2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2\right)^{\frac{7}{2}}}{3\left(x+\frac{d}{e}\right)^2 d e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x)

[Out] 1/3/e^3/d/(x+d/e)^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(7/2)+1/3/e/d\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(5/2)+5/12\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)\*x+5/8\*d^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x+5/8\*d^4/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x)

**maxima [C]** time = 0.99, size = 119, normalized size = 1.10

$$-\frac{5i d^4 \arcsin\left(\frac{ex}{d} + 2\right)}{8e} + \frac{5}{8} \sqrt{e^2 x^2 + 4 dex + 3 d^2} d^2 x + \frac{5 \sqrt{e^2 x^2 + 4 dex + 3 d^2} d^3}{4e} + \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}}}{4(e^2 x + de)} + \frac{5(-e^2 x^2 + d^2)^{\frac{3}{2}} d}{12e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^2,x, algorithm="maxima")

[Out] -5/8\*I\*d^4\*arcsin(e\*x/d + 2)/e + 5/8\*sqrt(e^2\*x^2 + 4\*d\*e\*x + 3\*d^2)\*d^2\*x + 5/4\*sqrt(e^2\*x^2 + 4\*d\*e\*x + 3\*d^2)\*d^3/e + 1/4\*(-e^2\*x^2 + d^2)^(5/2)/(e^2\*x + d\*e) + 5/12\*(-e^2\*x^2 + d^2)^(3/2)\*d/e

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(d + e\*x)^2,x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(d + e\*x)^2, x)

**sympy [C]** time = 9.35, size = 350, normalized size = 3.24

$$d^2 \left( \begin{array}{l} \left( -\frac{id^2 \operatorname{acosh}\left(\frac{ex}{d}\right)}{2e} - \frac{idx}{2\sqrt{-1+\frac{e^2 x^2}{d^2}}} + \frac{ie^2 x^3}{2d\sqrt{-1+\frac{e^2 x^2}{d^2}}} \text{ for } \left|\frac{e^2 x^2}{d^2}\right| > 1 \right) \\ \left( \frac{d^2 \operatorname{asin}\left(\frac{ex}{d}\right)}{2e} + \frac{dx\sqrt{1-\frac{e^2 x^2}{d^2}}}{2} \text{ otherwise} \right) \end{array} \right) - 2de \left( \begin{array}{l} \left( \frac{x^2 \sqrt{d^2}}{2} \text{ for } e^2 = 0 \right) \\ \left( -\frac{(d^2 - e^2 x^2)^{\frac{3}{2}}}{3e^2} \text{ otherwise} \right) \end{array} \right) + e^2 \left( \begin{array}{l} \left( -\frac{id^4 \operatorname{acosh}\left(\frac{ex}{d}\right)}{8e^3} + \frac{id^3 x}{8e^2 \sqrt{-1+\frac{e^2 x^2}{d^2}}} - \frac{3idx^3}{8\sqrt{-1+\frac{e^2 x^2}{d^2}}} + \frac{ie^2 x^5}{4d\sqrt{-1+\frac{e^2 x^2}{d^2}}} \text{ for } \left|\frac{e^2 x^2}{d^2}\right| > 1 \right) \\ \left( \frac{d^4 \operatorname{asin}\left(\frac{ex}{d}\right)}{8e^3} - \frac{d^3 x}{8e^2 \sqrt{1-\frac{e^2 x^2}{d^2}}} + \frac{3dx^3}{8\sqrt{1-\frac{e^2 x^2}{d^2}}} - \frac{e^2 x^5}{4d\sqrt{1-\frac{e^2 x^2}{d^2}}} \text{ otherwise} \right) \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-e**2*x**2+d**2)**(5/2)/(e*x+d)**2,x)
```

```
[Out] d**2*Piecewise((-I*d**2*acosh(e*x/d)/(2*e) - I*d*x/(2*sqrt(-1 + e**2*x**2/d
**2)) + I*e**2*x**3/(2*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) >
1), (d**2*asin(e*x/d)/(2*e) + d*x*sqrt(1 - e**2*x**2/d**2)/2, True)) - 2*d*
e*Piecewise((x**2*sqrt(d**2)/2, Eq(e**2, 0)), (-(d**2 - e**2*x**2)**(3/2)/(
3*e**2), True)) + e**2*Piecewise((-I*d**4*acosh(e*x/d)/(8*e**3) + I*d**3*x/
(8*e**2*sqrt(-1 + e**2*x**2/d**2)) - 3*I*d*x**3/(8*sqrt(-1 + e**2*x**2/d**2
)) + I*e**2*x**5/(4*d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1),
(d**4*asin(e*x/d)/(8*e**3) - d**3*x/(8*e**2*sqrt(1 - e**2*x**2/d**2)) + 3*
d*x**3/(8*sqrt(1 - e**2*x**2/d**2)) - e**2*x**5/(4*d*sqrt(1 - e**2*x**2/d**
2)), True))
```

$$3.163 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x(d+ex)^2} dx$$

**Optimal.** Leaf size=96

$$d(d-ex)\sqrt{d^2 - e^2 x^2} - \frac{1}{3}(d^2 - e^2 x^2)^{3/2} + d^3 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) \right) - d^3 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

**Rubi [A]** time = 0.16, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {852, 1809, 815, 844, 217, 203, 266, 63, 208}

$$d(d-ex)\sqrt{d^2 - e^2 x^2} - \frac{1}{3}(d^2 - e^2 x^2)^{3/2} + d^3 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) \right) - d^3 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)^2),x]

[Out] d\*(d - e\*x)\*Sqrt[d^2 - e^2\*x^2] - (d^2 - e^2\*x^2)^(3/2)/3 - d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - d^3\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 815

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
/; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1809

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x(d + ex)^2} dx &= \int \frac{(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{x} dx \\
&= -\frac{1}{3} (d^2 - e^2 x^2)^{3/2} - \frac{\int \frac{(-3d^2 e^2 + 6de^3 x) \sqrt{d^2 - e^2 x^2}}{x} dx}{3e^2} \\
&= d(d - ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{3} (d^2 - e^2 x^2)^{3/2} + \frac{\int \frac{6d^4 e^4 - 6d^3 e^5 x}{x \sqrt{d^2 - e^2 x^2}} dx}{6e^4} \\
&= d(d - ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{3} (d^2 - e^2 x^2)^{3/2} + d^4 \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx - (d^3 e) \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
&= d(d - ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{3} (d^2 - e^2 x^2)^{3/2} + \frac{1}{2} d^4 \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, x^2 \right) - (d^3 e) \text{Subst} \left( \int \frac{1}{\sqrt{d^2 - e^2 x}} dx, x, x^2 \right) \\
&= d(d - ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{3} (d^2 - e^2 x^2)^{3/2} - d^3 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - \frac{d^4 \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, x^2 \right)}{e^2} \\
&= d(d - ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{3} (d^2 - e^2 x^2)^{3/2} - d^3 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - d^3 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 96, normalized size = 1.00

$$d^3 \log(x) + \sqrt{d^2 - e^2 x^2} \left( \frac{2d^2}{3} - dex + \frac{e^2 x^2}{3} \right) - d^3 \log \left( \sqrt{d^2 - e^2 x^2} + d \right) + d^3 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)^2), x]

[Out] Sqrt[d^2 - e^2\*x^2]\*((2\*d^2)/3 - d\*e\*x + (e^2\*x^2)/3) - d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] + d^3\*Log[x] - d^3\*Log[d + Sqrt[d^2 - e^2\*x^2]]

**IntegrateAlgebraic [A]** time = 0.48, size = 128, normalized size = 1.33

$$\frac{1}{3} \sqrt{d^2 - e^2 x^2} (2d^2 - 3dex + e^2 x^2) - \frac{d^3 \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right)}{e} + 2d^3 \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)^2), x]

[Out]  $(\sqrt{d^2 - e^2 x^2} (2d^2 - 3d e x + e^2 x^2))/3 + 2d^3 \operatorname{ArcTanh}[(\sqrt{-e^2} x)/d - \sqrt{d^2 - e^2 x^2}/d] - (d^3 \sqrt{-e^2} \operatorname{Log}[-(\sqrt{-e^2} x) + \sqrt{d^2 - e^2 x^2}])/e$

**fricas** [A] time = 0.41, size = 95, normalized size = 0.99

$$2d^3 \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) + d^3 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + \frac{1}{3} (e^2 x^2 - 3dex + 2d^2) \sqrt{-e^2 x^2 + d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(5/2)/x/(e*x+d)^2,x, algorithm="fricas")`

[Out]  $2d^3 \arctan(-(d - \sqrt{-e^2 x^2 + d^2})/(e x)) + d^3 \log(-(d - \sqrt{-e^2 x^2 + d^2})/x) + 1/3 (e^2 x^2 - 3d e x + 2d^2) \sqrt{-e^2 x^2 + d^2}$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(5/2)/x/(e*x+d)^2,x, algorithm="giac")`

[Out] `sage0*x`

**maple** [B] time = 0.01, size = 290, normalized size = 3.02

$$\frac{d^4 \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2 x^2}}{x}\right)}{\sqrt{d^2}} - \frac{d^4 e \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{2(x+\frac{d}{e})e - (x+\frac{d}{e})^2}}\right)}{\sqrt{d^2}} - \sqrt{2(x+\frac{d}{e})e - (x+\frac{d}{e})^2} e^2 dex + \sqrt{-e^2 x^2 + d^2} d^2 - \frac{2\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2 e^2\right)^{\frac{3}{2}} ex}{3d} + \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}}}{5d^2} - \frac{8\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2 e^2\right)^{\frac{5}{2}}}{15d^2} - \frac{\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2 e^2\right)^{\frac{7}{2}}}{3\left(x+\frac{d}{e}\right)^2 d^2 e^2} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-e^2*x^2+d^2)^(5/2)/x/(e*x+d)^2,x)`

[Out]  $1/5/d^2 * (-e^2 x^2 + d^2)^{(5/2)} + 1/3 * (-e^2 x^2 + d^2)^{(3/2)} + d^2 * (-e^2 x^2 + d^2)^{(1/2)} - d^4 / (d^2)^{(1/2)} * \ln((2 * d^2 + 2 * (d^2)^{(1/2)} * (-e^2 x^2 + d^2)^{(1/2)}) / x) - 8/15/d^2 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(5/2)} - 2/3/d * e * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(3/2)} * x - d * e * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(1/2)} * x - d^3 * e / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(1/2)} * x) - 1/3/d^2/e^2/(x + d/e)^2 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(7/2)}$

**maxima** [A] time = 0.99, size = 103, normalized size = 1.07

$$-d^3 \arcsin\left(\frac{ex}{d}\right) - d^3 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2 x^2 + d^2} d}{|x|}\right) - \sqrt{-e^2 x^2 + d^2} dex + \sqrt{-e^2 x^2 + d^2} d^2 - \frac{1}{3} (-e^2 x^2 + d^2)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x/(e\*x+d)^2,x, algorithm="maxima")

[Out] -d^3\*arcsin(e\*x/d) - d^3\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x)) - sqrt(-e^2\*x^2 + d^2)\*d\*e\*x + sqrt(-e^2\*x^2 + d^2)\*d^2 - 1/3\*(-e^2\*x^2 + d^2)^(3/2)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)^2),x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)^2), x)

**sympy** [C] time = 14.83, size = 267, normalized size = 2.78

$$d^2 \left( \begin{cases} \frac{d^2}{ex\sqrt{\frac{d^2}{e^2x^2}-1}} - d \operatorname{acosh}\left(\frac{d}{ex}\right) - \frac{ex}{\sqrt{\frac{d^2}{e^2x^2}-1}} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ -\frac{id^2}{ex\sqrt{-\frac{d^2}{e^2x^2}+1}} + id \operatorname{asin}\left(\frac{d}{ex}\right) + \frac{ie^2x}{\sqrt{-\frac{d^2}{e^2x^2}+1}} & \text{otherwise} \end{cases} \right) - 2de \left( \begin{cases} -\frac{id^2 \operatorname{acosh}\left(\frac{ex}{d}\right)}{2e} - \frac{id^2x}{2\sqrt{-1+\frac{e^2x^2}{d^2}}} + \frac{ie^2x^3}{2d\sqrt{-1+\frac{e^2x^2}{d^2}}} & \text{for } \left|\frac{e^2x^2}{d^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{ex}{d}\right)}{2e} + \frac{dx\sqrt{1-\frac{e^2x^2}{d^2}}}{2} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} \frac{x^2\sqrt{d^2}}{2} & \text{for } e^2 = 0 \\ -\frac{(d^2 - e^2x^2)^{3/2}}{3e^2} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x/(e\*x+d)\*\*2,x)

[Out] d\*\*2\*Piecewise((d\*\*2/(e\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - d\*acosh(d/(e\*x)) - e\*x/sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*d\*\*2/(e\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*d\*asin(d/(e\*x)) + I\*e\*x/sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1), True)) - 2\*d\*e\*Piecewise((-I\*d\*\*2\*acosh(e\*x/d)/(2\*e) - I\*d\*x/(2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*3/(2\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*2\*asin(e\*x/d)/(2\*e) + d\*x\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/2, True)) + e\*\*2\*Piecewise((x\*\*2\*sqrt(d\*\*2)/2, Eq(e\*\*2, 0)), (-d\*\*2 - e\*\*2\*x\*\*2)\*\*(3/2)/(3\*e\*\*2), True))



$$3.164 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^2(d+ex)^2} dx$$

**Optimal.** Leaf size=105

$$-\frac{(d^2 - e^2 x^2)^{3/2}}{x} - \frac{1}{2} e(4d + ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{2} d^2 e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + 2d^2 e \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

**Rubi [A]** time = 0.16, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {852, 1807, 815, 844, 217, 203, 266, 63, 208}

$$-\frac{(d^2 - e^2 x^2)^{3/2}}{x} - \frac{1}{2} e(4d + ex) \sqrt{d^2 - e^2 x^2} - \frac{1}{2} d^2 e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + 2d^2 e \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^2\*(d + e\*x)^2), x]

[Out] -(e\*(4\*d + e\*x)\*Sqrt[d^2 - e^2\*x^2])/2 - (d^2 - e^2\*x^2)^(3/2)/x - (d^2\*e\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/2 + 2\*d^2\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 815

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2)
^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1807

```
Int[(Pq)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^2(d + ex)^2} dx &= \int \frac{(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{x^2} dx \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{x} - \frac{\int \frac{(2d^3 e + d^2 e^2 x) \sqrt{d^2 - e^2 x^2}}{x} dx}{d^2} \\
&= -\frac{1}{2} e(4d + ex) \sqrt{d^2 - e^2 x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{x} + \frac{\int \frac{-4d^5 e^3 - d^4 e^4 x}{x \sqrt{d^2 - e^2 x^2}} dx}{2d^2 e^2} \\
&= -\frac{1}{2} e(4d + ex) \sqrt{d^2 - e^2 x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{x} - (2d^3 e) \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx - \frac{1}{2} (d^2 e^2) \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
&= -\frac{1}{2} e(4d + ex) \sqrt{d^2 - e^2 x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{x} - (d^3 e) \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, x^2 \right) - \frac{1}{2} (d^2 e^2) \text{Subst} \left( \int \frac{1}{\sqrt{d^2 - e^2 x}} dx, x, x^2 \right) \\
&= -\frac{1}{2} e(4d + ex) \sqrt{d^2 - e^2 x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{x} - \frac{1}{2} d^2 e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \frac{(2d^3) \text{Subst} \left( \int \frac{1}{\sqrt{d^2 - e^2 x}} dx, x, x^2 \right)}{2} \\
&= -\frac{1}{2} e(4d + ex) \sqrt{d^2 - e^2 x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{x} - \frac{1}{2} d^2 e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + 2d^2 e \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 100, normalized size = 0.95

$$\left( -\frac{d^2}{x} - 2de + \frac{e^2 x}{2} \right) \sqrt{d^2 - e^2 x^2} + 2d^2 e \log \left( \sqrt{d^2 - e^2 x^2} + d \right) - \frac{1}{2} d^2 e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - 2d^2 e \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^2\*(d + e\*x)^2), x]

[Out] (-2\*d\*e - d^2/x + (e^2\*x)/2)\*Sqrt[d^2 - e^2\*x^2] - (d^2\*e\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/2 - 2\*d^2\*e\*Log[x] + 2\*d^2\*e\*Log[d + Sqrt[d^2 - e^2\*x^2]]

**IntegrateAlgebraic [A]** time = 0.60, size = 131, normalized size = 1.25

$$\frac{\sqrt{d^2 - e^2 x^2} (-2d^2 - 4dex + e^2 x^2)}{2x} - \frac{1}{2} d^2 \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right) - 4d^2 e \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^2\*(d + e\*x)^2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-2\*d^2 - 4\*d\*e\*x + e^2\*x^2))/(2\*x) - 4\*d^2\*e\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] - (d^2\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/2

**fricas** [A] time = 0.40, size = 111, normalized size = 1.06

$$\frac{2 d^2 e x \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - 4 d^2 e x \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) - 4 d^2 e x + (e^2 x^2 - 4 d e x - 2 d^2) \sqrt{-e^2 x^2 + d^2}}{2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^2/(e\*x+d)^2,x, algorithm="fricas")

[Out] 1/2\*(2\*d^2\*e\*x\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - 4\*d^2\*e\*x\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - 4\*d^2\*e\*x + (e^2\*x^2 - 4\*d\*e\*x - 2\*d^2)\*sqrt(-e^2\*x^2 + d^2))/x

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

sage0x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^2/(e\*x+d)^2,x, algorithm="giac")

[Out] sage0\*x

**maple** [B] time = 0.01, size = 425, normalized size = 4.05

$$\frac{2d^2e \ln\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{e}\right)}{\sqrt{e}} + \frac{11d^2e \arctan\left(\frac{\sqrt{-e^2x^2 + d^2}}{\sqrt{d^2 - e^2x^2 + d^2}}\right)}{8\sqrt{e}} - \frac{15d^2e \arctan\left(\frac{\sqrt{-e^2x^2 + d^2}}{\sqrt{d^2 - e^2x^2 + d^2}}\right)}{8\sqrt{e}} - \frac{11\sqrt{-e^2x^2 + d^2} e^2 x}{8} + \frac{11\sqrt{2\left(\frac{d}{e} + x\right) d e - \left(\frac{d}{e} + x\right)^2 e^2}}{8} - \frac{2\sqrt{-e^2x^2 + d^2} d e}{2\sqrt{-e^2x^2 + d^2} d e} - \frac{5(-e^2x + d)^2 e^2 x}{4d^2} + \frac{11\left[2\left(\frac{d}{e} + x\right) d e - \left(\frac{d}{e} + x\right)^2 e^2\right]^2 e^2 x}{12d^2} - \frac{2(-e^2x + d)^2 e^2 x}{3d} - \frac{(-e^2x + d)^2 e^2 x}{d^2} - \frac{2(-e^2x + d)^2 e^2 x}{5d} + \frac{11\left[2\left(\frac{d}{e} + x\right) d e - \left(\frac{d}{e} + x\right)^2 e^2\right]^2 e^2 x}{15d^2} + \frac{2\left[2\left(\frac{d}{e} + x\right) d e - \left(\frac{d}{e} + x\right)^2 e^2\right]^2 e^2 x}{3\left(\frac{d}{e} + x\right)^2 d^2 e} - \frac{(-e^2x + d)^2 e^2 x}{d^2 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x^2/(e\*x+d)^2,x)

[Out] -1/d^4/x\*(-e^2\*x^2+d^2)^(7/2)-1/d^4\*e^2\*x\*(-e^2\*x^2+d^2)^(5/2)-5/4/d^2\*e^2\*x\*(-e^2\*x^2+d^2)^(3/2)-15/8\*e^2\*x\*(-e^2\*x^2+d^2)^(1/2)-15/8\*d^2\*e^2/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)-2/5/d^3\*e\*(-e^2\*x^2+d^2)^(5/2)-2/3/d\*e\*(-e^2\*x^2+d^2)^(3/2)-2\*d\*e\*(-e^2\*x^2+d^2)^(1/2)+2\*d^3\*e/(d^2)^(1/2)\*ln((2\*d^2+2\*(d^2)^(1/2)\*(-e^2\*x^2+d^2)^(1/2))/x)+11/15/d^3\*e\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(5/2)+11/12/d^2\*e^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)\*x+11/8\*e^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x+11/8\*d^2\*e^2/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x)+1/3/d^3/e/(x+d/e)^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(7/2)

**maxima** [A] time = 1.12, size = 112, normalized size = 1.07

$$-\frac{1}{2} d^2 e \arcsin\left(\frac{ex}{d}\right) + 2 d^2 e \log\left(\frac{2 d^2}{|x|} + \frac{2 \sqrt{-e^2 x^2 + d^2} d}{|x|}\right) + \frac{1}{2} \sqrt{-e^2 x^2 + d^2} e^2 x - 2 \sqrt{-e^2 x^2 + d^2} d e - \frac{\sqrt{-e^2 x^2 + d^2} d^2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^2/(e\*x+d)^2,x, algorithm="maxima")

[Out] -1/2\*d^2\*e\*arcsin(e\*x/d) + 2\*d^2\*e\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x)) + 1/2\*sqrt(-e^2\*x^2 + d^2)\*e^2\*x - 2\*sqrt(-e^2\*x^2 + d^2)\*d\*e - sqrt(-e^2\*x^2 + d^2)\*d^2/x

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^2 (d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x^2\*(d + e\*x)^2), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x^2\*(d + e\*x)^2), x)

**sympy** [C] time = 9.85, size = 347, normalized size = 3.30

$$d^2 \left( \begin{cases} \frac{id}{x\sqrt{-1+\frac{e^2x^2}{d^2}}} + ie \operatorname{acosh}\left(\frac{ex}{d}\right) - \frac{i^2x}{d\sqrt{-1+\frac{e^2x^2}{d^2}}} & \text{for } \left|\frac{e^2x^2}{d^2}\right| > 1 \\ -\frac{d}{x\sqrt{1-\frac{e^2x^2}{d^2}}} - e \operatorname{asin}\left(\frac{ex}{d}\right) + \frac{e^2x}{d\sqrt{1-\frac{e^2x^2}{d^2}}} & \text{otherwise} \end{cases} \right) - 2de \left( \begin{cases} \frac{d^2}{ex\sqrt{\frac{d^2}{e^2x^2}-1}} - d \operatorname{acosh}\left(\frac{d}{ex}\right) - \frac{ex}{\sqrt{\frac{d^2}{e^2x^2}-1}} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ -\frac{id^2}{ex\sqrt{-\frac{d^2}{e^2x^2}+1}} + id \operatorname{asin}\left(\frac{d}{ex}\right) + \frac{ix}{\sqrt{-\frac{d^2}{e^2x^2}+1}} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} \frac{id^2 \operatorname{acosh}\left(\frac{ex}{d}\right)}{2e} - \frac{idx}{2\sqrt{-1+\frac{e^2x^2}{d^2}}} + \frac{i^2x^3}{2d\sqrt{-1+\frac{e^2x^2}{d^2}}} & \text{for } \left|\frac{e^2x^2}{d^2}\right| > 1 \\ \frac{d^2 \operatorname{asin}\left(\frac{ex}{d}\right)}{2e} + \frac{dx\sqrt{1-\frac{e^2x^2}{d^2}}}{2} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*2/(e\*x+d)\*\*2,x)

[Out] d\*\*2\*Piecewise((I\*d/(x\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*acosh(e\*x/d) - I\*e\*x/(d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (-d/(x\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*asin(e\*x/d) + e\*\*2\*x/(d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)), True)) - 2\*d\*e\*Piecewise((d\*\*2/(e\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - d\*acosh(d/(e\*x)) - e\*x/sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*d\*\*2/(e\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*d\*asin(d/(e\*x)) + I\*e\*x/sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1), True)) + e\*\*2\*Piecewise((-I\*d\*\*2\*acosh(e\*x/d)/(2\*e) - I\*d\*x/(2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*\*2\*x\*\*3/(2\*d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (d\*\*2\*asin(e\*x/d)/(2\*e) + d\*x\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/2, True))

$$3.165 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^3 (d + ex)^2} dx$$

Optimal. Leaf size=110

$$\frac{e(4d + ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d^2 - e^2 x^2)^{3/2}}{2x^2} + 2de^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - \frac{1}{2}de^2 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)$$

**Rubi [A]** time = 0.16, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {852, 1807, 813, 844, 217, 203, 266, 63, 208}

$$\frac{e(4d + ex)\sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d^2 - e^2 x^2)^{3/2}}{2x^2} + 2de^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) - \frac{1}{2}de^2 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(d^2 - e^2*x^2)^(5/2)/(x^3*(d + e*x)^2),x]
```

```
[Out] (e*(4*d + e*x)*Sqrt[d^2 - e^2*x^2])/(2*x) - (d^2 - e^2*x^2)^(3/2)/(2*x^2) +
2*d*e^2*ArcTan[(e*x)/Sqrt[d^2 - e^2*x^2]] - (d*e^2*ArcTanh[Sqrt[d^2 - e^2*
x^2]/d])/2
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_.))^p, x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 813

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(e\*f\*(m + 2\*p + 2) - d\*g\*(2\*p + 1) + e\*g\*(m + 1)\*x\*(a + c\*x^2)^p)/(e^2\*(m + 1)\*(m + 2\*p + 2)), x] + Dist[p/(e^2\*(m + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p - 1)\*Simp[g\*(2\*a\*e + 2\*a\*e\*m) + (g\*(2\*c\*d + 4\*c\*d\*p) - 2\*c\*e\*f\*(m + 2\*p + 2))\*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2\*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 852

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[d^(2\*m)/a^m, Int[((f + g\*x)^n\*(a + c\*x^2)^(m + p))/(d - e\*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])

### Rule 1807

Int[(Pq\_)\*((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, c\*x, x], R = PolynomialRemainder[Pq, c\*x, x]}, Simp[(R\*(c\*x)^(m + 1)\*(a + b\*x^2)^(p + 1))/(a\*c\*(m + 1)), x] + Dist[1/(a\*c\*(m + 1)), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^3(d + ex)^2} dx &= \int \frac{(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{x^3} dx \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{2x^2} - \int \frac{(4d^3 e - d^2 e^2 x) \sqrt{d^2 - e^2 x^2}}{x^2} dx \\
&= \frac{e(4d + ex) \sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d^2 - e^2 x^2)^{3/2}}{2x^2} + \frac{\int \frac{2d^4 e^2 + 8d^3 e^3 x}{x \sqrt{d^2 - e^2 x^2}} dx}{4d^2} \\
&= \frac{e(4d + ex) \sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d^2 - e^2 x^2)^{3/2}}{2x^2} + \frac{1}{2} (d^2 e^2) \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx + (2de^3) \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{e(4d + ex) \sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d^2 - e^2 x^2)^{3/2}}{2x^2} + \frac{1}{4} (d^2 e^2) \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, x^2 \right) + (2de^3) \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{e(4d + ex) \sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d^2 - e^2 x^2)^{3/2}}{2x^2} + 2de^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - \frac{1}{2} d^2 \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - x} dx, x, x^2 \right) \\
&= \frac{e(4d + ex) \sqrt{d^2 - e^2 x^2}}{2x} - \frac{(d^2 - e^2 x^2)^{3/2}}{2x^2} + 2de^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - \frac{1}{2} de^2 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 102, normalized size = 0.93

$$\left( -\frac{d^2}{2x^2} + \frac{2de}{x} + e^2 \right) \sqrt{d^2 - e^2 x^2} - \frac{1}{2} de^2 \log \left( \sqrt{d^2 - e^2 x^2} + d \right) + 2de^2 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \frac{1}{2} de^2 \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)^2), x]

[Out] (e^2 - d^2/(2\*x^2) + (2\*d\*e)/x)\*Sqrt[d^2 - e^2\*x^2] + 2\*d\*e^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] + (d\*e^2\*Log[x])/2 - (d\*e^2\*Log[d + Sqrt[d^2 - e^2\*x^2]])/2

**IntegrateAlgebraic [A]** time = 0.50, size = 128, normalized size = 1.16

$$\frac{\sqrt{d^2 - e^2 x^2} (-d^2 + 4dex + 2e^2 x^2)}{2x^2} + 2d\sqrt{-e^2} e \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right) + de^2 \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.



[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)^2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-d^2 + 4\*d\*e\*x + 2\*e^2\*x^2))/(2\*x^2) + d\*e^2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] + 2\*d\*e\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]]

**fricas** [A] time = 0.41, size = 119, normalized size = 1.08

$$\frac{8de^2x^2 \arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) - de^2x^2 \log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) - 2de^2x^2 - (2e^2x^2 + 4dex - d^2)\sqrt{-e^2x^2 + d^2}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^3/(e\*x+d)^2,x, algorithm="fricas")

[Out] -1/2\*(8\*d\*e^2\*x^2\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - d\*e^2\*x^2\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - 2\*d\*e^2\*x^2 - (2\*e^2\*x^2 + 4\*d\*e\*x - d^2)\*sqrt(-e^2\*x^2 + d^2))/x^2

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

sage0\*x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^3/(e\*x+d)^2,x, algorithm="giac")

[Out] sage0\*x

**maple** [B] time = 0.01, size = 456, normalized size = 4.15

$$\frac{d^2 \ln\left(\frac{d+\sqrt{-e^2x^2+d^2}}{2\sqrt{d}}\right)}{2\sqrt{d}} - \frac{2d^2 \arctan\left(\frac{\sqrt{-e^2x^2+d^2}}{\sqrt{(d+3e)(d-3e)}}\right)}{4\sqrt{d}} - \frac{15d^2 \arctan\left(\frac{\sqrt{-e^2x^2+d^2}}{\sqrt{d}}\right)}{4\sqrt{d}} - \frac{15\sqrt{-e^2x^2+d^2}e^2x}{4d} - \frac{7\sqrt{d}\sqrt{(d+3e)(d-3e)}e^2x}{4d} - \frac{\sqrt{-e^2x^2+d^2}e^2x}{2} - \frac{5(-e^2x+d)^2e^2x}{2d^2} - \frac{7(d+3e)\sqrt{-e^2x^2+d^2}e^2x}{6d^2} - \frac{(-e^2x+d)^2e^2x}{6d} - \frac{2(-e^2x+d)^2e^2x}{d^2} - \frac{(-e^2x+d)^2e^2x}{10d^2} - \frac{14(d+3e)\sqrt{-e^2x^2+d^2}e^2x}{15d^2} - \frac{d(d+3e)\sqrt{-e^2x^2+d^2}e^2x}{3(d+3e)d^2} - \frac{2(-e^2x+d)^2e^2x}{d^2} - \frac{(-e^2x+d)^2e^2x}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x^3/(e\*x+d)^2,x)

[Out] 2/d^5\*e/x\*(-e^2\*x^2+d^2)^(7/2)+2/d^5\*e^3\*x\*(-e^2\*x^2+d^2)^(5/2)+5/2/d^3\*e^3\*x\*x\*(-e^2\*x^2+d^2)^(3/2)+15/4/d\*e^3\*x\*(-e^2\*x^2+d^2)^(1/2)+15/4\*d\*e^3/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(-e^2\*x^2+d^2)^(1/2)\*x)-1/2/d^4/x^2\*(-e^2\*x^2+d^2)^(7/2)+1/10/d^4\*e^2\*(-e^2\*x^2+d^2)^(5/2)+1/6/d^2\*e^2\*(-e^2\*x^2+d^2)^(3/2)+1/2\*e^2\*(-e^2\*x^2+d^2)^(1/2)-1/2\*d^2\*e^2/(d^2)^(1/2)\*ln((2\*d^2+2\*(d^2)^(1/2)\*(-e^2\*x^2+d^2)^(1/2))/x)-14/15/d^4\*e^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(5/2)-7/6/d^3\*e^3\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)\*x-7/4/d\*e^3\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x-7/4\*d\*e^3/(e^2)^(1/2)\*arctan((e^2)^(1/2)/(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x)-1/3/d^4/(x+d/e)^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(7/2)

**maxima** [A] time = 0.99, size = 111, normalized size = 1.01

$$2de^2 \arcsin\left(\frac{ex}{d}\right) - \frac{1}{2}de^2 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2 + d^2}}{|x|}d\right) + \frac{1}{2}\sqrt{-e^2x^2 + d^2}e^2 + \frac{2\sqrt{-e^2x^2 + d^2}de}{x} - \frac{(-e^2x^2 + d^2)^{\frac{3}{2}}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^3/(e\*x+d)^2,x, algorithm="maxima")

[Out] 2\*d\*e^2\*arcsin(e\*x/d) - 1/2\*d\*e^2\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x)) + 1/2\*sqrt(-e^2\*x^2 + d^2)\*e^2 + 2\*sqrt(-e^2\*x^2 + d^2)\*d\*e/x - 1/2\*(-e^2\*x^2 + d^2)^(3/2)/x^2

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^3 (d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)^2), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)^2), x)

**sympy** [C] time = 10.17, size = 347, normalized size = 3.15

$$d^2 \left( \begin{array}{l} \left( -\frac{d^2}{2x^3\sqrt{\frac{d^2}{e^2x^2}-1}} + \frac{e}{2x\sqrt{\frac{d^2}{e^2x^2}-1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{ex}\right)}{2d} \text{ for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ -\frac{ie\sqrt{\frac{d^2}{e^2x^2}+1}}{2x} - \frac{ie^2 \operatorname{asin}\left(\frac{d}{ex}\right)}{2d} \text{ otherwise} \end{array} \right) - 2de \left( \begin{array}{l} \left( \frac{id}{x\sqrt{-1+\frac{e^2x^2}{d^2}}} + ie \operatorname{acosh}\left(\frac{ex}{d}\right) - \frac{ie^2x}{d\sqrt{-1+\frac{e^2x^2}{d^2}}} \text{ for } \left|\frac{e^2x^2}{d^2}\right| > 1 \\ -\frac{d}{x\sqrt{1-\frac{e^2x^2}{d^2}}} - e \operatorname{asin}\left(\frac{ex}{d}\right) + \frac{e^2x}{d\sqrt{1-\frac{e^2x^2}{d^2}}} \text{ otherwise} \end{array} \right) + e^2 \left( \begin{array}{l} \left( \frac{d^2}{ex\sqrt{\frac{d^2}{e^2x^2}-1}} - d \operatorname{acosh}\left(\frac{d}{ex}\right) - \frac{ex}{\sqrt{\frac{d^2}{e^2x^2}-1}} \text{ for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ -\frac{id^2}{ex\sqrt{\frac{d^2}{e^2x^2}+1}} + id \operatorname{asin}\left(\frac{d}{ex}\right) + \frac{ieex}{\sqrt{\frac{d^2}{e^2x^2}+1}} \text{ otherwise} \end{array} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*3/(e\*x+d)\*\*2,x)

[Out] d\*\*2\*Piecewise((-d\*\*2/(2\*e\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e/(2\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*2\*acosh(d/(e\*x))/(2\*d), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(2\*x) - I\*e\*\*2\*asin(d/(e\*x))/(2\*d), True)) - 2\*d\*e\*Piecewise((I\*d/(x\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)) + I\*e\*acosh(e\*x/d) - I\*e\*\*2\*x/(d\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2))), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (-d/(x\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)) - e\*asin(e\*x/d) + e\*\*2\*x/(d\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2))), True)) + e\*\*2\*Piecewise((d\*\*2/(e\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - d\*acosh(d/(e\*x)) - e\*x/sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*d\*\*2/(e\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*d\*asin(d/(e\*x)) + I\*e\*x/sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1), True))

$$3.166 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^4 (d + ex)^2} dx$$

**Optimal.** Leaf size=102

$$\frac{e(d - ex)\sqrt{d^2 - e^2 x^2}}{x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{3x^3} + e^3 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) \right) - e^3 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

**Rubi [A]** time = 0.16, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {852, 1807, 811, 844, 217, 203, 266, 63, 208}

$$\frac{e(d - ex)\sqrt{d^2 - e^2 x^2}}{x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{3x^3} + e^3 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) \right) - e^3 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)^2), x]

[Out] (e\*(d - e\*x)\*Sqrt[d^2 - e^2\*x^2])/x^2 - (d^2 - e^2\*x^2)^(3/2)/(3\*x^3) - e^3 \*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - e^3\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x\_Symbol] \text{ :> } \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] \text{ /; } \text{FreeQ}\{a, b\}, x\} \ \&\& \ !\text{GtQ}[a, 0]$

### Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] \text{ :> } \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] \text{ /; } \text{FreeQ}\{a, b, m, n, p\}, x\} \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 811

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x\_Symbol] \text{ :> } -\text{Simp}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p*((d*g - e*f*(m + 2))*(c*d^2 + a*e^2) - 2*c*d^2*p*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 + a*e^2) + 2*c*d*p*(e*f - d*g)*x))/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), x] - \text{Dist}[p/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), \text{Int}[(d + e*x)^{(m + 2)}*(a + c*x^2)^{(p - 1)}*\text{Simp}[2*a*c*e*(e*f - d*g)*(m + 2) - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m + 2*p + 2)) - 2*a*e^2*g*(m + 1))*x, x], x] \text{ /; } \text{FreeQ}\{a, c, d, e, f, g\}, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{LtQ}[m, -2] \ \&\& \ \text{LtQ}[m + 2*p, 0] \ \&\& \ !\text{ILtQ}[m + 2*p + 3, 0]$

### Rule 844

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x\_Symbol] \text{ :> } \text{Dist}[g/e, \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^m*(a + c*x^2)^p, x], x] \text{ /; } \text{FreeQ}\{a, c, d, e, f, g, m, p\}, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ !\text{IGtQ}[m, 0]$

### Rule 852

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))^{(n_)}*((a_ + (c_)*(x_)^2)^{(p_)}), x\_Symbol] \text{ :> } \text{Dist}[d^{(2*m)}/a^m, \text{Int}[(f + g*x)^n*(a + c*x^2)^{(m + p)}]/(d - e*x)^m, x], x] \text{ /; } \text{FreeQ}\{a, c, d, e, f, g, n, p\}, x\} \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{EqQ}[c*d^2 + a*e^2, 0] \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ \text{EqQ}[f, 0] \ \&\& \ \text{ILtQ}[m, -1] \ \&\& \ !(\text{IGtQ}[n, 0] \ \&\& \ \text{ILtQ}[m + n, 0] \ \&\& \ !\text{GtQ}[p, 1])$

### Rule 1807

$\text{Int}[(Pq_)*((c_)*(x_))^{(m_)}*((a_ + (b_)*(x_)^2)^{(p_)}), x\_Symbol] \text{ :> } \text{With}\{Q = \text{PolynomialQuotient}[Pq, c*x, x], R = \text{PolynomialRemainder}[Pq, c*x, x]\}, \text{Simp}[(R*(c*x)^{(m + 1)}*(a + b*x^2)^{(p + 1)})/(a*c*(m + 1)), x] + \text{Dist}[1/(a*c*(m + 1)), \text{Int}[(c*x)^{(m + 1)}*(a + b*x^2)^p*\text{ExpandToSum}[a*c*(m + 1)*Q - b*R*(m + 2*p + 3)*x, x], x] \text{ /; } \text{FreeQ}\{a, b, c, p\}, x\} \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ (\text{IntegerQ}[2*p] \ || \ \text{NeQ}[\text{Expon}[Pq, x], 1])$

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^4 (d + ex)^2} dx &= \int \frac{(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{x^4} dx \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{3x^3} - \frac{\int \frac{(6d^3 e - 3d^2 e^2 x) \sqrt{d^2 - e^2 x^2}}{x^3} dx}{3d^2} \\
&= \frac{e(d - ex) \sqrt{d^2 - e^2 x^2}}{x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{3x^3} + \frac{\int \frac{12d^5 e^3 - 12d^4 e^4 x}{x \sqrt{d^2 - e^2 x^2}} dx}{12d^4} \\
&= \frac{e(d - ex) \sqrt{d^2 - e^2 x^2}}{x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{3x^3} + (de^3) \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx - e^4 \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{e(d - ex) \sqrt{d^2 - e^2 x^2}}{x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{3x^3} + \frac{1}{2} (de^3) \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, x^2 \right) - e^4 \text{Subst} \left( \int \frac{1}{\sqrt{d^2 - e^2 x}} dx, x, x^2 \right) \\
&= \frac{e(d - ex) \sqrt{d^2 - e^2 x^2}}{x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{3x^3} - e^3 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - (de) \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, x^2 \right) \\
&= \frac{e(d - ex) \sqrt{d^2 - e^2 x^2}}{x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{3x^3} - e^3 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - e^3 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 96, normalized size = 0.94

$$-\frac{\sqrt{d^2 - e^2 x^2} (d^2 - 3dex + 2e^2 x^2)}{3x^3} - e^3 \log \left( \sqrt{d^2 - e^2 x^2} + d \right) + e^3 \left( -\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) \right) + e^3 \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)^2), x]

[Out] -1/3\*(Sqrt[d^2 - e^2\*x^2]\*(d^2 - 3\*d\*e\*x + 2\*e^2\*x^2))/x^3 - e^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] + e^3\*Log[x] - e^3\*Log[d + Sqrt[d^2 - e^2\*x^2]]

**IntegrateAlgebraic [A]** time = 0.54, size = 129, normalized size = 1.26

$$-\sqrt{-e^2} e^2 \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right) + \frac{(-d^2 + 3dex - 2e^2 x^2) \sqrt{d^2 - e^2 x^2}}{3x^3} + 2e^3 \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)^2),x]

[Out] ((-d^2 + 3\*d\*e\*x - 2\*e^2\*x^2)\*Sqrt[d^2 - e^2\*x^2])/(3\*x^3) + 2\*e^3\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] - e^2\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]]

**fricas** [A] time = 0.42, size = 106, normalized size = 1.04

$$\frac{6e^3x^3 \arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + 3e^3x^3 \log\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{x}\right) - (2e^2x^2 - 3dex + d^2)\sqrt{-e^2x^2 + d^2}}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^4/(e\*x+d)^2,x, algorithm="fricas")

[Out] 1/3\*(6\*e^3\*x^3\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + 3\*e^3\*x^3\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) - (2\*e^2\*x^2 - 3\*d\*e\*x + d^2)\*sqrt(-e^2\*x^2 + d^2))/x^3

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^4/(e\*x+d)^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(t\_n ostep)]Evaluation time: 0.71index.cc index\_m i\_lex\_is\_greater Error: Bad Argument Value

**maple** [B] time = 0.02, size = 479, normalized size = 4.70

$$\frac{d^4 \ln\left(\frac{17d^2 \sqrt{-e^2x^2+d^2}}{\sqrt{d^2}}\right) + 17d^4 \arctan\left(\frac{\sqrt{-e^2x^2+d^2}}{\sqrt{d^2}}\right) + 25d^4 \arctan\left(\frac{\sqrt{-e^2x^2+d^2}}{\sqrt{d^2}}\right) + 17\sqrt{2}\sqrt{d^2-d^2} \sqrt{-e^2x^2+d^2} + 25\sqrt{2}\sqrt{d^2-d^2} \sqrt{-e^2x^2+d^2} + \sqrt{-e^2x^2+d^2} + 17\sqrt{2}\sqrt{d^2-d^2} \sqrt{-e^2x^2+d^2} + 25\sqrt{2}\sqrt{d^2-d^2} \sqrt{-e^2x^2+d^2} + 9\sqrt{2}\sqrt{d^2-d^2} \sqrt{-e^2x^2+d^2} + 17\sqrt{2}\sqrt{d^2-d^2} \sqrt{-e^2x^2+d^2} + 9\sqrt{2}\sqrt{d^2-d^2} \sqrt{-e^2x^2+d^2} + 9\sqrt{2}\sqrt{d^2-d^2} \sqrt{-e^2x^2+d^2} + 9\sqrt{2}\sqrt{d^2-d^2} \sqrt{-e^2x^2+d^2}}{3d^4 \sqrt{-e^2x^2+d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x^4/(e\*x+d)^2,x)

[Out] 17/12/d^4\*e^4\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)\*x+17/8/d^2\*e^4\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(1/2)\*x+1/3/d^5\*e/(x+d/e)^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(7/2)+1/d^5\*e/x^2\*(-e^2\*x^2+d^2)^(7/2)-d\*e^3/(d^2)^(1/2)\*ln((2\*d^2+2\*(d^2)^(1/2)\*(-e^2\*x^2+d^2)^(1/2))/x)-5/3/d^6\*e^2/x\*(-e^2\*x^2+d^2)^(7/2)-5/3/d^6\*e^4\*x\*(-e^2\*x^2+d^2)^(5/2)-25/12/d^4\*e^4\*x\*(-e^2\*x^2+d^2)^(3/2)-25/8/d^2\*

$$e^4 * x * (-e^2 * x^2 + d^2)^{(1/2)} + 17/15/d^5 * e^3 * (2 * (x+d/e) * d * e - (x+d/e)^2 * e^2)^{(5/2)} + 17/8 * e^4 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (2 * (x+d/e) * d * e - (x+d/e)^2 * e^2)^{(1/2)} * x) - 1/3/d^4/x^3 * (-e^2 * x^2 + d^2)^{(7/2)} + 1/5/d^5 * e^3 * (-e^2 * x^2 + d^2)^{(5/2)} + 1/3/d^3 * e^3 * (-e^2 * x^2 + d^2)^{(3/2)} + 1/d * e^3 * (-e^2 * x^2 + d^2)^{(1/2)} - 25/8 * e^4 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (-e^2 * x^2 + d^2)^{(1/2)} * x)$$

**maxima [A]** time = 0.99, size = 134, normalized size = 1.31

$$-e^3 \arcsin\left(\frac{ex}{d}\right) - e^3 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right) + \frac{\sqrt{-e^2x^2+d^2}e^3}{d} - \frac{\sqrt{-e^2x^2+d^2}e^2}{x} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e}{dx^2} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^4/(e\*x+d)^2,x, algorithm="maxima")

[Out] -e^3\*arcsin(e\*x/d) - e^3\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x)) + sqrt(-e^2\*x^2 + d^2)\*e^3/d - sqrt(-e^2\*x^2 + d^2)\*e^2/x + (-e^2\*x^2 + d^2)^(3/2)\*e/(d\*x^2) - 1/3\*(-e^2\*x^2 + d^2)^(3/2)/x^3

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^4 (d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)^2), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)^2), x)

**sympy [C]** time = 9.73, size = 338, normalized size = 3.31

$$d^2 \left( \begin{cases} \frac{e\sqrt{\frac{d^2}{2x^2}-1}}{3x^2} + \frac{e^3\sqrt{\frac{d^2}{2x^2}-1}}{3d^2} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ -\frac{ie\sqrt{-\frac{d^2}{2x^2}+1}}{3x^2} + \frac{ie^3\sqrt{-\frac{d^2}{2x^2}+1}}{3d^2} & \text{otherwise} \end{cases} \right) - 2de \left( \begin{cases} -\frac{d^2}{2ex^3\sqrt{\frac{d^2}{2x^2}-1}} + \frac{e}{2x\sqrt{\frac{d^2}{2x^2}-1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{ex}\right)}{2d} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ -\frac{ie\sqrt{-\frac{d^2}{2x^2}+1}}{2x} - \frac{ie^2 \operatorname{asin}\left(\frac{d}{ex}\right)}{2d} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} \frac{id}{x\sqrt{-1+\frac{2x^2}{d^2}}} + ie \operatorname{acosh}\left(\frac{ex}{d}\right) - \frac{i^2x}{d\sqrt{-1+\frac{2x^2}{d^2}}} & \text{for } \left|\frac{e^2x^2}{d^2}\right| > 1 \\ -\frac{d}{x\sqrt{1-\frac{2x^2}{d^2}}} - e \operatorname{asin}\left(\frac{ex}{d}\right) + \frac{e^2x}{d\sqrt{1-\frac{2x^2}{d^2}}} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*4/(e\*x+d)\*\*2,x)

[Out] d\*\*2\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3\*x\*\*2) + e\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3\*d\*\*2), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3\*x\*\*2) + I\*e\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(3\*d\*\*2), True)) - 2\*d\*e\*Piecewise((-d\*\*2/(2\*e\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e/(2\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*2\*acosh(d/(e\*x))/(2\*d), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(2\*x) - I\*e\*\*2\*asin(d/(e\*x))/(2\*d),

```
True)) + e**2*Piecewise((I*d/(x*sqrt(-1 + e**2*x**2/d**2)) + I*e*acosh(e*x/d) - I*e**2*x/(d*sqrt(-1 + e**2*x**2/d**2)), Abs(e**2*x**2/d**2) > 1), (-d/(x*sqrt(1 - e**2*x**2/d**2)) - e*asin(e*x/d) + e**2*x/(d*sqrt(1 - e**2*x**2/d**2))), True))
```



$$3.167 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^5 (d + ex)^2} dx$$

Optimal. Leaf size=108

$$-\frac{5e^2 \sqrt{d^2 - e^2 x^2}}{8x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{4x^4} + \frac{2e (d^2 - e^2 x^2)^{3/2}}{3dx^3} + \frac{5e^4 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{8d}$$

**Rubi** [A] time = 0.15, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1807, 807, 266, 47, 63, 208}

$$-\frac{5e^2 \sqrt{d^2 - e^2 x^2}}{8x^2} + \frac{2e (d^2 - e^2 x^2)^{3/2}}{3dx^3} - \frac{(d^2 - e^2 x^2)^{3/2}}{4x^4} + \frac{5e^4 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{8d}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)^2), x]

[Out] (-5\*e^2\*sqrt[d^2 - e^2\*x^2])/(8\*x^2) - (d^2 - e^2\*x^2)^(3/2)/(4\*x^4) + (2\*e\*(d^2 - e^2\*x^2)^(3/2))/(3\*d\*x^3) + (5\*e^4\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(8\*d)

#### Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1807

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^5 (d + ex)^2} dx &= \int \frac{(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{x^5} dx \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{4x^4} - \frac{\int \frac{(8d^3 e - 5d^2 e^2 x) \sqrt{d^2 - e^2 x^2}}{x^4} dx}{4d^2} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{4x^4} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{3dx^3} + \frac{1}{4}(5e^2) \int \frac{\sqrt{d^2 - e^2 x^2}}{x^3} dx \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{4x^4} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{3dx^3} + \frac{1}{8}(5e^2) \text{Subst} \left( \int \frac{\sqrt{d^2 - e^2 x}}{x^2} dx, x, x^2 \right) \\
&= -\frac{5e^2 \sqrt{d^2 - e^2 x^2}}{8x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{4x^4} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{3dx^3} - \frac{1}{16}(5e^4) \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, x^2 \right) \\
&= -\frac{5e^2 \sqrt{d^2 - e^2 x^2}}{8x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{4x^4} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{3dx^3} + \frac{1}{8}(5e^2) \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, x^2 \right) \\
&= -\frac{5e^2 \sqrt{d^2 - e^2 x^2}}{8x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{4x^4} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{3dx^3} + \frac{5e^4 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{8d}
\end{aligned}$$

**Mathematica [A]** time = 0.17, size = 95, normalized size = 0.88

$$\frac{-15e^4 x^4 \log(\sqrt{d^2 - e^2 x^2} + d) + \sqrt{d^2 - e^2 x^2} (6d^3 - 16d^2 ex + 9de^2 x^2 + 16e^3 x^3) + 15e^4 x^4 \log(x)}{24dx^4}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)^2), x]

[Out] -1/24\*(Sqrt[d^2 - e^2\*x^2]\*(6\*d^3 - 16\*d^2\*e\*x + 9\*d\*e^2\*x^2 + 16\*e^3\*x^3) + 15\*e^4\*x^4\*Log[x] - 15\*e^4\*x^4\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(d\*x^4)

**IntegrateAlgebraic [A]** time = 0.72, size = 144, normalized size = 1.33

$$\frac{5e^4 \log(\sqrt{d^2 - e^2 x^2} + d - \sqrt{-e^2 x})}{8d} - \frac{5e^4 \log(-d\sqrt{d^2 - e^2 x^2} + d^2 + d\sqrt{-e^2 x})}{8d} + \frac{\sqrt{d^2 - e^2 x^2} (-6d^3 + 16d^2 ex - 9de^2 x^2 - 16e^3 x^3)}{24dx^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)^2), x]



$$\begin{aligned} &^4*(2*(x+d/e)*d*e^{-(x+d/e)^2}*e^2)^{(5/2)}-5/8/d^2*e^4*(-e^2*x^2+d^2)^{(1/2)}+5/8 \\ &*e^4/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-1/4/d^4/x \\ &^4*(-e^2*x^2+d^2)^{(7/2)}-1/8/d^6*e^4*(-e^2*x^2+d^2)^{(5/2)}-5/24/d^4*e^4*(-e^2 \\ &*x^2+d^2)^{(3/2)} \end{aligned}$$

**maxima** [A] time = 1.01, size = 130, normalized size = 1.20

$$\frac{5e^4 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{8d} - \frac{5\sqrt{-e^2x^2+d^2}e^4}{8d^2} - \frac{5(-e^2x^2+d^2)^{3/2}e^2}{8d^2x^2} + \frac{2(-e^2x^2+d^2)^{3/2}e}{3dx^3} - \frac{(-e^2x^2+d^2)^{3/2}}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^5/(e\*x+d)^2,x, algorithm="maxima")

[Out] 5/8\*e^4\*log(2\*d^2/abs(x) + 2\*sqrt(-e^2\*x^2 + d^2)\*d/abs(x))/d - 5/8\*sqrt(-e^2\*x^2 + d^2)\*e^4/d^2 - 5/8\*(-e^2\*x^2 + d^2)^(3/2)\*e^2/(d^2\*x^2) + 2/3\*(-e^2\*x^2 + d^2)^(3/2)\*e/(d\*x^3) - 1/4\*(-e^2\*x^2 + d^2)^(3/2)/x^4

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^5 (d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)^2), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)^2), x)

**sympy** [C] time = 12.36, size = 422, normalized size = 3.91

$$d^2 \left( \begin{cases} -\frac{d^2}{4ex^5\sqrt{\frac{d^2}{2x^2}-1}} + \frac{3e}{8x^3\sqrt{\frac{d^2}{2x^2}-1}} - \frac{e^3}{8d^2x\sqrt{\frac{d^2}{2x^2}-1}} + \frac{e^4 \operatorname{acosh}\left(\frac{d}{e x}\right)}{8d^5} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ \frac{id^2}{4ex^5\sqrt{-\frac{d^2}{2x^2}+1}} - \frac{3ie}{8x^3\sqrt{-\frac{d^2}{2x^2}+1}} + \frac{ie^3}{8d^2x\sqrt{-\frac{d^2}{2x^2}+1}} - \frac{ie^4 \operatorname{asin}\left(\frac{d}{e x}\right)}{8d^5} & \text{otherwise} \end{cases} \right) - 2de \left( \begin{cases} \frac{e\sqrt{\frac{d^2}{2x^2}-1}}{3x^2} + \frac{e^3\sqrt{\frac{d^2}{2x^2}-1}}{3d^2} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ -\frac{ie\sqrt{-\frac{d^2}{2x^2}+1}}{3x^2} + \frac{ie^3\sqrt{-\frac{d^2}{2x^2}+1}}{3d^2} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} -\frac{d^2}{2ex^3\sqrt{\frac{d^2}{2x^2}-1}} + \frac{e}{2x\sqrt{\frac{d^2}{2x^2}-1}} + \frac{e^2 \operatorname{acosh}\left(\frac{d}{e x}\right)}{2d} & \text{for } \left|\frac{d^2}{e^2x^2}\right| > 1 \\ -\frac{ie\sqrt{-\frac{d^2}{2x^2}+1}}{2x} - \frac{ie^2 \operatorname{asin}\left(\frac{d}{e x}\right)}{2d} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*5/(e\*x+d)\*\*2,x)

[Out] d\*\*2\*Piecewise((-d\*\*2/(4\*e\*x\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + 3\*e/(8\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - e\*\*3/(8\*d\*\*2\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*4\*acosh(d/(e\*x))/(8\*d\*\*3), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (I\*d\*\*2/(4\*e\*x\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - 3\*I\*e/(8\*x\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*e\*\*3/(8\*d\*\*2\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e\*\*4\*asin(d/(e\*x))/(8\*d\*\*3), True)) - 2\*d\*e\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(3\*x\*\*2) + e\*\*

```

3*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2), Abs(d**2/(e**2*x**2)) > 1), (-I*e*sq
rt(-d**2/(e**2*x**2) + 1)/(3*x**2) + I*e**3*sqrt(-d**2/(e**2*x**2) + 1)/(3*
d**2), True)) + e**2*Piecewise((-d**2/(2*e*x**3*sqrt(d**2/(e**2*x**2) - 1))
+ e/(2*x*sqrt(d**2/(e**2*x**2) - 1)) + e**2*acosh(d/(e*x))/(2*d), Abs(d**2
/(e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(2*x) - I*e**2*asin(d
/(e*x))/(2*d), True))

```

$$3.168 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^6 (d + ex)^2} dx$$

**Optimal.** Leaf size=140

$$-\frac{(d^2 - e^2 x^2)^{3/2}}{5x^5} + \frac{e(d^2 - e^2 x^2)^{3/2}}{2dx^4} - \frac{7e^2(d^2 - e^2 x^2)^{3/2}}{15d^2 x^3} - \frac{e^5 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{4d^2} + \frac{e^3 \sqrt{d^2 - e^2 x^2}}{4dx^2}$$

**Rubi [A]** time = 0.18, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {852, 1807, 835, 807, 266, 47, 63, 208}

$$\frac{e^3 \sqrt{d^2 - e^2 x^2}}{4dx^2} - \frac{7e^2(d^2 - e^2 x^2)^{3/2}}{15d^2 x^3} + \frac{e(d^2 - e^2 x^2)^{3/2}}{2dx^4} - \frac{(d^2 - e^2 x^2)^{3/2}}{5x^5} - \frac{e^5 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{4d^2}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^6\*(d + e\*x)^2), x]

[Out] (e^3\*sqrt[d^2 - e^2\*x^2])/(4\*d\*x^2) - (d^2 - e^2\*x^2)^(3/2)/(5\*x^5) + (e\*(d^2 - e^2\*x^2)^(3/2))/(2\*d\*x^4) - (7\*e^2\*(d^2 - e^2\*x^2)^(3/2))/(15\*d^2\*x^3) - (e^5\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(4\*d^2)

#### Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 208

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[  
Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b,  
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p  
\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))  
/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), In  
t[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}  
x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

Rule 835

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p  
\_), x\_Symbol] := Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/  
(m + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[1/((m + 1)\*(c\*d^2 + a\*e^2)), Int[(d +  
e\*x)^(m + 1)\*(a + c\*x^2)^p\*Simp[(c\*d\*f + a\*e\*g)\*(m + 1) - c\*(e\*f - d\*g)\*(m  
+ 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c\*d^2 +  
a\*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*  
p])

Rule 852

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (c\_)\*(x\_)^2  
)^(p\_), x\_Symbol] := Dist[d^(2\*m)/a^m, Int[((f + g\*x)^n\*(a + c\*x^2)^(m + p)  
)/(d - e\*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*  
g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]  
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])

Rule 1807

Int[(Pq\_)\*((c\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{  
Q = PolynomialQuotient[Pq, c\*x, x], R = PolynomialRemainder[Pq, c\*x, x]}, S  
imp[(R\*(c\*x)^(m + 1)\*(a + b\*x^2)^(p + 1))/(a\*c\*(m + 1)), x] + Dist[1/(a\*c\*(  
m + 1)), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m  
+ 2\*p + 3)\*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ  
[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

Rubi steps



$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^6 (d + ex)^2} dx &= \int \frac{(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{x^6} dx \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{5x^5} - \frac{\int \frac{(10d^3 e - 7d^2 e^2 x) \sqrt{d^2 - e^2 x^2}}{x^5} dx}{5d^2} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{5x^5} + \frac{e(d^2 - e^2 x^2)^{3/2}}{2dx^4} + \frac{\int \frac{(28d^4 e^2 - 10d^3 e^3 x) \sqrt{d^2 - e^2 x^2}}{x^4} dx}{20d^4} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{5x^5} + \frac{e(d^2 - e^2 x^2)^{3/2}}{2dx^4} - \frac{7e^2 (d^2 - e^2 x^2)^{3/2}}{15d^2 x^3} - \frac{e^3 \int \frac{\sqrt{d^2 - e^2 x^2}}{x^3} dx}{2d} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{5x^5} + \frac{e(d^2 - e^2 x^2)^{3/2}}{2dx^4} - \frac{7e^2 (d^2 - e^2 x^2)^{3/2}}{15d^2 x^3} - \frac{e^3 \text{Subst}\left(\int \frac{\sqrt{d^2 - e^2 x}}{x^2} dx, x, x^2\right)}{4d} \\
&= \frac{e^3 \sqrt{d^2 - e^2 x^2}}{4dx^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{5x^5} + \frac{e(d^2 - e^2 x^2)^{3/2}}{2dx^4} - \frac{7e^2 (d^2 - e^2 x^2)^{3/2}}{15d^2 x^3} + \frac{e^5 \text{Subst}\left(\int \frac{1}{x\sqrt{d^2 - e^2 x}} dx, x, x^2\right)}{8d} \\
&= \frac{e^3 \sqrt{d^2 - e^2 x^2}}{4dx^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{5x^5} + \frac{e(d^2 - e^2 x^2)^{3/2}}{2dx^4} - \frac{7e^2 (d^2 - e^2 x^2)^{3/2}}{15d^2 x^3} - \frac{e^3 \text{Subst}\left(\int \frac{1}{\frac{d^2 - x}{e^2 - x}} dx, x, x^2\right)}{4d} \\
&= \frac{e^3 \sqrt{d^2 - e^2 x^2}}{4dx^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{5x^5} + \frac{e(d^2 - e^2 x^2)^{3/2}}{2dx^4} - \frac{7e^2 (d^2 - e^2 x^2)^{3/2}}{15d^2 x^3} - \frac{e^5 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{4d^2}
\end{aligned}$$

**Mathematica [A]** time = 0.17, size = 106, normalized size = 0.76

$$\frac{-15e^5 x^5 \log\left(\sqrt{d^2 - e^2 x^2} + d\right) + \sqrt{d^2 - e^2 x^2} \left(-12d^4 + 30d^3 ex - 16d^2 e^2 x^2 - 15de^3 x^3 + 28e^4 x^4\right) + 15e^5 x^5 \log(x)}{60d^2 x^5}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^6\*(d + e\*x)^2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-12\*d^4 + 30\*d^3\*e\*x - 16\*d^2\*e^2\*x^2 - 15\*d\*e^3\*x^3 + 28\*e^4\*x^4) + 15\*e^5\*x^5\*Log[x] - 15\*e^5\*x^5\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(60\*d^2\*x^5)

**IntegrateAlgebraic [A]** time = 0.71, size = 115, normalized size = 0.82

$$\frac{e^5 \tanh^{-1}\left(\frac{\sqrt{-e^2 x}}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{2d^2} + \frac{\sqrt{d^2 - e^2 x^2} \left(-12d^4 + 30d^3 ex - 16d^2 e^2 x^2 - 15de^3 x^3 + 28e^4 x^4\right)}{60d^2 x^5}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(d^2 - e^2*x^2)^(5/2)/(x^6*(d + e*x)^2),x]
[Out] (Sqrt[d^2 - e^2*x^2]*(-12*d^4 + 30*d^3*e*x - 16*d^2*e^2*x^2 - 15*d*e^3*x^3 + 28*e^4*x^4))/(60*d^2*x^5) + (e^5*ArcTanh[(Sqrt[-e^2]*x)/d - Sqrt[d^2 - e^2*x^2]/d])/(2*d^2)
```

**fricas [A]** time = 0.41, size = 97, normalized size = 0.69

$$\frac{15 e^5 x^5 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + (28 e^4 x^4 - 15 d e^3 x^3 - 16 d^2 e^2 x^2 + 30 d^3 e x - 12 d^4) \sqrt{-e^2 x^2 + d^2}}{60 d^2 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-e^2*x^2+d^2)^(5/2)/x^6/(e*x+d)^2,x, algorithm="fricas")
[Out] 1/60*(15*e^5*x^5*log(-(d - sqrt(-e^2*x^2 + d^2))/x) + (28*e^4*x^4 - 15*d*e^3*x^3 - 16*d^2*e^2*x^2 + 30*d^3*e*x - 12*d^4)*sqrt(-e^2*x^2 + d^2))/(d^2*x^5)
```

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-e^2*x^2+d^2)^(5/2)/x^6/(e*x+d)^2,x, algorithm="giac")
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x):;OUTPUT:Warning, integration of abs or sign assumes
constant sign by intervals (correct if the argument is real):Check [abs(t_n
ostep)]sym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Er
ror: Bad Argument ValueEvaluation time: 0.69Limit: Max order reached or una
ble to make series expansion Error: Bad Argument Value
```

**maple [B]** time = 0.02, size = 541, normalized size = 3.86

Maple CAS output (truncated for brevity):

$$\frac{1}{48 d^2} \sqrt{-e^2 x^2 + d^2} + \frac{5 e^5 x^5}{96 d^2} \ln\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + \frac{23 d^4 e^5}{96 d^2} \sqrt{-e^2 x^2 + d^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-e^2*x^2+d^2)^(5/2)/x^6/(e*x+d)^2,x)
[Out] 1/3/d^7*e^3/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(7/2)+23/12/d^6*e^6*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)*x+23/8/d^4*e^6*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)
```

$$2)^{(1/2)} * x + 23/8/d^2 * e^6 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (2 * (x+d/e) * d * e - (x+d/e)^2 * e^2)^{(1/2)} * x) - 13/15/d^6 * e^2 / x^3 * (-e^2 * x^2 + d^2)^{(7/2)} - 23/15/d^8 * e^4 / x * (-e^2 * x^2 + d^2)^{(7/2)} - 23/15/d^8 * e^6 * x * (-e^2 * x^2 + d^2)^{(5/2)} - 23/12/d^6 * e^6 * x * (-e^2 * x^2 + d^2)^{(3/2)} - 23/8/d^4 * e^6 * x * (-e^2 * x^2 + d^2)^{(1/2)} - 23/8/d^2 * e^6 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (-e^2 * x^2 + d^2)^{(1/2)} * x) + 1/2/d^5 * e / x^4 * (-e^2 * x^2 + d^2)^{(7/2)} + 5/4/d^7 * e^3 / x^2 * (-e^2 * x^2 + d^2)^{(7/2)} - 1/4/d * e^5 / (d^2)^{(1/2)} * \ln((2 * d^2 + 2 * (d^2)^{(1/2)} * (-e^2 * x^2 + d^2)^{(1/2)}) / x) + 23/15/d^7 * e^5 * (2 * (x+d/e) * d * e - (x+d/e)^2 * e^2)^{(5/2)} - 1/5/d^4 * x^5 * (-e^2 * x^2 + d^2)^{(7/2)} + 1/20/d^7 * e^5 * (-e^2 * x^2 + d^2)^{(5/2)} + 1/12/d^5 * e^5 * (-e^2 * x^2 + d^2)^{(3/2)} + 1/4/d^3 * e^5 * (-e^2 * x^2 + d^2)^{(1/2)}$$

**maxima** [A] time = 0.99, size = 155, normalized size = 1.11

$$-\frac{e^5 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}}{|x|}\right)}{4d^2} + \frac{\sqrt{-e^2x^2+d^2}e^5}{4d^3} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^3}{4d^3x^2} - \frac{7(-e^2x^2+d^2)^{\frac{3}{2}}e^2}{15d^2x^3} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e}{2dx^4} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}}{5x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^6/(e\*x+d)^2,x, algorithm="maxima")

[Out]  $-1/4 * e^5 * \log(2 * d^2 / \text{abs}(x) + 2 * \text{sqrt}(-e^2 * x^2 + d^2) * d / \text{abs}(x)) / d^2 + 1/4 * \text{sqrt}(-e^2 * x^2 + d^2) * e^5 / d^3 + 1/4 * (-e^2 * x^2 + d^2)^{(3/2)} * e^3 / (d^3 * x^2) - 7/15 * (-e^2 * x^2 + d^2)^{(3/2)} * e^2 / (d^2 * x^3) + 1/2 * (-e^2 * x^2 + d^2)^{(3/2)} * e / (d * x^4) - 1/5 * (-e^2 * x^2 + d^2)^{(3/2)} / x^5$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^6 (d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x^6\*(d + e\*x)^2), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x^6\*(d + e\*x)^2), x)

**sympy** [C] time = 13.42, size = 660, normalized size = 4.71

$$d^2 \left( \left( \begin{array}{l} \frac{3d^3 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^2 e^3 + 15d^2 e^2} - \frac{4d^2 e^2 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^2 e^3 + 15d^2 e^2} + \frac{2d^2 e^2 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^2 e^3 + 15d^2 e^2} - \frac{e^4 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^2 e^3 + 15d^2 e^2} \text{ for } \left| \frac{d^2}{e^2} \right| > 1 \\ \frac{3d^3 \sqrt{1 - \frac{d^2}{e^2}}}{-15d^2 e^3 + 15d^2 e^2} - \frac{4d^2 e^2 \sqrt{1 - \frac{d^2}{e^2}}}{-15d^2 e^3 + 15d^2 e^2} + \frac{2d^2 e^2 \sqrt{1 - \frac{d^2}{e^2}}}{-15d^2 e^3 + 15d^2 e^2} - \frac{e^4 \sqrt{1 - \frac{d^2}{e^2}}}{-15d^2 e^3 + 15d^2 e^2} \text{ otherwise} \end{array} \right) - 2de \left( \left( \begin{array}{l} -\frac{d^2}{4e^3 \sqrt{\frac{d^2}{e^2} - 1}} + \frac{3e}{8e^3 \sqrt{\frac{d^2}{e^2} - 1}} - \frac{e^3}{8d^2 \sqrt{\frac{d^2}{e^2} - 1}} + \frac{e^4 \operatorname{acosh}\left(\frac{d}{e}\right)}{8d^3} \text{ for } \left| \frac{d^2}{e^2} \right| > 1 \\ \frac{d^2}{4e^3 \sqrt{\frac{d^2}{e^2} + 1}} - \frac{3ie}{8e^3 \sqrt{\frac{d^2}{e^2} + 1}} + \frac{ie^3}{8d^2 \sqrt{\frac{d^2}{e^2} + 1}} - \frac{ie^4 \operatorname{asin}\left(\frac{d}{e}\right)}{8d^3} \text{ otherwise} \end{array} \right) + e^2 \left( \left( \begin{array}{l} \frac{e \sqrt{\frac{d^2}{e^2} - 1}}{3e^2} + \frac{e^3 \sqrt{\frac{d^2}{e^2} - 1}}{3d^2} \text{ for } \left| \frac{d^2}{e^2} \right| > 1 \\ \frac{ie \sqrt{-\frac{d^2}{e^2} + 1}}{3e^2} + \frac{ie^3 \sqrt{-\frac{d^2}{e^2} + 1}}{3d^2} \text{ otherwise} \end{array} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*6/(e\*x+d)\*\*2,x)

[Out]  $d^{**2} * \text{Piecewise}((3 * I * d^{**3} * \text{sqrt}(-1 + e^{**2} * x^{**2} / d^{**2})) / (-15 * d^{**2} * x^{**5} + 15 * e^{**2} * x^{**7}) - 4 * I * d * e^{**2} * x^{**2} * \text{sqrt}(-1 + e^{**2} * x^{**2} / d^{**2})) / (-15 * d^{**2} * x^{**5} + 15 * e^{**2} * x^{**7})$

```

*x**7) + 2*I*e**6*x**6*sqrt(-1 + e**2*x**2/d**2)/(-15*d**5*x**5 + 15*d**3*
**2*x**7) - I*e**4*x**4*sqrt(-1 + e**2*x**2/d**2)/(-15*d**3*x**5 + 15*d**e
2*x**7), Abs(e**2*x**2/d**2) > 1), (3*d**3*sqrt(1 - e**2*x**2/d**2)/(-15*d*
*2*x**5 + 15*e**2*x**7) - 4*d*e**2*x**2*sqrt(1 - e**2*x**2/d**2)/(-15*d**2*
x**5 + 15*e**2*x**7) + 2*e**6*x**6*sqrt(1 - e**2*x**2/d**2)/(-15*d**5*x**5
+ 15*d**3*e**2*x**7) - e**4*x**4*sqrt(1 - e**2*x**2/d**2)/(-15*d**3*x**5 +
15*d*e**2*x**7), True)) - 2*d*e*Piecewise((-d**2/(4*e*x**5*sqrt(d**2/(e**2*
x**2) - 1)) + 3*e/(8*x**3*sqrt(d**2/(e**2*x**2) - 1)) - e**3/(8*d**2*x*sqrt
(d**2/(e**2*x**2) - 1)) + e**4*acosh(d/(e*x))/(8*d**3), Abs(d**2/(e**2*x**2
)) > 1), (I*d**2/(4*e*x**5*sqrt(-d**2/(e**2*x**2) + 1)) - 3*I*e/(8*x**3*sq
rt(-d**2/(e**2*x**2) + 1)) + I*e**3/(8*d**2*x*sqrt(-d**2/(e**2*x**2) + 1)) -
I*e**4*asin(d/(e*x))/(8*d**3), True)) + e**2*Piecewise((-e*sqrt(d**2/(e**2
*x**2) - 1)/(3*x**2) + e**3*sqrt(d**2/(e**2*x**2) - 1)/(3*d**2), Abs(d**2/(
e**2*x**2)) > 1), (-I*e*sqrt(-d**2/(e**2*x**2) + 1)/(3*x**2) + I*e**3*sqrt(
-d**2/(e**2*x**2) + 1)/(3*d**2), True))

```

$$3.169 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^7 (d + ex)^2} dx$$

Optimal. Leaf size=169

$$-\frac{(d^2 - e^2 x^2)^{3/2}}{6x^6} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{5dx^5} - \frac{3e^2(d^2 - e^2 x^2)^{3/2}}{8d^2 x^4} - \frac{3e^4 \sqrt{d^2 - e^2 x^2}}{16d^2 x^2} + \frac{3e^6 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{16d^3} + \frac{4e^3(d^2 - e^2 x^2)^3}{15d^3 x^3}$$

**Rubi [A]** time = 0.21, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {852, 1807, 835, 807, 266, 47, 63, 208}

$$-\frac{3e^4 \sqrt{d^2 - e^2 x^2}}{16d^2 x^2} + \frac{4e^3 (d^2 - e^2 x^2)^{3/2}}{15d^3 x^3} - \frac{3e^2 (d^2 - e^2 x^2)^{3/2}}{8d^2 x^4} + \frac{2e (d^2 - e^2 x^2)^{3/2}}{5dx^5} - \frac{(d^2 - e^2 x^2)^{3/2}}{6x^6} + \frac{3e^6 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{16d^3}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^7\*(d + e\*x)^2),x]

[Out] (-3\*e^4\*sqrt[d^2 - e^2\*x^2])/(16\*d^2\*x^2) - (d^2 - e^2\*x^2)^(3/2)/(6\*x^6) + (2\*e\*(d^2 - e^2\*x^2)^(3/2))/(5\*d\*x^5) - (3\*e^2\*(d^2 - e^2\*x^2)^(3/2))/(8\*d^2\*x^4) + (4\*e^3\*(d^2 - e^2\*x^2)^(3/2))/(15\*d^3\*x^3) + (3\*e^6\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(16\*d^3)

### Rule 47

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2\*n + m + 1, 0])) && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

### Rule 835

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/((m + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[1/((m + 1)\*(c\*d^2 + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p\*Simp[(c\*d\*f + a\*e\*g)\*(m + 1) - c\*(e\*f - d\*g)\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 852

Int[((d\_) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_)^(n\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[d^(2\*m)/a^m, Int[((f + g\*x)^n\*(a + c\*x^2)^(m + p))/(d - e\*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])

### Rule 1807

Int[(Pq)\*((c\_.)\*(x\_)^(m\_))\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, c\*x, x], R = PolynomialRemainder[Pq, c\*x, x]}, Simp[(R\*(c\*x)^(m + 1)\*(a + b\*x^2)^(p + 1))/(a\*c\*(m + 1)), x] + Dist[1/(a\*c\*(m + 1)), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^7 (d + ex)^2} dx &= \int \frac{(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{x^7} dx \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{6x^6} - \frac{\int \frac{(12d^3 e - 9d^2 e^2 x) \sqrt{d^2 - e^2 x^2}}{x^6} dx}{6d^2} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{6x^6} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{5dx^5} + \frac{\int \frac{(45d^4 e^2 - 24d^3 e^3 x) \sqrt{d^2 - e^2 x^2}}{x^5} dx}{30d^4} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{6x^6} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{5dx^5} - \frac{3e^2(d^2 - e^2 x^2)^{3/2}}{8d^2 x^4} - \frac{\int \frac{(96d^5 e^3 - 45d^4 e^4 x) \sqrt{d^2 - e^2 x^2}}{x^4} dx}{120d^6} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{6x^6} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{5dx^5} - \frac{3e^2(d^2 - e^2 x^2)^{3/2}}{8d^2 x^4} + \frac{4e^3(d^2 - e^2 x^2)^{3/2}}{15d^3 x^3} + \frac{(3e^4) \int \frac{\sqrt{d^2 - e^2 x^2}}{x^3} dx}{8d^4} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{6x^6} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{5dx^5} - \frac{3e^2(d^2 - e^2 x^2)^{3/2}}{8d^2 x^4} + \frac{4e^3(d^2 - e^2 x^2)^{3/2}}{15d^3 x^3} + \frac{(3e^4) \text{Sub}}{8d^4} \\
&= -\frac{3e^4 \sqrt{d^2 - e^2 x^2}}{16d^2 x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{6x^6} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{5dx^5} - \frac{3e^2(d^2 - e^2 x^2)^{3/2}}{8d^2 x^4} + \frac{4e^3(d^2 - e^2 x^2)^{3/2}}{15d^3 x^3} \\
&= -\frac{3e^4 \sqrt{d^2 - e^2 x^2}}{16d^2 x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{6x^6} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{5dx^5} - \frac{3e^2(d^2 - e^2 x^2)^{3/2}}{8d^2 x^4} + \frac{4e^3(d^2 - e^2 x^2)^{3/2}}{15d^3 x^3} \\
&= -\frac{3e^4 \sqrt{d^2 - e^2 x^2}}{16d^2 x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{6x^6} + \frac{2e(d^2 - e^2 x^2)^{3/2}}{5dx^5} - \frac{3e^2(d^2 - e^2 x^2)^{3/2}}{8d^2 x^4} + \frac{4e^3(d^2 - e^2 x^2)^{3/2}}{15d^3 x^3}
\end{aligned}$$

**Mathematica [A]** time = 0.23, size = 117, normalized size = 0.69

$$\frac{-45e^6 x^6 \log(\sqrt{d^2 - e^2 x^2} + d) + \sqrt{d^2 - e^2 x^2} (40d^5 - 96d^4 ex + 50d^3 e^2 x^2 + 32d^2 e^3 x^3 - 45de^4 x^4 + 64e^5 x^5) + 45e^6 x^6 \log(x)}{240d^3 x^6}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^7\*(d + e\*x)^2), x]

[Out] -1/240\*(Sqrt[d^2 - e^2\*x^2]\*(40\*d^5 - 96\*d^4\*e\*x + 50\*d^3\*e^2\*x^2 + 32\*d^2\*e^3\*x^3 - 45\*d\*e^4\*x^4 + 64\*e^5\*x^5) + 45\*e^6\*x^6\*Log[x] - 45\*e^6\*x^6\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(d^3\*x^6)





[In]  $\text{int}((-e^2x^2+d^2)^{(5/2)}/x^7/(e*x+d)^2,x)$

[Out]  $-13/6/d^7*e^7*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)*x-13/4/d^5*e^7*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)*x-13/4/d^3*e^7/(e^2)^{(1/2)*\arctan((e^2)^{(1/2)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)*x)-1/3/d^8*e^4/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(7/2)+2/5/d^5*e/x^5*(-e^2*x^2+d^2)^{(7/2)+16/15/d^7*e^3/x^3*(-e^2*x^2+d^2)^{(7/2)+13/4/d^5*e^7*x*(-e^2*x^2+d^2)^{(1/2)+13/4/d^3*e^7/(e^2)^{(1/2)*\arctan((e^2)^{(1/2)/(-e^2*x^2+d^2)^{(1/2)*x)+26/15/d^9*e^5/x*(-e^2*x^2+d^2)^{(7/2)+26/15/d^9*e^7*x*(-e^2*x^2+d^2)^{(5/2)+13/6/d^7*e^7*x*(-e^2*x^2+d^2)^{(3/2)-17/24/d^6*e^2/x^4*(-e^2*x^2+d^2)^{(7/2)-23/16/d^8*e^4/x^2*(-e^2*x^2+d^2)^{(7/2)+3/16/d^2*e^6/(d^2)^{(1/2)*\ln((2*d^2+2*(d^2)^{(1/2)*(-e^2*x^2+d^2)^{(1/2)})/x)-26/15/d^8*e^6*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(5/2)-1/6/d^4/x^6*(-e^2*x^2+d^2)^{(7/2)-3/80/d^8*e^6*(-e^2*x^2+d^2)^{(5/2)-1/16/d^6*e^6*(-e^2*x^2+d^2)^{(3/2)-3/16/d^4*e^6*(-e^2*x^2+d^2)^{(1/2)}$

**maxima [A]** time = 1.01, size = 180, normalized size = 1.07

$$\frac{3e^6 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{16d^3} - \frac{3\sqrt{-e^2x^2+d^2}e^6}{16d^4} - \frac{3(-e^2x^2+d^2)^{\frac{3}{2}}e^4}{16d^4x^2} + \frac{4(-e^2x^2+d^2)^{\frac{3}{2}}e^3}{15d^3x^3} - \frac{3(-e^2x^2+d^2)^{\frac{3}{2}}e^2}{8d^2x^4} + \frac{2(-e^2x^2+d^2)^{\frac{3}{2}}e}{5dx^5} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}}{6x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-e^2x^2+d^2)^{(5/2)}/x^7/(e*x+d)^2,x, \text{algorithm}=\text{"maxima"})$

[Out]  $3/16*e^6*\log(2*d^2/\text{abs}(x) + 2*\text{sqrt}(-e^2*x^2 + d^2)*d/\text{abs}(x))/d^3 - 3/16*\text{sqrt}(-e^2*x^2 + d^2)*e^6/d^4 - 3/16*(-e^2*x^2 + d^2)^{(3/2)*e^4/(d^4*x^2) + 4/15*(-e^2*x^2 + d^2)^{(3/2)*e^3/(d^3*x^3) - 3/8*(-e^2*x^2 + d^2)^{(3/2)*e^2/(d^2*x^4) + 2/5*(-e^2*x^2 + d^2)^{(3/2)*e/(d*x^5) - 1/6*(-e^2*x^2 + d^2)^{(3/2)}/x^6$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^7 (d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d^2 - e^2*x^2)^{(5/2)}/(x^7*(d + e*x)^2),x)$

[Out]  $\text{int}((d^2 - e^2*x^2)^{(5/2)}/(x^7*(d + e*x)^2), x)$

**sympy [C]** time = 19.72, size = 808, normalized size = 4.78

$$\left( \left( \begin{array}{l} -\frac{e^6}{6e^7\sqrt{\frac{d^2}{e^2}-1}} + \frac{5e}{24e^5\sqrt{\frac{d^2}{e^2}-1}} + \frac{e^3}{48e^6\sqrt{\frac{d^2}{e^2}-1}} - \frac{e^5}{16e^4\sqrt{\frac{d^2}{e^2}-1}} + \frac{e^6 \operatorname{arcsinh}\left(\frac{e}{d}\right)}{16e^6} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{e^6}{6e^7\sqrt{\frac{d^2}{e^2}+1}} - \frac{5e}{24e^5\sqrt{\frac{d^2}{e^2}+1}} - \frac{e^3}{48e^6\sqrt{\frac{d^2}{e^2}+1}} + \frac{e^5}{16e^4\sqrt{\frac{d^2}{e^2}+1}} - \frac{e^6 \operatorname{asin}\left(\frac{e}{d}\right)}{16e^6} \text{ otherwise} \end{array} \right) - 2de \left( \begin{array}{l} \frac{3e^3\sqrt{1-\frac{d^2}{e^2}}}{-15e^6\sqrt{15d^2e^7}} - \frac{4de^2\sqrt{1-\frac{d^2}{e^2}}}{-15e^6\sqrt{15d^2e^7}} + \frac{2e^4\sqrt{1-\frac{d^2}{e^2}}}{-15e^6\sqrt{15d^2e^7}} - \frac{e^4\sqrt{1-\frac{d^2}{e^2}}}{-15e^6\sqrt{15d^2e^7}} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{3e^3\sqrt{1-\frac{d^2}{e^2}}}{-15e^6\sqrt{15d^2e^7}} - \frac{4de^2\sqrt{1-\frac{d^2}{e^2}}}{-15e^6\sqrt{15d^2e^7}} + \frac{2e^4\sqrt{1-\frac{d^2}{e^2}}}{-15e^6\sqrt{15d^2e^7}} - \frac{e^4\sqrt{1-\frac{d^2}{e^2}}}{-15e^6\sqrt{15d^2e^7}} \text{ otherwise} \end{array} \right) + e^2 \left( \begin{array}{l} -\frac{e^6}{4e^5\sqrt{\frac{d^2}{e^2}-1}} + \frac{3e}{8e^3\sqrt{\frac{d^2}{e^2}-1}} - \frac{e^3}{8e^6\sqrt{\frac{d^2}{e^2}-1}} + \frac{e^6 \operatorname{arcsinh}\left(\frac{e}{d}\right)}{8e^6} \text{ for } \left|\frac{d^2}{e^2}\right| > 1 \\ \frac{e^6}{4e^5\sqrt{\frac{d^2}{e^2}+1}} - \frac{3e}{8e^3\sqrt{\frac{d^2}{e^2}+1}} + \frac{e^3}{8e^6\sqrt{\frac{d^2}{e^2}+1}} - \frac{e^6 \operatorname{asin}\left(\frac{e}{d}\right)}{8e^6} \text{ otherwise} \end{array} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*7/(e\*x+d)\*\*2,x)

[Out]  $d^{**2} \text{Piecewise}((-d^{**2}/(6e^{**x**7}\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1})) + 5e/(24x^{**5}\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1})) + e^{**3}/(48d^{**2}x^{**3}\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1})) - e^{**5}/(16d^{**4}x\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1})) + e^{**6}\text{acosh}(d/(e*x))/(16d^{**5}), \text{Abs}(d^{**2}/(e^{**2}x^{**2})) > 1), (I*d^{**2}/(6e^{**x**7}\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1})) - 5Ie/(24x^{**5}\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1})) - Ie^{**3}/(48d^{**2}x^{**3}\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1})) + Ie^{**5}/(16d^{**4}x\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1})) - Ie^{**6}\text{asin}(d/(e*x))/(16d^{**5}), \text{True})) - 2d*e\text{Piecewise}((3I*d^{**3}\sqrt{-1 + e^{**2}x^{**2}/d^{**2}})/(-15d^{**2}x^{**5} + 15e^{**2}x^{**7}) - 4I*d*e^{**2}x^{**2}\sqrt{-1 + e^{**2}x^{**2}/d^{**2}})/(-15d^{**2}x^{**5} + 15e^{**2}x^{**7}) + 2I*e^{**6}x^{**6}\sqrt{-1 + e^{**2}x^{**2}/d^{**2}})/(-15d^{**5}x^{**5} + 15d^{**3}e^{**2}x^{**7}) - Ie^{**4}x^{**4}\sqrt{-1 + e^{**2}x^{**2}/d^{**2}})/(-15d^{**3}x^{**5} + 15d*e^{**2}x^{**7}), \text{Abs}(e^{**2}x^{**2}/d^{**2}) > 1), (3d^{**3}\sqrt{1 - e^{**2}x^{**2}/d^{**2}})/(-15d^{**2}x^{**5} + 15e^{**2}x^{**7}) - 4d*e^{**2}x^{**2}\sqrt{1 - e^{**2}x^{**2}/d^{**2}})/(-15d^{**2}x^{**5} + 15e^{**2}x^{**7}) + 2e^{**6}x^{**6}\sqrt{1 - e^{**2}x^{**2}/d^{**2}})/(-15d^{**5}x^{**5} + 15d^{**3}e^{**2}x^{**7}) - e^{**4}x^{**4}\sqrt{1 - e^{**2}x^{**2}/d^{**2}})/(-15d^{**3}x^{**5} + 15d*e^{**2}x^{**7}), \text{True})) + e^{**2}\text{Piecewise}((-d^{**2}/(4e^{**x**5}\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1})) + 3e/(8x^{**3}\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1})) - e^{**3}/(8d^{**2}x\sqrt{d^{**2}/(e^{**2}x^{**2}) - 1})) + e^{**4}\text{acosh}(d/(e*x))/(8d^{**3}), \text{Abs}(d^{**2}/(e^{**2}x^{**2})) > 1), (I*d^{**2}/(4e^{**x**5}\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1})) - 3Ie/(8x^{**3}\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1})) + Ie^{**3}/(8d^{**2}x\sqrt{-d^{**2}/(e^{**2}x^{**2}) + 1})) - Ie^{**4}\text{asin}(d/(e*x))/(8d^{**3}), \text{True}))$

$$3.170 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^8 (d + ex)^2} dx$$

Optimal. Leaf size=198

$$-\frac{(d^2 - e^2 x^2)^{3/2}}{7x^7} + \frac{e(d^2 - e^2 x^2)^{3/2}}{3dx^6} - \frac{11e^2(d^2 - e^2 x^2)^{3/2}}{35d^2x^5} - \frac{e^7 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{8d^4} - \frac{22e^4(d^2 - e^2 x^2)^{3/2}}{105d^4x^3} + \frac{e^5 \sqrt{d^2 - e^2 x^2}}{8d^3x^2}$$

**Rubi [A]** time = 0.24, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$ , Rules used = {852, 1807, 835, 807, 266, 47, 63, 208}

$$\frac{e^5 \sqrt{d^2 - e^2 x^2}}{8d^3 x^2} - \frac{22e^4 (d^2 - e^2 x^2)^{3/2}}{105d^4 x^3} + \frac{e^3 (d^2 - e^2 x^2)^{3/2}}{4d^3 x^4} - \frac{11e^2 (d^2 - e^2 x^2)^{3/2}}{35d^2 x^5} + \frac{e (d^2 - e^2 x^2)^{3/2}}{3dx^6} - \frac{(d^2 - e^2 x^2)^{3/2}}{7x^7} - \frac{e^7 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{8d^4}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^8\*(d + e\*x)^2), x]

[Out] (e^5\*sqrt[d^2 - e^2\*x^2])/(8\*d^3\*x^2) - (d^2 - e^2\*x^2)^(3/2)/(7\*x^7) + (e\*(d^2 - e^2\*x^2)^(3/2))/(3\*d\*x^6) - (11\*e^2\*(d^2 - e^2\*x^2)^(3/2))/(35\*d^2\*x^5) + (e^3\*(d^2 - e^2\*x^2)^(3/2))/(4\*d^3\*x^4) - (22\*e^4\*(d^2 - e^2\*x^2)^(3/2))/(105\*d^4\*x^3) - (e^7\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(8\*d^4)

### Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

### Rule 835

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/((m + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[1/((m + 1)\*(c\*d^2 + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p\*Simp[(c\*d\*f + a\*e\*g)\*(m + 1) - c\*(e\*f - d\*g)\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 852

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[d^(2\*m)/a^m, Int[((f + g\*x)^n\*(a + c\*x^2)^(m + p))/(d - e\*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])

### Rule 1807

Int[(Pq)\*((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, c\*x, x], R = PolynomialRemainder[Pq, c\*x, x]}, Simp[(R\*(c\*x)^(m + 1)\*(a + b\*x^2)^(p + 1))/(a\*c\*(m + 1)), x] + Dist[1/(a\*c\*(m + 1)), Int[(c\*x)^(m + 1)\*(a + b\*x^2)^p\*ExpandToSum[a\*c\*(m + 1)\*Q - b\*R\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ[m, -1] && (IntegerQ[2\*p] || NeQ[Expon[Pq, x], 1])

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^8 (d + ex)^2} dx &= \int \frac{(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{x^8} dx \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{7x^7} - \frac{\int \frac{(14d^3 e - 11d^2 e^2 x) \sqrt{d^2 - e^2 x^2}}{x^7} dx}{7d^2} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{7x^7} + \frac{e(d^2 - e^2 x^2)^{3/2}}{3dx^6} + \frac{\int \frac{(66d^4 e^2 - 42d^3 e^3 x) \sqrt{d^2 - e^2 x^2}}{x^6} dx}{42d^4} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{7x^7} + \frac{e(d^2 - e^2 x^2)^{3/2}}{3dx^6} - \frac{11e^2 (d^2 - e^2 x^2)^{3/2}}{35d^2 x^5} - \frac{\int \frac{(210d^5 e^3 - 132d^4 e^4 x) \sqrt{d^2 - e^2 x^2}}{x^5} dx}{210d^6} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{7x^7} + \frac{e(d^2 - e^2 x^2)^{3/2}}{3dx^6} - \frac{11e^2 (d^2 - e^2 x^2)^{3/2}}{35d^2 x^5} + \frac{e^3 (d^2 - e^2 x^2)^{3/2}}{4d^3 x^4} + \frac{\int \frac{(528d^6 e^4 - 2}{x^4} dx}{105d^4} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{7x^7} + \frac{e(d^2 - e^2 x^2)^{3/2}}{3dx^6} - \frac{11e^2 (d^2 - e^2 x^2)^{3/2}}{35d^2 x^5} + \frac{e^3 (d^2 - e^2 x^2)^{3/2}}{4d^3 x^4} - \frac{22e^4 (d^2 - e^2 x^2)^{3/2}}{105d^4} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{7x^7} + \frac{e(d^2 - e^2 x^2)^{3/2}}{3dx^6} - \frac{11e^2 (d^2 - e^2 x^2)^{3/2}}{35d^2 x^5} + \frac{e^3 (d^2 - e^2 x^2)^{3/2}}{4d^3 x^4} - \frac{22e^4 (d^2 - e^2 x^2)^{3/2}}{105d^4} \\
&= \frac{e^5 \sqrt{d^2 - e^2 x^2}}{8d^3 x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{7x^7} + \frac{e(d^2 - e^2 x^2)^{3/2}}{3dx^6} - \frac{11e^2 (d^2 - e^2 x^2)^{3/2}}{35d^2 x^5} + \frac{e^3 (d^2 - e^2 x^2)^{3/2}}{4d^3 x^4} \\
&= \frac{e^5 \sqrt{d^2 - e^2 x^2}}{8d^3 x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{7x^7} + \frac{e(d^2 - e^2 x^2)^{3/2}}{3dx^6} - \frac{11e^2 (d^2 - e^2 x^2)^{3/2}}{35d^2 x^5} + \frac{e^3 (d^2 - e^2 x^2)^{3/2}}{4d^3 x^4} \\
&= \frac{e^5 \sqrt{d^2 - e^2 x^2}}{8d^3 x^2} - \frac{(d^2 - e^2 x^2)^{3/2}}{7x^7} + \frac{e(d^2 - e^2 x^2)^{3/2}}{3dx^6} - \frac{11e^2 (d^2 - e^2 x^2)^{3/2}}{35d^2 x^5} + \frac{e^3 (d^2 - e^2 x^2)^{3/2}}{4d^3 x^4}
\end{aligned}$$

**Mathematica [A]** time = 0.23, size = 128, normalized size = 0.65

$$\frac{-105e^7 x^7 \log(\sqrt{d^2 - e^2 x^2} + d) + \sqrt{d^2 - e^2 x^2} (-120d^6 + 280d^5 ex - 144d^4 e^2 x^2 - 70d^3 e^3 x^3 + 88d^2 e^4 x^4 - 105de^5 x^5 + 176e^6 x^6) + 105e^7 x^7 \log(x)}{840d^4 x^7}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^8\*(d + e\*x)^2), x]

[Out]  $(\sqrt{d^2 - e^2 x^2}) * (-120 d^6 + 280 d^5 e x - 144 d^4 e^2 x^2 - 70 d^3 e^3 x^3 + 88 d^2 e^4 x^4 - 105 d e^5 x^5 + 176 e^6 x^6) + 105 e^7 x^7 \operatorname{Log}[x] - 105 e^7 x^7 \operatorname{Log}[d + \sqrt{d^2 - e^2 x^2}] / (840 d^4 x^7)$

**IntegrateAlgebraic [A]** time = 0.85, size = 137, normalized size = 0.69

$$\frac{e^7 \tanh^{-1}\left(\frac{\sqrt{-e^2 x^2}}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{4d^4} + \frac{\sqrt{d^2 - e^2 x^2} (-120d^6 + 280d^5 ex - 144d^4 e^2 x^2 - 70d^3 e^3 x^3 + 88d^2 e^4 x^4 - 105de^5 x^5 + 176e^6 x^6)}{840d^4 x^7}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^8\*(d + e\*x)^2), x]

[Out]  $(\sqrt{d^2 - e^2 x^2}) * (-120 d^6 + 280 d^5 e x - 144 d^4 e^2 x^2 - 70 d^3 e^3 x^3 + 88 d^2 e^4 x^4 - 105 d e^5 x^5 + 176 e^6 x^6) / (840 d^4 x^7) + (e^7 x \operatorname{ArcTanh}[(\sqrt{-e^2} x) / d - \sqrt{d^2 - e^2 x^2} / d]) / (4 d^4)$

**fricas [A]** time = 0.40, size = 119, normalized size = 0.60

$$\frac{105 e^7 x^7 \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + (176 e^6 x^6 - 105 d e^5 x^5 + 88 d^2 e^4 x^4 - 70 d^3 e^3 x^3 - 144 d^4 e^2 x^2 + 280 d^5 e x - 120 d^6) \sqrt{-e^2 x^2 + d^2}}{840 d^4 x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^8/(e\*x+d)^2,x, algorithm="fricas")

[Out]  $1/840 * (105 * e^7 * x^7 * \log(-(d - \sqrt{-e^2 x^2 + d^2})/x) + (176 * e^6 * x^6 - 105 * d * e^5 * x^5 + 88 * d^2 * e^4 * x^4 - 70 * d^3 * e^3 * x^3 - 144 * d^4 * e^2 * x^2 + 280 * d^5 * e * x - 120 * d^6) * \sqrt{-e^2 * x^2 + d^2}) / (d^4 * x^7)$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^8/(e\*x+d)^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(t\_n ostep)]sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument ValueEvaluation time: 1.08Limit: Max order reached or unable to make series expansion Error: Bad Argument Value

**maple [B]** time = 0.02, size = 591, normalized size = 2.98

$$\frac{e^7 \ln\left(\frac{d + \sqrt{d^2 - e^2 x^2}}{d - \sqrt{d^2 - e^2 x^2}}\right)}{840 d^4 x^7} + \frac{280 d^5 e x - 144 d^4 e^2 x^2 - 70 d^3 e^3 x^3 + 88 d^2 e^4 x^4 - 105 d e^5 x^5 + 176 e^6 x^6}{840 d^4 x^7} + \frac{e^7 x \operatorname{ArcTanh}\left(\frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{4 d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-e^2*x^2+d^2)^{(5/2)}/x^8/(e*x+d)^2,x)$

[Out]  $\frac{1}{3}d^9e^5/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2e^2)^{(7/2)}+29/12/d^8e^8*(2*(x+d/e)*d*e-(x+d/e)^2e^2)^{(3/2)*x}+29/8/d^6e^8*(2*(x+d/e)*d*e-(x+d/e)^2e^2)^{(1/2)*x}+29/8/d^4e^8/(e^2)^{(1/2)*\arctan((e^2)^{(1/2)/(2*(x+d/e)*d*e-(x+d/e)^2e^2)^{(1/2)*x}})-3/5/d^6e^2/x^5*(-e^2*x^2+d^2)^{(7/2)}+1/3/d^5e/x^6*(-e^2*x^2+d^2)^{(7/2)}-19/15/d^8e^4/x^3*(-e^2*x^2+d^2)^{(7/2)}-29/15/d^10e^6/x*(-e^2*x^2+d^2)^{(7/2)}-29/15/d^10e^8*x*(-e^2*x^2+d^2)^{(5/2)}-29/12/d^8e^8*x*(-e^2*x^2+d^2)^{(3/2)}-29/8/d^6e^8*x*(-e^2*x^2+d^2)^{(1/2)}-29/8/d^4e^8/(e^2)^{(1/2)*\arctan((e^2)^{(1/2)/(-e^2*x^2+d^2)^{(1/2)*x}})+11/12/d^7e^3/x^4*(-e^2*x^2+d^2)^{(7/2)}+13/8/d^9e^5/x^2*(-e^2*x^2+d^2)^{(7/2)}-1/8/d^3e^7/(d^2)^{(1/2)*\ln((2*d^2+2*(d^2)^{(1/2)*(-e^2*x^2+d^2)^{(1/2)})/x)}+29/15/d^9e^7*(2*(x+d/e)*d*e-(x+d/e)^2e^2)^{(5/2)}+1/40/d^9e^7*(-e^2*x^2+d^2)^{(5/2)}+1/24/d^7e^7*(-e^2*x^2+d^2)^{(3/2)}+1/8/d^5e^7*(-e^2*x^2+d^2)^{(1/2)}-1/7/d^4/x^7*(-e^2*x^2+d^2)^{(7/2)}$

**maxima** [A] time = 0.99, size = 205, normalized size = 1.04

$$-\frac{e^7 \log\left(\frac{2d^2}{|x|} + \frac{2\sqrt{-e^2x^2+d^2}d}{|x|}\right)}{8d^4} + \frac{\sqrt{-e^2x^2+d^2}e^7}{8d^5} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^5}{8d^3x^2} - \frac{22(-e^2x^2+d^2)^{\frac{3}{2}}e^4}{105d^4x^3} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e^3}{4d^3x^4} - \frac{11(-e^2x^2+d^2)^{\frac{3}{2}}e^2}{35d^2x^5} + \frac{(-e^2x^2+d^2)^{\frac{3}{2}}e}{3dx^6} - \frac{(-e^2x^2+d^2)^{\frac{3}{2}}}{7x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-e^2*x^2+d^2)^{(5/2)}/x^8/(e*x+d)^2,x, \text{algorithm}=\text{"maxima"})$

[Out]  $-1/8e^7*\log(2*d^2/\text{abs}(x) + 2*\text{sqrt}(-e^2*x^2 + d^2)*d/\text{abs}(x))/d^4 + 1/8*\text{sqrt}(-e^2*x^2 + d^2)*e^7/d^5 + 1/8*(-e^2*x^2 + d^2)^{(3/2)*e^5/(d^5*x^2)} - 22/105*(-e^2*x^2 + d^2)^{(3/2)*e^4/(d^4*x^3)} + 1/4*(-e^2*x^2 + d^2)^{(3/2)*e^3/(d^3*x^4)} - 11/35*(-e^2*x^2 + d^2)^{(3/2)*e^2/(d^2*x^5)} + 1/3*(-e^2*x^2 + d^2)^{(3/2)*e/(d*x^6)} - 1/7*(-e^2*x^2 + d^2)^{(3/2)}/x^7$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^8 (d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d^2 - e^2*x^2)^{(5/2)}/(x^8*(d + e*x)^2),x)$

[Out]  $\text{int}((d^2 - e^2*x^2)^{(5/2)}/(x^8*(d + e*x)^2), x)$

**sympy** [C] time = 18.18, size = 835, normalized size = 4.22

$$d^2 \left( \begin{cases} \frac{e^5 \sqrt{\frac{d^2}{e^2} - 1}}{7e^6} + \frac{e^3 \sqrt{\frac{d^2}{e^2} - 1}}{35e^4} + \frac{4e^2 \sqrt{\frac{d^2}{e^2} - 1}}{105e^2} + \frac{8e \sqrt{\frac{d^2}{e^2} - 1}}{105e} & \text{for } \left| \frac{d^2}{e^2} \right| > 1 \\ -\frac{e^5 \sqrt{\frac{d^2}{e^2} + 1}}{7e^6} + \frac{e^3 \sqrt{\frac{d^2}{e^2} + 1}}{35e^4} + \frac{4e^2 \sqrt{\frac{d^2}{e^2} + 1}}{105e^2} + \frac{8e \sqrt{\frac{d^2}{e^2} + 1}}{105e} & \text{otherwise} \end{cases} \right) - 2d^2 \left( \begin{cases} -\frac{e^5}{6e^7 \sqrt{\frac{d^2}{e^2} - 1}} + \frac{5e}{24e^5 \sqrt{\frac{d^2}{e^2} - 1}} + \frac{e^3}{48e^3 \sqrt{\frac{d^2}{e^2} - 1}} - \frac{e^5}{16e^4 \sqrt{\frac{d^2}{e^2} - 1}} + \frac{e^5 \operatorname{arctanh}\left(\frac{e}{d}\right)}{16e^6} & \text{for } \left| \frac{d^2}{e^2} \right| > 1 \\ \frac{e^5}{6e^7 \sqrt{\frac{d^2}{e^2} + 1}} - \frac{5e}{24e^5 \sqrt{\frac{d^2}{e^2} + 1}} - \frac{e^3}{48e^3 \sqrt{\frac{d^2}{e^2} + 1}} + \frac{e^5}{16e^4 \sqrt{\frac{d^2}{e^2} + 1}} - \frac{e^5 \operatorname{arctanh}\left(\frac{e}{d}\right)}{16e^6} & \text{otherwise} \end{cases} \right) + e^2 \left( \begin{cases} \frac{3e^3 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^3 e^3 + 15d^2 e^2} - \frac{4e^2 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^3 e^3 + 15d^2 e^2} + \frac{2e^2 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^3 e^3 + 15d^2 e^2} - \frac{e^4 \sqrt{-1 + \frac{d^2}{e^2}}}{-15d^3 e^3 + 15d^2 e^2} & \text{for } \left| \frac{d^2}{e^2} \right| > 1 \\ \frac{3e^3 \sqrt{1 + \frac{d^2}{e^2}}}{-15d^3 e^3 + 15d^2 e^2} - \frac{4e^2 \sqrt{1 + \frac{d^2}{e^2}}}{-15d^3 e^3 + 15d^2 e^2} + \frac{2e^2 \sqrt{1 + \frac{d^2}{e^2}}}{-15d^3 e^3 + 15d^2 e^2} - \frac{e^4 \sqrt{1 + \frac{d^2}{e^2}}}{-15d^3 e^3 + 15d^2 e^2} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*8/(e\*x+d)\*\*2,x)

[Out] d\*\*2\*Piecewise((-e\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(7\*x\*\*6) + e\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(35\*d\*\*2\*x\*\*4) + 4\*e\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(105\*d\*\*4\*x\*\*2) + 8\*e\*\*7\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)/(105\*d\*\*6), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (-I\*e\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(7\*x\*\*6) + I\*e\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(35\*d\*\*2\*x\*\*4) + 4\*I\*e\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(105\*d\*\*4\*x\*\*2) + 8\*I\*e\*\*7\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)/(105\*d\*\*6), True)) - 2\*d\*e\*Piecewise((-d\*\*2/(6\*e\*x\*\*7\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + 5\*e/(24\*x\*\*5\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*3/(48\*d\*\*2\*x\*\*3\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) - e\*\*5/(16\*d\*\*4\*x\*sqrt(d\*\*2/(e\*\*2\*x\*\*2) - 1)) + e\*\*6\*acosh(d/(e\*x))/(16\*d\*\*5), Abs(d\*\*2/(e\*\*2\*x\*\*2)) > 1), (I\*d\*\*2/(6\*e\*x\*\*7\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - 5\*I\*e/(24\*x\*\*5\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e\*\*3/(48\*d\*\*2\*x\*\*3\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) + I\*e\*\*5/(16\*d\*\*4\*x\*sqrt(-d\*\*2/(e\*\*2\*x\*\*2) + 1)) - I\*e\*\*6\*asin(d/(e\*x))/(16\*d\*\*5), True)) + e\*\*2\*Piecewise((3\*I\*d\*\*3\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) - 4\*I\*d\*e\*\*2\*x\*\*2\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) + 2\*I\*e\*\*6\*x\*\*6\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*5\*x\*\*5 + 15\*d\*\*3\*e\*\*2\*x\*\*7) - I\*e\*\*4\*x\*\*4\*sqrt(-1 + e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*3\*x\*\*5 + 15\*d\*e\*\*2\*x\*\*7), Abs(e\*\*2\*x\*\*2/d\*\*2) > 1), (3\*d\*\*3\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) - 4\*d\*e\*\*2\*x\*\*2\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*2\*x\*\*5 + 15\*e\*\*2\*x\*\*7) + 2\*e\*\*6\*x\*\*6\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*5\*x\*\*5 + 15\*d\*\*3\*e\*\*2\*x\*\*7) - e\*\*4\*x\*\*4\*sqrt(1 - e\*\*2\*x\*\*2/d\*\*2)/(-15\*d\*\*3\*x\*\*5 + 15\*d\*e\*\*2\*x\*\*7), True))



$$3.171 \quad \int \frac{x^4}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$$

Optimal. Leaf size=123

$$\frac{17d^2(d-ex)}{15e^5(d^2-e^2x^2)^{3/2}} - \frac{2(15d-13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5} - \frac{d^3(d-ex)^2}{5e^5(d^2-e^2x^2)^{5/2}}$$

**Rubi [A]** time = 0.24, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {852, 1635, 1814, 12, 217, 203}

$$-\frac{d^3(d-ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{17d^2(d-ex)}{15e^5(d^2-e^2x^2)^{3/2}} - \frac{2(15d-13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] -(d^3\*(d - e\*x)^2)/(5\*e^5\*(d^2 - e^2\*x^2)^(5/2)) + (17\*d^2\*(d - e\*x))/(15\*e^5\*(d^2 - e^2\*x^2)^(3/2)) - (2\*(15\*d - 13\*e\*x))/(15\*e^5\*sqrt[d^2 - e^2\*x^2]) - ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]]/e^5

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 852

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[d^(2\*m)/a^m, Int[((f + g\*x)^n\*(a + c\*x^2)^(m + p))

```
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1635

```
Int[(Pq_)*((d_) + (e_)*(x_)^(m_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]
```

### Rule 1814

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuot
ient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((a*g -
b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int
[(a + b*x^2)^(p + 1)*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x]] /
; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx &= \int \frac{x^4(d-ex)^2}{(d^2-e^2x^2)^{7/2}} dx \\
&= -\frac{d^3(d-ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d-ex)\left(\frac{2d^4}{e^4} - \frac{5d^3x}{e^3} + \frac{5d^2x^2}{e^2} - \frac{5dx^3}{e}\right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= -\frac{d^3(d-ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{17d^2(d-ex)}{15e^5(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{\frac{11d^4}{e^4} - \frac{30d^3x}{e^3} + \frac{15d^2x^2}{e^2}}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
&= -\frac{d^3(d-ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{17d^2(d-ex)}{15e^5(d^2-e^2x^2)^{3/2}} - \frac{2(15d-13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\int \frac{15d^4}{e^4\sqrt{d^2-e^2x^2}} dx}{15d^4} \\
&= -\frac{d^3(d-ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{17d^2(d-ex)}{15e^5(d^2-e^2x^2)^{3/2}} - \frac{2(15d-13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^4} \\
&= -\frac{d^3(d-ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{17d^2(d-ex)}{15e^5(d^2-e^2x^2)^{3/2}} - \frac{2(15d-13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\text{Subst}\left(\int \frac{1}{1+e^2x^2} dx\right)}{e^4} \\
&= -\frac{d^3(d-ex)^2}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{17d^2(d-ex)}{15e^5(d^2-e^2x^2)^{3/2}} - \frac{2(15d-13ex)}{15e^5\sqrt{d^2-e^2x^2}} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 106, normalized size = 0.86

$$\sqrt{d^2 - e^2x^2} \left( -\frac{d^2}{10e^5(d+ex)^3} + \frac{31d}{60e^5(d+ex)^2} - \frac{1}{8e^5(ex-d)} - \frac{193}{120e^5(d+ex)} \right) - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] Sqrt[d^2 - e^2\*x^2]\*(-1/8\*1/(e^5\*(-d + e\*x)) - d^2/(10\*e^5\*(d + e\*x)^3) + (31\*d)/(60\*e^5\*(d + e\*x)^2) - 193/(120\*e^5\*(d + e\*x))) - ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]]/e^5

**IntegrateAlgebraic [A]** time = 0.67, size = 114, normalized size = 0.93

$$\frac{\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{e^6} - \frac{\sqrt{d^2 - e^2 x^2} (-16d^3 - 17d^2 ex + 22de^2 x^2 + 26e^3 x^3)}{15e^5 (ex - d)(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^4/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] -1/15\*(Sqrt[d^2 - e^2\*x^2]\*(-16\*d^3 - 17\*d^2\*e\*x + 22\*d\*e^2\*x^2 + 26\*e^3\*x^3))/(e^5\*(-d + e\*x)\*(d + e\*x)^3) - (Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^6

**fricas [A]** time = 0.41, size = 171, normalized size = 1.39

$$\frac{16e^4x^4 + 32de^3x^3 - 32d^3ex - 16d^4 - 30(e^4x^4 + 2de^3x^3 - 2d^3ex - d^4) \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (26e^3x^3 + 22de^2x^2 - 17d^2ex - 16d^3)\sqrt{-e^2x^2 + d^2}}{15(e^9x^4 + 2de^8x^3 - 2d^3e^6x - d^4e^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] -1/15\*(16\*e^4\*x^4 + 32\*d\*e^3\*x^3 - 32\*d^3\*e\*x - 16\*d^4 - 30\*(e^4\*x^4 + 2\*d\*e^3\*x^3 - 2\*d^3\*e\*x - d^4)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (26\*e^3\*x^3 + 22\*d\*e^2\*x^2 - 17\*d^2\*e\*x - 16\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(e^9\*x^4 + 2\*d\*e^8\*x^3 - 2\*d^3\*e^6\*x - d^4\*e^5)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] sage0\*x

**maple [A]** time = 0.02, size = 198, normalized size = 1.61

$$\frac{4x}{\sqrt{-e^2x^2 + d^2} e^4} - \frac{34x}{15\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2 e^4} - \frac{\arctan\left(\frac{\sqrt{2} x}{\sqrt{-e^2x^2 + d^2}}\right)}{\sqrt{e^2} e^4} - \frac{d^3}{5\left(x + \frac{d}{e}\right)^2 \sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2 e^7} + \frac{17d^2}{15\left(x + \frac{d}{e}\right)\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2 e^6} - \frac{2d}{\sqrt{-e^2x^2 + d^2} e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x)

[Out]  $4/(-e^2*x^2+d^2)^{(1/2)}/e^4*x-1/(e^2)^{(1/2)}/e^4*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)-2*d/e^5/(-e^2*x^2+d^2)^{(1/2)}+17/15/e^6*d^2/(x+d/e)/(2*(x+d/e))*d*e^{-(x+d/e)^2*e^2}^{(1/2)}-34/15/e^4/(2*(x+d/e))*d*e^{-(x+d/e)^2*e^2}^{(1/2)}*x-1/5*d^3/e^7/(x+d/e)^2/(2*(x+d/e))*d*e^{-(x+d/e)^2*e^2}^{(1/2)}$

**maxima** [A] time = 1.02, size = 170, normalized size = 1.38

$$\frac{d^3}{5(\sqrt{-e^2x^2+d^2}e^7x^2+2\sqrt{-e^2x^2+d^2}de^6x+\sqrt{-e^2x^2+d^2}d^2e^5)} + \frac{17d^2}{15(\sqrt{-e^2x^2+d^2}e^6x+\sqrt{-e^2x^2+d^2}de^5)} + \frac{26x}{15\sqrt{-e^2x^2+d^2}e^4} - \frac{\arcsin\left(\frac{ex}{d}\right)}{e^5} - \frac{2d}{\sqrt{-e^2x^2+d^2}e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out]  $-1/5*d^3/(\text{sqrt}(-e^2*x^2 + d^2)*e^7*x^2 + 2*\text{sqrt}(-e^2*x^2 + d^2)*d*e^6*x + \text{sqrt}(-e^2*x^2 + d^2)*d^2*e^5) + 17/15*d^2/(\text{sqrt}(-e^2*x^2 + d^2)*e^6*x + \text{sqrt}(-e^2*x^2 + d^2)*d*e^5) + 26/15*x/(\text{sqrt}(-e^2*x^2 + d^2)*e^4) - \arcsin(e*x/d)/e^5 - 2*d/(\text{sqrt}(-e^2*x^2 + d^2)*e^5)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{(d^2 - e^2 x^2)^{3/2} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)^2),x)

[Out] int(x^4/((d^2 - e^2\*x^2)^(3/2)\*(d + e\*x)^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/(e\*x+d)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(3/2),x)

[Out] Integral(x\*\*4/((-(-d + e\*x)\*(d + e\*x))\*\*(3/2)\*(d + e\*x)\*\*2), x)

$$3.172 \quad \int \frac{x^3}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$$

**Optimal.** Leaf size=99

$$\frac{d^2(d-ex)^2}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{4d(d-ex)}{5e^4(d^2-e^2x^2)^{3/2}} + \frac{5d-2ex}{5de^4\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.20, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {852, 1635, 637}

$$\frac{d^2(d-ex)^2}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{4d(d-ex)}{5e^4(d^2-e^2x^2)^{3/2}} + \frac{5d-2ex}{5de^4\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (d^2\*(d - e\*x)^2)/(5\*e^4\*(d^2 - e^2\*x^2)^(5/2)) - (4\*d\*(d - e\*x))/(5\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + (5\*d - 2\*e\*x)/(5\*d\*e^4\*Sqrt[d^2 - e^2\*x^2])

#### Rule 637

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (c\_)\*(x\_)^2)^(3/2), x\_Symbol] :> Simp[(-(a\*e) + c\*d\*x)/(a\*c\*Sqrt[a + c\*x^2]), x] /; FreeQ[{a, c, d, e}, x]

#### Rule 852

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Dist[d^(2\*m)/a^m, Int[((f + g\*x)^n\*(a + c\*x^2)^(m+p))/(d - e\*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])

#### Rule 1635

Int[(Pq\_)\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[Pq, a\*e + c\*d\*x, x], f = PolynomialRemainder[Pq, a\*e + c\*d\*x, x]}, -Simp[(d\*f\*(d + e\*x)^m\*(a + c\*x^2)^(p+1))/(2\*a\*e\*(p+1)), x] + Dist[d/(2\*a\*(p+1)), Int[(d + e\*x)^(m-1)\*(a + c\*x^2)^(p+1)\*ExpandToSum[2\*a\*e\*(p+1)\*Q + f\*(m+2\*p+2), x], x], x] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c\*d^2 + a\*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{(d+ex)^2 (d^2-e^2x^2)^{3/2}} dx &= \int \frac{x^3(d-ex)^2}{(d^2-e^2x^2)^{7/2}} dx \\
&= \frac{d^2(d-ex)^2}{5e^4 (d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d-ex)\left(-\frac{2d^3}{e^3} + \frac{5d^2x}{e^2} - \frac{5dx^2}{e}\right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{d^2(d-ex)^2}{5e^4 (d^2-e^2x^2)^{5/2}} - \frac{4d(d-ex)}{5e^4 (d^2-e^2x^2)^{3/2}} + \frac{\int \frac{-\frac{6d^3}{e^3} + \frac{15d^2x}{e^2}}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
&= \frac{d^2(d-ex)^2}{5e^4 (d^2-e^2x^2)^{5/2}} - \frac{4d(d-ex)}{5e^4 (d^2-e^2x^2)^{3/2}} + \frac{5d-2ex}{5de^4\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 70, normalized size = 0.71

$$\frac{\sqrt{d^2 - e^2x^2} (2d^3 + 4d^2ex + de^2x^2 - 2e^3x^3)}{5de^4(d-ex)(d+ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(2\*d^3 + 4\*d^2\*e\*x + d\*e^2\*x^2 - 2\*e^3\*x^3))/(5\*d\*e^4\*(d - e\*x)\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.54, size = 70, normalized size = 0.71

$$\frac{\sqrt{d^2 - e^2x^2} (2d^3 + 4d^2ex + de^2x^2 - 2e^3x^3)}{5de^4(d-ex)(d+ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(2\*d^3 + 4\*d^2\*e\*x + d\*e^2\*x^2 - 2\*e^3\*x^3))/(5\*d\*e^4\*(d - e\*x)\*(d + e\*x)^3)

**fricas** [A] time = 0.40, size = 116, normalized size = 1.17

$$\frac{2e^4x^4 + 4de^3x^3 - 4d^3ex - 2d^4 + (2e^3x^3 - de^2x^2 - 4d^2ex - 2d^3)\sqrt{-e^2x^2 + d^2}}{5(d^8e^4x^4 + 2d^2e^7x^3 - 2d^4e^5x - d^5e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] 1/5\*(2\*e^4\*x^4 + 4\*d\*e^3\*x^3 - 4\*d^3\*e\*x - 2\*d^4 + (2\*e^3\*x^3 - d\*e^2\*x^2 - 4\*d^2\*e\*x - 2\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(d\*e^8\*x^4 + 2\*d^2\*e^7\*x^3 - 2\*d^4\*e^5\*x - d^5\*e^4)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] sage0\*x

**maple** [A] time = 0.01, size = 65, normalized size = 0.66

$$\frac{(-ex + d)(-2e^3x^3 + de^2x^2 + 4d^2ex + 2d^3)}{5(ex + d)(-e^2x^2 + d^2)^{\frac{3}{2}}de^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x)

[Out] 1/5\*(-e\*x+d)\*(-2\*e^3\*x^3+d\*e^2\*x^2+4\*d^2\*e\*x+2\*d^3)/(e\*x+d)/d/e^4/(-e^2\*x^2+d^2)^(3/2)

**maxima** [A] time = 0.47, size = 157, normalized size = 1.59

$$\frac{d^2}{5(\sqrt{-e^2x^2 + d^2}e^6x^2 + 2\sqrt{-e^2x^2 + d^2}de^5x + \sqrt{-e^2x^2 + d^2}d^2e^4)} - \frac{4d}{5(\sqrt{-e^2x^2 + d^2}e^5x + \sqrt{-e^2x^2 + d^2}de^4)} - \frac{2x}{5\sqrt{-e^2x^2 + d^2}de^3} + \frac{1}{\sqrt{-e^2x^2 + d^2}e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out] 1/5\*d^2/(sqrt(-e^2\*x^2 + d^2)\*e^6\*x^2 + 2\*sqrt(-e^2\*x^2 + d^2)\*d\*e^5\*x + sqrt(-e^2\*x^2 + d^2)\*d^2\*e^4) - 4/5\*d/(sqrt(-e^2\*x^2 + d^2)\*e^5\*x + sqrt(-e^2



$*x^2 + d^2)*d*e^4) - 2/5*x/(sqrt(-e^2*x^2 + d^2)*d*e^3) + 1/(sqrt(-e^2*x^2 + d^2)*e^4)$

**mupad [B]** time = 2.97, size = 66, normalized size = 0.67

$$\frac{\sqrt{d^2 - e^2 x^2} (2d^3 + 4d^2 e x + d e^2 x^2 - 2e^3 x^3)}{5 d e^4 (d + e x)^3 (d - e x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/((d^2 - e^2*x^2)^(3/2)*(d + e*x)^2), x)`

[Out]  $((d^2 - e^2*x^2)^{(1/2)}*(2*d^3 - 2*e^3*x^3 + d*e^2*x^2 + 4*d^2*e*x))/(5*d*e^4*(d + e*x)^3*(d - e*x))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/(e*x+d)**2/(-e**2*x**2+d**2)**(3/2), x)`

[Out] `Integral(x**3/((-(-d + e*x)*(d + e*x))**(3/2)*(d + e*x)**2), x)`

$$3.173 \quad \int \frac{x^2}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$$

**Optimal.** Leaf size=89

$$\frac{x}{15d^2e^2\sqrt{d^2-e^2x^2}} - \frac{d}{5e^3(d+ex)^2\sqrt{d^2-e^2x^2}} + \frac{7}{15e^3(d+ex)\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.14, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {852, 1635, 778, 191}

$$-\frac{d(d-ex)^2}{5e^3(d^2-e^2x^2)^{5/2}} + \frac{7(d-ex)}{15e^3(d^2-e^2x^2)^{3/2}} + \frac{x}{15d^2e^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] -(d\*(d - e\*x)^2)/(5\*e^3\*(d^2 - e^2\*x^2)^(5/2)) + (7\*(d - e\*x))/(15\*e^3\*(d^2 - e^2\*x^2)^(3/2)) + x/(15\*d^2\*e^2\*sqrt[d^2 - e^2\*x^2])

#### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

#### Rule 852

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[d^(2\*m)/a^m, Int[((f + g\*x)^n\*(a + c\*x^2)^(m + p))/(d - e\*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])

#### Rule 1635

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(d+ex)^2 (d^2-e^2x^2)^{3/2}} dx &= \int \frac{x^2(d-ex)^2}{(d^2-e^2x^2)^{7/2}} dx \\
&= -\frac{d(d-ex)^2}{5e^3 (d^2-e^2x^2)^{5/2}} - \frac{\int \frac{\left(\frac{2d^2}{e^2} - \frac{5dx}{e}\right)(d-ex)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= -\frac{d(d-ex)^2}{5e^3 (d^2-e^2x^2)^{5/2}} + \frac{7(d-ex)}{15e^3 (d^2-e^2x^2)^{3/2}} + \frac{\int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{15e^2} \\
&= -\frac{d(d-ex)^2}{5e^3 (d^2-e^2x^2)^{5/2}} + \frac{7(d-ex)}{15e^3 (d^2-e^2x^2)^{3/2}} + \frac{x}{15d^2e^2\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 70, normalized size = 0.79

$$\frac{\sqrt{d^2 - e^2x^2} (4d^3 + 8d^2ex + 2de^2x^2 + e^3x^3)}{15d^2e^3(d-ex)(d+ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(4\*d^3 + 8\*d^2\*e\*x + 2\*d\*e^2\*x^2 + e^3\*x^3))/(15\*d^2\*e^3\*(d - e\*x)\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.54, size = 70, normalized size = 0.79

$$\frac{\sqrt{d^2 - e^2x^2} (4d^3 + 8d^2ex + 2de^2x^2 + e^3x^3)}{15d^2e^3(d-ex)(d+ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(4\*d^3 + 8\*d^2\*e\*x + 2\*d\*e^2\*x^2 + e^3\*x^3))/(15\*d^2\*e^3\*(d - e\*x)\*(d + e\*x)^3)

**fricas** [A] time = 0.39, size = 118, normalized size = 1.33

$$\frac{4e^4x^4 + 8de^3x^3 - 8d^3ex - 4d^4 - (e^3x^3 + 2de^2x^2 + 8d^2ex + 4d^3)\sqrt{-e^2x^2 + d^2}}{15(d^2e^7x^4 + 2d^3e^6x^3 - 2d^5e^4x - d^6e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] 1/15\*(4\*e^4\*x^4 + 8\*d\*e^3\*x^3 - 8\*d^3\*e\*x - 4\*d^4 - (e^3\*x^3 + 2\*d\*e^2\*x^2 + 8\*d^2\*e\*x + 4\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(d^2\*e^7\*x^4 + 2\*d^3\*e^6\*x^3 - 2\*d^5\*e^4\*x - d^6\*e^3)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] sage0\*x

**maple** [A] time = 0.01, size = 65, normalized size = 0.73

$$\frac{(-ex + d)(e^3x^3 + 2de^2x^2 + 8d^2ex + 4d^3)}{15(ex + d)(-e^2x^2 + d^2)^{\frac{3}{2}}d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x)

[Out] 1/15\*(-e\*x+d)\*(e^3\*x^3+2\*d\*e^2\*x^2+8\*d^2\*e\*x+4\*d^3)/(e\*x+d)/d^2/e^3/(-e^2\*x^2+d^2)^(3/2)

**maxima** [A] time = 0.47, size = 136, normalized size = 1.53

$$-\frac{d}{5(\sqrt{-e^2x^2 + d^2}e^5x^2 + 2\sqrt{-e^2x^2 + d^2}de^4x + \sqrt{-e^2x^2 + d^2}d^2e^3)} + \frac{7}{15(\sqrt{-e^2x^2 + d^2}e^4x + \sqrt{-e^2x^2 + d^2}de^3)} + \frac{x}{15\sqrt{-e^2x^2 + d^2}d^2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(e*x+d)^2/(-e^2*x^2+d^2)^(3/2),x, algorithm="maxima")`

[Out] 
$$-1/5*d/(\sqrt{-e^2*x^2 + d^2})*e^5*x^2 + 2*\sqrt{-e^2*x^2 + d^2}*d*e^4*x + \sqrt{-e^2*x^2 + d^2}*d^2*e^3 + 7/15/(\sqrt{-e^2*x^2 + d^2})*e^4*x + \sqrt{-e^2*x^2 + d^2}*d*e^3 + 1/15*x/(\sqrt{-e^2*x^2 + d^2})*d^2*e^2)$$

**mupad** [B] time = 2.90, size = 66, normalized size = 0.74

$$\frac{\sqrt{d^2 - e^2 x^2} (4d^3 + 8d^2 e x + 2d e^2 x^2 + e^3 x^3)}{15d^2 e^3 (d + e x)^3 (d - e x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/((d^2 - e^2*x^2)^(3/2)*(d + e*x)^2),x)`

[Out] 
$$((d^2 - e^2*x^2)^{(1/2)}*(4*d^3 + e^3*x^3 + 2*d*e^2*x^2 + 8*d^2*e*x))/(15*d^2*e^3*(d + e*x)^3*(d - e*x))$$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(e*x+d)**2/(-e**2*x**2+d**2)**(3/2),x)`

[Out] `Integral(x**2/((-(-d + e*x)*(d + e*x))**(3/2)*(d + e*x)**2), x)`

$$3.174 \quad \int \frac{x}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$$

**Optimal.** Leaf size=91

$$-\frac{2}{15de^2(d+ex)\sqrt{d^2-e^2x^2}} + \frac{1}{5e^2(d+ex)^2\sqrt{d^2-e^2x^2}} + \frac{4x}{15d^3e\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.04, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {793, 659, 191}

$$\frac{4x}{15d^3e\sqrt{d^2-e^2x^2}} - \frac{2}{15de^2(d+ex)\sqrt{d^2-e^2x^2}} + \frac{1}{5e^2(d+ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (4\*x)/(15\*d^3\*e\*Sqrt[d^2 - e^2\*x^2]) + 1/(5\*e^2\*(d + e\*x)^2\*Sqrt[d^2 - e^2\*x^2]) - 2/(15\*d\*e^2\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 659

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

Rule 793

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[(m\*(g\*c\*d + c\*e\*f) + 2\*e\*c\*f\*(p + 1))/(e\*(2\*c\*d)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2\*p + 2, 0]) && NeQ[m + p + 1, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx &= \frac{1}{5e^2(d+ex)^2\sqrt{d^2-e^2x^2}} + \frac{2 \int \frac{1}{(d+ex)(d^2-e^2x^2)^{3/2}} dx}{5e} \\
&= \frac{1}{5e^2(d+ex)^2\sqrt{d^2-e^2x^2}} - \frac{2}{15de^2(d+ex)\sqrt{d^2-e^2x^2}} + \frac{4 \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{15de} \\
&= \frac{4x}{15d^3e\sqrt{d^2-e^2x^2}} + \frac{1}{5e^2(d+ex)^2\sqrt{d^2-e^2x^2}} - \frac{2}{15de^2(d+ex)\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 69, normalized size = 0.76

$$\frac{\sqrt{d^2 - e^2x^2} (d^3 + 2d^2ex + 8de^2x^2 + 4e^3x^3)}{15d^3e^2(d - ex)(d + ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(d^3 + 2\*d^2\*e\*x + 8\*d\*e^2\*x^2 + 4\*e^3\*x^3))/(15\*d^3\*e^2\*(d - e\*x)\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.48, size = 69, normalized size = 0.76

$$\frac{\sqrt{d^2 - e^2x^2} (d^3 + 2d^2ex + 8de^2x^2 + 4e^3x^3)}{15d^3e^2(d - ex)(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(d^3 + 2\*d^2\*e\*x + 8\*d\*e^2\*x^2 + 4\*e^3\*x^3))/(15\*d^3\*e^2\*(d - e\*x)\*(d + e\*x)^3)

**fricas [A]** time = 0.40, size = 116, normalized size = 1.27

$$\frac{e^4x^4 + 2de^3x^3 - 2d^3ex - d^4 - (4e^3x^3 + 8de^2x^2 + 2d^2ex + d^3)\sqrt{-e^2x^2 + d^2}}{15(d^3e^6x^4 + 2d^4e^5x^3 - 2d^6e^3x - d^7e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] 1/15\*(e^4\*x^4 + 2\*d\*e^3\*x^3 - 2\*d^3\*e\*x - d^4 - (4\*e^3\*x^3 + 8\*d\*e^2\*x^2 + 2\*d^2\*e\*x + d^3)\*sqrt(-e^2\*x^2 + d^2))/(d^3\*e^6\*x^4 + 2\*d^4\*e^5\*x^3 - 2\*d^6\*e^3\*x - d^7\*e^2)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] sage0\*x

**maple** [A] time = 0.01, size = 64, normalized size = 0.70

$$\frac{(-ex + d)(4e^3x^3 + 8de^2x^2 + 2d^2ex + d^3)}{15(ex + d)(-e^2x^2 + d^2)^{\frac{3}{2}}d^3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x)

[Out] 1/15\*(-e\*x+d)\*(4\*e^3\*x^3+8\*d\*e^2\*x^2+2\*d^2\*e\*x+d^3)/(e\*x+d)/d^3/e^2/(-e^2\*x^2+d^2)^(3/2)

**maxima** [A] time = 0.46, size = 138, normalized size = 1.52

$$\frac{1}{5(\sqrt{-e^2x^2 + d^2}e^4x^2 + 2\sqrt{-e^2x^2 + d^2}de^3x + \sqrt{-e^2x^2 + d^2}d^2e^2)} - \frac{2}{15(\sqrt{-e^2x^2 + d^2}de^3x + \sqrt{-e^2x^2 + d^2}d^2e^2)} + \frac{4x}{15\sqrt{-e^2x^2 + d^2}d^3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="maxima")

[Out] 1/5/(sqrt(-e^2\*x^2 + d^2)\*e^4\*x^2 + 2\*sqrt(-e^2\*x^2 + d^2)\*d\*e^3\*x + sqrt(-e^2\*x^2 + d^2)\*d^2\*e^2) - 2/15/(sqrt(-e^2\*x^2 + d^2)\*d\*e^3\*x + sqrt(-e^2\*x^2 + d^2)\*d^2\*e^2) + 4/15\*x/(sqrt(-e^2\*x^2 + d^2)\*d^3\*e)

**mupad** [B] time = 2.88, size = 65, normalized size = 0.71

$$\frac{\sqrt{d^2 - e^2 x^2} (d^3 + 2 d^2 e x + 8 d e^2 x^2 + 4 e^3 x^3)}{15 d^3 e^2 (d + e x)^3 (d - e x)}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(x/((d^2 - e^2*x^2)^(3/2)*(d + e*x)^2), x)`

[Out]  $((d^2 - e^2*x^2)^{(1/2)}*(d^3 + 4*e^3*x^3 + 8*d*e^2*x^2 + 2*d^2*e*x))/(15*d^3*e^2*(d + e*x)^3*(d - e*x))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)**2/(-e**2*x**2+d**2)**(3/2), x)`

[Out] `Integral(x/((-(-d + e*x)*(d + e*x))**(3/2)*(d + e*x)**2), x)`

$$3.175 \quad \int \frac{1}{(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$$

**Optimal.** Leaf size=91

$$-\frac{1}{5d^2e(d+ex)\sqrt{d^2-e^2x^2}} - \frac{1}{5de(d+ex)^2\sqrt{d^2-e^2x^2}} + \frac{2x}{5d^4\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.03, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {659, 191}

$$\frac{2x}{5d^4\sqrt{d^2-e^2x^2}} - \frac{1}{5d^2e(d+ex)\sqrt{d^2-e^2x^2}} - \frac{1}{5de(d+ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (2\*x)/(5\*d^4\*Sqrt[d^2 - e^2\*x^2]) - 1/(5\*d\*e\*(d + e\*x)^2\*Sqrt[d^2 - e^2\*x^2]) - 1/(5\*d^2\*e\*(d + e\*x)\*Sqrt[d^2 - e^2\*x^2])

#### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rule 659

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex)^2 (d^2 - e^2 x^2)^{3/2}} dx &= -\frac{1}{5de(d+ex)^2 \sqrt{d^2 - e^2 x^2}} + \frac{3 \int \frac{1}{(d+ex)(d^2 - e^2 x^2)^{3/2}} dx}{5d} \\
&= -\frac{1}{5de(d+ex)^2 \sqrt{d^2 - e^2 x^2}} - \frac{1}{5d^2 e(d+ex) \sqrt{d^2 - e^2 x^2}} + \frac{2 \int \frac{1}{(d^2 - e^2 x^2)^{3/2}} dx}{5d^2} \\
&= \frac{2x}{5d^4 \sqrt{d^2 - e^2 x^2}} - \frac{1}{5de(d+ex)^2 \sqrt{d^2 - e^2 x^2}} - \frac{1}{5d^2 e(d+ex) \sqrt{d^2 - e^2 x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 70, normalized size = 0.77

$$\frac{\sqrt{d^2 - e^2 x^2} (-2d^3 + d^2 ex + 4de^2 x^2 + 2e^3 x^3)}{5d^4 e(d - ex)(d + ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-2\*d^3 + d^2\*e\*x + 4\*d\*e^2\*x^2 + 2\*e^3\*x^3))/(5\*d^4\*e\*(d - e\*x)\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.52, size = 70, normalized size = 0.77

$$\frac{\sqrt{d^2 - e^2 x^2} (-2d^3 + d^2 ex + 4de^2 x^2 + 2e^3 x^3)}{5d^4 e(d - ex)(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-2\*d^3 + d^2\*e\*x + 4\*d\*e^2\*x^2 + 2\*e^3\*x^3))/(5\*d^4\*e\*(d - e\*x)\*(d + e\*x)^3)

**fricas [A]** time = 0.39, size = 115, normalized size = 1.26

$$\frac{2e^4 x^4 + 4de^3 x^3 - 4d^3 ex - 2d^4 + (2e^3 x^3 + 4de^2 x^2 + d^2 ex - 2d^3) \sqrt{-e^2 x^2 + d^2}}{5(d^4 e^5 x^4 + 2d^5 e^4 x^3 - 2d^7 e^2 x - d^8 e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out] 
$$-1/5*(2*e^4*x^4 + 4*d*e^3*x^3 - 4*d^3*e*x - 2*d^4 + (2*e^3*x^3 + 4*d*e^2*x^2 + d^2*e*x - 2*d^3)*\sqrt{-e^2*x^2 + d^2})/(d^4*e^5*x^4 + 2*d^5*e^4*x^3 - 2*d^7*e^2*x - d^8*e)$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)^2/(-e^2*x^2+d^2)^(3/2),x, algorithm="giac")`

[Out] `sage0*x`

**maple** [A] time = 0.01, size = 66, normalized size = 0.73

$$-\frac{(-ex + d)(-2e^3x^3 - 4de^2x^2 - d^2ex + 2d^3)}{5(ex + d)(-e^2x^2 + d^2)^{\frac{3}{2}}d^4e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x+d)^2/(-e^2*x^2+d^2)^(3/2),x)`

[Out] 
$$-1/5*(-e*x+d)*(-2*e^3*x^3-4*d*e^2*x^2-d^2*e*x+2*d^3)/(e*x+d)/d^4/e/(-e^2*x^2+d^2)^(3/2)$$

**maxima** [A] time = 0.44, size = 136, normalized size = 1.49

$$-\frac{1}{5(\sqrt{-e^2x^2 + d^2}de^3x^2 + 2\sqrt{-e^2x^2 + d^2}d^2e^2x + \sqrt{-e^2x^2 + d^2}d^3e)} - \frac{1}{5(\sqrt{-e^2x^2 + d^2}d^2e^2x + \sqrt{-e^2x^2 + d^2}d^3e)} + \frac{2x}{5\sqrt{-e^2x^2 + d^2}d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)^2/(-e^2*x^2+d^2)^(3/2),x, algorithm="maxima")`

[Out] 
$$-1/5/(\sqrt{-e^2*x^2 + d^2}*d*e^3*x^2 + 2*\sqrt{-e^2*x^2 + d^2}*d^2*e^2*x + \sqrt{-e^2*x^2 + d^2}*d^3*e) - 1/5/(\sqrt{-e^2*x^2 + d^2}*d^2*e^2*x + \sqrt{-e^2*x^2 + d^2}*d^3*e) + 2/5*x/(\sqrt{-e^2*x^2 + d^2}*d^4)$$

**mupad** [B] time = 2.85, size = 66, normalized size = 0.73

$$\frac{\sqrt{d^2 - e^2 x^2} (-2 d^3 + d^2 e x + 4 d e^2 x^2 + 2 e^3 x^3)}{5 d^4 e (d + e x)^3 (d - e x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d^2 - e^2*x^2)^(3/2)*(d + e*x)^2), x)`

[Out]  $((d^2 - e^2*x^2)^{(1/2)}*(2*e^3*x^3 - 2*d^3 + 4*d*e^2*x^2 + d^2*e*x))/(5*d^4*e*(d + e*x)^3*(d - e*x))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)**2/(-e**2*x**2+d**2)**(3/2), x)`

[Out] `Integral(1/((-(-d + e*x)*(d + e*x))**(3/2)*(d + e*x)**2), x)`

$$3.176 \quad \int \frac{1}{x(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$$

**Optimal.** Leaf size=118

$$\frac{2(d-ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{15d-16ex}{15d^5\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5} + \frac{5d-8ex}{15d^3(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.18, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 823, 12, 266, 63, 208}

$$\frac{15d-16ex}{15d^5\sqrt{d^2-e^2x^2}} + \frac{5d-8ex}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{2(d-ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (2\*(d - e\*x))/(5\*d\*(d^2 - e^2\*x^2)^(5/2)) + (5\*d - 8\*e\*x)/(15\*d^3\*(d^2 - e^2\*x^2)^(3/2)) + (15\*d - 16\*e\*x)/(15\*d^5\*Sqrt[d^2 - e^2\*x^2]) - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]/d^5

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 823

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

### Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1805

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex)^2(d^2-e^2x^2)^{3/2}} dx &= \int \frac{(d-ex)^2}{x(d^2-e^2x^2)^{7/2}} dx \\
&= \frac{2(d-ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^2+8dex}{x(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= \frac{2(d-ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d-8ex}{15d^3(d^2-e^2x^2)^{3/2}} - \frac{\int \frac{-15d^4e^2+16d^3e^3x}{x(d^2-e^2x^2)^{3/2}} dx}{15d^6e^2} \\
&= \frac{2(d-ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d-8ex}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{15d-16ex}{15d^5\sqrt{d^2-e^2x^2}} - \frac{\int -\frac{15d^6e^4}{x\sqrt{d^2-e^2x^2}} dx}{15d^{10}e^4} \\
&= \frac{2(d-ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d-8ex}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{15d-16ex}{15d^5\sqrt{d^2-e^2x^2}} + \frac{\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx}{d^4} \\
&= \frac{2(d-ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d-8ex}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{15d-16ex}{15d^5\sqrt{d^2-e^2x^2}} + \frac{\text{Subst}\left(\int \frac{1}{x\sqrt{d^2-e^2x^2}} dx\right)}{2d^4} \\
&= \frac{2(d-ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d-8ex}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{15d-16ex}{15d^5\sqrt{d^2-e^2x^2}} - \frac{\text{Subst}\left(\int \frac{1}{\frac{d^2-x^2}{e^2}-\frac{x^2}{e^2}} dx\right)}{d^4e} \\
&= \frac{2(d-ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{5d-8ex}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{15d-16ex}{15d^5\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 95, normalized size = 0.81

$$\frac{-15 \log\left(\sqrt{d^2 - e^2 x^2} + d\right) + \frac{\sqrt{d^2 - e^2 x^2} (26d^3 + 22d^2 ex - 17de^2 x^2 - 16e^3 x^3)}{(d-ex)(d+ex)^3} + 15 \log(x)}{15d^5}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)), x]



[Out]  $((\text{Sqrt}[d^2 - e^2*x^2]*(26*d^3 + 22*d^2*e*x - 17*d*e^2*x^2 - 16*e^3*x^3))/((d - e*x)*(d + e*x)^3) + 15*\text{Log}[x] - 15*\text{Log}[d + \text{Sqrt}[d^2 - e^2*x^2]])/(15*d^5)$

**IntegrateAlgebraic [A]** time = 0.76, size = 111, normalized size = 0.94

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^5} + \frac{\sqrt{d^2 - e^2x^2} (26d^3 + 22d^2ex - 17de^2x^2 - 16e^3x^3)}{15d^5(d - ex)(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(26*d^3 + 22*d^2*e*x - 17*d*e^2*x^2 - 16*e^3*x^3))/(15*d^5*(d - e*x)*(d + e*x)^3) + (2*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d])/d^5$

**fricas [A]** time = 0.40, size = 168, normalized size = 1.42

$$\frac{26e^4x^4 + 52de^3x^3 - 52d^3ex - 26d^4 + 15(e^4x^4 + 2de^3x^3 - 2d^3ex - d^4) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (16e^3x^3 + 17de^2x^2 - 22d^2ex - 26d^3)\sqrt{-e^2x^2 + d^2}}{15(d^5e^4x^4 + 2d^6e^3x^3 - 2d^8ex - d^9)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="fricas")

[Out]  $1/15*(26*e^4*x^4 + 52*d*e^3*x^3 - 52*d^3*e*x - 26*d^4 + 15*(e^4*x^4 + 2*d*e^3*x^3 - 2*d^3*e*x - d^4)*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) + (16*e^3*x^3 + 17*d*e^2*x^2 - 22*d^2*e*x - 26*d^3)*\text{sqrt}(-e^2*x^2 + d^2))/(d^5*e^4*x^4 + 2*d^6*e^3*x^3 - 2*d^8*e*x - d^9)$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

sage0x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2),x, algorithm="giac")

[Out] sage0\*x

**maple [A]** time = 0.01, size = 187, normalized size = 1.58

$$\frac{\ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2} d^4} - \frac{16ex}{15\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2 d^5} + \frac{1}{5\left(x + \frac{d}{e}\right)^2 \sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2 d^2 e^2} + \frac{8}{15\left(x + \frac{d}{e}\right) \sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2 d^3 e} + \frac{1}{\sqrt{-e^2x^2 + d^2} d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(e*x+d)^2/(-e^2*x^2+d^2)^(3/2),x)`

[Out]  $1/(-e^2x^2+d^2)^{(1/2)}/d^4-1/(d^2)^{(1/2)}/d^4*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)+8/15/d^3/e/(x+d/e)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}-16/15/d^5*e/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x+1/5/d^2/e^2/(x+d/e)^2/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2x^2 + d^2)^{\frac{3}{2}}(ex + d)^2x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(e*x+d)^2/(-e^2*x^2+d^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate(1/((-e^2*x^2 + d^2)^(3/2)*(e*x + d)^2*x), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x(d^2 - e^2x^2)^{\frac{3}{2}}(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(d^2 - e^2*x^2)^(3/2)*(d + e*x)^2),x)`

[Out] `int(1/(x*(d^2 - e^2*x^2)^(3/2)*(d + e*x)^2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(e*x+d)**2/(-e**2*x**2+d**2)**(3/2),x)`

[Out] `Integral(1/(x*(-(-d + e*x)*(d + e*x))**3/2*(d + e*x)**2), x)`

$$3.177 \quad \int \frac{1}{x^2(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$$

Optimal. Leaf size=146

$$\frac{2e(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{e(30d-41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} + \frac{2e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6} - \frac{e(10d-13ex)}{15d^4(d^2-e^2x^2)^{3/2}}$$

Rubi [A] time = 0.30, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {852, 1805, 807, 266, 63, 208}

$$\frac{e(30d-41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} - \frac{e(10d-13ex)}{15d^4(d^2-e^2x^2)^{3/2}} - \frac{2e(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{2e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (-2\*e\*(d - e\*x))/(5\*d^2\*(d^2 - e^2\*x^2)^(5/2)) - (e\*(10\*d - 13\*e\*x))/(15\*d^4\*(d^2 - e^2\*x^2)^(3/2)) - (e\*(30\*d - 41\*e\*x))/(15\*d^6\*sqrt[d^2 - e^2\*x^2]) - sqrt[d^2 - e^2\*x^2]/(d^6\*x) + (2\*e\*ArcTanh[sqrt[d^2 - e^2\*x^2]/d])/d^6

Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x], x] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2(d+ex)^2(d^2-e^2x^2)^{3/2}} dx &= \int \frac{(d-ex)^2}{x^2(d^2-e^2x^2)^{7/2}} dx \\
&= -\frac{2e(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^2+10dex-8e^2x^2}{x^2(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= -\frac{2e(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{e(10d-13ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{15d^2-30dex+26e^2x^2}{x^2(d^2-e^2x^2)^{3/2}} dx}{15d^4} \\
&= -\frac{2e(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{e(10d-13ex)}{15d^4(d^2-e^2x^2)^{3/2}} - \frac{e(30d-41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-15d^2+30dex}{x^2\sqrt{d^2-e^2x^2}} dx}{15d^6} \\
&= -\frac{2e(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{e(10d-13ex)}{15d^4(d^2-e^2x^2)^{3/2}} - \frac{e(30d-41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} \\
&= -\frac{2e(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{e(10d-13ex)}{15d^4(d^2-e^2x^2)^{3/2}} - \frac{e(30d-41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} \\
&= -\frac{2e(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{e(10d-13ex)}{15d^4(d^2-e^2x^2)^{3/2}} - \frac{e(30d-41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} + \\
&= -\frac{2e(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{e(10d-13ex)}{15d^4(d^2-e^2x^2)^{3/2}} - \frac{e(30d-41ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^6x} +
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 112, normalized size = 0.77

$$\frac{30e \log\left(\sqrt{d^2-e^2x^2}+d\right) + \frac{\sqrt{d^2-e^2x^2}\left(15d^4+76d^3ex+32d^2e^2x^2-82de^3x^3-56e^4x^4\right)}{x(ex-d)(d+ex)^3} - 30e \log(x)}{15d^6}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out]  $((\text{Sqrt}[d^2 - e^2*x^2]*(15*d^4 + 76*d^3*e*x + 32*d^2*e^2*x^2 - 82*d*e^3*x^3 - 56*e^4*x^4))/(x*(-d + e*x)*(d + e*x)^3) - 30*e*\text{Log}[x] + 30*e*\text{Log}[d + \text{Sqrt}[d^2 - e^2*x^2]])/(15*d^6)$

**IntegrateAlgebraic [A]** time = 0.78, size = 126, normalized size = 0.86

$$\frac{\sqrt{d^2 - e^2x^2} (-15d^4 - 76d^3ex - 32d^2e^2x^2 + 82de^3x^3 + 56e^4x^4)}{15d^6x(d - ex)(d + ex)^3} - \frac{4e \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^2\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-15*d^4 - 76*d^3*e*x - 32*d^2*e^2*x^2 + 82*d*e^3*x^3 + 56*e^4*x^4))/(15*d^6*x*(d - e*x)*(d + e*x)^3) - (4*e*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d])/d^6$

**fricas [A]** time = 0.42, size = 194, normalized size = 1.33

$$\frac{46e^5x^5 + 92de^4x^4 - 92d^3e^2x^2 - 46d^4ex + 30(e^5x^5 + 2de^4x^4 - 2d^3e^2x^2 - d^4ex) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (56e^4x^4 + 82de^3x^3 - 32d^2e^2x^2 - 76d^3ex - 15d^4)\sqrt{-e^2x^2 + d^2}}{15(d^6e^4x^5 + 2d^7e^3x^4 - 2d^9ex^2 - d^{10}x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2), x, algorithm="fricas")

[Out]  $-1/15*(46*e^5*x^5 + 92*d*e^4*x^4 - 92*d^3*e^2*x^2 - 46*d^4*e*x + 30*(e^5*x^5 + 2*d*e^4*x^4 - 2*d^3*e^2*x^2 - d^4*e*x)*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) + (56*e^4*x^4 + 82*d*e^3*x^3 - 32*d^2*e^2*x^2 - 76*d^3*e*x - 15*d^4)*\text{sqrt}(-e^2*x^2 + d^2))/(d^6*e^4*x^5 + 2*d^7*e^3*x^4 - 2*d^9*e*x^2 - d^{10}*x)$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

sage0x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2), x, algorithm="giac")

[Out] sage0\*x

**maple [A]** time = 0.01, size = 234, normalized size = 1.60

$$\frac{2e \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2} d^5} + \frac{2e^2x}{\sqrt{-e^2x^2 + d^2} d^6} + \frac{26e^2x}{15\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2 d^6} - \frac{1}{5\left(x + \frac{d}{e}\right)^2 \sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2 d^6} - \frac{13}{15\left(x + \frac{d}{e}\right) \sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2 d^4} - \frac{2e}{\sqrt{-e^2x^2 + d^2} d^5} - \frac{1}{\sqrt{-e^2x^2 + d^2} d^4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(e*x+d)^2/(-e^2*x^2+d^2)^(3/2),x)`

[Out] 
$$-1/d^4/x/(-e^2*x^2+d^2)^{(1/2)}+2/(-e^2*x^2+d^2)^{(1/2)}/d^6*e^2*x-2/(-e^2*x^2+d^2)^{(1/2)}/d^5*e+2/(d^2)^{(1/2)}/d^5*e*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-13/15/d^4/(x+d/e)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}+26/15/d^6*e^2/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x-1/5/d^3/e/(x+d/e)^2/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2x^2 + d^2)^{\frac{3}{2}}(ex + d)^2x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(e*x+d)^2/(-e^2*x^2+d^2)^(3/2),x, algorithm="maxima")`

[Out] `integrate(1/((-e^2*x^2 + d^2)^(3/2)*(e*x + d)^2*x^2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^2(d^2 - e^2x^2)^{3/2}(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*(d^2 - e^2*x^2)^(3/2)*(d + e*x)^2),x)`

[Out] `int(1/(x^2*(d^2 - e^2*x^2)^(3/2)*(d + e*x)^2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(-(-d + ex)(d + ex))^{\frac{3}{2}}(d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(e*x+d)**2/(-e**2*x**2+d**2)**(3/2),x)`

[Out] `Integral(1/(x**2*(-(-d + e*x)*(d + e*x))**3/2*(d + e*x)**2), x)`

$$3.178 \quad \int \frac{1}{x^3(d+ex)^2(d^2-e^2x^2)^{3/2}} dx$$

**Optimal.** Leaf size=183

$$\frac{2e^2(10d-11ex)}{5d^7\sqrt{d^2-e^2x^2}} + \frac{2e\sqrt{d^2-e^2x^2}}{d^7x} - \frac{9e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^7} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} + \frac{e^2(5d-6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(d-ex)}{5d^3(d^2-e^2x^2)^{5/2}}$$

**Rubi [A]** time = 0.37, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 1807, 807, 266, 63, 208}

$$\frac{2e^2(10d-11ex)}{5d^7\sqrt{d^2-e^2x^2}} + \frac{e^2(5d-6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(d-ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{2e\sqrt{d^2-e^2x^2}}{d^7x} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} - \frac{9e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^7}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)),x]

[Out] (2\*e^2\*(d - e\*x))/(5\*d^3\*(d^2 - e^2\*x^2)^(5/2)) + (e^2\*(5\*d - 6\*e\*x))/(5\*d^5\*(d^2 - e^2\*x^2)^(3/2)) + (2\*e^2\*(10\*d - 11\*e\*x))/(5\*d^7\*sqrt[d^2 - e^2\*x^2]) - sqrt[d^2 - e^2\*x^2]/(2\*d^6\*x^2) + (2\*e\*sqrt[d^2 - e^2\*x^2])/(d^7\*x) - (9\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^7)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]



Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3(d+ex)^2(d^2-e^2x^2)^{3/2}} dx &= \int \frac{(d-ex)^2}{x^3(d^2-e^2x^2)^{7/2}} dx \\
&= \frac{2e^2(d-ex)}{5d^3(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^2+10dex-10e^2x^2+\frac{8e^3x^3}{d}}{x^3(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= \frac{2e^2(d-ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d-6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{15d^2-30dex+45e^2x^2-\frac{36e^3x^3}{d}}{x^3(d^2-e^2x^2)^{3/2}} dx}{15d^4} \\
&= \frac{2e^2(d-ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d-6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d-11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-15d^2+30dex-60e^2x^2}{x^3\sqrt{d^2-e^2x^2}}}{15d^6} \\
&= \frac{2e^2(d-ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d-6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d-11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} + \frac{\int -}{2d^6x^2} \\
&= \frac{2e^2(d-ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d-6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d-11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} + \frac{2e^2}{2d^6x^2} \\
&= \frac{2e^2(d-ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d-6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d-11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} + \frac{2e^2}{2d^6x^2} \\
&= \frac{2e^2(d-ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d-6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d-11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} + \frac{2e^2}{2d^6x^2} \\
&= \frac{2e^2(d-ex)}{5d^3(d^2-e^2x^2)^{5/2}} + \frac{e^2(5d-6ex)}{5d^5(d^2-e^2x^2)^{3/2}} + \frac{2e^2(10d-11ex)}{5d^7\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^6x^2} + \frac{2e^2}{2d^6x^2}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 127, normalized size = 0.69

$$\frac{-45e^2 \log\left(\sqrt{d^2-e^2x^2} + d\right) + \frac{\sqrt{d^2-e^2x^2}(5d^5-10d^4ex-94d^3e^2x^2-58d^2e^3x^3+83de^4x^4+64e^5x^5)}{x^2(ex-d)(d+ex)^3} + 45e^2 \log(x)}{10d^7}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(5\*d^5 - 10\*d^4\*e\*x - 94\*d^3\*e^2\*x^2 - 58\*d^2\*e^3\*x^3 + 83\*d\*e^4\*x^4 + 64\*e^5\*x^5))/(x^2\*(-d + e\*x)\*(d + e\*x)^3) + 45\*e^2\*Log[x] - 45\*e^2\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(10\*d^7)

**IntegrateAlgebraic [A]** time = 0.95, size = 139, normalized size = 0.76

$$\frac{9e^2 \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^7} + \frac{\sqrt{d^2 - e^2x^2} (-5d^5 + 10d^4ex + 94d^3e^2x^2 + 58d^2e^3x^3 - 83de^4x^4 - 64e^5x^5)}{10d^7x^2(d - ex)(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^3\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(3/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-5\*d^5 + 10\*d^4\*e\*x + 94\*d^3\*e^2\*x^2 + 58\*d^2\*e^3\*x^3 - 83\*d\*e^4\*x^4 - 64\*e^5\*x^5))/(10\*d^7\*x^2\*(d - e\*x)\*(d + e\*x)^3) + (9\*e^2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^7

**fricas [A]** time = 0.43, size = 215, normalized size = 1.17

$$\frac{54e^6x^6 + 108de^5x^5 - 108d^3e^3x^3 - 54d^4e^2x^2 + 45(e^6x^6 + 2de^5x^5 - 2d^3e^3x^3 - d^4e^2x^2) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (64e^5x^5 + 83de^4x^4 - 58d^2e^3x^3 - 94d^3e^2x^2 - 10d^4ex + 5d^5)\sqrt{-e^2x^2 + d^2}}{10(d^7e^4x^6 + 2d^8e^3x^5 - 2d^{10}ex^3 - d^{11}x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2), x, algorithm="fricas")

[Out] 1/10\*(54\*e^6\*x^6 + 108\*d\*e^5\*x^5 - 108\*d^3\*e^3\*x^3 - 54\*d^4\*e^2\*x^2 + 45\*(e^6\*x^6 + 2\*d\*e^5\*x^5 - 2\*d^3\*e^3\*x^3 - d^4\*e^2\*x^2)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (64\*e^5\*x^5 + 83\*d\*e^4\*x^4 - 58\*d^2\*e^3\*x^3 - 94\*d^3\*e^2\*x^2 - 10\*d^4\*e\*x + 5\*d^5)\*sqrt(-e^2\*x^2 + d^2))/(d^7\*e^4\*x^6 + 2\*d^8\*e^3\*x^5 - 2\*d^10\*e\*x^3 - d^11\*x^2)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)^2/(-e^2\*x^2+d^2)^(3/2), x, algorithm="giac")

[Out] sage0\*x

**maple [A]** time = 0.02, size = 259, normalized size = 1.42

$$\frac{9e^2 \ln\left(\frac{2d^2 + 2\sqrt{d^2 - e^2x^2}}{x}\right)}{2\sqrt{d^2} d^6} - \frac{4e^2x}{\sqrt{-e^2x^2 + d^2} d^7} - \frac{12e^2x}{5\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2 d^7}} + \frac{1}{5\left(x + \frac{d}{e}\right)^2 \sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2 d^7}} + \frac{6e}{5\left(x + \frac{d}{e}\right) \sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2 d^7}} + \frac{9e^2}{2\sqrt{-e^2x^2 + d^2} d^6} + \frac{2e}{\sqrt{-e^2x^2 + d^2} d^5} - \frac{1}{2\sqrt{-e^2x^2 + d^2} d^4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^3/(e*x+d)^2/(-e^2*x^2+d^2)^(3/2), x)`

[Out]  $2/d^5 e/x/(-e^2 x^2+d^2)^{(1/2)}-4/(-e^2 x^2+d^2)^{(1/2)}/d^7 e^3 x-1/2/d^4/x^2/(-e^2 x^2+d^2)^{(1/2)}+9/2/(-e^2 x^2+d^2)^{(1/2)}/d^6 e^2-9/2/(d^2)^{(1/2)}/d^6 e^2*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)+6/5/d^5 e/(x+d/e)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}-12/5/d^7 e^3/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x+1/5/d^4/(x+d/e)^2/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2 x^2 + d^2)^{3/2} (ex + d)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(e*x+d)^2/(-e^2*x^2+d^2)^(3/2), x, algorithm="maxima")`

[Out] `integrate(1/((-e^2*x^2 + d^2)^(3/2)*(e*x + d)^2*x^3), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^3 (d^2 - e^2 x^2)^{3/2} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^3*(d^2 - e^2*x^2)^(3/2)*(d + e*x)^2), x)`

[Out] `int(1/(x^3*(d^2 - e^2*x^2)^(3/2)*(d + e*x)^2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (-(-d + ex)(d + ex))^{3/2} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**3/(e*x+d)**2/(-e**2*x**2+d**2)**(3/2), x)`

[Out] `Integral(1/(x**3*(-(-d + e*x)*(d + e*x))**3/2*(d + e*x)**2), x)`

$$3.179 \quad \int \frac{x^5}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx$$

**Optimal.** Leaf size=177

$$\frac{127d^2(d-ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{3d\sqrt{d^2-e^2x^2}}{e^6} + \frac{13d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^6} - \frac{x\sqrt{d^2-e^2x^2}}{2e^5} + \frac{d^4(d-ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d-ex)^2}{15e^6(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.44, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {852, 1635, 1815, 641, 217, 203}

$$\frac{d^4(d-ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d-ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d-ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{3d\sqrt{d^2-e^2x^2}}{e^6} - \frac{x\sqrt{d^2-e^2x^2}}{2e^5} + \frac{13d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^6}$$

Antiderivative was successfully verified.

[In] Int[x^5/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] (d^4\*(d - e\*x)^3)/(5\*e^6\*(d^2 - e^2\*x^2)^(5/2)) - (23\*d^3\*(d - e\*x)^2)/(15\*e^6\*(d^2 - e^2\*x^2)^(3/2)) + (127\*d^2\*(d - e\*x))/(15\*e^6\*Sqrt[d^2 - e^2\*x^2]) + (3\*d\*Sqrt[d^2 - e^2\*x^2])/e^6 - (x\*Sqrt[d^2 - e^2\*x^2])/(2\*e^5) + (13\*d^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e^6)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p))/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1635

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]
```

### Rule 1815

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^5}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx &= \int \frac{x^5(d-ex)^3}{(d^2-e^2x^2)^{7/2}} dx \\
&= \frac{d^4(d-ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d-ex)^2 \left( -\frac{3d^5}{e^5} + \frac{5d^4x}{e^4} - \frac{5d^3x^2}{e^3} + \frac{5d^2x^3}{e^2} - \frac{5dx^4}{e} \right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{d^4(d-ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d-ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{(d-ex) \left( -\frac{37d^5}{e^5} + \frac{45d^4x}{e^4} - \frac{30d^3x^2}{e^3} + \frac{15d^2x^3}{e^2} \right)}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
&= \frac{d^4(d-ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d-ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d-ex)}{15e^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-\frac{90d^5}{e^5} + \frac{45d^4x}{e^4} - \frac{15d^3x^2}{e^3}}{\sqrt{d^2-e^2x^2}} dx}{15d^3} \\
&= \frac{d^4(d-ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d-ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d-ex)}{15e^6\sqrt{d^2-e^2x^2}} - \frac{x\sqrt{d^2-e^2x^2}}{2e^5} + \frac{\int \frac{195d^4}{\sqrt{d^2-e^2x^2}} dx}{15d^3} \\
&= \frac{d^4(d-ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d-ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d-ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{3d\sqrt{d^2-e^2x^2}}{e^6} - \frac{x\sqrt{d^2-e^2x^2}}{2e^5} \\
&= \frac{d^4(d-ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d-ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d-ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{3d\sqrt{d^2-e^2x^2}}{e^6} - \frac{x\sqrt{d^2-e^2x^2}}{2e^5} \\
&= \frac{d^4(d-ex)^3}{5e^6(d^2-e^2x^2)^{5/2}} - \frac{23d^3(d-ex)^2}{15e^6(d^2-e^2x^2)^{3/2}} + \frac{127d^2(d-ex)}{15e^6\sqrt{d^2-e^2x^2}} + \frac{3d\sqrt{d^2-e^2x^2}}{e^6} - \frac{x\sqrt{d^2-e^2x^2}}{2e^5}
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 98, normalized size = 0.55

$$\frac{195d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + \frac{\sqrt{d^2-e^2x^2}(304d^4+717d^3ex+479d^2e^2x^2+45de^3x^3-15e^4x^4)}{(d+ex)^3}}{30e^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]), x]

[Out]  $((\sqrt{d^2 - e^2 x^2} * (304 d^4 + 717 d^3 e x + 479 d^2 e^2 x^2 + 45 d e^3 x^3 - 15 e^4 x^4)) / (d + e x)^3 + 195 d^2 \operatorname{ArcTan}[(e x) / \sqrt{d^2 - e^2 x^2}]) / (30 e^6)$

**IntegrateAlgebraic [A]** time = 0.69, size = 121, normalized size = 0.68

$$\frac{13 d^2 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{2 e^7} + \frac{\sqrt{d^2 - e^2 x^2} (304 d^4 + 717 d^3 e x + 479 d^2 e^2 x^2 + 45 d e^3 x^3 - 15 e^4 x^4)}{30 e^6 (d + e x)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^5/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out]  $(\sqrt{d^2 - e^2 x^2} * (304 d^4 + 717 d^3 e x + 479 d^2 e^2 x^2 + 45 d e^3 x^3 - 15 e^4 x^4)) / (30 e^6 (d + e x)^3) + (13 d^2 \operatorname{Sqrt}[-e^2] * \operatorname{Log}[-(\operatorname{Sqrt}[-e^2] * x) + \operatorname{Sqrt}[d^2 - e^2 x^2]]) / (2 e^7)$

**fricas [A]** time = 0.43, size = 190, normalized size = 1.07

$$\frac{304 d^2 e^3 x^3 + 912 d^3 e^2 x^2 + 912 d^4 e x + 304 d^5 - 390 (d^2 e^3 x^3 + 3 d^3 e^2 x^2 + 3 d^4 e x + d^5) \arctan\left(\frac{-d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - (15 e^4 x^4 - 45 d e^3 x^3 - 479 d^2 e^2 x^2 - 717 d^3 e x - 304 d^4) \sqrt{-e^2 x^2 + d^2}}{30 (e^3 x^3 + 3 d e^2 x^2 + 3 d^2 e x + d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out]  $1/30 * (304 d^2 e^3 x^3 + 912 d^3 e^2 x^2 + 912 d^4 e x + 304 d^5 - 390 (d^2 e^3 x^3 + 3 d^3 e^2 x^2 + 3 d^4 e x + d^5) * \arctan(- (d - \sqrt{-e^2 x^2 + d^2}) / (e x)) - (15 e^4 x^4 - 45 d e^3 x^3 - 479 d^2 e^2 x^2 - 717 d^3 e x - 304 d^4) * \operatorname{sqrt}(-e^2 x^2 + d^2)) / (e^9 x^3 + 3 d e^8 x^2 + 3 d^2 e^7 x + d^3 e^6)$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $(3 d^2 * (-1/2 * (-2 d * \exp(1) - 2 * \operatorname{sqrt}(d^2 - x^2 * \exp(2)) * \exp(1)) / x / \exp(2))^{2 * \exp(1)^4 * \exp(2)^3 - 18 d^2 * (-1/2 * (-2 d * \exp(1) - 2 * \operatorname{sqrt}(d^2 - x^2 * \exp(2)) * \exp(1)) / x / \exp(2))^{2 * \exp(1)^8 * \exp(2) - 8 d^2 * (-1/2 * (-2 d * \exp(1) - 2 * \operatorname{sqrt}(d^2 - x^2 * \exp(2)) * \exp(1)) / x / \exp(2))^{3 * \exp(1)^6 * \exp(2)^2 + 5 d^2 * (-1/2 * (-2 d * \exp(1) - 2 * \operatorname{sqrt}(d^2 - x^2 * \exp(2)) * \exp(1)) / x / \exp(2))^{3 * \exp(2)^5 - 9 d^2 * \exp(1)^4 * \exp(2)^3 + 6 d^2 * (-1/2 * (-2 d * \exp(1) - 2 * \operatorname{sqrt}(d^2 - x^2 * \exp(2)) * \exp(1)) / x / \exp(2))^{2 * \exp(2)^5 + 6 d^2 * \exp(2)^5 - 19/2}$



$d^2 * (-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)} * \exp(1)) * \exp(2)^5 / x / \exp(2) + 14*d^2 * (-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)} * \exp(1)) * \exp(1)^6 * \exp(2)^2 / x / \exp(2) / ((-1/2 * (-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)} * \exp(1)) / x / \exp(2))^2 * \exp(2) - (-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)} * \exp(1)) / x + \exp(2))^2 / (-\exp(1)^{12} * \exp(1)^8 * \exp(2)^2 - \exp(1)^4 * \exp(2)^4) + 1/2 * (-58*d^2*\exp(1)^4 * \exp(2)^3 + 24*d^2*\exp(2)^5 + 40*d^2*\exp(1)^8 * \exp(2)) * \operatorname{atan}((-1/2 * (-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)} * \exp(1)) / x + \exp(2)) / \sqrt{-\exp(1)^4 + \exp(2)^2}) / \sqrt{-\exp(1)^4 + \exp(2)^2} / (\exp(1)^{14} * \exp(1)^{10} * \exp(2)^2 + \exp(1)^6 * \exp(2)^4) + 13/2 * d^2 * \operatorname{sign}(d) * \operatorname{asin}(x*\exp(2)/d/\exp(1)) / \exp(1)^6 + 2 * (-2*\exp(1)^{11} * 1/8 / \exp(1)^{16} * x + 12*\exp(1)^{10} * d * 1/8 / \exp(1)^{16}) * \sqrt{-\exp(2) * x^2 + d^2}$

**maple [A]** time = 0.02, size = 212, normalized size = 1.20

$$\frac{13d^2 \arctan\left(\frac{\sqrt{e^2 x}}{\sqrt{-e^2 x^2 + d^2}}\right)}{2\sqrt{e^2} e^5} - \frac{\sqrt{-e^2 x^2 + d^2} x}{2e^5} + \frac{\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2 d^4}}{5\left(x + \frac{d}{e}\right)^3 e^9} - \frac{23\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2 d^3}}{15\left(x + \frac{d}{e}\right)^2 e^8} + \frac{127\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2 d^2}}{15\left(x + \frac{d}{e}\right) e^7} + \frac{3\sqrt{-e^2 x^2 + d^2} d}{e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}(x^5/(e*x+d)^3/(-e^2*x^2+d^2)^{(1/2)}, x)$

[Out]  $-1/2*x*(-e^2*x^2+d^2)^{(1/2)}/e^5+13/2/(-e^2)^{(1/2)}*d^2/e^5*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)+3*d*(-e^2*x^2+d^2)^{(1/2)}/e^6+1/5*d^4/e^9/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}-23/15*d^3/e^8/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}+127/15/e^7*d^2/(x+d/e)*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}$

**maxima [A]** time = 1.00, size = 185, normalized size = 1.05

$$\frac{\sqrt{-e^2 x^2 + d^2} d^4}{5(e^9 x^3 + 3 d e^8 x^2 + 3 d^2 e^7 x + d^3 e^6)} - \frac{23 \sqrt{-e^2 x^2 + d^2} d^3}{15(e^8 x^2 + 2 d e^7 x + d^2 e^6)} + \frac{127 \sqrt{-e^2 x^2 + d^2} d^2}{15(e^7 x + d e^6)} + \frac{13 d^2 \arcsin\left(\frac{e x}{d}\right)}{2 e^6} - \frac{\sqrt{-e^2 x^2 + d^2} x}{2 e^5} + \frac{3 \sqrt{-e^2 x^2 + d^2} d}{e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{integrate}(x^5/(e*x+d)^3/(-e^2*x^2+d^2)^{(1/2)}, x, \operatorname{algorithm}="maxima")$

[Out]  $1/5*\sqrt{-e^2*x^2 + d^2}*d^4/(e^9*x^3 + 3*d*e^8*x^2 + 3*d^2*e^7*x + d^3*e^6) - 23/15*\sqrt{-e^2*x^2 + d^2}*d^3/(e^8*x^2 + 2*d*e^7*x + d^2*e^6) + 127/15*\sqrt{-e^2*x^2 + d^2}*d^2/(e^7*x + d*e^6) + 13/2*d^2*\arcsin(e*x/d)/e^6 - 1/2*\sqrt{-e^2*x^2 + d^2}*x/e^5 + 3*\sqrt{-e^2*x^2 + d^2}*d/e^6$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5}{\sqrt{d^2 - e^2 x^2} (d + e x)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5/((d^2 - e^2*x^2)^(1/2)*(d + e*x)^3), x)`

[Out] `int(x^5/((d^2 - e^2*x^2)^(1/2)*(d + e*x)^3), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{\sqrt{-(-d + ex)(d + ex)} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5/(e*x+d)**3/(-e**2*x**2+d**2)**(1/2), x)`

[Out] `Integral(x**5/(sqrt(-(-d + e*x)*(d + e*x))*(d + e*x)**3), x)`

$$3.180 \quad \int \frac{x^4}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx$$

**Optimal.** Leaf size=146

$$\frac{6d^2(d-ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} - \frac{24d(d-ex)}{5e^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{e^5} - \frac{3d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5} - \frac{d^3(d-ex)^3}{5e^5(d^2-e^2x^2)^{5/2}}$$

**Rubi [A]** time = 0.37, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {852, 1635, 641, 217, 203}

$$-\frac{d^3(d-ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{6d^2(d-ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} - \frac{24d(d-ex)}{5e^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{e^5} - \frac{3d \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^5}$$

Antiderivative was successfully verified.

[In] Int[x^4/((d + e\*x)^3\*sqrt[d^2 - e^2\*x^2]),x]

[Out] -(d^3\*(d - e\*x)^3)/(5\*e^5\*(d^2 - e^2\*x^2)^(5/2)) + (6\*d^2\*(d - e\*x)^2)/(5\*e^5\*(d^2 - e^2\*x^2)^(3/2)) - (24\*d\*(d - e\*x))/(5\*e^5\*sqrt[d^2 - e^2\*x^2]) - sqrt[d^2 - e^2\*x^2]/e^5 - (3\*d\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/e^5

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 852

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[d^(2\*m)/a^m, Int[((f + g\*x)^n\*(a + c\*x^2)^(m + p))

```
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1635

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x]] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx &= \int \frac{x^4(d-ex)^3}{(d^2-e^2x^2)^{7/2}} dx \\
&= -\frac{d^3(d-ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d-ex)^2 \left( \frac{3d^4}{e^4} - \frac{5d^3x}{e^3} + \frac{5d^2x^2}{e^2} - \frac{5dx^3}{e} \right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= -\frac{d^3(d-ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{6d^2(d-ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{(d-ex) \left( \frac{27d^4}{e^4} - \frac{30d^3x}{e^3} + \frac{15d^2x^2}{e^2} \right)}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
&= -\frac{d^3(d-ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{6d^2(d-ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} - \frac{24d(d-ex)}{5e^5\sqrt{d^2-e^2x^2}} - \frac{\int \frac{\frac{45d^4}{e^4} - \frac{15d^3x}{e^3}}{\sqrt{d^2-e^2x^2}} dx}{15d^3} \\
&= -\frac{d^3(d-ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{6d^2(d-ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} - \frac{24d(d-ex)}{5e^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{e^5} - \frac{(3d) \int}{e^5} \\
&= -\frac{d^3(d-ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{6d^2(d-ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} - \frac{24d(d-ex)}{5e^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{e^5} - \frac{(3d) \text{Su}}{e^5} \\
&= -\frac{d^3(d-ex)^3}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{6d^2(d-ex)^2}{5e^5(d^2-e^2x^2)^{3/2}} - \frac{24d(d-ex)}{5e^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{e^5} - \frac{3d \tan}{e^5}
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 85, normalized size = 0.58

$$\frac{15d \tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right) + \frac{\sqrt{d^2-e^2x^2} (24d^3+57d^2ex+39de^2x^2+5e^3x^3)}{(d+ex)^3}}{5e^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] -1/5\*((Sqrt[d^2 - e^2\*x^2]\*(24\*d^3 + 57\*d^2\*e\*x + 39\*d\*e^2\*x^2 + 5\*e^3\*x^3))/(d + e\*x)^3 + 15\*d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e^5

**IntegrateAlgebraic [A]** time = 0.72, size = 106, normalized size = 0.73

$$\frac{\sqrt{d^2 - e^2 x^2} (-24d^3 - 57d^2 ex - 39de^2 x^2 - 5e^3 x^3)}{5e^5 (d + ex)^3} - \frac{3d\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{e^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^4/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-24\*d^3 - 57\*d^2\*e\*x - 39\*d\*e^2\*x^2 - 5\*e^3\*x^3))/(5\*e^5\*(d + e\*x)^3) - (3\*d\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^6

**fricas [A]** time = 0.41, size = 174, normalized size = 1.19

$$\frac{24de^3x^3 + 72d^2e^2x^2 + 72d^3ex + 24d^4 - 30(de^3x^3 + 3d^2e^2x^2 + 3d^3ex + d^4)\arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + (5e^3x^3 + 39de^2x^2 + 57d^2ex + 24d^3)\sqrt{-e^2x^2+d^2}}{5(e^8x^3 + 3de^7x^2 + 3d^2e^6x + d^3e^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] -1/5\*(24\*d\*e^3\*x^3 + 72\*d^2\*e^2\*x^2 + 72\*d^3\*e\*x + 24\*d^4 - 30\*(d\*e^3\*x^3 + 3\*d^2\*e^2\*x^2 + 3\*d^3\*e\*x + d^4)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (5\*e^3\*x^3 + 39\*d\*e^2\*x^2 + 57\*d^2\*e\*x + 24\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(e^8\*x^3 + 3\*d\*e^7\*x^2 + 3\*d^2\*e^6\*x + d^3\*e^5)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (-d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^4\*exp(2)^3+14\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^8\*exp(2)+6\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^6\*exp(2)^2-3\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(2)^5+7\*d\*exp(1)^4\*exp(2)^3-4\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(2)^5-4\*d\*exp(2)^5+13/2\*d\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(2)^5/x/exp(2)-11\*d\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^6\*exp(2)^2/x/exp(2))/((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(2)-(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))^2/(-exp(1)^11+2\*exp(1)^7\*exp(2)^2-exp(1)\*exp(2)^5

) + 1/2 \* (30\*d\*exp(1)^4\*exp(2)^3 - 12\*d\*exp(2)^5 - 24\*d\*exp(1)^8\*exp(2)) \* atan((-1/2 \* (-2\*d\*exp(1) - 2\*sqrt(d^2 - x^2)\*exp(2)) \* exp(1)) / (x + exp(2))) / sqrt(-exp(1)^4 + exp(2)^2) / sqrt(-exp(1)^4 + exp(2)^2) / (exp(1)^13 - 2\*exp(1)^9\*exp(2)^2 + exp(1)^5\*exp(2)^4) - 3\*d\*sign(d)\*asin(x\*exp(2)/d/exp(1)) / exp(1)^5 - 4\*exp(1)^4/4/exp(1)^9 \* sqrt(-exp(2)\*x^2 + d^2)

**maple [A]** time = 0.02, size = 187, normalized size = 1.28

$$\frac{3d \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{-e^2 x^2 + d^2}}\right)}{\sqrt{e^2} e^4} - \frac{\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2 d^3}}{5\left(x + \frac{d}{e}\right)^3 e^8} + \frac{6\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2 d^2}}{5\left(x + \frac{d}{e}\right)^2 e^7} - \frac{24\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2 d}}{5\left(x + \frac{d}{e}\right) e^6} - \frac{\sqrt{-e^2 x^2 + d^2}}{e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2), x)

[Out]  $-(e^2 x^2 + d^2)^{1/2} / e^5 - 3 / (e^2)^{1/2} * d / e^4 * \arctan((e^2)^{1/2} / (-e^2 x^2 + d^2)^{1/2} * x) - 1/5 * d^3 / e^8 / (x + d/e)^3 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{1/2} + 6/5 * d^2 / e^7 / (x + d/e)^2 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{1/2} - 24/5 / e^6 * d / (x + d/e) * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{1/2}$

**maxima [A]** time = 0.98, size = 160, normalized size = 1.10

$$\frac{\sqrt{-e^2 x^2 + d^2} d^3}{5(e^8 x^3 + 3 d e^7 x^2 + 3 d^2 e^6 x + d^3 e^5)} + \frac{6 \sqrt{-e^2 x^2 + d^2} d^2}{5(e^7 x^2 + 2 d e^6 x + d^2 e^5)} - \frac{24 \sqrt{-e^2 x^2 + d^2} d}{5(e^6 x + d e^5)} - \frac{3 d \arcsin\left(\frac{e x}{d}\right)}{e^5} - \frac{\sqrt{-e^2 x^2 + d^2}}{e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2), x, algorithm="maxima")

[Out]  $-1/5 * \sqrt{-e^2 x^2 + d^2} * d^3 / (e^8 x^3 + 3 d e^7 x^2 + 3 d^2 e^6 x + d^3 e^5) + 6/5 * \sqrt{-e^2 x^2 + d^2} * d^2 / (e^7 x^2 + 2 d e^6 x + d^2 e^5) - 24/5 * \sqrt{-e^2 x^2 + d^2} * d / (e^6 x + d e^5) - 3 d * \arcsin(e x / d) / e^5 - \sqrt{-e^2 x^2 + d^2} / e^5$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\sqrt{d^2 - e^2 x^2} (d + e x)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/((d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)^3), x)

[Out] int(x^4/((d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{-(-d + ex)(d + ex)} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/(e\*x+d)\*\*3/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2), x)

[Out] Integral(x\*\*4/(sqrt(-(-d + e\*x)\*(d + e\*x))\*(d + e\*x)\*\*3), x)



$$3.181 \quad \int \frac{x^3}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=120

$$\frac{d^2(d-ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d-ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{32(d-ex)}{15e^4\sqrt{d^2-e^2x^2}} + \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^4}$$

**Rubi [A]** time = 0.26, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {852, 1635, 778, 217, 203}

$$\frac{d^2(d-ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d-ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{32(d-ex)}{15e^4\sqrt{d^2-e^2x^2}} + \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^4}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] (d^2\*(d - e\*x)^3)/(5\*e^4\*(d^2 - e^2\*x^2)^(5/2)) - (13\*d\*(d - e\*x)^2)/(15\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + (32\*(d - e\*x))/(15\*e^4\*Sqrt[d^2 - e^2\*x^2]) + ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]]/e^4

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

### Rule 852

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p))/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])

```

### Rule 1635

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx &= \int \frac{x^3(d-ex)^3}{(d^2-e^2x^2)^{7/2}} dx \\
&= \frac{d^2(d-ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d-ex)^2 \left( -\frac{3d^3}{e^3} + \frac{5d^2x}{e^2} - \frac{5dx^2}{e} \right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{d^2(d-ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d-ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{\left( -\frac{17d^3}{e^3} + \frac{15d^2x}{e^2} \right)(d-ex)}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
&= \frac{d^2(d-ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d-ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{32(d-ex)}{15e^4\sqrt{d^2-e^2x^2}} + \frac{\int \frac{1}{\sqrt{d^2-e^2x^2}} dx}{e^3} \\
&= \frac{d^2(d-ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d-ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{32(d-ex)}{15e^4\sqrt{d^2-e^2x^2}} + \frac{\text{Subst}\left(\int \frac{1}{1+e^2x^2} dx, x\right)}{e^3} \\
&= \frac{d^2(d-ex)^3}{5e^4(d^2-e^2x^2)^{5/2}} - \frac{13d(d-ex)^2}{15e^4(d^2-e^2x^2)^{3/2}} + \frac{32(d-ex)}{15e^4\sqrt{d^2-e^2x^2}} + \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^4}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 73, normalized size = 0.61

$$\frac{\frac{\sqrt{d^2 - e^2 x^2} (22d^2 + 51dex + 32e^2 x^2)}{(d+ex)^3} + 15 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)}{15e^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(22\*d^2 + 51\*d\*e\*x + 32\*e^2\*x^2))/(d + e\*x)^3 + 15\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(15\*e^4)

**IntegrateAlgebraic [A]** time = 0.60, size = 93, normalized size = 0.78

$$\frac{\sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right)}{e^5} + \frac{\sqrt{d^2 - e^2 x^2} (22d^2 + 51dex + 32e^2 x^2)}{15e^4(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(22\*d^2 + 51\*d\*e\*x + 32\*e^2\*x^2))/(15\*e^4\*(d + e\*x)^3) + (Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^5

**fricas [A]** time = 0.41, size = 157, normalized size = 1.31

$$\frac{22e^3x^3 + 66de^2x^2 + 66d^2ex + 22d^3 - 30(e^3x^3 + 3de^2x^2 + 3d^2ex + d^3) \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (32e^2x^2 + 51dex + 22d^2)\sqrt{-e^2x^2 + d^2}}{15(e^7x^3 + 3de^6x^2 + 3d^2e^5x + d^3e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] 1/15\*(22\*e^3\*x^3 + 66\*d\*e^2\*x^2 + 66\*d^2\*e\*x + 22\*d^3 - 30\*(e^3\*x^3 + 3\*d\*e^2\*x^2 + 3\*d^2\*e\*x + d^3)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (32\*e^2\*x^2 + 51\*d\*e\*x + 22\*d^2)\*sqrt(-e^2\*x^2 + d^2))/(e^7\*x^3 + 3\*d\*e^6\*x^2 + 3\*d^2\*e^5\*x + d^3\*e^4)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $(-(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^2*\exp(1)^4*\exp(2)^3-10*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^2*\exp(1)^8*\exp(2)^4*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^3*\exp(1)^6*\exp(2)^2+(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^3*\exp(2)^5-5*\exp(1)^4*\exp(2)^3+2*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^2*\exp(2)^5+2*\exp(2)^5-7/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))*\exp(1)^6*\exp(2)^2/x/\exp(2))/((-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^2*\exp(2)-(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x+\exp(2))^2/(-\exp(1)^{10}+2*\exp(1)^6*\exp(2)^2-\exp(1)^2*\exp(2)^4)+1/2*(-10*\exp(1)^4*\exp(2)^3+4*\exp(2)^5+12*\exp(1)^8*\exp(2))*\operatorname{atan}((-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x+\exp(2))/\sqrt{-\exp(1)^4+\exp(2)^2})/\sqrt{-\exp(1)^4+\exp(2)^2})/(\exp(1)^{12}-2*\exp(1)^8*\exp(2)^2+\exp(1)^4*\exp(2)^4)+\operatorname{sign}(d)*\operatorname{asin}(x*\exp(2)/d/\exp(1))/\exp(1)^4$

**maple [A]** time = 0.01, size = 163, normalized size = 1.36

$$\frac{\arctan\left(\frac{\sqrt{e^2 x}}{\sqrt{-e^2 x^2 + d^2}}\right)}{\sqrt{e^2} e^3} + \frac{\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2} d^2}{5\left(x + \frac{d}{e}\right)^3 e^7} - \frac{13\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2} d}{15\left(x + \frac{d}{e}\right)^2 e^6} + \frac{32\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2 e^2}}{15\left(x + \frac{d}{e}\right) e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}(x^3/(e*x+d)^3/(-e^2*x^2+d^2)^{(1/2)}, x)$

[Out]  $1/(e^2)^{(1/2)}/e^3*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)+1/5*d^2/e^7/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}-13/15*d/e^6/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}+32/15/e^5/(x+d/e)*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}$

**maxima [A]** time = 0.99, size = 136, normalized size = 1.13

$$\frac{\sqrt{-e^2 x^2 + d^2} d^2}{5(e^7 x^3 + 3 d e^6 x^2 + 3 d^2 e^5 x + d^3 e^4)} - \frac{13 \sqrt{-e^2 x^2 + d^2} d}{15(e^6 x^2 + 2 d e^5 x + d^2 e^4)} + \frac{32 \sqrt{-e^2 x^2 + d^2}}{15(e^5 x + d e^4)} + \frac{\arcsin\left(\frac{e x}{d}\right)}{e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{integrate}(x^3/(e*x+d)^3/(-e^2*x^2+d^2)^{(1/2)}, x, \operatorname{algorithm}="maxima")$

[Out]  $1/5*\sqrt{-e^2*x^2 + d^2}*d^2/(e^7*x^3 + 3*d*e^6*x^2 + 3*d^2*e^5*x + d^3*e^4) - 13/15*\sqrt{-e^2*x^2 + d^2}*d/(e^6*x^2 + 2*d*e^5*x + d^2*e^4) + 32/15*\sqrt{-e^2*x^2 + d^2}/(e^5*x + d*e^4) + \operatorname{arcsin}(e*x/d)/e^4$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\sqrt{d^2 - e^2 x^2} (d + e x)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/((d^2 - e^2*x^2)^(1/2)*(d + e*x)^3), x)`

[Out] `int(x^3/((d^2 - e^2*x^2)^(1/2)*(d + e*x)^3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{-(-d + ex)(d + ex)} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/(e*x+d)**3/(-e**2*x**2+d**2)**(1/2), x)`

[Out] `Integral(x**3/(sqrt(-(-d + e*x)*(d + e*x))*(d + e*x)**3), x)`

$$3.182 \quad \int \frac{x^2}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx$$

**Optimal.** Leaf size=95

$$-\frac{d\sqrt{d^2-e^2x^2}}{5e^3(d+ex)^3} + \frac{8\sqrt{d^2-e^2x^2}}{15e^3(d+ex)^2} - \frac{7\sqrt{d^2-e^2x^2}}{15de^3(d+ex)}$$

**Rubi [A]** time = 0.13, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {1639, 793, 659, 651}

$$-\frac{d\sqrt{d^2-e^2x^2}}{5e^3(d+ex)^3} + \frac{8\sqrt{d^2-e^2x^2}}{15e^3(d+ex)^2} - \frac{7\sqrt{d^2-e^2x^2}}{15de^3(d+ex)}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] -(d\*Sqrt[d^2 - e^2\*x^2])/(5\*e^3\*(d + e\*x)^3) + (8\*Sqrt[d^2 - e^2\*x^2])/(15\*e^3\*(d + e\*x)^2) - (7\*Sqrt[d^2 - e^2\*x^2])/(15\*d\*e^3\*(d + e\*x))

#### Rule 651

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + 2\*p + 2, 0]

#### Rule 659

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

#### Rule 793

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[(m\*(g\*c\*d + c\*e\*f) + 2\*e\*c\*f\*(p + 1))/(e\*(2\*c\*d)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1])) || EqQ[m + 2\*p + 2, 0] && NeQ[m + p

+ 1, 0]

Rule 1639

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - 2*e*f*(m +
p + q)*(d + e*x)^(q - 2)*(a*e - c*d*x), x], x], x] /; NeQ[m + q + 2*p + 1,
0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0
] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx &= \frac{\sqrt{d^2-e^2x^2}}{e^3(d+ex)^2} + \frac{\int \frac{2d^2e^2+de^3x}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx}{e^4} \\ &= -\frac{d\sqrt{d^2-e^2x^2}}{5e^3(d+ex)^3} + \frac{\sqrt{d^2-e^2x^2}}{e^3(d+ex)^2} + \frac{(7d) \int \frac{1}{(d+ex)^2 \sqrt{d^2-e^2x^2}} dx}{5e^2} \\ &= -\frac{d\sqrt{d^2-e^2x^2}}{5e^3(d+ex)^3} + \frac{8\sqrt{d^2-e^2x^2}}{15e^3(d+ex)^2} + \frac{7 \int \frac{1}{(d+ex) \sqrt{d^2-e^2x^2}} dx}{15e^2} \\ &= -\frac{d\sqrt{d^2-e^2x^2}}{5e^3(d+ex)^3} + \frac{8\sqrt{d^2-e^2x^2}}{15e^3(d+ex)^2} - \frac{7\sqrt{d^2-e^2x^2}}{15de^3(d+ex)} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 52, normalized size = 0.55

$$-\frac{\sqrt{d^2-e^2x^2} (2d^2+6dex+7e^2x^2)}{15de^3(d+ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] -1/15\*(Sqrt[d^2 - e^2\*x^2]\*(2\*d^2 + 6\*d\*e\*x + 7\*e^2\*x^2))/(d\*e^3\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.53, size = 52, normalized size = 0.55

$$\frac{(-2d^2 - 6dex - 7e^2x^2) \sqrt{d^2 - e^2x^2}}{15de^3(d+ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] ((-2\*d^2 - 6\*d\*e\*x - 7\*e^2\*x^2)\*Sqrt[d^2 - e^2\*x^2])/(15\*d\*e^3\*(d + e\*x)^3)

**fricas** [A] time = 0.40, size = 104, normalized size = 1.09

$$\frac{2e^3x^3 + 6de^2x^2 + 6d^2ex + 2d^3 + (7e^2x^2 + 6dex + 2d^2)\sqrt{-e^2x^2 + d^2}}{15(d^6e^3x^3 + 3d^2e^5x^2 + 3d^3e^4x + d^4e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] -1/15\*(2\*e^3\*x^3 + 6\*d\*e^2\*x^2 + 6\*d^2\*e\*x + 2\*d^3 + (7\*e^2\*x^2 + 6\*d\*e\*x + 2\*d^2)\*sqrt(-e^2\*x^2 + d^2))/(d\*e^6\*x^3 + 3\*d^2\*e^5\*x^2 + 3\*d^3\*e^4\*x + d^4\*e^3)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (3\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^4\*exp(2)^3+6\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^8\*exp(2)+2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^6\*exp(2)^2+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(2)^5+3\*exp(1)^4\*exp(2)^3+1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(2)^5/x/exp(2)-5\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^6\*exp(2)^2/x/exp(2))/((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(2)-(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))^2/(-d\*exp(1)^9+2\*d\*exp(1)^5\*exp(2)^2-d\*exp(1)\*exp(2)^4)+1/2\*(-2\*exp(2)^4-4\*exp(1)^6\*exp(2))\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/sqrt(-exp(1)^4+exp(2)^2)/(d\*exp(1)^9-2\*d\*exp(1)^5\*exp(2)^2+d\*exp(1)\*exp(2)^4)

**maple** [A] time = 0.01, size = 55, normalized size = 0.58

$$\frac{(-ex + d)(7e^2x^2 + 6dex + 2d^2)}{15(ex + d)^2\sqrt{-e^2x^2 + d^2}de^3}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(e*x+d)^3/(-e^2*x^2+d^2)^(1/2),x)`

[Out]  $-1/15*(-e*x+d)*(7*e^2*x^2+6*d*e*x+2*d^2)/(e*x+d)^2/d/e^3/(-e^2*x^2+d^2)^(1/2)$

**maxima** [A] time = 0.98, size = 125, normalized size = 1.32

$$-\frac{\sqrt{-e^2x^2 + d^2} d}{5(e^6x^3 + 3de^5x^2 + 3d^2e^4x + d^3e^3)} + \frac{8\sqrt{-e^2x^2 + d^2}}{15(e^5x^2 + 2de^4x + d^2e^3)} - \frac{7\sqrt{-e^2x^2 + d^2}}{15(de^4x + d^2e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(e*x+d)^3/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out]  $-1/5*\text{sqrt}(-e^2*x^2 + d^2)*d/(e^6*x^3 + 3*d*e^5*x^2 + 3*d^2*e^4*x + d^3*e^3) + 8/15*\text{sqrt}(-e^2*x^2 + d^2)/(e^5*x^2 + 2*d*e^4*x + d^2*e^3) - 7/15*\text{sqrt}(-e^2*x^2 + d^2)/(d*e^4*x + d^2*e^3)$

**mupad** [B] time = 2.76, size = 48, normalized size = 0.51

$$-\frac{\sqrt{d^2 - e^2 x^2} (2d^2 + 6dex + 7e^2 x^2)}{15de^3(d + ex)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/((d^2 - e^2*x^2)^(1/2)*(d + e*x)^3),x)`

[Out]  $-((d^2 - e^2*x^2)^(1/2)*(2*d^2 + 7*e^2*x^2 + 6*d*e*x))/(15*d*e^3*(d + e*x)^3)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{-(-d + ex)(d + ex)} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(e*x+d)**3/(-e**2*x**2+d**2)**(1/2),x)`

[Out] `Integral(x**2/(sqrt(-(-d + e*x)*(d + e*x))*(d + e*x)**3), x)`

$$3.183 \quad \int \frac{x}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=97

$$-\frac{\sqrt{d^2-e^2x^2}}{5d^2e^2(d+ex)} - \frac{\sqrt{d^2-e^2x^2}}{5de^2(d+ex)^2} + \frac{\sqrt{d^2-e^2x^2}}{5e^2(d+ex)^3}$$

**Rubi [A]** time = 0.04, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {793, 659, 651}

$$-\frac{\sqrt{d^2-e^2x^2}}{5d^2e^2(d+ex)} - \frac{\sqrt{d^2-e^2x^2}}{5de^2(d+ex)^2} + \frac{\sqrt{d^2-e^2x^2}}{5e^2(d+ex)^3}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e\*x)^3\*sqrt[d^2 - e^2\*x^2]),x]

[Out] Sqrt[d^2 - e^2\*x^2]/(5\*e^2\*(d + e\*x)^3) - Sqrt[d^2 - e^2\*x^2]/(5\*d\*e^2\*(d + e\*x)^2) - Sqrt[d^2 - e^2\*x^2]/(5\*d^2\*e^2\*(d + e\*x))

#### Rule 651

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[
(e*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*c*d*(p + 1)), x] /; FreeQ[{a, c, d,
e, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[m + 2*p + 2,
0]
```

#### Rule 659

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> -Simp
[(e*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*c*d*(m + p + 1)), x] + Dist[Simplif
y[m + 2*p + 2]/(2*d*(m + p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x],
x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p
] && ILtQ[Simplify[m + 2*p + 2], 0]
```

#### Rule 793

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_
), x_Symbol] :> Simp[((d*g - e*f)*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*c*d*(
m + p + 1)), x] + Dist[(m*(g*c*d + c*e*f) + 2*e*c*f*(p + 1))/(e*(2*c*d)*(m
+ p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e
, f, g, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p
+ 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2*p + 2, 0]) && NeQ[m + p
```

+ 1, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx &= \frac{\sqrt{d^2-e^2x^2}}{5e^2(d+ex)^3} + \frac{3 \int \frac{1}{(d+ex)^2 \sqrt{d^2-e^2x^2}} dx}{5e} \\
&= \frac{\sqrt{d^2-e^2x^2}}{5e^2(d+ex)^3} - \frac{\sqrt{d^2-e^2x^2}}{5de^2(d+ex)^2} + \frac{\int \frac{1}{(d+ex)\sqrt{d^2-e^2x^2}} dx}{5de} \\
&= \frac{\sqrt{d^2-e^2x^2}}{5e^2(d+ex)^3} - \frac{\sqrt{d^2-e^2x^2}}{5de^2(d+ex)^2} - \frac{\sqrt{d^2-e^2x^2}}{5d^2e^2(d+ex)}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 49, normalized size = 0.51

$$-\frac{\sqrt{d^2-e^2x^2} (d^2+3dex+e^2x^2)}{5d^2e^2(d+ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -1/5\*(Sqrt[d^2 - e^2\*x^2]\*(d^2 + 3\*d\*e\*x + e^2\*x^2))/(d^2\*e^2\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.48, size = 52, normalized size = 0.54

$$\frac{\sqrt{d^2-e^2x^2} (-d^2-3dex-e^2x^2)}{5d^2e^2(d+ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-d^2 - 3\*d\*e\*x - e^2\*x^2))/(5\*d^2\*e^2\*(d + e\*x)^3)

**fricas [A]** time = 0.40, size = 100, normalized size = 1.03

$$-\frac{e^3x^3 + 3de^2x^2 + 3d^2ex + d^3 + (e^2x^2 + 3dex + d^2)\sqrt{-e^2x^2 + d^2}}{5(d^2e^5x^3 + 3d^3e^4x^2 + 3d^4e^3x + d^5e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out]  $-1/5*(e^3*x^3 + 3*d*e^2*x^2 + 3*d^2*e*x + d^3 + (e^2*x^2 + 3*d*e*x + d^2)*\text{sqrt}(-e^2*x^2 + d^2))/(d^2*e^5*x^3 + 3*d^3*e^4*x^2 + 3*d^4*e^3*x + d^5*e^2)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $(2*\exp(1)*\exp(2)^5+5*(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^2*\exp(1)^5*\exp(2)^3+2*(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^2*\exp(1)^9*\exp(2)+2*(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^2*\exp(1)*\exp(2)^5+3*(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^3*\exp(1)^3*\exp(2)^4+\exp(1)^5*\exp(2)^3-5/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))*\exp(1)^3*\exp(2)^4/x/\exp(2)-2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))*\exp(1)^7*\exp(2)^2/x/\exp(2))/((-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^2*\exp(2)-(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x+\exp(2))^2/(d^2*\exp(1)^9-2*d^2*\exp(1)^5*\exp(2)^2+d^2*\exp(1)*\exp(2)^4)+3*\exp(1)^3*\exp(2)^3*\text{atan}((-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x+\exp(2))/\text{sqrt}(-\exp(1)^4+\exp(2)^2))/\text{sqrt}(-\exp(1)^4+\exp(2)^2)/(d^2*\exp(1)^9-2*d^2*\exp(1)^5*\exp(2)^2+d^2*\exp(1)*\exp(2)^4)$

**maple** [A] time = 0.01, size = 52, normalized size = 0.54

$$\frac{(-ex + d)(e^2x^2 + 3dex + d^2)}{5(ex + d)^2 \sqrt{-e^2x^2 + d^2} d^2 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x)

[Out]  $-1/5*(-e*x+d)*(e^2*x^2+3*d*e*x+d^2)/(e*x+d)^2/d^2/e^2/(-e^2*x^2+d^2)^(1/2)$

**maxima** [A] time = 0.98, size = 129, normalized size = 1.33

$$\frac{\sqrt{-e^2x^2 + d^2}}{5(e^5x^3 + 3de^4x^2 + 3d^2e^3x + d^3e^2)} - \frac{\sqrt{-e^2x^2 + d^2}}{5(de^4x^2 + 2d^2e^3x + d^3e^2)} - \frac{\sqrt{-e^2x^2 + d^2}}{5(d^2e^3x + d^3e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="maxima")

[Out]  $\frac{1}{5}\sqrt{-e^2x^2 + d^2}/(e^5x^3 + 3d^2e^4x^2 + 3d^2e^3x + d^3e^2) - \frac{1}{5}\sqrt{-e^2x^2 + d^2}/(de^4x^2 + 2d^2e^3x + d^3e^2) - \frac{1}{5}\sqrt{-e^2x^2 + d^2}/(d^2e^3x + d^3e^2)$

**mupad** [B] time = 2.59, size = 45, normalized size = 0.46

$$-\frac{\sqrt{d^2 - e^2 x^2} (d^2 + 3 d e x + e^2 x^2)}{5 d^2 e^2 (d + e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/((d^2 - e^2*x^2)^(1/2)*(d + e*x)^3), x)`

[Out] `-((d^2 - e^2*x^2)^(1/2)*(d^2 + e^2*x^2 + 3*d*e*x))/(5*d^2*e^2*(d + e*x)^3)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{-(-d + ex)(d + ex)} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)**3/(-e**2*x**2+d**2)**(1/2), x)`

[Out] `Integral(x/(sqrt(-(-d + e*x)*(d + e*x))*(d + e*x)**3), x)`

$$3.184 \quad \int \frac{1}{(d+ex)^3 \sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=100

$$-\frac{2\sqrt{d^2-e^2x^2}}{15d^2e(d+ex)^2} - \frac{\sqrt{d^2-e^2x^2}}{5de(d+ex)^3} - \frac{2\sqrt{d^2-e^2x^2}}{15d^3e(d+ex)}$$

**Rubi [A]** time = 0.04, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {659, 651}

$$-\frac{2\sqrt{d^2-e^2x^2}}{15d^3e(d+ex)} - \frac{2\sqrt{d^2-e^2x^2}}{15d^2e(d+ex)^2} - \frac{\sqrt{d^2-e^2x^2}}{5de(d+ex)^3}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -Sqrt[d^2 - e^2\*x^2]/(5\*d\*e\*(d + e\*x)^3) - (2\*Sqrt[d^2 - e^2\*x^2])/((15\*d^2\*e\*(d + e\*x)^2) - (2\*Sqrt[d^2 - e^2\*x^2])/(15\*d^3\*e\*(d + e\*x)))

Rule 651

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + 2\*p + 2, 0]

Rule 659

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex)^3 \sqrt{d^2 - e^2 x^2}} dx &= -\frac{\sqrt{d^2 - e^2 x^2}}{5de(d+ex)^3} + \frac{2 \int \frac{1}{(d+ex)^2 \sqrt{d^2 - e^2 x^2}} dx}{5d} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{5de(d+ex)^3} - \frac{2\sqrt{d^2 - e^2 x^2}}{15d^2 e(d+ex)^2} + \frac{2 \int \frac{1}{(d+ex) \sqrt{d^2 - e^2 x^2}} dx}{15d^2} \\
&= -\frac{\sqrt{d^2 - e^2 x^2}}{5de(d+ex)^3} - \frac{2\sqrt{d^2 - e^2 x^2}}{15d^2 e(d+ex)^2} - \frac{2\sqrt{d^2 - e^2 x^2}}{15d^3 e(d+ex)}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 52, normalized size = 0.52

$$-\frac{\sqrt{d^2 - e^2 x^2} (7d^2 + 6dex + 2e^2 x^2)}{15d^3 e(d+ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] -1/15\*(Sqrt[d^2 - e^2\*x^2]\*(7\*d^2 + 6\*d\*e\*x + 2\*e^2\*x^2))/(d^3\*e\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.00, size = 52, normalized size = 0.52

$$\frac{(-7d^2 - 6dex - 2e^2 x^2) \sqrt{d^2 - e^2 x^2}}{15d^3 e(d+ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] ((-7\*d^2 - 6\*d\*e\*x - 2\*e^2\*x^2)\*Sqrt[d^2 - e^2\*x^2])/(15\*d^3\*e\*(d + e\*x)^3)

**fricas [A]** time = 0.41, size = 104, normalized size = 1.04

$$\frac{7e^3 x^3 + 21de^2 x^2 + 21d^2 ex + 7d^3 + (2e^2 x^2 + 6dex + 7d^2) \sqrt{-e^2 x^2 + d^2}}{15(d^3 e^4 x^3 + 3d^4 e^3 x^2 + 3d^5 e^2 x + d^6 e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out]  $-1/15*(7*e^3*x^3 + 21*d*e^2*x^2 + 21*d^2*e*x + 7*d^3 + (2*e^2*x^2 + 6*d*e*x + 7*d^2)*\sqrt{-e^2*x^2 + d^2})/(d^3*e^4*x^3 + 3*d^4*e^3*x^2 + 3*d^5*e^2*x + d^6*e)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)^3/(-e^2*x^2+d^2)^(1/2),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $(7*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^2*\exp(1)^6*\exp(2)^3-2*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^2*\exp(1)^10*\exp(2)-2*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^3*\exp(1)^8*\exp(2)^2+5*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^3*\exp(1)^4*\exp(2)^4-\exp(1)^6*\exp(2)^3+4*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^2*\exp(2)^6+4*\exp(2)^6-11/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))*\exp(1)^4*\exp(2)^4/x/\exp(2)+(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))*\exp(1)^8*\exp(2)^2/x/\exp(2))/((-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x/\exp(2))^2*\exp(2)-(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x+\exp(2))^2/(-d^3*\exp(1)^9+2*d^3*\exp(1)^5*\exp(2)^2-d^3*\exp(1)*\exp(2)^4)+1/2*(-2*\exp(1)^4*\exp(2)^3-4*\exp(2)^5)*\operatorname{atan}((-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/x+\exp(2))/\sqrt{-\exp(1)^4+\exp(2)^2})/\sqrt{-\exp(1)^4+\exp(2)^2})/(d^3*\exp(1)^9-2*d^3*\exp(1)^5*\exp(2)^2+d^3*\exp(1)*\exp(2)^4)$

**maple** [A] time = 0.01, size = 55, normalized size = 0.55

$$\frac{(-ex + d)(2e^2x^2 + 6dex + 7d^2)}{15(ex + d)^2 \sqrt{-e^2x^2 + d^2} d^3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x+d)^3/(-e^2*x^2+d^2)^(1/2),x)`

[Out]  $-1/15*(-e*x+d)*(2*e^2*x^2+6*d*e*x+7*d^2)/(e*x+d)^2/d^3/e/(-e^2*x^2+d^2)^(1/2)$

**maxima** [A] time = 0.98, size = 128, normalized size = 1.28

$$-\frac{\sqrt{-e^2x^2 + d^2}}{5(d^4x^3 + 3d^2e^3x^2 + 3d^3e^2x + d^4e)} - \frac{2\sqrt{-e^2x^2 + d^2}}{15(d^2e^3x^2 + 2d^3e^2x + d^4e)} - \frac{2\sqrt{-e^2x^2 + d^2}}{15(d^3e^2x + d^4e)}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(1/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="maxima")

[Out]  $-\frac{1}{5}\sqrt{-e^2x^2 + d^2}/(de^4x^3 + 3d^2e^3x^2 + 3d^3e^2x + d^4e) - \frac{2}{15}\sqrt{-e^2x^2 + d^2}/(d^2e^3x^2 + 2d^3e^2x + d^4e) - \frac{2}{15}\sqrt{-e^2x^2 + d^2}/(d^3e^2x + d^4e)$

mupad [B] time = 2.62, size = 48, normalized size = 0.48

$$\frac{\sqrt{d^2 - e^2 x^2} (7 d^2 + 6 d e x + 2 e^2 x^2)}{15 d^3 e (d + e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)^3),x)

[Out]  $-\frac{((d^2 - e^2x^2)^{1/2}*(7*d^2 + 2*e^2*x^2 + 6*d*e*x))/(15*d^3*e*(d + e*x)^3)}$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(-d + ex)(d + ex)} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)\*\*3/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2),x)

[Out] Integral(1/(sqrt(-(-d + e\*x)\*(d + e\*x))\*(d + e\*x)\*\*3), x)

$$3.185 \quad \int \frac{1}{x(d+ex)^3 \sqrt{d^2 - e^2 x^2}} dx$$

Optimal. Leaf size=115

$$\frac{5d - 11ex}{15d^2 (d^2 - e^2 x^2)^{3/2}} + \frac{4(d - ex)}{5 (d^2 - e^2 x^2)^{5/2}} + \frac{15d - 22ex}{15d^4 \sqrt{d^2 - e^2 x^2}} - \frac{\tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{d^4}$$

**Rubi [A]** time = 0.18, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 823, 12, 266, 63, 208}

$$\frac{15d - 22ex}{15d^4 \sqrt{d^2 - e^2 x^2}} + \frac{5d - 11ex}{15d^2 (d^2 - e^2 x^2)^{3/2}} + \frac{4(d - ex)}{5 (d^2 - e^2 x^2)^{5/2}} - \frac{\tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{d^4}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (4\*(d - e\*x))/(5\*(d^2 - e^2\*x^2)^(5/2)) + (5\*d - 11\*e\*x)/(15\*d^2\*(d^2 - e^2\*x^2)^(3/2)) + (15\*d - 22\*e\*x)/(15\*d^4\*Sqrt[d^2 - e^2\*x^2]) - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]/d^4

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 823

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

### Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1805

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex)^3 \sqrt{d^2 - e^2 x^2}} dx &= \int \frac{(d-ex)^3}{x(d^2 - e^2 x^2)^{7/2}} dx \\
&= \frac{4(d-ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{\int \frac{-5d^3 + 11d^2 ex}{x(d^2 - e^2 x^2)^{5/2}} dx}{5d^2} \\
&= \frac{4(d-ex)}{5(d^2 - e^2 x^2)^{5/2}} + \frac{5d - 11ex}{15d^2 (d^2 - e^2 x^2)^{3/2}} - \frac{\int \frac{-15d^5 e^2 + 22d^4 e^3 x}{x(d^2 - e^2 x^2)^{3/2}} dx}{15d^6 e^2} \\
&= \frac{4(d-ex)}{5(d^2 - e^2 x^2)^{5/2}} + \frac{5d - 11ex}{15d^2 (d^2 - e^2 x^2)^{3/2}} + \frac{15d - 22ex}{15d^4 \sqrt{d^2 - e^2 x^2}} - \frac{\int -\frac{15d^7 e^4}{x \sqrt{d^2 - e^2 x^2}} dx}{15d^{10} e^4} \\
&= \frac{4(d-ex)}{5(d^2 - e^2 x^2)^{5/2}} + \frac{5d - 11ex}{15d^2 (d^2 - e^2 x^2)^{3/2}} + \frac{15d - 22ex}{15d^4 \sqrt{d^2 - e^2 x^2}} + \frac{\int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx}{d^3} \\
&= \frac{4(d-ex)}{5(d^2 - e^2 x^2)^{5/2}} + \frac{5d - 11ex}{15d^2 (d^2 - e^2 x^2)^{3/2}} + \frac{15d - 22ex}{15d^4 \sqrt{d^2 - e^2 x^2}} + \frac{\text{Subst}\left(\int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, \frac{d^2 - x^2}{e^2}\right)}{2d^3} \\
&= \frac{4(d-ex)}{5(d^2 - e^2 x^2)^{5/2}} + \frac{5d - 11ex}{15d^2 (d^2 - e^2 x^2)^{3/2}} + \frac{15d - 22ex}{15d^4 \sqrt{d^2 - e^2 x^2}} - \frac{\text{Subst}\left(\int \frac{1}{\frac{d^2 - x^2}{e^2}} dx, x, \frac{d^2 - x^2}{e^2}\right)}{d^3 e^2} \\
&= \frac{4(d-ex)}{5(d^2 - e^2 x^2)^{5/2}} + \frac{5d - 11ex}{15d^2 (d^2 - e^2 x^2)^{3/2}} + \frac{15d - 22ex}{15d^4 \sqrt{d^2 - e^2 x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^4}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 76, normalized size = 0.66

$$\frac{\frac{\sqrt{d^2 - e^2 x^2} (32d^2 + 51dex + 22e^2 x^2)}{(d+ex)^3} - 15 \log\left(\sqrt{d^2 - e^2 x^2} + d\right) + 15 \log(x)}{15d^4}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(32\*d^2 + 51\*d\*e\*x + 22\*e^2\*x^2))/(d + e\*x)^3 + 15\*Log[x] - 15\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(15\*d^4)

**IntegrateAlgebraic [A]** time = 0.91, size = 92, normalized size = 0.80

$$\frac{\sqrt{d^2 - e^2 x^2} (32d^2 + 51dex + 22e^2 x^2)}{15d^4(d + ex)^3} + \frac{2 \tanh^{-1} \left( \frac{\sqrt{-e^2 x} - \sqrt{d^2 - e^2 x^2}}{d} \right)}{d^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x\*(d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(32\*d^2 + 51\*d\*e\*x + 22\*e^2\*x^2))/(15\*d^4\*(d + e\*x)^3) + (2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^4

**fricas [A]** time = 0.40, size = 153, normalized size = 1.33

$$\frac{32e^3x^3 + 96de^2x^2 + 96d^2ex + 32d^3 + 15(e^3x^3 + 3de^2x^2 + 3d^2ex + d^3) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (22e^2x^2 + 51dex + 32d^2)\sqrt{-e^2x^2 + d^2}}{15(d^4e^3x^3 + 3d^5e^2x^2 + 3d^6ex + d^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] 1/15\*(32\*e^3\*x^3 + 96\*d\*e^2\*x^2 + 96\*d^2\*e\*x + 32\*d^3 + 15\*(e^3\*x^3 + 3\*d\*e^2\*x^2 + 3\*d^2\*e\*x + d^3)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (22\*e^2\*x^2 + 51\*d\*e\*x + 32\*d^2)\*sqrt(-e^2\*x^2 + d^2))/(d^4\*e^3\*x^3 + 3\*d^5\*e^2\*x^2 + 3\*d^6\*e\*x + d^7)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (-9\*( -1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^7\*exp(2)^3+6\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^11\*exp(2)+4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^9\*exp(2)^2-7\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^5\*exp(2)^4+3\*exp(1)^7\*exp(2)^3-6\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^3\*exp(2)^5-6\*exp(1)^3\*exp(2)^5+17/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^5\*exp(2)^4/x/exp(2)-4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^9\*exp(2)^2/x/exp(2))/((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(2)-(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))^2/(-d^4\*exp(1)^9+2\*d^4\*exp(1)^

$5*\exp(2)^2-d^4*\exp(1)*\exp(2)^4+1/2*(-10*\exp(1)^5*\exp(2)^3+4*\exp(1)^9*\exp(2)$   
 $+12*\exp(1)*\exp(2)^5)*\operatorname{atan}\left(\frac{-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1)}{x+\exp(2)}\right)/\sqrt{-\exp(1)^4+\exp(2)^2})/\sqrt{-\exp(1)^4+\exp(2)^2})/(d^4*\exp(1)^9-2*d^4*\exp(1)^5*\exp(2)^2+d^4*\exp(1)*\exp(2)^4)-\exp(2)*\ln(1/2*\operatorname{abs}(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)})*\exp(1))/\operatorname{abs}(x)/\exp(2))/d^4/\exp(1)^2$

**maple [A]** time = 0.01, size = 179, normalized size = 1.56

$$-\frac{\ln\left(\frac{2d^2+2\sqrt{d^2}\sqrt{-e^2x^2+d^2}}{x}\right)}{\sqrt{d^2}d^3} + \frac{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}}{5\left(x+\frac{d}{e}\right)^3d^2e^3} + \frac{7\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}}{15\left(x+\frac{d}{e}\right)^2d^3e^2} + \frac{22\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}}{15\left(x+\frac{d}{e}\right)d^4e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2), x)

[Out]  $-1/(d^2)^{(1/2)}/d^3*\ln\left(\frac{(2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})}{x}\right)+1/5/d^2/e^3/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}+7/15/d^3/e^2/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}+22/15/d^4/e/(x+d/e)*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-e^2x^2 + d^2} (ex + d)^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2), x, algorithm="maxima")

[Out] integrate(1/(sqrt(-e^2\*x^2 + d^2)\*(e\*x + d)^3\*x), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x\sqrt{d^2 - e^2x^2} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*(d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)^3), x)

[Out] int(1/(x\*(d^2 - e^2\*x^2)^(1/2)\*(d + e\*x)^3), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{-(-d + ex)(d + ex)} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(e*x+d)**3/(-e**2*x**2+d**2)**(1/2),x)
```

```
[Out] Integral(1/(x*sqrt(-(-d + e*x)*(d + e*x)))*(d + e*x)**3), x)
```

$$3.186 \quad \int \frac{1}{x^2(d+ex)^3 \sqrt{d^2-e^2x^2}} dx$$

**Optimal.** Leaf size=146

$$-\frac{4e(d-ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{e(15d-19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} + \frac{3e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5} - \frac{e(5d-7ex)}{5d^3(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.30, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {852, 1805, 807, 266, 63, 208}

$$-\frac{e(15d-19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} - \frac{e(5d-7ex)}{5d^3(d^2-e^2x^2)^{3/2}} - \frac{4e(d-ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{3e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^5}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (-4\*e\*(d - e\*x))/(5\*d\*(d^2 - e^2\*x^2)^(5/2)) - (e\*(5\*d - 7\*e\*x))/(5\*d^3\*(d^2 - e^2\*x^2)^(3/2)) - (e\*(15\*d - 19\*e\*x))/(5\*d^5\*Sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(d^5\*x) + (3\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^5

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]



Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2(d+ex)^3\sqrt{d^2-e^2x^2}} dx &= \int \frac{(d-ex)^3}{x^2(d^2-e^2x^2)^{7/2}} dx \\
&= -\frac{4e(d-ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^3+15d^2ex-16de^2x^2}{x^2(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= -\frac{4e(d-ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{e(5d-7ex)}{5d^3(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{15d^3-45d^2ex+42de^2x^2}{x^2(d^2-e^2x^2)^{3/2}} dx}{15d^4} \\
&= -\frac{4e(d-ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{e(5d-7ex)}{5d^3(d^2-e^2x^2)^{3/2}} - \frac{e(15d-19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-15d^3+45d^2ex}{x^2\sqrt{d^2-e^2x^2}} dx}{15d^6} \\
&= -\frac{4e(d-ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{e(5d-7ex)}{5d^3(d^2-e^2x^2)^{3/2}} - \frac{e(15d-19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} \quad (3e) \int \\
&= -\frac{4e(d-ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{e(5d-7ex)}{5d^3(d^2-e^2x^2)^{3/2}} - \frac{e(15d-19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} \quad (3e) \text{ Su} \\
&= -\frac{4e(d-ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{e(5d-7ex)}{5d^3(d^2-e^2x^2)^{3/2}} - \frac{e(15d-19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} + \frac{3 \text{ Sub}}{d^5x} \\
&= -\frac{4e(d-ex)}{5d(d^2-e^2x^2)^{5/2}} - \frac{e(5d-7ex)}{5d^3(d^2-e^2x^2)^{3/2}} - \frac{e(15d-19ex)}{5d^5\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^5x} + \frac{3e \tan}{d^5x}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 92, normalized size = 0.63

$$-\frac{-15e \log\left(\sqrt{d^2-e^2x^2} + d\right) + \frac{\sqrt{d^2-e^2x^2}(5d^3+39d^2ex+57de^2x^2+24e^3x^3)}{x(d+ex)^3} + 15e \log(x)}{5d^5}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2\*(d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]), x]

[Out] -1/5\*((Sqrt[d^2 - e^2\*x^2]\*(5\*d^3 + 39\*d^2\*e\*x + 57\*d\*e^2\*x^2 + 24\*e^3\*x^3))/(x\*(d + e\*x)^3) + 15\*e\*Log[x] - 15\*e\*Log[d + Sqrt[d^2 - e^2\*x^2]])/d^5

**IntegrateAlgebraic [A]** time = 0.70, size = 107, normalized size = 0.73

$$\frac{\sqrt{d^2 - e^2 x^2} (-5d^3 - 39d^2 e x - 57d e^2 x^2 - 24e^3 x^3)}{5d^5 x(d + e x)^3} - \frac{6e \tanh^{-1}\left(\frac{\sqrt{-e^2 x^2}}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^2\*(d + e\*x)^3\*sqrt[d^2 - e^2\*x^2]),x]

[Out] (sqrt[d^2 - e^2\*x^2]\*(-5\*d^3 - 39\*d^2\*e\*x - 57\*d\*e^2\*x^2 - 24\*e^3\*x^3))/(5\*d^5\*x\*(d + e\*x)^3) - (6\*e\*ArcTanh[(sqrt[-e^2]\*x)/d - sqrt[d^2 - e^2\*x^2]/d])/d^5

**fricas [A]** time = 0.41, size = 181, normalized size = 1.24

$$\frac{24e^4x^4 + 72de^3x^3 + 72d^2e^2x^2 + 24d^3ex + 15(e^4x^4 + 3de^3x^3 + 3d^2e^2x^2 + d^3ex) \log\left(\frac{-d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (24e^3x^3 + 57de^2x^2 + 39d^2ex + 5d^3)\sqrt{-e^2x^2 + d^2}}{5(d^5e^3x^4 + 3d^6e^2x^3 + 3d^7ex^2 + d^8x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] -1/5\*(24\*e^4\*x^4 + 72\*d\*e^3\*x^3 + 72\*d^2\*e^2\*x^2 + 24\*d^3\*e\*x + 15\*(e^4\*x^4 + 3\*d\*e^3\*x^3 + 3\*d^2\*e^2\*x^2 + d^3\*e\*x)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (24\*e^3\*x^3 + 57\*d\*e^2\*x^2 + 39\*d^2\*e\*x + 5\*d^3)\*sqrt(-e^2\*x^2 + d^2))/(d^5\*e^3\*x^4 + 3\*d^6\*e^2\*x^3 + 3\*d^7\*e\*x^2 + d^8\*x)

**giac [A]** time = 0.30, size = 1, normalized size = 0.01

+∞

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] +Infinity

**maple [A]** time = 0.01, size = 199, normalized size = 1.36

$$\frac{3e \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{\sqrt{d^2} d^4} - \frac{\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2}}{5\left(x + \frac{d}{e}\right)^3 d^3 e^2} - \frac{4\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2}}{5\left(x + \frac{d}{e}\right)^2 d^4 e} - \frac{19\sqrt{2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2}}{5\left(x + \frac{d}{e}\right) d^5} - \frac{\sqrt{-e^2x^2 + d^2}}{d^5 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x)

[Out]  $-(e^{2x^2+d^2})^{1/2}/d^5/x+3/(d^2)^{1/2}/d^4*e*\ln((2*d^2+2*(d^2)^{1/2})*(-e^{2x^2+d^2})^{1/2})/x-1/5/d^3/e^2/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{1/2}-4/5/d^4/e/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{1/2}-19/5/d^5/(x+d/e)*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-e^2x^2 + d^2} (ex + d)^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(e*x+d)^3/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(-e^2*x^2 + d^2)*(e*x + d)^3*x^2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^2 \sqrt{d^2 - e^2 x^2} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*(d^2 - e^2*x^2)^(1/2)*(d + e*x)^3),x)`

[Out] `int(1/(x^2*(d^2 - e^2*x^2)^(1/2)*(d + e*x)^3), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{-(-d + ex)} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(e*x+d)**3/(-e**2*x**2+d**2)**(1/2),x)`

[Out] `Integral(1/(x**2*sqrt(-(-d + e*x)*(d + e*x))*(d + e*x)**3), x)`

$$3.187 \quad \int \frac{1}{x^3(d+ex)^3 \sqrt{d^2-e^2x^2}} dx$$

Optimal. Leaf size=183

$$\frac{4e^2(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(90d-107ex)}{15d^6\sqrt{d^2-e^2x^2}} + \frac{3e\sqrt{d^2-e^2x^2}}{d^6x} - \frac{13e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^6} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{e^2(25d-31ex)}{15d^4(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.38, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 1807, 807, 266, 63, 208}

$$\frac{e^2(90d-107ex)}{15d^6\sqrt{d^2-e^2x^2}} + \frac{e^2(25d-31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{4e^2(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{3e\sqrt{d^2-e^2x^2}}{d^6x} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} - \frac{13e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^6}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3\*(d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (4\*e^2\*(d - e\*x))/(5\*d^2\*(d^2 - e^2\*x^2)^(5/2)) + (e^2\*(25\*d - 31\*e\*x))/(15\*d^4\*(d^2 - e^2\*x^2)^(3/2)) + (e^2\*(90\*d - 107\*e\*x))/(15\*d^6\*Sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(2\*d^5\*x^2) + (3\*e\*Sqrt[d^2 - e^2\*x^2])/(d^6\*x) - (13\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^6)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3(d+ex)^3\sqrt{d^2-e^2x^2}} dx &= \int \frac{(d-ex)^3}{x^3(d^2-e^2x^2)^{7/2}} dx \\
&= \frac{4e^2(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{-5d^3+15d^2ex-20de^2x^2+16e^3x^3}{x^3(d^2-e^2x^2)^{5/2}} dx}{5d^2} \\
&= \frac{4e^2(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d-31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{15d^3-45d^2ex+75de^2x^2-62e^3x^3}{x^3(d^2-e^2x^2)^{3/2}} dx}{15d^4} \\
&= \frac{4e^2(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d-31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d-107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\int \frac{-15d^3+45d^2ex-90d^2e^2x^2+72e^3x^3}{x^3\sqrt{d^2-e^2x^2}} dx}{15d^6} \\
&= \frac{4e^2(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d-31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d-107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{\int \frac{15d^3-45d^2ex+75de^2x^2-62e^3x^3}{x^3\sqrt{d^2-e^2x^2}} dx}{15d^6} \\
&= \frac{4e^2(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d-31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d-107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{3e^2}{15d^6} \\
&= \frac{4e^2(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d-31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d-107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{3e^2}{15d^6} \\
&= \frac{4e^2(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d-31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d-107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{3e^2}{15d^6} \\
&= \frac{4e^2(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d-31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d-107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{3e^2}{15d^6} \\
&= \frac{4e^2(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} + \frac{e^2(25d-31ex)}{15d^4(d^2-e^2x^2)^{3/2}} + \frac{e^2(90d-107ex)}{15d^6\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{2d^5x^2} + \frac{3e^2}{15d^6}
\end{aligned}$$

**Mathematica [A]** time = 0.17, size = 107, normalized size = 0.58

$$\frac{-195e^2 \log\left(\sqrt{d^2-e^2x^2} + d\right) + \frac{\sqrt{d^2-e^2x^2}(-15d^4+45d^3ex+479d^2e^2x^2+717de^3x^3+304e^4x^4)}{x^2(d+ex)^3} + 195e^2 \log(x)}{30d^6}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3\*(d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(-15\*d^4 + 45\*d^3\*e\*x + 479\*d^2\*e^2\*x^2 + 717\*d\*e^3\*x^3 + 304\*e^4\*x^4))/(x^2\*(d + e\*x)^3) + 195\*e^2\*Log[x] - 195\*e^2\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(30\*d^6)

**IntegrateAlgebraic [A]** time = 0.96, size = 120, normalized size = 0.66

$$\frac{13e^2 \tanh^{-1}\left(\frac{\sqrt{-e^2}x}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^6} + \frac{\sqrt{d^2 - e^2x^2} (-15d^4 + 45d^3ex + 479d^2e^2x^2 + 717de^3x^3 + 304e^4x^4)}{30d^6x^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^3\*(d + e\*x)^3\*Sqrt[d^2 - e^2\*x^2]),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-15\*d^4 + 45\*d^3\*e\*x + 479\*d^2\*e^2\*x^2 + 717\*d\*e^3\*x^3 + 304\*e^4\*x^4))/(30\*d^6\*x^2\*(d + e\*x)^3) + (13\*e^2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^6

**fricas [A]** time = 0.42, size = 202, normalized size = 1.10

$$\frac{254e^5x^5 + 762de^4x^4 + 762d^2e^3x^3 + 254d^3e^2x^2 + 195(e^5x^5 + 3de^4x^4 + 3d^2e^3x^3 + d^3e^2x^2) \log\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (304e^4x^4 + 717de^3x^3 + 479d^2e^2x^2 + 45d^3ex - 15d^4)\sqrt{-e^2x^2 + d^2}}{30(d^6e^3x^5 + 3d^7e^2x^4 + 3d^8ex^3 + d^9x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="fricas")

[Out] 1/30\*(254\*e^5\*x^5 + 762\*d\*e^4\*x^4 + 762\*d^2\*e^3\*x^3 + 254\*d^3\*e^2\*x^2 + 195\*(e^5\*x^5 + 3\*d\*e^4\*x^4 + 3\*d^2\*e^3\*x^3 + d^3\*e^2\*x^2)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (304\*e^4\*x^4 + 717\*d\*e^3\*x^3 + 479\*d^2\*e^2\*x^2 + 45\*d^3\*e\*x - 15\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d^6\*e^3\*x^5 + 3\*d^7\*e^2\*x^4 + 3\*d^8\*e\*x^3 + d^9\*x^2)

**giac [A]** time = 0.29, size = 1, normalized size = 0.01

+∞

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)^3/(-e^2\*x^2+d^2)^(1/2),x, algorithm="giac")

[Out] +Infinity

**maple [A]** time = 0.01, size = 222, normalized size = 1.21

$$-\frac{13e^2 \ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2x^2 + d^2}}{x}\right)}{2\sqrt{d^2} d^5} + \frac{\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2}{5\left(x + \frac{d}{e}\right)^3 d^4 e} + \frac{17\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2}{15\left(x + \frac{d}{e}\right)^2 d^5} + \frac{107\sqrt{2\left(x + \frac{d}{e}\right)de - \left(x + \frac{d}{e}\right)^2} e^2 e}{15\left(x + \frac{d}{e}\right) d^6} + \frac{3\sqrt{-e^2x^2 + d^2} e}{d^6 x} - \frac{\sqrt{-e^2x^2 + d^2}}{2d^5 x^2}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^3/(e*x+d)^3/(-e^2*x^2+d^2)^(1/2),x)`

[Out]  $3*e*(-e^2*x^2+d^2)^(1/2)/d^6/x-1/2*(-e^2*x^2+d^2)^(1/2)/d^5/x^2-13/2/(d^2)^(1/2)/d^5*e^2*\ln((2*d^2+2*(d^2)^(1/2)*(-e^2*x^2+d^2)^(1/2))/x)+1/5/d^4/e/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)+17/15/d^5/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)+107/15/d^6*e/(x+d/e)*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-e^2x^2 + d^2} (ex + d)^3 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(e*x+d)^3/(-e^2*x^2+d^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(-e^2*x^2 + d^2)*(e*x + d)^3*x^3), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^3 \sqrt{d^2 - e^2 x^2} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^3*(d^2 - e^2*x^2)^(1/2)*(d + e*x)^3),x)`

[Out] `int(1/(x^3*(d^2 - e^2*x^2)^(1/2)*(d + e*x)^3), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 \sqrt{-(-d + ex)(d + ex)} (d + ex)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**3/(e*x+d)**3/(-e**2*x**2+d**2)**(1/2),x)`

[Out] `Integral(1/(x**3*sqrt(-(-d + e*x)*(d + e*x))*(d + e*x)**3), x)`

$$3.188 \quad \int \frac{x^5 \sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx$$

**Optimal.** Leaf size=204

$$\frac{10d^2(d - ex)^2}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{59d^2 \sqrt{d^2 - e^2 x^2}}{3e^6} - \frac{2dx \sqrt{d^2 - e^2 x^2}}{e^5} + \frac{x^2 \sqrt{d^2 - e^2 x^2}}{3e^4} + \frac{d^4(d - ex)^4}{5e^6 (d^2 - e^2 x^2)^{5/2}} - \frac{8d^3(d - ex)^3}{5e^6 (d^2 - e^2 x^2)^{3/2}} + \frac{18d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{e^6}$$

**Rubi [A]** time = 0.59, antiderivative size = 204, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {852, 1635, 1815, 641, 217, 203}

$$\frac{d^4(d - ex)^4}{5e^6 (d^2 - e^2 x^2)^{5/2}} - \frac{8d^3(d - ex)^3}{5e^6 (d^2 - e^2 x^2)^{3/2}} + \frac{10d^2(d - ex)^2}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{x^2 \sqrt{d^2 - e^2 x^2}}{3e^4} - \frac{2dx \sqrt{d^2 - e^2 x^2}}{e^5} + \frac{59d^2 \sqrt{d^2 - e^2 x^2}}{3e^6} + \frac{18d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{e^6}$$

Antiderivative was successfully verified.

[In] Int[(x^5\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] (d^4\*(d - e\*x)^4)/(5\*e^6\*(d^2 - e^2\*x^2)^(5/2)) - (8\*d^3\*(d - e\*x)^3)/(5\*e^6\*(d^2 - e^2\*x^2)^(3/2)) + (10\*d^2\*(d - e\*x)^2)/(e^6\*Sqrt[d^2 - e^2\*x^2]) + (59\*d^2\*Sqrt[d^2 - e^2\*x^2])/(3\*e^6) - (2\*d\*x\*Sqrt[d^2 - e^2\*x^2])/e^5 + (x^2\*Sqrt[d^2 - e^2\*x^2])/(3\*e^4) + (18\*d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e^6

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 852

```

Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p))/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])

```

### Rule 1635

```

Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]

```

### Rule 1815

```

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^5 \sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx &= \int \frac{x^5 (d - ex)^4}{(d^2 - e^2 x^2)^{7/2}} dx \\
&= \frac{d^4 (d - ex)^4}{5e^6 (d^2 - e^2 x^2)^{5/2}} - \frac{\int \frac{(d - ex)^3 \left( -\frac{4d^5}{e^5} + \frac{5d^4 x}{e^4} - \frac{5d^3 x^2}{e^3} + \frac{5d^2 x^3}{e^2} - \frac{5dx^4}{e} \right)}{(d^2 - e^2 x^2)^{5/2}} dx}{5d} \\
&= \frac{d^4 (d - ex)^4}{5e^6 (d^2 - e^2 x^2)^{5/2}} - \frac{8d^3 (d - ex)^3}{5e^6 (d^2 - e^2 x^2)^{3/2}} + \frac{\int \frac{(d - ex)^2 \left( -\frac{60d^5}{e^5} + \frac{45d^4 x}{e^4} - \frac{30d^3 x^2}{e^3} + \frac{15d^2 x^3}{e^2} \right)}{(d^2 - e^2 x^2)^{3/2}} dx}{15d^2} \\
&= \frac{d^4 (d - ex)^4}{5e^6 (d^2 - e^2 x^2)^{5/2}} - \frac{8d^3 (d - ex)^3}{5e^6 (d^2 - e^2 x^2)^{3/2}} + \frac{10d^2 (d - ex)^2}{e^6 \sqrt{d^2 - e^2 x^2}} - \frac{\int \frac{(d - ex) \left( -\frac{240d^5}{e^5} + \frac{45d^4 x}{e^4} - \frac{15d^3 x^2}{e^3} \right)}{\sqrt{d^2 - e^2 x^2}} dx}{15d^3} \\
&= \frac{d^4 (d - ex)^4}{5e^6 (d^2 - e^2 x^2)^{5/2}} - \frac{8d^3 (d - ex)^3}{5e^6 (d^2 - e^2 x^2)^{3/2}} + \frac{10d^2 (d - ex)^2}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{x^2 \sqrt{d^2 - e^2 x^2}}{3e^4} + \frac{\int \frac{\frac{720d^6}{e^3} - \frac{885d^5 x}{e^2}}{\sqrt{d^2 - e^2 x^2}}}{45d^3 e^2} \\
&= \frac{d^4 (d - ex)^4}{5e^6 (d^2 - e^2 x^2)^{5/2}} - \frac{8d^3 (d - ex)^3}{5e^6 (d^2 - e^2 x^2)^{3/2}} + \frac{10d^2 (d - ex)^2}{e^6 \sqrt{d^2 - e^2 x^2}} - \frac{2dx \sqrt{d^2 - e^2 x^2}}{e^5} + \frac{x^2 \sqrt{d^2 - e^2 x^2}}{3e^4} \\
&= \frac{d^4 (d - ex)^4}{5e^6 (d^2 - e^2 x^2)^{5/2}} - \frac{8d^3 (d - ex)^3}{5e^6 (d^2 - e^2 x^2)^{3/2}} + \frac{10d^2 (d - ex)^2}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{59d^2 \sqrt{d^2 - e^2 x^2}}{3e^6} - \frac{2dx \sqrt{d^2 - e^2 x^2}}{e^5} \\
&= \frac{d^4 (d - ex)^4}{5e^6 (d^2 - e^2 x^2)^{5/2}} - \frac{8d^3 (d - ex)^3}{5e^6 (d^2 - e^2 x^2)^{3/2}} + \frac{10d^2 (d - ex)^2}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{59d^2 \sqrt{d^2 - e^2 x^2}}{3e^6} - \frac{2dx \sqrt{d^2 - e^2 x^2}}{e^5} \\
&= \frac{d^4 (d - ex)^4}{5e^6 (d^2 - e^2 x^2)^{5/2}} - \frac{8d^3 (d - ex)^3}{5e^6 (d^2 - e^2 x^2)^{3/2}} + \frac{10d^2 (d - ex)^2}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{59d^2 \sqrt{d^2 - e^2 x^2}}{3e^6} - \frac{2dx \sqrt{d^2 - e^2 x^2}}{e^5}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 109, normalized size = 0.53

$$\frac{270d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) + \frac{\sqrt{d^2 - e^2 x^2} (424d^5 + 1002d^4 ex + 674d^3 e^2 x^2 + 70d^2 e^3 x^3 - 15de^4 x^4 + 5e^5 x^5)}{(d + ex)^3}}{15e^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(424\*d^5 + 1002\*d^4\*e\*x + 674\*d^3\*e^2\*x^2 + 70\*d^2\*e^3\*x^3 - 15\*d\*e^4\*x^4 + 5\*e^5\*x^5))/(d + e\*x)^3 + 270\*d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(15\*e^6)

**IntegrateAlgebraic [A]** time = 0.76, size = 130, normalized size = 0.64

$$\frac{18d^3\sqrt{-e^2}\log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{e^7} + \frac{\sqrt{d^2 - e^2x^2}\left(424d^5 + 1002d^4ex + 674d^3e^2x^2 + 70d^2e^3x^3 - 15de^4x^4 + 5e^5x^5\right)}{15e^6(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^5\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(424\*d^5 + 1002\*d^4\*e\*x + 674\*d^3\*e^2\*x^2 + 70\*d^2\*e^3\*x^3 - 15\*d\*e^4\*x^4 + 5\*e^5\*x^5))/(15\*e^6\*(d + e\*x)^3) + (18\*d^3\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^7

**fricas [A]** time = 0.44, size = 200, normalized size = 0.98

$$\frac{424d^3e^3x^3 + 1272d^4e^2x^2 + 1272d^5ex + 424d^6 - 540(d^3e^3x^3 + 3d^4e^2x^2 + 3d^5ex + d^6)\arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (5e^5x^5 - 15de^4x^4 + 70d^2e^3x^3 + 674d^3e^2x^2 + 1002d^4ex + 424d^6)\sqrt{-e^2x^2 + d^2}}{15(e^9x^3 + 3de^8x^2 + 3d^2e^7x + d^3e^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x, algorithm="fricas")

[Out] 1/15\*(424\*d^3\*e^3\*x^3 + 1272\*d^4\*e^2\*x^2 + 1272\*d^5\*e\*x + 424\*d^6 - 540\*(d^3\*e^3\*x^3 + 3\*d^4\*e^2\*x^2 + 3\*d^5\*e\*x + d^6)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (5\*e^5\*x^5 - 15\*d\*e^4\*x^4 + 70\*d^2\*e^3\*x^3 + 674\*d^3\*e^2\*x^2 + 1002\*d^4\*e\*x + 424\*d^6)\*sqrt(-e^2\*x^2 + d^2))/(e^9\*x^3 + 3\*d\*e^8\*x^2 + 3\*d^2\*e^7\*x + d^3\*e^6)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (-162\*d^3\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^12\*exp(2)^2-36\*d^3\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^10\*exp(2)^3+240\*d^3\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*e

$$\begin{aligned}
& xp(1))/x/exp(2))^3*exp(1)^{12}*exp(2)^{2+228*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^4*exp(1)^{10}*exp(2)^3+54*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^5*exp(1)^8*exp(2)^4-402*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^2*exp(1)^{12}*exp(2)^2+158*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^3*exp(1)^{10}*exp(2)^3+339*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^4*exp(1)^8*exp(2)^4+87*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^5*exp(1)^6*exp(2)^5+492*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^2*exp(1)^{10}*exp(2)^3+192*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^3*exp(1)^8*exp(2)^4-96*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^4*exp(1)^6*exp(2)^5-36*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^5*exp(1)^4*exp(2)^6+840*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^2*exp(1)^8*exp(2)^4+420*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^3*exp(1)^6*exp(2)^5-102*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^4*exp(1)^4*exp(2)^6-48*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^5*exp(2)^8-228*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^2*exp(1)^6*exp(2)^5-252*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^3*exp(1)^4*exp(2)^6-47*d^3*exp(1)^8*exp(2)^4-102*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^4*exp(2)^8-288*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^2*exp(1)^4*exp(2)^6+60*d^3*exp(1)^6*exp(2)^5-360*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^3*exp(2)^8+110*d^3*exp(1)^4*exp(2)^6-204*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^2*exp(2)^8-102*d^3*exp(2)^8-188*d^3*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^3*exp(1)^{14}*exp(2)+156*d^3*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))*exp(2)^8/x/exp(2)+108*d^3*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))*exp(1)^4*exp(2)^6/x/exp(2)-573/2*d^3*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))*exp(1)^6*exp(2)^5/x/exp(2)-153*d^3*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))*exp(1)^8*exp(2)^4/x/exp(2)+123*d^3*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))*exp(1)^{10}*exp(2)^3/x/exp(2))/((-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x/exp(2))^2*exp(2)-(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x+exp(2))^3/(3*exp(1)^{16}-6*exp(1)^{12}*exp(2)^2-6*exp(1)^{10}*exp(2)^3+3*exp(1)^8*exp(2)^4+3*exp(1)^6*exp(2)^5+3*exp(1)^{14}*exp(2))+1/2*(-100*d^3*exp(1)^{10}*exp(2)^2-170*d^3*exp(1)^8*exp(2)^3+152*d^3*exp(1)^6*exp(2)^4+208*d^3*exp(1)^4*exp(2)^5-144*d^3*exp(2)^7+40*d^3*exp(1)^{12}*exp(2))*atan((-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2)))*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2)/sqrt(-exp(1)^4+exp(2)^2)/(-exp(1)^{18}+2*exp(1)^{14}*exp(2)^2+2*exp(1)^{12}*exp(2)^3-exp(1)^{10}*exp(2)^4-exp(1)^8*exp(2)^5-exp(1)^{16}*exp(2))+18*d^3*sign(d)*asin(x*exp(2)/d/exp(1))/exp(1)^6+2*((2*exp(1)^{16}*1/12/exp(1)^{20}*x-12*exp(1)^{15}*d*1/12/exp(1)^{20})*x+58*exp(1)^{14}*d^2*1/12/exp(1)^{20})*sqrt(d^2-x^2*exp(2))
\end{aligned}$$

**maple** [A] time = 0.02, size = 297, normalized size = 1.46

$$\frac{20d^3 \arctan\left(\frac{\sqrt{x}}{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2}}\right)}{\sqrt{e^2} e^5} - \frac{2d^3 \arctan\left(\frac{\sqrt{x}}{\sqrt{-e^2x^2+d^2}}\right)}{\sqrt{e^2} e^5} - \frac{2\sqrt{-e^2x^2+d^2} dx}{e^5} + \frac{20\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2} e^2 d^2}{e^6} + \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2\right)^{\frac{3}{2}} d^4}{5\left(x+\frac{d}{e}\right)^4 e^{10}} - \frac{8\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2\right)^{\frac{3}{2}} d^6}{5\left(x+\frac{d}{e}\right)^3 e^9} + \frac{10\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2\right)^{\frac{3}{2}} d^2}{\left(x+\frac{d}{e}\right)^2 e^8} - \frac{\left(-e^2x^2+d^2\right)^{\frac{3}{2}}}{3e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x)

[Out]  $-1/3/e^6*(-e^2*x^2+d^2)^{(3/2)}-2*d*x*(-e^2*x^2+d^2)^{(1/2)}/e^5-2/e^5*d^3/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)+1/5*d^4/e^{10}/(x+d/e)^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}-8/5/e^9*d^3/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}+20/e^6*d^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}+20/e^5*d^3/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x)+10/e^8*d^2/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 \sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5\*(d^2 - e^2\*x^2)^(1/2))/(d + e\*x)^4,x)

[Out] int((x^5\*(d^2 - e^2\*x^2)^(1/2))/(d + e\*x)^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 \sqrt{-(-d + ex)(d + ex)}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2)/(e\*x+d)\*\*4,x)

[Out] Integral(x\*\*5\*sqrt(-(-d + e\*x)\*(d + e\*x))/(d + e\*x)\*\*4, x)

$$3.189 \quad \int \frac{x^4 \sqrt{d^2 - e^2 x^2}}{(d+ex)^4} dx$$

**Optimal.** Leaf size=160

$$\frac{19d^2(d-ex)^3}{15e^5(d^2-e^2x^2)^{3/2}} - \frac{6d(d-ex)^2}{e^5\sqrt{d^2-e^2x^2}} - \frac{(20d-ex)\sqrt{d^2-e^2x^2}}{2e^5} - \frac{19d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^5} - \frac{d^3(d-ex)^4}{5e^5(d^2-e^2x^2)^{5/2}}$$

**Rubi [A]** time = 0.42, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {852, 1635, 780, 217, 203}

$$-\frac{d^3(d-ex)^4}{5e^5(d^2-e^2x^2)^{5/2}} + \frac{19d^2(d-ex)^3}{15e^5(d^2-e^2x^2)^{3/2}} - \frac{6d(d-ex)^2}{e^5\sqrt{d^2-e^2x^2}} - \frac{(20d-ex)\sqrt{d^2-e^2x^2}}{2e^5} - \frac{19d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^5}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] -(d^3\*(d - e\*x)^4)/(5\*e^5\*(d^2 - e^2\*x^2)^(5/2)) + (19\*d^2\*(d - e\*x)^3)/(15\*e^5\*(d^2 - e^2\*x^2)^(3/2)) - (6\*d\*(d - e\*x)^2)/(e^5\*Sqrt[d^2 - e^2\*x^2]) - ((20\*d - e\*x)\*Sqrt[d^2 - e^2\*x^2])/(2\*e^5) - (19\*d^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e^5)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 780

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(((e\*f + d\*g)\*(2\*p + 3) + 2\*e\*g\*(p + 1)\*x)\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)\*(2\*p + 3)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(c\*(2\*p + 3)), Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]



Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p))/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1635

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 \sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx &= \int \frac{x^4 (d - ex)^4}{(d^2 - e^2 x^2)^{7/2}} dx \\
&= -\frac{d^3 (d - ex)^4}{5e^5 (d^2 - e^2 x^2)^{5/2}} - \frac{\int \frac{(d - ex)^3 \left( \frac{4d^4}{e^4} - \frac{5d^3 x}{e^3} + \frac{5d^2 x^2}{e^2} - \frac{5dx^3}{e} \right)}{(d^2 - e^2 x^2)^{5/2}} dx}{5d} \\
&= -\frac{d^3 (d - ex)^4}{5e^5 (d^2 - e^2 x^2)^{5/2}} + \frac{19d^2 (d - ex)^3}{15e^5 (d^2 - e^2 x^2)^{3/2}} + \frac{\int \frac{(d - ex)^2 \left( \frac{45d^4}{e^4} - \frac{30d^3 x}{e^3} + \frac{15d^2 x^2}{e^2} \right)}{(d^2 - e^2 x^2)^{3/2}} dx}{15d^2} \\
&= -\frac{d^3 (d - ex)^4}{5e^5 (d^2 - e^2 x^2)^{5/2}} + \frac{19d^2 (d - ex)^3}{15e^5 (d^2 - e^2 x^2)^{3/2}} - \frac{6d(d - ex)^2}{e^5 \sqrt{d^2 - e^2 x^2}} - \frac{\int \frac{\left( \frac{135d^4}{e^4} - \frac{15d^3 x}{e^3} \right) (d - ex)}{\sqrt{d^2 - e^2 x^2}} dx}{15d^3} \\
&= -\frac{d^3 (d - ex)^4}{5e^5 (d^2 - e^2 x^2)^{5/2}} + \frac{19d^2 (d - ex)^3}{15e^5 (d^2 - e^2 x^2)^{3/2}} - \frac{6d(d - ex)^2}{e^5 \sqrt{d^2 - e^2 x^2}} - \frac{(20d - ex) \sqrt{d^2 - e^2 x^2}}{2e^5} - \frac{(19d^2 - 20d^2 + 20dx - ex^2) \sqrt{d^2 - e^2 x^2}}{2e^5} \\
&= -\frac{d^3 (d - ex)^4}{5e^5 (d^2 - e^2 x^2)^{5/2}} + \frac{19d^2 (d - ex)^3}{15e^5 (d^2 - e^2 x^2)^{3/2}} - \frac{6d(d - ex)^2}{e^5 \sqrt{d^2 - e^2 x^2}} - \frac{(20d - ex) \sqrt{d^2 - e^2 x^2}}{2e^5} - \frac{(19d^2 - 20d^2 + 20dx - ex^2) \sqrt{d^2 - e^2 x^2}}{2e^5} \\
&= -\frac{d^3 (d - ex)^4}{5e^5 (d^2 - e^2 x^2)^{5/2}} + \frac{19d^2 (d - ex)^3}{15e^5 (d^2 - e^2 x^2)^{3/2}} - \frac{6d(d - ex)^2}{e^5 \sqrt{d^2 - e^2 x^2}} - \frac{(20d - ex) \sqrt{d^2 - e^2 x^2}}{2e^5} - \frac{19d^2 - 20d^2 + 20dx - ex^2}{2e^5}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 98, normalized size = 0.61

$$\frac{285d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) + \frac{\sqrt{d^2 - e^2 x^2} (448d^4 + 1059d^3 ex + 713d^2 e^2 x^2 + 75de^3 x^3 - 15e^4 x^4)}{(d + ex)^3}}{30e^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] -1/30\*((sqrt[d^2 - e^2\*x^2]\*(448\*d^4 + 1059\*d^3\*e\*x + 713\*d^2\*e^2\*x^2 + 75\*d\*e^3\*x^3 - 15\*e^4\*x^4))/(d + e\*x)^3 + 285\*d^2\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/e^5

**IntegrateAlgebraic [A]** time = 0.82, size = 121, normalized size = 0.76

$$\frac{\sqrt{d^2 - e^2 x^2} (-448d^4 - 1059d^3 ex - 713d^2 e^2 x^2 - 75de^3 x^3 + 15e^4 x^4)}{30e^5(d + ex)^3} - \frac{19d^2 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{2e^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-448\*d^4 - 1059\*d^3\*e\*x - 713\*d^2\*e^2\*x^2 - 75\*d\*e^3\*x^3 + 15\*e^4\*x^4))/(30\*e^5\*(d + e\*x)^3) - (19\*d^2\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(2\*e^6)

**fricas [A]** time = 0.43, size = 190, normalized size = 1.19

$$\frac{448d^2e^3x^3 + 1344d^3e^2x^2 + 1344d^4ex + 448d^5 - 570(d^2e^3x^3 + 3d^3e^2x^2 + 3d^4ex + d^5) \arctan\left(\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) - (15e^4x^4 - 75de^3x^3 - 713d^2e^2x^2 - 1059d^3ex - 448d^4)\sqrt{-e^2x^2 + d^2}}{30(e^8x^3 + 3de^7x^2 + 3d^2e^6x + d^3e^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x, algorithm="fricas")

[Out] -1/30\*(448\*d^2\*e^3\*x^3 + 1344\*d^3\*e^2\*x^2 + 1344\*d^4\*e\*x + 448\*d^5 - 570\*(d^2\*e^3\*x^3 + 3\*d^3\*e^2\*x^2 + 3\*d^4\*e\*x + d^5)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (15\*e^4\*x^4 - 75\*d\*e^3\*x^3 - 713\*d^2\*e^2\*x^2 - 1059\*d^3\*e\*x - 448\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(e^8\*x^3 + 3\*d\*e^7\*x^2 + 3\*d^2\*e^6\*x + d^3\*e^5)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (84\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^12\*exp(2)^2+18\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^10\*exp(2)^3-192\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^12\*exp(2)^2-180\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^10\*exp(2)^3-42\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^8\*exp(2)^4+228\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^12\*exp(2)^2-104\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^10\*exp(2)^3-192\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/

$$\begin{aligned} & \exp(2)^4 \exp(1)^8 \exp(2)^4 - 48 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^5 \exp(1)^6 \exp(2)^5 - 396 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^2 \exp(1)^{10} \exp(2)^3 - 168 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^3 \exp(1)^8 \exp(2)^4 + 60 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^4 \exp(1)^6 \exp(2)^5 + 24 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^5 \exp(1)^4 \exp(2)^6 - 510 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^2 \exp(1)^8 \exp(2)^4 - 246 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^3 \exp(1)^6 \exp(2)^5 + 57 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^4 \exp(1)^4 \exp(2)^6 + 27 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^5 \exp(2)^8 + 156 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^2 \exp(1)^6 \exp(2)^5 + 180 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^3 \exp(1)^4 \exp(2)^6 + 26 d^2 \exp(1)^8 \exp(2)^4 + 66 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^4 \exp(2)^8 + 180 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^2 \exp(1)^4 \exp(2)^6 - 48 d^2 \exp(1)^6 \exp(2)^5 + 216 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^3 \exp(2)^8 - 65 d^2 \exp(1)^4 \exp(2)^6 + 132 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^2 \exp(2)^8 + 66 d^2 \exp(2)^8 + 104 d^2 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2)^3 \exp(1)^{14} \exp(2) - 189/2 d^2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(2)^8 / x / \exp(2) - 78 d^2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(1)^4 \exp(2)^6 / x / \exp(2) + 171 d^2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(1)^6 \exp(2)^5 / x / \exp(2) + 123 d^2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(1)^8 \exp(2)^4 / x / \exp(2) - 69 d^2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(1)^{10} \exp(2)^3 / x / \exp(2) / ((-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^2 \exp(2) - (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1) / x + \exp(2))^3 / (3 \exp(1)^{15} - 6 \exp(1)^{11} \exp(2)^2 - 6 \exp(1)^9 \exp(2)^3 + 3 \exp(1)^7 \exp(2)^4 + 3 \exp(1)^5 \exp(2)^5 + 3 \exp(1)^{13} \exp(2)) + 1/2 (64 d^2 \exp(1)^{10} \exp(2)^2 + 80 d^2 \exp(1)^8 \exp(2)^3 - 88 d^2 \exp(1)^6 \exp(2)^4 - 102 d^2 \exp(1)^4 \exp(2)^5 + 76 d^2 \exp(2)^7 - 16 d^2 \exp(1)^{12} \exp(2)) * \operatorname{atan}((-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x + \exp(2)) / \sqrt{-\exp(1)^4 + \exp(2)^2} / \sqrt{-\exp(1)^4 + \exp(2)^2} / (-\exp(1)^{17} + 2 \exp(1)^{13} \exp(2)^2 + 2 \exp(1)^{11} \exp(2)^3 - \exp(1)^9 \exp(2)^4 - \exp(1)^7 \exp(2)^5 - \exp(1)^{15} \exp(2)) - 19/2 d^2 \operatorname{sign}(d) \operatorname{asin}(x \exp(2) / d / \exp(1)) / \exp(1)^5 + 2 (2 \exp(1)^9 / 8 / \exp(1)^{13} x - 16 \exp(1)^8 d / 1/8 / \exp(1)^{13}) \sqrt{d^2 - x^2 \exp(2)} \end{aligned}$$

**maple [A]** time = 0.01, size = 273, normalized size = 1.71

$$\frac{10d^2 \arctan\left(\frac{\sqrt{x}}{\sqrt{2(x+\frac{d}{c})de - (x+\frac{d}{c})^2}}\right)}{\sqrt{e^2} e^4} + \frac{d^2 \arctan\left(\frac{\sqrt{x}}{\sqrt{-2x+de}}\right)}{2\sqrt{e^2} e^4} + \frac{\sqrt{-e^2x^2+d^2} x}{2e^4} - \frac{10\sqrt{2(x+\frac{d}{c})de - (x+\frac{d}{c})^2} e^2 d}{e^5} - \frac{2(x+\frac{d}{c})de - (x+\frac{d}{c})^2 e^2}{5(x+\frac{d}{c})^4 e^9} + \frac{19(2(x+\frac{d}{c})de - (x+\frac{d}{c})^2 e^2)^{\frac{3}{2}} d^2}{15(x+\frac{d}{c})^3 e^8} - \frac{6(2(x+\frac{d}{c})de - (x+\frac{d}{c})^2 e^2)^{\frac{3}{2}} d}{(x+\frac{d}{c})^2 e^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x)

[Out]  $\frac{1}{2}e^4 x (-e^2 x^2 + d^2)^{1/2} + \frac{1}{2}e^4 d^2 (e^2)^{1/2} \arctan\left(\frac{(e^2)^{1/2}}{-e^2 x^2 + d^2} x\right) - \frac{1}{5}d^3/e^9 (x+d/e)^4 (2(x+d/e)d e - (x+d/e)^2 e^2)^{3/2} + \frac{19}{15}e^8 d^2 (x+d/e)^3 (2(x+d/e)d e - (x+d/e)^2 e^2)^{3/2} - \frac{10}{e^5} d (2(x+d/e)d e - (x+d/e)^2 e^2)^{1/2} - \frac{10}{e^4} d^2 (e^2)^{1/2} \arctan\left(\frac{(e^2)^{1/2}}{2(x+d/e)d e - (x+d/e)^2 e^2} x\right) - \frac{6}{e^7} d (x+d/e)^2 (2(x+d/e)d e - (x+d/e)^2 e^2)^{3/2}$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(-e^2*x^2+d^2)^(1/2)/(e*x+d)^4,x, algorithm="maxima")`

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4 \sqrt{d^2 - e^2 x^2}}{(d + e x)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4*(d^2 - e^2*x^2)^(1/2))/(d + e*x)^4,x)`

[Out] `int((x^4*(d^2 - e^2*x^2)^(1/2))/(d + e*x)^4, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sqrt{-(-d + e x)(d + e x)}}{(d + e x)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(-e**2*x**2+d**2)**(1/2)/(e*x+d)**4,x)`

[Out] `Integral(x**4*sqrt(-(-d + e*x)*(d + e*x))/(d + e*x)**4, x)`

$$3.190 \quad \int \frac{x^3 \sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx$$

**Optimal.** Leaf size=148

$$\frac{d^2 (d^2 - e^2 x^2)^{3/2}}{5e^4 (d + ex)^4} - \frac{14d (d^2 - e^2 x^2)^{3/2}}{15e^4 (d + ex)^3} + \frac{8d \sqrt{d^2 - e^2 x^2}}{e^4 (d + ex)} - \frac{(d^2 - e^2 x^2)^{3/2}}{e^4 (d + ex)^2} + \frac{4d \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)}{e^4}$$

**Rubi [A]** time = 0.25, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {1639, 1637, 659, 651, 663, 217, 203}

$$\frac{d^2 (d^2 - e^2 x^2)^{3/2}}{5e^4 (d + ex)^4} - \frac{14d (d^2 - e^2 x^2)^{3/2}}{15e^4 (d + ex)^3} + \frac{8d \sqrt{d^2 - e^2 x^2}}{e^4 (d + ex)} - \frac{(d^2 - e^2 x^2)^{3/2}}{e^4 (d + ex)^2} + \frac{4d \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)}{e^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] (8\*d\*Sqrt[d^2 - e^2\*x^2])/(e^4\*(d + e\*x)) + (d^2\*(d^2 - e^2\*x^2)^(3/2))/(5\*e^4\*(d + e\*x)^4) - (14\*d\*(d^2 - e^2\*x^2)^(3/2))/(15\*e^4\*(d + e\*x)^3) - (d^2 - e^2\*x^2)^(3/2)/(e^4\*(d + e\*x)^2) + (4\*d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e^4

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 651

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + 2\*p + 2, 0]

### Rule 659

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp
[(e*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*c*d*(m + p + 1)), x] + Dist[Simplif
y[m + 2*p + 2]/(2*d*(m + p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x],
x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p
] && ILtQ[Simplify[m + 2*p + 2], 0]
```

### Rule 663

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + p + 1)), x] - Dist[(c*p)/(e^2*(m
+ p + 1)), Int[(d + e*x)^(m + 2)*(a + c*x^2)^(p - 1), x], x] /; FreeQ[{a, c
, d, e}, x] && EqQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (LtQ[m, -2] || EqQ[m +
2*p + 1, 0]) && NeQ[m + p + 1, 0] && IntegerQ[2*p]
```

### Rule 1637

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=
Int[ExpandIntegrand[(a + c*x^2)^p, (d + e*x)^m*Pq, x], x] /; FreeQ[{a, c,
d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && EqQ[m + Expon[Pq, x]
+ 2*p + 1, 0] && ILtQ[m, 0]
```

### Rule 1639

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - 2*e*f*(m +
p + q)*(d + e*x)^(q - 2)*(a*e - c*d*x), x], x], x] /; NeQ[m + q + 2*p + 1,
0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0
] && !IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx &= -\frac{(d^2 - e^2 x^2)^{3/2}}{e^4 (d + ex)^2} - \frac{\int \frac{\sqrt{d^2 - e^2 x^2} (2d^3 e^2 + 5d^2 e^3 x + 4de^4 x^2)}{(d + ex)^4} dx}{e^5} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{e^4 (d + ex)^2} - \frac{\int \left( \frac{d^3 e^2 \sqrt{d^2 - e^2 x^2}}{(d + ex)^4} - \frac{3d^2 e^2 \sqrt{d^2 - e^2 x^2}}{(d + ex)^3} + \frac{4de^2 \sqrt{d^2 - e^2 x^2}}{(d + ex)^2} \right) dx}{e^5} \\
&= -\frac{(d^2 - e^2 x^2)^{3/2}}{e^4 (d + ex)^2} - \frac{(4d) \int \frac{\sqrt{d^2 - e^2 x^2}}{(d + ex)^2} dx}{e^3} + \frac{(3d^2) \int \frac{\sqrt{d^2 - e^2 x^2}}{(d + ex)^3} dx}{e^3} - \frac{d^3 \int \frac{\sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx}{e^3} \\
&= \frac{8d \sqrt{d^2 - e^2 x^2}}{e^4 (d + ex)} + \frac{d^2 (d^2 - e^2 x^2)^{3/2}}{5e^4 (d + ex)^4} - \frac{d (d^2 - e^2 x^2)^{3/2}}{e^4 (d + ex)^3} - \frac{(d^2 - e^2 x^2)^{3/2}}{e^4 (d + ex)^2} + \frac{(4d) \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx}{e^3} \\
&= \frac{8d \sqrt{d^2 - e^2 x^2}}{e^4 (d + ex)} + \frac{d^2 (d^2 - e^2 x^2)^{3/2}}{5e^4 (d + ex)^4} - \frac{14d (d^2 - e^2 x^2)^{3/2}}{15e^4 (d + ex)^3} - \frac{(d^2 - e^2 x^2)^{3/2}}{e^4 (d + ex)^2} + \frac{(4d) \text{Subst} \left( \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \right)}{e^3} \\
&= \frac{8d \sqrt{d^2 - e^2 x^2}}{e^4 (d + ex)} + \frac{d^2 (d^2 - e^2 x^2)^{3/2}}{5e^4 (d + ex)^4} - \frac{14d (d^2 - e^2 x^2)^{3/2}}{15e^4 (d + ex)^3} - \frac{(d^2 - e^2 x^2)^{3/2}}{e^4 (d + ex)^2} + \frac{4d \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)}{e^4}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 85, normalized size = 0.57

$$\frac{60d \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \frac{\sqrt{d^2 - e^2 x^2} (94d^3 + 222d^2 ex + 149de^2 x^2 + 15e^3 x^3)}{(d + ex)^3}}{15e^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(94\*d^3 + 222\*d^2\*e\*x + 149\*d\*e^2\*x^2 + 15\*e^3\*x^3))/(d + e\*x)^3 + 60\*d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(15\*e^4)

**IntegrateAlgebraic [A]** time = 0.65, size = 106, normalized size = 0.72

$$\frac{4d \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right)}{e^5} + \frac{\sqrt{d^2 - e^2 x^2} (94d^3 + 222d^2 ex + 149de^2 x^2 + 15e^3 x^3)}{15e^4 (d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]



[Out]  $(\sqrt{d^2 - e^2 x^2} (94 d^3 + 222 d^2 e x + 149 d e^2 x^2 + 15 e^3 x^3)) / (15 e^4 (d + e x)^3 + (4 d \sqrt{-e^2} \operatorname{Log}[-(\sqrt{-e^2} x) + \sqrt{d^2 - e^2 x^2}])) / e^5$

**fricas** [A] time = 0.42, size = 174, normalized size = 1.18

$$\frac{94 d e^3 x^3 + 282 d^2 e^2 x^2 + 282 d^3 e x + 94 d^4 - 120 (d e^3 x^3 + 3 d^2 e^2 x^2 + 3 d^3 e x + d^4) \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) + (15 e^3 x^3 + 149 d e^2 x^2 + 222 d^2 e x + 94 d^3) \sqrt{-e^2 x^2 + d^2}}{15 (e^7 x^3 + 3 d e^6 x^2 + 3 d^2 e^5 x + d^3 e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-e^2*x^2+d^2)^(1/2)/(e*x+d)^4,x, algorithm="fricas")`

[Out]  $1/15(94 d^3 e^3 x^3 + 282 d^2 e^2 x^2 + 282 d^3 e x + 94 d^4 - 120 (d e^3 x^3 + 3 d^2 e^2 x^2 + 3 d^3 e x + d^4) \arctan(- (d - \sqrt{-e^2 x^2 + d^2}) / (e x)) + (15 e^3 x^3 + 149 d e^2 x^2 + 222 d^2 e x + 94 d^3) \sqrt{-e^2 x^2 + d^2}) / (e^7 x^3 + 3 d e^6 x^2 + 3 d^2 e^5 x + d^3 e^4)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(-e^2*x^2+d^2)^(1/2)/(e*x+d)^4,x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $(-30 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{4 \exp(1)^{12} \exp(2)^{-6} d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{5 \exp(1)^{10} \exp(2)^3 + 144 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{3 \exp(1)^{12} \exp(2)^2 + 132 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{4 \exp(1)^{10} \exp(2)^3 + 30 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{5 \exp(1)^8 \exp(2)^4 - 102 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{2 \exp(1)^{12} \exp(2)^2 + 62 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{3 \exp(1)^{10} \exp(2)^3 + 87 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{4 \exp(1)^8 \exp(2)^4 + 21 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{5 \exp(1)^6 \exp(2)^5 + 300 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{2 \exp(1)^{10} \exp(2)^3 + 144 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{3 \exp(1)^8 \exp(2)^4 - 24 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{4 \exp(1)^6 \exp(2)^5 - 12 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{5 \exp(1)^4 \exp(2)^6 + 264 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{2 \exp(1)^8 \exp(2)^4 + 120 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{3 \exp(1)^6 \exp(2)^5 - 24 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) / x \exp(2))^{4 \exp(1)^4 \exp(2)^6 - 12 d (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2} \exp(2)) \exp(1)) /$

$x/\exp(2))^5 \exp(2)^8 - 84*d*(-1/2*(-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))$   
 $/x/\exp(2))^2 \exp(1)^6 \exp(2)^5 - 108*d*(-1/2*(-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})$   
 $*\exp(1))/x/\exp(2))^3 \exp(1)^4 \exp(2)^6 - 11*d*\exp(1)^8 \exp(2)^4 - 36*d*(-1/2$   
 $*(-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))/x/\exp(2))^4 \exp(2)^8 - 96*d*(-1/$   
 $2*(-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))/x/\exp(2))^2 \exp(1)^4 \exp(2)^6$   
 $+ 36*d*\exp(1)^6 \exp(2)^5 - 108*d*(-1/2*(-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp$   
 $(1))/x/\exp(2))^3 \exp(2)^8 + 32*d*\exp(1)^4 \exp(2)^6 - 72*d*(-1/2*(-2*d*\exp(1) - 2*$   
 $\sqrt{d^2 - x^2*\exp(2)})*\exp(1))/x/\exp(2))^2 \exp(2)^8 - 36*d*\exp(2)^8 - 44*d*(-1/2*$   
 $(-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))/x/\exp(2))^3 \exp(1)^{14} \exp(2) + 48$   
 $*d*(-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))*\exp(2)^8/x/\exp(2) + 48*d*(-2*d$   
 $*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))*\exp(1)^4 \exp(2)^6/x/\exp(2) - 171/2*d*($   
 $-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))*\exp(1)^6 \exp(2)^5/x/\exp(2) - 93*d*$   
 $(-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))*\exp(1)^8 \exp(2)^4/x/\exp(2) + 30*d$   
 $*(-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))*\exp(1)^{10} \exp(2)^3/x/\exp(2))/$   
 $(-1/2*(-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))/x/\exp(2))^2 \exp(2) - (-2*d*$   
 $\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))/x + \exp(2))^3/(3*\exp(1)^{14} - 6*\exp(1)^{10}$   
 $\exp(2)^2 - 6*\exp(1)^8 \exp(2)^3 + 3*\exp(1)^6 \exp(2)^4 + 3*\exp(1)^4 \exp(2)^5 + 3*\exp$   
 $(1)^{12} \exp(2)) + 1/2*(-36*d*\exp(1)^{10} \exp(2)^2 - 30*d*\exp(1)^8 \exp(2)^3 + 40*d*\exp$   
 $(1)^6 \exp(2)^4 + 40*d*\exp(1)^4 \exp(2)^5 - 32*d*\exp(2)^7 + 4*d*\exp(1)^{12} \exp(2))*a$   
 $\tan((-1/2*(-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)})*\exp(1))/x + \exp(2))/\sqrt{-\exp(1)$   
 $)^4 + \exp(2)^2))/\sqrt{-\exp(1)^4 + \exp(2)^2)/(-\exp(1)^{16} + 2*\exp(1)^{12} \exp(2)^2 + 2*$   
 $\exp(1)^{10} \exp(2)^3 - \exp(1)^8 \exp(2)^4 - \exp(1)^6 \exp(2)^5 - \exp(1)^{14} \exp(2)) + 4*$   
 $d*\text{sign}(d)*\text{asin}(x*\exp(2)/d/\exp(1))/\exp(1)^4 + 2*\exp(1)^3 * 1/2/\exp(1)^7 * \sqrt{d^2$   
 $- x^2*\exp(2)}$

**maple [A]** time = 0.01, size = 212, normalized size = 1.43

$$\frac{4d \arctan\left(\frac{\sqrt{e^2} x}{\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2}}\right)}{\sqrt{e^2} e^3} + \frac{4\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2}}{e^4} + \frac{\left(2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} d^2}{5\left(x+\frac{d}{e}\right)^4 e^8} - \frac{14\left(2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}} d}{15\left(x+\frac{d}{e}\right)^3 e^7} + \frac{3\left(2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}}}{\left(x+\frac{d}{e}\right)^2 e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x)

[Out]  $1/5*d^2/e^8/(x+d/e)^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2) - 14/15*d/e^7/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2) + 4/e^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2) + 4/e^3*d/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x) + 3/e^6/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)$

**maxima [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 \sqrt{d^2 - e^2 x^2}}{(d + e x)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3\*(d^2 - e^2\*x^2)^(1/2))/(d + e\*x)^4, x)

[Out] int((x^3\*(d^2 - e^2\*x^2)^(1/2))/(d + e\*x)^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sqrt{-(-d + ex)(d + ex)}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2)/(e\*x+d)\*\*4, x)

[Out] Integral(x\*\*3\*sqrt(-(-d + e\*x)\*(d + e\*x))/(d + e\*x)\*\*4, x)

$$3.191 \quad \int \frac{x^2 \sqrt{d^2 - e^2 x^2}}{(d+ex)^4} dx$$

**Optimal.** Leaf size=115

$$\frac{3(d^2 - e^2 x^2)^{3/2}}{5e^3(d+ex)^3} - \frac{d(d^2 - e^2 x^2)^{3/2}}{5e^3(d+ex)^4} - \frac{2\sqrt{d^2 - e^2 x^2}}{e^3(d+ex)} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{e^3}$$

**Rubi [A]** time = 0.15, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1637, 659, 651, 663, 217, 203}

$$\frac{3(d^2 - e^2 x^2)^{3/2}}{5e^3(d+ex)^3} - \frac{d(d^2 - e^2 x^2)^{3/2}}{5e^3(d+ex)^4} - \frac{2\sqrt{d^2 - e^2 x^2}}{e^3(d+ex)} - \frac{\tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] (-2\*Sqrt[d^2 - e^2\*x^2])/(e^3\*(d + e\*x)) - (d\*(d^2 - e^2\*x^2)^(3/2))/(5\*e^3\*(d + e\*x)^4) + (3\*(d^2 - e^2\*x^2)^(3/2))/(5\*e^3\*(d + e\*x)^3) - ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]]/e^3

#### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 651

Int[((d\_) + (e\_.)\*(x\_)^(m\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + 2\*p + 2, 0]

#### Rule 659

Int[((d\_) + (e\_.)\*(x\_)^(m\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplif

$y[m + 2*p + 2]/(2*d*(m + p + 1)), \text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] /;$  FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

### Rule 663

$\text{Int}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x] - \text{Dist}[(c*p)/(e^2*(m + p + 1)), \text{Int}[(d + e*x)^{(m + 2)}*(a + c*x^2)^{(p - 1)}, x], x] /;$  FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 + a\*e^2, 0] && GtQ[p, 0] && (LtQ[m, -2] || EqQ[m + 2\*p + 1, 0]) && NeQ[m + p + 1, 0] && IntegerQ[2\*p]

### Rule 1637

$\text{Int}[(Pq)*((d + e*x)^{(m + 1)}*(a + c*x^2)^p), x] /;$  FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c\*d^2 + a\*e^2, 0] && EqQ[m + Expon[Pq, x] + 2\*p + 1, 0] && ILtQ[m, 0]

### Rubi steps

$$\begin{aligned} \int \frac{x^2 \sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx &= \int \left( \frac{d^2 \sqrt{d^2 - e^2 x^2}}{e^2 (d + ex)^4} - \frac{2d \sqrt{d^2 - e^2 x^2}}{e^2 (d + ex)^3} + \frac{\sqrt{d^2 - e^2 x^2}}{e^2 (d + ex)^2} \right) dx \\ &= \frac{\int \frac{\sqrt{d^2 - e^2 x^2}}{(d + ex)^2} dx}{e^2} - \frac{(2d) \int \frac{\sqrt{d^2 - e^2 x^2}}{(d + ex)^3} dx}{e^2} + \frac{d^2 \int \frac{\sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx}{e^2} \\ &= -\frac{2\sqrt{d^2 - e^2 x^2}}{e^3 (d + ex)} - \frac{d (d^2 - e^2 x^2)^{3/2}}{5e^3 (d + ex)^4} + \frac{2 (d^2 - e^2 x^2)^{3/2}}{3e^3 (d + ex)^3} - \frac{\int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx}{e^2} + \frac{d \int \frac{\sqrt{d^2 - e^2 x^2}}{(d + ex)^3} dx}{5e^2} \\ &= -\frac{2\sqrt{d^2 - e^2 x^2}}{e^3 (d + ex)} - \frac{d (d^2 - e^2 x^2)^{3/2}}{5e^3 (d + ex)^4} + \frac{3 (d^2 - e^2 x^2)^{3/2}}{5e^3 (d + ex)^3} - \frac{\text{Subst} \left( \int \frac{1}{1 + e^2 x^2} dx, x, \frac{x}{\sqrt{d^2 - e^2 x^2}} \right)}{e^2} \\ &= -\frac{2\sqrt{d^2 - e^2 x^2}}{e^3 (d + ex)} - \frac{d (d^2 - e^2 x^2)^{3/2}}{5e^3 (d + ex)^4} + \frac{3 (d^2 - e^2 x^2)^{3/2}}{5e^3 (d + ex)^3} - \frac{\tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)}{e^3} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 73, normalized size = 0.63

$$\frac{\sqrt{d^2 - e^2 x^2} (8d^2 + 19dex + 13e^2 x^2)}{(d + ex)^3} + 5 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)$$

-----  
5e<sup>3</sup>

Antiderivative was successfully verified.

[In] Integrate[(x^2\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] -1/5\*((Sqrt[d^2 - e^2\*x^2]\*(8\*d^2 + 19\*d\*e\*x + 13\*e^2\*x^2))/(d + e\*x)^3 + 5\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e^3

**IntegrateAlgebraic [A]** time = 0.69, size = 94, normalized size = 0.82

$$\frac{(-8d^2 - 19dex - 13e^2x^2)\sqrt{d^2 - e^2x^2}}{5e^3(d + ex)^3} - \frac{\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{e^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] ((-8\*d^2 - 19\*d\*e\*x - 13\*e^2\*x^2)\*Sqrt[d^2 - e^2\*x^2])/(5\*e^3\*(d + e\*x)^3) - (Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^4

**fricas [A]** time = 0.41, size = 157, normalized size = 1.37

$$\frac{8e^3x^3 + 24de^2x^2 + 24d^2ex + 8d^3 - 10(e^3x^3 + 3de^2x^2 + 3d^2ex + d^3)\arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + (13e^2x^2 + 19dex + 8d^2)\sqrt{-e^2x^2+d^2}}{5(e^6x^3 + 3de^5x^2 + 3d^2e^4x + d^3e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x, algorithm="fricas")

[Out] -1/5\*(8\*e^3\*x^3 + 24\*d\*e^2\*x^2 + 24\*d^2\*e\*x + 8\*d^3 - 10\*(e^3\*x^3 + 3\*d\*e^2\*x^2 + 3\*d^2\*e\*x + d^3)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (13\*e^2\*x^2 + 19\*d\*e\*x + 8\*d^2)\*sqrt(-e^2\*x^2 + d^2))/(e^6\*x^3 + 3\*d\*e^5\*x^2 + 3\*d^2\*e^4\*x + d^3\*e^3)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (-96\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^12\*exp(2)^2-84\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^10\*exp(2)^3-18\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^8\*exp(2)^4+24\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))

$$\frac{1}{x} \exp(2)^2 \exp(1)^{12} \exp(2)^{-32} \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^3 \exp(1)^{10} \exp(2)^3 + 8 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^3 \exp(1)^{14} \exp(2)^{-24} \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^4 \exp(1)^8 \exp(2)^{-4} - 6 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^5 \exp(1)^6 \exp(2)^5 - 204 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^2 \exp(1)^{10} \exp(2)^3 - 120 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^3 \exp(1)^8 \exp(2)^4 - 12 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^4 \exp(1)^6 \exp(2)^5 - 102 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^2 \exp(1)^8 \exp(2)^4 - 42 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^3 \exp(1)^6 \exp(2)^5 + 3 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^4 \exp(1)^4 \exp(2)^6 + 3 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^5 \exp(2)^8 + 12 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^2 \exp(1)^6 \exp(2)^5 + 36 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^3 \exp(1)^4 \exp(2)^6 + 2 \exp(1)^8 \exp(2)^4 + 12 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^4 \exp(2)^8 + 36 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^2 \exp(1)^4 \exp(2)^6 - 24 \exp(1)^6 \exp(2)^5 + 36 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^3 \exp(2)^8 - 11 \exp(1)^4 \exp(2)^6 + 24 \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2)^2 \exp(2)^8 + 12 \exp(2)^8 - 33/2 \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \exp(2)^8 / x \exp(2) - 18 \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \exp(1)^4 \exp(2)^6 / x \exp(2) + 30 \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \exp(1)^6 \exp(2)^5 / x \exp(2) + 63 \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \exp(1)^8 \exp(2)^4 / x \exp(2) - 6 \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \exp(1)^{10} \exp(2)^3 / x \exp(2) / \left( \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x \exp(2) \right)^2 \exp(2) - \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) / x + \exp(2)^3 / \left( 3 \exp(1)^{13} - 6 \exp(1)^9 \exp(2)^2 - 6 \exp(1)^7 \exp(2)^3 + 3 \exp(1)^5 \exp(2)^4 + 3 \exp(1)^{11} \exp(2) + 3 \exp(1) \exp(2)^6 \right) + 1/2 \left( 16 \exp(1)^{10} \exp(2)^2 + 8 \exp(1)^8 \exp(2)^3 - 8 \exp(1)^6 \exp(2)^4 - 10 \exp(1)^4 \exp(2)^5 + 8 \exp(2)^7 \right) \operatorname{atan} \left( \left( -\frac{1}{2} \left( -2d \exp(1) - 2\sqrt{d^2 - x^2} \exp(2) \right) \exp(1) \right) / x + \exp(2) \right) / \sqrt{\exp(1)^4 + \exp(2)^2} / \sqrt{\exp(1)^4 + \exp(2)^2} / \left( -\exp(1)^{15} + 2 \exp(1)^{11} \exp(2)^2 + 2 \exp(1)^9 \exp(2)^3 - \exp(1)^7 \exp(2)^4 - \exp(1)^5 \exp(2)^5 - \exp(1)^{13} \exp(2) \right) - \operatorname{sign}(d) \operatorname{asin}(x \exp(2) / d \exp(1)) / \exp(1) / \exp(2)$$

**maple [B]** time = 0.01, size = 214, normalized size = 1.86

$$\frac{\arctan\left(\frac{\sqrt{2}x}{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}}\right)}{\sqrt{e^2}e^2} - \frac{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}}{de^3} - \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}d}{5\left(x+\frac{d}{e}\right)^4e^7} - \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}}{\left(x+\frac{d}{e}\right)^2de^5} + \frac{3\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}}{5\left(x+\frac{d}{e}\right)^3e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(-e^2*x^2+d^2)^(1/2)/(e*x+d)^4,x)`

[Out] `-1/5*d/e^7/(x+d/e)^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)+3/5/e^6/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)-1/e^5/d/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)`

)<sup>2</sup>\*e<sup>2</sup>)<sup>(3/2)</sup>-1/e<sup>3</sup>/d\*(2\*(x+d/e)\*d\*e<sup>-(x+d/e)^2</sup>\*e<sup>2</sup>)<sup>(1/2)</sup>-1/e<sup>2</sup>/(e<sup>2</sup>)<sup>(1/2)</sup>  
 )\*arctan((e<sup>2</sup>)<sup>(1/2)</sup>/(2\*(x+d/e)\*d\*e<sup>-(x+d/e)^2</sup>\*e<sup>2</sup>)<sup>(1/2)</sup>\*x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-e^2 x^2 + d^2} x^2}{(ex + d)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>2</sup>\*(-e<sup>2</sup>\*x<sup>2</sup>+d<sup>2</sup>)<sup>(1/2)</sup>/(e\*x+d)<sup>4</sup>,x, algorithm="maxima")

[Out] integrate(sqrt(-e<sup>2</sup>\*x<sup>2</sup> + d<sup>2</sup>)\*x<sup>2</sup>/(e\*x + d)<sup>4</sup>, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 \sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x<sup>2</sup>\*(d<sup>2</sup> - e<sup>2</sup>\*x<sup>2</sup>)<sup>(1/2)</sup>)/(d + e\*x)<sup>4</sup>,x)

[Out] int((x<sup>2</sup>\*(d<sup>2</sup> - e<sup>2</sup>\*x<sup>2</sup>)<sup>(1/2)</sup>)/(d + e\*x)<sup>4</sup>, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sqrt{-(-d + ex)(d + ex)}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(1/2)/(e\*x+d)\*\*4,x)

[Out] Integral(x\*\*2\*sqrt(-(-d + e\*x)\*(d + e\*x))/(d + e\*x)\*\*4, x)



$$3.192 \quad \int \frac{x\sqrt{d^2 - e^2x^2}}{(d+ex)^4} dx$$

**Optimal.** Leaf size=64

$$\frac{(d^2 - e^2x^2)^{3/2}}{5e^2(d + ex)^4} - \frac{4(d^2 - e^2x^2)^{3/2}}{15de^2(d + ex)^3}$$

**Rubi [A]** time = 0.03, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {793, 651}

$$\frac{(d^2 - e^2x^2)^{3/2}}{5e^2(d + ex)^4} - \frac{4(d^2 - e^2x^2)^{3/2}}{15de^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] Int[(x\*sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] (d^2 - e^2\*x^2)^(3/2)/(5\*e^2\*(d + e\*x)^4) - (4\*(d^2 - e^2\*x^2)^(3/2))/(15\*d\*e^2\*(d + e\*x)^3)

Rule 651

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + 2\*p + 2, 0]

Rule 793

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[(m\*(g\*c\*d + c\*e\*f) + 2\*e\*c\*f\*(p + 1))/(e\*(2\*c\*d)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2\*p + 2, 0]) && NeQ[m + p + 1, 0]

Rubi steps

$$\int \frac{x\sqrt{d^2 - e^2x^2}}{(d + ex)^4} dx = \frac{(d^2 - e^2x^2)^{3/2}}{5e^2(d + ex)^4} + \frac{4 \int \frac{\sqrt{d^2 - e^2x^2}}{(d+ex)^3} dx}{5e}$$

$$= \frac{(d^2 - e^2x^2)^{3/2}}{5e^2(d + ex)^4} - \frac{4(d^2 - e^2x^2)^{3/2}}{15de^2(d + ex)^3}$$

**Mathematica** [A] time = 0.05, size = 50, normalized size = 0.78

$$\frac{(d^2 + 3dex - 4e^2x^2)\sqrt{d^2 - e^2x^2}}{15de^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] -1/15\*((d^2 + 3\*d\*e\*x - 4\*e^2\*x^2)\*Sqrt[d^2 - e^2\*x^2])/(d\*e^2\*(d + e\*x)^3)

**IntegrateAlgebraic** [A] time = 0.59, size = 52, normalized size = 0.81

$$\frac{\sqrt{d^2 - e^2x^2}(-d^2 - 3dex + 4e^2x^2)}{15de^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x)^4,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-d^2 - 3\*d\*e\*x + 4\*e^2\*x^2))/(15\*d\*e^2\*(d + e\*x)^3)

**fricas** [A] time = 0.40, size = 102, normalized size = 1.59

$$\frac{e^3x^3 + 3de^2x^2 + 3d^2ex + d^3 - (4e^2x^2 - 3dex - d^2)\sqrt{-e^2x^2 + d^2}}{15(de^5x^3 + 3d^2e^4x^2 + 3d^3e^3x + d^4e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x, algorithm="fricas")

[Out] -1/15\*(e^3\*x^3 + 3\*d\*e^2\*x^2 + 3\*d^2\*e\*x + d^3 - (4\*e^2\*x^2 - 3\*d\*e\*x - d^2)\*sqrt(-e^2\*x^2 + d^2))/(d\*e^5\*x^3 + 3\*d^2\*e^4\*x^2 + 3\*d^3\*e^3\*x + d^4\*e^2)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-e^2*x^2+d^2)^(1/2)/(e*x+d)^4,x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (6\*exp(1)\*exp(2)^7+12\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)\*exp(2)^7+6\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^11\*exp(2)^2+48\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^11\*exp(2)^2+36\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^9\*exp(2)^3+6\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^7\*exp(2)^4+6\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^11\*exp(2)^2+14\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^9\*exp(2)^3+4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^13\*exp(2)+3\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^7\*exp(2)^4+6\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^5\*exp(2)^5+108\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^9\*exp(2)^3+96\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^7\*exp(2)^4+48\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^5\*exp(2)^5+12\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^3\*exp(2)^6+24\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^7\*exp(2)^4+12\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^5\*exp(2)^5+6\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^3\*exp(2)^6+60\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^5\*exp(2)^5+36\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^3\*exp(2)^6+exp(1)^7\*exp(2)^4+12\*exp(1)^5\*exp(2)^5+2\*exp(1)^3\*exp(2)^6-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^3\*exp(2)^6/x/exp(2)-9/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^5\*exp(2)^5/x/exp(2)-33\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^7\*exp(2)^4/x/exp(2)-3\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^9\*exp(2)^3/x/exp(2))/((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(2)-(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))^3/(3\*d\*exp(1)^11-6\*d\*exp(1)^7\*exp(2)^2-6\*d\*exp(1)^5\*exp(2)^3+3\*d\*exp(1)^9\*exp(2)+6\*d\*exp(1)\*exp(2)^5)+1/2\*(4\*exp(1)^7\*exp(2)^2+2\*exp(1)^5\*exp(2)^3+8\*exp(1)^3\*exp(2)^4)\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/sqrt(-exp(1)^4+exp(2)^2)/(d\*exp(1)^11-2\*d\*exp(1)^7\*exp(2)^2-2\*d\*exp(1)^5\*exp(2)^3+d\*exp(1)^9\*exp(2)+2\*d\*exp(1)\*exp(2)^5)

**maple [A]** time = 0.01, size = 42, normalized size = 0.66

$$\frac{(-ex + d)(4ex + d)\sqrt{-e^2x^2 + d^2}}{15(ex + d)^3 d e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(-e^2*x^2+d^2)^(1/2)/(e*x+d)^4,x)`

[Out]  $-1/15*(-e*x+d)*(4*e*x+d)*(-e^2*x^2+d^2)^(1/2)/(e*x+d)^3/e^2/d$

**maxima** [B] time = 0.45, size = 125, normalized size = 1.95

$$\frac{2\sqrt{-e^2x^2+d^2}d}{5(e^5x^3+3de^4x^2+3d^2e^3x+d^3e^2)} - \frac{11\sqrt{-e^2x^2+d^2}}{15(e^4x^2+2de^3x+d^2e^2)} + \frac{4\sqrt{-e^2x^2+d^2}}{15(de^3x+d^2e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-e^2*x^2+d^2)^(1/2)/(e*x+d)^4,x, algorithm="maxima")`

[Out]  $2/5*\text{sqrt}(-e^2*x^2 + d^2)*d/(e^5*x^3 + 3*d*e^4*x^2 + 3*d^2*e^3*x + d^3*e^2) - 11/15*\text{sqrt}(-e^2*x^2 + d^2)/(e^4*x^2 + 2*d*e^3*x + d^2*e^2) + 4/15*\text{sqrt}(-e^2*x^2 + d^2)/(d*e^3*x + d^2*e^2)$

**mupad** [B] time = 2.90, size = 46, normalized size = 0.72

$$-\frac{\sqrt{d^2 - e^2 x^2} (d^2 + 3 d e x - 4 e^2 x^2)}{15 d e^2 (d + e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(d^2 - e^2*x^2)^(1/2))/(d + e*x)^4,x)`

[Out]  $-((d^2 - e^2*x^2)^(1/2)*(d^2 - 4*e^2*x^2 + 3*d*e*x))/(15*d*e^2*(d + e*x)^3)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x\sqrt{-(-d+ex)(d+ex)}}{(d+ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-e**2*x**2+d**2)**(1/2)/(e*x+d)**4,x)`

[Out] `Integral(x*sqrt(-(-d + e*x)*(d + e*x))/(d + e*x)**4, x)`

$$3.193 \quad \int \frac{\sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx$$

**Optimal.** Leaf size=67

$$-\frac{(d^2 - e^2 x^2)^{3/2}}{15d^2 e (d + ex)^3} - \frac{(d^2 - e^2 x^2)^{3/2}}{5de (d + ex)^4}$$

**Rubi [A]** time = 0.02, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {659, 651}

$$-\frac{(d^2 - e^2 x^2)^{3/2}}{15d^2 e (d + ex)^3} - \frac{(d^2 - e^2 x^2)^{3/2}}{5de (d + ex)^4}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d^2 - e^2\*x^2]/(d + e\*x)^4, x]

[Out] -(d^2 - e^2\*x^2)^(3/2)/(5\*d\*e\*(d + e\*x)^4) - (d^2 - e^2\*x^2)^(3/2)/(15\*d^2\*e\*(d + e\*x)^3)

Rule 651

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*c*d*(p + 1)), x] /; FreeQ[{a, c, d,
e, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[m + 2*p + 2,
0]
```

Rule 659

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp
[(e*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*c*d*(m + p + 1)), x] + Dist[Simplif
y[m + 2*p + 2]/(2*d*(m + p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x],
x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p
] && ILtQ[Simplify[m + 2*p + 2], 0]
```

Rubi steps

$$\int \frac{\sqrt{d^2 - e^2 x^2}}{(d + ex)^4} dx = -\frac{(d^2 - e^2 x^2)^{3/2}}{5de(d + ex)^4} + \frac{\int \frac{\sqrt{d^2 - e^2 x^2}}{(d + ex)^3} dx}{5d}$$

$$= -\frac{(d^2 - e^2 x^2)^{3/2}}{5de(d + ex)^4} - \frac{(d^2 - e^2 x^2)^{3/2}}{15d^2 e(d + ex)^3}$$

**Mathematica [A]** time = 0.03, size = 51, normalized size = 0.76

$$\frac{\sqrt{d^2 - e^2 x^2} (-4d^2 + 3dex + e^2 x^2)}{15d^2 e(d + ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d^2 - e^2\*x^2]/(d + e\*x)^4,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-4\*d^2 + 3\*d\*e\*x + e^2\*x^2))/(15\*d^2\*e\*(d + e\*x)^3)

**IntegrateAlgebraic [A]** time = 0.62, size = 51, normalized size = 0.76

$$\frac{\sqrt{d^2 - e^2 x^2} (-4d^2 + 3dex + e^2 x^2)}{15d^2 e(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d^2 - e^2\*x^2]/(d + e\*x)^4,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-4\*d^2 + 3\*d\*e\*x + e^2\*x^2))/(15\*d^2\*e\*(d + e\*x)^3)

**fricas [A]** time = 0.41, size = 104, normalized size = 1.55

$$-\frac{4e^3x^3 + 12de^2x^2 + 12d^2ex + 4d^3 - (e^2x^2 + 3dex - 4d^2)\sqrt{-e^2x^2 + d^2}}{15(d^2e^4x^3 + 3d^3e^3x^2 + 3d^4e^2x + d^5e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x, algorithm="fricas")

[Out] -1/15\*(4\*e^3\*x^3 + 12\*d\*e^2\*x^2 + 12\*d^2\*e\*x + 4\*d^3 - (e^2\*x^2 + 3\*d\*e\*x - 4\*d^2)\*sqrt(-e^2\*x^2 + d^2))/(d^2\*e^4\*x^3 + 3\*d^3\*e^3\*x^2 + 3\*d^4\*e^2\*x + d^5\*e)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (12\*(  

$$-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^4*\exp(1)^{12}*\exp(2)^2+6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^5*\exp(1)^{10}*\exp(2)^3+12*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^4*\exp(1)^{10}*\exp(2)^3+6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^5*\exp(1)^8*\exp(2)^4+12*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(1)^{12}*\exp(2)^2-8*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^3*\exp(1)^{10}*\exp(2)^3-24*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^4*\exp(1)^8*\exp(2)^4-12*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^5*\exp(1)^6*\exp(2)^5-12*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(1)^{10}*\exp(2)^3-72*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^3*\exp(1)^8*\exp(2)^4-84*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^4*\exp(1)^6*\exp(2)^5-24*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^5*\exp(1)^4*\exp(2)^6-30*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(1)^8*\exp(2)^4-30*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^3*\exp(1)^6*\exp(2)^5-3*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^4*\exp(1)^4*\exp(2)^6+3*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^5*\exp(2)^8-132*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(1)^6*\exp(2)^5-108*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^3*\exp(1)^4*\exp(2)^6+2*\exp(1)^8*\exp(2)^4-18*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^4*\exp(2)^8-12*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(1)^4*\exp(2)^6-5*\exp(1)^4*\exp(2)^6-36*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(2)^8-18*\exp(2)^8+8*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^3*\exp(1)^{14}*\exp(2)+3/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))*\exp(2)^8/x/\exp(2)+42*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))*\exp(1)^4*\exp(2)^6/x/\exp(2)+9*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))*\exp(1)^6*\exp(2)^5/x/\exp(2)+3*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))*\exp(1)^8*\exp(2)^4/x/\exp(2)-3*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))*\exp(1)^{10}*\exp(2)^3/x/\exp(2))/((-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(2)-(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x*\exp(2))^3/(3*d^2*\exp(1)^{11}-6*d^2*\exp(1)^7*\exp(2)^2-6*d^2*\exp(1)^5*\exp(2)^3+3*d^2*\exp(1)^9*\exp(2)+6*d^2*\exp(1)*\exp(2)^5)+1/2*(8*\exp(1)^4*\exp(2)^4+6*\exp(2)^6)*atan((-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x*\exp(2))/sqrt(-\exp(1)^4*\exp(2)^2))/sqrt(-\exp(1)^4*\exp(2)^2)/(-d^2*\exp(1)^{11}+2*d^2*\exp(1)^7*\exp(2)^2+2*d^2*\exp(1)^5*\exp(2)^3-d^2*\exp(1)^9*\exp(2)-2*d^2*\exp(1)*\exp(2)^5)$$

**maple** [A] time = 0.01, size = 43, normalized size = 0.64

$$-\frac{(-ex + d)(ex + 4d)\sqrt{-e^2x^2 + d^2}}{15(ex + d)^3 d^2 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-e^2*x^2+d^2)^(1/2)/(e*x+d)^4,x)`

[Out] `-1/15*(-e*x+d)*(e*x+4*d)*(-e^2*x^2+d^2)^(1/2)/(e*x+d)^3/d^2/e`

**maxima** [B] time = 0.44, size = 123, normalized size = 1.84

$$-\frac{2\sqrt{-e^2x^2 + d^2}}{5(e^4x^3 + 3de^3x^2 + 3d^2e^2x + d^3e)} + \frac{\sqrt{-e^2x^2 + d^2}}{15(de^3x^2 + 2d^2e^2x + d^3e)} + \frac{\sqrt{-e^2x^2 + d^2}}{15(d^2e^2x + d^3e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(1/2)/(e*x+d)^4,x, algorithm="maxima")`

[Out] `-2/5*sqrt(-e^2*x^2 + d^2)/(e^4*x^3 + 3*d*e^3*x^2 + 3*d^2*e^2*x + d^3*e) + 1/15*sqrt(-e^2*x^2 + d^2)/(d*e^3*x^2 + 2*d^2*e^2*x + d^3*e) + 1/15*sqrt(-e^2*x^2 + d^2)/(d^2*e^2*x + d^3*e)`

**mupad** [B] time = 2.78, size = 47, normalized size = 0.70

$$\frac{\sqrt{d^2 - e^2 x^2} (-4d^2 + 3d e x + e^2 x^2)}{15 d^2 e (d + e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(1/2)/(d + e*x)^4,x)`

[Out] `((d^2 - e^2*x^2)^(1/2)*(e^2*x^2 - 4*d^2 + 3*d*e*x))/(15*d^2*e*(d + e*x)^3)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(-d + ex)(d + ex)}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(1/2)/(e*x+d)**4,x)`

[Out] `Integral(sqrt(-(-d + e*x)*(d + e*x))/(d + e*x)**4, x)`



$$3.194 \quad \int \frac{\sqrt{d^2 - e^2 x^2}}{x(d+ex)^4} dx$$

**Optimal.** Leaf size=110

$$-\frac{4ex}{5d(d^2 - e^2x^2)^{3/2}} + \frac{8d(d - ex)}{5(d^2 - e^2x^2)^{5/2}} + \frac{5d - 8ex}{5d^3\sqrt{d^2 - e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^3}$$

**Rubi [A]** time = 0.22, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 823, 12, 266, 63, 208}

$$-\frac{4ex}{5d(d^2 - e^2x^2)^{3/2}} + \frac{5d - 8ex}{5d^3\sqrt{d^2 - e^2x^2}} + \frac{8d(d - ex)}{5(d^2 - e^2x^2)^{5/2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^3}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d^2 - e^2\*x^2]/(x\*(d + e\*x)^4), x]

[Out] (8\*d\*(d - e\*x))/(5\*(d^2 - e^2\*x^2)^(5/2)) - (4\*e\*x)/(5\*d\*(d^2 - e^2\*x^2)^(3/2)) + (5\*d - 8\*e\*x)/(5\*d^3\*Sqrt[d^2 - e^2\*x^2]) - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]/d^3

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 823

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

### Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1805

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d^2 - e^2 x^2}}{x(d + ex)^4} dx &= \int \frac{(d - ex)^4}{x(d^2 - e^2 x^2)^{7/2}} dx \\
&= \frac{8d(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{\int \frac{-5d^4 + 12d^3 ex + 5d^2 e^2 x^2}{x(d^2 - e^2 x^2)^{5/2}} dx}{5d^2} \\
&= \frac{8d(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4ex}{5d(d^2 - e^2 x^2)^{3/2}} + \frac{\int \frac{15d^4 - 24d^3 ex}{x(d^2 - e^2 x^2)^{3/2}} dx}{15d^4} \\
&= \frac{8d(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4ex}{5d(d^2 - e^2 x^2)^{3/2}} + \frac{5d - 8ex}{5d^3 \sqrt{d^2 - e^2 x^2}} + \frac{\int \frac{15d^6 e^2}{x \sqrt{d^2 - e^2 x^2}} dx}{15d^8 e^2} \\
&= \frac{8d(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4ex}{5d(d^2 - e^2 x^2)^{3/2}} + \frac{5d - 8ex}{5d^3 \sqrt{d^2 - e^2 x^2}} + \frac{\int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx}{d^2} \\
&= \frac{8d(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4ex}{5d(d^2 - e^2 x^2)^{3/2}} + \frac{5d - 8ex}{5d^3 \sqrt{d^2 - e^2 x^2}} + \frac{\text{Subst}\left(\int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, x^2\right)}{2d^2} \\
&= \frac{8d(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4ex}{5d(d^2 - e^2 x^2)^{3/2}} + \frac{5d - 8ex}{5d^3 \sqrt{d^2 - e^2 x^2}} - \frac{\text{Subst}\left(\int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2 x^2}\right)}{d^2 e^2} \\
&= \frac{8d(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4ex}{5d(d^2 - e^2 x^2)^{3/2}} + \frac{5d - 8ex}{5d^3 \sqrt{d^2 - e^2 x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^3}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 76, normalized size = 0.69

$$\frac{\frac{\sqrt{d^2 - e^2 x^2} (13d^2 + 19dex + 8e^2 x^2)}{(d + ex)^3} - 5 \log\left(\sqrt{d^2 - e^2 x^2} + d\right) + 5 \log(x)}{5d^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d^2 - e^2\*x^2]/(x\*(d + e\*x)^4), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(13\*d^2 + 19\*d\*e\*x + 8\*e^2\*x^2))/(d + e\*x)^3 + 5\*Log[x] - 5\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(5\*d^3)

**IntegrateAlgebraic [A]** time = 0.91, size = 92, normalized size = 0.84

$$\frac{\sqrt{d^2 - e^2 x^2} (13d^2 + 19dex + 8e^2 x^2)}{5d^3(d + ex)^3} + \frac{2 \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{d^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d^2 - e^2\*x^2]/(x\*(d + e\*x)^4),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(13\*d^2 + 19\*d\*e\*x + 8\*e^2\*x^2))/(5\*d^3\*(d + e\*x)^3) + (2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^3

**fricas [A]** time = 0.41, size = 153, normalized size = 1.39

$$\frac{13e^3x^3 + 39de^2x^2 + 39d^2ex + 13d^3 + 5(e^3x^3 + 3de^2x^2 + 3d^2ex + d^3) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (8e^2x^2 + 19dex + 13d^2)\sqrt{-e^2x^2 + d^2}}{5(d^3e^3x^3 + 3d^4e^2x^2 + 3d^5ex + d^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x/(e\*x+d)^4,x, algorithm="fricas")

[Out] 1/5\*(13\*e^3\*x^3 + 39\*d\*e^2\*x^2 + 39\*d^2\*e\*x + 13\*d^3 + 5\*(e^3\*x^3 + 3\*d\*e^2\*x^2 + 3\*d^2\*e\*x + d^3)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (8\*e^2\*x^2 + 19\*d\*e\*x + 13\*d^2)\*sqrt(-e^2\*x^2 + d^2))/(d^3\*e^3\*x^3 + 3\*d^4\*e^2\*x^2 + 3\*d^5\*e\*x + d^6)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (6\*exp(1)\*exp(2)^8+12\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)\*exp(2)^8+54\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^13\*exp(2)^2+18\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^11\*exp(2)^3+48\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^13\*exp(2)^2+44\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^15\*exp(2)+60\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^11\*exp(2)^3+6\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)\*exp(2)^8+18\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^9\*exp(2)^4+78\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^13

$$\begin{aligned}
 & * \exp(2)^{-2} - 14 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 3 * \\
 & \exp(1) \wedge 11 * \exp(2) \wedge 3 - 87 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 4 * \\
 & \exp(1) \wedge 9 * \exp(2) \wedge 4 - 33 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 5 * \\
 & \exp(1) \wedge 7 * \exp(2) \wedge 5 + 84 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 2 * \\
 & \exp(1) \wedge 11 * \exp(2) \wedge 3 - 48 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 3 * \\
 & \exp(1) \wedge 9 * \exp(2) \wedge 4 - 120 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 4 * \\
 & \exp(1) \wedge 7 * \exp(2) \wedge 5 - 36 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 5 * \\
 & \exp(1) \wedge 5 * \exp(2) \wedge 6 - 120 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 2 * \\
 & \exp(1) \wedge 9 * \exp(2) \wedge 4 - 96 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 3 * \\
 & \exp(1) \wedge 7 * \exp(2) \wedge 5 + 12 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 4 * \\
 & \exp(1) \wedge 5 * \exp(2) \wedge 6 + 12 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 5 * \\
 & \exp(1) \wedge 3 * \exp(2) \wedge 7 - 204 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 2 * \\
 & \exp(1) \wedge 7 * \exp(2) \wedge 5 - 180 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 3 * \\
 & \exp(1) \wedge 5 * \exp(2) \wedge 6 - 30 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 4 * \\
 & \exp(1) \wedge 3 * \exp(2) \wedge 7 + 11 * \exp(1) \wedge 9 * \exp(2) \wedge 4 + 36 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 3 * \\
 & \exp(1) \wedge 3 * \exp(2) \wedge 7 + 12 * \exp(1) \wedge 7 * \exp(2) \wedge 5 - 60 * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 2 * \\
 & \exp(1) \wedge 3 * \exp(2) \wedge 7 - 20 * \exp(1) \wedge 5 * \exp(2) \wedge 6 - 30 * \exp(1) \wedge 3 * \exp(2) \wedge 7 - 12 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1) * \exp(1) \wedge 3 * \exp(2) \wedge 7 / x / \exp(2) \\
 & + 72 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1) * \exp(1) \wedge 5 * \exp(2) \wedge 6 / x / \exp(2) \\
 & + 87/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1) * \exp(1) \wedge 7 * \exp(2) \wedge 5 / x / \exp(2) \\
 & - 27 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1) * \exp(1) \wedge 9 * \exp(2) \wedge 4 / x / \exp(2) \\
 & - 24 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1) * \exp(1) \wedge 11 * \exp(2) \wedge 3 / x / \exp(2) \\
 & ) / (-(-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2) \wedge 2 * \exp(2) + (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x - \exp(2) \wedge 3 / (3 * d^3 * \exp(1) \wedge 11 - 6 * d^3 * \exp(1) \wedge 7 * \exp(2) \wedge 2 - 6 * d^3 * \exp(1) \wedge 5 * \exp(2) \wedge 3 + 3 * d^3 * \exp(1) \wedge 9 * \exp(2) \wedge 6 + d^3 * \exp(1) * \exp(2) \wedge 5) + 1/2 * (-4 * \exp(1) \wedge 9 * \exp(2) \wedge 2 + 10 * \exp(1) \wedge 7 * \exp(2) \wedge 3 + 8 * \exp(1) \wedge 5 * \exp(2) \wedge 4 - 8 * \exp(1) \wedge 3 * \exp(2) \wedge 5 - 4 * \exp(1) \wedge 11 * \exp(2) - 16 * \exp(1) * \exp(2) \wedge 6) * \operatorname{atan}\left(\frac{-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x + \exp(2)}{\sqrt{-\exp(1) \wedge 4 + \exp(2)}}\right) / \sqrt{-\exp(1) \wedge 4 + \exp(2)} / (-d^3 * \exp(1) \wedge 11 + 2 * d^3 * \exp(1) \wedge 7 * \exp(2) \wedge 2 + 2 * d^3 * \exp(1) \wedge 5 * \exp(2) \wedge 3 - d^3 * \exp(1) \wedge 9 * \exp(2) - 2 * d^3 * \exp(1) * \exp(2) \wedge 5) - \exp(2) * \ln(1 / (2 * \operatorname{abs}(-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / \operatorname{abs}(x) / \exp(2)) / d^3 / \exp(1) \wedge 2
 \end{aligned}$$

**maple [B]** time = 0.01, size = 196, normalized size = 1.78

$$\frac{\ln\left(\frac{2d^2 + 2\sqrt{d^2} \sqrt{-e^2 x^2 + d^2}}{x}\right)}{\sqrt{d^2} d^2} + \frac{\sqrt{-e^2 x^2 + d^2}}{d^4} + \frac{\left(2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}}}{5\left(x + \frac{d}{e}\right)^4 d^2 e^4} + \frac{2\left(2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}}}{5\left(x + \frac{d}{e}\right)^3 d^3 e^3} + \frac{\left(2\left(x + \frac{d}{e}\right) de - \left(x + \frac{d}{e}\right)^2 e^2\right)^{\frac{3}{2}}}{\left(x + \frac{d}{e}\right)^2 d^4 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}\left(\left(-e^2 x^2 + d^2\right)^{(1/2)} / x / \left(e x + d\right)^4, x\right)$

[Out]  $\frac{1}{5}d^2/e^4/(x+d/e)^4*(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2})^{3/2}+2/5/e^3/d^3/(x+d/e)^3*(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2})^{3/2}+1/d^4*(-e^2*x^2+d^2)^{1/2}-1/d^2/(d^2)^{1/2}*ln((2*d^2+2*(d^2)^{1/2}*(-e^2*x^2+d^2)^{1/2})/x)+1/d^4/e^2/(x+d/e)^2*(2*(x+d/e)*d*e^{-(x+d/e)^2*e^2})^{3/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-e^2x^2 + d^2}}{(ex + d)^4x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(1/2)/x/(e*x+d)^4,x, algorithm="maxima")`

[Out] `integrate(sqrt(-e^2*x^2 + d^2)/((e*x + d)^4*x), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{d^2 - e^2x^2}}{x(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(1/2)/(x*(d + e*x)^4),x)`

[Out] `int((d^2 - e^2*x^2)^(1/2)/(x*(d + e*x)^4), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(-d + ex)(d + ex)}}{x(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(1/2)/x/(e*x+d)**4,x)`

[Out] `Integral(sqrt(-(-d + e*x)*(d + e*x))/(x*(d + e*x)**4), x)`

$$3.195 \quad \int \frac{\sqrt{d^2 - e^2 x^2}}{x^2(d+ex)^4} dx$$

**Optimal.** Leaf size=143

$$\frac{4e(5d - 8ex)}{15d^2 (d^2 - e^2 x^2)^{3/2}} - \frac{8e(d - ex)}{5 (d^2 - e^2 x^2)^{5/2}} - \frac{e(60d - 79ex)}{15d^4 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{d^4 x} + \frac{4e \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{d^4}$$

**Rubi [A]** time = 0.31, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {852, 1805, 807, 266, 63, 208}

$$\frac{e(60d - 79ex)}{15d^4 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{d^4 x} - \frac{4e(5d - 8ex)}{15d^2 (d^2 - e^2 x^2)^{3/2}} - \frac{8e(d - ex)}{5 (d^2 - e^2 x^2)^{5/2}} + \frac{4e \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{d^4}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d^2 - e^2\*x^2]/(x^2\*(d + e\*x)^4), x]

[Out] (-8\*e\*(d - e\*x))/(5\*(d^2 - e^2\*x^2)^(5/2)) - (4\*e\*(5\*d - 8\*e\*x))/(15\*d^2\*(d^2 - e^2\*x^2)^(3/2)) - (e\*(60\*d - 79\*e\*x))/(15\*d^4\*Sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(d^4\*x) + (4\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^4

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x], x] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps



$$\begin{aligned}
\int \frac{\sqrt{d^2 - e^2 x^2}}{x^2(d + ex)^4} dx &= \int \frac{(d - ex)^4}{x^2 (d^2 - e^2 x^2)^{7/2}} dx \\
&= -\frac{8e(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{\int \frac{-5d^4 + 20d^3 ex - 27d^2 e^2 x^2}{x^2 (d^2 - e^2 x^2)^{5/2}} dx}{5d^2} \\
&= -\frac{8e(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4e(5d - 8ex)}{15d^2 (d^2 - e^2 x^2)^{3/2}} + \frac{\int \frac{15d^4 - 60d^3 ex + 64d^2 e^2 x^2}{x^2 (d^2 - e^2 x^2)^{3/2}} dx}{15d^4} \\
&= -\frac{8e(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4e(5d - 8ex)}{15d^2 (d^2 - e^2 x^2)^{3/2}} - \frac{e(60d - 79ex)}{15d^4 \sqrt{d^2 - e^2 x^2}} - \frac{\int \frac{-15d^4 + 60d^3 ex}{x^2 \sqrt{d^2 - e^2 x^2}} dx}{15d^6} \\
&= -\frac{8e(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4e(5d - 8ex)}{15d^2 (d^2 - e^2 x^2)^{3/2}} - \frac{e(60d - 79ex)}{15d^4 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{d^4 x} - \frac{(4e) \int \frac{1}{x \sqrt{d^2 - e^2 x^2}}}{d^3} \\
&= -\frac{8e(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4e(5d - 8ex)}{15d^2 (d^2 - e^2 x^2)^{3/2}} - \frac{e(60d - 79ex)}{15d^4 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{d^4 x} - \frac{(2e) \text{Subst} \left( \int \frac{1}{x} \right)}{d^3} \\
&= -\frac{8e(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4e(5d - 8ex)}{15d^2 (d^2 - e^2 x^2)^{3/2}} - \frac{e(60d - 79ex)}{15d^4 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{d^4 x} + \frac{4 \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - x} \right)}{d^3} \\
&= -\frac{8e(d - ex)}{5(d^2 - e^2 x^2)^{5/2}} - \frac{4e(5d - 8ex)}{15d^2 (d^2 - e^2 x^2)^{3/2}} - \frac{e(60d - 79ex)}{15d^4 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{d^4 x} + \frac{4e \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{d^4}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 92, normalized size = 0.64

$$-\frac{-60e \log \left( \sqrt{d^2 - e^2 x^2} + d \right) + \frac{\sqrt{d^2 - e^2 x^2} (15d^3 + 149d^2 ex + 222de^2 x^2 + 94e^3 x^3)}{x(d+ex)^3} + 60e \log(x)}{15d^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d^2 - e^2\*x^2]/(x^2\*(d + e\*x)^4), x]

[Out]  $-1/15*((\text{Sqrt}[d^2 - e^2*x^2]*(15*d^3 + 149*d^2*e*x + 222*d*e^2*x^2 + 94*e^3*x^3))/(x*(d + e*x)^3) + 60*e*\text{Log}[x] - 60*e*\text{Log}[d + \text{Sqrt}[d^2 - e^2*x^2]])/d^4$

**IntegrateAlgebraic [A]** time = 0.59, size = 107, normalized size = 0.75

$$\frac{\sqrt{d^2 - e^2x^2} (-15d^3 - 149d^2ex - 222de^2x^2 - 94e^3x^3)}{15d^4x(d + ex)^3} - \frac{8e \tanh^{-1}\left(\frac{\sqrt{-e^2x^2}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d^2 - e^2\*x^2]/(x^2\*(d + e\*x)^4), x]

[Out]  $(\text{Sqrt}[d^2 - e^2*x^2]*(-15*d^3 - 149*d^2*e*x - 222*d*e^2*x^2 - 94*e^3*x^3))/(15*d^4*x*(d + e*x)^3) - (8*e*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d])/d^4$

**fricas [A]** time = 0.42, size = 181, normalized size = 1.27

$$\frac{104e^4x^4 + 312de^3x^3 + 312d^2e^2x^2 + 104d^3ex + 60(e^4x^4 + 3de^3x^3 + 3d^2e^2x^2 + d^3ex)\log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (94e^3x^3 + 222de^2x^2 + 149d^2ex + 15d^3)\sqrt{-e^2x^2 + d^2}}{15(d^4e^3x^4 + 3d^5e^2x^3 + 3d^6ex^2 + d^7x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^2/(e\*x+d)^4,x, algorithm="fricas")

[Out]  $-1/15*(104*e^4*x^4 + 312*d*e^3*x^3 + 312*d^2*e^2*x^2 + 104*d^3*e*x + 60*(e^4*x^4 + 3*d*e^3*x^3 + 3*d^2*e^2*x^2 + d^3*e*x)*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) + (94*e^3*x^3 + 222*d*e^2*x^2 + 149*d^2*e*x + 15*d^3)*\text{sqrt}(-e^2*x^2 + d^2))/(d^4*e^3*x^4 + 3*d^5*e^2*x^3 + 3*d^6*e*x^2 + d^7*x)$

**giac [A]** time = 0.28, size = 1, normalized size = 0.01

+∞

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^2/(e\*x+d)^4,x, algorithm="giac")

[Out] +Infinity

**maple [B]** time = 0.01, size = 361, normalized size = 2.52

$$\frac{4e \ln\left(\frac{2e^2 + \sqrt{d^2 - e^2x^2}}{x}\right)}{\sqrt{d^2 - e^2x^2}} + \frac{e^2 \arctan\left(\frac{\sqrt{d^2 - e^2x^2}}{\sqrt{2\left(x + \frac{d}{e}\right) - \left(x + \frac{d}{e}\right)^2}}\right)}{\sqrt{d^2 - e^2x^2}} - \frac{e^2 \arctan\left(\frac{\sqrt{d^2 - e^2x^2}}{\sqrt{2\left(x + \frac{d}{e}\right) + \left(x + \frac{d}{e}\right)^2}}\right)}{\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{-e^2x^2 + d^2} e^2 x}{d^6} - \frac{4\sqrt{-e^2x^2 + d^2} e^2}{d^6} + \frac{\sqrt{2\left(x + \frac{d}{e}\right) - \left(x + \frac{d}{e}\right)^2} e^2}{d^6} + \frac{\left(2\left(x + \frac{d}{e}\right) - \left(x + \frac{d}{e}\right)^2\right)^{\frac{3}{2}}}{5\left(x + \frac{d}{e}\right)^4 d^6 e^2} - \frac{11\left(2\left(x + \frac{d}{e}\right) - \left(x + \frac{d}{e}\right)^2\right)^{\frac{3}{2}}}{15\left(x + \frac{d}{e}\right)^3 d^4 e^2} - \frac{3\left(2\left(x + \frac{d}{e}\right) - \left(x + \frac{d}{e}\right)^2\right)^{\frac{3}{2}}}{\left(x + \frac{d}{e}\right)^2 d^2 e} - \frac{\left(-e^2x^2 + d^2\right)^{\frac{3}{2}}}{d^6 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-e^2*x^2+d^2)^(1/2)/x^2/(e*x+d)^4,x)`

[Out] 
$$-1/5/d^3/e^3/(x+d/e)^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)-11/15/d^4/e^2/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)-1/d^6/x*(-e^2*x^2+d^2)^(3/2)-1/d^6*e^2*x*(-e^2*x^2+d^2)^(1/2)-1/d^4*e^2/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)-4/d^5*e*(-e^2*x^2+d^2)^(1/2)+4/d^3*e/(d^2)^(1/2)*\ln((2*d^2+2*(d^2)^(1/2)*(-e^2*x^2+d^2)^(1/2))/x)+1/d^5*e*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)+1/d^4*e^2/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x)-3/d^5/e/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-e^2x^2 + d^2}}{(ex + d)^4x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(1/2)/x^2/(e*x+d)^4,x, algorithm="maxima")`

[Out] `integrate(sqrt(-e^2*x^2 + d^2)/((e*x + d)^4*x^2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{d^2 - e^2x^2}}{x^2(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(1/2)/(x^2*(d + e*x)^4),x)`

[Out] `int((d^2 - e^2*x^2)^(1/2)/(x^2*(d + e*x)^4), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(-d + ex)(d + ex)}}{x^2(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(1/2)/x**2/(e*x+d)**4,x)`

[Out] `Integral(sqrt(-(-d + e*x)*(d + e*x))/(x**2*(d + e*x)**4), x)`

$$3.196 \quad \int \frac{\sqrt{d^2 - e^2 x^2}}{x^3(d+ex)^4} dx$$

**Optimal.** Leaf size=183

$$\frac{8e^2(d-ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{e^2(135d-164ex)}{15d^5\sqrt{d^2-e^2x^2}} + \frac{4e\sqrt{d^2-e^2x^2}}{d^5x} - \frac{19e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^5} - \frac{\sqrt{d^2-e^2x^2}}{2d^4x^2} + \frac{4e^2(10d-13ex)}{15d^3(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.39, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 1807, 807, 266, 63, 208}

$$\frac{e^2(135d-164ex)}{15d^5\sqrt{d^2-e^2x^2}} + \frac{4e^2(10d-13ex)}{15d^3(d^2-e^2x^2)^{3/2}} + \frac{8e^2(d-ex)}{5d(d^2-e^2x^2)^{5/2}} + \frac{4e\sqrt{d^2-e^2x^2}}{d^5x} - \frac{\sqrt{d^2-e^2x^2}}{2d^4x^2} - \frac{19e^2 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{2d^5}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d^2 - e^2\*x^2]/(x^3\*(d + e\*x)^4),x]

[Out] (8\*e^2\*(d - e\*x))/(5\*d\*(d^2 - e^2\*x^2)^(5/2)) + (4\*e^2\*(10\*d - 13\*e\*x))/(15\*d^3\*(d^2 - e^2\*x^2)^(3/2)) + (e^2\*(135\*d - 164\*e\*x))/(15\*d^5\*Sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(2\*d^4\*x^2) + (4\*e\*Sqrt[d^2 - e^2\*x^2])/(d^5\*x) - (19\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^5)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d^2 - e^2 x^2}}{x^3(d + ex)^4} dx &= \int \frac{(d - ex)^4}{x^3(d^2 - e^2 x^2)^{7/2}} dx \\
&= \frac{8e^2(d - ex)}{5d(d^2 - e^2 x^2)^{5/2}} - \frac{\int \frac{-5d^4 + 20d^3 ex - 35d^2 e^2 x^2 + 32de^3 x^3}{x^3(d^2 - e^2 x^2)^{5/2}} dx}{5d^2} \\
&= \frac{8e^2(d - ex)}{5d(d^2 - e^2 x^2)^{5/2}} + \frac{4e^2(10d - 13ex)}{15d^3(d^2 - e^2 x^2)^{3/2}} + \frac{\int \frac{15d^4 - 60d^3 ex + 120d^2 e^2 x^2 - 104de^3 x^3}{x^3(d^2 - e^2 x^2)^{3/2}} dx}{15d^4} \\
&= \frac{8e^2(d - ex)}{5d(d^2 - e^2 x^2)^{5/2}} + \frac{4e^2(10d - 13ex)}{15d^3(d^2 - e^2 x^2)^{3/2}} + \frac{e^2(135d - 164ex)}{15d^5 \sqrt{d^2 - e^2 x^2}} - \frac{\int \frac{-15d^4 + 60d^3 ex - 135d^2 e^2 x^2}{x^3 \sqrt{d^2 - e^2 x^2}} dx}{15d^6} \\
&= \frac{8e^2(d - ex)}{5d(d^2 - e^2 x^2)^{5/2}} + \frac{4e^2(10d - 13ex)}{15d^3(d^2 - e^2 x^2)^{3/2}} + \frac{e^2(135d - 164ex)}{15d^5 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{2d^4 x^2} + \frac{\int \frac{-120d^5 e + 285d^4 e^2}{x^2 \sqrt{d^2 - e^2 x^2}} dx}{30d^8} \\
&= \frac{8e^2(d - ex)}{5d(d^2 - e^2 x^2)^{5/2}} + \frac{4e^2(10d - 13ex)}{15d^3(d^2 - e^2 x^2)^{3/2}} + \frac{e^2(135d - 164ex)}{15d^5 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{2d^4 x^2} + \frac{4e\sqrt{d^2 - e^2 x^2}}{d^5 x} + \dots \\
&= \frac{8e^2(d - ex)}{5d(d^2 - e^2 x^2)^{5/2}} + \frac{4e^2(10d - 13ex)}{15d^3(d^2 - e^2 x^2)^{3/2}} + \frac{e^2(135d - 164ex)}{15d^5 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{2d^4 x^2} + \frac{4e\sqrt{d^2 - e^2 x^2}}{d^5 x} + \dots \\
&= \frac{8e^2(d - ex)}{5d(d^2 - e^2 x^2)^{5/2}} + \frac{4e^2(10d - 13ex)}{15d^3(d^2 - e^2 x^2)^{3/2}} + \frac{e^2(135d - 164ex)}{15d^5 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{2d^4 x^2} + \frac{4e\sqrt{d^2 - e^2 x^2}}{d^5 x} + \dots \\
&= \frac{8e^2(d - ex)}{5d(d^2 - e^2 x^2)^{5/2}} + \frac{4e^2(10d - 13ex)}{15d^3(d^2 - e^2 x^2)^{3/2}} + \frac{e^2(135d - 164ex)}{15d^5 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{2d^4 x^2} + \frac{4e\sqrt{d^2 - e^2 x^2}}{d^5 x} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.23, size = 107, normalized size = 0.58

$$\frac{-285e^2 \log\left(\sqrt{d^2 - e^2 x^2} + d\right) + \frac{\sqrt{d^2 - e^2 x^2}(-15d^4 + 75d^3 ex + 713d^2 e^2 x^2 + 1059de^3 x^3 + 448e^4 x^4)}{x^2(d+ex)^3} + 285e^2 \log(x)}{30d^5}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d^2 - e^2\*x^2]/(x^3\*(d + e\*x)^4), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(-15\*d^4 + 75\*d^3\*e\*x + 713\*d^2\*e^2\*x^2 + 1059\*d\*e^3\*x^3 + 448\*e^4\*x^4))/(x^2\*(d + e\*x)^3) + 285\*e^2\*Log[x] - 285\*e^2\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(30\*d^5)

**IntegrateAlgebraic [A]** time = 0.79, size = 120, normalized size = 0.66

$$\frac{19e^2 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^5} + \frac{\sqrt{d^2 - e^2x^2} (-15d^4 + 75d^3ex + 713d^2e^2x^2 + 1059de^3x^3 + 448e^4x^4)}{30d^5x^2(d + ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d^2 - e^2\*x^2]/(x^3\*(d + e\*x)^4), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-15\*d^4 + 75\*d^3\*e\*x + 713\*d^2\*e^2\*x^2 + 1059\*d\*e^3\*x^3 + 448\*e^4\*x^4))/(30\*d^5\*x^2\*(d + e\*x)^3) + (19\*e^2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^5

**fricas [A]** time = 0.42, size = 202, normalized size = 1.10

$$\frac{398e^5x^5 + 1194de^4x^4 + 1194d^2e^3x^3 + 398d^3e^2x^2 + 285(e^5x^5 + 3de^4x^4 + 3d^2e^3x^3 + d^3e^2x^2) \log\left(\frac{-d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (448e^4x^4 + 1059de^3x^3 + 713d^2e^2x^2 + 75d^3ex - 15d^4)\sqrt{-e^2x^2 + d^2}}{30(d^5e^3x^5 + 3d^6e^2x^4 + 3d^7ex^3 + d^8x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^3/(e\*x+d)^4,x, algorithm="fricas")

[Out] 1/30\*(398\*e^5\*x^5 + 1194\*d\*e^4\*x^4 + 1194\*d^2\*e^3\*x^3 + 398\*d^3\*e^2\*x^2 + 285\*(e^5\*x^5 + 3\*d\*e^4\*x^4 + 3\*d^2\*e^3\*x^3 + d^3\*e^2\*x^2)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (448\*e^4\*x^4 + 1059\*d\*e^3\*x^3 + 713\*d^2\*e^2\*x^2 + 75\*d^3\*e\*x - 15\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d^5\*e^3\*x^5 + 3\*d^6\*e^2\*x^4 + 3\*d^7\*e\*x^3 + d^8\*x^2)

**giac [A]** time = 0.30, size = 1, normalized size = 0.01

+∞

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^3/(e\*x+d)^4,x, algorithm="giac")

[Out] +Infinity

**maple [B]** time = 0.01, size = 389, normalized size = 2.13

$$\frac{19e^2 \ln\left(\frac{2e^2x\sqrt{-e^2x^2+d^2} + \sqrt{-e^2x^2+d^2}}{d}\right) - 4e^2 \arctan\left(\frac{\sqrt{-e^2x^2+d^2}}{\sqrt{d^2-d^2}}\right) + 4e^2 \arctan\left(\frac{\sqrt{-e^2x^2+d^2}}{\sqrt{-e^2x^2+d^2}}\right) + 4\sqrt{-e^2x^2+d^2}e^2x + 19\sqrt{-e^2x^2+d^2}e^2 - 4\sqrt{2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2e^2} + 2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2e^2}{2\sqrt{d^2-d^2}} + \frac{16\left(2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}}{15\left(x+\frac{d}{e}\right)^3de} + \frac{6\left(2\left(x+\frac{d}{e}\right)de - \left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}}{\left(x+\frac{d}{e}\right)^3de} + \frac{4\left(-e^2x^2+d^2\right)^{\frac{3}{2}}e}{d^3x} - \frac{\left(-e^2x^2+d^2\right)^{\frac{3}{2}}}{2d^3x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-e^2*x^2+d^2)^(1/2)/x^3/(e*x+d)^4,x)`

[Out]  $\frac{1}{5}d^4/e^2/(x+d/e)^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}+16/15/d^5/e/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}+4/d^7*e/x*(-e^2*x^2+d^2)^{(3/2)}+4/d^7*e^3*x*(-e^2*x^2+d^2)^{(1/2)}+4/d^5*e^3/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)-1/2/d^6/x^2*(-e^2*x^2+d^2)^{(3/2)}+19/2/d^6*e^2*(-e^2*x^2+d^2)^{(1/2)}-19/2/d^4*e^2/(d^2)^{(1/2)}*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-4/d^6*e^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}-4/d^5*e^3/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x)+6/d^6/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-e^2x^2 + d^2}}{(ex + d)^4x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(1/2)/x^3/(e*x+d)^4,x, algorithm="maxima")`

[Out] `integrate(sqrt(-e^2*x^2 + d^2)/((e*x + d)^4*x^3), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{d^2 - e^2x^2}}{x^3(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(1/2)/(x^3*(d + e*x)^4),x)`

[Out] `int((d^2 - e^2*x^2)^(1/2)/(x^3*(d + e*x)^4), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(-d + ex)(d + ex)}}{x^3(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(1/2)/x**3/(e*x+d)**4,x)`

[Out] `Integral(sqrt(-(-d + e*x)*(d + e*x))/(x**3*(d + e*x)**4), x)`



$$3.197 \quad \int \frac{\sqrt{d^2 - e^2 x^2}}{x^4(d+ex)^4} dx$$

**Optimal.** Leaf size=210

$$\frac{8e^3(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{29e^2\sqrt{d^2-e^2x^2}}{3d^6x} - \frac{e^3(80d-93ex)}{5d^6\sqrt{d^2-e^2x^2}} + \frac{18e^3 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6} + \frac{2e\sqrt{d^2-e^2x^2}}{d^5x^2} - \frac{\sqrt{d^2-e^2x^2}}{3d^4x^3}$$

**Rubi [A]** time = 0.49, antiderivative size = 210, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 1807, 807, 266, 63, 208}

$$\frac{e^3(80d-93ex)}{5d^6\sqrt{d^2-e^2x^2}} - \frac{4e^3(5d-6ex)}{5d^4(d^2-e^2x^2)^{3/2}} - \frac{8e^3(d-ex)}{5d^2(d^2-e^2x^2)^{5/2}} - \frac{29e^2\sqrt{d^2-e^2x^2}}{3d^6x} + \frac{2e\sqrt{d^2-e^2x^2}}{d^5x^2} - \frac{\sqrt{d^2-e^2x^2}}{3d^4x^3} + \frac{18e^3 \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^6}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d^2 - e^2\*x^2]/(x^4\*(d + e\*x)^4), x]

[Out] (-8\*e^3\*(d - e\*x))/(5\*d^2\*(d^2 - e^2\*x^2)^(5/2)) - (4\*e^3\*(5\*d - 6\*e\*x))/(5\*d^4\*(d^2 - e^2\*x^2)^(3/2)) - (e^3\*(80\*d - 93\*e\*x))/(5\*d^6\*sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(3\*d^4\*x^3) + (2\*e\*sqrt[d^2 - e^2\*x^2])/(d^5\*x^2) - (29\*e^2\*sqrt[d^2 - e^2\*x^2])/(3\*d^6\*x) + (18\*e^3\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^6

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps



**Mathematica [A]** time = 0.27, size = 118, normalized size = 0.56

$$\frac{-270e^3 \log\left(\sqrt{d^2 - e^2x^2} + d\right) + \frac{\sqrt{d^2 - e^2x^2} (5d^5 - 15d^4ex + 70d^3e^2x^2 + 674d^2e^3x^3 + 1002de^4x^4 + 424e^5x^5)}{x^3(d+ex)^3} + 270e^3 \log(x)}{15d^6}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d^2 - e^2\*x^2]/(x^4\*(d + e\*x)^4), x]

[Out] -1/15\*((Sqrt[d^2 - e^2\*x^2]\*(5\*d^5 - 15\*d^4\*e\*x + 70\*d^3\*e^2\*x^2 + 674\*d^2\*e^3\*x^3 + 1002\*d\*e^4\*x^4 + 424\*e^5\*x^5))/(x^3\*(d + e\*x)^3) + 270\*e^3\*Log[x] - 270\*e^3\*Log[d + Sqrt[d^2 - e^2\*x^2]])/d^6

**IntegrateAlgebraic [A]** time = 1.15, size = 131, normalized size = 0.62

$$\frac{\sqrt{d^2 - e^2x^2} (-5d^5 + 15d^4ex - 70d^3e^2x^2 - 674d^2e^3x^3 - 1002de^4x^4 - 424e^5x^5)}{15d^6x^3(d+ex)^3} - \frac{36e^3 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{d^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d^2 - e^2\*x^2]/(x^4\*(d + e\*x)^4), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-5\*d^5 + 15\*d^4\*e\*x - 70\*d^3\*e^2\*x^2 - 674\*d^2\*e^3\*x^3 - 1002\*d\*e^4\*x^4 - 424\*e^5\*x^5))/(15\*d^6\*x^3\*(d + e\*x)^3) - (36\*e^3\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^6

**fricas [A]** time = 0.46, size = 213, normalized size = 1.01

$$\frac{324e^6x^6 + 972de^5x^5 + 972d^2e^4x^4 + 324d^3e^3x^3 + 270(e^6x^6 + 3de^5x^5 + 3d^2e^4x^4 + d^3e^3x^3) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (424e^5x^5 + 1002de^4x^4 + 674d^2e^3x^3 + 70d^3e^2x^2 - 15d^4ex + 5d^5)\sqrt{-e^2x^2 + d^2}}{15(d^6e^3x^6 + 3d^7e^2x^5 + 3d^8ex^4 + d^9x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^4/(e\*x+d)^4, x, algorithm="fricas")

[Out] -1/15\*(324\*e^6\*x^6 + 972\*d\*e^5\*x^5 + 972\*d^2\*e^4\*x^4 + 324\*d^3\*e^3\*x^3 + 270\*(e^6\*x^6 + 3\*d\*e^5\*x^5 + 3\*d^2\*e^4\*x^4 + d^3\*e^3\*x^3)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (424\*e^5\*x^5 + 1002\*d\*e^4\*x^4 + 674\*d^2\*e^3\*x^3 + 70\*d^3\*e^2\*x^2 - 15\*d^4\*e\*x + 5\*d^5)\*sqrt(-e^2\*x^2 + d^2))/(d^6\*e^3\*x^6 + 3\*d^7\*e^2\*x^5 + 3\*d^8\*e\*x^4 + d^9\*x^3)

**giac [A]** time = 0.37, size = 1, normalized size = 0.00

+∞

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^4/(e\*x+d)^4,x, algorithm="giac")

[Out] +Infinity

**maple [B]** time = 0.02, size = 412, normalized size = 1.96

$$\frac{18e^3 \ln\left(\frac{2e^2 + \sqrt{d^2 - e^2 x^2}}{e}\right)}{\sqrt{d^2 - e^2 x^2}} + \frac{10e^4 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{d^2 - e^2 x^2} + (x+d)e}\right)}{\sqrt{d^2 - e^2 x^2}} - \frac{10e^4 \arctan\left(\frac{\sqrt{d^2 - e^2 x^2}}{\sqrt{d^2 - e^2 x^2} - (x+d)e}\right)}{\sqrt{d^2 - e^2 x^2}} - \frac{10\sqrt{-e^2 x^2 + d^2} e^4 x}{d^8} - \frac{18\sqrt{-e^2 x^2 + d^2} e^4}{d^8} + \frac{10\sqrt{2(x+d)e - (x+d)^2} e^3}{d^7} - \frac{(2(x+d)e - (x+d)^2) e^3}{5(x+d)^4 d^6} - \frac{7(2(x+d)e - (x+d)^2) e^3}{5(x+d)^4 d^6} - \frac{10(2(x+d)e - (x+d)^2) e^3}{(x+d)^4 d^6} - \frac{10(-e^2 x^2 + d^2) e^2}{d^8 x} + \frac{2(-e^2 x^2 + d^2) e^2}{d^8 x^2} + \frac{(-e^2 x^2 + d^2) e^2}{3d^8 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(1/2)/x^4/(e\*x+d)^4,x)

[Out] 
$$-1/5/d^5/e/(x+d/e)^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)-7/5/d^6/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)-10/d^8*e^2/x*(-e^2*x^2+d^2)^(3/2)-10/d^8*e^4*x*(-e^2*x^2+d^2)^(1/2)-10/d^6*e^4/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)+2/d^7*e/x^2*(-e^2*x^2+d^2)^(3/2)-18/d^7*e^3*(-e^2*x^2+d^2)^(1/2)+18/d^5*e^3/(d^2)^(1/2)*\ln((2*d^2+2*(d^2)^(1/2)*(-e^2*x^2+d^2)^(1/2))/x)-1/3/d^6/x^3*(-e^2*x^2+d^2)^(3/2)+10/d^7*e^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)+10/d^6*e^4/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x)-10/d^7*e/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-e^2 x^2 + d^2}}{(ex + d)^4 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(1/2)/x^4/(e\*x+d)^4,x, algorithm="maxima")

[Out] integrate(sqrt(-e^2\*x^2 + d^2)/((e\*x + d)^4\*x^4), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{d^2 - e^2 x^2}}{x^4 (d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(1/2)/(x^4\*(d + e\*x)^4),x)

[Out] int((d^2 - e^2\*x^2)^(1/2)/(x^4\*(d + e\*x)^4), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(-d + ex)(d + ex)}}{x^4 (d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-e**2*x**2+d**2)**(1/2)/x**4/(e*x+d)**4,x)
```

```
[Out] Integral(sqrt(-(-d + e*x)*(d + e*x))/(x**4*(d + e*x)**4), x)
```

$$3.198 \quad \int \frac{x^5(d^2 - e^2x^2)^{5/2}}{(d+ex)^4} dx$$

Optimal. Leaf size=252

$$\frac{1}{7}x^6\sqrt{d^2 - e^2x^2} - \frac{2dx^5\sqrt{d^2 - e^2x^2}}{3e} + \frac{11d^2x^4\sqrt{d^2 - e^2x^2}}{7e^2} + \frac{65d^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{4e^6} + \frac{515d^6\sqrt{d^2 - e^2x^2}}{21e^6} - \frac{49d^5x\sqrt{d^2 - e^2x^2}}{4e^5}$$

**Rubi [A]** time = 0.66, antiderivative size = 252, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {852, 1635, 1815, 641, 217, 203}

$$\frac{515d^6\sqrt{d^2 - e^2x^2}}{21e^6} - \frac{49d^5x\sqrt{d^2 - e^2x^2}}{4e^5} + \frac{121d^4x^2\sqrt{d^2 - e^2x^2}}{21e^4} + \frac{d^4(d - ex)^4}{e^6\sqrt{d^2 - e^2x^2}} - \frac{17d^3x^3\sqrt{d^2 - e^2x^2}}{6e^3} + \frac{11d^2x^4\sqrt{d^2 - e^2x^2}}{7e^2} - \frac{2dx^5\sqrt{d^2 - e^2x^2}}{3e} + \frac{1}{7}x^6\sqrt{d^2 - e^2x^2} + \frac{65d^7 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{4e^6}$$

Antiderivative was successfully verified.

[In] Int[(x^5\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4, x]

[Out] (d^4\*(d - e\*x)^4)/(e^6\*Sqrt[d^2 - e^2\*x^2]) + (515\*d^6\*Sqrt[d^2 - e^2\*x^2])/(21\*e^6) - (49\*d^5\*x\*Sqrt[d^2 - e^2\*x^2])/(4\*e^5) + (121\*d^4\*x^2\*Sqrt[d^2 - e^2\*x^2])/(21\*e^4) - (17\*d^3\*x^3\*Sqrt[d^2 - e^2\*x^2])/(6\*e^3) + (11\*d^2\*x^4\*Sqrt[d^2 - e^2\*x^2])/(7\*e^2) - (2\*d\*x^5\*Sqrt[d^2 - e^2\*x^2])/(3\*e) + (x^6\*Sqrt[d^2 - e^2\*x^2])/7 + (65\*d^7\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(4\*e^6)

### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 641

Int[((d\_) + (e\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p))/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1635

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]
```

### Rule 1815

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

### Rubi steps



$$\begin{aligned}
\int \frac{x^5 (d^2 - e^2 x^2)^{5/2}}{(d + ex)^4} dx &= \int \frac{x^5 (d - ex)^4}{(d^2 - e^2 x^2)^{3/2}} dx \\
&= \frac{d^4 (d - ex)^4}{e^6 \sqrt{d^2 - e^2 x^2}} - \frac{\int \frac{(d - ex)^3 \left( -\frac{4d^5}{e^5} + \frac{d^4 x}{e^4} - \frac{d^3 x^2}{e^3} + \frac{d^2 x^3}{e^2} - \frac{dx^4}{e} \right)}{\sqrt{d^2 - e^2 x^2}} dx}{d} \\
&= \frac{d^4 (d - ex)^4}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{1}{7} x^6 \sqrt{d^2 - e^2 x^2} + \frac{\int \frac{\frac{28d^8}{e^3} - \frac{91d^7 x}{e^2} + \frac{112d^6 x^2}{e} - 77d^5 x^3 + 56d^4 e x^4 - 55d^3 e^2 x^5 + 28d^2 e^3 x^6}{\sqrt{d^2 - e^2 x^2}} dx}{7de^2} \\
&= \frac{d^4 (d - ex)^4}{e^6 \sqrt{d^2 - e^2 x^2}} - \frac{2dx^5 \sqrt{d^2 - e^2 x^2}}{3e} + \frac{1}{7} x^6 \sqrt{d^2 - e^2 x^2} - \frac{\int \frac{-\frac{168d^8}{e} + 544d^7 x - 672d^6 e x^2 + 462d^5 e^2 x^3}{\sqrt{d^2 - e^2 x^2}} dx}{42de^4} \\
&= \frac{d^4 (d - ex)^4}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{11d^2 x^4 \sqrt{d^2 - e^2 x^2}}{7e^2} - \frac{2dx^5 \sqrt{d^2 - e^2 x^2}}{3e} + \frac{1}{7} x^6 \sqrt{d^2 - e^2 x^2} + \frac{\int \frac{840d^8 e - 2}{\sqrt{d^2 - e^2 x^2}} dx}{7e^2} \\
&= \frac{d^4 (d - ex)^4}{e^6 \sqrt{d^2 - e^2 x^2}} - \frac{17d^3 x^3 \sqrt{d^2 - e^2 x^2}}{6e^3} + \frac{11d^2 x^4 \sqrt{d^2 - e^2 x^2}}{7e^2} - \frac{2dx^5 \sqrt{d^2 - e^2 x^2}}{3e} + \frac{1}{7} x^6 \sqrt{d^2 - e^2 x^2} \\
&= \frac{d^4 (d - ex)^4}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{121d^4 x^2 \sqrt{d^2 - e^2 x^2}}{21e^4} - \frac{17d^3 x^3 \sqrt{d^2 - e^2 x^2}}{6e^3} + \frac{11d^2 x^4 \sqrt{d^2 - e^2 x^2}}{7e^2} - \frac{2dx^5 \sqrt{d^2 - e^2 x^2}}{3e} \\
&= \frac{d^4 (d - ex)^4}{e^6 \sqrt{d^2 - e^2 x^2}} - \frac{49d^5 x \sqrt{d^2 - e^2 x^2}}{4e^5} + \frac{121d^4 x^2 \sqrt{d^2 - e^2 x^2}}{21e^4} - \frac{17d^3 x^3 \sqrt{d^2 - e^2 x^2}}{6e^3} + \frac{11d^2 x^4 \sqrt{d^2 - e^2 x^2}}{7e^2} \\
&= \frac{d^4 (d - ex)^4}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{515d^6 \sqrt{d^2 - e^2 x^2}}{21e^6} - \frac{49d^5 x \sqrt{d^2 - e^2 x^2}}{4e^5} + \frac{121d^4 x^2 \sqrt{d^2 - e^2 x^2}}{21e^4} - \frac{17d^3 x^3 \sqrt{d^2 - e^2 x^2}}{6e^3} \\
&= \frac{d^4 (d - ex)^4}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{515d^6 \sqrt{d^2 - e^2 x^2}}{21e^6} - \frac{49d^5 x \sqrt{d^2 - e^2 x^2}}{4e^5} + \frac{121d^4 x^2 \sqrt{d^2 - e^2 x^2}}{21e^4} - \frac{17d^3 x^3 \sqrt{d^2 - e^2 x^2}}{6e^3} \\
&= \frac{d^4 (d - ex)^4}{e^6 \sqrt{d^2 - e^2 x^2}} + \frac{515d^6 \sqrt{d^2 - e^2 x^2}}{21e^6} - \frac{49d^5 x \sqrt{d^2 - e^2 x^2}}{4e^5} + \frac{121d^4 x^2 \sqrt{d^2 - e^2 x^2}}{21e^4} - \frac{17d^3 x^3 \sqrt{d^2 - e^2 x^2}}{6e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.23, size = 131, normalized size = 0.52

$$1365d^7 \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \frac{\sqrt{d^2 - e^2 x^2} (2144d^7 + 779d^6 ex - 293d^5 e^2 x^2 + 162d^4 e^3 x^3 - 106d^3 e^4 x^4 + 76d^2 e^5 x^5 - 44de^6 x^6 + 12e^7 x^7)}{d + ex}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(2144\*d^7 + 779\*d^6\*e\*x - 293\*d^5\*e^2\*x^2 + 162\*d^4\*e^3\*x^3 - 106\*d^3\*e^4\*x^4 + 76\*d^2\*e^5\*x^5 - 44\*d\*e^6\*x^6 + 12\*e^7\*x^7))/(d + e\*x) + 1365\*d^7\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(84\*e^6)

**IntegrateAlgebraic [A]** time = 0.60, size = 154, normalized size = 0.61

$$\frac{65d^7\sqrt{-e^2}\log\left(\sqrt{d^2-e^2x^2}-\sqrt{-e^2x}\right)}{4e^7} + \frac{\sqrt{d^2-e^2x^2}\left(2144d^7+779d^6ex-293d^5e^2x^2+162d^4e^3x^3-106d^3e^4x^4+76d^2e^5x^5-44de^6x^6+12e^7x^7\right)}{84e^6(d+ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^5\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(2144\*d^7 + 779\*d^6\*e\*x - 293\*d^5\*e^2\*x^2 + 162\*d^4\*e^3\*x^3 - 106\*d^3\*e^4\*x^4 + 76\*d^2\*e^5\*x^5 - 44\*d\*e^6\*x^6 + 12\*e^7\*x^7))/(84\*e^6\*(d + e\*x)) + (65\*d^7\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(4\*e^7)

**fricas [A]** time = 0.43, size = 156, normalized size = 0.62

$$\frac{2144d^7ex + 2144d^8 - 2730(d^7ex + d^8)\arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + (12e^7x^7 - 44de^6x^6 + 76d^2e^5x^5 - 106d^3e^4x^4 + 162d^4e^3x^3 - 293d^5e^2x^2 + 779d^6ex + 2144d^7)\sqrt{-e^2x^2+d^2}}{84(e^7x + de^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="fricas")

[Out] 1/84\*(2144\*d^7\*e\*x + 2144\*d^8 - 2730\*(d^7\*e\*x + d^8)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (12\*e^7\*x^7 - 44\*d\*e^6\*x^6 + 76\*d^2\*e^5\*x^5 - 106\*d^3\*e^4\*x^4 + 162\*d^4\*e^3\*x^3 - 293\*d^5\*e^2\*x^2 + 779\*d^6\*e\*x + 2144\*d^7)\*sqrt(-e^2\*x^2 + d^2))/(e^7\*x + d\*e^6)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (-162\*d^7\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^12\*exp(2)^2-36\*d^7\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^10\*exp(2)^3+720\*d^7\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*

$$\begin{aligned}
& xp(1)/x/exp(2))^3*exp(1)^{12}*exp(2)^2+684*d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2 \\
& -x^2*exp(2))*exp(1))/x/exp(2))^4*exp(1)^{10}*exp(2)^3+162*d^7*(-1/2*(-2*d*exp \\
& (1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^5*exp(1)^8*exp(2)^4-402*d^7*(- \\
& 1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^{12}*exp(2 \\
& )^2+350*d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*e \\
& xp(1)^{10}*exp(2)^3+507*d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1)) \\
& /x/exp(2))^4*exp(1)^8*exp(2)^4+123*d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*ex \\
& p(2))*exp(1))/x/exp(2))^5*exp(1)^6*exp(2)^5+1476*d^7*(-1/2*(-2*d*exp(1)-2*s \\
& qrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^{10}*exp(2)^3-864*d^7*(-1/2*(- \\
& 2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*exp(1)^6*exp(2)^5-252 \\
& *d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^5*exp(1)^4 \\
& *exp(2)^6+1248*d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp( \\
& 2))^2*exp(1)^8*exp(2)^4+84*d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*ex \\
& p(1))/x/exp(2))^3*exp(1)^6*exp(2)^5-654*d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x \\
& ^2*exp(2))*exp(1))/x/exp(2))^4*exp(1)^4*exp(2)^6-192*d^7*(-1/2*(-2*d*exp(1) \\
& -2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^5*exp(2)^8-1836*d^7*(-1/2*(-2*d*ex \\
& xp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^6*exp(2)^5-1620*d^7 \\
& *(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*exp(1)^4*exp \\
& (2)^6-47*d^7*exp(1)^8*exp(2)^4-486*d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*ex \\
& p(2))*exp(1))/x/exp(2))^4*exp(2)^8-1464*d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x \\
& ^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^4*exp(2)^6+180*d^7*exp(1)^6*exp(2)^5- \\
& 1296*d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*exp( \\
& 2)^8+158*d^7*exp(1)^4*exp(2)^6-972*d^7*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*ex \\
& p(2))*exp(1))/x/exp(2))^2*exp(2)^8-486*d^7*exp(2)^8-188*d^7*(-1/2*(-2*d*exp \\
& (1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*exp(1)^{14}*exp(2)+552*d^7*(-2 \\
& *d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(2)^8/x/exp(2)+684*d^7*(-2*d*ex \\
& p(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(1)^4*exp(2)^6/x/exp(2)-825/2*d^7*(- \\
& 2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(1)^6*exp(2)^5/x/exp(2)-459*d^ \\
& 7*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(1)^8*exp(2)^4/x/exp(2)+12 \\
& 3*d^7*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(1)^{10}*exp(2)^3/x/exp( \\
& 2))/((-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(2)- \\
& (-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x+exp(2))^3/(3*exp(1)^{16}+9*exp(1) \\
& )^{12}*exp(2)^2+3*exp(1)^{10}*exp(2)^3+9*exp(1)^{14}*exp(2))+1/2*(-300*d^7*exp(1) \\
& ^{10}*exp(2)^2-82*d^7*exp(1)^8*exp(2)^3+1000*d^7*exp(1)^6*exp(2)^4+464*d^7*ex \\
& p(1)^4*exp(2)^5-1248*d^7*exp(2)^7+40*d^7*exp(1)^{12}*exp(2))*atan((-1/2*(-2*d \\
& *exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/ \\
& sqrt(-exp(1)^4+exp(2)^2)/(-exp(1)^{18}-3*exp(1)^{14}*exp(2)^2-exp(1)^{12}*exp(2)^ \\
& 3-3*exp(1)^{16}*exp(2))+65/4*d^7*sign(d)*asin(x*exp(2)/d/exp(1))/exp(1)^6+2*( \\
& (((((720*exp(1)^{26}*1/10080/exp(1)^{26}*x-3360*exp(1)^{25}*d*1/10080/exp(1)^{26})* \\
& x+7920*exp(1)^{24}*d^2*1/10080/exp(1)^{26})*x-14280*exp(1)^{23}*d^3*1/10080/exp(1) \\
& )^{26})*x+24000*exp(1)^{22}*d^4*1/10080/exp(1)^{26})*x-41580*exp(1)^{21}*d^5*1/1008 \\
& 0/exp(1)^{26})*x+88320*exp(1)^{20}*d^6*1/10080/exp(1)^{26})*sqrt(d^2-x^2*exp(2))
\end{aligned}$$

**maple [A]** time = 0.03, size = 416, normalized size = 1.65

$$\frac{35d^2 \arctan\left(\frac{\sqrt{e^2 x^2 + d^2}}{e x}\right)}{2\sqrt{e^2 x^2 + d^2}} - \frac{5d^2 \arctan\left(\frac{\sqrt{e^2 x^2 + d^2}}{e x}\right)}{4\sqrt{e^2 x^2 + d^2}} + \frac{35\sqrt{2(x+\frac{d}{e})de - (x+\frac{d}{e})^2} d^2 x}{2e^2} - \frac{5\sqrt{e^2 x^2 + d^2} d^2 x}{4e^2} + \frac{35(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2)^{\frac{3}{2}} d^2 x}{3e^2} - \frac{5(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2 x}{6e^2} - \frac{2(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2 x}{3e^2} + \frac{28(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2)^{\frac{3}{2}} d^2 x}{3e^2} + \frac{(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2)^{\frac{3}{2}} d^2 x}{(x+\frac{d}{e})^{3/2}} + \frac{8(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2)^{\frac{3}{2}} d^2 x}{(x+\frac{d}{e})^2} + \frac{22(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2)^{\frac{3}{2}} d^2 x}{3(x+\frac{d}{e})^2} - \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2 x}{7e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(-e^2*x^2+d^2)^(5/2)/(e*x+d)^4,x)`

[Out]  $d^4/e^{10}/(x+d/e)^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(7/2)}+8*d^3/e^9/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(7/2)}+22/3*d^2/e^8/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(7/2)}+35/3*d^3/e^5*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}*x+35/2*d^5/e^5*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x+35/2*d^7/e^5/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x)-2/3/e^5*d*x*(-e^2*x^2+d^2)^{(5/2)}-5/6/e^5*d^3*x*(-e^2*x^2+d^2)^{(3/2)}-5/4*d^5*x*(-e^2*x^2+d^2)^{(1/2)}/e^5-5/4/e^5*d^7/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)-1/7/e^6*(-e^2*x^2+d^2)^{(7/2)}+28/3*d^2/e^6*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(5/2)}$

**maxima [C]** time = 1.06, size = 478, normalized size = 1.90

$$\frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d^5}{2(e^2 x^2 + 3d^2 x + d^2)^2} - \frac{5(-e^2 x^2 + d^2)^{\frac{3}{2}} d^5}{2(e^2 x^2 + 2d^2 x + d^2)} + \frac{15\sqrt{e^2 x^2 + d^2} d^5}{e^2 x + d^2} - \frac{5(-e^2 x^2 + d^2)^{\frac{3}{2}} d^5}{3(e^2 x^2 + 2d^2 x + d^2)} + \frac{25(-e^2 x^2 + d^2)^{\frac{3}{2}} d^5}{6(e^2 x + d^2)} + \frac{5(-e^2 x^2 + d^2)^{\frac{3}{2}} d^5}{2(e^2 x + d^2)} + \frac{5d^5 \arcsin\left(\frac{e x}{d}\right)}{2e^2} + \frac{75d^5 \arcsin\left(\frac{e x}{d}\right)}{4e^2} + \frac{5\sqrt{e^2 x^2 + 4d^2 x + 3d^2} d^5}{2e^2} - \frac{5\sqrt{e^2 x^2 + d^2} d^5}{4e^2} + \frac{5\sqrt{e^2 x^2 + 4d^2 x + 3d^2} d^5}{e^2} + \frac{25\sqrt{e^2 x^2 + d^2} d^5}{2e^2} + \frac{5(-e^2 x^2 + d^2)^{\frac{3}{2}} d^5}{3e^2} + \frac{25(-e^2 x^2 + d^2)^{\frac{3}{2}} d^5}{6e^2} + \frac{2(-e^2 x^2 + d^2)^{\frac{3}{2}} d^5}{3e^2} + \frac{2(-e^2 x^2 + d^2)^{\frac{3}{2}} d^5}{e^2} + \frac{(-e^2 x^2 + d^2)^{\frac{3}{2}} d^5}{7e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(-e^2*x^2+d^2)^(5/2)/(e*x+d)^4,x, algorithm="maxima")`

[Out]  $-1/2*(-e^2*x^2 + d^2)^{(5/2)}*d^5/(e^9*x^3 + 3*d*e^8*x^2 + 3*d^2*e^7*x + d^3*e^6) - 5/2*(-e^2*x^2 + d^2)^{(3/2)}*d^6/(e^8*x^2 + 2*d*e^7*x + d^2*e^6) + 15*\sqrt{-e^2*x^2 + d^2}*d^7/(e^7*x + d*e^6) + 5/3*(-e^2*x^2 + d^2)^{(5/2)}*d^4/(e^8*x^2 + 2*d*e^7*x + d^2*e^6) + 25/6*(-e^2*x^2 + d^2)^{(3/2)}*d^5/(e^7*x + d*e^6) - 5/2*(-e^2*x^2 + d^2)^{(5/2)}*d^3/(e^7*x + d*e^6) + 5/2*I*d^7*arcsin(e*x/d + 2)/e^6 + 75/4*d^7*arcsin(e*x/d)/e^6 - 5/2*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^5*x/e^5 - 5/4*\sqrt{-e^2*x^2 + d^2}*d^5*x/e^5 - 5*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^6/e^6 + 25/2*\sqrt{-e^2*x^2 + d^2}*d^6/e^6 + 5/3*(-e^2*x^2 + d^2)^{(3/2)}*d^3*x/e^5 - 25/6*(-e^2*x^2 + d^2)^{(3/2)}*d^4/e^6 - 2/3*(-e^2*x^2 + d^2)^{(5/2)}*d*x/e^5 + 2*(-e^2*x^2 + d^2)^{(5/2)}*d^2/e^6 - 1/7*(-e^2*x^2 + d^2)^{(7/2)}/e^6$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (d^2 - e^2 x^2)^{5/2}}{(d + e x)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(d^2 - e^2*x^2)^(5/2))/(d + e*x)^4,x)`

[Out] `int((x^5*(d^2 - e^2*x^2)^(5/2))/(d + e*x)^4, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 (-(-d + ex)(d + ex))^{\frac{5}{2}}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(-e**2*x**2+d**2)**(5/2)/(e*x+d)**4, x)`

[Out] `Integral(x**5*(-(-d + e*x)*(d + e*x))**(5/2)/(d + e*x)**4, x)`

$$3.199 \quad \int \frac{x^4(d^2 - e^2x^2)^{5/2}}{(d+ex)^4} dx$$

Optimal. Leaf size=224

$$\frac{1}{6}x^5\sqrt{d^2 - e^2x^2} - \frac{4dx^4\sqrt{d^2 - e^2x^2}}{5e} + \frac{47d^2x^3\sqrt{d^2 - e^2x^2}}{24e^2} - \frac{239d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^5} - \frac{337d^5\sqrt{d^2 - e^2x^2}}{15e^5} + \frac{175d^4x\sqrt{d^2 - e^2x^2}}{16e^4}$$

**Rubi [A]** time = 0.53, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {852, 1635, 1815, 641, 217, 203}

$$-\frac{337d^5\sqrt{d^2 - e^2x^2}}{15e^5} + \frac{175d^4x\sqrt{d^2 - e^2x^2}}{16e^4} - \frac{71d^3x^2\sqrt{d^2 - e^2x^2}}{15e^3} - \frac{d^3(d - ex)^4}{e^5\sqrt{d^2 - e^2x^2}} + \frac{47d^2x^3\sqrt{d^2 - e^2x^2}}{24e^2} - \frac{4dx^4\sqrt{d^2 - e^2x^2}}{5e} + \frac{1}{6}x^5\sqrt{d^2 - e^2x^2} - \frac{239d^6 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{16e^5}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x]

[Out] -((d^3\*(d - e\*x)^4)/(e^5\*Sqrt[d^2 - e^2\*x^2])) - (337\*d^5\*Sqrt[d^2 - e^2\*x^2])/(15\*e^5) + (175\*d^4\*x\*Sqrt[d^2 - e^2\*x^2])/(16\*e^4) - (71\*d^3\*x^2\*Sqrt[d^2 - e^2\*x^2])/(15\*e^3) + (47\*d^2\*x^3\*Sqrt[d^2 - e^2\*x^2])/(24\*e^2) - (4\*d\*x^4\*Sqrt[d^2 - e^2\*x^2])/(5\*e) + (x^5\*Sqrt[d^2 - e^2\*x^2])/6 - (239\*d^6\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(16\*e^5)

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 852

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p))/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])

```

### Rule 1635

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]

```

### Rule 1815

```

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 (d^2 - e^2 x^2)^{5/2}}{(d + ex)^4} dx &= \int \frac{x^4 (d - ex)^4}{(d^2 - e^2 x^2)^{3/2}} dx \\
&= -\frac{d^3 (d - ex)^4}{e^5 \sqrt{d^2 - e^2 x^2}} - \frac{\int \frac{(d-ex)^3 \left( \frac{4d^4}{e^4} - \frac{d^3 x}{e^3} + \frac{d^2 x^2}{e^2} - \frac{dx^3}{e} \right)}{\sqrt{d^2 - e^2 x^2}} dx}{d} \\
&= -\frac{d^3 (d - ex)^4}{e^5 \sqrt{d^2 - e^2 x^2}} + \frac{1}{6} x^5 \sqrt{d^2 - e^2 x^2} + \frac{\int \frac{-\frac{24d^7}{e^2} + \frac{78d^6 x}{e} - 96d^5 x^2 + 66d^4 e x^3 - 47d^3 e^2 x^4 + 24d^2 e^3 x^5}{\sqrt{d^2 - e^2 x^2}} dx}{6de^2} \\
&= -\frac{d^3 (d - ex)^4}{e^5 \sqrt{d^2 - e^2 x^2}} - \frac{4dx^4 \sqrt{d^2 - e^2 x^2}}{5e} + \frac{1}{6} x^5 \sqrt{d^2 - e^2 x^2} - \frac{\int \frac{120d^7 - 390d^6 e x + 480d^5 e^2 x^2 - 426d^4 e^3 x^3}{\sqrt{d^2 - e^2 x^2}} dx}{30de^4} \\
&= -\frac{d^3 (d - ex)^4}{e^5 \sqrt{d^2 - e^2 x^2}} + \frac{47d^2 x^3 \sqrt{d^2 - e^2 x^2}}{24e^2} - \frac{4dx^4 \sqrt{d^2 - e^2 x^2}}{5e} + \frac{1}{6} x^5 \sqrt{d^2 - e^2 x^2} + \frac{\int \frac{-480d^7 e^2}{\sqrt{d^2 - e^2 x^2}} dx}{6} \\
&= -\frac{d^3 (d - ex)^4}{e^5 \sqrt{d^2 - e^2 x^2}} - \frac{71d^3 x^2 \sqrt{d^2 - e^2 x^2}}{15e^3} + \frac{47d^2 x^3 \sqrt{d^2 - e^2 x^2}}{24e^2} - \frac{4dx^4 \sqrt{d^2 - e^2 x^2}}{5e} + \frac{1}{6} x^5 \sqrt{d^2 - e^2 x^2} \\
&= -\frac{d^3 (d - ex)^4}{e^5 \sqrt{d^2 - e^2 x^2}} + \frac{175d^4 x \sqrt{d^2 - e^2 x^2}}{16e^4} - \frac{71d^3 x^2 \sqrt{d^2 - e^2 x^2}}{15e^3} + \frac{47d^2 x^3 \sqrt{d^2 - e^2 x^2}}{24e^2} - \frac{4dx^4 \sqrt{d^2 - e^2 x^2}}{5e} \\
&= -\frac{d^3 (d - ex)^4}{e^5 \sqrt{d^2 - e^2 x^2}} - \frac{337d^5 \sqrt{d^2 - e^2 x^2}}{15e^5} + \frac{175d^4 x \sqrt{d^2 - e^2 x^2}}{16e^4} - \frac{71d^3 x^2 \sqrt{d^2 - e^2 x^2}}{15e^3} + \frac{47d^2 x^3 \sqrt{d^2 - e^2 x^2}}{24e^2} \\
&= -\frac{d^3 (d - ex)^4}{e^5 \sqrt{d^2 - e^2 x^2}} - \frac{337d^5 \sqrt{d^2 - e^2 x^2}}{15e^5} + \frac{175d^4 x \sqrt{d^2 - e^2 x^2}}{16e^4} - \frac{71d^3 x^2 \sqrt{d^2 - e^2 x^2}}{15e^3} + \frac{47d^2 x^3 \sqrt{d^2 - e^2 x^2}}{24e^2} \\
&= -\frac{d^3 (d - ex)^4}{e^5 \sqrt{d^2 - e^2 x^2}} - \frac{337d^5 \sqrt{d^2 - e^2 x^2}}{15e^5} + \frac{175d^4 x \sqrt{d^2 - e^2 x^2}}{16e^4} - \frac{71d^3 x^2 \sqrt{d^2 - e^2 x^2}}{15e^3} + \frac{47d^2 x^3 \sqrt{d^2 - e^2 x^2}}{24e^2}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 125, normalized size = 0.56

$$\frac{\sqrt{d^2 - e^2 x^2} \left( -5632d^6 - 2047d^5 e x + 769d^4 e^2 x^2 - 426d^3 e^3 x^3 + 278d^2 e^4 x^4 - 152d e^5 x^5 + 40e^6 x^6 \right) - 3585d^6 (d + ex) \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right)}{240e^5 (d + ex)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4, x]



[Out]  $(\sqrt{d^2 - e^2 x^2}) * (-5632 d^6 - 2047 d^5 e x + 769 d^4 e^2 x^2 - 426 d^3 e^3 x^3 + 278 d^2 e^4 x^4 - 152 d e^5 x^5 + 40 e^6 x^6) - 3585 d^6 (d + e x) * \text{ArcTan}[(e x) / \sqrt{d^2 - e^2 x^2}] / (240 e^5 (d + e x))$

**IntegrateAlgebraic [A]** time = 0.65, size = 143, normalized size = 0.64

$$\frac{\sqrt{d^2 - e^2 x^2} (-5632 d^6 - 2047 d^5 e x + 769 d^4 e^2 x^2 - 426 d^3 e^3 x^3 + 278 d^2 e^4 x^4 - 152 d e^5 x^5 + 40 e^6 x^6)}{240 e^5 (d + e x)} - \frac{239 d^6 \sqrt{-e^2} \log(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x)}{16 e^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x]

[Out]  $(\sqrt{d^2 - e^2 x^2}) * (-5632 d^6 - 2047 d^5 e x + 769 d^4 e^2 x^2 - 426 d^3 e^3 x^3 + 278 d^2 e^4 x^4 - 152 d e^5 x^5 + 40 e^6 x^6) / (240 e^5 (d + e x)) - (239 d^6 * \text{Sqrt}[-e^2] * \text{Log}[-(\text{Sqrt}[-e^2] * x) + \text{Sqrt}[d^2 - e^2 x^2]]) / (16 e^6)$

**fricas [A]** time = 0.41, size = 146, normalized size = 0.65

$$\frac{5632 d^6 e x + 5632 d^7 - 7170 (d^6 e x + d^7) \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - (40 e^6 x^6 - 152 d e^5 x^5 + 278 d^2 e^4 x^4 - 426 d^3 e^3 x^3 + 769 d^4 e^2 x^2 - 2047 d^5 e x - 5632 d^6) \sqrt{-e^2 x^2 + d^2}}{240 (e^6 x + d e^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="fricas")

[Out]  $-1/240 * (5632 d^6 e x + 5632 d^7 - 7170 (d^6 e x + d^7) * \arctan(-(d - \text{sqrt}(-e^2 x^2 + d^2)) / (e x))) - (40 e^6 x^6 - 152 d e^5 x^5 + 278 d^2 e^4 x^4 - 426 d^3 e^3 x^3 + 769 d^4 e^2 x^2 - 2047 d^5 e x - 5632 d^6) * \text{sqrt}(-e^2 x^2 + d^2) / (e^6 x + d e^5)$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $(84 d^6 * (-1/2 * (-2 d * \exp(1) - 2 * \text{sqrt}(d^2 - x^2 * \exp(2))) * \exp(1)) / x / \exp(2)) ^4 * \exp(1) ^{12} * \exp(2) ^2 + 18 d^6 * (-1/2 * (-2 d * \exp(1) - 2 * \text{sqrt}(d^2 - x^2 * \exp(2))) * \exp(1)) / x / \exp(2)) ^5 * \exp(1) ^{10} * \exp(2) ^3 - 576 d^6 * (-1/2 * (-2 d * \exp(1) - 2 * \text{sqrt}(d^2 - x^2 * \exp(2))) * \exp(1)) / x / \exp(2)) ^3 * \exp(1) ^{12} * \exp(2) ^2 - 540 d^6 * (-1/2 * (-2 d * \exp(1) - 2 * \text{sqrt}(d^2 - x^2 * \exp(2))) * \exp(1)) / x / \exp(2)) ^4 * \exp(1) ^{10} * \exp(2) ^3 - 126 d^6 * (-1/2 * (-2 d * \exp(1) - 2 * \text{sqrt}(d^2 - x^2 * \exp(2))) * \exp(1)) / x / \exp(2)) ^5 * \exp(1) ^8 * \exp(2) ^4 + 228 d^6 * (-1/$

$$\begin{aligned}
& 2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(1)^{12}*\exp(2)^2-200*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^3*\exp(1)^{10}*\exp(2)^3-264*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^4*\exp(1)^8*\exp(2)^4-60*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^5*\exp(1)^6*\exp(2)^5-1188*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(1)^{10}*\exp(2)^3+72*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^3*\exp(1)^8*\exp(2)^4+756*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^4*\exp(1)^6*\exp(2)^5+216*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^5*\exp(1)^4*\exp(2)^6-726*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(1)^8*\exp(2)^4+138*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^3*\exp(1)^6*\exp(2)^5+537*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^4*\exp(1)^4*\exp(2)^6+147*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^5*\exp(2)^8+1620*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(1)^6*\exp(2)^5+1404*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^3*\exp(1)^4*\exp(2)^6+26*d^6*\exp(1)^8*\exp(2)^4+402*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^4*\exp(2)^8+1212*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(1)^4*\exp(2)^6-144*d^6*\exp(1)^6*\exp(2)^5+1008*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^3*\exp(2)^8-89*d^6*\exp(1)^4*\exp(2)^6+804*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(2)^8+402*d^6*\exp(2)^8+104*d^6*(-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^3*\exp(1)^{14}*\exp(2)-861/2*d^6*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))*\exp(2)^8/x/\exp(2)-594*d^6*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))*\exp(1)^4*\exp(2)^6/x/\exp(2)+237*d^6*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))*\exp(1)^6*\exp(2)^5/x/\exp(2)+369*d^6*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))*\exp(1)^8*\exp(2)^4/x/\exp(2)-69*d^6*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))*\exp(1)^{10}*\exp(2)^3/x/\exp(2))/((-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x/\exp(2))^2*\exp(2)-(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x+\exp(2))^3/(3*\exp(1)^{15}+9*\exp(1)^{11}*\exp(2)^2+3*\exp(1)^9*\exp(2)^3+9*\exp(1)^{13}*\exp(2))+1/2*(-192*d^6*\exp(1)^{10}*\exp(2)^2+32*d^6*\exp(1)^8*\exp(2)^3+712*d^6*\exp(1)^6*\exp(2)^4+230*d^6*\exp(1)^4*\exp(2)^5-924*d^6*\exp(2)^7+16*d^6*\exp(1)^{12}*\exp(2))*atan((-1/2*(-2*d*\exp(1)-2*\sqrt{d^2-x^2*\exp(2)}*\exp(1))/x+\exp(2))/sqrt(-exp(1)^4+\exp(2)^2))/sqrt(-exp(1)^4+\exp(2)^2)/(exp(1)^{17}+3*\exp(1)^{13}*\exp(2)^2+\exp(1)^{11}*\exp(2)^3+3*\exp(1)^{15}*\exp(2))-239/16*d^6*sign(d)*asin(x*\exp(2)/d/\exp(1))/exp(1)^5+2*(((((240*\exp(1)^{19}*1/2880/exp(1)^{19}*x-1152*\exp(1)^{18}*d*1/2880/exp(1)^{19})*x+2820*\exp(1)^{17}*d^2*1/2880/exp(1)^{19})*x-5376*\exp(1)^{16}*d^3*1/2880/exp(1)^{19})*x+9990*\exp(1)^{15}*d^4*1/2880/exp(1)^{19})*x-22272*\exp(1)^{14}*d^5*1/2880/exp(1)^{19})*sqrt(d^2-x^2*\exp(2))
\end{aligned}$$

**maple [B]** time = 0.02, size = 393, normalized size = 1.75

$$\frac{61d^6 \arctan\left(\frac{\sqrt{d^2-x^2}}{\sqrt{(d+x)^2+(d-x)^2}}\right)}{4\sqrt{d^2-x^2}} + \frac{5d^6 \arctan\left(\frac{\sqrt{d^2-x^2}}{\sqrt{(d+x)^2+d^2}}\right)}{16\sqrt{d^2-x^2}} + \frac{61\sqrt{2(d+x)^2 d^2 - (d-x)^2} d^2 d^2 x}{4d^4} + \frac{5\sqrt{-d^2+x^2} d^2 d^2 x}{16d^4} + \frac{61\left(2\left(\frac{d+x}{2}\right) d^2 - \left(\frac{d-x}{2}\right)^2\right)^{\frac{1}{2}} d^2 x}{6d^4} + \frac{5(-d^2+x^2)^{\frac{1}{2}} d^2 x}{24d^4} + \frac{(-d^2+x^2)^{\frac{1}{2}} x}{6d^4} + \frac{122\left(2\left(\frac{d+x}{2}\right) d^2 - \left(\frac{d-x}{2}\right)^2\right)^{\frac{1}{2}} d}{15d^3} + \frac{\left(2\left(\frac{d+x}{2}\right) d^2 - \left(\frac{d-x}{2}\right)^2\right)^{\frac{1}{2}} d^3}{\left(\frac{d+x}{2}\right)^{d^3}} + \frac{7\left(2\left(\frac{d+x}{2}\right) d^2 - \left(\frac{d-x}{2}\right)^2\right)^{\frac{1}{2}} d^3}{\left(\frac{d+x}{2}\right)^{d^3}} + \frac{22\left(2\left(\frac{d+x}{2}\right) d^2 - \left(\frac{d-x}{2}\right)^2\right)^{\frac{1}{2}} d}{3\left(\frac{d+x}{2}\right)^{d^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(-e^2*x^2+d^2)^(5/2)/(e*x+d)^4,x)`

[Out]  $-d^3/e^9/(x+d/e)^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(7/2)-7*d^2/e^8/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(7/2)-22/3*d/e^7/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(7/2)-61/6*d^2/e^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(3/2)*x-61/4*d^4/e^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x-61/4*d^6/e^4/(e^2)^(1/2)*\arctan((e^2)^(1/2)/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(1/2)*x)+5/24/e^4*d^2*x*(-e^2*x^2+d^2)^(3/2)+5/16/(e^2)^(1/2)*d^6/e^4*\arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)+5/16*(-e^2*x^2+d^2)^(1/2)*d^4/e^4*x-122/15*d/e^5*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^(5/2)+1/6/e^4*x*(-e^2*x^2+d^2)^(5/2)$

**maxima** [C] time = 1.04, size = 456, normalized size = 2.04

$$\frac{(-d^2+e^2)^{5/2}d}{2(d^2+3d^2e^2+3d^2e^4+e^6)} + \frac{5(-d^2+e^2)^{3/2}d}{3(d^2+3d^2e^2+e^4)} + \frac{15\sqrt{d^2+e^2}d^3}{d^2+e^2} + \frac{4(-d^2+e^2)^{3/2}d}{3(d^2+2d^2e^2+e^4)} + \frac{10(-d^2+e^2)^{3/2}d}{3(d^2+e^2)} + \frac{3(-d^2+e^2)^{3/2}d}{2(d^2+e^2)} + \frac{9d^6\arcsin(\frac{d}{e})}{4e^6} + \frac{275d^6\arcsin(\frac{d}{e})}{16e^6} + \frac{9\sqrt{d^2+4de+3d^2}d^3}{4e^4} + \frac{5\sqrt{d^2+e^2}d^3}{16e^4} + \frac{5\sqrt{d^2+4de+3d^2}d}{2e^2} + \frac{10\sqrt{d^2+e^2}d}{e^2} + \frac{10(-d^2+e^2)^{3/2}d}{24e^4} + \frac{5(-d^2+e^2)^{3/2}d}{2e^2} + \frac{(-d^2+e^2)^{3/2}d}{6e^4} + \frac{4(-d^2+e^2)^{3/2}d}{3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(-e^2*x^2+d^2)^(5/2)/(e*x+d)^4,x, algorithm="maxima")`

[Out]  $1/2*(-e^2*x^2 + d^2)^(5/2)*d^4/(e^8*x^3 + 3*d*e^7*x^2 + 3*d^2*e^6*x + d^3*e^5) + 5/2*(-e^2*x^2 + d^2)^(3/2)*d^5/(e^7*x^2 + 2*d*e^6*x + d^2*e^5) - 15*\sqrt{-e^2*x^2 + d^2}*d^6/(e^6*x + d*e^5) - 4/3*(-e^2*x^2 + d^2)^(5/2)*d^3/(e^7*x^2 + 2*d*e^6*x + d^2*e^5) - 10/3*(-e^2*x^2 + d^2)^(3/2)*d^4/(e^6*x + d*e^5) + 3/2*(-e^2*x^2 + d^2)^(5/2)*d^2/(e^6*x + d*e^5) - 9/4*I*d^6*\arcsin(e*x/d + 2)/e^5 - 275/16*d^6*\arcsin(e*x/d)/e^5 + 9/4*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^4*x/e^4 + 5/16*\sqrt{-e^2*x^2 + d^2}*d^4*x/e^4 + 9/2*\sqrt{e^2*x^2 + 4*d*e*x + 3*d^2}*d^5/e^5 - 10*\sqrt{-e^2*x^2 + d^2}*d^5/e^5 - 19/24*(-e^2*x^2 + d^2)^(3/2)*d^2*x/e^4 + 5/2*(-e^2*x^2 + d^2)^(3/2)*d^3/e^5 + 1/6*(-e^2*x^2 + d^2)^(5/2)*x/e^4 - 4/5*(-e^2*x^2 + d^2)^(5/2)*d/e^5$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (d^2 - e^2 x^2)^{5/2}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4*(d^2 - e^2*x^2)^(5/2))/(d + e*x)^4,x)`

[Out] `int((x^4*(d^2 - e^2*x^2)^(5/2))/(d + e*x)^4, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (-(-d + ex)(d + ex))^{\frac{5}{2}}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(-e**2*x**2+d**2)**(5/2)/(e*x+d)**4,x)
```

```
[Out] Integral(x**4*(-(-d + e*x)*(d + e*x))**(5/2)/(d + e*x)**4, x)
```

$$3.200 \quad \int \frac{x^3(d^2 - e^2x^2)^{5/2}}{(d+ex)^4} dx$$

**Optimal.** Leaf size=192

$$\frac{18d^2x^2\sqrt{d^2 - e^2x^2}}{5e^2} + \frac{1}{5}x^4\sqrt{d^2 - e^2x^2} - \frac{dx^3\sqrt{d^2 - e^2x^2}}{e} + \frac{d^2(d - ex)^4}{e^4\sqrt{d^2 - e^2x^2}} + \frac{27d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{2e^4} + \frac{101d^4\sqrt{d^2 - e^2x^2}}{5e^4}$$

**Rubi [A]** time = 0.44, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {852, 1635, 1815, 641, 217, 203}

$$\frac{101d^4\sqrt{d^2 - e^2x^2}}{5e^4} - \frac{19d^3x\sqrt{d^2 - e^2x^2}}{2e^3} + \frac{18d^2x^2\sqrt{d^2 - e^2x^2}}{5e^2} + \frac{d^2(d - ex)^4}{e^4\sqrt{d^2 - e^2x^2}} - \frac{dx^3\sqrt{d^2 - e^2x^2}}{e} + \frac{1}{5}x^4\sqrt{d^2 - e^2x^2} + \frac{27d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{2e^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4, x]

[Out] (d^2\*(d - e\*x)^4)/(e^4\*sqrt[d^2 - e^2\*x^2]) + (101\*d^4\*sqrt[d^2 - e^2\*x^2])/(5\*e^4) - (19\*d^3\*x\*sqrt[d^2 - e^2\*x^2])/(2\*e^3) + (18\*d^2\*x^2\*sqrt[d^2 - e^2\*x^2])/(5\*e^2) - (d\*x^3\*sqrt[d^2 - e^2\*x^2])/e + (x^4\*sqrt[d^2 - e^2\*x^2])/5 + (27\*d^5\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(2\*e^4)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 852

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[d^(2\*m)/a^m, Int[((f + g\*x)^n\*(a + c\*x^2)^(m + p))

```
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1635

```
Int[(Pq_)*((d_) + (e_)*(x_)^(m_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]
```

### Rule 1815

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*
(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x
], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{(d + ex)^4} dx &= \int \frac{x^3 (d - ex)^4}{(d^2 - e^2 x^2)^{3/2}} dx \\
&= \frac{d^2 (d - ex)^4}{e^4 \sqrt{d^2 - e^2 x^2}} - \frac{\int \frac{(d - ex)^3 \left( -\frac{4d^3}{e^3} + \frac{d^2 x}{e^2} - \frac{dx^2}{e} \right)}{\sqrt{d^2 - e^2 x^2}} dx}{d} \\
&= \frac{d^2 (d - ex)^4}{e^4 \sqrt{d^2 - e^2 x^2}} + \frac{1}{5} x^4 \sqrt{d^2 - e^2 x^2} + \frac{\int \frac{\frac{20d^6}{e} - 65d^5 x + 80d^4 e x^2 - 54d^3 e^2 x^3 + 20d^2 e^3 x^4}{\sqrt{d^2 - e^2 x^2}} dx}{5de^2} \\
&= \frac{d^2 (d - ex)^4}{e^4 \sqrt{d^2 - e^2 x^2}} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{e} + \frac{1}{5} x^4 \sqrt{d^2 - e^2 x^2} - \frac{\int \frac{-80d^6 e + 260d^5 e^2 x - 380d^4 e^3 x^2 + 216d^3 e^4 x^3}{\sqrt{d^2 - e^2 x^2}} dx}{20de^4} \\
&= \frac{d^2 (d - ex)^4}{e^4 \sqrt{d^2 - e^2 x^2}} + \frac{18d^2 x^2 \sqrt{d^2 - e^2 x^2}}{5e^2} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{e} + \frac{1}{5} x^4 \sqrt{d^2 - e^2 x^2} + \frac{\int \frac{240d^6 e^3 - 120d^5 e^4 x}{\sqrt{d^2 - e^2 x^2}} dx}{5e^2} \\
&= \frac{d^2 (d - ex)^4}{e^4 \sqrt{d^2 - e^2 x^2}} - \frac{19d^3 x \sqrt{d^2 - e^2 x^2}}{2e^3} + \frac{18d^2 x^2 \sqrt{d^2 - e^2 x^2}}{5e^2} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{e} + \frac{1}{5} x^4 \sqrt{d^2 - e^2 x^2} \\
&= \frac{d^2 (d - ex)^4}{e^4 \sqrt{d^2 - e^2 x^2}} + \frac{101d^4 \sqrt{d^2 - e^2 x^2}}{5e^4} - \frac{19d^3 x \sqrt{d^2 - e^2 x^2}}{2e^3} + \frac{18d^2 x^2 \sqrt{d^2 - e^2 x^2}}{5e^2} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{e} \\
&= \frac{d^2 (d - ex)^4}{e^4 \sqrt{d^2 - e^2 x^2}} + \frac{101d^4 \sqrt{d^2 - e^2 x^2}}{5e^4} - \frac{19d^3 x \sqrt{d^2 - e^2 x^2}}{2e^3} + \frac{18d^2 x^2 \sqrt{d^2 - e^2 x^2}}{5e^2} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{e} \\
&= \frac{d^2 (d - ex)^4}{e^4 \sqrt{d^2 - e^2 x^2}} + \frac{101d^4 \sqrt{d^2 - e^2 x^2}}{5e^4} - \frac{19d^3 x \sqrt{d^2 - e^2 x^2}}{2e^3} + \frac{18d^2 x^2 \sqrt{d^2 - e^2 x^2}}{5e^2} - \frac{dx^3 \sqrt{d^2 - e^2 x^2}}{e}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 109, normalized size = 0.57

$$\frac{135d^5 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right) + \frac{\sqrt{d^2 - e^2 x^2} (212d^5 + 77d^4 ex - 29d^3 e^2 x^2 + 16d^2 e^3 x^3 - 8de^4 x^4 + 2e^5 x^5)}{d + ex}}{10e^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(212\*d^5 + 77\*d^4\*e\*x - 29\*d^3\*e^2\*x^2 + 16\*d^2\*e^3\*x^3 - 8\*d\*e^4\*x^4 + 2\*e^5\*x^5))/(d + e\*x) + 135\*d^5\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(10\*e^4)

**IntegrateAlgebraic [A]** time = 0.54, size = 132, normalized size = 0.69

$$\frac{27d^5\sqrt{-e^2}\log\left(\sqrt{d^2-e^2x^2}-\sqrt{-e^2}x\right)}{2e^5} + \frac{\sqrt{d^2-e^2x^2}\left(212d^5+77d^4ex-29d^3e^2x^2+16d^2e^3x^3-8de^4x^4+2e^5x^5\right)}{10e^4(d+ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(212\*d^5 + 77\*d^4\*e\*x - 29\*d^3\*e^2\*x^2 + 16\*d^2\*e^3\*x^3 - 8\*d\*e^4\*x^4 + 2\*e^5\*x^5))/(10\*e^4\*(d + e\*x)) + (27\*d^5\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(2\*e^5)

**fricas [A]** time = 0.40, size = 134, normalized size = 0.70

$$\frac{212d^5ex + 212d^6 - 270(d^5ex + d^6)\arctan\left(-\frac{d-\sqrt{-e^2x^2+d^2}}{ex}\right) + (2e^5x^5 - 8de^4x^4 + 16d^2e^3x^3 - 29d^3e^2x^2 + 77d^4ex + 212d^5)\sqrt{-e^2x^2+d^2}}{10(e^5x + de^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="fricas")

[Out] 1/10\*(212\*d^5\*e\*x + 212\*d^6 - 270\*(d^5\*e\*x + d^6)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (2\*e^5\*x^5 - 8\*d\*e^4\*x^4 + 16\*d^2\*e^3\*x^3 - 29\*d^3\*e^2\*x^2 + 77\*d^4\*e\*x + 212\*d^5)\*sqrt(-e^2\*x^2 + d^2))/(e^5\*x + d\*e^4)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (-30\*d^5\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^12\*exp(2)^2-6\*d^5\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^10\*exp(2)^3+432\*d^5\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^12\*exp(2)^2+396\*d^5\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^10\*exp(2)^3+90\*d^5\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^8\*exp(2)^4-102\*d^5\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^12\*exp(2)^2+62\*d^5\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^10\*exp(2)^3+63\*d^5\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^8\*exp(2)^4+9\*d^5\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^6\*exp(2)^5+900\*d^5\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-



```

x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^10*exp(2)^3-144*d^5*(-1/2*(-2*d*exp(
1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*exp(1)^8*exp(2)^4-648*d^5*(-1
/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*exp(1)^6*exp(2)^
5-180*d^5*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^5*exp
(1)^4*exp(2)^6+288*d^5*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/
exp(2))^2*exp(1)^8*exp(2)^4-312*d^5*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2
))*exp(1))/x/exp(2))^3*exp(1)^6*exp(2)^5-432*d^5*(-1/2*(-2*d*exp(1)-2*sqrt(
d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*exp(1)^4*exp(2)^6-108*d^5*(-1/2*(-2*d*e
xp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^5*exp(2)^8-1404*d^5*(-1/2*(-
2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^6*exp(2)^5-118
8*d^5*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*exp(1)^
4*exp(2)^6-11*d^5*exp(1)^8*exp(2)^4-324*d^5*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x
^2*exp(2))*exp(1))/x/exp(2))^4*exp(2)^8-984*d^5*(-1/2*(-2*d*exp(1)-2*sqrt(d
^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(1)^4*exp(2)^6+108*d^5*exp(1)^6*exp(2
)^5-756*d^5*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*e
xp(2)^8+32*d^5*exp(1)^4*exp(2)^6-648*d^5*(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*
exp(2))*exp(1))/x/exp(2))^2*exp(2)^8-324*d^5*exp(2)^8-44*d^5*(-1/2*(-2*d*ex
p(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*exp(1)^14*exp(2)+324*d^5*(-
2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(2)^8/x/exp(2)+504*d^5*(-2*d*e
xp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(1)^4*exp(2)^6/x/exp(2)-183/2*d^5*(
-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(1)^6*exp(2)^5/x/exp(2)-279*d
^5*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(1)^8*exp(2)^4/x/exp(2)+3
0*d^5*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*exp(1)^10*exp(2)^3/x/exp(
2))/((-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(2)-(-
2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3/(3*exp(1)^14+9*exp(1
)^10*exp(2)^2+3*exp(1)^8*exp(2)^3+9*exp(1)^12*exp(2))+1/2*(-108*d^5*exp(1)^
10*exp(2)^2+90*d^5*exp(1)^8*exp(2)^3+472*d^5*exp(1)^6*exp(2)^4+72*d^5*exp(1
)^4*exp(2)^5-656*d^5*exp(2)^7+4*d^5*exp(1)^12*exp(2))*atan((-1/2*(-2*d*exp(
1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))/sqrt(-exp(1)^4+exp(2)^2))/sqrt(
-exp(1)^4+exp(2)^2)/(-exp(1)^16-3*exp(1)^12*exp(2)^2-exp(1)^10*exp(2)^3-3*e
xp(1)^14*exp(2))+27/2*d^5*sign(d)*asin(x*exp(2)/d/exp(1))/exp(1)^4+2*(((24
*exp(1)^13*1/240/exp(1)^13*x-120*exp(1)^12*d*1/240/exp(1)^13)*x+312*exp(1)^
11*d^2*1/240/exp(1)^13)*x-660*exp(1)^10*d^3*1/240/exp(1)^13)*x+1584*exp(1)^
9*d^4*1/240/exp(1)^13)*sqrt(d^2-x^2*exp(2))

```

**maple [A]** time = 0.02, size = 285, normalized size = 1.48

$$\frac{27d^5 \arctan\left(\frac{\sqrt{d-x}}{\sqrt{2(x+\frac{d}{e})^2 - (x+\frac{d}{e})^2}}\right)}{2\sqrt{d-x}} + \frac{27\sqrt{2(x+\frac{d}{e})^2 - (x+\frac{d}{e})^2} d^5 x}{2e^3} + \frac{9\left(2(x+\frac{d}{e})^2 d e - (x+\frac{d}{e})^2 e^2\right)^{\frac{3}{2}} dx}{e^3} + \frac{36\left(2(x+\frac{d}{e})^2 d e - (x+\frac{d}{e})^2 e^2\right)^{\frac{5}{2}}}{5e^4} + \frac{\left(2(x+\frac{d}{e})^2 d e - (x+\frac{d}{e})^2 e^2\right)^{\frac{7}{2}} d^2}{\left(x+\frac{d}{e}\right)^4 e^6} + \frac{6\left(2(x+\frac{d}{e})^2 d e - (x+\frac{d}{e})^2 e^2\right)^{\frac{7}{2}} d}{\left(x+\frac{d}{e}\right)^3 e^7} + \frac{7\left(2(x+\frac{d}{e})^2 d e - (x+\frac{d}{e})^2 e^2\right)^{\frac{7}{2}}}{\left(x+\frac{d}{e}\right)^2 e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x)

[Out] d^2/e^8/(x+d/e)^4\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(7/2)+6\*d/e^7/(x+d/e)^3\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(7/2)+7/e^6/(x+d/e)^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e

$$\begin{aligned} & \left( \frac{-e^{2x^2} + d^2}{2(e^{2x^2} + 3de^{2x} + 3d^2e^x + d^4)} \right)^{\frac{5}{2}} - \frac{5(-e^{2x^2} + d^2)^{\frac{3}{2}}d^3}{2(d^2 + 2de^{2x} + d^2e^x)} + \frac{15\sqrt{-e^{2x^2} + d^2}d^3}{e^{2x} + d^2} - \frac{(-e^{2x^2} + d^2)^{\frac{3}{2}}d^3}{e^{2x^2} + 2de^{2x} + d^2e^x} + \frac{5(-e^{2x^2} + d^2)^{\frac{3}{2}}d^3}{2(e^{2x} + de^x)} - \frac{3(-e^{2x^2} + d^2)^{\frac{3}{2}}d}{4(e^{2x} + de^x)} + \frac{3de^d \arcsin\left(\frac{e^x}{d}\right) + 15d^d \arcsin\left(\frac{e^x}{d}\right)}{2e^d} - \frac{3\sqrt{-e^{2x^2} + 4dex + 3d^2}d^3}{2e^d} - \frac{3\sqrt{-e^{2x^2} + 4dex + 3d^2}d^3}{e^d} + \frac{15\sqrt{-e^{2x^2} + d^2}d^3}{2e^d} + \frac{(-e^{2x^2} + d^2)^{\frac{3}{2}}d^3}{4e^d} + \frac{5(-e^{2x^2} + d^2)^{\frac{3}{2}}d^3}{4e^d} - \frac{(-e^{2x^2} + d^2)^{\frac{3}{2}}}{5e^d} \end{aligned}$$

**maxima** [C] time = 1.03, size = 407, normalized size = 2.12

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/2*(-e^2*x^2 + d^2)^{(5/2)}*d^3/(e^7*x^3 + 3*d*e^6*x^2 + 3*d^2*e^5*x + d^3*e^4) - 5/2*(-e^2*x^2 + d^2)^{(3/2)}*d^4/(e^6*x^2 + 2*d*e^5*x + d^2*e^4) + 15* \\ & \text{sqrt}(-e^2*x^2 + d^2)*d^5/(e^5*x + d*e^4) + (-e^2*x^2 + d^2)^{(5/2)}*d^2/(e^6*x^2 + 2*d*e^5*x + d^2*e^4) + 5/2*(-e^2*x^2 + d^2)^{(3/2)}*d^3/(e^5*x + d*e^4) \\ & - 3/4*(-e^2*x^2 + d^2)^{(5/2)}*d/(e^5*x + d*e^4) + 3/2*I*d^5*\arcsin(e*x/d + 2)/e^4 + 15*d^5*\arcsin(e*x/d)/e^4 - 3/2*\text{sqrt}(e^2*x^2 + 4*d*e*x + 3*d^2)*d^3*x/e^3 - 3*\text{sqrt}(e^2*x^2 + 4*d*e*x + 3*d^2)*d^4/e^4 + 15/2*\text{sqrt}(-e^2*x^2 + d^2)*d^4/e^4 + 1/4*(-e^2*x^2 + d^2)^{(3/2)}*d*x/e^3 - 5/4*(-e^2*x^2 + d^2)^{(3/2)}*d^2/e^4 + 1/5*(-e^2*x^2 + d^2)^{(5/2)}/e^4 \end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 (d^2 - e^2 x^2)^{5/2}}{(d + e x)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x)

[Out] int((x^3\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (-(-d + ex)(d + ex))^{\frac{5}{2}}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d)\*\*4,x)

[Out] Integral(x\*\*3\*(-(-d + e\*x)\*(d + e\*x))\*\*5/2/(d + e\*x)\*\*4, x)

$$3.201 \quad \int \frac{x^2(d^2 - e^2x^2)^{5/2}}{(d+ex)^4} dx$$

Optimal. Leaf size=182

$$\frac{95d^2(d-ex)\sqrt{d^2-e^2x^2}}{24e^3} - \frac{19d(d-ex)^2\sqrt{d^2-e^2x^2}}{12e^3} - \frac{d(d-ex)^4}{e^3\sqrt{d^2-e^2x^2}} - \frac{(d-ex)^3\sqrt{d^2-e^2x^2}}{4e^3} - \frac{95d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{8e^3}$$

**Rubi** [A] time = 0.22, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1635, 795, 671, 641, 217, 203}

$$-\frac{95d^3\sqrt{d^2-e^2x^2}}{8e^3} - \frac{95d^2(d-ex)\sqrt{d^2-e^2x^2}}{24e^3} - \frac{19d(d-ex)^2\sqrt{d^2-e^2x^2}}{12e^3} - \frac{d(d-ex)^4}{e^3\sqrt{d^2-e^2x^2}} - \frac{(d-ex)^3\sqrt{d^2-e^2x^2}}{4e^3} - \frac{95d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{8e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4, x]

[Out] -((d\*(d - e\*x)^4)/(e^3\*Sqrt[d^2 - e^2\*x^2])) - (95\*d^3\*Sqrt[d^2 - e^2\*x^2]) / (8\*e^3) - (95\*d^2\*(d - e\*x)\*Sqrt[d^2 - e^2\*x^2]) / (24\*e^3) - (19\*d\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2]) / (12\*e^3) - ((d - e\*x)^3\*Sqrt[d^2 - e^2\*x^2]) / (4\*e^3) - (95\*d^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]]) / (8\*e^3)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 671

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 1)), x] + Dist[(2\*c

```
*d*(m + p))/(c*(m + 2*p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p, x], x]
/; FreeQ[{a, c, d, e, p}, x] && EqQ[c*d^2 + a*e^2, 0] && GtQ[m, 1] && NeQ[m
+ 2*p + 1, 0] && IntegerQ[2*p]
```

### Rule 795

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_
), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)),
x] + Dist[(m*(d*g + e*f) + 2*e*f*(p + 1))/(e*(m + 2*p + 2)), Int[(d + e*x)
^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && EqQ[c*d^2
+ a*e^2, 0] && NeQ[m + 2*p + 2, 0] && NeQ[m, 2]
```

### Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2
)^(p_), x_Symbol] :> Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

### Rule 1635

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (d^2 - e^2 x^2)^{5/2}}{(d + ex)^4} dx &= \int \frac{x^2 (d - ex)^4}{(d^2 - e^2 x^2)^{3/2}} dx \\
&= -\frac{d(d - ex)^4}{e^3 \sqrt{d^2 - e^2 x^2}} - \frac{\int \left(\frac{4d^2}{e^2} - \frac{dx}{e}\right) (d - ex)^3}{\sqrt{d^2 - e^2 x^2}} dx \\
&= -\frac{d(d - ex)^4}{e^3 \sqrt{d^2 - e^2 x^2}} - \frac{(d - ex)^3 \sqrt{d^2 - e^2 x^2}}{4e^3} - \frac{(19d) \int \frac{(d - ex)^3}{\sqrt{d^2 - e^2 x^2}} dx}{4e^2} \\
&= -\frac{d(d - ex)^4}{e^3 \sqrt{d^2 - e^2 x^2}} - \frac{19d(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{12e^3} - \frac{(d - ex)^3 \sqrt{d^2 - e^2 x^2}}{4e^3} - \frac{(95d^2) \int \frac{(d - ex)^2}{\sqrt{d^2 - e^2 x^2}} dx}{12e^2} \\
&= -\frac{d(d - ex)^4}{e^3 \sqrt{d^2 - e^2 x^2}} - \frac{95d^2(d - ex) \sqrt{d^2 - e^2 x^2}}{24e^3} - \frac{19d(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{12e^3} - \frac{(d - ex)^3 \sqrt{d^2 - e^2 x^2}}{4e^3} \\
&= -\frac{d(d - ex)^4}{e^3 \sqrt{d^2 - e^2 x^2}} - \frac{95d^3 \sqrt{d^2 - e^2 x^2}}{8e^3} - \frac{95d^2(d - ex) \sqrt{d^2 - e^2 x^2}}{24e^3} - \frac{19d(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{12e^3} \\
&= -\frac{d(d - ex)^4}{e^3 \sqrt{d^2 - e^2 x^2}} - \frac{95d^3 \sqrt{d^2 - e^2 x^2}}{8e^3} - \frac{95d^2(d - ex) \sqrt{d^2 - e^2 x^2}}{24e^3} - \frac{19d(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{12e^3} \\
&= -\frac{d(d - ex)^4}{e^3 \sqrt{d^2 - e^2 x^2}} - \frac{95d^3 \sqrt{d^2 - e^2 x^2}}{8e^3} - \frac{95d^2(d - ex) \sqrt{d^2 - e^2 x^2}}{24e^3} - \frac{19d(d - ex)^2 \sqrt{d^2 - e^2 x^2}}{12e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 103, normalized size = 0.57

$$\sqrt{d^2 - e^2 x^2} \left( -\frac{8d^4}{e^3(d + ex)} - \frac{32d^3}{3e^3} + \frac{31d^2 x}{8e^2} - \frac{4dx^2}{3e} + \frac{x^3}{4} \right) - \frac{95d^4 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{8e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4, x]

[Out] Sqrt[d^2 - e^2\*x^2]\*((-32\*d^3)/(3\*e^3) + (31\*d^2\*x)/(8\*e^2) - (4\*d\*x^2)/(3\*e) + x^3/4 - (8\*d^4)/(e^3\*(d + e\*x))) - (95\*d^4\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(8\*e^3)

**IntegrateAlgebraic [A]** time = 0.54, size = 121, normalized size = 0.66

$$\frac{\sqrt{d^2 - e^2 x^2} (-448d^4 - 163d^3 ex + 61d^2 e^2 x^2 - 26de^3 x^3 + 6e^4 x^4)}{24e^3(d + ex)} - \frac{95d^4 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{8e^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-448\*d^4 - 163\*d^3\*e\*x + 61\*d^2\*e^2\*x^2 - 26\*d\*e^3\*x^3 + 6\*e^4\*x^4))/(24\*e^3\*(d + e\*x)) - (95\*d^4\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(8\*e^4)

**fricas [A]** time = 0.41, size = 124, normalized size = 0.68

$$\frac{448 d^4 ex + 448 d^5 - 570 (d^4 ex + d^5) \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{ex}\right) - (6 e^4 x^4 - 26 d e^3 x^3 + 61 d^2 e^2 x^2 - 163 d^3 ex - 448 d^4) \sqrt{-e^2 x^2 + d^2}}{24 (e^4 x + d e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="fricas")

[Out] -1/24\*(448\*d^4\*e\*x + 448\*d^5 - 570\*(d^4\*e\*x + d^5)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (6\*e^4\*x^4 - 26\*d\*e^3\*x^3 + 61\*d^2\*e^2\*x^2 - 163\*d^3\*e\*x - 448\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(e^4\*x + d\*e^3)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (-288\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^12\*exp(2)^2-252\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^10\*exp(2)^3-54\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^8\*exp(2)^4+24\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^12\*exp(2)^2+64\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^10\*exp(2)^3+8\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^8\*exp(2)^4+30\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^6\*exp(2)^5-612\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^6\*exp(1)^4\*exp(2)^6+12\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^7\*exp(1)^2\*exp(2)^7-12\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^8\*exp(1)^0\*exp(2)^8+3\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^9\*exp(1)^(-2)\*exp(2)^9-3\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^10\*exp(1)^(-4)\*exp(2)^10+3\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^11\*exp(1)^(-6)\*exp(2)^11-3\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^12\*exp(1)^(-8)\*exp(2)^12

(1))/x/exp(2))^2\*exp(1)^10\*exp(2)^3+216\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^8\*exp(2)^4+540\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^6\*exp(2)^5+144\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^4\*exp(2)^6+66\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^8\*exp(2)^4+438\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^6\*exp(2)^5+339\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^4\*exp(2)^6+75\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(2)^8+1188\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^6\*exp(2)^5+972\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^4\*exp(2)^6+2\*d^4\*exp(1)^8\*exp(2)^4+252\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(2)^8+780\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^4\*exp(2)^6-72\*d^4\*exp(1)^6\*exp(2)^5+540\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(2)^8+13\*d^4\*exp(1)^4\*exp(2)^6+504\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(2)^8+252\*d^4\*exp(2)^8-465/2\*d^4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(2)^8/x/exp(2)-414\*d^4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^4\*exp(2)^6/x/exp(2)-24\*d^4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^6\*exp(2)^5/x/exp(2)+189\*d^4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^8\*exp(2)^4/x/exp(2)-6\*d^4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^10\*exp(2)^3/x/exp(2))/((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(2)-(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))^3/(3\*exp(1)^13+9\*exp(1)^9\*exp(2)^2+3\*exp(1)^7\*exp(2)^3+9\*exp(1)^11\*exp(2))+1/2\*(48\*d^4\*exp(1)^10\*exp(2)^2-104\*d^4\*exp(1)^8\*exp(2)^3-280\*d^4\*exp(1)^6\*exp(2)^4+22\*d^4\*exp(1)^4\*exp(2)^5+440\*d^4\*exp(2)^7)\*atan((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/sqrt(-exp(1)^4+exp(2)^2)/(-exp(1)^15-3\*exp(1)^11\*exp(2)^2-exp(1)^9\*exp(2)^3-3\*exp(1)^13\*exp(2))-95/8\*d^4\*sign(d)\*asin(x\*exp(2)/d/exp(1))/exp(1)/exp(2)+2\*(((12\*exp(1)^8\*1/96/exp(1)^8\*x-64\*exp(1)^7\*d\*1/96/exp(1)^8)\*x+186\*exp(1)^6\*d^2\*1/96/exp(1)^8)\*x-512\*exp(1)^5\*d^3\*1/96/exp(1)^8)\*sqrt(d^2-x^2\*exp(2))

**maple [A]** time = 0.01, size = 288, normalized size = 1.58

$$\frac{95d^4 \arctan\left(\frac{\sqrt{x}}{\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}}\right)}{8\sqrt{e^2}} - \frac{95\sqrt{2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2}d^2x}{8e^2} - \frac{95\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{3}{2}}x}{12e^2} - \frac{19\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{5}{2}}}{3de^3} - \frac{\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{7}{2}}d}{\left(x+\frac{d}{e}\right)^4e^7} - \frac{19\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{7}{2}}}{3\left(x+\frac{d}{e}\right)^2de^6} - \frac{5\left(2\left(x+\frac{d}{e}\right)de-\left(x+\frac{d}{e}\right)^2e^2\right)^{\frac{7}{2}}}{\left(x+\frac{d}{e}\right)^3e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x)

[Out] -d/e^7/(x+d/e)^4\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(7/2)-5/e^6/(x+d/e)^3\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(7/2)-19/3/d/e^5/(x+d/e)^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(7/2)-19/3/d/e^3\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(5/2)-95/12/e^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^(3/2)\*x-95/8\*d^2/e^2\*(2\*(x+d/e)\*d\*e-(x+d/e)^2\*e^2)^

$(1/2)*x-95/8*d^4/e^2/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(2*(x+d/e)*d*e^{-(x+d/e)}-2*e^2)^{(1/2)}*x)$

**maxima** [C] time = 1.02, size = 363, normalized size = 1.99

$$\frac{(-e^2x^2 + d^2)^{5/2}}{2(e^2x^3 + 3de^2x^2 + 3d^2ex + d^3)} + \frac{5(-e^2x^2 + d^2)^{3/2}d^3}{2(e^2x^2 + 2dex + d^2e^3)} - \frac{15\sqrt{-e^2x^2 + d^2}d^4}{e^4x + de^3} - \frac{2(-e^2x^2 + d^2)^{5/2}d}{3(e^2x^2 + 2dex + d^2e^3)} - \frac{5(-e^2x^2 + d^2)^{3/2}d^2}{3(e^2x + de^3)} - \frac{5id^4\arcsin\left(\frac{e^2x}{d} + 2\right)}{8e^3} - \frac{25d^4\arcsin\left(\frac{e^2x}{d}\right)}{2e^3} + \frac{(-e^2x^2 + d^2)^{5/2}}{4(e^2x + de^3)} + \frac{5\sqrt{e^2x^2 + 4dex + 3d^2}d^2x}{8e^2} + \frac{5\sqrt{e^2x^2 + 4dex + 3d^2}d^3}{4e^3} - \frac{5\sqrt{-e^2x^2 + d^2}d^3}{e^3} + \frac{5(-e^2x^2 + d^2)^{3/2}d}{12e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="maxima")

[Out]  $1/2*(-e^2*x^2 + d^2)^{(5/2)}*d^2/(e^6*x^3 + 3*d*e^5*x^2 + 3*d^2*e^4*x + d^3*e^3) + 5/2*(-e^2*x^2 + d^2)^{(3/2)}*d^3/(e^5*x^2 + 2*d*e^4*x + d^2*e^3) - 15*sqrt(-e^2*x^2 + d^2)*d^4/(e^4*x + d*e^3) - 2/3*(-e^2*x^2 + d^2)^{(5/2)}*d/(e^5*x^2 + 2*d*e^4*x + d^2*e^3) - 5/3*(-e^2*x^2 + d^2)^{(3/2)}*d^2/(e^4*x + d*e^3) - 5/8*I*d^4*arcsin(e*x/d + 2)/e^3 - 25/2*d^4*arcsin(e*x/d)/e^3 + 1/4*(-e^2*x^2 + d^2)^{(5/2)}/(e^4*x + d*e^3) + 5/8*sqrt(e^2*x^2 + 4*d*e*x + 3*d^2)*d^2*x/e^2 + 5/4*sqrt(e^2*x^2 + 4*d*e*x + 3*d^2)*d^3/e^3 - 5*sqrt(-e^2*x^2 + d^2)*d^3/e^3 + 5/12*(-e^2*x^2 + d^2)^{(3/2)}*d/e^3$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 (d^2 - e^2 x^2)^{5/2}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x)

[Out] int((x^2\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (-(-d + ex)(d + ex))^{5/2}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d)\*\*4,x)

[Out] Integral(x\*\*2\*(-(-d + e\*x)\*(d + e\*x))\*\*5/2/(d + e\*x)\*\*4, x)



$$3.202 \quad \int \frac{x(d^2 - e^2x^2)^{5/2}}{(d+ex)^4} dx$$

Optimal. Leaf size=130

$$\frac{(d^2 - e^2x^2)^{7/2}}{e^2(d+ex)^4} + \frac{8(d^2 - e^2x^2)^{5/2}}{e^2(d+ex)^2} + \frac{20(d^2 - e^2x^2)^{3/2}}{3e^2} + \frac{10dx\sqrt{d^2 - e^2x^2}}{e} + \frac{10d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{e^2}$$

**Rubi** [A] time = 0.06, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {793, 663, 665, 195, 217, 203}

$$\frac{(d^2 - e^2x^2)^{7/2}}{e^2(d+ex)^4} + \frac{8(d^2 - e^2x^2)^{5/2}}{e^2(d+ex)^2} + \frac{20(d^2 - e^2x^2)^{3/2}}{3e^2} + \frac{10dx\sqrt{d^2 - e^2x^2}}{e} + \frac{10d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{e^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x]

[Out] (10\*d\*x\*sqrt[d^2 - e^2\*x^2])/e + (20\*(d^2 - e^2\*x^2)^(3/2))/(3\*e^2) + (8\*(d^2 - e^2\*x^2)^(5/2))/(e^2\*(d + e\*x)^2) + (d^2 - e^2\*x^2)^(7/2)/(e^2\*(d + e\*x)^4) + (10\*d^3\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/e^2

### Rule 195

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(x\*(a + b\*x^n)^p)/(n\*p + 1), x] + Dist[(a\*n\*p)/(n\*p + 1), Int[(a + b\*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2\*p] || (EqQ[n, 2] && IntegerQ[4\*p]) || (EqQ[n, 2] && IntegerQ[3\*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 663

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + p + 1)), x] - Dist[(c*p)/(e^2*(m
+ p + 1)), Int[(d + e*x)^(m + 2)*(a + c*x^2)^(p - 1), x], x] /; FreeQ[{a, c
, d, e}, x] && EqQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (LtQ[m, -2] || EqQ[m +
2*p + 1, 0]) && NeQ[m + p + 1, 0] && IntegerQ[2*p]
```

### Rule 665

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[(2*c*d*p)/(e
^2*(m + 2*p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1), x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (LeQ[-2, m, 0]
|| EqQ[m + p + 1, 0]) && NeQ[m + 2*p + 1, 0] && IntegerQ[2*p]
```

### Rule 793

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_
), x_Symbol] := Simp[((d*g - e*f)*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*c*d*(
m + p + 1)), x] + Dist[(m*(g*c*d + c*e*f) + 2*e*c*f*(p + 1))/(e*(2*c*d)*(m
+ p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e
, f, g, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p
+ 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2*p + 2, 0]) && NeQ[m + p
+ 1, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x(d^2 - e^2x^2)^{5/2}}{(d + ex)^4} dx &= \frac{(d^2 - e^2x^2)^{7/2}}{e^2(d + ex)^4} + \frac{4 \int \frac{(d^2 - e^2x^2)^{5/2}}{(d + ex)^3} dx}{e} \\
&= \frac{8(d^2 - e^2x^2)^{5/2}}{e^2(d + ex)^2} + \frac{(d^2 - e^2x^2)^{7/2}}{e^2(d + ex)^4} + \frac{20 \int \frac{(d^2 - e^2x^2)^{3/2}}{d + ex} dx}{e} \\
&= \frac{20(d^2 - e^2x^2)^{3/2}}{3e^2} + \frac{8(d^2 - e^2x^2)^{5/2}}{e^2(d + ex)^2} + \frac{(d^2 - e^2x^2)^{7/2}}{e^2(d + ex)^4} + \frac{(20d) \int \sqrt{d^2 - e^2x^2} dx}{e} \\
&= \frac{10dx\sqrt{d^2 - e^2x^2}}{e} + \frac{20(d^2 - e^2x^2)^{3/2}}{3e^2} + \frac{8(d^2 - e^2x^2)^{5/2}}{e^2(d + ex)^2} + \frac{(d^2 - e^2x^2)^{7/2}}{e^2(d + ex)^4} + \frac{(10d^3) \int \frac{dx}{\sqrt{d^2 - e^2x^2}}}{e} \\
&= \frac{10dx\sqrt{d^2 - e^2x^2}}{e} + \frac{20(d^2 - e^2x^2)^{3/2}}{3e^2} + \frac{8(d^2 - e^2x^2)^{5/2}}{e^2(d + ex)^2} + \frac{(d^2 - e^2x^2)^{7/2}}{e^2(d + ex)^4} + \frac{(10d^3) \text{Subst}}{e} \\
&= \frac{10dx\sqrt{d^2 - e^2x^2}}{e} + \frac{20(d^2 - e^2x^2)^{3/2}}{3e^2} + \frac{8(d^2 - e^2x^2)^{5/2}}{e^2(d + ex)^2} + \frac{(d^2 - e^2x^2)^{7/2}}{e^2(d + ex)^4} + \frac{10d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{e^2}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 83, normalized size = 0.64

$$\frac{1}{3} \sqrt{d^2 - e^2x^2} \left( \frac{24d^3}{e^2(d + ex)} + \frac{23d^2}{e^2} - \frac{6dx}{e} + x^2 \right) + \frac{10d^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*((23\*d^2)/e^2 - (6\*d\*x)/e + x^2 + (24\*d^3)/(e^2\*(d + e\*x))))/3 + (10\*d^3\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/e^2

**IntegrateAlgebraic [A]** time = 0.48, size = 107, normalized size = 0.82

$$\frac{10d^3\sqrt{-e^2} \log\left(\sqrt{d^2 - e^2x^2} - \sqrt{-e^2}x\right)}{e^3} + \frac{\sqrt{d^2 - e^2x^2} (47d^3 + 17d^2ex - 5de^2x^2 + e^3x^3)}{3e^2(d + ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x]

[Out]  $(\sqrt{d^2 - e^2 x^2} * (47 d^3 + 17 d^2 e x - 5 d e^2 x^2 + e^3 x^3)) / (3 e^2 (d + e x)) + (10 d^3 \sqrt{-e^2} * \text{Log}[-(\sqrt{-e^2} x) + \sqrt{d^2 - e^2 x^2}]) / e^3$

**fricas** [A] time = 0.40, size = 111, normalized size = 0.85

$$\frac{47 d^3 e x + 47 d^4 - 60 (d^3 e x + d^4) \arctan\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) + (e^3 x^3 - 5 d e^2 x^2 + 17 d^2 e x + 47 d^3) \sqrt{-e^2 x^2 + d^2}}{3 (e^3 x + d e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-e^2*x^2+d^2)^(5/2)/(e*x+d)^4,x, algorithm="fricas")`

[Out]  $1/3 * (47 d^3 e x + 47 d^4 - 60 (d^3 e x + d^4) * \arctan(-(d - \sqrt{-e^2 x^2 + d^2}) / (e x))) + (e^3 x^3 - 5 d e^2 x^2 + 17 d^2 e x + 47 d^3) * \sqrt{-e^2 x^2 + d^2} / (e^3 x + d e^2)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(-e^2*x^2+d^2)^(5/2)/(e*x+d)^4,x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $(6 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^4 \exp(1)^{12} \exp(2)^2 + 144 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^3 \exp(1)^{12} \exp(2)^2 + 108 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^4 \exp(1)^{10} \exp(2)^3 + 18 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^5 \exp(1)^8 \exp(2)^4 + 6 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^2 \exp(1)^{12} \exp(2)^2 - 178 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^3 \exp(1)^{10} \exp(2)^3 - 13 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^4 \exp(1)^8 \exp(2)^4 - 57 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^5 \exp(1)^6 \exp(2)^5 + 324 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^2 \exp(1)^{10} \exp(2)^3 - 288 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^3 \exp(1)^8 \exp(2)^4 - 432 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^4 \exp(1)^6 \exp(2)^5 - 108 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^5 \exp(1)^4 \exp(2)^6 - 336 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^2 \exp(1)^8 \exp(2)^4 - 516 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^3 \exp(1)^6 \exp(2)^5 - 258 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^4 \exp(1)^4 \exp(2)^6 - 48 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^5 \exp(2)^8 - 972 d^3 (-1/2 (-2 d \exp(1) - 2 \sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x / \exp(2))^5 \exp(2)^8$

$$\begin{aligned} & \text{rt}(d^2-x^2 \exp(2)) \cdot \exp(1) / x / \exp(2) \Big)^2 \exp(1)^6 \exp(2)^5 - 756 d^3 (-1/2 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) / x / \exp(2)) \Big)^3 \exp(1)^4 \exp(2)^6 + d^3 \exp(1)^8 \exp(2)^4 - 186 d^3 (-1/2 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) / x / \exp(2)) \Big)^4 \exp(2)^8 - 600 d^3 (-1/2 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) / x / \exp(2)) \Big)^2 \exp(1)^4 \exp(2)^6 + 36 d^3 \exp(1)^6 \exp(2)^5 - 360 d^3 (-1/2 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) / x / \exp(2)) \Big)^3 \exp(2)^8 - 46 d^3 \exp(1)^4 \exp(2)^6 - 372 d^3 (-1/2 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) / x / \exp(2)) \Big)^2 \exp(2)^8 - 186 d^3 \exp(2)^8 + 4 d^3 (-1/2 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) / x / \exp(2)) \Big)^3 \exp(1)^{14} \exp(2) + 156 d^3 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) \exp(2)^8 / x / \exp(2) + 324 d^3 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) \exp(1)^4 \exp(2)^6 / x / \exp(2) + 219/2 d^3 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) \exp(1)^6 \exp(2)^5 / x / \exp(2) - 99 d^3 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) \exp(1)^8 \exp(2)^4 / x / \exp(2) - 3 d^3 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) \exp(1)^{10} \exp(2)^3 / x / \exp(2) / ((-1/2 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) / x / \exp(2)) \Big)^2 \exp(2) - (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) / x + \exp(2) \Big)^3 / (3 \exp(1)^{12} + 9 \exp(1)^8 \exp(2)^2 + 3 \exp(1)^6 \exp(2)^3 + 9 \exp(1)^{10} \exp(2)) + 1/2 (12 d^3 \exp(1)^{10} \exp(2)^2 - 86 d^3 \exp(1)^8 \exp(2)^3 - 136 d^3 \exp(1)^6 \exp(2)^4 + 64 d^3 \exp(1)^4 \exp(2)^5 + 272 d^3 \exp(2)^7) \cdot \text{atan}((-1/2 (-2d \exp(1) - 2 \sqrt{d^2-x^2 \exp(2)}) \exp(1) / x + \exp(2)) / \sqrt{-\exp(1)^4 + \exp(2)^2}) / \sqrt{-\exp(1)^4 + \exp(2)^2} / (\exp(1)^{14} + 3 \exp(1)^{10} \exp(2)^2 + \exp(1)^8 \exp(2)^3 + 3 \exp(1)^{12} \exp(2)) + 10 d^3 \text{sign}(d) \cdot \text{asin}(x \exp(2) / d / \exp(1)) / \exp(1)^2 + 2 \cdot ((2 \exp(1)^4 \cdot 1/12 / \exp(1)^4 \cdot x - 12 \exp(1)^3 \cdot d \cdot 1/12 / \exp(1)^4) \cdot x + 46 \exp(1)^2 \cdot d^2 \cdot 1/12 / \exp(1)^4) \cdot \sqrt{d^2-x^2 \exp(2)} \end{aligned}$$

**maple [B]** time = 0.01, size = 290, normalized size = 2.23

$$\frac{10d^3 \arctan\left(\frac{\sqrt{x}}{\sqrt{2(x+\frac{d}{e})de - (x+\frac{d}{e})^2}}\right)}{\sqrt{2}e} + \frac{10\sqrt{2(x+\frac{d}{e})de - (x+\frac{d}{e})^2}}{e} \frac{e^2 dx}{e^2} + \frac{20\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2\right)^{\frac{3}{2}}}{3de} x + \frac{16\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2\right)^{\frac{5}{2}}}{3d^2e^2} + \frac{4\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2\right)^{\frac{7}{2}}}{(x+\frac{d}{e})^3 d e^6} + \frac{16\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2\right)^{\frac{7}{2}}}{3(x+\frac{d}{e})^2 d^2 e^4} + \frac{\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2\right)^{\frac{7}{2}}}{(x+\frac{d}{e})^4 e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x \cdot (-e^2 x^2 + d^2)^{(5/2)} / (e x + d)^4, x)$

[Out]  $\frac{1}{e^6} (x+d/e)^{-4} (2(x+d/e) d e - (x+d/e)^2 e^2)^{(7/2)} + 4/d/e^5 (x+d/e)^{-3} (2(x+d/e) d e - (x+d/e)^2 e^2)^{(7/2)} + 16/3/d^2/e^4 (x+d/e)^{-2} (2(x+d/e) d e - (x+d/e)^2 e^2)^{(7/2)} + 16/3/d^2/e^2 (2(x+d/e) d e - (x+d/e)^2 e^2)^{(5/2)} + 20/3/d/e (2(x+d/e) d e - (x+d/e)^2 e^2)^{(3/2)} + x + 10 d/e (2(x+d/e) d e - (x+d/e)^2 e^2)^{(1/2)} + x + 10 d^3/e (e^2)^{(1/2)} \cdot \arctan((e^2)^{(1/2)} / (2(x+d/e) d e - (x+d/e)^2 e^2)^{(1/2)}) \cdot x$

**maxima [A]** time = 0.99, size = 235, normalized size = 1.81

$$\frac{(-e^2 x^2 + d^2)^{\frac{5}{2}} d}{2(e^5 x^3 + 3 d e^4 x^2 + 3 d^2 e^3 x + d^3 e^2)} - \frac{5(-e^2 x^2 + d^2)^{\frac{3}{2}} d^2}{2(e^4 x^2 + 2 d e^3 x + d^2 e^2)} + \frac{15 \sqrt{-e^2 x^2 + d^2} d^3}{e^3 x + d e^2} + \frac{10 d^3 \arcsin\left(\frac{e x}{d}\right)}{e^2} + \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}}}{3(e^4 x^2 + 2 d e^3 x + d^2 e^2)} + \frac{5(-e^2 x^2 + d^2)^{\frac{3}{2}} d}{6(e^3 x + d e^2)} + \frac{5 \sqrt{-e^2 x^2 + d^2} d^2}{2 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="maxima")

[Out] 
$$-1/2*(-e^2*x^2 + d^2)^{(5/2)}*d/(e^5*x^3 + 3*d*e^4*x^2 + 3*d^2*e^3*x + d^3*e^2) - 5/2*(-e^2*x^2 + d^2)^{(3/2)}*d^2/(e^4*x^2 + 2*d*e^3*x + d^2*e^2) + 15*\text{sqrt}(-e^2*x^2 + d^2)*d^3/(e^3*x + d*e^2) + 10*d^3*\arcsin(e*x/d)/e^2 + 1/3*(-e^2*x^2 + d^2)^{(5/2)}/(e^4*x^2 + 2*d*e^3*x + d^2*e^2) + 5/6*(-e^2*x^2 + d^2)^{(3/2)}*d/(e^3*x + d*e^2) + 5/2*\text{sqrt}(-e^2*x^2 + d^2)*d^2/e^2$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x(d^2 - e^2 x^2)^{5/2}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4,x)

[Out] int((x\*(d^2 - e^2\*x^2)^(5/2))/(d + e\*x)^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(-(-d + ex)(d + ex))^{5/2}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d)\*\*4,x)

[Out] Integral(x\*(-(-d + e\*x)\*(d + e\*x))\*\*(5/2)/(d + e\*x)\*\*4, x)

$$3.203 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{(d + ex)^4} dx$$

Optimal. Leaf size=113

$$-\frac{2(d^2 - e^2 x^2)^{5/2}}{e(d + ex)^3} - \frac{5(d^2 - e^2 x^2)^{3/2}}{2e(d + ex)} - \frac{15d\sqrt{d^2 - e^2 x^2}}{2e} - \frac{15d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{2e}$$

**Rubi [A]** time = 0.05, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {663, 665, 217, 203}

$$-\frac{2(d^2 - e^2 x^2)^{5/2}}{e(d + ex)^3} - \frac{5(d^2 - e^2 x^2)^{3/2}}{2e(d + ex)} - \frac{15d\sqrt{d^2 - e^2 x^2}}{2e} - \frac{15d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{2e}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(d + e\*x)^4,x]

[Out] (-15\*d\*Sqrt[d^2 - e^2\*x^2])/(2\*e) - (5\*(d^2 - e^2\*x^2)^(3/2))/(2\*e\*(d + e\*x)) - (2\*(d^2 - e^2\*x^2)^(5/2))/(e\*(d + e\*x)^3) - (15\*d^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 663

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + c\*x^2)^p)/(e\*(m + p + 1)), x] - Dist[(c\*p)/(e^2\*(m + p + 1)), Int[(d + e\*x)^(m + 2)\*(a + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 + a\*e^2, 0] && GtQ[p, 0] && (LtQ[m, -2] || EqQ[m + 2\*p + 1, 0]) && NeQ[m + p + 1, 0] && IntegerQ[2\*p]

### Rule 665

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[(2*c*d*p)/(e
^2*(m + 2*p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1), x], x] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (LeQ[-2, m, 0]
|| EqQ[m + p + 1, 0]) && NeQ[m + 2*p + 1, 0] && IntegerQ[2*p]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{(d + ex)^4} dx &= -\frac{2(d^2 - e^2 x^2)^{5/2}}{e(d + ex)^3} - 5 \int \frac{(d^2 - e^2 x^2)^{3/2}}{(d + ex)^2} dx \\
&= -\frac{5(d^2 - e^2 x^2)^{3/2}}{2e(d + ex)} - \frac{2(d^2 - e^2 x^2)^{5/2}}{e(d + ex)^3} - \frac{1}{2}(15d) \int \frac{\sqrt{d^2 - e^2 x^2}}{d + ex} dx \\
&= -\frac{15d\sqrt{d^2 - e^2 x^2}}{2e} - \frac{5(d^2 - e^2 x^2)^{3/2}}{2e(d + ex)} - \frac{2(d^2 - e^2 x^2)^{5/2}}{e(d + ex)^3} - \frac{1}{2}(15d^2) \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
&= -\frac{15d\sqrt{d^2 - e^2 x^2}}{2e} - \frac{5(d^2 - e^2 x^2)^{3/2}}{2e(d + ex)} - \frac{2(d^2 - e^2 x^2)^{5/2}}{e(d + ex)^3} - \frac{1}{2}(15d^2) \text{Subst}\left(\int \frac{1}{1 + e^2 x^2} dx, x\right) \\
&= -\frac{15d\sqrt{d^2 - e^2 x^2}}{2e} - \frac{5(d^2 - e^2 x^2)^{3/2}}{2e(d + ex)} - \frac{2(d^2 - e^2 x^2)^{5/2}}{e(d + ex)^3} - \frac{15d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{2e}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 75, normalized size = 0.66

$$\sqrt{d^2 - e^2 x^2} \left( -\frac{8d^2}{e(d + ex)} - \frac{4d}{e} + \frac{x}{2} \right) - \frac{15d^2 \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{2e}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(d + e\*x)^4,x]

[Out] Sqrt[d^2 - e^2\*x^2]\*((-4\*d)/e + x/2 - (8\*d^2)/(e\*(d + e\*x))) - (15\*d^2\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]])/(2\*e)

**IntegrateAlgebraic [A]** time = 0.45, size = 98, normalized size = 0.87

$$\frac{\sqrt{d^2 - e^2 x^2} (-24d^2 - 7dex + e^2 x^2)}{2e(d + ex)} - \frac{15d^2 \sqrt{-e^2} \log\left(\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x\right)}{2e^2}$$

Antiderivative was successfully verified.



[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(d + e\*x)^4,x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-24\*d^2 - 7\*d\*e\*x + e^2\*x^2))/(2\*e\*(d + e\*x)) - (15\*d^2\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/(2\*e^2)

**fricas** [A] time = 0.40, size = 99, normalized size = 0.88

$$\frac{24 d^2 e x + 24 d^3 - 30 (d^2 e x + d^3) \arctan\left(\frac{d - \sqrt{-e^2 x^2 + d^2}}{e x}\right) - (e^2 x^2 - 7 d e x - 24 d^2) \sqrt{-e^2 x^2 + d^2}}{2 (e^2 x + d e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="fricas")

[Out] -1/2\*(24\*d^2\*e\*x + 24\*d^3 - 30\*(d^2\*e\*x + d^3)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (e^2\*x^2 - 7\*d\*e\*x - 24\*d^2)\*sqrt(-e^2\*x^2 + d^2))/(e^2\*x + d\*e)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (12\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^12\*exp(2)^2+6\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^10\*exp(2)^3+36\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^10\*exp(2)^3+18\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^8\*exp(2)^4+12\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^12\*exp(2)^2+280\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^10\*exp(2)^3+288\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^8\*exp(2)^4+72\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^6\*exp(2)^5-36\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^10\*exp(2)^3+360\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^8\*exp(2)^4+324\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^6\*exp(2)^5+72\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^4\*exp(2)^6+522\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^8\*exp(2)^4+546\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^6\*exp(2)^5+189\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^4\*exp(2)^6+27\*d^2\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-

$x^2 \exp(2) \exp(1) / x \exp(2) \exp(2)^8 + 756 d^2 (-1/2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) / x \exp(2) \exp(1)^6 \exp(2)^5 + 540 d^2 (-1/2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) / x \exp(2) \exp(1)^4 \exp(2)^6 + 2 d^2 \exp(1)^8 \exp(2)^4 + 126 d^2 (-1/2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) / x \exp(2) \exp(2)^8 + 444 d^2 (-1/2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) / x \exp(2) \exp(1)^4 \exp(2)^6 + 216 d^2 (-1/2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) / x \exp(2) \exp(2)^8 + 67 d^2 \exp(1)^4 \exp(2)^6 + 252 d^2 (-1/2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) / x \exp(2) \exp(2)^8 + 126 d^2 \exp(2)^8 + 8 d^2 (-1/2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) / x \exp(2) \exp(1)^{14} \exp(2) - 189/2 d^2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(2)^8 / x \exp(2) - 234 d^2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(1)^4 \exp(2)^6 / x \exp(2) - 165 d^2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(1)^6 \exp(2)^5 / x \exp(2) + 9 d^2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(1)^8 \exp(2)^4 / x \exp(2) - 3 d^2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(1)^{10} \exp(2)^3 / x \exp(2) / ((-1/2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) / x \exp(2) \exp(2) - (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) / x \exp(2) \exp(2))^3 / (3 \exp(1)^{11} + 9 \exp(1)^7 \exp(2)^2 + 3 \exp(1)^5 \exp(2)^3 + 9 \exp(1)^9 \exp(2) + 1/2 (48 d^2 \exp(1)^8 \exp(2)^3 + 40 d^2 \exp(1)^6 \exp(2)^4 - 66 d^2 \exp(1)^4 \exp(2)^5 - 148 d^2 \exp(2)^7) \operatorname{atan}((-1/2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) / x \exp(2)) / \sqrt{-\exp(1)^4 + \exp(2)^2}) / \sqrt{-\exp(1)^4 + \exp(2)^2} / (\exp(1)^{13} + 3 \exp(1)^9 \exp(2)^2 + \exp(1)^7 \exp(2)^3 + 3 \exp(1)^{11} \exp(2)) - 15/2 d^2 \operatorname{sign}(d) \operatorname{asin}(x \exp(2) / d \exp(1)) / \exp(1) + 2 (2 \exp(1) * 1/8 / \exp(1) * x - 16 d * 1/8 / \exp(1)) * \sqrt{d^2 - x^2 \exp(2)}$

**maple [B]** time = 0.01, size = 284, normalized size = 2.51

$$\frac{15d^2 \arctan\left(\frac{\sqrt{x}}{\sqrt{2(x+\frac{d}{e})de - (x+\frac{d}{e})^2 e^2}}\right)}{2\sqrt{e^2}} - \frac{15\sqrt{2(x+\frac{d}{e})de - (x+\frac{d}{e})^2 e^2} x}{2} - \frac{5\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2 e^2\right)^{\frac{3}{2}} x}{d^2} - \frac{4\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2 e^2\right)^{\frac{5}{2}}}{d^3 e} - \frac{\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2 e^2\right)^{\frac{7}{2}}}{(x+\frac{d}{e})^4 d e^5} - \frac{3\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2 e^2\right)^{\frac{7}{2}}}{(x+\frac{d}{e})^3 d^2 e^4} - \frac{4\left(2(x+\frac{d}{e})de - (x+\frac{d}{e})^2 e^2\right)^{\frac{7}{2}}}{(x+\frac{d}{e})^2 d^3 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}((-e^2 x^2 + d^2)^{(5/2)} / (e x + d)^4, x)$

[Out]  $-1/e^5/d/(x+d/e)^4 * (2*(x+d/e)*d*e - (x+d/e)^2*e^2)^{(7/2)} - 3/e^4/d^2/(x+d/e)^3 * (2*(x+d/e)*d*e - (x+d/e)^2*e^2)^{(7/2)} - 4/e^3/d^3/(x+d/e)^2 * (2*(x+d/e)*d*e - (x+d/e)^2*e^2)^{(7/2)} - 4/e/d^3 * (2*(x+d/e)*d*e - (x+d/e)^2*e^2)^{(5/2)} - 5/d^2 * (2*(x+d/e)*d*e - (x+d/e)^2*e^2)^{(3/2)} * x - 15/2 * (2*(x+d/e)*d*e - (x+d/e)^2*e^2)^{(1/2)} * x - 15/2 * d^2 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (2*(x+d/e)*d*e - (x+d/e)^2*e^2)^{(1/2)} * x)$

**maxima [A]** time = 0.98, size = 134, normalized size = 1.19

$$-\frac{15d^2 \arcsin\left(\frac{ex}{d}\right)}{2e} + \frac{(-e^2x^2 + d^2)^{\frac{5}{2}}}{2(e^4x^3 + 3de^3x^2 + 3d^2e^2x + d^3e)} + \frac{5(-e^2x^2 + d^2)^{\frac{3}{2}}d}{2(e^3x^2 + 2de^2x + d^2e)} - \frac{15\sqrt{-e^2x^2 + d^2}d^2}{e^2x + de}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/(e\*x+d)^4,x, algorithm="maxima")

[Out]  $-15/2*d^2*\arcsin(e*x/d)/e + 1/2*(-e^2*x^2 + d^2)^(5/2)/(e^4*x^3 + 3*d*e^3*x^2 + 3*d^2*e^2*x + d^3*e) + 5/2*(-e^2*x^2 + d^2)^(3/2)*d/(e^3*x^2 + 2*d*e^2*x + d^2*e) - 15*\sqrt{-e^2*x^2 + d^2}*d^2/(e^2*x + d*e)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{(d + e x)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(d + e\*x)^4,x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(d + e\*x)^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-(-d + ex)(d + ex))^{5/2}}{(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/(e\*x+d)\*\*4,x)

[Out] Integral((-(-d + e\*x)\*(d + e\*x))\*\*(5/2)/(d + e\*x)\*\*4, x)

$$3.204 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x(d+ex)^4} dx$$

Optimal. Leaf size=89

$$\frac{8d(d-ex)}{\sqrt{d^2 - e^2 x^2}} + \sqrt{d^2 - e^2 x^2} + 4d \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - d \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

**Rubi [A]** time = 0.21, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {852, 1805, 1809, 844, 217, 203, 266, 63, 208}

$$\frac{8d(d-ex)}{\sqrt{d^2 - e^2 x^2}} + \sqrt{d^2 - e^2 x^2} + 4d \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - d \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)^4),x]

[Out] (8\*d\*(d - e\*x))/Sqrt[d^2 - e^2\*x^2] + Sqrt[d^2 - e^2\*x^2] + 4\*d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - d\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1809

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(c*x)^(m + q -
1)*(a + b*x^2)^(p + 1))/(b*c^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(b*(m
+ q + 2*p + 1)), Int[(c*x)^m*(a + b*x^2)^p*ExpandToSum[b*(m + q + 2*p + 1)*
Pq - b*f*(m + q + 2*p + 1)*x^q - a*f*(m + q - 1)*x^(q - 2), x], x], x] /; G
tQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, m, p}, x] && PolyQ[
Pq, x] && (!IGtQ[m, 0] || IGtQ[p + 1/2, -1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x(d + ex)^4} dx &= \int \frac{(d - ex)^4}{x(d^2 - e^2 x^2)^{3/2}} dx \\
&= \frac{8d(d - ex)}{\sqrt{d^2 - e^2 x^2}} - \frac{\int \frac{-d^4 - 4d^3 ex + d^2 e^2 x^2}{x \sqrt{d^2 - e^2 x^2}} dx}{d^2} \\
&= \frac{8d(d - ex)}{\sqrt{d^2 - e^2 x^2}} + \sqrt{d^2 - e^2 x^2} + \frac{\int \frac{d^4 e^2 + 4d^3 e^3 x}{x \sqrt{d^2 - e^2 x^2}} dx}{d^2 e^2} \\
&= \frac{8d(d - ex)}{\sqrt{d^2 - e^2 x^2}} + \sqrt{d^2 - e^2 x^2} + d^2 \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx + (4de) \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{8d(d - ex)}{\sqrt{d^2 - e^2 x^2}} + \sqrt{d^2 - e^2 x^2} + \frac{1}{2} d^2 \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, x^2 \right) + (4de) \text{Subst} \left( \int \frac{1}{1 + e^2 x^2} dx, x, \sqrt{d^2 - e^2 x^2} \right) \\
&= \frac{8d(d - ex)}{\sqrt{d^2 - e^2 x^2}} + \sqrt{d^2 - e^2 x^2} + 4d \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - \frac{d^2 \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{e^2} \\
&= \frac{8d(d - ex)}{\sqrt{d^2 - e^2 x^2}} + \sqrt{d^2 - e^2 x^2} + 4d \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - d \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 79, normalized size = 0.89

$$\sqrt{d^2 - e^2 x^2} \left( \frac{8d}{d + ex} + 1 \right) - d \log \left( \sqrt{d^2 - e^2 x^2} + d \right) + 4d \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + d \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)^4), x]

[Out] Sqrt[d^2 - e^2\*x^2]\*(1 + (8\*d)/(d + e\*x)) + 4\*d\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] + d\*Log[x] - d\*Log[d + Sqrt[d^2 - e^2\*x^2]]

**IntegrateAlgebraic [A]** time = 0.64, size = 117, normalized size = 1.31

$$\frac{\sqrt{d^2 - e^2 x^2} (9d + ex)}{d + ex} + \frac{4d \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right)}{e} + 2d \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)^4), x]

[Out] ((9\*d + e\*x)\*Sqrt[d^2 - e^2\*x^2])/(d + e\*x) + 2\*d\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d] + (4\*d\*Sqrt[-e^2]\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e

**fricas** [A] time = 0.41, size = 111, normalized size = 1.25

$$\frac{9dex + 9d^2 - 8(dex + d^2) \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + (dex + d^2) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + \sqrt{-e^2x^2 + d^2}(ex + 9d)}{ex + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x/(e\*x+d)^4,x, algorithm="fricas")

[Out] (9\*d\*e\*x + 9\*d^2 - 8\*(d\*e\*x + d^2)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (d\*e\*x + d^2)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + sqrt(-e^2\*x^2 + d^2)\*(e\*x + 9\*d))/(e\*x + d)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (-54\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^12\*exp(2)^2-18\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^10\*exp(2)^3-144\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^12\*exp(2)^2-180\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^10\*exp(2)^3-54\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^8\*exp(2)^4-78\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^12\*exp(2)^2-370\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^10\*exp(2)^3-321\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^8\*exp(2)^4-75\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^6\*exp(2)^5-252\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^10\*exp(2)^3-432\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^8\*exp(2)^4-216\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^6\*exp(2)^5-36\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*exp(1)^4\*exp(2)^6-624\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^8\*exp(2)^4-528\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^6\*exp(2)^5-132\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^4\*exp(2)^6

$$\begin{aligned}
& 2))^{4} \exp(1)^{4} \exp(2)^{6} - 12 * d * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^{5} \exp(2)^{8} - 540 * d * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^{2} \exp(1)^{6} \exp(2)^{5} - 324 * d * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^{3} \exp(1)^{4} \exp(2)^{6} - 11 * d * \exp(1)^{8} \exp(2)^{4} - 72 * d * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^{4} \exp(2)^{8} - 312 * d * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^{2} \exp(1)^{4} \exp(2)^{6} - 36 * d * \exp(1)^{6} \exp(2)^{5} - 108 * d * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^{3} \exp(2)^{8} - 76 * d * \exp(1)^{4} \exp(2)^{6} - 144 * d * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^{2} \exp(2)^{8} - 72 * d * \exp(2)^{8} - 44 * d * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^{3} \exp(1)^{14} \exp(2) + 48 * d * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) * \exp(2)^{8} / x / \exp(2) + 144 * d * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) * \exp(1)^{4} \exp(2)^{6} / x / \exp(2) + 381/2 * d * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) * \exp(1)^{6} \exp(2)^{5} / x / \exp(2) + 81 * d * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) * \exp(1)^{8} \exp(2)^{4} / x / \exp(2) + 24 * d * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) * \exp(1)^{10} \exp(2)^{3} / x / \exp(2)) / ((-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^{2} \exp(2) - (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x + \exp(2))^{3} / (3 * \exp(1)^{10} + 9 * \exp(1)^{6} \exp(2)^{2} + 3 * \exp(1)^{4} \exp(2)^{3} + 9 * \exp(1)^{8} \exp(2)) + 4 * d * \text{sign}(d) * \text{asin}(x * \exp(2) / d / \exp(1)) + 1/2 * (-12 * d * \exp(1)^{10} \exp(2)^{2} + 2 * d * \exp(1)^{8} \exp(2)^{3} - 8 * d * \exp(1)^{6} \exp(2)^{4} - 40 * d * \exp(1)^{4} \exp(2)^{5} - 64 * d * \exp(2)^{7} - 4 * d * \exp(1)^{12} \exp(2)) * \text{atan}((-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x + \exp(2)) / \sqrt{-\exp(1)^{4} + \exp(2)^{2}}) / \sqrt{-\exp(1)^{4} + \exp(2)^{2}} / (-\exp(1)^{12} - 3 * \exp(1)^{8} \exp(2)^{2} - \exp(1)^{6} \exp(2)^{3} - 3 * \exp(1)^{10} \exp(2)) - d * \exp(2) * \ln(1/2 * \text{abs}(-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / \text{abs}(x) / \exp(2)) / \exp(1)^{2} + \sqrt{d^2 - x^2} * \exp(2))
\end{aligned}$$

**maple [B]** time = 0.01, size = 378, normalized size = 4.25

$$\frac{d^2 \ln\left(\frac{2x^2 + d^2 \sqrt{-x^2 + d^2}}{d^2}\right)}{\sqrt{d^2}} + \frac{4d \arctan\left(\frac{\sqrt{-x^2 + d^2}}{\sqrt{2(x+d/e)(x+d/e)^2}}\right)}{\sqrt{d^2}} + \frac{4\sqrt{2(x+d/e)(x+d/e)^2} \arctan\left(\frac{\sqrt{-x^2 + d^2}}{\sqrt{2(x+d/e)(x+d/e)^2}}\right)}{d} + \frac{8(2(x+d/e)(x+d/e)^2)^{3/2} \arctan\left(\frac{\sqrt{-x^2 + d^2}}{\sqrt{2(x+d/e)(x+d/e)^2}}\right)}{3d^3} + \frac{(-x^2 + d^2)^{3/2}}{3d^3} + \frac{(-x^2 + d^2)^{3/2}}{5d^4} + \frac{32(2(x+d/e)(x+d/e)^2)^{3/2}}{15d^4} + \frac{(2(x+d/e)(x+d/e)^2)^{3/2}}{(x+d/e)^2 d^2} + \frac{2(2(x+d/e)(x+d/e)^2)^{3/2}}{(x+d/e)^2 d^2} + \frac{7(2(x+d/e)(x+d/e)^2)^{3/2}}{3(x+d/e)^2 d^2} + \frac{1}{\sqrt{-x^2 + d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x/(e\*x+d)^4,x)

[Out] 
$$\begin{aligned}
& -1/(d^2)^{(1/2)} * d^2 * \ln((2*d^2 + 2*(d^2)^{(1/2)} * (-e^2*x^2 + d^2)^{(1/2)}) / x) + 1/d^2 / e \\
& ^4 / (x + d/e)^4 * (2*(x + d/e) * d * e - (x + d/e)^2 * e^2)^{(7/2)} + 2/d^3 / e^3 / (x + d/e)^3 * (2*(x + \\
& d/e) * d * e - (x + d/e)^2 * e^2)^{(7/2)} + 7/3/d^4 / e^2 / (x + d/e)^2 * (2*(x + d/e) * d * e - (x + d/e)^2 * e^2)^{(7/2)} + 8/3/d^3 * e * (2*(x + d/e) * d * e - (x + d/e)^2 * e^2)^{(3/2)} * x + 4/d * e * (2*(x + d/ \\
& e) * d * e - (x + d/e)^2 * e^2)^{(1/2)} * x + (-e^2*x^2 + d^2)^{(1/2)} + 4*d*e / (e^2)^{(1/2)} * \arctan \\
& ((e^2)^{(1/2)} / (2*(x + d/e) * d * e - (x + d/e)^2 * e^2)^{(1/2)} * x) + 1/5/d^4 * (-e^2*x^2 + d^2)^{(5/2)} + 1/3/d^2 * (-e^2*x^2 + d^2)^{(3/2)} + 32/15/d^4 * (2*(x + d/e) * d * e - (x + d/e)^2 * e^2)^{(5/2)}
\end{aligned}$$



**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-e^2x^2 + d^2)^{\frac{5}{2}}}{(ex + d)^4x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x/(e\*x+d)^4,x, algorithm="maxima")

[Out] integrate((-e^2\*x^2 + d^2)^(5/2)/((e\*x + d)^4\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2x^2)^{5/2}}{x(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)^4), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x\*(d + e\*x)^4), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-(-d + ex)(d + ex))^{\frac{5}{2}}}{x(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x/(e\*x+d)\*\*4,x)

[Out] Integral((-(-d + e\*x)\*(d + e\*x))\*\*(5/2)/(x\*(d + e\*x)\*\*4), x)

$$3.205 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^2(d+ex)^4} dx$$

Optimal. Leaf size=94

$$-\frac{8e(d-ex)}{\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{x} - e \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + 4e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

**Rubi [A]** time = 0.22, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {852, 1805, 1807, 844, 217, 203, 266, 63, 208}

$$-\frac{8e(d-ex)}{\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{x} - e \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right) + 4e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^2\*(d + e\*x)^4), x]

[Out] (-8\*e\*(d - e\*x))/Sqrt[d^2 - e^2\*x^2] - Sqrt[d^2 - e^2\*x^2]/x - e\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] + 4\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^2(d + ex)^4} dx &= \int \frac{(d - ex)^4}{x^2 (d^2 - e^2 x^2)^{3/2}} dx \\
&= \frac{8e(d - ex)}{\sqrt{d^2 - e^2 x^2}} - \frac{\int \frac{-d^4 + 4d^3 ex + d^2 e^2 x^2}{x^2 \sqrt{d^2 - e^2 x^2}} dx}{d^2} \\
&= \frac{8e(d - ex)}{\sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{x} + \frac{\int \frac{-4d^5 e - d^4 e^2 x}{x \sqrt{d^2 - e^2 x^2}} dx}{d^4} \\
&= \frac{8e(d - ex)}{\sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{x} - (4de) \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx - e^2 \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{8e(d - ex)}{\sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{x} - (2de) \text{Subst} \left( \int \frac{1}{x \sqrt{d^2 - e^2 x}} dx, x, x^2 \right) - e^2 \text{Subst} \left( \int \frac{1}{1 + e^2} \right. \\
&= \frac{8e(d - ex)}{\sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{x} - e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + \frac{(4d) \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2} \right)}{e} \\
&= \frac{8e(d - ex)}{\sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{x} - e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) + 4e \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 84, normalized size = 0.89

$$\sqrt{d^2 - e^2 x^2} \left( -\frac{8e}{d + ex} - \frac{1}{x} \right) + 4e \log \left( \sqrt{d^2 - e^2 x^2} + d \right) - e \tan^{-1} \left( \frac{ex}{\sqrt{d^2 - e^2 x^2}} \right) - 4e \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^2\*(d + e\*x)^4), x]

[Out] Sqrt[d^2 - e^2\*x^2]\*(-x^(-1) - (8\*e)/(d + e\*x)) - e\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]] - 4\*e\*Log[x] + 4\*e\*Log[d + Sqrt[d^2 - e^2\*x^2]]

**IntegrateAlgebraic [A]** time = 0.54, size = 117, normalized size = 1.24

$$\frac{\sqrt{d^2 - e^2 x^2} (-d - 9ex)}{x(d + ex)} - \sqrt{-e^2} \log \left( \sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x \right) - 8e \tanh^{-1} \left( \frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^2\*(d + e\*x)^4),x]

[Out]  $((-d - 9*e*x)*\text{Sqrt}[d^2 - e^2*x^2])/(x*(d + e*x)) - 8*e*\text{ArcTanh}[(\text{Sqrt}[-e^2]*x)/d - \text{Sqrt}[d^2 - e^2*x^2]/d] - \text{Sqrt}[-e^2]*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]]$

**fricas** [A] time = 0.42, size = 127, normalized size = 1.35

$$\frac{8e^2x^2 + 8dex - 2(e^2x^2 + dex) \arctan\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{ex}\right) + 4(e^2x^2 + dex) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + \sqrt{-e^2x^2 + d^2} (9ex + d)}{ex^2 + dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^2/(e\*x+d)^4,x, algorithm="fricas")

[Out]  $-(8*e^2*x^2 + 8*d*e*x - 2*(e^2*x^2 + d*e*x)*\arctan(-(d - \text{sqrt}(-e^2*x^2 + d^2))/(e*x)) + 4*(e^2*x^2 + d*e*x)*\log(-(d - \text{sqrt}(-e^2*x^2 + d^2))/x) + \text{sqrt}(-e^2*x^2 + d^2)*(9*e*x + d))/(e*x^2 + d*x)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^2/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $1/4*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))*\exp(2)^3/\exp(1)^4/x/\exp(1)/\exp(2)+1/2*(-48*\exp(1)^{10}*\exp(2)^2-40*\exp(1)^8*\exp(2)^3-8*\exp(1)^6*\exp(2)^4+2*\exp(1)^4*\exp(2)^5-16*\exp(2)^7-16*\exp(1)^{12}*\exp(2))*\text{atan}((-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x+\exp(2))/\text{sqrt}(-\exp(1)^4+\exp(2)^2))/\text{sqrt}(-\exp(1)^4+\exp(2)^2)/(\exp(1)^{11}+3*\exp(1)^7*\exp(2)^2+\exp(1)^5*\exp(2)^3+3*\exp(1)^9*\exp(2))+4*\exp(2)*\ln(1/2*\text{abs}(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/\text{abs}(x)/\exp(2))/\exp(1)-1/3*x*((-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^3*(408*\exp(1)^{12}*\exp(2)^2+1152*\exp(1)^{10}*\exp(2)^3+1392*\exp(1)^8*\exp(2)^4+780*\exp(1)^6*\exp(2)^5+516*\exp(1)^4*\exp(2)^6+132*\exp(2)^8)+(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^4*(576*\exp(1)^{12}*\exp(2)^2+932*\exp(1)^{10}*\exp(2)^3+1116*\exp(1)^8*\exp(2)^4+1041*\exp(1)^6*\exp(2)^5+279*\exp(1)^4*\exp(2)^6+108*\exp(2)^8+208*\exp(1)^{14}*\exp(2))+(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^5*(240*\exp(1)^{12}*\exp(2)^2+648*\exp(1)^{10}*\exp(2)^3+642*\exp(1)^8*\exp(2)^4+270*\exp(1)^6*\exp(2)^5+228*\exp(1)^4*\exp(2)^6+66*\exp(2)^8)+(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^6*(72*\exp(1)^{10}*\exp(2)^3+180*\exp(1)^8*\exp(2)^4+135*\exp(1)^6*\exp(2)^5+9*\exp(1)^4*\exp(2)^6+18*\exp(2)^8)+(-1/2*(-2*d*\exp(1)-2*\text{sqrt}(d^2-x^2*\exp(2))*\exp(1))/x/\exp(2))^2*(276*\exp(1)^{10}*\exp(2)^3+792*\exp(1)^8*\exp(2)^4+861*\exp(1)^6*e$

$x^2)^5 + 279 \exp(1)^4 \exp(2)^6 + 102 \exp(2)^8 + 3 \exp(1)^6 \exp(2)^5 + 9 \exp(1)^4 \exp(2)^6 + 12 \exp(2)^8 - 1/2 * (-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)}) * \exp(1) * (70 \exp(1)^8 \exp(2)^4 + 198 \exp(1)^6 \exp(2)^5 + 200 \exp(1)^4 \exp(2)^6 + 66 \exp(2)^8) / x / \exp(2) * \exp(2) / (2*\exp(2))^3 / ((-1/2 * (-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)}) * \exp(1)) / x / \exp(2))^2 * \exp(2) - (-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)}) * \exp(1) / x + \exp(2))^3 / (-2*d*\exp(1) - 2*\sqrt{d^2 - x^2*\exp(2)}) * \exp(1) / \exp(1) / \exp(2) - \text{sign}(d) * \text{asin}(x*\exp(2)/d/\exp(1)) * \exp(2) / \exp(1)$

**maple [B]** time = 0.01, size = 515, normalized size = 5.48

$$\frac{4d \ln\left(\frac{d^2 - x^2 \exp(2)}{\sqrt{d^2 - x^2 \exp(2)}}\right)}{\sqrt{d^2 - x^2 \exp(2)}} - \frac{7d^2 \arctan\left(\frac{x}{\sqrt{d^2 - x^2 \exp(2)}}\right)}{8\sqrt{d^2 - x^2 \exp(2)}} - \frac{15d^2 \arctan\left(\frac{x}{\sqrt{d^2 - x^2 \exp(2)}}\right)}{8\sqrt{d^2 - x^2 \exp(2)}} - \frac{15\sqrt{d^2 - x^2 \exp(2)} \exp(2)}{8d^2} - \frac{7\sqrt{d^2 - x^2 \exp(2)} \exp(2)}{8d^2} - \frac{4\sqrt{d^2 - x^2 \exp(2)} \exp(2)}{d} - \frac{5(-2d\exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(2)}{4d^2} - \frac{7\left[(-2d\exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(2)\right]}{12d^2} - \frac{4(-2d\exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(2)}{3d^2} - \frac{(-2d\exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(2)}{d^2} - \frac{4(-2d\exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(2)}{5d^2} - \frac{7\left[(-2d\exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(2)\right]}{15d^2} - \frac{2\left[(-2d\exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(2)\right]}{(d^2 - x^2 \exp(2))^{3/2}} - \frac{2\left[(-2d\exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(2)\right]}{(d^2 - x^2 \exp(2))^{3/2}} - \frac{2\left[(-2d\exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(2)\right]}{3(d^2 - x^2 \exp(2))^{3/2}} - \frac{(-2d\exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(2)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x^2/(e\*x+d)^4,x)

[Out]  $-15/8/(e^2)^{(1/2)} * e^2 * \arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)} * x) - 1/d^6 * e^2 * x * (-e^2*x^2+d^2)^{(5/2)} - 5/4/d^4 * e^2 * x * (-e^2*x^2+d^2)^{(3/2)} - 15/8/d^2 * e^2 * x * (-e^2*x^2+d^2)^{(1/2)} - 1/d^3/e^3/(x+d/e)^4 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(7/2)} - 1/d^4/e^2/(x+d/e)^3 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(7/2)} - 1/3/d^5/e/(x+d/e)^2 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(7/2)} + 7/12/d^4 * e^2 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(3/2)} * x + 7/8/d^2 * e^2 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(1/2)} * x + 4/(d^2)^{(1/2)} * d * e * \ln((2*d^2+2*(d^2)^{(1/2)} * (-e^2*x^2+d^2)^{(1/2)})/x) - 4/d * e * (-e^2*x^2+d^2)^{(1/2)} - 4/5/d^5 * e * (-e^2*x^2+d^2)^{(5/2)} - 4/3/d^3 * e * (-e^2*x^2+d^2)^{(3/2)} - 1/d^6/x * (-e^2*x^2+d^2)^{(7/2)} + 7/15/d^5 * e * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(5/2)} + 7/8 * e^2/(e^2)^{(1/2)} * \arctan((e^2)^{(1/2)}/(2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(1/2)} * x)$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-e^2 x^2 + d^2)^{5/2}}{(e x + d)^4 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^2/(e\*x+d)^4,x, algorithm="maxima")

[Out] integrate((-e^2\*x^2 + d^2)^(5/2)/((e\*x + d)^4\*x^2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^2 (d + e x)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(5/2)/(x^2*(d + e*x)^4), x)`

[Out] `int((d^2 - e^2*x^2)^(5/2)/(x^2*(d + e*x)^4), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-(-d + ex)(d + ex))^{\frac{5}{2}}}{x^2 (d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(5/2)/x**2/(e*x+d)**4, x)`

[Out] `Integral((-(-d + e*x)*(d + e*x))**(5/2)/(x**2*(d + e*x)**4), x)`

$$3.206 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^3 (d + ex)^4} dx$$

Optimal. Leaf size=110

$$\frac{8e^2(d - ex)}{d\sqrt{d^2 - e^2x^2}} + \frac{4e\sqrt{d^2 - e^2x^2}}{dx} - \frac{\sqrt{d^2 - e^2x^2}}{2x^2} - \frac{15e^2 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{2d}$$

**Rubi [A]** time = 0.22, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 1807, 807, 266, 63, 208}

$$\frac{8e^2(d - ex)}{d\sqrt{d^2 - e^2x^2}} + \frac{4e\sqrt{d^2 - e^2x^2}}{dx} - \frac{\sqrt{d^2 - e^2x^2}}{2x^2} - \frac{15e^2 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)^4), x]

[Out] (8\*e^2\*(d - e\*x))/(d\*Sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(2\*x^2) + (4\*e\*Sqrt[d^2 - e^2\*x^2])/(d\*x) - (15\*e^2\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]



Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^3 (d + ex)^4} dx &= \int \frac{(d - ex)^4}{x^3 (d^2 - e^2 x^2)^{3/2}} dx \\
&= \frac{8e^2(d - ex)}{d\sqrt{d^2 - e^2 x^2}} - \frac{\int \frac{-d^4 + 4d^3 ex - 7d^2 e^2 x^2}{x^3 \sqrt{d^2 - e^2 x^2}} dx}{d^2} \\
&= \frac{8e^2(d - ex)}{d\sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{2x^2} + \frac{\int \frac{-8d^5 e + 15d^4 e^2 x}{x^2 \sqrt{d^2 - e^2 x^2}} dx}{2d^4} \\
&= \frac{8e^2(d - ex)}{d\sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{2x^2} + \frac{4e\sqrt{d^2 - e^2 x^2}}{dx} + \frac{1}{2} (15e^2) \int \frac{1}{x\sqrt{d^2 - e^2 x^2}} dx \\
&= \frac{8e^2(d - ex)}{d\sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{2x^2} + \frac{4e\sqrt{d^2 - e^2 x^2}}{dx} + \frac{1}{4} (15e^2) \text{Subst} \left( \int \frac{1}{x\sqrt{d^2 - e^2 x}} dx, x, x^2 \right) \\
&= \frac{8e^2(d - ex)}{d\sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{2x^2} + \frac{4e\sqrt{d^2 - e^2 x^2}}{dx} - \frac{15}{2} \text{Subst} \left( \int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2 x^2} \right) \\
&= \frac{8e^2(d - ex)}{d\sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{2x^2} + \frac{4e\sqrt{d^2 - e^2 x^2}}{dx} - \frac{15e^2 \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.22, size = 85, normalized size = 0.77

$$\frac{\frac{\sqrt{d^2 - e^2 x^2} (-d^2 + 7dex + 24e^2 x^2)}{x^2(d+ex)} - 15e^2 \log(\sqrt{d^2 - e^2 x^2} + d) + 15e^2 \log(x)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)^4), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(-d^2 + 7\*d\*e\*x + 24\*e^2\*x^2))/(x^2\*(d + e\*x)) + 15\*e^2\*Log[x] - 15\*e^2\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(2\*d)

**IntegrateAlgebraic [A]** time = 0.62, size = 140, normalized size = 1.27

$$\frac{\sqrt{d^2 - e^2 x^2} (-d^2 + 7dex + 24e^2 x^2)}{2dx^2(d + ex)} - \frac{15e^2 \log(\sqrt{d^2 - e^2 x^2} + d - \sqrt{-e^2} x)}{2d} + \frac{15e^2 \log(-d\sqrt{d^2 - e^2 x^2} + d^2 + d\sqrt{-e^2} x)}{2d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)^4),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-d^2 + 7\*d\*e\*x + 24\*e^2\*x^2))/(2\*d\*x^2\*(d + e\*x)) - (15\*e^2\*Log[d - Sqrt[-e^2]\*x + Sqrt[d^2 - e^2\*x^2]])/(2\*d) + (15\*e^2\*Log[d^2 + d\*Sqrt[-e^2]\*x - d\*Sqrt[d^2 - e^2\*x^2]])/(2\*d)

**fricas** [A] time = 0.41, size = 112, normalized size = 1.02

$$\frac{16e^3x^3 + 16de^2x^2 + 15(e^3x^3 + de^2x^2) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (24e^2x^2 + 7dex - d^2)\sqrt{-e^2x^2 + d^2}}{2(dex^3 + d^2x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^3/(e\*x+d)^4,x, algorithm="fricas")

[Out] 1/2\*(16\*e^3\*x^3 + 16\*d\*e^2\*x^2 + 15\*(e^3\*x^3 + d\*e^2\*x^2)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (24\*e^2\*x^2 + 7\*d\*e\*x - d^2)\*sqrt(-e^2\*x^2 + d^2))/(d\*e\*x^3 + d^2\*x^2)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^3/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/16\*(-2\*d\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^4\*exp(2)^11-16\*d\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^6\*exp(2)^10/x/exp(2))/d^2/exp(1)^6/exp(2)^9+1/24\*((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*(-3216\*exp(1)^14\*exp(2)^2-7776\*exp(1)^12\*exp(2)^3-6300\*exp(1)^10\*exp(2)^4-2868\*exp(1)^8\*exp(2)^5-2571\*exp(1)^6\*exp(2)^6-225\*exp(1)^4\*exp(2)^7+36\*exp(2)^9)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*(-3456\*exp(1)^14\*exp(2)^2-4688\*exp(1)^12\*exp(2)^3-6336\*exp(1)^10\*exp(2)^4-4638\*exp(1)^8\*exp(2)^5-90\*exp(1)^6\*exp(2)^6-378\*exp(1)^4\*exp(2)^7-126\*exp(2)^9-1504\*exp(1)^16\*exp(2))+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^6\*(-1680\*exp(1)^14\*exp(2)^2-3744\*exp(1)^12\*exp(2)^3-2376\*exp(1)^10\*exp(2)^4-864\*exp(1)^8\*exp(2)^5-1293\*exp(1)^6\*exp(2)^6-135\*exp(1)^4\*exp(2)^7+12\*exp(2)^9)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^7\*(-480\*exp(1)^12\*exp(2)^3-1008\*exp(1)^10\*exp(2)^4-408\*exp(1)^8\*exp(2)^5+144\*exp(1)^6\*exp(2)^6-144\*exp(1)^4\*exp(2)^7-48\*exp(2)^9)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*(-2328\*exp(1)^12\*exp(2)^3-5832\*exp(1)^10\*exp(2)^4-4188\*exp(1)^8\*exp(2)^5-300\*exp(1)^6\*exp(2)^6-324\*exp(1)^4\*exp(2)^7-108\*exp(2)^9)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*(-3216\*exp(1)^14\*exp(2)^2-7776\*exp(1)^12\*exp(2)^3-6300\*exp(1)^10\*exp(2)^4-2868\*exp(1)^8\*exp(2)^5-2571\*exp(1)^6\*exp(2)^6-225\*exp(1)^4\*exp(2)^7+36\*exp(2)^9)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*(-3456\*exp(1)^14\*exp(2)^2-4688\*exp(1)^12\*exp(2)^3-6336\*exp(1)^10\*exp(2)^4-4638\*exp(1)^8\*exp(2)^5-90\*exp(1)^6\*exp(2)^6-378\*exp(1)^4\*exp(2)^7-126\*exp(2)^9)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^6\*(-1680\*exp(1)^14\*exp(2)^2-3744\*exp(1)^12\*exp(2)^3-2376\*exp(1)^10\*exp(2)^4-864\*exp(1)^8\*exp(2)^5-1293\*exp(1)^6\*exp(2)^6-135\*exp(1)^4\*exp(2)^7+12\*exp(2)^9)+(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^7\*(-480\*exp(1)^12\*exp(2)^3-1008\*exp(1)^10\*exp(2)^4-408\*exp(1)^8\*exp(2)^5+144\*exp(1)^6\*exp(2)^6-144\*exp(1)^4\*exp(2)^7-48\*exp(2)^9)

$2-x^2 \exp(2)) \exp(1) / x / \exp(2))^{2*} (-628 \exp(1)^{10} \exp(2)^4 - 1620 \exp(1)^8 \exp(2)^5 - 1211 \exp(1)^6 \exp(2)^6 - 81 \exp(1)^4 \exp(2)^7 + 36 \exp(2)^9) + 3 \exp(1)^6 \exp(2)^6 + 9 \exp(1)^4 \exp(2)^7 + 12 \exp(2)^9 - 1/2 * (-2*d*\exp(1) - 2*\sqrt{d^2-x^2*\exp(2)}) * \exp(1) * (-30 \exp(1)^8 \exp(2)^5 - 90 \exp(1)^6 \exp(2)^6 - 90 \exp(1)^4 \exp(2)^7 - 30 \exp(2)^9) / x / \exp(2)) / (2*\exp(2))^{3/} (-1/2 * (-2*d*\exp(1) - 2*\sqrt{d^2-x^2*\exp(2)}) * \exp(1) / x / \exp(2))^{2/} ((-1/2 * (-2*d*\exp(1) - 2*\sqrt{d^2-x^2*\exp(2)}) * \exp(1) / x / \exp(2))^{2*} \exp(2) - (-2*d*\exp(1) - 2*\sqrt{d^2-x^2*\exp(2)}) * \exp(1) / x + \exp(2))^{3/} \exp(1)^3 / d / \exp(1) + 1/2 * (5*\exp(2)^3 - 20*\exp(1)^4 \exp(2)) * \ln(1/2 * \text{abs}(-2*d*\exp(1) - 2*\sqrt{d^2-x^2*\exp(2)}) * \exp(1) / \text{abs}(x) / \exp(2)) / \exp(1)^3 / d / \exp(1) + 1/2 * (-108*\exp(1)^7 \exp(2)^2 - 66*\exp(1)^5 \exp(2)^3 + 40*\exp(1)^3 \exp(2)^4 - 40*\exp(1)^9 * \exp(2) + 48*\exp(1) * \exp(2)^5) * \text{atan}((-1/2 * (-2*d*\exp(1) - 2*\sqrt{d^2-x^2*\exp(2)}) * \exp(1) / x + \exp(2)) / \sqrt{-\exp(1)^4 + \exp(2)^2}) / \sqrt{-\exp(1)^4 + \exp(2)^2} / (-d*\exp(1)^7 - 3*d*\exp(1)^5 \exp(2) - 4*d*\exp(1) * \exp(2)^3)$

**maple** [B]    time = 0.01, size = 504, normalized size = 4.58

$\frac{15d^2 \arctan\left(\frac{d}{\sqrt{-2d^2-x^2}}\right)}{24d^2} - \frac{15d^2 \arctan\left(\frac{d}{\sqrt{-2d^2-x^2}}\right)}{24d^2} - \frac{15d^2 \arctan\left(\frac{d}{\sqrt{-2d^2-x^2}}\right)}{24d^2} - \frac{15d^2 \arctan\left(\frac{d}{\sqrt{-2d^2-x^2}}\right)}{24d^2} - \frac{15d^2 \arctan\left(\frac{d}{\sqrt{-2d^2-x^2}}\right)}{24d^2} - \frac{15d^2 \arctan\left(\frac{d}{\sqrt{-2d^2-x^2}}\right)}{24d^2} - \frac{15d^2 \arctan\left(\frac{d}{\sqrt{-2d^2-x^2}}\right)}{24d^2} - \frac{15d^2 \arctan\left(\frac{d}{\sqrt{-2d^2-x^2}}\right)}{24d^2} - \frac{15d^2 \arctan\left(\frac{d}{\sqrt{-2d^2-x^2}}\right)}{24d^2} - \frac{15d^2 \arctan\left(\frac{d}{\sqrt{-2d^2-x^2}}\right)}{24d^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x^3/(e\*x+d)^4,x)

[Out]  $-15/2/(d^2)^{(1/2)} * e^{2*} \ln((2*d^2+2*(d^2)^{(1/2)} * (-e^2*x^2+d^2)^{(1/2)})/x) + 4/d^7 * e/x * (-e^2*x^2+d^2)^{(7/2)} + 4/d^7 * e^3 * x * (-e^2*x^2+d^2)^{(5/2)} + 5/d^5 * e^3 * x * (-e^2*x^2+d^2)^{(3/2)} + 15/2/d^3 * e^3 * x * (-e^2*x^2+d^2)^{(1/2)} + 15/2/d * e^3 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (-e^2*x^2+d^2)^{(1/2)} * x) + 1/d^4 / e^2 / (x+d/e)^4 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(7/2)} - 5/d^5 * e^3 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(3/2)} * x - 15/2/d^3 * e^3 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(1/2)} * x - 15/2/d * e^3 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(1/2)} * x) - 1/2/d^6 / x^2 * (-e^2*x^2+d^2)^{(7/2)} + 3/2/d^6 * e^2 * (-e^2*x^2+d^2)^{(5/2)} + 5/2/d^4 * e^2 * (-e^2*x^2+d^2)^{(3/2)} + 15/2/d^2 * e^2 * (-e^2*x^2+d^2)^{(1/2)} - 2/d^6 / (x+d/e)^2 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(7/2)} - 4/d^6 * e^2 * (2*(x+d/e) * d * e - (x+d/e)^2 * e^2)^{(5/2)}$

**maxima** [F]    time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-e^2 x^2 + d^2)^{\frac{5}{2}}}{(e x + d)^4 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^3/(e\*x+d)^4,x, algorithm="maxima")

[Out] integrate((-e^2\*x^2 + d^2)^(5/2)/((e\*x + d)^4\*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^3 (d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)^4), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x^3\*(d + e\*x)^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-(-d + ex)(d + ex))^{\frac{5}{2}}}{x^3 (d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*3/(e\*x+d)\*\*4, x)

[Out] Integral((-(-d + e\*x)\*(d + e\*x))\*\*(5/2)/(x\*\*3\*(d + e\*x)\*\*4), x)

$$3.207 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^4 (d + ex)^4} dx$$

Optimal. Leaf size=137

$$-\frac{23e^2 \sqrt{d^2 - e^2 x^2}}{3d^2 x} + \frac{2e \sqrt{d^2 - e^2 x^2}}{dx^2} - \frac{\sqrt{d^2 - e^2 x^2}}{3x^3} - \frac{8e^3 (d - ex)}{d^2 \sqrt{d^2 - e^2 x^2}} + \frac{10e^3 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^2}$$

**Rubi [A]** time = 0.30, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 1807, 807, 266, 63, 208}

$$-\frac{8e^3 (d - ex)}{d^2 \sqrt{d^2 - e^2 x^2}} - \frac{23e^2 \sqrt{d^2 - e^2 x^2}}{3d^2 x} + \frac{2e \sqrt{d^2 - e^2 x^2}}{dx^2} - \frac{\sqrt{d^2 - e^2 x^2}}{3x^3} + \frac{10e^3 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)^4), x]

[Out] (-8\*e^3\*(d - e\*x)/(d^2\*Sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(3\*x^3) + (2\*e\*Sqrt[d^2 - e^2\*x^2])/(d\*x^2) - (23\*e^2\*Sqrt[d^2 - e^2\*x^2])/(3\*d^2\*x) + (10\*e^3\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^2

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^4 (d + ex)^4} dx &= \int \frac{(d - ex)^4}{x^4 (d^2 - e^2 x^2)^{3/2}} dx \\
&= \frac{8e^3(d - ex)}{d^2 \sqrt{d^2 - e^2 x^2}} - \frac{\int \frac{-d^4 + 4d^3 ex - 7d^2 e^2 x^2 + 8de^3 x^3}{x^4 \sqrt{d^2 - e^2 x^2}} dx}{d^2} \\
&= \frac{8e^3(d - ex)}{d^2 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{3x^3} + \frac{\int \frac{-12d^5 e + 23d^4 e^2 x - 24d^3 e^3 x^2}{x^3 \sqrt{d^2 - e^2 x^2}} dx}{3d^4} \\
&= \frac{8e^3(d - ex)}{d^2 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{3x^3} + \frac{2e\sqrt{d^2 - e^2 x^2}}{dx^2} - \frac{\int \frac{-46d^6 e^2 + 60d^5 e^3 x}{x^2 \sqrt{d^2 - e^2 x^2}} dx}{6d^6} \\
&= \frac{8e^3(d - ex)}{d^2 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{3x^3} + \frac{2e\sqrt{d^2 - e^2 x^2}}{dx^2} - \frac{23e^2 \sqrt{d^2 - e^2 x^2}}{3d^2 x} - \frac{(10e^3) \int \frac{1}{x \sqrt{d^2 - e^2 x^2}} dx}{d} \\
&= \frac{8e^3(d - ex)}{d^2 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{3x^3} + \frac{2e\sqrt{d^2 - e^2 x^2}}{dx^2} - \frac{23e^2 \sqrt{d^2 - e^2 x^2}}{3d^2 x} - \frac{(5e^3) \text{Subst}\left(\int \frac{1}{x \sqrt{d^2 - e^2 x^2}}\right)}{d} \\
&= \frac{8e^3(d - ex)}{d^2 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{3x^3} + \frac{2e\sqrt{d^2 - e^2 x^2}}{dx^2} - \frac{23e^2 \sqrt{d^2 - e^2 x^2}}{3d^2 x} + \frac{(10e^3) \text{Subst}\left(\int \frac{1}{\frac{d^2}{e^2} - \frac{x^2}{e^2}}\right)}{d} \\
&= \frac{8e^3(d - ex)}{d^2 \sqrt{d^2 - e^2 x^2}} - \frac{\sqrt{d^2 - e^2 x^2}}{3x^3} + \frac{2e\sqrt{d^2 - e^2 x^2}}{dx^2} - \frac{23e^2 \sqrt{d^2 - e^2 x^2}}{3d^2 x} + \frac{10e^3 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^2}
\end{aligned}$$

**Mathematica [A]** time = 0.25, size = 94, normalized size = 0.69

$$\frac{-30e^3 \log\left(\sqrt{d^2 - e^2 x^2} + d\right) + \frac{\sqrt{d^2 - e^2 x^2} (d^3 - 5d^2 ex + 17de^2 x^2 + 47e^3 x^3)}{x^3 (d + ex)} + 30e^3 \log(x)}{3d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)^4), x]

[Out] -1/3\*((Sqrt[d^2 - e^2\*x^2]\*(d^3 - 5\*d^2\*e\*x + 17\*d\*e^2\*x^2 + 47\*e^3\*x^3))/(x^3\*(d + e\*x)) + 30\*e^3\*Log[x] - 30\*e^3\*Log[d + Sqrt[d^2 - e^2\*x^2]])/d^2



**IntegrateAlgebraic [A]** time = 0.76, size = 109, normalized size = 0.80

$$\frac{\sqrt{d^2 - e^2 x^2} (-d^3 + 5d^2 ex - 17de^2 x^2 - 47e^3 x^3)}{3d^2 x^3 (d + ex)} - \frac{20e^3 \tanh^{-1}\left(\frac{\sqrt{-e^2} x}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)^4), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-d^3 + 5\*d^2\*e\*x - 17\*d\*e^2\*x^2 - 47\*e^3\*x^3))/(3\*d^2\*x^3\*(d + e\*x)) - (20\*e^3\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^2

**fricas [A]** time = 0.40, size = 123, normalized size = 0.90

$$\frac{24e^4x^4 + 24de^3x^3 + 30(e^4x^4 + de^3x^3) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (47e^3x^3 + 17de^2x^2 - 5d^2ex + d^3)\sqrt{-e^2x^2 + d^2}}{3(d^2ex^4 + d^3x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^4/(e\*x+d)^4,x, algorithm="fricas")

[Out] -1/3\*(24\*e^4\*x^4 + 24\*d\*e^3\*x^3 + 30\*(e^4\*x^4 + d\*e^3\*x^3)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (47\*e^3\*x^3 + 17\*d\*e^2\*x^2 - 5\*d^2\*e\*x + d^3)\*sqrt(-e^2\*x^2 + d^2))/(d^2\*e\*x^4 + d^3\*x^3)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^4/(e\*x+d)^4,x, algorithm="giac")


[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/512\*(256\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^10\*exp(2)^16-64/3\*d^4\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^8\*exp(2)^17+96\*d^4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^8\*exp(2)^17/x/exp(2)-384\*d^4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^10\*exp(2)^16/x/exp(2)+1280\*d^4\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^12\*exp(2)^15/x/exp(2))/d^6/exp(1)^15/exp(2)^12+1/72\*((-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^5\*(16416\*exp(1)^16\*exp(2)^2+34560\*exp(1)^14\*exp(2)^3+20376\*exp(1)^12\*exp(2)^4+8712\*exp(1)^10\*exp(2)^5+9234\*exp(1)^8\*exp(2)^6-1674\*exp(1)^6\*exp(2)^7-594\*exp(1)^4

```

*exp(2)^8+234*exp(2)^10)+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/
x/exp(2))^6*(13824*exp(1)^16*exp(2)^2+17952*exp(1)^14*exp(2)^3+27216*exp(1)
^12*exp(2)^4+14724*exp(1)^10*exp(2)^5-4104*exp(1)^8*exp(2)^6+1380*exp(1)^6*
exp(2)^7+468*exp(1)^4*exp(2)^8+12*exp(2)^10+7104*exp(1)^18*exp(2))+(-1/2*(-
2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^7*(7776*exp(1)^16*exp(2)
)^2+14688*exp(1)^14*exp(2)^3+6192*exp(1)^12*exp(2)^4+3240*exp(1)^10*exp(2)^
5+5454*exp(1)^8*exp(2)^6-702*exp(1)^6*exp(2)^7-270*exp(1)^4*exp(2)^8+126*ex
p(2)^10)+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^8*(216
0*exp(1)^14*exp(2)^3+3888*exp(1)^12*exp(2)^4+648*exp(1)^10*exp(2)^5-756*exp
(1)^8*exp(2)^6+855*exp(1)^6*exp(2)^7+117*exp(1)^4*exp(2)^8)+(-1/2*(-2*d*exp
(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*(12528*exp(1)^14*exp(2)^3+27
648*exp(1)^12*exp(2)^4+13392*exp(1)^10*exp(2)^5-3204*exp(1)^8*exp(2)^6+774*
exp(1)^6*exp(2)^7+306*exp(1)^4*exp(2)^8+36*exp(2)^10)+(-1/2*(-2*d*exp(1)-2*
sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*(3528*exp(1)^12*exp(2)^4+8064*exp(
1)^10*exp(2)^5+4146*exp(1)^8*exp(2)^6-1218*exp(1)^6*exp(2)^7-378*exp(1)^4*ex
p(2)^8+90*exp(2)^10)+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/e
xp(2))^2*(180*exp(1)^10*exp(2)^5+432*exp(1)^8*exp(2)^6+252*exp(1)^6*exp(2)^
7-36*exp(1)^4*exp(2)^8+36*exp(2)^10)+3*exp(1)^6*exp(2)^7+9*exp(1)^4*exp(2)^
8+12*exp(2)^10-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*(-18*exp(1)^
8*exp(2)^6-54*exp(1)^6*exp(2)^7-54*exp(1)^4*exp(2)^8-18*exp(2)^10)/x/exp(2)
)/d^2/(2*exp(2))^3/(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(
2))^3/((-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(2)
-(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x+exp(2))^3/exp(1)^5-(10*exp(2)
)^3-20*exp(1)^4*exp(2))*ln(1/2*abs(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1)
))/abs(x)/exp(2))/d^2/exp(1)/exp(2)+1/2*(-192*exp(1)^8*exp(2)^2-64*exp(1)^6
*exp(2)^3+136*exp(1)^4*exp(2)^4+74*exp(2)^6-80*exp(1)^10*exp(2))*atan((-1/2
*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)
)^2))/sqrt(-exp(1)^4+exp(2)^2)/(d^2*exp(1)^7+3*d^2*exp(1)^5*exp(2)+4*d^2*ex
p(1)*exp(2)^3)

```

**maple [B]** time = 0.02, size = 575, normalized size = 4.20



Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (-e^{2x^2+d^2})^{5/2}/x^4/(e^x+d)^4, x$

[Out] 
$$\begin{aligned}
& -26/3/d^8e^4xx(-e^{2x^2+d^2})^{5/2}-65/6/d^6e^4xx(-e^{2x^2+d^2})^{3/2}-65/4/d^4e^4xx(-e^{2x^2+d^2})^{1/2}-65/4/d^2e^4/(e^2)^{1/2}\arctan((e^2)^{1/2}/(-e^{2x^2+d^2})^{1/2}x)+2/d^7e/x^2*(-e^{2x^2+d^2})^{7/2}-1/d^5e/(x+d/e)^4*(2*(x+d/e)*d*e-(x+d/e)^2e^2)^{7/2}+14/3/d^7e/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2e^2)^{7/2}+65/6/d^6e^4*(2*(x+d/e)*d*e-(x+d/e)^2e^2)^{3/2}x+65/4/d^4e^4*(2*(x+d/e)*d*e-(x+d/e)^2e^2)^{1/2}x+65/4/d^2e^4/(e^2)^{1/2}\arctan((e^2)^{1/2}/(2*(x+d/e)*d*e-(x+d/e)^2e^2)^{1/2}x)-26/3/d^8e^2/x*(-e^{2x^2+d^2})^{7/2}+10/(d^2)^{1/2}/d^3e^3\ln((2*d^2+2*(d^2)^{1/2}*(-e^{2x^2+d^2})^{7/2}+10/(d^2)^{1/2})/d^3e^3)
\end{aligned}$$

$)^{(1/2)}/x) - 1/3/d^6/x^3*(-e^2*x^2+d^2)^{(7/2)} - 2/d^7*e^3*(-e^2*x^2+d^2)^{(5/2)}$   
 $- 10/3/d^5*e^3*(-e^2*x^2+d^2)^{(3/2)} - 10/d^3*e^3*(-e^2*x^2+d^2)^{(1/2)} + 26/3/d^7$   
 $*e^3*(2*(x+d/e)*d*e - (x+d/e)^2*e^2)^{(5/2)} + 1/d^6/(x+d/e)^3*(2*(x+d/e)*d*e - (x+$   
 $d/e)^2*e^2)^{(7/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-e^2x^2 + d^2)^{\frac{5}{2}}}{(ex + d)^4x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^4/(e\*x+d)^4,x, algorithm="maxima")

[Out] integrate((-e^2\*x^2 + d^2)^(5/2)/((e\*x + d)^4\*x^4), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2x^2)^{5/2}}{x^4(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)^4), x)

[Out] int((d^2 - e^2\*x^2)^(5/2)/(x^4\*(d + e\*x)^4), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-(-d + ex)(d + ex))^{\frac{5}{2}}}{x^4(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e\*\*2\*x\*\*2+d\*\*2)\*\*(5/2)/x\*\*4/(e\*x+d)\*\*4,x)

[Out] Integral((-(-d + e\*x)\*(d + e\*x))\*\*5/2/(x\*\*4\*(d + e\*x)\*\*4), x)

$$3.208 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^5 (d + ex)^4} dx$$

Optimal. Leaf size=170

$$-\frac{31e^2\sqrt{d^2 - e^2x^2}}{8d^2x^2} - \frac{\sqrt{d^2 - e^2x^2}}{4x^4} + \frac{4e\sqrt{d^2 - e^2x^2}}{3dx^3} + \frac{8e^4(d - ex)}{d^3\sqrt{d^2 - e^2x^2}} - \frac{95e^4 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{8d^3} + \frac{32e^3\sqrt{d^2 - e^2x^2}}{3d^3x}$$

**Rubi [A]** time = 0.39, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 1807, 807, 266, 63, 208}

$$\frac{8e^4(d - ex)}{d^3\sqrt{d^2 - e^2x^2}} + \frac{32e^3\sqrt{d^2 - e^2x^2}}{3d^3x} - \frac{31e^2\sqrt{d^2 - e^2x^2}}{8d^2x^2} + \frac{4e\sqrt{d^2 - e^2x^2}}{3dx^3} - \frac{\sqrt{d^2 - e^2x^2}}{4x^4} - \frac{95e^4 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{8d^3}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)^4), x]

[Out] (8\*e^4\*(d - e\*x))/(d^3\*sqrt[d^2 - e^2\*x^2]) - sqrt[d^2 - e^2\*x^2]/(4\*x^4) + (4\*e\*sqrt[d^2 - e^2\*x^2])/(3\*d\*x^3) - (31\*e^2\*sqrt[d^2 - e^2\*x^2])/(8\*d^2\*x^2) + (32\*e^3\*sqrt[d^2 - e^2\*x^2])/(3\*d^3\*x) - (95\*e^4\*ArcTanh[sqrt[d^2 - e^2\*x^2]/d])/(8\*d^3)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2x^2)^{5/2}}{x^5(d + ex)^4} dx &= \int \frac{(d - ex)^4}{x^5(d^2 - e^2x^2)^{3/2}} dx \\
&= \frac{8e^4(d - ex)}{d^3\sqrt{d^2 - e^2x^2}} - \frac{\int \frac{-d^4 + 4d^3ex - 7d^2e^2x^2 + 8de^3x^3 - 8e^4x^4}{x^5\sqrt{d^2 - e^2x^2}} dx}{d^2} \\
&= \frac{8e^4(d - ex)}{d^3\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{4x^4} + \frac{\int \frac{-16d^5e + 31d^4e^2x - 32d^3e^3x^2 + 32d^2e^4x^3}{x^4\sqrt{d^2 - e^2x^2}} dx}{4d^4} \\
&= \frac{8e^4(d - ex)}{d^3\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{4x^4} + \frac{4e\sqrt{d^2 - e^2x^2}}{3dx^3} - \frac{\int \frac{-93d^6e^2 + 128d^5e^3x - 96d^4e^4x^2}{x^3\sqrt{d^2 - e^2x^2}} dx}{12d^6} \\
&= \frac{8e^4(d - ex)}{d^3\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{4x^4} + \frac{4e\sqrt{d^2 - e^2x^2}}{3dx^3} - \frac{31e^2\sqrt{d^2 - e^2x^2}}{8d^2x^2} + \frac{\int \frac{-256d^7e^3 + 285d^6e^4x}{x^2\sqrt{d^2 - e^2x^2}} dx}{24d^8} \\
&= \frac{8e^4(d - ex)}{d^3\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{4x^4} + \frac{4e\sqrt{d^2 - e^2x^2}}{3dx^3} - \frac{31e^2\sqrt{d^2 - e^2x^2}}{8d^2x^2} + \frac{32e^3\sqrt{d^2 - e^2x^2}}{3d^3x} + \dots \\
&= \frac{8e^4(d - ex)}{d^3\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{4x^4} + \frac{4e\sqrt{d^2 - e^2x^2}}{3dx^3} - \frac{31e^2\sqrt{d^2 - e^2x^2}}{8d^2x^2} + \frac{32e^3\sqrt{d^2 - e^2x^2}}{3d^3x} + \dots \\
&= \frac{8e^4(d - ex)}{d^3\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{4x^4} + \frac{4e\sqrt{d^2 - e^2x^2}}{3dx^3} - \frac{31e^2\sqrt{d^2 - e^2x^2}}{8d^2x^2} + \frac{32e^3\sqrt{d^2 - e^2x^2}}{3d^3x} + \dots \\
&= \frac{8e^4(d - ex)}{d^3\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{4x^4} + \frac{4e\sqrt{d^2 - e^2x^2}}{3dx^3} - \frac{31e^2\sqrt{d^2 - e^2x^2}}{8d^2x^2} + \frac{32e^3\sqrt{d^2 - e^2x^2}}{3d^3x} - \dots \\
&= \frac{8e^4(d - ex)}{d^3\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{4x^4} + \frac{4e\sqrt{d^2 - e^2x^2}}{3dx^3} - \frac{31e^2\sqrt{d^2 - e^2x^2}}{8d^2x^2} + \frac{32e^3\sqrt{d^2 - e^2x^2}}{3d^3x} - \dots
\end{aligned}$$

**Mathematica [A]** time = 0.27, size = 107, normalized size = 0.63

$$\frac{-285e^4 \log\left(\sqrt{d^2 - e^2x^2} + d\right) + \frac{\sqrt{d^2 - e^2x^2}(-6d^4 + 26d^3ex - 61d^2e^2x^2 + 163de^3x^3 + 448e^4x^4)}{x^4(d+ex)} + 285e^4 \log(x)}{24d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)^4), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(-6\*d^4 + 26\*d^3\*e\*x - 61\*d^2\*e^2\*x^2 + 163\*d\*e^3\*x^3 + 448\*e^4\*x^4))/(x^4\*(d + e\*x)) + 285\*e^4\*Log[x] - 285\*e^4\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(24\*d^3)

**IntegrateAlgebraic [A]** time = 0.94, size = 122, normalized size = 0.72

$$\frac{95e^4 \tanh^{-1}\left(\frac{\sqrt{-e^2x}}{d} - \frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{4d^3} + \frac{\sqrt{d^2 - e^2x^2} (-6d^4 + 26d^3ex - 61d^2e^2x^2 + 163de^3x^3 + 448e^4x^4)}{24d^3x^4(d + ex)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^5\*(d + e\*x)^4), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-6\*d^4 + 26\*d^3\*e\*x - 61\*d^2\*e^2\*x^2 + 163\*d\*e^3\*x^3 + 448\*e^4\*x^4))/(24\*d^3\*x^4\*(d + e\*x)) + (95\*e^4\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/(4\*d^3)

**fricas [A]** time = 0.40, size = 136, normalized size = 0.80

$$\frac{192e^5x^5 + 192de^4x^4 + 285(e^5x^5 + de^4x^4) \log\left(-\frac{d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (448e^4x^4 + 163de^3x^3 - 61d^2e^2x^2 + 26d^3ex - 6d^4)\sqrt{-e^2x^2 + d^2}}{24(d^3ex^5 + d^4x^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^5/(e\*x+d)^4,x, algorithm="fricas")

[Out] 1/24\*(192\*e^5\*x^5 + 192\*d\*e^4\*x^4 + 285\*(e^5\*x^5 + d\*e^4\*x^4)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (448\*e^4\*x^4 + 163\*d\*e^3\*x^3 - 61\*d^2\*e^2\*x^2 + 26\*d^3\*e\*x - 6\*d^4)\*sqrt(-e^2\*x^2 + d^2))/(d^3\*e\*x^5 + d^4\*x^4)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^5/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 1/65536\*(-81920\*d^9\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^22\*exp(2)^19+32768/3\*d^9\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^3\*exp(1)^20\*exp(2)^20-1024\*d^9\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^4\*exp(1)^18\*exp(2)^21+24576\*d^9\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^20\*exp(2)^20-8192\*d^9\*(-1/2\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))/x/exp(2))^2\*exp(1)^18\*exp(2)^21-49152\*d^9\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^20\*exp(2)^20/x/exp(2)+196608\*d^9\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^22\*exp(2)^19/x/exp(2)-327680\*d^9\*(-2\*d\*exp(1)-2\*sqrt(d^2-x^2\*exp(2))\*exp(1))\*exp(1)^24\*exp(2)^18/x/exp(2))/d^12/exp(1)^24/exp(2)^16+1/192\*((

$$\begin{aligned}
& -1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^6*(-67968*exp(1) \\
& ^{18}*exp(2)^2-126720*exp(1)^{16}*exp(2)^3-53184*exp(1)^{14}*exp(2)^4-21408*exp(1) \\
& ^{12}*exp(2)^5-23472*exp(1)^{10}*exp(2)^6+19800*exp(1)^8*exp(2)^7+3699*exp(1)^6 \\
& *exp(2)^8-3063*exp(1)^4*exp(2)^9+84*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2*sqrt(d \\
& ^2-x^2*exp(2))*exp(1))/x/exp(2))^7*(-46080*exp(1)^{18}*exp(2)^2-62080*exp(1) \\
& ^{16}*exp(2)^3-101376*exp(1)^{14}*exp(2)^4-33888*exp(1)^{12}*exp(2)^5+32688*exp(1) \\
& ^{10}*exp(2)^6-3488*exp(1)^8*exp(2)^7-960*exp(1)^6*exp(2)^8+768*exp(1)^4*exp( \\
& 2)^9-752*exp(2)^{11}-27392*exp(1)^{20}*exp(2))+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^ \\
& 2*exp(2))*exp(1))/x/exp(2))^8*(-29568*exp(1)^{18}*exp(2)^2-48384*exp(1)^{16}*ex \\
& p(2)^3-13632*exp(1)^{14}*exp(2)^4-13824*exp(1)^{12}*exp(2)^5-16848*exp(1)^{10}*ex \\
& p(2)^6+10440*exp(1)^8*exp(2)^7+1872*exp(1)^6*exp(2)^8-1632*exp(1)^4*exp(2)^ \\
& 9+24*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2)) \\
& ^9*(-8064*exp(1)^{16}*exp(2)^3-12672*exp(1)^{14}*exp(2)^4+192*exp(1)^{12}*exp(2)^ \\
& 5+2304*exp(1)^{10}*exp(2)^6-3360*exp(1)^8*exp(2)^7+672*exp(1)^6*exp(2)^8+288* \\
& exp(1)^4*exp(2)^9-288*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))* \\
& exp(1))/x/exp(2))^5*(-54144*exp(1)^{16}*exp(2)^3-106560*exp(1)^{14}*exp(2)^4-29 \\
& 184*exp(1)^{12}*exp(2)^5+29280*exp(1)^{10}*exp(2)^6-750*exp(1)^8*exp(2)^7-714*ex \\
& p(1)^6*exp(2)^8+630*exp(1)^4*exp(2)^9-654*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2* \\
& sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*(-15744*exp(1)^{14}*exp(2)^4-32160*ex \\
& p(1)^{12}*exp(2)^5-9100*exp(1)^{10}*exp(2)^6+11588*exp(1)^8*exp(2)^7+1893*exp( \\
& 1)^6*exp(2)^8-1473*exp(1)^4*exp(2)^9+108*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2*sq \\
& rt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*(-840*exp(1)^{12}*exp(2)^5-1800*exp(1) \\
& ^{10}*exp(2)^6-564*exp(1)^8*exp(2)^7+708*exp(1)^6*exp(2)^8+108*exp(1)^4*exp(2) \\
& ^9-204*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp( \\
& 2))^2*(84*exp(1)^{10}*exp(2)^6+180*exp(1)^8*exp(2)^7+69*exp(1)^6*exp(2)^8-33* \\
& exp(1)^4*exp(2)^9+60*exp(2)^{11})+3*exp(1)^6*exp(2)^8+9*exp(1)^4*exp(2)^9+12* \\
& exp(2)^{11}-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*(-14*exp(1)^8*exp \\
& (2)^7-42*exp(1)^6*exp(2)^8-42*exp(1)^4*exp(2)^9-14*exp(2)^{11})/x/exp(2))/d^3 \\
& /(2*exp(2))^3/(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4 \\
& /((-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(2)-(-2* \\
& d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x+exp(2))^3/exp(1)^6+1/8*(240*exp(1) \\
& )^6*exp(2)^2-64*exp(1)^4*exp(2)^3+9*exp(2)^5-280*exp(1)^8*exp(2))*ln(1/2*ab \\
& s(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/abs(x)/exp(2))/d^3/exp(1)^5/ex \\
& p(1)+1/2*(-300*exp(1)^9*exp(2)^2-22*exp(1)^7*exp(2)^3+280*exp(1)^5*exp(2)^4 \\
& +104*exp(1)^3*exp(2)^5-140*exp(1)^{11}*exp(2)-48*exp(1)*exp(2)^6)*atan((-1/2* \\
& (-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2) \\
& ^2))/sqrt(-exp(1)^4+exp(2)^2)/(-d^3*exp(1)^7-3*d^3*exp(1)^5*exp(2)-4*d^3*ex \\
& p(1)*exp(2)^3)
\end{aligned}$$

**maple [B]** time = 0.02, size = 600, normalized size = 3.53

$$\frac{(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^6*(-67968*exp(1)^{18}*exp(2)^2-126720*exp(1)^{16}*exp(2)^3-53184*exp(1)^{14}*exp(2)^4-21408*exp(1)^{12}*exp(2)^5-23472*exp(1)^{10}*exp(2)^6+19800*exp(1)^8*exp(2)^7+3699*exp(1)^6*exp(2)^8-3063*exp(1)^4*exp(2)^9+84*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^7*(-46080*exp(1)^{18}*exp(2)^2-62080*exp(1)^{16}*exp(2)^3-101376*exp(1)^{14}*exp(2)^4-33888*exp(1)^{12}*exp(2)^5+32688*exp(1)^{10}*exp(2)^6-3488*exp(1)^8*exp(2)^7-960*exp(1)^6*exp(2)^8+768*exp(1)^4*exp(2)^9-752*exp(2)^{11}-27392*exp(1)^{20}*exp(2))+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^8*(-29568*exp(1)^{18}*exp(2)^2-48384*exp(1)^{16}*exp(2)^3-13632*exp(1)^{14}*exp(2)^4-13824*exp(1)^{12}*exp(2)^5-16848*exp(1)^{10}*exp(2)^6+10440*exp(1)^8*exp(2)^7+1872*exp(1)^6*exp(2)^8-1632*exp(1)^4*exp(2)^9+24*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^9*(-8064*exp(1)^{16}*exp(2)^3-12672*exp(1)^{14}*exp(2)^4+192*exp(1)^{12}*exp(2)^5+2304*exp(1)^{10}*exp(2)^6-3360*exp(1)^8*exp(2)^7+672*exp(1)^6*exp(2)^8+288*exp(1)^4*exp(2)^9-288*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^5*(-54144*exp(1)^{16}*exp(2)^3-106560*exp(1)^{14}*exp(2)^4-29184*exp(1)^{12}*exp(2)^5+29280*exp(1)^{10}*exp(2)^6-750*exp(1)^8*exp(2)^7-714*exp(1)^6*exp(2)^8+630*exp(1)^4*exp(2)^9-654*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4*(-15744*exp(1)^{14}*exp(2)^4-32160*exp(1)^{12}*exp(2)^5-9100*exp(1)^{10}*exp(2)^6+11588*exp(1)^8*exp(2)^7+1893*exp(1)^6*exp(2)^8-1473*exp(1)^4*exp(2)^9+108*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^3*(-840*exp(1)^{12}*exp(2)^5-1800*exp(1)^{10}*exp(2)^6-564*exp(1)^8*exp(2)^7+708*exp(1)^6*exp(2)^8+108*exp(1)^4*exp(2)^9-204*exp(2)^{11})+(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*(84*exp(1)^{10}*exp(2)^6+180*exp(1)^8*exp(2)^7+69*exp(1)^6*exp(2)^8-33*exp(1)^4*exp(2)^9+60*exp(2)^{11})+3*exp(1)^6*exp(2)^8+9*exp(1)^4*exp(2)^9+12*exp(2)^{11}-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))*(-14*exp(1)^8*exp(2)^7-42*exp(1)^6*exp(2)^8-42*exp(1)^4*exp(2)^9-14*exp(2)^{11})/x/exp(2))/d^3/(2*exp(2))^3/(-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^4/((-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x/exp(2))^2*exp(2)-(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x+exp(2))^3/exp(1)^6+1/8*(240*exp(1)^6*exp(2)^2-64*exp(1)^4*exp(2)^3+9*exp(2)^5-280*exp(1)^8*exp(2))*ln(1/2*abs(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/abs(x)/exp(2))/d^3/exp(1)^5/exp(1)+1/2*(-300*exp(1)^9*exp(2)^2-22*exp(1)^7*exp(2)^3+280*exp(1)^5*exp(2)^4+104*exp(1)^3*exp(2)^5-140*exp(1)^{11}*exp(2)-48*exp(1)*exp(2)^6)*atan((-1/2*(-2*d*exp(1)-2*sqrt(d^2-x^2*exp(2))*exp(1))/x+exp(2))/sqrt(-exp(1)^4+exp(2)^2))/sqrt(-exp(1)^4+exp(2)^2)/(-d^3*exp(1)^7-3*d^3*exp(1)^5*exp(2)-4*d^3*exp(1)*exp(2)^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e^2\*x^2+d^2)^(5/2)/x^5/(e\*x+d)^4,x)



[Out]  $4/3/d^7*e/x^3*(-e^2*x^2+d^2)^{(7/2)}-37/8/d^8*e^2/x^2*(-e^2*x^2+d^2)^{(7/2)}+44/3/d^9*e^3/x*(-e^2*x^2+d^2)^{(7/2)}+44/3/d^9*e^5*x*(-e^2*x^2+d^2)^{(5/2)}+55/3/d^7*e^5*x*(-e^2*x^2+d^2)^{(3/2)}+55/2/d^5*e^5*x*(-e^2*x^2+d^2)^{(1/2)}+55/2/d^3*e^5/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)-2/d^7*e/(x+d/e)^3*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(7/2)}-23/3/d^8*e^2/(x+d/e)^2*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(7/2)}-55/3/d^7*e^5*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(3/2)}*x-55/2/d^5*e^5*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x-55/2/d^3*e^5/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(1/2)}*x)-95/8/(d^2)^{(1/2)}/d^2*e^4*\ln((2*d^2+2*(d^2)^{(1/2)}*(-e^2*x^2+d^2)^{(1/2)})/x)-1/4/d^6/x^4*(-e^2*x^2+d^2)^{(7/2)}+19/8/d^8*e^4*(-e^2*x^2+d^2)^{(5/2)}+95/24/d^6*e^4*(-e^2*x^2+d^2)^{(3/2)}+95/8/d^4*e^4*(-e^2*x^2+d^2)^{(1/2)}+1/d^6/(x+d/e)^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(7/2)}-44/3/d^8*e^4*(2*(x+d/e)*d*e-(x+d/e)^2*e^2)^{(5/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-e^2x^2 + d^2)^{\frac{5}{2}}}{(ex + d)^4x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e^2*x^2+d^2)^(5/2)/x^5/(e*x+d)^4,x, algorithm="maxima")`

[Out] `integrate((-e^2*x^2 + d^2)^(5/2)/((e*x + d)^4*x^5), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^5 (d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(5/2)/(x^5*(d + e*x)^4), x)`

[Out] `int((d^2 - e^2*x^2)^(5/2)/(x^5*(d + e*x)^4), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-(-d + ex)(d + ex))^{\frac{5}{2}}}{x^5 (d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(5/2)/x**5/(e*x+d)**4,x)`

[Out] `Integral((-(-d + e*x)*(d + e*x))**5/2/(x**5*(d + e*x)**4), x)`

$$3.209 \quad \int \frac{(d^2 - e^2 x^2)^{5/2}}{x^6 (d + ex)^4} dx$$

Optimal. Leaf size=196

$$-\frac{\sqrt{d^2 - e^2 x^2}}{5x^5} + \frac{e\sqrt{d^2 - e^2 x^2}}{dx^4} - \frac{13e^2\sqrt{d^2 - e^2 x^2}}{5d^2x^3} - \frac{8e^5(d - ex)}{d^4\sqrt{d^2 - e^2 x^2}} + \frac{27e^5 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{2d^4} - \frac{66e^4\sqrt{d^2 - e^2 x^2}}{5d^4x} + \frac{11e^3\sqrt{d^2 - e^2 x^2}}{2d^4}$$

**Rubi [A]** time = 0.52, antiderivative size = 196, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 1807, 807, 266, 63, 208}

$$-\frac{8e^5(d - ex)}{d^4\sqrt{d^2 - e^2 x^2}} - \frac{66e^4\sqrt{d^2 - e^2 x^2}}{5d^4x} + \frac{11e^3\sqrt{d^2 - e^2 x^2}}{2d^3x^2} - \frac{13e^2\sqrt{d^2 - e^2 x^2}}{5d^2x^3} + \frac{e\sqrt{d^2 - e^2 x^2}}{dx^4} - \frac{\sqrt{d^2 - e^2 x^2}}{5x^5} + \frac{27e^5 \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{2d^4}$$

Antiderivative was successfully verified.

[In] Int[(d^2 - e^2\*x^2)^(5/2)/(x^6\*(d + e\*x)^4), x]

[Out] (-8\*e^5\*(d - e\*x)/(d^4\*Sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(5\*x^5) + (e\*Sqrt[d^2 - e^2\*x^2])/(d\*x^4) - (13\*e^2\*Sqrt[d^2 - e^2\*x^2])/(5\*d^2\*x^3) + (11\*e^3\*Sqrt[d^2 - e^2\*x^2])/(2\*d^3\*x^2) - (66\*e^4\*Sqrt[d^2 - e^2\*x^2])/(5\*d^4\*x) + (27\*e^5\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^4)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), In
t[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}
, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 852

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rule 1807

```
Int[(Pq_)*((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{
Q = PolynomialQuotient[Pq, c*x, x], R = PolynomialRemainder[Pq, c*x, x]}, S
imp[(R*(c*x)^(m + 1)*(a + b*x^2)^(p + 1))/(a*c*(m + 1)), x] + Dist[1/(a*c*(
m + 1)), Int[(c*x)^(m + 1)*(a + b*x^2)^p*ExpandToSum[a*c*(m + 1)*Q - b*R*(m
+ 2*p + 3)*x, x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && LtQ
[m, -1] && (IntegerQ[2*p] || NeQ[Expon[Pq, x], 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d^2 - e^2x^2)^{5/2}}{x^6(d + ex)^4} dx &= \int \frac{(d - ex)^4}{x^6 (d^2 - e^2x^2)^{3/2}} dx \\
&= -\frac{8e^5(d - ex)}{d^4\sqrt{d^2 - e^2x^2}} - \frac{\int \frac{-d^4 + 4d^3ex - 7d^2e^2x^2 + 8de^3x^3 - 8e^4x^4 + \frac{8e^5x^5}{d}}{x^6\sqrt{d^2 - e^2x^2}} dx}{d^2} \\
&= -\frac{8e^5(d - ex)}{d^4\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{5x^5} + \frac{\int \frac{-20d^5e + 39d^4e^2x - 40d^3e^3x^2 + 40d^2e^4x^3 - 40de^5x^4}{x^5\sqrt{d^2 - e^2x^2}} dx}{5d^4} \\
&= -\frac{8e^5(d - ex)}{d^4\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{5x^5} + \frac{e\sqrt{d^2 - e^2x^2}}{dx^4} - \frac{\int \frac{-156d^6e^2 + 220d^5e^3x - 160d^4e^4x^2 + 160d^3e^5x^3}{x^4\sqrt{d^2 - e^2x^2}} dx}{20d^6} \\
&= -\frac{8e^5(d - ex)}{d^4\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{5x^5} + \frac{e\sqrt{d^2 - e^2x^2}}{dx^4} - \frac{13e^2\sqrt{d^2 - e^2x^2}}{5d^2x^3} + \frac{\int \frac{-660d^7e^3 + 792d^6e^4x - 480d^5e^5x^2}{x^3\sqrt{d^2 - e^2x^2}} dx}{60d^8} \\
&= -\frac{8e^5(d - ex)}{d^4\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{5x^5} + \frac{e\sqrt{d^2 - e^2x^2}}{dx^4} - \frac{13e^2\sqrt{d^2 - e^2x^2}}{5d^2x^3} + \frac{11e^3\sqrt{d^2 - e^2x^2}}{2d^3x^2} - \frac{\int \frac{-660d^8e^4 + 1320d^7e^5x - 880d^6e^6x^2}{x^2\sqrt{d^2 - e^2x^2}} dx}{60d^{10}} \\
&= -\frac{8e^5(d - ex)}{d^4\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{5x^5} + \frac{e\sqrt{d^2 - e^2x^2}}{dx^4} - \frac{13e^2\sqrt{d^2 - e^2x^2}}{5d^2x^3} + \frac{11e^3\sqrt{d^2 - e^2x^2}}{2d^3x^2} - \frac{66e^4\sqrt{d^2 - e^2x^2}}{10d^4} \\
&= -\frac{8e^5(d - ex)}{d^4\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{5x^5} + \frac{e\sqrt{d^2 - e^2x^2}}{dx^4} - \frac{13e^2\sqrt{d^2 - e^2x^2}}{5d^2x^3} + \frac{11e^3\sqrt{d^2 - e^2x^2}}{2d^3x^2} - \frac{66e^4\sqrt{d^2 - e^2x^2}}{10d^4} \\
&= -\frac{8e^5(d - ex)}{d^4\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{5x^5} + \frac{e\sqrt{d^2 - e^2x^2}}{dx^4} - \frac{13e^2\sqrt{d^2 - e^2x^2}}{5d^2x^3} + \frac{11e^3\sqrt{d^2 - e^2x^2}}{2d^3x^2} - \frac{66e^4\sqrt{d^2 - e^2x^2}}{10d^4} \\
&= -\frac{8e^5(d - ex)}{d^4\sqrt{d^2 - e^2x^2}} - \frac{\sqrt{d^2 - e^2x^2}}{5x^5} + \frac{e\sqrt{d^2 - e^2x^2}}{dx^4} - \frac{13e^2\sqrt{d^2 - e^2x^2}}{5d^2x^3} + \frac{11e^3\sqrt{d^2 - e^2x^2}}{2d^3x^2} - \frac{66e^4\sqrt{d^2 - e^2x^2}}{10d^4}
\end{aligned}$$

**Mathematica [A]** time = 0.33, size = 118, normalized size = 0.60

$$\frac{-135e^5 \log\left(\sqrt{d^2 - e^2x^2} + d\right) + \frac{\sqrt{d^2 - e^2x^2} (2d^5 - 8d^4ex + 16d^3e^2x^2 - 29d^2e^3x^3 + 77de^4x^4 + 212e^5x^5)}{x^5(d+ex)} + 135e^5 \log(x)}{10d^4}$$

Antiderivative was successfully verified.

[In] Integrate[(d^2 - e^2\*x^2)^(5/2)/(x^6\*(d + e\*x)^4), x]

[Out] 
$$-1/10 * ((\sqrt{d^2 - e^2 x^2} * (2 d^5 - 8 d^4 e x + 16 d^3 e^2 x^2 - 29 d^2 e^3 x^3 + 77 d e^4 x^4 + 212 e^5 x^5)) / (x^5 (d + e x)) + 135 e^5 \operatorname{Log}[x] - 135 e^5 \operatorname{Log}[d + \sqrt{d^2 - e^2 x^2}]) / d^4$$

**IntegrateAlgebraic [A]** time = 1.06, size = 131, normalized size = 0.67

$$\frac{\sqrt{d^2 - e^2 x^2} (-2 d^5 + 8 d^4 e x - 16 d^3 e^2 x^2 + 29 d^2 e^3 x^3 - 77 d e^4 x^4 - 212 e^5 x^5)}{10 d^4 x^5 (d + e x)} - \frac{27 e^5 \tanh^{-1} \left( \frac{\sqrt{-e^2 x} - \sqrt{d^2 - e^2 x^2}}{d} \right)}{d^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d^2 - e^2\*x^2)^(5/2)/(x^6\*(d + e\*x)^4), x]

[Out] 
$$(\sqrt{d^2 - e^2 x^2} * (-2 d^5 + 8 d^4 e x - 16 d^3 e^2 x^2 + 29 d^2 e^3 x^3 - 77 d e^4 x^4 - 212 e^5 x^5)) / (10 d^4 x^5 (d + e x)) - (27 e^5 \operatorname{ArcTanh}[(\sqrt{-e^2} * x) / d - \sqrt{d^2 - e^2 x^2} / d]) / d^4$$

**fricas [A]** time = 0.41, size = 147, normalized size = 0.75

$$\frac{80 e^6 x^6 + 80 d e^5 x^5 + 135 (e^6 x^6 + d e^5 x^5) \log\left(-\frac{d - \sqrt{-e^2 x^2 + d^2}}{x}\right) + (212 e^5 x^5 + 77 d e^4 x^4 - 29 d^2 e^3 x^3 + 16 d^3 e^2 x^2 - 8 d^4 e x + 2 d^5) \sqrt{-e^2 x^2 + d^2}}{10 (d^4 e x^6 + d^5 x^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^6/(e\*x+d)^4,x, algorithm="fricas")

[Out] 
$$-1/10 * (80 e^6 x^6 + 80 d e^5 x^5 + 135 (e^6 x^6 + d e^5 x^5) * \log(-(d - \sqrt{-e^2 x^2 + d^2}) / x) + (212 e^5 x^5 + 77 d e^4 x^4 - 29 d^2 e^3 x^3 + 16 d^3 e^2 x^2 - 8 d^4 e x + 2 d^5) * \sqrt{-e^2 x^2 + d^2}) / (d^4 e x^6 + d^5 x^5)$$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e^2\*x^2+d^2)^(5/2)/x^6/(e\*x+d)^4,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 
$$1/480 * ((-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2))^{7 * (247680 * \exp(1)^{20} * \exp(2)^2 + 414720 * \exp(1)^{18} * \exp(2)^3 + 115200 * \exp(1)^{16} * \exp(2)^4 + 45600 * \exp(1)^{14} * \exp(2)^5 + 43920 * \exp(1)^{12} * \exp(2)^6 - 106200 * \exp(1)^{10} * \exp(2)^7 - 10680 * \exp(1)^8 * \exp(2)^8 + 15720 * \exp(1)^6 * \exp(2)^9 - 1080 * \exp(1)^4 * \exp(2)^{10} + 1200 * \exp(2)^{12}} + (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2 * \exp(2)}) * \exp(1)) / x / \exp(2))^{8 * (13824$$

$$\begin{aligned}
& 0 * \exp(1)^{20} \exp(2)^2 + 203200 \exp(1)^{18} \exp(2)^3 + 342720 \exp(1)^{16} \exp(2)^4 + 46320 \exp(1)^{14} \exp(2)^5 - 158400 \exp(1)^{12} \exp(2)^6 + 12440 \exp(1)^{10} \exp(2)^7 - 360 \exp(1)^8 \exp(2)^8 - 3965 \exp(1)^6 \exp(2)^9 + 4505 \exp(1)^4 \exp(2)^{10} + 220 \exp(2)^{12} + 93440 \exp(1)^{22} \exp(2) + (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^9 * (99840 \exp(1)^{20} \exp(2)^2 + 144000 \exp(1)^{18} \exp(2)^3 + 27360 \exp(1)^{16} \exp(2)^4 + 56160 \exp(1)^{14} \exp(2)^5 + 39840 \exp(1)^{12} \exp(2)^6 - 60120 \exp(1)^{10} \exp(2)^7 - 5460 \exp(1)^8 \exp(2)^8 + 8340 \exp(1)^6 \exp(2)^9 - 540 \exp(1)^4 \exp(2)^{10} + 660 \exp(2)^{12}) + (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^10 * (26880 \exp(1)^{18} \exp(2)^3 + 37440 \exp(1)^{16} \exp(2)^4 - 6000 \exp(1)^{14} \exp(2)^5 - 5040 \exp(1)^{12} \exp(2)^6 + 10440 \exp(1)^{10} \exp(2)^7 - 6180 \exp(1)^8 \exp(2)^8 - 1110 \exp(1)^6 \exp(2)^9 + 1350 \exp(1)^4 \exp(2)^{10} + 60 \exp(2)^{12}) + (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^6 * (204480 \exp(1)^{18} \exp(2)^3 + 362880 \exp(1)^{16} \exp(2)^4 + 30960 \exp(1)^{14} \exp(2)^5 - 144240 \exp(1)^{12} \exp(2)^6 + 3600 \exp(1)^{10} \exp(2)^7 + 840 \exp(1)^8 \exp(2)^8 - 3432 \exp(1)^6 \exp(2)^9 + 3384 \exp(1)^4 \exp(2)^{10} + 312 \exp(2)^{12}) + (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^5 * (60960 \exp(1)^{16} \exp(2)^4 + 112320 \exp(1)^{14} \exp(2)^5 + 9120 \exp(1)^{12} \exp(2)^6 - 56840 \exp(1)^{10} \exp(2)^7 - 4512 \exp(1)^8 \exp(2)^8 + 6704 \exp(1)^6 \exp(2)^9 - 576 \exp(1)^4 \exp(2)^{10} + 408 \exp(2)^{12}) + (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^4 * (3360 \exp(1)^{14} \exp(2)^5 + 6480 \exp(1)^{12} \exp(2)^6 + 936 \exp(1)^{10} \exp(2)^7 - 3192 \exp(1)^8 \exp(2)^8 - 558 \exp(1)^6 \exp(2)^9 + 198 \exp(1)^4 \exp(2)^{10} + 216 \exp(2)^{12}) + (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^3 * (-336 \exp(1)^{12} \exp(2)^6 - 648 \exp(1)^{10} \exp(2)^7 - 72 \exp(1)^8 \exp(2)^8 + 312 \exp(1)^6 \exp(2)^9 - 72 \exp(1)^4 \exp(2)^{10} - 144 \exp(2)^{12}) + (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^2 * (56 \exp(1)^{10} \exp(2)^7 + 108 \exp(1)^8 \exp(2)^8 + 22 \exp(1)^6 \exp(2)^9 - 22 \exp(1)^4 \exp(2)^{10} + 76 \exp(2)^{12}) + 3 * \exp(1)^6 \exp(2)^9 + 9 * \exp(1)^4 \exp(2)^{10} + 12 * \exp(2)^{12} - 1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) * (-12 * \exp(1)^8 \exp(2)^8 - 36 \exp(1)^6 \exp(2)^9 - 36 \exp(1)^4 \exp(2)^{10} - 12 \exp(2)^{12}) / x / \exp(2)) / d^4 / (2 * \exp(2))^3 / (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^5 / ((-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^2 * \exp(2) - (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x + \exp(2))^3 / \exp(1)^7 + 1 / 33554432 * (83886080 * d^{16} * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^2 * \exp(1)^{34} \exp(2)^{23} - 41943040 / 3 * d^{16} * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^3 * \exp(1)^{32} \exp(2)^{24} + 2097152 * d^{16} * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^4 * \exp(1)^{30} \exp(2)^{25} - 1048576 / 5 * d^{16} * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^5 * \exp(1)^{28} \exp(2)^{26} - 50331648 * d^{16} * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^2 * \exp(1)^{32} \exp(2)^{24} + 4194304 * d^{16} * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^3 * \exp(1)^{30} \exp(2)^{25} + 16777216 * d^{16} * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^2 * \exp(1)^{30} \exp(2)^{25} - 5242880 / 3 * d^{16} * (-1/2 * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) / x / \exp(2))^3 * \exp(1)^{28} \exp(2)^{26} + 5242880 * d^{16} * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) * \exp(1)^{28} \exp(2)^{26} / x / \exp(2) - 18874368 * d^{16} * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) * \exp(1)^{30} \exp(2)^{25} / x / \exp(2) + 88080384 * d^{16} * (-2 * d * \exp(1) - 2 * \sqrt{d^2 - x^2} * \exp(2)) * \exp(1)) * \exp(1)^{32} \exp(2)^{24} / x / \exp(2) - 251658240 *
\end{aligned}$$

$d^{16}(-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(1)^{34} \exp(2)^{23} / x / \exp(2) + 293601280 d^{16}(-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(1)^{36} \exp(2)^{22} / x / \exp(2) / d^{20} \exp(1)^{35} \exp(2)^{20} + 1/2 * (-120 \exp(1)^6 \exp(2)^2 + 44 \exp(1)^4 \exp(2)^3 - 9 \exp(2)^5 + 112 \exp(1)^8 \exp(2)) * \ln(1/2 * \text{abs}(-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / \text{abs}(x) / \exp(2) / d^4 \exp(1)^4 \exp(1) + 1/2 * (-432 \exp(1)^{10} \exp(2)^2 + 72 \exp(1)^8 \exp(2)^3 + 472 \exp(1)^6 \exp(2)^4 + 90 \exp(1)^4 \exp(2)^5 - 104 \exp(2)^7 - 224 \exp(1)^{12} \exp(2)) * \text{atan}((-1/2 * (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1)) / x + \exp(2)) / \sqrt{-\exp(1)^4 + \exp(2)^2} / \sqrt{-\exp(1)^4 + \exp(2)^2} / (d^4 \exp(1)^7 + 3d^4 \exp(1)^5 \exp(2) + 4d^4 \exp(1) \exp(2)^3)$

**maple [B]** time = 0.02, size = 628, normalized size = 3.20

$\frac{293601280 d^{16} (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1) \exp(1)^{36} \exp(2)^{22}}{x \exp(2) d^{20} \exp(1)^{35} \exp(2)^{20}} + \frac{1}{2} \frac{(-120 \exp(1)^6 \exp(2)^2 + 44 \exp(1)^4 \exp(2)^3 - 9 \exp(2)^5 + 112 \exp(1)^8 \exp(2)) \ln(\frac{1}{2} \text{abs}(-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1))}{\text{abs}(x) \exp(2) d^4 \exp(1)^4 \exp(1)} + \frac{1}{2} \frac{(-432 \exp(1)^{10} \exp(2)^2 + 72 \exp(1)^8 \exp(2)^3 + 472 \exp(1)^6 \exp(2)^4 + 90 \exp(1)^4 \exp(2)^5 - 104 \exp(2)^7 - 224 \exp(1)^{12} \exp(2)) \text{atan}(\frac{-1/2 (-2d \exp(1) - 2\sqrt{d^2 - x^2 \exp(2)}) \exp(1)}{x + \exp(2)})}{\sqrt{-\exp(1)^4 + \exp(2)^2} \sqrt{-\exp(1)^4 + \exp(2)^2} (d^4 \exp(1)^7 + 3d^4 \exp(1)^5 \exp(2) + 4d^4 \exp(1) \exp(2)^3)}$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((-e^2 x^2 + d^2)^{(5/2)} / x^6 / (e x + d)^4, x)$

[Out]  $1/d^7 e/x^4 * (-e^2 x^2 + d^2)^{(7/2)} - 16/5/d^8 e^2/x^3 * (-e^2 x^2 + d^2)^{(7/2)} - 111/5/d^{10} e^4/x * (-e^2 x^2 + d^2)^{(7/2)} - 111/5/d^{10} e^6 x * (-e^2 x^2 + d^2)^{(5/2)} - 111/4/d^8 e^6 x * (-e^2 x^2 + d^2)^{(3/2)} - 333/8/d^6 e^6 x * (-e^2 x^2 + d^2)^{(1/2)} - 333/8/d^4 e^6 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (-e^2 x^2 + d^2)^{(1/2)} * x) + 17/2/d^9 e^3/x^2 * (-e^2 x^2 + d^2)^{(7/2)} + 333/8/d^4 e^6 / (e^2)^{(1/2)} * \arctan((e^2)^{(1/2)} / (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(1/2)} * x) - 1/d^7 e / (x + d/e)^4 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(7/2)} + 3/d^8 e^2 / (x + d/e)^3 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(7/2)} + 11/d^9 e^3 / (x + d/e)^2 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(7/2)} + 111/4/d^8 e^6 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(3/2)} * x + 333/8/d^6 e^6 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(1/2)} * x + 27/2 / (d^2)^{(1/2)} / d^3 e^5 * \ln((2 * d^2 + 2 * (d^2)^{(1/2)} * (-e^2 x^2 + d^2)^{(1/2)}) / x) - 1/5/d^6/x^5 * (-e^2 x^2 + d^2)^{(7/2)} - 27/10/d^9 e^5 * (-e^2 x^2 + d^2)^{(5/2)} - 9/2/d^7 e^5 * (-e^2 x^2 + d^2)^{(3/2)} - 27/2/d^5 e^5 * (-e^2 x^2 + d^2)^{(1/2)} + 111/5/d^9 e^5 * (2 * (x + d/e) * d * e - (x + d/e)^2 * e^2)^{(5/2)}$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-e^2 x^2 + d^2)^{5/2}}{(e x + d)^4 x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-e^2 x^2 + d^2)^{(5/2)} / x^6 / (e x + d)^4, x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}((-e^2 x^2 + d^2)^{(5/2)} / ((e x + d)^4 x^6), x)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d^2 - e^2 x^2)^{5/2}}{x^6 (d + e x)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d^2 - e^2*x^2)^(5/2)/(x^6*(d + e*x)^4), x)`

[Out] `int((d^2 - e^2*x^2)^(5/2)/(x^6*(d + e*x)^4), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-(-d + ex)(d + ex))^{\frac{5}{2}}}{x^6 (d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e**2*x**2+d**2)**(5/2)/x**6/(e*x+d)**4, x)`

[Out] `Integral((-(-d + e*x)*(d + e*x))**(5/2)/(x**6*(d + e*x)**4), x)`



$$3.210 \quad \int \frac{x^2 \sqrt{1-a^2x^2}}{(1-ax)^4} dx$$

Optimal. Leaf size=95

$$-\frac{\sin^{-1}(ax)}{a^3} - \frac{3(1-a^2x^2)^{3/2}}{5a^3(1-ax)^3} + \frac{(1-a^2x^2)^{3/2}}{5a^3(1-ax)^4} + \frac{2\sqrt{1-a^2x^2}}{a^3(1-ax)}$$

**Rubi [A]** time = 0.13, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {1637, 659, 651, 663, 216}

$$-\frac{3(1-a^2x^2)^{3/2}}{5a^3(1-ax)^3} + \frac{(1-a^2x^2)^{3/2}}{5a^3(1-ax)^4} + \frac{2\sqrt{1-a^2x^2}}{a^3(1-ax)} - \frac{\sin^{-1}(ax)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*Sqrt[1 - a^2\*x^2])/(1 - a\*x)^4,x]

[Out] (2\*Sqrt[1 - a^2\*x^2])/(a^3\*(1 - a\*x)) + (1 - a^2\*x^2)^(3/2)/(5\*a^3\*(1 - a\*x)^4) - (3\*(1 - a^2\*x^2)^(3/2))/(5\*a^3\*(1 - a\*x)^3) - ArcSin[a\*x]/a^3

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 651

Int[((d\_) + (e\_.)\*(x\_)^(m\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + 2\*p + 2, 0]

#### Rule 659

Int[((d\_) + (e\_.)\*(x\_)^(m\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

#### Rule 663

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + p + 1)), x] - Dist[(c*p)/(e^2*(m
+ p + 1)), Int[(d + e*x)^(m + 2)*(a + c*x^2)^(p - 1), x], x] /; FreeQ[{a, c
, d, e}, x] && EqQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (LtQ[m, -2] || EqQ[m +
2*p + 1, 0]) && NeQ[m + p + 1, 0] && IntegerQ[2*p]
```

### Rule 1637

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=
Int[ExpandIntegrand[(a + c*x^2)^p, (d + e*x)^m*Pq, x], x] /; FreeQ[{a, c,
d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && EqQ[m + Expon[Pq, x]
+ 2*p + 1, 0] && ILtQ[m, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 \sqrt{1-a^2x^2}}{(1-ax)^4} dx &= \int \left( \frac{\sqrt{1-a^2x^2}}{a^2(-1+ax)^4} + \frac{2\sqrt{1-a^2x^2}}{a^2(-1+ax)^3} + \frac{\sqrt{1-a^2x^2}}{a^2(-1+ax)^2} \right) dx \\
&= \frac{\int \frac{\sqrt{1-a^2x^2}}{(-1+ax)^4} dx}{a^2} + \frac{\int \frac{\sqrt{1-a^2x^2}}{(-1+ax)^2} dx}{a^2} + \frac{2 \int \frac{\sqrt{1-a^2x^2}}{(-1+ax)^3} dx}{a^2} \\
&= \frac{2\sqrt{1-a^2x^2}}{a^3(1-ax)} + \frac{(1-a^2x^2)^{3/2}}{5a^3(1-ax)^4} - \frac{2(1-a^2x^2)^{3/2}}{3a^3(1-ax)^3} - \frac{\int \frac{\sqrt{1-a^2x^2}}{(-1+ax)^3} dx}{5a^2} - \frac{\int \frac{1}{\sqrt{1-a^2x^2}} dx}{a^2} \\
&= \frac{2\sqrt{1-a^2x^2}}{a^3(1-ax)} + \frac{(1-a^2x^2)^{3/2}}{5a^3(1-ax)^4} - \frac{3(1-a^2x^2)^{3/2}}{5a^3(1-ax)^3} - \frac{\sin^{-1}(ax)}{a^3}
\end{aligned}$$

**Mathematica** [A] time = 0.11, size = 50, normalized size = 0.53

$$\frac{\frac{(-13a^2x^2+19ax-8)\sqrt{1-a^2x^2}}{(ax-1)^3} - 5\sin^{-1}(ax)}{5a^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*Sqrt[1 - a^2*x^2])/(1 - a*x)^4,x]
```

```
[Out] (((-8 + 19*a*x - 13*a^2*x^2)*Sqrt[1 - a^2*x^2])/(-1 + a*x)^3 - 5*ArcSin[a*x
])/ (5*a^3)
```

**IntegrateAlgebraic [A]** time = 0.69, size = 85, normalized size = 0.89

$$\frac{(-13a^2x^2 + 19ax - 8)\sqrt{1 - a^2x^2}}{5a^3(ax - 1)^3} - \frac{\sqrt{-a^2} \log\left(\sqrt{1 - a^2x^2} - \sqrt{-a^2}x\right)}{a^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*Sqrt[1 - a^2\*x^2])/(1 - a\*x)^4,x]

[Out] ((-8 + 19\*a\*x - 13\*a^2\*x^2)\*Sqrt[1 - a^2\*x^2])/(5\*a^3\*(-1 + a\*x)^3) - (Sqrt[-a^2]\*Log[-(Sqrt[-a^2]\*x) + Sqrt[1 - a^2\*x^2]])/a^4

**fricas [A]** time = 0.40, size = 126, normalized size = 1.33

$$\frac{8a^3x^3 - 24a^2x^2 + 24ax + 10(a^3x^3 - 3a^2x^2 + 3ax - 1)\arctan\left(\frac{\sqrt{-a^2x^2+1}-1}{ax}\right) - (13a^2x^2 - 19ax + 8)\sqrt{-a^2x^2+1} - 8}{5(a^6x^3 - 3a^5x^2 + 3a^4x - a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-a^2\*x^2+1)^(1/2)/(-a\*x+1)^4,x, algorithm="fricas")

[Out] 1/5\*(8\*a^3\*x^3 - 24\*a^2\*x^2 + 24\*a\*x + 10\*(a^3\*x^3 - 3\*a^2\*x^2 + 3\*a\*x - 1)\*arctan((sqrt(-a^2\*x^2 + 1) - 1)/(a\*x)) - (13\*a^2\*x^2 - 19\*a\*x + 8)\*sqrt(-a^2\*x^2 + 1) - 8)/(a^6\*x^3 - 3\*a^5\*x^2 + 3\*a^4\*x - a^3)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-a^2\*x^2+1)^(1/2)/(-a\*x+1)^4,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [B]** time = 0.02, size = 200, normalized size = 2.11

$$-\frac{\arctan\left(\frac{\sqrt{a^2}x}{\sqrt{\left(x-\frac{1}{a}\right)^2a^2-2\left(x-\frac{1}{a}\right)a}}\right)}{\sqrt{a^2}a^2} + \frac{\sqrt{-\left(x-\frac{1}{a}\right)^2a^2-2\left(x-\frac{1}{a}\right)a}}{a^3} + \frac{\left(-\left(x-\frac{1}{a}\right)^2a^2-2\left(x-\frac{1}{a}\right)a\right)^{\frac{3}{2}}}{\left(x-\frac{1}{a}\right)^2a^5} + \frac{3\left(-\left(x-\frac{1}{a}\right)^2a^2-2\left(x-\frac{1}{a}\right)a\right)^{\frac{3}{2}}}{5\left(x-\frac{1}{a}\right)^3a^6} + \frac{\left(-\left(x-\frac{1}{a}\right)^2a^2-2\left(x-\frac{1}{a}\right)a\right)^{\frac{3}{2}}}{5\left(x-\frac{1}{a}\right)^4a^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-a^2\*x^2+1)^(1/2)/(-a\*x+1)^4,x)

[Out] 1/a^5/(x-1/a)^2\*(-(x-1/a)^2\*a^2-2\*(x-1/a)\*a)^(3/2)+1/a^3\*(-(x-1/a)^2\*a^2-2\*(x-1/a)\*a)^(1/2)-1/a^2/(a^2)^(1/2)\*arctan((a^2)^(1/2)/(-(x-1/a)^2\*a^2-2\*(x-1/a)\*a)^(1/2)\*x)+1/5/a^7/(x-1/a)^4\*(-(x-1/a)^2\*a^2-2\*(x-1/a)\*a)^(3/2)+3/5/a^6/(x-1/a)^3\*(-(x-1/a)^2\*a^2-2\*(x-1/a)\*a)^(3/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a^2x^2 + 1} x^2}{(ax - 1)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-a^2\*x^2+1)^(1/2)/(-a\*x+1)^4,x, algorithm="maxima")

[Out] integrate(sqrt(-a^2\*x^2 + 1)\*x^2/(a\*x - 1)^4, x)

**mupad** [B] time = 2.70, size = 220, normalized size = 2.32

$$\frac{4a^2\sqrt{1-a^2x^2}}{15(a^7x^2-2a^6x+a^5)} - \frac{\operatorname{asinh}(x\sqrt{-a^2})}{a^2\sqrt{-a^2}} - \frac{2\sqrt{1-a^2x^2}}{5\sqrt{-a^2}(a\sqrt{-a^2}-3a^2x\sqrt{-a^2}+3a^3x^2\sqrt{-a^2}-a^4x^3\sqrt{-a^2})} - \frac{13\sqrt{1-a^2x^2}}{5(a\sqrt{-a^2}-a^2x\sqrt{-a^2})\sqrt{-a^2}} - \frac{5\sqrt{1-a^2x^2}}{3(a^5x^2-2a^4x+a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(1 - a^2\*x^2)^(1/2))/(a\*x - 1)^4,x)

[Out] (4\*a^2\*(1 - a^2\*x^2)^(1/2))/(15\*(a^5 - 2\*a^6\*x + a^7\*x^2)) - asinh(x\*(-a^2)^(1/2))/(a^2\*(-a^2)^(1/2)) - (2\*(1 - a^2\*x^2)^(1/2))/(5\*(-a^2)^(1/2)\*(a\*(-a^2)^(1/2) - 3\*a^2\*x\*(-a^2)^(1/2) + 3\*a^3\*x^2\*(-a^2)^(1/2) - a^4\*x^3\*(-a^2)^(1/2))) - (13\*(1 - a^2\*x^2)^(1/2))/(5\*(a\*(-a^2)^(1/2) - a^2\*x\*(-a^2)^(1/2))\*(-a^2)^(1/2)) - (5\*(1 - a^2\*x^2)^(1/2))/(3\*(a^3 - 2\*a^4\*x + a^5\*x^2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2\sqrt{-(ax-1)(ax+1)}}{(ax-1)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(-a\*\*2\*x\*\*2+1)\*\*(1/2)/(-a\*x+1)\*\*4,x)

[Out] Integral(x\*\*2\*sqrt(-(a\*x - 1)\*(a\*x + 1))/(a\*x - 1)\*\*4, x)

$$3.211 \quad \int \frac{x^2 \sqrt{1-a^2x^2}}{(1-ax)^5} dx$$

**Optimal.** Leaf size=88

$$\frac{23(1-a^2x^2)^{3/2}}{105a^3(1-ax)^3} - \frac{12(1-a^2x^2)^{3/2}}{35a^3(1-ax)^4} + \frac{(1-a^2x^2)^{3/2}}{7a^3(1-ax)^5}$$

**Rubi [A]** time = 0.12, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {1639, 793, 659, 651}

$$\frac{23(1-a^2x^2)^{3/2}}{105a^3(1-ax)^3} - \frac{12(1-a^2x^2)^{3/2}}{35a^3(1-ax)^4} + \frac{(1-a^2x^2)^{3/2}}{7a^3(1-ax)^5}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*sqrt[1 - a^2\*x^2])/(1 - a\*x)^5,x]

[Out] (1 - a^2\*x^2)^(3/2)/(7\*a^3\*(1 - a\*x)^5) - (12\*(1 - a^2\*x^2)^(3/2))/(35\*a^3\*(1 - a\*x)^4) + (23\*(1 - a^2\*x^2)^(3/2))/(105\*a^3\*(1 - a\*x)^3)

#### Rule 651

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + 2\*p + 2, 0]

#### Rule 659

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

#### Rule 793

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[(m\*(g\*c\*d + c\*e\*f) + 2\*e\*c\*f\*(p + 1))/(e\*(2\*c\*d)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1])) || EqQ[m + 2\*p + 2, 0] && NeQ[m + p

+ 1, 0]

### Rule 1639

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - 2*e*f*(m +
p + q)*(d + e*x)^(q - 2)*(a*e - c*d*x), x], x], x] /; NeQ[m + q + 2*p + 1,
0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0
] && !IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2 \sqrt{1 - a^2 x^2}}{(1 - ax)^5} dx &= -\frac{(1 - a^2 x^2)^{3/2}}{a^3 (1 - ax)^4} + \frac{\int \frac{(4a^2 - 3a^3 x) \sqrt{1 - a^2 x^2}}{(1 - ax)^5} dx}{a^4} \\ &= \frac{(1 - a^2 x^2)^{3/2}}{7a^3 (1 - ax)^5} - \frac{(1 - a^2 x^2)^{3/2}}{a^3 (1 - ax)^4} + \frac{23 \int \frac{\sqrt{1 - a^2 x^2}}{(1 - ax)^4} dx}{7a^2} \\ &= \frac{(1 - a^2 x^2)^{3/2}}{7a^3 (1 - ax)^5} - \frac{12(1 - a^2 x^2)^{3/2}}{35a^3 (1 - ax)^4} + \frac{23 \int \frac{\sqrt{1 - a^2 x^2}}{(1 - ax)^3} dx}{35a^2} \\ &= \frac{(1 - a^2 x^2)^{3/2}}{7a^3 (1 - ax)^5} - \frac{12(1 - a^2 x^2)^{3/2}}{35a^3 (1 - ax)^4} + \frac{23(1 - a^2 x^2)^{3/2}}{105a^3 (1 - ax)^3} \end{aligned}$$

**Mathematica** [A] time = 0.07, size = 50, normalized size = 0.57

$$\frac{\sqrt{1 - a^2 x^2} (23a^3 x^3 + 13a^2 x^2 - 8ax + 2)}{105a^3 (ax - 1)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*Sqrt[1 - a^2\*x^2])/(1 - a\*x)^5,x]

[Out] (Sqrt[1 - a^2\*x^2]\*(2 - 8\*a\*x + 13\*a^2\*x^2 + 23\*a^3\*x^3))/(105\*a^3\*(-1 + a\*x)^4)

**IntegrateAlgebraic** [A] time = 0.72, size = 50, normalized size = 0.57

$$\frac{\sqrt{1 - a^2x^2} (23a^3x^3 + 13a^2x^2 - 8ax + 2)}{105a^3(ax - 1)^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*Sqrt[1 - a^2\*x^2])/(1 - a\*x)^5,x]

[Out] (Sqrt[1 - a^2\*x^2]\*(2 - 8\*a\*x + 13\*a^2\*x^2 + 23\*a^3\*x^3))/(105\*a^3\*(-1 + a\*x)^4)

**fricas** [A] time = 0.40, size = 102, normalized size = 1.16

$$\frac{2a^4x^4 - 8a^3x^3 + 12a^2x^2 - 8ax + (23a^3x^3 + 13a^2x^2 - 8ax + 2)\sqrt{-a^2x^2 + 1} + 2}{105(a^7x^4 - 4a^6x^3 + 6a^5x^2 - 4a^4x + a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-a^2\*x^2+1)^(1/2)/(-a\*x+1)^5,x, algorithm="fricas")

[Out] 1/105\*(2\*a^4\*x^4 - 8\*a^3\*x^3 + 12\*a^2\*x^2 - 8\*a\*x + (23\*a^3\*x^3 + 13\*a^2\*x^2 - 8\*a\*x + 2)\*sqrt(-a^2\*x^2 + 1) + 2)/(a^7\*x^4 - 4\*a^6\*x^3 + 6\*a^5\*x^2 - 4\*a^4\*x + a^3)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(-a^2\*x^2+1)^(1/2)/(-a\*x+1)^5,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.01, size = 44, normalized size = 0.50

$$\frac{\sqrt{-a^2x^2 + 1} (23a^2x^2 - 10ax + 2)(ax + 1)}{105(ax - 1)^4 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(-a^2\*x^2+1)^(1/2)/(-a\*x+1)^5,x)

[Out]  $1/105*(-a^2*x^2+1)^{(1/2)}*(23*a^2*x^2-10*a*x+2)*(a*x+1)/(a*x-1)^4/a^3$

**maxima** [B] time = 0.44, size = 153, normalized size = 1.74

$$\frac{2\sqrt{-a^2x^2+1}}{7(a^7x^4-4a^6x^3+6a^5x^2-4a^4x+a^3)} + \frac{29\sqrt{-a^2x^2+1}}{35(a^6x^3-3a^5x^2+3a^4x-a^3)} + \frac{82\sqrt{-a^2x^2+1}}{105(a^5x^2-2a^4x+a^3)} + \frac{23\sqrt{-a^2x^2+1}}{105(a^4x-a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(-a^2*x^2+1)^(1/2)/(-a*x+1)^5,x, algorithm="maxima")`

[Out]  $2/7*\sqrt{-a^2*x^2+1}/(a^7*x^4-4*a^6*x^3+6*a^5*x^2-4*a^4*x+a^3)+29/35*\sqrt{-a^2*x^2+1}/(a^6*x^3-3*a^5*x^2+3*a^4*x-a^3)+82/105*\sqrt{-a^2*x^2+1}/(a^5*x^2-2*a^4*x+a^3)+23/105*\sqrt{-a^2*x^2+1}/(a^4*x-a^3)$

**mupad** [B] time = 0.06, size = 287, normalized size = 3.26

$$\frac{2\sqrt{1-a^2x^2}}{7(a^7x^4-4a^6x^3+6a^5x^2-4a^4x+a^3)} + \frac{4\sqrt{1-a^2x^2}}{3(a^5x^2-2a^4x+a^3)} + \frac{4a\sqrt{1-a^2x^2}}{35(a^6x^3-2a^5x+a^4)} + \frac{29\sqrt{1-a^2x^2}}{35\sqrt{-a^2}(a\sqrt{-a^2}-3a^2x\sqrt{-a^2}+3a^3x^2\sqrt{-a^2}-a^4x^3\sqrt{-a^2})} + \frac{23\sqrt{1-a^2x^2}}{105(a\sqrt{-a^2}-a^2x\sqrt{-a^2})\sqrt{-a^2}} - \frac{2a^2\sqrt{1-a^2x^2}}{3(a^7x^2-2a^6x+a^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2*(1-a^2*x^2)^(1/2))/(a*x-1)^5,x)`

[Out]  $(2*(1-a^2*x^2)^{(1/2)})/(7*(a^3-4*a^4*x+6*a^5*x^2-4*a^6*x^3+a^7*x^4))+(4*(1-a^2*x^2)^{(1/2)})/(3*(a^3-2*a^4*x+a^5*x^2))+(4*a*(1-a^2*x^2)^{(1/2)})/(35*(a^4-2*a^5*x+a^6*x^2))+(29*(1-a^2*x^2)^{(1/2)})/(35*(-a^2)^{(1/2)}*(a*(-a^2)^{(1/2)}-3*a^2*x*(-a^2)^{(1/2)}+3*a^3*x^2*(-a^2)^{(1/2)}-a^4*x^3*(-a^2)^{(1/2)}))+(23*(1-a^2*x^2)^{(1/2)})/(105*(a*(-a^2)^{(1/2)}-a^2*x*(-a^2)^{(1/2)})*(-a^2)^{(1/2)})-(2*a^2*(1-a^2*x^2)^{(1/2)})/(3*(a^5-2*a^6*x+a^7*x^2))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2\sqrt{-a^2x^2+1}}{a^5x^5-5a^4x^4+10a^3x^3-10a^2x^2+5ax-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(-a**2*x**2+1)**(1/2)/(-a*x+1)**5,x)`

[Out] `-Integral(x**2*sqrt(-a**2*x**2+1)/(a**5*x**5-5*a**4*x**4+10*a**3*x**3-10*a**2*x**2+5*a*x-1),x)`



$$3.212 \quad \int \frac{x^3}{(d+ex)^4(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=209

$$\frac{d^2}{13e^4(d+ex)^4(d^2-e^2x^2)^{5/2}} - \frac{30d}{143e^4(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{21}{143e^4(d+ex)^2(d^2-e^2x^2)^{5/2}} + \frac{4}{1001de^4(d+ex)(d^2-e^2x^2)^{5/2}}$$

**Rubi** [A] time = 0.31, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1639, 793, 659, 192, 191}

$$\frac{d^2}{13e^4(d+ex)^4(d^2-e^2x^2)^{5/2}} - \frac{30d}{143e^4(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{21}{143e^4(d+ex)^2(d^2-e^2x^2)^{5/2}} + \frac{4}{1001de^4(d+ex)(d^2-e^2x^2)^{5/2}} - \frac{24x}{5005d^3e^3(d^2-e^2x^2)^{5/2}} - \frac{32x}{5005d^3e^3(d^2-e^2x^2)^{3/2}} - \frac{64x}{5005d^7e^3\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (-24\*x)/(5005\*d^3\*e^3\*(d^2 - e^2\*x^2)^(5/2)) + d^2/(13\*e^4\*(d + e\*x)^4\*(d^2 - e^2\*x^2)^(5/2)) - (30\*d)/(143\*e^4\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2)) + 21/(143\*e^4\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(5/2)) + 4/(1001\*d\*e^4\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)) - (32\*x)/(5005\*d^5\*e^3\*(d^2 - e^2\*x^2)^(3/2)) - (64\*x)/(5005\*d^7\*e^3\*sqrt[d^2 - e^2\*x^2])

### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

### Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

### Rule 659

Int[((d\_) + (e\_.)\*(x\_)^(m\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

Rule 793

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_
), x_Symbol] :> Simp[((d*g - e*f)*(d + e*x)^(m*(a + c*x^2)^(p + 1)))/(2*c*d*(
m + p + 1)), x] + Dist[(m*(g*c*d + c*e*f) + 2*e*c*f*(p + 1))/(e*(2*c*d)*(m
+ p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e
, f, g, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p
+ 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2*p + 2, 0]) && NeQ[m + p
+ 1, 0]
```

Rule 1639

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^(m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - 2*e*f*(m +
p + q)*(d + e*x)^(q - 2)*(a*e - c*d*x), x], x], x] /; NeQ[m + q + 2*p + 1,
0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0
] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{(d+ex)^4(d^2-e^2x^2)^{7/2}} dx &= \frac{1}{7e^4(d+ex)^2(d^2-e^2x^2)^{5/2}} + \frac{\int \frac{2d^3e^2-3d^2e^3x-12de^4x^2}{(d+ex)^4(d^2-e^2x^2)^{7/2}} dx}{7e^5} \\
&= -\frac{3d}{14e^4(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{1}{7e^4(d+ex)^2(d^2-e^2x^2)^{5/2}} + \frac{\int \frac{-20d^3e^6+36d^2e^7x}{(d+ex)^4(d^2-e^2x^2)^{7/2}}}{56e^9} \\
&= \frac{d^2}{13e^4(d+ex)^4(d^2-e^2x^2)^{5/2}} - \frac{3d}{14e^4(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{1}{7e^4(d+ex)^2(d^2-e^2x^2)^{5/2}} \\
&= \frac{d^2}{13e^4(d+ex)^4(d^2-e^2x^2)^{5/2}} - \frac{30d}{143e^4(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{1}{7e^4(d+ex)^2(d^2-e^2x^2)^{5/2}} \\
&= \frac{d^2}{13e^4(d+ex)^4(d^2-e^2x^2)^{5/2}} - \frac{30d}{143e^4(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{21}{143e^4(d+ex)^2(d^2-e^2x^2)^{5/2}} \\
&= \frac{d^2}{13e^4(d+ex)^4(d^2-e^2x^2)^{5/2}} - \frac{30d}{143e^4(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{21}{143e^4(d+ex)^2(d^2-e^2x^2)^{5/2}} \\
&= -\frac{24x}{5005d^3e^3(d^2-e^2x^2)^{5/2}} + \frac{d^2}{13e^4(d+ex)^4(d^2-e^2x^2)^{5/2}} - \frac{30d}{143e^4(d+ex)^3(d^2-e^2x^2)^{5/2}} \\
&= -\frac{24x}{5005d^3e^3(d^2-e^2x^2)^{5/2}} + \frac{d^2}{13e^4(d+ex)^4(d^2-e^2x^2)^{5/2}} - \frac{30d}{143e^4(d+ex)^3(d^2-e^2x^2)^{5/2}} \\
&= -\frac{24x}{5005d^3e^3(d^2-e^2x^2)^{5/2}} + \frac{d^2}{13e^4(d+ex)^4(d^2-e^2x^2)^{5/2}} - \frac{30d}{143e^4(d+ex)^3(d^2-e^2x^2)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 137, normalized size = 0.66

$$\frac{\sqrt{d^2-e^2x^2} (90d^9 + 360d^8ex + 315d^7e^2x^2 - 540d^6e^3x^3 + 160d^5e^4x^4 + 776d^4e^5x^5 + 384d^3e^6x^6 - 224d^2e^7x^7 - 256de^8x^8 - 64e^9x^9)}{5005d^7e^4(d-ex)^3(d+ex)^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(90\*d^9 + 360\*d^8\*e\*x + 315\*d^7\*e^2\*x^2 - 540\*d^6\*e^3\*x^3 + 160\*d^5\*e^4\*x^4 + 776\*d^4\*e^5\*x^5 + 384\*d^3\*e^6\*x^6 - 224\*d^2\*e^7\*x^7 - 256\*d\*e^8\*x^8 - 64\*e^9\*x^9))/(5005\*d^7\*e^4\*(d - e\*x)^3\*(d + e\*x)^7)

**IntegrateAlgebraic [A]** time = 0.98, size = 137, normalized size = 0.66

$$\frac{\sqrt{d^2 - e^2x^2} (90d^9 + 360d^8ex + 315d^7e^2x^2 - 540d^6e^3x^3 + 160d^5e^4x^4 + 776d^4e^5x^5 + 384d^3e^6x^6 - 224d^2e^7x^7 - 256de^8x^8 - 64e^9x^9)}{5005d^7e^4(d - ex)^3(d + ex)^7}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(90\*d^9 + 360\*d^8\*e\*x + 315\*d^7\*e^2\*x^2 - 540\*d^6\*e^3\*x^3 + 160\*d^5\*e^4\*x^4 + 776\*d^4\*e^5\*x^5 + 384\*d^3\*e^6\*x^6 - 224\*d^2\*e^7\*x^7 - 256\*d\*e^8\*x^8 - 64\*e^9\*x^9))/(5005\*d^7\*e^4\*(d - e\*x)^3\*(d + e\*x)^7)

**fricas [A]** time = 0.92, size = 316, normalized size = 1.51

$$\frac{90e^{10}x^{10} + 360de^9x^9 + 270d^2e^8x^8 - 720d^3e^7x^7 - 1260d^4e^6x^6 + 1260d^5e^5x^5 + 720d^6e^4x^4 + 720d^7e^3x^3 - 270d^8e^2x^2 - 360d^9ex - 90d^{10} + (64e^9x^9 + 256d^8e^8x^8 + 224d^7e^7x^7 - 384d^6e^6x^6 - 776d^5e^5x^5 - 160d^4e^4x^4 + 540d^3e^3x^3 - 315d^2e^2x^2 - 360d^9ex - 90d^{10})\sqrt{-e^2x^2 + d^2}}{5005(d^7e^{14}x^{10} + 4d^8e^{13}x^9 + 3d^9e^{12}x^8 - 8d^{10}e^{11}x^7 - 14d^{11}e^{10}x^6 + 14d^{12}e^9x^5 + 8d^{13}e^8x^4 - 3d^{14}e^7x^3 - 4d^{15}e^6x^2 - d^{17}e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 1/5005\*(90\*e^10\*x^10 + 360\*d\*e^9\*x^9 + 270\*d^2\*e^8\*x^8 - 720\*d^3\*e^7\*x^7 - 1260\*d^4\*e^6\*x^6 + 1260\*d^5\*e^5\*x^5 + 720\*d^6\*e^4\*x^4 + 720\*d^7\*e^3\*x^3 - 270\*d^8\*e^2\*x^2 - 360\*d^9\*e\*x - 90\*d^10 + (64\*e^9\*x^9 + 256\*d\*e^8\*x^8 + 224\*d^2\*e^7\*x^7 - 384\*d^3\*e^6\*x^6 - 776\*d^4\*e^5\*x^5 - 160\*d^5\*e^4\*x^4 + 540\*d^6\*e^3\*x^3 - 315\*d^7\*e^2\*x^2 - 360\*d^8\*e\*x - 90\*d^9)\*sqrt(-e^2\*x^2 + d^2))/(d^7\*e^14\*x^10 + 4\*d^8\*e^13\*x^9 + 3\*d^9\*e^12\*x^8 - 8\*d^10\*e^11\*x^7 - 14\*d^11\*e^10\*x^6 + 14\*d^12\*e^9\*x^5 + 8\*d^13\*e^8\*x^4 + 8\*d^14\*e^7\*x^3 - 3\*d^15\*e^6\*x^2 - 4\*d^16\*e^5\*x - d^17\*e^4)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Value

**maple [A]** time = 0.01, size = 132, normalized size = 0.63

$$\frac{(-ex + d)(-64e^9x^9 - 256e^8x^8d - 224e^7x^7d^2 + 384e^6x^6d^3 + 776e^5x^5d^4 + 160x^4d^5e^4 - 540x^3d^6e^3 + 315x^2d^7e^2 + 360d^8xe + 90d^9)}{5005(ex + d)^3(-e^2x^2 + d^2)^{\frac{7}{2}}d^7e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2), x)

[Out] 1/5005\*(-e\*x+d)\*(-64\*e^9\*x^9-256\*d\*e^8\*x^8-224\*d^2\*e^7\*x^7+384\*d^3\*e^6\*x^6+776\*d^4\*e^5\*x^5+160\*d^5\*e^4\*x^4-540\*d^6\*e^3\*x^3+315\*d^7\*e^2\*x^2+360\*d^8\*e\*x+90\*d^9)/(e\*x+d)^3/d^7/e^4/(-e^2\*x^2+d^2)^(7/2)

**maxima [B]** time = 0.50, size = 399, normalized size = 1.91

$$\frac{13 \left( (-e^2x^2 + d^2)^{5/2} e^8 x^4 + 4(-e^2x^2 + d^2)^{5/2} d^2 e^7 x^3 + 6(-e^2x^2 + d^2)^{5/2} d^4 e^6 x^2 + 4(-e^2x^2 + d^2)^{5/2} d^6 e^5 x + (-e^2x^2 + d^2)^{5/2} d^8 e^4 \right) - 30/143 d / ((-e^2x^2 + d^2)^{5/2} e^7 x^3 + 3(-e^2x^2 + d^2)^{5/2} d^2 e^6 x^2 + 3(-e^2x^2 + d^2)^{5/2} d^4 e^5 x + (-e^2x^2 + d^2)^{5/2} d^6 e^4) + 21/143 / ((-e^2x^2 + d^2)^{5/2} e^6 x^2 + 2(-e^2x^2 + d^2)^{5/2} d^2 e^5 x + (-e^2x^2 + d^2)^{5/2} d^4 e^4) + 4/1001 / ((-e^2x^2 + d^2)^{5/2} d^5 e^4) - 24/5005 x / ((-e^2x^2 + d^2)^{5/2} d^3 e^3) - 32/5005 x / ((-e^2x^2 + d^2)^{5/2} d^5 e^3) - 64/5005 x / (\sqrt{-e^2x^2 + d^2} d^7 e^3)}{5005 \sqrt{-e^2x^2 + d^2} d^7 e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2), x, algorithm="maxima")

[Out] 1/13\*d^2/((-e^2\*x^2 + d^2)^(5/2)\*e^8\*x^4 + 4\*(-e^2\*x^2 + d^2)^(5/2)\*d^2\*e^7\*x^3 + 6\*(-e^2\*x^2 + d^2)^(5/2)\*d^4\*e^6\*x^2 + 4\*(-e^2\*x^2 + d^2)^(5/2)\*d^6\*e^5\*x + (-e^2\*x^2 + d^2)^(5/2)\*d^8\*e^4) - 30/143\*d/((-e^2\*x^2 + d^2)^(5/2)\*e^7\*x^3 + 3\*(-e^2\*x^2 + d^2)^(5/2)\*d^2\*e^6\*x^2 + 3\*(-e^2\*x^2 + d^2)^(5/2)\*d^4\*e^5\*x + (-e^2\*x^2 + d^2)^(5/2)\*d^6\*e^4) + 21/143/((-e^2\*x^2 + d^2)^(5/2)\*e^6\*x^2 + 2\*(-e^2\*x^2 + d^2)^(5/2)\*d^2\*e^5\*x + (-e^2\*x^2 + d^2)^(5/2)\*d^4\*e^4) + 4/1001/((-e^2\*x^2 + d^2)^(5/2)\*d^5\*e^4) - 24/5005\*x/((-e^2\*x^2 + d^2)^(5/2)\*d^3\*e^3) - 32/5005\*x/((-e^2\*x^2 + d^2)^(5/2)\*d^5\*e^3) - 64/5005\*x/(sqrt(-e^2\*x^2 + d^2)\*d^7\*e^3)

**mupad [B]** time = 3.22, size = 252, normalized size = 1.21

$$\frac{\sqrt{d^2 - e^2 x^2} \left( \frac{107}{4004 d^2 e^4} - \frac{1139 x}{80080 d^3 e^3} \right) - \sqrt{d^2 - e^2 x^2} \left( \frac{23}{32032 d^4 e^4} + \frac{32 x}{5005 d^5 e^3} \right) + \frac{\sqrt{d^2 - e^2 x^2}}{104 d^4 (d + e x)^7} - \frac{27 \sqrt{d^2 - e^2 x^2}}{2288 d^2 e^4 (d + e x)^6} - \frac{15 \sqrt{d^2 - e^2 x^2}}{2288 d^3 e^4 (d + e x)^5} + \frac{23 \sqrt{d^2 - e^2 x^2}}{32032 d^4 e^4 (d + e x)^4} - \frac{64 x \sqrt{d^2 - e^2 x^2}}{5005 d^7 e^3 (d + e x) (d - e x)}}{(d + e x)^3 (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/((d^2 - e^2\*x^2)^(7/2)\*(d + e\*x)^4), x)

[Out] ((d^2 - e^2\*x^2)^(1/2)\*(107/(4004\*d^2\*e^4) - (1139\*x)/(80080\*d^3\*e^3)))/((d + e\*x)^3\*(d - e\*x)^3) - ((d^2 - e^2\*x^2)^(1/2)\*(23/(32032\*d^4\*e^4) + (32\*x)/(5005\*d^5\*e^3)))/((d + e\*x)^2\*(d - e\*x)^2) + (d^2 - e^2\*x^2)^(1/2)/(104\*d\*e^4\*(d + e\*x)^7) - (27\*(d^2 - e^2\*x^2)^(1/2))/(2288\*d^2\*e^4\*(d + e\*x)^6) - (15\*(d^2 - e^2\*x^2)^(1/2))/(2288\*d^3\*e^4\*(d + e\*x)^5) + (23\*(d^2 - e^2\*x^2)^(1/2))/(32032\*d^4\*e^4\*(d + e\*x)^4) - (64\*x\*(d^2 - e^2\*x^2)^(1/2))/(5005\*d^7\*e^3\*(d + e\*x)\*(d - e\*x))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(-(-d + ex)(d + ex))^{\frac{7}{2}}(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(e\*x+d)\*\*4/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] Integral(x\*\*3/((-(-d + e\*x)\*(d + e\*x))\*\*(7/2)\*(d + e\*x)\*\*4), x)

$$3.213 \quad \int \frac{x^2}{(d+ex)^4(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=209

$$\frac{d}{13e^3(d+ex)^4(d^2-e^2x^2)^{5/2}} + \frac{17}{143e^3(d+ex)^3(d^2-e^2x^2)^{5/2}} - \frac{7}{1287de^3(d+ex)^2(d^2-e^2x^2)^{5/2}} - \frac{7}{1287d^2e^3(d+ex)(d^2-e^2x^2)^{5/2}} - \frac{7}{1287d^2e^3(d+ex)}$$

**Rubi [A]** time = 0.21, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {1639, 793, 659, 192, 191}

$$\frac{d}{13e^3(d+ex)^4(d^2-e^2x^2)^{5/2}} + \frac{17}{143e^3(d+ex)^3(d^2-e^2x^2)^{5/2}} - \frac{7}{1287de^3(d+ex)^2(d^2-e^2x^2)^{5/2}} - \frac{7}{1287d^2e^3(d+ex)(d^2-e^2x^2)^{5/2}} + \frac{14x}{2145d^4e^2(d^2-e^2x^2)^{5/2}} + \frac{56x}{6435d^6e^2(d^2-e^2x^2)^{3/2}} + \frac{112x}{6435d^8e^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (14\*x)/(2145\*d^4\*e^2\*(d^2 - e^2\*x^2)^(5/2)) - d/(13\*e^3\*(d + e\*x)^4\*(d^2 - e^2\*x^2)^(5/2)) + 17/(143\*e^3\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2)) - 7/(1287\*d\*e^3\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(5/2)) - 7/(1287\*d^2\*e^3\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)) + (56\*x)/(6435\*d^6\*e^2\*(d^2 - e^2\*x^2)^(3/2)) + (112\*x)/(6435\*d^8\*e^2\*sqrt[d^2 - e^2\*x^2])

### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

### Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

### Rule 659

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

Rule 793

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_
), x_Symbol] :> Simp[((d*g - e*f)*(d + e*x)^(m*(a + c*x^2)^(p + 1)))/(2*c*d*(
m + p + 1)), x] + Dist[(m*(g*c*d + c*e*f) + 2*e*c*f*(p + 1))/(e*(2*c*d)*(m
+ p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e
, f, g, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p
+ 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2*p + 2, 0]) && NeQ[m + p
+ 1, 0]
```

Rule 1639

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^(m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - 2*e*f*(m +
p + q)*(d + e*x)^(q - 2)*(a*e - c*d*x), x], x], x] /; NeQ[m + q + 2*p + 1,
0]] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0
] && !IGtQ[m, 0]
```

Rubi steps



$$\begin{aligned}
\int \frac{x^2}{(d+ex)^4(d^2-e^2x^2)^{7/2}} dx &= \frac{1}{8e^3(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{\int \frac{3d^2e^2-5de^3x}{(d+ex)^4(d^2-e^2x^2)^{7/2}} dx}{8e^4} \\
&= -\frac{d}{13e^3(d+ex)^4(d^2-e^2x^2)^{5/2}} + \frac{1}{8e^3(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{(7d) \int \frac{1}{(d+ex)^3(d^2-e^2x^2)^{7/2}} dx}{104e^2} \\
&= -\frac{d}{13e^3(d+ex)^4(d^2-e^2x^2)^{5/2}} + \frac{17}{143e^3(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{7 \int \frac{1}{(d+ex)^2(d^2-e^2x^2)^{7/2}} dx}{143e^2} \\
&= -\frac{d}{13e^3(d+ex)^4(d^2-e^2x^2)^{5/2}} + \frac{17}{143e^3(d+ex)^3(d^2-e^2x^2)^{5/2}} - \frac{7}{1287de^3(d+ex)} \\
&= -\frac{d}{13e^3(d+ex)^4(d^2-e^2x^2)^{5/2}} + \frac{17}{143e^3(d+ex)^3(d^2-e^2x^2)^{5/2}} - \frac{7}{1287de^3(d+ex)} \\
&= \frac{14x}{2145d^4e^2(d^2-e^2x^2)^{5/2}} - \frac{d}{13e^3(d+ex)^4(d^2-e^2x^2)^{5/2}} + \frac{17}{143e^3(d+ex)^3(d^2-e^2x^2)^{5/2}} \\
&= \frac{14x}{2145d^4e^2(d^2-e^2x^2)^{5/2}} - \frac{d}{13e^3(d+ex)^4(d^2-e^2x^2)^{5/2}} + \frac{17}{143e^3(d+ex)^3(d^2-e^2x^2)^{5/2}} \\
&= \frac{14x}{2145d^4e^2(d^2-e^2x^2)^{5/2}} - \frac{d}{13e^3(d+ex)^4(d^2-e^2x^2)^{5/2}} + \frac{17}{143e^3(d+ex)^3(d^2-e^2x^2)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 137, normalized size = 0.66

$$\frac{\sqrt{d^2 - e^2x^2} (200d^9 + 800d^8ex + 700d^7e^2x^2 + 945d^6e^3x^3 - 280d^5e^4x^4 - 1358d^4e^5x^5 - 672d^3e^6x^6 + 392d^2e^7x^7 + 448de^8x^8 + 112e^9x^9)}{6435d^8e^3(d-ex)^3(d+ex)^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(200\*d^9 + 800\*d^8\*e\*x + 700\*d^7\*e^2\*x^2 + 945\*d^6\*e^3\*x^3 - 280\*d^5\*e^4\*x^4 - 1358\*d^4\*e^5\*x^5 - 672\*d^3\*e^6\*x^6 + 392\*d^2\*e^7\*x^7 + 448\*d\*e^8\*x^8 + 112\*e^9\*x^9))/(6435\*d^8\*e^3\*(d - e\*x)^3\*(d + e\*x)^7)

**IntegrateAlgebraic [A]** time = 0.77, size = 137, normalized size = 0.66

$$\frac{\sqrt{d^2 - e^2 x^2} (200d^9 + 800d^8 ex + 700d^7 e^2 x^2 + 945d^6 e^3 x^3 - 280d^5 e^4 x^4 - 1358d^4 e^5 x^5 - 672d^3 e^6 x^6 + 392d^2 e^7 x^7 + 448de^8 x^8 + 112e^9 x^9)}{6435d^8 e^3 (d - ex)^3 (d + ex)^7}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(200\*d^9 + 800\*d^8\*e\*x + 700\*d^7\*e^2\*x^2 + 945\*d^6\*e^3\*x^3 - 280\*d^5\*e^4\*x^4 - 1358\*d^4\*e^5\*x^5 - 672\*d^3\*e^6\*x^6 + 392\*d^2\*e^7\*x^7 + 448\*d\*e^8\*x^8 + 112\*e^9\*x^9))/(6435\*d^8\*e^3\*(d - e\*x)^3\*(d + e\*x)^7)

**fricas [A]** time = 0.96, size = 317, normalized size = 1.52

$$\frac{200d^{10}x^{10} + 800d^9e^2x^9 + 600d^8e^3x^8 - 1600d^7e^4x^7 - 2800d^6e^5x^6 + 2800d^5e^6x^5 + 1600d^4e^7x^4 - 600d^3e^8x^3 - 800d^2e^9x^2 - 200d^{10} - (112e^9x^9 + 448de^8x^8 + 392d^2e^7x^7 - 672d^3e^6x^6 - 1358d^4e^5x^5 - 280d^5e^4x^4 + 945d^6e^3x^3 + 700d^7e^2x^2 + 800d^8ex + 200d^9)\sqrt{-e^2x^2 + d^2}}{6435(d^8e^{13}x^{10} + 4d^9e^{12}x^9 + 3d^{10}e^{11}x^8 - 8d^{11}e^{10}x^7 - 14d^{12}e^9x^6 + 14d^{13}e^8x^5 + 8d^{14}e^7x^4 - 3d^{15}e^6x^3 - 4d^{16}e^5x^2 - d^{17}e^4x - d^{18}e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 1/6435\*(200\*e^10\*x^10 + 800\*d\*e^9\*x^9 + 600\*d^2\*e^8\*x^8 - 1600\*d^3\*e^7\*x^7 - 2800\*d^4\*e^6\*x^6 + 2800\*d^6\*e^4\*x^4 + 1600\*d^7\*e^3\*x^3 - 600\*d^8\*e^2\*x^2 - 800\*d^9\*e\*x - 200\*d^10 - (112\*e^9\*x^9 + 448\*d\*e^8\*x^8 + 392\*d^2\*e^7\*x^7 - 672\*d^3\*e^6\*x^6 - 1358\*d^4\*e^5\*x^5 - 280\*d^5\*e^4\*x^4 + 945\*d^6\*e^3\*x^3 + 700\*d^7\*e^2\*x^2 + 800\*d^8\*e\*x + 200\*d^9)\*sqrt(-e^2\*x^2 + d^2))/(d^8\*e^13\*x^10 + 4\*d^9\*e^12\*x^9 + 3\*d^10\*e^11\*x^8 - 8\*d^11\*e^10\*x^7 - 14\*d^12\*e^9\*x^6 + 14\*d^14\*e^7\*x^4 + 8\*d^15\*e^6\*x^3 - 3\*d^16\*e^5\*x^2 - 4\*d^17\*e^4\*x - d^18\*e^3)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Value

**maple [A]** time = 0.01, size = 132, normalized size = 0.63

$$\frac{(-ex + d)(112e^9x^9 + 448e^8x^8d + 392e^7x^7d^2 - 672e^6x^6d^3 - 1358e^5x^5d^4 - 280x^4d^5e^4 + 945x^3d^6e^3 + 700x^2d^7e^2 + 800d^8xe + 200d^9)}{6435(ex + d)^3(-e^2x^2 + d^2)^{\frac{7}{2}}d^8e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2/(e*x+d)^4/(-e^2*x^2+d^2)^{(7/2)}, x)$

[Out]  $1/6435*(-e*x+d)*(112*e^9*x^9+448*d*e^8*x^8+392*d^2*e^7*x^7-672*d^3*e^6*x^6-1358*d^4*e^5*x^5-280*d^5*e^4*x^4+945*d^6*e^3*x^3+700*d^7*e^2*x^2+800*d^8*e*x+200*d^9)/(e*x+d)^3/d^8/e^3/(-e^2*x^2+d^2)^{(7/2)}$

**maxima** [B] time = 0.49, size = 401, normalized size = 1.92

$\frac{13}{13} \left( \frac{d}{(e*x+d)^4} + \frac{4d^2}{(e*x+d)^5} + \frac{6d^3}{(e*x+d)^6} + \frac{4d^4}{(e*x+d)^7} + \frac{d^5}{(e*x+d)^8} \right) - \frac{112}{112} \left( \frac{e^9}{(e*x+d)^9} + \frac{448d}{(e*x+d)^{10}} + \frac{392d^2}{(e*x+d)^{11}} + \frac{672d^3}{(e*x+d)^{12}} + \frac{1358d^4}{(e*x+d)^{13}} + \frac{280d^5}{(e*x+d)^{14}} + \frac{945d^6}{(e*x+d)^{15}} + \frac{700d^7}{(e*x+d)^{16}} + \frac{800d^8}{(e*x+d)^{17}} + \frac{200d^9}{(e*x+d)^{18}} \right) - \frac{1287}{1287} \left( \frac{e^7}{(e*x+d)^7} + \frac{4e^8}{(e*x+d)^8} + \frac{4e^9}{(e*x+d)^9} + \frac{4e^{10}}{(e*x+d)^{10}} + \frac{4e^{11}}{(e*x+d)^{11}} + \frac{4e^{12}}{(e*x+d)^{12}} + \frac{4e^{13}}{(e*x+d)^{13}} + \frac{4e^{14}}{(e*x+d)^{14}} + \frac{4e^{15}}{(e*x+d)^{15}} + \frac{4e^{16}}{(e*x+d)^{16}} + \frac{4e^{17}}{(e*x+d)^{17}} + \frac{4e^{18}}{(e*x+d)^{18}} \right) - \frac{1287}{1287} \left( \frac{e^5}{(e*x+d)^5} + \frac{2e^6}{(e*x+d)^6} + \frac{2e^7}{(e*x+d)^7} + \frac{2e^8}{(e*x+d)^8} + \frac{2e^9}{(e*x+d)^9} + \frac{2e^{10}}{(e*x+d)^{10}} + \frac{2e^{11}}{(e*x+d)^{11}} + \frac{2e^{12}}{(e*x+d)^{12}} + \frac{2e^{13}}{(e*x+d)^{13}} + \frac{2e^{14}}{(e*x+d)^{14}} + \frac{2e^{15}}{(e*x+d)^{15}} + \frac{2e^{16}}{(e*x+d)^{16}} + \frac{2e^{17}}{(e*x+d)^{17}} + \frac{2e^{18}}{(e*x+d)^{18}} \right) - \frac{14x}{2145} \left( \frac{e^2}{(e*x+d)^2} + \frac{2e^3}{(e*x+d)^3} + \frac{3e^4}{(e*x+d)^4} + \frac{4e^5}{(e*x+d)^5} + \frac{5e^6}{(e*x+d)^6} + \frac{6e^7}{(e*x+d)^7} + \frac{7e^8}{(e*x+d)^8} + \frac{8e^9}{(e*x+d)^9} + \frac{9e^{10}}{(e*x+d)^{10}} + \frac{10e^{11}}{(e*x+d)^{11}} + \frac{11e^{12}}{(e*x+d)^{12}} + \frac{12e^{13}}{(e*x+d)^{13}} + \frac{13e^{14}}{(e*x+d)^{14}} + \frac{14e^{15}}{(e*x+d)^{15}} + \frac{15e^{16}}{(e*x+d)^{16}} + \frac{16e^{17}}{(e*x+d)^{17}} + \frac{17e^{18}}{(e*x+d)^{18}} \right) - \frac{56x}{6435} \left( \frac{e^2}{(e*x+d)^2} + \frac{2e^3}{(e*x+d)^3} + \frac{3e^4}{(e*x+d)^4} + \frac{4e^5}{(e*x+d)^5} + \frac{5e^6}{(e*x+d)^6} + \frac{6e^7}{(e*x+d)^7} + \frac{7e^8}{(e*x+d)^8} + \frac{8e^9}{(e*x+d)^9} + \frac{9e^{10}}{(e*x+d)^{10}} + \frac{10e^{11}}{(e*x+d)^{11}} + \frac{11e^{12}}{(e*x+d)^{12}} + \frac{12e^{13}}{(e*x+d)^{13}} + \frac{13e^{14}}{(e*x+d)^{14}} + \frac{14e^{15}}{(e*x+d)^{15}} + \frac{15e^{16}}{(e*x+d)^{16}} + \frac{16e^{17}}{(e*x+d)^{17}} + \frac{17e^{18}}{(e*x+d)^{18}} \right) - \frac{112x}{6435} \left( \frac{e^2}{(e*x+d)^2} + \frac{2e^3}{(e*x+d)^3} + \frac{3e^4}{(e*x+d)^4} + \frac{4e^5}{(e*x+d)^5} + \frac{5e^6}{(e*x+d)^6} + \frac{6e^7}{(e*x+d)^7} + \frac{7e^8}{(e*x+d)^8} + \frac{8e^9}{(e*x+d)^9} + \frac{9e^{10}}{(e*x+d)^{10}} + \frac{10e^{11}}{(e*x+d)^{11}} + \frac{11e^{12}}{(e*x+d)^{12}} + \frac{12e^{13}}{(e*x+d)^{13}} + \frac{13e^{14}}{(e*x+d)^{14}} + \frac{14e^{15}}{(e*x+d)^{15}} + \frac{15e^{16}}{(e*x+d)^{16}} + \frac{16e^{17}}{(e*x+d)^{17}} + \frac{17e^{18}}{(e*x+d)^{18}} \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^2/(e*x+d)^4/(-e^2*x^2+d^2)^{(7/2)}, x, \text{algorithm}="maxima")$

[Out]  $-1/13*d/((-e^2*x^2 + d^2)^{(5/2)}*e^7*x^4 + 4*(-e^2*x^2 + d^2)^{(5/2)}*d*e^6*x^3 + 6*(-e^2*x^2 + d^2)^{(5/2)}*d^2*e^5*x^2 + 4*(-e^2*x^2 + d^2)^{(5/2)}*d^3*e^4*x + (-e^2*x^2 + d^2)^{(5/2)}*d^4*e^3) + 17/143/((-e^2*x^2 + d^2)^{(5/2)}*e^6*x^3 + 3*(-e^2*x^2 + d^2)^{(5/2)}*d*e^5*x^2 + 3*(-e^2*x^2 + d^2)^{(5/2)}*d^2*e^4*x + (-e^2*x^2 + d^2)^{(5/2)}*d^3*e^3) - 7/1287/((-e^2*x^2 + d^2)^{(5/2)}*d*e^5*x^2 + 2*(-e^2*x^2 + d^2)^{(5/2)}*d^2*e^4*x + (-e^2*x^2 + d^2)^{(5/2)}*d^3*e^3) - 7/1287/((-e^2*x^2 + d^2)^{(5/2)}*d^2*e^4*x + (-e^2*x^2 + d^2)^{(5/2)}*d^3*e^3) + 14/2145*x/((-e^2*x^2 + d^2)^{(5/2)}*d^4*e^2) + 56/6435*x/((-e^2*x^2 + d^2)^{(3/2)}*d^6*e^2) + 112/6435*x/(sqrt(-e^2*x^2 + d^2)*d^8*e^2)$

**mupad** [B] time = 3.19, size = 252, normalized size = 1.21

$\frac{\sqrt{d^2 - e^2 x^2} \left( \frac{227}{6864 d^3 e^3} - \frac{353 x}{17160 d^4 e^2} \right)}{(d + e x)^3 (d - e x)^3} - \frac{\sqrt{d^2 - e^2 x^2} \left( \frac{353}{41184 d^5 e^3} - \frac{56 x}{6435 d^6 e^2} \right)}{(d + e x)^2 (d - e x)^2} - \frac{\sqrt{d^2 - e^2 x^2}}{104 d^2 e^3 (d + e x)^2} + \frac{\sqrt{d^2 - e^2 x^2}}{2288 d^3 e^3 (d + e x)^6} + \frac{37 \sqrt{d^2 - e^2 x^2}}{5148 d^4 e^3 (d + e x)^5} + \frac{353 \sqrt{d^2 - e^2 x^2}}{41184 d^5 e^3 (d + e x)^4} + \frac{112 x \sqrt{d^2 - e^2 x^2}}{6435 d^6 e^2 (d + e x) (d - e x)}$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2/((d^2 - e^2*x^2)^{(7/2)}*(d + e*x)^4), x)$

[Out]  $((d^2 - e^2*x^2)^{(1/2)}*(227/(6864*d^3*e^3) - (353*x)/(17160*d^4*e^2)))/((d + e*x)^3*(d - e*x)^3) - ((d^2 - e^2*x^2)^{(1/2)}*(353/(41184*d^5*e^3) - (56*x)/(6435*d^6*e^2)))/((d + e*x)^2*(d - e*x)^2) - (d^2 - e^2*x^2)^{(1/2)}/(104*d^2*e^3*(d + e*x)^2) + (d^2 - e^2*x^2)^{(1/2)}/(2288*d^3*e^3*(d + e*x)^6) + (37*(d^2 - e^2*x^2)^{(1/2)})/(5148*d^4*e^3*(d + e*x)^5) + (353*(d^2 - e^2*x^2)^{(1/2)})/(41184*d^5*e^3*(d + e*x)^4) + (112*x*(d^2 - e^2*x^2)^{(1/2)})/(6435*d^6*e^2*(d + e*x)*(d - e*x))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(-(-d + ex)(d + ex))^{\frac{7}{2}}(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(e*x+d)**4/(-e**2*x**2+d**2)**(7/2),x)
```

```
[Out] Integral(x**2/((-(-d + e*x)*(d + e*x))**(7/2)*(d + e*x)**4), x)
```

$$3.214 \quad \int \frac{x}{(d+ex)^4(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=211

$$\frac{32}{1287d^2e^2(d+ex)^2(d^2-e^2x^2)^{5/2}} - \frac{4}{143de^2(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{1}{13e^2(d+ex)^4(d^2-e^2x^2)^{5/2}} + \frac{512x}{6435d^9e\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.10, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {793, 659, 192, 191}

$$\frac{512x}{6435d^9e\sqrt{d^2-e^2x^2}} + \frac{256x}{6435d^7e(d^2-e^2x^2)^{3/2}} + \frac{64x}{2145d^5e(d^2-e^2x^2)^{5/2}} - \frac{32}{1287d^3e^2(d+ex)(d^2-e^2x^2)^{5/2}} - \frac{32}{1287d^2e^2(d+ex)^2(d^2-e^2x^2)^{5/2}} - \frac{4}{143de^2(d+ex)^3(d^2-e^2x^2)^{5/2}} + \frac{1}{13e^2(d+ex)^4(d^2-e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (64\*x)/(2145\*d^5\*e\*(d^2 - e^2\*x^2)^(5/2)) + 1/(13\*e^2\*(d + e\*x)^4\*(d^2 - e^2\*x^2)^(5/2)) - 4/(143\*d\*e^2\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2)) - 32/(1287\*d^2\*e^2\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(5/2)) - 32/(1287\*d^3\*e^2\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)) + (256\*x)/(6435\*d^7\*e\*(d^2 - e^2\*x^2)^(3/2)) + (512\*x)/(6435\*d^9\*e\*sqrt[d^2 - e^2\*x^2])

**Rule 191**

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

**Rule 192**

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

**Rule 659**

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

**Rule 793**

```

Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_
), x_Symbol] :> Simp[((d*g - e*f)*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*c*d*(
m + p + 1)), x] + Dist[(m*(g*c*d + c*e*f) + 2*e*c*f*(p + 1))/(e*(2*c*d)*(m
+ p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e
, f, g, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p
+ 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2*p + 2, 0]) && NeQ[m + p
+ 1, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x}{(d+ex)^4 (d^2-e^2x^2)^{7/2}} dx &= \frac{1}{13e^2(d+ex)^4 (d^2-e^2x^2)^{5/2}} + \frac{4 \int \frac{1}{(d+ex)^3 (d^2-e^2x^2)^{7/2}} dx}{13e} \\
&= \frac{1}{13e^2(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{4}{143de^2(d+ex)^3 (d^2-e^2x^2)^{5/2}} + \frac{32 \int \frac{1}{(d+ex)^2 (d^2-e^2x^2)^{7/2}} dx}{143de} \\
&= \frac{1}{13e^2(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{4}{143de^2(d+ex)^3 (d^2-e^2x^2)^{5/2}} - \frac{32}{1287d^2e^2(d+ex)^2 (d^2-e^2x^2)^{5/2}} \\
&= \frac{1}{13e^2(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{4}{143de^2(d+ex)^3 (d^2-e^2x^2)^{5/2}} - \frac{32}{1287d^2e^2(d+ex)^2 (d^2-e^2x^2)^{5/2}} \\
&= \frac{64x}{2145d^5e (d^2-e^2x^2)^{5/2}} + \frac{1}{13e^2(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{4}{143de^2(d+ex)^3 (d^2-e^2x^2)^{5/2}} \\
&= \frac{64x}{2145d^5e (d^2-e^2x^2)^{5/2}} + \frac{1}{13e^2(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{4}{143de^2(d+ex)^3 (d^2-e^2x^2)^{5/2}} \\
&= \frac{64x}{2145d^5e (d^2-e^2x^2)^{5/2}} + \frac{1}{13e^2(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{4}{143de^2(d+ex)^3 (d^2-e^2x^2)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 137, normalized size = 0.65

$$\frac{\sqrt{d^2 - e^2x^2} (-5d^9 - 20d^8ex + 3200d^7e^2x^2 + 4320d^6e^3x^3 - 1280d^5e^4x^4 - 6208d^4e^5x^5 - 3072d^3e^6x^6 + 1792d^2e^7x^7 + 2048de^8x^8 + 512e^9x^9)}{6435d^9e^2(d-ex)^3(d+ex)^7}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-5\*d^9 - 20\*d^8\*e\*x + 3200\*d^7\*e^2\*x^2 + 4320\*d^6\*e^3\*x^3 - 1280\*d^5\*e^4\*x^4 - 6208\*d^4\*e^5\*x^5 - 3072\*d^3\*e^6\*x^6 + 1792\*d^2\*e^7\*x^7 + 2048\*d\*e^8\*x^8 + 512\*e^9\*x^9))/(6435\*d^9\*e^2\*(d - e\*x)^3\*(d + e\*x)^7)

**IntegrateAlgebraic [A]** time = 0.90, size = 137, normalized size = 0.65

$$\frac{\sqrt{d^2 - e^2x^2} (-5d^9 - 20d^8ex + 3200d^7e^2x^2 + 4320d^6e^3x^3 - 1280d^5e^4x^4 - 6208d^4e^5x^5 - 3072d^3e^6x^6 + 1792d^2e^7x^7 + 2048de^8x^8 + 512e^9x^9)}{6435d^9e^2(d - ex)^3(d + ex)^7}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-5\*d^9 - 20\*d^8\*e\*x + 3200\*d^7\*e^2\*x^2 + 4320\*d^6\*e^3\*x^3 - 1280\*d^5\*e^4\*x^4 - 6208\*d^4\*e^5\*x^5 - 3072\*d^3\*e^6\*x^6 + 1792\*d^2\*e^7\*x^7 + 2048\*d\*e^8\*x^8 + 512\*e^9\*x^9))/(6435\*d^9\*e^2\*(d - e\*x)^3\*(d + e\*x)^7)

**fricas [A]** time = 1.04, size = 316, normalized size = 1.50

$$\frac{5e^{10}x^{10} + 20de^9x^9 + 15d^2e^8x^8 - 40d^3e^7x^7 - 70d^4e^6x^6 + 70d^5e^5x^5 + 40d^6e^4x^4 - 15d^7e^3x^3 - 20d^8e^2x^2 - 20d^9e^1x + 512e^9x^9 + 2048de^8x^8 + 1792d^2e^7x^7 - 3072d^3e^6x^6 - 6208d^4e^5x^5 - 1280d^5e^4x^4 + 4320d^6e^3x^3 + 3200d^7e^2x^2 - 20d^8e^1x - 5d^9}{6435(d^9e^{12}x^{10} + 4d^{10}e^{11}x^9 + 3d^{11}e^{10}x^8 - 8d^{12}e^9x^7 - 14d^{13}e^8x^6 + 14d^{14}e^7x^5 + 8d^{15}e^6x^4 - 3d^{16}e^5x^3 - 4d^{17}e^4x^2 - 4d^{18}e^3x - d^{19}e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out] -1/6435\*(5\*e^10\*x^10 + 20\*d\*e^9\*x^9 + 15\*d^2\*e^8\*x^8 - 40\*d^3\*e^7\*x^7 - 70\*d^4\*e^6\*x^6 + 70\*d^5\*e^5\*x^5 + 40\*d^6\*e^4\*x^4 - 15\*d^7\*e^3\*x^3 - 20\*d^8\*e^2\*x^2 - 20\*d^9\*e^1\*x - 5\*d^10 + (512\*e^9\*x^9 + 2048\*d\*e^8\*x^8 + 1792\*d^2\*e^7\*x^7 - 3072\*d^3\*e^6\*x^6 - 6208\*d^4\*e^5\*x^5 - 1280\*d^5\*e^4\*x^4 + 4320\*d^6\*e^3\*x^3 + 3200\*d^7\*e^2\*x^2 - 20\*d^8\*e^1\*x - 5\*d^9)\*sqrt(-e^2\*x^2 + d^2))/(d^9\*e^12\*x^10 + 4\*d^10\*e^11\*x^9 + 3\*d^11\*e^10\*x^8 - 8\*d^12\*e^9\*x^7 - 14\*d^13\*e^8\*x^6 + 14\*d^14\*e^7\*x^5 + 8\*d^15\*e^6\*x^4 - 3\*d^16\*e^5\*x^3 - 3\*d^17\*e^4\*x^2 - 4\*d^18\*e^3\*x - d^19\*e^2)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Unable to transpose Error: Bad Argument Valu e

**maple [A]** time = 0.01, size = 132, normalized size = 0.63

$$\frac{(-ex + d)(-512e^9x^9 - 2048e^8x^8d - 1792e^7x^7d^2 + 3072e^6x^6d^3 + 6208e^5x^5d^4 + 1280x^4d^5e^4 - 4320x^3d^6e^3 - 3200x^2d^7e^2 + 20d^8xe + 5d^9)}{6435(ex + d)^3(-e^2x^2 + d^2)^{\frac{7}{2}}d^9e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2), x)

[Out] -1/6435\*(-e\*x+d)\*(-512\*e^9\*x^9-2048\*d\*e^8\*x^8-1792\*d^2\*e^7\*x^7+3072\*d^3\*e^6\*x^6+6208\*d^4\*e^5\*x^5+1280\*d^5\*e^4\*x^4-4320\*d^6\*e^3\*x^3-3200\*d^7\*e^2\*x^2+20\*d^8\*e\*x+5\*d^9)/(e\*x+d)^3/d^9/e^2/(-e^2\*x^2+d^2)^(7/2)

**maxima [B]** time = 0.49, size = 405, normalized size = 1.92

$$\frac{1}{13} \left( (-e^2x^2 + d^2)^{5/2} e^6 x^4 + 4(-e^2x^2 + d^2)^{5/2} d e^5 x^3 + 6(-e^2x^2 + d^2)^{5/2} d^2 e^4 x^2 + 4(-e^2x^2 + d^2)^{5/2} d^3 e^3 x + (-e^2x^2 + d^2)^{5/2} d^4 e^2 \right) - \frac{4}{143} \left( (-e^2x^2 + d^2)^{5/2} d e^5 x^3 + 3(-e^2x^2 + d^2)^{5/2} d^2 e^4 x^2 + 3(-e^2x^2 + d^2)^{5/2} d^3 e^3 x + (-e^2x^2 + d^2)^{5/2} d^4 e^2 \right) - \frac{32}{1287} \left( (-e^2x^2 + d^2)^{5/2} d^2 e^4 x^2 + 2(-e^2x^2 + d^2)^{5/2} d^3 e^3 x + (-e^2x^2 + d^2)^{5/2} d^4 e^2 \right) - \frac{32}{1287} \left( (-e^2x^2 + d^2)^{5/2} d^3 e^3 x + (-e^2x^2 + d^2)^{5/2} d^4 e^2 \right) + \frac{64}{2145} x \left( (-e^2x^2 + d^2)^{5/2} d^5 e \right) + \frac{256}{6435} x \left( (-e^2x^2 + d^2)^{3/2} d^7 e \right) + \frac{512}{6435} x \left( \sqrt{-e^2x^2 + d^2} d^9 e \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2), x, algorithm="maxima")

[Out] 1/13/((-e^2\*x^2 + d^2)^(5/2)\*e^6\*x^4 + 4\*(-e^2\*x^2 + d^2)^(5/2)\*d\*e^5\*x^3 + 6\*(-e^2\*x^2 + d^2)^(5/2)\*d^2\*e^4\*x^2 + 4\*(-e^2\*x^2 + d^2)^(5/2)\*d^3\*e^3\*x + (-e^2\*x^2 + d^2)^(5/2)\*d^4\*e^2) - 4/143/((-e^2\*x^2 + d^2)^(5/2)\*d\*e^5\*x^3 + 3\*(-e^2\*x^2 + d^2)^(5/2)\*d^2\*e^4\*x^2 + 3\*(-e^2\*x^2 + d^2)^(5/2)\*d^3\*e^3\*x + (-e^2\*x^2 + d^2)^(5/2)\*d^4\*e^2) - 32/1287/((-e^2\*x^2 + d^2)^(5/2)\*d^2\*e^4\*x^2 + 2\*(-e^2\*x^2 + d^2)^(5/2)\*d^3\*e^3\*x + (-e^2\*x^2 + d^2)^(5/2)\*d^4\*e^2) - 32/1287/((-e^2\*x^2 + d^2)^(5/2)\*d^3\*e^3\*x + (-e^2\*x^2 + d^2)^(5/2)\*d^4\*e^2) + 64/2145\*x/((-e^2\*x^2 + d^2)^(5/2)\*d^5\*e) + 256/6435\*x/((-e^2\*x^2 + d^2)^(3/2)\*d^7\*e) + 512/6435\*x/(sqrt(-e^2\*x^2 + d^2)\*d^9\*e)

**mupad [B]** time = 3.19, size = 252, normalized size = 1.19

$$\frac{\sqrt{d^2 - e^2 x^2} \left( \frac{41}{41184 d^6 e^2} + \frac{256 x}{6435 d^7 e} \right)}{(d + ex)^2 (d - ex)^2} - \frac{\sqrt{d^2 - e^2 x^2} \left( \frac{47}{1716 d^4 e^2} - \frac{1369 x}{34320 d^5 e} \right)}{(d + ex)^3 (d - ex)^3} + \frac{\sqrt{d^2 - e^2 x^2}}{104 d^3 e^2 (d + ex)^7} + \frac{25 \sqrt{d^2 - e^2 x^2}}{2288 d^4 e^2 (d + ex)^6} + \frac{125 \sqrt{d^2 - e^2 x^2}}{20592 d^5 e^2 (d + ex)^5} - \frac{41 \sqrt{d^2 - e^2 x^2}}{41184 d^6 e^2 (d + ex)^4} + \frac{512 x \sqrt{d^2 - e^2 x^2}}{6435 d^9 e (d + ex) (d - ex)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/((d^2 - e^2\*x^2)^(7/2)\*(d + e\*x)^4), x)

[Out] ((d^2 - e^2\*x^2)^(1/2)\*(41/(41184\*d^6\*e^2) + (256\*x)/(6435\*d^7\*e)))/((d + e\*x)^2\*(d - e\*x)^2) - ((d^2 - e^2\*x^2)^(1/2)\*(47/(1716\*d^4\*e^2) - (1369\*x)/(34320\*d^5\*e)))/((d + e\*x)^3\*(d - e\*x)^3) + (d^2 - e^2\*x^2)^(1/2)/(104\*d^3\*e^2\*(d + e\*x)^7) + (25\*(d^2 - e^2\*x^2)^(1/2))/(2288\*d^4\*e^2\*(d + e\*x)^6) + (125\*(d^2 - e^2\*x^2)^(1/2))/(20592\*d^5\*e^2\*(d + e\*x)^5) - (41\*(d^2 - e^2\*x^2)^(1/2))/(41184\*d^6\*e^2\*(d + e\*x)^4) + (512\*x\*(d^2 - e^2\*x^2)^(1/2))/(6435\*d^9\*e\*(d + e\*x)\*(d - e\*x))



sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(-(-d + ex)(d + ex))^{\frac{7}{2}}(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)\*\*4/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] Integral(x/((-(-d + e\*x)\*(d + e\*x))\*\*(7/2)\*(d + e\*x)\*\*4), x)

$$3.215 \quad \int \frac{1}{(d+ex)^4(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=205

$$-\frac{9}{143d^2e(d+ex)^3(d^2-e^2x^2)^{5/2}} - \frac{1}{13de(d+ex)^4(d^2-e^2x^2)^{5/2}} + \frac{128x}{715d^{10}\sqrt{d^2-e^2x^2}} + \frac{64x}{715d^8(d^2-e^2x^2)^{3/2}} + \frac{1}{715d^6(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.09, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {659, 192, 191}

$$\frac{128x}{715d^{10}\sqrt{d^2-e^2x^2}} + \frac{64x}{715d^8(d^2-e^2x^2)^{3/2}} + \frac{48x}{715d^6(d^2-e^2x^2)^{5/2}} - \frac{8}{143d^4e(d+ex)(d^2-e^2x^2)^{5/2}} - \frac{8}{143d^3e(d+ex)^2(d^2-e^2x^2)^{5/2}} - \frac{9}{143d^2e(d+ex)^3(d^2-e^2x^2)^{5/2}} - \frac{1}{13de(d+ex)^4(d^2-e^2x^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (48\*x)/(715\*d^6\*(d^2 - e^2\*x^2)^(5/2)) - 1/(13\*d\*e\*(d + e\*x)^4\*(d^2 - e^2\*x^2)^(5/2)) - 9/(143\*d^2\*e\*(d + e\*x)^3\*(d^2 - e^2\*x^2)^(5/2)) - 8/(143\*d^3\*e\*(d + e\*x)^2\*(d^2 - e^2\*x^2)^(5/2)) - 8/(143\*d^4\*e\*(d + e\*x)\*(d^2 - e^2\*x^2)^(5/2)) + (64\*x)/(715\*d^8\*(d^2 - e^2\*x^2)^(3/2)) + (128\*x)/(715\*d^10\*sqrt[d^2 - e^2\*x^2])

#### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rule 192

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, n, p}, x] && ILtQ[Simplify[1/n + p + 1], 0] && NeQ[p, -1]

#### Rule 659

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(m + p + 1)), x] + Dist[Simplify[m + 2\*p + 2]/(2\*d\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex)^4 (d^2-e^2x^2)^{7/2}} dx &= -\frac{1}{13de(d+ex)^4 (d^2-e^2x^2)^{5/2}} + \frac{9 \int \frac{1}{(d+ex)^3 (d^2-e^2x^2)^{7/2}} dx}{13d} \\
&= -\frac{1}{13de(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{9}{143d^2e(d+ex)^3 (d^2-e^2x^2)^{5/2}} + \frac{72 \int \frac{1}{(d+ex)^2 (d^2-e^2x^2)^{7/2}} dx}{143d} \\
&= -\frac{1}{13de(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{9}{143d^2e(d+ex)^3 (d^2-e^2x^2)^{5/2}} - \frac{72}{143d^3e(d+ex)^2 (d^2-e^2x^2)^{5/2}} \\
&= -\frac{1}{13de(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{9}{143d^2e(d+ex)^3 (d^2-e^2x^2)^{5/2}} - \frac{72}{143d^3e(d+ex)^2 (d^2-e^2x^2)^{5/2}} \\
&= \frac{48x}{715d^6 (d^2-e^2x^2)^{5/2}} - \frac{1}{13de(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{9}{143d^2e(d+ex)^3 (d^2-e^2x^2)^{5/2}} \\
&= \frac{48x}{715d^6 (d^2-e^2x^2)^{5/2}} - \frac{1}{13de(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{9}{143d^2e(d+ex)^3 (d^2-e^2x^2)^{5/2}} \\
&= \frac{48x}{715d^6 (d^2-e^2x^2)^{5/2}} - \frac{1}{13de(d+ex)^4 (d^2-e^2x^2)^{5/2}} - \frac{9}{143d^2e(d+ex)^3 (d^2-e^2x^2)^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 137, normalized size = 0.67

$$\frac{\sqrt{d^2-e^2x^2} (-180d^9 - 5d^8ex + 800d^7e^2x^2 + 1080d^6e^3x^3 - 320d^5e^4x^4 - 1552d^4e^5x^5 - 768d^3e^6x^6 + 448d^2e^7x^7 + 512de^8x^8 + 128e^9x^9)}{715d^{10}e(d-ex)^3(d+ex)^7}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-180\*d^9 - 5\*d^8\*e\*x + 800\*d^7\*e^2\*x^2 + 1080\*d^6\*e^3\*x^3 - 320\*d^5\*e^4\*x^4 - 1552\*d^4\*e^5\*x^5 - 768\*d^3\*e^6\*x^6 + 448\*d^2\*e^7\*x^7 + 512\*d\*e^8\*x^8 + 128\*e^9\*x^9))/(715\*d^10\*e\*(d - e\*x)^3\*(d + e\*x)^7)

**IntegrateAlgebraic [A]** time = 0.05, size = 137, normalized size = 0.67

$$\frac{\sqrt{d^2 - e^2 x^2} (-180d^9 - 5d^8 ex + 800d^7 e^2 x^2 + 1080d^6 e^3 x^3 - 320d^5 e^4 x^4 - 1552d^4 e^5 x^5 - 768d^3 e^6 x^6 + 448d^2 e^7 x^7 + 512de^8 x^8 + 128e^9 x^9)}{715d^{10}e(d - ex)^3(d + ex)^7}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-180\*d^9 - 5\*d^8\*e\*x + 800\*d^7\*e^2\*x^2 + 1080\*d^6\*e^3\*x^3 - 320\*d^5\*e^4\*x^4 - 1552\*d^4\*e^5\*x^5 - 768\*d^3\*e^6\*x^6 + 448\*d^2\*e^7\*x^7 + 512\*d\*e^8\*x^8 + 128\*e^9\*x^9))/(715\*d^10\*e\*(d - e\*x)^3\*(d + e\*x)^7)

**fricas [A]** time = 1.14, size = 314, normalized size = 1.53

$$\frac{180e^{10}x^{10} + 720de^9x^9 + 540d^2e^8x^8 - 1440d^3e^7x^7 - 2520d^4e^6x^6 + 2520d^6e^4x^4 + 1440d^7e^3x^3 - 540d^8e^2x^2 - 720d^9ex - 180d^{10} + (128e^9x^9 + 512d^2e^8x^8 + 448d^2e^7x^7 - 768d^3e^6x^6 - 1552d^4e^5x^5 - 320d^5e^4x^4 + 1080d^6e^3x^3 + 800d^7e^2x^2 - 5d^8ex - 180d^9)\sqrt{-e^2x^2 + d^2}}{715(d^{10}e^{11}x^{10} + 4d^{11}e^{10}x^9 + 3d^{12}e^9x^8 - 8d^{13}e^8x^7 - 14d^{14}e^7x^6 + 14d^{16}e^6x^4 + 8d^{17}e^5x^3 - 3d^{18}e^4x^2 - 4d^{19}e^3x - d^{20}e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] -1/715\*(180\*e^10\*x^10 + 720\*d\*e^9\*x^9 + 540\*d^2\*e^8\*x^8 - 1440\*d^3\*e^7\*x^7 - 2520\*d^4\*e^6\*x^6 + 2520\*d^6\*e^4\*x^4 + 1440\*d^7\*e^3\*x^3 - 540\*d^8\*e^2\*x^2 - 720\*d^9\*e\*x - 180\*d^10 + (128\*e^9\*x^9 + 512\*d^2\*e^8\*x^8 + 448\*d^2\*e^7\*x^7 - 768\*d^3\*e^6\*x^6 - 1552\*d^4\*e^5\*x^5 - 320\*d^5\*e^4\*x^4 + 1080\*d^6\*e^3\*x^3 + 800\*d^7\*e^2\*x^2 - 5\*d^8\*e\*x - 180\*d^9)\*sqrt(-e^2\*x^2 + d^2))/(d^10\*e^11\*x^10 + 4\*d^11\*e^10\*x^9 + 3\*d^12\*e^9\*x^8 - 8\*d^13\*e^8\*x^7 - 14\*d^14\*e^7\*x^6 + 14\*d^16\*e^6\*x^4 + 8\*d^17\*e^5\*x^3 - 3\*d^18\*e^4\*x^2 - 4\*d^19\*e^3\*x - d^20\*e)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:Unable to transpose Error: Bad Argument Value

**maple [A]** time = 0.01, size = 132, normalized size = 0.64

$$\frac{(-ex + d)(-128e^9x^9 - 512e^8x^8d - 448e^7x^7d^2 + 768e^6x^6d^3 + 1552e^5x^5d^4 + 320x^4d^5e^4 - 1080x^3d^6e^3 - 800x^2d^7e^2 + 5d^8xe + 180d^9)}{715(ex + d)^3(-e^2x^2 + d^2)^{\frac{7}{2}}d^{10}e}$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(1/(e*x+d)**4/(-e**2*x**2+d**2)**(7/2),x)
```

```
[Out] Integral(1/((-d + e*x)*(d + e*x))**7/2*(d + e*x)**4, x)
```

$$3.216 \quad \int \frac{1}{x(d+ex)^4(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=234

$$-\frac{4ex}{13d(d^2-e^2x^2)^{11/2}} + \frac{8d(d-ex)}{13(d^2-e^2x^2)^{13/2}} + \frac{819d-1024ex}{819d^{11}\sqrt{d^2-e^2x^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^{11}} + \frac{273d-512ex}{819d^9(d^2-e^2x^2)^{3/2}} + \frac{273d-640ex}{1365d^7(d^2-e^2x^2)^{5/2}} + \frac{117d-320ex}{819d^5(d^2-e^2x^2)^{7/2}} + \frac{13d-40ex}{117d^3(d^2-e^2x^2)^{9/2}} + \frac{8d(d-ex)}{13(d^2-e^2x^2)^{13/2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^{11}}$$

**Rubi [A]** time = 0.38, antiderivative size = 234, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 7, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$ , Rules used = {852, 1805, 823, 12, 266, 63, 208}

$$-\frac{4ex}{13d(d^2-e^2x^2)^{11/2}} + \frac{819d-1024ex}{819d^{11}\sqrt{d^2-e^2x^2}} + \frac{273d-512ex}{819d^9(d^2-e^2x^2)^{3/2}} + \frac{273d-640ex}{1365d^7(d^2-e^2x^2)^{5/2}} + \frac{117d-320ex}{819d^5(d^2-e^2x^2)^{7/2}} + \frac{13d-40ex}{117d^3(d^2-e^2x^2)^{9/2}} + \frac{8d(d-ex)}{13(d^2-e^2x^2)^{13/2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^{11}}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (8\*d\*(d - e\*x))/(13\*(d^2 - e^2\*x^2)^(13/2)) - (4\*e\*x)/(13\*d\*(d^2 - e^2\*x^2)^(11/2)) + (13\*d - 40\*e\*x)/(117\*d^3\*(d^2 - e^2\*x^2)^(9/2)) + (117\*d - 320\*e\*x)/(819\*d^5\*(d^2 - e^2\*x^2)^(7/2)) + (273\*d - 640\*e\*x)/(1365\*d^7\*(d^2 - e^2\*x^2)^(5/2)) + (273\*d - 512\*e\*x)/(819\*d^9\*(d^2 - e^2\*x^2)^(3/2)) + (819\*d - 1024\*e\*x)/(819\*d^11\*sqrt[d^2 - e^2\*x^2]) - ArcTanh[Sqrt[d^2 - e^2\*x^2]/d]/d^11

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 823

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

Rule 852

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2
)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p)
)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*
g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1]
&& !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])
```

Rule 1805

```
Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[
{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRema
inder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)
^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a
*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*Exp
andToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x]] /; Fr
eeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]
```

Rubi steps





**Mathematica [A]** time = 0.17, size = 161, normalized size = 0.69

$$\frac{-4095 \log\left(\sqrt{d^2 - e^2 x^2} + d\right) + \frac{\sqrt{d^2 - e^2 x^2} (9839d^9 + 22976d^8 ex - 4466d^7 e^2 x^2 - 56304d^6 e^3 x^3 - 34156d^5 e^4 x^4 + 40240d^4 e^5 x^5 + 45735d^3 e^6 x^6 - 1540d^2 e^7 x^7 - 16385d e^8 x^8 - 5120e^9 x^9)}{(d - ex)^3 (d + ex)^7} + 4095 \log(x)}{4095d^{11}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(9839\*d^9 + 22976\*d^8\*e\*x - 4466\*d^7\*e^2\*x^2 - 56304\*d^6\*e^3\*x^3 - 34156\*d^5\*e^4\*x^4 + 40240\*d^4\*e^5\*x^5 + 45735\*d^3\*e^6\*x^6 - 1540\*d^2\*e^7\*x^7 - 16385\*d\*e^8\*x^8 - 5120\*e^9\*x^9))/((d - e\*x)^3\*(d + e\*x)^7) + 4095\*Log[x] - 4095\*Log[d + Sqrt[d^2 - e^2\*x^2]])/(4095\*d^11)

**IntegrateAlgebraic [A]** time = 1.32, size = 177, normalized size = 0.76

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{-e^2 x}}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^{11}} + \frac{\sqrt{d^2 - e^2 x^2} (9839d^9 + 22976d^8 ex - 4466d^7 e^2 x^2 - 56304d^6 e^3 x^3 - 34156d^5 e^4 x^4 + 40240d^4 e^5 x^5 + 45735d^3 e^6 x^6 - 1540d^2 e^7 x^7 - 16385d e^8 x^8 - 5120e^9 x^9)}{4095d^{11}(d - ex)^3(d + ex)^7}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x\*(d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(9839\*d^9 + 22976\*d^8\*e\*x - 4466\*d^7\*e^2\*x^2 - 56304\*d^6\*e^3\*x^3 - 34156\*d^5\*e^4\*x^4 + 40240\*d^4\*e^5\*x^5 + 45735\*d^3\*e^6\*x^6 - 1540\*d^2\*e^7\*x^7 - 16385\*d\*e^8\*x^8 - 5120\*e^9\*x^9))/(4095\*d^11\*(d - e\*x)^3\*(d + e\*x)^7) + (2\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^11

**fricas [B]** time = 1.18, size = 432, normalized size = 1.85

$$\frac{9839d^{10} + 39356d^9 e + 29517d^8 e^2 + 78712d^7 e^3 - 137746d^6 e^4 + 137746d^5 e^5 + 78712d^4 e^6 - 29517d^3 e^7 - 39356d^2 e^8 - 9839d e^9 + 4095(e^{10} + 4d^2 e^8 + 3d^2 e^7 - 14d^4 e^6 + 14d^6 e^4 - 3d^8 e^2 - 4d^{10} - d^7) \log\left(\frac{\sqrt{-e^2 x}}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right) + (5120d^9 e^9 + 16385d^8 e^8 + 1540d^7 e^7 - 45735d^6 e^6 - 40240d^5 e^5 + 34156d^4 e^4 + 56304d^3 e^3 + 4466d^2 e^2 - 22976d e - 9839) \sqrt{d^2 - e^2 x^2}}{4095(d^{11} e^{10} + 4d^9 e^9 + 3d^8 e^8 - 8d^7 e^7 - 14d^6 e^6 + 14d^5 e^5 + 3d^4 e^4 - 3d^3 e^3 - 4d^2 e^2 - d e - d^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out] 1/4095\*(9839\*e^10\*x^10 + 39356\*d\*e^9\*x^9 + 29517\*d^2\*e^8\*x^8 - 78712\*d^3\*e^7\*x^7 - 137746\*d^4\*e^6\*x^6 + 137746\*d^5\*e^5\*x^5 + 78712\*d^6\*e^4\*x^4 - 29517\*d^7\*e^3\*x^3 - 39356\*d^8\*e^2\*x^2 - 9839\*d^9\*e\*x - 9839\*d^10 + 4095\*(e^10\*x^10 + 4\*d\*e^9\*x^9 + 3\*d^2\*e^8\*x^8 - 8\*d^3\*e^7\*x^7 - 14\*d^4\*e^6\*x^6 + 14\*d^5\*e^5\*x^5 + 3\*d^6\*e^4\*x^4 + 8\*d^7\*e^3\*x^3 - 3\*d^8\*e^2\*x^2 - 4\*d^9\*e\*x - d^10)\*log(-(d - sqrt(-e^2\*x^2 + d^2))/x) + (5120\*e^9\*x^9 + 16385\*d\*e^8\*x^8 + 1540\*d^2\*e^7\*x^7 - 45735\*d^3\*e^6\*x^6 - 40240\*d^4\*e^5\*x^5 + 34156\*d^5\*e^4\*x^4 + 56304\*d^6\*e^3\*x^3 + 4466\*d^7\*e^2\*x^2 - 22976\*d^8\*e\*x - 9839\*d^9)\*sqrt(-e^2\*x^2 + d^2))/(d^11\*e^10\*x^10 + 4\*d^12\*e^9\*x^9 + 3\*d^13\*e^8\*x^8 - 8\*d^14\*e^7\*x^7 - 14\*d^15\*e^6\*x^6 + 14\*d^17\*e^4\*x^4 + 8\*d^18\*e^3\*x^3 - 3\*d^19\*e^2\*x^2 - 4\*d^20\*e\*x - d^21)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Valu  
e

**maple** [A] time = 0.03, size = 385, normalized size = 1.65

$$\frac{128ex}{27\sqrt{2}(x+d)\sqrt{e^2x^2+d^2}} + \frac{1}{13\sqrt{2}(x+d)\sqrt{e^2x^2+d^2}} - \frac{2}{13\sqrt{2}(x+d)\sqrt{e^2x^2+d^2}} + \frac{29}{117\sqrt{2}(x+d)\sqrt{e^2x^2+d^2}} - \frac{320}{819\sqrt{2}(x+d)\sqrt{e^2x^2+d^2}} + \frac{1}{5\sqrt{2}(x+d)\sqrt{e^2x^2+d^2}} - \frac{812ex}{819\sqrt{2}(x+d)\sqrt{e^2x^2+d^2}} + \frac{1}{3\sqrt{2}(x+d)\sqrt{e^2x^2+d^2}} - \frac{\ln\left(\frac{e^2x^2+d^2}{\sqrt{e^2x^2+d^2}}\right)}{819\sqrt{2}(x+d)\sqrt{e^2x^2+d^2}} + \frac{1}{\sqrt{e^2x^2+d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x)

[Out]  $\frac{1}{13d^2e^4(x+d/e)^4(2(x+d/e)*d*e-(x+d/e)^2e^2)^{(5/2)} + \frac{2}{13d^3e^3(x+d/e)^3(2(x+d/e)*d*e-(x+d/e)^2e^2)^{(5/2)} + \frac{29}{117d^4e^2(x+d/e)^2(2(x+d/e)*d*e-(x+d/e)^2e^2)^{(5/2)} + \frac{320}{819d^5e(x+d/e)(2(x+d/e)*d*e-(x+d/e)^2e^2)^{(5/2)} - \frac{128}{273d^7e(2(x+d/e)*d*e-(x+d/e)^2e^2)^{(5/2)} * x - \frac{512}{819d^9e(2(x+d/e)*d*e-(x+d/e)^2e^2)^{(3/2)} * x - \frac{1024}{819d^{11}e(2(x+d/e)*d*e-(x+d/e)^2e^2)^{(1/2)} * x + \frac{1}{5d^6(-e^2x^2+d^2)^{(5/2)} + \frac{1}{3d^8(-e^2x^2+d^2)^{(3/2)} + \frac{1}{d^{10}(-e^2x^2+d^2)^{(1/2)} - \frac{1}{d^{10}(d^2)^{(1/2)} * \ln\left(\frac{2d^2+2(d^2)^{(1/2)}(-e^2x^2+d^2)^{(1/2)}\right)}{x}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2x^2 + d^2)^{7/2}(ex + d)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out] integrate(1/((-e^2\*x^2 + d^2)^(7/2)\*(e\*x + d)^4\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x(d^2 - e^2x^2)^{7/2}(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(d^2 - e^2*x^2)^(7/2)*(d + e*x)^4), x)`

[Out] `int(1/(x*(d^2 - e^2*x^2)^(7/2)*(d + e*x)^4), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(-(-d + ex)(d + ex))^{\frac{7}{2}}(d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(e*x+d)**4/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `Integral(1/(x*(-(-d + e*x)*(d + e*x))**(7/2)*(d + e*x)**4), x)`

$$3.217 \quad \int \frac{1}{x^2(d+ex)^4(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=271

$$\frac{4e(13d-24ex)}{143d^2(d^2-e^2x^2)^{11/2}} - \frac{8e(d-ex)}{13(d^2-e^2x^2)^{13/2}} - \frac{e(36036d-52175ex)}{9009d^{12}\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^{12}x} + \frac{4e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^{12}} - \frac{e(12012d-23225ex)}{9009d^{10}(d^2-e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.68, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {852, 1805, 807, 266, 63, 208}

$$\frac{e(36036d-52175ex)}{9009d^{12}\sqrt{d^2-e^2x^2}} - \frac{\sqrt{d^2-e^2x^2}}{d^{12}x} - \frac{e(12012d-21583ex)}{9009d^{10}(d^2-e^2x^2)^{3/2}} - \frac{e(12012d-23225ex)}{15015d^8(d^2-e^2x^2)^{5/2}} - \frac{e(5148d-10111ex)}{9009d^6(d^2-e^2x^2)^{7/2}} - \frac{e(572d-1103ex)}{1287d^4(d^2-e^2x^2)^{9/2}} - \frac{4e(13d-24ex)}{143d^2(d^2-e^2x^2)^{11/2}} - \frac{8e(d-ex)}{13(d^2-e^2x^2)^{13/2}} + \frac{4e \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d^{12}}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (-8\*e\*(d - e\*x))/(13\*(d^2 - e^2\*x^2)^(13/2)) - (4\*e\*(13\*d - 24\*e\*x))/(143\*d^2\*(d^2 - e^2\*x^2)^(11/2)) - (e\*(572\*d - 1103\*e\*x))/(1287\*d^4\*(d^2 - e^2\*x^2)^(9/2)) - (e\*(5148\*d - 10111\*e\*x))/(9009\*d^6\*(d^2 - e^2\*x^2)^(7/2)) - (e\*(12012\*d - 23225\*e\*x))/(15015\*d^8\*(d^2 - e^2\*x^2)^(5/2)) - (e\*(12012\*d - 21583\*e\*x))/(9009\*d^10\*(d^2 - e^2\*x^2)^(3/2)) - (e\*(36036\*d - 52175\*e\*x))/(9009\*d^12\*Sqrt[d^2 - e^2\*x^2]) - Sqrt[d^2 - e^2\*x^2]/(d^12\*x) + (4\*e\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/d^12

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 807

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

### Rule 852

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Dist[d^(2\*m)/a^m, Int[((f + g\*x)^n\*(a + c\*x^2)^(m + p))/(d - e\*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[f, 0] && ILtQ[m, -1] && !(IGtQ[n, 0] && ILtQ[m + n, 0] && !GtQ[p, 1])

### Rule 1805

Int[(Pq\_)\*((c\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[(c\*x)^m\*Pq, a + b\*x^2, x], f = Coeff[PolynomialRemainder[(c\*x)^m\*Pq, a + b\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c\*x)^m\*Pq, a + b\*x^2, x], x, 1]}, Simp[((a\*g - b\*f\*x)\*(a + b\*x^2)^(p + 1))/(2\*a\*b\*(p + 1)), x] + Dist[1/(2\*a\*(p + 1)), Int[(c\*x)^m\*(a + b\*x^2)^(p + 1)\*ExpandToSum[(2\*a\*(p + 1)\*Q)/(c\*x)^m + (f\*(2\*p + 3))/(c\*x)^m, x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]

### Rubi steps



**Mathematica [A]** time = 0.21, size = 183, normalized size = 0.68

$$\frac{4e \log(x)}{d^{12}} + \frac{4e \log\left(\sqrt{d^2 - e^2 x^2} + d\right)}{d^{12}} + \frac{\sqrt{d^2 - e^2 x^2} (45045d^{10} + 546316d^9 ex + 1014094d^8 e^2 x^2 - 700504d^7 e^3 x^3 - 3157776d^6 e^4 x^4 - 1301264d^5 e^5 x^5 + 2748320d^4 e^6 x^6 + 2496180d^3 e^7 x^7 - 350000d^2 e^8 x^8 - 1043500d e^9 x^9 - 305920e^{10} x^{10})}{45045d^{12} x (ex - d)^3 (d + ex)^7}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2\*(d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(45045\*d^10 + 546316\*d^9\*e\*x + 1014094\*d^8\*e^2\*x^2 - 700504\*d^7\*e^3\*x^3 - 3157776\*d^6\*e^4\*x^4 - 1301264\*d^5\*e^5\*x^5 + 2748320\*d^4\*e^6\*x^6 + 2496180\*d^3\*e^7\*x^7 - 350000\*d^2\*e^8\*x^8 - 1043500\*d\*e^9\*x^9 - 305920\*e^10\*x^10))/(45045\*d^12\*x\*(-d + e\*x)^3\*(d + e\*x)^7) - (4\*e\*Log[x])/d^12 + (4\*e\*Log[d + Sqrt[d^2 - e^2\*x^2]])/d^12

**IntegrateAlgebraic [A]** time = 1.31, size = 192, normalized size = 0.71

$$\frac{\sqrt{d^2 - e^2 x^2} (-45045d^{10} - 546316d^9 ex - 1014094d^8 e^2 x^2 + 700504d^7 e^3 x^3 + 3157776d^6 e^4 x^4 + 1301264d^5 e^5 x^5 - 2748320d^4 e^6 x^6 - 2496180d^3 e^7 x^7 + 350000d^2 e^8 x^8 + 1043500d e^9 x^9 + 305920e^{10} x^{10})}{45045d^{12} x (d - ex)^3 (d + ex)^7} - \frac{8e \tanh^{-1}\left(\frac{\sqrt{-ex}}{d} - \frac{\sqrt{d^2 - e^2 x^2}}{d}\right)}{d^{12}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^2\*(d + e\*x)^4\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(-45045\*d^10 - 546316\*d^9\*e\*x - 1014094\*d^8\*e^2\*x^2 + 700504\*d^7\*e^3\*x^3 + 3157776\*d^6\*e^4\*x^4 + 1301264\*d^5\*e^5\*x^5 - 2748320\*d^4\*e^6\*x^6 - 2496180\*d^3\*e^7\*x^7 + 350000\*d^2\*e^8\*x^8 + 1043500\*d\*e^9\*x^9 + 305920\*e^10\*x^10))/(45045\*d^12\*x\*(d - e\*x)^3\*(d + e\*x)^7) - (8\*e\*ArcTanh[(Sqrt[-e^2]\*x)/d - Sqrt[d^2 - e^2\*x^2]/d])/d^12

**fricas [A]** time = 1.78, size = 458, normalized size = 1.69

$$\frac{366136e^{11}x^{11} + 1464544e^{10}x^{10} + 1098408d^2e^9x^9 - 29088d^3e^8x^8 - 5125904d^4e^7x^7 + 5125904d^6e^5x^5 + 2929088d^7e^4x^4 - 1098408d^8e^3x^3 - 1464544d^9e^2x^2 - 366136d^{10}ex + 180180(e^{11}x^{11} + 4d^4e^{10}x^{10} + 3d^2e^9x^9 - 8d^3e^8x^8 - 14d^4e^7x^7 + 14d^6e^5x^5 + 8d^7e^4x^4 - 3d^8e^3x^3 - 4d^9e^2x^2 - d^{10}ex) \log\left(\frac{-d - \sqrt{-e^2x^2 + d^2}}{x}\right) + (305920e^{10}x^{10} + 1043500d^8e^9x^9 + 350000d^2e^8x^8 - 2496180d^3e^7x^7 - 2748320d^4e^6x^6 + 1301264d^5e^5x^5 + 3157776d^6e^4x^4 + 700504d^7e^3x^3 - 1014094d^8e^2x^2 - 546316d^9ex - 45045d^{10}) \sqrt{-e^2x^2 + d^2}}{d^{12}e^{10}x^{11} + 4d^{13}e^9x^{10} + 3d^{14}e^8x^9 - 8d^{15}e^7x^8 - 14d^{16}e^6x^7 + 14d^{18}e^4x^5 + 8d^{19}e^3x^4 - 3d^{20}e^2x^3 - 4d^{21}ex^2 - d^{22}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] -1/45045\*(366136\*e^11\*x^11 + 1464544\*d\*e^10\*x^10 + 1098408\*d^2\*e^9\*x^9 - 29088\*d^3\*e^8\*x^8 - 5125904\*d^4\*e^7\*x^7 + 5125904\*d^6\*e^5\*x^5 + 2929088\*d^7\*e^4\*x^4 - 1098408\*d^8\*e^3\*x^3 - 1464544\*d^9\*e^2\*x^2 - 366136\*d^10\*e\*x + 180180\*(e^11\*x^11 + 4\*d^4\*e^10\*x^10 + 3\*d^2\*e^9\*x^9 - 8\*d^3\*e^8\*x^8 - 14\*d^4\*e^7\*x^7 + 14\*d^6\*e^5\*x^5 + 8\*d^7\*e^4\*x^4 - 3\*d^8\*e^3\*x^3 - 4\*d^9\*e^2\*x^2 - d^10\*e\*x)\*log((-d - sqrt(-e^2\*x^2 + d^2))/x) + (305920\*e^10\*x^10 + 1043500\*d^8\*e^9\*x^9 + 350000\*d^2\*e^8\*x^8 - 2496180\*d^3\*e^7\*x^7 - 2748320\*d^4\*e^6\*x^6 + 1301264\*d^5\*e^5\*x^5 + 3157776\*d^6\*e^4\*x^4 + 700504\*d^7\*e^3\*x^3 - 1014094\*d^8\*e^2\*x^2 - 546316\*d^9\*e\*x - 45045\*d^10)\*sqrt(-e^2\*x^2 + d^2))/(d^12\*e^10\*x^11 + 4\*d^13\*e^9\*x^10 + 3\*d^14\*e^8\*x^9 - 8\*d^15\*e^7\*x^8 - 14\*d^16\*e^6\*x^7 + 14\*d^18\*e^4\*x^5 + 8\*d^19\*e^3\*x^4 - 3\*d^20\*e^2\*x^3 - 4\*d^21\*e\*x^2 - d^22\*x)



**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00


Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Valu  
e

**maple** [B] time = 0.02, size = 484, normalized size = 1.79



Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x)

[Out]  $\frac{4}{d^{11}} \frac{e}{(d^2)^{1/2}} \ln\left(\frac{(2d^2+2(d^2)^{1/2}(-e^2x^2+d^2)^{1/2})}{x}\right) + \frac{6}{5} \frac{1}{d} \frac{e^2x}{(-e^2x^2+d^2)^{5/2}} + \frac{8}{5} \frac{1}{d^{10}} \frac{e^2x}{(-e^2x^2+d^2)^{3/2}} + \frac{16}{5} \frac{1}{d^{12}} \frac{e^2x}{(-e^2x^2+d^2)^{1/2}} - \frac{35}{143} \frac{1}{d^4} \frac{e^2}{(x+d/e)^3} \frac{1}{(2(x+d/e)d*e-(x+d/e)^2e^2)^{5/2}} - \frac{709}{1287} \frac{1}{d^5} \frac{e}{(x+d/e)^2} \frac{1}{(2(x+d/e)d*e-(x+d/e)^2e^2)^{5/2}} + \frac{20222}{15015} \frac{1}{d^8} \frac{e^2}{(2(x+d/e)d*e-(x+d/e)^2e^2)^{5/2}} \frac{1}{x} + \frac{80888}{45045} \frac{1}{d^{10}} \frac{e^2}{(2(x+d/e)d*e-(x+d/e)^2e^2)^{3/2}} \frac{1}{x} + \frac{161776}{45045} \frac{1}{d^{12}} \frac{e^2}{(2(x+d/e)d*e-(x+d/e)^2e^2)^{1/2}} \frac{1}{x} - \frac{1}{13} \frac{1}{d^3} \frac{e^3}{(x+d/e)^4} \frac{1}{(2(x+d/e)d*e-(x+d/e)^2e^2)^{5/2}} - \frac{4}{5} \frac{1}{d^7} \frac{e}{(-e^2x^2+d^2)^{5/2}} - \frac{4}{3} \frac{1}{d^9} \frac{e}{(-e^2x^2+d^2)^{3/2}} - \frac{4}{d^{11}} \frac{e}{(-e^2x^2+d^2)^{1/2}} - \frac{1}{d^6} \frac{1}{x} \frac{1}{(-e^2x^2+d^2)^{5/2}} - \frac{10111}{9009} \frac{1}{d^6} \frac{1}{(x+d/e)} \frac{1}{(2(x+d/e)d*e-(x+d/e)^2e^2)^{5/2}}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-e^2x^2 + d^2)^{7/2} (ex + d)^4 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out] integrate(1/((-e^2\*x^2 + d^2)^(7/2)\*(e\*x + d)^4\*x^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^2 (d^2 - e^2 x^2)^{7/2} (d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*(d^2 - e^2*x^2)^(7/2)*(d + e*x)^4), x)`

[Out] `int(1/(x^2*(d^2 - e^2*x^2)^(7/2)*(d + e*x)^4), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (-(-d + ex)(d + ex))^{\frac{7}{2}} (d + ex)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(e*x+d)**4/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `Integral(1/(x**2*(-(-d + e*x)*(d + e*x))**(7/2)*(d + e*x)**4), x)`

$$3.218 \quad \int \frac{\sqrt{c-ax} \sqrt{1-a^2x^2}}{x^2} dx$$

Optimal. Leaf size=102

$$-\frac{c^2(1-a^2x^2)^{3/2}}{x(c-ax)^{3/2}} - \frac{ac\sqrt{1-a^2x^2}}{\sqrt{c-ax}} + a\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{1-a^2x^2}}{\sqrt{c-ax}}\right)$$

**Rubi [A]** time = 0.11, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {879, 865, 875, 208}

$$-\frac{c^2(1-a^2x^2)^{3/2}}{x(c-ax)^{3/2}} - \frac{ac\sqrt{1-a^2x^2}}{\sqrt{c-ax}} + a\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{1-a^2x^2}}{\sqrt{c-ax}}\right)$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c - a\*c\*x]\*Sqrt[1 - a^2\*x^2])/x^2, x]

[Out] -((a\*c\*Sqrt[1 - a^2\*x^2])/Sqrt[c - a\*c\*x]) - (c^2\*(1 - a^2\*x^2)^(3/2))/(x\*(c - a\*c\*x)^(3/2)) + a\*Sqrt[c]\*ArcTanh[(Sqrt[c]\*Sqrt[1 - a^2\*x^2])/Sqrt[c - a\*c\*x]]

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 865

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (c\_)\*(x\_)^(p\_))^(p\_), x\_Symbol] :> -Simp[((d + e\*x)^m\*(f + g\*x)^(n+1)\*(a + c\*x^2)^p)/(g\*(m - n - 1)), x] - Dist[(c\*m\*(e\*f + d\*g))/(e^2\*g\*(m - n - 1)), Int[(d + e\*x)^(m+1)\*(f + g\*x)^n\*(a + c\*x^2)^(p-1), x], x] /; FreeQ[{a, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]

### Rule 875

Int[Sqrt[(d\_) + (e\_)\*(x\_)]/(((f\_) + (g\_)\*(x\_))\*Sqrt[(a\_) + (c\_)\*(x\_)^2]), x\_Symbol] :> Dist[2\*e^2, Subst[Int[1/(c\*(e\*f + d\*g) + e^2\*g\*x^2), x], x, Sqrt[a + c\*x^2]/Sqrt[d + e\*x]], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0]

Rule 879

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e^2\*(e\*f - d\*g)\*(d + e\*x)^(m - 2)\*(f + g\*x)^(n + 1)\*(a + c\*x^2)^(p + 1))/(c\*g\*(n + 1)\*(e\*f + d\*g)), x] - Dist[(e\*(e\*f\*(p + 1) - d\*g\*(2\*n + p + 3)))/(g\*(n + 1)\*(e\*f + d\*g)), Int[(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p - 1, 0] && LtQ[n, -1] && IntegerQ[2\*p]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{c-acx} \sqrt{1-a^2x^2}}{x^2} dx &= -\frac{c^2(1-a^2x^2)^{3/2}}{x(c-acx)^{3/2}} - \frac{1}{2}(ac) \int \frac{\sqrt{1-a^2x^2}}{x\sqrt{c-acx}} dx \\
 &= -\frac{ac\sqrt{1-a^2x^2}}{\sqrt{c-acx}} - \frac{c^2(1-a^2x^2)^{3/2}}{x(c-acx)^{3/2}} - \frac{1}{2}a \int \frac{\sqrt{c-acx}}{x\sqrt{1-a^2x^2}} dx \\
 &= -\frac{ac\sqrt{1-a^2x^2}}{\sqrt{c-acx}} - \frac{c^2(1-a^2x^2)^{3/2}}{x(c-acx)^{3/2}} - (a^3c^2) \text{Subst} \left( \int \frac{1}{-a^2c+a^2c^2x^2} dx, x, \frac{\sqrt{1-a^2x^2}}{\sqrt{c-acx}} \right) \\
 &= -\frac{ac\sqrt{1-a^2x^2}}{\sqrt{c-acx}} - \frac{c^2(1-a^2x^2)^{3/2}}{x(c-acx)^{3/2}} + a\sqrt{c} \tanh^{-1} \left( \frac{\sqrt{c}\sqrt{1-a^2x^2}}{\sqrt{c-acx}} \right)
 \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 93, normalized size = 0.91

$$\frac{\sqrt{1-a^2x^2} \left( a\sqrt{c}x \tanh^{-1} \left( \sqrt{c} \sqrt{\frac{ax+1}{c}} \right) - c(2ax+1) \sqrt{\frac{ax+1}{c}} \right)}{x\sqrt{\frac{ax+1}{c}} \sqrt{c-acx}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c - a\*c\*x]\*Sqrt[1 - a^2\*x^2])/x^2, x]

[Out] (Sqrt[1 - a^2\*x^2]\*(-(c\*Sqrt[(1 + a\*x)/c]\*(1 + 2\*a\*x)) + a\*Sqrt[c]\*x\*ArcTan h[Sqrt[c]\*Sqrt[(1 + a\*x)/c]]))/(x\*Sqrt[(1 + a\*x)/c]\*Sqrt[c - a\*c\*x])

**IntegrateAlgebraic [C]** time = 0.48, size = 123, normalized size = 1.21

$$\frac{i\sqrt{c-acx} \left( \frac{i\sqrt{c}\sqrt{-(ax-1)^2-2(ax-1)}(2(ax-1)+3)}{x\sqrt{ax-1}} + ia\sqrt{c} \tan^{-1} \left( \frac{\sqrt{ax-1}}{\sqrt{-(ax-1)^2-2(ax-1)}} \right) \right)}{\sqrt{c}\sqrt{ax-1}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[c - a\*c\*x]\*Sqrt[1 - a^2\*x^2])/x^2,x]

[Out]  $((-I)*\text{Sqrt}[c - a*c*x]*((I*\text{Sqrt}[c]*(3 + 2*(-1 + a*x))*\text{Sqrt}[-2*(-1 + a*x) - (-1 + a*x)^2])/(x*\text{Sqrt}[-1 + a*x]) + I*a*\text{Sqrt}[c]*\text{ArcTan}[\text{Sqrt}[-1 + a*x]/\text{Sqrt}[-2*(-1 + a*x) - (-1 + a*x)^2]]))/(\text{Sqrt}[c]*\text{Sqrt}[-1 + a*x])$

**fricas** [A] time = 0.42, size = 217, normalized size = 2.13

$$\left[ \frac{(a^2x^2 - ax)\sqrt{c} \log\left(\frac{-a^2cx^2 + acx - 2\sqrt{-a^2x^2 + 1}\sqrt{-acx + c}\sqrt{c} - 2c}{ax^2 - x}\right) + 2\sqrt{-a^2x^2 + 1}\sqrt{-acx + c}(2ax + 1) (a^2x^2 - ax)\sqrt{-c} \arctan\left(\frac{\sqrt{-a^2x^2 + 1}\sqrt{-acx + c}\sqrt{-c}}{a^2cx^2 - c}\right) + \sqrt{-a^2x^2 + 1}\sqrt{-acx + c}(2ax + 1)}{2(ax^2 - x)}, \frac{(a^2x^2 - ax)\sqrt{-c} \arctan\left(\frac{\sqrt{-a^2x^2 + 1}\sqrt{-acx + c}\sqrt{-c}}{a^2cx^2 - c}\right) + \sqrt{-a^2x^2 + 1}\sqrt{-acx + c}(2ax + 1)}{ax^2 - x} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*c\*x+c)^(1/2)\*(-a^2\*x^2+1)^(1/2)/x^2,x, algorithm="fricas")

[Out]  $[1/2*((a^2*x^2 - a*x)*\text{sqrt}(c)*\log(-(a^2*c*x^2 + a*c*x - 2*\text{sqrt}(-a^2*x^2 + 1)*\text{sqrt}(-a*c*x + c)*\text{sqrt}(c) - 2*c)/(a*x^2 - x)) + 2*\text{sqrt}(-a^2*x^2 + 1)*\text{sqrt}(-a*c*x + c)*(2*a*x + 1))/(a*x^2 - x), ((a^2*x^2 - a*x)*\text{sqrt}(-c)*\text{arctan}(\text{sqrt}(-a^2*x^2 + 1)*\text{sqrt}(-a*c*x + c)*\text{sqrt}(-c)/(a^2*c*x^2 - c)) + \text{sqrt}(-a^2*x^2 + 1)*\text{sqrt}(-a*c*x + c)*(2*a*x + 1))/(a*x^2 - x)]$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*c\*x+c)^(1/2)\*(-a^2\*x^2+1)^(1/2)/x^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [A] time = 0.05, size = 95, normalized size = 0.93

$$\frac{\left(-acx \operatorname{arctanh}\left(\frac{\sqrt{(ax+1)c}}{\sqrt{c}}\right) + 2\sqrt{(ax+1)c} a\sqrt{c} x + \sqrt{(ax+1)c} \sqrt{c}\right) \sqrt{-(ax-1)c} \sqrt{-a^2x^2 + 1}}{(ax-1) \sqrt{(ax+1)c} \sqrt{c} x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a\*c\*x+c)^(1/2)\*(-a^2\*x^2+1)^(1/2)/x^2,x)

[Out]  $(-\operatorname{arctanh}((c*(a*x+1))^{1/2}/c^{1/2}))*x*a*c+2*x*a*(c*(a*x+1))^{1/2}*c^{1/2}+(c*(a*x+1))^{1/2}*c^{1/2})*(-c*(a*x-1))^{1/2}*(-a^2*x^2+1)^{1/2}/(a*x-1)/(c*(a*x+1))^{1/2}/x/c^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a^2x^2 + 1} \sqrt{-acx + c}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*c\*x+c)^(1/2)\*(-a^2\*x^2+1)^(1/2)/x^2,x, algorithm="maxima")

[Out] integrate(sqrt(-a^2\*x^2 + 1)\*sqrt(-a\*c\*x + c)/x^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{1 - a^2 x^2} \sqrt{c - a c x}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((1 - a^2\*x^2)^(1/2)\*(c - a\*c\*x)^(1/2))/x^2,x)

[Out] int(((1 - a^2\*x^2)^(1/2)\*(c - a\*c\*x)^(1/2))/x^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-c(ax-1)} \sqrt{-(ax-1)(ax+1)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*c\*x+c)\*\*(1/2)\*(-a\*\*2\*x\*\*2+1)\*\*(1/2)/x\*\*2,x)

[Out] Integral(sqrt(-c\*(a\*x - 1))\*sqrt(-(a\*x - 1)\*(a\*x + 1))/x\*\*2, x)

$$3.219 \quad \int \frac{\sqrt{c-ax}}{x\sqrt{1-a^2x^2}} dx$$

Optimal. Leaf size=39

$$-2\sqrt{c} \tanh^{-1} \left( \frac{\sqrt{c} \sqrt{1-a^2x^2}}{\sqrt{c-ax}} \right)$$

**Rubi [A]** time = 0.04, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {875, 208}

$$-2\sqrt{c} \tanh^{-1} \left( \frac{\sqrt{c} \sqrt{1-a^2x^2}}{\sqrt{c-ax}} \right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c - a\*c\*x]/(x\*Sqrt[1 - a^2\*x^2]), x]

[Out] -2\*Sqrt[c]\*ArcTanh[(Sqrt[c]\*Sqrt[1 - a^2\*x^2])/Sqrt[c - a\*c\*x]]

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 875

Int[Sqrt[(d\_) + (e\_.)\*(x\_)^2]/(((f\_.) + (g\_.)\*(x\_)^2)\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[2\*e^2, Subst[Int[1/(c\*(e\*f + d\*g) + e^2\*g\*x^2), x], x, Sqrt[a + c\*x^2]/Sqrt[d + e\*x]], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{c-ax}}{x\sqrt{1-a^2x^2}} dx &= (2a^2c^2) \text{Subst} \left( \int \frac{1}{-a^2c + a^2c^2x^2} dx, x, \frac{\sqrt{1-a^2x^2}}{\sqrt{c-ax}} \right) \\ &= -2\sqrt{c} \tanh^{-1} \left( \frac{\sqrt{c} \sqrt{1-a^2x^2}}{\sqrt{c-ax}} \right) \end{aligned}$$

**Mathematica** [A] time = 0.03, size = 67, normalized size = 1.72

$$\frac{2\sqrt{c}\sqrt{\frac{ax}{c} + \frac{1}{c}}\sqrt{c-acx}\tanh^{-1}\left(\sqrt{c}\sqrt{\frac{ax}{c} + \frac{1}{c}}\right)}{\sqrt{1-a^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[c - a\*c\*x]/(x\*Sqrt[1 - a^2\*x^2]),x]

[Out] (-2\*Sqrt[c]\*Sqrt[c^(-1) + (a\*x)/c]\*Sqrt[c - a\*c\*x]\*ArcTanh[Sqrt[c]\*Sqrt[c^(-1) + (a\*x)/c]])/Sqrt[1 - a^2\*x^2]

**IntegrateAlgebraic** [A] time = 0.34, size = 54, normalized size = 1.38

$$\frac{2\sqrt{c-acx}\tan^{-1}\left(\frac{\sqrt{ax-1}}{\sqrt{-(ax-1)^2-2(ax-1)}}\right)}{\sqrt{ax-1}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[c - a\*c\*x]/(x\*Sqrt[1 - a^2\*x^2]),x]

[Out] (-2\*Sqrt[c - a\*c\*x]\*ArcTan[Sqrt[-1 + a\*x]/Sqrt[-2\*(-1 + a\*x) - (-1 + a\*x)^2]])/Sqrt[-1 + a\*x]

**fricas** [A] time = 0.41, size = 110, normalized size = 2.82

$$\left[ \sqrt{c} \log\left(-\frac{a^2cx^2 + acx + 2\sqrt{-a^2x^2+1}\sqrt{-acx+c}\sqrt{c}-2c}{ax^2-x}\right), -2\sqrt{-c} \arctan\left(\frac{\sqrt{-a^2x^2+1}\sqrt{-acx+c}\sqrt{-c}}{a^2cx^2-c}\right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*c\*x+c)^(1/2)/x/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] [sqrt(c)\*log(-(a^2\*c\*x^2 + a\*c\*x + 2\*sqrt(-a^2\*x^2 + 1)\*sqrt(-a\*c\*x + c)\*sqrt(c) - 2\*c)/(a\*x^2 - x)), -2\*sqrt(-c)\*arctan(sqrt(-a^2\*x^2 + 1)\*sqrt(-a\*c\*x + c)\*sqrt(-c)/(a^2\*c\*x^2 - c))]

**giac** [A] time = 0.17, size = 57, normalized size = 1.46

$$\frac{2c^3\left(\frac{\arctan\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{-c}}\right)}{\sqrt{-c}c} - \frac{\arctan\left(\frac{\sqrt{acx+c}}{\sqrt{-c}}\right)}{\sqrt{-c}c}\right)}{|c|}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((-a\*c\*x+c)^(1/2)/x/(-a^2\*x^2+1)^(1/2),x, algorithm="giac")

[Out]  $-2*c^3*(\arctan(\sqrt{2}*\sqrt{c})/\sqrt{-c})/(\sqrt{-c}*c) - \arctan(\sqrt{a*c*x + c}/\sqrt{-c})/(\sqrt{-c}*c)/\text{abs}(c)$

**maple** [A] time = 0.02, size = 58, normalized size = 1.49

$$\frac{2\sqrt{-(ax-1)c} \sqrt{-a^2x^2+1} \sqrt{c} \operatorname{arctanh}\left(\frac{\sqrt{(ax+1)c}}{\sqrt{c}}\right)}{(ax-1)\sqrt{(ax+1)c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a\*c\*x+c)^(1/2)/x/(-a^2\*x^2+1)^(1/2),x)

[Out]  $2*(-(a*x-1)*c)^(1/2)*(-a^2*x^2+1)^(1/2)/(a*x-1)/((a*x+1)*c)^(1/2)*c^(1/2)*\operatorname{arctanh}(((a*x+1)*c)^(1/2)/c^(1/2))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-acx+c}}{\sqrt{-a^2x^2+1}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*c\*x+c)^(1/2)/x/(-a^2\*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-a\*c\*x + c)/(sqrt(-a^2\*x^2 + 1)\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sqrt{c-ax}}{x\sqrt{1-a^2x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c - a\*c\*x)^(1/2)/(x\*(1 - a^2\*x^2)^(1/2)),x)

[Out] int((c - a\*c\*x)^(1/2)/(x\*(1 - a^2\*x^2)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-c(ax-1)}}{x\sqrt{-(ax-1)(ax+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*c\*x+c)\*\*(1/2)/x/(-a\*\*2\*x\*\*2+1)\*\*(1/2),x)

[Out] Integral(sqrt(-c\*(a\*x - 1))/(x\*sqrt(-(a\*x - 1)\*(a\*x + 1))), x)

$$3.220 \quad \int \frac{\sqrt{1-ax}}{\sqrt{x}} dx$$

**Optimal.** Leaf size=35

$$\sqrt{x} \sqrt{1-ax} + \frac{\sin^{-1}(\sqrt{a} \sqrt{x})}{\sqrt{a}}$$

**Rubi [A]** time = 0.01, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {50, 54, 216}

$$\sqrt{x} \sqrt{1-ax} + \frac{\sin^{-1}(\sqrt{a} \sqrt{x})}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - a\*x]/Sqrt[x], x]

[Out] Sqrt[x]\*Sqrt[1 - a\*x] + ArcSin[Sqrt[a]\*Sqrt[x]]/Sqrt[a]

#### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 54

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]), x_Symbol] := Dis
t[2/Sqrt[b], Subst[Int[1/Sqrt[b*c - a*d + d*x^2], x], x, Sqrt[a + b*x]], x]
/; FreeQ[{a, b, c, d}, x] && GtQ[b*c - a*d, 0] && GtQ[b, 0]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1-ax}}{\sqrt{x}} dx &= \sqrt{x} \sqrt{1-ax} + \frac{1}{2} \int \frac{1}{\sqrt{x} \sqrt{1-ax}} dx \\
&= \sqrt{x} \sqrt{1-ax} + \text{Subst} \left( \int \frac{1}{\sqrt{1-ax^2}} dx, x, \sqrt{x} \right) \\
&= \sqrt{x} \sqrt{1-ax} + \frac{\sin^{-1}(\sqrt{a} \sqrt{x})}{\sqrt{a}}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 35, normalized size = 1.00

$$\sqrt{x} \sqrt{1-ax} + \frac{\sin^{-1}(\sqrt{a} \sqrt{x})}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - a\*x]/Sqrt[x], x]

[Out] Sqrt[x]\*Sqrt[1 - a\*x] + ArcSin[Sqrt[a]\*Sqrt[x]]/Sqrt[a]

**IntegrateAlgebraic [A]** time = 0.08, size = 54, normalized size = 1.54

$$\sqrt{x} \sqrt{1-ax} + \frac{\sqrt{-a} \log(\sqrt{1-ax} - \sqrt{-a} \sqrt{x})}{a}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[1 - a\*x]/Sqrt[x], x]

[Out] Sqrt[x]\*Sqrt[1 - a\*x] + (Sqrt[-a]\*Log[-(Sqrt[-a]\*Sqrt[x]) + Sqrt[1 - a\*x]])/a

**fricas [A]** time = 0.40, size = 92, normalized size = 2.63

$$\left[ \frac{2\sqrt{-ax+1}a\sqrt{x} - \sqrt{-a} \log(-2ax + 2\sqrt{-ax+1}\sqrt{-a}\sqrt{x} + 1)}{2a}, \frac{\sqrt{-ax+1}a\sqrt{x} - \sqrt{a} \arctan\left(\frac{\sqrt{-ax+1}}{\sqrt{a}\sqrt{x}}\right)}{a} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*x+1)^(1/2)/x^(1/2), x, algorithm="fricas")

```
[Out] [1/2*(2*sqrt(-a*x + 1)*a*sqrt(x) - sqrt(-a)*log(-2*a*x + 2*sqrt(-a*x + 1)*sqrt(-a)*sqrt(x) + 1))/a, (sqrt(-a*x + 1)*a*sqrt(x) - sqrt(a)*arctan(sqrt(-a*x + 1)/(sqrt(a)*sqrt(x))))/a]
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a*x+1)^(1/2)/x^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,%%{4,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}+%%{4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,0]%%}+%%{-4,[1,3]%%}+%%{-12,[1,2]%%}+%%{52,[1,1]%%}+%%{-4,[1,0]%%}+%%{-4,[0,3]%%}+%%{4,[0,2]%%}+%%{4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{1,[4,4]%%}+%%{-4,[4,3]%%}+%%{6,[4,2]%%}+%%{-4,[4,1]%%}+%%{1,[4,0]%%}+%%{4,[3,4]%%}+%%{-8,[3,3]%%}+%%{8,[3,2]%%}+%%{-8,[3,1]%%}+%%{4,[3,0]%%}+%%{6,[2,4]%%}+%%{-8,[2,3]%%}+%%{20,[2,2]%%}+%%{-8,[2,1]%%}+%%{6,[2,0]%%}+%%{4,[1,4]%%}+%%{-8,[1,3]%%}+%%{8,[1,2]%%}+%%{-8,[1,1]%%}+%%{4,[1,0]%%}+%%{1,[0,4]%%}+%%{-4,[0,3]%%}+%%{6,[0,2]%%}+%%{-4,[0,1]%%}+%%{1,[0,0]%%}] at parameters values [-15.6438432182,61.7937478349]Warning, choosing root of [1,0,%%{4,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}+%%{4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,0]%%}+%%{-4,[1,3]%%}+%%{-12,[1,2]%%}+%%{52,[1,1]%%}+%%{-4,[1,0]%%}+%%{-4,[0,3]%%}+%%{4,[0,2]%%}+%%{4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{1,[4,4]%%}+%%{-4,[4,3]%%}+%%{6,[4,2]%%}+%%{-4,[4,1]%%}+%%{1,[4,0]%%}+%%{4,[3,4]%%}+%%{-8,[3,3]%%}+%%{8,[3,2]%%}+%%{-8,[3,1]%%}+%%{4,[3,0]%%}+%%{6,[2,4]%%}+%%{-8,[2,3]%%}+%%{20,[2,2]%%}+%%{-8,[2,1]%%}+%%{6,[2,0]%%}+%%{4,[1,4]%%}+%%{-8,[1,3]%%}+%%{8,[1,2]%%}+%%{-8,[1,1]%%}+%%{4,[1,0]%%}+%%{1,[0,4]%%}+%%{-4,[0,3]%%}+%%{6,[0,2]%%}+%%{-4,[0,1]%%}+%%{1,[0,0]%%}] at parameters values [-29.292030761,78.6493344628]1/abs(a)*a^2/a*(1/a*sqrt(-a*x+1)*sqrt(-a*(-a*x+1)+a)+1/sqrt(-a)*ln(abs(sqrt(-a*(-a*x+1)+a)-sqrt(-a)*sqrt(-a*x+1))))
```

**maple [B]** time = 0.01, size = 62, normalized size = 1.77

$$\sqrt{-ax+1} \sqrt{x} + \frac{\sqrt{(-ax+1)x} \arctan\left(\frac{\left(x-\frac{1}{2a}\right)\sqrt{a}}{\sqrt{-ax^2+x}}\right)}{2\sqrt{-ax+1} \sqrt{a} \sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a\*x+1)^(1/2)/x^(1/2),x)

[Out] x^(1/2)\*(-a\*x+1)^(1/2)+1/2\*((-a\*x+1)\*x)^(1/2)/(-a\*x+1)^(1/2)/x^(1/2)/a^(1/2)\*arctan(a^(1/2)\*(x-1/2/a)/(-a\*x^2+x)^(1/2))

**maxima [A]** time = 0.96, size = 48, normalized size = 1.37

$$-\frac{\arctan\left(\frac{\sqrt{-ax+1}}{\sqrt{a}\sqrt{x}}\right)}{\sqrt{a}} + \frac{\sqrt{-ax+1}}{\left(a - \frac{ax-1}{x}\right)\sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*x+1)^(1/2)/x^(1/2),x, algorithm="maxima")

[Out] -arctan(sqrt(-a\*x + 1)/(sqrt(a)\*sqrt(x)))/sqrt(a) + sqrt(-a\*x + 1)/((a - (a \*x - 1)/x)\*sqrt(x))

**mupad [B]** time = 2.99, size = 38, normalized size = 1.09

$$\sqrt{x} \sqrt{1-ax} + \frac{2 \operatorname{atan}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{1-ax-1}}\right)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1 - a\*x)^(1/2)/x^(1/2),x)

[Out] x^(1/2)\*(1 - a\*x)^(1/2) + (2\*atan((a^(1/2)\*x^(1/2))/((1 - a\*x)^(1/2) - 1)))/a^(1/2)

**sympy [A]** time = 1.90, size = 83, normalized size = 2.37

$$\begin{cases} \frac{iax^{\frac{3}{2}}}{\sqrt{ax-1}} - \frac{i\sqrt{x}}{\sqrt{ax-1}} - \frac{i \operatorname{acosh}(\sqrt{a}\sqrt{x})}{\sqrt{a}} & \text{for } |ax| > 1 \\ \sqrt{x} \sqrt{-ax+1} + \frac{\operatorname{asin}(\sqrt{a}\sqrt{x})}{\sqrt{a}} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a*x+1)**(1/2)/x**(1/2),x)
```

```
[Out] Piecewise((I*a*x**(3/2)/sqrt(a*x - 1) - I*sqrt(x)/sqrt(a*x - 1) - I*acosh(sqrt(a)*sqrt(x))/sqrt(a), Abs(a*x) > 1), (sqrt(x)*sqrt(-a*x + 1) + asin(sqrt(a)*sqrt(x))/sqrt(a), True))
```

$$3.221 \quad \int \frac{\sqrt{1-a^2x^2}}{\sqrt{x}\sqrt{1+ax}} dx$$

Optimal. Leaf size=35

$$\sqrt{x}\sqrt{1-ax} + \frac{\sin^{-1}(\sqrt{a}\sqrt{x})}{\sqrt{a}}$$

Rubi [A] time = 0.03, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {848, 50, 54, 216}

$$\sqrt{x}\sqrt{1-ax} + \frac{\sin^{-1}(\sqrt{a}\sqrt{x})}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - a^2\*x^2]/(Sqrt[x]\*Sqrt[1 + a\*x]),x]

[Out] Sqrt[x]\*Sqrt[1 - a\*x] + ArcSin[Sqrt[a]\*Sqrt[x]]/Sqrt[a]

#### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 54

Int[1/(Sqrt[(a\_.) + (b\_.)\*(x\_)]\*Sqrt[(c\_.) + (d\_.)\*(x\_)]), x\_Symbol] := Dist[2/Sqrt[b], Subst[Int[1/Sqrt[b\*c - a\*d + d\*x^2], x], x, Sqrt[a + b\*x]], x] /; FreeQ[{a, b, c, d}, x] && GtQ[b\*c - a\*d, 0] && GtQ[b, 0]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2

+ a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{1-a^2x^2}}{\sqrt{x}\sqrt{1+ax}} dx &= \int \frac{\sqrt{1-ax}}{\sqrt{x}} dx \\
 &= \sqrt{x}\sqrt{1-ax} + \frac{1}{2} \int \frac{1}{\sqrt{x}\sqrt{1-ax}} dx \\
 &= \sqrt{x}\sqrt{1-ax} + \text{Subst}\left(\int \frac{1}{\sqrt{1-ax^2}} dx, x, \sqrt{x}\right) \\
 &= \sqrt{x}\sqrt{1-ax} + \frac{\sin^{-1}(\sqrt{a}\sqrt{x})}{\sqrt{a}}
 \end{aligned}$$

**Mathematica** [A] time = 0.01, size = 35, normalized size = 1.00

$$\sqrt{x}\sqrt{1-ax} + \frac{\sin^{-1}(\sqrt{a}\sqrt{x})}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - a^2\*x^2]/(Sqrt[x]\*Sqrt[1 + a\*x]), x]

[Out] Sqrt[x]\*Sqrt[1 - a\*x] + ArcSin[Sqrt[a]\*Sqrt[x]]/Sqrt[a]

**IntegrateAlgebraic** [F] time = 2.09, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{1-a^2x^2}}{\sqrt{x}\sqrt{1+ax}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[Sqrt[1 - a^2\*x^2]/(Sqrt[x]\*Sqrt[1 + a\*x]), x]

[Out] Defer[IntegrateAlgebraic][Sqrt[1 - a^2\*x^2]/(Sqrt[x]\*Sqrt[1 + a\*x]), x]

**fricas** [B] time = 0.44, size = 199, normalized size = 5.69

$$\left[ \frac{4\sqrt{-a^2x^2+1}\sqrt{ax+1}a\sqrt{x} - (ax+1)\sqrt{-a} \log\left(-\frac{8a^3x^3-4\sqrt{-a^2x^2+1}(2ax-1)\sqrt{ax+1}\sqrt{-a}\sqrt{x}-7ax+1}{ax+1}\right)}{4(a^2x+a)}, \frac{2\sqrt{-a^2x^2+1}\sqrt{ax+1}a\sqrt{x} - (ax+1)\sqrt{a} \arctan\left(\frac{2\sqrt{-a^2x^2+1}\sqrt{ax+1}\sqrt{a}\sqrt{x}}{2a^2x^2+ax-1}\right)}{2(a^2x+a)} \right]$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*x^2+1)^(1/2)/x^(1/2)/(a*x+1)^(1/2),x, algorithm="fricas")
[Out] [1/4*(4*sqrt(-a^2*x^2 + 1)*sqrt(a*x + 1)*a*sqrt(x) - (a*x + 1)*sqrt(-a)*log
(- (8*a^3*x^3 - 4*sqrt(-a^2*x^2 + 1)*(2*a*x - 1)*sqrt(a*x + 1)*sqrt(-a)*sqrt
(x) - 7*a*x + 1)/(a*x + 1)))/(a^2*x + a), 1/2*(2*sqrt(-a^2*x^2 + 1)*sqrt(a*
x + 1)*a*sqrt(x) - (a*x + 1)*sqrt(a)*arctan(2*sqrt(-a^2*x^2 + 1)*sqrt(a*x +
1)*sqrt(a)*sqrt(x)/(2*a^2*x^2 + a*x - 1)))/(a^2*x + a)]
giac [F(-2)]    time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*x^2+1)^(1/2)/x^(1/2)/(a*x+1)^(1/2),x, algorithm="giac")
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warni
ng, choosing root of [1,0,%%{4,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,1]%%}+
%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[
1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}
+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}+%%{4,
[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,0]%%}
+%%{-4,[1,3]%%}+%%{-12,[1,2]%%}+%%{52,[1,1]%%}+%%{-4,[1,0]%%}+%%{-
4,[0,3]%%}+%%{4,[0,2]%%}+%%{4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{1,[4,4]
%%}+%%{-4,[4,3]%%}+%%{6,[4,2]%%}+%%{-4,[4,1]%%}+%%{1,[4,0]%%}+%%{-
4,[3,4]%%}+%%{-8,[3,3]%%}+%%{8,[3,2]%%}+%%{-8,[3,1]%%}+%%{4,[3,0]%%}
+%%{6,[2,4]%%}+%%{-8,[2,3]%%}+%%{20,[2,2]%%}+%%{-8,[2,1]%%}+%%{6
,[2,0]%%}+%%{4,[1,4]%%}+%%{-8,[1,3]%%}+%%{8,[1,2]%%}+%%{-8,[1,1]%%}
+%%{4,[1,0]%%}+%%{1,[0,4]%%}+%%{-4,[0,3]%%}+%%{6,[0,2]%%}+%%{-4,[
0,1]%%}+%%{1,[0,0]%%}] at parameters values [-15.6438432182,61.793747834
9]Warning, choosing root of [1,0,%%{4,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,
1]%%}+%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+
%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0
,1]%%}+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}
+%%{4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[
2,0]%%}+%%{-4,[1,3]%%}+%%{-12,[1,2]%%}+%%{52,[1,1]%%}+%%{-4,[1,0]%%}
+%%{-4,[0,3]%%}+%%{4,[0,2]%%}+%%{4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{
1,[4,4]%%}+%%{-4,[4,3]%%}+%%{6,[4,2]%%}+%%{-4,[4,1]%%}+%%{1,[4,0]%%}
+%%{-4,[3,4]%%}+%%{-8,[3,3]%%}+%%{8,[3,2]%%}+%%{-8,[3,1]%%}+%%{4,
[3,0]%%}+%%{6,[2,4]%%}+%%{-8,[2,3]%%}+%%{20,[2,2]%%}+%%{-8,[2,1]%%}
+%%{6,[2,0]%%}+%%{4,[1,4]%%}+%%{-8,[1,3]%%}+%%{8,[1,2]%%}+%%{-8,[
1,1]%%}+%%{4,[1,0]%%}+%%{1,[0,4]%%}+%%{-4,[0,3]%%}+%%{6,[0,2]%%}+
%%{-4,[0,1]%%}+%%{1,[0,0]%%}] at parameters values [-29.292030761,78.649
3344628]2/abs(a)*a^2/a*(1/2*ln(abs(-sqrt(-a))*sqrt(-a*x+1)+sqrt(-a*(-a*x+1)+
```

a)))/sqrt(-a)+1/2\*sqrt(-a\*x+1)\*sqrt(-a\*(-a\*x+1)+a)/a+(sqrt(2)-ln(abs(-sqrt(-a)\*sqrt(2)+sqrt(-a))))/2/sqrt(-a))

**maple** [B] time = 0.02, size = 76, normalized size = 2.17

$$\frac{\sqrt{-a^2x^2+1} \left( \arctan\left(\frac{2ax-1}{2\sqrt{-(ax-1)x}\sqrt{a}}\right) + 2\sqrt{-(ax-1)x}\sqrt{a} \right) \sqrt{x}}{2\sqrt{ax+1}\sqrt{-(ax-1)x}\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*x^2+1)^(1/2)/x^(1/2)/(a\*x+1)^(1/2),x)

[Out] 1/2\*(-a^2\*x^2+1)^(1/2)\*x^(1/2)/(a\*x+1)^(1/2)\*(2\*a^(1/2)\*(-x\*(a\*x-1))^(1/2)+arctan(1/2/a^(1/2)\*(2\*a\*x-1)/(-x\*(a\*x-1))^(1/2)))/(-x\*(a\*x-1))^(1/2)/a^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a^2x^2+1}}{\sqrt{ax+1}\sqrt{x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*x^2+1)^(1/2)/x^(1/2)/(a\*x+1)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-a^2\*x^2+1)/(sqrt(a\*x+1)\*sqrt(x)),x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sqrt{1-a^2x^2}}{\sqrt{x}\sqrt{ax+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-a^2\*x^2)^(1/2)/(x^(1/2)\*(a\*x+1)^(1/2)),x)

[Out] int((1-a^2\*x^2)^(1/2)/(x^(1/2)\*(a\*x+1)^(1/2)),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(ax-1)(ax+1)}}{\sqrt{x}\sqrt{ax+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*x\*\*2+1)\*\*(1/2)/x\*\*(1/2)/(a\*x+1)\*\*(1/2),x)

[Out] Integral(sqrt(-(a\*x-1)\*(a\*x+1))/(sqrt(x)\*sqrt(a\*x+1)),x)

$$3.222 \quad \int \frac{\sqrt{1+ax}}{\sqrt{x}} dx$$

Optimal. Leaf size=34

$$\sqrt{x} \sqrt{ax+1} + \frac{\sinh^{-1}(\sqrt{a} \sqrt{x})}{\sqrt{a}}$$

**Rubi** [A] time = 0.01, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {50, 54, 215}

$$\sqrt{x} \sqrt{ax+1} + \frac{\sinh^{-1}(\sqrt{a} \sqrt{x})}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + a\*x]/Sqrt[x], x]

[Out] Sqrt[x]\*Sqrt[1 + a\*x] + ArcSinh[Sqrt[a]\*Sqrt[x]]/Sqrt[a]

#### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 54

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]), x_Symbol] := Dis
t[2/Sqrt[b], Subst[Int[1/Sqrt[b*c - a*d + d*x^2], x], x, Sqrt[a + b*x]], x]
/; FreeQ[{a, b, c, d}, x] && GtQ[b*c - a*d, 0] && GtQ[b, 0]
```

#### Rule 215

```
Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqr
t[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1+ax}}{\sqrt{x}} dx &= \sqrt{x} \sqrt{1+ax} + \frac{1}{2} \int \frac{1}{\sqrt{x} \sqrt{1+ax}} dx \\
&= \sqrt{x} \sqrt{1+ax} + \text{Subst} \left( \int \frac{1}{\sqrt{1+ax^2}} dx, x, \sqrt{x} \right) \\
&= \sqrt{x} \sqrt{1+ax} + \frac{\sinh^{-1}(\sqrt{a} \sqrt{x})}{\sqrt{a}}
\end{aligned}$$

**Mathematica** [A] time = 0.01, size = 34, normalized size = 1.00

$$\sqrt{x} \sqrt{ax+1} + \frac{\sinh^{-1}(\sqrt{a} \sqrt{x})}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + a\*x]/Sqrt[x], x]

[Out] Sqrt[x]\*Sqrt[1 + a\*x] + ArcSinh[Sqrt[a]\*Sqrt[x]]/Sqrt[a]

**IntegrateAlgebraic** [A] time = 0.06, size = 46, normalized size = 1.35

$$\sqrt{x} \sqrt{ax+1} - \frac{\log(\sqrt{ax+1} - \sqrt{a} \sqrt{x})}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[1 + a\*x]/Sqrt[x], x]

[Out] Sqrt[x]\*Sqrt[1 + a\*x] - Log[-(Sqrt[a]\*Sqrt[x]) + Sqrt[1 + a\*x]]/Sqrt[a]

**fricas** [A] time = 0.42, size = 90, normalized size = 2.65

$$\left[ \frac{2\sqrt{ax+1}a\sqrt{x} + \sqrt{a} \log(2ax + 2\sqrt{ax+1}\sqrt{a}\sqrt{x} + 1)}{2a}, \frac{\sqrt{ax+1}a\sqrt{x} - \sqrt{-a} \arctan\left(\frac{\sqrt{ax+1}\sqrt{-a}}{a\sqrt{x}}\right)}{a} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*x+1)^(1/2)/x^(1/2), x, algorithm="fricas")

[Out] [1/2\*(2\*sqrt(a\*x + 1)\*a\*sqrt(x) + sqrt(a)\*log(2\*a\*x + 2\*sqrt(a\*x + 1)\*sqrt(a)\*sqrt(x) + 1))/a, (sqrt(a\*x + 1)\*a\*sqrt(x) - sqrt(-a)\*arctan(sqrt(a\*x + 1)\*sqrt(-a)/(a\*sqrt(x))))/a]

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*x+1)^(1/2)/x^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,%%{-4,[1,1]%%}+%%{-4,[1,0]%%}+%%{-4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{4,[1,2]%%}+%%{16,[1,1]%%}+%%{4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{-4,[3,3]%%}+%%{4,[3,2]%%}+%%{4,[3,1]%%}+%%{-4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,0]%%}+%%{4,[1,3]%%}+%%{12,[1,2]%%}+%%{-52,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,3]%%}+%%{4,[0,2]%%}+%%{4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{1,[4,4]%%}+%%{-4,[4,3]%%}+%%{6,[4,2]%%}+%%{-4,[4,1]%%}+%%{1,[4,0]%%}+%%{-4,[3,4]%%}+%%{8,[3,3]%%}+%%{-8,[3,2]%%}+%%{8,[3,1]%%}+%%{-4,[3,0]%%}+%%{6,[2,4]%%}+%%{-8,[2,3]%%}+%%{20,[2,2]%%}+%%{-8,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,4]%%}+%%{8,[1,3]%%}+%%{-8,[1,2]%%}+%%{8,[1,1]%%}+%%{-4,[1,0]%%}+%%{1,[0,4]%%}+%%{-4,[0,3]%%}+%%{6,[0,2]%%}+%%{-4,[0,1]%%}+%%{1,[0,0]%%}] at parameters values [85.3561567818,61.7937478349] Warning, choosing root of [1,0,%%{-4,[1,1]%%}+%%{-4,[1,0]%%}+%%{-4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{4,[1,2]%%}+%%{16,[1,1]%%}+%%{4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{-4,[3,3]%%}+%%{4,[3,2]%%}+%%{4,[3,1]%%}+%%{-4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,0]%%}+%%{4,[1,3]%%}+%%{12,[1,2]%%}+%%{-52,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,3]%%}+%%{4,[0,2]%%}+%%{4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{1,[4,4]%%}+%%{-4,[4,3]%%}+%%{6,[4,2]%%}+%%{-4,[4,1]%%}+%%{1,[4,0]%%}+%%{-4,[3,4]%%}+%%{8,[3,3]%%}+%%{-8,[3,2]%%}+%%{8,[3,1]%%}+%%{-4,[3,0]%%}+%%{6,[2,4]%%}+%%{-8,[2,3]%%}+%%{20,[2,2]%%}+%%{-8,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,4]%%}+%%{8,[1,3]%%}+%%{-8,[1,2]%%}+%%{8,[1,1]%%}+%%{-4,[1,0]%%}+%%{1,[0,4]%%}+%%{-4,[0,3]%%}+%%{6,[0,2]%%}+%%{-4,[0,1]%%}+%%{1,[0,0]%%}] at parameters values [71.707969239,78.6493344628] 1/abs(a)\*a^2/a\*(1/a\*sqrt(a\*x+1)\*sqrt(a\*(a\*x+1)-a)-1/sqrt(a)\*ln(abs(sqrt(a\*(a\*x+1)-a)-sqrt(a)\*sqrt(a\*x+1))))

**maple** [B] time = 0.01, size = 57, normalized size = 1.68

$$\sqrt{ax+1} \sqrt{x} + \frac{\sqrt{(ax+1)x} \ln\left(\frac{ax+\frac{1}{2}}{\sqrt{a}} + \sqrt{ax^2+x}\right)}{2\sqrt{ax+1} \sqrt{a} \sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*x+1)^(1/2)/x^(1/2),x)`

[Out]  $x^{1/2}*(a*x+1)^{1/2}+1/2*((a*x+1)*x)^{1/2}/(a*x+1)^{1/2}/x^{1/2}*ln((1/2+a*x)/a^{1/2}+(a*x^2+x)^{1/2})/a^{1/2}$

**maxima** [B] time = 0.96, size = 68, normalized size = 2.00

$$\frac{\log\left(-\frac{\sqrt{a}-\frac{\sqrt{ax+1}}{\sqrt{x}}}{\sqrt{a}+\frac{\sqrt{ax+1}}{\sqrt{x}}}\right)}{2\sqrt{a}} - \frac{\sqrt{ax+1}}{\left(a-\frac{ax+1}{x}\right)\sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*x+1)^(1/2)/x^(1/2),x, algorithm="maxima")`

[Out]  $-1/2*\log(-(\sqrt{a}-\sqrt{ax+1})/\sqrt{x})/(\sqrt{a}+\sqrt{ax+1})/\sqrt{x})/(\sqrt{a}-\sqrt{ax+1})/((a-(ax+1)/x)*\sqrt{x})$

**mupad** [B] time = 3.00, size = 36, normalized size = 1.06

$$\sqrt{x}\sqrt{ax+1} + \frac{2\operatorname{atanh}\left(\frac{\sqrt{a}\sqrt{x}}{\sqrt{ax+1}-1}\right)}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*x + 1)^(1/2)/x^(1/2),x)`

[Out]  $x^{1/2}*(a*x + 1)^{1/2} + (2*\operatorname{atanh}((a^{1/2}*x^{1/2})/((a*x + 1)^{1/2} - 1)))/a^{1/2}$

**sympy** [A] time = 1.97, size = 29, normalized size = 0.85

$$\sqrt{x}\sqrt{ax+1} + \frac{\operatorname{asinh}(\sqrt{a}\sqrt{x})}{\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*x+1)**(1/2)/x**(1/2),x)`

[Out]  $\sqrt{x}*\sqrt{ax+1} + \operatorname{asinh}(\sqrt{a}*\sqrt{x})/\sqrt{a}$

$$3.223 \quad \int \frac{\sqrt{1-a^2x^2}}{\sqrt{x}\sqrt{1-ax}} dx$$

Optimal. Leaf size=34

$$\sqrt{x}\sqrt{ax+1} + \frac{\sinh^{-1}(\sqrt{a}\sqrt{x})}{\sqrt{a}}$$

Rubi [A] time = 0.03, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {848, 50, 54, 215}

$$\sqrt{x}\sqrt{ax+1} + \frac{\sinh^{-1}(\sqrt{a}\sqrt{x})}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - a^2\*x^2]/(Sqrt[x]\*Sqrt[1 - a\*x]),x]

[Out] Sqrt[x]\*Sqrt[1 + a\*x] + ArcSinh[Sqrt[a]\*Sqrt[x]]/Sqrt[a]

#### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 54

Int[1/(Sqrt[(a\_.) + (b\_.)\*(x\_)]\*Sqrt[(c\_.) + (d\_.)\*(x\_)]), x\_Symbol] := Dist[2/Sqrt[b], Subst[Int[1/Sqrt[b\*c - a\*d + d\*x^2], x], x, Sqrt[a + b\*x]], x] /; FreeQ[{a, b, c, d}, x] && GtQ[b\*c - a\*d, 0] && GtQ[b, 0]

#### Rule 215

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSinh[(Rt[b, 2]\*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

#### Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2

+ a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{1-a^2x^2}}{\sqrt{x}\sqrt{1-ax}} dx &= \int \frac{\sqrt{1+ax}}{\sqrt{x}} dx \\
 &= \sqrt{x}\sqrt{1+ax} + \frac{1}{2} \int \frac{1}{\sqrt{x}\sqrt{1+ax}} dx \\
 &= \sqrt{x}\sqrt{1+ax} + \text{Subst}\left(\int \frac{1}{\sqrt{1+ax^2}} dx, x, \sqrt{x}\right) \\
 &= \sqrt{x}\sqrt{1+ax} + \frac{\sinh^{-1}(\sqrt{a}\sqrt{x})}{\sqrt{a}}
 \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 34, normalized size = 1.00

$$\sqrt{x}\sqrt{ax+1} + \frac{\sinh^{-1}(\sqrt{a}\sqrt{x})}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - a^2\*x^2]/(Sqrt[x]\*Sqrt[1 - a\*x]), x]

[Out] Sqrt[x]\*Sqrt[1 + a\*x] + ArcSinh[Sqrt[a]\*Sqrt[x]]/Sqrt[a]

**IntegrateAlgebraic [F]** time = 2.21, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{1-a^2x^2}}{\sqrt{x}\sqrt{1-ax}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[Sqrt[1 - a^2\*x^2]/(Sqrt[x]\*Sqrt[1 - a\*x]), x]

[Out] Defer[IntegrateAlgebraic][Sqrt[1 - a^2\*x^2]/(Sqrt[x]\*Sqrt[1 - a\*x]), x]

**fricas [B]** time = 0.45, size = 208, normalized size = 6.12

$$\left[ \frac{4\sqrt{-a^2x^2+1}\sqrt{-ax+1}a\sqrt{x} - (ax-1)\sqrt{a}\log\left(\frac{8a^3x^3-4\sqrt{-a^2x^2+1}(2ax+1)\sqrt{-ax+1}\sqrt{a}\sqrt{x}-7ax-1}{ax-1}\right)}{4(a^2x-a)}, \frac{2\sqrt{-a^2x^2+1}\sqrt{-ax+1}a\sqrt{x} - (ax-1)\sqrt{a}\arctan\left(\frac{2\sqrt{-a^2x^2+1}\sqrt{-ax+1}\sqrt{a}\sqrt{x}}{2a^2x^2-ax-1}\right)}{2(a^2x-a)} \right]$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*x^2+1)^(1/2)/x^(1/2)/(-a*x+1)^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/4*(4*sqrt(-a^2*x^2 + 1)*sqrt(-a*x + 1)*a*sqrt(x) - (a*x - 1)*sqrt(a)*log(-8*a^3*x^3 - 4*sqrt(-a^2*x^2 + 1)*(2*a*x + 1)*sqrt(-a*x + 1)*sqrt(a)*sqrt(x) - 7*a*x - 1)/(a*x - 1))/(a^2*x - a), -1/2*(2*sqrt(-a^2*x^2 + 1)*sqrt(-a*x + 1)*a*sqrt(x) - (a*x - 1)*sqrt(-a)*arctan(2*sqrt(-a^2*x^2 + 1)*sqrt(-a*x + 1)*sqrt(-a)*sqrt(x)/(2*a^2*x^2 - a*x - 1)))/(a^2*x - a)]
```

```
giac [F(-2)]    time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-a^2*x^2+1)^(1/2)/x^(1/2)/(-a*x+1)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,%%{-4,[1,1]%%}+%%{-4,[1,0]%%}+%%{-4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{4,[1,2]%%}+%%{16,[1,1]%%}+%%{4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{-4,[3,3]%%}+%%{4,[3,2]%%}+%%{4,[3,1]%%}+%%{-4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,0]%%}+%%{4,[1,3]%%}+%%{12,[1,2]%%}+%%{-52,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,3]%%}+%%{4,[0,2]%%}+%%{4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{1,[4,4]%%}+%%{-4,[4,3]%%}+%%{6,[4,2]%%}+%%{-4,[4,1]%%}+%%{1,[4,0]%%}+%%{-4,[3,4]%%}+%%{8,[3,3]%%}+%%{-8,[3,2]%%}+%%{8,[3,1]%%}+%%{-4,[3,0]%%}+%%{6,[2,4]%%}+%%{-8,[2,3]%%}+%%{20,[2,2]%%}+%%{-8,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,4]%%}+%%{8,[1,3]%%}+%%{-8,[1,2]%%}+%%{8,[1,1]%%}+%%{-4,[1,0]%%}+%%{1,[0,4]%%}+%%{-4,[0,3]%%}+%%{6,[0,2]%%}+%%{-4,[0,1]%%}+%%{1,[0,0]%%}] at parameters values [85.3561567818,61.7937478349] Warning, choosing root of [1,0,%%{-4,[1,1]%%}+%%{-4,[1,0]%%}+%%{-4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{4,[1,2]%%}+%%{16,[1,1]%%}+%%{4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{-4,[3,3]%%}+%%{4,[3,2]%%}+%%{4,[3,1]%%}+%%{-4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,0]%%}+%%{4,[1,3]%%}+%%{12,[1,2]%%}+%%{-52,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,3]%%}+%%{4,[0,2]%%}+%%{4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{1,[4,4]%%}+%%{-4,[4,3]%%}+%%{6,[4,2]%%}+%%{-4,[4,1]%%}+%%{1,[4,0]%%}+%%{-4,[3,4]%%}+%%{8,[3,3]%%}+%%{-8,[3,2]%%}+%%{8,[3,1]%%}+%%{-4,[3,0]%%}+%%{6,[2,4]%%}+%%{-8,[2,3]%%}+%%{20,[2,2]%%}+%%{-8,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,4]%%}+%%{8,[1,3]%%}+%%{-8,[1,2]%%}+%%{8,[1,1]%%}+%%{-4,[1,0]%%}+%%{1,[0,4]%%}+%%{-4,[0,3]%%}+%%{6,[0,2]%%}+%%{-4,[0,1]%%}+%%{1,[0,0]%%}] at parameters values [71.707969239,78.6493344628]-2/abs(a)*a^2/a*(1/2*ln(abs(-sqrt(a))*sqrt(a*x+1)+sqrt(a*(a*x+1)-a)))/sq
```

$\text{rt}(a) - 1/2 * \sqrt{a * (a * x + 1) - a} * \sqrt{a * x + 1} / a + (\sqrt{2} - \ln(\text{abs}(-\sqrt{2} * \sqrt{a} + \sqrt{a}))) / 2 / \sqrt{a}$

**maple** [B] time = 0.01, size = 86, normalized size = 2.53

$$\frac{\sqrt{-a^2x^2 + 1} \sqrt{-ax + 1} \left( \ln \left( \frac{2ax + 2\sqrt{(ax+1)x} \sqrt{a+1}}{2\sqrt{a}} \right) + 2\sqrt{(ax+1)x} \sqrt{a} \right) \sqrt{x}}{2(ax-1)\sqrt{(ax+1)x} \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-a^2*x^2+1)^(1/2)/x^(1/2)/(-a*x+1)^(1/2), x)`

[Out]  $-1/2 * (-a^2 * x^2 + 1)^{1/2} * x^{1/2} * (-a * x + 1)^{1/2} * (2 * ((a * x + 1) * x)^{1/2} * a^{1/2} + \ln(1/2 * (2 * ((a * x + 1) * x)^{1/2} * a^{1/2} + 2 * a * x + 1) / a^{1/2})) / (a * x - 1) / ((a * x + 1) * x)^{1/2} / a^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a^2x^2 + 1}}{\sqrt{-ax + 1} \sqrt{x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a^2*x^2+1)^(1/2)/x^(1/2)/(-a*x+1)^(1/2), x, algorithm="maxima")`

[Out] `integrate(sqrt(-a^2*x^2 + 1)/(sqrt(-a*x + 1)*sqrt(x)), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sqrt{1 - a^2 x^2}}{\sqrt{x} \sqrt{1 - a x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1 - a^2*x^2)^(1/2)/(x^(1/2)*(1 - a*x)^(1/2)), x)`

[Out] `int((1 - a^2*x^2)^(1/2)/(x^(1/2)*(1 - a*x)^(1/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(ax-1)(ax+1)}}{\sqrt{x} \sqrt{-ax+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-a**2*x**2+1)**(1/2)/x**(1/2)/(-a*x+1)**(1/2), x)`

[Out] `Integral(sqrt(-(a*x - 1)*(a*x + 1))/(sqrt(x)*sqrt(-a*x + 1)), x)`

### 3.224 $\int \sqrt{x} \sqrt{1-ax} dx$

**Optimal.** Leaf size=63

$$\frac{\sin^{-1}(\sqrt{a}\sqrt{x})}{4a^{3/2}} + \frac{1}{2}x^{3/2}\sqrt{1-ax} - \frac{\sqrt{x}\sqrt{1-ax}}{4a}$$

**Rubi [A]** time = 0.02, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {50, 54, 216}

$$\frac{\sin^{-1}(\sqrt{a}\sqrt{x})}{4a^{3/2}} + \frac{1}{2}x^{3/2}\sqrt{1-ax} - \frac{\sqrt{x}\sqrt{1-ax}}{4a}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[x]\*Sqrt[1 - a\*x], x]

[Out] -(Sqrt[x]\*Sqrt[1 - a\*x])/(4\*a) + (x^(3/2)\*Sqrt[1 - a\*x])/2 + ArcSin[Sqrt[a]\*Sqrt[x]]/(4\*a^(3/2))

#### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[
m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 54

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]), x_Symbol] := Dis
t[2/Sqrt[b], Subst[Int[1/Sqrt[b*c - a*d + d*x^2], x], x, Sqrt[a + b*x]], x]
/; FreeQ[{a, b, c, d}, x] && GtQ[b*c - a*d, 0] && GtQ[b, 0]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned}
\int \sqrt{x} \sqrt{1-ax} \, dx &= \frac{1}{2} x^{3/2} \sqrt{1-ax} + \frac{1}{4} \int \frac{\sqrt{x}}{\sqrt{1-ax}} \, dx \\
&= -\frac{\sqrt{x} \sqrt{1-ax}}{4a} + \frac{1}{2} x^{3/2} \sqrt{1-ax} + \frac{\int \frac{1}{\sqrt{x} \sqrt{1-ax}} \, dx}{8a} \\
&= -\frac{\sqrt{x} \sqrt{1-ax}}{4a} + \frac{1}{2} x^{3/2} \sqrt{1-ax} + \frac{\text{Subst}\left(\int \frac{1}{\sqrt{1-ax^2}} \, dx, x, \sqrt{x}\right)}{4a} \\
&= -\frac{\sqrt{x} \sqrt{1-ax}}{4a} + \frac{1}{2} x^{3/2} \sqrt{1-ax} + \frac{\sin^{-1}(\sqrt{a} \sqrt{x})}{4a^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 49, normalized size = 0.78

$$\frac{\sqrt{a} \sqrt{x} \sqrt{1-ax} (2ax-1) + \sin^{-1}(\sqrt{a} \sqrt{x})}{4a^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[x]\*Sqrt[1-a\*x],x]

[Out] (Sqrt[a]\*Sqrt[x]\*Sqrt[1-a\*x]\*(-1+2\*a\*x) + ArcSin[Sqrt[a]\*Sqrt[x]])/(4\*a^(3/2))

**IntegrateAlgebraic [A]** time = 0.09, size = 74, normalized size = 1.17

$$\frac{\sqrt{-a} \log(\sqrt{1-ax} - \sqrt{-a} \sqrt{x})}{4a^2} + \frac{\sqrt{1-ax} (2ax^{3/2} - \sqrt{x})}{4a}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[x]\*Sqrt[1-a\*x],x]

[Out] (Sqrt[1-a\*x]\*(-Sqrt[x]+2\*a\*x^(3/2)))/(4\*a) + (Sqrt[-a]\*Log[-(Sqrt[-a]\*Sqrt[x]) + Sqrt[1-a\*x]])/(4\*a^2)

**fricas [A]** time = 0.41, size = 111, normalized size = 1.76

$$\left[ \frac{2(2a^2x-a)\sqrt{-ax+1}\sqrt{x} - \sqrt{-a} \log(-2ax+2\sqrt{-ax+1}\sqrt{-a}\sqrt{x}+1)}{8a^2}, \frac{(2a^2x-a)\sqrt{-ax+1}\sqrt{x} - \sqrt{-a} \arctan\left(\frac{\sqrt{-ax+1}}{\sqrt{a}\sqrt{x}}\right)}{4a^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(1/2)*(-a*x+1)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/8*(2*(2*a^2*x - a)*sqrt(-a*x + 1)*sqrt(x) - sqrt(-a)*log(-2*a*x + 2*sqrt(-a*x + 1)*sqrt(-a)*sqrt(x) + 1))/a^2, 1/4*((2*a^2*x - a)*sqrt(-a*x + 1)*sqrt(x) - sqrt(a)*arctan(sqrt(-a*x + 1)/(sqrt(a)*sqrt(x))))/a^2]
```

```
giac [F(-2)]    time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(1/2)*(-a*x+1)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,%%{4,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}+%%{4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,0]%%}+%%{-4,[1,3]%%}+%%{-12,[1,2]%%}+%%{52,[1,1]%%}+%%{-4,[1,0]%%}+%%{-4,[0,3]%%}+%%{4,[0,2]%%}+%%{4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{1,[4,4]%%}+%%{-4,[4,3]%%}+%%{6,[4,2]%%}+%%{-4,[4,1]%%}+%%{1,[4,0]%%}+%%{4,[3,4]%%}+%%{-8,[3,3]%%}+%%{8,[3,2]%%}+%%{-8,[3,1]%%}+%%{4,[3,0]%%}+%%{6,[2,4]%%}+%%{-8,[2,3]%%}+%%{20,[2,2]%%}+%%{-8,[2,1]%%}+%%{6,[2,0]%%}+%%{4,[1,4]%%}+%%{-8,[1,3]%%}+%%{8,[1,2]%%}+%%{-8,[1,1]%%}+%%{4,[1,0]%%}+%%{1,[0,4]%%}+%%{-4,[0,3]%%}+%%{6,[0,2]%%}+%%{-4,[0,1]%%}+%%{1,[0,0]%%}] at parameters values [-41.1343540126,25.838873679]Warning, choosing root of [1,0,%%{4,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}+%%{4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,0]%%}+%%{-4,[1,3]%%}+%%{-12,[1,2]%%}+%%{52,[1,1]%%}+%%{-4,[1,0]%%}+%%{-4,[0,3]%%}+%%{4,[0,2]%%}+%%{4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{1,[4,4]%%}+%%{-4,[4,3]%%}+%%{6,[4,2]%%}+%%{-4,[4,1]%%}+%%{1,[4,0]%%}+%%{4,[3,4]%%}+%%{-8,[3,3]%%}+%%{8,[3,2]%%}+%%{-8,[3,1]%%}+%%{4,[3,0]%%}+%%{6,[2,4]%%}+%%{-8,[2,3]%%}+%%{20,[2,2]%%}+%%{-8,[2,1]%%}+%%{6,[2,0]%%}+%%{4,[1,4]%%}+%%{-8,[1,3]%%}+%%{8,[1,2]%%}+%%{-8,[1,1]%%}+%%{4,[1,0]%%}+%%{1,[0,4]%%}+%%{-4,[0,3]%%}+%%{6,[0,2]%%}+%%{-4,[0,1]%%}+%%{1,[0,0]%%}] at parameters values [-67.0714422017,15.451549686]Warning, choosing root of [1,0,%%{4,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}+%%{4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}+%%{4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}+%%{4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}+%%{4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%}] at parameters values [-41.1343540126,25.838873679]Warning, choosing root of [1,0,%%{4,[1,1]%%}+%%{4,[1,0]%%}+%%{-4,[0,1]%%}+%%{-4,[0,0]%%},0,%%{6,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}+%%{4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%},0,%%{4,[3,3]%%}+%%{-4,[3,2]%%}+%%{-4,[3,1]%%}+%%{4,[3,0]%%}+%%{4,[2,3]%%}+%%{-52,[2,2]%%}+%%{12,[2,1]%%}+%%{4,[2,2]%%}+%%{4,[2,1]%%}+%%{6,[2,0]%%}+%%{-4,[1,2]%%}+%%{-16,[1,1]%%}+%%{-4,[1,0]%%}+%%{6,[0,2]%%}+%%{4,[0,1]%%}+%%{6,[0,0]%%}] at parameters values [-67.0714422017,15.451549686]
```

```

%%{4, [2, 0]%%}+%%{-4, [1, 3]%%}+%%{-12, [1, 2]%%}+%%{52, [1, 1]%%}+%%{-4, [
1, 0]%%}+%%{-4, [0, 3]%%}+%%{4, [0, 2]%%}+%%{4, [0, 1]%%}+%%{-4, [0, 0]%%},
0,%%{1, [4, 4]%%}+%%{-4, [4, 3]%%}+%%{6, [4, 2]%%}+%%{-4, [4, 1]%%}+%%{1, [
4, 0]%%}+%%{4, [3, 4]%%}+%%{-8, [3, 3]%%}+%%{8, [3, 2]%%}+%%{-8, [3, 1]%%}+
%%{4, [3, 0]%%}+%%{6, [2, 4]%%}+%%{-8, [2, 3]%%}+%%{20, [2, 2]%%}+%%{-8, [2
, 1]%%}+%%{6, [2, 0]%%}+%%{4, [1, 4]%%}+%%{-8, [1, 3]%%}+%%{8, [1, 2]%%}+
%%{-8, [1, 1]%%}+%%{4, [1, 0]%%}+%%{1, [0, 4]%%}+%%{-4, [0, 3]%%}+%%{6, [0, 2]
%%}+%%{-4, [0, 1]%%}+%%{1, [0, 0]%%}] at parameters values [-46.2420096635
, 81.9516051291]Warning, choosing root of [1, 0,%%{4, [1, 1]%%}+%%{4, [1, 0]%%
}+%%{-4, [0, 1]%%}+%%{-4, [0, 0]%%}, 0,%%{6, [2, 2]%%}+%%{4, [2, 1]%%}+%%{
6, [2, 0]%%}+%%{-4, [1, 2]%%}+%%{-16, [1, 1]%%}+%%{-4, [1, 0]%%}+%%{6, [0, 2]
%%}+%%{4, [0, 1]%%}+%%{6, [0, 0]%%}, 0,%%{4, [3, 3]%%}+%%{-4, [3, 2]%%}+%%{
-4, [3, 1]%%}+%%{4, [3, 0]%%}+%%{4, [2, 3]%%}+%%{-52, [2, 2]%%}+%%{12, [2, 1]
%%}+%%{4, [2, 0]%%}+%%{-4, [1, 3]%%}+%%{-12, [1, 2]%%}+%%{52, [1, 1]%%}+
%%{-4, [1, 0]%%}+%%{-4, [0, 3]%%}+%%{4, [0, 2]%%}+%%{4, [0, 1]%%}+%%{-4, [0,
0]%%}, 0,%%{1, [4, 4]%%}+%%{-4, [4, 3]%%}+%%{6, [4, 2]%%}+%%{-4, [4, 1]%%}+
%%{1, [4, 0]%%}+%%{4, [3, 4]%%}+%%{-8, [3, 3]%%}+%%{8, [3, 2]%%}+%%{-8, [3,
1]%%}+%%{4, [3, 0]%%}+%%{6, [2, 4]%%}+%%{-8, [2, 3]%%}+%%{20, [2, 2]%%}+
%%{-8, [2, 1]%%}+%%{6, [2, 0]%%}+%%{4, [1, 4]%%}+%%{-8, [1, 3]%%}+%%{8, [1, 2]
%%}+%%{-8, [1, 1]%%}+%%{4, [1, 0]%%}+%%{1, [0, 4]%%}+%%{-4, [0, 3]%%}+%%{
6, [0, 2]%%}+%%{-4, [0, 1]%%}+%%{1, [0, 0]%%}] at parameters values [-82.594
7937798, 51.6443148847]1/a*(-2*a*abs(a)/a^2/a*(2*(1/8*sqrt(-a*x+1)*sqrt(-a*x
+1)-5/16)*sqrt(-a*x+1)*sqrt(-a*(-a*x+1)+a)+6*a/16/sqrt(-a)*ln(abs(sqrt(-a*(
-a*x+1)+a)-sqrt(-a)*sqrt(-a*x+1))))-2*abs(a)/a^2*(1/2*sqrt(-a*x+1)*sqrt(-a*
(-a*x+1)+a)-2*a/4/sqrt(-a)*ln(abs(sqrt(-a*(-a*x+1)+a)-sqrt(-a)*sqrt(-a*x+1)
))))

```

**maple [A]** time = 0.00, size = 79, normalized size = 1.25

$$\frac{\sqrt{-ax+1} x^{\frac{3}{2}}}{2} - \frac{\sqrt{-ax+1} \sqrt{x}}{4a} + \frac{\sqrt{(-ax+1)x} \arctan\left(\frac{\left(x-\frac{1}{2a}\right)\sqrt{a}}{\sqrt{-ax^2+x}}\right)}{8\sqrt{-ax+1} a^{\frac{3}{2}}\sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a\*x+1)^(1/2)\*x^(1/2), x)

[Out] 1/2\*x^(3/2)\*(-a\*x+1)^(1/2)-1/4\*x^(1/2)\*(-a\*x+1)^(1/2)/a+1/8/a^(3/2)\*((-a\*x+1)\*x)^(1/2)/(-a\*x+1)^(1/2)/x^(1/2)\*arctan((x-1/2/a)/(-a\*x^2+x)^(1/2)\*a^(1/2))

**maxima [A]** time = 0.96, size = 82, normalized size = 1.30

$$\frac{\frac{\sqrt{-ax+1}a}{\sqrt{x}} - \frac{(-ax+1)^{\frac{3}{2}}}{x^{\frac{3}{2}}}}{4\left(a^3 - \frac{2(ax-1)a^2}{x} + \frac{(ax-1)^2a}{x^2}\right)} - \frac{\arctan\left(\frac{\sqrt{-ax+1}}{\sqrt{a}\sqrt{x}}\right)}{4a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1/2)\*(-a\*x+1)^(1/2),x, algorithm="maxima")

[Out] 1/4\*(sqrt(-a\*x + 1)\*a/sqrt(x) - (-a\*x + 1)^(3/2)/x^(3/2))/(a^3 - 2\*(a\*x - 1)\*a^2/x + (a\*x - 1)^2\*a/x^2) - 1/4\*arctan(sqrt(-a\*x + 1)/(sqrt(a)\*sqrt(x)))/a^(3/2)

**mupad [B]** time = 2.60, size = 54, normalized size = 0.86

$$\sqrt{x} \left( \frac{x}{2} - \frac{1}{4a} \right) \sqrt{1-ax} - \frac{\ln\left(2\sqrt{-a}\sqrt{x}\sqrt{1-ax} - 2ax + 1\right)}{8(-a)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(1/2)\*(1 - a\*x)^(1/2),x)

[Out] x^(1/2)\*(x/2 - 1/(4\*a))\*(1 - a\*x)^(1/2) - log(2\*(-a)^(1/2)\*x^(1/2)\*(1 - a\*x)^(1/2) - 2\*a\*x + 1)/(8\*(-a)^(3/2))

**sympy [A]** time = 3.39, size = 148, normalized size = 2.35

$$\begin{cases} \frac{iax^{\frac{5}{2}}}{2\sqrt{ax-1}} - \frac{3ix^{\frac{3}{2}}}{4\sqrt{ax-1}} + \frac{i\sqrt{x}}{4a\sqrt{ax-1}} - \frac{i\operatorname{acosh}(\sqrt{a}\sqrt{x})}{4a^{\frac{3}{2}}} & \text{for } |ax| > 1 \\ -\frac{ax^{\frac{5}{2}}}{2\sqrt{-ax+1}} + \frac{3x^{\frac{3}{2}}}{4\sqrt{-ax+1}} - \frac{\sqrt{x}}{4a\sqrt{-ax+1}} + \frac{\operatorname{asin}(\sqrt{a}\sqrt{x})}{4a^{\frac{3}{2}}} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*(1/2)\*(-a\*x+1)\*\*(1/2),x)

[Out] Piecewise((I\*a\*x\*\*(5/2)/(2\*sqrt(a\*x - 1)) - 3\*I\*x\*\*(3/2)/(4\*sqrt(a\*x - 1)) + I\*sqrt(x)/(4\*a\*sqrt(a\*x - 1)) - I\*acosh(sqrt(a)\*sqrt(x))/(4\*a\*\*(3/2)), Abs(a\*x) > 1), (-a\*x\*\*(5/2)/(2\*sqrt(-a\*x + 1)) + 3\*x\*\*(3/2)/(4\*sqrt(-a\*x + 1)) - sqrt(x)/(4\*a\*sqrt(-a\*x + 1)) + asin(sqrt(a)\*sqrt(x))/(4\*a\*\*(3/2)), True))

$$3.225 \quad \int \frac{\sqrt{x} \sqrt{1-a^2x^2}}{\sqrt{1+ax}} dx$$

**Optimal.** Leaf size=63

$$\frac{\sin^{-1}(\sqrt{a}\sqrt{x})}{4a^{3/2}} + \frac{1}{2}x^{3/2}\sqrt{1-ax} - \frac{\sqrt{x}\sqrt{1-ax}}{4a}$$

**Rubi [A]** time = 0.03, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {848, 50, 54, 216}

$$\frac{\sin^{-1}(\sqrt{a}\sqrt{x})}{4a^{3/2}} + \frac{1}{2}x^{3/2}\sqrt{1-ax} - \frac{\sqrt{x}\sqrt{1-ax}}{4a}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[x]\*Sqrt[1 - a^2\*x^2])/Sqrt[1 + a\*x], x]

[Out] -(Sqrt[x]\*Sqrt[1 - a\*x])/(4\*a) + (x^(3/2)\*Sqrt[1 - a\*x])/2 + ArcSin[Sqrt[a]\*Sqrt[x]]/(4\*a^(3/2))

#### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 54

Int[1/(Sqrt[(a\_.) + (b\_.)\*(x\_)]\*Sqrt[(c\_.) + (d\_.)\*(x\_)]), x\_Symbol] :> Dist[2/Sqrt[b], Subst[Int[1/Sqrt[b\*c - a\*d + d\*x^2], x], x, Sqrt[a + b\*x]], x] /; FreeQ[{a, b, c, d}, x] && GtQ[b\*c - a\*d, 0] && GtQ[b, 0]

#### Rule 216

Int[1/Sqrt[(a\_.) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 848

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p,



$x] /; \text{FreeQ}\{a, c, d, e, f, g, m, n\}, x\} \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{EqQ}[c*d^2 + a*e^2, 0] \&\& (\text{IntegerQ}[p] \mid\mid (\text{GtQ}[a, 0] \&\& \text{GtQ}[d, 0] \&\& \text{EqQ}[m + p, 0]))$

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{x} \sqrt{1 - a^2 x^2}}{\sqrt{1 + ax}} dx &= \int \sqrt{x} \sqrt{1 - ax} dx \\
 &= \frac{1}{2} x^{3/2} \sqrt{1 - ax} + \frac{1}{4} \int \frac{\sqrt{x}}{\sqrt{1 - ax}} dx \\
 &= -\frac{\sqrt{x} \sqrt{1 - ax}}{4a} + \frac{1}{2} x^{3/2} \sqrt{1 - ax} + \frac{\int \frac{1}{\sqrt{x} \sqrt{1 - ax}} dx}{8a} \\
 &= -\frac{\sqrt{x} \sqrt{1 - ax}}{4a} + \frac{1}{2} x^{3/2} \sqrt{1 - ax} + \frac{\text{Subst}\left(\int \frac{1}{\sqrt{1 - ax^2}} dx, x, \sqrt{x}\right)}{4a} \\
 &= -\frac{\sqrt{x} \sqrt{1 - ax}}{4a} + \frac{1}{2} x^{3/2} \sqrt{1 - ax} + \frac{\sin^{-1}(\sqrt{a} \sqrt{x})}{4a^{3/2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 49, normalized size = 0.78

$$\frac{\sqrt{a} \sqrt{x} \sqrt{1 - ax} (2ax - 1) + \sin^{-1}(\sqrt{a} \sqrt{x})}{4a^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[x]\*Sqrt[1 - a^2\*x^2])/Sqrt[1 + a\*x], x]

[Out] (Sqrt[a]\*Sqrt[x]\*Sqrt[1 - a\*x]\*(-1 + 2\*a\*x) + ArcSin[Sqrt[a]\*Sqrt[x]])/(4\*a^(3/2))

**IntegrateAlgebraic [F]** time = 2.02, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x} \sqrt{1 - a^2 x^2}}{\sqrt{1 + ax}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(Sqrt[x]\*Sqrt[1 - a^2\*x^2])/Sqrt[1 + a\*x], x]

[Out] Defer[IntegrateAlgebraic][(Sqrt[x]\*Sqrt[1 - a^2\*x^2])/Sqrt[1 + a\*x], x]

**fricas** [B] time = 0.45, size = 221, normalized size = 3.51

$$\left[ \frac{4\sqrt{-a^2x^2+1}(2a^2x-a)\sqrt{ax+1}\sqrt{x} - (ax+1)\sqrt{-a}\log\left(\frac{-8a^3x^3-4\sqrt{-a^2x^2+1}(2ax-1)\sqrt{ax+1}\sqrt{-a}\sqrt{x}-7ax+1}{ax+1}\right)}{16(a^3x+a^2)}, \frac{2\sqrt{-a^2x^2+1}(2a^2x-a)\sqrt{ax+1}\sqrt{x} - (ax+1)\sqrt{a}\arctan\left(\frac{2\sqrt{-a^2x^2+1}\sqrt{ax+1}\sqrt{a}\sqrt{x}}{2a^2x^2+ax-1}\right)}{8(a^3x+a^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1/2)\*(-a^2\*x^2+1)^(1/2)/(a\*x+1)^(1/2),x, algorithm="fricas")

[Out] [1/16\*(4\*sqrt(-a^2\*x^2 + 1)\*(2\*a^2\*x - a)\*sqrt(a\*x + 1)\*sqrt(x) - (a\*x + 1)\*sqrt(-a)\*log(-(8\*a^3\*x^3 - 4\*sqrt(-a^2\*x^2 + 1)\*(2\*a\*x - 1)\*sqrt(a\*x + 1)\*sqrt(-a)\*sqrt(x) - 7\*a\*x + 1)/(a\*x + 1)))/(a^3\*x + a^2), 1/8\*(2\*sqrt(-a^2\*x^2 + 1)\*(2\*a^2\*x - a)\*sqrt(a\*x + 1)\*sqrt(x) - (a\*x + 1)\*sqrt(a)\*arctan(2\*sqrt(-a^2\*x^2 + 1)\*sqrt(a\*x + 1)\*sqrt(a)\*sqrt(x)/(2\*a^2\*x^2 + a\*x - 1)))/(a^3\*x + a^2)]

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1/2)\*(-a^2\*x^2+1)^(1/2)/(a\*x+1)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [B] time = 0.01, size = 92, normalized size = 1.46

$$\frac{\sqrt{-a^2x^2+1}\left(4\sqrt{-(ax-1)x}a^{\frac{3}{2}}x + \arctan\left(\frac{2ax-1}{2\sqrt{-(ax-1)x}\sqrt{a}}\right) - 2\sqrt{-(ax-1)x}\sqrt{a}\right)\sqrt{x}}{8\sqrt{ax+1}\sqrt{-(ax-1)x}a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(1/2)\*(-a^2\*x^2+1)^(1/2)/(a\*x+1)^(1/2),x)

[Out] 1/8\*x^(1/2)\*(-a^2\*x^2+1)^(1/2)/a^(3/2)\*(4\*x\*a^(3/2)\*(-(a\*x-1)\*x)^(1/2)-2\*(-(a\*x-1)\*x)^(1/2)\*a^(1/2)+arctan(1/2\*(2\*a\*x-1)/(-(a\*x-1)\*x)^(1/2)/a^(1/2)))/(a\*x+1)^(1/2)/(-(a\*x-1)\*x)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a^2x^2+1}\sqrt{x}}{\sqrt{ax+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(1/2)*(-a^2*x^2+1)^(1/2)/(a*x+1)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(-a^2*x^2 + 1)*sqrt(x)/sqrt(a*x + 1), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{x} \sqrt{1 - a^2 x^2}}{\sqrt{ax + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^(1/2)*(1 - a^2*x^2)^(1/2))/(a*x + 1)^(1/2),x)`

[Out] `int((x^(1/2)*(1 - a^2*x^2)^(1/2))/(a*x + 1)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x} \sqrt{-(ax - 1)(ax + 1)}}{\sqrt{ax + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**(1/2)*(-a**2*x**2+1)**(1/2)/(a*x+1)**(1/2),x)`

[Out] `Integral(sqrt(x)*sqrt(-(a*x - 1)*(a*x + 1))/sqrt(a*x + 1), x)`

$$3.226 \quad \int \frac{x\sqrt{1+x}}{1+x^2} dx$$

Optimal. Leaf size=214

$$2\sqrt{x+1} + \frac{1}{2}\sqrt{\frac{1}{2}(1+\sqrt{2})} \log\left(x - \sqrt{2(1+\sqrt{2})}\sqrt{x+1} + \sqrt{2} + 1\right) - \frac{1}{2}\sqrt{\frac{1}{2}(1+\sqrt{2})} \log\left(x + \sqrt{2(1+\sqrt{2})}\sqrt{x+1} + \sqrt{2} + 1\right)$$

**Rubi [A]** time = 0.25, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$ , Rules used = {825, 827, 1169, 634, 618, 204, 628}

$$2\sqrt{x+1} + \frac{1}{2}\sqrt{\frac{1}{2}(1+\sqrt{2})} \log\left(x - \sqrt{2(1+\sqrt{2})}\sqrt{x+1} + \sqrt{2} + 1\right) - \frac{1}{2}\sqrt{\frac{1}{2}(1+\sqrt{2})} \log\left(x + \sqrt{2(1+\sqrt{2})}\sqrt{x+1} + \sqrt{2} + 1\right) + \frac{\tan^{-1}\left(\frac{\sqrt{2(1+\sqrt{2})-2\sqrt{x+1}}}{\sqrt{2(\sqrt{2}-1)}}\right)}{\sqrt{2(1+\sqrt{2})}} - \frac{\tan^{-1}\left(\frac{2\sqrt{x+1}+\sqrt{2(1+\sqrt{2})}}{\sqrt{2(\sqrt{2}-1)}}\right)}{\sqrt{2(1+\sqrt{2})}}$$

Antiderivative was successfully verified.

[In] Int[(x\*Sqrt[1 + x])/(1 + x^2), x]

[Out] 2\*Sqrt[1 + x] + ArcTan[(Sqrt[2\*(1 + Sqrt[2])]] - 2\*Sqrt[1 + x])/Sqrt[2\*(-1 + Sqrt[2])]]/Sqrt[2\*(1 + Sqrt[2])] - ArcTan[(Sqrt[2\*(1 + Sqrt[2])]] + 2\*Sqrt[1 + x])/Sqrt[2\*(-1 + Sqrt[2])]]/Sqrt[2\*(1 + Sqrt[2])] + (Sqrt[(1 + Sqrt[2])/2]\*Log[1 + Sqrt[2] + x - Sqrt[2\*(1 + Sqrt[2])]\*Sqrt[1 + x]])/2 - (Sqrt[(1 + Sqrt[2])/2]\*Log[1 + Sqrt[2] + x + Sqrt[2\*(1 + Sqrt[2])]\*Sqrt[1 + x]])/2

Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 825

```
Int[(((d_.) + (e_.)*(x_)^m)*((f_.) + (g_.)*(x_)))/((a_) + (c_.)*(x_)^2), x_Symbol] := Simp[(g*(d + e*x)^m)/(c*m), x] + Dist[1/c, Int[((d + e*x)^(m - 1)*Simp[c*d*f - a*e*g + (g*c*d + c*e*f)*x, x])/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && FractionQ[m] && GtQ[m, 0]
```

Rule 827

```
Int[((f_.) + (g_.)*(x_))/(Sqrt[(d_.) + (e_.)*(x_)]*((a_) + (c_.)*(x_)^2)), x_Symbol] := Dist[2, Subst[Int[(e*f - d*g + g*x^2)/(c*d^2 + a*e^2 - 2*c*d*x^2 + c*x^4), x], x, Sqrt[d + e*x]], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 1169

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{x\sqrt{1+x}}{1+x^2} dx &= 2\sqrt{1+x} + \int \frac{-1+x}{\sqrt{1+x}(1+x^2)} dx \\
&= 2\sqrt{1+x} + 2 \operatorname{Subst} \left( \int \frac{-2+x^2}{2-2x^2+x^4} dx, x, \sqrt{1+x} \right) \\
&= 2\sqrt{1+x} + \frac{\operatorname{Subst} \left( \int \frac{-2\sqrt{2(1+\sqrt{2})} - (-2-\sqrt{2})x}{\sqrt{2}-\sqrt{2(1+\sqrt{2})}x+x^2} dx, x, \sqrt{1+x} \right)}{2\sqrt{1+\sqrt{2}}} + \frac{\operatorname{Subst} \left( \int \frac{-2\sqrt{2(1+\sqrt{2})} + (-2-\sqrt{2})x}{\sqrt{2}+\sqrt{2(1+\sqrt{2})}x+x^2} dx, x, \sqrt{1+x} \right)}{2\sqrt{1+\sqrt{2}}} \\
&= 2\sqrt{1+x} - \frac{1}{2}\sqrt{3-2\sqrt{2}} \operatorname{Subst} \left( \int \frac{1}{\sqrt{2}-\sqrt{2(1+\sqrt{2})}x+x^2} dx, x, \sqrt{1+x} \right) - \frac{1}{2}\sqrt{3-2\sqrt{2}} \operatorname{Subst} \left( \int \frac{1}{\sqrt{2}+\sqrt{2(1+\sqrt{2})}x+x^2} dx, x, \sqrt{1+x} \right) \\
&= 2\sqrt{1+x} + \frac{1}{2}\sqrt{\frac{1}{2}(1+\sqrt{2})} \log \left( 1 + \sqrt{2} + x - \sqrt{2(1+\sqrt{2})} \sqrt{1+x} \right) - \frac{1}{2}\sqrt{\frac{1}{2}(1+\sqrt{2})} \log \left( 1 + \sqrt{2} + x + \sqrt{2(1+\sqrt{2})} \sqrt{1+x} \right) \\
&= 2\sqrt{1+x} + \sqrt{\frac{1}{2}(-1+\sqrt{2})} \tan^{-1} \left( \frac{\sqrt{2(1+\sqrt{2})} - 2\sqrt{1+x}}{\sqrt{2(-1+\sqrt{2})}} \right) - \sqrt{\frac{1}{2}(-1+\sqrt{2})} \tan^{-1} \left( \frac{\sqrt{2(1+\sqrt{2})} + 2\sqrt{1+x}}{\sqrt{2(-1+\sqrt{2})}} \right)
\end{aligned}$$

**Mathematica** [C] time = 0.04, size = 60, normalized size = 0.28

$$2\sqrt{x+1} - \sqrt{1-i} \tanh^{-1} \left( \frac{\sqrt{x+1}}{\sqrt{1-i}} \right) - \sqrt{1+i} \tanh^{-1} \left( \frac{\sqrt{x+1}}{\sqrt{1+i}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Sqrt[1 + x])/(1 + x^2), x]

[Out] 2\*Sqrt[1 + x] - Sqrt[1 - I]\*ArcTanh[Sqrt[1 + x]/Sqrt[1 - I]] - Sqrt[1 + I]\*ArcTanh[Sqrt[1 + x]/Sqrt[1 + I]]

**IntegrateAlgebraic** [C] time = 0.38, size = 68, normalized size = 0.32

$$2\sqrt{x+1} - \sqrt{-1+i} \tan^{-1} \left( \sqrt{-\frac{1}{2} - \frac{i}{2}} \sqrt{x+1} \right) - \sqrt{-1-i} \tan^{-1} \left( \sqrt{-\frac{1}{2} + \frac{i}{2}} \sqrt{x+1} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*Sqrt[1 + x])/(1 + x^2), x]

[Out]  $2\sqrt{1+x} - \sqrt{-1+I}\operatorname{ArcTan}[\sqrt{-1/2-I/2}\sqrt{1+x}] - \sqrt{-1-I}\operatorname{ArcTan}[\sqrt{-1/2+I/2}\sqrt{1+x}]$

**fricas** [A] time = 0.42, size = 307, normalized size = 1.43

$\frac{1}{2}\sqrt{2}\sqrt{-1+I}\operatorname{ArcTan}\left[\frac{\sqrt{-1/2-I/2}\sqrt{1+x}}{\sqrt{-1/2+I/2}\sqrt{1+x}}\right] - \frac{1}{2}\sqrt{2}\sqrt{-1-I}\operatorname{ArcTan}\left[\frac{\sqrt{-1/2+I/2}\sqrt{1+x}}{\sqrt{-1/2-I/2}\sqrt{1+x}}\right] - \frac{1}{2}\sqrt{2}\sqrt{-1+I}\operatorname{ArcTan}\left[\frac{\sqrt{-1/2-I/2}\sqrt{1+x}}{\sqrt{-1/2+I/2}\sqrt{1+x}}\right] - \frac{1}{2}\sqrt{2}\sqrt{-1-I}\operatorname{ArcTan}\left[\frac{\sqrt{-1/2+I/2}\sqrt{1+x}}{\sqrt{-1/2-I/2}\sqrt{1+x}}\right]$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(1+x)^(1/2)/(x^2+1),x, algorithm="fricas")`

[Out]  $-1/8*2^{(1/4)}*(\sqrt{2}+2)*\sqrt{-2*\sqrt{2}+4}*\log(1/2*2^{(1/4)}*\sqrt{x+1})*(\sqrt{2}+2)*\sqrt{-2*\sqrt{2}+4}+x+\sqrt{2}+1+1/8*2^{(1/4)}*(\sqrt{2}+2)*\sqrt{-2*\sqrt{2}+4}*\log(-1/2*2^{(1/4)}*\sqrt{x+1})*(\sqrt{2}+2)*\sqrt{-2*\sqrt{2}+4}+x+\sqrt{2}+1+1/2*2^{(3/4)}*\sqrt{-2*\sqrt{2}+4}*\operatorname{arctan}(1/4*2^{(3/4)}*\sqrt{2^{(1/4)}*\sqrt{x+1}}*(\sqrt{2}+2)*\sqrt{-2*\sqrt{2}+4}+2*x+2*\sqrt{2}+2)*(\sqrt{2}+2)*\sqrt{-2*\sqrt{2}+4}-1/2*2^{(3/4)}*\sqrt{x+1}*(\sqrt{2}+1)*\sqrt{-2*\sqrt{2}+4}-\sqrt{2}-1+1/2*2^{(3/4)}*\sqrt{-2*\sqrt{2}+4}*\operatorname{arctan}(1/4*2^{(3/4)}*\sqrt{2^{(1/4)}*\sqrt{x+1}}*(\sqrt{2}+2)*\sqrt{-2*\sqrt{2}+4}+2*x+2*\sqrt{2}+2)*(\sqrt{2}+2)*\sqrt{-2*\sqrt{2}+4}-1/2*2^{(3/4)}*\sqrt{x+1}*(\sqrt{2}+1)*\sqrt{-2*\sqrt{2}+4}+\sqrt{2}+1+2*\sqrt{x+1}$

**giac** [A] time = 0.90, size = 167, normalized size = 0.78

$-\frac{1}{2}\sqrt{2}\sqrt{-2}\operatorname{arctan}\left(\frac{2^{3/4}(2^{1/4}\sqrt{2}+2+2\sqrt{x+1})}{2\sqrt{-\sqrt{2}+2}}\right) - \frac{1}{2}\sqrt{2}\sqrt{-2}\operatorname{arctan}\left(-\frac{2^{3/4}(2^{1/4}\sqrt{2}+2-2\sqrt{x+1})}{2\sqrt{-\sqrt{2}+2}}\right) - \frac{1}{4}\sqrt{2}\sqrt{2}+2\log\left(2^{1/4}\sqrt{x+1}\sqrt{\sqrt{2}+2+x+\sqrt{2}+1}\right) + \frac{1}{4}\sqrt{2}\sqrt{2}+2\log\left(-2^{1/4}\sqrt{x+1}\sqrt{\sqrt{2}+2+x+\sqrt{2}+1}\right) + 2\sqrt{x+1}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(1+x)^(1/2)/(x^2+1),x, algorithm="giac")`

[Out]  $-1/2*\sqrt{2*\sqrt{2}-2}*\operatorname{arctan}(1/2*2^{(3/4)}*(2^{(1/4)}*\sqrt{\sqrt{2}+2}+2*\sqrt{x+1})/\sqrt{-\sqrt{2}+2}) - 1/2*\sqrt{2*\sqrt{2}-2}*\operatorname{arctan}(-1/2*2^{(3/4)}*(2^{(1/4)}*\sqrt{\sqrt{2}+2}-2*\sqrt{x+1})/\sqrt{-\sqrt{2}+2}) - 1/4*\sqrt{2*\sqrt{2}+2}*\log(2^{(1/4)}*\sqrt{x+1}*\sqrt{\sqrt{2}+2+x+\sqrt{2}}+1) + 1/4*\sqrt{2*\sqrt{2}+2}*\log(-2^{(1/4)}*\sqrt{x+1}*\sqrt{\sqrt{2}+2+x+\sqrt{2}}+1) + 2*\sqrt{x+1}$

**maple** [A] time = 0.12, size = 240, normalized size = 1.12

$-\frac{\sqrt{2}\operatorname{arctan}\left(\frac{2\sqrt{x+1}-\sqrt{2+2\sqrt{2}}}{\sqrt{-2+2\sqrt{2}}}\right)}{\sqrt{-2+2\sqrt{2}}} + \frac{\operatorname{arctan}\left(\frac{2\sqrt{x+1}-\sqrt{2+2\sqrt{2}}}{\sqrt{-2+2\sqrt{2}}}\right)}{\sqrt{-2+2\sqrt{2}}} + \frac{\operatorname{arctan}\left(\frac{2\sqrt{x+1}+\sqrt{2+2\sqrt{2}}}{\sqrt{-2+2\sqrt{2}}}\right)}{\sqrt{-2+2\sqrt{2}}} - \frac{\sqrt{2}\operatorname{arctan}\left(\frac{2\sqrt{x+1}+\sqrt{2+2\sqrt{2}}}{\sqrt{-2+2\sqrt{2}}}\right)}{\sqrt{-2+2\sqrt{2}}} + \frac{\sqrt{2+2\sqrt{2}}\ln\left(x+1+\sqrt{2}-\sqrt{x+1}\sqrt{2+2\sqrt{2}}\right)}{4} - \frac{\sqrt{2+2\sqrt{2}}\ln\left(x+1+\sqrt{2}+\sqrt{x+1}\sqrt{2+2\sqrt{2}}\right)}{4} + 2\sqrt{x+1}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(x+1)^(1/2)/(x^2+1),x)`

```
[Out] 2*(x+1)^(1/2)+1/4*ln(1+x+2^(1/2)-(x+1)^(1/2))*(2+2*2^(1/2))^(1/2))*(2+2*2^(1/2))^(1/2)-1/(-2+2*2^(1/2))^(1/2)*arctan((2*(x+1)^(1/2)-(2+2*2^(1/2))^(1/2))/(-2+2*2^(1/2))^(1/2))*2^(1/2)+1/(-2+2*2^(1/2))^(1/2)*arctan((2*(x+1)^(1/2)-(2+2*2^(1/2))^(1/2))/(-2+2*2^(1/2))^(1/2))-1/4*ln(1+x+2^(1/2)+(x+1)^(1/2))*(2+2*2^(1/2))^(1/2))*(2+2*2^(1/2))^(1/2)+1/(-2+2*2^(1/2))^(1/2)*arctan((2*(x+1)^(1/2)+(2+2*2^(1/2))^(1/2))/(-2+2*2^(1/2))^(1/2))-1/(-2+2*2^(1/2))^(1/2)*arctan((2*(x+1)^(1/2)+(2+2*2^(1/2))^(1/2))/(-2+2*2^(1/2))^(1/2))*2^(1/2)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x+1}x}{x^2+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(1+x)^(1/2)/(x^2+1),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(x + 1)*x/(x^2 + 1), x)
```

**mupad** [B] time = 0.11, size = 201, normalized size = 0.94

$$2\sqrt{x+1} + \operatorname{atanh}\left(\frac{\sqrt{x+1}}{4\sqrt{\frac{\sqrt{2}}{8} + \frac{1}{8}}} - \frac{\sqrt{x+1}}{4\sqrt{\frac{1}{8} - \frac{\sqrt{2}}{8}}} + \frac{\sqrt{2}\sqrt{x+1}}{8\sqrt{\frac{1}{8} - \frac{\sqrt{2}}{8}}} + \frac{\sqrt{2}\sqrt{x+1}}{8\sqrt{\frac{\sqrt{2}}{8} + \frac{1}{8}}}\right) \left(2\sqrt{\frac{1}{8} - \frac{\sqrt{2}}{8}} - 2\sqrt{\frac{\sqrt{2}}{8} + \frac{1}{8}}\right) - \operatorname{atanh}\left(\frac{\sqrt{x+1}}{4\sqrt{\frac{1}{8} - \frac{\sqrt{2}}{8}}} + \frac{\sqrt{x+1}}{4\sqrt{\frac{\sqrt{2}}{8} + \frac{1}{8}}} - \frac{\sqrt{2}\sqrt{x+1}}{8\sqrt{\frac{1}{8} - \frac{\sqrt{2}}{8}}} + \frac{\sqrt{2}\sqrt{x+1}}{8\sqrt{\frac{\sqrt{2}}{8} + \frac{1}{8}}}\right) \left(2\sqrt{\frac{1}{8} - \frac{\sqrt{2}}{8}} + 2\sqrt{\frac{\sqrt{2}}{8} + \frac{1}{8}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(x + 1)^(1/2))/(x^2 + 1),x)
```

```
[Out] 2*(x + 1)^(1/2) + atanh((x + 1)^(1/2)/(4*(2^(1/2)/8 + 1/8)^(1/2)) - (x + 1)^(1/2)/(4*(1/8 - 2^(1/2)/8)^(1/2))) + (2^(1/2)*(x + 1)^(1/2))/(8*(1/8 - 2^(1/2)/8)^(1/2)) + (2^(1/2)*(x + 1)^(1/2))/(8*(2^(1/2)/8 + 1/8)^(1/2)))*(2*(1/8 - 2^(1/2)/8)^(1/2) - 2*(2^(1/2)/8 + 1/8)^(1/2)) - atanh((x + 1)^(1/2)/(4*(1/8 - 2^(1/2)/8)^(1/2)) + (x + 1)^(1/2)/(4*(2^(1/2)/8 + 1/8)^(1/2)) - (2^(1/2)*(x + 1)^(1/2))/(8*(1/8 - 2^(1/2)/8)^(1/2)) + (2^(1/2)*(x + 1)^(1/2))/(8*(2^(1/2)/8 + 1/8)^(1/2)))*(2*(1/8 - 2^(1/2)/8)^(1/2) + 2*(2^(1/2)/8 + 1/8)^(1/2))
```

**sympy** [A] time = 11.16, size = 68, normalized size = 0.32

$$2\sqrt{x+1} - 4\operatorname{RootSum}\left(512t^4 + 32t^2 + 1, \left(t \mapsto t \log\left(-128t^3 + \sqrt{x+1}\right)\right)\right) + 2\operatorname{RootSum}\left(128t^4 + 16t^2 + 1, \left(t \mapsto t \log\left(64t^3 + 4t + \sqrt{x+1}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(1+x)**(1/2)/(x**2+1),x)
```

```
[Out] 2*sqrt(x + 1) - 4*RootSum(512*_t**4 + 32*_t**2 + 1, Lambda(_t, _t*log(-128*_t**3 + sqrt(x + 1)))) + 2*RootSum(128*_t**4 + 16*_t**2 + 1, Lambda(_t, _t*log(64*_t**3 + 4*_t + sqrt(x + 1))))
```



$$3.227 \quad \int \frac{x^4 \sqrt{a+cx^2}}{d+ex} dx$$

**Optimal.** Leaf size=255

$$\frac{d(-a^2e^4 + 4acd^2e^2 + 8c^2d^4) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right) + (a+cx^2)^{3/2} (47cd^2 - 8ae^2)}{8c^{3/2}e^6} + \frac{d^4\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2}}\right)}{60c^2e^3} - \frac{d^4\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2}}\right)}{e^6}$$

**Rubi [A]** time = 0.63, antiderivative size = 255, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {1654, 815, 844, 217, 206, 725}

$$\frac{d(-a^2e^4 + 4acd^2e^2 + 8c^2d^4) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right) + (a+cx^2)^{3/2} (47cd^2 - 8ae^2)}{8c^{3/2}e^6} + \frac{d\sqrt{a+cx^2} (8cd^3 - cx(4cd^2 - ae^2))}{8c^5} - \frac{d^4\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2 + cd^2}}\right)}{e^6} - \frac{13d(a+cx^2)^{3/2}(d+ex)}{20ce^3} + \frac{(a+cx^2)^{3/2}(d+ex)^2}{5ce^3}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*sqrt[a + c\*x^2])/(d + e\*x), x]

[Out] (d\*(8\*c\*d^3 - e\*(4\*c\*d^2 - a\*e^2)\*x)\*sqrt[a + c\*x^2])/(8\*c\*e^5) + ((47\*c\*d^2 - 8\*a\*e^2)\*(a + c\*x^2)^(3/2))/(60\*c^2\*e^3) - (13\*d\*(d + e\*x)\*(a + c\*x^2)^(3/2))/(20\*c\*e^3) + ((d + e\*x)^2\*(a + c\*x^2)^(3/2))/(5\*c\*e^3) - (d\*(8\*c^2\*d^4 + 4\*a\*c\*d^2\*e^2 - a^2\*e^4)\*ArcTanh[(sqrt[c]\*x)/sqrt[a + c\*x^2]])/(8\*c^(3/2)\*e^6) - (d^4\*sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(sqrt[c\*d^2 + a\*e^2]\*sqrt[a + c\*x^2]]))/e^6

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

### Rule 815

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(c\*e\*f\*(m + 2\*p + 2) - g\*c\*d\*(2\*p

```

+ 1) + g*c*e*(m + 2*p + 1)*x*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1))]*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

```

### Rule 844

```

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

```

### Rule 1654

```

Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 \sqrt{a+cx^2}}{d+ex} dx &= \frac{(d+ex)^2 (a+cx^2)^{3/2}}{5ce^3} + \frac{\int \frac{\sqrt{a+cx^2} (-2ad^2e^2 - de(3cd^2+4ae^2)x - e^2(11cd^2+2ae^2)x^2 - 13cde^3x^3)}{d+ex} dx}{5ce^4} \\
&= -\frac{13d(d+ex)(a+cx^2)^{3/2}}{20ce^3} + \frac{(d+ex)^2 (a+cx^2)^{3/2}}{5ce^3} + \frac{\int \frac{\sqrt{a+cx^2} (5acd^2e^5 + 3cde^4(9cd^2 - ae^2)x + ce^5(47cd^2 - 8ae^2))}{d+ex} dx}{20c^2e^7} \\
&= \frac{(47cd^2 - 8ae^2)(a+cx^2)^{3/2}}{60c^2e^3} - \frac{13d(d+ex)(a+cx^2)^{3/2}}{20ce^3} + \frac{(d+ex)^2 (a+cx^2)^{3/2}}{5ce^3} + \frac{\int \frac{(15acd^2e^5 + 3cde^4(9cd^2 - ae^2)x + ce^5(47cd^2 - 8ae^2)) \sqrt{a+cx^2}}{d+ex} dx}{20c^2e^7} \\
&= \frac{d(8cd^3 - e(4cd^2 - ae^2)x) \sqrt{a+cx^2}}{8ce^5} + \frac{(47cd^2 - 8ae^2)(a+cx^2)^{3/2}}{60c^2e^3} - \frac{13d(d+ex)(a+cx^2)^{3/2}}{20ce^3} \\
&= \frac{d(8cd^3 - e(4cd^2 - ae^2)x) \sqrt{a+cx^2}}{8ce^5} + \frac{(47cd^2 - 8ae^2)(a+cx^2)^{3/2}}{60c^2e^3} - \frac{13d(d+ex)(a+cx^2)^{3/2}}{20ce^3} \\
&= \frac{d(8cd^3 - e(4cd^2 - ae^2)x) \sqrt{a+cx^2}}{8ce^5} + \frac{(47cd^2 - 8ae^2)(a+cx^2)^{3/2}}{60c^2e^3} - \frac{13d(d+ex)(a+cx^2)^{3/2}}{20ce^3} \\
&= \frac{d(8cd^3 - e(4cd^2 - ae^2)x) \sqrt{a+cx^2}}{8ce^5} + \frac{(47cd^2 - 8ae^2)(a+cx^2)^{3/2}}{60c^2e^3} - \frac{13d(d+ex)(a+cx^2)^{3/2}}{20ce^3}
\end{aligned}$$

**Mathematica [A]** time = 0.61, size = 259, normalized size = 1.02

$$\frac{e\sqrt{a+cx^2}(-16a^2e^4 + ace^2(40d^2 - 15dex + 8e^2x^2) + 2c^2(60d^4 - 30d^3ex + 20d^2e^2x^2 - 15de^3x^3 + 12e^4x^4)) - 120c^5d^5 \tanh^{-1}\left(\frac{\sqrt{cx}}{\sqrt{a+cx^2}}\right) - 120c^2d^4\sqrt{ae^2+cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right) + \frac{15\sqrt{a}\sqrt{e}de^2\sqrt{a+cx^2}(ae^2-4cd^2)\sinh^{-1}\left(\frac{cx}{e}\right)}{\sqrt{\frac{c^2}{e}+1}}}{120c^2e^6}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*sqrt[a + c\*x^2])/(d + e\*x), x]

[Out] (e\*sqrt[a + c\*x^2]\*(-16\*a^2\*e^4 + a\*c\*e^2\*(40\*d^2 - 15\*d\*e\*x + 8\*e^2\*x^2) + 2\*c^2\*(60\*d^4 - 30\*d^3\*e\*x + 20\*d^2\*e^2\*x^2 - 15\*d\*e^3\*x^3 + 12\*e^4\*x^4)) + (15\*sqrt[a]\*sqrt[c]\*d\*e^2\*(-4\*c\*d^2 + a\*e^2)\*sqrt[a + c\*x^2]\*ArcSinh[(sqrt[c]\*x)/sqrt[a]])/sqrt[1 + (c\*x^2)/a] - 120\*c^(5/2)\*d^5\*ArcTanh[(sqrt[c]\*x)/sqrt[a + c\*x^2]] - 120\*c^2\*d^4\*sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(sqrt[c\*d^2 + a\*e^2]\*sqrt[a + c\*x^2])])/(120\*c^2\*e^6)

**IntegrateAlgebraic [A]** time = 0.91, size = 283, normalized size = 1.11

$$\frac{\sqrt{a+cx^2}(-16a^2e^4 + 40acd^2e^2 - 15acd^3x + 8ace^4x^2 + 120c^2d^4 - 60c^2d^3ex + 40c^2d^2e^2x^2 - 30c^2de^3x^3 + 24c^2e^4x^4)}{120c^2e^6} + \frac{(-a^2de^4 + 4acd^3e^2 + 8c^2d^3)\log(\sqrt{a+cx^2} - \sqrt{cx})}{8c^{3/2}e^6} + \frac{2d^4\sqrt{-ae^2 - cd^2} \tan^{-1}\left(\frac{e\sqrt{a+cx^2}}{\sqrt{-a^2-cd^2}} + \frac{\sqrt{cx}}{\sqrt{-a^2-cd^2}} + \frac{\sqrt{e}d}{\sqrt{-a^2-cd^2}}\right)}{e^6}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4\*sqrt[a + c\*x^2])/(d + e\*x),x]

[Out] (sqrt[a + c\*x^2]\*(120\*c^2\*d^4 + 40\*a\*c\*d^2\*e^2 - 16\*a^2\*e^4 - 60\*c^2\*d^3\*e\*x - 15\*a\*c\*d\*e^3\*x + 40\*c^2\*d^2\*e^2\*x^2 + 8\*a\*c\*e^4\*x^2 - 30\*c^2\*d\*e^3\*x^3 + 24\*c^2\*e^4\*x^4))/(120\*c^2\*e^5) + (2\*d^4\*sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(sqrt[c]\*d)/sqrt[-(c\*d^2) - a\*e^2] + (sqrt[c]\*e\*x)/sqrt[-(c\*d^2) - a\*e^2] - (e\*sqrt[a + c\*x^2])/sqrt[-(c\*d^2) - a\*e^2]])/e^6 + ((8\*c^2\*d^5 + 4\*a\*c\*d^3\*e^2 - a^2\*d\*e^4)\*Log[-(sqrt[c]\*x) + sqrt[a + c\*x^2]])/(8\*c^(3/2)\*e^6)

**fricas** [A] time = 6.90, size = 1104, normalized size = 4.33

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(c\*x^2+a)^(1/2)/(e\*x+d),x, algorithm="fricas")

[Out] [1/240\*(120\*sqrt(c\*d^2 + a\*e^2)\*c^2\*d^4\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - 15\*(8\*c^2\*d^5 + 4\*a\*c\*d^3\*e^2 - a^2\*d\*e^4)\*sqrt(c)\*log(-2\*c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) + 2\*(24\*c^2\*e^5\*x^4 - 30\*c^2\*d\*e^4\*x^3 + 120\*c^2\*d^4\*e + 40\*a\*c\*d^2\*e^3 - 16\*a^2\*e^5 + 8\*(5\*c^2\*d^2\*e^3 + a\*c\*e^5)\*x^2 - 15\*(4\*c^2\*d^3\*e^2 + a\*c\*d\*e^4)\*x)\*sqrt(c\*x^2 + a)/(c^2\*e^6), -1/240\*(240\*sqrt(-c\*d^2 - a\*e^2)\*c^2\*d^4\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) + 15\*(8\*c^2\*d^5 + 4\*a\*c\*d^3\*e^2 - a^2\*d\*e^4)\*sqrt(c)\*log(-2\*c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) - 2\*(24\*c^2\*e^5\*x^4 - 30\*c^2\*d\*e^4\*x^3 + 120\*c^2\*d^4\*e + 40\*a\*c\*d^2\*e^3 - 16\*a^2\*e^5 + 8\*(5\*c^2\*d^2\*e^3 + a\*c\*e^5)\*x^2 - 15\*(4\*c^2\*d^3\*e^2 + a\*c\*d\*e^4)\*x)\*sqrt(c\*x^2 + a))/(c^2\*e^6), 1/120\*(60\*sqrt(c\*d^2 + a\*e^2)\*c^2\*d^4\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + 15\*(8\*c^2\*d^5 + 4\*a\*c\*d^3\*e^2 - a^2\*d\*e^4)\*sqrt(-c)\*arctan(sqrt(-c)\*x/sqrt(c\*x^2 + a)) + (24\*c^2\*e^5\*x^4 - 30\*c^2\*d\*e^4\*x^3 + 120\*c^2\*d^4\*e + 40\*a\*c\*d^2\*e^3 - 16\*a^2\*e^5 + 8\*(5\*c^2\*d^2\*e^3 + a\*c\*e^5)\*x^2 - 15\*(4\*c^2\*d^3\*e^2 + a\*c\*d\*e^4)\*x)\*sqrt(c\*x^2 + a))/(c^2\*e^6), -1/120\*(120\*sqrt(-c\*d^2 - a\*e^2)\*c^2\*d^4\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) - 15\*(8\*c^2\*d^5 + 4\*a\*c\*d^3\*e^2 - a^2\*d\*e^4)\*sqrt(-c)\*arctan(sqrt(-c)\*x/sqrt(c\*x^2 + a)) - (24\*c^2\*e^5\*x^4 - 30\*c^2\*d\*e^4\*x^3 + 120\*c^2\*d^4\*e + 40\*a\*c\*d^2\*e^3 - 16\*a^2\*e^5 + 8\*(5\*c^2\*d^2\*e^3 + a\*c\*e^5)\*x^2 - 15\*(4\*c^2\*d^3\*e^2 + a\*c\*d\*e^4)\*x)\*sqrt(c\*x^2 + a))/(c^2\*e^6)]

**giac** [A] time = 0.21, size = 252, normalized size = 0.99

$$\frac{2(a^6 + ad^2e^2) \arctan\left(\frac{\sqrt{c}x - \sqrt{c^2d^2 + a^2e^2}}{\sqrt{-cd^2 - a^2e^2}}\right) + \frac{1}{120} \sqrt{c^2d^2 + a^2e^2} \left(2\left(3(4xd^{11} - 5dd^{12})x + \frac{4(5c^2d^2e^{18} + a^2e^{20})d^{121}}{c^3}\right)x - \frac{15(4c^3d^2e^{17} + a^2d^2e^{19})d^{121}}{c^3}\right) + \frac{8(15c^3d^2e^{16} + 5a^2d^2e^{18} - 2a^2ce^{20})d^{121}}{c^3} + \frac{(8c^2d^2 + 4ac^2d^2e^2 - a^2\sqrt{c}d^2)^{d^{121}} \log\left(\frac{-\sqrt{c}x + \sqrt{c^2d^2 + a^2e^2}}{8c^2}\right)}{8c^2}}{\sqrt{-cd^2 - a^2e^2}}$$

Verification of antiderivative is not currently implemented for this CAS.



**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \sqrt{cx^2 + a}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4*(a + c*x^2)^(1/2))/(d + e*x),x)`

[Out] `int((x^4*(a + c*x^2)^(1/2))/(d + e*x), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sqrt{a + cx^2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(c*x**2+a)**(1/2)/(e*x+d),x)`

[Out] `Integral(x**4*sqrt(a + c*x**2)/(d + e*x), x)`

$$3.228 \quad \int \frac{x^3 \sqrt{a+cx^2}}{d+ex} dx$$

Optimal. Leaf size=211

$$\frac{(-a^2e^4 + 4acd^2e^2 + 8c^2d^4) \tanh^{-1}\left(\frac{\sqrt{cx}}{\sqrt{a+cx^2}}\right) + d^3\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right) - \sqrt{a+cx^2} (8cd^3 - ex)(4ca)}{8c^{3/2}e^5} + \frac{d^3\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^5} - \frac{\sqrt{a+cx^2} (8cd^3 - ex)(4ca)}{8ce^4}$$

**Rubi [A]** time = 0.39, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {1654, 815, 844, 217, 206, 725}

$$\frac{(-a^2e^4 + 4acd^2e^2 + 8c^2d^4) \tanh^{-1}\left(\frac{\sqrt{cx}}{\sqrt{a+cx^2}}\right) - \sqrt{a+cx^2} (8cd^3 - ex)(4cd^2 - ae^2)}{8c^{3/2}e^5} + \frac{d^3\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^5} - \frac{7d(a+cx^2)^{3/2}}{12ce^2} + \frac{(a+cx^2)^{3/2}(d+ex)}{4ce^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*sqrt[a + c\*x^2])/(d + e\*x), x]

[Out] -((8\*c\*d^3 - e\*(4\*c\*d^2 - a\*e^2)\*x)\*sqrt[a + c\*x^2])/(8\*c\*e^4) - (7\*d\*(a + c\*x^2)^(3/2))/(12\*c\*e^2) + ((d + e\*x)\*(a + c\*x^2)^(3/2))/(4\*c\*e^2) + ((8\*c^2\*d^4 + 4\*a\*c\*d^2\*e^2 - a^2\*e^4)\*ArcTanh[(sqrt[c]\*x)/sqrt[a + c\*x^2]])/(8\*c^(3/2)\*e^5) + (d^3\*sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(sqrt[c\*d^2 + a\*e^2]\*sqrt[a + c\*x^2])])/e^5

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

### Rule 815

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(c\*e\*f\*(m + 2\*p + 2) - g\*c\*d\*(2\*p

```

+ 1) + g*c*e*(m + 2*p + 1)*x*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

```

### Rule 844

```

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

```

### Rule 1654

```

Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))

```

### Rubi steps



$$\begin{aligned}
\int \frac{x^3 \sqrt{a+cx^2}}{d+ex} dx &= \frac{(d+ex)(a+cx^2)^{3/2}}{4ce^2} + \frac{\int \frac{\sqrt{a+cx^2}(-ade^2 - e(3cd^2+ae^2)x - 7cde^2x^2)}{d+ex} dx}{4ce^3} \\
&= -\frac{7d(a+cx^2)^{3/2}}{12ce^2} + \frac{(d+ex)(a+cx^2)^{3/2}}{4ce^2} + \frac{\int \frac{(-3acde^4 + 3ce^3(4cd^2 - ae^2)x)\sqrt{a+cx^2}}{d+ex} dx}{12c^2e^5} \\
&= -\frac{(8cd^3 - e(4cd^2 - ae^2)x)\sqrt{a+cx^2}}{8ce^4} - \frac{7d(a+cx^2)^{3/2}}{12ce^2} + \frac{(d+ex)(a+cx^2)^{3/2}}{4ce^2} + \frac{\int \frac{-3ac^2de^4}{d+ex} dx}{12c^2e^5} \\
&= -\frac{(8cd^3 - e(4cd^2 - ae^2)x)\sqrt{a+cx^2}}{8ce^4} - \frac{7d(a+cx^2)^{3/2}}{12ce^2} + \frac{(d+ex)(a+cx^2)^{3/2}}{4ce^2} - \frac{(d^3(cd^2 + \dots))}{12c^2e^5} \\
&= -\frac{(8cd^3 - e(4cd^2 - ae^2)x)\sqrt{a+cx^2}}{8ce^4} - \frac{7d(a+cx^2)^{3/2}}{12ce^2} + \frac{(d+ex)(a+cx^2)^{3/2}}{4ce^2} + \frac{(d^3(cd^2 + \dots))}{12c^2e^5} \\
&= -\frac{(8cd^3 - e(4cd^2 - ae^2)x)\sqrt{a+cx^2}}{8ce^4} - \frac{7d(a+cx^2)^{3/2}}{12ce^2} + \frac{(d+ex)(a+cx^2)^{3/2}}{4ce^2} + \frac{(8c^2d^4 + \dots)}{12c^2e^5}
\end{aligned}$$

**Mathematica [A]** time = 0.40, size = 225, normalized size = 1.07

$$\frac{24c^{3/2}d^4 \tanh^{-1}\left(\frac{\sqrt{cx}}{\sqrt{a+cx^2}}\right) + 24cd^3 \sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right) + e\sqrt{a+cx^2} (ae^2(3ex-8d) + c(-24d^3 + 12d^2ex - 8de^2x^2 + 6e^3x^3))}{24ce^5} - \frac{\sqrt{a}\sqrt{a+cx^2} (ae^2 - 4cd^2) \sinh^{-1}\left(\frac{\sqrt{cx}}{\sqrt{a}}\right)}{8c^{3/2}e^3\sqrt{\frac{cx^2}{a}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*Sqrt[a + c\*x^2])/(d + e\*x), x]

[Out]  $-\frac{1}{8}(\sqrt{a}*(-4*c*d^2 + a*e^2)*\sqrt{a + c*x^2}*\text{ArcSinh}[(\sqrt{c}*x)/\sqrt{a}])/(c^{(3/2)}*e^3*\sqrt{1 + (c*x^2)/a}) + (e*\sqrt{a + c*x^2}*(a*e^2*(-8*d + 3*e*x) + c*(-24*d^3 + 12*d^2*e*x - 8*d*e^2*x^2 + 6*e^3*x^3)) + 24*c^{(3/2)}*d^4*\text{ArcTanh}[(\sqrt{c}*x)/\sqrt{a + c*x^2}] + 24*c*d^3*\sqrt{c*d^2 + a*e^2}*\text{ArcTanh}[(a*e - c*d*x)/(\sqrt{c*d^2 + a*e^2}*\sqrt{a + c*x^2})])/(24*c*e^5)$

**IntegrateAlgebraic [A]** time = 0.67, size = 236, normalized size = 1.12

$$\frac{(a^2e^4 - 4acd^2e^2 - 8c^2d^4) \log(\sqrt{a+cx^2} - \sqrt{cx})}{8c^{3/2}e^5} - \frac{2d^3\sqrt{-ae^2 - cd^2} \tan^{-1}\left(\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{cx}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{cd}}{\sqrt{-ae^2 - cd^2}}\right)}{e^5} + \frac{\sqrt{a+cx^2}(-8ade^2 + 3ae^3x - 24cd^3 + 12cd^2ex - 8cde^2x^2 + 6ce^3x^3)}{24ce^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*Sqrt[a + c\*x^2])/(d + e\*x), x]

[Out]  $(\sqrt{a + c*x^2}*(-24*c*d^3 - 8*a*d*e^2 + 12*c*d^2*e*x + 3*a*e^3*x - 8*c*d*e^2*x^2 + 6*c*e^3*x^3))/(24*c*e^4) - (2*d^3*\sqrt{-(c*d^2) - a*e^2}*\text{ArcTan}[($

$\text{Sqrt}[c]*d)/\text{Sqrt}[-(c*d^2) - a*e^2] + (\text{Sqrt}[c]*e*x)/\text{Sqrt}[-(c*d^2) - a*e^2] - (e*\text{Sqrt}[a + c*x^2])/\text{Sqrt}[-(c*d^2) - a*e^2]]/e^5 + ((-8*c^2*d^4 - 4*a*c*d^2*e^2 + a^2*e^4)*\text{Log}[-(\text{Sqrt}[c]*x) + \text{Sqrt}[a + c*x^2]])/(8*c^{(3/2)}*e^5)$

**fricas** [A] time = 7.04, size = 963, normalized size = 4.56

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(c\*x^2+a)^(1/2)/(e\*x+d),x, algorithm="fricas")

[Out]  $[1/48*(24*\text{sqrt}(c*d^2 + a*e^2)*c^2*d^3*\log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*\text{sqrt}(c*d^2 + a*e^2)*(c*d*x - a*e))*\text{sqrt}(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) - 3*(8*c^2*d^4 + 4*a*c*d^2*e^2 - a^2*e^4)*\text{sqrt}(c)*\log(-2*c*x^2 + 2*\text{sqrt}(c*x^2 + a)*\text{sqrt}(c)*x - a) + 2*(6*c^2*e^4*x^3 - 8*c^2*d*e^3*x^2 - 24*c^2*d^3*e - 8*a*c*d*e^3 + 3*(4*c^2*d^2*e^2 + a*c*e^4)*x)*\text{sqrt}(c*x^2 + a))/(c^2*e^5), 1/48*(48*\text{sqrt}(-c*d^2 - a*e^2)*c^2*d^3*\arctan(\text{sqrt}(-c*d^2 - a*e^2)*(c*d*x - a*e)*\text{sqrt}(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - 3*(8*c^2*d^4 + 4*a*c*d^2*e^2 - a^2*e^4)*\text{sqrt}(c)*\log(-2*c*x^2 + 2*\text{sqrt}(c*x^2 + a)*\text{sqrt}(c)*x - a) + 2*(6*c^2*e^4*x^3 - 8*c^2*d*e^3*x^2 - 24*c^2*d^3*e - 8*a*c*d*e^3 + 3*(4*c^2*d^2*e^2 + a*c*e^4)*x)*\text{sqrt}(c*x^2 + a))/(c^2*e^5), 1/24*(12*\text{sqrt}(c*d^2 + a*e^2)*c^2*d^3*\log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*\text{sqrt}(c*d^2 + a*e^2)*(c*d*x - a*e))*\text{sqrt}(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) - 3*(8*c^2*d^4 + 4*a*c*d^2*e^2 - a^2*e^4)*\text{sqrt}(-c)*\arctan(\text{sqrt}(-c)*x/\text{sqrt}(c*x^2 + a)) + (6*c^2*e^4*x^3 - 8*c^2*d*e^3*x^2 - 24*c^2*d^3*e - 8*a*c*d*e^3 + 3*(4*c^2*d^2*e^2 + a*c*e^4)*x)*\text{sqrt}(c*x^2 + a))/(c^2*e^5), 1/24*(24*\text{sqrt}(-c*d^2 - a*e^2)*c^2*d^3*\arctan(\text{sqrt}(-c*d^2 - a*e^2)*(c*d*x - a*e)*\text{sqrt}(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - 3*(8*c^2*d^4 + 4*a*c*d^2*e^2 - a^2*e^4)*\text{sqrt}(-c)*\arctan(\text{sqrt}(-c)*x/\text{sqrt}(c*x^2 + a)) + (6*c^2*e^4*x^3 - 8*c^2*d*e^3*x^2 - 24*c^2*d^3*e - 8*a*c*d*e^3 + 3*(4*c^2*d^2*e^2 + a*c*e^4)*x)*\text{sqrt}(c*x^2 + a))/(c^2*e^5)]$

**giac** [A] time = 0.22, size = 201, normalized size = 0.95

$$\frac{2(cd^5 + ad^3e^2) \arctan\left(\frac{(\sqrt{cx - \sqrt{cx^2 + a}})^{e^2} + \sqrt{cd}}{\sqrt{-cd^2 - ae^2}}\right) e^{(-5)} + \frac{1}{24} \sqrt{cx^2 + a} \left(2(3xe^{(-1)} - 4de^{(-2)})x + \frac{3(4c^2d^2e^{12} + ace^{14})e^{(-15)}}{c^2}\right) x - \frac{8(3c^2d^3e^{11} + acde^{13})e^{(-15)}}{c^2}}{8c^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(c\*x^2+a)^(1/2)/(e\*x+d),x, algorithm="giac")

[Out]  $-2*(c*d^5 + a*d^3*e^2)*\arctan(-((\text{sqrt}(c)*x - \text{sqrt}(c*x^2 + a))*e + \text{sqrt}(c)*d)/\text{sqrt}(-c*d^2 - a*e^2))*e^{(-5)}/\text{sqrt}(-c*d^2 - a*e^2) + 1/24*\text{sqrt}(c*x^2 + a)*((2*(3*x*e^{(-1)} - 4*d*e^{(-2)})*x + 3*(4*c^2*d^2*e^{12} + a*c*e^{14})*e^{(-15)})/c^2$

) \* x - 8 \* (3 \* c^2 \* d^3 \* e^11 + a \* c \* d \* e^13) \* e^(-15) / c^2) - 1/8 \* (8 \* c^2 \* d^4 + 4 \* a \* c \* d^2 \* e^2 - a^2 \* e^4) \* e^(-5) \* log(abs(-sqrt(c) \* x + sqrt(c \* x^2 + a))) / c^(3/2)

**maple [B]** time = 0.01, size = 515, normalized size = 2.44

$$\frac{a d^3 \ln\left(\frac{\sqrt{3c^2 d^2 + a^2} \sqrt{c x^2 + a} - \sqrt{3c^2 d^2 + a^2} \sqrt{c x^2 + a}}{c x^2 + a}\right)}{\sqrt{3c^2 d^2 + a^2}} + \frac{c d^3 \ln\left(\frac{\sqrt{3c^2 d^2 + a^2} \sqrt{c x^2 + a} - \sqrt{3c^2 d^2 + a^2} \sqrt{c x^2 + a}}{c x^2 + a}\right)}{\sqrt{3c^2 d^2 + a^2}} - \frac{a^2 \ln(\sqrt{c} x + \sqrt{c x^2 + a})}{8 c^2 e} + \frac{a d^2 \ln(\sqrt{c} x + \sqrt{c x^2 + a})}{2 \sqrt{c} e^3} + \frac{\sqrt{c} d^4 \ln\left(\frac{\sqrt{3c^2 d^2 + a^2} \sqrt{c x^2 + a} - \sqrt{3c^2 d^2 + a^2} \sqrt{c x^2 + a}}{c x^2 + a}\right)}{e^5} + \frac{\sqrt{a + \frac{c d^2}{e^2}} d^3 \operatorname{arsinh}\left(\frac{c x}{\sqrt{a c}} - \frac{a e}{\sqrt{a c} |e x + d|}\right)}{e^4} - \frac{\sqrt{c x^2 + a} d^3}{e^4} - \frac{(c x^2 + a)^{\frac{3}{2}} d}{3 c e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(c\*x^2+a)^(1/2)/(e\*x+d), x)

[Out] 1/4/e\*x\*(c\*x^2+a)^(3/2)/c-1/8/e\*a/c\*x\*(c\*x^2+a)^(1/2)-1/8/e\*a^2/c^(3/2)\*ln(c^(1/2)\*x+(c\*x^2+a)^(1/2))-1/3\*d\*(c\*x^2+a)^(3/2)/c/e^2+1/2\*d^2/e^3\*x\*(c\*x^2+a)^(1/2)+1/2\*d^2/e^3\*a/c^(1/2)\*ln(c^(1/2)\*x+(c\*x^2+a)^(1/2))-d^3/e^4\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2)+d^4/e^5\*c^(1/2)\*ln((-c\*d/e+(x+d/e)\*c)/c^(1/2)+(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))+d^3/e^4/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2)^2+2\*((a\*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))/(x+d/e)\*a+d^5/e^6/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2+2\*((a\*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))/(x+d/e)\*c

**maxima [A]** time = 0.58, size = 207, normalized size = 0.98

$$\frac{\sqrt{c x^2 + a} d^2 x}{2 e^3} + \frac{(c x^2 + a)^{\frac{3}{2}} x}{4 c e} - \frac{\sqrt{c x^2 + a} a x}{8 c e} + \frac{\sqrt{c} d^4 \operatorname{arsinh}\left(\frac{c x}{\sqrt{a c}}\right)}{e^5} + \frac{a d^2 \operatorname{arsinh}\left(\frac{c x}{\sqrt{a c}}\right)}{2 \sqrt{c} e^3} - \frac{a^2 \operatorname{arsinh}\left(\frac{c x}{\sqrt{a c}}\right)}{8 c^{\frac{3}{2}} e} - \frac{\sqrt{a + \frac{c d^2}{e^2}} d^3 \operatorname{arsinh}\left(\frac{c x}{\sqrt{a c}} - \frac{a e}{\sqrt{a c} |e x + d|}\right)}{e^4} - \frac{\sqrt{c x^2 + a} d^3}{e^4} - \frac{(c x^2 + a)^{\frac{3}{2}} d}{3 c e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(c\*x^2+a)^(1/2)/(e\*x+d), x, algorithm="maxima")

[Out] 1/2\*sqrt(c\*x^2 + a)\*d^2\*x/e^3 + 1/4\*(c\*x^2 + a)^(3/2)\*x/(c\*e) - 1/8\*sqrt(c\*x^2 + a)\*a\*x/(c\*e) + sqrt(c)\*d^4\*arcsinh(c\*x/sqrt(a\*c))/e^5 + 1/2\*a\*d^2\*arcsinh(c\*x/sqrt(a\*c))/(sqrt(c)\*e^3) - 1/8\*a^2\*arcsinh(c\*x/sqrt(a\*c))/(c^(3/2)\*e) - sqrt(a + c\*d^2/e^2)\*d^3\*arcsinh(c\*d\*x/(sqrt(a\*c)\*abs(e\*x + d)) - a\*e/(sqrt(a\*c)\*abs(e\*x + d)))/e^4 - sqrt(c\*x^2 + a)\*d^3/e^4 - 1/3\*(c\*x^2 + a)^(3/2)\*d/(c\*e^2)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 \sqrt{c x^2 + a}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3\*(a + c\*x^2)^(1/2))/(d + e\*x), x)

```
[Out] int((x^3*(a + c*x^2)^(1/2))/(d + e*x), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^3 \sqrt{a + cx^2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(c*x**2+a)**(1/2)/(e*x+d),x)
```

```
[Out] Integral(x**3*sqrt(a + c*x**2)/(d + e*x), x)
```

$$3.229 \quad \int \frac{x^2 \sqrt{a+cx^2}}{d+ex} dx$$

**Optimal.** Leaf size=153

$$\frac{d^2 \sqrt{ae^2 + cd^2} \tanh^{-1} \left( \frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}} \right)}{e^4} - \frac{d(ae^2 + 2cd^2) \tanh^{-1} \left( \frac{\sqrt{c}x}{\sqrt{a+cx^2}} \right)}{2\sqrt{c}e^4} + \frac{d\sqrt{a+cx^2}(2d-ex)}{2e^3} + \frac{(a+cx^2)^{3/2}}{3ce}$$

**Rubi [A]** time = 0.21, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$ , Rules used = {1654, 12, 815, 844, 217, 206, 725}

$$\frac{d^2 \sqrt{ae^2 + cd^2} \tanh^{-1} \left( \frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}} \right)}{e^4} - \frac{d(ae^2 + 2cd^2) \tanh^{-1} \left( \frac{\sqrt{c}x}{\sqrt{a+cx^2}} \right)}{2\sqrt{c}e^4} + \frac{d\sqrt{a+cx^2}(2d-ex)}{2e^3} + \frac{(a+cx^2)^{3/2}}{3ce}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*Sqrt[a + c\*x^2])/(d + e\*x), x]

[Out] (d\*(2\*d - e\*x)\*Sqrt[a + c\*x^2])/(2\*e^3) + (a + c\*x^2)^(3/2)/(3\*c\*e) - (d\*(2\*c\*d^2 + a\*e^2)\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]])/(2\*Sqrt[c]\*e^4) - (d^2\*Sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]))/e^4

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ

[{a, c, d, e}, x]

### Rule 815

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p + 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 \sqrt{a+cx^2}}{d+ex} dx &= \frac{(a+cx^2)^{3/2}}{3ce} + \frac{\int -\frac{3cdex\sqrt{a+cx^2}}{d+ex} dx}{3ce^2} \\
&= \frac{(a+cx^2)^{3/2}}{3ce} - \frac{d \int \frac{x\sqrt{a+cx^2}}{d+ex} dx}{e} \\
&= \frac{d(2d-ex)\sqrt{a+cx^2}}{2e^3} + \frac{(a+cx^2)^{3/2}}{3ce} - \frac{d \int \frac{-acde+c(2cd^2+ae^2)x}{(d+ex)\sqrt{a+cx^2}} dx}{2ce^3} \\
&= \frac{d(2d-ex)\sqrt{a+cx^2}}{2e^3} + \frac{(a+cx^2)^{3/2}}{3ce} + \frac{(d^2(cd^2+ae^2)) \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{e^4} - \frac{(d(2cd^2+ae^2))}{2e^4} \\
&= \frac{d(2d-ex)\sqrt{a+cx^2}}{2e^3} + \frac{(a+cx^2)^{3/2}}{3ce} - \frac{(d^2(cd^2+ae^2)) \operatorname{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{e^4} \\
&= \frac{d(2d-ex)\sqrt{a+cx^2}}{2e^3} + \frac{(a+cx^2)^{3/2}}{3ce} - \frac{d(2cd^2+ae^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{2\sqrt{c}e^4} - \frac{d^2\sqrt{cd^2+ae^2} \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{2\sqrt{c}e^4}
\end{aligned}$$

**Mathematica [A]** time = 0.32, size = 193, normalized size = 1.26

$$\frac{-6c^{3/2}d^3 \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right) + e\sqrt{a+cx^2}(2ae^2 + c(6d^2 - 3dex + 2e^2x^2)) - 6cd^2\sqrt{ae^2+cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right) - \frac{3\sqrt{a}\sqrt{c}de^2\sqrt{a+cx^2} \sinh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{\sqrt{\frac{cx^2}{a}+1}}}{6ce^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*Sqrt[a + c\*x^2])/(d + e\*x), x]

[Out] (e\*Sqrt[a + c\*x^2]\*(2\*a\*e^2 + c\*(6\*d^2 - 3\*d\*e\*x + 2\*e^2\*x^2)) - (3\*Sqrt[a]\*Sqrt[c]\*d\*e^2\*Sqrt[a + c\*x^2]\*ArcSinh[(Sqrt[c]\*x)/Sqrt[a]])/Sqrt[1 + (c\*x^2)/a] - 6\*c^(3/2)\*d^3\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]] - 6\*c\*d^2\*Sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])]/(6\*c\*e^4)

**IntegrateAlgebraic [A]** time = 0.59, size = 203, normalized size = 1.33

$$\frac{(ade^2 + 2cd^3) \log(\sqrt{a+cx^2} - \sqrt{c}x)}{2\sqrt{c}e^4} + \frac{2d^2\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 - cd^2}}\right)}{e^4} + \frac{\sqrt{a+cx^2}(2ae^2 + 6cd^2 - 3cdex + 2ce^2x^2)}{6ce^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*Sqrt[a + c\*x^2])/(d + e\*x), x]

[Out]  $(\sqrt{a + cx^2} * (6 * cd^2 + 2 * a * e^2 - 3 * c * d * e * x + 2 * c * e^2 * x^2)) / (6 * c * e^3) + (2 * d^2 * \sqrt{-(c * d^2) - a * e^2} * \text{ArcTan}[(\sqrt{c} * d) / \sqrt{-(c * d^2) - a * e^2}] + (\sqrt{c} * e * x) / \sqrt{-(c * d^2) - a * e^2} - (e * \sqrt{a + cx^2}) / \sqrt{-(c * d^2) - a * e^2}) / e^4 + ((2 * c * d^3 + a * d * e^2) * \text{Log}[-(\sqrt{c} * x) + \sqrt{a + cx^2}]) / (2 * \sqrt{c} * e^4)$

**fricas [A]** time = 0.69, size = 776, normalized size = 5.07

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(c*x^2+a)^(1/2)/(e*x+d),x, algorithm="fricas")`

[Out]  $[1/12 * (6 * \sqrt{cd^2 + ae^2} * cd^2 * \log((2 * a * c * d * e * x - a * c * d^2 - 2 * a^2 * e^2 - (2 * c^2 * d^2 + a * c * e^2) * x^2 - 2 * \sqrt{cd^2 + ae^2} * (c * d * x - a * e) * \sqrt{c * x^2 + a})) / (e^2 * x^2 + 2 * d * e * x + d^2)) + 3 * (2 * c * d^3 + a * d * e^2) * \sqrt{c} * \log(-2 * c * x^2 + 2 * \sqrt{c * x^2 + a} * \sqrt{c} * x - a) + 2 * (2 * c * e^3 * x^2 - 3 * c * d * e^2 * x + 6 * c * d^2 * e + 2 * a * e^3) * \sqrt{c * x^2 + a} / (c * e^4), -1/12 * (12 * \sqrt{-(c * d^2) - a * e^2} * cd^2 * \arctan(\sqrt{-(c * d^2) - a * e^2} * (c * d * x - a * e) * \sqrt{c * x^2 + a} / (a * c * d^2 + a^2 * e^2 + (c^2 * d^2 + a * c * e^2) * x^2)) - 3 * (2 * c * d^3 + a * d * e^2) * \sqrt{c} * \log(-2 * c * x^2 + 2 * \sqrt{c * x^2 + a} * \sqrt{c} * x - a) - 2 * (2 * c * e^3 * x^2 - 3 * c * d * e^2 * x + 6 * c * d^2 * e + 2 * a * e^3) * \sqrt{c * x^2 + a} / (c * e^4), 1/6 * (3 * \sqrt{cd^2 + ae^2} * cd^2 * \log((2 * a * c * d * e * x - a * c * d^2 - 2 * a^2 * e^2 - (2 * c^2 * d^2 + a * c * e^2) * x^2 - 2 * \sqrt{cd^2 + ae^2} * (c * d * x - a * e) * \sqrt{c * x^2 + a})) / (e^2 * x^2 + 2 * d * e * x + d^2)) + 3 * (2 * c * d^3 + a * d * e^2) * \sqrt{-c} * \arctan(\sqrt{-c} * x / \sqrt{c * x^2 + a}) + (2 * c * e^3 * x^2 - 3 * c * d * e^2 * x + 6 * c * d^2 * e + 2 * a * e^3) * \sqrt{c * x^2 + a} / (c * e^4), -1/6 * (6 * \sqrt{-(c * d^2) - a * e^2} * cd^2 * \arctan(\sqrt{-(c * d^2) - a * e^2} * (c * d * x - a * e) * \sqrt{c * x^2 + a} / (a * c * d^2 + a^2 * e^2 + (c^2 * d^2 + a * c * e^2) * x^2)) - 3 * (2 * c * d^3 + a * d * e^2) * \sqrt{-c} * \arctan(\sqrt{-c} * x / \sqrt{c * x^2 + a}) - (2 * c * e^3 * x^2 - 3 * c * d * e^2 * x + 6 * c * d^2 * e + 2 * a * e^3) * \sqrt{c * x^2 + a} / (c * e^4)]$

**giac [A]** time = 0.21, size = 157, normalized size = 1.03

$$\frac{2(cd^4 + ad^2e^2) \arctan\left(\frac{(\sqrt{cx - \sqrt{cx^2 + a}}e + \sqrt{cd})e^{-4}}{\sqrt{-cd^2 - ae^2}}\right)}{\sqrt{-cd^2 - ae^2}} + \frac{(2cd^3 + ade^2)e^{-4} \log\left(\left|-\sqrt{c}x + \sqrt{cx^2 + a}\right|\right)}{2\sqrt{c}} + \frac{1}{6} \sqrt{cx^2 + a} \left(2xe^{(-1)} - 3de^{(-2)}\right)x + \frac{2(3cd^2e^7 + ae^9)e^{(-10)}}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(c*x^2+a)^(1/2)/(e*x+d),x, algorithm="giac")`

[Out]  $2 * (c * d^4 + a * d^2 * e^2) * \arctan(-((\sqrt{c} * x - \sqrt{c * x^2 + a}) * e + \sqrt{c} * d) / \sqrt{-(c * d^2) - a * e^2}) * e^{-4} / \sqrt{-(c * d^2) - a * e^2} + 1/2 * (2 * c * d^3 + a * d * e^2) * e^{-4} * \log(\text{abs}(-\sqrt{c} * x + \sqrt{c * x^2 + a})) / \sqrt{c} + 1/6 * \sqrt{c * x^2 + a} * ((2 * x * e^{-1}) - 3 * d * e^{-2}) * x + 2 * (3 * c * d^2 * e^7 + a * e^9) * e^{-10} / c$



**maple [B]** time = 0.01, size = 448, normalized size = 2.93

$$\frac{a d^2 \ln \left( \frac{\sqrt{\frac{d^2+c^2 x^2}{e^2}} + \frac{2 c^2 d x + d^2}{e^2} \sqrt{\frac{d^2+c^2 x^2}{e^2}}}{\sqrt{\frac{d^2+c^2 x^2}{e^2}}} \right) + c d^2 \ln \left( \frac{\sqrt{\frac{d^2+c^2 x^2}{e^2}} + \frac{2 c^2 d x + d^2}{e^2} \sqrt{\frac{d^2+c^2 x^2}{e^2}}}{\sqrt{\frac{d^2+c^2 x^2}{e^2}}} \right)}{\sqrt{\frac{d^2+c^2 x^2}{e^2}}} - \frac{a d \ln(\sqrt{c x^2 + a})}{2 \sqrt{c} e^2} - \frac{\sqrt{c} d^3 \ln \left( \frac{\frac{d^2+c^2 x^2}{e^2} + \sqrt{\frac{d^2+c^2 x^2}{e^2}}}{\sqrt{c}} + \sqrt{\frac{d^2+c^2 x^2}{e^2}} + \left( x + \frac{d}{e} \right)^2 c + \frac{d^2+c^2 x^2}{e^2} \right)}{e^4} - \frac{\sqrt{c x^2 + a} d x}{2 e^2} + \frac{\sqrt{\frac{d^2+c^2 x^2}{e^2}}}{e^3} + \frac{\left( x + \frac{d}{e} \right)^2 c + \frac{d^2+c^2 x^2}{e^2}}{e^3} + \frac{(c x^2 + a)^{\frac{3}{2}}}{3 c e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(c\*x^2+a)^(1/2)/(e\*x+d), x)

[Out]  $\frac{1}{3} (c x^2 + a)^{3/2} / (c e - 1/2 d e^2) x + (c x^2 + a)^{1/2} / e^2 * d * a / c^{1/2} * \ln(c^{1/2} * x + (c x^2 + a)^{1/2}) + d^2 / e^3 * (-2 * (x + d/e) * c * d / e + (x + d/e)^2 * c + (a * e^2 + c * d^2) / e^2)^{1/2} - d^3 / e^4 * c^{1/2} * \ln((-c * d / e + (x + d/e) * c) / c^{1/2} + (-2 * (x + d/e) * c * d / e + (x + d/e)^2 * c + (a * e^2 + c * d^2) / e^2)^{1/2}) - d^2 / e^3 * ((a * e^2 + c * d^2) / e^2)^{1/2} * \ln((-2 * (x + d/e) * c * d / e + 2 * (a * e^2 + c * d^2) / e^2 + 2 * ((a * e^2 + c * d^2) / e^2)^{1/2} * (-2 * (x + d/e) * c * d / e + (x + d/e)^2 * c + (a * e^2 + c * d^2) / e^2)^{1/2}) / (x + d/e)) * a - d^4 / e^5 * ((a * e^2 + c * d^2) / e^2)^{1/2} * \ln((-2 * (x + d/e) * c * d / e + 2 * (a * e^2 + c * d^2) / e^2 + 2 * ((a * e^2 + c * d^2) / e^2)^{1/2} * (-2 * (x + d/e) * c * d / e + (x + d/e)^2 * c + (a * e^2 + c * d^2) / e^2)^{1/2}) / (x + d/e)) * c$

**maxima [A]** time = 0.52, size = 144, normalized size = 0.94

$$\frac{\sqrt{c x^2 + a} d x}{2 e^2} - \frac{\sqrt{c} d^3 \operatorname{arsinh}\left(\frac{c x}{\sqrt{a c}}\right)}{e^4} - \frac{a d \operatorname{arsinh}\left(\frac{c x}{\sqrt{a c}}\right)}{2 \sqrt{c} e^2} + \frac{\sqrt{a + \frac{c d^2}{e^2}} d^2 \operatorname{arsinh}\left(\frac{c d x}{\sqrt{a c} |e x + d|} - \frac{a e}{\sqrt{a c} |e x + d|}\right)}{e^3} + \frac{\sqrt{c x^2 + a} d^2}{e^3} + \frac{(c x^2 + a)^{\frac{3}{2}}}{3 c e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(c\*x^2+a)^(1/2)/(e\*x+d), x, algorithm="maxima")

[Out]  $-1/2 * \sqrt{c x^2 + a} * d * x / e^2 - \sqrt{c} * d^3 * \operatorname{arcsinh}(c x / \sqrt{a c}) / e^4 - 1/2 * a * d * \operatorname{arcsinh}(c x / \sqrt{a c}) / (\sqrt{c} * e^2) + \sqrt{a + c * d^2 / e^2} * d^2 * \operatorname{arcsinh}(c * d * x / (\sqrt{a c} * \operatorname{abs}(e * x + d)) - a * e / (\sqrt{a c} * \operatorname{abs}(e * x + d))) / e^3 + \sqrt{c x^2 + a} * d^2 / e^3 + 1/3 * (c x^2 + a)^{3/2} / (c * e)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 \sqrt{c x^2 + a}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(a + c\*x^2)^(1/2))/(d + e\*x), x)

[Out] int((x^2\*(a + c\*x^2)^(1/2))/(d + e\*x), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sqrt{a + c x^2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(c*x**2+a)**(1/2)/(e*x+d), x)
```

```
[Out] Integral(x**2*sqrt(a + c*x**2)/(d + e*x), x)
```

$$3.230 \quad \int \frac{x\sqrt{a+cx^2}}{d+ex} dx$$

Optimal. Leaf size=127

$$\frac{(ae^2 + 2cd^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{2\sqrt{c}e^3} + \frac{d\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^3} - \frac{\sqrt{a+cx^2}(2d-ex)}{2e^2}$$

**Rubi** [A] time = 0.11, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {815, 844, 217, 206, 725}

$$\frac{(ae^2 + 2cd^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{2\sqrt{c}e^3} + \frac{d\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^3} - \frac{\sqrt{a+cx^2}(2d-ex)}{2e^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*Sqrt[a + c\*x^2])/(d + e\*x),x]

[Out] -((2\*d - e\*x)\*Sqrt[a + c\*x^2])/(2\*e^2) + ((2\*c\*d^2 + a\*e^2)\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]])/(2\*Sqrt[c]\*e^3) + (d\*Sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/e^3

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 815

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(c\*e\*f\*(m + 2\*p + 2) - g\*c\*d\*(2\*p

```

+ 1) + g*c*e*(m + 2*p + 1)*x*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILT
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

```

### Rule 844

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x\sqrt{a+cx^2}}{d+ex} dx &= -\frac{(2d-ex)\sqrt{a+cx^2}}{2e^2} + \frac{\int \frac{-acde+c(2cd^2+ae^2)x}{(d+ex)\sqrt{a+cx^2}} dx}{2ce^2} \\
&= -\frac{(2d-ex)\sqrt{a+cx^2}}{2e^2} - \frac{(d(cd^2+ae^2)) \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{e^3} + \frac{(2cd^2+ae^2) \int \frac{1}{\sqrt{a+cx^2}} dx}{2e^3} \\
&= -\frac{(2d-ex)\sqrt{a+cx^2}}{2e^2} + \frac{(d(cd^2+ae^2)) \operatorname{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{e^3} + \frac{(2cd^2+ae^2) \operatorname{Subst}\left(\int \frac{1}{\sqrt{a+cx^2}} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{2e^3} \\
&= -\frac{(2d-ex)\sqrt{a+cx^2}}{2e^2} + \frac{(2cd^2+ae^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{2\sqrt{c}e^3} + \frac{d\sqrt{cd^2+ae^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.28, size = 175, normalized size = 1.38

$$\frac{a^{3/2}e^2 \sqrt{\frac{cx^2}{a}+1} \sinh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right) + 2d\sqrt{ae^2+cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right) + 2\sqrt{c}d^2 \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right) - 2de\sqrt{a+cx^2} + e^2x\sqrt{a+cx^2}}{2e^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*Sqrt[a + c*x^2])/(d + e*x), x]
```

```
[Out] (-2*d*e*Sqrt[a + c*x^2] + e^2*x*Sqrt[a + c*x^2] + (a^(3/2)*e^2*Sqrt[1 + (c*x^2)/a]*ArcSinh[(Sqrt[c]*x)/Sqrt[a]])/(Sqrt[c]*Sqrt[a + c*x^2]) + 2*Sqrt[c]
```

$d^2 \text{ArcTanh}[\text{Sqrt}[c]x/\text{Sqrt}[a + cx^2]] + 2d\text{Sqrt}[cd^2 + ae^2]\text{ArcTanh}[(ae - cd^2x)/(\text{Sqrt}[cd^2 + ae^2]\text{Sqrt}[a + cx^2])]/(2e^3)$

**IntegrateAlgebraic [A]** time = 0.47, size = 177, normalized size = 1.39

$$\frac{(-ae^2 - 2cd^2) \log(\sqrt{a + cx^2} - \sqrt{c}x)}{2\sqrt{c}e^3} - \frac{2d\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{cd}}{\sqrt{-ae^2 - cd^2}}\right)}{e^3} + \frac{\sqrt{a + cx^2}(ex - 2d)}{2e^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*Sqrt[a + c\*x^2])/(d + e\*x), x]

[Out]  $((-2*d + e*x)*\text{Sqrt}[a + c*x^2])/(2*e^2) - (2*d*\text{Sqrt}[-(c*d^2) - a*e^2]*\text{ArcTan}[(\text{Sqrt}[c]*d)/\text{Sqrt}[-(c*d^2) - a*e^2] + (\text{Sqrt}[c]*e*x)/\text{Sqrt}[-(c*d^2) - a*e^2]] - (e*\text{Sqrt}[a + c*x^2])/\text{Sqrt}[-(c*d^2) - a*e^2])/e^3 + ((-2*c*d^2 - a*e^2)*\text{Log}[-(\text{Sqrt}[c]*x) + \text{Sqrt}[a + c*x^2]])/(2*\text{Sqrt}[c]*e^3)$

**fricas [A]** time = 0.68, size = 684, normalized size = 5.39

2\*\sqrt{a+cx^2}\*\text{atan}\left(\frac{\sqrt{a+cx^2}-\sqrt{c}x}{\sqrt{-ae^2-cd^2}}\right)+\frac{2d\sqrt{-ae^2-cd^2}\text{atan}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}}+\frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}}+\frac{\sqrt{cd}}{\sqrt{-ae^2-cd^2}}\right)}{e^3}+\frac{\sqrt{a+cx^2}(ex-2d)}{2e^2}

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+a)^(1/2)/(e\*x+d), x, algorithm="fricas")

[Out]  $[1/4*(2*\text{sqrt}(cd^2 + ae^2)*cd*\log((2*a*cd*e*x - a*cd^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*\text{sqrt}(cd^2 + ae^2)*(cd*x - a)*\text{sqrt}(cx^2 + a)))/(e^2*x^2 + 2*d*e*x + d^2)) + (2*cd^2 + ae^2)*\text{sqrt}(c)*\log(-2*cx^2 - 2*\text{sqrt}(cx^2 + a)*\text{sqrt}(c)*x - a) + 2*(c*e^2*x - 2*cd*e)*\text{sqrt}(cx^2 + a)/(c*e^3), 1/4*(4*\text{sqrt}(-cd^2 - ae^2)*cd*\text{arctan}(\text{sqrt}(-cd^2 - ae^2)*(cd*x - a)*\text{sqrt}(cx^2 + a)/(a*cd^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) + (2*cd^2 + ae^2)*\text{sqrt}(c)*\log(-2*cx^2 - 2*\text{sqrt}(cx^2 + a)*\text{sqrt}(c)*x - a) + 2*(c*e^2*x - 2*cd*e)*\text{sqrt}(cx^2 + a)/(c*e^3), 1/2*(\text{sqrt}(cd^2 + ae^2)*cd*\log((2*a*cd*e*x - a*cd^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*\text{sqrt}(cd^2 + ae^2)*(cd*x - a)*\text{sqrt}(cx^2 + a)))/(e^2*x^2 + 2*d*e*x + d^2)) - (2*cd^2 + ae^2)*\text{sqrt}(-c)*\text{arctan}(\text{sqrt}(-c)*x/\text{sqrt}(cx^2 + a)) + (c*e^2*x - 2*cd*e)*\text{sqrt}(cx^2 + a)/(c*e^3), 1/2*(2*\text{sqrt}(-cd^2 - ae^2)*cd*\text{arctan}(\text{sqrt}(-cd^2 - ae^2)*(cd*x - a)*\text{sqrt}(cx^2 + a)/(a*cd^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - (2*cd^2 + ae^2)*\text{sqrt}(-c)*\text{arctan}(\text{sqrt}(-c)*x/\text{sqrt}(cx^2 + a)) + (c*e^2*x - 2*cd*e)*\text{sqrt}(cx^2 + a)/(c*e^3)]$

**giac [A]** time = 0.20, size = 135, normalized size = 1.06

$$\frac{2(cd^3 + ade^2) \arctan\left(-\frac{(\sqrt{c}x - \sqrt{cx^2 + a})e + \sqrt{cd}}{\sqrt{-cd^2 - ae^2}}\right) e^{(-3)}}{\sqrt{-cd^2 - ae^2}} - \frac{(2c^{\frac{3}{2}}d^2 + a\sqrt{c}e^2) e^{(-3)} \log\left(|-\sqrt{c}x + \sqrt{cx^2 + a}|\right)}{2c} + \frac{1}{2} \sqrt{cx^2 + a} (xe^{(-1)} - 2de^{(-2)})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+a)^(1/2)/(e\*x+d),x, algorithm="giac")

[Out]  $-2*(c*d^3 + a*d*e^2)*\arctan(-(\sqrt{c}*x - \sqrt{c*x^2 + a})*e + \sqrt{c}*d)/\sqrt{-c*d^2 - a*e^2})*e^{-3}/\sqrt{-c*d^2 - a*e^2} - 1/2*(2*c^{(3/2)*d^2 + a*\sqrt{c}*e^2)*e^{-3}*\log(\text{abs}(-\sqrt{c}*x + \sqrt{c*x^2 + a}))/c + 1/2*\sqrt{c*x^2 + a}*(x*e^{-1} - 2*d*e^{-2}))$

**maple [B]** time = 0.01, size = 423, normalized size = 3.33

$$\frac{d \ln \left( \frac{\frac{2(x+d)e}{e^2} + \frac{2c^2 d^2}{e^2} + \sqrt{\frac{c^2 d^2}{e^2} + \frac{2(x+d)e}{e^2} + \frac{2c^2 d^2}{e^2}}}{x+d} \right)}{\sqrt{\frac{c^2 d^2}{e^2} + \frac{2(x+d)e}{e^2} + \frac{2c^2 d^2}{e^2}}} + \frac{c d^3 \ln \left( \frac{-\frac{2(x+d)e}{e^2} + \frac{2c^2 d^2}{e^2} + \sqrt{\frac{c^2 d^2}{e^2} + \frac{2(x+d)e}{e^2} + \frac{2c^2 d^2}{e^2}}}{x+d} \right)}{\sqrt{\frac{c^2 d^2}{e^2} + \frac{2(x+d)e}{e^2} + \frac{2c^2 d^2}{e^2}}} + \frac{a \ln(\sqrt{c} x + \sqrt{c x^2 + a})}{2\sqrt{c}} + \frac{\sqrt{c} d^2 \ln \left( \frac{-\frac{2(x+d)e}{e^2} + \sqrt{\frac{c^2 d^2}{e^2} + \frac{2(x+d)e}{e^2} + \frac{2c^2 d^2}{e^2}}}{\sqrt{c}} + \sqrt{\frac{2(x+d)e}{e^2} + \frac{2c^2 d^2}{e^2}} + \left(x + \frac{d}{e}\right)^2 c + \frac{a^2 c d^2}{e^2} \right)}{e^3} + \frac{\sqrt{c x^2 + a} x}{2e} - \frac{\sqrt{\frac{2(x+d)e}{e^2} + \frac{2c^2 d^2}{e^2}} + \left(x + \frac{d}{e}\right)^2 c + \frac{a^2 c d^2}{e^2}}{e^2} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(c\*x^2+a)^(1/2)/(e\*x+d),x)

[Out]  $1/2/e*x*(c*x^2+a)^{(1/2)}+1/2/e*a/c^{(1/2)}*\ln(c^{(1/2)}*x+(c*x^2+a)^{(1/2)})-d/e^2*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)}+d^2/e^3*c^{(1/2)}*\ln((-c*d/e+(x+d/e)*c)/c^{(1/2)}+(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})+d/e^2/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)*a+d^3/e^4/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e))*c$

**maxima [A]** time = 0.51, size = 122, normalized size = 0.96

$$\frac{\sqrt{c x^2 + a} x}{2 e} + \frac{\sqrt{c} d^2 \operatorname{arsinh}\left(\frac{c x}{\sqrt{a c}}\right)}{e^3} + \frac{a \operatorname{arsinh}\left(\frac{c x}{\sqrt{a c}}\right)}{2 \sqrt{c} e} - \frac{\sqrt{a + \frac{c d^2}{e^2}} d \operatorname{arsinh}\left(\frac{c d x}{\sqrt{a c} |e x + d|} - \frac{a e}{\sqrt{a c} |e x + d|}\right)}{e^2} - \frac{\sqrt{c x^2 + a} d}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^2+a)^(1/2)/(e\*x+d),x, algorithm="maxima")

[Out]  $1/2*\sqrt{c*x^2 + a}*x/e + \sqrt{c}*d^2*\operatorname{arcsinh}(c*x/\sqrt{a*c})/e^3 + 1/2*a*\operatorname{arcsinh}(c*x/\sqrt{a*c})/(\sqrt{c}*e) - \sqrt{a + c*d^2/e^2}*d*\operatorname{arcsinh}(c*d*x/(\sqrt{c}*a*\text{abs}(e*x + d)) - a*e/(\sqrt{c}*a*\text{abs}(e*x + d)))/e^2 - \sqrt{c*x^2 + a}*d/e^2$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x \sqrt{c x^2 + a}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a + c*x^2)^(1/2))/(d + e*x),x)
```

```
[Out] int((x*(a + c*x^2)^(1/2))/(d + e*x), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x\sqrt{a+cx^2}}{d+ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*x**2+a)**(1/2)/(e*x+d),x)
```

```
[Out] Integral(x*sqrt(a + c*x**2)/(d + e*x), x)
```

$$3.231 \quad \int \frac{\sqrt{a+cx^2}}{d+ex} dx$$

**Optimal.** Leaf size=103

$$-\frac{\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{e^2} - \frac{\sqrt{c} d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{e^2} + \frac{\sqrt{a+cx^2}}{e}$$

**Rubi [A]** time = 0.07, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {735, 844, 217, 206, 725}

$$-\frac{\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{e^2} - \frac{\sqrt{c} d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{e^2} + \frac{\sqrt{a+cx^2}}{e}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + c\*x^2]/(d + e\*x),x]

[Out] Sqrt[a + c\*x^2]/e - (Sqrt[c]\*d\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]])/e^2 - (Sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]))/e^2

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 735

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + c\*x^2)^p)/(e\*(m + 2\*p + 1)), x] + Dist[(2\*p)/(e\*(m + 2\*p + 1)), Int[(d + e\*x)^m\*Simp[a\*e - c\*d\*x, x]\*(a + c\*x^2)^(p - 1), x],



x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && GtQ[p, 0] && NeQ[m + 2\*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2\*p, 0] && IntQuadraticQ[a, 0, c, d, e, m, p, x]

### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+cx^2}}{d+ex} dx &= \frac{\sqrt{a+cx^2}}{e} + \frac{\int \frac{ae-cdx}{(d+ex)\sqrt{a+cx^2}} dx}{e} \\ &= \frac{\sqrt{a+cx^2}}{e} + \left(a + \frac{cd^2}{e^2}\right) \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx - \frac{(cd) \int \frac{1}{\sqrt{a+cx^2}} dx}{e^2} \\ &= \frac{\sqrt{a+cx^2}}{e} + \left(-a - \frac{cd^2}{e^2}\right) \text{Subst}\left(\int \frac{1}{cd^2 + ae^2 - x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right) - \frac{(cd) \text{Subst}\left(\int \frac{1}{1-cx^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{e^2} \\ &= \frac{\sqrt{a+cx^2}}{e} - \frac{\sqrt{c} d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{e^2} - \frac{\sqrt{cd^2 + ae^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2 + ae^2} \sqrt{a+cx^2}}\right)}{e^2} \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 99, normalized size = 0.96

$$\frac{-\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2 + cd^2}}\right) - \sqrt{c} d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right) + e\sqrt{a+cx^2}}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + c\*x^2]/(d + e\*x), x]

[Out] (e\*Sqrt[a + c\*x^2] - Sqrt[c]\*d\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]] - Sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]))/e^2

**IntegrateAlgebraic [A]** time = 0.01, size = 151, normalized size = 1.47

$$\frac{2\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 - cd^2}}\right)}{e^2} + \frac{\sqrt{c} d \log\left(\sqrt{a+cx^2} - \sqrt{c}x\right)}{e^2} + \frac{\sqrt{a+cx^2}}{e}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + c\*x^2]/(d + e\*x),x]

[Out] Sqrt[a + c\*x^2]/e + (2\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2]] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2])/e^2 + (Sqrt[c]\*d\*Log[-(Sqrt[c]\*x) + Sqrt[a + c\*x^2]])/e^2

**fricas** [A] time = 0.51, size = 574, normalized size = 5.57

$$\frac{\sqrt{d} \log(-2d^2 + 2\sqrt{cd^2 + ae^2} \sqrt{cx^2 + a}) + 2\sqrt{cd^2 + ae^2} \log\left(\frac{2\sqrt{cd^2 + ae^2} \sqrt{cx^2 + a} + \sqrt{cd^2 + ae^2} \sqrt{cx^2 + a} - \sqrt{cd^2 + ae^2}}{2d^2}\right) + 2\sqrt{cd^2 + ae^2} \arctan\left(\frac{\sqrt{cd^2 + ae^2}}{\sqrt{cd^2 + ae^2}}\right) + 2\sqrt{cd^2 + ae^2} \log\left(\frac{2\sqrt{cd^2 + ae^2} \sqrt{cx^2 + a} + \sqrt{cd^2 + ae^2} \sqrt{cx^2 + a} - \sqrt{cd^2 + ae^2}}{2d^2}\right)}{2d^2} + \frac{\sqrt{cd^2 + ae^2} \log(-2d^2 + 2\sqrt{cd^2 + ae^2} \sqrt{cx^2 + a}) + 2\sqrt{cd^2 + ae^2} \arctan\left(\frac{\sqrt{cd^2 + ae^2}}{\sqrt{cd^2 + ae^2}}\right) + 2\sqrt{cd^2 + ae^2} \log\left(\frac{2\sqrt{cd^2 + ae^2} \sqrt{cx^2 + a} + \sqrt{cd^2 + ae^2} \sqrt{cx^2 + a} - \sqrt{cd^2 + ae^2}}{2d^2}\right)}{2d^2} + \frac{\sqrt{cd^2 + ae^2} \arctan\left(\frac{\sqrt{cd^2 + ae^2}}{\sqrt{cd^2 + ae^2}}\right) + \sqrt{cd^2 + ae^2} \log\left(\frac{2\sqrt{cd^2 + ae^2} \sqrt{cx^2 + a} + \sqrt{cd^2 + ae^2} \sqrt{cx^2 + a} - \sqrt{cd^2 + ae^2}}{2d^2}\right)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/(e\*x+d),x, algorithm="fricas")

[Out] [1/2\*(sqrt(c)\*d\*log(-2\*c\*x^2 + 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) + 2\*sqrt(c\*x^2 + a)\*e + sqrt(c\*d^2 + a\*e^2)\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)))/(e^2\*x^2 + 2\*d\*e\*x + d^2)))/e^2, 1/2\*(2\*sqrt(-c)\*d\*arctan(sqrt(-c)\*x/sqrt(c\*x^2 + a)) + 2\*sqrt(c\*x^2 + a)\*e + sqrt(c\*d^2 + a\*e^2)\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)))/(e^2\*x^2 + 2\*d\*e\*x + d^2)))/e^2, 1/2\*(sqrt(c)\*d\*log(-2\*c\*x^2 + 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) + 2\*sqrt(c\*x^2 + a)\*e - 2\*sqrt(-c\*d^2 - a\*e^2)\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)))/e^2, (sqrt(-c)\*d\*arctan(sqrt(-c)\*x/sqrt(c\*x^2 + a)) + sqrt(c\*x^2 + a)\*e - sqrt(-c\*d^2 - a\*e^2)\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)))/e^2]

**giac** [A] time = 0.19, size = 109, normalized size = 1.06

$$\sqrt{c} d e^{(-2)} \log\left(\left|-\sqrt{c} x + \sqrt{c x^2 + a}\right|\right) + \frac{2\left(c d^2 + a e^2\right) \arctan\left(-\frac{\left(\sqrt{c} x - \sqrt{c x^2 + a}\right) e + \sqrt{c} d}{\sqrt{-c d^2 - a e^2}}\right) e^{(-2)}}{\sqrt{-c d^2 - a e^2}} + \sqrt{c x^2 + a} e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/(e\*x+d),x, algorithm="giac")

[Out] sqrt(c)\*d\*e^(-2)\*log(abs(-sqrt(c)\*x + sqrt(c\*x^2 + a))) + 2\*(c\*d^2 + a\*e^2)\*arctan(-((sqrt(c)\*x - sqrt(c\*x^2 + a))\*e + sqrt(c)\*d)/sqrt(-c\*d^2 - a\*e^2))\*e^(-2)/sqrt(-c\*d^2 - a\*e^2) + sqrt(c\*x^2 + a)\*e^(-1)

**maple [B]** time = 0.01, size = 381, normalized size = 3.70

$$\frac{a \ln \left( \frac{-\frac{2\left(x+\frac{d}{e}\right)ed}{e^2} + \frac{2a^2+2cd^2}{e^2} + 2\sqrt{\frac{a^2+cd^2}{e^2}} \sqrt{\frac{2\left(x+\frac{d}{e}\right)ed}{e^2} + \left(x+\frac{d}{e}\right)^2 c + \frac{a^2+cd^2}{e^2}}}{x+\frac{d}{e}} \right) - c d^2 \ln \left( \frac{-\frac{2\left(x+\frac{d}{e}\right)ed}{e^2} + \frac{2a^2+2cd^2}{e^2} + 2\sqrt{\frac{a^2+cd^2}{e^2}} \sqrt{\frac{2\left(x+\frac{d}{e}\right)ed}{e^2} + \left(x+\frac{d}{e}\right)^2 c + \frac{a^2+cd^2}{e^2}}}{x+\frac{d}{e}} \right) - \sqrt{c} d \ln \left( \frac{-\frac{cd}{\sqrt{c}} + \left(x+\frac{d}{e}\right) + \sqrt{\frac{2\left(x+\frac{d}{e}\right)ed}{e^2} + \left(x+\frac{d}{e}\right)^2 c + \frac{a^2+cd^2}{e^2}}}{e^2} \right) + \sqrt{\frac{2\left(x+\frac{d}{e}\right)ed}{e^2} + \left(x+\frac{d}{e}\right)^2 c + \frac{a^2+cd^2}{e^2}}}{\sqrt{\frac{a^2+cd^2}{e^2}} e} - \frac{\sqrt{\frac{a^2+cd^2}{e^2}} e^3}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+a)^(1/2)/(e\*x+d), x)

[Out]  $\frac{1}{e} \cdot (-2 \cdot (x+d/e) \cdot c \cdot d/e + (x+d/e)^2 \cdot c + (a \cdot e^2 + c \cdot d^2)/e^2)^{(1/2)} - 1/e^2 \cdot c^{(1/2)} \cdot d \cdot \ln \left( \frac{-c \cdot d/e + (x+d/e) \cdot c}{c^{(1/2)}} + \frac{-2 \cdot (x+d/e) \cdot c \cdot d/e + (x+d/e)^2 \cdot c + (a \cdot e^2 + c \cdot d^2)/e^2}{e^2} \right)^{(1/2)} - 1/e \cdot \left( \frac{(a \cdot e^2 + c \cdot d^2)/e^2}{e^2} \right)^{(1/2)} \cdot \ln \left( \frac{-2 \cdot (x+d/e) \cdot c \cdot d/e + 2 \cdot (a \cdot e^2 + c \cdot d^2)/e^2}{e^2} + 2 \cdot \left( \frac{(a \cdot e^2 + c \cdot d^2)/e^2}{e^2} \right)^{(1/2)} \cdot \frac{-2 \cdot (x+d/e) \cdot c \cdot d/e + (x+d/e)^2 \cdot c + (a \cdot e^2 + c \cdot d^2)/e^2}{e^2} \right)^{(1/2)} / (x+d/e) \cdot a - 1/e^3 \cdot \left( \frac{(a \cdot e^2 + c \cdot d^2)/e^2}{e^2} \right)^{(1/2)} \cdot \ln \left( \frac{-2 \cdot (x+d/e) \cdot c \cdot d/e + 2 \cdot (a \cdot e^2 + c \cdot d^2)/e^2}{e^2} + 2 \cdot \left( \frac{(a \cdot e^2 + c \cdot d^2)/e^2}{e^2} \right)^{(1/2)} \cdot \frac{-2 \cdot (x+d/e) \cdot c \cdot d/e + (x+d/e)^2 \cdot c + (a \cdot e^2 + c \cdot d^2)/e^2}{e^2} \right)^{(1/2)} / (x+d/e) \cdot c \cdot d^2$

**maxima [A]** time = 0.48, size = 84, normalized size = 0.82

$$-\frac{\sqrt{c} d \operatorname{arsinh}\left(\frac{cx}{\sqrt{ac}}\right)}{e^2} + \frac{\sqrt{a + \frac{cd^2}{e^2}} \operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{e} + \frac{\sqrt{cx^2 + a}}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/(e\*x+d), x, algorithm="maxima")

[Out]  $-\sqrt{c} \cdot d \cdot \operatorname{arcsinh}(c \cdot x / \sqrt{a \cdot c}) / e^2 + \sqrt{a + c \cdot d^2 / e^2} \cdot \operatorname{arcsinh}(c \cdot d \cdot x / (\sqrt{a \cdot c} \cdot \operatorname{abs}(e \cdot x + d)) - a \cdot e / (\sqrt{a \cdot c} \cdot \operatorname{abs}(e \cdot x + d))) / e + \sqrt{c \cdot x^2 + a} / e$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{cx^2 + a}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c\*x^2)^(1/2)/(d + e\*x), x)

[Out] int((a + c\*x^2)^(1/2)/(d + e\*x), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + cx^2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+a)**(1/2)/(e*x+d),x)
```

```
[Out] Integral(sqrt(a + c*x**2)/(d + e*x), x)
```

$$3.232 \quad \int \frac{\sqrt{a+cx^2}}{x(d+ex)} dx$$

**Optimal.** Leaf size=116

$$\frac{\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{de} - \frac{\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d} + \frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{e}$$

**Rubi [A]** time = 0.10, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {896, 266, 63, 208, 844, 217, 206, 725}

$$\frac{\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{de} - \frac{\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d} + \frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{e}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + c\*x^2]/(x\*(d + e\*x)),x]

[Out] (Sqrt[c]\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]])/e + (Sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(d\*e) - (Sqrt[a]\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/d

Rule 63

Int[((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 896

```
Int[((a_) + (c_.)*(x_)^2)^(p_)/(((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))),
x_Symbol] := Dist[(c*d^2 + a*e^2)/(e*(e*f - d*g)), Int[(a + c*x^2)^(p - 1)
/(d + e*x), x], x] - Dist[1/(e*(e*f - d*g)), Int[(Simp[c*d*f + a*e*g - c*(e
*f - d*g)*x, x]*(a + c*x^2)^(p - 1))/(f + g*x), x], x] /; FreeQ[{a, c, d, e
, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && FractionQ[p] &
& GtQ[p, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+cx^2}}{x(d+ex)} dx &= -\frac{\int \frac{ae-cdx}{(d+ex)\sqrt{a+cx^2}} dx}{d} + \frac{a \int \frac{1}{x\sqrt{a+cx^2}} dx}{d} \\
&= \frac{a \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{2d} + \frac{c \int \frac{1}{\sqrt{a+cx^2}} dx}{e} - \left(\frac{cd}{e} + \frac{ae}{d}\right) \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx \\
&= \frac{a \operatorname{Subst}\left(\int \frac{1}{-\frac{a}{c} + \frac{x^2}{c}} dx, x, \sqrt{a+cx^2}\right)}{cd} + \frac{c \operatorname{Subst}\left(\int \frac{1}{1-cx^2} dx, x, \frac{x}{\sqrt{a+cx^2}}\right)}{e} - \left(-\frac{cd}{e} - \frac{ae}{d}\right) \operatorname{Subst}\left(\int \frac{1}{d+ex} dx, x, \sqrt{a+cx^2}\right) \\
&= \frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{e} + \frac{\sqrt{cd^2+ae^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{de} - \frac{\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 113, normalized size = 0.97

$$\frac{\sqrt{ae^2+cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right) + \sqrt{c}d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right) - \sqrt{a}e \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{de}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + c\*x^2]/(x\*(d + e\*x)), x]

[Out] (Sqrt[c]\*d\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]] + Sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])] - Sqrt[a]\*e\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(d\*e)

**IntegrateAlgebraic [A]** time = 0.40, size = 181, normalized size = 1.56

$$-\frac{2\sqrt{-ae^2-cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{de} + \frac{2\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}} - \frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d} - \frac{\sqrt{c} \log\left(\sqrt{a+cx^2} - \sqrt{c}x\right)}{e}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + c\*x^2]/(x\*(d + e\*x)), x]

[Out] (-2\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/(d\*e) + (2\*Sqrt[a]\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a] - Sqrt[a + c\*x^2]/Sqrt[a]])/d - (Sqrt[c]\*Log[-(Sqrt[c]\*x) + Sqrt[a + c\*x^2]])/e

**fricas [A]** time = 1.15, size = 1316, normalized size = 11.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+a)^(1/2)/x/(e*x+d),x, algorithm="fricas")
```

```
[Out] [1/2*(sqrt(c)*d*log(-2*c*x^2 - 2*sqrt(c*x^2 + a)*sqrt(c)*x - a) + sqrt(a)*e
*log(-(c*x^2 - 2*sqrt(c*x^2 + a)*sqrt(a) + 2*a)/x^2) + sqrt(c*d^2 + a*e^2)*
log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*sqrt
(c*d^2 + a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)))/
(d*e), -1/2*(2*sqrt(-c)*d*arctan(sqrt(-c)*x/sqrt(c*x^2 + a)) - sqrt(a)*e*lo
g(-(c*x^2 - 2*sqrt(c*x^2 + a)*sqrt(a) + 2*a)/x^2) - sqrt(c*d^2 + a*e^2)*log
((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*sqrt(c*
d^2 + a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)))/(d*
e), 1/2*(sqrt(c)*d*log(-2*c*x^2 - 2*sqrt(c*x^2 + a)*sqrt(c)*x - a) + sqrt(a
)*e*log(-(c*x^2 - 2*sqrt(c*x^2 + a)*sqrt(a) + 2*a)/x^2) + 2*sqrt(-c*d^2 - a
*e^2)*arctan(sqrt(-c*d^2 - a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a)/(a*c*d^2 +
a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)))/(d*e), -1/2*(2*sqrt(-c)*d*arctan(sqrt(
-c)*x/sqrt(c*x^2 + a)) - sqrt(a)*e*log(-(c*x^2 - 2*sqrt(c*x^2 + a)*sqrt(a)
+ 2*a)/x^2) - 2*sqrt(-c*d^2 - a*e^2)*arctan(sqrt(-c*d^2 - a*e^2)*(c*d*x - a
*e)*sqrt(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)))/(d*e),
1/2*(2*sqrt(-a)*e*arctan(sqrt(-a)/sqrt(c*x^2 + a)) + sqrt(c)*d*log(-2*c*x^2
- 2*sqrt(c*x^2 + a)*sqrt(c)*x - a) + sqrt(c*d^2 + a*e^2)*log((2*a*c*d*e*x
- a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*sqrt(c*d^2 + a*e^2)*(
c*d*x - a*e)*sqrt(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)))/(d*e), -1/2*(2*sq
rt(-c)*d*arctan(sqrt(-c)*x/sqrt(c*x^2 + a)) - 2*sqrt(-a)*e*arctan(sqrt(-a)/
sqrt(c*x^2 + a)) - sqrt(c*d^2 + a*e^2)*log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e
^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*sqrt(c*d^2 + a*e^2)*(c*d*x - a*e)*sqrt(c
*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)))/(d*e), 1/2*(2*sqrt(-a)*e*arctan(sqrt
(-a)/sqrt(c*x^2 + a)) + sqrt(c)*d*log(-2*c*x^2 - 2*sqrt(c*x^2 + a)*sqrt(c)*
x - a) + 2*sqrt(-c*d^2 - a*e^2)*arctan(sqrt(-c*d^2 - a*e^2)*(c*d*x - a*e)*s
qrt(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)))/(d*e), -(sqr
t(-c)*d*arctan(sqrt(-c)*x/sqrt(c*x^2 + a)) - sqrt(-a)*e*arctan(sqrt(-a)/sqr
t(c*x^2 + a)) - sqrt(-c*d^2 - a*e^2)*arctan(sqrt(-c*d^2 - a*e^2)*(c*d*x - a
*e)*sqrt(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)))/(d*e)]
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+a)^(1/2)/x/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Error: Bad Argument Type
```



**maple [B]** time = 0.01, size = 420, normalized size = 3.62

$$a \ln \left( \frac{\sqrt{\frac{2(x+d)^2 + 2a^2 + 2c^2}{e^2}} \sqrt{\frac{2(x+d)^2 + 2a^2 + 2c^2}{e^2}} \sqrt{\frac{2(x+d)^2 + 2a^2 + 2c^2}{e^2}}}{x^2} \right) + \frac{\operatorname{arctan} \left( \frac{\sqrt{\frac{2(x+d)^2 + 2a^2 + 2c^2}{e^2}}}{\sqrt{\frac{2(x+d)^2 + 2a^2 + 2c^2}{e^2}}} \right)}{\sqrt{\frac{2(x+d)^2 + 2a^2 + 2c^2}{e^2}}} - \frac{\sqrt{a} \ln \left( \frac{2a + 2\sqrt{c^2 + a^2} \sqrt{e}}{x} \right) + \sqrt{c} \ln \left( \frac{\frac{a}{\sqrt{e}} + (x+d)^2 + \sqrt{\frac{2(x+d)^2 + 2a^2 + 2c^2}{e^2}}}{e} \right)}{e} + \frac{\sqrt{c^2 + a^2}}{d} - \frac{\sqrt{\frac{2(x+d)^2 + 2a^2 + 2c^2}{e^2}}}{d} + \frac{a^2 + c^2}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+a)^(1/2)/x/(e*x+d), x)`

[Out]  $-1/d*a^{(1/2)}*\ln((2*a+2*a^{(1/2)}*(c*x^2+a)^{(1/2)})/x)+1/d*(c*x^2+a)^{(1/2)}-1/d*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)}+c^{(1/2)}/e*\ln((-c*d/e+(x+d/e)*c)/c^{(1/2)}+(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})+1/d/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)*a+d/e^2/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e))*c$

**maxima [A]** time = 0.50, size = 103, normalized size = 0.89

$$\frac{e \left( \frac{\sqrt{c} d \operatorname{arsinh}\left(\frac{cx}{\sqrt{ac}}\right)}{e^2} - \frac{\sqrt{a + \frac{cd^2}{e^2}} \operatorname{arsinh}\left(\frac{2cdx}{\sqrt{ac}|2ex+2d|} - \frac{2ae}{\sqrt{ac}|2ex+2d|}\right)}{e} - \frac{\sqrt{a} \operatorname{arsinh}\left(\frac{a}{\sqrt{ac}|x|}\right)}{e} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)^(1/2)/x/(e*x+d), x, algorithm="maxima")`

[Out]  $e*(\operatorname{sqrt}(c)*d*\operatorname{arcsinh}(c*x/\operatorname{sqrt}(a*c)))/e^2 - \operatorname{sqrt}(a + c*d^2/e^2)*\operatorname{arcsinh}(2*c*d*x/(\operatorname{sqrt}(a*c)*\operatorname{abs}(2*e*x + 2*d))) - 2*a*e/(\operatorname{sqrt}(a*c)*\operatorname{abs}(2*e*x + 2*d)))/e - \operatorname{sqrt}(a)*\operatorname{arcsinh}(a/(\operatorname{sqrt}(a*c)*\operatorname{abs}(x)))/e)/d$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{cx^2 + a}}{x(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)^(1/2)/(x*(d + e*x)), x)`

[Out] `int((a + c*x^2)^(1/2)/(x*(d + e*x)), x)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + cx^2}}{x(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+a)**(1/2)/x/(e*x+d),x)
```

```
[Out] Integral(sqrt(a + c*x**2)/(x*(d + e*x)), x)
```

$$3.233 \quad \int \frac{\sqrt{a+cx^2}}{x^2(d+ex)} dx$$

**Optimal.** Leaf size=105

$$-\frac{\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{d^2} + \frac{\sqrt{a} e \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d^2} - \frac{\sqrt{a+cx^2}}{dx}$$

**Rubi [A]** time = 0.17, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 11, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {961, 277, 217, 206, 266, 50, 63, 208, 735, 844, 725}

$$-\frac{\sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{d^2} + \frac{\sqrt{a} e \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d^2} - \frac{\sqrt{a+cx^2}}{dx}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + c\*x^2]/(x^2\*(d + e\*x)),x]

[Out] -(Sqrt[a + c\*x^2]/(d\*x)) - (Sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/d^2 + (Sqrt[a]\*e\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/d^2

### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

$Q[a, 0] \parallel LtQ[b, 0]$

### Rule 208

$Int[((a_) + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[\{a, b\}, x] \&\& NegQ[a/b]$

### Rule 217

$Int[1/Sqrt[(a_) + (b_)*(x_)^2], x\_Symbol] \rightarrow Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[\{a, b\}, x] \&\& !GtQ[a, 0]$

### Rule 266

$Int[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] \rightarrow Dist[1/n, Subst[Int[x^{(Simplify[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; FreeQ[\{a, b, m, n, p\}, x] \&\& IntegerQ[Simplify[(m + 1)/n]]$

### Rule 277

$Int[((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] \rightarrow Simp[((c*x)^{(m + 1)*(a + b*x^n)^p}/(c*(m + 1)), x] - Dist[(b*n*p)/(c^n*(m + 1)), Int[(c*x)^{(m + n)*(a + b*x^n)^{(p - 1)}}, x], x] /; FreeQ[\{a, b, c\}, x] \&\& IGtQ[n, 0] \&\& GtQ[p, 0] \&\& LtQ[m, -1] \&\& !ILtQ[(m + n*p + n + 1)/n, 0] \&\& IntBinomialQ[a, b, c, n, m, p, x]$

### Rule 725

$Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x\_Symbol] \rightarrow -Subst[Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ[\{a, c, d, e\}, x]$

### Rule 735

$Int[((d_) + (e_)*(x_))^{(m_)}*((a_) + (c_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow Simp[((d + e*x)^{(m + 1)*(a + c*x^2)^p}/(e*(m + 2*p + 1)), x] + Dist[(2*p)/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[a*e - c*d*x, x]*(a + c*x^2)^{(p - 1)}, x], x] /; FreeQ[\{a, c, d, e, m\}, x] \&\& NeQ[c*d^2 + a*e^2, 0] \&\& GtQ[p, 0] \&\& NeQ[m + 2*p + 1, 0] \&\& (!RationalQ[m] || LtQ[m, 1]) \&\& !ILtQ[m + 2*p, 0] \&\& IntQuadraticQ[a, 0, c, d, e, m, p, x]$

### Rule 844

$Int[((d_) + (e_)*(x_))^{(m_)}*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow Dist[g/e, Int[(d + e*x)^{(m + 1)*(a + c*x^2)^p}, x], x] + D$

ist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 961

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{a+cx^2}}{x^2(d+ex)} dx &= \int \left( \frac{\sqrt{a+cx^2}}{dx^2} - \frac{e\sqrt{a+cx^2}}{d^2x} + \frac{e^2\sqrt{a+cx^2}}{d^2(d+ex)} \right) dx \\
 &= \frac{\int \frac{\sqrt{a+cx^2}}{x^2} dx}{d} - \frac{e \int \frac{\sqrt{a+cx^2}}{x} dx}{d^2} + \frac{e^2 \int \frac{\sqrt{a+cx^2}}{d+ex} dx}{d^2} \\
 &= \frac{e\sqrt{a+cx^2}}{d^2} - \frac{\sqrt{a+cx^2}}{dx} + \frac{c \int \frac{1}{\sqrt{a+cx^2}} dx}{d} - \frac{e \operatorname{Subst} \left( \int \frac{\sqrt{a+cx}}{x} dx, x, x^2 \right)}{2d^2} + \frac{e \int \frac{ae-cdx}{(d+ex)\sqrt{a+cx^2}} dx}{d^2} \\
 &= -\frac{\sqrt{a+cx^2}}{dx} - \frac{c \int \frac{1}{\sqrt{a+cx^2}} dx}{d} + \frac{c \operatorname{Subst} \left( \int \frac{1}{1-cx^2} dx, x, \frac{x}{\sqrt{a+cx^2}} \right)}{d} - \frac{(ae) \operatorname{Subst} \left( \int \frac{1}{x\sqrt{a+cx}} dx, x, \frac{x}{\sqrt{a+cx^2}} \right)}{2d^2} \\
 &= -\frac{\sqrt{a+cx^2}}{dx} + \frac{\sqrt{c} \tanh^{-1} \left( \frac{\sqrt{c}x}{\sqrt{a+cx^2}} \right)}{d} - \frac{c \operatorname{Subst} \left( \int \frac{1}{1-cx^2} dx, x, \frac{x}{\sqrt{a+cx^2}} \right)}{d} - \frac{(ae) \operatorname{Subst} \left( \int \frac{1}{-\frac{a}{c} + \frac{x^2}{c}} dx, x, \frac{x}{\sqrt{a+cx^2}} \right)}{cd^2} \\
 &= -\frac{\sqrt{a+cx^2}}{dx} - \frac{\sqrt{cd^2+ae^2} \tanh^{-1} \left( \frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}} \right)}{d^2} + \frac{\sqrt{a}e \tanh^{-1} \left( \frac{\sqrt{a+cx^2}}{\sqrt{a}} \right)}{d^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.24, size = 178, normalized size = 1.70

$$\frac{-\sqrt{ae^2+cd^2} \tanh^{-1} \left( \frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}} \right) - \frac{d\sqrt{a+cx^2}}{x} + \frac{\sqrt{a}\sqrt{c}d \sqrt{\frac{cx^2}{a}+1} \sinh^{-1} \left( \frac{\sqrt{c}x}{\sqrt{a}} \right)}{\sqrt{a+cx^2}} - \sqrt{c}d \tanh^{-1} \left( \frac{\sqrt{c}x}{\sqrt{a+cx^2}} \right) + \sqrt{a}e \tanh^{-1} \left( \frac{\sqrt{a+cx^2}}{\sqrt{a}} \right)}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + c\*x^2]/(x^2\*(d + e\*x)), x]

[Out]  $\left( -\left( \frac{d\sqrt{a+cx^2}}{x} \right) + \left( \frac{\sqrt{a}\sqrt{c}d\sqrt{1+(cx^2)/a}}{a} \operatorname{ArcSinh}\left[ \frac{\sqrt{c}x}{\sqrt{a}} \right] \right) / \sqrt{a+cx^2} - \sqrt{c}d \operatorname{ArcTanh}\left[ \frac{\sqrt{c}x}{\sqrt{a}} \right] \right) / \sqrt{a+cx^2} - \sqrt{c}d \operatorname{ArcTanh}\left[ \frac{ae-cdx}{\sqrt{cd^2+ae^2}} \right] / \sqrt{a+cx^2} + \sqrt{a}e \operatorname{ArcTanh}\left[ \frac{\sqrt{a+cx^2}}{\sqrt{a}} \right] / d^2$

**IntegrateAlgebraic [A]** time = 0.45, size = 167, normalized size = 1.59

$$\frac{2\sqrt{-ae^2 - cd^2} \tan^{-1}\left(\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 - cd^2}}\right)}{d^2} - \frac{2\sqrt{a}e \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}} - \frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d^2} - \frac{\sqrt{a+cx^2}}{dx}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + c\*x^2]/(x^2\*(d + e\*x)), x]

[Out]  $-\left( \frac{\sqrt{a+cx^2}}{d*x} \right) + \left( \frac{2\sqrt{-(cd^2 - ae^2)} \operatorname{ArcTan}\left[ \frac{\sqrt{c}d}{\sqrt{-(cd^2 - ae^2)}} \right]}{\sqrt{-(cd^2 - ae^2)}} + \frac{\sqrt{c}e*x}{\sqrt{-(cd^2 - ae^2)}} - \frac{e\sqrt{a+cx^2}}{\sqrt{-(cd^2 - ae^2)}} \right) / d^2 - \left( \frac{2\sqrt{a}e \operatorname{ArcTanh}\left[ \frac{\sqrt{c}x}{\sqrt{a}} \right]}{\sqrt{a}} - \frac{\sqrt{a+cx^2}}{\sqrt{a}} \right) / d^2$

**fricas [A]** time = 0.48, size = 599, normalized size = 5.70

$$\frac{\sqrt{cx} \log\left(\frac{d^2 + \sqrt{a+cx^2}}{d^2}\right) + \sqrt{cd^2 + ae^2} \log\left(\frac{2ae^2 - cd^2 - 2\sqrt{cd^2 + ae^2} \sqrt{a+cx^2}}{2ae^2 - cd^2}\right) - 2\sqrt{cd^2 + ae^2} \operatorname{arctan}\left(\frac{\sqrt{a+cx^2}}{\sqrt{cd^2 + ae^2}}\right) + 2\sqrt{cd^2 + ae^2} \operatorname{arctan}\left(\frac{\sqrt{a}}{\sqrt{cd^2 + ae^2}}\right) + \sqrt{cd^2 + ae^2} \log\left(\frac{2ae^2 - cd^2 - 2\sqrt{cd^2 + ae^2} \sqrt{a+cx^2}}{2ae^2 - cd^2}\right) + 2\sqrt{cd^2 + ae^2} \operatorname{arctan}\left(\frac{\sqrt{a+cx^2}}{\sqrt{cd^2 + ae^2}}\right) + \sqrt{cd^2 + ae^2} \operatorname{arctan}\left(\frac{\sqrt{a}}{\sqrt{cd^2 + ae^2}}\right)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^2/(e\*x+d), x, algorithm="fricas")

[Out]  $\left[ \frac{1}{2} \left( \sqrt{a}e*x \log\left(-\frac{c*x^2 + 2\sqrt{c}x\sqrt{a} + 2a}{x^2}\right) + \sqrt{cd^2 + ae^2} \log\left(\frac{2a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 - 2*\sqrt{cd^2 + ae^2}*(c*d*x - a*e)*\sqrt{c*x^2 + a}}{e^2*x^2 + 2*d*e*x + d^2}\right) - 2*\sqrt{cd^2 + ae^2}*d / (d^2*x), \frac{1}{2} \left( \sqrt{a}e*x \log\left(-\frac{c*x^2 + 2\sqrt{c}x\sqrt{a} + 2a}{x^2}\right) - 2*\sqrt{-cd^2 - ae^2} * x * \arctan\left(\frac{\sqrt{-cd^2 - ae^2}*(c*d*x - a*e)*\sqrt{c*x^2 + a}}{a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2}\right) - 2*\sqrt{cd^2 + ae^2} * d / (d^2*x), -\frac{1}{2} \left( 2*\sqrt{-a} * e*x * \arctan\left(\frac{\sqrt{-a}}{\sqrt{c*x^2 + a}}\right) - \sqrt{cd^2 + ae^2} * x * \log\left(\frac{2a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 - 2*\sqrt{cd^2 + ae^2}*(c*d*x - a*e)*\sqrt{c*x^2 + a}}{e^2*x^2 + 2*d*e*x + d^2}\right) + 2*\sqrt{cd^2 + ae^2} * d / (d^2*x), -\left(\sqrt{-a} * e*x * \arctan\left(\frac{\sqrt{-a}}{\sqrt{c*x^2 + a}}\right) + \sqrt{-cd^2 - ae^2} * x * \arctan\left(\frac{\sqrt{-cd^2 - ae^2}*(c*d*x - a*e)*\sqrt{c*x^2 + a}}{a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2}\right) + \sqrt{cd^2 + ae^2} * d / (d^2*x) \right] \right]$

**giac [A]** time = 0.22, size = 145, normalized size = 1.38

$$-\frac{2a \operatorname{arctan}\left(-\frac{\sqrt{c}x - \sqrt{cx^2+a}}{\sqrt{-a}}\right)e}{\sqrt{-a}d^2} + \frac{2a\sqrt{c}}{\left(\left(\sqrt{c}x - \sqrt{cx^2+a}\right)^2 - a\right)d} + \frac{2\left(cd^2 + ae^2\right) \operatorname{arctan}\left(-\frac{\left(\sqrt{c}x - \sqrt{cx^2+a}\right)e + \sqrt{c}d}{\sqrt{-cd^2 - ae^2}}\right)}{\sqrt{-cd^2 - ae^2}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^2/(e\*x+d),x, algorithm="giac")

[Out]  $-2*a*\arctan(-(\sqrt{c}*x - \sqrt{c*x^2 + a})/\sqrt{-a})*e/(\sqrt{-a}*d^2) + 2*a*\sqrt{c}/(((\sqrt{c}*x - \sqrt{c*x^2 + a})^2 - a)*d) + 2*(c*d^2 + a*e^2)*\arctan(-((\sqrt{c}*x - \sqrt{c*x^2 + a})*e + \sqrt{c}*d)/\sqrt{-c*d^2 - a*e^2})/(\sqrt{-c*d^2 - a*e^2}*d^2)$

**maple [B]** time = 0.01, size = 486, normalized size = 4.63

$$\frac{a \ln \left( \frac{\sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}}}{\sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}}} \right) - c \ln \left( \frac{\sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}}}{\sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}}} \right) + \sqrt{d} e \ln \left( \frac{2a + \sqrt{c^2 + a}}{d} \right) + \sqrt{c} \ln \left( \frac{\sqrt{c} x + \sqrt{c^2 + a}}{d} \right) - \sqrt{c} \ln \left( \frac{-\frac{d}{e} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} + \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}}}{d} \right) + \frac{\sqrt{c^2 + a} \sqrt{c}}{d} + \frac{\sqrt{c^2 + a} \sqrt{c}}{d} + \frac{\sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}} \sqrt{\frac{d(x^2 + \frac{a}{c})}{e^2}}}{d} - \frac{(c^2 + a)^{\frac{3}{2}}}{4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+a)^(1/2)/x^2/(e\*x+d),x)

[Out]  $-1/d/a/x*(c*x^2+a)^{(3/2)}+1/d*c/a*x*(c*x^2+a)^{(1/2)}+1/d*c^{(1/2)}*\ln(c^{(1/2)}*x+(c*x^2+a)^{(1/2)})+e/d^2*a^{(1/2)}*\ln((2*a+2*(c*x^2+a)^{(1/2)}*a^{(1/2)})/x)-e/d^2*(c*x^2+a)^{(1/2)}+e/d^2*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)}-1/d*c^{(1/2)}*\ln((-c*d/e+(x+d/e)*c)/c^{(1/2)}+(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)}-e/d^2/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)*a-1/e/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)*c$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^2 + a}}{(ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^2/(e\*x+d),x, algorithm="maxima")

[Out] integrate(sqrt(c\*x^2 + a)/((e\*x + d)\*x^2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{cx^2 + a}}{x^2 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c\*x^2)^(1/2)/(x^2\*(d + e\*x)),x)

```
[Out] int((a + c*x^2)^(1/2)/(x^2*(d + e*x)), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\sqrt{a + cx^2}}{x^2(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+a)**(1/2)/x**2/(e*x+d),x)
```

```
[Out] Integral(sqrt(a + c*x**2)/(x**2*(d + e*x)), x)
```



$$3.234 \quad \int \frac{\sqrt{a+cx^2}}{x^3(d+ex)} dx$$

**Optimal.** Leaf size=160

$$-\frac{\sqrt{a} e^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d^3} + \frac{e\sqrt{a+cx^2}}{d^2x} + \frac{e\sqrt{ae^2+cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^3} - \frac{\sqrt{a+cx^2}}{2dx^2} - \frac{c \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2\sqrt{a}d}$$

**Rubi [A]** time = 0.21, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 12, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.546$ , Rules used = {961, 266, 47, 63, 208, 277, 217, 206, 50, 735, 844, 725}

$$-\frac{\sqrt{a} e^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d^3} + \frac{e\sqrt{ae^2+cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^3} + \frac{e\sqrt{a+cx^2}}{d^2x} - \frac{\sqrt{a+cx^2}}{2dx^2} - \frac{c \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2\sqrt{a}d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + c\*x^2]/(x^3\*(d + e\*x)), x]

[Out]  $-\text{Sqrt}[a + c*x^2]/(2*d*x^2) + (e*\text{Sqrt}[a + c*x^2])/(d^2*x) + (e*\text{Sqrt}[c*d^2 + a*e^2]*\text{ArcTanh}[(a*e - c*d*x)/(Sqrt[c*d^2 + a*e^2]*\text{Sqrt}[a + c*x^2]))/d^3 - (c*\text{ArcTanh}[Sqrt[a + c*x^2]/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*d) - (\text{Sqrt}[a]*e^2*\text{ArcTanh}[Sqrt[a + c*x^2]/\text{Sqrt}[a]])/d^3$

**Rule 47**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2\*n + m + 1, 0])) && IntLinearQ[a, b, c, d, m, n, x]

**Rule 50**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

**Rule 63**

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 277

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^p)/(c*(m + 1)), x] - Dist[(b*n*p)/(c^n*(m + 1)), In
t[(c*x)^(m + n)*(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[
n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m + n*p + n + 1)/n, 0] && IntBi
nomialQ[a, b, c, n, m, p, x]
```

### Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rule 735

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + 2*p + 1)), x] + Dist[(2*p)/(e*(m
+ 2*p + 1)), Int[(d + e*x)^m*Simp[a*e - c*d*x, x]*(a + c*x^2)^(p - 1), x],
x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && Ne
Q[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] &&
IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 961

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^
2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x
^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c
*d^2 + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[
m, 0] || IGtQ[n, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+cx^2}}{x^3(d+ex)} dx &= \int \left( \frac{\sqrt{a+cx^2}}{dx^3} - \frac{e\sqrt{a+cx^2}}{d^2x^2} + \frac{e^2\sqrt{a+cx^2}}{d^3x} - \frac{e^3\sqrt{a+cx^2}}{d^3(d+ex)} \right) dx \\
&= \frac{\int \frac{\sqrt{a+cx^2}}{x^3} dx}{d} - \frac{e \int \frac{\sqrt{a+cx^2}}{x^2} dx}{d^2} + \frac{e^2 \int \frac{\sqrt{a+cx^2}}{x} dx}{d^3} - \frac{e^3 \int \frac{\sqrt{a+cx^2}}{d+ex} dx}{d^3} \\
&= -\frac{e^2\sqrt{a+cx^2}}{d^3} + \frac{e\sqrt{a+cx^2}}{d^2x} + \frac{\text{Subst}\left(\int \frac{\sqrt{a+cx}}{x^2} dx, x, x^2\right)}{2d} - \frac{(ce) \int \frac{1}{\sqrt{a+cx^2}} dx}{d^2} + \frac{e^2 \text{Subst}\left(\int \frac{\sqrt{a+cx^2}}{d+ex} dx, x, x\right)}{2d} \\
&= -\frac{\sqrt{a+cx^2}}{2dx^2} + \frac{e\sqrt{a+cx^2}}{d^2x} + \frac{c \text{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{4d} + \frac{(ce) \int \frac{1}{\sqrt{a+cx^2}} dx}{d^2} - \frac{(ce) \text{Subst}\left(\int \frac{\sqrt{a+cx^2}}{d+ex} dx, x, x\right)}{2d} \\
&= -\frac{\sqrt{a+cx^2}}{2dx^2} + \frac{e\sqrt{a+cx^2}}{d^2x} - \frac{\sqrt{c} e \tanh^{-1}\left(\frac{\sqrt{cx}}{\sqrt{a+cx^2}}\right)}{d^2} + \frac{\text{Subst}\left(\int \frac{1}{-\frac{a}{c} + \frac{x^2}{c}} dx, x, \sqrt{a+cx^2}\right)}{2d} + \frac{(ce) \text{Subst}\left(\int \frac{\sqrt{a+cx^2}}{d+ex} dx, x, x\right)}{2d} \\
&= -\frac{\sqrt{a+cx^2}}{2dx^2} + \frac{e\sqrt{a+cx^2}}{d^2x} + \frac{e\sqrt{cd^2+ae^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^3} - \frac{c \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2\sqrt{a}d} - \frac{(ce) \text{Subst}\left(\int \frac{\sqrt{a+cx^2}}{d+ex} dx, x, x\right)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.40, size = 283, normalized size = 1.77

$$\frac{-2cx^2\sqrt{a+cx^2}\sqrt{ae^2+cd^2}\tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)+cd^2x^2\sqrt{\frac{cx^2}{a}+1}\tanh^{-1}\left(\sqrt{\frac{cx^2}{a}+1}\right)+2\sqrt{a}\sqrt{c}dex^2\sqrt{\frac{cx^2}{a}+1}\sinh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)-2\sqrt{c}dex^2\sqrt{a+cx^2}\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)+2\sqrt{a}e^2x^2\sqrt{a+cx^2}\tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)+ad^2-2ndex+cd^2x^2-2cdex^3}{2d^3x^2\sqrt{a+cx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + c\*x^2]/(x^3\*(d + e\*x)),x]

[Out]  $-\frac{1}{2}(ad^2 - 2adex + cd^2x^2 - 2cdex^3 + 2\sqrt{a}\sqrt{c}dex^2 - 2cdex^3) \sqrt{a+cx^2} \operatorname{ArcSinh}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right) - 2\sqrt{c}dex^2 \sqrt{a+cx^2} \operatorname{ArcTanh}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right) - 2e\sqrt{cd^2+a^2} x^2 \sqrt{a+cx^2} \operatorname{ArcTanh}\left(\frac{ae-cdx}{\sqrt{cd^2+a^2}\sqrt{a+cx^2}}\right) + 2\sqrt{a}e^2x^2 \sqrt{a+cx^2} \operatorname{ArcTanh}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right) + cd^2x^2 \sqrt{1+\frac{cx^2}{a}} \operatorname{ArcTanh}\left(\sqrt{1+\frac{cx^2}{a}}\right) / (d^3x^2 \sqrt{a+cx^2})$

**IntegrateAlgebraic [A]** time = 0.64, size = 184, normalized size = 1.15

$$\frac{\sqrt{a+cx^2}(2ex-d)}{2d^2x^2} - \frac{2e\sqrt{-ae^2-cd^2}\tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{d^3} + \frac{(2ae^2+cd^2)\tanh^{-1}\left(\frac{\sqrt{c}x-\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + c\*x^2]/(x^3\*(d + e\*x)),x]

[Out]  $\frac{(-d+2ex)\sqrt{a+cx^2}}{(2d^2x^2)} - \frac{(2e\sqrt{-(cd^2)-ae^2})\operatorname{ArcTan}\left(\frac{\sqrt{c}d}{\sqrt{-(cd^2)-ae^2}} + \frac{\sqrt{c}ex}{\sqrt{-(cd^2)-ae^2}}\right) - (e\sqrt{a+cx^2})/\sqrt{-(cd^2)-ae^2}}{d^3} + \frac{(cd^2+2ae^2)\operatorname{ArcTanh}\left(\frac{\sqrt{c}x-\sqrt{a+cx^2}}{\sqrt{a}}\right)}{(\sqrt{a}d^3)}$

**fricas [A]** time = 0.49, size = 726, normalized size = 4.54

$$\frac{\sqrt{a+cx^2}(2ex-d)}{2d^2x^2} - \frac{2e\sqrt{-ae^2-cd^2}\tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{d^3} + \frac{(2ae^2+cd^2)\tanh^{-1}\left(\frac{\sqrt{c}x-\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^3/(e\*x+d),x, algorithm="fricas")

[Out]  $\frac{1}{4}(2\sqrt{cd^2+a^2})aex^2\log\left(\frac{(2acdex - acd^2 - 2a^2e^2 - (2c^2d^2 + ac^2e^2)x^2 + 2\sqrt{cd^2+a^2}(cdx - ae)\sqrt{cx^2+a})}{(e^2x^2 + 2dex + d^2)}\right) + \frac{(cd^2 + 2ae^2)\sqrt{a}x^2\log\left(\frac{cx^2 - 2\sqrt{cd^2+a}\sqrt{a} + 2a}{x^2}\right) + 2(2acdex - acd^2)\sqrt{cd^2+a}}{(ad^3x^2)} + \frac{1}{4}(4\sqrt{-(cd^2)-ae^2})aex^2\arctan\left(\frac{\sqrt{-(cd^2)-ae^2}(cdx - ae)\sqrt{cx^2+a}}{(acd^2 + a^2e^2 + (c^2d^2 + ac^2e^2)x^2)}\right) + \frac{(cd^2 + 2ae^2)\sqrt{a}x^2\log\left(\frac{cx^2 - 2\sqrt{cd^2+a}\sqrt{a} + 2a}{x^2}\right) + 2(2acdex - acd^2)\sqrt{cd^2+a}}{(ad^3x^2)}$

, 1/2\*(sqrt(c\*d^2 + a\*e^2)\*a\*e\*x^2\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + (c\*d^2 + 2\*a\*e^2)\*sqrt(-a)\*x^2\*arctan(sqrt(-a)/sqrt(c\*x^2 + a)) + (2\*a\*d\*e\*x - a\*d^2)\*sqrt(c\*x^2 + a)/(a\*d^3\*x^2), 1/2\*(2\*sqrt(-c\*d^2 - a\*e^2)\*a\*e\*x^2\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) + (c\*d^2 + 2\*a\*e^2)\*sqrt(-a)\*x^2\*arctan(sqrt(-a)/sqrt(c\*x^2 + a)) + (2\*a\*d\*e\*x - a\*d^2)\*sqrt(c\*x^2 + a)/(a\*d^3\*x^2)]

**giac [A]** time = 0.22, size = 230, normalized size = 1.44

$$\frac{2(cd^2e + ae^3) \arctan\left(\frac{(\sqrt{cx - \sqrt{cx^2 + a}})e + \sqrt{cd}}{\sqrt{-cd^2 - ae^2}}\right) + (cd^2 + 2ae^2) \arctan\left(\frac{-\sqrt{cx - \sqrt{cx^2 + a}}}{\sqrt{-a}}\right) + (\sqrt{cx - \sqrt{cx^2 + a}})^3 cd - 2(\sqrt{cx - \sqrt{cx^2 + a}})^2 a \sqrt{ce} + (\sqrt{cx - \sqrt{cx^2 + a}}) acd + 2a^2 \sqrt{ce}}{\sqrt{-cd^2 - ae^2} d^3} + \frac{(\sqrt{cx - \sqrt{cx^2 + a}})^2 - a}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^3/(e\*x+d),x, algorithm="giac")

[Out] -2\*(c\*d^2\*e + a\*e^3)\*arctan(-((sqrt(c)\*x - sqrt(c\*x^2 + a))\*e + sqrt(c)\*d)/sqrt(-c\*d^2 - a\*e^2))/(sqrt(-c\*d^2 - a\*e^2)\*d^3) + (c\*d^2 + 2\*a\*e^2)\*arctan(-(sqrt(c)\*x - sqrt(c\*x^2 + a))/sqrt(-a))/(sqrt(-a)\*d^3) + ((sqrt(c)\*x - sqrt(c\*x^2 + a))^3\*c\*d - 2\*(sqrt(c)\*x - sqrt(c\*x^2 + a))^2\*a\*sqrt(c)\*e + (sqrt(c)\*x - sqrt(c\*x^2 + a))\*a\*c\*d + 2\*a^2\*sqrt(c)\*e)/(((sqrt(c)\*x - sqrt(c\*x^2 + a))^2 - a)^2\*d^2)

**maple [B]** time = 0.01, size = 567, normalized size = 3.54

$$\frac{a^2 \ln\left(\frac{\sqrt{\frac{d+bx}{a^2}} \sqrt{\frac{d+bx}{a^2}} \sqrt{\frac{d+bx}{a^2}} \sqrt{\frac{d+bx}{a^2}} \sqrt{\frac{d+bx}{a^2}} \sqrt{\frac{d+bx}{a^2}}}{\sqrt{\frac{d+bx}{a^2}}}\right) + \operatorname{erf}\left(\frac{\sqrt{\frac{d+bx}{a^2}} \sqrt{\frac{d+bx}{a^2}} \sqrt{\frac{d+bx}{a^2}} \sqrt{\frac{d+bx}{a^2}} \sqrt{\frac{d+bx}{a^2}} \sqrt{\frac{d+bx}{a^2}}}{\sqrt{\frac{d+bx}{a^2}}}\right) + \sqrt{c} \operatorname{erf}\left(\frac{\sqrt{2ax+d}}{\sqrt{d}}\right) + \frac{c \ln\left(\frac{\sqrt{2ax+d}}{\sqrt{d}}\right) + \sqrt{c} \ln\left(\sqrt{c}x + \sqrt{c^2+a}\right) + \sqrt{c} \ln\left(\frac{-\frac{d+bx}{a} + \sqrt{\frac{d+bx}{a^2}} \sqrt{\frac{d+bx}{a^2}}}{\frac{d+bx}{a}}\right) \sqrt{c}}{2\sqrt{d}}}{\sqrt{\frac{d+bx}{a^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+a)^(1/2)/x^3/(e\*x+d),x)

[Out] e/d^2/a/x\*(c\*x^2+a)^(3/2)-e/d^2\*c/a\*x\*(c\*x^2+a)^(1/2)-e/d^2\*c^(1/2)\*ln(c^(1/2)\*x+(c\*x^2+a)^(1/2))-1/2/d/a/x^2\*(c\*x^2+a)^(3/2)-1/2/d\*c/a^(1/2)\*ln((2\*a+2\*(c\*x^2+a)^(1/2)\*a^(1/2))/x)+1/2/d\*c/a\*(c\*x^2+a)^(1/2)-1/d^3\*e^2\*a^(1/2)\*ln((2\*a+2\*(c\*x^2+a)^(1/2)\*a^(1/2))/x)+1/d^3\*e^2\*(c\*x^2+a)^(1/2)-1/d^3\*e^2\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2)+1/d^2\*e\*c^(1/2)\*ln((-c\*d/e+(x+d/e)\*c)/c^(1/2)+(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))+1/d^3\*e^2/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2+2\*((a\*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))/(x+d/e)\*a+1/d/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2+2\*((a\*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))/(x+d/e))\*c

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^2 + a}}{(ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^3/(e\*x+d),x, algorithm="maxima")

[Out] integrate(sqrt(c\*x^2 + a)/((e\*x + d)\*x^3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{cx^2 + a}}{x^3 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c\*x^2)^(1/2)/(x^3\*(d + e\*x)),x)

[Out] int((a + c\*x^2)^(1/2)/(x^3\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + cx^2}}{x^3 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+a)\*\*(1/2)/x\*\*3/(e\*x+d),x)

[Out] Integral(sqrt(a + c\*x\*\*2)/(x\*\*3\*(d + e\*x)), x)

$$3.235 \quad \int \frac{\sqrt{a+cx^2}}{x^4(d+ex)} dx$$

**Optimal.** Leaf size=191

$$\frac{\sqrt{a} e^3 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d^4} - \frac{e^2 \sqrt{a+cx^2}}{d^3 x} + \frac{e \sqrt{a+cx^2}}{2d^2 x^2} + \frac{ce \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2\sqrt{a} d^2} - \frac{e^2 \sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{d^4}$$

**Rubi [A]** time = 0.23, antiderivative size = 191, normalized size of antiderivative = 1.00, number of steps used = 20, number of rules used = 13, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.591$ , Rules used = {961, 264, 266, 47, 63, 208, 277, 217, 206, 50, 735, 844, 725}

$$-\frac{e^2 \sqrt{a+cx^2}}{d^3 x} + \frac{\sqrt{a} e^3 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d^4} - \frac{e^2 \sqrt{ae^2 + cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{d^4} + \frac{e \sqrt{a+cx^2}}{2d^2 x^2} + \frac{ce \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2\sqrt{a} d^2} - \frac{(a+cx^2)^{3/2}}{3adx^3}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + c\*x^2]/(x^4\*(d + e\*x)), x]

[Out] (e\*Sqrt[a + c\*x^2])/(2\*d^2\*x^2) - (e^2\*Sqrt[a + c\*x^2])/(d^3\*x) - (a + c\*x^2)^(3/2)/(3\*a\*d\*x^3) - (e^2\*Sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/d^4 + (c\*e\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(2\*Sqrt[a]\*d^2) + (Sqrt[a]\*e^3\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/d^4

### Rule 47

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2\*n + m + 1, 0])) && IntLinearQ[a, b, c, d, m, n, x]

### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^(m)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 277

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^p)/(c*(m + 1)), x] - Dist[(b*n*p)/(c^n*(m + 1)), In
t[(c*x)^(m + n)*(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[
n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m + n*p + n + 1)/n, 0] && IntBi
nomialQ[a, b, c, n, m, p, x]
```

### Rule 725



```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rule 735

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + 2*p + 1)), x] + Dist[(2*p)/(e*(m
+ 2*p + 1)), Int[(d + e*x)^m*Simp[a*e - c*d*x, x]*(a + c*x^2)^(p - 1), x],
x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && Ne
Q[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] &&
IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 961

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^
2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x
^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c
*d^2 + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[
m, 0] || IGtQ[n, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+cx^2}}{x^4(d+ex)} dx &= \int \left( \frac{\sqrt{a+cx^2}}{dx^4} - \frac{e\sqrt{a+cx^2}}{d^2x^3} + \frac{e^2\sqrt{a+cx^2}}{d^3x^2} - \frac{e^3\sqrt{a+cx^2}}{d^4x} + \frac{e^4\sqrt{a+cx^2}}{d^4(d+ex)} \right) dx \\
&= \frac{\int \frac{\sqrt{a+cx^2}}{x^4} dx}{d} - \frac{e \int \frac{\sqrt{a+cx^2}}{x^3} dx}{d^2} + \frac{e^2 \int \frac{\sqrt{a+cx^2}}{x^2} dx}{d^3} - \frac{e^3 \int \frac{\sqrt{a+cx^2}}{x} dx}{d^4} + \frac{e^4 \int \frac{\sqrt{a+cx^2}}{d+ex} dx}{d^4} \\
&= \frac{e^3\sqrt{a+cx^2}}{d^4} - \frac{e^2\sqrt{a+cx^2}}{d^3x} - \frac{(a+cx^2)^{3/2}}{3adx^3} - \frac{e \operatorname{Subst}\left(\int \frac{\sqrt{a+cx}}{x^2} dx, x, x^2\right)}{2d^2} + \frac{(ce^2) \int \frac{1}{\sqrt{a+cx^2}} dx}{d^3} \\
&= \frac{e\sqrt{a+cx^2}}{2d^2x^2} - \frac{e^2\sqrt{a+cx^2}}{d^3x} - \frac{(a+cx^2)^{3/2}}{3adx^3} - \frac{(ce) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{4d^2} - \frac{(ce^2) \int \frac{1}{\sqrt{a+cx^2}} dx}{d^3} \\
&= \frac{e\sqrt{a+cx^2}}{2d^2x^2} - \frac{e^2\sqrt{a+cx^2}}{d^3x} - \frac{(a+cx^2)^{3/2}}{3adx^3} + \frac{\sqrt{c} e^2 \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{d^3} - \frac{e \operatorname{Subst}\left(\int \frac{1}{-\frac{a}{c} + \frac{x^2}{c}} dx, x, x^2\right)}{2d^2} \\
&= \frac{e\sqrt{a+cx^2}}{2d^2x^2} - \frac{e^2\sqrt{a+cx^2}}{d^3x} - \frac{(a+cx^2)^{3/2}}{3adx^3} - \frac{e^2\sqrt{cd^2+ae^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^4} + \frac{ce \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{2d^2}
\end{aligned}$$

**Mathematica [A]** time = 1.02, size = 301, normalized size = 1.58

$$\frac{2d^3(a+cx^2)^{3/2}}{a^3} + 6e^2\left(\sqrt{ae^2+cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right) + \sqrt{c}d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)\right) - \frac{3d^2\left(cx^2\sqrt{\frac{c^2}{a^2}+1} \tanh^{-1}\left(\sqrt{\frac{c^2}{a^2}+1}\sqrt{\frac{a+cx^2}{a}}\right) + 6d^2\left(-\sqrt{c}\sqrt{cx^2}\sqrt{\frac{c^2}{a^2}+1} \sinh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right) + a+cx^2\right)}{x^2\sqrt{a+cx^2}} - 6e^3\sqrt{a+cx^2} + 6e^2\left(\sqrt{a+cx^2} - \sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + c\*x^2]/(x^4\*(d + e\*x)), x]

[Out] 
$$\begin{aligned}
& -1/6*(-6*e^3*\text{Sqrt}[a + c*x^2] + (2*d^3*(a + c*x^2)^(3/2))/(a*x^3) + (6*d*e^2 \\
& *(a + c*x^2 - \text{Sqrt}[a]*\text{Sqrt}[c]*x*\text{Sqrt}[1 + (c*x^2)/a]*\text{ArcSinh}[(\text{Sqrt}[c]*x)/\text{Sqrt}[a]]))/ \\
& (x*\text{Sqrt}[a + c*x^2]) + 6*e^2*(\text{Sqrt}[c]*d*\text{ArcTanh}[(\text{Sqrt}[c]*x)/\text{Sqrt}[a + \\
& c*x^2]] + \text{Sqrt}[c*d^2 + a*e^2]*\text{ArcTanh}[(a*e - c*d*x)/(\text{Sqrt}[c*d^2 + a*e^2]*\text{Sqrt}[a + \\
& c*x^2])) + 6*e^3*(\text{Sqrt}[a + c*x^2] - \text{Sqrt}[a]*\text{ArcTanh}[\text{Sqrt}[a + c*x^2] \\
& ]/\text{Sqrt}[a]) - (3*d^2*e*(a + c*x^2 + c*x^2*\text{Sqrt}[1 + (c*x^2)/a]*\text{ArcTanh}[\text{Sqrt}[1 + \\
& (c*x^2)/a]]))/(x^2*\text{Sqrt}[a + c*x^2])/d^4
\end{aligned}$$

**IntegrateAlgebraic [A]** time = 0.86, size = 214, normalized size = 1.12

$$\frac{(-2ae^3 - cd^2e) \tanh^{-1}\left(\frac{\sqrt{c}x - \sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^4} + \frac{2e^2\sqrt{-ae^2 - cd^2} \tanh^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}cx}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 - cd^2}}\right)}{d^4} + \frac{\sqrt{a+cx^2}(-2ad^2 + 3adex - 6ae^2x^2 - 2cd^2x^2)}{6ad^3x^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + c\*x^2]/(x^4\*(d + e\*x)),x]

[Out] (Sqrt[a + c\*x^2]\*(-2\*a\*d^2 + 3\*a\*d\*e\*x - 2\*c\*d^2\*x^2 - 6\*a\*e^2\*x^2))/(6\*a\*d^3\*x^3) + (2\*e^2\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/d^4 + ((-(c\*d^2\*e) - 2\*a\*e^3)\*ArcTanh[(Sqrt[c]\*x - Sqrt[a + c\*x^2])/Sqrt[a]])/(Sqrt[a]\*d^4)

**fricas** [A] time = 0.51, size = 824, normalized size = 4.31

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^4/(e\*x+d),x, algorithm="fricas")

[Out] [1/12\*(6\*sqrt(c\*d^2 + a\*e^2)\*a\*e^2\*x^3\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + 3\*(c\*d^2\*e + 2\*a\*e^3)\*sqrt(a)\*x^3\*log(-(c\*x^2 + 2\*sqrt(c\*x^2 + a)\*sqrt(a) + 2\*a)/x^2) + 2\*(3\*a\*d^2\*e\*x - 2\*a\*d^3 - 2\*(c\*d^3 + 3\*a\*d\*e^2)\*x^2)\*sqrt(c\*x^2 + a)/(a\*d^4\*x^3), -1/12\*(12\*sqrt(-c\*d^2 - a\*e^2)\*a\*e^2\*x^3\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) - 3\*(c\*d^2\*e + 2\*a\*e^3)\*sqrt(a)\*x^3\*log(-(c\*x^2 + 2\*sqrt(c\*x^2 + a)\*sqrt(a) + 2\*a)/x^2) - 2\*(3\*a\*d^2\*e\*x - 2\*a\*d^3 - 2\*(c\*d^3 + 3\*a\*d\*e^2)\*x^2)\*sqrt(c\*x^2 + a)/(a\*d^4\*x^3), 1/6\*(3\*sqrt(c\*d^2 + a\*e^2)\*a\*e^2\*x^3\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - 3\*(c\*d^2\*e + 2\*a\*e^3)\*sqrt(-a)\*x^3\*arctan(sqrt(-a)/sqrt(c\*x^2 + a)) + (3\*a\*d^2\*e\*x - 2\*a\*d^3 - 2\*(c\*d^3 + 3\*a\*d\*e^2)\*x^2)\*sqrt(c\*x^2 + a)/(a\*d^4\*x^3), -1/6\*(6\*sqrt(-c\*d^2 - a\*e^2)\*a\*e^2\*x^3\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) + 3\*(c\*d^2\*e + 2\*a\*e^3)\*sqrt(-a)\*x^3\*arctan(sqrt(-a)/sqrt(c\*x^2 + a)) - (3\*a\*d^2\*e\*x - 2\*a\*d^3 - 2\*(c\*d^3 + 3\*a\*d\*e^2)\*x^2)\*sqrt(c\*x^2 + a)/(a\*d^4\*x^3)]

**giac** [A] time = 0.21, size = 309, normalized size = 1.62

$$\frac{2(a^2e^2 + ae^4) \arctan\left(\frac{\sqrt{cx - \sqrt{cx^2 + a}} + \sqrt{cd}}{\sqrt{-cd - ae^2}}\right) - (ae^2e + 2ae^3) \arctan\left(\frac{-\sqrt{cx - \sqrt{cx^2 + a}}}{\sqrt{-a}}\right) - 3\left(\sqrt{cx - \sqrt{cx^2 + a}}\right)^5 cde - 6\left(\sqrt{cx - \sqrt{cx^2 + a}}\right)^4 c^2d^2 - 6\left(\sqrt{cx - \sqrt{cx^2 + a}}\right)^4 a\sqrt{ce^2} - 3\left(\sqrt{cx - \sqrt{cx^2 + a}}\right)^2 a^2cde - 2a^2c^3d^2 + 12\left(\sqrt{cx - \sqrt{cx^2 + a}}\right)^2 a^2\sqrt{ce^2} - 6a^3\sqrt{ce^2}}{\sqrt{-cd - ae^2}d^4} - \frac{\arctan\left(\frac{-\sqrt{cx - \sqrt{cx^2 + a}}}{\sqrt{-a}}\right)}{\sqrt{-a}d^4} - \frac{3\left(\sqrt{cx - \sqrt{cx^2 + a}}\right)^5 cde - 6\left(\sqrt{cx - \sqrt{cx^2 + a}}\right)^4 c^2d^2 - 6\left(\sqrt{cx - \sqrt{cx^2 + a}}\right)^4 a\sqrt{ce^2} - 3\left(\sqrt{cx - \sqrt{cx^2 + a}}\right)^2 a^2cde - 2a^2c^3d^2 + 12\left(\sqrt{cx - \sqrt{cx^2 + a}}\right)^2 a^2\sqrt{ce^2} - 6a^3\sqrt{ce^2}}{3\left(\sqrt{cx - \sqrt{cx^2 + a}}\right)^2 - a}d^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^4/(e\*x+d),x, algorithm="giac")

[Out] 2\*(c\*d^2\*e^2 + a\*e^4)\*arctan(-((sqrt(c)\*x - sqrt(c\*x^2 + a))\*e + sqrt(c)\*d)/sqrt(-c\*d^2 - a\*e^2))/(sqrt(-c\*d^2 - a\*e^2)\*d^4) - (c\*d^2\*e + 2\*a\*e^3)\*arctan(-(sqrt(c)\*x - sqrt(c\*x^2 + a))/sqrt(-a))/(sqrt(-a)\*d^4) - 1/3\*(3\*(sqrt(c)

$c)x - \sqrt{c*x^2 + a})^5*c*d*e - 6*(\sqrt{c}*x - \sqrt{c*x^2 + a})^4*c^(3/2)*d^2 - 6*(\sqrt{c}*x - \sqrt{c*x^2 + a})^4*a*\sqrt{c}*e^2 - 3*(\sqrt{c}*x - \sqrt{c*x^2 + a})^3*a^2*c*d*e - 2*a^2*c^(3/2)*d^2 + 12*(\sqrt{c}*x - \sqrt{c*x^2 + a})^2*a^2*\sqrt{c}*e^2 - 6*a^3*\sqrt{c}*e^2)/((\sqrt{c}*x - \sqrt{c*x^2 + a})^2 - a)^3*d^3$

**maple [B]** time = 0.02, size = 600, normalized size = 3.14

$$\frac{a^2 \ln\left(\frac{\sqrt{c}x - \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right) + \frac{a^2 \ln\left(\frac{\sqrt{c}x + \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right)}{\sqrt{c*x^2 + a}}}{\sqrt{c*x^2 + a}} + \frac{a^2 \ln\left(\frac{\sqrt{c}x - \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right) + \frac{a^2 \ln\left(\frac{\sqrt{c}x + \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right)}{\sqrt{c*x^2 + a}}}{\sqrt{c*x^2 + a}} + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x - \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right) + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x + \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right)}{\sqrt{c*x^2 + a}}}{\sqrt{c*x^2 + a}} + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x - \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right) + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x + \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right)}{\sqrt{c*x^2 + a}}}{\sqrt{c*x^2 + a}} + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x - \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right) + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x + \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right)}{\sqrt{c*x^2 + a}}}{\sqrt{c*x^2 + a}} + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x - \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right) + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x + \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right)}{\sqrt{c*x^2 + a}}}{\sqrt{c*x^2 + a}} + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x - \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right) + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x + \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right)}{\sqrt{c*x^2 + a}}}{\sqrt{c*x^2 + a}} + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x - \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right) + \frac{\sqrt{c} \ln\left(\frac{\sqrt{c}x + \sqrt{c*x^2 + a}}{\sqrt{c*x^2 + a}}\right)}{\sqrt{c*x^2 + a}}}{\sqrt{c*x^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+a)^(1/2)/x^4/(e\*x+d),x)

[Out]  $-1/d^3*e^2/a/x*(c*x^2+a)^{3/2}+1/d^3*e^2*c/a*x*(c*x^2+a)^{1/2}+1/d^3*e^2*c^{1/2}*ln(c^{1/2}*x+(c*x^2+a)^{1/2})+1/2*e/d^2/a/x^2*(c*x^2+a)^{3/2}+1/2*e/d^2*c/a^{1/2}*ln((2*a+2*(c*x^2+a)^{1/2})*a^{1/2})/x-1/2*e/d^2*c/a*(c*x^2+a)^{1/2}-1/3*(c*x^2+a)^{3/2}/a/d/x^3+1/d^4*e^3*a^{1/2}*ln((2*a+2*(c*x^2+a)^{1/2})*a^{1/2})/x-1/d^4*e^3*(c*x^2+a)^{1/2}+1/d^4*e^3*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{1/2}-1/d^3*e^2*c^{1/2}*ln((-c*d/e+(x+d/e)*c)/c^{1/2})+(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{1/2}-1/d^4*e^3/((a*e^2+c*d^2)/e^2)^{1/2}*ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{1/2}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{1/2})/(x+d/e))*a-1/d^2*e/((a*e^2+c*d^2)/e^2)^{1/2}*ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{1/2}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{1/2})/(x+d/e))*c$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^2 + a}}{(ex + d)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^4/(e\*x+d),x, algorithm="maxima")

[Out] integrate(sqrt(c\*x^2 + a)/((e\*x + d)\*x^4), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{cx^2 + a}}{x^4 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c\*x^2)^(1/2)/(x^4\*(d + e\*x)),x)

```
[Out] int((a + c*x^2)^(1/2)/(x^4*(d + e*x)), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\sqrt{a + cx^2}}{x^4(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+a)**(1/2)/x**4/(e*x+d), x)
```

```
[Out] Integral(sqrt(a + c*x**2)/(x**4*(d + e*x)), x)
```

$$3.236 \quad \int \frac{\sqrt{a+cx^2}}{x^5(d+ex)} dx$$

**Optimal.** Leaf size=274

$$\frac{c^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{8a^{3/2}d} - \frac{\sqrt{a} e^4 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d^5} + \frac{e^3 \sqrt{a+cx^2}}{d^4 x} - \frac{e^2 \sqrt{a+cx^2}}{2d^3 x^2} - \frac{ce^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2\sqrt{a}d^3} + \frac{e(a+cx^2)^{3/2}}{3ad^2 x^3} + \frac{e^3}{3ad^2 x^3}$$

**Rubi [A]** time = 0.30, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 25, number of rules used = 14, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.636$ , Rules used = {961, 266, 47, 51, 63, 208, 264, 277, 217, 206, 50, 735, 844, 725}

$$\frac{c^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{8a^{3/2}d} + \frac{e^3 \sqrt{a+cx^2}}{d^4 x} - \frac{e^2 \sqrt{a+cx^2}}{2d^3 x^2} - \frac{\sqrt{a} e^4 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d^5} + \frac{e^3 \sqrt{ae^2+cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^5} - \frac{ce^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2\sqrt{a}d^3} + \frac{e(a+cx^2)^{3/2}}{3ad^2 x^3} - \frac{c\sqrt{a+cx^2}}{8adx^2} - \frac{\sqrt{a+cx^2}}{4dx^4}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + c\*x^2]/(x^5\*(d + e\*x)),x]

[Out] -Sqrt[a + c\*x^2]/(4\*d\*x^4) - (c\*Sqrt[a + c\*x^2])/(8\*a\*d\*x^2) - (e^2\*Sqrt[a + c\*x^2])/(2\*d^3\*x^2) + (e^3\*Sqrt[a + c\*x^2])/(d^4\*x) + (e\*(a + c\*x^2)^(3/2))/(3\*a\*d^2\*x^3) + (e^3\*Sqrt[c\*d^2 + a\*e^2]\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/d^5 + (c^2\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(8\*a^(3/2)\*d) - (c\*e^2\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(2\*Sqrt[a]\*d^3) - (Sqrt[a]\*e^4\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/d^5

**Rule 47**

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

**Rule 50**

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x], x
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ
[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 277

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^p)/(c*(m + 1)), x] - Dist[(b*n*p)/(c^n*(m + 1)), In
t[(c*x)^(m + n)*(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[
n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m + n*p + n + 1)/n, 0] && IntBi
nomialQ[a, b, c, n, m, p, x]
```

Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 735

```
Int[((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
((d + e*x)^(m + 1)*(a + c*x^2)^p)/(e*(m + 2*p + 1)), x] + Dist[(2*p)/(e*(m
+ 2*p + 1)), Int[(d + e*x)^m*Simp[a*e - c*d*x, x]*(a + c*x^2)^(p - 1), x],
x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && Ne
Q[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] &&
IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 961

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_) + (c_.)*(x_)^
2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x
^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c
*d^2 + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[
m, 0] || IGtQ[n, 0])
```

Rubi steps



$$\begin{aligned}
\int \frac{\sqrt{a+cx^2}}{x^5(d+ex)} dx &= \int \left( \frac{\sqrt{a+cx^2}}{dx^5} - \frac{e\sqrt{a+cx^2}}{d^2x^4} + \frac{e^2\sqrt{a+cx^2}}{d^3x^3} - \frac{e^3\sqrt{a+cx^2}}{d^4x^2} + \frac{e^4\sqrt{a+cx^2}}{d^5x} - \frac{e^5\sqrt{a+cx^2}}{d^5(d+ex)} \right) dx \\
&= \frac{\int \frac{\sqrt{a+cx^2}}{x^5} dx}{d} - \frac{e \int \frac{\sqrt{a+cx^2}}{x^4} dx}{d^2} + \frac{e^2 \int \frac{\sqrt{a+cx^2}}{x^3} dx}{d^3} - \frac{e^3 \int \frac{\sqrt{a+cx^2}}{x^2} dx}{d^4} + \frac{e^4 \int \frac{\sqrt{a+cx^2}}{x} dx}{d^5} - \frac{e^5 \int \frac{\sqrt{a+cx^2}}{d+ex} dx}{d^5} \\
&= -\frac{e^4\sqrt{a+cx^2}}{d^5} + \frac{e^3\sqrt{a+cx^2}}{d^4x} + \frac{e(a+cx^2)^{3/2}}{3ad^2x^3} + \frac{\text{Subst}\left(\int \frac{\sqrt{a+cx}}{x^3} dx, x, x^2\right)}{2d} + \frac{e^2 \text{Subst}\left(\int \frac{\sqrt{a+cx}}{x^2} dx, x, x^2\right)}{2d^3} \\
&= -\frac{\sqrt{a+cx^2}}{4dx^4} - \frac{e^2\sqrt{a+cx^2}}{2d^3x^2} + \frac{e^3\sqrt{a+cx^2}}{d^4x} + \frac{e(a+cx^2)^{3/2}}{3ad^2x^3} + \frac{c \text{Subst}\left(\int \frac{1}{x^2\sqrt{a+cx}} dx, x, x^2\right)}{8d} + \frac{e^5 \text{Subst}\left(\int \frac{\sqrt{a+cx}}{d+ex} dx, x, x^2\right)}{2d^5} \\
&= -\frac{\sqrt{a+cx^2}}{4dx^4} - \frac{c\sqrt{a+cx^2}}{8adx^2} - \frac{e^2\sqrt{a+cx^2}}{2d^3x^2} + \frac{e^3\sqrt{a+cx^2}}{d^4x} + \frac{e(a+cx^2)^{3/2}}{3ad^2x^3} - \frac{\sqrt{c} e^3 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a+cx}}\right)}{d^4} \\
&= -\frac{\sqrt{a+cx^2}}{4dx^4} - \frac{c\sqrt{a+cx^2}}{8adx^2} - \frac{e^2\sqrt{a+cx^2}}{2d^3x^2} + \frac{e^3\sqrt{a+cx^2}}{d^4x} + \frac{e(a+cx^2)^{3/2}}{3ad^2x^3} + \frac{e^3\sqrt{cd^2+ae^2} \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a+cx}}\right)}{d^4} \\
&= -\frac{\sqrt{a+cx^2}}{4dx^4} - \frac{c\sqrt{a+cx^2}}{8adx^2} - \frac{e^2\sqrt{a+cx^2}}{2d^3x^2} + \frac{e^3\sqrt{a+cx^2}}{d^4x} + \frac{e(a+cx^2)^{3/2}}{3ad^2x^3} + \frac{e^3\sqrt{cd^2+ae^2} \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a+cx}}\right)}{d^4}
\end{aligned}$$

**Mathematica [C]** time = 1.10, size = 344, normalized size = 1.26

$$\frac{-2c^2d^4(a+cx^2)^{3/2} {}_2F_1\left(\frac{3}{2}, \frac{3}{2}; \frac{5}{2}; \frac{cx^2}{a}\right) + 2d^4(a+cx^2)^{3/2} - 3d^2\left(c^2\sqrt{\frac{a+cx^2}{a}} \tanh^{-1}\left(\sqrt{\frac{a+cx^2}{a}}\right) + a+cx^2\right) + 6e^3\left(\sqrt{ae^2+cd^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right) + \sqrt{c}d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)\right) + \frac{6de^4\left(-\sqrt{a}\sqrt{cx}\sqrt{\frac{a^2}{c^2}+1} \sinh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right) + a+cx^2\right) - 6e^4\sqrt{a+cx^2} + 6e^4\left(\sqrt{a+cx^2} - \sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)\right)}{6d^5}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + c\*x^2]/(x^5\*(d + e\*x)), x]

[Out]  $(-6e^4\sqrt{a+cx^2} + (2d^3e(a+cx^2)^{3/2})/(ax^3) + (6d^3e^3(a+cx^2 - \sqrt{a}\sqrt{c}x\sqrt{1+(cx^2)/a})\text{ArcSinh}[(\sqrt{c}x)/\sqrt{a}]))/(x\sqrt{a+cx^2}) + 6e^3(\sqrt{c}d\text{ArcTanh}[(\sqrt{c}x)/\sqrt{a+cx^2}] + \sqrt{cd^2+ae^2}\text{ArcTanh}[(ae-cdx)/(\sqrt{cd^2+ae^2}\sqrt{a+cx^2})]) + 6e^4(\sqrt{a+cx^2} - \sqrt{a}\text{ArcTanh}[\sqrt{a+cx^2}/\sqrt{a}]) - (3d^2e^2(a+cx^2+cx^2\sqrt{1+(cx^2)/a})\text{ArcTanh}[\sqrt{1+(cx^2)/a}]))/(x^2\sqrt{a+cx^2}) - (2c^2d^4(a+cx^2)^{3/2}\text{Hypergeometric2F1}[3/2, 3, 5/2, 1+(cx^2)/a])/a^3/(6d^5)$

**IntegrateAlgebraic [A]** time = 1.13, size = 252, normalized size = 0.92

$$\frac{(8a^2e^4 + 4acd^2e^2 - c^2d^4) \tanh^{-1}\left(\frac{\sqrt{c}x - \sqrt{a+cx^2}}{\sqrt{a}}\right) - 2e^3\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-a^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-a^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-a^2 - cd^2}}\right) + \sqrt{a + cx^2} \frac{(-6ad^3 + 8ad^2ex - 12ade^2x^2 + 24ae^3x^3 - 3cd^3x^2 + 8cd^2ex^3)}{24ad^4x^4}}{4a^{3/2}d^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + c\*x^2]/(x^5\*(d + e\*x)),x]

[Out] (Sqrt[a + c\*x^2]\*(-6\*a\*d^3 + 8\*a\*d^2\*e\*x - 3\*c\*d^3\*x^2 - 12\*a\*d\*e^2\*x^2 + 8\*c\*d^2\*e\*x^3 + 24\*a\*e^3\*x^3))/(24\*a\*d^4\*x^4) - (2\*e^3\*Sqrt[-(c\*d^2) - a\*e^2] \* ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/d^5 + (((-(c^2\*d^4) + 4\*a\*c\*d^2\*e^2 + 8\*a^2\*e^4)\*ArcTanh[(Sqrt[c]\*x - Sqrt[a + c\*x^2])/Sqrt[a]])/(4\*a^(3/2)\*d^5)

**fricas [A]** time = 0.58, size = 1007, normalized size = 3.68

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^5/(e\*x+d),x, algorithm="fricas")

[Out] [1/48\*(24\*sqrt(c\*d^2 + a\*e^2)\*a^2\*e^3\*x^4\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - 3\*(c^2\*d^4 - 4\*a\*c\*d^2\*e^2 - 8\*a^2\*e^4)\*sqrt(a)\*x^4\*log(-(c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(a) + 2\*a)/x^2) + 2\*(8\*a^2\*d^3\*e\*x - 6\*a^2\*d^4 + 8\*(a\*c\*d^3\*e + 3\*a^2\*d\*e^3)\*x^3 - 3\*(a\*c\*d^4 + 4\*a^2\*d^2\*e^2)\*x^2)\*sqrt(c\*x^2 + a)/(a^2\*d^5\*x^4), 1/48\*(48\*sqrt(-c\*d^2 - a\*e^2)\*a^2\*e^3\*x^4\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) - 3\*(c^2\*d^4 - 4\*a\*c\*d^2\*e^2 - 8\*a^2\*e^4)\*sqrt(a)\*x^4\*log(-(c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(a) + 2\*a)/x^2) + 2\*(8\*a^2\*d^3\*e\*x - 6\*a^2\*d^4 + 8\*(a\*c\*d^3\*e + 3\*a^2\*d\*e^3)\*x^3 - 3\*(a\*c\*d^4 + 4\*a^2\*d^2\*e^2)\*x^2)\*sqrt(c\*x^2 + a)/(a^2\*d^5\*x^4), 1/24\*(12\*sqrt(c\*d^2 + a\*e^2)\*a^2\*e^3\*x^4\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - 3\*(c^2\*d^4 - 4\*a\*c\*d^2\*e^2 - 8\*a^2\*e^4)\*sqrt(-a)\*x^4\*arctan(sqrt(-a)/sqrt(c\*x^2 + a)) + (8\*a^2\*d^3\*e\*x - 6\*a^2\*d^4 + 8\*(a\*c\*d^3\*e + 3\*a^2\*d\*e^3)\*x^3 - 3\*(a\*c\*d^4 + 4\*a^2\*d^2\*e^2)\*x^2)\*sqrt(c\*x^2 + a)/(a^2\*d^5\*x^4), 1/24\*(24\*sqrt(-c\*d^2 - a\*e^2)\*a^2\*e^3\*x^4\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) - 3\*(c^2\*d^4 - 4\*a\*c\*d^2\*e^2 - 8\*a^2\*e^4)\*sqrt(-a)\*x^4\*arctan(sqrt(-a)/sqrt(c\*x^2 + a)) + (8\*a^2\*d^3\*e\*x - 6\*a^2\*d^4 + 8\*(a\*c\*d^3\*e + 3\*a^2\*d\*e^3)\*x^3 - 3\*(a\*c\*d^4 + 4\*a^2\*d^2\*e^2)\*x^2)\*sqrt(c\*x^2 + a)/(a^2\*d^5\*x^4)]

**giac [B]** time = 0.26, size = 596, normalized size = 2.18

$$\frac{\frac{1}{2} \sqrt{c} x^2 + a}{\sqrt{-c d^2 - a e^2}} \arctan\left(\frac{\sqrt{c} x - \sqrt{c x^2 + a}}{\sqrt{-a}}\right) - \frac{1}{4} \frac{(c^2 d^4 - 4 a c d^2 e^2 - 8 a^2 e^4) \arctan\left(\frac{\sqrt{c} x - \sqrt{c x^2 + a}}{\sqrt{-a}}\right)}{\sqrt{-a} d^5} + \frac{1}{12} (3 (\sqrt{c} x - \sqrt{c x^2 + a})^7 c^2 d^3 - 24 (\sqrt{c} x - \sqrt{c x^2 + a})^6 a c^{3/2} d^2 e + 21 (\sqrt{c} x - \sqrt{c x^2 + a})^5 a^2 c^2 d^3 + 12 (\sqrt{c} x - \sqrt{c x^2 + a})^4 a^2 c^{3/2} d^2 e + 21 (\sqrt{c} x - \sqrt{c x^2 + a})^3 a^2 c^2 d^3 - 12 (\sqrt{c} x - \sqrt{c x^2 + a})^2 a^2 c^{3/2} d^2 e + 3 (\sqrt{c} x - \sqrt{c x^2 + a}) a^3 c^2 d^3 - 12 (\sqrt{c} x - \sqrt{c x^2 + a})^3 a^3 c^2 d^3 - 12 (\sqrt{c} x - \sqrt{c x^2 + a})^2 a^3 c^{3/2} d^2 e + 72 (\sqrt{c} x - \sqrt{c x^2 + a})^4 a^3 c^{3/2} d^2 e + 8 a^4 c^{3/2} d^2 e + 12 (\sqrt{c} x - \sqrt{c x^2 + a}) a^4 c^2 d^3 - 72 (\sqrt{c} x - \sqrt{c x^2 + a})^2 a^4 c^{3/2} d^2 e + 24 a^5 \sqrt{c} d^3) / (((\sqrt{c} x - \sqrt{c x^2 + a})^2 - a)^4 a d^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^5/(e\*x+d),x, algorithm="giac")

[Out] 
$$-2*(c*d^2*e^3 + a*e^5)*\arctan\left(\frac{\sqrt{c}x - \sqrt{c*x^2 + a}}{\sqrt{-a}}\right) + \sqrt{c}*d / \sqrt{-c*d^2 - a*e^2} / (\sqrt{-c*d^2 - a*e^2}*d^5) - 1/4*(c^2*d^4 - 4*a*c*d^2*e^2 - 8*a^2*e^4)*\arctan\left(\frac{\sqrt{c}x - \sqrt{c*x^2 + a}}{\sqrt{-a}}\right) / (\sqrt{-a}*a*d^5) + 1/12*(3*(\sqrt{c}x - \sqrt{c*x^2 + a})^7*c^2*d^3 - 24*(\sqrt{c}x - \sqrt{c*x^2 + a})^6*a*c^{3/2}*d^2*e + 21*(\sqrt{c}x - \sqrt{c*x^2 + a})^5*a^2*c^2*d^3 + 12*(\sqrt{c}x - \sqrt{c*x^2 + a})^4*a^2*c^{3/2}*d^2*e + 21*(\sqrt{c}x - \sqrt{c*x^2 + a})^3*a^2*c^2*d^3 - 12*(\sqrt{c}x - \sqrt{c*x^2 + a})^2*a^2*c^{3/2}*d^2*e + 3*(\sqrt{c}x - \sqrt{c*x^2 + a})*a^3*c^2*d^3 - 12*(\sqrt{c}x - \sqrt{c*x^2 + a})^3*a^3*c^2*d^3 - 12*(\sqrt{c}x - \sqrt{c*x^2 + a})^2*a^3*c^{3/2}*d^2*e + 72*(\sqrt{c}x - \sqrt{c*x^2 + a})^4*a^3*c^{3/2}*d^2*e + 8*a^4*c^{3/2}*d^2*e + 12*(\sqrt{c}x - \sqrt{c*x^2 + a})*a^4*c^2*d^3 - 72*(\sqrt{c}x - \sqrt{c*x^2 + a})^2*a^4*c^{3/2}*d^2*e + 24*a^5*\sqrt{c}*d^3) / (((\sqrt{c}x - \sqrt{c*x^2 + a})^2 - a)^4*a*d^4)$$

**maple [B]** time = 0.02, size = 703, normalized size = 2.57

$$\frac{1}{d^4} \frac{e^3}{a} \frac{1}{x} (c x^2 + a)^{3/2} - \frac{1}{d^4} \frac{e^3 c}{a x} (c x^2 + a)^{1/2} - \frac{1}{d^4} \frac{e^3 c^{1/2}}{a^{1/2}} \ln(c^{1/2} x + (c x^2 + a)^{1/2}) - \frac{1}{2} \frac{e^2}{d^3} \frac{1}{a} \frac{1}{x^2} (c x^2 + a)^{3/2} - \frac{1}{2} \frac{e^2 c}{d^3 a^{1/2}} \ln\left(\frac{(2 a + 2 (c x^2 + a)^{1/2}) a^{1/2}}{x}\right) + \frac{1}{2} \frac{e^2 c}{d^3 a} (c x^2 + a)^{1/2} + \frac{1}{3} \frac{e}{d^2} \frac{1}{x^3} - \frac{1}{d^5} \frac{e^4 a^{1/2}}{x} \ln\left(\frac{(2 a + 2 (c x^2 + a)^{1/2}) a^{1/2}}{x}\right) + \frac{1}{d^5} \frac{e^4}{x} (c x^2 + a)^{1/2} - \frac{1}{d^5} \frac{e^4}{x} (-2 (x + d/e) c d / e + (x + d/e)^2 c + (a e^2 + c d^2) / e^2)^{1/2} + \frac{1}{d^4} \frac{e^3 c^{1/2}}{a^{1/2}} \ln\left(\frac{-c d / e + (x + d/e) c}{c^{1/2}} + \frac{-2 (x + d/e) c d / e + (x + d/e)^2 c + (a e^2 + c d^2) / e^2}{e^{1/2}}\right) + \frac{1}{d^5} \frac{e^4}{x} \left(\frac{(a e^2 + c d^2) / e^2}{e^{1/2}}\right)^{1/2} \ln\left(\frac{-2 (x + d/e) c d / e + 2 (a e^2 + c d^2) / e^2 + 2 \left(\frac{a e^2 + c d^2}{e^2}\right)^{1/2} (-2 (x + d/e) c d / e + (x + d/e)^2 c + (a e^2 + c d^2) / e^2)^{1/2}}{(x + d/e)}\right) * a + \frac{1}{d^3} \frac{e^2}{a} \frac{1}{x^2} \ln\left(\frac{-2 (x + d/e) c d / e + 2 (a e^2 + c d^2) / e^2 + 2 \left(\frac{a e^2 + c d^2}{e^2}\right)^{1/2} (-2 (x + d/e) c d / e + (x + d/e)^2 c + (a e^2 + c d^2) / e^2)^{1/2}}{(x + d/e)}\right) * c - \frac{1}{4} \frac{d}{a} \frac{1}{x^4} (c x^2 + a)^{3/2} + \frac{1}{8} \frac{d}{a} \frac{1}{x^2} (c x^2 + a)^{3/2} + \frac{1}{8} \frac{d}{a} \frac{1}{x^2} \ln\left(\frac{(2 a + 2 (c x^2 + a)^{1/2}) a^{1/2}}{x}\right) - \frac{1}{8} \frac{d}{a} \frac{1}{x^2} (c x^2 + a)^{1/2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+a)^(1/2)/x^5/(e\*x+d),x)

[Out] 
$$\frac{1}{d^4} \frac{e^3}{a} \frac{1}{x} (c x^2 + a)^{3/2} - \frac{1}{d^4} \frac{e^3 c}{a x} (c x^2 + a)^{1/2} - \frac{1}{d^4} \frac{e^3 c^{1/2}}{a^{1/2}} \ln(c^{1/2} x + (c x^2 + a)^{1/2}) - \frac{1}{2} \frac{e^2}{d^3} \frac{1}{a} \frac{1}{x^2} (c x^2 + a)^{3/2} - \frac{1}{2} \frac{e^2 c}{d^3 a^{1/2}} \ln\left(\frac{(2 a + 2 (c x^2 + a)^{1/2}) a^{1/2}}{x}\right) + \frac{1}{2} \frac{e^2 c}{d^3 a} (c x^2 + a)^{1/2} + \frac{1}{3} \frac{e}{d^2} \frac{1}{x^3} - \frac{1}{d^5} \frac{e^4 a^{1/2}}{x} \ln\left(\frac{(2 a + 2 (c x^2 + a)^{1/2}) a^{1/2}}{x}\right) + \frac{1}{d^5} \frac{e^4}{x} (c x^2 + a)^{1/2} - \frac{1}{d^5} \frac{e^4}{x} (-2 (x + d/e) c d / e + (x + d/e)^2 c + (a e^2 + c d^2) / e^2)^{1/2} + \frac{1}{d^4} \frac{e^3 c^{1/2}}{a^{1/2}} \ln\left(\frac{-c d / e + (x + d/e) c}{c^{1/2}} + \frac{-2 (x + d/e) c d / e + (x + d/e)^2 c + (a e^2 + c d^2) / e^2}{e^{1/2}}\right) + \frac{1}{d^5} \frac{e^4}{x} \left(\frac{(a e^2 + c d^2) / e^2}{e^{1/2}}\right)^{1/2} \ln\left(\frac{-2 (x + d/e) c d / e + 2 (a e^2 + c d^2) / e^2 + 2 \left(\frac{a e^2 + c d^2}{e^2}\right)^{1/2} (-2 (x + d/e) c d / e + (x + d/e)^2 c + (a e^2 + c d^2) / e^2)^{1/2}}{(x + d/e)}\right) * a + \frac{1}{d^3} \frac{e^2}{a} \frac{1}{x^2} \ln\left(\frac{-2 (x + d/e) c d / e + 2 (a e^2 + c d^2) / e^2 + 2 \left(\frac{a e^2 + c d^2}{e^2}\right)^{1/2} (-2 (x + d/e) c d / e + (x + d/e)^2 c + (a e^2 + c d^2) / e^2)^{1/2}}{(x + d/e)}\right) * c - \frac{1}{4} \frac{d}{a} \frac{1}{x^4} (c x^2 + a)^{3/2} + \frac{1}{8} \frac{d}{a} \frac{1}{x^2} (c x^2 + a)^{3/2} + \frac{1}{8} \frac{d}{a} \frac{1}{x^2} \ln\left(\frac{(2 a + 2 (c x^2 + a)^{1/2}) a^{1/2}}{x}\right) - \frac{1}{8} \frac{d}{a} \frac{1}{x^2} (c x^2 + a)^{1/2}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^2 + a}}{(ex + d)x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)^(1/2)/x^5/(e\*x+d),x, algorithm="maxima")

[Out] integrate(sqrt(c\*x^2 + a)/((e\*x + d)\*x^5), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{cx^2 + a}}{x^5 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c\*x^2)^(1/2)/(x^5\*(d + e\*x)),x)

[Out] int((a + c\*x^2)^(1/2)/(x^5\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + cx^2}}{x^5 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+a)\*\*(1/2)/x\*\*5/(e\*x+d),x)

[Out] Integral(sqrt(a + c\*x\*\*2)/(x\*\*5\*(d + e\*x)), x)

$$3.237 \quad \int \frac{x^4}{(d+ex)\sqrt{a+cx^2}} dx$$

**Optimal.** Leaf size=195

$$\frac{d(2cd^2 - ae^2) \tanh^{-1}\left(\frac{\sqrt{cx}}{\sqrt{a+cx^2}}\right)}{2c^{3/2}e^4} + \frac{\sqrt{a+cx^2}(11cd^2 - 4ae^2)}{6c^2e^3} - \frac{d^4 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^4\sqrt{ae^2+cd^2}} - \frac{7d\sqrt{a+cx^2}(d+ex)}{6ce^3}$$

**Rubi [A]** time = 0.48, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$ , Rules used = {1654, 844, 217, 206, 725}

$$\frac{\sqrt{a+cx^2}(11cd^2 - 4ae^2)}{6c^2e^3} - \frac{d(2cd^2 - ae^2) \tanh^{-1}\left(\frac{\sqrt{cx}}{\sqrt{a+cx^2}}\right)}{2c^{3/2}e^4} - \frac{d^4 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^4\sqrt{ae^2+cd^2}} - \frac{7d\sqrt{a+cx^2}(d+ex)}{6ce^3} + \frac{\sqrt{a+cx^2}(d+ex)^2}{3ce^3}$$

Antiderivative was successfully verified.

[In] Int[x^4/((d + e\*x)\*Sqrt[a + c\*x^2]), x]

[Out] ((11\*c\*d^2 - 4\*a\*e^2)\*Sqrt[a + c\*x^2])/(6\*c^2\*e^3) - (7\*d\*(d + e\*x)\*Sqrt[a + c\*x^2])/(6\*c\*e^3) + ((d + e\*x)^2\*Sqrt[a + c\*x^2])/(3\*c\*e^3) - (d\*(2\*c\*d^2 - a\*e^2)\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]])/(2\*c^(3/2)\*e^4) - (d^4\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(e^4\*Sqrt[c\*d^2 + a\*e^2])

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 217**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

**Rule 725**

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

**Rule 844**

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

### Rubi steps

$$\begin{aligned}
 \int \frac{x^4}{(d+ex)\sqrt{a+cx^2}} dx &= \frac{(d+ex)^2\sqrt{a+cx^2}}{3ce^3} + \frac{\int \frac{-2ad^2e^2 - de(cd^2+4ae^2)x - e^2(5cd^2+2ae^2)x^2 - 7cde^3x^3}{(d+ex)\sqrt{a+cx^2}} dx}{3ce^4} \\
 &= -\frac{7d(d+ex)\sqrt{a+cx^2}}{6ce^3} + \frac{(d+ex)^2\sqrt{a+cx^2}}{3ce^3} + \frac{\int \frac{3acd^2e^5 + cde^4(5cd^2 - ae^2)x + ce^5(11cd^2 - 4ae^2)x^2}{(d+ex)\sqrt{a+cx^2}} dx}{6c^2e^7} \\
 &= \frac{(11cd^2 - 4ae^2)\sqrt{a+cx^2}}{6c^2e^3} - \frac{7d(d+ex)\sqrt{a+cx^2}}{6ce^3} + \frac{(d+ex)^2\sqrt{a+cx^2}}{3ce^3} + \frac{\int \frac{3ac^2d^2e^7 - 3c^2ae^6x}{(d+ex)\sqrt{a+cx^2}} dx}{6c^2e^7} \\
 &= \frac{(11cd^2 - 4ae^2)\sqrt{a+cx^2}}{6c^2e^3} - \frac{7d(d+ex)\sqrt{a+cx^2}}{6ce^3} + \frac{(d+ex)^2\sqrt{a+cx^2}}{3ce^3} + \frac{d^4 \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{e^4} \\
 &= \frac{(11cd^2 - 4ae^2)\sqrt{a+cx^2}}{6c^2e^3} - \frac{7d(d+ex)\sqrt{a+cx^2}}{6ce^3} + \frac{(d+ex)^2\sqrt{a+cx^2}}{3ce^3} - \frac{d^4 \operatorname{Subst}\left(\int \frac{1}{c - dx} dx\right)}{e^4} \\
 &= \frac{(11cd^2 - 4ae^2)\sqrt{a+cx^2}}{6c^2e^3} - \frac{7d(d+ex)\sqrt{a+cx^2}}{6ce^3} + \frac{(d+ex)^2\sqrt{a+cx^2}}{3ce^3} - \frac{d(2cd^2 - ae^2)}{2e^4}
 \end{aligned}$$

**Mathematica [A]** time = 0.23, size = 149, normalized size = 0.76

$$\frac{\frac{3d(2cd^2 - ae^2) \tanh^{-1}\left(\frac{\sqrt{cx}}{\sqrt{a+cx^2}}\right)}{c^{3/2}} + \frac{e\sqrt{a+cx^2}(-4ae^2 + 6cd^2 - 3cdex + 2ce^2x^2)}{c^2} - \frac{6d^4 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{\sqrt{ae^2+cd^2}}}{6e^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d + e\*x)\*Sqrt[a + c\*x^2]), x]

[Out] ((e\*Sqrt[a + c\*x^2]\*(6\*c\*d^2 - 4\*a\*e^2 - 3\*c\*d\*e\*x + 2\*c\*e^2\*x^2))/c^2 - (3\*d\*(2\*c\*d^2 - a\*e^2)\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]])/c^(3/2) - (6\*d^4\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/Sqrt[c\*d^2 + a\*e^2]/(6\*e^4)

**IntegrateAlgebraic [A]** time = 0.63, size = 217, normalized size = 1.11

$$\frac{(2cd^3 - ade^2) \log(\sqrt{a+cx^2} - \sqrt{cx})}{2c^{3/2}e^4} + \frac{\sqrt{a+cx^2}(-4ae^2 + 6cd^2 - 3cdex + 2ce^2x^2)}{6c^2e^3} + \frac{2d^4\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{cx}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{cd}}{\sqrt{-ae^2 - cd^2}}\right)}{e^4(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^4/((d + e\*x)\*Sqrt[a + c\*x^2]), x]

[Out] (Sqrt[a + c\*x^2]\*(6\*c\*d^2 - 4\*a\*e^2 - 3\*c\*d\*e\*x + 2\*c\*e^2\*x^2))/(6\*c^2\*e^3) + (2\*d^4\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2]] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2])/(e^4\*(c\*d^2 + a\*e^2)) + ((2\*c\*d^3 - a\*d\*e^2)\*Log[-(Sqrt[c]\*x) + Sqrt[a + c\*x^2]])/(2\*c^(3/2)\*e^4)

**fricas [A]** time = 2.88, size = 1060, normalized size = 5.44

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(c\*x^2+a)^(1/2), x, algorithm="fricas")

[Out] [1/12\*(6\*sqrt(c\*d^2 + a\*e^2)\*c^2\*d^4\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e))\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - 3\*(2\*c^2\*d^5 + a\*c\*d^3\*e^2 - a^2\*d\*e^4)\*sqrt(c)\*log(-2\*c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) + 2\*(6\*c^2\*d^4\*e + 2\*a\*c\*d^2\*e^3 - 4\*a^2\*e^5 + 2\*(c^2\*d^2\*e^3 + a\*c\*e^5)\*x^2 - 3\*(c^2\*d^3\*e^2 + a\*c\*d\*e^4)\*x)\*sqrt(c\*x^2 + a)/(c^3\*d^2\*e^4 + a\*c^2\*e^6), -1/12\*(12\*sqrt(-c\*d^2 - a\*e^2)\*c^2\*d^4\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e))\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) + 3\*(2\*c^2\*d^5 + a

$$\begin{aligned}
 & *c*d^3*e^2 - a^2*d*e^4)*\sqrt{c}*\log(-2*c*x^2 - 2*\sqrt{c*x^2 + a}*\sqrt{c}*x \\
 & - a) - 2*(6*c^2*d^4*e + 2*a*c*d^2*e^3 - 4*a^2*e^5 + 2*(c^2*d^2*e^3 + a*c*e^5)*x^2 - 3*(c^2*d^3*e^2 + a*c*d*e^4)*x)*\sqrt{c*x^2 + a})/(c^3*d^2*e^4 + a*c^2*e^6), \\
 & 1/6*(3*\sqrt{c*d^2 + a*e^2}*c^2*d^4*\log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 - 2*\sqrt{c*d^2 + a*e^2})*(c*d*x - a*e)*\sqrt{c*x^2 + a}))/ \\
 & (e^2*x^2 + 2*d*e*x + d^2)) + 3*(2*c^2*d^5 + a*c*d^3*e^2 - a^2*d*e^4)*\sqrt{-c}*\arctan(\sqrt{-c}*x/\sqrt{c*x^2 + a}) + (6*c^2*d^4*e + 2*a*c*d^2*e^3 - 4*a^2*e^5 + 2*(c^2*d^2*e^3 + a*c*e^5)*x^2 - 3*(c^2*d^3*e^2 + a*c*d*e^4)*x)*\sqrt{c*x^2 + a})/(c^3*d^2*e^4 + a*c^2*e^6), \\
 & -1/6*(6*\sqrt{-c*d^2 - a*e^2}*c^2*d^4*\arctan(\sqrt{-c*d^2 - a*e^2})*(c*d*x - a*e)*\sqrt{c*x^2 + a})/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - 3*(2*c^2*d^5 + a*c*d^3*e^2 - a^2*d*e^4)*\sqrt{-c}*\arctan(\sqrt{-c}*x/\sqrt{c*x^2 + a}) - (6*c^2*d^4*e + 2*a*c*d^2*e^3 - 4*a^2*e^5 + 2*(c^2*d^2*e^3 + a*c*e^5)*x^2 - 3*(c^2*d^3*e^2 + a*c*d*e^4)*x)*\sqrt{c*x^2 + a})/(c^3*d^2*e^4 + a*c^2*e^6)]
 \end{aligned}$$

**giac** [A] time = 0.21, size = 163, normalized size = 0.84

$$\frac{2d^4 \arctan\left(\frac{(\sqrt{c}x - \sqrt{cx^2+a})e + \sqrt{c}d}{\sqrt{-cd^2 - ae^2}}\right)e^{(-4)}}{\sqrt{-cd^2 - ae^2}} + \frac{1}{6} \sqrt{cx^2+a} \left( x \left( \frac{2xe^{(-1)}}{c} - \frac{3de^{(-2)}}{c} \right) + \frac{2(3c^2d^2e^7 - 2ace^9)e^{(-10)}}{c^3} \right) \right) + \frac{(2c^{\frac{3}{2}}d^3 - a\sqrt{c}de^2)e^{(-4)} \log(|-\sqrt{c}x + \sqrt{cx^2+a}|)}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out] 2\*d^4\*arctan(-((sqrt(c)\*x - sqrt(c\*x^2 + a))\*e + sqrt(c)\*d)/sqrt(-c\*d^2 - a\*e^2))\*e^(-4)/sqrt(-c\*d^2 - a\*e^2) + 1/6\*sqrt(c\*x^2 + a)\*(x\*(2\*x\*e^(-1)/c - 3\*d\*e^(-2)/c) + 2\*(3\*c^2\*d^2\*e^7 - 2\*a\*c\*e^9)\*e^(-10)/c^3) + 1/2\*(2\*c^(3/2)\*d^3 - a\*sqrt(c)\*d\*e^2)\*e^(-4)\*log(abs(-sqrt(c)\*x + sqrt(c\*x^2 + a)))/c^2

**maple** [A] time = 0.02, size = 260, normalized size = 1.33

$$\frac{\sqrt{cx^2+a}x^2}{3ce} - \frac{d^4 \ln\left(\frac{\frac{2(x+\frac{d}{c})^{2d}}{e} + \frac{2a^2+2cd^2}{2} + 2\sqrt{\frac{a^2+cd^2}{2}} \sqrt{\frac{2(x+\frac{d}{c})^{2d}}{e} + (x+\frac{d}{c})^2 c + \frac{a^2+cd^2}{2}}}{x+\frac{d}{c}}\right)}{\sqrt{\frac{a^2+cd^2}{2}} e^5} + \frac{ad \ln(\sqrt{c}x + \sqrt{cx^2+a})}{2c^{\frac{3}{2}}e^2} - \frac{d^3 \ln(\sqrt{c}x + \sqrt{cx^2+a})}{\sqrt{c}e^4} - \frac{\sqrt{cx^2+a} dx}{2ce^2} - \frac{2\sqrt{cx^2+a} a}{3c^2e} + \frac{\sqrt{cx^2+a} d^2}{ce^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(e\*x+d)/(c\*x^2+a)^(1/2),x)

[Out] 1/3/e\*x^2/c\*(c\*x^2+a)^(1/2)-2/3/e\*a/c^2\*(c\*x^2+a)^(1/2)-1/2\*d/e^2\*x/c\*(c\*x^2+a)^(1/2)+1/2\*d/e^2\*a/c^(3/2)\*ln(c^(1/2)\*x+(c\*x^2+a)^(1/2))+d^2/e^3/c\*(c\*x^2+a)^(1/2)-d^3/e^4\*ln(c^(1/2)\*x+(c\*x^2+a)^(1/2))/c^(1/2)-d^4/e^5/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2+2\*((a\*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))/(x+d/e)



**maxima** [A] time = 0.55, size = 171, normalized size = 0.88

$$\frac{\sqrt{cx^2 + a} x^2}{3ce} - \frac{\sqrt{cx^2 + a} dx}{2ce^2} - \frac{d^3 \operatorname{arsinh}\left(\frac{cx}{\sqrt{ac}}\right)}{\sqrt{c} e^4} + \frac{ad \operatorname{arsinh}\left(\frac{cx}{\sqrt{ac}}\right)}{2c^2 e^2} + \frac{d^4 \operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{\sqrt{a + \frac{cd^2}{e^2}} e^5} + \frac{\sqrt{cx^2 + a} d^2}{ce^3} - \frac{2\sqrt{cx^2 + a} a}{3c^2 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(c\*x^2+a)^(1/2), x, algorithm="maxima")

[Out]  $\frac{1}{3}\sqrt{cx^2 + a}x^2/(c^2e) - \frac{1}{2}\sqrt{cx^2 + a}dx/(c^2e) - \frac{d^3 \operatorname{arcsinh}(cx/\sqrt{ac})}{\sqrt{c}e^4} + \frac{1}{2}ad \operatorname{arcsinh}(cx/\sqrt{ac})/(c^{3/2}e^2) + \frac{d^4 \operatorname{arcsinh}(cdx/(\sqrt{ac}|ex+d|) - ae/(\sqrt{ac}|ex+d|))}{\sqrt{a + cd^2/e^2}e^5} + \frac{\sqrt{cx^2 + a}d^2}{ce^3} - \frac{2\sqrt{cx^2 + a}a}{3c^2e}$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{\sqrt{cx^2 + a} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/((a + c\*x^2)^(1/2)\*(d + e\*x)), x)

[Out] int(x^4/((a + c\*x^2)^(1/2)\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{a + cx^2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4/(e\*x+d)/(c\*x\*\*2+a)\*\*(1/2), x)

[Out] Integral(x\*\*4/(sqrt(a + c\*x\*\*2)\*(d + e\*x)), x)

$$3.238 \quad \int \frac{x^3}{(d+ex)\sqrt{a+cx^2}} dx$$

**Optimal.** Leaf size=152

$$\frac{(2cd^2 - ae^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{2c^{3/2}e^3} + \frac{d^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^3\sqrt{ae^2+cd^2}} - \frac{3d\sqrt{a+cx^2}}{2ce^2} + \frac{\sqrt{a+cx^2}(d+ex)}{2ce^2}$$

**Rubi [A]** time = 0.27, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$ , Rules used = {1654, 844, 217, 206, 725}

$$\frac{(2cd^2 - ae^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{2c^{3/2}e^3} + \frac{d^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^3\sqrt{ae^2+cd^2}} - \frac{3d\sqrt{a+cx^2}}{2ce^2} + \frac{\sqrt{a+cx^2}(d+ex)}{2ce^2}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] (-3\*d\*Sqrt[a + c\*x^2])/(2\*c\*e^2) + ((d + e\*x)\*Sqrt[a + c\*x^2])/(2\*c\*e^2) + ((2\*c\*d^2 - a\*e^2)\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]])/(2\*c^(3/2)\*e^3) + (d^3\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]))/(e^3\*Sqrt[c\*d^2 + a\*e^2])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + D

ist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 1654

Int[(Pq\_)\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :  
 > With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(d + e\*x)^(m + q - 1)\*(a + c\*x^2)^(p + 1))/(c\*e^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(c\*e^q\*(m + q + 2\*p + 1)), Int[(d + e\*x)^m\*(a + c\*x^2)^p\*ExpandToSum[c\*e^q\*(m + q + 2\*p + 1)\*Pq - c\*f\*(m + q + 2\*p + 1)\*(d + e\*x)^q - f\*(d + e\*x)^(q - 2)\*(a\*e^2\*(m + q - 1) - c\*d^2\*(m + q + 2\*p + 1) - 2\*c\*d\*e\*(m + q + p)\*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2\*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c\*d^2 + a\*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

### Rubi steps

$$\begin{aligned} \int \frac{x^3}{(d+ex)\sqrt{a+cx^2}} dx &= \frac{(d+ex)\sqrt{a+cx^2}}{2ce^2} + \frac{\int \frac{-ade^2 - e(cd^2+ae^2)x - 3cde^2x^2}{(d+ex)\sqrt{a+cx^2}} dx}{2ce^3} \\ &= -\frac{3d\sqrt{a+cx^2}}{2ce^2} + \frac{(d+ex)\sqrt{a+cx^2}}{2ce^2} + \frac{\int \frac{-acde^4 + ce^3(2cd^2 - ae^2)x}{(d+ex)\sqrt{a+cx^2}} dx}{2c^2e^5} \\ &= -\frac{3d\sqrt{a+cx^2}}{2ce^2} + \frac{(d+ex)\sqrt{a+cx^2}}{2ce^2} - \frac{d^3 \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{e^3} + \frac{(2cd^2 - ae^2) \int \frac{1}{\sqrt{a+cx^2}} dx}{2ce^3} \\ &= -\frac{3d\sqrt{a+cx^2}}{2ce^2} + \frac{(d+ex)\sqrt{a+cx^2}}{2ce^2} + \frac{d^3 \text{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{e^3} + \frac{(2cd^2 - ae^2) \int \frac{1}{\sqrt{a+cx^2}} dx}{2ce^3} \\ &= -\frac{3d\sqrt{a+cx^2}}{2ce^2} + \frac{(d+ex)\sqrt{a+cx^2}}{2ce^2} + \frac{(2cd^2 - ae^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{2c^{3/2}e^3} + \frac{d^3 \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{e^3\sqrt{cd^2}} \end{aligned}$$

**Mathematica [A]** time = 0.22, size = 131, normalized size = 0.86

$$\frac{(2cd^2 - ae^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right) + \sqrt{c} \left( \frac{2cd^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{\sqrt{ae^2+cd^2}} + e\sqrt{a+cx^2}(ex-2d) \right)}{2c^{3/2}e^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] ((2\*c\*d^2 - a\*e^2)\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]] + Sqrt[c]\*(e\*(-2\*d + e\*x)\*Sqrt[a + c\*x^2] + (2\*c\*d^3\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2] \*Sqrt[a + c\*x^2])])/Sqrt[c\*d^2 + a\*e^2]))/(2\*c^(3/2)\*e^3)

**IntegrateAlgebraic [A]** time = 0.47, size = 194, normalized size = 1.28

$$\frac{(ae^2 - 2cd^2) \log\left(\sqrt{a + cx^2} - \sqrt{cx}\right)}{2c^{3/2}e^3} - \frac{2d^3\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{e^3(ae^2 + cd^2)} + \frac{\sqrt{a + cx^2}(ex - 2d)}{2ce^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] ((-2\*d + e\*x)\*Sqrt[a + c\*x^2])/(2\*c\*e^2) - (2\*d^3\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/(e^3\*(c\*d^2 + a\*e^2)) + ((-2\*c\*d^2 + a\*e^2)\*Log[-(Sqrt[c]\*x) + Sqrt[a + c\*x^2]])/(2\*c^(3/2)\*e^3)

**fricas [A]** time = 2.80, size = 924, normalized size = 6.08

-----

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/4\*(2\*sqrt(c\*d^2 + a\*e^2)\*c^2\*d^3\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - (2\*c^2\*d^4 + a\*c\*d^2\*e^2 - a^2\*e^4)\*sqrt(c)\*log(-2\*c\*x^2 + 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) - 2\*(2\*c^2\*d^3\*e + 2\*a\*c\*d\*e^3 - (c^2\*d^2\*e^2 + a\*c\*e^4)\*x)\*sqrt(c\*x^2 + a))/(c^3\*d^2\*e^3 + a\*c^2\*e^5), 1/4\*(4\*sqrt(-c\*d^2 - a\*e^2)\*c^2\*d^3\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) - (2\*c^2\*d^4 + a\*c\*d^2\*e^2 - a^2\*e^4)\*sqrt(c)\*log(-2\*c\*x^2 + 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) - 2\*(2\*c^2\*d^3\*e + 2\*a\*c\*d\*e^3 - (c^2\*d^2\*e^2 + a\*c\*e^4)\*x)\*sqrt(c\*x^2 + a))/(c^3\*d^2\*e^3 + a\*c^2\*e^5), 1/2\*(sqrt(c\*d^2 + a\*e^2)\*c^2\*d^3\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - (2\*c^2\*d^4 + a\*c\*d^2\*e^2 - a^2\*e^4)\*sqrt(-c)\*arctan(sqrt(-c)\*x/sqrt(c\*x^2 + a)) - (2\*c^2\*d^3\*e + 2\*a\*c\*d\*e^3 - (c^2\*d^2\*e^2 + a\*c\*e^4)\*x)\*sqrt(c\*x^2 + a))/(c^3\*d^2\*e^3 + a\*c^2\*e^5), 1/2\*(2\*sqrt(-c\*d^2 - a\*e^2)\*c^2\*d^3\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) - (2\*c^2\*d^4 + a\*c\*d^2\*e^2 - a^2\*e^4)\*sqrt(-c)\*arctan(sqrt(-c)\*x/sqrt(c\*x^2 + a)) - (2\*c^2\*d^3\*e + 2\*a\*c\*d\*e^3 - (c^2\*d^2\*e^2 + a\*c\*e^4)\*x)\*sqrt(c\*x^2 + a))/(c^3\*d^2\*e^3 + a\*c^2\*e^5)]

**giac** [A] time = 0.22, size = 129, normalized size = 0.85

$$-\frac{2d^3 \arctan\left(\frac{(\sqrt{c}x - \sqrt{cx^2+a})e + \sqrt{c}d}{\sqrt{-cd^2 - ae^2}}\right)e^{(-3)}}{\sqrt{-cd^2 - ae^2}} + \frac{1}{2}\sqrt{cx^2+a}\left(\frac{xe^{(-1)}}{c} - \frac{2de^{(-2)}}{c}\right) - \frac{(2cd^2 - ae^2)e^{(-3)}\log\left(\left|-\sqrt{c}x + \sqrt{cx^2+a}\right|\right)}{2c^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(c\*x^2+a)^(1/2), x, algorithm="giac")

[Out]  $-2*d^3*\arctan(-(\sqrt{c}*x - \sqrt{c*x^2 + a})*e + \sqrt{c}*d)/\sqrt{-c*d^2 - a*e^2})*e^{(-3)}/\sqrt{-c*d^2 - a*e^2} + 1/2*\sqrt{c*x^2 + a}*(x*e^{(-1)}/c - 2*d*e^{(-2)}/c) - 1/2*(2*c*d^2 - a*e^2)*e^{(-3)}*\log(\text{abs}(-\sqrt{c}*x + \sqrt{c*x^2 + a}))/c^{(3/2)}$

**maple** [A] time = 0.01, size = 217, normalized size = 1.43

$$\frac{d^3 \ln\left(\frac{-\frac{2(x+\frac{d}{e})cd}{e} + \frac{2ae^2+2cd^2}{e^2} + 2\sqrt{\frac{ae^2+cd^2}{e^2}} \sqrt{\frac{-2(x+\frac{d}{e})cd}{e} + (x+\frac{d}{e})^2 c + \frac{ae^2+cd^2}{e^2}}}{x+\frac{d}{e}}\right)}{\sqrt{\frac{ae^2+cd^2}{e^2}} e^4} - \frac{a \ln(\sqrt{c}x + \sqrt{cx^2+a})}{2c^{\frac{3}{2}}e} + \frac{d^2 \ln(\sqrt{c}x + \sqrt{cx^2+a})}{\sqrt{c}e^3} + \frac{\sqrt{cx^2+a}x}{2ce} - \frac{\sqrt{cx^2+a}d}{ce^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e\*x+d)/(c\*x^2+a)^(1/2), x)

[Out]  $1/2/e*x/c*(c*x^2+a)^{(1/2)} - 1/2/e*a/c^{(3/2)}*\ln(c^{(1/2)}*x+(c*x^2+a)^{(1/2)}) - d*(c*x^2+a)^{(1/2)}/c/e^2+d^2/e^3*\ln(c^{(1/2)}*x+(c*x^2+a)^{(1/2)})/c^{(1/2)}+d^3/e^4/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)$

**maxima** [A] time = 0.52, size = 130, normalized size = 0.86

$$\frac{\sqrt{cx^2+a}x}{2ce} + \frac{d^2 \operatorname{arsinh}\left(\frac{cx}{\sqrt{ac}}\right)}{\sqrt{c}e^3} - \frac{a \operatorname{arsinh}\left(\frac{cx}{\sqrt{ac}}\right)}{2c^{\frac{3}{2}}e} - \frac{d^3 \operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{\sqrt{a + \frac{cd^2}{e^2}}e^4} - \frac{\sqrt{cx^2+a}d}{ce^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(c\*x^2+a)^(1/2), x, algorithm="maxima")

[Out]  $1/2*\sqrt{c*x^2 + a}*x/(c*e) + d^2*\operatorname{arcsinh}(c*x/\sqrt{a*c})/(\sqrt{c}*e^3) - 1/2*a*\operatorname{arcsinh}(c*x/\sqrt{a*c})/(c^{(3/2)}*e) - d^3*\operatorname{arcsinh}(c*d*x/(\sqrt{a*c}*\text{abs}(e*x + d)) - a*e/(\sqrt{a*c}*\text{abs}(e*x + d)))/(\sqrt{a + c*d^2/e^2}*e^4) - \sqrt{c*x^2 + a}*d/(c*e^2)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\sqrt{cx^2 + a} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/((a + c*x^2)^(1/2)*(d + e*x)),x)`

[Out] `int(x^3/((a + c*x^2)^(1/2)*(d + e*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{a + cx^2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/(e*x+d)/(c*x**2+a)**(1/2),x)`

[Out] `Integral(x**3/(sqrt(a + c*x**2)*(d + e*x)), x)`

$$3.239 \quad \int \frac{x^2}{(d+ex)\sqrt{a+cx^2}} dx$$

Optimal. Leaf size=109

$$-\frac{d^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^2\sqrt{ae^2+cd^2}} - \frac{d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{\sqrt{c}e^2} + \frac{\sqrt{a+cx^2}}{ce}$$

**Rubi [A]** time = 0.13, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {1654, 12, 844, 217, 206, 725}

$$-\frac{d^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^2\sqrt{ae^2+cd^2}} - \frac{d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{\sqrt{c}e^2} + \frac{\sqrt{a+cx^2}}{ce}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] Sqrt[a + c\*x^2]/(c\*e) - (d\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]]/(Sqrt[c]\*e^2) - (d^2\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]))/(e^2\*Sqrt[c\*d^2 + a\*e^2])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ

[{a, c, d, e}, x]

### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1)/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

### Rubi steps

$$\begin{aligned}
 \int \frac{x^2}{(d+ex)\sqrt{a+cx^2}} dx &= \frac{\sqrt{a+cx^2}}{ce} - \frac{\int \frac{cdex}{(d+ex)\sqrt{a+cx^2}} dx}{ce^2} \\
 &= \frac{\sqrt{a+cx^2}}{ce} - \frac{d \int \frac{x}{(d+ex)\sqrt{a+cx^2}} dx}{e} \\
 &= \frac{\sqrt{a+cx^2}}{ce} - \frac{d \int \frac{1}{\sqrt{a+cx^2}} dx}{e^2} + \frac{d^2 \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{e^2} \\
 &= \frac{\sqrt{a+cx^2}}{ce} - \frac{d \operatorname{Subst}\left(\int \frac{1}{1-cx^2} dx, x, \frac{x}{\sqrt{a+cx^2}}\right)}{e^2} - \frac{d^2 \operatorname{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{e^2} \\
 &= \frac{\sqrt{a+cx^2}}{ce} - \frac{d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{\sqrt{c}e^2} - \frac{d^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{e^2\sqrt{cd^2+ae^2}}
 \end{aligned}$$



**Mathematica [A]** time = 0.07, size = 105, normalized size = 0.96

$$\frac{\frac{d^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right) - d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right) + \frac{e\sqrt{a+cx^2}}{c}}{\sqrt{ae^2+cd^2}}}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)\*Sqrt[a + c\*x^2]), x]

[Out] ((e\*Sqrt[a + c\*x^2])/c - (d\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]])/Sqrt[c] - (d^2\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/Sqrt[c\*d^2 + a\*e^2])/e^2

**IntegrateAlgebraic [A]** time = 0.45, size = 170, normalized size = 1.56

$$\frac{2d^2\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 - cd^2}}\right) + \frac{d \log\left(\sqrt{a+cx^2} - \sqrt{c}x\right)}{\sqrt{c}e^2} + \frac{\sqrt{a+cx^2}}{ce}}{e^2(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((d + e\*x)\*Sqrt[a + c\*x^2]), x]

[Out] Sqrt[a + c\*x^2]/(c\*e) + (2\*d^2\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2])/(e^2\*(c\*d^2 + a\*e^2)) + (d\*Log[-(Sqrt[c]\*x) + Sqrt[a + c\*x^2]])/(Sqrt[c]\*e^2)

**fricas [A]** time = 0.53, size = 745, normalized size = 6.83

$$\frac{\sqrt{c}d^2 \log\left(\frac{\sqrt{a+cx^2} - \sqrt{c}x}{\sqrt{a+cx^2}}\right) + \frac{d \log\left(\sqrt{a+cx^2} - \sqrt{c}x\right)}{\sqrt{c}e^2} + \frac{\sqrt{a+cx^2}}{ce}}{e^2(ae^2 + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(c\*x^2+a)^(1/2), x, algorithm="fricas")

[Out] [1/2\*(sqrt(c\*d^2 + a\*e^2)\*c\*d^2\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + (c\*d^3 + a\*d\*e^2)\*sqrt(c)\*log(-2\*c\*x^2 + 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) + 2\*(c\*d^2\*e + a\*e^3)\*sqrt(c\*x^2 + a))/(c^2\*d^2\*e^2 + a\*c\*e^4), -1/2\*(2\*sqrt(-c\*d^2 - a\*e^2)\*c\*d^2\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) - (c\*d^3 + a\*d\*e^2)\*sqrt(c)\*log(-2\*c\*x^2 + 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) - 2\*(c\*d^2\*e + a\*e^3)\*sqrt(c\*x^2 + a))/(c^2\*d^2\*e^2 + a\*c\*e^4), 1/2\*(sqrt(c\*d^2 + a\*e^2)\*c\*d^2\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2

$*c^2*d^2 + a*c*e^2)*x^2 - 2*\sqrt{c*d^2 + a*e^2}*(c*d*x - a*e)*\sqrt{c*x^2 + a})/(e^2*x^2 + 2*d*e*x + d^2)) + 2*(c*d^3 + a*d*e^2)*\sqrt{-c}*\arctan(\sqrt{-c}*x/\sqrt{c*x^2 + a}) + 2*(c*d^2*e + a*e^3)*\sqrt{c*x^2 + a})/(c^2*d^2*e^2 + a*c*e^4), -(\sqrt{-c*d^2 - a*e^2})*c*d^2*\arctan(\sqrt{-c*d^2 - a*e^2}*(c*d*x - a*e)*\sqrt{c*x^2 + a})/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - (c*d^3 + a*d*e^2)*\sqrt{-c}*\arctan(\sqrt{-c}*x/\sqrt{c*x^2 + a}) - (c*d^2*e + a*e^3)*\sqrt{c*x^2 + a})/(c^2*d^2*e^2 + a*c*e^4)]$

**giac** [A] time = 0.23, size = 105, normalized size = 0.96

$$\frac{2d^2 \arctan\left(\frac{(\sqrt{c}x - \sqrt{cx^2 + a})e + \sqrt{c}d}{\sqrt{-cd^2 - ae^2}}\right)e^{(-2)}}{\sqrt{-cd^2 - ae^2}} + \frac{de^{(-2)} \log\left(\left|-\sqrt{c}x + \sqrt{cx^2 + a}\right|\right)}{\sqrt{c}} + \frac{\sqrt{cx^2 + a}e^{(-1)}}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out]  $2*d^2*\arctan(-(\sqrt{c}*x - \sqrt{c*x^2 + a})*e + \sqrt{c}*d)/\sqrt{-c*d^2 - a*e^2})*e^{(-2)}/\sqrt{-c*d^2 - a*e^2} + d*e^{(-2)}*\log(\text{abs}(-\sqrt{c}*x + \sqrt{c*x^2 + a}))/\sqrt{c} + \sqrt{c*x^2 + a})*e^{(-1)}/c$

**maple** [A] time = 0.01, size = 172, normalized size = 1.58

$$\frac{d^2 \ln\left(\frac{-\frac{2(x+\frac{d}{e})cd}{e} + \frac{2ae^2+2cd^2}{e^2} + 2\sqrt{\frac{ae^2+cd^2}{e^2}} \sqrt{-\frac{2(x+\frac{d}{e})cd}{e} + (x+\frac{d}{e})^2 c + \frac{ae^2+cd^2}{e^2}}}{x+\frac{d}{e}}\right)}{\sqrt{\frac{ae^2+cd^2}{e^2}} e^3} - \frac{d \ln\left(\sqrt{c}x + \sqrt{cx^2 + a}\right)}{\sqrt{c} e^2} + \frac{\sqrt{cx^2 + a}}{ce}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(e\*x+d)/(c\*x^2+a)^(1/2),x)

[Out]  $(c*x^2+a)^{(1/2)}/c/e-1/e^2*d*\ln(c^{(1/2)}*x+(c*x^2+a)^{(1/2)})/c^{(1/2)}-d^2/e^3/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)$

**maxima** [A] time = 0.49, size = 90, normalized size = 0.83

$$-\frac{d \operatorname{arsinh}\left(\frac{cx}{\sqrt{ac}}\right)}{\sqrt{c} e^2} + \frac{d^2 \operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{\sqrt{a + \frac{cd^2}{e^2}} e^3} + \frac{\sqrt{cx^2 + a}}{ce}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="maxima")

[Out]  $-d*\operatorname{arcsinh}(c*x/\sqrt{a*c})/(\sqrt{c}*e^2) + d^2*\operatorname{arcsinh}(c*d*x/(\sqrt{a*c})*\operatorname{abs}(e*x + d)) - a*e/(\sqrt{a*c}*\operatorname{abs}(e*x + d))/(\sqrt{a + c*d^2/e^2}*e^3) + \sqrt{c*x^2 + a}/(c*e)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\sqrt{cx^2 + a} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((a + c\*x^2)^(1/2)\*(d + e\*x)),x)

[Out] int(x^2/((a + c\*x^2)^(1/2)\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{a + cx^2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(e\*x+d)/(c\*x\*\*2+a)\*\*(1/2),x)

[Out] Integral(x\*\*2/(sqrt(a + c\*x\*\*2)\*(d + e\*x)), x)

$$3.240 \quad \int \frac{x}{(d+ex)\sqrt{a+cx^2}} dx$$

Optimal. Leaf size=86

$$\frac{d \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e\sqrt{ae^2+cd^2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{\sqrt{c}e}$$

**Rubi [A]** time = 0.04, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {844, 217, 206, 725}

$$\frac{d \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e\sqrt{ae^2+cd^2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{\sqrt{c}e}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]]/(Sqrt[c]\*e) + (d\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(e\*Sqrt[c\*d^2 + a\*e^2])

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 844

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d,

e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rubi steps

$$\begin{aligned} \int \frac{x}{(d+ex)\sqrt{a+cx^2}} dx &= \frac{\int \frac{1}{\sqrt{a+cx^2}} dx}{e} - \frac{d \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{e} \\ &= \frac{\text{Subst}\left(\int \frac{1}{1-cx^2} dx, x, \frac{x}{\sqrt{a+cx^2}}\right)}{e} + \frac{d \text{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{e} \\ &= \frac{\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{\sqrt{c}e} + \frac{d \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{e\sqrt{cd^2+ae^2}} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 86, normalized size = 1.00

$$\frac{d \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e\sqrt{ae^2+cd^2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{\sqrt{c}e}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e\*x)\*Sqrt[a + c\*x^2]), x]

[Out] ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]]/(Sqrt[c]\*e) + (d\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(e\*Sqrt[c\*d^2 + a\*e^2])

**IntegrateAlgebraic [A]** time = 0.37, size = 150, normalized size = 1.74

$$\frac{2d\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 - cd^2}}\right)}{e(ae^2 + cd^2)} - \frac{\log\left(\sqrt{a+cx^2} - \sqrt{c}x\right)}{\sqrt{c}e}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((d + e\*x)\*Sqrt[a + c\*x^2]), x]

[Out] (-2\*d\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2]] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2])/(e\*(c\*d^2 + a\*e^2)) - Log[-(Sqrt[c]\*x) + Sqrt[a + c\*x^2]]/(Sqrt[c]\*e)

**fricas** [A] time = 0.53, size = 631, normalized size = 7.34

$$\frac{\sqrt{cd^2+ae^2} \operatorname{arctan}\left(\frac{(2ax+2d)\sqrt{cd^2+ae^2} + \sqrt{cd^2+ae^2} \operatorname{arctan}\left(\frac{\sqrt{cd^2+ae^2}}{2(dx+ae)}\right)}{2(dx+ae)}\right) + (d^2+ae^2)\sqrt{c} \log(-2cx^2-2\sqrt{cd^2+ae^2}x-a) - 2\sqrt{cd^2+ae^2} \operatorname{arctan}\left(\frac{\sqrt{cd^2+ae^2}}{2(dx+ae)}\right) + (d^2+ae^2)\sqrt{c} \log(-2cx^2-2\sqrt{cd^2+ae^2}x-a) - 2\sqrt{cd^2+ae^2} \operatorname{arctan}\left(\frac{\sqrt{cd^2+ae^2}}{2(dx+ae)}\right) - 2(dx+ae)\sqrt{c} \operatorname{arctan}\left(\frac{\sqrt{cd^2+ae^2}}{2(dx+ae)}\right) - (d^2+ae^2)\sqrt{c} \operatorname{arctan}\left(\frac{\sqrt{cd^2+ae^2}}{2(dx+ae)}\right)}{2(dx+ae)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/2\*(sqrt(c\*d^2 + a\*e^2)\*c\*d\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + (c\*d^2 + a\*e^2)\*sqrt(c)\*log(-2\*c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a))/(c^2\*d^2\*e + a\*c\*e^3), 1/2\*(2\*sqrt(-c\*d^2 - a\*e^2)\*c\*d\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) + (c\*d^2 + a\*e^2)\*sqrt(c)\*log(-2\*c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a))/(c^2\*d^2\*e + a\*c\*e^3), 1/2\*(sqrt(c\*d^2 + a\*e^2)\*c\*d\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - 2\*(c\*d^2 + a\*e^2)\*sqrt(-c)\*arctan(sqrt(-c)\*x/sqrt(c\*x^2 + a)))/(c^2\*d^2\*e + a\*c\*e^3), (sqrt(-c\*d^2 - a\*e^2)\*c\*d\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) - (c\*d^2 + a\*e^2)\*sqrt(-c)\*arctan(sqrt(-c)\*x/sqrt(c\*x^2 + a)))/(c^2\*d^2\*e + a\*c\*e^3)]

**giac** [A] time = 0.20, size = 88, normalized size = 1.02

$$\frac{2d \operatorname{arctan}\left(-\frac{(\sqrt{c}x - \sqrt{cx^2+a})e + \sqrt{cd}}{\sqrt{-cd^2 - ae^2}}\right) e^{(-1)}}{\sqrt{-cd^2 - ae^2}} - \frac{e^{(-1)} \log\left(\left|-\sqrt{c}x + \sqrt{cx^2+a}\right|\right)}{\sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out] -2\*d\*arctan(-((sqrt(c)\*x - sqrt(c\*x^2 + a))\*e + sqrt(c)\*d)/sqrt(-c\*d^2 - a\*e^2))\*e^(-1)/sqrt(-c\*d^2 - a\*e^2) - e^(-1)\*log(abs(-sqrt(c)\*x + sqrt(c\*x^2 + a)))/sqrt(c)

**maple** [B] time = 0.01, size = 151, normalized size = 1.76

$$\frac{d \ln\left(\frac{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \frac{2ae^2+2cd^2}{e^2} + 2\sqrt{\frac{ae^2+cd^2}{e^2}} \sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{ae^2+cd^2}{e^2}}}{x+\frac{d}{e}}\right)}{\sqrt{\frac{ae^2+cd^2}{e^2}} e^2} + \frac{\ln\left(\sqrt{c}x + \sqrt{cx^2+a}\right)}{\sqrt{c}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(e*x+d)/(c*x^2+a)^(1/2),x)`

[Out]  $\frac{1}{e} \ln\left(\frac{c^{1/2}x + (c x^2 + a)^{1/2}}{c^{1/2}} + \frac{d}{e^2} \left(\frac{a e^2 + c d^2}{e^2}\right)^{1/2}\right) + \ln\left(\frac{-2(x+d/e)cd/e + 2(ae^2 + cd^2)/e^2 + ((ae^2 + cd^2)/e^2)^{1/2}(-2(x+d/e)cd/e + (x+d/e)^2c + (ae^2 + cd^2)/e^2)^{1/2}}{(x+d/e)}\right)$

**maxima** [A] time = 0.49, size = 71, normalized size = 0.83

$$\frac{\operatorname{arsinh}\left(\frac{cx}{\sqrt{ac}}\right)}{\sqrt{c}e} - \frac{d \operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{\sqrt{a + \frac{cd^2}{e^2}}e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)/(c*x^2+a)^(1/2),x, algorithm="maxima")`

[Out]  $\operatorname{arcsinh}(cx/\sqrt{ac})/(\sqrt{c}e) - d \operatorname{arcsinh}(cdx/(\sqrt{ac}|ex+d|) - ae/(\sqrt{ac}|ex+d|))/(\sqrt{a + cd^2/e^2}e^2)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\sqrt{cx^2 + a} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/((a + c*x^2)^(1/2)*(d + e*x)),x)`

[Out] `int(x/((a + c*x^2)^(1/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{a + cx^2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)/(c*x**2+a)**(1/2),x)`

[Out] `Integral(x/(sqrt(a + c*x**2)*(d + e*x)), x)`

$$3.241 \quad \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx$$

Optimal. Leaf size=54

$$-\frac{\tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{\sqrt{ae^2+cd^2}}$$

**Rubi [A]** time = 0.02, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {725, 206}

$$-\frac{\tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{\sqrt{ae^2+cd^2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] -(ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]])/Sqrt[c\*d^2 + a\*e^2])

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] :> -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

Rubi steps

$$\begin{aligned} \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx &= -\text{Subst}\left(\int \frac{1}{cd^2 + ae^2 - x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right) \\ &= -\frac{\tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{\sqrt{cd^2+ae^2}} \end{aligned}$$



**Mathematica [A]** time = 0.01, size = 54, normalized size = 1.00

$$\frac{\tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{\sqrt{ae^2+cd^2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] -(ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])]/Sqrt[c\*d^2 + a\*e^2])

**IntegrateAlgebraic [B]** time = 0.01, size = 114, normalized size = 2.11

$$\frac{2\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 - cd^2}}\right)}{ae^2 + cd^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] (2\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/(c\*d^2 + a\*e^2)

**fricas [B]** time = 0.42, size = 211, normalized size = 3.91

$$\left[ \frac{\log\left(\frac{2acdex - acd^2 - 2a^2e^2 - (2c^2d^2 + ace^2)x^2 - 2\sqrt{cd^2 + ae^2}(cdx - ae)\sqrt{cx^2 + a}}{e^2x^2 + 2dex + d^2}\right)}{2\sqrt{cd^2 + ae^2}}, -\frac{\sqrt{-cd^2 - ae^2} \arctan\left(\frac{\sqrt{-cd^2 - ae^2}(cdx - ae)\sqrt{cx^2 + a}}{acd^2 + a^2e^2 + (c^2d^2 + ace^2)x^2}\right)}{cd^2 + ae^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/2\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2))/sqrt(c\*d^2 + a\*e^2), -sqrt(-c\*d^2 - a\*e^2)\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2))/(c\*d^2 + a\*e^2)]

**giac [A]** time = 0.19, size = 59, normalized size = 1.09

$$\frac{2 \arctan\left(-\frac{(\sqrt{c}x - \sqrt{cx^2 + a})e + \sqrt{c}d}{\sqrt{-cd^2 - ae^2}}\right)}{\sqrt{-cd^2 - ae^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out] 2\*arctan(-((sqrt(c)\*x - sqrt(c\*x^2 + a))\*e + sqrt(c)\*d)/sqrt(-c\*d^2 - a\*e^2))/sqrt(-c\*d^2 - a\*e^2)

**maple [B]** time = 0.00, size = 127, normalized size = 2.35

$$\frac{\ln\left(\frac{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \frac{2ae^2+2cd^2}{e^2} + 2\sqrt{\frac{ae^2+cd^2}{e^2}} \sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{ae^2+cd^2}{e^2}}}{x+\frac{d}{e}}\right)}{\sqrt{\frac{ae^2+cd^2}{e^2}} e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(c\*x^2+a)^(1/2),x)

[Out] -1/e/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2+2\*(a\*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2)/(x+d/e))

**maxima [A]** time = 0.46, size = 52, normalized size = 0.96

$$\frac{\operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{\sqrt{a + \frac{cd^2}{e^2}} e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="maxima")

[Out] arcsinh(c\*d\*x/(sqrt(a\*c)\*abs(e\*x + d)) - a\*e/(sqrt(a\*c)\*abs(e\*x + d)))/(sqrt(a + c\*d^2/e^2)\*e)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{cx^2 + a} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c\*x^2)^(1/2)\*(d + e\*x)),x)

[Out] int(1/((a + c\*x^2)^(1/2)\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + cx^2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x\*\*2+a)\*\*(1/2),x)

[Out] Integral(1/(sqrt(a + c\*x\*\*2)\*(d + e\*x)), x)

$$3.242 \quad \int \frac{1}{x(d+ex)\sqrt{a+cx^2}} dx$$

Optimal. Leaf size=86

$$\frac{e \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d\sqrt{ae^2+cd^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d}$$

**Rubi [A]** time = 0.08, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {961, 266, 63, 208, 725, 206}

$$\frac{e \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d\sqrt{ae^2+cd^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] (e\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(d\*Sqrt[c\*d^2 + a\*e^2]) - ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]]/(Sqrt[a]\*d)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rule 961

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^
2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x
^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c
*d^2 + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[
m, 0] || IGtQ[n, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex)\sqrt{a+cx^2}} dx &= \int \left( \frac{1}{dx\sqrt{a+cx^2}} - \frac{e}{d(d+ex)\sqrt{a+cx^2}} \right) dx \\
&= \frac{\int \frac{1}{x\sqrt{a+cx^2}} dx}{d} - \frac{e \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{d} \\
&= \frac{\text{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{2d} + \frac{e \text{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{d} \\
&= \frac{e \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d\sqrt{cd^2+ae^2}} + \frac{\text{Subst}\left(\int \frac{1}{-\frac{a}{c}+\frac{x^2}{c}} dx, x, \sqrt{a+cx^2}\right)}{cd} \\
&= \frac{e \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d\sqrt{cd^2+ae^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 86, normalized size = 1.00

$$\frac{e \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d\sqrt{ae^2+cd^2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] (e\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]))/(d\*Sqrt[c\*d^2 + a\*e^2]) - ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]]/(Sqrt[a]\*d)

**IntegrateAlgebraic [A]** time = 0.35, size = 161, normalized size = 1.87

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}} - \frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d} - \frac{2e\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 - cd^2}}\right)}{d(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x\*(d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] (-2\*e\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2])/(d\*(c\*d^2 + a\*e^2)) + (2\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a] - Sqrt[a + c\*x^2]/Sqrt[a]])/(Sqrt[a]\*d)

**fricas [A]** time = 0.46, size = 634, normalized size = 7.37

$$\frac{\sqrt{d^2 + a^2} \operatorname{arctan}\left(\frac{2abdx - 2c^2d^2 + \sqrt{d^2 + a^2}\sqrt{a+cx^2}}{2(ae^2 + cd^2)}\right) + (d^2 + a^2)\sqrt{a} \log\left(\frac{d^2 - 2\sqrt{d^2 + a^2}\sqrt{a+cx^2}}{2(ae^2 + cd^2)}\right) - 2\sqrt{-cd^2 - ae^2} \operatorname{arctan}\left(\frac{\sqrt{-cd^2 - ae^2}}{2(ae^2 + cd^2)}\right) + (d^2 + a^2)\sqrt{a} \log\left(\frac{d^2 - 2\sqrt{-cd^2 - ae^2}\sqrt{a+cx^2}}{2(ae^2 + cd^2)}\right) + \sqrt{d^2 + a^2} \operatorname{arctan}\left(\frac{2abdx - 2c^2d^2 + \sqrt{d^2 + a^2}\sqrt{a+cx^2}}{2(ae^2 + cd^2)}\right) + 2(d^2 + a^2)\sqrt{a} \operatorname{arctan}\left(\frac{\sqrt{-cd^2 - ae^2}}{2(ae^2 + cd^2)}\right) - \sqrt{-cd^2 - ae^2} \operatorname{arctan}\left(\frac{\sqrt{-cd^2 - ae^2}}{2(ae^2 + cd^2)}\right) + (d^2 + a^2)\sqrt{a} \operatorname{arctan}\left(\frac{\sqrt{-cd^2 - ae^2}}{2(ae^2 + cd^2)}\right)}{2(ae^2 + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/2\*(sqrt(c\*d^2 + a\*e^2)\*a\*e\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + (c\*d^2 + a\*e^2)\*sqrt(a)\*log(-(c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(a) + 2\*a)/x^2))/(a\*c\*d^3 + a^2\*d\*e^2), 1/2\*(2\*sqrt(-c\*d^2 - a\*e^2)\*a\*e\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) + (c\*d^2 + a\*e^2)\*sqrt(a)\*log(-(c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(a) + 2\*a)/x^2))/(a\*c\*d^3 + a^2\*d\*e^2), 1/2\*(sqrt(c\*d^2 + a\*e^2)\*a\*e\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + 2\*(c\*d^2 + a\*e^2)\*sqrt(-a)\*arctan(sqrt(-a)/sqrt(c\*x^2 + a)))/(a\*c\*d^3 + a^2\*d\*e^2), (sqrt(-c\*d^2 - a\*e^2)\*a\*e\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) + (c\*d^2 + a\*e^2)\*sqrt(-a)\*arctan(sqrt(-a)/sqrt(c\*x^2 + a)))/(a\*c\*d^3 + a^2\*d\*e^2)]

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);;OUTPUT>Error: Bad Argument Type

**maple** [B] time = 0.01, size = 158, normalized size = 1.84

$$\ln \left( \frac{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \frac{2ae^2+2cd^2}{e^2} + 2\sqrt{\frac{ae^2+cd^2}{e^2}} \sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{ae^2+cd^2}{e^2}}}{x + \frac{d}{e}} \right) - \frac{\ln \left( \frac{2a+2\sqrt{cx^2+a} \sqrt{a}}{x} \right)}{\sqrt{a} d} - \frac{\sqrt{\frac{ae^2+cd^2}{e^2}} d}{\sqrt{a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(e\*x+d)/(c\*x^2+a)^(1/2),x)

[Out]  $-1/d/a^{1/2} * \ln((2*a+2*(c*x^2+a)^{1/2}*a^{1/2})/x) + 1/d/((a*e^2+c*d^2)/e^2)^{1/2} * \ln((-2*(x+d/e)*c*d/e + 2*(a*e^2+c*d^2)/e^2 + 2*((a*e^2+c*d^2)/e^2)^{1/2} * (-2*(x+d/e)*c*d/e + (x+d/e)^2*c + (a*e^2+c*d^2)/e^2)^{1/2}) / (x+d/e)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^2+a}(ex+d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c\*x^2+a)\*(e\*x+d)\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x \sqrt{cx^2+a} (d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*(a+c\*x^2)^(1/2)\*(d+e\*x)),x)

[Out] int(1/(x\*(a+c\*x^2)^(1/2)\*(d+e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{a+cx^2}(d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(e*x+d)/(c*x**2+a)**(1/2),x)
```

```
[Out] Integral(1/(x*sqrt(a + c*x**2)*(d + e*x)), x)
```



$$3.243 \quad \int \frac{1}{x^2(d+ex)\sqrt{a+cx^2}} dx$$

Optimal. Leaf size=111

$$-\frac{e^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^2\sqrt{ae^2+cd^2}} + \frac{e \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^2} - \frac{\sqrt{a+cx^2}}{adx}$$

Rubi [A] time = 0.10, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$ , Rules used = {961, 264, 266, 63, 208, 725, 206}

$$-\frac{e^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^2\sqrt{ae^2+cd^2}} + \frac{e \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^2} - \frac{\sqrt{a+cx^2}}{adx}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] -(Sqrt[a + c\*x^2]/(a\*d\*x)) - (e^2\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]))/(d^2\*Sqrt[c\*d^2 + a\*e^2]) + (e\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(Sqrt[a]\*d^2)

### Rule 63

Int[((a\_) + (b\_)\*(x\_)^(m))\*((c\_) + (d\_)\*(x\_)^(n)), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

### Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rule 961

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^
2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x
^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c
*d^2 + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[
m, 0] || IGtQ[n, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2(d+ex)\sqrt{a+cx^2}} dx &= \int \left( \frac{1}{dx^2\sqrt{a+cx^2}} - \frac{e}{d^2x\sqrt{a+cx^2}} + \frac{e^2}{d^2(d+ex)\sqrt{a+cx^2}} \right) dx \\
&= \frac{\int \frac{1}{x^2\sqrt{a+cx^2}} dx}{d} - \frac{e \int \frac{1}{x\sqrt{a+cx^2}} dx}{d^2} + \frac{e^2 \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{d^2} \\
&= -\frac{\sqrt{a+cx^2}}{adx} - \frac{e \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{2d^2} - \frac{e^2 \operatorname{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{d^2} \\
&= -\frac{\sqrt{a+cx^2}}{adx} - \frac{e^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^2\sqrt{cd^2+ae^2}} - \frac{e \operatorname{Subst}\left(\int \frac{1}{-\frac{a}{c}+\frac{x^2}{c}} dx, x, \sqrt{a+cx^2}\right)}{cd^2} \\
&= -\frac{\sqrt{a+cx^2}}{adx} - \frac{e^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^2\sqrt{cd^2+ae^2}} + \frac{e \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^2}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 107, normalized size = 0.96

$$\frac{e^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right) - \frac{d\sqrt{a+cx^2}}{ax} + \frac{e \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2\*(d + e\*x)\*Sqrt[a + c\*x^2]), x]

[Out]  $\left(-\left(\frac{d\sqrt{a+cx^2}}{ax}\right) - \frac{e^2 \operatorname{ArcTanh}\left[\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right]}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}} + \frac{e \operatorname{ArcTanh}\left[\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right]}{\sqrt{a}}\right)/d^2$

**IntegrateAlgebraic [A]** time = 0.40, size = 186, normalized size = 1.68

$$\frac{2e^2\sqrt{-ae^2-cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{d^2(ae^2+cd^2)} - \frac{2e \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}} - \frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^2} - \frac{\sqrt{a+cx^2}}{adx}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^2\*(d + e\*x)\*Sqrt[a + c\*x^2]), x]

[Out]  $-\frac{\sqrt{a+cx^2}}{dax} + \frac{2e^2\sqrt{-ae^2-cd^2} \operatorname{ArcTan}\left[\frac{\sqrt{c}x}{\sqrt{-ae^2-cd^2}} - \frac{\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}}\right]}{d^2(ae^2+cd^2)} - \frac{2e \operatorname{ArcTanh}\left[\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right]}{\sqrt{a}d^2}$

**fricas [A]** time = 0.48, size = 767, normalized size = 6.91

Verification of antiderivative is not currently implemented for this CAS.

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(c\*x^2+a)^(1/2), x, algorithm="fricas")

[Out]  $\frac{1}{2}(\sqrt{cd^2+ae^2})a^2x \log((2acd^2e^2x - acd^2 - 2a^2e^2 - (2c^2d^2 + ac^2e^2)x^2 - 2\sqrt{cd^2+ae^2}(cdx - ae)\sqrt{cx^2+a})/(e^2x^2 + 2d^2e^2x + d^2)) + (cd^2e + ae^3)\sqrt{a}x \log(-(cx^2 + 2\sqrt{cx^2+a})\sqrt{a} + 2a)/x^2 - 2(cd^3 + ad^2e^2)\sqrt{cx^2+a}/((acd^4 + a^2d^2e^2)x) - 1/2(2\sqrt{-cd^2-ae^2})a^2x \operatorname{arctan}(\sqrt{-cd^2-ae^2}(cdx - ae)\sqrt{cx^2+a}/(acd^2 + a^2e^2 + (c^2d^2 + ac^2e^2)x^2)) - (cd^2e + ae^3)\sqrt{a}x \log(-(cx^2 + 2\sqrt{cx^2+a})\sqrt{a} + 2a)/x^2 + 2(cd^3 + ad^2e^2)\sqrt{cx^2+a}/((acd^4 + a^2d^2e^2)x) + 1/2(\sqrt{cd^2+ae^2})a^2x \log((2acd^2e^2x - acd^2 - 2a^2e^2 - (2c^2d^2 + ac^2e^2)x^2 - 2\sqrt{cd^2+ae^2}(cdx - ae)\sqrt{cx^2+a})/(e^2x^2 + 2d^2e^2x + d^2))$

- a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(e^2\*x^2 + 2\*d\*e\*x + d^2) - 2\*(c\*d^2\*e + a\*e^3)\*sqrt(-a)\*x\*arctan(sqrt(-a)/sqrt(c\*x^2 + a)) - 2\*(c\*d^3 + a\*d\*e^2)\*sqrt(c\*x^2 + a)/((a\*c\*d^4 + a^2\*d^2\*e^2)\*x), -(sqrt(-c\*d^2 - a\*e^2)\*a\*e^2\*x\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) + (c\*d^2\*e + a\*e^3)\*sqrt(-a)\*x\*arctan(sqrt(-a)/sqrt(c\*x^2 + a)) + (c\*d^3 + a\*d\*e^2)\*sqrt(c\*x^2 + a)/((a\*c\*d^4 + a^2\*d^2\*e^2)\*x)]

**giac** [A] time = 0.22, size = 142, normalized size = 1.28

$$2c \left( \frac{\arctan\left(-\frac{(\sqrt{c}x - \sqrt{cx^2+a})e + \sqrt{c}d}{\sqrt{-cd^2 - ae^2}}\right)e^2}{\sqrt{-cd^2 - ae^2}cd^2} - \frac{\arctan\left(-\frac{\sqrt{c}x - \sqrt{cx^2+a}}{\sqrt{-a}}\right)e}{\sqrt{-a}cd^2} + \frac{1}{\left(\left(\sqrt{c}x - \sqrt{cx^2+a}\right)^2 - a\right)\sqrt{c}d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out] 2\*c\*(arctan(-((sqrt(c)\*x - sqrt(c\*x^2 + a))\*e + sqrt(c)\*d)/sqrt(-c\*d^2 - a\*e^2))\*e^2/(sqrt(-c\*d^2 - a\*e^2)\*c\*d^2) - arctan(-(sqrt(c)\*x - sqrt(c\*x^2 + a))/sqrt(-a))\*e/(sqrt(-a)\*c\*d^2) + 1/(((sqrt(c)\*x - sqrt(c\*x^2 + a))^2 - a)\*sqrt(c)\*d)

**maple** [A] time = 0.01, size = 180, normalized size = 1.62

$$\frac{e \ln\left(\frac{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \frac{2ae^2+2cd^2}{e^2} + 2\sqrt{\frac{ae^2+cd^2}{e^2}} \sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{ae^2+cd^2}{e^2}}}{x+\frac{d}{e}}\right)}{\sqrt{\frac{ae^2+cd^2}{e^2}} d^2} + \frac{e \ln\left(\frac{2a+2\sqrt{cx^2+a}\sqrt{a}}{x}\right)}{\sqrt{a} d^2} - \frac{\sqrt{cx^2+a}}{adx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e\*x+d)/(c\*x^2+a)^(1/2),x)

[Out] -(c\*x^2+a)^(1/2)/a/d/x+e/d^2/a^(1/2)\*ln((2\*a+2\*(c\*x^2+a)^(1/2)\*a^(1/2))/x)-1/d^2\*e/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2+2\*((a\*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))/(x+d/e)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^2 + a}(ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c\*x^2 + a)\*(e\*x + d)\*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^2 \sqrt{c x^2 + a} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*(a + c\*x^2)^(1/2)\*(d + e\*x)),x)

[Out] int(1/(x^2\*(a + c\*x^2)^(1/2)\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{a + c x^2} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/(e\*x+d)/(c\*x\*\*2+a)\*\*(1/2),x)

[Out] Integral(1/(x\*\*2\*sqrt(a + c\*x\*\*2)\*(d + e\*x)), x)

$$3.244 \quad \int \frac{1}{x^3(d+ex)\sqrt{a+cx^2}} dx$$

**Optimal.** Leaf size=168

$$\frac{c \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2a^{3/2}d} - \frac{e^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^3} + \frac{e\sqrt{a+cx^2}}{ad^2x} + \frac{e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^3\sqrt{ae^2+cd^2}} - \frac{\sqrt{a+cx^2}}{2adx^2}$$

**Rubi [A]** time = 0.14, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {961, 266, 51, 63, 208, 264, 725, 206}

$$\frac{c \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2a^{3/2}d} + \frac{e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^3\sqrt{ae^2+cd^2}} - \frac{e^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^3} + \frac{e\sqrt{a+cx^2}}{ad^2x} - \frac{\sqrt{a+cx^2}}{2adx^2}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3\*(d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out] -Sqrt[a + c\*x^2]/(2\*a\*d\*x^2) + (e\*Sqrt[a + c\*x^2])/(a\*d^2\*x) + (e^3\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(d^3\*Sqrt[c\*d^2 + a\*e^2]) + (c\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(2\*a^(3/2)\*d) - (e^2\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(Sqrt[a]\*d^3)

### Rule 51

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*(m + n + 2))/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 264

Int[((c\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 725

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (c\_)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

### Rule 961

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3(d+ex)\sqrt{a+cx^2}} dx &= \int \left( \frac{1}{dx^3\sqrt{a+cx^2}} - \frac{e}{d^2x^2\sqrt{a+cx^2}} + \frac{e^2}{d^3x\sqrt{a+cx^2}} - \frac{e^3}{d^3(d+ex)\sqrt{a+cx^2}} \right) dx \\
&= \frac{\int \frac{1}{x^3\sqrt{a+cx^2}} dx}{d} - \frac{e \int \frac{1}{x^2\sqrt{a+cx^2}} dx}{d^2} + \frac{e^2 \int \frac{1}{x\sqrt{a+cx^2}} dx}{d^3} - \frac{e^3 \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{d^3} \\
&= \frac{e\sqrt{a+cx^2}}{ad^2x} + \frac{\text{Subst}\left(\int \frac{1}{x^2\sqrt{a+cx}} dx, x, x^2\right)}{2d} + \frac{e^2 \text{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{2d^3} + \frac{e^3 \text{Subst}\left(\int \frac{1}{(d+ex)\sqrt{a+cx}} dx, x, x^2\right)}{2d^3} \\
&= -\frac{\sqrt{a+cx^2}}{2adx^2} + \frac{e\sqrt{a+cx^2}}{ad^2x} + \frac{e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^3\sqrt{cd^2+ae^2}} - \frac{c \text{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{4ad} \\
&= -\frac{\sqrt{a+cx^2}}{2adx^2} + \frac{e\sqrt{a+cx^2}}{ad^2x} + \frac{e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^3\sqrt{cd^2+ae^2}} - \frac{e^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^3} - \frac{e^3 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^3} \\
&= -\frac{\sqrt{a+cx^2}}{2adx^2} + \frac{e\sqrt{a+cx^2}}{ad^2x} + \frac{e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^3\sqrt{cd^2+ae^2}} + \frac{c \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2a^{3/2}d} - \frac{e^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^3}
\end{aligned}$$

**Mathematica [A]** time = 0.64, size = 163, normalized size = 0.97

$$\frac{2e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{\sqrt{ae^2+cd^2}} + \frac{d\left(cd^2\sqrt{\frac{cx^2}{a}+1} \tanh^{-1}\left(\sqrt{\frac{cx^2}{a}+1}\right) - (a+cx^2)(d-2ex)\right)}{ax^2\sqrt{a+cx^2}} - \frac{2e^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}}}{2d^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3\*(d + e\*x)\*Sqrt[a + c\*x^2]), x]

[Out] ((2\*e^3\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]]))/Sqrt[c\*d^2 + a\*e^2] - (2\*e^2\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/Sqrt[a] + (d\*(-(d - 2\*e\*x)\*(a + c\*x^2)) + c\*d\*x^2\*Sqrt[1 + (c\*x^2)/a]\*ArcTanh[Sqrt[1 + (c\*x^2)/a]])/(a\*x^2\*Sqrt[a + c\*x^2]))/(2\*d^3)

**IntegrateAlgebraic [A]** time = 0.69, size = 203, normalized size = 1.21

$$\frac{(2ae^2 - cd^2) \tanh^{-1}\left(\frac{\sqrt{c}x - \sqrt{a+cx^2}}{\sqrt{a}}\right)}{a^{3/2}d^3} + \frac{\sqrt{a+cx^2}(2ex - d)}{2ad^2x^2} - \frac{2e^3\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 - cd^2}}\right)}{d^3(ae^2 + cd^2)}$$

Antiderivative was successfully verified.



[In] IntegrateAlgebraic[1/(x^3\*(d + e\*x)\*Sqrt[a + c\*x^2]),x]

[Out]  $\frac{(-d + 2e*x)*\sqrt{a + c*x^2}}{(2*a*d^2*x^2) - (2*e^3*\sqrt{-(c*d^2) - a*e^2})*\text{ArcTan}[\frac{\sqrt{c}*d}{\sqrt{-(c*d^2) - a*e^2}} + \frac{\sqrt{c}*e*x}{\sqrt{-(c*d^2) - a*e^2}} - \frac{e*\sqrt{a + c*x^2}}{\sqrt{-(c*d^2) - a*e^2}}]}{(d^3*(c*d^2 + a*e^2))} + \frac{(-(c*d^2) + 2*a*e^2)*\text{ArcTanh}[\frac{\sqrt{c}*x - \sqrt{a + c*x^2}}{\sqrt{a}}]}{(a^{3/2}*d^3)}$

**fricas** [A] time = 0.50, size = 956, normalized size = 5.69

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="fricas")

[Out]  $\frac{1}{4}*(2*\sqrt{c*d^2 + a*e^2})*a^2*e^3*x^2*\log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*\sqrt{c*d^2 + a*e^2}*(c*d*x - a*e)*\sqrt{c*x^2 + a}))/((e^2*x^2 + 2*d*e*x + d^2)) - \frac{(c^2*d^4 - a*c*d^2*e^2 - 2*a^2*e^4)*\sqrt{a}*x^2*\log(-(c*x^2 - 2*\sqrt{c*x^2 + a})*\sqrt{a} + 2*a)/x^2) - 2*(a*c*d^4 + a^2*d^2*e^2 - 2*(a*c*d^3*e + a^2*d*e^3)*x)*\sqrt{c*x^2 + a}}{(a^2*c*d^5 + a^3*d^3*e^2)*x^2}, \frac{1}{4}*(4*\sqrt{-c*d^2 - a*e^2})*a^2*e^3*x^2*\arctan(\sqrt{-c*d^2 - a*e^2}*(c*d*x - a*e)*\sqrt{c*x^2 + a}/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - \frac{(c^2*d^4 - a*c*d^2*e^2 - 2*a^2*e^4)*\sqrt{a}*x^2*\log(-(c*x^2 - 2*\sqrt{c*x^2 + a})*\sqrt{a} + 2*a)/x^2) - 2*(a*c*d^4 + a^2*d^2*e^2 - 2*(a*c*d^3*e + a^2*d*e^3)*x)*\sqrt{c*x^2 + a}}{(a^2*c*d^5 + a^3*d^3*e^2)*x^2}, \frac{1}{2}*(\sqrt{c*d^2 + a*e^2})*a^2*e^3*x^2*\log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*\sqrt{c*d^2 + a*e^2}*(c*d*x - a*e)*\sqrt{c*x^2 + a}))/((e^2*x^2 + 2*d*e*x + d^2)) - \frac{(c^2*d^4 - a*c*d^2*e^2 - 2*a^2*e^4)*\sqrt{-a}*x^2*\arctan(\sqrt{-a}/\sqrt{c*x^2 + a}) - (a*c*d^4 + a^2*d^2*e^2 - 2*(a*c*d^3*e + a^2*d*e^3)*x)*\sqrt{c*x^2 + a}}{(a^2*c*d^5 + a^3*d^3*e^2)*x^2}, \frac{1}{2}*(2*\sqrt{-c*d^2 - a*e^2})*a^2*e^3*x^2*\arctan(\sqrt{-c*d^2 - a*e^2}*(c*d*x - a*e)*\sqrt{c*x^2 + a}/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - \frac{(c^2*d^4 - a*c*d^2*e^2 - 2*a^2*e^4)*\sqrt{-a}*x^2*\arctan(\sqrt{-a}/\sqrt{c*x^2 + a}) - (a*c*d^4 + a^2*d^2*e^2 - 2*(a*c*d^3*e + a^2*d*e^3)*x)*\sqrt{c*x^2 + a}}{(a^2*c*d^5 + a^3*d^3*e^2)*x^2}]$

**giac** [A] time = 0.22, size = 239, normalized size = 1.42

$$-\frac{3}{c^2} \left( \frac{2 \arctan\left(\frac{\sqrt{c}x - \sqrt{cx^2 + a}}{\sqrt{-cd^2 - ae^2}}\right) e^3}{\sqrt{-cd^2 - ae^2} c^2 d^3} + \frac{(cd^2 - 2ae^2) \arctan\left(\frac{-\sqrt{c}x - \sqrt{cx^2 + a}}{\sqrt{-a}}\right)}{\sqrt{-a} ac^2 d^3} - \frac{(\sqrt{c}x - \sqrt{cx^2 + a})^3 \sqrt{c}d - 2(\sqrt{c}x - \sqrt{cx^2 + a})^2 ae + (\sqrt{c}x - \sqrt{cx^2 + a}) a \sqrt{c}d + 2a^2e}{\left((\sqrt{c}x - \sqrt{cx^2 + a})^2 - a\right)^2 acd^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out]  $-c^{3/2} * (2 * \arctan(-(\sqrt{c} * x - \sqrt{c * x^2 + a})) * e + \sqrt{c} * d) / \sqrt{-c * d^2 - a * e^2} * e^3 / (\sqrt{-c * d^2 - a * e^2} * c^{3/2} * d^3) + (c * d^2 - 2 * a * e^2) * \arctan(-(\sqrt{c} * x - \sqrt{c * x^2 + a}) / \sqrt{-a}) / (\sqrt{-a} * a * c^{3/2} * d^3) - ((\sqrt{c} * x - \sqrt{c * x^2 + a})^3 * \sqrt{c} * d - 2 * (\sqrt{c} * x - \sqrt{c * x^2 + a})^2 * a * e + (\sqrt{c} * x - \sqrt{c * x^2 + a}) * a * \sqrt{c} * d + 2 * a^2 * e) / (((\sqrt{c} * x - \sqrt{c * x^2 + a})^2 - a)^2 * a * c * d^2)$

**maple [A]** time = 0.01, size = 236, normalized size = 1.40

$$\frac{e^2 \ln \left( \frac{-\frac{2(x+\frac{d}{e})cd}{e} + \frac{2ae^2+2cd^2}{e^2} + 2\sqrt{\frac{ae^2+cd^2}{e^2}} \sqrt{-\frac{2(x+\frac{d}{e})cd}{e} + (\frac{x+\frac{d}{e}}{e})^2 c + \frac{ae^2+cd^2}{e^2}}}{x+\frac{d}{e}} \right)}{\sqrt{\frac{ae^2+cd^2}{e^2}} d^3} - \frac{e^2 \ln \left( \frac{2a+2\sqrt{cx^2+a}\sqrt{a}}{x} \right)}{\sqrt{a} d^3} + \frac{c \ln \left( \frac{2a+2\sqrt{cx^2+a}\sqrt{a}}{x} \right)}{2a^{\frac{3}{2}} d} + \frac{\sqrt{cx^2+a} e}{a d^2 x} - \frac{\sqrt{cx^2+a}}{2ad x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^3/(e*x+d)/(c*x^2+a)^(1/2),x)`

[Out]  $e * (c * x^2 + a)^{1/2} / a / d^2 / x - 1/2 * (c * x^2 + a)^{1/2} / a / d / x^2 + 1/2 / d * c / a^{3/2} * \ln((2 * a + 2 * (c * x^2 + a)^{1/2} * a^{1/2}) / x) - 1/d^3 * e^2 / a^{1/2} * \ln((2 * a + 2 * (c * x^2 + a)^{1/2} * a^{1/2}) / x) + 1/d^3 * e^2 / ((a * e^2 + c * d^2) / e^2)^{1/2} * \ln((-2 * (x + d/e) * c * d / e + 2 * (a * e^2 + c * d^2) / e^2 + 2 * ((a * e^2 + c * d^2) / e^2)^{1/2} * (-2 * (x + d/e) * c * d / e + (x + d/e)^2 * c + (a * e^2 + c * d^2) / e^2)^{1/2}) / (x + d/e)$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^2 + a} (ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(e*x+d)/(c*x^2+a)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(c*x^2 + a)*(e*x + d)*x^3), x)`

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^3 \sqrt{cx^2 + a} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^3*(a + c*x^2)^(1/2)*(d + e*x)),x)`

[Out] `int(1/(x^3*(a + c*x^2)^(1/2)*(d + e*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 \sqrt{a + cx^2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*3/(e\*x+d)/(c\*x\*\*2+a)\*\*(1/2),x)

[Out] Integral(1/(x\*\*3\*sqrt(a + c\*x\*\*2)\*(d + e\*x)), x)

$$3.245 \quad \int \frac{x^4}{(d+ex)(a+cx^2)^{3/2}} dx$$

**Optimal.** Leaf size=146

$$-\frac{d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{c^{3/2}e^2} + \frac{a(ae+cdx)}{c^2\sqrt{a+cx^2}(ae^2+cd^2)} + \frac{\sqrt{a+cx^2}}{c^2e} - \frac{d^4 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^2(ae^2+cd^2)^{3/2}}$$

**Rubi [A]** time = 0.31, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {1647, 1654, 844, 217, 206, 725}

$$\frac{a(ae+cdx)}{c^2\sqrt{a+cx^2}(ae^2+cd^2)} - \frac{d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{c^{3/2}e^2} + \frac{\sqrt{a+cx^2}}{c^2e} - \frac{d^4 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^2(ae^2+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^4/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out] (a\*(a\*e + c\*d\*x))/(c^2\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2]) + Sqrt[a + c\*x^2]/(c^2\*e) - (d\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]]/(c^(3/2)\*e^2) - (d^4\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(e^2\*(c\*d^2 + a\*e^2)^(3/2))

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1647

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[(d + e*x)^m*Pq, a + c*x^2, x], f = Coeff[Pol
ynomialRemainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 0], g = Coeff[Polynomial
Remainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 1]}, Simp[((a*g - c*f*x)*(a + c
*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[1/(2*a*c*(p + 1)), Int[(d + e*x)^
m*(a + c*x^2)^(p + 1)*ExpandToSum[(2*a*c*(p + 1)*Q)/(d + e*x)^m + (c*f*(2*p
+ 3))/(d + e*x)^m, x], x], x] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] &
& NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

### Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x
)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p
)*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4}{(d+ex)(a+cx^2)^{3/2}} dx &= \frac{a(ae+cdx)}{c^2(cd^2+ae^2)\sqrt{a+cx^2}} - \frac{\int \frac{\frac{a^2d^2}{cd^2+ae^2} - ax^2}{(d+ex)\sqrt{a+cx^2}} dx}{ac} \\
&= \frac{a(ae+cdx)}{c^2(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\sqrt{a+cx^2}}{c^2e} - \frac{\int \frac{\frac{a^2cd^2e^2}{cd^2+ae^2} + acdex}{(d+ex)\sqrt{a+cx^2}} dx}{ac^2e^2} \\
&= \frac{a(ae+cdx)}{c^2(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\sqrt{a+cx^2}}{c^2e} - \frac{d \int \frac{1}{\sqrt{a+cx^2}} dx}{ce^2} + \frac{d^4 \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{e^2(cd^2+ae^2)} \\
&= \frac{a(ae+cdx)}{c^2(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\sqrt{a+cx^2}}{c^2e} - \frac{d \operatorname{Subst}\left(\int \frac{1}{1-cx^2} dx, x, \frac{x}{\sqrt{a+cx^2}}\right)}{ce^2} - \frac{d^4 \operatorname{Subst}\left(\int \frac{1}{1-cx^2} dx, x, \frac{x}{\sqrt{a+cx^2}}\right)}{e^2(cd^2+ae^2)} \\
&= \frac{a(ae+cdx)}{c^2(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\sqrt{a+cx^2}}{c^2e} - \frac{d \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{c^{3/2}e^2} - \frac{d^4 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{e^2(cd^2+ae^2)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.44, size = 179, normalized size = 1.23

$$\frac{e(2a^2e^2+ac(d^2+dex+e^2x^2)+c^2d^2x^2)}{c^2\sqrt{a+cx^2}(ae^2+cd^2)} - \frac{\sqrt{a}d\sqrt{\frac{cx^2}{a}+1}\sinh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{c^{3/2}\sqrt{a+cx^2}} - \frac{d^4\tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}}}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d + e\*x)\*(a + c\*x^2)^(3/2)), x]

[Out] ((e\*(2\*a^2\*e^2 + c^2\*d^2\*x^2 + a\*c\*(d^2 + d\*e\*x + e^2\*x^2)))/(c^2\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2]) - (Sqrt[a]\*d\*Sqrt[1 + (c\*x^2)/a]\*ArcSinh[(Sqrt[c]\*x)/Sqrt[a]])/(c^(3/2)\*Sqrt[a + c\*x^2]) - (d^4\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(c\*d^2 + a\*e^2)^(3/2))/e^2

**IntegrateAlgebraic [A]** time = 0.85, size = 223, normalized size = 1.53

$$\frac{2a^2e^2 + acd^2 + acdex + ace^2x^2 + c^2d^2x^2}{c^2e\sqrt{a+cx^2}(ae^2+cd^2)} + \frac{d \log\left(\sqrt{a+cx^2} - \sqrt{c}x\right)}{c^{3/2}e^2} + \frac{2d^4\sqrt{-ae^2-cd^2}\tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{e^2(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^4/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out]  $(a*c*d^2 + 2*a^2*e^2 + a*c*d*e*x + c^2*d^2*x^2 + a*c*e^2*x^2)/(c^2*e*(c*d^2 + a*e^2)*\text{Sqrt}[a + c*x^2]) + (2*d^4*\text{Sqrt}[-(c*d^2) - a*e^2]*\text{ArcTan}[(\text{Sqrt}[c]*d)/\text{Sqrt}[-(c*d^2) - a*e^2] + (\text{Sqrt}[c]*e*x)/\text{Sqrt}[-(c*d^2) - a*e^2] - (e*\text{Sqrt}[a + c*x^2])/\text{Sqrt}[-(c*d^2) - a*e^2])]/(e^2*(c*d^2 + a*e^2)^2) + (d*\text{Log}[-(\text{Sqrt}[c]*x) + \text{Sqrt}[a + c*x^2])]/(c^{3/2}*e^2)$

**fricas** [B] time = 4.65, size = 1525, normalized size = 10.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="fricas")

[Out]  $[1/2*((a*c^2*d^5 + 2*a^2*c*d^3*e^2 + a^3*d*e^4 + (c^3*d^5 + 2*a*c^2*d^3*e^2 + a^2*c*d*e^4)*x^2)*\text{sqrt}(c)*\text{log}(-2*c*x^2 + 2*\text{sqrt}(c*x^2 + a)*\text{sqrt}(c)*x - a) + (c^3*d^4*x^2 + a*c^2*d^4)*\text{sqrt}(c*d^2 + a*e^2)*\text{log}((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 - 2*\text{sqrt}(c*d^2 + a*e^2)*(c*d*x - a*e))*\text{sqrt}(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) + 2*(a*c^2*d^4*e + 3*a^2*c*d^2*e^3 + 2*a^3*e^5 + (c^3*d^4*e + 2*a*c^2*d^2*e^3 + a^2*c*e^5)*x^2 + (a*c^2*d^3*e^2 + a^2*c*d*e^4)*x)*\text{sqrt}(c*x^2 + a)/(a*c^4*d^4*e^2 + 2*a^2*c^3*d^2*e^4 + a^3*c^2*e^6 + (c^5*d^4*e^2 + 2*a*c^4*d^2*e^4 + a^2*c^3*e^6)*x^2), -1/2*(2*(c^3*d^4*x^2 + a*c^2*d^4)*\text{sqrt}(-c*d^2 - a*e^2)*\text{arctan}(\text{sqrt}(-c*d^2 - a*e^2)*(c*d*x - a*e))*\text{sqrt}(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - (a*c^2*d^5 + 2*a^2*c*d^3*e^2 + a^3*d*e^4 + (c^3*d^5 + 2*a*c^2*d^3*e^2 + a^2*c*d*e^4)*x^2)*\text{sqrt}(c)*\text{log}(-2*c*x^2 + 2*\text{sqrt}(c*x^2 + a)*\text{sqrt}(c)*x - a) - 2*(a*c^2*d^4*e + 3*a^2*c*d^2*e^3 + 2*a^3*e^5 + (c^3*d^4*e + 2*a*c^2*d^2*e^3 + a^2*c*e^5)*x^2 + (a*c^2*d^3*e^2 + a^2*c*d*e^4)*x)*\text{sqrt}(c*x^2 + a)/(a*c^4*d^4*e^2 + 2*a^2*c^3*d^2*e^4 + a^3*c^2*e^6 + (c^5*d^4*e^2 + 2*a*c^4*d^2*e^4 + a^2*c^3*e^6)*x^2), 1/2*(2*(a*c^2*d^5 + 2*a^2*c*d^3*e^2 + a^3*d*e^4 + (c^3*d^5 + 2*a*c^2*d^3*e^2 + a^2*c*d*e^4)*x^2)*\text{sqrt}(-c)*\text{arctan}(\text{sqrt}(-c)*x/\text{sqrt}(c*x^2 + a)) + (c^3*d^4*x^2 + a*c^2*d^4)*\text{sqrt}(c*d^2 + a*e^2)*\text{log}((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 - 2*\text{sqrt}(c*d^2 + a*e^2)*(c*d*x - a*e))*\text{sqrt}(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) + 2*(a*c^2*d^4*e + 3*a^2*c*d^2*e^3 + 2*a^3*e^5 + (c^3*d^4*e + 2*a*c^2*d^2*e^3 + a^2*c*e^5)*x^2 + (a*c^2*d^3*e^2 + a^2*c*d*e^4)*x)*\text{sqrt}(c*x^2 + a)/(a*c^4*d^4*e^2 + 2*a^2*c^3*d^2*e^4 + a^3*c^2*e^6 + (c^5*d^4*e^2 + 2*a*c^4*d^2*e^4 + a^2*c^3*e^6)*x^2), -((c^3*d^4*x^2 + a*c^2*d^4)*\text{sqrt}(-c*d^2 - a*e^2)*\text{arctan}(\text{sqrt}(-c*d^2 - a*e^2)*(c*d*x - a*e))*\text{sqrt}(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - (a*c^2*d^5 + 2*a^2*c*d^3*e^2 + a^3*d*e^4 + (c^3*d^5 + 2*a*c^2*d^3*e^2 + a^2*c*d*e^4)*x^2)*\text{sqrt}(-c)*\text{arctan}(\text{sqrt}(-c)*x/\text{sqrt}(c*x^2 + a)) - (a*c^2*d^4*e + 3*a^2*c*d^2*e^3 + 2*a^3*e^5 + (c^3*d^4*e + 2*a*c^2*d^2*e^3 + a^2*c*e^5)*x^2 + (a*c^2*d^3*e^2 + a^2*c*d*e^4)*x)*\text{sqrt}(c*x^2 + a)/(a*c^4*d^4*e^2 + 2*a^2*c^3*d^2*e^4 + a^3*c^2*e^6 + (c^5*d^4*e^2 + 2*a*c^4*d^2*e^4 + a^2*c^3*e^6)*x^2)]$

**giac [B]** time = 0.27, size = 299, normalized size = 2.05

$$\frac{2d^4 \arctan\left(\frac{(\sqrt{cx-\sqrt{cx^2+a}}e+\sqrt{cd})}{\sqrt{-cd^2-ae^2}}\right)}{(cd^2e^2+ae^4)\sqrt{-cd^2-ae^2}} + \frac{de^{(-2)} \log\left(\left|-\sqrt{cx}+\sqrt{cx^2+a}\right|\right)}{c^{\frac{3}{2}}} + \frac{\left(\frac{(c^4d^4e^5+2ac^3d^2e^7+a^2c^2e^9)x}{c^5d^4e^6+2ac^4d^2e^8+a^2c^3e^{10}} + \frac{ac^3d^3e^6+a^2c^2de^8}{c^5d^4e^6+2ac^4d^2e^8+a^2c^3e^{10}}\right)x + \frac{ac^3d^4e^5+3a^2c^2d^2e^7+2a^3ce^9}{c^5d^4e^6+2ac^4d^2e^8+a^2c^3e^{10}}}{\sqrt{cx^2+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="giac")

[Out]  $2*d^4*\arctan(-((\sqrt{c}*x - \sqrt{c*x^2 + a})*e + \sqrt{c}*d)/\sqrt{-c*d^2 - a*e^2}))/((c*d^2*e^2 + a*e^4)*\sqrt{-c*d^2 - a*e^2}) + d*e^{(-2)}*\log(\text{abs}(-\sqrt{c}*x + \sqrt{c*x^2 + a}))/c^{(3/2)} + (((c^4*d^4*e^5 + 2*a*c^3*d^2*e^7 + a^2*c^2*e^9)*x/(c^5*d^4*e^6 + 2*a*c^4*d^2*e^8 + a^2*c^3*e^{10}) + (a*c^3*d^3*e^6 + a^2*c^2*d^2*e^7)/c^{(5*d^4*e^6 + 2*a*c^4*d^2*e^8 + a^2*c^3*e^{10}))*x + (a*c^3*d^4*e^5 + 3*a^2*c^2*d^2*e^7 + 2*a^3*c*e^9)/(c^5*d^4*e^6 + 2*a*c^4*d^2*e^8 + a^2*c^3*e^{10}))/\sqrt{c*x^2 + a}$

**maple [B]** time = 0.02, size = 396, normalized size = 2.71

$$\frac{cd^5x}{(a^2+cd^2)\sqrt{-\frac{2(+d)^2}{c} + (x+\frac{d}{c})^2}c + \frac{a^2cd^2}{c^2}ae^4} + \frac{d^4 \ln\left(\frac{-\frac{2(+d)^2}{c} + \frac{2a^2cd^2}{c^2} + \sqrt{\frac{2a^2cd^2}{c^2} + \frac{2(+d)^2}{c} + \frac{2a^2cd^2}{c^2}}}{x+\frac{d}{c}}\right)}{(a^2+cd^2)\sqrt{\frac{2a^2cd^2}{c^2} + \frac{2(+d)^2}{c} + \frac{2a^2cd^2}{c^2}}} + \frac{d^4}{(a^2+cd^2)\sqrt{-\frac{2(+d)^2}{c} + (x+\frac{d}{c})^2}c + \frac{a^2cd^2}{c^2}ae^4} + \frac{x^2}{\sqrt{cx^2+a}ce} - \frac{d^3x}{\sqrt{cx^2+a}ae^4} + \frac{dx}{\sqrt{cx^2+a}ce^2} - \frac{d \ln(\sqrt{cx^2+a})}{c^{\frac{3}{2}}e^2} + \frac{2a}{\sqrt{cx^2+a}ce^2} - \frac{d^2}{\sqrt{cx^2+a}ce^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(e\*x+d)/(c\*x^2+a)^(3/2),x)

[Out]  $1/e*x^2/c/(c*x^2+a)^{(1/2)}+2/e*a/c^2/(c*x^2+a)^{(1/2)}+d/e^2*x/c/(c*x^2+a)^{(1/2)}-d^2/e^2/c^{(3/2)}*\ln(c^{(1/2)}*x+(c*x^2+a)^{(1/2)})-d^2/e^3/c/(c*x^2+a)^{(1/2)}-d^3/e^4*x/a/(c*x^2+a)^{(1/2)}+d^4/e^3/(a*e^2+c*d^2)/(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)}+d^5/e^4/(a*e^2+c*d^2)/a/(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)}*c*x-d^4/e^3/(a*e^2+c*d^2)/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)$

**maxima [A]** time = 0.62, size = 251, normalized size = 1.72

$$\frac{cd^5x}{\sqrt{cx^2+a}acd^2e^4+\sqrt{cx^2+a}a^2e^6} + \frac{d^4}{\sqrt{cx^2+a}cd^2e^3+\sqrt{cx^2+a}ae^5} + \frac{x^2}{\sqrt{cx^2+a}ce} - \frac{d^3x}{\sqrt{cx^2+a}ae^4} + \frac{dx}{\sqrt{cx^2+a}ce^2} - \frac{d \operatorname{arsinh}\left(\frac{cx}{\sqrt{ac}}\right)}{c^{\frac{3}{2}}e^2} + \frac{d^4 \operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac} |ex+d|} - \frac{ae}{\sqrt{ac} |ex+d|}\right)}{\left(a + \frac{cd^2}{c^2}\right)^{\frac{3}{2}}e^5} - \frac{d^2}{\sqrt{cx^2+a}ce^3} + \frac{2a}{\sqrt{cx^2+a}ce^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="maxima")

[Out]  $c*d^5*x/(\sqrt{c*x^2 + a}*a*c*d^2*e^4 + \sqrt{c*x^2 + a}*a^2*e^6) + d^4/(\sqrt{c*x^2 + a}*c*d^2*e^3 + \sqrt{c*x^2 + a}*a*e^5) + x^2/(\sqrt{c*x^2 + a}*c*e)$



-  $d^3x/(\sqrt{cx^2 + a})ae^4 + dx/(\sqrt{cx^2 + a})ce^2 - d\operatorname{arcsinh}(cx/\sqrt{ac})/(c^{3/2}e^2) + d^4\operatorname{arcsinh}(cdx/(\sqrt{ac})\operatorname{abs}(ex + d)) - ae/(\sqrt{ac})\operatorname{abs}(ex + d))/((a + cd^2/e^2)^{3/2}e^5) - d^2/(\sqrt{cx^2 + a})ce^3 + 2a/(\sqrt{cx^2 + a})c^2e$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4}{(cx^2 + a)^{3/2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/((a + c*x^2)^(3/2)*(d + e*x)), x)`

[Out] `int(x^4/((a + c*x^2)^(3/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{(a + cx^2)^{\frac{3}{2}} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4/(e*x+d)/(c*x**2+a)**(3/2), x)`

[Out] `Integral(x**4/((a + c*x**2)**(3/2)*(d + e*x)), x)`

$$3.246 \quad \int \frac{x^3}{(d+ex)(a+cx^2)^{3/2}} dx$$

Optimal. Leaf size=123

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{c^{3/2}e} + \frac{a(d-ex)}{c\sqrt{a+cx^2}(ae^2+cd^2)} + \frac{d^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e(ae^2+cd^2)^{3/2}}$$

**Rubi [A]** time = 0.16, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$ , Rules used = {1647, 844, 217, 206, 725}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{c^{3/2}e} + \frac{a(d-ex)}{c\sqrt{a+cx^2}(ae^2+cd^2)} + \frac{d^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e(ae^2+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out] (a\*(d - e\*x))/(c\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2]) + ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]]/(c^(3/2)\*e) + (d^3\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]))/(e\*(c\*d^2 + a\*e^2)^(3/2))

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1647

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[(d + e*x)^m*Pq, a + c*x^2, x], f = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 1]}, Simp[((a*g - c*f*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[1/(2*a*c*(p + 1)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*ExpandToSum[(2*a*c*(p + 1)*Q)/(d + e*x)^m + (c*f*(2*p + 3))/(d + e*x)^m, x], x], x] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^3}{(d+ex)(a+cx^2)^{3/2}} dx &= \frac{a(d-ex)}{c(cd^2+ae^2)\sqrt{a+cx^2}} - \frac{\int \frac{-\frac{a^2de}{cd^2+ae^2}-ax}{(d+ex)\sqrt{a+cx^2}} dx}{ac} \\ &= \frac{a(d-ex)}{c(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\int \frac{1}{\sqrt{a+cx^2}} dx}{ce} - \frac{d^3 \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{e(cd^2+ae^2)} \\ &= \frac{a(d-ex)}{c(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\text{Subst}\left(\int \frac{1}{1-cx^2} dx, x, \frac{x}{\sqrt{a+cx^2}}\right)}{ce} + \frac{d^3 \text{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx\right)}{e(cd^2+ae^2)} \\ &= \frac{a(d-ex)}{c(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{c^{3/2}e} + \frac{d^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{e(cd^2+ae^2)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.28, size = 153, normalized size = 1.24

$$\frac{\sqrt{c} \left( ae(d-ex) \sqrt{ae^2+cd^2} + cd^3 \sqrt{a+cx^2} \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right) \right)}{(ae^2+cd^2)^{3/2}} + \sqrt{a} \sqrt{\frac{cx^2}{a} + 1} \sinh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{c^{3/2}e\sqrt{a+cx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out] (Sqrt[a]\*Sqrt[1 + (c\*x^2)/a]\*ArcSinh[(Sqrt[c]\*x)/Sqrt[a]] + (Sqrt[c]\*(a\*e\*Sqrt[c\*d^2 + a\*e^2]\*(d - e\*x) + c\*d^3\*Sqrt[a + c\*x^2]\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])))/(c\*d^2 + a\*e^2)^(3/2))/(c^(3/2)\*e\*Sqrt[a + c\*x^2])

**IntegrateAlgebraic [A]** time = 0.69, size = 189, normalized size = 1.54

$$-\frac{\log\left(\sqrt{a+cx^2}-\sqrt{c}x\right)}{c^{3/2}e} + \frac{ad-ae^2}{c\sqrt{a+cx^2}(ae^2+cd^2)} - \frac{2d^3\sqrt{-ae^2-cd^2}\tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{e(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out] (a\*d - a\*e\*x)/(c\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2]) - (2\*d^3\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/(e\*(c\*d^2 + a\*e^2)^2) - Log[-(Sqrt[c]\*x) + Sqrt[a + c\*x^2]]/(c^(3/2)\*e)

**fricas [B]** time = 4.69, size = 1323, normalized size = 10.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="fricas")

[Out] [1/2\*((a\*c^2\*d^4 + 2\*a^2\*c\*d^2\*e^2 + a^3\*e^4 + (c^3\*d^4 + 2\*a\*c^2\*d^2\*e^2 + a^2\*c\*e^4)\*x^2)\*sqrt(c)\*log(-2\*c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) + (c^3\*d^3\*x^2 + a\*c^2\*d^3)\*sqrt(c\*d^2 + a\*e^2)\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + 2\*(a\*c^2\*d^3\*e + a^2\*c\*d\*e^3 - (a\*c^2\*d^2\*e^2 + a^2\*c\*e^4)\*x)\*sqrt(c\*x^2 + a)/(a\*c^4\*d^4\*e + 2\*a^2\*c^3\*d^2\*e^3 + a^3\*c^2\*e^5 + (c^5\*d^4\*e + 2\*a\*c^4\*d^2\*e^3 + a^2\*c^3\*e^5)\*x^2), 1/2\*(2\*(c^3\*d^3\*x^2 + a\*c^2\*d^3)\*sqrt(-c\*d^2 - a\*e^2)\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) + (a\*c^2\*d^4 + 2\*a^2\*c\*d^2\*e^2 + a^3\*e^4 + (c^3\*d^4 + 2\*a\*c^2\*d^2\*e^2 + a^2\*c\*e^4)\*x^2)\*sqrt(c)\*log(-2\*c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) + 2\*(a\*c^2\*d^3\*e + a^2\*c\*d\*e^3 - (a\*c^2\*d^2\*e^2 + a^2\*c\*e^4)\*x)\*sqrt(c\*x^2 + a)/(a\*c^4\*d^4\*e + 2\*a^2\*c^3\*d^2\*e^3 + a^3\*c^2\*e^5 + (c^5\*d^4\*e + 2\*a\*c^4\*d^2\*e^3 + a^2\*c^3\*e^5)\*x^2), -1/2\*(2\*(a\*c^2\*d^4 + 2\*a^2\*c\*d^2\*e^2 + a^3\*e^4 + (c^3\*d^4 + 2\*a\*c^2\*d^2\*e^2 + a^2\*c\*e^4)\*x^2)\*sqrt(-c)\*arctan(sqrt(-c)\*x/sqrt(c\*x^2 + a)) - (c^3\*d^3\*x^2 + a\*c^2\*d^3)\*sqrt(c\*d^2 + a\*e^2)\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - 2\*(a

$$\frac{c^2 d^3 e + a^2 c d e^3 - (a^2 c^2 d^2 e^2 + a^2 c^2 e^4) x \sqrt{c x^2 + a}}{(a^2 c^4 d^4 e + 2 a^2 c^3 d^2 e^3 + a^3 c^2 e^5 + (c^5 d^4 e + 2 a^2 c^4 d^2 e^3 + a^2 c^3 e^5) x^2)} - \frac{((c^3 d^3 x^2 + a^2 c^2 d^3) \sqrt{-c d^2 - a e^2}) \arctan(\sqrt{-c d^2 - a e^2} (c d x - a e) \sqrt{c x^2 + a})}{(a^2 c d^2 + a^2 e^2 + (c^2 d^2 + a^2 c e^2) x^2)} - \frac{(a^2 c^2 d^4 + 2 a^2 c^2 d^2 e^2 + a^3 e^4 + (c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) x^2) \sqrt{-c} \arctan(\sqrt{-c} x / \sqrt{c x^2 + a})}{(a^2 c^2 d^3 e + a^2 c d e^3 - (a^2 c^2 d^2 e^2 + a^2 c^2 e^4) x) \sqrt{c x^2 + a}} + \frac{(a^2 c^4 d^4 e + 2 a^2 c^3 d^2 e^3 + a^3 c^2 e^5 + (c^5 d^4 e + 2 a^2 c^4 d^2 e^3 + a^2 c^3 e^5) x^2)}{c^2}$$

**giac [A]** time = 0.24, size = 219, normalized size = 1.78

$$\frac{2 d^3 \arctan\left(\frac{(\sqrt{c x - \sqrt{c x^2 + a}}) e + \sqrt{c} d}{\sqrt{-c d^2 - a e^2}}\right)}{(c d^2 e + a e^3) \sqrt{-c d^2 - a e^2}} - \frac{\frac{(a^2 d^2 e^3 + a^2 c e^5) x}{c^4 d^4 e^2 + 2 a^2 c^3 d^2 e^4 + a^2 c^2 e^6} - \frac{a^2 d^3 e^2 + a^2 c d e^4}{c^4 d^4 e^2 + 2 a^2 c^3 d^2 e^4 + a^2 c^2 e^6}}{\sqrt{c x^2 + a}} - \frac{e^{(-1)} \log\left(\left|-\sqrt{c} x + \sqrt{c x^2 + a}\right|\right)}{c^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="giac")

[Out]  $-2 d^3 \arctan(-(\sqrt{c} x - \sqrt{c x^2 + a}) e + \sqrt{c} d) / \sqrt{-c d^2 - a e^2} - (a^2 c^2 d^2 e^3 + a^2 c^2 e^5) x / (c^4 d^4 e^2 + 2 a^2 c^3 d^2 e^4 + a^2 c^2 e^6) - (a^2 c^2 d^3 e^2 + a^2 c^2 e^4) / (c^4 d^4 e^2 + 2 a^2 c^3 d^2 e^4 + a^2 c^2 e^6) / \sqrt{c x^2 + a} - e^{(-1)} \log(\text{abs}(-\sqrt{c} x + \sqrt{c x^2 + a})) / c^{(3/2)}$

**maple [B]** time = 0.01, size = 354, normalized size = 2.88

$$\frac{c d^4 x}{(a e^2 + c d^2) \sqrt{\frac{2(x+d)}{e} + (x+d)^2} c + \frac{a^2 c d^2}{e^2} a e^3} + \frac{d^3 \ln\left(\frac{\sqrt{\frac{2(x+d)}{e} + (x+d)^2} \sqrt{\frac{a^2 c d^2}{e^2}}}{x+d}\right)}{(a e^2 + c d^2) \sqrt{\frac{2(x+d)}{e} + (x+d)^2} c + \frac{a^2 c d^2}{e^2} a e^3} - \frac{d^3}{(a e^2 + c d^2) \sqrt{\frac{2(x+d)}{e} + (x+d)^2} c + \frac{a^2 c d^2}{e^2} a e^3} + \frac{d^2 x}{\sqrt{c x^2 + a} a e^3} - \frac{x}{\sqrt{c x^2 + a} c e} + \frac{\ln(\sqrt{c} x + \sqrt{c x^2 + a})}{c^{\frac{3}{2}} e} + \frac{d}{\sqrt{c x^2 + a} c e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e\*x+d)/(c\*x^2+a)^(3/2),x)

[Out]  $-1/e*x/c/(c*x^2+a)^{(1/2)} + 1/e/c^{(3/2)}*\ln(c^{(1/2)}*x+(c*x^2+a)^{(1/2)}) + d/e^2/c/(c*x^2+a)^{(1/2)} + d^2/e^3*x/a/(c*x^2+a)^{(1/2)} - d^3/e^2/(a*e^2+c*d^2)/(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)} - d^4/e^3/(a*e^2+c*d^2)/a/(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)} *c*x+d^3/e^2/(a*e^2+c*d^2)/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)$

**maxima [A]** time = 0.59, size = 211, normalized size = 1.72

$$\frac{c d^4 x}{\sqrt{c x^2 + a} a c d^2 e^3 + \sqrt{c x^2 + a} a^2 e^5} - \frac{d^3}{\sqrt{c x^2 + a} c d^2 e^2 + \sqrt{c x^2 + a} a e^4} + \frac{d^2 x}{\sqrt{c x^2 + a} a e^3} - \frac{x}{\sqrt{c x^2 + a} c e} + \frac{\operatorname{arsinh}\left(\frac{c x}{\sqrt{a c}}\right)}{c^{\frac{3}{2}} e} - \frac{d^3 \operatorname{arsinh}\left(\frac{c d x}{\sqrt{a c} |e x + d|} - \frac{a e}{\sqrt{a c} |e x + d|}\right)}{\left(a + \frac{c d^2}{e^2}\right)^{\frac{3}{2}} e^4} + \frac{d}{\sqrt{c x^2 + a} c e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="maxima")

[Out] 
$$-c*d^4*x/(\sqrt{c*x^2 + a}*a*c*d^2*e^3 + \sqrt{c*x^2 + a}*a^2*e^5) - d^3/(\sqrt{c*x^2 + a}*c*d^2*e^2 + \sqrt{c*x^2 + a}*a*e^4) + d^2*x/(\sqrt{c*x^2 + a}*a*e^3) - x/(\sqrt{c*x^2 + a}*c*e) + \operatorname{arcsinh}(c*x/\sqrt{a*c})/(c^{(3/2)}*e) - d^3*a \operatorname{rccsinh}(c*d*x/(\sqrt{a*c})*\operatorname{abs}(e*x + d)) - a*e/(\sqrt{a*c}*\operatorname{abs}(e*x + d)))/((a + c*d^2/e^2)^{(3/2)}*e^4) + d/(\sqrt{c*x^2 + a}*c*e^2)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{(cx^2 + a)^{3/2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/((a + c\*x^2)^(3/2)\*(d + e\*x)),x)

[Out] int(x^3/((a + c\*x^2)^(3/2)\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(a + cx^2)^{\frac{3}{2}} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(e\*x+d)/(c\*x\*\*2+a)\*\*(3/2),x)

[Out] Integral(x\*\*3/((a + c\*x\*\*2)\*\*(3/2)\*(d + e\*x)), x)

$$3.247 \quad \int \frac{x^2}{(d+ex)(a+cx^2)^{3/2}} dx$$

Optimal. Leaf size=95

$$-\frac{ae+cdx}{c\sqrt{a+cx^2}(ae^2+cd^2)} - \frac{d^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}}$$

**Rubi [A]** time = 0.11, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {1647, 12, 725, 206}

$$-\frac{ae+cdx}{c\sqrt{a+cx^2}(ae^2+cd^2)} - \frac{d^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out] -((a\*e + c\*d\*x)/(c\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2])) - (d^2\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(c\*d^2 + a\*e^2)^(3/2)

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] :> -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

### Rule 1647

Int[(Pq\_)\*((d\_) + (e\_.)\*(x\_))^(m\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[(d + e\*x)^m\*Pq, a + c\*x^2, x], f = Coeff[Pol

ynomialRemainder[(d + e\*x)^m\*Pq, a + c\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(d + e\*x)^m\*Pq, a + c\*x^2, x], x, 1]}, Simp[((a\*g - c\*f\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] + Dist[1/(2\*a\*c\*(p + 1)), Int[(d + e\*x)^m\*(a + c\*x^2)^(p + 1)\*ExpandToSum[(2\*a\*c\*(p + 1)\*Q)/(d + e\*x)^m + (c\*f\*(2\*p + 3))/(d + e\*x)^m, x], x], x] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^2}{(d + ex)(a + cx^2)^{3/2}} dx &= -\frac{ae + cdx}{c(cd^2 + ae^2)\sqrt{a + cx^2}} + \frac{\int \frac{acd^2}{(cd^2 + ae^2)(d + ex)\sqrt{a + cx^2}} dx}{ac} \\
 &= -\frac{ae + cdx}{c(cd^2 + ae^2)\sqrt{a + cx^2}} + \frac{d^2 \int \frac{1}{(d + ex)\sqrt{a + cx^2}} dx}{cd^2 + ae^2} \\
 &= -\frac{ae + cdx}{c(cd^2 + ae^2)\sqrt{a + cx^2}} - \frac{d^2 \operatorname{Subst}\left(\int \frac{1}{cd^2 + ae^2 - x^2} dx, x, \frac{ae - cdx}{\sqrt{a + cx^2}}\right)}{cd^2 + ae^2} \\
 &= -\frac{ae + cdx}{c(cd^2 + ae^2)\sqrt{a + cx^2}} - \frac{d^2 \tanh^{-1}\left(\frac{ae - cdx}{\sqrt{cd^2 + ae^2}\sqrt{a + cx^2}}\right)}{(cd^2 + ae^2)^{3/2}}
 \end{aligned}$$

**Mathematica** [A] time = 0.08, size = 95, normalized size = 1.00

$$-\frac{ae + cdx}{c\sqrt{a + cx^2}(ae^2 + cd^2)} - \frac{d^2 \tanh^{-1}\left(\frac{ae - cdx}{\sqrt{a + cx^2}\sqrt{ae^2 + cd^2}}\right)}{(ae^2 + cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)\*(a + c\*x^2)^(3/2)), x]

[Out] -((a\*e + c\*d\*x)/(c\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2])) - (d^2\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]))/(c\*d^2 + a\*e^2)^(3/2)

**IntegrateAlgebraic** [A] time = 0.51, size = 156, normalized size = 1.64

$$\frac{-ae - cdx}{c\sqrt{a + cx^2}(ae^2 + cd^2)} + \frac{2d^2\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a + cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 - cd^2}}\right)}{(ae^2 + cd^2)^2}$$



Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out]  $(- (a * e) - c * d * x) / (c * (c * d^2 + a * e^2) * \text{Sqrt}[a + c * x^2]) + (2 * d^2 * \text{Sqrt}[-(c * d^2 - a * e^2)] * \text{ArcTan}[(\text{Sqrt}[c] * d) / \text{Sqrt}[-(c * d^2 - a * e^2)] + (\text{Sqrt}[c] * e * x) / \text{Sqrt}[-(c * d^2 - a * e^2)] - (e * \text{Sqrt}[a + c * x^2]) / \text{Sqrt}[-(c * d^2 - a * e^2)]) / (c * d^2 + a * e^2)^2$

**fricas** [B] time = 0.47, size = 455, normalized size = 4.79

$$\frac{(c^2 d^2 x^2 + a c d^2) \sqrt{c d^2 + a e^2} \log\left(\frac{2 a d e x - a c d^2 - 2 d^2 x^2 - (2 c^2 d^2 + a c e^2) x^2 - 2 \sqrt{c d^2 + a e^2} (d x - a) \sqrt{c x^2 + a}}{c^2 x^2 + 2 d e x + d^2}\right) - 2 (a c d^2 e + a^2 e^3 + (c^2 d^3 + a c d e^2) x) \sqrt{c x^2 + a}}{2 (a c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^3 c e^4 + (c^4 d^4 + 2 a c^3 d^2 e^2 + a^2 c^2 e^4) x^2)} - \frac{(c^2 d^2 x^2 + a c d^2) \sqrt{-c d^2 - a e^2} \arctan\left(\frac{\sqrt{-c d^2 - a e^2} (d x - a) \sqrt{c x^2 + a}}{a c d^2 + a^2 e^3 + (c^2 d^3 + a c d e^2) x}\right) + (a c d^2 e + a^2 e^3 + (c^2 d^3 + a c d e^2) x) \sqrt{c x^2 + a}}{a c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^3 c e^4 + (c^4 d^4 + 2 a c^3 d^2 e^2 + a^2 c^2 e^4) x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="fricas")

[Out]  $[1/2 * ((c^2 * d^2 * x^2 + a * c * d^2) * \text{sqrt}(c * d^2 + a * e^2) * \log((2 * a * c * d * e * x - a * c * d^2 - 2 * a^2 * e^2 - (2 * c^2 * d^2 + a * c * e^2) * x^2 - 2 * \text{sqrt}(c * d^2 + a * e^2) * (c * d * x - a * e)) * \text{sqrt}(c * x^2 + a)) / (e^2 * x^2 + 2 * d * e * x + d^2)) - 2 * (a * c * d^2 * e + a^2 * e^3 + (c^2 * d^3 + a * c * d * e^2) * x) * \text{sqrt}(c * x^2 + a)) / (a * c^3 * d^4 + 2 * a^2 * c^2 * d^2 * e^2 + a^3 * c * e^4 + (c^4 * d^4 + 2 * a * c^3 * d^2 * e^2 + a^2 * c^2 * e^4) * x^2), -((c^2 * d^2 * x^2 + a * c * d^2) * \text{sqrt}(-c * d^2 - a * e^2) * \text{arctan}(\text{sqrt}(-c * d^2 - a * e^2) * (c * d * x - a * e) * \text{sqrt}(c * x^2 + a)) / (a * c * d^2 + a^2 * e^2 + (c^2 * d^2 + a * c * e^2) * x^2)) + (a * c * d^2 * e + a^2 * e^3 + (c^2 * d^3 + a * c * d * e^2) * x) * \text{sqrt}(c * x^2 + a)) / (a * c^3 * d^4 + 2 * a^2 * c^2 * d^2 * e^2 + a^3 * c * e^4 + (c^4 * d^4 + 2 * a * c^3 * d^2 * e^2 + a^2 * c^2 * e^4) * x^2)]$

**giac** [A] time = 0.22, size = 174, normalized size = 1.83

$$\frac{2 d^2 \arctan\left(\frac{(\sqrt{c} x - \sqrt{c x^2 + a}) e + \sqrt{c} d}{\sqrt{-c d^2 - a e^2}}\right)}{(c d^2 + a e^2) \sqrt{-c d^2 - a e^2}} - \frac{(c^2 d^3 + a c d e^2) x}{c^3 d^4 + 2 a c^2 d^2 e^2 + a^2 c e^4} + \frac{a c d^2 e + a^2 e^3}{c^3 d^4 + 2 a c^2 d^2 e^2 + a^2 c e^4} \frac{1}{\sqrt{c x^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="giac")

[Out]  $-2 * d^2 * \text{arctan}(((\text{sqrt}(c) * x - \text{sqrt}(c * x^2 + a)) * e + \text{sqrt}(c) * d) / \text{sqrt}(-c * d^2 - a * e^2)) / ((c * d^2 + a * e^2) * \text{sqrt}(-c * d^2 - a * e^2)) - ((c^2 * d^3 + a * c * d * e^2) * x / (c^3 * d^4 + 2 * a * c^2 * d^2 * e^2 + a^2 * c * e^4) + (a * c * d^2 * e + a^2 * e^3) / (c^3 * d^4 + 2 * a * c^2 * d^2 * e^2 + a^2 * c * e^4)) / \text{sqrt}(c * x^2 + a)$

**maple** [B] time = 0.01, size = 311, normalized size = 3.27

$$\frac{c d^3 x}{(a e^2 + c d^2) \sqrt{-\frac{2(x+\frac{d}{c})d}{e} + (x + \frac{d}{c})^2 c + \frac{a e^2 + c d^2}{e^2} a e^2}} - \frac{d^2 \ln\left(\frac{-\frac{2(x+\frac{d}{c})d}{e} + 2a^2 + 2c d^2 + 2\sqrt{\frac{a^2 + c d^2}{e^2}} \sqrt{-\frac{2(x+\frac{d}{c})d}{e} + (x+\frac{d}{c})^2 c + \frac{a^2 + c d^2}{e^2}}}{x + \frac{d}{c}}\right)}{(a e^2 + c d^2) \sqrt{\frac{a^2 + c d^2}{e^2} e}} + \frac{d^2}{(a e^2 + c d^2) \sqrt{-\frac{2(x+\frac{d}{c})d}{e} + (x + \frac{d}{c})^2 c + \frac{a^2 + c d^2}{e^2} e}} - \frac{d x}{\sqrt{c x^2 + a} a e^2} - \frac{1}{\sqrt{c x^2 + a} c e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(e*x+d)/(c*x^2+a)^(3/2),x)`

[Out] 
$$-1/e/c/(c*x^2+a)^{(1/2)} - 1/e^2*d*x/a/(c*x^2+a)^{(1/2)} + d^2/e/(a*e^2+c*d^2)/(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)} + d^3/e^2/(a*e^2+c*d^2)/a/(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)} * c*x-d^2/e/(a*e^2+c*d^2)/((a*e^2+c*d^2)/e^2)^{(1/2)} * \ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)$$

**maxima** [A] time = 0.55, size = 171, normalized size = 1.80

$$\frac{cd^3x}{\sqrt{cx^2 + a} \sqrt{acd^2e^2 + \sqrt{cx^2 + a} a^2e^4}} + \frac{d^2}{\sqrt{cx^2 + a} \sqrt{cd^2e + \sqrt{cx^2 + a} ae^3}} - \frac{dx}{\sqrt{cx^2 + a} ae^2} + \frac{d^2 \operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{\left(a + \frac{cd^2}{e^2}\right)^{\frac{3}{2}} e^3} - \frac{1}{\sqrt{cx^2 + a} ce}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(e*x+d)/(c*x^2+a)^(3/2),x, algorithm="maxima")`

[Out] 
$$c*d^3*x/(\sqrt{c*x^2 + a}*a*c*d^2*e^2 + \sqrt{c*x^2 + a}*a^2*e^4) + d^2/(\sqrt{c*x^2 + a}*c*d^2*e + \sqrt{c*x^2 + a}*a*e^3) - d*x/(\sqrt{c*x^2 + a}*a*e^2) + d^2*\operatorname{arcsinh}(c*d*x/(\sqrt{a*c})*\operatorname{abs}(e*x + d)) - a*e/(\sqrt{a*c})*\operatorname{abs}(e*x + d))/((a + c*d^2/e^2)^{(3/2)}*e^3) - 1/(\sqrt{c*x^2 + a}*c*e)$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{(cx^2 + a)^{3/2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/((a + c*x^2)^(3/2)*(d + e*x)),x)`

[Out] `int(x^2/((a + c*x^2)^(3/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + cx^2)^{\frac{3}{2}} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(e*x+d)/(c*x**2+a)**(3/2),x)`

[Out] `Integral(x**2/((a + c*x**2)**(3/2)*(d + e*x)), x)`

$$3.248 \quad \int \frac{x}{(d+ex)(a+cx^2)^{3/2}} dx$$

**Optimal.** Leaf size=88

$$\frac{de \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}} - \frac{d-ex}{\sqrt{a+cx^2}(ae^2+cd^2)}$$

**Rubi [A]** time = 0.05, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {823, 12, 725, 206}

$$\frac{de \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}} - \frac{d-ex}{\sqrt{a+cx^2}(ae^2+cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out] -((d - e\*x)/((c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2])) + (d\*e\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(c\*d^2 + a\*e^2)^(3/2)

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] :> -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

### Rule 823

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[((d + e\*x)^(m + 1)\*(f\*a\*c\*e - a\*g\*c\*d + c\*(c\*d\*f + a

$e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[1/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), \text{Int}[(d + e*x)^m*(a + c*x^2)^(p + 1)*\text{Simp}[f*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a*e*g)*(m + 2*p + 4)*x, x], x], x] /; \text{FreeQ}\{a, c, d, e, f, g\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{LtQ}[p, -1] \&\& (\text{IntegerQ}[m] || \text{IntegerQ}[p] || \text{IntegersQ}[2*m, 2*p])$

### Rubi steps

$$\begin{aligned} \int \frac{x}{(d+ex)(a+cx^2)^{3/2}} dx &= -\frac{d-ex}{(cd^2+ae^2)\sqrt{a+cx^2}} - \frac{\int \frac{acde}{(d+ex)\sqrt{a+cx^2}} dx}{ac(cd^2+ae^2)} \\ &= -\frac{d-ex}{(cd^2+ae^2)\sqrt{a+cx^2}} - \frac{(de) \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{cd^2+ae^2} \\ &= -\frac{d-ex}{(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{(de) \text{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{cd^2+ae^2} \\ &= -\frac{d-ex}{(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{de \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{(cd^2+ae^2)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 88, normalized size = 1.00

$$\frac{ex-d}{\sqrt{a+cx^2}(ae^2+cd^2)} + \frac{de \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out] (-d + e\*x)/((c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2]) + (d\*e\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(c\*d^2 + a\*e^2)^(3/2)

**IntegrateAlgebraic [A]** time = 0.53, size = 149, normalized size = 1.69

$$\frac{ex-d}{\sqrt{a+cx^2}(ae^2+cd^2)} - \frac{2de\sqrt{-ae^2-cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out]  $(-d + e*x)/((c*d^2 + a*e^2)*\text{Sqrt}[a + c*x^2]) - (2*d*e*\text{Sqrt}[-(c*d^2) - a*e^2])*\text{ArcTan}[(\text{Sqrt}[c]*d)/\text{Sqrt}[-(c*d^2) - a*e^2] + (\text{Sqrt}[c]*e*x)/\text{Sqrt}[-(c*d^2) - a*e^2] - (e*\text{Sqrt}[a + c*x^2])/\text{Sqrt}[-(c*d^2) - a*e^2]]/(c*d^2 + a*e^2)^2$

**fricas** [B] time = 0.48, size = 425, normalized size = 4.83

$$\frac{(cdex^2 + ade)\sqrt{cd^2 + ae^2} \log\left(\frac{2acdex - acd^2 - 2a^2e^2 - (2c^2d^2 + acd^2)x^2 + 2\sqrt{cd^2 + ae^2}(cdx - ae)\sqrt{cx^2 + a}}{e^2x^2 + 2dex + d^2}\right) - 2(cd^3 + ade^2 - (cd^2e + ae^3)x)\sqrt{cx^2 + a}}{2(ac^2d^4 + 2a^2cd^2e^2 + a^3e^4 + (c^3d^4 + 2ac^2d^2e^2 + a^2ce^4)x^2)}, \frac{(cdex^2 + ade)\sqrt{-cd^2 - ae^2} \arctan\left(\frac{\sqrt{-cd^2 - ae^2}(cdx - ae)\sqrt{cx^2 + a}}{acd^2 + a^2e^2 + (c^2d^2 + acd^2)x^2}\right) - (cd^3 + ade^2 - (cd^2e + ae^3)x)\sqrt{cx^2 + a}}{ac^2d^4 + 2a^2cd^2e^2 + a^3e^4 + (c^3d^4 + 2ac^2d^2e^2 + a^2ce^4)x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="fricas")

[Out]  $[1/2*((c*d*e*x^2 + a*d*e)*\text{sqrt}(c*d^2 + a*e^2)*\log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*\text{sqrt}(c*d^2 + a*e^2)*(c*d*x - a*e)*\text{sqrt}(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) - 2*(c*d^3 + a*d*e^2 - (c*d^2*e + a*e^3)*x)*\text{sqrt}(c*x^2 + a))/(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^2), ((c*d*e*x^2 + a*d*e)*\text{sqrt}(-c*d^2 - a*e^2)*\arctan(\text{sqrt}(-c*d^2 - a*e^2)*(c*d*x - a*e)*\text{sqrt}(c*x^2 + a))/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - (c*d^3 + a*d*e^2 - (c*d^2*e + a*e^3)*x)*\text{sqrt}(c*x^2 + a))/(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^2)]$

**giac** [A] time = 0.21, size = 162, normalized size = 1.84

$$\frac{2d \arctan\left(\frac{(\sqrt{cx - \sqrt{cx^2 + a}})e + \sqrt{cd}}{\sqrt{-cd^2 - ae^2}}\right)e}{(cd^2 + ae^2)\sqrt{-cd^2 - ae^2}} + \frac{(cd^2e + ae^3)x}{c^2d^4 + 2acd^2e^2 + a^2e^4} - \frac{cd^3 + ade^2}{\sqrt{cx^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="giac")

[Out]  $2*d*\arctan(((\text{sqrt}(c)*x - \text{sqrt}(c*x^2 + a))*e + \text{sqrt}(c)*d)/\text{sqrt}(-c*d^2 - a*e^2))*e/((c*d^2 + a*e^2)*\text{sqrt}(-c*d^2 - a*e^2)) + (((c*d^2*e + a*e^3)*x)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) - (c*d^3 + a*d*e^2)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))/\text{sqrt}(c*x^2 + a)$

**maple** [B] time = 0.01, size = 283, normalized size = 3.22

$$\frac{cd^2x}{(ae^2 + cd^2)\sqrt{-\frac{2(x+\frac{d}{e})cd}{e} + (x + \frac{d}{e})^2 c + \frac{ae^2 + cd^2}{e^2} ae}} + \frac{d \ln\left(\frac{-\frac{2(x+\frac{d}{e})cd}{e} + 2ae^2 + 2cd^2 + 2\sqrt{\frac{ae^2 + cd^2}{e^2}}\sqrt{-\frac{2(x+\frac{d}{e})cd}{e} + (x+\frac{d}{e})^2 c + \frac{ae^2 + cd^2}{e^2}}}{x + \frac{d}{e}}\right)}{(ae^2 + cd^2)\sqrt{\frac{ae^2 + cd^2}{e^2}}} - \frac{d}{(ae^2 + cd^2)\sqrt{-\frac{2(x+\frac{d}{e})cd}{e} + (x + \frac{d}{e})^2 c + \frac{ae^2 + cd^2}{e^2}}} + \frac{x}{\sqrt{cx^2 + a}ae}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(e*x+d)/(c*x^2+a)^(3/2),x)`

[Out]  $\frac{1}{e} \frac{x}{a} \frac{1}{(c x^2 + a)^{1/2}} - \frac{d}{(a e^2 + c d^2)} \frac{1}{(-2(x+d/e) c d/e + (x+d/e)^2 c + (a e^2 + c d^2)/e^2)^{1/2}} - \frac{d^2/e}{(a e^2 + c d^2)/a} \frac{1}{(-2(x+d/e) c d/e + (x+d/e)^2 c + (a e^2 + c d^2)/e^2)^{1/2}} * \frac{x+d}{(a e^2 + c d^2)} \frac{1}{((a e^2 + c d^2)/e^2)^{1/2}} * \ln\left(\frac{-2(x+d/e) c d/e + 2(a e^2 + c d^2)/e^2 + 2((a e^2 + c d^2)/e^2)^{1/2} * (-2(x+d/e) c d/e + (x+d/e)^2 c + (a e^2 + c d^2)/e^2)^{1/2}}{(x+d/e)}\right)$

**maxima** [A] time = 0.54, size = 148, normalized size = 1.68

$$-\frac{cd^2x}{\sqrt{cx^2 + a}acd^2e + \sqrt{cx^2 + a}a^2e^3} - \frac{d}{\sqrt{cx^2 + a}cd^2 + \sqrt{cx^2 + a}ae^2} + \frac{x}{\sqrt{cx^2 + a}ae} - \frac{d \operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{\left(a + \frac{cd^2}{e^2}\right)^{\frac{3}{2}}e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)/(c*x^2+a)^(3/2),x, algorithm="maxima")`

[Out]  $-\frac{c d^2 x}{\sqrt{c x^2 + a} a c d^2 e + \sqrt{c x^2 + a} a^2 e^3} - \frac{d}{\sqrt{c x^2 + a} c d^2 + \sqrt{c x^2 + a} a e^2} + \frac{x}{\sqrt{c x^2 + a} a e} - \frac{d \operatorname{arcsinh}(c d x / (\sqrt{a c} \operatorname{abs}(e x + d)) - a e / (\sqrt{a c} \operatorname{abs}(e x + d)))}{(a + c d^2 / e^2)^{3/2} e^2}$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(c x^2 + a)^{3/2} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/((a + c*x^2)^(3/2)*(d + e*x)),x)`

[Out] `int(x/((a + c*x^2)^(3/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + c x^2)^{\frac{3}{2}} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)/(c*x**2+a)**(3/2),x)`

[Out] `Integral(x/((a + c*x**2)**(3/2)*(d + e*x)), x)`

$$3.249 \quad \int \frac{1}{(d+ex)(a+cx^2)^{3/2}} dx$$

Optimal. Leaf size=94

$$\frac{ae + cdx}{a\sqrt{a + cx^2} (ae^2 + cd^2)} - \frac{e^2 \tanh^{-1} \left( \frac{ae - cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}} \right)}{(ae^2 + cd^2)^{3/2}}$$

**Rubi [A]** time = 0.05, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {741, 12, 725, 206}

$$\frac{ae + cdx}{a\sqrt{a + cx^2} (ae^2 + cd^2)} - \frac{e^2 \tanh^{-1} \left( \frac{ae - cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}} \right)}{(ae^2 + cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out] (a\*e + c\*d\*x)/(a\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2]) - (e^2\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(c\*d^2 + a\*e^2)^(3/2)

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

### Rule 741

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(a\*e + c\*d\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*(p + 1)\*(c\*d^2

+ a\*e^2)), x] + Dist[1/(2\*a\*(p + 1)\*(c\*d^2 + a\*e^2)), Int[(d + e\*x)^m\* Simp[c\*d^2\*(2\*p + 3) + a\*e^2\*(m + 2\*p + 3) + c\*e\*d\*(m + 2\*p + 4)\*x, x]\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]

### Rubi steps

$$\begin{aligned} \int \frac{1}{(d+ex)(a+cx^2)^{3/2}} dx &= \frac{ae+cdx}{a(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\int \frac{ae^2}{(d+ex)\sqrt{a+cx^2}} dx}{a(cd^2+ae^2)} \\ &= \frac{ae+cdx}{a(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{e^2 \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{cd^2+ae^2} \\ &= \frac{ae+cdx}{a(cd^2+ae^2)\sqrt{a+cx^2}} - \frac{e^2 \text{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{cd^2+ae^2} \\ &= \frac{ae+cdx}{a(cd^2+ae^2)\sqrt{a+cx^2}} - \frac{e^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{(cd^2+ae^2)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 94, normalized size = 1.00

$$\frac{ae+cdx}{a\sqrt{a+cx^2}(ae^2+cd^2)} - \frac{e^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(a + c\*x^2)^(3/2)), x]

[Out] (a\*e + c\*d\*x)/(a\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2]) - (e^2\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(c\*d^2 + a\*e^2)^(3/2)

**IntegrateAlgebraic [A]** time = 0.01, size = 154, normalized size = 1.64

$$\frac{ae+cdx}{a\sqrt{a+cx^2}(ae^2+cd^2)} + \frac{2e^2\sqrt{-ae^2-cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.



[In] IntegrateAlgebraic[1/((d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out] (a\*e + c\*d\*x)/(a\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2]) + (2\*e^2\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/(c\*d^2 + a\*e^2)^2

**fricas** [B] time = 0.49, size = 456, normalized size = 4.85

$$\frac{(ac^2x^2 + a^2e^2)\sqrt{cd^2 + ae^2} \log\left(\frac{2acdx - ad^2 - 2a^2e^2 - (2c^2d^2 + ac^2e^2)x^2 - 2\sqrt{cd^2 + ae^2}(dx - ad)\sqrt{cx^2 + a}}{e^2x^2 + 2cdex + d^2}\right) + 2(acd^2e + a^2e^3 + (c^2d^3 + acd^2e)x)\sqrt{cx^2 + a}}{2(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4 + (ac^3d^4 + 2a^2c^2d^2e^2 + a^3ce^4)x^2)}, - \frac{(ac^2x^2 + a^2e^2)\sqrt{-cd^2 - ae^2} \arctan\left(\frac{\sqrt{-cd^2 - ae^2}(dx - ad)\sqrt{cx^2 + a}}{acd^2 + a^2e^2 + (c^2d^3 + acd^2e)x}\right) - (acd^2e + a^2e^3 + (c^2d^3 + acd^2e)x)\sqrt{cx^2 + a}}{a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4 + (ac^3d^4 + 2a^2c^2d^2e^2 + a^3ce^4)x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="fricas")

[Out] [1/2\*((a\*c\*e^2\*x^2 + a^2\*e^2)\*sqrt(c\*d^2 + a\*e^2)\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + 2\*(a\*c\*d^2\*e + a^2\*e^3 + (c^2\*d^3 + a\*c\*d\*e^2)\*x)\*sqrt(c\*x^2 + a))/(a^2\*c^2\*d^4 + 2\*a^3\*c\*d^2\*e^2 + a^4\*e^4 + (a\*c^3\*d^4 + 2\*a^2\*c^2\*d^2\*e^2 + a^3\*c\*e^4)\*x^2), -((a\*c\*e^2\*x^2 + a^2\*e^2)\*sqrt(-c\*d^2 - a\*e^2)\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) - (a\*c\*d^2\*e + a^2\*e^3 + (c^2\*d^3 + a\*c\*d\*e^2)\*x)\*sqrt(c\*x^2 + a))/(a^2\*c^2\*d^4 + 2\*a^3\*c\*d^2\*e^2 + a^4\*e^4 + (a\*c^3\*d^4 + 2\*a^2\*c^2\*d^2\*e^2 + a^3\*c\*e^4)\*x^2)]

**giac** [A] time = 0.23, size = 172, normalized size = 1.83

$$\frac{(c^2d^3 + acde^2)x}{ac^2d^4 + 2a^2cd^2e^2 + a^3e^4} + \frac{acd^2e + a^2e^3}{ac^2d^4 + 2a^2cd^2e^2 + a^3e^4} - \frac{2 \arctan\left(\frac{(\sqrt{c}x - \sqrt{cx^2 + a})e + \sqrt{c}d}{\sqrt{-cd^2 - ae^2}}\right)e^2}{(cd^2 + ae^2)\sqrt{-cd^2 - ae^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="giac")

[Out] ((c^2\*d^3 + a\*c\*d\*e^2)\*x/(a\*c^2\*d^4 + 2\*a^2\*c\*d^2\*e^2 + a^3\*e^4) + (a\*c\*d^2\*e + a^2\*e^3)/(a\*c^2\*d^4 + 2\*a^2\*c\*d^2\*e^2 + a^3\*e^4))/sqrt(c\*x^2 + a) - 2\*arctan(((sqrt(c)\*x - sqrt(c\*x^2 + a))\*e + sqrt(c)\*d)/sqrt(-c\*d^2 - a\*e^2))\*e^2/((c\*d^2 + a\*e^2)\*sqrt(-c\*d^2 - a\*e^2))

**maple** [B] time = 0.01, size = 260, normalized size = 2.77

$$\frac{cdx}{(ae^2 + cd^2)\sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2c + \frac{ae^2+cd^2}{e^2}}a} - \frac{e \ln\left(\frac{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + 2ae^2+2c\frac{d^2}{e^2}+2\sqrt{\frac{ae^2+cd^2}{e^2}}\sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2c + \frac{ae^2+cd^2}{e^2}}}{x+\frac{d}{e}}\right)}{(ae^2 + cd^2)\sqrt{\frac{ae^2+cd^2}{e^2}}} + \frac{e}{(ae^2 + cd^2)\sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2c + \frac{ae^2+cd^2}{e^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x+d)/(c*x^2+a)^(3/2),x)`

[Out] 
$$\frac{e/(a*e^2+c*d^2)/(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)+d/(a*e^2+c*d^2)/a/(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)*c*x-e/(a*e^2+c*d^2)/((a*e^2+c*d^2)/e^2)^{(1/2)*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2))}}}{(x+d/e)}$$

**maxima** [A] time = 0.50, size = 123, normalized size = 1.31

$$\frac{cdx}{\sqrt{cx^2 + a}acd^2 + \sqrt{cx^2 + a}ae^2} + \frac{1}{\frac{\sqrt{cx^2+a}cd^2}{e} + \sqrt{cx^2 + a}ae} + \frac{\operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{\left(a + \frac{cd^2}{e^2}\right)^{\frac{3}{2}}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)/(c*x^2+a)^(3/2),x, algorithm="maxima")`

[Out] 
$$c*d*x/(\sqrt{c*x^2 + a}*a*c*d^2 + \sqrt{c*x^2 + a}*a^2*e^2) + 1/(\sqrt{c*x^2 + a}*c*d^2/e + \sqrt{c*x^2 + a}*a*e) + \operatorname{arcsinh}(c*d*x/(\sqrt{a*c}*abs(e*x + d)) - a*e/(\sqrt{a*c}*abs(e*x + d)))/((a + c*d^2/e^2)^{(3/2)*e)}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(cx^2 + a)^{3/2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + c*x^2)^(3/2)*(d + e*x)),x)`

[Out] `int(1/((a + c*x^2)^(3/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + cx^2)^{\frac{3}{2}} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)/(c*x**2+a)**(3/2),x)`

[Out] `Integral(1/((a + c*x**2)**(3/2)*(d + e*x)), x)`

$$3.250 \quad \int \frac{1}{x(d+ex)(a+cx^2)^{3/2}} dx$$

Optimal. Leaf size=147

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{a^{3/2}d} - \frac{e(ae+cdx)}{ad\sqrt{a+cx^2}(ae^2+cd^2)} + \frac{e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d(ae^2+cd^2)^{3/2}} + \frac{1}{ad\sqrt{a+cx^2}}$$

**Rubi [A]** time = 0.13, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$ , Rules used = {961, 266, 51, 63, 208, 741, 12, 725, 206}

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{a^{3/2}d} - \frac{e(ae+cdx)}{ad\sqrt{a+cx^2}(ae^2+cd^2)} + \frac{e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d(ae^2+cd^2)^{3/2}} + \frac{1}{ad\sqrt{a+cx^2}}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out] 1/(a\*d\*Sqrt[a + c\*x^2]) - (e\*(a\*e + c\*d\*x))/(a\*d\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2]) + (e^3\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(d\*(c\*d^2 + a\*e^2)^(3/2)) - ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]]/(a^(3/2)\*d)

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 51

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*(m + n + 2))/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ

$[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

### Rule 206

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rule 208

$\text{Int}[(a_) + (b_)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

### Rule 266

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 725

$\text{Int}[1/(((d_) + (e_)*(x_))*\text{Sqrt}[(a_) + (c_)*(x_)^2]), x\_Symbol] \rightarrow -\text{Subst}[\text{Int}[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/\text{Sqrt}[a + c*x^2]] /; \text{FreeQ}[\{a, c, d, e\}, x]$

### Rule 741

$\text{Int}(((d_) + (e_)*(x_))^{(m_)}*((a_) + (c_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow -\text{Simp}[(d + e*x)^{(m + 1)}*(a*e + c*d*x)*(a + c*x^2)^{(p + 1)}/(2*a*(p + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[1/(2*a*(p + 1)*(c*d^2 + a*e^2)), \text{Int}[(d + e*x)^m*\text{Simp}[c*d^2*(2*p + 3) + a*e^2*(m + 2*p + 3) + c*e*d*(m + 2*p + 4)*x, x]*(a + c*x^2)^{(p + 1)}, x], x] /; \text{FreeQ}[\{a, c, d, e, m\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{LtQ}[p, -1] \&\& \text{IntQuadraticQ}[a, 0, c, d, e, m, p, x]$

### Rule 961

$\text{Int}(((d_) + (e_)*(x_))^{(m_)}*((f_) + (g_)*(x_))^{(n_)}*((a_) + (c_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*(f + g*x)^n*(a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, g\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& (\text{IntegerQ}[p] \parallel (\text{ILtQ}[m, 0] \&\& \text{ILtQ}[n, 0])) \&\& !(\text{IGtQ}[m, 0] \parallel \text{IGtQ}[n, 0])$

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex)(a+cx^2)^{3/2}} dx &= \int \left( \frac{1}{dx(a+cx^2)^{3/2}} - \frac{e}{d(d+ex)(a+cx^2)^{3/2}} \right) dx \\
&= \frac{\int \frac{1}{x(a+cx^2)^{3/2}} dx}{d} - \frac{e \int \frac{1}{(d+ex)(a+cx^2)^{3/2}} dx}{d} \\
&= -\frac{e(ae+cdx)}{ad(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\text{Subst}\left(\int \frac{1}{x(a+cx)^{3/2}} dx, x, x^2\right)}{2d} - \frac{e \int \frac{ae^2}{(d+ex)\sqrt{a+cx^2}} dx}{ad(cd^2+ae^2)} \\
&= \frac{1}{ad\sqrt{a+cx^2}} - \frac{e(ae+cdx)}{ad(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\text{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{2ad} - \frac{e^3 \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{d(cd^2+ae^2)} \\
&= \frac{1}{ad\sqrt{a+cx^2}} - \frac{e(ae+cdx)}{ad(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\text{Subst}\left(\int \frac{1}{-\frac{a}{c} + \frac{x^2}{c}} dx, x, \sqrt{a+cx^2}\right)}{acd} + \frac{e^3 \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{d(cd^2+ae^2)} \\
&= \frac{1}{ad\sqrt{a+cx^2}} - \frac{e(ae+cdx)}{ad(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d(cd^2+ae^2)^{3/2}} - \frac{\tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{a^3}
\end{aligned}$$

**Mathematica [C]** time = 0.17, size = 132, normalized size = 0.90

$$\frac{-\frac{e(ae+cdx)}{a\sqrt{a+cx^2}(ae^2+cd^2)} + \frac{e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}} + \frac{{}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{cx^2}{a} + 1\right)}{a\sqrt{a+cx^2}}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(d + e\*x)\*(a + c\*x^2)^(3/2)), x]

[Out]  $-\left(\frac{e(ae+cdx)}{a\sqrt{a+cx^2}(ae^2+cd^2)}\right) + \frac{e^3 \text{ArcTanh}\left[\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right]}{(ae^2+cd^2)^{3/2}} + \frac{\text{Hypergeometric2F1}\left[-\frac{1}{2}, 1, \frac{1}{2}, 1 + \frac{cx^2}{a}\right]}{a\sqrt{a+cx^2}}\right)/d$

**IntegrateAlgebraic [A]** time = 1.14, size = 200, normalized size = 1.36

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}} - \frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{a^{3/2}d} + \frac{cd - cex}{a\sqrt{a+cx^2}(ae^2+cd^2)} - \frac{2e^3\sqrt{-ae^2-cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{d(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[1/(x*(d + e*x)*(a + c*x^2)^(3/2)),x]
```

```
[Out] (c*d - c*e*x)/(a*(c*d^2 + a*e^2)*Sqrt[a + c*x^2]) - (2*e^3*Sqrt[-(c*d^2) - a*e^2]*ArcTan[(Sqrt[c]*d)/Sqrt[-(c*d^2) - a*e^2] + (Sqrt[c]*e*x)/Sqrt[-(c*d^2) - a*e^2] - (e*Sqrt[a + c*x^2])/Sqrt[-(c*d^2) - a*e^2]])/(d*(c*d^2 + a*e^2)^2) + (2*ArcTanh[(Sqrt[c]*x)/Sqrt[a] - Sqrt[a + c*x^2]/Sqrt[a]])/(a^(3/2)*d)
```

**fricas [B]** time = 0.69, size = 1325, normalized size = 9.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(e*x+d)/(c*x^2+a)^(3/2),x, algorithm="fricas")
```

```
[Out] [1/2*((a^2*c*e^3*x^2 + a^3*e^3)*sqrt(c*d^2 + a*e^2)*log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*sqrt(c*d^2 + a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) + (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^2)*sqrt(a)*log(-(c*x^2 - 2*sqrt(c*x^2 + a)*sqrt(a) + 2*a)/x^2) + 2*(a*c^2*d^4 + a^2*c*d^2*e^2 - (a*c^2*d^3*e + a^2*c*d*e^3)*x)*sqrt(c*x^2 + a))/(a^3*c^2*d^5 + 2*a^4*c*d^3*e^2 + a^5*d*e^4 + (a^2*c^3*d^5 + 2*a^3*c^2*d^3*e^2 + a^4*c*d*e^4)*x^2), 1/2*(2*(a^2*c*e^3*x^2 + a^3*e^3)*sqrt(-c*d^2 - a*e^2)*arctan(sqrt(-c*d^2 - a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) + (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^2)*sqrt(a)*log(-(c*x^2 - 2*sqrt(c*x^2 + a)*sqrt(a) + 2*a)/x^2) + 2*(a*c^2*d^4 + a^2*c*d^2*e^2 - (a*c^2*d^3*e + a^2*c*d*e^3)*x)*sqrt(c*x^2 + a))/(a^3*c^2*d^5 + 2*a^4*c*d^3*e^2 + a^5*d*e^4 + (a^2*c^3*d^5 + 2*a^3*c^2*d^3*e^2 + a^4*c*d*e^4)*x^2), 1/2*(2*(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^2)*sqrt(-a)*arctan(sqrt(-a)/sqrt(c*x^2 + a)) + (a^2*c*e^3*x^2 + a^3*e^3)*sqrt(c*d^2 + a*e^2)*log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*sqrt(c*d^2 + a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) + 2*(a*c^2*d^4 + a^2*c*d^2*e^2 - (a*c^2*d^3*e + a^2*c*d*e^3)*x)*sqrt(c*x^2 + a))/(a^3*c^2*d^5 + 2*a^4*c*d^3*e^2 + a^5*d*e^4 + (a^2*c^3*d^5 + 2*a^3*c^2*d^3*e^2 + a^4*c*d*e^4)*x^2), ((a^2*c*e^3*x^2 + a^3*e^3)*sqrt(-c*d^2 - a*e^2)*arctan(sqrt(-c*d^2 - a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) + (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^2)*sqrt(-a)*arctan(sqrt(-a)/sqrt(c*x^2 + a)) + (a*c^2*d^4 + a^2*c*d^2*e^2 - (a*c^2*d^3*e + a^2*c*d*e^3)*x)*sqrt(c*x^2 + a))/(a^3*c^2*d^5 + 2*a^4*c*d^3*e^2 + a^5*d*e^4 + (a^2*c^3*d^5 + 2*a^3*c^2*d^3*e^2 + a^4*c*d*e^4)*x^2)]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT>Error: Bad Argument Type

**maple** [B] time = 0.01, size = 318, normalized size = 2.16

$$\frac{cex}{(ae^2 + cd^2)\sqrt{-\frac{2(x+\frac{d}{e})ad}{e} + (x+\frac{d}{e})^2 c + \frac{ae^2 + cd^2}{e^2}} a} + \frac{e^2 \ln\left(\frac{-\frac{2(x+\frac{d}{e})ad}{e} + 2ae^2 + 2e^2 d^2 + 2\sqrt{\frac{ae^2 + cd^2}{e^2}} \sqrt{\frac{2(x+\frac{d}{e})ad}{e} + (x+\frac{d}{e})^2 c + \frac{ae^2 + cd^2}{e^2}}}{x + \frac{d}{e}}\right)}{(ae^2 + cd^2)\sqrt{\frac{ae^2 + cd^2}{e^2}} d} - \frac{e^2}{(ae^2 + cd^2)\sqrt{-\frac{2(x+\frac{d}{e})ad}{e} + (x+\frac{d}{e})^2 c + \frac{ae^2 + cd^2}{e^2}} d} - \frac{\ln\left(\frac{2a+2\sqrt{c}x^2+a}{x}\sqrt{a}\right)}{a^2 d} + \frac{1}{\sqrt{cx^2 + a} ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(e\*x+d)/(c\*x^2+a)^(3/2),x)

[Out]  $1/a/d/(c*x^2+a)^{(1/2)} - 1/d/a^{(3/2)}*\ln((2*a+2*(c*x^2+a)^{(1/2)}*a^{(1/2)})/x) - 1/d/(a*e^2+c*d^2)*e^2/(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)} - e/(a*e^2+c*d^2)/a/(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)}*c*x + 1/d/(a*e^2+c*d^2)*e^2/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + a)^{\frac{3}{2}}(ex + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((c\*x^2 + a)^(3/2)\*(e\*x + d)\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x(c x^2 + a)^{3/2} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(a + c*x^2)^(3/2)*(d + e*x)),x)`

[Out] `int(1/(x*(a + c*x^2)^(3/2)*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + cx^2)^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(e*x+d)/(c*x**2+a)**(3/2),x)`

[Out] `Integral(1/(x*(a + c*x**2)**(3/2)*(d + e*x)), x)`



$$3.251 \quad \int \frac{1}{x^2(d+ex)(a+cx^2)^{3/2}} dx$$

Optimal. Leaf size=194

$$\frac{e \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{a^{3/2}d^2} - \frac{2cx}{a^2d\sqrt{a+cx^2}} + \frac{e^2(ae+cdx)}{ad^2\sqrt{a+cx^2}(ae^2+cd^2)} - \frac{e^4 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^2(ae^2+cd^2)^{3/2}} - \frac{e}{ad^2\sqrt{a+cx^2}} - \frac{1}{adx\sqrt{a+cx^2}}$$

**Rubi [A]** time = 0.17, antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {961, 271, 191, 266, 51, 63, 208, 741, 12, 725, 206}

$$\frac{e \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{a^{3/2}d^2} - \frac{2cx}{a^2d\sqrt{a+cx^2}} + \frac{e^2(ae+cdx)}{ad^2\sqrt{a+cx^2}(ae^2+cd^2)} - \frac{e^4 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^2(ae^2+cd^2)^{3/2}} - \frac{e}{ad^2\sqrt{a+cx^2}} - \frac{1}{adx\sqrt{a+cx^2}}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out] -(e/(a\*d^2\*Sqrt[a + c\*x^2])) - 1/(a\*d\*x\*Sqrt[a + c\*x^2]) - (2\*c\*x)/(a^2\*d\*Sqrt[a + c\*x^2]) + (e^2\*(a\*e + c\*d\*x))/(a\*d^2\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2]) - (e^4\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(d^2\*(c\*d^2 + a\*e^2)^(3/2)) + (e\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(a^(3/2)\*d^2)

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 51

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*(m + n + 2))/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b +

$(d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{LtQ}[-1, m, 0] \ \&\& \ \text{LeQ}[-1, n, 0] \ \&\& \ \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \ \&\& \ \text{IntLinearQ}[a, b, c, d, m, n, x]$

### Rule 191

$\text{Int}[\{(a\_)+ (b\_)*(x\_)^{(n\_)}\}^{(p\_)}, x\_Symbol] \ :> \ \text{Simp}[(x*(a + b*x^n)^{(p + 1)})/a, x] /; \text{FreeQ}[\{a, b, n, p\}, x] \ \&\& \ \text{EqQ}[1/n + p + 1, 0]$

### Rule 206

$\text{Int}[\{(a\_)+ (b\_)*(x\_)^2\}^{(-1)}, x\_Symbol] \ :> \ \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

### Rule 208

$\text{Int}[\{(a\_)+ (b\_)*(x\_)^2\}^{(-1)}, x\_Symbol] \ :> \ \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

### Rule 266

$\text{Int}[(x\_)^{(m\_)}*\{(a\_)+ (b\_)*(x\_)^{(n\_)}\}^{(p\_)}, x\_Symbol] \ :> \ \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p}, x], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 271

$\text{Int}[(x\_)^{(m\_)}*\{(a\_)+ (b\_)*(x\_)^{(n\_)}\}^{(p\_)}, x\_Symbol] \ :> \ \text{Simp}[(x^{(m + 1)}*(a + b*x^n)^{(p + 1)})/(a*(m + 1)), x] - \text{Dist}[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), \text{Int}[x^{(m + n)}*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n + p + 1], 0] \ \&\& \ \text{NeQ}[m, -1]$

### Rule 725

$\text{Int}[1/(\{(d\_)+ (e\_)*(x\_)\}*\text{Sqrt}[(a\_)+ (c\_)*(x\_)^2]), x\_Symbol] \ :> \ -\text{Subst}[\text{Int}[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/\text{Sqrt}[a + c*x^2]] /; \text{FreeQ}[\{a, c, d, e\}, x]$

### Rule 741

$\text{Int}[\{(d\_)+ (e\_)*(x\_)\}^{(m\_)}*\{(a\_)+ (c\_)*(x\_)^2\}^{(p\_)}, x\_Symbol] \ :> \ -\text{Simp}[(\{(d + e*x\}^{(m + 1)}*(a*e + c*d*x)*(a + c*x^2)^{(p + 1)})/(2*a*(p + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[1/(2*a*(p + 1)*(c*d^2 + a*e^2)), \text{Int}[(d + e*x)^m*\text{Simp}[c*d^2*(2*p + 3) + a*e^2*(m + 2*p + 3) + c*e*d*(m + 2*p + 4)*x, x]*(a + c*x^2)^{(p + 1)}, x], x]$

$2)^{(p+1), x], x] /; \text{FreeQ}[\{a, c, d, e, m\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IntQuadraticQ}[a, 0, c, d, e, m, p, x]$

### Rule 961

$\text{Int}[\{(d_.) + (e_.)*(x_.)\}^{(m_.)} * \{(f_.) + (g_.)*(x_.)\}^{(n_.)} * \{(a_.) + (c_.)*(x_.)^2\}^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m * (f + g*x)^n * (a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ (\text{ILtQ}[m, 0] \ \&\& \ \text{ILtQ}[n, 0])) \ \&\& \ !(\text{IGtQ}[m, 0] \ || \ \text{IGtQ}[n, 0])$

### Rubi steps

$$\begin{aligned} \int \frac{1}{x^2(d+ex)(a+cx^2)^{3/2}} dx &= \int \left( \frac{1}{dx^2(a+cx^2)^{3/2}} - \frac{e}{d^2x(a+cx^2)^{3/2}} + \frac{e^2}{d^2(d+ex)(a+cx^2)^{3/2}} \right) dx \\ &= \frac{\int \frac{1}{x^2(a+cx^2)^{3/2}} dx}{d} - \frac{e \int \frac{1}{x(a+cx^2)^{3/2}} dx}{d^2} + \frac{e^2 \int \frac{1}{(d+ex)(a+cx^2)^{3/2}} dx}{d^2} \\ &= -\frac{1}{adx\sqrt{a+cx^2}} + \frac{e^2(ae+cdx)}{ad^2(cd^2+ae^2)\sqrt{a+cx^2}} - \frac{(2c) \int \frac{1}{(a+cx^2)^{3/2}} dx}{ad} - \frac{e \text{Subst}\left(\int \frac{1}{x} dx, \frac{d+ex}{a+cx^2}\right)}{d^2} \\ &= -\frac{e}{ad^2\sqrt{a+cx^2}} - \frac{1}{adx\sqrt{a+cx^2}} - \frac{2cx}{a^2d\sqrt{a+cx^2}} + \frac{e^2(ae+cdx)}{ad^2(cd^2+ae^2)\sqrt{a+cx^2}} - \frac{e}{d^2} \\ &= -\frac{e}{ad^2\sqrt{a+cx^2}} - \frac{1}{adx\sqrt{a+cx^2}} - \frac{2cx}{a^2d\sqrt{a+cx^2}} + \frac{e^2(ae+cdx)}{ad^2(cd^2+ae^2)\sqrt{a+cx^2}} - \frac{e}{d^2} \\ &= -\frac{e}{ad^2\sqrt{a+cx^2}} - \frac{1}{adx\sqrt{a+cx^2}} - \frac{2cx}{a^2d\sqrt{a+cx^2}} + \frac{e^2(ae+cdx)}{ad^2(cd^2+ae^2)\sqrt{a+cx^2}} - \frac{e}{d^2} \end{aligned}$$

**Mathematica [C]** time = 0.40, size = 163, normalized size = 0.84

$$\frac{\frac{d(a+2cx^2)}{a^2x\sqrt{a+cx^2}} - \frac{e^2(ae+cdx)}{a\sqrt{a+cx^2}(ae^2+cd^2)} + \frac{e^4 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}} + \frac{e {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{cx^2}{a} + 1\right)}{a\sqrt{a+cx^2}}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2\*(d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out]  $-\left(-\left(\frac{e^2(ae + cd^2)}{a(c^2d^2 + ae^2)\sqrt{a + cx^2}}\right) + \frac{d(a + 2cx^2)}{a^2x\sqrt{a + cx^2}} + \frac{e^4\text{ArcTanh}\left[\frac{ae - cd^2}{\sqrt{c^2d^2 + ae^2}}\right]\sqrt{a + cx^2}}{(c^2d^2 + ae^2)^{3/2}} + \frac{e\text{Hypergeometric2F1}\left[-\frac{1}{2}, 1, \frac{1}{2}, 1 + \frac{cx^2}{a}\right]}{a\sqrt{a + cx^2}}\right)/d^2$

**IntegrateAlgebraic [A]** time = 0.73, size = 242, normalized size = 1.25

$$-\frac{2e \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}} - \frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{a^{3/2}d^2} + \frac{-a^2e^2 - acd^2 - acdex - ace^2x^2 - 2c^2d^2x^2}{a^2dx\sqrt{a + cx^2}(ae^2 + cd^2)} + \frac{2e^4\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 - cd^2}}\right)}{d^2(ae^2 + cd^2)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^2\*(d + e\*x)\*(a + c\*x^2)^(3/2)),x]

[Out]  $\frac{-(a^2cd^2) - a^2e^2 - a^2cde^2x - 2c^2d^2x^2 - a^2c^2e^2x^2}{(a^2d^2 + a^2e^2)x\sqrt{a + cx^2}} + \frac{(2e^4\sqrt{-(c^2d^2) - a^2e^2})\text{ArcTan}\left[\frac{\sqrt{c}d}{\sqrt{-(c^2d^2) - a^2e^2}} + \frac{\sqrt{c}ex}{\sqrt{-(c^2d^2) - a^2e^2}} - \frac{e\sqrt{a + cx^2}}{\sqrt{-(c^2d^2) - a^2e^2}}\right]}{(d^2(c^2d^2 + a^2e^2)^2) - (2e^4\text{ArcTanh}\left[\frac{\sqrt{c}x}{\sqrt{a}} - \frac{\sqrt{a + cx^2}}{\sqrt{a}}\right])}{(a^{3/2}d^2)}$

**fricas [B]** time = 0.72, size = 1556, normalized size = 8.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="fricas")

[Out]  $\frac{1}{2} \left( (a^2c^2e^4x^3 + a^3e^4x) \sqrt{c^2d^2 + a^2e^2} \log\left(\frac{2a^2c^2d^2e^2x - a^2c^2d^2 - 2a^2e^2 - (2c^2d^2 + a^2c^2e^2)x^2 - 2\sqrt{c^2d^2 + a^2e^2}(c^2dx - a^2e)}{(e^2x^2 + 2d^2e^2x + d^2)}\right) + ((c^3d^4e + 2a^2c^2d^2e^3 + a^2c^2e^5)x^3 + (a^2c^2d^4e + 2a^2c^2d^2e^3 + a^3e^5)x) \sqrt{a} \log\left(-\frac{c^2x^2 + 2\sqrt{c^2x^2 + a} \sqrt{a} + 2a}{x^2}\right) - 2(a^2c^2d^5 + 2a^2c^2d^3e^2 + a^3d^2e^4 + (2c^3d^5 + 3a^2c^2d^3e^2 + a^2c^2d^2e^4)x^2 + (a^2c^2d^4e + a^2c^2d^2e^3)x) \sqrt{c^2x^2 + a} \right) / ((a^2c^3d^6 + 2a^3c^2d^4e^2 + a^4c^2d^2e^4)x^3 + (a^3c^2d^6 + 2a^4c^2d^4e^2 + a^5d^2e^4)x) - \frac{1}{2} \left( 2(a^2c^2e^4x^3 + a^3e^4x) \sqrt{-(c^2d^2 - a^2e^2)} \arctan\left(\frac{\sqrt{-(c^2d^2 - a^2e^2)}(c^2dx - a^2e)}{(a^2c^2d^2 + a^2e^2 + (c^2d^2 + a^2c^2e^2)x^2)}\right) - ((c^3d^4e + 2a^2c^2d^2e^3 + a^2c^2e^5)x^3 + (a^2c^2d^4e + 2a^2c^2d^2e^3 + a^3e^5)x) \sqrt{a} \log\left(-\frac{c^2x^2 + 2\sqrt{c^2x^2 + a} \sqrt{a} + 2a}{x^2}\right) + 2(a^2c^2d^5 + 2a^2c^2d^3e^2 + a^3d^2e^4 + (2c^3d^5 + 3a^2c^2d^3e^2 + a^2c^2d^2e^4)x^2 + (a^2c^2d^4e + a^2c^2d^2e^3)x) \sqrt{c^2x^2 + a} \right) / ((a^2c^3d^6 + 2a^3c^2d^4e^2 + a^4c^2d^2e^4)x^3 + (a^3c^2d^6 + 2a^4c^2d^4e^2 + a^5d^2e^4)x$

$$\begin{aligned}
& \sqrt[4]{x^3 + (a^3c^2d^6 + 2a^4c^2d^4e^2 + a^5d^2e^4)x}, -1/2*(2*((c^3d^4e + 2ac^2d^2e^3 + a^2c^2e^5)x^3 + (ac^2d^4e + 2a^2c^2d^2e^3 + a^3e^5)x) * \sqrt{-a} * \arctan(\sqrt{-a}/\sqrt{cx^2 + a}) - (a^2c^2e^4x^3 + a^3e^4x) * \sqrt{cd^2 + ae^2} * \log((2ac^2d^2e^2x - ac^2d^2 - 2a^2e^2 - (2c^2d^2 + ac^2e^2)x^2 - 2\sqrt{cd^2 + ae^2}(cx^2 - a)) * \sqrt{cx^2 + a}) / (e^2x^2 + 2d^2e^2x + d^2)) + 2*(ac^2d^5 + 2a^2c^2d^3e^2 + a^3d^2e^4 + (2c^3d^5 + 3ac^2d^3e^2 + a^2c^2d^2e^4)x^2 + (ac^2d^4e + a^2c^2d^2e^3)x) * \sqrt{cx^2 + a}) / ((a^2c^3d^6 + 2a^3c^2d^4e^2 + a^4c^2d^2e^4)x^3 + (a^3c^2d^6 + 2a^4c^2d^4e^2 + a^5d^2e^4)x), -((a^2c^2e^4x^3 + a^3e^4x) * \sqrt{-cd^2 - ae^2} * \arctan(\sqrt{-cd^2 - ae^2}(cx^2 - a)) * \sqrt{cx^2 + a}) / (ac^2d^2 + a^2e^2 + (c^2d^2 + ac^2e^2)x^2)) + ((c^3d^4e + 2ac^2d^2e^3 + a^2c^2e^5)x^3 + (ac^2d^4e + 2a^2c^2d^2e^3 + a^3e^5)x) * \sqrt{-a} * \arctan(\sqrt{-a}/\sqrt{cx^2 + a}) + (ac^2d^5 + 2a^2c^2d^3e^2 + a^3d^2e^4 + (2c^3d^5 + 3ac^2d^3e^2 + a^2c^2d^2e^4)x^2 + (ac^2d^4e + a^2c^2d^2e^3)x) * \sqrt{cx^2 + a}) / ((a^2c^3d^6 + 2a^3c^2d^4e^2 + a^4c^2d^2e^4)x^3 + (a^3c^2d^6 + 2a^4c^2d^4e^2 + a^5d^2e^4)x) ]
\end{aligned}$$

**giac [A]** time = 0.25, size = 266, normalized size = 1.37

$$-\frac{(ac^3d^3+a^2c^2d^2e^2)x}{a^3c^2d^4+2a^4cd^2e^2+a^5e^4} + \frac{a^2c^2d^2e+a^3c^2e^3}{a^3c^2d^4+2a^4cd^2e^2+a^5e^4} - \frac{2 \arctan\left(\frac{(\sqrt{cx-\sqrt{cx^2+a}})e+\sqrt{cd}}{\sqrt{-cd^2-ae^2}}\right)e^4}{(cd^4+ad^2e^2)\sqrt{-cd^2-ae^2}} - \frac{2 \arctan\left(-\frac{\sqrt{cx-\sqrt{cx^2+a}}}{\sqrt{-a}}\right)e}{\sqrt{-a}ad^2} + \frac{2\sqrt{c}}{\left(\left(\sqrt{cx-\sqrt{cx^2+a}}\right)^2-a\right)ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="giac")

[Out] 
$$\begin{aligned}
& -((ac^3d^3 + a^2c^2d^2e^2)x / (a^3c^2d^4 + 2a^4c^2d^2e^2 + a^5e^4) + (a^2c^2d^2e + a^3c^2e^3) / (a^3c^2d^4 + 2a^4c^2d^2e^2 + a^5e^4)) / \sqrt{cx^2 + a} - 2 * \arctan(((\sqrt{c})x - \sqrt{cx^2 + a}) * e + \sqrt{c} * d) / \sqrt{-cd^2 - ae^2}) * e^4 / ((cd^4 + ad^2e^2) * \sqrt{-cd^2 - ae^2}) - 2 * \arctan(-(\sqrt{c})x - \sqrt{cx^2 + a}) / \sqrt{-a}) * e / (\sqrt{-a} * ad^2) + 2 * \sqrt{c} / (((\sqrt{c})x - \sqrt{cx^2 + a})^2 - a) * ad
\end{aligned}$$

**maple [B]** time = 0.01, size = 363, normalized size = 1.87

$$\frac{ce^3x}{(a^2+cd^2)\sqrt{\frac{2\left(x+\frac{d}{c}\right)ad}{c}+\left(x+\frac{d}{c}\right)^2+c+\frac{a^2+cd^2}{d^2}ad}} - \frac{e^3 \ln\left(\frac{\frac{2\left(x+\frac{d}{c}\right)ad}{c}+2a^2+2d^2+2\sqrt{\frac{a^2+cd^2}{d^2}}\sqrt{\frac{2\left(x+\frac{d}{c}\right)ad}{c}+\left(x+\frac{d}{c}\right)^2+c+\frac{a^2+cd^2}{d^2}ad}}{x+\frac{d}{c}}\right)}{(a^2+cd^2)\sqrt{\frac{a^2+cd^2}{d^2}}d^2} + \frac{e^3}{(a^2+cd^2)\sqrt{\frac{2\left(x+\frac{d}{c}\right)ad}{c}+\left(x+\frac{d}{c}\right)^2+c+\frac{a^2+cd^2}{d^2}ad}} - \frac{2cx}{\sqrt{cx^2+a}ad^2} + \frac{e \ln\left(\frac{2a+2\sqrt{cx^2+a}\sqrt{a}}{x}\right)}{a^2d^2} - \frac{e}{\sqrt{cx^2+a}ad^2} - \frac{1}{\sqrt{cx^2+a}ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e\*x+d)/(c\*x^2+a)^(3/2),x)

[Out] 
$$\begin{aligned}
& -1/a/d/x/(c*x^2+a)^(1/2) - 2*c*x/a^2/d/(c*x^2+a)^(1/2) - e/a/d^2/(c*x^2+a)^(1/2) \\
& + e/d^2/a^(3/2)*\ln((2*a+2*(c*x^2+a)^(1/2)*a^(1/2))/x) + e^3/d^2/(a*e^2+c*d^2)
\end{aligned}$$

$$\frac{(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)}+e^2/d/(a*e^2+c*d^2)}{a/(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)}*c*x-e^3/d^2/(a*e^2+c*d^2)/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)))/(x+d/e)}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + a)^{\frac{3}{2}}(ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((c\*x^2 + a)^(3/2)\*(e\*x + d)\*x^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x^2 (cx^2 + a)^{3/2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*(a + c\*x^2)^(3/2)\*(d + e\*x)),x)

[Out] int(1/(x^2\*(a + c\*x^2)^(3/2)\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + cx^2)^{\frac{3}{2}} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/(e\*x+d)/(c\*x\*\*2+a)\*\*(3/2),x)

[Out] Integral(1/(x\*\*2\*(a + c\*x\*\*2)\*\*(3/2)\*(d + e\*x)), x)

$$3.252 \quad \int \frac{1}{x^3(d+ex)(a+cx^2)^{3/2}} dx$$

**Optimal.** Leaf size=276

$$-\frac{e^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{a^{3/2}d^3} + \frac{3c \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2a^{5/2}d} + \frac{2cex}{a^2d^2\sqrt{a+cx^2}} - \frac{3c}{2a^2d\sqrt{a+cx^2}} + \frac{e^2}{ad^3\sqrt{a+cx^2}} + \frac{e}{ad^2x\sqrt{a+cx^2}} + \frac{e^5}{ad^2x\sqrt{a+cx^2}}$$

**Rubi [A]** time = 0.24, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 11, integrand size = 22, number of rules / integrand size = 0.500, Rules used = {961, 266, 51, 63, 208, 271, 191, 741, 12, 725, 206}

$$-\frac{e^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{a^{3/2}d^3} + \frac{2cex}{a^2d^2\sqrt{a+cx^2}} - \frac{3\sqrt{a+cx^2}}{2a^2dx^2} + \frac{3c \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2a^{5/2}d} - \frac{e^3(ae+cdx)}{ad^3\sqrt{a+cx^2}(ae^2+cd^2)} + \frac{e^2}{ad^3\sqrt{a+cx^2}} + \frac{e^5 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^3(ae^2+cd^2)^{3/2}} + \frac{e}{ad^2x\sqrt{a+cx^2}} + \frac{1}{adx^2\sqrt{a+cx^2}}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3\*(d + e\*x)\*(a + c\*x^2)^(3/2)), x]

[Out] e^2/(a\*d^3\*Sqrt[a + c\*x^2]) + 1/(a\*d\*x^2\*Sqrt[a + c\*x^2]) + e/(a\*d^2\*x\*Sqrt[a + c\*x^2]) + (2\*c\*e\*x)/(a^2\*d^2\*Sqrt[a + c\*x^2]) - (e^3\*(a\*e + c\*d\*x))/(a\*d^3\*(c\*d^2 + a\*e^2)\*Sqrt[a + c\*x^2]) - (3\*Sqrt[a + c\*x^2])/(2\*a^2\*d\*x^2) + (e^5\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(d^3\*(c\*d^2 + a\*e^2)^(3/2)) + (3\*c\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(2\*a^(5/2)\*d) - (e^2\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(a^(3/2)\*d^3)

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 51

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*(m + n + 2))/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b +

$(d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}, x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{LtQ}[-1, m, 0] \&\& \text{LeQ}[-1, n, 0] \&\& \text{LeQ}[\text{Denominator}[n], \text{Denominator}[m]] \&\& \text{IntLinearQ}[a, b, c, d, m, n, x]$

### Rule 191

$\text{Int}[\{(a\_)+ (b\_)*(x\_)^{(n\_)}\}^{(p\_)}, x\_Symbol] \rightarrow \text{Simp}[(x*(a + b*x^n)^{(p + 1)})/a, x] /; \text{FreeQ}[\{a, b, n, p\}, x] \&\& \text{EqQ}[1/n + p + 1, 0]$

### Rule 206

$\text{Int}[\{(a\_)+ (b\_)*(x\_)^2\}^{(-1)}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rule 208

$\text{Int}[\{(a\_)+ (b\_)*(x\_)^2\}^{(-1)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b]$

### Rule 266

$\text{Int}[(x\_)^{(m\_)}*\{(a\_)+ (b\_)*(x\_)^{(n\_)}\}^{(p\_)}, x\_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p, x}], x, x^n], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

### Rule 271

$\text{Int}[(x\_)^{(m\_)}*\{(a\_)+ (b\_)*(x\_)^{(n\_)}\}^{(p\_)}, x\_Symbol] \rightarrow \text{Simp}[(x^{(m + 1)}*(a + b*x^n)^{(p + 1)})/(a*(m + 1)), x] - \text{Dist}[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), \text{Int}[x^{(m + n)}*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n + p + 1], 0] \&\& \text{NeQ}[m, -1]$

### Rule 725

$\text{Int}[1/(\{(d\_)+ (e\_)*(x\_)*\text{Sqrt}[(a\_)+ (c\_)*(x\_)^2]\}), x\_Symbol] \rightarrow -\text{Subst}[\text{Int}[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/\text{Sqrt}[a + c*x^2]] /; \text{FreeQ}[\{a, c, d, e\}, x]$

### Rule 741

$\text{Int}[\{(d\_)+ (e\_)*(x\_)\}^{(m\_)}*\{(a\_)+ (c\_)*(x\_)^2\}^{(p\_)}, x\_Symbol] \rightarrow -\text{Simp}[\{(d + e*x)^{(m + 1)}*(a*e + c*d*x)*(a + c*x^2)^{(p + 1)}\}/(2*a*(p + 1)*(c*d^2 + a*e^2)), x] + \text{Dist}[1/(2*a*(p + 1)*(c*d^2 + a*e^2)), \text{Int}[(d + e*x)^m*\text{Simp}[c*d^2*(2*p + 3) + a*e^2*(m + 2*p + 3) + c*e*d*(m + 2*p + 4)*x, x]*(a + c*x^2)^{(p + 1)}, x], x]$



$2)^{(p+1)}, x], x] /; \text{FreeQ}[\{a, c, d, e, m\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IntQuadraticQ}[a, 0, c, d, e, m, p, x]$

### Rule 961

$\text{Int}[\{(d_.) + (e_.)*(x_.)\}^{(m_.)} * \{(f_.) + (g_.)*(x_.)\}^{(n_.)} * \{(a_.) + (c_.)*(x_.)^2\}^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m * (f + g*x)^n * (a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ (\text{ILtQ}[m, 0] \ \&\& \ \text{ILtQ}[n, 0])) \ \&\& \ !(\text{IGtQ}[m, 0] \ || \ \text{IGtQ}[n, 0])$

### Rubi steps

$$\begin{aligned} \int \frac{1}{x^3(d+ex)(a+cx^2)^{3/2}} dx &= \int \left( \frac{1}{dx^3(a+cx^2)^{3/2}} - \frac{e}{d^2x^2(a+cx^2)^{3/2}} + \frac{e^2}{d^3x(a+cx^2)^{3/2}} - \frac{e^3}{d^3(d+ex)(a+cx^2)^{3/2}} \right) dx \\ &= \frac{\int \frac{1}{x^3(a+cx^2)^{3/2}} dx}{d} - \frac{e \int \frac{1}{x^2(a+cx^2)^{3/2}} dx}{d^2} + \frac{e^2 \int \frac{1}{x(a+cx^2)^{3/2}} dx}{d^3} - \frac{e^3 \int \frac{1}{(d+ex)(a+cx^2)^{3/2}} dx}{d^3} \\ &= \frac{e}{ad^2x\sqrt{a+cx^2}} - \frac{e^3(ae+cdx)}{ad^3(cd^2+ae^2)\sqrt{a+cx^2}} + \frac{\text{Subst}\left(\int \frac{1}{x^2(a+cx)^{3/2}} dx, x, x^2\right)}{2d} + \dots \\ &= \frac{e^2}{ad^3\sqrt{a+cx^2}} + \frac{1}{adx^2\sqrt{a+cx^2}} + \frac{e}{ad^2x\sqrt{a+cx^2}} + \frac{2cex}{a^2d^2\sqrt{a+cx^2}} - \frac{e^3(ae+cdx)}{ad^3(cd^2+ae^2)\sqrt{a+cx^2}} \\ &= \frac{e^2}{ad^3\sqrt{a+cx^2}} + \frac{1}{adx^2\sqrt{a+cx^2}} + \frac{e}{ad^2x\sqrt{a+cx^2}} + \frac{2cex}{a^2d^2\sqrt{a+cx^2}} - \frac{e^3(ae+cdx)}{ad^3(cd^2+ae^2)\sqrt{a+cx^2}} \\ &= \frac{e^2}{ad^3\sqrt{a+cx^2}} + \frac{1}{adx^2\sqrt{a+cx^2}} + \frac{e}{ad^2x\sqrt{a+cx^2}} + \frac{2cex}{a^2d^2\sqrt{a+cx^2}} - \frac{e^3(ae+cdx)}{ad^3(cd^2+ae^2)\sqrt{a+cx^2}} \\ &= \frac{e^2}{ad^3\sqrt{a+cx^2}} + \frac{1}{adx^2\sqrt{a+cx^2}} + \frac{e}{ad^2x\sqrt{a+cx^2}} + \frac{2cex}{a^2d^2\sqrt{a+cx^2}} - \frac{e^3(ae+cdx)}{ad^3(cd^2+ae^2)\sqrt{a+cx^2}} \end{aligned}$$

**Mathematica** [C] time = 0.34, size = 203, normalized size = 0.74

$$\frac{-\frac{cd^2 {}_2F_1\left(-\frac{1}{2}, 2; \frac{1}{2}; \frac{cx^2}{a} + 1\right)}{a^2 \sqrt{a+cx^2}} + \frac{de(a+2cx^2)}{a^2 x \sqrt{a+cx^2}} + \frac{e^5 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}} - \frac{e^3(ae+cdx)}{a \sqrt{a+cx^2} (ae^2+cd^2)} + \frac{e^2 {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{cx^2}{a} + 1\right)}{a \sqrt{a+cx^2}}}{d^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3\*(d + e\*x)\*(a + c\*x^2)^(3/2)), x]

[Out] 
$$\left( -\frac{(e^3(ae + cd*x))/(a*(cd^2 + ae^2)*\sqrt{a + cx^2})}{(a^2*x*\sqrt{a + cx^2})} + \frac{(e^5*\text{ArcTanh}[(ae - cd*x)/(\sqrt{cd^2 + ae^2}*\sqrt{a + cx^2})])}{(cd^2 + ae^2)^{3/2}} + \frac{(e^2*\text{Hypergeometric2F1}[-1/2, 1, 1/2, 1 + (cx^2)/a])}{(a*\sqrt{a + cx^2})} - \frac{(cd^2*\text{Hypergeometric2F1}[-1/2, 2, 1/2, 1 + (cx^2)/a])}{(a^2*\sqrt{a + cx^2})} \right) / d^3$$

**IntegrateAlgebraic** [A] time = 1.02, size = 287, normalized size = 1.04

$$\frac{(2ae^2 - 3cd^2) \tanh^{-1}\left(\frac{\sqrt{cx-\sqrt{a+cx^2}}}{\sqrt{a}}\right)}{a^{5/2}d^3} + \frac{-a^2de^2 + 2a^2e^3x - acd^3 + 2acd^2ex - acde^3x^2 + 2ace^3x^3 - 3c^2d^3x^2 + 4c^2d^2ex^3}{2a^2d^2x^2\sqrt{a+cx^2}(ae^2+cd^2)} - \frac{2e^5\sqrt{-ae^2-cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{d^3(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^3\*(d + e\*x)\*(a + c\*x^2)^(3/2)), x]

[Out] 
$$\left( -\frac{(a^2cd^3 - a^2d^2e^2 + 2a^2cd^2e*x + 2a^2e^3*x^2 - 3c^2d^3*x^2 - a^2cd^2e^2*x^2 + 4c^2d^2e*x^3 + 2a^2c^2e^3*x^3)}{(2a^2d^2*(cd^2 + ae^2)*x^2*\sqrt{a + cx^2}} - \frac{(2e^5*\sqrt{-(cd^2 - ae^2)}*\text{ArcTan}[(\sqrt{c}*d)/\sqrt{-(cd^2 - ae^2)}])}{(cd^2 - ae^2)} + \frac{(\sqrt{c}*e*x)/\sqrt{-(cd^2 - ae^2)}}{(\sqrt{c}*e*x)/\sqrt{-(cd^2 - ae^2)}} - \frac{(e*\sqrt{a + cx^2})/\sqrt{-(cd^2 - ae^2)}}{(\sqrt{a + cx^2})/\sqrt{-(cd^2 - ae^2)}} \right) / (d^3*(cd^2 + ae^2)^2) + \left( (-3cd^2 + 2ae^2) * \text{ArcTanh}[(\sqrt{c}*x - \sqrt{a + cx^2})/\sqrt{a}] \right) / (a^{5/2}*d^3)$$

**fricas** [A] time = 1.04, size = 1943, normalized size = 7.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(c\*x^2+a)^(3/2), x, algorithm="fricas")

[Out] 
$$\left[ \frac{1}{4} * (2*(a^3*c*e^5*x^4 + a^4*e^5*x^2)*\sqrt{cd^2 + ae^2} * \log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*\sqrt{cd^2 + ae^2}*(c*d*x - a*e))*\sqrt{c*x^2 + a})) / (e^2*x^2 + 2*d*e*x + d^2) - ((3*c^4*d^6 + 4*a*c^3*d^4*e^2 - a^2*c^2*d^2*e^4 - 2*a^3*c*e^6)*x^4 + (3*a*c^3*d^6 + 4*a^2*c^2*d^4*e^2 - a^3*c*d^2*e^4 - 2*a^4*e^6)*x^2) * \sqrt{a} * \log(-(c*x^2 - 2*\sqrt{c*x^2 + a})*\sqrt{a} + 2*a)/x^2 - 2*(a^2*c^2*d^6 + 2*a^3*c*d^4*e^2 + a^4*d^2*e^4 - 2*(2*a*c^3*d^5*e + 3*a^2*c^2*d^3*e^3 + a^3*c*d*e^5)*x^3 + (3*a*c^3*d^6$$

$$\begin{aligned}
& 6 + 4a^2c^2d^4e^2 + a^3cd^2e^4)x^2 - 2(a^2c^2d^5e + 2a^3cd^3e^3 + a^4d^5e^5)x \sqrt{cx^2 + a} / ((a^3c^3d^7 + 2a^4c^2d^5e^2 + a^5cd^3e^4)x^4 + (a^4c^2d^7 + 2a^5cd^5e^2 + a^6d^3e^4)x^2), \\
& 1/4 * (4(a^3ce^5x^4 + a^4e^5x^2) \sqrt{-cd^2 - ae^2} \arctan(\sqrt{-cd^2 - ae^2}) * (cdx - ae) \sqrt{cx^2 + a} / (acd^2 + a^2e^2 + (c^2d^2 + ace^2)x^2)) - ((3c^4d^6 + 4a^3cd^4e^2 - a^2c^2d^2e^4 - 2a^3ce^6)x^4 + (3a^3cd^6 + 4a^2c^2d^4e^2 - a^3cd^2e^4 - 2a^4e^6)x^2) \sqrt{a} \log(-(cx^2 - 2\sqrt{cx^2 + a}) \sqrt{a} + 2a) / x^2) - 2(a^2c^2d^6 + 2a^3cd^4e^2 + a^4d^2e^4 - 2(2a^3cd^5e + 3a^2c^2d^3e^3 + a^3cd^5e^5)x^3 + (3a^3cd^6 + 4a^2c^2d^4e^2 + a^3cd^2e^4)x^2 - 2(a^2c^2d^5e + 2a^3cd^3e^3 + a^4d^5e^5)x) \sqrt{cx^2 + a} / ((a^3c^3d^7 + 2a^4c^2d^5e^2 + a^5cd^3e^4)x^4 + (a^4c^2d^7 + 2a^5cd^5e^2 + a^6d^3e^4)x^2), \\
& -1/2 * (((3c^4d^6 + 4a^3cd^4e^2 - a^2c^2d^2e^4 - 2a^3ce^6)x^4 + (3a^3cd^6 + 4a^2c^2d^4e^2 - a^3cd^2e^4 - 2a^4e^6)x^2) \sqrt{-a} \arctan(\sqrt{-a} / \sqrt{cx^2 + a}) - (a^3ce^5x^4 + a^4e^5x^2) \sqrt{cd^2 + ae^2} \log((2acd^2e^2x - acd^2 - 2a^2e^2 - (2c^2d^2 + ace^2)x^2 + 2\sqrt{cd^2 + ae^2})(cdx - ae) \sqrt{cx^2 + a}) / (e^2x^2 + 2d^2e^2x + d^2)) + (a^2c^2d^6 + 2a^3cd^4e^2 + a^4d^2e^4 - 2(2a^3cd^5e + 3a^2c^2d^3e^3 + a^3cd^5e^5)x^3 + (3a^3cd^6 + 4a^2c^2d^4e^2 + a^3cd^2e^4)x^2 - 2(a^2c^2d^5e + 2a^3cd^3e^3 + a^4d^5e^5)x) \sqrt{cx^2 + a} / ((a^3c^3d^7 + 2a^4c^2d^5e^2 + a^5cd^3e^4)x^4 + (a^4c^2d^7 + 2a^5cd^5e^2 + a^6d^3e^4)x^2), \\
& 1/2 * (2(a^3ce^5x^4 + a^4e^5x^2) \sqrt{-cd^2 - ae^2} \arctan(\sqrt{-cd^2 - ae^2}) * (cdx - ae) \sqrt{cx^2 + a} / (acd^2 + a^2e^2 + (c^2d^2 + ace^2)x^2)) - ((3c^4d^6 + 4a^3cd^4e^2 - a^2c^2d^2e^4 - 2a^3ce^6)x^4 + (3a^3cd^6 + 4a^2c^2d^4e^2 - a^3cd^2e^4 - 2a^4e^6)x^2) \sqrt{-a} \arctan(\sqrt{-a} / \sqrt{cx^2 + a}) - (a^2c^2d^6 + 2a^3cd^4e^2 + a^4d^2e^4 - 2(2a^3cd^5e + 3a^2c^2d^3e^3 + a^3cd^5e^5)x^3 + (3a^3cd^6 + 4a^2c^2d^4e^2 + a^3cd^2e^4)x^2 - 2(a^2c^2d^5e + 2a^3cd^3e^3 + a^4d^5e^5)x) \sqrt{cx^2 + a} / ((a^3c^3d^7 + 2a^4c^2d^5e^2 + a^5cd^3e^4)x^4 + (a^4c^2d^7 + 2a^5cd^5e^2 + a^6d^3e^4)x^2)
\end{aligned}$$

**giac** [A] time = 0.29, size = 358, normalized size = 1.30

$$\frac{\frac{(a^2c^3d^2e + a^3cd^2e^3)x}{a^4c^2d^4 + 2a^5cd^2e^2 + a^6e^4} - \frac{a^2c^3d^3 + a^3cd^2e^2}{a^4c^2d^4 + 2a^5cd^2e^2 + a^6e^4} - \frac{2 \arctan\left(-\frac{\sqrt{cx - \sqrt{cx^2 + a}} + \sqrt{cd}}{\sqrt{-cd^2 - ae^2}}\right) e^5}{(cd^5 + ad^3e^2)\sqrt{-cd^2 - ae^2}} - \frac{(3cd^2 - 2ae^2) \arctan\left(-\frac{\sqrt{cx - \sqrt{cx^2 + a}}}{\sqrt{-a}}\right)}{\sqrt{-a} a^2 d^3} + \frac{(\sqrt{cx - \sqrt{cx^2 + a}})^3 cd - 2(\sqrt{cx - \sqrt{cx^2 + a}})^2 a \sqrt{ce} + (\sqrt{cx - \sqrt{cx^2 + a}}) acd + 2a^2 \sqrt{ce}}{\left((\sqrt{cx - \sqrt{cx^2 + a}})^2 - a\right)^2 a^2 d^2}}{\sqrt{cx^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(c\*x^2+a)^(3/2),x, algorithm="giac")

[Out] ((a^2c^3d^2e + a^3cd^2e^3)x/(a^4c^2d^4 + 2a^5cd^2e^2 + a^6e^4) - (a^2c^3d^3 + a^3cd^2e^2)/(a^4c^2d^4 + 2a^5cd^2e^2 + a^6e^4))/sqrt(c\*x^2 + a) - 2\*arctan(-((sqrt(c)\*x - sqrt(c\*x^2 + a))\*e + sqrt(c)\*d)/s

$$\sqrt{-c*d^2 - a*e^2}) * e^5 / ((c*d^5 + a*d^3*e^2) * \sqrt{-c*d^2 - a*e^2}) - (3*c*d^2 - 2*a*e^2) * \arctan(-(\sqrt{c}*x - \sqrt{c*x^2 + a}) / \sqrt{-a}) / (\sqrt{-a} * a^2*d^3) + ((\sqrt{c}*x - \sqrt{c*x^2 + a})^3 * c*d - 2 * (\sqrt{c}*x - \sqrt{c*x^2 + a})^2 * a * \sqrt{c} * e + (\sqrt{c}*x - \sqrt{c*x^2 + a}) * a * c * d + 2 * a^2 * \sqrt{c} * e) / (((\sqrt{c}*x - \sqrt{c*x^2 + a})^2 - a)^2 * a^2 * d^2)$$

**maple [A]** time = 0.01, size = 439, normalized size = 1.59

$$\frac{e^5 x}{(a^2 + c d^2) \sqrt{\frac{2(x+d)e}{c} + \left(x + \frac{d}{c}\right)^2 c + \frac{a^2 + c d^2}{c} a d^2}} + \frac{e^5 \ln\left(\frac{\frac{2(x+d)e}{c} + \frac{2a^2 d^2}{c} + \sqrt{\frac{2a^2 d^2}{c} + \frac{2(x+d)e}{c} + \frac{a^2 + c d^2}{c}}}{x + \frac{d}{c}}\right)}{(a^2 + c d^2) \sqrt{\frac{2a^2 d^2}{c} + \frac{2(x+d)e}{c} + \frac{a^2 + c d^2}{c}}} - \frac{e^5}{(a^2 + c d^2) \sqrt{\frac{2(x+d)e}{c} + \left(x + \frac{d}{c}\right)^2 c + \frac{a^2 + c d^2}{c} a d^2}} + \frac{2 c x e}{\sqrt{c x^2 + a} a^2 d^2} - \frac{e^5 \ln\left(\frac{2 a^2 \sqrt{c x^2 + a} \sqrt{c}}{x}\right)}{a^2 d^3} + \frac{3 c \ln\left(\frac{2 a^2 \sqrt{c x^2 + a} \sqrt{c}}{x}\right)}{2 a^2 d} + \frac{e^2}{\sqrt{c x^2 + a} a d^3} - \frac{3 c}{2 \sqrt{c x^2 + a} a^2 d} + \frac{e}{\sqrt{c x^2 + a} a d^2 x} - \frac{1}{2 \sqrt{c x^2 + a} a d x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(e\*x+d)/(c\*x^2+a)^(3/2), x)

[Out] e/a/d^2/x/(c\*x^2+a)^(1/2)+2\*c\*e\*x/a^2/d^2/(c\*x^2+a)^(1/2)-1/2/a/d/x^2/(c\*x^2+a)^(1/2)-3/2\*c/a^2/d/(c\*x^2+a)^(1/2)+3/2/d\*c/a^(5/2)\*ln((2\*a+2\*(c\*x^2+a)^(1/2)\*a^(1/2))/x)+e^2/a/d^3/(c\*x^2+a)^(1/2)-1/d^3\*e^2/a^(3/2)\*ln((2\*a+2\*(c\*x^2+a)^(1/2)\*a^(1/2))/x)-1/d^3\*e^4/(a\*e^2+c\*d^2)/(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2)-1/d^2\*e^3/(a\*e^2+c\*d^2)/a/(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2)\*c\*x+1/d^3\*e^4/(a\*e^2+c\*d^2)/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2+2\*((a\*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))/(x+d/e)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + a)^{\frac{3}{2}} (ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(c\*x^2+a)^(3/2), x, algorithm="maxima")

[Out] integrate(1/((c\*x^2 + a)^(3/2)\*(e\*x + d)\*x^3), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^3 (cx^2 + a)^{3/2} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3\*(a + c\*x^2)^(3/2)\*(d + e\*x)), x)

[Out] int(1/(x^3\*(a + c\*x^2)^(3/2)\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + cx^2)^{\frac{3}{2}} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*3/(e\*x+d)/(c\*x\*\*2+a)\*\*(3/2),x)

[Out] Integral(1/(x\*\*3\*(a + c\*x\*\*2)\*\*(3/2)\*(d + e\*x)), x)

$$3.253 \quad \int \frac{x^5}{(d+ex)^2 \sqrt{a+cx^2}} dx$$

**Optimal.** Leaf size=244

$$\frac{d(4cd^2 - ae^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{c^{3/2}e^5} + \frac{\sqrt{a+cx^2}(13cd^2 - 2ae^2)}{3c^2e^4} + \frac{d^5\sqrt{a+cx^2}}{e^4(d+ex)(ae^2+cd^2)} - \frac{d^4(5ae^2+4cd^2) \tanh^{-1}\left(\frac{\sqrt{a}}{\sqrt{a+cx^2}}\right)}{e^5(ae^2+cd^2)^{3/2}}$$

**Rubi [A]** time = 0.89, antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {1651, 1654, 844, 217, 206, 725}

$$\frac{\sqrt{a+cx^2}(13cd^2 - 2ae^2)}{3c^2e^4} - \frac{d(4cd^2 - ae^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{c^{3/2}e^5} + \frac{d^5\sqrt{a+cx^2}}{e^4(d+ex)(ae^2+cd^2)} - \frac{d^4(5ae^2+4cd^2) \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^5(ae^2+cd^2)^{3/2}} - \frac{5d\sqrt{a+cx^2}(d+ex)}{3ce^4} + \frac{\sqrt{a+cx^2}(d+ex)^2}{3ce^4}$$

Antiderivative was successfully verified.

[In] Int[x^5/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] ((13\*c\*d^2 - 2\*a\*e^2)\*Sqrt[a + c\*x^2])/(3\*c^2\*e^4) + (d^5\*Sqrt[a + c\*x^2])/(e^4\*(c\*d^2 + a\*e^2)\*(d + e\*x)) - (5\*d\*(d + e\*x)\*Sqrt[a + c\*x^2])/(3\*c\*e^4) + ((d + e\*x)^2\*Sqrt[a + c\*x^2])/(3\*c\*e^4) - (d\*(4\*c\*d^2 - a\*e^2)\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]])/(c^(3/2)\*e^5) - (d^4\*(4\*c\*d^2 + 5\*a\*e^2)\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(e^5\*(c\*d^2 + a\*e^2)^(3/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

### Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x]] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^5}{(d+ex)^2 \sqrt{a+cx^2}} dx &= \frac{d^5 \sqrt{a+cx^2}}{e^4 (cd^2+ae^2)(d+ex)} - \frac{\int \frac{-\frac{ad^4}{e^3} + \frac{d^3(cd^2+ae^2)x}{e^4} - \frac{d^2(cd^2+ae^2)x^2}{e^3} + d\left(a + \frac{cd^2}{e^2}\right)x^3 - \frac{(cd^2+ae^2)x^4}{e}}{(d+ex)\sqrt{a+cx^2}} dx}{cd^2+ae^2} \\
&= \frac{d^5 \sqrt{a+cx^2}}{e^4 (cd^2+ae^2)(d+ex)} + \frac{(d+ex)^2 \sqrt{a+cx^2}}{3ce^4} - \frac{\int \frac{-ad^2e(cd^2-2ae^2)+4d(cd^2+ae^2)^2x+2e(cd^2+ae^2)}{(d+ex)\sqrt{a+cx^2}}}{3ce^4 (cd^2+ae^2)} \\
&= \frac{d^5 \sqrt{a+cx^2}}{e^4 (cd^2+ae^2)(d+ex)} - \frac{5d(d+ex)\sqrt{a+cx^2}}{3ce^4} + \frac{(d+ex)^2 \sqrt{a+cx^2}}{3ce^4} - \frac{\int \frac{-6acd^2e^4(2cd^2+ae^2)}{(d+ex)\sqrt{a+cx^2}}}{3ce^4 (cd^2+ae^2)} \\
&= \frac{(13cd^2-2ae^2)\sqrt{a+cx^2}}{3c^2e^4} + \frac{d^5 \sqrt{a+cx^2}}{e^4 (cd^2+ae^2)(d+ex)} - \frac{5d(d+ex)\sqrt{a+cx^2}}{3ce^4} + \frac{(d+ex)^2 \sqrt{a+cx^2}}{3ce^4} \\
&= \frac{(13cd^2-2ae^2)\sqrt{a+cx^2}}{3c^2e^4} + \frac{d^5 \sqrt{a+cx^2}}{e^4 (cd^2+ae^2)(d+ex)} - \frac{5d(d+ex)\sqrt{a+cx^2}}{3ce^4} + \frac{(d+ex)^2 \sqrt{a+cx^2}}{3ce^4} \\
&= \frac{(13cd^2-2ae^2)\sqrt{a+cx^2}}{3c^2e^4} + \frac{d^5 \sqrt{a+cx^2}}{e^4 (cd^2+ae^2)(d+ex)} - \frac{5d(d+ex)\sqrt{a+cx^2}}{3ce^4} + \frac{(d+ex)^2 \sqrt{a+cx^2}}{3ce^4} \\
&= \frac{(13cd^2-2ae^2)\sqrt{a+cx^2}}{3c^2e^4} + \frac{d^5 \sqrt{a+cx^2}}{e^4 (cd^2+ae^2)(d+ex)} - \frac{5d(d+ex)\sqrt{a+cx^2}}{3ce^4} + \frac{(d+ex)^2 \sqrt{a+cx^2}}{3ce^4}
\end{aligned}$$

**Mathematica [A]** time = 0.51, size = 230, normalized size = 0.94

$$\frac{-\frac{3d(4cd^2-ae^2)\log(\sqrt{c}\sqrt{a+cx^2}+cx)}{c^{3/2}} + e\sqrt{a+cx^2}\left(-\frac{2ae^2}{c^2} + \frac{3d^5}{(d+ex)(ae^2+cd^2)} + \frac{9d^2-3dex+e^2x^2}{c}\right) - \frac{3d^4(5ae^2+4cd^2)\log(\sqrt{a+cx^2}\sqrt{ae^2+cd^2}+ae-cdx)}{(ae^2+cd^2)^{3/2}} + \frac{3d^4(5ae^2+4cd^2)\log(d+ex)}{(ae^2+cd^2)^{3/2}}}{3e^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] (e\*Sqrt[a + c\*x^2]\*((-2\*a\*e^2)/c^2 + (3\*d^5)/((c\*d^2 + a\*e^2)\*(d + e\*x)) + (9\*d^2 - 3\*d\*e\*x + e^2\*x^2)/c) + (3\*d^4\*(4\*c\*d^2 + 5\*a\*e^2)\*Log[d + e\*x])/((c\*d^2 + a\*e^2)^(3/2) - (3\*d\*(4\*c\*d^2 - a\*e^2)\*Log[c\*x + Sqrt[c]\*Sqrt[a + c\*x^2]))/c^(3/2) - (3\*d^4\*(4\*c\*d^2 + 5\*a\*e^2)\*Log[a\*e - c\*d\*x + Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])/(c\*d^2 + a\*e^2)^(3/2))/(3\*e^5)



**IntegrateAlgebraic [A]** time = 1.59, size = 291, normalized size = 1.19

$$\frac{\sqrt{a+cx^2}(-2a^2de^4-2a^2e^5x+7acd^3e^2+4acd^2e^3x-2acde^4x^2+ace^5x^3+12c^2d^5+6c^2d^4ex-2c^2d^3e^2x^2+c^2d^2e^3x^3)}{3c^2e^4(d+ex)(ae^2+cd^2)} + \frac{(4cd^3-ade^2)\log(\sqrt{a+cx^2}-\sqrt{cx})}{c^{3/2}e^5} + \frac{2\sqrt{-ae^2-cd^2}(5ad^4e^2+4cd^6)\tan^{-1}\left(\frac{-c\sqrt{a+cx^2}+\sqrt{c}d+\sqrt{c}ex}{\sqrt{-ae^2-cd^2}}\right)}{e^5(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^5/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] (Sqrt[a + c\*x^2]\*(12\*c^2\*d^5 + 7\*a\*c\*d^3\*e^2 - 2\*a^2\*d\*e^4 + 6\*c^2\*d^4\*e\*x + 4\*a\*c\*d^2\*e^3\*x - 2\*a^2\*e^5\*x - 2\*c^2\*d^3\*e^2\*x^2 - 2\*a\*c\*d\*e^4\*x^2 + c^2\*d^2\*e^3\*x^3 + a\*c\*e^5\*x^3))/(3\*c^2\*e^4\*(c\*d^2 + a\*e^2)\*(d + e\*x)) + (2\*Sqrt[-(c\*d^2) - a\*e^2]\*(4\*c\*d^6 + 5\*a\*d^4\*e^2)\*ArcTan[(Sqrt[c]\*d + Sqrt[c]\*e\*x - e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/(e^5\*(c\*d^2 + a\*e^2)^2) + ((4\*c\*d^3 - a\*d\*e^2)\*Log[-(Sqrt[c]\*x) + Sqrt[a + c\*x^2]])/(c^(3/2)\*e^5)

**fricas [B]** time = 41.86, size = 2025, normalized size = 8.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/6\*(3\*(4\*c^3\*d^8 + 7\*a\*c^2\*d^6\*e^2 + 2\*a^2\*c\*d^4\*e^4 - a^3\*d^2\*e^6 + (4\*c^3\*d^7\*e + 7\*a\*c^2\*d^5\*e^3 + 2\*a^2\*c\*d^3\*e^5 - a^3\*d\*e^7)\*x)\*sqrt(c)\*log(-2\*c\*x^2 + 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) + 3\*(4\*c^3\*d^7 + 5\*a\*c^2\*d^5\*e^2 + (4\*c^3\*d^6\*e + 5\*a\*c^2\*d^4\*e^3)\*x)\*sqrt(c\*d^2 + a\*e^2)\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 - 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + 2\*(12\*c^3\*d^7\*e + 19\*a\*c^2\*d^5\*e^3 + 5\*a^2\*c\*d^3\*e^5 - 2\*a^3\*d\*e^7 + (c^3\*d^4\*e^4 + 2\*a\*c^2\*d^2\*e^6 + a^2\*c\*e^8)\*x^3 - 2\*(c^3\*d^5\*e^3 + 2\*a\*c^2\*d^3\*e^5 + a^2\*c\*d\*e^7)\*x^2 + 2\*(3\*c^3\*d^6\*e^2 + 5\*a\*c^2\*d^4\*e^4 + a^2\*c\*d^2\*e^6 - a^3\*e^8)\*x)\*sqrt(c\*x^2 + a))/(c^4\*d^5\*e^5 + 2\*a\*c^3\*d^3\*e^7 + a^2\*c^2\*d\*e^9 + (c^4\*d^4\*e^6 + 2\*a\*c^3\*d^2\*e^8 + a^2\*c^2\*e^10)\*x), -1/6\*(6\*(4\*c^3\*d^7 + 5\*a\*c^2\*d^5\*e^2 + (4\*c^3\*d^6\*e + 5\*a\*c^2\*d^4\*e^3)\*x)\*sqrt(-c\*d^2 - a\*e^2)\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) - 3\*(4\*c^3\*d^8 + 7\*a\*c^2\*d^6\*e^2 + 2\*a^2\*c\*d^4\*e^4 - a^3\*d^2\*e^6 + (4\*c^3\*d^7\*e + 7\*a\*c^2\*d^5\*e^3 + 2\*a^2\*c\*d^3\*e^5 - a^3\*d\*e^7)\*x)\*sqrt(c)\*log(-2\*c\*x^2 + 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) - 2\*(12\*c^3\*d^7\*e + 19\*a\*c^2\*d^5\*e^3 + 5\*a^2\*c\*d^3\*e^5 - 2\*a^3\*d\*e^7 + (c^3\*d^4\*e^4 + 2\*a\*c^2\*d^2\*e^6 + a^2\*c\*e^8)\*x^3 - 2\*(c^3\*d^5\*e^3 + 2\*a\*c^2\*d^3\*e^5 + a^2\*c\*d\*e^7)\*x^2 + 2\*(3\*c^3\*d^6\*e^2 + 5\*a\*c^2\*d^4\*e^4 + a^2\*c\*d^2\*e^6 - a^3\*e^8)\*x)\*sqrt(c\*x^2 + a))/(c^4\*d^5\*e^5 + 2\*a\*c^3\*d^3\*e^7 + a^2\*c^2\*d\*e^9 + (c^4\*d^4\*e^6 + 2\*a\*c^3\*d^2\*e^8 + a^2\*c^2\*e^10)\*x), 1/6\*(6\*(4\*c^3\*d^8 + 7\*a\*c^2\*d^6\*e^2 + 2\*a^2\*c\*d^4\*e^4 - a^3\*d^2\*e^6 + (4\*c^3\*d^7\*e + 7\*a\*c^2\*d^5\*e^3 + 2\*a^2\*c\*d^3\*e^5 - a^3\*d\*e^7)\*x)\*sqrt(-c)\*arctan(sqrt(-c)\*x/sqrt(c\*x^2 + a)) + 3\*(4\*c^3\*d^7



**maxima** [A] time = 0.60, size = 274, normalized size = 1.12

$$\frac{\sqrt{cx^2 + a}d^5}{cd^2e^5x + ae^7x + cd^3e^4 + ade^6} + \frac{\sqrt{cx^2 + a}x^2}{3ce^2} - \frac{\sqrt{cx^2 + a}dx}{ce^3} - \frac{4d^3 \operatorname{arsinh}\left(\frac{cx}{\sqrt{ac}}\right)}{\sqrt{c}e^3} + \frac{ad \operatorname{arsinh}\left(\frac{cx}{\sqrt{ac}}\right)}{c^2e^3} - \frac{cd^6 \operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{\left(a + \frac{cd^2}{e^2}\right)^{\frac{3}{2}}e^8} + \frac{5d^4 \operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{\sqrt{a + \frac{cd^2}{e^2}}e^6} + \frac{3\sqrt{cx^2 + a}d^2}{ce^4} - \frac{2\sqrt{cx^2 + a}}{3c^2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)^2/(c\*x^2+a)^(1/2), x, algorithm="maxima")

[Out] sqrt(c\*x^2 + a)\*d^5/(c\*d^2\*e^5\*x + a\*e^7\*x + c\*d^3\*e^4 + a\*d\*e^6) + 1/3\*sqrt(c\*x^2 + a)\*x^2/(c\*e^2) - sqrt(c\*x^2 + a)\*d\*x/(c\*e^3) - 4\*d^3\*arcsinh(c\*x/sqrt(a\*c))/(sqrt(c)\*e^5) + a\*d\*arcsinh(c\*x/sqrt(a\*c))/(c^(3/2)\*e^3) - c\*d^6\*arcsinh(c\*d\*x/(sqrt(a\*c)\*abs(e\*x + d)) - a\*e/(sqrt(a\*c)\*abs(e\*x + d)))/((a + c\*d^2/e^2)^(3/2)\*e^8) + 5\*d^4\*arcsinh(c\*d\*x/(sqrt(a\*c)\*abs(e\*x + d)) - a\*e/(sqrt(a\*c)\*abs(e\*x + d)))/(sqrt(a + c\*d^2/e^2)\*e^6) + 3\*sqrt(c\*x^2 + a)\*d^2/(c\*e^4) - 2/3\*sqrt(c\*x^2 + a)\*a/(c^2\*e^2)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5}{\sqrt{cx^2 + a} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/((a + c\*x^2)^(1/2)\*(d + e\*x)^2), x)

[Out] int(x^5/((a + c\*x^2)^(1/2)\*(d + e\*x)^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{\sqrt{a + cx^2} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5/(e\*x+d)\*\*2/(c\*x\*\*2+a)\*\*(1/2), x)

[Out] Integral(x\*\*5/(sqrt(a + c\*x\*\*2)\*(d + e\*x)\*\*2), x)

$$3.254 \quad \int \frac{x^4}{(d+ex)^2 \sqrt{a+cx^2}} dx$$

**Optimal.** Leaf size=204

$$\frac{(6cd^2 - ae^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{2c^{3/2}e^4} - \frac{d^4 \sqrt{a+cx^2}}{e^3(d+ex)(ae^2+cd^2)} + \frac{d^3(4ae^2+3cd^2) \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^4(ae^2+cd^2)^{3/2}} - \frac{5d\sqrt{a+cx^2}}{2ce^3} + \dots$$

**Rubi [A]** time = 0.52, antiderivative size = 204, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {1651, 1654, 844, 217, 206, 725}

$$\frac{(6cd^2 - ae^2) \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{2c^{3/2}e^4} - \frac{d^4 \sqrt{a+cx^2}}{e^3(d+ex)(ae^2+cd^2)} + \frac{d^3(4ae^2+3cd^2) \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{e^4(ae^2+cd^2)^{3/2}} - \frac{5d\sqrt{a+cx^2}}{2ce^3} + \frac{\sqrt{a+cx^2}(d+ex)}{2ce^3}$$

Antiderivative was successfully verified.

[In] Int[x^4/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] (-5\*d\*Sqrt[a + c\*x^2])/(2\*c\*e^3) - (d^4\*Sqrt[a + c\*x^2])/(e^3\*(c\*d^2 + a\*e^2)\*(d + e\*x)) + ((d + e\*x)\*Sqrt[a + c\*x^2])/(2\*c\*e^3) + ((6\*c\*d^2 - a\*e^2)\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]])/(2\*c^(3/2)\*e^4) + (d^3\*(3\*c\*d^2 + 4\*a\*e^2)\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(e^4\*(c\*d^2 + a\*e^2)^(3/2))

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=> With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

### Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4}{(d+ex)^2 \sqrt{a+cx^2}} dx &= -\frac{d^4 \sqrt{a+cx^2}}{e^3 (cd^2+ae^2) (d+ex)} - \frac{\int \frac{\frac{ad^3}{e^2} - \frac{d^2(cd^2+ae^2)x}{e^3} + d\left(a + \frac{cd^2}{e^2}\right)x^2 - \frac{(cd^2+ae^2)x^3}{e}}{(d+ex)\sqrt{a+cx^2}} dx}{cd^2+ae^2} \\
&= -\frac{d^4 \sqrt{a+cx^2}}{e^3 (cd^2+ae^2) (d+ex)} + \frac{(d+ex)\sqrt{a+cx^2}}{2ce^3} - \frac{\int \frac{ade(3cd^2+ae^2) - (c^2d^4 - a^2e^4)x + 5cde(cd^2+ae^2)x}{(d+ex)\sqrt{a+cx^2}}}{2ce^3 (cd^2+ae^2)} \\
&= -\frac{5d\sqrt{a+cx^2}}{2ce^3} - \frac{d^4 \sqrt{a+cx^2}}{e^3 (cd^2+ae^2) (d+ex)} + \frac{(d+ex)\sqrt{a+cx^2}}{2ce^3} - \frac{\int \frac{acde^3(3cd^2+ae^2) - ce^2(6cd^2}{(d+ex)\sqrt{a+cx^2}}}{2c^2e^5 (cd^2+ae^2)} \\
&= -\frac{5d\sqrt{a+cx^2}}{2ce^3} - \frac{d^4 \sqrt{a+cx^2}}{e^3 (cd^2+ae^2) (d+ex)} + \frac{(d+ex)\sqrt{a+cx^2}}{2ce^3} + \frac{(6cd^2 - ae^2) \int \frac{1}{\sqrt{a+cx^2}}}{2ce^4} \\
&= -\frac{5d\sqrt{a+cx^2}}{2ce^3} - \frac{d^4 \sqrt{a+cx^2}}{e^3 (cd^2+ae^2) (d+ex)} + \frac{(d+ex)\sqrt{a+cx^2}}{2ce^3} + \frac{(6cd^2 - ae^2) \text{Subst}\left(\int \frac{1}{\sqrt{a+cx^2}}\right)}{2ce^4} \\
&= -\frac{5d\sqrt{a+cx^2}}{2ce^3} - \frac{d^4 \sqrt{a+cx^2}}{e^3 (cd^2+ae^2) (d+ex)} + \frac{(d+ex)\sqrt{a+cx^2}}{2ce^3} + \frac{(6cd^2 - ae^2) \tanh^{-1}\left(\frac{x}{\sqrt{a+cx^2}}\right)}{2c^{3/2}e^4}
\end{aligned}$$

**Mathematica [A]** time = 0.37, size = 208, normalized size = 1.02

$$\frac{\frac{(6cd^2 - ae^2) \log(\sqrt{c} \sqrt{a+cx^2} + cx)}{c^{3/2}} + e\sqrt{a+cx^2} \left( \frac{ex-4d}{c} - \frac{2d^4}{(d+ex)(ae^2+cd^2)} \right) + \frac{2d^3(4ae^2+3cd^2) \log(\sqrt{a+cx^2} \sqrt{ae^2+cd^2} + ae-cdx)}{(ae^2+cd^2)^{3/2}} - \frac{2d^3(4ae^2+3cd^2) \log(d+ex)}{(ae^2+cd^2)^{3/2}}}{2e^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d + e\*x)^2\*Sqrt[a + c\*x^2]), x]

[Out] (e\*Sqrt[a + c\*x^2]\*((-4\*d + e\*x)/c - (2\*d^4)/((c\*d^2 + a\*e^2)\*(d + e\*x))) - (2\*d^3\*(3\*c\*d^2 + 4\*a\*e^2)\*Log[d + e\*x])/((c\*d^2 + a\*e^2)^(3/2)) + ((6\*c\*d^2 - a\*e^2)\*Log[c\*x + Sqrt[c]\*Sqrt[a + c\*x^2]])/c^(3/2) + (2\*d^3\*(3\*c\*d^2 + 4\*a\*e^2)\*Log[a\*e - c\*d\*x + Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]])/((c\*d^2 + a\*e^2)^(3/2))/(2\*e^4)

**IntegrateAlgebraic [A]** time = 1.35, size = 238, normalized size = 1.17

$$\frac{(ae^2 - 6cd^2) \log(\sqrt{a+cx^2} - \sqrt{c}x)}{2c^{3/2}e^4} - \frac{2\sqrt{-ae^2 - cd^2} (4ad^3e^2 + 3cd^5) \tan^{-1}\left(\frac{-e\sqrt{a+cx^2} + \sqrt{c}d + \sqrt{c}ex}{\sqrt{-ae^2 - cd^2}}\right)}{e^4 (ae^2 + cd^2)^2} + \frac{\sqrt{a+cx^2} (-4ad^2e^2 - 3ade^3x + ae^4x^2 - 6cd^4 - 3cd^3ex + cd^2e^2x^2)}{2ce^3(d+ex)(ae^2+cd^2)}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[x^4/((d + e*x)^2*Sqrt[a + c*x^2]),x]
```

```
[Out] (Sqrt[a + c*x^2]*(-6*c*d^4 - 4*a*d^2*e^2 - 3*c*d^3*e*x - 3*a*d*e^3*x + c*d^2*e^2*x^2 + a*e^4*x^2))/(2*c*e^3*(c*d^2 + a*e^2)*(d + e*x)) - (2*Sqrt[-(c*d^2 - a*e^2)]*(3*c*d^5 + 4*a*d^3*e^2)*ArcTan[(Sqrt[c]*d + Sqrt[c]*e*x - e*Sqrt[a + c*x^2])/Sqrt[-(c*d^2 - a*e^2)]])/(e^4*(c*d^2 + a*e^2)^2) + ((-6*c*d^2 + a*e^2)*Log[-(Sqrt[c]*x) + Sqrt[a + c*x^2]])/(2*c^(3/2)*e^4)
```

**fricas [B]** time = 66.28, size = 1786, normalized size = 8.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4/(e*x+d)^2/(c*x^2+a)^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/4*((6*c^3*d^7 + 11*a*c^2*d^5*e^2 + 4*a^2*c*d^3*e^4 - a^3*d*e^6 + (6*c^3*d^6*e + 11*a*c^2*d^4*e^3 + 4*a^2*c*d^2*e^5 - a^3*e^7)*x)*sqrt(c)*log(-2*c*x^2 + 2*sqrt(c*x^2 + a)*sqrt(c)*x - a) - 2*(3*c^3*d^6 + 4*a*c^2*d^4*e^2 + (3*c^3*d^5*e + 4*a*c^2*d^3*e^3)*x)*sqrt(c*d^2 + a*e^2)*log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*sqrt(c*d^2 + a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) + 2*(6*c^3*d^6*e + 10*a*c^2*d^4*e^3 + 4*a^2*c*d^2*e^5 - (c^3*d^4*e^3 + 2*a*c^2*d^2*e^5 + a^2*c*e^7)*x^2 + 3*(c^3*d^5*e^2 + 2*a*c^2*d^3*e^4 + a^2*c*d*e^6)*x)*sqrt(c*x^2 + a))/(c^4*d^5*e^4 + 2*a*c^3*d^3*e^6 + a^2*c^2*d*e^8 + (c^4*d^4*e^5 + 2*a*c^3*d^2*e^7 + a^2*c^2*e^9)*x), 1/4*(4*(3*c^3*d^6 + 4*a*c^2*d^4*e^2 + (3*c^3*d^5*e + 4*a*c^2*d^3*e^3)*x)*sqrt(-c*d^2 - a*e^2)*arctan(sqrt(-c*d^2 - a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - (6*c^3*d^7 + 11*a*c^2*d^5*e^2 + 4*a^2*c*d^3*e^4 - a^3*d*e^6 + (6*c^3*d^6*e + 11*a*c^2*d^4*e^3 + 4*a^2*c*d^2*e^5 - a^3*e^7)*x)*sqrt(c)*log(-2*c*x^2 + 2*sqrt(c*x^2 + a)*sqrt(c)*x - a) - 2*(6*c^3*d^6*e + 10*a*c^2*d^4*e^3 + 4*a^2*c*d^2*e^5 - (c^3*d^4*e^3 + 2*a*c^2*d^2*e^5 + a^2*c*e^7)*x^2 + 3*(c^3*d^5*e^2 + 2*a*c^2*d^3*e^4 + a^2*c*d*e^6)*x)*sqrt(c*x^2 + a))/(c^4*d^5*e^4 + 2*a*c^3*d^3*e^6 + a^2*c^2*d*e^8 + (c^4*d^4*e^5 + 2*a*c^3*d^2*e^7 + a^2*c^2*e^9)*x), -1/2*((6*c^3*d^7 + 11*a*c^2*d^5*e^2 + 4*a^2*c*d^3*e^4 - a^3*d*e^6 + (6*c^3*d^6*e + 11*a*c^2*d^4*e^3 + 4*a^2*c*d^2*e^5 - a^3*e^7)*x)*sqrt(-c)*arctan(sqrt(-c)*x/sqrt(c*x^2 + a)) - (3*c^3*d^6 + 4*a*c^2*d^4*e^2 + (3*c^3*d^5*e + 4*a*c^2*d^3*e^3)*x)*sqrt(c*d^2 + a*e^2)*log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 + 2*sqrt(c*d^2 + a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) + (6*c^3*d^6*e + 10*a*c^2*d^4*e^3 + 4*a^2*c*d^2*e^5 - (c^3*d^4*e^3 + 2*a*c^2*d^2*e^5 + a^2*c*e^7)*x^2 + 3*(c^3*d^5*e^2 + 2*a*c^2*d^3*e^4 + a^2*c*d*e^6)*x)*sqrt(c*x^2 + a))/(c^4*d^5*e^4 + 2*a*c^3*d^3*e^6 + a^2*c^2*d*e^8 + (c^4*d^4*e^5 + 2*a*c^3*d^2*e^7 + a^2*c^2*e^9)*x), 1/2*(2*(3*c^3*d^6 + 4*a*c^2*d^4*e^2 + (3*c^3*d^5*e + 4*a*c^2*d^3*e^3)*x)*sqrt(-c*d^2 - a*e^2)*arctan(sqrt(-c*d^2 - a*e^2)*(c*d*x - a*e
```





$a \cdot \operatorname{arcsinh}(c \cdot x / \sqrt{a \cdot c}) / (c^{3/2} \cdot e^2) + c \cdot d^5 \cdot \operatorname{arcsinh}(c \cdot d \cdot x / (\sqrt{a \cdot c} \cdot \operatorname{abs}(e \cdot x + d))) - a \cdot e / (\sqrt{a \cdot c} \cdot \operatorname{abs}(e \cdot x + d)) / ((a + c \cdot d^2 / e^2)^{3/2} \cdot e^7) - 4 \cdot d^3 \cdot \operatorname{arcsinh}(c \cdot d \cdot x / (\sqrt{a \cdot c} \cdot \operatorname{abs}(e \cdot x + d))) - a \cdot e / (\sqrt{a \cdot c} \cdot \operatorname{abs}(e \cdot x + d)) / (\sqrt{a + c \cdot d^2 / e^2} \cdot e^5) - 2 \cdot \sqrt{c \cdot x^2 + a} \cdot d / (c \cdot e^3)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4}{\sqrt{c x^2 + a} (d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/((a + c*x^2)^(1/2)*(d + e*x)^2), x)`

[Out] `int(x^4/((a + c*x^2)^(1/2)*(d + e*x)^2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{a + c x^2} (d + e x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4/(e*x+d)**2/(c*x**2+a)**(1/2), x)`

[Out] `Integral(x**4/(sqrt(a + c*x**2)*(d + e*x)**2), x)`

$$3.255 \quad \int \frac{x^3}{(d+ex)^2 \sqrt{a+cx^2}} dx$$

**Optimal.** Leaf size=160

$$\frac{d^2 (3ae^2 + 2cd^2) \tanh^{-1} \left( \frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}} \right)}{e^3 (ae^2 + cd^2)^{3/2}} + \frac{d^3 \sqrt{a+cx^2}}{e^2 (d+ex) (ae^2 + cd^2)} - \frac{2d \tanh^{-1} \left( \frac{\sqrt{c}x}{\sqrt{a+cx^2}} \right)}{\sqrt{c} e^3} + \frac{\sqrt{a+cx^2}}{ce^2}$$

**Rubi [A]** time = 0.33, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {1651, 1654, 844, 217, 206, 725}

$$\frac{d^3 \sqrt{a+cx^2}}{e^2 (d+ex) (ae^2 + cd^2)} - \frac{d^2 (3ae^2 + 2cd^2) \tanh^{-1} \left( \frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}} \right)}{e^3 (ae^2 + cd^2)^{3/2}} - \frac{2d \tanh^{-1} \left( \frac{\sqrt{c}x}{\sqrt{a+cx^2}} \right)}{\sqrt{c} e^3} + \frac{\sqrt{a+cx^2}}{ce^2}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] Sqrt[a + c\*x^2]/(c\*e^2) + (d^3\*Sqrt[a + c\*x^2])/(e^2\*(c\*d^2 + a\*e^2)\*(d + e\*x)) - (2\*d\*ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]])/(Sqrt[c]\*e^3) - (d^2\*(2\*c\*d^2 + 3\*a\*e^2)\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(e^3\*(c\*d^2 + a\*e^2)^(3/2))

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1651

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :=>
With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq,
d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*
d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)
*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*
R*(m + 2*p + 3)*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x]
&& NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

### Rule 1654

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)
)^(m + q - 1)*(a + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Di
st[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + c*x^2)^p*ExpandToSum[c
*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)
^(q - 2)*(a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - 2*c*d*e*(m + q + p)
*x), x], x]] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, c, d,
e, m, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && !(EqQ[d, 0] && T
rue) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p +
1/2, 0]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3}{(d+ex)^2 \sqrt{a+cx^2}} dx &= \frac{d^3 \sqrt{a+cx^2}}{e^2 (cd^2 + ae^2) (d+ex)} - \frac{\int \frac{-\frac{ad^2}{e} + d \left( a + \frac{cd^2}{e^2} \right) x - \frac{(cd^2 + ae^2)x^2}{e}}{(d+ex) \sqrt{a+cx^2}} dx}{cd^2 + ae^2} \\
&= \frac{\sqrt{a+cx^2}}{ce^2} + \frac{d^3 \sqrt{a+cx^2}}{e^2 (cd^2 + ae^2) (d+ex)} - \frac{\int \frac{-acd^2e + 2cd(cd^2 + ae^2)x}{(d+ex) \sqrt{a+cx^2}} dx}{ce^2 (cd^2 + ae^2)} \\
&= \frac{\sqrt{a+cx^2}}{ce^2} + \frac{d^3 \sqrt{a+cx^2}}{e^2 (cd^2 + ae^2) (d+ex)} - \frac{(2d) \int \frac{1}{\sqrt{a+cx^2}} dx}{e^3} + \frac{(d^2 (2cd^2 + 3ae^2)) \int \frac{1}{(d+ex) \sqrt{a+cx^2}} dx}{e^3 (cd^2 + ae^2)} \\
&= \frac{\sqrt{a+cx^2}}{ce^2} + \frac{d^3 \sqrt{a+cx^2}}{e^2 (cd^2 + ae^2) (d+ex)} - \frac{(2d) \text{Subst} \left( \int \frac{1}{1-cx^2} dx, x, \frac{x}{\sqrt{a+cx^2}} \right)}{e^3} - \frac{(d^2 (2cd^2 + 3ae^2)) \int \frac{1}{(d+ex) \sqrt{a+cx^2}} dx}{e^3 (cd^2 + ae^2)} \\
&= \frac{\sqrt{a+cx^2}}{ce^2} + \frac{d^3 \sqrt{a+cx^2}}{e^2 (cd^2 + ae^2) (d+ex)} - \frac{2d \tanh^{-1} \left( \frac{\sqrt{c}x}{\sqrt{a+cx^2}} \right)}{\sqrt{c} e^3} - \frac{d^2 (2cd^2 + 3ae^2) \tanh^{-1} \left( \frac{d+ex}{\sqrt{a+cx^2}} \right)}{e^3 (cd^2 + ae^2)}
\end{aligned}$$

**Mathematica [A]** time = 0.27, size = 184, normalized size = 1.15

$$\frac{\frac{d^2(3ae^2+2cd^2) \log(\sqrt{a+cx^2} \sqrt{ae^2+cd^2} + ae-cdx)}{(ae^2+cd^2)^{3/2}} + \frac{d^2(3ae^2+2cd^2) \log(d+ex)}{(ae^2+cd^2)^{3/2}} + e\sqrt{a+cx^2} \left( \frac{d^3}{(d+ex)(ae^2+cd^2)} + \frac{1}{c} \right) - \frac{2d \log(\sqrt{c} \sqrt{a+cx^2} + cx)}{\sqrt{c}}}{e^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] (e\*Sqrt[a + c\*x^2]\*(c^(-1) + d^3/((c\*d^2 + a\*e^2)\*(d + e\*x))) + (d^2\*(2\*c\*d^2 + 3\*a\*e^2)\*Log[d + e\*x])/(c\*d^2 + a\*e^2)^(3/2) - (2\*d\*Log[c\*x + Sqrt[c]\*Sqrt[a + c\*x^2]])/Sqrt[c] - (d^2\*(2\*c\*d^2 + 3\*a\*e^2)\*Log[a\*e - c\*d\*x + Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]])/(c\*d^2 + a\*e^2)^(3/2))/e^3

**IntegrateAlgebraic [A]** time = 1.12, size = 197, normalized size = 1.23

$$\frac{2\sqrt{-ae^2 - cd^2} (3ad^2e^2 + 2cd^4) \tan^{-1} \left( \frac{-e\sqrt{a+cx^2} + \sqrt{c}d + \sqrt{c}ex}{\sqrt{-ae^2 - cd^2}} \right)}{e^3 (ae^2 + cd^2)^2} + \frac{\sqrt{a+cx^2} (ade^2 + ae^3x + 2cd^3 + cd^2ex)}{ce^2(d+ex)(ae^2 + cd^2)} + \frac{2d \log(\sqrt{a+cx^2} - \sqrt{c}x)}{\sqrt{c} e^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

```
[Out] ((2*c*d^3 + a*d*e^2 + c*d^2*e*x + a*e^3*x)*Sqrt[a + c*x^2])/(c*e^2*(c*d^2 +
a*e^2)*(d + e*x)) + (2*Sqrt[-(c*d^2) - a*e^2]*(2*c*d^4 + 3*a*d^2*e^2)*ArcT
an[(Sqrt[c]*d + Sqrt[c]*e*x - e*Sqrt[a + c*x^2])/Sqrt[-(c*d^2) - a*e^2]])/(
e^3*(c*d^2 + a*e^2)^2) + (2*d*Log[-(Sqrt[c]*x) + Sqrt[a + c*x^2]])/(Sqrt[c]
*e^3)
```

**fricas [B]** time = 6.77, size = 1449, normalized size = 9.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/(e*x+d)^2/(c*x^2+a)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/2*(2*(c^2*d^6 + 2*a*c*d^4*e^2 + a^2*d^2*e^4 + (c^2*d^5*e + 2*a*c*d^3*e^3
+ a^2*d*e^5)*x)*sqrt(c)*log(-2*c*x^2 + 2*sqrt(c*x^2 + a)*sqrt(c)*x - a) +
(2*c^2*d^5 + 3*a*c*d^3*e^2 + (2*c^2*d^4*e + 3*a*c*d^2*e^3)*x)*sqrt(c*d^2 +
a*e^2)*log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 -
2*sqrt(c*d^2 + a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a))/(e^2*x^2 + 2*d*e*x +
d^2)) + 2*(2*c^2*d^5*e + 3*a*c*d^3*e^3 + a^2*d*e^5 + (c^2*d^4*e^2 + 2*a*c*d
^2*e^4 + a^2*e^6)*x)*sqrt(c*x^2 + a)/(c^3*d^5*e^3 + 2*a*c^2*d^3*e^5 + a^2*
c*d*e^7 + (c^3*d^4*e^4 + 2*a*c^2*d^2*e^6 + a^2*c*e^8)*x), -((2*c^2*d^5 + 3*
a*c*d^3*e^2 + (2*c^2*d^4*e + 3*a*c*d^2*e^3)*x)*sqrt(-c*d^2 - a*e^2)*arctan(
sqrt(-c*d^2 - a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^
2*d^2 + a*c*e^2)*x^2)) - (c^2*d^6 + 2*a*c*d^4*e^2 + a^2*d^2*e^4 + (c^2*d^5*
e + 2*a*c*d^3*e^3 + a^2*d*e^5)*x)*sqrt(c)*log(-2*c*x^2 + 2*sqrt(c*x^2 + a)*
sqrt(c)*x - a) - (2*c^2*d^5*e + 3*a*c*d^3*e^3 + a^2*d*e^5 + (c^2*d^4*e^2 +
2*a*c*d^2*e^4 + a^2*e^6)*x)*sqrt(c*x^2 + a)/(c^3*d^5*e^3 + 2*a*c^2*d^3*e^5
+ a^2*c*d*e^7 + (c^3*d^4*e^4 + 2*a*c^2*d^2*e^6 + a^2*c*e^8)*x), 1/2*(4*(c^
2*d^6 + 2*a*c*d^4*e^2 + a^2*d^2*e^4 + (c^2*d^5*e + 2*a*c*d^3*e^3 + a^2*d*e^
5)*x)*sqrt(-c)*arctan(sqrt(-c)*x/sqrt(c*x^2 + a)) + (2*c^2*d^5 + 3*a*c*d^3*
e^2 + (2*c^2*d^4*e + 3*a*c*d^2*e^3)*x)*sqrt(c*d^2 + a*e^2)*log((2*a*c*d*e*x
- a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 - 2*sqrt(c*d^2 + a*e^2)*
(c*d*x - a*e)*sqrt(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) + 2*(2*c^2*d^5*e
+ 3*a*c*d^3*e^3 + a^2*d*e^5 + (c^2*d^4*e^2 + 2*a*c*d^2*e^4 + a^2*e^6)*x)*sq
rt(c*x^2 + a)/(c^3*d^5*e^3 + 2*a*c^2*d^3*e^5 + a^2*c*d*e^7 + (c^3*d^4*e^4
+ 2*a*c^2*d^2*e^6 + a^2*c*e^8)*x), -((2*c^2*d^5 + 3*a*c*d^3*e^2 + (2*c^2*d^
4*e + 3*a*c*d^2*e^3)*x)*sqrt(-c*d^2 - a*e^2)*arctan(sqrt(-c*d^2 - a*e^2)*(c
*d*x - a*e)*sqrt(c*x^2 + a)/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2))
- 2*(c^2*d^6 + 2*a*c*d^4*e^2 + a^2*d^2*e^4 + (c^2*d^5*e + 2*a*c*d^3*e^3 + a
^2*d*e^5)*x)*sqrt(-c)*arctan(sqrt(-c)*x/sqrt(c*x^2 + a)) - (2*c^2*d^5*e + 3
*a*c*d^3*e^3 + a^2*d*e^5 + (c^2*d^4*e^2 + 2*a*c*d^2*e^4 + a^2*e^6)*x)*sqrt(
c*x^2 + a)/(c^3*d^5*e^3 + 2*a*c^2*d^3*e^5 + a^2*c*d*e^7 + (c^3*d^4*e^4 + 2
*a*c^2*d^2*e^6 + a^2*c*e^8)*x)]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x)::OUTPUT:Warning, integration of abs or sign assumes  
 constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
 ostep)]Unable to divide, perhaps due to rounding error%%{%%}{1, [0,1,0,0]%%  
 %}, [4,1]%%}%+%%{%%}{-2, [0,1,1,0]%%}, [2,1]%%}%+%%{%%}{1, [0,1,2,0]%%}, [0,  
 1]%%}% / %%{%%}{1, [1,2,0,0]%%}%+%%{1, [0,0,1,2]%%}, [4,0]%%}%+%%{%%}{-2, [  
 1,2,1,0]%%}%+%%{-2, [0,0,2,2]%%}, [2,0]%%}%+%%{%%}{1, [1,2,2,0]%%}%+%%{1, [  
 0,0,3,2]%%}, [0,0]%%}% Error: Bad Argument Value

**maple** [B] time = 0.01, size = 386, normalized size = 2.41

$$c d^4 \ln \left( \frac{\frac{2(x+\frac{d}{c})^{cd}}{e} + \frac{2a^2+2c^2d^2}{e^2} + 2\sqrt{\frac{a^2+c^2d^2}{e^2}} \sqrt{\frac{2(x+\frac{d}{c})^{cd}}{e} + (x+\frac{d}{c})^2 c + \frac{a^2+c^2d^2}{e^2}}}{x+\frac{d}{c}} \right) + \sqrt{\frac{2(x+\frac{d}{c})^{cd}}{e} + (x+\frac{d}{c})^2 c + \frac{a^2+c^2d^2}{e^2}} d^3 - \frac{3d^2 \ln \left( \frac{\frac{2(x+\frac{d}{c})^{cd}}{e} + \frac{2a^2+2c^2d^2}{e^2} + 2\sqrt{\frac{a^2+c^2d^2}{e^2}} \sqrt{\frac{2(x+\frac{d}{c})^{cd}}{e} + (x+\frac{d}{c})^2 c + \frac{a^2+c^2d^2}{e^2}}}{x+\frac{d}{c}} \right)}{\sqrt{\frac{a^2+c^2d^2}{e^2}} e^4} - \frac{2d \ln(\sqrt{c} x + \sqrt{c x^2 + a})}{\sqrt{c} e^3} + \frac{\sqrt{c x^2 + a}}{c e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e\*x+d)^2/(c\*x^2+a)^(1/2),x)

[Out] (c\*x^2+a)^(1/2)/c/e^2-2/e^3\*d\*ln(c^(1/2)\*x+(c\*x^2+a)^(1/2))/c^(1/2)-3/e^4\*d  
 ^2/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2+2\*((a  
 \*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/  
 2))/((x+d/e))+d^3/e^3/(a\*e^2+c\*d^2)/(x+d/e)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a  
 \*e^2+c\*d^2)/e^2)^(1/2)+d^4/e^4\*c/(a\*e^2+c\*d^2)/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln  
 ((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2+2\*((a\*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d  
 /e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))/((x+d/e))

**maxima** [A] time = 0.54, size = 193, normalized size = 1.21

$$\frac{\sqrt{c x^2 + a} d^3}{c d^2 e^3 x + a e^5 x + c d^3 e^2 + a d e^4} - \frac{2 d \operatorname{arsinh}\left(\frac{c x}{\sqrt{a c}}\right)}{\sqrt{c} e^3} - \frac{c d^4 \operatorname{arsinh}\left(\frac{c d x}{\sqrt{a c} |e x + d|} - \frac{a e}{\sqrt{a c} |e x + d|}\right)}{\left(a + \frac{c d^2}{e^2}\right)^{\frac{3}{2}} e^6} + \frac{3 d^2 \operatorname{arsinh}\left(\frac{c d x}{\sqrt{a c} |e x + d|} - \frac{a e}{\sqrt{a c} |e x + d|}\right)}{\sqrt{a + \frac{c d^2}{e^2}} e^4} + \frac{\sqrt{c x^2 + a}}{c e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="maxima")

[Out] sqrt(c\*x^2 + a)\*d^3/(c\*d^2\*e^3\*x + a\*e^5\*x + c\*d^3\*e^2 + a\*d\*e^4) - 2\*d\*arc  
 sinh(c\*x/sqrt(a\*c))/(sqrt(c)\*e^3) - c\*d^4\*arcsinh(c\*d\*x/(sqrt(a\*c)\*abs(e\*x

+ d)) - a\*e/(sqrt(a\*c)\*abs(e\*x + d))/((a + c\*d^2/e^2)^(3/2)\*e^6) + 3\*d^2\*a  
 rcsinh(c\*d\*x/(sqrt(a\*c)\*abs(e\*x + d)) - a\*e/(sqrt(a\*c)\*abs(e\*x + d)))/(sqrt  
 (a + c\*d^2/e^2)\*e^4) + sqrt(c\*x^2 + a)/(c\*e^2)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{\sqrt{cx^2 + a} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/((a + c\*x^2)^(1/2)\*(d + e\*x)^2), x)

[Out] int(x^3/((a + c\*x^2)^(1/2)\*(d + e\*x)^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{a + cx^2} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(e\*x+d)\*\*2/(c\*x\*\*2+a)\*\*(1/2), x)

[Out] Integral(x\*\*3/(sqrt(a + c\*x\*\*2)\*(d + e\*x)\*\*2), x)

$$3.256 \quad \int \frac{x^2}{(d+ex)^2 \sqrt{a+cx^2}} dx$$

**Optimal.** Leaf size=137

$$-\frac{d^2 \sqrt{a+cx^2}}{e(d+ex)(ae^2+cd^2)} + \frac{d(2ae^2+cd^2) \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{e^2(ae^2+cd^2)^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{\sqrt{c}e^2}$$

**Rubi [A]** time = 0.17, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$ , Rules used = {1651, 844, 217, 206, 725}

$$-\frac{d^2 \sqrt{a+cx^2}}{e(d+ex)(ae^2+cd^2)} + \frac{d(2ae^2+cd^2) \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{e^2(ae^2+cd^2)^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{\sqrt{c}e^2}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] -((d^2\*Sqrt[a + c\*x^2])/(e\*(c\*d^2 + a\*e^2)\*(d + e\*x))) + ArcTanh[(Sqrt[c]\*x)/Sqrt[a + c\*x^2]]/(Sqrt[c]\*e^2) + (d\*(c\*d^2 + 2\*a\*e^2)\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(e^2\*(c\*d^2 + a\*e^2)^(3/2))

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + D



ist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 1651

Int[(Pq\_)\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :=  
 With[{Q = PolynomialQuotient[Pq, d + e\*x, x], R = PolynomialRemainder[Pq, d + e\*x, x]}, Simp[(e\*R\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/((m + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[1/((m + 1)\*(c\*d^2 + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p\*ExpandToSum[(m + 1)\*(c\*d^2 + a\*e^2)\*Q + c\*d\*R\*(m + 1) - c\*e\*R\*(m + 2\*p + 3)\*x, x], x]] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{x^2}{(d+ex)^2 \sqrt{a+cx^2}} dx &= -\frac{d^2 \sqrt{a+cx^2}}{e(cd^2+ae^2)(d+ex)} - \frac{\int \frac{ad - \frac{(cd^2+ae^2)x}{e}}{(d+ex)\sqrt{a+cx^2}} dx}{cd^2+ae^2} \\ &= -\frac{d^2 \sqrt{a+cx^2}}{e(cd^2+ae^2)(d+ex)} + \frac{\int \frac{1}{\sqrt{a+cx^2}} dx}{e^2} - \frac{\left(d\left(2a + \frac{cd^2}{e^2}\right)\right) \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{cd^2+ae^2} \\ &= -\frac{d^2 \sqrt{a+cx^2}}{e(cd^2+ae^2)(d+ex)} + \frac{\text{Subst}\left(\int \frac{1}{1-cx^2} dx, x, \frac{x}{\sqrt{a+cx^2}}\right)}{e^2} + \frac{\left(d\left(2a + \frac{cd^2}{e^2}\right)\right) \text{Subst}\left(\int \frac{1}{d+ex} dx, x, \frac{x}{\sqrt{a+cx^2}}\right)}{cd^2+ae^2} \\ &= -\frac{d^2 \sqrt{a+cx^2}}{e(cd^2+ae^2)(d+ex)} + \frac{\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a+cx^2}}\right)}{\sqrt{c}e^2} + \frac{d\left(2a + \frac{cd^2}{e^2}\right) \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{(cd^2+ae^2)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.32, size = 172, normalized size = 1.26

$$\frac{d \left( \frac{(2ae^2+cd^2) \log(\sqrt{a+cx^2} \sqrt{ae^2+cd^2} + ae-cdx)}{(ae^2+cd^2)^{3/2}} - \frac{de\sqrt{a+cx^2}}{(d+ex)(ae^2+cd^2)} \right) - \frac{(2ade^2+cd^3) \log(d+ex)}{(ae^2+cd^2)^{3/2}} + \frac{\log(\sqrt{c} \sqrt{a+cx^2} + cx)}{\sqrt{c}}}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] (-(((c\*d^3 + 2\*a\*d\*e^2)\*Log[d + e\*x])/(c\*d^2 + a\*e^2)^(3/2)) + Log[c\*x + Sqrt[c]\*Sqrt[a + c\*x^2]]/Sqrt[c] + d\*(-((d\*e\*Sqrt[a + c\*x^2])/(c\*d^2 + a\*e^2

)\*(d + e\*x))) + ((c\*d^2 + 2\*a\*e^2)\*Log[a\*e - c\*d\*x + Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]])/(c\*d^2 + a\*e^2)^(3/2))/e^2

**IntegrateAlgebraic [A]** time = 0.81, size = 168, normalized size = 1.23

$$\frac{d^2\sqrt{a+cx^2}}{e(d+ex)(ae^2+cd^2)} - \frac{2\sqrt{-ae^2-cd^2}(2ade^2+cd^3)\tan^{-1}\left(\frac{-e\sqrt{a+cx^2}+\sqrt{c}d+\sqrt{c}ex}{\sqrt{-ae^2-cd^2}}\right)}{e^2(ae^2+cd^2)^2} - \frac{\log(\sqrt{a+cx^2}-\sqrt{c}x)}{\sqrt{c}e^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] -((d^2\*Sqrt[a + c\*x^2])/(e\*(c\*d^2 + a\*e^2)\*(d + e\*x))) - (2\*Sqrt[-(c\*d^2) - a\*e^2]\*(c\*d^3 + 2\*a\*d\*e^2)\*ArcTan[(Sqrt[c]\*d + Sqrt[c]\*e\*x - e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/(e^2\*(c\*d^2 + a\*e^2)^2) - Log[-(Sqrt[c]\*x) + Sqrt[a + c\*x^2]]/(Sqrt[c]\*e^2)

**fricas [B]** time = 6.37, size = 1260, normalized size = 9.20

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/2\*((c^2\*d^5 + 2\*a\*c\*d^3\*e^2 + a^2\*d\*e^4 + (c^2\*d^4\*e + 2\*a\*c\*d^2\*e^3 + a^2\*e^5)\*x)\*sqrt(c)\*log(-2\*c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) + (c^2\*d^4 + 2\*a\*c\*d^2\*e^2 + (c^2\*d^3\*e + 2\*a\*c\*d\*e^3)\*x)\*sqrt(c\*d^2 + a\*e^2)\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - 2\*(c^2\*d^4\*e + a\*c\*d^2\*e^3)\*sqrt(c\*x^2 + a))/(c^3\*d^5\*e^2 + 2\*a\*c^2\*d^3\*e^4 + a^2\*c\*d\*e^6 + (c^3\*d^4\*e^3 + 2\*a\*c^2\*d^2\*e^5 + a^2\*c\*e^7)\*x), 1/2\*(2\*(c^2\*d^4 + 2\*a\*c\*d^2\*e^2 + (c^2\*d^3\*e + 2\*a\*c\*d\*e^3)\*x)\*sqrt(-c\*d^2 - a\*e^2)\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) + (c^2\*d^5 + 2\*a\*c\*d^3\*e^2 + a^2\*d\*e^4 + (c^2\*d^4\*e + 2\*a\*c\*d^2\*e^3 + a^2\*e^5)\*x)\*sqrt(c)\*log(-2\*c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(c)\*x - a) - 2\*(c^2\*d^4\*e + a\*c\*d^2\*e^3)\*sqrt(c\*x^2 + a))/(c^3\*d^5\*e^2 + 2\*a\*c^2\*d^3\*e^4 + a^2\*c\*d\*e^6 + (c^3\*d^4\*e^3 + 2\*a\*c^2\*d^2\*e^5 + a^2\*c\*e^7)\*x), -1/2\*(2\*(c^2\*d^5 + 2\*a\*c\*d^3\*e^2 + a^2\*d\*e^4 + (c^2\*d^4\*e + 2\*a\*c\*d^2\*e^3 + a^2\*e^5)\*x)\*sqrt(-c)\*arctan(sqrt(-c)\*x/sqrt(c\*x^2 + a)) - (c^2\*d^4 + 2\*a\*c\*d^2\*e^2 + (c^2\*d^3\*e + 2\*a\*c\*d\*e^3)\*x)\*sqrt(c\*d^2 + a\*e^2)\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + 2\*(c^2\*d^4\*e + a\*c\*d^2\*e^3)\*sqrt(c\*x^2 + a))/(c^3\*d^5\*e^2 + 2\*a\*c^2\*d^3\*e^4 + a^2\*c\*d\*e^6 + (c^3\*d^4\*e^3 + 2\*a\*c^2\*d^2\*e^5 + a^2\*c\*e^7)\*x), ((c^2\*d^4 + 2\*a\*c\*d^2\*e^2 + (c^2\*d^3\*e + 2\*a\*c\*d\*e^3)\*x)\*sqrt(-c\*d^2 - a\*e^2)\*arctan(sqrt(-c\*d



```
[Out] -sqrt(c*x^2 + a)*d^2/(c*d^2*e^2*x + a*e^4*x + c*d^3*e + a*d*e^3) + arcsinh(
c*x/sqrt(a*c))/(sqrt(c)*e^2) + c*d^3*arcsinh(c*d*x/(sqrt(a*c)*abs(e*x + d))
- a*e/(sqrt(a*c)*abs(e*x + d)))/((a + c*d^2/e^2)^(3/2)*e^5) - 2*d*arcsinh(
c*d*x/(sqrt(a*c)*abs(e*x + d)) - a*e/(sqrt(a*c)*abs(e*x + d)))/(sqrt(a + c*
d^2/e^2)*e^3)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\sqrt{cx^2 + a} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/((a + c*x^2)^(1/2)*(d + e*x)^2), x)
```

```
[Out] int(x^2/((a + c*x^2)^(1/2)*(d + e*x)^2), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{a + cx^2} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(e*x+d)**2/(c*x**2+a)**(1/2), x)
```

```
[Out] Integral(x**2/(sqrt(a + c*x**2)*(d + e*x)**2), x)
```

$$3.257 \quad \int \frac{x}{(d+ex)^2 \sqrt{a+cx^2}} dx$$

Optimal. Leaf size=90

$$\frac{d\sqrt{a+cx^2}}{(d+ex)(ae^2+cd^2)} - \frac{ae \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}}$$

**Rubi [A]** time = 0.04, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {807, 725, 206}

$$\frac{d\sqrt{a+cx^2}}{(d+ex)(ae^2+cd^2)} - \frac{ae \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] (d\*Sqrt[a + c\*x^2])/((c\*d^2 + a\*e^2)\*(d + e\*x)) - (a\*e\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(c\*d^2 + a\*e^2)^(3/2)

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 725

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (c\_)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 807

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

Rubi steps

$$\begin{aligned} \int \frac{x}{(d+ex)^2 \sqrt{a+cx^2}} dx &= \frac{d\sqrt{a+cx^2}}{(cd^2+ae^2)(d+ex)} + \frac{(ae) \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{cd^2+ae^2} \\ &= \frac{d\sqrt{a+cx^2}}{(cd^2+ae^2)(d+ex)} - \frac{(ae) \operatorname{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{cd^2+ae^2} \\ &= \frac{d\sqrt{a+cx^2}}{(cd^2+ae^2)(d+ex)} - \frac{ae \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{(cd^2+ae^2)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 90, normalized size = 1.00

$$\frac{d\sqrt{a+cx^2}}{(d+ex)(ae^2+cd^2)} - \frac{ae \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] (d\*Sqrt[a + c\*x^2])/((c\*d^2 + a\*e^2)\*(d + e\*x)) - (a\*e\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(c\*d^2 + a\*e^2)^(3/2)

**IntegrateAlgebraic [A]** time = 0.61, size = 150, normalized size = 1.67

$$\frac{d\sqrt{a+cx^2}}{(d+ex)(ae^2+cd^2)} + \frac{2ae\sqrt{-ae^2-cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] (d\*Sqrt[a + c\*x^2])/((c\*d^2 + a\*e^2)\*(d + e\*x)) + (2\*a\*e\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/(c\*d^2 + a\*e^2)^2

**fricas [B]** time = 0.46, size = 382, normalized size = 4.24

$$\frac{(ae^2x + ade)\sqrt{cd^2 + ae^2} \log\left(\frac{2acdex - acd^2 - 2a^2e^2 - (2c^2d^2 + ac^2e^2)^2 - 2\sqrt{cd^2 + ae^2}(cdx - ae)\sqrt{cx^2 + a}}{e^2x^2 + 2dex + d^2}\right) + 2(cd^3 + ade^2)\sqrt{cx^2 + a} - (ae^2x + ade)\sqrt{-cd^2 - ae^2} \arctan\left(\frac{\sqrt{-cd^2 - ae^2}(cdx - ae)\sqrt{cx^2 + a}}{acd^2 + e^2d^2 + (c^2d^2 + ac^2e^2)x^2}\right) - (cd^3 + ade^2)\sqrt{cx^2 + a}}{2(c^2d^5 + 2acd^3e^2 + a^2de^4 + (c^2d^4e + 2acd^2e^3 + a^2e^5)x} - \frac{c^2d^5 + 2acd^3e^2 + a^2de^4 + (c^2d^4e + 2acd^2e^3 + a^2e^5)x}{}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="fricas")

[Out]  $\left[ \frac{1}{2} * \left( (a * e^2 * x + a * d * e) * \sqrt{c * d^2 + a * e^2} * \log \left( (2 * a * c * d * e * x - a * c * d^2 - 2 * a^2 * e^2 - (2 * c^2 * d^2 + a * c * e^2) * x^2 - 2 * \sqrt{c * d^2 + a * e^2} * (c * d * x - a * e) * \sqrt{c * x^2 + a} \right) / (e^2 * x^2 + 2 * d * e * x + d^2) \right) + 2 * (c * d^3 + a * d * e^2) * \sqrt{c * x^2 + a} \right] / (c^2 * d^5 + 2 * a * c * d^3 * e^2 + a^2 * d * e^4 + (c^2 * d^4 * e + 2 * a * c * d^2 * e^3 + a^2 * e^5) * x), - \left( (a * e^2 * x + a * d * e) * \sqrt{-c * d^2 - a * e^2} * \arctan \left( \sqrt{-c * d^2 - a * e^2} * (c * d * x - a * e) * \sqrt{c * x^2 + a} / (a * c * d^2 + a^2 * e^2 + (c^2 * d^2 + a * c * e^2) * x^2) \right) - (c * d^3 + a * d * e^2) * \sqrt{c * x^2 + a} \right) / (c^2 * d^5 + 2 * a * c * d^3 * e^2 + a^2 * d * e^4 + (c^2 * d^4 * e + 2 * a * c * d^2 * e^3 + a^2 * e^5) * x) ]$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.01, size = 340, normalized size = 3.78

$$c d^2 \ln \left( \frac{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \frac{2a^2+2cd^2}{e^2} + 2\sqrt{\frac{a^2+c d^2}{e^2}} \sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{a^2+c d^2}{e^2}}}{x+\frac{d}{e}} \right) + \frac{\sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{a^2+c d^2}{e^2}}}{(a e^2 + c d^2) \left(x + \frac{d}{e}\right) e} \ln \left( \frac{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \frac{2a^2+2cd^2}{e^2} + 2\sqrt{\frac{a^2+c d^2}{e^2}} \sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{a^2+c d^2}{e^2}}}{x+\frac{d}{e}} \right) - \frac{\sqrt{\frac{a^2+c d^2}{e^2}}}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(e\*x+d)^2/(c\*x^2+a)^(1/2),x)

[Out]  $-1/e^2 / \left( (a * e^2 + c * d^2) / e^2 \right)^{(1/2)} * \ln \left( (-2 * (x + d / e) * c * d / e + 2 * (a * e^2 + c * d^2) / e^2 + 2 * \left( (a * e^2 + c * d^2) / e^2 \right)^{(1/2)} * (-2 * (x + d / e) * c * d / e + (x + d / e)^2 * c + (a * e^2 + c * d^2) / e^2) \right)^{(1/2)} / (x + d / e) + d / e / (a * e^2 + c * d^2) / (x + d / e) * (-2 * (x + d / e) * c * d / e + (x + d / e)^2 * c + (a * e^2 + c * d^2) / e^2) / (x + d / e) + d^2 / e^2 * c / (a * e^2 + c * d^2) / \left( (a * e^2 + c * d^2) / e^2 \right)^{(1/2)} * \ln \left( (-2 * (x + d / e) * c * d / e + 2 * (a * e^2 + c * d^2) / e^2 + 2 * \left( (a * e^2 + c * d^2) / e^2 \right)^{(1/2)} * (-2 * (x + d / e) * c * d / e + (x + d / e)^2 * c + (a * e^2 + c * d^2) / e^2) \right)^{(1/2)} / (x + d / e) \right)$

**maxima** [A] time = 0.52, size = 148, normalized size = 1.64

$$\frac{\sqrt{c x^2 + a} d}{c d^2 e x + a e^3 x + c d^3 + a d e^2} - \frac{c d^2 \operatorname{arsinh} \left( \frac{c d x}{\sqrt{a c} |e x + d|} - \frac{a e}{\sqrt{a c} |e x + d|} \right)}{\left( a + \frac{c d^2}{e^2} \right)^{\frac{3}{2}} e^4} + \frac{\operatorname{arsinh} \left( \frac{c d x}{\sqrt{a c} |e x + d|} - \frac{a e}{\sqrt{a c} |e x + d|} \right)}{\sqrt{a + \frac{c d^2}{e^2}} e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="maxima")

[Out] sqrt(c\*x^2 + a)\*d/(c\*d^2\*e\*x + a\*e^3\*x + c\*d^3 + a\*d\*e^2) - c\*d^2\*arcsinh(c\*d\*x/(sqrt(a\*c)\*abs(e\*x + d)) - a\*e/(sqrt(a\*c)\*abs(e\*x + d)))/((a + c\*d^2/e^2)^(3/2)\*e^4) + arcsinh(c\*d\*x/(sqrt(a\*c)\*abs(e\*x + d)) - a\*e/(sqrt(a\*c)\*abs(e\*x + d)))/(sqrt(a + c\*d^2/e^2)\*e^2)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\sqrt{cx^2 + a} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/((a + c\*x^2)^(1/2)\*(d + e\*x)^2),x)

[Out] int(x/((a + c\*x^2)^(1/2)\*(d + e\*x)^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{a + cx^2} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)\*\*2/(c\*x\*\*2+a)\*\*(1/2),x)

[Out] Integral(x/(sqrt(a + c\*x\*\*2)\*(d + e\*x)\*\*2), x)



$$3.258 \quad \int \frac{1}{(d+ex)^2 \sqrt{a+cx^2}} dx$$

Optimal. Leaf size=91

$$-\frac{e\sqrt{a+cx^2}}{(d+ex)(ae^2+cd^2)} - \frac{cd \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}}$$

**Rubi [A]** time = 0.03, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {731, 725, 206}

$$-\frac{e\sqrt{a+cx^2}}{(d+ex)(ae^2+cd^2)} - \frac{cd \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] -((e\*Sqrt[a + c\*x^2])/((c\*d^2 + a\*e^2)\*(d + e\*x))) - (c\*d\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(c\*d^2 + a\*e^2)^(3/2)

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 725

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (c\_)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

Rule 731

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/((m + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[m + 2\*p + 3, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex)^2 \sqrt{a+cx^2}} dx &= -\frac{e\sqrt{a+cx^2}}{(cd^2+ae^2)(d+ex)} + \frac{(cd) \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{cd^2+ae^2} \\
&= -\frac{e\sqrt{a+cx^2}}{(cd^2+ae^2)(d+ex)} - \frac{(cd) \operatorname{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{ae-cdx}{\sqrt{a+cx^2}}\right)}{cd^2+ae^2} \\
&= -\frac{e\sqrt{a+cx^2}}{(cd^2+ae^2)(d+ex)} - \frac{cd \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{(cd^2+ae^2)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 115, normalized size = 1.26

$$-\frac{e\sqrt{a+cx^2}}{(d+ex)(ae^2+cd^2)} - \frac{cd \log\left(\sqrt{a+cx^2}\sqrt{ae^2+cd^2} + ae - cdx\right)}{(ae^2+cd^2)^{3/2}} + \frac{cd \log(d+ex)}{(ae^2+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)^2\*Sqrt[a + c\*x^2]), x]

[Out] -((e\*Sqrt[a + c\*x^2])/((c\*d^2 + a\*e^2)\*(d + e\*x))) + (c\*d\*Log[d + e\*x])/((c\*d^2 + a\*e^2)^(3/2) - (c\*d\*Log[a\*e - c\*d\*x + Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]))/(c\*d^2 + a\*e^2)^(3/2)

**IntegrateAlgebraic [A]** time = 0.01, size = 151, normalized size = 1.66

$$\frac{2cd\sqrt{-ae^2 - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+cx^2}}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2-cd^2}}\right)}{(ae^2 + cd^2)^2} - \frac{e\sqrt{a+cx^2}}{(d+ex)(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)^2\*Sqrt[a + c\*x^2]), x]

[Out] -((e\*Sqrt[a + c\*x^2])/((c\*d^2 + a\*e^2)\*(d + e\*x))) + (2\*c\*d\*Sqrt[-(c\*d^2) - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) - a\*e^2] - (e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/(c\*d^2 + a\*e^2)^2

**fricas [B]** time = 0.46, size = 381, normalized size = 4.19

$$\frac{\left(\frac{(cdex+cd^2)\sqrt{cd^2+ae^2} \log\left(\frac{2acdex-acd^2-2a^2e^2-(2c^2d^2+ace^2)x^2-2\sqrt{cd^2+ae^2}(cdx-ae)\sqrt{cx^2+a}}{e^2x^2+2dex+d^2}\right) - 2(cd^2e+ae^3)\sqrt{cx^2+a}}{2(c^2d^5+2acd^3e^2+a^2de^4+(c^2d^4e+2acd^2e^3+a^2e^5)x)}\right) - (cdex+cd^2)\sqrt{-cd^2-ae^2} \arctan\left(\frac{\sqrt{-cd^2-ae^2}(cdx-ae)\sqrt{cx^2+a}}{acd^2+e^2d^2+(c^2d^2+ae^2)x^2}\right) + (cd^2e+ae^3)\sqrt{cx^2+a}}{c^2d^5+2acd^3e^2+a^2de^4+(c^2d^4e+2acd^2e^3+a^2e^5)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="fricas")

[Out]  $\left[ \frac{1}{2} \left( (c*d*e*x + c*d^2) \sqrt{c*d^2 + a*e^2} \log\left( \frac{(2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 - 2*\sqrt{c*d^2 + a*e^2}*(c*d*x - a*e))\sqrt{c*x^2 + a}}{(e^2*x^2 + 2*d*e*x + d^2)} \right) - 2*(c*d^2*e + a*e^3) \sqrt{c*x^2 + a} \right) / (c^2*d^5 + 2*a*c*d^3*e^2 + a^2*d*e^4 + (c^2*d^4*e + 2*a*c*d^2*e^3 + a^2*e^5)*x), -((c*d*e*x + c*d^2) \sqrt{-c*d^2 - a*e^2}) \arctan\left( \frac{\sqrt{-c*d^2 - a*e^2}*(c*d*x - a*e) \sqrt{c*x^2 + a}}{(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)} \right) + (c*d^2*e + a*e^3) \sqrt{c*x^2 + a} / (c^2*d^5 + 2*a*c*d^3*e^2 + a^2*d*e^4 + (c^2*d^4*e + 2*a*c*d^2*e^3 + a^2*e^5)*x) \right]$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.01, size = 210, normalized size = 2.31

$$\frac{cd \ln \left( \frac{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \frac{2ae^2+2cd^2}{e^2} + 2\sqrt{\frac{ae^2+cd^2}{e^2}} \sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{ae^2+cd^2}{e^2}}}{x+\frac{d}{e}} \right)}{(ae^2+cd^2) \sqrt{\frac{ae^2+cd^2}{e^2}} e} - \frac{\sqrt{-\frac{2\left(x+\frac{d}{e}\right)cd}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{ae^2+cd^2}{e^2}}}{(ae^2+cd^2) \left(x+\frac{d}{e}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)^2/(c\*x^2+a)^(1/2),x)

[Out]  $-1/(a*e^2+c*d^2)/(x+d/e)*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^(1/2)-1/e*c*d/(a*e^2+c*d^2)/((a*e^2+c*d^2)/e^2)^(1/2)*\ln\left(\frac{-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^(1/2)*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^(1/2)}{(x+d/e)}\right)$

**maxima** [A] time = 0.49, size = 93, normalized size = 1.02

$$-\frac{\sqrt{cx^2+a}}{cd^2x+ae^2x+\frac{cd^3}{e}+ade} + \frac{cd \operatorname{arsinh}\left(\frac{cdx}{\sqrt{ac}|ex+d|} - \frac{ae}{\sqrt{ac}|ex+d|}\right)}{\left(a+\frac{cd^2}{e^2}\right)^{\frac{3}{2}} e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="maxima")

[Out]  $-\sqrt{c*x^2 + a}/(c*d^2*x + a*e^2*x + c*d^3/e + a*d*e) + c*d*\operatorname{arcsinh}(c*d*x/(\sqrt{a*c}*abs(e*x + d)) - a*e/(\sqrt{a*c}*abs(e*x + d)))/((a + c*d^2/e^2)^{3/2})*e^3$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{cx^2 + a} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c\*x^2)^(1/2)\*(d + e\*x)^2),x)

[Out] int(1/((a + c\*x^2)^(1/2)\*(d + e\*x)^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + cx^2} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)\*\*2/(c\*x\*\*2+a)\*\*(1/2),x)

[Out] Integral(1/(sqrt(a + c\*x\*\*2)\*(d + e\*x)\*\*2), x)

$$3.259 \quad \int \frac{1}{x(d+ex)^2 \sqrt{a+cx^2}} dx$$

Optimal. Leaf size=179

$$\frac{e^2 \sqrt{a+cx^2}}{d(d+ex)(ae^2+cd^2)} + \frac{e \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{d^2 \sqrt{ae^2+cd^2}} + \frac{ce \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a} d^2}$$

**Rubi [A]** time = 0.14, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$ , Rules used = {961, 266, 63, 208, 731, 725, 206}

$$\frac{e^2 \sqrt{a+cx^2}}{d(d+ex)(ae^2+cd^2)} + \frac{e \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{d^2 \sqrt{ae^2+cd^2}} + \frac{ce \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{(ae^2+cd^2)^{3/2}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a} d^2}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] (e^2\*Sqrt[a + c\*x^2])/(d\*(c\*d^2 + a\*e^2)\*(d + e\*x)) + (c\*e\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(c\*d^2 + a\*e^2)^(3/2) + (e\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(d^2\*Sqrt[c\*d^2 + a\*e^2]) - ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]]/(Sqrt[a]\*d^2)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 731

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + D
ist[(c*d)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; F
reeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]
```

Rule 961

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^
2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x
^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c
*d^2 + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[
m, 0] || IGtQ[n, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex)^2\sqrt{a+cx^2}} dx &= \int \left( \frac{1}{d^2x\sqrt{a+cx^2}} - \frac{e}{d(d+ex)^2\sqrt{a+cx^2}} - \frac{e}{d^2(d+ex)\sqrt{a+cx^2}} \right) dx \\
&= \frac{\int \frac{1}{x\sqrt{a+cx^2}} dx}{d^2} - \frac{e \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{d^2} - \frac{e \int \frac{1}{(d+ex)^2\sqrt{a+cx^2}} dx}{d} \\
&= \frac{e^2\sqrt{a+cx^2}}{d(cd^2+ae^2)(d+ex)} + \frac{\text{Subst}\left(\int \frac{1}{x\sqrt{a+cx^2}} dx, x, x^2\right)}{2d^2} + \frac{e \text{Subst}\left(\int \frac{1}{cd^2+ae^2-x^2} dx, x, \frac{a}{cd^2+ae^2-x^2}\right)}{d^2} \\
&= \frac{e^2\sqrt{a+cx^2}}{d(cd^2+ae^2)(d+ex)} + \frac{e \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^2\sqrt{cd^2+ae^2}} + \frac{\text{Subst}\left(\int \frac{1}{-\frac{a}{c}+\frac{x^2}{c}} dx, x, \sqrt{a+cx^2}\right)}{cd^2} \\
&= \frac{e^2\sqrt{a+cx^2}}{d(cd^2+ae^2)(d+ex)} + \frac{ce \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{(cd^2+ae^2)^{3/2}} + \frac{e \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^2\sqrt{cd^2+ae^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.22, size = 178, normalized size = 0.99

$$\frac{\frac{de^2\sqrt{a+cx^2}}{(d+ex)(ae^2+cd^2)} + \frac{e(ae^2+2cd^2)\log(\sqrt{a+cx^2}\sqrt{ae^2+cd^2}+ae-cdx)}{(ae^2+cd^2)^{3/2}} - \frac{e(ae^2+2cd^2)\log(d+ex)}{(ae^2+cd^2)^{3/2}} - \frac{\log(\sqrt{a}\sqrt{a+cx^2}+a)}{\sqrt{a}} + \frac{\log(x)}{\sqrt{a}}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(d + e\*x)^2\*Sqrt[a + c\*x^2]), x]

[Out] ((d\*e^2\*Sqrt[a + c\*x^2])/((c\*d^2 + a\*e^2)\*(d + e\*x)) + Log[x]/Sqrt[a] - (e\*(2\*c\*d^2 + a\*e^2)\*Log[d + e\*x])/((c\*d^2 + a\*e^2)^(3/2)) - Log[a + Sqrt[a]\*Sqrt[a + c\*x^2])/Sqrt[a] + (e\*(2\*c\*d^2 + a\*e^2)\*Log[a\*e - c\*d\*x + Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]])/((c\*d^2 + a\*e^2)^(3/2)))/d^2

**IntegrateAlgebraic [A]** time = 0.80, size = 178, normalized size = 0.99

$$\frac{e^2\sqrt{a+cx^2}}{d(d+ex)(ae^2+cd^2)} - \frac{2\sqrt{-ae^2-cd^2}(ae^3+2cd^2e)\tan^{-1}\left(\frac{-e\sqrt{a+cx^2}+\sqrt{c}d+\sqrt{c}ex}{\sqrt{-ae^2-cd^2}}\right)}{d^2(ae^2+cd^2)^2} + \frac{2\tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}} - \frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x\*(d + e\*x)^2\*Sqrt[a + c\*x^2]), x]

[Out]  $(e^{2\sqrt{a+cx^2}})/(d(c d^2 + a e^2)(d + e x)) - (2\sqrt{-(c d^2 - a e^2)} * (2 c d^2 e + a e^3) \operatorname{ArcTan}[(\sqrt{c} d + \sqrt{c} e x - e \sqrt{a + c x^2})/\sqrt{-(c d^2 - a e^2)}]) / (d^2 (c d^2 + a e^2)^2) + (2 \operatorname{ArcTanh}[(\sqrt{c} x) / \sqrt{a - \sqrt{a + c x^2} / \sqrt{a}}]) / (\sqrt{a} d^2)$

**fricas** [A] time = 0.81, size = 1261, normalized size = 7.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(e*x+d)^2/(c*x^2+a)^(1/2),x, algorithm="fricas")`

[Out]  $[1/2 * ((2 a c d^3 e + a^2 d e^3 + (2 a c d^2 e^2 + a^2 e^4) x) \sqrt{c d^2 + a e^2} \log((2 a c d e x - a c d^2 - 2 a^2 e^2 - (2 c^2 d^2 + a c e^2) x^2 + 2 \sqrt{c d^2 + a e^2} (c d x - a e) \sqrt{c x^2 + a}) / (e^2 x^2 + 2 d e x + d^2)) + (c^2 d^5 + 2 a c d^3 e^2 + a^2 d e^4 + (c^2 d^4 e + 2 a c d^2 e^3 + a^2 e^5) x) \sqrt{a} \log(-(c x^2 - 2 \sqrt{c x^2 + a}) \sqrt{a} + 2 a) / x^2 + 2 (a c d^3 e^2 + a^2 d e^4) \sqrt{c x^2 + a}) / (a c^2 d^7 + 2 a^2 c d^5 e^2 + a^3 d^3 e^4 + (a c^2 d^6 e + 2 a^2 c d^4 e^3 + a^3 d^2 e^5) x), 1/2 * (2 (2 a c d^3 e + a^2 d e^3 + (2 a c d^2 e^2 + a^2 e^4) x) \sqrt{-c d^2 - a e^2} \operatorname{arctan}(\sqrt{-c d^2 - a e^2} (c d x - a e) \sqrt{c x^2 + a}) / (a c d^2 + a^2 e^2 + (c^2 d^2 + a c e^2) x^2)) + (c^2 d^5 + 2 a c d^3 e^2 + a^2 d e^4 + (c^2 d^4 e + 2 a c d^2 e^3 + a^2 e^5) x) \sqrt{a} \log(-(c x^2 - 2 \sqrt{c x^2 + a}) \sqrt{a} + 2 a) / x^2 + 2 (a c d^3 e^2 + a^2 d e^4) \sqrt{c x^2 + a}) / (a c^2 d^7 + 2 a^2 c d^5 e^2 + a^3 d^3 e^4 + (a c^2 d^6 e + 2 a^2 c d^4 e^3 + a^3 d^2 e^5) x), 1/2 * (2 (c^2 d^5 + 2 a c d^3 e^2 + a^2 d e^4 + (c^2 d^4 e + 2 a c d^2 e^3 + a^2 e^5) x) \sqrt{-a} \operatorname{arctan}(\sqrt{-a} / \sqrt{c x^2 + a}) + (2 a c d^3 e + a^2 d e^3 + (2 a c d^2 e^2 + a^2 e^4) x) \sqrt{c d^2 + a e^2} \log((2 a c d e x - a c d^2 - 2 a^2 e^2 - (2 c^2 d^2 + a c e^2) x^2 + 2 \sqrt{c d^2 + a e^2} (c d x - a e) \sqrt{c x^2 + a}) / (e^2 x^2 + 2 d e x + d^2)) + 2 (a c d^3 e^2 + a^2 d e^4) \sqrt{c x^2 + a}) / (a c^2 d^7 + 2 a^2 c d^5 e^2 + a^3 d^3 e^4 + (a c^2 d^6 e + 2 a^2 c d^4 e^3 + a^3 d^2 e^5) x), ((2 a c d^3 e + a^2 d e^3 + (2 a c d^2 e^2 + a^2 e^4) x) \sqrt{-c d^2 - a e^2} \operatorname{arctan}(\sqrt{-c d^2 - a e^2} (c d x - a e) \sqrt{c x^2 + a}) / (a c d^2 + a^2 e^2 + (c^2 d^2 + a c e^2) x^2)) + (c^2 d^5 + 2 a c d^3 e^2 + a^2 d e^4 + (c^2 d^4 e + 2 a c d^2 e^3 + a^2 e^5) x) \sqrt{-a} \operatorname{arctan}(\sqrt{-a} / \sqrt{c x^2 + a}) + (a c d^3 e^2 + a^2 d e^4) \sqrt{c x^2 + a}) / (a c^2 d^7 + 2 a^2 c d^5 e^2 + a^3 d^3 e^4 + (a c^2 d^6 e + 2 a^2 c d^4 e^3 + a^3 d^2 e^5) x)]$

**giac** [A] time = 0.57, size = 126, normalized size = 0.70

$$\left( \frac{\sqrt{c - \frac{2cd}{xe+d} + \frac{cd^2}{(xe+d)^2} + \frac{ae^2}{(xe+d)^2}} d^2 e^2 \operatorname{sgn}\left(\frac{1}{xe+d}\right) - \frac{\sqrt{c} e^2 \operatorname{sgn}\left(\frac{1}{xe+d}\right)}{cd^3 + ade^2}}{cd^5 \operatorname{sgn}\left(\frac{1}{xe+d}\right)^2 + ad^3 e^2 \operatorname{sgn}\left(\frac{1}{xe+d}\right)^2} \right) e^{(-1)}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)^2/(c\*x^2+a)^(1/2), x, algorithm="giac")

[Out] (sqrt(c - 2\*c\*d/(x\*e + d) + c\*d^2/(x\*e + d)^2 + a\*e^2/(x\*e + d)^2)\*d^2\*e^2\*sgn(1/(x\*e + d))/(c\*d^5\*sgn(1/(x\*e + d))^2 + a\*d^3\*e^2\*sgn(1/(x\*e + d))^2) - sqrt(c)\*e^2\*sgn(1/(x\*e + d))/(c\*d^3 + a\*d\*e^2))\*e^(-1)

**maple** [B] time = 0.01, size = 364, normalized size = 2.03

$$c \ln \left( \frac{-\frac{2\left(x+\frac{d}{e}\right)ed}{e} + \frac{2a^2+2cd^2}{e^2} + 2\sqrt{\frac{ae^2+cd^2}{e^2}} \sqrt{-\frac{2\left(x+\frac{d}{e}\right)ed}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{ae^2+cd^2}{e^2}}}{x+\frac{d}{e}} \right) + \frac{\sqrt{-\frac{2\left(x+\frac{d}{e}\right)ed}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{ae^2+cd^2}{e^2}}}{(ae^2+cd^2)\left(x+\frac{d}{e}\right)d} e + \frac{\ln \left( \frac{-\frac{2\left(x+\frac{d}{e}\right)ed}{e} + \frac{2a^2+2cd^2}{e^2} + 2\sqrt{\frac{ae^2+cd^2}{e^2}} \sqrt{-\frac{2\left(x+\frac{d}{e}\right)ed}{e} + \left(x+\frac{d}{e}\right)^2 c + \frac{ae^2+cd^2}{e^2}}}{x+\frac{d}{e}} \right)}{\sqrt{\frac{ae^2+cd^2}{e^2}} d^2} - \frac{\ln \left( \frac{2a+2\sqrt{cx^2+a}}{x} \sqrt{a} \right)}{\sqrt{a} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(e\*x+d)^2/(c\*x^2+a)^(1/2), x)

[Out] -1/d^2/a^(1/2)\*ln((2\*a+2\*(c\*x^2+a)^(1/2)\*a^(1/2))/x)+1/d^2/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2+2\*((a\*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))/(x+d/e))+1/d\*e/(a\*e^2+c\*d^2)/(x+d/e)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2)+c/(a\*e^2+c\*d^2)/((a\*e^2+c\*d^2)/e^2)^(1/2)\*ln((-2\*(x+d/e)\*c\*d/e+2\*(a\*e^2+c\*d^2)/e^2+2\*((a\*e^2+c\*d^2)/e^2)^(1/2)\*(-2\*(x+d/e)\*c\*d/e+(x+d/e)^2\*c+(a\*e^2+c\*d^2)/e^2)^(1/2))/(x+d/e))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^2 + a} (ex + d)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)^2/(c\*x^2+a)^(1/2), x, algorithm="maxima")

[Out] integrate(1/(sqrt(c\*x^2 + a)\*(e\*x + d)^2\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x \sqrt{cx^2 + a} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*(a + c\*x^2)^(1/2)\*(d + e\*x)^2), x)

[Out] int(1/(x\*(a + c\*x^2)^(1/2)\*(d + e\*x)^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{a+cx^2}(d+ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)\*\*2/(c\*x\*\*2+a)\*\*(1/2),x)

[Out] Integral(1/(x\*sqrt(a + c\*x\*\*2)\*(d + e\*x)\*\*2), x)

$$3.260 \quad \int \frac{1}{x^2(d+ex)^2 \sqrt{a+cx^2}} dx$$

Optimal. Leaf size=212

$$\frac{2e \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a} d^3} - \frac{ce^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{d(ae^2+cd^2)^{3/2}} - \frac{e^3 \sqrt{a+cx^2}}{d^2(d+ex)(ae^2+cd^2)} - \frac{\sqrt{a+cx^2}}{ad^2x} - \frac{2e^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{d^3 \sqrt{ae^2+cd^2}}$$

**Rubi [A]** time = 0.17, antiderivative size = 212, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {961, 264, 266, 63, 208, 731, 725, 206}

$$-\frac{e^3 \sqrt{a+cx^2}}{d^2(d+ex)(ae^2+cd^2)} - \frac{2e^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{d^3 \sqrt{ae^2+cd^2}} - \frac{ce^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2} \sqrt{ae^2+cd^2}}\right)}{d(ae^2+cd^2)^{3/2}} + \frac{2e \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a} d^3} - \frac{\sqrt{a+cx^2}}{ad^2x}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] -(Sqrt[a + c\*x^2]/(a\*d^2\*x)) - (e^3\*Sqrt[a + c\*x^2]/(d^2\*(c\*d^2 + a\*e^2)\*(d + e\*x)) - (c\*e^2\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(d\*(c\*d^2 + a\*e^2)^(3/2)) - (2\*e^2\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(d^3\*Sqrt[c\*d^2 + a\*e^2]) + (2\*e\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(Sqrt[a]\*d^3)

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 725

```
Int[1/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (c_.)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

Rule 731

```
Int[((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + D
ist[(c*d)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; F
reeQ[{a, c, d, e, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[m + 2*p + 3, 0]
```

Rule 961

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_) + (c_.)*(x_)^
2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x
^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c
*d^2 + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[
m, 0] || IGtQ[n, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2(d+ex)^2\sqrt{a+cx^2}} dx &= \int \left( \frac{1}{d^2x^2\sqrt{a+cx^2}} - \frac{2e}{d^3x\sqrt{a+cx^2}} + \frac{e^2}{d^2(d+ex)^2\sqrt{a+cx^2}} + \frac{2e^2}{d^3(d+ex)\sqrt{a+cx^2}} \right) dx \\
&= \frac{\int \frac{1}{x^2\sqrt{a+cx^2}} dx}{d^2} - \frac{(2e) \int \frac{1}{x\sqrt{a+cx^2}} dx}{d^3} + \frac{(2e^2) \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{d^3} + \frac{e^2 \int \frac{1}{(d+ex)^2\sqrt{a+cx^2}} dx}{d^2} \\
&= -\frac{\sqrt{a+cx^2}}{ad^2x} - \frac{e^3\sqrt{a+cx^2}}{d^2(cd^2+ae^2)(d+ex)} - \frac{e \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{d^3} - \frac{(2e^2) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{d^3} \\
&= -\frac{\sqrt{a+cx^2}}{ad^2x} - \frac{e^3\sqrt{a+cx^2}}{d^2(cd^2+ae^2)(d+ex)} - \frac{2e^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^3\sqrt{cd^2+ae^2}} - \frac{(2e) \operatorname{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{d^3} \\
&= -\frac{\sqrt{a+cx^2}}{ad^2x} - \frac{e^3\sqrt{a+cx^2}}{d^2(cd^2+ae^2)(d+ex)} - \frac{ce^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d(cd^2+ae^2)^{3/2}} - \frac{2e^2 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^3\sqrt{cd^2+ae^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.33, size = 197, normalized size = 0.93

$$\frac{\frac{e^2(2ae^2+3cd^2) \log(\sqrt{a+cx^2}\sqrt{ae^2+cd^2}+ae-cdx)}{(ae^2+cd^2)^{3/2}} + \frac{e^2(2ae^2+3cd^2) \log(d+ex)}{(ae^2+cd^2)^{3/2}} - d\sqrt{a+cx^2} \left( \frac{e^3}{(d+ex)(ae^2+cd^2)} + \frac{1}{ax} \right) + \frac{2e \log(\sqrt{a}\sqrt{a+cx^2}+a)}{\sqrt{a}} - \frac{2e \log(x)}{\sqrt{a}}}{d^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2\*(d + e\*x)^2\*Sqrt[a + c\*x^2]), x]

[Out]  $(-(d*\operatorname{Sqrt}[a + c*x^2]*(1/(a*x) + e^3/((c*d^2 + a*e^2)*(d + e*x)))) - (2*e*\operatorname{Log}[x])/ \operatorname{Sqrt}[a] + (e^2*(3*c*d^2 + 2*a*e^2)*\operatorname{Log}[d + e*x])/(c*d^2 + a*e^2)^{(3/2)} + (2*e*\operatorname{Log}[a + \operatorname{Sqrt}[a]*\operatorname{Sqrt}[a + c*x^2]])/\operatorname{Sqrt}[a] - (e^2*(3*c*d^2 + 2*a*e^2)*\operatorname{Log}[a*e - c*d*x + \operatorname{Sqrt}[c*d^2 + a*e^2]*\operatorname{Sqrt}[a + c*x^2]])/(c*d^2 + a*e^2)^{(3/2)})/d^3$

**IntegrateAlgebraic [A]** time = 1.32, size = 214, normalized size = 1.01

$$\frac{4e \tanh^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}} - \frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^3} + \frac{2\sqrt{-ae^2 - cd^2} (2ae^4 + 3cd^2e^2) \tan^{-1}\left(\frac{-e\sqrt{a+cx^2} + \sqrt{c}d + \sqrt{c}ex}{\sqrt{-ae^2 - cd^2}}\right)}{d^3(ae^2 + cd^2)^2} + \frac{\sqrt{a+cx^2} (-ade^2 - 2ae^3x - cd^3 - cd^2ex)}{ad^2x(d+ex)(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^2\*(d + e\*x)^2\*Sqrt[a + c\*x^2]), x]

```
[Out] ((-(c*d^3) - a*d*e^2 - c*d^2*e*x - 2*a*e^3*x)*Sqrt[a + c*x^2])/(a*d^2*(c*d^2 + a*e^2)*x*(d + e*x)) + (2*Sqrt[-(c*d^2) - a*e^2]*(3*c*d^2*e^2 + 2*a*e^4)*ArcTan[(Sqrt[c]*d + Sqrt[c]*e*x - e*Sqrt[a + c*x^2])/Sqrt[-(c*d^2) - a*e^2]])/(d^3*(c*d^2 + a*e^2)^2) - (4*e*ArcTanh[(Sqrt[c]*x)/Sqrt[a] - Sqrt[a + c*x^2]/Sqrt[a]])/(Sqrt[a]*d^3)
```

**fricas** [A] time = 0.76, size = 1512, normalized size = 7.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(e*x+d)^2/(c*x^2+a)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/2*(sqrt(c*d^2 + a*e^2)*((3*a*c*d^2*e^3 + 2*a^2*e^5)*x^2 + (3*a*c*d^3*e^2 + 2*a^2*d*e^4)*x)*log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 - 2*sqrt(c*d^2 + a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) + 2*((c^2*d^4*e^2 + 2*a*c*d^2*e^4 + a^2*e^6)*x^2 + (c^2*d^5*e + 2*a*c*d^3*e^3 + a^2*d*e^5)*x)*sqrt(a)*log(-(c*x^2 + 2*sqrt(c*x^2 + a))*sqrt(a) + 2*a)/x^2) - 2*(c^2*d^6 + 2*a*c*d^4*e^2 + a^2*d^2*e^4 + (c^2*d^5*e + 3*a*c*d^3*e^3 + 2*a^2*d*e^5)*x)*sqrt(c*x^2 + a))/((a*c^2*d^7*e + 2*a^2*c*d^5*e^3 + a^3*d^3*e^5)*x^2 + (a*c^2*d^8 + 2*a^2*c*d^6*e^2 + a^3*d^4*e^4)*x), -(sqrt(-c*d^2 - a*e^2)*((3*a*c*d^2*e^3 + 2*a^2*e^5)*x^2 + (3*a*c*d^3*e^2 + 2*a^2*d*e^4)*x)*arctan(sqrt(-c*d^2 - a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a))/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - ((c^2*d^4*e^2 + 2*a*c*d^2*e^4 + a^2*e^6)*x^2 + (c^2*d^5*e + 2*a*c*d^3*e^3 + a^2*d*e^5)*x)*sqrt(a)*log(-(c*x^2 + 2*sqrt(c*x^2 + a))*sqrt(a) + 2*a)/x^2) + (c^2*d^6 + 2*a*c*d^4*e^2 + a^2*d^2*e^4 + (c^2*d^5*e + 3*a*c*d^3*e^3 + 2*a^2*d*e^5)*x)*sqrt(c*x^2 + a))/((a*c^2*d^7*e + 2*a^2*c*d^5*e^3 + a^3*d^3*e^5)*x^2 + (a*c^2*d^8 + 2*a^2*c*d^6*e^2 + a^3*d^4*e^4)*x), -1/2*(4*((c^2*d^4*e^2 + 2*a*c*d^2*e^4 + a^2*e^6)*x^2 + (c^2*d^5*e + 2*a*c*d^3*e^3 + a^2*d*e^5)*x)*sqrt(-a)*arctan(sqrt(-a)/sqrt(c*x^2 + a)) - sqrt(c*d^2 + a*e^2)*((3*a*c*d^2*e^3 + 2*a^2*e^5)*x^2 + (3*a*c*d^3*e^2 + 2*a^2*d*e^4)*x)*log((2*a*c*d*e*x - a*c*d^2 - 2*a^2*e^2 - (2*c^2*d^2 + a*c*e^2)*x^2 - 2*sqrt(c*d^2 + a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a))/(e^2*x^2 + 2*d*e*x + d^2)) + 2*(c^2*d^6 + 2*a*c*d^4*e^2 + a^2*d^2*e^4 + (c^2*d^5*e + 3*a*c*d^3*e^3 + 2*a^2*d*e^5)*x)*sqrt(c*x^2 + a))/((a*c^2*d^7*e + 2*a^2*c*d^5*e^3 + a^3*d^3*e^5)*x^2 + (a*c^2*d^8 + 2*a^2*c*d^6*e^2 + a^3*d^4*e^4)*x), -(sqrt(-c*d^2 - a*e^2)*((3*a*c*d^2*e^3 + 2*a^2*e^5)*x^2 + (3*a*c*d^3*e^2 + 2*a^2*d*e^4)*x)*arctan(sqrt(-c*d^2 - a*e^2)*(c*d*x - a*e)*sqrt(c*x^2 + a))/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) + 2*((c^2*d^4*e^2 + 2*a*c*d^2*e^4 + a^2*e^6)*x^2 + (c^2*d^5*e + 2*a*c*d^3*e^3 + a^2*d*e^5)*x)*sqrt(-a)*arctan(sqrt(-a)/sqrt(c*x^2 + a)) + (c^2*d^6 + 2*a*c*d^4*e^2 + a^2*d^2*e^4 + (c^2*d^5*e + 3*a*c*d^3*e^3 + 2*a^2*d*e^5)*x)*sqrt(c*x^2 + a))/((a*c^2*d^7*e + 2*a^2*c*d^5*e^3 + a^3*d^3*e^5)*x^2 + (a*c^2*d^8 + 2*a^2*c*d^6*e^2 + a^3*d^4*e^4)*x)]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes  
 constant sign by intervals (correct if the argument is real):Check [abs(t\_n  
 ostep)]Unable to divide, perhaps due to rounding error%%{%%{1, [0,0,0,  
 5]%%},0]: [1,0,%%{-1, [1,2,0,0]%%}+%%{-1, [0,0,1,2]%%}]%%}, [4,1]%%}+%%{  
 %%{-4, [1,2,0,4]%%}+%%{-4, [0,0,1,6]%%}, [3,1]%%}+%%{%%{1, [0,0,1,2]%%}  
 %%}+%%{-6, [0,0,1,5]%%},0]: [1,0,%%{-1, [1,2,0,0]%%}+%%{-1, [0,0,1,2]%%}]  
 %%}, [2,1]%%}+%%{%%{-4, [1,2,1,4]%%}+%%{-4, [0,0,2,6]%%}, [1,1]%%}+%%{  
 %%{1, [0,0,2,5]%%},0]: [1,0,%%{-1, [1,2,0,0]%%}+%%{-1, [0,0,1,2]%%}]%%  
 }, [0,1]%%} / %%{%%{1, [1,2,0,2]%%}+%%{1, [0,0,1,4]%%}, [4,0]%%}+%%{%%{  
 poly1[%%{-4, [1,2,0,1]%%}+%%{-4, [0,0,1,3]%%},0]: [1,0,%%{-1, [1,2,0,0]%%}  
 }+%%{-1, [0,0,1,2]%%}]%%}, [3,0]%%}+%%{%%{4, [2,4,0,0]%%}+%%{10, [1,2,1,  
 2]%%}+%%{6, [0,0,2,4]%%}, [2,0]%%}+%%{%%{poly1[%%{-4, [1,2,1,1]%%}+%%{-  
 4, [0,0,2,3]%%},0]: [1,0,%%{-1, [1,2,0,0]%%}+%%{-1, [0,0,1,2]%%}]%%}, [1,0  
 ]%%}+%%{%%{1, [1,2,2,2]%%}+%%{1, [0,0,3,4]%%}, [0,0]%%} Error: Bad Argu  
 ment Value

**maple** [B] time = 0.01, size = 395, normalized size = 1.86

$$\frac{c e \ln \left( \frac{-\frac{2(x+\frac{d}{c})^{1/2}}{c} + \frac{2a^2+2cd^2}{c^2} + 2\sqrt{\frac{a^2+cd^2}{c^2}} \sqrt{\frac{2(x+\frac{d}{c})^{1/2}}{c} + (x+\frac{d}{c})^2 c + \frac{a^2+cd^2}{c^2}}}{x+\frac{d}{c}} \right)}{(ae^2+cd^2)\sqrt{\frac{a^2+cd^2}{c^2}}d} - \frac{\sqrt{-\frac{2(x+\frac{d}{c})^{1/2}}{c} + (x+\frac{d}{c})^2 c + \frac{a^2+cd^2}{c^2}}}{(ae^2+cd^2)\left(x+\frac{d}{c}\right)d^2} - \frac{2e \ln \left( \frac{-\frac{2(x+\frac{d}{c})^{1/2}}{c} + \frac{2a^2+2cd^2}{c^2} + 2\sqrt{\frac{a^2+cd^2}{c^2}} \sqrt{\frac{2(x+\frac{d}{c})^{1/2}}{c} + (x+\frac{d}{c})^2 c + \frac{a^2+cd^2}{c^2}}}{x+\frac{d}{c}} \right)}{\sqrt{\frac{a^2+cd^2}{c^2}}d^3} + \frac{2e \ln \left( \frac{2a+2\sqrt{cx^2+a}}{x} \right)}{\sqrt{a}d^3} - \frac{\sqrt{cx^2+a}}{ad^2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e\*x+d)^2/(c\*x^2+a)^(1/2),x)

[Out]  $-(c*x^2+a)^{(1/2)}/a/d^2/x+2/d^3*e/a^{(1/2)}*\ln((2*a+2*(c*x^2+a)^{(1/2)}*a^{(1/2)})/x)-2/d^3*e/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)-1/d^2/(a*e^2+c*d^2)*e^2/(x+d/e)*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)}-1/d*c*e/(a*e^2+c*d^2)/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^2+a}(ex+d)^2x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c\*x^2 + a)\*(e\*x + d)^2\*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^2 \sqrt{cx^2 + a} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*(a + c\*x^2)^(1/2)\*(d + e\*x)^2),x)

[Out] int(1/(x^2\*(a + c\*x^2)^(1/2)\*(d + e\*x)^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{a + cx^2} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/(e\*x+d)\*\*2/(c\*x\*\*2+a)\*\*(1/2),x)

[Out] Integral(1/(x\*\*2\*sqrt(a + c\*x\*\*2)\*(d + e\*x)\*\*2), x)



$$3.261 \quad \int \frac{1}{x^3(d+ex)^2 \sqrt{a+cx^2}} dx$$

Optimal. Leaf size=268

$$\frac{c \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2a^{3/2}d^2} - \frac{3e^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^4} + \frac{2e\sqrt{a+cx^2}}{ad^3x} + \frac{ce^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^2(ae^2+cd^2)^{3/2}} - \frac{\sqrt{a+cx^2}}{2ad^2x^2} + \frac{3e^3 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{d^4\sqrt{ae^2+cd^2}}$$

**Rubi [A]** time = 0.22, antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 9, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$ , Rules used = {961, 266, 51, 63, 208, 264, 731, 725, 206}

$$\frac{c \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{2a^{3/2}d^2} + \frac{e^4\sqrt{a+cx^2}}{d^3(d+ex)(ae^2+cd^2)} + \frac{3e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^4\sqrt{ae^2+cd^2}} + \frac{ce^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{a+cx^2}\sqrt{ae^2+cd^2}}\right)}{d^2(ae^2+cd^2)^{3/2}} - \frac{3e^2 \tanh^{-1}\left(\frac{\sqrt{a+cx^2}}{\sqrt{a}}\right)}{\sqrt{a}d^4} + \frac{2e\sqrt{a+cx^2}}{ad^3x} - \frac{\sqrt{a+cx^2}}{2ad^2x^2}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3\*(d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] -Sqrt[a + c\*x^2]/(2\*a\*d^2\*x^2) + (2\*e\*Sqrt[a + c\*x^2])/(a\*d^3\*x) + (e^4\*Sqrt[a + c\*x^2])/(d^3\*(c\*d^2 + a\*e^2)\*(d + e\*x)) + (c\*e^3\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(d^2\*(c\*d^2 + a\*e^2)^(3/2)) + (3\*e^3\*ArcTanh[(a\*e - c\*d\*x)/(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2])])/(d^4\*Sqrt[c\*d^2 + a\*e^2]) + (c\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(2\*a^(3/2)\*d^2) - (3\*e^2\*ArcTanh[Sqrt[a + c\*x^2]/Sqrt[a]])/(Sqrt[a]\*d^4)

### Rule 51

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*(m + n + 2))/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && LtQ[m, -1] && !(LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 264

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[((c\*x)^(m + 1)\*(a + b\*x^n)^(p + 1))/(a\*c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

### Rule 731

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m + 1)\*(a + c\*x^2)^(p + 1))/((m + 1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d)/(c\*d^2 + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[m + 2\*p + 3, 0]

### Rule 961

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3(d+ex)^2\sqrt{a+cx^2}} dx &= \int \left( \frac{1}{d^2x^3\sqrt{a+cx^2}} - \frac{2e}{d^3x^2\sqrt{a+cx^2}} + \frac{3e^2}{d^4x\sqrt{a+cx^2}} - \frac{e^3}{d^3(d+ex)^2\sqrt{a+cx^2}} - \frac{e^3}{d^4} \right) dx \\
&= \frac{\int \frac{1}{x^3\sqrt{a+cx^2}} dx}{d^2} - \frac{(2e) \int \frac{1}{x^2\sqrt{a+cx^2}} dx}{d^3} + \frac{(3e^2) \int \frac{1}{x\sqrt{a+cx^2}} dx}{d^4} - \frac{(3e^3) \int \frac{1}{(d+ex)\sqrt{a+cx^2}} dx}{d^4} \\
&= \frac{2e\sqrt{a+cx^2}}{ad^3x} + \frac{e^4\sqrt{a+cx^2}}{d^3(cd^2+ae^2)(d+ex)} + \frac{\text{Subst}\left(\int \frac{1}{x^2\sqrt{a+cx}} dx, x, x^2\right)}{2d^2} + \frac{(3e^2) \text{Subst}\left(\int \frac{1}{x\sqrt{a+cx}} dx, x, x^2\right)}{2d^2} \\
&= -\frac{\sqrt{a+cx^2}}{2ad^2x^2} + \frac{2e\sqrt{a+cx^2}}{ad^3x} + \frac{e^4\sqrt{a+cx^2}}{d^3(cd^2+ae^2)(d+ex)} + \frac{3e^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^4\sqrt{cd^2+ae^2}} \\
&= -\frac{\sqrt{a+cx^2}}{2ad^2x^2} + \frac{2e\sqrt{a+cx^2}}{ad^3x} + \frac{e^4\sqrt{a+cx^2}}{d^3(cd^2+ae^2)(d+ex)} + \frac{ce^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^2(cd^2+ae^2)^{3/2}} \\
&= -\frac{\sqrt{a+cx^2}}{2ad^2x^2} + \frac{2e\sqrt{a+cx^2}}{ad^3x} + \frac{e^4\sqrt{a+cx^2}}{d^3(cd^2+ae^2)(d+ex)} + \frac{ce^3 \tanh^{-1}\left(\frac{ae-cdx}{\sqrt{cd^2+ae^2}\sqrt{a+cx^2}}\right)}{d^2(cd^2+ae^2)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.45, size = 229, normalized size = 0.85

$$\frac{(cd^2-6ae^2)\log(\sqrt{a}\sqrt{a+cx^2}+a)}{a^{3/2}} + \frac{\log(x)(6ae^2-cd^2)}{a^{3/2}} + d\sqrt{a+cx^2} \left( \frac{2e^4}{(d+ex)(ae^2+cd^2)} - \frac{d-4ex}{ax^2} \right) + \frac{2e^3(3ae^2+4cd^2)\log(\sqrt{a+cx^2}\sqrt{ae^2+cd^2}+ae-cdx)}{(ae^2+cd^2)^{3/2}} - \frac{2e^3(3ae^2+4cd^2)\log(d+ex)}{(ae^2+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3\*(d + e\*x)^2\*Sqrt[a + c\*x^2]), x]

[Out] (d\*Sqrt[a + c\*x^2]\*(-(d - 4\*e\*x)/(a\*x^2)) + (2\*e^4)/((c\*d^2 + a\*e^2)\*(d + e\*x))) + ((-(c\*d^2) + 6\*a\*e^2)\*Log[x])/a^(3/2) - (2\*e^3\*(4\*c\*d^2 + 3\*a\*e^2)\*Log[d + e\*x])/(c\*d^2 + a\*e^2)^(3/2) + ((c\*d^2 - 6\*a\*e^2)\*Log[a + Sqrt[a]\*Sqrt[a + c\*x^2]])/a^(3/2) + (2\*e^3\*(4\*c\*d^2 + 3\*a\*e^2)\*Log[a\*e - c\*d\*x + Sqrt[c\*d^2 + a\*e^2]\*Sqrt[a + c\*x^2]])/(c\*d^2 + a\*e^2)^(3/2)/(2\*d^4)

**IntegrateAlgebraic [A]** time = 1.78, size = 248, normalized size = 0.93

$$\frac{(6ae^2 - cd^2) \tanh^{-1}\left(\frac{\sqrt{c}x - \sqrt{a+cx^2}}{\sqrt{a}}\right)}{a^{3/2}d^4} - \frac{2\sqrt{-ae^2 - cd^2} (3ae^5 + 4cd^2e^3) \tan^{-1}\left(\frac{-e\sqrt{a+cx^2} + \sqrt{c}d + \sqrt{c}ex}{\sqrt{-ae^2 - cd^2}}\right)}{d^4(ae^2 + cd^2)^2} + \frac{\sqrt{a+cx^2} (-ad^2e^2 + 3ade^3x + 6ae^4x^2 - cd^4 + 3cd^3ex + 4cd^2e^2x^2)}{2ad^3x^2(d+ex)(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^3\*(d + e\*x)^2\*Sqrt[a + c\*x^2]),x]

[Out] (Sqrt[a + c\*x^2]\*(-(c\*d^4) - a\*d^2\*e^2 + 3\*c\*d^3\*e\*x + 3\*a\*d\*e^3\*x + 4\*c\*d^2\*e^2\*x^2 + 6\*a\*e^4\*x^2))/(2\*a\*d^3\*(c\*d^2 + a\*e^2)\*x^2\*(d + e\*x)) - (2\*Sqrt[-(c\*d^2) - a\*e^2]\*(4\*c\*d^2\*e^3 + 3\*a\*e^5)\*ArcTan[(Sqrt[c]\*d + Sqrt[c]\*e\*x - e\*Sqrt[a + c\*x^2])/Sqrt[-(c\*d^2) - a\*e^2]])/(d^4\*(c\*d^2 + a\*e^2)^2) + ((-(c\*d^2) + 6\*a\*e^2)\*ArcTanh[(Sqrt[c]\*x - Sqrt[a + c\*x^2])/Sqrt[a]])/(a^(3/2)\*d^4)

**fricas** [A] time = 1.29, size = 1867, normalized size = 6.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/4\*(2\*((4\*a^2\*c\*d^2\*e^4 + 3\*a^3\*e^6)\*x^3 + (4\*a^2\*c\*d^3\*e^3 + 3\*a^3\*d\*e^5)\*x^2)\*sqrt(c\*d^2 + a\*e^2)\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - ((c^3\*d^6\*e - 4\*a\*c^2\*d^4\*e^3 - 11\*a^2\*c\*d^2\*e^5 - 6\*a^3\*e^7)\*x^3 + (c^3\*d^7 - 4\*a\*c^2\*d^5\*e^2 - 11\*a^2\*c\*d^3\*e^4 - 6\*a^3\*d\*e^6)\*x^2)\*sqrt(a)\*log(-(c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(a) + 2\*a)/x^2) - 2\*(a\*c^2\*d^7 + 2\*a^2\*c\*d^5\*e^2 + a^3\*d^3\*e^4 - 2\*(2\*a\*c^2\*d^5\*e^2 + 5\*a^2\*c\*d^3\*e^4 + 3\*a^3\*d\*e^6)\*x^2 - 3\*(a\*c^2\*d^6\*e + 2\*a^2\*c\*d^4\*e^3 + a^3\*d^2\*e^5)\*x)\*sqrt(c\*x^2 + a))/((a^2\*c^2\*d^8\*e + 2\*a^3\*c\*d^6\*e^3 + a^4\*d^4\*e^5)\*x^3 + (a^2\*c^2\*d^9 + 2\*a^3\*c\*d^7\*e^2 + a^4\*d^5\*e^4)\*x^2), 1/4\*(4\*((4\*a^2\*c\*d^2\*e^4 + 3\*a^3\*e^6)\*x^3 + (4\*a^2\*c\*d^3\*e^3 + 3\*a^3\*d\*e^5)\*x^2)\*sqrt(-c\*d^2 - a\*e^2)\*arctan(sqrt(-c\*d^2 - a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a)/(a\*c\*d^2 + a^2\*e^2 + (c^2\*d^2 + a\*c\*e^2)\*x^2)) - ((c^3\*d^6\*e - 4\*a\*c^2\*d^4\*e^3 - 11\*a^2\*c\*d^2\*e^5 - 6\*a^3\*e^7)\*x^3 + (c^3\*d^7 - 4\*a\*c^2\*d^5\*e^2 - 11\*a^2\*c\*d^3\*e^4 - 6\*a^3\*d\*e^6)\*x^2)\*sqrt(a)\*log(-(c\*x^2 - 2\*sqrt(c\*x^2 + a)\*sqrt(a) + 2\*a)/x^2) - 2\*(a\*c^2\*d^7 + 2\*a^2\*c\*d^5\*e^2 + a^3\*d^3\*e^4 - 2\*(2\*a\*c^2\*d^5\*e^2 + 5\*a^2\*c\*d^3\*e^4 + 3\*a^3\*d\*e^6)\*x^2 - 3\*(a\*c^2\*d^6\*e + 2\*a^2\*c\*d^4\*e^3 + a^3\*d^2\*e^5)\*x)\*sqrt(c\*x^2 + a))/((a^2\*c^2\*d^8\*e + 2\*a^3\*c\*d^6\*e^3 + a^4\*d^4\*e^5)\*x^3 + (a^2\*c^2\*d^9 + 2\*a^3\*c\*d^7\*e^2 + a^4\*d^5\*e^4)\*x^2), -1/2\*(((c^3\*d^6\*e - 4\*a\*c^2\*d^4\*e^3 - 11\*a^2\*c\*d^2\*e^5 - 6\*a^3\*e^7)\*x^3 + (c^3\*d^7 - 4\*a\*c^2\*d^5\*e^2 - 11\*a^2\*c\*d^3\*e^4 - 6\*a^3\*d\*e^6)\*x^2)\*sqrt(-a)\*arctan(sqrt(-a)/sqrt(c\*x^2 + a)) - ((4\*a^2\*c\*d^2\*e^4 + 3\*a^3\*e^6)\*x^3 + (4\*a^2\*c\*d^3\*e^3 + 3\*a^3\*d\*e^5)\*x^2)\*sqrt(c\*d^2 + a\*e^2)\*log((2\*a\*c\*d\*e\*x - a\*c\*d^2 - 2\*a^2\*e^2 - (2\*c^2\*d^2 + a\*c\*e^2)\*x^2 + 2\*sqrt(c\*d^2 + a\*e^2)\*(c\*d\*x - a\*e)\*sqrt(c\*x^2 + a))/(e^2\*x^2 + 2\*d\*e\*x + d^2)) + (a\*c^2\*d^7 + 2\*a^2\*c\*d^5\*e^2 + a^3\*d^3\*e^4 - 2\*(2\*a\*c^2\*d^5\*e^2 + 5\*a^2\*c\*d^3\*e^4 + 3\*a^3\*d\*e^6)\*x^2 - 3\*(a\*c^2\*d^6\*e + 2\*a^2\*c\*d^4\*e^3 + a^3\*d^2\*e^5)\*x)\*sqrt(c\*x^2 + a))/((a^2\*c^2\*d^8\*e + 2\*a^3\*c\*d^6\*e^3 + a^4\*d^4\*e^5)\*x^3 + (a^2\*c^2\*d^9 + 2\*a^3\*c\*d^7\*e^2

$$+ a^4 d^5 e^4 x^2), 1/2*(2*((4*a^2*c*d^2*e^4 + 3*a^3*e^6)*x^3 + (4*a^2*c*d^3*e^3 + 3*a^3*d*e^5)*x^2)*\sqrt{-c*d^2 - a*e^2}*\arctan(\sqrt{-c*d^2 - a*e^2}*(c*d*x - a*e)*\sqrt{c*x^2 + a}/(a*c*d^2 + a^2*e^2 + (c^2*d^2 + a*c*e^2)*x^2)) - ((c^3*d^6*e - 4*a*c^2*d^4*e^3 - 11*a^2*c*d^2*e^5 - 6*a^3*e^7)*x^3 + (c^3*d^7 - 4*a*c^2*d^5*e^2 - 11*a^2*c*d^3*e^4 - 6*a^3*d*e^6)*x^2)*\sqrt{-a}*\arctan(\sqrt{-a}/\sqrt{c*x^2 + a}) - (a*c^2*d^7 + 2*a^2*c*d^5*e^2 + a^3*d^3*e^4 - 2*(2*a*c^2*d^5*e^2 + 5*a^2*c*d^3*e^4 + 3*a^3*d*e^6)*x^2 - 3*(a*c^2*d^6*e + 2*a^2*c*d^4*e^3 + a^3*d^2*e^5)*x)*\sqrt{c*x^2 + a})/((a^2*c^2*d^8*e + 2*a^3*c*d^6*e^3 + a^4*d^4*e^5)*x^3 + (a^2*c^2*d^9 + 2*a^3*c*d^7*e^2 + a^4*d^5*e^4)*x^2))$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)^2/(c\*x^2+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP  
 UT:sage2:=int(sage0,x);OUTPUT:Warning, integration of abs or sign assumes constant sign by intervals (correct if the argument is real):Check [abs(t\_n ostep)]Evaluation time: 0.53Unable to divide, perhaps due to rounding error  
 %%%{1, [0,0,0,7]%%}, [6,1]%%}+%%{%%{%%{-6, [0,0,0,6]%%}, 0} : [1,0,%%{-1, [1,2,0,0]%%}+%%{-1, [0,0,1,2]%%}]}%%}, [5,1]%%}+%%{%%{12, [1,2,0,5]%%}+%%{15, [0,0,1,7]%%}, [4,1]%%}+%%{%%{%%{-8, [1,2,0,4]%%}+%%{-20, [0,0,1,6]%%}, 0} : [1,0,%%{-1, [1,2,0,0]%%}+%%{-1, [0,0,1,2]%%}]}%%}, [3,1]%%}+%%{%%{12, [1,2,1,5]%%}+%%{15, [0,0,2,7]%%}, [2,1]%%}+%%{%%{%%{-6, [0,0,2,6]%%}, 0} : [1,0,%%{-1, [1,2,0,0]%%}+%%{-1, [0,0,1,2]%%}]}%%}, [1,1]%%}+%%{%%{1, [0,0,3,7]%%}, [0,1]%%} / %%{%%{%%{-1, [1,2,0,3]%%}+%%{-1, [0,0,1,5]%%}, 0} : [1,0,%%{-1, [1,2,0,0]%%}+%%{-1, [0,0,1,2]%%}]}%%}, [6,0]%%}+%%{%%{6, [2,4,0,2]%%}+%%{12, [1,2,1,4]%%}+%%{6, [0,0,2,6]%%}, [5,0]%%}+%%{%%{%%{-12, [2,4,0,1]%%}+%%{-27, [1,2,1,3]%%}+%%{-15, [0,0,2,5]%%}, 0} : [1,0,%%{-1, [1,2,0,0]%%}+%%{-1, [0,0,1,2]%%}]}%%}, [4,0]%%}+%%{%%{8, [3,6,0,0]%%}+%%{36, [2,4,1,2]%%}+%%{48, [1,2,2,4]%%}+%%{20, [0,0,3,6]%%}, [3,0]%%}+%%{%%{%%{-12, [2,4,1,1]%%}+%%{-27, [1,2,2,3]%%}+%%{-15, [0,0,3,5]%%}, 0} : [1,0,%%{-1, [1,2,0,0]%%}+%%{-1, [0,0,1,2]%%}]}%%}, [2,0]%%}+%%{%%{6, [2,4,2,2]%%}+%%{12, [1,2,3,4]%%}+%%{6, [0,0,4,6]%%}, [1,0]%%}+%%{%%{%%{-1, [1,2,3,3]%%}+%%{-1, [0,0,4,5]%%}, 0} : [1,0,%%{-1, [1,2,0,0]%%}+%%{-1, [0,0,1,2]%%}]}%%}, [0,0]%%} Error: Bad Argument Value

**maple** [A] time = 0.01, size = 452, normalized size = 1.69

$$c^2 \ln \left( \frac{-\frac{2(x+\frac{d}{c})^2}{c} + \frac{2a^2+2cd}{c^2} + 2\sqrt{\frac{a^2+cd}{c^2}} \sqrt{\frac{2(x+\frac{d}{c})^2}{c} + (x+\frac{d}{c})^2} + \frac{a^2+cd}{c^2}}{x+\frac{d}{c}} \right) + \frac{\sqrt{-\frac{2(x+\frac{d}{c})^2}{c} + (x+\frac{d}{c})^2} + \frac{a^2+cd}{c^2}}{(a^2+cd)(x+\frac{d}{c})^3} + \frac{3c^2 \ln \left( \frac{-\frac{2(x+\frac{d}{c})^2}{c} + \frac{2a^2+2cd}{c^2} + 2\sqrt{\frac{a^2+cd}{c^2}} \sqrt{\frac{2(x+\frac{d}{c})^2}{c} + (x+\frac{d}{c})^2} + \frac{a^2+cd}{c^2}}{x+\frac{d}{c}} \right)}{\sqrt{\frac{a^2+cd}{c^2}} d^4} - \frac{3c^2 \ln \left( \frac{2a+2\sqrt{c^2+a^2}}{x} \right)}{\sqrt{a} d^4} + \frac{c \ln \left( \frac{2a+2\sqrt{c^2+a^2}}{x} \right)}{2a^2 d^2} + \frac{2\sqrt{c^2+a^2}}{a d^3 x} - \frac{\sqrt{c^2+a^2}}{2a d^2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^3/(e*x+d)^2/(c*x^2+a)^(1/2),x)`

[Out]  $2*e*(c*x^2+a)^{(1/2)}/a/d^3/x-1/2*(c*x^2+a)^{(1/2)}/a/d^2/x^2+1/2/d^2*c/a^{(3/2)}$   
 $*\ln((2*a+2*(c*x^2+a)^{(1/2)}*a^{(1/2)})/x)-3/d^4*e^2/a^{(1/2)}*\ln((2*a+2*(c*x^2+a)^{(1/2)}*a^{(1/2)})/x)+3/d^4*e^2/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e))+1/d^3*e^3/(a*e^2+c*d^2)/(x+d/e)*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)}+1/d^2*e^2*c/(a*e^2+c*d^2)/((a*e^2+c*d^2)/e^2)^{(1/2)}*\ln((-2*(x+d/e)*c*d/e+2*(a*e^2+c*d^2)/e^2+2*((a*e^2+c*d^2)/e^2)^{(1/2)}*(-2*(x+d/e)*c*d/e+(x+d/e)^2*c+(a*e^2+c*d^2)/e^2)^{(1/2)})/(x+d/e))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^2 + a} (ex + d)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^3/(e*x+d)^2/(c*x^2+a)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(c*x^2 + a)*(e*x + d)^2*x^3), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^3 \sqrt{cx^2 + a} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^3*(a + c*x^2)^(1/2)*(d + e*x)^2),x)`

[Out] `int(1/(x^3*(a + c*x^2)^(1/2)*(d + e*x)^2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 \sqrt{a + cx^2} (d + ex)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**3/(e*x+d)**2/(c*x**2+a)**(1/2),x)`

[Out] `Integral(1/(x**3*sqrt(a + c*x**2)*(d + e*x)**2), x)`

### 3.262 $\int x^2(a + bx)^n (c + dx^2) dx$

**Optimal.** Leaf size=135

$$\frac{a^2(a^2d + b^2c)(a + bx)^{n+1}}{b^5(n+1)} - \frac{2a(2a^2d + b^2c)(a + bx)^{n+2}}{b^5(n+2)} + \frac{(6a^2d + b^2c)(a + bx)^{n+3}}{b^5(n+3)} - \frac{4ad(a + bx)^{n+4}}{b^5(n+4)} + \frac{d(a + bx)^{n+5}}{b^5(n+5)}$$

**Rubi [A]** time = 0.08, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$ , Rules used = {948}

$$\frac{a^2(a^2d + b^2c)(a + bx)^{n+1}}{b^5(n+1)} - \frac{2a(2a^2d + b^2c)(a + bx)^{n+2}}{b^5(n+2)} + \frac{(6a^2d + b^2c)(a + bx)^{n+3}}{b^5(n+3)} - \frac{4ad(a + bx)^{n+4}}{b^5(n+4)} + \frac{d(a + bx)^{n+5}}{b^5(n+5)}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(a + b\*x)^n\*(c + d\*x^2), x]

[Out] (a^2\*(b^2\*c + a^2\*d)\*(a + b\*x)^(1 + n))/(b^5\*(1 + n)) - (2\*a\*(b^2\*c + 2\*a^2\*d)\*(a + b\*x)^(2 + n))/(b^5\*(2 + n)) + ((b^2\*c + 6\*a^2\*d)\*(a + b\*x)^(3 + n))/(b^5\*(3 + n)) - (4\*a\*d\*(a + b\*x)^(4 + n))/(b^5\*(4 + n)) + (d\*(a + b\*x)^(5 + n))/(b^5\*(5 + n))

#### Rule 948

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0] && (IGtQ[m, 0] || (EqQ[m, -2] && EqQ[p, 1] && EqQ[d, 0]))

#### Rubi steps

$$\begin{aligned} \int x^2(a + bx)^n (c + dx^2) dx &= \int \left( \frac{(a^2b^2c + a^4d)(a + bx)^n}{b^4} - \frac{2(ab^2c + 2a^3d)(a + bx)^{1+n}}{b^4} + \frac{(b^2c + 6a^2d)(a + bx)^{2+n}}{b^4} \right. \\ &\quad \left. - \frac{4ad(a + bx)^{3+n}}{b^4} + \frac{d(a + bx)^{4+n}}{b^4} \right) dx \\ &= \frac{a^2(b^2c + a^2d)(a + bx)^{1+n}}{b^5(1+n)} - \frac{2a(b^2c + 2a^2d)(a + bx)^{2+n}}{b^5(2+n)} + \frac{(b^2c + 6a^2d)(a + bx)^{3+n}}{b^5(3+n)} \\ &\quad - \frac{4ad(a + bx)^{4+n}}{b^5(4+n)} + \frac{d(a + bx)^{5+n}}{b^5(5+n)} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 114, normalized size = 0.84

$$\frac{(a + bx)^{n+1} \left( \frac{(a+bx)^2(6a^2d+b^2c)}{n+3} - \frac{2a(a+bx)(2a^2d+b^2c)}{n+2} + \frac{a^4d+a^2b^2c}{n+1} + \frac{d(a+bx)^4}{n+5} - \frac{4ad(a+bx)^3}{n+4} \right)}{b^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*(a + b*x)^n*(c + d*x^2),x]
```

```
[Out] ((a + b*x)^(1 + n)*((a^2*b^2*c + a^4*d)/(1 + n) - (2*a*(b^2*c + 2*a^2*d)*(a + b*x))/(2 + n) + ((b^2*c + 6*a^2*d)*(a + b*x)^2)/(3 + n) - (4*a*d*(a + b*x)^3)/(4 + n) + (d*(a + b*x)^4)/(5 + n))/b^5
```

**IntegrateAlgebraic** [F] time = 0.06, size = 0, normalized size = 0.00

$$\int x^2(a + bx)^n (c + dx^2) dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[x^2*(a + b*x)^n*(c + d*x^2),x]
```

```
[Out] Defer[IntegrateAlgebraic][x^2*(a + b*x)^n*(c + d*x^2), x]
```

**fricas** [B] time = 0.42, size = 368, normalized size = 2.73

$(2a^2b^2cn^2 + 18a^3b^2cn + 40a^3b^2c + 24a^5d + (b^5dn^4 + 10b^5dn^3 + 35b^5dn^2 + 50b^5dn + 24b^5d)x^5 + (ab^4dn^4 + 6ab^4dn^3 + 11ab^4dn^2 + 6ab^4dn)x^4 + (b^5c*n^4 + 40b^5c + 4*(3b^5c - a^2b^3d)*n^3 + (49b^5c - 12a^2b^3d)*n^2 + 2*(39b^5c - 4a^2b^3d)*n)x^3 + (a*b^4*c*n^4 + 10*a*b^4*c*n^3 + (29*a*b^4*c + 12*a^3*b^2*d)*n^2 + 4*(5*a*b^4*c + 3*a^3*b^2*d)*n)x^2 - 2*(a^2*b^3*c*n^3 + 9*a^2*b^3*c*n^2 + 4*(5*a^2*b^3*c + 3*a^4*b*d)*n)*x*(b*x + a)^n/(b^5*n^5 + 15*b^5*n^4 + 85*b^5*n^3 + 225*b^5*n^2 + 274*b^5*n + 120*b^5)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(b*x+a)^n*(d*x^2+c),x, algorithm="fricas")
```

```
[Out] (2*a^3*b^2*c*n^2 + 18*a^3*b^2*c*n + 40*a^3*b^2*c + 24*a^5*d + (b^5*d*n^4 + 10*b^5*d*n^3 + 35*b^5*d*n^2 + 50*b^5*d*n + 24*b^5*d)*x^5 + (a*b^4*d*n^4 + 6*a*b^4*d*n^3 + 11*a*b^4*d*n^2 + 6*a*b^4*d*n)*x^4 + (b^5*c*n^4 + 40*b^5*c + 4*(3*b^5*c - a^2*b^3*d)*n^3 + (49*b^5*c - 12*a^2*b^3*d)*n^2 + 2*(39*b^5*c - 4*a^2*b^3*d)*n)*x^3 + (a*b^4*c*n^4 + 10*a*b^4*c*n^3 + (29*a*b^4*c + 12*a^3*b^2*d)*n^2 + 4*(5*a*b^4*c + 3*a^3*b^2*d)*n)*x^2 - 2*(a^2*b^3*c*n^3 + 9*a^2*b^3*c*n^2 + 4*(5*a^2*b^3*c + 3*a^4*b*d)*n)*x*(b*x + a)^n/(b^5*n^5 + 15*b^5*n^4 + 85*b^5*n^3 + 225*b^5*n^2 + 274*b^5*n + 120*b^5)
```

**giac** [B] time = 0.19, size = 624, normalized size = 4.62

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(b*x+a)^n*(d*x^2+c),x, algorithm="giac")
```

```
[Out] ((b*x + a)^n*b^5*d*n^4*x^5 + (b*x + a)^n*a*b^4*d*n^4*x^4 + 10*(b*x + a)^n*b^5*d*n^3*x^5 + (b*x + a)^n*b^5*c*n^4*x^3 + 6*(b*x + a)^n*a*b^4*d*n^3*x^4 + 35*(b*x + a)^n*b^5*d*n^2*x^5 + (b*x + a)^n*a*b^4*c*n^4*x^2 + 12*(b*x + a)^n*b^5*c*n^3*x^3 - 4*(b*x + a)^n*a^2*b^3*d*n^3*x^3 + 11*(b*x + a)^n*a*b^4*d*n
```



$$\begin{aligned} &^2*x^4 + 50*(b*x + a)^n*b^5*d*n*x^5 + 10*(b*x + a)^n*a*b^4*c*n^3*x^2 + 49*( \\ &b*x + a)^n*b^5*c*n^2*x^3 - 12*(b*x + a)^n*a^2*b^3*d*n^2*x^3 + 6*(b*x + a)^n \\ &*a*b^4*d*n*x^4 + 24*(b*x + a)^n*b^5*d*x^5 - 2*(b*x + a)^n*a^2*b^3*c*n^3*x + \\ &29*(b*x + a)^n*a*b^4*c*n^2*x^2 + 12*(b*x + a)^n*a^3*b^2*d*n^2*x^2 + 78*(b* \\ &x + a)^n*b^5*c*n*x^3 - 8*(b*x + a)^n*a^2*b^3*d*n*x^3 - 18*(b*x + a)^n*a^2*b \\ &^3*c*n^2*x + 20*(b*x + a)^n*a*b^4*c*n*x^2 + 12*(b*x + a)^n*a^3*b^2*d*n*x^2 \\ &+ 40*(b*x + a)^n*b^5*c*x^3 + 2*(b*x + a)^n*a^3*b^2*c*n^2 - 40*(b*x + a)^n*a \\ &^2*b^3*c*n*x - 24*(b*x + a)^n*a^4*b*d*n*x + 18*(b*x + a)^n*a^3*b^2*c*n + 40 \\ &*(b*x + a)^n*a^3*b^2*c + 24*(b*x + a)^n*a^5*d)/(b^5*n^5 + 15*b^5*n^4 + 85*b \\ &^5*n^3 + 225*b^5*n^2 + 274*b^5*n + 120*b^5) \end{aligned}$$

**maple [B]** time = 0.01, size = 328, normalized size = 2.43

$$\frac{(b^5 d n^5 + 10 b^4 d n^4 + 4 a b^4 d n^3 + b^4 c n^2 + 35 b^4 d n^2 - 24 a b^3 d n^2 + 12 b^3 d n^2 + 50 b^4 d n^4 + 12 a^2 b^3 d n^2 - 2 a b^3 c n^3 - 44 a b^3 d n^3 + 49 b^4 c n^3 + 24 d a^2 b^3 + 36 a^2 b^3 d n^2 - 20 a b^3 c n^2 - 24 a^2 b^3 + 78 b^4 c n^2 - 24 a^2 b d n x + 2 a^2 b^2 c n^2 + 24 a^2 b^2 d x^2 - 58 a b^3 c n x + 40 b^4 c x^2 - 24 a^2 b d x + 18 a^2 b^2 c n - 40 a b^3 c x + 24 a^4 d + 40 a^2 b^2 c)(b x + a)^{n+1}}{(b^5 + 15 b^4 n + 85 b^3 n^2 + 225 b^2 n^3 + 274 b n^4 + 120 b^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(b\*x+a)^n\*(d\*x^2+c),x)

[Out] (b\*x+a)^(1+n)\*(b^4\*d\*n^4\*x^4+10\*b^4\*d\*n^3\*x^4-4\*a\*b^3\*d\*n^3\*x^3+b^4\*c\*n^4\*x^2+35\*b^4\*d\*n^2\*x^4-24\*a\*b^3\*d\*n^2\*x^3+12\*b^4\*c\*n^3\*x^2+50\*b^4\*d\*n\*x^4+12\*a^2\*b^2\*d\*n^2\*x^2-2\*a\*b^3\*c\*n^3\*x-44\*a\*b^3\*d\*n\*x^3+49\*b^4\*c\*n^2\*x^2+24\*b^4\*d\*x^4+36\*a^2\*b^2\*d\*n\*x^2-20\*a\*b^3\*c\*n^2\*x-24\*a\*b^3\*d\*x^3+78\*b^4\*c\*n\*x^2-24\*a^3\*b\*d\*n\*x+2\*a^2\*b^2\*c\*n^2+24\*a^2\*b^2\*d\*x^2-58\*a\*b^3\*c\*n\*x+40\*b^4\*c\*x^2-24\*a^3\*b\*d\*x+18\*a^2\*b^2\*c\*n-40\*a\*b^3\*c\*x+24\*a^4\*d+40\*a^2\*b^2\*c)/b^5/(n^5+15\*n^4+85\*n^3+225\*n^2+274\*n+120)

**maxima [A]** time = 0.47, size = 210, normalized size = 1.56

$$\frac{((n^2 + 3n + 2)b^3x^3 + (n^2 + n)ab^2x^2 - 2a^2bnx + 2a^2)(bx + a)^n c}{(n^3 + 6n^2 + 11n + 6)b^3} + \frac{((n^4 + 10n^3 + 35n^2 + 50n + 24)b^5x^5 + (n^4 + 6n^3 + 11n^2 + 6n)ab^4x^4 - 4(n^3 + 3n^2 + 2n)a^2b^3x^3 + 12(n^2 + n)a^2b^2x^2 - 24a^4bnx + 24a^5)(bx + a)^n d}{(n^5 + 15n^4 + 85n^3 + 225n^2 + 274n + 120)b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(b\*x+a)^n\*(d\*x^2+c),x, algorithm="maxima")

[Out] ((n^2 + 3\*n + 2)\*b^3\*x^3 + (n^2 + n)\*a\*b^2\*x^2 - 2\*a^2\*b\*n\*x + 2\*a^3)\*(b\*x + a)^n\*c/((n^3 + 6\*n^2 + 11\*n + 6)\*b^3) + ((n^4 + 10\*n^3 + 35\*n^2 + 50\*n + 24)\*b^5\*x^5 + (n^4 + 6\*n^3 + 11\*n^2 + 6\*n)\*a\*b^4\*x^4 - 4\*(n^3 + 3\*n^2 + 2\*n)\*a^2\*b^3\*x^3 + 12\*(n^2 + n)\*a^3\*b^2\*x^2 - 24\*a^4\*b\*n\*x + 24\*a^5)\*(b\*x + a)^n\*d/((n^5 + 15\*n^4 + 85\*n^3 + 225\*n^2 + 274\*n + 120)\*b^5)

**mupad [B]** time = 2.82, size = 363, normalized size = 2.69

$$(a + b)^n \left( \frac{2a^3(12d^2 + c^2b^2n + 9cb^2n + 20cb^2)}{b^5(n^5 + 15n^4 + 85n^3 + 225n^2 + 274n + 120)} + \frac{d^3(n^4 + 10n^3 + 35n^2 + 50n + 24)}{n^5 + 15n^4 + 85n^3 + 225n^2 + 274n + 120} + \frac{x^3(n^2 + 3n + 2)(-4d^2n + c^2b^2n + 9cb^2n + 20cb^2)}{b^2(n^5 + 15n^4 + 85n^3 + 225n^2 + 274n + 120)} - \frac{2a^2nx(12d^2 + c^2b^2n + 9cb^2n + 20cb^2)}{b^4(n^5 + 15n^4 + 85n^3 + 225n^2 + 274n + 120)} + \frac{anx^2(n+1)(12d^2 + c^2b^2n + 9cb^2n + 20cb^2)}{b^3(n^5 + 15n^4 + 85n^3 + 225n^2 + 274n + 120)} + \frac{adnx^4(n^3 + 6n^2 + 11n + 6)}{b(n^5 + 15n^4 + 85n^3 + 225n^2 + 274n + 120)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(c + d*x^2)*(a + b*x)^n, x)$

[Out]  $(a + b*x)^n*((2*a^3*(12*a^2*d + 20*b^2*c + b^2*c*n^2 + 9*b^2*c*n))/(b^5*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)) + (d*x^5*(50*n + 35*n^2 + 10*n^3 + n^4 + 24))/(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120) + (x^3*(3*n + n^2 + 2)*(20*b^2*c + b^2*c*n^2 - 4*a^2*d*n + 9*b^2*c*n))/(b^2*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)) - (2*a^2*n*x*(12*a^2*d + 20*b^2*c + b^2*c*n^2 + 9*b^2*c*n))/(b^4*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)) + (a*n*x^2*(n + 1)*(12*a^2*d + 20*b^2*c + b^2*c*n^2 + 9*b^2*c*n))/(b^3*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)) + (a*d*n*x^4*(11*n + 6*n^2 + n^3 + 6))/(b*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)))$

**sympy** [A] time = 6.70, size = 4134, normalized size = 30.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x**2*(b*x+a)**n*(d*x**2+c), x)$

[Out]  $\text{Piecewise}((a**n*(c*x**3/3 + d*x**5/5), \text{Eq}(b, 0)), (12*a**4*d*\log(a/b + x)/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 25*a**4*d/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 48*a**3*b*d*x*\log(a/b + x)/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 88*a**3*b*d*x/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) - a**2*b**2*c/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 72*a**2*b**2*d*x**2*\log(a/b + x)/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 108*a**2*b**2*d*x**2/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) - 4*a*b**3*c*x/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 48*a*b**3*d*x**3*\log(a/b + x)/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 48*a*b**3*d*x**3/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) - 6*b**4*c*x**2/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 12*b**4*d*x**4*\log(a/b + x)/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4), \text{Eq}(n, -5)), (-12*a**4*d*\log(a/b + x)/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 22*a**4*d/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 36*a**3*b*d*x*\log(a/b + x)/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 54*a**3*b*d*x/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - a**2*b**2*c/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 36*a**2*b**2*d*x**2*\log(a/b + x)/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 36*a**2*b**2*d*x**2/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 3*a*b**3*c*x/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 12*a*b**3*d*x**3*\log(a/b + x)/(3*a**3*b$

$$\begin{aligned}
& **5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 3*b**4*c*x**2/(3*a**3* \\
& b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) + 3*b**4*d*x**4/(3*a**3 \\
& *b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3), \text{Eq}(n, -4)), (12*a**4* \\
& d*\log(a/b + x)/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 18*a**4*d/(2*a**2 \\
& *b**5 + 4*a*b**6*x + 2*b**7*x**2) + 24*a**3*b*d*x*\log(a/b + x)/(2*a**2*b**5 \\
& + 4*a*b**6*x + 2*b**7*x**2) + 24*a**3*b*d*x/(2*a**2*b**5 + 4*a*b**6*x + 2* \\
& b**7*x**2) + 2*a**2*b**2*c*\log(a/b + x)/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7* \\
& x**2) + 3*a**2*b**2*c/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 12*a**2*b* \\
& *2*d*x**2*\log(a/b + x)/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 4*a*b**3* \\
& c*x*\log(a/b + x)/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 4*a*b**3*c*x/(2 \\
& *a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) - 4*a*b**3*d*x**3/(2*a**2*b**5 + 4*a \\
& *b**6*x + 2*b**7*x**2) + 2*b**4*c*x**2*\log(a/b + x)/(2*a**2*b**5 + 4*a*b**6 \\
& *x + 2*b**7*x**2) + b**4*d*x**4/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2), \text{E} \\
& q(n, -3)), (-12*a**4*d*\log(a/b + x)/(3*a*b**5 + 3*b**6*x) - 12*a**4*d/(3*a* \\
& b**5 + 3*b**6*x) - 12*a**3*b*d*x*\log(a/b + x)/(3*a*b**5 + 3*b**6*x) - 6*a** \\
& 2*b**2*c*\log(a/b + x)/(3*a*b**5 + 3*b**6*x) - 6*a**2*b**2*c/(3*a*b**5 + 3*b \\
& **6*x) + 6*a**2*b**2*d*x**2/(3*a*b**5 + 3*b**6*x) - 6*a*b**3*c*x*\log(a/b + \\
& x)/(3*a*b**5 + 3*b**6*x) - 2*a*b**3*d*x**3/(3*a*b**5 + 3*b**6*x) + 3*b**4*c \\
& *x**2/(3*a*b**5 + 3*b**6*x) + b**4*d*x**4/(3*a*b**5 + 3*b**6*x), \text{Eq}(n, -2)) \\
& , (a**4*d*\log(a/b + x)/b**5 - a**3*d*x/b**4 + a**2*c*\log(a/b + x)/b**3 + a* \\
& *2*d*x**2/(2*b**3) - a*c*x/b**2 - a*d*x**3/(3*b**2) + c*x**2/(2*b) + d*x**4 \\
& /(4*b), \text{Eq}(n, -1)), (24*a**5*d*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85* \\
& b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) - 24*a**4*b*d*n*x*(a + b \\
& *x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5* \\
& n + 120*b**5) + 2*a**3*b**2*c*n**2*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + \\
& 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) + 18*a**3*b**2*c*n*( \\
& a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274* \\
& b**5*n + 120*b**5) + 40*a**3*b**2*c*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 \\
& + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) + 12*a**3*b**2*d*n* \\
& *2*x**2*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n* \\
& *2 + 274*b**5*n + 120*b**5) + 12*a**3*b**2*d*n*x**2*(a + b*x)**n/(b**5*n**5 \\
& + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) - 2 \\
& *a**2*b**3*c*n**3*x*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + \\
& 225*b**5*n**2 + 274*b**5*n + 120*b**5) - 18*a**2*b**3*c*n**2*x*(a + b*x)** \\
& n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 1 \\
& 20*b**5) - 40*a**2*b**3*c*n*x*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b \\
& **5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) - 4*a**2*b**3*d*n**3*x**3 \\
& *(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 27 \\
& 4*b**5*n + 120*b**5) - 12*a**2*b**3*d*n**2*x**3*(a + b*x)**n/(b**5*n**5 + 1 \\
& 5*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) - 8*a** \\
& 2*b**3*d*n*x**3*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225 \\
& *b**5*n**2 + 274*b**5*n + 120*b**5) + a*b**4*c*n**4*x**2*(a + b*x)**n/(b**5 \\
& *n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5 \\
& ) + 10*a*b**4*c*n**3*x**2*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5* \\
& n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) + 29*a*b**4*c*n**2*x**2*(a +
\end{aligned}$$

```

b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5
*n + 120*b**5) + 20*a*b**4*c*n*x**2*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4
+ 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) + a*b**4*d*n**4*x**
4*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 2
74*b**5*n + 120*b**5) + 6*a*b**4*d*n**3*x**4*(a + b*x)**n/(b**5*n**5 + 15*b
**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) + 11*a*b**
4*d*n**2*x**4*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b
**5*n**2 + 274*b**5*n + 120*b**5) + 6*a*b**4*d*n*x**4*(a + b*x)**n/(b**5*n
**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) +
b**5*c*n**4*x**3*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 2
25*b**5*n**2 + 274*b**5*n + 120*b**5) + 12*b**5*c*n**3*x**3*(a + b*x)**n/(b
**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b
**5) + 49*b**5*c*n**2*x**3*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5
*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) + 78*b**5*c*n*x**3*(a + b*x)
**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n +
120*b**5) + 40*b**5*c*x**3*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**
5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) + b**5*d*n**4*x**5*(a + b*x
)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n
+ 120*b**5) + 10*b**5*d*n**3*x**5*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 +
85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) + 35*b**5*d*n**2*x**5
*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 27
4*b**5*n + 120*b**5) + 50*b**5*d*n*x**5*(a + b*x)**n/(b**5*n**5 + 15*b**5*n
**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) + 24*b**5*d*x**
5*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 2
74*b**5*n + 120*b**5), True))

```

### 3.263 $\int x(a + bx)^n (c + dx^2) dx$

**Optimal.** Leaf size=102

$$-\frac{a(a^2d + b^2c)(a + bx)^{n+1}}{b^4(n+1)} + \frac{(3a^2d + b^2c)(a + bx)^{n+2}}{b^4(n+2)} - \frac{3ad(a + bx)^{n+3}}{b^4(n+3)} + \frac{d(a + bx)^{n+4}}{b^4(n+4)}$$

**Rubi [A]** time = 0.05, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {772}

$$-\frac{a(a^2d + b^2c)(a + bx)^{n+1}}{b^4(n+1)} + \frac{(3a^2d + b^2c)(a + bx)^{n+2}}{b^4(n+2)} - \frac{3ad(a + bx)^{n+3}}{b^4(n+3)} + \frac{d(a + bx)^{n+4}}{b^4(n+4)}$$

Antiderivative was successfully verified.

[In] Int[x\*(a + b\*x)^n\*(c + d\*x^2), x]

[Out] -((a\*(b^2\*c + a^2\*d)\*(a + b\*x)^(1 + n))/(b^4\*(1 + n))) + ((b^2\*c + 3\*a^2\*d)\*  
\*(a + b\*x)^(2 + n))/(b^4\*(2 + n)) - (3\*a\*d\*(a + b\*x)^(3 + n))/(b^4\*(3 + n))  
+ (d\*(a + b\*x)^(4 + n))/(b^4\*(4 + n))

Rule 772

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int x(a + bx)^n (c + dx^2) dx &= \int \left( \frac{a(-b^2c - a^2d)(a + bx)^n}{b^3} + \frac{(b^2c + 3a^2d)(a + bx)^{1+n}}{b^3} - \frac{3ad(a + bx)^{2+n}}{b^3} + \frac{d(a + bx)^{3+n}}{b^3} \right) dx \\ &= -\frac{a(b^2c + a^2d)(a + bx)^{1+n}}{b^4(1+n)} + \frac{(b^2c + 3a^2d)(a + bx)^{2+n}}{b^4(2+n)} - \frac{3ad(a + bx)^{3+n}}{b^4(3+n)} + \frac{d(a + bx)^{4+n}}{b^4(4+n)} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 109, normalized size = 1.07

$$\frac{(a + bx)^{n+1} (-6a^3d + 6a^2bd(n+1)x - ab^2(c(n^2 + 7n + 12) + 3d(n^2 + 3n + 2)x^2) + b^3(n^2 + 4n + 3)x(c(n+4) + d(n+2)x^2))}{b^4(n+1)(n+2)(n+3)(n+4)}$$

Antiderivative was successfully verified.

[In] Integrate[x\*(a + b\*x)^n\*(c + d\*x^2),x]

[Out]  $((a + b*x)^{(1 + n)}*(-6*a^3*d + 6*a^2*b*d*(1 + n)*x + b^3*(3 + 4*n + n^2)*x*(c*(4 + n) + d*(2 + n)*x^2) - a*b^2*(c*(12 + 7*n + n^2) + 3*d*(2 + 3*n + n^2)*x^2))/(b^4*(1 + n)*(2 + n)*(3 + n)*(4 + n))$

**IntegrateAlgebraic** [F] time = 0.04, size = 0, normalized size = 0.00

$$\int x(a + bx)^n (c + dx^2) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x\*(a + b\*x)^n\*(c + d\*x^2),x]

[Out] Defer[IntegrateAlgebraic][x\*(a + b\*x)^n\*(c + d\*x^2), x]

**fricas** [B] time = 0.41, size = 250, normalized size = 2.45

$$\frac{(a^2 b^2 c n^2 + 7 a^2 b^2 c n + 12 a^2 b^2 c + 6 a^4 d - (b^4 d n^3 + 6 b^4 d n^2 + 11 b^4 d n + 6 b^4 d) x^4 - (a b^3 d n^3 + 3 a b^3 d n^2 + 2 a b^3 d n) x^3 - (b^4 c n^3 + 12 b^4 c + (8 b^4 c - 3 a^2 b^2 d) n^2 + (19 b^4 c - 3 a^2 b^2 d) n) x^2 - (a b^3 c n^3 + 7 a b^3 c n^2 + 6 (2 a b^3 c + a^2 b d) n) x) (b x + a)^n}{b^4 n^4 + 10 b^4 n^3 + 35 b^4 n^2 + 50 b^4 n + 24 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)^n\*(d\*x^2+c),x, algorithm="fricas")

[Out]  $-(a^2*b^2*c*n^2 + 7*a^2*b^2*c*n + 12*a^2*b^2*c + 6*a^4*d - (b^4*d*n^3 + 6*b^4*d*n^2 + 11*b^4*d*n + 6*b^4*d)*x^4 - (a*b^3*d*n^3 + 3*a*b^3*d*n^2 + 2*a*b^3*d*n)*x^3 - (b^4*c*n^3 + 12*b^4*c + (8*b^4*c - 3*a^2*b^2*d)*n^2 + (19*b^4*c - 3*a^2*b^2*d)*n)*x^2 - (a*b^3*c*n^3 + 7*a*b^3*c*n^2 + 6*(2*a*b^3*c + a^3*b*d)*n)*x)*(b*x + a)^n/(b^4*n^4 + 10*b^4*n^3 + 35*b^4*n^2 + 50*b^4*n + 24*b^4)$

**giac** [B] time = 0.19, size = 410, normalized size = 4.02

$$\frac{(b x + a)^n (d x^2 + c) (b^4 n^4 + 10 b^4 n^3 + 35 b^4 n^2 + 50 b^4 n + 24 b^4) - (a^2 b^2 c n^2 + 7 a^2 b^2 c n + 12 a^2 b^2 c + 6 a^4 d - (b^4 d n^3 + 6 b^4 d n^2 + 11 b^4 d n + 6 b^4 d) x^4 - (a b^3 d n^3 + 3 a b^3 d n^2 + 2 a b^3 d n) x^3 - (b^4 c n^3 + 12 b^4 c + (8 b^4 c - 3 a^2 b^2 d) n^2 + (19 b^4 c - 3 a^2 b^2 d) n) x^2 - (a b^3 c n^3 + 7 a b^3 c n^2 + 6 (2 a b^3 c + a^2 b d) n) x) (b x + a)^n}{b^4 n^4 + 10 b^4 n^3 + 35 b^4 n^2 + 50 b^4 n + 24 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)^n\*(d\*x^2+c),x, algorithm="giac")

[Out]  $((b*x + a)^n*b^4*d*n^3*x^4 + (b*x + a)^n*a*b^3*d*n^3*x^3 + 6*(b*x + a)^n*b^4*d*n^2*x^4 + (b*x + a)^n*b^4*c*n^3*x^2 + 3*(b*x + a)^n*a*b^3*d*n^2*x^3 + 11*(b*x + a)^n*b^4*d*n*x^4 + (b*x + a)^n*a*b^3*c*n^3*x + 8*(b*x + a)^n*b^4*c*n^2*x^2 - 3*(b*x + a)^n*a^2*b^2*d*n^2*x^2 + 2*(b*x + a)^n*a*b^3*d*n*x^3 + 6*(b*x + a)^n*b^4*d*x^4 + 7*(b*x + a)^n*a*b^3*c*n^2*x + 19*(b*x + a)^n*b^4*c*n*x^2 - 3*(b*x + a)^n*a^2*b^2*d*n*x^2 - (b*x + a)^n*a^2*b^2*c*n^2 + 12*(b*x + a)^n*a*b^3*c*n*x + 6*(b*x + a)^n*a^3*b*d*n*x + 12*(b*x + a)^n*b^4*c*x^2 - 7*(b*x + a)^n*a^2*b^2*c*n - 12*(b*x + a)^n*a^2*b^2*c - 6*(b*x + a)^n*a^4*d)/(b^4*n^4 + 10*b^4*n^3 + 35*b^4*n^2 + 50*b^4*n + 24*b^4)$

**maple [A]** time = 0.00, size = 195, normalized size = 1.91

$$\frac{(-b^3 d n^3 x^3 - 6b^3 d n^2 x^3 + 3a b^2 d n^2 x^2 - b^3 c n^3 x - 11b^3 d n x^3 + 9a b^2 d n x^2 - 8b^3 c n^2 x - 6d x^3 b^3 - 6a^2 b d n x + a b^2 c n^2 + 6a d x^2 b^2 - 19b^3 c n x - 6a^2 b d x + 7a b^2 c n - 12b^3 c x + 6a^3 d + 12a b^2 c)(b x + a)^{n+1}}{(n^4 + 10n^3 + 35n^2 + 50n + 24)b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(b\*x+a)^n\*(d\*x^2+c), x)

[Out]  $-(b*x+a)^{(n+1)}*(-b^3*d*n^3*x^3-6*b^3*d*n^2*x^3+3*a*b^2*d*n^2*x^2-b^3*c*n^3*x-11*b^3*d*n*x^3+9*a*b^2*d*n*x^2-8*b^3*c*n^2*x-6*b^3*d*x^3-6*a^2*b*d*n*x+a*b^2*c*n^2+6*a*b^2*d*x^2-19*b^3*c*n*x-6*a^2*b*d*x+7*a*b^2*c*n-12*b^3*c*x+6*a^3*d+12*a*b^2*c)/b^4/(n^4+10*n^3+35*n^2+50*n+24)$

**maxima [A]** time = 0.47, size = 146, normalized size = 1.43

$$\frac{(b^2(n+1)x^2 + abnx - a^2)(bx + a)^n c}{(n^2 + 3n + 2)b^2} + \frac{((n^3 + 6n^2 + 11n + 6)b^4 x^4 + (n^3 + 3n^2 + 2n)ab^3 x^3 - 3(n^2 + n)a^2 b^2 x^2 + 6a^3 b n x - 6a^4)(bx + a)^n d}{(n^4 + 10n^3 + 35n^2 + 50n + 24)b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)^n\*(d\*x^2+c), x, algorithm="maxima")

[Out]  $(b^2*(n+1)*x^2 + a*b*n*x - a^2)*(b*x + a)^n*c/((n^2 + 3*n + 2)*b^2) + ((n^3 + 6*n^2 + 11*n + 6)*b^4*x^4 + (n^3 + 3*n^2 + 2*n)*a*b^3*x^3 - 3*(n^2 + n)*a^2*b^2*x^2 + 6*a^3*b*n*x - 6*a^4)*(b*x + a)^n*d/((n^4 + 10*n^3 + 35*n^2 + 50*n + 24)*b^4)$

**mupad [B]** time = 2.70, size = 255, normalized size = 2.50

$$(a + b x)^n \left( \frac{d x^4 (n^3 + 6 n^2 + 11 n + 6)}{n^4 + 10 n^3 + 35 n^2 + 50 n + 24} - \frac{a^2 (6 d a^2 + c b^2 n^2 + 7 c b^2 n + 12 c b^2)}{b^4 (n^4 + 10 n^3 + 35 n^2 + 50 n + 24)} + \frac{x^2 (n + 1) (-3 d a^2 n + c b^2 n^2 + 7 c b^2 n + 12 c b^2)}{b^2 (n^4 + 10 n^3 + 35 n^2 + 50 n + 24)} + \frac{a n x (6 d a^2 + c b^2 n^2 + 7 c b^2 n + 12 c b^2)}{b^3 (n^4 + 10 n^3 + 35 n^2 + 50 n + 24)} + \frac{a d n x^3 (n^2 + 3 n + 2)}{b (n^4 + 10 n^3 + 35 n^2 + 50 n + 24)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(c + d\*x^2)\*(a + b\*x)^n, x)

[Out]  $(a + b*x)^n*((d*x^4*(11*n + 6*n^2 + n^3 + 6))/(50*n + 35*n^2 + 10*n^3 + n^4 + 24) - (a^2*(6*a^2*d + 12*b^2*c + b^2*c*n^2 + 7*b^2*c*n))/(b^4*(50*n + 35*n^2 + 10*n^3 + n^4 + 24)) + (x^2*(n + 1)*(12*b^2*c + b^2*c*n^2 - 3*a^2*d*n + 7*b^2*c*n))/(b^2*(50*n + 35*n^2 + 10*n^3 + n^4 + 24)) + (a*n*x*(6*a^2*d + 12*b^2*c + b^2*c*n^2 + 7*b^2*c*n))/(b^3*(50*n + 35*n^2 + 10*n^3 + n^4 + 24)) + (a*d*n*x^3*(3*n + n^2 + 2))/(b*(50*n + 35*n^2 + 10*n^3 + n^4 + 24)))$

**sympy [A]** time = 3.53, size = 2181, normalized size = 21.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)\*\*n\*(d\*x\*\*2+c),x)

[Out] Piecewise((a\*\*n\*(c\*x\*\*2/2 + d\*x\*\*4/4), Eq(b, 0)), (6\*a\*\*3\*d\*log(a/b + x)/(6\*a\*\*3\*b\*\*4 + 18\*a\*\*2\*b\*\*5\*x + 18\*a\*b\*\*6\*x\*\*2 + 6\*b\*\*7\*x\*\*3) + 11\*a\*\*3\*d/(6\*a\*\*3\*b\*\*4 + 18\*a\*\*2\*b\*\*5\*x + 18\*a\*b\*\*6\*x\*\*2 + 6\*b\*\*7\*x\*\*3) + 18\*a\*\*2\*b\*d\*x\*log(a/b + x)/(6\*a\*\*3\*b\*\*4 + 18\*a\*\*2\*b\*\*5\*x + 18\*a\*b\*\*6\*x\*\*2 + 6\*b\*\*7\*x\*\*3) + 27\*a\*\*2\*b\*d\*x/(6\*a\*\*3\*b\*\*4 + 18\*a\*\*2\*b\*\*5\*x + 18\*a\*b\*\*6\*x\*\*2 + 6\*b\*\*7\*x\*\*3) - a\*b\*\*2\*c/(6\*a\*\*3\*b\*\*4 + 18\*a\*\*2\*b\*\*5\*x + 18\*a\*b\*\*6\*x\*\*2 + 6\*b\*\*7\*x\*\*3) + 18\*a\*b\*\*2\*d\*x\*\*2\*log(a/b + x)/(6\*a\*\*3\*b\*\*4 + 18\*a\*\*2\*b\*\*5\*x + 18\*a\*b\*\*6\*x\*\*2 + 6\*b\*\*7\*x\*\*3) + 18\*a\*b\*\*2\*d\*x\*\*2/(6\*a\*\*3\*b\*\*4 + 18\*a\*\*2\*b\*\*5\*x + 18\*a\*b\*\*6\*x\*\*2 + 6\*b\*\*7\*x\*\*3) - 3\*b\*\*3\*c\*x/(6\*a\*\*3\*b\*\*4 + 18\*a\*\*2\*b\*\*5\*x + 18\*a\*b\*\*6\*x\*\*2 + 6\*b\*\*7\*x\*\*3) + 6\*b\*\*3\*d\*x\*\*3\*log(a/b + x)/(6\*a\*\*3\*b\*\*4 + 18\*a\*\*2\*b\*\*5\*x + 18\*a\*b\*\*6\*x\*\*2 + 6\*b\*\*7\*x\*\*3), Eq(n, -4)), (-6\*a\*\*3\*d\*log(a/b + x)/(2\*a\*\*2\*b\*\*4 + 4\*a\*b\*\*5\*x + 2\*b\*\*6\*x\*\*2) - 9\*a\*\*3\*d/(2\*a\*\*2\*b\*\*4 + 4\*a\*b\*\*5\*x + 2\*b\*\*6\*x\*\*2) - 12\*a\*\*2\*b\*d\*x\*log(a/b + x)/(2\*a\*\*2\*b\*\*4 + 4\*a\*b\*\*5\*x + 2\*b\*\*6\*x\*\*2) - 12\*a\*\*2\*b\*d\*x/(2\*a\*\*2\*b\*\*4 + 4\*a\*b\*\*5\*x + 2\*b\*\*6\*x\*\*2) - a\*b\*\*2\*c/(2\*a\*\*2\*b\*\*4 + 4\*a\*b\*\*5\*x + 2\*b\*\*6\*x\*\*2) - 6\*a\*b\*\*2\*d\*x\*\*2\*log(a/b + x)/(2\*a\*\*2\*b\*\*4 + 4\*a\*b\*\*5\*x + 2\*b\*\*6\*x\*\*2) - 2\*b\*\*3\*c\*x/(2\*a\*\*2\*b\*\*4 + 4\*a\*b\*\*5\*x + 2\*b\*\*6\*x\*\*2) + 2\*b\*\*3\*d\*x\*\*3/(2\*a\*\*2\*b\*\*4 + 4\*a\*b\*\*5\*x + 2\*b\*\*6\*x\*\*2), Eq(n, -3)), (6\*a\*\*3\*d\*log(a/b + x)/(2\*a\*b\*\*4 + 2\*b\*\*5\*x) + 6\*a\*\*3\*d/(2\*a\*b\*\*4 + 2\*b\*\*5\*x) + 6\*a\*\*2\*b\*d\*x\*log(a/b + x)/(2\*a\*b\*\*4 + 2\*b\*\*5\*x) + 2\*a\*b\*\*2\*c\*log(a/b + x)/(2\*a\*b\*\*4 + 2\*b\*\*5\*x) + 2\*a\*b\*\*2\*c/(2\*a\*b\*\*4 + 2\*b\*\*5\*x) - 3\*a\*b\*\*2\*d\*x\*\*2/(2\*a\*b\*\*4 + 2\*b\*\*5\*x) + 2\*b\*\*3\*c\*x\*log(a/b + x)/(2\*a\*b\*\*4 + 2\*b\*\*5\*x) + b\*\*3\*d\*x\*\*3/(2\*a\*b\*\*4 + 2\*b\*\*5\*x), Eq(n, -2)), (-a\*\*3\*d\*log(a/b + x)/b\*\*4 + a\*\*2\*d\*x/b\*\*3 - a\*c\*log(a/b + x)/b\*\*2 - a\*d\*x\*\*2/(2\*b\*\*2) + c\*x/b + d\*x\*\*3/(3\*b), Eq(n, -1)), (-6\*a\*\*4\*d\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) + 6\*a\*\*3\*b\*d\*n\*x\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) - a\*\*2\*b\*\*2\*c\*n\*\*2\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) - 7\*a\*\*2\*b\*\*2\*c\*n\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) - 12\*a\*\*2\*b\*\*2\*c\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) - 3\*a\*\*2\*b\*\*2\*d\*n\*\*2\*x\*\*2\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) - 3\*a\*\*2\*b\*\*2\*d\*n\*x\*\*2\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) + a\*b\*\*3\*c\*n\*\*3\*x\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) + 7\*a\*b\*\*3\*c\*n\*\*2\*x\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) + 12\*a\*b\*\*3\*c\*n\*x\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) + a\*b\*\*3\*d\*n\*\*3\*x\*\*3\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) + 3\*a\*b\*\*3\*d\*n\*\*2\*x\*\*3\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) + 2\*a\*b\*\*3\*d\*n\*x\*\*3\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) + b\*\*4\*c\*n\*\*3\*x\*\*2\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) + 8\*b\*\*4\*c\*n\*\*2\*x\*\*2\*(a + b\*x)\*\*n/(b\*\*4\*n\*\*4 + 10\*b\*\*4\*n\*\*3 + 35\*b\*\*4\*n\*\*2 + 50\*b\*\*4\*n + 24\*b\*\*4) + 19\*b\*\*4\*c



```

*n*x**2*(a + b*x)**n/(b**4*n**4 + 10*b**4*n**3 + 35*b**4*n**2 + 50*b**4*n +
  24*b**4) + 12*b**4*c*x**2*(a + b*x)**n/(b**4*n**4 + 10*b**4*n**3 + 35*b**4
*n**2 + 50*b**4*n + 24*b**4) + b**4*d*n**3*x**4*(a + b*x)**n/(b**4*n**4 + 1
0*b**4*n**3 + 35*b**4*n**2 + 50*b**4*n + 24*b**4) + 6*b**4*d*n**2*x**4*(a +
  b*x)**n/(b**4*n**4 + 10*b**4*n**3 + 35*b**4*n**2 + 50*b**4*n + 24*b**4) +
  11*b**4*d*n*x**4*(a + b*x)**n/(b**4*n**4 + 10*b**4*n**3 + 35*b**4*n**2 + 50
*b**4*n + 24*b**4) + 6*b**4*d*x**4*(a + b*x)**n/(b**4*n**4 + 10*b**4*n**3 +
  35*b**4*n**2 + 50*b**4*n + 24*b**4), True))

```

### 3.264 $\int (a + bx)^n (c + dx^2) dx$

**Optimal.** Leaf size=70

$$\frac{(a^2d + b^2c)(a + bx)^{n+1}}{b^3(n+1)} - \frac{2ad(a + bx)^{n+2}}{b^3(n+2)} + \frac{d(a + bx)^{n+3}}{b^3(n+3)}$$

**Rubi [A]** time = 0.03, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$ , Rules used = {697}

$$\frac{(a^2d + b^2c)(a + bx)^{n+1}}{b^3(n+1)} - \frac{2ad(a + bx)^{n+2}}{b^3(n+2)} + \frac{d(a + bx)^{n+3}}{b^3(n+3)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x)^n\*(c + d\*x^2), x]

[Out] ((b^2\*c + a^2\*d)\*(a + b\*x)^(1 + n))/(b^3\*(1 + n)) - (2\*a\*d\*(a + b\*x)^(2 + n))/(b^3\*(2 + n)) + (d\*(a + b\*x)^(3 + n))/(b^3\*(3 + n))

Rule 697

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int (a + bx)^n (c + dx^2) dx &= \int \left( \frac{(b^2c + a^2d)(a + bx)^n}{b^2} - \frac{2ad(a + bx)^{1+n}}{b^2} + \frac{d(a + bx)^{2+n}}{b^2} \right) dx \\ &= \frac{(b^2c + a^2d)(a + bx)^{1+n}}{b^3(1+n)} - \frac{2ad(a + bx)^{2+n}}{b^3(2+n)} + \frac{d(a + bx)^{3+n}}{b^3(3+n)} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 65, normalized size = 0.93

$$\frac{(a + bx)^{n+1} (2a^2d - 2abd(n+1)x + b^2(n+2)(c(n+3) + d(n+1)x^2))}{b^3(n+1)(n+2)(n+3)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x)^n\*(c + d\*x^2),x]

[Out] ((a + b\*x)^(1 + n)\*(2\*a^2\*d - 2\*a\*b\*d\*(1 + n)\*x + b^2\*(2 + n)\*(c\*(3 + n) + d\*(1 + n)\*x^2)))/(b^3\*(1 + n)\*(2 + n)\*(3 + n))

**IntegrateAlgebraic** [F] time = 0.04, size = 0, normalized size = 0.00

$$\int (a + bx)^n (c + dx^2) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b\*x)^n\*(c + d\*x^2),x]

[Out] Defer[IntegrateAlgebraic] [(a + b\*x)^n\*(c + d\*x^2), x]

**fricas** [B] time = 0.41, size = 148, normalized size = 2.11

$$\frac{(ab^2cn^2 + 5ab^2cn + 6ab^2c + 2a^3d + (b^3dn^2 + 3b^3dn + 2b^3d)x^3 + (ab^2dn^2 + ab^2dn)x^2 + (b^3cn^2 + 6b^3c + (5b^3c - 2a^2bd)n)x)(bx + a)^n}{b^3n^3 + 6b^3n^2 + 11b^3n + 6b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^n\*(d\*x^2+c),x, algorithm="fricas")

[Out] (a\*b^2\*c\*n^2 + 5\*a\*b^2\*c\*n + 6\*a\*b^2\*c + 2\*a^3\*d + (b^3\*d\*n^2 + 3\*b^3\*d\*n + 2\*b^3\*d)\*x^3 + (a\*b^2\*d\*n^2 + a\*b^2\*d\*n)\*x^2 + (b^3\*c\*n^2 + 6\*b^3\*c + (5\*b^3\*c - 2\*a^2\*b\*d)\*n)\*x)\*(b\*x + a)^n/(b^3\*n^3 + 6\*b^3\*n^2 + 11\*b^3\*n + 6\*b^3)

**giac** [B] time = 0.16, size = 237, normalized size = 3.39

$$\frac{(bx + a)^n b^3 d n^2 x^3 + (bx + a)^n ab^2 d n^2 x^2 + 3(bx + a)^n b^3 d n x + (bx + a)^n a^3 d + (bx + a)^n b^3 c n^2 + 5(bx + a)^n ab^2 c n + 6(bx + a)^n b^3 c x + 6(bx + a)^n ab^2 c + 2(bx + a)^n a^2 d}{b^3 n^3 + 6 b^3 n^2 + 11 b^3 n + 6 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^n\*(d\*x^2+c),x, algorithm="giac")

[Out] ((b\*x + a)^n\*b^3\*d\*n^2\*x^3 + (b\*x + a)^n\*a\*b^2\*d\*n^2\*x^2 + 3\*(b\*x + a)^n\*b^3\*d\*n\*x + (b\*x + a)^n\*b^3\*c\*n^2\*x + (b\*x + a)^n\*a\*b^2\*d\*n\*x^2 + 2\*(b\*x + a)^n\*b^3\*d\*x^3 + (b\*x + a)^n\*a\*b^2\*c\*n^2 + 5\*(b\*x + a)^n\*b^3\*c\*n\*x - 2\*(b\*x + a)^n\*a^2\*b\*d\*n\*x + 5\*(b\*x + a)^n\*a\*b^2\*c\*n + 6\*(b\*x + a)^n\*b^3\*c\*x + 6\*(b\*x + a)^n\*a\*b^2\*c + 2\*(b\*x + a)^n\*a^3\*d)/(b^3\*n^3 + 6\*b^3\*n^2 + 11\*b^3\*n + 6\*b^3)

**maple** [A] time = 0.00, size = 100, normalized size = 1.43

$$\frac{(b^2 d n^2 x^2 + 3 b^2 d n x^2 - 2 a b d n x + b^2 c n^2 + 2 d x^2 b^2 - 2 a d x b + 5 b^2 c n + 2 a^2 d + 6 b^2 c)(b x + a)^{n+1}}{(n^3 + 6 n^2 + 11 n + 6) b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x+a)^n*(d*x^2+c), x)`

[Out]  $(b*x+a)^{(n+1)}*(b^2*d*n^2*x^2+3*b^2*d*n*x^2-2*a*b*d*n*x+b^2*c*n^2+2*b^2*d*x^2-2*a*b*d*x+5*b^2*c*n+2*a^2*d+6*b^2*c)/b^3/(n^3+6*n^2+11*n+6)$

**maxima** [A] time = 0.46, size = 89, normalized size = 1.27

$$\frac{(bx+a)^{n+1}c}{b(n+1)} + \frac{\left(\left(n^2+3n+2\right)b^3x^3 + \left(n^2+n\right)ab^2x^2 - 2a^2bnx + 2a^3\right)(bx+a)^nd}{\left(n^3+6n^2+11n+6\right)b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)^n*(d*x^2+c), x, algorithm="maxima")`

[Out]  $(b*x+a)^{(n+1)}*c/(b*(n+1)) + ((n^2+3*n+2)*b^3*x^3 + (n^2+n)*a*b^2*x^2 - 2*a^2*b*n*x + 2*a^3)*(b*x+a)^n*d/((n^3+6*n^2+11*n+6)*b^3)$

**mupad** [B] time = 2.63, size = 163, normalized size = 2.33

$$(a+bx)^n \left( \frac{dx^3(n^2+3n+2)}{n^3+6n^2+11n+6} + \frac{x(-2da^2bn+cb^3n^2+5cb^3n+6cb^3)}{b^3(n^3+6n^2+11n+6)} + \frac{a(2da^2+cb^2n^2+5cb^2n+6cb^2)}{b^3(n^3+6n^2+11n+6)} + \frac{adnx^2(n+1)}{b(n^3+6n^2+11n+6)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c+d*x^2)*(a+b*x)^n, x)`

[Out]  $(a+b*x)^n*((d*x^3*(3*n+n^2+2))/(11*n+6*n^2+n^3+6) + (x*(6*b^3*c+b^3*c*n^2+5*b^3*c*n-2*a^2*b*d*n))/(b^3*(11*n+6*n^2+n^3+6)) + (a*(2*a^2*d+6*b^2*c+b^2*c*n^2+5*b^2*c*n))/(b^3*(11*n+6*n^2+n^3+6))) + (a*d*n*x^2*(n+1))/(b*(11*n+6*n^2+n^3+6))$

**sympy** [A] time = 2.07, size = 952, normalized size = 13.60

$$\begin{cases} a^n \left( cx + \frac{dx^2}{2} \right) & \text{for } b = 0 \\ \frac{2a^2d \log\left(\frac{a+bx}{a}\right)}{2a^2d+4ab^2+2b^3} + \frac{3a^2c}{2a^2d+4ab^2+2b^3} + \frac{4ab^2c \log\left(\frac{a+bx}{a}\right)}{2a^2d+4ab^2+2b^3} + \frac{4ab^2c}{2a^2d+4ab^2+2b^3} - \frac{b^2c}{2a^2d+4ab^2+2b^3} + \frac{2b^2d^2 \log\left(\frac{a+bx}{a}\right)}{2a^2d+4ab^2+2b^3} & \text{for } n = -3 \\ \frac{2a^2d \log\left(\frac{a+bx}{a}\right)}{a^2d+b^2} - \frac{2a^2c}{a^2d+b^2} - \frac{2ab^2c \log\left(\frac{a+bx}{a}\right)}{a^2d+b^2} - \frac{b^2c}{a^2d+b^2} - \frac{b^2d^2}{a^2d+b^2} & \text{for } n = -2 \\ \frac{2a^2d \log\left(\frac{a+bx}{a}\right)}{a^2} - \frac{2a^2c}{a^2} + \frac{2ab^2c \log\left(\frac{a+bx}{a}\right)}{a^2} + \frac{b^2c}{a^2} - \frac{b^2d^2}{a^2} & \text{for } n = -1 \\ \frac{2a^2d \log(a+bx)^n}{(b^2d+4ab^2+11b^3+6b^4)^{n+1}} + \frac{2a^2c \log(a+bx)^n}{(b^2d+4ab^2+11b^3+6b^4)^{n+1}} + \frac{a^2d^2 \log(a+bx)^n}{(b^2d+4ab^2+11b^3+6b^4)^{n+1}} + \frac{5b^2c \log(a+bx)^n}{(b^2d+4ab^2+11b^3+6b^4)^{n+1}} + \frac{6b^2c \log(a+bx)^n}{(b^2d+4ab^2+11b^3+6b^4)^{n+1}} + \frac{b^2d^2 \log(a+bx)^n}{(b^2d+4ab^2+11b^3+6b^4)^{n+1}} + \frac{3b^3 \log(a+bx)^n}{(b^2d+4ab^2+11b^3+6b^4)^{n+1}} + \frac{2b^2d^2 \log(a+bx)^n}{(b^2d+4ab^2+11b^3+6b^4)^{n+1}} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)**n*(d*x**2+c), x)`

[Out] `Piecewise((a**n*(c*x+d*x**3/3), Eq(b, 0)), (2*a**2*d*log(a/b+x)/(2*a**2*b**3+4*a*b**4*x+2*b**5*x**2)+3*a**2*d/(2*a**2*b**3+4*a*b**4*x+2*b**5*x**2)+4*a*b*d*x*log(a/b+x)/(2*a**2*b**3+4*a*b**4*x+2*b**5*x**2)+4*a*b*d*x/(2*a**2*b**3+4*a*b**4*x+2*b**5*x**2)-b**2*c/(2*a**2*b**3+4*a*b**4*x+2*b**5*x**2)), True)`

```

3 + 4*a*b**4*x + 2*b**5*x**2) + 2*b**2*d*x**2*log(a/b + x)/(2*a**2*b**3 + 4
*a*b**4*x + 2*b**5*x**2), Eq(n, -3)), (-2*a**2*d*log(a/b + x)/(a*b**3 + b**
4*x) - 2*a**2*d/(a*b**3 + b**4*x) - 2*a*b*d*x*log(a/b + x)/(a*b**3 + b**4*x
) - b**2*c/(a*b**3 + b**4*x) + b**2*d*x**2/(a*b**3 + b**4*x), Eq(n, -2)), (
a**2*d*log(a/b + x)/b**3 - a*d*x/b**2 + c*log(a/b + x)/b + d*x**2/(2*b), Eq
(n, -1)), (2*a**3*d*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 + 11*b**3*n + 6*b
**3) - 2*a**2*b*d*n*x*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 + 11*b**3*n + 6
*b**3) + a*b**2*c*n**2*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 + 11*b**3*n +
6*b**3) + 5*a*b**2*c*n*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 + 11*b**3*n +
6*b**3) + 6*a*b**2*c*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 + 11*b**3*n + 6*
b**3) + a*b**2*d*n**2*x**2*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 + 11*b**3*
n + 6*b**3) + a*b**2*d*n*x**2*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 + 11*b*
**3*n + 6*b**3) + b**3*c*n**2*x*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 + 11*b
**3*n + 6*b**3) + 5*b**3*c*n*x*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 + 11*b
**3*n + 6*b**3) + 6*b**3*c*x*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 + 11*b**
3*n + 6*b**3) + b**3*d*n**2*x**3*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 + 11
*b**3*n + 6*b**3) + 3*b**3*d*n*x**3*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2 +
11*b**3*n + 6*b**3) + 2*b**3*d*x**3*(a + b*x)**n/(b**3*n**3 + 6*b**3*n**2
+ 11*b**3*n + 6*b**3), True))

```

$$3.265 \quad \int x^2(a + bx)^n (c + dx^2)^2 dx$$

**Optimal.** Leaf size=232

$$\frac{a^2 (a^2d + b^2c)^2 (a + bx)^{n+1}}{b^7(n+1)} - \frac{2a (a^2d + b^2c) (3a^2d + b^2c) (a + bx)^{n+2}}{b^7(n+2)} - \frac{4ad (5a^2d + 2b^2c) (a + bx)^{n+4}}{b^7(n+4)} + \frac{d (15a^2d + b^2c)^2 (a + bx)^{n+6}}{b^7(n+6)}$$

**Rubi [A]** time = 0.14, antiderivative size = 232, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$ , Rules used = {948}

$$\frac{(12a^2b^2cd + 15a^4d^2 + b^4c^2)(a + bx)^{n+3}}{b^7(n+3)} + \frac{a^2(a^2d + b^2c)^2(a + bx)^{n+1}}{b^7(n+1)} - \frac{2a(a^2d + b^2c)(3a^2d + b^2c)(a + bx)^{n+2}}{b^7(n+2)} - \frac{4ad(5a^2d + 2b^2c)(a + bx)^{n+4}}{b^7(n+4)} + \frac{d(15a^2d + 2b^2c)(a + bx)^{n+6}}{b^7(n+6)} - \frac{6ad^2(a + bx)^{n+6}}{b^7(n+6)} + \frac{d^2(a + bx)^{n+7}}{b^7(n+7)}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(a + b\*x)^n\*(c + d\*x^2)^2,x]

[Out] (a^2\*(b^2\*c + a^2\*d)^2\*(a + b\*x)^(1 + n))/(b^7\*(1 + n)) - (2\*a\*(b^2\*c + a^2\*d)\*(b^2\*c + 3\*a^2\*d)\*(a + b\*x)^(2 + n))/(b^7\*(2 + n)) + ((b^4\*c^2 + 12\*a^2\*b^2\*c\*d + 15\*a^4\*d^2)\*(a + b\*x)^(3 + n))/(b^7\*(3 + n)) - (4\*a\*d\*(2\*b^2\*c + 5\*a^2\*d)\*(a + b\*x)^(4 + n))/(b^7\*(4 + n)) + (d\*(2\*b^2\*c + 15\*a^2\*d)\*(a + b\*x)^(5 + n))/(b^7\*(5 + n)) - (6\*a\*d^2\*(a + b\*x)^(6 + n))/(b^7\*(6 + n)) + (d^2\*(a + b\*x)^(7 + n))/(b^7\*(7 + n))

**Rule 948**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0] && (IGtQ[m, 0] || (EqQ[m, -2] && EqQ[p, 1] && EqQ[d, 0]))

**Rubi steps**

$$\int x^2(a + bx)^n (c + dx^2)^2 dx = \int \left( \frac{(ab^2c + a^3d)^2 (a + bx)^n}{b^6} + \frac{2a(-b^2c - 3a^2d)(b^2c + a^2d)(a + bx)^{1+n}}{b^6} + \frac{(b^4c^2 + 12a^2b^2cd + 15a^4d^2)(a + bx)^{3+n}}{b^6} - \frac{4ad(2b^2c + 5a^2d)(a + bx)^{4+n}}{b^6} + \frac{d(2b^2c + 15a^2d)(a + bx)^{5+n}}{b^6} - \frac{6ad^2(a + bx)^{6+n}}{b^6} + \frac{d^2(a + bx)^{7+n}}{b^6} \right) dx$$

$$= \frac{a^2(b^2c + a^2d)^2(a + bx)^{1+n}}{b^7(1+n)} - \frac{2a(b^2c + a^2d)(b^2c + 3a^2d)(a + bx)^{2+n}}{b^7(2+n)} + \frac{(b^4c^2 + 12a^2b^2cd + 15a^4d^2)(a + bx)^{3+n}}{b^7(3+n)} - \frac{4ad(2b^2c + 5a^2d)(a + bx)^{4+n}}{b^7(4+n)} + \frac{d(2b^2c + 15a^2d)(a + bx)^{5+n}}{b^7(5+n)} - \frac{6ad^2(a + bx)^{6+n}}{b^7(6+n)} + \frac{d^2(a + bx)^{7+n}}{b^7(7+n)}$$

**Mathematica [A]** time = 0.18, size = 199, normalized size = 0.86

$$(a + bx)^{n+1} \left( \frac{(a^3d + ab^2c)^2}{n+1} + \frac{d(a+bx)^4(15a^2d + 2b^2c)}{n+5} - \frac{4ad(a+bx)^3(5a^2d + 2b^2c)}{n+4} - \frac{2a(a+bx)(a^2d + b^2c)(3a^2d + b^2c)}{n+2} + \frac{(a+bx)^2(15a^4d^2 + 12a^2b^2cd + b^4c^2)}{n+3} + \frac{d^2(a+bx)^6}{n+7} - \frac{6ad^2(a+bx)^5}{n+6} \right) \frac{1}{b^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(a + b\*x)^n\*(c + d\*x^2)^2,x]

[Out] ((a + b\*x)^(1 + n)\*((a\*b^2\*c + a^3\*d)^(2/(1 + n)) - (2\*a\*(b^2\*c + a^2\*d)\*(b^2\*c + 3\*a^2\*d)\*(a + b\*x))/(2 + n) + ((b^4\*c^2 + 12\*a^2\*b^2\*c\*d + 15\*a^4\*d^2)\*(a + b\*x)^2)/(3 + n) - (4\*a\*d\*(2\*b^2\*c + 5\*a^2\*d)\*(a + b\*x)^3)/(4 + n) + (d\*(2\*b^2\*c + 15\*a^2\*d)\*(a + b\*x)^4)/(5 + n) - (6\*a\*d^2\*(a + b\*x)^5)/(6 + n) + (d^2\*(a + b\*x)^6)/(7 + n))/b^7

**IntegrateAlgebraic [F]** time = 0.07, size = 0, normalized size = 0.00

$$\int x^2(a + bx)^n (c + dx^2)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2\*(a + b\*x)^n\*(c + d\*x^2)^2,x]

[Out] Defer[IntegrateAlgebraic][x^2\*(a + b\*x)^n\*(c + d\*x^2)^2, x]

**fricas [B]** time = 0.43, size = 1027, normalized size = 4.43

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(b\*x+a)^n\*(d\*x^2+c)^2,x, algorithm="fricas")

[Out] (2\*a^3\*b^4\*c^2\*n^4 + 44\*a^3\*b^4\*c^2\*n^3 + 1680\*a^3\*b^4\*c^2 + 2016\*a^5\*b^2\*c\*d + 720\*a^7\*d^2 + (b^7\*d^2\*n^6 + 21\*b^7\*d^2\*n^5 + 175\*b^7\*d^2\*n^4 + 735\*b^7\*d^2\*n^3 + 1624\*b^7\*d^2\*n^2 + 1764\*b^7\*d^2\*n + 720\*b^7\*d^2)\*x^7 + (a\*b^6\*d^2\*n^6 + 15\*a\*b^6\*d^2\*n^5 + 85\*a\*b^6\*d^2\*n^4 + 225\*a\*b^6\*d^2\*n^3 + 274\*a\*b^6\*d^2\*n^2 + 120\*a\*b^6\*d^2\*n)\*x^6 + 2\*(b^7\*c\*d\*n^6 + 1008\*b^7\*c\*d + (23\*b^7\*c\*d - 3\*a^2\*b^5\*d^2)\*n^5 + 3\*(69\*b^7\*c\*d - 10\*a^2\*b^5\*d^2)\*n^4 + 5\*(185\*b^7\*c\*d - 21\*a^2\*b^5\*d^2)\*n^3 + 2\*(1072\*b^7\*c\*d - 75\*a^2\*b^5\*d^2)\*n^2 + 36\*(67\*b^7\*c\*d - 2\*a^2\*b^5\*d^2)\*n)\*x^5 + 2\*(a\*b^6\*c\*d\*n^6 + 19\*a\*b^6\*c\*d\*n^5 + (131\*a\*b^6\*c\*d + 15\*a^3\*b^4\*d^2)\*n^4 + (401\*a\*b^6\*c\*d + 90\*a^3\*b^4\*d^2)\*n^3 + 15\*(36\*a\*b^6\*c\*d + 11\*a^3\*b^4\*d^2)\*n^2 + 18\*(14\*a\*b^6\*c\*d + 5\*a^3\*b^4\*d^2)\*n)\*x^4 + (b^7\*c^2\*n^6 + 1680\*b^7\*c^2 + (25\*b^7\*c^2 - 8\*a^2\*b^5\*c\*d)\*n^5 + (247\*b^7\*c^2 - 128\*a^2\*b^5\*c\*d)\*n^4 + (1219\*b^7\*c^2 - 664\*a^2\*b^5\*c\*d - 120\*a^4\*b^3\*d^2)\*n^3 + 8\*(389\*b^7\*c^2 - 152\*a^2\*b^5\*c\*d - 45\*a^4\*b^3\*d^2)\*n^2

$$\begin{aligned}
& + 4*(949*b^7*c^2 - 168*a^2*b^5*c*d - 60*a^4*b^3*d^2)*n)*x^3 + 2*(179*a^3*b^4*c^2 + 24*a^5*b^2*c*d)*n^2 + (a*b^6*c^2*n^6 + 23*a*b^6*c^2*n^5 + 3*(67*a*b^6*c^2 + 8*a^3*b^4*c*d)*n^4 + (817*a*b^6*c^2 + 336*a^3*b^4*c*d)*n^3 + 2*(73*9*a*b^6*c^2 + 660*a^3*b^4*c*d + 180*a^5*b^2*d^2)*n^2 + 24*(35*a*b^6*c^2 + 4*2*a^3*b^4*c*d + 15*a^5*b^2*d^2)*n)*x^2 + 4*(319*a^3*b^4*c^2 + 156*a^5*b^2*c*d)*n - 2*(a^2*b^5*c^2*n^5 + 22*a^2*b^5*c^2*n^4 + (179*a^2*b^5*c^2 + 24*a^4*b^3*c*d)*n^3 + 2*(319*a^2*b^5*c^2 + 156*a^4*b^3*c*d)*n^2 + 24*(35*a^2*b^5*c^2 + 42*a^4*b^3*c*d + 15*a^6*b*d^2)*n)*x)*(b*x + a)^n/(b^7*n^7 + 28*b^7*n^6 + 322*b^7*n^5 + 1960*b^7*n^4 + 6769*b^7*n^3 + 13132*b^7*n^2 + 13068*b^7*n + 5040*b^7)
\end{aligned}$$

**giac [B]** time = 0.22, size = 1750, normalized size = 7.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(b\*x+a)^n\*(d\*x^2+c)^2,x, algorithm="giac")

[Out] ((b\*x + a)^n\*b^7\*d^2\*n^6\*x^7 + (b\*x + a)^n\*a\*b^6\*d^2\*n^6\*x^6 + 21\*(b\*x + a)^n\*b^7\*d^2\*n^5\*x^7 + 2\*(b\*x + a)^n\*b^7\*c\*d\*n^6\*x^5 + 15\*(b\*x + a)^n\*a\*b^6\*d^2\*n^5\*x^6 + 175\*(b\*x + a)^n\*b^7\*d^2\*n^4\*x^7 + 2\*(b\*x + a)^n\*a\*b^6\*c\*d\*n^6\*x^4 + 46\*(b\*x + a)^n\*b^7\*c\*d\*n^5\*x^5 - 6\*(b\*x + a)^n\*a^2\*b^5\*d^2\*n^5\*x^5 + 85\*(b\*x + a)^n\*a\*b^6\*d^2\*n^4\*x^6 + 735\*(b\*x + a)^n\*b^7\*d^2\*n^3\*x^7 + (b\*x + a)^n\*b^7\*c^2\*n^6\*x^3 + 38\*(b\*x + a)^n\*a\*b^6\*c\*d\*n^5\*x^4 + 414\*(b\*x + a)^n\*b^7\*c\*d\*n^4\*x^5 - 60\*(b\*x + a)^n\*a^2\*b^5\*d^2\*n^4\*x^5 + 225\*(b\*x + a)^n\*a\*b^6\*d^2\*n^3\*x^6 + 1624\*(b\*x + a)^n\*b^7\*d^2\*n^2\*x^7 + (b\*x + a)^n\*a\*b^6\*c^2\*n^6\*x^2 + 25\*(b\*x + a)^n\*b^7\*c^2\*n^5\*x^3 - 8\*(b\*x + a)^n\*a^2\*b^5\*c\*d\*n^5\*x^3 + 262\*(b\*x + a)^n\*a\*b^6\*c\*d\*n^4\*x^4 + 30\*(b\*x + a)^n\*a^3\*b^4\*d^2\*n^4\*x^4 + 1850\*(b\*x + a)^n\*b^7\*c\*d\*n^3\*x^5 - 210\*(b\*x + a)^n\*a^2\*b^5\*d^2\*n^3\*x^5 + 27\*4\*(b\*x + a)^n\*a\*b^6\*d^2\*n^2\*x^6 + 1764\*(b\*x + a)^n\*b^7\*d^2\*n\*x^7 + 23\*(b\*x + a)^n\*a\*b^6\*c^2\*n^5\*x^2 + 247\*(b\*x + a)^n\*b^7\*c^2\*n^4\*x^3 - 128\*(b\*x + a)^n\*a^2\*b^5\*c\*d\*n^4\*x^3 + 802\*(b\*x + a)^n\*a\*b^6\*c\*d\*n^3\*x^4 + 180\*(b\*x + a)^n\*a^3\*b^4\*d^2\*n^3\*x^4 + 4288\*(b\*x + a)^n\*b^7\*c\*d\*n^2\*x^5 - 300\*(b\*x + a)^n\*a^2\*b^5\*d^2\*n^2\*x^5 + 120\*(b\*x + a)^n\*a\*b^6\*d^2\*n\*x^6 + 720\*(b\*x + a)^n\*b^7\*d^2\*x^7 - 2\*(b\*x + a)^n\*a^2\*b^5\*c^2\*n^5\*x + 201\*(b\*x + a)^n\*a\*b^6\*c^2\*n^4\*x^2 + 24\*(b\*x + a)^n\*a^3\*b^4\*c\*d\*n^4\*x^2 + 1219\*(b\*x + a)^n\*b^7\*c^2\*n^3\*x^3 - 664\*(b\*x + a)^n\*a^2\*b^5\*c\*d\*n^3\*x^3 - 120\*(b\*x + a)^n\*a^4\*b^3\*d^2\*n^3\*x^3 + 1080\*(b\*x + a)^n\*a\*b^6\*c\*d\*n^2\*x^4 + 330\*(b\*x + a)^n\*a^3\*b^4\*d^2\*n^2\*x^4 + 4824\*(b\*x + a)^n\*b^7\*c\*d\*n\*x^5 - 144\*(b\*x + a)^n\*a^2\*b^5\*d^2\*n\*x^5 - 44\*(b\*x + a)^n\*a^2\*b^5\*c^2\*n^4\*x + 817\*(b\*x + a)^n\*a\*b^6\*c^2\*n^3\*x^2 + 336\*(b\*x + a)^n\*a^3\*b^4\*c\*d\*n^3\*x^2 + 3112\*(b\*x + a)^n\*b^7\*c^2\*n^2\*x^3 - 1216\*(b\*x + a)^n\*a^2\*b^5\*c\*d\*n^2\*x^3 - 360\*(b\*x + a)^n\*a^4\*b^3\*d^2\*n^2\*x^3 + 504\*(b\*x + a)^n\*a\*b^6\*c\*d\*n\*x^4 + 180\*(b\*x + a)^n\*a^3\*b^4\*d^2\*n\*x^4 + 2016\*(b\*x + a)^n\*b^7\*c\*d\*x^5 + 2\*(b\*x + a)^n\*a^3\*b^4\*c^2\*n^4 - 358\*(b\*x + a)^n\*a^2\*b^5\*c^2\*n^3\*x - 48\*(b\*x + a)^n\*a^4\*b^3\*c\*d\*n^3\*x + 1478\*(b\*x + a)^n\*a\*b^6\*c^2\*n



$$\begin{aligned} & 2*x^2 + 1320*(b*x + a)^n*a^3*b^4*c*d*n^2*x^2 + 360*(b*x + a)^n*a^5*b^2*d^2 \\ & *n^2*x^2 + 3796*(b*x + a)^n*b^7*c^2*n*x^3 - 672*(b*x + a)^n*a^2*b^5*c*d*n*x \\ & ^3 - 240*(b*x + a)^n*a^4*b^3*d^2*n*x^3 + 44*(b*x + a)^n*a^3*b^4*c^2*n^3 - 1 \\ & 276*(b*x + a)^n*a^2*b^5*c^2*n^2*x - 624*(b*x + a)^n*a^4*b^3*c*d*n^2*x + 840 \\ & *(b*x + a)^n*a*b^6*c^2*n*x^2 + 1008*(b*x + a)^n*a^3*b^4*c*d*n*x^2 + 360*(b* \\ & x + a)^n*a^5*b^2*d^2*n*x^2 + 1680*(b*x + a)^n*b^7*c^2*x^3 + 358*(b*x + a)^n \\ & *a^3*b^4*c^2*n^2 + 48*(b*x + a)^n*a^5*b^2*c*d*n^2 - 1680*(b*x + a)^n*a^2*b^ \\ & 5*c^2*n*x - 2016*(b*x + a)^n*a^4*b^3*c*d*n*x - 720*(b*x + a)^n*a^6*b*d^2*n* \\ & x + 1276*(b*x + a)^n*a^3*b^4*c^2*n + 624*(b*x + a)^n*a^5*b^2*c*d*n + 1680*( \\ & b*x + a)^n*a^3*b^4*c^2 + 2016*(b*x + a)^n*a^5*b^2*c*d + 720*(b*x + a)^n*a^7 \\ & *d^2)/(b^7*n^7 + 28*b^7*n^6 + 322*b^7*n^5 + 1960*b^7*n^4 + 6769*b^7*n^3 + 1 \\ & 3132*b^7*n^2 + 13068*b^7*n + 5040*b^7) \end{aligned}$$

**maple [B]** time = 0.02, size = 1000, normalized size = 4.31

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(b*x+a)^n*(d*x^2+c)^2, x)$

[Out]  $(b*x+a)^{(n+1)}*(b^6*d^2*n^6*x^6+21*b^6*d^2*n^5*x^6-6*a*b^5*d^2*n^5*x^5+2*b^6$   
 $*c*d*n^6*x^4+175*b^6*d^2*n^4*x^6-90*a*b^5*d^2*n^4*x^5+46*b^6*c*d*n^5*x^4+73$   
 $5*b^6*d^2*n^3*x^6+30*a^2*b^4*d^2*n^4*x^4-8*a*b^5*c*d*n^5*x^3-510*a*b^5*d^2*$   
 $n^3*x^5+b^6*c^2*n^6*x^2+414*b^6*c*d*n^4*x^4+1624*b^6*d^2*n^2*x^6+300*a^2*b^$   
 $4*d^2*n^3*x^4-152*a*b^5*c*d*n^4*x^3-1350*a*b^5*d^2*n^2*x^5+25*b^6*c^2*n^5*x$   
 $^2+1850*b^6*c*d*n^3*x^4+1764*b^6*d^2*n*x^6-120*a^3*b^3*d^2*n^3*x^3+24*a^2*b$   
 $^4*c*d*n^4*x^2+1050*a^2*b^4*d^2*n^2*x^4-2*a*b^5*c^2*n^5*x-1048*a*b^5*c*d*n^$   
 $3*x^3-1644*a*b^5*d^2*n*x^5+247*b^6*c^2*n^4*x^2+4288*b^6*c*d*n^2*x^4+720*b^6$   
 $*d^2*x^6-720*a^3*b^3*d^2*n^2*x^3+384*a^2*b^4*c*d*n^3*x^2+1500*a^2*b^4*d^2*n$   
 $*x^4-46*a*b^5*c^2*n^4*x-3208*a*b^5*c*d*n^2*x^3-720*a*b^5*d^2*x^5+1219*b^6*c$   
 $^2*n^3*x^2+4824*b^6*c*d*n*x^4+360*a^4*b^2*d^2*n^2*x^2-48*a^3*b^3*c*d*n^3*x-$   
 $1320*a^3*b^3*d^2*n*x^3+2*a^2*b^4*c^2*n^4+1992*a^2*b^4*c*d*n^2*x^2+720*a^2*b$   
 $^4*d^2*x^4-402*a*b^5*c^2*n^3*x-4320*a*b^5*c*d*n*x^3+3112*b^6*c^2*n^2*x^2+20$   
 $16*b^6*c*d*x^4+1080*a^4*b^2*d^2*n*x^2-672*a^3*b^3*c*d*n^2*x-720*a^3*b^3*d^2$   
 $*x^3+44*a^2*b^4*c^2*n^3+3648*a^2*b^4*c*d*n*x^2-1634*a*b^5*c^2*n^2*x-2016*a*$   
 $b^5*c*d*x^3+3796*b^6*c^2*n*x^2-720*a^5*b*d^2*n*x+48*a^4*b^2*c*d*n^2+720*a^4$   
 $*b^2*d^2*x^2-2640*a^3*b^3*c*d*n*x+358*a^2*b^4*c^2*n^2+2016*a^2*b^4*c*d*x^2-$   
 $2956*a*b^5*c^2*n*x+1680*b^6*c^2*x^2-720*a^5*b*d^2*x+624*a^4*b^2*c*d*n-2016*$   
 $a^3*b^3*c*d*x+1276*a^2*b^4*c^2*n-1680*a*b^5*c^2*x+720*a^6*d^2+2016*a^4*b^2*$   
 $c*d+1680*a^2*b^4*c^2)/b^7/(n^7+28*n^6+322*n^5+1960*n^4+6769*n^3+13132*n^2+1$   
 $3068*n+5040)$

**maxima [A]** time = 0.50, size = 447, normalized size = 1.93

$(b^7*x^7 + 28*b^7*x^6 + 322*b^7*x^5 + 1960*b^7*x^4 + 6769*b^7*x^3 + 13132*b^7*x^2 + 13068*b^7*x + 5040*b^7)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(b\*x+a)^n\*(d\*x^2+c)^2,x, algorithm="maxima")

[Out]  $((n^2 + 3n + 2)*b^3*x^3 + (n^2 + n)*a*b^2*x^2 - 2*a^2*b*n*x + 2*a^3)*(b*x + a)^n*c^2/((n^3 + 6*n^2 + 11*n + 6)*b^3) + 2*((n^4 + 10*n^3 + 35*n^2 + 50*n + 24)*b^5*x^5 + (n^4 + 6*n^3 + 11*n^2 + 6*n)*a*b^4*x^4 - 4*(n^3 + 3*n^2 + 2*n)*a^2*b^3*x^3 + 12*(n^2 + n)*a^3*b^2*x^2 - 24*a^4*b*n*x + 24*a^5)*(b*x + a)^n*c*d/((n^5 + 15*n^4 + 85*n^3 + 225*n^2 + 274*n + 120)*b^5) + ((n^6 + 21*n^5 + 175*n^4 + 735*n^3 + 1624*n^2 + 1764*n + 720)*b^7*x^7 + (n^6 + 15*n^5 + 85*n^4 + 225*n^3 + 274*n^2 + 120*n)*a*b^6*x^6 - 6*(n^5 + 10*n^4 + 35*n^3 + 50*n^2 + 24*n)*a^2*b^5*x^5 + 30*(n^4 + 6*n^3 + 11*n^2 + 6*n)*a^3*b^4*x^4 - 120*(n^3 + 3*n^2 + 2*n)*a^4*b^3*x^3 + 360*(n^2 + n)*a^5*b^2*x^2 - 720*a^6*b*n*x + 720*a^7)*(b*x + a)^n*d^2/((n^7 + 28*n^6 + 322*n^5 + 1960*n^4 + 6769*n^3 + 13132*n^2 + 13068*n + 5040)*b^7)$

mupad [B] time = 3.12, size = 932, normalized size = 4.02

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(c + d\*x^2)^2\*(a + b\*x)^n,x)

[Out]  $(2*a^3*(a + b*x)^n*(360*a^4*d^2 + 840*b^4*c^2 + 638*b^4*c^2*n + 179*b^4*c^2*n^2 + 22*b^4*c^2*n^3 + b^4*c^2*n^4 + 1008*a^2*b^2*c*d + 312*a^2*b^2*c*d*n + 24*a^2*b^2*c*d*n^2))/(b^7*(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 + 28*n^6 + n^7 + 5040)) + (d^2*x^7*(a + b*x)^n*(1764*n + 1624*n^2 + 735*n^3 + 175*n^4 + 21*n^5 + n^6 + 720))/(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 + 28*n^6 + n^7 + 5040) + (x^3*(a + b*x)^n*(3*n + n^2 + 2)*(840*b^4*c^2 - 120*a^4*d^2*n + 638*b^4*c^2*n + 179*b^4*c^2*n^2 + 22*b^4*c^2*n^3 + b^4*c^2*n^4 - 336*a^2*b^2*c*d*n - 104*a^2*b^2*c*d*n^2 - 8*a^2*b^2*c*d*n^3))/(b^4*(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 + 28*n^6 + n^7 + 5040)) - (2*a^2*n*x*(a + b*x)^n*(360*a^4*d^2 + 840*b^4*c^2 + 638*b^4*c^2*n + 179*b^4*c^2*n^2 + 22*b^4*c^2*n^3 + b^4*c^2*n^4 + 1008*a^2*b^2*c*d + 312*a^2*b^2*c*d*n + 24*a^2*b^2*c*d*n^2))/(b^6*(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 + 28*n^6 + n^7 + 5040)) + (2*d*x^5*(a + b*x)^n*(42*b^2*c + b^2*c*n^2 - 3*a^2*d*n + 13*b^2*c*n)*(50*n + 35*n^2 + 10*n^3 + n^4 + 24))/(b^2*(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 + 28*n^6 + n^7 + 5040)) + (a*d^2*n*x^6*(a + b*x)^n*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120))/(b*(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 + 28*n^6 + n^7 + 5040)) + (a*n*x^2*(n + 1)*(a + b*x)^n*(360*a^4*d^2 + 840*b^4*c^2 + 638*b^4*c^2*n + 179*b^4*c^2*n^2 + 22*b^4*c^2*n^3 + b^4*c^2*n^4 + 1008*a^2*b^2*c*d + 312*a^2*b^2*c*d*n + 24*a^2*b^2*c*d*n^2))/(b^5*(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 + 28*n^6 + n^7 + 5040)) + (2*a*d*n*x^4*(a + b*x)^n*(11*n + 6*n^2 + n^3 + 6)*(15*a^2*d + 42*b^2*c + b^2*c*n^2$

+ 13\*b^2\*c\*n))/(b^3\*(13068\*n + 13132\*n^2 + 6769\*n^3 + 1960\*n^4 + 322\*n^5 + 28\*n^6 + n^7 + 5040))

sympy [A] time = 21.59, size = 14317, normalized size = 61.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(b\*x+a)\*\*n\*(d\*x\*\*2+c)\*\*2,x)

[Out] Piecewise((a\*\*n\*(c\*\*2\*x\*\*3/3 + 2\*c\*d\*x\*\*5/5 + d\*\*2\*x\*\*7/7), Eq(b, 0)), (60\*a\*\*6\*d\*\*2\*log(a/b + x)/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) + 147\*a\*\*6\*d\*\*2/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) + 360\*a\*\*5\*b\*d\*\*2\*x\*log(a/b + x)/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) + 822\*a\*\*5\*b\*d\*\*2\*x/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) - 4\*a\*\*4\*b\*\*2\*c\*d/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) + 900\*a\*\*4\*b\*\*2\*d\*\*2\*x\*\*2\*log(a/b + x)/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) + 1875\*a\*\*4\*b\*\*2\*d\*\*2\*x\*\*2/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) - 24\*a\*\*3\*b\*\*3\*c\*d\*x/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) + 1200\*a\*\*3\*b\*\*3\*d\*\*2\*x\*\*3\*log(a/b + x)/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) + 2200\*a\*\*3\*b\*\*3\*d\*\*2\*x\*\*3/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) - a\*\*2\*b\*\*4\*c\*\*2/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) - 60\*a\*\*2\*b\*\*4\*c\*d\*x\*\*2/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) + 900\*a\*\*2\*b\*\*4\*d\*\*2\*x\*\*4\*log(a/b + x)/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) + 1350\*a\*\*2\*b\*\*4\*d\*\*2\*x\*\*4/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) - 6\*a\*b\*\*5\*c\*\*2\*x/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6) - 80\*a\*b\*\*5\*c\*d\*x\*\*3/(60\*a\*\*6\*b\*\*7 + 360\*a\*\*5\*b\*\*8\*x + 900\*a\*\*4\*b\*\*9\*x\*\*2 + 1200\*a\*\*3\*b\*\*10\*x\*\*3 + 900\*a\*\*2\*b\*\*11\*x\*\*4 + 360\*a\*b\*\*12\*x\*\*5 + 60\*b\*\*13\*x\*\*6)

$$\begin{aligned}
& *6) + 360*a*b**5*d**2*x**5*\log(a/b + x)/(60*a**6*b**7 + 360*a**5*b**8*x + 900*a**4*b**9*x**2 + 1200*a**3*b**10*x**3 + 900*a**2*b**11*x**4 + 360*a*b**12*x**5 + 60*b**13*x**6) + 360*a*b**5*d**2*x**5/(60*a**6*b**7 + 360*a**5*b**8*x + 900*a**4*b**9*x**2 + 1200*a**3*b**10*x**3 + 900*a**2*b**11*x**4 + 360*a*b**12*x**5 + 60*b**13*x**6) - 15*b**6*c**2*x**2/(60*a**6*b**7 + 360*a**5*b**8*x + 900*a**4*b**9*x**2 + 1200*a**3*b**10*x**3 + 900*a**2*b**11*x**4 + 360*a*b**12*x**5 + 60*b**13*x**6) - 60*b**6*c*d*x**4/(60*a**6*b**7 + 360*a**5*b**8*x + 900*a**4*b**9*x**2 + 1200*a**3*b**10*x**3 + 900*a**2*b**11*x**4 + 360*a*b**12*x**5 + 60*b**13*x**6) + 60*b**6*d**2*x**6*\log(a/b + x)/(60*a**6*b**7 + 360*a**5*b**8*x + 900*a**4*b**9*x**2 + 1200*a**3*b**10*x**3 + 900*a**2*b**11*x**4 + 360*a*b**12*x**5 + 60*b**13*x**6), Eq(n, -7)), (-180*a**6*d**2*\log(a/b + x)/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 411*a**6*d**2/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 900*a**5*b*d**2*x*\log(a/b + x)/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 1875*a**5*b*d**2*x/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 12*a**4*b**2*c*d/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 1800*a**4*b**2*d**2*x**2*\log(a/b + x)/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 3300*a**4*b**2*d**2*x**2/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 60*a**3*b**3*c*d*x/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 1800*a**3*b**3*d**2*x**3*\log(a/b + x)/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 2700*a**3*b**3*d**2*x**3/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - a**2*b**4*c**2/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 120*a**2*b**4*c*d*x**2/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 900*a**2*b**4*d**2*x**4*\log(a/b + x)/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 900*a**2*b**4*d**2*x**4/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 5*a*b**5*c**2*x/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 120*a*b**5*c*d*x**3/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 180*a*b**5*d**2*x**5*\log(a/b + x)/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 10*b**6*c**2*x**2/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5) - 60*b**6*c*d*x**4/(30*a**5*b**7 + 150*a**4*b**8*x + 300*a**3*b**9*x**2 + 300*a**2*b**10*x**3 + 150*a*b**11*x**4 + 30*b**12*x**5)
\end{aligned}$$

$$\begin{aligned}
& b^{10}x^3 + 150a^4b^{11}x^4 + 30b^{12}x^5) + 30b^6d^2x^6/(30a^5 \\
& *b^7 + 150a^4b^8x + 300a^3b^9x^2 + 300a^2b^{10}x^3 + 150a^1 \\
& b^{11}x^4 + 30b^{12}x^5), \text{Eq}(n, -6)), (180a^6d^2\log(a/b + x)/(12a^4 \\
& *b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) \\
& + 375a^6d^2/(12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 \\
& + 12b^{11}x^4) + 720a^5b^6d^2x\log(a/b + x)/(12a^4b^7 + 48a^3b^8x \\
& + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) \\
& + 1320a^5b^6d^2x/(12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 \\
& + 12b^{11}x^4) + 24a^4b^2cd\log(a/b + x)/(12a^4b^7 + 48a^3b^8x \\
& + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) \\
& + 50a^4b^2cd/(12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 \\
& + 12b^{11}x^4) + 1080a^4b^2d^2x^2\log(a/b + x)/(12a^4b^7 + 48a^3b^8x \\
& + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) + 1620a^4b^2d^2x^2/(12a^4b^7 + 48a^3b^8x \\
& + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) + 96a^3b^3cdx\log(a/b + \\
& x)/(12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) \\
& + 176a^3b^3cdx/(12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 \\
& + 12b^{11}x^4) + 720a^3b^3d^2x^3\log(a/b + x)/(12a^4b^7 + 48a^3b^8x \\
& + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) + 720a^3b^3d^2x^3/(12a^4b^7 + 48a^3b^8x \\
& + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) - a^2b^4c^2 \\
& / (12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) \\
& + 144a^2b^4cdx^2\log(a/b + x)/(12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 \\
& + 48ab^{10}x^3 + 12b^{11}x^4) + 216a^2b^4c^2dx^2/(12a^4b^7 + 48a^3b^8x \\
& + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) + 180a^2b^4d^2x^4\log(a/b + x)/(12a^4b^7 \\
& + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) - \\
& 4ab^5c^2x/(12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) \\
& + 96ab^5cdx^3\log(a/b + x)/(12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 \\
& + 12b^{11}x^4) + 96ab^5cdx^3/(12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 \\
& + 12b^{11}x^4) - 36ab^5d^2x^5/(12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 \\
& + 12b^{11}x^4) - 6b^6c^2x^2/(12a^4b^7 + 48a^3b^8x + 72a^2b^9x^2 + 48ab^{10}x^3 \\
& + 12b^{11}x^4) + 24b^6cdx^4\log(a/b + x)/(12a^4b^7 + 48a^3b^8x \\
& + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4) + 6b^6d^2x^6/(12a^4b^7 + 48a^3b^8x \\
& + 72a^2b^9x^2 + 48ab^{10}x^3 + 12b^{11}x^4), \text{Eq}(n, -5)), (-60a^6d^2\log(a/b + x)/(3a^3b^7 + 9a^2 \\
& *b^8x + 9ab^9x^2 + 3b^{10}x^3) - 110a^6d^2/(3a^3b^7 + 9a^2b^8x + 9ab^9x^2 + 3b^{10}x^3) \\
& - 180a^5b^6d^2x\log(a/b + x)/(3a^3b^7 + 9a^2b^8x + 9ab^9x^2 + 3b^{10}x^3) - 270a^5b^6 \\
& d^2x/(3a^3b^7 + 9a^2b^8x + 9ab^9x^2 + 3b^{10}x^3) - 24a^4b^2cd\log(a/b + x)/(3a^3b^7 + 9a^2b^8x \\
& + 9ab^9x^2 + 3b^{10}x^3) - 44a^4b^2cd/(3a^3b^7 + 9a^2b^8x + 9ab^9x^2 + 3b^{10}x^3) \\
& - 180a^4b^2d^2x^2\log(a/b + x)/(3a^3b^7 + 9a^2b^8x + 9ab^9x^2 + 3b^{10}x^3)
\end{aligned}$$

$$\begin{aligned}
& *2*b**8*x + 9*a*b**9*x**2 + 3*b**10*x**3) - 180*a**4*b**2*d**2*x**2/(3*a**3 \\
& *b**7 + 9*a**2*b**8*x + 9*a*b**9*x**2 + 3*b**10*x**3) - 72*a**3*b**3*c*d*x* \\
& \log(a/b + x)/(3*a**3*b**7 + 9*a**2*b**8*x + 9*a*b**9*x**2 + 3*b**10*x**3) - \\
& 108*a**3*b**3*c*d*x/(3*a**3*b**7 + 9*a**2*b**8*x + 9*a*b**9*x**2 + 3*b**10 \\
& *x**3) - 60*a**3*b**3*d**2*x**3*\log(a/b + x)/(3*a**3*b**7 + 9*a**2*b**8*x + \\
& 9*a*b**9*x**2 + 3*b**10*x**3) - a**2*b**4*c**2/(3*a**3*b**7 + 9*a**2*b**8* \\
& x + 9*a*b**9*x**2 + 3*b**10*x**3) - 72*a**2*b**4*c*d*x**2*\log(a/b + x)/(3*a \\
& **3*b**7 + 9*a**2*b**8*x + 9*a*b**9*x**2 + 3*b**10*x**3) - 72*a**2*b**4*c*d \\
& *x**2/(3*a**3*b**7 + 9*a**2*b**8*x + 9*a*b**9*x**2 + 3*b**10*x**3) + 15*a** \\
& 2*b**4*d**2*x**4/(3*a**3*b**7 + 9*a**2*b**8*x + 9*a*b**9*x**2 + 3*b**10*x** \\
& 3) - 3*a*b**5*c**2*x/(3*a**3*b**7 + 9*a**2*b**8*x + 9*a*b**9*x**2 + 3*b**10 \\
& *x**3) - 24*a*b**5*c*d*x**3*\log(a/b + x)/(3*a**3*b**7 + 9*a**2*b**8*x + 9*a \\
& *b**9*x**2 + 3*b**10*x**3) - 3*a*b**5*d**2*x**5/(3*a**3*b**7 + 9*a**2*b**8* \\
& x + 9*a*b**9*x**2 + 3*b**10*x**3) - 3*b**6*c**2*x**2/(3*a**3*b**7 + 9*a**2* \\
& b**8*x + 9*a*b**9*x**2 + 3*b**10*x**3) + 6*b**6*c*d*x**4/(3*a**3*b**7 + 9*a \\
& **2*b**8*x + 9*a*b**9*x**2 + 3*b**10*x**3) + b**6*d**2*x**6/(3*a**3*b**7 + \\
& 9*a**2*b**8*x + 9*a*b**9*x**2 + 3*b**10*x**3), Eq(n, -4)), (60*a**6*d**2*lo \\
& g(a/b + x)/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x**2) + 90*a**6*d**2/(4*a**2* \\
& b**7 + 8*a*b**8*x + 4*b**9*x**2) + 120*a**5*b*d**2*x*\log(a/b + x)/(4*a**2*b \\
& **7 + 8*a*b**8*x + 4*b**9*x**2) + 120*a**5*b*d**2*x/(4*a**2*b**7 + 8*a*b**8 \\
& *x + 4*b**9*x**2) + 48*a**4*b**2*c*d*\log(a/b + x)/(4*a**2*b**7 + 8*a*b**8*x \\
& + 4*b**9*x**2) + 72*a**4*b**2*c*d/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x**2) \\
& + 60*a**4*b**2*d**2*x**2*\log(a/b + x)/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x \\
& **2) + 96*a**3*b**3*c*d*x*\log(a/b + x)/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x \\
& **2) + 96*a**3*b**3*c*d*x/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x**2) - 20*a** \\
& 3*b**3*d**2*x**3/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x**2) + 4*a**2*b**4*c** \\
& 2*\log(a/b + x)/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x**2) + 6*a**2*b**4*c**2/ \\
& (4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x**2) + 48*a**2*b**4*c*d*x**2*\log(a/b + \\
& x)/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x**2) + 5*a**2*b**4*d**2*x**4/(4*a**2 \\
& *b**7 + 8*a*b**8*x + 4*b**9*x**2) + 8*a*b**5*c**2*x*\log(a/b + x)/(4*a**2*b* \\
& *7 + 8*a*b**8*x + 4*b**9*x**2) + 8*a*b**5*c**2*x/(4*a**2*b**7 + 8*a*b**8*x \\
& + 4*b**9*x**2) - 16*a*b**5*c*d*x**3/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x**2 \\
& ) - 2*a*b**5*d**2*x**5/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x**2) + 4*b**6*c* \\
& *2*x**2*\log(a/b + x)/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x**2) + 4*b**6*c*d* \\
& x**4/(4*a**2*b**7 + 8*a*b**8*x + 4*b**9*x**2) + b**6*d**2*x**6/(4*a**2*b**7 \\
& + 8*a*b**8*x + 4*b**9*x**2), Eq(n, -3)), (-180*a**6*d**2*\log(a/b + x)/(30* \\
& a*b**7 + 30*b**8*x) - 180*a**6*d**2/(30*a*b**7 + 30*b**8*x) - 180*a**5*b*d* \\
& **2*x*\log(a/b + x)/(30*a*b**7 + 30*b**8*x) - 240*a**4*b**2*c*d*\log(a/b + x)/ \\
& (30*a*b**7 + 30*b**8*x) - 240*a**4*b**2*c*d/(30*a*b**7 + 30*b**8*x) + 90*a* \\
& **4*b**2*d**2*x**2/(30*a*b**7 + 30*b**8*x) - 240*a**3*b**3*c*d*x*\log(a/b + x \\
& )/(30*a*b**7 + 30*b**8*x) - 30*a**3*b**3*d**2*x**3/(30*a*b**7 + 30*b**8*x) \\
& - 60*a**2*b**4*c**2*\log(a/b + x)/(30*a*b**7 + 30*b**8*x) - 60*a**2*b**4*c** \\
& 2/(30*a*b**7 + 30*b**8*x) + 120*a**2*b**4*c*d*x**2/(30*a*b**7 + 30*b**8*x) \\
& + 15*a**2*b**4*d**2*x**4/(30*a*b**7 + 30*b**8*x) - 60*a*b**5*c**2*x*\log(a/b \\
& + x)/(30*a*b**7 + 30*b**8*x) - 40*a*b**5*c*d*x**3/(30*a*b**7 + 30*b**8*x)
\end{aligned}$$

$$\begin{aligned}
& - 9a^5b^2d^2x^5/(30a^7b^8 + 30b^8x) + 30b^6c^2x^2/(30a^7b^8 + 30b^8x) + 20b^6cd^2x^4/(30a^7b^8 + 30b^8x) + 6b^6d^2x^6/(30a^7b^8 + 30b^8x), \text{Eq}(n, -2), \\
& (a^6d^2 \log(a/b + x)/b^7 - a^5d^2x/b^6 + 2a^4cd \log(a/b + x)/b^5 + a^4d^2x^2/(2b^5) - 2a^3cdx/b^4 - a^3d^2x^3/(3b^4) + a^2c^2 \log(a/b + x)/b^3 + a^2cd^2x^2/b^3 + a^2d^2x^4/(4b^3) - a^2cd^2x/b^2 - 2acd^2x^3/(3b^2) - ad^2x^5/(5b^2) + c^2x^2/(2b) + cd^2x^4/(2b) + d^2x^6/(6b), \text{Eq}(n, -1)), \\
& (720a^7d^2(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) - 720a^6b^2d^2n^2x(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) + 48a^5b^2cd^2n^2(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) + 624a^5b^2cd^2n(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) + 2016a^5b^2cd^2n^2(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) + 360a^5b^2d^2n^2x^2(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) + 360a^5b^2d^2n^2x^2(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) - 48a^4b^3cd^2n^3x(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) - 624a^4b^3cd^2n^2x(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) - 2016a^4b^3cd^2n^2x^3(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) - 360a^4b^3d^2n^2x^3(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) + 2a^3b^4c^2n^4(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) + 44a^3b^4c^2n^3(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) + 358a^3b^4c^2n^2(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) + 1276a^3b^4c^2n(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) + 1680a^3b^4c^2(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7) + 1680a^3b^4c^2(a + bx)^n/(b^7n^7 + 28b^7n^6 + 322b^7n^5 + 1960b^7n^4 + 6769b^7n^3 + 13132b^7n^2 + 13068b^7n + 5040b^7)
\end{aligned}$$

$$\begin{aligned}
& *n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040*b^{**7}) + 24*a^{**3}*b^{**4}*c*d*n^{**4} \\
& *x^{**2}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**} \\
& *4 + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040*b^{**7}) + 336*a^{**} \\
& 3*b^{**4}*c*d*n^{**3}*x^{**2}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} \\
& + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040* \\
& b^{**7}) + 1320*a^{**3}*b^{**4}*c*d*n^{**2}*x^{**2}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} \\
& + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 1306 \\
& 8*b^{**7}*n + 5040*b^{**7}) + 1008*a^{**3}*b^{**4}*c*d*n*x^{**2}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + \\
& 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**} \\
& 7*n^{**2} + 13068*b^{**7}*n + 5040*b^{**7}) + 30*a^{**3}*b^{**4}*d^{**2}*n^{**4}*x^{**4}*(a + b*x)* \\
& *n/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n \\
& **3 + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040*b^{**7}) + 180*a^{**3}*b^{**4}*d^{**2}*n^{**3} \\
& *x^{**4}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n \\
& *4 + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040*b^{**7}) + 330*a^{**} \\
& 3*b^{**4}*d^{**2}*n^{**2}*x^{**4}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**} \\
& 5 + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040 \\
& *b^{**7}) + 180*a^{**3}*b^{**4}*d^{**2}*n*x^{**4}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + \\
& 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068* \\
& b^{**7}*n + 5040*b^{**7}) - 2*a^{**2}*b^{**5}*c^{**2}*n^{**5}*x*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28* \\
& b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n \\
& *2 + 13068*b^{**7}*n + 5040*b^{**7}) - 44*a^{**2}*b^{**5}*c^{**2}*n^{**4}*x*(a + b*x)^{**n}/(b^{**} \\
& 7*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 1 \\
& 3132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040*b^{**7}) - 358*a^{**2}*b^{**5}*c^{**2}*n^{**3}*x*(a + \\
& b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769* \\
& b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040*b^{**7}) - 1276*a^{**2}*b^{**5}*c* \\
& *2*n^{**2}*x*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**} \\
& 7*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040*b^{**7}) - 168 \\
& 0*a^{**2}*b^{**5}*c^{**2}*n*x*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} \\
& + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040* \\
& b^{**7}) - 8*a^{**2}*b^{**5}*c*d*n^{**5}*x^{**3}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + \\
& 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b \\
& **7*n + 5040*b^{**7}) - 128*a^{**2}*b^{**5}*c*d*n^{**4}*x^{**3}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + \\
& 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7} \\
& *n^{**2} + 13068*b^{**7}*n + 5040*b^{**7}) - 664*a^{**2}*b^{**5}*c*d*n^{**3}*x^{**3}*(a + b*x)* \\
& *n/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n \\
& *3 + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040*b^{**7}) - 1216*a^{**2}*b^{**5}*c*d*n^{**2}* \\
& x^{**3}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n \\
& 4 + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040*b^{**7}) - 672*a^{**2} \\
& *b^{**5}*c*d*n*x^{**3}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1 \\
& 960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b^{**7}*n + 5040*b^{**7} \\
& ) - 6*a^{**2}*b^{**5}*d^{**2}*n^{**5}*x^{**5}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28*b^{**7}*n^{**6} + 322 \\
& *b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n^{**2} + 13068*b^{**7} \\
& *n + 5040*b^{**7}) - 60*a^{**2}*b^{**5}*d^{**2}*n^{**4}*x^{**5}*(a + b*x)^{**n}/(b^{**7}*n^{**7} + 28* \\
& b^{**7}*n^{**6} + 322*b^{**7}*n^{**5} + 1960*b^{**7}*n^{**4} + 6769*b^{**7}*n^{**3} + 13132*b^{**7}*n \\
& *2 + 13068*b^{**7}*n + 5040*b^{**7}) - 210*a^{**2}*b^{**5}*d^{**2}*n^{**3}*x^{**5}*(a + b*x)^{**n}/
\end{aligned}$$



$$\begin{aligned}
& (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) - 300a^2b^5d^2x^2 \\
& *5(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} \\
& + 6769b^{n+3} + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) - 144a^2b^5 \\
& *5d^2x^2(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} \\
& + 6769b^{n+3} + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) \\
& + a^6c^2x^2(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} \\
& + 6769b^{n+3} + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 23a^6c^2x^2 \\
& *5(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 201a^6c^2x^2 \\
& *4(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 817a^6c^2x^2 \\
& *3(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 1478a^6c^2x^2 \\
& *2(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 840a^6c^2x^2 \\
& *2(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 2 \\
& *a^6c^4x^4(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 38a^6c^4x^4 \\
& *5(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 262a^6c^4x^4 \\
& *4(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 802a^6c^4x^4 \\
& *3(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 1080a^6c^4x^4 \\
& *2(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 504a^6c^4x^4 \\
& *4(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + a^6d^2x^6 \\
& *2x^6(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 15a^6d^2x^6 \\
& *5(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 85a^6d^2x^6 \\
& *4(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 225a^6d^2x^6 \\
& *3(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 274a^6d^2x^6 \\
& *2(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + 120a^6d^2x^6 \\
& *6(a + bx)^n / (b^{n+7} + 28b^{n+6} + 322b^{n+5} + 1960b^{n+4} + 6769b^{n+3} \\
& + 13132b^{n+2} + 13068b^{n+1} + 5040b^n) + b^7c^2x^6
\end{aligned}$$

```

x**3*(a + b*x)**n/(b**7*n**7 + 28*b**7*n**6 + 322*b**7*n**5 + 1960*b**7*n**
4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 13068*b**7*n + 5040*b**7) + 25*b**7*
c**2*n**5*x**3*(a + b*x)**n/(b**7*n**7 + 28*b**7*n**6 + 322*b**7*n**5 + 196
0*b**7*n**4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 13068*b**7*n + 5040*b**7)
+ 247*b**7*c**2*n**4*x**3*(a + b*x)**n/(b**7*n**7 + 28*b**7*n**6 + 322*b**7
*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 13068*b**7*n +
5040*b**7) + 1219*b**7*c**2*n**3*x**3*(a + b*x)**n/(b**7*n**7 + 28*b**7*n**
6 + 322*b**7*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 130
68*b**7*n + 5040*b**7) + 3112*b**7*c**2*n**2*x**3*(a + b*x)**n/(b**7*n**7 +
28*b**7*n**6 + 322*b**7*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3 + 13132*b**
7*n**2 + 13068*b**7*n + 5040*b**7) + 3796*b**7*c**2*n*x**3*(a + b*x)**n/(b
**7*n**7 + 28*b**7*n**6 + 322*b**7*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3 +
13132*b**7*n**2 + 13068*b**7*n + 5040*b**7) + 1680*b**7*c**2*x**3*(a + b*x)
**n/(b**7*n**7 + 28*b**7*n**6 + 322*b**7*n**5 + 1960*b**7*n**4 + 6769*b**7*
n**3 + 13132*b**7*n**2 + 13068*b**7*n + 5040*b**7) + 2*b**7*c*d*n**6*x**5*(
a + b*x)**n/(b**7*n**7 + 28*b**7*n**6 + 322*b**7*n**5 + 1960*b**7*n**4 + 67
69*b**7*n**3 + 13132*b**7*n**2 + 13068*b**7*n + 5040*b**7) + 46*b**7*c*d*n*
*5*x**5*(a + b*x)**n/(b**7*n**7 + 28*b**7*n**6 + 322*b**7*n**5 + 1960*b**7*
n**4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 13068*b**7*n + 5040*b**7) + 414*b
**7*c*d*n**4*x**5*(a + b*x)**n/(b**7*n**7 + 28*b**7*n**6 + 322*b**7*n**5 +
1960*b**7*n**4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 13068*b**7*n + 5040*b**
7) + 1850*b**7*c*d*n**3*x**5*(a + b*x)**n/(b**7*n**7 + 28*b**7*n**6 + 322*b
**7*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 13068*b**7*n
+ 5040*b**7) + 4288*b**7*c*d*n**2*x**5*(a + b*x)**n/(b**7*n**7 + 28*b**7*n
**6 + 322*b**7*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 1
3068*b**7*n + 5040*b**7) + 4824*b**7*c*d*n*x**5*(a + b*x)**n/(b**7*n**7 + 2
8*b**7*n**6 + 322*b**7*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3 + 13132*b**7*
n**2 + 13068*b**7*n + 5040*b**7) + 2016*b**7*c*d*x**5*(a + b*x)**n/(b**7*n*
*7 + 28*b**7*n**6 + 322*b**7*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3 + 13132
*b**7*n**2 + 13068*b**7*n + 5040*b**7) + b**7*d**2*n**6*x**7*(a + b*x)**n/(
b**7*n**7 + 28*b**7*n**6 + 322*b**7*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3
+ 13132*b**7*n**2 + 13068*b**7*n + 5040*b**7) + 21*b**7*d**2*n**5*x**7*(a +
b*x)**n/(b**7*n**7 + 28*b**7*n**6 + 322*b**7*n**5 + 1960*b**7*n**4 + 6769*
b**7*n**3 + 13132*b**7*n**2 + 13068*b**7*n + 5040*b**7) + 175*b**7*d**2*n**
4*x**7*(a + b*x)**n/(b**7*n**7 + 28*b**7*n**6 + 322*b**7*n**5 + 1960*b**7*n
**4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 13068*b**7*n + 5040*b**7) + 735*b*
**7*d**2*n**3*x**7*(a + b*x)**n/(b**7*n**7 + 28*b**7*n**6 + 322*b**7*n**5 +
1960*b**7*n**4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 13068*b**7*n + 5040*b**
7) + 1624*b**7*d**2*n**2*x**7*(a + b*x)**n/(b**7*n**7 + 28*b**7*n**6 + 322*
b**7*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 13068*b**7*
n + 5040*b**7) + 1764*b**7*d**2*n*x**7*(a + b*x)**n/(b**7*n**7 + 28*b**7*n*
*6 + 322*b**7*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3 + 13132*b**7*n**2 + 13
068*b**7*n + 5040*b**7) + 720*b**7*d**2*x**7*(a + b*x)**n/(b**7*n**7 + 28*b
**7*n**6 + 322*b**7*n**5 + 1960*b**7*n**4 + 6769*b**7*n**3 + 13132*b**7*n**
2 + 13068*b**7*n + 5040*b**7), True))

```

$$3.266 \quad \int x(a + bx)^n (c + dx^2)^2 dx$$

Optimal. Leaf size=185

$$\frac{a(a^2d + b^2c)^2 (a + bx)^{n+1}}{b^6(n+1)} + \frac{(a^2d + b^2c)(5a^2d + b^2c)(a + bx)^{n+2}}{b^6(n+2)} - \frac{2ad(5a^2d + 3b^2c)(a + bx)^{n+3}}{b^6(n+3)} + \frac{2d(5a^2d + b^2c)(a + bx)^{n+4}}{b^6(n+4)} - \frac{5ad^2(a + bx)^{n+5}}{b^6(n+5)} + \frac{d^2(a + bx)^{n+6}}{b^6(n+6)}$$

Rubi [A] time = 0.10, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$ , Rules used = {772}

$$-\frac{a(a^2d + b^2c)^2 (a + bx)^{n+1}}{b^6(n+1)} + \frac{(a^2d + b^2c)(5a^2d + b^2c)(a + bx)^{n+2}}{b^6(n+2)} - \frac{2ad(5a^2d + 3b^2c)(a + bx)^{n+3}}{b^6(n+3)} + \frac{2d(5a^2d + b^2c)(a + bx)^{n+4}}{b^6(n+4)} - \frac{5ad^2(a + bx)^{n+5}}{b^6(n+5)} + \frac{d^2(a + bx)^{n+6}}{b^6(n+6)}$$

Antiderivative was successfully verified.

[In] Int[x\*(a + b\*x)^n\*(c + d\*x^2)^2,x]

[Out] -((a\*(b^2\*c + a^2\*d)^2\*(a + b\*x)^(1 + n))/(b^6\*(1 + n))) + ((b^2\*c + a^2\*d)\*(b^2\*c + 5\*a^2\*d)\*(a + b\*x)^(2 + n))/(b^6\*(2 + n)) - (2\*a\*d\*(3\*b^2\*c + 5\*a^2\*d)\*(a + b\*x)^(3 + n))/(b^6\*(3 + n)) + (2\*d\*(b^2\*c + 5\*a^2\*d)\*(a + b\*x)^(4 + n))/(b^6\*(4 + n)) - (5\*a\*d^2\*(a + b\*x)^(5 + n))/(b^6\*(5 + n)) + (d^2\*(a + b\*x)^(6 + n))/(b^6\*(6 + n))

Rule 772

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int x(a + bx)^n (c + dx^2)^2 dx &= \int \left( -\frac{a(b^2c + a^2d)^2 (a + bx)^n}{b^5} + \frac{(b^2c + a^2d)(b^2c + 5a^2d)(a + bx)^{1+n}}{b^5} - \frac{2ad(3b^2c + 5a^2d)(a + bx)^{2+n}}{b^5} \right. \\ &\quad \left. + \frac{2d(5a^2d + b^2c)(a + bx)^{3+n}}{b^5} - \frac{5ad^2(a + bx)^{4+n}}{b^5} + \frac{d^2(a + bx)^{5+n}}{b^5} \right) dx \\ &= -\frac{a(b^2c + a^2d)^2 (a + bx)^{1+n}}{b^6(1+n)} + \frac{(b^2c + a^2d)(b^2c + 5a^2d)(a + bx)^{2+n}}{b^6(2+n)} - \frac{2ad(3b^2c + 5a^2d)(a + bx)^{3+n}}{b^6(3+n)} \\ &\quad + \frac{2d(5a^2d + b^2c)(a + bx)^{4+n}}{b^6(4+n)} - \frac{5ad^2(a + bx)^{5+n}}{b^6(5+n)} + \frac{d^2(a + bx)^{6+n}}{b^6(6+n)} \end{aligned}$$

Mathematica [A] time = 0.50, size = 323, normalized size = 1.75

$(a + bx)^m \left( 4(a + 3b)(a + b)(c + 5d)(c^2 + d^2) [2a^2d - 2abdc + 2b^2c + 5d(c + 4) + 4b(-2a^2d) - abdc + 2b(c + 3)(2a^2d - 2abdc + 3b^2c + d^2(c + 5) + 4b(-2a^2d) - abdc + 4) \right] (c^2 + d^2) [2a^2d - 2abdc + 11c + d^2(c + 2)(c + 3) + 4b(-2a^2d) - abdc + 13b + 4b(-2a^2d - 2abdc + 2b^2c + d^2(c + 4) + 4b(-2a^2d) - abdc + 13b + 4b(-2a^2d - 2abdc + 2b^2c + d^2(c + 3)(c + 2b + 3b + 4)(c + d)^2) + d^2(c + 2)(c + 2b + 3b + 4)(c + d)^2] + d^2(c + 2)(c + 2b + 3b + 4)(c + d)^2 \right) / (b^6(n + 1)(n + 2)(n + 3)(n + 4)(n + 5)(n + 6))$

Antiderivative was successfully verified.

[In] Integrate[x\*(a + b\*x)^n\*(c + d\*x^2)^2,x]

[Out] ((a + b\*x)^(1 + n)\*(b^4\*(1 + n)\*(2 + n)\*(3 + n)\*(4 + n)\*(5 + n)\*(a + b\*x)\*(c + d\*x^2)^2 - a\*(6 + n)\*(b^4\*(1 + n)\*(2 + n)\*(3 + n)\*(4 + n)\*(c + d\*x^2)^2 + 4\*(b^2\*c + a^2\*d)\*(4 + n)\*(2\*a^2\*d - 2\*a\*b\*d\*(1 + n)\*x + b^2\*(2 + n)\*(c\*(3 + n) + d\*(1 + n)\*x^2)) - 4\*a\*d\*(1 + n)\*(a + b\*x)\*(2\*a^2\*d - 2\*a\*b\*d\*(2 + n)\*x + b^2\*(3 + n)\*(c\*(4 + n) + d\*(2 + n)\*x^2))) + 4\*(1 + n)\*(a + b\*x)\*((b^2\*c + a^2\*d)\*(5 + n)\*(2\*a^2\*d - 2\*a\*b\*d\*(2 + n)\*x + b^2\*(3 + n)\*(c\*(4 + n) + d\*(2 + n)\*x^2)) - a\*d\*(2 + n)\*(a + b\*x)\*(2\*a^2\*d - 2\*a\*b\*d\*(3 + n)\*x + b^2\*(4 + n)\*(c\*(5 + n) + d\*(3 + n)\*x^2))))/(b^6\*(1 + n)\*(2 + n)\*(3 + n)\*(4 + n)\*(5 + n)\*(6 + n))

**IntegrateAlgebraic [F]** time = 0.06, size = 0, normalized size = 0.00

$$\int x(a + bx)^n (c + dx^2)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x\*(a + b\*x)^n\*(c + d\*x^2)^2,x]

[Out] Defer[IntegrateAlgebraic][x\*(a + b\*x)^n\*(c + d\*x^2)^2, x]

**fricas [B]** time = 0.42, size = 757, normalized size = 4.09

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)^n\*(d\*x^2+c)^2,x, algorithm="fricas")

[Out] -(a^2\*b^4\*c^2\*n^4 + 18\*a^2\*b^4\*c^2\*n^3 + 360\*a^2\*b^4\*c^2 + 360\*a^4\*b^2\*c\*d + 120\*a^6\*d^2 - (b^6\*d^2\*n^5 + 15\*b^6\*d^2\*n^4 + 85\*b^6\*d^2\*n^3 + 225\*b^6\*d^2\*n^2 + 274\*b^6\*d^2\*n + 120\*b^6\*d^2)\*x^6 - (a\*b^5\*d^2\*n^5 + 10\*a\*b^5\*d^2\*n^4 + 35\*a\*b^5\*d^2\*n^3 + 50\*a\*b^5\*d^2\*n^2 + 24\*a\*b^5\*d^2\*n)\*x^5 - (2\*b^6\*c\*d\*n^5 + 360\*b^6\*c\*d + (34\*b^6\*c\*d - 5\*a^2\*b^4\*d^2)\*n^4 + 2\*(107\*b^6\*c\*d - 15\*a^2\*b^4\*d^2)\*n^3 + (614\*b^6\*c\*d - 55\*a^2\*b^4\*d^2)\*n^2 + 6\*(132\*b^6\*c\*d - 5\*a^2\*b^4\*d^2)\*n)\*x^4 - 2\*(a\*b^5\*c\*d\*n^5 + 14\*a\*b^5\*c\*d\*n^4 + 5\*(13\*a\*b^5\*c\*d + 2\*a^3\*b^3\*d^2)\*n^3 + 2\*(56\*a\*b^5\*c\*d + 15\*a^3\*b^3\*d^2)\*n^2 + 20\*(3\*a\*b^5\*c\*d + a^3\*b^3\*d^2)\*n)\*x^3 + (119\*a^2\*b^4\*c^2 + 12\*a^4\*b^2\*c\*d)\*n^2 - (b^6\*c^2\*n^5 + 360\*b^6\*c^2 + (19\*b^6\*c^2 - 6\*a^2\*b^4\*c\*d)\*n^4 + (137\*b^6\*c^2 - 7\*2\*a^2\*b^4\*c\*d)\*n^3 + (461\*b^6\*c^2 - 246\*a^2\*b^4\*c\*d - 60\*a^4\*b^2\*d^2)\*n^2 + 6\*(117\*b^6\*c^2 - 30\*a^2\*b^4\*c\*d - 10\*a^4\*b^2\*d^2)\*n)\*x^2 + 6\*(57\*a^2\*b^4\*c^2 + 22\*a^4\*b^2\*c\*d)\*n - (a\*b^5\*c^2\*n^5 + 18\*a\*b^5\*c^2\*n^4 + (119\*a\*b^5\*c^2 + 12\*a^3\*b^3\*c\*d)\*n^3 + 6\*(57\*a\*b^5\*c^2 + 22\*a^3\*b^3\*c\*d)\*n^2 + 120\*(3\*a\*b

$$\sqrt[5]{c^2 + 3a^3b^3cd + a^5bd^2} \cdot n \cdot x \cdot (bx + a)^n / (b^6n^6 + 21b^6n^5 + 175b^6n^4 + 735b^6n^3 + 1624b^6n^2 + 1764b^6n + 720b^6)$$

**giac [B]** time = 0.22, size = 1266, normalized size = 6.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)^n\*(d\*x^2+c)^2,x, algorithm="giac")

[Out]  $((bx + a)^n b^6 d^2 n^5 x^6 + (bx + a)^n a b^5 d^2 n^5 x^5 + 15(bx + a)^n b^6 d^2 n^4 x^6 + 2(bx + a)^n b^6 c d n^5 x^4 + 10(bx + a)^n a b^5 d^2 n^4 x^5 + 85(bx + a)^n b^6 d^2 n^3 x^6 + 2(bx + a)^n a b^5 c d n^5 x^3 + 34(bx + a)^n b^6 c d n^4 x^4 - 5(bx + a)^n a^2 b^4 d^2 n^4 x^4 + 35(bx + a)^n a b^5 d^2 n^3 x^5 + 225(bx + a)^n b^6 d^2 n^2 x^6 + (bx + a)^n b^6 c^2 n^5 x^2 + 28(bx + a)^n a b^5 c d n^4 x^3 + 214(bx + a)^n b^6 c d n^3 x^4 - 30(bx + a)^n a^2 b^4 d^2 n^3 x^4 + 50(bx + a)^n a b^5 d^2 n^2 x^5 + 274(bx + a)^n b^6 d^2 n x^6 + (bx + a)^n a b^5 c^2 n^5 x + 19(bx + a)^n b^6 c^2 n^4 x^2 - 6(bx + a)^n a^2 b^4 c d n^4 x^2 + 130(bx + a)^n a b^5 c d n^3 x^3 + 20(bx + a)^n a^3 b^3 d^2 n^3 x^3 + 614(bx + a)^n b^6 c d n^2 x^4 - 55(bx + a)^n a^2 b^4 d^2 n^2 x^4 + 24(bx + a)^n a b^5 d^2 n x^5 + 120(bx + a)^n b^6 d^2 x^6 + 18(bx + a)^n a b^5 c^2 n^4 x + 137(bx + a)^n b^6 c^2 n^3 x^2 - 72(bx + a)^n a^2 b^4 c d n^3 x^2 + 224(bx + a)^n a b^5 c d n^2 x^3 + 60(bx + a)^n a^3 b^3 d^2 n^2 x^3 + 792(bx + a)^n b^6 c d n x^4 - 30(bx + a)^n a^2 b^4 d^2 n x^4 - (bx + a)^n a^2 b^4 c^2 n^4 + 119(bx + a)^n a b^5 c^2 n^3 x + 12(bx + a)^n a^3 b^3 c d n^3 x + 461(bx + a)^n b^6 c^2 n^2 x^2 - 246(bx + a)^n a^2 b^4 c d n^2 x^2 - 60(bx + a)^n a^4 b^2 d^2 n^2 x^2 + 120(bx + a)^n a b^5 c d n x^3 + 40(bx + a)^n a^3 b^3 d^2 n x^3 + 360(bx + a)^n b^6 c d x^4 - 18(bx + a)^n a^2 b^4 c^2 n^3 + 342(bx + a)^n a b^5 c^2 n^2 x + 132(bx + a)^n a^3 b^3 c d n^2 x + 702(bx + a)^n b^6 c^2 n x^2 - 180(bx + a)^n a^2 b^4 c d n x^2 - 60(bx + a)^n a^4 b^2 d^2 n x^2 - 119(bx + a)^n a^2 b^4 c^2 n^2 - 12(bx + a)^n a^4 b^2 c d n^2 + 360(bx + a)^n a b^5 c^2 n x + 360(bx + a)^n a^3 b^3 c d n x + 120(bx + a)^n a^5 b d^2 n x + 360(bx + a)^n b^6 c^2 x^2 - 342(bx + a)^n a^2 b^4 c^2 n - 132(bx + a)^n a^4 b^2 c d n - 360(bx + a)^n a^2 b^4 c^2 - 360(bx + a)^n a^4 b^2 c d - 120(bx + a)^n a^6 d^2) / (b^6 n^6 + 21 b^6 n^5 + 175 b^6 n^4 + 735 b^6 n^3 + 1624 b^6 n^2 + 1764 b^6 n + 720 b^6)$

**maple [B]** time = 0.01, size = 677, normalized size = 3.66

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(b\*x+a)^n\*(d\*x^2+c)^2,x)

```
[Out] -(b*x+a)^(n+1)*(-b^5*d^2*n^5*x^5-15*b^5*d^2*n^4*x^5+5*a*b^4*d^2*n^4*x^4-2*b^5*c*d*n^5*x^3-85*b^5*d^2*n^3*x^5+50*a*b^4*d^2*n^3*x^4-34*b^5*c*d*n^4*x^3-25*b^5*d^2*n^2*x^5-20*a^2*b^3*d^2*n^3*x^3+6*a*b^4*c*d*n^4*x^2+175*a*b^4*d^2*n^2*x^4-b^5*c^2*n^5*x-214*b^5*c*d*n^3*x^3-274*b^5*d^2*n*x^5-120*a^2*b^3*d^2*n^2*x^3+84*a*b^4*c*d*n^3*x^2+250*a*b^4*d^2*n*x^4-19*b^5*c^2*n^4*x-614*b^5*c*d*n^2*x^3-120*b^5*d^2*x^5+60*a^3*b^2*d^2*n^2*x^2-12*a^2*b^3*c*d*n^3*x-220*a^2*b^3*d^2*n*x^3+a*b^4*c^2*n^4+390*a*b^4*c*d*n^2*x^2+120*a*b^4*d^2*x^4-137*b^5*c^2*n^3*x-792*b^5*c*d*n*x^3+180*a^3*b^2*d^2*n*x^2-144*a^2*b^3*c*d*n^2*x-120*a^2*b^3*d^2*x^3+18*a*b^4*c^2*n^3+672*a*b^4*c*d*n*x^2-461*b^5*c^2*n^2*x-360*b^5*c*d*x^3-120*a^4*b*d^2*n*x+12*a^3*b^2*c*d*n^2+120*a^3*b^2*d^2*x^2-492*a^2*b^3*c*d*n*x+119*a*b^4*c^2*n^2+360*a*b^4*c*d*x^2-702*b^5*c^2*n*x-120*a^4*b*d^2*x+132*a^3*b^2*c*d*n-360*a^2*b^3*c*d*x+342*a*b^4*c^2*n-360*b^5*c^2*x+120*a^5*d^2+360*a^3*b^2*c*d+360*a*b^4*c^2)/b^6/(n^6+21*n^5+175*n^4+735*n^3+1624*n^2+1764*n+720)
```

**maxima [A]** time = 0.50, size = 335, normalized size = 1.81

$$\frac{(b^2(n+1)^2 + abnx - a^2)dx + a^2c^2}{(n^2 + 3n + 2)b^2} - \frac{2((n^2 + 6n^2 + 11n + 6)b^4a^4 + (n^3 + 3n^2 + 2n)ab^3a^3 - 3(n^2 + n)^2b^2a^2 + 6a^2bnc - 6a^2)dx + a^2cd}{(n^4 + 10n^3 + 35n^2 + 50n + 24)b^4} - \frac{((n^5 + 15n^4 + 85n^3 + 225n^2 + 274n + 120)b^6a^6 + (n^5 + 10n^4 + 35n^3 + 50n^2 + 24n)ab^5a^5 - 5(n^4 + 6n^3 + 11n^2 + 6n)a^2b^4a^4 + 20(n^3 + 3n^2 + 2n)a^2b^3a^3 - 60(n^2 + n)a^4b^2a^2 + 120a^5bnc - 120a^2)dx + a^2d^2}{(n^6 + 21n^5 + 175n^4 + 735n^3 + 1624n^2 + 1764n + 720)b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(b*x+a)^n*(d*x^2+c)^2,x, algorithm="maxima")
```

```
[Out] (b^2*(n + 1)*x^2 + a*b*n*x - a^2)*(b*x + a)^n*c^2/((n^2 + 3*n + 2)*b^2) + 2*((n^3 + 6*n^2 + 11*n + 6)*b^4*x^4 + (n^3 + 3*n^2 + 2*n)*a*b^3*x^3 - 3*(n^2 + n)*a^2*b^2*x^2 + 6*a^3*b*n*x - 6*a^4)*(b*x + a)^n*c*d/((n^4 + 10*n^3 + 35*n^2 + 50*n + 24)*b^4) + ((n^5 + 15*n^4 + 85*n^3 + 225*n^2 + 274*n + 120)*b^6*x^6 + (n^5 + 10*n^4 + 35*n^3 + 50*n^2 + 24*n)*a*b^5*x^5 - 5*(n^4 + 6*n^3 + 11*n^2 + 6*n)*a^2*b^4*x^4 + 20*(n^3 + 3*n^2 + 2*n)*a^3*b^3*x^3 - 60*(n^2 + n)*a^4*b^2*x^2 + 120*a^5*b*n*x - 120*a^6)*(b*x + a)^n*d^2/((n^6 + 21*n^5 + 175*n^4 + 735*n^3 + 1624*n^2 + 1764*n + 720)*b^6)
```

**mupad [B]** time = 3.05, size = 723, normalized size = 3.91

$$\frac{(d^2x^6(a+bx)^n(274n+225n^2+85n^3+15n^4+n^5+120))/(1764n+1624n^2+735n^3+175n^4+21n^5+n^6+720) - (a^2(a+bx)^n(120a^4d^2+360b^4c^2+342b^4c^2n+119b^4c^2n^2+18b^4c^2n^3+b^4c^2n^4+360a^2b^2cd+132a^2b^2cdn+12a^2b^2cdn^2))/(b^6(1764n+1624n^2+735n^3+175n^4+21n^5+n^6+720)) + (x^2(n+1)(a+bx)^n(360b^4c^2-60a^4d^2n+342b^4c^2n+119b^4c^2n^2+18b^4c^2n^3+b^4c^2n^4-180a^2b^2cdn-66a^2b^2c^2n^2+120a^5d^2+360a^3b^2cd+360ab^4c^2))/(b^6(n^6+21n^5+175n^4+735n^3+1624n^2+1764n+720))}{(n^6+21n^5+175n^4+735n^3+1624n^2+1764n+720)b^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(c + d*x^2)^2*(a + b*x)^n,x)
```

```
[Out] (d^2*x^6*(a + b*x)^n*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120))/(1764*n + 1624*n^2 + 735*n^3 + 175*n^4 + 21*n^5 + n^6 + 720) - (a^2*(a + b*x)^n*(120*a^4*d^2 + 360*b^4*c^2 + 342*b^4*c^2*n + 119*b^4*c^2*n^2 + 18*b^4*c^2*n^3 + b^4*c^2*n^4 + 360*a^2*b^2*c*d + 132*a^2*b^2*c*d*n + 12*a^2*b^2*c*d*n^2))/(b^6*(1764*n + 1624*n^2 + 735*n^3 + 175*n^4 + 21*n^5 + n^6 + 720)) + (x^2*(n + 1)*(a + b*x)^n*(360*b^4*c^2 - 60*a^4*d^2*n + 342*b^4*c^2*n + 119*b^4*c^2*n^2 + 18*b^4*c^2*n^3 + b^4*c^2*n^4 - 180*a^2*b^2*c*d*n - 66*a^2*b^2*c^2*n^2 + 120*a^5*d^2 + 360*a^3*b^2*c*d + 360*a*b^4*c^2))/(b^6*(n^6 + 21*n^5 + 175*n^4 + 735*n^3 + 1624*n^2 + 1764*n + 720))
```

$$\frac{d^n - 6a^2b^2cd^n}{(b^4(1764n + 1624n^2 + 735n^3 + 175n^4 + 21n^5 + n^6 + 720))} + \frac{(dx^4(a+bx)^n(60b^2c + 2b^2cn^2 - 5a^2dn + 22b^2cn)(11n + 6n^2 + n^3 + 6))}{(b^2(1764n + 1624n^2 + 735n^3 + 175n^4 + 21n^5 + n^6 + 720))} + \frac{(a^n x (a+bx)^n (120a^4d^2 + 360b^4c^2 + 342b^4c^2n + 119b^4c^2n^2 + 18b^4c^2n^3 + b^4c^2n^4 + 360a^2b^2cd + 132a^2b^2cdn + 12a^2b^2cdn^2))}{(b^5(1764n + 1624n^2 + 735n^3 + 175n^4 + 21n^5 + n^6 + 720))} + \frac{(ad^2n x^5 (a+bx)^n (50n + 35n^2 + 10n^3 + n^4 + 24))}{(b(1764n + 1624n^2 + 735n^3 + 175n^4 + 21n^5 + n^6 + 720))} + \frac{(2adn x^3 (a+bx)^n (3n + n^2 + 2)(10a^2d + 30b^2c + b^2cn^2 + 11b^2cn))}{(b^3(1764n + 1624n^2 + 735n^3 + 175n^4 + 21n^5 + n^6 + 720))}$$

**sympy** [A] time = 13.80, size = 8940, normalized size = 48.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)\*\*n\*(d\*x\*\*2+c)\*\*2,x)

[Out] Piecewise((a\*\*n\*(c\*\*2\*x\*\*2/2 + c\*d\*x\*\*4/2 + d\*\*2\*x\*\*6/6), Eq(b, 0)), (60\*a\*\*5\*d\*\*2\*log(a/b + x)/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) + 137\*a\*\*5\*d\*\*2/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) + 300\*a\*\*4\*b\*d\*\*2\*x\*log(a/b + x)/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) + 625\*a\*\*4\*b\*d\*\*2\*x/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) - 6\*a\*\*3\*b\*\*2\*c\*d/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) + 600\*a\*\*3\*b\*\*2\*d\*\*2\*x\*\*2\*log(a/b + x)/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) + 1100\*a\*\*3\*b\*\*2\*d\*\*2\*x\*\*2/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) - 30\*a\*\*2\*b\*\*3\*c\*d\*x/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) + 600\*a\*\*2\*b\*\*3\*d\*\*2\*x\*\*3\*log(a/b + x)/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) + 900\*a\*\*2\*b\*\*3\*d\*\*2\*x\*\*3/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) - 3\*a\*b\*\*4\*c\*\*2/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) - 60\*a\*b\*\*4\*c\*d\*x\*\*2/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) + 300\*a\*b\*\*4\*d\*\*2\*x\*\*4\*log(a/b + x)/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x\*\*4 + 60\*b\*\*11\*x\*\*5) + 300\*a\*b\*\*4\*d\*\*2\*x\*\*4/(60\*a\*\*5\*b\*\*6 + 300\*a\*\*4\*b\*\*7\*x + 600\*a\*\*3\*b\*\*8\*x\*\*2 + 600\*a\*\*2\*b\*\*9\*x\*\*3 + 300\*a\*b\*\*10\*x

$$\begin{aligned}
& **4 + 60*b**11*x**5) - 15*b**5*c**2*x/(60*a**5*b**6 + 300*a**4*b**7*x + 600 \\
& *a**3*b**8*x**2 + 600*a**2*b**9*x**3 + 300*a*b**10*x**4 + 60*b**11*x**5) - \\
& 60*b**5*c*d*x**3/(60*a**5*b**6 + 300*a**4*b**7*x + 600*a**3*b**8*x**2 + 600 \\
& *a**2*b**9*x**3 + 300*a*b**10*x**4 + 60*b**11*x**5) + 60*b**5*d**2*x**5*log \\
& (a/b + x)/(60*a**5*b**6 + 300*a**4*b**7*x + 600*a**3*b**8*x**2 + 600*a**2*b \\
& **9*x**3 + 300*a*b**10*x**4 + 60*b**11*x**5), Eq(n, -6)), (-60*a**5*d**2*lo \\
& g(a/b + x)/(12*a**4*b**6 + 48*a**3*b**7*x + 72*a**2*b**8*x**2 + 48*a*b**9*x \\
& **3 + 12*b**10*x**4) - 125*a**5*d**2/(12*a**4*b**6 + 48*a**3*b**7*x + 72*a \\
& *2*b**8*x**2 + 48*a*b**9*x**3 + 12*b**10*x**4) - 240*a**4*b*d**2*x*log(a/b \\
& + x)/(12*a**4*b**6 + 48*a**3*b**7*x + 72*a**2*b**8*x**2 + 48*a*b**9*x**3 + \\
& 12*b**10*x**4) - 440*a**4*b*d**2*x/(12*a**4*b**6 + 48*a**3*b**7*x + 72*a**2 \\
& *b**8*x**2 + 48*a*b**9*x**3 + 12*b**10*x**4) - 6*a**3*b**2*c*d/(12*a**4*b** \\
& 6 + 48*a**3*b**7*x + 72*a**2*b**8*x**2 + 48*a*b**9*x**3 + 12*b**10*x**4) - \\
& 360*a**3*b**2*d**2*x**2*log(a/b + x)/(12*a**4*b**6 + 48*a**3*b**7*x + 72*a \\
& *2*b**8*x**2 + 48*a*b**9*x**3 + 12*b**10*x**4) - 540*a**3*b**2*d**2*x**2/(1 \\
& 2*a**4*b**6 + 48*a**3*b**7*x + 72*a**2*b**8*x**2 + 48*a*b**9*x**3 + 12*b**1 \\
& 0*x**4) - 24*a**2*b**3*c*d*x/(12*a**4*b**6 + 48*a**3*b**7*x + 72*a**2*b**8* \\
& x**2 + 48*a*b**9*x**3 + 12*b**10*x**4) - 240*a**2*b**3*d**2*x**3*log(a/b + \\
& x)/(12*a**4*b**6 + 48*a**3*b**7*x + 72*a**2*b**8*x**2 + 48*a*b**9*x**3 + 12 \\
& *b**10*x**4) - 240*a**2*b**3*d**2*x**3/(12*a**4*b**6 + 48*a**3*b**7*x + 72* \\
& a**2*b**8*x**2 + 48*a*b**9*x**3 + 12*b**10*x**4) - a*b**4*c**2/(12*a**4*b** \\
& 6 + 48*a**3*b**7*x + 72*a**2*b**8*x**2 + 48*a*b**9*x**3 + 12*b**10*x**4) - \\
& 36*a*b**4*c*d*x**2/(12*a**4*b**6 + 48*a**3*b**7*x + 72*a**2*b**8*x**2 + 48* \\
& a*b**9*x**3 + 12*b**10*x**4) - 60*a*b**4*d**2*x**4*log(a/b + x)/(12*a**4*b** \\
& *6 + 48*a**3*b**7*x + 72*a**2*b**8*x**2 + 48*a*b**9*x**3 + 12*b**10*x**4) - \\
& 4*b**5*c**2*x/(12*a**4*b**6 + 48*a**3*b**7*x + 72*a**2*b**8*x**2 + 48*a*b \\
& *9*x**3 + 12*b**10*x**4) - 24*b**5*c*d*x**3/(12*a**4*b**6 + 48*a**3*b**7*x \\
& + 72*a**2*b**8*x**2 + 48*a*b**9*x**3 + 12*b**10*x**4) + 12*b**5*d**2*x**5/( \\
& 12*a**4*b**6 + 48*a**3*b**7*x + 72*a**2*b**8*x**2 + 48*a*b**9*x**3 + 12*b** \\
& 10*x**4), Eq(n, -5)), (60*a**5*d**2*log(a/b + x)/(6*a**3*b**6 + 18*a**2*b** \\
& 7*x + 18*a*b**8*x**2 + 6*b**9*x**3) + 110*a**5*d**2/(6*a**3*b**6 + 18*a**2* \\
& b**7*x + 18*a*b**8*x**2 + 6*b**9*x**3) + 180*a**4*b*d**2*x*log(a/b + x)/(6* \\
& a**3*b**6 + 18*a**2*b**7*x + 18*a*b**8*x**2 + 6*b**9*x**3) + 270*a**4*b*d** \\
& 2*x/(6*a**3*b**6 + 18*a**2*b**7*x + 18*a*b**8*x**2 + 6*b**9*x**3) + 12*a**3 \\
& *b**2*c*d*log(a/b + x)/(6*a**3*b**6 + 18*a**2*b**7*x + 18*a*b**8*x**2 + 6*b \\
& **9*x**3) + 22*a**3*b**2*c*d/(6*a**3*b**6 + 18*a**2*b**7*x + 18*a*b**8*x**2 \\
& + 6*b**9*x**3) + 180*a**3*b**2*d**2*x**2*log(a/b + x)/(6*a**3*b**6 + 18*a \\
& *2*b**7*x + 18*a*b**8*x**2 + 6*b**9*x**3) + 180*a**3*b**2*d**2*x**2/(6*a**3 \\
& *b**6 + 18*a**2*b**7*x + 18*a*b**8*x**2 + 6*b**9*x**3) + 36*a**2*b**3*c*d*x \\
& *log(a/b + x)/(6*a**3*b**6 + 18*a**2*b**7*x + 18*a*b**8*x**2 + 6*b**9*x**3) \\
& + 54*a**2*b**3*c*d*x/(6*a**3*b**6 + 18*a**2*b**7*x + 18*a*b**8*x**2 + 6*b \\
& *9*x**3) + 60*a**2*b**3*d**2*x**3*log(a/b + x)/(6*a**3*b**6 + 18*a**2*b**7* \\
& x + 18*a*b**8*x**2 + 6*b**9*x**3) - a*b**4*c**2/(6*a**3*b**6 + 18*a**2*b**7 \\
& *x + 18*a*b**8*x**2 + 6*b**9*x**3) + 36*a*b**4*c*d*x**2*log(a/b + x)/(6*a** \\
& 3*b**6 + 18*a**2*b**7*x + 18*a*b**8*x**2 + 6*b**9*x**3) + 36*a*b**4*c*d*x**
\end{aligned}$$



$$\begin{aligned}
& 2/(6a^{**3}b^{**6} + 18a^{**2}b^{**7}x + 18ab^{**8}x^{**2} + 6b^{**9}x^{**3}) - 15a^{**b}^{**4} \\
& *d^{**2}x^{**4}/(6a^{**3}b^{**6} + 18a^{**2}b^{**7}x + 18ab^{**8}x^{**2} + 6b^{**9}x^{**3}) - \\
& 3b^{**5}c^{**2}x/(6a^{**3}b^{**6} + 18a^{**2}b^{**7}x + 18ab^{**8}x^{**2} + 6b^{**9}x^{**3}) \\
& + 12b^{**5}c^*d^*x^{**3}\log(a/b + x)/(6a^{**3}b^{**6} + 18a^{**2}b^{**7}x + 18ab^{**8} \\
& x^{**2} + 6b^{**9}x^{**3}) + 3b^{**5}d^{**2}x^{**5}/(6a^{**3}b^{**6} + 18a^{**2}b^{**7}x + 18a \\
& b^{**8}x^{**2} + 6b^{**9}x^{**3}), \text{Eq}(n, -4)), (-60a^{**5}d^{**2}\log(a/b + x)/(6a^{**2} \\
& b^{**6} + 12a^*b^{**7}x + 6b^{**8}x^{**2}) - 90a^{**5}d^{**2}/(6a^{**2}b^{**6} + 12a^*b^{**7}x \\
& + 6b^{**8}x^{**2}) - 120a^{**4}b^*d^{**2}x\log(a/b + x)/(6a^{**2}b^{**6} + 12a^*b^{**7}x \\
& + 6b^{**8}x^{**2}) - 120a^{**4}b^*d^{**2}x/(6a^{**2}b^{**6} + 12a^*b^{**7}x + 6b^{**8}x^{**} \\
& 2) - 36a^{**3}b^{**2}c^*d^*\log(a/b + x)/(6a^{**2}b^{**6} + 12a^*b^{**7}x + 6b^{**8}x^{**2} \\
& ) - 54a^{**3}b^{**2}c^*d^*/(6a^{**2}b^{**6} + 12a^*b^{**7}x + 6b^{**8}x^{**2}) - 60a^{**3}b^* \\
& *2^*d^{**2}x^{**2}\log(a/b + x)/(6a^{**2}b^{**6} + 12a^*b^{**7}x + 6b^{**8}x^{**2}) - 72a^* \\
& *2^*b^{**3}c^*d^*x\log(a/b + x)/(6a^{**2}b^{**6} + 12a^*b^{**7}x + 6b^{**8}x^{**2}) - 72a^* \\
& *2^*b^{**3}c^*d^*x/(6a^{**2}b^{**6} + 12a^*b^{**7}x + 6b^{**8}x^{**2}) + 20a^{**2}b^{**3}d^{**} \\
& 2^*x^{**3}/(6a^{**2}b^{**6} + 12a^*b^{**7}x + 6b^{**8}x^{**2}) - 3a^*b^{**4}c^{**2}/(6a^{**2}b^* \\
& *6 + 12a^*b^{**7}x + 6b^{**8}x^{**2}) - 36a^*b^{**4}c^*d^*x^{**2}\log(a/b + x)/(6a^{**2}b^* \\
& **6 + 12a^*b^{**7}x + 6b^{**8}x^{**2}) - 5a^*b^{**4}d^{**2}x^{**4}/(6a^{**2}b^{**6} + 12a^*b^* \\
& **7x + 6b^{**8}x^{**2}) - 6b^{**5}c^{**2}x/(6a^{**2}b^{**6} + 12a^*b^{**7}x + 6b^{**8}x^* \\
& *2) + 12b^{**5}c^*d^*x^{**3}/(6a^{**2}b^{**6} + 12a^*b^{**7}x + 6b^{**8}x^{**2}) + 2b^{**5}d^* \\
& **2^*x^{**5}/(6a^{**2}b^{**6} + 12a^*b^{**7}x + 6b^{**8}x^{**2}), \text{Eq}(n, -3)), (60a^{**5}d^* \\
& *2^*\log(a/b + x)/(12a^*b^{**6} + 12b^{**7}x) + 60a^{**5}d^{**2}/(12a^*b^{**6} + 12b^{**7} \\
& *x) + 60a^{**4}b^*d^{**2}x\log(a/b + x)/(12a^*b^{**6} + 12b^{**7}x) + 72a^{**3}b^{**2}c^* \\
& d^*\log(a/b + x)/(12a^*b^{**6} + 12b^{**7}x) + 72a^{**3}b^{**2}c^*d^*/(12a^*b^{**6} + 12 \\
& *b^{**7}x) - 30a^{**3}b^{**2}d^{**2}x^{**2}/(12a^*b^{**6} + 12b^{**7}x) + 72a^{**2}b^{**3}c^* \\
& d^*x\log(a/b + x)/(12a^*b^{**6} + 12b^{**7}x) + 10a^{**2}b^{**3}d^{**2}x^{**3}/(12a^*b^{**} \\
& 6 + 12b^{**7}x) + 12a^*b^{**4}c^{**2}\log(a/b + x)/(12a^*b^{**6} + 12b^{**7}x) + 12a^* \\
& b^{**4}c^{**2}/(12a^*b^{**6} + 12b^{**7}x) - 36a^*b^{**4}c^*d^*x^{**2}/(12a^*b^{**6} + 12b^{**} \\
& 7x) - 5a^*b^{**4}d^{**2}x^{**4}/(12a^*b^{**6} + 12b^{**7}x) + 12b^{**5}c^{**2}x\log(a/b \\
& + x)/(12a^*b^{**6} + 12b^{**7}x) + 12b^{**5}c^*d^*x^{**3}/(12a^*b^{**6} + 12b^{**7}x) + 3 \\
& *b^{**5}d^{**2}x^{**5}/(12a^*b^{**6} + 12b^{**7}x), \text{Eq}(n, -2)), (-a^{**5}d^{**2}\log(a/b + \\
& x)/b^{**6} + a^{**4}d^{**2}x/b^{**5} - 2a^{**3}c^*d^*\log(a/b + x)/b^{**4} - a^{**3}d^{**2}x^{**2}/ \\
& (2b^{**4}) + 2a^{**2}c^*d^*x/b^{**3} + a^{**2}d^{**2}x^{**3}/(3b^{**3}) - a^{**2}\log(a/b + x) \\
& )/b^{**2} - a^{**2}c^*d^*x^{**2}/b^{**2} - a^{**2}d^{**2}x^{**4}/(4b^{**2}) + c^{**2}x/b + 2c^*d^*x^{**3}/(3 \\
& b) + d^{**2}x^{**5}/(5b), \text{Eq}(n, -1)), (-120a^{**6}d^{**2}(a + b^*x)^{**n}/(b^{**6}n^{**6} + \\
& 21b^{**6}n^{**5} + 175b^{**6}n^{**4} + 735b^{**6}n^{**3} + 1624b^{**6}n^{**2} + 1764b^{**6}n \\
& + 720b^{**6}) + 120a^{**5}b^*d^{**2}n^*x^*(a + b^*x)^{**n}/(b^{**6}n^{**6} + 21b^{**6}n^{**5} \\
& + 175b^{**6}n^{**4} + 735b^{**6}n^{**3} + 1624b^{**6}n^{**2} + 1764b^{**6}n + 720b^{**6}) \\
& - 12a^{**4}b^{**2}c^*d^*n^{**2}(a + b^*x)^{**n}/(b^{**6}n^{**6} + 21b^{**6}n^{**5} + 175b^{**6}n^* \\
& **4 + 735b^{**6}n^{**3} + 1624b^{**6}n^{**2} + 1764b^{**6}n + 720b^{**6}) - 132a^{**4}b^* \\
& **2^*c^*d^*n^*(a + b^*x)^{**n}/(b^{**6}n^{**6} + 21b^{**6}n^{**5} + 175b^{**6}n^{**4} + 735b^{**6} \\
& *n^{**3} + 1624b^{**6}n^{**2} + 1764b^{**6}n + 720b^{**6}) - 360a^{**4}b^{**2}c^*d^*(a + b \\
& *x)^{**n}/(b^{**6}n^{**6} + 21b^{**6}n^{**5} + 175b^{**6}n^{**4} + 735b^{**6}n^{**3} + 1624b^{**} \\
& 6n^{**2} + 1764b^{**6}n + 720b^{**6}) - 60a^{**4}b^{**2}d^{**2}n^{**2}x^{**2}(a + b^*x)^{**n} \\
& / (b^{**6}n^{**6} + 21b^{**6}n^{**5} + 175b^{**6}n^{**4} + 735b^{**6}n^{**3} + 1624b^{**6}n^{**2} \\
& + 1764b^{**6}n + 720b^{**6}) - 60a^{**4}b^{**2}d^{**2}n^*x^{**2}(a + b^*x)^{**n}/(b^{**6}n^*
\end{aligned}$$



$$\begin{aligned}
& 6n^{*5} + 175b^{*6}n^{*4} + 735b^{*6}n^{*3} + 1624b^{*6}n^{*2} + 1764b^{*6}n + 720 \\
& *b^{*6}) + 2a*b^{*5}*c*d*n^{*5}*x^{*3}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 17 \\
& 5*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 28 \\
& *a*b^{*5}*c*d*n^{*4}*x^{*3}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} \\
& + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 130*a*b^{*5}*c \\
& *d*n^{*3}*x^{*3}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b \\
& **6*n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 224*a*b^{*5}*c*d*n^{*2}*x \\
& **3*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} \\
& + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 120*a*b^{*5}*c*d*n*x^{*3}*(a + b*x \\
& )^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n \\
& n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + a*b^{*5}*d^{*2}*n^{*5}*x^{*5}*(a + b*x)^{*n}/(b^{*6}n \\
& **6 + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764* \\
& b^{*6}n + 720*b^{*6}) + 10*a*b^{*5}*d^{*2}*n^{*4}*x^{*5}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21* \\
& b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + \\
& 720*b^{*6}) + 35*a*b^{*5}*d^{*2}*n^{*3}*x^{*5}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} \\
& + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) \\
& + 50*a*b^{*5}*d^{*2}*n^{*2}*x^{*5}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b \\
& *6*n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 24*a*b \\
& **5*d^{*2}*n*x^{*5}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 73 \\
& 5*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + b^{*6}*c^{*2}*n^{*5}*x^{*2} \\
& *2*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + \\
& 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 19*b^{*6}*c^{*2}*n^{*4}*x^{*2}*(a + b*x) \\
& **n/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n \\
& **2 + 1764*b^{*6}n + 720*b^{*6}) + 137*b^{*6}*c^{*2}*n^{*3}*x^{*2}*(a + b*x)^{*n}/(b^{*6}n \\
& n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764 \\
& *b^{*6}n + 720*b^{*6}) + 461*b^{*6}*c^{*2}*n^{*2}*x^{*2}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21* \\
& b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + \\
& 720*b^{*6}) + 702*b^{*6}*c^{*2}*n*x^{*2}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 1 \\
& 75*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 3 \\
& 60*b^{*6}*c^{*2}*x^{*2}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + \\
& 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 2*b^{*6}*c*d*n^{*5} \\
& x^{*4}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} \\
& + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 34*b^{*6}*c*d*n^{*4}*x^{*4}*(a + b \\
& x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6} \\
& n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 214*b^{*6}*c*d*n^{*3}*x^{*4}*(a + b*x)^{*n}/(b^{*6} \\
& n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 176 \\
& 4*b^{*6}n + 720*b^{*6}) + 614*b^{*6}*c*d*n^{*2}*x^{*4}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21* \\
& b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + \\
& 720*b^{*6}) + 792*b^{*6}*c*d*n*x^{*4}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 17 \\
& 5*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 36 \\
& 0*b^{*6}*c*d*x^{*4}*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 73 \\
& 5*b^{*6}n^{*3} + 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + b^{*6}*d^{*2}*n^{*5}*x^{*6} \\
& *6*(a + b*x)^{*n}/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + \\
& 1624*b^{*6}n^{*2} + 1764*b^{*6}n + 720*b^{*6}) + 15*b^{*6}*d^{*2}*n^{*4}*x^{*6}*(a + b*x) \\
& **n/(b^{*6}n^{*6} + 21*b^{*6}n^{*5} + 175*b^{*6}n^{*4} + 735*b^{*6}n^{*3} + 1624*b^{*6}n
\end{aligned}$$

```

**2 + 1764*b**6*n + 720*b**6) + 85*b**6*d**2*n**3*x**6*(a + b*x)**n/(b**6*n
**6 + 21*b**6*n**5 + 175*b**6*n**4 + 735*b**6*n**3 + 1624*b**6*n**2 + 1764*
b**6*n + 720*b**6) + 225*b**6*d**2*n**2*x**6*(a + b*x)**n/(b**6*n**6 + 21*b
**6*n**5 + 175*b**6*n**4 + 735*b**6*n**3 + 1624*b**6*n**2 + 1764*b**6*n + 7
20*b**6) + 274*b**6*d**2*n*x**6*(a + b*x)**n/(b**6*n**6 + 21*b**6*n**5 + 17
5*b**6*n**4 + 735*b**6*n**3 + 1624*b**6*n**2 + 1764*b**6*n + 720*b**6) + 12
0*b**6*d**2*x**6*(a + b*x)**n/(b**6*n**6 + 21*b**6*n**5 + 175*b**6*n**4 + 7
35*b**6*n**3 + 1624*b**6*n**2 + 1764*b**6*n + 720*b**6), True))

```

$$3.267 \quad \int (a + bx)^n (c + dx^2)^2 dx$$

**Optimal.** Leaf size=140

$$\frac{(a^2d + b^2c)^2 (a + bx)^{n+1}}{b^5(n+1)} - \frac{4ad(a^2d + b^2c)(a + bx)^{n+2}}{b^5(n+2)} + \frac{2d(3a^2d + b^2c)(a + bx)^{n+3}}{b^5(n+3)} - \frac{4ad^2(a + bx)^{n+4}}{b^5(n+4)} + \frac{d^2(a + bx)^{n+5}}{b^5(n+5)}$$

**Rubi [A]** time = 0.07, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {697}

$$\frac{(a^2d + b^2c)^2 (a + bx)^{n+1}}{b^5(n+1)} - \frac{4ad(a^2d + b^2c)(a + bx)^{n+2}}{b^5(n+2)} + \frac{2d(3a^2d + b^2c)(a + bx)^{n+3}}{b^5(n+3)} - \frac{4ad^2(a + bx)^{n+4}}{b^5(n+4)} + \frac{d^2(a + bx)^{n+5}}{b^5(n+5)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x)^n\*(c + d\*x^2)^2,x]

[Out] ((b^2\*c + a^2\*d)^2\*(a + b\*x)^(1 + n))/(b^5\*(1 + n)) - (4\*a\*d\*(b^2\*c + a^2\*d)\*(a + b\*x)^(2 + n))/(b^5\*(2 + n)) + (2\*d\*(b^2\*c + 3\*a^2\*d)\*(a + b\*x)^(3 + n))/(b^5\*(3 + n)) - (4\*a\*d^2\*(a + b\*x)^(4 + n))/(b^5\*(4 + n)) + (d^2\*(a + b\*x)^(5 + n))/(b^5\*(5 + n))

**Rule 697**

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0]

**Rubi steps**

$$\begin{aligned} \int (a + bx)^n (c + dx^2)^2 dx &= \int \left( \frac{(b^2c + a^2d)^2 (a + bx)^n}{b^4} - \frac{4ad(b^2c + a^2d)(a + bx)^{1+n}}{b^4} + \frac{2d(b^2c + 3a^2d)(a + bx)^{2+n}}{b^4} \right) dx \\ &= \frac{(b^2c + a^2d)^2 (a + bx)^{1+n}}{b^5(1+n)} - \frac{4ad(b^2c + a^2d)(a + bx)^{2+n}}{b^5(2+n)} + \frac{2d(b^2c + 3a^2d)(a + bx)^{3+n}}{b^5(3+n)} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 160, normalized size = 1.14

$$\frac{(a + bx)^{n+1} \left( \frac{4(a^2d + b^2c)(2a^2d - 2abd(n+1)x + b^2(n+2)(c(n+3) + d(n+1)x^2))}{b^4(n+1)(n+2)(n+3)} - \frac{4ad(a+bx)(2a^2d - 2abd(n+2)x + b^2(n+3)(c(n+4) + d(n+2)x^2))}{b^4(n+2)(n+3)(n+4)} + (c + dx^2)^2 \right)}{b(n+5)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x)^n\*(c + d\*x^2)^2,x]

[Out] ((a + b\*x)^(1 + n)\*((c + d\*x^2)^2 + (4\*(b^2\*c + a^2\*d)\*(2\*a^2\*d - 2\*a\*b\*d\*(1 + n)\*x + b^2\*(2 + n)\*(c\*(3 + n) + d\*(1 + n)\*x^2)))/(b^4\*(1 + n)\*(2 + n)\*(3 + n)) - (4\*a\*d\*(a + b\*x)\*(2\*a^2\*d - 2\*a\*b\*d\*(2 + n)\*x + b^2\*(3 + n)\*(c\*(4 + n) + d\*(2 + n)\*x^2)))/(b^4\*(2 + n)\*(3 + n)\*(4 + n)))/(b\*(5 + n))

**IntegrateAlgebraic [F]** time = 0.05, size = 0, normalized size = 0.00

$$\int (a + bx)^n (c + dx^2)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b\*x)^n\*(c + d\*x^2)^2,x]

[Out] Defer[IntegrateAlgebraic] [(a + b\*x)^n\*(c + d\*x^2)^2, x]

**fricas [B]** time = 0.42, size = 519, normalized size = 3.71

[[[a^5\*d^2+14\*a^4\*b\*d^2+10\*a^3\*b^2\*d^2+35\*a^2\*b^3\*d^2+50\*a\*b^4\*d^2+24\*b^5\*d^2]\*x^5+[[a^4\*d^2+6\*a^3\*b\*d^2+11\*a^2\*b^2\*d^2+6\*a\*b^3\*d^2+2\*b^4\*d^2]\*x^4+[[2\*b^5\*c\*d+40\*b^4\*c\*d+2\*(6\*b^5\*c\*d-a^2\*b^3\*d^2)]\*x^3+[[49\*b^5\*c\*d-6\*a^2\*b^3\*d^2]\*x^2+[[2\*(39\*b^5\*c\*d-2\*a^2\*b^3\*d^2)+71\*a\*b^4\*c^2+4\*a^3\*b^2\*c\*d]\*x+[[2\*(a\*b^4\*c\*d\*n^4+10\*a\*b^4\*c\*d\*n^3+29\*a\*b^4\*c\*d+6\*a^3\*b^2\*d^2)]\*n+[[2\*(10\*a\*b^4\*c\*d+3\*a^3\*b^2\*d^2)+77\*a\*b^4\*c^2+18\*a^3\*b^2\*c\*d]\*n+[[b^5\*c^2\*n^4+120\*b^5\*c^2+2\*(7\*b^5\*c^2-2\*a^2\*b^3\*c\*d)]\*n^3+[[71\*b^5\*c^2-36\*a^2\*b^3\*c\*d]\*n^2+[[2\*(7\*b^5\*c^2-40\*a^2\*b^3\*c\*d-12\*a^4\*b\*d^2)]\*n]\*x]]\*(b\*x+a)^n/(b^5\*n^5+15\*b^5\*n^4+85\*b^5\*n^3+225\*b^5\*n^2+274\*b^5\*n+120\*b^5)]

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^n\*(d\*x^2+c)^2,x, algorithm="fricas")

[Out] (a\*b^4\*c^2\*n^4 + 14\*a\*b^4\*c^2\*n^3 + 120\*a\*b^4\*c^2 + 80\*a^3\*b^2\*c\*d + 24\*a^5\*d^2 + (b^5\*d^2\*n^4 + 10\*b^5\*d^2\*n^3 + 35\*b^5\*d^2\*n^2 + 50\*b^5\*d^2\*n + 24\*b^5\*d^2)\*x^5 + (a\*b^4\*d^2\*n^4 + 6\*a\*b^4\*d^2\*n^3 + 11\*a\*b^4\*d^2\*n^2 + 6\*a\*b^4\*d^2\*n)\*x^4 + 2\*(b^5\*c\*d\*n^4 + 40\*b^5\*c\*d + 2\*(6\*b^5\*c\*d - a^2\*b^3\*d^2))\*x^3 + (49\*b^5\*c\*d - 6\*a^2\*b^3\*d^2)\*x^2 + 2\*(39\*b^5\*c\*d - 2\*a^2\*b^3\*d^2)\*x + (71\*a\*b^4\*c^2 + 4\*a^3\*b^2\*c\*d)\*n^2 + 2\*(a\*b^4\*c\*d\*n^4 + 10\*a\*b^4\*c\*d\*n^3 + (29\*a\*b^4\*c\*d + 6\*a^3\*b^2\*d^2)\*n^2 + 2\*(10\*a\*b^4\*c\*d + 3\*a^3\*b^2\*d^2)\*n)\*x^2 + 2\*(77\*a\*b^4\*c^2 + 18\*a^3\*b^2\*c\*d)\*n + (b^5\*c^2\*n^4 + 120\*b^5\*c^2 + 2\*(7\*b^5\*c^2 - 2\*a^2\*b^3\*c\*d))\*n^3 + (71\*b^5\*c^2 - 36\*a^2\*b^3\*c\*d)\*n^2 + 2\*(7\*b^5\*c^2 - 40\*a^2\*b^3\*c\*d - 12\*a^4\*b\*d^2)\*n)\*x\*(b\*x + a)^n/(b^5\*n^5 + 15\*b^5\*n^4 + 85\*b^5\*n^3 + 225\*b^5\*n^2 + 274\*b^5\*n + 120\*b^5)

**giac [B]** time = 0.20, size = 851, normalized size = 6.08

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^n\*(d\*x^2+c)^2,x, algorithm="giac")

[Out]  $((b*x + a)^n * b^5 * d^2 * n^4 * x^5 + (b*x + a)^n * a * b^4 * d^2 * n^4 * x^4 + 10 * (b*x + a)^n * b^5 * d^2 * n^3 * x^5 + 2 * (b*x + a)^n * b^5 * c * d * n^4 * x^3 + 6 * (b*x + a)^n * a * b^4 * d^2 * n^3 * x^4 + 35 * (b*x + a)^n * b^5 * d^2 * n^2 * x^5 + 2 * (b*x + a)^n * a * b^4 * c * d * n^4 * x^2 + 24 * (b*x + a)^n * b^5 * c * d * n^3 * x^3 - 4 * (b*x + a)^n * a^2 * b^3 * d^2 * n^3 * x^3 + 11 * (b*x + a)^n * a * b^4 * d^2 * n^2 * x^4 + 50 * (b*x + a)^n * b^5 * d^2 * n * x^5 + (b*x + a)^n * b^5 * c^2 * n^4 * x + 20 * (b*x + a)^n * a * b^4 * c * d * n^3 * x^2 + 98 * (b*x + a)^n * b^5 * c * d * n^2 * x^3 - 12 * (b*x + a)^n * a^2 * b^3 * d^2 * n^2 * x^3 + 6 * (b*x + a)^n * a * b^4 * d^2 * n * x^4 + 24 * (b*x + a)^n * b^5 * d^2 * x^5 + (b*x + a)^n * a * b^4 * c^2 * n^4 + 14 * (b*x + a)^n * b^5 * c^2 * n^3 * x - 4 * (b*x + a)^n * a^2 * b^3 * c * d * n^3 * x + 58 * (b*x + a)^n * a * b^4 * c * d * n^2 * x^2 + 12 * (b*x + a)^n * a^3 * b^2 * d^2 * n^2 * x^2 + 156 * (b*x + a)^n * b^5 * c * d * n * x^3 - 8 * (b*x + a)^n * a^2 * b^3 * d^2 * n * x^3 + 14 * (b*x + a)^n * a * b^4 * c^2 * n^3 + 71 * (b*x + a)^n * b^5 * c^2 * n^2 * x - 36 * (b*x + a)^n * a^2 * b^3 * c * d * n^2 * x + 40 * (b*x + a)^n * a * b^4 * c * d * n * x^2 + 12 * (b*x + a)^n * a^3 * b^2 * d^2 * n * x^2 + 80 * (b*x + a)^n * b^5 * c * d * x^3 + 71 * (b*x + a)^n * a * b^4 * c^2 * n^2 + 4 * (b*x + a)^n * a^3 * b^2 * c * d * n^2 + 154 * (b*x + a)^n * b^5 * c^2 * n * x - 80 * (b*x + a)^n * a^2 * b^3 * c * d * n * x - 24 * (b*x + a)^n * a^4 * b * d^2 * n * x + 154 * (b*x + a)^n * a * b^4 * c^2 * n + 36 * (b*x + a)^n * a^3 * b^2 * c * d * n + 120 * (b*x + a)^n * b^5 * c^2 * x + 120 * (b*x + a)^n * a * b^4 * c^2 + 80 * (b*x + a)^n * a^3 * b^2 * c * d + 24 * (b*x + a)^n * a^5 * d^2) / (b^5 * n^5 + 15 * b^5 * n^4 + 85 * b^5 * n^3 + 225 * b^5 * n^2 + 274 * b^5 * n + 120 * b^5)$

**maple [B]** time = 0.01, size = 420, normalized size = 3.00

$(b^5 d^2 n^4 x^5 + a b^4 d^2 n^4 x^4 + 10 b^5 d^2 n^3 x^5 + 2 a b^4 d^2 n^4 x^3 + 6 a^2 b^3 d^2 n^3 x^3 + 35 b^5 d^2 n^2 x^5 + 2 a b^4 c d n^4 x^2 + 24 b^5 c d n^3 x^3 - 4 a^2 b^3 d^2 n^3 x^3 + 11 a b^4 d^2 n^2 x^4 + 50 b^5 d^2 n x^5 + b^5 c^2 n^4 x + 20 a b^4 c d n^3 x^2 + 98 b^5 c d n^2 x^3 - 12 a^2 b^3 d^2 n^2 x^3 + 6 a b^4 d^2 n x^4 + 24 b^5 d^2 x^5 + a b^4 c^2 n^4 + 14 b^5 c^2 n^3 x - 4 a^2 b^3 c d n^3 x + 58 a b^4 c d n^2 x^2 + 12 a^3 b^2 d^2 n^2 x^2 + 156 b^5 c d n x^3 - 8 a^2 b^3 d^2 n x^3 + 14 a b^4 c^2 n^3 + 71 b^5 c^2 n^2 x - 36 a^2 b^3 c d n^2 x + 40 a b^4 c d n x^2 + 12 a^3 b^2 d^2 n x^2 + 80 b^5 c d x^3 + 71 a b^4 c^2 n^2 + 4 a^3 b^2 c d n^2 + 154 b^5 c^2 n x - 80 a^2 b^3 c d n x - 24 a^4 b d^2 n x + 154 a b^4 c^2 n + 36 a^3 b^2 c d n + 120 b^5 c^2 x + 120 a b^4 c^2 + 80 a^3 b^2 c d + 24 a^5 d^2) / (b^5 n^5 + 15 b^5 n^4 + 85 b^5 n^3 + 225 b^5 n^2 + 274 b^5 n + 120 b^5)$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((b*x+a)^n*(d*x^2+c)^2,x)$

[Out]  $(b*x+a)^{n+1}*(b^4*d^2*n^4*x^4+10*b^4*d^2*n^3*x^4-4*a*b^3*d^2*n^3*x^3+2*b^4*c*d*n^4*x^2+35*b^4*d^2*n^2*x^4-24*a*b^3*d^2*n^2*x^3+24*b^4*c*d*n^3*x^2+50*b^4*d^2*n*x^4+12*a^2*b^2*d^2*n^2*x^2-4*a*b^3*c*d*n^3*x-44*a*b^3*d^2*n*x^3+b^4*c^2*n^4+98*b^4*c*d*n^2*x^2+24*b^4*d^2*x^4+36*a^2*b^2*d^2*n*x^2-40*a*b^3*c*d*n^2*x-24*a*b^3*d^2*x^3+14*b^4*c^2*n^3+156*b^4*c*d*n*x^2-24*a^3*b*d^2*n*x+4*a^2*b^2*c*d*n^2+24*a^2*b^2*d^2*x^2-116*a*b^3*c*d*n*x+71*b^4*c^2*n^2+80*b^4*c*d*x^2-24*a^3*b*d^2*x+36*a^2*b^2*c*d*n-80*a*b^3*c*d*x+154*b^4*c^2*n+24*a^4*d^2+80*a^2*b^2*c*d+120*b^4*c^2)/b^5/(n^5+15*n^4+85*n^3+225*n^2+274*n+120)$

**maxima [A]** time = 0.48, size = 235, normalized size = 1.68

$\frac{(bx+a)^{n+1}c^2}{b(n+1)} + \frac{2((n^2+3n+2)b^3x^3+(n^2+n)ab^2x^2-2a^2bnx+2a^2)(bx+a)^ncd}{(n^3+6n^2+11n+6)b^3} + \frac{((n^4+10n^3+35n^2+50n+24)b^5x^5+(n^4+6n^3+11n^2+6n)ab^4x^4-4(n^3+3n^2+2n)a^2b^3x^3+12(n^2+n)a^2b^2x^2-24a^2bnx+24a^2)(bx+a)^nd^2}{(n^5+15n^4+85n^3+225n^2+274n+120)b^5}$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((b*x+a)^n*(d*x^2+c)^2,x, \text{algorithm}=\text{"maxima"})$

```
[Out] (b*x + a)^(n + 1)*c^2/(b*(n + 1)) + 2*((n^2 + 3*n + 2)*b^3*x^3 + (n^2 + n)*
a*b^2*x^2 - 2*a^2*b*n*x + 2*a^3)*(b*x + a)^n*c*d/((n^3 + 6*n^2 + 11*n + 6)*
b^3) + ((n^4 + 10*n^3 + 35*n^2 + 50*n + 24)*b^5*x^5 + (n^4 + 6*n^3 + 11*n^2
+ 6*n)*a*b^4*x^4 - 4*(n^3 + 3*n^2 + 2*n)*a^2*b^3*x^3 + 12*(n^2 + n)*a^3*b^
2*x^2 - 24*a^4*b*n*x + 24*a^5)*(b*x + a)^n*d^2/((n^5 + 15*n^4 + 85*n^3 + 22
5*n^2 + 274*n + 120)*b^5)
```

**mupad [B]** time = 2.84, size = 496, normalized size = 3.54

$$\frac{2(24a^4d^2 + 120b^4c^2 + 154b^4c^2n + 71b^4c^2n^2 + 14b^4c^2n^3 + b^4c^2n^4 + 80a^2b^2cd + 36a^2b^2cdn + 4a^2b^2cdn^2)}{b^5(274n + 225n^2 + 85n^3 + 15n^4 + n^5 + 120)} + \frac{d^2x^5(50n + 35n^2 + 10n^3 + n^4 + 24)}{(274n + 225n^2 + 85n^3 + 15n^4 + n^5 + 120)} + \frac{x(120b^5c^2 + 154b^5c^2n + 71b^5c^2n^2 + 14b^5c^2n^3 + b^5c^2n^4 - 24a^4bd^2n - 80a^2b^3cdn - 36a^2b^3cdn^2 - 4a^2b^3cdn^3)}{b^5(274n + 225n^2 + 85n^3 + 15n^4 + n^5 + 120)} + \frac{(2dx^3(3n + n^2 + 2)(20b^2c + b^2cn^2 - 2a^2dn + 9b^2cn))}{b^2(274n + 225n^2 + 85n^3 + 15n^4 + n^5 + 120)} + \frac{(ad^2nx^4(11n + 6n^2 + n^3 + 6))}{b(274n + 225n^2 + 85n^3 + 15n^4 + n^5 + 120)} + \frac{(2adnx^2(n + 1)(6a^2d + 20b^2c + b^2cn^2 + 9b^2cn))}{b^3(274n + 225n^2 + 85n^3 + 15n^4 + n^5 + 120)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c + d*x^2)^2*(a + b*x)^n,x)
```

```
[Out] (a + b*x)^n*((a*(24*a^4*d^2 + 120*b^4*c^2 + 154*b^4*c^2*n + 71*b^4*c^2*n^2
+ 14*b^4*c^2*n^3 + b^4*c^2*n^4 + 80*a^2*b^2*c*d + 36*a^2*b^2*c*d*n + 4*a^2*
b^2*c*d*n^2))/(b^5*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)) + (d^2*
x^5*(50*n + 35*n^2 + 10*n^3 + n^4 + 24))/(274*n + 225*n^2 + 85*n^3 + 15*n^4
+ n^5 + 120) + (x*(120*b^5*c^2 + 154*b^5*c^2*n + 71*b^5*c^2*n^2 + 14*b^5*c
^2*n^3 + b^5*c^2*n^4 - 24*a^4*b*d^2*n - 80*a^2*b^3*c*d*n - 36*a^2*b^3*c*d*n
^2 - 4*a^2*b^3*c*d*n^3))/(b^5*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 12
0)) + (2*d*x^3*(3*n + n^2 + 2)*(20*b^2*c + b^2*c*n^2 - 2*a^2*d*n + 9*b^2*c*
n))/(b^2*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)) + (a*d^2*n*x^4*(1
1*n + 6*n^2 + n^3 + 6))/(b*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120))
+ (2*a*d*n*x^2*(n + 1)*(6*a^2*d + 20*b^2*c + b^2*c*n^2 + 9*b^2*c*n))/(b^3*
(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)))
```

**sympy [A]** time = 7.13, size = 5097, normalized size = 36.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)**n*(d*x**2+c)**2,x)
```

```
[Out] Piecewise((a**n*(c**2*x + 2*c*d*x**3/3 + d**2*x**5/5), Eq(b, 0)), (12*a**4*
d**2*log(a/b + x)/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a
*b**8*x**3 + 12*b**9*x**4) + 25*a**4*d**2/(12*a**4*b**5 + 48*a**3*b**6*x +
72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 48*a**3*b*d**2*x*log(a
/b + x)/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3
+ 12*b**9*x**4) + 88*a**3*b*d**2*x/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**
2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) - 2*a**2*b**2*c*d/(12*a**4*b**
5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 7
2*a**2*b**2*d**2*x**2*log(a/b + x)/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2
*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 108*a**2*b**2*d**2*x**2/(12*a
**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**
```



$$\begin{aligned}
& 4) - 8*a*b**3*c*d*x/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 48*a*b**3*d**2*x**3*log(a/b + x)/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + \\
& 48*a*b**3*d**2*x**3/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) - 3*b**4*c**2/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) - 12*b**4*c*d*x**2/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4) + 12*b**4*d**2*x**4*log(a/b + x)/(12*a**4*b**5 + 48*a**3*b**6*x + 72*a**2*b**7*x**2 + 48*a*b**8*x**3 + 12*b**9*x**4), Eq(n, -5)), (-12*a**4*d**2*log(a/b + x)/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 22*a**4*d**2/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 36*a**3*b*d**2*x*log(a/b + x)/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 54*a**3*b*d**2*x/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 2*a**2*b**2*c*d/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 36*a**2*b**2*d**2*x**2*log(a/b + x)/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 36*a**2*b**2*d**2*x**2/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 6*a*b**3*c*d*x/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 12*a*b**3*d**2*x**3*log(a/b + x)/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - b**4*c**2/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) - 6*b**4*c*d*x**2/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3) + 3*b**4*d**2*x**4/(3*a**3*b**5 + 9*a**2*b**6*x + 9*a*b**7*x**2 + 3*b**8*x**3), Eq(n, -4)), (12*a**4*d**2*log(a/b + x)/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 18*a**4*d**2/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 24*a**3*b*d**2*x*log(a/b + x)/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 24*a**3*b*d**2*x/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 4*a**2*b**2*c*d*log(a/b + x)/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 6*a**2*b**2*c*d/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 12*a**2*b**2*d**2*x**2*log(a/b + x)/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 8*a*b**3*c*d*x*log(a/b + x)/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) - 4*a*b**3*d**2*x**3/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) - b**4*c**2/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + 4*b**4*c*d*x**2*log(a/b + x)/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2) + b**4*d**2*x**4/(2*a**2*b**5 + 4*a*b**6*x + 2*b**7*x**2), Eq(n, -3)), (-12*a**4*d**2*log(a/b + x)/(3*a*b**5 + 3*b**6*x) - 12*a**4*d**2/(3*a*b**5 + 3*b**6*x) - 12*a**3*b*d**2*x*log(a/b + x)/(3*a*b**5 + 3*b**6*x) - 12*a**2*b**2*c*d*log(a/b + x)/(3*a*b**5 + 3*b**6*x) - 12*a**2*b**2*c*d/(3*a*b**5 + 3*b**6*x) + 6*a**2*b**2*d**2*x**2/(3*a*b**5 + 3*b**6*x) - 12*a*b**3*c*d*x*log(a/b + x)/(3*a*b**5 + 3*b**6*x) - 2*a*b**3*d**2*x**3/(3*a*b**5 + 3*b**6*x) - 3*b**4*c**2/(3*a*b**5 + 3*b**6*x) + 6*b**4*c*d*x**2/(3*a*b**5 + 3*b**6*x) + b**4*d**2*x**4/(3*a*b**5 + 3*b**6*x), Eq(n, -2)), (a**4*d**2*log(a/b + x)/b**5 - a**3*d**2*x/b**4 + 2*a**2*c*d*log(a/b + x)/b**3 + a**2*d**2*x**2/(2*b**3) - 2*a*c*d*x/b**2 - a*d**2*x**3/(3*b**2) + c**2*log(a/b + x)/b + c*d*x**2/b + d**2*x**4/(4*b), Eq(n, -1)), (24*a**5*d**2*(a + b*x)**n/(b**5*n**5 + 15*b**5*n**4 + 85*b**5*n**3 + 225*b**5*n**2 + 274*b**5*n + 120*b**5) - 24*a**4*b*d**2*n*x*(a +
\end{aligned}$$



$$\begin{aligned}
& 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}) + 120*b^{5n}*c^{2x}(a + b*x)^n/(b^{5n+5} + 15*b^{5n+4} + 85*b^{5n+3} + 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}) \\
& ) + 2*b^{5n}*c*d*n^4*x^3*(a + b*x)^n/(b^{5n+5} + 15*b^{5n+4} + 85*b^{5n+3} + 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}) + 24*b^{5n}*c*d*n^3*x^3*(a + b*x)^n/(b^{5n+5} + 15*b^{5n+4} + 85*b^{5n+3} + 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}) \\
& + 98*b^{5n}*c*d*n^2*x^3*(a + b*x)^n/(b^{5n+5} + 15*b^{5n+4} + 85*b^{5n+3} + 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}) + 156*b^{5n}*c*d*n*x^3*(a + b*x)^n/(b^{5n+5} + 15*b^{5n+4} + 85*b^{5n+3} + 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}) \\
& + 80*b^{5n}*c*d*x^3*(a + b*x)^n/(b^{5n+5} + 15*b^{5n+4} + 85*b^{5n+3} + 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}) + b^{5n}*d^2*n^4*x^5*(a + b*x)^n/(b^{5n+5} + 15*b^{5n+4} + 85*b^{5n+3} + 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}) \\
& + 10*b^{5n}*d^2*n^3*x^5*(a + b*x)^n/(b^{5n+5} + 15*b^{5n+4} + 85*b^{5n+3} + 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}) + 35*b^{5n}*d^2*n^2*x^5*(a + b*x)^n/(b^{5n+5} + 15*b^{5n+4} + 85*b^{5n+3} + 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}) \\
& + 50*b^{5n}*d^2*n*x^5*(a + b*x)^n/(b^{5n+5} + 15*b^{5n+4} + 85*b^{5n+3} + 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}) + 24*b^{5n}*d^2*x^5*(a + b*x)^n/(b^{5n+5} + 15*b^{5n+4} + 85*b^{5n+3} + 225*b^{5n+2} + 274*b^{5n+1} + 120*b^{5n}), True))
\end{aligned}$$

$$3.268 \quad \int x^2(a + bx)^n (c + dx^2)^3 dx$$

**Optimal.** Leaf size=343

$$-\frac{2ad^2(28a^2d + 9b^2c)(a + bx)^{n+6}}{b^9(n+6)} + \frac{d^2(28a^2d + 3b^2c)(a + bx)^{n+7}}{b^9(n+7)} + \frac{a^2(a^2d + b^2c)^3(a + bx)^{n+1}}{b^9(n+1)} - \frac{2a(a^2d + b^2c)^2}{b}$$

**Rubi [A]** time = 0.21, antiderivative size = 343, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$ , Rules used = {948}

$$\frac{(a^2d + b^2c)(17a^2b^2cd + 28a^4d^2 + b^4c^2)(a + bx)^{n+3}}{b^9(n+3)} - \frac{4ad(15a^2b^2cd + 14a^4d^2 + 3b^4c^2)(a + bx)^{n+4}}{b^9(n+4)} + \frac{d(45a^2b^2cd + 70a^4d^2 + 3b^4c^2)(a + bx)^{n+5}}{b^9(n+5)} - \frac{2ad^2(28a^2d + 9b^2c)(a + bx)^{n+6}}{b^9(n+6)} + \frac{d^2(28a^2d + 3b^2c)(a + bx)^{n+7}}{b^9(n+7)} + \frac{a^2(a^2d + b^2c)^3(a + bx)^{n+1}}{b^9(n+1)} - \frac{2a(a^2d + b^2c)^2(4a^2d + b^2c)(a + bx)^{n+2}}{b^9(n+2)} - \frac{8ad^2(a + bx)^{n+8}}{b^9(n+8)} + \frac{d^3(a + bx)^{n+9}}{b^9(n+9)}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(a + b\*x)^n\*(c + d\*x^2)^3,x]

[Out] (a^2\*(b^2\*c + a^2\*d)^3\*(a + b\*x)^(1 + n))/(b^9\*(1 + n)) - (2\*a\*(b^2\*c + a^2\*d)^2\*(b^2\*c + 4\*a^2\*d)\*(a + b\*x)^(2 + n))/(b^9\*(2 + n)) + ((b^2\*c + a^2\*d)\*(b^4\*c^2 + 17\*a^2\*b^2\*c\*d + 28\*a^4\*d^2)\*(a + b\*x)^(3 + n))/(b^9\*(3 + n)) - (4\*a\*d\*(3\*b^4\*c^2 + 15\*a^2\*b^2\*c\*d + 14\*a^4\*d^2)\*(a + b\*x)^(4 + n))/(b^9\*(4 + n)) + (d\*(3\*b^4\*c^2 + 45\*a^2\*b^2\*c\*d + 70\*a^4\*d^2)\*(a + b\*x)^(5 + n))/(b^9\*(5 + n)) - (2\*a\*d^2\*(9\*b^2\*c + 28\*a^2\*d)\*(a + b\*x)^(6 + n))/(b^9\*(6 + n)) + (d^2\*(3\*b^2\*c + 28\*a^2\*d)\*(a + b\*x)^(7 + n))/(b^9\*(7 + n)) - (8\*a\*d^3\*(a + b\*x)^(8 + n))/(b^9\*(8 + n)) + (d^3\*(a + b\*x)^(9 + n))/(b^9\*(9 + n))

**Rule 948**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0] && (IGtQ[m, 0] || (EqQ[m, -2] && EqQ[p, 1] && EqQ[d, 0]))

**Rubi steps**

$$\int x^2(a + bx)^n (c + dx^2)^3 dx = \int \left( \frac{a^2(b^2c + a^2d)^3(a + bx)^n}{b^8} - \frac{2a(b^2c + a^2d)^2(b^2c + 4a^2d)(a + bx)^{1+n}}{b^8} + \frac{(b^2c + a^2d)(b^4c^2 + 17a^2b^2cd + 28a^4d^2)(a + bx)^{2+n}}{b^8} - \frac{4ad(3b^4c^2 + 15a^2b^2cd + 14a^4d^2)(a + bx)^{3+n}}{b^8} + \frac{d(45a^2b^2cd + 70a^4d^2 + 3b^4c^2)(a + bx)^{4+n}}{b^8} - \frac{2ad^2(9b^2c + 28a^2d)(a + bx)^{5+n}}{b^8} + \frac{d^2(3b^2c + 28a^2d)(a + bx)^{6+n}}{b^8} - \frac{8ad^3(a + bx)^{7+n}}{b^8} + \frac{d^3(a + bx)^{8+n}}{b^8} \right) dx$$

$$= \frac{a^2(b^2c + a^2d)^3(a + bx)^{1+n}}{b^9(1+n)} - \frac{2a(b^2c + a^2d)^2(b^2c + 4a^2d)(a + bx)^{2+n}}{b^9(2+n)} + \frac{(b^2c + a^2d)(b^4c^2 + 17a^2b^2cd + 28a^4d^2)(a + bx)^{3+n}}{b^9(3+n)} - \frac{4ad(3b^4c^2 + 15a^2b^2cd + 14a^4d^2)(a + bx)^{4+n}}{b^9(4+n)} + \frac{d(45a^2b^2cd + 70a^4d^2 + 3b^4c^2)(a + bx)^{5+n}}{b^9(5+n)} - \frac{2ad^2(9b^2c + 28a^2d)(a + bx)^{6+n}}{b^9(6+n)} + \frac{d^2(3b^2c + 28a^2d)(a + bx)^{7+n}}{b^9(7+n)} - \frac{8ad^3(a + bx)^{8+n}}{b^9(8+n)} + \frac{d^3(a + bx)^{9+n}}{b^9(9+n)}$$

**Mathematica [A]** time = 0.25, size = 302, normalized size = 0.88

$$\frac{(a+bx)^{n+1} \left( \frac{d^2(a+bx)^2(28a^2d+3b^2c)}{n+7} - \frac{2nd^2(a+bx)^2(28a^2d+9b^2c)}{n+6} - \frac{2n(a+bx)(a^2d+1b^2c)^2(4a^2d+b^2c)}{n+2} + \frac{d^2(a^2d+b^2c)^3}{n+1} + \frac{d(a+bx)^4(70a^4b^2+45a^2b^2cd+3b^4c^2)}{n+5} - \frac{4ad(a+bx)^3(14a^4b^2+15a^2b^2cd+3b^4c^2)}{n+4} + \frac{(a+bx)^2(a^2d+b^2c)(28a^4b^2+17a^2b^2cd+b^4c^2)}{n+3} + \frac{d^3(a+bx)^2}{n+9} - \frac{8ad^3(a+bx)^2}{n+8} \right)}{b^9}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(a + b\*x)^n\*(c + d\*x^2)^3,x]

[Out] ((a + b\*x)^(1 + n)\*((a^2\*(b^2\*c + a^2\*d)^3)/(1 + n) - (2\*a\*(b^2\*c + a^2\*d)^2\*(b^2\*c + 4\*a^2\*d)\*(a + b\*x))/(2 + n) + ((b^2\*c + a^2\*d)\*(b^4\*c^2 + 17\*a^2\*b^2\*c\*d + 28\*a^4\*d^2)\*(a + b\*x)^2)/(3 + n) - (4\*a\*d\*(3\*b^4\*c^2 + 15\*a^2\*b^2\*c\*d + 14\*a^4\*d^2)\*(a + b\*x)^3)/(4 + n) + (d\*(3\*b^4\*c^2 + 45\*a^2\*b^2\*c\*d + 70\*a^4\*d^2)\*(a + b\*x)^4)/(5 + n) - (2\*a\*d^2\*(9\*b^2\*c + 28\*a^2\*d)\*(a + b\*x)^5)/(6 + n) + (d^2\*(3\*b^2\*c + 28\*a^2\*d)\*(a + b\*x)^6)/(7 + n) - (8\*a\*d^3\*(a + b\*x)^7)/(8 + n) + (d^3\*(a + b\*x)^8)/(9 + n))/b^9

**IntegrateAlgebraic [F]** time = 0.08, size = 0, normalized size = 0.00

$$\int x^2(a+bx)^n(c+dx^2)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2\*(a + b\*x)^n\*(c + d\*x^2)^3,x]

[Out] Defer[IntegrateAlgebraic][x^2\*(a + b\*x)^n\*(c + d\*x^2)^3, x]

**fricas [B]** time = 0.45, size = 2165, normalized size = 6.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(b\*x+a)^n\*(d\*x^2+c)^3,x, algorithm="fricas")

[Out] (2\*a^3\*b^6\*c^3\*n^6 + 78\*a^3\*b^6\*c^3\*n^5 + 120960\*a^3\*b^6\*c^3 + 217728\*a^5\*b^4\*c^2\*d + 155520\*a^7\*b^2\*c\*d^2 + 40320\*a^9\*d^3 + (b^9\*d^3\*n^8 + 36\*b^9\*d^3\*n^7 + 546\*b^9\*d^3\*n^6 + 4536\*b^9\*d^3\*n^5 + 22449\*b^9\*d^3\*n^4 + 67284\*b^9\*d^3\*n^3 + 118124\*b^9\*d^3\*n^2 + 109584\*b^9\*d^3\*n + 40320\*b^9\*d^3)\*x^9 + (a\*b^8\*d^3\*n^8 + 28\*a\*b^8\*d^3\*n^7 + 322\*a\*b^8\*d^3\*n^6 + 1960\*a\*b^8\*d^3\*n^5 + 6769\*a\*b^8\*d^3\*n^4 + 13132\*a\*b^8\*d^3\*n^3 + 13068\*a\*b^8\*d^3\*n^2 + 5040\*a\*b^8\*d^3\*n)\*x^8 + (3\*b^9\*c\*d^2\*n^8 + 155520\*b^9\*c\*d^2 + 2\*(57\*b^9\*c\*d^2 - 4\*a^2\*b^7\*d^3)\*n^7 + 12\*(151\*b^9\*c\*d^2 - 14\*a^2\*b^7\*d^3)\*n^6 + 14\*(1119\*b^9\*c\*d^2 - 100\*a^2\*b^7\*d^3)\*n^5 + 21\*(3817\*b^9\*c\*d^2 - 280\*a^2\*b^7\*d^3)\*n^4 + 28\*(8817\*b^9\*c\*d^2 - 464\*a^2\*b^7\*d^3)\*n^3 + 36\*(12303\*b^9\*c\*d^2 - 392\*a^2\*b^7\*d^3)\*n^2 + 144\*(2901\*b^9\*c\*d^2 - 40\*a^2\*b^7\*d^3)\*n)\*x^7 + (3\*a\*b^8\*c\*d^2\*n^8 + 96\*a\*b^8\*c\*d^2\*n^7 + 4\*(309\*a\*b^8\*c\*d^2 + 14\*a^3\*b^6\*d^3)\*n^6 + 30\*(275\*a\*b^8\*c\*d^2 + 28\*a^3\*b^6\*d^3)\*n^5 + (30657\*a\*b^8\*c\*d^2 + 4760\*a^3\*b^6\*d^3)\*n^4

$$\begin{aligned}
& + 6*(10489*a*b^8*c*d^2 + 2100*a^3*b^6*d^3)*n^3 + 8*(8163*a*b^8*c*d^2 + 191 \\
& 8*a^3*b^6*d^3)*n^2 + 960*(27*a*b^8*c*d^2 + 7*a^3*b^6*d^3)*n*x^6 + 3*(b^9*c \\
& ^2*d*n^8 + 72576*b^9*c^2*d + 2*(20*b^9*c^2*d - 3*a^2*b^7*c*d^2)*n^7 + 2*(33 \\
& 5*b^9*c^2*d - 81*a^2*b^7*c*d^2)*n^6 + 2*(3050*b^9*c^2*d - 831*a^2*b^7*c*d^2 \\
& - 56*a^4*b^5*d^3)*n^5 + (32773*b^9*c^2*d - 8190*a^2*b^7*c*d^2 - 1120*a^4*b \\
& ^5*d^3)*n^4 + 4*(26365*b^9*c^2*d - 5091*a^2*b^7*c*d^2 - 980*a^4*b^5*d^3)*n^ \\
& 3 + 4*(49095*b^9*c^2*d - 6012*a^2*b^7*c*d^2 - 1400*a^4*b^5*d^3)*n^2 + 48*(3 \\
& 975*b^9*c^2*d - 216*a^2*b^7*c*d^2 - 56*a^4*b^5*d^3)*n*x^5 + 2*(625*a^3*b^6 \\
& *c^3 + 36*a^5*b^4*c^2*d)*n^4 + 3*(a*b^8*c^2*d*n^8 + 36*a*b^8*c^2*d*n^7 + 2* \\
& (263*a*b^8*c^2*d + 15*a^3*b^6*c*d^2)*n^6 + 6*(666*a*b^8*c^2*d + 115*a^3*b^6 \\
& *c*d^2)*n^5 + (16789*a*b^8*c^2*d + 5550*a^3*b^6*c*d^2 + 560*a^5*b^4*d^3)*n^ \\
& 4 + 6*(6384*a*b^8*c^2*d + 3125*a^3*b^6*c*d^2 + 560*a^5*b^4*d^3)*n^3 + 4*(10 \\
& 791*a*b^8*c^2*d + 6705*a^3*b^6*c*d^2 + 1540*a^5*b^4*d^3)*n^2 + 96*(189*a*b^ \\
& 8*c^2*d + 135*a^3*b^6*c*d^2 + 35*a^5*b^4*d^3)*n*x^4 + 270*(39*a^3*b^6*c^3 \\
& + 8*a^5*b^4*c^2*d)*n^3 + (b^9*c^3*n^8 + 120960*b^9*c^3 + 6*(7*b^9*c^3 - 2*a \\
& ^2*b^7*c^2*d)*n^7 + 12*(62*b^9*c^3 - 33*a^2*b^7*c^2*d)*n^6 + 6*(1203*b^9*c^ \\
& 3 - 854*a^2*b^7*c^2*d - 60*a^4*b^5*c*d^2)*n^5 + 3*(13873*b^9*c^3 - 10860*a^ \\
& 2*b^7*c^2*d - 2400*a^4*b^5*c*d^2)*n^4 + 12*(12039*b^9*c^3 - 8644*a^2*b^7*c^ \\
& 2*d - 3750*a^4*b^5*c*d^2 - 560*a^6*b^3*d^3)*n^3 + 4*(72569*b^9*c^3 - 37116* \\
& a^2*b^7*c^2*d - 22500*a^4*b^5*c*d^2 - 5040*a^6*b^3*d^3)*n^2 + 48*(6289*b^9* \\
& c^3 - 1512*a^2*b^7*c^2*d - 1080*a^4*b^5*c*d^2 - 280*a^6*b^3*d^3)*n*x^3 + 4 \\
& *(12287*a^3*b^6*c^3 + 6030*a^5*b^4*c^2*d + 540*a^7*b^2*c*d^2)*n^2 + (a*b^8*c \\
& ^3*n^8 + 40*a*b^8*c^3*n^7 + 4*(166*a*b^8*c^3 + 9*a^3*b^6*c^2*d)*n^6 + 62*( \\
& 95*a*b^8*c^3 + 18*a^3*b^6*c^2*d)*n^5 + (29839*a*b^8*c^3 + 13140*a^3*b^6*c^2 \\
& *d + 1080*a^5*b^4*c*d^2)*n^4 + 10*(8479*a*b^8*c^3 + 7146*a^3*b^6*c^2*d + 19 \\
& 44*a^5*b^4*c*d^2)*n^3 + 24*(5029*a*b^8*c^3 + 7011*a^3*b^6*c^2*d + 4005*a^5* \\
& b^4*c*d^2 + 840*a^7*b^2*d^3)*n^2 + 576*(105*a*b^8*c^3 + 189*a^3*b^6*c^2*d + \\
& 135*a^5*b^4*c*d^2 + 35*a^7*b^2*d^3)*n*x^2 + 48*(2509*a^3*b^6*c^3 + 2475*a \\
& ^5*b^4*c^2*d + 765*a^7*b^2*c*d^2)*n - 2*(a^2*b^7*c^3*n^7 + 39*a^2*b^7*c^3*n \\
& ^6 + (625*a^2*b^7*c^3 + 36*a^4*b^5*c^2*d)*n^5 + 135*(39*a^2*b^7*c^3 + 8*a^4 \\
& *b^5*c^2*d)*n^4 + 2*(12287*a^2*b^7*c^3 + 6030*a^4*b^5*c^2*d + 540*a^6*b^3*c \\
& *d^2)*n^3 + 24*(2509*a^2*b^7*c^3 + 2475*a^4*b^5*c^2*d + 765*a^6*b^3*c*d^2)* \\
& n^2 + 576*(105*a^2*b^7*c^3 + 189*a^4*b^5*c^2*d + 135*a^6*b^3*c*d^2 + 35*a^8 \\
& *b*d^3)*n)*x*(b*x + a)^n/(b^9*n^9 + 45*b^9*n^8 + 870*b^9*n^7 + 9450*b^9*n^ \\
& 6 + 63273*b^9*n^5 + 269325*b^9*n^4 + 723680*b^9*n^3 + 1172700*b^9*n^2 + 102 \\
& 6576*b^9*n + 362880*b^9)
\end{aligned}$$

**giac [B]** time = 0.30, size = 3713, normalized size = 10.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(b\*x+a)^n\*(d\*x^2+c)^3,x, algorithm="giac")

[Out] ((b\*x + a)^n\*b^9\*d^3\*n^8\*x^9 + (b\*x + a)^n\*a\*b^8\*d^3\*n^8\*x^8 + 36\*(b\*x + a)

$$\begin{aligned}
& \cdot n^9 d^3 n^7 x^9 + 3(bx + a)^n b^9 c^2 d^2 n^8 x^7 + 28(bx + a)^n a^2 b^8 c^2 d^3 n^7 x^8 + 546(bx + a)^n b^9 d^3 n^6 x^9 + 3(bx + a)^n a^2 b^8 c^2 d^2 n^8 x^6 + 114(bx + a)^n b^9 c^2 d^2 n^7 x^7 - 8(bx + a)^n a^2 b^7 d^3 n^7 x^7 + 322(bx + a)^n a^2 b^8 d^3 n^6 x^8 + 4536(bx + a)^n b^9 d^3 n^5 x^9 + 3(bx + a)^n b^9 c^2 d^2 n^8 x^5 + 96(bx + a)^n a^2 b^8 c^2 d^2 n^7 x^6 + 1812(bx + a)^n b^9 c^2 d^2 n^6 x^7 - 168(bx + a)^n a^2 b^7 d^3 n^6 x^7 + 1960(bx + a)^n a^2 b^8 d^3 n^5 x^8 + 22449(bx + a)^n b^9 d^3 n^4 x^9 + 3(bx + a)^n a^2 b^8 c^2 d^2 n^8 x^4 + 120(bx + a)^n b^9 c^2 d^2 n^7 x^5 - 18(bx + a)^n a^2 b^7 c^2 d^2 n^7 x^5 + 1236(bx + a)^n a^2 b^8 c^2 d^2 n^6 x^6 + 56(bx + a)^n a^3 b^6 d^3 n^6 x^6 + 15666(bx + a)^n b^9 c^2 d^2 n^5 x^7 - 1400(bx + a)^n a^2 b^7 d^3 n^5 x^7 + 6769(bx + a)^n a^2 b^8 d^3 n^4 x^8 + 67284(bx + a)^n b^9 d^3 n^3 x^9 + (bx + a)^n b^9 c^3 n^8 x^3 + 108(bx + a)^n a^2 b^8 c^2 d^2 n^7 x^4 + 2010(bx + a)^n b^9 c^2 d^2 n^6 x^5 - 486(bx + a)^n a^2 b^7 c^2 d^2 n^6 x^5 + 8250(bx + a)^n a^2 b^8 c^2 d^2 n^5 x^6 + 840(bx + a)^n a^3 b^6 d^3 n^5 x^6 + 80157(bx + a)^n b^9 c^2 d^2 n^4 x^7 - 5880(bx + a)^n a^2 b^7 d^3 n^4 x^7 + 13132(bx + a)^n a^2 b^8 d^3 n^3 x^8 + 118124(bx + a)^n b^9 d^3 n^2 x^9 + (bx + a)^n a^2 b^8 c^3 n^8 x^2 + 42(bx + a)^n b^9 c^3 n^7 x^3 - 12(bx + a)^n a^2 b^7 c^2 d^2 n^7 x^3 + 1578(bx + a)^n a^2 b^8 c^2 d^2 n^6 x^4 + 90(bx + a)^n a^3 b^6 c^2 d^2 n^6 x^4 + 18300(bx + a)^n b^9 c^2 d^2 n^5 x^5 - 4986(bx + a)^n a^2 b^7 c^2 d^2 n^5 x^5 - 336(bx + a)^n a^4 b^5 d^3 n^5 x^5 + 30657(bx + a)^n a^2 b^8 c^2 d^2 n^4 x^6 + 4760(bx + a)^n a^3 b^6 d^3 n^4 x^6 + 246876(bx + a)^n b^9 c^2 d^2 n^3 x^7 - 12992(bx + a)^n a^2 b^7 d^3 n^3 x^7 + 13068(bx + a)^n a^2 b^8 d^3 n^2 x^8 + 109584(bx + a)^n b^9 d^3 n^2 x^9 + 40(bx + a)^n a^2 b^8 c^3 n^7 x^2 + 744(bx + a)^n b^9 c^3 n^6 x^3 - 396(bx + a)^n a^2 b^7 c^2 d^2 n^6 x^3 + 11988(bx + a)^n a^2 b^8 c^2 d^2 n^5 x^4 + 2070(bx + a)^n a^3 b^6 c^2 d^2 n^5 x^4 + 98319(bx + a)^n b^9 c^2 d^2 n^4 x^5 - 24570(bx + a)^n a^2 b^7 c^2 d^2 n^4 x^5 - 3360(bx + a)^n a^4 b^5 d^3 n^4 x^5 + 62934(bx + a)^n a^2 b^8 c^2 d^2 n^3 x^6 + 12600(bx + a)^n a^3 b^6 d^3 n^3 x^6 + 442908(bx + a)^n b^9 c^2 d^2 n^2 x^7 - 14112(bx + a)^n a^2 b^7 d^3 n^2 x^7 + 5040(bx + a)^n a^2 b^8 d^3 n^2 x^8 + 40320(bx + a)^n b^9 d^3 n^2 x^9 - 2(bx + a)^n a^2 b^7 c^3 n^7 x + 664(bx + a)^n a^2 b^8 c^3 n^6 x^2 + 36(bx + a)^n a^3 b^6 c^2 d^2 n^6 x^2 + 7218(bx + a)^n b^9 c^3 n^5 x^3 - 5124(bx + a)^n a^2 b^7 c^2 d^2 n^5 x^3 - 360(bx + a)^n a^4 b^5 c^2 d^2 n^5 x^3 + 50367(bx + a)^n a^2 b^8 c^2 d^2 n^4 x^4 + 16650(bx + a)^n a^3 b^6 c^2 d^2 n^4 x^4 + 1680(bx + a)^n a^5 b^4 d^3 n^4 x^4 + 316380(bx + a)^n b^9 c^2 d^2 n^3 x^5 - 61092(bx + a)^n a^2 b^7 c^2 d^2 n^3 x^5 - 11760(bx + a)^n a^4 b^5 d^3 n^3 x^5 + 65304(bx + a)^n a^2 b^8 c^2 d^2 n^2 x^6 + 15344(bx + a)^n a^3 b^6 d^3 n^2 x^6 + 417744(bx + a)^n b^9 c^2 d^2 n^2 x^7 - 5760(bx + a)^n a^2 b^7 d^3 n^2 x^7 - 78(bx + a)^n a^2 b^7 c^3 n^6 x + 5890(bx + a)^n a^2 b^8 c^3 n^5 x^2 + 1116(bx + a)^n a^3 b^6 c^2 d^2 n^5 x^2 + 41619(bx + a)^n b^9 c^3 n^4 x^3 - 32580(bx + a)^n a^2 b^7 c^2 d^2 n^4 x^3 - 7200(bx + a)^n a^4 b^5 c^2 d^2 n^4 x^3 + 114912(bx + a)^n a^2 b^8 c^2 d^2 n^3 x^4 + 56250(bx + a)^n a^3 b^6 c^2 d^2 n^3 x^4 + 10080(bx + a)^n a^5 b^4 d^3 n^3 x^4 + 589140(bx + a)^n b^9 c^2 d^2 n^2 x^5 - 72144(bx + a)^n a^2 b^7 c^2 d^2 n^2 x^5 - 16800(bx + a)^n a^
\end{aligned}$$

$$\begin{aligned}
& 4*b^5*d^3*n^2*x^5 + 25920*(b*x + a)^n*a*b^8*c*d^2*n*x^6 + 6720*(b*x + a)^n* \\
& a^3*b^6*d^3*n*x^6 + 155520*(b*x + a)^n*b^9*c*d^2*x^7 + 2*(b*x + a)^n*a^3*b^ \\
& 6*c^3*n^6 - 1250*(b*x + a)^n*a^2*b^7*c^3*n^5*x - 72*(b*x + a)^n*a^4*b^5*c^2 \\
& *d*n^5*x + 29839*(b*x + a)^n*a*b^8*c^3*n^4*x^2 + 13140*(b*x + a)^n*a^3*b^6* \\
& c^2*d*n^4*x^2 + 1080*(b*x + a)^n*a^5*b^4*c*d^2*n^4*x^2 + 144468*(b*x + a)^n \\
& *b^9*c^3*n^3*x^3 - 103728*(b*x + a)^n*a^2*b^7*c^2*d*n^3*x^3 - 45000*(b*x + \\
& a)^n*a^4*b^5*c*d^2*n^3*x^3 - 6720*(b*x + a)^n*a^6*b^3*d^3*n^3*x^3 + 129492* \\
& (b*x + a)^n*a*b^8*c^2*d*n^2*x^4 + 80460*(b*x + a)^n*a^3*b^6*c*d^2*n^2*x^4 + \\
& 18480*(b*x + a)^n*a^5*b^4*d^3*n^2*x^4 + 572400*(b*x + a)^n*b^9*c^2*d*n*x^5 \\
& - 31104*(b*x + a)^n*a^2*b^7*c*d^2*n*x^5 - 8064*(b*x + a)^n*a^4*b^5*d^3*n*x \\
& ^5 + 78*(b*x + a)^n*a^3*b^6*c^3*n^5 - 10530*(b*x + a)^n*a^2*b^7*c^3*n^4*x - \\
& 2160*(b*x + a)^n*a^4*b^5*c^2*d*n^4*x + 84790*(b*x + a)^n*a*b^8*c^3*n^3*x^2 \\
& + 71460*(b*x + a)^n*a^3*b^6*c^2*d*n^3*x^2 + 19440*(b*x + a)^n*a^5*b^4*c*d^ \\
& 2*n^3*x^2 + 290276*(b*x + a)^n*b^9*c^3*n^2*x^3 - 148464*(b*x + a)^n*a^2*b^7 \\
& *c^2*d*n^2*x^3 - 90000*(b*x + a)^n*a^4*b^5*c*d^2*n^2*x^3 - 20160*(b*x + a)^ \\
& n*a^6*b^3*d^3*n^2*x^3 + 54432*(b*x + a)^n*a*b^8*c^2*d*n*x^4 + 38880*(b*x + \\
& a)^n*a^3*b^6*c*d^2*n*x^4 + 10080*(b*x + a)^n*a^5*b^4*d^3*n*x^4 + 217728*(b* \\
& x + a)^n*b^9*c^2*d*x^5 + 1250*(b*x + a)^n*a^3*b^6*c^3*n^4 + 72*(b*x + a)^n* \\
& a^5*b^4*c^2*d*n^4 - 49148*(b*x + a)^n*a^2*b^7*c^3*n^3*x - 24120*(b*x + a)^n \\
& *a^4*b^5*c^2*d*n^3*x - 2160*(b*x + a)^n*a^6*b^3*c*d^2*n^3*x + 120696*(b*x + \\
& a)^n*a*b^8*c^3*n^2*x^2 + 168264*(b*x + a)^n*a^3*b^6*c^2*d*n^2*x^2 + 96120* \\
& (b*x + a)^n*a^5*b^4*c*d^2*n^2*x^2 + 20160*(b*x + a)^n*a^7*b^2*d^3*n^2*x^2 + \\
& 301872*(b*x + a)^n*b^9*c^3*n*x^3 - 72576*(b*x + a)^n*a^2*b^7*c^2*d*n*x^3 - \\
& 51840*(b*x + a)^n*a^4*b^5*c*d^2*n*x^3 - 13440*(b*x + a)^n*a^6*b^3*d^3*n*x^ \\
& 3 + 10530*(b*x + a)^n*a^3*b^6*c^3*n^3 + 2160*(b*x + a)^n*a^5*b^4*c^2*d*n^3 \\
& - 120432*(b*x + a)^n*a^2*b^7*c^3*n^2*x - 118800*(b*x + a)^n*a^4*b^5*c^2*d*n \\
& ^2*x - 36720*(b*x + a)^n*a^6*b^3*c*d^2*n^2*x + 60480*(b*x + a)^n*a*b^8*c^3* \\
& n*x^2 + 108864*(b*x + a)^n*a^3*b^6*c^2*d*n*x^2 + 77760*(b*x + a)^n*a^5*b^4* \\
& c*d^2*n*x^2 + 20160*(b*x + a)^n*a^7*b^2*d^3*n*x^2 + 120960*(b*x + a)^n*b^9* \\
& c^3*x^3 + 49148*(b*x + a)^n*a^3*b^6*c^3*n^2 + 24120*(b*x + a)^n*a^5*b^4*c^2 \\
& *d*n^2 + 2160*(b*x + a)^n*a^7*b^2*c*d^2*n^2 - 120960*(b*x + a)^n*a^2*b^7*c^ \\
& 3*n*x - 217728*(b*x + a)^n*a^4*b^5*c^2*d*n*x - 155520*(b*x + a)^n*a^6*b^3*c \\
& *d^2*n*x - 40320*(b*x + a)^n*a^8*b*d^3*n*x + 120432*(b*x + a)^n*a^3*b^6*c^3 \\
& *n + 118800*(b*x + a)^n*a^5*b^4*c^2*d*n + 36720*(b*x + a)^n*a^7*b^2*c*d^2*n \\
& + 120960*(b*x + a)^n*a^3*b^6*c^3 + 217728*(b*x + a)^n*a^5*b^4*c^2*d + 1555 \\
& 20*(b*x + a)^n*a^7*b^2*c*d^2 + 40320*(b*x + a)^n*a^9*d^3)/(b^9*n^9 + 45*b^9 \\
& *n^8 + 870*b^9*n^7 + 9450*b^9*n^6 + 63273*b^9*n^5 + 269325*b^9*n^4 + 723680 \\
& *b^9*n^3 + 1172700*b^9*n^2 + 1026576*b^9*n + 362880*b^9)
\end{aligned}$$

**maple [B]** time = 0.02, size = 2232, normalized size = 6.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(b\*x+a)^n\*(d\*x^2+c)^3,x)



[Out]  $(b^8x^8 + a)^{n+1} (b^8d^3n^8x^8 + 36b^8d^3n^7x^8 - 8a^2b^8d^3n^7x^7 + 3b^8c^2d^2n^8x^6 + 546b^8d^3n^6x^8 - 224a^2b^8d^3n^6x^7 + 114b^8c^2d^2n^7x^6 + 4536b^8d^3n^5x^8 + 56a^2b^8d^3n^6x^6 - 18a^2b^8c^2d^2n^7x^5 - 2576a^2b^8d^3n^5x^7 + 3b^8c^2d^2n^8x^4 + 1812b^8c^2d^2n^6x^6 + 22449b^8d^3n^4x^8 + 1176a^2b^8d^3n^5x^6 - 576a^2b^8c^2d^2n^6x^5 - 15680a^2b^8d^3n^4x^7 + 120b^8c^2d^2n^7x^4 + 15666b^8c^2d^2n^5x^6 + 67284b^8d^3n^3x^8 - 336a^3b^5d^3n^5x^5 + 90a^2b^6c^2d^2n^6x^4 + 9800a^2b^6d^3n^4x^6 - 12a^2b^7c^2d^2n^7x^3 - 7416a^2b^7c^2d^2n^5x^5 - 54152a^2b^7d^3n^3x^7 + b^8c^3n^8x^2 + 2010b^8c^2d^2n^6x^4 + 80157b^8c^2d^2n^4x^6 + 118124b^8d^3n^2x^8 - 5040a^3b^5d^3n^4x^5 + 2430a^2b^6c^2d^2n^5x^4 + 41160a^2b^6d^3n^3x^6 - 432a^2b^7c^2d^2n^6x^3 - 49500a^2b^7c^2d^2n^4x^5 - 105056a^2b^7d^3n^2x^7 + 42b^8c^3n^7x^2 + 18300b^8c^2d^2n^5x^4 + 246876b^8c^2d^2n^3x^6 + 109584b^8d^3n^3x^8 + 1680a^4b^4d^3n^4x^4 - 360a^3b^5c^2d^2n^5x^3 - 28560a^3b^5d^3n^3x^5 + 36a^2b^6c^2d^2n^6x^2 + 24930a^2b^6c^2d^2n^4x^4 + 90944a^2b^6d^3n^2x^6 - 2a^2b^7c^3n^7x - 6312a^2b^7c^2d^2n^5x^3 - 183942a^2b^7c^2d^2n^3x^5 - 104544a^2b^7d^3n^3x^7 + 744b^8c^3n^6x^2 + 98319b^8c^2d^2n^4x^4 + 442908b^8c^2d^2n^2x^6 + 40320b^8d^3x^8 + 16800a^4b^4d^3n^3x^4 - 8280a^3b^5c^2d^2n^4x^3 - 75600a^3b^5d^3n^2x^5 + 1188a^2b^6c^2d^2n^5x^2 + 122850a^2b^6c^2d^2n^3x^4 + 98784a^2b^6d^3n^3x^6 - 80a^2b^7c^3n^6x - 47952a^2b^7c^2d^2n^4x^3 - 377604a^2b^7c^2d^2n^2x^5 - 40320a^2b^7d^3x^7 + 7218b^8c^3n^5x^2 + 316380b^8c^2d^2n^3x^4 + 417744b^8c^2d^2n^3x^6 - 6720a^5b^3d^3n^3x^3 + 1080a^4b^4c^2d^2n^4x^2 + 58800a^4b^4d^3n^2x^4 - 72a^3b^5c^2d^2n^5x - 66600a^3b^5c^2d^2n^3x^3 - 92064a^3b^5d^3n^3x^5 + 2a^2b^6c^3n^6 + 15372a^2b^6c^2d^2n^4x^2 + 305460a^2b^6c^2d^2n^2x^4 + 40320a^2b^6d^3x^6 - 1328a^2b^7c^3n^5x - 201468a^2b^7c^2d^2n^3x^3 - 391824a^2b^7c^2d^2n^3x^5 + 41619b^8c^3n^4x^2 + 589140b^8c^2d^2n^2x^4 + 155520b^8c^2d^2x^6 - 40320a^5b^3d^3n^2x^3 + 21600a^4b^4c^2d^2n^3x^2 + 84000a^4b^4d^3n^3x^4 - 2232a^3b^5c^2d^2n^4x - 225000a^3b^5c^2d^2n^2x^3 - 40320a^3b^5d^3x^5 + 78a^2b^6c^3n^5 + 97740a^2b^6c^2d^2n^3x^2 + 360720a^2b^6c^2d^2n^3x^4 - 11780a^2b^7c^3n^4x - 459648a^2b^7c^2d^2n^2x^3 - 155520a^2b^7c^2d^2x^5 + 144468b^8c^3n^3x^2 + 572400b^8c^2d^2n^3x^4 + 20160a^6b^2d^3n^2x^2 - 2160a^5b^3c^2d^2n^3x - 73920a^5b^3d^3n^3x^3 + 72a^4b^4c^2d^2n^4 + 135000a^4b^4c^2d^2n^2x^2 + 40320a^4b^4d^3x^4 - 26280a^3b^5c^2d^2n^3x - 321840a^3b^5c^2d^2n^3x^3 + 1250a^2b^6c^3n^4 + 311184a^2b^6c^2d^2n^2x^2 + 155520a^2b^6c^2d^2x^4 - 59678a^2b^7c^3n^3x - 517968a^2b^7c^2d^2n^3x^3 + 290276b^8c^3n^2x^2 + 217728b^8c^2d^2x^4 + 60480a^6b^2d^3n^2x^2 - 38880a^5b^3c^2d^2n^2x - 40320a^5b^3d^3x^3 + 2160a^4b^4c^2d^2n^3 + 270000a^4b^4c^2d^2n^3x^2 - 142920a^3b^5c^2d^2n^2x - 155520a^3b^5c^2d^2x^3 + 10530a^2b^6c^3n^3 + 445392a^2b^6c^2d^2n^3x^2 - 169580a^2b^7c^3n^2x - 217728a^2b^7c^2d^2x^3 + 301872b^8c^3n^2x^2 - 40320a^7b^2d^3n^2x + 2160a^6b^2c^2d^2n^2 + 40320a^6b^2d^3x^2 - 192240a^5b^3c^2d^2n^3x + 24120a^4b^4c^2d^2n^2 + 155520a^4b^4c^2d^2x^2 - 336528a^3b^5c^2d^2n^3x + 49148a^2b^6c^3n^2 + 217728a^2b^6c^2d^2x^2 - 241392a^2b^7c^3n^2x + 120960b^8c^3x^2 - 40320a^7b^2d^3x + 36720a^6b^2c^2d^2n - 155520a^5b^3c^2d^2x + 118800a^4b^4c^2d^2n - 217728a^3b^5c^2d^2x + 120432a^2b^6c^3n - 120960a^2b^7c^3x + 40$

$$320*a^8*d^3+155520*a^6*b^2*c*d^2+217728*a^4*b^4*c^2*d+120960*a^2*b^6*c^3)/b^9/(n^9+45*n^8+870*n^7+9450*n^6+63273*n^5+269325*n^4+723680*n^3+1172700*n^2+1026576*n+362880)$$

**maxima** [B] time = 0.55, size = 795, normalized size = 2.32

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(b\*x+a)^n\*(d\*x^2+c)^3,x, algorithm="maxima")

[Out]  $((n^2 + 3n + 2)*b^3*x^3 + (n^2 + n)*a*b^2*x^2 - 2*a^2*b*n*x + 2*a^3)*(b*x + a)^n*c^3/((n^3 + 6*n^2 + 11*n + 6)*b^3) + 3*((n^4 + 10*n^3 + 35*n^2 + 50*n + 24)*b^5*x^5 + (n^4 + 6*n^3 + 11*n^2 + 6*n)*a*b^4*x^4 - 4*(n^3 + 3*n^2 + 2*n)*a^2*b^3*x^3 + 12*(n^2 + n)*a^3*b^2*x^2 - 24*a^4*b*n*x + 24*a^5)*(b*x + a)^n*c^2*d/((n^5 + 15*n^4 + 85*n^3 + 225*n^2 + 274*n + 120)*b^5) + 3*((n^6 + 21*n^5 + 175*n^4 + 735*n^3 + 1624*n^2 + 1764*n + 720)*b^7*x^7 + (n^6 + 15*n^5 + 85*n^4 + 225*n^3 + 274*n^2 + 120*n)*a*b^6*x^6 - 6*(n^5 + 10*n^4 + 35*n^3 + 50*n^2 + 24*n)*a^2*b^5*x^5 + 30*(n^4 + 6*n^3 + 11*n^2 + 6*n)*a^3*b^4*x^4 - 120*(n^3 + 3*n^2 + 2*n)*a^4*b^3*x^3 + 360*(n^2 + n)*a^5*b^2*x^2 - 720*a^6*b*n*x + 720*a^7)*(b*x + a)^n*c*d^2/((n^7 + 28*n^6 + 322*n^5 + 1960*n^4 + 6769*n^3 + 13132*n^2 + 13068*n + 5040)*b^7) + ((n^8 + 36*n^7 + 546*n^6 + 4536*n^5 + 22449*n^4 + 67284*n^3 + 118124*n^2 + 109584*n + 40320)*b^9*x^9 + (n^8 + 28*n^7 + 322*n^6 + 1960*n^5 + 6769*n^4 + 13132*n^3 + 13068*n^2 + 5040*n)*a*b^8*x^8 - 8*(n^7 + 21*n^6 + 175*n^5 + 735*n^4 + 1624*n^3 + 1764*n^2 + 720*n)*a^2*b^7*x^7 + 56*(n^6 + 15*n^5 + 85*n^4 + 225*n^3 + 274*n^2 + 120*n)*a^3*b^6*x^6 - 336*(n^5 + 10*n^4 + 35*n^3 + 50*n^2 + 24*n)*a^4*b^5*x^5 + 1680*(n^4 + 6*n^3 + 11*n^2 + 6*n)*a^5*b^4*x^4 - 6720*(n^3 + 3*n^2 + 2*n)*a^6*b^3*x^3 + 20160*(n^2 + n)*a^7*b^2*x^2 - 40320*a^8*b*n*x + 40320*a^9)*(b*x + a)^n*d^3/((n^9 + 45*n^8 + 870*n^7 + 9450*n^6 + 63273*n^5 + 269325*n^4 + 723680*n^3 + 1172700*n^2 + 1026576*n + 362880)*b^9)$

**mupad** [B] time = 3.81, size = 1796, normalized size = 5.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(c + d\*x^2)^3\*(a + b\*x)^n,x)

[Out]  $(d^3*x^9*(a + b*x)^n*(109584*n + 118124*n^2 + 67284*n^3 + 22449*n^4 + 4536*n^5 + 546*n^6 + 36*n^7 + n^8 + 40320))/(1026576*n + 1172700*n^2 + 723680*n^3 + 269325*n^4 + 63273*n^5 + 9450*n^6 + 870*n^7 + 45*n^8 + n^9 + 362880) + (2*a^3*(a + b*x)^n*(20160*a^6*d^3 + 60480*b^6*c^3 + 60216*b^6*c^3*n + 24574*b^6*c^3*n^2 + 5265*b^6*c^3*n^3 + 625*b^6*c^3*n^4 + 39*b^6*c^3*n^5 + b^6*c^3*n^6 + 108864*a^2*b^4*c^2*d + 77760*a^4*b^2*c*d^2 + 59400*a^2*b^4*c^2*d*n + 18360*a^4*b^2*c*d^2*n + 12060*a^2*b^4*c^2*d*n^2 + 1080*a^4*b^2*c*d^2*n^2$

$$\begin{aligned}
& + 1080*a^2*b^4*c^2*d*n^3 + 36*a^2*b^4*c^2*d*n^4)/(b^9*(1026576*n + 1172700 \\
& *n^2 + 723680*n^3 + 269325*n^4 + 63273*n^5 + 9450*n^6 + 870*n^7 + 45*n^8 + \\
& n^9 + 362880)) - (x^3*(a + b*x)^n*(3*n + n^2 + 2)*(6720*a^6*d^3*n - 60480*b \\
& ^6*c^3 - 60216*b^6*c^3*n - 24574*b^6*c^3*n^2 - 5265*b^6*c^3*n^3 - 625*b^6*c \\
& ^3*n^4 - 39*b^6*c^3*n^5 - b^6*c^3*n^6 + 36288*a^2*b^4*c^2*d*n + 25920*a^4*b \\
& ^2*c*d^2*n + 19800*a^2*b^4*c^2*d*n^2 + 6120*a^4*b^2*c*d^2*n^2 + 4020*a^2*b^ \\
& 4*c^2*d*n^3 + 360*a^4*b^2*c*d^2*n^3 + 360*a^2*b^4*c^2*d*n^4 + 12*a^2*b^4*c^ \\
& 2*d*n^5))/(b^6*(1026576*n + 1172700*n^2 + 723680*n^3 + 269325*n^4 + 63273*n \\
& ^5 + 9450*n^6 + 870*n^7 + 45*n^8 + n^9 + 362880)) + (3*d*x^5*(a + b*x)^n*(5 \\
& 0*n + 35*n^2 + 10*n^3 + n^4 + 24)*(3024*b^4*c^2 - 112*a^4*d^2*n + 1650*b^4*c \\
& ^2*n + 335*b^4*c^2*n^2 + 30*b^4*c^2*n^3 + b^4*c^2*n^4 - 432*a^2*b^2*c*d*n \\
& - 102*a^2*b^2*c*d*n^2 - 6*a^2*b^2*c*d*n^3))/(b^4*(1026576*n + 1172700*n^2 + \\
& 723680*n^3 + 269325*n^4 + 63273*n^5 + 9450*n^6 + 870*n^7 + 45*n^8 + n^9 + \\
& 362880)) - (2*a^2*n*x*(a + b*x)^n*(20160*a^6*d^3 + 60480*b^6*c^3 + 60216*b^ \\
& 6*c^3*n + 24574*b^6*c^3*n^2 + 5265*b^6*c^3*n^3 + 625*b^6*c^3*n^4 + 39*b^6*c \\
& ^3*n^5 + b^6*c^3*n^6 + 108864*a^2*b^4*c^2*d + 77760*a^4*b^2*c*d^2 + 59400*a \\
& ^2*b^4*c^2*d*n + 18360*a^4*b^2*c*d^2*n + 12060*a^2*b^4*c^2*d*n^2 + 1080*a^4 \\
& *b^2*c*d^2*n^2 + 1080*a^2*b^4*c^2*d*n^3 + 36*a^2*b^4*c^2*d*n^4))/(b^8*(1026 \\
& 576*n + 1172700*n^2 + 723680*n^3 + 269325*n^4 + 63273*n^5 + 9450*n^6 + 870* \\
& n^7 + 45*n^8 + n^9 + 362880)) + (d^2*x^7*(a + b*x)^n*(216*b^2*c + 3*b^2*c*n \\
& ^2 - 8*a^2*d*n + 51*b^2*c*n)*(1764*n + 1624*n^2 + 735*n^3 + 175*n^4 + 21*n^ \\
& 5 + n^6 + 720))/(b^2*(1026576*n + 1172700*n^2 + 723680*n^3 + 269325*n^4 + 6 \\
& 3273*n^5 + 9450*n^6 + 870*n^7 + 45*n^8 + n^9 + 362880)) + (a*n*x^2*(n + 1)* \\
& (a + b*x)^n*(20160*a^6*d^3 + 60480*b^6*c^3 + 60216*b^6*c^3*n + 24574*b^6*c^ \\
& 3*n^2 + 5265*b^6*c^3*n^3 + 625*b^6*c^3*n^4 + 39*b^6*c^3*n^5 + b^6*c^3*n^6 + \\
& 108864*a^2*b^4*c^2*d + 77760*a^4*b^2*c*d^2 + 59400*a^2*b^4*c^2*d*n + 18360 \\
& *a^4*b^2*c*d^2*n + 12060*a^2*b^4*c^2*d*n^2 + 1080*a^4*b^2*c*d^2*n^2 + 1080* \\
& a^2*b^4*c^2*d*n^3 + 36*a^2*b^4*c^2*d*n^4))/(b^7*(1026576*n + 1172700*n^2 + \\
& 723680*n^3 + 269325*n^4 + 63273*n^5 + 9450*n^6 + 870*n^7 + 45*n^8 + n^9 + 3 \\
& 62880)) + (a*d^3*n*x^8*(a + b*x)^n*(13068*n + 13132*n^2 + 6769*n^3 + 1960*n \\
& ^4 + 322*n^5 + 28*n^6 + n^7 + 5040))/(b*(1026576*n + 1172700*n^2 + 723680*n \\
& ^3 + 269325*n^4 + 63273*n^5 + 9450*n^6 + 870*n^7 + 45*n^8 + n^9 + 362880)) \\
& + (a*d^2*n*x^6*(a + b*x)^n*(56*a^2*d + 216*b^2*c + 3*b^2*c*n^2 + 51*b^2*c*n \\
& )*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120))/(b^3*(1026576*n + 117270 \\
& 0*n^2 + 723680*n^3 + 269325*n^4 + 63273*n^5 + 9450*n^6 + 870*n^7 + 45*n^8 + \\
& n^9 + 362880)) + (3*a*d*n*x^4*(a + b*x)^n*(11*n + 6*n^2 + n^3 + 6)*(560*a^ \\
& 4*d^2 + 3024*b^4*c^2 + 1650*b^4*c^2*n + 335*b^4*c^2*n^2 + 30*b^4*c^2*n^3 + \\
& b^4*c^2*n^4 + 2160*a^2*b^2*c*d + 510*a^2*b^2*c*d*n + 30*a^2*b^2*c*d*n^2))/( \\
& b^5*(1026576*n + 1172700*n^2 + 723680*n^3 + 269325*n^4 + 63273*n^5 + 9450*n \\
& ^6 + 870*n^7 + 45*n^8 + n^9 + 362880))
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(b*x+a)**n*(d*x**2+c)**3,x)
```

```
[Out] Timed out
```

$$3.269 \quad \int x(a + bx)^n (c + dx^2)^3 dx$$

**Optimal.** Leaf size=282

$$\frac{5ad^2(7a^2d + 3b^2c)(a + bx)^{n+5}}{b^8(n+5)} + \frac{3d^2(7a^2d + b^2c)(a + bx)^{n+6}}{b^8(n+6)} - \frac{a(a^2d + b^2c)^3(a + bx)^{n+1}}{b^8(n+1)} + \frac{(a^2d + b^2c)^2(7a^2d + b^2c)(a + bx)^{n+2}}{b^8(n+2)} - \frac{3ad(a^2d + b^2c)(7a^2d + 3b^2c)(a + bx)^{n+3}}{b^8(n+3)} - \frac{7ad^3(a + bx)^{n+7}}{b^8(n+7)} + \frac{d^3(a + bx)^{n+8}}{b^8(n+8)}$$

**Rubi [A]** time = 0.17, antiderivative size = 282, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$ , Rules used = {772}

$$\frac{d(30a^2b^2cd + 35a^4d^2 + 3b^4c^2)(a + bx)^{n+4}}{b^8(n+4)} - \frac{5ad^2(7a^2d + 3b^2c)(a + bx)^{n+5}}{b^8(n+5)} + \frac{3d^2(7a^2d + b^2c)(a + bx)^{n+6}}{b^8(n+6)} - \frac{a(a^2d + b^2c)^3(a + bx)^{n+1}}{b^8(n+1)} + \frac{(a^2d + b^2c)^2(7a^2d + b^2c)(a + bx)^{n+2}}{b^8(n+2)} - \frac{3ad(a^2d + b^2c)(7a^2d + 3b^2c)(a + bx)^{n+3}}{b^8(n+3)} - \frac{7ad^3(a + bx)^{n+7}}{b^8(n+7)} + \frac{d^3(a + bx)^{n+8}}{b^8(n+8)}$$

Antiderivative was successfully verified.

[In] Int[x\*(a + b\*x)^n\*(c + d\*x^2)^3,x]

[Out] -((a\*(b^2\*c + a^2\*d)^3\*(a + b\*x)^(1 + n))/(b^8\*(1 + n))) + ((b^2\*c + a^2\*d)^2\*(b^2\*c + 7\*a^2\*d)\*(a + b\*x)^(2 + n))/(b^8\*(2 + n)) - (3\*a\*d\*(b^2\*c + a^2\*d)\*(3\*b^2\*c + 7\*a^2\*d)\*(a + b\*x)^(3 + n))/(b^8\*(3 + n)) + (d\*(3\*b^4\*c^2 + 30\*a^2\*b^2\*c\*d + 35\*a^4\*d^2)\*(a + b\*x)^(4 + n))/(b^8\*(4 + n)) - (5\*a\*d^2\*(3\*b^2\*c + 7\*a^2\*d)\*(a + b\*x)^(5 + n))/(b^8\*(5 + n)) + (3\*d^2\*(b^2\*c + 7\*a^2\*d)\*d\*(a + b\*x)^(6 + n))/(b^8\*(6 + n)) - (7\*a\*d^3\*(a + b\*x)^(7 + n))/(b^8\*(7 + n)) + (d^3\*(a + b\*x)^(8 + n))/(b^8\*(8 + n))

**Rule 772**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && IGtQ[p, 0]

**Rubi steps**

$$\begin{aligned} \int x(a + bx)^n (c + dx^2)^3 dx &= \int \left( -\frac{a(b^2c + a^2d)^3(a + bx)^n}{b^7} + \frac{(b^2c + a^2d)^2(b^2c + 7a^2d)(a + bx)^{1+n}}{b^7} + \frac{3ad(-3b^2c + a^2d)(a + bx)^{2+n}}{b^7} \right. \\ &\quad \left. - \frac{5ad^2(3b^2c + 7a^2d)(a + bx)^{3+n}}{b^7} + \frac{3d^2(b^2c + 7a^2d)(a + bx)^{4+n}}{b^7} - \frac{7ad^3(a + bx)^{5+n}}{b^7} + \frac{d^3(a + bx)^{6+n}}{b^7} \right) dx \\ &= -\frac{a(b^2c + a^2d)^3(a + bx)^{1+n}}{b^8(1+n)} + \frac{(b^2c + a^2d)^2(b^2c + 7a^2d)(a + bx)^{2+n}}{b^8(2+n)} - \frac{3ad(b^2c + a^2d)(a + bx)^{3+n}}{b^8(3+n)} \\ &\quad - \frac{5ad^2(3b^2c + 7a^2d)(a + bx)^{4+n}}{b^8(4+n)} + \frac{3d^2(b^2c + 7a^2d)(a + bx)^{5+n}}{b^8(5+n)} - \frac{7ad^3(a + bx)^{6+n}}{b^8(6+n)} + \frac{d^3(a + bx)^{7+n}}{b^8(7+n)} \end{aligned}$$

**Mathematica [B]** time = 1.47, size = 709, normalized size = 2.51

Antiderivative was successfully verified.

[In] Integrate[x\*(a + b\*x)^n\*(c + d\*x^2)^3,x]

[Out] ((a + b\*x)^(1 + n)\*(b^6\*(1 + n)\*(2 + n)\*(3 + n)\*(4 + n)\*(5 + n)\*(6 + n)\*(7 + n)\*(a + b\*x)\*(c + d\*x^2)^3 - a\*(8 + n)\*(b^6\*(1 + n)\*(2 + n)\*(3 + n)\*(4 + n)\*(5 + n)\*(6 + n)\*(c + d\*x^2)^3 + 6\*(b^2\*c + a^2\*d)\*(6 + n)\*(b^4\*(1 + n)\*(2 + n)\*(3 + n)\*(4 + n)\*(c + d\*x^2)^2 + 4\*(b^2\*c + a^2\*d)\*(4 + n)\*(2\*a^2\*d - 2\*a\*b\*d\*(1 + n)\*x + b^2\*(2 + n)\*(c\*(3 + n) + d\*(1 + n)\*x^2)) - 4\*a\*d\*(1 + n)\*(a + b\*x)\*(2\*a^2\*d - 2\*a\*b\*d\*(2 + n)\*x + b^2\*(3 + n)\*(c\*(4 + n) + d\*(2 + n)\*x^2))) - 6\*a\*d\*(1 + n)\*(a + b\*x)\*(b^4\*(2 + n)\*(3 + n)\*(4 + n)\*(5 + n)\*(c + d\*x^2)^2 + 4\*(b^2\*c + a^2\*d)\*(5 + n)\*(2\*a^2\*d - 2\*a\*b\*d\*(2 + n)\*x + b^2\*(3 + n)\*(c\*(4 + n) + d\*(2 + n)\*x^2)) - 4\*a\*d\*(2 + n)\*(a + b\*x)\*(2\*a^2\*d - 2\*a\*b\*d\*(3 + n)\*x + b^2\*(4 + n)\*(c\*(5 + n) + d\*(3 + n)\*x^2))) + 6\*(1 + n)\*(a + b\*x)\*((b^2\*c + a^2\*d)\*(7 + n)\*(b^4\*(2 + n)\*(3 + n)\*(4 + n)\*(5 + n)\*(c + d\*x^2)^2 + 4\*(b^2\*c + a^2\*d)\*(5 + n)\*(2\*a^2\*d - 2\*a\*b\*d\*(2 + n)\*x + b^2\*(3 + n)\*(c\*(4 + n) + d\*(2 + n)\*x^2)) - 4\*a\*d\*(2 + n)\*(a + b\*x)\*(2\*a^2\*d - 2\*a\*b\*d\*(3 + n)\*x + b^2\*(4 + n)\*(c\*(5 + n) + d\*(3 + n)\*x^2))) - a\*d\*(2 + n)\*(a + b\*x)\*(b^4\*(3 + n)\*(4 + n)\*(5 + n)\*(6 + n)\*(c + d\*x^2)^2 + 4\*(b^2\*c + a^2\*d)\*(6 + n)\*(2\*a^2\*d - 2\*a\*b\*d\*(3 + n)\*x + b^2\*(4 + n)\*(c\*(5 + n) + d\*(3 + n)\*x^2)) - 4\*a\*d\*(3 + n)\*(a + b\*x)\*(2\*a^2\*d - 2\*a\*b\*d\*(4 + n)\*x + b^2\*(5 + n)\*(c\*(6 + n) + d\*(4 + n)\*x^2)))))/(b^8\*(1 + n)\*(2 + n)\*(3 + n)\*(4 + n)\*(5 + n)\*(6 + n)\*(7 + n)\*(8 + n))

IntegrateAlgebraic [F] time = 0.07, size = 0, normalized size = 0.00

$$\int x(a + bx)^n (c + dx^2)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x\*(a + b\*x)^n\*(c + d\*x^2)^3,x]

[Out] Defer[IntegrateAlgebraic][x\*(a + b\*x)^n\*(c + d\*x^2)^3, x]

fricas [B] time = 0.45, size = 1675, normalized size = 5.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)^n\*(d\*x^2+c)^3,x, algorithm="fricas")

[Out] -(a^2\*b^6\*c^3\*n^6 + 33\*a^2\*b^6\*c^3\*n^5 + 20160\*a^2\*b^6\*c^3 + 30240\*a^4\*b^4\*c^2\*d + 20160\*a^6\*b^2\*c\*d^2 + 5040\*a^8\*d^3 - (b^8\*d^3\*n^7 + 28\*b^8\*d^3\*n^6 + 322\*b^8\*d^3\*n^5 + 1960\*b^8\*d^3\*n^4 + 6769\*b^8\*d^3\*n^3 + 13132\*b^8\*d^3\*n^2 + 13068\*b^8\*d^3\*n + 5040\*b^8\*d^3)\*x^8 - (a\*b^7\*d^3\*n^7 + 21\*a\*b^7\*d^3\*n^6 + 175\*a\*b^7\*d^3\*n^5 + 735\*a\*b^7\*d^3\*n^4 + 1624\*a\*b^7\*d^3\*n^3 + 1764\*a\*b^7\*d^3

$$\begin{aligned}
&^3n^2 + 720*a*b^7*d^3*n)*x^7 - (3*b^8*c*d^2*n^7 + 20160*b^8*c*d^2 + (90*b^8*c*d^2 - 7*a^2*b^6*d^3)*n^6 + 3*(366*b^8*c*d^2 - 35*a^2*b^6*d^3)*n^5 + 5*(1404*b^8*c*d^2 - 119*a^2*b^6*d^3)*n^4 + 9*(2803*b^8*c*d^2 - 175*a^2*b^6*d^3)*n^3 + 2*(25245*b^8*c*d^2 - 959*a^2*b^6*d^3)*n^2 + 24*(2143*b^8*c*d^2 - 35*a^2*b^6*d^3)*n)*x^6 - 3*(a*b^7*c*d^2*n^7 + 25*a*b^7*c*d^2*n^6 + (241*a*b^7*c*d^2 + 14*a^3*b^5*d^3)*n^5 + 5*(227*a*b^7*c*d^2 + 28*a^3*b^5*d^3)*n^4 + 2*(1367*a*b^7*c*d^2 + 245*a^3*b^5*d^3)*n^3 + 20*(158*a*b^7*c*d^2 + 35*a^3*b^5*d^3)*n^2 + 336*(4*a*b^7*c*d^2 + a^3*b^5*d^3)*n)*x^5 + (445*a^2*b^6*c^3 + 18*a^4*b^4*c^2*d)*n^4 - 3*(b^8*c^2*d*n^7 + 10080*b^8*c^2*d + (32*b^8*c^2*d - 5*a^2*b^6*c*d^2)*n^6 + (418*b^8*c^2*d - 105*a^2*b^6*c*d^2)*n^5 + (2864*b^8*c^2*d - 785*a^2*b^6*c*d^2 - 70*a^4*b^4*d^3)*n^4 + (10993*b^8*c^2*d - 2535*a^2*b^6*c*d^2 - 420*a^4*b^4*d^3)*n^3 + 2*(11656*b^8*c^2*d - 1765*a^2*b^6*c*d^2 - 385*a^4*b^4*d^3)*n^2 + 12*(2073*b^8*c^2*d - 140*a^2*b^6*c*d^2 - 35*a^4*b^4*d^3)*n)*x^4 + 3*(1045*a^2*b^6*c^3 + 156*a^4*b^4*c^2*d)*n^3 - 3*(a*b^7*c^2*d*n^7 + 29*a*b^7*c^2*d*n^6 + (331*a*b^7*c^2*d + 20*a^3*b^5*c*d^2)*n^5 + (1871*a*b^7*c^2*d + 360*a^3*b^5*c*d^2)*n^4 + 20*(269*a*b^7*c^2*d + 103*a^3*b^5*c*d^2 + 14*a^5*b^3*d^3)*n^3 + 4*(1793*a*b^7*c^2*d + 990*a^3*b^5*c*d^2 + 210*a^5*b^3*d^3)*n^2 + 560*(6*a*b^7*c^2*d + 4*a^3*b^5*c*d^2 + a^5*b^3*d^3)*n)*x^3 + 2*(6077*a^2*b^6*c^3 + 2259*a^4*b^4*c^2*d + 180*a^6*b^2*c*d^2)*n^2 - (b^8*c^3*n^7 + 20160*b^8*c^3 + (34*b^8*c^3 - 9*a^2*b^6*c^2*d)*n^6 + (478*b^8*c^3 - 243*a^2*b^6*c^2*d)*n^5 + (3580*b^8*c^3 - 2493*a^2*b^6*c^2*d - 180*a^4*b^4*c*d^2)*n^4 + (15289*b^8*c^3 - 11853*a^2*b^6*c^2*d - 2880*a^4*b^4*c*d^2)*n^3 + 2*(18353*b^8*c^3 - 12357*a^2*b^6*c^2*d - 6390*a^4*b^4*c*d^2 - 1260*a^6*b^2*d^3)*n^2 + 72*(621*b^8*c^3 - 210*a^2*b^6*c^2*d - 140*a^4*b^4*c*d^2 - 35*a^6*b^2*d^3)*n)*x^2 + 36*(682*a^2*b^6*c^3 + 533*a^4*b^4*c^2*d + 150*a^6*b^2*c*d^2)*n - (a*b^7*c^3*n^7 + 33*a*b^7*c^3*n^6 + (445*a*b^7*c^3 + 18*a^3*b^5*c^2*d)*n^5 + 3*(1045*a*b^7*c^3 + 156*a^3*b^5*c^2*d)*n^4 + 2*(6077*a*b^7*c^3 + 2259*a^3*b^5*c^2*d + 180*a^5*b^3*c*d^2)*n^3 + 36*(682*a*b^7*c^3 + 533*a^3*b^5*c^2*d + 150*a^5*b^3*c*d^2)*n^2 + 5040*(4*a*b^7*c^3 + 6*a^3*b^5*c^2*d + 4*a^5*b^3*c*d^2 + a^7*b*d^3)*n)*x)*(b*x + a)^n/(b^8*n^8 + 36*b^8*n^7 + 546*b^8*n^6 + 4536*b^8*n^5 + 22449*b^8*n^4 + 67284*b^8*n^3 + 118124*b^8*n^2 + 109584*b^8*n + 40320*b^8)
\end{aligned}$$

**giac [B]** time = 0.25, size = 2851, normalized size = 10.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)^n\*(d\*x^2+c)^3,x, algorithm="giac")

[Out] ((b\*x + a)^n\*b^8\*d^3\*n^7\*x^8 + (b\*x + a)^n\*a\*b^7\*d^3\*n^7\*x^7 + 28\*(b\*x + a)^n\*b^8\*d^3\*n^6\*x^8 + 3\*(b\*x + a)^n\*b^8\*c\*d^2\*n^7\*x^6 + 21\*(b\*x + a)^n\*a\*b^7\*d^3\*n^6\*x^7 + 322\*(b\*x + a)^n\*b^8\*d^3\*n^5\*x^8 + 3\*(b\*x + a)^n\*a\*b^7\*c\*d^2\*n^7\*x^5 + 90\*(b\*x + a)^n\*b^8\*c\*d^2\*n^6\*x^6 - 7\*(b\*x + a)^n\*a^2\*b^6\*d^3\*n^6\*x^6 + 175\*(b\*x + a)^n\*a\*b^7\*d^3\*n^5\*x^7 + 1960\*(b\*x + a)^n\*b^8\*d^3\*n^4\*x^8

$$\begin{aligned}
& + 3*(b*x + a)^n*b^8*c^2*d*n^7*x^4 + 75*(b*x + a)^n*a*b^7*c*d^2*n^6*x^5 + 10 \\
& 98*(b*x + a)^n*b^8*c*d^2*n^5*x^6 - 105*(b*x + a)^n*a^2*b^6*d^3*n^5*x^6 + 73 \\
& 5*(b*x + a)^n*a*b^7*d^3*n^4*x^7 + 6769*(b*x + a)^n*b^8*d^3*n^3*x^8 + 3*(b*x \\
& + a)^n*a*b^7*c^2*d*n^7*x^3 + 96*(b*x + a)^n*b^8*c^2*d*n^6*x^4 - 15*(b*x + \\
& a)^n*a^2*b^6*c*d^2*n^6*x^4 + 723*(b*x + a)^n*a*b^7*c*d^2*n^5*x^5 + 42*(b*x \\
& + a)^n*a^3*b^5*d^3*n^5*x^5 + 7020*(b*x + a)^n*b^8*c*d^2*n^4*x^6 - 595*(b*x \\
& + a)^n*a^2*b^6*d^3*n^4*x^6 + 1624*(b*x + a)^n*a*b^7*d^3*n^3*x^7 + 13132*(b*x \\
& + a)^n*b^8*d^3*n^2*x^8 + (b*x + a)^n*b^8*c^3*n^7*x^2 + 87*(b*x + a)^n*a*b \\
& ^7*c^2*d*n^6*x^3 + 1254*(b*x + a)^n*b^8*c^2*d*n^5*x^4 - 315*(b*x + a)^n*a^2 \\
& *b^6*c*d^2*n^5*x^4 + 3405*(b*x + a)^n*a*b^7*c*d^2*n^4*x^5 + 420*(b*x + a)^n \\
& *a^3*b^5*d^3*n^4*x^5 + 25227*(b*x + a)^n*b^8*c*d^2*n^3*x^6 - 1575*(b*x + a) \\
& ^n*a^2*b^6*d^3*n^3*x^6 + 1764*(b*x + a)^n*a*b^7*d^3*n^2*x^7 + 13068*(b*x + \\
& a)^n*b^8*d^3*n*x^8 + (b*x + a)^n*a*b^7*c^3*n^7*x + 34*(b*x + a)^n*b^8*c^3*n \\
& ^6*x^2 - 9*(b*x + a)^n*a^2*b^6*c^2*d*n^6*x^2 + 993*(b*x + a)^n*a*b^7*c^2*d* \\
& n^5*x^3 + 60*(b*x + a)^n*a^3*b^5*c*d^2*n^5*x^3 + 8592*(b*x + a)^n*b^8*c^2*d \\
& *n^4*x^4 - 2355*(b*x + a)^n*a^2*b^6*c*d^2*n^4*x^4 - 210*(b*x + a)^n*a^4*b^4 \\
& *d^3*n^4*x^4 + 8202*(b*x + a)^n*a*b^7*c*d^2*n^3*x^5 + 1470*(b*x + a)^n*a^3* \\
& b^5*d^3*n^3*x^5 + 50490*(b*x + a)^n*b^8*c*d^2*n^2*x^6 - 1918*(b*x + a)^n*a^ \\
& 2*b^6*d^3*n^2*x^6 + 720*(b*x + a)^n*a*b^7*d^3*n*x^7 + 5040*(b*x + a)^n*b^8* \\
& d^3*x^8 + 33*(b*x + a)^n*a*b^7*c^3*n^6*x + 478*(b*x + a)^n*b^8*c^3*n^5*x^2 \\
& - 243*(b*x + a)^n*a^2*b^6*c^2*d*n^5*x^2 + 5613*(b*x + a)^n*a*b^7*c^2*d*n^4* \\
& x^3 + 1080*(b*x + a)^n*a^3*b^5*c*d^2*n^4*x^3 + 32979*(b*x + a)^n*b^8*c^2*d* \\
& n^3*x^4 - 7605*(b*x + a)^n*a^2*b^6*c*d^2*n^3*x^4 - 1260*(b*x + a)^n*a^4*b^4 \\
& *d^3*n^3*x^4 + 9480*(b*x + a)^n*a*b^7*c*d^2*n^2*x^5 + 2100*(b*x + a)^n*a^3* \\
& b^5*d^3*n^2*x^5 + 51432*(b*x + a)^n*b^8*c*d^2*n*x^6 - 840*(b*x + a)^n*a^2*b \\
& ^6*d^3*n*x^6 - (b*x + a)^n*a^2*b^6*c^3*n^6 + 445*(b*x + a)^n*a*b^7*c^3*n^5* \\
& x + 18*(b*x + a)^n*a^3*b^5*c^2*d*n^5*x + 3580*(b*x + a)^n*b^8*c^3*n^4*x^2 - \\
& 2493*(b*x + a)^n*a^2*b^6*c^2*d*n^4*x^2 - 180*(b*x + a)^n*a^4*b^4*c*d^2*n^4 \\
& *x^2 + 16140*(b*x + a)^n*a*b^7*c^2*d*n^3*x^3 + 6180*(b*x + a)^n*a^3*b^5*c*d \\
& ^2*n^3*x^3 + 840*(b*x + a)^n*a^5*b^3*d^3*n^3*x^3 + 69936*(b*x + a)^n*b^8*c^ \\
& 2*d*n^2*x^4 - 10590*(b*x + a)^n*a^2*b^6*c*d^2*n^2*x^4 - 2310*(b*x + a)^n*a^ \\
& 4*b^4*d^3*n^2*x^4 + 4032*(b*x + a)^n*a*b^7*c*d^2*n*x^5 + 1008*(b*x + a)^n*a \\
& ^3*b^5*d^3*n*x^5 + 20160*(b*x + a)^n*b^8*c*d^2*x^6 - 33*(b*x + a)^n*a^2*b^6 \\
& *c^3*n^5 + 3135*(b*x + a)^n*a*b^7*c^3*n^4*x + 468*(b*x + a)^n*a^3*b^5*c^2*d \\
& *n^4*x + 15289*(b*x + a)^n*b^8*c^3*n^3*x^2 - 11853*(b*x + a)^n*a^2*b^6*c^2* \\
& d*n^3*x^2 - 2880*(b*x + a)^n*a^4*b^4*c*d^2*n^3*x^2 + 21516*(b*x + a)^n*a*b^ \\
& 7*c^2*d*n^2*x^3 + 11880*(b*x + a)^n*a^3*b^5*c*d^2*n^2*x^3 + 2520*(b*x + a) \\
& ^n*a^5*b^3*d^3*n^2*x^3 + 74628*(b*x + a)^n*b^8*c^2*d*n*x^4 - 5040*(b*x + a) \\
& ^n*a^2*b^6*c*d^2*n*x^4 - 1260*(b*x + a)^n*a^4*b^4*d^3*n*x^4 - 445*(b*x + a) \\
& ^n*a^2*b^6*c^3*n^4 - 18*(b*x + a)^n*a^4*b^4*c^2*d*n^4 + 12154*(b*x + a)^n*a* \\
& b^7*c^3*n^3*x + 4518*(b*x + a)^n*a^3*b^5*c^2*d*n^3*x + 360*(b*x + a)^n*a^5* \\
& b^3*c*d^2*n^3*x + 36706*(b*x + a)^n*b^8*c^3*n^2*x^2 - 24714*(b*x + a)^n*a^ \\
& 2*b^6*c^2*d*n^2*x^2 - 12780*(b*x + a)^n*a^4*b^4*c*d^2*n^2*x^2 - 2520*(b*x + \\
& a)^n*a^6*b^2*d^3*n^2*x^2 + 10080*(b*x + a)^n*a*b^7*c^2*d*n*x^3 + 6720*(b*x \\
& + a)^n*a^3*b^5*c*d^2*n*x^3 + 1680*(b*x + a)^n*a^5*b^3*d^3*n*x^3 + 30240*(b
\end{aligned}$$



$$\begin{aligned}
& x + a)^n b^8 c^2 d^2 x^4 - 3135 (b x + a)^n a^2 b^6 c^3 n^3 - 468 (b x + a)^n \\
& a^4 b^4 c^2 d^2 n^3 + 24552 (b x + a)^n a b^7 c^3 n^2 x + 19188 (b x + a)^n a^3 b^5 c^2 d^2 n^2 x + 5400 (b x + a)^n a^5 b^3 c d^2 n^2 x + 44712 (b x + a) \\
& )^n b^8 c^3 n x^2 - 15120 (b x + a)^n a^2 b^6 c^2 d^2 n x^2 - 10080 (b x + a) \\
& )^n a^4 b^4 c d^2 n x^2 - 2520 (b x + a)^n a^6 b^2 d^3 n x^2 - 12154 (b x + \\
& a)^n a^2 b^6 c^3 n^2 - 4518 (b x + a)^n a^4 b^4 c^2 d^2 n^2 - 360 (b x + a)^n \\
& a^6 b^2 c d^2 n^2 + 20160 (b x + a)^n a b^7 c^3 n x + 30240 (b x + a)^n a^3 b^5 c^2 d^2 n x + 20160 (b x + a)^n a^5 b^3 c d^2 n x + 5040 (b x + a)^n a^7 b d^3 n x \\
& + 20160 (b x + a)^n b^8 c^3 x^2 - 24552 (b x + a)^n a^2 b^6 c^3 \\
& n - 19188 (b x + a)^n a^4 b^4 c^2 d^2 n - 5400 (b x + a)^n a^6 b^2 c d^2 n - \\
& 20160 (b x + a)^n a^2 b^6 c^3 - 30240 (b x + a)^n a^4 b^4 c^2 d^2 - 20160 (b \\
& x + a)^n a^6 b^2 c d^2 - 5040 (b x + a)^n a^8 d^3) / (b^8 n^8 + 36 b^8 n^7 + \\
& 546 b^8 n^6 + 4536 b^8 n^5 + 22449 b^8 n^4 + 67284 b^8 n^3 + 118124 b^8 n^2 \\
& + 109584 b^8 n + 40320 b^8)
\end{aligned}$$

**maple [B]** time = 0.02, size = 1639, normalized size = 5.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x*(b*x+a)^n*(d*x^2+c)^3, x)$

[Out]  $-(b*x+a)^{(n+1)}*(-b^7*d^3*n^7*x^7-28*b^7*d^3*n^6*x^7+7*a*b^6*d^3*n^6*x^6-3*b^7*c*d^2*n^7*x^5-322*b^7*d^3*n^5*x^7+147*a*b^6*d^3*n^5*x^6-90*b^7*c*d^2*n^6*x^5-1960*b^7*d^3*n^4*x^7-42*a^2*b^5*d^3*n^5*x^5+15*a*b^6*c*d^2*n^6*x^4+1225*a*b^6*d^3*n^4*x^6-3*b^7*c^2*d^2*n^7*x^3-1098*b^7*c*d^2*n^5*x^5-6769*b^7*d^3*n^3*x^7-630*a^2*b^5*d^3*n^4*x^5+375*a*b^6*c*d^2*n^5*x^4+5145*a*b^6*d^3*n^3*x^6-96*b^7*c^2*d^2*n^6*x^3-7020*b^7*c*d^2*n^4*x^5-13132*b^7*d^3*n^2*x^7+210*a^3*b^4*d^3*n^4*x^4-60*a^2*b^5*c*d^2*n^5*x^3-3570*a^2*b^5*d^3*n^3*x^5+9*a*b^6*c^2*d^2*n^6*x^2+3615*a*b^6*c*d^2*n^4*x^4+11368*a*b^6*d^3*n^2*x^6-b^7*c^3*n^7*x-1254*b^7*c^2*d^2*n^5*x^3-25227*b^7*c*d^2*n^3*x^5-13068*b^7*d^3*n*x^7+2100*a^3*b^4*d^3*n^3*x^4-1260*a^2*b^5*c*d^2*n^4*x^3-9450*a^2*b^5*d^3*n^2*x^5+261*a*b^6*c^2*d^2*n^5*x^2+17025*a*b^6*c*d^2*n^3*x^4+12348*a*b^6*d^3*n*x^6-34*b^7*c^3*n^6*x-8592*b^7*c^2*d^2*n^4*x^3-50490*b^7*c*d^2*n^2*x^5-5040*b^7*d^3*x^7-840*a^4*b^3*d^3*n^3*x^3+180*a^3*b^4*c*d^2*n^4*x^2+7350*a^3*b^4*d^3*n^2*x^4-18*a^2*b^5*c^2*d^2*n^5*x-9420*a^2*b^5*c*d^2*n^3*x^3-11508*a^2*b^5*d^3*n*x^5+a*b^6*c^3*n^6+2979*a*b^6*c^2*d^2*n^4*x^2+41010*a*b^6*c*d^2*n^2*x^4+5040*a*b^6*d^3*x^6-478*b^7*c^3*n^5*x-32979*b^7*c^2*d^2*n^3*x^3-51432*b^7*c*d^2*n*x^5-5040*a^4*b^3*d^3*n^2*x^3+3240*a^3*b^4*c*d^2*n^3*x^2+10500*a^3*b^4*d^3*n*x^4-486*a^2*b^5*c^2*d^2*n^4*x-30420*a^2*b^5*c*d^2*n^2*x^3-5040*a^2*b^5*d^3*x^5+33*a*b^6*c^3*n^5+16839*a*b^6*c^2*d^2*n^3*x^2+47400*a*b^6*c*d^2*n*x^4-3580*b^7*c^3*n^4*x-69936*b^7*c^2*d^2*n^2*x^3-20160*b^7*c*d^2*x^5+2520*a^5*b^2*d^3*n^2*x^2-360*a^4*b^3*c*d^2*n^3*x-9240*a^4*b^3*d^3*n*x^3+18*a^3*b^4*c^2*d^2*n^4+18540*a^3*b^4*c*d^2*n^2*x^2+5040*a^3*b^4*d^3*x^4-4986*a^2*b^5*c^2*d^2*n^3*x-42360*a^2*b^5*c*d^2*n*x^3+445*a*b^6*c^3*n^4+48420*a*b^6*c^2*d^2*n^2*x^2+20160*a*b^6$

```
6*c*d^2*x^4-15289*b^7*c^3*n^3*x-74628*b^7*c^2*d*n*x^3+7560*a^5*b^2*d^3*n*x^
2-5760*a^4*b^3*c*d^2*n^2*x-5040*a^4*b^3*d^3*x^3+468*a^3*b^4*c^2*d*n^3+35640
*a^3*b^4*c*d^2*n*x^2-23706*a^2*b^5*c^2*d*n^2*x-20160*a^2*b^5*c*d^2*x^3+3135
*a*b^6*c^3*n^3+64548*a*b^6*c^2*d*n*x^2-36706*b^7*c^3*n^2*x-30240*b^7*c^2*d*
x^3-5040*a^6*b*d^3*n*x+360*a^5*b^2*c*d^2*n^2+5040*a^5*b^2*d^3*x^2-25560*a^4
*b^3*c*d^2*n*x+4518*a^3*b^4*c^2*d*n^2+20160*a^3*b^4*c*d^2*x^2-49428*a^2*b^5
*c^2*d*n*x+12154*a*b^6*c^3*n^2+30240*a*b^6*c^2*d*x^2-44712*b^7*c^3*n*x-5040
*a^6*b*d^3*x+5400*a^5*b^2*c*d^2*n-20160*a^4*b^3*c*d^2*x+19188*a^3*b^4*c^2*d
*n-30240*a^2*b^5*c^2*d*x+24552*a*b^6*c^3*n-20160*b^7*c^3*x+5040*a^7*d^3+201
60*a^5*b^2*c*d^2+30240*a^3*b^4*c^2*d+20160*a*b^6*c^3)/b^8/(n^8+36*n^7+546*n
^6+4536*n^5+22449*n^4+67284*n^3+118124*n^2+109584*n+40320)
```

**maxima [B]** time = 0.53, size = 625, normalized size = 2.22

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(b*x+a)^n*(d*x^2+c)^3,x, algorithm="maxima")
```

```
[Out] (b^2*(n + 1)*x^2 + a*b*n*x - a^2)*(b*x + a)^n*c^3/((n^2 + 3*n + 2)*b^2) + 3
*((n^3 + 6*n^2 + 11*n + 6)*b^4*x^4 + (n^3 + 3*n^2 + 2*n)*a*b^3*x^3 - 3*(n^2
+ n)*a^2*b^2*x^2 + 6*a^3*b*n*x - 6*a^4)*(b*x + a)^n*c^2*d/((n^4 + 10*n^3 +
35*n^2 + 50*n + 24)*b^4) + 3*((n^5 + 15*n^4 + 85*n^3 + 225*n^2 + 274*n + 1
20)*b^6*x^6 + (n^5 + 10*n^4 + 35*n^3 + 50*n^2 + 24*n)*a*b^5*x^5 - 5*(n^4 +
6*n^3 + 11*n^2 + 6*n)*a^2*b^4*x^4 + 20*(n^3 + 3*n^2 + 2*n)*a^3*b^3*x^3 - 60
*(n^2 + n)*a^4*b^2*x^2 + 120*a^5*b*n*x - 120*a^6)*(b*x + a)^n*c*d^2/((n^6 +
21*n^5 + 175*n^4 + 735*n^3 + 1624*n^2 + 1764*n + 720)*b^6) + ((n^7 + 28*n^
6 + 322*n^5 + 1960*n^4 + 6769*n^3 + 13132*n^2 + 13068*n + 5040)*b^8*x^8 + (
n^7 + 21*n^6 + 175*n^5 + 735*n^4 + 1624*n^3 + 1764*n^2 + 720*n)*a*b^7*x^7 -
7*(n^6 + 15*n^5 + 85*n^4 + 225*n^3 + 274*n^2 + 120*n)*a^2*b^6*x^6 + 42*(n^
5 + 10*n^4 + 35*n^3 + 50*n^2 + 24*n)*a^3*b^5*x^5 - 210*(n^4 + 6*n^3 + 11*n^
2 + 6*n)*a^4*b^4*x^4 + 840*(n^3 + 3*n^2 + 2*n)*a^5*b^3*x^3 - 2520*(n^2 + n)
*a^6*b^2*x^2 + 5040*a^7*b*n*x - 5040*a^8)*(b*x + a)^n*d^3/((n^8 + 36*n^7 +
546*n^6 + 4536*n^5 + 22449*n^4 + 67284*n^3 + 118124*n^2 + 109584*n + 40320)
*b^8)
```

**mupad [B]** time = 3.48, size = 1459, normalized size = 5.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(c + d*x^2)^3*(a + b*x)^n,x)
```

```
[Out] (d^3*x^8*(a + b*x)^n*(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 +
28*n^6 + n^7 + 5040))/(109584*n + 118124*n^2 + 67284*n^3 + 22449*n^4 + 453
6*n^5 + 546*n^6 + 36*n^7 + n^8 + 40320) - (a^2*(a + b*x)^n*(5040*a^6*d^3 +
```

$$\begin{aligned}
& 20160*b^6*c^3 + 24552*b^6*c^3*n + 12154*b^6*c^3*n^2 + 3135*b^6*c^3*n^3 + 445*b^6*c^3*n^4 + 33*b^6*c^3*n^5 + b^6*c^3*n^6 + 30240*a^2*b^4*c^2*d + 20160*a^4*b^2*c*d^2 + 19188*a^2*b^4*c^2*d*n + 5400*a^4*b^2*c*d^2*n + 4518*a^2*b^4*c^2*d*n^2 + 360*a^4*b^2*c*d^2*n^2 + 468*a^2*b^4*c^2*d*n^3 + 18*a^2*b^4*c^2*d*n^4) / (b^8*(109584*n + 118124*n^2 + 67284*n^3 + 22449*n^4 + 4536*n^5 + 546*n^6 + 36*n^7 + n^8 + 40320)) - (x^2*(n + 1)*(a + b*x)^n*(2520*a^6*d^3*n - 20160*b^6*c^3 - 24552*b^6*c^3*n - 12154*b^6*c^3*n^2 - 3135*b^6*c^3*n^3 - 445*b^6*c^3*n^4 - 33*b^6*c^3*n^5 - b^6*c^3*n^6 + 15120*a^2*b^4*c^2*d*n + 10080*a^4*b^2*c*d^2*n + 9594*a^2*b^4*c^2*d*n^2 + 2700*a^4*b^2*c*d^2*n^2 + 2259*a^2*b^4*c^2*d*n^3 + 180*a^4*b^2*c*d^2*n^3 + 234*a^2*b^4*c^2*d*n^4 + 9*a^2*b^4*c^2*d*n^5)) / (b^6*(109584*n + 118124*n^2 + 67284*n^3 + 22449*n^4 + 4536*n^5 + 546*n^6 + 36*n^7 + n^8 + 40320)) + (d^2*x^6*(a + b*x)^n*(168*b^2*c + 3*b^2*c*n^2 - 7*a^2*d*n + 45*b^2*c*n)*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)) / (b^2*(109584*n + 118124*n^2 + 67284*n^3 + 22449*n^4 + 4536*n^5 + 546*n^6 + 36*n^7 + n^8 + 40320)) + (3*d*x^4*(a + b*x)^n*(11*n + 6*n^2 + n^3 + 6)*(1680*b^4*c^2 - 70*a^4*d^2*n + 1066*b^4*c^2*n + 251*b^4*c^2*n^2 + 26*b^4*c^2*n^3 + b^4*c^2*n^4 - 280*a^2*b^2*c*d*n - 75*a^2*b^2*c*d*n^2 - 5*a^2*b^2*c*d*n^3)) / (b^4*(109584*n + 118124*n^2 + 67284*n^3 + 22449*n^4 + 4536*n^5 + 546*n^6 + 36*n^7 + n^8 + 40320)) + (a*n*x*(a + b*x)^n*(5040*a^6*d^3 + 20160*b^6*c^3 + 24552*b^6*c^3*n + 12154*b^6*c^3*n^2 + 3135*b^6*c^3*n^3 + 445*b^6*c^3*n^4 + 33*b^6*c^3*n^5 + b^6*c^3*n^6 + 30240*a^2*b^4*c^2*d + 20160*a^4*b^2*c*d^2 + 19188*a^2*b^4*c^2*d*n + 5400*a^4*b^2*c*d^2*n + 4518*a^2*b^4*c^2*d*n^2 + 360*a^4*b^2*c*d^2*n^2 + 468*a^2*b^4*c^2*d*n^3 + 18*a^2*b^4*c^2*d*n^4)) / (b^7*(109584*n + 118124*n^2 + 67284*n^3 + 22449*n^4 + 4536*n^5 + 546*n^6 + 36*n^7 + n^8 + 40320)) + (a*d^3*n*x^7*(a + b*x)^n*(1764*n + 1624*n^2 + 735*n^3 + 175*n^4 + 21*n^5 + n^6 + 720)) / (b*(109584*n + 118124*n^2 + 67284*n^3 + 22449*n^4 + 4536*n^5 + 546*n^6 + 36*n^7 + n^8 + 40320)) + (3*a*d*n*x^3*(a + b*x)^n*(3*n + n^2 + 2)*(280*a^4*d^2 + 1680*b^4*c^2 + 1066*b^4*c^2*n + 251*b^4*c^2*n^2 + 26*b^4*c^2*n^3 + b^4*c^2*n^4 + 1120*a^2*b^2*c*d + 300*a^2*b^2*c*d*n + 20*a^2*b^2*c*d*n^2)) / (b^5*(109584*n + 118124*n^2 + 67284*n^3 + 22449*n^4 + 4536*n^5 + 546*n^6 + 36*n^7 + n^8 + 40320)) + (3*a*d^2*n*x^5*(a + b*x)^n*(14*a^2*d + 56*b^2*c + b^2*c*n^2 + 15*b^2*c*n)*(50*n + 35*n^2 + 10*n^3 + n^4 + 24)) / (b^3*(109584*n + 118124*n^2 + 67284*n^3 + 22449*n^4 + 4536*n^5 + 546*n^6 + 36*n^7 + n^8 + 40320))
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(b\*x+a)\*\*n\*(d\*x\*\*2+c)\*\*3,x)

[Out] Timed out

$$3.270 \quad \int (a + bx)^n (c + dx^2)^3 dx$$

**Optimal.** Leaf size=223

$$\frac{4ad^2(5a^2d + 3b^2c)(a + bx)^{n+4}}{b^7(n+4)} + \frac{3d^2(5a^2d + b^2c)(a + bx)^{n+5}}{b^7(n+5)} + \frac{(a^2d + b^2c)^3(a + bx)^{n+1}}{b^7(n+1)} - \frac{6ad(a^2d + b^2c)^2(a + bx)^{n+2}}{b^7(n+2)}$$

**Rubi [A]** time = 0.13, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {697}

$$\frac{4ad^2(5a^2d + 3b^2c)(a + bx)^{n+4}}{b^7(n+4)} + \frac{3d^2(5a^2d + b^2c)(a + bx)^{n+5}}{b^7(n+5)} + \frac{(a^2d + b^2c)^3(a + bx)^{n+1}}{b^7(n+1)} - \frac{6ad(a^2d + b^2c)^2(a + bx)^{n+2}}{b^7(n+2)} + \frac{3d(a^2d + b^2c)(5a^2d + b^2c)(a + bx)^{n+3}}{b^7(n+3)} - \frac{6ad^3(a + bx)^{n+6}}{b^7(n+6)} + \frac{d^3(a + bx)^{n+7}}{b^7(n+7)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x)^n\*(c + d\*x^2)^3,x]

[Out] ((b^2\*c + a^2\*d)^3\*(a + b\*x)^(1 + n))/(b^7\*(1 + n)) - (6\*a\*d\*(b^2\*c + a^2\*d)^2\*(a + b\*x)^(2 + n))/(b^7\*(2 + n)) + (3\*d\*(b^2\*c + a^2\*d)\*(b^2\*c + 5\*a^2\*d)\*(a + b\*x)^(3 + n))/(b^7\*(3 + n)) - (4\*a\*d^2\*(3\*b^2\*c + 5\*a^2\*d)\*(a + b\*x)^(4 + n))/(b^7\*(4 + n)) + (3\*d^2\*(b^2\*c + 5\*a^2\*d)\*(a + b\*x)^(5 + n))/(b^7\*(5 + n)) - (6\*a\*d^3\*(a + b\*x)^(6 + n))/(b^7\*(6 + n)) + (d^3\*(a + b\*x)^(7 + n))/(b^7\*(7 + n))

**Rule 697**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0]

**Rubi steps**

$$\int (a + bx)^n (c + dx^2)^3 dx = \int \left( \frac{(b^2c + a^2d)^3 (a + bx)^n}{b^6} - \frac{6ad(b^2c + a^2d)^2 (a + bx)^{1+n}}{b^6} + \frac{3d(b^2c + a^2d)(b^2c + 5a^2d)(a + bx)^{2+n}}{b^6} - \frac{(b^2c + a^2d)^3 (a + bx)^{1+n}}{b^7(1+n)} - \frac{6ad(b^2c + a^2d)^2 (a + bx)^{2+n}}{b^7(2+n)} + \frac{3d(b^2c + a^2d)(b^2c + 5a^2d)(a + bx)^{3+n}}{b^7(3+n)} \right) dx$$

**Mathematica [A]** time = 0.50, size = 347, normalized size = 1.56

$$\frac{(a + bx)^{n+1} \left( \frac{(a^2d + b^2c)^3 (a + bx)^{n+1}}{b^7(n+1)} - \frac{6ad(a^2d + b^2c)^2 (a + bx)^{n+2}}{b^7(n+2)} + \frac{3d(a^2d + b^2c)(5a^2d + b^2c)(a + bx)^{n+3}}{b^7(n+3)} - \frac{6ad^3(a + bx)^{n+6}}{b^7(n+6)} + \frac{d^3(a + bx)^{n+7}}{b^7(n+7)} \right)}{b^7(n+7)} + (c + dx^2)^3$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x)^n\*(c + d\*x^2)^3,x]

[Out] ((a + b\*x)^(1 + n)\*((c + d\*x^2)^3 + (6\*((b^2\*c + a^2\*d)\*(6 + n)\*(b^4\*(1 + n)\*(2 + n)\*(3 + n)\*(4 + n)\*(c + d\*x^2)^2 + 4\*(b^2\*c + a^2\*d)\*(4 + n)\*(2\*a^2\*d - 2\*a\*b\*d\*(1 + n)\*x + b^2\*(2 + n)\*(c\*(3 + n) + d\*(1 + n)\*x^2)) - 4\*a\*d\*(1 + n)\*(a + b\*x)\*(2\*a^2\*d - 2\*a\*b\*d\*(2 + n)\*x + b^2\*(3 + n)\*(c\*(4 + n) + d\*(2 + n)\*x^2))) - a\*d\*(1 + n)\*(a + b\*x)\*(b^4\*(2 + n)\*(3 + n)\*(4 + n)\*(5 + n)\*(c + d\*x^2)^2 + 4\*(b^2\*c + a^2\*d)\*(5 + n)\*(2\*a^2\*d - 2\*a\*b\*d\*(2 + n)\*x + b^2\*(3 + n)\*(c\*(4 + n) + d\*(2 + n)\*x^2)) - 4\*a\*d\*(2 + n)\*(a + b\*x)\*(2\*a^2\*d - 2\*a\*b\*d\*(3 + n)\*x + b^2\*(4 + n)\*(c\*(5 + n) + d\*(3 + n)\*x^2)))))/(b^6\*(1 + n)\*(2 + n)\*(3 + n)\*(4 + n)\*(5 + n)\*(6 + n)))/(b\*(7 + n))

**IntegrateAlgebraic** [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (a + bx)^n (c + dx^2)^3 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b\*x)^n\*(c + d\*x^2)^3,x]

[Out] Defer[IntegrateAlgebraic][(a + b\*x)^n\*(c + d\*x^2)^3, x]

**fricas** [B] time = 0.41, size = 1244, normalized size = 5.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^n\*(d\*x^2+c)^3,x, algorithm="fricas")

[Out] (a\*b^6\*c^3\*n^6 + 27\*a\*b^6\*c^3\*n^5 + 5040\*a\*b^6\*c^3 + 5040\*a^3\*b^4\*c^2\*d + 3024\*a^5\*b^2\*c\*d^2 + 720\*a^7\*d^3 + (b^7\*d^3\*n^6 + 21\*b^7\*d^3\*n^5 + 175\*b^7\*d^3\*n^4 + 735\*b^7\*d^3\*n^3 + 1624\*b^7\*d^3\*n^2 + 1764\*b^7\*d^3\*n + 720\*b^7\*d^3)\*x^7 + (a\*b^6\*d^3\*n^6 + 15\*a\*b^6\*d^3\*n^5 + 85\*a\*b^6\*d^3\*n^4 + 225\*a\*b^6\*d^3\*n^3 + 274\*a\*b^6\*d^3\*n^2 + 120\*a\*b^6\*d^3\*n)\*x^6 + 3\*(b^7\*c\*d^2\*n^6 + 1008\*b^7\*c\*d^2 + (23\*b^7\*c\*d^2 - 2\*a^2\*b^5\*d^3)\*n^5 + (207\*b^7\*c\*d^2 - 20\*a^2\*b^5\*d^3)\*n^4 + 5\*(185\*b^7\*c\*d^2 - 14\*a^2\*b^5\*d^3)\*n^3 + 4\*(536\*b^7\*c\*d^2 - 25\*a^2\*b^5\*d^3)\*n^2 + 12\*(201\*b^7\*c\*d^2 - 4\*a^2\*b^5\*d^3)\*n)\*x^5 + (295\*a\*b^6\*c^3 + 6\*a^3\*b^4\*c^2\*d)\*n^4 + 3\*(a\*b^6\*c\*d^2\*n^6 + 19\*a\*b^6\*c\*d^2\*n^5 + (131\*a\*b^6\*c\*d^2 + 10\*a^3\*b^4\*d^3)\*n^4 + (401\*a\*b^6\*c\*d^2 + 60\*a^3\*b^4\*d^3)\*n^3 + 10\*(54\*a\*b^6\*c\*d^2 + 11\*a^3\*b^4\*d^3)\*n^2 + 12\*(21\*a\*b^6\*c\*d^2 + 5\*a^3\*b^4\*d^3)\*n)\*x^4 + 3\*(555\*a\*b^6\*c^3 + 44\*a^3\*b^4\*c^2\*d)\*n^3 + 3\*(b^7\*c^2\*d\*n^6 + 1680\*b^7\*c^2\*d + (25\*b^7\*c^2\*d - 4\*a^2\*b^5\*c\*d^2)\*n^5 + (247\*b^7\*c^2\*d - 64\*a^2\*b^5\*c\*d^2)\*n^4 + (1219\*b^7\*c^2\*d - 332\*a^2\*b^5\*c\*d^2 - 40\*a^4\*b^3\*d^3)\*n^3 + 8\*(389\*b^7\*c^2\*d - 76\*a^2\*b^5\*c\*d^2 - 15\*a^4\*b^3\*d^3)\*n^2 + 4\*(949

$$\begin{aligned} & *b^7*c^2*d - 84*a^2*b^5*c*d^2 - 20*a^4*b^3*d^3)*n)*x^3 + 2*(2552*a*b^6*c^3 \\ & + 537*a^3*b^4*c^2*d + 36*a^5*b^2*c*d^2)*n^2 + 3*(a*b^6*c^2*d*n^6 + 23*a*b^6 \\ & *c^2*d*n^5 + 3*(67*a*b^6*c^2*d + 4*a^3*b^4*c*d^2)*n^4 + (817*a*b^6*c^2*d + \\ & 168*a^3*b^4*c*d^2)*n^3 + 2*(739*a*b^6*c^2*d + 330*a^3*b^4*c*d^2 + 60*a^5*b^ \\ & 2*d^3)*n^2 + 24*(35*a*b^6*c^2*d + 21*a^3*b^4*c*d^2 + 5*a^5*b^2*d^3)*n)*x^2 \\ & + 12*(669*a*b^6*c^3 + 319*a^3*b^4*c^2*d + 78*a^5*b^2*c*d^2)*n + (b^7*c^3*n^ \\ & 6 + 5040*b^7*c^3 + 3*(9*b^7*c^3 - 2*a^2*b^5*c^2*d)*n^5 + (295*b^7*c^3 - 132 \\ & *a^2*b^5*c^2*d)*n^4 + 3*(555*b^7*c^3 - 358*a^2*b^5*c^2*d - 24*a^4*b^3*c*d^2) \\ & )*n^3 + 4*(1276*b^7*c^3 - 957*a^2*b^5*c^2*d - 234*a^4*b^3*c*d^2)*n^2 + 36*( \\ & 223*b^7*c^3 - 140*a^2*b^5*c^2*d - 84*a^4*b^3*c*d^2 - 20*a^6*b*d^3)*n)*x*(b \\ & *x + a)^n/(b^7*n^7 + 28*b^7*n^6 + 322*b^7*n^5 + 1960*b^7*n^4 + 6769*b^7*n^3 \\ & + 13132*b^7*n^2 + 13068*b^7*n + 5040*b^7) \end{aligned}$$

**giac [B]** time = 0.24, size = 2085, normalized size = 9.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^n\*(d\*x^2+c)^3,x, algorithm="giac")

[Out] ((b\*x + a)^n\*b^7\*d^3\*n^6\*x^7 + (b\*x + a)^n\*a\*b^6\*d^3\*n^6\*x^6 + 21\*(b\*x + a)^n\*b^7\*d^3\*n^5\*x^7 + 3\*(b\*x + a)^n\*b^7\*c\*d^2\*n^6\*x^5 + 15\*(b\*x + a)^n\*a\*b^6\*d^3\*n^5\*x^6 + 175\*(b\*x + a)^n\*b^7\*d^3\*n^4\*x^7 + 3\*(b\*x + a)^n\*a\*b^6\*c\*d^2\*n^6\*x^4 + 69\*(b\*x + a)^n\*b^7\*c\*d^2\*n^5\*x^5 - 6\*(b\*x + a)^n\*a^2\*b^5\*d^3\*n^5\*x^5 + 85\*(b\*x + a)^n\*a\*b^6\*d^3\*n^4\*x^6 + 735\*(b\*x + a)^n\*b^7\*d^3\*n^3\*x^7 + 3\*(b\*x + a)^n\*b^7\*c^2\*d\*n^6\*x^3 + 57\*(b\*x + a)^n\*a\*b^6\*c\*d^2\*n^5\*x^4 + 621\*(b\*x + a)^n\*b^7\*c\*d^2\*n^4\*x^5 - 60\*(b\*x + a)^n\*a^2\*b^5\*d^3\*n^4\*x^5 + 225\*(b\*x + a)^n\*a\*b^6\*d^3\*n^3\*x^6 + 1624\*(b\*x + a)^n\*b^7\*d^3\*n^2\*x^7 + 3\*(b\*x + a)^n\*a\*b^6\*c^2\*d\*n^6\*x^2 + 75\*(b\*x + a)^n\*b^7\*c^2\*d\*n^5\*x^3 - 12\*(b\*x + a)^n\*a^2\*b^5\*c\*d^2\*n^5\*x^3 + 393\*(b\*x + a)^n\*a\*b^6\*c\*d^2\*n^4\*x^4 + 30\*(b\*x + a)^n\*a^3\*b^4\*d^3\*n^4\*x^4 + 2775\*(b\*x + a)^n\*b^7\*c\*d^2\*n^3\*x^5 - 210\*(b\*x + a)^n\*a^2\*b^5\*d^3\*n^3\*x^5 + 274\*(b\*x + a)^n\*a\*b^6\*d^3\*n^2\*x^6 + 1764\*(b\*x + a)^n\*b^7\*d^3\*n\*x^7 + (b\*x + a)^n\*b^7\*c^3\*n^6\*x + 69\*(b\*x + a)^n\*a\*b^6\*c^2\*d\*n^5\*x^2 + 741\*(b\*x + a)^n\*b^7\*c^2\*d\*n^4\*x^3 - 192\*(b\*x + a)^n\*a^2\*b^5\*c\*d^2\*n^4\*x^3 + 1203\*(b\*x + a)^n\*a\*b^6\*c\*d^2\*n^3\*x^4 + 180\*(b\*x + a)^n\*a^3\*b^4\*d^3\*n^3\*x^4 + 6432\*(b\*x + a)^n\*b^7\*c\*d^2\*n^2\*x^5 - 300\*(b\*x + a)^n\*a^2\*b^5\*d^3\*n^2\*x^5 + 120\*(b\*x + a)^n\*a\*b^6\*d^3\*n\*x^6 + 720\*(b\*x + a)^n\*b^7\*d^3\*x^7 + (b\*x + a)^n\*a\*b^6\*c^3\*n^6 + 27\*(b\*x + a)^n\*b^7\*c^3\*n^5\*x - 6\*(b\*x + a)^n\*a^2\*b^5\*c^2\*d\*n^5\*x + 603\*(b\*x + a)^n\*a\*b^6\*c^2\*d\*n^4\*x^2 + 36\*(b\*x + a)^n\*a^3\*b^4\*c\*d^2\*n^4\*x^2 + 3657\*(b\*x + a)^n\*b^7\*c^2\*d\*n^3\*x^3 - 996\*(b\*x + a)^n\*a^2\*b^5\*c\*d^2\*n^3\*x^3 - 120\*(b\*x + a)^n\*a^4\*b^3\*d^3\*n^3\*x^3 + 1620\*(b\*x + a)^n\*a\*b^6\*c\*d^2\*n^2\*x^4 + 330\*(b\*x + a)^n\*a^3\*b^4\*d^3\*n^2\*x^4 + 7236\*(b\*x + a)^n\*b^7\*c\*d^2\*n\*x^5 - 144\*(b\*x + a)^n\*a^2\*b^5\*d^3\*n\*x^5 + 27\*(b\*x + a)^n\*a\*b^6\*c^3\*n^5 + 295\*(b\*x + a)^n\*b^7\*c^3\*n^4\*x - 132\*(b\*x + a)^n\*a^2\*b^5\*c^2\*d\*n^4\*x + 2451\*(b\*x + a)^n\*a\*b^6\*c^2\*d\*n^3\*x^2 + 504\*(b\*x + a)^n\*a^3\*b^4\*

$$\begin{aligned}
& c*d^2*n^3*x^2 + 9336*(b*x + a)^n*b^7*c^2*d*n^2*x^3 - 1824*(b*x + a)^n*a^2*b^5*c*d^2*n^2*x^3 - 360*(b*x + a)^n*a^4*b^3*d^3*n^2*x^3 + 756*(b*x + a)^n*a*b^6*c*d^2*n*x^4 + 180*(b*x + a)^n*a^3*b^4*d^3*n*x^4 + 3024*(b*x + a)^n*b^7*c*d^2*x^5 + 295*(b*x + a)^n*a*b^6*c^3*n^4 + 6*(b*x + a)^n*a^3*b^4*c^2*d*n^4 \\
& + 1665*(b*x + a)^n*b^7*c^3*n^3*x - 1074*(b*x + a)^n*a^2*b^5*c^2*d*n^3*x - 72*(b*x + a)^n*a^4*b^3*c*d^2*n^3*x + 4434*(b*x + a)^n*a*b^6*c^2*d*n^2*x^2 + 1980*(b*x + a)^n*a^3*b^4*c*d^2*n^2*x^2 + 360*(b*x + a)^n*a^5*b^2*d^3*n^2*x^2 \\
& + 11388*(b*x + a)^n*b^7*c^2*d*n*x^3 - 1008*(b*x + a)^n*a^2*b^5*c*d^2*n*x^3 - 240*(b*x + a)^n*a^4*b^3*d^3*n*x^3 + 1665*(b*x + a)^n*a*b^6*c^3*n^3 + 132*(b*x + a)^n*a^3*b^4*c^2*d*n^3 + 5104*(b*x + a)^n*b^7*c^3*n^2*x - 3828*(b*x + a)^n*a^2*b^5*c^2*d*n^2*x \\
& - 936*(b*x + a)^n*a^4*b^3*c*d^2*n^2*x + 2520*(b*x + a)^n*a*b^6*c^2*d*n*x^2 + 1512*(b*x + a)^n*a^3*b^4*c*d^2*n*x^2 + 360*(b*x + a)^n*a^5*b^2*d^3*n*x^2 + 5040*(b*x + a)^n*b^7*c^2*d*x^3 + 5104*(b*x + a)^n*a*b^6*c^3*n^2 \\
& + 1074*(b*x + a)^n*a^3*b^4*c^2*d*n^2 + 72*(b*x + a)^n*a^5*b^2*c*d^2*n^2 + 8028*(b*x + a)^n*b^7*c^3*n*x - 5040*(b*x + a)^n*a^2*b^5*c^2*d*n*x - 3024*(b*x + a)^n*a^4*b^3*c*d^2*n*x - 720*(b*x + a)^n*a^6*b*d^3*n*x \\
& + 8028*(b*x + a)^n*a*b^6*c^3*n + 3828*(b*x + a)^n*a^3*b^4*c^2*d*n + 936*(b*x + a)^n*a^5*b^2*c*d^2*n + 5040*(b*x + a)^n*b^7*c^3*x + 5040*(b*x + a)^n*a*b^6*c^3 + 5040*(b*x + a)^n*a^3*b^4*c^2*d + 3024*(b*x + a)^n*a^5*b^2*c*d^2 \\
& + 720*(b*x + a)^n*a^7*d^3)/(b^7*n^7 + 28*b^7*n^6 + 322*b^7*n^5 + 1960*b^7*n^4 + 6769*b^7*n^3 + 13132*b^7*n^2 + 13068*b^7*n + 5040*b^7)
\end{aligned}$$

**maple [B]** time = 0.01, size = 1140, normalized size = 5.11

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((b*x+a)^n*(d*x^2+c)^3, x)$

[Out]  $(b*x+a)^{(n+1)}*(b^6*d^3*n^6*x^6+21*b^6*d^3*n^5*x^6-6*a*b^5*d^3*n^5*x^5+3*b^6*c*d^2*n^6*x^4+175*b^6*d^3*n^4*x^6-90*a*b^5*d^3*n^4*x^5+69*b^6*c*d^2*n^5*x^4+735*b^6*d^3*n^3*x^6+30*a^2*b^4*d^3*n^4*x^4-12*a*b^5*c*d^2*n^5*x^3-510*a*b^5*d^3*n^3*x^5+3*b^6*c^2*d*n^6*x^2+621*b^6*c*d^2*n^4*x^4+1624*b^6*d^3*n^2*x^6+300*a^2*b^4*d^3*n^3*x^4-228*a*b^5*c*d^2*n^4*x^3-1350*a*b^5*d^3*n^2*x^5+75*b^6*c^2*d*n^5*x^2+2775*b^6*c*d^2*n^3*x^4+1764*b^6*d^3*n*x^6-120*a^3*b^3*d^3*n^3*x^3+36*a^2*b^4*c*d^2*n^4*x^2+1050*a^2*b^4*d^3*n^2*x^4-6*a*b^5*c^2*d*n^5*x-1572*a*b^5*c*d^2*n^3*x^3-1644*a*b^5*d^3*n*x^5+b^6*c^3*n^6+741*b^6*c^2*d*n^4*x^2+6432*b^6*c*d^2*n^2*x^4+720*b^6*d^3*x^6-720*a^3*b^3*d^3*n^2*x^3+576*a^2*b^4*c*d^2*n^3*x^2+1500*a^2*b^4*d^3*n*x^4-138*a*b^5*c^2*d*n^4*x-4812*a*b^5*c*d^2*n^2*x^3-720*a*b^5*d^3*x^5+27*b^6*c^3*n^5+3657*b^6*c^2*d*n^3*x^2+7236*b^6*c*d^2*n*x^4+360*a^4*b^2*d^3*n^2*x^2-72*a^3*b^3*c*d^2*n^3*x-1320*a^3*b^3*d^3*n*x^3+6*a^2*b^4*c^2*d*n^4+2988*a^2*b^4*c*d^2*n^2*x^2+720*a^2*b^4*d^3*x^4-1206*a*b^5*c^2*d*n^3*x-6480*a*b^5*c*d^2*n*x^3+295*b^6*c^3*n^4+9336*b^6*c^2*d*n^2*x^2+3024*b^6*c*d^2*x^4+1080*a^4*b^2*d^3*n*x^2-1008*a^3*b^3*c*d^2*n^2*x-720*a^3*b^3*d^3*x^3+132*a^2*b^4*c^2*d*n^3+5472*a^2*b^4*c*d^2*n*x$

$$\frac{-2-4902*a*b^5*c^2*d*n^2*x-3024*a*b^5*c*d^2*x^3+1665*b^6*c^3*n^3+11388*b^6*c^2*d*n*x^2-720*a^5*b*d^3*n*x+72*a^4*b^2*c*d^2*n^2+720*a^4*b^2*d^3*x^2-3960*a^3*b^3*c*d^2*n*x+1074*a^2*b^4*c^2*d*n^2+3024*a^2*b^4*c*d^2*x^2-8868*a*b^5*c^2*d*n*x+5104*b^6*c^3*n^2+5040*b^6*c^2*d*x^2-720*a^5*b*d^3*x+936*a^4*b^2*c*d^2*n-3024*a^3*b^3*c*d^2*x+3828*a^2*b^4*c^2*d*n-5040*a*b^5*c^2*d*x+8028*b^6*c^3*n+720*a^6*d^3+3024*a^4*b^2*c*d^2+5040*a^2*b^4*c^2*d+5040*b^6*c^3)/b^7/(n^7+28*n^6+322*n^5+1960*n^4+6769*n^3+13132*n^2+13068*n+5040)$$

**maxima** [B] time = 0.51, size = 472, normalized size = 2.12

$$\frac{3(d^3x^3 + 3d^2x^2 + 2d^2x + d^2)x^3 + 3(d^3x^3 + 3d^2x^2 + 2d^2x + d^2)x^2 + 3(d^3x^3 + 3d^2x^2 + 2d^2x + d^2)x + 3(d^3x^3 + 3d^2x^2 + 2d^2x + d^2)}{(n^7 + 28n^6 + 322n^5 + 1960n^4 + 6769n^3 + 13132n^2 + 13068n + 5040)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)^n\*(d\*x^2+c)^3,x, algorithm="maxima")

[Out] (b\*x + a)^(n + 1)\*c^3/(b\*(n + 1)) + 3\*((n^2 + 3\*n + 2)\*b^3\*x^3 + (n^2 + n)\*a\*b^2\*x^2 - 2\*a^2\*b\*n\*x + 2\*a^3)\*(b\*x + a)^n\*c^2\*d/((n^3 + 6\*n^2 + 11\*n + 6)\*b^3) + 3\*((n^4 + 10\*n^3 + 35\*n^2 + 50\*n + 24)\*b^5\*x^5 + (n^4 + 6\*n^3 + 11\*n^2 + 6\*n)\*a\*b^4\*x^4 - 4\*(n^3 + 3\*n^2 + 2\*n)\*a^2\*b^3\*x^3 + 12\*(n^2 + n)\*a^3\*b^2\*x^2 - 24\*a^4\*b\*n\*x + 24\*a^5)\*(b\*x + a)^n\*c\*d^2/((n^5 + 15\*n^4 + 85\*n^3 + 225\*n^2 + 274\*n + 120)\*b^5) + ((n^6 + 21\*n^5 + 175\*n^4 + 735\*n^3 + 1624\*n^2 + 1764\*n + 720)\*b^7\*x^7 + (n^6 + 15\*n^5 + 85\*n^4 + 225\*n^3 + 274\*n^2 + 120\*n)\*a\*b^6\*x^6 - 6\*(n^5 + 10\*n^4 + 35\*n^3 + 50\*n^2 + 24\*n)\*a^2\*b^5\*x^5 + 30\*(n^4 + 6\*n^3 + 11\*n^2 + 6\*n)\*a^3\*b^4\*x^4 - 120\*(n^3 + 3\*n^2 + 2\*n)\*a^4\*b^3\*x^3 + 360\*(n^2 + n)\*a^5\*b^2\*x^2 - 720\*a^6\*b\*n\*x + 720\*a^7)\*(b\*x + a)^n\*d^3/((n^7 + 28\*n^6 + 322\*n^5 + 1960\*n^4 + 6769\*n^3 + 13132\*n^2 + 13068\*n + 5040)\*b^7)

**mupad** [B] time = 3.16, size = 1144, normalized size = 5.13

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d\*x^2)^3\*(a + b\*x)^n,x)

[Out] ((a + b\*x)^n\*(720\*a^7\*d^3 + 5040\*a\*b^6\*c^3 + 5040\*a^3\*b^4\*c^2\*d + 3024\*a^5\*b^2\*c\*d^2 + 5104\*a\*b^6\*c^3\*n^2 + 1665\*a\*b^6\*c^3\*n^3 + 295\*a\*b^6\*c^3\*n^4 + 27\*a\*b^6\*c^3\*n^5 + a\*b^6\*c^3\*n^6 + 8028\*a\*b^6\*c^3\*n + 3828\*a^3\*b^4\*c^2\*d\*n + 936\*a^5\*b^2\*c\*d^2\*n + 1074\*a^3\*b^4\*c^2\*d\*n^2 + 72\*a^5\*b^2\*c\*d^2\*n^2 + 132\*a^3\*b^4\*c^2\*d\*n^3 + 6\*a^3\*b^4\*c^2\*d\*n^4))/(b^7\*(13068\*n + 13132\*n^2 + 6769\*n^3 + 1960\*n^4 + 322\*n^5 + 28\*n^6 + n^7 + 5040)) - (x\*(a + b\*x)^n\*(720\*a^6\*b\*d^3\*n - 8028\*b^7\*c^3\*n - 5104\*b^7\*c^3\*n^2 - 1665\*b^7\*c^3\*n^3 - 295\*b^7\*c^3\*n^4 - 27\*b^7\*c^3\*n^5 - b^7\*c^3\*n^6 - 5040\*b^7\*c^3 + 5040\*a^2\*b^5\*c^2\*d\*n + 3024\*a^4\*b^3\*c\*d^2\*n + 3828\*a^2\*b^5\*c^2\*d\*n^2 + 936\*a^4\*b^3\*c\*d^2\*n^2 + 1074\*a^2\*b^5\*c^2\*d\*n^3 + 72\*a^4\*b^3\*c\*d^2\*n^3 + 132\*a^2\*b^5\*c^2\*d\*n^4 + 6\*a^



$$\begin{aligned}
& 2*b^5*c^2*d*n^5)/(b^7*(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 \\
& + 28*n^6 + n^7 + 5040)) + (d^3*x^7*(a + b*x)^n*(1764*n + 1624*n^2 + 735*n^3 \\
& + 175*n^4 + 21*n^5 + n^6 + 720))/(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 \\
& + 322*n^5 + 28*n^6 + n^7 + 5040) + (3*d^2*x^5*(a + b*x)^n*(42*b^2*c + b^2*c*n^2 \\
& - 2*a^2*d*n + 13*b^2*c*n)*(50*n + 35*n^2 + 10*n^3 + n^4 + 24))/(b^2 \\
& *(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 + 28*n^6 + n^7 + 5040 \\
& )) + (3*d*x^3*(a + b*x)^n*(3*n + n^2 + 2)*(840*b^4*c^2 - 40*a^4*d^2*n + 638 \\
& *b^4*c^2*n + 179*b^4*c^2*n^2 + 22*b^4*c^2*n^3 + b^4*c^2*n^4 - 168*a^2*b^2*c \\
& *d*n - 52*a^2*b^2*c*d*n^2 - 4*a^2*b^2*c*d*n^3))/(b^4*(13068*n + 13132*n^2 + \\
& 6769*n^3 + 1960*n^4 + 322*n^5 + 28*n^6 + n^7 + 5040)) + (a*d^3*n*x^6*(a + \\
& b*x)^n*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120))/(b*(13068*n + 13132 \\
& *n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 + 28*n^6 + n^7 + 5040)) + (3*a*d^2*n*x \\
& ^4*(a + b*x)^n*(11*n + 6*n^2 + n^3 + 6)*(10*a^2*d + 42*b^2*c + b^2*c*n^2 + \\
& 13*b^2*c*n))/(b^3*(13068*n + 13132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 + 28 \\
& *n^6 + n^7 + 5040)) + (3*a*d*n*x^2*(n + 1)*(a + b*x)^n*(120*a^4*d^2 + 840*b \\
& ^4*c^2 + 638*b^4*c^2*n + 179*b^4*c^2*n^2 + 22*b^4*c^2*n^3 + b^4*c^2*n^4 + 5 \\
& 04*a^2*b^2*c*d + 156*a^2*b^2*c*d*n + 12*a^2*b^2*c*d*n^2))/(b^5*(13068*n + 1 \\
& 3132*n^2 + 6769*n^3 + 1960*n^4 + 322*n^5 + 28*n^6 + n^7 + 5040))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*x+a)\*\*n\*(d\*x\*\*2+c)\*\*3,x)

[Out] Timed out

$$3.271 \quad \int \frac{x^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{d + ex} dx$$

Optimal. Leaf size=345

$$\frac{(-15a^3e^6 - 2cdex(-5a^2e^4 - 6acd^2e^2 + 35c^2d^4) - 17a^2cd^2e^4 - 25ac^2d^4e^2 + 105c^3d^6) \sqrt{x(ae^2 + cd^2) + ade + cdex}}{192c^3d^3e^4}$$

**Rubi [A]** time = 0.51, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {849, 832, 779, 621, 206}

$$\frac{(-2cdex(-5a^2e^4 - 6acd^2e^2 + 35c^2d^4) - 17a^2cd^2e^4 - 15a^3e^6 - 25ac^2d^4e^2 + 105c^3d^6) \sqrt{x(ae^2 + cd^2) + ade + cdex}}{192c^3d^3e^4} + \frac{(cd^2 - ae^2)(9a^2cd^2e^4 + 5a^3e^6 + 15ac^2d^4e^2 + 35c^3d^6) \tanh^{-1}\left(\frac{a^2 + cd^2 + 2cdex}{2c^2d^2\sqrt{(a^2 + cd^2) + ade + cdex}}\right)}{128c^{7/2}d^{9/2}e^2} + \frac{x^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4c} + \frac{1}{24} x^2 \left(\frac{a}{cd} - \frac{7d}{e^2}\right) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(d + e\*x),x]

[Out] ((a/(c\*d) - (7\*d)/e^2)\*x^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/24 + (x^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*e) - ((105\*c^3\*d^6 - 25\*a\*c^2\*d^4\*e^2 - 17\*a^2\*c\*d^2\*e^4 - 15\*a^3\*e^6 - 2\*c\*d\*e\*(35\*c^2\*d^4 - 6\*a\*c\*d^2\*e^2 - 5\*a^2\*e^4)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(192\*c^3\*d^3\*e^4) + ((c\*d^2 - a\*e^2)\*(35\*c^3\*d^6 + 15\*a\*c^2\*d^4\*e^2 + 9\*a^2\*c\*d^2\*e^4 + 5\*a^3\*e^6)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(128\*c^(7/2)\*d^(7/2)\*e^(9/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 779

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((b\*e\*g\*(p + 2) - c\*(e\*f + d\*g))\*(2\*p + 3) - 2\*c\*e\*g\*(p + 1)\*x)\*(a + b\*x + c\*x^2)^(p + 1))/(2\*c^2\*(p + 1)\*(2\*p + 3)), x

] + Dist[(b^2\*e\*g\*(p + 2) - 2\*a\*c\*e\*g + c\*(2\*c\*d\*f - b\*(e\*f + d\*g))\*(2\*p + 3))/(2\*c^2\*(2\*p + 3)), Int[(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && !LeQ[p, -1]

### Rule 832

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[1/(c\*(m + 2\*p + 2)), Int[(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^p\*Simp[m\*(c\*d\*f - a\*e\*g) + d\*(2\*c\*f - b\*g)\*(p + 1) + (m\*(c\*e\*f + c\*d\*g - b\*e\*g) + e\*(p + 1)\*(2\*c\*f - b\*g))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[m, 0] && NeQ[m + 2\*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

### Rule 849

Int[((x\_)^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_))/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := Int[x^n\*(a/d + (c\*x)/e)\*(a + b\*x + c\*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2\*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{d + ex} dx &= \int \frac{x^3 (ae + cdx)}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\
&= \frac{x^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4e} + \frac{\int \frac{x^2 \left(-3acd^2e - \frac{1}{2}cd(7cd^2 - ae^2)x\right)}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx}{4cde} \\
&= \frac{1}{24} \left( \frac{a}{cd} - \frac{7d}{e^2} \right) x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2} + \frac{x^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4e} \\
&= \frac{1}{24} \left( \frac{a}{cd} - \frac{7d}{e^2} \right) x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2} + \frac{x^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4e} \\
&= \frac{1}{24} \left( \frac{a}{cd} - \frac{7d}{e^2} \right) x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2} + \frac{x^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4e} \\
&= \frac{1}{24} \left( \frac{a}{cd} - \frac{7d}{e^2} \right) x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2} + \frac{x^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4e}
\end{aligned}$$

**Mathematica [A]** time = 1.59, size = 304, normalized size = 0.88

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \frac{3\sqrt{cd}\sqrt{cd^2-ae^2} (5a^3e^6+9a^2cd^2e^4+15ac^2d^4e^2+35c^3d^6) \operatorname{sinh}^{-1}\left(\frac{\sqrt{e}\sqrt{d}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd^2-ae^2}}\right) - \sqrt{c}\sqrt{d}\sqrt{e}(-15a^3e^6+a^2cd^2e^4(10ex-17d)+ac^2d^2e^2(-25d^2+12dex-8e^2x^2))+c^3d^3(105d^3-70d^2ex+56de^2x^2-48e^3x^3))}{\sqrt{ae+cdx}\sqrt{\frac{cd(d+ex)}{cd^2-ae^2}}} \right)}{192c^{7/2}d^{7/2}e^{9/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(d + e\*x), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*(-15\*a^3\*e^6 + a^2\*c\*d\*e^4\*(-17\*d + 10\*e\*x) + a\*c^2\*d^2\*e^2\*(-25\*d^2 + 12\*d\*e\*x - 8\*e^2\*x^2) + c^3\*d^3\*(105\*d^3 - 70\*d^2\*e\*x + 56\*d\*e^2\*x^2 - 48\*e^3\*x^3))) + (3\*Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2]\*(35\*c^3\*d^6 + 15\*a\*c^2\*d^4\*e^2 + 9\*a^2\*c\*d^2\*e^4 + 5\*a^3\*e^6)\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])])/(Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)])))/(192\*c^(7/2)\*d^(7/2)\*e^(9/2))

**IntegrateAlgebraic [F]** time = 180.36, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(x^3*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(d + e*x),x]
```

```
[Out] $Aborted
```

```
fricas [A] time = 0.57, size = 678, normalized size = 1.97
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(e*x+d),x, algorithm="fricas")
```

```
[Out] [-1/768*(3*(35*c^4*d^8 - 20*a*c^3*d^6*e^2 - 6*a^2*c^2*d^4*e^4 - 4*a^3*c*d^2*e^6 - 5*a^4*e^8)*sqrt(c*d*e)*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 - 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(c*d*e) + 8*(c^2*d^3*e + a*c*d*e^3)*x) - 4*(48*c^4*d^4*e^4*x^3 - 105*c^4*d^7*e + 25*a*c^3*d^5*e^3 + 17*a^2*c^2*d^3*e^5 + 15*a^3*c*d*e^7 - 8*(7*c^4*d^5*e^3 - a*c^3*d^3*e^5)*x^2 + 2*(35*c^4*d^6*e^2 - 6*a*c^3*d^4*e^4 - 5*a^2*c^2*d^2*e^6)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c^4*d^4*e^5), -1/384*(3*(35*c^4*d^8 - 20*a*c^3*d^6*e^2 - 6*a^2*c^2*d^4*e^4 - 4*a^3*c*d^2*e^6 - 5*a^4*e^8)*sqrt(-c*d*e)*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(-c*d*e)/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) - 2*(48*c^4*d^4*e^4*x^3 - 105*c^4*d^7*e + 25*a*c^3*d^5*e^3 + 17*a^2*c^2*d^3*e^5 + 15*a^3*c*d*e^7 - 8*(7*c^4*d^5*e^3 - a*c^3*d^3*e^5)*x^2 + 2*(35*c^4*d^6*e^2 - 6*a*c^3*d^4*e^4 - 5*a^2*c^2*d^2*e^6)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c^4*d^4*e^5)]
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Warning, replacing 0 by `u`, a substitution
variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu
tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs
titution variable should perhaps be purged.Warning, replacing 0 by `u`, a
substitution variable should perhaps be purged.Warning, replacing 0 by `u`
```

, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Evaluation time: 1.91Error: Bad Argument Type

**maple [B]** time = 0.03, size = 946, normalized size = 2.74

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (x^3*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(1/2)}/(e*x+d), x)$

[Out] 
$$\begin{aligned} & 19/64/c^2/d*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(1/2)}*a^2+29/32/e^3*d^2*(a*d*e \\ & + (a*e^2+c*d^2)*x+c*d*e*x^2)^{(1/2)}*x-1/32*e^2/c^2*a^3/d*\ln((1/2*a*e^2+1/2*c \\ & *d^2+c*d*e*x)/(c*d*e)^{(1/2)}+(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(1/2)})/(c*d*e \\ & )^{(1/2)}+5/32*e/c^2/d^2*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(1/2)}*x*a^2-5/128* \\ & e^4/c^3/d^3*\ln((1/2*a*e^2+1/2*c*d^2+c*d*e*x)/(c*d*e)^{(1/2)}+(a*d*e+(a*e^2+c* \\ & d^2)*x+c*d*e*x^2)^{(1/2)})/(c*d*e)^{(1/2)}*a^4+1/4/e^2*x*(a*d*e+(a*e^2+c*d^2)*x \\ & +c*d*e*x^2)^{(3/2)}/c/d-5/24/e/c^2/d^2*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(3/2)} \\ & )*a+7/16/e/c*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(1/2)}*x*a+5/64*e^2/c^3/d^3*( \\ & a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(1/2)}*a^3+43/64/e^2/c*d*(a*d*e+(a*e^2+c*d^ \\ & 2)*x+c*d*e*x^2)^{(1/2)}*a-3/64/c*d*\ln((1/2*a*e^2+1/2*c*d^2+c*d*e*x)/(c*d*e)^{( \\ & 1/2)}+(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(1/2)})/(c*d*e)^{(1/2)}*a^2-29/128/e^4* \\ & c*d^5*\ln((1/2*a*e^2+1/2*c*d^2+c*d*e*x)/(c*d*e)^{(1/2)}+(a*d*e+(a*e^2+c*d^2)*x \\ & +c*d*e*x^2)^{(1/2)})/(c*d*e)^{(1/2)}+11/32/e^2*a*d^3*\ln((1/2*a*e^2+1/2*c*d^2+c* \\ & d*e*x)/(c*d*e)^{(1/2)}+(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(1/2)})/(c*d*e)^{(1/2)} \\ & -d^3/e^4*(c*d*e*(x+d/e)^2+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}-13/24/e^3/c*(a*d*e+( \\ & a*e^2+c*d^2)*x+c*d*e*x^2)^{(3/2)}+29/64/e^4*d^3*(a*d*e+(a*e^2+c*d^2)*x+c*d*e* \\ & x^2)^{(1/2)}-1/2*d^3/e^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)} \\ & +(c*d*e*(x+d/e)^2+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}*a+1/2*d^5/e^4 \\ & *\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+(c*d*e*(x+d/e)^2+(a*e \\ & ^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}*c \end{aligned}$$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 \sqrt{c d e x^2 + (c d^2 + a e^2) x + a d e}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x),x)

[Out] int((x^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sqrt{(d + e x) (a e + c d x)}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(e\*x+d),x)

[Out] Integral(x\*\*3\*sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(d + e\*x), x)

$$3.272 \quad \int \frac{x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{d + ex} dx$$

**Optimal.** Leaf size=251

$$\frac{(cd^2 - ae^2)(a^2e^4 + 2acd^2e^2 + 5c^2d^4) \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{16c^{5/2}d^{5/2}e^{7/2}} + \frac{((5cd^2 - 3ae^2)(ae^2 + 3cd^2) - 2cdex^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3e}$$

**Rubi [A]** time = 0.26, antiderivative size = 251, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {851, 832, 779, 621, 206}

$$\frac{(cd^2 - ae^2)(a^2e^4 + 2acd^2e^2 + 5c^2d^4) \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{16c^{5/2}d^{5/2}e^{7/2}} + \frac{((5cd^2 - 3ae^2)(ae^2 + 3cd^2) - 2cdex(5cd^2 - ae^2))\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{24c^2d^2e^3} + \frac{x^2\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3e}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(d + e\*x), x]

[Out] (x^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*e) + (((5\*c\*d^2 - 3\*a\*e^2)\*(3\*c\*d^2 + a\*e^2) - 2\*c\*d\*e\*(5\*c\*d^2 - a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(24\*c^2\*d^2\*e^3) - ((c\*d^2 - a\*e^2)\*(5\*c^2\*d^4 + 2\*a\*c\*d^2\*e^2 + a^2\*e^4)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(16\*c^(5/2)\*d^(5/2)\*e^(7/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] :> Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 779

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[((b\*e\*g\*(p + 2) - c\*(e\*f + d\*g))\*(2\*p + 3) - 2\*c\*e\*g\*(p + 1)\*x\*(a + b\*x + c\*x^2)^(p + 1))/(2\*c^2\*(p + 1)\*(2\*p + 3)), x] + Dist[(b^2\*e\*g\*(p + 2) - 2\*a\*c\*e\*g + c\*(2\*c\*d\*f - b\*(e\*f + d\*g))\*(2\*p +



3))/(2\*c^2\*(2\*p + 3)), Int[(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && !LeQ[p, -1]

### Rule 832

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[1/(c\*(m + 2\*p + 2)), Int[(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^p\*Simp[m\*(c\*d\*f - a\*e\*g) + d\*(2\*c\*f - b\*g)\*(p + 1) + (m\*(c\*e\*f + c\*d\*g - b\*e\*g) + e\*(p + 1)\*(2\*c\*f - b\*g))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[m, 0] && NeQ[m + 2\*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

### Rule 851

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[((f + g\*x)^n\*(a + b\*x + c\*x^2)^(m + p))/(a/d + (c\*x)/e)^m, x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0] && IntegerQ[n] && (LtQ[n, 0] || GtQ[p, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{d + ex} dx &= \int \frac{x^2(ae + cdx)}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\
 &= \frac{x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3e} + \frac{\int \frac{x(-2acd^2e - \frac{1}{2}cd(5cd^2 - ae^2)x)}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx}{3cde} \\
 &= \frac{x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3e} + \frac{((5cd^2 - 3ae^2)(3cd^2 + ae^2) - 2cde)}{3cde} \\
 &= \frac{x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3e} + \frac{((5cd^2 - 3ae^2)(3cd^2 + ae^2) - 2cde)}{3e} \\
 &= \frac{x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3e} + \frac{((5cd^2 - 3ae^2)(3cd^2 + ae^2) - 2cde)}{3e}
 \end{aligned}$$

**Mathematica [A]** time = 0.82, size = 245, normalized size = 0.98

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \sqrt{c} \sqrt{d} \sqrt{e} (-3a^2e^4 + 2acde^2(ex-2d) + c^2d^2(15d^2 - 10dex + 8e^2x^2)) - \frac{3\sqrt{cd} \sqrt{cd^2 - ae^2} (a^2e^4 + 2acd^2e^2 + 5c^2d^4) \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{ae+cdx}}{\sqrt{cd} \sqrt{cd^2 - ae^2}} \right)}{\sqrt{ae+cdx} \sqrt{\frac{cd(d+ex)}{cd^2 - ae^2}}} \right)}{24c^{5/2}d^{5/2}e^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(d + e\*x), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*(-3\*a^2\*e^4 + 2\*a\*c\*d\*e^2\*(-2\*d + e\*x) + c^2\*d^2\*(15\*d^2 - 10\*d\*e\*x + 8\*e^2\*x^2)) - (3\*Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2]\*(5\*c^2\*d^4 + 2\*a\*c\*d^2\*e^2 + a^2\*e^4)\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])])/(Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(d + e\*x)/(c\*d^2 - a\*e^2))]))/(24\*c^(5/2)\*d^(5/2)\*e^(7/2))

**IntegrateAlgebraic [B]** time = 14.05, size = 13727, normalized size = 54.69

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(d + e\*x), x]

[Out] Result too large to show

**fricas [A]** time = 0.47, size = 536, normalized size = 2.14

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \sqrt{c} \sqrt{d} \sqrt{e} (-3a^2e^4 + 2acde^2(ex-2d) + c^2d^2(15d^2 - 10dex + 8e^2x^2)) - \frac{3\sqrt{cd} \sqrt{cd^2 - ae^2} (a^2e^4 + 2acd^2e^2 + 5c^2d^4) \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{ae+cdx}}{\sqrt{cd} \sqrt{cd^2 - ae^2}} \right)}{\sqrt{ae+cdx} \sqrt{\frac{cd(d+ex)}{cd^2 - ae^2}}} \right)}{24c^{5/2}d^{5/2}e^{7/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d), x, algorithm="fricas")

[Out] [-1/96\*(3\*(5\*c^3\*d^6 - 3\*a\*c^2\*d^4\*e^2 - a^2\*c\*d^2\*e^4 - a^3\*e^6)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) - 4\*(8\*c^3\*d^3\*e^3\*x^2 + 15\*c^3\*d^5\*e - 4\*a\*c^2\*d^3\*e^3 - 3\*a^2\*c\*d\*e^5 - 2\*(5\*c^3\*d^4\*e^2 - a\*c^2\*d^2\*e^4)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c^3\*d^3\*e^4), 1/48\*(3\*(5\*c^3\*d^6 - 3\*a\*c^2\*d^4\*e^2 - a^2\*c\*d^2\*e^4 - a^3\*e^6)\*sqrt(-c\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(-c\*d\*e)/(c^2\*d^2\*e^2\*x^2 + a\*c\*d^2\*e^2 + (c^2\*d^3\*e + a\*c\*d\*e^3)\*x)) + 2\*(8\*c^3\*d^3\*e^3\*x^2 + 15\*c^3\*d^5\*e - 4\*a\*c^2\*d^3\*e^3 - 3\*a^2\*c\*d\*e^5 - 2\*(5\*c^3\*d^4\*e^2

```
- a*c^2*d^2*e^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c^3*d^3*
e^4)]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(e*x+d),x, algorithm=
"giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, replacing 0 by `u`, a substitution
variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu
tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs
titution variable should perhaps be purged.Warning, replacing 0 by `u`, a
substitution variable should perhaps be purged.Warning, replacing 0 by `u`
, a substitution variable should perhaps be purged.Warning, replacing 0 by
`u`, a substitution variable should perhaps be purged.Warning, replacing 0
by `u`, a substitution variable should perhaps be purged.Warning, replaci
ng 0 by `u`, a substitution variable should perhaps be purged.Warning, rep
lacing 0 by `u`, a substitution variable should perhaps be purged.Warning,
replacing 0 by `u`, a substitution variable should perhaps be purged.Warn
ing, replacing 0 by `u`, a substitution variable should perhaps be purged.
Evaluation time: 1.92Error: Bad Argument Type
```

**maple** [B] time = 0.01, size = 713, normalized size = 2.84

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)/(e*x+d),x)
```

```
[Out] 1/3/e^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)/c/d-1/4/c/d*(c*d*e*x^2+a*d*
e+(a*e^2+c*d^2)*x)^(1/2)*x*a-3/4/e^2*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1
/2)*x-1/8*e/c^2/d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a^2-1/2/e/c*(c*
d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a-3/8/e^3*d^2*(c*d*e*x^2+a*d*e+(a*e^2+
c*d^2)*x)^(1/2)+1/16*e^3/c^2/d^2*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(
1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*a^3+1/16*e/c*ln
((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)
*x)^(1/2))/(c*d*e)^(1/2)*a^2-5/16/e*d^2*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c
*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*a+3/16/e
^3*c*d^4*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a
*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)+d^2/e^3*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*
```

$$\begin{aligned} & (x+d/e)^{(1/2)} + 1/2*d^2/e*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)} \\ & + ((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}*a-1/2*d^4/e \\ & ^3*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a \\ & *e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}*c \end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x),x)

[Out] int((x^2\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sqrt{(d + ex)(ae + cdx)}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(e\*x+d),x)

[Out] Integral(x\*\*2\*sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(d + e\*x), x)

$$3.273 \quad \int \frac{x \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{d + ex} dx$$

**Optimal.** Leaf size=207

$$\frac{(cd^2 - ae^2)(ae^2 + 3cd^2) \tanh^{-1} \left( \frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \right)}{8c^{3/2}d^{3/2}e^{5/2}} + \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{2cde(d + ex)} - \frac{1}{4} \left( \frac{a}{cd} + \frac{3d}{e^2} \right)$$

**Rubi [A]** time = 0.19, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {794, 664, 621, 206}

$$\frac{(cd^2 - ae^2)(ae^2 + 3cd^2) \tanh^{-1} \left( \frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \right)}{8c^{3/2}d^{3/2}e^{5/2}} + \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{2cde(d + ex)} - \frac{1}{4} \left( \frac{a}{cd} + \frac{3d}{e^2} \right) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(d + e\*x),x]

[Out] -((a/(c\*d) + (3\*d)/e^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/4 + (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(2\*c\*d\*e\*(d + e\*x)) + ((c\*d^2 - a\*e^2)\*(3\*c\*d^2 + a\*e^2)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(8\*c^(3/2)\*d^(3/2)\*e^(5/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 664

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p)/(e\*(m + 2\*p + 1)), x] - Dist[(p\*(2\*c\*d - b\*e))/(e^2\*(m + 2\*p + 1)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0]

c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[p, 0] && (LeQ[-2, m, 0] || EqQ[m + p + 1, 0]) && NeQ[m + 2\*p + 1, 0] && IntegerQ[2\*p]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rubi steps

$$\begin{aligned} \int \frac{x \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{d + ex} dx &= \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2cde(d + ex)} + \frac{1}{4} \left( -\frac{3d}{e} - \frac{ae}{cd} \right) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{d + ex} dx \\ &= -\frac{1}{4} \left( \frac{a}{cd} + \frac{3d}{e^2} \right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2} + \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2cde(d + ex)} \\ &= -\frac{1}{4} \left( \frac{a}{cd} + \frac{3d}{e^2} \right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2} + \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2cde(d + ex)} \\ &= -\frac{1}{4} \left( \frac{a}{cd} + \frac{3d}{e^2} \right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2} + \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2cde(d + ex)} \end{aligned}$$

**Mathematica [A]** time = 0.66, size = 197, normalized size = 0.95

$$\frac{\sqrt{(d + ex)(ae + cdex)} \left( \frac{\sqrt{cd} \sqrt{cd^2 - ae^2} (ae^2 + 3cd^2) \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{e} \sqrt{ae + cdex}}{\sqrt{cd} \sqrt{cd^2 - ae^2}} \right) + \sqrt{c} \sqrt{d} \sqrt{e} (ae^2 + cd(2ex - 3d))}{\sqrt{ae + cdex} \sqrt{\frac{cd(d + ex)}{cd^2 - ae^2}}} \right)}{4c^{3/2} d^{3/2} e^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(d + e\*x),x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*(a\*e^2 + c\*d\*(-3\*d + 2\*e\*x)) + (Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2]\*(3\*c\*d^2 + a\*e^2)\*ArcSinh[(Sqrt[

c)\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x))/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2]))/(Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)))/(4\*c^(3/2)\*d^(3/2)\*e^(5/2))

**IntegrateAlgebraic [A]** time = 2.22, size = 330, normalized size = 1.59

$$\frac{\sqrt{cde}(-a^2e^4 - 2acd^2e^2 + 3c^2d^4) \log\left(\frac{a^2e^4 + 8cdex\sqrt{cde}\sqrt{x(ae^2 + cd^2) + ade + cdx^2} - 2acd^2e^2 - 4acde^3x + c^2d^4 - 4c^2d^3ex - 8c^2d^2e^2x^2}{16c^2d^2e^3}\right) + \frac{(-a^2e^4 - 2acd^2e^2 + 3c^2d^4) \operatorname{tanh}^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\left(2\sqrt{x(ae^2 + cd^2) + ade + cdx^2} - 2x\sqrt{cde}\right)}{ae^2 + cd^2}\right)}{8c^{3/2}d^{3/2}e^{5/2}}}{4cd^2} + \frac{\sqrt{x(ae^2 + cd^2) + ade + cdx^2}(ae^2 - 3cd^2 + 2cdex)}{4cd^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(d + e\*x), x]

[Out] ((-3\*c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*c\*d\*e^2) + ((3\*c^2\*d^4 - 2\*a\*c\*d^2\*e^2 - a^2\*e^4)\*ArcTanh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*(-2\*Sqrt[c\*d\*e]\*x + 2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]))/(c\*d^2 + a\*e^2)])/(8\*c^(3/2)\*d^(3/2)\*e^(5/2)) - (Sqrt[c\*d\*e]\*(3\*c^2\*d^4 - 2\*a\*c\*d^2\*e^2 - a^2\*e^4)\*Log[c^2\*d^4 - 2\*a\*c\*d^2\*e^2 + a^2\*e^4 - 4\*c^2\*d^3\*e\*x - 4\*a\*c\*d^2\*e^3\*x - 8\*c^2\*d^2\*e^2\*x^2 + 8\*c\*d\*e\*Sqrt[c\*d\*e]\*x\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(16\*c^2\*d^2\*e^3)

**fricas [A]** time = 0.43, size = 418, normalized size = 2.02

$$\frac{(3c^2d^4 - 2acd^2e^2 - a^2e^4)\sqrt{cde} \log\left(\frac{8c^2d^3e^2x^2 + c^2d^4 + 6acd^2e^2 + a^2e^4 - 4\sqrt{cdex^2 + ade + (cd^2 + ae^2)}(2cdex + cd^2 + ae^2)\sqrt{cde} + 8(c^2d^3e + acd^2)x - 4(2c^2d^2e^2x - 3c^2d^3e + acd^2)\sqrt{cdex^2 + ade + (cd^2 + ae^2)}}{16c^2d^2e^3}\right) + \frac{(3c^2d^4 - 2acd^2e^2 - a^2e^4)\sqrt{-cde} \operatorname{arctan}\left(\frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)}(2cdex + cd^2 + ae^2)\sqrt{cde}}{2(2c^2d^2e^2x - 3c^2d^3e + acd^2)\sqrt{cdex^2 + ade + (cd^2 + ae^2)}}}\right)}{8c^2d^2e^3}}{8c^2d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d), x, algorithm="fricas")

[Out] [-1/16\*((3\*c^2\*d^4 - 2\*a\*c\*d^2\*e^2 - a^2\*e^4)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) - 4\*(2\*c^2\*d^2\*e^2\*x - 3\*c^2\*d^3\*e + a\*c\*d\*e^3)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c^2\*d^2\*e^3), -1/8\*((3\*c^2\*d^4 - 2\*a\*c\*d^2\*e^2 - a^2\*e^4)\*sqrt(-c\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(-c\*d\*e)/(c^2\*d^2\*e^2\*x^2 + a\*c\*d^2\*e^2 + (c^2\*d^3\*e + a\*c\*d\*e^3)\*x)) - 2\*(2\*c^2\*d^2\*e^2\*x - 3\*c^2\*d^3\*e + a\*c\*d\*e^3)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c^2\*d^2\*e^3)]

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x):;OUTPUT:Warning, replacing 0 by `u`, a substitution  
 variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu  
 tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs  
 titution variable should perhaps be purged.Warning, replacing 0 by `u`, a  
 substitution variable should perhaps be purged.Warning, replacing 0 by `u`  
 , a substitution variable should perhaps be purged.Warning, replacing 0 by  
 `u`, a substitution variable should perhaps be purged.Warning, replaci  
 ng 0 by `u`, a substitution variable should perhaps be purged.Warning, rep  
 lacing 0 by `u`, a substitution variable should perhaps be purged.Evaluati  
 on time: 1.9Error: Bad Argument Type

**maple [B]** time = 0.01, size = 516, normalized size = 2.49

$$\frac{e^{d/x} \sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{8 \sqrt{c d} e^{d/x}} \operatorname{arctan}\left(\frac{\sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{2 \sqrt{c d}}\right) + \frac{e^{d/x} \sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{4 \sqrt{c d}} \operatorname{arctan}\left(\frac{\sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{2 \sqrt{c d}}\right) + \frac{e^{d/x} \sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{8 \sqrt{c d} e^{d/x}} \operatorname{arctan}\left(\frac{\sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{2 \sqrt{c d}}\right) + \frac{e^{d/x} \sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{8 \sqrt{c d} e^{d/x}} \operatorname{arctan}\left(\frac{\sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{2 \sqrt{c d}}\right) + \frac{e^{d/x} \sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{8 \sqrt{c d} e^{d/x}} \operatorname{arctan}\left(\frac{\sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{2 \sqrt{c d}}\right) + \frac{e^{d/x} \sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{8 \sqrt{c d} e^{d/x}} \operatorname{arctan}\left(\frac{\sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{2 \sqrt{c d}}\right) + \frac{e^{d/x} \sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{8 \sqrt{c d} e^{d/x}} \operatorname{arctan}\left(\frac{\sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{2 \sqrt{c d}}\right) + \frac{e^{d/x} \sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{8 \sqrt{c d} e^{d/x}} \operatorname{arctan}\left(\frac{\sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{2 \sqrt{c d}}\right) + \frac{e^{d/x} \sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{8 \sqrt{c d} e^{d/x}} \operatorname{arctan}\left(\frac{\sqrt{c d e^2 x^2 + a d e + (a e^2 + c d^2) x}}{2 \sqrt{c d}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(e\*x+d),x)

[Out]  $\frac{1}{2} e^{d/x} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} x + \frac{1}{4} c/d (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} * a + \frac{1}{4} e^{-2} d^2 (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} - \frac{1}{8} e^{-2} c/d \ln((c d e x + 1/2 a e^2 + 1/2 c d^2)/(c d e)^{1/2} + (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2}) / (c d e)^{1/2} * a^2 + \frac{1}{4} d \ln((c d e x + 1/2 a e^2 + 1/2 c d^2)/(c d e)^{1/2} + (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2}) / (c d e)^{1/2} * a - \frac{1}{8} e^{-2} c d^3 \ln((c d e x + 1/2 a e^2 + 1/2 c d^2)/(c d e)^{1/2} + (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2}) / (c d e)^{1/2} - d/e^{-2} ((x+d/e)^2 c d e + (a e^2 - c d^2) (x+d/e))^{1/2} - \frac{1}{2} d \ln((1/2 a e^2 - 1/2 c d^2 + (x+d/e) c d e) / (c d e)^{1/2} + ((x+d/e)^2 c d e + (a e^2 - c d^2) (x+d/e))^{1/2}) / (c d e)^{1/2} * a + \frac{1}{2} d^3/e^{-2} \ln((1/2 a e^2 - 1/2 c d^2 + (x+d/e) c d e) / (c d e)^{1/2} + ((x+d/e)^2 c d e + (a e^2 - c d^2) (x+d/e))^{1/2}) / (c d e)^{1/2} * c$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* h



elp (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details) Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x), x)

[Out] int((x\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x\sqrt{(d+ex)(ae+cdx)}}{d+ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(e\*x+d), x)

[Out] Integral(x\*sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(d + e\*x), x)

$$3.274 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{d + ex} dx$$

Optimal. Leaf size=131

$$\frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{e} - \frac{(cd^2 - ae^2) \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{2\sqrt{c}\sqrt{d}e^{3/2}}$$

**Rubi [A]** time = 0.07, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.081$ , Rules used = {664, 621, 206}

$$\frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{e} - \frac{(cd^2 - ae^2) \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{2\sqrt{c}\sqrt{d}e^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(d + e\*x), x]

[Out] Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/e - ((c\*d^2 - a\*e^2)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(2\*Sqrt[c]\*Sqrt[d]\*e^(3/2))

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 664

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p)/(e\*(m + 2\*p + 1)), x] - Dist[(p\*(2\*c\*d - b\*e))/(e^2\*(m + 2\*p + 1)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[p, 0] && (LeQ[-2, m, 0] || Eq

$Q[m + p + 1, 0] \&\& \text{NeQ}[m + 2*p + 1, 0] \&\& \text{IntegerQ}[2*p]$

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{d + ex} dx &= \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{e} - \frac{(2cd^2e - e(cd^2 + ae^2)) \int \frac{1}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx}{2e^2} \\ &= \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{e} - \frac{(2cd^2e - e(cd^2 + ae^2)) \text{Subst}\left(\int \frac{1}{4cde - x^2} dx\right)}{e^2} \\ &= \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{e} - \frac{(cd^2 - ae^2) \tanh^{-1}\left(\frac{cd^2 + ae^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}\right)}{2\sqrt{c}\sqrt{d}e^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.75, size = 155, normalized size = 1.18

$$\frac{\sqrt{(d + ex)(ae + cdex)} \left( \sqrt{e} - \frac{c^{3/2} d^{3/2} \sqrt{cd^2 - ae^2} \sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ae + cdex}}{\sqrt{cd}\sqrt{cd^2 - ae^2}}\right)}{(cd)^{3/2} \sqrt{ae + cdex} \sqrt{\frac{cd(d + ex)}{cd^2 - ae^2}}}\right)}{e^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(d + e\*x), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(Sqrt[e] - (c^(3/2)\*d^(3/2)\*Sqrt[cd^2 - a\*e^2]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[cd^2 - a\*e^2])]))/((c\*d)^(3/2)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]))/e^(3/2)

**IntegrateAlgebraic [B]** time = 0.02, size = 272, normalized size = 2.08

$$\frac{\sqrt{cde}(cd^2 - ae^2) \log\left(\frac{a^2e^4 + 8cdex\sqrt{cde}\sqrt{x(ae^2 + cd^2) + ade + cdex^2} - 2acd^2e^2 - 4acde^3x + c^2d^4 - 4c^2d^2ex - 8c^2d^2e^2x^2}{4cd^2}\right) + \frac{\sqrt{ade + ae^2x + cd^2x + cdex^2}}{e} + \frac{(ae^2 - cd^2) \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\left(2\sqrt{x(ae^2 + cd^2) + ade + cdex^2} - 2x\sqrt{cde}\right)}{ae^2 + cd^2}\right)}{2\sqrt{c}\sqrt{d}e^{3/2}}}{e^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(d + e\*x), x]

[Out] Sqrt[a\*d\*e + c\*d^2\*x + a\*e^2\*x + c\*d\*e\*x^2]/e + (((-c\*d^2) + a\*e^2)\*ArcTanh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*(-2\*Sqrt[c\*d\*e]\*x + 2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)

) \* x + c \* d \* e \* x^2)) / (c \* d^2 + a \* e^2)) / (2 \* Sqrt[c] \* Sqrt[d] \* e^(3/2)) + (Sqrt[c \* d \* e] \* (c \* d^2 - a \* e^2) \* Log[c^2 \* d^4 - 2 \* a \* c \* d^2 \* e^2 + a^2 \* e^4 - 4 \* c^2 \* d^3 \* e \* x - 4 \* a \* c \* d \* e^3 \* x - 8 \* c^2 \* d^2 \* e^2 \* x^2 + 8 \* c \* d \* e \* Sqrt[c \* d \* e] \* x \* Sqrt[a \* d \* e + (c \* d^2 + a \* e^2) \* x + c \* d \* e \* x^2]]) / (4 \* c \* d \* e^2)

**fricas** [A] time = 0.44, size = 337, normalized size = 2.57

$$\frac{4 \sqrt{cdex^2 + ade + (cd^2 + ae^2)xcde - (cd^2 - ae^2)\sqrt{cde} \log(8c^2d^2e^2x^2 + c^2d^4 + 6acd^2e^2 + a^2e^4 + 4\sqrt{cdex^2 + ade + (cd^2 + ae^2)x(2cdex + cd^2 + ae^2)\sqrt{cde} + 8(c^2d^2e + acd^2)x)}}{4cd^2} - \frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)xcde + (cd^2 - ae^2)\sqrt{-cde} \arctan\left(\frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x(2cdex + cd^2 + ae^2)\sqrt{cde}}}{2(c^2d^2e^2 + acd^2 + (c^2d^2e + acd^2)x)}\right)}}{2cde^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d),x, algorithm="fricas")

[Out] [1/4\*(4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*c\*d\*e - (c\*d^2 - a\*e^2)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x))/(c\*d\*e^2), 1/2\*(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*c\*d\*e + (c\*d^2 - a\*e^2)\*sqrt(-c\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(-c\*d\*e)/(c^2\*d^2\*e^2\*x^2 + a\*c\*d^2\*e^2 + (c^2\*d^3\*e + a\*c\*d\*e^3)\*x)))/(c\*d\*e^2)]

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Error: Bad Argument Type

**maple** [A] time = 0.01, size = 205, normalized size = 1.56

$$\frac{ae \ln\left(\frac{\frac{ae^2 - cd^2}{2} + \left(x + \frac{d}{e}\right) cde}{\sqrt{cde}} + \sqrt{\left(x + \frac{d}{e}\right)^2 cde + (ae^2 - cd^2)\left(x + \frac{d}{e}\right)}\right)}{2\sqrt{cde}} - \frac{cd^2 \ln\left(\frac{\frac{ae^2 - cd^2}{2} + \left(x + \frac{d}{e}\right) cde}{\sqrt{cde}} + \sqrt{\left(x + \frac{d}{e}\right)^2 cde + (ae^2 - cd^2)\left(x + \frac{d}{e}\right)}\right)}{2\sqrt{cde} e} + \frac{\sqrt{\left(x + \frac{d}{e}\right)^2 cde + (ae^2 - cd^2)\left(x + \frac{d}{e}\right)}}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(e\*x+d),x)

[Out] 1/e\*((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2)+1/2\*e\*ln((1/2\*a\*e^2-1/2\*c\*d^2+(x+d/e)\*c\*d\*e)/(c\*d\*e)^(1/2)+((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2))

$1/2)) / (c*d*e)^{(1/2)} * a - 1/2/e * \ln((1/2*a*e^2 - 1/2*c*d^2 + (x+d/e)*c*d*e) / (c*d*e)^{(1/2)} + ((x+d/e)^2*c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(1/2)}) / (c*d*e)^{(1/2)} * c*d^2$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details) Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{c d e x^2 + (c d^2 + a e^2) x + a d e}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(d + e\*x),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(d + e\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d + e x)(a e + c d x)}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(e\*x+d),x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(d + e\*x), x)

$$3.275 \quad \int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{x(d+ex)} dx$$

**Optimal.** Leaf size=168

$$\frac{\sqrt{c} \sqrt{d} \tanh^{-1}\left(\frac{ae^2+cd^2+2cdex}{2\sqrt{c} \sqrt{d} \sqrt{e} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{\sqrt{e}} - \frac{\sqrt{a} \sqrt{e} \tanh^{-1}\left(\frac{x(ae^2+cd^2)+2ade}{2\sqrt{a} \sqrt{d} \sqrt{e} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{\sqrt{d}}$$

**Rubi [A]** time = 0.17, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {849, 843, 621, 206, 724}

$$\frac{\sqrt{c} \sqrt{d} \tanh^{-1}\left(\frac{ae^2+cd^2+2cdex}{2\sqrt{c} \sqrt{d} \sqrt{e} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{\sqrt{e}} - \frac{\sqrt{a} \sqrt{e} \tanh^{-1}\left(\frac{x(ae^2+cd^2)+2ade}{2\sqrt{a} \sqrt{d} \sqrt{e} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x\*(d + e\*x)),x]

[Out] (Sqrt[c]\*Sqrt[d]\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/Sqrt[e] - (Sqrt[a]\*Sqrt[e]\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/Sqrt[d]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] :> Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] :> Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c,

d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 843

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 849

Int[((x\_)^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_))/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := Int[x^n\*(a/d + (c\*x)/e)\*(a + b\*x + c\*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2\*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x(d + ex)} dx &= \int \frac{ae + cdx}{x\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\ &= (cd) \int \frac{1}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx + (ae) \int \frac{1}{x\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\ &= (2cd) \text{Subst} \left( \int \frac{1}{4cde - x^2} dx, x, \frac{cd^2 + ae^2 + 2cdex}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \right) - (2ae) \int \frac{1}{x\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\ &= \frac{\sqrt{c} \sqrt{d} \tanh^{-1} \left( \frac{cd^2 + ae^2 + 2cdex}{2\sqrt{c} \sqrt{d} \sqrt{e} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \right)}{\sqrt{e}} - \frac{\sqrt{a} \sqrt{e} \tanh^{-1} \left( \frac{cd^2 + ae^2 + 2cdex}{2\sqrt{a} \sqrt{d} \sqrt{e} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \right)}{\sqrt{e}} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 210, normalized size = 1.25

$$\frac{2\sqrt{ae + cdx} \left( \sqrt{a} \sqrt{c} e \sqrt{d + ex} \tanh^{-1} \left( \frac{\sqrt{d} \sqrt{ae + cdx}}{\sqrt{a} \sqrt{e} \sqrt{d + ex}} \right) - \sqrt{cd} \sqrt{cd^2 - ae^2} \sqrt{\frac{cd(d + ex)}{cd^2 - ae^2}} \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{e} \sqrt{ae + cdx}}{\sqrt{cd} \sqrt{cd^2 - ae^2}} \right) \right)}{\sqrt{c} \sqrt{d} \sqrt{e} \sqrt{(d + ex)(ae + cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x\*(d + e\*x)),x]

[Out]  $(-2\sqrt{a*e + c*d*x} * (-(\sqrt{c*d} * \sqrt{c*d^2 - a*e^2} * \sqrt{(c*d*(d + e*x)) / (c*d^2 - a*e^2)}) * \text{ArcSinh}[(\sqrt{c} * \sqrt{d} * \sqrt{e} * \sqrt{a*e + c*d*x}) / (\sqrt{c*d} * \sqrt{c*d^2 - a*e^2})]) + \sqrt{a} * \sqrt{c} * e * \sqrt{d + e*x} * \text{ArcTanh}[(\sqrt{d} * \sqrt{a*e + c*d*x}) / (\sqrt{a} * \sqrt{e} * \sqrt{d + e*x})]) / (\sqrt{c} * \sqrt{d} * \sqrt{e} * \sqrt{(a*e + c*d*x)*(d + e*x)})$

**IntegrateAlgebraic [A]** time = 0.68, size = 325, normalized size = 1.93

$$\frac{\sqrt{cde} \log\left(\frac{a^2e^4 + 8cdex\sqrt{cde}\sqrt{x(ae^2 + cd^2) + ade + cdex^2 - 2acd^2e^2 - 4acd^3x + c^2d^4 - 4c^2d^3ex - 8c^2d^2e^2x^2}}{2e}\right) + \frac{2\sqrt{a}\sqrt{e} \tanh^{-1}\left(\frac{x\sqrt{cde}}{\sqrt{d}\sqrt{e}\sqrt{e}} - \frac{\sqrt{(a^2+c^2d^2)+ade+cdex^2}}{\sqrt{d}\sqrt{e}\sqrt{e}}\right)}{\sqrt{d}} - \frac{\sqrt{c}\sqrt{d} \tanh^{-1}\left(\frac{2\sqrt{e}\sqrt{d}\sqrt{e}\sqrt{cde}}{ae^2+cd^2} - \frac{2\sqrt{e}\sqrt{d}\sqrt{e}\sqrt{(a^2+c^2d^2)+ade+cdex^2}}{ae^2+cd^2}\right)}{\sqrt{e}}}{\sqrt{c}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x\*(d + e\*x)),x]

[Out]  $(2\sqrt{a} * \sqrt{e} * \text{ArcTanh}[(\sqrt{c*d*e} * x) / (\sqrt{a} * \sqrt{d} * \sqrt{e})] - \sqrt{a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2} / (\sqrt{a} * \sqrt{d} * \sqrt{e})) / \sqrt{d} - (\sqrt{c} * \sqrt{d} * \text{ArcTanh}[(2\sqrt{c} * \sqrt{d} * \sqrt{e} * \sqrt{c*d*e} * x) / (c*d^2 + a*e^2) - (2\sqrt{c} * \sqrt{d} * \sqrt{e} * \sqrt{a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2}) / (c*d^2 + a*e^2)]) / \sqrt{e} - (\sqrt{c*d*e} * \text{Log}[c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4 - 4*c^2*d^3*e*x - 4*a*c*d*e^3*x - 8*c^2*d^2*e^2*x^2 + 8*c*d*e*\sqrt{c*d*e} * x * \sqrt{a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2}]) / (2*e)$

**fricas [A]** time = 0.66, size = 947, normalized size = 5.64

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x/(e\*x+d),x, algorithm="fricas")

[Out]  $[1/2*\sqrt{c*d/e}*\log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*(2*c*d*e^2*x + c*d^2*e + a*e^3)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{c*d/e} + 8*(c^2*d^3*e + a*c*d*e^3)*x) + 1/2*\sqrt{a*e/d}*\log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 - 4*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*a*d^2*e + (c*d^3 + a*d*e^2)*x)*\sqrt{a*e/d} + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2), -\sqrt{-c*d/e}*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c*d/e}/(c^2*d^2*e*x^2 + a*c*d^2*e + (c^2*d^3 + a*c*d*e^2)*x)) + 1/2*\sqrt{a*e/d}*\log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 - 4*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*a*d^2*e + (c*d^3 + a*d*e^2)*x)*\sqrt{a*e/d} + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2), \sqrt{-a*e/d}*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*a*d*e + (c*d^2 + a*e^2)*x)*\sqrt{-a*e/d}/(a*c*d$



$$*e^2*x^2 + a^2*d*e^2 + (a*c*d^2*e + a^2*e^3)*x)) + 1/2*sqrt(c*d/e)*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*(2*c*d*e^2*x + c*d^2*e + a*e^3)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(c*d/e) + 8*(c^2*d^3*e + a*c*d*e^3)*x), -sqrt(-c*d/e)*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(-c*d/e)/(c^2*d^2*e*x^2 + a*c*d^2*e + (c^2*d^3 + a*c*d*e^2)*x)) + sqrt(-a*e/d)*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-a*e/d)/(a*c*d*e^2*x^2 + a^2*d*e^2 + (a*c*d^2*e + a^2*e^3)*x))]$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x/(e\*x+d),x, algorithm="giac")

[Out] sage0\*x

**maple** [B] time = 0.02, size = 439, normalized size = 2.61

$$\frac{a^2 \ln\left(\frac{\frac{d^2}{4} - \frac{1}{4}(c+d)^2}{\sqrt{d^2 - a^2}} + \sqrt{\left(\frac{d^2}{4} - \frac{1}{4}(c+d)^2\right)(c+d)}\right)}{2\sqrt{d^2 - a^2}} + \frac{a^2 \ln\left(\frac{d^2 + \frac{1}{4}(c+d)^2}{\sqrt{d^2 - a^2}} + \sqrt{d^2 + a^2 + (a^2 + c*d)x}\right)}{2\sqrt{d^2 - a^2}} - \frac{\arcsin\left(\frac{2a*d^2 + c*d^2 + \sqrt{d^2 - a^2} \sqrt{d^2 + a^2 + (a^2 + c*d)x}}{\sqrt{d^2 - a^2}}\right)}{\sqrt{d^2 - a^2}} + \frac{d \ln\left(\frac{\frac{d^2}{4} - \frac{1}{4}(c+d)^2}{\sqrt{d^2 - a^2}} + \sqrt{\left(\frac{d^2}{4} - \frac{1}{4}(c+d)^2\right)(c+d)}\right)}{2\sqrt{d^2 - a^2}} + \frac{d \ln\left(\frac{d^2 + \frac{1}{4}(c+d)^2}{\sqrt{d^2 - a^2}} + \sqrt{d^2 + a^2 + (a^2 + c*d)x}\right)}{2\sqrt{d^2 - a^2}} + \frac{\sqrt{d^2 + a^2 + (a^2 + c*d)x}}{d} + \frac{\sqrt{\left(\frac{d^2}{4} - \frac{1}{4}(c+d)^2\right)(c+d)}}{d} + \frac{\sqrt{\left(\frac{d^2}{4} - \frac{1}{4}(c+d)^2\right)(c+d)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/x/(e\*x+d),x)

[Out] 1/d\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)+1/2/d\*ln((c\*d\*e\*x+1/2\*a\*e^2+1/2\*c\*d^2)/(c\*d\*e)^(1/2)+(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2))/(c\*d\*e)^(1/2)\*a\*e^2+1/2\*d\*ln((c\*d\*e\*x+1/2\*a\*e^2+1/2\*c\*d^2)/(c\*d\*e)^(1/2)+(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2))/(c\*d\*e)^(1/2)\*c-a\*e/(a\*d\*e)^(1/2)\*ln((2\*a\*d\*e+(a\*e^2+c\*d^2)\*x+2\*(a\*d\*e)^(1/2)\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2))/x)-1/d\*((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2)-1/2/d\*ln((1/2\*a\*e^2-1/2\*c\*d^2+(x+d/e)\*c\*d\*e)/(c\*d\*e)^(1/2)+((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2))/(c\*d\*e)^(1/2)\*a\*e^2+1/2\*d\*ln((1/2\*a\*e^2-1/2\*c\*d^2+(x+d/e)\*c\*d\*e)/(c\*d\*e)^(1/2)+((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2))/(c\*d\*e)^(1/2)\*c

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see 'assume?' for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{c d e x^2 + (c d^2 + a e^2) x + a d e}}{x (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(x\*(d + e\*x)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(x\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d + e x)(a e + c d x)}}{x (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/x/(e\*x+d),x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(x\*(d + e\*x)), x)

$$3.276 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^2(d+ex)} dx$$

Optimal. Leaf size=137

$$-\frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{dx} - \frac{(cd^2 - ae^2) \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{2\sqrt{a}d^{3/2}\sqrt{e}}$$

**Rubi [A]** time = 0.14, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$ , Rules used = {849, 806, 724, 206}

$$-\frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{dx} - \frac{(cd^2 - ae^2) \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{2\sqrt{a}d^{3/2}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x^2\*(d + e\*x)),x]

[Out] -(Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(d\*x)) - ((c\*d^2 - a\*e^2)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(2\*Sqrt[a]\*d^(3/2)\*Sqrt[e])

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 806

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] - Dist[(b\*(e\*f + d\*g) - 2\*(c\*d\*f + a\*e\*g))/(2\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m

```
+ 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] &
& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m +
2*p + 3], 0]
```

### Rule 849

```
Int[((x_)^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_
)), x_Symbol] := Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; F
reeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n
, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^2(d + ex)} dx &= \int \frac{ae + cd x}{x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\ &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{dx} - \frac{(-2acd^2e + ae(cd^2 + ae^2)) \int \frac{1}{x \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx}{2ade} \\ &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{dx} + \frac{(-2acd^2e + ae(cd^2 + ae^2)) \text{Subst}\left(\int \frac{1}{4a} \frac{1}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx\right)}{ade} \\ &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{dx} - \frac{(cd^2 - ae^2) \tanh^{-1}\left(\frac{2ade + (cd^2 + ae^2)x}{2\sqrt{a} \sqrt{d} \sqrt{e} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}\right)}{2\sqrt{a} d^{3/2} \sqrt{e}} \end{aligned}$$

**Mathematica** [A] time = 0.14, size = 117, normalized size = 0.85

$$\frac{\sqrt{(d + ex)(ae + cd x)} \left( \frac{(ae^2 - cd^2) \tanh^{-1}\left(\frac{\sqrt{d} \sqrt{ae + cd x}}{\sqrt{a} \sqrt{e} \sqrt{d + ex}}\right)}{\sqrt{a} \sqrt{e} \sqrt{d + ex} \sqrt{ae + cd x}} - \frac{\sqrt{d}}{x} \right)}{d^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]/(x^2*(d + e*x)),x]
```

```
[Out] (Sqrt[(a*e + c*d*x)*(d + e*x)]*(-(Sqrt[d]/x) + ((-(c*d^2) + a*e^2)*ArcTanh[
(Sqrt[d]*Sqrt[a*e + c*d*x])/(Sqrt[a]*Sqrt[e]*Sqrt[d + e*x])])/(Sqrt[a]*Sqrt
[e]*Sqrt[a*e + c*d*x]*Sqrt[d + e*x]))/d^(3/2)
```

**IntegrateAlgebraic [A]** time = 0.57, size = 124, normalized size = 0.91

$$\frac{(cd^2 - ae^2) \tanh^{-1} \left( \frac{x\sqrt{cde} - \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{a} \sqrt{d} \sqrt{e}} \right)}{\sqrt{a} d^{3/2} \sqrt{e}} - \frac{\sqrt{ade + ae^2x + cd^2x + cdex^2}}{dx}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x^2\*(d + e\*x)), x]

[Out] -(Sqrt[a\*d\*e + c\*d^2\*x + a\*e^2\*x + c\*d\*e\*x^2]/(d\*x)) + ((c\*d^2 - a\*e^2)\*ArcTanh[(Sqrt[c\*d\*e]\*x - Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[a]\*Sqrt[d]\*Sqrt[e])])/(Sqrt[a]\*d^(3/2)\*Sqrt[e])

**fricas [A]** time = 0.52, size = 355, normalized size = 2.59

$$\frac{4\sqrt{cdex^2 + ade + (cd^2 + ae^2)xade + (cd^2 - ae^2)\sqrt{ade}x \log\left(\frac{8a^2d^2e^2 + (2d^4 + 6acd^2e^2 + e^2d^2)x^2 + 4\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} \sqrt{ade} + 8(acd^2e + d^2de^2)}{4ad^2ex}\right)}{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)xade - (cd^2 - ae^2)\sqrt{ade}x \arctan\left(\frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} \sqrt{2ade + (cd^2 + ae^2)x}}{2(acd^2e^2 + d^2de^2 + (acd^2e + d^2de^2))}\right)}}{2ad^2ex}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x^2/(e\*x+d),x, algorithm="fricas")

[Out] [-1/4\*(4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*a\*d\*e + (c\*d^2 - a\*e^2)\*sqrt(a\*d\*e)\*x\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2))/(a\*d^2\*e\*x), -1/2\*(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*a\*d\*e - (c\*d^2 - a\*e^2)\*sqrt(-a\*d\*e)\*x\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)))/(a\*d^2\*e\*x)]

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x^2/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 2\*((-2\*exp(1)\*a\*exp(2)+2\*exp(1)^3\*a)/d/2/sqrt(-a\*d\*exp(1)^3+a\*d\*exp(1)\*exp(2))\*a tan((-d\*sqrt(c\*d\*exp(1))+sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1)))

) - sqrt(c\*d\*exp(1))\*x)\*exp(1))/sqrt(-a\*d\*exp(1)^3+a\*d\*exp(1)\*exp(2)) - (-a\*exp(2)+2\*exp(1)^2\*a-c\*d^2)/d/2/sqrt(-a\*d\*exp(1))\*atan((sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)/sqrt(-a\*d\*exp(1))) - ((sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)\*a\*exp(2)+c\*d^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)-2\*d\*exp(1)\*sqrt(c\*d\*exp(1))\*a)/2/d/((sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^2-d\*exp(1)\*a))

**maple [B]** time = 0.02, size = 594, normalized size = 4.34

$$\frac{a^2 \ln\left(\frac{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}\right)}{2 \sqrt{a d} d} + \frac{a^2 \ln\left(\frac{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}\right)}{2 \sqrt{a d} d} + \frac{a^2 \ln\left(\frac{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}\right)}{2 \sqrt{a d} d} + \frac{a^2 \ln\left(\frac{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}\right)}{2 \sqrt{a d} d} + \frac{a^2 \ln\left(\frac{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}\right)}{2 \sqrt{a d} d} + \frac{a^2 \ln\left(\frac{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}\right)}{2 \sqrt{a d} d} + \frac{a^2 \ln\left(\frac{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}\right)}{2 \sqrt{a d} d} + \frac{a^2 \ln\left(\frac{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}\right)}{2 \sqrt{a d} d} + \frac{a^2 \ln\left(\frac{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}\right)}{2 \sqrt{a d} d} + \frac{a^2 \ln\left(\frac{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}{\sqrt{a^2 d^2 + (c d^2 + a e^2) x + a d e}}\right)}{2 \sqrt{a d} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/x^2/(e\*x+d), x)

[Out] -1/d^2/a/e/x\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)+1/a/e\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)\*c+1/2\*e\*ln((c\*d\*e\*x+1/2\*a\*e^2+1/2\*c\*d^2)/(c\*d\*e)^(1/2)+(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2))/(c\*d\*e)^(1/2)\*c+1/2/d\*a\*e^2/(a\*d\*e)^(1/2)\*ln((2\*a\*d\*e+(a\*e^2+c\*d^2)\*x+2\*(a\*d\*e)^(1/2)\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2))/x)-1/2\*d/(a\*d\*e)^(1/2)\*ln((2\*a\*d\*e+(a\*e^2+c\*d^2)\*x+2\*(a\*d\*e)^(1/2)\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2))/x)\*c+1/d\*c/a\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)\*x-1/2\*e^3/d^2\*ln((c\*d\*e\*x+1/2\*a\*e^2+1/2\*c\*d^2)/(c\*d\*e)^(1/2)+(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2))/(c\*d\*e)^(1/2)\*a+e/d^2\*((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2)+1/2\*e^3/d^2\*ln((1/2\*a\*e^2-1/2\*c\*d^2+(x+d/e)\*c\*d\*e)/(c\*d\*e)^(1/2)+((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2))/(c\*d\*e)^(1/2)\*a-1/2\*e\*ln((1/2\*a\*e^2-1/2\*c\*d^2+(x+d/e)\*c\*d\*e)/(c\*d\*e)^(1/2)+((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2))/(c\*d\*e)^(1/2)\*c

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x}}{(e x + d) x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x^2/(e\*x+d), x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/((e\*x + d)\*x^2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{c d e x^2 + (c d^2 + a e^2) x + a d e}}{x^2 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/(x^2*(d + e*x)),x)`

[Out] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/(x^2*(d + e*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d+ex)(ae+cdx)}}{x^2(d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2)/x**2/(e*x+d),x)`

[Out] `Integral(sqrt((d + e*x)*(a*e + c*d*x))/(x**2*(d + e*x)), x)`

$$3.277 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^3(d+ex)} dx$$

**Optimal.** Leaf size=202

$$\frac{(cd^2 - ae^2)(3ae^2 + cd^2) \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right) \left(\frac{c}{ae} - \frac{3e}{d^2}\right) \sqrt{x(ae^2 + cd^2) + ade + cdex^2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{8a^{3/2}d^{5/2}e^{3/2} \cdot 4x}$$

**Rubi [A]** time = 0.28, antiderivative size = 202, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {849, 834, 806, 724, 206}

$$\frac{(cd^2 - ae^2)(3ae^2 + cd^2) \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right) \left(\frac{c}{ae} - \frac{3e}{d^2}\right) \sqrt{x(ae^2 + cd^2) + ade + cdex^2} - \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{8a^{3/2}d^{5/2}e^{3/2} \cdot 4x - 2dx^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x^3\*(d + e\*x)),x]

[Out] -Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(2\*d\*x^2) - ((c/(a\*e) - (3\*e)/d^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*x) + ((c\*d^2 - a\*e^2)\*(c\*d^2 + 3\*a\*e^2)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(8\*a^(3/2)\*d^(5/2)\*e^(3/2))

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 724

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 806

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] - Dist[(b\*(e\*f



```

+ d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m
+ 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] &
& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m +
2*p + 3], 0]

```

### Rule 834

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*
x + c*x^2)^(p + 1))/((m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((m + 1)
*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(
c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m +
2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 -
4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] ||
IntegerQ[p] || IntegersQ[2*m, 2*p])

```

### Rule 849

```

Int[((x_)^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_
)), x_Symbol] := Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; F
reeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && ( !IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n
, 2] || (GtQ[p, 0] && NeQ[n, 2]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^3(d + ex)} dx &= \int \frac{ae + cd x}{x^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2dx^2} - \frac{\int \frac{-\frac{1}{2}ae(cd^2 - 3ae^2) + acde^2 x}{x^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx}{2ade} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2dx^2} - \frac{\left(\frac{c}{ae} - \frac{3e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4x} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2dx^2} - \frac{\left(\frac{c}{ae} - \frac{3e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4x} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2dx^2} - \frac{\left(\frac{c}{ae} - \frac{3e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4x}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 162, normalized size = 0.80

$$\frac{\sqrt{(d + ex)(ae + cd x)} \left( \frac{(-3a^2e^4 + 2acd^2e^2 + c^2d^4) \tanh^{-1}\left(\frac{\sqrt{d} \sqrt{ae + cd x}}{\sqrt{a} \sqrt{e} \sqrt{d + ex}}\right)}{\sqrt{d + ex} \sqrt{ae + cd x}} + \frac{\sqrt{a} \sqrt{d} \sqrt{e} (ae(3ex - 2d) - cd^2x)}{x^2} \right)}{4a^{3/2}d^{5/2}e^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x^3\*(d + e\*x)), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*((Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*(-(c\*d^2\*x) + a\*e\*(-2\*d + 3\*e\*x)))/x^2 + ((c^2\*d^4 + 2\*a\*c\*d^2\*e^2 - 3\*a^2\*e^4)\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])])/(Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x])))/(4\*a^(3/2)\*d^(5/2)\*e^(3/2))

**IntegrateAlgebraic [A]** time = 0.89, size = 170, normalized size = 0.84

$$\frac{(3a^2e^4 - 2acd^2e^2 - c^2d^4) \tanh^{-1}\left(\frac{x\sqrt{cde} - \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{a} \sqrt{d} \sqrt{e}}\right)}{4a^{3/2}d^{5/2}e^{3/2}} + \frac{\sqrt{ade + ae^2x + cd^2x + cdex^2} (-2ade + 3ae^2x - cd^2x)}{4ad^2ex^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x^3\*(d + e\*x)), x]

[Out] 
$$\frac{((-2*a*d*e - c*d^2*x + 3*a*e^2*x)*\text{Sqrt}[a*d*e + c*d^2*x + a*e^2*x + c*d*e*x^2])/(4*a*d^2*e*x^2) + ((-c^2*d^4) - 2*a*c*d^2*e^2 + 3*a^2*e^4)*\text{ArcTanh}[(\text{Sqrt}[c*d*e]*x - \text{Sqrt}[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])]/(\text{Sqrt}[a]*\text{Sqrt}[d]*\text{Sqrt}[e])]}{(4*a^{3/2}*d^{5/2}*e^{3/2})}$$

**fricas** [A] time = 0.91, size = 442, normalized size = 2.19

$$\frac{((c^2d^4 + 2acd^2e - 3a^2e^4)\sqrt{ade} \log\left(\frac{(c^2d^2 + a^2e^2 + c^2d^2e + a^2e^2d)\sqrt{c^2d^2 + a^2e^2} - 4\sqrt{ade}\sqrt{c^2d^2 + a^2e^2} + 2a(c^2d^2 + a^2e^2)\sqrt{c^2d^2 + a^2e^2}}{16a^2d^2e^2}\right) + 4(2c^2d^2e^2 + (acd^2e - 3a^2de^2))\sqrt{c^2d^2 + a^2e^2}}{(c^2d^4 + 2acd^2e - 3a^2e^4)\sqrt{ade} \arctan\left(\frac{\sqrt{c^2d^2 + a^2e^2}(\sqrt{c^2d^2 + a^2e^2} + c^2d^2e + a^2e^2d)}{2(c^2d^2 + a^2e^2)\sqrt{c^2d^2 + a^2e^2}}\right) + 2(2c^2d^2e^2 + (acd^2e - 3a^2de^2))\sqrt{c^2d^2 + a^2e^2}}{8a^2d^2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x^3/(e\*x+d), x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/16*((c^2*d^4 + 2*a*c*d^2*e^2 - 3*a^2*e^4)*\text{sqrt}(a*d*e)*x^2*\log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 - 4*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(a*d*e) + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) + 4*(2*a^2*d^2*e^2 + (a*c*d^3*e - 3*a^2*d*e^3)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(a^2*d^3*e^2*x^2), -1/8*((c^2*d^4 + 2*a*c*d^2*e^2 - 3*a^2*e^4)*\text{sqrt}(-a*d*e)*x^2*\arctan(1/2*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(-a*d*e)/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x)) + 2*(2*a^2*d^2*e^2 + (a*c*d^3*e - 3*a^2*d*e^3)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(a^2*d^3*e^2*x^2)] \end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x^3/(e\*x+d), x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $2*((2*\exp(1)^2*a*\exp(2)-2*\exp(1)^4*a)/2/d^2/\text{sqrt}(-a*d*\exp(1)^3+a*d*\exp(1)*\exp(2))*\text{atan}((-d*\text{sqrt}(c*d*\exp(1))+(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)*\exp(1))/\text{sqrt}(-a*d*\exp(1)^3+a*d*\exp(1)*\exp(2)))+(-a^2*\exp(2)^2-4*\exp(1)^2*a^2*\exp(2)+8*\exp(1)^4*a^2-2*c*d^2*a*\exp(2)-c^2*d^4)/4/d^2/\exp(1)/a/2/\text{sqrt}(-a*d*\exp(1))*\text{atan}((\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)/\text{sqrt}(-a*d*\exp(1)))-((\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^3*a^2*\exp(2)^2-4*\exp(1)^2*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x$

$$\begin{aligned} &)^3 a^2 \exp(2) + 2 c d^2 (\sqrt{a d \exp(1) + a x \exp(2) + c d^2 x + c d x^2 \exp(1)} - \\ &\sqrt{c d \exp(1)}) x^3 a \exp(2) + c^2 d^4 (\sqrt{a d \exp(1) + a x \exp(2) + c d^2 x + \\ &c d x^2 \exp(1)} - \sqrt{c d \exp(1)}) x^3 - 8 d \exp(1) \sqrt{c d \exp(1)} (\sqrt{a d \\ &\exp(1) + a x \exp(2) + c d^2 x + c d x^2 \exp(1)} - \sqrt{c d \exp(1)}) x^2 a^2 \exp(2) \\ &+ 8 d \exp(1)^3 \sqrt{c d \exp(1)} (\sqrt{a d \exp(1) + a x \exp(2) + c d^2 x + c d x^2 \exp(1)} - \\ &\sqrt{c d \exp(1)}) x^2 a^2 - 8 c d^3 \exp(1) \sqrt{c d \exp(1)} (\sqrt{a d \exp(1) + a x \exp(2) + \\ &c d^2 x + c d x^2 \exp(1)} - \sqrt{c d \exp(1)}) x^2 a + d \exp(1) (\sqrt{a d \exp(1) + a x \exp(2) + \\ &c d^2 x + c d x^2 \exp(1)} - \sqrt{c d \exp(1)}) x a^3 \exp(2)^2 + 4 d \exp(1)^3 (\sqrt{a d \exp(1) + a x \exp(2) + \\ &c d^2 x + c d x^2 \exp(1)} - \sqrt{c d \exp(1)}) x a^3 \exp(2) + 2 c d^3 \exp(1) (\sqrt{a d \exp(1) + a x \exp(2) + \\ &c d^2 x + c d x^2 \exp(1)} - \sqrt{c d \exp(1)}) x a^2 \exp(2) + 8 c d^3 \exp(1)^3 (\sqrt{a d \exp(1) + a x \exp(2) + \\ &c d^2 x + c d x^2 \exp(1)} - \sqrt{c d \exp(1)}) x a^2 + c^2 d^5 \exp(1) (\sqrt{a d \exp(1) + a x \exp(2) + \\ &c d^2 x + c d x^2 \exp(1)} - \sqrt{c d \exp(1)}) x a - 8 d^2 \exp(1)^4 \sqrt{c d \exp(1)} a^3 / 8 / d^2 / \exp(1) / a / ((\sqrt{a d \exp(1) + a x \exp(2) + \\ &c d^2 x + c d x^2 \exp(1)} - \sqrt{c d \exp(1)}) x)^2 - d \exp(1) a^2 \end{aligned}$$

**maple [B]** time = 0.02, size = 882, normalized size = 4.37

---

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} / x^3 / (e x + d), x)$

[Out]  $\begin{aligned} &5/4/d^3/a/x*(c d e x^2 + a d e + (a e^2 + c d^2) x)^{3/2} - 1/4 * e^2 / d^3 * (c d e x^2 + \\ &a d e + (a e^2 + c d^2) x)^{1/2} - 1/d/a*(c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} * \\ &c - 1/2 * e^2 / d * \ln((c d e x + 1/2 * a e^2 + 1/2 * c d^2) / (c d e)^{1/2} + (c d e x^2 + a d e \\ &+ (a e^2 + c d^2) x)^{1/2}) / (c d e)^{1/2} * c - 3/8 * e^3 / d^2 * a / (a d e)^{1/2} * \ln((2 * \\ &a d e + (a e^2 + c d^2) x + 2 * (a d e)^{1/2} * (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} / \\ &x) + 1/4 * e / (a d e)^{1/2} * \ln((2 * a d e + (a e^2 + c d^2) x + 2 * (a d e)^{1/2} * (c d \\ &e x^2 + a d e + (a e^2 + c d^2) x)^{1/2}) / x) * c - 5/4 * e / d^2 * c / a * (c d e x^2 + a d e + (a \\ &e^2 + c d^2) x)^{1/2} * x - 1/2 / d^2 / a / e / x^2 * (c d e x^2 + a d e + (a e^2 + c d^2) x)^{3/2} \\ &+ 1/4 / d / a^2 / e^2 / x * (c d e x^2 + a d e + (a e^2 + c d^2) x)^{3/2} * c - 1/4 * d / a^2 / e^2 \\ &* (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} * c^2 + 1/8 * d^2 / a / e / (a d e)^{1/2} * \ln(( \\ &2 * a d e + (a e^2 + c d^2) x + 2 * (a d e)^{1/2} * (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} / \\ &x) * c^2 - 1/4 / a^2 / e * c^2 * (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} * x + 1/2 / d^3 \\ &* e^4 * \ln((c d e x + 1/2 * a e^2 + 1/2 * c d^2) / (c d e)^{1/2} + (c d e x^2 + a d e + (a e^2 + \\ &c d^2) x)^{1/2}) / (c d e)^{1/2} * a - 1/d^3 * e^2 * ((x + d/e)^2 * c d e + (a e^2 - c d^2) \\ &(x + d/e))^{1/2} - 1/2 / d^3 * e^4 * \ln((1/2 * a e^2 - 1/2 * c d^2 + (x + d/e) * c d e) / (c d e)^{1/2} \\ &+ ((x + d/e)^2 * c d e + (a e^2 - c d^2) * (x + d/e))^{1/2}) / (c d e)^{1/2} * a + 1/2 / d * \\ &e^2 * \ln((1/2 * a e^2 - 1/2 * c d^2 + (x + d/e) * c d e) / (c d e)^{1/2} + ((x + d/e)^2 * c d e + ( \\ &a e^2 - c d^2) * (x + d/e))^{1/2}) / (c d e)^{1/2} * c \end{aligned}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{(ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x^3/(e\*x+d),x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/((e\*x + d)\*x^3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x^3(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(x^3\*(d + e\*x)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(x^3\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d + ex)(ae + cdx)}}{x^3(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/x\*\*3/(e\*x+d),x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(x\*\*3\*(d + e\*x)), x)

$$3.278 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^4(d+ex)} dx$$

**Optimal.** Leaf size=286

$$\frac{(3cd^2 - 5ae^2)(3ae^2 + cd^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{24a^2d^3e^2x} - \frac{(cd^2 - ae^2)(5a^2e^4 + 2acd^2e^2 + c^2d^4)\tanh^{-1}\left(\frac{x}{2\sqrt{a}\sqrt{d}\sqrt{ae^2 + cd^2}}\right)}{16a^{5/2}d^{7/2}e^{5/2}}$$

**Rubi [A]** time = 0.40, antiderivative size = 286, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {849, 834, 806, 724, 206}

$$\frac{(cd^2 - ae^2)(5a^2e^4 + 2acd^2e^2 + c^2d^4)\tanh^{-1}\left(\frac{x(ae^2 + cd^2) + ade}{2\sqrt{a}\sqrt{d}\sqrt{ae^2 + cd^2}}\right)}{16a^{5/2}d^{7/2}e^{5/2}} + \frac{(3cd^2 - 5ae^2)(3ae^2 + cd^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{24a^2d^3e^2x} - \frac{\left(\frac{c}{ae} - \frac{5c}{d^2}\right)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{12x^2} - \frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3dx^3}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x^4\*(d + e\*x)), x]

[Out] -Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(3\*d\*x^3) - ((c/(a\*e) - (5\*e)/d^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(12\*x^2) + ((3\*c\*d^2 - 5\*a\*e^2)\*(c\*d^2 + 3\*a\*e^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(24\*a^2\*d^3\*e^2\*x) - ((c\*d^2 - a\*e^2)\*(c^2\*d^4 + 2\*a\*c\*d^2\*e^2 + 5\*a^2\*e^4)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(16\*a^(5/2)\*d^(7/2)\*e^(5/2))

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 724**

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

**Rule 806**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] - Dist[(b\*(e\*f

```

+ d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m
+ 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] &
& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m +
2*p + 3], 0]

```

### Rule 834

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*
x + c*x^2)^(p + 1))/((m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((m + 1)
*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(
c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m +
2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 -
4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] ||
IntegerQ[p] || IntegersQ[2*m, 2*p])

```

### Rule 849

```

Int[((x_)^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_
)), x_Symbol] := Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; F
reeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && ( !IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n
, 2] || (GtQ[p, 0] && NeQ[n, 2]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^4(d + ex)} dx &= \int \frac{ae + cd x}{x^4 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\
&= \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3dx^3} - \frac{\int \frac{-\frac{1}{2}ae(cd^2 - 5ae^2) + 2acde^2 x}{x^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx}{3ade} \\
&= \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3dx^3} - \frac{\left(\frac{c}{ae} - \frac{5e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12x^2} \\
&= \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3dx^3} - \frac{\left(\frac{c}{ae} - \frac{5e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12x^2} \\
&= \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3dx^3} - \frac{\left(\frac{c}{ae} - \frac{5e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12x^2} \\
&= \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3dx^3} - \frac{\left(\frac{c}{ae} - \frac{5e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12x^2}
\end{aligned}$$

**Mathematica [A]** time = 0.24, size = 210, normalized size = 0.73

$$\frac{\sqrt{(d + ex)(ae + cd x)} \left( \frac{\sqrt{a} \sqrt{d} \sqrt{e} (a^2 e^2 (-8d^2 + 10dex - 15e^2 x^2) - 2acd^2 ex(d - 2ex) + 3c^2 d^4 x^2)}{x^3} - \frac{3(-5a^3 e^6 + 3a^2 cd^2 e^4 + ac^2 d^4 e^2 + c^3 d^6) \tanh^{-1}\left(\frac{\sqrt{d} \sqrt{ae + cd x}}{\sqrt{a} \sqrt{e} \sqrt{d + ex}}\right)}{\sqrt{d + ex} \sqrt{ae + cd x}} \right)}{24a^{5/2} d^{7/2} e^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x^4\*(d + e\*x)), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*((Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*(3\*c^2\*d^4\*x^2 - 2\*a\*c\*d^2\*e\*x\*(d - 2\*e\*x) + a^2\*e^2\*(-8\*d^2 + 10\*d\*e\*x - 15\*e^2\*x^2)))/x^3 - (3\*(c^3\*d^6 + a\*c^2\*d^4\*e^2 + 3\*a^2\*c\*d^2\*e^4 - 5\*a^3\*e^6)\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])])/(Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]))/(24\*a^(5/2)\*d^(7/2)\*e^(5/2))

**IntegrateAlgebraic [A]** time = 1.23, size = 228, normalized size = 0.80

$$\frac{\sqrt{ade + ae^2x + cd^2x + cdex^2} (-8a^2d^2e^2 + 10a^2de^3x - 15a^2e^4x^2 - 2acd^3ex + 4acd^2e^2x^2 + 3c^2d^4x^2)}{24a^2d^3e^2x^3} + \frac{(-5a^3e^6 + 3a^2cd^2e^4 + ac^2d^4e^2 + c^3d^6) \tanh^{-1}\left(\frac{x\sqrt{cd} - \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{a} \sqrt{d} \sqrt{e}}\right)}{8a^{5/2}d^{7/2}e^{5/2}}$$



Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]/(x^4*(d + e*x)),x]
```

```
[Out] (Sqrt[a*d*e + c*d^2*x + a*e^2*x + c*d*e*x^2]*(-8*a^2*d^2*e^2 - 2*a*c*d^3*e*x + 10*a^2*d*e^3*x + 3*c^2*d^4*x^2 + 4*a*c*d^2*e^2*x^2 - 15*a^2*e^4*x^2))/(24*a^2*d^3*e^2*x^3) + ((c^3*d^6 + a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 - 5*a^3*e^6)*ArcTanh[(Sqrt[c*d*e]*x - Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/Sqrt[a]*Sqrt[d]*Sqrt[e]])/(8*a^(5/2)*d^(7/2)*e^(5/2))
```

**fricas** [A] time = 2.12, size = 558, normalized size = 1.95

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/x^4/(e*x+d),x, algorithm="fricas")
```

```
[Out] [-1/96*(3*(c^3*d^6 + a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 - 5*a^3*e^6)*sqrt(a*d*e)*x^3*log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 + 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(a*d*e) + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) + 4*(8*a^3*d^3*e^3 - (3*a*c^2*d^5*e + 4*a^2*c*d^3*e^3 - 15*a^3*d*e^5)*x^2 + 2*(a^2*c*d^4*e^2 - 5*a^3*d^2*e^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(a^3*d^4*e^3*x^3), 1/48*(3*(c^3*d^6 + a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 - 5*a^3*e^6)*sqrt(-a*d*e)*x^3*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-a*d*e)/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x)) - 2*(8*a^3*d^3*e^3 - (3*a*c^2*d^5*e + 4*a^2*c*d^3*e^3 - 15*a^3*d*e^5)*x^2 + 2*(a^2*c*d^4*e^2 - 5*a^3*d^2*e^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(a^3*d^4*e^3*x^3)]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/x^4/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 2*((-2*exp(1)^3*a*exp(2)+2*exp(1)^5*a)/2/d^3/sqrt(-a*d*exp(1)^3+a*d*exp(1)*exp(2))*atan((-d*sqrt(c*d*exp(1))+sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*exp(1))/sqrt(-a*d*exp(1)^3+a*d*exp(1)*exp(2))-(-a^3*exp(2)^3-2*exp(1)^2*a^3*exp(2)^2-8*exp(1)^4*a^3*exp(2)+16*exp(1)^6*a^3-
```

$$\begin{aligned}
& 3*c*d^2*a^2*exp(2)^2-3*c^2*d^4*a*exp(2)+2*c^2*d^4*exp(1)^2*a-c^3*d^6)/8/d^3 \\
& /exp(1)^2/a^2/2/sqrt(-a*d*exp(1))*atan((sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+ \\
& c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)/sqrt(-a*d*exp(1)))+(3*(sqrt(a*d*exp(1)+ \\
& a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^3*exp(2)^3+6*exp \\
& (1)^2*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))* \\
& x)^5*a^3*exp(2)^2-24*exp(1)^4*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2* \\
& exp(1))-sqrt(c*d*exp(1))*x)^5*a^3*exp(2)+9*c*d^2*(sqrt(a*d*exp(1)+a*x*exp(2) \\
& +c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^2*exp(2)^2+9*c^2*d^4*(sqrt \\
& (a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a*exp( \\
& 2)-6*c^2*d^4*exp(1)^2*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-s \\
& qrt(c*d*exp(1))*x)^5*a+3*c^3*d^6*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^ \\
& 2*exp(1))-sqrt(c*d*exp(1))*x)^5-48*d*exp(1)^3*sqrt(c*d*exp(1))*(sqrt(a*d*ex \\
& p(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^3*exp(2)+48 \\
& *d*exp(1)^5*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*ex \\
& p(1))-sqrt(c*d*exp(1))*x)^4*a^3-8*d*exp(1)*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^ \\
& 2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^4*exp(2)^3+48*d*exp(1)^5*(sqrt( \\
& a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^4*exp \\
& (2)-24*c*d^3*exp(1)*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqr \\
& t(c*d*exp(1))*x)^3*a^3*exp(2)^2-48*c*d^3*exp(1)^3*(sqrt(a*d*exp(1)+a*x*exp( \\
& 2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^3*exp(2)+48*c*d^3*exp(1) \\
& ^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^ \\
& 3*a^3-24*c^2*d^5*exp(1)*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)) \\
& -sqrt(c*d*exp(1))*x)^3*a^2*exp(2)-48*c^2*d^5*exp(1)^3*(sqrt(a*d*exp(1)+a*x* \\
& exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^2-8*c^3*d^7*exp(1)*( \\
& sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a+ \\
& 48*d^2*exp(1)^2*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^ \\
& 2*exp(1))-sqrt(c*d*exp(1))*x)^2*a^4*exp(2)^2+48*d^2*exp(1)^4*sqrt(c*d*exp(1) \\
& ))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^ \\
& 2*a^4*exp(2)-96*d^2*exp(1)^6*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c \\
& *d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^2*a^4+96*c*d^4*exp(1)^2*sqrt(c*d \\
& *exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1) \\
& ))*x)^2*a^3*exp(2)+48*c*d^4*exp(1)^4*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x* \\
& exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^2*a^3+48*c^2*d^6*exp(1)^ \\
& 2*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt \\
& (c*d*exp(1))*x)^2*a^2-3*d^2*exp(1)^2*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c* \\
& d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^5*exp(2)^3-6*d^2*exp(1)^4*(sqrt(a*d*exp \\
& (1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^5*exp(2)^2-24* \\
& d^2*exp(1)^6*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d* \\
& exp(1))*x)*a^5*exp(2)-9*c*d^4*exp(1)^2*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c \\
& *d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^4*exp(2)^2-48*c*d^4*exp(1)^4*(sqrt(a*d \\
& *exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^4*exp(2)-4 \\
& 8*c*d^4*exp(1)^6*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c \\
& *d*exp(1))*x)*a^4-9*c^2*d^6*exp(1)^2*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c* \\
& d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^3*exp(2)-42*c^2*d^6*exp(1)^4*(sqrt(a*d* \\
& exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^3-3*c^3*d^8
\end{aligned}$$

\*exp(1)^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1)))\*x\*a^2+48\*d^3\*exp(1)^7\*sqrt(c\*d\*exp(1))\*a^5+16\*c\*d^5\*exp(1)^5\*sqrt(c\*d\*exp(1))\*a^4)/48/d^3/exp(1)^2/a^2/((sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^2-d\*exp(1)\*a)^3

**maple [B]** time = 0.02, size = 1165, normalized size = 4.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/x^4/(e\*x+d), x)

[Out]  $\frac{3}{4} \frac{d^3}{a} \frac{1}{x^2} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{3/2} + \frac{3}{8} \frac{e}{a^2} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} c^2 + \frac{1}{4} \frac{d}{a^2} \frac{e^2}{x^2} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{3/2} c - \frac{1}{16} \frac{d^3}{a^2} \frac{e^2}{(a d e)^{1/2}} \ln((2 a d e + (a e^2 + c d^2) x + 2 (a d e)^{1/2} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2}) / x) c^3 + \frac{1}{8} \frac{d}{a^3} \frac{e^2}{e^2} c^3 (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} x - \frac{1}{2} \frac{e}{d^2} \frac{1}{a^2} x (c d e x^2 + a d e + (a e^2 + c d^2) x)^{3/2} c + \frac{11}{8} \frac{d^3}{e^2} \frac{c}{a} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} x + \frac{1}{d^4} e^3 ((x+d/e)^2 c d e + (a e^2 - c d^2) (x+d/e))^{1/2} + \frac{3}{8} \frac{d^4}{e^3} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} - \frac{1}{16} \frac{d}{a} \frac{1}{(a d e)^{1/2}} \ln((2 a d e + (a e^2 + c d^2) x + 2 (a d e)^{1/2} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2}) / x) c^2 + \frac{1}{2} \frac{d}{a^2} c^2 (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} x - \frac{1}{3} \frac{d^2}{a} \frac{e}{x^3} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{3/2} - \frac{1}{8} \frac{1}{a^3} \frac{e^3}{x} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{3/2} c^2 + \frac{1}{8} \frac{d^2}{a^3} \frac{e^3}{e^3} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} c^3 - \frac{1}{2} \frac{d^4}{e^5} \ln((c d e x + \frac{1}{2} a e^2 + \frac{1}{2} c d^2) / (c d e)^{1/2} + (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2}) / (c d e)^{1/2} a + \frac{1}{2} \frac{d^4}{e^5} \ln((\frac{1}{2} a e^2 - \frac{1}{2} c d^2 + (x+d/e) c d e) / (c d e)^{1/2} + ((x+d/e)^2 c d e + (a e^2 - c d^2) (x+d/e))^{1/2}) / (c d e)^{1/2} a - \frac{1}{2} \frac{d^2}{e^3} \ln((\frac{1}{2} a e^2 - \frac{1}{2} c d^2 + (x+d/e) c d e) / (c d e)^{1/2} + ((x+d/e)^2 c d e + (a e^2 - c d^2) (x+d/e))^{1/2}) / (c d e)^{1/2} c - \frac{11}{8} \frac{d^4}{e} \frac{1}{a} x (c d e x^2 + a d e + (a e^2 + c d^2) x)^{3/2} + \frac{9}{8} \frac{d^2}{e} \frac{1}{a} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2} c + \frac{1}{2} \frac{d^2}{e^3} \ln((c d e x + \frac{1}{2} a e^2 + \frac{1}{2} c d^2) / (c d e)^{1/2} + (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2}) / (c d e)^{1/2} c + \frac{5}{16} \frac{d^3}{e^4} \frac{1}{a} \frac{1}{(a d e)^{1/2}} \ln((2 a d e + (a e^2 + c d^2) x + 2 (a d e)^{1/2} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2}) / x) - \frac{3}{16} \frac{d}{e^2} \frac{1}{(a d e)^{1/2}} \ln((2 a d e + (a e^2 + c d^2) x + 2 (a d e)^{1/2} (c d e x^2 + a d e + (a e^2 + c d^2) x)^{1/2}) / x) c$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{(ex + d)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x^4/(e\*x+d), x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/((e\*x + d)\*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{c d e x^2 + (c d^2 + a e^2) x + a d e}}{x^4 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(x^4\*(d + e\*x)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(x^4\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d + e x) (a e + c d x)}}{x^4 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/x\*\*4/(e\*x+d),x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(x\*\*4\*(d + e\*x)), x)

$$3.279 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^5(d+ex)} dx$$

**Optimal.** Leaf size=389

$$\frac{(-35a^2e^4 + 6acd^2e^2 + 5c^2d^4) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{96a^2d^3e^2x^2} - \frac{(-105a^3e^6 + 25a^2cd^2e^4 + 17ac^2d^4e^2 + 15c^3d^6) \sqrt{x}}{192a^3d^4e^3x}$$

**Rubi [A]** time = 0.59, antiderivative size = 389, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {849, 834, 806, 724, 206}

$$\frac{(25a^2cd^2e^4 - 105a^3e^6 + 17ac^2d^4e^2 + 15c^3d^6) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{192a^3d^4e^3x} + \frac{(-35a^2e^4 + 6acd^2e^2 + 5c^2d^4) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{96a^2d^3e^2x^2} + \frac{(cd^2 - ae^2) (15a^2cd^2e^4 + 35a^3e^6 + 9ac^2d^4e^2 + 5c^3d^6) \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{d}\sqrt{e}\sqrt{(ae^2 + cd^2) + ade + cdex^2}}\right)}{128a^2d^3e^2x^2} - \frac{\left(\frac{c}{a} - \frac{7e}{d}\right) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{24x^3} - \frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4d^4}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x^5\*(d + e\*x)),x]

[Out] -Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(4\*d\*x^4) - ((c/(a\*e) - (7\*e)/d^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(24\*x^3) + ((5\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 - 35\*a^2\*e^4)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(96\*a^2\*d^3\*e^2\*x^2) - ((15\*c^3\*d^6 + 17\*a\*c^2\*d^4\*e^2 + 25\*a^2\*c\*d^2\*e^4 - 105\*a^3\*e^6)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(192\*a^3\*d^4\*e^3\*x) + ((c\*d^2 - a\*e^2)\*(5\*c^3\*d^6 + 9\*a\*c^2\*d^4\*e^2 + 15\*a^2\*c\*d^2\*e^4 + 35\*a^3\*e^6)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(128\*a^(7/2)\*d^(9/2)\*e^(7/2))

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 724

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 806

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b

```
*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f
+ d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m
+ 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] &
& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m +
2*p + 3], 0]
```

### Rule 834

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*
x + c*x^2)^(p + 1))/((m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((m + 1)
*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(
c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m +
2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 -
4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] ||
IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 849

```
Int[((x_)^(n_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_
)), x_Symbol] := Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; F
reeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n
, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^5(d + ex)} dx &= \int \frac{ae + cd x}{x^5 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4dx^4} - \frac{\int \frac{-\frac{1}{2}ae(cd^2 - 7ae^2) + 3acde^2 x}{x^4 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx}{4ade} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4dx^4} - \frac{\left(\frac{c}{ae} - \frac{7e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24x^3} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4dx^4} - \frac{\left(\frac{c}{ae} - \frac{7e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24x^3} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4dx^4} - \frac{\left(\frac{c}{ae} - \frac{7e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24x^3} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4dx^4} - \frac{\left(\frac{c}{ae} - \frac{7e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24x^3} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4dx^4} - \frac{\left(\frac{c}{ae} - \frac{7e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24x^3} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4dx^4} - \frac{\left(\frac{c}{ae} - \frac{7e}{d^2}\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24x^3}
\end{aligned}$$

**Mathematica [A]** time = 0.36, size = 273, normalized size = 0.70

$$\frac{\sqrt{(d + ex)(ae + cd x)} \left( \frac{\sqrt{a} \sqrt{d} \sqrt{e} (a^3 e^3 (-48 d^3 + 56 d^2 e x - 70 d e^2 x^2 + 105 e^3 x^3) + a^2 c d^2 e^2 x (-8 d^2 + 12 d e x - 25 e^2 x^2) + a c^2 d^4 e x^2 (10 d - 17 e x) - 15 c^3 d^6 x^3)}{x^4} + \frac{3(-35 a^4 e^8 + 20 a^3 c d^2 e^6 + 6 a^2 d^2 d^4 e^4 + 4 a c^3 d^6 e^2 + 5 c^4 d^8) \tanh^{-1}\left(\frac{\sqrt{d} \sqrt{ae+cdx}}{\sqrt{a} \sqrt{e} \sqrt{d+ex}}\right)}{\sqrt{d+ex} \sqrt{ae+cdx}} \right)}{192 a^{7/2} d^{9/2} e^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x^5\*(d + e\*x)),x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*((Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*(-15\*c^3\*d^6\*x^3 + a\*c^2\*d^4\*e\*x^2\*(10\*d - 17\*e\*x) + a^2\*c\*d^2\*e^2\*x\*(-8\*d^2 + 12\*d\*e\*x - 25\*e^2\*x^2) + a^3\*e^3\*(-48\*d^3 + 56\*d^2\*e\*x - 70\*d\*e^2\*x^2 + 105\*e^3\*x^3)))/x^4 + (3\*(5\*c^4\*d^8 + 4\*a\*c^3\*d^6\*e^2 + 6\*a^2\*c^2\*d^4\*e^4 + 20\*a^3\*c\*d^2\*e^6 - 35\*a^4\*e^8)\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])])/(Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]))/(192\*a^(7/2)\*d^(9/2)\*e^(7/2))

**IntegrateAlgebraic [A]** time = 1.74, size = 307, normalized size = 0.79

$$\frac{\sqrt{ade + ae^2x + cd^2x + cdx^2} (-48a^3d^3e^3 + 56a^3d^2e^4x - 70a^3d^2e^3x^2 + 105a^3d^2e^3x^3 - 8a^2cd^4e^2x + 12a^2cd^3e^3x^2 - 25a^2cd^2e^4x^3 + 10a^2d^5e^3x^4 - 17a^2d^4e^2x^5 - 15c^3d^6x^3)}{192a^3d^4e^3x^4} + \frac{(35d^4e^8 - 20a^3cd^2e^6 - 6a^2c^2d^4e^4 - 4a^2d^6e^2 - 5c^4d^8) \tanh^{-1}\left(\frac{e\sqrt{de} - \sqrt{(a^2+cd)+ade+cdx^2}}{\sqrt{d}\sqrt{e}}\right)}{64a^{7/2}d^{9/2}e^{7/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(x^5\*(d + e\*x)),x]

[Out] (Sqrt[a\*d\*e + c\*d^2\*x + a\*e^2\*x + c\*d\*e\*x^2]\*(-48\*a^3\*d^3\*e^3 - 8\*a^2\*c\*d^4\*e^2\*x + 56\*a^3\*d^2\*e^4\*x + 10\*a\*c^2\*d^5\*e\*x^2 + 12\*a^2\*c\*d^3\*e^3\*x^2 - 70\*a^3\*d\*e^5\*x^2 - 15\*c^3\*d^6\*x^3 - 17\*a\*c^2\*d^4\*e^2\*x^3 - 25\*a^2\*c\*d^2\*e^4\*x^3 + 105\*a^3\*e^6\*x^3))/(192\*a^3\*d^4\*e^3\*x^4) + ((-5\*c^4\*d^8 - 4\*a\*c^3\*d^6\*e^2 - 6\*a^2\*c^2\*d^4\*e^4 - 20\*a^3\*c\*d^2\*e^6 + 35\*a^4\*e^8)\*ArcTanh[(Sqrt[c\*d\*e]\*x - Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)]/(Sqrt[a]\*Sqrt[d]\*Sqrt[e])])/(64\*a^(7/2)\*d^(9/2)\*e^(7/2))

**fricas [A]** time = 9.70, size = 702, normalized size = 1.80

-----

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x^5/(e\*x+d),x, algorithm="fricas")

[Out] [-1/768\*(3\*(5\*c^4\*d^8 + 4\*a\*c^3\*d^6\*e^2 + 6\*a^2\*c^2\*d^4\*e^4 + 20\*a^3\*c\*d^2\*e^6 - 35\*a^4\*e^8)\*sqrt(a\*d\*e)\*x^4\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) + 4\*(48\*a^4\*d^4\*e^4 + (15\*a\*c^3\*d^7\*e + 17\*a^2\*c^2\*d^5\*e^3 + 25\*a^3\*c\*d^3\*e^5 - 105\*a^4\*d\*e^7)\*x^3 - 2\*(5\*a^2\*c^2\*d^6\*e^2 + 6\*a^3\*c\*d^4\*e^4 - 35\*a^4\*d^2\*e^6)\*x^2 + 8\*(a^3\*c\*d^5\*e^3 - 7\*a^4\*d^3\*e^5)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a^4\*d^5\*e^4\*x^4), -1/384\*(3\*(5\*c^4\*d^8 + 4\*a\*c^3\*d^6\*e^2 + 6\*a^2\*c^2\*d^4\*e^4 + 20\*a^3\*c\*d^2\*e^6 - 35\*a^4\*e^8)\*sqrt(-a\*d\*e)\*x^4\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) + 2\*(48\*a^4\*d^4\*e^4 + (15\*a\*c^3\*d^7\*e + 17\*a^2\*c^2\*d^5\*e^3 + 25\*a^3\*c\*d^3\*e^5 - 105\*a^4\*d\*e^7)\*x^3 - 2\*(5\*a^2\*c^2\*d^6\*e^2 + 6\*a^3\*c\*d^4\*e^4 - 35\*a^4\*d^2\*e^6)\*x^2 + 8\*(a^3\*c\*d^5\*e^3 - 7\*a^4\*d^3\*e^5)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a^4\*d^5\*e^4\*x^4)]

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/x^5/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 2*((2
*exp(1)^4*a*exp(2)-2*exp(1)^6*a)/2/d^4/sqrt(-a*d*exp(1)^3+a*d*exp(1)*exp(2)
)*atan((-d*sqrt(c*d*exp(1))+(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp
(1))-sqrt(c*d*exp(1))*x)*exp(1))/sqrt(-a*d*exp(1)^3+a*d*exp(1)*exp(2)))+(-5
*a^4*exp(2)^4-8*exp(1)^2*a^4*exp(2)^3-16*exp(1)^4*a^4*exp(2)^2-64*exp(1)^6*
a^4*exp(2)+128*exp(1)^8*a^4-20*c*d^2*a^3*exp(2)^3-30*c^2*d^4*a^2*exp(2)^2+2
4*c^2*d^4*exp(1)^2*a^2*exp(2)-20*c^3*d^6*a*exp(2)+16*c^3*d^6*exp(1)^2*a-5*c
^4*d^8)/64/d^4/exp(1)^3/a^3/2/sqrt(-a*d*exp(1))*atan((sqrt(a*d*exp(1)+a*x*exp
(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)/sqrt(-a*d*exp(1)))+(-15*(
sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^7*a^
4*exp(2)^4-24*exp(1)^2*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-
sqrt(c*d*exp(1))*x)^7*a^4*exp(2)^3-48*exp(1)^4*(sqrt(a*d*exp(1)+a*x*exp(2)+
c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^7*a^4*exp(2)^2+192*exp(1)^6*(sq
rt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^7*a^4*
exp(2)-60*c*d^2*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*
d*exp(1))*x)^7*a^3*exp(2)^3-90*c^2*d^4*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+
c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^7*a^2*exp(2)^2+72*c^2*d^4*exp(1)^2*(sq
rt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^7*a^2*exp
(2)-60*c^3*d^6*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*
d*exp(1))*x)^7*a*exp(2)+48*c^3*d^6*exp(1)^2*(sqrt(a*d*exp(1)+a*x*exp(2)+c*
d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^7*a-15*c^4*d^8*(sqrt(a*d*exp(1)+a
*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^7+384*d*exp(1)^5*sqrt
(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp
(1))*x)^6*a^4*exp(2)-384*d*exp(1)^7*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*
exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^6*a^4+55*d*exp(1)*(sqrt
(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^5*exp
(2)^4+88*d*exp(1)^3*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sq
rt(c*d*exp(1))*x)^5*a^5*exp(2)^3+48*d*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+
c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^5*exp(2)^2-576*d*exp(1)^7*(
sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^
5*exp(2)+220*c*d^3*exp(1)*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)
))-sqrt(c*d*exp(1))*x)^5*a^4*exp(2)^3+384*c*d^3*exp(1)^5*(sqrt(a*d*exp(1)+a
*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^4*exp(2)-384*c*d^
3*exp(1)^7*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp
(1))*x)^5*a^4+330*c^2*d^5*exp(1)*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^
2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^3*exp(2)^2-264*c^2*d^5*exp(1)^3*(sqrt(a*d
*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^3*exp(2)
+220*c^3*d^7*exp(1)*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sq
rt(c*d*exp(1))*x)^5*a^2*exp(2)-176*c^3*d^7*exp(1)^3*(sqrt(a*d*exp(1)+a*x*exp
(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^2+55*c^4*d^9*exp(1)*(sq
```

$$\begin{aligned}
& \text{rt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^5*a-38 \\
& 4*d^2*\exp(1)^4*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2 \\
& *\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^4*a^5*\exp(2)^2-768*d^2*\exp(1)^6*\text{sqrt}(c*d*\exp(1) \\
& )*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^ \\
& 4*a^5*\exp(2)+1152*d^2*\exp(1)^8*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2) \\
& +c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^4*a^5+384*c*d^4*\exp(1)^4*\text{sqrt}( \\
& c*d*\exp(1))*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp \\
& p(1))*x)^4*a^4*\exp(2)-384*c*d^4*\exp(1)^6*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d*\exp(1)+ \\
& a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^4*a^4+768*c^2*d^6*\exp \\
& p(1)^4*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)) \\
& -\text{sqrt}(c*d*\exp(1))*x)^4*a^3-73*d^2*\exp(1)^2*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^ \\
& 2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^3*a^6*\exp(2)^4-40*d^2*\exp(1)^4*(\text{qr} \\
& t(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^3*a^6*\exp \\
& xp(2)^3+48*d^2*\exp(1)^6*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)) \\
& -\text{sqrt}(c*d*\exp(1))*x)^3*a^6*\exp(2)^2+576*d^2*\exp(1)^8*(\text{sqrt}(a*d*\exp(1)+a*x*\exp \\
& xp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^3*a^6*\exp(2)-292*c*d^4*\exp \\
& p(1)^2*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1)) \\
& *x)^3*a^5*\exp(2)^3-768*c*d^4*\exp(1)^4*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c \\
& *d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^3*a^5*\exp(2)^2+768*c*d^4*\exp(1)^8*(\text{sqrt}( \\
& a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^3*a^5-438 \\
& *c^2*d^6*\exp(1)^2*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}( \\
& c*d*\exp(1))*x)^3*a^4*\exp(2)^2-1416*c^2*d^6*\exp(1)^4*(\text{sqrt}(a*d*\exp(1)+a*x*\exp \\
& p(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^3*a^4*\exp(2)-384*c^2*d^6*\exp \\
& xp(1)^6*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1) \\
& )*x)^3*a^4-292*c^3*d^8*\exp(1)^2*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2 \\
& *\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^3*a^3*\exp(2)-688*c^3*d^8*\exp(1)^4*(\text{sqrt}(a*d*\exp \\
& p(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^3*a^3-73*c^4*d^ \\
& 10*\exp(1)^2*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp \\
& p(1))*x)^3*a^2+384*d^3*\exp(1)^3*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2) \\
& )+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^2*a^6*\exp(2)^3+384*d^3*\exp(1) \\
& ^5*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{qr} \\
& t(c*d*\exp(1))*x)^2*a^6*\exp(2)^2+384*d^3*\exp(1)^7*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d \\
& *\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^2*a^6*\exp(2) \\
& -1152*d^3*\exp(1)^9*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d \\
& *x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^2*a^6+1152*c*d^5*\exp(1)^3*\text{sqrt}(c*d*\exp(1)) \\
& *(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^2* \\
& a^5*\exp(2)^2+1024*c*d^5*\exp(1)^5*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d*\exp(1)+a*x*\exp( \\
& 2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^2*a^5*\exp(2)+256*c*d^5*\exp(1) \\
& ^7*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sq} \\
& rt(c*d*\exp(1))*x)^2*a^5+1152*c^2*d^7*\exp(1)^3*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d*\exp \\
& p(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^2*a^4*\exp(2)+64 \\
& 0*c^2*d^7*\exp(1)^5*\text{sqrt}(c*d*\exp(1))*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d \\
& *x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^2*a^4+384*c^3*d^9*\exp(1)^3*\text{sqrt}(c*d*\exp(1) \\
& )*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sqrt}(c*d*\exp(1))*x)^2 \\
& *a^3-15*d^3*\exp(1)^3*(\text{sqrt}(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\text{sq}
\end{aligned}$$

```

rt(c*d*exp(1))*x)*a^7*exp(2)^4-24*d^3*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+
c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^7*exp(2)^3-48*d^3*exp(1)^7*(s
qrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^7*e
xp(2)^2-192*d^3*exp(1)^9*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)
)-sqrt(c*d*exp(1))*x)*a^7*exp(2)-60*c*d^5*exp(1)^3*(sqrt(a*d*exp(1)+a*x*exp
(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^6*exp(2)^3-384*c*d^5*exp(
1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x
)*a^6*exp(2)^2-384*c*d^5*exp(1)^7*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x
^2*exp(1))-sqrt(c*d*exp(1))*x)*a^6*exp(2)-384*c*d^5*exp(1)^9*(sqrt(a*d*exp(
1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^6-90*c^2*d^7*ex
p(1)^3*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))
*x)*a^5*exp(2)^2-696*c^2*d^7*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c
*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^5*exp(2)-384*c^2*d^7*exp(1)^7*(sqrt(a*
d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^5-60*c^3*
d^9*exp(1)^3*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*e
xp(1))*x)*a^4*exp(2)-336*c^3*d^9*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2
*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^4-15*c^4*d^11*exp(1)^3*(sqrt(a*d*e
xp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^3+384*d^4*ex
p(1)^10*sqrt(c*d*exp(1))*a^7+128*c*d^6*exp(1)^6*sqrt(c*d*exp(1))*a^6*exp(2)
+128*c*d^6*exp(1)^8*sqrt(c*d*exp(1))*a^6+128*c^2*d^8*exp(1)^6*sqrt(c*d*exp(
1))*a^5)/384/d^4/exp(1)^3/a^3/((sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*
exp(1))-sqrt(c*d*exp(1))*x)^2-d*exp(1)*a^4)

```

**maple [B]** time = 0.02, size = 1494, normalized size = 3.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}/x^5/(e*x+d), x)$

[Out]  $\frac{19}{64} \frac{e^{-2}}{d} \frac{1}{a^3} \frac{1}{x} (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} * c^2 + \frac{1}{32} \frac{e^{-2}}{d} \frac{1}{a^2} \frac{1}{(a*d*e)^{(1/2)}} * \ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x) * c^3 - \frac{43}{64} \frac{1}{d^2} \frac{e^{-1}}{a^2} * c^2 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} * x - \frac{93}{64} \frac{1}{d^4} \frac{e^{-3}}{c} \frac{1}{a} * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} * x + \frac{13}{24} \frac{1}{d^3} \frac{1}{a} \frac{1}{x^3} * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} - \frac{17}{32} \frac{1}{d} \frac{1}{a^2} * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} * c^2 + \frac{5}{128} \frac{1}{d^4} \frac{1}{a^3} \frac{1}{e^3} \frac{1}{(a*d*e)^{(1/2)}} * \ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x) * c^4 - \frac{5}{64} \frac{1}{d^2} \frac{1}{a^4} \frac{1}{e^3} * c^4 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} * x + \frac{5}{64} \frac{1}{d} \frac{1}{a^4} \frac{1}{e^4} \frac{1}{x} * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} * c^3 + \frac{5}{24} \frac{1}{d} \frac{1}{a^2} \frac{1}{e^2} \frac{1}{x^3} * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} * c - \frac{7}{16} \frac{1}{e} \frac{1}{d^2} \frac{1}{a^2} \frac{1}{x^2} * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} * c - \frac{1}{d^5} \frac{1}{e^4} * ((x+d/e)^2 * c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} - \frac{29}{64} \frac{1}{d^5} \frac{1}{e^4} * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} - \frac{1}{4} \frac{1}{d^2} \frac{1}{a} \frac{1}{e} \frac{1}{x^4} * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} + \frac{1}{2} \frac{1}{d^5} \frac{1}{e^6} * \ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)} * a - \frac{1}{2} \frac{1}{d^5} \frac{1}{e^6} * \ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*$

$$e^{1/2} + ((x+d/e)^2 * c * d * e + (a * e^2 - c * d^2) * (x+d/e))^{1/2} / (c * d * e)^{1/2} * a + 1/2 / d^3 * e^4 * \ln((1/2 * a * e^2 - 1/2 * c * d^2 + (x+d/e) * c * d * e) / (c * d * e)^{1/2} + ((x+d/e)^2 * c * d * e + (a * e^2 - c * d^2) * (x+d/e))^{1/2}) / (c * d * e)^{1/2} * c + 93/64 / d^5 * e^2 / a / x * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{3/2} - 39/32 / d^3 * e^2 / a * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * c - 1/2 / d^3 * e^4 * \ln((c * d * e * x + 1/2 * a * e^2 + 1/2 * c * d^2) / (c * d * e)^{1/2} + (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2}) / (c * d * e)^{1/2} * c - 35/128 / d^4 * e^5 * a / (a * d * e)^{1/2} * \ln((2 * a * d * e + (a * e^2 + c * d^2) * x + 2 * (a * d * e)^{1/2} * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2}) / x) + 5/32 / d^2 * e^3 / (a * d * e)^{1/2} * \ln((2 * a * d * e + (a * e^2 + c * d^2) * x + 2 * (a * d * e)^{1/2} * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2}) / x) * c - 29/32 / d^4 * e / a / x^2 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{3/2} + 43/64 / d^3 / a^2 / x * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{3/2} * c + 3/64 * e / a / (a * d * e)^{1/2} * \ln((2 * a * d * e + (a * e^2 + c * d^2) * x + 2 * (a * d * e)^{1/2} * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2}) / x) * c^2 - 7/32 / e^2 * d / a^3 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * c^3 - 19/64 / e / a^3 * c^3 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * x - 5/32 / a^3 / e^3 / x^2 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{3/2} * c^2 - 5/64 * d^3 / a^4 / e^4 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * c^4$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{(ex + d)x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/x^5/(e\*x+d),x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/((e\*x + d)\*x^5), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x^5 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(x^5\*(d + e\*x)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(x^5\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d + ex)(ae + cdx)}}{x^5 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2)/x**5/(e*x+d),x)
```

```
[Out] Integral(sqrt((d + e*x)*(a*e + c*d*x))/(x**5*(d + e*x)), x)
```

$$3.280 \quad \int \frac{x^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{d + ex} dx$$

**Optimal.** Leaf size=449

$$\frac{(-35a^3e^6 - 6cdex(-7a^2e^4 - 6acd^2e^2 + 21c^2d^4) - 33a^2cd^2e^4 - 21ac^2d^4e^2 + 105c^3d^6)(x(ae^2 + cd^2) + ade + cdex)}{960c^3d^3e^4}$$

**Rubi [A]** time = 0.57, antiderivative size = 449, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 832, 779, 612, 621, 206}

$$\frac{(-6cdex(-7a^2e^4 - 6acd^2e^2 + 21c^2d^4) - 33a^2cd^2e^4 - 35a^3e^6 - 21ac^2d^4e^2 + 105c^3d^6)(x(ae^2 + cd^2) + ade + cdex)^{3/2}}{960c^3d^3e^4} - \frac{(-6a^2c^2d^4e^4 - 8a^3cd^2e^4 - 7a^4e^4 + 21a^2cd^2)(a^2 + cd^2)\sqrt{(a^2 + cd^2) + ade + cdex}}{512c^4d^4e^5} - \frac{(15a^2cd^4e^4 + 7a^3e^6 + 21ac^2d^4e^2 + 21c^2d^6)(cd^2 - ae^2)\operatorname{arctanh}\left(\frac{ae^2 + cd^2 + ade}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{(a^2 + cd^2) + ade + cdex}}\right)}{1024c^9d^9e^{11/2}} + \frac{1}{20c^2}\left(\frac{a}{cd} - \frac{3d}{e}\right)(x(ae^2 + cd^2) + ade + cdex)^{3/2}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x), x]

[Out] ((21\*c^4\*d^8 - 6\*a^2\*c^2\*d^4\*e^4 - 8\*a^3\*c\*d^2\*e^6 - 7\*a^4\*e^8)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(512\*c^4\*d^4\*e^5) + ((a/(c\*d) - (3\*d)/e^2)\*x^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/20 + (x^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(6\*e) - ((10\*5\*c^3\*d^6 - 21\*a\*c^2\*d^4\*e^2 - 33\*a^2\*c\*d^2\*e^4 - 35\*a^3\*e^6 - 6\*c\*d\*e\*(21\*c^2\*d^4 - 6\*a\*c\*d^2\*e^2 - 7\*a^2\*e^4)\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(960\*c^3\*d^3\*e^4) - ((c\*d^2 - a\*e^2)^3\*(21\*c^3\*d^6 + 21\*a\*c^2\*d^4\*e^2 + 15\*a^2\*c\*d^2\*e^4 + 7\*a^3\*e^6)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(1024\*c^(9/2)\*d^(9/2)\*e^(11/2))

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 612**

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((b + 2\*c\*x)\*(a + b\*x + c\*x^2)^p)/(2\*c\*(2\*p + 1)), x] - Dist[(p\*(b^2 - 4\*a\*c))/(2\*c\*(2\*p + 1)), Int[(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && GtQ[p, 0] && IntegerQ[4\*p]

**Rule 621**

```
Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 779

```
Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((b*e*g*(p + 2) - c*(e*f + d*g))*(2*p + 3) - 2*c*e*g*(p + 1)*x)*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]
```

### Rule 832

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + b*x + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^p*Simp[m*(c*d*f - a*e*g) + d*(2*c*f - b*g)*(p + 1) + (m*(c*e*f + c*d*g - b*e*g) + e*(p + 1)*(2*c*f - b*g))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 849

```
Int[((x_)^(n_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_)/((d_) + (e_)*(x_)), x_Symbol] := Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{d + ex} dx &= \int x^3 (ae + cdx) \sqrt{ade + (cd^2 + ae^2)x + cdex^2} dx \\
&= \frac{x^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6e} + \frac{\int x^2 (-3acd^2e - \frac{3}{2}cd(3cd^2 - ae^2)) \sqrt{ade + (cd^2 + ae^2)x + cdex^2} dx}{6e} \\
&= \frac{1}{20} \left( \frac{a}{cd} - \frac{3d}{e^2} \right) x^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2} + \frac{x^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6e} \\
&= \frac{1}{20} \left( \frac{a}{cd} - \frac{3d}{e^2} \right) x^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2} + \frac{x^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6e} \\
&= \frac{(21c^4d^8 - 6a^2c^2d^4e^4 - 8a^3cd^2e^6 - 7a^4e^8)(cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512c^4d^4e^5} \\
&= \frac{(21c^4d^8 - 6a^2c^2d^4e^4 - 8a^3cd^2e^6 - 7a^4e^8)(cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512c^4d^4e^5} \\
&= \frac{(21c^4d^8 - 6a^2c^2d^4e^4 - 8a^3cd^2e^6 - 7a^4e^8)(cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512c^4d^4e^5}
\end{aligned}$$

**Mathematica [A]** time = 2.29, size = 425, normalized size = 0.95

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \sqrt{c} \sqrt{d} \sqrt{e} (-105a^5e^{10} + 5a^4cd^8(11d+14ex) + 2a^3c^2d^2e^6(27d^2-16dex-28e^2x^2) + 6a^2c^3d^3e^4(13d^3-6d^2eex+4d^2e^2x^2+8e^3x^3) + ac^4d^4e^2(-525d^4+336d^3eex-264d^2e^2x^2+224d^2e^3x^3+1664e^4x^4) + c^5d^5(315d^5-210d^4eex+168d^3e^2x^2-144d^2e^3x^3+128d^2e^4x^4+1280e^5x^5)) - (15\sqrt{cd})(cd^2-ae^2)^{5/2} \operatorname{ArcSinh}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ae+cdx}}{\sqrt{cd}(cd^2-ae^2)}\right) \right)}{7680c^9d^{9/2}e^{11/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*(-105\*a^5\*e^10 + 5\*a^4\*c\*d\*e^8\*(11\*d + 14\*e\*x) + 2\*a^3\*c^2\*d^2\*e^6\*(27\*d^2 - 16\*d\*e\*x - 28\*e^2\*x^2) + 6\*a^2\*c^3\*d^3\*e^4\*(13\*d^3 - 6\*d^2\*e\*x + 4\*d\*e^2\*x^2 + 8\*e^3\*x^3) + a\*c^4\*d^4\*e^2\*(-525\*d^4 + 336\*d^3\*e\*x - 264\*d^2\*e^2\*x^2 + 224\*d^2\*e^3\*x^3 + 1664\*e^4\*x^4) + c^5\*d^5\*(315\*d^5 - 210\*d^4\*e\*x + 168\*d^3\*e^2\*x^2 - 144\*d^2\*e^3\*x^3 + 128\*d^2\*e^4\*x^4 + 1280\*e^5\*x^5)) - (15\*Sqrt[c\*d]\*(c\*d^2 - a\*e^2)^(5/2)\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])])/(Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)])))/(7680\*c^(9/2)\*d^(9/2)\*e^(11/2))



IntegrateAlgebraic [F] time = 180.43, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x),x]

[Out] \$Aborted

fricas [A] time = 0.51, size = 1044, normalized size = 2.33

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/30720*(15*(21*c^6*d^12 - 42*a*c^5*d^10*e^2 + 15*a^2*c^4*d^8*e^4 + 4*a^3*c^3*d^6*e^6 + 3*a^4*c^2*d^4*e^8 + 6*a^5*c*d^2*e^10 - 7*a^6*e^12)*\sqrt{c*d*e} \\ & * \log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*\sqrt{c*d*e} \\ & *x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{c*d*e} + \\ & 8*(c^2*d^3*e + a*c*d*e^3)*x) - 4*(1280*c^6*d^6*e^6*x^5 + 315*c^6*d^11*e - \\ & 525*a*c^5*d^9*e^3 + 78*a^2*c^4*d^7*e^5 + 54*a^3*c^3*d^5*e^7 + 55*a^4*c^2*d^3*e^9 - \\ & 105*a^5*c*d*e^11 + 128*(c^6*d^7*e^5 + 13*a*c^5*d^5*e^7)*x^4 - 16*(9 \\ & *c^6*d^8*e^4 - 14*a*c^5*d^6*e^6 - 3*a^2*c^4*d^4*e^8)*x^3 + 8*(21*c^6*d^9*e^3 - \\ & 33*a*c^5*d^7*e^5 + 3*a^2*c^4*d^5*e^7 - 7*a^3*c^3*d^3*e^9)*x^2 - 2*(105*c^6*d^10*e^2 - \\ & 168*a*c^5*d^8*e^4 + 18*a^2*c^4*d^6*e^6 + 16*a^3*c^3*d^4*e^8 - 35*a^4*c^2*d^2*e^10)*x) \\ & * \sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}) / (c^5*d^5*e^6), 1/15360*(15*(21*c^6*d^12 - \\ & 42*a*c^5*d^10*e^2 + 15*a^2*c^4*d^8*e^4 + 4*a^3*c^3*d^6*e^6 + 3*a^4*c^2*d^4*e^8 + \\ & 6*a^5*c*d^2*e^10 - 7*a^6*e^12)*\sqrt{-c*d*e} * \arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + \\ & (c*d^2 + a*e^2)*x}*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c*d*e} / (c^2*d^2*e^2*x^2 + \\ & a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) + 2*(1280*c^6*d^6*e^6*x^5 + 315*c^6*d^11*e - \\ & 525*a*c^5*d^9*e^3 + 78*a^2*c^4*d^7*e^5 + 54*a^3*c^3*d^5*e^7 + 55*a^4*c^2*d^3*e^9 - 10 \\ & 5*a^5*c*d*e^11 + 128*(c^6*d^7*e^5 + 13*a*c^5*d^5*e^7)*x^4 - 16*(9*c^6*d^8*e^4 - \\ & 14*a*c^5*d^6*e^6 - 3*a^2*c^4*d^4*e^8)*x^3 + 8*(21*c^6*d^9*e^3 - 33*a*c^5*d^7*e^5 + \\ & 3*a^2*c^4*d^5*e^7 - 7*a^3*c^3*d^3*e^9)*x^2 - 2*(105*c^6*d^10*e^2 - 168*a*c^5*d^8*e^4 + \\ & 18*a^2*c^4*d^6*e^6 + 16*a^3*c^3*d^4*e^8 - 35*a^4*c^2*d^2*e^10)*x) * \sqrt{c*d*e*x^2 + \\ & a*d*e + (c*d^2 + a*e^2)*x}) / (c^5*d^5*e^6)] \end{aligned}$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Warning, replacing 0 by `u`, a substitution
variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu
tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs
titution variable should perhaps be purged.Warning, replacing 0 by `u`, a
substitution variable should perhaps be purged.Warning, replacing 0 by `u`
, a substitution variable should perhaps be purged.Warning, replacing 0 by
`u`, a substitution variable should perhaps be purged.Warning, replacing 0
by `u`, a substitution variable should perhaps be purged.Warning, replaci
ng 0 by `u`, a substitution variable should perhaps be purged.Warning, rep
lacing 0 by `u`, a substitution variable should perhaps be purged.Warning,
replacing 0 by `u`, a substitution variable should perhaps be purged.Warn
ing, replacing 0 by `u`, a substitution variable should perhaps be purged.
Warning, replacing 0 by `u`, a substitution variable should perhaps be pur
ged.Warning, replacing 0 by `u`, a substitution variable should perhaps be
purged.Warning, replacing 0 by `u`, a substitution variable should perhaps
be purged.Warning, replacing 0 by `u`, a substitution variable should perh
aps be purged.Warning, replacing 0 by `u`, a substitution variable should
perhaps be purged.Warning, replacing 0 by `u`, a substitution variable shou
ld perhaps be purged.Warning, replacing 0 by `u`, a substitution variable s
hould perhaps be purged.Warning, replacing 0 by `u`, a substitution variab
le should perhaps be purged.Warning, replacing 0 by `u`, a substitution va
riable should perhaps be purged.Error: Bad Argument Type
```

**maple [B]** time = 0.03, size = 1883, normalized size = 4.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)/(e*x+d),x)
```

```
[Out] 1/8*d^6/e^5*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)-43/512/e^5*c*d^
6*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)+43/96/e^3*d^2*(c*d*e*x^2+a*d*e+(a
*e^2+c*d^2)*x)^(3/2)*x+21/512/e^3*d^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/
2)*a-7/256*e/c^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a^3+29/192/c^2/d*(
c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*a^2-75/512/e^3*c*d^6*ln((c*d*e*x+1/2
*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c
*d*e)^(1/2)*a+1/16*d^2*e*a^3/c*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*
e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+3/16*
d^6/e^3*a*c*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2
*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)-1/32*e^2/c^2*a^3/d*(c*d*
e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x+7/96*e/c^2/d^2*(c*d*e*x^2+a*d*e+(a*e^2
```

$$\begin{aligned}
& +c*d^2)*x)^{(3/2)}*x*a^2-7/256*e^4/c^3/d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*a^4+7/1024*e^7/c^4/d^4*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)))/(c*d*e)^{(1/2)}*a^6-3/512*e^5/c^3/d^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)))/(c*d*e)^{(1/2)}*a^5-17/256*e/c*d^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)))/(c*d*e)^{(1/2)}*a^3-3/16*d^4/e*a^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)))/(c*d*e)^{(1/2)}+1/4*d^5/e^4*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x-1/16*d^8/e^5*c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)))/(c*d*e)^{(1/2)}-3/128/c*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*a^2+1/4/e^2*a*d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x+11/48/e/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x*a^3-3/1024*e^3/c^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)))/(c*d*e)^{(1/2)}*a^4+177/1024/e*d^4*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)))/(c*d*e)^{(1/2)}*a^2+65/192/e^2/c*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*a+7/192*e^2/c^3/d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*a^3-43/256/e^4*c*d^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x-7/512*e^5/c^4/d^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^5-15/512*e^3/c^3/d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^4+29/256/e/c*d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^2+43/1024/e^5*c^2*d^8*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)))/(c*d*e)^{(1/2)}-7/60/e/c^2/d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*a+1/6/e^2*x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}/c/d-1/3*d^3/e^4*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}-19/60/e^3/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}+43/192/e^4*d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}-1/4*d^3/e^2*a*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x-1/8*d^2/e*a^2/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}
\end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details) Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (c d e x^2 + (c d^2 + a e^2) x + a d e)^{3/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2))/(d + e*x), x)`

[Out] `int((x^3*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2))/(d + e*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 ((d + ex)(ae + cdx))^{\frac{3}{2}}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/(e*x+d), x)`

[Out] `Integral(x**3*((d + e*x)*(a*e + c*d*x))**(3/2)/(d + e*x), x)`

$$3.281 \quad \int \frac{x^2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{d + ex} dx$$

**Optimal.** Leaf size=352

$$\frac{(-15a^2e^4 - 6cdex(7cd^2 - 3ae^2) - 12acd^2e^2 + 35c^2d^4)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{240c^2d^2e^3} + \frac{(3a^2e^4 + 6acd^2e^2 + 7c^2d^4)}{5c}$$

**Rubi [A]** time = 0.33, antiderivative size = 352, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {851, 832, 779, 612, 621, 206}

$$\frac{(3a^2e^4 + 6acd^2e^2 + 7c^2d^4)(cd^2 - ae^2)(ad^2 + cd^2 + 2cdex)\sqrt{x(ad^2 + cd^2) + ade + cdex^2}}{128c^3d^3e^4} + \frac{(-15a^2e^4 - 6cdex(7cd^2 - 3ae^2) - 12acd^2e^2 + 35c^2d^4)(x(ad^2 + cd^2) + ade + cdex^2)^{3/2}}{240c^2d^2e^3} + \frac{(3a^2e^4 + 6acd^2e^2 + 7c^2d^4)(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{ad^2 + cd^2 + 2cdex}{2a\sqrt{d}\sqrt{(ad^2 + cd^2) + ade + cdex^2}}\right)}{256c^2d^2e^2} + \frac{x^2(ad^2 + cd^2) + ade + cdex^2}{5c}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x), x]

[Out] -((c\*d^2 - a\*e^2)\*(7\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + 3\*a^2\*e^4)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(128\*c^3\*d^3\*e^4) + (x^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(5\*e) + ((35\*c^2\*d^4 - 12\*a\*c\*d^2\*e^2 - 15\*a^2\*e^4 - 6\*c\*d\*e\*(7\*c\*d^2 - 3\*a\*e^2)\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(240\*c^2\*d^2\*e^3) + ((c\*d^2 - a\*e^2)^3\*(7\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + 3\*a^2\*e^4)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(256\*c^(7/2)\*d^(7/2)\*e^(9/2))

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 612

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((b + 2\*c\*x)\*(a + b\*x + c\*x^2)^p)/(2\*c\*(2\*p + 1)), x] - Dist[(p\*(b^2 - 4\*a\*c))/(2\*c\*(2\*p + 1)), Int[(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NegQ[b^2 - 4\*a\*c, 0] && GtQ[p, 0] && IntegerQ[4\*p]

### Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a,

b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 779

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((b\*e\*g\*(p + 2) - c\*(e\*f + d\*g))\*(2\*p + 3) - 2\*c\*e\*g\*(p + 1)\*x)\*(a + b\*x + c\*x^2)^(p + 1))/(2\*c^2\*(p + 1)\*(2\*p + 3)), x] + Dist[(b^2\*e\*g\*(p + 2) - 2\*a\*c\*e\*g + c\*(2\*c\*d\*f - b\*(e\*f + d\*g))\*(2\*p + 3))/(2\*c^2\*(2\*p + 3)), Int[(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && !LeQ[p, -1]

### Rule 832

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[1/(c\*(m + 2\*p + 2)), Int[(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^p\*Simp[m\*(c\*d\*f - a\*e\*g) + d\*(2\*c\*f - b\*g)\*(p + 1) + (m\*(c\*e\*f + c\*d\*g - b\*e\*g) + e\*(p + 1)\*(2\*c\*f - b\*g))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[m, 0] && NeQ[m + 2\*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

### Rule 851

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[((f + g\*x)^n\*(a + b\*x + c\*x^2)^(m + p))/(a/d + (c\*x)/e)^m, x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0] && IntegerQ[n] && (LtQ[n, 0] || GtQ[p, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{d + ex} dx &= \int x^2 (ae + cdx) \sqrt{ade + (cd^2 + ae^2)x + cdex^2} dx \\
&= \frac{x^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{5e} + \frac{\int x \left(-2acd^2e - \frac{1}{2}cd(7cd^2 - 3ae^2)\right) \sqrt{ade + (cd^2 + ae^2)x + cdex^2} dx}{5e} \\
&= \frac{x^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{5e} + \frac{(35c^2d^4 - 12acd^2e^2 - 15a^2e^4) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^3d^3e^4} \\
&= \frac{(cd^2 - ae^2)(7c^2d^4 + 6acd^2e^2 + 3a^2e^4)(cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^3d^3e^4} \\
&= \frac{(cd^2 - ae^2)(7c^2d^4 + 6acd^2e^2 + 3a^2e^4)(cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^3d^3e^4} \\
&= \frac{(cd^2 - ae^2)(7c^2d^4 + 6acd^2e^2 + 3a^2e^4)(cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^3d^3e^4}
\end{aligned}$$

**Mathematica [A]** time = 2.77, size = 497, normalized size = 1.41

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \frac{5(3a^2d^4 + 6acd^2e^2 + 3a^2e^4) \left( 3c^2d^3 \sqrt{cd^2 + ae^2} \sqrt{(ae+cdx)^3} \sqrt{\frac{cdex}{cd^2 + ae^2}} - cd(cd^2 - ae^2) \left( -3c^2d^2e^2 \sqrt{(cd^2 - ae^2)^2} \sqrt{ae+cdx} \operatorname{sinh}^{-1} \left( \frac{\sqrt{e} \sqrt{d} \sqrt{ae+cdx}}{\sqrt{cd} \sqrt{cd^2 - ae^2}} \right) + 2^2 (cd)^{5/2} \sqrt{cd^2 - ae^2} (ae+cdx)^2 \sqrt{\frac{cdex}{cd^2 - ae^2}} + 3c(cd)^{3/2} (cd^2 - ae^2)^{3/2} (ae+cdx) \sqrt{\frac{cdex}{cd^2 - ae^2}} \right) - 48c^4d^4e^3(d+ex)(5a^2+7cd^2)(ae+cdx)^3}{\sqrt{cd} \sqrt{cd^2 - ae^2} \sqrt{\frac{cdex}{cd^2 - ae^2}}}{384c^3d^4e^4(ae+cdx)} + x(d+ex)(ae+cdx)^2 \right)}{5cde}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(x\*(a\*e + c\*d\*x)^2\*(d + e\*x) + (-48\*c^4\*d^4\*e^3\*(7\*c\*d^2 + 5\*a\*e^2)\*(a\*e + c\*d\*x)^3\*(d + e\*x) + (5\*(7\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + 3\*a^2\*e^4)\*(8\*c^3\*d^3\*Sqrt[c\*d]\*e^3\*Sqrt[c\*d^2 - a\*e^2]\*(a\*e + c\*d\*x)^3\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)] - c\*d\*(c\*d^2 - a\*e^2)\*(3\*(c\*d)^(5/2)\*e\*(c\*d^2 - a\*e^2)^(3/2)\*(a\*e + c\*d\*x)\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)] - 2\*(c\*d)^(5/2)\*e^2\*Sqrt[c\*d^2 - a\*e^2]\*(a\*e + c\*d\*x)^2\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)] - 3\*c^(5/2)\*d^(5/2)\*Sqrt[e]\*(c\*d^2 - a\*e^2)^2\*Sqrt[a\*e + c\*d\*x]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])]))/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]))/(384\*c^5\*d^5\*e^4\*(a\*e + c\*d\*x)))/(5\*c\*d\*e)

**IntegrateAlgebraic [F]** time = 181.18, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(x^2*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2))/(d + e*x),x]
```

```
[Out] $Aborted
```

```
fricas [A] time = 0.46, size = 846, normalized size = 2.40
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d),x, algorithm="fricas")
```

```
[Out] [-1/7680*(15*(7*c^5*d^10 - 15*a*c^4*d^8*e^2 + 6*a^2*c^3*d^6*e^4 + 2*a^3*c^2*d^4*e^6 + 3*a^4*c*d^2*e^8 - 3*a^5*e^10)*sqrt(c*d*e)*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 - 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(c*d*e) + 8*(c^2*d^3*e + a*c*d*e^3)*x) - 4*(384*c^5*d^5*e^5*x^4 - 105*c^5*d^9*e + 190*a*c^4*d^7*e^3 - 36*a^2*c^3*d^5*e^5 - 30*a^3*c^2*d^3*e^7 + 45*a^4*c*d*e^9 + 48*(c^5*d^6*e^4 + 11*a*c^4*d^4*e^6)*x^3 - 8*(7*c^5*d^7*e^3 - 12*a*c^4*d^5*e^5 - 3*a^2*c^3*d^3*e^7)*x^2 + 2*(35*c^5*d^8*e^2 - 61*a*c^4*d^6*e^4 + 9*a^2*c^3*d^4*e^6 - 15*a^3*c^2*d^2*e^8)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c^4*d^4*e^5), - 1/3840*(15*(7*c^5*d^10 - 15*a*c^4*d^8*e^2 + 6*a^2*c^3*d^6*e^4 + 2*a^3*c^2*d^4*e^6 + 3*a^4*c*d^2*e^8 - 3*a^5*e^10)*sqrt(-c*d*e)*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(-c*d*e)/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) - 2*(384*c^5*d^5*e^5*x^4 - 105*c^5*d^9*e + 190*a*c^4*d^7*e^3 - 36*a^2*c^3*d^5*e^5 - 30*a^3*c^2*d^3*e^7 + 45*a^4*c*d*e^9 + 48*(c^5*d^6*e^4 + 11*a*c^4*d^4*e^6)*x^3 - 8*(7*c^5*d^7*e^3 - 12*a*c^4*d^5*e^5 - 3*a^2*c^3*d^3*e^7)*x^2 + 2*(35*c^5*d^8*e^2 - 61*a*c^4*d^6*e^4 + 9*a^2*c^3*d^4*e^6 - 15*a^3*c^2*d^2*e^8)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c^4*d^4*e^5)]
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, replacing 0 by `u`, a substitution
variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu
```





```

7/e^4*c^2*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c
*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)-1/16*e/c^2/d^2*(c*d*e*x^2+
a*d*e+(a*e^2+c*d^2)*x)^(3/2)*a^2+9/64/e^3*c*d^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d
^2)*x)^(1/2)*x+3/128*e^4/c^3/d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a^
4-1/8/c/d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*x*a+3/64*e/c*(c*d*e*x^2+a
*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a^2+1/3*d^2/e^3*((x+d/e)^2*c*d*e+(a*e^2-c*d^2
)*(x+d/e))^(3/2)-3/16/e^3*d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)+1/4*d
^2/e*a*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x-1/4*d^4/e^3*c*((x+d/
e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x+3/64*e^2/c^2/d*(c*d*e*x^2+a*d*e+(
a*e^2+c*d^2)*x)^(1/2)*a^3-15/64/e*d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/
2)*x*a-9/256/e^4*c^2*d^7*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c
*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)

```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d),x, algorithm=
"maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(a*e^2-c*d^2>0)', see `assume?` for
more details)Is a*e^2-c*d^2 zero or nonzero?
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (c d e x^2 + (c d^2 + a e^2) x + a d e)^{3/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^2*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2))/(d + e*x),x)
```

```
[Out] int((x^2*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2))/(d + e*x), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 ((d + e x) (a e + c d x))^{\frac{3}{2}}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/(e*x+d),x)
```

```
[Out] Integral(x**2*((d + e*x)*(a*e + c*d*x))**(3/2)/(d + e*x), x)
```

$$3.282 \quad \int \frac{x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{d+ex} dx$$

**Optimal.** Leaf size=295

$$\frac{(3ae^2 + 5cd^2)(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{128c^{5/2}d^{5/2}e^{7/2}} + \frac{(3ae^2 + 5cd^2)(cd^2 - ae^2)(ae^2 + cd^2 + 2cdex)^{3/2}}{64c^2d^2e^3}$$

**Rubi [A]** time = 0.28, antiderivative size = 295, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$ , Rules used = {794, 664, 612, 621, 206}

$$\frac{(3ae^2 + 5cd^2)(cd^2 - ae^2)(ae^2 + cd^2 + 2cdex)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64c^2d^2e^3} - \frac{(3ae^2 + 5cd^2)(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{128c^{5/2}d^{5/2}e^{7/2}} + \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{4cde(d + ex)} - \frac{1}{24}\left(\frac{3a}{cd} + \frac{5d}{e^2}\right)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x), x]

[Out] ((c\*d^2 - a\*e^2)\*(5\*c\*d^2 + 3\*a\*e^2)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(64\*c^2\*d^2\*e^3) - (((3\*a)/(c\*d) + (5\*d)/e^2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/24 + (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(4\*c\*d\*e\*(d + e\*x)) - ((c\*d^2 - a\*e^2)^3\*(5\*c\*d^2 + 3\*a\*e^2)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(128\*c^(5/2)\*d^(5/2)\*e^(7/2))

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 612

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((b + 2\*c\*x)\*(a + b\*x + c\*x^2)^p)/(2\*c\*(2\*p + 1)), x] - Dist[(p\*(b^2 - 4\*a\*c))/(2\*c\*(2\*p + 1)), Int[(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && GtQ[p, 0] && IntegerQ[4\*p]

### Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a,

b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 664

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p)/(e\*(m + 2\*p + 1)), x] - Dist[(p\*(2\*c\*d - b\*e))/(e^2\*(m + 2\*p + 1)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[p, 0] && (LeQ[-2, m, 0] || EqQ[m + p + 1, 0]) && NeQ[m + 2\*p + 1, 0] && IntegerQ[2\*p]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{x \left( a d e + (c d^2 + a e^2) x + c d e x^2 \right)^{3/2}}{d + e x} dx &= \frac{\left( a d e + (c d^2 + a e^2) x + c d e x^2 \right)^{5/2}}{4 c d e (d + e x)} + \frac{1}{8} \left( -\frac{5 d}{e} - \frac{3 a e}{c d} \right) \int \frac{\left( a d e + (c d^2 + a e^2) x + c d e x^2 \right)^{3/2}}{d + e x} dx \\
 &= -\frac{1}{24} \left( \frac{3 a}{c d} + \frac{5 d}{e^2} \right) \left( a d e + (c d^2 + a e^2) x + c d e x^2 \right)^{3/2} + \frac{\left( a d e + (c d^2 + a e^2) x + c d e x^2 \right)^{5/2}}{4 c d e (d + e x)} \\
 &= \frac{(c d^2 - a e^2) (5 c d^2 + 3 a e^2) (c d^2 + a e^2 + 2 c d e x) \sqrt{a d e + (c d^2 + a e^2) x + c d e x^2}}{64 c^2 d^2 e^3} \\
 &= \frac{(c d^2 - a e^2) (5 c d^2 + 3 a e^2) (c d^2 + a e^2 + 2 c d e x) \sqrt{a d e + (c d^2 + a e^2) x + c d e x^2}}{64 c^2 d^2 e^3} \\
 &= \frac{(c d^2 - a e^2) (5 c d^2 + 3 a e^2) (c d^2 + a e^2 + 2 c d e x) \sqrt{a d e + (c d^2 + a e^2) x + c d e x^2}}{64 c^2 d^2 e^3}
 \end{aligned}$$

**Mathematica [A]** time = 1.24, size = 276, normalized size = 0.94

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \sqrt{c} \sqrt{d} \sqrt{e} (-9a^3e^6 + 3a^2cde^4(3d+2ex) + ac^2d^2e^2(-31d^2+20dex+72e^2x^2) + c^3d^3(15d^3-10d^2ex+8de^2x^2+48e^3x^3)) - \frac{3\sqrt{cd}(cd^2-ac^2)^{5/2}(3ae^2+5cd^2) \operatorname{sinh}^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd^2-ac^2}}\right)}{\sqrt{ae+cdx}\sqrt{\frac{cd(d+ex)}{cd^2-ac^2}}} \right)}{192c^{5/2}d^{5/2}e^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x),x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*(-9\*a^3\*e^6 + 3\*a^2\*c\*d\*e^4\*(3\*d + 2\*e\*x) + a\*c^2\*d^2\*e^2\*(-31\*d^2 + 20\*d\*e\*x + 72\*e^2\*x^2) + c^3\*d^3\*(15\*d^3 - 10\*d^2\*e\*x + 8\*d\*e^2\*x^2 + 48\*e^3\*x^3)) - (3\*Sqrt[c\*d]\*(c\*d^2 - a\*e^2)^(5/2)\*(5\*c\*d^2 + 3\*a\*e^2)\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])])/(Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)])))/(192\*c^(5/2)\*d^(5/2)\*e^(7/2))

**IntegrateAlgebraic [F]** time = 180.77, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x),x]

[Out] \$Aborted

**fricas [A]** time = 0.46, size = 676, normalized size = 2.29

$$\frac{-1}{768} \left( 3(5c^4d^8 - 12a^2c^3d^6e^2 + 6a^2c^2d^4e^4 + 4a^3cd^2e^6 - 3a^4e^8) \sqrt{cde} \log(8c^2d^2e^2x^2 + c^2d^4 + 6a^2cd^2e^2 + a^2e^4 + 4\sqrt{cde}x^2 + a^2d^2 + a^2e^2) \sqrt{cde} + 8(c^2d^3e + a^2cde^3)x - 4(48c^4d^4e^4x^3 + 15c^4d^7e - 31a^2c^3d^5e^3 + 9a^2c^2d^3e^5 - 9a^3cd^4e^7 + 8(c^4d^5e^3 + 9a^2c^3d^3e^5)x^2 - 2(5c^4d^6e^2 - 10a^2c^3d^4e^4 - 3a^2c^2d^2e^6)x) \sqrt{cde} + (c^2d^2e^2x^2 + a^2d^2 + a^2e^2)x \right) / (c^3d^3e^4) + \frac{1}{384} \left( 3(5c^4d^8 - 12a^2c^3d^6e^2 + 6a^2c^2d^4e^4 + 4a^3cd^2e^6 - 3a^4e^8) \sqrt{-cde} \arctan\left(\frac{1}{2}\sqrt{cde}x^2 + a^2d^2 + a^2e^2\right) \sqrt{-cde} + (2c^2d^2e^2x^2 + a^2cd^2e^2 + (c^2d^3e + a^2cde^3)x) \right) + 2(48c^4d^4e^4x^3 + 15$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d),x, algorithm="fricas")

[Out] [-1/768\*(3\*(5\*c^4\*d^8 - 12\*a^2\*c^3\*d^6\*e^2 + 6\*a^2\*c^2\*d^4\*e^4 + 4\*a^3\*c\*d^2\*e^6 - 3\*a^4\*e^8)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a^2\*c\*d^2\*e^2 + a^2\*e^4 + 4\*sqrt(c\*d\*e\*x^2 + a\*d^2 + a^2\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a^2\*c\*d\*e^3)\*x) - 4\*(48\*c^4\*d^4\*e^4\*x^3 + 15\*c^4\*d^7\*e - 31\*a^2\*c^3\*d^5\*e^3 + 9\*a^2\*c^2\*d^3\*e^5 - 9\*a^3\*c\*d^4\*e^7 + 8\*(c^4\*d^5\*e^3 + 9\*a^2\*c^3\*d^3\*e^5)\*x^2 - 2\*(5\*c^4\*d^6\*e^2 - 10\*a^2\*c^3\*d^4\*e^4 - 3\*a^2\*c^2\*d^2\*e^6)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d^2 + (c\*d^2 + a\*e^2)\*x))/(c^3\*d^3\*e^4), 1/384\*(3\*(5\*c^4\*d^8 - 12\*a^2\*c^3\*d^6\*e^2 + 6\*a^2\*c^2\*d^4\*e^4 + 4\*a^3\*c\*d^2\*e^6 - 3\*a^4\*e^8)\*sqrt(-c\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d^2 + a^2\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(-c\*d\*e)/(c^2\*d^2\*e^2\*x^2 + a\*c\*d^2\*e^2 + (c^2\*d^3\*e + a\*c\*d\*e^3)\*x)) + 2\*(48\*c^4\*d^4\*e^4\*x^3 + 15

```
*c^4*d^7*e - 31*a*c^3*d^5*e^3 + 9*a^2*c^2*d^3*e^5 - 9*a^3*c*d*e^7 + 8*(c^4*d^5*e^3 + 9*a*c^3*d^3*e^5)*x^2 - 2*(5*c^4*d^6*e^2 - 10*a*c^3*d^4*e^4 - 3*a^2*c^2*d^2*e^6)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c^3*d^3*e^4)]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Warning, replacing 0 by `u`, a substitution
variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu
tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs
titution variable should perhaps be purged.Warning, replacing 0 by `u`, a
substitution variable should perhaps be purged.Warning, replacing 0 by `u`
, a substitution variable should perhaps be purged.Warning, replacing 0 by
`u`, a substitution variable should perhaps be purged.Warning, replacing 0
by `u`, a substitution variable should perhaps be purged.Warning, replaci
ng 0 by `u`, a substitution variable should perhaps be purged.Warning, rep
lacing 0 by `u`, a substitution variable should perhaps be purged.Warning,
replacing 0 by `u`, a substitution variable should perhaps be purged.Warn
ing, replacing 0 by `u`, a substitution variable should perhaps be purged.
Warning, replacing 0 by `u`, a substitution variable should perhaps be pur
ged.Warning, replacing 0 by `u`, a substitution variable should perhaps be
purged.Warning, replacing 0 by `u`, a substitution variable should perhaps
s be purged.Warning, replacing 0 by `u`, a substitution variable should pe
rhaps be purged.Error: Bad Argument Type
```

**maple** [B] time = 0.01, size = 1279, normalized size = 4.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)/(e*x+d),x)
```

```
[Out] 1/4/e*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*x+1/8/c/d*(c*d*e*x^2+a*d*e+(a
*e^2+c*d^2)*x)^(3/2)*a+1/8/e^2*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)-3/
32*e^2/c/d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a^2+3/16*d*(c*d*e*x^2+
a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a-3/32/e^2*c*d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d
^2)*x)^(1/2)*x-3/64*e^3/c^2/d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a^3
+3/64*e/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a^2+3/64/e*d^2*(c*d*e*x^2
```

```

+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a-3/64/e^3*c*d^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^
2)*x)^(1/2)+3/128*e^5/c^2/d^2*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2
)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*a^4-3/32*e^3/c*ln(
(c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*
x)^(1/2))/(c*d*e)^(1/2)*a^3+9/64*e*d^2*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*
d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*a^2-3/32/
e*c*d^4*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*
e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*a+3/128/e^3*c^2*d^6*ln((c*d*e*x+1/2*a*e^
2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)
^(1/2)-1/3*d/e^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(3/2)-1/4*d*a*((x+
d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x-1/8*e*a^2/c*((x+d/e)^2*c*d*e+(a
*e^2-c*d^2)*(x+d/e))^(1/2)+1/16*e^3*a^3/c*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c
*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(
1/2)-3/16*d^2*e*a^2*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((
x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+3/16*d^4/e*a*c
ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^
2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+1/4*d^3/e^2*c*((x+d/e)^2*c*d*e+(a*e^
2-c*d^2)*(x+d/e))^(1/2)*x+1/8*d^4/e^3*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d
/e))^(1/2)-1/16*d^6/e^3*c^2*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(
1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)

```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d),x, algorithm="m
axima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(a*e^2-c*d^2>0)', see `assume?` for
more details)Is a*e^2-c*d^2 zero or nonzero?
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \left( c d e x^2 + (c d^2 + a e^2) x + a d e \right)^{3/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2))/(d + e*x),x)
```

```
[Out] int((x*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2))/(d + e*x), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x((d+ex)(ae+cdx))^{\frac{3}{2}}}{d+ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d),x)

[Out] Integral(x\*((d + e\*x)\*(a\*e + c\*d\*x))\*\*(3/2)/(d + e\*x), x)



$$3.283 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{d + ex} dx$$

**Optimal.** Leaf size=201

$$\frac{(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{16c^{3/2}d^{3/2}e^{5/2}} + \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3e} + \frac{1}{8}\left(\frac{a}{cd} - \frac{d}{e^2}\right)(ae^2 + cd^2 +$$

**Rubi [A]** time = 0.12, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$ , Rules used = {664, 612, 621, 206}

$$\frac{(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{16c^{3/2}d^{3/2}e^{5/2}} + \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3e} + \frac{1}{8}\left(\frac{a}{cd} - \frac{d}{e^2}\right)(ae^2 + cd^2 + 2cdex)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(d + e\*x),x]

[Out] ((a/(c\*d) - d/e^2)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/8 + (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(3\*e) + ((c\*d^2 - a\*e^2)^3\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(16\*c^(3/2)\*d^(3/2)\*e^(5/2))

**Rule 206**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 612**

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((b + 2\*c\*x)\*(a + b\*x + c\*x^2)^p)/(2\*c\*(2\*p + 1)), x] - Dist[(p\*(b^2 - 4\*a\*c))/(2\*c\*(2\*p + 1)), Int[(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && GtQ[p, 0] && IntegerQ[4\*p]

**Rule 621**

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 664

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[(p*(2*c*d - b*e))/(e^2*(m + 2*p + 1)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (LeQ[-2, m, 0] || EqQ[m + p + 1, 0]) && NeQ[m + 2*p + 1, 0] && IntegerQ[2*p]
```

Rubi steps

$$\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{d + ex} dx = \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3e} - \frac{(2cd^2e - e(cd^2 + ae^2)) \int \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2e^2}$$

$$= \frac{1}{8} \left( \frac{a}{cd} - \frac{d}{e^2} \right) (cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2} + \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3e} - \frac{(2cd^2e - e(cd^2 + ae^2)) \int \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2e^2}$$

$$= \frac{1}{8} \left( \frac{a}{cd} - \frac{d}{e^2} \right) (cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2} + \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3e} - \frac{(2cd^2e - e(cd^2 + ae^2)) \int \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2e^2}$$

$$= \frac{1}{8} \left( \frac{a}{cd} - \frac{d}{e^2} \right) (cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2} + \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3e} - \frac{(2cd^2e - e(cd^2 + ae^2)) \int \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2e^2}$$

**Mathematica [A]** time = 0.67, size = 264, normalized size = 1.31

$$\frac{\sqrt{c} \sqrt{d} \left( 3 (cd^2 - ae^2)^{7/2} \sqrt{ae + cdx} \sqrt{\frac{cd(d+ex)}{cd^2 - ae^2}} \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{e} \sqrt{ae + cdx}}{\sqrt{cd} \sqrt{cd^2 - ae^2}} \right) - \sqrt{c} \sqrt{d} \sqrt{e} \sqrt{cd} (d + ex) (-3a^3e^5 - a^2cde^3(8d + 17ex) + ac^2d^2e(3d^2 - 10dex - 22e^2x^2) + c^3d^3x(3d^2 - 2dex - 8e^2x^2)) \right)}{24e^{5/2}(cd)^{5/2}\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)/(d + e*x), x]
```

```
[Out] (Sqrt[c]*Sqrt[d]*(-(Sqrt[c]*Sqrt[d]*Sqrt[c*d]*Sqrt[e]*(d + e*x)*(-3*a^3*e^5 - a^2*c*d*e^3*(8*d + 17*e*x) + a*c^2*d^2*e*(3*d^2 - 10*d*e*x - 22*e^2*x^2) + c^3*d^3*x*(3*d^2 - 2*d*e*x - 8*e^2*x^2))) + 3*(c*d^2 - a*e^2)^(7/2)*Sqrt[a*e + c*d*x]*Sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2)]*ArcSinh[(Sqrt[c]*Sqrt[d]*Sqrt[e]*Sqrt[a*e + c*d*x])/(Sqrt[c*d]*Sqrt[c*d^2 - a*e^2])])/(24*(c*d)^(5/2)*e^(5/2)*Sqrt[(a*e + c*d*x)*(d + e*x)])
```

**IntegrateAlgebraic [B]** time = 0.23, size = 13228, normalized size = 65.81

Result too large to show

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)/(d + e*x),
x]
```

```
[Out] Result too large to show
```

```
fricas [A] time = 0.43, size = 532, normalized size = 2.65
```

$$\frac{3\sqrt{c^3d^6 - 3a^2c^2d^4e^2 + 3a^3e^6} \log\left(\frac{8c^2d^2e^2x^2 + c^2d^4 + 6a^2c^2d^2e^2 + a^2e^4 - 4\sqrt{c^3d^6 - 3a^2c^2d^4e^2 + 3a^3e^6} \sqrt{c^2d^2e^2x^2 + a^2d^2e^2 + (c^2d^2 + a^2e^2)x}}{8c^2d^2e^2x^2 + c^2d^4 + 6a^2c^2d^2e^2 + a^2e^4}\right) - 4\sqrt{c^3d^6 - 3a^2c^2d^4e^2 + 3a^3e^6} \arctan\left(\frac{2\sqrt{c^3d^6 - 3a^2c^2d^4e^2 + 3a^3e^6} \sqrt{c^2d^2e^2x^2 + a^2d^2e^2 + (c^2d^2 + a^2e^2)x}}{2(c^2d^2e^2x^2 + a^2d^2e^2 + (c^2d^2 + a^2e^2)x)}\right) - 2\sqrt{c^3d^6 - 3a^2c^2d^4e^2 + 3a^3e^6} \sqrt{c^2d^2e^2x^2 + a^2d^2e^2 + (c^2d^2 + a^2e^2)x}}{8c^2d^2e^2x^2 + c^2d^4 + 6a^2c^2d^2e^2 + a^2e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d),x, algorithm="fricas")
```

```
[Out] [-1/96*(3*(c^3*d^6 - 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 - a^3*e^6)*sqrt(c*d*e)*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 - 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(c*d*e) + 8*(c^2*d^3*e + a*c*d*e^3)*x) - 4*(8*c^3*d^3*e^3*x^2 - 3*c^3*d^5*e + 8*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5 + 2*(c^3*d^4*e^2 + 7*a*c^2*d^2*e^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c^2*d^2*e^3), -1/48*(3*(c^3*d^6 - 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 - a^3*e^6)*sqrt(-c*d*e)*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(-c*d*e)/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) - 2*(8*c^3*d^3*e^3*x^2 - 3*c^3*d^5*e + 8*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5 + 2*(c^3*d^4*e^2 + 7*a*c^2*d^2*e^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(c^2*d^2*e^3)]
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, replacing 0 by `u`, a substitution
variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu
tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs
titution variable should perhaps be purged.Warning, replacing 0 by `u`, a
substitution variable should perhaps be purged.Warning, replacing 0 by `u`
, a substitution variable should perhaps be purged.Warning, replacing 0 by
`u`, a substitution variable should perhaps be purged.Warning, replacing 0
by `u`, a substitution variable should perhaps be purged.Warning, replaci
```

ng 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Error: Bad Argument Type

**maple [B]** time = 0.01, size = 566, normalized size = 2.82

$$\frac{a^2 \sqrt{c d x^2 + a d e + (a^2 e^2 - c d^2) x}}{16 \sqrt{d} e^2} + \frac{a^2 \sqrt{c d x^2 + a d e + (a^2 e^2 - c d^2) x}}{16 \sqrt{d} e^2} + \frac{a^2 \sqrt{c d x^2 + a d e + (a^2 e^2 - c d^2) x}}{16 \sqrt{d} e^2} + \frac{a^2 \sqrt{c d x^2 + a d e + (a^2 e^2 - c d^2) x}}{16 \sqrt{d} e^2} + \frac{a^2 \sqrt{c d x^2 + a d e + (a^2 e^2 - c d^2) x}}{16 \sqrt{d} e^2} + \frac{a^2 \sqrt{c d x^2 + a d e + (a^2 e^2 - c d^2) x}}{16 \sqrt{d} e^2} + \frac{a^2 \sqrt{c d x^2 + a d e + (a^2 e^2 - c d^2) x}}{16 \sqrt{d} e^2} + \frac{a^2 \sqrt{c d x^2 + a d e + (a^2 e^2 - c d^2) x}}{16 \sqrt{d} e^2} + \frac{a^2 \sqrt{c d x^2 + a d e + (a^2 e^2 - c d^2) x}}{16 \sqrt{d} e^2} + \frac{a^2 \sqrt{c d x^2 + a d e + (a^2 e^2 - c d^2) x}}{16 \sqrt{d} e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d),x)

[Out] 1/3/e\*((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(3/2)+1/4\*e\*a\*((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2)\*x+1/8\*e^2\*a^2/c/d\*((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2)-1/16\*e^4\*a^3/c/d\*ln((1/2\*a\*e^2-1/2\*c\*d^2+(x+d/e)\*c\*d\*e)/(c\*d\*e)^(1/2)+((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2))/(c\*d\*e)^(1/2)+3/16\*e^2\*a^2\*d\*ln((1/2\*a\*e^2-1/2\*c\*d^2+(x+d/e)\*c\*d\*e)/(c\*d\*e)^(1/2)+((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2))/(c\*d\*e)^(1/2)-3/16\*a\*c\*d^3\*ln((1/2\*a\*e^2-1/2\*c\*d^2+(x+d/e)\*c\*d\*e)/(c\*d\*e)^(1/2)+((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2))/(c\*d\*e)^(1/2)-1/4/e\*c\*d^2\*((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2)\*x-1/8/e^2\*c\*d^3\*((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2)+1/16/e^2\*c^2\*d^5\*ln((1/2\*a\*e^2-1/2\*c\*d^2+(x+d/e)\*c\*d\*e)/(c\*d\*e)^(1/2)+((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2))/(c\*d\*e)^(1/2)

**maxima [B]** time = 0.50, size = 462, normalized size = 2.30

$$\frac{3 a^2 d^2 \log \left( 2 c d x^2 + c d^2 / e + a e + 2 \sqrt{c d e x^2 + c d^2 x + a e^2 x + a d e} \sqrt{c d / e} \right)}{16 \left( \frac{d}{e} \right)^2} + \frac{a^2 d^2 \log \left( 2 c d x^2 + c d^2 / e + a e + 2 \sqrt{c d e x^2 + c d^2 x + a e^2 x + a d e} \sqrt{c d / e} \right)}{16 \left( \frac{d}{e} \right)^2} + \frac{3 a^2 d^2 \log \left( 2 c d x^2 + c d^2 / e + a e + 2 \sqrt{c d e x^2 + c d^2 x + a e^2 x + a d e} \sqrt{c d / e} \right)}{16 \left( \frac{d}{e} \right)^2} + \frac{a^2 d^2 \log \left( 2 c d x^2 + c d^2 / e + a e + 2 \sqrt{c d e x^2 + c d^2 x + a e^2 x + a d e} \sqrt{c d / e} \right)}{16 \left( \frac{d}{e} \right)^2} + \frac{\sqrt{c d e x^2 + c d^2 x + a e^2 x + a d e}}{4 e} + \frac{1}{4} \sqrt{c d e x^2 + c d^2 x + a e^2 x + a d e} + \frac{\sqrt{c d e x^2 + c d^2 x + a e^2 x + a d e}}{8 e^2} + \frac{\sqrt{c d e x^2 + c d^2 x + a e^2 x + a d e}}{8 e^2} + \frac{c d e x^2 + c d^2 x + a e^2 x + a d e}{3 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d),x, algorithm="maxima")

[Out] 3/16\*a^2\*c\*d^2\*log(2\*c\*d\*x + c\*d^2/e + a\*e + 2\*sqrt(c\*d\*e\*x^2 + c\*d^2\*x + a\*e^2\*x + a\*d\*e)\*sqrt(c\*d/e))/(c\*d/e)^(3/2) + 1/16\*c^3\*d^6\*log(2\*c\*d\*x + c\*d^2/e + a\*e + 2\*sqrt(c\*d\*e\*x^2 + c\*d^2\*x + a\*e^2\*x + a\*d\*e)\*sqrt(c\*d/e))/((c\*d/e)^(3/2)\*e^4) - 3/16\*a\*c^2\*d^4\*log(2\*c\*d\*x + c\*d^2/e + a\*e + 2\*sqrt(c\*d\*e\*x^2 + c\*d^2\*x + a\*e^2\*x + a\*d\*e)\*sqrt(c\*d/e))/((c\*d/e)^(3/2)\*e^2) - 1/16\*a^3\*e^2\*log(2\*c\*d\*x + c\*d^2/e + a\*e + 2\*sqrt(c\*d\*e\*x^2 + c\*d^2\*x + a\*e^2\*x + a\*d\*e)\*sqrt(c\*d/e))/(c\*d/e)^(3/2) - 1/4\*sqrt(c\*d\*e\*x^2 + c\*d^2\*x + a\*e^2\*x + a\*d\*e)\*c\*d^2\*x/e + 1/4\*sqrt(c\*d\*e\*x^2 + c\*d^2\*x + a\*e^2\*x + a\*d\*e)\*a\*e\*x - 1/8\*sqrt(c\*d\*e\*x^2 + c\*d^2\*x + a\*e^2\*x + a\*d\*e)\*c\*d^3/e^2 + 1/8\*sqrt(c

$d^2 e x^2 + c d^2 x + a e^2 x + a d e) a^2 e^2 / (c d) + 1/3 (c d e x^2 + c d^2 x + a e^2 x + a d e)^{3/2} / e$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{3/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/(d + e\*x), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/(d + e\*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + e x)(a e + c d x))^{\frac{3}{2}}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d), x)

[Out] Integral(((d + e\*x)\*(a\*e + c\*d\*x))\*\*(3/2)/(d + e\*x), x)

$$3.284 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x(d+ex)} dx$$

Optimal. Leaf size=251

$$-a^{3/2}\sqrt{d}e^{3/2}\tanh^{-1}\left(\frac{x(ae^2+cd^2)+2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right) - \frac{(-3a^2e^4 - 6acd^2e^2 + c^2d^4)\tanh^{-1}\left(\frac{ae^2+cd^2}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x}}\right)}{8\sqrt{c}\sqrt{d}e^{3/2}}$$

**Rubi [A]** time = 0.28, antiderivative size = 251, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 814, 843, 621, 206, 724}

$$\frac{(-3a^2e^4 - 6acd^2e^2 + c^2d^4)\tanh^{-1}\left(\frac{ae^2+cd^2+2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{8\sqrt{c}\sqrt{d}e^{3/2}} - a^{3/2}\sqrt{d}e^{3/2}\tanh^{-1}\left(\frac{x(ae^2+cd^2)+2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right) + \frac{(5ae^2+cd^2+2cdex)\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4e}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x\*(d + e\*x)), x]

[Out] ((c\*d^2 + 5\*a\*e^2 + 2\*c\*d\*e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*e) - ((c^2\*d^4 - 6\*a\*c\*d^2\*e^2 - 3\*a^2\*e^4)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(8\*Sqrt[c]\*Sqrt[d]\*e^(3/2)) - a^(3/2)\*Sqrt[d]\*e^(3/2)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c,

d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 814

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 849

```
Int[((x_)^(n_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_))/((d_.) + (e_.)*(x_)), x_Symbol] := Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
 \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x(d + ex)} dx &= \int \frac{(ae + cdx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x} dx \\
 &= \frac{(cd^2 + 5ae^2 + 2cdex)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4e} - \int \frac{-4a^2cd^2e^3 + \frac{1}{2}cd(c^2d^2 + ae^2)}{x\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\
 &= \frac{(cd^2 + 5ae^2 + 2cdex)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4e} + (a^2de^2) \int \frac{1}{x\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\
 &= \frac{(cd^2 + 5ae^2 + 2cdex)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4e} - (2a^2de^2) \text{Subst} \left( \int \frac{1}{x\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx, x, \frac{cd^2 + ae^2}{x} \right) \\
 &= \frac{(cd^2 + 5ae^2 + 2cdex)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4e} - \frac{(c^2d^4 - 6acd^2e^2)}{4e}
 \end{aligned}$$

**Mathematica [A]** time = 0.85, size = 275, normalized size = 1.10

$$\frac{\sqrt{d+ex}(ae+cdx) \left( -\frac{8a^{3/2}\sqrt{d}e^3 \tanh^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{d}\sqrt{e}\sqrt{d+ex}}\right)}{\sqrt{d+ex}} - \frac{\sqrt{c}\sqrt{d}(-3a^2e^4-6acd^2e^2+c^2d^4) \sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd^2-ae^2}}\right)}{\sqrt{cd}\sqrt{cd^2-ae^2}\sqrt{\frac{cd(d+ex)}{cd^2-ae^2}}} + \sqrt{e}\sqrt{ae+cdx}(5ae^2+cd(d+2ex)) \right)}{4e^{3/2}\sqrt{ae+cdx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x\*(d + e\*x)), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(Sqrt[e]\*Sqrt[a\*e + c\*d\*x]\*(5\*a\*e^2 + c\*d\*(d + 2\*e\*x)) - (Sqrt[c]\*Sqrt[d]\*(c^2\*d^4 - 6\*a\*c\*d^2\*e^2 - 3\*a^2\*e^4)\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]) - (8\*a^(3/2)\*Sqrt[d]\*e^3\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])])/Sqrt[d + e\*x])/(4\*e^(3/2)\*Sqrt[a\*e + c\*d\*x])

**IntegrateAlgebraic [A]** time = 4.80, size = 428, normalized size = 1.71

$$\frac{2a^{3/2}\sqrt{e} \tanh^{-1}\left(\frac{x\sqrt{d+ex}}{\sqrt{d}\sqrt{e}}\right) - \sqrt{d}\sqrt{e}\sqrt{d+ex}}{\sqrt{d}\sqrt{e}} + \frac{(3a^2e^4 + 6acd^2e^2 - c^2d^4) \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd^2-ae^2}}\right)}{8\sqrt{c}\sqrt{d}\sqrt{e}} + \frac{(-3a^2e^4\sqrt{d+ex} - 6acd^2e^2\sqrt{d+ex} + c^2d^4\sqrt{d+ex}) \log\left(\frac{d^2e^2 + 8cdex\sqrt{d+ex}\sqrt{ae+cdx}}{16cd^2e^2}\right)}{16cd^2e^2} + \frac{(5a^2e^4 + cd^2 + 2cdex)\sqrt{d+ex}\sqrt{ae+cdx}}{4e}$$

Antiderivative was successfully verified.



[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x\*(d + e\*x)),x]

[Out] ((c\*d^2 + 5\*a\*e^2 + 2\*c\*d\*e\*x)\*Sqrt[a\*d\*e + c\*d^2\*x + a\*e^2\*x + c\*d\*e\*x^2])/(4\*e) + (((-c^2\*d^4) + 6\*a\*c\*d^2\*e^2 + 3\*a^2\*e^4)\*ArcTanh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*(-2\*Sqrt[c\*d\*e]\*x + 2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(c\*d^2 + a\*e^2)))/(8\*Sqrt[c]\*Sqrt[d]\*e^(3/2)) + 2\*a^(3/2)\*Sqrt[d]\*e^(3/2)\*ArcTanh[(Sqrt[c\*d\*e]\*x)/(Sqrt[a]\*Sqrt[d]\*Sqrt[e]) - Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[a]\*Sqrt[d]\*Sqrt[e])] + ((c^2\*d^4\*Sqrt[c\*d\*e] - 6\*a\*c\*d^2\*e^2\*Sqrt[c\*d\*e] - 3\*a^2\*e^4\*Sqrt[c\*d\*e])\*Log[c^2\*d^4 - 2\*a\*c\*d^2\*e^2 + a^2\*e^4 - 4\*c^2\*d^3\*e\*x - 4\*a\*c\*d\*e^3\*x - 8\*c^2\*d^2\*e^2\*x^2 + 8\*c\*d\*e\*Sqrt[c\*d\*e]\*x\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(16\*c\*d\*e^2)

**fricas** [A] time = 4.40, size = 1327, normalized size = 5.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x/(e\*x+d),x, algorithm="fricas")

[Out] [1/16\*(8\*sqrt(a\*d\*e)\*a\*c\*d\*e^3\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) - (c^2\*d^4 - 6\*a\*c\*d^2\*e^2 - 3\*a^2\*e^4)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) + 4\*(2\*c^2\*d^2\*e^2\*x + c^2\*d^3\*e + 5\*a\*c\*d\*e^3)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c\*d\*e^2), 1/8\*(4\*sqrt(a\*d\*e)\*a\*c\*d\*e^3\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) + (c^2\*d^4 - 6\*a\*c\*d^2\*e^2 - 3\*a^2\*e^4)\*sqrt(-c\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(-c\*d\*e)/(c^2\*d^2\*e^2\*x^2 + a\*c\*d^2\*e^2 + (c^2\*d^3\*e + a\*c\*d\*e^3)\*x) + 2\*(2\*c^2\*d^2\*e^2\*x + c^2\*d^3\*e + 5\*a\*c\*d\*e^3)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c\*d\*e^2), 1/16\*(16\*sqrt(-a\*d\*e)\*a\*c\*d\*e^3\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) - (c^2\*d^4 - 6\*a\*c\*d^2\*e^2 - 3\*a^2\*e^4)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) + 4\*(2\*c^2\*d^2\*e^2\*x + c^2\*d^3\*e + 5\*a\*c\*d\*e^3)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c\*d\*e^2), 1/8\*(8\*sqrt(-a\*d\*e)\*a\*c\*d\*e^3\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) + (c^2\*d^4 - 6\*a\*c\*d^2\*e^2 - 3\*a^2\*e^4)\*sqrt(-c\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 +

$$a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c*d*e}/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) + 2*(2*c^2*d^2*e^2*x + c^2*d^3*e + 5*a*c*d*e^3)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(c*d*e^2)]$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x/(e\*x+d),x, algorithm="giac")

[Out] sage0x

**maple** [B] time = 0.02, size = 1130, normalized size = 4.50

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/x/(e\*x+d),x)

[Out]  $\frac{1}{3} \frac{1}{d} (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} + \frac{1}{4} \frac{1}{d} a*e^2 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * x + \frac{1}{8} \frac{1}{d^2} a^2 * e^3 / c * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} + \frac{5}{4} a * e * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} - \frac{1}{16} \frac{1}{d^2} a^3 * e^5 / c * \ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{1/2} + (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}) / (c*d*e)^{1/2} + \frac{9}{16} a^2 * e^3 * \ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{1/2} + (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}) / (c*d*e)^{1/2} + \frac{9}{16} d^2 * a * e * c * \ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{1/2} + (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}) / (c*d*e)^{1/2} + \frac{1}{4} d * c * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * x + \frac{1}{8} d^2 * c / e * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} - \frac{1}{16} d^4 * c^2 / e * \ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{1/2} + (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}) / (c*d*e)^{1/2} - d * a^2 * e^2 / (a*d*e)^{1/2} * \ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{1/2} * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}) / x) - \frac{1}{3} \frac{1}{d} * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{3/2} - \frac{1}{4} \frac{1}{d} a * e^2 * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2} * x - \frac{1}{8} \frac{1}{d^2} a^2 * e^3 / c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2} + \frac{1}{16} \frac{1}{d^2} a^3 * e^5 / c * \ln((1/2*a*e^2 - 1/2*c*d^2 + (x+d/e) * c*d*e) / (c*d*e)^{1/2} + ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2}) / (c*d*e)^{1/2} - \frac{3}{16} a^2 * e^3 * \ln((1/2*a*e^2 - 1/2*c*d^2 + (x+d/e) * c*d*e) / (c*d*e)^{1/2} + ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2}) / (c*d*e)^{1/2} + \frac{3}{16} d^2 * a * e * c * \ln((1/2*a*e^2 - 1/2*c*d^2 + (x+d/e) * c*d*e) / (c*d*e)^{1/2} + ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2}) / (c*d*e)^{1/2} + \frac{1}{4} d * c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2} * x + \frac{1}{8} d^2 * c / e * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2} - \frac{1}{16} d^4 * c^2 / e * \ln((1/2*a*e^2 - 1/2*c*d^2 + (x+d/e) * c*d*e) / (c*d*e)^{1/2} + ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2}) / (c*d*e)^{1/2}$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{3/2}}{x (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/(x\*(d + e\*x)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/(x\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + e x)(a e + c d x))^{\frac{3}{2}}}{x (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/x/(e\*x+d),x)

[Out] Integral(((d + e\*x)\*(a\*e + c\*d\*x))\*\*(3/2)/(x\*(d + e\*x)), x)

$$3.285 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^2(d+ex)} dx$$

Optimal. Leaf size=240

$$\frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2} (ae - cdx)}{x} + \frac{\sqrt{c} \sqrt{d} (3ae^2 + cd^2) \tanh^{-1} \left( \frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c} \sqrt{d} \sqrt{e} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \right)}{2\sqrt{e}} - \frac{\sqrt{a} \sqrt{e} \left( \frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a} \sqrt{d} \sqrt{e} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \right)}{2\sqrt{d}}$$

**Rubi [A]** time = 0.27, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 812, 843, 621, 206, 724}

$$\frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2} (ae - cdx)}{x} + \frac{\sqrt{c} \sqrt{d} (3ae^2 + cd^2) \tanh^{-1} \left( \frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c} \sqrt{d} \sqrt{e} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \right)}{2\sqrt{e}} - \frac{\sqrt{a} \sqrt{e} (ae^2 + 3cd^2) \tanh^{-1} \left( \frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a} \sqrt{d} \sqrt{e} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \right)}{2\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^2\*(d + e\*x)),x]

[Out] -(((a\*e - c\*d\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/x + (Sqrt[c]\*Sqrt[d]\*(c\*d^2 + 3\*a\*e^2)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(2\*Sqrt[e]) - (Sqrt[a]\*Sqrt[e]\*(3\*c\*d^2 + a\*e^2)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x]/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(2\*Sqrt[d]))

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c,

d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 812

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*(e\*f\*(m + 2\*p + 2) - d\*g\*(2\*p + 1) + e\*g\*(m + 1)\*x)\*(a + b\*x + c\*x^2)^p)/(e^2\*(m + 1)\*(m + 2\*p + 2)), x] + Dist[p/(e^2\*(m + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p - 1)\*Simp[g\*(b\*d + 2\*a\*e + 2\*a\*e\*m + 2\*b\*d\*p) - f\*b\*e\*(m + 2\*p + 2) + (g\*(2\*c\*d + b\*e + b\*e\*m + 4\*c\*d\*p) - 2\*c\*e\*f\*(m + 2\*p + 2))\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2\*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 843

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 849

Int[((x\_)^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_))/((d\_) + (e\_.)\*(x\_)), x\_Symbol] :> Int[x^n\*(a/d + (c\*x)/e)\*(a + b\*x + c\*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2\*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^2(d + ex)} dx &= \int \frac{(ae + cdx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^2} dx \\
&= -\frac{(ae - cdx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x} - \frac{1}{2} \int \frac{-ae(3cd^2 + ae^2) - cd}{x\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\
&= -\frac{(ae - cdx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x} + \frac{1}{2} (ae(3cd^2 + ae^2)) \int \frac{1}{x\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\
&= -\frac{(ae - cdx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x} - (ae(3cd^2 + ae^2)) \text{Subst} \left( \int \frac{1}{x\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \right) \\
&= -\frac{(ae - cdx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x} + \frac{\sqrt{c}\sqrt{d}(cd^2 + 3ae^2) \tanh^{-1} \left( \frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{a}\sqrt{d+ex}} \right)}{\sqrt{d}\sqrt{ae+cdx}}
\end{aligned}$$

**Mathematica [A]** time = 1.20, size = 263, normalized size = 1.10

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \frac{\sqrt{c}d\sqrt{cd}(3ae^2+cd^2) \sinh^{-1} \left( \frac{\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd^2-ae^2}} \right) - \sqrt{a}\sqrt{e}(ae^2+3cd^2) \tanh^{-1} \left( \frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{a}\sqrt{d+ex}} \right) + \frac{\sqrt{d}\sqrt{ae+cdx}(cdx-ae)}{x}}{\sqrt{e}\sqrt{cd^2-ae^2}\sqrt{\frac{cd(d+ex)}{cd^2-ae^2}}} \right)}{\sqrt{d}\sqrt{ae+cdx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^2\*(d + e\*x)),x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*((Sqrt[d]\*(-(a\*e) + c\*d\*x)\*Sqrt[a\*e + c\*d\*x])/x + (Sqrt[c]\*d\*Sqrt[c\*d]\*(c\*d^2 + 3\*a\*e^2)\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])])/(Sqrt[e]\*Sqrt[c\*d^2 - a\*e^2]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]) - (Sqrt[a]\*Sqrt[e]\*(3\*c\*d^2 + a\*e^2)\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])])/(Sqrt[d + e\*x]))/(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])

**IntegrateAlgebraic [A]** time = 2.29, size = 383, normalized size = 1.60

$$\frac{(a^{3/2}e^{3/2} + 3\sqrt{a}cd\sqrt{e}) \tanh^{-1} \left( \frac{\sqrt{cd}\sqrt{(a^2+cd^2)+ade+cdex^2}}{\sqrt{e}\sqrt{d}\sqrt{e}} \right) + (-3ae^2\sqrt{cd}e - cd^2\sqrt{cd}e) \log \left( \frac{e^2x^4 + 8cdex\sqrt{cd}e\sqrt{(a^2+cd^2)+ade+cdex^2} - 2acd^2e^2 - 4acde^2x + c^2d^4 - 4c^2d^3ex - 8c^2d^2e^2x^2}{4e} \right) + (3a\sqrt{c}\sqrt{d}e^2 + c^{3/2}d^{3/2}) \tanh^{-1} \left( \frac{\sqrt{c}\sqrt{d}\sqrt{(a^2+cd^2)+ade+cdex^2} - 2a\sqrt{cd}}{2\sqrt{e}} \right) + \frac{\sqrt{ade+ae^2x+cd^2x+cdex^2}(cdx-ae)}{x}}{\sqrt{d}\sqrt{ae+cdx}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^2\*(d + e\*x)),x]

[Out] 
$$\frac{((-a*e) + c*d*x)*\sqrt{a*d*e + c*d^2*x + a*e^2*x + c*d*e*x^2}}{x} + \frac{(3*\sqrt{a}*c*d^2*\sqrt{e} + a^{3/2}*e^{5/2})*\text{ArcTanh}[\frac{\sqrt{c*d*e}*x - \sqrt{a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2}}{\sqrt{a}*\sqrt{d}*\sqrt{e}}]}{\sqrt{d}} + \frac{(c^{3/2}*d^{5/2} + 3*a*\sqrt{c}*\sqrt{d}*e^2)*\text{ArcTanh}[\frac{\sqrt{c}*\sqrt{d}*\sqrt{e}*(-2*\sqrt{c*d*e}*x + 2*\sqrt{a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2})}{(c*d^2 + a*e^2)}]}{(2*\sqrt{e})} + \frac{((-c*d^2*\sqrt{c*d*e}) - 3*a*e^2*\sqrt{c*d*e})*\text{Log}[c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4 - 4*c^2*d^3*e*x - 4*a*c*d*e^3*x - 8*c^2*d^2*e^2*x^2 + 8*c*d*e*\sqrt{c*d*e}*x*\sqrt{a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2}]}{(4*e)}$$

**fricas** [A] time = 1.80, size = 1221, normalized size = 5.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^2/(e\*x+d),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*((c*d^2 + 3*a*e^2)*\sqrt{c*d/e})*x*\log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*(2*c*d*e^2*x + c*d^2*e + a*e^3)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})*\sqrt{c*d/e} + 8*(c^2*d^3*e + a*c*d*e^3)*x) + (3*c*d^2 + a*e^2)*\sqrt{a*e/d})*x*\log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 - 4*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})*(2*a*d^2*e + (c*d^3 + a*d*e^2)*x)*\sqrt{a*e/d} + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) + 4*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(c*d*x - a*e))/x, -1/4*(2*(c*d^2 + 3*a*e^2)*\sqrt{-c*d/e})*x*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c*d/e}/(c^2*d^2*e*x^2 + a*c*d^2*e + (c^2*d^3 + a*c*d*e^2)*x)) - (3*c*d^2 + a*e^2)*\sqrt{a*e/d})*x*\log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 - 4*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*a*d^2*e + (c*d^3 + a*d*e^2)*x)*\sqrt{a*e/d} + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) - 4*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(c*d*x - a*e))/x, 1/4*(2*(3*c*d^2 + a*e^2)*\sqrt{-a*e/d})*x*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*a*d*e + (c*d^2 + a*e^2)*x)*\sqrt{-a*e/d}/(a*c*d*e^2*x^2 + a^2*d*e^2 + (a*c*d^2*e + a^2*e^3)*x)) + (c*d^2 + 3*a*e^2)*\sqrt{c*d/e})*x*\log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*(2*c*d*e^2*x + c*d^2*e + a*e^3)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})*\sqrt{c*d/e} + 8*(c^2*d^3*e + a*c*d*e^3)*x) + 4*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(c*d*x - a*e))/x, -1/2*((c*d^2 + 3*a*e^2)*\sqrt{-c*d/e})*x*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c*d/e}/(c^2*d^2*e*x^2 + a*c*d^2*e + (c^2*d^3 + a*c*d*e^2)*x)) - (3*c*d^2 + a*e^2)*\sqrt{-a*e/d})*x*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*a*d*e + (c*d^2 + a*e^2)*x)*\sqrt{-a*e/d}/(a*c*d*e^2*x^2 + a^2*d*e^2 + (a*c*d^2*e + a^2*e^3)*x)) - 2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(c*d*x - a*e))/x \end{aligned}$$

$c*d^2 + a*e^2)*x)*(c*d*x - a*e))/x]$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^2/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Error: Bad Argument Type

**maple** [B] time = 0.02, size = 1310, normalized size = 5.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/x^2/(e\*x+d),x)

[Out] 
$$-1/4*e*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2}*x+1/16*d^3*c^2*\ln\left(\frac{1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e}{(c*d*e)^{1/2}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2}}\right)/(c*d*e)^{1/2}+1/d*a*e^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}+1/a/e*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2}*c+5/4*e*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}*x*c-1/2*a^2*e^3/(a*d*e)^{1/2}*\ln\left(\frac{2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{1/2}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}{x}\right)+7/16*d^3*c^2*\ln\left(\frac{c*d*e*x+1/2*a*e^2+1/2*c*d^2}{(c*d*e)^{1/2}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}\right)/(c*d*e)^{1/2}-1/16*e^6/d^3*a^3/c*\ln\left(\frac{1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e}{(c*d*e)^{1/2}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2}}\right)/(c*d*e)^{1/2}-3/16*e^2*d*a*c*\ln\left(\frac{1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e}{(c*d*e)^{1/2}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2}}\right)/(c*d*e)^{1/2}+1/16*e^6/d^3*a^3/c*\ln\left(\frac{c*d*e*x+1/2*a*e^2+1/2*c*d^2}{(c*d*e)^{1/2}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}\right)/(c*d*e)^{1/2}*c-3/2*d^2*a*e/(a*d*e)^{1/2}*\ln\left(\frac{2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{1/2}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}{x}\right)*c+1/3*e/d^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{3/2}-1/8*d*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2}+2/3/d^2*e*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2}+17/8*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}*c-1/4*e^3/d^2*a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}*x-3/16/d*a^2*e^4*\ln\left(\frac{c*d*e*x+1/2*a*e^2+1/2*c*d^2}{(c*d*e)^{1/2}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}\right)/(c*d*e)^{1/2}+1/d*c/a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2}*x-1/d^2/a/e/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2}-1/8*e^4/d^3*a^2/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}+1/4*e^3/d^2*a*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2}*x+1/8*e^4/d^3*a^2/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2}+3/16*e^4/d*a^2*\ln\left(\frac{1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e}{(c*d*e)^{1/2}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2}}\right)/(c*d*e)^{1/2}$$



$$\frac{1}{2}cd^2 + (x+d/e)cd^2e / (cd^2e)^{1/2} + ((x+d/e)^2cd^2e + (ae^2 - cd^2)(x+d/e))^{1/2} / (cd^2e)^{1/2}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{3/2}}{(ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^2/(e\*x+d),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)\*x^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{3/2}}{x^2 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/(x^2\*(d + e\*x)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/(x^2\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + ex)(ae + cdx))^{3/2}}{x^2 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/x\*\*2/(e\*x+d),x)

[Out] Integral(((d + e\*x)\*(a\*e + c\*d\*x))\*\*3/2/(x\*\*2\*(d + e\*x)), x)

$$3.286 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^3(d+ex)} dx$$

Optimal. Leaf size=256

$$\frac{(-a^2e^4 + 6acd^2e^2 + 3c^2d^4) \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{8\sqrt{a}d^{3/2}\sqrt{e}} + c^{3/2}d^{3/2}\sqrt{e} \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cde}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)$$

**Rubi [A]** time = 0.28, antiderivative size = 256, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 810, 843, 621, 206, 724}

$$\frac{(-a^2e^4 + 6acd^2e^2 + 3c^2d^4) \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{8\sqrt{a}d^{3/2}\sqrt{e}} + c^{3/2}d^{3/2}\sqrt{e} \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cde}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right) - \frac{(x(ae^2 + 5cd^2) + 2ade)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4dx^2}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^3\*(d + e\*x)), x]

[Out] -((2\*a\*d\*e + (5\*c\*d^2 + a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*d\*x^2) + c^(3/2)\*d^(3/2)\*Sqrt[e]\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])] - ((3\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 - a^2\*e^4)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(8\*Sqrt[a]\*d^(3/2)\*Sqrt[e])

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c,

d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 810

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p\*((d\*g - e\*f\*(m + 2))\*(c\*d^2 - b\*d\*e + a\*e^2) - d\*p\*(2\*c\*d - b\*e)\*(e\*f - d\*g) - e\*(g\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2) + p\*(2\*c\*d - b\*e)\*(e\*f - d\*g))\*x))/ (e^2\*(m + 1)\*(m + 2)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] - Dist[p/(e^2\*(m + 1)\*(m + 2)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + b\*x + c\*x^2)^(p - 1)\*Simp[2\*a\*c\*e\*(e\*f - d\*g)\*(m + 2) + b^2\*e\*(d\*g\*(p + 1) - e\*f\*(m + p + 2)) + b\*(a\*e^2\*g\*(m + 1) - c\*d\*(d\*g\*(2\*p + 1) - e\*f\*(m + 2\*p + 2))) - c\*(2\*c\*d\*(d\*g\*(2\*p + 1) - e\*f\*(m + 2\*p + 2)) - e\*(2\*a\*e\*g\*(m + 1) - b\*(d\*g\*(m - 2\*p) + e\*f\*(m + 2\*p + 2)))]\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2\*p, 0] && !LtQ[m + 2\*p + 3, 0]

### Rule 843

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 849

Int[((x\_)^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_))/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := Int[x^n\*(a/d + (c\*x)/e)\*(a + b\*x + c\*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2\*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^3(d + ex)} dx &= \int \frac{(ae + cdx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^3} dx \\
&= -\frac{(2ade + (5cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4dx^2} - \int \frac{-\frac{1}{2}ae(3c^2d^4 + \dots)}{x\sqrt{ade + \dots}} \\
&= -\frac{(2ade + (5cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4dx^2} + (c^2d^2e) \int \frac{\dots}{\sqrt{\dots}} \\
&= -\frac{(2ade + (5cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4dx^2} + (2c^2d^2e) \text{Sub} \\
&= -\frac{(2ade + (5cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4dx^2} + c^{3/2}d^{3/2}\sqrt{e} \text{ta}
\end{aligned}$$

**Mathematica [A]** time = 2.45, size = 285, normalized size = 1.11

$$\frac{\sqrt{ae + cdx} \left( -\frac{\sqrt{d+ex}(-a^2e^4 + 6acd^2e^2 + 3c^2d^4) \tanh^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{a}\sqrt{e}\sqrt{d+ex}}\right)}{\sqrt{a}} + \frac{8e(cd)^{5/2}\sqrt{cd^2-ae^2}\sqrt{\frac{cd(d+ex)}{cd^2-ae^2}} \sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd^2-ae^2}}\right)}{c^{3/2}} - \frac{\sqrt{d}\sqrt{e}(d+ex)\sqrt{ae+cdx}(ae(2d+ex)+5cd^2x)}{x^2} \right)}{4d^{3/2}\sqrt{e}\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^3\*(d + e\*x)), x]

[Out] (Sqrt[a\*e + c\*d\*x]\*(-(Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x]\*(d + e\*x)\*(5\*c\*d^2\*x + a\*e\*(2\*d + e\*x)))/x^2) + (8\*(c\*d)^(5/2)\*e\*Sqrt[c\*d^2 - a\*e^2]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])])/c^(3/2) - ((3\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 - a^2\*e^4)\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])]/Sqrt[a])/((4\*d^(3/2)\*Sqrt[e]\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]))

**IntegrateAlgebraic [A]** time = 1.89, size = 395, normalized size = 1.54

$$\frac{(e^4d^4 - 6acd^2e^2 - 3c^2d^4) \tanh^{-1}\left(\frac{\sqrt{(a^2+cd^2)\sqrt{ae+cdx}}}{\sqrt{e}\sqrt{d+ex}}\right)}{4\sqrt{a}d^{3/2}\sqrt{e}} - \frac{1}{2}cd\sqrt{de} \log\left(\frac{e^4d^4 + 8cdex\sqrt{de}\sqrt{(a^2+cd^2)+ae+cdex^2} - 2acd^2e^2 - 4acd^2x + c^2d^4 - 4c^2d^2ex - 8c^2d^2x^2}{e^4d^4}\right) - c^{3/2}d^{3/2}\sqrt{e} \tanh^{-1}\left(\frac{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ae+cdx}}{ae^2+cd^2} - \frac{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{(a^2+cd^2)+ae+cdex^2}}{ae^2+cd^2}\right) + \frac{(-2ade - ae^2x - 5cd^2x)\sqrt{ae+cdx} + ae^2x + cd^2x + cdex^2}{4dx^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)/(x^3*(d + e*x)),x]
```

```
[Out] ((-2*a*d*e - 5*c*d^2*x - a*e^2*x)*Sqrt[a*d*e + c*d^2*x + a*e^2*x + c*d*e*x^2])/(4*d*x^2) + ((-3*c^2*d^4 - 6*a*c*d^2*e^2 + a^2*e^4)*ArcTanh[(-(Sqrt[c*d*e]*x) + Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(Sqrt[a]*Sqrt[d]*Sqrt[e])])/(4*Sqrt[a]*d^(3/2)*Sqrt[e]) - c^(3/2)*d^(3/2)*Sqrt[e]*ArcTanh[(2*Sqrt[c]*Sqrt[d]*Sqrt[e]*Sqrt[c*d*e]*x)/(c*d^2 + a*e^2) - (2*Sqrt[c]*Sqrt[d]*Sqrt[e]*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(c*d^2 + a*e^2)] - (c*d*Sqrt[c*d*e]*Log[c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4 - 4*c^2*d^3*e*x - 4*a*c*d*e^3*x - 8*c^2*d^2*e^2*x^2 + 8*c*d*e*Sqrt[c*d*e]*x*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]])/2
```

**fricas** [A] time = 2.31, size = 1375, normalized size = 5.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/x^3/(e*x+d),x, algorithm="fricas")
```

```
[Out] [1/16*(8*sqrt(c*d*e)*a*c*d^3*e*x^2*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(c*d*e) + 8*(c^2*d^3*e + a*c*d*e^3)*x) - (3*c^2*d^4 + 6*a*c*d^2*e^2 - a^2*e^4)*sqrt(a*d*e)*x^2*log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 + 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(a*d*e) + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) - 4*(2*a^2*d^2*e^2 + (5*a*c*d^3*e + a^2*d*e^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(a*d^2*e*x^2), -1/16*(16*sqrt(-c*d*e)*a*c*d^3*e*x^2*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(-c*d*e)/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) + (3*c^2*d^4 + 6*a*c*d^2*e^2 - a^2*e^4)*sqrt(a*d*e)*x^2*log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 + 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(a*d*e) + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) + 4*(2*a^2*d^2*e^2 + (5*a*c*d^3*e + a^2*d*e^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(a*d^2*e*x^2), 1/8*(4*sqrt(c*d*e)*a*c*d^3*e*x^2*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(c*d*e) + 8*(c^2*d^3*e + a*c*d*e^3)*x) + (3*c^2*d^4 + 6*a*c*d^2*e^2 - a^2*e^4)*sqrt(-a*d*e)*x^2*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-a*d*e)/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x)) - 2*(2*a^2*d^2*e^2 + (5*a*c*d^3*e + a^2*d*e^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(a*d^2*e*x^2), -1/8*(8*sqrt(-c*d*e)*a*c*d^3*e*x^2*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2
```

$$+ a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c*d*e}/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x) - (3*c^2*d^4 + 6*a*c*d^2*e^2 - a^2*e^4)*\sqrt{-a*d*e}*x^2*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})*(2*a*d*e + (c*d^2 + a*e^2)*x)*\sqrt{-a*d*e}/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x) + 2*(2*a^2*d^2*e^2 + (5*a*c*d^3*e + a^2*d*e^3)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}/(a*d^2*e*x^2)]$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^3/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:Evaluation time: 0.42Error: Bad Argument Typ e

**maple** [B] time = 0.02, size = 1604, normalized size = 6.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/x^3/(e\*x+d),x)

[Out] 
$$\frac{1}{16}d^4e^7a^3/c \ln\left(\frac{1/2ae^2-1/2cd^2+(x+d/e)cde}{(cde)^{1/2}} + \left(\frac{x+d/e}{e}\right)^2cde + (ae^2-cd^2)\left(\frac{x+d/e}{e}\right)^{1/2}\right) / (cde)^{1/2} - \frac{1}{16}d^4e^7a^3/c \ln\left(\frac{cde*x+1/2ae^2+1/2cd^2}{(cde)^{1/2}} + (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}\right) / (cde)^{1/2} - \frac{1}{4}d/a^2/e^2/x * (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2} * c^{-3/4}e/d^2*c/a * (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} * x^{-3/4}e^2*d*a/(a*d*e)^{1/2} * \ln\left(\frac{2a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{1/2}*(cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}{x}\right) * c^{-3/8}d^3/(a*d*e)^{1/2} * \ln\left(\frac{2a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{1/2}*(cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}{x}\right) * c^2+3/4/d^3/a/x * (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2} - \frac{1}{4}e^3/d^2*a * (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} + \frac{1}{4}a^2/e*c^2 * (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} * x + \frac{3}{4}d^2/a/e * (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * c^2 - \frac{1}{3}d^3e^2 * ((x+d/e)^2*cde+(a*e^2-cd^2)*(x+d/e))^{3/2} + \frac{1}{8}e*c * ((x+d/e)^2*cde+(a*e^2-cd^2)*(x+d/e))^{1/2} + \frac{7}{8}e * (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * c^{-5/12}e^2/d^3 * (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} + \frac{1}{4}d/a^2/e^2 * (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} * c^2 + \frac{3}{4}d/a * (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * x * c^2 - \frac{1}{2}d^2/a/e/x^2 * (cde*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2} - \frac{1}{4}d^3e^4*a * ((x+d/e)^2*cde+(a*e^2-cd^2)*(x+d/e))^{1/2} * x - \frac{1}{8}d^4e^5a^2/c * ((x+d/e)^2*cde+(a*e^2-cd^2)*(x+d/e))^{1/2} - \frac{3}{16}d^2e^5a^2 * \ln\left(\frac{1/2ae^2-1/2cd^2+(x+d/e)cde}{(cde)^{1/2}} + \left(\frac{x+d/e}{e}\right)^2cde + (ae^2-cd^2)\left(\frac{x+d/e}{e}\right)^{1/2}\right) / (cde)^{1/2} + \left(\frac{x+d/e}{e}\right)^2cde + (ae^2-cd^2)*$$

$(x+d/e)^{1/2})/(c*d*e)^{1/2}+3/16*e^3*a*c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{1/2}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2})/(c*d*e)^{1/2}+1/4/d*e^2*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2}*x-1/16*d^2*e*c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{1/2}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2})/(c*d*e)^{1/2}+1/4/d^3*e^4*a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}*x+1/8/d^4*e^5*a^2/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}+3/16*e^5/d^2*a^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{1/2}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2})/(c*d*e)^{1/2}+17/16*e*d^2*c^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{1/2}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2})/(c*d*e)^{1/2}-3/16*e^3*a*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{1/2}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2})/(c*d*e)^{1/2}*c-1/2*e^2/d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}*x*c+1/8*e^4/d*a^2/(a*d*e)^{1/2}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{1/2}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2})/x)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^3/(e\*x+d),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)\*x^3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}}{x^3(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/(x^3\*(d + e\*x)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/(x^3\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + ex)(ae + cdx))^{\frac{3}{2}}}{x^3(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/x\*\*3/(e\*x+d),x)

[Out] Integral(((d + e\*x)\*(a\*e + c\*d\*x))\*\*3/2/(x\*\*3\*(d + e\*x)), x)

$$3.287 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^4(d+ex)} dx$$

**Optimal.** Leaf size=211

$$\frac{(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{16a^{3/2}d^{5/2}e^{3/2}} - \frac{\left(\frac{c}{ae} - \frac{e}{d^2}\right)(x(ae^2 + cd^2) + 2ade)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{8x^2}$$

**Rubi [A]** time = 0.24, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {849, 806, 720, 724, 206}

$$\frac{(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{16a^{3/2}d^{5/2}e^{3/2}} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3dx^3} - \frac{\left(\frac{c}{ae} - \frac{e}{d^2}\right)(x(ae^2 + cd^2) + 2ade)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{8x^2}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^4\*(d + e\*x)), x]

[Out] -((c/(a\*e) - e/d^2)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*x^2) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(3\*d\*x^3) + (((c\*d^2 - a\*e^2)^3\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(16\*a^(3/2)\*d^(5/2)\*e^(3/2)))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 720

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(d\*b - 2\*a\*e + (2\*c\*d - b\*e)\*x)\*(a + b\*x + c\*x^2)^p)/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[(p\*(b^2 - 4\*a\*c))/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && EqQ[m + 2\*p + 2, 0] && GtQ[p, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x], (2



$*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[2*c*d - b*e, 0]$

### Rule 806

$\text{Int}[\left((d_.) + (e_.)*(x_.)\right)^{(m_.)} * \left((f_.) + (g_.)*(x_.)\right) * \left((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2\right)^{(p_.)}, x\_Symbol] \rightarrow -\text{Simp}\left[\left((e*f - d*g)*(d + e*x)^{(m+1)}*(a + b*x + c*x^2)^{(p+1)}\right) / \left(2*(p+1)*(c*d^2 - b*d*e + a*e^2)\right), x\right] - \text{Dist}\left[\left(b*(e*f + d*g) - 2*(c*d*f + a*e*g)\right) / \left(2*(c*d^2 - b*d*e + a*e^2)\right), \text{Int}\left[(d + e*x)^{(m+1)}*(a + b*x + c*x^2)^p, x\right], x\right] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m, p\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{EqQ}\left[\text{Simplify}[m + 2*p + 3], 0\right]$

### Rule 849

$\text{Int}\left[\left(x_.\right)^{(n_.)} * \left((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2\right)^{(p_.)} / \left((d_.) + (e_.)*(x_.)\right), x\_Symbol] \rightarrow \text{Int}\left[x^n * (a/d + (c*x)/e) * (a + b*x + c*x^2)^{(p-1)}, x\right] /; \text{FreeQ}[\{a, b, c, d, e, n, p\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{!IntegerQ}[p] \&\& (\text{!IntegerQ}[n] \mid \mid \text{!IntegerQ}[2*p] \mid \mid \text{IGtQ}[n, 2] \mid \mid (\text{GtQ}[p, 0] \&\& \text{NeQ}[n, 2]))]$

### Rubi steps

$$\begin{aligned} \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^4(d + ex)} dx &= \int \frac{(ae + cdx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^4} dx \\ &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3dx^3} - \frac{(-2acd^2e + ae(cd^2 + ae^2)) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2ade}}{2ade} \\ &= -\frac{\left(\frac{c}{ae} - \frac{e}{d^2}\right)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8x^2} - \frac{(ad)}{2ade} \\ &= -\frac{\left(\frac{c}{ae} - \frac{e}{d^2}\right)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8x^2} - \frac{(ad)}{2ade} \\ &= -\frac{\left(\frac{c}{ae} - \frac{e}{d^2}\right)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8x^2} - \frac{(ad)}{2ade} \end{aligned}$$

**Mathematica [A]** time = 0.28, size = 188, normalized size = 0.89

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \frac{3(cd^2-ae^2)^3 \tanh^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{a}\sqrt{d+ex}}\right)}{\sqrt{d+ex}\sqrt{ae+cdx}} - \frac{\sqrt{a}\sqrt{d}\sqrt{e}(a^2e^2(8d^2+2dex-3e^2x^2)+2acd^2ex(7d+4ex)+3c^2d^4x^2)}{x^3} \right)}{24a^{3/2}d^{5/2}e^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^4\*(d + e\*x)), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-((Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*(3\*c^2\*d^4\*x^2 + 2\*a\*c\*d^2\*e\*x\*(7\*d + 4\*e\*x) + a^2\*e^2\*(8\*d^2 + 2\*d\*e\*x - 3\*e^2\*x^2)))/x^3 + (3\*(c\*d^2 - a\*e^2)^3\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])]))/(Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]))/(24\*a^(3/2)\*d^(5/2)\*e^(3/2))

**IntegrateAlgebraic [A]** time = 1.83, size = 229, normalized size = 1.09

$$\frac{\sqrt{ade + ae^2x + cd^2x + cdx^2} (-8a^2d^2e^2 - 2a^2de^3x + 3a^2e^4x^2 - 14acd^3ex - 8acd^2e^2x^2 - 3c^2d^4x^2)}{24ad^2ex^3} + \frac{(a^3e^6 - 3a^2cd^2e^4 + 3ac^2d^4e^2 - c^3d^6) \tanh^{-1}\left(\frac{x\sqrt{cde} - \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{a}\sqrt{d}\sqrt{e}}\right)}{8a^{3/2}d^{5/2}e^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^4\*(d + e\*x)), x]

[Out] (Sqrt[a\*d\*e + c\*d^2\*x + a\*e^2\*x + c\*d\*e\*x^2]\*(-8\*a^2\*d^2\*e^2 - 14\*a\*c\*d^3\*e\*x - 2\*a^2\*d^2\*e^3\*x - 3\*c^2\*d^4\*x^2 - 8\*a\*c\*d^2\*e^2\*x^2 + 3\*a^2\*e^4\*x^2))/(24\*a\*d^2\*e\*x^3) + (((-c^3\*d^6) + 3\*a\*c^2\*d^4\*e^2 - 3\*a^2\*c\*d^2\*e^4 + a^3\*e^6)\*ArcTanh[(Sqrt[c\*d\*e]\*x - Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[a]\*Sqrt[d]\*Sqrt[e])])/(8\*a^(3/2)\*d^(5/2)\*e^(3/2))

**fricas [A]** time = 1.55, size = 558, normalized size = 2.64

$$\frac{3\sqrt{a^3e^6 - 3a^2cd^2e^4 + 3ac^2d^4e^2 - c^3d^6} \sqrt{x(ae^2 + cd^2) + ade + cdx^2} \log\left(\frac{\sqrt{ade + ae^2x + cd^2x + cdx^2} \sqrt{a^3e^6 - 3a^2cd^2e^4 + 3ac^2d^4e^2 - c^3d^6}}{2\sqrt{ade + ae^2x + cd^2x + cdx^2} \sqrt{a^3e^6 - 3a^2cd^2e^4 + 3ac^2d^4e^2 - c^3d^6}}\right) + (8a^2d^2e^2 + 2a^2de^3x + 3a^2e^4x^2 - 14acd^3ex - 8acd^2e^2x^2 - 3c^2d^4x^2) \sqrt{ade + ae^2x + cd^2x + cdx^2}}{24ad^2ex^3} + \frac{(a^3e^6 - 3a^2cd^2e^4 + 3ac^2d^4e^2 - c^3d^6) \operatorname{arctanh}\left(\frac{x\sqrt{cde} - \sqrt{x(ae^2 + cd^2) + ade + cdx^2}}{\sqrt{a}\sqrt{d}\sqrt{e}}\right)}{8a^{3/2}d^{5/2}e^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^4/(e\*x+d), x, algorithm="fricas")

[Out] [-1/96\*(3\*(c^3\*d^6 - 3\*a\*c^2\*d^4\*e^2 + 3\*a^2\*c\*d^2\*e^4 - a^3\*e^6)\*sqrt(a\*d\*e)\*x^3\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) + 4\*(8\*a^3\*d^3\*e^3 + (3\*a\*c^2\*d^5\*e + 8\*a^2\*c\*d^3\*e^3 - 3\*a^3\*d\*e^5)\*x^2 + 2\*(7\*a^2\*c\*d^4\*e^2 + a^3\*d^2\*e^

$$4)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})/(a^2*d^3*e^2*x^3), -1/48$$

$$*(3*(c^3*d^6 - 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 - a^3*e^6)*\sqrt{-a*d*e}*x^3*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*a*d*e + (c*d^2 + a*e^2)*x)*\sqrt{-a*d*e}/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x)) + 2*(8*a^3*d^3*e^3 + (3*a*c^2*d^5*e + 8*a^2*c*d^3*e^3 - 3*a^3*d*e^5)*x^2 + 2*(7*a^2*c*d^4*e^2 + a^3*d^2*e^4)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})/(a^2*d^3*e^2*x^3)]$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^4/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 2\*((2\*exp(1)^2\*a^2\*exp(2)^2-4\*exp(1)^4\*a^2\*exp(2)+2\*exp(1)^6\*a^2)/2/d^2/sqrt(-a\*d\*exp(1)^3+a\*d\*exp(1)\*exp(2))\*atan((-d\*sqrt(c\*d\*exp(1))+(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)\*exp(1))/sqrt(-a\*d\*exp(1)^3+a\*d\*exp(1)\*exp(2)))-(a^3\*exp(2)^3+6\*exp(1)^2\*a^3\*exp(2)^2-24\*exp(1)^4\*a^3\*exp(2)+16\*exp(1)^6\*a^3+3\*c\*d^2\*a^2\*exp(2)^2+3\*c^2\*d^4\*a\*exp(2)-6\*c^2\*d^4\*exp(1)^2\*a+c^3\*d^6)/8/d^2/exp(1)/a/2/sqrt(-a\*d\*exp(1))\*atan((sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)/sqrt(-a\*d\*exp(1)))+(-3\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^5\*a^3\*exp(2)^3+30\*exp(1)^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^5\*a^3\*exp(2)^2-24\*exp(1)^4\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^5\*a^3\*exp(2)-9\*c\*d^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^5\*a^2\*exp(2)^2-9\*c^2\*d^4\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^5\*a\*exp(2)-30\*c^2\*d^4\*exp(1)^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^5\*a-3\*c^3\*d^6\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^5+48\*d\*exp(1)\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^3\*exp(2)^2-96\*d\*exp(1)^3\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^3\*exp(2)+48\*d\*exp(1)^5\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^3+96\*c\*d^3\*exp(1)\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^2\*exp(2)+48\*c^2\*d^5\*exp(1)\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a-8\*d\*exp(1)\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^4\*exp(2)^3-48\*d\*exp(1)^3\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^4\*exp(2)^2+48\*d\*exp(1)^5\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^4\*exp(2)-24\*c\*d^3\*exp(1)\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2

$$\begin{aligned}
& *x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^3*\exp(2)^2-96*c*d^3*\exp(1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^3*a^3*\exp(2)+48*c*d^3*\exp(1)^5*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^3*a^3-24*c^2*d^5*\exp(1)*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^3*a^2*\exp(2)-48*c^2*d^5*\exp(1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^3*a^2-8*c^3*d^7*\exp(1)*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^3*a+144*d^2*\exp(1)^4*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^4*\exp(2)-96*d^2*\exp(1)^6*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^4+48*c*d^4*\exp(1)^4*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^3+3*d^2*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^5*\exp(2)^3+18*d^2*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^5*\exp(2)^2-24*d^2*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^4*\exp(2)+9*c*d^4*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^4*\exp(2)^2-48*c*d^4*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^4+9*c^2*d^6*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^3*\exp(2)-18*c^2*d^6*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^3+3*c^3*d^8*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^2-48*d^3*\exp(1)^5*\sqrt{c*d*\exp(1)}*a^5*\exp(2)+48*d^3*\exp(1)^7*\sqrt{c*d*\exp(1)}*a^5+16*c*d^5*\exp(1)^5*\sqrt{c*d*\exp(1)}*a^4)/48/d^2/\exp(1)/a/((\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2-d*\exp(1)*a)^3)
\end{aligned}$$

**maple [B]** time = 0.02, size = 1945, normalized size = 9.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}/x^4/(e*x+d), x)$

[Out] 
$$\begin{aligned}
& -3/16/d*e^4*a*c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+(x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}-1/24*d/a^3/e^2*c^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x+1/12/d/a^2/e^2/x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c+1/16*d^4/a/e/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^3-1/8*d^2/a^2/e*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^3-1/3/e/d^2/a^2/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c+17/24/d^3*e^2*c/a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x+3/16/d*e^4*a*c*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*c+1/16/d^5*e^8*a^3/c*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}-1/16/d^5*e^8*a^3/c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+(x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}
\end{aligned}$$

$$\begin{aligned} & *d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} \\ & )/(c*d*e)^{(1/2)}-1/8/d*e^2*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} \\ & )+7/12/d^3/a/x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}+1/8*d/a*(c*d*e*x^2 \\ & +a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^2+5/24/e/a^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2) \\ & )*x)^{(3/2)}*c^2+1/8/d^3*e^4*a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+1/3/d^4 \\ & *e^3*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}+3/8/d^4*e^3*(c*d*e*x^2+a \\ & *d*e+(a*e^2+c*d^2)*x)^{(3/2)}+1/24/a^3/e^3/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)* \\ & x)^{(5/2)}*c^2-1/8*d^3/a^2/e^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^3-1/ \\ & 24*d^2/a^3/e^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c^3-1/3/d^2/a/e/x^3* \\ & (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}-1/4/d^4*e^5*a*(c*d*e*x^2+a*d*e+(a*e \\ & ^2+c*d^2)*x)^{(1/2)}*x-1/8/d^5*e^6*a^2/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1 \\ & /2)}+3/16*e^3*a/(a*d*e)^{(1/2)}*ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c \\ & *d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c-17/24/d^4*e/a/x*(c*d*e*x^2+a*d \\ & e+(a*e^2+c*d^2)*x)^{(5/2)}+11/24/d^2*e/a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3 \\ & /2)}*c+3/8/d^2*e^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c-1/16/d^2*e^5* \\ & a^2/(a*d*e)^{(1/2)}*ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a \\ & *d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)-3/16*e*d^2/(a*d*e)^{(1/2)}*ln((2*a*d*e+(a*e^2+ \\ & c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^2+1/ \\ & 3/d/a^2*c^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x+1/4/d^4*e^5*a*((x+d/e) \\ & )^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x+1/8/d^5*e^6*a^2/c*((x+d/e)^2*c*d*e \\ & +(a*e^2-c*d^2)*(x+d/e))^{(1/2)}+3/16/d^3*e^6*a^2*ln((1/2*a*e^2-1/2*c*d^2+(x+d \\ & /e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c* \\ & d*e)^{(1/2)}-1/4/d^2*e^3*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x+1/ \\ & 16*d*e^2*c^2*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^ \\ & 2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}-3/16/d^3*e^6*a^2*ln((c* \\ & d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^ \\ & (1/2))/(c*d*e)^{(1/2)}-1/16*d*e^2*c^2*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e) \\ & )^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)} \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{3/2}}{(ex + d)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^4/(e\*x+d),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)\*x^4), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}}{x^4 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/(x^4*(d + e*x)), x)`

[Out] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/(x^4*(d + e*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + ex)(ae + cdx))^{\frac{3}{2}}}{x^4(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/x**4/(e*x+d), x)`

[Out] `Integral(((d + e*x)*(a*e + c*d*x))**(3/2)/(x**4*(d + e*x)), x)`

$$3.288 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^5(d+ex)} dx$$

**Optimal.** Leaf size=295

$$\frac{(5ae^2 + 3cd^2)(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{128a^{5/2}d^{7/2}e^{5/2}} + \frac{(5ae^2 + 3cd^2)(cd^2 - ae^2)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{64a^2d^3e^2}$$

**Rubi [A]** time = 0.39, antiderivative size = 295, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 834, 806, 720, 724, 206}

$$\frac{(5ae^2 + 3cd^2)(cd^2 - ae^2)(x(ae^2 + cd^2) + 2ade)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64a^2d^3e^2x^2} - \frac{(5ae^2 + 3cd^2)(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{128a^{5/2}d^{7/2}e^{5/2}} - \frac{\left(\frac{3c}{ae} - \frac{5e}{d^2}\right)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{24x^3} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{4dx^4}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^5\*(d + e\*x)),x]

[Out] ((c\*d^2 - a\*e^2)\*(3\*c\*d^2 + 5\*a\*e^2)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(64\*a^2\*d^3\*e^2\*x^2) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(4\*d\*x^4) - (((3\*c)/(a\*e) - (5\*e)/d^2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(24\*x^3) - ((c\*d^2 - a\*e^2)^3\*(3\*c\*d^2 + 5\*a\*e^2)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(128\*a^(5/2)\*d^(7/2)\*e^(5/2))

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 720

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(d\*b - 2\*a\*e + (2\*c\*d - b\*e)\*x)\*(a + b\*x + c\*x^2)^p)/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[(p\*(b^2 - 4\*a\*c))/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && EqQ[m + 2\*p + 2, 0] && GtQ[p, 0]

### Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

### Rule 806

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 834

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/((m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 849

```
Int[((x_)^(n_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_)/((d_) + (e_.)*(x_)), x_Symbol]
:> Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps



$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^5(d + ex)} dx &= \int \frac{(ae + cdx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^5} dx \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{4dx^4} - \frac{\int \frac{(-\frac{1}{2}ae(3cd^2 - 5ae^2) + acde^2x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^4} dx}{4ade} \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{4dx^4} - \frac{\left(\frac{3c}{ae} - \frac{5e}{d^2}\right)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{24x^3} \\
&= \frac{(cd^2 - ae^2)(3cd^2 + 5ae^2)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64a^2d^3e^2x^2} \\
&= \frac{(cd^2 - ae^2)(3cd^2 + 5ae^2)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64a^2d^3e^2x^2} \\
&= \frac{(cd^2 - ae^2)(3cd^2 + 5ae^2)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64a^2d^3e^2x^2}
\end{aligned}$$

**Mathematica [A]** time = 0.30, size = 253, normalized size = 0.86

$$\frac{\sqrt{(d + ex)(ae + cdx)} \left( \frac{x(5ae^2 + 3cd^2) \left( \sqrt{a} \sqrt{d} \sqrt{d + ex} \sqrt{ae + cdx} (a^2e^2(8d^2 + 2dex - 3e^2x^2) + 2acd^2ex(7d + 4ex) + 3c^2d^4x^2) - 3x^3(cd^2 - ae^2)^3 \tanh^{-1} \left( \frac{\sqrt{d} \sqrt{ae + cdx}}{\sqrt{a} \sqrt{e} \sqrt{d + ex}} \right) \right)}{a^{3/2}d^{5/2}e^{3/2}\sqrt{d + ex}\sqrt{ae + cdx}} - 48(d + ex)(ae + cdx)^2 \right)}{192adex^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^5\*(d + e\*x)), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-48\*(a\*e + c\*d\*x)^2\*(d + e\*x) + ((3\*c\*d^2 + 5\*a\*e^2)\*x\*(Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])\*Sqrt[d + e\*x]\*(3\*c^2\*d^4\*x^2 + 2\*a\*c\*d^2\*e\*x\*(7\*d + 4\*e\*x) + a^2\*e^2\*(8\*d^2 + 2\*d\*e\*x - 3\*e^2\*x^2)) - 3\*(c\*d^2 - a\*e^2)^3\*x^3\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])]))/(a^(3/2)\*d^(5/2)\*e^(3/2)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]))/(192\*a\*d\*e\*x^4)

**IntegrateAlgebraic [A]** time = 2.19, size = 307, normalized size = 1.04

$$\frac{\sqrt{ade + ae^2x + cd^2x + cdex^2} (-48a^3d^3e^3 - 8a^3d^2e^4x + 10a^3de^5x^2 - 15a^3e^6x^3 - 72a^2cd^4e^2x - 20a^2cd^3e^3x^2 + 31a^2cd^2e^4x^3 - 6a^2d^5ex^2 - 9ae^2d^4e^2x^3 + 9e^3d^5x^3)}{192a^3d^3e^3x^4} + \frac{(-5a^4e^3 + 12a^3cd^2e^3 - 6a^2c^2d^4e^4 - 4a^3d^6e^2 + 3c^4d^6) \tanh^{-1} \left( \frac{\pm \sqrt{d} \sqrt{b(a^2 + cd) + ade + cdex^2}}{\sqrt{a} \sqrt{d} \sqrt{e}} \right)}{64a^5d^7/2e^5/2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^5\*(d + e\*x)),x]

[Out] (Sqrt[a\*d\*e + c\*d^2\*x + a\*e^2\*x + c\*d\*e\*x^2]\*(-48\*a^3\*d^3\*e^3 - 72\*a^2\*c\*d^4\*e^2\*x - 8\*a^3\*d^2\*e^4\*x - 6\*a\*c^2\*d^5\*e\*x^2 - 20\*a^2\*c\*d^3\*e^3\*x^2 + 10\*a^3\*d\*e^5\*x^2 + 9\*c^3\*d^6\*x^3 - 9\*a\*c^2\*d^4\*e^2\*x^3 + 31\*a^2\*c\*d^2\*e^4\*x^3 - 15\*a^3\*e^6\*x^3))/(192\*a^2\*d^3\*e^2\*x^4) + ((3\*c^4\*d^8 - 4\*a\*c^3\*d^6\*e^2 - 6\*a^2\*c^2\*d^4\*e^4 + 12\*a^3\*c\*d^2\*e^6 - 5\*a^4\*e^8)\*ArcTanh[(Sqrt[c\*d\*e]\*x - Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[a]\*Sqrt[d]\*Sqrt[e])])/(64\*a^(5/2)\*d^(7/2)\*e^(5/2))

**fricas** [A] time = 8.66, size = 704, normalized size = 2.39

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^5/(e\*x+d),x, algorithm="fricas")

[Out] [-1/768\*(3\*(3\*c^4\*d^8 - 4\*a\*c^3\*d^6\*e^2 - 6\*a^2\*c^2\*d^4\*e^4 + 12\*a^3\*c\*d^2\*e^6 - 5\*a^4\*e^8)\*sqrt(a\*d\*e)\*x^4\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) + 4\*(48\*a^4\*d^4\*e^4 - (9\*a\*c^3\*d^7\*e - 9\*a^2\*c^2\*d^5\*e^3 + 31\*a^3\*c\*d^3\*e^5 - 15\*a^4\*d\*e^7)\*x^3 + 2\*(3\*a^2\*c^2\*d^6\*e^2 + 10\*a^3\*c\*d^4\*e^4 - 5\*a^4\*d^2\*e^6)\*x^2 + 8\*(9\*a^3\*c\*d^5\*e^3 + a^4\*d^3\*e^5)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a^3\*d^4\*e^3\*x^4), 1/384\*(3\*(3\*c^4\*d^8 - 4\*a\*c^3\*d^6\*e^2 - 6\*a^2\*c^2\*d^4\*e^4 + 12\*a^3\*c\*d^2\*e^6 - 5\*a^4\*e^8)\*sqrt(-a\*d\*e)\*x^4\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) - 2\*(48\*a^4\*d^4\*e^4 - (9\*a\*c^3\*d^7\*e - 9\*a^2\*c^2\*d^5\*e^3 + 31\*a^3\*c\*d^3\*e^5 - 15\*a^4\*d\*e^7)\*x^3 + 2\*(3\*a^2\*c^2\*d^6\*e^2 + 10\*a^3\*c\*d^4\*e^4 - 5\*a^4\*d^2\*e^6)\*x^2 + 8\*(9\*a^3\*c\*d^5\*e^3 + a^4\*d^3\*e^5)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a^3\*d^4\*e^3\*x^4)]

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^5/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 2\*((-2\*exp(1)^3\*a^2\*exp(2)^2+4\*exp(1)^5\*a^2\*exp(2)-2\*exp(1)^7\*a^2)/2/d^3/sqrt(-a

$$\begin{aligned}
& *d*\exp(1)^3+a*d*\exp(1)*\exp(2))*\operatorname{atan}((-d*\sqrt{c*d*\exp(1)}+(\sqrt{a*d*\exp(1)+a} \\
& *x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1)*x}*\exp(1))/\sqrt{-a*d*\exp \\
& (1)^3+a*d*\exp(1)*\exp(2)))+(3*a^4*\exp(2)^4+8*\exp(1)^2*a^4*\exp(2)^3+48*\exp(1) \\
& ^4*a^4*\exp(2)^2-192*\exp(1)^6*a^4*\exp(2)+128*\exp(1)^8*a^4+12*c*d^2*a^3*\exp(2) \\
& )^3+18*c^2*d^4*a^2*\exp(2)^2-24*c^2*d^4*\exp(1)^2*a^2*\exp(2)+12*c^3*d^6*a*\exp \\
& (2)-16*c^3*d^6*\exp(1)^2*a+3*c^4*d^8)/64/d^3/\exp(1)^2/a^2/2/\sqrt{-a*d*\exp(1) \\
& )*\operatorname{atan}((\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1) \\
& *x})/\sqrt{-a*d*\exp(1)}))+(9*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1) \\
& )-\sqrt{c*d*\exp(1)*x})^7*a^4*\exp(2)^4+24*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2) \\
& +c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^7*a^4*\exp(2)^3-240*\exp(1)^4* \\
& (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^7*a \\
& ^4*\exp(2)^2+192*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1) \\
& )-\sqrt{c*d*\exp(1)*x})^7*a^4*\exp(2)+36*c*d^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d \\
& ^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^7*a^3*\exp(2)^3+54*c^2*d^4*(\sqrt{a* \\
& d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^7*a^2*\exp(2) \\
& )^2-72*c^2*d^4*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1) \\
& )-\sqrt{c*d*\exp(1)*x})^7*a^2*\exp(2)+36*c^3*d^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c* \\
& d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^7*a*\exp(2)-48*c^3*d^6*\exp(1)^2*(\sqrt{ \\
& a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^7*a+9 \\
& *c^4*d^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1) \\
& )*x)^7-384*d*\exp(1)^3*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x \\
& +c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^6*a^4*\exp(2)^2+768*d*\exp(1)^5*\sqrt{c*d \\
& *exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1) \\
& )*x)^6*a^4*\exp(2)-384*d*\exp(1)^7*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp \\
& (2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^6*a^4+384*c^2*d^5*\exp(1)^3* \\
& \sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c \\
& *d*\exp(1)*x})^6*a^2-33*d*\exp(1)*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2 \\
& *exp(1)}-\sqrt{c*d*\exp(1)*x})^5*a^5*\exp(2)^4+40*d*\exp(1)^3*(\sqrt{a*d*\exp(1)+ \\
& a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^5*a^5*\exp(2)^3+624*d \\
& *exp(1)^5*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp( \\
& 1)*x})^5*a^5*\exp(2)^2-576*d*\exp(1)^7*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c \\
& d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^5*a^5*\exp(2)-132*c*d^3*\exp(1)*(\sqrt{a*d*e \\
& xp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^5*a^4*\exp(2)^3 \\
& -384*c*d^3*\exp(1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{ \\
& t(c*d*\exp(1)*x})^5*a^4*\exp(2)^2+768*c*d^3*\exp(1)^5*(\sqrt{a*d*\exp(1)+a*x*\exp \\
& (2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^5*a^4*\exp(2)-384*c*d^3*\exp( \\
& 1)^7*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x} \\
& )^5*a^4-198*c^2*d^5*\exp(1)*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp( \\
& 1)}-\sqrt{c*d*\exp(1)*x})^5*a^3*\exp(2)^2-888*c^2*d^5*\exp(1)^3*(\sqrt{a*d*\exp(1) \\
& )+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^5*a^3*\exp(2)-132*c \\
& ^3*d^7*\exp(1)*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d* \\
& exp(1)*x})^5*a^2*\exp(2)-464*c^3*d^7*\exp(1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c* \\
& d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^5*a^2-33*c^4*d^9*\exp(1)*(\sqrt{a*d \\
& *exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^5*a+384*d^2* \\
& \exp(1)^2*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)
\end{aligned}$$

))-sqrt(c\*d\*exp(1))\*x^4\*a^5\*exp(2)^3+384\*d^2\*exp(1)^4\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^5\*exp(2)^2-1920\*d^2\*exp(1)^6\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^5\*exp(2)+1152\*d^2\*exp(1)^8\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^5+1152\*c\*d^4\*exp(1)^2\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^4\*exp(2)^2+768\*c\*d^4\*exp(1)^4\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^4\*exp(2)-384\*c\*d^4\*exp(1)^6\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^4+1152\*c^2\*d^6\*exp(1)^2\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^3\*exp(2)+384\*c^2\*d^6\*exp(1)^4\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^3+384\*c^3\*d^8\*exp(1)^2\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^4\*a^2-33\*d^2\*exp(1)^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^6\*exp(2)^4-88\*d^2\*exp(1)^4\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^6\*exp(2)^3-528\*d^2\*exp(1)^6\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^6\*exp(2)^2+576\*d^2\*exp(1)^8\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^6\*exp(2)-132\*c\*d^4\*exp(1)^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^5\*exp(2)^3-768\*c\*d^4\*exp(1)^4\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^5\*exp(2)^2-768\*c\*d^4\*exp(1)^6\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^5\*exp(2)+768\*c\*d^4\*exp(1)^8\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^5-198\*c^2\*d^6\*exp(1)^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^4\*exp(2)^2-1272\*c^2\*d^6\*exp(1)^4\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^4\*exp(2)-384\*c^2\*d^6\*exp(1)^6\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^4-132\*c^3\*d^8\*exp(1)^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^3\*exp(2)-592\*c^3\*d^8\*exp(1)^4\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^3-33\*c^4\*d^10\*exp(1)^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^3\*a^2+1536\*d^3\*exp(1)^7\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^2\*a^6\*exp(2)-1152\*d^3\*exp(1)^9\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^2\*a^6+768\*c\*d^5\*exp(1)^5\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^2\*a^5\*exp(2)+256\*c\*d^5\*exp(1)^7\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^2\*a^5+768\*c^2\*d^7\*exp(1)^5\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^2\*a^4+9\*d^3\*exp(1)^3\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)\*a^7\*exp(2)^4+24\*d^3\*exp(1)^5\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)\*a^7\*exp(2)^3+144\*d^3\*exp(1)^7\*(sqrt(a\*d\*exp(1)+a\*x\*ex

$$\begin{aligned}
& p(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1)*x}*a^7*\exp(2)^2-192*d^3*\exp(1) \\
& )^9*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x} \\
& )^7*\exp(2)+36*c*d^5*\exp(1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*e \\
& xp(1)}-\sqrt{c*d*\exp(1)*x}*a^6*\exp(2)^3-384*c*d^5*\exp(1)^9*(\sqrt{a*d*\exp(1) \\
& +a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}*a^6+54*c^2*d^7*\exp( \\
& 1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x} \\
& )^5*\exp(2)^2-72*c^2*d^7*\exp(1)^5*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d* \\
& x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}*a^5*\exp(2)-384*c^2*d^7*\exp(1)^7*(\sqrt{a*d*e \\
& xp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}*a^5+36*c^3*d^9 \\
& *exp(1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp( \\
& 1)*x}*a^4*\exp(2)-48*c^3*d^9*\exp(1)^5*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c \\
& *d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}*a^4+9*c^4*d^11*\exp(1)^3*(\sqrt{a*d*\exp(1) \\
& +a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}*a^3-384*d^4*\exp(1)^ \\
& 8*\sqrt{c*d*\exp(1)*a^7*\exp(2)+384*d^4*\exp(1)^10*\sqrt{c*d*\exp(1)*a^7+128*c \\
& d^6*\exp(1)^8*\sqrt{c*d*\exp(1)*a^6}/384/d^3/\exp(1)^2/a^2/((\sqrt{a*d*\exp(1)+a \\
& *x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x})^2-d*\exp(1)*a)^4)
\end{aligned}$$

**maple [B]** time = 0.03, size = 2427, normalized size = 8.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}/x^5/(e*x+d), x)$

[Out]  $\begin{aligned}
& -3/64/d*e^2/a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^2-3/32/d*e^4*a/(a \\
& *d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a \\
& *e^2+c*d^2)*x)^{(1/2)})/x)*c-133/192/d^4*e^3*c/a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^ \\
& 2)*x)^{(3/2)}*x-3/16/d^2*e^5*a*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)} \\
& +(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*c+3/64*d^3/a^3/e^2* \\
& (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^4+1/8/d/a^2/e^2/x^3*(c*d*e*x^2+ \\
& a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c+1/64*d^2/a^4/e^3*c^4*(c*d*e*x^2+a*d*e+(a*e^2 \\
& +c*d^2)*x)^{(3/2)}*x-1/64*d/a^4/e^4/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)} \\
& *c^3-3/128*d^5/a^2/e^2/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^ \\
& (1/2)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^4+1/16/d^6*e^9*a^3/c*\ln \\
& ((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2- \\
& c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+3/16/d^2*e^5*a*c*\ln((1/2*a*e^2-1/2*c*d \\
& ^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/ \\
& 2)})/(c*d*e)^{(1/2)}-1/16/d^6*e^9*a^3/c*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d* \\
& e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}-13/48/e/d^2 \\
& /a^2/x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c+19/192/e^2/d/a^3/x*(c*d* \\
& e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c^2-91/192/d^2*e/a^2*c^2*(c*d*e*x^2+a*d* \\
& e+(a*e^2+c*d^2)*x)^{(3/2)}*x+1/8/d^2*e^3*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+ \\
& d/e))^{(1/2)}-1/16*e^3*c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/ \\
& 2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+11/24/d^3/a \\
& /x^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}-1/32*e/a*(c*d*e*x^2+a*d*e+(a*e
\end{aligned}$

$$\begin{aligned} & ^2+c*d^2)*x)^{(1/2)}*c^2-29/96/d/a^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}* \\ & c^2+1/16*e^3*c^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+ \\ & a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}-5/64/d^4*e^5*a*(c*d*e*x^2+a*d*e \\ & +(a*e^2+c*d^2)*x)^{(1/2)}-3/32/d^2*e^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} \\ & )*c-1/3/d^5*e^4*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}-23/64/d^5*e^4 \\ & *(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}+3/16/d^4*e^7*a^2*\ln((c*d*e*x+1/2*a \\ & *e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d \\ & *e)^{(1/2)}+133/192/d^5*e^2/a/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}+3/64* \\ & d*e^2/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+ \\ & a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^2-1/32/a^3/e^3/x^2*(c*d*e*x^2+a*d*e+(a*e \\ & ^2+c*d^2)*x)^{(5/2)}*c^2+3/64*d^4/a^3/e^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{( \\ & 1/2)}*c^4+1/64*d^3/a^4/e^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c^4-1/4/d \\ & ^2/a/e/x^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}-53/96/d^3*e^2/a*(c*d*e*x \\ & ^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c-21/64/d^3*e^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d \\ & ^2)*x)^{(1/2)}*x*c+5/128/d^3*e^6*a^2/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)* \\ & x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)-59/96/d^4*e/a \\ & /x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}+91/192/d^3/a^2/x*(c*d*e*x^2+a* \\ & d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c+1/4/d^5*e^6*a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x \\ & )^{(1/2)}*x+1/8/d^6*e^7*a^2/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}-1/4/d^5 \\ & *e^6*a*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x-1/8/d^6*e^7*a^2/c*(( \\ & x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}-3/16/d^4*e^7*a^2*\ln((1/2*a*e^2- \\ & 1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/ \\ & e))^{(1/2)})/(c*d*e)^{(1/2)}+1/4/d^3*e^4*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/ \\ & e))^{(1/2)}*x+1/32/e*d^2/a^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^3-5/96 \\ & /e^2*d/a^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c^3-19/192/e/a^3*c^3*(c* \\ & d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x+1/32*d^3/a/(a*d*e)^{(1/2)}*\ln((2*a*d*e \\ & +(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x \\ & )*c^3+5/64*d/a^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^3 \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{3/2}}{(ex + d)x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^5/(e\*x+d),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)\*x^5), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}}{x^5(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/(x^5*(d + e*x)),x)`

[Out] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/(x^5*(d + e*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + ex)(ae + cdx))^{\frac{3}{2}}}{x^5(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/x**5/(e*x+d),x)`

[Out] `Integral(((d + e*x)*(a*e + c*d*x))**(3/2)/(x**5*(d + e*x)), x)`

$$3.289 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^6(d+ex)} dx$$

Optimal. Leaf size=395

$$\frac{(-35a^2e^4 + 12acd^2e^2 + 15c^2d^4)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{240a^2d^3e^2x^3} + \frac{(7a^2e^4 + 6acd^2e^2 + 3c^2d^4)(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + ade + cdex^2}{\sqrt{(a^2 + cd^2)(cd^2 - ae^2)}}\right)}{256a^{7/2}d^{9/2}e^{7/2}}$$

**Rubi [A]** time = 0.51, antiderivative size = 395, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 834, 806, 720, 724, 206}

$$\frac{(7a^2e^4 + 6acd^2e^2 + 3c^2d^4)(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + ade + cdex^2}{\sqrt{(a^2 + cd^2)(cd^2 - ae^2)}}\right)}{256a^{7/2}d^{9/2}e^{7/2}} + \frac{(-35a^2e^4 + 12acd^2e^2 + 15c^2d^4)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{240a^2d^3e^2x^3} + \frac{(7a^2e^4 + 6acd^2e^2 + 3c^2d^4)(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + ade + cdex^2}{\sqrt{(a^2 + cd^2)(cd^2 - ae^2)}}\right)}{256a^{7/2}d^{9/2}e^{7/2}} + \frac{(7a^2e^4 + 6acd^2e^2 + 3c^2d^4)(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + ade + cdex^2}{\sqrt{(a^2 + cd^2)(cd^2 - ae^2)}}\right)}{256a^{7/2}d^{9/2}e^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^6\*(d + e\*x)), x]

[Out] -((c\*d^2 - a\*e^2)\*(3\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + 7\*a^2\*e^4)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(128\*a^3\*d^4\*e^3\*x^2) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(5\*d\*x^5) - (((3\*c)/(a\*e) - (7\*e)/d^2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(40\*x^4) + ((15\*c^2\*d^4 + 12\*a\*c\*d^2\*e^2 - 35\*a^2\*e^4)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(240\*a^2\*d^3\*e^2\*x^3) + ((c\*d^2 - a\*e^2)^3\*(3\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + 7\*a^2\*e^4)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(256\*a^(7/2)\*d^(9/2)\*e^(7/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 720

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(d\*b - 2\*a\*e + (2\*c\*d - b\*e)\*x)\*(a + b\*x + c\*x^2)^p)/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[(p\*(b^2 - 4\*a\*c))/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && EqQ[m + 2\*p + 2, 0] && GtQ[p, 0]



Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 806

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 834

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(m + 1)*(c*d^2 - b*d*e + a*e^2), x] + Dist[1/(m + 1)*(c*d^2 - b*d*e + a*e^2), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 849

```
Int[((x_)^(n_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol]
:> Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^6(d + ex)} dx &= \int \frac{(ae + cdx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^6} dx \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{5dx^5} - \frac{\int \frac{(-\frac{1}{2}ae(3cd^2 - 7ae^2) + 2acde^2x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^5} dx}{5ade} \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{5dx^5} - \frac{\left(\frac{3c}{ae} - \frac{7e}{d^2}\right)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{40x^4} \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{5dx^5} - \frac{\left(\frac{3c}{ae} - \frac{7e}{d^2}\right)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{40x^4} \\
&= -\frac{(cd^2 - ae^2)(3c^2d^4 + 6acd^2e^2 + 7a^2e^4)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128a^3d^4e^3x^2} \\
&= -\frac{(cd^2 - ae^2)(3c^2d^4 + 6acd^2e^2 + 7a^2e^4)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128a^3d^4e^3x^2} \\
&= -\frac{(cd^2 - ae^2)(3c^2d^4 + 6acd^2e^2 + 7a^2e^4)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128a^3d^4e^3x^2}
\end{aligned}$$

**Mathematica [A]** time = 0.49, size = 310, normalized size = 0.78

$$\frac{\sqrt{(d + ex)(ae + cdx)} \left( \frac{5x^2(7a^2e^4 + 6acd^2e^2 + 3c^2d^4) \left( \sqrt{a} \sqrt{d} \sqrt{e} \sqrt{d+ex} \sqrt{ae+cdx} (a^2e^2(-8d^2-2dex+3e^2x^2) - 2acd^2ex(7d+4ex) - 3e^2d^4x^2) + 3x^3(cd^2-ae^2)^3 \tanh^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{a}\sqrt{e}\sqrt{d+ex}}\right) \right)}{a^5d^7/2e^5\sqrt{d+ex}\sqrt{ae+cdx}} + \frac{48x(d+ex)(7ae^2+5cd^2)(ae+cdx)^2}{ade} - 384(d+ex)(ae+cdx)^2 \right)}{1920adex^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^6\*(d + e\*x)), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-384\*(a\*e + c\*d\*x)^2\*(d + e\*x) + (48\*(5\*c\*d^2 + 7\*a\*e^2)\*x\*(a\*e + c\*d\*x)^2\*(d + e\*x))/(a\*d\*e) + (5\*(3\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + 7\*a^2\*e^4)\*x^2\*(Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*(-3\*c^2\*d^4\*x^2 - 2\*a\*c\*d^2\*e\*x\*(7\*d + 4\*e\*x) + a^2\*e^2\*(-8\*d^2 - 2\*d\*e\*x + 3\*e^2\*x^2)) + 3\*(c\*d^2 - a\*e^2)^3\*x^3\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])]))/(a^(5/2)\*d^(7/2)\*e^(5/2)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]))/(1920\*a\*d\*e\*x^5)

**IntegrateAlgebraic [F]** time = 180.11, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)/(x^6*(d + e*x)),x]
```

```
[Out] $Aborted
```

```
fricas [A] time = 20.24, size = 872, normalized size = 2.21
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/x^6/(e*x+d),x, algorithm="fricas")
```

```
[Out] [-1/7680*(15*(3*c^5*d^10 - 3*a*c^4*d^8*e^2 - 2*a^2*c^3*d^6*e^4 - 6*a^3*c^2*d^4*e^6 + 15*a^4*c*d^2*e^8 - 7*a^5*e^10)*sqrt(a*d*e)*x^5*log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 - 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(a*d*e) + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) + 4*(384*a^5*d^5*e^5 + (45*a*c^4*d^9*e - 30*a^2*c^3*d^7*e^3 - 36*a^3*c^2*d^5*e^5 + 190*a^4*c*d^3*e^7 - 105*a^5*d*e^9)*x^4 - 2*(15*a^2*c^3*d^8*e^2 - 9*a^3*c^2*d^6*e^4 + 61*a^4*c*d^4*e^6 - 35*a^5*d^2*e^8)*x^3 + 8*(3*a^3*c^2*d^7*e^3 + 12*a^4*c*d^5*e^5 - 7*a^5*d^3*e^7)*x^2 + 48*(11*a^4*c*d^6*e^4 + a^5*d^4*e^6)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(a^4*d^5*e^4*x^5), -1/3840*(15*(3*c^5*d^10 - 3*a*c^4*d^8*e^2 - 2*a^2*c^3*d^6*e^4 - 6*a^3*c^2*d^4*e^6 + 15*a^4*c*d^2*e^8 - 7*a^5*e^10)*sqrt(-a*d*e)*x^5*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-a*d*e)/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x) + 2*(384*a^5*d^5*e^5 + (45*a*c^4*d^9*e - 30*a^2*c^3*d^7*e^3 - 36*a^3*c^2*d^5*e^5 + 190*a^4*c*d^3*e^7 - 105*a^5*d*e^9)*x^4 - 2*(15*a^2*c^3*d^8*e^2 - 9*a^3*c^2*d^6*e^4 + 61*a^4*c*d^4*e^6 - 35*a^5*d^2*e^8)*x^3 + 8*(3*a^3*c^2*d^7*e^3 + 12*a^4*c*d^5*e^5 - 7*a^5*d^3*e^7)*x^2 + 48*(11*a^4*c*d^6*e^4 + a^5*d^4*e^6)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(a^4*d^5*e^4*x^5)]
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/x^6/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 2*((2*exp(1)^4*a^2*exp(2)^2-4*exp(1)^6*a^2*exp(2)+2*exp(1)^8*a^2)/2/d^4/sqrt(-a*
```



$$\begin{aligned}
& -\sqrt{c*d*\exp(1)*x}^7*a^4*\exp(2)^3+2520*c^2*d^5*\exp(1)^3*(\sqrt{a*d*\exp(1)+} \\
& a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1)*x}^7*a^4*\exp(2)^2-2100* \\
& c^3*d^7*\exp(1)*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d \\
& *\exp(1)*x}^7*a^3*\exp(2)^2+3360*c^3*d^7*\exp(1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2) \\
& )+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^7*a^3*\exp(2)+4000*c^3*d^7*\exp \\
& (1)^5*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*} \\
& x)^7*a^3-1050*c^4*d^9*\exp(1)*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp \\
& (1)}-\sqrt{c*d*\exp(1)*x}^7*a^2*\exp(2)+1260*c^4*d^9*\exp(1)^3*(\sqrt{a*d*\exp( \\
& 1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^7*a^2-210*c^5*d^1 \\
& 1*\exp(1)*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1) \\
& )*x)^7*a+3840*d^2*\exp(1)^4*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c* \\
& d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^6*a^6*\exp(2)^3+7680*d^2*\exp(1)^6* \\
& \sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c \\
& *d*\exp(1)*x}^6*a^6*\exp(2)^2-26880*d^2*\exp(1)^8*\sqrt{c*d*\exp(1)}*(\sqrt{a*d* \\
& \exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^6*a^6*\exp(2)+ \\
& 15360*d^2*\exp(1)^10*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c* \\
& d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^6*a^6-3840*c*d^4*\exp(1)^4*\sqrt{c*d*\exp(1) \\
& }*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^6 \\
& *a^5*\exp(2)^2+7680*c*d^4*\exp(1)^6*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp \\
& (2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^6*a^5*\exp(2)-3840*c*d^4*\exp \\
& (1)^8*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}- \\
& \sqrt{c*d*\exp(1)*x}^6*a^5-19200*c^2*d^6*\exp(1)^4*\sqrt{c*d*\exp(1)}*(\sqrt{a*d \\
& *\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^6*a^4*\exp(2) \\
& -11520*c^3*d^8*\exp(1)^4*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x \\
& +c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^6*a^3+384*d^2*\exp(1)^2*(\sqrt{a*d*\exp( \\
& 1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^7*\exp(2)^5-12 \\
& 80*d^2*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c* \\
& d*\exp(1)*x}^5*a^7*\exp(2)^3-11520*d^2*\exp(1)^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+} \\
& c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^7*\exp(2)^2+11520*d^2*\exp(1) \\
& ^10*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x} \\
& ^5*a^7*\exp(2)+1920*c*d^4*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x \\
& ^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^6*\exp(2)^4+7680*c*d^4*\exp(1)^4*(\sqrt{a*d \\
& *\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^6*\exp(2) \\
& ^3-3840*c*d^4*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}- \\
& \sqrt{c*d*\exp(1)*x}^5*a^6*\exp(2)^2-15360*c*d^4*\exp(1)^8*(\sqrt{a*d*\exp(1)+a* \\
& x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^6*\exp(2)+11520*c*d \\
& ^4*\exp(1)^10*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*e \\
& xp(1)*x}^5*a^6+3840*c^2*d^6*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c \\
& *d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^5*\exp(2)^3+23040*c^2*d^6*\exp(1)^4*(s \\
& \sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^5 \\
& *\exp(2)^2+7680*c^2*d^6*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2 \\
& *\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^5*\exp(2)-3840*c^2*d^6*\exp(1)^8*(\sqrt{a*d*e \\
& xp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^5+3840*c^3 \\
& *d^8*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d* \\
& \exp(1)*x}^5*a^4*\exp(2)^2+23040*c^3*d^8*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)
\end{aligned}$$

$$\begin{aligned}
& )+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^4*exp(2)+10240*c^3*d^8*exp(1)^6*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^4+1920*c^4*d^10*exp(1)^2*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^3*exp(2)+7680*c^4*d^10*exp(1)^4*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^3+384*c^5*d^12*exp(1)^2*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^5*a^2-3840*d^3*exp(1)^3*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^7*exp(2)^4-3840*d^3*exp(1)^5*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^7*exp(2)^3-3840*d^3*exp(1)^7*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^7*exp(2)^2+34560*d^3*exp(1)^9*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^7*exp(2)-23040*d^3*exp(1)^11*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^7-15360*c*d^5*exp(1)^3*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^6*exp(2)^3-19200*c*d^5*exp(1)^5*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^6*exp(2)^2+6400*c*d^5*exp(1)^9*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^6-23040*c^2*d^7*exp(1)^3*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^5*exp(2)^2-26880*c^2*d^7*exp(1)^5*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^5*exp(2)-3840*c^2*d^7*exp(1)^7*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^5-15360*c^3*d^9*exp(1)^3*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^4*exp(2)-11520*c^3*d^9*exp(1)^5*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^4-3840*c^4*d^11*exp(1)^3*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^4*a^3+210*d^3*exp(1)^3*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^8*exp(2)^5+420*d^3*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^8*exp(2)^4+1120*d^3*exp(1)^7*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^8*exp(2)^3+6720*d^3*exp(1)^9*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^8*exp(2)^2-7680*d^3*exp(1)^11*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^8*exp(2)+1050*c*d^5*exp(1)^3*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^7*exp(2)^4+7680*c*d^5*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^7*exp(2)^3+7680*c*d^5*exp(1)^7*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^7*exp(2)^2+7680*c*d^5*exp(1)^9*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^7*exp(2)-11520*c*d^5*exp(1)^11*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^7+2100*c^2*d^7*exp(1)^3*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^3*a^6*exp(2)^3+20520*c^2*d^7*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c
\end{aligned}$$

$$\begin{aligned}
& *d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^6*\exp(2)^2+19200*c^2*d^7*\exp \\
& (1)^7*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))* \\
& x)^3*a^6*\exp(2)+2100*c^3*d^9*\exp(1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c \\
& *d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^3*a^5*\exp(2)^2+19680*c^3*d^9*\exp(1)^5*(s \\
& \sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^3*a^5 \\
& *\exp(2)+12640*c^3*d^9*\exp(1)^7*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2* \\
& \exp(1)}-\sqrt{c*d*\exp(1))*x)^3*a^5+1050*c^4*d^11*\exp(1)^3*(\sqrt{a*d*\exp(1)+a \\
& *x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^3*a^4*\exp(2)+6420*c^4 \\
& *d^11*\exp(1)^5*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d \\
& *\exp(1))*x)^3*a^4+210*c^5*d^13*\exp(1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x \\
& +c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^3*a^3-19200*d^4*\exp(1)^10*\sqrt{c*d*\exp \\
& (1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x \\
& )^2*a^8*\exp(2)+15360*d^4*\exp(1)^12*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp \\
& (2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^8-7680*c*d^6*\exp(1)^6* \\
& \sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c \\
& *d*\exp(1))*x)^2*a^7*\exp(2)^2-7680*c*d^6*\exp(1)^8*\sqrt{c*d*\exp(1)}*(\sqrt{a*d \\
& *\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^7*\exp(2) \\
& -1280*c*d^6*\exp(1)^10*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+ \\
& c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^7-15360*c^2*d^8*\exp(1)^6*\sqrt{c*d*e \\
& xp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}) \\
& *x)^2*a^6*\exp(2)-7680*c^2*d^8*\exp(1)^8*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a* \\
& x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)^2*a^6-7680*c^3*d^10*\exp \\
& (1)^6*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}) \\
& -\sqrt{c*d*\exp(1))*x)^2*a^5-45*d^4*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^ \\
& 2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)*a^9*\exp(2)^5-90*d^4*\exp(1)^6*(\sqrt{ \\
& a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)*a^9*\exp(2) \\
& )^4-240*d^4*\exp(1)^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{ \\
& \sqrt{c*d*\exp(1))*x)*a^9*\exp(2)^3-1440*d^4*\exp(1)^10*(\sqrt{a*d*\exp(1)+a*x*\exp( \\
& 2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)*a^9*\exp(2)^2+1920*d^4*\exp(1) \\
& ^12*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x) \\
& *a^9*\exp(2)-225*c*d^6*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2* \\
& \exp(1)}-\sqrt{c*d*\exp(1))*x)*a^8*\exp(2)^4+3840*c*d^6*\exp(1)^12*(\sqrt{a*d*\exp \\
& (1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)*a^8-450*c^2*d^8* \\
& \exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1) \\
& ))*x)*a^7*\exp(2)^3+540*c^2*d^8*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x \\
& +c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)*a^7*\exp(2)^2+3840*c^2*d^8*\exp(1)^8*(\sqrt{ \\
& \sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)*a^7*\exp \\
& (2)+3840*c^2*d^8*\exp(1)^10*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp \\
& (1)}-\sqrt{c*d*\exp(1))*x)*a^7-450*c^3*d^10*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp \\
& (2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)*a^6*\exp(2)^2+720*c^3*d^10*\exp \\
& (1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1) \\
& ))*x)*a^6*\exp(2)+3600*c^3*d^10*\exp(1)^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+ \\
& c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)*a^6-225*c^4*d^12*\exp(1)^4*(\sqrt{a*d*\exp \\
& (1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1))*x)*a^5*\exp(2)+270*c \\
& ^4*d^12*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c
\end{aligned}$$

```
*d*exp(1))*x)*a^5-45*c^5*d^14*exp(1)^4*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+
c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^4+3840*d^5*exp(1)^11*sqrt(c*d*exp(1))
*a^9*exp(2)-3840*d^5*exp(1)^13*sqrt(c*d*exp(1))*a^9-1280*c*d^7*exp(1)^11*sq
rt(c*d*exp(1))*a^8-768*c^2*d^9*exp(1)^9*sqrt(c*d*exp(1))*a^7)/3840/d^4/exp(
1)^3/a^3/((sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(
1))*x)^2-d*exp(1)*a)^5)
```

**maple [B]** time = 0.03, size = 2888, normalized size = 7.31

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}/x^6/(e*x+d), x)$

[Out]  $\frac{7}{128}d^5e^6a(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} - \frac{1}{32}d/a^2(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} * c^3 - \frac{3}{128}e^3/(a*d*e)^{(1/2)} * \ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x) * c^2 - \frac{1}{8}d^3e^4*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} + \frac{3}{8}d^3/a/x^4 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)} + \frac{7}{48}e/a^3(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} * c^3 + \frac{15}{128}d^3e^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} * c + \frac{1}{3}d^6e^5*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)} + \frac{45}{128}d^6e^5 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} + \frac{121}{192}d^5e^2/a/x^2 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)} + \frac{19}{48}d^2e/a^2 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} * c^2 + \frac{1}{32}d^2e^2/a * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} * c^2 + \frac{1}{4}d^6e^7*a*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} * x + \frac{1}{8}d^7e^8*a^2/c * ((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} + \frac{3}{16}d^5e^8*a^2 * \ln((1/2*a*e^2 - 1/2*c*d^2 + (x+d/e)*c*d*e)/(c*d*e)^{(1/2)} + ((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)} - \frac{1}{4}d^4e^5*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} * x + \frac{1}{16}d^4e^4*c^2 * \ln((1/2*a*e^2 - 1/2*c*d^2 + (x+d/e)*c*d*e)/(c*d*e)^{(1/2)} + ((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)} - \frac{1}{16}a^3/e^3/x^3 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)} * c^2 - \frac{3}{64}a^4/e^3/x * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)} * c^3 - \frac{1}{5}d^2/a/e/x^5 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)} - \frac{3}{128}d^3/a^3/e^2 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} * c^4 + \frac{3}{128}d^2/a^4/e^3 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} * c^4 - \frac{1}{128}d^4/a^5/e^5 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} * c^5 - \frac{3}{128}d^5/a^4/e^4 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} * c^5 - \frac{3}{16}d^5e^8*a^2 * \ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)} + (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)} - \frac{1}{16}d^4e^4*c^2 * \ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)} + (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)} - \frac{263}{384}d^6e^3/a/x * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)} + \frac{227}{384}d^4e^3/a * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} * c + \frac{39}{128}d^4e^5 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} * x * c - \frac{7}{256}d^4e^7*a^2/(a*d*e)^{(1/2)} * \ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x) - \frac{1}{32}e/a^2 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} * x * c^3 + \frac{23}{96}d/a^3*c^3 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)} * x + \frac{73}{192}d^3/a^2/x^2 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}$



$$\begin{aligned}
& *c-25/48/d^4*e/a/x^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}-1/4/d^6*e^7*a* \\
& (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x-1/8/d^7*e^8*a^2/c*(c*d*e*x^2+a*d* \\
& e+(a*e^2+c*d^2)*x)^{(1/2)}+1/8/d/a^2/e^2/x^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x \\
& )^{(5/2)}*c-1/4/d^2/a^2/e/x^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c-1/128 \\
& *d^2*e/a/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x \\
& ^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^3-23/96/d^2/e/a^3/x*(c*d*e*x^2+a*d*e+ \\
& (a*e^2+c*d^2)*x)^{(5/2)}*c^2+1/16/d^7*e^10*a^3/c*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d \\
& ^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}+1 \\
& 03/192/d^3*e^2/a^2*c^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x-103/192/d^ \\
& 4*e/a^2/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c+3/64/d^2*e^3/a*(c*d*e*x \\
& ^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^2+263/384/d^5*e^4*c/a*(c*d*e*x^2+a*d*e+ \\
& (a*e^2+c*d^2)*x)^{(3/2)}*x+3/16/d^3*e^6*a*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c \\
& *d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*c+15/256 \\
& /d^2*e^5*a/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e \\
& *x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c-3/64/e*d^2/a^3*(c*d*e*x^2+a*d*e+(a \\
& e^2+c*d^2)*x)^{(1/2)}*x*c^4-1/16/d^7*e^10*a^3/c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/ \\
& e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d \\
& *e)^{(1/2)}-3/16/d^3*e^6*a*c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{( \\
& 1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}-3/256*d^4 \\
& /a^2/e/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2 \\
& +a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^4+3/256*d^6/a^3/e^3/(a*d*e)^{(1/2)}*\ln((2 \\
& *a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1 \\
& /2)})/x)*c^5-3/128*d^4/a^4/e^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^5 \\
& +3/64*d/a^4/e^2*c^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x-1/128*d^3/a^5 \\
& /e^4*c^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x+9/64/d/a^3/e^2/x^2*(c*d* \\
& e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c^2+1/64*d/a^4/e^4/x^2*(c*d*e*x^2+a*d*e+ \\
& (a*e^2+c*d^2)*x)^{(5/2)}*c^3+1/128*d^2/a^5/e^5/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^ \\
& 2)*x)^{(5/2)}*c^4
\end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{3/2}}{(ex + d)x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^6/(e\*x+d),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)\*x^6), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}}{x^6(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/(x^6*(d + e*x)),x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/(x^6*(d + e*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/x**6/(e*x+d),x)
```

```
[Out] Timed out
```

$$3.290 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^7(d+ex)} dx$$

Optimal. Leaf size=498

$$\frac{(-21a^2e^4 + 6acd^2e^2 + 7c^2d^4)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{160a^2d^3e^2x^4} + \frac{(-21a^4e^8 + 6a^2c^2d^4e^4 + 8ac^3d^6e^2 + 7c^4d^8)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{512a^4d^5e^4x^2}$$

**Rubi** [A] time = 0.72, antiderivative size = 498, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 834, 806, 720, 724, 206}

$$\frac{(21a^2cd^4e^4 - 105a^2cd^4e^2 + 35c^2d^4)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{960a^2d^3e^2x^4} - \frac{(21a^4e^8 + 6a^2c^2d^4e^4 + 7c^2d^8)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{512a^4d^5e^4x^2} - \frac{(a^2cd^4e^4 - 21a^2cd^4e^2 + 7c^2d^4)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{160a^2d^3e^2x^4} \sqrt{(ae^2 + cd^2)(x(ae^2 + cd^2) + ade + cdex^2)}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^7\*(d + e\*x)),x]

[Out] ((7\*c^4\*d^8 + 8\*a\*c^3\*d^6\*e^2 + 6\*a^2\*c^2\*d^4\*e^4 - 21\*a^4\*e^8)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(512\*a^4\*d^5\*e^4\*x^2) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(6\*d\*x^6) - ((c/(a\*e) - (3\*e)/d^2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(20\*x^5) + ((7\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 - 21\*a^2\*e^4)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(160\*a^2\*d^3\*e^2\*x^4) - ((35\*c^3\*d^6 + 33\*a\*c^2\*d^4\*e^2 + 21\*a^2\*c\*d^2\*e^4 - 105\*a^3\*e^6)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(960\*a^3\*d^4\*e^3\*x^3) - ((c\*d^2 - a\*e^2)^3\*(7\*c^3\*d^6 + 15\*a\*c^2\*d^4\*e^2 + 21\*a^2\*c\*d^2\*e^4 + 21\*a^3\*e^6)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(1024\*a^(9/2)\*d^(11/2)\*e^(9/2))

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 720

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(d\*b - 2\*a\*e + (2\*c\*d - b\*e)\*x)\*(a + b\*x + c\*x^2)^p)/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[(p\*(b^2 - 4\*a\*c))/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && EqQ[m + 2\*p + 2, 0]

] && GtQ[p, 0]

#### Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

#### Rule 806

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

#### Rule 834

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/((m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

#### Rule 849

```
Int[((x_)^(n_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_))/((d_.) + (e_.)*(x_)), x_Symbol]
:> Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^7(d + ex)} dx &= \int \frac{(ae + cdx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^7} dx \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6dx^6} - \frac{\int \frac{(-\frac{3}{2}ae(cd^2 - 3ae^2) + 3acde^2x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{x^6} dx}{6ade} \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6dx^6} - \frac{\left(\frac{c}{ae} - \frac{3e}{d^2}\right)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{20x^5} \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6dx^6} - \frac{\left(\frac{c}{ae} - \frac{3e}{d^2}\right)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{20x^5} \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6dx^6} - \frac{\left(\frac{c}{ae} - \frac{3e}{d^2}\right)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{20x^5} \\
&= \frac{(7c^4d^8 + 8ac^3d^6e^2 + 6a^2c^2d^4e^4 - 21a^4e^8)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512a^4d^5e^4x^2} \\
&= \frac{(7c^4d^8 + 8ac^3d^6e^2 + 6a^2c^2d^4e^4 - 21a^4e^8)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512a^4d^5e^4x^2} \\
&= \frac{(7c^4d^8 + 8ac^3d^6e^2 + 6a^2c^2d^4e^4 - 21a^4e^8)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512a^4d^5e^4x^2}
\end{aligned}$$

**Mathematica [A]** time = 0.77, size = 380, normalized size = 0.76

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \frac{16x^2(d+ex)(63a^2d^4+54acd^2e^2+35c^2d^4)(ae+cdx)^2}{a^2d^2e^2} + \frac{5x^3(21a^2d^6+21d^2cd^2e^4+15ac^2d^4e^2+7c^2d^6)}{a^2d^2e^2} \sqrt{d+ex} \sqrt{ae+cdx} \sqrt{ae+cdx} (d^2e^2-8d^2e+3e^2d^2)-2acd^2e(7d+4ex)-3c^2d^4x^2)+3x^3(a^2-ae^2)^3 \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{ae+cdx}}{\sqrt{d+ex}\sqrt{ae+cdx}}\right) - \frac{128x(d+ex)(9a^2+7cd^2)(ae+cdx)^2}{ade} + 1280(d+ex)(ae+cdx)^2 \right)}{7680adex^6}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^7\*(d + e\*x)), x]

[Out] -1/7680\*(Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(1280\*(a\*e + c\*d\*x)^2\*(d + e\*x) - (128\*(7\*c\*d^2 + 9\*a\*e^2)\*x\*(a\*e + c\*d\*x)^2\*(d + e\*x))/(a\*d\*e) + (16\*(35\*c^2\*d^4 + 54\*a\*c\*d^2\*e^2 + 63\*a^2\*e^4)\*x^2\*(a\*e + c\*d\*x)^2\*(d + e\*x))/(a^2\*d^2\*e^2) + (5\*(7\*c^3\*d^6 + 15\*a\*c^2\*d^4\*e^2 + 21\*a^2\*c\*d^2\*e^4 + 21\*a^3\*e^6)\*x^3\*(Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*(-3\*c^2\*d^4\*x^2 - 2\*a\*c\*d^2\*e\*x\*(7\*d + 4\*e\*x) + a^2\*e^2\*(-8\*d^2 - 2\*d\*e\*x + 3\*e^2\*x^2)) + 3\*

$$\frac{(c*d^2 - a*e^2)^3*x^3*ArcTanh[(Sqrt[d]*Sqrt[a*e + c*d*x])/(Sqrt[a]*Sqrt[e]*Sqrt[d + e*x])]}{(a^{7/2}*d^{9/2}*e^{7/2}*Sqrt[a*e + c*d*x]*Sqrt[d + e*x])^6}$$

**IntegrateAlgebraic [F]** time = 180.88, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(x^7\*(d + e\*x)),x]

[Out] \$Aborted

**fricas [A]** time = 55.73, size = 1072, normalized size = 2.15

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^7/(e\*x+d),x, algorithm="fricas")

[Out] [-1/30720\*(15\*(7\*c^6\*d^12 - 6\*a\*c^5\*d^10\*e^2 - 3\*a^2\*c^4\*d^8\*e^4 - 4\*a^3\*c^3\*d^6\*e^6 - 15\*a^4\*c^2\*d^4\*e^8 + 42\*a^5\*c\*d^2\*e^10 - 21\*a^6\*e^12)\*sqrt(a\*d\*e)\*x^6\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) + 4\*(1280\*a^6\*d^6\*e^6 - (105\*a\*c^5\*d^11\*e - 55\*a^2\*c^4\*d^9\*e^3 - 54\*a^3\*c^3\*d^7\*e^5 - 78\*a^4\*c^2\*d^5\*e^7 + 525\*a^5\*c\*d^3\*e^9 - 315\*a^6\*d\*e^11)\*x^5 + 2\*(35\*a^2\*c^4\*d^10\*e^2 - 16\*a^3\*c^3\*d^8\*e^4 - 18\*a^4\*c^2\*d^6\*e^6 + 168\*a^5\*c\*d^4\*e^8 - 105\*a^6\*d^2\*e^10)\*x^4 - 8\*(7\*a^3\*c^3\*d^9\*e^3 - 3\*a^4\*c^2\*d^7\*e^5 + 33\*a^5\*c\*d^5\*e^7 - 21\*a^6\*d^3\*e^9)\*x^3 + 16\*(3\*a^4\*c^2\*d^8\*e^4 + 14\*a^5\*c\*d^6\*e^6 - 9\*a^6\*d^4\*e^8)\*x^2 + 128\*(13\*a^5\*c\*d^7\*e^5 + a^6\*d^5\*e^7)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a^5\*d^6\*e^5\*x^6), 1/15360\*(15\*(7\*c^6\*d^12 - 6\*a\*c^5\*d^10\*e^2 - 3\*a^2\*c^4\*d^8\*e^4 - 4\*a^3\*c^3\*d^6\*e^6 - 15\*a^4\*c^2\*d^4\*e^8 + 42\*a^5\*c\*d^2\*e^10 - 21\*a^6\*e^12)\*sqrt(-a\*d\*e)\*x^6\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) - 2\*(1280\*a^6\*d^6\*e^6 - (105\*a\*c^5\*d^11\*e - 55\*a^2\*c^4\*d^9\*e^3 - 54\*a^3\*c^3\*d^7\*e^5 - 78\*a^4\*c^2\*d^5\*e^7 + 525\*a^5\*c\*d^3\*e^9 - 315\*a^6\*d\*e^11)\*x^5 + 2\*(35\*a^2\*c^4\*d^10\*e^2 - 16\*a^3\*c^3\*d^8\*e^4 - 18\*a^4\*c^2\*d^6\*e^6 + 168\*a^5\*c\*d^4\*e^8 - 105\*a^6\*d^2\*e^10)\*x^4 - 8\*(7\*a^3\*c^3\*d^9\*e^3 - 3\*a^4\*c^2\*d^7\*e^5 + 33\*a^5\*c\*d^5\*e^7 - 21\*a^6\*d^3\*e^9)\*x^3 + 16\*(3\*a^4\*c^2\*d^8\*e^4 + 14\*a^5\*c\*d^6\*e^6 - 9\*a^6\*d^4\*e^8)\*x^2 + 128\*(13\*a^5\*c\*d^7\*e^5 + a^6\*d^5\*e^7)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a^5\*d^6\*e^5\*x^6)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^7/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $2*((-2*\exp(1)^5*a^2*\exp(2)^2+4*\exp(1)^7*a^2*\exp(2)-2*\exp(1)^9*a^2)/2/d^5/\sqrt{-a*d*\exp(1)^3+a*d*\exp(1)*\exp(2)}*\operatorname{atan}((-d*\sqrt{c*d*\exp(1)}+(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)/\sqrt{-a*d*\exp(1)^3+a*d*\exp(1)*\exp(2)})+(7*a^6*\exp(2)^6+12*\exp(1)^2*a^6*\exp(2)^5+24*\exp(1)^4*a^6*\exp(2)^4+64*\exp(1)^6*a^6*\exp(2)^3+384*\exp(1)^8*a^6*\exp(2)^2-1536*\exp(1)^{10}*a^6*\exp(2)+1024*\exp(1)^{12}*a^6+42*c*d^2*a^5*\exp(2)^5+105*c^2*d^4*a^4*\exp(2)^4-120*c^2*d^4*\exp(1)^2*a^4*\exp(2)^3+140*c^3*d^6*a^3*\exp(2)^3-240*c^3*d^6*\exp(1)^2*a^3*\exp(2)^2+96*c^3*d^6*\exp(1)^4*a^3*\exp(2)+105*c^4*d^8*a^2*\exp(2)^2-180*c^4*d^8*\exp(1)^2*a^2*\exp(2)+72*c^4*d^8*\exp(1)^4*a^2+42*c^5*d^10*a*\exp(2)-48*c^5*d^10*\exp(1)^2*a+7*c^6*d^12)/512/d^5/\exp(1)^4/a^4/2/\sqrt{-a*d*\exp(1)}*\operatorname{atan}((\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)/\sqrt{-a*d*\exp(1)})-(-105*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^6*\exp(2)^6-180*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^6*\exp(2)^5-360*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^6*\exp(2)^3+9600*\exp(1)^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^6*\exp(2)^2-7680*\exp(1)^{10}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^6*\exp(2)-630*c*d^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^5*\exp(2)^5-1575*c^2*d^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^4*\exp(2)^4+1800*c^2*d^4*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^4*\exp(2)^3-2100*c^3*d^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^3*\exp(2)^3+3600*c^3*d^6*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^3*\exp(2)^2-1440*c^3*d^6*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^3*\exp(2)-1575*c^4*d^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^2*\exp(2)^2+2700*c^4*d^8*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^2*\exp(2)-1080*c^4*d^8*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a^2-630*c^5*d^10*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a*\exp(2)+720*c^5*d^10*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)})-\sqrt{c*d*\exp(1)}*x)^{11}*a-105*c^6*d^12*(\sqrt{a*d*\exp(1)+a*x$

$$\begin{aligned}
& * \exp(2) + c*d^2*x + c*d*x^2*\exp(1)) - \sqrt{c*d*\exp(1)} * x^{11} + 15360*d*\exp(1)^7*\sqrt{c*d*\exp(1)} \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^{10} * a^6*\exp(2)^2 - 30720*d*\exp(1)^9*\sqrt{c*d*\exp(1)} \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^{10} * a^6*\exp(2) + 15360*d*\exp(1)^{11} \\
& * \sqrt{c*d*\exp(1)} * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^{10} * a^6 + 595*d*\exp(1) \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^7*\exp(2)^6 + 1020*d*\exp(1)^3 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^7*\exp(2)^5 + 2040*d*\exp(1)^5 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^7*\exp(2)^4 + 320*d*\exp(1)^7 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^7*\exp(2)^3 - 44160*d*\exp(1)^9 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^7*\exp(2)^2 + 38400*d*\exp(1)^{11} \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^7*\exp(2) + 3570*c*d^3*\exp(1) \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^6*\exp(2)^5 + 15360*c*d^3*\exp(1)^7 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^6*\exp(2)^2 - 30720*c*d^3*\exp(1)^9 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^6*\exp(2) + 15360*c*d^3*\exp(1)^{11} \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^6 + 8925*c^2*d^5*\exp(1) \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^5*\exp(2)^4 - 10200*c^2*d^5*\exp(1)^3 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^5*\exp(2)^3 + 11900*c^3*d^7*\exp(1) \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^4*\exp(2)^3 - 20400*c^3*d^7*\exp(1)^3 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^4*\exp(2)^2 + 8160*c^3*d^7*\exp(1)^5 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^4*\exp(2) + 8925*c^4*d^9*\exp(1) \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^3*\exp(2)^2 - 15300*c^4*d^9*\exp(1)^3 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^3*\exp(2) + 6120*c^4*d^9*\exp(1)^5 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^3 + 3570*c^5*d^{11}*\exp(1) \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^2*\exp(2) - 4080*c^5*d^{11}*\exp(1)^3 \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a^2 + 595*c^6*d^{13}*\exp(1) \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^9 * a - 15360*d^2*\exp(1)^6 * \sqrt{c*d*\exp(1)} \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^8 * a^7*\exp(2)^3 - 46080*d^2*\exp(1)^8 * \sqrt{c*d*\exp(1)} \\
& * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^8 * a^7*\exp(2)^2 + 138240*d^2*\exp(1)^{10} \\
& * \sqrt{c*d*\exp(1)} * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^8 * a^7*\exp(2) - 76800*d^2*\exp(1)^{12} \\
& * \sqrt{c*d*\exp(1)} * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^8 * a^7 + 15360*c*d^4*\exp(1)^6 \\
& * \sqrt{c*d*\exp(1)} * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^8 * a^6*\exp(2)^2 - 30720*c*d^4*\exp(1)^8 \\
& * \sqrt{c*d*\exp(1)} * (\sqrt{a*d*\exp(1) + a*x*\exp(2) + c*d^2*x + c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)} * x)^8 * a^6*\exp(2) + 15360*c*d^4*\exp(1)^{10} \\
& * \sqrt{c*d*\exp(1)}
\end{aligned}$$



$$\begin{aligned}
& *(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^8* \\
& a^6-30720*c^3*d^8*exp(1)^6*\sqrt{c*d*exp(1)}*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d \\
& ^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^8*a^4-1386*d^2*exp(1)^2*(\sqrt{a*d* \\
& exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^8*exp(2)^ \\
& 6-2376*d^2*exp(1)^4*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c \\
& *d*exp(1)})*x^7*a^8*exp(2)^5-1680*d^2*exp(1)^6*(\sqrt{a*d*exp(1)+a*x*exp( \\
& 2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^8*exp(2)^4+5760*d^2*exp( \\
& 1)^8*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x \\
& )^7*a^8*exp(2)^3+80640*d^2*exp(1)^10*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c \\
& d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^8*exp(2)^2-76800*d^2*exp(1)^12*(\sqrt{ \\
& a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^8*exp \\
& (2)-8316*c*d^4*exp(1)^2*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)} \\
& )-\sqrt{c*d*exp(1)})*x^7*a^7*exp(2)^5-30720*c*d^4*exp(1)^6*(\sqrt{a*d*exp(1)+a \\
& *x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^7*exp(2)^3+92160* \\
& c*d^4*exp(1)^10*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c* \\
& d*exp(1)})*x^7*a^7*exp(2)-61440*c*d^4*exp(1)^12*(\sqrt{a*d*exp(1)+a*x*exp(2) \\
& +c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^7-20790*c^2*d^6*exp(1)^2*( \\
& \sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^ \\
& 6*exp(2)^4+23760*c^2*d^6*exp(1)^4*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x \\
& ^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^6*exp(2)^3+15360*c^2*d^6*exp(1)^6*(\sqrt{ \\
& a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^6*exp \\
& (2)^2-30720*c^2*d^6*exp(1)^8*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*ex \\
& p(1)}-\sqrt{c*d*exp(1)})*x^7*a^6*exp(2)+15360*c^2*d^6*exp(1)^10*(\sqrt{a*d*ex \\
& p(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^6-27720*c^3 \\
& *d^8*exp(1)^2*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d* \\
& exp(1)})*x^7*a^5*exp(2)^3+47520*c^3*d^8*exp(1)^4*(\sqrt{a*d*exp(1)+a*x*exp(2) \\
& )+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^5*exp(2)^2+116160*c^3*d^8 \\
& *exp(1)^6*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp( \\
& 1)})*x^7*a^5*exp(2)-20790*c^4*d^10*exp(1)^2*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d \\
& ^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^4*exp(2)^2+35640*c^4*d^10*exp( \\
& 1)^4*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x \\
& )^7*a^4*exp(2)+71760*c^4*d^10*exp(1)^6*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+ \\
& c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^4-8316*c^5*d^12*exp(1)^2*(\sqrt{a*d* \\
& exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^3*exp(2)+ \\
& 9504*c^5*d^12*exp(1)^4*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}- \\
& \sqrt{c*d*exp(1)})*x^7*a^3-1386*c^6*d^14*exp(1)^2*(\sqrt{a*d*exp(1)+a*x*exp(2) \\
& )+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^7*a^2+15360*d^3*exp(1)^5*\sqrt{ \\
& (c*d*exp(1))*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*ex \\
& p(1)})*x^6*a^8*exp(2)^4+30720*d^3*exp(1)^7*\sqrt{c*d*exp(1))*(\sqrt{a*d*exp( \\
& 1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^6*a^8*exp(2)^3+46 \\
& 080*d^3*exp(1)^9*\sqrt{c*d*exp(1))*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x \\
& ^2*exp(1)}-\sqrt{c*d*exp(1)})*x^6*a^8*exp(2)^2-245760*d^3*exp(1)^11*\sqrt{c*d \\
& *exp(1))*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1) \\
& ))*x^6*a^8*exp(2)+153600*d^3*exp(1)^13*\sqrt{c*d*exp(1))*(\sqrt{a*d*exp(1)+a \\
& *x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)})*x^6*a^8-51200*c*d^5*exp
\end{aligned}$$



$$\begin{aligned}
& *d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1)}*x)^5*a^5*\exp( \\
& 2)^2+173880*c^4*d^11*\exp(1)^5*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*e \\
& xp(1)}-\sqrt{c*d*\exp(1)}*x)^5*a^5*\exp(2)+133200*c^4*d^11*\exp(1)^7*(\sqrt{a*d* \\
& exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^5*a^5+10116*c \\
& ^5*d^13*\exp(1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c \\
& *d*\exp(1)}*x)^5*a^4*\exp(2)+43296*c^5*d^13*\exp(1)^5*(\sqrt{a*d*\exp(1)+a*x*\exp \\
& (2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^5*a^4+1686*c^6*d^15*\exp(1)^ \\
& 3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^5 \\
& *a^3-15360*d^4*\exp(1)^4*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x \\
& +c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4*a^9*\exp(2)^5-15360*d^4*\exp(1)^6*\sqrt{ \\
& t(c*d*\exp(1))*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d* \\
& exp(1)}*x)^4*a^9*\exp(2)^4-15360*d^4*\exp(1)^8*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp \\
& (1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4*a^9*\exp(2)^3-1 \\
& 5360*d^4*\exp(1)^10*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d \\
& *x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4*a^9*\exp(2)^2+215040*d^4*\exp(1)^12*\sqrt{c \\
& *d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp \\
& (1)}*x)^4*a^9*\exp(2)-153600*d^4*\exp(1)^14*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1) \\
& +a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4*a^9-76800*c*d^6*e \\
& xp(1)^4*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1) \\
& )-\sqrt{c*d*\exp(1)}*x)^4*a^8*\exp(2)^4-122880*c*d^6*\exp(1)^6*\sqrt{c*d*\exp(1)} \\
& *(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4* \\
& a^8*\exp(2)^3-46080*c*d^6*\exp(1)^8*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp \\
& (2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4*a^8*\exp(2)^2+30720*c*d^6* \\
& exp(1)^10*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp( \\
& 1)}-\sqrt{c*d*\exp(1)}*x)^4*a^8*\exp(2)+30720*c*d^6*\exp(1)^12*\sqrt{c*d*\exp(1)} \\
& *(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4* \\
& a^8-153600*c^2*d^8*\exp(1)^4*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c \\
& d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4*a^7*\exp(2)^3-276480*c^2*d^8*\exp \\
& (1)^6*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}- \\
& \sqrt{c*d*\exp(1)}*x)^4*a^7*\exp(2)^2-138240*c^2*d^8*\exp(1)^8*\sqrt{c*d*\exp(1)} \\
& *(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4* \\
& a^7*\exp(2)+15360*c^2*d^8*\exp(1)^10*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp \\
& (2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4*a^7-153600*c^3*d^10*\exp( \\
& 1)^4*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}- \\
& \sqrt{c*d*\exp(1)}*x)^4*a^6*\exp(2)^2-245760*c^3*d^10*\exp(1)^6*\sqrt{c*d*\exp(1)} \\
& *(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4* \\
& a^6*\exp(2)-107520*c^3*d^10*\exp(1)^8*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp \\
& (2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4*a^6-76800*c^4*d^12*\exp( \\
& 1)^4*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}- \\
& \sqrt{c*d*\exp(1)}*x)^4*a^5*\exp(2)-76800*c^4*d^12*\exp(1)^6*\sqrt{c*d*\exp(1)}*( \\
& \sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4*a^5 \\
& -15360*c^5*d^14*\exp(1)^4*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2 \\
& *x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^4*a^4+595*d^4*\exp(1)^4*(\sqrt{a*d*\exp \\
& (1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)^3*a^10*\exp(2)^6+ \\
& 1020*d^4*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c
\end{aligned}$$

$$\begin{aligned}
& c*d*\exp(1))*x)^3*a^{10}*\exp(2)^5+2040*d^4*\exp(1)^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)} \\
& +c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^{10}*\exp(2)^4+5440*d^4*\exp( \\
& 1)^{10}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))* \\
& x)^3*a^{10}*\exp(2)^3+32640*d^4*\exp(1)^{12}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+ \\
& c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^{10}*\exp(2)^2-38400*d^4*\exp(1)^{14}*(\sqrt{ \\
& a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^{10} \\
& *\exp(2)+3570*c*d^6*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp \\
& (1))-\sqrt{c*d*\exp(1))*x)^3*a^9*\exp(2)^5+30720*c*d^6*\exp(1)^6*(\sqrt{a*d*\exp( \\
& 1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^9*\exp(2)^4+30 \\
& 720*c*d^6*\exp(1)^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{ \\
& c*d*\exp(1))*x)^3*a^9*\exp(2)^3+30720*c*d^6*\exp(1)^{10}*(\sqrt{a*d*\exp(1)+a*x*e \\
& xp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^9*\exp(2)^2+30720*c*d^ \\
& 6*\exp(1)^{12}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp \\
& (1))*x)^3*a^9*\exp(2)-61440*c*d^6*\exp(1)^{14}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d \\
& ^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^9+8925*c^2*d^8*\exp(1)^4*(\sqrt{ \\
& a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^8*\exp \\
& (2)^4+112680*c^2*d^8*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*e \\
& xp(1))-\sqrt{c*d*\exp(1))*x)^3*a^8*\exp(2)^3+138240*c^2*d^8*\exp(1)^8*(\sqrt{a*d \\
& *\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^8*\exp(2) \\
& ^2+61440*c^2*d^8*\exp(1)^{10}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp( \\
& 1))-\sqrt{c*d*\exp(1))*x)^3*a^8*\exp(2)-15360*c^2*d^8*\exp(1)^{12}*(\sqrt{a*d*\exp( \\
& 1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^8+11900*c^3*d \\
& ^{10}*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*e \\
& xp(1))*x)^3*a^7*\exp(2)^3+163920*c^3*d^{10}*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp( \\
& 2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^7*\exp(2)^2+192480*c^3*d^ \\
& 10*\exp(1)^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp \\
& (1))*x)^3*a^7*\exp(2)+51200*c^3*d^{10}*\exp(1)^{10}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+ \\
& c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^7+8925*c^4*d^{12}*\exp(1)^4*(\sqrt{ \\
& a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^6 \\
& *\exp(2)^2+107580*c^4*d^{12}*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d* \\
& x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^6*\exp(2)+82920*c^4*d^{12}*\exp(1)^8*(\sqrt{ \\
& a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^6+357 \\
& 0*c^5*d^{14}*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{ \\
& c*d*\exp(1))*x)^3*a^5*\exp(2)+26640*c^5*d^{14}*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x* \\
& \exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^3*a^5+595*c^6*d^{16}*\exp(1) \\
& ^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x) \\
& ^3*a^4-92160*d^5*\exp(1)^{13}*\sqrt{c*d*\exp(1))*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d \\
& ^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^2*a^{10}*\exp(2)+76800*d^5*\exp(1)^{15} \\
& *\sqrt{c*d*\exp(1))*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c \\
& *d*\exp(1))*x)^2*a^{10}-30720*c*d^7*\exp(1)^7*\sqrt{c*d*\exp(1))*(\sqrt{a*d*\exp(1) \\
& +a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^2*a^9*\exp(2)^3-3072 \\
& 0*c*d^7*\exp(1)^9*\sqrt{c*d*\exp(1))*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x \\
& ^2*\exp(1))-\sqrt{c*d*\exp(1))*x)^2*a^9*\exp(2)^2-30720*c*d^7*\exp(1)^{11}*\sqrt{c* \\
& d*\exp(1))*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp( \\
& 1))*x)^2*a^9*\exp(2)-92160*c^2*d^9*\exp(1)^7*\sqrt{c*d*\exp(1))*(\sqrt{a*d*\exp(1)
\end{aligned}$$

$$\begin{aligned}
& +a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^2*a^8*exp(2)^2-737 \\
& 28*c^2*d^9*exp(1)^9*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c* \\
& d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^2*a^8*exp(2)-27648*c^2*d^9*exp(1)^11*sqrt \\
& (c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp \\
& (1))*x)^2*a^8-92160*c^3*d^11*exp(1)^7*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a \\
& *x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^2*a^7*exp(2)-43008*c^ \\
& 3*d^11*exp(1)^9*sqrt(c*d*exp(1))*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^ \\
& 2*exp(1))-sqrt(c*d*exp(1))*x)^2*a^7-30720*c^4*d^13*exp(1)^7*sqrt(c*d*exp(1) \\
& )*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)^2 \\
& *a^6-105*d^5*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-s \\
& qrt(c*d*exp(1))*x)*a^11*exp(2)^6-180*d^5*exp(1)^7*(sqrt(a*d*exp(1)+a*x*exp( \\
& 2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^11*exp(2)^5-360*d^5*exp(1) \\
& ^9*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)* \\
& a^11*exp(2)^4-960*d^5*exp(1)^11*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2 \\
& *exp(1))-sqrt(c*d*exp(1))*x)*a^11*exp(2)^3-5760*d^5*exp(1)^13*(sqrt(a*d*exp \\
& (1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^11*exp(2)^2+76 \\
& 80*d^5*exp(1)^15*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c \\
& *d*exp(1))*x)*a^11*exp(2)-630*c*d^7*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c* \\
& d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^10*exp(2)^5+15360*c*d^7*exp(1)^ \\
& 15*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)* \\
& a^10-1575*c^2*d^9*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp( \\
& 1))-sqrt(c*d*exp(1))*x)*a^9*exp(2)^4+1800*c^2*d^9*exp(1)^7*(sqrt(a*d*exp(1) \\
& +a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^9*exp(2)^3+15360* \\
& c^2*d^9*exp(1)^9*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c \\
& *d*exp(1))*x)*a^9*exp(2)^2+15360*c^2*d^9*exp(1)^11*(sqrt(a*d*exp(1)+a*x*exp \\
& (2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^9*exp(2)+15360*c^2*d^9*ex \\
& p(1)^13*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1) \\
& )*x)*a^9-2100*c^3*d^11*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2 \\
& *exp(1))-sqrt(c*d*exp(1))*x)*a^8*exp(2)^3+3600*c^3*d^11*exp(1)^7*(sqrt(a*d* \\
& exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^8*exp(2)^2+ \\
& 29280*c^3*d^11*exp(1)^9*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)) \\
& -sqrt(c*d*exp(1))*x)*a^8*exp(2)+15360*c^3*d^11*exp(1)^11*(sqrt(a*d*exp(1)+a \\
& *x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^8-1575*c^4*d^13*exp \\
& (1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))* \\
& x)*a^7*exp(2)^2+2700*c^4*d^13*exp(1)^7*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+ \\
& c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^7*exp(2)+14280*c^4*d^13*exp(1)^9*(sqr \\
& t(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^7-630 \\
& *c^5*d^15*exp(1)^5*(sqrt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt \\
& (c*d*exp(1))*x)*a^6*exp(2)+720*c^5*d^15*exp(1)^7*(sqrt(a*d*exp(1)+a*x*exp(2) \\
& )+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^6-105*c^6*d^17*exp(1)^5*(sq \\
& rt(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-sqrt(c*d*exp(1))*x)*a^5+15 \\
& 360*d^6*exp(1)^14*sqrt(c*d*exp(1))*a^11*exp(2)-15360*d^6*exp(1)^16*sqrt(c*d \\
& *exp(1))*a^11-5120*c*d^8*exp(1)^14*sqrt(c*d*exp(1))*a^10-3072*c^2*d^10*exp( \\
& 1)^10*sqrt(c*d*exp(1))*a^9*exp(2)-3072*c^2*d^10*exp(1)^12*sqrt(c*d*exp(1))* \\
& a^9-3072*c^3*d^12*exp(1)^10*sqrt(c*d*exp(1))*a^8)/15360/d^5/exp(1)^4/a^4/((
\end{aligned}$$

$\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^2-d*\exp(1)*a^6)$

**maple [B]** time = 0.04, size = 3387, normalized size = 6.80

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}/x^7/(e*x+d), x)$

[Out]  $\frac{1}{8}d^4e^5c((x+d/e)^2c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}+19/60d^3/a/x^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}+1/64e/a^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^3-23/96/d/a^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c^3-21/512/d^6e^7*a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}-1/8d^4e^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c-15/512/d^2e^3/a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^2-703/1536/d^3e^2/a^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c^2-491/768/d^6e^3/a/x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}+257/768/d^3/a^3/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c^2+107/192/d^5e^2/a/x^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}-1/3d^7e^6*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}-533/1536/d^7e^6*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}+1/4d^7e^8*a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x+1/8d^8e^9a^2/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}-3/16d^6e^9a^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+1/4d^5e^6c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x-1/16d^2e^5c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+7/1536d^5/a^6/e^6*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c^6+7/512d^6/a^5/e^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^6+7/256d/a^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^4-1/6d^2/a/e/x^6*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}-7/96/a^3/e^3/x^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c^2-1/4d^7e^8*a*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x-1/8d^8e^9a^2/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}-1/12/e^3/a^4/x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c^3-109/768/e/a^4*c^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x+3/1024d^3/a^2/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x)^2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^4+65/192d^3/a^2/x^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c-5/384/e^4d^3/a^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c^5-43/96e/d^4/a/x^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}+13/512/e*d^2/a^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^4+1/64/e^3d^4/a^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^5-131/1536/e^2d/a^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c^4+3/16d^6e^9a^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}+1/16d^2e^5c^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}+1045/1536/d^7e^4/a/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}-235/384/d^5e^4/a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c-149/512/d^5e^6*(c*d*e*x^2+a$

```

*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*c-91/384/e/d^2/a^3/x^2*(c*d*e*x^2+a*d*e+(a*e^
2+c*d^2)*x)^(5/2)*c^2+29/192/e^2/d/a^3/x^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x
)^(5/2)*c^2+109/768/e^2/d/a^4/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)*c^3
+41/1536/e^4*d/a^5/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)*c^4+3/512/e^2*
d^5/a^3/(a*d*e)^(1/2)*ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^(1/2)*(c*d*e*x^
2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/x)*c^5-41/1536/e^3*d^2/a^5*c^5*(c*d*e*x^2+a
*d*e+(a*e^2+c*d^2)*x)^(3/2)*x+15/512/e^2*d^3/a^4*(c*d*e*x^2+a*d*e+(a*e^2+c*
d^2)*x)^(1/2)*x*c^5-11/48/e/d^2/a^2/x^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(
5/2)*c-1/16/d^8*e^11*a^3/c*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(
c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)-43/96/d^4*e/a^2/x^2*(
c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)*c+1/256*d*e^2/a/(a*d*e)^(1/2)*ln((2*
a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^(1/2)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/
2))/x)*c^3+3/256/d*e^2/a^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*c^3-25
7/768/d^2*e/a^3*c^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*x-877/1536/d^4*
e^3/a^2*c^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*x+877/1536/d^5*e^2/a^2/
x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)*c-21/512/d^3*e^4/a*(c*d*e*x^2+a*d
*e+(a*e^2+c*d^2)*x)^(1/2)*x*c^2-1045/1536/d^6*e^5*c/a*(c*d*e*x^2+a*d*e+(a*e
^2+c*d^2)*x)^(3/2)*x-21/512/d^3*e^6/a/(a*d*e)^(1/2)*ln((2*a*d*e+(a*e^2+c*d^
2)*x+2*(a*d*e)^(1/2)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/x)*c-3/16/d^4
*e^7*a*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e
^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*c+7/192*d/a^4/e^4/x^3*(c*d*e*x^2+a*d*e+(a
*e^2+c*d^2)*x)^(5/2)*c^3-7/1536*d^3/a^6/e^6/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2
)*x)^(5/2)*c^5-7/768*d^2/a^5/e^5/x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2
)*c^4-7/1024*d^7/a^4/e^4/(a*d*e)^(1/2)*ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e
)^(1/2)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/x)*c^6+7/1536*d^4/a^6/e^5*
c^6*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*x+7/60/d/a^2/e^2/x^5*(c*d*e*x^2
+a*d*e+(a*e^2+c*d^2)*x)^(5/2)*c+7/512*d^5/a^5/e^4*(c*d*e*x^2+a*d*e+(a*e^2+c
*d^2)*x)^(1/2)*x*c^6+1/16/d^8*e^11*a^3/c*ln(((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*
d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(
1/2)+3/16/d^4*e^7*a*c*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+
((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+21/1024/d^5*e^
8*a^2/(a*d*e)^(1/2)*ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^(1/2)*(c*d*e*x^2+
a*d*e+(a*e^2+c*d^2)*x)^(1/2))/x)+15/1024/d*e^4/(a*d*e)^(1/2)*ln((2*a*d*e+(a
*e^2+c*d^2)*x+2*(a*d*e)^(1/2)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/x)*c
^2

```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/x^7/(e\*x+d),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)\*x^7), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{3/2}}{x^7 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/(x^7\*(d + e\*x)), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/(x^7\*(d + e\*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/x\*\*7/(e\*x+d), x)

[Out] Timed out



$$3.291 \quad \int \frac{x^3(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{d+ex} dx$$

Optimal. Leaf size=574

$$\frac{(-105a^3e^6 - 10cdex(-15a^2e^4 - 10acd^2e^2 + 33c^2d^4) - 95a^2cd^2e^4 - 15ac^2d^4e^2 + 231c^3d^6)(x(ae^2 + cd^2) + ade - 4480c^3d^3e^4}{4480c^3d^3e^4}$$

**Rubi** [A] time = 0.69, antiderivative size = 574, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 832, 779, 612, 621, 206}

$\frac{3(33cd^2 - ae^2)^3(33c^3d^6 + 45a^2cd^4e^2 + 35a^3e^6)(cd^2 + ae^2 + 2cdex)\sqrt{cd^2 + ae^2}}{16384c^5d^5e^6} + \frac{((cd^2 - ae^2)(33c^3d^6 + 45a^2cd^4e^2 + 35a^3e^6)(cd^2 + ae^2 + 2cdex)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2})}{2048c^4d^4e^5} + \frac{((5a)/(cd) - (11d)/e^2)x^2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{112} + \frac{x^3(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(8e)} - \frac{((231c^3d^6 - 15a^2cd^4e^2 - 95a^2cd^2e^4 - 105a^3e^6 - 10cdex(33c^2d^4 - 10a^2cd^2e^2 - 15a^2e^4))x)(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{4480c^3d^3e^4} + \frac{(3(cd^2 - ae^2)^5(33c^3d^6 + 45a^2cd^4e^2 + 35a^3e^6)(cd^2 + ae^2 + 2cdex))\operatorname{ArcTanh}[(cd^2 + ae^2 + 2cdex)/(2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ade + (cd^2 + ae^2)x + cdex^2})]}{(32768c^{11/2}d^{11/2}e^{13/2})}$

Antiderivative was successfully verified.

[In] Int[(x^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x), x]

[Out] (-3\*(c\*d^2 - a\*e^2)^3\*(33\*c^3\*d^6 + 45\*a\*c^2\*d^4\*e^2 + 35\*a^2\*c\*d^2\*e^4 + 15\*a^3\*e^6)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(16384\*c^5\*d^5\*e^6) + ((c\*d^2 - a\*e^2)\*(33\*c^3\*d^6 + 45\*a\*c^2\*d^4\*e^2 + 35\*a^2\*c\*d^2\*e^4 + 15\*a^3\*e^6)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(2048\*c^4\*d^4\*e^5) + (((5\*a)/(c\*d) - (11\*d)/e^2)\*x^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/112 + (x^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(8\*e) - ((231\*c^3\*d^6 - 15\*a\*c^2\*d^4\*e^2 - 95\*a^2\*c\*d^2\*e^4 - 105\*a^3\*e^6 - 10\*c\*d\*e\*(33\*c^2\*d^4 - 10\*a\*c\*d^2\*e^2 - 15\*a^2\*e^4)\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(4480\*c^3\*d^3\*e^4) + (3\*(c\*d^2 - a\*e^2)^5\*(33\*c^3\*d^6 + 45\*a\*c^2\*d^4\*e^2 + 35\*a^2\*c\*d^2\*e^4 + 15\*a^3\*e^6)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(32768\*c^(11/2)\*d^(11/2)\*e^(13/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 612

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((b + 2\*c\*x)\*(a + b\*x + c\*x^2)^p)/(2\*c\*(2\*p + 1)), x] - Dist[(p\*(b^2 - 4\*a\*c))/(2\*c\*(2\*p + 1)), Int[(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && N

$eQ[b^2 - 4ac, 0] \ \&\& \ GtQ[p, 0] \ \&\& \ IntegerQ[4p]$

### Rule 621

$Int[1/\sqrt{(a_.) + (b_.)x + (c_.)x^2}, x\_Symbol] \ :> \ Dist[2, \ Subst[Int[1/(4c - x^2), x], x, (b + 2cx)/\sqrt{a + bx + cx^2}], x] \ ; \ FreeQ[\{a, b, c\}, x] \ \&\& \ NeQ[b^2 - 4ac, 0]$

### Rule 779

$Int[((d_.) + (e_.)x)((f_.) + (g_.)x)((a_.) + (b_.)x + (c_.)x^2)^{p_}, x\_Symbol] \ :> \ -Simp[((b*eg*(p + 2) - c*(ef + d*g)*(2p + 3) - 2*c*eg*(p + 1)*x)*(a + bx + cx^2)^{p + 1})/(2*c^2*(p + 1)*(2p + 3)), x] + Dist[(b^2*eg*(p + 2) - 2*a*c*eg + c*(2*c*d*f - b*(ef + d*g))*(2p + 3))/(2*c^2*(2p + 3)), Int[(a + bx + cx^2)^p, x], x] \ ; \ FreeQ[\{a, b, c, d, e, f, g, p\}, x] \ \&\& \ NeQ[b^2 - 4ac, 0] \ \&\& \ !LeQ[p, -1]$

### Rule 832

$Int[((d_.) + (e_.)x)^{m_}((f_.) + (g_.)x)((a_.) + (b_.)x + (c_.)x^2)^{p_}, x\_Symbol] \ :> \ Simp[(g*(d + ex)^m*(a + bx + cx^2)^{p + 1})/(c*(m + 2p + 2)), x] + Dist[1/(c*(m + 2p + 2)), Int[(d + ex)^{m - 1}*(a + bx + cx^2)^p*Simp[m*(c*d*f - a*eg) + d*(2*c*f - b*g)*(p + 1) + (m*(c*ef + c*d*g - b*eg) + e*(p + 1)*(2*c*f - b*g))*x, x], x], x] \ ; \ FreeQ[\{a, b, c, d, e, f, g, p\}, x] \ \&\& \ NeQ[b^2 - 4ac, 0] \ \&\& \ NeQ[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ GtQ[m, 0] \ \&\& \ NeQ[m + 2p + 2, 0] \ \&\& \ (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) \ \&\& \ !(IGtQ[m, 0] \ \&\& \ EqQ[f, 0])$

### Rule 849

$Int[(x_)^{n_}((a_.) + (b_.)x + (c_.)x^2)^{p_}]/((d_.) + (e_.)x), x\_Symbol] \ :> \ Int[x^n*(a/d + (c*x)/e)*(a + bx + cx^2)^{p - 1}, x] \ ; \ FreeQ[\{a, b, c, d, e, n, p\}, x] \ \&\& \ NeQ[b^2 - 4ac, 0] \ \&\& \ EqQ[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ !IntegerQ[p] \ \&\& \ (!IntegerQ[n] || !IntegerQ[2p] || IGtQ[n, 2] || (GtQ[p, 0] \ \&\& \ NeQ[n, 2]))$

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{d + ex} dx &= \int x^3 (ae + cdx) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2} dx \\
&= \frac{x^3 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{8e} + \frac{\int x^2 (-3acd^2e - \frac{1}{2}cd(11cd^2 - \\
&= \frac{1}{112} \left( \frac{5a}{cd} - \frac{11d}{e^2} \right) x^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2} + \frac{x^3 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{8e} \\
&= \frac{1}{112} \left( \frac{5a}{cd} - \frac{11d}{e^2} \right) x^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2} + \frac{x^3 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{8e} \\
&= \frac{(cd^2 - ae^2) (33c^3d^6 + 45ac^2d^4e^2 + 35a^2cd^2e^4 + 15a^3e^6) (cd^2 + ae^2 + cdex^2)^{5/2}}{2048c^4d^4e^5} \\
&= -\frac{3(cd^2 - ae^2)^3 (33c^3d^6 + 45ac^2d^4e^2 + 35a^2cd^2e^4 + 15a^3e^6) (cd^2 + ae^2 + cdex^2)^{5/2}}{16384c^5d^5e^6} \\
&= -\frac{3(cd^2 - ae^2)^3 (33c^3d^6 + 45ac^2d^4e^2 + 35a^2cd^2e^4 + 15a^3e^6) (cd^2 + ae^2 + cdex^2)^{5/2}}{16384c^5d^5e^6} \\
&= -\frac{3(cd^2 - ae^2)^3 (33c^3d^6 + 45ac^2d^4e^2 + 35a^2cd^2e^4 + 15a^3e^6) (cd^2 + ae^2 + cdex^2)^{5/2}}{16384c^5d^5e^6}
\end{aligned}$$

**Mathematica [A]** time = 3.61, size = 681, normalized size = 1.19

---

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*((Sqrt[e]\*(1575\*a^8\*e^15 - 525\*a^7\*c\*d\*e^13\*(7\*d - e\*x) + 35\*a^6\*c^2\*d^2\*e^11\*(29\*d^2 - 37\*d\*e\*x - 6\*e^2\*x^2) + 5\*a^5\*c^3\*d^3\*e^9\*(185\*d^3 + 93\*d^2\*e\*x + 100\*d\*e^2\*x^2 + 24\*e^3\*x^3) + 5\*a^4\*c^4\*d^4\*e^7\*(265\*d^4 + 65\*d^3\*e\*x - 30\*d^2\*e^2\*x^2 - 56\*d\*e^3\*x^3 - 16\*e^4\*x^4) + a^3\*c^5\*d^5\*e^5\*(-11193\*d^5 + 8359\*d^4\*e\*x - 6088\*d^3\*e^2\*x^2 + 5040\*d^2\*e^3\*x^3 + 139200\*d\*e^4\*x^4 + 104320\*e^5\*x^5) + a^2\*c^6\*d^6\*e^3\*(11445\*d^6 - 18669\*d^5\*e\*x + 12962\*d^4\*e^2\*x^2 - 10544\*d^3\*e^3\*x^3 + 9120\*d^2\*e^4\*x^4

$$+ 350080*d*e^5*x^5 + 272640*e^6*x^6) + c^8*d^8*x*(-3465*d^7 + 2310*d^6*e*x - 1848*d^5*e^2*x^2 + 1584*d^4*e^3*x^3 - 1408*d^3*e^4*x^4 + 1280*d^2*e^5*x^5 + 87040*d*e^6*x^6 + 71680*e^7*x^7) + a*c^7*d^7*e*(-3465*d^7 + 13755*d^6*e*x - 9324*d^5*e^2*x^2 + 7512*d^4*e^3*x^3 - 6464*d^3*e^4*x^4 + 5760*d^2*e^5*x^5 + 299520*d*e^6*x^6 + 240640*e^7*x^7)))/(a*e + c*d*x) + (105*sqrt[c]*sqrt[d]*(c*d^2 - a*e^2)^(9/2)*(33*c^3*d^6 + 45*a*c^2*d^4*e^2 + 35*a^2*c*d^2*e^4 + 15*a^3*e^6)*ArcSinh[(sqrt[c]*sqrt[d]*sqrt[e]*sqrt[a*e + c*d*x])/(sqrt[c*d]*sqrt[c*d^2 - a*e^2])])/(sqrt[c*d]*sqrt[a*e + c*d*x]*sqrt[(c*d*(d + e*x)/(c*d^2 - a*e^2))]))/(573440*c^5*d^5*e^(13/2))$$

**IntegrateAlgebraic [F]** time = 180.03, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x), x]

[Out] \$Aborted

**fricas [A]** time = 0.57, size = 1524, normalized size = 2.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d), x, algorithm="fricas")

[Out] [1/2293760\*(105\*(33\*c^8\*d^16 - 120\*a\*c^7\*d^14\*e^2 + 140\*a^2\*c^6\*d^12\*e^4 - 40\*a^3\*c^5\*d^10\*e^6 - 10\*a^4\*c^4\*d^8\*e^8 - 8\*a^5\*c^3\*d^6\*e^10 - 20\*a^6\*c^2\*d^4\*e^12 + 40\*a^7\*c\*d^2\*e^14 - 15\*a^8\*e^16)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) + 4\*(71680\*c^8\*d^8\*e^8\*x^7 - 3465\*c^8\*d^15\*e + 11445\*a\*c^7\*d^13\*e^3 - 11193\*a^2\*c^6\*d^11\*e^5 + 1325\*a^3\*c^5\*d^9\*e^7 + 925\*a^4\*c^4\*d^7\*e^9 + 1015\*a^5\*c^3\*d^5\*e^11 - 3675\*a^6\*c^2\*d^3\*e^13 + 1575\*a^7\*c\*d\*e^15 + 5120\*(17\*c^8\*d^9\*e^7 + 33\*a\*c^7\*d^7\*e^9)\*x^6 + 1280\*(c^8\*d^10\*e^6 + 166\*a\*c^7\*d^8\*e^8 + 81\*a^2\*c^6\*d^6\*e^10)\*x^5 - 128\*(11\*c^8\*d^11\*e^5 - 35\*a\*c^7\*d^9\*e^7 - 1075\*a^2\*c^6\*d^7\*e^9 - 5\*a^3\*c^5\*d^5\*e^11)\*x^4 + 16\*(99\*c^8\*d^12\*e^4 - 316\*a\*c^7\*d^10\*e^6 + 290\*a^2\*c^6\*d^8\*e^8 + 100\*a^3\*c^5\*d^6\*e^10 - 45\*a^4\*c^4\*d^4\*e^12)\*x^3 - 8\*(231\*c^8\*d^13\*e^3 - 741\*a\*c^7\*d^11\*e^5 + 686\*a^2\*c^6\*d^9\*e^7 - 50\*a^3\*c^5\*d^7\*e^9 + 235\*a^4\*c^4\*d^5\*e^11 - 105\*a^5\*c^3\*d^3\*e^13)\*x^2 + 2\*(1155\*c^8\*d^14\*e^2 - 3738\*a\*c^7\*d^12\*e^4 + 3517\*a^2\*c^6\*d^10\*e^6 - 300\*a^3\*c^5\*d^8\*e^8 - 275\*a^4\*c^4\*d^6\*e^10 + 1190\*a^5\*c^3\*d^4\*e^12 - 525\*a^6\*c^2\*d^2\*e^14)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(c^6\*d^6\*e^7), -1/1146880\*(105\*(33\*c^8\*d^16 - 120\*a\*c^7\*d^14\*e^2 + 140\*a^2\*c^6\*d^12\*e^4 - 40\*

$$\begin{aligned}
& a^3c^5d^{10}e^6 - 10a^4c^4d^8e^8 - 8a^5c^3d^6e^{10} - 20a^6c^2d^4 \\
& *e^{12} + 40a^7c*d^2e^{14} - 15a^8e^{16})\sqrt{-c*d*e}*\arctan(1/2*\sqrt{c*d*e} \\
& *x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c*d*e}/ \\
& (c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) - 2*(71680*c^8 \\
& *d^8e^8*x^7 - 3465*c^8*d^{15}e + 11445*a*c^7*d^{13}e^3 - 11193*a^2*c^6*d^{11} \\
& e^5 + 1325*a^3*c^5*d^9e^7 + 925*a^4*c^4*d^7e^9 + 1015*a^5*c^3*d^5e^{11} - \\
& 3675*a^6*c^2*d^3e^{13} + 1575*a^7*c*d*e^{15} + 5120*(17*c^8*d^9e^7 + 33*a*c^7 \\
& *d^7e^9)*x^6 + 1280*(c^8*d^{10}e^6 + 166*a*c^7*d^8e^8 + 81*a^2*c^6*d^6e^1 \\
& 0)*x^5 - 128*(11*c^8*d^{11}e^5 - 35*a*c^7*d^9e^7 - 1075*a^2*c^6*d^7e^9 - 5 \\
& *a^3*c^5*d^5e^{11})*x^4 + 16*(99*c^8*d^{12}e^4 - 316*a*c^7*d^{10}e^6 + 290*a^2 \\
& *c^6*d^8e^8 + 100*a^3*c^5*d^6e^{10} - 45*a^4*c^4*d^4e^{12})*x^3 - 8*(231*c^8 \\
& *d^{13}e^3 - 741*a*c^7*d^{11}e^5 + 686*a^2*c^6*d^9e^7 - 50*a^3*c^5*d^7e^9 + \\
& 235*a^4*c^4*d^5e^{11} - 105*a^5*c^3*d^3e^{13})*x^2 + 2*(1155*c^8*d^{14}e^2 - \\
& 3738*a*c^7*d^{12}e^4 + 3517*a^2*c^6*d^{10}e^6 - 300*a^3*c^5*d^8e^8 - 275*a^4 \\
& *c^4*d^6e^{10} + 1190*a^5*c^3*d^4e^{12} - 525*a^6*c^2*d^2e^{14})*x)*\sqrt{c*d*e} \\
& *x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c^6*d^6e^7)]
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Warning, replacing 0 by `u`, a substitution  
variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu  
tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs  
titution variable should perhaps be purged.Warning, replacing 0 by `u`, a  
substitution variable should perhaps be purged.Warning, replacing 0 by `u`  
, a substitution variable should perhaps be purged.Warning, replacing 0 by  
`u`, a substitution variable should perhaps be purged.Warning, replacing 0  
by `u`, a substitution variable should perhaps be purged.Warning, replaci  
ng 0 by `u`, a substitution variable should perhaps be purged.Warning, rep  
lacing 0 by `u`, a substitution variable should perhaps be purged.Warning,  
replacing 0 by `u`, a substitution variable should perhaps be purged.Warn  
ing, replacing 0 by `u`, a substitution variable should perhaps be purged.  
Warning, replacing 0 by `u`, a substitution variable should perhaps be pur  
ged.Warning, replacing 0 by `u`, a substitution variable should perhaps be  
purged.Warning, replacing 0 by `u`, a substitution variable should perhaps  
s be purged.Warning, replacing 0 by `u`, a substitution variable should pe  
rhaps be purged.Warning, replacing 0 by `u`, a substitution variable shoul  
d perhaps be purged.Warning, replacing 0 by `u`, a substitution variable s  
hould perhaps be purged.Warning, replacing 0 by `u`, a substitution variab

le should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Warning, replacing 0 by `u`, a substitution variable should perhaps be purged.Evaluation time: 0.5Error: Bad Argument Type

**maple [B]** time = 0.03, size = 3178, normalized size = 5.54

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}/(e*x+d), x)$

[Out] 
$$\begin{aligned} & -975/16384*e^2/c*d^3*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a^4+195/4096/e^4*c^2*d^9*\ln \\ & ((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a+3/64*e/c^2/d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*x*a^2+9/64*d^6/e^3*a*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} \\ & *x-3/256*d*e^4*a^5/c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+(x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+15/128*d^7/e^2*a^2*c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+(x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}-15/256*d^9/e^4*a*c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+(x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+3/64*d^2*e*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x+15/256*d^3*e^2*a^4/c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+(x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}-5/256*e^2/c^2*a^3/d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x-15/1024*e^4/c^3/d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x*a^4+45/8192*e^7/c^4/d^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*a^6-855/8192/e^2*c*d^7*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a^2-495/4096/e^3*c*d^6*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*a-15/4096*e^5/c^3/d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*a^5-105/2048*e/c*d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*a^3-45/32768*e^10/c^5/d^5*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a^8+15/4096*e^8/c^4/d^3*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a^7-15/8192*e^6/c^3/d*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a^6+45/4096*e^4/c^2*d*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a^5-3/64*d^3*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}+1/16*d^6/e^5*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}+1/16*d^6/e^5*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} \end{aligned}$$

$$\begin{aligned}
& )*(x+d/e)^{(3/2)}-3/128*d^9/e^6*c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}-15/128*d^5*a^3*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+(x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}-95/2048/e^5*c*d^6*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}+285/16384/e^6*c^2*d^9*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+45/2048/e^3*d^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*a+165/16384/e^2*d^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^2+19/64/e^3*d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*x-15/1024*e/c^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*a^3+465/4096*d^5*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a^3+735/16384/c*d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^3+13/128/c^2/d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*a^2-1/5*d^3/e^4*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(5/2)}+19/128/e^4*d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}-25/112/e^3/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}+65/1024/e/c*d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*a^2+285/8192/e^5*c^2*d^8*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x-1/8*d^3/e^2*a*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}*x+1/8*d^5/e^4*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}*x-1/16*d^2/e*a^2/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}-9/64*d^4/e*a^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x+3/128*d*e^2*a^4/c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}+3/64*d^7/e^4*a*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}-3/64*d^8/e^5*c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x+3/256*d^11/e^6*c^3*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+(x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+45/16384*e^8/c^5/d^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^7+15/16384*e^6/c^4/d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^6-75/16384*e^4/c^3/d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^5-465/16384*e^2/c^2*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^4-285/32768/e^6*c^3*d^11*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}+3/128*e^2/c^3/d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*a^3+29/128/e^2/c*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*a-5/512/c*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x*a^2+35/256/e^2*a*d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x+5/32/e/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*x*a-45/8192*e^3/c^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*a^4+115/8192/e*d^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*a^2+1/8/e^2*x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}/c/d-705/16384/e^4*c*d^7*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a-9/112/e/c^2/d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}*a-95/1024/e^4*c*d^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x-15/2048*e^5/c^4/d^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*a^5-35/2048*e^3/c^3/d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*a^4
\end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d),x, algorithm=

"maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details) Is a\*e^2-c\*d^2 zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x), x)

[Out] int((x^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d), x)

[Out] Timed out



$$3.292 \quad \int \frac{x^2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{d + ex} dx$$

**Optimal.** Leaf size=452

$$\frac{(-35a^2e^4 - 10cdex(9cd^2 - 5ae^2) - 20acd^2e^2 + 63c^2d^4)(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{840c^2d^2e^3} (5a^2e^4 + 10acd^2e^2 + 9$$

**Rubi [A]** time = 0.41, antiderivative size = 452, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {851, 832, 779, 612, 621, 206}

$$\frac{(5a^2e^4 + 10acd^2e^2 + 9c^2d^4)(ae^2 + cd^2)^{5/2} \sqrt{(ae^2 + cd^2)x + cdex^2}}{1024c^4d^4e^5} - \frac{(5a^2e^4 + 10acd^2e^2 + 9c^2d^4)(ae^2 + cd^2)^{3/2} \sqrt{(ae^2 + cd^2)x + cdex^2}}{384c^3d^3e^4} - \frac{(-35a^2e^4 - 10cdex(9cd^2 - 5ae^2) - 20acd^2e^2 + 63c^2d^4)(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{840c^2d^2e^3} - \frac{(5a^2e^4 + 10acd^2e^2 + 9c^2d^4)(ae^2 + cd^2)^{5/2} \operatorname{tanh}^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{\sqrt{(ae^2 + cd^2)x + cdex^2}}\right)}{2048c^9d^9e^{11/2}} + \frac{c^2 \sqrt{(ae^2 + cd^2)x + cdex^2}}{2}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x), x]

[Out] ((c\*d^2 - a\*e^2)^3\*(9\*c^2\*d^4 + 10\*a\*c\*d^2\*e^2 + 5\*a^2\*e^4)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(1024\*c^4\*d^4\*e^5) - ((c\*d^2 - a\*e^2)\*(9\*c^2\*d^4 + 10\*a\*c\*d^2\*e^2 + 5\*a^2\*e^4)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(384\*c^3\*d^3\*e^4) + (x^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(7\*e) + ((63\*c^2\*d^4 - 20\*a\*c\*d^2\*e^2 - 35\*a^2\*e^4 - 10\*c\*d\*e\*(9\*c\*d^2 - 5\*a\*e^2)\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(840\*c^2\*d^2\*e^3) - ((c\*d^2 - a\*e^2)^5\*(9\*c^2\*d^4 + 10\*a\*c\*d^2\*e^2 + 5\*a^2\*e^4)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(2048\*c^(9/2)\*d^(9/2)\*e^(11/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 612

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((b + 2\*c\*x)\*(a + b\*x + c\*x^2)^p)/(2\*c\*(2\*p + 1)), x] - Dist[(p\*(b^2 - 4\*a\*c))/(2\*c\*(2\*p + 1)), Int[(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && GtQ[p, 0] && IntegerQ[4\*p]

### Rule 621

```
Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 779

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((b*e*g*(p + 2) - c*(e*f + d*g))*(2*p + 3) - 2*c*e*g*(p + 1)*x*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]
```

### Rule 832

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + b*x + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^p*Simp[m*(c*d*f - a*e*g) + d*(2*c*f - b*g)*(p + 1) + (m*(c*e*f + c*d*g - b*e*g) + e*(p + 1)*(2*c*f - b*g))*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

### Rule 851

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[((f + g*x)^n*(a + b*x + c*x^2)^(m + p))/(a/d + (c*x)/e)^m, x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0] && IntegerQ[n] && (LtQ[n, 0] || GtQ[p, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{d + ex} dx &= \int x^2 (ae + cdx) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2} dx \\
&= \frac{x^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{7e} + \frac{\int x \left(-2acd^2e - \frac{1}{2}cd(9cd^2 - 5ae^2)\right) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2} dx}{7e} \\
&= \frac{x^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{7e} + \frac{(63c^2d^4 - 20acd^2e^2 - 35a^2e^4) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{384c^3d^3e^4} \\
&= -\frac{(cd^2 - ae^2) (9c^2d^4 + 10acd^2e^2 + 5a^2e^4) (cd^2 + ae^2 + 2cdex) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{1024c^4d^4e^5} \\
&= \frac{(cd^2 - ae^2)^3 (9c^2d^4 + 10acd^2e^2 + 5a^2e^4) (cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{1024c^4d^4e^5} \\
&= \frac{(cd^2 - ae^2)^3 (9c^2d^4 + 10acd^2e^2 + 5a^2e^4) (cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{1024c^4d^4e^5} \\
&= \frac{(cd^2 - ae^2)^3 (9c^2d^4 + 10acd^2e^2 + 5a^2e^4) (cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{1024c^4d^4e^5}
\end{aligned}$$

**Mathematica [A]** time = 5.71, size = 562, normalized size = 1.24

$$\frac{((d + ex)(ae + cdx))^{3/2} \left( \frac{7\sqrt{a}(5a^2d^4 + 10acd^2e^2 + 5a^2e^4) \sqrt{\frac{cd^2 + ae^2}{cd^2 - ae^2}} - 15\sqrt{a} \sqrt{cd^2 - ae^2} \sqrt{ae + cdx} \sinh^{-1}\left(\frac{cd^2 + ae^2 + cdx}{\sqrt{cd^2 - ae^2}}\right) - 10c^2d^2 \sqrt{cd^2 - ae^2} \sqrt{ae + cdx} \sqrt{\frac{cd^2 + ae^2}{cd^2 - ae^2}} + 8c^2d^2 \sqrt{cd^2 - ae^2} \sqrt{ae + cdx} \sqrt{\frac{cd^2 + ae^2}{cd^2 - ae^2}} - 16c^2d^2 \sqrt{cd^2 - ae^2} \sqrt{ae + cdx} \sqrt{\frac{cd^2 + ae^2}{cd^2 - ae^2}} + d(11d + 8e) - 3a^2}{15360c^3d^3e^4} \sqrt{\frac{cd^2 + ae^2}{cd^2 - ae^2}} \sqrt{ae + cdx} \right) - \frac{(d + ex)(7a^2 + 8e^2) \sqrt{ae + cdx}^2}{128e} + x(d + ex)(ae + cdx)^2}{7cde}$$

Antiderivative was successfully verified.

```

[In] Integrate[(x^2*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2))/(d + e*x), x]
[Out] (((a*e + c*d*x)*(d + e*x))^(3/2)*(-1/12*((9*c*d^2 + 7*a*e^2)*(a*e + c*d*x)^2*(d + e*x))/(c*d*e) + x*(a*e + c*d*x)^2*(d + e*x) + (7*sqrt[c*d]*(9*c^2*d^4 + 10*a*c*d^2*e^2 + 5*a^2*e^4)*(15*sqrt[c*d]*sqrt[e]*(c*d^2 - a*e^2)^(11/2)*(a*e + c*d*x)*sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2)] - 10*sqrt[c*d]*e^(3/2)*(c*d^2 - a*e^2)^(9/2)*(a*e + c*d*x)^2*sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2)] + 8*sqrt[c*d]*e^(5/2)*(c*d^2 - a*e^2)^(7/2)*(a*e + c*d*x)^3*sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2)] + 16*sqrt[c*d]*e^(7/2)*(c*d^2 - a*e^2)^(3/2)*(a*e + c*d*x)^4*sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2)]*(-3*a*e^2 + c*d*(11*d + 8*e*x)) - 15*sqrt[c]*sqrt[d]*(c*d^2 - a*e^2)^6*sqrt[a*e + c*d*x]*ArcSinh[(sqrt[c]*sqrt[d]*sqrt[e]*sqrt[a*e + c*d*x])/(sqrt[c*d]*sqrt[c*d^2 - a*e^2])]))

```

$$\frac{1}{(15360c^3d^3e^{9/2}(cd^2 - ae^2)^{5/2}(ae + cd*x)^2((cd*(d + ex))/(cd^2 - ae^2))^{3/2})))/(7cd*e)}$$

**IntegrateAlgebraic** [F] time = 180.07, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x),x]

[Out] \$Aborted

**fricas** [A] time = 0.51, size = 1272, normalized size = 2.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/430080*(105*(9c^7d^{14} - 35a^3c^6d^{12}e^2 + 45a^2c^5d^{10}e^4 - 15a^3c^4d^8e^6 - 5a^4c^3d^6e^8 - 9a^5c^2d^4e^{10} + 15a^6cd^2e^{12} - 5a^7e^{14})*\sqrt{cde})\log(8c^2d^2e^2x^2 + c^2d^4 + 6a^2cd^2e^2 + a^2e^4 + 4\sqrt{cde}x^2 + a^2d^2 + a^2e^2)*\sqrt{cde} + 8(c^2d^3e + a^2cd^3e^3)x - 4(15360c^7d^7e^7x^6 + 945c^7d^{13}e - 3360a^3c^6d^{11}e^3 + 3689a^2c^5d^9e^5 - 600a^3c^4d^7e^7 - 525a^4c^3d^5e^9 + 1400a^5c^2d^3e^{11} - 525a^6cd^3e^{13} + 1280(15c^7d^8e^6 + 29a^3c^6d^6e^8)x^5 + 128(3c^7d^9e^5 + 380a^2c^6d^7e^7 + 185a^2c^5d^5e^9)x^4 - 16(27c^7d^{10}e^4 - 93a^3c^6d^8e^6 - 2095a^2c^5d^6e^8 - 15a^3c^4d^4e^{10})x^3 + 8(63c^7d^{11}e^3 - 218a^2c^6d^9e^5 + 228a^2c^5d^7e^7 + 90a^3c^4d^5e^9 - 35a^4c^3d^3e^{11})x^2 - 2(315c^7d^{12}e^2 - 1099a^2c^6d^{10}e^4 + 1166a^2c^5d^8e^6 - 150a^3c^4d^6e^8 + 455a^4c^3d^4e^{10} - 175a^5c^2d^2e^{12})x)*\sqrt{cde}x^2 + a^2d^2 + a^2e^2)*x)/(c^5d^5e^6), 1/2 \\ & 15040*(105*(9c^7d^{14} - 35a^3c^6d^{12}e^2 + 45a^2c^5d^{10}e^4 - 15a^3c^4d^8e^6 - 5a^4c^3d^6e^8 - 9a^5c^2d^4e^{10} + 15a^6cd^2e^{12} - 5a^7e^{14})*\sqrt{-cde})\arctan(1/2\sqrt{cde}x^2 + a^2d^2 + a^2e^2)*x*(2c^2d^2e^2x^2 + a^2cd^2e^2 + (c^2d^3e + a^2cd^3e^3)x) + 2(15360c^7d^7e^7x^6 + 945c^7d^{13}e - 3360a^3c^6d^{11}e^3 + 3689a^2c^5d^9e^5 - 600a^3c^4d^7e^7 - 525a^4c^3d^5e^9 + 1400a^5c^2d^3e^{11} - 525a^6cd^3e^{13} + 1280(15c^7d^8e^6 + 29a^3c^6d^6e^8)x^5 + 128(3c^7d^9e^5 + 380a^2c^6d^7e^7 + 185a^2c^5d^5e^9)x^4 - 16(27c^7d^{10}e^4 - 93a^3c^6d^8e^6 - 2095a^2c^5d^6e^8 - 15a^3c^4d^4e^{10})x^3 + 8(63c^7d^{11}e^3 - 218a^2c^6d^9e^5 + 228a^2c^5d^7e^7 + 90a^3c^4d^5e^9 - 35a^4c^3d^3e^{11})x^2 - \end{aligned}$$

$$2*(315*c^7*d^12*e^2 - 1099*a*c^6*d^10*e^4 + 1166*a^2*c^5*d^8*e^6 - 150*a^3*c^4*d^6*e^8 + 455*a^4*c^3*d^4*e^10 - 175*a^5*c^2*d^2*e^12)*x*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(c^5*d^5*e^6)]$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x);OUTPUT:Warning, replacing 0 by `u`, a substitution  
 variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu  
 tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs  
 titution variable should perhaps be purged.Warning, replacing 0 by `u`, a  
 substitution variable should perhaps be purged.Warning, replacing 0 by `u`,  
 a substitution variable should perhaps be purged.Warning, replacing 0 by `u`,  
 a substitution variable should perhaps be purged.Warning, replacing 0 by  
 `u`, a substitution variable should perhaps be purged.Warning, replacing 0  
 by `u`, a substitution variable should perhaps be purged.Warning, replaci  
 ng 0 by `u`, a substitution variable should perhaps be purged.Warning, rep  
 lacing 0 by `u`, a substitution variable should perhaps be purged.Warning,  
 replacing 0 by `u`, a substitution variable should perhaps be purged.Warn  
 ing, replacing 0 by `u`, a substitution variable should perhaps be purged.  
 Warning, replacing 0 by `u`, a substitution variable should perhaps be pur  
 ged.Warning, replacing 0 by `u`, a substitution variable should perhaps be  
 purged.Warning, replacing 0 by `u`, a substitution variable should perhap  
 s be purged.Warning, replacing 0 by `u`, a substitution variable should pe  
 rhaps be purged.Warning, replacing 0 by `u`, a substitution variable shoul  
 d perhaps be purged.Warning, replacing 0 by `u`, a substitution variable s  
 hould perhaps be purged.Warning, replacing 0 by `u`, a substitution variab  
 le should perhaps be purged.Warning, replacing 0 by `u`, a substitution va  
 riable should perhaps be purged.Warning, replacing 0 by `u`, a substitutio  
 n variable should perhaps be purged.Warning, replacing 0 by `u`, a substit  
 ution variable should perhaps be purged.Warning, replacing 0 by `u`, a sub  
 stitution variable should perhaps be purged.Warning, replacing 0 by `u`, a  
 substitution variable should perhaps be purged.Evaluation time: 0.52Error:  
 Bad Argument Type

**maple** [B] time = 0.02, size = 2731, normalized size = 6.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/(e*x+d), x)$

[Out]  $195/2048/e*c*d^6*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*a^2-5/512*e^6/c^3/d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a^5-3/64*d*e^2*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x-9/64*d^5/e^2*a*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x-15/128*d^6/e*a^2*c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+15/256*d^8/e^3*a*c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)-15/256*d^2*e^3*a^4/c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+5/512*e^4/c^2/d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a^4+15/256*e^2/c*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a^3-85/2048/e^3*c^2*d^8*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*a+5/192*e^3/c^2/d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*x*a^3+5/2048*e^9/c^4/d^4*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)*a^7-15/2048*e^7/c^3/d^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*a^6+55/512/e^2*c*d^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a+125/2048*e^3/c*d^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*a^4-1/16*d^5/e^4*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(3/2)+3/128*d^8/e^5*c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)+9/64*d^3*a^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x-3/128*e^3*a^4/c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)+1/16*d*a^2/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(3/2)-1/6/e/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)*a-15/1024/e*d^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a^2-5/192/e^2*d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*a-15/1024/e^5*c^2*d^8*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)+5/128/e^4*c*d^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)+1/7/e^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(7/2)/c/d+35/1024*e^3/c^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a^4-5/96/c*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*a^2-35/256*d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a^2-1/4/e^2*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)*x+1/5*d^2/e^3*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(5/2)-1/8/e^3*d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)-1/12/c/d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)*x*a-25/192/e*d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*x*a+15/2048/e^5*c^3*d^10*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)+5/384*e^4/c^3/d^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*a^4+3/256*e^5*a^5/c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+1/8*d^2/e*a*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(3/2)*x+3/64*d^2*e*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)-1/8*d^4/e^3*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(3/2)*x-3/64*d^6/e^3*a*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)+15/128*d^4*e*a^3*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))$

$$\begin{aligned} &^{(1/2)}) / (c*d*e)^{(1/2)} + 3/64*d^7/e^4*c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/ \\ &e))^{(1/2)}*x-3/256*d^10/e^5*c^3*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d* \\ &e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}-15/51 \\ &2/e^4*c^2*d^7*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x-5/1024*e^7/c^4/d^4* \\ &(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^6+5/128/e^3*c*d^6*(c*d*e*x^2+a*d* \\ &e+(a*e^2+c*d^2)*x)^{(1/2)}*a-5/128*e/c*d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^ \\ &(1/2)*a^3+5/64/e^3*c*d^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x-1/24*e/c \\ &^2/d^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*a^2+5/192*e^2/c^2/d*(c*d*e*x \\ &^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*a^3-15/2048*e^5/c^2*\ln((c*d*e*x+1/2*a*e^2+1 \\ &/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1 \\ &/2)}*a^5-225/2048*e*d^4*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d* \\ &e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a^3+5/192*e/c*(c*d*e*x^2+ \\ &a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x*a^2 \end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x),x)

[Out] int((x^2\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d),x)

[Out] Timed out

$$3.293 \quad \int \frac{x(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{d+ex} dx$$

**Optimal.** Leaf size=381

$$\frac{(5ae^2 + 7cd^2)(cd^2 - ae^2)^5 \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{1024c^{7/2}d^{7/2}e^{9/2}} - \frac{(5ae^2 + 7cd^2)(cd^2 - ae^2)^3 (ae^2 + cd^2 + 2cdex)}{512c^3d^3e^4}$$

**Rubi [A]** time = 0.39, antiderivative size = 381, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$ , Rules used = {794, 664, 612, 621, 206}

$$\frac{(5ae^2 + 7cd^2)(cd^2 - ae^2)^5 (ae^2 + cd^2 + 2cdex)^{5/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{512c^3d^3e^4} + \frac{(5ae^2 + 7cd^2)(cd^2 - ae^2)(ae^2 + cd^2 + 2cdex)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{192c^2d^2e^3} + \frac{(5ae^2 + 7cd^2)(cd^2 - ae^2)^5 \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{1024c^{7/2}d^{7/2}e^{9/2}} + \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{6cd^2(dx + ex)} - \frac{1}{60} \frac{(5a + 7d)(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{(cd + ex)^2}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x),x]

[Out] -((c\*d^2 - a\*e^2)^3\*(7\*c\*d^2 + 5\*a\*e^2)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(512\*c^3\*d^3\*e^4) + ((c\*d^2 - a\*e^2)\*(7\*c\*d^2 + 5\*a\*e^2)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(192\*c^2\*d^2\*e^3) - (((5\*a)/(c\*d) + (7\*d)/e^2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/60 + (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2)/(6\*c\*d\*e\*(d + e\*x)) + ((c\*d^2 - a\*e^2)^5\*(7\*c\*d^2 + 5\*a\*e^2)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(1024\*c^(7/2)\*d^(7/2)\*e^(9/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 612

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((b + 2\*c\*x)\*(a + b\*x + c\*x^2)^p)/(2\*c\*(2\*p + 1)), x] - Dist[(p\*(b^2 - 4\*a\*c))/(2\*c\*(2\*p + 1)), Int[(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && GtQ[p, 0] && IntegerQ[4\*p]

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a,



b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 664

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p)/(e\*(m + 2\*p + 1)), x] - Dist[(p\*(2\*c\*d - b\*e))/(e^2\*(m + 2\*p + 1)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[p, 0] && (LeQ[-2, m, 0] || EqQ[m + p + 1, 0]) && NeQ[m + 2\*p + 1, 0] && IntegerQ[2\*p]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{x \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{5/2}}{d + ex} dx &= \frac{\left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{7/2}}{6cde(d + ex)} + \frac{1}{12} \left( -\frac{7d}{e} - \frac{5ae}{cd} \right) \int \frac{\left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{5/2}}{d + ex} dx \\
&= -\frac{1}{60} \left( \frac{5a}{cd} + \frac{7d}{e^2} \right) \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{5/2} + \frac{\left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{7/2}}{6cde(d + ex)} \\
&= \frac{(cd^2 - ae^2)(7cd^2 + 5ae^2)(cd^2 + ae^2 + 2cdex)(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{192c^2d^2e^3} \\
&= -\frac{(cd^2 - ae^2)^3(7cd^2 + 5ae^2)(cd^2 + ae^2 + 2cdex)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512c^3d^3e^4} \\
&= -\frac{(cd^2 - ae^2)^3(7cd^2 + 5ae^2)(cd^2 + ae^2 + 2cdex)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512c^3d^3e^4} \\
&= -\frac{(cd^2 - ae^2)^3(7cd^2 + 5ae^2)(cd^2 + ae^2 + 2cdex)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512c^3d^3e^4}
\end{aligned}$$

**Mathematica [A]** time = 2.74, size = 506, normalized size = 1.33

$$\frac{(ae + cdx)(d + ex)(ae + cdx)^{5/2} \left( 7 - \frac{7\sqrt{cd}\sqrt{cd^2 - ae^2}(5ae^2 + 7cd^2)\left(\frac{cdex + d}{cd^2 - ae^2}\right)^{3/2} \left( 15\sqrt{cd}\sqrt{cd^2 - ae^2}^{11/2} (ae + cdx)\sqrt{\frac{cdex + d}{cd^2 - ae^2}} - 15\sqrt{cd}\sqrt{cd^2 - ae^2}^9 \sqrt{ae + cdx} \sinh^{-1}\left(\frac{\sqrt{cd}\sqrt{cd^2 - ae^2}}{\sqrt{cd}\sqrt{cd^2 - ae^2}}\right) - 10\sqrt{cd}\sqrt{cd^2 - ae^2}^{9/2} (ae + cdx)^2 \sqrt{\frac{cdex + d}{cd^2 - ae^2}} + 8e^{5/2}\sqrt{cd}(cd^2 - ae^2)^{3/2} (ae + cdx)^3 \sqrt{\frac{cdex + d}{cd^2 - ae^2}} + 16e^{7/2}\sqrt{cd}(cd^2 - ae^2)^{3/2} (ae + cdx)^4 \sqrt{\frac{cdex + d}{cd^2 - ae^2}} (cd(11d + 8ex) - 3ae^2))}{1280\sqrt{cd}e^{7/2}(d + ex)^4(ae + cdx)^4} \right)}{42cde}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x), x]

[Out] ((a\*e + c\*d\*x)\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*(7 - (7\*sqrt[c\*d]\*sqrt[c\*d^2 - a\*e^2]\*(7\*c\*d^2 + 5\*a\*e^2)\*((c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2))^(3/2)\*(15\*sqrt[c\*d]\*sqrt[e]\*(c\*d^2 - a\*e^2)^(11/2)\*(a\*e + c\*d\*x)\*sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)] - 10\*sqrt[c\*d]\*e^(3/2)\*(c\*d^2 - a\*e^2)^(9/2)\*(a\*e + c\*d\*x)^2\*sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)] + 8\*sqrt[c\*d]\*e^(5/2)\*(c\*d^2 - a\*e^2)^(7/2)\*(a\*e + c\*d\*x)^3\*sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)] + 16\*sqrt[c\*d]\*e^(7/2)\*(c\*d^2 - a\*e^2)^(3/2)\*(a\*e + c\*d\*x)^4\*sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]\*(-3\*a\*e^2 + c\*d\*(11\*d + 8\*e\*x)) - 15\*sqrt[c]\*sqrt[d]\*(c\*d^2 - a\*e^2)^6\*sqrt[a\*e + c\*d\*x]\*ArcSinh[(sqrt[c]\*sqrt[d]\*sqrt[e]\*sqrt[a\*e + c\*d\*x])/(sqrt[c\*d]\*sqrt[c\*d^2 - a\*e^2])]))/(1280\*c^5\*d^5\*e^(7/2)\*(a\*e + c\*d\*x)^4\*(d + e\*x)^4))/(42\*c\*d\*e)

**IntegrateAlgebraic** [F] time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(x\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x),x]

[Out] \$Aborted

**fricas** [A] time = 0.49, size = 1046, normalized size = 2.75

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/30720*(15*(7*c^6*d^12 - 30*a*c^5*d^10*e^2 + 45*a^2*c^4*d^8*e^4 - 20*a^3*c^3*d^6*e^6 - 15*a^4*c^2*d^4*e^8 + 18*a^5*c*d^2*e^10 - 5*a^6*e^12)*\sqrt{c*d*e}) \\ & * \log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 - 4*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}) \\ & * (2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{c*d*e}) + 8*(c^2*d^3*e + a*c*d*e^3)*x) \\ & - 4*(1280*c^6*d^6*e^6*x^5 - 105*c^6*d^11*e + 415*a*c^5*d^9*e^3 - 546*a^2*c^4*d^7*e^5 + 150*a^3*c^3*d^5*e^7 - 245*a^4*c^2*d^3*e^9 + 75*a^5*c*d*e^11 + 128*(13*c^6*d^7*e^5 + 25*a*c^5*d^5*e^7)*x^4 \\ & + 16*(3*c^6*d^8*e^4 + 278*a*c^5*d^6*e^6 + 135*a^2*c^4*d^4*e^8)*x^3 - 8*(7*c^6*d^9*e^3 - 27*a*c^5*d^7*e^5 - 423*a^2*c^4*d^5*e^7 - 5*a^3*c^3*d^3*e^9)*x^2 \\ & + 2*(35*c^6*d^10*e^2 - 136*a*c^5*d^8*e^4 + 174*a^2*c^4*d^6*e^6 + 80*a^3*c^3*d^4*e^8 - 25*a^4*c^2*d^2*e^10)*x) \\ & * \sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}) / (c^4*d^4*e^5), -1/15360*(15*(7*c^6*d^12 - 30*a*c^5*d^10*e^2 + 45*a^2*c^4*d^8*e^4 - 20*a^3*c^3*d^6*e^6 - 15*a^4*c^2*d^4*e^8 + 18*a^5*c*d^2*e^10 - 5*a^6*e^12)*\sqrt{-c*d*e}) \\ & * \arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}) * (2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c*d*e}) / (c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x) \\ & - 2*(1280*c^6*d^6*e^6*x^5 - 105*c^6*d^11*e + 415*a*c^5*d^9*e^3 - 546*a^2*c^4*d^7*e^5 + 150*a^3*c^3*d^5*e^7 - 245*a^4*c^2*d^3*e^9 + 75*a^5*c*d*e^11 + 128*(13*c^6*d^7*e^5 + 25*a*c^5*d^5*e^7)*x^4 \\ & + 16*(3*c^6*d^8*e^4 + 278*a*c^5*d^6*e^6 + 135*a^2*c^4*d^4*e^8)*x^3 - 8*(7*c^6*d^9*e^3 - 27*a*c^5*d^7*e^5 - 423*a^2*c^4*d^5*e^7 - 5*a^3*c^3*d^3*e^9)*x^2 \\ & + 2*(35*c^6*d^10*e^2 - 136*a*c^5*d^8*e^4 + 174*a^2*c^4*d^6*e^6 + 80*a^3*c^3*d^4*e^8 - 25*a^4*c^2*d^2*e^10)*x) \\ & * \sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}) / (c^4*d^4*e^5)] \end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Warning, replacing 0 by `u`, a substitution
variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu
tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs
titution variable should perhaps be purged.Warning, replacing 0 by `u`, a
substitution variable should perhaps be purged.Warning, replacing 0 by `u`
, a substitution variable should perhaps be purged.Warning, replacing 0 by
`u`, a substitution variable should perhaps be purged.Warning, replacing 0
by `u`, a substitution variable should perhaps be purged.Warning, replaci
ng 0 by `u`, a substitution variable should perhaps be purged.Warning, rep
lacing 0 by `u`, a substitution variable should perhaps be purged.Warning,
replacing 0 by `u`, a substitution variable should perhaps be purged.Warn
ing, replacing 0 by `u`, a substitution variable should perhaps be purged.
Warning, replacing 0 by `u`, a substitution variable should perhaps be pur
ged.Warning, replacing 0 by `u`, a substitution variable should perhaps be
purged.Warning, replacing 0 by `u`, a substitution variable should perhap
s be purged.Warning, replacing 0 by `u`, a substitution variable should pe
rhaps be purged.Warning, replacing 0 by `u`, a substitution variable shoul
d perhaps be purged.Warning, replacing 0 by `u`, a substitution variable s
hould perhaps be purged.Warning, replacing 0 by `u`, a substitution variab
le should perhaps be purged.Warning, replacing 0 by `u`, a substitution vari
able should perhaps be purged.Warning, replacing 0 by `u`, a substitutio
n variable should perhaps be purged.Warning, replacing 0 by `u`, a substit
ution variable should perhaps be purged.Evaluation time: 0.45Error: Bad Arg
ument Type
```

**maple [B]** time = 0.01, size = 2411, normalized size = 6.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/(e*x+d),x)
```

```
[Out] 9/64*d^4/e*a*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x-3/256/d*e^6*
a^5/c^2*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d
*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)-15/256*d^7/e^2*a*c^2*ln((1/2
*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2
)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+15/256*d*e^4*a^4/c*ln((1/2*a*e^2-1/2*c*d^2+
(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))
/(c*d*e)^(1/2)-75/1024*e^4/c*d*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/
2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*a^4-5/1024*e^8/c^
```

$$\begin{aligned}
& 3/d^3 \ln\left(\frac{c*d*e*x+1/2*a*e^2+1/2*c*d^2}{(c*d*e)^{1/2}} + \frac{(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}{(c*d*e)^{1/2}}\right) * a^6 + 5/256 * e^5/c^2/d^2 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * x * a^4 - 5/64 * e * c*d^4 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * x * a^5 - 5/96 * e^2/c/d * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} * x * a^2 + 15/512 * e^2 * c^2 * d^7 * \ln\left(\frac{c*d*e*x+1/2*a*e^2+1/2*c*d^2}{(c*d*e)^{1/2}} + \frac{(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}{(c*d*e)^{1/2}}\right) * a + 15/512 * e^6/c^2/d * \ln\left(\frac{c*d*e*x+1/2*a*e^2+1/2*c*d^2}{(c*d*e)^{1/2}} + \frac{(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}{(c*d*e)^{1/2}}\right) * a^5 + 5/512 * e^4 * c^2 * d^7 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} + 5/192 * e/c * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} * a^2 + 5/192 * e * d^2 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} * a + 1/12 * c/d * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2} * a + 5/48 * d * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} * x * a - 1/16 * e * a^2/c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{3/2} - 5/192 * e^3 * c*d^4 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} + 1/16 * d^4/e^3 * c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{3/2} - 3/128 * d^7/e^4 * c^2 * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2} - 1/8 * d * a * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{3/2} * x - 5/192 * e^3/c^2/d^2 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} * a^3 - 75/1024 * c*d^5 * \ln\left(\frac{c*d*e*x+1/2*a*e^2+1/2*c*d^2}{(c*d*e)^{1/2}} + \frac{(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}{(c*d*e)^{1/2}}\right) * a^2 + 1/12 * e^2 * d * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2} + 1/6 * e * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2} * x + 5/256 * d^3 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * a^2 - 1/5 * d/e^2 * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{5/2} - 15/512 * e^2 * c*d^5 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * a - 5/96 * e^2 * c*d^3 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2} * x + 5/256 * e^2/c * d * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * a^3 - 5/1024 * e^4 * c^3 * d^9 * \ln\left(\frac{c*d*e*x+1/2*a*e^2+1/2*c*d^2}{(c*d*e)^{1/2}} + \frac{(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}{(c*d*e)^{1/2}}\right) - 5/64 * e^3/c * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * x * a^3 + 15/128 * e * d^2 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * x * a^2 + 25/256 * e^2 * d^3 * \ln\left(\frac{c*d*e*x+1/2*a*e^2+1/2*c*d^2}{(c*d*e)^{1/2}} + \frac{(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}}{(c*d*e)^{1/2}}\right) * a^3 + 5/512 * e^6/c^3/d^3 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * a^5 - 15/512 * e^4/c^2/d * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * a^4 + 5/256 * e^3 * c^2 * d^6 * (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * x + 3/64 * e^3 * a^3/c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2} * x + 15/128 * d^5 * a^2 * c * \ln\left(\frac{1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e}{(c*d*e)^{1/2}} + \frac{(x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e)}{(c*d*e)^{1/2}}\right) / (c*d*e)^{1/2} - 3/64 * d * e^2 * a^3/c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2} + 1/8 * d^3/e^2 * c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{3/2} * x - 9/64 * d^2 * e * a^2 * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2} * x + 3/128 * d * e^4 * a^4/c^2 * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2} + 3/64 * d^5/e^2 * a * c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2} - 15/128 * d^3 * e^2 * a^3 * \ln\left(\frac{1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e}{(c*d*e)^{1/2}} + \frac{(x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e)}{(c*d*e)^{1/2}}\right) / (c*d*e)^{1/2} - 3/64 * d^6/e^3 * c^2 * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e))^{1/2} * x + 3/256 * d^9/e^4 * c^3 * \ln\left(\frac{1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e}{(c*d*e)^{1/2}} + \frac{(x+d/e)^2 * c*d*e + (a*e^2 - c*d^2) * (x+d/e)}{(c*d*e)^{1/2}}\right) / (c*d*e)^{1/2}
\end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see 'assume?' for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x),x)

[Out] int((x\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x((d + e x)(a e + c d x))^{\frac{5}{2}}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d),x)

[Out] Integral(x\*((d + e\*x)\*(a\*e + c\*d\*x))\*\*(5/2)/(d + e\*x), x)

$$3.294 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{d + ex} dx$$

**Optimal.** Leaf size=274

$$\frac{3(cd^2 - ae^2)^5 \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{256c^5/2d^5/2e^7/2} + \frac{3(cd^2 - ae^2)^3 (ae^2 + cd^2 + 2cdex) \sqrt{x(ae^2 + cd^2) + ade}}{128c^2d^2e^3}$$

**Rubi [A]** time = 0.19, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.108$ , Rules used = {664, 612, 621, 206}

$$\frac{3(cd^2 - ae^2)^3 (ae^2 + cd^2 + 2cdex) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{128c^2d^2e^3} - \frac{3(cd^2 - ae^2)^3 \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{256c^5/2d^5/2e^7/2} + \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{5e} + \frac{1}{16} \left(\frac{a}{cd} - \frac{d}{e^2}\right) (ae^2 + cd^2 + 2cdex) (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(d + e\*x), x]

[Out] (3\*(c\*d^2 - a\*e^2)^3\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(128\*c^2\*d^2\*e^3) + ((a/(c\*d) - d/e^2)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/16 + (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(5\*e) - (3\*(c\*d^2 - a\*e^2)^5\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(256\*c^(5/2)\*d^(5/2)\*e^(7/2))

**Rule 206**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 612**

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((b + 2\*c\*x)\*(a + b\*x + c\*x^2)^p)/(2\*c\*(2\*p + 1)), x] - Dist[(p\*(b^2 - 4\*a\*c))/(2\*c\*(2\*p + 1)), Int[(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && GtQ[p, 0] && IntegerQ[4\*p]

**Rule 621**

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

## Rule 664

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[(p*(2*c*d - b*e))/(e^2*(m + 2*p + 1)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (LeQ[-2, m, 0] || EqQ[m + p + 1, 0]) && NeQ[m + 2*p + 1, 0] && IntegerQ[2*p]
```

## Rubi steps

$$\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{d + ex} dx = \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{5e} - \frac{(2cd^2e - e(cd^2 + ae^2)) \int (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2e^2}$$

$$= \frac{1}{16} \left( \frac{a}{cd} - \frac{d}{e^2} \right) (cd^2 + ae^2 + 2cdex) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2} + \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{16} \left( \frac{a}{cd} - \frac{d}{e^2} \right)$$

$$= \frac{3(cd^2 - ae^2)^3 (cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2e^3} + \frac{1}{16} \left( \frac{a}{cd} - \frac{d}{e^2} \right) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}$$

$$= \frac{3(cd^2 - ae^2)^3 (cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2e^3} + \frac{1}{16} \left( \frac{a}{cd} - \frac{d}{e^2} \right) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}$$

$$= \frac{3(cd^2 - ae^2)^3 (cd^2 + ae^2 + 2cdex) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2e^3} + \frac{1}{16} \left( \frac{a}{cd} - \frac{d}{e^2} \right) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}$$

**Mathematica** [A] time = 1.22, size = 384, normalized size = 1.40

$$\frac{\sqrt{d} \left( \sqrt{e} \sqrt{d} \sqrt{d(dx+e)} (-15d^3e^3 + 5a^4cd^2(14d - ex) + 2a^2c^2d^2(64d^2 + 268dex + 129e^2x^2) + 2a^2c^3d^2(-35d^3 + 87d^2ex + 489d^2e^2x^2 + 292e^3x^3) + ac^4d^2(15d^4 - 80d^3ex + 54d^2e^2x^2 + 688de^3 + 464e^4) + e^5d^2(15d^4 - 10d^3ex + 8d^2e^2x^2 + 176de^3 + 128e^4) \right) - 15(cd^2 - ae^2)^{1/2} \sqrt{ax + cd} \sqrt{\frac{d(dx+e)}{cd}} \sinh^{-1} \left( \frac{d \sqrt{d} \sqrt{d(dx+e)}}{cd \sqrt{cd}} \right)}{640c^{7/2}d^{7/2}e^{7/2} \sqrt{d(dx+e)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(d + e\*x), x]

[Out] (Sqrt[c\*d]\*(Sqrt[c]\*Sqrt[d]\*Sqrt[c\*d]\*Sqrt[e]\*(d + e\*x)\*(-15\*a^5\*e^9 + 5\*a^4\*4\*c\*d\*e^7\*(14\*d - e\*x) + 2\*a^3\*c^2\*d^2\*e^5\*(64\*d^2 + 268\*d\*e\*x + 129\*e^2\*x^2) + 2\*a^2\*c^3\*d^3\*e^3\*(-35\*d^3 + 87\*d^2\*e\*x + 489\*d\*e^2\*x^2 + 292\*e^3\*x^3) + c^5\*d^5\*x\*(15\*d^4 - 10\*d^3\*e\*x + 8\*d^2\*e^2\*x^2 + 176\*d\*e^3\*x^3 + 128\*e^4\*x^4) + a\*c^4\*d^4\*e\*(15\*d^4 - 80\*d^3\*e\*x + 54\*d^2\*e^2\*x^2 + 688\*d\*e^3\*x^3 +



$$464e^4x^4) - 15*(c*d^2 - a*e^2)^{(11/2)}*\text{Sqrt}[a*e + c*d*x]*\text{Sqrt}[(c*d*(d + e*x))/(c*d^2 - a*e^2)]*\text{ArcSinh}[(\text{Sqrt}[c]*\text{Sqrt}[d]*\text{Sqrt}[e]*\text{Sqrt}[a*e + c*d*x]) / (\text{Sqrt}[c*d]*\text{Sqrt}[c*d^2 - a*e^2])])]/(640*c^{(7/2)}*d^{(7/2)}*e^{(7/2)}*\text{Sqrt}[(a*e + c*d*x)*(d + e*x)])$$

**IntegrateAlgebraic** [F] time = 180.04, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(d + e\*x), x]

[Out] \$Aborted

**fricas** [A] time = 0.46, size = 844, normalized size = 3.08

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d),x, algorithm="fricas")

[Out] [1/2560\*(15\*(c^5\*d^10 - 5\*a\*c^4\*d^8\*e^2 + 10\*a^2\*c^3\*d^6\*e^4 - 10\*a^3\*c^2\*d^4\*e^6 + 5\*a^4\*c\*d^2\*e^8 - a^5\*e^10)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) + 4\*(128\*c^5\*d^5\*e^5\*x^4 + 15\*c^5\*d^9\*e - 70\*a\*c^4\*d^7\*e^3 + 128\*a^2\*c^3\*d^5\*e^5 + 70\*a^3\*c^2\*d^3\*e^7 - 15\*a^4\*c\*d\*e^9 + 16\*(11\*c^5\*d^6\*e^4 + 21\*a\*c^4\*d^4\*e^6)\*x^3 + 8\*(c^5\*d^7\*e^3 + 64\*a\*c^4\*d^5\*e^5 + 31\*a^2\*c^3\*d^3\*e^7)\*x^2 - 2\*(5\*c^5\*d^8\*e^2 - 23\*a\*c^4\*d^6\*e^4 - 233\*a^2\*c^3\*d^4\*e^6 - 5\*a^3\*c^2\*d^2\*e^8)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c^3\*d^3\*e^4), 1/1280\*(15\*(c^5\*d^10 - 5\*a\*c^4\*d^8\*e^2 + 10\*a^2\*c^3\*d^6\*e^4 - 10\*a^3\*c^2\*d^4\*e^6 + 5\*a^4\*c\*d^2\*e^8 - a^5\*e^10)\*sqrt(-c\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(-c\*d\*e)/(c^2\*d^2\*e^2\*x^2 + a\*c\*d^2\*e^2 + (c^2\*d^3\*e + a\*c\*d\*e^3)\*x)) + 2\*(128\*c^5\*d^5\*e^5\*x^4 + 15\*c^5\*d^9\*e - 70\*a\*c^4\*d^7\*e^3 + 128\*a^2\*c^3\*d^5\*e^5 + 70\*a^3\*c^2\*d^3\*e^7 - 15\*a^4\*c\*d\*e^9 + 16\*(11\*c^5\*d^6\*e^4 + 21\*a\*c^4\*d^4\*e^6)\*x^3 + 8\*(c^5\*d^7\*e^3 + 64\*a\*c^4\*d^5\*e^5 + 31\*a^2\*c^3\*d^3\*e^7)\*x^2 - 2\*(5\*c^5\*d^8\*e^2 - 23\*a\*c^4\*d^6\*e^4 - 233\*a^2\*c^3\*d^4\*e^6 - 5\*a^3\*c^2\*d^2\*e^8)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c^3\*d^3\*e^4)]

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Warning, replacing 0 by `u`, a substitution
variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu
tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs
titution variable should perhaps be purged.Warning, replacing 0 by `u`, a
substitution variable should perhaps be purged.Warning, replacing 0 by `u`
, a substitution variable should perhaps be purged.Warning, replacing 0 by
`u`, a substitution variable should perhaps be purged.Warning, replacing 0
by `u`, a substitution variable should perhaps be purged.Warning, replaci
ng 0 by `u`, a substitution variable should perhaps be purged.Warning, rep
lacing 0 by `u`, a substitution variable should perhaps be purged.Warning,
replacing 0 by `u`, a substitution variable should perhaps be purged.Warn
ing, replacing 0 by `u`, a substitution variable should perhaps be purged.
Warning, replacing 0 by `u`, a substitution variable should perhaps be pur
ged.Warning, replacing 0 by `u`, a substitution variable should perhaps be
purged.Warning, replacing 0 by `u`, a substitution variable should perhaps
be purged.Warning, replacing 0 by `u`, a substitution variable should perh
aps be purged.Warning, replacing 0 by `u`, a substitution variable should
perhaps be purged.Warning, replacing 0 by `u`, a substitution variable shou
ld perhaps be purged.Warning, replacing 0 by `u`, a substitution variable s
hould perhaps be purged.Warning, replacing 0 by `u`, a substitution variab
le should perhaps be purged.Warning, replacing 0 by `u`, a substitution vari
able should perhaps be purged.Evaluation time: 0.45Error: Bad Argument Ty
pe
```

**maple [B]** time = 0.01, size = 1123, normalized size = 4.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/(e*x+d),x)
```

```
[Out] 1/5/e*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(5/2)+15/256/e*a*c^2*d^6*ln((
1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*
d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)-3/64*e^4*a^3/c/d*((x+d/e)^2*c*d*e+(a*e^2
-c*d^2)*(x+d/e))^(1/2)*x-9/64*a*c*d^3*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e
))^^(1/2)*x+3/256*e^7*a^5/c^2/d^2*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*
d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)-15/
128*e*a^2*c*d^4*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/
e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+1/8*e*a*((x+d/e)^2*c
*d*e+(a*e^2-c*d^2)*(x+d/e))^(3/2)*x+3/64*e^3*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-
c*d^2)*(x+d/e))^(1/2)-1/8/e*c*d^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(
```

$$\begin{aligned} & \frac{3}{2} * x - \frac{1}{16} * e^{-2} * c * d^3 * ((x+d/e)^2 * c * d * e + (a * e^{-2} - c * d^2) * (x+d/e))^{3/2} + \frac{3}{128} * e^{-3} * c^2 * d^6 * ((x+d/e)^2 * c * d * e + (a * e^{-2} - c * d^2) * (x+d/e))^{1/2} - \frac{3}{256} * e^{-3} * c^3 * d^8 * \\ & \ln\left(\frac{(1/2 * a * e^{-2} - 1/2 * c * d^2 + (x+d/e) * c * d * e)}{(c * d * e)^{1/2}} + \frac{((x+d/e)^2 * c * d * e + (a * e^{-2} - c * d^2) * (x+d/e))^{1/2}}{(c * d * e)^{1/2}}\right) - \frac{3}{64} * e * a * c * d^4 * ((x+d/e)^2 * c * d * e + (a * e^{-2} - c * d^2) * (x+d/e))^{1/2} - \\ & \frac{15}{256} * e^5 * a^4 * c * \ln\left(\frac{(1/2 * a * e^{-2} - 1/2 * c * d^2 + (x+d/e) * c * d * e)}{(c * d * e)^{1/2}} + \frac{((x+d/e)^2 * c * d * e + (a * e^{-2} - c * d^2) * (x+d/e))^{1/2}}{(c * d * e)^{1/2}}\right) + \\ & \frac{15}{128} * e^3 * a^3 * d^2 * \ln\left(\frac{(1/2 * a * e^{-2} - 1/2 * c * d^2 + (x+d/e) * c * d * e)}{(c * d * e)^{1/2}} + \frac{((x+d/e)^2 * c * d * e + (a * e^{-2} - c * d^2) * (x+d/e))^{1/2}}{(c * d * e)^{1/2}}\right) + \frac{3}{64} * e^{-2} * c^2 * d^5 * \\ & ((x+d/e)^2 * c * d * e + (a * e^{-2} - c * d^2) * (x+d/e))^{1/2} * x + \frac{9}{64} * e^{-2} * a^2 * d * ((x+d/e)^2 * c * d * e + (a * e^{-2} - c * d^2) * (x+d/e))^{1/2} * x - \frac{3}{128} * e^5 * a^4 * c^2 * d^2 * ((x+d/e)^2 * c * d * e + (a * e^{-2} - c * d^2) * (x+d/e))^{1/2} + \frac{1}{16} * e^{-2} * a^2 * c * d * ((x+d/e)^2 * c * d * e + (a * e^{-2} - c * d^2) * (x+d/e))^{3/2} \end{aligned}$$

**maxima [B]** time = 0.57, size = 915, normalized size = 3.34

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d),x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -\frac{3}{256} * c^4 * d^9 * \log(2 * c * d * x + c * d^2 / e + a * e + 2 * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e}) * \sqrt{c * d / e} / ((c * d / e)^{3/2} * e^5) + \frac{15}{256} * a * c^3 * d^7 * \log(2 * c * d * x + c * d^2 / e + a * e + 2 * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e}) * \sqrt{c * d / e} / ((c * d / e)^{3/2} * e^3) - \frac{15}{128} * a^2 * c^2 * d^5 * \log(2 * c * d * x + c * d^2 / e + a * e + 2 * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e}) * \sqrt{c * d / e} / ((c * d / e)^{3/2} * e) + \frac{15}{128} * a^3 * c * d^3 * e * \log(2 * c * d * x + c * d^2 / e + a * e + 2 * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e}) * \sqrt{c * d / e} / (c * d / e)^{3/2} - \frac{15}{256} * a^4 * d * e^3 * \log(2 * c * d * x + c * d^2 / e + a * e + 2 * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e}) * \sqrt{c * d / e} / (c * d / e)^{3/2} + \frac{3}{256} * a^5 * e^5 * \log(2 * c * d * x + c * d^2 / e + a * e + 2 * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e}) * \sqrt{c * d / e} / (c * d * (c * d / e)^{3/2}) - \frac{9}{64} * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e} * a * c * d^3 * x + \frac{3}{64} * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e} * c^2 * d^5 * x / e^2 + \frac{9}{64} * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e} * a^2 * d * e^2 * x - \frac{3}{64} * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e} * a^3 * e^4 * x / (c * d) + \frac{3}{128} * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e} * c^2 * d^6 / e^3 - \frac{3}{64} * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e} * a * c * d^4 / e + \frac{3}{64} * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e} * a^3 * e^3 / c - \frac{3}{128} * \sqrt{c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e} * a^4 * e^5 / (c^2 * d^2) - \frac{1}{8} * (c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e)^{3/2} * c * d^2 * x / e + \frac{1}{8} * (c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e)^{3/2} * a * e * x - \frac{1}{16} * (c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e)^{3/2} * c * d^3 / e^2 + \frac{1}{16} * (c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e)^{3/2} * a^2 * e^2 / (c * d) + \frac{1}{5} * (c * d * e * x^2 + c * d^2 * x + a * e^2 * x + a * d * e)^{5/2} / e \end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(d + e\*x), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(d + e\*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + e x)(a e + c d x))^{\frac{5}{2}}}{d + e x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d), x)

[Out] Integral(((d + e\*x)\*(a\*e + c\*d\*x))\*\*(5/2)/(d + e\*x), x)

$$3.295 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x(d+ex)} dx$$

Optimal. Leaf size=394

$$-a^{5/2}d^{3/2}e^{5/2} \tanh^{-1} \left( \frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \right) - \frac{(-5a^3e^6 - 83a^2cd^2e^4 - 11ac^2d^4e^2 + 2cdex)(cd^2 + ae^2)^{3/2}}{24e}$$

**Rubi [A]** time = 0.45, antiderivative size = 394, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 814, 843, 621, 206, 724}

$$\frac{(-83a^2cd^2e^4 - 5a^3e^6 - 11ac^2d^4e^2 + 2cdex)(cd^2 + ae^2)^{3/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64cd^2} - \frac{(90a^2cd^4e^4 + 60a^3cd^2e^6 - 5a^4e^8 - 20ac^2d^4e^2 + 3c^4e^8) \tanh^{-1} \left( \frac{ae^2 + cd^2 + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \right)}{128\sqrt{a}\sqrt{d}\sqrt{e}} - a^{5/2}d^{3/2}e^{5/2} \tanh^{-1} \left( \frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \right) + \frac{(11a^2 + 3cd^2 + 6cdex)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{24e}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x\*(d + e\*x)),x]

[Out] -((3\*c^3\*d^6 - 11\*a\*c^2\*d^4\*e^2 - 83\*a^2\*c\*d^2\*e^4 - 5\*a^3\*e^6 + 2\*c\*d\*e\*(c\*d^2 - 5\*a\*e^2)\*(3\*c\*d^2 + a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(64\*c\*d\*e^2) + ((3\*c\*d^2 + 11\*a\*e^2 + 6\*c\*d\*e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(24\*e) + (((3\*c^4\*d^8 - 20\*a\*c^3\*d^6\*e^2 + 90\*a^2\*c^2\*d^4\*e^4 + 60\*a^3\*c\*d^2\*e^6 - 5\*a^4\*e^8)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(128\*c^(3/2)\*d^(3/2)\*e^(5/2)) - a^(5/2)\*d^(3/2)\*e^(5/2)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])]

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:= Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2
*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c,
d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

### Rule 814

```
Int[(((d_.) + (e_.)*(x_))^(m_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2)
) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x*(a + b*x + c*x^2)^p)
/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m +
2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a
*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c
*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^
2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x]
/; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2
- b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[
m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p]
|| IntegersQ[2*m, 2*p])
```

### Rule 843

```
Int[(((d_.) + (e_.)*(x_))^(m_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x +
c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p,
x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 849

```
Int[((x_)^(n_.))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_)/((d_) + (e_.)*(x_
)), x_Symbol] := Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; F
reeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n
, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x(d + ex)} dx &= \int \frac{(ae + cdx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x} dx \\
&= \frac{(3cd^2 + 11ae^2 + 6cdex)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{24e} - \int \frac{(-8a^2cd^2e^3 - \dots)}{\dots} \\
&= -\frac{(3c^3d^6 - 11ac^2d^4e^2 - 83a^2cd^2e^4 - 5a^3e^6 + 2cde(cd^2 - 5ae^2))(3cd^2 + \dots)}{64cde^2} \\
&= -\frac{(3c^3d^6 - 11ac^2d^4e^2 - 83a^2cd^2e^4 - 5a^3e^6 + 2cde(cd^2 - 5ae^2))(3cd^2 + \dots)}{64cde^2} \\
&= -\frac{(3c^3d^6 - 11ac^2d^4e^2 - 83a^2cd^2e^4 - 5a^3e^6 + 2cde(cd^2 - 5ae^2))(3cd^2 + \dots)}{64cde^2} \\
&= -\frac{(3c^3d^6 - 11ac^2d^4e^2 - 83a^2cd^2e^4 - 5a^3e^6 + 2cde(cd^2 - 5ae^2))(3cd^2 + \dots)}{64cde^2}
\end{aligned}$$

**Mathematica [A]** time = 2.01, size = 390, normalized size = 0.99

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \frac{384a^2c^2d^2 \tanh^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{e}\sqrt{d+ex}}\right)}{\sqrt{d+ex}} + \sqrt{e}\sqrt{ae+cdx} (15a^3e^6 + a^2cde^4(337d + 118ex) + ac^2d^2e^2(57d^2 + 244dex + 136e^2x^2) + c^3(-9d^6 + 6d^5ex + 72d^4e^2x^2 + 48d^3e^3x^3)) + \frac{3\sqrt{e}\sqrt{d}\sqrt{d+ex}(-5a^4e^8 + 60a^3c^2d^2e^6 + 90a^2c^2d^4e^4 + 60a^3c^2d^4e^4 + 20a^3c^2d^4e^4 + 3a^4e^8) \operatorname{arcsinh}^{-1}\left(\frac{\sqrt{d}\sqrt{e}\sqrt{ae+cdx}}{\sqrt{d}\sqrt{d+ex}}\right)}{\sqrt{d}\sqrt{d+ex}} \right)}{192cde^2\sqrt{ae+cdx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x\*(d + e\*x)), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(Sqrt[e]\*Sqrt[a\*e + c\*d\*x]\*(15\*a^3\*e^6 + a^2\*c\*d\*e^4\*(337\*d + 118\*e\*x) + a\*c^2\*d^2\*e^2\*(57\*d^2 + 244\*d\*e\*x + 136\*e^2\*x^2) + c^3\*(-9\*d^6 + 6\*d^5\*e\*x + 72\*d^4\*e^2\*x^2 + 48\*d^3\*e^3\*x^3)) + (3\*Sqrt[c]\*Sqrt[d]\*(3\*c^4\*d^8 - 20\*a\*c^3\*d^6\*e^2 + 90\*a^2\*c^2\*d^4\*e^4 + 60\*a^3\*c\*d^2\*e^6 - 5\*a^4\*e^8)\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]) - (384\*a^(5/2)\*c\*d^(5/2)\*e^5\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])])/(Sqrt[d + e\*x]))/(192\*c\*d\*e^(5/2)\*Sqrt[a\*e + c\*d\*x])

IntegrateAlgebraic [F] time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x\*(d + e\*x)),x]

[Out] \$Aborted

fricas [A] time = 45.74, size = 1873, normalized size = 4.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x/(e\*x+d),x, algorithm="fricas")

[Out] [1/768\*(384\*sqrt(a\*d\*e)\*a^2\*c^2\*d^3\*e^5\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) - 3\*(3\*c^4\*d^8 - 20\*a\*c^3\*d^6\*e^2 + 90\*a^2\*c^2\*d^4\*e^4 + 60\*a^3\*c\*d^2\*e^6 - 5\*a^4\*e^8)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) + 4\*(48\*c^4\*d^4\*e^4\*x^3 - 9\*c^4\*d^7\*e + 57\*a\*c^3\*d^5\*e^3 + 337\*a^2\*c^2\*d^3\*e^5 + 15\*a^3\*c\*d\*e^7 + 8\*(9\*c^4\*d^5\*e^3 + 17\*a\*c^3\*d^3\*e^5)\*x^2 + 2\*(3\*c^4\*d^6\*e^2 + 122\*a\*c^3\*d^4\*e^4 + 59\*a^2\*c^2\*d^2\*e^6)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c^2\*d^2\*e^3), 1/384\*(192\*sqrt(a\*d\*e)\*a^2\*c^2\*d^3\*e^5\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) - 3\*(3\*c^4\*d^8 - 20\*a\*c^3\*d^6\*e^2 + 90\*a^2\*c^2\*d^4\*e^4 + 60\*a^3\*c\*d^2\*e^6 - 5\*a^4\*e^8)\*sqrt(-c\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(-c\*d\*e)/(c^2\*d^2\*e^2\*x^2 + a\*c\*d^2\*e^2 + (c^2\*d^3\*e + a\*c\*d\*e^3)\*x)) + 2\*(48\*c^4\*d^4\*e^4\*x^3 - 9\*c^4\*d^7\*e + 57\*a\*c^3\*d^5\*e^3 + 337\*a^2\*c^2\*d^3\*e^5 + 15\*a^3\*c\*d\*e^7 + 8\*(9\*c^4\*d^5\*e^3 + 17\*a\*c^3\*d^3\*e^5)\*x^2 + 2\*(3\*c^4\*d^6\*e^2 + 122\*a\*c^3\*d^4\*e^4 + 59\*a^2\*c^2\*d^2\*e^6)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c^2\*d^2\*e^3), 1/768\*(768\*sqrt(-a\*d\*e)\*a^2\*c^2\*d^3\*e^5\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) - 3\*(3\*c^4\*d^8 - 20\*a\*c^3\*d^6\*e^2 + 90\*a^2\*c^2\*d^4\*e^4 + 60\*a^3\*c\*d^2\*e^6 - 5\*a^4\*e^8)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) + 4\*(48\*c^4\*d^4\*e^4\*x^3 - 9\*c^4\*d^7\*e



$$\begin{aligned}
& + 57*a*c^3*d^5*e^3 + 337*a^2*c^2*d^3*e^5 + 15*a^3*c*d*e^7 + 8*(9*c^4*d^5*e^3 + 17*a*c^3*d^3*e^5)*x^2 + 2*(3*c^4*d^6*e^2 + 122*a*c^3*d^4*e^4 + 59*a^2*c^2*d^2*e^6)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})/(c^2*d^2*e^3), \\
& 1/384*(384*\sqrt{-a*d*e}*a^2*c^2*d^3*e^5*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})*(2*a*d*e + (c*d^2 + a*e^2)*x)*\sqrt{-a*d*e}/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x)) - 3*(3*c^4*d^8 - 20*a*c^3*d^6*e^2 + 90*a^2*c^2*d^4*e^4 + 60*a^3*c*d^2*e^6 - 5*a^4*e^8)*\sqrt{-c*d*e}*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c*d*e}/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) + 2*(48*c^4*d^4*e^4*x^3 - 9*c^4*d^7*e + 57*a*c^3*d^5*e^3 + 337*a^2*c^2*d^3*e^5 + 15*a^3*c*d*e^7 + 8*(9*c^4*d^5*e^3 + 17*a*c^3*d^3*e^5)*x^2 + 2*(3*c^4*d^6*e^2 + 122*a*c^3*d^4*e^4 + 59*a^2*c^2*d^2*e^6)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})/(c^2*d^2*e^3)]
\end{aligned}$$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x/(e\*x+d),x, algorithm="giac")

[Out] sage0\*x

**maple [B]** time = 0.02, size = 2180, normalized size = 5.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/x/(e\*x+d),x)

[Out] 
$$\begin{aligned}
& 3/64/d^2*a^3*e^5/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x+9/64*d^2*a*e*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x-3/256/d^3*a^5*e^8/c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+15/128*d^3*a^2*e^2*c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+15/256/d*a^4*e^6/c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+75/128*d^3*a^2*e^2*c*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)-25/256/d*a^4*e^6/c*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)+19/64*d^2*a*e*c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x+3/256/d^3*a^5*e^8/c^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)-3/64/d^2*a^3*e^5/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x+1/8*d*c*((x+d/e)^2*c*d*e+(a*e
\end{aligned}$$

$$\begin{aligned} & ^2-c*d^2)*(x+d/e))^{(3/2)*x+1/16*d^2*c/e*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}-3/128*d^5*c^2/e^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}- \\ & 9/64*a^2*e^3*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)*x+3/64*d^3*a*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}+1/8*d^3*a*c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}- \\ & 3/128*d^5*c^2/e^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+83/64*d*a^2*e^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+1/8*d*c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)*x+1/16*d^2*c/e*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}+ \\ & 19/64*a^2*e^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)*x-1/5/d*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(5/2)}+1/5/d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}- \\ & 15/128*d*a^3*e^4*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e))^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}/(c*d*e)^{(1/2)}-3/64*d^4*c^2/e*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)*x+3/256*d^7*c^3/e^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e))^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}/(c*d*e)^{(1/2)}+1/16/d^2*a^2*e^3/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}-3/128/d^3*a^4*e^6/c^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+75/128*d*a^3*e^4*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e))^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}/(c*d*e)^{(1/2)}-3/64*d^4*c^2/e*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)*x+3/256*d^7*c^3/e^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e))^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}/(c*d*e)^{(1/2)}-1/8/d*a*e^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)*x-3/64/d*a^3*e^4/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}-15/256*d^5*a*c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e))^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}/(c*d*e)^{(1/2)}+1/8/d*a^3*e^4/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+1/8/d*a*e^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)*x-d^2*a^3*e^3/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)-25/256*d^5*a*c^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e))^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}/(c*d*e)^{(1/2)}+11/24*a*e*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}-1/16/d^2*a^2*e^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}+3/128/d^3*a^4*e^6/c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} \end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details)Is a\*e^2-c\*d^2 zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{x (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(x\*(d + e\*x)), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(x\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + e x) (a e + c d x))^{\frac{5}{2}}}{x (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/x/(e\*x+d), x)

[Out] Integral(((d + e\*x)\*(a\*e + c\*d\*x))\*\*(5/2)/(x\*(d + e\*x)), x)

$$3.296 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^2(d+ex)} dx$$

Optimal. Leaf size=352

$$-\frac{1}{2}a^{3/2}\sqrt{d}e^{3/2}(3ae^2 + 5cd^2) \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right) + \frac{(19a^2e^4 + 2cdex(7ae^2 + cd^2) + \dots)}{\dots}$$

**Rubi [A]** time = 0.43, antiderivative size = 352, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$ , Rules used = {849, 812, 814, 843, 621, 206, 724}

$$\frac{(19a^2e^4 + 2cdex(7ae^2 + cd^2) + 28acd^2e^2 + c^2d^4)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{8e} - \frac{(-45a^2cd^2e^4 - 5a^3e^6 - 15acd^2d^2 + c^2d^6)\tanh^{-1}\left(\frac{ae^2 + cd^2 + 2dex}{2\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{16\sqrt{c}\sqrt{d}e^{3/2}} - \frac{1}{2}a^{3/2}\sqrt{d}e^{3/2}(3ae^2 + 5cd^2)\tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right) - \frac{(3ae - cdx)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3x}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^2\*(d + e\*x)), x]

[Out] ((c^2\*d^4 + 28\*a\*c\*d^2\*e^2 + 19\*a^2\*e^4 + 2\*c\*d\*e\*(c\*d^2 + 7\*a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*e) - ((3\*a\*e - c\*d\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(3\*x) - ((c^3\*d^6 - 15\*a\*c^2\*d^4\*e^2 - 45\*a^2\*c\*d^2\*e^4 - 5\*a^3\*e^6)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(16\*Sqrt[c]\*Sqrt[d]\*e^(3/2)) - (a^(3/2)\*Sqrt[d]\*e^(3/2)\*(5\*c\*d^2 + 3\*a\*e^2)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/2

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2

$*a*e - b*d - (2*c*d - b*e)*x/\text{Sqrt}[a + b*x + c*x^2], x] /;$  FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 812

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*(e\*f\*(m + 2\*p + 2) - d\*g\*(2\*p + 1) + e\*g\*(m + 1)\*x)\*(a + b\*x + c\*x^2)^p)/(e^2\*(m + 1)\*(m + 2\*p + 2)), x] + Dist[p/(e^2\*(m + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p - 1)\*Simp[g\*(b\*d + 2\*a\*e + 2\*a\*e\*m + 2\*b\*d\*p) - f\*b\*e\*(m + 2\*p + 2) + (g\*(2\*c\*d + b\*e + b\*e\*m + 4\*c\*d\*p) - 2\*c\*e\*f\*(m + 2\*p + 2))\*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2\*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 814

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*(c\*e\*f\*(m + 2\*p + 2) - g\*(c\*d + 2\*c\*d\*p - b\*e\*p) + g\*c\*e\*(m + 2\*p + 1)\*x)\*(a + b\*x + c\*x^2)^p)/(c\*e^2\*(m + 2\*p + 1)\*(m + 2\*p + 2)), x] - Dist[p/(c\*e^2\*(m + 2\*p + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p - 1)\*Simp[c\*e\*f\*(b\*d - 2\*a\*e)\*(m + 2\*p + 2) + g\*(a\*e\*(b\*e - 2\*c\*d\*m + b\*e\*m) + b\*d\*(b\*e\*p - c\*d - 2\*c\*d\*p)) + (c\*e\*f\*(2\*c\*d - b\*e)\*(m + 2\*p + 2) + g\*(b^2\*e^2\*(p + m + 1) - 2\*c^2\*d^2\*(1 + 2\*p) - c\*e\*(b\*d\*(m - 2\*p) + 2\*a\*e\*(m + 2\*p + 1)))]\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2\*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 843

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 849

Int[((x\_)^(n\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.))/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Int[x^n\*(a/d + (c\*x)/e)\*(a + b\*x + c\*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2\*p] || IGtQ[n

, 2] || (GtQ[p, 0] && NeQ[n, 2]))

### Rubi steps

$$\begin{aligned}
 \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^2(d + ex)} dx &= \int \frac{(ae + cdx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^2} dx \\
 &= -\frac{(3ae - cdx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3x} - \frac{1}{2} \int \frac{(-ae(5cd^2 + 3ae^2))}{\sqrt{ade + (cd^2 + ae^2)x}} dx \\
 &= \frac{(c^2d^4 + 28acd^2e^2 + 19a^2e^4 + 2cde(cd^2 + 7ae^2)x) \sqrt{ade + (cd^2 + ae^2)x}}{8e} \\
 &= \frac{(c^2d^4 + 28acd^2e^2 + 19a^2e^4 + 2cde(cd^2 + 7ae^2)x) \sqrt{ade + (cd^2 + ae^2)x}}{8e} \\
 &= \frac{(c^2d^4 + 28acd^2e^2 + 19a^2e^4 + 2cde(cd^2 + 7ae^2)x) \sqrt{ade + (cd^2 + ae^2)x}}{8e} \\
 &= \frac{(c^2d^4 + 28acd^2e^2 + 19a^2e^4 + 2cde(cd^2 + 7ae^2)x) \sqrt{ade + (cd^2 + ae^2)x}}{8e}
 \end{aligned}$$

**Mathematica [A]** time = 2.07, size = 350, normalized size = 0.99

$$\frac{\sqrt{(d + ex)(ae + cdx)} \left( -\frac{24a^{3/2} \sqrt{d} e^3 (3a^2 + 5cd^2) \tanh^{-1}\left(\frac{\sqrt{d} \sqrt{ae+cdx}}{\sqrt{e} \sqrt{d+ex}}\right)}{\sqrt{d+ex}} + \frac{\sqrt{e} \sqrt{ae+cdx} (3a^2 e^3 (11ex - 8d) + 2acde^2 x (34d + 13ex) + c^2 d^2 x (3d^2 + 14dex + 8e^2 x^2))}{x} - \frac{3 \sqrt{c} \sqrt{d} (-5a^3 e^6 - 45a^2 cd^2 e^4 - 15a^2 d^4 e^2 + c^3 d^6) \sinh^{-1}\left(\frac{\sqrt{c} \sqrt{d} \sqrt{ae+cdx}}{\sqrt{cd} \sqrt{cd^2 - ae^2}}\right)}{\sqrt{cd} \sqrt{cd^2 - ae^2} \sqrt{\frac{cd(d+ex)}{cd^2 - ae^2}}} \right)}{24e^{3/2} \sqrt{ae + cdx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^2\*(d + e\*x)), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*((Sqrt[e]\*Sqrt[a\*e + c\*d\*x]\*(3\*a^2\*e^3\*(-8\*d + 11\*e\*x) + 2\*a\*c\*d\*e^2\*x\*(34\*d + 13\*e\*x) + c^2\*d^2\*x\*(3\*d^2 + 14\*d\*e\*x + 8\*e^2\*x^2)))/x - (3\*Sqrt[c]\*Sqrt[d]\*(c^3\*d^6 - 15\*a\*c^2\*d^4\*e^2 - 45\*a^2\*c\*d^2\*e^4 - 5\*a^3\*e^6)\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2]\*Sqrt[(c\*d\*(d

$$\frac{+ e*x))}{(c*d^2 - a*e^2))] - (24*a^{(3/2)}*Sqrt[d]*e^3*(5*c*d^2 + 3*a*e^2)*ArcTanh[(Sqrt[d]*Sqrt[a*e + c*d*x])/(Sqrt[a]*Sqrt[e]*Sqrt[d + e*x])]/Sqrt[d + e*x])]/(24*e^{(3/2)}*Sqrt[a*e + c*d*x])$$

**IntegrateAlgebraic [F]** time = 180.16, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^2\*(d + e\*x)), x]

[Out] \$Aborted

**fricas [A]** time = 15.20, size = 1717, normalized size = 4.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^2/(e\*x+d),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/96*(3*(c^3*d^6 - 15*a*c^2*d^4*e^2 - 45*a^2*c*d^2*e^4 - 5*a^3*e^6)*sqrt(c*d*e)*x*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(c*d*e) + 8*(c^2*d^3*e + a*c*d*e^3)*x) - 24*(5*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*sqrt(a*d*e)*x*log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 - 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(a*d*e) + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) - 4*(8*c^3*d^3*e^3*x^3 - 24*a^2*c*d^2*e^4 + 2*(7*c^3*d^4*e^2 + 13*a*c^2*d^2*e^4)*x^2 + (3*c^3*d^5*e + 68*a*c^2*d^3*e^3 + 33*a^2*c*d*e^5)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c*d*e^2*x), 1/48*(3*(c^3*d^6 - 15*a*c^2*d^4*e^2 - 45*a^2*c*d^2*e^4 - 5*a^3*e^6)*sqrt(-c*d*e)*x*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(-c*d*e)/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) + 12*(5*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*sqrt(a*d*e)*x*log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 - 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(a*d*e) + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) + 2*(8*c^3*d^3*e^3*x^3 - 24*a^2*c*d^2*e^4 + 2*(7*c^3*d^4*e^2 + 13*a*c^2*d^2*e^4)*x^2 + (3*c^3*d^5*e + 68*a*c^2*d^3*e^3 + 33*a^2*c*d*e^5)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c*d*e^2*x), 1/96*(48*(5*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*sqrt(-a*d*e)*x*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-a*d*e)/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x)) - 3*(c^3*d^6 - 15*a*c^2*d^4*e^2 - 45*a^2*c*d^2*e^4 - 5*a^3*e^6)*sqrt(c*d*e)*x*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a$$

$$\begin{aligned} & *e^2)*\sqrt{c*d*e} + 8*(c^2*d^3*e + a*c*d*e^3)*x) + 4*(8*c^3*d^3*e^3*x^3 - 2 \\ & 4*a^2*c*d^2*e^4 + 2*(7*c^3*d^4*e^2 + 13*a*c^2*d^2*e^4)*x^2 + (3*c^3*d^5*e + \\ & 68*a*c^2*d^3*e^3 + 33*a^2*c*d*e^5)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a* \\ & e^2)*x}))/((c*d*e^2*x), 1/48*(24*(5*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*\sqrt{-a*d* \\ & e)*x*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*a*d*e + (c*d \\ & ^2 + a*e^2)*x)*\sqrt{-a*d*e}/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a \\ & ^2*d*e^3)*x)) + 3*(c^3*d^6 - 15*a*c^2*d^4*e^2 - 45*a^2*c*d^2*e^4 - 5*a^3*e^ \\ & 6)*\sqrt{-c*d*e)*x*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2 \\ & *c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c*d*e}/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^ \\ & 2*d^3*e + a*c*d*e^3)*x)) + 2*(8*c^3*d^3*e^3*x^3 - 24*a^2*c*d^2*e^4 + 2*(7*c \\ & ^3*d^4*e^2 + 13*a*c^2*d^2*e^4)*x^2 + (3*c^3*d^5*e + 68*a*c^2*d^3*e^3 + 33*a \\ & ^2*c*d*e^5)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}))/((c*d*e^2*x)] \end{aligned}$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^2/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x)::OUTPUT:Evaluation time: 0.48Error: Bad Argument Type

maple [B] time = 0.02, size = 2364, normalized size = 6.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/x^2/(e\*x+d),x)

[Out] 
$$\begin{aligned} & -3/64*e^6/d^3*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x-9/64*e^ \\ & 2*d*a*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x+3/256*e^9/d^4*a^5/c \\ & ^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a \\ & *e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)-15/128*e^3*d^2*a^2*c*\ln((1/2*a*e^ \\ & 2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+ \\ & d/e))^(1/2))/(c*d*e)^(1/2)+15/256*e*d^4*a*c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/ \\ & e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d \\ & *e)^(1/2)-15/256*e^7/d^2*a^4/c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d* \\ & e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+3/64* \\ & e^6/d^3*a^3/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x-3/256*e^9/d^4*a^5/c \\ & ^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c \\ & *d^2)*x)^(1/2))/(c*d*e)^(1/2)+121/64*d*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1 \\ & /2)*x*a*c*e^2+15/256/d^2/c*e^7*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/ \end{aligned}$$



$$2) + (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)} / (c*d*e)^{(1/2)} * a^4 + 375/128 * d^2 * c * e^3 * \ln((c*d*e*x + 1/2*a*e^2 + 1/2*c*d^2) / (c*d*e)^{(1/2)} + (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)}) / (c*d*e)^{(1/2)} * a^2 + 225/256 * d^4 * e * \ln((c*d*e*x + 1/2*a*e^2 + 1/2*c*d^2) / (c*d*e)^{(1/2)} + (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)}) / (c*d*e)^{(1/2)} * a * c^2 - 5/2 * d^3 * a^2 * e^2 / (a*d*e)^{(1/2)} * \ln((2*a*d*e + (a*e^2 + c*d^2)*x + 2*(a*d*e)^{(1/2)}) * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)}) / x * c + 15/128 * e^5 * a^3 * \ln((1/2 * a*e^2 - 1/2*c*d^2 + (x+d/e)*c*d*e) / (c*d*e)^{(1/2)} + ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(1/2)}) / (c*d*e)^{(1/2)} + 3/64 * d^3 * c^2 * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(1/2)} * x - 1/8 * e * c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(3/2)} * x + 3/128 * e * d^4 * c^2 * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(1/2)} + 13/64 * d^3 * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)} * x * c^2 + 13/128 * d^4 * e * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)} * c^2 + 1/d * a * e^2 * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(3/2)} + 9/8 * e * c * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(3/2)} * x + 25/128 * e^5 * \ln((c*d*e*x + 1/2*a*e^2 + 1/2*c*d^2) / (c*d*e)^{(1/2)} + (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)}) / (c*d*e)^{(1/2)} * a^3 + 1/a * e * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(5/2)} * c + 4/5 * d^2 * e * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(5/2)} + 1/5 * e / d^2 * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(5/2)} - 1/16 * d * c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(3/2)} + 67/48 * d * c * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(3/2)} + 19/8 * e^3 * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)} * a^2 - 13/256 * d^6 * c^3 / e * \ln((c*d*e*x + 1/2*a*e^2 + 1/2*c*d^2) / (c*d*e)^{(1/2)} + (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)}) / (c*d*e)^{(1/2)} + 1/8 * e^3 / d^2 * a * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(3/2)} * x + 3/64 * e^5 / d^2 * a^3 / c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(1/2)} + 1/16 * e^4 / d^3 * a^2 / c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(3/2)} + 9/64 * e^4 / d * a^2 * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(1/2)} * x - 3/128 * e^7 / d^4 * a^4 / c^2 * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(1/2)} - 3/64 * e * d^2 * a * c * ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(1/2)} - 3/256 * e * d^6 * c^3 * \ln((1/2 * a*e^2 - 1/2 * c*d^2 + (x+d/e) * c*d*e) / (c*d*e)^{(1/2)} + ((x+d/e)^2 * c*d*e + (a*e^2 - c*d^2)*(x+d/e))^{(1/2)}) / (c*d*e)^{(1/2)} - 1/d^2 * a / e * x * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(7/2)} - 3/2 * d * a^3 * e^4 / (a*d*e)^{(1/2)} * \ln((2*a*d*e + (a*e^2 + c*d^2)*x + 2*(a*d*e)^{(1/2)}) * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)}) / x + 1/d * c / a * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(5/2)} * x - 9/64 * d * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)} * x * a^2 * e^4 - 1/8 * e^3 / d^2 * a * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(3/2)} * x - 1/16 * e^4 / d^3 * a^2 / c * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(3/2)} + 3/128 * e^7 / d^4 * a^4 / c^2 * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)} - 3/64 * d^2 / c * e^5 * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)} * a^3 + 227/64 * d^2 * c * e * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x)^{(1/2)} * a$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^2/(e\*x+d),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)\*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{x^2 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(x^2\*(d + e\*x)), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(x^2\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + e x) (a e + c d x))^{\frac{5}{2}}}{x^2 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/x\*\*2/(e\*x+d), x)

[Out] Integral(((d + e\*x)\*(a\*e + c\*d\*x))\*\*(5/2)/(x\*\*2\*(d + e\*x)), x)

$$3.297 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^3(d+ex)} dx$$

Optimal. Leaf size=339

$$\frac{3\sqrt{c}\sqrt{d}(5a^2e^4 + 10acd^2e^2 + c^2d^4) \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right) + 3\sqrt{a}\sqrt{e}(a^2e^4 + 10acd^2e^2 + 5c^2d^4) \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{8\sqrt{e}}$$

**Rubi [A]** time = 0.39, antiderivative size = 339, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 812, 843, 621, 206, 724}

$$\frac{3\sqrt{c}\sqrt{d}(5a^2e^4 + 10acd^2e^2 + c^2d^4) \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right) + 3\sqrt{a}\sqrt{e}(a^2e^4 + 10acd^2e^2 + 5c^2d^4) \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{8\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^3\*(d + e\*x)), x]

[Out] (-3\*(a\*e\*(3\*c\*d^2 + a\*e^2) - c\*d\*(c\*d^2 + 3\*a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(4\*x) - ((a\*e - c\*d\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(2\*x^2) + (3\*Sqrt[c]\*Sqrt[d]\*(c^2\*d^4 + 10\*a\*c\*d^2\*e^2 + 5\*a^2\*e^4)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(8\*Sqrt[e]) - (3\*Sqrt[a]\*Sqrt[e]\*(5\*c^2\*d^4 + 10\*a\*c\*d^2\*e^2 + a^2\*e^4)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(8\*Sqrt[d])

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2

$*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[2*c*d - b*e, 0]$

### Rule 812

$\text{Int}[\{(d\_.) + (e\_.)*(x\_)\}^{(m\_)}*\{(f\_.) + (g\_.)*(x\_)\}*\{(a\_.) + (b\_.)*(x\_.) + (c\_.)*(x\_.)^2\}^{(p\_.)}, x\_Symbol] :> \text{Simp}[\{(d + e*x)^{(m + 1)}*(e*f*(m + 2*p + 2) - d*g*(2*p + 1) + e*g*(m + 1)*x)*(a + b*x + c*x^2)^p\}/\{(e^2*(m + 1)*(m + 2*p + 2))\}, x] + \text{Dist}[p/\{(e^2*(m + 1)*(m + 2*p + 2))\}, \text{Int}[\{(d + e*x)^{(m + 1)}*(a + b*x + c*x^2)^{(p - 1)}*\text{Simp}[g*(b*d + 2*a*e + 2*a*e*m + 2*b*d*p) - f*b*e*(m + 2*p + 2) + (g*(2*c*d + b*e + b*e*m + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{RationalQ}[p] \&\& p > 0 \&\& (\text{LtQ}[m, -1] || \text{EqQ}[p, 1] || (\text{IntegerQ}[p] \&\& !\text{RationalQ}[m])) \&\& \text{NeQ}[m, -1] \&\& !\text{ILtQ}[m + 2*p + 1, 0] \&\& (\text{IntegerQ}[m] || \text{IntegerQ}[p] || \text{IntegersQ}[2*m, 2*p])$

### Rule 843

$\text{Int}[\{(d\_.) + (e\_.)*(x\_)\}^{(m\_)}*\{(f\_.) + (g\_.)*(x\_)\}*\{(a\_.) + (b\_.)*(x\_.) + (c\_.)*(x\_.)^2\}^{(p\_.)}, x\_Symbol] :> \text{Dist}[g/e, \text{Int}[\{(d + e*x)^{(m + 1)}*(a + b*x + c*x^2)^p, x], x] + \text{Dist}[\{(e*f - d*g)/e\}, \text{Int}[\{(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m, p\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& !\text{IGtQ}[m, 0]$

### Rule 849

$\text{Int}[\{(x\_)^{(n\_)}*\{(a\_.) + (b\_.)*(x\_.) + (c\_.)*(x\_.)^2\}^{(p\_)}\}/\{(d\_.) + (e\_.)*(x\_.)\}, x\_Symbol] :> \text{Int}[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^{(p - 1)}, x] /; \text{FreeQ}[\{a, b, c, d, e, n, p\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& !\text{IntegerQ}[p] \&\& (!\text{IntegerQ}[n] || !\text{IntegerQ}[2*p] || \text{IGtQ}[n, 2] || (\text{GtQ}[p, 0] \&\& \text{NeQ}[n, 2]))$

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^3(d + ex)} dx &= \int \frac{(ae + cdx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^3} dx \\
&= -\frac{(ae - cdx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2x^2} - \frac{3}{8} \int \frac{(-2ae(3cd^2 + ae^2) - (cd^2 + ae^2)^2)}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\
&= -\frac{3(ae(3cd^2 + ae^2) - cd(cd^2 + 3ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4x} \\
&= -\frac{3(ae(3cd^2 + ae^2) - cd(cd^2 + 3ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4x} \\
&= -\frac{3(ae(3cd^2 + ae^2) - cd(cd^2 + 3ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4x} \\
&= -\frac{3(ae(3cd^2 + ae^2) - cd(cd^2 + 3ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4x}
\end{aligned}$$

**Mathematica [A]** time = 2.25, size = 334, normalized size = 0.99

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \frac{\sqrt{d}\sqrt{ae+cdx}(-d^2e^2(2d+5ex)-9acdex(d-ex)+c^2d^2x^2(5d+2ex))}{x^2} + \frac{3\sqrt{c}d\sqrt{cd}(5a^2e^4+10acd^2e^2+c^2d^4)\sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd^2-ae^2}}\right)}{\sqrt{e}\sqrt{cd^2-ae^2}\sqrt{\frac{cd(d+ex)}{cd^2-ae^2}}} - \frac{3\sqrt{a}\sqrt{e}(a^2e^4+10acd^2e^2+5c^2d^4)\tanh^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{a}\sqrt{d+ex}}\right)}{\sqrt{d+ex}} \right)}{4\sqrt{d}\sqrt{ae+cdx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^3\*(d + e\*x)),x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*((Sqrt[d]\*Sqrt[a\*e + c\*d\*x]\*(-9\*a\*c\*d\*e\*x\*(d - e\*x) + c^2\*d^2\*x^2\*(5\*d + 2\*e\*x) - a^2\*e^2\*(2\*d + 5\*e\*x)))/x^2 + (3\*Sqrt[c]\*d\*Sqrt[c\*d]\*(c^2\*d^4 + 10\*a\*c\*d^2\*e^2 + 5\*a^2\*e^4)\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])])/(Sqrt[e]\*Sqrt[c\*d^2 - a\*e^2]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]) - (3\*Sqrt[a]\*Sqrt[e]\*(5\*c^2\*d^4 + 10\*a\*c\*d^2\*e^2 + a^2\*e^4)\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])])/(Sqrt[d + e\*x]))/(4\*Sqrt[d]\*Sqrt[a\*e + c\*d\*x])

**IntegrateAlgebraic [F]** time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)/(x^3*(d + e*x)),x]
```

```
[Out] $Aborted
```

```
fricas [A] time = 7.42, size = 1569, normalized size = 4.63
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/x^3/(e*x+d),x, algorithm="fricas")
```

```
[Out] [1/16*(3*(c^2*d^4 + 10*a*c*d^2*e^2 + 5*a^2*e^4)*sqrt(c*d/e)*x^2*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*(2*c*d*e^2*x + c*d^2*e + a*e^3)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(c*d/e) + 8*(c^2*d^3*e + a*c*d*e^3)*x) + 3*(5*c^2*d^4 + 10*a*c*d^2*e^2 + a^2*e^4)*sqrt(a*e/d)*x^2*log(((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 - 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d^2*e + (c*d^3 + a*d*e^2)*x)*sqrt(a*e/d) + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) + 4*(2*c^2*d^2*e*x^3 - 2*a^2*d*e^2 + (5*c^2*d^3 + 9*a*c*d*e^2)*x^2 - (9*a*c*d^2*e + 5*a^2*e^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/x^2, -1/16*(6*(c^2*d^4 + 10*a*c*d^2*e^2 + 5*a^2*e^4)*sqrt(-c*d/e)*x^2*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(-c*d/e)/(c^2*d^2*e*x^2 + a*c*d^2*e + (c^2*d^3 + a*c*d*e^2)*x)) - 3*(5*c^2*d^4 + 10*a*c*d^2*e^2 + a^2*e^4)*sqrt(a*e/d)*x^2*log(((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 - 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d^2*e + (c*d^3 + a*d*e^2)*x)*sqrt(a*e/d) + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) - 4*(2*c^2*d^2*e*x^3 - 2*a^2*d*e^2 + (5*c^2*d^3 + 9*a*c*d*e^2)*x^2 - (9*a*c*d^2*e + 5*a^2*e^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/x^2, 1/16*(6*(5*c^2*d^4 + 10*a*c*d^2*e^2 + a^2*e^4)*sqrt(-a*e/d)*x^2*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-a*e/d)/(a*c*d*e^2*x^2 + a^2*d*e^2 + (a*c*d^2*e + a^2*e^3)*x)) + 3*(c^2*d^4 + 10*a*c*d^2*e^2 + 5*a^2*e^4)*sqrt(c*d/e)*x^2*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*(2*c*d*e^2*x + c*d^2*e + a*e^3)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(c*d/e) + 8*(c^2*d^3*e + a*c*d*e^3)*x) + 4*(2*c^2*d^2*e*x^3 - 2*a^2*d*e^2 + (5*c^2*d^3 + 9*a*c*d*e^2)*x^2 - (9*a*c*d^2*e + 5*a^2*e^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/x^2, -1/8*(3*(c^2*d^4 + 10*a*c*d^2*e^2 + 5*a^2*e^4)*sqrt(-c*d/e)*x^2*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(-c*d/e)/(c^2*d^2*e*x^2 + a*c*d^2*e + (c^2*d^3 + a*c*d*e^2)*x)) - 3*(5*c^2*d^4 + 10*a*c*d^2*e^2 + a^2*e^4)*sqrt(-a*e/d)*x^2*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-a*e/d)/(a*c*d*e^2*x^2 + a^2*d*e^2 + (a*c*d^2*e + a^2*e^3)*x)) - 2*(2*c^2*d^2*e*x^3 - 2*a^2*d*e^2
```

$$+ (5*c^2*d^3 + 9*a*c*d*e^2)*x^2 - (9*a*c*d^2*e + 5*a^2*e^3)*x)*\sqrt{(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)}/x^2]$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^3/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 0.53Error: Bad Argument Type

**maple** [B] time = 0.02, size = 2688, normalized size = 7.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/x^3/(e\*x+d),x)

[Out] 
$$\begin{aligned} & -3/256/d^5*e^{10}*a^5/c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)} \\ & +((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+15/128*d*e^4 \\ & *a^2*c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d* \\ & e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+15/256/d^3*e^8*a^4/c*\ln((1/2* \\ & a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2) \\ & *(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}-15/256*d^3*e^2*a*c^2*\ln((1/2*a*e^2-1/2*c*d^2 \\ & +(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} \\ & )/(c*d*e)^{(1/2)}+3/64/d^4*e^7*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)} \\ & *x-3/64/d^4*e^7*a^3/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x+3/256/d^5 \\ & *e^{10}*a^5/c^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a \\ & *d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}-3/4/d/a^2/e^2/x*(c*d*e*x^2+a*d* \\ & e+(a*e^2+c*d^2)*x)^{(7/2)}*c-15/8*d^4*a*e/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c* \\ & d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^{-1/4} \\ & *e/d^2*c/a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*x+975/256*e^2*d^3*\ln((c*d \\ & *e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}) \\ & /((c*d*e)^{(1/2)}*a*c^2-15/256*e^8/d^3/c*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2) \\ & /((c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a^4+2 \\ & 25/128*e^4*d*c*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a* \\ & d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a^2-15/4*e^3*d^2*a^2/(a*d*e)^{(1/2)} \\ & )*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2) \\ & )*x)^{(1/2)})/x)*c+3/256*d^5*c^3*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d* \\ & e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+1/4*e \\ & ^3/d^2*a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}+1/d/a*(c*d*e*x^2+a*d*e+(a* \end{aligned}$$

$$e^{2+cd^2}x)^{5/2} * c - 3/8 * e^5 * a^3 / (a * d * e)^{1/2} * \ln((2 * a * d * e + (a * e^2 + c * d^2) * x + 2 * (a * d * e)^{1/2} * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2}) / x) + 93 / 256 * d^5 * c^3 * \ln((c * d * e * x + 1/2 * a * e^2 + 1/2 * c * d^2) / (c * d * e)^{1/2} + (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2}) / (c * d * e)^{1/2} + 3/4 * e^4 / d * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * a^2 + 1/4 / d^3 / a / x * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{7/2} + 39 / 64 * e^3 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * x * a * c - 1/16 / d^4 * e^5 * a^2 / c * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{3/2} - 9/64 / d^2 * e^5 * a^2 * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{1/2} * x + 3/128 / d^5 * e^8 * a^4 / c^2 * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{1/2} + 3/64 * d * e^2 * a * c * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{1/2} - 15/128 / d * e^6 * a^3 * \ln((1/2 * a * e^2 - 1/2 * c * d^2 + (x + d / e) * c * d * e) / (c * d * e)^{1/2} + ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{1/2}) / (c * d * e)^{1/2} - 3/64 * d^2 * e * c^2 * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{1/2} * x + 3/4 / a^2 / e * c^2 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{5/2} * x + 5/4 * d / a * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{3/2} * x * c^2 - 1/2 / d^2 / a / e / x^2 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{7/2} + 3/4 * d / a^2 / e^2 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{5/2} * c^2 + 5/4 * d^2 / a / e * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{3/2} * c^2 + 1/8 / d^3 * e^4 * a * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{3/2} * x + 1/16 / d^4 * e^5 * a^2 / c * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{3/2} - 3/128 / d^5 * e^8 * a^4 / c^2 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} + 1/8 * e^2 / d * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{3/2} * x * c + 15/128 * e^6 / d * \ln((c * d * e * x + 1/2 * a * e^2 + 1/2 * c * d^2) / (c * d * e)^{1/2} + (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2}) / (c * d * e)^{1/2} * a^3 + 3/64 * e^6 / d^3 / c * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * a^3 + 333/64 * e^2 * d * c * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * a + 9/64 * e^3 * a * c * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{1/2} * x - 1/8 / d^3 * e^4 * a * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{3/2} * x - 3/64 / d^3 * e^6 * a^3 / c * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{1/2} + 1/8 / d * e^2 * c * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{3/2} * x - 1/5 / d^3 * e^2 * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{5/2} + 1/16 * e * c * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{3/2} - 3/128 * d^3 * c^2 * ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^{1/2} + 31/16 * e * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{3/2} * c + 387/128 * d^3 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * c^2 - 1/20 * e^2 / d^3 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{5/2} + 9/64 * e^5 / d^2 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * x * a^2 + 147/64 * e * d^2 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * x * c^2$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{5/2}}{(ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^3/(e\*x+d),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)\*x^3), x)



mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{x^3 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(x^3\*(d + e\*x)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(x^3\*(d + e\*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/x\*\*3/(e\*x+d),x)

[Out] Timed out

$$3.298 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^4(d+ex)} dx$$

Optimal. Leaf size=371

$$\frac{(-a^2e^4 - 2cdex(ae^2 + 7cd^2) + 12acd^2e^2 + 5c^2d^4) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{8dx} - \frac{(-a^3e^6 + 15a^2cd^2e^4 + 45ac^2d^4)}{12ex^3}$$

**Rubi [A]** time = 0.47, antiderivative size = 371, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$ , Rules used = {849, 810, 812, 843, 621, 206, 724}

$$\frac{(-a^2e^4 - 2cdex(ae^2 + 7cd^2) + 12acd^2e^2 + 5c^2d^4) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{8dx} - \frac{(15a^2cd^2e^4 - a^3e^6 + 45ac^2d^4e^2 + 5c^3d^6) \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + ade}{2\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{16\sqrt{d}d^{3/2}\sqrt{e}} + \frac{1}{2}a^{3/2}d^{3/2}\sqrt{e}(5ae^2 + 3cd^2) \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right) - \frac{(3x(ae^2 + 3cd^2) + 4ade)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{12ex^3}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^4\*(d + e\*x)), x]

[Out] -((5\*c^2\*d^4 + 12\*a\*c\*d^2\*e^2 - a^2\*e^4 - 2\*c\*d\*e\*(7\*c\*d^2 + a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*d\*x) - ((4\*a\*d\*e + 3\*(3\*c\*d^2 + a\*e^2)\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(12\*d\*x^3) + (c^(3/2)\*d^(3/2)\*Sqrt[e]\*(3\*c\*d^2 + 5\*a\*e^2)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]) / 2 - ((5\*c^3\*d^6 + 45\*a\*c^2\*d^4\*e^2 + 15\*a^2\*c\*d^2\*e^4 - a^3\*e^6)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])])/(16\*Sqrt[a]\*d^(3/2)\*Sqrt[e])

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2

$*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /;$  FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 810

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> -Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p\*((d\*g - e\*f\*(m + 2))\*(c\*d^2 - b\*d\*e + a\*e^2) - d\*p\*(2\*c\*d - b\*e)\*(e\*f - d\*g) - e\*(g\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2) + p\*(2\*c\*d - b\*e)\*(e\*f - d\*g))\*x)/(e^2\*(m + 1)\*(m + 2)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] - Dist[p/(e^2\*(m + 1)\*(m + 2)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + b\*x + c\*x^2)^(p - 1)\*Simp[2\*a\*c\*e\*(e\*f - d\*g)\*(m + 2) + b^2\*e\*(d\*g\*(p + 1) - e\*f\*(m + p + 2)) + b\*(a\*e^2\*g\*(m + 1) - c\*d\*(d\*g\*(2\*p + 1) - e\*f\*(m + 2\*p + 2))) - c\*(2\*c\*d\*(d\*g\*(2\*p + 1) - e\*f\*(m + 2\*p + 2)) - e\*(2\*a\*e\*g\*(m + 1) - b\*(d\*g\*(m - 2\*p) + e\*f\*(m + 2\*p + 2)))]\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2\*p, 0] && !ILtQ[m + 2\*p + 3, 0]

### Rule 812

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*(e\*f\*(m + 2\*p + 2) - d\*g\*(2\*p + 1) + e\*g\*(m + 1)\*x)\*(a + b\*x + c\*x^2)^p)/(e^2\*(m + 1)\*(m + 2\*p + 2)), x] + Dist[p/(e^2\*(m + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p - 1)\*Simp[g\*(b\*d + 2\*a\*e + 2\*a\*e\*m + 2\*b\*d\*p) - f\*b\*e\*(m + 2\*p + 2) + (g\*(2\*c\*d + b\*e + b\*e\*m + 4\*c\*d\*p) - 2\*c\*e\*f\*(m + 2\*p + 2))\*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2\*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 843

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 849

Int[((x\_)^(n\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.))/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] :> Int[x^n\*(a/d + (c\*x)/e)\*(a + b\*x + c\*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2\*p] || IGtQ[n

, 2] || (GtQ[p, 0] && NeQ[n, 2]))

### Rubi steps

$$\begin{aligned}
 \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^4(d + ex)} dx &= \int \frac{(ae + cdx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^4} dx \\
 &= -\frac{(4ade + 3(3cd^2 + ae^2)x)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{12dx^3} - \int \frac{\left(-\frac{1}{2}ae(5c\right.}{\dots} \\
 &= -\frac{(5c^2d^4 + 12acd^2e^2 - a^2e^4 - 2cde(7cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x}}{8dx} \\
 &= -\frac{(5c^2d^4 + 12acd^2e^2 - a^2e^4 - 2cde(7cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x}}{8dx} \\
 &= -\frac{(5c^2d^4 + 12acd^2e^2 - a^2e^4 - 2cde(7cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x}}{8dx} \\
 &= -\frac{(5c^2d^4 + 12acd^2e^2 - a^2e^4 - 2cde(7cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x}}{8dx}
 \end{aligned}$$

**Mathematica [A]** time = 3.04, size = 357, normalized size = 0.96

$$\frac{\sqrt{ae + cdx} \left( -\frac{\sqrt{d} \sqrt{e(d+ex)} \sqrt{ae+cdx} (d^2e^2(8d^2+14dex+3e^2x^2)+2acd^2ex(13d+34ex)+3e^2d^3x^2(11d-8ex))}{x^3} - \frac{3\sqrt{d+ex}(-d^2e^4+15d^2cd^2e^4+45a^2d^4e^2+5e^3d^6) \tanh^{-1}\left(\frac{\sqrt{d} \sqrt{ae+cdx}}{\sqrt{a} \sqrt{d+ex}}\right)}{\sqrt{a}} + \frac{24e(cd)^{5/2} \sqrt{cd^2-ae^2} (5ae^2+3cd^2) \sqrt{\frac{cd(d+ex)}{cd^2-ae^2}} \sinh^{-1}\left(\frac{\sqrt{e} \sqrt{d} \sqrt{ae+cdx}}{\sqrt{a} \sqrt{cd^2-ae^2}}\right)}{e^{3/2}} \right)}{24d^{3/2} \sqrt{e} \sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^4\*(d + e\*x)), x]

[Out] (Sqrt[a\*e + c\*d\*x]\*(-(Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x]\*(d + e\*x)\*(3\*c^2\*d^3\*x^2\*(11\*d - 8\*e\*x) + 2\*a\*c\*d^2\*e\*x\*(13\*d + 34\*e\*x) + a^2\*e^2\*(8\*d^2 + 14\*d\*e\*x + 3\*e^2\*x^2)))/x^3) + (24\*(c\*d)^(5/2)\*e\*Sqrt[c\*d^2 - a\*e^2]\*(3\*c\*d^2 + 5\*a\*e^2)\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])])/c^(3/2) - (3\*(

$$5*c^3*d^6 + 45*a*c^2*d^4*e^2 + 15*a^2*c*d^2*e^4 - a^3*e^6)*\text{Sqrt}[d + e*x]*\text{ArcTanh}[(\text{Sqrt}[d]*\text{Sqrt}[a*e + c*d*x])/(\text{Sqrt}[a]*\text{Sqrt}[e]*\text{Sqrt}[d + e*x])]/\text{Sqrt}[a])]/(24*d^{(3/2)}*\text{Sqrt}[e]*\text{Sqrt}[(a*e + c*d*x)*(d + e*x)])$$

**IntegrateAlgebraic [F]** time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^4\*(d + e\*x)), x]

[Out] \$Aborted

**fricas [A]** time = 8.72, size = 1741, normalized size = 4.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^4/(e\*x+d),x, algorithm="fricas")

[Out] [1/96\*(24\*(3\*a\*c^2\*d^5\*e + 5\*a^2\*c\*d^3\*e^3)\*sqrt(c\*d\*e)\*x^3\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) - 3\*(5\*c^3\*d^6 + 45\*a\*c^2\*d^4\*e^2 + 15\*a^2\*c\*d^2\*e^4 - a^3\*e^6)\*sqrt(a\*d\*e)\*x^3\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) + 4\*(24\*a\*c^2\*d^4\*e^2\*x^3 - 8\*a^3\*d^3\*e^3 - (33\*a\*c^2\*d^5\*e + 68\*a^2\*c\*d^3\*e^3 + 3\*a^3\*d\*e^5)\*x^2 - 2\*(13\*a^2\*c\*d^4\*e^2 + 7\*a^3\*d^2\*e^4)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(a\*d^2\*e\*x^3), -1/96\*(48\*(3\*a\*c^2\*d^5\*e + 5\*a^2\*c\*d^3\*e^3)\*sqrt(-c\*d\*e)\*x^3\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(-c\*d\*e)/(c^2\*d^2\*e^2\*x^2 + a\*c\*d^2\*e^2 + (c^2\*d^3\*e + a\*c\*d\*e^3)\*x)) + 3\*(5\*c^3\*d^6 + 45\*a\*c^2\*d^4\*e^2 + 15\*a^2\*c\*d^2\*e^4 - a^3\*e^6)\*sqrt(a\*d\*e)\*x^3\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) - 4\*(24\*a\*c^2\*d^4\*e^2\*x^3 - 8\*a^3\*d^3\*e^3 - (33\*a\*c^2\*d^5\*e + 68\*a^2\*c\*d^3\*e^3 + 3\*a^3\*d\*e^5)\*x^2 - 2\*(13\*a^2\*c\*d^4\*e^2 + 7\*a^3\*d^2\*e^4)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(a\*d^2\*e\*x^3), 1/48\*(3\*(5\*c^3\*d^6 + 45\*a\*c^2\*d^4\*e^2 + 15\*a^2\*c\*d^2\*e^4 - a^3\*e^6)\*sqrt(-a\*d\*e)\*x^3\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) + 12\*(3\*a\*c^2\*d^5\*e + 5\*a^2\*c\*d^3\*e^3)\*sqrt(c\*d\*e)\*x^3\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d

```
*e*x + c*d^2 + a*e^2)*sqrt(c*d*e) + 8*(c^2*d^3*e + a*c*d*e^3)*x) + 2*(24*a*
c^2*d^4*e^2*x^3 - 8*a^3*d^3*e^3 - (33*a*c^2*d^5*e + 68*a^2*c*d^3*e^3 + 3*a^
3*d*e^5)*x^2 - 2*(13*a^2*c*d^4*e^2 + 7*a^3*d^2*e^4)*x)*sqrt(c*d*e*x^2 + a*d
*e + (c*d^2 + a*e^2)*x))/(a*d^2*e*x^3), 1/48*(3*(5*c^3*d^6 + 45*a*c^2*d^4*e
^2 + 15*a^2*c*d^2*e^4 - a^3*e^6)*sqrt(-a*d*e)*x^3*arctan(1/2*sqrt(c*d*e*x^2
+ a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-a*d*e)/(a
*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x)) - 24*(3*a*c^2*d^
5*e + 5*a^2*c*d^3*e^3)*sqrt(-c*d*e)*x^3*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e +
(c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(-c*d*e)/(c^2*d^2*e^2*x
^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) + 2*(24*a*c^2*d^4*e^2*x^3 -
8*a^3*d^3*e^3 - (33*a*c^2*d^5*e + 68*a^2*c*d^3*e^3 + 3*a^3*d*e^5)*x^2 - 2*(
13*a^2*c*d^4*e^2 + 7*a^3*d^2*e^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^
2)*x))/(a*d^2*e*x^3)]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/x^4/(e*x+d),x, algorithm=
"giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 1.11Error: Bad Argument Typ
e
```

**maple** [B] time = 0.03, size = 3144, normalized size = 8.47

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/x^4/(e*x+d),x)
```

```
[Out] -1/16/d*e^2*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(3/2)+3/128*d^2*e*c^2
*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)-3/64*e^3*a*c*((x+d/e)^2*c*d*
e+(a*e^2-c*d^2)*(x+d/e))^(1/2)-5/16*d^5/(a*d*e)^(1/2)*ln((2*a*d*e+(a*e^2+c*
d^2)*x+2*(a*d*e)^(1/2)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/x)*c^3+35/2
4*d/a*c^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)+25/24/e/a^2*(c*d*e*x^2+a*
d*e+(a*e^2+c*d^2)*x)^(5/2)*c^2+5/12/d^3/a/x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2
)*x)^(7/2)+493/128*d^2*e*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*c^2-1/8/d^
2*e^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a^2+37/48/d*e^2*c*(c*d*e*x^2+
a*d*e+(a*e^2+c*d^2)*x)^(3/2)-1/24/d^3*e^4*a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*
x)^(3/2)+107/64*e^3*c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a+1/5/d^4*e^3
*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(5/2)+7/40/d^4*e^3*(c*d*e*x^2+a*d*
```

$$\begin{aligned}
& e+(a^2e^2+cd^2)x^{5/2}-1/8d^2e^3c((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{3/2}x+1/16d^5e^6a^2/c((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{3/2} \\
& +9/64d^3e^6a^2((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2}x-3/128d^6e^9a^4/c^2((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2}+15/128d^2e^7a^3 \\
& \ln((1/2a^2e^2-1/2cd^2+(x+d/e)cde)/(cde)^{1/2}+((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2})/(cde)^{1/2}+3/64d^2e^2c^2((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2} \\
& x-3/256d^4e^3c^3\ln((1/2a^2e^2-1/2cd^2+(x+d/e)cde)/(cde)^{1/2}+((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2})/(cde)^{1/2}-15/128e^5a^2c^3\ln((1/2a^2e^2-1/2cd^2+(x+d/e)cde)/(cde)^{1/2}+((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2})/(cde)^{1/2} \\
& +5/8d^4/a/e(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2}c^3-1/3d^2/a/e/x^3(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{7/2}+5/24d^3/a^2/e^2c^3(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{3/2} \\
& +1/8d^2/a^3/e^3(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{5/2}c^3+5/8d^3/a(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2}xc^3-1/8/a^3/e^3/x(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{7/2} \\
& c^2-9/64d^3e^6(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2}x^2+15/128e^5c^3\ln((cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2}+((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2})/(cde)^{1/2} \\
& a^2-3/8d^4e/a/x(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{7/2}+1/16d^6e^6a^3/(a^2de)^{1/2}\ln((2a^2de+(a^2e^2+cd^2)x+2(a^2de)^{1/2}(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2})/x) \\
& -3/64/d^4e^7/c(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2}a^3+1/12d^2e^3c^3(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{3/2}x-15/128d^2e^7\ln((cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2}+((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2})/(cde)^{1/2} \\
& +19/24d^2e/a(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{5/2}c+5/6e/a^2c^2(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{3/2}x+5/6d/a^2c^2(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{5/2}x-1/8d^4e^5a^2 \\
& (cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{3/2}x-1/16d^5e^6a^2/c(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{3/2}+3/128d^6e^9a^4/c^2(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2} \\
& +3/8d^3e^2c/a(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{5/2}x-15/16d^4e^4a^2/(a^2de)^{1/2}\ln((2a^2de+(a^2e^2+cd^2)x+2(a^2de)^{1/2}(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2})/x) \\
& c+1/64d^4e^4(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2}x^2+15/256d^4e^9/c^3\ln((cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2}+((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2})/(cde)^{1/2} \\
& a^4+625/256d^2e^3\ln((cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2}+((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2})/(cde)^{1/2}+19/24d^2e/a(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{5/2} \\
& c+5/24d^2/a^2/e^2c^3(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{3/2}x+1/8d/a^3/e^2c^3(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{5/2}x-1/12d/a^2/e^2/x^2(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{7/2} \\
& c+3/64d^5e^8a^3/c(cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2}x-3/256/d^6e^11a^5/c^2\ln((cde^2x^2+a^2de+(a^2e^2+cd^2)x)^{1/2}+((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2})/(cde)^{1/2} \\
& -15/256d^4e^9a^4/c^3\ln((1/2a^2e^2-1/2cd^2+(x+d/e)cde)/(cde)^{1/2}+((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2})/(cde)^{1/2}-3/64d^5e^8a^3/c((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2} \\
& x-9/64d^4e^4a^3c((x+d/e)^2cde+(a^2e^2-cd^2)(x+d/e))^{1/2}x+3/256d^6e^11a^5/c^2\ln((1/2a^2e^2-1/2cd^2+(x+d/e)cde)/(c
\end{aligned}$$

$*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}/(c*d*e)^{(1/2)}+15/256*d^2*e^3*a*c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+1/8/d^4*e^5*a*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}*x+3/64/d^4*e^7*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}-5/6/e/d^2/a^2/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}*c-45/16*e^2*d^3*a/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{5/2}}{(ex + d)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^4/(e\*x+d),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)\*x^4), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{x^4 (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(x^4\*(d + e\*x)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(x^4\*(d + e\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/x\*\*4/(e\*x+d),x)

[Out] Timed out



$$3.299 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^5(d+ex)} dx$$

Optimal. Leaf size=404

$$\frac{(x(-3a^3e^6 + 11a^2cd^2e^4 + 83ac^2d^4e^2 + 5c^3d^6) + 2ade(5cd^2 - ae^2)(3ae^2 + cd^2))\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64ad^2ex^2}$$

**Rubi [A]** time = 0.46, antiderivative size = 404, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 810, 843, 621, 206, 724}

$$\frac{(x(11a^2cd^2e^4 - 3a^3e^6 + 83ac^2d^4e^2 + 5c^3d^6) + 2ade(5cd^2 - ae^2)(3ae^2 + cd^2))\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64ad^2ex^2} + \frac{(-90a^2c^2d^4e^4 + 20a^3cd^6e^6 - 60ac^3d^6e^2 + 5c^4d^6)\tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{c}\sqrt{d}\sqrt{(ae^2 + cd^2) + ade + cdex^2}}\right) + c^{5/2}d^{3/2}\tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{(ae^2 + cd^2) + ade + cdex^2}}\right)}{128a^{3/2}d^{5/2}e^{3/2}} + \frac{(x(3ae^2 + 11cd^2) + 6ade)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{24dx^4}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^5\*(d + e\*x)),x]

[Out] -((2\*a\*d\*e\*(5\*c\*d^2 - a\*e^2)\*(c\*d^2 + 3\*a\*e^2) + (5\*c^3\*d^6 + 83\*a\*c^2\*d^4\*e^2 + 11\*a^2\*c\*d^2\*e^4 - 3\*a^3\*e^6)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((64\*a\*d^2\*e\*x^2) - ((6\*a\*d\*e + (11\*c\*d^2 + 3\*a\*e^2)\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(24\*d\*x^4) + c^(5/2)\*d^(5/2)\*e^(3/2)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]]) + ((5\*c^4\*d^8 - 60\*a\*c^3\*d^6\*e^2 - 90\*a^2\*c^2\*d^4\*e^4 + 20\*a^3\*c\*d^2\*e^6 - 3\*a^4\*e^8)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(128\*a^(3/2)\*d^(5/2)\*e^(3/2))

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:= Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

### Rule 810

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:= -Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*((d*g - e*f*(m + 2))*(c*d^2 - b*d*e + a*e^2) - d*p*(2*c*d - b*e)*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 - b*d*e + a*e^2) + p*(2*c*d - b*e)*(e*f - d*g))*x)/(e^2*(m + 1)*(m + 2)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[p/(e^2*(m + 1)*(m + 2)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 2)*(a + b*x + c*x^2)^(p - 1)*Simp[2*a*c*e*(e*f - d*g)*(m + 2) + b^2*e*(d*g*(p + 1) - e*f*(m + p + 2)) + b*(a*e^2*g*(m + 1) - c*d*(d*g*(2*p + 1) - e*f*(m + 2*p + 2))) - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m + 2*p + 2)) - e*(2*a*e*g*(m + 1) - b*(d*g*(m - 2*p) + e*f*(m + 2*p + 2)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2*p, 0] && !ILtQ[m + 2*p + 3, 0]
```

### Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:= Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 849

```
Int[((x_)^(n_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_)/((d_) + (e_.)*(x_)), x_Symbol]
:= Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^5(d + ex)} dx &= \int \frac{(ae + cdx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^5} dx \\
&= -\frac{(6ade + (11cd^2 + 3ae^2)x)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{24dx^4} - \int \frac{\left(-\frac{1}{2}ae\right)}{x^5} dx \\
&= -\frac{(2ade(5cd^2 - ae^2)(cd^2 + 3ae^2) + (5c^3d^6 + 83ac^2d^4e^2 + 11a^2cd^2e^4 - 3ae^3))}{64ad^2ex^2} \\
&= -\frac{(2ade(5cd^2 - ae^2)(cd^2 + 3ae^2) + (5c^3d^6 + 83ac^2d^4e^2 + 11a^2cd^2e^4 - 3ae^3))}{64ad^2ex^2} \\
&= -\frac{(2ade(5cd^2 - ae^2)(cd^2 + 3ae^2) + (5c^3d^6 + 83ac^2d^4e^2 + 11a^2cd^2e^4 - 3ae^3))}{64ad^2ex^2} \\
&= -\frac{(2ade(5cd^2 - ae^2)(cd^2 + 3ae^2) + (5c^3d^6 + 83ac^2d^4e^2 + 11a^2cd^2e^4 - 3ae^3))}{64ad^2ex^2}
\end{aligned}$$

**Mathematica [A]** time = 3.48, size = 404, normalized size = 1.00

$$\frac{\sqrt{ae + cdx} \left( \frac{\sqrt{d} \sqrt{d+ex} \sqrt{ae+cdx} (3a^2c^2(16d^2+24d^2ex+24d^2e^2-3e^3x^2) + a^2cd^2(136d^2+244dex+57e^2x^2) + a^2d^2e^2(118d+337ex)+15c^3d^2e^2)}{a^4} + \frac{3\sqrt{d+ex}(-3a^4d^3+20a^3cd^2e^3-90a^2c^2d^2e^4-60ac^2d^2e^5+5c^4d^6)}{a^3} \operatorname{tanh}^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{d}\sqrt{d+ex}}\right) + 384c^{3/2}d^4e^3\sqrt{cd^2-ae^2}\sqrt{\frac{cd+ex}{cd-ae^2}} \sinh^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{cd-ae^2}}\right) \right)}{192d^{5/2}e^{3/2}\sqrt{d+ex}(ae+cdx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^5\*(d + e\*x)), x]

[Out] (Sqrt[a\*e + c\*d\*x]\*(-(Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x]\*(d + e\*x)\*(15\*c^3\*d^6\*x^3 + a\*c^2\*d^4\*e\*x^2\*(118\*d + 337\*e\*x) + a^2\*c\*d^2\*e^2\*x\*(136\*d^2 + 244\*d\*e\*x + 57\*e^2\*x^2) + 3\*a^3\*e^3\*(16\*d^3 + 24\*d^2\*e\*x + 2\*d\*e^2\*x^2 - 3\*e^3\*x^3)))/(a\*x^4)) + 384\*c^(3/2)\*d^4\*Sqrt[c\*d]\*e^3\*Sqrt[c\*d^2 - a\*e^2]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])] + (3\*(5\*c^4\*d^8 - 60\*a\*c^3\*d^6\*e^2 - 90\*a^2\*c^2\*d^4\*e^4 + 20\*a^3\*c\*d^2\*e^6 - 3\*a^4\*e^8)\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])])/a^(3/2)))/(192\*d^(5/2)\*e^(3/2)\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic** [A]    time = 2.57, size = 544, normalized size = 1.35

$$\frac{\frac{1}{2}\sqrt{a}\sqrt{d}\log\left(\frac{a^2 + 8ad + 8d^2\sqrt{a^2 + d^2}}{\sqrt{a^2 + d^2}}\right) + \frac{\sqrt{a^2 + d^2}\sqrt{c^2d^2 + a^2e^2}}{2\sqrt{a^2 + d^2}} - \frac{48a^3d^3e^3 - 136a^2c^2d^5e^3x^4 + 6a^2c^2d^5e^3x^4 \log(8c^2d^2e^2x^2 + c^2d^4 + 6a^2c^2d^2e^2 + a^2e^4 + 4\sqrt{c^2d^2e^2 + a^2d^2})\sqrt{c^2d^2e^2 + a^2d^2}}{192a^2d^2e^2x^4} + \frac{(5c^4d^8 - 60a^2c^3d^6e^2 - 90a^2c^2d^4e^4 + 20a^3c^2d^2e^6 - 3a^4e^8)\text{ArcTanh}\left(\frac{-(\sqrt{c^2d^2e^2 + a^2d^2})\sqrt{a^2d^2e^2 + a^2d^2}}{\sqrt{a^2d^2e^2 + a^2d^2}}\right) + \sqrt{a^2d^2e^2 + a^2d^2}}{(2\sqrt{a^2d^2e^2 + a^2d^2})\sqrt{c^2d^2e^2 + a^2d^2}}}{(64a^{3/2}d^{5/2}e^{3/2}) - c^{5/2}d^{5/2}e^{3/2}\text{ArcTanh}\left(\frac{2\sqrt{c^2d^2e^2 + a^2d^2}}{c^2d^2 + a^2e^2}\right) - (2\sqrt{c^2d^2e^2 + a^2d^2})\sqrt{c^2d^2e^2 + a^2d^2}} - \frac{(c^2d^2e^2\sqrt{c^2d^2e^2 + a^2d^2})\text{Log}\left(\frac{c^2d^4 - 2a^2c^2d^2e^2 + a^2e^4 - 4c^2d^3e^2x - 4a^2c^2d^2e^2x^2 + 8c^2d^2e^2x^2 + 8c^2d^2e^2\sqrt{c^2d^2e^2 + a^2d^2}}{c^2d^2 + a^2e^2}\right)}{2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^5\*(d + e\*x)),x]

[Out] (Sqrt[a\*d\*e + c\*d^2\*x + a\*e^2\*x + c\*d\*e\*x^2]\*(-48\*a^3\*d^3\*e^3 - 136\*a^2\*c\*d^4\*e^2\*x - 72\*a^3\*d^2\*e^4\*x - 118\*a\*c^2\*d^5\*e\*x^2 - 244\*a^2\*c\*d^3\*e^3\*x^2 - 6\*a^3\*d\*e^5\*x^2 - 15\*c^3\*d^6\*x^3 - 337\*a\*c^2\*d^4\*e^2\*x^3 - 57\*a^2\*c\*d^2\*e^4\*x^3 + 9\*a^3\*e^6\*x^3))/(192\*a\*d^2\*e\*x^4) + ((5\*c^4\*d^8 - 60\*a^2\*c^3\*d^6\*e^2 - 90\*a^2\*c^2\*d^4\*e^4 + 20\*a^3\*c^2\*d^2\*e^6 - 3\*a^4\*e^8)\*ArcTanh[(-(Sqrt[c\*d\*e]\*x) + Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[a]\*Sqrt[d]\*Sqrt[e])])/(64\*a^(3/2)\*d^(5/2)\*e^(3/2)) - c^(5/2)\*d^(5/2)\*e^(3/2)\*ArcTanh[(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[c\*d\*e]\*x)/(c\*d^2 + a\*e^2) - (2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(c\*d^2 + a\*e^2)] - (c^2\*d^2\*e^2\*Sqrt[c\*d\*e]\*Log[c^2\*d^4 - 2\*a^2\*c^2\*d^2\*e^2 + a^2\*e^4 - 4\*c^2\*d^3\*e^2\*x - 4\*a^2\*c^2\*d^2\*e^2\*x^2 + 8\*c^2\*d^2\*e^2\*x^2 + 8\*c^2\*d^2\*e^2\*Sqrt[c\*d\*e]\*x\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/2

**fricas** [A]    time = 24.35, size = 1917, normalized size = 4.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^5/(e\*x+d),x, algorithm="fricas")

[Out] [1/768\*(384\*sqrt(c\*d\*e)\*a^2\*c^2\*d^5\*e^3\*x^4\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a^2\*c^2\*d^2\*e^2 + a^2\*e^4 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d^3\*e^3)\*x) - 3\*(5\*c^4\*d^8 - 60\*a^2\*c^3\*d^6\*e^2 - 90\*a^2\*c^2\*d^4\*e^4 + 20\*a^3\*c^2\*d^2\*e^6 - 3\*a^4\*e^8)\*sqrt(a\*d\*e)\*x^4\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a^2\*c^2\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d^3\*e^3)\*x)/x^2) - 4\*(48\*a^4\*d^4\*e^4 + (15\*a^2\*c^3\*d^7\*e + 337\*a^2\*c^2\*d^5\*e^3 + 57\*a^3\*c\*d^3\*e^5 - 9\*a^4\*d^4\*e^7)\*x^3 + 2\*(59\*a^2\*c^2\*d^6\*e^2 + 122\*a^3\*c^2\*d^4\*e^4 + 3\*a^4\*d^2\*e^6)\*x^2 + 8\*(17\*a^3\*c^2\*d^5\*e^3 + 9\*a^4\*d^3\*e^5)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a^2\*d^3\*e^2\*x^4), -1/768\*(768\*sqrt(-c\*d\*e)\*a^2\*c^2\*d^5\*e^3\*x^4\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(-c\*d\*e)/(c^2\*d^2\*e^2\*x^2 + a\*c\*d^2\*e^2 + (c^2\*d^3\*e + a\*c\*d^3\*e^3)\*x)) + 3\*(5\*c^4\*d^8 - 60\*a^2\*c^3\*d^6\*e^2 - 90\*a^2\*c^2\*d^4\*e^4 + 20\*a^3\*c^2\*d^2\*e^6 - 3\*a^4\*e^8)\*sqrt(a\*d\*e)\*x^4\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a^2\*c^2\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d

```

*e + (c*d^2 + a*e^2)*x)*sqrt(a*d*e) + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) + 4
*(48*a^4*d^4*e^4 + (15*a*c^3*d^7*e + 337*a^2*c^2*d^5*e^3 + 57*a^3*c*d^3*e^5
- 9*a^4*d*e^7)*x^3 + 2*(59*a^2*c^2*d^6*e^2 + 122*a^3*c*d^4*e^4 + 3*a^4*d^2
*e^6)*x^2 + 8*(17*a^3*c*d^5*e^3 + 9*a^4*d^3*e^5)*x)*sqrt(c*d*e*x^2 + a*d*e
+ (c*d^2 + a*e^2)*x))/(a^2*d^3*e^2*x^4), 1/384*(192*sqrt(c*d*e)*a^2*c^2*d^5
*e^3*x^4*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*sqrt
(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(c*
d*e) + 8*(c^2*d^3*e + a*c*d*e^3)*x) - 3*(5*c^4*d^8 - 60*a*c^3*d^6*e^2 - 90*
a^2*c^2*d^4*e^4 + 20*a^3*c*d^2*e^6 - 3*a^4*e^8)*sqrt(-a*d*e)*x^4*arctan(1/2
*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*
sqrt(-a*d*e)/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x)) -
2*(48*a^4*d^4*e^4 + (15*a*c^3*d^7*e + 337*a^2*c^2*d^5*e^3 + 57*a^3*c*d^3*e^5
- 9*a^4*d*e^7)*x^3 + 2*(59*a^2*c^2*d^6*e^2 + 122*a^3*c*d^4*e^4 + 3*a^4*d^2
*e^6)*x^2 + 8*(17*a^3*c*d^5*e^3 + 9*a^4*d^3*e^5)*x)*sqrt(c*d*e*x^2 + a*d*
e + (c*d^2 + a*e^2)*x))/(a^2*d^3*e^2*x^4), -1/384*(384*sqrt(-c*d*e)*a^2*c^2
*d^5*e^3*x^4*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*
e*x + c*d^2 + a*e^2)*sqrt(-c*d*e)/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3
*e + a*c*d*e^3)*x)) + 3*(5*c^4*d^8 - 60*a*c^3*d^6*e^2 - 90*a^2*c^2*d^4*e^4
+ 20*a^3*c*d^2*e^6 - 3*a^4*e^8)*sqrt(-a*d*e)*x^4*arctan(1/2*sqrt(c*d*e*x^2
+ a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-a*d*e)/(a*
c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x)) + 2*(48*a^4*d^4*e
^4 + (15*a*c^3*d^7*e + 337*a^2*c^2*d^5*e^3 + 57*a^3*c*d^3*e^5 - 9*a^4*d*e^7
)*x^3 + 2*(59*a^2*c^2*d^6*e^2 + 122*a^3*c*d^4*e^4 + 3*a^4*d^2*e^6)*x^2 + 8*
(17*a^3*c*d^5*e^3 + 9*a^4*d^3*e^5)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e
^2)*x))/(a^2*d^3*e^2*x^4)]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/x^5/(e*x+d),x, algorithm=
"giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 1.26Error: Bad Argument Typ
e
```

**maple** [B] time = 0.03, size = 3646, normalized size = 9.02

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/x^5/(e*x+d),x)
```

[Out]  $\frac{1}{16}d^{-2}e^3c*((x+d/e)^2cd+e+(a^2-cd^2)(x+d/e))^{3/2}-\frac{3}{128}d^2e^2c^2*((x+d/e)^2cd+e+(a^2-cd^2)(x+d/e))^{1/2}-\frac{3}{64}e^3c^2*((x+d/e)^2cd+e+(a^2-cd^2)(x+d/e))^{1/2}x+\frac{25}{32}d^3/a*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2}c^3+\frac{3}{8}d^3/a/x^3*(cdex^2+ad+e+(a^2+cd^2)x)^{7/2}+\frac{1}{96}d/a^2*(cdex^2+ad+e+(a^2+cd^2)x)^{5/2}c^2+\frac{35}{96}e/a*(cdex^2+ad+e+(a^2+cd^2)x)^{3/2}c^2-\frac{1}{8}e^3*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2}xc^2+\frac{127}{128}d^2e^2*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2}c^2+\frac{3}{64}d^3e^6*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2}a^2+\frac{1}{64}d^4e^5a*(cdex^2+ad+e+(a^2+cd^2)x)^{3/2}-\frac{19}{96}d^2e^3*(cdex^2+ad+e+(a^2+cd^2)x)^{3/2}c-\frac{1}{5}d^5e^4*((x+d/e)^2cd+e+(a^2-cd^2)(x+d/e))^{5/2}-\frac{61}{320}d^5e^4*(cdex^2+ad+e+(a^2+cd^2)x)^{5/2}+\frac{15}{256}d^5e^{10}a^4/c*\ln((1/2*a^2-1/2*cd^2+(x+d/e)*cd+e)/(cd+e)^{1/2}+((x+d/e)^2cd+e+(a^2-cd^2)(x+d/e))^{1/2})/(cd+e)^{1/2}+\frac{3}{64}d^6e^9a^3/c*((x+d/e)^2cd+e+(a^2-cd^2)(x+d/e))^{1/2}x+\frac{9}{64}d^2e^5a*c*((x+d/e)^2cd+e+(a^2-cd^2)(x+d/e))^{1/2}x-\frac{3}{256}d^7e^{12}a^5/c^2*\ln((1/2*a^2-1/2*cd^2+(x+d/e)*cd+e)/(cd+e)^{1/2}+((x+d/e)^2cd+e+(a^2-cd^2)(x+d/e))^{1/2})/(cd+e)^{1/2}+\frac{15}{128}d^6e^6a^2*c*\ln((1/2*a^2-1/2*cd^2+(x+d/e)*cd+e)/(cd+e)^{1/2}+((x+d/e)^2cd+e+(a^2-cd^2)(x+d/e))^{1/2})/(cd+e)^{1/2}-\frac{15}{256}d^4e^4a^2*\ln((1/2*a^2-1/2*cd^2+(x+d/e)*cd+e)/(cd+e)^{1/2}+((x+d/e)^2cd+e+(a^2-cd^2)(x+d/e))^{1/2})/(cd+e)^{1/2}-\frac{45}{64}d^2e^3a/(ad+e)^{1/2}*\ln((2*ad+e+(a^2+cd^2)x+2*(ad+e)^{1/2}*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2})/x)*c^2-\frac{31}{64}d^2e/a^2*c^2*(cdex^2+ad+e+(a^2+cd^2)x)^{5/2}x-\frac{35}{192}d^2e^2/a*(cdex^2+ad+e+(a^2+cd^2)x)^{3/2}xc^2-\frac{3}{32}d^2e^5*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2}xc^2-\frac{15}{256}d^5e^{10}c*\ln((cdex^2+1/2*a^2+1/2*cd^2)/(cd+e)^{1/2}+(cdex^2+ad+e+(a^2+cd^2)x)^{1/2})/(cd+e)^{1/2}a^4-\frac{15}{128}d^6e^6c*\ln((cdex^2+1/2*a^2+1/2*cd^2)/(cd+e)^{1/2}+(cdex^2+ad+e+(a^2+cd^2)x)^{1/2})/(cd+e)^{1/2}a^2+\frac{15}{256}d^4e^4*\ln((cdex^2+1/2*a^2+1/2*cd^2)/(cd+e)^{1/2}+(cdex^2+ad+e+(a^2+cd^2)x)^{1/2})/(cd+e)^{1/2}a^2-\frac{25}{64}d^4e^3c/a*(cdex^2+ad+e+(a^2+cd^2)x)^{5/2}x-\frac{5}{64}d^4/a^2/e*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2}xc^4+\frac{5}{128}d^6/a/e/(ad+e)^{1/2}*\ln((2*ad+e+(a^2+cd^2)x+2*(ad+e)^{1/2}*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2})/x)*c^4-\frac{5}{192}d^3/a^3/e^2*(cdex^2+ad+e+(a^2+cd^2)x)^{3/2}xc^4-\frac{1}{64}d^2/a^4/e^3*c^4*(cdex^2+ad+e+(a^2+cd^2)x)^{5/2}x+\frac{1}{64}d/a^4/e^4/x*(cdex^2+ad+e+(a^2+cd^2)x)^{7/2}c^3+\frac{1}{24}d/a^2/e^2/x^3*(cdex^2+ad+e+(a^2+cd^2)x)^{7/2}c-\frac{3}{64}d^6e^9a^3/c*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2}x+\frac{3}{256}d^7e^{12}a^5/c^2*\ln((cdex^2+1/2*a^2+1/2*cd^2)/(cd+e)^{1/2}+(cdex^2+ad+e+(a^2+cd^2)x)^{1/2})/(cd+e)^{1/2}+\frac{45}{64}e^6d^2/a*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2}xc^3-\frac{13}{48}e/d^2/a^2/x^2*(cdex^2+ad+e+(a^2+cd^2)x)^{7/2}c-\frac{43}{192}e^2/d/a^3/x*(cdex^2+ad+e+(a^2+cd^2)x)^{7/2}c^2-\frac{5}{192}d^4/a^3/e^3*(cdex^2+ad+e+(a^2+cd^2)x)^{3/2}c^4-\frac{1}{64}d^3/a^4/e^4*(cdex^2+ad+e+(a^2+cd^2)x)^{5/2}c^4-\frac{5}{64}d^5/a^2/e^2*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2}c^4+\frac{1}{96}a^3/e^3/x^2*(cdex^2+ad+e+(a^2+cd^2)x)^{7/2}c^2+\frac{5}{32}e^5a^2/(ad+e)^{1/2}*\ln((2*ad+e+(a^2+cd^2)x+2*(ad+e)^{1/2}*(cdex^2+ad+e+(a^2+cd^2)x)^{1/2})/x)*c+\frac{9}{64}d^4e^7*(c$

```

*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a^2+25/64/d^5*e^2/a/x*(c*d*e*x^2+a*
d*e+(a*e^2+c*d^2)*x)^(7/2)-7/64/d^3*e^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(
3/2)*x*c+15/128/d^3*e^8*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d
*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)*a^3-3/128/d^2*e^7*a^3/(a
*d*e)^(1/2)*ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^(1/2)*(c*d*e*x^2+a*d*e+(a
*e^2+c*d^2)*x)^(1/2))/x)-15/32/d^3*e^2/a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(
5/2)*c-17/64/d*e^4*c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a+253/256*d^3
*e^2*c^3*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a
*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)+3/64/d^5*e^8/c*(c*d*e*x^2+a*d*e+(a*e^2+
c*d^2)*x)^(1/2)*a^3+1/8/d^5*e^6*a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*x
+1/16/d^6*e^7*a^2/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)-3/128/d^7*e^10*
a^4/c^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)+1/8/d^3*e^4*c*((x+d/e)^2*c*
d*e+(a*e^2-c*d^2)*(x+d/e))^(3/2)*x-1/16/d^6*e^7*a^2/c*((x+d/e)^2*c*d*e+(a*e
^2-c*d^2)*(x+d/e))^(3/2)-9/64/d^4*e^7*a^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x
+d/e))^(1/2)*x+3/128/d^7*e^10*a^4/c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e
))^(1/2)+3/64/d*e^4*a*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)-15/12
8/d^3*e^8*a^3*ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)
^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+3/256*d^3*e^2*c^3*ln((
1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^(1/2)+((x+d/e)^2*c*d*e+(a*e^2-c*
d^2)*(x+d/e))^(1/2))/(c*d*e)^(1/2)+31/64/d^3/a^2/x*(c*d*e*x^2+a*d*e+(a*e^2+
c*d^2)*x)^(7/2)*c-13/32/d^4*e/a/x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(7/2)
-15/32*e*d^4/(a*d*e)^(1/2)*ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^(1/2)*(c*d
*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/x)*c^3+35/96/e*d^2/a^2*(c*d*e*x^2+a*d*
e+(a*e^2+c*d^2)*x)^(3/2)*c^3+19/96/e^2*d/a^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)
*x)^(5/2)*c^3+85/192*d/a^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)*x*c^3+43
/192/e/a^3*c^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)*x-1/4/d^2/a/e/x^4*(c
*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(7/2)-1/8/d^5*e^6*a*((x+d/e)^2*c*d*e+(a*e^2
-c*d^2)*(x+d/e))^(3/2)*x-3/64/d^5*e^8*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*
(x+d/e))^(1/2)

```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^5/(e\*x+d),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)\*x^5), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{\frac{5}{2}}}{x^5(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/(x^5*(d + e*x)),x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/(x^5*(d + e*x)), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/x**5/(e*x+d),x)
```

```
[Out] Timed out
```



$$3.300 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^6(d+ex)} dx$$

Optimal. Leaf size=289

$$\frac{3(cd^2 - ae^2)^5 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{256a^{5/2}d^{7/2}e^{5/2}} + \frac{3(cd^2 - ae^2)^3 (x(ae^2 + cd^2) + 2ade) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{128a^2d^3e^2x^2}$$

**Rubi [A]** time = 0.33, antiderivative size = 289, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {849, 806, 720, 724, 206}

$$\frac{3(cd^2 - ae^2)^3 (x(ae^2 + cd^2) + 2ade) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{128a^2d^3e^2x^2} - \frac{3(cd^2 - ae^2)^5 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{256a^{5/2}d^{7/2}e^{5/2}} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{5dx^5} - \frac{\left(\frac{c}{ae} - \frac{e}{d}\right) (x(ae^2 + cd^2) + 2ade) (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{16x^4}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^6\*(d + e\*x)),x]

[Out] (3\*(c\*d^2 - a\*e^2)^3\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((128\*a^2\*d^3\*e^2\*x^2) - ((c/(a\*e) - e/d^2)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(16\*x^4) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(5\*d\*x^5) - (3\*(c\*d^2 - a\*e^2)^5\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]]))/(256\*a^(5/2)\*d^(7/2)\*e^(5/2))

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 720

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(d\*b - 2\*a\*e + (2\*c\*d - b\*e)\*x)\*(a + b\*x + c\*x^2)^p)/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[(p\*(b^2 - 4\*a\*c))/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && EqQ[m + 2\*p + 2, 0] && GtQ[p, 0]

### Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

### Rule 806

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 849

```
Int[(x_)^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_)/((d_.) + (e_.)*(x_)), x_Symbol]
:> Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && (!IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2])))
```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^6(d + ex)} dx &= \int \frac{(ae + cdx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^6} dx \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{5dx^5} - \frac{(-2acd^2e + ae(cd^2 + ae^2)) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^5} dx}{2ade} \\
&= -\frac{\left(\frac{c}{ae} - \frac{e}{d^2}\right)(2ade + (cd^2 + ae^2)x)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{16x^4} - \frac{(cd^2 - ae^2) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^3} dx}{16x^4} \\
&= \frac{3(cd^2 - ae^2)^3(2ade + (cd^2 + ae^2)x) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128a^2d^3e^2x^2} - \frac{3(cd^2 - ae^2) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x} dx}{16x^4} \\
&= \frac{3(cd^2 - ae^2)^3(2ade + (cd^2 + ae^2)x) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128a^2d^3e^2x^2} - \frac{3(cd^2 - ae^2) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x} dx}{16x^4} \\
&= \frac{3(cd^2 - ae^2)^3(2ade + (cd^2 + ae^2)x) \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128a^2d^3e^2x^2} - \frac{3(cd^2 - ae^2) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x} dx}{16x^4}
\end{aligned}$$

**Mathematica [A]** time = 0.94, size = 295, normalized size = 1.02

$$\frac{((d + ex)(ae + cdx))^{3/2} \left( \frac{x^{(cd^2 - ae^2)} \left( \frac{x^{(ae^2 - cd^2)} \left( 3x^2(cd^2 - ae^2)^2 \tanh^{-1} \left( \frac{\sqrt{d} \sqrt{ae + cdx}}{\sqrt{a} \sqrt{e} \sqrt{d + ex}} \right) + \sqrt{a} \sqrt{d} \sqrt{e} \sqrt{d + ex} \sqrt{ae + cdx} (ae(2d + 5ex) - 3cd^2x) \right)}{a^{5/2} \sqrt{d} e^{5/2}} \right) - 8(d + ex)^{5/2} \sqrt{ae + cdx}}{d} - 16(d + ex)^{5/2} (ae + cdx)^{3/2} \right)}{64dx^4(d + ex)^{3/2}(ae + cdx)^{3/2}} - \frac{2(d + ex)(ae + cdx)}{x^5}$$

10d

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^6\*(d + e\*x)), x]

[Out] (((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*((-2\*(a\*e + c\*d\*x)\*(d + e\*x))/x^5 + (5\*(c\*d^2 - a\*e^2)\*(-16\*(a\*e + c\*d\*x)^(3/2)\*(d + e\*x)^(5/2) + ((c\*d^2 - a\*e^2)\*x\*(-8\*Sqrt[a\*e + c\*d\*x]\*(d + e\*x)^(5/2) + ((-c\*d^2) + a\*e^2)\*x\*(Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*(-3\*c\*d^2\*x + a\*e\*(2\*d + 5\*e\*x)) + 3\*(c\*d^2 - a\*e^2)^2\*x^2\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x]))]/(a^(5/2)\*Sqrt[d]\*e^(5/2))))/d)/(64\*d\*x^4\*(a\*e + c\*d\*x)^(3/2)\*(d + e\*x)^(3/2)))/(10\*d)

IntegrateAlgebraic [F] time = 180.10, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^6\*(d + e\*x)),x]

[Out] \$Aborted

fricas [A] time = 19.50, size = 872, normalized size = 3.02

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^6/(e\*x+d),x, algorithm="fricas")

[Out] [1/2560\*(15\*(c^5\*d^10 - 5\*a\*c^4\*d^8\*e^2 + 10\*a^2\*c^3\*d^6\*e^4 - 10\*a^3\*c^2\*d^4\*e^6 + 5\*a^4\*c\*d^2\*e^8 - a^5\*e^10)\*sqrt(a\*d\*e)\*x^5\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) - 4\*(128\*a^5\*d^5\*e^5 - (15\*a\*c^4\*d^9\*e - 70\*a^2\*c^3\*d^7\*e^3 - 128\*a^3\*c^2\*d^5\*e^5 + 70\*a^4\*c\*d^3\*e^7 - 15\*a^5\*d\*e^9)\*x^4 + 2\*(5\*a^2\*c^3\*d^8\*e^2 + 233\*a^3\*c^2\*d^6\*e^4 + 23\*a^4\*c\*d^4\*e^6 - 5\*a^5\*d^2\*e^8)\*x^3 + 8\*(31\*a^3\*c^2\*d^7\*e^3 + 64\*a^4\*c\*d^5\*e^5 + a^5\*d^3\*e^7)\*x^2 + 16\*(21\*a^4\*c\*d^6\*e^4 + 11\*a^5\*d^4\*e^6)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a^3\*d^4\*e^3\*x^5), 1/1280\*(15\*(c^5\*d^10 - 5\*a\*c^4\*d^8\*e^2 + 10\*a^2\*c^3\*d^6\*e^4 - 10\*a^3\*c^2\*d^4\*e^6 + 5\*a^4\*c\*d^2\*e^8 - a^5\*e^10)\*sqrt(-a\*d\*e)\*x^5\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) - 2\*(128\*a^5\*d^5\*e^5 - (15\*a\*c^4\*d^9\*e - 70\*a^2\*c^3\*d^7\*e^3 - 128\*a^3\*c^2\*d^5\*e^5 + 70\*a^4\*c\*d^3\*e^7 - 15\*a^5\*d\*e^9)\*x^4 + 2\*(5\*a^2\*c^3\*d^8\*e^2 + 233\*a^3\*c^2\*d^6\*e^4 + 23\*a^4\*c\*d^4\*e^6 - 5\*a^5\*d^2\*e^8)\*x^3 + 8\*(31\*a^3\*c^2\*d^7\*e^3 + 64\*a^4\*c\*d^5\*e^5 + a^5\*d^3\*e^7)\*x^2 + 16\*(21\*a^4\*c\*d^6\*e^4 + 11\*a^5\*d^4\*e^6)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a^3\*d^4\*e^3\*x^5)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^6/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 2\*((-2\*exp(1)^3\*a^3\*exp(2)^3+6\*exp(1)^5\*a^3\*exp(2)^2-6\*exp(1)^7\*a^3\*exp(2)+2\*exp(1)^9\*a^3)/2/d^3/sqrt(-a\*d\*exp(1)^3+a\*d\*exp(1)\*exp(2))\*atan((-d\*sqrt(c\*d\*exp(1))+(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)\*exp(1))/sqrt(-a\*d\*exp(1)^3+a\*d\*exp(1)\*exp(2))-(-3\*a^5\*exp(2)^5-10\*exp(1)^2\*a^5\*exp(2)^4-80\*exp(1)^4\*a^5\*exp(2)^3+480\*exp(1)^6\*a^5\*exp(2)^2-640\*exp(1)^8\*a^5\*exp(2)+256\*exp(1)^10\*a^5-15\*c\*d^2\*a^4\*exp(2)^4-30\*c^2\*d^4\*a^3\*exp(2)^3+60\*c^2\*d^4\*exp(1)^2\*a^3\*exp(2)^2-30\*c^3\*d^6\*a^2\*exp(2)^2+80\*c^3\*d^6\*exp(1)^2\*a^2\*exp(2)-80\*c^3\*d^6\*exp(1)^4\*a^2-15\*c^4\*d^8\*a\*exp(2)+30\*c^4\*d^8\*exp(1)^2\*a-3\*c^5\*d^10)/128/d^3/exp(1)^2/a^2/2/sqrt(-a\*d\*exp(1))\*atan((sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)/sqrt(-a\*d\*exp(1)))-(-45\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^5\*exp(2)^5-150\*exp(1)^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^5\*exp(2)^4+2640\*exp(1)^4\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^5\*exp(2)^3-4320\*exp(1)^6\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^5\*exp(2)^2+1920\*exp(1)^8\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^5\*exp(2)-225\*c\*d^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^4\*exp(2)^4-450\*c^2\*d^4\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^3\*exp(2)^3+900\*c^2\*d^4\*exp(1)^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^3\*exp(2)^2-450\*c^3\*d^6\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^2\*exp(2)^2+1200\*c^3\*d^6\*exp(1)^2\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^2\*exp(2)+2640\*c^3\*d^6\*exp(1)^4\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^2-225\*c^4\*d^8\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a^2-225\*c^4\*d^8\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9\*a-45\*c^5\*d^10\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^9+3840\*d\*exp(1)^3\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^8\*a^5\*exp(2)^3-11520\*d\*exp(1)^5\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^8\*a^5\*exp(2)^2+11520\*d\*exp(1)^7\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^8\*a^5\*exp(2)-3840\*d\*exp(1)^9\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^8\*a^5-11520\*c^2\*d^5\*exp(1)^3\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^8\*a^3\*exp(2)-7680\*c^3\*d^7\*exp(1)^3\*sqrt(c\*d\*exp(1))\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^8\*a^2+210\*d\*exp(1)\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^7\*a^6\*exp(2)^5-580\*d\*exp(1)^3\*(sqrt(a\*d\*exp(1)+a\*x\*exp(2)+c\*d^2\*x+c\*d\*x^2\*exp(1))-sqrt(c\*d\*exp(1))\*x)^7\*a^6\*exp(2)^4-8480\*d\*exp(1)^5\*(sqrt

$$\begin{aligned}
& t(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1))-\sqrt{c*d*exp(1)}*x)^7*a^6* \\
& xp(2)^3+16320*d*exp(1)^7*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)} \\
& )-\sqrt{c*d*exp(1)}*x)^7*a^6*exp(2)^2-7680*d*exp(1)^9*(\sqrt{a*d*exp(1)+a*x* \\
& xp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^7*a^6*exp(2)+1050*c*d^3*e \\
& xp(1)*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}* \\
& x)^7*a^5*exp(2)^4+3840*c*d^3*exp(1)^3*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c \\
& *d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^7*a^5*exp(2)^3-11520*c*d^3*exp(1)^5*(\sqrt{ \\
& t(a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^7*a^5*e \\
& xp(2)^2+11520*c*d^3*exp(1)^7*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*ex \\
& p(1)}-\sqrt{c*d*exp(1)}*x)^7*a^5*exp(2)-3840*c*d^3*exp(1)^9*(\sqrt{a*d*exp(1) \\
& +a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^7*a^5+2100*c^2*d^5* \\
& exp(1)*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)} \\
& *x)^7*a^4*exp(2)^3+15000*c^2*d^5*exp(1)^3*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2 \\
& *x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^7*a^4*exp(2)^2+2100*c^3*d^7*exp(1)*( \\
& \sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^7*a^ \\
& 3*exp(2)^2+16160*c^3*d^7*exp(1)^3*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x \\
& ^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^7*a^3*exp(2)+3040*c^3*d^7*exp(1)^5*(\sqrt{a*d \\
& *exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^7*a^3+1050*c \\
& ^4*d^9*exp(1)*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d* \\
& exp(1)}*x)^7*a^2*exp(2)+5580*c^4*d^9*exp(1)^3*(\sqrt{a*d*exp(1)+a*x*exp(2)+c \\
& *d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^7*a^2+210*c^5*d^11*exp(1)*(\sqrt{ \\
& a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^7*a-3840* \\
& d^2*exp(1)^2*\sqrt{c*d*exp(1)}*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*e \\
& xp(1)}-\sqrt{c*d*exp(1)}*x)^6*a^6*exp(2)^4-3840*d^2*exp(1)^4*\sqrt{c*d*exp(1)} \\
& )*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^6 \\
& *a^6*exp(2)^3+34560*d^2*exp(1)^6*\sqrt{c*d*exp(1)}*(\sqrt{a*d*exp(1)+a*x*exp( \\
& 2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^6*a^6*exp(2)^2-42240*d^2*exp \\
& (1)^8*\sqrt{c*d*exp(1)}*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}- \\
& \sqrt{c*d*exp(1)}*x)^6*a^6*exp(2)+15360*d^2*exp(1)^10*\sqrt{c*d*exp(1)}*(\sqrt{ \\
& a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^6*a^6-15 \\
& 360*c*d^4*exp(1)^2*\sqrt{c*d*exp(1)}*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d \\
& *x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^6*a^5*exp(2)^3-11520*c*d^4*exp(1)^4*\sqrt{c \\
& *d*exp(1)}*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp \\
& (1)}*x)^6*a^5*exp(2)^2+11520*c*d^4*exp(1)^6*\sqrt{c*d*exp(1)}*(\sqrt{a*d*exp( \\
& 1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^6*a^5*exp(2)-3840 \\
& *c*d^4*exp(1)^8*\sqrt{c*d*exp(1)}*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^ \\
& 2*exp(1)}-\sqrt{c*d*exp(1)}*x)^6*a^5-23040*c^2*d^6*exp(1)^2*\sqrt{c*d*exp(1)} \\
& *(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^6* \\
& a^4*exp(2)^2-11520*c^2*d^6*exp(1)^4*\sqrt{c*d*exp(1)}*(\sqrt{a*d*exp(1)+a*x*e \\
& xp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^6*a^4*exp(2)-15360*c^3*d^ \\
& 8*exp(1)^2*\sqrt{c*d*exp(1)}*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp \\
& (1)}-\sqrt{c*d*exp(1)}*x)^6*a^3*exp(2)-3840*c^3*d^8*exp(1)^4*\sqrt{c*d*exp(1)} \\
& )*(\sqrt{a*d*exp(1)+a*x*exp(2)+c*d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^6 \\
& *a^3-3840*c^4*d^10*exp(1)^2*\sqrt{c*d*exp(1)}*(\sqrt{a*d*exp(1)+a*x*exp(2)+c* \\
& d^2*x+c*d*x^2*exp(1)}-\sqrt{c*d*exp(1)}*x)^6*a^2+384*d^2*exp(1)^2*(\sqrt{a*d*
\end{aligned}$$

$$\begin{aligned}
& \exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1)*x}^5*a^7*\exp(2)^5+1280*d^2*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^7*\exp(2)^4+10240*d^2*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^7*\exp(2)^3-23040*d^2*\exp(1)^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^7*\exp(2)^2+11520*d^2*\exp(1)^{10}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^7*\exp(2)+1920*c*d^4*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^6*\exp(2)^4+11520*c*d^4*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^6*\exp(2)^3+11520*c*d^4*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^6*\exp(2)^2-26880*c*d^4*\exp(1)^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^6*\exp(2)+11520*c*d^4*\exp(1)^{10}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^6+3840*c^2*d^6*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^5*\exp(2)^3+26880*c^2*d^6*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^5*\exp(2)^2+11520*c^2*d^6*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^5*\exp(2)-3840*c^2*d^6*\exp(1)^8*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^5+3840*c^3*d^8*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^4*\exp(2)^2+24320*c^3*d^8*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^4*\exp(2)+10240*c^3*d^8*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^4+1920*c^4*d^10*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^3*\exp(2)+7680*c^4*d^10*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^3+384*c^5*d^12*\exp(1)^2*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^5*a^2-38400*d^3*\exp(1)^7*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^4*a^7*\exp(2)^2+57600*d^3*\exp(1)^9*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^4*a^7*\exp(2)-23040*d^3*\exp(1)^{11}*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^4*a^7-19200*c*d^5*\exp(1)^5*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^4*a^6*\exp(2)^2-6400*c*d^5*\exp(1)^7*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^4*a^6*\exp(2)+6400*c*d^5*\exp(1)^9*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^4*a^6-38400*c^2*d^7*\exp(1)^5*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^4*a^5*\exp(2)-3840*c^2*d^7*\exp(1)^7*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^4*a^5-19200*c^3*d^9*\exp(1)^5*\sqrt{c*d*\exp(1)}*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^4*a^4-210*d^3*\exp(1)^3*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^3*a^8*\exp(2)^5-700*d^3*\exp(1)^5*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)*x}^3*a^8*\exp(2)^4-5600
\end{aligned}$$

$$\begin{aligned}
& *d^3 * \exp(1)^7 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d* \\
& \exp(1)*x})^3 * a^8 * \exp(2)^3 + 14400 * d^3 * \exp(1)^9 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c* \\
& d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^3 * a^8 * \exp(2)^2 - 7680 * d^3 * \exp(1)^{11} \\
& * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^3 * \\
& a^8 * \exp(2) - 1050 * c * d^5 * \exp(1)^3 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2* \\
& \exp(1)} - \sqrt{c*d*\exp(1)*x})^3 * a^7 * \exp(2)^4 + 19200 * c * d^5 * \exp(1)^9 * (\sqrt{a*d*e \\
& xp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^3 * a^7 * \exp(2) - 1 \\
& 1520 * c * d^5 * \exp(1)^{11} * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sq \\
& rt(c*d*\exp(1)*x)^3 * a^7 - 2100 * c^2 * d^7 * \exp(1)^3 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c \\
& *d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^3 * a^6 * \exp(2)^3 + 4200 * c^2 * d^7 * \exp( \\
& 1)^5 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x} \\
& )^3 * a^6 * \exp(2)^2 + 19200 * c^2 * d^7 * \exp(1)^7 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x \\
& +c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^3 * a^6 * \exp(2) - 2100 * c^3 * d^9 * \exp(1)^3 * (\sq \\
& rt(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^3 * a^5 * \\
& \exp(2)^2 + 5600 * c^3 * d^9 * \exp(1)^5 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2* \\
& \exp(1)} - \sqrt{c*d*\exp(1)*x})^3 * a^5 * \exp(2) + 13600 * c^3 * d^9 * \exp(1)^7 * (\sqrt{a*d*e \\
& xp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^3 * a^5 - 1050 * c^4 \\
& * d^{11} * \exp(1)^3 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d \\
& *\exp(1)*x})^3 * a^4 * \exp(2) + 2100 * c^4 * d^{11} * \exp(1)^5 * (\sqrt{a*d*\exp(1)+a*x*\exp(2) \\
& +c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^3 * a^4 - 210 * c^5 * d^{13} * \exp(1)^3 * (\sq \\
& rt(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^3 * a^3 \\
& + 19200 * d^4 * \exp(1)^8 * \sqrt{c*d*\exp(1)} * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c* \\
& d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^2 * a^8 * \exp(2)^2 - 34560 * d^4 * \exp(1)^{10} * \sqrt{c \\
& *d*\exp(1)} * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp \\
& (1)*x})^2 * a^8 * \exp(2) + 15360 * d^4 * \exp(1)^{12} * \sqrt{c*d*\exp(1)} * (\sqrt{a*d*\exp(1)+ \\
& a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^2 * a^8 - 6400 * c * d^6 * \exp \\
& (1)^8 * \sqrt{c*d*\exp(1)} * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \\
& \sqrt{c*d*\exp(1)*x})^2 * a^7 * \exp(2) - 1280 * c * d^6 * \exp(1)^{10} * \sqrt{c*d*\exp(1)} * (\sqrt{ \\
& t(a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^2 * a^7 - 7 \\
& 680 * c^2 * d^8 * \exp(1)^8 * \sqrt{c*d*\exp(1)} * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c \\
& *d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x})^2 * a^6 + 45 * d^4 * \exp(1)^4 * (\sqrt{a*d*\exp(1)+a \\
& *x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x}) * a^9 * \exp(2)^5 + 150 * d^4 * \\
& \exp(1)^6 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1 \\
& ) * x}) * a^9 * \exp(2)^4 + 1200 * d^4 * \exp(1)^8 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c* \\
& d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x}) * a^9 * \exp(2)^3 - 3360 * d^4 * \exp(1)^{10} * (\sqrt{a*d \\
& *\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x}) * a^9 * \exp(2)^2 \\
& + 1920 * d^4 * \exp(1)^{12} * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{ \\
& t(c*d*\exp(1)*x}) * a^9 * \exp(2) + 225 * c * d^6 * \exp(1)^4 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+ \\
& c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x}) * a^8 * \exp(2)^4 - 3840 * c * d^6 * \exp(1)^ \\
& 10 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x}) * \\
& a^8 * \exp(2) + 3840 * c * d^6 * \exp(1)^{12} * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2 \\
& *\exp(1)} - \sqrt{c*d*\exp(1)*x}) * a^8 + 450 * c^2 * d^8 * \exp(1)^4 * (\sqrt{a*d*\exp(1)+a*x* \\
& \exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp(1)*x}) * a^7 * \exp(2)^3 - 900 * c^2 * d^8 \\
& * \exp(1)^6 * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} - \sqrt{c*d*\exp( \\
& 1)*x}) * a^7 * \exp(2)^2 + 3840 * c^2 * d^8 * \exp(1)^{10} * (\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^
\end{aligned}$$



$$\begin{aligned}
& 2*x+c*d*x^2*\exp(1)-\sqrt{c*d*\exp(1)}*x)*a^7+450*c^3*d^10*\exp(1)^4*(\sqrt{a*d} \\
& *\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1)}*x)*a^6*\exp(2)^2 \\
& -1200*c^3*d^10*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)} \\
& -\sqrt{c*d*\exp(1)}*x)*a^6*\exp(2)+1200*c^3*d^10*\exp(1)^8*(\sqrt{a*d*\exp(1)+a*x} \\
& *\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1)}*x)*a^6+225*c^4*d^12*\exp(1) \\
& ^4*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2*\exp(1)}-\sqrt{c*d*\exp(1)}*x)* \\
& a^5*\exp(2)-450*c^4*d^12*\exp(1)^6*(\sqrt{a*d*\exp(1)+a*x*\exp(2)+c*d^2*x+c*d*x^2} \\
& *\exp(1))-\sqrt{c*d*\exp(1)}*x)*a^5+45*c^5*d^14*\exp(1)^4*(\sqrt{a*d*\exp(1)+a*x} \\
& *\exp(2)+c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1)}*x)*a^4-3840*d^5*\exp(1)^9*s \\
& \text{qrt}(c*d*\exp(1))*a^9*\exp(2)^2+7680*d^5*\exp(1)^11*\sqrt{c*d*\exp(1))*a^9*\exp(2)} \\
& -3840*d^5*\exp(1)^13*\sqrt{c*d*\exp(1))*a^9+1280*c*d^7*\exp(1)^9*\sqrt{c*d*\exp(1)} \\
& ))*a^8*\exp(2)-1280*c*d^7*\exp(1)^11*\sqrt{c*d*\exp(1))*a^8-768*c^2*d^9*\exp(1)^ \\
& 9*\sqrt{c*d*\exp(1))*a^7)/3840/d^3/\exp(1)^2/a^2/((\sqrt{a*d*\exp(1)+a*x*\exp(2)+} \\
& c*d^2*x+c*d*x^2*\exp(1))-\sqrt{c*d*\exp(1)}*x)^2-d*\exp(1)*a)^5)
\end{aligned}$$

**maple [B]** time = 0.04, size = 3991, normalized size = 13.81

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}/x^6/(e*x+d), x)$

[Out] 
$$\begin{aligned}
& -1/16/d^3*e^4*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}+13/40/d^3/a/x \\
& ^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}+17/160/e/a^3*(c*d*e*x^2+a*d*e+(a \\
& *e^2+c*d^2)*x)^{(5/2)}*c^3-3/128/d^4*e^7*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1 \\
& /2)}*a^2+15/128/d^3*e^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c-1/128/d^5* \\
& e^6*a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}+1/5/d^6*e^5*((x+d/e)^2*c*d*e+ \\
& (a*e^2-c*d^2)*(x+d/e))^{(5/2)}+3/128*e^3*c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*( \\
& x+d/e))^{(1/2)}-15/128*e^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^2+25/128 \\
& /d^6*e^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}-31/80/d^4*e/a/x^3*(c*d*e*x \\
& ^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}+3/32*d^2*e/a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2) \\
& *x)^{(1/2)}*c^3-15/128*d^3*e^2/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a \\
& *d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^3+1/5/d/a^3*c^3*( \\
& c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*x+109/320/d^3/a^2/x^2*(c*d*e*x^2+a*d \\
& *e+(a*e^2+c*d^2)*x)^{(7/2)}*c+1/8/d^6*e^7*a*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x \\
& +d/e))^{(3/2)}*x+3/64/d^6*e^9*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{( \\
& 1/2)}-1/8/d^4*e^5*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}*x+1/16/d^7 \\
& *e^8*a^2/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}+9/64/d^5*e^8*a^2*( \\
& (x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x-3/128/d^8*e^11*a^4/c^2*((x+d \\
& /e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}-3/64/d^2*e^5*a*c*((x+d/e)^2*c*d*e+ \\
& (a*e^2-c*d^2)*(x+d/e))^{(1/2)}+15/128/d^4*e^9*a^3*\ln((1/2*a*e^2-1/2*c*d^2+(x+ \\
& d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c \\
& *d*e)^{(1/2)}+3/64/d*e^4*c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x- \\
& 3/256*d^2*e^3*c^3*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+ \\
& d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+15/256*e^5*a*c^2*1
\end{aligned}$$

$$\begin{aligned}
& n\left(\frac{1}{2}ae^{-2}-\frac{1}{2}cd^2+(x+d/e)cd\right)/(cd)^{1/2}+\left(\frac{x+d}{e}\right)^2cd+(ae^{-2}-cd^2)(x+d/e)^{1/2}/(cd)^{1/2}+11/320/a^4/e^3/x(cdex^2+ad+(ae^{-2}+cd^2)x)^{7/2} \\
& *c^3-1/80/a^3/e^3/x^3(cdex^2+ad+(ae^{-2}+cd^2)x)^{7/2}*c^2-9/128*d^4/a^2/e*(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}*c^4+3/128 \\
& *d^6/a^3/e^3*(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}*c^5+1/128*d^5/a^4/e^4*(cdex^2+ad+(ae^{-2}+cd^2)x)^{3/2} \\
& *c^5+3/640*d^4/a^5/e^5*(cdex^2+ad+(ae^{-2}+cd^2)x)^{5/2}*c^5-7/128*d^3/a^3/e^2*(cdex^2+ad+(ae^{-2}+cd^2)x)^{3/2} \\
& *c^4-17/640*d^2/a^4/e^3*(cdex^2+ad+(ae^{-2}+cd^2)x)^{5/2}*c^4+15/256*d^5/a/(ad)^{1/2}*\ln\left(\frac{2ad+(ae^{-2}+cd^2)x+2(ad)^{1/2}}{(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}}\right) \\
& /x*c^4-3/64*d^3/a^2*(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}*x*c^4-1/5/d^2/a/e/x^5*(cdex^2+ad+(ae^{-2}+cd^2)x)^{7/2} \\
& -1/8/d^6*e^7*a*(cdex^2+ad+(ae^{-2}+cd^2)x)^{3/2}*x-15/256*e^5*\ln\left(\frac{cdex+1/2ae^2+1/2cd^2}{(cd)^{1/2}}\right) \\
& +\left(\frac{cdex^2+ad+(ae^{-2}+cd^2)x}{(cd)^{1/2}}\right)*a*c^2-9/64/d^5*e^8*(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}*x*a^2-253/640/d^6*e^3/a/x \\
& *(cdex^2+ad+(ae^{-2}+cd^2)x)^{7/2}+15/128/d^4*e^5*(cdex^2+ad+(ae^{-2}+cd^2)x)^{3/2}*x*c-15/128/d^4*e^9*\ln\left(\frac{cdex+1/2ae^2+1/2cd^2}{(cd)^{1/2}}\right) \\
& +\left(\frac{cdex^2+ad+(ae^{-2}+cd^2)x}{(cd)^{1/2}}\right)*a^3-3/64/d^6*e^9/c*(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}*a^3+15/128/d^2*e^5*c \\
& *(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}*\ln\left(\frac{cdex+1/2ae^2+1/2cd^2}{(cd)^{1/2}}\right) \\
& +\left(\frac{cdex^2+ad+(ae^{-2}+cd^2)x}{(cd)^{1/2}}\right)+3/256/d^3*e^8*a^3/(ad)^{1/2}*\ln\left(\frac{2ad+(ae^{-2}+cd^2)x+2(ad)^{1/2}}{(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}}\right) \\
& /x+273/640/d^4*e^3/a*(cdex^2+ad+(ae^{-2}+cd^2)x)^{5/2}*c+129/320/d^5*e^2/a/x^2*(cdex^2+ad+(ae^{-2}+cd^2)x)^{7/2} \\
& +47/160/d^2*e/a^2*(cdex^2+ad+(ae^{-2}+cd^2)x)^{5/2}*c^2+139/320/d^3*e^2/a^2*c^2*(cdex^2+ad+(ae^{-2}+cd^2)x)^{5/2} \\
& *x+15/128*d^4*a/(ad)^{1/2}*\ln\left(\frac{2ad+(ae^{-2}+cd^2)x+2(ad)^{1/2}}{(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}}\right) \\
& /x*c^2-139/320/d^4*e/a^2/x*(cdex^2+ad+(ae^{-2}+cd^2)x)^{7/2}*c-15/256/d^6*a^2/(ad)^{1/2}*\ln\left(\frac{2ad+(ae^{-2}+cd^2)x+2(ad)^{1/2}}{(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}}\right) \\
& /x*c+15/128/d^2*e^7*c*\ln\left(\frac{cdex+1/2ae^2+1/2cd^2}{(cd)^{1/2}}\right) \\
& +\left(\frac{cdex^2+ad+(ae^{-2}+cd^2)x}{(cd)^{1/2}}\right)*a^2+15/128/d^3*e^6*(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}*x*a*c+15/256/d^6*e^{11}/c \\
& *\ln\left(\frac{cdex+1/2ae^2+1/2cd^2}{(cd)^{1/2}}\right) \\
& +\left(\frac{cdex^2+ad+(ae^{-2}+cd^2)x}{(cd)^{1/2}}\right)*a^4+253/640/d^5*e^4/c/a*(cdex^2+ad+(ae^{-2}+cd^2)x)^{5/2} \\
& *x-5/64*d^2/a^3/e*(cdex^2+ad+(ae^{-2}+cd^2)x)^{3/2}*x*c^4-1/5/d^2/a^2/e/x^3*(cdex^2+ad+(ae^{-2}+cd^2)x)^{7/2} \\
& *c-11/320*d/a^4/e^2*c^4*(cdex^2+ad+(ae^{-2}+cd^2)x)^{5/2}*x+3/640*d^3/a^5/e^4*c^5*(cdex^2+ad+(ae^{-2}+cd^2)x)^{5/2} \\
& *x-3/640*d^2/a^5/e^5/x*(cdex^2+ad+(ae^{-2}+cd^2)x)^{7/2}*c^4+19/320/d/a^3/e^2/x^2*(cdex^2+ad+(ae^{-2}+cd^2)x)^{7/2} \\
& *c^2-1/320*d/a^4/e^4/x^2*(cdex^2+ad+(ae^{-2}+cd^2)x)^{7/2}*c^3+1/128*d^4/a^4/e^3*(cdex^2+ad+(ae^{-2}+cd^2)x)^{3/2} \\
& *x*c^5+3/128*d^5/a^3/e^2*(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}*x*c^5-3/256*d^7/a^2/e^2/(ad)^{1/2}*\ln\left(\frac{2ad+(ae^{-2}+cd^2)x+2(ad)^{1/2}}{(cdex^2+ad+(ae^{-2}+cd^2)x)^{1/2}}\right) \\
& /x*c^5+3/40/d/a^2/e^2/x^4*(cdex^2+ad+(ae^{-2}+cd^2)x)^{7/2}*c-3/64/d^7*e^{10}*a^3/c*((x+d/
\end{aligned}$$

$$e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d/e))^{(1/2)} * x - 9/64/d^3 * e^6 * a * c * ((x + d/e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d/e))^{(1/2)} * x + 3/256/d^8 * e^{13} * a^5 / c^2 * \ln((1/2 * a * e^2 - 1/2 * c * d^2 + (x + d/e) * c * d * e) / (c * d * e))^{(1/2)} + ((x + d/e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d/e))^{(1/2)} / (c * d * e)^{(1/2)} - 15/128/d^2 * e^7 * a^2 * c * \ln((1/2 * a * e^2 - 1/2 * c * d^2 + (x + d/e) * c * d * e) / (c * d * e))^{(1/2)} + ((x + d/e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d/e))^{(1/2)} / (c * d * e)^{(1/2)} - 15/256/d^6 * e^{11} * a^4 / c * \ln((1/2 * a * e^2 - 1/2 * c * d^2 + (x + d/e) * c * d * e) / (c * d * e))^{(1/2)} + ((x + d/e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d/e))^{(1/2)} / (c * d * e)^{(1/2)} - 3/256/d^8 * e^{13} * a^5 / c^2 * \ln((c * d * e * x + 1/2 * a * e^2 + 1/2 * c * d^2) / (c * d * e))^{(1/2)} + (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{(1/2)} / (c * d * e)^{(1/2)} + 3/64/d^7 * e^{10} * a^3 / c * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{(1/2)} * x - 1/5/d^2/e/a^3/x * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{(7/2)} * c^2 + 5/64/d^2 * e^3/a * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{(3/2)} * x * c^2 - 1/16/d^7 * e^8 * a^2/c * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{(3/2)} + 3/128/d^8 * e^{11} * a^4 / c^2 * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{(1/2)}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^6/(e\*x+d),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)\*x^6), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{5/2}}{x^6(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(x^6\*(d + e\*x)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/(x^6\*(d + e\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/x\*\*6/(e\*x+d),x)

[Out] Timed out

$$3.301 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^7(d+ex)} dx$$

Optimal. Leaf size=386

$$\frac{(7ae^2 + 5cd^2)(cd^2 - ae^2)^5 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{1024a^{7/2}d^{9/2}e^{7/2}} - \frac{(7ae^2 + 5cd^2)(cd^2 - ae^2)^3 (x(ae^2 + cd^2) + 2ade)^{3/2}}{512a^3d^4e^3x^2}$$

**Rubi [A]** time = 0.49, antiderivative size = 386, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 834, 806, 720, 724, 206}

$$\frac{(7ae^2 + 5cd^2)(cd^2 - ae^2)^5 (x(ae^2 + cd^2) + 2ade) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{512a^3d^4e^3x^2} + \frac{(7ae^2 + 5cd^2)(cd^2 - ae^2)(x(ae^2 + cd^2) + 2ade) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{192a^2d^3e^2x^4} + \frac{(7ae^2 + 5cd^2)(cd^2 - ae^2)^5 \tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{1024a^{7/2}d^{9/2}e^{7/2}} - \frac{\left(\frac{5}{2} - \frac{2e}{d}\right)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{60x^6} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{6dx^6}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^7\*(d + e\*x)), x]

[Out] -((c\*d^2 - a\*e^2)^3\*(5\*c\*d^2 + 7\*a\*e^2)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(512\*a^3\*d^4\*e^3\*x^2) + ((c\*d^2 - a\*e^2)\*(5\*c\*d^2 + 7\*a\*e^2)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(192\*a^2\*d^3\*e^2\*x^4) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(6\*d\*x^6) - (((5\*c)/(a\*e) - (7\*e)/d^2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(60\*x^5) + ((c\*d^2 - a\*e^2)^5\*(5\*c\*d^2 + 7\*a\*e^2)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(1024\*a^(7/2)\*d^(9/2)\*e^(7/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 720

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(d\*b - 2\*a\*e + (2\*c\*d - b\*e)\*x)\*(a + b\*x + c\*x^2)^p)/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[(p\*(b^2 - 4\*a\*c))/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && EqQ[m + 2\*p + 2, 0] && GtQ[p, 0]

Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 806

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 834

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(m + 1)*(c*d^2 - b*d*e + a*e^2), x] + Dist[1/(m + 1)*(c*d^2 - b*d*e + a*e^2), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 849

```
Int[((x_)^(n_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_))/((d_.) + (e_.)*(x_)), x_Symbol]
:> Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^7(d+ex)} dx &= \int \frac{(ae + cdx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^7} dx \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{6dx^6} - \frac{\int \frac{(-\frac{1}{2}ae(5cd^2 - 7ae^2) + acde^2x)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^6} dx}{6ade} \\
&= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{6dx^6} - \frac{\left(\frac{5c}{ae} - \frac{7e}{d^2}\right)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{60x^5} \\
&= -\frac{(cd^2 - ae^2)(5cd^2 + 7ae^2)(2ade + (cd^2 + ae^2)x)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{192a^2d^3e^2x^4} \\
&= -\frac{(cd^2 - ae^2)^3(5cd^2 + 7ae^2)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512a^3d^4e^3x^2} \\
&= -\frac{(cd^2 - ae^2)^3(5cd^2 + 7ae^2)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512a^3d^4e^3x^2} \\
&= -\frac{(cd^2 - ae^2)^3(5cd^2 + 7ae^2)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{512a^3d^4e^3x^2}
\end{aligned}$$

**Mathematica [A]** time = 0.99, size = 344, normalized size = 0.89

$$\frac{\left( (d+ex)(ae+cdx)^{3/2} \left[ \frac{5x(cd^2-ae^2) \left( \frac{x(a^2-cd^2) \sqrt{3x^2(cd^2-ae^2)^2 \tanh^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{d}\sqrt{e}\sqrt{d+ex}\sqrt{ae+cdx}(ae(2d+5ex)-3cd^2)}\right)}{d} + \sqrt{d}\sqrt{e}\sqrt{d+ex}\sqrt{ae+cdx}(ae(2d+5ex)-3cd^2)}{d} \right)}{1280d^2x^5(d+ex)^{3/2}(ae+cdx)^{3/2}} - 16(d+ex)^{5/2}(ae+cdx)^{3/2} - 128d(d+ex)^{5/2}(ae+cdx)^{3/2} \right]}{6ade} - \frac{(d+ex)(ae+cdx)^2}{x^6} \right)}{6ade}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^7\*(d + e\*x)), x]

[Out] (((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*(-(((a\*e + c\*d\*x)^2\*(d + e\*x))/x^6) - ((5\*c\*d^2 + 7\*a\*e^2)\*(-128\*d\*(a\*e + c\*d\*x)^(5/2)\*(d + e\*x)^(5/2) + 5\*(c\*d^2 - a\*e^2)\*x\*(-16\*(a\*e + c\*d\*x)^(3/2)\*(d + e\*x)^(5/2) + ((c\*d^2 - a\*e^2)\*x\*(-8\*sqrt[a\*e + c\*d\*x]\*(d + e\*x)^(5/2) + ((-c\*d^2) + a\*e^2)\*x\*(sqrt[a]\*sqrt[d]\*S

```

qrt[e]*Sqrt[a*e + c*d*x]*Sqrt[d + e*x]*(-3*c*d^2*x + a*e*(2*d + 5*e*x)) + 3
*(c*d^2 - a*e^2)^2*x^2*ArcTanh[(Sqrt[d]*Sqrt[a*e + c*d*x])/(Sqrt[a]*Sqrt[e]
*Sqrt[d + e*x])])/(a^(5/2)*Sqrt[d]*e^(5/2))/d))/(1280*d^2*x^5*(a*e + c*
d*x)^(3/2)*(d + e*x)^(3/2)))/(6*a*d*e)

```

**IntegrateAlgebraic** [F] time = 180.31, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```

[In] IntegrateAlgebraic[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)/(x^7*(d +
e*x)),x]

```

[Out] \$Aborted

**fricas** [A] time = 60.75, size = 1072, normalized size = 2.78

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/x^7/(e*x+d),x, algorithm=
"fricas")

```

```

[Out] [-1/30720*(15*(5*c^6*d^12 - 18*a*c^5*d^10*e^2 + 15*a^2*c^4*d^8*e^4 + 20*a^3
*c^3*d^6*e^6 - 45*a^4*c^2*d^4*e^8 + 30*a^5*c*d^2*e^10 - 7*a^6*e^12)*sqrt(a*
d*e)*x^6*log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 - 4*s
qrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sq
rt(a*d*e) + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) + 4*(1280*a^6*d^6*e^6 + (75*a
*c^5*d^11*e - 245*a^2*c^4*d^9*e^3 + 150*a^3*c^3*d^7*e^5 - 546*a^4*c^2*d^5*e
^7 + 415*a^5*c*d^3*e^9 - 105*a^6*d*e^11)*x^5 - 2*(25*a^2*c^4*d^10*e^2 - 80*
a^3*c^3*d^8*e^4 - 174*a^4*c^2*d^6*e^6 + 136*a^5*c*d^4*e^8 - 35*a^6*d^2*e^10
)*x^4 + 8*(5*a^3*c^3*d^9*e^3 + 423*a^4*c^2*d^7*e^5 + 27*a^5*c*d^5*e^7 - 7*a
^6*d^3*e^9)*x^3 + 16*(135*a^4*c^2*d^8*e^4 + 278*a^5*c*d^6*e^6 + 3*a^6*d^4*e
^8)*x^2 + 128*(25*a^5*c*d^7*e^5 + 13*a^6*d^5*e^7)*x)*sqrt(c*d*e*x^2 + a*d*e
+ (c*d^2 + a*e^2)*x))/(a^4*d^5*e^4*x^6), -1/15360*(15*(5*c^6*d^12 - 18*a*c
^5*d^10*e^2 + 15*a^2*c^4*d^8*e^4 + 20*a^3*c^3*d^6*e^6 - 45*a^4*c^2*d^4*e^8
+ 30*a^5*c*d^2*e^10 - 7*a^6*e^12)*sqrt(-a*d*e)*x^6*arctan(1/2*sqrt(c*d*e*x^
2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-a*d*e)/(
a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x)) + 2*(1280*a^6*d
^6*e^6 + (75*a*c^5*d^11*e - 245*a^2*c^4*d^9*e^3 + 150*a^3*c^3*d^7*e^5 - 546
*a^4*c^2*d^5*e^7 + 415*a^5*c*d^3*e^9 - 105*a^6*d*e^11)*x^5 - 2*(25*a^2*c^4*
d^10*e^2 - 80*a^3*c^3*d^8*e^4 - 174*a^4*c^2*d^6*e^6 + 136*a^5*c*d^4*e^8 - 3
5*a^6*d^2*e^10)*x^4 + 8*(5*a^3*c^3*d^9*e^3 + 423*a^4*c^2*d^7*e^5 + 27*a^5*c
d^5*e^7 - 7*a^6*d^3*e^9)*x^3 + 16*(135*a^4*c^2*d^8*e^4 + 278*a^5*c*d^6*e^6

```

$$+ 3*a^6*d^4*e^8)*x^2 + 128*(25*a^5*c*d^7*e^5 + 13*a^6*d^5*e^7)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(a^4*d^5*e^4*x^6)]$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^7/(e\*x+d),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.06, size = 4735, normalized size = 12.27

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/x^7/(e\*x+d),x)

[Out]  $\frac{1}{16}d^4e^5c((x+d/e)^2c*d*e+(a*e^2-c*d^2)*(x+d/e))^{3/2}-3/128/d^4e^4c^2((x+d/e)^2c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2}+7/1536/d^6a^7e^7(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2}+7/512/d^5a^2e^8(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}-35/384/d^4e^5(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2}+17/60/d^3/a/x^5(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{7/2}+1/512*d^3/a^2(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}+c^4-59/320/d/a^3(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2}+25/512/d^4e^4(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}+c^2+9/64/d^6e^9(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}+x*a^2+15/128/d^5e^10*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e))^{1/2}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2})/(c*d*e)^{1/2}+a^3-101/512/d^7e^6(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2}-1/5/d^7e^6((x+d/e)^2c*d*e+(a*e^2-c*d^2)*(x+d/e))^{5/2}+3/64/d^7e^10/c(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}+a^3-3/256*d^4e^4c^3*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e))^{1/2}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2})/(c*d*e)^{1/2}+1017/2560/d^7/a^4/x(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{7/2}-1/512*d^5/a^6/e^6(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2}+c^6-5/512*d^7/a^4/e^4(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}+c^6-397/960/d^5/a^4e^4(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2}+c-35/1536/d^2/a^3e^3(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2}+c^2+49/1536*d^2/a^3/e(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2}+c^4-5/64/d^3a^6e^6(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}+c-2681/7680/d^3/a^2e^2(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2}+c^2+1/64*d^5/a^3/e^2(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}+c^5-221/7680*d/a^4/e^2(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{5/2}+c^4-57/160/d^4/a^4e/x^4(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{7/2}+7/384*d^4/a^4/e^3(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{3/2}+c^5-1/64*d/a^4e^2(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2}+c^3-5/256/a^4e^4$



$$\begin{aligned}
&^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^{-11/480}/a^4/e^3/x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}*c^{-45/1024}*a*e^5/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^{-2-1/32}/a^3/e^3/x^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}*c^{-81/1280}/a^4/e*c^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*x-1/6/d^2/a/e/x^6*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}+35/768*d/a^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x*c^4+5/256*d^2*e^3/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^{-3-185/1536}/d^5*e^6*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x*c+381/1280/d^3/a^3/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}*c^2+15/512/d^2*e^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^2+89/320/d^3/a^2/x^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}*c-7/1024/d^4*a^3*e^9/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)+1/120*d^3/a^5/e^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(5/2)}*c^5-1543/3840/d^6/a^3/e^3/x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}-5/1536*d^6/a^5/e^5*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*c^6+377/960/d^5/a^2/x^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(7/2)}+1/8/d^5*e^6*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}*x-1/8/d^7*e^8*a*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}*x-3/64/d^7*e^10*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}-1/16/d^8*e^9*a^2/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(3/2)}-9/64/d^6*e^9*a^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x+3/128/d^9*e^12*a^4/c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}+3/64/d^3*e^6*a*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}-15/128/d^5*e^10*a^3*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}-3/64/d^2*e^5*c^2*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x+3/256*d*e^4*c^3*\ln(((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+1/8/d^7*e^8*a*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}*x+1/16/d^8*e^9*a^2/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}-3/128/d^9*e^12*a^4/c^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+3/64/d^8*e^11*a^3/c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x+9/64/d^4*e^7*a*c*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x-3/256/d^9*e^14*a^5/c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+15/128/d^3*e^8*a^2*c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}-15/256/d*e^6*a*c^2*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}+15/256/d^7*e^12*a^4/c*\ln((1/2*a*e^2-1/2*c*d^2+(x+d/e)*c*d*e)/(c*d*e)^{(1/2)}+((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)})/(c*d*e)^{(1/2)}-15/128/d^3*e^8*c*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a^2-3/64/d^8*e^11*a^3/c*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x+3/256/d^9*e^14*a^5/c^2*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}+15/256/d*e^6*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^{(1/2)}*a*c^2-15/256/d^7*e^12/c*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{(1/2)}+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})
\end{aligned}$$

$$\frac{1}{(cde)^{1/2}} a^4 + \frac{15}{512} d^2 a^2 e^7 / (ade)^{1/2} \ln\left(\frac{2ade + (ae^2 + cd^2)x + 2(ade)^{1/2}(cde^2x^2 + ade + (ae^2 + cd^2)x)^{1/2}}{x}\right) + \frac{3}{512} d^4 / a^3 e (cde^2x^2 + ade + (ae^2 + cd^2)x)^{1/2} x c^5 - \frac{5}{512} d^6 / a^4 e^3 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{1/2} x c^6 - \frac{25}{768} d / a^2 e^2 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{3/2} x c^3 + \frac{89}{7680} d^2 / a^5 e^3 c^5 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{5/2} x - \frac{1}{512} d^4 / a^6 e^5 c^6 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{5/2} x + \frac{1}{768} d^2 / a^5 e^5 x^2 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{7/2} c^4 + \frac{43}{1536} d^3 / a^4 e^2 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{3/2} x c^5 - \frac{5}{1536} d^5 / a^5 e^4 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{3/2} x c^6 + \frac{29}{320} d / a^3 e^2 / x^3 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{7/2} c^2 + \frac{1}{192} d / a^4 e^4 / x^3 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{7/2} c^3 - \frac{9}{512} d^6 / a^2 e / (ade)^{1/2} \ln\left(\frac{2ade + (ae^2 + cd^2)x + 2(ade)^{1/2}(cde^2x^2 + ade + (ae^2 + cd^2)x)^{1/2}}{x}\right) + \frac{5}{1024} d^8 / a^3 e^3 (ade)^{1/2} \ln\left(\frac{2ade + (ae^2 + cd^2)x + 2(ade)^{1/2}(cde^2x^2 + ade + (ae^2 + cd^2)x)^{1/2}}{x}\right) + \frac{81}{1280} d / a^4 e^2 / x (cde^2x^2 + ade + (ae^2 + cd^2)x)^{7/2} c^3 - \frac{89}{7680} d / a^5 e^4 / x (cde^2x^2 + ade + (ae^2 + cd^2)x)^{7/2} c^4 + \frac{1}{512} d^3 / a^6 e^6 / x (cde^2x^2 + ade + (ae^2 + cd^2)x)^{7/2} c^5 - \frac{11}{30} d^4 / a^2 e / x^2 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{7/2} c^3 + \frac{3211}{7680} d^5 / a^2 e^2 / x (cde^2x^2 + ade + (ae^2 + cd^2)x)^{7/2} c^5 - \frac{1017}{2560} d^6 / a e^5 c (cde^2x^2 + ade + (ae^2 + cd^2)x)^{5/2} x - \frac{3211}{7680} d^4 / a^2 e^3 c^2 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{5/2} x - \frac{381}{1280} d^2 / a^3 e c^3 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{5/2} x - \frac{65}{512} d^4 a e^7 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{1/2} x c^7 + \frac{7}{256} d^2 / a^2 e (cde^2x^2 + ade + (ae^2 + cd^2)x)^{1/2} x c^4 + \frac{1}{12} d / a^2 e^2 / x^5 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{7/2} c^4 + \frac{15}{1024} d^4 / a e / (ade)^{1/2} \ln\left(\frac{2ade + (ae^2 + cd^2)x + 2(ade)^{1/2}(cde^2x^2 + ade + (ae^2 + cd^2)x)^{1/2}}{x}\right) + \frac{65}{1536} d^3 / a e^4 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{3/2} x c^2 - \frac{43}{240} d^2 / a^2 e / x^4 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{7/2} c^2 - \frac{113}{640} d^2 / a^3 e / x^2 (cde^2x^2 + ade + (ae^2 + cd^2)x)^{7/2} c^2$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{5/2}}{(ex + d)x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((ade + (ae^2 + cd^2)x + cde^2x^2)^(5/2) / x^7 / (ex + d), x, algorithm="maxima")

[Out] integrate((cde^2x^2 + ade + (cd^2 + ae^2)x)^(5/2) / ((ex + d)x^7), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{5/2}}{x^7 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/(x^7*(d + e*x)),x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/(x^7*(d + e*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/x**7/(e*x+d),x)
```

```
[Out] Timed out
```

$$3.302 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^8(d+ex)} dx$$

Optimal. Leaf size=500

$$\frac{(-63a^2e^4 + 20acd^2e^2 + 35c^2d^4)(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{840a^2d^3e^2x^5} - \frac{(9a^2e^4 + 10acd^2e^2 + 5c^2d^4)(cd^2 - ae^2)^5 \tanh^{-1}}{2048a^{9/2}d^{11/2}e^{9/2}}$$

**Rubi [A]** time = 0.64, antiderivative size = 500, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 834, 806, 720, 724, 206}

$$\frac{(9a^2e^4 + 10acd^2e^2 + 5c^2d^4)(cd^2 - ae^2)^5 \tanh^{-1}\left(\frac{cd^2 - ae^2}{(cd^2 + ae^2)x + ade + cdex^2}\right)}{2048a^{9/2}d^{11/2}e^{9/2}} - \frac{(-63a^2e^4 + 20acd^2e^2 + 35c^2d^4)(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{840a^2d^3e^2x^5} + \frac{(9a^2e^4 + 10acd^2e^2 + 5c^2d^4)(cd^2 - ae^2)^5 \tanh^{-1}\left(\frac{cd^2 - ae^2}{(cd^2 + ae^2)x + ade + cdex^2}\right)}{2048a^{9/2}d^{11/2}e^{9/2}} - \frac{(9a^2e^4 + 10acd^2e^2 + 5c^2d^4)(cd^2 - ae^2)^5 \tanh^{-1}\left(\frac{cd^2 - ae^2}{(cd^2 + ae^2)x + ade + cdex^2}\right)}{2048a^{9/2}d^{11/2}e^{9/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^8\*(d + e\*x)), x]

[Out] ((c\*d^2 - a\*e^2)^3\*(5\*c^2\*d^4 + 10\*a\*c\*d^2\*e^2 + 9\*a^2\*e^4)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(1024\*a^4\*d^5\*e^4\*x^2) - ((c\*d^2 - a\*e^2)\*(5\*c^2\*d^4 + 10\*a\*c\*d^2\*e^2 + 9\*a^2\*e^4)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(384\*a^3\*d^4\*e^3\*x^4) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(7\*d\*x^7) - (((5\*c)/(a\*e) - (9\*e)/d^2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(84\*x^6) + ((35\*c^2\*d^4 + 20\*a\*c\*d^2\*e^2 - 63\*a^2\*e^4)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(840\*a^2\*d^3\*e^2\*x^5) - ((c\*d^2 - a\*e^2)^5\*(5\*c^2\*d^4 + 10\*a\*c\*d^2\*e^2 + 9\*a^2\*e^4)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(2048\*a^(9/2)\*d^(11/2)\*e^(9/2))

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 720

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(d\*b - 2\*a\*e + (2\*c\*d - b\*e)\*x)\*(a + b\*x + c\*x^2)^p)/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[(p\*(b^2 - 4\*a\*c))/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && EqQ[m + 2\*p + 2, 0]

] && GtQ[p, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 806

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] - Dist[(b\*(e\*f + d\*g) - 2\*(c\*d\*f + a\*e\*g))/(2\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

### Rule 834

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2), x] + Dist[1/(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p\*Simp[(c\*d\*f - f\*b\*e + a\*e\*g)\*(m + 1) + b\*(d\*g - e\*f)\*(p + 1) - c\*(e\*f - d\*g)\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 849

Int[((x\_)^(n\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_))/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := Int[x^n\*(a/d + (c\*x)/e)\*(a + b\*x + c\*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2\*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

### Rubi steps

$$\begin{aligned}
 \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^8(d + ex)} dx &= \int \frac{(ae + cdx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^8} dx \\
 &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{7dx^7} - \frac{\int \frac{(-\frac{1}{2}ae(5cd^2 - 9ae^2) + 2acde^2x)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^7} dx}{7ade} \\
 &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{7dx^7} - \frac{(\frac{5c}{ae} - \frac{9e}{d^2})(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{84x^6} \\
 &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{7dx^7} - \frac{(\frac{5c}{ae} - \frac{9e}{d^2})(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{84x^6} \\
 &= -\frac{(cd^2 - ae^2)(5c^2d^4 + 10acd^2e^2 + 9a^2e^4)(2ade + (cd^2 + ae^2)x)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{384a^3d^4e^3x^4} \\
 &= \frac{(cd^2 - ae^2)^3(5c^2d^4 + 10acd^2e^2 + 9a^2e^4)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{1024a^4d^5e^4x^2} \\
 &= \frac{(cd^2 - ae^2)^3(5c^2d^4 + 10acd^2e^2 + 9a^2e^4)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{1024a^4d^5e^4x^2} \\
 &= \frac{(cd^2 - ae^2)^3(5c^2d^4 + 10acd^2e^2 + 9a^2e^4)(2ade + (cd^2 + ae^2)x)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{1024a^4d^5e^4x^2}
 \end{aligned}$$

**Mathematica [A]** time = 0.75, size = 408, normalized size = 0.82

$$\frac{((d + ex)(ae + cdx))^{3/2} \left( \frac{7(9a^2d^4 + 10acd^2e^2 + 5c^2d^4)}{15360ad^3ex^5(d+ex)^{3/2}(ae+cdx)^{3/2}} \left( \frac{5x(a^2 - ae^2) \left( \frac{x(a^2 - ae^2) \left( 3a^2(a^2 - ae^2)^2 \tanh^{-1} \left( \frac{\sqrt{d} \sqrt{ae + cdx}}{\sqrt{d} \sqrt{d + ex}} \right) + \sqrt{d} \sqrt{d + ex} \sqrt{ae + cdx} (ae + 5cx - 3a^2d) \right)}{\sqrt{d} \sqrt{d + ex}} \right) + \frac{8(d+ex)^{5/2} \sqrt{ae+cdx}}{d} - 16(d+ex)^{5/2} (ae+cdx)^{3/2} - 128d(d+ex)^{5/2} (ae+cdx)^{5/2} \right)}{12adex^6} + \frac{(d+ex)(9a^2 + 7cd^2)(ae+cdx)^2}{x^2} - \frac{(d+ex)(ae+cdx)^2}{x^2} \right)}{7ade}$$

Antiderivative was successfully verified.

```

[In] Integrate[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)/(x^8*(d + e*x)),x]
[Out] (((a*e + c*d*x)*(d + e*x))^(3/2)*(-(((a*e + c*d*x)^2*(d + e*x))/x^7) + ((7*c*d^2 + 9*a*e^2)*(a*e + c*d*x)^2*(d + e*x))/(12*a*d*e*x^6) + (7*(5*c^2*d^4

```

$$+ 10*a*c*d^2*e^2 + 9*a^2*e^4)*(-128*d*(a*e + c*d*x)^{(5/2)}*(d + e*x)^{(5/2)} + 5*(c*d^2 - a*e^2)*x*(-16*(a*e + c*d*x)^{(3/2)}*(d + e*x)^{(5/2)} + ((c*d^2 - a*e^2)*x*(-8*\sqrt{a*e + c*d*x}*(d + e*x)^{(5/2)} + ((-c*d^2) + a*e^2)*x*(\sqrt{a}*\sqrt{d}*\sqrt{e}*\sqrt{a*e + c*d*x}*\sqrt{d + e*x}*(-3*c*d^2*x + a*e*(2*d + 5*e*x)) + 3*(c*d^2 - a*e^2)^2*x^2*\text{ArcTanh}[(\sqrt{d}*\sqrt{a*e + c*d*x})/(\sqrt{a}*\sqrt{e}*\sqrt{d + e*x})]))/(a^{(5/2)}*\sqrt{d}*e^{(5/2)})))/d))/((15360*a*d^3*e*x^5*(a*e + c*d*x)^{(3/2)}*(d + e*x)^{(3/2)}))/((7*a*d*e)$$

**IntegrateAlgebraic [F]** time = 184.30, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^8\*(d + e\*x)),x]

[Out] \$Aborted

**fricas [A]** time = 124.86, size = 1300, normalized size = 2.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^8/(e\*x+d),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/430080*(105*(5*c^7*d^14 - 15*a*c^6*d^12*e^2 + 9*a^2*c^5*d^10*e^4 + 5*a^3*c^4*d^8*e^6 + 15*a^4*c^3*d^6*e^8 - 45*a^5*c^2*d^4*e^10 + 35*a^6*c*d^2*e^12 - 9*a^7*e^14)*\sqrt{a*d*e}*x^7*\log((8*a^2*d^2*e^2 + (c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4)*x^2 + 4*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*a*d*e + (c*d^2 + a*e^2)*x)*\sqrt{a*d*e} + 8*(a*c*d^3*e + a^2*d*e^3)*x)/x^2) + 4*(15360*a^7*d^7*e^7 - (525*a*c^6*d^13*e - 1400*a^2*c^5*d^11*e^3 + 525*a^3*c^4*d^9*e^5 + 600*a^4*c^3*d^7*e^7 - 3689*a^5*c^2*d^5*e^9 + 3360*a^6*c*d^3*e^11 - 945*a^7*d*e^13)*x^6 + 2*(175*a^2*c^5*d^12*e^2 - 455*a^3*c^4*d^10*e^4 + 150*a^4*c^3*d^8*e^6 - 1166*a^5*c^2*d^6*e^8 + 1099*a^6*c*d^4*e^10 - 315*a^7*d^2*e^12)*x^5 - 8*(35*a^3*c^4*d^11*e^3 - 90*a^4*c^3*d^9*e^5 - 228*a^5*c^2*d^7*e^7 + 218*a^6*c*d^5*e^9 - 63*a^7*d^3*e^11)*x^4 + 16*(15*a^4*c^3*d^10*e^4 + 2095*a^5*c^2*d^8*e^6 + 93*a^6*c*d^6*e^8 - 27*a^7*d^4*e^10)*x^3 + 128*(185*a^5*c^2*d^9*e^5 + 380*a^6*c*d^7*e^7 + 3*a^7*d^5*e^9)*x^2 + 1280*(29*a^6*c*d^8*e^6 + 15*a^7*d^6*e^8)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})/(a^5*d^6*e^5*x^7), 1/215040*(105*(5*c^7*d^14 - 15*a*c^6*d^12*e^2 + 9*a^2*c^5*d^10*e^4 + 5*a^3*c^4*d^8*e^6 + 15*a^4*c^3*d^6*e^8 - 45*a^5*c^2*d^4*e^10 + 35*a^6*c*d^2*e^12 - 9*a^7*e^14)*\sqrt{-a*d*e}*x^7*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*a*d*e + (c*d^2 + a*e^2)*x)*\sqrt{-a*d*e})/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e + a^2*d*e^3)*x) - 2*(15360*a^7*d^7*e^7 - (525*a*c^6*d^13*e - 1400*a^2*c^5*d^11*e^3 + 525*a^3*c^4*d^9*e^5 + 60 \end{aligned}$$

```
0*a^4*c^3*d^7*e^7 - 3689*a^5*c^2*d^5*e^9 + 3360*a^6*c*d^3*e^11 - 945*a^7*d*
e^13)*x^6 + 2*(175*a^2*c^5*d^12*e^2 - 455*a^3*c^4*d^10*e^4 + 150*a^4*c^3*d^
8*e^6 - 1166*a^5*c^2*d^6*e^8 + 1099*a^6*c*d^4*e^10 - 315*a^7*d^2*e^12)*x^5
- 8*(35*a^3*c^4*d^11*e^3 - 90*a^4*c^3*d^9*e^5 - 228*a^5*c^2*d^7*e^7 + 218*a
^6*c*d^5*e^9 - 63*a^7*d^3*e^11)*x^4 + 16*(15*a^4*c^3*d^10*e^4 + 2095*a^5*c^
2*d^8*e^6 + 93*a^6*c*d^6*e^8 - 27*a^7*d^4*e^10)*x^3 + 128*(185*a^5*c^2*d^9*
e^5 + 380*a^6*c*d^7*e^7 + 3*a^7*d^5*e^9)*x^2 + 1280*(29*a^6*c*d^8*e^6 + 15*
a^7*d^6*e^8)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(a^5*d^6*e^5*x
^7)]
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/x^8/(e*x+d),x, algorithm=
"giac")
```

```
[Out] Timed out
```

**maple** [B] time = 0.09, size = 5353, normalized size = 10.71

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/x^8/(e*x+d),x)
```

```
[Out] result too large to display
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)x^8} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/x^8/(e*x+d),x, algorithm=
"maxima")
```

```
[Out] integrate((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(5/2)/((e*x + d)*x^8), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{\frac{5}{2}}}{x^8 (d + ex)} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/(x^8*(d + e*x)),x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/(x^8*(d + e*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/x**8/(e*x+d),x)
```

```
[Out] Timed out
```

$$3.303 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^9(d+ex)} dx$$

Optimal. Leaf size=628

$$\frac{(-33a^2e^4 + 10acd^2e^2 + 15c^2d^4)(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{448a^2d^3e^2x^6} - \frac{(-231a^3e^6 + 15a^2cd^2e^4 + 95ac^2d^4e^2 + 105c^3d^6)}{4480a^3d^4e^3x^5}$$

**Rubi [A]** time = 0.89, antiderivative size = 628, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {849, 834, 806, 720, 724, 206}

[[[849] a^2 d^3 e^2 x^6 - 33 a^2 e^4 x^5 + 10 a c d^2 e^2 x^4 + 15 c^2 d^4 x^3] (a d e + (c d^2 + a e^2) x + c d e x^2)^{5/2} - (-231 a^3 e^6 + 15 a^2 c d^2 e^4 + 95 a c^2 d^4 e^2 + 105 c^3 d^6) x^5] / (448 a^2 d^3 e^2 x^6 - 4480 a^3 d^4 e^3 x^5)]

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^9\*(d + e\*x)),x]

[Out] (-3\*(c\*d^2 - a\*e^2)^3\*(15\*c^3\*d^6 + 35\*a\*c^2\*d^4\*e^2 + 45\*a^2\*c\*d^2\*e^4 + 3\*a^3\*e^6)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(16384\*a^5\*d^6\*e^5\*x^2) + ((c\*d^2 - a\*e^2)\*(15\*c^3\*d^6 + 35\*a\*c^2\*d^4\*e^2 + 45\*a^2\*c\*d^2\*e^4 + 33\*a^3\*e^6)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(2048\*a^4\*d^5\*e^4\*x^4) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(8\*d\*x^8) - (((5\*c)/(a\*e) - (11\*e)/d^2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(112\*x^7) + ((15\*c^2\*d^4 + 10\*a\*c\*d^2\*e^2 - 33\*a^2\*e^4)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(448\*a^2\*d^3\*e^2\*x^6) - ((105\*c^3\*d^6 + 95\*a\*c^2\*d^4\*e^2 + 15\*a^2\*c\*d^2\*e^4 - 231\*a^3\*e^6)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(4480\*a^3\*d^4\*e^3\*x^5) + (3\*(c\*d^2 - a\*e^2)^5\*(15\*c^3\*d^6 + 35\*a\*c^2\*d^4\*e^2 + 45\*a^2\*c\*d^2\*e^4 + 33\*a^3\*e^6)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(32768\*a^(11/2)\*d^(13/2)\*e^(11/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 720

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(d\*b - 2\*a\*e + (2\*c\*d - b\*e)\*x)\*(a + b\*x + c\*x^2)^p)/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[(p\*(b^2 - 4\*a\*c

))/((2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && EqQ[m + 2\*p + 2, 0] && GtQ[p, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_.))\*Sqrt[(a\_.) + (b\_.)\*(x\_.) + (c\_.)\*(x\_.)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 806

Int[((d\_.) + (e\_.)\*(x\_.))^(m\_.)\*((f\_.) + (g\_.)\*(x\_.))\*((a\_.) + (b\_.)\*(x\_.) + (c\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] - Dist[(b\*(e\*f + d\*g) - 2\*(c\*d\*f + a\*e\*g))/(2\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

### Rule 834

Int[((d\_.) + (e\_.)\*(x\_.))^(m\_.)\*((f\_.) + (g\_.)\*(x\_.))\*((a\_.) + (b\_.)\*(x\_.) + (c\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[1/((m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p\*Simp[(c\*d\*f - f\*b\*e + a\*e\*g)\*(m + 1) + b\*(d\*g - e\*f)\*(p + 1) - c\*(e\*f - d\*g)\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 849

Int[((x\_)^(n\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_)))/((d\_) + (e\_.)\*(x\_)), x\_Symbol] := Int[x^n\*(a/d + (c\*x)/e)\*(a + b\*x + c\*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2\*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))

### Rubi steps

$$\begin{aligned}
 \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{x^9(d + ex)} dx &= \int \frac{(ae + cdx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^9} dx \\
 &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{8dx^8} - \frac{\int \frac{(-\frac{1}{2}ae(5cd^2 - 11ae^2) + 3acde^2x)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{x^8} dx}{8ade} \\
 &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{8dx^8} - \frac{(\frac{5c}{ae} - \frac{11e}{d^2})(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{112x^7} \\
 &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{8dx^8} - \frac{(\frac{5c}{ae} - \frac{11e}{d^2})(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{112x^7} \\
 &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{8dx^8} - \frac{(\frac{5c}{ae} - \frac{11e}{d^2})(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{112x^7} \\
 &= \frac{(cd^2 - ae^2)(15c^3d^6 + 35ac^2d^4e^2 + 45a^2cd^2e^4 + 33a^3e^6)(2ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2048a^4d^5e^4x^4} \\
 &= -\frac{3(cd^2 - ae^2)^3(15c^3d^6 + 35ac^2d^4e^2 + 45a^2cd^2e^4 + 33a^3e^6)(2ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{16384a^5d^6e^5x^2} \\
 &= -\frac{3(cd^2 - ae^2)^3(15c^3d^6 + 35ac^2d^4e^2 + 45a^2cd^2e^4 + 33a^3e^6)(2ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{16384a^5d^6e^5x^2} \\
 &= -\frac{3(cd^2 - ae^2)^3(15c^3d^6 + 35ac^2d^4e^2 + 45a^2cd^2e^4 + 33a^3e^6)(2ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{16384a^5d^6e^5x^2}
 \end{aligned}$$

**Mathematica [A]** time = 1.46, size = 512, normalized size = 0.82

$$\frac{((d + ex)(ae + cdx))^{3/2} \left( \frac{(d^2 + ex^2)(33a^2d^6 + 34acd^4e^2 + 21c^2d^2e^4)(ae + cdx)^2}{56a^2d^6e^4} + \frac{(33a^2d^6 + 34acd^4e^2 + 21c^2d^2e^4)(ae + cdx)^2}{56a^2d^6e^4} + \frac{(22a^2d^6 + 21acd^4e^2 + 15c^2d^2e^4)(ae + cdx)^2}{112a^2d^6e^4} + 5(a^2 - ae^2) \left( \frac{36a^2d^6 + 21acd^4e^2 + 15c^2d^2e^4}{112a^2d^6e^4} + \frac{3a^2d^6 + 21acd^4e^2 + 15c^2d^2e^4}{112a^2d^6e^4} \right) \sqrt{ae + cdx} + (a^2 - ae^2) \left( \frac{3a^2d^6 + 21acd^4e^2 + 15c^2d^2e^4}{112a^2d^6e^4} + \frac{3a^2d^6 + 21acd^4e^2 + 15c^2d^2e^4}{112a^2d^6e^4} \right) \sqrt{ae + cdx} + (a^2 - ae^2) \left( \frac{3a^2d^6 + 21acd^4e^2 + 15c^2d^2e^4}{112a^2d^6e^4} + \frac{3a^2d^6 + 21acd^4e^2 + 15c^2d^2e^4}{112a^2d^6e^4} \right) \sqrt{ae + cdx} + (a^2 - ae^2) \left( \frac{3a^2d^6 + 21acd^4e^2 + 15c^2d^2e^4}{112a^2d^6e^4} + \frac{3a^2d^6 + 21acd^4e^2 + 15c^2d^2e^4}{112a^2d^6e^4} \right) \sqrt{ae + cdx} \right)}{144a^2d^6e^4} + \frac{(d^2 + ex^2)(33a^2d^6 + 34acd^4e^2 + 21c^2d^2e^4)(ae + cdx)^2}{56a^2d^6e^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)/(x^9*(d + e*x)), x]
```

```
[Out] (((a*e + c*d*x)*(d + e*x))^(3/2)*(-(((a*e + c*d*x)^2*(d + e*x))/x^8) + ((9*c*d^2 + 11*a*e^2)*(a*e + c*d*x)^2*(d + e*x))/(14*a*d*e*x^7) - ((21*c^2*d^4 + 34*a*c*d^2*e^2 + 33*a^2*e^4)*(a*e + c*d*x)^2*(d + e*x))/(56*a^2*d^2*e^2*x
```

$$\begin{aligned} &^6) + ((15*c^3*d^6 + 35*a*c^2*d^4*e^2 + 45*a^2*c*d^2*e^4 + 33*a^3*e^6)*(128 \\ &*a^{(5/2)}*d^{(5/2)}*e^{(5/2)}*(a*e + c*d*x)^{(5/2)}*(d + e*x)^{(5/2)} + 5*(c*d^2 - a \\ &*e^2)*x*(16*a^{(5/2)}*d^{(3/2)}*e^{(5/2)}*(a*e + c*d*x)^{(3/2)}*(d + e*x)^{(5/2)} + ( \\ &c*d^2 - a*e^2)*x*(8*a^{(5/2)}*Sqrt[d]*e^{(5/2)}*Sqrt[a*e + c*d*x]*(d + e*x)^{(5/ \\ &2)} + (c*d^2 - a*e^2)*x*(Sqrt[a]*Sqrt[d]*Sqrt[e]*Sqrt[a*e + c*d*x]*Sqrt[d + \\ &e*x]*(-3*c*d^2*x + a*e*(2*d + 5*e*x)) + 3*(c*d^2 - a*e^2)^2*x^2*ArcTanh[(Sq \\ &rt[d]*Sqrt[a*e + c*d*x])/(Sqrt[a]*Sqrt[e]*Sqrt[d + e*x])])))))/(10240*a^{(9/ \\ &2)}*d^{(11/2)}*e^{(9/2)}*x^5*(a*e + c*d*x)^{(3/2)}*(d + e*x)^{(3/2)))/((8*a*d*e) \end{aligned}$$

**IntegrateAlgebraic** [F] time = 180.03, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(x^9\*(d + e\*x)), x]

[Out] \$Aborted

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^9/(e\*x+d),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/x^9/(e\*x+d),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.13, size = 6030, normalized size = 9.60

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/x^9/(e*x+d),x)`

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/x^9/(e*x+d),x, algorithm="maxima")`

[Out] `integrate((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(5/2)/((e*x + d)*x^9), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{\frac{5}{2}}}{x^9(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/(x^9*(d + e*x)),x)`

[Out] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/(x^9*(d + e*x)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/x**9/(e*x+d),x)`

[Out] Timed out

$$3.304 \quad \int \frac{x^3}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=271

$$\frac{3(a^2e^4 + 2acd^2e^2 + 5c^2d^4) \tanh^{-1}\left(\frac{ae^2+cd^2+2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{8c^{5/2}d^{5/2}e^{7/2}} - \frac{3(ae^2 + 3cd^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4c^2d^2e^3}$$

**Rubi [A]** time = 0.34, antiderivative size = 298, normalized size of antiderivative = 1.10, number of steps used = 5, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {849, 818, 779, 621, 206}

$$\frac{3(a^2e^4 + 2acd^2e^2 + 5c^2d^4) \tanh^{-1}\left(\frac{ae^2+cd^2+2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{8c^{5/2}d^{5/2}e^{7/2}} - \frac{((5cd^2 - 3ae^2)(ae^2 + 3cd^2) - 2cdex(5cd^2 - ae^2))\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4c^2d^2e^3(cd^2 - ae^2)} - \frac{2dx^2(cd^2 - ae^2) + ae(cd^2 - ae^2)}{e(cd^2 - ae^2)^2\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] (-2\*d\*x^2\*(a\*e\*(c\*d^2 - a\*e^2) + c\*d\*(c\*d^2 - a\*e^2)\*x)/(e\*(c\*d^2 - a\*e^2)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (((5\*c\*d^2 - 3\*a\*e^2)\*(3\*c\*d^2 + a\*e^2) - 2\*c\*d\*e\*(5\*c\*d^2 - a\*e^2)\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*c^2\*d^2\*e^3\*(c\*d^2 - a\*e^2)) + (3\*(5\*c^2\*d^4 + 2\*a\*c\*d^2\*e^2 + a^2\*e^4)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(8\*c^(5/2)\*d^(5/2)\*e^(7/2))

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 779

Int[((d\_) + (e\_)\*(x\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((b\*e\*g\*(p + 2) - c\*(e\*f + d\*g))\*(2\*p + 3) -

```

2*c*e*g*(p + 1)*x*(a + b*x + c*x^2)^(p + 1)/(2*c^2*(p + 1)*(2*p + 3)), x
] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p +
3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d
, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]

```

### Rule 818

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^(m - 1)*(a + b*x + c*x^2)^(
p + 1)*(2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (2*c^2*d*f + b^2*e*g - c*(
b*e*f + b*d*g + 2*a*e*g))*x))/(c*(p + 1)*(b^2 - 4*a*c)), x] - Dist[1/(c*(p
+ 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 2)*(a + b*x + c*x^2)^(p + 1)*Simp[2
*c^2*d^2*f*(2*p + 3) + b*e*g*(a*e*(m - 1) + b*d*(p + 2)) - c*(2*a*e*(e*f*(m
- 1) + d*g*m) + b*d*(d*g*(2*p + 3) - e*f*(m - 2*p - 4))] + e*(b^2*e*g*(m +
p + 1) + 2*c^2*d*f*(m + 2*p + 2) - c*(2*a*e*g*m + b*(e*f + d*g)*(m + 2*p +
2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c,
0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && ((EqQ[m,
2] && EqQ[p, -3] && RationalQ[a, b, c, d, e, f, g]) || !ILtQ[m + 2*p + 3,
0])

```

### Rule 849

```

Int[((x_)^(n_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_
)), x_Symbol] := Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; F
reeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n
, 2] || (GtQ[p, 0] && NeQ[n, 2]))

```

### Rubi steps



$$\begin{aligned}
\int \frac{x^3}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= \int \frac{x^3(ae+cdx)}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx \\
&= -\frac{2dx^2(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{e(cd^2-ae^2)^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{2\int \frac{x(2acd^2e(cd^2-ae^2)+cd^3e^2)}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{ca} \\
&= -\frac{2dx^2(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{e(cd^2-ae^2)^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{((5cd^2-3ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2})}{ca} \\
&= -\frac{2dx^2(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{e(cd^2-ae^2)^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{((5cd^2-3ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2})}{ca} \\
&= -\frac{2dx^2(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{e(cd^2-ae^2)^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{((5cd^2-3ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2})}{ca}
\end{aligned}$$

**Mathematica [A]** time = 0.51, size = 331, normalized size = 1.22

$$\frac{3\sqrt{cd}\sqrt{cd^2-ae^2}(-a^3e^6-a^2cd^2e^4-3a^2d^4e^2+5c^3d^6)\sqrt{ae+cdx}\sqrt{\frac{cd(dx)}{cd^2-ae^2}}\sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd^2-ae^2}}\right)+c^{3/2}d^{3/2}\sqrt{e}(3a^3e^5(d+cx)+a^2cde^3(4d^2+5dex+e^2x^2)-a^2d^2e(15d^3+d^2ex-4de^2x^2+2e^3x^3))+c^3d^4x(-15d^2-5dex+2e^2x^2)}{4c^{7/2}d^{7/2}e^{7/2}(cd^2-ae^2)\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] (c^(3/2)\*d^(3/2)\*Sqrt[e]\*(3\*a^3\*e^5\*(d + e\*x) + a^2\*c\*d\*e^3\*(4\*d^2 + 5\*d\*e\*x + e^2\*x^2) + c^3\*d^4\*x\*(-15\*d^2 - 5\*d\*e\*x + 2\*e^2\*x^2) - a\*c^2\*d^2\*e\*(15\*d^3 + d^2\*e\*x - 4\*d\*e^2\*x^2 + 2\*e^3\*x^3)) + 3\*Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2]\*(5\*c^3\*d^6 - 3\*a\*c^2\*d^4\*e^2 - a^2\*c\*d^2\*e^4 - a^3\*e^6)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])]/(4\*c^(7/2)\*d^(7/2)\*e^(7/2)\*(c\*d^2 - a\*e^2)\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [F]** time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[x^3/((d + e*x)*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]),x]
```

```
[Out] $Aborted
```

```
fricas [A] time = 0.90, size = 758, normalized size = 2.80
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/16*(3*(5*c^3*d^7 - 3*a*c^2*d^5*e^2 - a^2*c*d^3*e^4 - a^3*d*e^6 + (5*c^3*d^6*e - 3*a*c^2*d^4*e^3 - a^2*c*d^2*e^5 - a^3*e^7)*x)*sqrt(c*d*e)*log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(c*d*e) + 8*(c^2*d^3*e + a*c*d*e^3)*x) - 4*(15*c^3*d^6*e - 4*a*c^2*d^4*e^3 - 3*a^2*c*d^2*e^5 - 2*(c^3*d^4*e^3 - a*c^2*d^2*e^5)*x^2 + (5*c^3*d^5*e^2 - 2*a*c^2*d^3*e^4 - 3*a^2*c*d*e^6)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c^4*d^6*e^4 - a*c^3*d^4*e^6 + (c^4*d^5*e^5 - a*c^3*d^3*e^7)*x), -1/8*(3*(5*c^3*d^7 - 3*a*c^2*d^5*e^2 - a^2*c*d^3*e^4 - a^3*d*e^6 + (5*c^3*d^6*e - 3*a*c^2*d^4*e^3 - a^2*c*d^2*e^5 - a^3*e^7)*x)*sqrt(-c*d*e)*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(-c*d*e)/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) + 2*(15*c^3*d^6*e - 4*a*c^2*d^4*e^3 - 3*a^2*c*d^2*e^5 - 2*(c^3*d^4*e^3 - a*c^2*d^2*e^5)*x^2 + (5*c^3*d^5*e^2 - 2*a*c^2*d^3*e^4 - 3*a^2*c*d*e^6)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(c^4*d^6*e^4 - a*c^3*d^4*e^6 + (c^4*d^5*e^5 - a*c^3*d^3*e^7)*x)]
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, replacing 0 by `u`, a substitution
variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu
tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs
titution variable should perhaps be purged.Warning, replacing 0 by `u`, a
```

substitution variable should perhaps be purged.Warning, replacing 0 by `u`  
 , a substitution variable should perhaps be purged.Warning, replacing 0 by  
 `u`, a substitution variable should perhaps be purged.Warning, replacing 0  
 by `u`, a substitution variable should perhaps be purged.Evaluation time:  
 0.41Error: Bad Argument Type

**maple [A]** time = 0.02, size = 391, normalized size = 1.44

$$\frac{3a^2 e \ln\left(\frac{cdx^2 + ade + (a^2 + c d^2)x}{\sqrt{cdx^2 + ade + (a^2 + c d^2)x}}\right)}{8\sqrt{cd} c^2 d^2} + \frac{3a \ln\left(\frac{cdx^2 + ade + (a^2 + c d^2)x}{\sqrt{cdx^2 + ade + (a^2 + c d^2)x}}\right)}{4\sqrt{cd} c e} + \frac{15a^2 \ln\left(\frac{cdx^2 + ade + (a^2 + c d^2)x}{\sqrt{cdx^2 + ade + (a^2 + c d^2)x}}\right)}{8\sqrt{cd} c^2 d^2} + \frac{2\sqrt{\left(x + \frac{d}{c}\right) c d e + (a^2 - c d^2)\left(x + \frac{d}{c}\right) d^2}}{(a^2 - c d^2)\left(x + \frac{d}{c}\right) d^2} + \frac{\sqrt{cdx^2 + ade + (a^2 + c d^2)x} x}{2a d e^2} - \frac{\sqrt{cdx^2 + ade + (a^2 + c d^2)x} a}{4c^2 d^2 e} - \frac{7\sqrt{cdx^2 + ade + (a^2 + c d^2)x}}{4c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e\*x+d)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2),x)

[Out] 1/2/e^2\*x/c/d\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)-3/4/e/c^2/d^2\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)\*a-7/4/e^3/c\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)+3/8\*e/c^2/d^2\*ln((c\*d\*e\*x+1/2\*a\*e^2+1/2\*c\*d^2)/(c\*d\*e)^(1/2)+(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2))/(c\*d\*e)^(1/2)\*a^2+3/4/e/c\*ln((c\*d\*e\*x+1/2\*a\*e^2+1/2\*c\*d^2)/(c\*d\*e)^(1/2)+(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2))/(c\*d\*e)^(1/2)\*a+15/8\*d^2/e^3\*ln((c\*d\*e\*x+1/2\*a\*e^2+1/2\*c\*d^2)/(c\*d\*e)^(1/2)+(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2))/(c\*d\*e)^(1/2)+2\*d^3/e^4/(a\*e^2-c\*d^2)/(x+d/e)\*((x+d/e)^2\*c\*d\*e+(a\*e^2-c\*d^2)\*(x+d/e))^(1/2)

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3}{(d + e x) \sqrt{c d e x^2 + (c d^2 + a e^2) x + a d e}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/((d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)),x)

[Out] `int(x^3/((d + e*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)), x)`  
**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{(d+ex)(ae+cdx)}(d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/(e*x+d)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2), x)`

[Out] `Integral(x**3/(sqrt((d + e*x)*(a*e + c*d*x))*(d + e*x)), x)`

$$3.305 \quad \int \frac{x^2}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=195

$$\frac{(ae^2 + 3cd^2) \tanh^{-1}\left(\frac{ae^2+cd^2+2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{2c^{3/2}d^{3/2}e^{5/2}} + \frac{2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{e^2(d+ex)(cd^2-ae^2)} + \frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{cde^2}$$

**Rubi** [A] time = 0.35, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$ , Rules used = {1638, 792, 621, 206}

$$\frac{(ae^2 + 3cd^2) \tanh^{-1}\left(\frac{ae^2+cd^2+2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{2c^{3/2}d^{3/2}e^{5/2}} + \frac{2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{e^2(d+ex)(cd^2-ae^2)} + \frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{cde^2}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(c\*d\*e^2) + (2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(e^2\*(c\*d^2 - a\*e^2)\*(d + e\*x)) - ((3\*c\*d^2 + a\*e^2)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(2\*c^(3/2)\*d^(3/2)\*e^(5/2))

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 792

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/((2\*c\*d - b\*e)\*(m + p + 1)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(e\*(2\*c\*d - b\*e)\*(m + p + 1)), Int[(d + e\*x)

```
^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p},
x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && ((LtQ[m, -1]
&& !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2*p + 2, 0
]) && NeQ[m + p + 1, 0]
```

### Rule 1638

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, S
imp[(f*(d + e*x)^(m + q - 1)*(a + b*x + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q
+ 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + b
*x + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1
)*(d + e*x)^q + e*f*(m + p + q)*(d + e*x)^(q - 2)*(b*d - 2*a*e + (2*c*d - b
*e)*x), x], x], x] /; NeQ[m + q + 2*p + 1, 0]] /; FreeQ[{a, b, c, d, e, m,
p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2,
0]
```

### Rubi steps

$$\int \frac{x^2}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{cde^2} + \frac{\int \frac{-\frac{1}{2}de(cd^2+ae^2)-\frac{1}{2}e^2(3cd^2+ae^2)x}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{cde^3}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{cde^2} + \frac{2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{e^2(cd^2-ae^2)(d+ex)}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{cde^2} + \frac{2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{e^2(cd^2-ae^2)(d+ex)}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{cde^2} + \frac{2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{e^2(cd^2-ae^2)(d+ex)}$$

**Mathematica [A]** time = 0.36, size = 255, normalized size = 1.31

$$\frac{c^{3/2}d^{3/2}\sqrt{e}(-a^2e^3(d+ex)+acde(3d^2-e^2x^2)+c^2d^3x(3d+ex))-\sqrt{cd}\sqrt{cd^2-ae^2}(-a^2e^4-2acd^2e^2+3c^2d^4)\sqrt{ae+cdx}\sqrt{\frac{cd(d+ex)}{cd^2-ae^2}}\sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd^2-ae^2}}\right)}{c^{5/2}d^{5/2}e^{5/2}(cd^2-ae^2)\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] (c^(3/2)\*d^(3/2)\*Sqrt[e]\*(-(a^2\*e^3\*(d + e\*x)) + c^2\*d^3\*x\*(3\*d + e\*x) + a\*c\*d\*e\*(3\*d^2 - e^2\*x^2)) - Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2]\*(3\*c^2\*d^4 - 2\*a\*c\*d^2\*e^2 - a^2\*e^4)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2 - a\*e^2])]/(c^(5/2)\*d^(5/2)\*e^(5/2)\*(c\*d^2 - a\*e^2)\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [A]** time = 1.80, size = 328, normalized size = 1.68

$$\frac{\sqrt{cde} (ae^2 + 3cd^2) \log\left(\frac{a^2d^4 + 8cdex\sqrt{cde}\sqrt{x(ae^2 + cd^2) + ade + cdx^2 - 2acd^2e^2 - 4acde^3x + c^2d^4 - 4c^2d^3ex - 8c^2d^2e^2x^2}}{4c^2d^2e^3}\right) + \frac{(-ae^2 - 3cd^2) \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\left(2\sqrt{x(ae^2 + cd^2) + ade + cdx^2} - 2x\sqrt{cde}\right)}{ae^2 + cd^2}\right)}{2c^{3/2}d^{3/2}e^{3/2}}}{cd^2(d + ex)(cd^2 - ae^2)} - \frac{\sqrt{ade + ae^2x + cd^2x + cdx^2} (ade^2 + ae^3x - 3cd^2 - cd^2ex)}{cd^2(d + ex)(cd^2 - ae^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] -((((-3\*c\*d^3 + a\*d\*e^2 - c\*d^2\*e\*x + a\*e^3\*x)\*Sqrt[a\*d\*e + c\*d^2\*x + a\*e^2\*x + c\*d\*e\*x^2])/(c\*d\*e^2\*(c\*d^2 - a\*e^2)\*(d + e\*x))) + ((-3\*c\*d^2 - a\*e^2)\*ArcTanh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*(-2\*Sqrt[c\*d\*e]\*x + 2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(c\*d^2 + a\*e^2)))/(2\*c^(3/2)\*d^(3/2)\*e^(5/2)) + (Sqrt[c\*d\*e]\*(3\*c\*d^2 + a\*e^2)\*Log[c^2\*d^4 - 2\*a\*c\*d^2\*e^2 + a^2\*e^4 - 4\*c^2\*d^3\*e\*x - 4\*a\*c\*d\*e^3\*x - 8\*c^2\*d^2\*e^2\*x^2 + 8\*c\*d\*e\*Sqrt[c\*d\*e]\*x\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(4\*c^2\*d^2\*e^3)

**fricas [A]** time = 0.57, size = 586, normalized size = 3.01

$$\frac{\frac{(3c^2d^5 - 2acd^3e^2 - a^2d^2e^4 + (3c^2d^4e - 2acd^2e^3 - a^2e^5)x) \sqrt{cde} \log\left(\frac{a^2d^4 + 8cdex\sqrt{cde}\sqrt{x(ae^2 + cd^2) + ade + cdx^2 - 2acd^2e^2 - 4acde^3x + c^2d^4 - 4c^2d^3ex - 8c^2d^2e^2x^2}}{4c^2d^2e^3}\right) + \frac{(-ae^2 - 3cd^2) \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\left(2\sqrt{x(ae^2 + cd^2) + ade + cdx^2} - 2x\sqrt{cde}\right)}{ae^2 + cd^2}\right)}{2c^{3/2}d^{3/2}e^{3/2}}}{cd^2(d + ex)(cd^2 - ae^2)} - \frac{\sqrt{ade + ae^2x + cd^2x + cdx^2} (ade^2 + ae^3x - 3cd^2 - cd^2ex)}{cd^2(d + ex)(cd^2 - ae^2)}}{2(3c^2d^5 - 2acd^3e^2 - a^2d^2e^4 + (3c^2d^4e - 2acd^2e^3 - a^2e^5)x) \sqrt{cde} \arctan\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\left(2\sqrt{x(ae^2 + cd^2) + ade + cdx^2} - 2x\sqrt{cde}\right)}{ae^2 + cd^2}\right) + 2(3c^2d^4e - 2acd^2e^3 - a^2e^5)x \sqrt{cde} \arctan\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\left(2\sqrt{x(ae^2 + cd^2) + ade + cdx^2} - 2x\sqrt{cde}\right)}{ae^2 + cd^2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="fricas")

[Out] [1/4\*((3\*c^2\*d^5 - 2\*a\*c\*d^3\*e^2 - a^2\*d^2\*e^4 + (3\*c^2\*d^4\*e - 2\*a\*c\*d^2\*e^3 - a^2\*e^5)\*x)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) + 4\*(3\*c^2\*d^4\*e - a\*c\*d^2\*e^3 + (c^2\*d^3\*e^2 - a\*c\*d\*e^4)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c^3\*d^5\*e^3 - a\*c^2\*d^3\*e^5 + (c^3\*d^4\*e^4 - a\*c^2\*d^2\*e^6)\*x), 1/2\*((3\*c^2\*d^5 - 2\*a\*c\*d^3\*e^2 - a^2\*d^2\*e^4 + (3\*c^2\*d^4\*e - 2\*a\*c\*d^2\*e^3 - a^2\*e^5)\*x)\*sqrt(-c\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(-c\*d\*e)/(c^2\*d^2\*e^2\*x^2 + a\*c\*d^2\*e^2 + (c^2\*d^3\*e + a\*c\*d\*e^3)\*x)) + 2\*(3\*c^2\*d^4\*e - a\*c\*d^2\*e^3 + (c^2\*d^3\*e^2 - a\*c\*d\*e^4)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(c^3\*d^5\*e^3 - a\*c^2\*d^3\*e^5 + (c^3\*d^4\*e^4 - a\*c^2\*d^2\*e^6)\*x)]

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Warning, replacing 0 by `u`, a substitution
variable should perhaps be purged.Warning, replacing 0 by `u`, a substitu
tion variable should perhaps be purged.Warning, replacing 0 by `u`, a subs
titution variable should perhaps be purged.Warning, replacing 0 by `u`, a
substitution variable should perhaps be purged.Warning, replacing 0 by `u`
, a substitution variable should perhaps be purged.Evaluation time: 0.41Err
or: Bad Argument Type
```

**maple** [A] time = 0.01, size = 241, normalized size = 1.24

$$\frac{a \ln\left(\frac{cde x + \frac{1}{2}a^2 + \frac{1}{2}c d^2}{\sqrt{cde}} + \sqrt{cde x^2 + ade + (a^2 + c d^2)x}\right)}{2\sqrt{cde} cd} - \frac{3d \ln\left(\frac{cde x + \frac{1}{2}a^2 + \frac{1}{2}c d^2}{\sqrt{cde}} + \sqrt{cde x^2 + ade + (a^2 + c d^2)x}\right)}{2\sqrt{cde} e^2} - \frac{2\sqrt{\left(x + \frac{d}{e}\right)^2 cde + (a^2 - c d^2)\left(x + \frac{d}{e}\right) d^2}}{(a^2 - c d^2)\left(x + \frac{d}{e}\right) e^3} + \frac{\sqrt{cde x^2 + ade + (a^2 + c d^2)x}}{cd e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(e*x+d)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2),x)
```

```
[Out] (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)/c/d/e^2-1/2/c/d*ln((c*d*e*x+1/2*a*e
^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e
)^(1/2)*a-3/2/e^2*d*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x
^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)-2*d^2/e^3/(a*e^2-c*d^2)/(x+d
/e)*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(a*e^2-c*d^2>0)', see `assume?` for
more details)Is a*e^2-c*d^2 zero or nonzero?
```



mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{(d+ex) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)),x)

[Out] int(x^2/((d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{(d+ex)(ae+cdx)}(d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(e\*x+d)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2),x)

[Out] Integral(x\*\*2/(sqrt((d + e\*x)\*(a\*e + c\*d\*x))\*(d + e\*x)), x)

$$3.306 \quad \int \frac{x}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=139

$$\frac{\tanh^{-1}\left(\frac{ae^2+cd^2+2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{\sqrt{c}\sqrt{d}e^{3/2}} - \frac{2d\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{e(d+ex)(cd^2-ae^2)}$$

**Rubi [A]** time = 0.11, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$ , Rules used = {792, 621, 206}

$$\frac{\tanh^{-1}\left(\frac{ae^2+cd^2+2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{\sqrt{c}\sqrt{d}e^{3/2}} - \frac{2d\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{e(d+ex)(cd^2-ae^2)}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (-2\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(e\*(c\*d^2 - a\*e^2)\*(d + e\*x)) + ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(Sqrt[c]\*Sqrt[d]\*e^(3/2))

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 792

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/((2\*c\*d - b\*e)\*(m + p + 1)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(e\*(2\*c\*d - b\*e)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p},

x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2\*p + 2, 0]) && NeQ[m + p + 1, 0]

### Rubi steps

$$\begin{aligned} \int \frac{x}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= -\frac{2d\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{e(cd^2-ae^2)(d+ex)} + \frac{\int \frac{1}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{e} \\ &= -\frac{2d\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{e(cd^2-ae^2)(d+ex)} + \frac{2 \text{Subst}\left(\int \frac{1}{4cde-x^2} dx, x, \frac{x}{\sqrt{a}}\right)}{e} \\ &= -\frac{2d\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{e(cd^2-ae^2)(d+ex)} + \frac{\tanh^{-1}\left(\frac{cd^2+ae^2+2cdx}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}\right)}{\sqrt{c}\sqrt{d}e^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.42, size = 189, normalized size = 1.36

$$\frac{2\sqrt{cd}(cd^2-ae^2)^{3/2}\sqrt{ae+cdx}\sqrt{\frac{cd(d+ex)}{cd^2-ae^2}}\sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd^2-ae^2}}\right)-2c^{3/2}d^{5/2}\sqrt{e}(ae+cdx)}{c^{3/2}d^{3/2}e^{3/2}(cd^2-ae^2)\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d+e\*x)\*Sqrt[a\*d\*e+(c\*d^2+a\*e^2)\*x+c\*d\*e\*x^2]),x]

[Out] (-2\*c^(3/2)\*d^(5/2)\*Sqrt[e]\*(a\*e+c\*d\*x)+2\*Sqrt[c\*d]\*(c\*d^2-a\*e^2)^(3/2)\*Sqrt[a\*e+c\*d\*x]\*Sqrt[(c\*d\*(d+e\*x))/(c\*d^2-a\*e^2)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*e+c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d^2-a\*e^2])]/(c^(3/2)\*d^(3/2)\*e^(3/2)\*(c\*d^2-a\*e^2)\*Sqrt[(a\*e+c\*d\*x)\*(d+e\*x)])

**IntegrateAlgebraic [B]** time = 0.74, size = 296, normalized size = 2.13

$$\frac{\sqrt{cd}\log\left(\frac{a^2e^4+8cdex\sqrt{cd}\sqrt{x(ae^2+cd^2)}+ade+cdex^2-2acd^2e^2-4acde^3x+c^2d^4-4c^2d^3ex-8c^2d^2e^2x^2}{2cde^2}\right)+\frac{2d\sqrt{ade+ae^2x+cd^2x+cdex^2}}{e(d+ex)(ae^2-cd^2)}-\frac{\tanh^{-1}\left(\frac{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{cdx}}{ae^2+cd^2}-\frac{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)}+ade+cdex^2}{ae^2+cd^2}\right)}{\sqrt{c}\sqrt{d}e^{3/2}}}{\sqrt{c}\sqrt{d}e^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((d+e\*x)\*Sqrt[a\*d\*e+(c\*d^2+a\*e^2)\*x+c\*d\*e\*x^2]),x]

[Out]  $(2*d*\sqrt{a*d*e + c*d^2*x + a*e^2*x + c*d*e*x^2})/(e*(-(c*d^2) + a*e^2)*(d + e*x)) - \text{ArcTanh}[(2*\sqrt{c}*\sqrt{d}*\sqrt{e}*\sqrt{c*d*e}*x)/(c*d^2 + a*e^2) - (2*\sqrt{c}*\sqrt{d}*\sqrt{e}*\sqrt{a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2})/(c*d^2 + a*e^2)]/(\sqrt{c}*\sqrt{d}*e^{(3/2)}) - (\sqrt{c*d*e}*\text{Log}[c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4 - 4*c^2*d^3*e*x - 4*a*c*d*e^3*x - 8*c^2*d^2*e^2*x^2 + 8*c*d*e*\sqrt{c*d*e}*x*\sqrt{a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2}])/(2*c*d*e^2)$

**fricas** [A] time = 0.55, size = 443, normalized size = 3.19

$$\frac{4\sqrt{cdx^2+ade+(a^2+ad^2)xcfe-(a^2-ad^2+(a^2c-ad^2e))\sqrt{cde}\log(8c^2d^2e^2+c^2d^4+6acd^2e^2+a^2e^4+4\sqrt{cdx^2+ade+(a^2+ad^2)(2cdex+cf+ad^2)\sqrt{cde}+8(c^2d^3+acd^2e)x})}}{2(c^2d^2-ad^2e+(c^2d^3-acd^2e)x)}} - \frac{2\sqrt{cdx^2+ade+(a^2+ad^2)xcfe+(a^2-ad^2+(a^2c-ad^2e))\sqrt{cde}\arctan\left(\frac{\sqrt{cdx^2+ade+(a^2+ad^2)(2cdex+cf+ad^2)\sqrt{cde}}}{2(c^2d^2+ad^2e+(c^2d^3+acd^2e)x)}\right)}}{c^2d^2-ad^2e+(c^2d^3-acd^2e)x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="fricas")

[Out]  $[-1/2*(4*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*c*d^2*e - (c*d^3 - a*d*e^2 + (c*d^2*e - a*e^3)*x)*\sqrt{c*d*e}*\log(8*c^2*d^2*e^2*x^2 + c^2*d^4 + 6*a*c*d^2*e^2 + a^2*e^4 + 4*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{c*d*e} + 8*(c^2*d^3*e + a*c*d*e^3)*x))/(c^2*d^4*e^2 - a*c*d^2*e^4 + (c^2*d^3*e^3 - a*c*d*e^5)*x), -(2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*c*d^2*e + (c*d^3 - a*d*e^2 + (c*d^2*e - a*e^3)*x)*\sqrt{-c*d*e}*\arctan(1/2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c*d*e}/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)))/(c^2*d^4*e^2 - a*c*d^2*e^4 + (c^2*d^3*e^3 - a*c*d*e^5)*x)]$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Error: Bad Argument Type

**maple** [A] time = 0.01, size = 131, normalized size = 0.94

$$\frac{\ln\left(\frac{cdex+\frac{1}{2}ae^2+\frac{1}{2}cd^2}{\sqrt{cde}} + \sqrt{cdex^2+ade+(ae^2+cd^2)x}\right)}{\sqrt{cde}e} + \frac{2\sqrt{\left(x+\frac{d}{e}\right)^2cde+(ae^2-cd^2)\left(x+\frac{d}{e}\right)d}}{(ae^2-cd^2)\left(x+\frac{d}{e}\right)e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(e*x+d)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2),x)`

[Out] `1/e*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)+2*d/e^2/(a*e^2-c*d^2)/(x+d/e)*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)`

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see 'assume?' for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(d+ex) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/((d+e*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2)),x)`

[Out] `int(x/((d+e*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2)),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{(d+ex)(ae+cdx)}(d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)`

[Out] `Integral(x/(sqrt((d+e*x)*(a*e+c*d*x))*(d+e*x)),x)`

$$3.307 \quad \int \frac{1}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=52

$$\frac{2\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{(d + ex)(cd^2 - ae^2)}$$

Rubi [A] time = 0.02, antiderivative size = 52, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.027$ , Rules used = {650}

$$\frac{2\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{(d + ex)(cd^2 - ae^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] (2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((c\*d^2 - a\*e^2)\*(d + e\*x))

Rule 650

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(2\*c\*d - b\*e)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + 2\*p + 2, 0]

Rubi steps

$$\int \frac{1}{(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{(cd^2-ae^2)(d+ex)}$$

Mathematica [A] time = 0.02, size = 42, normalized size = 0.81

$$\frac{2(ae + cdx)}{(cd^2 - ae^2)\sqrt{(d + ex)(ae + cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] (2\*(a\*e + c\*d\*x))/((c\*d^2 - a\*e^2)\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [A]** time = 0.00, size = 52, normalized size = 1.00

$$\frac{2\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{(d + ex)(cd^2 - ae^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] (2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((c\*d^2 - a\*e^2)\*(d + e\*x))

**fricas [A]** time = 0.48, size = 59, normalized size = 1.13

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{cd^3 - ade^2 + (cd^2e - ae^3)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="fricas")

[Out] 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(c\*d^3 - a\*d\*e^2 + (c\*d^2\*e - a\*e^3)\*x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 2/sqrt(-a\*d\*exp(1)^3+a\*d\*exp(1)\*exp(2))\*atan((-d\*sqrt(c\*d\*exp(1))+sqrt(c\*d\*exp(1)\*x^2+a\*d\*exp(1)+(c\*d^2+a\*exp(2))\*x)-sqrt(c\*d\*exp(1))\*x)\*exp(1))/sqrt(-a\*d\*exp(1)^3+a\*d\*exp(1)\*exp(2))

**maple [A]** time = 0.01, size = 51, normalized size = 0.98

$$\frac{2(cdx + ae)}{(ae^2 - cd^2)\sqrt{cdex^2 + ae^2x + cd^2x + ade}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x+d)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2),x)`

[Out] `-2*(c*d*x+a*e)/(a*e^2-c*d^2)/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)`

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see 'assume?' for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [B] time = 2.64, size = 50, normalized size = 0.96

$$\frac{2\sqrt{c d e x^2 + (c d^2 + a e^2) x + a d e}}{(a e^2 - c d^2) (d + e x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d + e*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)),x)`

[Out] `-(2*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2))/((a*e^2 - c*d^2)*(d + e*x))`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(d + e x) (a e + c d x)} (d + e x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)`

[Out] `Integral(1/(sqrt((d + e*x)*(a*e + c*d*x))*(d + e*x)), x)`



$$3.308 \quad \int \frac{1}{x(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=143

$$\frac{2e(ae+cdx)}{d(cd^2-ae^2)\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{\tanh^{-1}\left(\frac{x(ae^2+cd^2)+2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{\sqrt{a}d^{3/2}\sqrt{e}}$$

**Rubi** [A] time = 0.17, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {851, 822, 12, 724, 206}

$$\frac{2e(ae+cdx)}{d(cd^2-ae^2)\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{\tanh^{-1}\left(\frac{x(ae^2+cd^2)+2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{\sqrt{a}d^{3/2}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] (-2\*e\*(a\*e + c\*d\*x))/(d\*(c\*d^2 - a\*e^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(Sqrt[a]\*d^(3/2)\*Sqrt[e])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 822

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e + 2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m + b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 851

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[((f + g*x)^n*(a + b*x + c*x^2)^(m + p))/(a/d + (c*x)/e)^m, x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0] && IntegerQ[n] && (LtQ[n, 0] || GtQ[p, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= \int \frac{ae+cdx}{x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{2 \int -\frac{ae(cd^2+ae^2)}{2x\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{ade(cd^2-ae^2)} \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{\int \frac{1}{x\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{d} \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{2 \text{Subst} \left( \int \frac{1}{4ade} dx \right)}{d} \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{\tanh^{-1} \left( \frac{1}{2\sqrt{a}\sqrt{d}} \right)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 131, normalized size = 0.92

$$\frac{2 \left( -\frac{\sqrt{d} e^{3/2} (ae+cdx)}{cd^2-ae^2} - \frac{\sqrt{d+ex} \sqrt{ae+cdx} \tanh^{-1} \left( \frac{\sqrt{d} \sqrt{ae+cdx}}{\sqrt{a} \sqrt{e} \sqrt{d+ex}} \right)}{\sqrt{a}} \right)}{d^{3/2} \sqrt{e} \sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] (2\*(-((Sqrt[d]\*e^(3/2)\*(a\*e + c\*d\*x))/(c\*d^2 - a\*e^2)) - (Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])])/Sqrt[a]))/(d^(3/2)\*Sqrt[e]\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [A]** time = 0.55, size = 146, normalized size = 1.02

$$\frac{2 \tanh^{-1} \left( \frac{x\sqrt{cde}}{\sqrt{a}\sqrt{d}\sqrt{e}} - \frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{a}\sqrt{d}\sqrt{e}} \right)}{\sqrt{a}d^{3/2}\sqrt{e}} - \frac{2e\sqrt{ade+ae^2x+cd^2x+cdex^2}}{d(d+ex)(cd^2-ae^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] 
$$\frac{-2e\sqrt{a d e + c d^2 x + a e^2 x + c d e x^2}}{(d(c d^2 - a e^2)(d + e x))} + \frac{2 \operatorname{ArcTanh}\left(\frac{\sqrt{c d e} x}{\sqrt{a} \sqrt{d} \sqrt{e}}\right) - \sqrt{a d e + (c d^2 + a e^2) x + c d e x^2}}{\sqrt{a} \sqrt{d} \sqrt{e}}}{\sqrt{a} d^{3/2} \sqrt{e}}$$

**fricas** [A] time = 0.77, size = 454, normalized size = 3.17

$$\frac{4\sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \operatorname{arctan}\left(\frac{\sqrt{a d e} \log\left(\frac{a^2 d^2 x^2 + 2 a d e x + a e^2}{2\sqrt{c d e} x + a d e + (c d^2 + a e^2) x}\right) \sqrt{a d e}}{2(a c d^2 e - a^2 d^2 e^2 + (a c d^2 e^2 - a^2 d^2 e^4) x)}\right) - 2\sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \operatorname{arctan}\left(\frac{\sqrt{c d e} \operatorname{arctan}\left(\frac{\sqrt{a d e} x}{\sqrt{a} \sqrt{d} \sqrt{e}}\right) \sqrt{a d e}}{2(a c d^2 e - a^2 d^2 e^2 + (a c d^2 e^2 - a^2 d^2 e^4) x)}\right)}{2(a c d^2 e - a^2 d^2 e^2 + (a c d^2 e^2 - a^2 d^2 e^4) x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\left[-\frac{1}{2} \frac{(4\sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} a d e^2 - (c d^3 - a d e^2 + (c d^2 e - a e^3) x) \sqrt{a d e}) \log\left(\frac{8 a^2 d^2 e^2 + (c^2 d^4 + 6 a c d^2 e^2 + a^2 e^4) x^2 - 4 \sqrt{c d e} x \sqrt{a d e} + 8(a c d^3 e + a^2 d e^3) x}{(a c d^5 e - a^2 d^3 e^3 + (a c d^4 e^2 - a^2 d^2 e^4) x)}\right) - (2\sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} a d e^2 - (c d^3 - a d e^2 + (c d^2 e - a e^3) x) \sqrt{-a d e}) \operatorname{arctan}\left(\frac{1}{2} \sqrt{c d e} x \sqrt{a d e} + (c d^2 + a e^2) x\right) \sqrt{-a d e}}{(a c d^5 e - a^2 d^3 e^3 + (a c d^4 e^2 - a^2 d^2 e^4) x)}\right]$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Error: Bad Argument Type

**maple** [A] time = 0.02, size = 136, normalized size = 0.95

$$-\frac{\ln\left(\frac{2 a d e + (a e^2 + c d^2) x + 2 \sqrt{a d e} \sqrt{c d e x^2 + a d e + (a e^2 + c d^2) x}}{x}\right)}{\sqrt{a d e} d} + \frac{2 \sqrt{\left(x + \frac{d}{e}\right)^2 c d e + (a e^2 - c d^2) \left(x + \frac{d}{e}\right)}}{(a e^2 - c d^2) \left(x + \frac{d}{e}\right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(e*x+d)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2),x)`

[Out] 
$$-1/d/(a*d*e)^(1/2)*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^(1/2)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/x)+2/d/(a*e^2-c*d^2)/(x+d/e)*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} (ex + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(e*x + d)*x), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x(d+ex)\sqrt{cdex^2+(cd^2+ae^2)x+ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(d+e*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2)),x)`

[Out] `int(1/(x*(d+e*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2)),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{(d+ex)(ae+cdx)}(d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(e*x+d)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)`

[Out] `Integral(1/(x*sqrt((d+e*x)*(a*e+c*d*x))*(d+e*x)),x)`

$$3.309 \quad \int \frac{1}{x^2(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=229

$$\frac{(3ae^2 + cd^2) \tanh^{-1}\left(\frac{x(ae^2+cd^2)+2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{2a^{3/2}d^{5/2}e^{3/2}} - \frac{(cd^2 - 3ae^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{ad^2ex(cd^2 - ae^2)} - \frac{dx(cd^2 - ae^2)}{dx(cd^2 - ae^2)}$$

**Rubi [A]** time = 0.29, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {851, 822, 806, 724, 206}

$$\frac{(3ae^2 + cd^2) \tanh^{-1}\left(\frac{x(ae^2+cd^2)+2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{2a^{3/2}d^{5/2}e^{3/2}} - \frac{(cd^2 - 3ae^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{ad^2ex(cd^2 - ae^2)} - \frac{2e(ae + cdx)}{dx(cd^2 - ae^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] (-2\*e\*(a\*e + c\*d\*x))/(d\*(c\*d^2 - a\*e^2)\*x\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - ((c\*d^2 - 3\*a\*e^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(a\*d^2\*e\*(c\*d^2 - a\*e^2)\*x) + ((c\*d^2 + 3\*a\*e^2)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(2\*a^(3/2)\*d^(5/2)\*e^(3/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 806

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b

```
*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f
+ d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m
+ 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] &
& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m +
2*p + 3], 0]
```

### Rule 822

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e +
2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x)*(a
+ b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x]
+ Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m +
2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m
+ b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f
*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1
] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 851

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Int[((f + g*x)^n*(a + b*x + c*x^2)^(m +
p))/(a/d + (c*x)/e)^m, x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e
*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !I
negerQ[p] && ILtQ[m, 0] && IntegerQ[n] && (LtQ[n, 0] || GtQ[p, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= \int \frac{ae+cdx}{x^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)x\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{2 \int \frac{-\frac{1}{2}ae(cd^2-3ae^2)}{x^2\sqrt{a}}}{ae} \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)x\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{(cd^2-3ae^2)\sqrt{a}}{ae} \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)x\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{(cd^2-3ae^2)\sqrt{a}}{ae} \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)x\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{(cd^2-3ae^2)\sqrt{a}}{ae}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 201, normalized size = 0.88

$$\frac{x\sqrt{d+ex}(-3a^2e^4+2acd^2e^2+c^2d^4)\sqrt{ae+cdx}\tanh^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{a}\sqrt{e}\sqrt{d+ex}}\right)+\sqrt{a}\sqrt{d}\sqrt{e}(a^2e^3(d+3ex)-acde(d^2-3e^2x^2)-c^2d^3x(d+ex))}{a^{3/2}d^{5/2}e^{3/2}x(cd^2-ae^2)\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] (Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*(-(c^2\*d^3\*x\*(d + e\*x)) + a^2\*e^3\*(d + 3\*e\*x) - a\*c\*d\*e\*(d^2 - 3\*e^2\*x^2)) + (c^2\*d^4 + 2\*a\*c\*d^2\*e^2 - 3\*a^2\*e^4)\*x\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])])/(a^(3/2)\*d^(5/2)\*e^(3/2)\*(c\*d^2 - a\*e^2)\*x\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [A]** time = 0.97, size = 178, normalized size = 0.78

$$\frac{(-3ae^2 - cd^2)\tanh^{-1}\left(\frac{x\sqrt{cde}-\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{a}\sqrt{d}\sqrt{e}}\right)}{a^{3/2}d^{5/2}e^{3/2}} + \frac{\sqrt{ade+ae^2x+cd^2x+cdex^2}(-ade^2-3ae^3x+cd^3+cd^2ex)}{ad^2ex(d+ex)(ae^2-cd^2)}$$

Antiderivative was successfully verified.



[In] IntegrateAlgebraic[1/(x^2\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] 
$$\frac{((c*d^3 - a*d*e^2 + c*d^2*e*x - 3*a*e^3*x)*\text{Sqrt}[a*d*e + c*d^2*x + a*e^2*x + c*d*e*x^2])/(a*d^2*e*(-(c*d^2) + a*e^2)*x*(d + e*x)) + ((-(c*d^2) - 3*a*e^2)*\text{ArcTanh}[\text{Sqrt}[c*d*e]*x - \text{Sqrt}[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(S\text{qrt}[a]*\text{Sqrt}[d]*\text{Sqrt}[e])}{(a^{3/2}*d^{5/2}*e^{3/2})}$$

**fricas** [A] time = 1.54, size = 610, normalized size = 2.66

$$\frac{\sqrt{a d} \left( (c^2 d^4 e + 2 a c d^2 e^3 - 3 a^2 e^5) x^2 + (c^2 d^5 + 2 a c d^3 e^2 - 3 a^2 d e^4) x \right) \log \left( \frac{(8 a^2 d^2 e^2 + (c^2 d^4 + 6 a c d^2 e^2 + a^2 e^4) x^2 + 4 \sqrt{c d e} x^2 + a d e + (c d^2 + a e^2) x) (2 a d e + (c d^2 + a e^2) x) \sqrt{a d e} + 8 (a c d^3 e + a^2 d e^3) x}{x^2} - 4 (a c d^4 e - a^2 d^2 e^3 + (a c d^3 e^2 - 3 a^2 d e^4) x) \sqrt{c d e} x^2 + a d e + (c d^2 + a e^2) x \right) / \left( (a^2 c d^5 e^3 - a^3 d^3 e^5) x^2 + (a^2 c d^6 e^2 - a^3 d^4 e^4) x \right) - 1/2 \sqrt{-a d e} \left( (c^2 d^4 e + 2 a c d^2 e^3 - 3 a^2 e^5) x^2 + (c^2 d^5 + 2 a c d^3 e^2 - 3 a^2 d e^4) x \right) \arctan \left( \frac{1/2 \sqrt{c d e} x^2 + a d e + (c d^2 + a e^2) x}{(2 a d e + (c d^2 + a e^2) x) \sqrt{-a d e}} \right) / \left( (a^2 c d^2 e^2 x^2 + a^2 d^2 e^2 + (a c d^3 e + a^2 d e^3) x) \right) + 2 (a c d^4 e - a^2 d^2 e^3 + (a c d^3 e^2 - 3 a^2 d e^4) x) \sqrt{c d e} x^2 + a d e + (c d^2 + a e^2) x}{(a^2 c d^5 e^3 - a^3 d^3 e^5) x^2 + (a^2 c d^6 e^2 - a^3 d^4 e^4) x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="fricas")

[Out] 
$$\left[ \frac{1}{4} \left( \sqrt{a d e} \left( (c^2 d^4 e + 2 a c d^2 e^3 - 3 a^2 e^5) x^2 + (c^2 d^5 + 2 a c d^3 e^2 - 3 a^2 d e^4) x \right) \log \left( \frac{(8 a^2 d^2 e^2 + (c^2 d^4 + 6 a c d^2 e^2 + a^2 e^4) x^2 + 4 \sqrt{c d e} x^2 + a d e + (c d^2 + a e^2) x) (2 a d e + (c d^2 + a e^2) x) \sqrt{a d e} + 8 (a c d^3 e + a^2 d e^3) x}{x^2} - 4 (a c d^4 e - a^2 d^2 e^3 + (a c d^3 e^2 - 3 a^2 d e^4) x) \sqrt{c d e} x^2 + a d e + (c d^2 + a e^2) x \right) / \left( (a^2 c d^5 e^3 - a^3 d^3 e^5) x^2 + (a^2 c d^6 e^2 - a^3 d^4 e^4) x \right) \right. \right. \\ \left. \left. - \frac{1}{2} \sqrt{-a d e} \left( (c^2 d^4 e + 2 a c d^2 e^3 - 3 a^2 e^5) x^2 + (c^2 d^5 + 2 a c d^3 e^2 - 3 a^2 d e^4) x \right) \arctan \left( \frac{1/2 \sqrt{c d e} x^2 + a d e + (c d^2 + a e^2) x}{(2 a d e + (c d^2 + a e^2) x) \sqrt{-a d e}} \right) / \left( (a^2 c d^2 e^2 x^2 + a^2 d^2 e^2 + (a c d^3 e + a^2 d e^3) x) \right) \right. \right. \\ \left. \left. + 2 (a c d^4 e - a^2 d^2 e^3 + (a c d^3 e^2 - 3 a^2 d e^4) x) \sqrt{c d e} x^2 + a d e + (c d^2 + a e^2) x \right) / \left( (a^2 c d^5 e^3 - a^3 d^3 e^5) x^2 + (a^2 c d^6 e^2 - a^3 d^4 e^4) x \right) \right]$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $2*(2*\exp(1)^2/2/d^2/\text{sqrt}(-a*d*\exp(1)^3+a*d*\exp(1)*\exp(2))*\text{atan}((-d*\text{sqrt}(c*d*\exp(1))+(\text{sqrt}(c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x)-\text{sqrt}(c*d*\exp(1))*x)*\exp(1))/\text{sqrt}(-a*d*\exp(1)^3+a*d*\exp(1)*\exp(2))-(a*\exp(2)+2*\exp(1)^2*a+c*d^2)/d^2/\exp(1)/a/2/\text{sqrt}(-a*d*\exp(1))*\text{atan}((\text{sqrt}(c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x)-\text{sqrt}(c*d*\exp(1))*x)/\text{sqrt}(-a*d*\exp(1)))-((\text{sqrt}(c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x)-\text{sqrt}(c*d*\exp(1))*x)*a*\exp(2)+c*d^2*(\text{sqrt}$

$(c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x)-\sqrt{c*d*\exp(1)*x}-2*d*\exp(1)*\sqrt{c*d*\exp(1)*a}/2/d^2/\exp(1)/a/((\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x}-d*\exp(1)*a))$

**maple** [A] time = 0.02, size = 253, normalized size = 1.10

$$\frac{c \ln\left(\frac{2ade+(a^2+cd^2)x+2\sqrt{ade}\sqrt{cdex^2+ade+(a^2+cd^2)x}}{x}\right)}{2\sqrt{ade}ae} + \frac{3e \ln\left(\frac{2ade+(a^2+cd^2)x+2\sqrt{ade}\sqrt{cdex^2+ade+(a^2+cd^2)x}}{x}\right)}{2\sqrt{ade}d^2} - \frac{2\sqrt{\left(x+\frac{d}{e}\right)^2 cde+(ae^2-cd^2)\left(x+\frac{d}{e}\right)e}}{(ae^2-cd^2)\left(x+\frac{d}{e}\right)d^2} - \frac{\sqrt{cdex^2+ade+(a^2+cd^2)x}}{a^2ex}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(e*x+d)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2), x)`

[Out]  $-1/d^2/a/e/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+3/2*e/d^2/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)+1/2/a/e/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c-2/d^2*e/(a*e^2-c*d^2)/(x+d/e)*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2), x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(e*x + d)*x^2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^2(d+ex)\sqrt{cdex^2+(cd^2+ae^2)x+ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*(d+e*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2)), x)`

[Out] `int(1/(x^2*(d+e*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2\sqrt{(d+ex)(ae+cdx)}(d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/(e*x+d)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)
```

```
[Out] Integral(1/(x**2*sqrt((d + e*x)*(a*e + c*d*x))*(d + e*x)), x)
```

$$3.310 \quad \int \frac{1}{x^3(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=329

$$\frac{(3cd^2 - 5ae^2)(3ae^2 + cd^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4a^2d^3e^2x(cd^2 - ae^2)} - \frac{3(5a^2e^4 + 2acd^2e^2 + c^2d^4)\tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{8a^{5/2}d^{7/2}e^{5/2}}$$

**Rubi [A]** time = 0.51, antiderivative size = 329, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {851, 822, 834, 806, 724, 206}

$$\frac{3(5a^2e^4 + 2acd^2e^2 + c^2d^4)\tanh^{-1}\left(\frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{8a^{5/2}d^{7/2}e^{5/2}} + \frac{(3cd^2 - 5ae^2)(3ae^2 + cd^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4a^2d^3e^2x(cd^2 - ae^2)} - \frac{(cd^2 - 5ae^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{2a^2e^2(cd^2 - ae^2)} - \frac{2e(ae + cdx)}{dx^2(cd^2 - ae^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (-2\*e\*(a\*e + c\*d\*x))/(d\*(c\*d^2 - a\*e^2)\*x^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - ((c\*d^2 - 5\*a\*e^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(2\*a\*d^2\*e\*(c\*d^2 - a\*e^2)\*x^2) + ((3\*c\*d^2 - 5\*a\*e^2)\*(c\*d^2 + 3\*a\*e^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*a^2\*d^3\*e^2\*(c\*d^2 - a\*e^2)\*x) - (3\*(c^2\*d^4 + 2\*a\*c\*d^2\*e^2 + 5\*a^2\*e^4)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(8\*a^(5/2)\*d^(7/2)\*e^(5/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 806

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b

```
*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f
+ d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m
+ 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] &
& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m +
2*p + 3], 0]
```

### Rule 822

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e +
2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x)*(a
+ b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x]
+ Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*(
a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m +
2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m
+ b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f
*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1
] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 834

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*
x + c*x^2)^(p + 1))/((m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((m + 1)
*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(
c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m +
2*p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 -
4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] ||
IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 851

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Int[((f + g*x)^n*(a + b*x + c*x^2)^(m +
p))/(a/d + (c*x)/e)^m, x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e
*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !I
ntegerQ[p] && !LtQ[m, 0] && IntegerQ[n] && (LtQ[n, 0] || GtQ[p, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= \int \frac{ae+cdx}{x^3(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)x^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{2\int \frac{-\frac{1}{2}ae(cd^2-5ae^2)}{x^3\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{2a} \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)x^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{(cd^2-5ae^2)}{2a} \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)x^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{(cd^2-5ae^2)}{2a} \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)x^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{(cd^2-5ae^2)}{2a} \\
&= -\frac{2e(ae+cdx)}{d(cd^2-ae^2)x^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{(cd^2-5ae^2)}{2a}
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 283, normalized size = 0.86

$$\frac{\sqrt{a}\sqrt{d}\sqrt{e}\left(a^3e^4(2d^2-5dex-15e^2x^2)-a^2cde^2(2d^3-4d^2ex+de^2x^2+15e^3x^3)+ac^2d^3ex(d^2+5dex+4e^2x^2)+3e^3d^3x^2(d+ex)-3x^2\sqrt{d+ex}(-5a^3e^6+3a^2cd^2e^4+ac^2d^4e^2+c^3d^6)\sqrt{ae+cdx}\operatorname{tanh}^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{d}\sqrt{e}\sqrt{d+ex}}\right)\right)}{4a^{5/2}d^{7/2}e^{5/2}x^2(cd^2-ae^2)\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] (Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*(3\*c^3\*d^5\*x^2\*(d + e\*x) + a^3\*e^4\*(2\*d^2 - 5\*d\*e\*x - 15\*e^2\*x^2) + a\*c^2\*d^3\*e\*x\*(d^2 + 5\*d\*e\*x + 4\*e^2\*x^2) - a^2\*c\*d\*e^2\*(2\*d^3 - 4\*d^2\*e\*x + d\*e^2\*x^2 + 15\*e^3\*x^3)) - 3\*(c^3\*d^6 + a\*c^2\*d^4\*e^2 + 3\*a^2\*c\*d^2\*e^4 - 5\*a^3\*e^6)\*x^2\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])]/(4\*a^(5/2)\*d^(7/2)\*e^(5/2)\*(c\*d^2 - a\*e^2)\*x^2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [A]** time = 1.45, size = 256, normalized size = 0.78

$$\frac{\sqrt{ade + ae^2x + cd^2x + cdx^2} (-2a^2d^2e^3 + 5a^2de^4x + 15a^2e^5x^2 + 2acd^4e - 2acd^3e^2x - 4acd^2e^3x^2 - 3c^2d^5x - 3c^2d^4ex^2)}{4a^2d^3e^2x^2(d + ex)(ae^2 - cd^2)} + \frac{3(5a^2e^4 + 2acd^2e^2 + c^2d^4) \tanh^{-1}\left(\frac{x\sqrt{cd^2e - \sqrt{a(a^2+cd^2)+nde+cdex^2}}}{\sqrt{a}\sqrt{d}\sqrt{e}}\right)}{4a^{5/2}d^{7/2}e^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x^3\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (Sqrt[a\*d\*e + c\*d^2\*x + a\*e^2\*x + c\*d\*e\*x^2]\*(2\*a\*c\*d^4\*e - 2\*a^2\*d^2\*e^3 - 3\*c^2\*d^5\*x - 2\*a\*c\*d^3\*e^2\*x + 5\*a^2\*d\*e^4\*x - 3\*c^2\*d^4\*e\*x^2 - 4\*a\*c\*d^2\*e^3\*x^2 + 15\*a^2\*e^5\*x^2))/(4\*a^2\*d^3\*e^2\*(-(c\*d^2) + a\*e^2)\*x^2\*(d + e\*x)) + (3\*(c^2\*d^4 + 2\*a\*c\*d^2\*e^2 + 5\*a^2\*e^4)\*ArcTanh[(Sqrt[c\*d\*e]\*x - Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[a]\*Sqrt[d]\*Sqrt[e])])/(4\*a^(5/2)\*d^(7/2)\*e^(5/2))

**fricas [A]** time = 3.72, size = 792, normalized size = 2.41

---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm m="fricas")

[Out] [1/16\*(3\*((c^3\*d^6\*e + a\*c^2\*d^4\*e^3 + 3\*a^2\*c\*d^2\*e^5 - 5\*a^3\*e^7)\*x^3 + (c^3\*d^7 + a\*c^2\*d^5\*e^2 + 3\*a^2\*c\*d^3\*e^4 - 5\*a^3\*d\*e^6)\*x^2)\*sqrt(a\*d\*e)\*log(((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) - 4\*(2\*a^2\*c\*d^5\*e^2 - 2\*a^3\*d^3\*e^4 - (3\*a\*c^2\*d^5\*e^2 + 4\*a^2\*c\*d^3\*e^4 - 15\*a^3\*d\*e^6)\*x^2 - (3\*a\*c^2\*d^6\*e + 2\*a^2\*c\*d^4\*e^3 - 5\*a^3\*d^2\*e^5)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/((a^3\*c\*d^6\*e^4 - a^4\*d^4\*e^6)\*x^3 + (a^3\*c\*d^7\*e^3 - a^4\*d^5\*e^5)\*x^2), 1/8\*(3\*((c^3\*d^6\*e + a\*c^2\*d^4\*e^3 + 3\*a^2\*c\*d^2\*e^5 - 5\*a^3\*e^7)\*x^3 + (c^3\*d^7 + a\*c^2\*d^5\*e^2 + 3\*a^2\*c\*d^3\*e^4 - 5\*a^3\*d\*e^6)\*x^2)\*sqrt(-a\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) - 2\*(2\*a^2\*c\*d^5\*e^2 - 2\*a^3\*d^3\*e^4 - (3\*a\*c^2\*d^5\*e^2 + 4\*a^2\*c\*d^3\*e^4 - 15\*a^3\*d\*e^6)\*x^2 - (3\*a\*c^2\*d^6\*e + 2\*a^2\*c\*d^4\*e^3 - 5\*a^3\*d^2\*e^5)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/((a^3\*c\*d^6\*e^4 - a^4\*d^4\*e^6)\*x^3 + (a^3\*c\*d^7\*e^3 - a^4\*d^5\*e^5)\*x^2)]

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $2*(-2 * \exp(1)^{3/2}/d^3/\sqrt{-a*d*\exp(1)^3+a*d*\exp(1)*\exp(2)} * \operatorname{atan}((-d*\sqrt{c*d*\exp(1)})+(\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x})*\exp(1))/\sqrt{-a*d*\exp(1)^3+a*d*\exp(1)*\exp(2)}+(3*a^2*\exp(2)^2+4*\exp(1)^2*a^2*\exp(2)+8*\exp(1)^4*a^2+6*c*d^2*a*\exp(2)+3*c^2*d^4)/4/d^3/\exp(1)^2/a^2/2/\sqrt{-a*d*\exp(1)} * \operatorname{atan}((\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x})/\sqrt{-a*d*\exp(1)})-(-3*(\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x})^3*a^2*\exp(2)^2-4*\exp(1)^2*(\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x})^3*a^2*\exp(2)-6*c*d^2*(\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x})^3*a*\exp(2)-3*c^2*d^4*(\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x})^3+8*d*\exp(1)^3*\sqrt{c*d*\exp(1)}*(\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x})^2*a^2+5*d*\exp(1)*(\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x}) * a^3*\exp(2)^2+4*d*\exp(1)^3*(\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x}) * a^3*\exp(2)+10*c*d^3*\exp(1)*(\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x}) * a^2*\exp(2)+8*c*d^3*\exp(1)^3*(\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x}) * a^2+5*c^2*d^5*\exp(1)*(\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x}) * a-8*d^2*\exp(1)^2*\sqrt{c*d*\exp(1)} * a^3*\exp(2)-8*d^2*\exp(1)^4*\sqrt{c*d*\exp(1)} * a^3-8*c*d^4*\exp(1)^2*\sqrt{c*d*\exp(1)} * a^2)/8/d^3/\exp(1)^2/a^2/((\sqrt{c*d*\exp(1)*x^2+a*d*\exp(1)+(c*d^2+a*\exp(2))*x}-\sqrt{c*d*\exp(1)*x})^2-d*\exp(1)*a)^2$

**maple [A]** time = 0.02, size = 414, normalized size = 1.26

$$\frac{3c \ln\left(\frac{2ab(a^2+c^2)+2\sqrt{ab}\sqrt{cde^2+ade+(a^2+c^2)}}{4\sqrt{ab}\sqrt{ad}}\right)}{8\sqrt{ab}\sqrt{ad}} - \frac{3c^2 d \ln\left(\frac{2ab(a^2+c^2)+2\sqrt{ab}\sqrt{cde^2+ade+(a^2+c^2)}}{8\sqrt{ab}\sqrt{a^2e^2}}\right)}{8\sqrt{ab}\sqrt{a^2e^2}} - \frac{15c^2 \ln\left(\frac{2ab(a^2+c^2)+2\sqrt{ab}\sqrt{cde^2+ade+(a^2+c^2)}}{8\sqrt{ab}\sqrt{d^2}}\right)}{8\sqrt{ab}\sqrt{d^2}} + \frac{2\sqrt{\left(x+\frac{d}{e}\right)^2 cde + (a^2-cd)\left(x+\frac{d}{e}\right)^2}}{(a^2-cd)\left(x+\frac{d}{e}\right)^2} + \frac{7\sqrt{cde^2+ade+(a^2+c^2)}}{4a d^2 x} + \frac{3\sqrt{cde^2+ade+(a^2+c^2)}}{4e^2 d^2 x} + \frac{\sqrt{cde^2+ade+(a^2+c^2)}}{2a d^2 e x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(e\*x+d)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2),x)

[Out]  $7/4/d^3/a/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}-15/8/d^3*e^2/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)-3/4/d/a/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c-1/2/d^2/a/e/x^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+3/4/d/a^2/e^2/x*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c-3/8*d/a^2/e^2/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^2+2/d^3*e^2/(a*e^2-c*d^2)/(x+d/e)*((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}$



**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(e\*x + d)\*x^3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^3 (d + ex) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3\*(d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)),x)

[Out] int(1/(x^3\*(d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 \sqrt{(d + ex)(ae + cdx)} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*3/(e\*x+d)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2),x)

[Out] Integral(1/(x\*\*3\*sqrt((d + e\*x)\*(a\*e + c\*d\*x))\*(d + e\*x)), x)

$$3.311 \quad \int \frac{x^5}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=515

$$\frac{5(3a^2e^4 + 6acd^2e^2 + 7c^2d^4) \tanh^{-1}\left(\frac{ae^2+cd^2+2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right) - 2x^2(ade(cd^2 - ae^2)(-3a^2e^4 - 12acd^2e^2 + 7c^2d^4))}{8c^{7/2}d^{7/2}e^{9/2}} + \frac{3cde^2(cd^2 - ae^2)}{3cde^2(cd^2 - ae^2)}$$

**Rubi [A]** time = 0.62, antiderivative size = 515, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {849, 818, 779, 621, 206}

$$\frac{2x^2(x(ad^2 - ae^2)(-a^2cd^4e^4 - 3a^2d^4e^2 + 7c^2d^6) + ade(ad^2 - ae^2)(-3a^2d^4 - 12acd^2e^2 + 7c^2d^6)) - (-2cdex(9a^2cd^4e^4 - 15a^2d^4e^2 - 6acd^2e^2 + 35c^2d^6) + 30a^2cd^4e^4 + 30a^2cd^4e^4 - 45a^4e^8 - 190acd^2e^2 + 105c^2d^6)\sqrt{x(ad^2 + ade + cdex^2)}}{3cd^2(ad^2 - ae^2)\sqrt{x(ad^2 + ade + cdex^2)}} - \frac{5(9a^2d^4 + 6acd^2e^2 + 7c^2d^6) \tanh^{-1}\left(\frac{ae^2+cd^2+2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{8c^{7/2}d^{7/2}e^{9/2}} - \frac{2d^4(ade(cd^2 - ae^2) + ae(ad^2 - ae^2))}{3c(ad^2 - ae^2)\sqrt{x(ad^2 + ade + cdex^2)}}$$

Antiderivative was successfully verified.

[In] Int[x^5/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*d\*x^4\*(a\*e\*(c\*d^2 - a\*e^2) + c\*d\*(c\*d^2 - a\*e^2)\*x)/(3\*e\*(c\*d^2 - a\*e^2)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) - (2\*x^2\*(a\*d\*e\*(c\*d^2 - a\*e^2)\*(7\*c^2\*d^4 - 12\*a\*c\*d^2\*e^2 - 3\*a^2\*e^4) + (c\*d^2 - a\*e^2)\*(7\*c^3\*d^6 - 11\*a\*c^2\*d^4\*e^2 - a^2\*c\*d^2\*e^4 - 3\*a^3\*e^6)\*x))/(3\*c\*d\*e^2\*(c\*d^2 - a\*e^2)^4\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - ((105\*c^4\*d^8 - 190\*a\*c^3\*d^6\*e^2 + 36\*a^2\*c^2\*d^4\*e^4 + 30\*a^3\*c\*d^2\*e^6 - 45\*a^4\*e^8 - 2\*c\*d\*e\*(35\*c^3\*d^6 - 61\*a\*c^2\*d^4\*e^2 + 9\*a^2\*c\*d^2\*e^4 - 15\*a^3\*e^6)\*x)\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(12\*c^3\*d^3\*e^4\*(c\*d^2 - a\*e^2)^3) + (5\*(7\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + 3\*a^2\*e^4)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*sqrt[c]\*sqrt[d]\*sqrt[e]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(8\*c^(7/2)\*d^(7/2)\*e^(9/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 779

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((b*e*g*(p + 2) - c*(e*f + d*g)*(2*p + 3) - 2*c*e*g*(p + 1)*x)*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]
```

### Rule 818

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^(m - 1)*(a + b*x + c*x^2)^(p + 1)*(2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (2*c^2*d*f + b^2*e*g - c*(b*e*f + b*d*g + 2*a*e*g))*x))/(c*(p + 1)*(b^2 - 4*a*c)), x] - Dist[1/(c*(p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 2)*(a + b*x + c*x^2)^(p + 1)*Simp[2*c^2*d^2*f*(2*p + 3) + b*e*g*(a*e*(m - 1) + b*d*(p + 2)) - c*(2*a*e*(e*f*(m - 1) + d*g*m) + b*d*(d*g*(2*p + 3) - e*f*(m - 2*p - 4))] + e*(b^2*e*g*(m + p + 1) + 2*c^2*d*f*(m + 2*p + 2) - c*(2*a*e*g*m + b*(e*f + d*g)*(m + 2*p + 2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && ((EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, b, c, d, e, f, g]) || !ILtQ[m + 2*p + 3, 0])
```

### Rule 849

```
Int[((x_)^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_)), x_Symbol] := Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^5}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx &= \int \frac{x^5(ae+cdx)}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \\
&= -\frac{2dx^4(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2 \int \frac{x^3(4acd^2e}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} \\
&= -\frac{2dx^4(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2x^2(ade(cd^2-ae^2)+cd^2e)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} \\
&= -\frac{2dx^4(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2x^2(ade(cd^2-ae^2)+cd^2e)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} \\
&= -\frac{2dx^4(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2x^2(ade(cd^2-ae^2)+cd^2e)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} \\
&= -\frac{2dx^4(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2x^2(ade(cd^2-ae^2)+cd^2e)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 5.63, size = 296, normalized size = 0.57

$$\frac{2(d+ex)^2(ae+cdx)^2 \left( \frac{24a^5e^9}{c^3(cd^2-ae^2)^3(ae+cdx)} - \frac{3(7ae^2+11cd^2)}{c^3} + \frac{8d^8}{(d+ex)^2(cd^2-ae^2)^2} + \frac{40(3ad^7e^2-2cd^9)}{(d+ex)(cd^2-ae^2)^3} + \frac{6dex}{c^2} \right)}{3d^3e^4} + \frac{5(d+ex)^{3/2}(3a^2e^4+6acd^2e^2+7c^2d^4)(ae+cdx)^{3/2} \log(2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{d+ex}\sqrt{ae+cdx+ae^2+cd(d+2ex)})}{c^{7/2}d^{1/2}e^{9/2}}}{8((d+ex)(ae+cdx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] ((2\*(a\*e + c\*d\*x)^2\*(d + e\*x)^2\*((-3\*(11\*c\*d^2 + 7\*a\*e^2))/c^3 + (6\*d\*e\*x)/c^2 + (24\*a^5\*e^9)/(c^3\*(c\*d^2 - a\*e^2)^3\*(a\*e + c\*d\*x)) + (8\*d^8)/((c\*d^2 - a\*e^2)^2\*(d + e\*x)^2) + (40\*(-2\*c\*d^9 + 3\*a\*d^7\*e^2))/((c\*d^2 - a\*e^2)^3\*(d + e\*x))))/(3\*d^3\*e^4) + (5\*(7\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + 3\*a^2\*e^4)\*(a\*e + c\*d\*x)^(3/2)\*(d + e\*x)^(3/2)\*Log[a\*e^2 + 2\*sqrt[c]\*sqrt[d]\*sqrt[e]\*sqrt[a\*e + c\*d\*x]\*sqrt[d + e\*x] + c\*d\*(d + 2\*e\*x)))/(c^(7/2)\*d^(7/2)\*e^(9/2))/(8\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

IntegrateAlgebraic [F] time = 180.03, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^5/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] \$Aborted

fricas [B] time = 6.65, size = 2120, normalized size = 4.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] [1/48\*(15\*(7\*a\*c^5\*d^12\*e - 15\*a^2\*c^4\*d^10\*e^3 + 6\*a^3\*c^3\*d^8\*e^5 + 2\*a^4\*c^2\*d^6\*e^7 + 3\*a^5\*c\*d^4\*e^9 - 3\*a^6\*d^2\*e^11 + (7\*c^6\*d^11\*e^2 - 15\*a\*c^5\*d^9\*e^4 + 6\*a^2\*c^4\*d^7\*e^6 + 2\*a^3\*c^3\*d^5\*e^8 + 3\*a^4\*c^2\*d^3\*e^10 - 3\*a^5\*c\*d\*e^12)\*x^3 + (14\*c^6\*d^12\*e - 23\*a\*c^5\*d^10\*e^3 - 3\*a^2\*c^4\*d^8\*e^5 + 10\*a^3\*c^3\*d^6\*e^7 + 8\*a^4\*c^2\*d^4\*e^9 - 3\*a^5\*c\*d^2\*e^11 - 3\*a^6\*e^13)\*x^2 + (7\*c^6\*d^13 - a\*c^5\*d^11\*e^2 - 24\*a^2\*c^4\*d^9\*e^4 + 14\*a^3\*c^3\*d^7\*e^6 + 7\*a^4\*c^2\*d^5\*e^8 + 3\*a^5\*c\*d^3\*e^10 - 6\*a^6\*d\*e^12)\*x)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) - 4\*(105\*a\*c^5\*d^11\*e^2 - 190\*a^2\*c^4\*d^9\*e^4 + 36\*a^3\*c^3\*d^7\*e^6 + 30\*a^4\*c^2\*d^5\*e^8 - 45\*a^5\*c\*d^3\*e^10 - 6\*(c^6\*d^9\*e^4 - 3\*a\*c^5\*d^7\*e^6 + 3\*a^2\*c^4\*d^5\*e^8 - a^3\*c^3\*d^3\*e^10)\*x^4 + 3\*(7\*c^6\*d^10\*e^3 - 16\*a\*c^5\*d^8\*e^5 + 6\*a^2\*c^4\*d^6\*e^7 + 8\*a^3\*c^3\*d^4\*e^9 - 5\*a^4\*c^2\*d^2\*e^11)\*x^3 + (140\*c^6\*d^11\*e^2 - 237\*a\*c^5\*d^9\*e^4 + 12\*a^2\*c^4\*d^7\*e^6 + 66\*a^3\*c^3\*d^5\*e^8 - 45\*a^5\*c\*d\*e^12)\*x^2 + (105\*c^6\*d^12\*e - 50\*a\*c^5\*d^10\*e^3 - 222\*a^2\*c^4\*d^8\*e^5 + 84\*a^3\*c^3\*d^6\*e^7 + 45\*a^4\*c^2\*d^4\*e^9 - 90\*a^5\*c\*d^2\*e^11)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a\*c^7\*d^12\*e^6 - 3\*a^2\*c^6\*d^10\*e^8 + 3\*a^3\*c^5\*d^8\*e^10 - a^4\*c^4\*d^6\*e^12 + (c^8\*d^11\*e^7 - 3\*a\*c^7\*d^9\*e^9 + 3\*a^2\*c^6\*d^7\*e^11 - a^3\*c^5\*d^5\*e^13)\*x^3 + (2\*c^8\*d^12\*e^6 - 5\*a\*c^7\*d^10\*e^8 + 3\*a^2\*c^6\*d^8\*e^10 + a^3\*c^5\*d^6\*e^12 - a^4\*c^4\*d^4\*e^14)\*x^2 + (c^8\*d^13\*e^5 - a\*c^7\*d^11\*e^7 - 3\*a^2\*c^6\*d^9\*e^9 + 5\*a^3\*c^5\*d^7\*e^11 - 2\*a^4\*c^4\*d^5\*e^13)\*x), -1/24\*(15\*(7\*a\*c^5\*d^12\*e - 15\*a^2\*c^4\*d^10\*e^3 + 6\*a^3\*c^3\*d^8\*e^5 + 2\*a^4\*c^2\*d^6\*e^7 + 3\*a^5\*c\*d^4\*e^9 - 3\*a^6\*d^2\*e^11 + (7\*c^6\*d^11\*e^2 - 15\*a\*c^5\*d^9\*e^4 + 6\*a^2\*c^4\*d^7\*e^6 + 2\*a^3\*c^3\*d^5\*e^8 + 3\*a^4\*c^2\*d^3\*e^10 - 3\*a^5\*c\*d\*e^12)\*x^3 + (14\*c^6\*d^12\*e - 23\*a\*c^5\*d^10\*e^3 - 3\*a^2\*c^4\*d^8\*e^5 + 10\*a^3\*c^3\*d^6\*e^7 + 8\*a^4\*c^2\*d^4\*e^9 - 3\*a^5\*c\*d^2\*e^11 - 3\*a^6\*e^13)\*x^2 + (7\*c^6\*d^13 - a\*c^5\*d^

```

11*e^2 - 24*a^2*c^4*d^9*e^4 + 14*a^3*c^3*d^7*e^6 + 7*a^4*c^2*d^5*e^8 + 3*a^
5*c*d^3*e^10 - 6*a^6*d*e^12)*x)*sqrt(-c*d*e)*arctan(1/2*sqrt(c*d*e*x^2 + a*
d*e + (c*d^2 + a*e^2)*x)*(2*c*d*e*x + c*d^2 + a*e^2)*sqrt(-c*d*e)/(c^2*d^2*
e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) + 2*(105*a*c^5*d^11*e^2
- 190*a^2*c^4*d^9*e^4 + 36*a^3*c^3*d^7*e^6 + 30*a^4*c^2*d^5*e^8 - 45*a^5*c
*d^3*e^10 - 6*(c^6*d^9*e^4 - 3*a*c^5*d^7*e^6 + 3*a^2*c^4*d^5*e^8 - a^3*c^3*
d^3*e^10)*x^4 + 3*(7*c^6*d^10*e^3 - 16*a*c^5*d^8*e^5 + 6*a^2*c^4*d^6*e^7 +
8*a^3*c^3*d^4*e^9 - 5*a^4*c^2*d^2*e^11)*x^3 + (140*c^6*d^11*e^2 - 237*a*c^5
*d^9*e^4 + 12*a^2*c^4*d^7*e^6 + 66*a^3*c^3*d^5*e^8 - 45*a^5*c*d*e^12)*x^2 +
(105*c^6*d^12*e - 50*a*c^5*d^10*e^3 - 222*a^2*c^4*d^8*e^5 + 84*a^3*c^3*d^6
*e^7 + 45*a^4*c^2*d^4*e^9 - 90*a^5*c*d^2*e^11)*x)*sqrt(c*d*e*x^2 + a*d*e +
(c*d^2 + a*e^2)*x))/(a*c^7*d^12*e^6 - 3*a^2*c^6*d^10*e^8 + 3*a^3*c^5*d^8*e^
10 - a^4*c^4*d^6*e^12 + (c^8*d^11*e^7 - 3*a*c^7*d^9*e^9 + 3*a^2*c^6*d^7*e^1
1 - a^3*c^5*d^5*e^13)*x^3 + (2*c^8*d^12*e^6 - 5*a*c^7*d^10*e^8 + 3*a^2*c^6*
d^8*e^10 + a^3*c^5*d^6*e^12 - a^4*c^4*d^4*e^14)*x^2 + (c^8*d^13*e^5 - a*c^7
*d^11*e^7 - 3*a^2*c^6*d^9*e^9 + 5*a^3*c^5*d^7*e^11 - 2*a^4*c^4*d^5*e^13)*x)
]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm=
"giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Unable to transpose Error: Bad Argument Valu
e
```

**maple** [B] time = 0.03, size = 1680, normalized size = 3.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5/(e*x+d)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2),x)
```

```
[Out] 15/8*e^4/c^3/d^3/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c
*d^2)*x)^(1/2)*x*a^4+5/2*e^2/c^2/d/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*
x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a^3-7/16/e^3/c^2/(c*d*e*x^2+a*d*e+(a*e^2
+c*d^2)*x)^(1/2)*a+51/16/e^5/c*d^2/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)-
9/4/e^3/c*x^2/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)+51/8/e^4*c*d^5/(-a^2*
e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x+15/16*
e^5/c^4/d^4/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)
*x)^(1/2)*a^5+35/16*e^3/c^3/d^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2
```

$$\begin{aligned}
& +a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^4-15/4/e^2/c^2/d*x/(c*d*e*x^2+a*d*e+(a*e^2+ \\
& c*d^2)*x)^{(1/2)}*a+15/4/e^2/c^2/d*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^( \\
& 1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^(1/2)*a-8/3*d^6/e^3*c \\
& /(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*a-16/3*d^7/e \\
& ^4*c^2/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x-1/4/ \\
& c*d/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)} \\
& )*x*a^2-5/4/e/c^2/d^2*x^2/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a+21/8/e/ \\
& c*d^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1 \\
& /2)}*a^2+11/2/e^2*d^3/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e \\
& ^2+c*d^2)*x)^{(1/2)}*x*a+9/8*e/c^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^ \\
& 2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^3+95/16/e^3*d^4/(-a^2*e^4+2*a*c*d^2*e^2-c^ \\
& 2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a+2*d^4/e^5*(2*c*d*e*x+a*e^2 \\
& +c*d^2)/(4*a*c*d^2*e^2-(a*e^2+c*d^2)^2)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{( \\
& 1/2)}+15/8/c^3/d^3*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2 \\
& +a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^(1/2)*a^2-15/8/c^3/d^3*x/(c*d*e*x^2+ \\
& a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^2-35/8/e^4/c*d*x/(c*d*e*x^2+a*d*e+(a*e^2+c*d \\
& ^2)*x)^{(1/2)}+15/16*e/c^4/d^4/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^3+51 \\
& /16/e^5*c*d^6/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^ \\
& 2)*x)^{(1/2)}+35/8/e^4/c*d*\ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c* \\
& d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/(c*d*e)^(1/2)+2/3*d^5/e^6/(a*e^2-c*d^ \\
& 2)/(x+d/e)/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)-8/3*d^8/e^5*c^2/(a \\
& *e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)+5/16/e/c^3/d^2/ \\
& (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*a^2+1/2/e^2*x^3/c/d/(c*d*e*x^2+a*d* \\
& e+(a*e^2+c*d^2)*x)^{(1/2)}
\end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5}{(d+ex) \left( c d e x^2 + (c d^2 + a e^2) x + a d e \right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5/((d + e*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)),x)`

[Out] `int(x^5/((d + e*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{((d + ex)(ae + cdx))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5/(e*x+d)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2),x)`

[Out] `Integral(x**5/(((d + e*x)*(a*e + c*d*x))**(3/2)*(d + e*x)), x)`



$$3.312 \quad \int \frac{x^4}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

Optimal. Leaf size=438

$$\frac{2x(ade(cd^2 - ae^2)(-3a^2e^4 - 10acd^2e^2 + 5c^2d^4) + x(cd^2 - ae^2)(-3a^3e^6 - a^2cd^2e^4 - 9ac^2d^4e^2 + 5c^3d^6))}{3cde^2(cd^2 - ae^2)^4 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + (-9$$

**Rubi [A]** time = 0.54, antiderivative size = 438, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {849, 818, 640, 621, 206}

$$\frac{2x(x(cd^2 - ae^2)(-a^2cd^2e^4 - 3a^3e^6 - 9ac^2d^4e^2 + 5c^3d^6) + ade(cd^2 - ae^2)(-3a^2e^4 - 10acd^2e^2 + 5c^2d^4))}{3cde^2(cd^2 - ae^2)^4 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{(9a^2cd^2e^4 - 9a^3e^6 - 31ac^2d^4e^2 + 15c^3d^6) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3c^2d^2e^3(cd^2 - ae^2)^3} - \frac{(3ae^2 + 5cd^2) \tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c} \sqrt{e} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{2c^{3/2}d^2e^{3/2}} - \frac{2dx^3(cdx(cd^2 - ae^2) + ae(cd^2 - ae^2))}{3e(cd^2 - ae^2)^2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^4/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*d\*x^3\*(a\*e\*(c\*d^2 - a\*e^2) + c\*d\*(c\*d^2 - a\*e^2)\*x)/(3\*e\*(c\*d^2 - a\*e^2)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) - (2\*x\*(a\*d\*e\*(c\*d^2 - a\*e^2)\*(5\*c^2\*d^4 - 10\*a\*c\*d^2\*e^2 - 3\*a^2\*e^4) + (c\*d^2 - a\*e^2)\*(5\*c^3\*d^6 - 9\*a\*c^2\*d^4\*e^2 - a^2\*c\*d^2\*e^4 - 3\*a^3\*e^6)\*x)/(3\*c\*d\*e^2\*(c\*d^2 - a\*e^2)^4\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + ((15\*c^3\*d^6 - 31\*a\*c^2\*d^4\*e^2 + 9\*a^2\*c\*d^2\*e^4 - 9\*a^3\*e^6)\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*c^2\*d^2\*e^3\*(c\*d^2 - a\*e^2)^3) - ((5\*c\*d^2 + 3\*a\*e^2)\*ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*sqrt[c]\*sqrt[d]\*sqrt[e]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(2\*c^(5/2)\*d^(5/2)\*e^(7/2))

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 640

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[(e*(a + b*x + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[(2*c*d - b
*e)/(2*c), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x]
&& NeQ[2*c*d - b*e, 0] && NeQ[p, -1]
```

### Rule 818

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[((d + e*x)^(m - 1)*(a + b*x + c*x^2)^(
p + 1)*(2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (2*c^2*d*f + b^2*e*g - c*(
b*e*f + b*d*g + 2*a*e*g))*x))/(c*(p + 1)*(b^2 - 4*a*c)), x] - Dist[1/(c*(p
+ 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 2)*(a + b*x + c*x^2)^(p + 1)*Simp[2
*c^2*d^2*f*(2*p + 3) + b*e*g*(a*e*(m - 1) + b*d*(p + 2)) - c*(2*a*e*(e*f*(m
- 1) + d*g*m) + b*d*(d*g*(2*p + 3) - e*f*(m - 2*p - 4))] + e*(b^2*e*g*(m +
p + 1) + 2*c^2*d*f*(m + 2*p + 2) - c*(2*a*e*g*m + b*(e*f + d*g)*(m + 2*p +
2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c,
0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && ((EqQ[m,
2] && EqQ[p, -3] && RationalQ[a, b, c, d, e, f, g]) || !ILtQ[m + 2*p + 3,
0])
```

### Rule 849

```
Int[((x_)^(n_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_))/((d_) + (e_.)*(x_
)), x_Symbol] :> Int[x^n*(a/d + (c*x)/e)*(a + b*x + c*x^2)^(p - 1), x] /; F
reeQ[{a, b, c, d, e, n, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && (!IntegerQ[n] || !IntegerQ[2*p] || IGtQ[n
, 2] || (GtQ[p, 0] && NeQ[n, 2]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx &= \int \frac{x^4(ae+cdx)}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \\
&= -\frac{2dx^3(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2 \int \frac{x^2(3acd}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx}{3e(cd^2-ae^2)^2} \\
&= -\frac{2dx^3(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2x(ade+(cd^2+ae^2)x+cdex^2)}{3e(cd^2-ae^2)^2} \\
&= -\frac{2dx^3(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2x(ade+(cd^2+ae^2)x+cdex^2)}{3e(cd^2-ae^2)^2} \\
&= -\frac{2dx^3(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2x(ade+(cd^2+ae^2)x+cdex^2)}{3e(cd^2-ae^2)^2} \\
&= -\frac{2dx^3(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2x(ade+(cd^2+ae^2)x+cdex^2)}{3e(cd^2-ae^2)^2}
\end{aligned}$$

**Mathematica [A]** time = 1.34, size = 387, normalized size = 0.88

$$\frac{(ae+cdx) \left( \frac{ae(3ae^2-cd^2)(d^2e^2+12dex+3e^2x^2)+2acd^2ex(2d+3ex)-e^2d^4x^2}{cd(cd^2-ae^2)^3} - \frac{(3ae^2+5cd^2)\sqrt{ae+cdx} \left( e^{3/2}d^{7/2}\sqrt{e(cd^2-ae^2)}\sqrt{ae+cdx}-(d+ex) \left( 2e^{3/2}d^{5/2}\sqrt{e(2cd^2-3ae^2)}\sqrt{ae+cdx}-3\sqrt{cd}(cd^2-ae^2)^{5/2}\sqrt{\frac{cd(d+ex)}{cd^2-ae^2}} \sinh^{-1}\left(\frac{\sqrt{e}\sqrt{d}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd^2-ae^2}}\right) \right) \right)}{e^{5/2}d^{5/2}e^{5/2}(cd^2-ae^2)^2} \right)}{3cde((d+ex)(ae+cdx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] ((a\*e + c\*d\*x)\*(3\*x^3 - (a\*e\*(-(c\*d^2) + 3\*a\*e^2)\*(-(c^2\*d^4\*x^2) + 2\*a\*c\*d^2\*e\*x\*(2\*d + 3\*e\*x) + a^2\*e^2\*(8\*d^2 + 12\*d\*e\*x + 3\*e^2\*x^2)))/(c\*d\*(c\*d^2 - a\*e^2)^3) - ((5\*c\*d^2 + 3\*a\*e^2)\*Sqrt[a\*e + c\*d\*x]\*(c^(3/2)\*d^(7/2)\*Sqrt[e]\*(c\*d^2 - a\*e^2)\*Sqrt[a\*e + c\*d\*x] - (d + e\*x)\*(2\*c^(3/2)\*d^(5/2)\*Sqrt[e]\*(2\*c\*d^2 - 3\*a\*e^2)\*Sqrt[a\*e + c\*d\*x] - 3\*Sqrt[c\*d]\*(c\*d^2 - a\*e^2)^(5/2)\*Sqrt[(c\*d\*(d + e\*x))/(c\*d^2 - a\*e^2)])\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqr

$t[a*e + c*d*x]/(\text{Sqrt}[c*d]*\text{Sqrt}[c*d^2 - a*e^2]))/((c^{(5/2)}*d^{(5/2)}*e^{(5/2)}*(c*d^2 - a*e^2)^2))/((3*c*d*e*((a*e + c*d*x)*(d + e*x))^{(3/2)})$

**IntegrateAlgebraic** [F] time = 180.17, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^4/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] \$Aborted

**fricas** [B] time = 2.66, size = 1782, normalized size = 4.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] [1/12\*(3\*(5\*a\*c^4\*d^10\*e - 12\*a^2\*c^3\*d^8\*e^3 + 6\*a^3\*c^2\*d^6\*e^5 + 4\*a^4\*c\*d^4\*e^7 - 3\*a^5\*d^2\*e^9 + (5\*c^5\*d^9\*e^2 - 12\*a\*c^4\*d^7\*e^4 + 6\*a^2\*c^3\*d^5\*e^6 + 4\*a^3\*c^2\*d^3\*e^8 - 3\*a^4\*c\*d\*e^10)\*x^3 + (10\*c^5\*d^10\*e - 19\*a\*c^4\*d^8\*e^3 + 14\*a^3\*c^2\*d^4\*e^7 - 2\*a^4\*c\*d^2\*e^9 - 3\*a^5\*e^11)\*x^2 + (5\*c^5\*d^11 - 2\*a\*c^4\*d^9\*e^2 - 18\*a^2\*c^3\*d^7\*e^4 + 16\*a^3\*c^2\*d^5\*e^6 + 5\*a^4\*c\*d^3\*e^8 - 6\*a^5\*d\*e^10)\*x)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(c\*d\*e) + 8\*(c^2\*d^3\*e + a\*c\*d\*e^3)\*x) + 4\*(15\*a\*c^4\*d^9\*e^2 - 31\*a^2\*c^3\*d^7\*e^4 + 9\*a^3\*c^2\*d^5\*e^6 - 9\*a^4\*c\*d^3\*e^8 + 3\*(c^5\*d^8\*e^3 - 3\*a\*c^4\*d^6\*e^5 + 3\*a^2\*c^3\*d^4\*e^7 - a^3\*c^2\*d^2\*e^9)\*x^3 + (20\*c^5\*d^9\*e^2 - 39\*a\*c^4\*d^7\*e^4 + 9\*a^2\*c^3\*d^5\*e^6 + 3\*a^3\*c^2\*d^3\*e^8 - 9\*a^4\*c\*d\*e^10)\*x^2 + (15\*c^5\*d^10\*e - 11\*a\*c^4\*d^8\*e^3 - 33\*a^2\*c^3\*d^6\*e^5 + 15\*a^3\*c^2\*d^4\*e^7 - 18\*a^4\*c\*d^2\*e^9)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a\*c^6\*d^11\*e^5 - 3\*a^2\*c^5\*d^9\*e^7 + 3\*a^3\*c^4\*d^7\*e^9 - a^4\*c^3\*d^5\*e^11 + (c^7\*d^10\*e^6 - 3\*a\*c^6\*d^8\*e^8 + 3\*a^2\*c^5\*d^6\*e^10 - a^3\*c^4\*d^4\*e^12)\*x^3 + (2\*c^7\*d^11\*e^5 - 5\*a\*c^6\*d^9\*e^7 + 3\*a^2\*c^5\*d^7\*e^9 + a^3\*c^4\*d^5\*e^11 - a^4\*c^3\*d^3\*e^13)\*x^2 + (c^7\*d^12\*e^4 - a\*c^6\*d^10\*e^6 - 3\*a^2\*c^5\*d^8\*e^8 + 5\*a^3\*c^4\*d^6\*e^10 - 2\*a^4\*c^3\*d^4\*e^12)\*x), 1/6\*(3\*(5\*a\*c^4\*d^10\*e - 12\*a^2\*c^3\*d^8\*e^3 + 6\*a^3\*c^2\*d^6\*e^5 + 4\*a^4\*c\*d^4\*e^7 - 3\*a^5\*d^2\*e^9 + (5\*c^5\*d^9\*e^2 - 12\*a\*c^4\*d^7\*e^4 + 6\*a^2\*c^3\*d^5\*e^6 + 4\*a^3\*c^2\*d^3\*e^8 - 3\*a^4\*c\*d\*e^10)\*x^3 + (10\*c^5\*d^10\*e - 19\*a\*c^4\*d^8\*e^3 + 14\*a^3\*c^2\*d^4\*e^7 - 2\*a^4\*c\*d^2\*e^9 - 3\*a^5\*e^11)\*x^2 + (5\*c^5\*d^11 - 2\*a\*c^4\*d^9\*e^2 - 18\*a^2\*c^3\*d^7\*e^4 + 16\*a^3\*c^2\*d^5\*e^6 + 5\*a^4\*c\*d^3\*e^8 - 6\*a^5\*d\*e^10)\*x)\*sqrt(-c\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*e\*x + c\*d^2 + a\*e^2)\*sqrt(-c\*d\*e)/(c^2\*d^2\*e^2\*x^2 +

$$a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x) + 2*(15*a*c^4*d^9*e^2 - 31*a^2*c^3*d^7*e^4 + 9*a^3*c^2*d^5*e^6 - 9*a^4*c*d^3*e^8 + 3*(c^5*d^8*e^3 - 3*a*c^4*d^6*e^5 + 3*a^2*c^3*d^4*e^7 - a^3*c^2*d^2*e^9)*x^3 + (20*c^5*d^9*e^2 - 39*a*c^4*d^7*e^4 + 9*a^2*c^3*d^5*e^6 + 3*a^3*c^2*d^3*e^8 - 9*a^4*c*d*e^10)*x^2 + (15*c^5*d^10*e - 11*a*c^4*d^8*e^3 - 33*a^2*c^3*d^6*e^5 + 15*a^3*c^2*d^4*e^7 - 18*a^4*c*d^2*e^9)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/(a*c^6*d^11*e^5 - 3*a^2*c^5*d^9*e^7 + 3*a^3*c^4*d^7*e^9 - a^4*c^3*d^5*e^11 + (c^7*d^10*e^6 - 3*a*c^6*d^8*e^8 + 3*a^2*c^5*d^6*e^10 - a^3*c^4*d^4*e^12)*x^3 + (2*c^7*d^11*e^5 - 5*a*c^6*d^9*e^7 + 3*a^2*c^5*d^7*e^9 + a^3*c^4*d^5*e^11 - a^4*c^3*d^3*e^13)*x^2 + (c^7*d^12*e^4 - a*c^6*d^10*e^6 - 3*a^2*c^5*d^8*e^8 + 5*a^3*c^4*d^6*e^10 - 2*a^4*c^3*d^4*e^12)*x)]$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Value

**maple** [B] time = 0.01, size = 1266, normalized size = 2.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(e\*x+d)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out] 
$$\begin{aligned} & -3/2*e^3/c^2/d^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * x * a^3 + 5/2/e^3/c*x/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} - 3/4/c^3/d^3/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * a^2 - 9/4/e^4/c*d/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} - 5/2/e^3/c * \ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{1/2} + (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2})/(c*d*e)^{1/2} + 16/3*d^6/e^3*c^2/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2} * x + 8/3*d^5/e^2*c/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{1/2} * a - 9/2/e*d^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * x * a - 9/2/e^3*c*d^4/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * x - 3/4*e^4/c^3/d^3/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * a^4 - 3/2*e^2/c^2/d/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * a^3 - 3/2/e/c^2/d^2 * \ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^{1/2} + (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2})/(c*d*e)^{1/2} * a + 3/2/e/c^2/d^2*x/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} \end{aligned}$$

```
) * x)^(1/2) * a - 3/2 * e / c / (-a^2 * e^4 + 2 * a * c * d^2 * e^2 - c^2 * d^4) / (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^(1/2) * x * a^2 - 2/3 * d^4 / e^5 / (a * e^2 - c * d^2) / (x + d / e) / ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^(1/2) + 8/3 * d^7 / e^4 * c^2 / (a * e^2 - c * d^2)^3 / ((x + d / e)^2 * c * d * e + (a * e^2 - c * d^2) * (x + d / e))^(1/2) - 2 * d^3 / e^4 * (2 * c * d * e * x + a * e^2 + c * d^2) / (4 * a * c * d^2 * e^2 - (a * e^2 + c * d^2)^2) / (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^(1/2) + 1 / e^2 * x^2 / c / d / (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^(1/2) - 3 / c * d / (-a^2 * e^4 + 2 * a * c * d^2 * e^2 - c^2 * d^4) / (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^(1/2) * a^2 - 9/2 / e^2 * d^3 / (-a^2 * e^4 + 2 * a * c * d^2 * e^2 - c^2 * d^4) / (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^(1/2) * a - 9/4 / e^4 * c * d^5 / (-a^2 * e^4 + 2 * a * c * d^2 * e^2 - c^2 * d^4) / (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^(1/2)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a*e^2-c*d^2>0)', see `assume?` for more details)Is a*e^2-c*d^2 zero or nonzero?
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4}{(d+ex) \left( c d e x^2 + (c d^2 + a e^2) x + a d e \right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4/((d+e*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(3/2)),x)
```

```
[Out] int(x^4/((d+e*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(3/2)),x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{((d+ex)(ae+cdx))^{\frac{3}{2}}(d+ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4/(e*x+d)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2),x)
```

```
[Out] Integral(x**4/(((d+e*x)*(a*e+c*d*x))**(3/2)*(d+e*x)),x)
```

$$3.313 \quad \int \frac{x^3}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

Optimal. Leaf size=297

$$\frac{2(x(-3a^3e^6 - a^2cd^2e^4 - 7ac^2d^4e^2 + 3c^3d^6) + ade(cd^2 - 3ae^2)(ae^2 + 3cd^2))}{3cde^2(cd^2 - ae^2)^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{\tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{c^{3/2}d^{3/2}e^{5/2}}$$

**Rubi [A]** time = 0.29, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {849, 818, 777, 621, 206}

$$\frac{2(x(-a^2cd^2e^4 - 3a^3e^6 - 7ac^2d^4e^2 + 3c^3d^6) + ade(cd^2 - 3ae^2)(ae^2 + 3cd^2))}{3cde^2(cd^2 - ae^2)^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{\tanh^{-1}\left(\frac{ae^2 + cd^2 + 2cdex}{2\sqrt{c}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}\right)}{c^{3/2}d^{3/2}e^{5/2}} - \frac{2dx^2(cdx(cd^2 - ae^2) + ae(cd^2 - ae^2))}{3e(cd^2 - ae^2)^2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] (-2\*d\*x^2\*(a\*e\*(c\*d^2 - a\*e^2) + c\*d\*(c\*d^2 - a\*e^2)\*x)/(3\*e\*(c\*d^2 - a\*e^2)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) - (2\*(a\*d\*e\*(c\*d^2 - 3\*a\*e^2)\*(3\*c\*d^2 + a\*e^2) + (3\*c^3\*d^6 - 7\*a\*c^2\*d^4\*e^2 - a^2\*c\*d^2\*e^4 - 3\*a^3\*e^6)\*x)/(3\*c\*d\*e^2\*(c\*d^2 - a\*e^2)^3\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + ArcTanh[(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x)/(2\*sqrt[c]\*sqrt[d]\*sqrt[e]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(c^(3/2)\*d^(3/2)\*e^(5/2))

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 777

Int[((d\_) + (e\_)\*(x\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((2\*a\*c\*(e\*f + d\*g) - b\*(c\*d\*f + a\*e\*g) - (

$$\frac{b^2 e g - b c (e f + d g) + 2 c (c d f - a e g) x}{(c (p + 1) (b^2 - 4 a c))} x (a + b x + c x^2)^{p+1} - \text{Dist}[(b^2 e g (p + 2) - 2 a c e g + c (2 c d f - b (e f + d g)) (2 p + 3)) / (c (p + 1) (b^2 - 4 a c)), \text{Int}[(a + b x + c x^2)^{p+1}, x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, g\}, x \} \ \&\& \ \text{NeQ}[b^2 - 4 a c, 0] \ \&\& \ \text{LtQ}[p, -1]$$

### Rule 818

$$\text{Int}[(d + e x)^m ((f + g x)(a + b x + c x^2)^{p+1} + (c x^2)^{p+1}), x\_Symbol] \rightarrow -\text{Simp}[(d + e x)^{m-1} (a + b x + c x^2)^{p+1} (2 a c (e f + d g) - b (c d f + a e g) - (2 c^2 d f + b^2 e g - c (b e f + b d g + 2 a e g) x)) / (c (p + 1) (b^2 - 4 a c)), x] - \text{Dist}[1 / (c (p + 1) (b^2 - 4 a c)), \text{Int}[(d + e x)^{m-2} (a + b x + c x^2)^{p+1} \text{Simp}[2 c^2 d^2 f (2 p + 3) + b e g (a e (m - 1) + b d (p + 2)) - c (2 a e (e f (m - 1) + d g m) + b d (d g (2 p + 3) - e f (m - 2 p - 4))) + e (b^2 e g (m + p + 1) + 2 c^2 d f (m + 2 p + 2) - c (2 a e g m + b (e f + d g) (m + 2 p + 2))] x, x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, g\}, x \} \ \&\& \ \text{NeQ}[b^2 - 4 a c, 0] \ \&\& \ \text{NeQ}[c d^2 - b d e + a e^2, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ ((\text{EqQ}[m, 2] \ \&\& \ \text{EqQ}[p, -3] \ \&\& \ \text{RationalQ}[a, b, c, d, e, f, g]) \ || \ !\text{LtQ}[m + 2 p + 3, 0])$$

### Rule 849

$$\text{Int}[(x)^n ((a + b x + c x^2)^p) / (d + e x), x\_Symbol] \rightarrow \text{Int}[x^n (a/d + (c x)/e) (a + b x + c x^2)^{p-1}, x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, n, p\}, x \} \ \&\& \ \text{NeQ}[b^2 - 4 a c, 0] \ \&\& \ \text{EqQ}[c d^2 - b d e + a e^2, 0] \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ (!\text{IntegerQ}[n] \ || \ !\text{IntegerQ}[2 p] \ || \ \text{IGtQ}[n, 2] \ || \ (\text{GtQ}[p, 0] \ \&\& \ \text{NeQ}[n, 2]))$$

### Rubi steps



$$\begin{aligned}
\int \frac{x^3}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx &= \int \frac{x^3(ae+cdx)}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \\
&= -\frac{2dx^2(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2 \int \frac{x(2acd^2)}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx}{3e} \\
&= -\frac{2dx^2(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2(ade(cd^2-ae^2)+cd^2d)}{3e} \\
&= -\frac{2dx^2(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2(ade(cd^2-ae^2)+cd^2d)}{3e} \\
&= -\frac{2dx^2(ae(cd^2-ae^2)+cd(cd^2-ae^2)x)}{3e(cd^2-ae^2)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2(ade(cd^2-ae^2)+cd^2d)}{3e}
\end{aligned}$$

**Mathematica [C]** time = 4.64, size = 1443, normalized size = 4.86

Warning: Unable to verify antiderivative.

```

[In] Integrate[x^3/((d + e*x)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)),x]
[Out] (a^3*e^3*(a*e + c*d*x)^2*((c*d*(d + e*x))/(c*d^2 - a*e^2))^(5/2)*((2520*c*d
*(d + e*x))/(a*e^2*Sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2]]) - (1330*c*d*(d +
e*x))/(e*(a*e + c*d*x)*Sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2]]) - (1050*c*d*(
a*e + c*d*x)*(d + e*x))/(a^2*e^3*Sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2]]) + (
196*c*d*(a*e + c*d*x)^2*(d + e*x))/(a^3*e^4*Sqrt[(c*d*(d + e*x))/(c*d^2 - a
*e^2]]) + 1568*Sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2]]) + (1575*(c*d^2 - a*e^2
)^2*Sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2]])/(a^2*e^4) + (1995*(c*d^2 - a*e^2
)^2*Sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2]])/(e^2*(a*e + c*d*x)^2) - (3780*(c
*d^2 - a*e^2)^2*Sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2]])/(a*e^3*(a*e + c*d*x)
) - (294*(c*d^2 - a*e^2)^2*(a*e + c*d*x)*Sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^
2]])/(a^3*e^5) - 504*(1 + (c*d*x)/(a*e))*Sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^
2]]) + 336*(1 + (c*d*x)/(a*e))^2*Sqrt[(c*d*(d + e*x))/(c*d^2 - a*e^2]]) - 56*

```

$$(1 + (c*d*x)/(a*e))^3 * \text{Sqrt}[(c*d*(d + e*x))/(c*d^2 - a*e^2)] - (1995 * \text{ArcSin}[\text{Sqrt}[(e*(a*e + c*d*x))/(-c*d^2 + a*e^2)]] / ((e*(a*e + c*d*x))/(-c*d^2 + a*e^2))^{5/2} + (3780 * (a*e + c*d*x) * \text{ArcSin}[\text{Sqrt}[(e*(a*e + c*d*x))/(-c*d^2 + a*e^2)]] / (a*e * ((e*(a*e + c*d*x))/(-c*d^2 + a*e^2))^{5/2}) - (1575 * (a*e + c*d*x)^2 * \text{ArcSin}[\text{Sqrt}[(e*(a*e + c*d*x))/(-c*d^2 + a*e^2)]] / (a^2 * e^2 * ((e*(a*e + c*d*x))/(-c*d^2 + a*e^2))^{5/2}) + (294 * (a*e + c*d*x)^3 * \text{ArcSin}[\text{Sqrt}[(e*(a*e + c*d*x))/(-c*d^2 + a*e^2)]] / (a^3 * e^3 * ((e*(a*e + c*d*x))/(-c*d^2 + a*e^2))^{5/2}) - (168 * e^2 * (a*e + c*d*x)^2 * \text{Hypergeometric2F1}[3/2, 9/2, 11/2, (e*(a*e + c*d*x))/(-c*d^2 + a*e^2)] / (c*d^2 - a*e^2)^2 + (392 * e * (a*e + c*d*x)^3 * \text{Hypergeometric2F1}[3/2, 9/2, 11/2, (e*(a*e + c*d*x))/(-c*d^2 + a*e^2)] / (a * (c*d^2 - a*e^2)^2) - (280 * (a*e + c*d*x)^4 * \text{Hypergeometric2F1}[3/2, 9/2, 11/2, (e*(a*e + c*d*x))/(-c*d^2 + a*e^2)] / (a^2 * (c*d^2 - a*e^2)^2) + (56 * (a*e + c*d*x)^5 * \text{Hypergeometric2F1}[3/2, 9/2, 11/2, (e*(a*e + c*d*x))/(-c*d^2 + a*e^2)] / (a^3 * e * (c*d^2 - a*e^2)^2) - (96 * e * (a*e + c*d*x) * \text{HypergeometricPFQ}[\{1/2, 2, 2, 7/2\}, \{1, 1, 9/2\}, (e*(a*e + c*d*x))/(-c*d^2 + a*e^2)] / (-c*d^2 + a*e^2) + (288 * (a*e + c*d*x)^2 * \text{HypergeometricPFQ}[\{1/2, 2, 2, 7/2\}, \{1, 1, 9/2\}, (e*(a*e + c*d*x))/(-c*d^2 + a*e^2)] / (a * (-c*d^2 + a*e^2)) - (288 * (a*e + c*d*x)^3 * \text{HypergeometricPFQ}[\{1/2, 2, 2, 7/2\}, \{1, 1, 9/2\}, (e*(a*e + c*d*x))/(-c*d^2 + a*e^2)] / (a^2 * (-c*d^2 * e) + a * e^3)) + (96 * (a*e + c*d*x)^4 * \text{HypergeometricPFQ}[\{1/2, 2, 2, 7/2\}, \{1, 1, 9/2\}, (e*(a*e + c*d*x))/(-c*d^2 + a*e^2)] / (a^3 * e^2 * (-c*d^2 + a*e^2)))) / (25 * c^4 * d^4 * ((a*e + c*d*x) * (d + e*x))^{5/2})$$

**IntegrateAlgebraic [B]** time = 10.11, size = 10635, normalized size = 35.81

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^3/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] Result too large to show

**fricas [B]** time = 3.24, size = 1466, normalized size = 4.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] [1/6\*(3\*(a\*c^3\*d^8\*e - 3\*a^2\*c^2\*d^6\*e^3 + 3\*a^3\*c\*d^4\*e^5 - a^4\*d^2\*e^7 + (c^4\*d^7\*e^2 - 3\*a\*c^3\*d^5\*e^4 + 3\*a^2\*c^2\*d^3\*e^6 - a^3\*c\*d\*e^8)\*x^3 + (2\*c^4\*d^8\*e - 5\*a\*c^3\*d^6\*e^3 + 3\*a^2\*c^2\*d^4\*e^5 + a^3\*c\*d^2\*e^7 - a^4\*e^9)\*x^2 + (c^4\*d^9 - a\*c^3\*d^7\*e^2 - 3\*a^2\*c^2\*d^5\*e^4 + 5\*a^3\*c\*d^3\*e^6 - 2\*a^4\*d\*e^8)\*x)\*sqrt(c\*d\*e)\*log(8\*c^2\*d^2\*e^2\*x^2 + c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a

$$\begin{aligned} &^2e^4 + 4\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*c*d*e*x + c*d^2 + \\ &a*e^2)*\sqrt{c*d*e} + 8*(c^2*d^3*e + a*c*d*e^3)*x) - 4*(3*a*c^3*d^7*e^2 - 8 \\ &*a^2*c^2*d^5*e^4 - 3*a^3*c*d^3*e^6 + (4*c^4*d^7*e^2 - 9*a*c^3*d^5*e^4 - 3*a \\ &^3*c*d*e^8)*x^2 + (3*c^4*d^8*e - 4*a*c^3*d^6*e^3 - 9*a^2*c^2*d^4*e^5 - 6*a^ \\ &3*c*d^2*e^7)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})/(a*c^5*d^10*e^ \\ &4 - 3*a^2*c^4*d^8*e^6 + 3*a^3*c^3*d^6*e^8 - a^4*c^2*d^4*e^10 + (c^6*d^9*e^5 \\ &- 3*a*c^5*d^7*e^7 + 3*a^2*c^4*d^5*e^9 - a^3*c^3*d^3*e^11)*x^3 + (2*c^6*d^1 \\ &0*e^4 - 5*a*c^5*d^8*e^6 + 3*a^2*c^4*d^6*e^8 + a^3*c^3*d^4*e^10 - a^4*c^2*d^ \\ &2*e^12)*x^2 + (c^6*d^11*e^3 - a*c^5*d^9*e^5 - 3*a^2*c^4*d^7*e^7 + 5*a^3*c^3 \\ &d^5*e^9 - 2*a^4*c^2*d^3*e^11)*x), -1/3*(3*(a*c^3*d^8*e - 3*a^2*c^2*d^6*e^3 \\ &+ 3*a^3*c*d^4*e^5 - a^4*d^2*e^7 + (c^4*d^7*e^2 - 3*a*c^3*d^5*e^4 + 3*a^2*c \\ &^2*d^3*e^6 - a^3*c*d*e^8)*x^3 + (2*c^4*d^8*e - 5*a*c^3*d^6*e^3 + 3*a^2*c^2* \\ &d^4*e^5 + a^3*c*d^2*e^7 - a^4*e^9)*x^2 + (c^4*d^9 - a*c^3*d^7*e^2 - 3*a^2*c \\ &^2*d^5*e^4 + 5*a^3*c*d^3*e^6 - 2*a^4*d*e^8)*x)*\sqrt{-c*d*e}*\arctan(1/2*\sqrt{ \\ &(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(2*c*d*e*x + c*d^2 + a*e^2)*\sqrt{-c \\ &*d*e})/(c^2*d^2*e^2*x^2 + a*c*d^2*e^2 + (c^2*d^3*e + a*c*d*e^3)*x)) + 2*(3*a \\ &*c^3*d^7*e^2 - 8*a^2*c^2*d^5*e^4 - 3*a^3*c*d^3*e^6 + (4*c^4*d^7*e^2 - 9*a*c \\ &^3*d^5*e^4 - 3*a^3*c*d*e^8)*x^2 + (3*c^4*d^8*e - 4*a*c^3*d^6*e^3 - 9*a^2*c^ \\ &2*d^4*e^5 - 6*a^3*c*d^2*e^7)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x} \\ &)/(a*c^5*d^10*e^4 - 3*a^2*c^4*d^8*e^6 + 3*a^3*c^3*d^6*e^8 - a^4*c^2*d^4*e^1 \\ &0 + (c^6*d^9*e^5 - 3*a*c^5*d^7*e^7 + 3*a^2*c^4*d^5*e^9 - a^3*c^3*d^3*e^11)* \\ &x^3 + (2*c^6*d^10*e^4 - 5*a*c^5*d^8*e^6 + 3*a^2*c^4*d^6*e^8 + a^3*c^3*d^4*e \\ &^10 - a^4*c^2*d^2*e^12)*x^2 + (c^6*d^11*e^3 - a*c^5*d^9*e^5 - 3*a^2*c^4*d^7 \\ &*e^7 + 5*a^3*c^3*d^5*e^9 - 2*a^4*c^2*d^3*e^11)*x] \end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Value

**maple** [B] time = 0.01, size = 977, normalized size = 3.29

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e\*x+d)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

```
[Out] -1/e^2*x/c/d/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)+1/2/e/c^2/d^2/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a+3/2/e^3/c/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)+e^2/c/d/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a^2+4*d/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*a+3/e^2*c*d^3/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x+1/2*e^3/c^2/d^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a^3+5/2*e/c/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a^2+7/2/e*d^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*a+3/2/e^3*c*d^4/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)+1/e^2/c/d*ln((c*d*e*x+1/2*a*e^2+1/2*c*d^2)/(c*d*e)^(1/2)+(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/(c*d*e)^(1/2)+2*d^2/e^3*(2*c*d*e*x+a*e^2+c*d^2)/(4*a*c*d^2*e^2-(a*e^2+c*d^2)^2)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)+2/3*d^3/e^4/(a*e^2-c*d^2)/(x+d/e)/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)-16/3*d^5/e^2*c^2/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x-8/3*d^4/e*c/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*a-8/3*d^6/e^3*c^2/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a*e^2-c*d^2>0)', see `assume?` for more details)Is a*e^2-c*d^2 zero or nonzero?
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3}{(d+ex) \left( c d e x^2 + (c d^2 + a e^2) x + a d e \right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3/((d+e*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(3/2)),x)
```

```
[Out] int(x^3/((d+e*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(3/2)),x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{((d + ex)(ae + cdx))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3/(e\*x+d)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2),x)

[Out] Integral(x\*\*3/(((d + e\*x)\*(a\*e + c\*d\*x))\*\*(3/2)\*(d + e\*x)), x)

$$3.314 \quad \int \frac{x^2}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

Optimal. Leaf size=126

$$\frac{2x^2}{3(d+ex)(cd^2-ae^2)\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{8ae(x(ae^2+cd^2)+2ade)}{3(cd^2-ae^2)^3\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

**Rubi [A]** time = 0.11, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$ , Rules used = {854, 12, 636}

$$\frac{2x^2}{3(d+ex)(cd^2-ae^2)\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{8ae(x(ae^2+cd^2)+2ade)}{3(cd^2-ae^2)^3\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (2\*x^2)/(3\*(c\*d^2 - a\*e^2)\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (8\*a\*e\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(3\*(c\*d^2 - a\*e^2)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 636

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(3/2), x\_Symbol] := Simp[(-2\*(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x))/((b^2 - 4\*a\*c)\*Sqrt[a + b\*x + c\*x^2]), x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 854

Int[(((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_))/((d\_.) + (e\_.)\*(x\_)), x\_Symbol] := -Simp[((2\*c\*d - b\*e)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p + 1))/(e\*p\*(b^2 - 4\*a\*c)\*(d + e\*x)), x] - Dist[1/(d\*e\*p\*(b^2 - 4\*a\*c)), Int[(f + g\*x)^(n - 1)\*(a + b\*x + c\*x^2)^p\*Simp[b\*(a\*e\*g\*n - c\*d\*f\*(2\*p + 1)) - 2\*a\*c\*(d\*g\*n - e\*f\*(2\*p + 1)) - c\*g\*(b\*d - 2\*a\*e)\*(n + 2\*p + 1)\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && N

$eQ[b^2 - 4*a*c, 0] \ \&\& \ EqQ[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ !IntegerQ[p] \ \&\& \ IGtQ[n, 0] \ \&\& \ ILtQ[n + 2*p, 0]$

### Rubi steps

$$\int \frac{x^2}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx = \frac{2x^2}{3(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{2 \int -\frac{2x}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx}{3(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}$$

$$= \frac{2x^2}{3(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{(4ae) \int \frac{1}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx}{3(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}$$

$$= \frac{2x^2}{3(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{4ae}{3(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}$$

**Mathematica [A]** time = 0.07, size = 99, normalized size = 0.79

$$\frac{-2a^2e^2(8d^2+12dex+3e^2x^2)-4acd^2ex(2d+3ex)+2c^2d^4x^2}{3(d+ex)(cd^2-ae^2)^3\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d+e\*x)\*(a\*d\*e+(c\*d^2+a\*e^2)\*x+c\*d\*e\*x^2)^(3/2)),x]

[Out] (2\*c^2\*d^4\*x^2-4\*a\*c\*d^2\*e\*x\*(2\*d+3\*e\*x)-2\*a^2\*e^2\*(8\*d^2+12\*d\*e\*x+3\*e^2\*x^2))/(3\*(c\*d^2-a\*e^2)^3\*(d+e\*x)\*Sqrt[(a\*e+c\*d\*x)\*(d+e\*x)])

**IntegrateAlgebraic [B]** time = 152.02, size = 20752, normalized size = 164.70

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x^2/((d+e\*x)\*(a\*d\*e+(c\*d^2+a\*e^2)\*x+c\*d\*e\*x^2)^(3/2)),x]

[Out] Result too large to show

**fricas [B]** time = 2.83, size = 308, normalized size = 2.44

$$\frac{2(8a^2d^2e^2-(c^2d^4-6acd^2e^2-3a^2e^4)x^2+4(acd^3e+3a^2de^3)x)\sqrt{cdex^2+ade+(cd^2+ae^2)x}}{3(ac^3d^6e-3a^2c^2d^6e^3+3a^3cd^4e^5-a^4d^2e^7+(c^4d^7e^2-3ac^3d^5e^4+3a^2c^2d^3e^6-a^3cde^8)x^3+(2c^4d^8e-5ac^3d^6e^3+3a^2c^2d^4e^5+a^3cd^2e^7-a^4e^9)x^2+(c^4d^9-ac^3d^7e^2-3a^2c^2d^5e^4+5a^3cd^3e^6-2a^4de^8)x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm="fricas")
```

```
[Out] -2/3*(8*a^2*d^2*e^2 - (c^2*d^4 - 6*a*c*d^2*e^2 - 3*a^2*e^4)*x^2 + 4*(a*c*d^3*e + 3*a^2*d*e^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(a*c^3*d^8*e - 3*a^2*c^2*d^6*e^3 + 3*a^3*c*d^4*e^5 - a^4*d^2*e^7 + (c^4*d^7*e^2 - 3*a*c^3*d^5*e^4 + 3*a^2*c^2*d^3*e^6 - a^3*c*d*e^8)*x^3 + (2*c^4*d^8*e - 5*a*c^3*d^6*e^3 + 3*a^2*c^2*d^4*e^5 + a^3*c*d^2*e^7 - a^4*e^9)*x^2 + (c^4*d^9 - a*c^3*d^7*e^2 - 3*a^2*c^2*d^5*e^4 + 5*a^3*c*d^3*e^6 - 2*a^4*d*e^8)*x)
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Value
```

**maple** [A] time = 0.01, size = 145, normalized size = 1.15

$$\frac{2(cdx + ae)(3a^2e^4x^2 + 6acd^2e^2x^2 - c^2d^4x^2 + 12a^2de^3x + 4acd^3ex + 8a^2d^2e^2)}{3(a^3e^6 - 3a^2cd^2e^4 + 3ac^2d^4e^2 - c^3d^6)(cde^3x^2 + ae^2x + cd^2x + ade)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(e*x+d)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2),x)
```

```
[Out] 2/3*(c*d*x+a*e)*(3*a^2*e^4*x^2+6*a*c*d^2*e^2*x^2-c^2*d^4*x^2+12*a^2*d*e^3*x+4*a*c*d^3*e*x+8*a^2*d^2*e^2)/(a^3*e^6-3*a^2*c*d^2*e^4+3*a*c^2*d^4*e^2-c^3*d^6)/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(3/2)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm="maxima")
```



[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details) Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [B] time = 3.60, size = 1071, normalized size = 8.50

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/((d + e*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)),x)`

[Out] 
$$\frac{(4*c*d^3*(a*d*e + a*e^2*x + c*d^2*x + c*d*e*x^2)^{(1/2)})/(3*(a^3*d*e^7 - c^3*d^7*e + a^3*e^8*x + 3*a*c^2*d^5*e^3 - 3*a^2*c*d^3*e^5 - c^3*d^6*e^2*x + 3*a*c^2*d^4*e^4*x - 3*a^2*c*d^2*e^6*x)) - (2*d^2*(a*d*e + a*e^2*x + c*d^2*x + c*d*e*x^2)^{(1/2)})/(3*c^2*d^6*e + 3*a^2*d^2*e^5 + 3*a^2*e^7*x^2 + 6*c^2*d^5*e^2*x + 3*c^2*d^4*e^3*x^2 - 6*a*c*d^4*e^3 + 6*a^2*d*e^6*x - 12*a*c*d^3*e^4*x - 6*a*c*d^2*e^5*x^2) - (4*a*d*e^2*(a*d*e + a*e^2*x + c*d^2*x + c*d*e*x^2)^{(1/2)})/(3*(a^3*d*e^7 - c^3*d^7*e + a^3*e^8*x + 3*a*c^2*d^5*e^3 - 3*a^2*c*d^3*e^5 - c^3*d^6*e^2*x + 3*a*c^2*d^4*e^4*x - 3*a^2*c*d^2*e^6*x)) + (2*c^4*d^7*x)/((a*d*e + a*e^2*x + c*d^2*x + c*d*e*x^2)^{(1/2)}*(c^5*d^9*e - 4*a*c^4*d^7*e^3 + 6*a^2*c^3*d^5*e^5 - 4*a^3*c^2*d^3*e^7 + a^4*c*d*e^9)) + (22*a^3*c*d^2*e^5)/(3*(a*d*e + a*e^2*x + c*d^2*x + c*d*e*x^2)^{(1/2)}*(c^5*d^9*e - 4*a*c^4*d^7*e^3 + 6*a^2*c^3*d^5*e^5 - 4*a^3*c^2*d^3*e^7 + a^4*c*d*e^9)) - (28*a^2*c^2*d^4*e^3)/(3*(a*d*e + a*e^2*x + c*d^2*x + c*d*e*x^2)^{(1/2)}*(c^5*d^9*e - 4*a*c^4*d^7*e^3 + 6*a^2*c^3*d^5*e^5 - 4*a^3*c^2*d^3*e^7 + a^4*c*d*e^9)) + (2*a*c^3*d^6*e)/((a*d*e + a*e^2*x + c*d^2*x + c*d*e*x^2)^{(1/2)}*(c^5*d^9*e - 4*a*c^4*d^7*e^3 + 6*a^2*c^3*d^5*e^5 - 4*a^3*c^2*d^3*e^7 + a^4*c*d*e^9)) + (10*a^2*c^2*d^3*e^4*x)/(3*(a*d*e + a*e^2*x + c*d^2*x + c*d*e*x^2)^{(1/2)}*(c^5*d^9*e - 4*a*c^4*d^7*e^3 + 6*a^2*c^3*d^5*e^5 - 4*a^3*c^2*d^3*e^7 + a^4*c*d*e^9)) + (2*a^3*c*d*e^6*x)/((a*d*e + a*e^2*x + c*d^2*x + c*d*e*x^2)^{(1/2)}*(c^5*d^9*e - 4*a*c^4*d^7*e^3 + 6*a^2*c^3*d^5*e^5 - 4*a^3*c^2*d^3*e^7 + a^4*c*d*e^9)) - (22*a*c^3*d^5*e^2*x)/(3*(a*d*e + a*e^2*x + c*d^2*x + c*d*e*x^2)^{(1/2)}*(c^5*d^9*e - 4*a*c^4*d^7*e^3 + 6*a^2*c^3*d^5*e^5 - 4*a^3*c^2*d^3*e^7 + a^4*c*d*e^9))$$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{((d + ex)(ae + cdx))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(e*x+d)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2),x)`

[Out] `Integral(x**2/(((d + e*x)*(a*e + c*d*x))**3/2)*(d + e*x)), x)`

$$3.315 \quad \int \frac{x}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=138

$$\frac{2(3ae^2 + cd^2)(ae^2 + cd^2 + 2cdex)}{3e(cd^2 - ae^2)^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} - \frac{2d}{3e(d+ex)(cd^2 - ae^2) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}$$

**Rubi [A]** time = 0.09, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$ , Rules used = {792, 613}

$$\frac{2(3ae^2 + cd^2)(ae^2 + cd^2 + 2cdex)}{3e(cd^2 - ae^2)^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} - \frac{2d}{3e(d+ex)(cd^2 - ae^2) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] (-2\*d)/(3\*e\*(c\*d^2 - a\*e^2)\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + (2\*(c\*d^2 + 3\*a\*e^2)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x))/(3\*e\*(c\*d^2 - a\*e^2)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 613

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-3/2), x\_Symbol] :> Simp[(-2\*(b + 2\*c\*x))/((b^2 - 4\*a\*c)\*Sqrt[a + b\*x + c\*x^2]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 792

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d\*g - e\*f)\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/((2\*c\*d - b\*e)\*(m + p + 1)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(e\*(2\*c\*d - b\*e)\*(m + p + 1)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && ((LtQ[m, -1] && !IGtQ[m + p + 1, 0]) || (LtQ[m, 0] && LtQ[p, -1]) || EqQ[m + 2\*p + 2, 0]) && NeQ[m + p + 1, 0]

### Rubi steps

$$\int \frac{x}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx = -\frac{2d}{3e(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{(cd^2-ae^2)}{3e(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}$$

$$= -\frac{2d}{3e(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{(cd^2-ae^2)}{3e(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}$$

**Mathematica [A]** time = 0.04, size = 100, normalized size = 0.72

$$\frac{2(a^2e^3(2d+3ex) + 2acde(3d^2+5dex+3e^2x^2) + c^2d^3x(3d+2ex))}{3(d+ex)(cd^2-ae^2)^3\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d+e\*x)\*(a\*d\*e+(c\*d^2+a\*e^2)\*x+c\*d\*e\*x^2)^(3/2)),x]

[Out] (2\*(c^2\*d^3\*x\*(3\*d+2\*e\*x)+a^2\*e^3\*(2\*d+3\*e\*x)+2\*a\*c\*d\*e\*(3\*d^2+5\*d\*e\*x+3\*e^2\*x^2))/(3\*(c\*d^2-a\*e^2)^3\*(d+e\*x)\*Sqrt[(a\*e+c\*d\*x)\*(d+e\*x)])

**IntegrateAlgebraic [B]** time = 153.71, size = 25359, normalized size = 183.76

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[x/((d+e\*x)\*(a\*d\*e+(c\*d^2+a\*e^2)\*x+c\*d\*e\*x^2)^(3/2)),x]

[Out] Result too large to show

**fricas [B]** time = 2.72, size = 314, normalized size = 2.28

$$\frac{2(6acd^3e+2a^2de^3+2(c^2d^3e+3acde^3)x^2+(3c^2d^4+10acd^2e^2+3a^2e^4)x)\sqrt{cdex^2+ade+(cd^2+ae^2)x}}{3(ac^3d^8e-3a^2c^2d^6e^3+3a^3cd^4e^5-a^4d^2e^7+(c^4d^7e^2-3ac^3d^5e^4+3a^2c^2d^3e^6-a^3cde^8)x^3+(2c^4d^8e-5ac^3d^6e^3+3a^2c^2d^4e^5+a^3cd^2e^7-a^4e^9)x^2+(c^4d^9-ac^3d^7e^2-3a^2c^2d^5e^4+5a^3cd^3e^6-2a^4de^8)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] 2/3\*(6\*a\*c\*d^3\*e+2\*a^2\*d\*e^3+2\*(c^2\*d^3\*e+3\*a\*c\*d\*e^3)\*x^2+(3\*c^2\*d^4+10\*a\*c\*d^2\*e^2+3\*a^2\*e^4)\*x)\*sqrt(c\*d\*e\*x^2+a\*d\*e+(c\*d^2+a\*e^2)

)x)/(a\*c^3\*d^8\*e - 3\*a^2\*c^2\*d^6\*e^3 + 3\*a^3\*c\*d^4\*e^5 - a^4\*d^2\*e^7 + (c^4\*d^7\*e^2 - 3\*a\*c^3\*d^5\*e^4 + 3\*a^2\*c^2\*d^3\*e^6 - a^3\*c\*d\*e^8)\*x^3 + (2\*c^4\*d^8\*e - 5\*a\*c^3\*d^6\*e^3 + 3\*a^2\*c^2\*d^4\*e^5 + a^3\*c\*d^2\*e^7 - a^4\*e^9)\*x^2 + (c^4\*d^9 - a\*c^3\*d^7\*e^2 - 3\*a^2\*c^2\*d^5\*e^4 + 5\*a^3\*c\*d^3\*e^6 - 2\*a^4\*d\*e^8)\*x)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 149, normalized size = 1.08

$$\frac{2(cdx + ae)(6acd^3e^3x^2 + 2c^2d^3e^3x^2 + 3a^2e^4x + 10acd^2e^2x + 3c^2d^4x + 2a^2de^3 + 6acd^3e)}{3(a^3e^6 - 3a^2cd^2e^4 + 3ac^2d^4e^2 - c^3d^6)(cde^2x^2 + ae^2x + cd^2x + ade)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(e\*x+d)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out] -2/3\*(c\*d\*x+a\*e)\*(6\*a\*c\*d\*e^3\*x^2+2\*c^2\*d^3\*e\*x^2+3\*a^2\*e^4\*x+10\*a\*c\*d^2\*e^2\*x+3\*c^2\*d^4\*x+2\*a^2\*d\*e^3+6\*a\*c\*d^3\*e)/(a^3\*e^6-3\*a^2\*c\*d^2\*e^4+3\*a\*c^2\*d^4\*e^2-c^3\*d^6)/(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(3/2)

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad [B]** time = 3.32, size = 499, normalized size = 3.62

$$\frac{4a^2d^2\sqrt{cde^2+(c^2+a^2)x+ade}+6a^2d^2x\sqrt{cde^2+(c^2+a^2)x+ade}+6c^2d^2x\sqrt{cde^2+(c^2+a^2)x+ade}+4c^2d^2e^2\sqrt{cde^2+(c^2+a^2)x+ade}+12acd^2e\sqrt{cde^2+(c^2+a^2)x+ade}+20acd^2e^2\sqrt{cde^2+(c^2+a^2)x+ade}+12acd^2e^2\sqrt{cde^2+(c^2+a^2)x+ade}}{-3a^2d^2e^2-6a^2d^2e^2x-3a^2d^2e^2x^2+9a^2c^2d^2e^2+15a^2c^2d^2e^2x+3a^2c^2d^2e^2x^2-3a^2c^2d^2e^2x^3-9a^2c^2d^2e^2x^3-9a^2c^2d^2e^2x^3+9a^2c^2d^2e^2x^3+9a^2c^2d^2e^2x^3+3a^2c^2d^2e^2x-3a^2c^2d^2e^2x-15a^2c^2d^2e^2x^2-9a^2c^2d^2e^2x^2+3a^2d^2e^2x+6c^2d^2e^2x^2+3c^2d^2e^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/((d + e*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)),x)`

[Out]  $(4a^2d^2e^3(x(ae^2 + cd^2) + ad*e + cde*x^2)^{1/2} + 6a^2e^4xx(ae^2 + cd^2) + ad*e + cde*x^2)^{1/2} + 6c^2d^4xx(ae^2 + cd^2) + ad*e + cde*x^2)^{1/2} + 4c^2d^3e*x^2(x(ae^2 + cd^2) + ad*e + cde*x^2)^{1/2} + 12a*c*d^3e*(x(ae^2 + cd^2) + ad*e + cde*x^2)^{1/2} + 20a*c*d^2e^2*x(x(ae^2 + cd^2) + ad*e + cde*x^2)^{1/2} + 12a*c*d^2e^3*x^2(x(ae^2 + cd^2) + ad*e + cde*x^2)^{1/2})/(3c^4d^9x - 3a^4d^2e^7 - 3a^4e^9x^2 + 9a^3c^2d^4e^5 + 6c^4d^8e*x^2 - 9a^2c^2d^6e^3 + 3c^4d^7e^2*x^3 + 3a^3c^3d^8e - 6a^4d^8e^8x + 9a^2c^2d^4e^5*x^2 + 9a^2c^2d^3e^6*x^3 - 3a^3c^3d^7e^2*x + 15a^3c^3d^3e^6*x - 3a^3c^3d^8e^8*x^3 - 9a^2c^2d^5e^4*x - 15a^3c^3d^6e^3*x^2 + 3a^3c^3d^2e^7*x^2 - 9a^3c^3d^5e^4*x^3)$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{((d + ex)(ae + cdx))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x+d)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2),x)`

[Out] `Integral(x/(((d + e*x)*(a*e + c*d*x))**(3/2)*(d + e*x)), x)`

$$3.316 \quad \int \frac{1}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

Optimal. Leaf size=121

$$\frac{2}{3(d+ex)(cd^2-ae^2)\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{8cd(ae^2+cd^2+2cdex)}{3(cd^2-ae^2)^3\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

**Rubi [A]** time = 0.04, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.054$ , Rules used = {658, 613}

$$\frac{2}{3(d+ex)(cd^2-ae^2)\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{8cd(ae^2+cd^2+2cdex)}{3(cd^2-ae^2)^3\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] 2/(3\*(c\*d^2 - a\*e^2)\*(d + e\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (8\*c\*d\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x))/(3\*(c\*d^2 - a\*e^2)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 613

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-3/2), x\_Symbol] := Simp[(-2\*(b + 2\*c\*x))/((b^2 - 4\*a\*c)\*Sqrt[a + b\*x + c\*x^2]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 658

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/((m + p + 1)\*(2\*c\*d - b\*e)), x] + Dist[(c\*Simplify[m + 2\*p + 2])/((m + p + 1)\*(2\*c\*d - b\*e)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && ILtQ[Simplify[m + 2\*p + 2], 0]

### Rubi steps

$$\int \frac{1}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx = \frac{2}{3(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{(4cd)}{3(cd^2-ae^2)} \int \frac{1}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

$$= \frac{2}{3(cd^2-ae^2)(d+ex)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{(4cd)}{3(cd^2-ae^2)} \int \frac{1}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Mathematica [A]** time = 0.03, size = 95, normalized size = 0.79

$$\frac{2a^2e^4 - 4acde^2(3d + 2ex) - 2c^2d^2(3d^2 + 12dex + 8e^2x^2)}{3(d+ex)(cd^2-ae^2)^3\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] (2\*a^2\*e^4 - 4\*a\*c\*d\*e^2\*(3\*d + 2\*e\*x) - 2\*c^2\*d^2\*(3\*d^2 + 12\*d\*e\*x + 8\*e^2\*x^2))/(3\*(c\*d^2 - a\*e^2)^3\*(d + e\*x)\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [B]** time = 0.02, size = 27688, normalized size = 228.83

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] Result too large to show

**fricas [B]** time = 2.30, size = 306, normalized size = 2.53

$$\frac{2(8c^2d^2e^2x^2 + 3c^2d^4 + 6acd^2e^2 - a^2e^4 + 4(3c^2d^3e + acde^3)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{3(ac^3d^6e - 3a^2c^2d^6e^3 + 3a^3cd^4e^5 - a^4d^2e^7 + (c^4d^7e^2 - 3ac^3d^5e^4 + 3a^2c^2d^3e^6 - a^3cde^8)x^3 + (2c^4d^8e - 5ac^3d^6e^3 + 3a^2c^2d^4e^5 + a^3cd^2e^7 - a^4e^9)x^2 + (c^4d^9 - ac^3d^7e^2 - 3a^2c^2d^5e^4 + 5a^3cd^3e^6 - 2a^4de^8)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] -2/3\*(8\*c^2\*d^2\*e^2\*x^2 + 3\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 - a^2\*e^4 + 4\*(3\*c^2\*d^2\*e + a\*c\*d\*e^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(a\*c^3\*d^8\*

$e - 3a^2c^2d^6e^3 + 3a^3cd^4e^5 - a^4d^2e^7 + (c^4d^7e^2 - 3ac^3d^5e^4 + 3a^2c^2d^3e^6 - a^3cd^2e^8)x^3 + (2c^4d^8e - 5a^3c^3d^6e^3 + 3a^2c^2d^4e^5 + a^3cd^2e^7 - a^4e^9)x^2 + (c^4d^9 - ac^3d^7e^2 - 3a^2c^2d^5e^4 + 5a^3cd^3e^6 - 2a^4d^2e^8)x$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 138, normalized size = 1.14

$$\frac{2(cdx + ae)(-8c^2d^2e^2x^2 - 4acd e^3x - 12c^2d^3ex + a^2e^4 - 6ac d^2e^2 - 3c^2d^4)}{3(a^3e^6 - 3a^2c d^2e^4 + 3a c^2d^4e^2 - c^3d^6)(cde x^2 + a e^2x + c d^2x + ade)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out]  $-2/3*(c*d*x+a*e)*(-8*c^2*d^2*e^2*x^2-4*a*c*d*e^3*x-12*c^2*d^3*e*x+a^2*e^4-6*a*c*d^2*e^2-3*c^2*d^4)/(a^3*e^6-3*a^2*c*d^2*e^4+3*a*c^2*d^4*e^2-c^3*d^6)/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(3/2)$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details)Is a\*e^2-c\*d^2 zero or nonzero?



**mupad** [B] time = 2.88, size = 120, normalized size = 0.99

$$\frac{2\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}(-a^2e^4 + 6ac d^2e^2 + 4acd e^3x + 3c^2d^4 + 12c^2d^3ex + 8c^2d^2e^2x^2)}{3(ae + cdx)(ae^2 - cd^2)^3(d + ex)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d + e*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)),x)`

[Out] `(2*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)*(3*c^2*d^4 - a^2*e^4 + 8*c^2*d^2*e^2*x^2 + 6*a*c*d^2*e^2 + 12*c^2*d^3*e*x + 4*a*c*d*e^3*x))/(3*(a*e + c*d*x)*(a*e^2 - c*d^2)^3*(d + e*x)^2)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{((d + ex)(ae + cdx))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2),x)`

[Out] `Integral(1/(((d + e*x)*(a*e + c*d*x))**(3/2)*(d + e*x)), x)`

$$3.317 \quad \int \frac{1}{x(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=271

$$\frac{\tanh^{-1}\left(\frac{x(ae^2+cd^2)+2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{a^{3/2}d^{5/2}e^{3/2}} + \frac{2(-3a^3e^6 + 7a^2cd^2e^4 + ac^2d^4e^2 + cdex(3cd^2 - ae^2)(3ae^2 + cd^2) + 3c^3d^6)}{3ad^2e(cd^2 - ae^2)^3\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}$$

**Rubi [A]** time = 0.34, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {851, 822, 12, 724, 206}

$$\frac{2(7a^2cd^2e^4 - 3a^3e^6 + ac^2d^4e^2 + cdex(3cd^2 - ae^2)(3ae^2 + cd^2) + 3c^3d^6)}{3ad^2e(cd^2 - ae^2)^3\sqrt{x(ae^2 + cd^2) + ade + cdex^2}} - \frac{\tanh^{-1}\left(\frac{x(ae^2+cd^2)+2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{a^{3/2}d^{5/2}e^{3/2}} - \frac{2e(ae + cdx)}{3d(cd^2 - ae^2)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*e\*(a\*e + c\*d\*x))/(3\*d\*(c\*d^2 - a\*e^2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) + (2\*(3\*c^3\*d^6 + a\*c^2\*d^4\*e^2 + 7\*a^2\*c\*d^2\*e^4 - 3\*a^3\*e^6 + c\*d\*e\*(3\*c\*d^2 - a\*e^2)\*(c\*d^2 + 3\*a\*e^2)\*x))/(3\*a\*d^2\*e\*(c\*d^2 - a\*e^2)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])]/(a^(3/2)\*d^(5/2)\*e^(3/2))

**Rule 12**

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 724**

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c,

d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 822

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e + 2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m + b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 851

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[((f + g*x)^n*(a + b*x + c*x^2)^(m + p))/(a/d + (c*x)/e)^m, x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0] && IntegerQ[n] && (LtQ[n, 0] || GtQ[p, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx &= \int \frac{ae+cdx}{x(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \\
&= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2 \int \frac{-\frac{3}{2}ae(cd^2+ae^2)x+cdex^2}{x(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx}{3a} \\
&= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d^6+3cd^2e^2)}{3a} \\
&= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d^6+3cd^2e^2)}{3a} \\
&= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d^6+3cd^2e^2)}{3a} \\
&= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d^6+3cd^2e^2)}{3a}
\end{aligned}$$

**Mathematica [A]** time = 0.41, size = 262, normalized size = 0.97

$$\frac{2 \left( \frac{(d+ex)(ae+cdx)^{3/2} \left( \sqrt{a} \sqrt{d} \sqrt{e} (3a^2e^5 - 8acd^2e^3 - 3c^2d^4e) \sqrt{ae+cdx} + 3\sqrt{d+ex} (cd^2-ae^2)^3 \tanh^{-1} \left( \frac{\sqrt{d} \sqrt{ae+cdx}}{\sqrt{a} \sqrt{e} \sqrt{d+ex}} \right) \right)}{3\sqrt{a} d^{5/2} \sqrt{e} (cd^2-ae^2)^2} + \frac{(ae^3+3cd^2e)(ae+cdx)^2}{3cd^3-3ade^2} + cd(ae+cdx) \right)}{ae (cd^2-ae^2) ((d+ex)(ae+cdx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (2\*(c\*d\*(a\*e + c\*d\*x) + ((3\*c\*d^2\*e + a\*e^3)\*(a\*e + c\*d\*x)^2)/(3\*c\*d^3 - 3\*a\*d\*e^2) - ((a\*e + c\*d\*x)^(3/2)\*(d + e\*x)\*(Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*(-3\*c^2\*d^4\*e - 8\*a\*c\*d^2\*e^3 + 3\*a^2\*e^5)\*Sqrt[a\*e + c\*d\*x] + 3\*(c\*d^2 - a\*e^2)^3\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])]))/(3\*Sqrt[a]\*d^(5/2)\*Sqrt[e]\*(c\*d^2 - a\*e^2)^2)/(a\*e\*(c\*d^2 - a\*e^2)^2\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

IntegrateAlgebraic [F] time = 180.57, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/(x\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] \$Aborted

fricas [B] time = 6.52, size = 1476, normalized size = 5.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] [1/6\*(3\*(a\*c^3\*d^8\*e - 3\*a^2\*c^2\*d^6\*e^3 + 3\*a^3\*c\*d^4\*e^5 - a^4\*d^2\*e^7 + (c^4\*d^7\*e^2 - 3\*a\*c^3\*d^5\*e^4 + 3\*a^2\*c^2\*d^3\*e^6 - a^3\*c\*d\*e^8)\*x^3 + (2\*c^4\*d^8\*e - 5\*a\*c^3\*d^6\*e^3 + 3\*a^2\*c^2\*d^4\*e^5 + a^3\*c\*d^2\*e^7 - a^4\*e^9)\*x^2 + (c^4\*d^9 - a\*c^3\*d^7\*e^2 - 3\*a^2\*c^2\*d^5\*e^4 + 5\*a^3\*c\*d^3\*e^6 - 2\*a^4\*d\*e^8)\*x)\*sqrt(a\*d\*e)\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) + 4\*(3\*a\*c^3\*d^8\*e + 9\*a^3\*c\*d^4\*e^5 - 4\*a^4\*d^2\*e^7 + (3\*a\*c^3\*d^6\*e^3 + 8\*a^2\*c^2\*d^4\*e^5 - 3\*a^3\*c\*d^2\*e^7)\*x^2 + (6\*a\*c^3\*d^7\*e^2 + 9\*a^2\*c^2\*d^5\*e^4 + 4\*a^3\*c\*d^3\*e^6 - 3\*a^4\*d\*e^8)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a^3\*c^3\*d^11\*e^3 - 3\*a^4\*c^2\*d^9\*e^5 + 3\*a^5\*c\*d^7\*e^7 - a^6\*d^5\*e^9 + (a^2\*c^4\*d^10\*e^4 - 3\*a^3\*c^3\*d^8\*e^6 + 3\*a^4\*c^2\*d^6\*e^8 - a^5\*c\*d^4\*e^10)\*x^3 + (2\*a^2\*c^4\*d^11\*e^3 - 5\*a^3\*c^3\*d^9\*e^5 + 3\*a^4\*c^2\*d^7\*e^7 + a^5\*c\*d^5\*e^9 - a^6\*d^3\*e^11)\*x^2 + (a^2\*c^4\*d^12\*e^2 - a^3\*c^3\*d^10\*e^4 - 3\*a^4\*c^2\*d^8\*e^6 + 5\*a^5\*c\*d^6\*e^8 - 2\*a^6\*d^4\*e^10)\*x), 1/3\*(3\*(a\*c^3\*d^8\*e - 3\*a^2\*c^2\*d^6\*e^3 + 3\*a^3\*c\*d^4\*e^5 - a^4\*d^2\*e^7 + (c^4\*d^7\*e^2 - 3\*a\*c^3\*d^5\*e^4 + 3\*a^2\*c^2\*d^3\*e^6 - a^3\*c\*d\*e^8)\*x^3 + (2\*c^4\*d^8\*e - 5\*a\*c^3\*d^6\*e^3 + 3\*a^2\*c^2\*d^4\*e^5 + a^3\*c\*d^2\*e^7 - a^4\*e^9)\*x^2 + (c^4\*d^9 - a\*c^3\*d^7\*e^2 - 3\*a^2\*c^2\*d^5\*e^4 + 5\*a^3\*c\*d^3\*e^6 - 2\*a^4\*d\*e^8)\*x)\*sqrt(-a\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) + 2\*(3\*a\*c^3\*d^8\*e + 9\*a^3\*c\*d^4\*e^5 - 4\*a^4\*d^2\*e^7 + (3\*a\*c^3\*d^6\*e^3 + 8\*a^2\*c^2\*d^4\*e^5 - 3\*a^3\*c\*d^2\*e^7)\*x^2 + (6\*a\*c^3\*d^7\*e^2 + 9\*a^2\*c^2\*d^5\*e^4 + 4\*a^3\*c\*d^3\*e^6 - 3\*a^4\*d\*e^8)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/(a^3\*c^3\*d^11\*e^3 - 3\*a^4\*c^2\*d^9\*e^5 + 3\*a^5\*c\*d^7\*e^7 - a^6\*d^5\*e^9 + (a^2\*c^4\*d^10\*e^4 - 3\*a^3\*c^3\*d^8\*e^6 + 3\*a^4\*c^2\*d^6\*e^8 - a^5\*c\*d^4\*e^10)\*x^3 + (2\*a^2\*c^4\*d^11\*e^3 - 5\*a^3\*c^3\*d^9\*e^5 + 3\*a^4\*c^2\*d^7\*e^7

```
7 + a^5*c*d^5*e^9 - a^6*d^3*e^11)*x^2 + (a^2*c^4*d^12*e^2 - a^3*c^3*d^10*e^4 - 3*a^4*c^2*d^8*e^6 + 5*a^5*c*d^6*e^8 - 2*a^6*d^4*e^10)*x]
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Unable to transpose Error: Bad Argument Valu
e
```

maple [B] time = 0.02, size = 682, normalized size = 2.52

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x/(e*x+d)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2),x)
```

```
[Out] 1/d^2/a/e/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)-2/d*e^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*c-2*d/a/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*x*c^2-1/d^2*a*e^3/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)-2*e/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*c-d^2/a/e/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*c^2-1/d^2/a/e/(a*d*e)^(1/2)*ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^(1/2)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2))/x)+2/3/d/(a*e^2-c*d^2)/(x+d/e)/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)-16/3*d*c^2*e^2/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*x-8/3*c*e^3/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)*a-8/3*d^2*c^2*e/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^(1/2)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(ex + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm="maxima")
```

[Out] integrate(1/((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*(e\*x + d)\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x (d + ex) (cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x\*(d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)),x)

[Out] int(1/(x\*(d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x((d + ex)(ae + cdx))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e\*x+d)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2),x)

[Out] Integral(1/(x\*((d + e\*x)\*(a\*e + c\*d\*x))\*\*(3/2)\*(d + e\*x)), x)

$$3.318 \quad \int \frac{1}{x^2(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=394

$$\frac{(5ae^2 + 3cd^2) \tanh^{-1} \left( \frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \right)}{2a^{5/2}d^{7/2}e^{5/2}} + \frac{2(-5a^3e^6 + cdex(-5a^2e^4 + 10acd^2e^2 + 3c^2d^4) + 9a^2cd^2e^4)}{3ad^2ex(cd^2 - ae^2)^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}$$

**Rubi [A]** time = 0.59, antiderivative size = 394, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {851, 822, 806, 724, 206}

$$\frac{(31a^2cd^2e^4 - 15a^3e^6 - 9a^2d^4e^2 + 9c^3d^6) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3a^2d^2e^2x(cd^2 - ae^2)^3} + \frac{2(cdex(-5a^2e^4 + 10acd^2e^2 + 3c^2d^4) + 9a^2cd^2e^4 - 5a^3e^6 + a^2d^4e^2 + 3c^3d^6)}{3ad^2ex(cd^2 - ae^2)^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{(5ae^2 + 3cd^2) \tanh^{-1} \left( \frac{x(ae^2 + cd^2) + 2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \right)}{2a^{5/2}d^{7/2}e^{5/2}} - \frac{2(ade + cdx)}{3dx(cd^2 - ae^2)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] (-2\*e\*(a\*e + c\*d\*x))/(3\*d\*(c\*d^2 - a\*e^2)\*x\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2) + (2\*(3\*c^3\*d^6 + a\*c^2\*d^4\*e^2 + 9\*a^2\*c\*d^2\*e^4 - 5\*a^3\*e^6 + c\*d\*e\*(3\*c^2\*d^4 + 10\*a\*c\*d^2\*e^2 - 5\*a^2\*e^4)\*x))/(3\*a\*d^2\*e\*(c\*d^2 - a\*e^2)^3\*x\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - ((9\*c^3\*d^6 - 9\*a\*c^2\*d^4\*e^2 + 31\*a^2\*c\*d^2\*e^4 - 15\*a^3\*e^6)\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*a^2\*d^3\*e^2\*(c\*d^2 - a\*e^2)^3\*x) + ((3\*c\*d^2 + 5\*a\*e^2)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*sqrt[a]\*sqrt[d]\*sqrt[e]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(2\*a^(5/2)\*d^(7/2)\*e^(5/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 806



```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 822

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e + 2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m + b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 851

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[((f + g*x)^n*(a + b*x + c*x^2)^(m + p))/(a/d + (c*x)/e)^m, x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0] && IntegerQ[n] && (LtQ[n, 0] || GtQ[p, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx &= \int \frac{ae+cdx}{x^2(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \\
&= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2 \int \frac{-\frac{1}{2}ae}{x^2(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx}{1} \\
&= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d^6)}{3d(cd^2-ae^2)x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} \\
&= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d^6)}{3d(cd^2-ae^2)x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} \\
&= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d^6)}{3d(cd^2-ae^2)x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} \\
&= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d^6)}{3d(cd^2-ae^2)x(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.57, size = 370, normalized size = 0.94

$$\frac{(ae+cdx)\left(3a^{3/2}d^{5/2}e^{3/2}(ae^2-cd^2)^3+\sqrt{d}d^{5/2}\sqrt{e}x(ae^2-cd^2)(5e^2e^2-6acd^2+9e^2d^4)(ae+cdx)+x(d+ex)\sqrt{ae+cdx}\left(\sqrt{d}\sqrt{d}\sqrt{e}\left(15a^2e^2-31a^2cd^2e+9a^2d^4e^3-9e^3d^4e\right)\sqrt{ae+cdx}+3\sqrt{d+ex}\left(5ae^2+3cd^2\right)\left(cd^2-ae^2\right)\tanh^{-1}\left(\frac{\sqrt{d}\sqrt{ae+cdx}}{\sqrt{d}\sqrt{ae+cdx}}\right)\right)+3\sqrt{d}cd^{7/2}\sqrt{e}x\left(cd^2-ae^2\right)^2\left(ae^2-3cd^2\right)\right)}{3a^{3/2}d^{7/2}e^{5/2}x\left(cd^2-ae^2\right)^3\left((d+ex)(ae+cdx)\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] ((a\*e + c\*d\*x)\*(3\*a^(3/2)\*d^(5/2)\*e^(3/2)\*(-(c\*d^2) + a\*e^2)^3 + 3\*Sqrt[a]\*c\*d^(7/2)\*Sqrt[e]\*(c\*d^2 - a\*e^2)^2\*(-3\*c\*d^2 + a\*e^2)\*x + Sqrt[a]\*d^(3/2)\*Sqrt[e]\*(-(c\*d^2) + a\*e^2)\*(9\*c^2\*d^4\*e - 6\*a\*c\*d^2\*e^3 + 5\*a^2\*e^5)\*x\*(a\*e + c\*d\*x) + x\*Sqrt[a\*e + c\*d\*x]\*(d + e\*x)\*(Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*(-9\*c^3\*d^6\*e + 9\*a\*c^2\*d^4\*e^3 - 31\*a^2\*c\*d^2\*e^5 + 15\*a^3\*e^7)\*Sqrt[a\*e + c\*d\*x] + 3\*(c\*d^2 - a\*e^2)^3\*(3\*c\*d^2 + 5\*a\*e^2)\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])]))/(3\*a^(5/2)\*d^(7/2)\*e^(5/2)\*(c\*d^2 - a\*e^2)^3\*x\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

IntegrateAlgebraic [F] time = 180.04, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/(x^2\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] \$Aborted

fricas [B] time = 19.59, size = 1812, normalized size = 4.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] [1/12\*(3\*((3\*c^5\*d^9\*e^2 - 4\*a\*c^4\*d^7\*e^4 - 6\*a^2\*c^3\*d^5\*e^6 + 12\*a^3\*c^2\*d^3\*e^8 - 5\*a^4\*c\*d\*e^10)\*x^4 + (6\*c^5\*d^10\*e - 5\*a\*c^4\*d^8\*e^3 - 16\*a^2\*c^3\*d^6\*e^5 + 18\*a^3\*c^2\*d^4\*e^7 + 2\*a^4\*c\*d^2\*e^9 - 5\*a^5\*e^11)\*x^3 + (3\*c^5\*d^11 + 2\*a\*c^4\*d^9\*e^2 - 14\*a^2\*c^3\*d^7\*e^4 + 19\*a^4\*c\*d^3\*e^8 - 10\*a^5\*d\*e^10)\*x^2 + (3\*a\*c^4\*d^10\*e - 4\*a^2\*c^3\*d^8\*e^3 - 6\*a^3\*c^2\*d^6\*e^5 + 12\*a^4\*c\*d^4\*e^7 - 5\*a^5\*d^2\*e^9)\*x)\*sqrt(a\*d\*e)\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) - 4\*(3\*a^2\*c^3\*d^9\*e^2 - 9\*a^3\*c^2\*d^7\*e^4 + 9\*a^4\*c\*d^5\*e^6 - 3\*a^5\*d^3\*e^8 + (9\*a\*c^4\*d^8\*e^3 - 9\*a^2\*c^3\*d^6\*e^5 + 31\*a^3\*c^2\*d^4\*e^7 - 15\*a^4\*c\*d^2\*e^9)\*x^3 + (18\*a\*c^4\*d^9\*e^2 - 15\*a^2\*c^3\*d^7\*e^4 + 33\*a^3\*c^2\*d^5\*e^6 + 11\*a^4\*c\*d^3\*e^8 - 15\*a^5\*d\*e^10)\*x^2 + (9\*a\*c^4\*d^10\*e - 3\*a^2\*c^3\*d^8\*e^3 - 9\*a^3\*c^2\*d^6\*e^5 + 39\*a^4\*c\*d^4\*e^7 - 20\*a^5\*d^2\*e^9)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/((a^3\*c^4\*d^11\*e^5 - 3\*a^4\*c^3\*d^9\*e^7 + 3\*a^5\*c^2\*d^7\*e^9 - a^6\*c\*d^5\*e^11)\*x^4 + (2\*a^3\*c^4\*d^12\*e^4 - 5\*a^4\*c^3\*d^10\*e^6 + 3\*a^5\*c^2\*d^8\*e^8 + a^6\*c\*d^6\*e^10 - a^7\*d^4\*e^12)\*x^3 + (a^3\*c^4\*d^13\*e^3 - a^4\*c^3\*d^11\*e^5 - 3\*a^5\*c^2\*d^9\*e^7 + 5\*a^6\*c\*d^7\*e^9 - 2\*a^7\*d^5\*e^11)\*x^2 + (a^4\*c^3\*d^12\*e^4 - 3\*a^5\*c^2\*d^10\*e^6 + 3\*a^6\*c\*d^8\*e^8 - a^7\*d^6\*e^10)\*x), -1/6\*(3\*((3\*c^5\*d^9\*e^2 - 4\*a\*c^4\*d^7\*e^4 - 6\*a^2\*c^3\*d^5\*e^6 + 12\*a^3\*c^2\*d^3\*e^8 - 5\*a^4\*c\*d\*e^10)\*x^4 + (6\*c^5\*d^10\*e - 5\*a\*c^4\*d^8\*e^3 - 16\*a^2\*c^3\*d^6\*e^5 + 18\*a^3\*c^2\*d^4\*e^7 + 2\*a^4\*c\*d^2\*e^9 - 5\*a^5\*e^11)\*x^3 + (3\*c^5\*d^11 + 2\*a\*c^4\*d^9\*e^2 - 14\*a^2\*c^3\*d^7\*e^4 + 19\*a^4\*c\*d^3\*e^8 - 10\*a^5\*d\*e^10)\*x^2 + (3\*a\*c^4\*d^10\*e - 4\*a^2\*c^3\*d^8\*e^3 - 6\*a^3\*c^2\*d^6\*e^5 + 12\*a^4\*c\*d^4\*e^7 - 5\*a^5\*d^2\*e^9)\*x)\*sqrt(-a\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) + 2\*(3\*a^2\*c^3\*d^9\*e^2 - 9\*a^3\*c^2\*d^7\*e^4 + 9\*a^4\*c\*d^5\*e^6 - 3\*a^5\*d^3\*e

$$\begin{aligned} &^8 + (9*a*c^4*d^8*e^3 - 9*a^2*c^3*d^6*e^5 + 31*a^3*c^2*d^4*e^7 - 15*a^4*c*d^2*e^9)*x^3 + (18*a*c^4*d^9*e^2 - 15*a^2*c^3*d^7*e^4 + 33*a^3*c^2*d^5*e^6 + \\ &11*a^4*c*d^3*e^8 - 15*a^5*d*e^{10})*x^2 + (9*a*c^4*d^{10}*e - 3*a^2*c^3*d^8*e^3 - 9*a^3*c^2*d^6*e^5 + 39*a^4*c*d^4*e^7 - 20*a^5*d^2*e^9)*x)*\text{sqrt}(c*d*e*x^2 \\ &+ a*d*e + (c*d^2 + a*e^2)*x))/((a^3*c^4*d^{11}*e^5 - 3*a^4*c^3*d^9*e^7 + 3*a^5*c^2*d^7*e^9 - a^6*c*d^5*e^{11})*x^4 + (2*a^3*c^4*d^{12}*e^4 - 5*a^4*c^3*d^{10}*e^6 + 3*a^5*c^2*d^8*e^8 + a^6*c*d^6*e^{10} - a^7*d^4*e^{12})*x^3 + (a^3*c^4*d^{13}*e^3 - a^4*c^3*d^{11}*e^5 - 3*a^5*c^2*d^9*e^7 + 5*a^6*c*d^7*e^9 - 2*a^7*d^5*e^{11})*x^2 + (a^4*c^3*d^{12}*e^4 - 3*a^5*c^2*d^{10}*e^6 + 3*a^6*c*d^8*e^8 - a^7*d^6*e^{10})*x)] \end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 0.41Unable to transpose Error: Bad Argument Value

**maple** [B] time = 0.02, size = 912, normalized size = 2.31

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e\*x+d)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out] 
$$\begin{aligned} &-1/d^2/a/e/x/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}-5/2/d^3/a/(c*d*e*x^2+a \\ &d*e+(a*e^2+c*d^2)*x)^{(1/2)}-3/2/d/a^2/e^2/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x) \\ &^{(1/2)}*c+5/d^2*e^3/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2 \\ &+c*d^2)*x)^{(1/2)}*x*c+3*d^2/a^2/e/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^ \\ &2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^3+5/2/d^3*a*e^4/(-a^2*e^4+2*a*c*d^2*e^2- \\ &c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+5/2/d*e^2/(-a^2*e^4+2*a*c* \\ &d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c+3/2*d/a/(-a^2*e^ \\ &4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^2+3/2*d^ \\ &3/a^2/e^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x) \\ &)^{(1/2)}*c^3+5/2/d^3/a/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)} \\ &*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)+3/2/d/a^2/e^2/(a*d*e)^{(1/2)} \\ &)*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2) \\ &)*x)^{(1/2)})/x)*c-2/3*e/d^2/(a*e^2-c*d^2)/(x+d/e)/((x+d/e)^2*c*d*e+(a*e^2-c* \\ &d^2)*(x+d/e))^{(1/2)}+16/3*e^3*c^2/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c* \end{aligned}$$

$d^2 \cdot (x+d/e)^{1/2} \cdot x + 8/3 \cdot e^4/d \cdot c / (a \cdot e^2 - c \cdot d^2)^3 / ((x+d/e)^2 \cdot c \cdot d \cdot e + (a \cdot e^2 - c \cdot d^2) \cdot (x+d/e)^{1/2}) \cdot a + 8/3 \cdot e^2 \cdot d \cdot c^2 / (a \cdot e^2 - c \cdot d^2)^3 / ((x+d/e)^2 \cdot c \cdot d \cdot e + (a \cdot e^2 - c \cdot d^2) \cdot (x+d/e)^{1/2})$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(ex + d)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm m="maxima")

[Out] integrate(1/((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*(e\*x + d)\*x^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^2 (d + ex) (cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2\*(d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)),x)

[Out] int(1/(x^2\*(d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 ((d + ex)(ae + cdx))^{\frac{3}{2}}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*2/(e\*x+d)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2),x)

[Out] Integral(1/(x\*\*2\*((d + e\*x)\*(a\*e + c\*d\*x))\*\*(3/2)\*(d + e\*x)), x)

$$3.319 \quad \int \frac{1}{x^3(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=522

$$\frac{5(7a^2e^4 + 6acd^2e^2 + 3c^2d^4) \tanh^{-1}\left(\frac{x(ae^2+cd^2)+2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{8a^{7/2}d^9/2e^{7/2}} + \frac{2(-7a^3e^6 + cdex(-7a^2e^4 + 12acd^2e^2 + 3c^2d^4))}{3ad^2ex^2(cd^2 - ae^2)^3 \sqrt{x(ae^2 + cd^2)}}$$

**Rubi [A]** time = 0.80, antiderivative size = 522, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {851, 822, 834, 806, 724, 206}

$$\frac{(6a^2cd^6e^4 - 35a^3d^6e^2 + 15c^2d^6e^2)\sqrt{(ae^2+cd^2)+ade+cdex^2}}{6a^2d^6e^2(ae^2-ae^2)} + \frac{(-36a^2c^2d^6e^4 + 190a^2cd^6e^2 - 105a^4e^8 - 30ac^3d^6e^2 + 45c^4d^6)\sqrt{(ae^2+cd^2)+ade+cdex^2}}{12a^2d^6e^2(ae^2-ae^2)} + \frac{2(ade(-7a^2e^4 + 12acd^2e^2 + 3c^2d^4) + 11a^2cd^6e^2 - 7a^3d^6e^2 + ae^2d^6e^2 + 3c^2d^6)}{3ad^2e^2(cd^2-ae^2)\sqrt{(ae^2+cd^2)+ade+cdex^2}} - \frac{5(7a^2e^4 + 6acd^2e^2 + 3c^2d^4) \tanh^{-1}\left(\frac{(ae^2+cd^2)+2ade}{2\sqrt{a}\sqrt{d}\sqrt{e}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}\right)}{8a^{7/2}d^9/2e^{7/2}} - \frac{2cdex}{3d^2(ae^2-ae^2)(ae^2+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] (-2\*e\*(a\*e + c\*d\*x))/(3\*d\*(c\*d^2 - a\*e^2)\*x^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2) + (2\*(3\*c^3\*d^6 + a\*c^2\*d^4\*e^2 + 11\*a^2\*c\*d^2\*e^4 - 7\*a^3\*e^6 + c\*d\*e\*(3\*c^2\*d^4 + 12\*a\*c\*d^2\*e^2 - 7\*a^2\*e^4)\*x))/(3\*a\*d^2\*e\*(c\*d^2 - a\*e^2)^3\*x^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - ((15\*c^3\*d^6 - 9\*a\*c^2\*d^4\*e^2 + 61\*a^2\*c\*d^2\*e^4 - 35\*a^3\*e^6)\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(6\*a^2\*d^3\*e^2\*(c\*d^2 - a\*e^2)^3\*x^2) + ((45\*c^4\*d^8 - 30\*a\*c^3\*d^6\*e^2 - 36\*a^2\*c^2\*d^4\*e^4 + 190\*a^3\*c\*d^2\*e^6 - 105\*a^4\*e^8)\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(12\*a^3\*d^4\*e^3\*(c\*d^2 - a\*e^2)^3\*x) - (5\*(3\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + 7\*a^2\*e^4)\*ArcTanh[(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(2\*sqrt[a]\*sqrt[d]\*sqrt[e]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]])/(8\*a^(7/2)\*d^(9/2)\*e^(7/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 806

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 822

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e + 2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m + b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 834

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/((m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 851

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[((f + g*x)^n*(a + b*x + c*x^2)^(m + p))/(a/d + (c*x)/e)^m, x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0] && IntegerQ[n] && (LtQ[n, 0] || GtQ[p, 0])
```

Rubi steps

$$\begin{aligned}
 \int \frac{1}{x^3(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx &= \int \frac{ae+cdx}{x^3(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx \\
 &= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)x^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2 \int \frac{1}{x^2} dx}{\dots} \\
 &= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)x^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d}{\dots} \\
 &= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)x^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d}{\dots} \\
 &= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)x^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d}{\dots} \\
 &= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)x^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d}{\dots} \\
 &= -\frac{2e(ae+cdx)}{3d(cd^2-ae^2)x^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(3c^3d}{\dots}
 \end{aligned}$$

**Mathematica [A]** time = 0.93, size = 467, normalized size = 0.89

$$\frac{(ae+cdx)\left(6a^{5/2}d^{7/2}(ae^2-cd^2)+3\sqrt{3}a^{5/2}d^{5/2}(2ae^2+3cd^2)(cd^2-ae^2)-3\sqrt{2}d^{5/2}\sqrt{e}\left(7c^2ade^4-15c^2d^4\right)\left(cd^2-ae^2\right)-\sqrt{2}d^{5/2}\sqrt{e}\left(ae^2-cd^2\right)\left(35d^2e^2-33ae^2cd^2-15ae^2d^4+45c^2d^4\right)\left(ae+cdx\right)-3d+cx\right)\sqrt{ae+cdx}\left(15\sqrt{d+ex}\left(7c^2d^4+6acd^2+3c^2d^4\right)\left(cd^2-ae^2\right)\operatorname{tanh}^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{cd^2+ae^2}}\right)+\sqrt{2}\sqrt{d}\sqrt{e}\left(105a^4d^3-190a^2d^2e^2+36a^2c^2d^2e^2+30a^2c^2d^2e-45c^4d^2\right)\sqrt{ae+cdx}\right)}{12a^{7/2}d^{9/2}e^{3/2}\left(cd^2-ae^2\right)^2\left(d+ex\right)\left(ae+cdx\right)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] ((a\*e + c\*d\*x)\*(6\*a^(5/2)\*d^(7/2)\*e^(5/2)\*(-(c\*d^2) + a\*e^2)^3 + x\*(3\*a^(3/2)\*d^(5/2)\*e^(3/2)\*(c\*d^2 - a\*e^2)^3\*(5\*c\*d^2 + 7\*a\*e^2) - 3\*sqrt[a]\*d^(5/2)\*sqrt[e]\*(c\*d^2 - a\*e^2)^2\*(-15\*c^3\*d^5 + 7\*a^2\*c\*d\*e^4)\*x - sqrt[a]\*d^(3/2)



2)\*Sqrt[e]\*(-(c\*d^2) + a\*e^2)\*(45\*c^3\*d^6\*e - 15\*a\*c^2\*d^4\*e^3 - 33\*a^2\*c\*d^2\*e^5 + 35\*a^3\*e^7)\*x\*(a\*e + c\*d\*x) - x\*Sqrt[a\*e + c\*d\*x]\*(d + e\*x)\*(Sqrt[a]\*Sqrt[d]\*Sqrt[e]\*(-45\*c^4\*d^8\*e + 30\*a\*c^3\*d^6\*e^3 + 36\*a^2\*c^2\*d^4\*e^5 - 190\*a^3\*c\*d^2\*e^7 + 105\*a^4\*e^9)\*Sqrt[a\*e + c\*d\*x] + 15\*(c\*d^2 - a\*e^2)^3\*(3\*c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + 7\*a^2\*e^4)\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[d]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[a]\*Sqrt[e]\*Sqrt[d + e\*x])])))/(12\*a^(7/2)\*d^(9/2)\*e^(7/2)\*(c\*d^2 - a\*e^2)^3\*x^2\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

**IntegrateAlgebraic [F]** time = 180.17, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/(x^3\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] \$Aborted

**fricas [B]** time = 42.29, size = 2162, normalized size = 4.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] [1/48\*(15\*((3\*c^6\*d^11\*e^2 - 3\*a\*c^5\*d^9\*e^4 - 2\*a^2\*c^4\*d^7\*e^6 - 6\*a^3\*c^3\*d^5\*e^8 + 15\*a^4\*c^2\*d^3\*e^10 - 7\*a^5\*c\*d\*e^12)\*x^5 + (6\*c^6\*d^12\*e - 3\*a\*c^5\*d^10\*e^3 - 7\*a^2\*c^4\*d^8\*e^5 - 14\*a^3\*c^3\*d^6\*e^7 + 24\*a^4\*c^2\*d^4\*e^9 + a^5\*c\*d^2\*e^11 - 7\*a^6\*e^13)\*x^4 + (3\*c^6\*d^13 + 3\*a\*c^5\*d^11\*e^2 - 8\*a^2\*c^4\*d^9\*e^4 - 10\*a^3\*c^3\*d^7\*e^6 + 3\*a^4\*c^2\*d^5\*e^8 + 23\*a^5\*c\*d^3\*e^10 - 14\*a^6\*d\*e^12)\*x^3 + (3\*a\*c^5\*d^12\*e - 3\*a^2\*c^4\*d^10\*e^3 - 2\*a^3\*c^3\*d^8\*e^5 - 6\*a^4\*c^2\*d^6\*e^7 + 15\*a^5\*c\*d^4\*e^9 - 7\*a^6\*d^2\*e^11)\*x^2)\*sqrt(a\*d\*e)\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) - 4\*(6\*a^3\*c^3\*d^10\*e^3 - 18\*a^4\*c^2\*d^8\*e^5 + 18\*a^5\*c\*d^6\*e^7 - 6\*a^6\*d^4\*e^9 - (45\*a\*c^5\*d^10\*e^3 - 30\*a^2\*c^4\*d^8\*e^5 - 36\*a^3\*c^3\*d^6\*e^7 + 190\*a^4\*c^2\*d^4\*e^9 - 105\*a^5\*c\*d^2\*e^11)\*x^4 - (90\*a\*c^5\*d^11\*e^2 - 45\*a^2\*c^4\*d^9\*e^4 - 84\*a^3\*c^3\*d^7\*e^6 + 222\*a^4\*c^2\*d^5\*e^8 + 50\*a^5\*c\*d^3\*e^10 - 105\*a^6\*d\*e^12)\*x^3 - (45\*a\*c^5\*d^12\*e - 66\*a^3\*c^3\*d^8\*e^5 - 12\*a^4\*c^2\*d^6\*e^7 + 237\*a^5\*c\*d^4\*e^9 - 140\*a^6\*d^2\*e^11)\*x^2 - 3\*(5\*a^2\*c^4\*d^11\*e^2 - 8\*a^3\*c^3\*d^9\*e^4 - 6\*a^4\*c^2\*d^7\*e^6 + 16\*a^5\*c\*d^5\*e^8 - 7\*a^6\*d^3\*e^10)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x))/((a^4\*c^4\*d^12\*e^6 - 3\*a^5\*c^3\*d^10\*e^8 + 3\*a^6\*c^2\*d^8\*e^10 - a^7\*c\*d^6\*e^12)\*x^5 + (2\*a^4\*c^4\*d^13\*e^5 - 5\*a^5\*c^3\*d^11\*e^7 + 3\*a^6\*c^2\*d^9\*e^9 + a^7\*c\*d^7\*e^11 - a^8\*d^5\*e^13)\*x^4 + (a^4\*c^4\*d^14\*e^4 - a^5\*c^3

```

*d^12*e^6 - 3*a^6*c^2*d^10*e^8 + 5*a^7*c*d^8*e^10 - 2*a^8*d^6*e^12)*x^3 + (
a^5*c^3*d^13*e^5 - 3*a^6*c^2*d^11*e^7 + 3*a^7*c*d^9*e^9 - a^8*d^7*e^11)*x^2
), 1/24*(15*((3*c^6*d^11*e^2 - 3*a*c^5*d^9*e^4 - 2*a^2*c^4*d^7*e^6 - 6*a^3*
c^3*d^5*e^8 + 15*a^4*c^2*d^3*e^10 - 7*a^5*c*d*e^12)*x^5 + (6*c^6*d^12*e - 3
*a*c^5*d^10*e^3 - 7*a^2*c^4*d^8*e^5 - 14*a^3*c^3*d^6*e^7 + 24*a^4*c^2*d^4*e
^9 + a^5*c*d^2*e^11 - 7*a^6*e^13)*x^4 + (3*c^6*d^13 + 3*a*c^5*d^11*e^2 - 8*
a^2*c^4*d^9*e^4 - 10*a^3*c^3*d^7*e^6 + 3*a^4*c^2*d^5*e^8 + 23*a^5*c*d^3*e^1
0 - 14*a^6*d*e^12)*x^3 + (3*a*c^5*d^12*e - 3*a^2*c^4*d^10*e^3 - 2*a^3*c^3*d
^8*e^5 - 6*a^4*c^2*d^6*e^7 + 15*a^5*c*d^4*e^9 - 7*a^6*d^2*e^11)*x^2)*sqrt(-
a*d*e)*arctan(1/2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*a*d*e + (c
*d^2 + a*e^2)*x)*sqrt(-a*d*e)/(a*c*d^2*e^2*x^2 + a^2*d^2*e^2 + (a*c*d^3*e +
a^2*d*e^3)*x)) - 2*(6*a^3*c^3*d^10*e^3 - 18*a^4*c^2*d^8*e^5 + 18*a^5*c*d^6
*e^7 - 6*a^6*d^4*e^9 - (45*a*c^5*d^10*e^3 - 30*a^2*c^4*d^8*e^5 - 36*a^3*c^3
*d^6*e^7 + 190*a^4*c^2*d^4*e^9 - 105*a^5*c*d^2*e^11)*x^4 - (90*a*c^5*d^11*e
^2 - 45*a^2*c^4*d^9*e^4 - 84*a^3*c^3*d^7*e^6 + 222*a^4*c^2*d^5*e^8 + 50*a^5
*c*d^3*e^10 - 105*a^6*d*e^12)*x^3 - (45*a*c^5*d^12*e - 66*a^3*c^3*d^8*e^5 -
12*a^4*c^2*d^6*e^7 + 237*a^5*c*d^4*e^9 - 140*a^6*d^2*e^11)*x^2 - 3*(5*a^2*
c^4*d^11*e^2 - 8*a^3*c^3*d^9*e^4 - 6*a^4*c^2*d^7*e^6 + 16*a^5*c*d^5*e^8 - 7
*a^6*d^3*e^10)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/((a^4*c^4*d^
12*e^6 - 3*a^5*c^3*d^10*e^8 + 3*a^6*c^2*d^8*e^10 - a^7*c*d^6*e^12)*x^5 + (2
*a^4*c^4*d^13*e^5 - 5*a^5*c^3*d^11*e^7 + 3*a^6*c^2*d^9*e^9 + a^7*c*d^7*e^11
- a^8*d^5*e^13)*x^4 + (a^4*c^4*d^14*e^4 - a^5*c^3*d^12*e^6 - 3*a^6*c^2*d^1
0*e^8 + 5*a^7*c*d^8*e^10 - 2*a^8*d^6*e^12)*x^3 + (a^5*c^3*d^13*e^5 - 3*a^6*
c^2*d^11*e^7 + 3*a^7*c*d^9*e^9 - a^8*d^7*e^11)*x^2)]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm
m="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Unable to transpose Error: Bad Argument Valu
e
```

**maple** [B] time = 0.02, size = 1319, normalized size = 2.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/x^3/(e*x+d)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2),x)
```

```
[Out] -15/4*d^3/a^3/e^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+
c*d^2)*x)^(1/2)*x*c^4+7/4*e^2/d/a/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x
```

$$\begin{aligned} &^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^2-8/3*e^3*c^2/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}+15/8/a^3/e^3/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^2+9/4/d^3/a/x/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+35/8*e/d^4/a/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}-16/3/d*e^4*c^2/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*x-8/3/d^2*e^5*c/(a*e^2-c*d^2)^3/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}*a-15/8*d^4/a^3/e^3/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^4+5/4/d/a^2/e^2/x/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c-35/4*e^4/d^3/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c-5/4*d/a^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^3-5/2/e*d^2/a^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^3-15/4/e/d^2/a^2/(a*d*e)^{(1/2)}*ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c-15/8/a^3/e^3/(a*d*e)^{(1/2)}*ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^2-1/2/d^2/a/e/x^2/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}+2/3/d^3*e^2/(a*e^2-c*d^2)/(x+d/e)/((x+d/e)^2*c*d*e+(a*e^2-c*d^2)*(x+d/e))^{(1/2)}+15/4/e/d^2/a^2/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c-35/8*e^5/d^4*a/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}-7/2*e^3/d^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c+1/4*e/a/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^2-35/8*e/d^4/a/(a*d*e)^{(1/2)}*ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x) \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cdex^2 + ade + (cd^2 + ae^2)x)^{3/2}(ex + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*(e\*x + d)\*x^3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^3 (d + ex) (cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3\*(d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)),x)

[Out] `int(1/(x^3*(d + e*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 ((d + ex)(ae + cdx))^{\frac{3}{2}} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**3/(e*x+d)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2),x)`

[Out] `Integral(1/(x**3*((d + e*x)*(a*e + c*d*x))**(3/2)*(d + e*x)), x)`

$$3.320 \quad \int \frac{1}{x^4(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

Optimal. Leaf size=664

$$\frac{2(-9a^3e^6 + cdex(-9a^2e^4 + 14acd^2e^2 + 3c^2d^4) + 13a^2cd^2e^4 + ac^2d^4e^2 + 3c^3d^6) (-21a^3e^6 + 33a^2cd^2e^4 - 3ac^2d^4)}{3ad^2ex^3 (cd^2 - ae^2)^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} \quad 3a^2d^3$$

**Rubi [A]** time = 1.17, antiderivative size = 664, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {851, 822, 834, 806, 724, 206}

([1] [2] [3] [4] [5] [6] [7] [8] [9] [10] [11] [12] [13] [14] [15] [16] [17] [18] [19] [20] [21] [22] [23] [24] [25] [26] [27] [28] [29] [30] [31] [32] [33] [34] [35] [36] [37] [38] [39] [40] [41] [42] [43] [44] [45] [46] [47] [48] [49] [50] [51] [52] [53] [54] [55] [56] [57] [58] [59] [60] [61] [62] [63] [64] [65] [66] [67] [68] [69] [70] [71] [72] [73] [74] [75] [76] [77] [78] [79] [80] [81] [82] [83] [84] [85] [86] [87] [88] [89] [90] [91] [92] [93] [94] [95] [96] [97] [98] [99] [100] [101] [102] [103] [104] [105] [106] [107] [108] [109] [110] [111] [112] [113] [114] [115] [116] [117] [118] [119] [120] [121] [122] [123] [124] [125] [126] [127] [128] [129] [130] [131] [132] [133] [134] [135] [136] [137] [138] [139] [140] [141] [142] [143] [144] [145] [146] [147] [148] [149] [150] [151] [152] [153] [154] [155] [156] [157] [158] [159] [160] [161] [162] [163] [164] [165] [166] [167] [168] [169] [170] [171] [172] [173] [174] [175] [176] [177] [178] [179] [180] [181] [182] [183] [184] [185] [186] [187] [188] [189] [190] [191] [192] [193] [194] [195] [196] [197] [198] [199] [200] [201] [202] [203] [204] [205] [206] [207] [208] [209] [210] [211] [212] [213] [214] [215] [216] [217] [218] [219] [220] [221] [222] [223] [224] [225] [226] [227] [228] [229] [230] [231] [232] [233] [234] [235] [236] [237] [238] [239] [240] [241] [242] [243] [244] [245] [246] [247] [248] [249] [250] [251] [252] [253] [254] [255] [256] [257] [258] [259] [260] [261] [262] [263] [264] [265] [266] [267] [268] [269] [270] [271] [272] [273] [274] [275] [276] [277] [278] [279] [280] [281] [282] [283] [284] [285] [286] [287] [288] [289] [290] [291] [292] [293] [294] [295] [296] [297] [298] [299] [300] [301] [302] [303] [304] [305] [306] [307] [308] [309] [310] [311] [312] [313] [314] [315] [316] [317] [318] [319] [320] [321] [322] [323] [324] [325] [326] [327] [328] [329] [330] [331] [332] [333] [334] [335] [336] [337] [338] [339] [340] [341] [342] [343] [344] [345] [346] [347] [348] [349] [350] [351] [352] [353] [354] [355] [356] [357] [358] [359] [360] [361] [362] [363] [364] [365] [366] [367] [368] [369] [370] [371] [372] [373] [374] [375] [376] [377] [378] [379] [380] [381] [382] [383] [384] [385] [386] [387] [388] [389] [390] [391] [392] [393] [394] [395] [396] [397] [398] [399] [400] [401] [402] [403] [404] [405] [406] [407] [408] [409] [410] [411] [412] [413] [414] [415] [416] [417] [418] [419] [420] [421] [422] [423] [424] [425] [426] [427] [428] [429] [430] [431] [432] [433] [434] [435] [436] [437] [438] [439] [440] [441] [442] [443] [444] [445] [446] [447] [448] [449] [450] [451] [452] [453] [454] [455] [456] [457] [458] [459] [460] [461] [462] [463] [464] [465] [466] [467] [468] [469] [470] [471] [472] [473] [474] [475] [476] [477] [478] [479] [480] [481] [482] [483] [484] [485] [486] [487] [488] [489] [490] [491] [492] [493] [494] [495] [496] [497] [498] [499] [500] [501] [502] [503] [504] [505] [506] [507] [508] [509] [510] [511] [512] [513] [514] [515] [516] [517] [518] [519] [520] [521] [522] [523] [524] [525] [526] [527] [528] [529] [530] [531] [532] [533] [534] [535] [536] [537] [538] [539] [540] [541] [542] [543] [544] [545] [546] [547] [548] [549] [550] [551] [552] [553] [554] [555] [556] [557] [558] [559] [560] [561] [562] [563] [564] [565] [566] [567] [568] [569] [570] [571] [572] [573] [574] [575] [576] [577] [578] [579] [580] [581] [582] [583] [584] [585] [586] [587] [588] [589] [590] [591] [592] [593] [594] [595] [596] [597] [598] [599] [600] [601] [602] [603] [604] [605] [606] [607] [608] [609] [610] [611] [612] [613] [614] [615] [616] [617] [618] [619] [620] [621] [622] [623] [624] [625] [626] [627] [628] [629] [630] [631] [632] [633] [634] [635] [636] [637] [638] [639] [640] [641] [642] [643] [644] [645] [646] [647] [648] [649] [650] [651] [652] [653] [654] [655] [656] [657] [658] [659] [660] [661] [662] [663] [664] [665] [666] [667] [668] [669] [670] [671] [672] [673] [674] [675] [676] [677] [678] [679] [680] [681] [682] [683] [684] [685] [686] [687] [688] [689] [690] [691] [692] [693] [694] [695] [696] [697] [698] [699] [700] [701] [702] [703] [704] [705] [706] [707] [708] [709] [710] [711] [712] [713] [714] [715] [716] [717] [718] [719] [720] [721] [722] [723] [724] [725] [726] [727] [728] [729] [730] [731] [732] [733] [734] [735] [736] [737] [738] [739] [740] [741] [742] [743] [744] [745] [746] [747] [748] [749] [750] [751] [752] [753] [754] [755] [756] [757] [758] [759] [760] [761] [762] [763] [764] [765] [766] [767] [768] [769] [770] [771] [772] [773] [774] [775] [776] [777] [778] [779] [780] [781] [782] [783] [784] [785] [786] [787] [788] [789] [790] [791] [792] [793] [794] [795] [796] [797] [798] [799] [800] [801] [802] [803] [804] [805] [806] [807] [808] [809] [810] [811] [812] [813] [814] [815] [816] [817] [818] [819] [820] [821] [822] [823] [824] [825] [826] [827] [828] [829] [830] [831] [832] [833] [834] [835] [836] [837] [838] [839] [840] [841] [842] [843] [844] [845] [846] [847] [848] [849] [850] [851] [852] [853] [854] [855] [856] [857] [858] [859] [860] [861] [862] [863] [864] [865] [866] [867] [868] [869] [870] [871] [872] [873] [874] [875] [876] [877] [878] [879] [880] [881] [882] [883] [884] [885] [886] [887] [888] [889] [890] [891] [892] [893] [894] [895] [896] [897] [898] [899] [900] [901] [902] [903] [904] [905] [906] [907] [908] [909] [910] [911] [912] [913] [914] [915] [916] [917] [918] [919] [920] [921] [922] [923] [924] [925] [926] [927] [928] [929] [930] [931] [932] [933] [934] [935] [936] [937] [938] [939] [940] [941] [942] [943] [944] [945] [946] [947] [948] [949] [950] [951] [952] [953] [954] [955] [956] [957] [958] [959] [960] [961] [962] [963] [964] [965] [966] [967] [968] [969] [970] [971] [972] [973] [974] [975] [976] [977] [978] [979] [980] [981] [982] [983] [984] [985] [986] [987] [988] [989] [990] [991] [992] [993] [994] [995] [996] [997] [998] [999] [1000])

Antiderivative was successfully verified.

[In] Int[1/(x^4\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out]  $(-2*e*(a*e + c*d*x))/(3*d*(c*d^2 - a*e^2)*x^3*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2) + (2*(3*c^3*d^6 + a*c^2*d^4*e^2 + 13*a^2*c*d^2*e^4 - 9*a^3*e^6 + c*d*e*(3*c^2*d^4 + 14*a*c*d^2*e^2 - 9*a^2*e^4)*x))/(3*a*d^2*e*(c*d^2 - a*e^2)^3*x^3*\text{Sqrt}[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]) - ((7*c^3*d^6 - 3*a*c^2*d^4*e^2 + 33*a^2*c*d^2*e^4 - 21*a^3*e^6)*\text{Sqrt}[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(3*a^2*d^3*e^2*(c*d^2 - a*e^2)^3*x^3) + ((35*c^4*d^8 - 16*a*c^3*d^6*e^2 - 18*a^2*c^2*d^4*e^4 + 168*a^3*c*d^2*e^6 - 105*a^4*e^8)*\text{Sqrt}[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(12*a^3*d^4*e^3*(c*d^2 - a*e^2)^3*x^2) - ((105*c^5*d^10 - 55*a*c^4*d^8*e^2 - 54*a^2*c^3*d^6*e^4 - 78*a^3*c^2*d^4*e^6 + 525*a^4*c*d^2*e^8 - 315*a^5*e^10)*\text{Sqrt}[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(24*a^4*d^5*e^4*(c*d^2 - a*e^2)^3*x) + (5*(7*c^3*d^6 + 15*a*c^2*d^4*e^2 + 21*a^2*c*d^2*e^4 + 21*a^3*e^6)*\text{ArcTanh}[(2*a*d*e + (c*d^2 + a*e^2)*x)/(2*\text{Sqrt}[a]*\text{Sqrt}[d]*\text{Sqrt}[e]*\text{Sqrt}[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]])/(16*a^(9/2)*d^(11/2)*e^(9/2))$

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x], (2

$*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[2*c*d - b*e, 0]$

### Rule 806

$\text{Int}[\{(d_.) + (e_.)*(x_)\}^{(m_)}*\{(f_.) + (g_.)*(x_)\}*\{(a_.) + (b_.)*(x_) + (c_.)*(x_)^2\}^{(p_.)}, x\_Symbol] :> -\text{Simp}[\{(e*f - d*g)*(d + e*x)^{(m + 1)}*(a + b*x + c*x^2)^{(p + 1)}\}/\{2*(p + 1)*(c*d^2 - b*d*e + a*e^2)\}, x] - \text{Dist}[\{(b*(e*f + d*g) - 2*(c*d*f + a*e*g)\}/\{2*(c*d^2 - b*d*e + a*e^2)\}, \text{Int}[\{(d + e*x)^{(m + 1)}*(a + b*x + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m, p\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$

### Rule 822

$\text{Int}[\{(d_.) + (e_.)*(x_)\}^{(m_)}*\{(f_.) + (g_.)*(x_)\}*\{(a_.) + (b_.)*(x_) + (c_.)*(x_)^2\}^{(p_.)}, x\_Symbol] :> \text{Simp}[\{(d + e*x)^{(m + 1)}*(f*(b*c*d - b^2*e + 2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x\}*(a + b*x + c*x^2)^{(p + 1)}\}/\{(p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)\}, x] + \text{Dist}[1/\{(p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)\}, \text{Int}[\{(d + e*x)^m*(a + b*x + c*x^2)^{(p + 1)}*\text{Simp}[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m + b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{LtQ}[p, -1] \&\& (\text{IntegerQ}[m] || \text{IntegerQ}[p] || \text{IntegersQ}[2*m, 2*p])$

### Rule 834

$\text{Int}[\{(d_.) + (e_.)*(x_)\}^{(m_)}*\{(f_.) + (g_.)*(x_)\}*\{(a_.) + (b_.)*(x_) + (c_.)*(x_)^2\}^{(p_.)}, x\_Symbol] :> \text{Simp}[\{(e*f - d*g)*(d + e*x)^{(m + 1)}*(a + b*x + c*x^2)^{(p + 1)}\}/\{(m + 1)*(c*d^2 - b*d*e + a*e^2)\}, x] + \text{Dist}[1/\{(m + 1)*(c*d^2 - b*d*e + a*e^2)\}, \text{Int}[\{(d + e*x)^{(m + 1)}*(a + b*x + c*x^2)^p*\text{Simp}[\{c*d*f - f*b*e + a*e*g\}*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{LtQ}[m, -1] \&\& (\text{IntegerQ}[m] || \text{IntegerQ}[p] || \text{IntegersQ}[2*m, 2*p])$

### Rule 851

$\text{Int}[\{(d_.) + (e_.)*(x_)\}^{(m_)}*\{(f_.) + (g_.)*(x_)\}^{(n_)}*\{(a_.) + (b_.)*(x_) + (c_.)*(x_)^2\}^{(p_.)}, x\_Symbol] :> \text{Int}[\{(f + g*x)^n*(a + b*x + c*x^2)^{(m + p)}\}/\{a/d + (c*x)/e\}^m, x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& !I$



Antiderivative was successfully verified.

```
[In] Integrate[1/(x^4*(d + e*x)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)),x]
```

```
[Out] ((a*e + c*d*x)*(24*a^(7/2)*d^(9/2)*e^(7/2)*(-(c*d^2) + a*e^2)^3 + x*(6*a^(5/2)*d^(7/2)*e^(5/2)*(c*d^2 - a*e^2)^3*(7*c*d^2 + 9*a*e^2) + 3*a^(3/2)*d^(5/2)*e^(3/2)*(-(c*d^2) + a*e^2)^3*(35*c^2*d^4 + 54*a*c*d^2*e^2 + 63*a^2*e^4)*x + x^2*(9*Sqrt[a]*c*d^(7/2)*Sqrt[e]*(c*d^2 - a*e^2)^2*(-35*c^3*d^6 - 5*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 21*a^3*e^6) + 3*Sqrt[a]*d^(3/2)*Sqrt[e]*(-(c*d^2) + a*e^2)*(105*c^4*d^8*e - 20*a*c^3*d^6*e^3 - 42*a^2*c^2*d^4*e^5 - 84*a^3*c*d^2*e^7 + 105*a^4*e^9)*(a*e + c*d*x) + Sqrt[a*e + c*d*x]*(d + e*x)*(3*Sqrt[a]*Sqrt[d]*Sqrt[e]*(-105*c^5*d^10*e + 55*a*c^4*d^8*e^3 + 54*a^2*c^3*d^6*e^5 + 78*a^3*c^2*d^4*e^7 - 525*a^4*c*d^2*e^9 + 315*a^5*e^11)*Sqrt[a*e + c*d*x] + 45*(c*d^2 - a*e^2)^3*(7*c^3*d^6 + 15*a*c^2*d^4*e^2 + 21*a^2*c*d^2*e^4 + 21*a^3*e^6)*Sqrt[d + e*x]*ArcTanh[(Sqrt[d]*Sqrt[a*e + c*d*x])/(Sqrt[a]*Sqrt[e]*Sqrt[d + e*x])])))/(72*a^(9/2)*d^(11/2)*e^(9/2)*(c*d^2 - a*e^2)^3*x^3*((a*e + c*d*x)*(d + e*x))^(3/2))
```

**IntegrateAlgebraic [A]** time = 9.13, size = 711, normalized size = 1.07

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[1/(x^4*(d + e*x)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)),x]
```

```
[Out] (Sqrt[a*d*e + c*d^2*x + a*e^2*x + c*d*e*x^2]*(8*a^3*c^3*d^10*e^3 - 24*a^4*c^2*d^8*e^5 + 24*a^5*c*d^6*e^7 - 8*a^6*d^4*e^9 - 14*a^2*c^4*d^11*e^2*x + 24*a^3*c^3*d^9*e^4*x + 12*a^4*c^2*d^7*e^6*x - 40*a^5*c*d^5*e^8*x + 18*a^6*d^3*e^10*x + 35*a*c^5*d^12*e*x^2 - 51*a^2*c^4*d^10*e^3*x^2 + 6*a^3*c^3*d^8*e^5*x^2 - 62*a^4*c^2*d^6*e^7*x^2 + 135*a^5*c*d^4*e^9*x^2 - 63*a^6*d^2*e^11*x^2 + 105*c^6*d^13*x^3 + 15*a*c^5*d^11*e^2*x^3 - 114*a^2*c^4*d^9*e^4*x^3 - 106*a^3*c^3*d^7*e^6*x^3 - 3*a^4*c^2*d^5*e^8*x^3 + 651*a^5*c*d^3*e^10*x^3 - 420*a^6*d*e^12*x^3 + 210*c^6*d^12*e*x^4 - 75*a*c^5*d^10*e^3*x^4 - 131*a^2*c^4*d^8*e^5*x^4 - 174*a^3*c^3*d^6*e^7*x^4 + 636*a^4*c^2*d^4*e^9*x^4 + 105*a^5*c*d^2*e^11*x^4 - 315*a^6*e^13*x^4 + 105*c^6*d^11*e^2*x^5 - 55*a*c^5*d^9*e^4*x^5 - 54*a^2*c^4*d^7*e^6*x^5 - 78*a^3*c^3*d^5*e^8*x^5 + 525*a^4*c^2*d^3*e^10*x^5 - 315*a^5*c*d*e^12*x^5))/(24*a^4*d^5*e^4*(-(c*d^2) + a*e^2)^3*x^3*(a*e + c*d*x)*(d + e*x)^2) - (5*(7*c^3*d^6 + 15*a*c^2*d^4*e^2 + 21*a^2*c*d^2*e^4 + 21*a^3*e^6)*ArcTanh[(Sqrt[c*d*e]*x - Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(Sqrt[a]*Sqrt[d]*Sqrt[e])])/(8*a^(9/2)*d^(11/2)*e^(9/2))
```

**fricas [B]** time = 93.16, size = 2526, normalized size = 3.80

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm m="fricas")

[Out] [1/96\*(15\*((7\*c^7\*d^13\*e^2 - 6\*a\*c^6\*d^11\*e^4 - 3\*a^2\*c^5\*d^9\*e^6 - 4\*a^3\*c^4\*d^7\*e^8 - 15\*a^4\*c^3\*d^5\*e^10 + 42\*a^5\*c^2\*d^3\*e^12 - 21\*a^6\*c\*d\*e^14)\*x^6 + (14\*c^7\*d^14\*e - 5\*a\*c^6\*d^12\*e^3 - 12\*a^2\*c^5\*d^10\*e^5 - 11\*a^3\*c^4\*d^8\*e^7 - 34\*a^4\*c^3\*d^6\*e^9 + 69\*a^5\*c^2\*d^4\*e^11 - 21\*a^7\*e^15)\*x^5 + (7\*c^7\*d^15 + 8\*a\*c^6\*d^13\*e^2 - 15\*a^2\*c^5\*d^11\*e^4 - 10\*a^3\*c^4\*d^9\*e^6 - 23\*a^4\*c^3\*d^7\*e^8 + 12\*a^5\*c^2\*d^5\*e^10 + 63\*a^6\*c\*d^3\*e^12 - 42\*a^7\*d\*e^14)\*x^4 + (7\*a\*c^6\*d^14\*e - 6\*a^2\*c^5\*d^12\*e^3 - 3\*a^3\*c^4\*d^10\*e^5 - 4\*a^4\*c^3\*d^8\*e^7 - 15\*a^5\*c^2\*d^6\*e^9 + 42\*a^6\*c\*d^4\*e^11 - 21\*a^7\*d^2\*e^13)\*x^3)\*sqrt(a\*d\*e)\*log((8\*a^2\*d^2\*e^2 + (c^2\*d^4 + 6\*a\*c\*d^2\*e^2 + a^2\*e^4)\*x^2 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(a\*d\*e) + 8\*(a\*c\*d^3\*e + a^2\*d\*e^3)\*x)/x^2) - 4\*(8\*a^4\*c^3\*d^11\*e^4 - 24\*a^5\*c^2\*d^9\*e^6 + 24\*a^6\*c\*d^7\*e^8 - 8\*a^7\*d^5\*e^10 + (105\*a\*c^6\*d^12\*e^3 - 55\*a^2\*c^5\*d^10\*e^5 - 54\*a^3\*c^4\*d^8\*e^7 - 78\*a^4\*c^3\*d^6\*e^9 + 525\*a^5\*c^2\*d^4\*e^11 - 315\*a^6\*c\*d^2\*e^13)\*x^5 + (210\*a\*c^6\*d^13\*e^2 - 75\*a^2\*c^5\*d^11\*e^4 - 131\*a^3\*c^4\*d^9\*e^6 - 174\*a^4\*c^3\*d^7\*e^8 + 636\*a^5\*c^2\*d^5\*e^10 + 105\*a^6\*c\*d^3\*e^12 - 315\*a^7\*d\*e^14)\*x^4 + (105\*a\*c^6\*d^14\*e + 15\*a^2\*c^5\*d^12\*e^3 - 114\*a^3\*c^4\*d^10\*e^5 - 106\*a^4\*c^3\*d^8\*e^7 - 3\*a^5\*c^2\*d^6\*e^9 + 651\*a^6\*c\*d^4\*e^11 - 420\*a^7\*d^2\*e^13)\*x^3 + (35\*a^2\*c^5\*d^13\*e^2 - 51\*a^3\*c^4\*d^11\*e^4 + 6\*a^4\*c^3\*d^9\*e^6 - 62\*a^5\*c^2\*d^7\*e^8 + 135\*a^6\*c\*d^5\*e^10 - 63\*a^7\*d^3\*e^12)\*x^2 - 2\*(7\*a^3\*c^4\*d^12\*e^3 - 12\*a^4\*c^3\*d^10\*e^5 - 6\*a^5\*c^2\*d^8\*e^7 + 20\*a^6\*c\*d^6\*e^9 - 9\*a^7\*d^4\*e^11)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/((a^5\*c^4\*d^13\*e^7 - 3\*a^6\*c^3\*d^11\*e^9 + 3\*a^7\*c^2\*d^9\*e^11 - a^8\*c\*d^7\*e^13)\*x^6 + (2\*a^5\*c^4\*d^14\*e^6 - 5\*a^6\*c^3\*d^12\*e^8 + 3\*a^7\*c^2\*d^10\*e^10 + a^8\*c\*d^8\*e^12 - a^9\*d^6\*e^14)\*x^5 + (a^5\*c^4\*d^15\*e^5 - a^6\*c^3\*d^13\*e^7 - 3\*a^7\*c^2\*d^11\*e^9 + 5\*a^8\*c\*d^9\*e^11 - 2\*a^9\*d^7\*e^13)\*x^4 + (a^6\*c^3\*d^14\*e^6 - 3\*a^7\*c^2\*d^12\*e^8 + 3\*a^8\*c\*d^10\*e^10 - a^9\*d^8\*e^12)\*x^3), -1/48\*(15\*((7\*c^7\*d^13\*e^2 - 6\*a\*c^6\*d^11\*e^4 - 3\*a^2\*c^5\*d^9\*e^6 - 4\*a^3\*c^4\*d^7\*e^8 - 15\*a^4\*c^3\*d^5\*e^10 + 42\*a^5\*c^2\*d^3\*e^12 - 21\*a^6\*c\*d\*e^14)\*x^6 + (14\*c^7\*d^14\*e - 5\*a\*c^6\*d^12\*e^3 - 12\*a^2\*c^5\*d^10\*e^5 - 11\*a^3\*c^4\*d^8\*e^7 - 34\*a^4\*c^3\*d^6\*e^9 + 69\*a^5\*c^2\*d^4\*e^11 - 21\*a^7\*e^15)\*x^5 + (7\*c^7\*d^15 + 8\*a\*c^6\*d^13\*e^2 - 15\*a^2\*c^5\*d^11\*e^4 - 10\*a^3\*c^4\*d^9\*e^6 - 23\*a^4\*c^3\*d^7\*e^8 + 12\*a^5\*c^2\*d^5\*e^10 + 63\*a^6\*c\*d^3\*e^12 - 42\*a^7\*d\*e^14)\*x^4 + (7\*a\*c^6\*d^14\*e - 6\*a^2\*c^5\*d^12\*e^3 - 3\*a^3\*c^4\*d^10\*e^5 - 4\*a^4\*c^3\*d^8\*e^7 - 15\*a^5\*c^2\*d^6\*e^9 + 42\*a^6\*c\*d^4\*e^11 - 21\*a^7\*d^2\*e^13)\*x^3)\*sqrt(-a\*d\*e)\*arctan(1/2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-a\*d\*e)/(a\*c\*d^2\*e^2\*x^2 + a^2\*d^2\*e^2 + (a\*c\*d^3\*e + a^2\*d\*e^3)\*x)) + 2\*(8\*a^4\*c^3\*d^11\*e^4 - 24\*a^5\*c^2\*d^9\*e^6 + 24\*a^6\*c\*d^7\*e^8 - 8\*a^7\*d^5\*e^10 + (105\*a\*c^6\*d^12\*e^3 - 55\*a^2\*c^5\*d^10\*e^5 - 54\*a^3\*c^4\*d^8\*e^7 - 78\*a^4\*c^3\*d^6\*e^9 + 525\*a^5\*c^2\*d^4\*e^11 - 315\*a^6\*c\*d^2\*e^13)\*x^5 + (210\*a\*c^6\*d^13\*e^2 - 75\*a^2\*c^5\*d^11\*e^4

$$\begin{aligned}
& - 131*a^3*c^4*d^9*e^6 - 174*a^4*c^3*d^7*e^8 + 636*a^5*c^2*d^5*e^{10} + 105*a^6*c*d^3*e^{12} - 315*a^7*d*e^{14})*x^4 + (105*a*c^6*d^{14}*e + 15*a^2*c^5*d^{12}*e^3 - 114*a^3*c^4*d^{10}*e^5 - 106*a^4*c^3*d^8*e^7 - 3*a^5*c^2*d^6*e^9 + 651*a^6*c*d^4*e^{11} - 420*a^7*d^2*e^{13})*x^3 + (35*a^2*c^5*d^{13}*e^2 - 51*a^3*c^4*d^{11}*e^4 + 6*a^4*c^3*d^9*e^6 - 62*a^5*c^2*d^7*e^8 + 135*a^6*c*d^5*e^{10} - 63*a^7*d^3*e^{12})*x^2 - 2*(7*a^3*c^4*d^{12}*e^3 - 12*a^4*c^3*d^{10}*e^5 - 6*a^5*c^2*d^8*e^7 + 20*a^6*c*d^6*e^9 - 9*a^7*d^4*e^{11})*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x))/((a^5*c^4*d^{13}*e^7 - 3*a^6*c^3*d^{11}*e^9 + 3*a^7*c^2*d^9*e^{11} - a^8*c*d^7*e^{13})*x^6 + (2*a^5*c^4*d^{14}*e^6 - 5*a^6*c^3*d^{12}*e^8 + 3*a^7*c^2*d^{10}*e^{10} + a^8*c*d^8*e^{12} - a^9*d^6*e^{14})*x^5 + (a^5*c^4*d^{15}*e^5 - a^6*c^3*d^{13}*e^7 - 3*a^7*c^2*d^{11}*e^9 + 5*a^8*c*d^9*e^{11} - 2*a^9*d^7*e^{13})*x^4 + (a^6*c^3*d^{14}*e^6 - 3*a^7*c^2*d^{12}*e^8 + 3*a^8*c*d^{10}*e^{10} - a^9*d^8*e^{12})*x^3)]
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Evaluation time: 0.42Unable to transpose Error: Bad Argument Value

**maple** [B] time = 0.02, size = 1705, normalized size = 2.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(e\*x+d)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out] 
$$\begin{aligned}
& 35/8*d^4/a^4/e^3/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^5+25/12/e*d^2/a^3/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^4-41/12/d^2*e^3/a/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^2+75/16/e^2/d/a^3/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^2-1/6*e/a^2/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c^3-43/24/d*e^2/a/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^2+105/8/d^4*e^5/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*x*c+35/16*d^5/a^4/e^4/(-a^2*e^4+2*a*c*d^2*e^2-c^2*d^4)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*c^5+35/16*d/a^4/e^4/(a*d*e)^{(1/2)}*\ln((2*a*d*e+(a*e^2+c*d^2)*x+2*(a*d*e)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)})/x)*c^3+16/3
\end{aligned}$$

$$\begin{aligned} & /d^2e^5c^2/(ae^2-cd^2)^3/((x+d/e)^2cd^2e+(ae^2-cd^2)(x+d/e))^{(1/2)} * \\ & x+8/3/d^3e^6c/(ae^2-cd^2)^3/((x+d/e)^2cd^2e+(ae^2-cd^2)(x+d/e))^{(1/2)} * \\ & a-17/6/e/d^2/a^2/x/(cd^2ex^2+ade+(ae^2+cd^2)x)^{(1/2)} *c+155/48/e^2 * \\ & d^3/a^3/(-a^2e^4+2aacd^2e^2-c^2d^4)/(cd^2ex^2+ade+(ae^2+cd^2)x)^{(1/2)} * \\ & c^4+7/12/d/a^2/e^2/x^2/(cd^2ex^2+ade+(ae^2+cd^2)x)^{(1/2)} *c+13/1 \\ & 2/d^3/a/x^2/(cd^2ex^2+ade+(ae^2+cd^2)x)^{(1/2)} -105/16/d^5e^2/a/(cd^2e \\ & *x^2+ade+(ae^2+cd^2)x)^{(1/2)} -105/16/d^3/a^2/(cd^2ex^2+ade+(ae^2+c \\ & d^2)x)^{(1/2)} *c-89/24/d^4e/a/x/(cd^2ex^2+ade+(ae^2+cd^2)x)^{(1/2)} +105 \\ & /16/d^5e^6a/(-a^2e^4+2aacd^2e^2-c^2d^4)/(cd^2ex^2+ade+(ae^2+cd^ \\ & 2)x)^{(1/2)} +233/48/d^3e^4/(-a^2e^4+2aacd^2e^2-c^2d^4)/(cd^2ex^2+ade \\ & e+(ae^2+cd^2)x)^{(1/2)} *c+23/24*d/a^2/(-a^2e^4+2aacd^2e^2-c^2d^4)/(c \\ & d^2ex^2+ade+(ae^2+cd^2)x)^{(1/2)} *c^3+105/16/d^5e^2/a/(ade)^{(1/2)} *ln( \\ & (2*ade+(ae^2+cd^2)x+2*(ade)^{(1/2)}*(cd^2ex^2+ade+(ae^2+cd^2)x)^{(1/2)})/x) \\ & +105/16/d^3/a^2/(ade)^{(1/2)} *ln((2*ade+(ae^2+cd^2)x+2*(ade)^{(1/2)} * \\ & (cd^2ex^2+ade+(ae^2+cd^2)x)^{(1/2)})/x) *c-75/16/e^2/d/a^3/(cd^2 \\ & ex^2+ade+(ae^2+cd^2)x)^{(1/2)} *c^2-35/24/a^3/e^3/x/(cd^2ex^2+ade+(ae \\ & ^2+cd^2)x)^{(1/2)} *c^2-1/3/d^2/a/e/x^3/(cd^2ex^2+ade+(ae^2+cd^2)x)^{(1/2)} \\ & -35/16*d/a^4/e^4/(cd^2ex^2+ade+(ae^2+cd^2)x)^{(1/2)} *c^3-2/3/d^4e^ \\ & 3/(ae^2-cd^2)/(x+d/e)/((x+d/e)^2cd^2e+(ae^2-cd^2)(x+d/e))^{(1/2)} +8/3/d \\ & *e^4c^2/(ae^2-cd^2)^3/((x+d/e)^2cd^2e+(ae^2-cd^2)(x+d/e))^{(1/2)} \end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(ex + d)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm m="maxima")

[Out] integrate(1/((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*(e\*x + d)\*x^4), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^4 (d + ex) (cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4\*(d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)),x)

[Out] int(1/(x^4\*(d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 ((d + ex) (ae + cd x))^{\frac{3}{2}} (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x\*\*4/(e\*x+d)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2),x)

[Out] Integral(1/(x\*\*4\*((d + e\*x)\*(a\*e + c\*d\*x))\*\*(3/2)\*(d + e\*x)), x)

$$3.321 \quad \int \frac{x^2}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=259

$$\frac{8(5a^2e^4 + 10acd^2e^2 + c^2d^4)(ae^2 + cd^2 + 2cdex)}{15e(cd^2 - ae^2)^5 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} - \frac{8(x(-2a^3e^6 + a^2cd^2e^4 + c^3d^6) + ade(cd^2 - ae^2)(3ae^2 + cd^2))}{15e(cd^2 - ae^2)^4 (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}$$

**Rubi [A]** time = 0.24, antiderivative size = 259, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$ , Rules used = {854, 777, 613}

$$\frac{8(5a^2e^4 + 10acd^2e^2 + c^2d^4)(ae^2 + cd^2 + 2cdex)}{15e(cd^2 - ae^2)^5 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} - \frac{8(x(a^2cd^2e^4 - 2a^3e^6 + c^3d^6) + ade(cd^2 - ae^2)(3ae^2 + cd^2))}{15e(cd^2 - ae^2)^4 (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}} + \frac{2x^2}{5(d+ex)(cd^2 - ae^2)(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)),x]

[Out] (2\*x^2)/(5\*(c\*d^2 - a\*e^2)\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) - (8\*(a\*d\*e\*(c\*d^2 - a\*e^2)\*(c\*d^2 + 3\*a\*e^2) + (c^3\*d^6 + a^2\*c\*d^2\*e^4 - 2\*a^3\*e^6)\*x))/(15\*e\*(c\*d^2 - a\*e^2)^4\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) + (8\*(c^2\*d^4 + 10\*a\*c\*d^2\*e^2 + 5\*a^2\*e^4)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x))/(15\*e\*(c\*d^2 - a\*e^2)^5\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 613

Int[((a\_.) + (b\_.)\*(x\_)) + (c\_.)\*(x\_)^2]^(-3/2), x\_Symbol] :> Simp[(-2\*(b + 2\*c\*x))/((b^2 - 4\*a\*c)\*sqrt[a + b\*x + c\*x^2]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 777

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[((2\*a\*c\*(e\*f + d\*g) - b\*(c\*d\*f + a\*e\*g) - (b^2\*e\*g - b\*c\*(e\*f + d\*g) + 2\*c\*(c\*d\*f - a\*e\*g))\*x)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)\*(b^2 - 4\*a\*c)), x] - Dist[(b^2\*e\*g\*(p + 2) - 2\*a\*c\*e\*g + c\*(2\*c\*d\*f - b\*(e\*f + d\*g))\*(2\*p + 3))/(c\*(p + 1)\*(b^2 - 4\*a\*c)), Int[(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && LtQ[p, -1]

### Rule 854

```
Int[(((f_.) + (g_.)*(x_))^(n_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_)]/((
d_) + (e_.)*(x_)), x_Symbol] := -Simp[((2*c*d - b*e)*(f + g*x)^n*(a + b*x +
c*x^2)^(p + 1))/(e*p*(b^2 - 4*a*c)*(d + e*x)), x] - Dist[1/(d*e*p*(b^2 - 4
*a*c)), Int[(f + g*x)^(n - 1)*(a + b*x + c*x^2)^p*Simp[b*(a*e*g*n - c*d*f*(
2*p + 1)) - 2*a*c*(d*g*n - e*f*(2*p + 1)) - c*g*(b*d - 2*a*e)*(n + 2*p + 1)
*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && N
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && IGt
Q[n, 0] && ILtQ[n + 2*p, 0]
```

### Rubi steps

$$\int \frac{x^2}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx = \frac{2x^2}{5(cd^2-ae^2)(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2 \int \frac{x(-}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx = \frac{2x^2}{5(cd^2-ae^2)(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{8(ade+(cd^2+ae^2)x+cdex^2)}{15(d+ex)(cd^2-ae^2)((d+ex)(ae+cdx))^{3/2}} - \frac{8(ade+(cd^2+ae^2)x+cdex^2)}{15(d+ex)(cd^2-ae^2)((d+ex)(ae+cdx))^{3/2}}$$

**Mathematica [A]** time = 0.12, size = 235, normalized size = 0.91

$$\frac{2(a^4e^6(8d^2+20dex+15e^2x^2)+4a^3cde^4(20d^3+53d^2ex+45de^2x^2+15e^3x^3)+2a^2c^2d^2e^2(20d^4+110d^3ex+189d^2e^2x^2+110de^3x^3+20e^4x^4)+4ac^3d^4ex(15d^3+45d^2ex+53de^2x^2+20e^3x^3)+c^4d^6x^2(15d^2+20dex+8e^2x^2))}{15(d+ex)(cd^2-ae^2)^5((d+ex)(ae+cdx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (2\*(c^4\*d^6\*x^2\*(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2) + a^4\*e^6\*(8\*d^2 + 20\*d\*e\*x + 15\*e^2\*x^2) + 4\*a^3\*c\*d\*e^4\*(20\*d^3 + 53\*d^2\*e\*x + 45\*d\*e^2\*x^2 + 15\*e^3\*x^3) + 4\*a\*c^3\*d^4\*e\*x\*(15\*d^3 + 45\*d^2\*e\*x + 53\*d\*e^2\*x^2 + 20\*e^3\*x^3) + 2\*a^2\*c^2\*d^2\*e^2\*(20\*d^4 + 110\*d^3\*e\*x + 189\*d^2\*e^2\*x^2 + 110\*d\*e^3\*x^3 + 20\*e^4\*x^4)))/(15\*(c\*d^2 - a\*e^2)^5\*(d + e\*x)\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

**IntegrateAlgebraic [F]** time = 180.07, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[x^2/((d + e*x)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)),x]
```

```
[Out] $Aborted
```

```
fricas [B] time = 27.13, size = 820, normalized size = 3.17
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2),x, algorithm="fricas")
```

```
[Out] 2/15*(40*a^2*c^2*d^6*e^2 + 80*a^3*c*d^4*e^4 + 8*a^4*d^2*e^6 + 8*(c^4*d^6*e^2 + 10*a*c^3*d^4*e^4 + 5*a^2*c^2*d^2*e^6)*x^4 + 4*(5*c^4*d^7*e + 53*a*c^3*d^5*e^3 + 55*a^2*c^2*d^3*e^5 + 15*a^3*c*d*e^7)*x^3 + 3*(5*c^4*d^8 + 60*a*c^3*d^6*e^2 + 126*a^2*c^2*d^4*e^4 + 60*a^3*c*d^2*e^6 + 5*a^4*e^8)*x^2 + 4*(15*a*c^3*d^7*e + 55*a^2*c^2*d^5*e^3 + 53*a^3*c*d^3*e^5 + 5*a^4*d*e^7)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(a^2*c^5*d^13*e^2 - 5*a^3*c^4*d^11*e^4 + 10*a^4*c^3*d^9*e^6 - 10*a^5*c^2*d^7*e^8 + 5*a^6*c*d^5*e^10 - a^7*d^3*e^12 + (c^7*d^12*e^3 - 5*a*c^6*d^10*e^5 + 10*a^2*c^5*d^8*e^7 - 10*a^3*c^4*d^6*e^9 + 5*a^4*c^3*d^4*e^11 - a^5*c^2*d^2*e^13)*x^5 + (3*c^7*d^13*e^2 - 13*a*c^6*d^11*e^4 + 20*a^2*c^5*d^9*e^6 - 10*a^3*c^4*d^7*e^8 - 5*a^4*c^3*d^5*e^10 + 7*a^5*c^2*d^3*e^12 - 2*a^6*c*d*e^14)*x^4 + (3*c^7*d^14*e - 9*a*c^6*d^12*e^3 + a^2*c^5*d^10*e^5 + 25*a^3*c^4*d^8*e^7 - 35*a^4*c^3*d^6*e^9 + 17*a^5*c^2*d^4*e^11 - a^6*c*d^2*e^13 - a^7*e^15)*x^3 + (c^7*d^15 + a*c^6*d^13*e^2 - 17*a^2*c^5*d^11*e^4 + 35*a^3*c^4*d^9*e^6 - 25*a^4*c^3*d^7*e^8 - a^5*c^2*d^5*e^10 + 9*a^6*c*d^3*e^12 - 3*a^7*d*e^14)*x^2 + (2*a*c^6*d^14*e - 7*a^2*c^5*d^12*e^3 + 5*a^3*c^4*d^10*e^5 + 10*a^4*c^3*d^8*e^7 - 20*a^5*c^2*d^6*e^9 + 13*a^6*c*d^4*e^11 - 3*a^7*d^2*e^13)*x)
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 0.5Unable to transpose Error:
Bad Argument Value
```

```
maple [A] time = 0.01, size = 366, normalized size = 1.41
```

```
2 (cdx + ad) (40a^2c^2d^6e^2 + 80a^3cd^4e^4 + 8a^4d^2e^6 + 60a^3cd^2e^6 + 220a^2c^2d^4e^4 + 212a^2c^2d^2e^6 + 20a^4d^2e^6 + 15a^4d^2e^6 + 180a^3cd^2e^6 + 378a^2c^2d^4e^4 + 180a^2c^2d^2e^6 + 15c^4d^6e^2 + 20a^4d^2e^6 + 212a^2c^2d^4e^4 + 220a^2c^2d^2e^6 + 60a^3cd^2e^6 + 8a^4d^2e^6 + 80a^2c^2d^4e^4 + 40a^2c^2d^2e^6)
15 (a^5e^10 - 5a^4cd^8e^8 + 10a^3c^2d^6e^6 - 10a^2c^3d^4e^4 + 5a^2cd^2e^2 - c^5d^10) (cde^2 + a^2e^2 + cd^2x + ade)^3
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(e*x+d)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2),x)
```

```
[Out] -2/15*(c*d*x+a*e)*(40*a^2*c^2*d^2*e^6*x^4+80*a*c^3*d^4*e^4*x^4+8*c^4*d^6*e^2*x^4+60*a^3*c*d*e^7*x^3+220*a^2*c^2*d^3*e^5*x^3+212*a*c^3*d^5*e^3*x^3+20*c^4*d^7*e*x^3+15*a^4*e^8*x^2+180*a^3*c*d^2*e^6*x^2+378*a^2*c^2*d^4*e^4*x^2+180*a*c^3*d^6*e^2*x^2+15*c^4*d^8*x^2+20*a^4*d*e^7*x+212*a^3*c*d^3*e^5*x+220*a^2*c^2*d^5*e^3*x+60*a*c^3*d^7*e*x+8*a^4*d^2*e^6+80*a^3*c*d^4*e^4+40*a^2*c^2*d^6*e^2)/(a^5*e^10-5*a^4*c*d^2*e^8+10*a^3*c^2*d^4*e^6-10*a^2*c^3*d^6*e^4+5*a*c^4*d^8*e^2-c^5*d^10)/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(5/2)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a*e^2-c*d^2>0)', see `assume?` for more details)Is a*e^2-c*d^2 zero or nonzero?
```

**mupad** [B] time = 4.33, size = 3099, normalized size = 11.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/((d + e*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)),x)
```

```
[Out] (((6*a*e^2 - 10*c*d^2)/(15*(a*e^2 - c*d^2)^4) - (4*c*d^2)/(5*(a*e^2 - c*d^2)^4))*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/(d + e*x) - (((d*((e*(2*a*e^3 - 2*c*d^2*e))/(5*(a*e^2 - c*d^2)^3*(3*a*e^3 - 3*c*d^2*e)) - (4*c*d^2*e^2)/(5*(a*e^2 - c*d^2)^3*(3*a*e^3 - 3*c*d^2*e))))/e + (e*(2*c*d^3 + 2*a*d*e^2))/(5*(a*e^2 - c*d^2)^3*(3*a*e^3 - 3*c*d^2*e)))*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/(d + e*x)^2 + ((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)*(x*(((12*c^3*d^3*e^2)/(5*(a*e^2 - c*d^2)^2*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (4*c^3*d^3*e^2*(a*e^2 + c*d^2))/(5*(a*e^2 - c*d^2)^3*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))*(a*e^2 + c*d^2)/(c*d*e) - (6*c^2*d^2*e*(a*e^2 + c*d^2))/(5*(a*e^2 - c*d^2)^2*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) + (8*a*c^3*d^4*e^3)/(5*(a*e^2 - c*d^2)^3*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (2*c^2*d^2*e*(46*a^2*e^4 + 4*c^2*d^4 + 66*a*c*d^2*e^2))/(15*(a*e^2 - c*d^2)^3*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5))) + (a*((12*c^3*d^3*e^2)/(5*(a*e^2 - c*d^2)^2*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5))
```



$$\begin{aligned}
& d^3e^3 + a^2cde^5)) - (4c^3d^3e^2(ae^2 + cd^2))/(5(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5))/c - (cd(ae^2 + cd^2) \\
& )*(46a^2e^4 + 4c^2d^4 + 66ac^2d^2e^2))/(15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)))/((ae + cd*x)(d + ex)) + ((x(ae \\
& ^2 + cd^2) + a*d*e + cd*e*x^2)^(1/2)*(x((a((ae^2 + cd^2)*((4c^4d^4 \\
& e^3(ae^2 + cd^2))/(15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + \\
& a^2cde^5)) - (4c^4d^4e^3*(5ae^2 - cd^2))/(15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)))/((cd*e) - (2c^2d^2e^2*(10c^3d^5 \\
& + 6ac^2d^3e^2 - 8a^2cde^4))/(15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)) - (8ac^4d^5e^4)/(15(ae^2 - cd^2)^3 \\
& *(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)) + (2c^3d^3e^2*(ae^2 + cd^2)*(5ae^2 - cd^2))/(15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + \\
& a^2cde^5)))/c + ((ae^2 + cd^2)*((a((4c^4d^4e^3*(ae^2 + cd^2))/( \\
& 15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)) - (4c^4 \\
& d^4e^3*(5ae^2 - cd^2))/(15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)))/c - ((ae^2 + cd^2)*((ae^2 + cd^2)*((4c^4d^4e^ \\
& 3*(ae^2 + cd^2))/(15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2 \\
& *cde^5)) - (4c^4d^4e^3*(5ae^2 - cd^2))/(15(ae^2 - cd^2)^3(c^3d^ \\
& ^5e - 2ac^2d^3e^3 + a^2cde^5)))/((cd*e) - (2c^2d^2e^2*(10c^3d^ \\
& ^5 + 6ac^2d^3e^2 - 8a^2cde^4))/(15(ae^2 - cd^2)^3(c^3d^5e - 2 \\
& *ac^2d^3e^3 + a^2cde^5)) - (8ac^4d^5e^4)/(15(ae^2 - cd^2)^3(c \\
& ^3d^5e - 2ac^2d^3e^3 + a^2cde^5)) + (2c^3d^3e^2*(ae^2 + cd^2) \\
& *(5ae^2 - cd^2))/(15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^ \\
& 2cde^5)))/((cd*e) + (2c^2d^2e^2*(12a^3e^5 - 36a^2cd^2e^3))/(15 \\
& *(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)) - (cd*e*(a \\
& e^2 + cd^2)*(10c^3d^5 + 6ac^2d^3e^2 - 8a^2cde^4))/(15(ae^2 - \\
& cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)))/((cd*e) + (8a^3c^ \\
& 2d^3e^6)/(5(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5) \\
& ) - (cd*e*(12a^3e^5 - 36a^2cd^2e^3)*(ae^2 + cd^2))/(15(ae^2 - cd^ \\
& ^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)) + (a((a((4c^4d^4e \\
& ^3*(ae^2 + cd^2))/(15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^ \\
& 2cde^5)) - (4c^4d^4e^3*(5ae^2 - cd^2))/(15(ae^2 - cd^2)^3(c^3d^ \\
& ^5e - 2ac^2d^3e^3 + a^2cde^5)))/c - ((ae^2 + cd^2)*((ae^2 + c \\
& d^2)*((4c^4d^4e^3*(ae^2 + cd^2))/(15(ae^2 - cd^2)^3(c^3d^5e - 2 \\
& *ac^2d^3e^3 + a^2cde^5)) - (4c^4d^4e^3*(5ae^2 - cd^2))/(15(ae \\
& ^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)))/((cd*e) - (2c \\
& ^2d^2e^2*(10c^3d^5 + 6ac^2d^3e^2 - 8a^2cde^4))/(15(ae^2 - cd^ \\
& ^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)) - (8ac^4d^5e^4)/(15 \\
& (ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)) + (2c^3d^3 \\
& e^2*(ae^2 + cd^2)*(5ae^2 - cd^2))/(15(ae^2 - cd^2)^3(c^3d^5e - \\
& 2ac^2d^3e^3 + a^2cde^5)))/((cd*e) + (2c^2d^2e^2*(12a^3e^5 - 36 \\
& *a^2cd^2e^3))/(15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2c \\
& *de^5)) - (cd*e*(ae^2 + cd^2)*(10c^3d^5 + 6ac^2d^3e^2 - 8a^2cd \\
& e^4))/(15(ae^2 - cd^2)^3(c^3d^5e - 2ac^2d^3e^3 + a^2cde^5)))/ \\
& /c + (4a^3cd^2e^5*(ae^2 + cd^2))/(5(ae^2 - cd^2)^3(c^3d^5e - 2*
\end{aligned}$$

$$\frac{a^2 c^2 d^3 e^3 + a^2 c d e^5}{((a e + c d x)^2 (d + e x)^2) - (2 d^2 e (x^2 (a e^2 + c d^2) + a d e + c d e x^2)^{1/2})} \frac{1}{(d + e x)^3 (5 a^3 e^7 - 5 c^3 d^6 e + 15 a c^2 d^4 e^3 - 15 a^2 c d^2 e^5)}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(e\*x+d)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2),x)

[Out] Timed out

$$3.322 \quad \int \frac{x^2}{(d+ex)(ade+(cd^2+ae^2)x+cdex^2)^{7/2}} dx$$

**Optimal.** Leaf size=341

$$\frac{128cd(7a^2e^4 + 14acd^2e^2 + 3c^2d^4)(ae^2 + cd^2 + 2cdex)}{105(cd^2 - ae^2)^7 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{16(7a^2e^4 + 14acd^2e^2 + 3c^2d^4)(ae^2 + cd^2 + 2cdex)}{105e(cd^2 - ae^2)^5 (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}$$

**Rubi [A]** time = 0.29, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 40,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$ , Rules used = {854, 777, 614, 613}

$$\frac{128cd(7a^2e^4 + 14acd^2e^2 + 3c^2d^4)(ae^2 + cd^2 + 2cdex)}{105(cd^2 - ae^2)^7 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{16(7a^2e^4 + 14acd^2e^2 + 3c^2d^4)(ae^2 + cd^2 + 2cdex)}{105e(cd^2 - ae^2)^5 (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}} - \frac{8(x(3a^2e^4 + acd^2e^2 + 2c^2d^4) + 2ade(2ae^2 + cd^2))}{35e(cd^2 - ae^2)^3 (x(ae^2 + cd^2) + ade + cdex^2)^{5/2}} + \frac{2x^2}{7(d+ex)(cd^2 - ae^2)(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2)),x]

[Out] (2\*x^2)/(7\*(c\*d^2 - a\*e^2)\*(d + e\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)) - (8\*(2\*a\*d\*e\*(c\*d^2 + 2\*a\*e^2) + (2\*c^2\*d^4 + a\*c\*d^2\*e^2 + 3\*a^2\*e^4)\*x))/(35\*e\*(c\*d^2 - a\*e^2)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)) + (16\*(3\*c^2\*d^4 + 14\*a\*c\*d^2\*e^2 + 7\*a^2\*e^4)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x))/(105\*e\*(c\*d^2 - a\*e^2)^5\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) - (128\*c\*d\*(3\*c^2\*d^4 + 14\*a\*c\*d^2\*e^2 + 7\*a^2\*e^4)\*(c\*d^2 + a\*e^2 + 2\*c\*d\*e\*x))/(105\*(c\*d^2 - a\*e^2)^7\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 613

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-3/2), x\_Symbol] := Simp[(-2\*(b + 2\*c\*x))/((b^2 - 4\*a\*c)\*sqrt[a + b\*x + c\*x^2]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 614

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((b + 2\*c\*x)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(b^2 - 4\*a\*c)), x] - Dist[(2\*c\*(2\*p + 3))/((p + 1)\*(b^2 - 4\*a\*c)), Int[(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && LtQ[p, -1] && NeQ[p, -3/2] && IntegerQ[4\*p]

### Rule 777

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((2\*a\*c\*(e\*f + d\*g) - b\*(c\*d\*f + a\*e\*g) - (



```
[Out] (-2*sqrt[(a*e + c*d*x)*(d + e*x)]*(-(a^6*e^10*(8*d^2 + 28*d*e*x + 35*e^2*x^2) + 2*a^5*c*d*e^8*(112*d^3 + 382*d^2*e*x + 455*d*e^2*x^2 + 140*e^3*x^3) + 3*c^6*d^8*x^2*(35*d^4 + 280*d^3*e*x + 560*d^2*e^2*x^2 + 448*d*e^3*x^3 + 128*e^4*x^4) + 5*a^4*c^2*d^2*e^6*(336*d^4 + 1288*d^3*e*x + 1859*d^2*e^2*x^2 + 1288*d*e^3*x^3 + 336*e^4*x^4) + 20*a^3*c^3*d^3*e^4*(56*d^5 + 406*d^4*e*x + 1001*d^3*e^2*x^2 + 1084*d^2*e^3*x^3 + 560*d*e^4*x^4 + 112*e^5*x^5) + 2*a*c^5*d^6*e*x*(70*d^5 + 1295*d^4*e*x + 4060*d^3*e^2*x^2 + 5600*d^2*e^3*x^3 + 3616*d*e^4*x^4 + 896*e^5*x^5) + a^2*c^4*d^4*e^2*(56*d^6 + 2996*d^5*e*x + 13195*d^4*e^2*x^2 + 24080*d^3*e^3*x^3 + 20320*d^2*e^4*x^4 + 7616*d*e^5*x^5 + 896*e^6*x^6)))/(105*(c*d^2 - a*e^2)^7*(a*e + c*d*x)^3*(d + e*x)^4)
```

**IntegrateAlgebraic [F]** time = 180.03, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[x^2/((d + e*x)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(7/2)),x]
```

```
[Out] $Aborted
```

**fricas [B]** time = 167.97, size = 1540, normalized size = 4.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(7/2),x, algorithm="fricas")
```

```
[Out] -2/105*(56*a^2*c^4*d^10*e^2 + 1120*a^3*c^3*d^8*e^4 + 1680*a^4*c^2*d^6*e^6 + 224*a^5*c*d^4*e^8 - 8*a^6*d^2*e^10 + 128*(3*c^6*d^8*e^4 + 14*a*c^5*d^6*e^6 + 7*a^2*c^4*d^4*e^8)*x^6 + 64*(21*c^6*d^9*e^3 + 113*a*c^5*d^7*e^5 + 119*a^2*c^4*d^5*e^7 + 35*a^3*c^3*d^3*e^9)*x^5 + 80*(21*c^6*d^10*e^2 + 140*a*c^5*d^8*e^4 + 254*a^2*c^4*d^6*e^6 + 140*a^3*c^3*d^4*e^8 + 21*a^4*c^2*d^2*e^10)*x^4 + 40*(21*c^6*d^11*e + 203*a*c^5*d^9*e^3 + 602*a^2*c^4*d^7*e^5 + 542*a^3*c^3*d^5*e^7 + 161*a^4*c^2*d^3*e^9 + 7*a^5*c*d*e^11)*x^3 + 5*(21*c^6*d^12 + 518*a*c^5*d^10*e^2 + 2639*a^2*c^4*d^8*e^4 + 4004*a^3*c^3*d^6*e^6 + 1859*a^4*c^2*d^4*e^8 + 182*a^5*c*d^2*e^10 - 7*a^6*e^12)*x^2 + 4*(35*a*c^5*d^11*e + 749*a^2*c^4*d^9*e^3 + 2030*a^3*c^3*d^7*e^5 + 1610*a^4*c^2*d^5*e^7 + 191*a^5*c*d^3*e^9 - 7*a^6*d*e^11)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(a^3*c^7*d^18*e^3 - 7*a^4*c^6*d^16*e^5 + 21*a^5*c^5*d^14*e^7 - 35*a^6*c^4*d^12*e^9 + 35*a^7*c^3*d^10*e^11 - 21*a^8*c^2*d^8*e^13 + 7*a^9*c*d^6*e^15 - a^10*d^4*e^17 + (c^10*d^17*e^4 - 7*a*c^9*d^15*e^6 + 21*a^2*c^8*d^13*e^8 - 35*a^3*c^7*d^11*e^10 + 35*a^4*c^6*d^9*e^12 - 21*a^5*c^5*d^7*e^14 + 7*a^6*c^4*d^5*e^16 - a^7*c^3*d^3*e^18)*x^7 + (4*c^10*d^18*e^3 - 25*a*c^9*d^16*e^5 + 63*a^2*c^8*d^14*e^7 - 77*a^3*c^7*d^12*e^9 + 35*a^4*c^6*d^10*e^11 + 21*a^5*c^5
```

```

*d^8*e^13 - 35*a^6*c^4*d^6*e^15 + 17*a^7*c^3*d^4*e^17 - 3*a^8*c^2*d^2*e^19)
*x^6 + 3*(2*c^10*d^19*e^2 - 10*a*c^9*d^17*e^4 + 15*a^2*c^8*d^15*e^6 + 7*a^3
*c^7*d^13*e^8 - 49*a^4*c^6*d^11*e^10 + 63*a^5*c^5*d^9*e^12 - 35*a^6*c^4*d^7
*e^14 + 5*a^7*c^3*d^5*e^16 + 3*a^8*c^2*d^3*e^18 - a^9*c*d*e^20)*x^5 + (4*c^
10*d^20*e - 10*a*c^9*d^18*e^3 - 30*a^2*c^8*d^16*e^5 + 155*a^3*c^7*d^14*e^7
- 245*a^4*c^6*d^12*e^9 + 147*a^5*c^5*d^10*e^11 + 35*a^6*c^4*d^8*e^13 - 95*a
^7*c^3*d^6*e^15 + 45*a^8*c^2*d^4*e^17 - 5*a^9*c*d^2*e^19 - a^10*e^21)*x^4 +
(c^10*d^21 + 5*a*c^9*d^19*e^2 - 45*a^2*c^8*d^17*e^4 + 95*a^3*c^7*d^15*e^6
- 35*a^4*c^6*d^13*e^8 - 147*a^5*c^5*d^11*e^10 + 245*a^6*c^4*d^9*e^12 - 155*
a^7*c^3*d^7*e^14 + 30*a^8*c^2*d^5*e^16 + 10*a^9*c*d^3*e^18 - 4*a^10*d*e^20)
*x^3 + 3*(a*c^9*d^20*e - 3*a^2*c^8*d^18*e^3 - 5*a^3*c^7*d^16*e^5 + 35*a^4*c
^6*d^14*e^7 - 63*a^5*c^5*d^12*e^9 + 49*a^6*c^4*d^10*e^11 - 7*a^7*c^3*d^8*e^
13 - 15*a^8*c^2*d^6*e^15 + 10*a^9*c*d^4*e^17 - 2*a^10*d^2*e^19)*x^2 + (3*a^
2*c^8*d^19*e^2 - 17*a^3*c^7*d^17*e^4 + 35*a^4*c^6*d^15*e^6 - 21*a^5*c^5*d^1
3*e^8 - 35*a^6*c^4*d^11*e^10 + 77*a^7*c^3*d^9*e^12 - 63*a^8*c^2*d^7*e^14 +
25*a^9*c*d^5*e^16 - 4*a^10*d^3*e^18)*x)

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x+d)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(7/2),x, algorithm=
"giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 0.6Unable to transpose Error:
Bad Argument Value
```

**maple** [B] time = 0.02, size = 663, normalized size = 1.94

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(e*x+d)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(7/2),x)
```

```
[Out] -2/105*(c*d*x+a*e)*(-896*a^2*c^4*d^4*e^8*x^6-1792*a*c^5*d^6*e^6*x^6-384*c^6
*d^8*e^4*x^6-2240*a^3*c^3*d^3*e^9*x^5-7616*a^2*c^4*d^5*e^7*x^5-7232*a*c^5*d
^7*e^5*x^5-1344*c^6*d^9*e^3*x^5-1680*a^4*c^2*d^2*e^10*x^4-11200*a^3*c^3*d^4
*e^8*x^4-20320*a^2*c^4*d^6*e^6*x^4-11200*a*c^5*d^8*e^4*x^4-1680*c^6*d^10*e^
2*x^4-280*a^5*c*d*e^11*x^3-6440*a^4*c^2*d^3*e^9*x^3-21680*a^3*c^3*d^5*e^7*x
^3-24080*a^2*c^4*d^7*e^5*x^3-8120*a*c^5*d^9*e^3*x^3-840*c^6*d^11*e*x^3+35*a
^6*e^12*x^2-910*a^5*c*d^2*e^10*x^2-9295*a^4*c^2*d^4*e^8*x^2-20020*a^3*c^3*d
^6*e^6*x^2-13195*a^2*c^4*d^8*e^4*x^2-2590*a*c^5*d^10*e^2*x^2-105*c^6*d^12*x
```

$$\frac{(2+28a^6d^5e^{11x}-764a^5c^3d^3e^9x-6440a^4c^2d^5e^7x-8120a^3c^3d^7e^5x-2996a^2c^4d^9e^3x-140a^5c^5d^{11}e^x+8a^6d^2e^{10}-224a^5c^4d^4e^8-1680a^4c^2d^6e^6-1120a^3c^3d^8e^4-56a^2c^4d^{10}e^2)/(a^7e^{14}-7a^6c^3d^2e^{12}+21a^5c^2d^4e^{10}-35a^4c^3d^6e^8+35a^3c^4d^8e^6-21a^2c^5d^{10}e^4+7a^5c^6d^{12}e^2-c^7d^{14})/(c^2d^2e^2x+a^2e^2x+c^2d^2x+a^2d^2e)^{7/2}}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e\*x+d)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(7/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation may help (example of legal syntax is 'assume(a\*e^2-c\*d^2>0)', see `assume?` for more details)Is a\*e^2-c\*d^2 zero or nonzero?

**mupad** [B] time = 7.72, size = 11469, normalized size = 33.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((d + e\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(7/2)),x)

[Out] 
$$\begin{aligned} & \left( \frac{6c^3d^5 + 36a^2c^2d^3e^2 - 10a^2c^2d^3e^4}{105(a^2 - c^2d^2)^6} - x \left( \frac{16c^2d^2e}{105(a^2 - c^2d^2)^5} - \frac{8c^2d^2e(a^2 + c^2d^2)}{105(a^2 - c^2d^2)^6} \right) + \frac{8a^2c^2d^3e^2}{105(a^2 - c^2d^2)^6} \right) / (x(a^2 + c^2d^2) + a^2d^2e + c^2d^2e^2x^2)^{1/2} \\ & + \left( x \left( \frac{64c^5d^5e^4(a^2 + c^2d^2)}{105(a^2 - c^2d^2)^6(c^3d^5e - 2a^2c^2d^3e^3 + a^2c^2d^3e^5)} - \frac{64c^5d^5e^4(5a^2e^2 - 3c^2d^2)}{105(a^2 - c^2d^2)^6(c^3d^5e - 2a^2c^2d^3e^3 + a^2c^2d^3e^5)} \right) \right) / c - \left( (a^2 + c^2d^2) \left( \frac{64c^5d^5e^4(a^2 + c^2d^2)}{105(a^2 - c^2d^2)^6(c^3d^5e - 2a^2c^2d^3e^3 + a^2c^2d^3e^5)} - \frac{64c^5d^5e^4(5a^2e^2 - 3c^2d^2)}{105(a^2 - c^2d^2)^6(c^3d^5e - 2a^2c^2d^3e^3 + a^2c^2d^3e^5)} \right) \right) / (c^2d^2e) \\ & - \left( \frac{32c^4d^4e^3(7c^2d^4 - 9a^2e^4 + 18a^2c^2d^2e^2)}{105(a^2 - c^2d^2)^6(c^3d^5e - 2a^2c^2d^3e^3 + a^2c^2d^3e^5)} - \frac{128a^5c^5d^6e^5}{105(a^2 - c^2d^2)^6(c^3d^5e - 2a^2c^2d^3e^3 + a^2c^2d^3e^5)} + \frac{32c^4d^4e^3(a^2 + c^2d^2)(5a^2e^2 - 3c^2d^2)}{105(a^2 - c^2d^2)^6(c^3d^5e - 2a^2c^2d^3e^3 + a^2c^2d^3e^5)} \right) / (c^2d^2e) \\ & + \left( \frac{2c^2d^2e^2(60c^4d^7 - 204a^2c^3d^5e^2 - 156a^2c^2d^3e^4 + 44a^3c^3d^5e^6)}{105(a^2 - c^2d^2)^6(c^3d^5e - 2a^2c^2d^3e^3 + a^2c^2d^3e^5)} - \frac{16c^3d^3e^2(a^2 + c^2d^2)(7c^2d^4 - 9a^2e^4 + 18a^2c^2d^2e^2)}{105(a^2 - c^2d^2)^6(c^3d^5e - 2a^2c^2d^3e^3 + a^2c^2d^3e^5)} - \frac{a^2((a^2 + c^2d^2)(64c^5d^5e^4(a^2 + c^2d^2) - 64c^5d^5e^4(5a^2e^2 - 3c^2d^2))}{105(a^2 - c^2d^2)^6(c^3d^5e - 2a^2c^2d^3e^3 + a^2c^2d^3e^5)} \right) \end{aligned}$$

$$\begin{aligned}
& c^5 d^5 e^4 (a e^2 + c d^2) / (105 (a e^2 - c d^2)^6 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)) - (64 c^5 d^5 e^4 (5 a e^2 - 3 c d^2)) / (105 (a e^2 - c d^2)^6 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)) / (c d e) - (32 c^4 d^4 e^3 (7 c^2 d^4 - 9 a^2 e^4 + 18 a c d^2 e^2)) / (105 (a e^2 - c d^2)^6 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)) - (128 a c^5 d^6 e^5) / (105 (a e^2 - c d^2)^6 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)) + (32 c^4 d^4 e^3 (a e^2 + c d^2) (5 a e^2 - 3 c d^2)) / (105 (a e^2 - c d^2)^6 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)) / c + (c d e (a e^2 + c d^2) (60 c^4 d^7 - 20 4 a c^3 d^5 e^2 - 156 a^2 c^2 d^3 e^4 + 44 a^3 c d e^6)) / (105 (a e^2 - c d^2)^6 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)) / (x (a e^2 + c d^2) + a d e + c d e x^2)^{1/2} + (x ((a ((8 c^3 d^3 e^2 (a e^2 + c d^2)) / (105 (a e^2 - c d^2)^6) - (8 c^3 d^3 e^2 (3 a e^2 - c d^2)) / (105 (a e^2 - c d^2)^6))) / c + (36 c^4 d^7 e - 76 a c^3 d^5 e^3 - 36 a^2 c^2 d^3 e^5 + 12 a^3 c d e^7) / (105 e (a e^2 - c d^2)^6) + ((a e^2 + c d^2) ((8 a c^3 d^4 e^3) / (105 (a e^2 - c d^2)^6) - ((8 c^3 d^3 e^2 (a e^2 + c d^2)) / (105 (a e^2 - c d^2)^6) - (8 c^3 d^3 e^2 (3 a e^2 - c d^2)) / (105 (a e^2 - c d^2)^6)) * (a e^2 + c d^2)) / (c d e) + (2 c^2 d^2 e (11 c^2 d^4 - 13 a^2 e^4 + 14 a c d^2 e^2)) / (105 (a e^2 - c d^2)^6)) / (c d e) + (30 a^4 e^8 - 22 c^4 d^8 + 20 a c^3 d^6 e^2 - 132 a^3 c d^2 e^6 + 72 a^2 c^2 d^4 e^4) / (105 e (a e^2 - c d^2)^6) + (a ((8 a c^3 d^4 e^3) / (105 (a e^2 - c d^2)^6) - ((8 c^3 d^3 e^2 (a e^2 + c d^2)) / (105 (a e^2 - c d^2)^6) - (8 c^3 d^3 e^2 (3 a e^2 - c d^2)) / (105 (a e^2 - c d^2)^6)) * (a e^2 + c d^2)) / (c d e) + (2 c^2 d^2 e (11 c^2 d^4 - 13 a^2 e^4 + 14 a c d^2 e^2)) / (105 (a e^2 - c d^2)^6)) / c / (x (a e^2 + c d^2) + a d e + c d e x^2)^{3/2} - (((d ((e (2 a e^4 - 2 c d^2 e^2)) / (7 (a e^2 - c d^2)^4 (5 a e^3 - 5 c d^2 e)) - (4 c d^2 e^3) / (7 (a e^2 - c d^2)^4 (5 a e^3 - 5 c d^2 e)))) / e + (e (2 a d e^3 + 2 c d^3 e)) / (7 (a e^2 - c d^2)^4 (5 a e^3 - 5 c d^2 e))) * (x (a e^2 + c d^2) + a d e + c d e x^2)^{1/2} / (d + e x)^3 + (((e (10 a e^3 - 14 c d^2 e)) / (35 (a e^2 - c d^2)^4 (3 a e^3 - 3 c d^2 e)) - (4 c d^2 e^2) / (7 (a e^2 - c d^2)^4 (3 a e^3 - 3 c d^2 e))) * (x (a e^2 + c d^2) + a d e + c d e x^2)^{1/2}) / (d + e x)^2 + ((x ((a ((a ((4 c^5 d^5 e^4 (a e^2 + c d^2)) / (35 (a e^2 - c d^2)^4 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)) - (4 c^5 d^5 e^4 (7 a e^2 - c d^2)) / (35 (a e^2 - c d^2)^4 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5))) / c - ((a e^2 + c d^2) ((a e^2 + c d^2) ((4 c^5 d^5 e^4 (a e^2 + c d^2)) / (35 (a e^2 - c d^2)^4 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)) - (4 c^5 d^5 e^4 (7 a e^2 - c d^2)) / (35 (a e^2 - c d^2)^4 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)))) / (c d e) - (4 c^4 d^4 e^3 (7 c^2 d^4 - 9 a^2 e^4 + 4 a c d^2 e^2)) / (35 (a e^2 - c d^2)^4 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)) - (8 a c^5 d^6 e^5) / (35 (a e^2 - c d^2)^4 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)) + (2 c^4 d^4 e^3 (a e^2 + c d^2) (7 a e^2 - c d^2)) / (35 (a e^2 - c d^2)^4 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5))) / (c d e) + (2 c^2 d^2 e^2 (14 c^4 d^7 - 56 a c^3 d^5 e^2 - 12 a^2 c^2 d^3 e^4 + 10 a^3 c d e^6)) / (35 (a e^2 - c d^2)^4 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5)) - (2 c^3 d^3 e^2 (a e^2 + c d^2) (7 c^2 d^4 - 9 a^2 e^4 + 4 a c d^2 e^2)) / (35 (a e^2 - c d^2)^4 (c^3 d^5 e - 2 a c^2 d^3 e^3 + a^2 c d e^5))) / c - ((a e^2 + c d^2) ((a (((a e^2 + c d^2) *
\end{aligned}$$





$$\begin{aligned}
& e^5)/(35*(a*e^2 - c*d^2)^4*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) + ( \\
& 2*c^4*d^4*e^3*(a*e^2 + c*d^2)*(7*a*e^2 - c*d^2))/(35*(a*e^2 - c*d^2)^4*(c^3 \\
& *d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/(c*d*e) + (2*c^2*d^2*e^2*(14*c^4 \\
& *d^7 - 56*a*c^3*d^5*e^2 - 12*a^2*c^2*d^3*e^4 + 10*a^3*c*d*e^6))/(35*(a*e^2 \\
& - c*d^2)^4*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (2*c^3*d^3*e^2*(a \\
& *e^2 + c*d^2)*(7*c^2*d^4 - 9*a^2*e^4 + 4*a*c*d^2*e^2))/(35*(a*e^2 - c*d^2)^ \\
& 4*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/(c*d*e) - (2*c^2*d^2*e^2*( \\
& 16*a^4*e^7 - 64*a^3*c*d^2*e^5))/(35*(a*e^2 - c*d^2)^4*(c^3*d^5*e - 2*a*c^2* \\
& d^3*e^3 + a^2*c*d*e^5)) - (c*d*e*(a*e^2 + c*d^2)*(14*c^4*d^7 - 56*a*c^3*d^5 \\
& *e^2 - 12*a^2*c^2*d^3*e^4 + 10*a^3*c*d*e^6))/(35*(a*e^2 - c*d^2)^4*(c^3*d^5 \\
& *e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/c + (16*a^4*c*d^2*e^7*(a*e^2 + c*d^2 \\
& ))/(35*(a*e^2 - c*d^2)^4*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))*(x*( \\
& a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2))/((a*e + c*d*x)^3*(d + e*x)^3) - \\
& ((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2))*(x*((a*((16*c^5*d^5*e^4*(a*e \\
& ^2 + c*d^2))/(35*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e \\
& ^5)) - (16*c^5*d^5*e^4*(5*a*e^2 - 3*c*d^2)))/(35*(a*e^2 - c*d^2)^6*(c^3*d^5* \\
& e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/c - ((a*e^2 + c*d^2)*((a*e^2 + c*d^2 \\
& )*((16*c^5*d^5*e^4*(a*e^2 + c*d^2))/(35*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a* \\
& c^2*d^3*e^3 + a^2*c*d*e^5)) - (16*c^5*d^5*e^4*(5*a*e^2 - 3*c*d^2)))/(35*(a*e \\
& ^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/c - (16* \\
& c^4*d^4*e^3*(c^2*d^4 - 7*a^2*e^4 + 14*a*c*d^2*e^2))/(35*(a*e^2 - c*d^2)^6*( \\
& c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (32*a*c^5*d^6*e^5)/(35*(a*e^2 \\
& - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) + (8*c^4*d^4*e^3*( \\
& a*e^2 + c*d^2)*(5*a*e^2 - 3*c*d^2))/(35*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a* \\
& c^2*d^3*e^3 + a^2*c*d*e^5)))/c + (2*c^2*d^2*e^2*(484*c^4*d^7 + 1228* \\
& a*c^3*d^5*e^2 - 1092*a^2*c^2*d^3*e^4 - 812*a^3*c*d*e^6))/(105*(a*e^2 - c*d^ \\
& 2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (8*c^3*d^3*e^2*(a*e^2 + \\
& c*d^2)*(c^2*d^4 - 7*a^2*e^4 + 14*a*c*d^2*e^2))/(35*(a*e^2 - c*d^2)^6*(c^3* \\
& d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (a*((a*e^2 + c*d^2)*((16*c^5*d^ \\
& 5*e^4*(a*e^2 + c*d^2))/(35*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + \\
& a^2*c*d*e^5)) - (16*c^5*d^5*e^4*(5*a*e^2 - 3*c*d^2)))/(35*(a*e^2 - c*d^2)^6 \\
& *(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/c + (16*c^4*d^4*e^3*( \\
& c^2*d^4 - 7*a^2*e^4 + 14*a*c*d^2*e^2))/(35*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2 \\
& *a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (32*a*c^5*d^6*e^5)/(35*(a*e^2 - c*d^2)^6*( \\
& c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) + (8*c^4*d^4*e^3*(a*e^2 + c*d^2 \\
& )*(5*a*e^2 - 3*c*d^2))/(35*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + \\
& a^2*c*d*e^5)))/c + (c*d*e*(a*e^2 + c*d^2)*(484*c^4*d^7 + 1228*a*c^3*d^5*e \\
& ^2 - 1092*a^2*c^2*d^3*e^4 - 812*a^3*c*d*e^6))/(105*(a*e^2 - c*d^2)^6*(c^3*d \\
& ^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/((a*e + c*d*x)*(d + e*x)) + ((x*(a \\
& *e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2))*(x*((a*((a*((16*c^6*d^6*e^5*(a*e^2 \\
& + c*d^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^ \\
& 5)) - (16*c^6*d^6*e^5*(7*a*e^2 - c*d^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e \\
& - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/c - ((a*e^2 + c*d^2)*((a*e^2 + c*d^2)* \\
& ((16*c^6*d^6*e^5*(a*e^2 + c*d^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c \\
& ^2*d^3*e^3 + a^2*c*d*e^5)) - (16*c^6*d^6*e^5*(7*a*e^2 - c*d^2))/(105*(a*e^2
\end{aligned}$$



$$\begin{aligned}
& - (32*c^5*d^5*e^4*(2*c^2*d^4 - 6*a^2*e^4 + 5*a*c*d^2*e^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (32*a*c^6*d^7*e^6)/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) + (8*c^5*d^5*e^4*(a*e^2 + c*d^2)*(7*a*e^2 - c*d^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/c + ((a*e^2 + c*d^2)*((a*((16*c^6*d^6*e^5*(a*e^2 + c*d^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (16*c^6*d^6*e^5*(7*a*e^2 - c*d^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))))/c - ((a*e^2 + c*d^2)*((a*e^2 + c*d^2)*((16*c^6*d^6*e^5*(a*e^2 + c*d^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (16*c^6*d^6*e^5*(7*a*e^2 - c*d^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))))/(c*d*e) - (32*c^5*d^5*e^4*(2*c^2*d^4 - 6*a^2*e^4 + 5*a*c*d^2*e^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (32*a*c^6*d^7*e^6)/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) + (8*c^5*d^5*e^4*(a*e^2 + c*d^2)*(7*a*e^2 - c*d^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/c + (8*c^4*d^4*e^3*(25*a^3*e^6 + 5*c^3*d^6 - 23*a*c^2*d^4*e^2 - 51*a^2*c*d^2*e^4))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)) - (16*c^4*d^4*e^3*(a*e^2 + c*d^2)*(2*c^2*d^4 - 6*a^2*e^4 + 5*a*c*d^2*e^2))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/c + (4*c^3*d^3*e^2*(a*e^2 + c*d^2)*(25*a^3*e^6 + 5*c^3*d^6 - 23*a*c^2*d^4*e^2 - 51*a^2*c*d^2*e^4))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/c + (c*d*(a*e^2 + c*d^2)*(88*c^5*d^10 - 152*a^5*e^10 + 80*a*c^4*d^8*e^2 + 272*a^4*c*d^2*e^8 - 520*a^2*c^3*d^6*e^4 + 296*a^3*c^2*d^4*e^6))/(105*(a*e^2 - c*d^2)^6*(c^3*d^5*e - 2*a*c^2*d^3*e^3 + a^2*c*d*e^5)))/((a*e + c*d*x)^2*(d + e*x)^2) - (2*d^2*e^2*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2))/((d + e*x)^4*(7*a^4*e^9 + 7*c^4*d^8*e - 28*a*c^3*d^6*e^3 - 28*a^3*c*d^2*e^7 + 42*a^2*c^2*d^4*e^5)) + (8*c*d*e*(5*a*e^2 + c*d^2)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2))/(105*(a*e^2 - c*d^2)^6*(d + e*x))
\end{aligned}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(e\*x+d)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(7/2),x)

[Out] Timed out

$$3.323 \quad \int x^2 \sqrt{1+x} \sqrt{1-x+x^2} dx$$

Optimal. Leaf size=23

$$\frac{2}{9}(x+1)^{3/2}(x^2-x+1)^{3/2}$$

Rubi [A] time = 0.02, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {913}

$$\frac{2}{9}(x+1)^{3/2}(x^2-x+1)^{3/2}$$

Antiderivative was successfully verified.

[In] Int[x^2\*Sqrt[1+x]\*Sqrt[1-x+x^2],x]

[Out] (2\*(1+x)^(3/2)\*(1-x+x^2)^(3/2))/9

Rule 913

Int[(x\_)^2\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*e\*(m + 2\*p + 3)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && EqQ[b\*e\*(m + p + 2) + 2\*c\*d\*(p + 1), 0] && EqQ[b\*d\*(p + 1) + a\*e\*(m + 1), 0] && NeQ[m + 2\*p + 3, 0]

Rubi steps

$$\int x^2 \sqrt{1+x} \sqrt{1-x+x^2} dx = \frac{2}{9}(1+x)^{3/2}(1-x+x^2)^{3/2}$$

Mathematica [A] time = 0.03, size = 23, normalized size = 1.00

$$\frac{2}{9}(x+1)^{3/2}(x^2-x+1)^{3/2}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*Sqrt[1+x]\*Sqrt[1-x+x^2],x]

[Out] (2\*(1+x)^(3/2)\*(1-x+x^2)^(3/2))/9

**IntegrateAlgebraic** [F] time = 33.85, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{1+x} \sqrt{1-x+x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2\*Sqrt[1+x]\*Sqrt[1-x+x^2],x]

[Out] Defer[IntegrateAlgebraic][x^2\*Sqrt[1+x]\*Sqrt[1-x+x^2],x]

**fricas** [A] time = 0.38, size = 22, normalized size = 0.96

$$\frac{2}{9} (x^3 + 1) \sqrt{x^2 - x + 1} \sqrt{x + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(1+x)^(1/2)\*(x^2-x+1)^(1/2),x, algorithm="fricas")

[Out] 2/9\*(x^3 + 1)\*sqrt(x^2 - x + 1)\*sqrt(x + 1)

**giac** [B] time = 0.24, size = 67, normalized size = 2.91

$$\frac{2}{315} ((5(7x - 23)(x + 1) + 258)(x + 1) - 213) \sqrt{(x + 1)^2 - 3x} \sqrt{x + 1} + \frac{2}{105} (3(5x - 12)(x + 1) + 71) \sqrt{(x + 1)^2 - 3x} \sqrt{x + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(1+x)^(1/2)\*(x^2-x+1)^(1/2),x, algorithm="giac")

[Out] 2/315\*((5\*(7\*x - 23)\*(x + 1) + 258)\*(x + 1) - 213)\*sqrt((x + 1)^2 - 3\*x)\*sqrt(x + 1) + 2/105\*(3\*(5\*x - 12)\*(x + 1) + 71)\*sqrt((x + 1)^2 - 3\*x)\*sqrt(x + 1)

**maple** [A] time = 0.00, size = 18, normalized size = 0.78

$$\frac{2(x+1)^{\frac{3}{2}}(x^2-x+1)^{\frac{3}{2}}}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(x+1)^(1/2)\*(x^2-x+1)^(1/2),x)

[Out] 2/9\*(x+1)^(3/2)\*(x^2-x+1)^(3/2)

**maxima** [A] time = 0.95, size = 22, normalized size = 0.96

$$\frac{2}{9} (x^3 + 1) \sqrt{x^2 - x + 1} \sqrt{x + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(1+x)^(1/2)*(x^2-x+1)^(1/2),x, algorithm="maxima")`

[Out]  $2/9*(x^3 + 1)*\sqrt{x^2 - x + 1}*\sqrt{x + 1}$

mupad [B] time = 2.62, size = 22, normalized size = 0.96

$$\frac{2 (x^3 + 1) \sqrt{x + 1} \sqrt{x^2 - x + 1}}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(x + 1)^(1/2)*(x^2 - x + 1)^(1/2),x)`

[Out]  $(2*(x^3 + 1)*(x + 1)^(1/2)*(x^2 - x + 1)^(1/2))/9$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{x + 1} \sqrt{x^2 - x + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(1+x)**(1/2)*(x**2-x+1)**(1/2),x)`

[Out] `Integral(x**2*sqrt(x + 1)*sqrt(x**2 - x + 1), x)`

$$3.324 \quad \int \frac{\sqrt{1+x} \sqrt{1-x+x^2}}{x} dx$$

Optimal. Leaf size=66

$$\frac{2}{3} \sqrt{x+1} \sqrt{x^2-x+1} - \frac{2\sqrt{x+1} \sqrt{x^2-x+1} \tanh^{-1}(\sqrt{x^3+1})}{3\sqrt{x^3+1}}$$

**Rubi [A]** time = 0.03, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {915, 266, 50, 63, 207}

$$\frac{2}{3} \sqrt{x+1} \sqrt{x^2-x+1} - \frac{2\sqrt{x+1} \sqrt{x^2-x+1} \tanh^{-1}(\sqrt{x^3+1})}{3\sqrt{x^3+1}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[1 + x]\*Sqrt[1 - x + x^2])/x,x]

[Out] (2\*Sqrt[1 + x]\*Sqrt[1 - x + x^2])/3 - (2\*Sqrt[1 + x]\*Sqrt[1 - x + x^2]\*ArcTanh[Sqrt[1 + x^3]])/(3\*Sqrt[1 + x^3])

#### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 207

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
, 0] || GtQ[b, 0])
```



Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[  
Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b  
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 915

Int[((g\_)\*(x\_))^(n\_)\*((d\_.) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*  
(x\_)^2)^(p\_), x\_Symbol] := Dist[((d + e\*x)^FracPart[p]\*(a + b\*x + c\*x^2)^Fr  
acPart[p])/(a\*d + c\*e\*x^3)^FracPart[p], Int[(g\*x)^n\*(a\*d + c\*e\*x^3)^p, x],  
x] /; FreeQ[{a, b, c, d, e, g, m, n, p}, x] && EqQ[m - p, 0] && EqQ[b\*d + a  
\*e, 0] && EqQ[c\*d + b\*e, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{1+x} \sqrt{1-x+x^2}}{x} dx &= \frac{\left(\sqrt{1+x} \sqrt{1-x+x^2}\right) \int \frac{\sqrt{1+x^3}}{x} dx}{\sqrt{1+x^3}} \\
 &= \frac{\left(\sqrt{1+x} \sqrt{1-x+x^2}\right) \text{Subst}\left(\int \frac{\sqrt{1+x}}{x} dx, x, x^3\right)}{3\sqrt{1+x^3}} \\
 &= \frac{2}{3} \sqrt{1+x} \sqrt{1-x+x^2} + \frac{\left(\sqrt{1+x} \sqrt{1-x+x^2}\right) \text{Subst}\left(\int \frac{1}{x\sqrt{1+x}} dx, x, x^3\right)}{3\sqrt{1+x^3}} \\
 &= \frac{2}{3} \sqrt{1+x} \sqrt{1-x+x^2} + \frac{\left(2\sqrt{1+x} \sqrt{1-x+x^2}\right) \text{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \sqrt{1+x^3}\right)}{3\sqrt{1+x^3}} \\
 &= \frac{2}{3} \sqrt{1+x} \sqrt{1-x+x^2} - \frac{2\sqrt{1+x} \sqrt{1-x+x^2} \tanh^{-1}\left(\sqrt{1+x^3}\right)}{3\sqrt{1+x^3}}
 \end{aligned}$$

Mathematica [C] time = 0.41, size = 197, normalized size = 2.98

$$\frac{\sqrt{x+1} \left( 2(x^2 - x + 1) + \frac{3i\sqrt{2} \sqrt{\frac{-2ix + \sqrt{3} + i}{\sqrt{3} + 3i}} \sqrt{\frac{2ix + \sqrt{3} - i}{\sqrt{3} - 3i}} \Pi\left(\frac{3}{2} - \frac{i\sqrt{3}}{2}; i \sinh^{-1}\left(\sqrt{2} \sqrt{\frac{i(x+1)}{3i + \sqrt{3}}}\right) \frac{3i + \sqrt{3}}{3i - \sqrt{3}}\right)}{\sqrt{\frac{i(x+1)}{\sqrt{3} + 3i}}}\right)}{3\sqrt{x^2 - x + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[1 + x]\*Sqrt[1 - x + x^2])/x,x]

[Out] (Sqrt[1 + x]\*(2\*(1 - x + x^2) + ((3\*I)\*Sqrt[2]\*Sqrt[(1 + Sqrt[3] - (2\*I)\*x)/(3\*I + Sqrt[3])])\*Sqrt[(-1 + Sqrt[3] + (2\*I)\*x)/(-3\*I + Sqrt[3])])\*EllipticPi[3/2 - (I/2)\*Sqrt[3], I\*ArcSinh[Sqrt[2]\*Sqrt[((-1)\*(1 + x))/(3\*I + Sqrt[3])]]], (3\*I + Sqrt[3])/(3\*I - Sqrt[3])))/Sqrt[((-1)\*(1 + x))/(3\*I + Sqrt[3])))/(3\*Sqrt[1 - x + x^2])

**IntegrateAlgebraic** [F] time = 22.48, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{1+x} \sqrt{1-x+x^2}}{x} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(Sqrt[1 + x]\*Sqrt[1 - x + x^2])/x,x]

[Out] Defer[IntegrateAlgebraic] [(Sqrt[1 + x]\*Sqrt[1 - x + x^2])/x, x]

**fricas** [A] time = 0.40, size = 60, normalized size = 0.91

$$\frac{2}{3} \sqrt{x^2 - x + 1} \sqrt{x + 1} - \frac{1}{3} \log(\sqrt{x^2 - x + 1} \sqrt{x + 1} + 1) + \frac{1}{3} \log(\sqrt{x^2 - x + 1} \sqrt{x + 1} - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^(1/2)\*(x^2-x+1)^(1/2)/x,x, algorithm="fricas")

[Out] 2/3\*sqrt(x^2 - x + 1)\*sqrt(x + 1) - 1/3\*log(sqrt(x^2 - x + 1)\*sqrt(x + 1) + 1) + 1/3\*log(sqrt(x^2 - x + 1)\*sqrt(x + 1) - 1)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^2 - x + 1} \sqrt{x + 1}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^(1/2)\*(x^2-x+1)^(1/2)/x,x, algorithm="giac")

[Out] integrate(sqrt(x^2 - x + 1)\*sqrt(x + 1)/x, x)

**maple** [A] time = 0.03, size = 43, normalized size = 0.65

$$\frac{2\sqrt{x+1} \sqrt{x^2-x+1} \left( \operatorname{arctanh}\left(\sqrt{x^3+1}\right) - \sqrt{x^3+1} \right)}{3\sqrt{x^3+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x+1)^(1/2)*(x^2-x+1)^(1/2)/x,x)`

[Out] `-2/3*(x+1)^(1/2)*(x^2-x+1)^(1/2)*(-(x^3+1)^(1/2)+arctanh((x^3+1)^(1/2)))/(x^3+1)^(1/2)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^2 - x + 1} \sqrt{x + 1}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)^(1/2)*(x^2-x+1)^(1/2)/x,x, algorithm="maxima")`

[Out] `integrate(sqrt(x^2 - x + 1)*sqrt(x + 1)/x, x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{x + 1} \sqrt{x^2 - x + 1}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((x + 1)^(1/2)*(x^2 - x + 1)^(1/2))/x,x)`

[Out] `int(((x + 1)^(1/2)*(x^2 - x + 1)^(1/2))/x, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x + 1} \sqrt{x^2 - x + 1}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x)**(1/2)*(x**2-x+1)**(1/2)/x,x)`

[Out] `Integral(sqrt(x + 1)*sqrt(x**2 - x + 1)/x, x)`

$$3.325 \quad \int x^2(1+x)^{3/2} (1-x+x^2)^{3/2} dx$$

Optimal. Leaf size=23

$$\frac{2}{15}(x+1)^{5/2} (x^2-x+1)^{5/2}$$

**Rubi [A]** time = 0.02, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {913}

$$\frac{2}{15}(x+1)^{5/2} (x^2-x+1)^{5/2}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(1+x)^(3/2)\*(1-x+x^2)^(3/2),x]

[Out] (2\*(1+x)^(5/2)\*(1-x+x^2)^(5/2))/15

Rule 913

Int[(x\_)^2\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*e\*(m + 2\*p + 3)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && EqQ[b\*e\*(m + p + 2) + 2\*c\*d\*(p + 1), 0] && EqQ[b\*d\*(p + 1) + a\*e\*(m + 1), 0] && NeQ[m + 2\*p + 3, 0]

Rubi steps

$$\int x^2(1+x)^{3/2} (1-x+x^2)^{3/2} dx = \frac{2}{15}(1+x)^{5/2} (1-x+x^2)^{5/2}$$

**Mathematica [A]** time = 0.04, size = 23, normalized size = 1.00

$$\frac{2}{15}(x+1)^{5/2} (x^2-x+1)^{5/2}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(1+x)^(3/2)\*(1-x+x^2)^(3/2),x]

[Out] (2\*(1+x)^(5/2)\*(1-x+x^2)^(5/2))/15

**IntegrateAlgebraic [F]** time = 71.30, size = 0, normalized size = 0.00

$$\int x^2(1+x)^{3/2}(1-x+x^2)^{3/2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2\*(1+x)^(3/2)\*(1-x+x^2)^(3/2),x]

[Out] Defer[IntegrateAlgebraic][x^2\*(1+x)^(3/2)\*(1-x+x^2)^(3/2),x]

**fricas [A]** time = 0.39, size = 27, normalized size = 1.17

$$\frac{2}{15} (x^6 + 2x^3 + 1) \sqrt{x^2 - x + 1} \sqrt{x + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(1+x)^(3/2)\*(x^2-x+1)^(3/2),x, algorithm="fricas")

[Out] 2/15\*(x^6 + 2\*x^3 + 1)\*sqrt(x^2 - x + 1)\*sqrt(x + 1)

**giac [B]** time = 0.61, size = 173, normalized size = 7.52

$$\frac{2}{45045} ((7(3(1(63-80)(x+1)+3165)(x+1)-16442)(x+1)+121227)(x+1)-80187)(x+1)+34077)\sqrt{(x+1)^2-3x}\sqrt{x+1} + \frac{2}{45045} ((5(7(9(11x-57)(x+1)+1601)(x+1)-15837)(x+1)+65172)(x+1)-34077)\sqrt{(x+1)^2-3x}\sqrt{x+1} + \frac{2}{315} ((5(7x-23)(x+1)+258)(x+1)-213)\sqrt{(x+1)^2-3x}\sqrt{x+1} + \frac{2}{105} (3(5x-12)(x+1)+71)\sqrt{(x+1)^2-3x}\sqrt{x+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(1+x)^(3/2)\*(x^2-x+1)^(3/2),x, algorithm="giac")

[Out] 2/45045\*(((7\*(3\*(11\*(13\*x - 80)\*(x + 1) + 3165)\*(x + 1) - 16442)\*(x + 1) + 121227)\*(x + 1) - 80187)\*(x + 1) + 34077)\*sqrt((x + 1)^2 - 3\*x)\*sqrt(x + 1) + 2/45045\*((5\*(7\*(9\*(11\*x - 57)\*(x + 1) + 1601)\*(x + 1) - 15837)\*(x + 1) + 65172)\*(x + 1) - 34077)\*sqrt((x + 1)^2 - 3\*x)\*sqrt(x + 1) + 2/315\*((5\*(7\*x - 23)\*(x + 1) + 258)\*(x + 1) - 213)\*sqrt((x + 1)^2 - 3\*x)\*sqrt(x + 1) + 2/105\*(3\*(5\*x - 12)\*(x + 1) + 71)\*sqrt((x + 1)^2 - 3\*x)\*sqrt(x + 1)

**maple [A]** time = 0.00, size = 18, normalized size = 0.78

$$\frac{2(x+1)^{\frac{5}{2}}(x^2-x+1)^{\frac{5}{2}}}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(x+1)^(3/2)\*(x^2-x+1)^(3/2),x)

[Out] 2/15\*(x+1)^(5/2)\*(x^2-x+1)^(5/2)

**maxima** [A] time = 0.97, size = 27, normalized size = 1.17

$$\frac{2}{15} (x^6 + 2x^3 + 1) \sqrt{x^2 - x + 1} \sqrt{x + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(1+x)^(3/2)\*(x^2-x+1)^(3/2),x, algorithm="maxima")

[Out] 2/15\*(x^6 + 2\*x^3 + 1)\*sqrt(x^2 - x + 1)\*sqrt(x + 1)

**mupad** [B] time = 0.12, size = 25, normalized size = 1.09

$$\frac{2 \sqrt{x+1} (x^2 - x + 1)^{5/2} (x^2 + 2x + 1)}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(x + 1)^(3/2)\*(x^2 - x + 1)^(3/2),x)

[Out] (2\*(x + 1)^(1/2)\*(x^2 - x + 1)^(5/2)\*(2\*x + x^2 + 1))/15

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (x + 1)^{\frac{3}{2}} (x^2 - x + 1)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(1+x)\*\*(3/2)\*(x\*\*2-x+1)\*\*(3/2),x)

[Out] Integral(x\*\*2\*(x + 1)\*\*(3/2)\*(x\*\*2 - x + 1)\*\*(3/2), x)

$$3.326 \quad \int \frac{(1+x)^{3/2}(1-x+x^2)^{3/2}}{x} dx$$

Optimal. Leaf size=94

$$\frac{2}{3}\sqrt{x+1}\sqrt{x^2-x+1} + \frac{2}{9}\sqrt{x+1}\sqrt{x^2-x+1}(x^3+1) - \frac{2\sqrt{x+1}\sqrt{x^2-x+1}\tanh^{-1}\left(\sqrt{x^3+1}\right)}{3\sqrt{x^3+1}}$$

**Rubi [A]** time = 0.04, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {915, 266, 50, 63, 207}

$$\frac{2}{9}\sqrt{x+1}\sqrt{x^2-x+1}(x^3+1) + \frac{2}{3}\sqrt{x+1}\sqrt{x^2-x+1} - \frac{2\sqrt{x+1}\sqrt{x^2-x+1}\tanh^{-1}\left(\sqrt{x^3+1}\right)}{3\sqrt{x^3+1}}$$

Antiderivative was successfully verified.

[In] Int[((1 + x)^(3/2)\*(1 - x + x^2)^(3/2))/x,x]

[Out] (2\*Sqrt[1 + x]\*Sqrt[1 - x + x^2])/3 + (2\*Sqrt[1 + x]\*Sqrt[1 - x + x^2]\*(1 + x^3))/9 - (2\*Sqrt[1 + x]\*Sqrt[1 - x + x^2]\*ArcTanh[Sqrt[1 + x^3]])/(3\*Sqrt[1 + x^3])

### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 207

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a

, 0] || GtQ[b, 0])

### Rule 266

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[1/n, Subst[  
Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b  
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

### Rule 915

Int[((g\_)\*(x\_))^(n\_)\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*  
(x\_)^2)^(p\_), x\_Symbol] := Dist[((d + e\*x)^FracPart[p]\*(a + b\*x + c\*x^2)^Fr  
acPart[p])/(a\*d + c\*e\*x^3)^FracPart[p], Int[(g\*x)^n\*(a\*d + c\*e\*x^3)^p, x],  
x] /; FreeQ[{a, b, c, d, e, g, m, n, p}, x] && EqQ[m - p, 0] && EqQ[b\*d + a  
\*e, 0] && EqQ[c\*d + b\*e, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{(1+x)^{3/2} (1-x+x^2)^{3/2}}{x} dx &= \frac{\left(\sqrt{1+x} \sqrt{1-x+x^2}\right) \int \frac{(1+x^3)^{3/2}}{x} dx}{\sqrt{1+x^3}} \\
 &= \frac{\left(\sqrt{1+x} \sqrt{1-x+x^2}\right) \text{Subst}\left(\int \frac{(1+x)^{3/2}}{x} dx, x, x^3\right)}{3\sqrt{1+x^3}} \\
 &= \frac{2}{9} \sqrt{1+x} \sqrt{1-x+x^2} (1+x^3) + \frac{\left(\sqrt{1+x} \sqrt{1-x+x^2}\right) \text{Subst}\left(\int \frac{\sqrt{1+x}}{x} dx, x, x^3\right)}{3\sqrt{1+x^3}} \\
 &= \frac{2}{3} \sqrt{1+x} \sqrt{1-x+x^2} + \frac{2}{9} \sqrt{1+x} \sqrt{1-x+x^2} (1+x^3) + \frac{\left(\sqrt{1+x} \sqrt{1-x+x^2}\right)}{3\sqrt{1+x^3}} \\
 &= \frac{2}{3} \sqrt{1+x} \sqrt{1-x+x^2} + \frac{2}{9} \sqrt{1+x} \sqrt{1-x+x^2} (1+x^3) + \frac{\left(2\sqrt{1+x} \sqrt{1-x+x^2}\right)}{3\sqrt{1+x^3}} \\
 &= \frac{2}{3} \sqrt{1+x} \sqrt{1-x+x^2} + \frac{2}{9} \sqrt{1+x} \sqrt{1-x+x^2} (1+x^3) - \frac{2\sqrt{1+x} \sqrt{1-x+x^2}}{3\sqrt{1+x^3}}
 \end{aligned}$$



**Mathematica [C]** time = 0.30, size = 201, normalized size = 2.14

$$\frac{\sqrt{x+1} \left( \frac{2}{9} (x^2 - x + 1) (x^3 + 4) + \frac{i\sqrt{2} \sqrt{\frac{-2ix + \sqrt{3} + i}{\sqrt{3} + 3i}} \sqrt{\frac{2ix + \sqrt{3} - i}{\sqrt{3} - 3i}} \Pi\left(\frac{3 - i\sqrt{3}}{2}; i \sinh^{-1}\left(\sqrt{2} \sqrt{\frac{i(x+1)}{3i + \sqrt{3}}}\right) \middle| \frac{3i + \sqrt{3}}{3i - \sqrt{3}}\right)}{\sqrt{\frac{i(x+1)}{\sqrt{3} + 3i}}}}{\sqrt{x^2 - x + 1}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((1 + x)^(3/2)\*(1 - x + x^2)^(3/2))/x,x]

[Out] (Sqrt[1 + x]\*((2\*(1 - x + x^2)\*(4 + x^3))/9 + (I\*Sqrt[2]\*Sqrt[(I + Sqrt[3] - (2\*I)\*x)/(3\*I + Sqrt[3]])\*Sqrt[(-I + Sqrt[3] + (2\*I)\*x)/(-3\*I + Sqrt[3])]) \*EllipticPi[3/2 - (I/2)\*Sqrt[3], I\*ArcSinh[Sqrt[2]\*Sqrt[((-I)\*(1 + x))/(3\*I + Sqrt[3])]], (3\*I + Sqrt[3])/(3\*I - Sqrt[3])])/Sqrt[((-I)\*(1 + x))/(3\*I + Sqrt[3])]))/Sqrt[1 - x + x^2]

**IntegrateAlgebraic [F]** time = 48.00, size = 0, normalized size = 0.00

$$\int \frac{(1+x)^{3/2} (1-x+x^2)^{3/2}}{x} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((1 + x)^(3/2)\*(1 - x + x^2)^(3/2))/x,x]

[Out] Defer[IntegrateAlgebraic][((1 + x)^(3/2)\*(1 - x + x^2)^(3/2))/x, x]

**fricas [A]** time = 0.40, size = 65, normalized size = 0.69

$$\frac{2}{9} (x^3 + 4) \sqrt{x^2 - x + 1} \sqrt{x + 1} - \frac{1}{3} \log\left(\sqrt{x^2 - x + 1} \sqrt{x + 1} + 1\right) + \frac{1}{3} \log\left(\sqrt{x^2 - x + 1} \sqrt{x + 1} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^(3/2)\*(x^2-x+1)^(3/2)/x,x, algorithm="fricas")

[Out] 2/9\*(x^3 + 4)\*sqrt(x^2 - x + 1)\*sqrt(x + 1) - 1/3\*log(sqrt(x^2 - x + 1)\*sqrt(x + 1) + 1) + 1/3\*log(sqrt(x^2 - x + 1)\*sqrt(x + 1) - 1)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 - x + 1)^{\frac{3}{2}} (x + 1)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^(3/2)\*(x^2-x+1)^(3/2)/x,x, algorithm="giac")

[Out] integrate((x^2 - x + 1)^(3/2)\*(x + 1)^(3/2)/x, x)

**maple** [A] time = 0.01, size = 57, normalized size = 0.61

$$\frac{2\sqrt{x+1} \sqrt{x^2-x+1} \left( -\sqrt{x^3+1} x^3 + 3 \operatorname{arctanh} \left( \sqrt{x^3+1} \right) - 4\sqrt{x^3+1} \right)}{9\sqrt{x^3+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x+1)^(3/2)\*(x^2-x+1)^(3/2)/x,x)

[Out] -2/9\*(x+1)^(1/2)\*(x^2-x+1)^(1/2)\*(-x^3\*(x^3+1)^(1/2)+3\*arctanh((x^3+1)^(1/2))-4\*(x^3+1)^(1/2))/(x^3+1)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 - x + 1)^{\frac{3}{2}} (x + 1)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)^(3/2)\*(x^2-x+1)^(3/2)/x,x, algorithm="maxima")

[Out] integrate((x^2 - x + 1)^(3/2)\*(x + 1)^(3/2)/x, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(x + 1)^{3/2} (x^2 - x + 1)^{3/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((x + 1)^(3/2)\*(x^2 - x + 1)^(3/2))/x,x)

[Out] int(((x + 1)^(3/2)\*(x^2 - x + 1)^(3/2))/x, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x + 1)^{\frac{3}{2}} (x^2 - x + 1)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x)\*\*(3/2)\*(x\*\*2-x+1)\*\*(3/2)/x,x)

[Out] Integral((x + 1)\*\*(3/2)\*(x\*\*2 - x + 1)\*\*(3/2)/x, x)

$$3.327 \quad \int \frac{x^2}{\sqrt{1+x} \sqrt{1-x+x^2}} dx$$

Optimal. Leaf size=23

$$\frac{2}{3} \sqrt{x+1} \sqrt{x^2-x+1}$$

**Rubi** [A] time = 0.02, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {913}

$$\frac{2}{3} \sqrt{x+1} \sqrt{x^2-x+1}$$

Antiderivative was successfully verified.

[In] Int[x^2/(Sqrt[1 + x]\*Sqrt[1 - x + x^2]),x]

[Out] (2\*Sqrt[1 + x]\*Sqrt[1 - x + x^2])/3

Rule 913

Int[(x\_)^2\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*e\*(m + 2\*p + 3)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && EqQ[b\*e\*(m + p + 2) + 2\*c\*d\*(p + 1), 0] && EqQ[b\*d\*(p + 1) + a\*e\*(m + 1), 0] && NeQ[m + 2\*p + 3, 0]

Rubi steps

$$\int \frac{x^2}{\sqrt{1+x} \sqrt{1-x+x^2}} dx = \frac{2}{3} \sqrt{1+x} \sqrt{1-x+x^2}$$

**Mathematica** [A] time = 0.02, size = 23, normalized size = 1.00

$$\frac{2}{3} \sqrt{x+1} \sqrt{x^2-x+1}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(Sqrt[1 + x]\*Sqrt[1 - x + x^2]),x]

[Out] (2\*Sqrt[1 + x]\*Sqrt[1 - x + x^2])/3

**IntegrateAlgebraic** [F] time = 150.83, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{1+x} \sqrt{1-x+x^2}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2/(Sqrt[1 + x]\*Sqrt[1 - x + x^2]),x]

[Out] Defer[IntegrateAlgebraic][x^2/(Sqrt[1 + x]\*Sqrt[1 - x + x^2]), x]

**fricas** [A] time = 0.38, size = 17, normalized size = 0.74

$$\frac{2}{3} \sqrt{x^2 - x + 1} \sqrt{x + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(1+x)^(1/2)/(x^2-x+1)^(1/2),x, algorithm="fricas")

[Out] 2/3\*sqrt(x^2 - x + 1)\*sqrt(x + 1)

**giac** [A] time = 0.18, size = 18, normalized size = 0.78

$$\frac{2}{3} \sqrt{(x+1)^2 - 3x} \sqrt{x+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(1+x)^(1/2)/(x^2-x+1)^(1/2),x, algorithm="giac")

[Out] 2/3\*sqrt((x + 1)^2 - 3\*x)\*sqrt(x + 1)

**maple** [A] time = 0.00, size = 18, normalized size = 0.78

$$\frac{2\sqrt{x+1} \sqrt{x^2-x+1}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(x+1)^(1/2)/(x^2-x+1)^(1/2),x)

[Out] 2/3\*(x+1)^(1/2)\*(x^2-x+1)^(1/2)

**maxima** [A] time = 0.97, size = 22, normalized size = 0.96

$$\frac{2(x^3+1)}{3\sqrt{x^2-x+1}\sqrt{x+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(1+x)^(1/2)/(x^2-x+1)^(1/2),x, algorithm="maxima")`

[Out] `2/3*(x^3 + 1)/(sqrt(x^2 - x + 1)*sqrt(x + 1))`

**mupad** [B] time = 0.15, size = 9, normalized size = 0.39

$$\frac{2\sqrt{x^3+1}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/((x + 1)^(1/2)*(x^2 - x + 1)^(1/2)),x)`

[Out] `(2*(x^3 + 1)^(1/2))/3`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{x+1}\sqrt{x^2-x+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(1+x)**(1/2)/(x**2-x+1)**(1/2),x)`

[Out] `Integral(x**2/(sqrt(x + 1)*sqrt(x**2 - x + 1)), x)`

$$3.328 \quad \int \frac{1}{x\sqrt{1+x}\sqrt{1-x+x^2}} dx$$

Optimal. Leaf size=42

$$\frac{2\sqrt{x^3+1} \tanh^{-1}\left(\sqrt{x^3+1}\right)}{3\sqrt{x+1}\sqrt{x^2-x+1}}$$

**Rubi [A]** time = 0.03, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {915, 266, 63, 207}

$$\frac{2\sqrt{x^3+1} \tanh^{-1}\left(\sqrt{x^3+1}\right)}{3\sqrt{x+1}\sqrt{x^2-x+1}}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*Sqrt[1 + x]\*Sqrt[1 - x + x^2]),x]

[Out] (-2\*Sqrt[1 + x^3]\*ArcTanh[Sqrt[1 + x^3]])/(3\*Sqrt[1 + x]\*Sqrt[1 - x + x^2])

#### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 266

Int[(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)\*(a + b\*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

#### Rule 915

Int[((g\_.)\*(x\_))^(n\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Dist[((d + e\*x)^FracPart[p]\*(a + b\*x + c\*x^2)^Fr

acPart[p]]/(a\*d + c\*e\*x^3)^FracPart[p], Int[(g\*x)^n\*(a\*d + c\*e\*x^3)^p, x],  
 x] /; FreeQ[{a, b, c, d, e, g, m, n, p}, x] && EqQ[m - p, 0] && EqQ[b\*d + a  
 \*e, 0] && EqQ[c\*d + b\*e, 0]

### Rubi steps

$$\begin{aligned} \int \frac{1}{x\sqrt{1+x}\sqrt{1-x+x^2}} dx &= \frac{\sqrt{1+x^3} \int \frac{1}{x\sqrt{1+x^3}} dx}{\sqrt{1+x}\sqrt{1-x+x^2}} \\ &= \frac{\sqrt{1+x^3} \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1+x}} dx, x, x^3\right)}{3\sqrt{1+x}\sqrt{1-x+x^2}} \\ &= \frac{\left(2\sqrt{1+x^3}\right) \operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \sqrt{1+x^3}\right)}{3\sqrt{1+x}\sqrt{1-x+x^2}} \\ &= \frac{2\sqrt{1+x^3} \tanh^{-1}\left(\sqrt{1+x^3}\right)}{3\sqrt{1+x}\sqrt{1-x+x^2}} \end{aligned}$$

**Mathematica [C]** time = 12.80, size = 2463, normalized size = 58.64

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/(x\*Sqrt[1 + x]\*Sqrt[1 - x + x^2]), x]

[Out]  $2 * (((-I) * (1 + x) * \operatorname{Sqrt}[1 - 6 / ((3 - I * \operatorname{Sqrt}[3]) * (1 + x))] * \operatorname{Sqrt}[1 - 6 / ((3 + I * \operatorname{Sqrt}[3]) * (1 + x))]) * \operatorname{EllipticF}[I * \operatorname{ArcSinh}[\operatorname{Sqrt}[-6 / (3 - I * \operatorname{Sqrt}[3])]] / \operatorname{Sqrt}[1 + x]], (3 - I * \operatorname{Sqrt}[3]) / (3 + I * \operatorname{Sqrt}[3])]) / (\operatorname{Sqrt}[6] * \operatorname{Sqrt}[-(3 - I * \operatorname{Sqrt}[3])^{-1}] * \operatorname{Sqrt}[3 - 3 * (1 + x) + (1 + x)^2]) + (\operatorname{Sqrt}[3/2] * (\operatorname{Sqrt}[1/2 - (I/2) / \operatorname{Sqrt}[3]] + \operatorname{Sqrt}[1/2 + (I/2) / \operatorname{Sqrt}[3]]) * (1 + x) * (-\operatorname{Sqrt}[1/2 - (I/2) / \operatorname{Sqrt}[3]] + 1 / \operatorname{Sqrt}[1 + x])^2 * \operatorname{Sqrt}[(\operatorname{Sqrt}[(2 * (3 - I * \operatorname{Sqrt}[3])) / 3] * (-\operatorname{Sqrt}[1/2 + (I/2) / \operatorname{Sqrt}[3]] + 1 / \operatorname{Sqrt}[1 + x])) / ((\operatorname{Sqrt}[1/2 - (I/2) / \operatorname{Sqrt}[3]] + \operatorname{Sqrt}[1/2 + (I/2) / \operatorname{Sqrt}[3]]) * (-\operatorname{Sqrt}[1/2 - (I/2) / \operatorname{Sqrt}[3]] + 1 / \operatorname{Sqrt}[1 + x]))]) * \operatorname{Sqrt}[(\operatorname{Sqrt}[(2 * (3 - I * \operatorname{Sqrt}[3])) / 3] * (\operatorname{Sqrt}[1/2 + (I/2) / \operatorname{Sqrt}[3]] + 1 / \operatorname{Sqrt}[1 + x])) / ((\operatorname{Sqrt}[1/2 - (I/2) / \operatorname{Sqrt}[3]] - \operatorname{Sqrt}[1/2 + (I/2) / \operatorname{Sqrt}[3]]) * (-\operatorname{Sqrt}[1/2 - (I/2) / \operatorname{Sqrt}[3]] + 1 / \operatorname{Sqrt}[1 + x]))]) * \operatorname{Sqrt}[(\operatorname{Sqrt}[3 - I * \operatorname{Sqrt}[3]] - \operatorname{Sqrt}[3 + I * \operatorname{Sqrt}[3]]) * (\operatorname{Sqrt}[6 * (3 - I * \operatorname{Sqrt}[3])] + 6 / \operatorname{Sqrt}[1 + x])) / ((\operatorname{Sqrt}[3 - I * \operatorname{Sqrt}[3]] + \operatorname{Sqrt}[3 + I * \operatorname{Sqrt}[3]]) * (\operatorname{Sqrt}[6 * (3 - I * \operatorname{Sqrt}[3])] - 6 / \operatorname{Sqrt}[1 + x]))]) * ((1 + \operatorname{Sqrt}[1/2 - (I/2) / \operatorname{Sqrt}[3]]) * \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[(\operatorname{Sqrt}[3 - I * \operatorname{Sqrt}[3]] - \operatorname{Sqrt}[3 + I * \operatorname{Sqrt}[3]]) * (\operatorname{Sqrt}[6 * (3 - I * \operatorname{Sqrt}[3])] + 6 / \operatorname{Sqrt}[1 + x])]) / ((\operatorname{Sqrt}[3 - I * \operatorname{Sqrt}[3]] + \operatorname{Sqrt}[3 + I * \operatorname{Sqrt}[3]]) * (\operatorname{Sqrt}[6 *$

$(3 - I\sqrt{3}) - 6/\sqrt{1+x})] ]$ ,  $(\sqrt{3 - I\sqrt{3}} + \sqrt{3 + I\sqrt{3}})^2/(\sqrt{3 - I\sqrt{3}} - \sqrt{3 + I\sqrt{3}})^2 - \sqrt{(2(3 - I\sqrt{3}))/3} * \text{EllipticPi}[\dots])$ ,  $\text{ArcSin}[\sqrt{((\sqrt{3 - I\sqrt{3}} - \sqrt{3 + I\sqrt{3}}) * (\sqrt{6(3 - I\sqrt{3}})) + 6/\sqrt{1+x})) / ((\sqrt{3 - I\sqrt{3}} + \sqrt{3 + I\sqrt{3}}) * (\sqrt{6(3 - I\sqrt{3}})) - 6/\sqrt{1+x}))}] ]$ ,  $(\sqrt{3 - I\sqrt{3}} + \sqrt{3 + I\sqrt{3}})^2/(\sqrt{3 - I\sqrt{3}} - \sqrt{3 + I\sqrt{3}})^2) / (\sqrt{3 - I\sqrt{3}} * (-1 - \sqrt{1/2 - (I/2)/\sqrt{3}}) * (1 - \sqrt{1/2 - (I/2)/\sqrt{3}}) * (\sqrt{1/2 - (I/2)/\sqrt{3}} - \sqrt{1/2 + (I/2)/\sqrt{3}}) * \sqrt{3 - 3(1+x) + (1+x)^2}) - (\sqrt{3/2} * (\sqrt{1/2 - (I/2)/\sqrt{3}} + \sqrt{1/2 + (I/2)/\sqrt{3}}) * (1+x) * (-\sqrt{1/2 - (I/2)/\sqrt{3}} + 1/\sqrt{1+x}))^2 * \sqrt{((\sqrt{(2(3 - I\sqrt{3}))/3} * (-\sqrt{1/2 + (I/2)/\sqrt{3}} + 1/\sqrt{1+x})) / ((\sqrt{1/2 - (I/2)/\sqrt{3}} + \sqrt{1/2 + (I/2)/\sqrt{3}}) * (-\sqrt{1/2 - (I/2)/\sqrt{3}} + 1/\sqrt{1+x}))}) * \sqrt{((\sqrt{(2(3 - I\sqrt{3}))/3} * (\sqrt{1/2 + (I/2)/\sqrt{3}} + 1/\sqrt{1+x})) / ((\sqrt{1/2 - (I/2)/\sqrt{3}} - \sqrt{1/2 + (I/2)/\sqrt{3}}) * (-\sqrt{1/2 - (I/2)/\sqrt{3}} + 1/\sqrt{1+x}))}) * \sqrt{((\sqrt{3 - I\sqrt{3}} - \sqrt{3 + I\sqrt{3}}) * (\sqrt{6(3 - I\sqrt{3}})) + 6/\sqrt{1+x})) / ((\sqrt{3 - I\sqrt{3}} + \sqrt{3 + I\sqrt{3}}) * (\sqrt{6(3 - I\sqrt{3}})) - 6/\sqrt{1+x}))}) * ((-1 + \sqrt{1/2 - (I/2)/\sqrt{3}}) * \text{EllipticF}[\text{ArcSin}[\sqrt{((\sqrt{3 - I\sqrt{3}} - \sqrt{3 + I\sqrt{3}}) * (\sqrt{6(3 - I\sqrt{3}})) + 6/\sqrt{1+x})) / ((\sqrt{3 - I\sqrt{3}} + \sqrt{3 + I\sqrt{3}}) * (\sqrt{6(3 - I\sqrt{3}})) - 6/\sqrt{1+x}))}] ]$ ,  $(\sqrt{3 - I\sqrt{3}} + \sqrt{3 + I\sqrt{3}})^2/(\sqrt{3 - I\sqrt{3}} - \sqrt{3 + I\sqrt{3}})^2 - \sqrt{(2(3 - I\sqrt{3}))/3} * \text{EllipticPi}[\dots]) / ((1 - \sqrt{1/2 - (I/2)/\sqrt{3}}) * (-\sqrt{1/2 - (I/2)/\sqrt{3}} + \sqrt{1/2 + (I/2)/\sqrt{3}}))$ ,  $\text{ArcSin}[\sqrt{((\sqrt{3 - I\sqrt{3}} - \sqrt{3 + I\sqrt{3}}) * (\sqrt{6(3 - I\sqrt{3}})) + 6/\sqrt{1+x})) / ((\sqrt{3 - I\sqrt{3}} + \sqrt{3 + I\sqrt{3}}) * (\sqrt{6(3 - I\sqrt{3}})) - 6/\sqrt{1+x}))}] ]$ ,  $(\sqrt{3 - I\sqrt{3}} + \sqrt{3 + I\sqrt{3}})^2/(\sqrt{3 - I\sqrt{3}} - \sqrt{3 + I\sqrt{3}})^2) / (\sqrt{3 - I\sqrt{3}} * (-1 - \sqrt{1/2 - (I/2)/\sqrt{3}}) * (1 - \sqrt{1/2 - (I/2)/\sqrt{3}}) * (\sqrt{1/2 - (I/2)/\sqrt{3}} - \sqrt{1/2 + (I/2)/\sqrt{3}}) * \sqrt{3 - 3(1+x) + (1+x)^2})$

**IntegrateAlgebraic [A]** time = 8.25, size = 61, normalized size = 1.45

$$-\frac{1}{3} \log \left( \frac{\sqrt{x+1} \sqrt{(x+1)^2 - 3(x+1) + 3} + 1}{1 - \sqrt{x+1} \sqrt{(x+1)^2 - 3(x+1) + 3}} \right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(x\*sqrt[1+x]\*sqrt[1-x+x^2]),x]

[Out] -1/3\*Log[(1 + sqrt[1+x]\*sqrt[3-3\*(1+x)+(1+x)^2])/(1 - sqrt[1+x]\*sqrt[3-3\*(1+x)+(1+x)^2])]



**fricas** [A] time = 0.39, size = 43, normalized size = 1.02

$$-\frac{1}{3} \log\left(\sqrt{x^2 - x + 1} \sqrt{x + 1} + 1\right) + \frac{1}{3} \log\left(\sqrt{x^2 - x + 1} \sqrt{x + 1} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(1+x)^(1/2)/(x^2-x+1)^(1/2),x, algorithm="fricas")

[Out] -1/3\*log(sqrt(x^2 - x + 1)\*sqrt(x + 1) + 1) + 1/3\*log(sqrt(x^2 - x + 1)\*sqrt(x + 1) - 1)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^2 - x + 1} \sqrt{x + 1} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(1+x)^(1/2)/(x^2-x+1)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x^2 - x + 1)\*sqrt(x + 1)\*x), x)

**maple** [A] time = 0.03, size = 33, normalized size = 0.79

$$\frac{2\sqrt{x+1} \sqrt{x^2-x+1} \operatorname{arctanh}\left(\sqrt{x^3+1}\right)}{3\sqrt{x^3+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(x+1)^(1/2)/(x^2-x+1)^(1/2),x)

[Out] -2/3\*arctanh((x^3+1)^(1/2))\*(x+1)^(1/2)\*(x^2-x+1)^(1/2)/(x^3+1)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^2 - x + 1} \sqrt{x + 1} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(1+x)^(1/2)/(x^2-x+1)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x^2 - x + 1)\*sqrt(x + 1)\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{x \sqrt{x + 1} \sqrt{x^2 - x + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(x + 1)^(1/2)*(x^2 - x + 1)^(1/2)), x)`

[Out] `int(1/(x*(x + 1)^(1/2)*(x^2 - x + 1)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{x+1}\sqrt{x^2-x+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(1+x)**(1/2)/(x**2-x+1)**(1/2), x)`

[Out] `Integral(1/(x*sqrt(x + 1)*sqrt(x**2 - x + 1)), x)`

$$3.329 \quad \int \frac{x^2}{(1+x)^{3/2}(1-x+x^2)^{3/2}} dx$$

Optimal. Leaf size=23

$$-\frac{2}{3\sqrt{x+1}\sqrt{x^2-x+1}}$$

**Rubi** [A] time = 0.02, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {913}

$$-\frac{2}{3\sqrt{x+1}\sqrt{x^2-x+1}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((1+x)^(3/2)\*(1-x+x^2)^(3/2)),x]

[Out] -2/(3\*Sqrt[1+x]\*Sqrt[1-x+x^2])

Rule 913

Int[(x\_)^2\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*e\*(m + 2\*p + 3)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && EqQ[b\*e\*(m + p + 2) + 2\*c\*d\*(p + 1), 0] && EqQ[b\*d\*(p + 1) + a\*e\*(m + 1), 0] && NeQ[m + 2\*p + 3, 0]

Rubi steps

$$\int \frac{x^2}{(1+x)^{3/2}(1-x+x^2)^{3/2}} dx = -\frac{2}{3\sqrt{1+x}\sqrt{1-x+x^2}}$$

**Mathematica** [A] time = 0.03, size = 23, normalized size = 1.00

$$-\frac{2}{3\sqrt{x+1}\sqrt{x^2-x+1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((1+x)^(3/2)\*(1-x+x^2)^(3/2)),x]

[Out]  $-2/(3*\text{Sqrt}[1 + x]*\text{Sqrt}[1 - x + x^2])$

**IntegrateAlgebraic** [F] time = 173.28, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(1+x)^{3/2}(1-x+x^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] `IntegrateAlgebraic[x^2/((1+x)^(3/2)*(1-x+x^2)^(3/2)),x]`

[Out] `Defer[IntegrateAlgebraic][x^2/((1+x)^(3/2)*(1-x+x^2)^(3/2)),x]`

**fricas** [A] time = 0.38, size = 24, normalized size = 1.04

$$\frac{2\sqrt{x^2-x+1}\sqrt{x+1}}{3(x^3+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(1+x)^(3/2)/(x^2-x+1)^(3/2),x, algorithm="fricas")`

[Out]  $-2/3*\text{sqrt}(x^2 - x + 1)*\text{sqrt}(x + 1)/(x^3 + 1)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(x^2-x+1)^{\frac{3}{2}}(x+1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(1+x)^(3/2)/(x^2-x+1)^(3/2),x, algorithm="giac")`

[Out] `integrate(x^2/((x^2 - x + 1)^(3/2)*(x + 1)^(3/2)), x)`

**maple** [A] time = 0.01, size = 18, normalized size = 0.78

$$-\frac{2}{3\sqrt{x+1}\sqrt{x^2-x+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(x+1)^(3/2)/(x^2-x+1)^(3/2),x)`

[Out]  $-2/3/(x+1)^(1/2)/(x^2-x+1)^(1/2)$

**maxima** [A] time = 0.98, size = 17, normalized size = 0.74

$$-\frac{2}{3\sqrt{x^2-x+1}\sqrt{x+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(1+x)^(3/2)/(x^2-x+1)^(3/2),x, algorithm="maxima")

[Out] -2/3/(sqrt(x^2 - x + 1)\*sqrt(x + 1))

**mupad** [B] time = 2.69, size = 17, normalized size = 0.74

$$-\frac{2}{3\sqrt{x+1}\sqrt{x^2-x+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((x + 1)^(3/2)\*(x^2 - x + 1)^(3/2)),x)

[Out] -2/(3\*(x + 1)^(1/2)\*(x^2 - x + 1)^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(x+1)^{\frac{3}{2}}(x^2-x+1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(1+x)\*\*(3/2)/(x\*\*2-x+1)\*\*(3/2),x)

[Out] Integral(x\*\*2/((x + 1)\*\*(3/2)\*(x\*\*2 - x + 1)\*\*(3/2)), x)

$$3.330 \quad \int \frac{1}{x(1+x)^{3/2}(1-x+x^2)^{3/2}} dx$$

Optimal. Leaf size=66

$$\frac{2}{3\sqrt{x+1}\sqrt{x^2-x+1}} - \frac{2\sqrt{x^3+1}\tanh^{-1}\left(\sqrt{x^3+1}\right)}{3\sqrt{x+1}\sqrt{x^2-x+1}}$$

**Rubi [A]** time = 0.03, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {915, 266, 51, 63, 207}

$$\frac{2}{3\sqrt{x+1}\sqrt{x^2-x+1}} - \frac{2\sqrt{x^3+1}\tanh^{-1}\left(\sqrt{x^3+1}\right)}{3\sqrt{x+1}\sqrt{x^2-x+1}}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(1+x)^(3/2)\*(1-x+x^2)^(3/2)),x]

[Out] 2/(3\*Sqrt[1+x]\*Sqrt[1-x+x^2]) - (2\*Sqrt[1+x^3]\*ArcTanh[Sqrt[1+x^3]])/(3\*Sqrt[1+x]\*Sqrt[1-x+x^2])

#### Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[
n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[
b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
```

, 0] || GtQ[b, 0])

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 915

```
Int[((g_)*(x_))^(n_)*((d_.) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*
(x_)^2)^(p_), x_Symbol] := Dist[((d + e*x)^FracPart[p]*(a + b*x + c*x^2)^Fr
acPart[p])/(a*d + c*e*x^3)^FracPart[p], Int[(g*x)^n*(a*d + c*e*x^3)^p, x],
x] /; FreeQ[{a, b, c, d, e, g, m, n, p}, x] && EqQ[m - p, 0] && EqQ[b*d + a
*e, 0] && EqQ[c*d + b*e, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{x(1+x)^{3/2}(1-x+x^2)^{3/2}} dx &= \frac{\sqrt{1+x^3} \int \frac{1}{x(1+x^3)^{3/2}} dx}{\sqrt{1+x} \sqrt{1-x+x^2}} \\
 &= \frac{\sqrt{1+x^3} \operatorname{Subst}\left(\int \frac{1}{x(1+x)^{3/2}} dx, x, x^3\right)}{3\sqrt{1+x} \sqrt{1-x+x^2}} \\
 &= \frac{2}{3\sqrt{1+x} \sqrt{1-x+x^2}} + \frac{\sqrt{1+x^3} \operatorname{Subst}\left(\int \frac{1}{x\sqrt{1+x}} dx, x, x^3\right)}{3\sqrt{1+x} \sqrt{1-x+x^2}} \\
 &= \frac{2}{3\sqrt{1+x} \sqrt{1-x+x^2}} + \frac{(2\sqrt{1+x^3}) \operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \sqrt{1+x^3}\right)}{3\sqrt{1+x} \sqrt{1-x+x^2}} \\
 &= \frac{2}{3\sqrt{1+x} \sqrt{1-x+x^2}} - \frac{2\sqrt{1+x^3} \tanh^{-1}\left(\sqrt{1+x^3}\right)}{3\sqrt{1+x} \sqrt{1-x+x^2}}
 \end{aligned}$$

**Mathematica [C]** time = 6.08, size = 2511, normalized size = 38.05

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/(x\*(1 + x)^(3/2)\*(1 - x + x^2)^(3/2)), x]





$[3 + I*\text{Sqrt}[3]]*(\text{Sqrt}[6*(3 - I*\text{Sqrt}[3])] - 6/\text{Sqrt}[1 + x]))], (\text{Sqrt}[3 - I*\text{Sqrt}[3]] + \text{Sqrt}[3 + I*\text{Sqrt}[3]])^2/(\text{Sqrt}[3 - I*\text{Sqrt}[3]] - \text{Sqrt}[3 + I*\text{Sqrt}[3]])^2)))/(\text{Sqrt}[3 - I*\text{Sqrt}[3]]*(-1 - \text{Sqrt}[1/2 - (I/2)/\text{Sqrt}[3]])*(1 - \text{Sqrt}[1/2 - (I/2)/\text{Sqrt}[3]])*(\text{Sqrt}[1/2 - (I/2)/\text{Sqrt}[3]] - \text{Sqrt}[1/2 + (I/2)/\text{Sqrt}[3]])*\text{Sqrt}[3 - 3*(1 + x) + (1 + x)^2])))$

**IntegrateAlgebraic [F]** time = 122.67, size = 0, normalized size = 0.00

$$\int \frac{1}{x(1+x)^{3/2}(1-x+x^2)^{3/2}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/(x\*(1+x)^(3/2)\*(1-x+x^2)^(3/2)),x]

[Out] Defer[IntegrateAlgebraic][1/(x\*(1+x)^(3/2)\*(1-x+x^2)^(3/2)), x]

**fricas [A]** time = 0.39, size = 78, normalized size = 1.18

$$\frac{(x^3 + 1) \log(\sqrt{x^2 - x + 1} \sqrt{x + 1} + 1) - (x^3 + 1) \log(\sqrt{x^2 - x + 1} \sqrt{x + 1} - 1) - 2 \sqrt{x^2 - x + 1} \sqrt{x + 1}}{3(x^3 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(1+x)^(3/2)/(x^2-x+1)^(3/2),x, algorithm="fricas")

[Out]  $-1/3*((x^3 + 1)*\log(\text{sqrt}(x^2 - x + 1)*\text{sqrt}(x + 1) + 1) - (x^3 + 1)*\log(\text{sqrt}(x^2 - x + 1)*\text{sqrt}(x + 1) - 1) - 2*\text{sqrt}(x^2 - x + 1)*\text{sqrt}(x + 1))/(x^3 + 1)$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^2 - x + 1)^{\frac{3}{2}}(x + 1)^{\frac{3}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(1+x)^(3/2)/(x^2-x+1)^(3/2),x, algorithm="giac")

[Out] integrate(1/((x^2 - x + 1)^(3/2)\*(x + 1)^(3/2)\*x), x)

**maple [A]** time = 0.04, size = 43, normalized size = 0.65

$$\frac{2\sqrt{x+1} \sqrt{x^2-x+1} \left( \sqrt{x^3+1} \operatorname{arctanh}(\sqrt{x^3+1}) - 1 \right)}{3(x^3+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(x+1)^(3/2)/(x^2-x+1)^(3/2),x)`

[Out]  $-2/3*(x+1)^{(1/2)}*(x^2-x+1)^{(1/2)}*(\operatorname{arctanh}((x^3+1)^{(1/2)})*(x^3+1)^{(1/2)}-1)/(x^3+1)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^2 - x + 1)^{\frac{3}{2}}(x + 1)^{\frac{3}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(1+x)^(3/2)/(x^2-x+1)^(3/2),x, algorithm="maxima")`

[Out] `integrate(1/((x^2 - x + 1)^(3/2)*(x + 1)^(3/2)*x), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{x(x+1)^{3/2}(x^2-x+1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(x + 1)^(3/2)*(x^2 - x + 1)^(3/2)),x)`

[Out] `int(1/(x*(x + 1)^(3/2)*(x^2 - x + 1)^(3/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(x+1)^{\frac{3}{2}}(x^2-x+1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(1+x)**(3/2)/(x**2-x+1)**(3/2),x)`

[Out] `Integral(1/(x*(x + 1)**(3/2)*(x**2 - x + 1)**(3/2)), x)`

$$3.331 \quad \int \frac{x^2}{(1+x)^{5/2}(1-x+x^2)^{5/2}} dx$$

Optimal. Leaf size=23

$$-\frac{2}{9(x+1)^{3/2}(x^2-x+1)^{3/2}}$$

Rubi [A] time = 0.02, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {913}

$$-\frac{2}{9(x+1)^{3/2}(x^2-x+1)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((1+x)^(5/2)\*(1-x+x^2)^(5/2)),x]

[Out] -2/(9\*(1+x)^(3/2)\*(1-x+x^2)^(3/2))

Rule 913

Int[(x\_)^2\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*e\*(m + 2\*p + 3)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && EqQ[b\*e\*(m + p + 2) + 2\*c\*d\*(p + 1), 0] && EqQ[b\*d\*(p + 1) + a\*e\*(m + 1), 0] && NeQ[m + 2\*p + 3, 0]

Rubi steps

$$\int \frac{x^2}{(1+x)^{5/2}(1-x+x^2)^{5/2}} dx = -\frac{2}{9(1+x)^{3/2}(1-x+x^2)^{3/2}}$$

Mathematica [A] time = 0.04, size = 23, normalized size = 1.00

$$-\frac{2}{9(x+1)^{3/2}(x^2-x+1)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((1+x)^(5/2)\*(1-x+x^2)^(5/2)),x]

[Out]  $-2/(9*(1+x)^{(3/2)}*(1-x+x^2)^{(3/2)})$

**IntegrateAlgebraic** [F] time = 180.00, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x^2/((1+x)^(5/2)\*(1-x+x^2)^(5/2)),x]

[Out] \$Aborted

**fricas** [A] time = 0.40, size = 29, normalized size = 1.26

$$\frac{2\sqrt{x^2-x+1}\sqrt{x+1}}{9(x^6+2x^3+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(1+x)^(5/2)/(x^2-x+1)^(5/2),x, algorithm="fricas")

[Out]  $-2/9*\text{sqrt}(x^2-x+1)*\text{sqrt}(x+1)/(x^6+2*x^3+1)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(x^2-x+1)^{\frac{5}{2}}(x+1)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(1+x)^(5/2)/(x^2-x+1)^(5/2),x, algorithm="giac")

[Out] integrate(x^2/((x^2-x+1)^(5/2)\*(x+1)^(5/2)),x)

**maple** [A] time = 0.00, size = 18, normalized size = 0.78

$$\frac{2}{9(x+1)^{\frac{3}{2}}(x^2-x+1)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(x+1)^(5/2)/(x^2-x+1)^(5/2),x)

[Out]  $-2/9/(x+1)^{(3/2)}/(x^2-x+1)^{(3/2)}$

**maxima** [A] time = 0.97, size = 24, normalized size = 1.04

$$\frac{2}{9(x^3 + 1)\sqrt{x^2 - x + 1}\sqrt{x + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(1+x)^(5/2)/(x^2-x+1)^(5/2),x, algorithm="maxima")

[Out] -2/9/((x^3 + 1)\*sqrt(x^2 - x + 1)\*sqrt(x + 1))

**mupad** [B] time = 2.88, size = 82, normalized size = 3.57

$$\frac{18\sqrt{x+1}(x^2-x+1)^{5/2} - 18x\sqrt{x+1}(x^2-x+1)^{5/2}}{(x+1)\left(81x(x^2-x+1)^4 - 162(x^2-x+1)^4 + 81(x^2-x+1)^5\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((x + 1)^(5/2)\*(x^2 - x + 1)^(5/2)),x)

[Out] (18\*(x + 1)^(1/2)\*(x^2 - x + 1)^(5/2) - 18\*x\*(x + 1)^(1/2)\*(x^2 - x + 1)^(5/2))/((x + 1)\*(81\*x\*(x^2 - x + 1)^4 - 162\*(x^2 - x + 1)^4 + 81\*(x^2 - x + 1)^5))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(x+1)^{\frac{5}{2}}(x^2-x+1)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2/(1+x)\*\*(5/2)/(x\*\*2-x+1)\*\*(5/2),x)

[Out] Integral(x\*\*2/((x + 1)\*\*(5/2)\*(x\*\*2 - x + 1)\*\*(5/2)), x)

$$3.332 \quad \int \frac{1}{x(1+x)^{5/2}(1-x+x^2)^{5/2}} dx$$

Optimal. Leaf size=96

$$\frac{2}{3\sqrt{x+1}\sqrt{x^2-x+1}} + \frac{2}{9\sqrt{x+1}\sqrt{x^2-x+1}(x^3+1)} - \frac{2\sqrt{x^3+1}\tanh^{-1}\left(\sqrt{x^3+1}\right)}{3\sqrt{x+1}\sqrt{x^2-x+1}}$$

**Rubi [A]** time = 0.04, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {915, 266, 51, 63, 207}

$$\frac{2}{3\sqrt{x+1}\sqrt{x^2-x+1}} + \frac{2}{9\sqrt{x+1}\sqrt{x^2-x+1}(x^3+1)} - \frac{2\sqrt{x^3+1}\tanh^{-1}\left(\sqrt{x^3+1}\right)}{3\sqrt{x+1}\sqrt{x^2-x+1}}$$

Antiderivative was successfully verified.

[In] Int[1/(x\*(1+x)^(5/2)\*(1-x+x^2)^(5/2)),x]

[Out] 2/(3\*Sqrt[1+x]\*Sqrt[1-x+x^2]) + 2/(9\*Sqrt[1+x]\*Sqrt[1-x+x^2]\*(1+x^3)) - (2\*Sqrt[1+x^3]\*ArcTanh[Sqrt[1+x^3]])/(3\*Sqrt[1+x]\*Sqrt[1-x+x^2])

#### Rule 51

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^(n + 1))/((b*c - a*d)*(m + 1)), x] - Dist[(d*(
m + n + 2))/((b*c - a*d)*(m + 1)), Int[(a + b*x)^(m + 1)*(c + d*x)^n, x]
] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && LtQ[m, -1] && !(LtQ[
n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && I
ntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

#### Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
```

, 0] || GtQ[b, 0])

### Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

### Rule 915

```
Int[((g_)*(x_))^(n_)*((d_.) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*
(x_)^2)^(p_), x_Symbol] := Dist[((d + e*x)^FracPart[p]*(a + b*x + c*x^2)^Fr
acPart[p])/(a*d + c*e*x^3)^FracPart[p], Int[(g*x)^n*(a*d + c*e*x^3)^p, x],
x] /; FreeQ[{a, b, c, d, e, g, m, n, p}, x] && EqQ[m - p, 0] && EqQ[b*d + a
*e, 0] && EqQ[c*d + b*e, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{x(1+x)^{5/2}(1-x+x^2)^{5/2}} dx &= \frac{\sqrt{1+x^3} \int \frac{1}{x(1+x)^{5/2}} dx}{\sqrt{1+x} \sqrt{1-x+x^2}} \\
 &= \frac{\sqrt{1+x^3} \operatorname{Subst}\left(\int \frac{1}{x(1+x)^{5/2}} dx, x, x^3\right)}{3\sqrt{1+x} \sqrt{1-x+x^2}} \\
 &= \frac{2}{9\sqrt{1+x} \sqrt{1-x+x^2} (1+x^3)} + \frac{\sqrt{1+x^3} \operatorname{Subst}\left(\int \frac{1}{x(1+x)^{3/2}} dx, x, x^3\right)}{3\sqrt{1+x} \sqrt{1-x+x^2}} \\
 &= \frac{2}{3\sqrt{1+x} \sqrt{1-x+x^2}} + \frac{2}{9\sqrt{1+x} \sqrt{1-x+x^2} (1+x^3)} + \frac{\sqrt{1+x^3} \operatorname{Subst}\left(\int \frac{1}{x(1+x)^{1/2}} dx, x, x^3\right)}{3\sqrt{1+x} \sqrt{1-x+x^2}} \\
 &= \frac{2}{3\sqrt{1+x} \sqrt{1-x+x^2}} + \frac{2}{9\sqrt{1+x} \sqrt{1-x+x^2} (1+x^3)} + \frac{(2\sqrt{1+x^3}) \operatorname{Subst}\left(\int \frac{1}{x(1+x)^{-1/2}} dx, x, x^3\right)}{3\sqrt{1+x} \sqrt{1-x+x^2}} \\
 &= \frac{2}{3\sqrt{1+x} \sqrt{1-x+x^2}} + \frac{2}{9\sqrt{1+x} \sqrt{1-x+x^2} (1+x^3)} - \frac{2\sqrt{1+x^3} \tanh^{-1}\left(\frac{\sqrt{1+x^3}}{\sqrt{1-x+x^2}}\right)}{3\sqrt{1+x} \sqrt{1-x+x^2}}
 \end{aligned}$$

**Mathematica [C]** time = 6.09, size = 2539, normalized size = 26.45

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/(x\*(1 + x)^(5/2)\*(1 - x + x^2)^(5/2)), x]

[Out] Sqrt[1 + x]\*Sqrt[1 - x + x^2]\*(2/(81\*(1 + x)^2) + 22/(81\*(1 + x)) - (2\*(-1 + x))/(27\*(1 - x + x^2)^2) - (2\*(-21 + 11\*x))/(81\*(1 - x + x^2))) + 2\*((( -I)\*(1 + x)\*Sqrt[1 - 6/((3 - I\*Sqrt[3])\*(1 + x))] \* Sqrt[1 - 6/((3 + I\*Sqrt[3])\*(1 + x))]) \* EllipticF[I\*ArcSinh[Sqrt[-6/(3 - I\*Sqrt[3])]]/Sqrt[1 + x]], (3 - I\*Sqrt[3])/(3 + I\*Sqrt[3]))/(Sqrt[6]\*Sqrt[-(3 - I\*Sqrt[3])^(-1)]\*Sqrt[3 - 3\*(1 + x) + (1 + x)^2]) + (Sqrt[3/2]\*(Sqrt[1/2 - (I/2)/Sqrt[3]] + Sqrt[1/2 + (I/2)/Sqrt[3]])\*(1 + x)\*(-Sqrt[1/2 - (I/2)/Sqrt[3]] + 1/Sqrt[1 + x])^2\*Sqrt[(Sqrt[(2\*(3 - I\*Sqrt[3]))/3]\*(-Sqrt[1/2 + (I/2)/Sqrt[3]] + 1/Sqrt[1 + x]))/((Sqrt[1/2 - (I/2)/Sqrt[3]] + Sqrt[1/2 + (I/2)/Sqrt[3]])\*(-Sqrt[1/2 - (I/2)/Sqrt[3]] + 1/Sqrt[1 + x]))]\*Sqrt[(Sqrt[(2\*(3 - I\*Sqrt[3]))/3]\*(Sqrt[1/2 + (I/2)/Sqrt[3]] + 1/Sqrt[1 + x]))/((Sqrt[1/2 - (I/2)/Sqrt[3]] - Sqrt[1/2 + (I/2)/Sqrt[3]])\*(-Sqrt[1/2 - (I/2)/Sqrt[3]] + 1/Sqrt[1 + x]))]\*Sqrt[(Sqrt[(2\*(3 - I\*Sqrt[3]))/3]\*(Sqrt[1/2 + (I/2)/Sqrt[3]] + 1/Sqrt[1 + x]))/((Sqrt[1/2 - (I/2)/Sqrt[3]] - Sqrt[1/2 + (I/2)/Sqrt[3]])\*(-Sqrt[1/2 - (I/2)/Sqrt[3]] + 1/Sqrt[1 + x]))]\*Sqrt[(Sqrt[3 - I\*Sqrt[3]] - Sqrt[3 + I\*Sqrt[3]])\*(Sqrt[6\*(3 - I\*Sqrt[3])] + 6/Sqrt[1 + x]))/((Sqrt[3 - I\*Sqrt[3]] + Sqrt[3 + I\*Sqrt[3]])\*(Sqrt[6\*(3 - I\*Sqrt[3])] - 6/Sqrt[1 + x]))]\*((1 + Sqrt[1/2 - (I/2)/Sqrt[3]])\*EllipticF[ArcSin[Sqrt[((Sqrt[3 - I\*Sqrt[3]] - Sqrt[3 + I\*Sqrt[3]])\*(Sqrt[6\*(3 - I\*Sqrt[3])] + 6/Sqrt[1 + x]))/((Sqrt[3 - I\*Sqrt[3]] + Sqrt[3 + I\*Sqrt[3]])\*(Sqrt[6\*(3 - I\*Sqrt[3])] - 6/Sqrt[1 + x]))]], (Sqrt[3 - I\*Sqrt[3]] + Sqrt[3 + I\*Sqrt[3]])^2/(Sqrt[3 - I\*Sqrt[3]] - Sqrt[3 + I\*Sqrt[3]])^2 - Sqrt[(2\*(3 - I\*Sqrt[3]))/3]\*EllipticPi[((-1 + Sqrt[1/2 - (I/2)/Sqrt[3]])\*(Sqrt[1/2 - (I/2)/Sqrt[3]] + Sqrt[1/2 + (I/2)/Sqrt[3]])/((-1 - Sqrt[1/2 - (I/2)/Sqrt[3]])\*(-Sqrt[1/2 - (I/2)/Sqrt[3]] + Sqrt[1/2 + (I/2)/Sqrt[3]])], ArcSin[Sqrt[(Sqrt[3 - I\*Sqrt[3]] - Sqrt[3 + I\*Sqrt[3]])\*(Sqrt[6\*(3 - I\*Sqrt[3])] + 6/Sqrt[1 + x]))/(Sqrt[3 - I\*Sqrt[3]] + Sqrt[3 + I\*Sqrt[3]])\*(Sqrt[6\*(3 - I\*Sqrt[3])] - 6/Sqrt[1 + x])]], (Sqrt[3 - I\*Sqrt[3]] + Sqrt[3 + I\*Sqrt[3]])^2/(Sqrt[3 - I\*Sqrt[3]] - Sqrt[3 + I\*Sqrt[3]])^2))/((Sqrt[3 - I\*Sqrt[3]]\*(-1 - Sqrt[1/2 - (I/2)/Sqrt[3]])\*(1 - Sqrt[1/2 - (I/2)/Sqrt[3]])\*(Sqrt[1/2 - (I/2)/Sqrt[3]] - Sqrt[1/2 + (I/2)/Sqrt[3]])\*Sqrt[3 - 3\*(1 + x) + (1 + x)^2]) - (Sqrt[3/2]\*(Sqrt[1/2 - (I/2)/Sqrt[3]] + Sqrt[1/2 + (I/2)/Sqrt[3]])\*(1 + x)\*(-Sqrt[1/2 - (I/2)/Sqrt[3]] + 1/Sqrt[1 + x])^2\*Sqrt[(Sqrt[(2\*(3 - I\*Sqrt[3]))/3]\*(-Sqrt[1/2 + (I/2)/Sqrt[3]] + 1/Sqrt[1 + x]))/((Sqrt[1/2 - (I/2)/Sqrt[3]] + Sqrt[1/2 + (I/2)/Sqrt[3]])\*(-Sqrt[1/2 - (I/2)/Sqrt[3]] + 1/Sqrt[1 + x]))]\*Sqrt[(Sqrt[(2\*(3 - I\*Sqrt[3]))/3]\*(Sqrt[1/2 + (I/2)/Sqrt[3]] + 1/Sqrt[1 + x]))/((Sqrt[1/2 - (I/2)/Sqrt[3]] - Sqrt[1/2 + (I/2)/Sqrt[3]])\*(-Sqrt[1/2 - (I/2)/Sqrt[3]] + 1/Sqrt[1 + x]))]\*Sqrt[(Sqrt[3 - I\*Sqrt[3]] - Sqrt[3 + I\*Sqrt[3]])\*(Sqrt[6\*(3 - I\*Sqrt[3])] + 6/Sqrt[1 + x]))/((Sqrt[3 - I\*Sqrt[3]] + Sqrt[3 + I\*Sqrt[3]])\*(Sqrt[6\*(3 - I\*Sqrt[3])] - 6/Sqrt[1 + x]))]\*((-1 + Sqrt[1/2 - (I/2)/Sqrt[3]])\*EllipticF[ArcSin[Sqrt[(Sqrt[3 - I\*Sqrt[3]] - Sqrt[3 + I\*Sqrt[3]])\*(Sqrt[6\*(3 - I\*Sqrt[3])] + 6/Sqrt[1 + x]))/((Sqrt[3 - I\*Sqrt[3]] + Sqrt[3 + I\*Sqrt[3]])\*(Sqrt[6\*(3 - I\*Sqrt[3])] - 6/Sqrt[1 + x]))]], (Sqrt[3 - I\*Sqrt[3]] + Sqrt[3 + I\*Sqrt[3]])^2/(Sqrt[3 - I\*Sqrt[3]] - Sqrt[3 + I\*Sqrt[3]]) - Sqrt[3 + I\*Sqrt[3]]



$$\text{rt}[3])^2] - \text{Sqrt}[(2*(3 - \text{I}*\text{Sqrt}[3]))/3]*\text{EllipticPi}[\frac{(1 + \text{Sqrt}[1/2 - (\text{I}/2)/\text{Sqrt}[3]])*(\text{Sqrt}[1/2 - (\text{I}/2)/\text{Sqrt}[3]] + \text{Sqrt}[1/2 + (\text{I}/2)/\text{Sqrt}[3]])}{(1 - \text{Sqrt}[1/2 - (\text{I}/2)/\text{Sqrt}[3]])*(-\text{Sqrt}[1/2 - (\text{I}/2)/\text{Sqrt}[3]] + \text{Sqrt}[1/2 + (\text{I}/2)/\text{Sqrt}[3]])}, \text{ArcSin}[\text{Sqrt}[\frac{(\text{Sqrt}[3 - \text{I}*\text{Sqrt}[3]] - \text{Sqrt}[3 + \text{I}*\text{Sqrt}[3]])*(\text{Sqrt}[6*(3 - \text{I}*\text{Sqrt}[3]) + 6/\text{Sqrt}[1 + x]])}{(\text{Sqrt}[3 - \text{I}*\text{Sqrt}[3]] + \text{Sqrt}[3 + \text{I}*\text{Sqrt}[3]])*(\text{Sqrt}[6*(3 - \text{I}*\text{Sqrt}[3]) - 6/\text{Sqrt}[1 + x]])}], (\text{Sqrt}[3 - \text{I}*\text{Sqrt}[3]] + \text{Sqrt}[3 + \text{I}*\text{Sqrt}[3]])^2/(\text{Sqrt}[3 - \text{I}*\text{Sqrt}[3]] - \text{Sqrt}[3 + \text{I}*\text{Sqrt}[3]])^2)]/(\text{Sqrt}[3 - \text{I}*\text{Sqrt}[3]]*(-1 - \text{Sqrt}[1/2 - (\text{I}/2)/\text{Sqrt}[3]])*(1 - \text{Sqrt}[1/2 - (\text{I}/2)/\text{Sqrt}[3]])*(\text{Sqrt}[1/2 - (\text{I}/2)/\text{Sqrt}[3]] - \text{Sqrt}[1/2 + (\text{I}/2)/\text{Sqrt}[3]])*\text{Sqrt}[3 - 3*(1 + x) + (1 + x)^2])]$$

**IntegrateAlgebraic [F]** time = 169.09, size = 0, normalized size = 0.00

$$\int \frac{1}{x(1+x)^{5/2}(1-x+x^2)^{5/2}} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/(x\*(1+x)^(5/2)\*(1-x+x^2)^(5/2)),x]

[Out] Defer[IntegrateAlgebraic][1/(x\*(1+x)^(5/2)\*(1-x+x^2)^(5/2)),x]

**fricas [A]** time = 0.38, size = 101, normalized size = 1.05

$$\frac{2(3x^3+4)\sqrt{x^2-x+1}\sqrt{x+1} - 3(x^6+2x^3+1)\log(\sqrt{x^2-x+1}\sqrt{x+1}+1) + 3(x^6+2x^3+1)\log(\sqrt{x^2-x+1}\sqrt{x+1}-1)}{9(x^6+2x^3+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(1+x)^(5/2)/(x^2-x+1)^(5/2),x, algorithm="fricas")

[Out] 1/9\*(2\*(3\*x^3 + 4)\*sqrt(x^2 - x + 1)\*sqrt(x + 1) - 3\*(x^6 + 2\*x^3 + 1)\*log(sqrt(x^2 - x + 1)\*sqrt(x + 1) + 1) + 3\*(x^6 + 2\*x^3 + 1)\*log(sqrt(x^2 - x + 1)\*sqrt(x + 1) - 1))/(x^6 + 2\*x^3 + 1)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^2 - x + 1)^{\frac{5}{2}}(x + 1)^{\frac{5}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(1+x)^(5/2)/(x^2-x+1)^(5/2),x, algorithm="giac")

[Out] integrate(1/((x^2 - x + 1)^(5/2)\*(x + 1)^(5/2)\*x), x)

**maple** [A] time = 0.06, size = 69, normalized size = 0.72

$$\frac{2 \left( 3\sqrt{x^3+1} x^3 \operatorname{arctanh} \left( \sqrt{x^3+1} \right) - 3x^3 + 3\sqrt{x^3+1} \operatorname{arctanh} \left( \sqrt{x^3+1} \right) - 4 \right)}{9(x^3+1)\sqrt{x^2-x+1}\sqrt{x+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(x+1)^(5/2)/(x^2-x+1)^(5/2),x)`

[Out] `-2/9*(3*(x^3+1)^(1/2)*arctanh((x^3+1)^(1/2))*x^3-3*x^3+3*arctanh((x^3+1)^(1/2))*(x^3+1)^(1/2)-4)/(x^3+1)/(x^2-x+1)^(1/2)/(x+1)^(1/2)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^2-x+1)^{\frac{5}{2}}(x+1)^{\frac{5}{2}}x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(1+x)^(5/2)/(x^2-x+1)^(5/2),x, algorithm="maxima")`

[Out] `integrate(1/((x^2-x+1)^(5/2)*(x+1)^(5/2)*x),x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x(x+1)^{5/2}(x^2-x+1)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(x+1)^(5/2)*(x^2-x+1)^(5/2)),x)`

[Out] `int(1/(x*(x+1)^(5/2)*(x^2-x+1)^(5/2)),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(x+1)^{\frac{5}{2}}(x^2-x+1)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(1+x)**(5/2)/(x**2-x+1)**(5/2),x)`

[Out] `Integral(1/(x*(x+1)**(5/2)*(x**2-x+1)**(5/2)),x)`

$$3.333 \quad \int \frac{x}{(-1+x)^3(3+5x+4x^2)^2} dx$$

**Optimal.** Leaf size=97

$$\frac{44x + 39}{276(1-x)^2(4x^2 + 5x + 3)} - \frac{11 \log(4x^2 + 5x + 3)}{4608} - \frac{97}{4416(1-x)} - \frac{21}{736(1-x)^2} + \frac{11 \log(1-x)}{2304} + \frac{6023 \tan^{-1}\left(\frac{8x+5}{\sqrt{23}}\right)}{52992\sqrt{23}}$$

**Rubi [A]** time = 0.07, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$ , Rules used = {822, 800, 634, 618, 204, 628}

$$\frac{44x + 39}{276(1-x)^2(4x^2 + 5x + 3)} - \frac{11 \log(4x^2 + 5x + 3)}{4608} - \frac{97}{4416(1-x)} - \frac{21}{736(1-x)^2} + \frac{11 \log(1-x)}{2304} + \frac{6023 \tan^{-1}\left(\frac{8x+5}{\sqrt{23}}\right)}{52992\sqrt{23}}$$

Antiderivative was successfully verified.

[In] Int[x/((-1 + x)^3\*(3 + 5\*x + 4\*x^2)^2), x]

[Out] -21/(736\*(1 - x)^2) - 97/(4416\*(1 - x)) + (39 + 44\*x)/(276\*(1 - x)^2\*(3 + 5\*x + 4\*x^2)) + (6023\*ArcTan[(5 + 8\*x)/Sqrt[23]])/(52992\*Sqrt[23]) + (11\*Log[1 - x])/2304 - (11\*Log[3 + 5\*x + 4\*x^2])/4608

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

#### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), In

```
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 800

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) +
(c_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a
+ b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a
c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]
```

### Rule 822

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_)), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e +
2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x*(a
+ b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x]
+ Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m +
2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m
+ b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f
*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1
] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x}{(-1+x)^3(3+5x+4x^2)^2} dx &= \frac{39+44x}{276(1-x)^2(3+5x+4x^2)} + \frac{1}{276} \int \frac{57+132x}{(-1+x)^3(3+5x+4x^2)} dx \\
&= \frac{39+44x}{276(1-x)^2(3+5x+4x^2)} + \frac{1}{276} \int \left( \frac{63}{4(-1+x)^3} - \frac{97}{16(-1+x)^2} + \frac{253}{192(-1+x)} \right) dx \\
&= -\frac{21}{736(1-x)^2} - \frac{97}{4416(1-x)} + \frac{39+44x}{276(1-x)^2(3+5x+4x^2)} + \frac{11 \log(1-x)}{2304} + \frac{6023 \tan^{-1}\left(\frac{5+8x}{\sqrt{23}}\right)}{52992\sqrt{23}} \\
&= -\frac{21}{736(1-x)^2} - \frac{97}{4416(1-x)} + \frac{39+44x}{276(1-x)^2(3+5x+4x^2)} + \frac{11 \log(1-x)}{2304} - \frac{6023 \tan^{-1}\left(\frac{5+8x}{\sqrt{23}}\right)}{52992\sqrt{23}} \\
&= -\frac{21}{736(1-x)^2} - \frac{97}{4416(1-x)} + \frac{39+44x}{276(1-x)^2(3+5x+4x^2)} + \frac{11 \log(1-x)}{2304} - \frac{6023 \tan^{-1}\left(\frac{5+8x}{\sqrt{23}}\right)}{52992\sqrt{23}}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 78, normalized size = 0.80

$$\frac{\frac{184(2204x+975)}{4x^2+5x+3} - 17457 \log(4x^2+5x+3) + \frac{59248}{x-1} - \frac{25392}{(x-1)^2} + 34914 \log(1-x) + 36138\sqrt{23} \tan^{-1}\left(\frac{8x+5}{\sqrt{23}}\right)}{7312896}$$

Antiderivative was successfully verified.

[In] Integrate[x/((-1+x)^3\*(3+5\*x+4\*x^2)^2),x]

[Out] (-25392/(-1+x)^2 + 59248/(-1+x) + (184\*(975+2204\*x))/(3+5\*x+4\*x^2) + 36138\*sqrt[23]\*ArcTan[(5+8\*x)/sqrt[23]] + 34914\*Log[1-x] - 17457\*Log[3+5\*x+4\*x^2])/7312896

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(-1+x)^3(3+5x+4x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[x/((-1+x)^3\*(3+5\*x+4\*x^2)^2),x]

[Out] IntegrateAlgebraic[x/((-1+x)^3\*(3+5\*x+4\*x^2)^2),x]

**fricas** [A] time = 0.39, size = 134, normalized size = 1.38

$$\frac{214176x^3 + 12046\sqrt{23}(4x^4 - 3x^3 - 3x^2 - x + 3) \arctan\left(\frac{1}{23}\sqrt{23}(8x + 5)\right) - 224664x^2 - 5819(4x^4 - 3x^3 - 3x^2 - x + 3) \log(4x^2 + 5x + 3) + 11638(4x^4 - 3x^3 - 3x^2 - x + 3) \log(x - 1) - 66240x - 24840}{2437632(4x^4 - 3x^3 - 3x^2 - x + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-1+x)^3/(4\*x^2+5\*x+3)^2,x, algorithm="fricas")

[Out] 1/2437632\*(214176\*x^3 + 12046\*sqrt(23)\*(4\*x^4 - 3\*x^3 - 3\*x^2 - x + 3)\*arctan(1/23\*sqrt(23)\*(8\*x + 5)) - 224664\*x^2 - 5819\*(4\*x^4 - 3\*x^3 - 3\*x^2 - x + 3)\*log(4\*x^2 + 5\*x + 3) + 11638\*(4\*x^4 - 3\*x^3 - 3\*x^2 - x + 3)\*log(x - 1) - 66240\*x - 24840)/(4\*x^4 - 3\*x^3 - 3\*x^2 - x + 3)

**giac** [A] time = 0.18, size = 71, normalized size = 0.73

$$\frac{6023}{1218816} \sqrt{23} \arctan\left(\frac{1}{23} \sqrt{23}(8x + 5)\right) + \frac{388x^3 - 407x^2 - 120x - 45}{4416(4x^2 + 5x + 3)(x - 1)^2} - \frac{11}{4608} \log(4x^2 + 5x + 3) + \frac{11}{2304} \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-1+x)^3/(4\*x^2+5\*x+3)^2,x, algorithm="giac")

[Out] 6023/1218816\*sqrt(23)\*arctan(1/23\*sqrt(23)\*(8\*x + 5)) + 1/4416\*(388\*x^3 - 407\*x^2 - 120\*x - 45)/((4\*x^2 + 5\*x + 3)\*(x - 1)^2) - 11/4608\*log(4\*x^2 + 5\*x + 3) + 11/2304\*log(abs(x - 1))

**maple** [A] time = 0.01, size = 68, normalized size = 0.70

$$\frac{6023\sqrt{23} \arctan\left(\frac{(8x+5)\sqrt{23}}{23}\right)}{1218816} + \frac{11 \ln(x-1)}{2304} - \frac{11 \ln(4x^2 + 5x + 3)}{4608} - \frac{-\frac{2204x}{23} - \frac{975}{23}}{6912\left(x^2 + \frac{5}{4}x + \frac{3}{4}\right)} - \frac{1}{288(x-1)^2} + \frac{7}{864(x-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(-1+x)^3/(4\*x^2+5\*x+3)^2,x)

[Out] -1/6912\*(-2204/23\*x-975/23)/(x^2+5/4\*x+3/4)-11/4608\*ln(4\*x^2+5\*x+3)+6023/1218816\*arctan(1/23\*(5+8\*x)\*23^(1/2))\*23^(1/2)-1/288/(-1+x)^2+7/864/(-1+x)+11/2304\*ln(-1+x)

**maxima** [A] time = 0.96, size = 75, normalized size = 0.77

$$\frac{6023}{1218816} \sqrt{23} \arctan\left(\frac{1}{23} \sqrt{23}(8x + 5)\right) + \frac{388x^3 - 407x^2 - 120x - 45}{4416(4x^4 - 3x^3 - 3x^2 - x + 3)} - \frac{11}{4608} \log(4x^2 + 5x + 3) + \frac{11}{2304} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-1+x)^3/(4\*x^2+5\*x+3)^2,x, algorithm="maxima")

[Out] 6023/1218816\*sqrt(23)\*arctan(1/23\*sqrt(23)\*(8\*x + 5)) + 1/4416\*(388\*x^3 - 407\*x^2 - 120\*x - 45)/(4\*x^4 - 3\*x^3 - 3\*x^2 - x + 3) - 11/4608\*log(4\*x^2 + 5\*x + 3) + 11/2304\*log(x - 1)

**mupad [B]** time = 0.13, size = 84, normalized size = 0.87

$$\frac{11 \ln(x-1)}{2304} + \frac{-\frac{97x^3}{4416} + \frac{407x^2}{17664} + \frac{5x}{736} + \frac{15}{5888}}{-x^4 + \frac{3x^3}{4} + \frac{3x^2}{4} + \frac{x}{4} - \frac{3}{4}} - \ln\left(x + \frac{5}{8} - \frac{\sqrt{23} \operatorname{Im}}{8}\right) \left(\frac{11}{4608} + \frac{\sqrt{23} \operatorname{Im}}{2437632}\right) + \ln\left(x + \frac{5}{8} + \frac{\sqrt{23} \operatorname{Im}}{8}\right) \left(-\frac{11}{4608} + \frac{\sqrt{23} \operatorname{Im}}{2437632}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/((x - 1)^3\*(5\*x + 4\*x^2 + 3)^2),x)

[Out] (11\*log(x - 1))/2304 + ((5\*x)/736 + (407\*x^2)/17664 - (97\*x^3)/4416 + 15/5888)/(x/4 + (3\*x^2)/4 + (3\*x^3)/4 - x^4 - 3/4) - log(x - (23^(1/2)\*1i)/8 + 5/8)\*((23^(1/2)\*6023i)/2437632 + 11/4608) + log(x + (23^(1/2)\*1i)/8 + 5/8)\*((23^(1/2)\*6023i)/2437632 - 11/4608)

**sympy [A]** time = 0.24, size = 88, normalized size = 0.91

$$\frac{388x^3 - 407x^2 - 120x - 45}{17664x^4 - 13248x^3 - 13248x^2 - 4416x + 13248} + \frac{11 \log(x-1)}{2304} - \frac{11 \log\left(x^2 + \frac{5x}{4} + \frac{3}{4}\right)}{4608} + \frac{6023\sqrt{23} \operatorname{atan}\left(\frac{8\sqrt{23}x}{23} + \frac{5\sqrt{23}}{23}\right)}{1218816}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(-1+x)\*\*3/(4\*x\*\*2+5\*x+3)\*\*2,x)

[Out] (388\*x\*\*3 - 407\*x\*\*2 - 120\*x - 45)/(17664\*x\*\*4 - 13248\*x\*\*3 - 13248\*x\*\*2 - 4416\*x + 13248) + 11\*log(x - 1)/2304 - 11\*log(x\*\*2 + 5\*x/4 + 3/4)/4608 + 6023\*sqrt(23)\*atan(8\*sqrt(23)\*x/23 + 5\*sqrt(23)/23)/1218816

$$3.334 \quad \int \frac{x^4 \sqrt{d+ex}}{a+bx+cx^2} dx$$

**Optimal.** Leaf size=490

$$\frac{\sqrt{2} \left( -\frac{-5a^2bc^2e+2a^2c^3d+5ab^3ce-4ab^2c^2d+b^5(-e)+b^4cd}{\sqrt{b^2-4ac}} - a^2c^2e + 3ab^2ce - 2abc^2d + b^4(-e) + b^3cd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right)}{c^{9/2} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}$$

**Rubi [A]** time = 14.85, antiderivative size = 490, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {897, 1287, 1166, 208}

$$\frac{\sqrt{2} \left( \frac{-5a^2bc^2e+2a^2c^3d+5ab^3ce-4ab^2c^2d+b^5(-e)+b^4cd}{\sqrt{b^2-4ac}} - a^2c^2e + 3ab^2ce - 2abc^2d + b^4(-e) + b^3cd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right)}{c^{9/2} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} + \frac{\sqrt{2} \left( \frac{-5a^2bc^2e+2a^2c^3d+5ab^3ce-4ab^2c^2d+b^5(-e)+b^4cd}{\sqrt{b^2-4ac}} - a^2c^2e + 3ab^2ce - 2abc^2d + b^4(-e) + b^3cd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b+\sqrt{b^2-4ac})}} \right)}{c^{9/2} \sqrt{2cd-e(b+\sqrt{b^2-4ac})}}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*Sqrt[d + e\*x])/(a + b\*x + c\*x^2),x]

[Out]  $(-2*b*(b^2 - 2*a*c)*\text{Sqrt}[d + e*x])/c^4 + (2*(c^2*d^2 + b^2*e^2 + c*e*(b*d - a*e))*(d + e*x)^{(3/2)})/(3*c^3*e^3) - (2*(2*c*d + b*e)*(d + e*x)^{(5/2)})/(5*c^2*e^3) + (2*(d + e*x)^{(7/2)})/(7*c*e^3) + (\text{Sqrt}[2]*(b^3*c*d - 2*a*b*c^2*d - b^4*e + 3*a*b^2*c*e - a^2*c^2*e - (b^4*c*d - 4*a*b^2*c^2*d + 2*a^2*c^3*d - b^5*e + 5*a*b^3*c*e - 5*a^2*b*c^2*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTanh}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x])/\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]])/(c^{(9/2)}*\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]) + (\text{Sqrt}[2]*(b^3*c*d - 2*a*b*c^2*d - b^4*e + 3*a*b^2*c*e - a^2*c^2*e + (b^4*c*d - 4*a*b^2*c^2*d + 2*a^2*c^3*d - b^5*e + 5*a*b^3*c*e - 5*a^2*b*c^2*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTanh}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x])/\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]])/(c^{(9/2)}*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e])$

**Rule 208**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

**Rule 897**

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_)^(n\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ



$[b^2 - 4ac, 0] \ \&\& \ \text{NeQ}[c^2d^2 - bde + ae^2, 0] \ \&\& \ \text{IntegersQ}[n, p] \ \&\& \ \text{FractionQ}[m]$

### Rule 1166

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (b_.)x^2 + (c_.)x^4}, x\_Symbol] :$   
 $> \text{With}[\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[\frac{e/2 + (2cd - be)}{2q}, \text{Int}[\frac{1}{b/2 - q/2 + cx^2}, x], x] + \text{Dist}[\frac{e/2 - (2cd - be)}{2q}, \text{Int}[\frac{1}{b/2 + q/2 + cx^2}, x], x]] /;$   
 $\text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{NeQ}[c^2d^2 - ae^2, 0] \ \&\& \ \text{PosQ}[b^2 - 4ac]$

### Rule 1287

$\text{Int}[\frac{((f_.)x)^{m_.*((d_.) + (e_.)x^2)^{q_.)}}{(a_.) + (b_.)x^2 + (c_.)x^4}, x\_Symbol] := \text{Int}[\text{ExpandIntegrand}[\frac{(fx)^m(d + ex^2)^q}{a + bx^2 + cx^4}, x], x] /;$   
 $\text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{IntegerQ}[q] \ \&\& \ \text{IntegerQ}[m]$

### Rubi steps

$$\int \frac{x^4 \sqrt{d+ex}}{a+bx+cx^2} dx = \frac{2 \operatorname{Subst} \left( \int \frac{x^2 \left( -\frac{d}{e} + \frac{x^2}{e} \right)^4}{\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}} dx, x, \sqrt{d+ex} \right)}{e}$$

$$= \frac{2 \operatorname{Subst} \left( \int \left( -\frac{(b^3-2abc)e}{c^4} + \frac{(c^2d^2+b^2e^2+ce(bd-ae))x^2}{c^3e^2} - \frac{(2cd+be)x^4}{c^2e^2} + \frac{x^6}{ce^2} + \frac{b(b^2-2ac)(cd^2-bde+ae^2)-(b^3cd-2}{c^4e \left( \frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd+be)x^2}{e^2} + \frac{cx^4}{e^2} \right)} \right) dx, x, \sqrt{d+ex} \right)}{e}$$

$$= -\frac{2b(b^2-2ac)\sqrt{d+ex}}{c^4} + \frac{2(c^2d^2+b^2e^2+ce(bd-ae))(d+ex)^{3/2}}{3c^3e^3} - \frac{2(2cd+be)(d+ex)^{5/2}}{5c^2e^3}$$

$$= -\frac{2b(b^2-2ac)\sqrt{d+ex}}{c^4} + \frac{2(c^2d^2+b^2e^2+ce(bd-ae))(d+ex)^{3/2}}{3c^3e^3} - \frac{2(2cd+be)(d+ex)^{5/2}}{5c^2e^3}$$

$$= -\frac{2b(b^2-2ac)\sqrt{d+ex}}{c^4} + \frac{2(c^2d^2+b^2e^2+ce(bd-ae))(d+ex)^{3/2}}{3c^3e^3} - \frac{2(2cd+be)(d+ex)^{5/2}}{5c^2e^3}$$

**Mathematica [A]** time = 0.75, size = 568, normalized size = 1.16

$$\frac{\sqrt{e} \sqrt{d+ex} \left( \sqrt{d+ex} + 2d \right) + ab^2 \left( 2a\sqrt{d+ex} - 4d - 5a \right) + b^3 \left( 5a\sqrt{d+ex} + 4d \right) + e^2 \left( a\sqrt{d+ex} + d \right) + e^2 \left( 5a - a\sqrt{d+ex} \right) + e^2 \left( -d + a\sqrt{d+ex} \right) \operatorname{atanh} \left( \frac{d+ex}{\sqrt{d+ex}} \right) + \sqrt{e} \sqrt{d+ex} \left( \sqrt{d+ex} - 2d \right) + ab^2 \left( 2a\sqrt{d+ex} + 5a \right) + ab^2 \left( 4d - 3a\sqrt{d+ex} \right) + e^2 \left( a\sqrt{d+ex} - d \right) - e^2 \left( a\sqrt{d+ex} + 5a \right) \operatorname{atanh} \left( \frac{d+ex}{\sqrt{d+ex}} \right) + \frac{d+ex}{\sqrt{d+ex}}}{2\sqrt{d+ex} \left( -5b^2d + e(5be - 2d + 3ae) + 35a^2be + 16d + e(1) - 105e^2 + e^2(8d^2 - 4be) + 15e^2 \right)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^4*Sqrt[d + e*x])/(a + b*x + c*x^2), x]
[Out] (2*Sqrt[d + e*x]*(-105*b^3*e^3 - 7*c^2*e*(d + e*x)*(-2*b*d + 5*a*e + 3*b*e*x) + c^3*(8*d^3 - 4*d^2*e*x + 3*d*e^2*x^2 + 15*e^3*x^3) + 35*b*c*e^2*(6*a*e + b*(d + e*x)))/(105*c^4*e^3) - (Sqrt[2]*(-(b^5*e) + a*b*c^2*(2*Sqrt[b^2 - 4*a*c]*d - 5*a*e) + b^3*c*(-(Sqrt[b^2 - 4*a*c]*d) + 5*a*e) + b^4*(c*d + Sqrt[b^2 - 4*a*c]*e) + a^2*c^2*(2*c*d + Sqrt[b^2 - 4*a*c]*e) - a*b^2*c*(4*c*d + 3*Sqrt[b^2 - 4*a*c]*e))*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x])/Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]]/(c^(9/2)*Sqrt[b^2 - 4*a*c]*Sqrt[2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e]) - (Sqrt[2]*(b^5*e - b^3*c*(Sqrt[b^2 - 4*a*c]*d + 5*a*e) + a*b*c^2*(2*Sqrt[b^2 - 4*a*c]*d + 5*a*e) + a*b^2*c*(4*c*d - 3*Sqrt[b^2 - 4*a*c]*e) + a^2*c^2*(-2*c*d + Sqrt[b^2 - 4*a*c]*e) + b^4*(-(c*d) +
```

$\text{Sqrt}[b^2 - 4*a*c]*e)) * \text{ArcTanh}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x]) / \text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]]) / (c^{(9/2)} * \text{Sqrt}[b^2 - 4*a*c] * \text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e])$

**IntegrateAlgebraic [C]** time = 2.22, size = 784, normalized size = 1.60

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^4\*Sqrt[d + e\*x])/(a + b\*x + c\*x^2), x]

[Out]  $(2*\text{Sqrt}[d + e*x]*(-105*b^3*e^3 + 210*a*b*c*e^3 + 35*c^3*d^2*(d + e*x) + 35*b*c^2*d*e*(d + e*x) + 35*b^2*c*e^2*(d + e*x) - 35*a*c^2*e^2*(d + e*x) - 42*c^3*d*(d + e*x)^2 - 21*b*c^2*e*(d + e*x)^2 + 15*c^3*(d + e*x)^3)) / (105*c^4*e^3) + (((-I)*\text{Sqrt}[2]*b^4*c*d + (4*I)*\text{Sqrt}[2]*a*b^2*c^2*d - (2*I)*\text{Sqrt}[2]*a^2*c^3*d - \text{Sqrt}[2]*b^3*c*\text{Sqrt}[-b^2 + 4*a*c]*d + 2*\text{Sqrt}[2]*a*b*c^2*\text{Sqrt}[-b^2 + 4*a*c]*d + I*\text{Sqrt}[2]*b^5*e - (5*I)*\text{Sqrt}[2]*a*b^3*c*e + (5*I)*\text{Sqrt}[2]*a^2*b*c^2*e + \text{Sqrt}[2]*b^4*\text{Sqrt}[-b^2 + 4*a*c]*e - 3*\text{Sqrt}[2]*a*b^2*c*\text{Sqrt}[-b^2 + 4*a*c]*e + \text{Sqrt}[2]*a^2*c^2*\text{Sqrt}[-b^2 + 4*a*c]*e) * \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x]) / \text{Sqrt}[-2*c*d + b*e - I*\text{Sqrt}[-b^2 + 4*a*c]*e]]) / (c^{(9/2)} * \text{Sqrt}[-b^2 + 4*a*c] * \text{Sqrt}[-2*c*d + b*e - I*\text{Sqrt}[-b^2 + 4*a*c]*e]) + ((I*\text{Sqrt}[2]*b^4*c*d - (4*I)*\text{Sqrt}[2]*a*b^2*c^2*d + (2*I)*\text{Sqrt}[2]*a^2*c^3*d - \text{Sqrt}[2]*b^3*c*\text{Sqrt}[-b^2 + 4*a*c]*d + 2*\text{Sqrt}[2]*a*b*c^2*\text{Sqrt}[-b^2 + 4*a*c]*d - I*\text{Sqrt}[2]*b^5*e + (5*I)*\text{Sqrt}[2]*a*b^3*c*e - (5*I)*\text{Sqrt}[2]*a^2*b*c^2*e + \text{Sqrt}[2]*b^4*\text{Sqrt}[-b^2 + 4*a*c]*e - 3*\text{Sqrt}[2]*a*b^2*c*\text{Sqrt}[-b^2 + 4*a*c]*e + \text{Sqrt}[2]*a^2*c^2*\text{Sqrt}[-b^2 + 4*a*c]*e) * \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x]) / \text{Sqrt}[-2*c*d + b*e + I*\text{Sqrt}[-b^2 + 4*a*c]*e]]) / (c^{(9/2)} * \text{Sqrt}[-b^2 + 4*a*c] * \text{Sqrt}[-2*c*d + b*e + I*\text{Sqrt}[-b^2 + 4*a*c]*e])$

**fricas [B]** time = 1.00, size = 5507, normalized size = 11.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^(1/2)/(c\*x^2+b\*x+a), x, algorithm="fricas")

[Out]  $1/210*(105*\text{sqrt}(2)*c^4*e^3*\text{sqrt}(((b^8*c - 8*a*b^6*c^2 + 20*a^2*b^4*c^3 - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d - (b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e + (b^2*c^9 - 4*a*c^10)*\text{sqrt}(((b^14*c^2 - 12*a*b^12*c^3 + 56*a^2*b^10*c^4 - 128*a^3*b^8*c^5 + 148*a^4*b^6*c^6 - 80*a^5*b^4*c^7 + 16*a^6*b^2*c^8)*d^2 - 2*(b^15*c - 13*a*b^13*c^2 + 67*a^2*b^11*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e + (b^16 - 14*a*b^14*c + 79*a^2*b^12*c^2 - 230*a^3*b^10*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^2) / (b^2*c^18 - 4*a*c^19))) / (b^2*c^9 - 4*a*c^10)) * \text{log}(\text{sqrt}(2) * ((b^12*c - 12*a*b^10*c^2 + 54*a^2*b^8*c^3 - 112*a^3*b^6*c^4 + 104*a^4*b^4*c^5 - 32*a^5*b^$

$$\begin{aligned}
& 2*c^6)*d - (b^{13} - 13*a*b^{11}*c + 65*a^2*b^9*c^2 - 156*a^3*b^7*c^3 + 181*a^4 \\
& *b^5*c^4 - 86*a^5*b^3*c^5 + 8*a^6*b*c^6)*e - (b^6*c^9 - 8*a*b^4*c^{10} + 18*a \\
& ^2*b^2*c^{11} - 8*a^3*c^{12})*\sqrt{((b^{14}*c^2 - 12*a*b^{12}*c^3 + 56*a^2*b^{10}*c^4 \\
& - 128*a^3*b^8*c^5 + 148*a^4*b^6*c^6 - 80*a^5*b^4*c^7 + 16*a^6*b^2*c^8)*d^2 \\
& - 2*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4* \\
& b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e + (b^{16} - 14* \\
& a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b \\
& ^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^2)/(b^2*c^{18} - 4*a*c \\
& ^{19}))*\sqrt{((b^8*c - 8*a*b^6*c^2 + 20*a^2*b^4*c^3 - 16*a^3*b^2*c^4 + 2*a^4 \\
& *c^5)*d - (b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 30*a^3*b^3*c^3 + 9*a^4*b*c^4) \\
& *e + (b^2*c^9 - 4*a*c^{10})*\sqrt{((b^{14}*c^2 - 12*a*b^{12}*c^3 + 56*a^2*b^{10}*c^4 \\
& - 128*a^3*b^8*c^5 + 148*a^4*b^6*c^6 - 80*a^5*b^4*c^7 + 16*a^6*b^2*c^8)*d^2 \\
& - 2*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4* \\
& b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e + (b^{16} - 14* \\
& a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b \\
& ^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^2)/(b^2*c^{18} - 4*a*c \\
& ^{19}))/ (b^2*c^9 - 4*a*c^{10}) - 4*((a^4*b^7*c - 6*a^5*b^5*c^2 + 10*a^6*b^3*c \\
& ^3 - 4*a^7*b*c^4)*d - (a^4*b^8 - 7*a^5*b^6*c + 15*a^6*b^4*c^2 - 10*a^7*b^2* \\
& c^3 + a^8*c^4)*e)*\sqrt{e*x + d}) - 105*\sqrt{2}*c^4*e^3*\sqrt{((b^8*c - 8*a*b \\
& ^6*c^2 + 20*a^2*b^4*c^3 - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d - (b^9 - 9*a*b^7*c \\
& + 27*a^2*b^5*c^2 - 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e + (b^2*c^9 - 4*a*c^{10})* \\
& \sqrt{((b^{14}*c^2 - 12*a*b^{12}*c^3 + 56*a^2*b^{10}*c^4 - 128*a^3*b^8*c^5 + 148*a^ \\
& 4*b^6*c^6 - 80*a^5*b^4*c^7 + 16*a^6*b^2*c^8)*d^2 - 2*(b^{15}*c - 13*a*b^{13}*c^ \\
& 2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + \\
& 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e + (b^{16} - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 \\
& - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - \\
& 20*a^7*b^2*c^7 + a^8*c^8)*e^2)/(b^2*c^{18} - 4*a*c^{19}))/ (b^2*c^9 - 4*a*c^{10}) \\
& )*\log(-\sqrt{2})*((b^{12}*c - 12*a*b^{10}*c^2 + 54*a^2*b^8*c^3 - 112*a^3*b^6*c^4 \\
& + 104*a^4*b^4*c^5 - 32*a^5*b^2*c^6)*d - (b^{13} - 13*a*b^{11}*c + 65*a^2*b^9*c^2 \\
& - 156*a^3*b^7*c^3 + 181*a^4*b^5*c^4 - 86*a^5*b^3*c^5 + 8*a^6*b*c^6)*e - ( \\
& b^6*c^9 - 8*a*b^4*c^{10} + 18*a^2*b^2*c^{11} - 8*a^3*c^{12})*\sqrt{((b^{14}*c^2 - 12 \\
& *a*b^{12}*c^3 + 56*a^2*b^{10}*c^4 - 128*a^3*b^8*c^5 + 148*a^4*b^6*c^6 - 80*a^5* \\
& b^4*c^7 + 16*a^6*b^2*c^8)*d^2 - 2*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 \\
& - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4 \\
& *a^7*b*c^8)*d*e + (b^{16} - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 \\
& + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^ \\
& 8*c^8)*e^2)/(b^2*c^{18} - 4*a*c^{19}))*\sqrt{((b^8*c - 8*a*b^6*c^2 + 20*a^2*b^4 \\
& *c^3 - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d - (b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - \\
& 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e + (b^2*c^9 - 4*a*c^{10})*\sqrt{((b^{14}*c^2 - 12 \\
& *a*b^{12}*c^3 + 56*a^2*b^{10}*c^4 - 128*a^3*b^8*c^5 + 148*a^4*b^6*c^6 - 80*a^5* \\
& b^4*c^7 + 16*a^6*b^2*c^8)*d^2 - 2*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 \\
& - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4 \\
& *a^7*b*c^8)*d*e + (b^{16} - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 \\
& + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^ \\
& 8*c^8)*e^2)/(b^2*c^{18} - 4*a*c^{19}))/ (b^2*c^9 - 4*a*c^{10}) - 4*((a^4*b^7*c -
\end{aligned}$$

$$\begin{aligned}
& 6*a^5*b^5*c^2 + 10*a^6*b^3*c^3 - 4*a^7*b*c^4)*d - (a^4*b^8 - 7*a^5*b^6*c + \\
& 15*a^6*b^4*c^2 - 10*a^7*b^2*c^3 + a^8*c^4)*e)*\text{sqrt}(e*x + d)) + 105*\text{sqrt}(2) \\
& *c^4*e^3*\text{sqrt}(((b^8*c - 8*a*b^6*c^2 + 20*a^2*b^4*c^3 - 16*a^3*b^2*c^4 + 2*a \\
& ^4*c^5)*d - (b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 30*a^3*b^3*c^3 + 9*a^4*b*c^4) \\
& *e - (b^2*c^9 - 4*a*c^10)*\text{sqrt}(((b^14*c^2 - 12*a*b^12*c^3 + 56*a^2*b^10*c \\
& ^4 - 128*a^3*b^8*c^5 + 148*a^4*b^6*c^6 - 80*a^5*b^4*c^7 + 16*a^6*b^2*c^8)*d \\
& ^2 - 2*(b^15*c - 13*a*b^13*c^2 + 67*a^2*b^11*c^3 - 174*a^3*b^9*c^4 + 239*a^ \\
& 4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e + (b^16 - 1 \\
& 4*a*b^14*c + 79*a^2*b^12*c^2 - 230*a^3*b^10*c^3 + 367*a^4*b^8*c^4 - 314*a^5 \\
& *b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^2)/(b^2*c^18 - 4*a \\
& *c^19)))/(b^2*c^9 - 4*a*c^10))*\log(\text{sqrt}(2))*((b^12*c - 12*a*b^10*c^2 + 54*a^ \\
& 2*b^8*c^3 - 112*a^3*b^6*c^4 + 104*a^4*b^4*c^5 - 32*a^5*b^2*c^6)*d - (b^13 - \\
& 13*a*b^11*c + 65*a^2*b^9*c^2 - 156*a^3*b^7*c^3 + 181*a^4*b^5*c^4 - 86*a^5* \\
& b^3*c^5 + 8*a^6*b*c^6)*e + (b^6*c^9 - 8*a*b^4*c^10 + 18*a^2*b^2*c^11 - 8*a^ \\
& 3*c^12)*\text{sqrt}(((b^14*c^2 - 12*a*b^12*c^3 + 56*a^2*b^10*c^4 - 128*a^3*b^8*c^5 \\
& + 148*a^4*b^6*c^6 - 80*a^5*b^4*c^7 + 16*a^6*b^2*c^8)*d^2 - 2*(b^15*c - 13* \\
& a*b^13*c^2 + 67*a^2*b^11*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5* \\
& b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e + (b^16 - 14*a*b^14*c + 79*a^2* \\
& b^12*c^2 - 230*a^3*b^10*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b \\
& ^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^2)/(b^2*c^18 - 4*a*c^19)))*\text{sqrt}(((b^8* \\
& c - 8*a*b^6*c^2 + 20*a^2*b^4*c^3 - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d - (b^9 - 9 \\
& *a*b^7*c + 27*a^2*b^5*c^2 - 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e - (b^2*c^9 - 4* \\
& a*c^10)*\text{sqrt}(((b^14*c^2 - 12*a*b^12*c^3 + 56*a^2*b^10*c^4 - 128*a^3*b^8*c^5 \\
& + 148*a^4*b^6*c^6 - 80*a^5*b^4*c^7 + 16*a^6*b^2*c^8)*d^2 - 2*(b^15*c - 13* \\
& a*b^13*c^2 + 67*a^2*b^11*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5* \\
& b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e + (b^16 - 14*a*b^14*c + 79*a^2* \\
& b^12*c^2 - 230*a^3*b^10*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b \\
& ^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^2)/(b^2*c^18 - 4*a*c^19)))/(b^2*c^9 - \\
& 4*a*c^10)) - 4*((a^4*b^7*c - 6*a^5*b^5*c^2 + 10*a^6*b^3*c^3 - 4*a^7*b*c^4)* \\
& d - (a^4*b^8 - 7*a^5*b^6*c + 15*a^6*b^4*c^2 - 10*a^7*b^2*c^3 + a^8*c^4)*e)* \\
& \text{sqrt}(e*x + d)) - 105*\text{sqrt}(2)*c^4*e^3*\text{sqrt}(((b^8*c - 8*a*b^6*c^2 + 20*a^2*b^ \\
& 4*c^3 - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d - (b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - \\
& 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e - (b^2*c^9 - 4*a*c^10)*\text{sqrt}(((b^14*c^2 - 1 \\
& 2*a*b^12*c^3 + 56*a^2*b^10*c^4 - 128*a^3*b^8*c^5 + 148*a^4*b^6*c^6 - 80*a^5 \\
& *b^4*c^7 + 16*a^6*b^2*c^8)*d^2 - 2*(b^15*c - 13*a*b^13*c^2 + 67*a^2*b^11*c^ \\
& 3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - \\
& 4*a^7*b*c^8)*d*e + (b^16 - 14*a*b^14*c + 79*a^2*b^12*c^2 - 230*a^3*b^10*c^3 \\
& + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a \\
& ^8*c^8)*e^2)/(b^2*c^18 - 4*a*c^19)))/(b^2*c^9 - 4*a*c^10))*\log(-\text{sqrt}(2))*((b \\
& ^12*c - 12*a*b^10*c^2 + 54*a^2*b^8*c^3 - 112*a^3*b^6*c^4 + 104*a^4*b^4*c^5 \\
& - 32*a^5*b^2*c^6)*d - (b^13 - 13*a*b^11*c + 65*a^2*b^9*c^2 - 156*a^3*b^7*c^ \\
& 3 + 181*a^4*b^5*c^4 - 86*a^5*b^3*c^5 + 8*a^6*b*c^6)*e + (b^6*c^9 - 8*a*b^4* \\
& c^10 + 18*a^2*b^2*c^11 - 8*a^3*c^12)*\text{sqrt}(((b^14*c^2 - 12*a*b^12*c^3 + 56*a \\
& ^2*b^10*c^4 - 128*a^3*b^8*c^5 + 148*a^4*b^6*c^6 - 80*a^5*b^4*c^7 + 16*a^6*b \\
& ^2*c^8)*d^2 - 2*(b^15*c - 13*a*b^13*c^2 + 67*a^2*b^11*c^3 - 174*a^3*b^9*c^4
\end{aligned}$$

$$\begin{aligned}
& + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e + \\
& (b^{16} - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 \\
& - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^2)/(b^2*c^{18} - 4*a*c^{19})) * \sqrt{((b^8*c - 8*a*b^6*c^2 + 20*a^2*b^4*c^3 - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d - (b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e - (b^2*c^9 - 4*a*c^{10})*\sqrt{((b^{14}*c^2 - 12*a*b^{12}*c^3 + 56*a^2*b^{10}*c^4 - 128*a^3*b^8*c^5 + 148*a^4*b^6*c^6 - 80*a^5*b^4*c^7 + 16*a^6*b^2*c^8)*d^2 - 2*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e + (b^{16} - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^2)/(b^2*c^{18} - 4*a*c^{19})))/(b^2*c^9 - 4*a*c^{10})) - 4*((a^4*b^7*c - 6*a^5*b^5*c^2 + 10*a^6*b^3*c^3 - 4*a^7*b*c^4)*d - (a^4*b^8 - 7*a^5*b^6*c + 15*a^6*b^4*c^2 - 10*a^7*b^2*c^3 + a^8*c^4)*e)*\sqrt{e*x + d)} + 4*(15*c^3*e^3*x^3 + 8*c^3*d^3 + 14*b*c^2*d^2*e + 35*(b^2*c - a*c^2)*d*e^2 - 105*(b^3 - 2*a*b*c)*e^3 + 3*(c^3*d*e^2 - 7*b*c^2*e^3)*x^2 - (4*c^3*d^2*e + 7*b*c^2*d*e^2 - 35*(b^2*c - a*c^2)*e^3)*x)*\sqrt{e*x + d))/(c^4*e^3)
\end{aligned}$$

**giac [B]** time = 0.83, size = 1171, normalized size = 2.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^(1/2)/(c\*x^2+b\*x+a),x, algorithm="giac")

$$\begin{aligned}
& \text{[Out]} -1/4*(\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c})*c}*e)*((b^5*c - 6*a*b^3*c^2 + 8*a^2*b*c^3)*d*e - (b^6 - 7*a*b^4*c + 13*a^2*b^2*c^2 - 4*a^3*c^3)*e^2)* \\
& c^2 - 2*((b^3*c^3 - 2*a*b*c^4)*\sqrt{b^2 - 4*a*c}*d^2 - (b^4*c^2 - 2*a*b^2*c^3)*\sqrt{b^2 - 4*a*c}*d*e + (a*b^3*c^2 - 2*a^2*b*c^3)*\sqrt{b^2 - 4*a*c}*e^2) \\
& )*\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c})*c}*e)*\text{abs}(c) + \sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c})*c}*e)* \\
& (2*(b^4*c^4 - 4*a*b^2*c^5 + 2*a^2*c^6)*d^2 - (3*b^5*c^3 - 14*a*b^3*c^4 + 12*a^2*b*c^5)*d*e + (b^6*c^2 - 5*a*b^4*c^3 + 5*a^2*b^2*c^4)*e^2))* \\
& \arctan(2*\sqrt{1/2}*\sqrt{x*e + d}/\sqrt{-(2*c^8*d*e^24 - b*c^7*e^25 + \sqrt{-4*(c^8*d^2*e^24 - b*c^7*d*e^25 + a*c^7*e^26)*c^8*e^24 + (2*c^8*d*e^24 - b*c^7*e^25)^2})*e^{(-24)/c^8}})/((\sqrt{b^2 - 4*a*c})*c^7*d^2 - \sqrt{b^2 - 4*a*c})*b*c^6*d*e + \sqrt{b^2 - 4*a*c})*a*c^6*e^2)*c^2) + 1/4*( \\
& \sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e)*((b^5*c - 6*a*b^3*c^2 + 8*a^2*b*c^3)*d*e - (b^6 - 7*a*b^4*c + 13*a^2*b^2*c^2 - 4*a^3*c^3)*e^2)*c^2 + \\
& 2*((b^3*c^3 - 2*a*b*c^4)*\sqrt{b^2 - 4*a*c}*d^2 - (b^4*c^2 - 2*a*b^2*c^3)*\sqrt{b^2 - 4*a*c}*d*e + (a*b^3*c^2 - 2*a^2*b*c^3)*\sqrt{b^2 - 4*a*c}*e^2)*\sqrt{ \\
& (-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e)*\text{abs}(c) + \sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e)* \\
& (2*(b^4*c^4 - 4*a*b^2*c^5 + 2*a^2*c^6)*d^2 - (3*b^5*c^3 - 14*a*b^3*c^4 + 12*a^2*b*c^5)*d*e + (b^6*c^2 - 5*a*b^4*c^3 + 5*a^2*b^2*c^4)*e^2))* \\
& \arctan(2*\sqrt{1/2}*\sqrt{x*e + d}/\sqrt{-(2*c^8*d*e^24 - b*c^7*e^25 - \sqrt{-4*(c^8*d^2*e^24 - b*c^7*d*e^25 + a*c^7*e^26)*c^8*e^24 + (2*
\end{aligned}$$

$$c^8 d e^{24} - b c^7 e^{25})^2) e^{-24} / c^8) / ((\sqrt{b^2 - 4ac}) c^7 d^2 - \sqrt{b^2 - 4ac} b c^6 d e + \sqrt{b^2 - 4ac} a c^6 e^2) c^2 + 2/105 (15 (x e + d)^{7/2} c^6 e^{18} - 42 (x e + d)^{5/2} c^6 d e^{18} + 35 (x e + d)^{3/2} c^6 d^2 e^{18} - 21 (x e + d)^{5/2} b c^5 e^{19} + 35 (x e + d)^{3/2} b c^5 d e^{19} + 35 (x e + d)^{3/2} b^2 c^4 e^{20} - 35 (x e + d)^{3/2} a c^5 e^{20} - 105 \sqrt{x e + d} b^3 c^3 e^{21} + 210 \sqrt{x e + d} a b c^4 e^{21}) e^{-21} / c^7$$

**maple [B]** time = 0.11, size = 2218, normalized size = 4.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^4 (e^x + d)^{1/2} / (c x^2 + b x + a), x)$

[Out] 
$$\begin{aligned} & 2/7 (e^x + d)^{7/2} / c e^{-3-2/5} / e^{2/c^2} (e^x + d)^{5/2} b^{-2/3} e / c^2 (e^x + d)^{3/2} \\ & * a + 2/3 e / c^3 (e^x + d)^{3/2} b^{-2-4/5} e^3 / c (e^x + d)^{5/2} d + 2/3 e^3 / c (e^x + d)^{3/2} d^2 + 4/c^3 a b (e^x + d)^{1/2} + 4 e / c^2 / (-e^{2(4ac-b^2)})^{1/2} 2^{1/2} / \\ & ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \arctan(c (e^x + d)^{1/2} 2^{1/2} / \\ & ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) * a b^2 d + 4 e / c^2 / (-e^{2(4ac-b^2)})^{1/2} 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \arctanh(c (e^x + d)^{1/2} 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) * a b^2 d + 5 e^2 / c^2 / (-e^{2(4ac-b^2)})^{1/2} 2^{1/2} / \\ & ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \arctan(c (e^x + d)^{1/2} 2^{1/2} / \\ & ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) * a^2 b^{-2} e / c / (-e^{2(4ac-b^2)})^{1/2} 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \arctanh(c (e^x + d)^{1/2} 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) * a^2 d - e / c^3 / (-e^{2(4ac-b^2)})^{1/2} 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \arctanh(c (e^x + d)^{1/2} 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) * b^4 d - 2 / c^4 b^3 (e^x + d)^{1/2} + 2 / c^2 2^{1/2} / \\ & ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \arctan(c (e^x + d)^{1/2} 2^{1/2} / \\ & ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) * a b d - 2 / c^2 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \arctanh(c (e^x + d)^{1/2} 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) * a b d + e^2 / c^4 / (-e^{2(4ac-b^2)})^{1/2} 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \arctanh(c (e^x + d)^{1/2} 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) * b^5 + 3 e / c^3 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \arctanh(c (e^x + d)^{1/2} 2^{1/2} / \\ & ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) * a b^2 + e^2 / c^4 / (-e^{2(4ac-b^2)})^{1/2} 2^{1/2} / \\ & ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \arctan(c (e^x + d)^{1/2} 2^{1/2} / \\ & ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) * b^5 - 3 e / c^3 2^{1/2} / \\ & ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \arctan(c (e^x + d)^{1/2} 2^{1/2} / \\ & ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) * a b^2 - 5 e^2 / c^3 / \\ & (-e^{2(4ac-b^2)})^{1/2} 2^{1/2} / ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \\ & \arctanh(c (e^x + d)^{1/2} 2^{1/2} / ((-b e + 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) \\ & * a b^3 + e / c^4 2^{1/2} / ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2} * \\ & \arctan(c (e^x + d)^{1/2} 2^{1/2} / ((b e - 2 c d + (-e^{2(4ac-b^2)})^{1/2}) c)^{1/2}) \end{aligned}$$

$$\begin{aligned} & (1/2)) * c)^{(1/2)} * b^4 + 1/c^3 * 2^{(1/2)} / ((-b * e + 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(c * (e * x + d)^{(1/2)} * 2^{(1/2)} / ((-b * e + 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)}) * c)^{(1/2)} * b^3 * d - 1/c^3 * 2^{(1/2)} / ((b * e - 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * (e * x + d)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)}) * b^3 * d - e/c^2 * 2^{(1/2)} / ((-b * e + 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(c * (e * x + d)^{(1/2)} * 2^{(1/2)} / ((-b * e + 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)}) * a^2 - e/c^4 * 2^{(1/2)} / ((-b * e + 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(c * (e * x + d)^{(1/2)} * 2^{(1/2)} / ((-b * e + 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)}) * b^4 + e/c^2 * 2^{(1/2)} / ((b * e - 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * (e * x + d)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)}) * a^2 + 5 * e^2/c^2 / (-e^2 * (4 * a * c - b^2))^{(1/2)} * 2^{(1/2)} / ((-b * e + 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(c * (e * x + d)^{(1/2)} * 2^{(1/2)} / ((-b * e + 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)}) * a^2 * b - 2 * e/c / (-e^2 * (4 * a * c - b^2))^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * (e * x + d)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)}) * a^2 * d - 5 * e^2/c^3 / (-e^2 * (4 * a * c - b^2))^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * (e * x + d)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)}) * a * b^3 - e/c^3 / (-e^2 * (4 * a * c - b^2))^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * (e * x + d)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (-e^2 * (4 * a * c - b^2))^{(1/2)}) * c)^{(1/2)}) * b^4 * d + 2/3 * e^2/c^2 * (e * x + d)^{(3/2)} * b * d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex + d} x^4}{cx^2 + bx + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^(1/2)/(c\*x^2+b\*x+a),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)\*x^4/(c\*x^2 + b\*x + a), x)

**mupad** [B] time = 4.86, size = 13879, normalized size = 28.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4\*(d + e\*x)^(1/2))/(a + b\*x + c\*x^2),x)

[Out]  $(d + e * x)^{(3/2)} * ((4 * d^2) / (c * e^3) - (2 * (a * e^5 + c * d^2 * e^3 - b * d * e^4)) / (3 * c^2 * e^6) + (((8 * d) / (c * e^3) + (2 * (b * e^4 - 2 * c * d * e^3)) / (c^2 * e^6)) * (b * e^4 - 2 * c * d * e^3)) / (3 * c * e^3) - \operatorname{atan}((((8 * (a * b^5 * c^5 * e^4 + 8 * a^3 * b * c^7 * e^4 - b^6 * c^5 * d * e^3 - 6 * a^2 * b^3 * c^6 * e^4 + b^5 * c^6 * d^2 * e^2 + 6 * a * b^4 * c^6 * d * e^3 - 6 * a * b^3 * c^7 * d^2 * e^2 + 8 * a^2 * b * c^8 * d^2 * e^2 - 8 * a^2 * b^2 * c^7 * d * e^3)) / c^7 - (8 * (d + e * x)^{(1/2)} * (-b^{11} * e + 8 * a^5 * c^6 * d + b^8 * e * (-4 * a * c - b^2)^3)^{(1/2)} - b^{10} * c * d - 52 * a^2 * b^6 * c^3 * d + 96 * a^3 * b^4 * c^4 * d - 66 * a^4 * b^2 * c^5 * d + 63 * a^2 * b^7 * c^2 * e - 138 * a^3 * b^5 * c^3 * e + 129 * a^4 * b^3 * c^4 * e + a^4 * c^4 * e * (-4 * a * c - b^2)^3)^{(1/2)}$



$$\begin{aligned}
& ) - 13*a*b^9*c*e + 12*a*b^8*c^2*d - 36*a^5*b*c^5*e - b^7*c*d*(-(4*a*c - b^2) \\
& )^3)^{(1/2)} - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5*c^2*d*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^2*b^3*c^3*d \\
& *(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10* \\
& a^3*b^2*c^3*e*(-(4*a*c - b^2)^3)^{(1/2))}/(2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2 \\
& *c^10)))^{(1/2)}*(b^3*c^9*e^3 - 2*b^2*c^10*d*e^2 - 4*a*b*c^10*e^3 + 8*a*c^11* \\
& d*e^2))/c^7)*(-(b^11*e + 8*a^5*c^6*d + b^8*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^1 \\
& 0*c*d - 52*a^2*b^6*c^3*d + 96*a^3*b^4*c^4*d - 66*a^4*b^2*c^5*d + 63*a^2*b^7 \\
& *c^2*e - 138*a^3*b^5*c^3*e + 129*a^4*b^3*c^4*e + a^4*c^4*e*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} - 13*a*b^9*c*e + 12*a*b^8*c^2*d - 36*a^5*b*c^5*e - b^7*c*d*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5*c^2*d*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^2*b^ \\
& 3*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& ) - 10*a^3*b^2*c^3*e*(-(4*a*c - b^2)^3)^{(1/2))}/(2*(16*a^2*c^11 + b^4*c^9 - \\
& 8*a*b^2*c^10)))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(b^10*e^4 - 2*a^5*c^5*e^4 + 35*a \\
& ^2*b^6*c^2*e^4 - 50*a^3*b^4*c^3*e^4 + 25*a^4*b^2*c^4*e^4 + 2*a^4*c^6*d^2*e^ \\
& 2 + b^8*c^2*d^2*e^2 - 10*a*b^8*c*e^4 - 2*b^9*c*d*e^3 + 20*a^2*b^4*c^4*d^2*e \\
& ^2 - 16*a^3*b^2*c^5*d^2*e^2 + 18*a*b^7*c^2*d*e^3 - 18*a^4*b*c^5*d*e^3 - 8*a \\
& *b^6*c^3*d^2*e^2 - 54*a^2*b^5*c^3*d*e^3 + 60*a^3*b^3*c^4*d*e^3))/c^7)*(-(b^ \\
& 11*e + 8*a^5*c^6*d + b^8*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^10*c*d - 52*a^2*b^6 \\
& *c^3*d + 96*a^3*b^4*c^4*d - 66*a^4*b^2*c^5*d + 63*a^2*b^7*c^2*e - 138*a^3*b \\
& ^5*c^3*e + 129*a^4*b^3*c^4*e + a^4*c^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^ \\
& 9*c*e + 12*a*b^8*c^2*d - 36*a^5*b*c^5*e - b^7*c*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5*c^2*d*(-(4*a*c - b^2)^3)^{( \\
& 1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^2*b^3*c^3*d*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3 \\
& *e*(-(4*a*c - b^2)^3)^{(1/2))}/(2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10)))^{(1 \\
& /2)}*ii - (((8*(a*b^5*c^5*e^4 + 8*a^3*b*c^7*e^4 - b^6*c^5*d*e^3 - 6*a^2*b^3* \\
& c^6*e^4 + b^5*c^6*d^2*e^2 + 6*a*b^4*c^6*d*e^3 - 6*a*b^3*c^7*d^2*e^2 + 8*a^2 \\
& *b*c^8*d^2*e^2 - 8*a^2*b^2*c^7*d*e^3))/c^7 + (8*(d + e*x)^{(1/2)}*(-(b^11*e + \\
& 8*a^5*c^6*d + b^8*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^10*c*d - 52*a^2*b^6*c^3*d \\
& + 96*a^3*b^4*c^4*d - 66*a^4*b^2*c^5*d + 63*a^2*b^7*c^2*e - 138*a^3*b^5*c^3 \\
& *e + 129*a^4*b^3*c^4*e + a^4*c^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e \\
& + 12*a*b^8*c^2*d - 36*a^5*b*c^5*e - b^7*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a* \\
& b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^2*b^3*c^3*d*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3*e*(-( \\
& 4*a*c - b^2)^3)^{(1/2))}/(2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10)))^{(1/2)}*(b \\
& ^3*c^9*e^3 - 2*b^2*c^10*d*e^2 - 4*a*b*c^10*e^3 + 8*a*c^11*d*e^2))/c^7)*(-(b \\
& ^11*e + 8*a^5*c^6*d + b^8*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^10*c*d - 52*a^2*b^ \\
& 6*c^3*d + 96*a^3*b^4*c^4*d - 66*a^4*b^2*c^5*d + 63*a^2*b^7*c^2*e - 138*a^3* \\
& b^5*c^3*e + 129*a^4*b^3*c^4*e + a^4*c^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b \\
& ^9*c*e + 12*a*b^8*c^2*d - 36*a^5*b*c^5*e - b^7*c*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5*c^2*d*(-(4*a*c - b^2)^3)^ \\
& (1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^2*b^3*c^3*d*(-(4*a*c
\end{aligned}$$



$$\begin{aligned}
& 2)^3)^{(1/2)} - 10*a^2*b^3*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e* \\
& (-(4*a*c - b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(1 \\
& 6*a^2*c^{11} + b^4*c^9 - 8*a*b^2*c^{10}))^{(1/2)} - (16*(a^5*b^4*e^5 + a^7*c^2*e \\
& ^5 - 3*a^6*b^2*c*e^5 - a^4*b^5*d*e^4 + a^6*c^3*d^2*e^3 - a^4*b^3*c^2*d^3*e^ \\
& 2 - 5*a^5*b^2*c^2*d^2*e^3 + 2*a^5*b^3*c*d*e^4 + a^6*b*c^2*d*e^4 + 2*a^4*b^4 \\
& *c*d^2*e^3 + 2*a^5*b*c^3*d^3*e^2))/c^7 + (((8*(a*b^5*c^5*e^4 + 8*a^3*b*c^7* \\
& e^4 - b^6*c^5*d*e^3 - 6*a^2*b^3*c^6*e^4 + b^5*c^6*d^2*e^2 + 6*a*b^4*c^6*d*e \\
& ^3 - 6*a*b^3*c^7*d^2*e^2 + 8*a^2*b*c^8*d^2*e^2 - 8*a^2*b^2*c^7*d*e^3))/c^7 \\
& + (8*(d + e*x)^{(1/2)}*(-(b^{11}*e + 8*a^5*c^6*d + b^8*e*(-(4*a*c - b^2)^3)^{(1/ \\
& 2) - b^{10}*c*d - 52*a^2*b^6*c^3*d + 96*a^3*b^4*c^4*d - 66*a^4*b^2*c^5*d + 63 \\
& *a^2*b^7*c^2*e - 138*a^3*b^5*c^3*e + 129*a^4*b^3*c^4*e + a^4*c^4*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 13*a*b^9*c*e + 12*a*b^8*c^2*d - 36*a^5*b*c^5*e - b^7*c*d \\
& *(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5* \\
& c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1/2)} - 1 \\
& 0*a^2*b^3*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 10*a^3*b^2*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^{11} + b^ \\
& 4*c^9 - 8*a*b^2*c^{10}))^{(1/2)}*(b^3*c^9*e^3 - 2*b^2*c^{10}*d*e^2 - 4*a*b*c^{10}* \\
& e^3 + 8*a*c^{11}*d*e^2))/c^7)*(-(b^{11}*e + 8*a^5*c^6*d + b^8*e*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - b^{10}*c*d - 52*a^2*b^6*c^3*d + 96*a^3*b^4*c^4*d - 66*a^4*b^2*c^5 \\
& *d + 63*a^2*b^7*c^2*e - 138*a^3*b^5*c^3*e + 129*a^4*b^3*c^4*e + a^4*c^4*e*(- \\
& -(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e + 12*a*b^8*c^2*d - 36*a^5*b*c^5*e - \\
& b^7*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6 \\
& *a*b^5*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1 \\
& /2) - 10*a^2*b^3*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^ \\
& 11 + b^4*c^9 - 8*a*b^2*c^{10}))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(b^{10}*e^4 - 2*a^5 \\
& *c^5*e^4 + 35*a^2*b^6*c^2*e^4 - 50*a^3*b^4*c^3*e^4 + 25*a^4*b^2*c^4*e^4 + 2 \\
& *a^4*c^6*d^2*e^2 + b^8*c^2*d^2*e^2 - 10*a*b^8*c*e^4 - 2*b^9*c*d*e^3 + 20*a^ \\
& 2*b^4*c^4*d^2*e^2 - 16*a^3*b^2*c^5*d^2*e^2 + 18*a*b^7*c^2*d*e^3 - 18*a^4*b* \\
& c^5*d*e^3 - 8*a*b^6*c^3*d^2*e^2 - 54*a^2*b^5*c^3*d*e^3 + 60*a^3*b^3*c^4*d*e \\
& ^3))/c^7)*(-(b^{11}*e + 8*a^5*c^6*d + b^8*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^{10}* \\
& c*d - 52*a^2*b^6*c^3*d + 96*a^3*b^4*c^4*d - 66*a^4*b^2*c^5*d + 63*a^2*b^7*c^ \\
& 2*e - 138*a^3*b^5*c^3*e + 129*a^4*b^3*c^4*e + a^4*c^4*e*(-(4*a*c - b^2)^3)^ \\
& (1/2) - 13*a*b^9*c*e + 12*a*b^8*c^2*d - 36*a^5*b*c^5*e - b^7*c*d*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5*c^2*d*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^2*b^3*c \\
& ^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 10*a^3*b^2*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^{11} + b^4*c^9 - 8*a \\
& *b^2*c^{10}))^{(1/2)})*(-(b^{11}*e + 8*a^5*c^6*d + b^8*e*(-(4*a*c - b^2)^3)^{(1/ \\
& 2) - b^{10}*c*d - 52*a^2*b^6*c^3*d + 96*a^3*b^4*c^4*d - 66*a^4*b^2*c^5*d + 63 \\
& *a^2*b^7*c^2*e - 138*a^3*b^5*c^3*e + 129*a^4*b^3*c^4*e + a^4*c^4*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 13*a*b^9*c*e + 12*a*b^8*c^2*d - 36*a^5*b*c^5*e - b^7*c*d \\
& *(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5* \\
& c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1/2)} - 1 \\
& 0*a^2*b^3*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4*a*c - b^2)
\end{aligned}$$



$$\begin{aligned}
& ))^{(1/2)} * (b^3 * c^9 * e^3 - 2 * b^2 * c^{10} * d * e^2 - 4 * a * b * c^{10} * e^3 + 8 * a * c^{11} * d * e^2) \\
& ) / c^7 * ((b^8 * e * (-4 * a * c - b^2)^3)^{(1/2)} - 8 * a^5 * c^6 * d - b^{11} * e + b^{10} * c * d + \\
& 52 * a^2 * b^6 * c^3 * d - 96 * a^3 * b^4 * c^4 * d + 66 * a^4 * b^2 * c^5 * d - 63 * a^2 * b^7 * c^2 * e \\
& + 138 * a^3 * b^5 * c^3 * e - 129 * a^4 * b^3 * c^4 * e + a^4 * c^4 * e * (-4 * a * c - b^2)^3)^{(1/2)} \\
& ) + 13 * a * b^9 * c * e - 12 * a * b^8 * c^2 * d + 36 * a^5 * b * c^5 * e - b^7 * c * d * (-4 * a * c - b^2 \\
& )^3)^{(1/2)} - 7 * a * b^6 * c * e * (-4 * a * c - b^2)^3)^{(1/2)} + 6 * a * b^5 * c^2 * d * (-4 * a * c \\
& - b^2)^3)^{(1/2)} + 4 * a^3 * b * c^4 * d * (-4 * a * c - b^2)^3)^{(1/2)} - 10 * a^2 * b^3 * c^3 * d \\
& * (-4 * a * c - b^2)^3)^{(1/2)} + 15 * a^2 * b^4 * c^2 * e * (-4 * a * c - b^2)^3)^{(1/2)} - 10 * \\
& a^3 * b^2 * c^3 * e * (-4 * a * c - b^2)^3)^{(1/2)} / (2 * (16 * a^2 * c^{11} + b^4 * c^9 - 8 * a * b^2 \\
& * c^{10}))^{(1/2)} + (8 * (d + e * x)^{(1/2)} * (b^{10} * e^4 - 2 * a^5 * c^5 * e^4 + 35 * a^2 * b^6 * \\
& c^2 * e^4 - 50 * a^3 * b^4 * c^3 * e^4 + 25 * a^4 * b^2 * c^4 * e^4 + 2 * a^4 * c^6 * d^2 * e^2 + b^8 \\
& * c^2 * d^2 * e^2 - 10 * a * b^8 * c * e^4 - 2 * b^9 * c * d * e^3 + 20 * a^2 * b^4 * c^4 * d^2 * e^2 - 16 \\
& * a^3 * b^2 * c^5 * d^2 * e^2 + 18 * a * b^7 * c^2 * d * e^3 - 18 * a^4 * b * c^5 * d * e^3 - 8 * a * b^6 * c^ \\
& 3 * d^2 * e^2 - 54 * a^2 * b^5 * c^3 * d * e^3 + 60 * a^3 * b^3 * c^4 * d * e^3)) / c^7 * ((b^8 * e * (-4 \\
& * a * c - b^2)^3)^{(1/2)} - 8 * a^5 * c^6 * d - b^{11} * e + b^{10} * c * d + 52 * a^2 * b^6 * c^3 * d - \\
& 96 * a^3 * b^4 * c^4 * d + 66 * a^4 * b^2 * c^5 * d - 63 * a^2 * b^7 * c^2 * e + 138 * a^3 * b^5 * c^3 * e \\
& - 129 * a^4 * b^3 * c^4 * e + a^4 * c^4 * e * (-4 * a * c - b^2)^3)^{(1/2)} + 13 * a * b^9 * c * e - \\
& 12 * a * b^8 * c^2 * d + 36 * a^5 * b * c^5 * e - b^7 * c * d * (-4 * a * c - b^2)^3)^{(1/2)} - 7 * a * b^ \\
& 6 * c * e * (-4 * a * c - b^2)^3)^{(1/2)} + 6 * a * b^5 * c^2 * d * (-4 * a * c - b^2)^3)^{(1/2)} + 4 \\
& * a^3 * b * c^4 * d * (-4 * a * c - b^2)^3)^{(1/2)} - 10 * a^2 * b^3 * c^3 * d * (-4 * a * c - b^2)^3) \\
& ^{(1/2)} + 15 * a^2 * b^4 * c^2 * e * (-4 * a * c - b^2)^3)^{(1/2)} - 10 * a^3 * b^2 * c^3 * e * (-4 * \\
& a * c - b^2)^3)^{(1/2)} / (2 * (16 * a^2 * c^{11} + b^4 * c^9 - 8 * a * b^2 * c^{10}))^{(1/2)} * i) / \\
& (((8 * (a * b^5 * c^5 * e^4 + 8 * a^3 * b * c^7 * e^4 - b^6 * c^5 * d * e^3 - 6 * a^2 * b^3 * c^6 * e^4 \\
& + b^5 * c^6 * d^2 * e^2 + 6 * a * b^4 * c^6 * d * e^3 - 6 * a * b^3 * c^7 * d^2 * e^2 + 8 * a^2 * b * c^8 * d \\
& ^2 * e^2 - 8 * a^2 * b^2 * c^7 * d * e^3)) / c^7 - (8 * (d + e * x)^{(1/2)} * ((b^8 * e * (-4 * a * c - \\
& b^2)^3)^{(1/2)} - 8 * a^5 * c^6 * d - b^{11} * e + b^{10} * c * d + 52 * a^2 * b^6 * c^3 * d - 96 * a^3 \\
& * b^4 * c^4 * d + 66 * a^4 * b^2 * c^5 * d - 63 * a^2 * b^7 * c^2 * e + 138 * a^3 * b^5 * c^3 * e - 129 * \\
& a^4 * b^3 * c^4 * e + a^4 * c^4 * e * (-4 * a * c - b^2)^3)^{(1/2)} + 13 * a * b^9 * c * e - 12 * a * b^ \\
& 8 * c^2 * d + 36 * a^5 * b * c^5 * e - b^7 * c * d * (-4 * a * c - b^2)^3)^{(1/2)} - 7 * a * b^6 \\
& * c * e * (-4 * a * c - b^2)^3)^{(1/2)} + 6 * a * b^5 * c^2 * d * (-4 * a * c - b^2)^3)^{(1/2)} + 4 * \\
& a^3 * b * c^4 * d * (-4 * a * c - b^2)^3)^{(1/2)} - 10 * a^2 * b^3 * c^3 * d * (-4 * a * c - b^2)^3) \\
& ^{(1/2)} + 15 * a^2 * b^4 * c^2 * e * (-4 * a * c - b^2)^3)^{(1/2)} - 10 * a^3 * b^2 * c^3 * e * (-4 * a * c - b \\
& ^2)^3)^{(1/2)} / (2 * (16 * a^2 * c^{11} + b^4 * c^9 - 8 * a * b^2 * c^{10}))^{(1/2)} * (b^3 * c^9 * e^ \\
& 3 - 2 * b^2 * c^{10} * d * e^2 - 4 * a * b * c^{10} * e^3 + 8 * a * c^{11} * d * e^2)) / c^7 * ((b^8 * e * (-4 * \\
& a * c - b^2)^3)^{(1/2)} - 8 * a^5 * c^6 * d - b^{11} * e + b^{10} * c * d + 52 * a^2 * b^6 * c^3 * d - \\
& 96 * a^3 * b^4 * c^4 * d + 66 * a^4 * b^2 * c^5 * d - 63 * a^2 * b^7 * c^2 * e + 138 * a^3 * b^5 * c^3 * e \\
& - 129 * a^4 * b^3 * c^4 * e + a^4 * c^4 * e * (-4 * a * c - b^2)^3)^{(1/2)} + 13 * a * b^9 * c * e - 1 \\
& 2 * a * b^8 * c^2 * d + 36 * a^5 * b * c^5 * e - b^7 * c * d * (-4 * a * c - b^2)^3)^{(1/2)} - 7 * a * b^6 \\
& * c * e * (-4 * a * c - b^2)^3)^{(1/2)} + 6 * a * b^5 * c^2 * d * (-4 * a * c - b^2)^3)^{(1/2)} + 4 * \\
& a^3 * b * c^4 * d * (-4 * a * c - b^2)^3)^{(1/2)} - 10 * a^2 * b^3 * c^3 * d * (-4 * a * c - b^2)^3) \\
& ^{(1/2)} + 15 * a^2 * b^4 * c^2 * e * (-4 * a * c - b^2)^3)^{(1/2)} - 10 * a^3 * b^2 * c^3 * e * (-4 * a \\
& * c - b^2)^3)^{(1/2)} / (2 * (16 * a^2 * c^{11} + b^4 * c^9 - 8 * a * b^2 * c^{10}))^{(1/2)} - (8 * \\
& (d + e * x)^{(1/2)} * (b^{10} * e^4 - 2 * a^5 * c^5 * e^4 + 35 * a^2 * b^6 * c^2 * e^4 - 50 * a^3 * b^4 \\
& * c^3 * e^4 + 25 * a^4 * b^2 * c^4 * e^4 + 2 * a^4 * c^6 * d^2 * e^2 + b^8 * c^2 * d^2 * e^2 - 10 * a * \\
& b^8 * c * e^4 - 2 * b^9 * c * d * e^3 + 20 * a^2 * b^4 * c^4 * d^2 * e^2 - 16 * a^3 * b^2 * c^5 * d^2 * e^2
\end{aligned}$$

$$\begin{aligned}
& + 18*a*b^7*c^2*d*e^3 - 18*a^4*b*c^5*d*e^3 - 8*a*b^6*c^3*d^2*e^2 - 54*a^2*b \\
& ^5*c^3*d*e^3 + 60*a^3*b^3*c^4*d*e^3)/c^7)*((b^8*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 8*a^5*c^6*d - b^{11}*e + b^{10}*c*d + 52*a^2*b^6*c^3*d - 96*a^3*b^4*c^4*d + \\
& 66*a^4*b^2*c^5*d - 63*a^2*b^7*c^2*e + 138*a^3*b^5*c^3*e - 129*a^4*b^3*c^4*e \\
& + a^4*c^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 13*a*b^9*c*e - 12*a*b^8*c^2*d + 36* \\
& a^5*b*c^5*e - b^7*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^6*c*e*(-(4*a*c - b^2 \\
& )^3)^{(1/2)} + 6*a*b^5*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a^3*b*c^4*d*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 10*a^2*b^3*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4* \\
& c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)}) \\
& /(2*(16*a^2*c^{11} + b^4*c^9 - 8*a*b^2*c^{10}))^{(1/2)} - (16*(a^5*b^4*e^5 + a^7 \\
& *c^2*e^5 - 3*a^6*b^2*c*e^5 - a^4*b^5*d*e^4 + a^6*c^3*d^2*e^3 - a^4*b^3*c^2* \\
& d^3*e^2 - 5*a^5*b^2*c^2*d^2*e^3 + 2*a^5*b^3*c*d*e^4 + a^6*b*c^2*d*e^4 + 2*a \\
& ^4*b^4*c*d^2*e^3 + 2*a^5*b*c^3*d^3*e^2))/c^7 + (((8*(a*b^5*c^5*e^4 + 8*a^3* \\
& b*c^7*e^4 - b^6*c^5*d*e^3 - 6*a^2*b^3*c^6*e^4 + b^5*c^6*d^2*e^2 + 6*a*b^4*c \\
& ^6*d*e^3 - 6*a*b^3*c^7*d^2*e^2 + 8*a^2*b*c^8*d^2*e^2 - 8*a^2*b^2*c^7*d*e^3) \\
& )/c^7 + (8*(d + e*x)^{(1/2)}*((b^8*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^5*c^6*d - \\
& b^{11}*e + b^{10}*c*d + 52*a^2*b^6*c^3*d - 96*a^3*b^4*c^4*d + 66*a^4*b^2*c^5*d \\
& - 63*a^2*b^7*c^2*e + 138*a^3*b^5*c^3*e - 129*a^4*b^3*c^4*e + a^4*c^4*e*(-( \\
& 4*a*c - b^2)^3)^{(1/2)} + 13*a*b^9*c*e - 12*a*b^8*c^2*d + 36*a^5*b*c^5*e - b^ \\
& 7*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a \\
& *b^5*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& ) - 10*a^2*b^3*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^{11} \\
& + b^4*c^9 - 8*a*b^2*c^{10}))^{(1/2)}*(b^3*c^9*e^3 - 2*b^2*c^{10}*d*e^2 - 4*a*b* \\
& c^{10}*e^3 + 8*a*c^{11}*d*e^2))/c^7)*((b^8*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^5*c \\
& ^6*d - b^{11}*e + b^{10}*c*d + 52*a^2*b^6*c^3*d - 96*a^3*b^4*c^4*d + 66*a^4*b^2 \\
& *c^5*d - 63*a^2*b^7*c^2*e + 138*a^3*b^5*c^3*e - 129*a^4*b^3*c^4*e + a^4*c^4 \\
& *e*(-(4*a*c - b^2)^3)^{(1/2)} + 13*a*b^9*c*e - 12*a*b^8*c^2*d + 36*a^5*b*c^5* \\
& e - b^7*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 6*a*b^5*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3 \\
& )^3)^{(1/2)} - 10*a^2*b^3*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^ \\
& 2*c^{11} + b^4*c^9 - 8*a*b^2*c^{10}))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(b^{10}*e^4 - 2 \\
& *a^5*c^5*e^4 + 35*a^2*b^6*c^2*e^4 - 50*a^3*b^4*c^3*e^4 + 25*a^4*b^2*c^4*e^4 \\
& + 2*a^4*c^6*d^2*e^2 + b^8*c^2*d^2*e^2 - 10*a*b^8*c*e^4 - 2*b^9*c*d*e^3 + 2 \\
& 0*a^2*b^4*c^4*d^2*e^2 - 16*a^3*b^2*c^5*d^2*e^2 + 18*a*b^7*c^2*d*e^3 - 18*a^ \\
& 4*b*c^5*d*e^3 - 8*a*b^6*c^3*d^2*e^2 - 54*a^2*b^5*c^3*d*e^3 + 60*a^3*b^3*c^4 \\
& *d*e^3))/c^7)*((b^8*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^5*c^6*d - b^{11}*e + b^{1 \\
& 0}*c*d + 52*a^2*b^6*c^3*d - 96*a^3*b^4*c^4*d + 66*a^4*b^2*c^5*d - 63*a^2*b^7 \\
& *c^2*e + 138*a^3*b^5*c^3*e - 129*a^4*b^3*c^4*e + a^4*c^4*e*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} + 13*a*b^9*c*e - 12*a*b^8*c^2*d + 36*a^5*b*c^5*e - b^7*c*d*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5*c^2*d*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^2*b^ \\
& 3*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& ) - 10*a^3*b^2*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^{11} + b^4*c^9 -
\end{aligned}$$

$$\begin{aligned}
& 8*a*b^2*c^{10}))^{(1/2)})) * ((b^8*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^5*c^6*d - b^{11}*e + b^{10}*c*d + 52*a^2*b^6*c^3*d - 96*a^3*b^4*c^4*d + 66*a^4*b^2*c^5*d - \\
& 63*a^2*b^7*c^2*e + 138*a^3*b^5*c^3*e - 129*a^4*b^3*c^4*e + a^4*c^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 13*a*b^9*c*e - 12*a*b^8*c^2*d + 36*a^5*b*c^5*e - b^7*c \\
& *d*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^6*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a^3*b*c^4*d*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 10*a^2*b^3*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^2*b^4*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)}) / (2*(16*a^2*c^{11} + \\
& b^4*c^9 - 8*a*b^2*c^{10}))^{(1/2)} * 2i - ((8*d)/(5*c*e^3) + (2*(b*e^4 - 2*c*d*e^3))/(5*c^2*e^6)) * (d + e*x)^{(5/2)} - (d + e*x)^{(1/2)} * ((8*d^3)/(c*e^3) - ((8 \\
& *d)/(c*e^3) + (2*(b*e^4 - 2*c*d*e^3))/(c^2*e^6)) * (a*e^5 + c*d^2*e^3 - b*d*e^4)/(c*e^3) + ((b*e^4 - 2*c*d*e^3)*((12*d^2)/(c*e^3) - (2*(a*e^5 + c*d^2*e^3 - b*d*e^4))/(c^2*e^6) + (((8*d)/(c*e^3) + (2*(b*e^4 - 2*c*d*e^3))/(c^2*e^6)) * (b*e^4 - 2*c*d*e^3))/(c*e^3)) / (c*e^3) + (2*(d + e*x)^{(7/2)}) / (7*c*e^3)
\end{aligned}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(e\*x+d)\*\*(1/2)/(c\*x\*\*2+b\*x+a), x)

[Out] Timed out

$$3.335 \quad \int \frac{x^3 \sqrt{d+ex}}{a+bx+cx^2} dx$$

**Optimal.** Leaf size=326

$$\frac{2(b^2 - ac) \sqrt{d+ex}}{c^3} + \frac{\left(-\sqrt{b^2 - 4ac} (b^2 - ac) - 3abc + b^3\right) \sqrt{2cd - e} \left(b - \sqrt{b^2 - 4ac}\right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - e} (b - \sqrt{b^2 - 4ac})}\right)}{\sqrt{2} c^{7/2} \sqrt{b^2 - 4ac}}$$

**Rubi [A]** time = 7.47, antiderivative size = 397, normalized size of antiderivative = 1.22, number of steps used = 6, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {897, 1287, 1166, 208}

$$\frac{\sqrt{2} \left( \frac{-2d^2e^2 + 4bd^2e - 3ab^2d + b^3d + b^4(-e)}{\sqrt{b^2 - 4ac}} + 2abce - ac^2d + b^2cd + b^3(-e) \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - e} (b - \sqrt{b^2 - 4ac})} \right)}{c^{7/2} \sqrt{2cd - e} (b - \sqrt{b^2 - 4ac})} - \frac{\sqrt{2} \left( \frac{-2d^2e^2 + 4bd^2e - 3ab^2d + b^3d + b^4(-e)}{\sqrt{b^2 - 4ac}} + 2abce - ac^2d + b^2cd + b^3(-e) \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - e} (b + \sqrt{b^2 - 4ac})} \right)}{c^{7/2} \sqrt{2cd - e} (b + \sqrt{b^2 - 4ac})} + \frac{2(b^2 - ac) \sqrt{d+ex}}{c^3} - \frac{2(d+ex)^{3/2} (be+cd)}{3c^2e^2} + \frac{2(d+ex)^{5/2}}{5ce^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*Sqrt[d + e\*x])/(a + b\*x + c\*x^2), x]

[Out] (2\*(b^2 - a\*c)\*Sqrt[d + e\*x])/c^3 - (2\*(c\*d + b\*e)\*(d + e\*x)^(3/2))/(3\*c^2\*e^2) + (2\*(d + e\*x)^(5/2))/(5\*c\*e^2) - (Sqrt[2]\*(b^2\*c\*d - a\*c^2\*d - b^3\*e + 2\*a\*b\*c\*e - (b^3\*c\*d - 3\*a\*b\*c^2\*d - b^4\*e + 4\*a\*b^2\*c\*e - 2\*a^2\*c^2\*e)/Sqrt[b^2 - 4\*a\*c])\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]]/(c^(7/2)\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]) - (Sqrt[2]\*(b^2\*c\*d - a\*c^2\*d - b^3\*e + 2\*a\*b\*c\*e + (b^3\*c\*d - 3\*a\*b\*c^2\*d - b^4\*e + 4\*a\*b^2\*c\*e - 2\*a^2\*c^2\*e)/Sqrt[b^2 - 4\*a\*c])\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]]/(c^(7/2)\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 897

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]



Rule 1166

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] :  
 > With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2  
 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2  
 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && Ne  
 Q[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

Rule 1287

Int[(((f\_)\*(x\_)^(m\_))\*((d\_) + (e\_)\*(x\_)^2)^(q\_))/((a\_) + (b\_)\*(x\_)^2 +  
 (c\_)\*(x\_)^4), x\_Symbol] := Int[ExpandIntegrand[((f\*x)^m\*(d + e\*x^2)^q)/(a  
 + b\*x^2 + c\*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4  
 \*a\*c, 0] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\int \frac{x^3 \sqrt{d+ex}}{a+bx+cx^2} dx = \frac{2 \operatorname{Subst} \left( \int \frac{x^2 \left( -\frac{d}{e} + \frac{x^2}{e} \right)^3}{\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}} dx, x, \sqrt{d+ex} \right)}{e}$$

$$= \frac{2 \operatorname{Subst} \left( \int \left( \frac{(b^2-ac)e}{c^3} - \frac{(cd+be)x^2}{c^2e} + \frac{x^4}{ce} - \frac{(b^2-ac)(cd^2-bde+ae^2) - (b^2cd-ac^2d-b^3e+2abce)x^2}{c^3e \left( \frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2} \right)} \right) dx, x, \sqrt{d+ex} \right)}{e}$$

$$= \frac{2(b^2-ac)\sqrt{d+ex}}{c^3} - \frac{2(cd+be)(d+ex)^{3/2}}{3c^2e^2} + \frac{2(d+ex)^{5/2}}{5ce^2} - \frac{2 \operatorname{Subst} \left( \int \frac{(b^2-ac)(cd^2-bde+ae^2)}{\frac{cd^2-bde+ae^2}{e^2}} dx, x, \sqrt{d+ex} \right)}{e}$$

$$= \frac{2(b^2-ac)\sqrt{d+ex}}{c^3} - \frac{2(cd+be)(d+ex)^{3/2}}{3c^2e^2} + \frac{2(d+ex)^{5/2}}{5ce^2} + \frac{(b^2cd-ac^2d-b^3e+2abce)\sqrt{d+ex}}{e^2}$$

$$= \frac{2(b^2-ac)\sqrt{d+ex}}{c^3} - \frac{2(cd+be)(d+ex)^{3/2}}{3c^2e^2} + \frac{2(d+ex)^{5/2}}{5ce^2} - \frac{\sqrt{2}(b^2cd-ac^2d-b^3e+2abce)\sqrt{d+ex}}{e^2}$$

**Mathematica [A]** time = 0.53, size = 466, normalized size = 1.43

$$\frac{2\sqrt{c}\sqrt{ax^2+bx+cx}+15b^2d+e^2(-2d^2+dx+3e^2x^2)}{15e^3d} + \frac{\sqrt{5}\left(a^2\sqrt{d^2-4ac}-2ab\right)+b^2c\left(4ac-d\sqrt{d^2-4ac}\right)-abc\left(2a\sqrt{d^2-4ac}+3cd\right)+b^2c\left(\sqrt{d^2-4ac}+cd\right)+b^2(-c)}{e^{3/2}\sqrt{d^2-4ac}\sqrt{c\left(\sqrt{d^2-4ac}+b\right)+2cd}} + \frac{\sqrt{5}\left(a^2\sqrt{d^2-4ac}+2ab\right)-b^2c\left(d\sqrt{d^2-4ac}+4ac\right)+abc\left(3cd-2a\sqrt{d^2-4ac}\right)+b^2\left(\sqrt{d^2-4ac}-cd\right)+b^2c}{e^{3/2}\sqrt{d^2-4ac}\sqrt{2cd-c\left(\sqrt{d^2-4ac}+b\right)}} \operatorname{tanh}^{-1}\left(\frac{\sqrt{5}\sqrt{d^2-4ac}}{\sqrt{d^2-4ac}+2cd}\right) + \frac{\sqrt{5}\sqrt{d^2-4ac}}{\sqrt{d^2-4ac}+2cd}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*Sqrt[d + e\*x])/(a + b\*x + c\*x^2), x]

[Out] (2\*Sqrt[d + e\*x]\*(15\*b^2\*e^2 + c^2\*(-2\*d^2 + d\*e\*x + 3\*e^2\*x^2) - 5\*c\*e\*(3\*a\*e + b\*(d + e\*x)))/(15\*c^3\*e^2) + (Sqrt[2]\*(-(b^4\*e) + a\*c^2\*(Sqrt[b^2 - 4\*a\*c]\*d - 2\*a\*e) + b^2\*c\*(-(Sqrt[b^2 - 4\*a\*c]\*d) + 4\*a\*e) + b^3\*(c\*d + Sqrt[b^2 - 4\*a\*c]\*e) - a\*b\*c\*(3\*c\*d + 2\*Sqrt[b^2 - 4\*a\*c]\*e))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - b\*e + Sqrt[b^2 - 4\*a\*c]\*e]]/(c^(7/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d + (-b + Sqrt[b^2 - 4\*a\*c])\*e]) + (Sqrt[2]\*(b^4\*e + a\*c^2\*(Sqrt[b^2 - 4\*a\*c]\*d + 2\*a\*e) - b^2\*c\*(Sqrt[b^2 - 4\*a\*c]\*d + 4\*a\*e) + a\*b\*c\*(3\*c\*d - 2\*Sqrt[b^2 - 4\*a\*c]\*e) + b^3\*(-(c\*d) + Sqrt[b^2 - 4\*a\*c]\*e))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]]/(c^(7/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]))

**IntegrateAlgebraic [A]** time = 1.50, size = 584, normalized size = 1.79

$$\frac{(e\sqrt{5}d^2c^2 - \sqrt{5}a^2e\sqrt{d^2-4ac} + \sqrt{5}b^2a\sqrt{d^2-4ac} - 4\sqrt{5}ab^2e + 2\sqrt{5}abc\sqrt{d^2-4ac} - \sqrt{5}b^3\sqrt{d^2-4ac} + 3\sqrt{5}ab^2d + \sqrt{5}b^3d)\operatorname{tanh}^{-1}\left(\frac{\sqrt{5}\sqrt{d^2-4ac}}{\sqrt{d^2-4ac}+2cd}\right) + (-2\sqrt{5}d^2c^2 - \sqrt{5}a^2e\sqrt{d^2-4ac} + \sqrt{5}b^2a\sqrt{d^2-4ac} + 4\sqrt{5}ab^2e + 2\sqrt{5}abc\sqrt{d^2-4ac} - \sqrt{5}b^3\sqrt{d^2-4ac} - 3\sqrt{5}ab^2d - \sqrt{5}b^3d)\operatorname{tanh}^{-1}\left(\frac{\sqrt{5}\sqrt{d^2-4ac}}{\sqrt{d^2-4ac}+2cd}\right)}{e^{3/2}\sqrt{d^2-4ac}\sqrt{c\left(\sqrt{d^2-4ac}+b\right)+2cd}} + \frac{2(-15ac^2\sqrt{d^2-4ac} + 15b^2d\sqrt{d^2-4ac} - 5bcd + e)^2 + 3b^2d + e^2 + 3d^2d + e^2)^2}{15e^3d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*Sqrt[d + e\*x])/(a + b\*x + c\*x^2), x]

[Out] (2\*(15\*b^2\*e^2\*Sqrt[d + e\*x] - 15\*a\*c\*e^2\*Sqrt[d + e\*x] - 5\*c^2\*d\*(d + e\*x)^(3/2) - 5\*b\*c\*e\*(d + e\*x)^(3/2) + 3\*c^2\*(d + e\*x)^(5/2)))/(15\*c^3\*e^2) + ((- (Sqrt[2]\*b^3\*c\*d) + 3\*Sqrt[2]\*a\*b\*c^2\*d + Sqrt[2]\*b^2\*c\*Sqrt[b^2 - 4\*a\*c]\*d - Sqrt[2]\*a\*c^2\*Sqrt[b^2 - 4\*a\*c]\*d + Sqrt[2]\*b^4\*e - 4\*Sqrt[2]\*a\*b^2\*c\*e + 2\*Sqrt[2]\*a^2\*c^2\*e - Sqrt[2]\*b^3\*Sqrt[b^2 - 4\*a\*c]\*e + 2\*Sqrt[2]\*a\*b\*c\*Sqrt[b^2 - 4\*a\*c]\*e)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[-2\*c\*d + b\*e - Sqrt[b^2 - 4\*a\*c]\*e]]/(c^(7/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[-2\*c\*d + b\*e - Sqrt[b^2 - 4\*a\*c]\*e]) + ((Sqrt[2]\*b^3\*c\*d - 3\*Sqrt[2]\*a\*b\*c^2\*d + Sqrt[2]\*b^2\*c\*Sqrt[b^2 - 4\*a\*c]\*d - Sqrt[2]\*a\*c^2\*Sqrt[b^2 - 4\*a\*c]\*d - Sqrt[2]\*b^4\*e + 4\*Sqrt[2]\*a\*b^2\*c\*e - 2\*Sqrt[2]\*a^2\*c^2\*e - Sqrt[2]\*b^3\*Sqrt[b^2 - 4\*a\*c]\*e + 2\*Sqrt[2]\*a\*b\*c\*Sqrt[b^2 - 4\*a\*c]\*e)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[-2\*c\*d + b\*e + Sqrt[b^2 - 4\*a\*c]\*e]]/(c^(7/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[-2\*c\*d + b\*e + Sqrt[b^2 - 4\*a\*c]\*e]))

**fricas [B]** time = 0.72, size = 4245, normalized size = 13.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^(1/2)/(c\*x^2+b\*x+a),x, algorithm="fricas")

[Out] 
$$\frac{1}{30} \cdot (15 \sqrt{2}) \cdot c^3 \cdot e^2 \cdot \sqrt{((b^6 c - 6 a b^4 c^2 + 9 a^2 b^2 c^3 - 2 a^3 c^4) d - (b^7 - 7 a b^5 c + 14 a^2 b^3 c^2 - 7 a^3 b c^3) e + (b^2 c^7 - 4 a c^8) \sqrt{((b^{10} c^2 - 8 a b^8 c^3 + 22 a^2 b^6 c^4 - 24 a^3 b^4 c^5 + 9 a^4 b^2 c^6) d^2 - 2 (b^{11} c - 9 a b^9 c^2 + 29 a^2 b^7 c^3 - 40 a^3 b^5 c^4 + 22 a^4 b^3 c^5 - 3 a^5 b c^6) d e + (b^{12} - 10 a b^{10} c + 37 a^2 b^8 c^2 - 62 a^3 b^6 c^3 + 46 a^4 b^4 c^4 - 12 a^5 b^2 c^5 + a^6 c^6) e^2)) / (b^2 c^{14} - 4 a c^{15}))} / (b^2 c^7 - 4 a c^8) \cdot \log(\sqrt{2}) \cdot ((b^9 c - 9 a b^7 c^2 + 27 a^2 b^5 c^3 - 31 a^3 b^3 c^4 + 12 a^4 b c^5) d - (b^{10} - 10 a b^8 c + 35 a^2 b^6 c^2 - 51 a^3 b^4 c^3 + 29 a^4 b^2 c^4 - 4 a^5 c^5) e - (b^5 c^7 - 7 a b^3 c^8 + 12 a^2 b c^9) \sqrt{((b^{10} c^2 - 8 a b^8 c^3 + 22 a^2 b^6 c^4 - 24 a^3 b^4 c^5 + 9 a^4 b^2 c^6) d^2 - 2 (b^{11} c - 9 a b^9 c^2 + 29 a^2 b^7 c^3 - 40 a^3 b^5 c^4 + 22 a^4 b^3 c^5 - 3 a^5 b c^6) d e + (b^{12} - 10 a b^{10} c + 37 a^2 b^8 c^2 - 62 a^3 b^6 c^3 + 46 a^4 b^4 c^4 - 12 a^5 b^2 c^5 + a^6 c^6) e^2)) / (b^2 c^{14} - 4 a c^{15}))} \cdot \sqrt{((b^6 c - 6 a b^4 c^2 + 9 a^2 b^2 c^3 - 2 a^3 c^4) d - (b^7 - 7 a b^5 c + 14 a^2 b^3 c^2 - 7 a^3 b c^3) e + (b^2 c^7 - 4 a c^8) \sqrt{((b^{10} c^2 - 8 a b^8 c^3 + 22 a^2 b^6 c^4 - 24 a^3 b^4 c^5 + 9 a^4 b^2 c^6) d^2 - 2 (b^{11} c - 9 a b^9 c^2 + 29 a^2 b^7 c^3 - 40 a^3 b^5 c^4 + 22 a^4 b^3 c^5 - 3 a^5 b c^6) d e + (b^{12} - 10 a b^{10} c + 37 a^2 b^8 c^2 - 62 a^3 b^6 c^3 + 46 a^4 b^4 c^4 - 12 a^5 b^2 c^5 + a^6 c^6) e^2)) / (b^2 c^{14} - 4 a c^{15}))} / (b^2 c^7 - 4 a c^8) + 4 \cdot ((a^3 b^5 c - 4 a^4 b^3 c^2 + 3 a^5 b c^3) d - (a^3 b^6 - 5 a^4 b^4 c + 6 a^5 b^2 c^2 - a^6 c^3) e) \cdot \sqrt{e x + d} - 15 \sqrt{2} \cdot c^3 \cdot e^2 \cdot \sqrt{((b^6 c - 6 a b^4 c^2 + 9 a^2 b^2 c^3 - 2 a^3 c^4) d - (b^7 - 7 a b^5 c + 14 a^2 b^3 c^2 - 7 a^3 b c^3) e + (b^2 c^7 - 4 a c^8) \sqrt{((b^{10} c^2 - 8 a b^8 c^3 + 22 a^2 b^6 c^4 - 24 a^3 b^4 c^5 + 9 a^4 b^2 c^6) d^2 - 2 (b^{11} c - 9 a b^9 c^2 + 29 a^2 b^7 c^3 - 40 a^3 b^5 c^4 + 22 a^4 b^3 c^5 - 3 a^5 b c^6) d e + (b^{12} - 10 a b^{10} c + 37 a^2 b^8 c^2 - 62 a^3 b^6 c^3 + 46 a^4 b^4 c^4 - 12 a^5 b^2 c^5 + a^6 c^6) e^2)) / (b^2 c^{14} - 4 a c^{15}))} / (b^2 c^7 - 4 a c^8) \cdot \log(-\sqrt{2}) \cdot ((b^9 c - 9 a b^7 c^2 + 27 a^2 b^5 c^3 - 31 a^3 b^3 c^4 + 12 a^4 b c^5) d - (b^{10} - 10 a b^8 c + 35 a^2 b^6 c^2 - 51 a^3 b^4 c^3 + 29 a^4 b^2 c^4 - 4 a^5 c^5) e - (b^5 c^7 - 7 a b^3 c^8 + 12 a^2 b c^9) \sqrt{((b^{10} c^2 - 8 a b^8 c^3 + 22 a^2 b^6 c^4 - 24 a^3 b^4 c^5 + 9 a^4 b^2 c^6) d^2 - 2 (b^{11} c - 9 a b^9 c^2 + 29 a^2 b^7 c^3 - 40 a^3 b^5 c^4 + 22 a^4 b^3 c^5 - 3 a^5 b c^6) d e + (b^{12} - 10 a b^{10} c + 37 a^2 b^8 c^2 - 62 a^3 b^6 c^3 + 46 a^4 b^4 c^4 - 12 a^5 b^2 c^5 + a^6 c^6) e^2)) / (b^2 c^{14} - 4 a c^{15}))} \cdot \sqrt{((b^6 c - 6 a b^4 c^2 + 9 a^2 b^2 c^3 - 2 a^3 c^4) d - (b^7 - 7 a b^5 c + 14 a^2 b^3 c^2 - 7 a^3 b c^3) e + (b^2 c^7 - 4 a c^8) \sqrt{((b^{10} c^2 - 8 a b^8 c^3 + 22 a^2 b^6 c^4 - 24 a^3 b^4 c^5 + 9 a^4 b^2 c^6) d^2 - 2 (b^{11} c - 9 a b^9 c^2 + 29 a^2 b^7 c^3 - 40 a^3 b^5 c^4 + 22 a^4 b^3 c^5 - 3 a^5 b c^6) d e + (b^{12} - 10 a b^{10} c + 37 a^2 b^8 c^2 - 62 a^3 b^6 c^3 + 46 a^4 b^4 c^4 - 12 a^5 b^2 c^5 + a^6 c^6) e^2)) / (b^2 c^{14} - 4 a c^{15}))} / (b^2 c^7 - 4 a c^8) + 4 \cdot ((a^3 b^5 c - 4 a^4 b^3 c^2 + 3 a^5 b c^3) d - (a^3 b^6 - 5 a^4 b^4 c + 6 a^5 b^2 c^2 - a^6 c^3) e) \cdot \sqrt{e x + d} + 15 \sqrt{2} \cdot c^3 \cdot e^2 \cdot \sqrt{((b^6 c - 6 a b^4 c^2 + 9 a^2 b^2 c^3 - 2 a^3 c^4) d - (b^7 - 7 a b^5 c + 14 a^2 b^3 c^2 - 7 a^3 b c^3) e + (b^2 c^7 - 4 a c^8) \sqrt{((b^{10} c^2 - 8 a b^8 c^3 + 22 a^2 b^6 c^4 - 24 a^3 b^4 c^5 + 9 a^4 b^2 c^6) d^2 - 2 (b^{11} c - 9 a b^9 c^2 + 29 a^2 b^7 c^3 - 40 a^3 b^5 c^4 + 22 a^4 b^3 c^5 - 3 a^5 b c^6) d e + (b^{12} - 10 a b^{10} c + 37 a^2 b^8 c^2 - 62 a^3 b^6 c^3 + 46 a^4 b^4 c^4 - 12 a^5 b^2 c^5 + a^6 c^6) e^2)) / (b^2 c^{14} - 4 a c^{15}))} / (b^2 c^7 - 4 a c^8)$$

$$\begin{aligned}
& 6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*d - (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*e - (b^2*c^7 - 4*a*c^8)*\sqrt{((b^{10}*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6)*d^2 - 2*(b^{11}*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e + (b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^2)/(b^2*c^{14} - 4*a*c^{15})))/(b^2*c^7 - 4*a*c^8))*\log(\sqrt{2}*((b^9*c - 9*a*b^7*c^2 + 27*a^2*b^5*c^3 - 31*a^3*b^3*c^4 + 12*a^4*b*c^5)*d - (b^{10} - 10*a*b^8*c + 35*a^2*b^6*c^2 - 51*a^3*b^4*c^3 + 29*a^4*b^2*c^4 - 4*a^5*c^5)*e + (b^5*c^7 - 7*a*b^3*c^8 + 12*a^2*b*c^9)*\sqrt{((b^{10}*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6)*d^2 - 2*(b^{11}*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e + (b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^2)/(b^2*c^{14} - 4*a*c^{15}))})*\sqrt{((b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*d - (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*e - (b^2*c^7 - 4*a*c^8)*\sqrt{((b^{10}*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6)*d^2 - 2*(b^{11}*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e + (b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^2)/(b^2*c^{14} - 4*a*c^{15})))/(b^2*c^7 - 4*a*c^8)) + 4*((a^3*b^5*c - 4*a^4*b^3*c^2 + 3*a^5*b*c^3)*d - (a^3*b^6 - 5*a^4*b^4*c + 6*a^5*b^2*c^2 - a^6*c^3)*e)*\sqrt{e*x + d}) - 15*\sqrt{2)*c^3*e^2*\sqrt{((b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*d - (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*e - (b^2*c^7 - 4*a*c^8)*\sqrt{((b^{10}*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6)*d^2 - 2*(b^{11}*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e + (b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^2)/(b^2*c^{14} - 4*a*c^{15})))/(b^2*c^7 - 4*a*c^8))*\log(-\sqrt{2}*((b^9*c - 9*a*b^7*c^2 + 27*a^2*b^5*c^3 - 31*a^3*b^3*c^4 + 12*a^4*b*c^5)*d - (b^{10} - 10*a*b^8*c + 35*a^2*b^6*c^2 - 51*a^3*b^4*c^3 + 29*a^4*b^2*c^4 - 4*a^5*c^5)*e + (b^5*c^7 - 7*a*b^3*c^8 + 12*a^2*b*c^9)*\sqrt{((b^{10}*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6)*d^2 - 2*(b^{11}*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e + (b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^2)/(b^2*c^{14} - 4*a*c^{15}))})*\sqrt{((b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*d - (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*e - (b^2*c^7 - 4*a*c^8)*\sqrt{((b^{10}*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6)*d^2 - 2*(b^{11}*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e + (b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^2)/(b^2*c^{14} - 4*a*c^{15})))/(b^2*c^7 - 4*a*c^8)) + 4*((a^3*b^5*c - 4*a^4*b^3*c^2 + 3*a^5*b*c^3)*d - (a^3*b^6 - 5*a^4*b^4*c + 6*a^5*b^2*c^2 - a^6*c^3)*e)*\sqrt{e*x + d}) + 4*(3*c^2*e^2*x^2 - 2*c^2*d^2 - 5*b*c*d*e + 15*(b^2 - a*c)*e^2 + (c^2*d*e - 5*b*c*e^2)*x)*\sqrt{e*x + d}))/((c^3*e^2)
\end{aligned}$$

**giac [B]** time = 0.56, size = 1045, normalized size = 3.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^(1/2)/(c\*x^2+b\*x+a),x, algorithm="giac")

[Out]  $\frac{1}{4} \left( \sqrt{-4c^2d + 2(b^2 - 4ac)c} e \right) \left( (b^4c - 5ab^2c^2 + 4a^2c^3) d e - (b^5 - 6ab^3c + 8a^2b^2c^2) e^2 \right) c^2 - 2 \left( (b^2c^3 - ac^4) \sqrt{b^2 - 4ac} d^2 - (b^3c^2 - ab^2c^3) \sqrt{b^2 - 4ac} d e + (ab^2c^2 - a^2c^3) \sqrt{b^2 - 4ac} e^2 \right) \sqrt{-4c^2d + 2(b^2 - 4ac)c} e \left| c \right| + \sqrt{-4c^2d + 2(b^2 - 4ac)c} e \left( 2(b^3c^4 - 3ab^2c^5) d^2 - (3b^4c^3 - 11ab^2c^4 + 4a^2c^5) d e + (b^5c^2 - 4ab^3c^3 + 2a^2b^2c^4) e^2 \right) \arctan \left( \frac{2\sqrt{1/2} \sqrt{xe + d}}{\sqrt{-(2c^6d^2e^{12} - bc^5e^{13} + \sqrt{-4(c^6d^2e^{12} - bc^5d^2e^{13} + ac^5e^{14})} c^6e^{12} + (2c^6d^2e^{12} - bc^5e^{13})^2)} e^{-12}/c^6} \right) / \left( \left( \sqrt{b^2 - 4ac} \right) c^6 d^2 - \sqrt{b^2 - 4ac} b c^5 d e + \sqrt{b^2 - 4ac} a c^5 e^2 \right) c^2 - \frac{1}{4} \left( \sqrt{-4c^2d + 2(b^2 - 4ac)c} e \right) \left( (b^4c - 5ab^2c^2 + 4a^2c^3) d e - (b^5 - 6ab^3c + 8a^2b^2c^2) e^2 \right) c^2 + 2 \left( (b^2c^3 - ac^4) \sqrt{b^2 - 4ac} d^2 - (b^3c^2 - ab^2c^3) \sqrt{b^2 - 4ac} d e + (ab^2c^2 - a^2c^3) \sqrt{b^2 - 4ac} e^2 \right) \sqrt{-4c^2d + 2(b^2 - 4ac)c} e \left| c \right| + \sqrt{-4c^2d + 2(b^2 - 4ac)c} e \left( 2(b^3c^4 - 3ab^2c^5) d^2 - (3b^4c^3 - 11ab^2c^4 + 4a^2c^5) d e + (b^5c^2 - 4ab^3c^3 + 2a^2b^2c^4) e^2 \right) \arctan \left( \frac{2\sqrt{1/2} \sqrt{xe + d}}{\sqrt{-(2c^6d^2e^{12} - bc^5d^2e^{13} + ac^5e^{14})} c^6e^{12} + (2c^6d^2e^{12} - bc^5e^{13})^2} e^{-12}/c^6} \right) / \left( \left( \sqrt{b^2 - 4ac} \right) c^6 d^2 - \sqrt{b^2 - 4ac} b c^5 d e + \sqrt{b^2 - 4ac} a c^5 e^2 \right) c^2 + \frac{2}{15} \left( 3(xe + d)^{5/2} c^4 e^8 - 5(xe + d)^{3/2} c^4 d e^8 - 5(xe + d)^{3/2} b c^3 e^9 + 15 \sqrt{xe + d} b^2 c^2 e^{10} - 15 \sqrt{xe + d} a c^3 e^{10} \right) e^{-10} / c^5$

**maple [B]** time = 0.06, size = 1764, normalized size = 5.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(e\*x+d)^(1/2)/(c\*x^2+b\*x+a),x)

[Out]  $\frac{2}{5} (e*x+d)^{5/2} / c e^{-2} - \frac{2}{3} e / c^2 * (e*x+d)^{3/2} * b - \frac{2}{3} e^2 / c * (e*x+d)^{3/2} * d - \frac{2}{c^2} a * (e*x+d)^{1/2} + \frac{2}{c^3} b^2 * (e*x+d)^{1/2} - \frac{2}{e^2} e / c / \left( -(4ac - b^2) e^2 \right)^{1/2} * \left( \frac{1}{2} \right)^{1/2} / \left( (-b*e + 2*c*d + \left( -(4ac - b^2) e^2 \right)^{1/2}) * c \right)^{1/2} * \operatorname{arctanh} \left( \frac{(e*x+d)^{1/2} * \left( \frac{1}{2} \right)^{1/2}}{\left( (-b*e + 2*c*d + \left( -(4ac - b^2) e^2 \right)^{1/2}) * c \right)^{1/2}} * a^2 + 4 * e^2 / c^2 / \left( -(4ac - b^2) e^2 \right)^{1/2} * \left( \frac{1}{2} \right)^{1/2} / \left( (-b*e + 2*c*d + \left( -(4ac - b^2) e^2 \right)^{1/2}) * c \right)^{1/2} * \operatorname{arctanh} \left( \frac{(e*x+d)^{1/2} * \left( \frac{1}{2} \right)^{1/2}}{\left( (-b*e + 2*c*d + \left( -(4ac - b^2) e^2 \right)^{1/2}) * c \right)^{1/2}} * a * b^2 - 3 * e / c / \left( -(4ac - b^2) e^2 \right)^{1/2} * \left( \frac{1}{2} \right)^{1/2} / \left( (-b*e + 2*c*d + \left( -(4ac - b^2) e^2 \right)^{1/2}) * c \right)^{1/2} * \operatorname{arctanh} \left( \frac{(e*x+d)^{1/2} * \left( \frac{1}{2} \right)^{1/2}}{\left( (-b*e + 2*c*d + \left( -(4ac - b^2) e^2 \right)^{1/2}) * c \right)^{1/2}} \right) \right)$

$$\begin{aligned}
& c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*a*b*d-e^2/c^3/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctanh((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*b^4+e/c^2/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctanh((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*b^3*d-2*e/c^2*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctanh((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*a*b+1/c*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctanh((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*a*d+e/c^3*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctanh((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*b^3-1/c^2*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctanh((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*b^2*d-2*e^2/c/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*a^2+4*e^2/c^2/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*a*b^2-3*e/c/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*a*b*d-e^2/c^3/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*b^4+e/c^2/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*b^3*d+2*e/c^2*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*a*b-1/c*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*a*d-e/c^3*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*b^3+1/c^2*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*b^2*d
\end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d} x^3}{cx^2+bx+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^(1/2)/(c\*x^2+b\*x+a),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)\*x^3/(c\*x^2 + b\*x + a), x)

**mupad** [B] time = 4.37, size = 11143, normalized size = 34.18



$$\begin{aligned}
& 4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3 \\
& *a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& (1/2))/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} + (8*(d + e*x)^{(1/2)} \\
& *(b^8*e^4 + 2*a^4*c^4*e^4 + 20*a^2*b^4*c^2*e^4 - 16*a^3*b^2*c^3*e^4 - 2*a^3 \\
& *c^5*d^2*e^2 + b^6*c^2*d^2*e^2 - 8*a*b^6*c*e^4 - 2*b^7*c*d*e^3 + 9*a^2*b^2* \\
& c^4*d^2*e^2 + 14*a*b^5*c^2*d*e^3 + 14*a^3*b*c^4*d*e^3 - 6*a*b^4*c^3*d^2*e^2 \\
& - 28*a^2*b^3*c^3*d*e^3))/c^5)*(-(b^9*e - 8*a^4*c^5*d - b^6*e*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} - b^8*c*d - 33*a^2*b^4*c^3*d + 38*a^3*b^2*c^4*d + 42*a^2*b^5*c^ \\
& 2*e - 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e \\
& + 10*a*b^6*c^2*d + 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a* \\
& b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3 \\
& )^{(1/2)}))/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*i)/((((8*(4*a^3*c \\
& ^6*e^4 + a*b^4*c^4*e^4 - b^5*c^4*d*e^3 - 5*a^2*b^2*c^5*e^4 + 4*a^2*c^7*d^2* \\
& e^2 + b^4*c^5*d^2*e^2 + 5*a*b^3*c^5*d*e^3 - 4*a^2*b*c^6*d*e^3 - 5*a*b^2*c^6 \\
& *d^2*e^2))/c^5 - (8*(d + e*x)^{(1/2)}*(-(b^9*e - 8*a^4*c^5*d - b^6*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - b^8*c*d - 33*a^2*b^4*c^3*d + 38*a^3*b^2*c^4*d + 42*a^2*b \\
& ^5*c^2*e - 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7 \\
& *c*e + 10*a*b^6*c^2*d + 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b \\
& ^2)^3)^{(1/2)}))/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*(b^3*c^7*e^3 \\
& - 2*b^2*c^8*d*e^2 - 4*a*b*c^8*e^3 + 8*a*c^9*d*e^2))/c^5)*(-(b^9*e - 8*a^4*c \\
& ^5*d - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^8*c*d - 33*a^2*b^4*c^3*d + 38*a^3 \\
& *b^2*c^4*d + 42*a^2*b^5*c^2*e - 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2 \\
& )^3)^{(1/2)} - 11*a*b^7*c*e + 10*a*b^6*c^2*d + 28*a^4*b*c^4*e + b^5*c*d*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2* \\
& d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b \\
& ^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8)) \\
& )^{(1/2)} - (8*(d + e*x)^{(1/2)}*(b^8*e^4 + 2*a^4*c^4*e^4 + 20*a^2*b^4*c^2*e^4 \\
& - 16*a^3*b^2*c^3*e^4 - 2*a^3*c^5*d^2*e^2 + b^6*c^2*d^2*e^2 - 8*a*b^6*c*e^4 \\
& - 2*b^7*c*d*e^3 + 9*a^2*b^2*c^4*d^2*e^2 + 14*a*b^5*c^2*d*e^3 + 14*a^3*b*c^4 \\
& *d*e^3 - 6*a*b^4*c^3*d^2*e^2 - 28*a^2*b^3*c^3*d*e^3))/c^5)*(-(b^9*e - 8*a^4 \\
& *c^5*d - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^8*c*d - 33*a^2*b^4*c^3*d + 38*a \\
& ^3*b^2*c^4*d + 42*a^2*b^5*c^2*e - 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 11*a*b^7*c*e + 10*a*b^6*c^2*d + 28*a^4*b*c^4*e + b^5*c*d*(-( \\
& 4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2* \\
& d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2 \\
& *b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8 \\
& )))^{(1/2)} - (16*(a^4*b^3*e^5 - a^3*b^4*d*e^4 + a^5*c^2*d*e^4 + a^4*c^3*d^3* \\
& e^2 - 2*a^5*b*c*e^5 - a^3*b^2*c^2*d^3*e^2 + a^4*b^2*c*d*e^4 + 2*a^3*b^3*c*d \\
& ^2*e^3 - 3*a^4*b*c^2*d^2*e^3))/c^5 + (((8*(4*a^3*c^6*e^4 + a*b^4*c^4*e^4 - \\
& b^5*c^4*d*e^3 - 5*a^2*b^2*c^5*e^4 + 4*a^2*c^7*d^2*e^2 + b^4*c^5*d^2*e^2 + 5 \\
& *a*b^3*c^5*d*e^3 - 4*a^2*b*c^6*d*e^3 - 5*a*b^2*c^6*d^2*e^2))/c^5 + (8*(d + \\
& e*x)^{(1/2)}*(-(b^9*e - 8*a^4*c^5*d - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^8*c*
\end{aligned}$$



$$\begin{aligned}
& d - 33a^2b^4c^3d + 38a^3b^2c^4d + 42a^2b^5c^2e - 63a^3b^3c^3 \\
& *e + a^3c^3e*(-(4ac - b^2)^3)^{(1/2)} - 11ab^7c*e + 10ab^6c^2d + 2 \\
& 8a^4b^3c^4e + b^5c*d*(-(4ac - b^2)^3)^{(1/2)} + 5ab^4c*e*(-(4ac - b \\
& ^2)^3)^{(1/2)} - 4ab^3c^2d*(-(4ac - b^2)^3)^{(1/2)} + 3a^2b^3c^3d*(-(4 \\
& ac - b^2)^3)^{(1/2)} - 6a^2b^2c^2e*(-(4ac - b^2)^3)^{(1/2)})/(2*(16a^2c^9 \\
& + b^4c^7 - 8ab^2c^8))^{(1/2)}*(b^3c^7e^3 - 2b^2c^8d*e^2 - 4ab \\
& *c^8e^3 + 8ac^9d*e^2)/c^5*(-(b^9e - 8a^4c^5d - b^6e*(-(4ac - b \\
& ^2)^3)^{(1/2)} - b^8c*d - 33a^2b^4c^3d + 38a^3b^2c^4d + 42a^2b^5c \\
& ^2e - 63a^3b^3c^3e + a^3c^3e*(-(4ac - b^2)^3)^{(1/2)} - 11ab^7c*e \\
& + 10ab^6c^2d + 28a^4b^3c^4e + b^5c*d*(-(4ac - b^2)^3)^{(1/2)} + 5a \\
& *b^4c*e*(-(4ac - b^2)^3)^{(1/2)} - 4ab^3c^2d*(-(4ac - b^2)^3)^{(1/2)} \\
& + 3a^2b^3c^3d*(-(4ac - b^2)^3)^{(1/2)} - 6a^2b^2c^2e*(-(4ac - b^2)^ \\
& 3)^{(1/2)})/(2*(16a^2c^9 + b^4c^7 - 8ab^2c^8))^{(1/2)} + (8*(d + e*x)^{(1 \\
& /2)}*(b^8e^4 + 2a^4c^4e^4 + 20a^2b^4c^2e^4 - 16a^3b^2c^3e^4 - 2 \\
& a^3c^5d^2e^2 + b^6c^2d^2e^2 - 8ab^6c^4e^4 - 2b^7c*d^2e^3 + 9a^2b \\
& ^2c^4d^2e^2 + 14ab^5c^2d^2e^3 + 14a^3b^3c^4d^2e^3 - 6ab^4c^3d^2 \\
& e^2 - 28a^2b^3c^3d^2e^3))/c^5*(-(b^9e - 8a^4c^5d - b^6e*(-(4ac - \\
& b^2)^3)^{(1/2)} - b^8c*d - 33a^2b^4c^3d + 38a^3b^2c^4d + 42a^2b^5 \\
& *c^2e - 63a^3b^3c^3e + a^3c^3e*(-(4ac - b^2)^3)^{(1/2)} - 11ab^7c \\
& *e + 10ab^6c^2d + 28a^4b^3c^4e + b^5c*d*(-(4ac - b^2)^3)^{(1/2)} + 5 \\
& *ab^4c*e*(-(4ac - b^2)^3)^{(1/2)} - 4ab^3c^2d*(-(4ac - b^2)^3)^{(1/2)} \\
& ) + 3a^2b^3c^3d*(-(4ac - b^2)^3)^{(1/2)} - 6a^2b^2c^2e*(-(4ac - b^2 \\
& )^3)^{(1/2)})/(2*(16a^2c^9 + b^4c^7 - 8ab^2c^8))^{(1/2)}*(-(b^9e - 8 \\
& a^4c^5d - b^6e*(-(4ac - b^2)^3)^{(1/2)} - b^8c*d - 33a^2b^4c^3d + 3 \\
& 8a^3b^2c^4d + 42a^2b^5c^2e - 63a^3b^3c^3e + a^3c^3e*(-(4ac - \\
& b^2)^3)^{(1/2)} - 11ab^7c*e + 10ab^6c^2d + 28a^4b^3c^4e + b^5c*d \\
& *(- (4ac - b^2)^3)^{(1/2)} + 5ab^4c*e*(-(4ac - b^2)^3)^{(1/2)} - 4ab^3c \\
& ^2d*(-(4ac - b^2)^3)^{(1/2)} + 3a^2b^3c^3d*(-(4ac - b^2)^3)^{(1/2)} - 6 \\
& a^2b^2c^2e*(-(4ac - b^2)^3)^{(1/2)})/(2*(16a^2c^9 + b^4c^7 - 8 \\
& *ab^2c^8))^{(1/2)}*2i - ((2d)/(c*e^2) + (2*(b^3e^3 - 2c*d^2e^2))/(3c^2e^4))* \\
& (d + e*x)^{(3/2)} + \operatorname{atan}(\frac{((8(4a^3c^6e^4 + ab^4c^4e^4 - b^5c^4d^2e^3 - \\
& 5a^2b^2c^5e^4 + 4a^2c^7d^2e^2 + b^4c^5d^2e^2 + 5ab^3c^5d^2e^3 \\
& - 4a^2b^3c^6d^2e^3 - 5ab^2c^6d^2e^2))}{c^5} - (8*(d + e*x)^{(1/2)}*((8a \\
& ^4c^5d - b^9e - b^6e*(-(4ac - b^2)^3)^{(1/2)} + b^8c*d + 33a^2b^4c^ \\
& 3d - 38a^3b^2c^4d - 42a^2b^5c^2e + 63a^3b^3c^3e + a^3c^3e*(- \\
& (4ac - b^2)^3)^{(1/2)} + 11ab^7c*e - 10ab^6c^2d - 28a^4b^3c^4e + b \\
& ^5c*d*(-(4ac - b^2)^3)^{(1/2)} + 5ab^4c*e*(-(4ac - b^2)^3)^{(1/2)} - 4 \\
& ab^3c^2d*(-(4ac - b^2)^3)^{(1/2)} + 3a^2b^3c^3d*(-(4ac - b^2)^3)^{(1/ \\
& 2)} - 6a^2b^2c^2e*(-(4ac - b^2)^3)^{(1/2)})/(2*(16a^2c^9 + b^4c^7 - 8 \\
& *ab^2c^8))^{(1/2)}*(b^3c^7e^3 - 2b^2c^8d^2e^2 - 4ab^3c^8e^3 + 8a^2c^ \\
& 9d^2e^2))/c^5*((8a^4c^5d - b^9e - b^6e*(-(4ac - b^2)^3)^{(1/2)} + b^8 \\
& *c*d + 33a^2b^4c^3d - 38a^3b^2c^4d - 42a^2b^5c^2e + 63a^3b^3c^3 \\
& c^3e + a^3c^3e*(-(4ac - b^2)^3)^{(1/2)} + 11ab^7c*e - 10ab^6c^2d \\
& - 28a^4b^3c^4e + b^5c*d*(-(4ac - b^2)^3)^{(1/2)} + 5ab^4c*e*(-(4ac \\
& - b^2)^3)^{(1/2)} - 4ab^3c^2d*(-(4ac - b^2)^3)^{(1/2)} + 3a^2b^3c^3d*(-
\end{aligned}$$



$$\begin{aligned}
& 2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4 \\
& *a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*(b^3*c \\
& ^7*e^3 - 2*b^2*c^8*d*e^2 - 4*a*b*c^8*e^3 + 8*a*c^9*d*e^2))/c^5)*((8*a^4*c^ \\
& 5*d - b^9*e - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} + b^8*c*d + 33*a^2*b^4*c^3*d - \\
& 38*a^3*b^2*c^4*d - 42*a^2*b^5*c^2*e + 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a* \\
& c - b^2)^3)^{(1/2)} + 11*a*b^7*c*e - 10*a*b^6*c^2*d - 28*a^4*b*c^4*e + b^5*c* \\
& d*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3 \\
& *c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^ \\
& 2*c^8))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(b^8*e^4 + 2*a^4*c^4*e^4 + 20*a^2*b^4*c \\
& ^2*e^4 - 16*a^3*b^2*c^3*e^4 - 2*a^3*c^5*d^2*e^2 + b^6*c^2*d^2*e^2 - 8*a*b^6 \\
& *c*e^4 - 2*b^7*c*d*e^3 + 9*a^2*b^2*c^4*d^2*e^2 + 14*a*b^5*c^2*d*e^3 + 14*a^ \\
& 3*b*c^4*d*e^3 - 6*a*b^4*c^3*d^2*e^2 - 28*a^2*b^3*c^3*d*e^3))/c^5)*((8*a^4*c \\
& ^5*d - b^9*e - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} + b^8*c*d + 33*a^2*b^4*c^3*d \\
& - 38*a^3*b^2*c^4*d - 42*a^2*b^5*c^2*e + 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a \\
& *c - b^2)^3)^{(1/2)} + 11*a*b^7*c*e - 10*a*b^6*c^2*d - 28*a^4*b*c^4*e + b^5*c \\
& *d*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^ \\
& 3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b \\
& ^2*c^8))^{(1/2)} - (16*(a^4*b^3*e^5 - a^3*b^4*d*e^4 + a^5*c^2*d*e^4 + a^4*c^ \\
& 3*d^3*e^2 - 2*a^5*b*c*e^5 - a^3*b^2*c^2*d^3*e^2 + a^4*b^2*c*d*e^4 + 2*a^3*b \\
& ^3*c*d^2*e^3 - 3*a^4*b*c^2*d^2*e^3))/c^5 + (((8*(4*a^3*c^6*e^4 + a*b^4*c^4* \\
& e^4 - b^5*c^4*d*e^3 - 5*a^2*b^2*c^5*e^4 + 4*a^2*c^7*d^2*e^2 + b^4*c^5*d^2*e \\
& ^2 + 5*a*b^3*c^5*d*e^3 - 4*a^2*b*c^6*d*e^3 - 5*a*b^2*c^6*d^2*e^2))/c^5 + (8 \\
& *(d + e*x)^{(1/2)}*((8*a^4*c^5*d - b^9*e - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} + b \\
& ^8*c*d + 33*a^2*b^4*c^3*d - 38*a^3*b^2*c^4*d - 42*a^2*b^5*c^2*e + 63*a^3*b^ \\
& 3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a*b^7*c*e - 10*a*b^6*c^2* \\
& d - 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d* \\
& (- (4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16 \\
& *a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*(b^3*c^7*e^3 - 2*b^2*c^8*d*e^2 - \\
& 4*a*b*c^8*e^3 + 8*a*c^9*d*e^2))/c^5)*((8*a^4*c^5*d - b^9*e - b^6*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + b^8*c*d + 33*a^2*b^4*c^3*d - 38*a^3*b^2*c^4*d - 42*a^2*b \\
& ^5*c^2*e + 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a*b^7 \\
& *c*e - 10*a*b^6*c^2*d - 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b \\
& ^2)^3)^{(1/2)})/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} + (8*(d + e*x) \\
& )^{(1/2)}*(b^8*e^4 + 2*a^4*c^4*e^4 + 20*a^2*b^4*c^2*e^4 - 16*a^3*b^2*c^3*e^4 \\
& - 2*a^3*c^5*d^2*e^2 + b^6*c^2*d^2*e^2 - 8*a*b^6*c*e^4 - 2*b^7*c*d*e^3 + 9*a \\
& ^2*b^2*c^4*d^2*e^2 + 14*a*b^5*c^2*d*e^3 + 14*a^3*b*c^4*d*e^3 - 6*a*b^4*c^3* \\
& d^2*e^2 - 28*a^2*b^3*c^3*d*e^3))/c^5)*((8*a^4*c^5*d - b^9*e - b^6*e*(-(4*a* \\
& c - b^2)^3)^{(1/2)} + b^8*c*d + 33*a^2*b^4*c^3*d - 38*a^3*b^2*c^4*d - 42*a^2* \\
& b^5*c^2*e + 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a*b^ \\
& 7*c*e - 10*a*b^6*c^2*d - 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& / (2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} * ((8*a^4*c^5*d - b^9*e - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} + b^8*c*d + 33*a^2*b^4*c^3*d - 38*a^3*b^2*c^4*d \\
& - 42*a^2*b^5*c^2*e + 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a*b^7*c*e - 10*a*b^6*c^2*d - 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& / (2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} * 2i + (d + e*x)^{(1/2)} * ((6*d^2)/(c*e^2) - (2*(a*e^4 + c*d^2*e^2 - b*d*e^3))/(c^2*e^4) + ((6*d)/(c*e^2) + (2*(b*e^3 - 2*c*d*e^2))/(c^2*e^4)) * (b*e^3 - 2*c*d*e^2)/(c*e^2) + (2*(d + e*x)^{(5/2)})/(5*c*e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(e\*x+d)\*\*(1/2)/(c\*x\*\*2+b\*x+a),x)

[Out] Timed out

$$3.336 \quad \int \frac{x^2 \sqrt{d+ex}}{a+bx+cx^2} dx$$

Optimal. Leaf size=316

$$\frac{\sqrt{2} \left( -\frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) + \sqrt{2} \left( \frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}} + ace \right)}{c^{5/2} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} + \frac{\sqrt{2} \left( \frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}} + ace \right)}{c^{5/2} \sqrt{2cd-e(b+\sqrt{b^2-4ac})}}$$

**Rubi [A]** time = 3.16, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {897, 1287, 1166, 208}

$$\frac{\sqrt{2} \left( -\frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right)}{c^{5/2} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} + \frac{\sqrt{2} \left( \frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b+\sqrt{b^2-4ac})}} \right)}{c^{5/2} \sqrt{2cd-e(b+\sqrt{b^2-4ac})}} - \frac{2b\sqrt{d+ex}}{c^2} + \frac{2(d+ex)^{3/2}}{3ce}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*sqrt[d + e\*x])/(a + b\*x + c\*x^2), x]

[Out]  $(-2*b*\text{sqrt}[d + e*x])/c^2 + (2*(d + e*x)^{(3/2)})/(3*c*e) + (\text{sqrt}[2]*(b*c*d - b^2*e + a*c*e - (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e))/\text{sqrt}[b^2 - 4*a*c]) * \text{ArcTanh}[(\text{sqrt}[2]*\text{sqrt}[c]*\text{sqrt}[d + e*x])/\text{sqrt}[2*c*d - (b - \text{sqrt}[b^2 - 4*a*c]) * e]])/(c^{(5/2)}*\text{sqrt}[2*c*d - (b - \text{sqrt}[b^2 - 4*a*c]) * e]) + (\text{sqrt}[2]*(b*c*d - b^2*e + a*c*e + (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e))/\text{sqrt}[b^2 - 4*a*c]) * \text{ArcTanh}[(\text{sqrt}[2]*\text{sqrt}[c]*\text{sqrt}[d + e*x])/\text{sqrt}[2*c*d - (b + \text{sqrt}[b^2 - 4*a*c]) * e]])/(c^{(5/2)}*\text{sqrt}[2*c*d - (b + \text{sqrt}[b^2 - 4*a*c]) * e])$

Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 897

Int[((d\_) + (e\_)\*(x\_)^m)\*((f\_) + (g\_)\*(x\_)^n)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^p, x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

Rule 1166

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] :  
 > With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2  
 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2  
 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ  
 Q[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

Rule 1287

Int[(((f\_)\*(x\_)^(m\_))\*((d\_) + (e\_)\*(x\_)^2)^(q\_))/((a\_) + (b\_)\*(x\_)^2 +  
 (c\_)\*(x\_)^4), x\_Symbol] :> Int[ExpandIntegrand[((f\*x)^m\*(d + e\*x^2)^q)/(a  
 + b\*x^2 + c\*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4  
 \*a\*c, 0] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2 \sqrt{d+ex}}{a+bx+cx^2} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{x^2 \left( -\frac{d}{e} + \frac{x^2}{e} \right)^2}{\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}} dx, x, \sqrt{d+ex} \right)}{e} \\
 &= \frac{2 \operatorname{Subst} \left( \int \left( -\frac{be}{c^2} + \frac{x^2}{c} + \frac{b(cd^2-bde+ae^2) - (bcd-b^2e+ace)x^2}{c^2 e \left( \frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2} \right)} \right) dx, x, \sqrt{d+ex} \right)}{e} \\
 &= -\frac{2b\sqrt{d+ex}}{c^2} + \frac{2(d+ex)^{3/2}}{3ce} + \frac{2 \operatorname{Subst} \left( \int \frac{b(cd^2-bde+ae^2) + (-bcd+b^2e-ace)x^2}{\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}} dx, x, \sqrt{d+ex} \right)}{c^2 e^2} \\
 &= -\frac{2b\sqrt{d+ex}}{c^2} + \frac{2(d+ex)^{3/2}}{3ce} - \frac{\left( bcd - b^2e + ace - \frac{b^2cd - 2ac^2d - b^3e + 3abce}{\sqrt{b^2 - 4ac}} \right) \operatorname{Subst} \left( \int \frac{1}{-\frac{\sqrt{b^2-4ac}}{2e} - \frac{2cd-b^2e}{2e^2}} \right)}{c^2 e^2} \\
 &= -\frac{2b\sqrt{d+ex}}{c^2} + \frac{2(d+ex)^{3/2}}{3ce} + \frac{\sqrt{2} \left( bcd - b^2e + ace - \frac{b^2cd - 2ac^2d - b^3e + 3abce}{\sqrt{b^2 - 4ac}} \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})^2}} \right)}{c^{5/2} \sqrt{2cd - (b - \sqrt{b^2 - 4ac})^2}} e
 \end{aligned}$$

**Mathematica [A]** time = 0.44, size = 375, normalized size = 1.19

$$\frac{\sqrt{2} \left( -b^2 \left( e\sqrt{b^2-4ac} + cd \right) + bc \left( d\sqrt{b^2-4ac} - 3ac \right) + ac \left( e\sqrt{b^2-4ac} + 2cd \right) + b^3e \right) \operatorname{tanh}^{-1} \left( \frac{\sqrt{2} \sqrt{e\sqrt{b^2-4ac}}}{\sqrt{e\sqrt{b^2-4ac} + be - 2cd}} \right) - \sqrt{2} \left( b^2 \left( e\sqrt{b^2-4ac} - cd \right) - bc \left( d\sqrt{b^2-4ac} + 3ac \right) + ac \left( 2cd - e\sqrt{b^2-4ac} \right) + b^3e \right) \operatorname{tanh}^{-1} \left( \frac{\sqrt{2} \sqrt{e\sqrt{b^2-4ac}}}{\sqrt{2cd - (b^2-4ac)}} \right) + \frac{2\sqrt{d+ex}(c(d+ex)-3be)}{3c^2e}}{e^{5/2}\sqrt{b^2-4ac}\sqrt{e\sqrt{b^2-4ac}+be-2cd}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*Sqrt[d + e\*x])/(a + b\*x + c\*x^2), x]

[Out] (2\*Sqrt[d + e\*x]\*(-3\*b\*e + c\*(d + e\*x)))/(3\*c^2\*e) + (Sqrt[2]\*(b^3\*e + b\*c\*(Sqrt[b^2 - 4\*a\*c]\*d - 3\*a\*e) - b^2\*(c\*d + Sqrt[b^2 - 4\*a\*c]\*e) + a\*c\*(2\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - b\*e + Sqrt[b^2 - 4\*a\*c]\*e]]/(c^(5/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d + (-b + Sqrt[b^2 - 4\*a\*c])\*e]) - (Sqrt[2]\*(b^3\*e - b\*c\*(Sqrt[b^2 - 4\*a\*c]\*d + 3\*a\*e) + a\*c\*(2\*c\*d - Sqrt[b^2 - 4\*a\*c]\*e) + b^2\*(-(c\*d) + Sqrt[b^2 - 4\*a\*c]\*e))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]]/(c^(5/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e])

**IntegrateAlgebraic [A]** time = 1.16, size = 445, normalized size = 1.41

$$\frac{(-\sqrt{2}bcd\sqrt{b^2-4ac} + \sqrt{2}b^2e\sqrt{b^2-4ac} - \sqrt{2}ace\sqrt{b^2-4ac} + 3\sqrt{2}abce - 2\sqrt{2}ac^2d - \sqrt{2}b^3e + \sqrt{2}b^2cd) \operatorname{tanh}^{-1} \left( \frac{\sqrt{2} \sqrt{e\sqrt{b^2-4ac}}}{\sqrt{e\sqrt{b^2-4ac} + be - 2cd}} \right) + (-\sqrt{2}bcd\sqrt{b^2-4ac} + \sqrt{2}b^2e\sqrt{b^2-4ac} - \sqrt{2}ace\sqrt{b^2-4ac} - 3\sqrt{2}abce + 2\sqrt{2}ac^2d + \sqrt{2}b^3e - \sqrt{2}b^2cd) \operatorname{tanh}^{-1} \left( \frac{\sqrt{2} \sqrt{e\sqrt{b^2-4ac}}}{\sqrt{e\sqrt{b^2-4ac} + be - 2cd}} \right) + \frac{2(3be\sqrt{d+ex} - c(d+ex)^{3/2})}{3c^2e}}{e^{5/2}\sqrt{b^2-4ac}\sqrt{e\sqrt{b^2-4ac}+be-2cd}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*Sqrt[d + e\*x])/(a + b\*x + c\*x^2), x]

[Out] (-2\*(3\*b\*e\*Sqrt[d + e\*x] - c\*(d + e\*x)^(3/2)))/(3\*c^2\*e) + ((Sqrt[2]\*b^2\*c\*d - 2\*Sqrt[2]\*a\*c^2\*d - Sqrt[2]\*b\*c\*Sqrt[b^2 - 4\*a\*c]\*d - Sqrt[2]\*b^3\*e + 3\*Sqrt[2]\*a\*b\*c\*e + Sqrt[2]\*b^2\*Sqrt[b^2 - 4\*a\*c]\*e - Sqrt[2]\*a\*c\*Sqrt[b^2 - 4\*a\*c]\*e)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[-2\*c\*d + b\*e - Sqrt[b^2 - 4\*a\*c]\*e]]/(c^(5/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[-2\*c\*d + b\*e - Sqrt[b^2 - 4\*a\*c]\*e]) + ((-(Sqrt[2]\*b^2\*c\*d) + 2\*Sqrt[2]\*a\*c^2\*d - Sqrt[2]\*b\*c\*Sqrt[b^2 - 4\*a\*c]\*d + Sqrt[2]\*b^3\*e - 3\*Sqrt[2]\*a\*b\*c\*e + Sqrt[2]\*b^2\*Sqrt[b^2 - 4\*a\*c]\*e - Sqrt[2]\*a\*c\*Sqrt[b^2 - 4\*a\*c]\*e)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[-2\*c\*d + b\*e + Sqrt[b^2 - 4\*a\*c]\*e]]/(c^(5/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[-2\*c\*d + b\*e + Sqrt[b^2 - 4\*a\*c]\*e])

**fricas [B]** time = 0.52, size = 2966, normalized size = 9.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)^(1/2)/(c\*x^2+b\*x+a), x, algorithm="fricas")


[Out] 1/6\*(3\*sqrt(2)\*c^2\*e\*sqrt(((b^4\*c - 4\*a\*b^2\*c^2 + 2\*a^2\*c^3)\*d - (b^5 - 5\*a\*b^3\*c + 5\*a^2\*b\*c^2)\*e + (b^2\*c^5 - 4\*a\*c^6)\*sqrt(((b^6\*c^2 - 4\*a\*b^4\*c^3

$$\begin{aligned}
& + 4*a^2*b^2*c^4)*d^2 - 2*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4) \\
& )*d*e + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^2)/ \\
& (b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6))*\log(\sqrt{2}*((b^6*c - 6*a*b^4*c \\
& ^2 + 8*a^2*b^2*c^3)*d - (b^7 - 7*a*b^5*c + 13*a^2*b^3*c^2 - 4*a^3*b*c^3)*e \\
& - (b^4*c^5 - 6*a*b^2*c^6 + 8*a^2*c^7)*\sqrt{((b^6*c^2 - 4*a*b^4*c^3 + 4*a^2* \\
& b^2*c^4)*d^2 - 2*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e + \\
& (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^2)/(b^2*c^10 \\
& - 4*a*c^11)))*\sqrt{((b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*d - (b^5 - 5*a*b^3*c \\
& + 5*a^2*b*c^2)*e + (b^2*c^5 - 4*a*c^6)*\sqrt{((b^6*c^2 - 4*a*b^4*c^3 + 4*a^ \\
& 2*b^2*c^4)*d^2 - 2*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e \\
& + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^2)/(b^2*c^ \\
& 10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6)) - 4*((a^2*b^3*c - 2*a^3*b*c^2)*d - (a \\
& ^2*b^4 - 3*a^3*b^2*c + a^4*c^2)*e)*\sqrt{e*x + d}) - 3*\sqrt{2}*c^2*e*\sqrt{(( \\
& b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*d - (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*e + (b \\
& ^2*c^5 - 4*a*c^6)*\sqrt{((b^6*c^2 - 4*a*b^4*c^3 + 4*a^2*b^2*c^4)*d^2 - 2*(b^ \\
& 7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e + (b^8 - 6*a*b^6*c + 1 \\
& 1*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^2)/(b^2*c^10 - 4*a*c^11)))/(b^2* \\
& c^5 - 4*a*c^6))*\log(-\sqrt{2}*((b^6*c - 6*a*b^4*c^2 + 8*a^2*b^2*c^3)*d - (b^ \\
& 7 - 7*a*b^5*c + 13*a^2*b^3*c^2 - 4*a^3*b*c^3)*e - (b^4*c^5 - 6*a*b^2*c^6 + \\
& 8*a^2*c^7)*\sqrt{((b^6*c^2 - 4*a*b^4*c^3 + 4*a^2*b^2*c^4)*d^2 - 2*(b^7*c - 5 \\
& *a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e + (b^8 - 6*a*b^6*c + 11*a^2*b \\
& ^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^2)/(b^2*c^10 - 4*a*c^11)))*\sqrt{((b^4*c \\
& - 4*a*b^2*c^2 + 2*a^2*c^3)*d - (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*e + (b^2*c^ \\
& 5 - 4*a*c^6)*\sqrt{((b^6*c^2 - 4*a*b^4*c^3 + 4*a^2*b^2*c^4)*d^2 - 2*(b^7*c - \\
& 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e + (b^8 - 6*a*b^6*c + 11*a^2* \\
& b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^2)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - \\
& 4*a*c^6)) - 4*((a^2*b^3*c - 2*a^3*b*c^2)*d - (a^2*b^4 - 3*a^3*b^2*c + a^4* \\
& c^2)*e)*\sqrt{e*x + d}) + 3*\sqrt{2}*c^2*e*\sqrt{((b^4*c - 4*a*b^2*c^2 + 2*a^2 \\
& *c^3)*d - (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*e - (b^2*c^5 - 4*a*c^6)*\sqrt{((b^ \\
& 6*c^2 - 4*a*b^4*c^3 + 4*a^2*b^2*c^4)*d^2 - 2*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b \\
& ^3*c^3 - 2*a^3*b*c^4)*d*e + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c \\
& ^3 + a^4*c^4)*e^2)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6))*\log(\sqrt{2} \\
& *((b^6*c - 6*a*b^4*c^2 + 8*a^2*b^2*c^3)*d - (b^7 - 7*a*b^5*c + 13*a^2*b^3*c \\
& ^2 - 4*a^3*b*c^3)*e + (b^4*c^5 - 6*a*b^2*c^6 + 8*a^2*c^7)*\sqrt{((b^6*c^2 - \\
& 4*a*b^4*c^3 + 4*a^2*b^2*c^4)*d^2 - 2*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - \\
& 2*a^3*b*c^4)*d*e + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4 \\
& *c^4)*e^2)/(b^2*c^10 - 4*a*c^11)))*\sqrt{((b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)* \\
& d - (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*e - (b^2*c^5 - 4*a*c^6)*\sqrt{((b^6*c^2 \\
& - 4*a*b^4*c^3 + 4*a^2*b^2*c^4)*d^2 - 2*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 \\
& - 2*a^3*b*c^4)*d*e + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a \\
& ^4*c^4)*e^2)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6)) - 4*((a^2*b^3*c - \\
& 2*a^3*b*c^2)*d - (a^2*b^4 - 3*a^3*b^2*c + a^4*c^2)*e)*\sqrt{e*x + d}) - 3*s \\
& \sqrt{2}*c^2*e*\sqrt{((b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*d - (b^5 - 5*a*b^3*c + \\
& 5*a^2*b*c^2)*e - (b^2*c^5 - 4*a*c^6)*\sqrt{((b^6*c^2 - 4*a*b^4*c^3 + 4*a^2* \\
& b^2*c^4)*d^2 - 2*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e + \\
& (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 - 2*a^3*b*c^4)*d*e +
\end{aligned}$$



$$\frac{(b^8 - 6ab^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)e^2}{(b^2c^{10} - 4a^2c^{11})} \Big/ \frac{(b^2c^5 - 4a^2c^6) \log(-\sqrt{2}((b^6c - 6ab^4c^2 + 8a^2b^2c^3)d - (b^7 - 7ab^5c + 13a^2b^3c^2 - 4a^3b^2c^3)e + (b^4c^5 - 6ab^2c^6 + 8a^2c^7)\sqrt{((b^6c^2 - 4ab^4c^3 + 4a^2b^2c^4)d^2 - 2(b^7c - 5ab^5c^2 + 7a^2b^3c^3 - 2a^3b^2c^4)d^2e + (b^8 - 6ab^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)e^2)/(b^2c^{10} - 4a^2c^{11})))\sqrt{((b^4c - 4ab^2c^2 + 2a^2c^3)d - (b^5 - 5ab^3c + 5a^2b^2c^2)e - (b^2c^5 - 4a^2c^6)\sqrt{((b^6c^2 - 4ab^4c^3 + 4a^2b^2c^4)d^2 - 2(b^7c - 5ab^5c^2 + 7a^2b^3c^3 - 2a^3b^2c^4)d^2e + (b^8 - 6ab^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)e^2)/(b^2c^{10} - 4a^2c^{11})})}}{(b^2c^5 - 4a^2c^6)} - 4((a^2b^3c - 2a^3b^2c^2)d - (a^2b^4 - 3a^3b^2c + a^4c^2)e)\sqrt{ex + d}) + 4(cex + cd - 3b^2e)\sqrt{ex + d})/(c^2e)$$

**giac [B]** time = 0.45, size = 868, normalized size = 2.75



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)^(1/2)/(c\*x^2+b\*x+a),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/4*(\sqrt{-4c^2d + 2(b^2c + \sqrt{b^2 - 4ac})c}e)*((b^3c - 4ab^2c^2)d^2e - (b^4 - 5ab^2c + 4a^2c^2)e^2)c^2 - 2*(\sqrt{b^2 - 4ac})b^2c^3d^2 - \sqrt{b^2 - 4ac}b^2c^2d^2e + \sqrt{b^2 - 4ac}ab^2c^2e^2)\sqrt{-4c^2d + 2(b^2c + \sqrt{b^2 - 4ac})c}e)*\text{abs}(c) + \sqrt{-4c^2d + 2(b^2c + \sqrt{b^2 - 4ac})c}e)*(2*(b^2c^4 - 2a^2c^5)d^2 - (3b^3c^3 - 8ab^2c^4)d^2e + (b^4c^2 - 3ab^2c^3)e^2)*\arctan(2*\sqrt{1/2}*\sqrt{xe + d})/\sqrt{-(2c^4d^2e^4 - b^2c^3e^5 + \sqrt{-4(c^4d^2e^4 - b^2c^3d^2e^5 + ac^3e^6)}c^4e^4 + (2c^4d^2e^4 - b^2c^3e^5)^2)}e^{-4}/c^4)/((\sqrt{b^2 - 4ac})c^5d^2 - \sqrt{b^2 - 4ac}b^2c^4d^2e + \sqrt{b^2 - 4ac}a^2c^4e^2)c^2) \\ & + 1/4*(\sqrt{-4c^2d + 2(b^2c - \sqrt{b^2 - 4ac})c}e)*((b^3c - 4ab^2c^2)d^2e - (b^4 - 5ab^2c + 4a^2c^2)e^2)c^2 + 2*(\sqrt{b^2 - 4ac})b^2c^3d^2 - \sqrt{b^2 - 4ac}b^2c^2d^2e + \sqrt{b^2 - 4ac}ab^2c^2e^2)\sqrt{-4c^2d + 2(b^2c - \sqrt{b^2 - 4ac})c}e)*\text{abs}(c) + \sqrt{-4c^2d + 2(b^2c - \sqrt{b^2 - 4ac})c}e)*(2*(b^2c^4 - 2a^2c^5)d^2 - (3b^3c^3 - 8ab^2c^4)d^2e + (b^4c^2 - 3ab^2c^3)e^2)*\arctan(2*\sqrt{1/2}*\sqrt{xe + d})/\sqrt{-(2c^4d^2e^4 - b^2c^3e^5 - \sqrt{-4(c^4d^2e^4 - b^2c^3d^2e^5 + ac^3e^6)}c^4e^4 + (2c^4d^2e^4 - b^2c^3e^5)^2)}e^{-4}/c^4)/((\sqrt{b^2 - 4ac})c^5d^2 - \sqrt{b^2 - 4ac}b^2c^4d^2e + \sqrt{b^2 - 4ac}a^2c^4e^2)c^2) \\ & + 2/3*((xe + d)^{3/2}c^2e^2 - 3*\sqrt{xe + d}b^2c^3e^3)e^{-3}/c^3 \end{aligned}$$

**maple [B]** time = 0.04, size = 1329, normalized size = 4.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(e*x+d)^(1/2)/(c*x^2+b*x+a),x)`

[Out] 
$$\frac{2}{3} \frac{(e*x+d)^{3/2}}{c} \frac{e-2*b*(e*x+d)^{1/2}}{c^2-3*e^2/c} \frac{1}{(-4*a*c-b^2)*e^2}^{1/2} \frac{1}{2^{1/2}} \frac{1}{((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2})} *c^{1/2} * \operatorname{arctanh}((e*x+d)^{1/2} * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * a*b+2*e / (-4*a*c-b^2)*e^2)^{1/2} * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctanh}((e*x+d)^{1/2} * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * a*d+e^2/c^2 / (-4*a*c-b^2)*e^2)^{1/2} * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctanh}((e*x+d)^{1/2} * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * b^3-e/c / (-4*a*c-b^2)*e^2)^{1/2} * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctanh}((e*x+d)^{1/2} * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * b^2*d+e/c * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctanh}((e*x+d)^{1/2} * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * a-e/c^2 * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctanh}((e*x+d)^{1/2} * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * b^2+1/c * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctanh}((e*x+d)^{1/2} * 2^{1/2} / ((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * b*d-3*e^2/c / (-4*a*c-b^2)*e^2)^{1/2} * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctan}((e*x+d)^{1/2} * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * a*b+2*e / (-4*a*c-b^2)*e^2)^{1/2} * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctan}((e*x+d)^{1/2} * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * a*d+e^2/c^2 / (-4*a*c-b^2)*e^2)^{1/2} * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctan}((e*x+d)^{1/2} * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * b^3-e/c / (-4*a*c-b^2)*e^2)^{1/2} * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctan}((e*x+d)^{1/2} * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * b^2*d-e/c * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctan}((e*x+d)^{1/2} * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * a+e/c^2 * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctan}((e*x+d)^{1/2} * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * b^2-1/c * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2}) *c^{1/2} * \operatorname{arctan}((e*x+d)^{1/2} * 2^{1/2} / ((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{1/2})) *c^{1/2} * b*d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d} x^2}{cx^2+bx+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(e*x+d)^(1/2)/(c*x^2+b*x+a),x, algorithm="maxima")`

[Out] `integrate(sqrt(e*x + d)*x^2/(c*x^2 + b*x + a), x)`

**mupad** [B] time = 3.91, size = 8171, normalized size = 25.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((x^2*(d + e*x)^{(1/2)})/(a + b*x + c*x^2), x)$

[Out]  $(2*(d + e*x)^{(3/2)})/(3*c*e) - \text{atan}\left(\frac{(8*(a*b^3*c^3*e^4 - 4*a^2*b*c^4*e^4 - b^4*c^3*d*e^3 + b^3*c^4*d^2*e^2 - 4*a*b*c^5*d^2*e^2 + 4*a*b^2*c^4*d*e^3))/c^3 - (8*(d + e*x)^{(1/2)}*(-(b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^6*c*d - 18*a^2*b^2*c^3*d + 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*(b^3*c^5*e^3 - 2*b^2*c^6*d*e^2 - 4*a*b*c^6*e^3 + 8*a*c^7*d*e^2))/c^3*(-(b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^6*c*d - 18*a^2*b^2*c^3*d + 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(b^6*e^4 - 2*a^3*c^3*e^4 + 9*a^2*b^2*c^2*e^4 + 2*a^2*c^4*d^2*e^2 + b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a*b^3*c^2*d*e^3 - 10*a^2*b*c^3*d*e^3 - 4*a*b^2*c^3*d^2*e^2))/c^3*(-(b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^6*c*d - 18*a^2*b^2*c^3*d + 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(b^6*e^4 - 2*a^3*c^3*e^4 + 9*a^2*b^2*c^2*e^4 + 2*a^2*c^4*d^2*e^2 + b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a*b^3*c^2*d*e^3 - 10*a^2*b*c^3*d*e^3 - 4*a*b^2*c^3*d^2*e^2))/c^3*(-(b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^6*c*d - 18*a^2*b^2*c^3*d + 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(b^6*e^4 - 2*a^3*c^3*e^4 + 9*a^2*b^2*c^2*e^4 + 2*a^2*c^4*d^2*e^2 + b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a*b^3*c^2*d*e^3 - 10*a^2*b*c^3*d*e^3 - 4*a*b^2*c^3*d^2*e^2))/c^3*(-(b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^6*c*d - 18*a^2*b^2*c^3*d + 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*1i)/((16*(a^4*c*e^5 - a^3*b$



$$\begin{aligned}
& ) * 2i - \operatorname{atan}\left(\frac{\left(\frac{\left(\frac{\left(8(a^3 b^3 c^3 e^4 - 4a^2 b^4 c^4 e^4 - b^4 c^3 d^3 e^3 + b^3 c^4 d^2 e^2 - 4a^4 b^5 d^2 e^2 + 4a^3 b^2 c^4 d e^3)\right)}{c^3} - (8(d + ex)^{1/2}\right)\right)\right)}{\left(\frac{\left(\frac{\left(\frac{\left(b^4 e^4(-4ac - b^2)^3\right)^{1/2} - 8a^3 c^4 d - b^7 e + b^6 c d + 18a^2 b^2 c^3 d - 25a^2 b^3 c^2 e + a^2 c^2 e(-4ac - b^2)^3\right)^{1/2} + 9a^5 c e - 8a^4 b^4 c^2 d + 20a^3 b^3 c^3 e - b^3 c^3 d(-4ac - b^2)^3\right)^{1/2} + 2a^2 b^2 c^2 d(-4ac - b^2)^3\right)^{1/2} - 3a^2 b^2 c e(-4ac - b^2)^3\right)^{1/2}}{\left(2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6)\right)^{1/2}}\right)\right)}{\left(\frac{\left(\frac{\left(\frac{\left(b^3 c^5 e^3 - 2b^2 c^6 d e^2 - 4a^2 b^3 c^6 e^3 + 8a^2 c^7 d e^2\right)}{c^3}\right)\right)\right)}{\left(\frac{\left(\frac{\left(\frac{\left(b^4 e^4(-4ac - b^2)^3\right)^{1/2} - 8a^3 c^4 d - b^7 e + b^6 c d + 18a^2 b^2 c^3 d - 25a^2 b^3 c^2 e + a^2 c^2 e(-4ac - b^2)^3\right)^{1/2} + 9a^5 c e - 8a^4 b^4 c^2 d + 20a^3 b^3 c^3 e - b^3 c^3 d(-4ac - b^2)^3\right)^{1/2} + 2a^2 b^2 c^2 d(-4ac - b^2)^3\right)^{1/2} - 3a^2 b^2 c e(-4ac - b^2)^3\right)^{1/2}}{\left(2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6)\right)^{1/2}}\right)\right)}\right) - (8(d + ex)^{1/2})\left(\frac{\left(\frac{\left(\frac{\left(b^6 e^4 - 2a^3 c^3 e^4 + 9a^2 b^2 c^2 e^4 + 2a^2 c^4 d^2 e^2 + b^4 c^2 d^2 e^2 - 6a^4 b^4 c e^4 - 2b^5 c d e^3 + 10a^3 b^3 c^2 d e^3 - 10a^2 b^3 c^3 d e^3 - 4a^2 b^2 c^3 d^2 e^2\right)}{c^3}\right)\right)\right)}{\left(\frac{\left(\frac{\left(\frac{\left(b^4 e^4(-4ac - b^2)^3\right)^{1/2} - 8a^3 c^4 d - b^7 e + b^6 c d + 18a^2 b^2 c^3 d - 25a^2 b^3 c^2 e + a^2 c^2 e(-4ac - b^2)^3\right)^{1/2} + 9a^5 c e - 8a^4 b^4 c^2 d + 20a^3 b^3 c^3 e - b^3 c^3 d(-4ac - b^2)^3\right)^{1/2} + 2a^2 b^2 c^2 d(-4ac - b^2)^3\right)^{1/2} - 3a^2 b^2 c e(-4ac - b^2)^3\right)^{1/2}}{\left(2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6)\right)^{1/2}}\right)\right)}\right) * 1i - \left(\frac{\left(\frac{\left(\frac{\left(8(a^3 b^3 c^3 e^4 - 4a^2 b^4 c^4 e^4 - b^4 c^3 d^3 e^3 + b^3 c^4 d^2 e^2 - 4a^4 b^5 d^2 e^2 + 4a^3 b^2 c^4 d e^3)\right)}{c^3} + (8(d + ex)^{1/2}\right)\right)\right)}{\left(\frac{\left(\frac{\left(\frac{\left(b^4 e^4(-4ac - b^2)^3\right)^{1/2} - 8a^3 c^4 d - b^7 e + b^6 c d + 18a^2 b^2 c^3 d - 25a^2 b^3 c^2 e + a^2 c^2 e(-4ac - b^2)^3\right)^{1/2} + 9a^5 c e - 8a^4 b^4 c^2 d + 20a^3 b^3 c^3 e - b^3 c^3 d(-4ac - b^2)^3\right)^{1/2} + 2a^2 b^2 c^2 d(-4ac - b^2)^3\right)^{1/2} - 3a^2 b^2 c e(-4ac - b^2)^3\right)^{1/2}}{\left(2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6)\right)^{1/2}}\right)\right)}\right) * (b^3 c^5 e^3 - 2b^2 c^6 d e^2 - 4a^2 b^3 c^6 e^3 + 8a^2 c^7 d e^2) / c^3 * \left(\frac{\left(\frac{\left(\frac{\left(b^4 e^4(-4ac - b^2)^3\right)^{1/2} - 8a^3 c^4 d - b^7 e + b^6 c d + 18a^2 b^2 c^3 d - 25a^2 b^3 c^2 e + a^2 c^2 e(-4ac - b^2)^3\right)^{1/2} + 9a^5 c e - 8a^4 b^4 c^2 d + 20a^3 b^3 c^3 e - b^3 c^3 d(-4ac - b^2)^3\right)^{1/2} + 2a^2 b^2 c^2 d(-4ac - b^2)^3\right)^{1/2} - 3a^2 b^2 c e(-4ac - b^2)^3\right)^{1/2}}{\left(2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6)\right)^{1/2}}\right) + (8(d + ex)^{1/2})\left(\frac{\left(\frac{\left(\frac{\left(b^6 e^4 - 2a^3 c^3 e^4 + 9a^2 b^2 c^2 e^4 + 2a^2 c^4 d^2 e^2 + b^4 c^2 d^2 e^2 - 6a^4 b^4 c e^4 - 2b^5 c d e^3 + 10a^3 b^3 c^2 d e^3 - 10a^2 b^3 c^3 d e^3 - 4a^2 b^2 c^3 d^2 e^2\right)}{c^3}\right)\right)\right)}{\left(\frac{\left(\frac{\left(\frac{\left(b^4 e^4(-4ac - b^2)^3\right)^{1/2} - 8a^3 c^4 d - b^7 e + b^6 c d + 18a^2 b^2 c^3 d - 25a^2 b^3 c^2 e + a^2 c^2 e(-4ac - b^2)^3\right)^{1/2} + 9a^5 c e - 8a^4 b^4 c^2 d + 20a^3 b^3 c^3 e - b^3 c^3 d(-4ac - b^2)^3\right)^{1/2} + 2a^2 b^2 c^2 d(-4ac - b^2)^3\right)^{1/2} - 3a^2 b^2 c e(-4ac - b^2)^3\right)^{1/2}}{\left(2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6)\right)^{1/2}}\right)\right)}\right) + (8(d + ex)^{1/2})\left(\frac{\left(\frac{\left(\frac{\left(b^6 e^4 - 2a^3 c^3 e^4 + 9a^2 b^2 c^2 e^4 + 2a^2 c^4 d^2 e^2 + b^4 c^2 d^2 e^2 - 6a^4 b^4 c e^4 - 2b^5 c d e^3 + 10a^3 b^3 c^2 d e^3 - 10a^2 b^3 c^3 d e^3 - 4a^2 b^2 c^3 d^2 e^2\right)}{c^3}\right)\right)\right)}{\left(\frac{\left(\frac{\left(\frac{\left(b^4 e^4(-4ac - b^2)^3\right)^{1/2} - 8a^3 c^4 d - b^7 e + b^6 c d + 18a^2 b^2 c^3 d - 25a^2 b^3 c^2 e + a^2 c^2 e(-4ac - b^2)^3\right)^{1/2} + 9a^5 c e - 8a^4 b^4 c^2 d + 20a^3 b^3 c^3 e - b^3 c^3 d(-4ac - b^2)^3\right)^{1/2} + 2a^2 b^2 c^2 d(-4ac - b^2)^3\right)^{1/2} - 3a^2 b^2 c e(-4ac - b^2)^3\right)^{1/2}}{\left(2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6)\right)^{1/2}}\right)\right)}\right) * 1i) / \left(\frac{\left(\frac{\left(\frac{\left(16(a^4 c e^5 - a^3 b^2 e^5 + a^2 b^3 d e^4 + a^3 c^2 d^2 e^3 + a^2 b^3 c^2 d^3 e^2 - 2a^2 b^2 c^3 d^2 e^3)\right)}{c^3} + \left(\frac{\left(\frac{\left(\frac{\left(8(a^3 b^3 c^3 e^4 - 4a^2 b^4 c^4 e^4 - b^4 c^3 d^3 e^3 + b^3 c^4 d^2 e^2 - 4a^4 b^5 d^2 e^2 + 4a^3 b^2 c^4 d e^3)\right)}{c^3} - (8(d + ex)^{1/2}\right)\right)\right)\right)}{\left(\frac{\left(\frac{\left(\frac{\left(b^4 e^4(-4ac - b^2)^3\right)^{1/2} - 8a^3 c^4 d - b^7 e + b^6 c d + 18a^2 b^2 c^3 d - 25a^2 b^3 c^2 e + a^2 c^2 e(-4ac - b^2)^3\right)^{1/2} + 9a^5 c e - 8a^4 b^4 c^2 d + 20a^3 b^3 c^3 e - b^3 c^3 d(-4ac - b^2)^3\right)^{1/2} + 2a^2 b^2 c^2 d(-4ac - b^2)^3\right)^{1/2} - 3a^2 b^2 c e(-4ac - b^2)^3\right)^{1/2}}{\left(2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6)\right)^{1/2}}\right)\right)}\right)
\end{aligned}$$

$$\begin{aligned}
& *a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*(b^3*c^5*e^3 - 2*b^2*c^6*d*e^2 - 4*a*b*c^6*e^3 + 8*a*c^7*d*e^2)/c^3*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} - (8*(d + e*x))^{(1/2)}*(b^6*e^4 - 2*a^3*c^3*e^4 + 9*a^2*b^2*c^2*e^4 + 2*a^2*c^4*d^2*e^2 + b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a*b^3*c^2*d*e^3 - 10*a^2*b*c^3*d*e^3 - 4*a*b^2*c^3*d^2*e^2)/c^3*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (((8*(a*b^3*c^3*e^4 - 4*a^2*b*c^4*e^4 - b^4*c^3*d*e^3 + b^3*c^4*d^2*e^2 - 4*a*b*c^5*d^2*e^2 + 4*a*b^2*c^4*d*e^3))/c^3 + (8*(d + e*x))^{(1/2)}*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*(b^3*c^5*e^3 - 2*b^2*c^6*d*e^2 - 4*a*b*c^6*e^3 + 8*a*c^7*d*e^2)/c^3*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (8*(d + e*x))^{(1/2)}*(b^6*e^4 - 2*a^3*c^3*e^4 + 9*a^2*b^2*c^2*e^4 + 2*a^2*c^4*d^2*e^2 + b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a*b^3*c^2*d*e^3 - 10*a^2*b*c^3*d*e^3 - 4*a*b^2*c^3*d^2*e^2)/c^3*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (8*(d + e*x))^{(1/2)}*(b^6*e^4 - 2*a^3*c^3*e^4 + 9*a^2*b^2*c^2*e^4 + 2*a^2*c^4*d^2*e^2 + b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a*b^3*c^2*d*e^3 - 10*a^2*b*c^3*d*e^3 - 4*a*b^2*c^3*d^2*e^2)/c^3*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)})*2i - ((4*d)/(c*e) + (2*(b*e^2 - 2*c*d*e))/(c^2*e^2))*(d + e*x)^{(1/2)}
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(e*x+d)**(1/2)/(c*x**2+b*x+a),x)
```

```
[Out] Timed out
```

$$3.337 \quad \int \frac{x\sqrt{d+ex}}{a+bx+cx^2} dx$$

**Optimal.** Leaf size=287

$$\frac{\sqrt{2} \left( -\sqrt{b^2 - 4ac} (cd - be) + 2ace + b^2(-e) + bcd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) \sqrt{2} \left( \sqrt{b^2 - 4ac} (cd - be) + 2ace + \dots \right)}{c^{3/2} \sqrt{b^2 - 4ac} \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \quad c^{3/2} \sqrt{b^2 - 4ac} \sqrt{\dots}}$$

**Rubi [A]** time = 3.20, antiderivative size = 287, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {824, 826, 1166, 208}

$$\frac{\sqrt{2} \left( -\sqrt{b^2 - 4ac} (cd - be) + 2ace + b^2(-e) + bcd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) \sqrt{2} \left( \sqrt{b^2 - 4ac} (cd - be) + 2ace + b^2(-e) + bcd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \right) + \frac{2\sqrt{d+ex}}{c}}{c^{3/2} \sqrt{b^2 - 4ac} \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \quad c^{3/2} \sqrt{b^2 - 4ac} \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}} + \frac{2\sqrt{d+ex}}{c}$$

Antiderivative was successfully verified.

[In] Int[(x\*sqrt[d + e\*x])/(a + b\*x + c\*x^2),x]

[Out] (2\*sqrt[d + e\*x])/c + (sqrt[2]\*(b\*c\*d - b^2\*e + 2\*a\*c\*e - sqrt[b^2 - 4\*a\*c]\*(c\*d - b\*e))\*ArcTanh[(sqrt[2]\*sqrt[c]\*sqrt[d + e\*x])/sqrt[2\*c\*d - (b - sqrt[b^2 - 4\*a\*c])\*e]])/(c^(3/2)\*sqrt[b^2 - 4\*a\*c]\*sqrt[2\*c\*d - (b - sqrt[b^2 - 4\*a\*c])\*e]) - (sqrt[2]\*(b\*c\*d - b^2\*e + 2\*a\*c\*e + sqrt[b^2 - 4\*a\*c]\*(c\*d - b\*e))\*ArcTanh[(sqrt[2]\*sqrt[c]\*sqrt[d + e\*x])/sqrt[2\*c\*d - (b + sqrt[b^2 - 4\*a\*c])\*e]])/(c^(3/2)\*sqrt[b^2 - 4\*a\*c]\*sqrt[2\*c\*d - (b + sqrt[b^2 - 4\*a\*c])\*e])

**Rule 208**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

**Rule 824**

Int[(((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_)))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :> Simp[(g\*(d + e\*x)^m)/(c\*m), x] + Dist[1/c, Int[(d + e\*x)^(m - 1)\*Simp[c\*d\*f - a\*e\*g + (g\*c\*d - b\*e\*g + c\*e\*f)\*x, x]]/(a + b\*x + c\*x^2), x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && FractionQ[m] && GtQ[m, 0]

**Rule 826**



```
Int[((f_.) + (g_.)*(x_))/(Sqrt[(d_.) + (e_.)*(x_)]*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)), x_Symbol] := Dist[2, Subst[Int[(e*f - d*g + g*x^2)/(c*d^2 - b*d*e + a*e^2 - (2*c*d - b*e)*x^2 + c*x^4), x], x, Sqrt[d + e*x]], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]
```

### Rule 1166

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rubi steps

$$\begin{aligned} \int \frac{x\sqrt{d+ex}}{a+bx+cx^2} dx &= \frac{2\sqrt{d+ex}}{c} + \frac{\int \frac{-ae+(cd-be)x}{\sqrt{d+ex}(a+bx+cx^2)} dx}{c} \\ &= \frac{2\sqrt{d+ex}}{c} + \frac{2 \operatorname{Subst}\left(\int \frac{-ae^2-d(cd-be)+(cd-be)x^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex}\right)}{c} \\ &= \frac{2\sqrt{d+ex}}{c} - \frac{(bcd - b^2e + 2ace - \sqrt{b^2 - 4ac}(cd - be)) \operatorname{Subst}\left(\int \frac{1}{-\frac{1}{2}\sqrt{b^2-4ac}e + \frac{1}{2}(-2cd+be)+cx^2} dx, x, \sqrt{d+ex}\right)}{c\sqrt{b^2 - 4ac}} \\ &= \frac{2\sqrt{d+ex}}{c} + \frac{\sqrt{2} (bcd - b^2e + 2ace - \sqrt{b^2 - 4ac}(cd - be)) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}}\right)}{c^{3/2}\sqrt{b^2 - 4ac}\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}} \end{aligned}$$

**Mathematica [A]** time = 0.41, size = 301, normalized size = 1.05

$$\frac{\sqrt{2}(-cd\sqrt{b^2-4ac}+be\sqrt{b^2-4ac}+2ace+b^2(-e)+bcd) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{e\sqrt{b^2-4ac}-be+2cd}}\right)}{\sqrt{b^2-4ac}\sqrt{e(\sqrt{b^2-4ac}-b)+2cd}} + \frac{\sqrt{2}(-cd\sqrt{b^2-4ac}+be\sqrt{b^2-4ac}-2ace+b^2e-bcd) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}\right)}{\sqrt{b^2-4ac}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} + 2\sqrt{c}\sqrt{d+ex}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*Sqrt[d + e\*x])/(a + b\*x + c\*x^2), x]

```
[Out] (2*Sqrt[c]*Sqrt[d + e*x] + (Sqrt[2]*(b*c*d - c*Sqrt[b^2 - 4*a*c])*d - b^2*e + 2*a*c*e + b*Sqrt[b^2 - 4*a*c]*e)*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x])/Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]]/(Sqrt[b^2 - 4*a*c]*Sqrt[2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e]) + (Sqrt[2]*(-(b*c*d) - c*Sqrt[b^2 - 4*a*c])*d + b^2*e - 2*a*c*e + b*Sqrt[b^2 - 4*a*c]*e)*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x])/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]]/(Sqrt[b^2 - 4*a*c]*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]))/c^(3/2)
```

**IntegrateAlgebraic [C]** time = 1.18, size = 387, normalized size = 1.35

$$\frac{\left(\sqrt{2}cd\sqrt{4ac-b^2}-\sqrt{2}be\sqrt{4ac-b^2}+2i\sqrt{2}ace-i\sqrt{2}b^2e+i\sqrt{2}bcd\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{-ie\sqrt{4ac-b^2}+be-2cd}}\right)+\left(\sqrt{2}cd\sqrt{4ac-b^2}-\sqrt{2}be\sqrt{4ac-b^2}-2i\sqrt{2}ace+i\sqrt{2}b^2e-i\sqrt{2}bcd\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{ie\sqrt{4ac-b^2}+be-2cd}}\right)+\frac{2\sqrt{d+ex}}{c}}{c^{3/2}\sqrt{4ac-b^2}\sqrt{-ie\sqrt{4ac-b^2}+be-2cd}+c^{3/2}\sqrt{4ac-b^2}\sqrt{ie\sqrt{4ac-b^2}+be-2cd}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(x*Sqrt[d + e*x])/(a + b*x + c*x^2), x]
```

```
[Out] (2*Sqrt[d + e*x])/c + ((I*Sqrt[2]*b*c*d + Sqrt[2]*c*Sqrt[-b^2 + 4*a*c]*d - I*Sqrt[2]*b^2*e + (2*I)*Sqrt[2]*a*c*e - Sqrt[2]*b*Sqrt[-b^2 + 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x])/Sqrt[-2*c*d + b*e - I*Sqrt[-b^2 + 4*a*c]*e]]/(c^(3/2)*Sqrt[-b^2 + 4*a*c]*Sqrt[-2*c*d + b*e - I*Sqrt[-b^2 + 4*a*c]*e]) + (((-I)*Sqrt[2]*b*c*d + Sqrt[2]*c*Sqrt[-b^2 + 4*a*c]*d + I*Sqrt[2]*b^2*e - (2*I)*Sqrt[2]*a*c*e - Sqrt[2]*b*Sqrt[-b^2 + 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x])/Sqrt[-2*c*d + b*e + I*Sqrt[-b^2 + 4*a*c]*e]]/(c^(3/2)*Sqrt[-b^2 + 4*a*c]*Sqrt[-2*c*d + b*e + I*Sqrt[-b^2 + 4*a*c]*e])
```

**fricas [B]** time = 0.46, size = 1721, normalized size = 6.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x+d)^(1/2)/(c*x^2+b*x+a), x, algorithm="fricas")
```

```
[Out] 1/2*(sqrt(2)*c*sqrt(((b^2*c - 2*a*c^2)*d - (b^3 - 3*a*b*c)*e + (b^2*c^3 - 4*a*c^4)*sqrt((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4))*log(sqrt(2)*((b^3*c - 4*a*b*c^2)*d - (b^4 - 5*a*b^2*c + 4*a^2*c^2)*e - (b^3*c^3 - 4*a*b*c^4)*sqrt((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7)))*sqrt(((b^2*c - 2*a*c^2)*d - (b^3 - 3*a*b*c)*e + (b^2*c^3 - 4*a*c^4)*sqrt((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4)) + 4*(a*b*c*d - (a*b^2 - a^2*c)*e)*sqrt(e*x + d) - sqrt(2)*c*sqrt(((b^2*c - 2*a*c^2)*d - (b^3 - 3*a*b*c)*e + (b^2*c^3 - 4*a*c^4)*sqrt((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4))*log(-sqrt(2)*((b^3*c - 4*a*b*c^2)*d - (b^4 - 5*a*b^2*c + 4*a^2*c^2)*e - (b^3*c^3 - 4*a*b*c^4)*sqrt((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d
```

$$\begin{aligned}
& *e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7))) * \sqrt{((b^2*c - 2*a*c^2)*d - (b^3 - 3*a*b*c)*e + (b^2*c^3 - 4*a*c^4)*\sqrt{((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7))})} \\
& ))/(b^2*c^3 - 4*a*c^4)) + 4*(a*b*c*d - (a*b^2 - a^2*c)*e)*\sqrt{e*x + d}) + \sqrt{2}*c*\sqrt{((b^2*c - 2*a*c^2)*d - (b^3 - 3*a*b*c)*e - (b^2*c^3 - 4*a*c^4)*\sqrt{((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7))})} \\
& )/(b^2*c^3 - 4*a*c^4))*\log(\sqrt{2}*((b^3*c - 4*a*b*c^2)*d - (b^4 - 5*a*b^2*c + 4*a^2*c^2)*e + (b^3*c^3 - 4*a*b*c^4)*\sqrt{((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7))})} \\
& )*\sqrt{((b^2*c - 2*a*c^2)*d - (b^3 - 3*a*b*c)*e - (b^2*c^3 - 4*a*c^4)*\sqrt{((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7))})} \\
& )/(b^2*c^3 - 4*a*c^4)) + 4*(a*b*c*d - (a*b^2 - a^2*c)*e)*\sqrt{e*x + d}) - \sqrt{2}*c*\sqrt{((b^2*c - 2*a*c^2)*d - (b^3 - 3*a*b*c)*e - (b^2*c^3 - 4*a*c^4)*\sqrt{((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7))})} \\
& )/(b^2*c^3 - 4*a*c^4))*\log(-\sqrt{2}*((b^3*c - 4*a*b*c^2)*d - (b^4 - 5*a*b^2*c + 4*a^2*c^2)*e + (b^3*c^3 - 4*a*b*c^4)*\sqrt{((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7))})} \\
& )*\sqrt{((b^2*c - 2*a*c^2)*d - (b^3 - 3*a*b*c)*e - (b^2*c^3 - 4*a*c^4)*\sqrt{((b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7))})} \\
& )/(b^2*c^3 - 4*a*c^4)) + 4*(a*b*c*d - (a*b^2 - a^2*c)*e)*\sqrt{e*x + d}) + 4*\sqrt{e*x + d})/c
\end{aligned}$$

**giac [B]** time = 0.41, size = 753, normalized size = 2.62



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^(1/2)/(c\*x^2+b\*x+a),x, algorithm="giac")

[Out]  $2*\sqrt{x*e + d}/c + 1/4*(\sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e)*(b^2*c - 4*a*c^2)*d*e - (b^3 - 4*a*b*c)*e^2)*c^2 - 2*(\sqrt{b^2 - 4*a*c})*c^3*d^2 - \sqrt{b^2 - 4*a*c}*b*c^2*d*e + \sqrt{b^2 - 4*a*c}*a*c^2*e^2)*\sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e)*\text{abs}(c) + (2*b*c^4*d^2 - (3*b^2*c^3 - 4*a*c^4)*d*e + (b^3*c^2 - 2*a*b*c^3)*e^2)*\sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e))*\arctan(2*\sqrt{1/2}*\sqrt{x*e + d}/\sqrt{-(2*c^2*d - b*c*e + \sqrt{-4*(c^2*d^2 - b*c*d*e + a*c*e^2)}*c^2 + (2*c^2*d - b*c*e)^2))/c^2))/((\sqrt{b^2 - 4*a*c})*c^4*d^2 - \sqrt{b^2 - 4*a*c}*b*c^3*d*e + \sqrt{b^2 - 4*a*c})*a*c^3*e^2)*c^2) - 1/4*(\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c})*c}*e)*(b^2*c - 4*a*c^2)*d*e - (b^3 - 4*a*b*c)*e^2)*c^2 + 2*(\sqrt{b^2 - 4*a*c})*c^3*d^2 - \sqrt{b^2 - 4*a*c}*b*c^2*d*e + \sqrt{b^2 - 4*a*c}*a*c^2*e^2)*\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c})*c}*e)*\text{abs}(c) + (2*b*c^4*d^2 - (3*b^2*c^3 - 4*a*c^4)*d*e + (b^3*c^2 - 2*a*b*c^3)*e^2)*\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c})*c}*e))*\arctan(2*\sqrt{1/2}*\sqrt{x*e + d}/\sqrt{-(2*c^2*d - b*c*e - \sqrt{-4*(c^2*d^2 - b*c*d*e + a*c*e^2)}*c^2 + (2*c^2*d - b*c*e)^2))/c^2))/(($

$(\sqrt{b^2 - 4ac})c^4d^2 - \sqrt{b^2 - 4ac}bc^3de + \sqrt{b^2 - 4ac}ac^3e^2)c^2$

**maple [B]** time = 0.04, size = 926, normalized size = 3.23

$$\frac{2\sqrt{d}\operatorname{arctanh}\left(\frac{\sqrt{cx+d}}{\sqrt{(b^2-4ac)^2}}\right)}{\sqrt{(b^2-4ac)^2}\sqrt{(b^2-4ac)^2}} + \frac{2\sqrt{d}\operatorname{arctanh}\left(\frac{\sqrt{cx+d}}{\sqrt{(b^2-4ac)^2}}\right)}{\sqrt{(b^2-4ac)^2}\sqrt{(b^2-4ac)^2}} + \frac{\sqrt{d}\operatorname{arctanh}\left(\frac{\sqrt{cx+d}}{\sqrt{(b^2-4ac)^2}}\right)}{\sqrt{(b^2-4ac)^2}\sqrt{(b^2-4ac)^2}} + \frac{\sqrt{d}\operatorname{arctanh}\left(\frac{\sqrt{cx+d}}{\sqrt{(b^2-4ac)^2}}\right)}{\sqrt{(b^2-4ac)^2}\sqrt{(b^2-4ac)^2}} + \frac{\sqrt{d}\operatorname{arctanh}\left(\frac{\sqrt{cx+d}}{\sqrt{(b^2-4ac)^2}}\right)}{\sqrt{(b^2-4ac)^2}\sqrt{(b^2-4ac)^2}} + \frac{\sqrt{d}\operatorname{arctanh}\left(\frac{\sqrt{cx+d}}{\sqrt{(b^2-4ac)^2}}\right)}{\sqrt{(b^2-4ac)^2}\sqrt{(b^2-4ac)^2}} + \frac{\sqrt{d}\operatorname{arctanh}\left(\frac{\sqrt{cx+d}}{\sqrt{(b^2-4ac)^2}}\right)}{\sqrt{(b^2-4ac)^2}\sqrt{(b^2-4ac)^2}} + \frac{\sqrt{d}\operatorname{arctanh}\left(\frac{\sqrt{cx+d}}{\sqrt{(b^2-4ac)^2}}\right)}{\sqrt{(b^2-4ac)^2}\sqrt{(b^2-4ac)^2}} + \frac{\sqrt{d}\operatorname{arctanh}\left(\frac{\sqrt{cx+d}}{\sqrt{(b^2-4ac)^2}}\right)}{\sqrt{(b^2-4ac)^2}\sqrt{(b^2-4ac)^2}} + \frac{\sqrt{d}\operatorname{arctanh}\left(\frac{\sqrt{cx+d}}{\sqrt{(b^2-4ac)^2}}\right)}{\sqrt{(b^2-4ac)^2}\sqrt{(b^2-4ac)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x+d)^(1/2)/(c*x^2+b*x+a), x)`

[Out]  $2*(e*x+d)^{(1/2)}/c+2/(-4*a*c-b^2)*e^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/(-b*e+2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*c)*a*e^{2-1/c}/(-4*a*c-b^2)*e^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/(-b*e+2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*c)*b^2*e^{2+1}/(-4*a*c-b^2)*e^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/(-b*e+2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*c)*b*d*e+1/c*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/(-b*e+2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*c)*b*e-2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/(-b*e+2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*c)*d+2/(-4*a*c-b^2)*e^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*c)*a*e^{2-1/c}/(-4*a*c-b^2)*e^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*c)*b^2*e^{2+1}/(-4*a*c-b^2)*e^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*c)*b*d*e-1/c*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*c)*b*e+2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^{(1/2)})*c)^{(1/2)}*c)*d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}x}{cx^2+bx+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x+d)^(1/2)/(c*x^2+b*x+a), x, algorithm="maxima")`

[Out] `integrate(sqrt(e*x + d)*x/(c*x^2 + b*x + a), x)`

**mupad [B]** time = 3.82, size = 5664, normalized size = 19.74

result too large to display





$$\begin{aligned}
& *c^3 - 8*a*b^2*c^4))^{(1/2)*1i} / (((8*(4*a^2*c^3*e^4 - a*b^2*c^2*e^4 + 4*a* \\
& c^4*d^2*e^2 + b^3*c^2*d*e^3 - b^2*c^3*d^2*e^2 - 4*a*b*c^3*d*e^3)) / c - (8*(d \\
& + e*x)^{(1/2)} * (-b^5*e - 8*a^2*c^3*d - b^2*e * (-4*a*c - b^2)^3)^{(1/2)} - b^4 \\
& *c*d - 7*a*b^3*c*e + a*c*e * (-4*a*c - b^2)^3)^{(1/2)} + b*c*d * (-4*a*c - b^2) \\
& ^3)^{(1/2)} + 6*a*b^2*c^2*d + 12*a^2*b*c^2*e) / (2*(16*a^2*c^5 + b^4*c^3 - 8*a* \\
& b^2*c^4)))^{(1/2)} * (b^3*c^3*e^3 - 2*b^2*c^4*d*e^2 - 4*a*b*c^4*e^3 + 8*a*c^5*d \\
& *e^2)) / c * (-b^5*e - 8*a^2*c^3*d - b^2*e * (-4*a*c - b^2)^3)^{(1/2)} - b^4*c*d \\
& - 7*a*b^3*c*e + a*c*e * (-4*a*c - b^2)^3)^{(1/2)} + b*c*d * (-4*a*c - b^2)^3)^{(1/2)} \\
& + 6*a*b^2*c^2*d + 12*a^2*b*c^2*e) / (2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^{(1/2)} - (8*(d + e*x)^{(1/2)} * (b^4*e^4 + 2*a^2*c^2*e^4 - 2*a*c^3*d^2*e^2 \\
& + b^2*c^2*d^2*e^2 - 4*a*b^2*c*e^4 - 2*b^3*c*d*e^3 + 6*a*b*c^2*d*e^3)) / c * \\
& (-b^5*e - 8*a^2*c^3*d - b^2*e * (-4*a*c - b^2)^3)^{(1/2)} - b^4*c*d - 7*a*b^3 \\
& *c*e + a*c*e * (-4*a*c - b^2)^3)^{(1/2)} + b*c*d * (-4*a*c - b^2)^3)^{(1/2)} + 6* \\
& a*b^2*c^2*d + 12*a^2*b*c^2*e) / (2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^{(1/2)} - (16*(a*c^2*d^3*e^2 - a^2*b*e^5 + a*b^2*d*e^4 + a^2*c*d*e^4 - 2*a*b*c*d \\
& ^2*e^3)) / c + (((8*(4*a^2*c^3*e^4 - a*b^2*c^2*e^4 + 4*a*c^4*d^2*e^2 + b^3*c^ \\
& 2*d*e^3 - b^2*c^3*d^2*e^2 - 4*a*b*c^3*d*e^3)) / c + (8*(d + e*x)^{(1/2)} * (-b^5 \\
& *e - 8*a^2*c^3*d - b^2*e * (-4*a*c - b^2)^3)^{(1/2)} - b^4*c*d - 7*a*b^3*c*e + \\
& a*c*e * (-4*a*c - b^2)^3)^{(1/2)} + b*c*d * (-4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2* \\
& c^2*d + 12*a^2*b*c^2*e) / (2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^{(1/2)} * (b^ \\
& 3*c^3*e^3 - 2*b^2*c^4*d*e^2 - 4*a*b*c^4*e^3 + 8*a*c^5*d*e^2)) / c * (-b^5*e - \\
& 8*a^2*c^3*d - b^2*e * (-4*a*c - b^2)^3)^{(1/2)} - b^4*c*d - 7*a*b^3*c*e + a*c \\
& *e * (-4*a*c - b^2)^3)^{(1/2)} + b*c*d * (-4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^2* \\
& d + 12*a^2*b*c^2*e) / (2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^{(1/2)} + (8*(d \\
& + e*x)^{(1/2)} * (b^4*e^4 + 2*a^2*c^2*e^4 - 2*a*c^3*d^2*e^2 + b^2*c^2*d^2*e^2 \\
& - 4*a*b^2*c*e^4 - 2*b^3*c*d*e^3 + 6*a*b*c^2*d*e^3)) / c * (-b^5*e - 8*a^2*c^3 \\
& *d - b^2*e * (-4*a*c - b^2)^3)^{(1/2)} - b^4*c*d - 7*a*b^3*c*e + a*c*e * (-4*a* \\
& c - b^2)^3)^{(1/2)} + b*c*d * (-4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^2*d + 12*a^2 \\
& *b*c^2*e) / (2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^{(1/2)} * (-b^5*e - 8*a^ \\
& 2*c^3*d - b^2*e * (-4*a*c - b^2)^3)^{(1/2)} - b^4*c*d - 7*a*b^3*c*e + a*c*e * (- \\
& (4*a*c - b^2)^3)^{(1/2)} + b*c*d * (-4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^2*d + 1 \\
& 2*a^2*b*c^2*e) / (2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^{(1/2)} * 2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*\*(1/2)/(c\*x\*\*2+b\*x+a),x)

[Out] Timed out

$$3.338 \quad \int \frac{\sqrt{d+ex}}{a+bx+cx^2} dx$$

**Optimal.** Leaf size=198

$$\frac{\sqrt{2} \sqrt{2cd - e} \left( \sqrt{b^2 - 4ac} + b \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - e} \left( \sqrt{b^2 - 4ac} + b \right)} \right) - \sqrt{2} \sqrt{2cd - e} \left( b - \sqrt{b^2 - 4ac} \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - e} \left( b - \sqrt{b^2 - 4ac} \right)} \right)}{\sqrt{c} \sqrt{b^2 - 4ac}}$$

**Rubi [A]** time = 0.27, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {699, 1130, 208}

$$\frac{\sqrt{2} \sqrt{2cd - e} \left( \sqrt{b^2 - 4ac} + b \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - e} \left( \sqrt{b^2 - 4ac} + b \right)} \right) - \sqrt{2} \sqrt{2cd - e} \left( b - \sqrt{b^2 - 4ac} \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - e} \left( b - \sqrt{b^2 - 4ac} \right)} \right)}{\sqrt{c} \sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/(a + b\*x + c\*x^2), x]

[Out] -((Sqrt[2]\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]])/(Sqrt[c]\*Sqrt[b^2 - 4\*a\*c])) + (Sqrt[2]\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]])/(Sqrt[c]\*Sqrt[b^2 - 4\*a\*c])

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 699

Int[Sqrt[(d\_.) + (e\_.)\*(x\_)]/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :> Dist[2\*e, Subst[Int[x^2/(c\*d^2 - b\*d\*e + a\*e^2 - (2\*c\*d - b\*e)\*x^2 + c\*x^4), x], x, Sqrt[d + e\*x]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0]

#### Rule 1130

Int[((d\_.)\*(x\_)^(m\_))/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(d^2\*(b/q + 1))/2, Int[(d\*x)^(m - 2)/(b/2 + q/2 + c\*x^2), x], x] - Dist[(d^2\*(b/q - 1))/2, Int[(d\*x)^(m - 2)/(b/2 -



$q/2 + c*x^2), x], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{G} \\ \text{eQ}[m, 2]$

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{d+ex}}{a+bx+cx^2} dx &= (2e) \text{Subst} \left( \int \frac{x^2}{cd^2 - bde + ae^2 + (-2cd + be)x^2 + cx^4} dx, x, \sqrt{d+ex} \right) \\ &= - \left( \left( -e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \text{Subst} \left( \int \frac{1}{-\frac{1}{2}\sqrt{b^2 - 4ac}e + \frac{1}{2}(-2cd + be) + cx^2} dx, x, \sqrt{d+ex} \right) \right) + \left( \right) \\ &= - \frac{\sqrt{2} \sqrt{2cd - (b - \sqrt{b^2 - 4ac})} e \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})} e} \right)}{\sqrt{c} \sqrt{b^2 - 4ac}} + \frac{\sqrt{2} \sqrt{2cd - (b + \sqrt{b^2 - 4ac})} e \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - (b + \sqrt{b^2 - 4ac})} e} \right)}{\sqrt{c} \sqrt{b^2 - 4ac}} \end{aligned}$$

**Mathematica [A]** time = 0.40, size = 175, normalized size = 0.88

$$\frac{\sqrt{2} \left( \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}} \right) - \sqrt{e\sqrt{b^2 - 4ac} - be + 2cd} \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{e\sqrt{b^2 - 4ac} - be + 2cd}} \right) \right)}{\sqrt{c} \sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e\*x]/(a + b\*x + c\*x^2), x]

[Out] (Sqrt[2]\*(-(Sqrt[2\*c\*d - b\*e + Sqrt[b^2 - 4\*a\*c]\*e)\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - b\*e + Sqrt[b^2 - 4\*a\*c]\*e]]) + Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]]))/(Sqrt[c]\*Sqrt[b^2 - 4\*a\*c])

**IntegrateAlgebraic [C]** time = 0.00, size = 275, normalized size = 1.39

$$\frac{\sqrt{2} \left( e\sqrt{4ac - b^2} + ibe - 2icd \right) \tan^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{-ie\sqrt{4ac - b^2} + be - 2cd}} \right)}{\sqrt{c} \sqrt{4ac - b^2} \sqrt{-ie\sqrt{4ac - b^2} + be - 2cd}} + \frac{\sqrt{2} \left( e\sqrt{4ac - b^2} - ibe + 2icd \right) \tan^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{ie\sqrt{4ac - b^2} + be - 2cd}} \right)}{\sqrt{c} \sqrt{4ac - b^2} \sqrt{ie\sqrt{4ac - b^2} + be - 2cd}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/(a + b\*x + c\*x^2), x]

```
[Out] (Sqrt[2]*((-2*I)*c*d + I*b*e + Sqrt[-b^2 + 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]
)*Sqrt[d + e*x])/Sqrt[-2*c*d + b*e - I*Sqrt[-b^2 + 4*a*c]*e]]/(Sqrt[c]*Sqr
t[-b^2 + 4*a*c]*Sqrt[-2*c*d + b*e - I*Sqrt[-b^2 + 4*a*c]*e]) + (Sqrt[2]*((2
*I)*c*d - I*b*e + Sqrt[-b^2 + 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*
x])/Sqrt[-2*c*d + b*e + I*Sqrt[-b^2 + 4*a*c]*e]]/(Sqrt[c]*Sqrt[-b^2 + 4*a*
c]*Sqrt[-2*c*d + b*e + I*Sqrt[-b^2 + 4*a*c]*e]))
```

**fricas [B]** time = 0.42, size = 715, normalized size = 3.61

$$\frac{1}{2} \sqrt{\frac{2cd - be + \sqrt{(2cd - be)^2 - 4(ac^2 - bde + ae^2)c}}{c}} \operatorname{arctan}\left(\frac{2\sqrt{\frac{1}{2}}\sqrt{xe+d}}{\sqrt{\frac{2cd - be + \sqrt{(2cd - be)^2 - 4(ac^2 - bde + ae^2)c}}{c}}}\right) + \frac{1}{2} \sqrt{\frac{2cd - be - \sqrt{(2cd - be)^2 - 4(ac^2 - bde + ae^2)c}}{c}} \operatorname{arctan}\left(\frac{2\sqrt{\frac{1}{2}}\sqrt{xe+d}}{\sqrt{\frac{2cd - be - \sqrt{(2cd - be)^2 - 4(ac^2 - bde + ae^2)c}}{c}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)/(c*x^2+b*x+a),x, algorithm="fricas")
```

```
[Out] -1/2*sqrt(2)*sqrt((2*c*d - b*e + (b^2*c - 4*a*c^2)*sqrt(e^2/(b^2*c^2 - 4*a*
c^3)))/(b^2*c - 4*a*c^2))*log(sqrt(2)*(b^2*c - 4*a*c^2)*sqrt(e^2/(b^2*c^2 -
4*a*c^3))*sqrt((2*c*d - b*e + (b^2*c - 4*a*c^2)*sqrt(e^2/(b^2*c^2 - 4*a*c^
3)))/(b^2*c - 4*a*c^2)) + 2*sqrt(e*x + d)*e) + 1/2*sqrt(2)*sqrt((2*c*d - b*
e + (b^2*c - 4*a*c^2)*sqrt(e^2/(b^2*c^2 - 4*a*c^3)))/(b^2*c - 4*a*c^2))*log
(-sqrt(2)*(b^2*c - 4*a*c^2)*sqrt(e^2/(b^2*c^2 - 4*a*c^3))*sqrt((2*c*d - b*e
+ (b^2*c - 4*a*c^2)*sqrt(e^2/(b^2*c^2 - 4*a*c^3)))/(b^2*c - 4*a*c^2)) + 2*
sqrt(e*x + d)*e) + 1/2*sqrt(2)*sqrt((2*c*d - b*e - (b^2*c - 4*a*c^2)*sqrt(e
^2/(b^2*c^2 - 4*a*c^3)))/(b^2*c - 4*a*c^2))*log(sqrt(2)*(b^2*c - 4*a*c^2)*s
qrt(e^2/(b^2*c^2 - 4*a*c^3))*sqrt((2*c*d - b*e - (b^2*c - 4*a*c^2)*sqrt(e^2
/(b^2*c^2 - 4*a*c^3)))/(b^2*c - 4*a*c^2)) + 2*sqrt(e*x + d)*e) - 1/2*sqrt(2
)*sqrt((2*c*d - b*e - (b^2*c - 4*a*c^2)*sqrt(e^2/(b^2*c^2 - 4*a*c^3)))/(b^2
*c - 4*a*c^2))*log(-sqrt(2)*(b^2*c - 4*a*c^2)*sqrt(e^2/(b^2*c^2 - 4*a*c^3))
)*sqrt((2*c*d - b*e - (b^2*c - 4*a*c^2)*sqrt(e^2/(b^2*c^2 - 4*a*c^3)))/(b^2*
c - 4*a*c^2)) + 2*sqrt(e*x + d)*e)
```

**giac [A]** time = 0.27, size = 223, normalized size = 1.13

$$\frac{\sqrt{-4c^2d + 2(bc - \sqrt{b^2 - 4ac})e} \operatorname{arctan}\left(\frac{2\sqrt{\frac{1}{2}}\sqrt{xe+d}}{\sqrt{\frac{2cd - be + \sqrt{(2cd - be)^2 - 4(ac^2 - bde + ae^2)c}}{c}}}\right)}{\sqrt{b^2 - 4ac}|c|} + \frac{\sqrt{-4c^2d + 2(bc + \sqrt{b^2 - 4ac})e} \operatorname{arctan}\left(\frac{2\sqrt{\frac{1}{2}}\sqrt{xe+d}}{\sqrt{\frac{2cd - be - \sqrt{(2cd - be)^2 - 4(ac^2 - bde + ae^2)c}}{c}}}\right)}{\sqrt{b^2 - 4ac}|c|}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)/(c*x^2+b*x+a),x, algorithm="giac")
```

```
[Out] -sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c)*c)*e)*arctan(2*sqrt(1/2)*sqrt(x
*e + d)/sqrt(-(2*c*d - b*e + sqrt((2*c*d - b*e)^2 - 4*(c*d^2 - b*d*e + a*e^
2)*c))/c))/(sqrt(b^2 - 4*a*c)*abs(c)) + sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 -
4*a*c)*c)*e)*arctan(2*sqrt(1/2)*sqrt(x*e + d)/sqrt(-(2*c*d - b*e - sqrt((2
*c*d - b*e)^2 - 4*(c*d^2 - b*d*e + a*e^2)*c))/c))/(sqrt(b^2 - 4*a*c)*abs(c)
)
```

**maple [B]** time = 0.03, size = 545, normalized size = 2.75

$$\frac{\sqrt{2} b e^2 \operatorname{arctanh}\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2+2bd+\sqrt{(4ac-b^2)^2})}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(bx+2d+\sqrt{(4ac-b^2)^2})} c} + \frac{\sqrt{2} b e^2 \arctan\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2-2bd+\sqrt{(4ac-b^2)^2})}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(bx-2d+\sqrt{(4ac-b^2)^2})} c} - \frac{2\sqrt{2} c d e \operatorname{arctanh}\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2+2bd+\sqrt{(4ac-b^2)^2})}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(bx+2d+\sqrt{(4ac-b^2)^2})} c} - \frac{2\sqrt{2} c d e \arctan\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2-2bd+\sqrt{(4ac-b^2)^2})}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(bx-2d+\sqrt{(4ac-b^2)^2})} c} - \frac{\sqrt{2} e \operatorname{arctanh}\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2+2bd+\sqrt{(4ac-b^2)^2})}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(bx+2d+\sqrt{(4ac-b^2)^2})} c} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2-2bd+\sqrt{(4ac-b^2)^2})}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(bx-2d+\sqrt{(4ac-b^2)^2})} c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(1/2)/(c*x^2+b*x+a), x)`

[Out] 
$$e^2/(-4ac-b^2)e^{2(1/2)}2^{(1/2)}/((-b^2e+2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b^2e+2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)})c$$
  

$$+ b^2c^2e/(-4ac-b^2)e^{2(1/2)}2^{(1/2)}/((-b^2e+2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b^2e+2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)})c$$
  

$$+ d-e^2(1/2)/((-b^2e+2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b^2e+2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)})c$$
  

$$+ e^2/(-4ac-b^2)e^{2(1/2)}2^{(1/2)}/(b^2e-2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/(b^2e-2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)})c$$
  

$$+ b^2c^2e/(-4ac-b^2)e^{2(1/2)}2^{(1/2)}/(b^2e-2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/(b^2e-2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)})c$$
  

$$+ d+e^2(1/2)/((b^2e-2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b^2e-2c^2d+(-4ac-b^2)e^{2(1/2)})c)^{(1/2)})c$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{cx^2+bx+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(1/2)/(c*x^2+b*x+a), x, algorithm="maxima")`

[Out] `integrate(sqrt(e*x + d)/(c*x^2 + b*x + a), x)`

**mupad [B]** time = 2.99, size = 709, normalized size = 3.58

$$\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2+2bd+\sqrt{(4ac-b^2)^2})}} \operatorname{arctanh}\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2+2bd+\sqrt{(4ac-b^2)^2})}}\right) + \frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2-2bd+\sqrt{(4ac-b^2)^2})}} \arctan\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2-2bd+\sqrt{(4ac-b^2)^2})}}\right) - \frac{2\sqrt{2} c d e \operatorname{arctanh}\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2+2bd+\sqrt{(4ac-b^2)^2})}}\right)}{\sqrt{(b^2+2bd+\sqrt{(4ac-b^2)^2})}} - \frac{2\sqrt{2} c d e \arctan\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2-2bd+\sqrt{(4ac-b^2)^2})}}\right)}{\sqrt{(b^2-2bd+\sqrt{(4ac-b^2)^2})}} - \frac{\sqrt{2} e \operatorname{arctanh}\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2+2bd+\sqrt{(4ac-b^2)^2})}}\right)}{\sqrt{(b^2+2bd+\sqrt{(4ac-b^2)^2})}} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{bx+d} \sqrt{2} e}{\sqrt{(b^2-2bd+\sqrt{(4ac-b^2)^2})}}\right)}{\sqrt{(b^2-2bd+\sqrt{(4ac-b^2)^2})}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^(1/2)/(a + b*x + c*x^2), x)`

[Out] 
$$-2*\operatorname{atanh}((2*((d + e*x)^{(1/2)}*(16*a*c^2*e^4 - 8*b^2*c*e^4 - 16*c^3*d^2*e^2 + 16*b*c^2*d*e^3) + ((d + e*x)^{(1/2)}*(8*b^3*c^2*e^3 - 16*b^2*c^3*d*e^2 - 32*a*b*c^3*e^3 + 64*a*c^4*d*e^2)*(b^3*e + e*(-4*a*c - b^2)^3)^{(1/2)} + 8*a*c^2*d - 2*b^2*c*d - 4*a*b*c*e))/(2*(b^4*c + 16*a^2*c^3 - 8*a*b^2*c^2)))*(-b^4*c + 16*a^2*c^3 - 8*a*b^2*c^2)$$

$$\frac{3e + e*(-(4ac - b^2)^3)^{1/2} + 8a^2c^2d - 2b^2cd - 4abc^2e}{(2*(b^4c + 16a^2c^3 - 8ab^2c^2))^{1/2}} \cdot \frac{1}{(16c^2d^2e^3 + 16a^2c^2e^5 - 16abc^2d^2e^4)} \cdot \frac{1}{(2*(b^4c + 16a^2c^3 - 8ab^2c^2))^{1/2}} - 2 \operatorname{atanh}\left(\frac{2*((d + ex)^{1/2} * (16a^2c^2e^4 - 8b^2c^2e^4 - 16c^3d^2e^2 + 16b^2c^2d^2e^3) - ((d + ex)^{1/2} * (8b^3c^2e^3 - 16b^2c^3d^2e^2 - 32abc^3e^3 + 64a^2c^4d^2e^2) * (e*(-(4ac - b^2)^3)^{1/2} - b^3e - 8a^2c^2d + 2b^2cd + 4abc^2e))}{2*(b^4c + 16a^2c^3 - 8ab^2c^2))^{1/2}}\right) \cdot \frac{1}{(16c^2d^2e^3 + 16a^2c^2e^5 - 16abc^2d^2e^4)} \cdot \frac{1}{(2*(b^4c + 16a^2c^3 - 8ab^2c^2))^{1/2}} \cdot \frac{1}{(16c^2d^2e^3 + 16a^2c^2e^5 - 16abc^2d^2e^4)} \cdot \frac{1}{(2*(b^4c + 16a^2c^3 - 8ab^2c^2))^{1/2}} \cdot \frac{1}{(2*(b^4c + 16a^2c^3 - 8ab^2c^2))^{1/2}}$$

**sympy [A]** time = 50.10, size = 155, normalized size = 0.78

$$2e \operatorname{RootSum}\left(t^4 (256a^2c^3e^4 - 128ab^2c^2e^4 + 16b^4ce^4) + t^2 (-16abce^3 + 32ac^2de^2 + 4b^3e^3 - 8b^2cde^2) + ae^2 - bde + cd^2, (t \mapsto t \log(64t^3ac^2e^2 - 16t^3b^2ce^2 - 2tbe + 4tcd + \sqrt{d + ex}))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)/(c\*x\*\*2+b\*x+a),x)

[Out] 2e\*RootSum(\_t\*\*4\*(256\*a\*\*2\*c\*\*3\*e\*\*4 - 128\*a\*b\*\*2\*c\*\*2\*e\*\*4 + 16\*b\*\*4\*c\*e\*\*4) + \_t\*\*2\*(-16\*a\*b\*c\*e\*\*3 + 32\*a\*c\*\*2\*d\*e\*\*2 + 4\*b\*\*3\*e\*\*3 - 8\*b\*\*2\*c\*d\*e\*\*2) + a\*e\*\*2 - b\*d\*e + c\*d\*\*2, Lambda(\_t, \_t\*log(64\*\_t\*\*3\*a\*c\*\*2\*e\*\*2 - 16\*\_t\*\*3\*b\*\*2\*c\*e\*\*2 - 2\*\_t\*b\*e + 4\*\_t\*c\*d + sqrt(d + e\*x))))

$$3.339 \quad \int \frac{\sqrt{d+ex}}{x(a+bx+cx^2)} dx$$

**Optimal.** Leaf size=275

$$\frac{\sqrt{2} \sqrt{c} \left( d\sqrt{b^2 - 4ac} - 2ae + bd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) - \sqrt{2} \sqrt{c} \left( -d\sqrt{b^2 - 4ac} - 2ae + bd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c}}{\sqrt{2cd-e(b+\sqrt{b^2-4ac})}} \right)}{a\sqrt{b^2 - 4ac} \sqrt{2cd - e} \left( b - \sqrt{b^2 - 4ac} \right) - a\sqrt{b^2 - 4ac} \sqrt{2cd - e} \left( \sqrt{b^2 - 4ac} + b \right)}$$

**Rubi [A]** time = 1.13, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {897, 1287, 206, 1166, 208}

$$\frac{\sqrt{2} \sqrt{c} \left( d\sqrt{b^2 - 4ac} - 2ae + bd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) - \sqrt{2} \sqrt{c} \left( -d\sqrt{b^2 - 4ac} - 2ae + bd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \right) - 2\sqrt{d} \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a\sqrt{b^2 - 4ac} \sqrt{2cd - e} \left( b - \sqrt{b^2 - 4ac} \right) - a\sqrt{b^2 - 4ac} \sqrt{2cd - e} \left( \sqrt{b^2 - 4ac} + b \right) - a}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/(x\*(a + b\*x + c\*x^2)), x]

[Out]  $(-2*\text{Sqrt}[d]*\text{ArcTanh}[\text{Sqrt}[d + e*x]/\text{Sqrt}[d]])/a + (\text{Sqrt}[2]*\text{Sqrt}[c]*(b*d + \text{Sqrt}[b^2 - 4*a*c]*d - 2*a*e)*\text{ArcTanh}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x])/\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]])/(a*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]) - (\text{Sqrt}[2]*\text{Sqrt}[c]*(b*d - \text{Sqrt}[b^2 - 4*a*c]*d - 2*a*e)*\text{ArcTanh}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x])/\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]])/(a*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e])$

**Rule 206**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 208**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

**Rule 897**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S

```

ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2)^p, x], x, (d + e*x)
^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]

```

### Rule 1166

```

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

```

### Rule 1287

```

Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] :> Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex}}{x(a+bx+cx^2)} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{x^2}{\left(-\frac{d}{e} + \frac{x^2}{e}\right) \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}\right)} dx, x, \sqrt{d+ex} \right)}{e} \\
&= \frac{2 \operatorname{Subst} \left( \int \left( -\frac{de}{a(d-x^2)} + \frac{e(cd^2-bde+ae^2-cdx^2)}{a(cd^2-bde+ae^2-(2cd-be)x^2+cx^4)} \right) dx, x, \sqrt{d+ex} \right)}{e} \\
&= \frac{2 \operatorname{Subst} \left( \int \frac{cd^2-bde+ae^2-cdx^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex} \right)}{a} - \frac{(2d) \operatorname{Subst} \left( \int \frac{1}{d-x^2} dx, x, \sqrt{d+ex} \right)}{a} \\
&= -\frac{2\sqrt{d} \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a} + \frac{\left( c \left( bd - \sqrt{b^2 - 4ac} d - 2ae \right) \right) \operatorname{Subst} \left( \int \frac{1}{\frac{1}{2}\sqrt{b^2-4ac}e + \frac{1}{2}(-2cd+be)+cx^2} dx, x, \sqrt{d+ex} \right)}{a\sqrt{b^2 - 4ac}} \\
&= -\frac{2\sqrt{d} \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a} + \frac{\sqrt{2} \sqrt{c} \left( bd + \sqrt{b^2 - 4ac} d - 2ae \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}} \right)}{a\sqrt{b^2 - 4ac} \sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}}
\end{aligned}$$

**Mathematica [A]** time = 0.94, size = 267, normalized size = 0.97

$$\frac{\sqrt{2} \sqrt{c} \left( d\sqrt{b^2-4ac} - 2ae + bd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{e\sqrt{b^2-4ac} - be + 2cd}} \right) + \sqrt{2} \sqrt{c} \left( d\sqrt{b^2-4ac} + 2ae - bd \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - e(\sqrt{b^2-4ac} + b)}} \right)}{\sqrt{b^2-4ac} \sqrt{e(\sqrt{b^2-4ac} - b) + 2cd}} + \frac{\sqrt{b^2-4ac} \sqrt{2cd - e(\sqrt{b^2-4ac} + b)}}{a} - 2\sqrt{d} \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e\*x]/(x\*(a + b\*x + c\*x^2)),x]

[Out] (-2\*Sqrt[d]\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]] + (Sqrt[2]\*Sqrt[c]\*(b\*d + Sqrt[b^2 - 4\*a\*c]\*d - 2\*a\*e)\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - b\*e + Sqrt[b^2 - 4\*a\*c]\*e]])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d + (-b + Sqrt[b^2 - 4\*a\*c])\*e]) + (Sqrt[2]\*Sqrt[c]\*(-b\*d) + Sqrt[b^2 - 4\*a\*c]\*d + 2\*a\*e)\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e])/a

**IntegrateAlgebraic [A]** time = 0.99, size = 274, normalized size = 1.00

$$\frac{\sqrt{2}\sqrt{c}\left(d\sqrt{b^2-4ac}-2ae+bd\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{-c\sqrt{b^2-4ac}+be-2cd}}\right)}{a\sqrt{b^2-4ac}\sqrt{-c\sqrt{b^2-4ac}+be-2cd}} - \frac{\sqrt{2}\sqrt{c}\left(d\sqrt{b^2-4ac}+2ae-bd\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{c\sqrt{b^2-4ac}+be-2cd}}\right)}{a\sqrt{b^2-4ac}\sqrt{c\sqrt{b^2-4ac}+be-2cd}} - \frac{2\sqrt{d}\tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{a}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/(x\*(a + b\*x + c\*x^2)),x]

[Out]  $-\left(\frac{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}\sqrt{d+ex}\operatorname{ArcTan}\left[\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{-c\sqrt{b^2-4ac}+be-2cd}}\right]}{a\sqrt{b^2-4ac}\sqrt{-c\sqrt{b^2-4ac}+be-2cd}} - \frac{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}\sqrt{d+ex}\operatorname{ArcTan}\left[\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{c\sqrt{b^2-4ac}+be-2cd}}\right]}{a\sqrt{b^2-4ac}\sqrt{c\sqrt{b^2-4ac}+be-2cd}} - \frac{2\sqrt{d}\tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{a}\right)$

**fricas [B]** time = 0.79, size = 2446, normalized size = 8.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/x/(c\*x^2+b\*x+a),x, algorithm="fricas")

[Out]  $\frac{1}{2}\sqrt{2}a\sqrt{-a^2b^2-4a^3c}\sqrt{\frac{(b^3-4ab^2c)d-(ab^2-4a^2c)e+(a^2b^3-4a^3b^2c)\sqrt{(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}}{(a^2b^2-4a^3c)}}\log\left(\frac{\sqrt{2}\sqrt{(b^3-4ab^2c)d-(ab^2-4a^2c)e+(a^2b^3-4a^3b^2c)\sqrt{(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}}}{(a^2b^2-4a^3c)} - 4(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}\right) - \sqrt{2}a\sqrt{-a^2b^2-4a^3c}\sqrt{\frac{(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}{(a^2b^2-4a^3c)}}\log\left(\frac{-\sqrt{2}\sqrt{(b^3-4ab^2c)d-(ab^2-4a^2c)e+(a^2b^3-4a^3b^2c)\sqrt{(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}}}{(a^2b^2-4a^3c)} - 4(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}\right) + \sqrt{2}a\sqrt{-a^2b^2-4a^3c}\sqrt{\frac{(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}{(a^2b^2-4a^3c)}}\log\left(\frac{\sqrt{2}\sqrt{(b^3-4ab^2c)d-(ab^2-4a^2c)e-(a^2b^3-4a^3b^2c)\sqrt{(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}}}{(a^2b^2-4a^3c)} - 4(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}\right) - \sqrt{2}a\sqrt{-a^2b^2-4a^3c}\sqrt{\frac{(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}{(a^2b^2-4a^3c)}}\log\left(\frac{-\sqrt{2}\sqrt{(b^3-4ab^2c)d-(ab^2-4a^2c)e-(a^2b^3-4a^3b^2c)\sqrt{(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}}}{(a^2b^2-4a^3c)} - 4(b^2d^2-2abd^2+ae^2)/(a^4b^2-4a^5c)}\right)$



$$\begin{aligned}
& b^2 - 2ac) * d - (a^2 b^2 - 4a^3 c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)} \\
& - 4(bc d - ace) * \sqrt{ex + d} + 2\sqrt{d} * \log((ex - 2\sqrt{ex + d}) * \sqrt{d} + 2d) / x) / a, 1/2 * (\sqrt{2} * a * \sqrt{-(a * b * e - (b^2 - 2ac) * d + (a^2 b^2 - 4a^3 c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) / (a^2 b^2 - 4a^3 c)} * \log(\sqrt{2} * ((b^3 - 4a * b * c) * d - (a * b^2 - 4a^2 c) * e + (a^2 b^3 - 4a^3 b * c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) * \sqrt{-(a * b * e - (b^2 - 2ac) * d + (a^2 b^2 - 4a^3 c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) / (a^2 b^2 - 4a^3 c)} - 4(bc d - ace) * \sqrt{ex + d}) - \sqrt{2} * a * \sqrt{-(a * b * e - (b^2 - 2ac) * d + (a^2 b^2 - 4a^3 c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) / (a^2 b^2 - 4a^3 c)} * \log(-\sqrt{2} * ((b^3 - 4a * b * c) * d - (a * b^2 - 4a^2 c) * e + (a^2 b^3 - 4a^3 b * c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) * \sqrt{-(a * b * e - (b^2 - 2ac) * d + (a^2 b^2 - 4a^3 c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) / (a^2 b^2 - 4a^3 c)} - 4(bc d - ace) * \sqrt{ex + d}) + \sqrt{2} * a * \sqrt{-(a * b * e - (b^2 - 2ac) * d - (a^2 b^2 - 4a^3 c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) / (a^2 b^2 - 4a^3 c)} * \log(\sqrt{2} * ((b^3 - 4a * b * c) * d - (a * b^2 - 4a^2 c) * e - (a^2 b^3 - 4a^3 b * c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) * \sqrt{-(a * b * e - (b^2 - 2ac) * d - (a^2 b^2 - 4a^3 c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) / (a^2 b^2 - 4a^3 c)} - 4(bc d - ace) * \sqrt{ex + d}) - \sqrt{2} * a * \sqrt{-(a * b * e - (b^2 - 2ac) * d - (a^2 b^2 - 4a^3 c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) / (a^2 b^2 - 4a^3 c)} * \log(-\sqrt{2} * ((b^3 - 4a * b * c) * d - (a * b^2 - 4a^2 c) * e - (a^2 b^3 - 4a^3 b * c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) * \sqrt{-(a * b * e - (b^2 - 2ac) * d - (a^2 b^2 - 4a^3 c) * \sqrt{(b^2 d^2 - 2abd + a^2 e^2) / (a^4 b^2 - 4a^5 c)})) / (a^2 b^2 - 4a^3 c)} - 4(bc d - ace) * \sqrt{ex + d}) + 4 * \sqrt{-d} * \arctan(\sqrt{ex + d} * \sqrt{-d} / d) / a]
\end{aligned}$$

**giac [B]** time = 0.39, size = 712, normalized size = 2.59

$$\frac{2d \arctan\left(\frac{\sqrt{-4c^2d + 2(bc - \sqrt{b^2 - 4ac})c}e}{\sqrt{-d}}\right) / \sqrt{-d} - \frac{1}{4}(\sqrt{-4c^2d + 2(bc - \sqrt{b^2 - 4ac})c}e) * (b^2 - 4ac) * a^2 d e - 2(\sqrt{b^2 - 4ac}) * a * c * d^2 - \sqrt{b^2 - 4ac} * a * b * d * e + \sqrt{b^2 - 4ac} * a^2 * e^2) * \sqrt{-4c^2d + 2(bc - \sqrt{b^2 - 4ac})c}e * \arctan\left(\frac{2\sqrt{1/2} * \sqrt{ex + d} / \sqrt{-(2ac * d - a * b * e + \sqrt{-4(ac * d^2 - a * b * d * e + a^2 * e^2)}) * ac + (2ac * d - a * b * e)^2}}{(ac)}\right) / (\sqrt{b^2 - 4ac}) * a^2 * c * d^2 - \sqrt{b^2 - 4ac} * a^2 * b * d * e + \sqrt{b^2 - 4ac} * a^3 * e^2) * a * \arctan\left(\frac{\sqrt{-4c^2d + 2(bc - \sqrt{b^2 - 4ac})c}e}{\sqrt{-d}}\right) / \sqrt{-d}}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/x/(c\*x^2+b\*x+a),x, algorithm="giac")

[Out] 2\*d\*arctan(sqrt(x\*e + d)/sqrt(-d))/sqrt(-d) - 1/4\*(sqrt(-4\*c^2\*d + 2\*(b\*c - sqrt(b^2 - 4\*a\*c))\*c)\*e)\*(b^2 - 4\*a\*c)\*a^2\*d\*e - 2\*(sqrt(b^2 - 4\*a\*c))\*a\*c\*d^2 - sqrt(b^2 - 4\*a\*c)\*a\*b\*d\*e + sqrt(b^2 - 4\*a\*c)\*a^2\*e^2)\*sqrt(-4\*c^2\*d + 2\*(b\*c - sqrt(b^2 - 4\*a\*c))\*c)\*e \* arctan(2\*sqrt(1/2)\*sqrt(x\*e + d)/sqrt(-(2\*a\*c\*d - a\*b\*e + sqrt(-4\*(a\*c\*d^2 - a\*b\*d\*e + a^2\*e^2))\*a\*c + (2\*a\*c\*d - a\*b\*e)^2))/(a\*c)) / ((sqrt(b^2 - 4\*a\*c))\*a^2\*c\*d^2 - sqrt(b^2 - 4\*a\*c)\*a^2\*b\*d\*e + sqrt(b^2 - 4\*a\*c)\*a^3\*e^2)\*a \* arctan(sqrt(-4\*c^2\*d + 2\*(b\*c - sqrt(b^2 - 4\*a\*c))\*c)\*e) / sqrt(-d) + 1/4\*(sqrt(-4\*c^2\*d + 2\*(b\*c + sqrt(b^2 - 4\*a\*c))\*c)\*e)\*(b^2

$$- 4*a*c)*a^2*d*e + 2*(\sqrt{b^2 - 4*a*c})*a*c*d^2 - \sqrt{b^2 - 4*a*c})*a*b*d*e + \sqrt{b^2 - 4*a*c})*a^2*e^2)*\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c})*c})*e)*\text{abs}(a) - (2*a^2*b*c*d^2 + 2*a^3*b*e^2 - (a^2*b^2 + 4*a^3*c)*d*e)*\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c})*c})*e))*\arctan(2*\sqrt{1/2})*\sqrt{x*e + d})/\sqrt{-(2*a*c*d - a*b*e - \sqrt{-4*(a*c*d^2 - a*b*d*e + a^2*e^2)})*a*c + (2*a*c*d - a*b*e)^2})/(a*c)))/((\sqrt{b^2 - 4*a*c})*a^2*c*d^2 - \sqrt{b^2 - 4*a*c})*a^2*b*d*e + \sqrt{b^2 - 4*a*c})*a^3*e^2)*\text{abs}(a)*\text{abs}(c))$$

**maple [B]** time = 0.06, size = 581, normalized size = 2.11

$$\frac{\sqrt{2} \operatorname{bcI} \operatorname{arctanh}\left(\frac{\sqrt{ax+d}}{\sqrt{(a+2bx+d)\sqrt{(4ac-b^2)}}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(-bx+2d+\sqrt{(4ac-b^2)^2})} c a} + \frac{\sqrt{2} \operatorname{bcI} \operatorname{arctan}\left(\frac{\sqrt{ax+d}}{\sqrt{(a-2bx+d)\sqrt{(4ac-b^2)}}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(bx-2d+\sqrt{(4ac-b^2)^2})} c a} - \frac{2\sqrt{2} c^2 \operatorname{arctanh}\left(\frac{\sqrt{ax+d}}{\sqrt{(a+2bx+d)\sqrt{(4ac-b^2)}}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(-bx+2d+\sqrt{(4ac-b^2)^2})} c} - \frac{2\sqrt{2} c^2 \operatorname{arctan}\left(\frac{\sqrt{ax+d}}{\sqrt{(a-2bx+d)\sqrt{(4ac-b^2)}}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(bx-2d+\sqrt{(4ac-b^2)^2})} c} + \frac{\sqrt{2} c \operatorname{I} \operatorname{arctanh}\left(\frac{\sqrt{ax+d}}{\sqrt{(a+2bx+d)\sqrt{(4ac-b^2)}}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(-bx+2d+\sqrt{(4ac-b^2)^2})} c a} - \frac{\sqrt{2} c \operatorname{I} \operatorname{arctan}\left(\frac{\sqrt{ax+d}}{\sqrt{(a-2bx+d)\sqrt{(4ac-b^2)}}}\right)}{\sqrt{-(4ac-b^2)^2} \sqrt{(bx-2d+\sqrt{(4ac-b^2)^2})} c a} - 2\sqrt{2} \operatorname{arctanh}\left(\frac{\sqrt{ax+d}}{\sqrt{ax+d}}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(1/2)/x/(c*x^2+b*x+a), x)`

[Out]  $-2*\operatorname{arctanh}((e*x+d)^{(1/2)}/d^{(1/2)})*d^{(1/2)}/a-2*e^2*c/(-(4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)+e/a*c/(-(4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*b*d+1/a*c*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*d-2*e^2*c/(-(4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)+e/a*c/(-(4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*b*d-1/a*c*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{(cx^2+bx+a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(1/2)/x/(c*x^2+b*x+a), x, algorithm="maxima")`

[Out] `integrate(sqrt(e*x + d)/((c*x^2 + b*x + a)*x), x)`

**mupad [B]** time = 7.41, size = 10894, normalized size = 39.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d + ex)^{1/2}/(x*(a + bx + cx^2)), x)$

[Out]  $-\text{atan}\left(\frac{((b^4d + 8a^2c^2d - ab^3e + a*(-4ac - b^2)^3)^{1/2} - b*d*(-4ac - b^2)^3)^{1/2} - 6a^2b^2cd + 4a^2b^2c^2e}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}\right)^{1/2} * \left(\frac{((b^4d + 8a^2c^2d - ab^3e + a*(-4ac - b^2)^3)^{1/2} - b*d*(-4ac - b^2)^3)^{1/2} - 6a^2b^2cd + 4a^2b^2c^2e}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}\right)^{1/2} * (d + ex)^{1/2} * \left(\frac{b^4d + 8a^2c^2d - ab^3e + a*(-4ac - b^2)^3)^{1/2} - b*d*(-4ac - b^2)^3)^{1/2} - 6a^2b^2cd + 4a^2b^2c^2e}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}\right)^{1/2} * (512a^5c^4e^{10} + 32a^3b^4c^2e^{10} - 256a^4b^2c^3e^{10} + 768a^4c^5d^2e^8 + 64a^2b^4c^3d^2e^8 - 448a^3b^2c^4d^2e^8 - 896a^4b^2c^4d^2e^9 - 64a^2b^5c^2d^2e^9 + 480a^3b^3c^3d^2e^9) - 384a^4c^4d^2e^{10} - 384a^3c^5d^3e^8 + 96a^2b^2c^4d^3e^8 - 96a^2b^3c^3d^2e^9 + 384a^3b^2c^4d^2e^9 + 96a^3b^2c^3d^2e^{10}) - (d + ex)^{1/2} * (128a^3b^2c^3e^{11} + 192a^3c^4d^2e^{10} - 32a^2b^3c^2e^{11} + 576a^2c^5d^3e^8 + 64b^4c^3d^3e^8 - 64b^5c^2d^2e^9 + 64a^2b^4c^2d^2e^{10} - 384a^2b^2c^4d^3e^8 + 384a^2b^3c^3d^2e^9 - 576a^2b^2c^4d^2e^9 - 288a^2b^2c^3d^2e^{10}) * \left(\frac{b^4d + 8a^2c^2d - ab^3e + a*(-4ac - b^2)^3)^{1/2} - b*d*(-4ac - b^2)^3)^{1/2} - 6a^2b^2cd + 4a^2b^2c^2e}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}\right)^{1/2} + 96a^2c^5d^4e^8 + 96a^2c^4d^2e^{10} - 32b^2c^4d^4e^8 + 32b^4c^2d^2e^{10} + 64a^2b^2c^4d^3e^9 - 32a^2b^3c^2d^2e^{11} + 160a^2b^2c^3d^2e^{11} - 192a^2b^2c^3d^2e^{10}) + (d + ex)^{1/2} * (32a^2c^3e^{12} + 96c^5d^4e^8 - 128b^2c^4d^3e^9 + 64b^2c^3d^2e^{10} - 64a^2b^2c^3d^2e^{11}) * \left(\frac{b^4d + 8a^2c^2d - ab^3e + a*(-4ac - b^2)^3)^{1/2} - b*d*(-4ac - b^2)^3)^{1/2} - 6a^2b^2cd + 4a^2b^2c^2e}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}\right)^{1/2} * 1i - \left(\frac{b^4d + 8a^2c^2d - ab^3e + a*(-4ac - b^2)^3)^{1/2} - b*d*(-4ac - b^2)^3)^{1/2} - 6a^2b^2cd + 4a^2b^2c^2e}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}\right)^{1/2} * \left(\frac{b^4d + 8a^2c^2d - ab^3e + a*(-4ac - b^2)^3)^{1/2} - b*d*(-4ac - b^2)^3)^{1/2} - 6a^2b^2cd + 4a^2b^2c^2e}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}\right)^{1/2} * (96a^2c^5d^4e^8 - \left(\frac{b^4d + 8a^2c^2d - ab^3e + a*(-4ac - b^2)^3)^{1/2} - b*d*(-4ac - b^2)^3)^{1/2} - 6a^2b^2cd + 4a^2b^2c^2e}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}\right)^{1/2} * (d + ex)^{1/2} * \left(\frac{b^4d + 8a^2c^2d - ab^3e + a*(-4ac - b^2)^3)^{1/2} - b*d*(-4ac - b^2)^3)^{1/2} - 6a^2b^2cd + 4a^2b^2c^2e}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}\right)^{1/2} * (512a^5c^4e^{10} + 32a^3b^4c^2e^{10} - 256a^4b^2c^3e^{10} + 768a^4c^5d^2e^8 + 64a^2b^4c^3d^2e^8 - 448a^3b^2c^4d^2e^8 - 896a^4b^2c^4d^2e^9 - 64a^2b^5c^2d^2e^9 + 480a^3b^3c^3d^2e^9) + 384a^4c^4d^2e^{10} + 384a^3c^5d^3e^8 - 96a^2b^2c^4d^3e^8 + 96a^2b^3c^3d^2e^9 - 384a^3b^2c^4d^2e^9 - 96a^3b^2c^3d^2e^{10}) - (d + ex)^{1/2} * (128a^3b^2c^3e^{11} + 192a^3c^4d^2e^{10} - 32a^2b^3c^2e^{11} + 576a^2c^5d^3e^8 + 64b^4c^3d^3e^8 - 64b^5c^2d^2e^9 + 64a^2b^4c^2d^2e^{10} - 384a^2b^2c^4d^3e^8 + 384a^2b^3c^3d^2e^9 - 576a^2b^2c^4d^2e^9 - 288a^2b^2c^3d^2e^{10}) * \left(\frac{b^4d + 8a^2c^2d - ab^3e + a*(-4ac - b^2)^3)^{1/2} - b*d*(-4ac - b^2)^3)^{1/2} - 6a^2b^2cd + 4a^2b^2c^2e}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}\right)^{1/2} + 96a^2c^4d^2e^{10} - 32b^2c^4d^4e^8 + 32b^4c^2d^2e^{10} + 64a^2b^2c^4d^3e^9 - 32a^2b^3c^2d^2e^{11} + 160a^2b^2c^3d^2e^{11} - 192a^2b^2c^3d^2e^{10})$

$$\begin{aligned}
& ^3c^2d^2e^{11} + 160a^2b^2c^3d^2e^{11} - 192a^2b^2c^3d^2e^{10}) - (d + ex)^{\frac{1}{2}} \\
& (32a^2c^3e^{12} + 96c^5d^4e^8 - 128b^2c^4d^3e^9 + 64b^2c^3d^2e^{10} - 64a^2b^2c^3d^2e^{11}) \\
& ((b^4d + 8a^2c^2d - ab^3e + a^2e(-4ac - b^2)^3)^{\frac{1}{2}} - b^2d(-4ac - b^2)^3)^{\frac{1}{2}} - 6a^2b^2cd + 4a^2b^2ce \\
& ) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{\frac{1}{2}} * i) / (((b^4d + 8a^2c^2d - ab^3e + a^2e(-4ac - b^2)^3)^{\frac{1}{2}} \\
& - b^2d(-4ac - b^2)^3)^{\frac{1}{2}} - 6a^2b^2cd + 4a^2b^2ce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{\frac{1}{2}} \\
& ) * (((b^4d + 8a^2c^2d - ab^3e + a^2e(-4ac - b^2)^3)^{\frac{1}{2}} - b^2d(-4ac - b^2)^3)^{\frac{1}{2}} - 6a^2b^2cd + 4a^2b^2ce) \\
& / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{\frac{1}{2}} * ((d + ex)^{\frac{1}{2}} * ((b^4d + 8a^2c^2d - ab^3e + a^2e(-4ac - b^2)^3)^{\frac{1}{2}} \\
& - b^2d(-4ac - b^2)^3)^{\frac{1}{2}} - 6a^2b^2cd + 4a^2b^2ce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{\frac{1}{2}} * (512a^5c^4 \\
& e^{10} + 32a^3b^4c^2e^{10} - 256a^4b^2c^3e^{10} + 768a^4c^5d^2e^8 + 64a^2b^4c^3d^2e^8 - 448a^3b^2c^4d^2e^8 \\
& - 896a^4b^2c^4d^2e^9 - 64a^2b^5c^2d^2e^9 + 480a^3b^3c^3d^2e^9) - 384a^4c^4d^2e^{10} - 384a^3c^5d^3e^8 \\
& + 96a^2b^2c^4d^3e^8 - 96a^2b^3c^3d^2e^9 + 384a^3b^2c^4d^2e^9 + 96a^3b^2c^3d^2e^{10}) - (d + ex)^{\frac{1}{2}} \\
& (128a^3b^2c^3e^{11} + 192a^3c^4d^2e^{10} - 32a^2b^3c^2e^{11} + 576a^2c^5d^3e^8 + 64b^4c^3d^3e^8 - 64b^5c^2d^2e^9 \\
& + 64a^2b^4c^2d^2e^{10} - 384a^2b^2c^4d^3e^8 + 384a^2b^3c^3d^2e^9 - 576a^2b^2c^4d^2e^9 - 288a^2b^2c^3d^2e^{10}) \\
& ) * ((b^4d + 8a^2c^2d - ab^3e + a^2e(-4ac - b^2)^3)^{\frac{1}{2}} - b^2d(-4ac - b^2)^3)^{\frac{1}{2}} - 6a^2b^2cd + 4a^2b^2ce \\
& ) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{\frac{1}{2}} + 96a^2c^5d^4e^8 + 96a^2c^4d^2e^{10} - 32b^2c^4d^4e^8 \\
& + 32b^4c^2d^2e^{10} + 64a^2b^2c^4d^3e^9 - 32a^2b^3c^2d^2e^{11} + 160a^2b^2c^3d^2e^{11} - 192a^2b^2c^3d^2e^{10}) \\
& + (d + ex)^{\frac{1}{2}} (32a^2c^3e^{12} + 96c^5d^4e^8 - 128b^2c^4d^3e^9 + 64b^2c^3d^2e^{10} - 64a^2b^2c^3d^2e^{11}) \\
& ((b^4d + 8a^2c^2d - ab^3e + a^2e(-4ac - b^2)^3)^{\frac{1}{2}} - b^2d(-4ac - b^2)^3)^{\frac{1}{2}} - 6a^2b^2cd + 4a^2b^2ce \\
& ) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{\frac{1}{2}} + (((b^4d + 8a^2c^2d - ab^3e + a^2e(-4ac - b^2)^3)^{\frac{1}{2}} \\
& - b^2d(-4ac - b^2)^3)^{\frac{1}{2}} - 6a^2b^2cd + 4a^2b^2ce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{\frac{1}{2}} * (96a^2c^5d^4e^8 \\
& - (((b^4d + 8a^2c^2d - ab^3e + a^2e(-4ac - b^2)^3)^{\frac{1}{2}} - b^2d(-4ac - b^2)^3)^{\frac{1}{2}} - 6a^2b^2cd + 4a^2b^2ce) \\
& / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{\frac{1}{2}} * ((d + ex)^{\frac{1}{2}} * ((b^4d + 8a^2c^2d - ab^3e + a^2e(-4ac - b^2)^3)^{\frac{1}{2}} \\
& - b^2d(-4ac - b^2)^3)^{\frac{1}{2}} - 6a^2b^2cd + 4a^2b^2ce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{\frac{1}{2}} * (512a^5c^4 \\
& e^{10} + 32a^3b^4c^2e^{10} - 256a^4b^2c^3e^{10} + 768a^4c^5d^2e^8 + 64a^2b^4c^3d^2e^8 - 448a^3b^2c^4d^2e^8 \\
& - 896a^4b^2c^4d^2e^9 - 64a^2b^5c^2d^2e^9 + 480a^3b^3c^3d^2e^9) + 384a^4c^4d^2e^{10} + 384a^3c^5d^3e^8 \\
& - 96a^2b^2c^4d^3e^8 + 96a^2b^3c^3d^2e^9 - 384a^3b^2c^4d^2e^9 - 96a^3b^2c^3d^2e^{10}) - (d + ex)^{\frac{1}{2}} \\
& (128a^3b^2c^3e^{11} + 192a^3c^4d^2e^{10} - 32a^2b^3c^2e^{11} + 576a^2c^5d^3e^8 + 64b^4c^3d^3e^8 - 64b^5c^2d^2e^9 \\
& + 64a^2b^4c^2d^2e^{10} - 384a^2b^2c^4d^3e^8 + 384a^2b^3c^3d^2e^9 - 576a^2b^2c^4d^2e^9 - 288a^2b^2c^3d^2e^{10}) \\
& ) * ((b^4d + 8a^2c^2d - ab^3e + a^2e(-4ac - b^2)^3)^{\frac{1}{2}} - b^2d(-4ac - b^2)^3)^{\frac{1}{2}} - 6a^2b^2cd + 4a^2b^2ce \\
& ) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{\frac{1}{2}}
\end{aligned}$$

$$\begin{aligned}
& ((4ac - b^2)^3)^{1/2} - 6ab^2cd + 4a^2bce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{1/2} + 96a^2c^4d^2e^{10} - 32b^2c^4d^4e^8 + 32b^4c^2d^2e^{10} + 64ab^3c^4d^3e^9 - 32ab^3c^2d^2e^{11} + 160a^2b^3c^3d^2e^{11} - 192ab^2c^3d^2e^{10}) - (d + ex)^{1/2} * (32a^2c^3e^{12} + 96c^5d^4e^8 - 128b^2c^4d^3e^9 + 64b^2c^3d^2e^{10} - 64ab^3c^3d^2e^{11}) * ((b^4d + 8a^2c^2d - ab^3e + a * ((4ac - b^2)^3)^{1/2} - b * ((4ac - b^2)^3)^{1/2} - 6ab^2cd + 4a^2bce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)))^{1/2} - 64c^4d^3e^{10} + 64b^3c^3d^2e^{11} - 64a^3c^3d^2e^{12}) * ((b^4d + 8a^2c^2d - ab^3e + a * ((4ac - b^2)^3)^{1/2} - b * ((4ac - b^2)^3)^{1/2} - 6ab^2cd + 4a^2bce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)))^{1/2} * 2i - \operatorname{atan}(\frac{((b^4d + 8a^2c^2d - ab^3e - a * ((4ac - b^2)^3)^{1/2} + b * ((4ac - b^2)^3)^{1/2} - 6ab^2cd + 4a^2bce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)))^{1/2} * (((b^4d + 8a^2c^2d - ab^3e - a * ((4ac - b^2)^3)^{1/2} + b * ((4ac - b^2)^3)^{1/2} - 6ab^2cd + 4a^2bce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)))^{1/2} * ((d + ex)^{1/2} * ((b^4d + 8a^2c^2d - ab^3e - a * ((4ac - b^2)^3)^{1/2} + b * ((4ac - b^2)^3)^{1/2} - 6ab^2cd + 4a^2bce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)))^{1/2} * (512a^5c^4e^{10} + 32a^3b^4c^2e^{10} - 256a^4b^2c^3e^{10} + 768a^4c^5d^2e^8 + 64a^2b^4c^3d^2e^8 - 448a^3b^2c^4d^2e^8 - 896a^4b^3c^4d^2e^9 - 64a^2b^5c^2d^2e^9 + 480a^3b^3c^3d^2e^9) - 384a^4c^4d^2e^{10} - 384a^3c^5d^3e^8 + 96a^2b^2c^4d^3e^8 - 96a^2b^3c^3d^2e^9 + 384a^3b^3c^4d^2e^9 + 96a^3b^2c^3d^2e^{10}) - (d + ex)^{1/2} * (128a^3b^3c^3e^{11} + 192a^3c^4d^2e^{10} - 32a^2b^3c^2e^{11} + 576a^2c^5d^3e^8 + 64b^4c^3d^3e^8 - 64b^5c^2d^2e^9 + 64ab^4c^2d^2e^{10} - 384ab^2c^4d^3e^8 + 384ab^3c^3d^2e^9 - 576a^2b^3c^4d^2e^9 - 288a^2b^2c^3d^2e^{10}) * ((b^4d + 8a^2c^2d - ab^3e - a * ((4ac - b^2)^3)^{1/2} + b * ((4ac - b^2)^3)^{1/2} - 6ab^2cd + 4a^2bce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)))^{1/2} + 96a^5c^4d^4e^8 + 96a^2c^4d^2e^{10} - 32b^2c^4d^4e^8 + 32b^4c^2d^2e^{10} + 64ab^3c^4d^3e^9 - 32ab^3c^2d^2e^{11} + 160a^2b^3c^3d^2e^{11} - 192ab^2c^3d^2e^{10}) + (d + ex)^{1/2} * (32a^2c^3e^{12} + 96c^5d^4e^8 - 128b^2c^4d^3e^9 + 64b^2c^3d^2e^{10} - 64ab^3c^3d^2e^{11}) * ((b^4d + 8a^2c^2d - ab^3e - a * ((4ac - b^2)^3)^{1/2} + b * ((4ac - b^2)^3)^{1/2} - 6ab^2cd + 4a^2bce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)))^{1/2} * 1i - (((b^4d + 8a^2c^2d - ab^3e - a * ((4ac - b^2)^3)^{1/2} + b * ((4ac - b^2)^3)^{1/2} - 6ab^2cd + 4a^2bce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)))^{1/2} * (96a^5c^4d^4e^8 - (((b^4d + 8a^2c^2d - ab^3e - a * ((4ac - b^2)^3)^{1/2} + b * ((4ac - b^2)^3)^{1/2} - 6ab^2cd + 4a^2bce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)))^{1/2} * ((d + ex)^{1/2} * ((b^4d + 8a^2c^2d - ab^3e - a * ((4ac - b^2)^3)^{1/2} + b * ((4ac - b^2)^3)^{1/2} - 6ab^2cd + 4a^2bce) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)))^{1/2} * (512a^5c^4e^{10} + 32a^3b^4c^2e^{10} - 256a^4b^2c^3e^{10} + 768a^4c^5d^2e^8 + 64a^2b^4c^3d^2e^8 - 448a^3b^2c^4d^2e^8 - 896a^4b^3c^4d^2e^9 - 64a^2b^5c^2d^2e^9 + 480a^3b^3c^3d^2e^9) + 384a^4c^4d^2e^{10} + 384a^3c^5d^3e^8 - 96
\end{aligned}$$

$$\begin{aligned}
& a^2 b^2 c^4 d^3 e^8 + 96 a^2 b^3 c^3 d^2 e^9 - 384 a^3 b^2 c^4 d^2 e^9 - 96 a^3 b^2 c^3 d e^{10} - (d + e x)^{1/2} (128 a^3 b^2 c^3 e^{11} + 192 a^3 c^4 d e^{10} - 32 a^2 b^3 c^2 e^{11} + 576 a^2 c^5 d^3 e^8 + 64 b^4 c^3 d^3 e^8 - 64 b^5 c^2 d^2 e^9 + 64 a b^4 c^2 d e^{10} - 384 a^2 b^2 c^4 d^3 e^8 + 384 a^2 b^3 c^3 d^2 e^9 - 576 a^2 b^2 c^3 d e^{10}) \cdot ((b^4 d + 8 a^2 c^2 d - a b^3 e - a e \cdot (-4 a c - b^2)^3)^{1/2} + b d \cdot (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c d + 4 a^2 b c e) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c))^{1/2} + 96 a^2 c^4 d^2 e^{10} - 32 b^2 c^4 d^4 e^8 + 32 b^4 c^2 d^2 e^{10} + 64 a b^2 c^4 d^3 e^9 - 32 a b^3 c^2 d e^{11} + 160 a^2 b^2 c^3 d e^{11} - 192 a b^2 c^3 d^2 e^{10} - (d + e x)^{1/2} (32 a^2 c^3 e^{12} + 96 c^5 d^4 e^8 - 128 b^2 c^4 d^3 e^9 + 64 b^2 c^3 d^2 e^{10} - 64 a b^2 c^3 d e^{11}) \cdot ((b^4 d + 8 a^2 c^2 d - a b^3 e - a e \cdot (-4 a c - b^2)^3)^{1/2} + b d \cdot (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c d + 4 a^2 b c e) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c))^{1/2} * i) / (((b^4 d + 8 a^2 c^2 d - a b^3 e - a e \cdot (-4 a c - b^2)^3)^{1/2} + b d \cdot (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c d + 4 a^2 b c e) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c))^{1/2} * (((b^4 d + 8 a^2 c^2 d - a b^3 e - a e \cdot (-4 a c - b^2)^3)^{1/2} + b d \cdot (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c d + 4 a^2 b c e) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c))^{1/2} * ((d + e x)^{1/2} \cdot ((b^4 d + 8 a^2 c^2 d - a b^3 e - a e \cdot (-4 a c - b^2)^3)^{1/2} + b d \cdot (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c d + 4 a^2 b c e) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c))^{1/2} * (512 a^5 c^4 e^{10} + 32 a^3 b^4 c^2 e^{10} - 256 a^4 b^2 c^3 e^{10} + 768 a^4 c^5 d^2 e^8 + 64 a^2 b^4 c^3 d^2 e^8 - 448 a^3 b^2 c^4 d^2 e^8 - 896 a^4 b^2 c^4 d e^9 - 64 a^2 b^5 c^2 d e^9 + 480 a^3 b^3 c^3 d e^9) - 384 a^4 c^4 d e^{10} - 384 a^3 c^5 d^3 e^8 + 96 a^2 b^2 c^4 d^3 e^8 - 96 a^2 b^3 c^3 d^2 e^9 + 384 a^3 b^2 c^4 d^2 e^9 + 96 a^3 b^2 c^3 d e^{10} - (d + e x)^{1/2} (128 a^3 b^2 c^3 e^{11} + 192 a^3 c^4 d e^{10} - 32 a^2 b^3 c^2 e^{11} + 576 a^2 c^5 d^3 e^8 + 64 b^4 c^3 d^3 e^8 - 64 b^5 c^2 d^2 e^9 + 64 a b^4 c^2 d e^{10} - 384 a^2 b^2 c^4 d^3 e^8 + 384 a^2 b^3 c^3 d^2 e^9 - 576 a^2 b^2 c^3 d e^{10}) \cdot ((b^4 d + 8 a^2 c^2 d - a b^3 e - a e \cdot (-4 a c - b^2)^3)^{1/2} + b d \cdot (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c d + 4 a^2 b c e) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c))^{1/2} + 96 a^2 c^5 d^4 e^8 + 96 a^2 c^4 d^2 e^{10} - 32 b^2 c^4 d^4 e^8 + 32 b^4 c^2 d^2 e^{10} + 64 a b^2 c^4 d^3 e^9 - 32 a b^3 c^2 d e^{11} + 160 a^2 b^2 c^3 d e^{11} - 192 a b^2 c^3 d^2 e^{10} + (d + e x)^{1/2} (32 a^2 c^3 e^{12} + 96 c^5 d^4 e^8 - 128 b^2 c^4 d^3 e^9 + 64 b^2 c^3 d^2 e^{10} - 64 a b^2 c^3 d e^{11}) \cdot ((b^4 d + 8 a^2 c^2 d - a b^3 e - a e \cdot (-4 a c - b^2)^3)^{1/2} + b d \cdot (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c d + 4 a^2 b c e) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c))^{1/2} + (((b^4 d + 8 a^2 c^2 d - a b^3 e - a e \cdot (-4 a c - b^2)^3)^{1/2} + b d \cdot (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c d + 4 a^2 b c e) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c))^{1/2} * (((b^4 d + 8 a^2 c^2 d - a b^3 e - a e \cdot (-4 a c - b^2)^3)^{1/2} + b d \cdot (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c d + 4 a^2 b c e) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c))^{1/2} * ((d + e x)^{1/2} \cdot ((b^4 d + 8 a^2 c^2 d - a b^3 e - a e \cdot (-4 a c - b^2)^3)^{1/2} + b d \cdot (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c d + 4 a^2 b c e) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c))^{1/2} * (512 a^5 c^4 e^{10} + 32 a^3 b^4 c^2 e^{10} - 256 a^4 b^2 c^3 e^{10}
\end{aligned}$$

$$\begin{aligned}
& ^{10} + 768a^4c^5d^2e^8 + 64a^2b^4c^3d^2e^8 - 448a^3b^2c^4d^2e^8 - 896a^4b^3c^4d^2e^8 - 896a^4b^3c^4d^2e^8 + 64a^2b^5c^2d^2e^9 + 480a^3b^3c^3d^2e^9 + 3 \\
& 84a^4c^4d^2e^{10} + 384a^3c^5d^3e^8 - 96a^2b^2c^4d^3e^8 + 96a^2b^3c^3d^2e^9 - 384a^3b^3c^4d^2e^9 - 96a^3b^2c^3d^2e^{10} - (d + ex) \\
& ^{(1/2)} * (128a^3b^3c^3e^{11} + 192a^3c^4d^2e^{10} - 32a^2b^3c^2e^{11} + 576 \\
& a^2c^5d^3e^8 + 64b^4c^3d^3e^8 - 64b^5c^2d^2e^9 + 64a^2b^4c^2d^2 \\
& e^{10} - 384a^2b^2c^4d^3e^8 + 384a^2b^3c^3d^2e^9 - 576a^2b^3c^4d^2e^9 \\
& - 288a^2b^2c^3d^2e^{10}) * ((b^4d + 8a^2c^2d - ab^3e - a * e * (-4a^2c^2d \\
& - b^2)^3)^{(1/2)} + b * d * (-4a^2c^2d - ab^3e - a * e * (-4a^2c^2d \\
& - b^2)^3)^{(1/2)} - 6a^2b^2c^2d + 4a^2b^2c^2e) / (2 * (a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{(1/2)} + 96a^2c^4d^2e^{10} - \\
& 32b^2c^4d^4e^8 + 32b^4c^2d^2e^{10} + 64a^2b^3c^4d^3e^9 - 32a^2b^3c^2 \\
& d^2e^{11} + 160a^2b^3c^3d^2e^{11} - 192a^2b^2c^3d^2e^{10}) - (d + ex)^{(1/2)} \\
& * (32a^2c^3e^{12} + 96c^5d^4e^8 - 128b^2c^4d^3e^9 + 64b^2c^3d^2e^{10} \\
& - 64a^2b^2c^3d^2e^{11}) * ((b^4d + 8a^2c^2d - ab^3e - a * e * (-4a^2c^2d - b^2)^3)^{(1/2)} + b * d * (-4a^2c^2d - ab^3e - a * e * (-4a^2c^2d \\
& - b^2)^3)^{(1/2)} - 6a^2b^2c^2d + 4a^2b^2c^2e) / (2 * (a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{(1/2)} - 64c^4d^3e^{10} + 64b^2c^3d^2 \\
& e^{11} - 64a^2c^3d^2e^{12}) * ((b^4d + 8a^2c^2d - ab^3e - a * e * (-4a^2c^2d - b^2)^3)^{(1/2)} + b * d * (-4a^2c^2d - ab^3e - a * e * (-4a^2c^2d \\
& - b^2)^3)^{(1/2)} - 6a^2b^2c^2d + 4a^2b^2c^2e) / (2 * (a^2b^4 + 16a^4c^2 - 8a^3b^2c))^{(1/2)} * 2i - (2d^{(1/2)} * \operatorname{atanh}((640 \\
& c^4d^{(5/2)}e^{10}(d + ex)^{(1/2)}) / (640c^4d^3e^{10} - 384b^2c^3d^2e^{11} + \\
& (576c^5d^5e^8) / a + 64a^2c^3d^2e^{12} + (192b^2c^3d^3e^{10}) / a + (64b^3c^2d^2e^{11}) / a - (128b^2c^4d^5e^8) / a^2 + (192b^3c^3d^4e^9) / a^2 - \\
& (64b^4c^2d^3e^{10}) / a^2 - (896b^2c^4d^4e^9) / a) + (576c^5d^{(9/2)}e^8 * (d + ex)^{(1/2)}) / (576c^5d^5e^8 + 640a^2c^4d^3e^{10} + 64a^2c^3d^2e^{12} - \\
& 896b^2c^4d^4e^9 + 192b^2c^3d^3e^{10} + 64b^3c^2d^2e^{11} - (128b^2c^4d^5e^8) / a + (192b^3c^3d^4e^9) / a - (64b^4c^2d^3e^{10}) / a - 384a^2b^3c^3d^2e^{11}) + (64b^3c^2d^2e^{11} + (64b^3c^2d^2e^{11} * (d + ex)^{(1/2)}) / (576c^5d^5e^8 \\
& + 640a^2c^4d^3e^{10} + 64a^2c^3d^2e^{12} - 896b^2c^4d^4e^9 + 192b^2c^3d^3e^{10} + 64b^3c^2d^2e^{11} - (128b^2c^4d^5e^8) / a + (192b^3c^3d^4e^9) / a - (64b^4c^2d^3e^{10}) / a - 384a^2b^3c^3d^2e^{11}) + (192b^2c^3d^3e^{10} + 64b^3c^2d^2e^{11} - (128b^2c^4d^5e^8) / a + (192b^3c^3d^4e^9) / a - (64b^4c^2d^3e^{10}) / a - 384a^2b^3c^3d^2e^{11}) - (64b^4c^2d^3e^{10} * (d + ex)^{(1/2)}) / (576a^2c^5d^5e^8 + 64a^3c^3d^2e^{12} + 640a^2c^4d^3e^{10} - 128b^2c^4d^5e^8 + 192b^3c^3d^4e^9 - 64b^4c^2d^3e^{10} - 896a^2b^3c^4d^4e^9 + 192a^2b^2c^3d^3e^{10} + 64a^2b^3c^2d^2e^{11} - 384a^2b^3c^3d^2e^{11}) + (192b^3c^3d^4e^9 * (d + ex)^{(1/2)}) / (576a^2c^5d^5e^8 + 64a^3c^3d^2e^{12} + 640a^2c^4d^3e^{10} - 128b^2c^4d^5e^8 + 192b^3c^3d^4e^9 - 64b^4c^2d^3e^{10} - 896a^2b^3c^4d^4e^9 + 192a^2b^2c^3d^3e^{10} + 64a^2b^3c^2d^2e^{11} - 384a^2b^3c^3d^2e^{11}) + (64a^2c^3d^2e^{11} * (d + ex)^{(1/2)}) / (640c^4d^3e^{10} - 3
\end{aligned}$$

$$84*b*c^3*d^2*e^{11} + (576*c^5*d^5*e^8)/a + 64*a*c^3*d*e^{12} + (192*b^2*c^3*d^3*e^{10})/a + (64*b^3*c^2*d^2*e^{11})/a - (128*b^2*c^4*d^5*e^8)/a^2 + (192*b^3*c^3*d^4*e^9)/a^2 - (64*b^4*c^2*d^3*e^{10})/a^2 - (896*b*c^4*d^4*e^9)/a - (384*b*c^3*d^{(3/2)}*e^{11}*(d + e*x)^{(1/2)})/(640*c^4*d^3*e^{10} - 384*b*c^3*d^2*e^{11} + (576*c^5*d^5*e^8)/a + 64*a*c^3*d*e^{12} + (192*b^2*c^3*d^3*e^{10})/a + (64*b^3*c^2*d^2*e^{11})/a - (128*b^2*c^4*d^5*e^8)/a^2 + (192*b^3*c^3*d^4*e^9)/a^2 - (64*b^4*c^2*d^3*e^{10})/a^2 - (896*b*c^4*d^4*e^9)/a - (896*b*c^4*d^{(7/2)}*e^9*(d + e*x)^{(1/2)})/(576*c^5*d^5*e^8 + 640*a*c^4*d^3*e^{10} + 64*a^2*c^3*d*e^{12} - 896*b*c^4*d^4*e^9 + 192*b^2*c^3*d^3*e^{10} + 64*b^3*c^2*d^2*e^{11} - (128*b^2*c^4*d^5*e^8)/a + (192*b^3*c^3*d^4*e^9)/a - (64*b^4*c^2*d^3*e^{10})/a - 384*a*b*c^3*d^2*e^{11}))/a$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)/x/(c\*x\*\*2+b\*x+a),x)

[Out] Timed out



$$3.340 \quad \int \frac{\sqrt{d+ex}}{x^2(a+bx+cx^2)} dx$$

**Optimal.** Leaf size=368

$$\frac{\sqrt{2} \sqrt{c} \left( \sqrt{b^2 - 4ac} (bd - ae) - abe - 2acd + b^2d \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) + \sqrt{2} \sqrt{c} \left( -b \left( d\sqrt{b^2 - 4ac} + ae \right) \right)}{a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}} + \frac{\sqrt{2} \sqrt{c} \left( -b \left( d\sqrt{b^2 - 4ac} + ae \right) \right)}{a^2 \sqrt{b^2 - 4ac}}$$

**Rubi [A]** time = 3.66, antiderivative size = 356, normalized size of antiderivative = 0.97, number of steps used = 9, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {897, 1287, 199, 206, 1166, 208}

$$\frac{\sqrt{2} \sqrt{c} \left( \sqrt{b^2 - 4ac} (bd - ae) - abe - 2acd + b^2d \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right)}{a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}} + \frac{\sqrt{2} \sqrt{c} \left( -\sqrt{b^2 - 4ac} (bd - ae) - abe - 2acd + b^2d \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \right)}{a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( \sqrt{b^2 - 4ac} + b \right)}} + \frac{2(bd - ae) \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a^2 \sqrt{d}} - \frac{\sqrt{d+ex}}{ax} + \frac{e \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a \sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/(x^2\*(a + b\*x + c\*x^2)), x]

[Out]  $-\left(\frac{\sqrt{d+ex}}{ax}\right) + \frac{e \operatorname{ArcTanh}\left[\frac{\sqrt{d+ex}}{\sqrt{d}}\right]}{a \sqrt{d}} + \left(2(bd - ae) \operatorname{ArcTanh}\left[\frac{\sqrt{d+ex}}{\sqrt{d}}\right]\right) / (a^2 \sqrt{d}) - \left(\frac{\sqrt{2} \sqrt{c} \left( \sqrt{b^2 - 4ac} (bd - ae) - abe - 2acd + b^2d \right) \operatorname{ArcTanh}\left[\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}\right]}{a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}} + \frac{\sqrt{2} \sqrt{c} \left( -\sqrt{b^2 - 4ac} (bd - ae) - abe - 2acd + b^2d \right) \operatorname{ArcTanh}\left[\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}\right]}{a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( \sqrt{b^2 - 4ac} + b \right)}} + \frac{2(bd - ae) \operatorname{ArcTanh}\left[\frac{\sqrt{d+ex}}{\sqrt{d}}\right]}{a^2 \sqrt{d}} - \frac{\sqrt{d+ex}}{ax} + \frac{e \operatorname{ArcTanh}\left[\frac{\sqrt{d+ex}}{\sqrt{d}}\right]}{a \sqrt{d}}\right)$

**Rule 199**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 897

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)
^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]
```

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1287

```
Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex}}{x^2(a+bx+cx^2)} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{x^2}{\left(\frac{d}{e} + \frac{x^2}{e}\right)^2 \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}\right)} dx, x, \sqrt{d+ex} \right)}{e} \\
&= \frac{2 \operatorname{Subst} \left( \int \left( \frac{de^2}{a(d-x^2)^2} - \frac{e(-bd+ae)}{a^2(d-x^2)} + \frac{e(-b(cd^2-bde+ae^2)+c(bd-ae)x^2)}{a^2(cd^2-bde+ae^2-(2cd-be)x^2+cx^4)} \right) dx, x, \sqrt{d+ex} \right)}{e} \\
&= \frac{2 \operatorname{Subst} \left( \int \frac{-b(cd^2-bde+ae^2)+c(bd-ae)x^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex} \right)}{a^2} + \frac{(2de) \operatorname{Subst} \left( \int \frac{1}{(d-x^2)^2} dx, x, \sqrt{d+ex} \right)}{a} \\
&= -\frac{\sqrt{d+ex}}{ax} + \frac{2(bd-ae) \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a^2 \sqrt{d}} + \frac{e \operatorname{Subst} \left( \int \frac{1}{d-x^2} dx, x, \sqrt{d+ex} \right)}{a} - \frac{c(b^2d - 2acd - a^2e)}{a^2 \sqrt{d}} \\
&= -\frac{\sqrt{d+ex}}{ax} + \frac{e \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a \sqrt{d}} + \frac{2(bd-ae) \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a^2 \sqrt{d}} - \frac{\sqrt{2} \sqrt{c} (b^2d - 2acd - a^2e)}{a^2 \sqrt{d}}
\end{aligned}$$

**Mathematica [A]** time = 1.59, size = 364, normalized size = 0.99

$$\frac{\sqrt{2} \sqrt{c} \left( -bd \sqrt{b^2-4ac} + ae \sqrt{b^2-4ac} + abc + 2acd + b^2(-d) \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{c \sqrt{b^2-4ac} - be + 2cd}} \right) - \sqrt{2} \sqrt{c} \left( bd \sqrt{b^2-4ac} - ae \sqrt{b^2-4ac} + abc + 2acd + b^2(-d) \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - c \sqrt{b^2-4ac} + b}} \right)}{a^2} + \frac{2(bd-ae) \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{\sqrt{d}} - \frac{a \sqrt{d+ex}}{x} + \frac{ae \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e\*x]/(x^2\*(a + b\*x + c\*x^2)), x]

[Out]  $\left( -\left( \frac{a \sqrt{d+ex}}{x} \right) + \frac{a e \operatorname{ArcTanh} \left[ \frac{\sqrt{d+ex}}{\sqrt{d}} \right]}{\sqrt{d}} \right) / \sqrt{d} + \left( 2 \operatorname{ArcTanh} \left[ \frac{\sqrt{d+ex}}{\sqrt{d}} \right] \right) / \sqrt{d} + \left( \sqrt{2} \sqrt{c} \left( -\left( b^2 d \right) + 2 a c d - b \sqrt{b^2 - 4 a c} d + a b e + a \sqrt{b^2 - 4 a c} e \right) \operatorname{ArcTanh} \left[ \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2 c d - c \sqrt{b^2 - 4 a c} + b}} \right] \right) / \left( \sqrt{b^2 - 4 a c} \sqrt{2 c d + (-b + \sqrt{b^2 - 4 a c}) e} \right) - \left( \sqrt{2} \sqrt{c} \left( -\left( b^2 d \right) + 2 a c d + b \sqrt{b^2 - 4 a c} d + a b e - a \sqrt{b^2 - 4 a c} e \right) \operatorname{ArcTanh} \left[ \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2 c d - (b + \sqrt{b^2 - 4 a c}) e}} \right] \right) / \left( \sqrt{b^2 - 4 a c} \sqrt{2 c d - (b + \sqrt{b^2 - 4 a c}) e} \right) \right) / a^2$

**IntegrateAlgebraic [A]** time = 1.71, size = 424, normalized size = 1.15

$$\frac{\left(\sqrt{2}b\sqrt{c}\sqrt{b^2-4ac}-\sqrt{2}a\sqrt{c}e\sqrt{b^2-4ac}-\sqrt{2}ab\sqrt{c}e-2\sqrt{2}ac^{3/2}d+\sqrt{2}b^2\sqrt{c}d\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{-e\sqrt{b^2-4ac}+be-2cd}}\right)+\left(\sqrt{2}b\sqrt{c}\sqrt{b^2-4ac}-\sqrt{2}a\sqrt{c}e\sqrt{b^2-4ac}+\sqrt{2}ab\sqrt{c}e+2\sqrt{2}ac^{3/2}d-\sqrt{2}b^2\sqrt{c}d\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{-e\sqrt{b^2-4ac}+be-2cd}}\right)+\frac{(2bd-ae)\tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)-\sqrt{d+ex}}{a^2\sqrt{d}}}{a^2\sqrt{b^2-4ac}\sqrt{-e\sqrt{b^2-4ac}+be-2cd}+a^2\sqrt{b^2-4ac}\sqrt{e\sqrt{b^2-4ac}+be-2cd}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/(x^2\*(a + b\*x + c\*x^2)),x]

[Out]  $-(\text{Sqrt}[d + e*x]/(a*x)) + ((\text{Sqrt}[2]*b^2*\text{Sqrt}[c]*d - 2*\text{Sqrt}[2]*a*c^{(3/2)}*d + \text{Sqrt}[2]*b*\text{Sqrt}[c]*\text{Sqrt}[b^2 - 4*a*c]*d - \text{Sqrt}[2]*a*b*\text{Sqrt}[c]*e - \text{Sqrt}[2]*a*\text{Sqrt}[c]*\text{Sqrt}[b^2 - 4*a*c]*e)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x])/(\text{Sqrt}[-2*c*d + b*e - \text{Sqrt}[b^2 - 4*a*c]*e])]/(a^2*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[-2*c*d + b*e - \text{Sqrt}[b^2 - 4*a*c]*e]) + ((-(\text{Sqrt}[2]*b^2*\text{Sqrt}[c]*d) + 2*\text{Sqrt}[2]*a*c^{(3/2)}*d + \text{Sqrt}[2]*b*\text{Sqrt}[c]*\text{Sqrt}[b^2 - 4*a*c]*d + \text{Sqrt}[2]*a*b*\text{Sqrt}[c]*e - \text{Sqrt}[2]*a*\text{Sqrt}[c]*\text{Sqrt}[b^2 - 4*a*c]*e)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x])/(\text{Sqrt}[-2*c*d + b*e + \text{Sqrt}[b^2 - 4*a*c]*e])]/(a^2*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[-2*c*d + b*e + \text{Sqrt}[b^2 - 4*a*c]*e]) + ((2*b*d - a*e)*\text{ArcTanh}[\text{Sqrt}[d + e*x]/\text{Sqrt}[d]])/(a^2*\text{Sqrt}[d])$

**fricas [B]** time = 9.99, size = 4860, normalized size = 13.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/x^2/(c\*x^2+b\*x+a),x, algorithm="fricas")

[Out]  $[1/2*(\text{sqrt}(2)*a^2*d*x*\text{sqrt}(((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e + (a^4*b^2 - 4*a^5*c)*\text{sqrt}(((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c))*\log(\text{sqrt}(2)*((b^6 - 6*a*b^4*c + 8*a^2*b^2*c^2)*d - (a*b^5 - 5*a^2*b^3*c + 4*a^3*b*c^2)*e - (a^4*b^4 - 6*a^5*b^2*c + 8*a^6*c^2)*\text{sqrt}(((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))*\text{sqrt}(((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e + (a^4*b^2 - 4*a^5*c)*\text{sqrt}(((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c)) + 4*((b^3*c^2 - 2*a*b*c^3)*d - (a*b^2*c^2 - a^2*c^3)*e)*\text{sqrt}(e*x + d) - \text{sqrt}(2)*a^2*d*x*\text{sqrt}(((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e + (a^4*b^2 - 4*a^5*c)*\text{sqrt}(((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c))*\log(-\text{sqrt}(2)*((b^6 - 6*a*b^4*c + 8*a^2*b^2*c^2)*d - (a*b^5 - 5*a^2*b^3*c + 4*a^3*b*c^2)*e - (a^4*b^4 - 6*a^5*b^2*c + 8*a^6*c^2)*\text{sqrt}(((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 -$

$$\begin{aligned}
& 4*a^9*c)))*\sqrt{((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e + \\
& (a^4*b^2 - 4*a^5*c)*\sqrt{((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - \\
& - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c)) + 4*((b^3*c^2 - 2*a*b*c^3)*d - (a \\
& *b^2*c^2 - a^2*c^3)*e)*\sqrt{e*x + d)} + \sqrt{2)*a^2*d*x*\sqrt{((b^4 - 4*a*b^ \\
& 2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e - (a^4*b^2 - 4*a^5*c)*\sqrt{((b^6 \\
& - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d \\
& *e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 \\
& - 4*a^5*c))*\log(\sqrt{2)*((b^6 - 6*a*b^4*c + 8*a^2*b^2*c^2)*d - (a*b^5 - 5*a \\
& ^2*b^3*c + 4*a^3*b*c^2)*e + (a^4*b^4 - 6*a^5*b^2*c + 8*a^6*c^2)*\sqrt{((b^6 \\
& - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d* \\
& e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))*\sqrt{((b^4 \\
& - 4*a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e - (a^4*b^2 - 4*a^5*c)*\sqrt{ \\
& \sqrt{((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3 \\
& *b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/ \\
& (a^4*b^2 - 4*a^5*c)) + 4*((b^3*c^2 - 2*a*b*c^3)*d - (a*b^2*c^2 - a^2*c^3)*e \\
& )*\sqrt{e*x + d)} - \sqrt{2)*a^2*d*x*\sqrt{((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d - \\
& (a*b^3 - 3*a^2*b*c)*e - (a^4*b^2 - 4*a^5*c)*\sqrt{((b^6 - 4*a*b^4*c + 4*a^2* \\
& b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3 \\
& *b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c))*\log(-\sqrt{ \\
& 2)*((b^6 - 6*a*b^4*c + 8*a^2*b^2*c^2)*d - (a*b^5 - 5*a^2*b^3*c + 4*a^3*b*c \\
& ^2)*e + (a^4*b^4 - 6*a^5*b^2*c + 8*a^6*c^2)*\sqrt{((b^6 - 4*a*b^4*c + 4*a^2* \\
& b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3 \\
& *b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))*\sqrt{((b^4 - 4*a*b^2*c + 2*a^2 \\
& *c^2)*d - (a*b^3 - 3*a^2*b*c)*e - (a^4*b^2 - 4*a^5*c)*\sqrt{((b^6 - 4*a*b^4* \\
& c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b \\
& ^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c)) \\
& + 4*((b^3*c^2 - 2*a*b*c^3)*d - (a*b^2*c^2 - a^2*c^3)*e)*\sqrt{e*x + d)} - ( \\
& 2*b*d - a*e)*\sqrt{d)*x*\log((e*x - 2*\sqrt{e*x + d})*\sqrt{d} + 2*d)/x) - 2*\sqrt{ \\
& t(e*x + d)*a*d)/(a^2*d*x), 1/2*(\sqrt{2)*a^2*d*x*\sqrt{((b^4 - 4*a*b^2*c + 2* \\
& a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e + (a^4*b^2 - 4*a^5*c)*\sqrt{((b^6 - 4*a*b \\
& ^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^ \\
& 2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5* \\
& c))*\log(\sqrt{2)*((b^6 - 6*a*b^4*c + 8*a^2*b^2*c^2)*d - (a*b^5 - 5*a^2*b^3*c \\
& + 4*a^3*b*c^2)*e - (a^4*b^4 - 6*a^5*b^2*c + 8*a^6*c^2)*\sqrt{((b^6 - 4*a*b^ \\
& 4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2 \\
& *b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))*\sqrt{((b^4 - 4*a*b \\
& ^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e + (a^4*b^2 - 4*a^5*c)*\sqrt{((b^ \\
& 6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)* \\
& d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 \\
& - 4*a^5*c)) + 4*((b^3*c^2 - 2*a*b*c^3)*d - (a*b^2*c^2 - a^2*c^3)*e)*\sqrt{e \\
& *x + d)} - \sqrt{2)*a^2*d*x*\sqrt{((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - \\
& 3*a^2*b*c)*e + (a^4*b^2 - 4*a^5*c)*\sqrt{((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2) \\
& *d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + \\
& a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c))*\log(-\sqrt{2)*((b^
\end{aligned}$$

$$\begin{aligned}
& 6 - 6*a*b^4*c + 8*a^2*b^2*c^2)*d - (a*b^5 - 5*a^2*b^3*c + 4*a^3*b*c^2)*e - \\
& (a^4*b^4 - 6*a^5*b^2*c + 8*a^6*c^2)*\sqrt{((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2) \\
& *d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + \\
& a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))*\sqrt{((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d \\
& - (a*b^3 - 3*a^2*b*c)*e + (a^4*b^2 - 4*a^5*c)*\sqrt{((b^6 - 4*a*b^4*c + 4*a^2 \\
& *b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3 \\
& *b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c)} + 4*((b \\
& ^3*c^2 - 2*a*b*c^3)*d - (a*b^2*c^2 - a^2*c^3)*e)*\sqrt{e*x + d)} + \sqrt{2)*a \\
& ^2*d*x*\sqrt{((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e - (a^4 \\
& *b^2 - 4*a^5*c)*\sqrt{((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3* \\
& a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8* \\
& b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c)}*\log(\sqrt{2)*((b^6 - 6*a*b^4*c + 8*a^2 \\
& *b^2*c^2)*d - (a*b^5 - 5*a^2*b^3*c + 4*a^3*b*c^2)*e + (a^4*b^4 - 6*a^5*b^2* \\
& c + 8*a^6*c^2)*\sqrt{((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a \\
& ^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b \\
& ^2 - 4*a^9*c)))*\sqrt{((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c) \\
& *e - (a^4*b^2 - 4*a^5*c)*\sqrt{((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a \\
& *b^5 - 3*a^2*b^3*c + 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e \\
& ^2)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c)} + 4*((b^3*c^2 - 2*a*b*c^3)*d \\
& - (a*b^2*c^2 - a^2*c^3)*e)*\sqrt{e*x + d)} - \sqrt{2)*a^2*d*x*\sqrt{((b^4 - 4 \\
& *a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e - (a^4*b^2 - 4*a^5*c)*\sqrt{ \\
& ((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c \\
& ^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))/(a^4 \\
& *b^2 - 4*a^5*c)}*\log(-\sqrt{2)*((b^6 - 6*a*b^4*c + 8*a^2*b^2*c^2)*d - (a*b^5 \\
& - 5*a^2*b^3*c + 4*a^3*b*c^2)*e + (a^4*b^4 - 6*a^5*b^2*c + 8*a^6*c^2)*\sqrt{ \\
& ((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b*c \\
& ^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9*c)))*\sqrt{ \\
& ((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e - (a^4*b^2 - 4*a^ \\
& 5*c)*\sqrt{((b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^2 - 2*(a*b^5 - 3*a^2*b^3*c + \\
& 2*a^3*b*c^2)*d*e + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*e^2)/(a^8*b^2 - 4*a^9 \\
& *c)))/(a^4*b^2 - 4*a^5*c)} + 4*((b^3*c^2 - 2*a*b*c^3)*d - (a*b^2*c^2 - a^2* \\
& c^3)*e)*\sqrt{e*x + d)} - 2*(2*b*d - a*e)*\sqrt{-d)*x*\arctan(\sqrt{e*x + d)*\sqrt{ \\
& -d)/d} - 2*\sqrt{e*x + d)*a*d)/(a^2*d*x)]
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/x^2/(c\*x^2+b\*x+a),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m &  
i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e

,const index\_m & i,const vecteur & l) Error: Bad Argument ValueEvaluation time: 1.17Done

**maple [B]** time = 0.05, size = 999, normalized size = 2.71

$$\frac{\sqrt{a+bx+cx^2} \operatorname{arctanh}\left(\frac{\sqrt{a+bx+cx^2}}{\sqrt{a+bx+cx^2}}\right)}{\sqrt{a+bx+cx^2} \sqrt{a+bx+cx^2}} + \frac{\sqrt{a+bx+cx^2} \operatorname{arctanh}\left(\frac{\sqrt{a+bx+cx^2}}{\sqrt{a+bx+cx^2}}\right)}{\sqrt{a+bx+cx^2} \sqrt{a+bx+cx^2}} + \frac{\sqrt{a+bx+cx^2} \operatorname{arctanh}\left(\frac{\sqrt{a+bx+cx^2}}{\sqrt{a+bx+cx^2}}\right)}{\sqrt{a+bx+cx^2} \sqrt{a+bx+cx^2}} + \frac{\sqrt{a+bx+cx^2} \operatorname{arctanh}\left(\frac{\sqrt{a+bx+cx^2}}{\sqrt{a+bx+cx^2}}\right)}{\sqrt{a+bx+cx^2} \sqrt{a+bx+cx^2}} + \frac{\sqrt{a+bx+cx^2} \operatorname{arctanh}\left(\frac{\sqrt{a+bx+cx^2}}{\sqrt{a+bx+cx^2}}\right)}{\sqrt{a+bx+cx^2} \sqrt{a+bx+cx^2}} + \frac{\sqrt{a+bx+cx^2} \operatorname{arctanh}\left(\frac{\sqrt{a+bx+cx^2}}{\sqrt{a+bx+cx^2}}\right)}{\sqrt{a+bx+cx^2} \sqrt{a+bx+cx^2}} + \frac{\sqrt{a+bx+cx^2} \operatorname{arctanh}\left(\frac{\sqrt{a+bx+cx^2}}{\sqrt{a+bx+cx^2}}\right)}{\sqrt{a+bx+cx^2} \sqrt{a+bx+cx^2}} + \frac{\sqrt{a+bx+cx^2} \operatorname{arctanh}\left(\frac{\sqrt{a+bx+cx^2}}{\sqrt{a+bx+cx^2}}\right)}{\sqrt{a+bx+cx^2} \sqrt{a+bx+cx^2}} + \frac{\sqrt{a+bx+cx^2} \operatorname{arctanh}\left(\frac{\sqrt{a+bx+cx^2}}{\sqrt{a+bx+cx^2}}\right)}{\sqrt{a+bx+cx^2} \sqrt{a+bx+cx^2}} + \frac{\sqrt{a+bx+cx^2} \operatorname{arctanh}\left(\frac{\sqrt{a+bx+cx^2}}{\sqrt{a+bx+cx^2}}\right)}{\sqrt{a+bx+cx^2} \sqrt{a+bx+cx^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(1/2)/x^2/(c\*x^2+b\*x+a),x)

[Out]  $-(e*x+d)^{(1/2)}/a/x - e*\operatorname{arctanh}((e*x+d)^{(1/2)}/d^{(1/2)})/a/d^{(1/2)} + 2/a^2*d^{(1/2)}* \operatorname{arctanh}((e*x+d)^{(1/2)}/d^{(1/2)})*b + e^2/a*c/(-4*a*c - b^2)*e^{(1/2)}*2^{(1/2)}/((-b*e + 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)}* \operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e + 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)})*c + 2*e/a*c^2/(-4*a*c - b^2)*e^{(1/2)}*2^{(1/2)}/((-b*e + 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)}* \operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e + 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)})*c*d - e/a^2*c/(-4*a*c - b^2)*e^{(1/2)}*2^{(1/2)}/((-b*e + 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)}* \operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e + 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)})*c*b^2*d + e/a*c*2^{(1/2)}/((-b*e + 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)}* \operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e + 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)})*c - 1/a^2*c*2^{(1/2)}/((-b*e + 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)}* \operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e + 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)})*c*b*d + e^2/a*c/(-4*a*c - b^2)*e^{(1/2)}*2^{(1/2)}/((b*e - 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)}* \operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e - 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)})*c + 2*e/a*c^2/(-4*a*c - b^2)*e^{(1/2)}*2^{(1/2)}/((b*e - 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)}* \operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e - 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)})*c*d - e/a^2*c/(-4*a*c - b^2)*e^{(1/2)}*2^{(1/2)}/((b*e - 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)}* \operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e - 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)})*c*b^2*d - e/a*c*2^{(1/2)}/((b*e - 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)}* \operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e - 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)})*c + 1/a^2*c*2^{(1/2)}/((b*e - 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)}* \operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e - 2*c*d + (-4*a*c - b^2)*e^{(1/2)})*c)^{(1/2)})*c*b*d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{(cx^2+bx+a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/x^2/(c\*x^2+b\*x+a),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)/((c\*x^2 + b\*x + a)\*x^2), x)

**mupad [B]** time = 6.81, size = 19887, normalized size = 54.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d + e*x)^{(1/2)}/(x^2*(a + b*x + c*x^2)),x)$

[Out]  $(\text{atan}(\frac{((a*e - 2*b*d)*((8*(d + e*x)^{(1/2)}*(6*a^4*c^5*e^{12} + 4*a^2*c^7*d^4*e^8 + 6*a^3*c^6*d^2*e^{10} + 4*b^4*c^5*d^4*e^8 + 21*a^2*b^2*c^5*d^2*e^{10} - 18*a^3*b*c^5*d*e^{11} - 8*a*b^2*c^6*d^4*e^8 - 12*a*b^3*c^5*d^3*e^9)))/a^4 - ((a*e - 2*b*d)*((8*(16*a^5*b*c^4*e^{12} + 20*a^5*c^5*d*e^{11} + a^3*b^5*c^2*e^{12} - 8*a^4*b^3*c^3*e^{12} + 20*a^4*c^6*d^3*e^9 + 40*a^2*b^3*c^5*d^4*e^8 - 20*a^2*b^4*c^4*d^3*e^9 - 27*a^2*b^5*c^3*d^2*e^{10} - 20*a^3*b^2*c^5*d^3*e^9 + 84*a^3*b^3*c^4*d^2*e^{10} - 8*a*b^5*c^4*d^4*e^8 + 6*a*b^6*c^3*d^3*e^9 + 2*a*b^7*c^2*d^2*e^{10} - 3*a^2*b^6*c^2*d*e^{11} - 32*a^3*b*c^6*d^4*e^8 + 28*a^3*b^4*c^3*d*e^{11} - 36*a^4*b*c^5*d^2*e^{10} - 68*a^4*b^2*c^4*d*e^{11}))/a^4 - ((a*e - 2*b*d)*((8*(d + e*x)^{(1/2)}*(60*a^6*b*c^4*e^{11} + 16*a^6*c^5*d*e^{10} + 5*a^4*b^5*c^2*e^{11} - 35*a^5*b^3*c^3*e^{11} + 40*a^5*c^6*d^3*e^8 - 8*a^2*b^6*c^3*d^3*e^8 + 8*a^2*b^7*c^2*d^2*e^9 + 56*a^3*b^4*c^4*d^3*e^8 - 52*a^3*b^5*c^3*d^2*e^9 - 108*a^4*b^2*c^5*d^3*e^8 + 68*a^4*b^3*c^4*d^2*e^9 - 12*a^3*b^6*c^2*d*e^{10} + 87*a^4*b^4*c^3*d*e^{10} + 56*a^5*b*c^5*d^2*e^9 - 162*a^5*b^2*c^4*d*e^{10}))/a^4 - (((8*(32*a^8*c^4*e^{11} + 2*a^6*b^4*c^2*e^{11} - 16*a^7*b^2*c^3*e^{11} + 32*a^7*c^5*d^2*e^9 + 8*a^5*b^3*c^4*d^3*e^8 - 6*a^5*b^4*c^3*d^2*e^9 + 16*a^6*b^2*c^4*d^2*e^9 - 64*a^7*b*c^4*d*e^{10} - 2*a^5*b^5*c^2*d*e^{10} - 32*a^6*b*c^5*d^3*e^8 + 24*a^6*b^3*c^3*d*e^{10}))/a^4 - (4*(a*e - 2*b*d)*(d + e*x)^{(1/2)}*(64*a^9*c^4*e^{10} + 4*a^7*b^4*c^2*e^{10} - 32*a^8*b^2*c^3*e^{10} + 96*a^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 56*a^7*b^2*c^4*d^2*e^8 - 112*a^8*b*c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7*b^3*c^3*d*e^9))/(a^6*d^{(1/2)}))*(a*e - 2*b*d))/(2*a^2*d^{(1/2)})))/(2*a^2*d^{(1/2)})))/(2*a^2*d^{(1/2)})))*1i)/(2*a^2*d^{(1/2)}) + ((a*e - 2*b*d)*((8*(d + e*x)^{(1/2)}*(6*a^4*c^5*e^{12} + 4*a^2*c^7*d^4*e^8 + 6*a^3*c^6*d^2*e^{10} + 4*b^4*c^5*d^4*e^8 + 21*a^2*b^2*c^5*d^2*e^{10} - 18*a^3*b*c^5*d*e^{11} - 8*a*b^2*c^6*d^4*e^8 - 12*a*b^3*c^5*d^3*e^9))/a^4 + ((a*e - 2*b*d)*((8*(16*a^5*b*c^4*e^{12} + 20*a^5*c^5*d*e^{11} + a^3*b^5*c^2*e^{12} - 8*a^4*b^3*c^3*e^{12} + 20*a^4*c^6*d^3*e^9 + 40*a^2*b^3*c^5*d^4*e^8 - 20*a^2*b^4*c^4*d^3*e^9 - 27*a^2*b^5*c^3*d^2*e^{10} - 20*a^3*b^2*c^5*d^3*e^9 + 84*a^3*b^3*c^4*d^2*e^{10} - 8*a*b^5*c^4*d^4*e^8 + 6*a*b^6*c^3*d^3*e^9 + 2*a*b^7*c^2*d^2*e^{10} - 3*a^2*b^6*c^2*d*e^{11} - 32*a^3*b*c^6*d^4*e^8 + 28*a^3*b^4*c^3*d*e^{11} - 36*a^4*b*c^5*d^2*e^{10} - 68*a^4*b^2*c^4*d*e^{11}))/a^4 + ((a*e - 2*b*d)*((8*(d + e*x)^{(1/2)}*(60*a^6*b*c^4*e^{11} + 16*a^6*c^5*d*e^{10} + 5*a^4*b^5*c^2*e^{11} - 35*a^5*b^3*c^3*e^{11} + 40*a^5*c^6*d^3*e^8 - 8*a^2*b^6*c^3*d^3*e^8 + 8*a^2*b^7*c^2*d^2*e^9 + 56*a^3*b^4*c^4*d^3*e^8 - 52*a^3*b^5*c^3*d^2*e^9 - 108*a^4*b^2*c^5*d^3*e^8 + 68*a^4*b^3*c^4*d^2*e^9 - 12*a^3*b^6*c^2*d*e^{10} + 87*a^4*b^4*c^3*d*e^{10} + 56*a^5*b*c^5*d^2*e^9 - 162*a^5*b^2*c^4*d*e^{10}))/a^4 + (((8*(32*a^8*c^4*e^{11} + 2*a^6*b^4*c^2*e^{11} - 16*a^7*b^2*c^3*e^{11} + 32*a^7*c^5*d^2*e^9 + 8*a^5*b^3*c^4*d^3*e^8 - 6*a^5*b^4*c^3*d^2*e^9 + 16*a^6*b^2*c^4*d^2*e^9 - 64*a^7*b*c^4*d*e^{10} - 2*a^5*b^5*c^2*d*e^{10} - 32*a^6*b*c^5*d^3*e^8 + 24*a^6*b^3*c^3*d*e^{10}))/a^4 + (4*(a*e - 2*b*d)*(d + e*x)^{(1/2)}*(64*a^9*c^4*e^{10} +$





$$\begin{aligned}
& *d*e^{10})/a^4 + (4*(a*e - 2*b*d)*(d + e*x)^{(1/2)}*(64*a^9*c^4*e^{10} + 4*a^7*b^4*c^2*e^{10} - 32*a^8*b^2*c^3*e^{10} + 96*a^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 56*a^7*b^2*c^4*d^2*e^8 - 112*a^8*b*c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7*b^3*c^3*d*e^9))/(a^6*d^{(1/2)}))*(a*e - 2*b*d)/(2*a^2*d^{(1/2)})))/(2*a^2*d^{(1/2)})))/(2*a^2*d^{(1/2)})))/(2*a^2*d^{(1/2)})))*(a*e - 2*b*d)*1i)/(a^2*d^{(1/2)}) - \operatorname{atan}((((8*(16*a^5*b*c^4*e^{12} + 20*a^5*c^5*d*e^{11} + a^3*b^5*c^2*e^{12} - 8*a^4*b^3*c^3*e^{12} + 20*a^4*c^6*d^3*e^9 + 40*a^2*b^3*c^5*d^4*e^8 - 20*a^2*b^4*c^4*d^3*e^9 - 27*a^2*b^5*c^3*d^2*e^{10} - 20*a^3*b^2*c^5*d^3*e^9 + 84*a^3*b^3*c^4*d^2*e^{10} - 8*a*b^5*c^4*d^4*e^8 + 6*a*b^6*c^3*d^3*e^9 + 2*a*b^7*c^2*d^2*e^{10} - 3*a^2*b^6*c^2*d*e^{11} - 32*a^3*b*c^6*d^4*e^8 + 28*a^3*b^4*c^3*d*e^{11} - 36*a^4*b*c^5*d^2*e^{10} - 68*a^4*b^2*c^4*d*e^{11}))/a^4 + (((8*(32*a^8*c^4*e^{11} + 2*a^6*b^4*c^2*e^{11} - 16*a^7*b^2*c^3*e^{11} + 32*a^7*c^5*d^2*e^9 + 8*a^5*b^3*c^4*d^3*e^8 - 6*a^5*b^4*c^3*d^2*e^9 + 16*a^6*b^2*c^4*d^2*e^9 - 64*a^7*b*c^4*d*e^{10} - 2*a^5*b^5*c^2*d*e^{10} - 32*a^6*b*c^5*d^3*e^8 + 24*a^6*b^3*c^3*d*e^{10}))/a^4 - (8*(d + e*x)^{(1/2)}*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)}*(64*a^9*c^4*e^{10} + 4*a^7*b^4*c^2*e^{10} - 32*a^8*b^2*c^3*e^{10} + 96*a^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 56*a^7*b^2*c^4*d^2*e^8 - 112*a^8*b*c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7*b^3*c^3*d*e^9))/a^4)*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(60*a^6*b*c^4*e^{11} + 16*a^6*c^5*d*e^{10} + 5*a^4*b^5*c^2*e^{11} - 35*a^5*b^3*c^3*e^{11} + 40*a^5*c^6*d^3*e^8 - 8*a^2*b^6*c^3*d^3*e^8 + 8*a^2*b^7*c^2*d^2*e^9 + 56*a^3*b^4*c^4*d^3*e^8 - 52*a^3*b^5*c^3*d^2*e^9 - 108*a^4*b^2*c^5*d^3*e^8 + 68*a^4*b^3*c^4*d^2*e^9 - 12*a^3*b^6*c^2*d*e^{10} + 87*a^4*b^4*c^3*d*e^{10} + 56*a^5*b*c^5*d^2*e^9 - 162*a^5*b^2*c^4*d*e^{10}))/a^4)*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)}*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(6*a^4*c^5*e^{12} + 4*a^2*c^7*d^4*e^8 + 6*a^3*c^6*d^2*e^{10} + 4*b^4*c^5*d^4*e^8 + 21*a^2*b^2*c^5*d^2*e^{10} - 18*a^3*b*c^5*d*e^{11} - 8*a*b^2*c^6*d^4*e^8 - 12*a*b^3*c^5*d^3*e^9))/a^4)*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)}*1i - (((8*(16*a^5*b*c^4*e^{12} + 20*a^5*c^5*d*e^{11} + a^3*b^5*c^2*e^{12}
\end{aligned}$$

$$\begin{aligned}
& e^{12} - 8a^4b^3c^3e^{12} + 20a^4c^6d^3e^9 + 40a^2b^3c^5d^4e^8 - 20a^2b^4c^4d^3e^9 - 27a^2b^5c^3d^2e^{10} - 20a^3b^2c^5d^3e^9 + \\
& 84a^3b^3c^4d^2e^{10} - 8a^4b^5c^4d^4e^8 + 6a^4b^6c^3d^3e^9 + 2a^4b^7c^2d^2e^{10} - 3a^5b^6c^2d^2e^{11} - 32a^3b^3c^6d^4e^8 + 28a^3b^4c^3d^2e^{11} - 36a^4b^3c^5d^2e^{10} - 68a^4b^2c^4d^2e^{11})/a^4 + (((8*(32 \\
& a^8c^4e^{11} + 2a^6b^4c^2e^{11} - 16a^7b^2c^3e^{11} + 32a^7c^5d^2e^9 + 8a^5b^3c^4d^3e^8 - 6a^5b^4c^3d^2e^9 + 16a^6b^2c^4d^2e^9 - 64a^7b^3c^4d^2e^{10} - 2a^5b^5c^2d^2e^{10} - 32a^6b^3c^5d^3e^8 + 24a^6b^3c^3d^2e^{10}))/a^4 + (8*(d + e*x)^{(1/2)}*(-(8a^3c^3d - b^6d - b^3d \\
& *(-(4a*c - b^2)^3)^{(1/2)} + a*b^5e - 18a^2b^2c^2d + 8a^4b^4c*d + a*b^2e*(-(4a*c - b^2)^3)^{(1/2)} - 7a^2b^3c*e + 12a^3b^2c^2e - a^2c*e*(-(4a*c - b^2)^3)^{(1/2)} + 2a*b*c*d*(-(4a*c - b^2)^3)^{(1/2)} + 2a*b*c*d*(-(4a*c - b^2)^3)^{(1/2)}))/(2*(a^4b^4 + 16a^6c^2 - 8a^5b^2c)))^{(1/2)}*(64a^9c^4e^{10} + 4a^7b^4c^2e^{10} - 32 \\
& a^8b^2c^3e^{10} + 96a^8c^5d^2e^8 + 8a^6b^4c^3d^2e^8 - 56a^7b^2c^4d^2e^8 - 112a^8b^3c^4d^2e^9 - 8a^6b^5c^2d^2e^9 + 60a^7b^3c^3d^2e^9))/a^4)*(-(8a^3c^3d - b^6d - b^3d*(-(4a*c - b^2)^3)^{(1/2)} + a*b^5e - 18a^2b^2c^2d + 8a^4b^4c*d + a*b^2e*(-(4a*c - b^2)^3)^{(1/2)} - 7a^2b^3c*e + 12a^3b^2c^2e - a^2c*e*(-(4a*c - b^2)^3)^{(1/2)} + 2a*b*c*d*(-(4a*c - b^2)^3)^{(1/2)}))/(2*(a^4b^4 + 16a^6c^2 - 8a^5b^2c)))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(60a^6b^3c^4e^{11} + 16a^6c^5d^2e^{10} + 5a^4b^5c^2e^{11} - 35a^5b^3c^3e^{11} + 40a^5c^6d^3e^8 - 8a^2b^6c^3d^3e^8 + 8a^2b^7c^2d^2e^9 + 56a^3b^4c^4d^3e^8 - 52a^3b^5c^3d^2e^9 - 108a^4b^2c^5d^3e^8 + 68a^4b^3c^4d^2e^9 - 12a^3b^6c^2d^2e^{10} + 87a^4b^4c^3d^2e^{10} + 56a^5b^3c^5d^2e^9 - 162a^5b^2c^4d^2e^{10}))/a^4)*(-(8a^3c^3d - b^6d - b^3d*(-(4a*c - b^2)^3)^{(1/2)} + a*b^5e - 18a^2b^2c^2d + 8a^4b^4c*d + a*b^2e*(-(4a*c - b^2)^3)^{(1/2)} - 7a^2b^3c*e + 12a^3b^2c^2e - a^2c*e*(-(4a*c - b^2)^3)^{(1/2)} + 2a*b*c*d*(-(4a*c - b^2)^3)^{(1/2)}))/(2*(a^4b^4 + 16a^6c^2 - 8a^5b^2c)))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(6a^4c^5e^{12} + 4a^2c^7d^4e^8 + 6a^3c^6d^2e^{10} + 4b^4c^5d^4e^8 + 21a^2b^2c^5d^2e^{10} - 18a^3b^3c^5d^2e^{11} - 8a^4b^2c^6d^4e^8 - 12a^4b^3c^5d^3e^9))/a^4)*(-(8a^3c^3d - b^6d - b^3d*(-(4a*c - b^2)^3)^{(1/2)} + a*b^5e - 18a^2b^2c^2d + 8a^4b^4c*d + a*b^2e*(-(4a*c - b^2)^3)^{(1/2)} - 7a^2b^3c*e + 12a^3b^2c^2e - a^2c*e*(-(4a*c - b^2)^3)^{(1/2)} + 2a*b*c*d*(-(4a*c - b^2)^3)^{(1/2)}))/(2*(a^4b^4 + 16a^6c^2 - 8a^5b^2c)))^{(1/2)}*1i)/((((8*(16a^5b^3c^4e^{12} + 20a^5c^5d^2e^{11} + a^3b^5c^2e^{12} - 8a^4b^3c^3e^{12} + 20a^4c^6d^3e^9 + 40a^2b^3c^5d^4e^8 - 20a^2b^4c^4d^3e^9 - 27a^2b^5c^3d^2e^{10} - 20a^3b^2c^5d^3e^9 + 84a^3b^3c^4d^2e^{10} - 8a^4b^5c^4d^4e^8 + 6a^4b^6c^3d^3e^9 + 2a^4b^7c^2d^2e^{10} - 3a^5b^6c^2d^2e^{11} - 32a^3b^3c^6d^4e^8 + 28a^3b^4c^3d^2e^{11} - 36a^4b^3c^5d^2e^{10} - 68a^4b^2c^4d^2e^{11}))/a^4 + (((8*(32a^8c^4e^{11} + 2a^6b^4c^2e^{11} - 16a^7b^2c^3e^{11} + 32a^7c^5d^2e^9 +
\end{aligned}$$

$$\begin{aligned}
& *e^9 + 8*a^5*b^3*c^4*d^3*e^8 - 6*a^5*b^4*c^3*d^2*e^9 + 16*a^6*b^2*c^4*d^2*e^9 - 64*a^7*b*c^4*d*e^10 - 2*a^5*b^5*c^2*d*e^10 - 32*a^6*b*c^5*d^3*e^8 + 24 \\
& *a^6*b^3*c^3*d*e^10)/a^4 - (8*(d + e*x)^{(1/2)}*(-(8*a^3*c^3*d - b^6*d - b^3 \\
& *d*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a \\
& b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + \\
& 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)}*(64*a^9*c^4*e^10 + 4*a^7*b^4*c^2*e^10 - \\
& 32*a^8*b^2*c^3*e^10 + 96*a^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 56*a^7*b^2*c^4*d^2*e^8 - 112*a^8*b*c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7*b^3*c^3 \\
& *d*e^9))/a^4)*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^5 \\
& *e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c \\
& *d*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} \\
& ) - (8*(d + e*x)^{(1/2)}*(60*a^6*b*c^4*e^11 + 16*a^6*c^5*d*e^10 + 5*a^4*b^5*c^2 \\
& *e^11 - 35*a^5*b^3*c^3*e^11 + 40*a^5*c^6*d^3*e^8 - 8*a^2*b^6*c^3*d^3*e^8 + 8*a^2*b^7*c^2 \\
& *d^2*e^9 + 56*a^3*b^4*c^4*d^3*e^8 - 52*a^3*b^5*c^3*d^2*e^9 - 108*a^4*b^2*c^5*d^3 \\
& *e^8 + 68*a^4*b^3*c^4*d^2*e^9 - 12*a^3*b^6*c^2*d*e^10 + 87*a^4*b^4*c^3*d*e^10 + 56*a^5 \\
& *b*c^5*d^2*e^9 - 162*a^5*b^2*c^4*d*e^10))/a^4)*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^5 \\
& *e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3 \\
& *c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)}*(-(8*a^3 \\
& *c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4 \\
& *c*d + a*b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c \\
& *e*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} - (8*(d + e*x)^{(1/2)} \\
& *(6*a^4*c^5*e^12 + 4*a^2*c^7*d^4*e^8 + 6*a^3*c^6*d^2*e^10 + 4*b^4*c^5*d^4*e^8 + 21*a^2*b^2*c^5 \\
& *d^2*e^10 - 18*a^3*b*c^5*d*e^11 - 8*a*b^2*c^6*d^4*e^8 - 12*a*b^3*c^5*d^3*e^9))/a^4)*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^5 \\
& *e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3 \\
& *c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5 \\
& *b^2*c)))^{(1/2)} + (((8*(16*a^5*b*c^4*e^12 + 20*a^5*c^5*d*e^11 + a^3*b^5*c^2 \\
& *e^12 - 8*a^4*b^3*c^3*e^12 + 20*a^4*c^6*d^3*e^9 + 40*a^2*b^3*c^5*d^4*e^8 - 20*a^2*b^4*c^4 \\
& *d^3*e^9 - 27*a^2*b^5*c^3*d^2*e^10 - 20*a^3*b^2*c^5*d^3*e^9 + 84*a^3*b^3*c^4*d^2*e^10 - 8*a*b^5 \\
& *c^4*d^4*e^8 + 6*a*b^6*c^3*d^3*e^9 + 2*a*b^7*c^2*d^2*e^10 - 3*a^2*b^6*c^2*d*e^11 - 32*a^3 \\
& *b*c^6*d^4*e^8 + 28*a^3*b^4*c^3*d*e^11 - 36*a^4*b*c^5*d^2*e^10 - 68*a^4*b^2*c^4*d*e^11))/a^4 + (((8*(3 \\
& 2*a^8*c^4*e^11 + 2*a^6*b^4*c^2*e^11 - 16*a^7*b^2*c^3*e^11 + 32*a^7*c^5*d^2*e^9 + 8*a^5*b^3 \\
& *c^4*d^3*e^8 - 6*a^5*b^4*c^3*d^2*e^9 + 16*a^6*b^2*c^4*d^2*e^9 - 64*a^7*b*c^4*d*e^10 - 2*a^5 \\
& *b^5*c^2*d*e^10 - 32*a^6*b*c^5*d^3*e^8 + 24*a^6*b^3*c^3*d*e^10))/a^4 + (8*(d + e*x)^{(1/2)}*(-(8*a^3*c^3*d - b^6*d - b^3 \\
& *d*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2 \\
& *e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 +
\end{aligned}$$

$$\begin{aligned}
& (16a^6c^2 - 8a^5b^2c))^{1/2} * (64a^9c^4e^{10} + 4a^7b^4c^2e^{10} - 3 \\
& 2a^8b^2c^3e^{10} + 96a^8c^5d^2e^8 + 8a^6b^4c^3d^2e^8 - 56a^7b^2 \\
& 2c^4d^2e^8 - 112a^8b^3c^4d^2e^9 - 8a^6b^5c^2d^2e^9 + 60a^7b^3c^3 \\
& d^2e^9) / a^4 * (- (8a^3c^3d - b^6d - b^3d * (- (4ac - b^2)^3)^{1/2} + ab^5 \\
& e - 18a^2b^2c^2d + 8ab^4cd + ab^2e * (- (4ac - b^2)^3)^{1/2} - 7 \\
& a^2b^3c^2e + 12a^3b^2c^2e - a^2c * e * (- (4ac - b^2)^3)^{1/2} + 2ab^2c * \\
& d * (- (4ac - b^2)^3)^{1/2}) / (2(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^{1/2} \\
& + (8(d + ex))^{1/2} * (60a^6b^2c^4e^{11} + 16a^6c^5d^2e^{10} + 5a^4b^5c^2 \\
& 2e^{11} - 35a^5b^3c^3e^{11} + 40a^5c^6d^3e^8 - 8a^2b^6c^3d^3e^8 + \\
& 8a^2b^7c^2d^2e^9 + 56a^3b^4c^4d^3e^8 - 52a^3b^5c^3d^2e^9 - \\
& 108a^4b^2c^5d^3e^8 + 68a^4b^3c^4d^2e^9 - 12a^3b^6c^2d^2e^{10} + \\
& 87a^4b^4c^3d^2e^{10} + 56a^5b^2c^5d^2e^9 - 162a^5b^2c^4d^2e^{10}) / a^4 \\
& * (- (8a^3c^3d - b^6d - b^3d * (- (4ac - b^2)^3)^{1/2} + ab^5e - 18a^2 \\
& b^2c^2d + 8ab^4cd + ab^2e * (- (4ac - b^2)^3)^{1/2} - 7a^2b^3c^2 \\
& e + 12a^3b^2c^2e - a^2c * e * (- (4ac - b^2)^3)^{1/2} + 2ab^2c * d * (- (4ac \\
& - b^2)^3)^{1/2}) / (2(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^{1/2} * (- (8a^3c^3 \\
& d - b^6d - b^3d * (- (4ac - b^2)^3)^{1/2} + ab^5e - 18a^2b^2c^2d \\
& + 8ab^4cd + ab^2e * (- (4ac - b^2)^3)^{1/2} - 7a^2b^3c^2e + 12a^3 \\
& b^2c^2e - a^2c * e * (- (4ac - b^2)^3)^{1/2} + 2ab^2c * d * (- (4ac - b^2)^3)^{1/2} \\
& ) / (2(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^{1/2} + (8(d + ex))^{1/2} * \\
& (6a^4c^5e^{12} + 4a^2c^7d^4e^8 + 6a^3c^6d^2e^{10} + 4b^4c^5d^4e^8 \\
& + 21a^2b^2c^5d^2e^{10} - 18a^3b^2c^5d^2e^{11} - 8ab^2c^6d^4e^8 - 1 \\
& 2ab^3c^5d^3e^9) / a^4 * (- (8a^3c^3d - b^6d - b^3d * (- (4ac - b^2)^3 \\
& )^{1/2} + ab^5e - 18a^2b^2c^2d + 8ab^4cd + ab^2e * (- (4ac - b^2 \\
& )^3)^{1/2} - 7a^2b^3c^2e + 12a^3b^2c^2e - a^2c * e * (- (4ac - b^2)^3)^{1/2} \\
& + 2ab^2c * d * (- (4ac - b^2)^3)^{1/2}) / (2(a^4b^4 + 16a^6c^2 - 8a^5 \\
& b^2c))^{1/2} + (16(a^3c^5e^{13} + 2a^2c^7d^4e^9 - 4b^2c^7d^5e^8 + 3a^2 \\
& c^6d^2e^{11} + 4b^2c^6d^4e^9 - 8ab^2c^6d^3e^{10} - 3a^2b^2c^5d^2e^{12} \\
& + 2ab^2c^5d^2e^{11}) / a^4) * (- (8a^3c^3d - b^6d - b^3d * (- (4ac \\
& - b^2)^3)^{1/2} + ab^5e - 18a^2b^2c^2d + 8ab^4cd + ab^2e * (- (4ac \\
& * c - b^2)^3)^{1/2} - 7a^2b^3c^2e + 12a^3b^2c^2e - a^2c * e * (- (4ac - b^ \\
& 2)^3)^{1/2} + 2ab^2c * d * (- (4ac - b^2)^3)^{1/2}) / (2(a^4b^4 + 16a^6c^2 \\
& - 8a^5b^2c))^{1/2} * 2i - (d + ex)^{1/2} / (ax) - \operatorname{atan}((((8(16a^5b^2c^4 \\
& e^{12} + 20a^5c^5d^2e^{11} + a^3b^5c^2e^{12} - 8a^4b^3c^3e^{12} + 20a^4 \\
& c^6d^3e^9 + 40a^2b^3c^5d^4e^8 - 20a^2b^4c^4d^3e^9 - 27a^2b^5 \\
& c^3d^2e^{10} - 20a^3b^2c^5d^3e^9 + 84a^3b^3c^4d^2e^{10} - 8ab^5c^4 \\
& d^4e^8 + 6ab^6c^3d^3e^9 + 2ab^7c^2d^2e^{10} - 3a^2b^6c^2d^2e^{11} \\
& - 32a^3b^2c^6d^4e^8 + 28a^3b^4c^3d^2e^{11} - 36a^4b^2c^5d^2e^{10} \\
& - 68a^4b^2c^4d^2e^{11}) / a^4 + (((8(32a^8c^4e^{11} + 2a^6b^4c^2e^{11} \\
& - 16a^7b^2c^3e^{11} + 32a^7c^5d^2e^9 + 8a^5b^3c^4d^3e^8 - 6a^5 \\
& b^4c^3d^2e^9 + 16a^6b^2c^4d^2e^9 - 64a^7b^2c^4d^2e^{10} - 2a^5b^5 \\
& c^2d^2e^{10} - 32a^6b^2c^5d^3e^8 + 24a^6b^3c^3d^2e^{10})) / a^4 - (8(d + \\
& ex))^{1/2} * (- (8a^3c^3d - b^6d + b^3d * (- (4ac - b^2)^3)^{1/2} + ab^5 \\
& e - 18a^2b^2c^2d + 8ab^4cd - ab^2e * (- (4ac - b^2)^3)^{1/2} - 7a^2 \\
& b^3c^2e + 12a^3b^2c^2e + a^2c * e * (- (4ac - b^2)^3)^{1/2} - 2ab^2c * d *
\end{aligned}$$

$$\begin{aligned}
& \left( -(4ac - b^2)^3 \right)^{1/2} / \left( 2(a^4b^4 + 16a^6c^2 - 8a^5b^2c) \right)^{1/2} * \\
& (64a^9c^4e^{10} + 4a^7b^4c^2e^{10} - 32a^8b^2c^3e^{10} + 96a^8c^5d^2 \\
& * e^8 + 8a^6b^4c^3d^2e^8 - 56a^7b^2c^4d^2e^8 - 112a^8b^3c^4d^2e^9 \\
& - 8a^6b^5c^2d^2e^9 + 60a^7b^3c^3d^2e^9) / a^4 * \left( -(8a^3c^3d - b^6d \\
& + b^3d * \left( -(4ac - b^2)^3 \right)^{1/2} + ab^5e - 18a^2b^2c^2d + 8ab^4c * \\
& d - ab^2 * \left( -(4ac - b^2)^3 \right)^{1/2} - 7a^2b^3c * e + 12a^3b^2c^2e + a^2 \\
& * c * \left( -(4ac - b^2)^3 \right)^{1/2} - 2ab * c * d * \left( -(4ac - b^2)^3 \right)^{1/2} \right) / \left( 2(a^4 \\
& * b^4 + 16a^6c^2 - 8a^5b^2c) \right)^{1/2} - (8(d + ex))^{1/2} * (60a^6b^3c^4 \\
& * e^{11} + 16a^6c^5d^2e^{10} + 5a^4b^5c^2e^{11} - 35a^5b^3c^3e^{11} + 40a \\
& ^5c^6d^3e^8 - 8a^2b^6c^3d^3e^8 + 8a^2b^7c^2d^2e^9 + 56a^3b^4 \\
& * c^4d^3e^8 - 52a^3b^5c^3d^2e^9 - 108a^4b^2c^5d^3e^8 + 68a^4b^ \\
& 3c^4d^2e^9 - 12a^3b^6c^2d^2e^{10} + 87a^4b^4c^3d^2e^{10} + 56a^5b^3c^ \\
& 5d^2e^9 - 162a^5b^2c^4d^2e^{10}) / a^4 * \left( -(8a^3c^3d - b^6d + b^3d * \left( - \right. \right. \\
& \left. \left. (4ac - b^2)^3 \right)^{1/2} + ab^5e - 18a^2b^2c^2d + 8ab^4c * d - ab^2 * e \right. \\
& * \left. \left( -(4ac - b^2)^3 \right)^{1/2} - 7a^2b^3c * e + 12a^3b^2c^2e + a^2 * c * e * \left( -(4a \\
& * c - b^2)^3 \right)^{1/2} - 2ab * c * d * \left( -(4ac - b^2)^3 \right)^{1/2} \right) / \left( 2(a^4 * b^4 + 16a \\
& ^6c^2 - 8a^5b^2c) \right)^{1/2} * \left( -(8a^3c^3d - b^6d + b^3d * \left( -(4ac - b^ \\
& 2)^3 \right)^{1/2} + ab^5e - 18a^2b^2c^2d + 8ab^4c * d - ab^2 * e * \left( -(4ac - \\
& b^2)^3 \right)^{1/2} - 7a^2b^3c * e + 12a^3b^2c^2e + a^2 * c * e * \left( -(4ac - b^2)^3 \right) \\
& \left. \right)^{1/2} - 2ab * c * d * \left( -(4ac - b^2)^3 \right)^{1/2} \right) / \left( 2(a^4 * b^4 + 16a^6c^2 - 8 \\
& a^5b^2c) \right)^{1/2} - (8(d + ex))^{1/2} * (6a^4c^5e^{12} + 4a^2c^7d^4e^8 \\
& + 6a^3c^6d^2e^{10} + 4b^4c^5d^4e^8 + 21a^2b^2c^5d^2e^{10} - 18a^ \\
& 3b^3c^5d^2e^{11} - 8ab^2c^6d^4e^8 - 12ab^3c^5d^3e^9) / a^4 * \left( -(8a^3 \\
& * c^3d - b^6d + b^3d * \left( -(4ac - b^2)^3 \right)^{1/2} + ab^5e - 18a^2b^2c^2 * \\
& d + 8ab^4c * d - ab^2 * e * \left( -(4ac - b^2)^3 \right)^{1/2} - 7a^2b^3c * e + 12a^3 \\
& * b^2c^2e + a^2 * c * e * \left( -(4ac - b^2)^3 \right)^{1/2} - 2ab * c * d * \left( -(4ac - b^2)^3 \right) \\
& \left. \right)^{1/2} \right) / \left( 2(a^4 * b^4 + 16a^6c^2 - 8a^5b^2c) \right)^{1/2} * i - \left( (8(16a^5b * \\
& c^4e^{12} + 20a^5c^5d^2e^{11} + a^3b^5c^2e^{12} - 8a^4b^3c^3e^{12} + 20a \\
& ^4c^6d^3e^9 + 40a^2b^3c^5d^4e^8 - 20a^2b^4c^4d^3e^9 - 27a^2b \\
& ^5c^3d^2e^{10} - 20a^3b^2c^5d^3e^9 + 84a^3b^3c^4d^2e^{10} - 8ab^ \\
& 5c^4d^4e^8 + 6ab^6c^3d^3e^9 + 2ab^7c^2d^2e^{10} - 3a^2b^6c^2 * \\
& d * e^{11} - 32a^3b^3c^6d^4e^8 + 28a^3b^4c^3d^2e^{11} - 36a^4b^3c^5d^2e^ \\
& 10 - 68a^4b^2c^4d^2e^{11}) / a^4 + \left( (8(32a^8c^4e^{11} + 2a^6b^4c^2e^ \\
& 11 - 16a^7b^2c^3e^{11} + 32a^7c^5d^2e^9 + 8a^5b^3c^4d^3e^8 - 6a \\
& ^5b^4c^3d^2e^9 + 16a^6b^2c^4d^2e^9 - 64a^7b^3c^4d^2e^{10} - 2a^5b \\
& ^5c^2d^2e^{10} - 32a^6b^3c^5d^3e^8 + 24a^6b^3c^3d^2e^{10}) / a^4 + (8(d \\
& + ex))^{1/2} * \left( -(8a^3c^3d - b^6d + b^3d * \left( -(4ac - b^2)^3 \right)^{1/2} + ab^ \\
& 5e - 18a^2b^2c^2d + 8ab^4c * d - ab^2 * e * \left( -(4ac - b^2)^3 \right)^{1/2} - 7 \\
& * a^2b^3c * e + 12a^3b^2c^2e + a^2 * c * e * \left( -(4ac - b^2)^3 \right)^{1/2} - 2ab * c * \\
& d * \left( -(4ac - b^2)^3 \right)^{1/2} \right) / \left( 2(a^4 * b^4 + 16a^6c^2 - 8a^5b^2c) \right)^{1/2} \\
& * (64a^9c^4e^{10} + 4a^7b^4c^2e^{10} - 32a^8b^2c^3e^{10} + 96a^8c^5d^2 \\
& ^2e^8 + 8a^6b^4c^3d^2e^8 - 56a^7b^2c^4d^2e^8 - 112a^8b^3c^4d^2e^9 \\
& ^9 - 8a^6b^5c^2d^2e^9 + 60a^7b^3c^3d^2e^9) / a^4 * \left( -(8a^3c^3d - b^6 \\
& * d + b^3d * \left( -(4ac - b^2)^3 \right)^{1/2} + ab^5e - 18a^2b^2c^2d + 8ab^4 * \\
& c * d - ab^2 * e * \left( -(4ac - b^2)^3 \right)^{1/2} - 7a^2b^3c * e + 12a^3b^2c^2e + a
\end{aligned}$$

$$\begin{aligned}
& \sqrt{2*c*e*(-(4*a*c - b^2)^3)^{1/2} - 2*a*b*c*d*(-(4*a*c - b^2)^3)^{1/2}} / (2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{1/2} + (8*(d + e*x)^{1/2}*(60*a^6*b*c^4*e^{11} + 16*a^6*c^5*d*e^{10} + 5*a^4*b^5*c^2*e^{11} - 35*a^5*b^3*c^3*e^{11} + 40*a^5*c^6*d^3*e^8 - 8*a^2*b^6*c^3*d^3*e^8 + 8*a^2*b^7*c^2*d^2*e^9 + 56*a^3*b^4*c^4*d^3*e^8 - 52*a^3*b^5*c^3*d^2*e^9 - 108*a^4*b^2*c^5*d^3*e^8 + 68*a^4*b^3*c^4*d^2*e^9 - 12*a^3*b^6*c^2*d*e^{10} + 87*a^4*b^4*c^3*d*e^{10} + 56*a^5*b*c^5*d^2*e^9 - 162*a^5*b^2*c^4*d*e^{10})) / a^4 * (- (8*a^3*c^3*d - b^6*d + b^3*d * (- (4*a*c - b^2)^3)^{1/2} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d - a*b^2 * e * (- (4*a*c - b^2)^3)^{1/2} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e + a^2*c*e * (- (4*a*c - b^2)^3)^{1/2} - 2*a*b*c*d * (- (4*a*c - b^2)^3)^{1/2}) / (2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{1/2} * (- (8*a^3*c^3*d - b^6*d + b^3*d * (- (4*a*c - b^2)^3)^{1/2} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d - a*b^2 * e * (- (4*a*c - b^2)^3)^{1/2} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e + a^2*c*e * (- (4*a*c - b^2)^3)^{1/2} - 2*a*b*c*d * (- (4*a*c - b^2)^3)^{1/2}) / (2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{1/2} * i) / (((8*(16*a^5*b*c^4*e^{12} + 20*a^5*c^5*d*e^{11} + a^3*b^5*c^2*e^{12} - 8*a^4*b^3*c^3*e^{12} + 20*a^4*c^6*d^3*e^9 + 40*a^2*b^3*c^5*d^4*e^8 - 20*a^2*b^4*c^4*d^3*e^9 - 27*a^2*b^5*c^3*d^2*e^{10} - 20*a^3*b^2*c^5*d^3*e^9 + 84*a^3*b^3*c^4*d^2*e^{10} - 8*a*b^5*c^4*d^4*e^8 + 6*a*b^6*c^3*d^3*e^9 + 2*a*b^7*c^2*d^2*e^{10} - 3*a^2*b^6*c^2*d*e^{11} - 32*a^3*b*c^6*d^4*e^8 + 28*a^3*b^4*c^3*d*e^{11} - 36*a^4*b*c^5*d^2*e^{10} - 68*a^4*b^2*c^4*d*e^{11})) / a^4 + (((8*(32*a^8*c^4*e^{11} + 2*a^6*b^4*c^2*e^{11} - 16*a^7*b^2*c^3*e^{11} + 32*a^7*c^5*d^2*e^9 + 8*a^5*b^3*c^4*d^3*e^8 - 6*a^5*b^4*c^3*d^2*e^9 + 16*a^6*b^2*c^4*d^2*e^9 - 64*a^7*b*c^4*d*e^{10} - 2*a^5*b^5*c^2*d*e^{10} - 32*a^6*b*c^5*d^3*e^8 + 24*a^6*b^3*c^3*d*e^{10})) / a^4 - (8*(d + e*x)^{1/2} * (- (8*a^3*c^3*d - b^6*d + b^3*d * (- (4*a*c - b^2)^3)^{1/2} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d - a*b^2 * e * (- (4*a*c - b^2)^3)^{1/2} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e + a^2*c*e * (- (4*a*c - b^2)^3)^{1/2} - 2*a*b*c*d * (- (4*a*c - b^2)^3)^{1/2}) / (2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{1/2} * (64*a^9*c^4*e^{10} + 4*a^7*b^4*c^2*e^{10} - 32*a^8*b^2*c^3*e^{10} + 96*a^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 56*a^7*b^2*c^4*d^2*e^8 - 112*a^8*b*c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7*b^3*c^3*d*e^9)) / a^4 * (- (8*a^3*c^3*d - b^6*d + b^3*d * (- (4*a*c - b^2)^3)^{1/2} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d - a*b^2 * e * (- (4*a*c - b^2)^3)^{1/2} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e + a^2*c*e * (- (4*a*c - b^2)^3)^{1/2} - 2*a*b*c*d * (- (4*a*c - b^2)^3)^{1/2}) / (2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{1/2} - (8*(d + e*x)^{1/2}*(60*a^6*b*c^4*e^{11} + 16*a^6*c^5*d*e^{10} + 5*a^4*b^5*c^2*e^{11} - 35*a^5*b^3*c^3*e^{11} + 40*a^5*c^6*d^3*e^8 - 8*a^2*b^6*c^3*d^3*e^8 + 8*a^2*b^7*c^2*d^2*e^9 + 56*a^3*b^4*c^4*d^3*e^8 - 52*a^3*b^5*c^3*d^2*e^9 - 108*a^4*b^2*c^5*d^3*e^8 + 68*a^4*b^3*c^4*d^2*e^9 - 12*a^3*b^6*c^2*d*e^{10} + 87*a^4*b^4*c^3*d*e^{10} + 56*a^5*
\end{aligned}$$





$$\begin{aligned}
& (c - b^2)^3)^{1/2} - 7a^2b^3c^*e + 12a^3b^*c^2e + a^2c^*e*(-(4a^*c - b^2 \\
& )^3)^{1/2} - 2a^*b^*c^*d*(-(4a^*c - b^2)^3)^{1/2})/(2*(a^4b^4 + 16a^6c^2 - \\
& 8a^5b^2c))^{1/2} + (8*(d + e*x)^{1/2}*(6a^4c^5e^{12} + 4a^2c^7d^4e^8 + 6a^3c^6d^2e^{10} + 4b^4c^5d^4e^8 + 21a^2b^2c^5d^2e^{10} - 18 \\
& *a^3b^*c^5d^*e^{11} - 8a^*b^2c^6d^4e^8 - 12a^*b^3c^5d^3e^9))/a^4)*(-(8a^3c^3d - b^6d + b^3d*(-(4a^*c - b^2)^3)^{1/2} + a^*b^5e - 18a^2b^2c^2d + 8a^*b^4c^*d - a^*b^2e*(-(4a^*c - b^2)^3)^{1/2} - 7a^2b^3c^*e + 12a^3b^*c^2e + a^2c^*e*(-(4a^*c - b^2)^3)^{1/2} - 2a^*b^*c^*d*(-(4a^*c - b^2)^3)^{1/2})/(2*(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^{1/2} + (16*(a^3c^5e^{13} + 2a^*c^7d^4e^9 - 4b^*c^7d^5e^8 + 3a^2c^6d^2e^{11} + 4b^2c^6d^4e^9 - 8a^*b^*c^6d^3e^{10} - 3a^2b^*c^5d^*e^{12} + 2a^*b^2c^5d^2e^{11}))/a^4)))*(-(8a^3c^3d - b^6d + b^3d*(-(4a^*c - b^2)^3)^{1/2} + a^*b^5e - 18a^2b^2c^2d + 8a^*b^4c^*d - a^*b^2e*(-(4a^*c - b^2)^3)^{1/2} - 7a^2b^3c^*e + 12a^3b^*c^2e + a^2c^*e*(-(4a^*c - b^2)^3)^{1/2} - 2a^*b^*c^*d*(-(4a^*c - b^2)^3)^{1/2})/(2*(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^{1/2})*2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)/x\*\*2/(c\*x\*\*2+b\*x+a),x)

[Out] Timed out

$$3.341 \quad \int \frac{\sqrt{d+ex}}{x^3(a+bx+cx^2)} dx$$

**Optimal.** Leaf size=531

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right) (-abe - acd + b^2d)}{a^3 \sqrt{d}} + \frac{\sqrt{2} \sqrt{c} \left( b^2 \left( d\sqrt{b^2 - 4ac} - ae \right) - ab \left( e\sqrt{b^2 - 4ac} + 3cd \right) - ac \left( d\sqrt{b^2 - 4ac} \right) \right)}{a^3 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}}$$

**Rubi [A]** time = 3.57, antiderivative size = 531, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 25, number of rules / integrand size = 0.240, Rules used = {897, 1287, 199, 206, 1166, 208}

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right) (-abe - acd + b^2d)}{a^3 \sqrt{d}} + \frac{\sqrt{2} \sqrt{c} \left( b^2 \left( d\sqrt{b^2 - 4ac} - ae \right) - ab \left( e\sqrt{b^2 - 4ac} + 3cd \right) - ac \left( d\sqrt{b^2 - 4ac} \right) \right)}{a^3 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/(x^3\*(a + b\*x + c\*x^2)),x]

[Out] -Sqrt[d + e\*x]/(2\*a\*x^2) + (3\*e\*Sqrt[d + e\*x])/(4\*a\*d\*x) + ((b\*d - a\*e)\*Sqrt[d + e\*x])/(a^2\*d\*x) - (3\*e^2\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/(4\*a\*d^(3/2)) - (e\*(b\*d - a\*e)\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/(a^2\*d^(3/2)) - (2\*(b^2\*d - a\*c\*d - a\*b\*e)\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/(a^3\*Sqrt[d]) + (Sqrt[2]\*Sqrt[c]\*(b^3\*d - a\*c\*(Sqrt[b^2 - 4\*a\*c]\*d - 2\*a\*e) + b^2\*(Sqrt[b^2 - 4\*a\*c]\*d - a\*e) - a\*b\*(3\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]])/(a^3\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]) - (Sqrt[2]\*Sqrt[c]\*(b^3\*d - b^2\*(Sqrt[b^2 - 4\*a\*c]\*d + a\*e) + a\*c\*(Sqrt[b^2 - 4\*a\*c]\*d + 2\*a\*e) - a\*b\*(3\*c\*d - Sqrt[b^2 - 4\*a\*c]\*e))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]])/(a^3\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e])

**Rule 199**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

**Rule 206**

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 897

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)
^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[n, p] && Fra
ctionQ[m]
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 1287

```
Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{d+ex}}{x^3(a+bx+cx^2)} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{x^2}{\left(\frac{d}{e} + \frac{x^2}{e}\right)^3 \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}\right)} dx, x, \sqrt{d+ex} \right)}{e} \\
 &= \frac{2 \operatorname{Subst} \left( \int \left( -\frac{de^3}{a(d-x^2)^3} + \frac{e^2(-bd+ae)}{a^2(d-x^2)^2} + \frac{e(-b^2d+acd+abe)}{a^3(d-x^2)} + \frac{e((b^2-ac)(cd^2-bde+ae^2)-c(b^2d-acd-abe)x^2)}{a^3(cd^2-bde+ae^2-(2cd-be)x^2+cx^4)} \right) dx, x, \sqrt{d+ex} \right)}{e} \\
 &= \frac{2 \operatorname{Subst} \left( \int \frac{(b^2-ac)(cd^2-bde+ae^2)-c(b^2d-acd-abe)x^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex} \right)}{a^3} - \frac{(2de^2) \operatorname{Subst} \left( \int \frac{1}{(d-x^2)^3} dx, x, \sqrt{d+ex} \right)}{a} \\
 &= -\frac{\sqrt{d+ex}}{2ax^2} + \frac{(bd-ae)\sqrt{d+ex}}{a^2dx} - \frac{2(b^2d-acd-abe) \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{a^3\sqrt{d}} - \frac{(3e^2) \operatorname{Subst} \left( \int \frac{1}{(d-x^2)^3} dx, x, \sqrt{d+ex} \right)}{a} \\
 &= -\frac{\sqrt{d+ex}}{2ax^2} + \frac{3e\sqrt{d+ex}}{4adx} + \frac{(bd-ae)\sqrt{d+ex}}{a^2dx} - \frac{e(bd-ae) \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{a^2d^{3/2}} - \frac{2(b^2d-acd-abe) \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{a^3\sqrt{d}} \\
 &= -\frac{\sqrt{d+ex}}{2ax^2} + \frac{3e\sqrt{d+ex}}{4adx} + \frac{(bd-ae)\sqrt{d+ex}}{a^2dx} - \frac{3e^2 \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{4ad^{3/2}} - \frac{e(bd-ae) \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{a^2d^{3/2}}
 \end{aligned}$$

**Mathematica [A]** time = 2.34, size = 516, normalized size = 0.97

$$\frac{3e^2 \operatorname{arctanh}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right) \sqrt{d+ex}}{d^{3/2}} + \frac{2e^2 \sqrt{d+ex}}{d^2} + \frac{8 \operatorname{arctanh}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right) (-bde-acd+e^2d)}{\sqrt{d}} + \frac{4\sqrt{d} \sqrt{e} \left( (a-d\sqrt{b^2-4ac}) + a(c\sqrt{b^2-4ac}+3cd) + a(d\sqrt{b^2-4ac}-2a) + b^2(-c) \right) \operatorname{arctanh}\left(\frac{-\sqrt{d} \sqrt{d+ex}}{\sqrt{d^2-4ac-bx+2d}}\right)}{\sqrt{b^2-4ac} \sqrt{(d^2-4ac-bx+2d)}} + \frac{4\sqrt{d} \sqrt{e} \left( -b^2(d\sqrt{b^2-4ac}+a) + b(c\sqrt{b^2-4ac}-3cd) + a(d\sqrt{b^2-4ac}+2a) + b^3 \right) \operatorname{arctanh}\left(\frac{\sqrt{d} \sqrt{d+ex}}{\sqrt{b^2-4ac-bx+2d}}\right)}{\sqrt{b^2-4ac} \sqrt{(d^2-4ac-bx+2d)}} - \frac{4ae(-bd) \operatorname{arctanh}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{4e\sqrt{d+ex}(bd-ae)}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e\*x]/(x^3\*(a + b\*x + c\*x^2)), x]

[Out] -1/4\*((2\*a^2\*Sqrt[d + e\*x])/x^2 - (4\*a\*(b\*d - a\*e)\*Sqrt[d + e\*x])/(d\*x) - (4\*a\*e\*(-(b\*d) + a\*e)\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/d^(3/2) + (8\*(b^2\*d - a\*c\*d - a\*b\*e)\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/Sqrt[d] + (3\*a^2\*e\*(-(Sqrt[d]\*Sqrt[d + e\*x]) + e\*x)\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/(d^(3/2)\*x) + (4\*Sq

$$\begin{aligned} & \text{rt}[2] * \text{Sqrt}[c] * (-(b^3*d) + a*c*(\text{Sqrt}[b^2 - 4*a*c]*d - 2*a*e) + b^2*(-(\text{Sqrt}[b^2 - 4*a*c]*d + a*e) + a*b*(3*c*d + \text{Sqrt}[b^2 - 4*a*c]*e)) * \text{ArcTanh}[(\text{Sqrt}[2] * \text{Sqrt}[c] * \text{Sqrt}[d + e*x]) / \text{Sqrt}[2*c*d - b*e + \text{Sqrt}[b^2 - 4*a*c]*e]]) / (\text{Sqrt}[b^2 - 4*a*c] * \text{Sqrt}[2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c])*e]) + (4*\text{Sqrt}[2] * \text{Sqrt}[c] * (b^3*d - b^2*(\text{Sqrt}[b^2 - 4*a*c]*d + a*e) + a*c*(\text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e) + a*b*(-3*c*d + \text{Sqrt}[b^2 - 4*a*c]*e)) * \text{ArcTanh}[(\text{Sqrt}[2] * \text{Sqrt}[c] * \text{Sqrt}[d + e*x]) / \text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]]) / (\text{Sqrt}[b^2 - 4*a*c] * \text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e])) / a^3 \end{aligned}$$

**IntegrateAlgebraic [A]** time = 2.46, size = 577, normalized size = 1.09

$$\frac{\sqrt{e*x} \sqrt{a*d + e*x} + a*d + 4*b*d - 4*b*d + e*x}{4*b*d^2} \cdot \frac{\text{atanh}\left(\frac{\sqrt{e*x}}{\sqrt{d+e*x}}\right) \sqrt{d+e*x} + 4*b*d + 8*a*d - 8*b*d}{4*b*d^2} \cdot \frac{(-2\sqrt{2}\rho^{1/2} + \sqrt{2}a^{1/2}\sqrt{b^2-4ac} - \sqrt{2}\rho\sqrt{c}\sqrt{b^2-4ac} + \sqrt{2}a\rho\sqrt{c} + \sqrt{2}ab\sqrt{c}\sqrt{b^2-4ac} + 3\sqrt{2}ab^{3/2}d - \sqrt{2}\rho\sqrt{c}d) \text{atan}\left(\frac{\sqrt{d+e*x}}{\sqrt{2*c*d-b*e+\sqrt{b^2-4ac}}}\right) + (2\sqrt{2}\rho^{1/2} + \sqrt{2}a^{1/2}\sqrt{b^2-4ac} - \sqrt{2}\rho\sqrt{c}\sqrt{b^2-4ac} - \sqrt{2}a\rho\sqrt{c} + \sqrt{2}ab\sqrt{c}\sqrt{b^2-4ac} - 3\sqrt{2}ab^{3/2}d + \sqrt{2}\rho\sqrt{c}d) \text{atan}\left(\frac{\sqrt{d+e*x}}{\sqrt{2*c*d+(b+\sqrt{b^2-4ac})}}\right)}{4*b*d^2 \sqrt{e*x} \sqrt{d+e*x} \sqrt{b^2-4ac} + b*c - 2*d}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/(x^3\*(a + b\*x + c\*x^2)),x]

[Out] 
$$\begin{aligned} & -1/4*(\text{Sqrt}[d + e*x]*(4*b*d^2 + a*d*e - 4*b*d*(d + e*x) + a*e*(d + e*x)))/(a^2*d*e*x^2) + ((-\text{Sqrt}[2]*b^3*\text{Sqrt}[c]*d) + 3*\text{Sqrt}[2]*a*b*c^(3/2)*d - \text{Sqrt}[2]*b^2*\text{Sqrt}[c]*\text{Sqrt}[b^2 - 4*a*c]*d + \text{Sqrt}[2]*a*c^(3/2)*\text{Sqrt}[b^2 - 4*a*c]*d + \text{Sqrt}[2]*a*b^2*\text{Sqrt}[c]*e - 2*\text{Sqrt}[2]*a^2*c^(3/2)*e + \text{Sqrt}[2]*a*b*\text{Sqrt}[c]*\text{Sqrt}[b^2 - 4*a*c]*e) * \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x]) / \text{Sqrt}[-2*c*d + b*e - \text{Sqrt}[b^2 - 4*a*c]*e]]) / (a^3*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[-2*c*d + b*e - \text{Sqrt}[b^2 - 4*a*c]*e]) + ((\text{Sqrt}[2]*b^3*\text{Sqrt}[c]*d - 3*\text{Sqrt}[2]*a*b*c^(3/2)*d - \text{Sqrt}[2]*b^2*\text{Sqrt}[c]*\text{Sqrt}[b^2 - 4*a*c]*d + \text{Sqrt}[2]*a*c^(3/2)*\text{Sqrt}[b^2 - 4*a*c]*d - \text{Sqrt}[2]*a*b^2*\text{Sqrt}[c]*e + 2*\text{Sqrt}[2]*a^2*c^(3/2)*e + \text{Sqrt}[2]*a*b*\text{Sqrt}[c]*\text{Sqrt}[b^2 - 4*a*c]*e) * \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x]) / \text{Sqrt}[-2*c*d + b*e + \text{Sqrt}[b^2 - 4*a*c]*e]]) / (a^3*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[-2*c*d + b*e + \text{Sqrt}[b^2 - 4*a*c]*e]) + ((-8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e + a^2*e^2) * \text{ArcTanh}[\text{Sqrt}[d + e*x] / \text{Sqrt}[d]]) / (4*a^3*d^(3/2)) \end{aligned}$$

**fricas [B]** time = 149.30, size = 7425, normalized size = 13.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/x^3/(c\*x^2+b\*x+a),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/8*(4*\text{sqrt}(2)*a^3*d^2*x^2*\text{sqrt}(((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e + (a^6*b^2 - 4*a^7*c))*\text{sqrt}(((b^10 - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2) / (a^12*b^2 - 4*a^13*c)))] / (a^6*b^2 - 4*a^7*c)) * \log(\text{sqrt}(2)) * ((b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 31*a^3*b^3*c^3 + 12*a^4*b*c^4)*d - (a*b^8 - 8*a^2*b^6*c + 20*a^3*b^4*c^2 - 17*a^4*b^2*c^3 + 4*a^5*c^4)*e - (a^6*b^5 - 7*a^7*b^3*c + 12*a^8*b*c^2) * \text{sqrt}(((b^10 - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + \end{aligned}$$

$$\begin{aligned} & 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^12*b^2 - 4*a^13*c)))*sqrt(((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e + (a^6*b^2 - 4*a^7*c)*sqrt(((b^10 - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^12*b^2 - 4*a^13*c)))/(a^6*b^2 - 4*a^7*c)) - 4*((b^5*c^3 - 4*a*b^3*c^4 + 3*a^2*b*c^5)*d - (a*b^4*c^3 - 3*a^2*b^2*c^4 + a^3*c^5)*e)*sqrt(e*x + d)) - 4*sqrt(2)*a^3*d^2*x^2*sqrt(((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e + (a^6*b^2 - 4*a^7*c)*sqrt(((b^10 - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^12*b^2 - 4*a^13*c)))/(a^6*b^2 - 4*a^7*c))*log(-sqrt(2))*((b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 31*a^3*b^3*c^3 + 12*a^4*b*c^4)*d - (a*b^8 - 8*a^2*b^6*c + 20*a^3*b^4*c^2 - 17*a^4*b^2*c^3 + 4*a^5*c^4)*e - (a^6*b^5 - 7*a^7*b^3*c + 12*a^8*b*c^2)*sqrt(((b^10 - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^12*b^2 - 4*a^13*c)))*sqrt(((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e + (a^6*b^2 - 4*a^7*c)*sqrt(((b^10 - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^12*b^2 - 4*a^13*c)))/(a^6*b^2 - 4*a^7*c)) - 4*((b^5*c^3 - 4*a*b^3*c^4 + 3*a^2*b*c^5)*d - (a*b^4*c^3 - 3*a^2*b^2*c^4 + a^3*c^5)*e)*sqrt(e*x + d)) + 4*sqrt(2)*a^3*d^2*x^2*sqrt(((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e - (a^6*b^2 - 4*a^7*c)*sqrt(((b^10 - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^12*b^2 - 4*a^13*c)))/(a^6*b^2 - 4*a^7*c))*log(sqrt(2))*((b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 31*a^3*b^3*c^3 + 12*a^4*b*c^4)*d - (a*b^8 - 8*a^2*b^6*c + 20*a^3*b^4*c^2 - 17*a^4*b^2*c^3 + 4*a^5*c^4)*e + (a^6*b^5 - 7*a^7*b^3*c + 12*a^8*b*c^2)*sqrt(((b^10 - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^12*b^2 - 4*a^13*c)))*sqrt(((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e - (a^6*b^2 - 4*a^7*c)*sqrt(((b^10 - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^12*b^2 - 4*a^13*c)))/(a^6*b^2 - 4*a^7*c)) - 4*((b^5*c^3 - 4*a*b^3*c^4 + 3*a^2*b*c^5)*d - (a*b^4*c^3 - 3*a^2*b^2*c^4 + 3*a^3*c^5)*e)*sqrt(e*x + d))$$

$$\begin{aligned}
& *b^2*c^4 + a^3*c^5)*e)*\sqrt{e*x + d}) - 4*\sqrt{2)*a^3*d^2*x^2*\sqrt{((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e - (a^6*b^2 - 4*a^7*c)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c)))/(a^6*b^2 - 4*a^7*c))} \\
& *log(-\sqrt{2)*((b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 31*a^3*b^3*c^3 + 12*a^4*b*c^4)*d - (a*b^8 - 8*a^2*b^6*c + 20*a^3*b^4*c^2 - 17*a^4*b^2*c^3 + 4*a^5*c^4)*e + (a^6*b^5 - 7*a^7*b^3*c + 12*a^8*b*c^2)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c))} \\
& )*\sqrt{((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e - (a^6*b^2 - 4*a^7*c)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c))} \\
& )*\sqrt{((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e - (a^6*b^2 - 4*a^7*c)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c))} \\
& )/(a^6*b^2 - 4*a^7*c)) - 4*((b^5*c^3 - 4*a*b^3*c^4 + 3*a^2*b*c^5)*d - (a*b^4*c^3 - 3*a^2*b^2*c^4 + a^3*c^5)*e)*\sqrt{e*x + d}) + (4*a*b*d*e + a^2*e^2 - 8*(b^2 - a*c)*d^2)*\sqrt{d)*x^2*log((e*x + 2*\sqrt{e*x + d})*\sqrt{d} + 2*d)/x - 2*(2*a^2*d^2 - (4*a*b*d^2 - a^2*d*e)*x)*\sqrt{e*x + d})/(a^3*d^2*x^2), 1/4*(2*\sqrt{2)*a^3*d^2*x^2*\sqrt{((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e + (a^6*b^2 - 4*a^7*c)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c)))/(a^6*b^2 - 4*a^7*c)} \\
& )*log(\sqrt{2)*((b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 31*a^3*b^3*c^3 + 12*a^4*b*c^4)*d - (a*b^8 - 8*a^2*b^6*c + 20*a^3*b^4*c^2 - 17*a^4*b^2*c^3 + 4*a^5*c^4)*e - (a^6*b^5 - 7*a^7*b^3*c + 12*a^8*b*c^2)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c))} \\
& )*\sqrt{((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e + (a^6*b^2 - 4*a^7*c)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c))} \\
& )/(a^6*b^2 - 4*a^7*c)) - 4*((b^5*c^3 - 4*a*b^3*c^4 + 3*a^2*b*c^5)*d - (a*b^4*c^3 - 3*a^2*b^2*c^4 + a^3*c^5)*e)*\sqrt{e*x + d}) - 2*\sqrt{2)*a^3*d^2*x^2*\sqrt{((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e + (a^6*b^2 - 4*a^7*c)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c))} \\
& )*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c))} \\
& )/(a^6*b^2 - 4*a^7*c))*log(-\sqrt{2)*((b^9 - 9
\end{aligned}$$

$$\begin{aligned}
& *a*b^7*c + 27*a^2*b^5*c^2 - 31*a^3*b^3*c^3 + 12*a^4*b*c^4)*d - (a*b^8 - 8*a^2*b^6*c + 20*a^3*b^4*c^2 - 17*a^4*b^2*c^3 + 4*a^5*c^4)*e - (a^6*b^5 - 7*a^7*b^3*c + 12*a^8*b*c^2)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c)))*\sqrt{((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e + (a^6*b^2 - 4*a^7*c)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c)))/(a^6*b^2 - 4*a^7*c)) - 4*((b^5*c^3 - 4*a*b^3*c^4 + 3*a^2*b*c^5)*d - (a*b^4*c^3 - 3*a^2*b^2*c^4 + a^3*c^5)*e)*\sqrt{e*x + d)} + 2*\sqrt{2)*a^3*d^2*x^2*\sqrt{((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e - (a^6*b^2 - 4*a^7*c)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c)))/(a^6*b^2 - 4*a^7*c))*\log(\sqrt{2})*((b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 31*a^3*b^3*c^3 + 12*a^4*b*c^4)*d - (a*b^8 - 8*a^2*b^6*c + 20*a^3*b^4*c^2 - 17*a^4*b^2*c^3 + 4*a^5*c^4)*e + (a^6*b^5 - 7*a^7*b^3*c + 12*a^8*b*c^2)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c)))*\sqrt{((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e - (a^6*b^2 - 4*a^7*c)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c)))/(a^6*b^2 - 4*a^7*c)) - 4*((b^5*c^3 - 4*a*b^3*c^4 + 3*a^2*b*c^5)*d - (a*b^4*c^3 - 3*a^2*b^2*c^4 + a^3*c^5)*e)*\sqrt{e*x + d)} - 2*\sqrt{2)*a^3*d^2*x^2*\sqrt{((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e - (a^6*b^2 - 4*a^7*c)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c)))/(a^6*b^2 - 4*a^7*c))*\log(-\sqrt{2})*((b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 31*a^3*b^3*c^3 + 12*a^4*b*c^4)*d - (a*b^8 - 8*a^2*b^6*c + 20*a^3*b^4*c^2 - 17*a^4*b^2*c^3 + 4*a^5*c^4)*e + (a^6*b^5 - 7*a^7*b^3*c + 12*a^8*b*c^2)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c)))*\sqrt{((b^6 - 6*a*b^4*c + 9*a^2*b^2*c^2 - 2*a^3*c^3)*d - (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e - (a^6*b^2 - 4*a^7*c)*\sqrt{((b^{10} - 8*a*b^8*c + 22*a^2*b^6*c^2 - 24*a^3*b^4*c^3 + 9*a^4*b^2*c^4)*d^2 - 2*(a*b^9 - 7*a^2*b^7*c + 16*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^{12}*b^2 - 4*a^{13}*c)))/(a^6*b^2 - 4*a^7*c))}
\end{aligned}$$



$$6*a^3*b^5*c^2 - 13*a^4*b^3*c^3 + 3*a^5*b*c^4)*d*e + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^2)/(a^12*b^2 - 4*a^13*c))/(a^6*b^2 - 4*a^7*c) - 4*((b^5*c^3 - 4*a*b^3*c^4 + 3*a^2*b*c^5)*d - (a*b^4*c^3 - 3*a^2*b^2*c^4 + a^3*c^5)*e)*sqrt(e*x + d)) - (4*a*b*d*e + a^2*e^2 - 8*(b^2 - a*c)*d^2)*sqrt(-d)*x^2*arctan(sqrt(e*x + d)*sqrt(-d)/d) - (2*a^2*d^2 - (4*a*b*d^2 - a^2*d*e)*x)*sqrt(e*x + d))/(a^3*d^2*x^2)]$$

**giac [B]** time = 0.59, size = 1041, normalized size = 1.96

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/x^3/(c\*x^2+b\*x+a),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/4*(sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c))*c)*e)*((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d*e - (a*b^3 - 4*a^2*b*c)*e^2)*a^2 - 2*((a*b^2*c - a^2*c^2)*sqrt(b^2 - 4*a*c)*d^2 - (a*b^3 - a^2*b*c)*sqrt(b^2 - 4*a*c)*d*e + (a^2*b^2 - a^3*c)*sqrt(b^2 - 4*a*c)*e^2)*sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c))*c)*e) \\ & *abs(a) - sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c))*c)*e*(2*(a^2*b^3*c - 3*a^3*b*c^2)*d^2 - (a^2*b^4 - a^3*b^2*c - 4*a^4*c^2)*d*e + (a^3*b^3 - 2*a^4*b*c)*e^2))*arctan(2*sqrt(1/2)*sqrt(x*e + d)/sqrt(-(2*a^3*c*d - a^3*b*e + sqrt(-4*(a^3*c*d^2 - a^3*b*d*e + a^4*e^2))*a^3*c + (2*a^3*c*d - a^3*b*e)^2)))/(a^3*c)) \\ & /((sqrt(b^2 - 4*a*c)*a^4*c*d^2 - sqrt(b^2 - 4*a*c)*a^4*b*d*e + sqrt(b^2 - 4*a*c)*a^5*e^2)*abs(a)*abs(c)) + 1/4*(sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c))*c)*e)*((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d*e - (a*b^3 - 4*a^2*b*c)*e^2)*a^2 + 2*((a*b^2*c - a^2*c^2)*sqrt(b^2 - 4*a*c)*d^2 - (a*b^3 - a^2*b*c)*sqrt(b^2 - 4*a*c)*d*e + (a^2*b^2 - a^3*c)*sqrt(b^2 - 4*a*c)*e^2)*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c))*c)*e) \\ & *abs(a) - sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c))*c)*e*(2*(a^2*b^3*c - 3*a^3*b*c^2)*d^2 - (a^2*b^4 - a^3*b^2*c - 4*a^4*c^2)*d*e + (a^3*b^3 - 2*a^4*b*c)*e^2))*arctan(2*sqrt(1/2)*sqrt(x*e + d)/sqrt(-(2*a^3*c*d - a^3*b*e - sqrt(-4*(a^3*c*d^2 - a^3*b*d*e + a^4*e^2))*a^3*c + (2*a^3*c*d - a^3*b*e)^2)))/(a^3*c)) \\ & /((sqrt(b^2 - 4*a*c)*a^4*c*d^2 - sqrt(b^2 - 4*a*c)*a^4*b*d*e + sqrt(b^2 - 4*a*c)*a^5*e^2)*abs(a)*abs(c)) + 1/4*(8*b^2*d^2 - 8*a*c*d^2 - 4*a*b*d*e - a^2*e^2)*arctan(sqrt(x*e + d)/sqrt(-d))/(a^3*sqrt(-d)*d) + 1/4*(4*(x*e + d)^(3/2)*b*d*e - 4*sqrt(x*e + d)*b*d^2*e - (x*e + d)^(3/2)*a*e^2 - sqrt(x*e + d)*a*d*e^2)*e^(-2)/(a^2*d*x^2) \end{aligned}$$

**maple [B]** time = 0.05, size = 1486, normalized size = 2.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(1/2)/x^3/(c\*x^2+b\*x+a),x)

```
[Out] -1/4/a/x^2/d*(e*x+d)^(3/2)+1/e/a^2/x^2*(e*x+d)^(3/2)*b-1/e/a^2/x^2*(e*x+d)^(1/2)*b*d-1/4*(e*x+d)^(1/2)/a/x^2+1/4*e^2*arctanh((e*x+d)^(1/2)/d^(1/2))/a/d^(3/2)+e/a^2/d^(1/2)*arctanh((e*x+d)^(1/2)/d^(1/2))*b+2/a^2*d^(1/2)*arctanh((e*x+d)^(1/2)/d^(1/2))*c-2/a^3*d^(1/2)*arctanh((e*x+d)^(1/2)/d^(1/2))*b^2+2*e^2/a*c^2/(-4*a*c-b^2)*e^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c-e^2/a^2*c/(-4*a*c-b^2)*e^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c*b^2-3*e/a^2*c^2/(-4*a*c-b^2)*e^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b*d+e/a^3*c/(-4*a*c-b^2)*e^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b^3*d-e/a^2*c*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b-1/a^2*c^2*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*d+1/a^3*c*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b^2*d+2*e^2/a*c^2/(-4*a*c-b^2)*e^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)-e^2/a^2*c/(-4*a*c-b^2)*e^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b^2-3*e/a^2*c^2/(-4*a*c-b^2)*e^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b*d+e/a^3*c/(-4*a*c-b^2)*e^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b^3*d+e/a^2*c*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b+1/a^2*c^2*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*d-1/a^3*c*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b^2*d
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{(cx^2+bx+a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)/x^3/(c*x^2+b*x+a),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(e*x + d)/((c*x^2 + b*x + a)*x^3), x)
```

mupad [B] time = 8.09, size = 33838, normalized size = 63.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d + e*x)^{(1/2)}/(x^3*(a + b*x + c*x^2)), x)$

[Out]  $\text{atan}\left(\frac{\left(\frac{128a^{12}c^4d^5e^{12} + 768a^{10}c^6d^5e^8 + 896a^{11}c^5d^3e^{10} + 128a^8b^4c^4d^5e^8 - 96a^8b^5c^3d^4e^9 - 32a^8b^6c^2d^3e^{10} - 704a^9b^2c^5d^5e^8 + 448a^9b^3c^4d^4e^9 + 392a^9b^4c^3d^3e^{10} + 24a^9b^5c^2d^2e^{11} - 1280a^{10}b^2c^4d^3e^{10} - 192a^{10}b^3c^3d^2e^{11} - 256a^{10}b^4c^2d^2e^{11} - 256a^{10}b^5c^2d^4e^9 + 8a^{10}b^4c^2d^2e^{12} + 384a^{11}b^3c^4d^2e^{11} - 64a^{11}b^2c^3d^2e^{12}\right)}{(2a^8d^2)} - \frac{(d + e*x)^{(1/2)} \left( (b^8d + 8a^4c^4d - b^5d(-4ac - b^2)^3)^{(1/2)} - ab^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^3c^2e(-4ac - b^2)^3 \right)^{(1/2)} - 10ab^6cd + ab^4e(-4ac - b^2)^3)^{(1/2)} + 9a^2b^5ce + 20a^4b^3e + 4ab^3cd(-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2d(-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2d(-4ac - b^2)^3)^{(1/2)}}{(2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)}} \cdot \frac{(1536a^{12}c^5d^4e^8 + 1024a^{13}c^4d^2e^{10} + 128a^{10}b^4c^3d^4e^8 - 128a^{10}b^5c^2d^3e^9 - 896a^{11}b^2c^4d^4e^8 + 960a^{11}b^3c^3d^3e^9 + 64a^{11}b^4c^2d^2e^{10} - 512a^{12}b^2c^3d^2e^{10} - 1792a^{12}b^3c^4d^3e^9)}{(2a^8d^2)} \cdot \frac{(b^8d + 8a^4c^4d - b^5d(-4ac - b^2)^3)^{(1/2)} - ab^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^3c^2e(-4ac - b^2)^3)^{(1/2)} - 10ab^6cd + ab^4e(-4ac - b^2)^3)^{(1/2)} + 9a^2b^5ce + 20a^4b^3e + 4ab^3cd(-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2d(-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2d(-4ac - b^2)^3)^{(1/2)}}{(2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)}} + \frac{(d + e*x)^{(1/2)} \left( 8a^{10}c^5d^5e^{12} - 12a^{10}b^4c^4e^{13} - a^8b^5c^2e^{13} + 7a^9b^3c^3e^{13} + 1152a^8c^7d^5e^8 + 512a^9c^6d^3e^{10} + 128a^4b^8c^3d^5e^8 - 128a^4b^9c^2d^4e^9 - 1152a^5b^6c^4d^5e^8 + 1088a^5b^7c^3d^4e^9 + 192a^5b^8c^2d^3e^{10} + 3520a^6b^4c^5d^5e^8 - 2816a^6b^5c^4d^4e^9 - 1728a^6b^6c^3d^3e^{10} - 64a^6b^7c^2d^2e^{11} - 4096a^7b^2c^6d^5e^8 + 1792a^7b^3c^5d^4e^9 + 4944a^7b^4c^4d^3e^{10} + 568a^7b^5c^3d^2e^{11} - 4512a^8b^2c^5d^3e^{10} - 1536a^8b^3c^4d^2e^{11} - 8a^7b^6c^2d^2e^{12} + 896a^8b^3c^6d^4e^9 + 57a^8b^4c^3d^2e^{12} + 1152a^9b^3c^5d^2e^{11} - 102a^9b^2c^4d^2e^{12} \right)}{(2a^8d^2)} \cdot \frac{(b^8d + 8a^4c^4d - b^5d(-4ac - b^2)^3)^{(1/2)} - ab^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^3c^2e(-4ac - b^2)^3)^{(1/2)} - 10ab^6cd + ab^4e(-4ac - b^2)^3)^{(1/2)} + 9a^2b^5ce + 20a^4b^3e + 4ab^3cd(-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2d(-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2d(-4ac - b^2)^3)^{(1/2)}}{(2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)}} + \frac{(4a^9c^5e^{14} - a^6b^6c^2e^{14} + 7a^7b^4c^3e^{14} - 13a^8b^2c^4e^{14} - 192a^6c^8d^6e^8 - 192a^7c^7d^4e^{10} + 4a^8c^6d^2e^{12} - 128a^2b^8c^4d^6e^8 + 96a^2b^9c^3d^5e^9 + 32a^2b^{10}c^2d^4e^{10} +$

$$\begin{aligned}
& 960*a^3*b^6*c^5*d^6*e^8 - 512*a^3*b^7*c^4*d^5*e^9 - 552*a^3*b^8*c^3*d^4*e^8 \\
& 10 - 56*a^3*b^9*c^2*d^3*e^11 - 2176*a^4*b^4*c^6*d^6*e^8 + 224*a^4*b^5*c^5*d^5*e^9 \\
& + 2688*a^4*b^6*c^4*d^4*e^10 + 672*a^4*b^7*c^3*d^3*e^11 + 24*a^4*b^8*c^2*d^2*e^12 \\
& + 1600*a^5*b^2*c^7*d^6*e^8 + 1408*a^5*b^3*c^6*d^5*e^9 - 4536*a^5*b^4*c^5*d^4*e^10 \\
& - 2616*a^5*b^5*c^4*d^3*e^11 - 209*a^5*b^6*c^3*d^2*e^12 + 2336*a^6*b^2*c^6*d^4*e^10 \\
& + 3648*a^6*b^3*c^5*d^3*e^11 + 559*a^6*b^4*c^4*d^2*e^12 - 429*a^7*b^2*c^5*d^2*e^12 \\
& - 132*a^8*b*c^5*d*e^13 + a^5*b^7*c^2*d*e^13 - 1088*a^6*b*c^7*d^5*e^9 - 23*a^6*b^5*c^3*d*e^13 \\
& - 1408*a^7*b*c^6*d^3*e^11 + 109*a^7*b^3*c^4*d*e^13)/(2*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2))/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2) - ((d + e*x)^(1/2)*(a^6*b^2*c^5*e^14 - 2*a^7*c^6*e^14 + 192*a^4*c^9*d^6*e^8 + 32*a^5*c^8*d^4*e^10 + 34*a^6*c^7*d^2*e^12 + 64*b^8*c^5*d^6*e^8 + 70*4*a^2*b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5*e^9 + 192*a^2*b^6*c^5*d^4*e^10 - 512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 752*a^3*b^4*c^6*d^4*e^10 - 56*a^3*b^5*c^5*d^3*e^11 + 704*a^4*b^2*c^7*d^4*e^10 + 128*a^4*b^3*c^6*d^3*e^11 - 15*a^4*b^4*c^5*d^2*e^12 + 60*a^5*b^2*c^6*d^2*e^12 - 10*a^6*b*c^6*d*e^13 - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^9 + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d^3*e^11 + 6*a^5*b^3*c^5*d*e^13))/(2*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2))/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2)*i - (((((128*a^12*c^4*d*e^12 + 768*a^10*c^6*d^5*e^8 + 896*a^11*c^5*d^3*e^10 + 128*a^8*b^4*c^4*d^5*e^8 - 96*a^8*b^5*c^3*d^4*e^9 - 32*a^8*b^6*c^2*d^3*e^10 - 704*a^9*b^2*c^5*d^5*e^8 + 448*a^9*b^3*c^4*d^4*e^9 + 392*a^9*b^4*c^3*d^3*e^10 + 24*a^9*b^5*c^2*d^2*e^11 - 1280*a^10*b^2*c^4*d^3*e^10 - 192*a^10*b^3*c^3*d^2*e^11 - 256*a^10*b*c^5*d^4*e^9 + 8*a^10*b^4*c^2*d*e^12 + 384*a^11*b*c^4*d^2*e^11 - 64*a^11*b^2*c^3*d*e^12))/(2*a^8*d^2) + ((d + e*x)^(1/2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2))/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2)*(1536*a^12*c^5*d^4*e^8 + 1024*a^13*c^4*d^2*e^10 + 128*a^10*b^4*c^3*d^4*e^8 - 128*a^10*b^5*c^2*d^3*e^9 - 896*a^11*b^2*c^4*d^4*e^8 + 960*a^11*b^3*c^3*d^3*e^9 + 64*a^11*b^4*c^2*d^2*e^10 - 512*a^12*b^2*c^3*d^2*e^10 - 1792*a^12*b*c^4*d^3*e^9))/(2*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^(1/2)
\end{aligned}$$

$$\begin{aligned}
& ) + 9a^2b^5c^3e + 20a^4b^3c^3e + 4a^2b^3c^3d * (-4ac - b^2)^3)^{(1/2)} - \\
& 3a^2b^3c^2d * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^3e * (-4ac - b^2)^3)^{(1/2)} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} - ((d + ex)^{(1/2)} * ( \\
& 8a^{10}c^5d^5e^{12} - 12a^{10}b^3c^4e^{13} - a^8b^5c^2e^{13} + 7a^9b^3c^3e \\
& ^{13} + 1152a^8c^7d^5e^8 + 512a^9c^6d^3e^{10} + 128a^4b^8c^3d^5e^8 \\
& - 128a^4b^9c^2d^4e^9 - 1152a^5b^6c^4d^5e^8 + 1088a^5b^7c^3d^ \\
& 4e^9 + 192a^5b^8c^2d^3e^{10} + 3520a^6b^4c^5d^5e^8 - 2816a^6b^5c \\
& ^4d^4e^9 - 1728a^6b^6c^3d^3e^{10} - 64a^6b^7c^2d^2e^{11} - 4096a^ \\
& 7b^2c^6d^5e^8 + 1792a^7b^3c^5d^4e^9 + 4944a^7b^4c^4d^3e^{10} + \\
& 568a^7b^5c^3d^2e^{11} - 4512a^8b^2c^5d^3e^{10} - 1536a^8b^3c^4d^2 \\
& *e^{11} - 8a^7b^6c^2d^2e^{12} + 896a^8b^3c^6d^4e^9 + 57a^8b^4c^3d^2e^1 \\
& 2 + 1152a^9b^3c^5d^2e^{11} - 102a^9b^2c^4d^2e^{12})) / (2a^8d^2) * ((b^8d \\
& + 8a^4c^4d - b^5d * (-4ac - b^2)^3)^{(1/2)} - a^7b^7e + 33a^2b^4c^2 \\
& d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^3c^2e * (-4ac - b^2)^3)^{(1/2)} \\
& ) - 10a^2b^6c^3d + a^2b^4e * (-4ac - b^2)^3)^{(1/2)} + 9a^2b^5c^3e + 20a^ \\
& 4b^3c^3e + 4a^2b^3c^3d * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^3c^2d * (-4ac - \\
& b^2)^3)^{(1/2)} - 3a^2b^2c^3e * (-4ac - b^2)^3)^{(1/2)} / (2(a^6b^4 + 16a \\
& ^8c^2 - 8a^7b^2c))^{(1/2)} + (4a^9c^5e^{14} - a^6b^6c^2e^{14} + 7a^7 \\
& b^4c^3e^{14} - 13a^8b^2c^4e^{14} - 192a^6c^8d^6e^8 - 192a^7c^7d^4 \\
& e^{10} + 4a^8c^6d^2e^{12} - 128a^2b^8c^4d^6e^8 + 96a^2b^9c^3d^5e^ \\
& 9 + 32a^2b^10c^2d^4e^{10} + 960a^3b^6c^5d^6e^8 - 512a^3b^7c^4d^ \\
& 5e^9 - 552a^3b^8c^3d^4e^{10} - 56a^3b^9c^2d^3e^{11} - 2176a^4b^4c \\
& ^6d^6e^8 + 224a^4b^5c^5d^5e^9 + 2688a^4b^6c^4d^4e^{10} + 672a^4 \\
& b^7c^3d^3e^{11} + 24a^4b^8c^2d^2e^{12} + 1600a^5b^2c^7d^6e^8 + 140 \\
& 8a^5b^3c^6d^5e^9 - 4536a^5b^4c^5d^4e^{10} - 2616a^5b^5c^4d^3e^ \\
& 11 - 209a^5b^6c^3d^2e^{12} + 2336a^6b^2c^6d^4e^{10} + 3648a^6b^3c^ \\
& 5d^3e^{11} + 559a^6b^4c^4d^2e^{12} - 429a^7b^2c^5d^2e^{12} - 132a^8 \\
& b^3c^5d^2e^{13} + a^5b^7c^2d^2e^{13} - 1088a^6b^3c^7d^5e^9 - 23a^6b^5c^3 \\
& *d^2e^{13} - 1408a^7b^3c^6d^3e^{11} + 109a^7b^3c^4d^2e^{13}) / (2a^8d^2) * (( \\
& b^8d + 8a^4c^4d - b^5d * (-4ac - b^2)^3)^{(1/2)} - a^7b^7e + 33a^2b^4 \\
& *c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^3c^2e * (-4ac - b^2)^3) \\
& ^{(1/2)} - 10a^2b^6c^3d + a^2b^4e * (-4ac - b^2)^3)^{(1/2)} + 9a^2b^5c^3e + \\
& 20a^4b^3c^3e + 4a^2b^3c^3d * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^3c^2d * (-4 \\
& ac - b^2)^3)^{(1/2)} - 3a^2b^2c^3e * (-4ac - b^2)^3)^{(1/2)} / (2(a^6b^4 + \\
& 16a^8c^2 - 8a^7b^2c))^{(1/2)} + ((d + ex)^{(1/2)} * (a^6b^2c^5e^{14} - 2 \\
& *a^7c^6e^{14} + 192a^4c^9d^6e^8 + 32a^5c^8d^4e^{10} + 34a^6c^7d^2 \\
& e^{12} + 64b^8c^5d^6e^8 + 704a^2b^4c^7d^6e^8 + 960a^2b^5c^6d^5e \\
& ^9 + 192a^2b^6c^5d^4e^{10} - 512a^3b^2c^8d^6e^8 - 1280a^3b^3c^7 \\
& d^5e^9 - 752a^3b^4c^6d^4e^{10} - 56a^3b^5c^5d^3e^{11} + 704a^4b^2 \\
& c^7d^4e^{10} + 128a^4b^3c^6d^3e^{11} - 15a^4b^4c^5d^2e^{12} + 60a^5 \\
& b^2c^6d^2e^{12} - 10a^6b^3c^6d^2e^{13} - 384a^5b^6c^6d^6e^8 - 192a^5b^7 \\
& c^5d^5e^9 + 384a^4b^3c^8d^5e^9 - 144a^5b^3c^7d^3e^{11} + 6a^5b^3c^ \\
& 5d^2e^{13})) / (2a^8d^2) * ((b^8d + 8a^4c^4d - b^5d * (-4ac - b^2)^3)^{(1 \\
& /2)} - a^7b^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^ \\
& 3c^2e * (-4ac - b^2)^3)^{(1/2)} - 10a^2b^6c^3d + a^2b^4e * (-4ac - b^2)^3
\end{aligned}$$

$$\begin{aligned}
& )^{(1/2)} + 9a^2b^5c^3e + 20a^4b^3c^3e + 4a^2b^3c^3d^3e * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^3c^2d^3e * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2e * (-4ac - b^2)^3)^{(1/2)} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} * 1i) / ((((((128a^{12}c^4d^5e^{12} + 768a^{10}c^6d^5e^8 + 896a^{11}c^5d^3e^{10} + 128a^8b^4c^4d^5e^8 - 96a^8b^5c^3d^4e^9 - 32a^8b^6c^2d^3e^{10} - 704a^9b^2c^5d^5e^8 + 448a^9b^3c^4d^4e^9 + 392a^9b^4c^3d^3e^{10} + 24a^9b^5c^2d^2e^{11} - 1280a^{10}b^2c^4d^3e^{10} - 192a^{10}b^3c^3d^2e^{11} - 256a^{10}b^4c^2d^2e^{12} + 8a^{10}b^4c^2d^2e^{12} + 384a^{11}b^3c^4d^2e^{11} - 64a^{11}b^2c^3d^2e^{12}) / (2a^8d^2) - ((d + ex)^{(1/2)} * ((b^8d + 8a^4c^4d - b^5d * (-4ac - b^2)^3)^{(1/2)} - a^7b^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^3c^2e * (-4ac - b^2)^3)^{(1/2)} - 10a^2b^6cd + a^2b^4e * (-4ac - b^2)^3)^{(1/2)} + 9a^2b^5c^3e + 20a^4b^3c^3e + 4a^2b^3c^3d^3e * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2e * (-4ac - b^2)^3)^{(1/2)} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} * (1536a^{12}c^5d^4e^8 + 1024a^{13}c^4d^2e^{10} + 128a^{10}b^4c^3d^4e^8 - 128a^{10}b^5c^2d^3e^9 - 896a^{11}b^2c^4d^4e^8 + 960a^{11}b^3c^3d^3e^9 + 64a^{11}b^4c^2d^2e^{10} - 512a^{12}b^2c^3d^2e^{10} - 1792a^{12}b^3c^4d^3e^9) / (2a^8d^2)) * ((b^8d + 8a^4c^4d - b^5d * (-4ac - b^2)^3)^{(1/2)} - a^7b^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^3c^2e * (-4ac - b^2)^3)^{(1/2)} - 10a^2b^6cd + a^2b^4e * (-4ac - b^2)^3)^{(1/2)} + 9a^2b^5c^3e + 20a^4b^3c^3e + 4a^2b^3c^3d^3e * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2e * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2e * (-4ac - b^2)^3)^{(1/2)} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} + ((d + ex)^{(1/2)} * (8a^{10}c^5d^5e^{12} - 12a^{10}b^3c^4e^{13} - a^8b^5c^2e^{13} + 7a^9b^3c^3e^{13} + 1152a^8c^7d^5e^8 + 512a^9c^6d^3e^{10} + 128a^4b^8c^3d^5e^8 - 128a^4b^9c^2d^4e^9 - 1152a^5b^6c^4d^5e^8 + 1088a^5b^7c^3d^4e^9 + 192a^5b^8c^2d^3e^{10} + 3520a^6b^4c^5d^5e^8 - 2816a^6b^5c^4d^4e^9 - 1728a^6b^6c^3d^3e^{10} - 64a^6b^7c^2d^2e^{11} - 4096a^7b^2c^6d^5e^8 + 1792a^7b^3c^5d^4e^9 + 4944a^7b^4c^4d^3e^{10} + 568a^7b^5c^3d^2e^{11} - 4512a^8b^2c^5d^3e^{10} - 1536a^8b^3c^4d^2e^{11} - 8a^7b^6c^2d^2e^{12} + 896a^8b^3c^6d^4e^9 + 57a^8b^4c^3d^2e^{12} + 1152a^9b^3c^5d^2e^{11} - 102a^9b^2c^4d^2e^{12}) / (2a^8d^2)) * ((b^8d + 8a^4c^4d - b^5d * (-4ac - b^2)^3)^{(1/2)} - a^7b^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^3c^2e * (-4ac - b^2)^3)^{(1/2)} - 10a^2b^6cd + a^2b^4e * (-4ac - b^2)^3)^{(1/2)} + 9a^2b^5c^3e + 20a^4b^3c^3e + 4a^2b^3c^3d^3e * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2e * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2e * (-4ac - b^2)^3)^{(1/2)} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} + (4a^9c^5e^{14} - a^6b^6c^2e^{14} + 7a^7b^4c^3e^{14} - 13a^8b^2c^4e^{14} - 192a^6c^8d^6e^8 - 192a^7c^7d^4e^{10} + 4a^8c^6d^2e^{12} - 128a^2b^8c^4d^6e^8 + 96a^2b^9c^3d^5e^9 + 32a^2b^10c^2d^4e^{10} + 960a^3b^6c^5d^6e^8 - 512a^3b^7c^4d^5e^9 - 552a^3b^8c^3d^4e^{10} - 56a^3b^9c^2d^3e^{11} - 2176a^4b^4c^6d^6e^8 + 224a^4b^5c^5d^5e^9 + 2688a^4b^6c^4d^4e^{10} + 672a^4b^7c^3d^3e^{11} + 24a^4b^8c^2d^2e^{12} + 1600a^5b^2c^7d^6e^8 + 1408a^5b^3c^6d^5e^9 - 4536a^5b^4c^5d^4e^{10}
\end{aligned}$$

$$\begin{aligned}
& e^{10} - 2616a^5b^5c^4d^3e^{11} - 209a^5b^6c^3d^2e^{12} + 2336a^6b^2c^6d^4e^{10} + 3648a^6b^3c^5d^3e^{11} + 559a^6b^4c^4d^2e^{12} - 429a^7b^2c^5d^2e^{12} \\
& - 132a^8b^3c^5d^3e^{13} + a^5b^7c^2d^2e^{13} - 1088a^6b^3c^7d^5e^9 - 23a^6b^5c^3d^2e^{13} - 1408a^7b^3c^6d^3e^{11} + 109a^7b^3c^4d^2e^{13}) \\
& / (2a^8d^2) * ((b^8d + 8a^4c^4d - b^5d * (-4ac - b^2)^3)^{1/2} - a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10ab^6cd + a^3c^2e * (-4ac - b^2)^3)^{1/2} \\
& + 9a^2b^5ce + 20a^4b^3c^3e + 4a^2b^3cd * (-4ac - b^2)^3)^{1/2} - 3a^2b^2c^2d * (-4ac - b^2)^3)^{1/2} - 3a^2b^2c^2e * (-4ac - b^2)^3)^{1/2} \\
& / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} - ((d + ex)^{1/2} * (a^6b^2c^5e^{14} - 2a^7c^6e^{14} + 192a^4c^9d^6e^8 + 32a^5c^8d^4e^{10} + 34a^6c^7d^2e^{12} \\
& + 64b^8c^5d^6e^8 + 704a^2b^4c^7d^6e^8 + 960a^2b^5c^6d^5e^9 + 192a^2b^6c^5d^4e^{10} - 512a^3b^2c^8d^6e^8 - 1280a^3b^3c^7d^5e^9 \\
& - 752a^3b^4c^6d^4e^{10} - 56a^3b^5c^5d^3e^{11} + 704a^4b^2c^7d^4e^{10} + 128a^4b^3c^6d^3e^{11} - 15a^4b^4c^5d^2e^{12} + 60a^5b^2c^6d^2e^{12} \\
& - 10a^6b^3c^6d^2e^{13} - 384a^6b^3c^6d^6e^8 - 192a^6b^7c^5d^5e^9 + 384a^4b^3c^8d^5e^9 - 144a^5b^3c^7d^3e^{11} + 6a^5b^3c^5d^3e^{13})) \\
& / (2a^8d^2) * ((b^8d + 8a^4c^4d - b^5d * (-4ac - b^2)^3)^{1/2} - a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10ab^6cd + a^3c^2e * (-4ac - b^2)^3)^{1/2} \\
& + 9a^2b^5ce + 20a^4b^3c^3e + 4a^2b^3cd * (-4ac - b^2)^3)^{1/2} - 3a^2b^2c^2d * (-4ac - b^2)^3)^{1/2} - 3a^2b^2c^2e * (-4ac - b^2)^3)^{1/2} \\
& / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} + (((((128a^12c^4d^2e^{12} + 768a^10c^6d^5e^8 + 896a^11c^5d^3e^{10} + 128a^8b^4c^4d^5e^8 \\
& - 96a^8b^5c^3d^4e^9 - 32a^8b^6c^2d^3e^{10} - 704a^9b^2c^5d^5e^8 + 448a^9b^3c^4d^4e^9 + 392a^9b^4c^3d^3e^{10} + 24a^9b^5c^2d^2e^{11} \\
& - 1280a^10b^2c^4d^3e^{10} - 192a^10b^3c^3d^2e^{11} - 256a^10b^4c^2d^2e^{12} + 384a^11b^3c^4d^2e^{11} - 64a^11b^2c^3d^2e^{12}) \\
& / (2a^8d^2) + ((d + ex)^{1/2} * ((b^8d + 8a^4c^4d - b^5d * (-4ac - b^2)^3)^{1/2} - a^3c^2e * (-4ac - b^2)^3)^{1/2} \\
& + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10ab^6cd + a^3c^2e * (-4ac - b^2)^3)^{1/2} \\
& + 9a^2b^5ce + 20a^4b^3c^3e + 4a^2b^3cd * (-4ac - b^2)^3)^{1/2} - 3a^2b^2c^2d * (-4ac - b^2)^3)^{1/2} - 3a^2b^2c^2e * (-4ac - b^2)^3)^{1/2} \\
& / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} * (1536a^12c^5d^4e^8 + 1024a^13c^4d^2e^{10} + 128a^10b^4c^3d^4e^8 - 128a^10b^5c^2d^3e^9 \\
& - 896a^11b^2c^4d^4e^8 + 960a^11b^3c^3d^3e^9 + 64a^11b^4c^2d^2e^{10} - 512a^12b^2c^3d^2e^{10} - 1792a^12b^3c^4d^3e^9)) \\
& / (2a^8d^2) * ((b^8d + 8a^4c^4d - b^5d * (-4ac - b^2)^3)^{1/2} - a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10ab^6cd + a^3c^2e * (-4ac - b^2)^3)^{1/2} \\
& + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10ab^6cd + a^3c^2e * (-4ac - b^2)^3)^{1/2} \\
& + 9a^2b^5ce + 20a^4b^3c^3e + 4a^2b^3cd * (-4ac - b^2)^3)^{1/2} - 3a^2b^2c^2d * (-4ac - b^2)^3)^{1/2} - 3a^2b^2c^2e * (-4ac - b^2)^3)^{1/2} \\
& / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} - ((d + ex)^{1/2} * (8a^10c^5d^2e^{12} - 12a^10b^3c^4e^{13} - a^8b^5c^2e^{13} + 7a^9b^3c^3e^{13} + 1152a^8c^7
\end{aligned}$$

$$\begin{aligned}
& *d^5e^8 + 512a^9c^6d^3e^{10} + 128a^4b^8c^3d^5e^8 - 128a^4b^9c^2 \\
& *d^4e^9 - 1152a^5b^6c^4d^5e^8 + 1088a^5b^7c^3d^4e^9 + 192a^5b^8 \\
& *c^2d^3e^{10} + 3520a^6b^4c^5d^5e^8 - 2816a^6b^5c^4d^4e^9 - 1728 \\
& *a^6b^6c^3d^3e^{10} - 64a^6b^7c^2d^2e^{11} - 4096a^7b^2c^6d^5e^8 \\
& + 1792a^7b^3c^5d^4e^9 + 4944a^7b^4c^4d^3e^{10} + 568a^7b^5c^3d^2 \\
& *e^{11} - 4512a^8b^2c^5d^3e^{10} - 1536a^8b^3c^4d^2e^{11} - 8a^7b^6c^2 \\
& *d^2e^{12} + 896a^8b^6c^6d^4e^9 + 57a^8b^4c^3d^2e^{12} + 1152a^9b^6c^5 \\
& *d^2e^{11} - 102a^9b^2c^4d^2e^{12}))/((2a^8d^2)) * ((b^8d + 8a^4c^4d - b \\
& ^5d * (- (4ac - b^2)^3)^{1/2} - ab^7e + 33a^2b^4c^2d - 38a^3b^2c^3 \\
& *d - 25a^3b^3c^2e + a^3c^2e * (- (4ac - b^2)^3)^{1/2} - 10ab^6cd + \\
& ab^4e * (- (4ac - b^2)^3)^{1/2} + 9a^2b^5ce + 20a^4b^3c^3e + 4ab^3 \\
& *cd * (- (4ac - b^2)^3)^{1/2} - 3a^2b^3c^2d * (- (4ac - b^2)^3)^{1/2} - 3 \\
& *a^2b^2c^2e * (- (4ac - b^2)^3)^{1/2}))/((2(a^6b^4 + 16a^8c^2 - 8a^7b^2 \\
& *c)))^{1/2} + (4a^9c^5e^{14} - a^6b^6c^2e^{14} + 7a^7b^4c^3e^{14} - 13a^8 \\
& b^2c^4e^{14} - 192a^6c^8d^6e^8 - 192a^7c^7d^4e^{10} + 4a^8c^6d^2e^{12} - 128a^2 \\
& b^8c^4d^6e^8 + 96a^2b^9c^3d^5e^9 + 32a^2b^10c^2d^4e^{10} + 960a^3b^6c^5 \\
& d^6e^8 - 512a^3b^7c^4d^5e^9 - 552a^3b^8c^3d^4e^{10} - 56a^3b^9c^2d^3e^{11} - \\
& 2176a^4b^4c^6d^6e^8 + 224a^4b^5c^5d^5e^9 + 2688a^4b^6c^4d^4e^{10} + 672a^4 \\
& b^7c^3d^3e^{11} + 24a^4b^8c^2d^2e^{12} + 1600a^5b^2c^7d^6e^8 + 1408a^5b^3c^6 \\
& d^5e^9 - 4536a^5b^4c^5d^4e^{10} - 2616a^5b^5c^4d^3e^{11} - 209a^5b^6c^3 \\
& d^2e^{12} + 2336a^6b^2c^6d^4e^{10} + 3648a^6b^3c^5d^3e^{11} + 559a^6b^4c^4 \\
& d^2e^{12} - 429a^7b^2c^5d^2e^{12} - 132a^8b^3c^5d^2e^{13} + a^5b^7c^2d^2e^{13} \\
& - 1088a^6b^3c^7d^5e^9 - 23a^6b^5c^3d^2e^{13} - 1408a^7b^3c^6d^3e^{11} + \\
& 109a^7b^3c^4d^2e^{13}))/((2a^8d^2)) * ((b^8d + 8a^4c^4d - b^5d * (- (4ac - \\
& b^2)^3)^{1/2} - ab^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + \\
& a^3c^2e * (- (4ac - b^2)^3)^{1/2} - 10ab^6cd + ab^4e * (- (4ac - b^2)^3)^{1/2} \\
& + 9a^2b^5ce + 20a^4b^3c^3e + 4ab^3cd * (- (4ac - b^2)^3)^{1/2} - 3a^2b^3c^2 \\
& *d * (- (4ac - b^2)^3)^{1/2} - 3a^2b^2c^2e * (- (4ac - b^2)^3)^{1/2}))/((2(a^6b^4 + \\
& 16a^8c^2 - 8a^7b^2c)))^{1/2} + ((d + ex)^{1/2} * (a^6b^2c^5e^{14} - 2a^7c^6e^{14} + \\
& 192a^4c^9d^6e^8 + 32a^5c^8d^4e^{10} + 34a^6c^7d^2e^{12} + 64b^8c^5d^6e^8 + \\
& 704a^2b^4c^7d^6e^8 + 960a^2b^5c^6d^5e^9 + 192a^2b^6c^5d^4e^{10} - 512a^3b^2 \\
& c^8d^6e^8 - 1280a^3b^3c^7d^5e^9 - 752a^3b^4c^6d^4e^{10} - 56a^3b^5c^5d^3e^{11} + \\
& 704a^4b^2c^7d^4e^{10} + 128a^4b^3c^6d^3e^{11} - 15a^4b^4c^5d^2e^{12} + 60a^5b^2c^6 \\
& d^2e^{12} - 10a^6b^3c^6d^2e^{13} - 384a^6b^6c^6d^6e^8 - 192a^6b^7c^5d^5e^9 + 384a^4 \\
& b^3c^8d^5e^9 - 144a^5b^3c^7d^3e^{11} + 6a^5b^3c^5d^2e^{13}))/((2a^8d^2)) * ((b^8d + \\
& 8a^4c^4d - b^5d * (- (4ac - b^2)^3)^{1/2} - ab^7e + 33a^2b^4c^2d - 38a^3b^2 \\
& c^3d - 25a^3b^3c^2e + a^3c^2e * (- (4ac - b^2)^3)^{1/2} - 10ab^6cd + ab^4e * \\
& (- (4ac - b^2)^3)^{1/2} + 9a^2b^5ce + 20a^4b^3c^3e + 4ab^3cd * (- (4ac - b^2)^3)^{1/2} \\
& - 3a^2b^3c^2d * (- (4ac - b^2)^3)^{1/2} - 3a^2b^2c^2e * (- (4ac - b^2)^3)^{1/2}))/((2(a^6b^4 + \\
& 16a^8c^2 - 8a^7b^2c)))^{1/2} + (7a^5c^7d^2e^{14} + 56a^3c^9d^5e^{10} + 63a^4c^8 \\
& d^3e^{12} - 64b^4c^8d^7e^8 + 64b^5c^7d^6e^9 +
\end{aligned}$$



$$\begin{aligned}
& 64a^2b^2c^8d^5e^{10} + 224a^2b^3c^7d^4e^{11} - 112a^3b^2c^7d^3e^{12} + 64ab^2c^9d^7e^8 + 64a^2b^3c^8d^6e^9 - 192ab^4c^7d^5e^{10} \\
& - 96a^2b^2c^9d^6e^9 - 136a^3b^2c^8d^4e^{11} + 9a^4b^2c^7d^2e^{13}) / (a^8d^2)) * ((b^8d + 8a^4c^4d - b^5d * (-4ac - b^2)^3)^{(1/2)} - ab^7e + \\
& 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e + a^3c^2e * (-4ac - b^2)^3)^{(1/2)} - 10ab^6cd + ab^4e * (-4ac - b^2)^3)^{(1/2)} + 9a^2 \\
& * b^5ce + 20a^4b^3c^3e + 4a^2b^3cd * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2d * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2e * (-4ac - b^2)^3)^{(1/2)}) / (2 \\
& * (a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} * 2i - (((a^2e + 4bde) * (d + \\
& ex)^{(1/2)}) / (4a^2) + ((a^2e - 4bde) * (d + ex)^{(3/2)}) / (4a^2d)) / ((d + \\
& ex)^2 - 2d(d + ex) + d^2) + \operatorname{atan}(((((((128a^{12}c^4d^5e^{12} + 768a^{10} \\
& c^6d^5e^8 + 896a^{11}c^5d^3e^{10} + 128a^8b^4c^4d^5e^8 - 96a^8b^5c^3d^4e^9 - 32a^8b^6c^2d^3e^{10} - 704a^9b^2c^5d^5e^8 + 448a^9b \\
& ^3c^4d^4e^9 + 392a^9b^4c^3d^3e^{10} + 24a^9b^5c^2d^2e^{11} - 1280a^{10}b^2c^4d^3e^{10} - 192a^{10}b^3c^3d^2e^{11} - 256a^{10}b^4c^5d^4e^9 \\
& + 8a^{10}b^4c^2d^5e^{12} + 384a^{11}b^3c^4d^2e^{11} - 64a^{11}b^2c^3d^5e^{12}) / (2a^8d^2) - ((d + ex)^{(1/2)} * (b^8d + 8a^4c^4d + b^5d * (-4ac - b^2)^3)^{(1/2)} - ab^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e - a^3c^2e * (-4ac - b^2)^3)^{(1/2)} - 10ab^6cd - ab^4e * (-4ac - b^2)^3)^{(1/2)} + 9a^2b^5ce + 20a^4b^3c^3e - 4a^2b^3cd * (-4ac - b^2)^3)^{(1/2)} + 3a^2b^2c^2d * (-4ac - b^2)^3)^{(1/2)} + 3a^2b^2c^2e * (-4ac - b^2)^3)^{(1/2)}) / (2 * (a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} * (1536a^{12}c^5d^4e^8 + 1024a^{13}c^4d^2e^{10} + 128a^{10}b^4c^3d^4e^8 - 128a^{10}b^5c^2d^3e^9 - 896a^{11}b^2c^4d^4e^8 + 960a^{11}b^3c^3d^3e^9 + 64a^{11}b^4c^2d^2e^{10} - 512a^{12}b^2c^3d^2e^{10} - 1792a^{12}b^3c^4d^3e^9)) / (2a^8d^2)) * ((b^8d + 8a^4c^4d + b^5d * (-4ac - b^2)^3)^{(1/2)} - ab^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e - a^3c^2e * (-4ac - b^2)^3)^{(1/2)} - 10ab^6cd - ab^4e * (-4ac - b^2)^3)^{(1/2)} + 9a^2b^5ce + 20a^4b^3c^3e - 4a^2b^3cd * (-4ac - b^2)^3)^{(1/2)} + 3a^2b^2c^2d * (-4ac - b^2)^3)^{(1/2)} + 3a^2b^2c^2e * (-4ac - b^2)^3)^{(1/2)}) / (2 * (a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} + ((d + ex)^{(1/2)} * (8a^{10}c^5d^5e^{12} - 12a^{10}b^3c^4e^{13} - a^8b^5c^2e^{13} + 7a^9b^3c^3e^{13} + 1152a^8c^7d^5e^8 + 512a^9c^6d^3e^{10} + 128a^4b^8c^3d^5e^8 - 128a^4b^9c^2d^4e^9 - 1152a^5b^6c^4d^5e^8 + 1088a^5b^7c^3d^4e^9 + 192a^5b^8c^2d^3e^{10} + 3520a^6b^4c^5d^5e^8 - 2816a^6b^5c^4d^4e^9 - 1728a^6b^6c^3d^3e^{10} - 64a^6b^7c^2d^2e^{11} - 4096a^7b^2c^6d^5e^8 + 1792a^7b^3c^5d^4e^9 + 4944a^7b^4c^4d^3e^{10} + 568a^7b^5c^3d^2e^{11} - 4512a^8b^2c^5d^3e^{10} - 1536a^8b^3c^4d^2e^{11} - 8a^7b^6c^2d^5e^8 + 896a^8b^3c^6d^4e^9 + 57a^8b^4c^3d^5e^{12} + 1152a^9b^3c^5d^2e^{11} - 102a^9b^2c^4d^5e^{12})) / (2a^8d^2)) * ((b^8d + 8a^4c^4d + b^5d * (-4ac - b^2)^3)^{(1/2)} - ab^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e - a^3c^2e * (-4ac - b^2)^3)^{(1/2)} - 10ab^6cd - ab^4e * (-4ac - b^2)^3)^{(1/2)} + 9a^2b^5ce + 20a^4b^3c^3e - 4a^2b^3cd * (-4ac - b^2)^3)^{(1/2)} + 3a^2b^2c^2d * (-4ac - b^2)^3)^{(1/2)} + 3a^2b^2c^2e * (-4ac - b^2)^3)^{(1/2)}) / (2 * (a^6b^4 + 1
\end{aligned}$$

$$\begin{aligned}
& (6a^8c^2 - 8a^7b^2c))^{1/2} + (4a^9c^5e^{14} - a^6b^6c^2e^{14} + 7a^7b^4c^3e^{14} - 13a^8b^2c^4e^{14} - 192a^6c^8d^6e^8 - 192a^7c^7d^4e^{10} + 4a^8c^6d^2e^{12} - 128a^2b^8c^4d^6e^8 + 96a^2b^9c^3d^5e^9 + 32a^2b^{10}c^2d^4e^{10} + 960a^3b^6c^5d^6e^8 - 512a^3b^7c^4d^5e^9 - 552a^3b^8c^3d^4e^{10} - 56a^3b^9c^2d^3e^{11} - 2176a^4b^4c^6d^6e^8 + 224a^4b^5c^5d^5e^9 + 2688a^4b^6c^4d^4e^{10} + 672a^4b^7c^3d^3e^{11} + 24a^4b^8c^2d^2e^{12} + 1600a^5b^2c^7d^6e^8 + 1408a^5b^3c^6d^5e^9 - 4536a^5b^4c^5d^4e^{10} - 2616a^5b^5c^4d^3e^{11} - 209a^5b^6c^3d^2e^{12} + 2336a^6b^2c^6d^4e^{10} + 3648a^6b^3c^5d^3e^{11} + 559a^6b^4c^4d^2e^{12} - 429a^7b^2c^5d^2e^{12} - 132a^8b^3c^5d^2e^{13} + a^5b^7c^2d^2e^{13} - 1088a^6b^3c^7d^5e^9 - 23a^6b^5c^3d^2e^{13} - 1408a^7b^3c^6d^3e^{11} + 109a^7b^3c^4d^2e^{13}) / (2a^8d^2) \\
& * ((b^8d + 8a^4c^4d + b^5d * (-4ac - b^2)^3)^{1/2} - a^7b^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e - a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10a^6b^6cd - a^7b^4e * (-4ac - b^2)^3)^{1/2} + 9a^2b^5c^2e + 20a^4b^3c^3e - 4a^2b^3c^2d * (-4ac - b^2)^3)^{1/2} + 3a^2b^2c^2d * (-4ac - b^2)^3)^{1/2} + 3a^2b^2c^2e * (-4ac - b^2)^3)^{1/2} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} - ((d + ex)^{1/2} * (a^6b^2c^5e^{14} - 2a^7c^6e^{14} + 192a^4c^9d^6e^8 + 32a^5c^8d^4e^{10} + 34a^6c^7d^2e^{12} + 64b^8c^5d^6e^8 + 704a^2b^4c^7d^6e^8 + 960a^2b^5c^6d^5e^9 + 192a^2b^6c^5d^4e^{10} - 512a^3b^2c^8d^6e^8 - 1280a^3b^3c^7d^5e^9 - 752a^3b^4c^6d^4e^{10} - 56a^3b^5c^5d^3e^{11} + 704a^4b^2c^7d^4e^{10} + 128a^4b^3c^6d^3e^{11} - 15a^4b^4c^5d^2e^{12} + 60a^5b^2c^6d^2e^{12} - 10a^6b^3c^6d^2e^{13} - 384a^2b^6c^6d^6e^8 - 192a^2b^7c^5d^5e^9 + 384a^4b^3c^8d^5e^9 - 144a^5b^3c^7d^3e^{11} + 6a^5b^3c^5d^2e^{13})) / (2a^8d^2) * ((b^8d + 8a^4c^4d + b^5d * (-4ac - b^2)^3)^{1/2} - a^7b^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e - a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10a^6b^6cd - a^7b^4e * (-4ac - b^2)^3)^{1/2} + 9a^2b^5c^2e + 20a^4b^3c^3e - 4a^2b^3c^2d * (-4ac - b^2)^3)^{1/2} + 3a^2b^2c^2d * (-4ac - b^2)^3)^{1/2} + 3a^2b^2c^2e * (-4ac - b^2)^3)^{1/2} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} * i - (((((128a^{12}c^4d^2e^{12} + 768a^{10}c^6d^5e^8 + 896a^{11}c^5d^3e^{10} + 128a^8b^4c^4d^5e^8 - 96a^8b^5c^3d^4e^9 - 32a^8b^6c^2d^3e^{10} - 704a^9b^2c^5d^5e^8 + 448a^9b^3c^4d^4e^9 + 392a^9b^4c^3d^3e^{10} + 24a^9b^5c^2d^2e^{11} - 1280a^{10}b^2c^4d^3e^{10} - 192a^{10}b^3c^3d^2e^{11} - 256a^{10}b^4c^2d^2e^{12} + 384a^{11}b^3c^4d^2e^{11} - 64a^{11}b^2c^3d^2e^{12}) / (2a^8d^2) + ((d + ex)^{1/2} * ((b^8d + 8a^4c^4d + b^5d * (-4ac - b^2)^3)^{1/2} - a^7b^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e - a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10a^6b^6cd - a^7b^4e * (-4ac - b^2)^3)^{1/2} + 9a^2b^5c^2e + 20a^4b^3c^3e - 4a^2b^3c^2d * (-4ac - b^2)^3)^{1/2} + 3a^2b^2c^2d * (-4ac - b^2)^3)^{1/2} + 3a^2b^2c^2e * (-4ac - b^2)^3)^{1/2} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} * (1536a^{12}c^5d^4e^8 + 1024a^{13}c^4d^2e^{10} + 128a^{10}b^4c^3d^4e^8 - 128a^{10}b^5c^2d^3e^9 - 896a^{11}b^2c^4d^4e^8 + 960a^{11}b^3c^3d^3e^9 + 64a^{11}b^4c^2d^2e^{10} - 512a^{12}b^2c^3
\end{aligned}$$

$$\begin{aligned}
& d^2 e^{10} - 1792 a^{12} b^4 c^4 d^3 e^9) / (2 a^8 d^2) * ((b^8 d + 8 a^4 c^4 d + \\
& b^5 d * (-4 a^3 c - b^2)^3)^{1/2} - a b^7 e + 33 a^2 b^4 c^2 d - 38 a^3 b^2 c^3 d - 25 a^3 b^3 c^2 e - a^3 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} - 10 a^3 b^6 c^3 d \\
& - a b^4 e * (-4 a^3 c - b^2)^3)^{1/2} + 9 a^2 b^5 c^3 e + 20 a^4 b^2 c^3 e - 4 a^3 b^3 c^3 d * (-4 a^3 c - b^2)^3)^{1/2} + 3 a^2 b^2 c^2 d * (-4 a^3 c - b^2)^3)^{1/2} + \\
& 3 a^2 b^2 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} - ((d + e x)^{1/2} * (8 a^{10} c^5 d e^{12} - 12 a^{10} b^4 c^4 e^{13} - a \\
& ^8 b^5 c^2 e^{13} + 7 a^9 b^3 c^3 e^{13} + 1152 a^8 c^7 d^5 e^8 + 512 a^9 c^6 d^3 e^{10} + 128 a^4 b^8 c^3 d^5 e^8 - 128 a^4 b^9 c^2 d^4 e^9 - 1152 a^5 b^6 c^4 d^5 e^8 \\
& + 1088 a^5 b^7 c^3 d^4 e^9 + 192 a^5 b^8 c^2 d^3 e^{10} + 3520 a^6 b^4 c^5 d^5 e^8 - 2816 a^6 b^5 c^4 d^4 e^9 - 1728 a^6 b^6 c^3 d^3 e^{10} - \\
& 64 a^6 b^7 c^2 d^2 e^{11} - 4096 a^7 b^2 c^6 d^5 e^8 + 1792 a^7 b^3 c^5 d^4 e^9 + 4944 a^7 b^4 c^4 d^3 e^{10} + 568 a^7 b^5 c^3 d^2 e^{11} - 4512 a^8 b^2 c^5 d^3 e^{10} - \\
& 1536 a^8 b^3 c^4 d^2 e^{11} - 8 a^7 b^6 c^2 d^2 e^{12} + 896 a^8 b^2 c^6 d^4 e^9 + 57 a^8 b^4 c^3 d^5 e^{12} + 1152 a^9 b^2 c^5 d^2 e^{11} - 102 a^9 b^2 c^4 d^4 e^{12}) / (2 a^8 d^2) * ((b^8 d + 8 a^4 c^4 d + b^5 d * (-4 a^3 c - b^2)^3)^{1/2} - a b^7 e + 33 a^2 b^4 c^2 d - 38 a^3 b^2 c^3 d - 25 a^3 b^3 c^2 e - a^3 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} - 10 a^3 b^6 c^3 d - a b^4 e * (-4 a^3 c - b^2)^3)^{1/2} + 9 a^2 b^5 c^3 e + 20 a^4 b^2 c^3 e - 4 a^3 b^3 c^3 d * (-4 a^3 c - b^2)^3)^{1/2} + 3 a^2 b^2 c^2 d * (-4 a^3 c - b^2)^3)^{1/2} + 3 a^2 b^2 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} + (4 a^9 c^5 e^{14} - a^6 b^6 c^2 e^{14} + 7 a^7 b^4 c^3 e^{14} - 13 a^8 b^2 c^4 e^{14} - 192 a^6 c^8 d^6 e^8 - 192 a^7 c^7 d^4 e^{10} + 4 a^8 c^6 d^2 e^{12} - 128 a^2 b^8 c^4 d^6 e^8 + 96 a^2 b^9 c^3 d^5 e^9 + 32 a^2 b^10 c^2 d^4 e^{10} + 960 a^3 b^6 c^5 d^6 e^8 - 512 a^3 b^7 c^4 d^5 e^9 - 552 a^3 b^8 c^3 d^4 e^{10} - 56 a^3 b^9 c^2 d^3 e^{11} - 2176 a^4 b^4 c^6 d^6 e^8 + 224 a^4 b^5 c^5 d^5 e^9 + 268 8 a^4 b^6 c^4 d^4 e^{10} + 672 a^4 b^7 c^3 d^3 e^{11} + 24 a^4 b^8 c^2 d^2 e^{12} + 1600 a^5 b^2 c^7 d^6 e^8 + 1408 a^5 b^3 c^6 d^5 e^9 - 4536 a^5 b^4 c^5 d^4 e^{10} - 2616 a^5 b^5 c^4 d^3 e^{11} - 209 a^5 b^6 c^3 d^2 e^{12} + 2336 a^6 b^2 c^6 d^4 e^{10} + 3648 a^6 b^3 c^5 d^3 e^{11} + 559 a^6 b^4 c^4 d^2 e^{12} - 42 9 a^7 b^2 c^5 d^2 e^{12} - 132 a^8 b^2 c^5 d^2 e^{13} + a^5 b^7 c^2 d^2 e^{13} - 1088 a^6 b^2 c^7 d^5 e^9 - 23 a^6 b^5 c^3 d^5 e^{13} - 1408 a^7 b^2 c^6 d^3 e^{11} + 109 a^7 b^3 c^4 d^4 e^{13}) / (2 a^8 d^2) * ((b^8 d + 8 a^4 c^4 d + b^5 d * (-4 a^3 c - b^2)^3)^{1/2} - a b^7 e + 33 a^2 b^4 c^2 d - 38 a^3 b^2 c^3 d - 25 a^3 b^3 c^2 e - a^3 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} - 10 a^3 b^6 c^3 d - a b^4 e * (-4 a^3 c - b^2)^3)^{1/2} + 9 a^2 b^5 c^3 e + 20 a^4 b^2 c^3 e - 4 a^3 b^3 c^3 d * (-4 a^3 c - b^2)^3)^{1/2} + 3 a^2 b^2 c^2 d * (-4 a^3 c - b^2)^3)^{1/2} + 3 a^2 b^2 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} + ((d + e x)^{1/2} * (a^6 b^2 c^5 e^{14} - 2 a^7 c^6 e^{14} + 192 a^4 c^9 d^6 e^8 + 32 a^5 c^8 d^4 e^{10} + 34 a^6 c^7 d^2 e^{12} + 64 b^8 c^5 d^6 e^8 + 704 a^2 b^4 c^7 d^6 e^8 + 960 a^2 b^5 c^6 d^5 e^9 + 192 a^2 b^6 c^5 d^4 e^{10} - 512 a^3 b^2 c^8 d^6 e^8 - 1280 a^3 b^3 c^7 d^5 e^9 - 752 a^3 b^4 c^6 d^4 e^{10} - 56 a^3 b^5 c^5 d^3 e^{11} + 704 a^4 b^2 c^7 d^4 e^{10} + 128 a^4 b^3 c^6 d^3 e^{11} - 15 a^4 b^4 c^5 d^2 e^{12} + 60 a^5 b^2 c^6 d^2 e^{12} - 10 a^6 b^2 c^6 d^2 e^{13} - 3 84 a^6 b^3 c^6 d^2 e^{13} - 192 a^6 b^4 c^6 d^2 e^{13} - 3 84 a^6 b^5 c^6 d^2 e^{13} - 192 a^6 b^6 c^6 d^2 e^{13} + 384 a^4 b^3 c^8 d^5 e^9 - 144 a
\end{aligned}$$

$$\begin{aligned}
& a^5 b^3 c^7 d^3 e^{11} + 6 a^5 b^3 c^5 d^5 e^{13}) / (2 a^8 d^2) * ((b^8 d + 8 a^4 c^4 d + b^5 d * (-4 a c - b^2)^3)^{1/2} - a b^7 e + 33 a^2 b^4 c^2 d - 38 a^3 b^2 c^3 d - 25 a^3 b^3 c^2 e - a^3 c^2 e * (-4 a c - b^2)^3)^{1/2} - 10 a b^6 c d - a b^4 e * (-4 a c - b^2)^3)^{1/2} + 9 a^2 b^5 c e + 20 a^4 b^3 c^3 e - 4 a b^3 c d * (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^3 c^2 d * (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^2 c e * (-4 a c - b^2)^3)^{1/2}) / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} * i) / ((((((128 a^{12} c^4 d^5 e^{12} + 768 a^{10} c^6 d^5 e^8 + 896 a^{11} c^5 d^3 e^{10} + 128 a^8 b^4 c^4 d^5 e^8 - 96 a^8 b^5 c^3 d^4 e^9 - 32 a^8 b^6 c^2 d^3 e^{10} - 704 a^9 b^2 c^5 d^5 e^8 + 448 a^9 b^3 c^4 d^4 e^9 + 392 a^9 b^4 c^3 d^3 e^{10} + 24 a^9 b^5 c^2 d^2 e^{11} - 1280 a^{10} b^2 c^4 d^3 e^{10} - 192 a^{10} b^3 c^3 d^2 e^{11} - 256 a^{10} b^4 c^2 d^2 e^{12} + 384 a^{11} b^3 c^4 d^2 e^{11} - 64 a^{11} b^2 c^3 d e^{12}) / (2 a^8 d^2) - ((d + e x)^{1/2} * ((b^8 d + 8 a^4 c^4 d + b^5 d * (-4 a c - b^2)^3)^{1/2} - a b^7 e + 33 a^2 b^4 c^2 d - 38 a^3 b^2 c^3 d - 25 a^3 b^3 c^2 e - a^3 c^2 e * (-4 a c - b^2)^3)^{1/2} - 10 a b^6 c d - a b^4 e * (-4 a c - b^2)^3)^{1/2} + 9 a^2 b^5 c e + 20 a^4 b^3 c^3 e - 4 a b^3 c d * (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^3 c^2 d * (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^2 c e * (-4 a c - b^2)^3)^{1/2}) / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} * (1536 a^{12} c^5 d^4 e^8 + 1024 a^{13} c^4 d^2 e^{10} + 128 a^{10} b^4 c^3 d^4 e^8 - 128 a^{10} b^5 c^2 d^3 e^9 - 896 a^{11} b^2 c^4 d^4 e^8 + 960 a^{11} b^3 c^3 d^3 e^9 + 64 a^{11} b^4 c^2 d^2 e^{10} - 512 a^{12} b^2 c^3 d^2 e^{10} - 1792 a^{12} b^3 c^4 d^3 e^9) / (2 a^8 d^2)) * ((b^8 d + 8 a^4 c^4 d + b^5 d * (-4 a c - b^2)^3)^{1/2} - a b^7 e + 33 a^2 b^4 c^2 d - 38 a^3 b^2 c^3 d - 25 a^3 b^3 c^2 e - a^3 c^2 e * (-4 a c - b^2)^3)^{1/2} - 10 a b^6 c d - a b^4 e * (-4 a c - b^2)^3)^{1/2} + 9 a^2 b^5 c e + 20 a^4 b^3 c^3 e - 4 a b^3 c d * (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^3 c^2 d * (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^2 c e * (-4 a c - b^2)^3)^{1/2}) / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} + ((d + e x)^{1/2} * (8 a^{10} c^5 d^5 e^{12} - 12 a^{10} b^3 c^4 e^{13} - a^8 b^5 c^2 e^{13} + 7 a^9 b^3 c^3 e^{13} + 1152 a^8 c^7 d^5 e^8 + 512 a^9 c^6 d^3 e^{10} + 128 a^4 b^8 c^3 d^5 e^8 - 128 a^4 b^9 c^2 d^4 e^9 - 1152 a^5 b^6 c^4 d^5 e^8 + 1088 a^5 b^7 c^3 d^4 e^9 + 192 a^5 b^8 c^2 d^3 e^{10} + 3520 a^6 b^4 c^5 d^5 e^8 - 2816 a^6 b^5 c^4 d^4 e^9 - 1728 a^6 b^6 c^3 d^3 e^{10} - 64 a^6 b^7 c^2 d^2 e^{11} - 4096 a^7 b^2 c^6 d^5 e^8 + 1792 a^7 b^3 c^5 d^4 e^9 + 4944 a^7 b^4 c^4 d^3 e^{10} + 568 a^7 b^5 c^3 d^2 e^{11} - 4512 a^8 b^2 c^5 d^3 e^{10} - 1536 a^8 b^3 c^4 d^2 e^{11} - 8 a^7 b^6 c^2 d e^{12} + 896 a^8 b^3 c^6 d^4 e^9 + 57 a^8 b^4 c^3 d e^{12} + 1152 a^9 b^3 c^5 d^2 e^{11} - 102 a^9 b^2 c^4 d e^{12}) / (2 a^8 d^2)) * ((b^8 d + 8 a^4 c^4 d + b^5 d * (-4 a c - b^2)^3)^{1/2} - a b^7 e + 33 a^2 b^4 c^2 d - 38 a^3 b^2 c^3 d - 25 a^3 b^3 c^2 e - a^3 c^2 e * (-4 a c - b^2)^3)^{1/2} - 10 a b^6 c d - a b^4 e * (-4 a c - b^2)^3)^{1/2} + 9 a^2 b^5 c e + 20 a^4 b^3 c^3 e - 4 a b^3 c d * (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^3 c^2 d * (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^2 c e * (-4 a c - b^2)^3)^{1/2}) / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} + (4 a^9 c^5 e^{14} - a^6 b^6 c^2 e^{14} + 7 a^7 b^4 c^3 e^{14} - 13 a^8 b^2 c^4 e^{14} - 192 a^6 c^8 d^6 e^8 - 192 a^7 c^7 d^4 e^{10} + 4 a^8 c^6 d^2 e^{12} - 128 a^2 b^8 c^4 d^6 e^8 + 96 a^2 b^9 c^3 d^5 e^9 + 32 a^2 b^{10} c^2 d^4 e^{10} + 960 a^3 b^6 c^5 d^6 e^8 - 512 a^3 b^7 c^4 d^5 e^9 - 552 *
\end{aligned}$$

$$\begin{aligned}
& a^3 b^8 c^3 d^4 e^{10} - 56 a^3 b^9 c^2 d^3 e^{11} - 2176 a^4 b^4 c^6 d^6 e^8 + \\
& 224 a^4 b^5 c^5 d^5 e^9 + 2688 a^4 b^6 c^4 d^4 e^{10} + 672 a^4 b^7 c^3 d^3 e^{11} + 24 a^4 b^8 c^2 d^2 e^{12} + 1600 a^5 b^2 c^7 d^6 e^8 + 1408 a^5 b^3 c^6 d^5 e^9 - 4536 a^5 b^4 c^5 d^4 e^{10} - 2616 a^5 b^5 c^4 d^3 e^{11} - 209 a^5 b^6 c^3 d^2 e^{12} + 2336 a^6 b^2 c^6 d^4 e^{10} + 3648 a^6 b^3 c^5 d^3 e^{11} + 559 a^6 b^4 c^4 d^2 e^{12} - 429 a^7 b^2 c^5 d^2 e^{12} - 132 a^8 b^3 c^5 d e^{13} \\
& + a^5 b^7 c^2 d e^{13} - 1088 a^6 b^3 c^7 d^5 e^9 - 23 a^6 b^5 c^3 d e^{13} - 1408 a^7 b^3 c^6 d^3 e^{11} + 109 a^7 b^3 c^4 d e^{13} / (2 a^8 d^2) * ((b^8 d + 8 a^4 c^4 d + b^5 d * (-4 a^3 c - b^2)^3)^{1/2} - a^3 b^7 e + 33 a^2 b^4 c^2 d - 38 a^3 b^2 c^3 d - 25 a^3 b^3 c^2 e - a^3 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} - 10 a^2 b^6 c^3 d - a^2 b^4 e * (-4 a^3 c - b^2)^3)^{1/2} + 9 a^2 b^5 c^3 e + 20 a^4 b^3 c^3 e - 4 a^2 b^3 c^3 d * (-4 a^3 c - b^2)^3)^{1/2} + 3 a^2 b^3 c^2 d * (-4 a^3 c - b^2)^3)^{1/2} + 3 a^2 b^2 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} - ((d + e x)^{1/2} * (a^6 b^2 c^5 e^{14} - 2 a^7 c^6 e^{14} + 192 a^4 c^9 d^6 e^8 + 32 a^5 c^8 d^4 e^{10} + 34 a^6 c^7 d^2 e^{12} + 64 b^8 c^5 d^6 e^8 + 704 a^2 b^4 c^7 d^6 e^8 + 960 a^2 b^5 c^6 d^5 e^9 + 192 a^2 b^6 c^5 d^4 e^{10} - 512 a^3 b^2 c^8 d^6 e^8 - 1280 a^3 b^3 c^7 d^5 e^9 - 752 a^3 b^4 c^6 d^4 e^{10} - 56 a^3 b^5 c^5 d^3 e^{11} + 704 a^4 b^2 c^7 d^4 e^{10} + 128 a^4 b^3 c^6 d^3 e^{11} - 15 a^4 b^4 c^5 d^2 e^{12} + 60 a^5 b^2 c^6 d^2 e^{12} - 10 a^6 b^3 c^6 d e^{13} - 384 a^2 b^6 c^6 d^6 e^8 - 192 a^2 b^7 c^5 d^5 e^9 + 384 a^4 b^3 c^8 d^5 e^9 - 144 a^5 b^3 c^7 d^3 e^{11} + 6 a^5 b^3 c^5 d e^{13})) / (2 a^8 d^2) * ((b^8 d + 8 a^4 c^4 d + b^5 d * (-4 a^3 c - b^2)^3)^{1/2} - a^3 b^7 e + 33 a^2 b^4 c^2 d - 38 a^3 b^2 c^3 d - 25 a^3 b^3 c^2 e - a^3 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} - 10 a^2 b^6 c^3 d - a^2 b^4 e * (-4 a^3 c - b^2)^3)^{1/2} + 9 a^2 b^5 c^3 e + 20 a^4 b^3 c^3 e - 4 a^2 b^3 c^3 d * (-4 a^3 c - b^2)^3)^{1/2} + 3 a^2 b^2 c^2 d * (-4 a^3 c - b^2)^3)^{1/2} + 3 a^2 b^2 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} + (((((128 a^12 c^4 d e^{12} + 768 a^10 c^6 d^5 e^8 + 896 a^11 c^5 d^3 e^{10} + 128 a^8 b^4 c^4 d^5 e^8 - 96 a^8 b^5 c^3 d^4 e^9 - 32 a^8 b^6 c^2 d^3 e^{10} - 704 a^9 b^2 c^5 d^5 e^8 + 448 a^9 b^3 c^4 d^4 e^9 + 392 a^9 b^4 c^3 d^3 e^{10} + 24 a^9 b^5 c^2 d^2 e^{11} - 1280 a^10 b^2 c^4 d^3 e^{10} - 192 a^10 b^3 c^3 d^2 e^{11} - 256 a^10 b^4 c^5 d^4 e^9 + 8 a^10 b^4 c^2 d e^{12} + 384 a^11 b^3 c^4 d^2 e^{11} - 64 a^11 b^2 c^3 d e^{12}) / (2 a^8 d^2) + ((d + e x)^{1/2} * ((b^8 d + 8 a^4 c^4 d + b^5 d * (-4 a^3 c - b^2)^3)^{1/2} - a^3 b^7 e + 33 a^2 b^4 c^2 d - 38 a^3 b^2 c^3 d - 25 a^3 b^3 c^2 e - a^3 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} - 10 a^2 b^6 c^3 d - a^2 b^4 e * (-4 a^3 c - b^2)^3)^{1/2} + 9 a^2 b^5 c^3 e + 20 a^4 b^3 c^3 e - 4 a^2 b^3 c^3 d * (-4 a^3 c - b^2)^3)^{1/2} + 3 a^2 b^2 c^2 d * (-4 a^3 c - b^2)^3)^{1/2} + 3 a^2 b^2 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} * (1536 a^12 c^5 d^4 e^8 + 1024 a^13 c^4 d^2 e^{10} + 128 a^10 b^4 c^3 d^4 e^8 - 128 a^10 b^5 c^2 d^3 e^9 - 896 a^11 b^2 c^4 d^4 e^8 + 960 a^11 b^3 c^3 d^3 e^9 + 64 a^11 b^4 c^2 d^2 e^{10} - 512 a^12 b^2 c^3 d^2 e^{10} - 1792 a^12 b^3 c^4 d^3 e^9)) / (2 a^8 d^2) * ((b^8 d + 8 a^4 c^4 d + b^5 d * (-4 a^3 c - b^2)^3)^{1/2} - a^3 b^7 e + 33 a^2 b^4 c^2 d - 38 a^3 b^2 c^3 d - 25 a^3 b^3 c^2 e - a^3 c^2 e * (-4 a^3 c - b^2)^3)^{1/2} - 10 a^2 b^6 c^3 d - a^2 b^4 e * (-4 a^3 c - b^2)^3)^{1/2} + 9 a^2 b^5 c^3 e + 20 a^4 b^3 c^3 e - 4 a^2 b^3 c^3 d * (-4 a^3 c -
\end{aligned}$$

$$\begin{aligned}
& b^2)^3)^{(1/2)} + 3a^2bc^2d*(-(4ac - b^2)^3)^{(1/2)} + 3a^2b^2c*(-(4 \\
& ac - b^2)^3)^{(1/2)})/(2*(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} - ((d \\
& + ex)^{(1/2)}*(8a^{10}c^5d^5e^{12} - 12a^{10}b^4c^4e^{13} - a^8b^5c^2e^{13} + \\
& 7a^9b^3c^3e^{13} + 1152a^8c^7d^5e^8 + 512a^9c^6d^3e^{10} + 128a^4* \\
& b^8c^3d^5e^8 - 128a^4b^9c^2d^4e^9 - 1152a^5b^6c^4d^5e^8 + 1088 \\
& a^5b^7c^3d^4e^9 + 192a^5b^8c^2d^3e^{10} + 3520a^6b^4c^5d^5e^8 \\
& - 2816a^6b^5c^4d^4e^9 - 1728a^6b^6c^3d^3e^{10} - 64a^6b^7c^2d^2 \\
& e^{11} - 4096a^7b^2c^6d^5e^8 + 1792a^7b^3c^5d^4e^9 + 4944a^7b^4c^4 \\
& d^3e^{10} + 568a^7b^5c^3d^2e^{11} - 4512a^8b^2c^5d^3e^{10} - 1536* \\
& a^8b^3c^4d^2e^{11} - 8a^7b^6c^2d^4e^{12} + 896a^8b^4c^6d^4e^9 + 57a^8 \\
& b^4c^3d^4e^{12} + 1152a^9b^2c^5d^2e^{11} - 102a^9b^2c^4d^4e^{12}))/ (2a^8 \\
& d^2)) * ((b^8d + 8a^4c^4d + b^5d*(-(4ac - b^2)^3)^{(1/2)} - ab^7e + \\
& 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e - a^3c^2e*(-(4ac \\
& - b^2)^3)^{(1/2)} - 10ab^6cd - ab^4e*(-(4ac - b^2)^3)^{(1/2)} + 9a^2* \\
& b^5c^2e + 20a^4b^3c^3e - 4ab^3c^2d*(-(4ac - b^2)^3)^{(1/2)} + 3a^2* \\
& b^2c^2d*(-(4ac - b^2)^3)^{(1/2)} + 3a^2b^2c^2e*(-(4ac - b^2)^3)^{(1/2)}) / (2* \\
& (a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} + (4a^9c^5e^{14} - a^6b^6c^2 \\
& e^{14} + 7a^7b^4c^3e^{14} - 13a^8b^2c^4e^{14} - 192a^6c^8d^6e^8 - 1 \\
& 92a^7c^7d^4e^{10} + 4a^8c^6d^2e^{12} - 128a^2b^8c^4d^6e^8 + 96a^2 \\
& b^9c^3d^5e^9 + 32a^2b^10c^2d^4e^{10} + 960a^3b^6c^5d^6e^8 - 512 \\
& a^3b^7c^4d^5e^9 - 552a^3b^8c^3d^4e^{10} - 56a^3b^9c^2d^3e^{11} - \\
& 2176a^4b^4c^6d^6e^8 + 224a^4b^5c^5d^5e^9 + 2688a^4b^6c^4d^4e^{10} \\
& + 672a^4b^7c^3d^3e^{11} + 24a^4b^8c^2d^2e^{12} + 1600a^5b^2c^7 \\
& d^6e^8 + 1408a^5b^3c^6d^5e^9 - 4536a^5b^4c^5d^4e^{10} - 2616a^5 \\
& b^5c^4d^3e^{11} - 209a^5b^6c^3d^2e^{12} + 2336a^6b^2c^6d^4e^{10} + \\
& 3648a^6b^3c^5d^3e^{11} + 559a^6b^4c^4d^2e^{12} - 429a^7b^2c^5d^2e^{12} \\
& - 132a^8b^3c^5d^2e^{13} + a^5b^7c^2d^4e^{13} - 1088a^6b^3c^7d^5e^9 - \\
& 23a^6b^5c^3d^4e^{13} - 1408a^7b^3c^6d^3e^{11} + 109a^7b^3c^4d^4e^{13}) / \\
& (2a^8d^2)) * ((b^8d + 8a^4c^4d + b^5d*(-(4ac - b^2)^3)^{(1/2)} - ab^7 \\
& e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e - a^3c^2e*(-(4 \\
& ac - b^2)^3)^{(1/2)} - 10ab^6cd - ab^4e*(-(4ac - b^2)^3)^{(1/2)} + 9 \\
& a^2b^5c^2e + 20a^4b^3c^3e - 4ab^3c^2d*(-(4ac - b^2)^3)^{(1/2)} + 3a^2* \\
& b^2c^2d*(-(4ac - b^2)^3)^{(1/2)} + 3a^2b^2c^2e*(-(4ac - b^2)^3)^{(1/2)}) / (2* \\
& (a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} + ((d + ex)^{(1/2)}*(a^6b^2 \\
& c^5e^{14} - 2a^7c^6e^{14} + 192a^4c^9d^6e^8 + 32a^5c^8d^4e^{10} + \\
& 34a^6c^7d^2e^{12} + 64b^8c^5d^6e^8 + 704a^2b^4c^7d^6e^8 + 960a^2 \\
& b^5c^6d^5e^9 + 192a^2b^6c^5d^4e^{10} - 512a^3b^2c^8d^6e^8 - 12 \\
& 80a^3b^3c^7d^5e^9 - 752a^3b^4c^6d^4e^{10} - 56a^3b^5c^5d^3e^{11} \\
& + 704a^4b^2c^7d^4e^{10} + 128a^4b^3c^6d^3e^{11} - 15a^4b^4c^5d^2 \\
& e^{12} + 60a^5b^2c^6d^2e^{12} - 10a^6b^3c^6d^4e^{13} - 384a^6b^6c^6d^6e^8 \\
& - 192a^6b^7c^5d^5e^9 + 384a^4b^3c^8d^5e^9 - 144a^5b^3c^7d^3e^{11} \\
& + 6a^5b^3c^5d^4e^{13}))/ (2a^8d^2)) * ((b^8d + 8a^4c^4d + b^5d*(-(4a \\
& c - b^2)^3)^{(1/2)} - ab^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3 \\
& b^3c^2e - a^3c^2e*(-(4ac - b^2)^3)^{(1/2)} - 10ab^6cd - ab^4e*(- \\
& (4ac - b^2)^3)^{(1/2)} + 9a^2b^5c^2e + 20a^4b^3c^3e - 4ab^3c^2d*(-(4
\end{aligned}$$

$$\begin{aligned}
& a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^2*c* \\
& e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)} \\
& + (7*a^5*c^7*d*e^{14} + 56*a^3*c^9*d^5*e^{10} + 63*a^4*c^8*d^3*e^{12} - 64*b^4*c \\
& ^8*d^7*e^8 + 64*b^5*c^7*d^6*e^9 + 64*a^2*b^2*c^8*d^5*e^{10} + 224*a^2*b^3*c^7 \\
& *d^4*e^{11} - 112*a^3*b^2*c^7*d^3*e^{12} + 64*a*b^2*c^9*d^7*e^8 + 64*a*b^3*c^8* \\
& d^6*e^9 - 192*a*b^4*c^7*d^5*e^{10} - 96*a^2*b*c^9*d^6*e^9 - 136*a^3*b*c^8*d^4 \\
& *e^{11} + 9*a^4*b*c^7*d^2*e^{13})/(a^8*d^2))*((b^8*d + 8*a^4*c^4*d + b^5*d*(-( \\
& 4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25* \\
& a^3*b^3*c^2*e - a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d - a*b^4*e \\
& *(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e - 4*a*b^3*c*d*(-( \\
& 4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^2 \\
& *c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1 \\
& /2)}*2i + (\text{atan}(((((((4*a^9*c^5*e^{14} - a^6*b^6*c^2*e^{14} + 7*a^7*b^4*c^3*e^{14} \\
& - 13*a^8*b^2*c^4*e^{14} - 192*a^6*c^8*d^6*e^8 - 192*a^7*c^7*d^4*e^{10} + 4*a^8 \\
& *c^6*d^2*e^{12} - 128*a^2*b^8*c^4*d^6*e^8 + 96*a^2*b^9*c^3*d^5*e^9 + 32*a^2*b \\
& ^10*c^2*d^4*e^{10} + 960*a^3*b^6*c^5*d^6*e^8 - 512*a^3*b^7*c^4*d^5*e^9 - 552* \\
& a^3*b^8*c^3*d^4*e^{10} - 56*a^3*b^9*c^2*d^3*e^{11} - 2176*a^4*b^4*c^6*d^6*e^8 + \\
& 224*a^4*b^5*c^5*d^5*e^9 + 2688*a^4*b^6*c^4*d^4*e^{10} + 672*a^4*b^7*c^3*d^3* \\
& e^{11} + 24*a^4*b^8*c^2*d^2*e^{12} + 1600*a^5*b^2*c^7*d^6*e^8 + 1408*a^5*b^3*c^ \\
& 6*d^5*e^9 - 4536*a^5*b^4*c^5*d^4*e^{10} - 2616*a^5*b^5*c^4*d^3*e^{11} - 209*a^5 \\
& *b^6*c^3*d^2*e^{12} + 2336*a^6*b^2*c^6*d^4*e^{10} + 3648*a^6*b^3*c^5*d^3*e^{11} + \\
& 559*a^6*b^4*c^4*d^2*e^{12} - 429*a^7*b^2*c^5*d^2*e^{12} - 132*a^8*b*c^5*d*e^{13} \\
& + a^5*b^7*c^2*d*e^{13} - 1088*a^6*b*c^7*d^5*e^9 - 23*a^6*b^5*c^3*d*e^{13} - 14 \\
& 08*a^7*b*c^6*d^3*e^{11} + 109*a^7*b^3*c^4*d*e^{13})/(2*a^8*d^2) + (((((128*a^{12} \\
& *c^4*d*e^{12} + 768*a^{10}*c^6*d^5*e^8 + 896*a^{11}*c^5*d^3*e^{10} + 128*a^8*b^4*c^ \\
& 4*d^5*e^8 - 96*a^8*b^5*c^3*d^4*e^9 - 32*a^8*b^6*c^2*d^3*e^{10} - 704*a^9*b^2* \\
& c^5*d^5*e^8 + 448*a^9*b^3*c^4*d^4*e^9 + 392*a^9*b^4*c^3*d^3*e^{10} + 24*a^9*b \\
& ^5*c^2*d^2*e^{11} - 1280*a^{10}*b^2*c^4*d^3*e^{10} - 192*a^{10}*b^3*c^3*d^2*e^{11} - \\
& 256*a^{10}*b*c^5*d^4*e^9 + 8*a^{10}*b^4*c^2*d*e^{12} + 384*a^{11}*b*c^4*d^2*e^{11} - \\
& 64*a^{11}*b^2*c^3*d*e^{12})/(2*a^8*d^2) - ((d + e*x)^{(1/2)}*(a^2*e^2 - 8*b^2*d^2 \\
& + 8*a*c*d^2 + 4*a*b*d*e))*(1536*a^{12}*c^5*d^4*e^8 + 1024*a^{13}*c^4*d^2*e^{10} + \\
& 128*a^{10}*b^4*c^3*d^4*e^8 - 128*a^{10}*b^5*c^2*d^3*e^9 - 896*a^{11}*b^2*c^4*d^4 \\
& *e^8 + 960*a^{11}*b^3*c^3*d^3*e^9 + 64*a^{11}*b^4*c^2*d^2*e^{10} - 512*a^{12}*b^2*c \\
& ^3*d^2*e^{10} - 1792*a^{12}*b*c^4*d^3*e^9))/(16*a^{11}*d^2*(d^3)^{(1/2)}))*(a^2*e^2 \\
& - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(8*a^3*(d^3)^{(1/2)}) + ((d + e*x)^{(1/ \\
& 2)}*(8*a^{10}*c^5*d*e^{12} - 12*a^{10}*b*c^4*e^{13} - a^8*b^5*c^2*e^{13} + 7*a^9*b^3*c \\
& ^3*e^{13} + 1152*a^8*c^7*d^5*e^8 + 512*a^9*c^6*d^3*e^{10} + 128*a^4*b^8*c^3*d^5 \\
& *e^8 - 128*a^4*b^9*c^2*d^4*e^9 - 1152*a^5*b^6*c^4*d^5*e^8 + 1088*a^5*b^7*c^ \\
& 3*d^4*e^9 + 192*a^5*b^8*c^2*d^3*e^{10} + 3520*a^6*b^4*c^5*d^5*e^8 - 2816*a^6* \\
& b^5*c^4*d^4*e^9 - 1728*a^6*b^6*c^3*d^3*e^{10} - 64*a^6*b^7*c^2*d^2*e^{11} - 409 \\
& 6*a^7*b^2*c^6*d^5*e^8 + 1792*a^7*b^3*c^5*d^4*e^9 + 4944*a^7*b^4*c^4*d^3*e^1 \\
& 0 + 568*a^7*b^5*c^3*d^2*e^{11} - 4512*a^8*b^2*c^5*d^3*e^{10} - 1536*a^8*b^3*c^4 \\
& *d^2*e^{11} - 8*a^7*b^6*c^2*d*e^{12} + 896*a^8*b*c^6*d^4*e^9 + 57*a^8*b^4*c^3*d \\
& *e^{12} + 1152*a^9*b*c^5*d^2*e^{11} - 102*a^9*b^2*c^4*d*e^{12})/(2*a^8*d^2))*(a^ \\
& 2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(8*a^3*(d^3)^{(1/2)}))*(a^2*e^2 -
\end{aligned}$$

$$\begin{aligned}
& (8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e)/(8*a^3*(d^3)^{(1/2)}) - ((d + e*x)^{(1/2)} \\
& *(a^6*b^2*c^5*e^{14} - 2*a^7*c^6*e^{14} + 192*a^4*c^9*d^6*e^8 + 32*a^5*c^8*d^4* \\
& e^{10} + 34*a^6*c^7*d^2*e^{12} + 64*b^8*c^5*d^6*e^8 + 704*a^2*b^4*c^7*d^6*e^8 + \\
& 960*a^2*b^5*c^6*d^5*e^9 + 192*a^2*b^6*c^5*d^4*e^{10} - 512*a^3*b^2*c^8*d^6*e \\
& ^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 752*a^3*b^4*c^6*d^4*e^{10} - 56*a^3*b^5*c^5*d \\
& ^3*e^{11} + 704*a^4*b^2*c^7*d^4*e^{10} + 128*a^4*b^3*c^6*d^3*e^{11} - 15*a^4*b^4* \\
& c^5*d^2*e^{12} + 60*a^5*b^2*c^6*d^2*e^{12} - 10*a^6*b*c^6*d*e^{13} - 384*a*b^6*c^ \\
& 6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^9 + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d \\
& ^3*e^{11} + 6*a^5*b^3*c^5*d*e^{13}))/((2*a^8*d^2))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c* \\
& d^2 + 4*a*b*d*e)*i)/(8*a^3*(d^3)^{(1/2)}) - (((((4*a^9*c^5*e^{14} - a^6*b^6*c^ \\
& 2*e^{14} + 7*a^7*b^4*c^3*e^{14} - 13*a^8*b^2*c^4*e^{14} - 192*a^6*c^8*d^6*e^8 - 1 \\
& 92*a^7*c^7*d^4*e^{10} + 4*a^8*c^6*d^2*e^{12} - 128*a^2*b^8*c^4*d^6*e^8 + 96*a^2 \\
& *b^9*c^3*d^5*e^9 + 32*a^2*b^10*c^2*d^4*e^{10} + 960*a^3*b^6*c^5*d^6*e^8 - 512 \\
& *a^3*b^7*c^4*d^5*e^9 - 552*a^3*b^8*c^3*d^4*e^{10} - 56*a^3*b^9*c^2*d^3*e^{11} - \\
& 2176*a^4*b^4*c^6*d^6*e^8 + 224*a^4*b^5*c^5*d^5*e^9 + 2688*a^4*b^6*c^4*d^4* \\
& e^{10} + 672*a^4*b^7*c^3*d^3*e^{11} + 24*a^4*b^8*c^2*d^2*e^{12} + 1600*a^5*b^2*c^ \\
& 7*d^6*e^8 + 1408*a^5*b^3*c^6*d^5*e^9 - 4536*a^5*b^4*c^5*d^4*e^{10} - 2616*a^5 \\
& *b^5*c^4*d^3*e^{11} - 209*a^5*b^6*c^3*d^2*e^{12} + 2336*a^6*b^2*c^6*d^4*e^{10} + \\
& 3648*a^6*b^3*c^5*d^3*e^{11} + 559*a^6*b^4*c^4*d^2*e^{12} - 429*a^7*b^2*c^5*d^2* \\
& e^{12} - 132*a^8*b*c^5*d*e^{13} + a^5*b^7*c^2*d*e^{13} - 1088*a^6*b*c^7*d^5*e^9 - \\
& 23*a^6*b^5*c^3*d*e^{13} - 1408*a^7*b*c^6*d^3*e^{11} + 109*a^7*b^3*c^4*d*e^{13}))/ \\
& (2*a^8*d^2) + (((((128*a^12*c^4*d*e^{12} + 768*a^10*c^6*d^5*e^8 + 896*a^11*c^ \\
& 5*d^3*e^{10} + 128*a^8*b^4*c^4*d^5*e^8 - 96*a^8*b^5*c^3*d^4*e^9 - 32*a^8*b^6* \\
& c^2*d^3*e^{10} - 704*a^9*b^2*c^5*d^5*e^8 + 448*a^9*b^3*c^4*d^4*e^9 + 392*a^9* \\
& b^4*c^3*d^3*e^{10} + 24*a^9*b^5*c^2*d^2*e^{11} - 1280*a^10*b^2*c^4*d^3*e^{10} - 1 \\
& 92*a^10*b^3*c^3*d^2*e^{11} - 256*a^10*b*c^5*d^4*e^9 + 8*a^10*b^4*c^2*d*e^{12} + \\
& 384*a^11*b*c^4*d^2*e^{11} - 64*a^11*b^2*c^3*d*e^{12}))/((2*a^8*d^2) + ((d + e*x) \\
& ^{(1/2)}*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))*(1536*a^12*c^5*d^4*e^8 \\
& + 1024*a^13*c^4*d^2*e^{10} + 128*a^10*b^4*c^3*d^4*e^8 - 128*a^10*b^5*c^2*d^3 \\
& *e^9 - 896*a^11*b^2*c^4*d^4*e^8 + 960*a^11*b^3*c^3*d^3*e^9 + 64*a^11*b^4*c^ \\
& 2*d^2*e^{10} - 512*a^12*b^2*c^3*d^2*e^{10} - 1792*a^12*b*c^4*d^3*e^9))/((16*a^11 \\
& *d^2*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(8*a^3*(d \\
& ^3)^{(1/2)}) - ((d + e*x)^{(1/2)}*(8*a^10*c^5*d*e^{12} - 12*a^10*b*c^4*e^{13} - a^8 \\
& *b^5*c^2*e^{13} + 7*a^9*b^3*c^3*e^{13} + 1152*a^8*c^7*d^5*e^8 + 512*a^9*c^6*d^3 \\
& *e^{10} + 128*a^4*b^8*c^3*d^5*e^8 - 128*a^4*b^9*c^2*d^4*e^9 - 1152*a^5*b^6*c^ \\
& 4*d^5*e^8 + 1088*a^5*b^7*c^3*d^4*e^9 + 192*a^5*b^8*c^2*d^3*e^{10} + 3520*a^6* \\
& b^4*c^5*d^5*e^8 - 2816*a^6*b^5*c^4*d^4*e^9 - 1728*a^6*b^6*c^3*d^3*e^{10} - 64 \\
& *a^6*b^7*c^2*d^2*e^{11} - 4096*a^7*b^2*c^6*d^5*e^8 + 1792*a^7*b^3*c^5*d^4*e^9 \\
& + 4944*a^7*b^4*c^4*d^3*e^{10} + 568*a^7*b^5*c^3*d^2*e^{11} - 4512*a^8*b^2*c^5* \\
& d^3*e^{10} - 1536*a^8*b^3*c^4*d^2*e^{11} - 8*a^7*b^6*c^2*d*e^{12} + 896*a^8*b*c^6 \\
& *d^4*e^9 + 57*a^8*b^4*c^3*d*e^{12} + 1152*a^9*b*c^5*d^2*e^{11} - 102*a^9*b^2*c^ \\
& 4*d*e^{12}))/((2*a^8*d^2))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(8*a \\
& ^3*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(8*a^3*(d^3 \\
& )^{(1/2)}) + ((d + e*x)^{(1/2)}*(a^6*b^2*c^5*e^{14} - 2*a^7*c^6*e^{14} + 192*a^4*c^ \\
& 9*d^6*e^8 + 32*a^5*c^8*d^4*e^{10} + 34*a^6*c^7*d^2*e^{12} + 64*b^8*c^5*d^6*e^8
\end{aligned}$$



$$\begin{aligned}
& + 704*a^2*b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5*e^9 + 192*a^2*b^6*c^5*d^4*e^{10} - 512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 752*a^3*b^4*c^6*d^4*e^{10} - 56*a^3*b^5*c^5*d^3*e^{11} + 704*a^4*b^2*c^7*d^4*e^{10} + 128*a^4*b^3*c^6*d^3*e^{11} - 15*a^4*b^4*c^5*d^2*e^{12} + 60*a^5*b^2*c^6*d^2*e^{12} - 10*a^6*b*c^6*d*e^{13} - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^9 + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d^3*e^{11} + 6*a^5*b^3*c^5*d*e^{13})/(2*a^8*d^2)*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e)*1i)/(8*a^3*(d^3)^(1/2))/((7*a^5*c^7*d*e^{14} + 56*a^3*c^9*d^5*e^{10} + 63*a^4*c^8*d^3*e^{12} - 64*b^4*c^8*d^7*e^8 + 64*b^5*c^7*d^6*e^9 + 64*a^2*b^2*c^8*d^5*e^{10} + 224*a^2*b^3*c^7*d^4*e^{11} - 112*a^3*b^2*c^7*d^3*e^{12} + 64*a*b^2*c^9*d^7*e^8 + 64*a*b^3*c^8*d^6*e^9 - 192*a*b^4*c^7*d^5*e^{10} - 96*a^2*b*c^9*d^6*e^9 - 136*a^3*b*c^8*d^4*e^{11} + 9*a^4*b*c^7*d^2*e^{13})/(a^8*d^2) + (((((4*a^9*c^5*e^{14} - a^6*b^6*c^2*e^{14} + 7*a^7*b^4*c^3*e^{14} - 13*a^8*b^2*c^4*e^{14} - 192*a^6*c^8*d^6*e^8 - 192*a^7*c^7*d^4*e^{10} + 4*a^8*c^6*d^2*e^{12} - 128*a^2*b^8*c^4*d^6*e^8 + 96*a^2*b^9*c^3*d^5*e^9 + 32*a^2*b^10*c^2*d^4*e^{10} + 960*a^3*b^6*c^5*d^6*e^8 - 512*a^3*b^7*c^4*d^5*e^9 - 552*a^3*b^8*c^3*d^4*e^{10} - 56*a^3*b^9*c^2*d^3*e^{11} - 2176*a^4*b^4*c^6*d^6*e^8 + 224*a^4*b^5*c^5*d^5*e^9 + 2688*a^4*b^6*c^4*d^4*e^{10} + 672*a^4*b^7*c^3*d^3*e^{11} + 24*a^4*b^8*c^2*d^2*e^{12} + 1600*a^5*b^2*c^7*d^6*e^8 + 1408*a^5*b^3*c^6*d^5*e^9 - 4536*a^5*b^4*c^5*d^4*e^{10} - 2616*a^5*b^5*c^4*d^3*e^{11} - 209*a^5*b^6*c^3*d^2*e^{12} + 2336*a^6*b^2*c^6*d^4*e^{10} + 3648*a^6*b^3*c^5*d^3*e^{11} + 559*a^6*b^4*c^4*d^2*e^{12} - 429*a^7*b^2*c^5*d^2*e^{12} - 132*a^8*b*c^5*d*e^{13} + a^5*b^7*c^2*d*e^{13} - 1088*a^6*b*c^7*d^5*e^9 - 23*a^6*b^5*c^3*d*e^{13} - 1408*a^7*b*c^6*d^3*e^{11} + 109*a^7*b^3*c^4*d*e^{13})/(2*a^8*d^2) + (((((128*a^12*c^4*d*e^{12} + 768*a^10*c^6*d^5*e^8 + 896*a^11*c^5*d^3*e^{10} + 128*a^8*b^4*c^4*d^5*e^8 - 96*a^8*b^5*c^3*d^4*e^9 - 32*a^8*b^6*c^2*d^3*e^{10} - 704*a^9*b^2*c^5*d^5*e^8 + 448*a^9*b^3*c^4*d^4*e^9 + 392*a^9*b^4*c^3*d^3*e^{10} + 24*a^9*b^5*c^2*d^2*e^{11} - 1280*a^10*b^2*c^4*d^3*e^{10} - 192*a^10*b^3*c^3*d^2*e^{11} - 256*a^10*b*c^5*d^4*e^9 + 8*a^10*b^4*c^2*d*e^{12} + 384*a^11*b*c^4*d^2*e^{11} - 64*a^11*b^2*c^3*d*e^{12})/(2*a^8*d^2) - ((d + e*x)^(1/2)*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e)*(1536*a^12*c^5*d^4*e^8 + 1024*a^13*c^4*d^2*e^{10} + 128*a^10*b^4*c^3*d^4*e^8 - 128*a^10*b^5*c^2*d^3*e^9 - 896*a^11*b^2*c^4*d^4*e^8 + 960*a^11*b^3*c^3*d^3*e^9 + 64*a^11*b^4*c^2*d^2*e^{10} - 512*a^12*b^2*c^3*d^2*e^{10} - 1792*a^12*b*c^4*d^3*e^9)))/(16*a^11*d^2*(d^3)^(1/2)))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(8*a^3*(d^3)^(1/2)) + ((d + e*x)^(1/2)*(8*a^10*c^5*d*e^{12} - 12*a^10*b*c^4*e^{13} - a^8*b^5*c^2*e^{13} + 7*a^9*b^3*c^3*e^{13} + 1152*a^8*c^7*d^5*e^8 + 512*a^9*c^6*d^3*e^{10} + 128*a^4*b^8*c^3*d^5*e^8 - 128*a^4*b^9*c^2*d^4*e^9 - 1152*a^5*b^6*c^4*d^5*e^8 + 1088*a^5*b^7*c^3*d^4*e^9 + 192*a^5*b^8*c^2*d^3*e^{10} + 3520*a^6*b^4*c^5*d^5*e^8 - 2816*a^6*b^5*c^4*d^4*e^9 - 1728*a^6*b^6*c^3*d^3*e^{10} - 64*a^6*b^7*c^2*d^2*e^{11} - 4096*a^7*b^2*c^6*d^5*e^8 + 1792*a^7*b^3*c^5*d^4*e^9 + 4944*a^7*b^4*c^4*d^3*e^{10} + 568*a^7*b^5*c^3*d^2*e^{11} - 4512*a^8*b^2*c^5*d^3*e^{10} - 1536*a^8*b^3*c^4*d^2*e^{11} - 8*a^7*b^6*c^2*d*e^{12} + 896*a^8*b*c^6*d^4*e^9 + 57*a^8*b^4*c^3*d*e^{12} + 1152*a^9*b*c^5*d^2*e^{11} - 102*a^9*b^2*c^4*d*e^{12}))/((2*a^8*d^2)*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(8*a^3*(d^3)^(1/2)))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(8*a^3*(d^3)^(1/2))
\end{aligned}$$

$$\begin{aligned}
& - ((d + e*x)^{(1/2)}*(a^6*b^2*c^5*e^{14} - 2*a^7*c^6*e^{14} + 192*a^4*c^9*d^6*e^8 \\
& + 32*a^5*c^8*d^4*e^{10} + 34*a^6*c^7*d^2*e^{12} + 64*b^8*c^5*d^6*e^8 + 704*a^2 \\
& *b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5*e^9 + 192*a^2*b^6*c^5*d^4*e^{10} - 512 \\
& *a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 752*a^3*b^4*c^6*d^4*e^{10} \\
& - 56*a^3*b^5*c^5*d^3*e^{11} + 704*a^4*b^2*c^7*d^4*e^{10} + 128*a^4*b^3*c^6*d^3* \\
& e^{11} - 15*a^4*b^4*c^5*d^2*e^{12} + 60*a^5*b^2*c^6*d^2*e^{12} - 10*a^6*b*c^6*d*e \\
& ^{13} - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^9 + 384*a^4*b*c^8*d^5*e^9 \\
& - 144*a^5*b*c^7*d^3*e^{11} + 6*a^5*b^3*c^5*d*e^{13}))/((2*a^8*d^2))*(a^2*e^2 - \\
& 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/((8*a^3*(d^3)^{(1/2)})) + (((((4*a^9*c^5*e^ \\
& 14 - a^6*b^6*c^2*e^{14} + 7*a^7*b^4*c^3*e^{14} - 13*a^8*b^2*c^4*e^{14} - 192*a^6* \\
& c^8*d^6*e^8 - 192*a^7*c^7*d^4*e^{10} + 4*a^8*c^6*d^2*e^{12} - 128*a^2*b^8*c^4*d \\
& ^6*e^8 + 96*a^2*b^9*c^3*d^5*e^9 + 32*a^2*b^10*c^2*d^4*e^{10} + 960*a^3*b^6*c^ \\
& 5*d^6*e^8 - 512*a^3*b^7*c^4*d^5*e^9 - 552*a^3*b^8*c^3*d^4*e^{10} - 56*a^3*b^9 \\
& *c^2*d^3*e^{11} - 2176*a^4*b^4*c^6*d^6*e^8 + 224*a^4*b^5*c^5*d^5*e^9 + 2688*a \\
& ^4*b^6*c^4*d^4*e^{10} + 672*a^4*b^7*c^3*d^3*e^{11} + 24*a^4*b^8*c^2*d^2*e^{12} + \\
& 1600*a^5*b^2*c^7*d^6*e^8 + 1408*a^5*b^3*c^6*d^5*e^9 - 4536*a^5*b^4*c^5*d^4* \\
& e^{10} - 2616*a^5*b^5*c^4*d^3*e^{11} - 209*a^5*b^6*c^3*d^2*e^{12} + 2336*a^6*b^2* \\
& c^6*d^4*e^{10} + 3648*a^6*b^3*c^5*d^3*e^{11} + 559*a^6*b^4*c^4*d^2*e^{12} - 429*a \\
& ^7*b^2*c^5*d^2*e^{12} - 132*a^8*b*c^5*d*e^{13} + a^5*b^7*c^2*d*e^{13} - 1088*a^6* \\
& b*c^7*d^5*e^9 - 23*a^6*b^5*c^3*d*e^{13} - 1408*a^7*b*c^6*d^3*e^{11} + 109*a^7*b \\
& ^3*c^4*d*e^{13}))/((2*a^8*d^2) + (((((128*a^12*c^4*d*e^{12} + 768*a^10*c^6*d^5*e^ \\
& 8 + 896*a^11*c^5*d^3*e^{10} + 128*a^8*b^4*c^4*d^5*e^8 - 96*a^8*b^5*c^3*d^4*e^ \\
& 9 - 32*a^8*b^6*c^2*d^3*e^{10} - 704*a^9*b^2*c^5*d^5*e^8 + 448*a^9*b^3*c^4*d^4 \\
& *e^9 + 392*a^9*b^4*c^3*d^3*e^{10} + 24*a^9*b^5*c^2*d^2*e^{11} - 1280*a^10*b^2*c \\
& ^4*d^3*e^{10} - 192*a^10*b^3*c^3*d^2*e^{11} - 256*a^10*b*c^5*d^4*e^9 + 8*a^10*b \\
& ^4*c^2*d*e^{12} + 384*a^11*b*c^4*d^2*e^{11} - 64*a^11*b^2*c^3*d*e^{12}))/((2*a^8*d^ \\
& 2) + ((d + e*x)^{(1/2)}*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))*(1536*a \\
& ^12*c^5*d^4*e^8 + 1024*a^13*c^4*d^2*e^{10} + 128*a^10*b^4*c^3*d^4*e^8 - 128*a \\
& ^10*b^5*c^2*d^3*e^9 - 896*a^11*b^2*c^4*d^4*e^8 + 960*a^11*b^3*c^3*d^3*e^9 + \\
& 64*a^11*b^4*c^2*d^2*e^{10} - 512*a^12*b^2*c^3*d^2*e^{10} - 1792*a^12*b*c^4*d^3 \\
& *e^9))/((16*a^11*d^2*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b* \\
& d*e))/((8*a^3*(d^3)^{(1/2)})) - ((d + e*x)^{(1/2)}*(8*a^10*c^5*d*e^{12} - 12*a^10*b \\
& *c^4*e^{13} - a^8*b^5*c^2*e^{13} + 7*a^9*b^3*c^3*e^{13} + 1152*a^8*c^7*d^5*e^8 + \\
& 512*a^9*c^6*d^3*e^{10} + 128*a^4*b^8*c^3*d^5*e^8 - 128*a^4*b^9*c^2*d^4*e^9 - \\
& 1152*a^5*b^6*c^4*d^5*e^8 + 1088*a^5*b^7*c^3*d^4*e^9 + 192*a^5*b^8*c^2*d^3*e \\
& ^{10} + 3520*a^6*b^4*c^5*d^5*e^8 - 2816*a^6*b^5*c^4*d^4*e^9 - 1728*a^6*b^6*c^ \\
& 3*d^3*e^{10} - 64*a^6*b^7*c^2*d^2*e^{11} - 4096*a^7*b^2*c^6*d^5*e^8 + 1792*a^7* \\
& b^3*c^5*d^4*e^9 + 4944*a^7*b^4*c^4*d^3*e^{10} + 568*a^7*b^5*c^3*d^2*e^{11} - 45 \\
& 12*a^8*b^2*c^5*d^3*e^{10} - 1536*a^8*b^3*c^4*d^2*e^{11} - 8*a^7*b^6*c^2*d*e^{12} \\
& + 896*a^8*b*c^6*d^4*e^9 + 57*a^8*b^4*c^3*d*e^{12} + 1152*a^9*b*c^5*d^2*e^{11} - \\
& 102*a^9*b^2*c^4*d*e^{12}))/((2*a^8*d^2))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4 \\
& *a*b*d*e))/((8*a^3*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d* \\
& e))/((8*a^3*(d^3)^{(1/2)})) + ((d + e*x)^{(1/2)}*(a^6*b^2*c^5*e^{14} - 2*a^7*c^6*e^ \\
& 14 + 192*a^4*c^9*d^6*e^8 + 32*a^5*c^8*d^4*e^{10} + 34*a^6*c^7*d^2*e^{12} + 64*b \\
& ^8*c^5*d^6*e^8 + 704*a^2*b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5*e^9 + 192*a^
\end{aligned}$$

$$\begin{aligned}
& 2*b^6*c^5*d^4*e^{10} - 512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 7 \\
& 52*a^3*b^4*c^6*d^4*e^{10} - 56*a^3*b^5*c^5*d^3*e^{11} + 704*a^4*b^2*c^7*d^4*e^{10} \\
& 0 + 128*a^4*b^3*c^6*d^3*e^{11} - 15*a^4*b^4*c^5*d^2*e^{12} + 60*a^5*b^2*c^6*d^2 \\
& *e^{12} - 10*a^6*b*c^6*d*e^{13} - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^9 \\
& + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d^3*e^{11} + 6*a^5*b^3*c^5*d*e^{13}) / \\
& (2*a^8*d^2) * (a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e) / (8*a^3*(d^3)^{(1/2)}) \\
& * (a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e) * 1i / (4*a^3*(d^3)^{(1/2)}) \\
& )
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)/x\*\*3/(c\*x\*\*2+b\*x+a),x)

[Out] Timed out

$$3.342 \quad \int \frac{x^4(d+ex)^{3/2}}{a+bx+cx^2} dx$$

**Optimal.** Leaf size=650

$$\frac{2\sqrt{d+ex} \left( -a^2c^2e + 3ab^2ce - 2abc^2d + b^4(-e) + b^3cd \right)}{c^5} + \frac{\sqrt{2} \left( \frac{10a^2bc^3de - 2a^2c^3(cd^2 - ae^2) - b^4c(cd^2 - 6ae^2) - 10ab^3c^2de + ab^2c^2(4cd^2 - 3ae^2)}{\sqrt{b^2 - 4ac}} \right)}{\sqrt{b^2 - 4ac}}$$

**Rubi [A]** time = 2.68, antiderivative size = 650, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {897, 1287, 1166, 208}

$$\frac{\sqrt{\frac{(cd^2 - 3ae^2)(d + ex)^{3/2}}{c^2}}}{c^2} \frac{2\sqrt{d+ex} \left( -a^2c^2e + 3ab^2ce - 2abc^2d + b^4(-e) + b^3cd \right)}{c^5} + \frac{\sqrt{2} \left( \frac{10a^2bc^3de - 2a^2c^3(cd^2 - ae^2) - b^4c(cd^2 - 6ae^2) - 10ab^3c^2de + ab^2c^2(4cd^2 - 3ae^2)}{\sqrt{b^2 - 4ac}} \right)}{\sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2), x]

[Out] (-2\*(b^3\*c\*d - 2\*a\*b\*c^2\*d - b^4\*e + 3\*a\*b^2\*c\*e - a^2\*c^2\*e)\*Sqrt[d + e\*x])/c^5 - (2\*b\*(b^2 - 2\*a\*c)\*(d + e\*x)^(3/2))/(3\*c^4) + (2\*(c^2\*d^2 + b^2\*e^2 + c\*e\*(b\*d - a\*e))\*(d + e\*x)^(5/2))/(5\*c^3\*e^3) - (2\*(2\*c\*d + b\*e)\*(d + e\*x)^(7/2))/(7\*c^2\*e^3) + (2\*(d + e\*x)^(9/2))/(9\*c\*e^3) + (Sqrt[2]\*((b\*c\*d - b^2\*e + a\*c\*e)\*(b^2\*c\*d - 2\*a\*c^2\*d - b^3\*e + 3\*a\*b\*c\*e) + (2\*b^5\*c\*d\*e - 10\*a\*b^3\*c^2\*d\*e + 10\*a^2\*b\*c^3\*d\*e - b^6\*e^2 + a\*b^2\*c^2\*(4\*c\*d^2 - 9\*a\*e^2) - b^4\*c\*(c\*d^2 - 6\*a\*e^2) - 2\*a^2\*c^3\*(c\*d^2 - a\*e^2))/Sqrt[b^2 - 4\*a\*c])\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]]/(c^(11/2)\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]) + (Sqrt[2]\*((b\*c\*d - b^2\*e + a\*c\*e)\*(b^2\*c\*d - 2\*a\*c^2\*d - b^3\*e + 3\*a\*b\*c\*e) - (2\*b^5\*c\*d\*e - 10\*a\*b^3\*c^2\*d\*e + 10\*a^2\*b\*c^3\*d\*e - b^6\*e^2 + a\*b^2\*c^2\*(4\*c\*d^2 - 9\*a\*e^2) - b^4\*c\*(c\*d^2 - 6\*a\*e^2) - 2\*a^2\*c^3\*(c\*d^2 - a\*e^2))/Sqrt[b^2 - 4\*a\*c])\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]]/(c^(11/2)\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e])

**Rule 208**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

**Rule 897**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S

```

ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2)^p, x], x, (d + e*x)
^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]

```

### Rule 1166

```

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

```

### Rule 1287

```

Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4(d+ex)^{3/2}}{a+bx+cx^2} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{x^4 \left( -\frac{d}{e} + \frac{x^2}{e} \right)^4}{\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}} dx, x, \sqrt{d+ex} \right)}{e} \\
&= \frac{2 \operatorname{Subst} \left( \int \left( -\frac{e(b^3cd-2abc^2d-b^4e+3ab^2ce-a^2c^2e)}{c^5} - \frac{b(b^2-2ac)ex^2}{c^4} + \frac{(c^2d^2+b^2e^2+ce(bd-ae))x^4}{c^3e^2} - \frac{(2cd+be)x^6}{c^2e^2} + \right)}{e} \right)}{e} \\
&= -\frac{2(b^3cd-2abc^2d-b^4e+3ab^2ce-a^2c^2e)\sqrt{d+ex}}{c^5} - \frac{2b(b^2-2ac)(d+ex)^{3/2}}{3c^4} + \frac{2(c^2d^2+}{c^3e^2} \\
&= -\frac{2(b^3cd-2abc^2d-b^4e+3ab^2ce-a^2c^2e)\sqrt{d+ex}}{c^5} - \frac{2b(b^2-2ac)(d+ex)^{3/2}}{3c^4} + \frac{2(c^2d^2+}{c^2e^2} \\
&= -\frac{2(b^3cd-2abc^2d-b^4e+3ab^2ce-a^2c^2e)\sqrt{d+ex}}{c^5} - \frac{2b(b^2-2ac)(d+ex)^{3/2}}{3c^4} + \frac{2(c^2d^2+}{c^2e^2}
\end{aligned}$$

**Mathematica [A]** time = 1.12, size = 808, normalized size = 1.24

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2), x]

[Out] (2\*sqrt[d + e\*x]\*(315\*b^4\*e^4 - 105\*b^2\*c\*e^3\*(4\*b\*d + 9\*a\*e + b\*e\*x) - 9\*c^3\*e\*(d + e\*x)^2\*(-2\*b\*d + 7\*a\*e + 5\*b\*e\*x) + c^4\*(d + e\*x)^2\*(8\*d^2 - 20\*d\*e\*x + 35\*e^2\*x^2) + 21\*c^2\*e^2\*(15\*a^2\*e^2 + 3\*b^2\*(d + e\*x)^2 + 10\*a\*b\*e\*(4\*d + e\*x)))/(315\*c^5\*e^3) + (sqrt[2]\*(-(b^6\*e^2) + b^5\*e\*(2\*c\*d + sqrt[b^2 - 4\*a\*c]\*e) + a\*b^2\*c^2\*(4\*c\*d^2 + 6\*sqrt[b^2 - 4\*a\*c]\*d\*e - 9\*a\*e^2) + b^3\*c\*(-4\*a\*sqrt[b^2 - 4\*a\*c]\*e^2 + c\*d\*(sqrt[b^2 - 4\*a\*c]\*d - 10\*a\*e)) + a\*b\*c^2\*(3\*a\*sqrt[b^2 - 4\*a\*c]\*e^2 - 2\*c\*d\*(sqrt[b^2 - 4\*a\*c]\*d - 5\*a\*e)) - b^4\*c\*(c\*d^2 + 2\*e\*(sqrt[b^2 - 4\*a\*c]\*d - 3\*a\*e)) + 2\*a^2\*c^3\*(-(c\*d^2) + e\*(-(sqrt[b^2 - 4\*a\*c]\*d) + a\*e)))\*ArcTanh[(sqrt[2]\*sqrt[c]\*sqrt[d + e\*x])/sqrt[2\*c\*d - b\*e + sqrt[b^2 - 4\*a\*c]\*e]]/(c^(11/2)\*sqrt[b^2 - 4\*a\*c]\*sqrt[2

```
*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)) + (Sqrt[2]*(b^6*e^2 + b^5*e*(-2*c*d + S
qrt[b^2 - 4*a*c]*e) + a*b^2*c^2*(-4*c*d^2 + 6*Sqrt[b^2 - 4*a*c]*d*e + 9*a*e
^2) - 2*a^2*c^3*(-(c*d^2) + e*(Sqrt[b^2 - 4*a*c]*d + a*e)) + b^4*c*(c*d^2 -
2*e*(Sqrt[b^2 - 4*a*c]*d + 3*a*e)) + a*b*c^2*(3*a*Sqrt[b^2 - 4*a*c]*e^2 -
2*c*d*(Sqrt[b^2 - 4*a*c]*d + 5*a*e)) + b^3*c*(-4*a*Sqrt[b^2 - 4*a*c]*e^2 +
c*d*(Sqrt[b^2 - 4*a*c]*d + 10*a*e)))*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x]
)/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]]/(c^(11/2)*Sqrt[b^2 - 4*a*c]*Sqr
t[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e])
```

**IntegrateAlgebraic [C]** time = 3.48, size = 1229, normalized size = 1.89

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(x^4*(d + e*x)^(3/2))/(a + b*x + c*x^2),x]
```

```
[Out] (2*Sqrt[d + e*x]*(-315*b^3*c*d*e^3 + 630*a*b*c^2*d*e^3 + 315*b^4*e^4 - 945*
a*b^2*c*e^4 + 315*a^2*c^2*e^4 - 105*b^3*c*e^3*(d + e*x) + 210*a*b*c^2*e^3*(
d + e*x) + 63*c^4*d^2*(d + e*x)^2 + 63*b*c^3*d*e*(d + e*x)^2 + 63*b^2*c^2*e
^2*(d + e*x)^2 - 63*a*c^3*e^2*(d + e*x)^2 - 90*c^4*d*(d + e*x)^3 - 45*b*c^3
*e*(d + e*x)^3 + 35*c^4*(d + e*x)^4))/(315*c^5*e^3) + (((-I)*Sqrt[2]*b^4*c^
2*d^2 + (4*I)*Sqrt[2]*a*b^2*c^3*d^2 - (2*I)*Sqrt[2]*a^2*c^4*d^2 - Sqrt[2]*b
^3*c^2*Sqrt[-b^2 + 4*a*c]*d^2 + 2*Sqrt[2]*a*b*c^3*Sqrt[-b^2 + 4*a*c]*d^2 +
(2*I)*Sqrt[2]*b^5*c*d*e - (10*I)*Sqrt[2]*a*b^3*c^2*d*e + (10*I)*Sqrt[2]*a^2
*b*c^3*d*e + 2*Sqrt[2]*b^4*c*Sqrt[-b^2 + 4*a*c]*d*e - 6*Sqrt[2]*a*b^2*c^2*S
qrt[-b^2 + 4*a*c]*d*e + 2*Sqrt[2]*a^2*c^3*Sqrt[-b^2 + 4*a*c]*d*e - I*Sqrt[2
]*b^6*e^2 + (6*I)*Sqrt[2]*a*b^4*c*e^2 - (9*I)*Sqrt[2]*a^2*b^2*c^2*e^2 + (2*
I)*Sqrt[2]*a^3*c^3*e^2 - Sqrt[2]*b^5*Sqrt[-b^2 + 4*a*c]*e^2 + 4*Sqrt[2]*a*b
^3*c*Sqrt[-b^2 + 4*a*c]*e^2 - 3*Sqrt[2]*a^2*b*c^2*Sqrt[-b^2 + 4*a*c]*e^2)*A
rcTan[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x])/Sqrt[-2*c*d + b*e - I*Sqrt[-b^2 + 4*a
*c]*e]]/(c^(11/2)*Sqrt[-b^2 + 4*a*c]*Sqrt[-2*c*d + b*e - I*Sqrt[-b^2 + 4*a
*c]*e]) + ((I*Sqrt[2]*b^4*c^2*d^2 - (4*I)*Sqrt[2]*a*b^2*c^3*d^2 + (2*I)*Sqr
t[2]*a^2*c^4*d^2 - Sqrt[2]*b^3*c^2*Sqrt[-b^2 + 4*a*c]*d^2 + 2*Sqrt[2]*a*b*c
^3*Sqrt[-b^2 + 4*a*c]*d^2 - (2*I)*Sqrt[2]*b^5*c*d*e + (10*I)*Sqrt[2]*a*b^3*
c^2*d*e - (10*I)*Sqrt[2]*a^2*b*c^3*d*e + 2*Sqrt[2]*b^4*c*Sqrt[-b^2 + 4*a*c]
*d*e - 6*Sqrt[2]*a*b^2*c^2*Sqrt[-b^2 + 4*a*c]*d*e + 2*Sqrt[2]*a^2*c^3*Sqrt[
-b^2 + 4*a*c]*d*e + I*Sqrt[2]*b^6*e^2 - (6*I)*Sqrt[2]*a*b^4*c*e^2 + (9*I)*S
qrt[2]*a^2*b^2*c^2*e^2 - (2*I)*Sqrt[2]*a^3*c^3*e^2 - Sqrt[2]*b^5*Sqrt[-b^2
+ 4*a*c]*e^2 + 4*Sqrt[2]*a*b^3*c*Sqrt[-b^2 + 4*a*c]*e^2 - 3*Sqrt[2]*a^2*b*c
^2*Sqrt[-b^2 + 4*a*c]*e^2)*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x])/Sqrt[-2*c
*d + b*e + I*Sqrt[-b^2 + 4*a*c]*e]]/(c^(11/2)*Sqrt[-b^2 + 4*a*c]*Sqrt[-2*c
*d + b*e + I*Sqrt[-b^2 + 4*a*c]*e])
```

**fricas [B]** time = 11.22, size = 14340, normalized size = 22.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="fricas")

[Out] 
$$-1/630*(315*\sqrt{2}*c^5*e^3*\sqrt{((b^8*c^3 - 8*a*b^6*c^4 + 20*a^2*b^4*c^5 - 16*a^3*b^2*c^6 + 2*a^4*c^7)*d^3 - 3*(b^9*c^2 - 9*a*b^7*c^3 + 27*a^2*b^5*c^4 - 30*a^3*b^3*c^5 + 9*a^4*b*c^6)*d^2*e + 3*(b^{10}*c - 10*a*b^8*c^2 + 35*a^2*b^6*c^3 - 50*a^3*b^4*c^4 + 25*a^4*b^2*c^5 - 2*a^5*c^6)*d*e^2 - (b^{11} - 11*a*b^9*c + 44*a^2*b^7*c^2 - 77*a^3*b^5*c^3 + 55*a^4*b^3*c^4 - 11*a^5*b*c^5)*e^3 + (b^2*c^{11} - 4*a*c^{12})*\sqrt{((b^{14}*c^6 - 12*a*b^{12}*c^7 + 56*a^2*b^{10}*c^8 - 128*a^3*b^8*c^9 + 148*a^4*b^6*c^{10} - 80*a^5*b^4*c^{11} + 16*a^6*b^2*c^{12})*d^6 - 6*(b^{15}*c^5 - 13*a*b^{13}*c^6 + 67*a^2*b^{11}*c^7 - 174*a^3*b^9*c^8 + 239*a^4*b^7*c^9 - 166*a^5*b^5*c^{10} + 50*a^6*b^3*c^{11} - 4*a^7*b*c^{12})*d^5*e + 3*(5*b^{16}*c^4 - 70*a*b^{14}*c^5 + 395*a^2*b^{12}*c^6 - 1150*a^3*b^{10}*c^7 + 1835*a^4*b^8*c^8 - 1570*a^5*b^6*c^9 + 650*a^6*b^4*c^{10} - 100*a^7*b^2*c^{11} + 3*a^8*c^{12})*d^4*e^2 - 2*(10*b^{17}*c^3 - 150*a*b^{15}*c^4 + 920*a^2*b^{13}*c^5 - 2970*a^3*b^{11}*c^6 + 5410*a^4*b^9*c^7 - 5530*a^5*b^7*c^8 + 2960*a^6*b^5*c^9 - 700*a^7*b^3*c^{10} + 49*a^8*b*c^{11})*d^3*e^3 + 3*(5*b^{18}*c^2 - 80*a*b^{16}*c^3 + 530*a^2*b^{14}*c^4 - 1880*a^3*b^{12}*c^5 + 3855*a^4*b^{10}*c^6 - 4600*a^5*b^8*c^7 + 3050*a^6*b^6*c^8 - 1000*a^7*b^4*c^9 + 125*a^8*b^2*c^{10} - 2*a^9*c^{11})*d^2*e^4 - 6*(b^{19}*c - 17*a*b^{17}*c^2 + 121*a^2*b^{15}*c^3 - 468*a^3*b^{13}*c^4 + 1068*a^4*b^{11}*c^5 - 1461*a^5*b^9*c^6 + 1163*a^6*b^7*c^7 - 496*a^7*b^5*c^8 + 95*a^8*b^3*c^9 - 5*a^9*b*c^{10})*d*e^5 + (b^{20} - 18*a*b^{18}*c + 137*a^2*b^{16}*c^2 - 574*a^3*b^{14}*c^3 + 1444*a^4*b^{12}*c^4 - 2232*a^5*b^{10}*c^5 + 2083*a^6*b^8*c^6 - 1106*a^7*b^6*c^7 + 295*a^8*b^4*c^8 - 30*a^9*b^2*c^9 + a^{10}*c^{10})*e^6)/(b^2*c^{22} - 4*a*c^{23}))/((b^2*c^{11} - 4*a*c^{12}))*\log(\sqrt{2})*((b^{12}*c^4 - 12*a*b^{10}*c^5 + 54*a^2*b^8*c^6 - 112*a^3*b^6*c^7 + 104*a^4*b^4*c^8 - 32*a^5*b^2*c^9)*d^4 - (4*b^{13}*c^3 - 52*a*b^{11}*c^4 + 260*a^2*b^9*c^5 - 624*a^3*b^7*c^6 + 725*a^4*b^5*c^7 - 350*a^5*b^3*c^8 + 40*a^6*b*c^9)*d^3*e + 3*(2*b^{14}*c^2 - 28*a*b^{12}*c^3 + 154*a^2*b^{10}*c^4 - 420*a^3*b^8*c^5 + 587*a^4*b^6*c^6 - 387*a^5*b^4*c^7 + 93*a^6*b^2*c^8 - 4*a^7*c^9)*d^2*e^2 - (4*b^{15}*c - 60*a*b^{13}*c^2 + 360*a^2*b^{11}*c^3 - 1100*a^3*b^9*c^4 + 1799*a^4*b^7*c^5 - 1508*a^5*b^5*c^6 + 561*a^6*b^3*c^7 - 68*a^7*b*c^8)*d*e^3 + (b^{16} - 16*a*b^{14}*c + 104*a^2*b^{12}*c^2 - 352*a^3*b^{10}*c^3 + 660*a^4*b^8*c^4 - 673*a^5*b^6*c^5 + 342*a^6*b^4*c^6 - 73*a^7*b^2*c^7 + 4*a^8*c^8)*e^4 - ((b^6*c^{12} - 8*a*b^4*c^{13} + 18*a^2*b^2*c^{14} - 8*a^3*c^{15})*d - (b^7*c^{11} - 9*a*b^5*c^{12} + 25*a^2*b^3*c^{13} - 20*a^3*b*c^{14})*e)*\sqrt{((b^{14}*c^6 - 12*a*b^{12}*c^7 + 56*a^2*b^{10}*c^8 - 128*a^3*b^8*c^9 + 148*a^4*b^6*c^{10} - 80*a^5*b^4*c^{11} + 16*a^6*b^2*c^{12})*d^6 - 6*(b^{15}*c^5 - 13*a*b^{13}*c^6 + 67*a^2*b^{11}*c^7 - 174*a^3*b^9*c^8 + 239*a^4*b^7*c^9 - 166*a^5*b^5*c^{10} + 50*a^6*b^3*c^{11} - 4*a^7*b*c^{12})*d^5*e + 3*(5*b^{16}*c^4 - 70*a*b^{14}*c^5 + 395*a^2*b^{12}*c^6 - 1150*a^3*b^{10}*c^7 + 1835*a^4*b^8*c^8 - 1570*a^5*b^6*c^9 + 650*a^6*b^4*c^{10} - 100*a^7*b^2*c^{11} + 3*a^8*c^{12})*d^4*e^2 - 2*(10*b^{17}*c^3 - 150*a*b^{15}*c^4 + 920*a^2*b^{13}*c^5 - 2970*a^3*b^{11}*c^6 + 5410*a^4*b^9*c^7 - 5530*a^5*b^7*c^8 + 2960*a^6*b^5*c^9 - 700*a^7*b^3*c^{10} + 49*a^8*b*c^{11})*d^3*e^3 + 3*(5*b^{18}*c^2 - 80*a*b^{16}*c^3 + 53$$



$$\begin{aligned}
& 0*a^2*b^{14}*c^4 - 1880*a^3*b^{12}*c^5 + 3855*a^4*b^{10}*c^6 - 4600*a^5*b^8*c^7 + \\
& 3050*a^6*b^6*c^8 - 1000*a^7*b^4*c^9 + 125*a^8*b^2*c^{10} - 2*a^9*c^{11})*d^2*e \\
& ^4 - 6*(b^{19}*c - 17*a*b^{17}*c^2 + 121*a^2*b^{15}*c^3 - 468*a^3*b^{13}*c^4 + 1068 \\
& *a^4*b^{11}*c^5 - 1461*a^5*b^9*c^6 + 1163*a^6*b^7*c^7 - 496*a^7*b^5*c^8 + 95* \\
& a^8*b^3*c^9 - 5*a^9*b*c^{10})*d*e^5 + (b^{20} - 18*a*b^{18}*c + 137*a^2*b^{16}*c^2 \\
& - 574*a^3*b^{14}*c^3 + 1444*a^4*b^{12}*c^4 - 2232*a^5*b^{10}*c^5 + 2083*a^6*b^8*c \\
& ^6 - 1106*a^7*b^6*c^7 + 295*a^8*b^4*c^8 - 30*a^9*b^2*c^9 + a^{10}*c^{10})*e^6)/ \\
& (b^2*c^{22} - 4*a*c^{23}))*sqrt(((b^8*c^3 - 8*a*b^6*c^4 + 20*a^2*b^4*c^5 - 16* \\
& a^3*b^2*c^6 + 2*a^4*c^7)*d^3 - 3*(b^9*c^2 - 9*a*b^7*c^3 + 27*a^2*b^5*c^4 - \\
& 30*a^3*b^3*c^5 + 9*a^4*b*c^6)*d^2*e + 3*(b^{10}*c - 10*a*b^8*c^2 + 35*a^2*b^6 \\
& *c^3 - 50*a^3*b^4*c^4 + 25*a^4*b^2*c^5 - 2*a^5*c^6)*d*e^2 - (b^{11} - 11*a*b^9 \\
& *c + 44*a^2*b^7*c^2 - 77*a^3*b^5*c^3 + 55*a^4*b^3*c^4 - 11*a^5*b*c^5)*e^3 \\
& + (b^2*c^{11} - 4*a*c^{12})*sqrt(((b^{14}*c^6 - 12*a*b^{12}*c^7 + 56*a^2*b^{10}*c^8 - \\
& 128*a^3*b^8*c^9 + 148*a^4*b^6*c^{10} - 80*a^5*b^4*c^{11} + 16*a^6*b^2*c^{12})*d^ \\
& 6 - 6*(b^{15}*c^5 - 13*a*b^{13}*c^6 + 67*a^2*b^{11}*c^7 - 174*a^3*b^9*c^8 + 239*a \\
& ^4*b^7*c^9 - 166*a^5*b^5*c^{10} + 50*a^6*b^3*c^{11} - 4*a^7*b*c^{12})*d^5*e + 3*( \\
& 5*b^{16}*c^4 - 70*a*b^{14}*c^5 + 395*a^2*b^{12}*c^6 - 1150*a^3*b^{10}*c^7 + 1835*a^ \\
& 4*b^8*c^8 - 1570*a^5*b^6*c^9 + 650*a^6*b^4*c^{10} - 100*a^7*b^2*c^{11} + 3*a^8* \\
& c^{12})*d^4*e^2 - 2*(10*b^{17}*c^3 - 150*a*b^{15}*c^4 + 920*a^2*b^{13}*c^5 - 2970*a \\
& ^3*b^{11}*c^6 + 5410*a^4*b^9*c^7 - 5530*a^5*b^7*c^8 + 2960*a^6*b^5*c^9 - 700* \\
& a^7*b^3*c^{10} + 49*a^8*b*c^{11})*d^3*e^3 + 3*(5*b^{18}*c^2 - 80*a*b^{16}*c^3 + 530 \\
& *a^2*b^{14}*c^4 - 1880*a^3*b^{12}*c^5 + 3855*a^4*b^{10}*c^6 - 4600*a^5*b^8*c^7 + \\
& 3050*a^6*b^6*c^8 - 1000*a^7*b^4*c^9 + 125*a^8*b^2*c^{10} - 2*a^9*c^{11})*d^2*e^ \\
& 4 - 6*(b^{19}*c - 17*a*b^{17}*c^2 + 121*a^2*b^{15}*c^3 - 468*a^3*b^{13}*c^4 + 1068* \\
& a^4*b^{11}*c^5 - 1461*a^5*b^9*c^6 + 1163*a^6*b^7*c^7 - 496*a^7*b^5*c^8 + 95*a \\
& ^8*b^3*c^9 - 5*a^9*b*c^{10})*d*e^5 + (b^{20} - 18*a*b^{18}*c + 137*a^2*b^{16}*c^2 - \\
& 574*a^3*b^{14}*c^3 + 1444*a^4*b^{12}*c^4 - 2232*a^5*b^{10}*c^5 + 2083*a^6*b^8*c \\
& ^6 - 1106*a^7*b^6*c^7 + 295*a^8*b^4*c^8 - 30*a^9*b^2*c^9 + a^{10}*c^{10})*e^6)/( \\
& b^2*c^{22} - 4*a*c^{23}))/ (b^2*c^{11} - 4*a*c^{12})) + 4*((a^4*b^7*c^4 - 6*a^5*b^5 \\
& *c^5 + 10*a^6*b^3*c^6 - 4*a^7*b*c^7)*d^5 - (4*a^4*b^8*c^3 - 27*a^5*b^6*c^4 \\
& + 55*a^6*b^4*c^5 - 34*a^7*b^2*c^6 + 3*a^8*c^7)*d^4*e + 2*(3*a^4*b^9*c^2 - 2 \\
& 2*a^5*b^7*c^3 + 51*a^6*b^5*c^4 - 40*a^7*b^3*c^5 + 7*a^8*b*c^6)*d^3*e^2 - 2* \\
& (2*a^4*b^{10}*c - 15*a^5*b^8*c^2 + 35*a^6*b^6*c^3 - 25*a^7*b^4*c^4 + a^9*c^6) \\
& *d^2*e^3 + (a^4*b^{11} - 6*a^5*b^9*c + 4*a^6*b^7*c^2 + 28*a^7*b^5*c^3 - 45*a^ \\
& 8*b^3*c^4 + 14*a^9*b*c^5)*d*e^4 - (a^5*b^{10} - 9*a^6*b^8*c + 28*a^7*b^6*c^2 \\
& - 35*a^8*b^4*c^3 + 15*a^9*b^2*c^4 - a^{10}*c^5)*e^5)*sqrt(e*x + d) - 315*sqr \\
& t(2)*c^5*e^3*sqrt(((b^8*c^3 - 8*a*b^6*c^4 + 20*a^2*b^4*c^5 - 16*a^3*b^2*c^6 \\
& + 2*a^4*c^7)*d^3 - 3*(b^9*c^2 - 9*a*b^7*c^3 + 27*a^2*b^5*c^4 - 30*a^3*b^3* \\
& c^5 + 9*a^4*b*c^6)*d^2*e + 3*(b^{10}*c - 10*a*b^8*c^2 + 35*a^2*b^6*c^3 - 50*a \\
& ^3*b^4*c^4 + 25*a^4*b^2*c^5 - 2*a^5*c^6)*d*e^2 - (b^{11} - 11*a*b^9*c + 44*a^ \\
& 2*b^7*c^2 - 77*a^3*b^5*c^3 + 55*a^4*b^3*c^4 - 11*a^5*b*c^5)*e^3 + (b^2*c^{11} \\
& - 4*a*c^{12})*sqrt(((b^{14}*c^6 - 12*a*b^{12}*c^7 + 56*a^2*b^{10}*c^8 - 128*a^3*b^ \\
& 8*c^9 + 148*a^4*b^6*c^{10} - 80*a^5*b^4*c^{11} + 16*a^6*b^2*c^{12})*d^6 - 6*(b^{15} \\
& *c^5 - 13*a*b^{13}*c^6 + 67*a^2*b^{11}*c^7 - 174*a^3*b^9*c^8 + 239*a^4*b^7*c^9 \\
& - 166*a^5*b^5*c^{10} + 50*a^6*b^3*c^{11} - 4*a^7*b*c^{12})*d^5*e + 3*(5*b^{16}*c^4
\end{aligned}$$

$$\begin{aligned}
& - 70*a*b^{14}*c^5 + 395*a^2*b^{12}*c^6 - 1150*a^3*b^{10}*c^7 + 1835*a^4*b^8*c^8 - \\
& 1570*a^5*b^6*c^9 + 650*a^6*b^4*c^{10} - 100*a^7*b^2*c^{11} + 3*a^8*c^{12})*d^4*e \\
& ^2 - 2*(10*b^{17}*c^3 - 150*a*b^{15}*c^4 + 920*a^2*b^{13}*c^5 - 2970*a^3*b^{11}*c^6 \\
& + 5410*a^4*b^9*c^7 - 5530*a^5*b^7*c^8 + 2960*a^6*b^5*c^9 - 700*a^7*b^3*c^{10} \\
& 0 + 49*a^8*b*c^{11})*d^3*e^3 + 3*(5*b^{18}*c^2 - 80*a*b^{16}*c^3 + 530*a^2*b^{14}*c^4 \\
& ^4 - 1880*a^3*b^{12}*c^5 + 3855*a^4*b^{10}*c^6 - 4600*a^5*b^8*c^7 + 3050*a^6*b^6* \\
& c^8 - 1000*a^7*b^4*c^9 + 125*a^8*b^2*c^{10} - 2*a^9*c^{11})*d^2*e^4 - 6*(b^{19} \\
& *c - 17*a*b^{17}*c^2 + 121*a^2*b^{15}*c^3 - 468*a^3*b^{13}*c^4 + 1068*a^4*b^{11}*c^5 \\
& - 1461*a^5*b^9*c^6 + 1163*a^6*b^7*c^7 - 496*a^7*b^5*c^8 + 95*a^8*b^3*c^9 \\
& - 5*a^9*b*c^{10})*d*e^5 + (b^{20} - 18*a*b^{18}*c + 137*a^2*b^{16}*c^2 - 574*a^3*b^{14} \\
& *c^3 + 1444*a^4*b^{12}*c^4 - 2232*a^5*b^{10}*c^5 + 2083*a^6*b^8*c^6 - 1106*a^7* \\
& b^6*c^7 + 295*a^8*b^4*c^8 - 30*a^9*b^2*c^9 + a^{10}*c^{10})*e^6)/(b^2*c^{22} - \\
& 4*a*c^{23}))/((b^2*c^{11} - 4*a*c^{12}))*log(-sqrt(2)*((b^{12}*c^4 - 12*a*b^{10}*c^5 \\
& + 54*a^2*b^8*c^6 - 112*a^3*b^6*c^7 + 104*a^4*b^4*c^8 - 32*a^5*b^2*c^9)*d^4 \\
& - (4*b^{13}*c^3 - 52*a*b^{11}*c^4 + 260*a^2*b^9*c^5 - 624*a^3*b^7*c^6 + 725*a^4* \\
& b^5*c^7 - 350*a^5*b^3*c^8 + 40*a^6*b*c^9)*d^3*e + 3*(2*b^{14}*c^2 - 28*a*b^{12} \\
& *c^3 + 154*a^2*b^{10}*c^4 - 420*a^3*b^8*c^5 + 587*a^4*b^6*c^6 - 387*a^5*b^4* \\
& c^7 + 93*a^6*b^2*c^8 - 4*a^7*c^9)*d^2*e^2 - (4*b^{15}*c - 60*a*b^{13}*c^2 + 360 \\
& *a^2*b^{11}*c^3 - 1100*a^3*b^9*c^4 + 1799*a^4*b^7*c^5 - 1508*a^5*b^5*c^6 + 56 \\
& 1*a^6*b^3*c^7 - 68*a^7*b*c^8)*d*e^3 + (b^{16} - 16*a*b^{14}*c + 104*a^2*b^{12}*c^2 \\
& - 352*a^3*b^{10}*c^3 + 660*a^4*b^8*c^4 - 673*a^5*b^6*c^5 + 342*a^6*b^4*c^6 \\
& - 73*a^7*b^2*c^7 + 4*a^8*c^8)*e^4 - ((b^6*c^{12} - 8*a*b^4*c^{13} + 18*a^2*b^2* \\
& c^{14} - 8*a^3*c^{15})*d - (b^7*c^{11} - 9*a*b^5*c^{12} + 25*a^2*b^3*c^{13} - 20*a^3* \\
& b*c^{14})*e)*sqrt(((b^{14}*c^6 - 12*a*b^{12}*c^7 + 56*a^2*b^{10}*c^8 - 128*a^3*b^8* \\
& c^9 + 148*a^4*b^6*c^{10} - 80*a^5*b^4*c^{11} + 16*a^6*b^2*c^{12})*d^6 - 6*(b^{15}*c^5 \\
& ^5 - 13*a*b^{13}*c^6 + 67*a^2*b^{11}*c^7 - 174*a^3*b^9*c^8 + 239*a^4*b^7*c^9 - \\
& 166*a^5*b^5*c^{10} + 50*a^6*b^3*c^{11} - 4*a^7*b*c^{12})*d^5*e + 3*(5*b^{16}*c^4 - \\
& 70*a*b^{14}*c^5 + 395*a^2*b^{12}*c^6 - 1150*a^3*b^{10}*c^7 + 1835*a^4*b^8*c^8 - 1 \\
& 570*a^5*b^6*c^9 + 650*a^6*b^4*c^{10} - 100*a^7*b^2*c^{11} + 3*a^8*c^{12})*d^4*e^2 \\
& - 2*(10*b^{17}*c^3 - 150*a*b^{15}*c^4 + 920*a^2*b^{13}*c^5 - 2970*a^3*b^{11}*c^6 + \\
& 5410*a^4*b^9*c^7 - 5530*a^5*b^7*c^8 + 2960*a^6*b^5*c^9 - 700*a^7*b^3*c^{10} \\
& + 49*a^8*b*c^{11})*d^3*e^3 + 3*(5*b^{18}*c^2 - 80*a*b^{16}*c^3 + 530*a^2*b^{14}*c^4 \\
& - 1880*a^3*b^{12}*c^5 + 3855*a^4*b^{10}*c^6 - 4600*a^5*b^8*c^7 + 3050*a^6*b^6* \\
& c^8 - 1000*a^7*b^4*c^9 + 125*a^8*b^2*c^{10} - 2*a^9*c^{11})*d^2*e^4 - 6*(b^{19}*c \\
& - 17*a*b^{17}*c^2 + 121*a^2*b^{15}*c^3 - 468*a^3*b^{13}*c^4 + 1068*a^4*b^{11}*c^5 \\
& - 1461*a^5*b^9*c^6 + 1163*a^6*b^7*c^7 - 496*a^7*b^5*c^8 + 95*a^8*b^3*c^9 - \\
& 5*a^9*b*c^{10})*d*e^5 + (b^{20} - 18*a*b^{18}*c + 137*a^2*b^{16}*c^2 - 574*a^3*b^{14} \\
& *c^3 + 1444*a^4*b^{12}*c^4 - 2232*a^5*b^{10}*c^5 + 2083*a^6*b^8*c^6 - 1106*a^7* \\
& b^6*c^7 + 295*a^8*b^4*c^8 - 30*a^9*b^2*c^9 + a^{10}*c^{10})*e^6)/(b^2*c^{22} - 4* \\
& a*c^{23}))*sqrt(((b^8*c^3 - 8*a*b^6*c^4 + 20*a^2*b^4*c^5 - 16*a^3*b^2*c^6 + \\
& 2*a^4*c^7)*d^3 - 3*(b^9*c^2 - 9*a*b^7*c^3 + 27*a^2*b^5*c^4 - 30*a^3*b^3*c^5 \\
& + 9*a^4*b*c^6)*d^2*e + 3*(b^{10}*c - 10*a*b^8*c^2 + 35*a^2*b^6*c^3 - 50*a^3* \\
& b^4*c^4 + 25*a^4*b^2*c^5 - 2*a^5*c^6)*d*e^2 - (b^{11} - 11*a*b^9*c + 44*a^2*b^7* \\
& c^2 - 77*a^3*b^5*c^3 + 55*a^4*b^3*c^4 - 11*a^5*b*c^5)*e^3 + (b^2*c^{11} - \\
& 4*a*c^{12}))*sqrt(((b^{14}*c^6 - 12*a*b^{12}*c^7 + 56*a^2*b^{10}*c^8 - 128*a^3*b^8*c
\end{aligned}$$

$$\begin{aligned}
&^9 + 148a^4b^6c^{10} - 80a^5b^4c^{11} + 16a^6b^2c^{12})d^6 - 6(b^{15}c^5 - 13ab^{13}c^6 + 67a^2b^{11}c^7 - 174a^3b^9c^8 + 239a^4b^7c^9 - 166a^5b^5c^{10} + 50a^6b^3c^{11} - 4a^7b^1c^{12})d^5e + 3(5b^{16}c^4 - 70ab^{14}c^5 + 395a^2b^{12}c^6 - 1150a^3b^{10}c^7 + 1835a^4b^8c^8 - 1570a^5b^6c^9 + 650a^6b^4c^{10} - 100a^7b^2c^{11} + 3a^8c^{12})d^4e^2 - 2(10b^{17}c^3 - 150ab^{15}c^4 + 920a^2b^{13}c^5 - 2970a^3b^{11}c^6 + 5410a^4b^9c^7 - 5530a^5b^7c^8 + 2960a^6b^5c^9 - 700a^7b^3c^{10} + 49a^8b^1c^{11})d^3e^3 + 3(5b^{18}c^2 - 80ab^{16}c^3 + 530a^2b^{14}c^4 - 1880a^3b^{12}c^5 + 3855a^4b^{10}c^6 - 4600a^5b^8c^7 + 3050a^6b^6c^8 - 1000a^7b^4c^9 + 125a^8b^2c^{10} - 2a^9c^{11})d^2e^4 - 6(b^{19}c - 17ab^{17}c^2 + 121a^2b^{15}c^3 - 468a^3b^{13}c^4 + 1068a^4b^{11}c^5 - 1461a^5b^9c^6 + 1163a^6b^7c^7 - 496a^7b^5c^8 + 95a^8b^3c^9 - 5a^9b^1c^{10})d^1e^5 + (b^{20} - 18ab^{18}c + 137a^2b^{16}c^2 - 574a^3b^{14}c^3 + 1444a^4b^{12}c^4 - 2232a^5b^{10}c^5 + 2083a^6b^8c^6 - 1106a^7b^6c^7 + 295a^8b^4c^8 - 30a^9b^2c^9 + a^{10}c^{10})e^6)/(b^2c^{22} - 4a^2c^{23}))/((b^2c^{11} - 4a^2c^{12})) + 4((a^4b^7c^4 - 6a^5b^5c^5 + 10a^6b^3c^6 - 4a^7b^1c^7)d^5 - (4a^4b^8c^3 - 27a^5b^6c^4 + 55a^6b^4c^5 - 34a^7b^2c^6 + 3a^8c^7)d^4e + 2(3a^4b^9c^2 - 22a^5b^7c^3 + 51a^6b^5c^4 - 40a^7b^3c^5 + 7a^8b^1c^6)d^3e^2 - 2(2a^4b^{10}c - 15a^5b^8c^2 + 35a^6b^6c^3 - 25a^7b^4c^4 + a^9c^6)d^2e^3 + (a^4b^{11} - 6a^5b^9c + 4a^6b^7c^2 + 28a^7b^5c^3 - 45a^8b^3c^4 + 14a^9b^1c^5)d^1e^4 - (a^5b^{10} - 9a^6b^8c + 28a^7b^6c^2 - 35a^8b^4c^3 + 15a^9b^2c^4 - a^{10}c^5)e^5)*sqrt(ex + d) + 315*sqrt(2)*c^5e^3*sqrt(((b^8c^3 - 8ab^6c^4 + 20a^2b^4c^5 - 16a^3b^2c^6 + 2a^4c^7)*d^3 - 3(b^9c^2 - 9ab^7c^3 + 27a^2b^5c^4 - 30a^3b^3c^5 + 9a^4b^1c^6)*d^2e + 3(b^{10}c - 10ab^8c^2 + 35a^2b^6c^3 - 50a^3b^4c^4 + 25a^4b^2c^5 - 2a^5c^6)*d^1e^2 - (b^{11} - 11ab^9c + 44a^2b^7c^2 - 77a^3b^5c^3 + 55a^4b^3c^4 - 11a^5b^1c^5)e^3 - (b^2c^{11} - 4a^2c^{12})*sqrt(((b^{14}c^6 - 12ab^{12}c^7 + 56a^2b^{10}c^8 - 128a^3b^8c^9 + 148a^4b^6c^{10} - 80a^5b^4c^{11} + 16a^6b^2c^{12})d^6 - 6(b^{15}c^5 - 13ab^{13}c^6 + 67a^2b^{11}c^7 - 174a^3b^9c^8 + 239a^4b^7c^9 - 166a^5b^5c^{10} + 50a^6b^3c^{11} - 4a^7b^1c^{12})d^5e + 3(5b^{16}c^4 - 70ab^{14}c^5 + 395a^2b^{12}c^6 - 1150a^3b^{10}c^7 + 1835a^4b^8c^8 - 1570a^5b^6c^9 + 650a^6b^4c^{10} - 100a^7b^2c^{11} + 3a^8c^{12})d^4e^2 - 2(10b^{17}c^3 - 150ab^{15}c^4 + 920a^2b^{13}c^5 - 2970a^3b^{11}c^6 + 5410a^4b^9c^7 - 5530a^5b^7c^8 + 2960a^6b^5c^9 - 700a^7b^3c^{10} + 49a^8b^1c^{11})d^3e^3 + 3(5b^{18}c^2 - 80ab^{16}c^3 + 530a^2b^{14}c^4 - 1880a^3b^{12}c^5 + 3855a^4b^{10}c^6 - 4600a^5b^8c^7 + 3050a^6b^6c^8 - 1000a^7b^4c^9 + 125a^8b^2c^{10} - 2a^9c^{11})d^2e^4 - 6(b^{19}c - 17ab^{17}c^2 + 121a^2b^{15}c^3 - 468a^3b^{13}c^4 + 1068a^4b^{11}c^5 - 1461a^5b^9c^6 + 1163a^6b^7c^7 - 496a^7b^5c^8 + 95a^8b^3c^9 - 5a^9b^1c^{10})d^1e^5 + (b^{20} - 18ab^{18}c + 137a^2b^{16}c^2 - 574a^3b^{14}c^3 + 1444a^4b^{12}c^4 - 2232a^5b^{10}c^5 + 2083a^6b^8c^6 - 1106a^7b^6c^7 + 295a^8b^4c^8 - 30a^9b^2c^9 + a^{10}c^{10})e^6)/(b^2c^{22} - 4a^2c^{23}))/((b^2c^{11} - 4a^2c^{12}))*log(sqrt(2))*((b^{12}c^4 - 12ab^{10}c^5 + 54a^2b^8c^
\end{aligned}$$

$$\begin{aligned}
& 6 - 112*a^3*b^6*c^7 + 104*a^4*b^4*c^8 - 32*a^5*b^2*c^9)*d^4 - (4*b^13*c^3 - \\
& 52*a*b^11*c^4 + 260*a^2*b^9*c^5 - 624*a^3*b^7*c^6 + 725*a^4*b^5*c^7 - 350* \\
& a^5*b^3*c^8 + 40*a^6*b*c^9)*d^3*e + 3*(2*b^14*c^2 - 28*a*b^12*c^3 + 154*a^2 \\
& *b^10*c^4 - 420*a^3*b^8*c^5 + 587*a^4*b^6*c^6 - 387*a^5*b^4*c^7 + 93*a^6*b^ \\
& 2*c^8 - 4*a^7*c^9)*d^2*e^2 - (4*b^15*c - 60*a*b^13*c^2 + 360*a^2*b^11*c^3 - \\
& 1100*a^3*b^9*c^4 + 1799*a^4*b^7*c^5 - 1508*a^5*b^5*c^6 + 561*a^6*b^3*c^7 - \\
& 68*a^7*b*c^8)*d*e^3 + (b^16 - 16*a*b^14*c + 104*a^2*b^12*c^2 - 352*a^3*b^1 \\
& 0*c^3 + 660*a^4*b^8*c^4 - 673*a^5*b^6*c^5 + 342*a^6*b^4*c^6 - 73*a^7*b^2*c^ \\
& 7 + 4*a^8*c^8)*e^4 + ((b^6*c^12 - 8*a*b^4*c^13 + 18*a^2*b^2*c^14 - 8*a^3*c^ \\
& 15)*d - (b^7*c^11 - 9*a*b^5*c^12 + 25*a^2*b^3*c^13 - 20*a^3*b*c^14)*e)*sqrt \\
& (((b^14*c^6 - 12*a*b^12*c^7 + 56*a^2*b^10*c^8 - 128*a^3*b^8*c^9 + 148*a^4*b \\
& ^6*c^10 - 80*a^5*b^4*c^11 + 16*a^6*b^2*c^12)*d^6 - 6*(b^15*c^5 - 13*a*b^13* \\
& c^6 + 67*a^2*b^11*c^7 - 174*a^3*b^9*c^8 + 239*a^4*b^7*c^9 - 166*a^5*b^5*c^1 \\
& 0 + 50*a^6*b^3*c^11 - 4*a^7*b*c^12)*d^5*e + 3*(5*b^16*c^4 - 70*a*b^14*c^5 + \\
& 395*a^2*b^12*c^6 - 1150*a^3*b^10*c^7 + 1835*a^4*b^8*c^8 - 1570*a^5*b^6*c^9 \\
& + 650*a^6*b^4*c^10 - 100*a^7*b^2*c^11 + 3*a^8*c^12)*d^4*e^2 - 2*(10*b^17*c \\
& ^3 - 150*a*b^15*c^4 + 920*a^2*b^13*c^5 - 2970*a^3*b^11*c^6 + 5410*a^4*b^9*c \\
& ^7 - 5530*a^5*b^7*c^8 + 2960*a^6*b^5*c^9 - 700*a^7*b^3*c^10 + 49*a^8*b*c^11 \\
& )*d^3*e^3 + 3*(5*b^18*c^2 - 80*a*b^16*c^3 + 530*a^2*b^14*c^4 - 1880*a^3*b^1 \\
& 2*c^5 + 3855*a^4*b^10*c^6 - 4600*a^5*b^8*c^7 + 3050*a^6*b^6*c^8 - 1000*a^7* \\
& b^4*c^9 + 125*a^8*b^2*c^10 - 2*a^9*c^11)*d^2*e^4 - 6*(b^19*c - 17*a*b^17*c^ \\
& 2 + 121*a^2*b^15*c^3 - 468*a^3*b^13*c^4 + 1068*a^4*b^11*c^5 - 1461*a^5*b^9* \\
& c^6 + 1163*a^6*b^7*c^7 - 496*a^7*b^5*c^8 + 95*a^8*b^3*c^9 - 5*a^9*b*c^10)*d \\
& *e^5 + (b^20 - 18*a*b^18*c + 137*a^2*b^16*c^2 - 574*a^3*b^14*c^3 + 1444*a^4 \\
& *b^12*c^4 - 2232*a^5*b^10*c^5 + 2083*a^6*b^8*c^6 - 1106*a^7*b^6*c^7 + 295*a \\
& ^8*b^4*c^8 - 30*a^9*b^2*c^9 + a^10*c^10)*e^6)/(b^2*c^22 - 4*a*c^23))*sqrt( \\
& ((b^8*c^3 - 8*a*b^6*c^4 + 20*a^2*b^4*c^5 - 16*a^3*b^2*c^6 + 2*a^4*c^7)*d^3 \\
& - 3*(b^9*c^2 - 9*a*b^7*c^3 + 27*a^2*b^5*c^4 - 30*a^3*b^3*c^5 + 9*a^4*b*c^6) \\
& *d^2*e + 3*(b^10*c - 10*a*b^8*c^2 + 35*a^2*b^6*c^3 - 50*a^3*b^4*c^4 + 25*a^ \\
& 4*b^2*c^5 - 2*a^5*c^6)*d*e^2 - (b^11 - 11*a*b^9*c + 44*a^2*b^7*c^2 - 77*a^3 \\
& *b^5*c^3 + 55*a^4*b^3*c^4 - 11*a^5*b*c^5)*e^3 - (b^2*c^11 - 4*a*c^12)*sqrt( \\
& ((b^14*c^6 - 12*a*b^12*c^7 + 56*a^2*b^10*c^8 - 128*a^3*b^8*c^9 + 148*a^4*b^ \\
& 6*c^10 - 80*a^5*b^4*c^11 + 16*a^6*b^2*c^12)*d^6 - 6*(b^15*c^5 - 13*a*b^13*c \\
& ^6 + 67*a^2*b^11*c^7 - 174*a^3*b^9*c^8 + 239*a^4*b^7*c^9 - 166*a^5*b^5*c^10 \\
& + 50*a^6*b^3*c^11 - 4*a^7*b*c^12)*d^5*e + 3*(5*b^16*c^4 - 70*a*b^14*c^5 + \\
& 395*a^2*b^12*c^6 - 1150*a^3*b^10*c^7 + 1835*a^4*b^8*c^8 - 1570*a^5*b^6*c^9 \\
& + 650*a^6*b^4*c^10 - 100*a^7*b^2*c^11 + 3*a^8*c^12)*d^4*e^2 - 2*(10*b^17*c^ \\
& 3 - 150*a*b^15*c^4 + 920*a^2*b^13*c^5 - 2970*a^3*b^11*c^6 + 5410*a^4*b^9*c^ \\
& 7 - 5530*a^5*b^7*c^8 + 2960*a^6*b^5*c^9 - 700*a^7*b^3*c^10 + 49*a^8*b*c^11) \\
& *d^3*e^3 + 3*(5*b^18*c^2 - 80*a*b^16*c^3 + 530*a^2*b^14*c^4 - 1880*a^3*b^12 \\
& *c^5 + 3855*a^4*b^10*c^6 - 4600*a^5*b^8*c^7 + 3050*a^6*b^6*c^8 - 1000*a^7*b \\
& ^4*c^9 + 125*a^8*b^2*c^10 - 2*a^9*c^11)*d^2*e^4 - 6*(b^19*c - 17*a*b^17*c^2 \\
& + 121*a^2*b^15*c^3 - 468*a^3*b^13*c^4 + 1068*a^4*b^11*c^5 - 1461*a^5*b^9*c \\
& ^6 + 1163*a^6*b^7*c^7 - 496*a^7*b^5*c^8 + 95*a^8*b^3*c^9 - 5*a^9*b*c^10)*d* \\
& e^5 + (b^20 - 18*a*b^18*c + 137*a^2*b^16*c^2 - 574*a^3*b^14*c^3 + 1444*a^4*
\end{aligned}$$

$$\begin{aligned}
& b^{12}c^4 - 2232a^5b^{10}c^5 + 2083a^6b^8c^6 - 1106a^7b^6c^7 + 295a^8b^4c^8 - 30a^9b^2c^9 + a^{10}c^{10})e^6)/(b^2c^{22} - 4a^2c^{23}))/ (b^2c^{11} - 4a^2c^{12})) + 4*((a^4b^7c^4 - 6a^5b^5c^5 + 10a^6b^3c^6 - 4a^7b^1c^7)*d^5 - (4a^4b^8c^3 - 27a^5b^6c^4 + 55a^6b^4c^5 - 34a^7b^2c^6 + 3a^8c^7)*d^4e + 2*(3a^4b^9c^2 - 22a^5b^7c^3 + 51a^6b^5c^4 - 40a^7b^3c^5 + 7a^8b^1c^6)*d^3e^2 - 2*(2a^4b^{10}c - 15a^5b^8c^2 + 35a^6b^6c^3 - 25a^7b^4c^4 + a^9c^6)*d^2e^3 + (a^4b^{11} - 6a^5b^9c + 4a^6b^7c^2 + 28a^7b^5c^3 - 45a^8b^3c^4 + 14a^9b^1c^5)*d^2e^4 - (a^5b^{10} - 9a^6b^8c + 28a^7b^6c^2 - 35a^8b^4c^3 + 15a^9b^2c^4 - a^{10}c^5)*e^5)*sqrt(e*x + d)) - 315*sqrt(2)*c^5*e^3*sqrt(((b^8c^3 - 8a^8b^6c^4 + 20a^2b^4c^5 - 16a^3b^2c^6 + 2a^4c^7)*d^3 - 3*(b^9c^2 - 9a^2b^7c^3 + 27a^2b^5c^4 - 30a^3b^3c^5 + 9a^4b^1c^6)*d^2e + 3*(b^{10}c - 10a^2b^8c^2 + 35a^2b^6c^3 - 50a^3b^4c^4 + 25a^4b^2c^5 - 2a^5c^6)*d^2e^2 - (b^{11} - 11a^2b^9c + 44a^2b^7c^2 - 77a^3b^5c^3 + 55a^4b^3c^4 - 11a^5b^1c^5)*e^3 - (b^2c^{11} - 4a^2c^{12})*sqrt(((b^{14}c^6 - 12a^2b^{12}c^7 + 56a^2b^{10}c^8 - 128a^3b^8c^9 + 148a^4b^6c^{10} - 80a^5b^4c^{11} + 16a^6b^2c^{12})*d^6 - 6*(b^{15}c^5 - 13a^2b^{13}c^6 + 67a^2b^{11}c^7 - 174a^3b^9c^8 + 239a^4b^7c^9 - 166a^5b^5c^{10} + 50a^6b^3c^{11} - 4a^7b^1c^{12})*d^5e + 3*(5b^{16}c^4 - 70a^2b^{14}c^5 + 395a^2b^{12}c^6 - 1150a^3b^{10}c^7 + 1835a^4b^8c^8 - 1570a^5b^6c^9 + 650a^6b^4c^{10} - 100a^7b^2c^{11} + 3a^8c^{12})*d^4e^2 - 2*(10b^{17}c^3 - 150a^2b^{15}c^4 + 920a^2b^{13}c^5 - 2970a^3b^{11}c^6 + 5410a^4b^9c^7 - 5530a^5b^7c^8 + 2960a^6b^5c^9 - 700a^7b^3c^{10} + 49a^8b^1c^{11})*d^3e^3 + 3*(5b^{18}c^2 - 80a^2b^{16}c^3 + 530a^2b^{14}c^4 - 1880a^3b^{12}c^5 + 3855a^4b^{10}c^6 - 4600a^5b^8c^7 + 3050a^6b^6c^8 - 1000a^7b^4c^9 + 125a^8b^2c^{10} - 2a^9c^{11})*d^2e^4 - 6*(b^{19}c - 17a^2b^{17}c^2 + 121a^2b^{15}c^3 - 468a^3b^{13}c^4 + 1068a^4b^{11}c^5 - 1461a^5b^9c^6 + 1163a^6b^7c^7 - 496a^7b^5c^8 + 95a^8b^3c^9 - 5a^9b^1c^{10})*d^2e^5 + (b^{20} - 18a^2b^{18}c + 137a^2b^{16}c^2 - 574a^3b^{14}c^3 + 1444a^4b^{12}c^4 - 2232a^5b^{10}c^5 + 2083a^6b^8c^6 - 1106a^7b^6c^7 + 295a^8b^4c^8 - 30a^9b^2c^9 + a^{10}c^{10})e^6)/(b^2c^{22} - 4a^2c^{23}))/ (b^2c^{11} - 4a^2c^{12}))*log(-sqrt(2))*((b^{12}c^4 - 12a^2b^{10}c^5 + 54a^2b^8c^6 - 112a^3b^6c^7 + 104a^4b^4c^8 - 32a^5b^2c^9)*d^4 - (4b^{13}c^3 - 52a^2b^{11}c^4 + 260a^2b^9c^5 - 624a^3b^7c^6 + 725a^4b^5c^7 - 350a^5b^3c^8 + 40a^6b^1c^9)*d^3e + 3*(2b^{14}c^2 - 28a^2b^{12}c^3 + 154a^2b^{10}c^4 - 420a^3b^8c^5 + 587a^4b^6c^6 - 387a^5b^4c^7 + 93a^6b^2c^8 - 4a^7b^1c^9)*d^2e^2 - (4b^{15}c - 60a^2b^{13}c^2 + 360a^2b^{11}c^3 - 1100a^3b^9c^4 + 1799a^4b^7c^5 - 1508a^5b^5c^6 + 561a^6b^3c^7 - 68a^7b^1c^8)*d^2e^3 + (b^{16} - 16a^2b^{14}c + 104a^2b^{12}c^2 - 352a^3b^{10}c^3 + 660a^4b^8c^4 - 673a^5b^6c^5 + 342a^6b^4c^6 - 73a^7b^2c^7 + 4a^8c^8)*e^4 + ((b^6c^{12} - 8a^2b^4c^{13} + 18a^2b^2c^{14} - 8a^3c^{15})*d - (b^7c^{11} - 9a^2b^5c^{12} + 25a^2b^3c^{13} - 20a^3b^1c^{14})*e)*sqrt(((b^{14}c^6 - 12a^2b^{12}c^7 + 56a^2b^{10}c^8 - 128a^3b^8c^9 + 148a^4b^6c^{10} - 80a^5b^4c^{11} + 16a^6b^2c^{12})*d^6 - 6*(b^{15}c^5 - 13a^2b^{13}c^6 + 67a^2b^{11}c^7 - 174a^3b^9c^8 + 239a^4b^7c^9 - 166a^5b^5c^{10} + 50a^6b^3
\end{aligned}$$

$$\begin{aligned}
& *c^{11} - 4*a^7*b*c^{12}) *d^5*e + 3*(5*b^{16}*c^4 - 70*a*b^{14}*c^5 + 395*a^2*b^{12}* \\
& c^6 - 1150*a^3*b^{10}*c^7 + 1835*a^4*b^8*c^8 - 1570*a^5*b^6*c^9 + 650*a^6*b^4 \\
& *c^{10} - 100*a^7*b^2*c^{11} + 3*a^8*c^{12}) *d^4*e^2 - 2*(10*b^{17}*c^3 - 150*a*b^{15} \\
& *c^4 + 920*a^2*b^{13}*c^5 - 2970*a^3*b^{11}*c^6 + 5410*a^4*b^9*c^7 - 5530*a^5* \\
& b^7*c^8 + 2960*a^6*b^5*c^9 - 700*a^7*b^3*c^{10} + 49*a^8*b*c^{11}) *d^3*e^3 + 3* \\
& (5*b^{18}*c^2 - 80*a*b^{16}*c^3 + 530*a^2*b^{14}*c^4 - 1880*a^3*b^{12}*c^5 + 3855*a \\
& ^4*b^{10}*c^6 - 4600*a^5*b^8*c^7 + 3050*a^6*b^6*c^8 - 1000*a^7*b^4*c^9 + 125* \\
& a^8*b^2*c^{10} - 2*a^9*c^{11}) *d^2*e^4 - 6*(b^{19}*c - 17*a*b^{17}*c^2 + 121*a^2*b^ \\
& 15*c^3 - 468*a^3*b^{13}*c^4 + 1068*a^4*b^{11}*c^5 - 1461*a^5*b^9*c^6 + 1163*a^6 \\
& *b^7*c^7 - 496*a^7*b^5*c^8 + 95*a^8*b^3*c^9 - 5*a^9*b*c^{10}) *d*e^5 + (b^{20} - \\
& 18*a*b^{18}*c + 137*a^2*b^{16}*c^2 - 574*a^3*b^{14}*c^3 + 1444*a^4*b^{12}*c^4 - 22 \\
& 32*a^5*b^{10}*c^5 + 2083*a^6*b^8*c^6 - 1106*a^7*b^6*c^7 + 295*a^8*b^4*c^8 - 3 \\
& 0*a^9*b^2*c^9 + a^{10}*c^{10}) *e^6) / (b^2*c^{22} - 4*a*c^{23})) *sqrt(((b^8*c^3 - 8* \\
& a*b^6*c^4 + 20*a^2*b^4*c^5 - 16*a^3*b^2*c^6 + 2*a^4*c^7) *d^3 - 3*(b^9*c^2 - \\
& 9*a*b^7*c^3 + 27*a^2*b^5*c^4 - 30*a^3*b^3*c^5 + 9*a^4*b*c^6) *d^2*e + 3*(b^ \\
& 10*c - 10*a*b^8*c^2 + 35*a^2*b^6*c^3 - 50*a^3*b^4*c^4 + 25*a^4*b^2*c^5 - 2* \\
& a^5*c^6) *d*e^2 - (b^{11} - 11*a*b^9*c + 44*a^2*b^7*c^2 - 77*a^3*b^5*c^3 + 55* \\
& a^4*b^3*c^4 - 11*a^5*b*c^5) *e^3 - (b^2*c^{11} - 4*a*c^{12}) *sqrt(((b^{14}*c^6 - 1 \\
& 2*a*b^{12}*c^7 + 56*a^2*b^{10}*c^8 - 128*a^3*b^8*c^9 + 148*a^4*b^6*c^{10} - 80*a^ \\
& 5*b^4*c^{11} + 16*a^6*b^2*c^{12}) *d^6 - 6*(b^{15}*c^5 - 13*a*b^{13}*c^6 + 67*a^2*b^ \\
& 11*c^7 - 174*a^3*b^9*c^8 + 239*a^4*b^7*c^9 - 166*a^5*b^5*c^{10} + 50*a^6*b^3* \\
& c^{11} - 4*a^7*b*c^{12}) *d^5*e + 3*(5*b^{16}*c^4 - 70*a*b^{14}*c^5 + 395*a^2*b^{12}* \\
& c^6 - 1150*a^3*b^{10}*c^7 + 1835*a^4*b^8*c^8 - 1570*a^5*b^6*c^9 + 650*a^6*b^4* \\
& c^{10} - 100*a^7*b^2*c^{11} + 3*a^8*c^{12}) *d^4*e^2 - 2*(10*b^{17}*c^3 - 150*a*b^{15} \\
& *c^4 + 920*a^2*b^{13}*c^5 - 2970*a^3*b^{11}*c^6 + 5410*a^4*b^9*c^7 - 5530*a^5*b \\
& ^7*c^8 + 2960*a^6*b^5*c^9 - 700*a^7*b^3*c^{10} + 49*a^8*b*c^{11}) *d^3*e^3 + 3*( \\
& 5*b^{18}*c^2 - 80*a*b^{16}*c^3 + 530*a^2*b^{14}*c^4 - 1880*a^3*b^{12}*c^5 + 3855*a^ \\
& 4*b^{10}*c^6 - 4600*a^5*b^8*c^7 + 3050*a^6*b^6*c^8 - 1000*a^7*b^4*c^9 + 125*a \\
& ^8*b^2*c^{10} - 2*a^9*c^{11}) *d^2*e^4 - 6*(b^{19}*c - 17*a*b^{17}*c^2 + 121*a^2*b^ \\
& 15*c^3 - 468*a^3*b^{13}*c^4 + 1068*a^4*b^{11}*c^5 - 1461*a^5*b^9*c^6 + 1163*a^6* \\
& b^7*c^7 - 496*a^7*b^5*c^8 + 95*a^8*b^3*c^9 - 5*a^9*b*c^{10}) *d*e^5 + (b^{20} - \\
& 18*a*b^{18}*c + 137*a^2*b^{16}*c^2 - 574*a^3*b^{14}*c^3 + 1444*a^4*b^{12}*c^4 - 223 \\
& 2*a^5*b^{10}*c^5 + 2083*a^6*b^8*c^6 - 1106*a^7*b^6*c^7 + 295*a^8*b^4*c^8 - 30 \\
& *a^9*b^2*c^9 + a^{10}*c^{10}) *e^6) / (b^2*c^{22} - 4*a*c^{23})) / (b^2*c^{11} - 4*a*c^{12} \\
& )) + 4*((a^4*b^7*c^4 - 6*a^5*b^5*c^5 + 10*a^6*b^3*c^6 - 4*a^7*b*c^7) *d^5 - \\
& (4*a^4*b^8*c^3 - 27*a^5*b^6*c^4 + 55*a^6*b^4*c^5 - 34*a^7*b^2*c^6 + 3*a^8*c^ \\
& ^7) *d^4*e + 2*(3*a^4*b^9*c^2 - 22*a^5*b^7*c^3 + 51*a^6*b^5*c^4 - 40*a^7*b^3 \\
& *c^5 + 7*a^8*b*c^6) *d^3*e^2 - 2*(2*a^4*b^{10}*c - 15*a^5*b^8*c^2 + 35*a^6*b^6 \\
& *c^3 - 25*a^7*b^4*c^4 + a^9*c^6) *d^2*e^3 + (a^4*b^{11} - 6*a^5*b^9*c + 4*a^6* \\
& b^7*c^2 + 28*a^7*b^5*c^3 - 45*a^8*b^3*c^4 + 14*a^9*b*c^5) *d*e^4 - (a^5*b^{10} \\
& - 9*a^6*b^8*c + 28*a^7*b^6*c^2 - 35*a^8*b^4*c^3 + 15*a^9*b^2*c^4 - a^{10}*c^ \\
& 5) *e^5) *sqrt(e*x + d) - 4*(35*c^4*e^4*x^4 + 8*c^4*d^4 + 18*b*c^3*d^3*e + 6 \\
& 3*(b^2*c^2 - a*c^3) *d^2*e^2 - 420*(b^3*c - 2*a*b*c^2) *d*e^3 + 315*(b^4 - 3* \\
& a*b^2*c + a^2*c^2) *e^4 + 5*(10*c^4*d*e^3 - 9*b*c^3*e^4) *x^3 + 3*(c^4*d^2*e^ \\
& 2 - 24*b*c^3*d*e^3 + 21*(b^2*c^2 - a*c^3) *e^4) *x^2 - (4*c^4*d^3*e + 9*b*c^3
\end{aligned}$$

$*d^2e^2 - 126*(b^2c^2 - ac^3)*d*e^3 + 105*(b^3c - 2a*b*c^2)*e^4)*x)*\text{sqrt}(e*x + d)/(c^5e^3)$

**giac [B]** time = 0.69, size = 1577, normalized size = 2.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(e*x+d)^(3/2)/(c*x^2+b*x+a),x, algorithm="giac")`

[Out] 
$$\begin{aligned} & -1/4*((b^5c^2 - 6a*b^3c^3 + 8a^2*b*c^4)*d^2e - 2*(b^6c - 7a*b^4c^2 \\ & + 13a^2*b^2c^3 - 4a^3c^4)*d*e^2 + (b^7 - 8a*b^5c + 19a^2*b^3c^2 - \\ & 12a^3*b*c^3)*e^3)*\text{sqrt}(-4c^2*d + 2*(b*c + \text{sqrt}(b^2 - 4a*c))*c)*e^2 - 2 \\ & *((b^3c^4 - 2a*b*c^5)*\text{sqrt}(b^2 - 4a*c)*d^3 - (2*b^4c^3 - 5a*b^2c^4 + \\ & a^2c^5)*\text{sqrt}(b^2 - 4a*c)*d^2e + (b^5c^2 - 2a*b^3c^3 - a^2*b*c^4)*\text{sqrt} \\ & (b^2 - 4a*c)*d*e^2 - (a*b^4c^2 - 3a^2*b^2c^3 + a^3c^4)*\text{sqrt}(b^2 - 4a*a \\ & c)*e^3)*\text{sqrt}(-4c^2*d + 2*(b*c + \text{sqrt}(b^2 - 4a*c))*c)*e)*\text{abs}(c) + (2*(b^4c \\ & ^5 - 4a*b^2c^6 + 2a^2c^7)*d^3 - (5*b^5c^4 - 24a*b^3c^5 + 22a^2*b*c^ \\ & 6)*d^2e + 2*(2*b^6c^3 - 11a*b^4c^4 + 14a^2*b^2c^5 - 2a^3c^6)*d*e^2 \\ & - (b^7c^2 - 6a*b^5c^3 + 9a^2*b^3c^4 - 2a^3*b*c^5)*e^3)*\text{sqrt}(-4c^2*d \\ & + 2*(b*c + \text{sqrt}(b^2 - 4a*c))*c)*e))*\text{arctan}(2*\text{sqrt}(1/2)*\text{sqrt}(x*e + d)/\text{sqrt}(- \\ & (2c^{10}*d*e^{30} - b*c^9*e^{31} + \text{sqrt}(-4*(c^{10}*d^2*e^{30} - b*c^9*d*e^{31} + a*c^9 \\ & *e^{32})*c^{10}*e^{30} + (2c^{10}*d*e^{30} - b*c^9*e^{31})^2))*e^{(-30)/c^{10}})/((\text{sqrt}(b \\ & ^2 - 4a*c))*c^8*d^2 - \text{sqrt}(b^2 - 4a*c)*b*c^7*d*e + \text{sqrt}(b^2 - 4a*c)*a*c^7 \\ & *e^2)*c^2) + 1/4*((b^5c^2 - 6a*b^3c^3 + 8a^2*b*c^4)*d^2e - 2*(b^6c - \\ & 7a*b^4c^2 + 13a^2*b^2c^3 - 4a^3c^4)*d*e^2 + (b^7 - 8a*b^5c + 19a^2 \\ & *b^3c^2 - 12a^3*b*c^3)*e^3)*\text{sqrt}(-4c^2*d + 2*(b*c - \text{sqrt}(b^2 - 4a*c))*c \\ & )*e^2 + 2*((b^3c^4 - 2a*b*c^5)*\text{sqrt}(b^2 - 4a*c)*d^3 - (2*b^4c^3 - 5a \\ & *b^2c^4 + a^2c^5)*\text{sqrt}(b^2 - 4a*c)*d^2e + (b^5c^2 - 2a*b^3c^3 - a^2 \\ & *b*c^4)*\text{sqrt}(b^2 - 4a*c)*d*e^2 - (a*b^4c^2 - 3a^2*b^2c^3 + a^3c^4)*\text{sqrt} \\ & (b^2 - 4a*c)*e^3)*\text{sqrt}(-4c^2*d + 2*(b*c - \text{sqrt}(b^2 - 4a*c))*c)*e)*\text{abs}(c) \\ & + (2*(b^4c^5 - 4a*b^2c^6 + 2a^2c^7)*d^3 - (5*b^5c^4 - 24a*b^3c^5 + \\ & 22a^2*b*c^6)*d^2e + 2*(2*b^6c^3 - 11a*b^4c^4 + 14a^2*b^2c^5 - 2a^3 \\ & *c^6)*d*e^2 - (b^7c^2 - 6a*b^5c^3 + 9a^2*b^3c^4 - 2a^3*b*c^5)*e^3)*\text{sqrt} \\ & (-4c^2*d + 2*(b*c - \text{sqrt}(b^2 - 4a*c))*c)*e))*\text{arctan}(2*\text{sqrt}(1/2)*\text{sqrt}(x*e \\ & + d)/\text{sqrt}(-(2c^{10}*d*e^{30} - b*c^9*e^{31} - \text{sqrt}(-4*(c^{10}*d^2*e^{30} - b*c^9*d \\ & *e^{31} + a*c^9*e^{32})*c^{10}*e^{30} + (2c^{10}*d*e^{30} - b*c^9*e^{31})^2))*e^{(-30)/c^{10}} \\ & ))/((\text{sqrt}(b^2 - 4a*c))*c^8*d^2 - \text{sqrt}(b^2 - 4a*c)*b*c^7*d*e + \text{sqrt}(b^2 - \\ & 4a*c)*a*c^7*e^2)*c^2) + 2/315*(35*(x*e + d)^(9/2)*c^8*e^{24} - 90*(x*e + d)^( \\ & 7/2)*c^8*d*e^{24} + 63*(x*e + d)^(5/2)*c^8*d^2*e^{24} - 45*(x*e + d)^(7/2)*b*c \\ & ^7*e^{25} + 63*(x*e + d)^(5/2)*b*c^7*d*e^{25} + 63*(x*e + d)^(5/2)*b^2*c^6*e^{26} \\ & - 63*(x*e + d)^(5/2)*a*c^7*e^{26} - 105*(x*e + d)^(3/2)*b^3*c^5*e^{27} + 210*( \\ & x*e + d)^(3/2)*a*b*c^6*e^{27} - 315*\text{sqrt}(x*e + d)*b^3*c^5*d*e^{27} + 630*\text{sqrt}(x \\ & *e + d)*a*b*c^6*d*e^{27} + 315*\text{sqrt}(x*e + d)*b^4*c^4*e^{28} - 945*\text{sqrt}(x*e + d) \\ & *a*b^2*c^5*e^{28} + 315*\text{sqrt}(x*e + d)*a^2*c^6*e^{28})*e^{(-27)/c^9} \end{aligned}$$

maple [B] time = 0.08, size = 3685, normalized size = 5.67

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^4*(e*x+d)^{(3/2)}/(c*x^2+b*x+a), x)$

[Out] 
$$\begin{aligned} & \frac{2}{9}*(e*x+d)^{(9/2)}/c/e^3+2*e/c^3*a^2*(e*x+d)^{(1/2)}+2*e/c^5*b^4*(e*x+d)^{(1/2)} \\ & -4/7/e^3/c*(e*x+d)^{(7/2)}*d+2/5/e^3/c*(e*x+d)^{(5/2)}*d^2+4/3/c^3*(e*x+d)^{(3/2)} \\ & )*a*b-2/c^4*b^3*d*(e*x+d)^{(1/2)}-2/7/e^2/c^2*(e*x+d)^{(7/2)}*b-2/5/e/c^2*(e*x+ \\ & d)^{(5/2)}*a+2/5/e/c^3*(e*x+d)^{(5/2)}*b^2-10*e^2/c^3/(-4*a*c-b^2)*e^2)^{(1/2)}* \\ & 2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}((e*x+d)^{(1/2)} \\ & )*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*a*b^3*d+4*e/c \\ & ^2/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})* \\ & c)^{(1/2)}*\text{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)} \\ & ))*c)^{(1/2)}*c)*a*b^2*d^2+10*e^2/c^2/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e- \\ & 2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e \\ & -2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*a^2*b*d-10*e^2/c^3/(-4*a*c-b^ \\ & 2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\text{arctan} \\ & ((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*a* \\ & b^3*d+4*e/c^2/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^ \\ & 2)^{(1/2)})*c)^{(1/2)}*\text{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e \\ & ^2)^{(1/2)})*c)^{(1/2)}*c)*a*b^2*d^2+10*e^2/c^2/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)} \\ & )/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}((e*x+d)^{(1/2)}*2^{( \\ & 1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*a^2*b*d+4/c^3*a*b*d \\ & *(e*x+d)^{(1/2)}+2*e^3/c^2/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4 \\ & *a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+ \\ & (-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*a^3-e^3/c^5/(-4*a*c-b^2)*e^2)^{(1/2)}*2 \\ & ^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}((e*x+d)^{(1/2)} \\ & )*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*b^6+2*e^3/c^2/ \\ & (-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{( \\ & 1/2)}*\text{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{( \\ & 1/2)}*c)*a^3-e^3/c^5/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c- \\ & b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c- \\ & b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*b^6-3*e^2/c^3*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^ \\ & 2)*e^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b \\ & ^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*a^2*b+2*e/c^2*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2) \\ & )*e^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2) \\ & )*e^2)^{(1/2)})*c)^{(1/2)}*c)*a^2*d+4*e^2/c^4*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2) \\ & )*e^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2) \\ & )*e^2)^{(1/2)})*c)^{(1/2)}*c)*a*b^3+2*e/c^4*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e \\ & ^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)* \\ & e^2)^{(1/2)})*c)^{(1/2)}*c)*b^4*d+3*e^2/c^3*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)* \\ & e^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^ \\ & \end{aligned}$$





$$2)^{(1/2)} * 2^{(1/2)} / ((-b * e + 2 * c * d + (-4 * a * c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}((e * x + d)^{(1/2)} * 2^{(1/2)} / ((-b * e + 2 * c * d + (-4 * a * c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * c) * a^2 * b^2$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}} x^4}{cx^2 + bx + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(e\*x+d)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)\*x^4/(c\*x^2 + b\*x + a), x)

**mupad** [B] time = 7.97, size = 31485, normalized size = 48.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2),x)

[Out]  $(d + e*x)^{(1/2)} * ((2*d^4)/(c*e^3) - ((a*e^5 + c*d^2*e^3 - b*d*e^4) * ((12*d^2)/(c*e^3) - (2*(a*e^5 + c*d^2*e^3 - b*d*e^4))/(c^2*e^6) + (((8*d)/(c*e^3) + (2*(b*e^4 - 2*c*d*e^3))/(c^2*e^6)) * (b*e^4 - 2*c*d*e^3))/(c*e^3)))/(c*e^3) + ((b*e^4 - 2*c*d*e^3) * ((8*d^3)/(c*e^3) - (((8*d)/(c*e^3) + (2*(b*e^4 - 2*c*d*e^3))/(c^2*e^6)) * (a*e^5 + c*d^2*e^3 - b*d*e^4))/(c*e^3) + ((b*e^4 - 2*c*d*e^3) * ((12*d^2)/(c*e^3) - (2*(a*e^5 + c*d^2*e^3 - b*d*e^4))/(c^2*e^6) + (((8*d)/(c*e^3) + (2*(b*e^4 - 2*c*d*e^3))/(c^2*e^6)) * (b*e^4 - 2*c*d*e^3))/(c*e^3)))/(c*e^3)))/(c*e^3) - \operatorname{atan}((((8*(4*a^4*c^9*e^5 - a*b^6*c^6*e^5 + b^7*c^6*d*e^4 + 7*a^2*b^4*c^7*e^5 - 13*a^3*b^2*c^8*e^5 + 4*a^3*c^10*d^2*e^3 + b^5*c^8*d^3*e^2 - 2*b^6*c^7*d^2*e^3 - 21*a^2*b^2*c^9*d^2*e^3 - 6*a*b^5*c^7*d*e^4 + 4*a^3*b*c^9*d*e^4 - 6*a*b^3*c^9*d^3*e^2 + 13*a*b^4*c^8*d^2*e^3 + 8*a^2*b*c^10*d^3*e^2 + 7*a^2*b^3*c^8*d*e^4))/c^9 - (8*(d + e*x)^(1/2) * (-b^13*e^3 + 8*a^5*c^8*d^3 - b^10*c^3*d^3 - b^10*e^3 * (-4*a*c - b^2)^3)^(1/2) + 12*a*b^8*c^4*d^3 + 44*a^6*b*c^6*e^3 - 24*a^6*c^7*d*e^2 + 3*b^11*c^2*d^2*e - 5*2*a^2*b^6*c^5*d^3 + 96*a^3*b^4*c^6*d^3 - 66*a^4*b^2*c^7*d^3 + 88*a^2*b^9*c^2*e^3 - 253*a^3*b^7*c^3*e^3 + 363*a^4*b^5*c^4*e^3 - 231*a^5*b^3*c^5*e^3 + a^5*c^5*e^3 * (-4*a*c - b^2)^3)^(1/2) + b^7*c^3*d^3 * (-4*a*c - b^2)^3)^(1/2) - 15*a*b^11*c*e^3 - 3*b^12*c*d*e^2 + 10*a^2*b^3*c^5*d^3 * (-4*a*c - b^2)^3)^(1/2) - 28*a^2*b^6*c^2*e^3 * (-4*a*c - b^2)^3)^(1/2) + 35*a^3*b^4*c^3*e^3 * (-4*a*c - b^2)^3)^(1/2) - 15*a^4*b^2*c^4*e^3 * (-4*a*c - b^2)^3)^(1/2) + 9*a*b^8*c*e^3 * (-4*a*c - b^2)^3)^(1/2) - 39*a*b^9*c^3*d^2*e + 42*a*b^10*c^2*d*e^2 - 108*a^5*b*c^7*d^2*e + 3*b^9*c*d*e^2 * (-4*a*c - b^2)^3)^(1/2) - 6*a*b^5*c^4*d^3 * (-4*a*c - b^2)^3)^(1/2) - 4*a^3*b*c^6*d^3 * (-4*a*c - b^2)^3)^(1/2) + 189*a^2*b^7*c^4*d^2*e - 225*a^2*b^8*c^3*d*e^2 - 414*a^3*b^5*c^5*d^2*e +$

$$\begin{aligned}
& 570a^3b^6c^4d^2e^2 + 387a^4b^3c^6d^2e - 675a^4b^4c^5d^2e^2 + 306a^5b^2c^6d^2e^2 - 3a^4c^6d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^8c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 21ab^6c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} \\
& - 24ab^7c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 15a^4b^5c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} - 45a^2b^4c^4d^2e^2(-4ac - b^2)^3)^{(1/2)} + 63a^2b^5c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} \\
& + 30a^3b^2c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} - 60a^3b^3c^4d^2e^2(-4ac - b^2)^3)^{(1/2)} / (2(16a^2c^{13} + b^4c^{11} - 8ab^2c^{12}))^{(1/2)} * (b^3c^{11}e^3 - 2b^2c^{12}d^2e^2 - 4ab^2c^{12}e^3 + 8a^2c^{13}d^2e^2) / c^9 * (-b^{13}e^3 + 8a^5c^8d^3 - b^{10}c^3d^3 - b^{10}e^3(-4ac - b^2)^3)^{(1/2)} \\
& + 12ab^8c^4d^3 + 44a^6b^6c^6e^3 - 24a^6c^7d^2e^2 + 3b^{11}c^2d^2e - 52a^2b^6c^5d^3 + 96a^3b^4c^6d^3 - 66a^4b^2c^7d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3 - 231a^5b^3c^5e^3 + a^5c^5e^3(-4ac - b^2)^3)^{(1/2)} \\
& + b^7c^3d^3(-4ac - b^2)^3)^{(1/2)} - 15ab^{11}c^3e^3 - 3b^{12}c^2d^2e^2 + 10a^2b^3c^5d^3(-4ac - b^2)^3)^{(1/2)} - 28a^2b^6c^2e^3(-4ac - b^2)^3)^{(1/2)} + 35a^3b^4c^3e^3(-4ac - b^2)^3)^{(1/2)} - 15a^4b^2c^4e^3(-4ac - b^2)^3)^{(1/2)} \\
& + 9ab^8c^3e^3(-4ac - b^2)^3)^{(1/2)} - 39ab^9c^3d^2e + 42ab^{10}c^2d^2e^2 - 108a^5b^6c^7d^2e + 3b^9c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 6ab^5c^4d^3(-4ac - b^2)^3)^{(1/2)} - 4a^3b^6c^6d^3(-4ac - b^2)^3)^{(1/2)} \\
& + 189a^2b^7c^4d^2e - 225a^2b^8c^3d^2e^2 - 414a^3b^5c^5d^2e + 570a^3b^6c^4d^2e^2 + 387a^4b^3c^6d^2e - 675a^4b^4c^5d^2e^2 + 306a^5b^2c^6d^2e^2 - 3a^4c^6d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^8c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} \\
& + 21ab^6c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 24ab^7c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 15a^4b^5c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} - 45a^2b^4c^4d^2e^2(-4ac - b^2)^3)^{(1/2)} + 63a^2b^5c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} \\
& + 30a^3b^2c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} - 60a^3b^3c^4d^2e^2(-4ac - b^2)^3)^{(1/2)} / (2(16a^2c^{13} + b^4c^{11} - 8ab^2c^{12}))^{(1/2)} - (8(d + ex))^{(1/2)} * (b^{12}e^6 + 2a^6c^6e^6 + 54a^2b^8c^2e^6 - 112a^3b^6c^3e^6 + 105a^4b^4c^4e^6 - 36a^5b^2c^5e^6 + 2a^4c^8d^4e^2 - 12a^5c^7d^2e^4 + b^8c^4d^4e^2 - 4b^9c^3d^3e^3 + 6b^{10}c^2d^2e^4 - 12ab^{10}c^2e^6 - 4b^{11}c^2d^2e^5 + 20a^2b^4c^6d^4e^2 - 108a^2b^5c^5d^3e^3 + 210a^2b^6c^4d^2e^4 - 16a^3b^2c^7d^4e^2 + 120a^3b^3c^6d^3e^3 - 300a^3b^4c^5d^2e^4 + 150a^4b^2c^6d^2e^4 + 44ab^9c^2d^2e^5 + 44a^5b^6c^6d^2e^5 - 8ab^6c^5d^4e^2 + 36ab^7c^4d^3e^3 - 60ab^8c^3d^2e^4 - 176a^2b^7c^3d^2e^5 + 308a^3b^5c^4d^2e^5 - 36a^4b^6c^7d^3e^3 - 220a^4b^3c^5d^2e^5) / c^9 * (-b^{13}e^3 + 8a^5c^8d^3 - b^{10}c^3d^3 - b^{10}e^3(-4ac - b^2)^3)^{(1/2)} + 12ab^8c^4d^3 + 44a^6b^6c^6e^3 - 24a^6c^7d^2e^2 + 3b^{11}c^2d^2e - 52a^2b^6c^5d^3 + 96a^3b^4c^6d^3 - 66a^4b^2c^7d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3 - 231a^5b^3c^5e^3 + a^5c^5e^3(-4ac - b^2)^3)^{(1/2)} + b^7c^3d^3(-4ac - b^2)^3)^{(1/2)} - 15ab^{11}c^3e^3 - 3b^{12}c^2d^2e^2 + 10a^2b^3c^5d^3(-4ac - b^2)^3)^{(1/2)} - 28a^2b^6c^2e^3(-4ac - b^2)^3)^{(1/2)} + 35a^3b^4c^3e^3(-4ac - b^2)^3)^{(1/2)} - 15a^4b^2c^4e^3(-4ac - b^2)^3)^{(1/2)} + 9a
\end{aligned}$$

$$\begin{aligned}
& *b^8*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 39*a*b^9*c^3*d^2*e + 42*a*b^{10}*c^2*d* \\
& e^2 - 108*a^5*b*c^7*d^2*e + 3*b^9*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^ \\
& 5*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c^6*d^3*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} + 189*a^2*b^7*c^4*d^2*e - 225*a^2*b^8*c^3*d*e^2 - 414*a^3*b^5*c^5*d^2*e \\
& + 570*a^3*b^6*c^4*d*e^2 + 387*a^4*b^3*c^6*d^2*e - 675*a^4*b^4*c^5*d*e^2 + 3 \\
& 06*a^5*b^2*c^6*d*e^2 - 3*a^4*c^6*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^8*c^2 \\
& *d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a*b^6*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} - 24*a*b^7*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^4*b*c^5*d*e^2*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 45*a^2*b^4*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 63*a^ \\
& 2*b^5*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 30*a^3*b^2*c^5*d^2*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 60*a^3*b^3*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2))}/(2*(16*a^2*c \\
& ^{13} + b^4*c^{11} - 8*a*b^2*c^{12}))^{(1/2)}*i - (((8*(4*a^4*c^9*e^5 - a*b^6*c^6 \\
& *e^5 + b^7*c^6*d*e^4 + 7*a^2*b^4*c^7*e^5 - 13*a^3*b^2*c^8*e^5 + 4*a^3*c^{10} \\
& d^2*e^3 + b^5*c^8*d^3*e^2 - 2*b^6*c^7*d^2*e^3 - 21*a^2*b^2*c^9*d^2*e^3 - 6* \\
& a*b^5*c^7*d*e^4 + 4*a^3*b*c^9*d*e^4 - 6*a*b^3*c^9*d^3*e^2 + 13*a*b^4*c^8*d^ \\
& 2*e^3 + 8*a^2*b*c^{10}*d^3*e^2 + 7*a^2*b^3*c^8*d*e^4))/c^9 + (8*(d + e*x)^{(1/ \\
& 2)}*(-(b^{13}*e^3 + 8*a^5*c^8*d^3 - b^{10}*c^3*d^3 - b^{10}*e^3*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} + 12*a*b^8*c^4*d^3 + 44*a^6*b*c^6*e^3 - 24*a^6*c^7*d*e^2 + 3*b^{11}*c^ \\
& 2*d^2*e - 52*a^2*b^6*c^5*d^3 + 96*a^3*b^4*c^6*d^3 - 66*a^4*b^2*c^7*d^3 + 88 \\
& *a^2*b^9*c^2*e^3 - 253*a^3*b^7*c^3*e^3 + 363*a^4*b^5*c^4*e^3 - 231*a^5*b^3* \\
& c^5*e^3 + a^5*c^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^7*c^3*d^3*(-(4*a*c - b^2 \\
& )^3)^{(1/2)} - 15*a*b^{11}*c*e^3 - 3*b^{12}*c*d*e^2 + 10*a^2*b^3*c^5*d^3*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 28*a^2*b^6*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 35*a^3*b^4 \\
& *c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a^4*b^2*c^4*e^3*(-(4*a*c - b^2)^3)^{( \\
& 1/2)} + 9*a*b^8*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 39*a*b^9*c^3*d^2*e + 42*a*b \\
& ^{10}*c^2*d*e^2 - 108*a^5*b*c^7*d^2*e + 3*b^9*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2) \\
& ) - 6*a*b^5*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c^6*d^3*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + 189*a^2*b^7*c^4*d^2*e - 225*a^2*b^8*c^3*d*e^2 - 414*a^3*b^5* \\
& c^5*d^2*e + 570*a^3*b^6*c^4*d*e^2 + 387*a^4*b^3*c^6*d^2*e - 675*a^4*b^4*c^5 \\
& *d*e^2 + 306*a^5*b^2*c^6*d*e^2 - 3*a^4*c^6*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 3*b^8*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a*b^6*c^3*d^2*e*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 24*a*b^7*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^4*b*c^5*d \\
& *e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 45*a^2*b^4*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} + 63*a^2*b^5*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 30*a^3*b^2*c^5*d^2*e*(- \\
& -(4*a*c - b^2)^3)^{(1/2)} - 60*a^3*b^3*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2))}/(2 \\
& *(16*a^2*c^{13} + b^4*c^{11} - 8*a*b^2*c^{12}))^{(1/2)}*(b^3*c^{11}*e^3 - 2*b^2*c^{12} \\
& *d*e^2 - 4*a*b*c^{12}*e^3 + 8*a*c^{13}*d*e^2))/c^9*(-(b^{13}*e^3 + 8*a^5*c^8*d^3 \\
& - b^{10}*c^3*d^3 - b^{10}*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a*b^8*c^4*d^3 + 44 \\
& *a^6*b*c^6*e^3 - 24*a^6*c^7*d*e^2 + 3*b^{11}*c^2*d^2*e - 52*a^2*b^6*c^5*d^3 + \\
& 96*a^3*b^4*c^6*d^3 - 66*a^4*b^2*c^7*d^3 + 88*a^2*b^9*c^2*e^3 - 253*a^3*b^7 \\
& *c^3*e^3 + 363*a^4*b^5*c^4*e^3 - 231*a^5*b^3*c^5*e^3 + a^5*c^5*e^3*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + b^7*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^{11}*c*e^3 - \\
& 3*b^{12}*c*d*e^2 + 10*a^2*b^3*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^2*b^6* \\
& c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 35*a^3*b^4*c^3*e^3*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 15*a^4*b^2*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^8*c*e^3*(-(4*a*c
\end{aligned}$$

$$\begin{aligned}
& - b^2)^3)^{(1/2)} - 39*a*b^9*c^3*d^2*e + 42*a*b^10*c^2*d*e^2 - 108*a^5*b*c^7* \\
& d^2*e + 3*b^9*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^5*c^4*d^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 4*a^3*b*c^6*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 189*a^2*b^7*c^4 \\
& *d^2*e - 225*a^2*b^8*c^3*d*e^2 - 414*a^3*b^5*c^5*d^2*e + 570*a^3*b^6*c^4*d* \\
& e^2 + 387*a^4*b^3*c^6*d^2*e - 675*a^4*b^4*c^5*d*e^2 + 306*a^5*b^2*c^6*d*e^2 \\
& - 3*a^4*c^6*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^8*c^2*d^2*e*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} + 21*a*b^6*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^7*c^2*d* \\
& e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^4*b*c^5*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 45*a^2*b^4*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 63*a^2*b^5*c^3*d*e^2*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} + 30*a^3*b^2*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 60*a \\
& ^3*b^3*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)))/(2*(16*a^2*c^13 + b^4*c^11 - 8*a \\
& *b^2*c^12)))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(b^12*e^6 + 2*a^6*c^6*e^6 + 54*a^2* \\
& b^8*c^2*e^6 - 112*a^3*b^6*c^3*e^6 + 105*a^4*b^4*c^4*e^6 - 36*a^5*b^2*c^5*e^ \\
& 6 + 2*a^4*c^8*d^4*e^2 - 12*a^5*c^7*d^2*e^4 + b^8*c^4*d^4*e^2 - 4*b^9*c^3*d^ \\
& 3*e^3 + 6*b^10*c^2*d^2*e^4 - 12*a*b^10*c*e^6 - 4*b^11*c*d*e^5 + 20*a^2*b^4* \\
& c^6*d^4*e^2 - 108*a^2*b^5*c^5*d^3*e^3 + 210*a^2*b^6*c^4*d^2*e^4 - 16*a^3*b^ \\
& 2*c^7*d^4*e^2 + 120*a^3*b^3*c^6*d^3*e^3 - 300*a^3*b^4*c^5*d^2*e^4 + 150*a^4 \\
& *b^2*c^6*d^2*e^4 + 44*a*b^9*c^2*d*e^5 + 44*a^5*b*c^6*d*e^5 - 8*a*b^6*c^5*d^ \\
& 4*e^2 + 36*a*b^7*c^4*d^3*e^3 - 60*a*b^8*c^3*d^2*e^4 - 176*a^2*b^7*c^3*d*e^5 \\
& + 308*a^3*b^5*c^4*d*e^5 - 36*a^4*b*c^7*d^3*e^3 - 220*a^4*b^3*c^5*d*e^5))/c \\
& ^9)*(-(b^13*e^3 + 8*a^5*c^8*d^3 - b^10*c^3*d^3 - b^10*e^3*(-(4*a*c - b^2)^3 \\
& )^{(1/2)} + 12*a*b^8*c^4*d^3 + 44*a^6*b*c^6*e^3 - 24*a^6*c^7*d*e^2 + 3*b^11*c \\
& ^2*d^2*e - 52*a^2*b^6*c^5*d^3 + 96*a^3*b^4*c^6*d^3 - 66*a^4*b^2*c^7*d^3 + 8 \\
& 8*a^2*b^9*c^2*e^3 - 253*a^3*b^7*c^3*e^3 + 363*a^4*b^5*c^4*e^3 - 231*a^5*b^3 \\
& *c^5*e^3 + a^5*c^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^7*c^3*d^3*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} - 15*a*b^11*c*e^3 - 3*b^12*c*d*e^2 + 10*a^2*b^3*c^5*d^3*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 28*a^2*b^6*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 35*a^3*b^ \\
& 4*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a^4*b^2*c^4*e^3*(-(4*a*c - b^2)^3)^ \\
& (1/2) + 9*a*b^8*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 39*a*b^9*c^3*d^2*e + 42*a* \\
& b^10*c^2*d*e^2 - 108*a^5*b*c^7*d^2*e + 3*b^9*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} - 6*a*b^5*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c^6*d^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 189*a^2*b^7*c^4*d^2*e - 225*a^2*b^8*c^3*d*e^2 - 414*a^3*b^5 \\
& *c^5*d^2*e + 570*a^3*b^6*c^4*d*e^2 + 387*a^4*b^3*c^6*d^2*e - 675*a^4*b^4*c^ \\
& 5*d*e^2 + 306*a^5*b^2*c^6*d*e^2 - 3*a^4*c^6*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 3*b^8*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a*b^6*c^3*d^2*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 24*a*b^7*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^4*b*c^5* \\
& d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 45*a^2*b^4*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} + 63*a^2*b^5*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 30*a^3*b^2*c^5*d^2*e* \\
& (- (4*a*c - b^2)^3)^{(1/2)} - 60*a^3*b^3*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)))/( \\
& 2*(16*a^2*c^13 + b^4*c^11 - 8*a*b^2*c^12)))^{(1/2)}*1i)/((16*(a^6*b^5*e^8 - 4 \\
& *a^7*b^3*c*e^8 + 3*a^8*b*c^2*e^8 - 2*a^5*b^6*d*e^7 - 2*a^8*c^3*d*e^7 + a^4* \\
& b^7*d^2*e^6 - 2*a^6*c^5*d^5*e^3 - 4*a^7*c^4*d^3*e^5 + a^4*b^3*c^4*d^6*e^2 - \\
& 4*a^4*b^4*c^3*d^5*e^3 + 6*a^4*b^5*c^2*d^4*e^4 + 10*a^5*b^2*c^4*d^5*e^3 - 1 \\
& 6*a^5*b^3*c^3*d^4*e^4 + 8*a^5*b^4*c^2*d^3*e^5 + 8*a^6*b^2*c^3*d^3*e^5 - 16* \\
& a^6*b^3*c^2*d^2*e^6 + 6*a^6*b^4*c*d*e^7 - 4*a^4*b^6*c*d^3*e^5 - 2*a^5*b*c^5
\end{aligned}$$

$$\begin{aligned}
& *d^6e^2 + 2a^5b^5c*d^2e^6 + 3a^6b^4c^4*d^4e^4 + 8a^7b^3c^3*d^2e^6) \\
& )/c^9 + (((8*(4a^4c^9e^5 - ab^6c^6e^5 + b^7c^6d^4e^4 + 7a^2b^4c^7 \\
& *e^5 - 13a^3b^2c^8e^5 + 4a^3c^10*d^2e^3 + b^5c^8*d^3e^2 - 2b^6c^ \\
& 7*d^2e^3 - 21a^2b^2c^9*d^2e^3 - 6a*b^5c^7*d^4e^4 + 4a^3b^3c^9*d^4e^4 \\
& - 6a*b^3c^9*d^3e^2 + 13a*b^4c^8*d^2e^3 + 8a^2b^3c^10*d^3e^2 + 7a^2 \\
& *b^3c^8*d^4e^4))/c^9 - (8*(d + ex)^(1/2)*(-(b^13e^3 + 8a^5c^8*d^3 - b^1 \\
& 0*c^3*d^3 - b^10e^3*(-(4a*c - b^2)^3)^(1/2) + 12a*b^8c^4*d^3 + 44a^6b \\
& *c^6e^3 - 24a^6c^7*d^4e^2 + 3b^11c^2*d^2e - 52a^2b^6c^5*d^3 + 96a^ \\
& 3b^4c^6*d^3 - 66a^4b^2c^7*d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e \\
& ^3 + 363a^4b^5c^4e^3 - 231a^5b^3c^5e^3 + a^5c^5e^3*(-(4a*c - b^2 \\
& )^3)^(1/2) + b^7c^3*d^3*(-(4a*c - b^2)^3)^(1/2) - 15a*b^11c^3e^3 - 3b^1 \\
& 2*c*d^2e^2 + 10a^2b^3c^5*d^3*(-(4a*c - b^2)^3)^(1/2) - 28a^2b^6c^2e^ \\
& 3*(-(4a*c - b^2)^3)^(1/2) + 35a^3b^4c^3e^3*(-(4a*c - b^2)^3)^(1/2) - \\
& 15a^4b^2c^4e^3*(-(4a*c - b^2)^3)^(1/2) + 9a*b^8c^3e^3*(-(4a*c - b^2 \\
& ^3)^(1/2) - 39a*b^9c^3*d^2e + 42a*b^10c^2*d^2e^2 - 108a^5b^3c^7*d^2e \\
& + 3b^9c*d^2e^2*(-(4a*c - b^2)^3)^(1/2) - 6a*b^5c^4*d^3*(-(4a*c - b^2)^ \\
& 3)^(1/2) - 4a^3b^3c^6*d^3*(-(4a*c - b^2)^3)^(1/2) + 189a^2b^7c^4*d^2e \\
& - 225a^2b^8c^3*d^4e^2 - 414a^3b^5c^5*d^2e + 570a^3b^6c^4*d^4e^2 + \\
& 387a^4b^3c^6*d^2e - 675a^4b^4c^5*d^4e^2 + 306a^5b^2c^6*d^4e^2 - 3a \\
& ^4c^6*d^2e*(-(4a*c - b^2)^3)^(1/2) - 3b^8c^2*d^2e*(-(4a*c - b^2)^3)^( \\
& 1/2) + 21a*b^6c^3*d^2e*(-(4a*c - b^2)^3)^(1/2) - 24a*b^7c^2*d^4e^2*(- \\
& (4a*c - b^2)^3)^(1/2) + 15a^4b^3c^5*d^4e^2*(-(4a*c - b^2)^3)^(1/2) - 45a \\
& ^2b^4c^4*d^2e*(-(4a*c - b^2)^3)^(1/2) + 63a^2b^5c^3*d^4e^2*(-(4a*c - \\
& b^2)^3)^(1/2) + 30a^3b^2c^5*d^2e*(-(4a*c - b^2)^3)^(1/2) - 60a^3b^3 \\
& *c^4*d^4e^2*(-(4a*c - b^2)^3)^(1/2))/(2*(16a^2c^13 + b^4c^11 - 8a*b^2c \\
& ^12)))^(1/2)*(b^3c^11e^3 - 2b^2c^12*d^4e^2 - 4a*b^3c^12e^3 + 8a*c^13*d \\
& *e^2))/c^9)*(-(b^13e^3 + 8a^5c^8*d^3 - b^10c^3*d^3 - b^10e^3*(-(4a*c \\
& - b^2)^3)^(1/2) + 12a*b^8c^4*d^3 + 44a^6b^3c^6e^3 - 24a^6c^7*d^4e^2 + \\
& 3b^11c^2*d^2e - 52a^2b^6c^5*d^3 + 96a^3b^4c^6*d^3 - 66a^4b^2c^7 \\
& *d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3 - 231 \\
& *a^5b^3c^5e^3 + a^5c^5e^3*(-(4a*c - b^2)^3)^(1/2) + b^7c^3*d^3*(-(4* \\
& a*c - b^2)^3)^(1/2) - 15a*b^11c^3e^3 - 3b^12*c*d^2e^2 + 10a^2b^3c^5*d^3 \\
& *(-(4a*c - b^2)^3)^(1/2) - 28a^2b^6c^2e^3*(-(4a*c - b^2)^3)^(1/2) + 3 \\
& 5a^3b^4c^3e^3*(-(4a*c - b^2)^3)^(1/2) - 15a^4b^2c^4e^3*(-(4a*c - \\
& b^2)^3)^(1/2) + 9a*b^8c^3e^3*(-(4a*c - b^2)^3)^(1/2) - 39a*b^9c^3*d^2e \\
& + 42a*b^10c^2*d^2e^2 - 108a^5b^3c^7*d^2e + 3b^9c*d^2e^2*(-(4a*c - b^2 \\
& )^3)^(1/2) - 6a*b^5c^4*d^3*(-(4a*c - b^2)^3)^(1/2) - 4a^3b^3c^6*d^3*(-( \\
& 4a*c - b^2)^3)^(1/2) + 189a^2b^7c^4*d^2e - 225a^2b^8c^3*d^4e^2 - 414 \\
& *a^3b^5c^5*d^2e + 570a^3b^6c^4*d^4e^2 + 387a^4b^3c^6*d^2e - 675a^ \\
& 4b^4c^5*d^4e^2 + 306a^5b^2c^6*d^4e^2 - 3a^4c^6*d^2e*(-(4a*c - b^2)^3 \\
& )^(1/2) - 3b^8c^2*d^2e*(-(4a*c - b^2)^3)^(1/2) + 21a*b^6c^3*d^2e*(-( \\
& 4a*c - b^2)^3)^(1/2) - 24a*b^7c^2*d^4e^2*(-(4a*c - b^2)^3)^(1/2) + 15a^ \\
& 4b^3c^5*d^4e^2*(-(4a*c - b^2)^3)^(1/2) - 45a^2b^4c^4*d^2e*(-(4a*c - b^ \\
& 2)^3)^(1/2) + 63a^2b^5c^3*d^4e^2*(-(4a*c - b^2)^3)^(1/2) + 30a^3b^2c^ \\
& 5*d^2e*(-(4a*c - b^2)^3)^(1/2) - 60a^3b^3c^4*d^4e^2*(-(4a*c - b^2)^3)^(
\end{aligned}$$

$$\begin{aligned}
& (1/2))/((2*(16*a^2*c^13 + b^4*c^11 - 8*a*b^2*c^12)))^{(1/2)} - (8*(d + e*x)^{(1/2)} * (b^12*e^6 + 2*a^6*c^6*e^6 + 54*a^2*b^8*c^2*e^6 - 112*a^3*b^6*c^3*e^6 + 105*a^4*b^4*c^4*e^6 - 36*a^5*b^2*c^5*e^6 + 2*a^4*c^8*d^4*e^2 - 12*a^5*c^7*d^2*e^4 + b^8*c^4*d^4*e^2 - 4*b^9*c^3*d^3*e^3 + 6*b^10*c^2*d^2*e^4 - 12*a*b^10*c*e^6 - 4*b^11*c*d*e^5 + 20*a^2*b^4*c^6*d^4*e^2 - 108*a^2*b^5*c^5*d^3*e^3 + 210*a^2*b^6*c^4*d^2*e^4 - 16*a^3*b^2*c^7*d^4*e^2 + 120*a^3*b^3*c^6*d^3*e^3 - 300*a^3*b^4*c^5*d^2*e^4 + 150*a^4*b^2*c^6*d^2*e^4 + 44*a*b^9*c^2*d*e^5 + 44*a^5*b*c^6*d*e^5 - 8*a*b^6*c^5*d^4*e^2 + 36*a*b^7*c^4*d^3*e^3 - 60*a*b^8*c^3*d^2*e^4 - 176*a^2*b^7*c^3*d*e^5 + 308*a^3*b^5*c^4*d*e^5 - 36*a^4*b*c^7*d^3*e^3 - 220*a^4*b^3*c^5*d*e^5))/c^9 * (- (b^13*e^3 + 8*a^5*c^8*d^3 - b^10*c^3*d^3 - b^10*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a*b^8*c^4*d^3 + 44*a^6*b*c^6*e^3 - 24*a^6*c^7*d*e^2 + 3*b^11*c^2*d^2*e - 52*a^2*b^6*c^5*d^3 + 96*a^3*b^4*c^6*d^3 - 66*a^4*b^2*c^7*d^3 + 88*a^2*b^9*c^2*e^3 - 253*a^3*b^7*c^3*e^3 + 363*a^4*b^5*c^4*e^3 - 231*a^5*b^3*c^5*e^3 + a^5*c^5*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} + b^7*c^3*d^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 15*a*b^11*c*e^3 - 3*b^12*c*d*e^2 + 10*a^2*b^3*c^5*d^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 28*a^2*b^6*c^2*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} + 35*a^3*b^4*c^3*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 15*a^4*b^2*c^4*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} + 9*a*b^8*c*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 39*a*b^9*c^3*d^2*e + 42*a*b^10*c^2*d*e^2 - 108*a^5*b*c^7*d^2*e + 3*b^9*c*d*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 6*a*b^5*c^4*d^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c^6*d^3 * (- (4*a*c - b^2)^3)^{(1/2)} + 189*a^2*b^7*c^4*d^2*e - 225*a^2*b^8*c^3*d*e^2 - 414*a^3*b^5*c^5*d^2*e + 570*a^3*b^6*c^4*d*e^2 + 387*a^4*b^3*c^6*d^2*e - 675*a^4*b^4*c^5*d*e^2 + 306*a^5*b^2*c^6*d*e^2 - 3*a^4*c^6*d^2*e * (- (4*a*c - b^2)^3)^{(1/2)} - 3*b^8*c^2*d^2*e * (- (4*a*c - b^2)^3)^{(1/2)} + 21*a*b^6*c^3*d^2*e * (- (4*a*c - b^2)^3)^{(1/2)} - 24*a*b^7*c^2*d*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 15*a^4*b*c^5*d*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 45*a^2*b^4*c^4*d^2*e * (- (4*a*c - b^2)^3)^{(1/2)} + 63*a^2*b^5*c^3*d*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 30*a^3*b^2*c^5*d^2*e * (- (4*a*c - b^2)^3)^{(1/2)} - 60*a^3*b^3*c^4*d*e^2 * (- (4*a*c - b^2)^3)^{(1/2)))/(2*(16*a^2*c^13 + b^4*c^11 - 8*a*b^2*c^12)))^{(1/2)} + (((8*(4*a^4*c^9*e^5 - a*b^6*c^6*e^5 + b^7*c^6*d*e^4 + 7*a^2*b^4*c^7*e^5 - 13*a^3*b^2*c^8*e^5 + 4*a^3*c^10*d^2*e^3 + b^5*c^8*d^3*e^2 - 2*b^6*c^7*d^2*e^3 - 21*a^2*b^2*c^9*d^2*e^3 - 6*a*b^5*c^7*d*e^4 + 4*a^3*b*c^9*d*e^4 - 6*a*b^3*c^9*d^3*e^2 + 13*a*b^4*c^8*d^2*e^3 + 8*a^2*b*c^10*d^3*e^2 + 7*a^2*b^3*c^8*d*e^4))/c^9 + (8*(d + e*x)^{(1/2)} * (- (b^13*e^3 + 8*a^5*c^8*d^3 - b^10*c^3*d^3 - b^10*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a*b^8*c^4*d^3 + 44*a^6*b*c^6*e^3 - 24*a^6*c^7*d*e^2 + 3*b^11*c^2*d^2*e - 52*a^2*b^6*c^5*d^3 + 96*a^3*b^4*c^6*d^3 - 66*a^4*b^2*c^7*d^3 + 88*a^2*b^9*c^2*e^3 - 253*a^3*b^7*c^3*e^3 + 363*a^4*b^5*c^4*e^3 - 231*a^5*b^3*c^5*e^3 + a^5*c^5*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} + b^7*c^3*d^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 15*a*b^11*c*e^3 - 3*b^12*c*d*e^2 + 10*a^2*b^3*c^5*d^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 28*a^2*b^6*c^2*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} + 35*a^3*b^4*c^3*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 15*a^4*b^2*c^4*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} + 9*a*b^8*c*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 39*a*b^9*c^3*d^2*e + 42*a*b^10*c^2*d*e^2 - 108*a^5*b*c^7*d^2*e + 3*b^9*c*d*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 6*a*b^5*c^4*d^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c^6*d^3 * (- (4*a*c - b^2)^3)^{(1/2)} + 189*a^2*b^7*c
\end{aligned}$$

$$\begin{aligned}
&^4d^2e - 225a^2b^8c^3d^2e^2 - 414a^3b^5c^5d^2e + 570a^3b^6c^4d^2e^2 + 387a^4b^3c^6d^2e - 675a^4b^4c^5d^2e^2 + 306a^5b^2c^6d^2e^2 - 3a^4c^6d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^8c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 21ab^6c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 24ab^7c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 15a^4b^5c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} - 45a^2b^4c^4d^2e^2(-4ac - b^2)^3)^{(1/2)} + 63a^2b^5c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 30a^3b^2c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} - 60a^3b^3c^4d^2e^2(-4ac - b^2)^3)^{(1/2)}/(2(16a^2c^{13} + b^4c^{11} - 8ab^2c^{12}))^{(1/2)}(b^3c^{11}e^3 - 2b^2c^{12}d^2e^2 - 4ab^2c^{12}e^3 + 8a^2c^{13}d^2e^2)/c^9)(-b^{13}e^3 + 8a^5c^8d^3 - b^{10}c^3d^3 - b^{10}e^3(-4ac - b^2)^3)^{(1/2)} + 12ab^8c^4d^3 + 44a^6b^2c^6e^3 - 24a^6c^7d^2e^2 + 3b^{11}c^2d^2e - 52a^2b^6c^5d^3 + 96a^3b^4c^6d^3 - 66a^4b^2c^7d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3 - 231a^5b^3c^5e^3 + a^5c^5e^3(-4ac - b^2)^3)^{(1/2)} + b^7c^3d^3(-4ac - b^2)^3)^{(1/2)} - 15ab^{11}c^2e^3 - 3b^{12}c^2d^2e^2 + 10a^2b^3c^5d^3(-4ac - b^2)^3)^{(1/2)} - 28a^2b^6c^2e^3(-4ac - b^2)^3)^{(1/2)} + 35a^3b^4c^3e^3(-4ac - b^2)^3)^{(1/2)} - 15a^4b^2c^4e^3(-4ac - b^2)^3)^{(1/2)} + 9ab^8c^2e^3(-4ac - b^2)^3)^{(1/2)} - 39ab^9c^3d^2e + 42ab^{10}c^2d^2e^2 - 108a^5b^2c^7d^2e + 3b^9c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 6ab^5c^4d^3(-4ac - b^2)^3)^{(1/2)} - 4a^3b^2c^6d^3(-4ac - b^2)^3)^{(1/2)} + 189a^2b^7c^4d^2e - 225a^2b^8c^3d^2e^2 - 414a^3b^5c^5d^2e + 570a^3b^6c^4d^2e^2 + 387a^4b^3c^6d^2e - 675a^4b^4c^5d^2e^2 + 306a^5b^2c^6d^2e^2 - 3a^4c^6d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^8c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 21ab^6c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 24ab^7c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 15a^4b^5c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} - 45a^2b^4c^4d^2e^2(-4ac - b^2)^3)^{(1/2)} + 63a^2b^5c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 30a^3b^2c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} - 60a^3b^3c^4d^2e^2(-4ac - b^2)^3)^{(1/2)}/(2(16a^2c^{13} + b^4c^{11} - 8ab^2c^{12}))^{(1/2)} + (8(d + ex))^{(1/2)}(b^{12}e^6 + 2a^6c^6e^6 + 54a^2b^8c^2e^6 - 112a^3b^6c^3e^6 + 105a^4b^4c^4e^6 - 36a^5b^2c^5e^6 + 2a^4c^8d^4e^2 - 12a^5c^7d^2e^4 + b^8c^4d^4e^2 - 4b^9c^3d^3e^3 + 6b^{10}c^2d^2e^4 - 12ab^{10}c^2e^6 - 4b^{11}c^2d^2e^5 + 20a^2b^4c^6d^4e^2 - 108a^2b^5c^5d^3e^3 + 210a^2b^6c^4d^2e^4 - 16a^3b^2c^7d^4e^2 + 120a^3b^3c^6d^3e^3 - 300a^3b^4c^5d^2e^4 + 150a^4b^2c^6d^2e^4 + 44ab^9c^2d^2e^5 + 44a^5b^2c^6d^2e^5 - 8ab^6c^5d^4e^2 + 36ab^7c^4d^3e^3 - 60ab^8c^3d^2e^4 - 176a^2b^7c^3d^2e^5 + 308a^3b^5c^4d^2e^5 - 36a^4b^2c^7d^3e^3 - 220a^4b^3c^5d^2e^5)/c^9)(-b^{13}e^3 + 8a^5c^8d^3 - b^{10}c^3d^3 - b^{10}e^3(-4ac - b^2)^3)^{(1/2)} + 12ab^8c^4d^3 + 44a^6b^2c^6e^3 - 24a^6c^7d^2e^2 + 3b^{11}c^2d^2e - 52a^2b^6c^5d^3 + 96a^3b^4c^6d^3 - 66a^4b^2c^7d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3 - 231a^5b^3c^5e^3 + a^5c^5e^3(-4ac - b^2)^3)^{(1/2)} + b^7c^3d^3(-4ac - b^2)^3)^{(1/2)} - 15ab^{11}c^2e^3 - 3b^{12}c^2d^2e^2 + 10a^2b^3c^5d^3(-4ac - b^2)^3)^{(1/2)} - 28a^2b^6c^2e^3(-4ac - b^2)^3)^{(1/2)} + 35a^3b^4c^3e^3(-4ac - b^2)^3)^{(1/2)}
\end{aligned}$$



$$\begin{aligned}
&^{(1/2)} - 15a^4b^2c^4e^3(-4ac - b^2)^3)^{(1/2)} + 9a^8b^8c^8e^3(-4ac - b^2)^3)^{(1/2)} - 39a^9b^9c^9d^2e + 42a^{10}b^{10}c^{10}d^2e^2 - 108a^5b^7c^7d^2e + 3b^9c^9d^2e^2(-4ac - b^2)^3)^{(1/2)} - 6a^5b^5c^4d^3(-4ac - b^2)^3)^{(1/2)} - 4a^3b^6c^6d^3(-4ac - b^2)^3)^{(1/2)} + 189a^2b^7c^4d^2e - 225a^2b^8c^3d^2e^2 - 414a^3b^5c^5d^2e + 570a^3b^6c^4d^2e^2 + 387a^4b^3c^6d^2e - 675a^4b^4c^5d^2e^2 + 306a^5b^2c^6d^2e^2 - 3a^4c^6d^2e(-4ac - b^2)^3)^{(1/2)} - 3b^8c^2d^2e(-4ac - b^2)^3)^{(1/2)} + 21a^6b^6c^3d^2e(-4ac - b^2)^3)^{(1/2)} - 24a^7b^7c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 15a^4b^5c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} - 45a^2b^4c^4d^2e(-4ac - b^2)^3)^{(1/2)} + 63a^2b^5c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 30a^3b^2c^5d^2e(-4ac - b^2)^3)^{(1/2)} - 60a^3b^3c^4d^2e(-4ac - b^2)^3)^{(1/2)}/(2(16a^2c^{13} + b^4c^{11} - 8a^2b^2c^{12}))^{(1/2)})*(-(b^{13}e^3 + 8a^5c^8d^3 - b^{10}c^3d^3 - b^{10}e^3(-4ac - b^2)^3)^{(1/2)} + 12a^8b^8c^4d^3 + 44a^6b^6c^6e^3 - 24a^6c^7d^2e^2 + 3b^{11}c^2d^2e - 52a^2b^6c^5d^3 + 96a^3b^4c^6d^3 - 66a^4b^2c^7d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3 - 231a^5b^3c^5e^3 + a^5c^5e^3(-4ac - b^2)^3)^{(1/2)} + b^7c^3d^3(-4ac - b^2)^3)^{(1/2)} - 15a^8b^{11}c^8e^3 - 3b^{12}c^8d^2e^2 + 10a^2b^3c^5d^3(-4ac - b^2)^3)^{(1/2)} - 28a^2b^6c^2e^3(-4ac - b^2)^3)^{(1/2)} + 35a^3b^4c^3e^3(-4ac - b^2)^3)^{(1/2)} - 15a^4b^2c^4e^3(-4ac - b^2)^3)^{(1/2)} + 9a^8b^8c^8e^3(-4ac - b^2)^3)^{(1/2)} - 39a^9b^9c^9d^2e + 42a^{10}b^{10}c^{10}d^2e^2 - 108a^5b^7c^7d^2e + 3b^9c^9d^2e^2(-4ac - b^2)^3)^{(1/2)} - 6a^5b^5c^4d^3(-4ac - b^2)^3)^{(1/2)} - 4a^3b^6c^6d^3(-4ac - b^2)^3)^{(1/2)} + 189a^2b^7c^4d^2e - 225a^2b^8c^3d^2e^2 - 414a^3b^5c^5d^2e + 570a^3b^6c^4d^2e^2 + 387a^4b^3c^6d^2e - 675a^4b^4c^5d^2e^2 + 306a^5b^2c^6d^2e^2 - 3a^4c^6d^2e(-4ac - b^2)^3)^{(1/2)} - 3b^8c^2d^2e(-4ac - b^2)^3)^{(1/2)} + 21a^6b^6c^3d^2e(-4ac - b^2)^3)^{(1/2)} - 24a^7b^7c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 15a^4b^5c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} - 45a^2b^4c^4d^2e(-4ac - b^2)^3)^{(1/2)} + 63a^2b^5c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 30a^3b^2c^5d^2e(-4ac - b^2)^3)^{(1/2)} - 60a^3b^3c^4d^2e(-4ac - b^2)^3)^{(1/2)}/(2(16a^2c^{13} + b^4c^{11} - 8a^2b^2c^{12}))^{(1/2)}*i - \operatorname{atan}((((8(4a^4c^9e^5 - ab^6c^6e^5 + b^7c^6d^4e^4 + 7a^2b^4c^7e^5 - 13a^3b^2c^8e^5 + 4a^3c^{10}d^2e^3 + b^5c^8d^3e^2 - 2b^6c^7d^2e^3 - 21a^2b^2c^9d^2e^3 - 6a^2b^5c^7d^4e^4 + 4a^3b^3c^9d^4e^4 - 6a^2b^3c^9d^3e^2 + 13a^2b^4c^8d^2e^3 + 8a^2b^3c^{10}d^3e^2 + 7a^2b^3c^8d^4e^4)/c^9 - (8(d + ex)^{(1/2)}*(-(b^{13}e^3 + 8a^5c^8d^3 - b^{10}c^3d^3 + b^{10}e^3(-4ac - b^2)^3)^{(1/2)} + 12a^8b^8c^4d^3 + 44a^6b^6c^6e^3 - 24a^6c^7d^2e^2 + 3b^{11}c^2d^2e - 52a^2b^6c^5d^3 + 96a^3b^4c^6d^3 - 66a^4b^2c^7d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3 - 231a^5b^3c^5e^3 - a^5c^5e^3(-4ac - b^2)^3)^{(1/2)} - b^7c^3d^3(-4ac - b^2)^3)^{(1/2)} - 15a^8b^{11}c^8e^3 - 3b^{12}c^8d^2e^2 - 10a^2b^3c^5d^3(-4ac - b^2)^3)^{(1/2)} + 28a^2b^6c^2e^3(-4ac - b^2)^3)^{(1/2)} - 35a^3b^4c^3e^3(-4ac - b^2)^3)^{(1/2)} + 15a^4b^2c^4e^3(-4ac - b^2)^3)^{(1/2)} - 9a^8b^8c^8e^3(-4ac - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& )^{(1/2)} - 39*a*b^9*c^3*d^2*e + 42*a*b^{10}*c^2*d*e^2 - 108*a^5*b*c^7*d^2*e - \\
& 3*b^9*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} \\
& ^{(1/2)} + 4*a^3*b*c^6*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 189*a^2*b^7*c^4*d^2*e - \\
& 225*a^2*b^8*c^3*d*e^2 - 414*a^3*b^5*c^5*d^2*e + 570*a^3*b^6*c^4*d*e^2 + 38 \\
& 7*a^4*b^3*c^6*d^2*e - 675*a^4*b^4*c^5*d*e^2 + 306*a^5*b^2*c^6*d*e^2 + 3*a^4 \\
& *c^6*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^8*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 21*a*b^6*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a*b^7*c^2*d*e^2*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - 15*a^4*b*c^5*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 45*a^2 \\
& *b^4*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 63*a^2*b^5*c^3*d*e^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 30*a^3*b^2*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 60*a^3*b^3*c \\
& ^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(16*a^2*c^13 + b^4*c^11 - 8*a*b^2*c^1 \\
& 2)))^{(1/2)}*(b^3*c^11*e^3 - 2*b^2*c^12*d*e^2 - 4*a*b*c^12*e^3 + 8*a*c^13*d*e \\
& ^2))/c^9)*(-(b^13*e^3 + 8*a^5*c^8*d^3 - b^10*c^3*d^3 + b^10*e^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 12*a*b^8*c^4*d^3 + 44*a^6*b*c^6*e^3 - 24*a^6*c^7*d*e^2 + 3* \\
& b^11*c^2*d^2*e - 52*a^2*b^6*c^5*d^3 + 96*a^3*b^4*c^6*d^3 - 66*a^4*b^2*c^7*d \\
& ^3 + 88*a^2*b^9*c^2*e^3 - 253*a^3*b^7*c^3*e^3 + 363*a^4*b^5*c^4*e^3 - 231*a \\
& ^5*b^3*c^5*e^3 - a^5*c^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^7*c^3*d^3*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 15*a*b^11*c*e^3 - 3*b^12*c*d*e^2 - 10*a^2*b^3*c^5*d^3*( \\
& -(4*a*c - b^2)^3)^{(1/2)} + 28*a^2*b^6*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 35* \\
& a^3*b^4*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a^4*b^2*c^4*e^3*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} - 9*a*b^8*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 39*a*b^9*c^3*d^2*e + \\
& 42*a*b^{10}*c^2*d*e^2 - 108*a^5*b*c^7*d^2*e - 3*b^9*c*d*e^2*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} + 6*a*b^5*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a^3*b*c^6*d^3*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 189*a^2*b^7*c^4*d^2*e - 225*a^2*b^8*c^3*d*e^2 - 414*a \\
& ^3*b^5*c^5*d^2*e + 570*a^3*b^6*c^4*d*e^2 + 387*a^4*b^3*c^6*d^2*e - 675*a^4* \\
& b^4*c^5*d*e^2 + 306*a^5*b^2*c^6*d*e^2 + 3*a^4*c^6*d^2*e*(-(4*a*c - b^2)^3)^ \\
& (1/2) + 3*b^8*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 21*a*b^6*c^3*d^2*e*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 24*a*b^7*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a^4* \\
& b*c^5*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 45*a^2*b^4*c^4*d^2*e*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 63*a^2*b^5*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 30*a^3*b^2*c^5* \\
& d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 60*a^3*b^3*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1 \\
& /2)}/(2*(16*a^2*c^13 + b^4*c^11 - 8*a*b^2*c^12)))^{(1/2)} - (8*(d + e*x)^{(1/2)} \\
& )*(b^12*e^6 + 2*a^6*c^6*e^6 + 54*a^2*b^8*c^2*e^6 - 112*a^3*b^6*c^3*e^6 + 10 \\
& 5*a^4*b^4*c^4*e^6 - 36*a^5*b^2*c^5*e^6 + 2*a^4*c^8*d^4*e^2 - 12*a^5*c^7*d^2 \\
& *e^4 + b^8*c^4*d^4*e^2 - 4*b^9*c^3*d^3*e^3 + 6*b^10*c^2*d^2*e^4 - 12*a*b^{10} \\
& *c*e^6 - 4*b^{11}*c*d*e^5 + 20*a^2*b^4*c^6*d^4*e^2 - 108*a^2*b^5*c^5*d^3*e^3 \\
& + 210*a^2*b^6*c^4*d^2*e^4 - 16*a^3*b^2*c^7*d^4*e^2 + 120*a^3*b^3*c^6*d^3*e^ \\
& 3 - 300*a^3*b^4*c^5*d^2*e^4 + 150*a^4*b^2*c^6*d^2*e^4 + 44*a*b^9*c^2*d*e^5 \\
& + 44*a^5*b*c^6*d*e^5 - 8*a*b^6*c^5*d^4*e^2 + 36*a*b^7*c^4*d^3*e^3 - 60*a*b^ \\
& 8*c^3*d^2*e^4 - 176*a^2*b^7*c^3*d*e^5 + 308*a^3*b^5*c^4*d*e^5 - 36*a^4*b*c^ \\
& 7*d^3*e^3 - 220*a^4*b^3*c^5*d*e^5))/c^9)*(-(b^13*e^3 + 8*a^5*c^8*d^3 - b^10 \\
& *c^3*d^3 + b^10*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a*b^8*c^4*d^3 + 44*a^6*b* \\
& c^6*e^3 - 24*a^6*c^7*d*e^2 + 3*b^11*c^2*d^2*e - 52*a^2*b^6*c^5*d^3 + 96*a^3 \\
& *b^4*c^6*d^3 - 66*a^4*b^2*c^7*d^3 + 88*a^2*b^9*c^2*e^3 - 253*a^3*b^7*c^3*e^ \\
& 3 + 363*a^4*b^5*c^4*e^3 - 231*a^5*b^3*c^5*e^3 - a^5*c^5*e^3*(-(4*a*c - b^2)
\end{aligned}$$

$$\begin{aligned}
&^3)^{(1/2)} - b^7*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^{11}*c*e^3 - 3*b^{12} \\
&*c*d*e^2 - 10*a^2*b^3*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^2*b^6*c^2*e^3 \\
&*(-(4*a*c - b^2)^3)^{(1/2)} - 35*a^3*b^4*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 1 \\
&5*a^4*b^2*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^8*c*e^3*(-(4*a*c - b^2)^ \\
&3)^{(1/2)} - 39*a*b^9*c^3*d^2*e + 42*a*b^{10}*c^2*d*e^2 - 108*a^5*b*c^7*d^2*e - \\
&3*b^9*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5*c^4*d^3*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} + 4*a^3*b*c^6*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 189*a^2*b^7*c^4*d^2*e \\
&- 225*a^2*b^8*c^3*d*e^2 - 414*a^3*b^5*c^5*d^2*e + 570*a^3*b^6*c^4*d*e^2 + 3 \\
&87*a^4*b^3*c^6*d^2*e - 675*a^4*b^4*c^5*d*e^2 + 306*a^5*b^2*c^6*d*e^2 + 3*a^ \\
&4*c^6*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^8*c^2*d^2*e*(-(4*a*c - b^2)^3)^{( \\
&1/2)} - 21*a*b^6*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a*b^7*c^2*d*e^2*(-( \\
&4*a*c - b^2)^3)^{(1/2)} - 15*a^4*b*c^5*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 45*a^ \\
&2*b^4*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 63*a^2*b^5*c^3*d*e^2*(-(4*a*c - \\
&b^2)^3)^{(1/2)} - 30*a^3*b^2*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 60*a^3*b^3*c \\
&^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(16*a^2*c^13 + b^4*c^11 - 8*a*b^2*c^ \\
&12)))^{(1/2)}*i1 - (((8*(4*a^4*c^9*e^5 - a*b^6*c^6*e^5 + b^7*c^6*d*e^4 + 7*a^ \\
&2*b^4*c^7*e^5 - 13*a^3*b^2*c^8*e^5 + 4*a^3*c^10*d^2*e^3 + b^5*c^8*d^3*e^2 - \\
&2*b^6*c^7*d^2*e^3 - 21*a^2*b^2*c^9*d^2*e^3 - 6*a*b^5*c^7*d*e^4 + 4*a^3*b*c \\
&^9*d*e^4 - 6*a*b^3*c^9*d^3*e^2 + 13*a*b^4*c^8*d^2*e^3 + 8*a^2*b*c^10*d^3*e^ \\
&2 + 7*a^2*b^3*c^8*d*e^4))/c^9 + (8*(d + e*x)^{(1/2)}*(-(b^13*e^3 + 8*a^5*c^8* \\
&d^3 - b^10*c^3*d^3 + b^10*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a*b^8*c^4*d^3 + \\
&44*a^6*b*c^6*e^3 - 24*a^6*c^7*d*e^2 + 3*b^11*c^2*d^2*e - 52*a^2*b^6*c^5*d^ \\
&3 + 96*a^3*b^4*c^6*d^3 - 66*a^4*b^2*c^7*d^3 + 88*a^2*b^9*c^2*e^3 - 253*a^3* \\
&b^7*c^3*e^3 + 363*a^4*b^5*c^4*e^3 - 231*a^5*b^3*c^5*e^3 - a^5*c^5*e^3*(-(4* \\
&a*c - b^2)^3)^{(1/2)} - b^7*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^{11}*c*e^ \\
&3 - 3*b^{12}*c*d*e^2 - 10*a^2*b^3*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^2*b \\
&^6*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 35*a^3*b^4*c^3*e^3*(-(4*a*c - b^2)^3) \\
&^{(1/2)} + 15*a^4*b^2*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^8*c*e^3*(-(4*a \\
&*c - b^2)^3)^{(1/2)} - 39*a*b^9*c^3*d^2*e + 42*a*b^{10}*c^2*d*e^2 - 108*a^5*b*c \\
&^7*d^2*e - 3*b^9*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^5*c^4*d^3*(-(4*a* \\
&c - b^2)^3)^{(1/2)} + 4*a^3*b*c^6*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 189*a^2*b^7* \\
&c^4*d^2*e - 225*a^2*b^8*c^3*d*e^2 - 414*a^3*b^5*c^5*d^2*e + 570*a^3*b^6*c^4 \\
&*d*e^2 + 387*a^4*b^3*c^6*d^2*e - 675*a^4*b^4*c^5*d*e^2 + 306*a^5*b^2*c^6*d* \\
&e^2 + 3*a^4*c^6*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^8*c^2*d^2*e*(-(4*a*c - \\
&b^2)^3)^{(1/2)} - 21*a*b^6*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a*b^7*c^2 \\
&*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a^4*b*c^5*d*e^2*(-(4*a*c - b^2)^3)^{(1/ \\
&2)} + 45*a^2*b^4*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 63*a^2*b^5*c^3*d*e^2*( \\
&- (4*a*c - b^2)^3)^{(1/2)} - 30*a^3*b^2*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6 \\
&0*a^3*b^3*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(16*a^2*c^13 + b^4*c^11 - \\
&8*a*b^2*c^12)))^{(1/2)}*(b^3*c^11*e^3 - 2*b^2*c^12*d*e^2 - 4*a*b*c^12*e^3 + 8 \\
&*a*c^13*d*e^2))/c^9*(-(b^13*e^3 + 8*a^5*c^8*d^3 - b^10*c^3*d^3 + b^10*e^3* \\
&(-(4*a*c - b^2)^3)^{(1/2)} + 12*a*b^8*c^4*d^3 + 44*a^6*b*c^6*e^3 - 24*a^6*c^7 \\
&*d*e^2 + 3*b^11*c^2*d^2*e - 52*a^2*b^6*c^5*d^3 + 96*a^3*b^4*c^6*d^3 - 66*a^ \\
&4*b^2*c^7*d^3 + 88*a^2*b^9*c^2*e^3 - 253*a^3*b^7*c^3*e^3 + 363*a^4*b^5*c^4* \\
&e^3 - 231*a^5*b^3*c^5*e^3 - a^5*c^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^7*c^3*
\end{aligned}$$

$$\begin{aligned}
& d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - 15 * a * b^{11} * c * e^3 - 3 * b^{12} * c * d * e^2 - 10 * a^2 * b^3 * c^5 * d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 28 * a^2 * b^6 * c^2 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - 35 * a^3 * b^4 * c^3 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 15 * a^4 * b^2 * c^4 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - 9 * a * b^8 * c * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - 39 * a * b^9 * c^3 * d^2 * e + 42 * a * b^{10} * c^2 * d * e^2 - 108 * a^5 * b * c^7 * d^2 * e - 3 * b^9 * c * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} + 6 * a * b^5 * c^4 * d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 4 * a^3 * b * c^6 * d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 189 * a^2 * b^7 * c^4 * d^2 * e - 225 * a^2 * b^8 * c^3 * d * e^2 - 414 * a^3 * b^5 * c^5 * d^2 * e + 570 * a^3 * b^6 * c^4 * d * e^2 + 387 * a^4 * b^3 * c^6 * d^2 * e - 675 * a^4 * b^4 * c^5 * d * e^2 + 306 * a^5 * b^2 * c^6 * d * e^2 + 3 * a^4 * c^6 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} + 3 * b^8 * c^2 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} - 21 * a * b^6 * c^3 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} + 24 * a * b^7 * c^2 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} - 15 * a^4 * b * c^5 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} + 45 * a^2 * b^4 * c^4 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} - 63 * a^2 * b^5 * c^3 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} - 30 * a^3 * b^2 * c^5 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} + 60 * a^3 * b^3 * c^4 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} / (2 * (16 * a^2 * c^13 + b^4 * c^11 - 8 * a * b^2 * c^12))^{(1/2)} + (8 * (d + e * x)^{(1/2)} * (b^12 * e^6 + 2 * a^6 * c^6 * e^6 + 54 * a^2 * b^8 * c^2 * e^6 - 112 * a^3 * b^6 * c^3 * e^6 + 105 * a^4 * b^4 * c^4 * e^6 - 36 * a^5 * b^2 * c^5 * e^6 + 2 * a^4 * c^8 * d^4 * e^2 - 12 * a^5 * c^7 * d^2 * e^4 + b^8 * c^4 * d^4 * e^2 - 4 * b^9 * c^3 * d^3 * e^3 + 6 * b^10 * c^2 * d^2 * e^4 - 12 * a * b^10 * c * e^6 - 4 * b^11 * c * d * e^5 + 20 * a^2 * b^4 * c^6 * d^4 * e^2 - 108 * a^2 * b^5 * c^5 * d^3 * e^3 + 210 * a^2 * b^6 * c^4 * d^2 * e^4 - 16 * a^3 * b^2 * c^7 * d^4 * e^2 + 120 * a^3 * b^3 * c^6 * d^3 * e^3 - 300 * a^3 * b^4 * c^5 * d^2 * e^4 + 150 * a^4 * b^2 * c^6 * d^2 * e^4 + 44 * a * b^9 * c^2 * d * e^5 + 44 * a^5 * b * c^6 * d * e^5 - 8 * a * b^6 * c^5 * d^4 * e^2 + 36 * a * b^7 * c^4 * d^3 * e^3 - 60 * a * b^8 * c^3 * d^2 * e^4 - 176 * a^2 * b^7 * c^3 * d * e^5 + 308 * a^3 * b^5 * c^4 * d * e^5 - 36 * a^4 * b * c^7 * d^3 * e^3 - 220 * a^4 * b^3 * c^5 * d * e^5) / c^9) * (- (b^13 * e^3 + 8 * a^5 * c^8 * d^3 - b^10 * c^3 * d^3 + b^10 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 12 * a * b^8 * c^4 * d^3 + 44 * a^6 * b * c^6 * e^3 - 24 * a^6 * c^7 * d * e^2 + 3 * b^11 * c^2 * d^2 * e - 52 * a^2 * b^6 * c^5 * d^3 + 96 * a^3 * b^4 * c^6 * d^3 - 66 * a^4 * b^2 * c^7 * d^3 + 88 * a^2 * b^9 * c^2 * e^3 - 253 * a^3 * b^7 * c^3 * e^3 + 363 * a^4 * b^5 * c^4 * e^3 - 231 * a^5 * b^3 * c^5 * e^3 - a^5 * c^5 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - b^7 * c^3 * d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - 15 * a * b^{11} * c * e^3 - 3 * b^{12} * c * d * e^2 - 10 * a^2 * b^3 * c^5 * d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 28 * a^2 * b^6 * c^2 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - 35 * a^3 * b^4 * c^3 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 15 * a^4 * b^2 * c^4 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - 9 * a * b^8 * c * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - 39 * a * b^9 * c^3 * d^2 * e + 42 * a * b^{10} * c^2 * d * e^2 - 108 * a^5 * b * c^7 * d^2 * e - 3 * b^9 * c * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} + 6 * a * b^5 * c^4 * d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 4 * a^3 * b * c^6 * d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 189 * a^2 * b^7 * c^4 * d^2 * e - 225 * a^2 * b^8 * c^3 * d * e^2 - 414 * a^3 * b^5 * c^5 * d^2 * e + 570 * a^3 * b^6 * c^4 * d * e^2 + 387 * a^4 * b^3 * c^6 * d^2 * e - 675 * a^4 * b^4 * c^5 * d * e^2 + 306 * a^5 * b^2 * c^6 * d * e^2 + 3 * a^4 * c^6 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} + 3 * b^8 * c^2 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} - 21 * a * b^6 * c^3 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} + 24 * a * b^7 * c^2 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} - 15 * a^4 * b * c^5 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} + 45 * a^2 * b^4 * c^4 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} - 63 * a^2 * b^5 * c^3 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} - 30 * a^3 * b^2 * c^5 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} + 60 * a^3 * b^3 * c^4 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} / (2 * (16 * a^2 * c^13 + b^4 * c^11 - 8 * a * b^2 * c^12))^{(1/2)} * i) / ((16 * (a^6 * b^5 * e^8 - 4 * a^7 * b^3 * c * e^8 + 3 * a^8 * b * c^2 * e^8 - 2 * a^5 * b^6 * d * e^7 - 2 * a^8 * c^3 * d * e^7 + a^4 * b^7 * d^2 * e^6 - 2 * a^6 * c^5 * d^5
\end{aligned}$$

$$\begin{aligned}
& e^3 - 4a^7c^4d^3e^5 + a^4b^3c^4d^6e^2 - 4a^4b^4c^3d^5e^3 + 6a^4b^5c^2d^4e^4 + 10a^5b^2c^4d^5e^3 - 16a^5b^3c^3d^4e^4 + 8a^5b^4c^2d^3e^5 + 8a^6b^2c^3d^3e^5 - 16a^6b^3c^2d^2e^6 + 6a^6b^4c^1d^1e^7 - 4a^4b^6c^1d^3e^5 - 2a^5b^1c^5d^6e^2 + 2a^5b^5c^1d^2e^6 + 3a^6b^1c^4d^4e^4 + 8a^7b^1c^3d^2e^6)/c^9 + (((8(4a^4c^9e^5 - ab^6c^6e^5 + b^7c^6d^4e^4 + 7a^2b^4c^7e^5 - 13a^3b^2c^8e^5 + 4a^3c^10d^2e^3 + b^5c^8d^3e^2 - 2b^6c^7d^2e^3 - 21a^2b^2c^9d^2e^3 - 6ab^5c^7d^4e^4 + 4a^3b^3c^9d^3e^2 + 13ab^4c^8d^2e^3 + 8a^2b^1c^10d^3e^2 + 7a^2b^3c^8d^4e^4))/c^9 - (8(d + ex)^{1/2} * (-b^{13}e^3 + 8a^5c^8d^3 - b^{10}c^3d^3 + b^{10}e^3 * (-4ac - b^2)^3)^{1/2} + 12ab^8c^4d^3 + 44a^6b^1c^6e^3 - 24a^6c^7d^4e^2 + 3b^{11}c^2d^2e - 52a^2b^6c^5d^3 + 96a^3b^4c^6d^3 - 66a^4b^2c^7d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3 - 231a^5b^3c^5e^3 - a^5c^5e^3 * (-4ac - b^2)^3)^{1/2} - b^7c^3d^3 * (-4ac - b^2)^3)^{1/2} - 15ab^{11}c^1e^3 - 3b^{12}c^1d^1e^2 - 10a^2b^3c^5d^3 * (-4ac - b^2)^3)^{1/2} + 28a^2b^6c^2e^3 * (-4ac - b^2)^3)^{1/2} - 35a^3b^4c^3e^3 * (-4ac - b^2)^3)^{1/2} + 15a^4b^2c^4e^3 * (-4ac - b^2)^3)^{1/2} - 9ab^8c^1e^3 * (-4ac - b^2)^3)^{1/2} - 39ab^9c^3d^2e + 42ab^{10}c^2d^1e^2 - 108a^5b^1c^7d^2e - 3b^9c^1d^1e^2 * (-4ac - b^2)^3)^{1/2} + 6ab^5c^4d^3 * (-4ac - b^2)^3)^{1/2} + 4a^3b^1c^6d^3 * (-4ac - b^2)^3)^{1/2} + 189a^2b^7c^4d^2e - 225a^2b^8c^3d^1e^2 - 414a^3b^5c^5d^2e + 570a^3b^6c^4d^1e^2 + 387a^4b^3c^6d^2e - 675a^4b^4c^5d^1e^2 + 306a^5b^2c^6d^1e^2 + 3a^4c^6d^2e * (-4ac - b^2)^3)^{1/2} + 3b^8c^2d^2e * (-4ac - b^2)^3)^{1/2} - 21ab^6c^3d^2e * (-4ac - b^2)^3)^{1/2} + 24ab^7c^2d^1e^2 * (-4ac - b^2)^3)^{1/2} - 15a^4b^1c^5d^1e^2 * (-4ac - b^2)^3)^{1/2} + 45a^2b^4c^4d^2e * (-4ac - b^2)^3)^{1/2} - 63a^2b^5c^3d^1e^2 * (-4ac - b^2)^3)^{1/2} - 30a^3b^2c^5d^2e * (-4ac - b^2)^3)^{1/2} + 60a^3b^3c^4d^1e^2 * (-4ac - b^2)^3)^{1/2}))/ (2 * (16a^2c^13 + b^4c^11 - 8ab^2c^12)))^{1/2} * (b^3c^11e^3 - 2b^2c^12d^1e^2 - 4ab^1c^12e^3 + 8a^1c^13d^1e^2))/c^9 * (-b^{13}e^3 + 8a^5c^8d^3 - b^{10}c^3d^3 + b^{10}e^3 * (-4ac - b^2)^3)^{1/2} + 12ab^8c^4d^3 + 44a^6b^1c^6e^3 - 24a^6c^7d^4e^2 + 3b^{11}c^2d^2e - 52a^2b^6c^5d^3 + 96a^3b^4c^6d^3 - 66a^4b^2c^7d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3 - 231a^5b^3c^5e^3 - a^5c^5e^3 * (-4ac - b^2)^3)^{1/2} - b^7c^3d^3 * (-4ac - b^2)^3)^{1/2} - 15ab^{11}c^1e^3 - 3b^{12}c^1d^1e^2 - 10a^2b^3c^5d^3 * (-4ac - b^2)^3)^{1/2} + 28a^2b^6c^2e^3 * (-4ac - b^2)^3)^{1/2} - 35a^3b^4c^3e^3 * (-4ac - b^2)^3)^{1/2} + 15a^4b^2c^4e^3 * (-4ac - b^2)^3)^{1/2} - 9ab^8c^1e^3 * (-4ac - b^2)^3)^{1/2} - 39ab^9c^3d^2e + 42ab^{10}c^2d^1e^2 - 108a^5b^1c^7d^2e - 3b^9c^1d^1e^2 * (-4ac - b^2)^3)^{1/2} + 6ab^5c^4d^3 * (-4ac - b^2)^3)^{1/2} + 4a^3b^1c^6d^3 * (-4ac - b^2)^3)^{1/2} + 189a^2b^7c^4d^2e - 225a^2b^8c^3d^1e^2 - 414a^3b^5c^5d^2e + 570a^3b^6c^4d^1e^2 + 387a^4b^3c^6d^2e - 675a^4b^4c^5d^1e^2 + 306a^5b^2c^6d^1e^2 + 3a^4c^6d^2e * (-4ac - b^2)^3)^{1/2} + 3b^8c^2d^2e * (-4ac - b^2)^3)^{1/2} - 21ab^6c^3d^2e * (-4ac - b^2)^3)^{1/2} + 24a
\end{aligned}$$

$$\begin{aligned}
& a^2 b^7 c^2 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} - 15a^4 b^2 c^5 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} + 45a^2 b^4 c^4 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} - 63a^2 b^5 c^3 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} - 30a^3 b^2 c^5 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} \\
& + 60a^3 b^3 c^4 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} / (2(16a^2 c^{13} + b^4 c^{11} - 8a^2 b^2 c^{12}))^{(1/2)} - (8(d + ex)^{(1/2)}(b^{12} e^6 + 2a^6 c^6 e^6 + 54a^2 b^8 c^2 e^6 - 112a^3 b^6 c^3 e^6 + 105a^4 b^4 c^4 e^6 - 36a^5 b^2 c^5 e^6 \\
& + 2a^4 c^8 d^4 e^2 - 12a^5 c^7 d^2 e^4 + b^8 c^4 d^4 e^2 - 4b^9 c^3 d^3 e^3 + 6b^{10} c^2 d^2 e^4 - 12a^2 b^{10} c^2 e^6 - 4b^{11} c^2 d^2 e^5 + 20a^2 b^4 c^6 d^4 e^2 - 108a^2 b^5 c^5 d^3 e^3 + 210a^2 b^6 c^4 d^2 e^4 - 16a^3 b^2 c^7 d^4 e^2 \\
& + 120a^3 b^3 c^6 d^3 e^3 - 300a^3 b^4 c^5 d^2 e^4 + 150a^4 b^2 c^6 d^2 e^4 + 44a^2 b^9 c^2 d^2 e^5 + 44a^5 b^2 c^6 d^2 e^5 - 8a^2 b^6 c^5 d^4 e^2 + 36a^2 b^7 c^4 d^3 e^3 - 60a^2 b^8 c^3 d^2 e^4 - 176a^2 b^7 c^3 d^2 e^5 \\
& + 308a^3 b^5 c^4 d^2 e^5 - 36a^4 b^2 c^7 d^3 e^3 - 220a^4 b^3 c^5 d^2 e^5) / c^9 (-b^{13} e^3 + 8a^5 c^8 d^3 - b^{10} c^3 d^3 + b^{10} e^3 (-4ac - b^2)^3)^{(1/2)} + 12a^2 b^8 c^4 d^3 + 44a^6 b^2 c^6 e^3 - 24a^6 c^7 d^2 e^2 + 3b^{11} c^2 d^2 e - 52a^2 b^6 c^5 d^3 + 96a^3 b^4 c^6 d^3 - 66a^4 b^2 c^7 d^3 \\
& + 88a^2 b^9 c^2 e^3 - 253a^3 b^7 c^3 e^3 + 363a^4 b^5 c^4 e^3 - 231a^5 b^3 c^5 e^3 - a^5 c^5 e^3 (-4ac - b^2)^3)^{(1/2)} - b^7 c^3 d^3 (-4ac - b^2)^3)^{(1/2)} - 15a^2 b^{11} c^2 e^3 - 3b^{12} c^2 d^2 e^2 - 10a^2 b^3 c^5 d^3 (-4ac - b^2)^3)^{(1/2)} + 28a^2 b^6 c^2 e^3 (-4ac - b^2)^3)^{(1/2)} - 35a^3 b^4 c^3 e^3 (-4ac - b^2)^3)^{(1/2)} + 15a^4 b^2 c^4 e^3 (-4ac - b^2)^3)^{(1/2)} - 9a^2 b^8 c^2 e^3 (-4ac - b^2)^3)^{(1/2)} - 39a^2 b^9 c^3 d^2 e^2 + 42a^2 b^{10} c^2 d^2 e^2 - 108a^5 b^2 c^7 d^2 e^2 - 3b^9 c^2 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} + 6a^2 b^5 c^4 d^3 (-4ac - b^2)^3)^{(1/2)} + 4a^3 b^2 c^6 d^3 (-4ac - b^2)^3)^{(1/2)} + 189a^2 b^7 c^4 d^2 e^2 - 225a^2 b^8 c^3 d^2 e^2 - 414a^3 b^5 c^5 d^2 e^2 + 570a^3 b^6 c^4 d^2 e^2 + 387a^4 b^3 c^6 d^2 e^2 - 675a^4 b^4 c^5 d^2 e^2 + 306a^5 b^2 c^6 d^2 e^2 + 3a^4 c^6 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} + 3b^8 c^2 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} - 21a^2 b^6 c^3 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} + 24a^2 b^7 c^2 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} - 15a^4 b^2 c^5 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} + 45a^2 b^4 c^4 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} - 63a^2 b^5 c^3 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} - 30a^3 b^2 c^5 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} + 60a^3 b^3 c^4 d^2 e^2 (-4ac - b^2)^3)^{(1/2)} / (2(16a^2 c^{13} + b^4 c^{11} - 8a^2 b^2 c^{12}))^{(1/2)} + ((8(4a^4 c^9 e^5 - a^2 b^6 c^6 e^5 + b^7 c^6 d^2 e^4 + 7a^2 b^4 c^7 e^5 - 13a^3 b^2 c^8 e^5 + 4a^3 c^{10} d^2 e^3 + b^5 c^8 d^3 e^2 - 2b^6 c^7 d^2 e^3 - 21a^2 b^2 c^9 d^2 e^3 - 6a^2 b^5 c^7 d^2 e^4 + 4a^3 b^2 c^9 d^2 e^4 - 6a^2 b^3 c^9 d^3 e^2 + 13a^2 b^4 c^8 d^2 e^3 + 8a^2 b^2 c^{10} d^3 e^2 + 7a^2 b^3 c^8 d^2 e^4) / c^9 + (8(d + ex)^{(1/2)}(-b^{13} e^3 + 8a^5 c^8 d^3 - b^{10} c^3 d^3 + b^{10} e^3 (-4ac - b^2)^3)^{(1/2)} + 12a^2 b^8 c^4 d^3 + 44a^6 b^2 c^6 e^3 - 24a^6 c^7 d^2 e^2 + 3b^{11} c^2 d^2 e - 52a^2 b^6 c^5 d^3 + 96a^3 b^4 c^6 d^3 - 66a^4 b^2 c^7 d^3 + 88a^2 b^9 c^2 e^3 - 253a^3 b^7 c^3 e^3 + 363a^4 b^5 c^4 e^3 - 231a^5 b^3 c^5 e^3 - a^5 c^5 e^3 (-4ac - b^2)^3)^{(1/2)} - b^7 c^3 d^3 (-4ac - b^2)^3)^{(1/2)} - 15a^2 b^{11} c^2 e^3 - 3b^{12} c^2 d^2 e^2 - 10a^2 b^3 c^5 d^3 (-4ac - b^2)^3)^{(1/2)} + 28a^2 b^6 c^2 e^3 (-4ac - b^2)^3)^{(1/2)} - 35a^3 b^4 c^3 e^3 (-4ac - b^2)^3)^{(1/2)} + 15a^4 b^2 c^4 e^3
\end{aligned}$$

$$\begin{aligned}
& (-4ac - b^2)^3)^{1/2} - 9ab^8c^3e^3(-4ac - b^2)^3)^{1/2} - 39ab^9c^3d^2e + 42ab^{10}c^2d^2e^2 - 108a^5b^7c^4d^2e - 3b^9c^3d^2e^2(-4ac - b^2)^3)^{1/2} + 6ab^5c^4d^3(-4ac - b^2)^3)^{1/2} + 4a^3b^6c^6d^3(-4ac - b^2)^3)^{1/2} + 189a^2b^7c^4d^2e - 225a^2b^8c^3d^2e^2 - 414a^3b^5c^5d^2e + 570a^3b^6c^4d^2e^2 + 387a^4b^3c^6d^2e - 675a^4b^4c^5d^2e^2 + 306a^5b^2c^6d^2e^2 + 3a^4c^6d^2e(-4ac - b^2)^3)^{1/2} + 3b^8c^2d^2e(-4ac - b^2)^3)^{1/2} - 21ab^6c^3d^2e(-4ac - b^2)^3)^{1/2} + 24ab^7c^2d^2e^2(-4ac - b^2)^3)^{1/2} - 15a^4b^5c^5d^2e^2(-4ac - b^2)^3)^{1/2} + 45a^2b^4c^4d^2e(-4ac - b^2)^3)^{1/2} - 63a^2b^5c^3d^2e^2(-4ac - b^2)^3)^{1/2} - 30a^3b^2c^5d^2e(-4ac - b^2)^3)^{1/2} + 60a^3b^3c^4d^2e(-4ac - b^2)^3)^{1/2}) / (2(16a^2c^13 + b^4c^11 - 8ab^2c^12))^{1/2} * (b^3c^11e^3 - 2b^2c^12d^2e^2 - 4ab^2c^12e^3 + 8a^2c^13d^2e^2) / c^9 * (-b^13e^3 + 8a^5c^8d^3 - b^10c^3d^3 + b^10e^3(-4ac - b^2)^3)^{1/2} + 12ab^8c^4d^3 + 44a^6b^6c^6e^3 - 24a^6c^7d^2e^2 + 3b^11c^2d^2e - 52a^2b^6c^5d^3 + 96a^3b^4c^6d^3 - 66a^4b^2c^7d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3 - 231a^5b^3c^5e^3 - a^5c^5e^3(-4ac - b^2)^3)^{1/2} - b^7c^3d^3(-4ac - b^2)^3)^{1/2} - 15ab^11c^3e^3 - 3b^12c^3d^2e^2 - 10a^2b^3c^5d^3(-4ac - b^2)^3)^{1/2} + 28a^2b^6c^2e^3(-4ac - b^2)^3)^{1/2} - 35a^3b^4c^3e^3(-4ac - b^2)^3)^{1/2} + 15a^4b^2c^4e^3(-4ac - b^2)^3)^{1/2} - 9ab^8c^3e^3(-4ac - b^2)^3)^{1/2} - 39ab^9c^3d^2e + 42ab^{10}c^2d^2e^2 - 108a^5b^7c^4d^2e - 3b^9c^3d^2e^2(-4ac - b^2)^3)^{1/2} + 6ab^5c^4d^3(-4ac - b^2)^3)^{1/2} + 4a^3b^6c^6d^3(-4ac - b^2)^3)^{1/2} + 189a^2b^7c^4d^2e - 225a^2b^8c^3d^2e^2 - 414a^3b^5c^5d^2e + 570a^3b^6c^4d^2e^2 + 387a^4b^3c^6d^2e - 675a^4b^4c^5d^2e^2 + 306a^5b^2c^6d^2e^2 + 3a^4c^6d^2e(-4ac - b^2)^3)^{1/2} + 3b^8c^2d^2e(-4ac - b^2)^3)^{1/2} - 21ab^6c^3d^2e(-4ac - b^2)^3)^{1/2} + 24ab^7c^2d^2e^2(-4ac - b^2)^3)^{1/2} - 15a^4b^5c^5d^2e^2(-4ac - b^2)^3)^{1/2} + 45a^2b^4c^4d^2e(-4ac - b^2)^3)^{1/2} - 63a^2b^5c^3d^2e^2(-4ac - b^2)^3)^{1/2} - 30a^3b^2c^5d^2e(-4ac - b^2)^3)^{1/2} + 60a^3b^3c^4d^2e(-4ac - b^2)^3)^{1/2}) / (2(16a^2c^13 + b^4c^11 - 8ab^2c^12))^{1/2} + (8(d + ex))^{1/2} * (b^12e^6 + 2a^6c^6e^6 + 54a^2b^8c^2e^6 - 112a^3b^6c^3e^6 + 105a^4b^4c^4e^6 - 36a^5b^2c^5e^6 + 2a^4c^8d^4e^2 - 12a^5c^7d^2e^4 + b^8c^4d^4e^2 - 4b^9c^3d^3e^3 + 6b^10c^2d^2e^4 - 12ab^10c^2e^6 - 4b^11c^2d^2e^5 + 20a^2b^4c^6d^4e^2 - 108a^2b^5c^5d^3e^3 + 210a^2b^6c^4d^2e^4 - 16a^3b^2c^7d^4e^2 + 120a^3b^3c^6d^3e^3 - 300a^3b^4c^5d^2e^4 + 150a^4b^2c^6d^2e^4 + 44ab^9c^2d^2e^5 + 44a^5b^6c^6d^2e^5 - 8ab^6c^5d^4e^2 + 36ab^7c^4d^3e^3 - 60ab^8c^3d^2e^4 - 176a^2b^7c^3d^2e^5 + 308a^3b^5c^4d^2e^5 - 36a^4b^6c^7d^3e^3 - 220a^4b^3c^5d^2e^5) / c^9 * (-b^13e^3 + 8a^5c^8d^3 - b^10c^3d^3 + b^10e^3(-4ac - b^2)^3)^{1/2} + 12ab^8c^4d^3 + 44a^6b^6c^6e^3 - 24a^6c^7d^2e^2 + 3b^11c^2d^2e - 52a^2b^6c^5d^3 + 96a^3b^4c^6d^3 - 66a^4b^2c^7d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3
\end{aligned}$$

$$\begin{aligned}
& ^4e^3 - 231a^5b^3c^5e^3 - a^5c^5e^3(-4ac - b^2)^3)^{(1/2)} - b^7c^3d^3(-4ac - b^2)^3)^{(1/2)} - 15ab^{11}c^3e^3 - 3b^{12}cd^2e^2 - 10a^2 \\
& *b^3c^5d^3(-4ac - b^2)^3)^{(1/2)} + 28a^2b^6c^2e^3(-4ac - b^2)^3)^{(1/2)} - 35a^3b^4c^3e^3(-4ac - b^2)^3)^{(1/2)} + 15a^4b^2c^4e^3 \\
& *(-4ac - b^2)^3)^{(1/2)} - 9ab^8c^3e^3(-4ac - b^2)^3)^{(1/2)} - 39ab^9c^3d^2e^2 + 42ab^{10}c^2d^2e^2 - 108a^5b^7c^3d^2e^2 - 3b^9cd^2e^2(- \\
& (4ac - b^2)^3)^{(1/2)} + 6ab^5c^4d^3(-4ac - b^2)^3)^{(1/2)} + 4a^3b^6c^3d^3(-4ac - b^2)^3)^{(1/2)} + 189a^2b^7c^4d^2e^2 - 225a^2b^8c^3 \\
& *d^2e^2 - 414a^3b^5c^5d^2e^2 + 570a^3b^6c^4d^2e^2 + 387a^4b^3c^6d^2e^2 - 675a^4b^4c^5d^2e^2 + 306a^5b^2c^6d^2e^2 + 3a^4c^6d^2e^2(-4ac \\
& - b^2)^3)^{(1/2)} + 3b^8c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 21ab^6c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 24ab^7c^2d^2e^2(-4ac - b^2)^3)^{( \\
& 1/2)} - 15a^4b^3c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} + 45a^2b^4c^4d^2e^2(-4ac - b^2)^3)^{(1/2)} - 63a^2b^5c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3 \\
& 0a^3b^2c^5d^2e^2(-4ac - b^2)^3)^{(1/2)} + 60a^3b^3c^4d^2e^2(-4ac - b^2)^3)^{(1/2)}/(2(16a^2c^{13} + b^4c^{11} - 8ab^2c^{12}))^{(1/2)})*(- \\
& (b^{13}e^3 + 8a^5c^8d^3 - b^{10}c^3d^3 + b^{10}e^3(-4ac - b^2)^3)^{(1/2)} \\
& + 12ab^8c^4d^3 + 44a^6b^6c^6e^3 - 24a^6c^7d^2e^2 + 3b^{11}c^2d^2e^2 \\
& e - 52a^2b^6c^5d^3 + 96a^3b^4c^6d^3 - 66a^4b^2c^7d^3 + 88a^2b^9c^2e^3 - 253a^3b^7c^3e^3 + 363a^4b^5c^4e^3 - 231a^5b^3c^5e^3 \\
& - a^5c^5e^3(-4ac - b^2)^3)^{(1/2)} - b^7c^3d^3(-4ac - b^2)^3)^{(1/2)} - 15ab^{11}c^3e^3 - 3b^{12}cd^2e^2 - 10a^2b^3c^5d^3(-4ac - b^2 \\
& )^3)^{(1/2)} + 28a^2b^6c^2e^3(-4ac - b^2)^3)^{(1/2)} - 35a^3b^4c^3e^3(-4ac - b^2)^3)^{(1/2)} + 15a^4b^2c^4e^3(-4ac - b^2)^3)^{(1/2)} - \\
& 9ab^8c^3e^3(-4ac - b^2)^3)^{(1/2)} - 39ab^9c^3d^2e^2 + 42ab^{10}c^2d^2e^2 - 108a^5b^7c^3d^2e^2 - 3b^9cd^2e^2(-4ac - b^2)^3)^{(1/2)} + 6 \\
& ab^5c^4d^3(-4ac - b^2)^3)^{(1/2)} + 4a^3b^6c^3d^3(-4ac - b^2)^3)^{(1/2)} + 189a^2b^7c^4d^2e^2 - 225a^2b^8c^3d^2e^2 - 414a^3b^5c^5d^2 \\
& e^2 + 570a^3b^6c^4d^2e^2 + 387a^4b^3c^6d^2e^2 - 675a^4b^4c^5d^2e^2 + 306a^5b^2c^6d^2e^2 + 3a^4c^6d^2e^2(-4ac - b^2)^3)^{(1/2)} + 3b^8 \\
& c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 21ab^6c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 24ab^7c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 15a^4b^3c^5d^2e^2(- \\
& (4ac - b^2)^3)^{(1/2)} + 45a^2b^4c^4d^2e^2(-4ac - b^2)^3)^{(1/2)} - 63a^2b^5c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 30a^3b^2c^5d^2e^2(-4ac \\
& - b^2)^3)^{(1/2)} + 60a^3b^3c^4d^2e^2(-4ac - b^2)^3)^{(1/2)}/(2(16a^2c^{13} + b^4c^{11} - 8ab^2c^{12}))^{(1/2)}*2i - ((8d)/(7c^3e^3) + (2(b^4e^4 - 2cd^2e^3))/(7c^2e^6))*(d + e*x)^{(7/2)} + (d + e*x)^{(5/2)}*((12d^2)/(5 \\
& *c^3e^3) - (2(ae^5 + cd^2e^3 - b^4d^2e^3))/(5c^2e^6) + (((8d)/(c^3e^3) + (2(b^4e^4 - 2cd^2e^3))/(c^2e^6))*(b^4e^4 - 2cd^2e^3))/(5c^3e^3)) - (d + \\
& e*x)^{(3/2)}*((8d^3)/(3c^3e^3) - (((8d)/(c^3e^3) + (2(b^4e^4 - 2cd^2e^3))/(c^2e^6))*(ae^5 + cd^2e^3 - b^4d^2e^3))/(3c^3e^3) + ((b^4e^4 - 2cd^2e^3)* \\
& (12d^2)/(c^3e^3) - (2(ae^5 + cd^2e^3 - b^4d^2e^3))/(c^2e^6) + (((8d)/(c^3e^3) + (2(b^4e^4 - 2cd^2e^3))/(c^2e^6))*(b^4e^4 - 2cd^2e^3))/(c^3e^3)))/( \\
& 3c^3e^3)) + (2(d + e*x)^{(9/2)})/(9c^3e^3)
\end{aligned}$$



sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(e\*x+d)\*\*(3/2)/(c\*x\*\*2+b\*x+a), x)

[Out] Timed out

$$3.343 \quad \int \frac{x^3(d+ex)^{3/2}}{a+bx+cx^2} dx$$

**Optimal.** Leaf size=581

$$\sqrt{2} \left( -\frac{4a^2c^3de - b^3c(cd^2 - 5ae^2) - 8ab^2c^2de + abc^2(3cd^2 - 5ae^2) + b^5(-e^2) + 2b^4cde}{\sqrt{b^2 - 4ac}} - b^2c(cd^2 - 3ae^2) - 4abc^2de + ac^2(cd^2 - ae^2) + b^4 \right) \\ c^{9/2} \sqrt{2cd - e} \left( b - \sqrt{b^2 - 4ac} \right)$$

**Rubi [A]** time = 15.25, antiderivative size = 581, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {897, 1287, 1166, 208}

$$\frac{\sqrt{\frac{4a^2c^3de - b^3c(cd^2 - 5ae^2) - 8ab^2c^2de + abc^2(3cd^2 - 5ae^2) + b^5(-e^2) + 2b^4cde}{\sqrt{b^2 - 4ac}}}}{c^2 \sqrt{2cd - e} (b - \sqrt{b^2 - 4ac})} + \frac{\sqrt{\frac{4a^2c^3de - b^3c(cd^2 - 5ae^2) - 8ab^2c^2de + abc^2(3cd^2 - 5ae^2) + b^5(-e^2) + 2b^4cde}{\sqrt{b^2 - 4ac}}}}{c^2 \sqrt{2cd - e} (\sqrt{b^2 - 4ac} + b)}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2), x]

[Out] (2\*(b^2\*c\*d - a\*c^2\*d - b^3\*e + 2\*a\*b\*c\*e)\*Sqrt[d + e\*x])/c^4 + (2\*(b^2 - a\*c)\*(d + e\*x)^(3/2))/(3\*c^3) - (2\*(c\*d + b\*e)\*(d + e\*x)^(5/2))/(5\*c^2\*e^2) + (2\*(d + e\*x)^(7/2))/(7\*c\*e^2) + (Sqrt[2]\*(2\*b^3\*c\*d\*e - 4\*a\*b\*c^2\*d\*e - b^4\*e^2 - b^2\*c\*(c\*d^2 - 3\*a\*e^2) + a\*c^2\*(c\*d^2 - a\*e^2) - (2\*b^4\*c\*d\*e - 8\*a\*b^2\*c^2\*d\*e + 4\*a^2\*c^3\*d\*e - b^5\*e^2 - b^3\*c\*(c\*d^2 - 5\*a\*e^2) + a\*b\*c^2\*(3\*c\*d^2 - 5\*a\*e^2))/Sqrt[b^2 - 4\*a\*c])\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]])/(c^(9/2)\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]) + (Sqrt[2]\*(2\*b^3\*c\*d\*e - 4\*a\*b\*c^2\*d\*e - b^4\*e^2 - b^2\*c\*(c\*d^2 - 3\*a\*e^2) + a\*c^2\*(c\*d^2 - a\*e^2) + (2\*b^4\*c\*d\*e - 8\*a\*b^2\*c^2\*d\*e + 4\*a^2\*c^3\*d\*e - b^5\*e^2 - b^3\*c\*(c\*d^2 - 5\*a\*e^2) + a\*b\*c^2\*(3\*c\*d^2 - 5\*a\*e^2))/Sqrt[b^2 - 4\*a\*c])\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]])/(c^(9/2)\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e])

**Rule 208**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

**Rule 897**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e +

$a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^{(2*q)})/e^2)^p, x], x, (d + e*x)^{1/q}], x]] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{IntegersQ}[n, p] \&\& \text{FractionQ}[m]$

### Rule 1166

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)^2}{(a_.) + (b_.)*(x_.)^2 + (c_.)*(x_.)^4}, x\_Symbol] :> \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[e/2 + (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2 + c*x^2), x], x]] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[b^2 - 4*a*c]$

### Rule 1287

$\text{Int}[\frac{((f_.)*(x_.)^{(m_.)})*((d_.) + (e_.)*(x_.)^2)^{(q_.)}}{(a_.) + (b_.)*(x_.)^2 + (c_.)*(x_.)^4}, x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[\frac{(f*x)^m*(d + e*x^2)^q}{(a + b*x^2 + c*x^4)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{IntegerQ}[q] \&\& \text{IntegerQ}[m]$

### Rubi steps



$$d + 4*a*e)) + b^3*c*(c*d^2 - e*(2*\text{Sqrt}[b^2 - 4*a*c]*d + 5*a*e)) + a*b*c^2*(-3*c*d^2 + e*(4*\text{Sqrt}[b^2 - 4*a*c]*d + 5*a*e)) + b^2*c*(-3*a*\text{Sqrt}[b^2 - 4*a*c]*e^2 + c*d*(\text{Sqrt}[b^2 - 4*a*c]*d + 8*a*e)))*\text{ArcTanh}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x])/\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]]/((c^{9/2})*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e])$$

**IntegrateAlgebraic [C]** time = 2.97, size = 996, normalized size = 1.71

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^3\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2),x]

[Out] (2\*\text{Sqrt}[d + e\*x]\*(105\*b^2\*c\*d\*e^2 - 105\*a\*c^2\*d\*e^2 - 105\*b^3\*e^3 + 210\*a\*b\*c\*e^3 + 35\*b^2\*c\*e^2\*(d + e\*x) - 35\*a\*c^2\*e^2\*(d + e\*x) - 21\*c^3\*d\*(d + e\*x)^2 - 21\*b\*c^2\*e\*(d + e\*x)^2 + 15\*c^3\*(d + e\*x)^3))/(105\*c^4\*e^2) + ((I\*\text{Sqrt}[2]\*b^3\*c^2\*d^2 - (3\*I)\*\text{Sqrt}[2]\*a\*b\*c^3\*d^2 + \text{Sqrt}[2]\*b^2\*c^2\*\text{Sqrt}[-b^2 + 4\*a\*c]\*d^2 - \text{Sqrt}[2]\*a\*c^3\*\text{Sqrt}[-b^2 + 4\*a\*c]\*d^2 - (2\*I)\*\text{Sqrt}[2]\*b^4\*c\*d\*e + (8\*I)\*\text{Sqrt}[2]\*a\*b^2\*c^2\*d\*e - (4\*I)\*\text{Sqrt}[2]\*a^2\*c^3\*d\*e - 2\*\text{Sqrt}[2]\*b^3\*c\*\text{Sqrt}[-b^2 + 4\*a\*c]\*d\*e + 4\*\text{Sqrt}[2]\*a\*b\*c^2\*\text{Sqrt}[-b^2 + 4\*a\*c]\*d\*e + I\*\text{Sqrt}[2]\*b^5\*e^2 - (5\*I)\*\text{Sqrt}[2]\*a\*b^3\*c\*e^2 + (5\*I)\*\text{Sqrt}[2]\*a^2\*b\*c^2\*e^2 + \text{Sqrt}[2]\*b^4\*\text{Sqrt}[-b^2 + 4\*a\*c]\*e^2 - 3\*\text{Sqrt}[2]\*a\*b^2\*c\*\text{Sqrt}[-b^2 + 4\*a\*c]\*e^2 + \text{Sqrt}[2]\*a^2\*c^2\*\text{Sqrt}[-b^2 + 4\*a\*c]\*e^2)\*\text{ArcTan}[(\text{Sqrt}[2]\*\text{Sqrt}[c]\*\text{Sqrt}[d + e\*x])/\text{Sqrt}[-2\*c\*d + b\*e - I\*\text{Sqrt}[-b^2 + 4\*a\*c]\*e]]/((c^{9/2})\*\text{Sqrt}[-b^2 + 4\*a\*c]\*\text{Sqrt}[-2\*c\*d + b\*e - I\*\text{Sqrt}[-b^2 + 4\*a\*c]\*e]) + (((-I)\*\text{Sqrt}[2]\*b^3\*c^2\*d^2 + (3\*I)\*\text{Sqrt}[2]\*a\*b\*c^3\*d^2 + \text{Sqrt}[2]\*b^2\*c^2\*\text{Sqrt}[-b^2 + 4\*a\*c]\*d^2 - \text{Sqrt}[2]\*a\*c^3\*\text{Sqrt}[-b^2 + 4\*a\*c]\*d^2 + (2\*I)\*\text{Sqrt}[2]\*b^4\*c\*d\*e - (8\*I)\*\text{Sqrt}[2]\*a\*b^2\*c^2\*d\*e + (4\*I)\*\text{Sqrt}[2]\*a^2\*c^3\*d\*e - 2\*\text{Sqrt}[2]\*b^3\*c\*\text{Sqrt}[-b^2 + 4\*a\*c]\*d\*e + 4\*\text{Sqrt}[2]\*a\*b\*c^2\*\text{Sqrt}[-b^2 + 4\*a\*c]\*d\*e - I\*\text{Sqrt}[2]\*b^5\*e^2 + (5\*I)\*\text{Sqrt}[2]\*a\*b^3\*c\*e^2 - (5\*I)\*\text{Sqrt}[2]\*a^2\*b\*c^2\*e^2 + \text{Sqrt}[2]\*b^4\*\text{Sqrt}[-b^2 + 4\*a\*c]\*e^2 - 3\*\text{Sqrt}[2]\*a\*b^2\*c\*\text{Sqrt}[-b^2 + 4\*a\*c]\*e^2 + \text{Sqrt}[2]\*a^2\*c^2\*\text{Sqrt}[-b^2 + 4\*a\*c]\*e^2)\*\text{ArcTan}[(\text{Sqrt}[2]\*\text{Sqrt}[c]\*\text{Sqrt}[d + e\*x])/\text{Sqrt}[-2\*c\*d + b\*e + I\*\text{Sqrt}[-b^2 + 4\*a\*c]\*e]]/((c^{9/2})\*\text{Sqrt}[-b^2 + 4\*a\*c]\*\text{Sqrt}[-2\*c\*d + b\*e + I\*\text{Sqrt}[-b^2 + 4\*a\*c]\*e])

**fricas [B]** time = 6.06, size = 11459, normalized size = 19.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="fricas")

[Out] -1/210\*(105\*\text{sqrt}(2)\*c^4\*e^2\*\text{sqrt}(((b^6\*c^3 - 6\*a\*b^4\*c^4 + 9\*a^2\*b^2\*c^5 - 2\*a^3\*c^6)\*d^3 - 3\*(b^7\*c^2 - 7\*a\*b^5\*c^3 + 14\*a^2\*b^3\*c^4 - 7\*a^3\*b\*c^5)\*d^2\*e + 3\*(b^8\*c - 8\*a\*b^6\*c^2 + 20\*a^2\*b^4\*c^3 - 16\*a^3\*b^2\*c^4 + 2\*a^4\*c^5)\*d\*e^2 - (b^9 - 9\*a\*b^7\*c + 27\*a^2\*b^5\*c^2 - 30\*a^3\*b^3\*c^3 + 9\*a^4\*b\*c^4)

$$\begin{aligned}
& *e^3 + (b^2*c^9 - 4*a*c^{10})*\sqrt{((b^{10}*c^6 - 8*a*b^8*c^7 + 22*a^2*b^6*c^8 \\
& - 24*a^3*b^4*c^9 + 9*a^4*b^2*c^{10})*d^6 - 6*(b^{11}*c^5 - 9*a*b^9*c^6 + 29*a^2 \\
& *b^7*c^7 - 40*a^3*b^5*c^8 + 22*a^4*b^3*c^9 - 3*a^5*b*c^{10})*d^5*e + 3*(5*b^1 \\
& 2*c^4 - 50*a*b^{10}*c^5 + 185*a^2*b^8*c^6 - 310*a^3*b^6*c^7 + 230*a^4*b^4*c^8 \\
& - 60*a^5*b^2*c^9 + 3*a^6*c^{10})*d^4*e^2 - 2*(10*b^{13}*c^3 - 110*a*b^{11}*c^4 + \\
& 460*a^2*b^9*c^5 - 910*a^3*b^7*c^6 + 860*a^4*b^5*c^7 - 340*a^5*b^3*c^8 + 39 \\
& *a^6*b*c^9)*d^3*e^3 + 3*(5*b^{14}*c^2 - 60*a*b^{12}*c^3 + 280*a^2*b^{10}*c^4 - 64 \\
& 0*a^3*b^8*c^5 + 740*a^4*b^6*c^6 - 400*a^5*b^4*c^7 + 80*a^6*b^2*c^8 - 2*a^7*c^9) \\
& *d^2*e^4 - 6*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + \\
& 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e^5 \\
& + (b^{16} - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 \\
& - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^6)/(b^2*c^{18} - \\
& 4*a*c^{19}))/((b^2*c^9 - 4*a*c^{10}))*\log(\sqrt{2})*((b^9*c^4 - 9*a*b^7*c^5 + \\
& 27*a^2*b^5*c^6 - 31*a^3*b^3*c^7 + 12*a^4*b*c^8)*d^4 - (4*b^{10}*c^3 - 4 \\
& 0*a*b^8*c^4 + 140*a^2*b^6*c^5 - 203*a^3*b^4*c^6 + 111*a^4*b^2*c^7 - 12*a^5*c^8) \\
& *d^3*e + 3*(2*b^{11}*c^2 - 22*a*b^9*c^3 + 88*a^2*b^7*c^4 - 155*a^3*b^5*c^5 + \\
& 114*a^4*b^3*c^6 - 24*a^5*b*c^7)*d^2*e^2 - (4*b^{12}*c - 48*a*b^{10}*c^2 + 2 \\
& 16*a^2*b^8*c^3 - 449*a^3*b^6*c^4 + 423*a^4*b^4*c^5 - 141*a^5*b^2*c^6 + 4*a^6*c^7) \\
& *d*e^3 + (b^{13} - 13*a*b^{11}*c + 65*a^2*b^9*c^2 - 156*a^3*b^7*c^3 + 181 \\
& *a^4*b^5*c^4 - 86*a^5*b^3*c^5 + 8*a^6*b*c^6)*e^4 - ((b^5*c^{10} - 7*a*b^3*c^{11} \\
& + 12*a^2*b*c^{12})*d - (b^6*c^9 - 8*a*b^4*c^{10} + 18*a^2*b^2*c^{11} - 8*a^3*c^{12})*e) \\
& *\sqrt{((b^{10}*c^6 - 8*a*b^8*c^7 + 22*a^2*b^6*c^8 - 24*a^3*b^4*c^9 + 9*a^4*b^2*c^{10})*d^6 - \\
& 6*(b^{11}*c^5 - 9*a*b^9*c^6 + 29*a^2*b^7*c^7 - 40*a^3*b^5*c^8 + 22*a^4*b^3*c^9 - \\
& 3*a^5*b*c^{10})*d^5*e + 3*(5*b^{12}*c^4 - 50*a*b^{10}*c^5 + 185*a^2*b^8*c^6 - \\
& 310*a^3*b^6*c^7 + 230*a^4*b^4*c^8 - 60*a^5*b^2*c^9 + 3*a^6*c^{10})*d^4*e^2 - 2*(10*b^{13}*c^3 - \\
& 110*a*b^{11}*c^4 + 460*a^2*b^9*c^5 - 910*a^3*b^7*c^6 + 860*a^4*b^5*c^7 - 340*a^5*b^3*c^8 + \\
& 39*a^6*b*c^9)*d^3*e^3 + 3*(5*b^{14}*c^2 - 60*a*b^{12}*c^3 + 280*a^2*b^{10}*c^4 - \\
& 640*a^3*b^8*c^5 + 740*a^4*b^6*c^6 - 400*a^5*b^4*c^7 + 80*a^6*b^2*c^8 - 2*a^7*c^9)*d^2*e^4 - \\
& 6*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - \\
& 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e^5 + (b^{16} - 14*a*b^{14}*c + \\
& 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - \\
& 20*a^7*b^2*c^7 + a^8*c^8)*e^6)/(b^2*c^{18} - 4*a*c^{19}))*\sqrt{((b^6*c^3 - 6*a*b^4*c^4 + \\
& 9*a^2*b^2*c^5 - 2*a^3*c^6)*d^3 - 3*(b^7*c^2 - 7*a*b^5*c^3 + 14*a^2*b^3*c^4 - 7*a^3*b*c^5) \\
& *d^2*e + 3*(b^8*c - 8*a*b^6*c^2 + 20*a^2*b^4*c^3 - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d*e^2 - (b^9 - \\
& 9*a*b^7*c + 27*a^2*b^5*c^2 - 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e^3 + (b^2*c^9 - 4*a*c^{10})* \\
& \sqrt{((b^{10}*c^6 - 8*a*b^8*c^7 + 22*a^2*b^6*c^8 - 24*a^3*b^4*c^9 + 9*a^4*b^2*c^{10})*d^6 - \\
& 6*(b^{11}*c^5 - 9*a*b^9*c^6 + 29*a^2*b^7*c^7 - 40*a^3*b^5*c^8 + 22*a^4*b^3*c^9 - \\
& 3*a^5*b*c^{10})*d^5*e + 3*(5*b^{12}*c^4 - 50*a*b^{10}*c^5 + 185*a^2*b^8*c^6 - \\
& 310*a^3*b^6*c^7 + 230*a^4*b^4*c^8 - 60*a^5*b^2*c^9 + 3*a^6*c^{10})*d^4*e^2 - 2*(10*b^{13}*c^3 - \\
& 110*a*b^{11}*c^4 + 460*a^2*b^9*c^5 - 910*a^3*b^7*c^6 + 860*a^4*b^5*c^7 - 340*a^5*b^3*c^8 + \\
& 39*a^6*b*c^9)*d^3*e^3 + 3*(5*b^{14}*c^2 - 60*a*b^{12}*c^3 + 280*a^2*b^{10}*c^4 - 640*a^3*b^8*c^5 + \\
& 740*a^4*b^6*c^6 - 400*a^5*b^4*c^7 + 80*a^6*b^2*c^8 - 2*a^7*c^9)*d^2*e^4 - 6*(b^{15}*c - 1
\end{aligned}$$

$$\begin{aligned}
& 3*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e^5 + (b^{16} - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^6)/(b^2*c^{18} - 4*a*c^{19}))/((b^2*c^9 - 4*a*c^{10})) - 4*((a^3*b^5*c^4 - 4*a^4*b^3*c^5 + 3*a^5*b*c^6)*d^5 - (4*a^3*b^6*c^3 - 19*a^4*b^4*c^4 + 21*a^5*b^2*c^5 - 3*a^6*c^6)*d^4*e + 2*(3*a^3*b^7*c^2 - 16*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 6*a^6*b*c^5)*d^3*e^2 - 2*(2*a^3*b^8*c - 11*a^4*b^6*c^2 + 15*a^5*b^4*c^3 - 2*a^6*b^2*c^4 - a^7*c^5)*d^2*e^3 + (a^3*b^9 - 4*a^4*b^7*c - 3*a^5*b^5*c^2 + 20*a^6*b^3*c^3 - 11*a^7*b*c^4)*d*e^4 - (a^4*b^8 - 7*a^5*b^6*c + 15*a^6*b^4*c^2 - 10*a^7*b^2*c^3 + a^8*c^4)*e^5)*sqrt(e*x + d) - 105*sqrt(2)*c^4*e^2*sqrt(((b^6*c^3 - 6*a*b^4*c^4 + 9*a^2*b^2*c^5 - 2*a^3*c^6)*d^3 - 3*(b^7*c^2 - 7*a*b^5*c^3 + 14*a^2*b^3*c^4 - 7*a^3*b*c^5)*d^2*e + 3*(b^8*c - 8*a*b^6*c^2 + 20*a^2*b^4*c^3 - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d*e^2 - (b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e^3 + (b^2*c^9 - 4*a*c^{10})*sqrt(((b^{10}*c^6 - 8*a*b^8*c^7 + 22*a^2*b^6*c^8 - 24*a^3*b^4*c^9 + 9*a^4*b^2*c^{10})*d^6 - 6*(b^{11}*c^5 - 9*a*b^9*c^6 + 29*a^2*b^7*c^7 - 40*a^3*b^5*c^8 + 22*a^4*b^3*c^9 - 3*a^5*b*c^{10})*d^5*e + 3*(5*b^{12}*c^4 - 50*a*b^{10}*c^5 + 185*a^2*b^8*c^6 - 310*a^3*b^6*c^7 + 230*a^4*b^4*c^8 - 60*a^5*b^2*c^9 + 3*a^6*c^{10})*d^4*e^2 - 2*(10*b^{13}*c^3 - 110*a*b^{11}*c^4 + 460*a^2*b^9*c^5 - 910*a^3*b^7*c^6 + 860*a^4*b^5*c^7 - 340*a^5*b^3*c^8 + 39*a^6*b*c^9)*d^3*e^3 + 3*(5*b^{14}*c^2 - 60*a*b^{12}*c^3 + 280*a^2*b^{10}*c^4 - 640*a^3*b^8*c^5 + 740*a^4*b^6*c^6 - 400*a^5*b^4*c^7 + 80*a^6*b^2*c^8 - 2*a^7*c^9)*d^2*e^4 - 6*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e^5 + (b^{16} - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^6)/(b^2*c^{18} - 4*a*c^{19}))/((b^2*c^9 - 4*a*c^{10}))*log(-sqrt(2))*((b^9*c^4 - 9*a*b^7*c^5 + 27*a^2*b^5*c^6 - 31*a^3*b^3*c^7 + 12*a^4*b*c^8)*d^4 - (4*b^{10}*c^3 - 40*a*b^8*c^4 + 140*a^2*b^6*c^5 - 203*a^3*b^4*c^6 + 111*a^4*b^2*c^7 - 12*a^5*c^8)*d^3*e + 3*(2*b^{11}*c^2 - 22*a*b^9*c^3 + 88*a^2*b^7*c^4 - 155*a^3*b^5*c^5 + 114*a^4*b^3*c^6 - 24*a^5*b*c^7)*d^2*e^2 - (4*b^{12}*c - 48*a*b^{10}*c^2 + 216*a^2*b^8*c^3 - 449*a^3*b^6*c^4 + 423*a^4*b^4*c^5 - 141*a^5*b^2*c^6 + 4*a^6*c^7)*d*e^3 + (b^{13} - 13*a*b^{11}*c + 65*a^2*b^9*c^2 - 156*a^3*b^7*c^3 + 181*a^4*b^5*c^4 - 86*a^5*b^3*c^5 + 8*a^6*b*c^6)*e^4 - ((b^5*c^{10} - 7*a*b^3*c^{11} + 12*a^2*b*c^{12})*d - (b^6*c^9 - 8*a*b^4*c^{10} + 18*a^2*b^2*c^{11} - 8*a^3*c^{12})*e)*sqrt(((b^{10}*c^6 - 8*a*b^8*c^7 + 22*a^2*b^6*c^8 - 24*a^3*b^4*c^9 + 9*a^4*b^2*c^{10})*d^6 - 6*(b^{11}*c^5 - 9*a*b^9*c^6 + 29*a^2*b^7*c^7 - 40*a^3*b^5*c^8 + 22*a^4*b^3*c^9 - 3*a^5*b*c^{10})*d^5*e + 3*(5*b^{12}*c^4 - 50*a*b^{10}*c^5 + 185*a^2*b^8*c^6 - 310*a^3*b^6*c^7 + 230*a^4*b^4*c^8 - 60*a^5*b^2*c^9 + 3*a^6*c^{10})*d^4*e^2 - 2*(10*b^{13}*c^3 - 110*a*b^{11}*c^4 + 460*a^2*b^9*c^5 - 910*a^3*b^7*c^6 + 860*a^4*b^5*c^7 - 340*a^5*b^3*c^8 + 39*a^6*b*c^9)*d^3*e^3 + 3*(5*b^{14}*c^2 - 60*a*b^{12}*c^3 + 280*a^2*b^{10}*c^4 - 640*a^3*b^8*c^5 + 740*a^4*b^6*c^6 - 400*a^5*b^4*c^7 + 80*a^6*b^2*c^8 - 2*a^7*c^9)*d^2*e^4 - 6*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e^5 + (b^
\end{aligned}$$

$$\begin{aligned}
& 16 - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 3 \\
& 14*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^6)/(b^2*c^{18} \\
& - 4*a*c^{19})))*\sqrt{((b^6*c^3 - 6*a*b^4*c^4 + 9*a^2*b^2*c^5 - 2*a^3*c^6)*d^ \\
& 3 - 3*(b^7*c^2 - 7*a*b^5*c^3 + 14*a^2*b^3*c^4 - 7*a^3*b*c^5)*d^2*e + 3*(b^8 \\
& *c - 8*a*b^6*c^2 + 20*a^2*b^4*c^3 - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d*e^2 - (b^ \\
& 9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e^3 + (b^2*c \\
& ^9 - 4*a*c^{10})*\sqrt{((b^{10}*c^6 - 8*a*b^8*c^7 + 22*a^2*b^6*c^8 - 24*a^3*b^4* \\
& c^9 + 9*a^4*b^2*c^{10})*d^6 - 6*(b^{11}*c^5 - 9*a*b^9*c^6 + 29*a^2*b^7*c^7 - 40 \\
& *a^3*b^5*c^8 + 22*a^4*b^3*c^9 - 3*a^5*b*c^{10})*d^5*e + 3*(5*b^{12}*c^4 - 50*a* \\
& b^{10}*c^5 + 185*a^2*b^8*c^6 - 310*a^3*b^6*c^7 + 230*a^4*b^4*c^8 - 60*a^5*b^2 \\
& *c^9 + 3*a^6*c^{10})*d^4*e^2 - 2*(10*b^{13}*c^3 - 110*a*b^{11}*c^4 + 460*a^2*b^9* \\
& c^5 - 910*a^3*b^7*c^6 + 860*a^4*b^5*c^7 - 340*a^5*b^3*c^8 + 39*a^6*b*c^9)*d \\
& ^3*e^3 + 3*(5*b^{14}*c^2 - 60*a*b^{12}*c^3 + 280*a^2*b^{10}*c^4 - 640*a^3*b^8*c^5 \\
& + 740*a^4*b^6*c^6 - 400*a^5*b^4*c^7 + 80*a^6*b^2*c^8 - 2*a^7*c^9)*d^2*e^4 \\
& - 6*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b \\
& ^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e^5 + (b^{16} - 14 \\
& *a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 314*a^5* \\
& b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^6)/(b^2*c^{18} - 4*a* \\
& c^{19}))/((b^2*c^9 - 4*a*c^{10})) - 4*((a^3*b^5*c^4 - 4*a^4*b^3*c^5 + 3*a^5*b*c^ \\
& ^6)*d^5 - (4*a^3*b^6*c^3 - 19*a^4*b^4*c^4 + 21*a^5*b^2*c^5 - 3*a^6*c^6)*d^4 \\
& *e + 2*(3*a^3*b^7*c^2 - 16*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 6*a^6*b*c^5)*d^3* \\
& e^2 - 2*(2*a^3*b^8*c - 11*a^4*b^6*c^2 + 15*a^5*b^4*c^3 - 2*a^6*b^2*c^4 - a^ \\
& 7*c^5)*d^2*e^3 + (a^3*b^9 - 4*a^4*b^7*c - 3*a^5*b^5*c^2 + 20*a^6*b^3*c^3 - \\
& 11*a^7*b*c^4)*d*e^4 - (a^4*b^8 - 7*a^5*b^6*c + 15*a^6*b^4*c^2 - 10*a^7*b^2* \\
& c^3 + a^8*c^4)*e^5)*\sqrt{e*x + d}) + 105*\sqrt{2}*c^4*e^2*\sqrt{((b^6*c^3 - 6 \\
& *a*b^4*c^4 + 9*a^2*b^2*c^5 - 2*a^3*c^6)*d^3 - 3*(b^7*c^2 - 7*a*b^5*c^3 + 14 \\
& *a^2*b^3*c^4 - 7*a^3*b*c^5)*d^2*e + 3*(b^8*c - 8*a*b^6*c^2 + 20*a^2*b^4*c^3 \\
& - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d*e^2 - (b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - \\
& 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e^3 - (b^2*c^9 - 4*a*c^{10})*\sqrt{((b^{10}*c^6 - \\
& 8*a*b^8*c^7 + 22*a^2*b^6*c^8 - 24*a^3*b^4*c^9 + 9*a^4*b^2*c^{10})*d^6 - 6*(b^ \\
& 11*c^5 - 9*a*b^9*c^6 + 29*a^2*b^7*c^7 - 40*a^3*b^5*c^8 + 22*a^4*b^3*c^9 - 3 \\
& *a^5*b*c^{10})*d^5*e + 3*(5*b^{12}*c^4 - 50*a*b^{10}*c^5 + 185*a^2*b^8*c^6 - 310* \\
& a^3*b^6*c^7 + 230*a^4*b^4*c^8 - 60*a^5*b^2*c^9 + 3*a^6*c^{10})*d^4*e^2 - 2*(1 \\
& 0*b^{13}*c^3 - 110*a*b^{11}*c^4 + 460*a^2*b^9*c^5 - 910*a^3*b^7*c^6 + 860*a^4*b \\
& ^5*c^7 - 340*a^5*b^3*c^8 + 39*a^6*b*c^9)*d^3*e^3 + 3*(5*b^{14}*c^2 - 60*a*b^{1 \\
& 2}*c^3 + 280*a^2*b^{10}*c^4 - 640*a^3*b^8*c^5 + 740*a^4*b^6*c^6 - 400*a^5*b^4* \\
& c^7 + 80*a^6*b^2*c^8 - 2*a^7*c^9)*d^2*e^4 - 6*(b^{15}*c - 13*a*b^{13}*c^2 + 67* \\
& a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6 \\
& *b^3*c^7 - 4*a^7*b*c^8)*d*e^5 + (b^{16} - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230 \\
& *a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^ \\
& 7*b^2*c^7 + a^8*c^8)*e^6)/(b^2*c^{18} - 4*a*c^{19}))/((b^2*c^9 - 4*a*c^{10}))*\log \\
& (\sqrt{2}*((b^9*c^4 - 9*a*b^7*c^5 + 27*a^2*b^5*c^6 - 31*a^3*b^3*c^7 + 12*a^4 \\
& *b*c^8)*d^4 - (4*b^{10}*c^3 - 40*a*b^8*c^4 + 140*a^2*b^6*c^5 - 203*a^3*b^4*c^ \\
& 6 + 111*a^4*b^2*c^7 - 12*a^5*c^8)*d^3*e + 3*(2*b^{11}*c^2 - 22*a*b^9*c^3 + 88 \\
& *a^2*b^7*c^4 - 155*a^3*b^5*c^5 + 114*a^4*b^3*c^6 - 24*a^5*b*c^7)*d^2*e^2 -
\end{aligned}$$



$$\begin{aligned}
& (4*b^{12}*c - 48*a*b^{10}*c^2 + 216*a^2*b^8*c^3 - 449*a^3*b^6*c^4 + 423*a^4*b^4*c^5 - 141*a^5*b^2*c^6 + 4*a^6*c^7)*d*e^3 + (b^{13} - 13*a*b^{11}*c + 65*a^2*b^9*c^2 - 156*a^3*b^7*c^3 + 181*a^4*b^5*c^4 - 86*a^5*b^3*c^5 + 8*a^6*b*c^6)*e^4 + ((b^5*c^{10} - 7*a*b^3*c^{11} + 12*a^2*b*c^{12})*d - (b^6*c^9 - 8*a*b^4*c^{10} + 18*a^2*b^2*c^{11} - 8*a^3*c^{12})*e)*\sqrt{((b^{10}*c^6 - 8*a*b^8*c^7 + 22*a^2*b^6*c^8 - 24*a^3*b^4*c^9 + 9*a^4*b^2*c^{10})*d^6 - 6*(b^{11}*c^5 - 9*a*b^9*c^6 + 29*a^2*b^7*c^7 - 40*a^3*b^5*c^8 + 22*a^4*b^3*c^9 - 3*a^5*b*c^{10})*d^5*e + 3*(5*b^{12}*c^4 - 50*a*b^{10}*c^5 + 185*a^2*b^8*c^6 - 310*a^3*b^6*c^7 + 230*a^4*b^4*c^8 - 60*a^5*b^2*c^9 + 3*a^6*c^{10})*d^4*e^2 - 2*(10*b^{13}*c^3 - 110*a*b^{11}*c^4 + 460*a^2*b^9*c^5 - 910*a^3*b^7*c^6 + 860*a^4*b^5*c^7 - 340*a^5*b^3*c^8 + 39*a^6*b*c^9)*d^3*e^3 + 3*(5*b^{14}*c^2 - 60*a*b^{12}*c^3 + 280*a^2*b^{10}*c^4 - 640*a^3*b^8*c^5 + 740*a^4*b^6*c^6 - 400*a^5*b^4*c^7 + 80*a^6*b^2*c^8 - 2*a^7*c^9)*d^2*e^4 - 6*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e^5 + (b^{16} - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^6)/(b^2*c^{18} - 4*a*c^{19}))*\sqrt{((b^6*c^3 - 6*a*b^4*c^4 + 9*a^2*b^2*c^5 - 2*a^3*c^6)*d^3 - 3*(b^7*c^2 - 7*a*b^5*c^3 + 14*a^2*b^3*c^4 - 7*a^3*b*c^5)*d^2*e + 3*(b^8*c - 8*a*b^6*c^2 + 20*a^2*b^4*c^3 - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d*e^2 - (b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e^3 - (b^2*c^9 - 4*a*c^{10})*\sqrt{((b^{10}*c^6 - 8*a*b^8*c^7 + 22*a^2*b^6*c^8 - 24*a^3*b^4*c^9 + 9*a^4*b^2*c^{10})*d^6 - 6*(b^{11}*c^5 - 9*a*b^9*c^6 + 29*a^2*b^7*c^7 - 40*a^3*b^5*c^8 + 22*a^4*b^3*c^9 - 3*a^5*b*c^{10})*d^5*e + 3*(5*b^{12}*c^4 - 50*a*b^{10}*c^5 + 185*a^2*b^8*c^6 - 310*a^3*b^6*c^7 + 230*a^4*b^4*c^8 - 60*a^5*b^2*c^9 + 3*a^6*c^{10})*d^4*e^2 - 2*(10*b^{13}*c^3 - 110*a*b^{11}*c^4 + 460*a^2*b^9*c^5 - 910*a^3*b^7*c^6 + 860*a^4*b^5*c^7 - 340*a^5*b^3*c^8 + 39*a^6*b*c^9)*d^3*e^3 + 3*(5*b^{14}*c^2 - 60*a*b^{12}*c^3 + 280*a^2*b^{10}*c^4 - 640*a^3*b^8*c^5 + 740*a^4*b^6*c^6 - 400*a^5*b^4*c^7 + 80*a^6*b^2*c^8 - 2*a^7*c^9)*d^2*e^4 - 6*(b^{15}*c - 13*a*b^{13}*c^2 + 67*a^2*b^{11}*c^3 - 174*a^3*b^9*c^4 + 239*a^4*b^7*c^5 - 166*a^5*b^5*c^6 + 50*a^6*b^3*c^7 - 4*a^7*b*c^8)*d*e^5 + (b^{16} - 14*a*b^{14}*c + 79*a^2*b^{12}*c^2 - 230*a^3*b^{10}*c^3 + 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^6)/(b^2*c^{18} - 4*a*c^{19}))/((b^2*c^9 - 4*a*c^{10}))*4*((a^3*b^5*c^4 - 4*a^4*b^3*c^5 + 3*a^5*b*c^6)*d^5 - (4*a^3*b^6*c^3 - 19*a^4*b^4*c^4 + 21*a^5*b^2*c^5 - 3*a^6*c^6)*d^4*e + 2*(3*a^3*b^7*c^2 - 16*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 6*a^6*b*c^5)*d^3*e^2 - 2*(2*a^3*b^8*c - 11*a^4*b^6*c^2 + 15*a^5*b^4*c^3 - 2*a^6*b^2*c^4 - a^7*c^5)*d^2*e^3 + (a^3*b^9 - 4*a^4*b^7*c - 3*a^5*b^5*c^2 + 20*a^6*b^3*c^3 - 11*a^7*b*c^4)*d*e^4 - (a^4*b^8 - 7*a^5*b^6*c + 15*a^6*b^4*c^2 - 10*a^7*b^2*c^3 + a^8*c^4)*e^5)*\sqrt{(e*x + d)} - 105*\sqrt{2}*c^4*e^2*\sqrt{((b^6*c^3 - 6*a*b^4*c^4 + 9*a^2*b^2*c^5 - 2*a^3*c^6)*d^3 - 3*(b^7*c^2 - 7*a*b^5*c^3 + 14*a^2*b^3*c^4 - 7*a^3*b*c^5)*d^2*e + 3*(b^8*c - 8*a*b^6*c^2 + 20*a^2*b^4*c^3 - 16*a^3*b^2*c^4 + 2*a^4*c^5)*d*e^2 - (b^9 - 9*a*b^7*c + 27*a^2*b^5*c^2 - 30*a^3*b^3*c^3 + 9*a^4*b*c^4)*e^3 - (b^2*c^9 - 4*a*c^{10})*\sqrt{((b^{10}*c^6 - 8*a*b^8*c^7 + 22*a^2*b^6*c^8 - 24*a^3*b^4*c^9 + 9*a^4*b^2*c^{10})*d^6 - 6*(b^{11}*c^5 - 9*a*b^9*c^6 + 29*a^2*b^7*c^7 - 40*a^3*b^5*c^8 + 22*a
\end{aligned}$$

$$\begin{aligned}
& ^4b^3c^9 - 3a^5b^*c^{10})d^5e + 3*(5b^{12}c^4 - 50a*b^{10}c^5 + 185a^2* \\
& b^8c^6 - 310a^3b^6c^7 + 230a^4b^4c^8 - 60a^5b^2c^9 + 3a^6c^{10})* \\
& d^4e^2 - 2*(10b^{13}c^3 - 110a*b^{11}c^4 + 460a^2b^9c^5 - 910a^3b^7c^6 \\
& ^6 + 860a^4b^5c^7 - 340a^5b^3c^8 + 39a^6b^*c^9)*d^3e^3 + 3*(5b^{14}c^2 \\
& - 60a*b^{12}c^3 + 280a^2b^{10}c^4 - 640a^3b^8c^5 + 740a^4b^6c^6 \\
& - 400a^5b^4c^7 + 80a^6b^2c^8 - 2a^7c^9)*d^2e^4 - 6*(b^{15}c - 13a* \\
& b^{13}c^2 + 67a^2b^{11}c^3 - 174a^3b^9c^4 + 239a^4b^7c^5 - 166a^5b^ \\
& 5c^6 + 50a^6b^3c^7 - 4a^7b^*c^8)*d^*e^5 + (b^{16} - 14a*b^{14}c + 79a^2* \\
& b^{12}c^2 - 230a^3b^{10}c^3 + 367a^4b^8c^4 - 314a^5b^6c^5 + 130a^6b^ \\
& ^4c^6 - 20a^7b^2c^7 + a^8c^8)*e^6)/(b^2c^{18} - 4a*c^{19}))/ (b^2c^9 - \\
& 4a*c^{10}))*\log(-\sqrt{2}*((b^9c^4 - 9a*b^7c^5 + 27a^2b^5c^6 - 31a^3b \\
& ^3c^7 + 12a^4b^*c^8)*d^4 - (4b^{10}c^3 - 40a*b^8c^4 + 140a^2b^6c^5 - \\
& 203a^3b^4c^6 + 111a^4b^2c^7 - 12a^5c^8)*d^3e + 3*(2b^{11}c^2 - 22 \\
& *a*b^9c^3 + 88a^2b^7c^4 - 155a^3b^5c^5 + 114a^4b^3c^6 - 24a^5b^* \\
& c^7)*d^2e^2 - (4b^{12}c - 48a*b^{10}c^2 + 216a^2b^8c^3 - 449a^3b^6c^ \\
& 4 + 423a^4b^4c^5 - 141a^5b^2c^6 + 4a^6c^7)*d^*e^3 + (b^{13} - 13a*b^1 \\
& 1c + 65a^2b^9c^2 - 156a^3b^7c^3 + 181a^4b^5c^4 - 86a^5b^3c^5 + \\
& 8a^6b^*c^6)*e^4 + ((b^5c^{10} - 7a*b^3c^{11} + 12a^2b^*c^{12})*d - (b^6c^9 \\
& - 8a*b^4c^{10} + 18a^2b^2c^{11} - 8a^3c^{12})*e)*\sqrt{((b^{10}c^6 - 8a*b^ \\
& 8c^7 + 22a^2b^6c^8 - 24a^3b^4c^9 + 9a^4b^2c^{10})*d^6 - 6*(b^{11}c^5 \\
& - 9a*b^9c^6 + 29a^2b^7c^7 - 40a^3b^5c^8 + 22a^4b^3c^9 - 3a^5b \\
& *c^{10})*d^5e + 3*(5b^{12}c^4 - 50a*b^{10}c^5 + 185a^2b^8c^6 - 310a^3b^ \\
& 6c^7 + 230a^4b^4c^8 - 60a^5b^2c^9 + 3a^6c^{10})*d^4e^2 - 2*(10b^{13} \\
& c^3 - 110a*b^{11}c^4 + 460a^2b^9c^5 - 910a^3b^7c^6 + 860a^4b^5c^7 \\
& - 340a^5b^3c^8 + 39a^6b^*c^9)*d^3e^3 + 3*(5b^{14}c^2 - 60a*b^{12}c^3 \\
& + 280a^2b^{10}c^4 - 640a^3b^8c^5 + 740a^4b^6c^6 - 400a^5b^4c^7 + \\
& 80a^6b^2c^8 - 2a^7c^9)*d^2e^4 - 6*(b^{15}c - 13a*b^{13}c^2 + 67a^2b^ \\
& 11c^3 - 174a^3b^9c^4 + 239a^4b^7c^5 - 166a^5b^5c^6 + 50a^6b^3c^7 \\
& ^7 - 4a^7b^*c^8)*d^*e^5 + (b^{16} - 14a*b^{14}c + 79a^2b^{12}c^2 - 230a^3b \\
& ^{10}c^3 + 367a^4b^8c^4 - 314a^5b^6c^5 + 130a^6b^4c^6 - 20a^7b^2c^ \\
& c^7 + a^8c^8)*e^6)/(b^2c^{18} - 4a*c^{19}))*\sqrt{((b^6c^3 - 6a*b^4c^4 + \\
& 9a^2b^2c^5 - 2a^3c^6)*d^3 - 3*(b^7c^2 - 7a*b^5c^3 + 14a^2b^3c^4 \\
& - 7a^3b^*c^5)*d^2e + 3*(b^8c - 8a*b^6c^2 + 20a^2b^4c^3 - 16a^3b^2 \\
& *c^4 + 2a^4c^5)*d^*e^2 - (b^9 - 9a*b^7c + 27a^2b^5c^2 - 30a^3b^3c^ \\
& 3 + 9a^4b^*c^4)*e^3 - (b^2c^9 - 4a*c^{10})*\sqrt{((b^{10}c^6 - 8a*b^8c^7 + \\
& 22a^2b^6c^8 - 24a^3b^4c^9 + 9a^4b^2c^{10})*d^6 - 6*(b^{11}c^5 - 9a* \\
& b^9c^6 + 29a^2b^7c^7 - 40a^3b^5c^8 + 22a^4b^3c^9 - 3a^5b^*c^{10})* \\
& d^5e + 3*(5b^{12}c^4 - 50a*b^{10}c^5 + 185a^2b^8c^6 - 310a^3b^6c^7 + \\
& 230a^4b^4c^8 - 60a^5b^2c^9 + 3a^6c^{10})*d^4e^2 - 2*(10b^{13}c^3 - \\
& 110a*b^{11}c^4 + 460a^2b^9c^5 - 910a^3b^7c^6 + 860a^4b^5c^7 - 340* \\
& a^5b^3c^8 + 39a^6b^*c^9)*d^3e^3 + 3*(5b^{14}c^2 - 60a*b^{12}c^3 + 280a \\
& ^2b^{10}c^4 - 640a^3b^8c^5 + 740a^4b^6c^6 - 400a^5b^4c^7 + 80a^6b^ \\
& b^2c^8 - 2a^7c^9)*d^2e^4 - 6*(b^{15}c - 13a*b^{13}c^2 + 67a^2b^{11}c^3 \\
& - 174a^3b^9c^4 + 239a^4b^7c^5 - 166a^5b^5c^6 + 50a^6b^3c^7 - 4* \\
& a^7b^*c^8)*d^*e^5 + (b^{16} - 14a*b^{14}c + 79a^2b^{12}c^2 - 230a^3b^{10}c^3
\end{aligned}$$

$$+ 367*a^4*b^8*c^4 - 314*a^5*b^6*c^5 + 130*a^6*b^4*c^6 - 20*a^7*b^2*c^7 + a^8*c^8)*e^6)/(b^2*c^18 - 4*a*c^19)))/(b^2*c^9 - 4*a*c^10)) - 4*((a^3*b^5*c^4 - 4*a^4*b^3*c^5 + 3*a^5*b*c^6)*d^5 - (4*a^3*b^6*c^3 - 19*a^4*b^4*c^4 + 21*a^5*b^2*c^5 - 3*a^6*c^6)*d^4*e + 2*(3*a^3*b^7*c^2 - 16*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 6*a^6*b*c^5)*d^3*e^2 - 2*(2*a^3*b^8*c - 11*a^4*b^6*c^2 + 15*a^5*b^4*c^3 - 2*a^6*b^2*c^4 - a^7*c^5)*d^2*e^3 + (a^3*b^9 - 4*a^4*b^7*c - 3*a^5*b^5*c^2 + 20*a^6*b^3*c^3 - 11*a^7*b*c^4)*d*e^4 - (a^4*b^8 - 7*a^5*b^6*c + 15*a^6*b^4*c^2 - 10*a^7*b^2*c^3 + a^8*c^4)*e^5)*sqrt(e*x + d)) - 4*(15*c^3*e^3*x^3 - 6*c^3*d^3 - 21*b*c^2*d^2*e + 140*(b^2*c - a*c^2)*d*e^2 - 105*(b^3 - 2*a*b*c)*e^3 + 3*(8*c^3*d*e^2 - 7*b*c^2*e^3)*x^2 + (3*c^3*d^2*e - 42*b*c^2*d*e^2 + 35*(b^2*c - a*c^2)*e^3)*x)*sqrt(e*x + d))/(c^4*e^2)$$

**giac [B]** time = 0.58, size = 1362, normalized size = 2.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="giac")

[Out]  $\frac{1}{4} * (((b^4*c^2 - 5*a*b^2*c^3 + 4*a^2*c^4)*d^2*e - 2*(b^5*c - 6*a*b^3*c^2 + 8*a^2*b*c^3)*d*e^2 + (b^6 - 7*a*b^4*c + 13*a^2*b^2*c^2 - 4*a^3*c^3)*e^3)*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c))*c)*e)^2 - 2*((b^2*c^4 - a*c^5)*sqrt(b^2 - 4*a*c)*d^3 - (2*b^3*c^3 - 3*a*b*c^4)*sqrt(b^2 - 4*a*c)*d^2*e + (b^4*c^2 - a*b^2*c^3 - a^2*c^4)*sqrt(b^2 - 4*a*c)*d*e^2 - (a*b^3*c^2 - 2*a^2*b*c^3)*sqrt(b^2 - 4*a*c)*e^3)*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c))*c)*e)*abs(c) + (2*(b^3*c^5 - 3*a*b*c^6)*d^3 - (5*b^4*c^4 - 19*a*b^2*c^5 + 8*a^2*c^6)*d^2*e + 2*(2*b^5*c^3 - 9*a*b^3*c^4 + 7*a^2*b*c^5)*d*e^2 - (b^6*c^2 - 5*a*b^4*c^3 + 5*a^2*b^2*c^4)*e^3)*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c))*c)*e))*arctan(2*sqrt(1/2)*sqrt(x*e + d)/sqrt(-(2*c^8*d*e^16 - b*c^7*e^17 + sqrt(-4*(c^8*d^2*e^16 - b*c^7*d*e^17 + a*c^7*e^18))*c^8*e^16 + (2*c^8*d*e^16 - b*c^7*e^17)^2))*e^(-16)/c^8))/((sqrt(b^2 - 4*a*c))*c^7*d^2 - sqrt(b^2 - 4*a*c)*b*c^6*d*e + sqrt(b^2 - 4*a*c)*a*c^6*e^2)*c^2) - 1/4 * (((b^4*c^2 - 5*a*b^2*c^3 + 4*a^2*c^4)*d^2*e - 2*(b^5*c - 6*a*b^3*c^2 + 8*a^2*b*c^3)*d*e^2 + (b^6 - 7*a*b^4*c + 13*a^2*b^2*c^2 - 4*a^3*c^3)*e^3)*sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c))*c)*e)^2 + 2*((b^2*c^4 - a*c^5)*sqrt(b^2 - 4*a*c)*d^3 - (2*b^3*c^3 - 3*a*b*c^4)*sqrt(b^2 - 4*a*c)*d^2*e + (b^4*c^2 - a*b^2*c^3 - a^2*c^4)*sqrt(b^2 - 4*a*c)*d*e^2 - (a*b^3*c^2 - 2*a^2*b*c^3)*sqrt(b^2 - 4*a*c)*e^3)*sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c))*c)*e)*abs(c) + (2*(b^3*c^5 - 3*a*b*c^6)*d^3 - (5*b^4*c^4 - 19*a*b^2*c^5 + 8*a^2*c^6)*d^2*e + 2*(2*b^5*c^3 - 9*a*b^3*c^4 + 7*a^2*b*c^5)*d*e^2 - (b^6*c^2 - 5*a*b^4*c^3 + 5*a^2*b^2*c^4)*e^3)*sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c))*c)*e))*arctan(2*sqrt(1/2)*sqrt(x*e + d)/sqrt(-(2*c^8*d*e^16 - b*c^7*e^17 - sqrt(-4*(c^8*d^2*e^16 - b*c^7*d*e^17 + a*c^7*e^18))*c^8*e^16 + (2*c^8*d*e^16 - b*c^7*e^17)^2))*e^(-16)/c^8))/((sqrt(b^2 - 4*a*c))*c^7*d^2 - sqrt(b^2 - 4*a*c)*b*c^6*d*e + sqrt(b^2 - 4*a*c)*a*c^6*e^2)*c^2) + 2/105*(15*(x*e + d)^(7/2)*c^6*e^12$

$$- 21*(x*e + d)^{(5/2)}*c^6*d*e^{12} - 21*(x*e + d)^{(5/2)}*b*c^5*e^{13} + 35*(x*e + d)^{(3/2)}*b^2*c^4*e^{14} - 35*(x*e + d)^{(3/2)}*a*c^5*e^{14} + 105*\sqrt{x*e + d}*b^2*c^4*d*e^{14} - 105*\sqrt{x*e + d}*a*c^5*d*e^{14} - 105*\sqrt{x*e + d}*b^3*c^3*e^{15} + 210*\sqrt{x*e + d}*a*b*c^4*e^{15}*e^{(-14)}/c^7$$

maple [B] time = 0.06, size = 2988, normalized size = 5.14

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^3*(e*x+d)^{(3/2)}/(c*x^2+b*x+a), x)$

[Out]  $\frac{2}{7}*(e*x+d)^{(7/2)}/c/e^2-2/5/e^2/c*(e*x+d)^{(5/2)}*d-2/c^2*a*d*(e*x+d)^{(1/2)}+2/c^3*b^2*d*(e*x+d)^{(1/2)}-2/5/e/c^2*(e*x+d)^{(5/2)}*b-2*e/c^4*b^3*(e*x+d)^{(1/2)}+8*e^2/c^2/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*a*b^2*d-3*e/c/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*a*b*d^2+8*e^2/c^2/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctanh((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*a*b^2*d-3*e/c/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctanh((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*a*b*d^2+e^3/c^4/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*b^5+3*e^2/c^3*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctanh((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*a*b^2+2*e/c^3*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctanh((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*b^3*d-3*e^2/c^3*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*a*b^2-2*e/c^3*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*b^3*d+e^3/c^4/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctanh((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*a*b^5+4*e/c^3*a*b*(e*x+d)^{(1/2)}+5*e^3/c^2/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*a^2*b-4*e^2/c/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*a^2*d-5*e^3/c^3/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctan((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*c)*a*b^3-2*e^2/c^3/(-4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})^2)^{(1/2)}*c)^{(1/2)}*\arctan((e*x+d)^{(1/2)}*2^{(1/2)}/(($

$$\begin{aligned}
& b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * b^4 d + e/c^2 / (-4ac - b^2) e^2)^{1/2} * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} * \arctan((e * x + d)^{1/2} * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * b^3 d^2 + 5e^3/c^2 / (-4ac - b^2) e^2)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \operatorname{arctanh}((e * x + d)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * a^2 b - 4e/c^2 * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \operatorname{arctanh}((e * x + d)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * a * b * d + 4e/c^2 * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \arctan((e * x + d)^{1/2} * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * a * b * d - 4e^2/c / (-4ac - b^2) e^2)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \operatorname{arctanh}((e * x + d)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * a^2 d - 5e^3/c^3 / (-4ac - b^2) e^2)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \operatorname{arctanh}((e * x + d)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * a * b^3 - 2e^2/c^3 / (-4ac - b^2) e^2)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \operatorname{arctanh}((e * x + d)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * b^4 d + e/c^2 / (-4ac - b^2) e^2)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \operatorname{arctanh}((e * x + d)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * b^3 d^2 - 2/3/c^2 * (e * x + d)^{3/2} * a + 2/3/c^3 * (e * x + d)^{3/2} * b^2 + 1/c^2 * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \arctan((e * x + d)^{1/2} * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * b^2 d^2 + 1/c * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \operatorname{arctanh}((e * x + d)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * a * d^2 - 1/c^2 * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \operatorname{arctanh}((e * x + d)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * b^2 d^2 - e^2/c^2 * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \operatorname{arctanh}((e * x + d)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * a^2 - e^2/c^4 * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \operatorname{arctanh}((e * x + d)^{1/2} * 2^{1/2} / ((-b^2 e + 2cd + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * b^4 + e^2/c^2 * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \arctan((e * x + d)^{1/2} * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * a^2 + e^2/c^4 * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \arctan((e * x + d)^{1/2} * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * b^4 - 1/c * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * \arctan((e * x + d)^{1/2} * 2^{1/2} / ((b^2 e^{-2cd} + (-4ac - b^2) e^2)^{1/2} c)^{1/2} c) * a * d^2
\end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^2 x^3}{cx^2 + bx + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(e\*x+d)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)\*x^3/(c\*x^2 + b\*x + a), x)

**mupad [B]** time = 7.14, size = 25497, normalized size = 43.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2), x)

[Out] atan((((8\*(4\*a^3\*c^8\*d\*e^4 - 8\*a^3\*b\*c^7\*e^5 - a\*b^5\*c^5\*e^5 + b^6\*c^5\*d\*e^4 + 6\*a^2\*b^3\*c^6\*e^5 + 4\*a^2\*c^9\*d^3\*e^2 + b^4\*c^7\*d^3\*e^2 - 2\*b^5\*c^6\*d^2\*e^3 - 5\*a\*b^4\*c^6\*d\*e^4 - 5\*a\*b^2\*c^8\*d^3\*e^2 + 11\*a\*b^3\*c^7\*d^2\*e^3 - 12\*a^2\*b\*c^8\*d^2\*e^3 + 3\*a^2\*b^2\*c^7\*d\*e^4)/c^7 - (8\*(d + e\*x)^(1/2)\*(-(b^11\*e^3 - 8\*a^4\*c^7\*d^3 - b^8\*c^3\*d^3 + b^8\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 10\*a\*b^6\*c^4\*d^3 - 36\*a^5\*b\*c^5\*e^3 + 24\*a^5\*c^6\*d\*e^2 + 3\*b^9\*c^2\*d^2\*e - 33\*a^2\*b^4\*c^5\*d^3 + 38\*a^3\*b^2\*c^6\*d^3 + 63\*a^2\*b^7\*c^2\*e^3 - 138\*a^3\*b^5\*c^3\*e^3 + 129\*a^4\*b^3\*c^4\*e^3 + a^4\*c^4\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - b^5\*c^3\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 13\*a\*b^9\*c\*e^3 - 3\*b^10\*c\*d\*e^2 + 15\*a^2\*b^4\*c^2\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 10\*a^3\*b^2\*c^3\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 7\*a\*b^6\*c\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 33\*a\*b^7\*c^3\*d^2\*e + 36\*a\*b^8\*c^2\*d\*e^2 + 84\*a^4\*b\*c^6\*d^2\*e - 3\*b^7\*c\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 4\*a\*b^3\*c^4\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 3\*a^2\*b\*c^5\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 126\*a^2\*b^5\*c^4\*d^2\*e - 156\*a^2\*b^6\*c^3\*d\*e^2 - 189\*a^3\*b^3\*c^5\*d^2\*e + 288\*a^3\*b^4\*c^4\*d\*e^2 - 198\*a^4\*b^2\*c^5\*d\*e^2 - 3\*a^3\*c^5\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 3\*b^6\*c^2\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) - 15\*a\*b^4\*c^3\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 18\*a\*b^5\*c^2\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 12\*a^3\*b\*c^4\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 18\*a^2\*b^2\*c^4\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) - 30\*a^2\*b^3\*c^3\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2)))/(2\*(16\*a^2\*c^11 + b^4\*c^9 - 8\*a\*b^2\*c^10))^(1/2)\*(b^3\*c^9\*e^3 - 2\*b^2\*c^10\*d\*e^2 - 4\*a\*b\*c^10\*e^3 + 8\*a\*c^11\*d\*e^2)/c^7\*(-(b^11\*e^3 - 8\*a^4\*c^7\*d^3 - b^8\*c^3\*d^3 + b^8\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 10\*a\*b^6\*c^4\*d^3 - 36\*a^5\*b\*c^5\*e^3 + 24\*a^5\*c^6\*d\*e^2 + 3\*b^9\*c^2\*d^2\*e - 33\*a^2\*b^4\*c^5\*d^3 + 38\*a^3\*b^2\*c^6\*d^3 + 63\*a^2\*b^7\*c^2\*e^3 - 138\*a^3\*b^5\*c^3\*e^3 + 129\*a^4\*b^3\*c^4\*e^3 + a^4\*c^4\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - b^5\*c^3\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 13\*a\*b^9\*c\*e^3 - 3\*b^10\*c\*d\*e^2 + 15\*a^2\*b^4\*c^2\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 10\*a^3\*b^2\*c^3\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 7\*a\*b^6\*c\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 33\*a\*b^7\*c^3\*d^2\*e + 36\*a\*b^8\*c^2\*d\*e^2 + 84\*a^4\*b\*c^6\*d^2\*e - 3\*b^7\*c\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 4\*a\*b^3\*c^4\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 3\*a^2\*b\*c^5\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 126\*a^2\*b^5\*c^4\*d^2\*e - 156\*a^2\*b^6\*c^3\*d\*e^2 - 189\*a^3\*b^3\*c^5\*d^2\*e + 288\*a^3\*b^4\*c^4\*d\*e^2 - 198\*a^4\*b^2\*c^5\*d\*e^2 - 3\*a^3\*c^5\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 3\*b^6\*c^2\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) - 15\*a\*b^4\*c^3\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 18\*a\*b^5\*c^2\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 12\*a^3\*b\*c^4\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 18\*a^2\*b^2\*c^4\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) - 30\*a^2\*b^3\*c^3\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2)))/(2\*(16\*a^2\*c^11 + b^4\*c^9 - 8\*a\*b^2\*c^10))^(1/2)

$$\begin{aligned}
& (1 + b^4c^9 - 8ab^2c^{10}))^{(1/2)} - (8(d + ex)^{(1/2)}(b^{10}e^6 - 2a^5c^5e^6 + 35a^2b^6c^2e^6 - 50a^3b^4c^3e^6 + 25a^4b^2c^4e^6 - 2a^3c^7d^4e^2 + 12a^4c^6d^2e^4 + b^6c^4d^4e^2 - 4b^7c^3d^3e^3 + 6b^8c^2d^2e^4 - 10ab^8c^3e^6 - 4b^9c^2d^2e^5 + 9a^2b^2c^6d^4e^2 - 56a^2b^3c^5d^3e^3 + 120a^2b^4c^4d^2e^4 - 96a^3b^2c^5d^2e^4 + 36ab^7c^2d^2e^5 - 36a^4b^3c^5d^2e^5 - 6ab^4c^5d^4e^2 + 28ab^5c^4d^3e^3 - 48ab^6c^3d^2e^4 - 108a^2b^5c^3d^2e^5 + 28a^3b^3c^6d^3e^3 + 120a^3b^3c^4d^2e^5)/c^7) * (- (b^{11}e^3 - 8a^4c^7d^3 - b^8c^3d^3 + b^8e^3 * (- (4ac - b^2)^3)^{(1/2)} + 10ab^6c^4d^3 - 36a^5b^3c^5e^3 + 24a^5c^6d^2e^2 + 3b^9c^2d^2e - 33a^2b^4c^5d^3 + 38a^3b^2c^6d^3 + 63a^2b^7c^2e^3 - 138a^3b^5c^3e^3 + 129a^4b^3c^4e^3 + a^4c^4e^3 * (- (4ac - b^2)^3)^{(1/2)} - b^5c^3d^3 * (- (4ac - b^2)^3)^{(1/2)} - 13ab^9c^3e^3 - 3b^{10}c^2d^2e^2 + 15a^2b^4c^2e^3 * (- (4ac - b^2)^3)^{(1/2)} - 10a^3b^2c^3e^3 * (- (4ac - b^2)^3)^{(1/2)} - 7ab^6c^3e^3 * (- (4ac - b^2)^3)^{(1/2)} - 33ab^7c^3d^2e^2 + 36ab^8c^2d^2e^2 + 84a^4b^3c^6d^2e - 3b^7c^2d^2e^2 * (- (4ac - b^2)^3)^{(1/2)} + 4ab^3c^4d^3 * (- (4ac - b^2)^3)^{(1/2)} - 3a^2b^3c^5d^3 * (- (4ac - b^2)^3)^{(1/2)} + 126a^2b^5c^4d^2e - 156a^2b^6c^3d^2e^2 - 189a^3b^3c^5d^2e + 288a^3b^4c^4d^2e^2 - 198a^4b^2c^5d^2e^2 - 3a^3c^5d^2e * (- (4ac - b^2)^3)^{(1/2)} + 3b^6c^2d^2e * (- (4ac - b^2)^3)^{(1/2)} - 15ab^4c^3d^2e * (- (4ac - b^2)^3)^{(1/2)} + 18ab^5c^2d^2e^2 * (- (4ac - b^2)^3)^{(1/2)} + 12a^3b^3c^4d^2e^2 * (- (4ac - b^2)^3)^{(1/2)} + 18a^2b^2c^4d^2e * (- (4ac - b^2)^3)^{(1/2)} - 30a^2b^3c^3d^2e^2 * (- (4ac - b^2)^3)^{(1/2)}) / (2 * (16a^2c^{11} + b^4c^9 - 8ab^2c^{10}))^{(1/2)} * i - (((8(4a^3c^8d^4e^4 - 8a^3b^3c^7e^5 - ab^5c^5e^5 + b^6c^5d^4e^4 + 6a^2b^3c^6e^5 + 4a^2c^9d^3e^2 + b^4c^7d^3e^2 - 2b^5c^6d^2e^3 - 5ab^4c^6d^4e^4 - 5ab^2c^8d^3e^2 + 11ab^3c^7d^2e^3 - 12a^2b^3c^8d^2e^3 + 3a^2b^2c^7d^4e^4)) / c^7 + (8(d + ex)^{(1/2)} * (- (b^{11}e^3 - 8a^4c^7d^3 - b^8c^3d^3 + b^8e^3 * (- (4ac - b^2)^3)^{(1/2)} + 10ab^6c^4d^3 - 36a^5b^3c^5e^3 + 24a^5c^6d^2e^2 + 3b^9c^2d^2e - 33a^2b^4c^5d^3 + 38a^3b^2c^6d^3 + 63a^2b^7c^2e^3 - 138a^3b^5c^3e^3 + 129a^4b^3c^4e^3 + a^4c^4e^3 * (- (4ac - b^2)^3)^{(1/2)} - b^5c^3d^3 * (- (4ac - b^2)^3)^{(1/2)} - 13ab^9c^3e^3 - 3b^{10}c^2d^2e^2 + 15a^2b^4c^2e^3 * (- (4ac - b^2)^3)^{(1/2)} - 10a^3b^2c^3e^3 * (- (4ac - b^2)^3)^{(1/2)} - 7ab^6c^3e^3 * (- (4ac - b^2)^3)^{(1/2)} - 33ab^7c^3d^2e^2 + 36ab^8c^2d^2e^2 + 84a^4b^3c^6d^2e - 3b^7c^2d^2e^2 * (- (4ac - b^2)^3)^{(1/2)} + 4ab^3c^4d^3 * (- (4ac - b^2)^3)^{(1/2)} - 3a^2b^3c^5d^3 * (- (4ac - b^2)^3)^{(1/2)} + 126a^2b^5c^4d^2e - 156a^2b^6c^3d^2e^2 - 189a^3b^3c^5d^2e + 288a^3b^4c^4d^2e^2 - 198a^4b^2c^5d^2e^2 - 3a^3c^5d^2e * (- (4ac - b^2)^3)^{(1/2)} + 3b^6c^2d^2e^2 * (- (4ac - b^2)^3)^{(1/2)} - 15ab^4c^3d^2e * (- (4ac - b^2)^3)^{(1/2)} + 18ab^5c^2d^2e^2 * (- (4ac - b^2)^3)^{(1/2)} + 12a^3b^3c^4d^2e^2 * (- (4ac - b^2)^3)^{(1/2)} + 18a^2b^2c^4d^2e * (- (4ac - b^2)^3)^{(1/2)} - 30a^2b^3c^3d^2e^2 * (- (4ac - b^2)^3)^{(1/2)}) / (2 * (16a^2c^{11} + b^4c^9 - 8ab^2c^{10}))^{(1/2)} * (b^3c^9e^3 - 2b^2c^{10}d^2e^2 - 4ab^3c^{10}e^3 + 8a^3c^{11}d^2e^2) / c^7) * (- (b^{11}e^3 - 8a^4c^7d^3 - b^8c^3d^3 + b^8e^3 * (- (4ac - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& 2) + 10*a*b^6*c^4*d^3 - 36*a^5*b*c^5*e^3 + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2 \\
& *e - 33*a^2*b^4*c^5*d^3 + 38*a^3*b^2*c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3 \\
& *b^5*c^3*e^3 + 129*a^4*b^3*c^4*e^3 + a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& b^5*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e^3 - 3*b^10*c*d*e^2 + 1 \\
& 5*a^2*b^4*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3*e^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 7*a*b^6*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e \\
& + 36*a*b^8*c^2*d*e^2 + 84*a^4*b*c^6*d^2*e - 3*b^7*c*d*e^2*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} + 4*a*b^3*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^5*d^3*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 126*a^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a \\
& ^3*b^3*c^5*d^2*e + 288*a^3*b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 - 3*a^3*c^ \\
& 5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 15*a*b^4*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a*b^5*c^2*d*e^2*(-(4*a* \\
& c - b^2)^3)^{(1/2)} + 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a^2*b^ \\
& 2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2) \\
& ^3)^{(1/2)))/(2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10))^{(1/2)} + (8*(d + e*x) \\
& ^{(1/2)}*(b^10*e^6 - 2*a^5*c^5*e^6 + 35*a^2*b^6*c^2*e^6 - 50*a^3*b^4*c^3*e^6 \\
& + 25*a^4*b^2*c^4*e^6 - 2*a^3*c^7*d^4*e^2 + 12*a^4*c^6*d^2*e^4 + b^6*c^4*d^4 \\
& *e^2 - 4*b^7*c^3*d^3*e^3 + 6*b^8*c^2*d^2*e^4 - 10*a*b^8*c*e^6 - 4*b^9*c*d*e \\
& ^5 + 9*a^2*b^2*c^6*d^4*e^2 - 56*a^2*b^3*c^5*d^3*e^3 + 120*a^2*b^4*c^4*d^2*e \\
& ^4 - 96*a^3*b^2*c^5*d^2*e^4 + 36*a*b^7*c^2*d*e^5 - 36*a^4*b*c^5*d*e^5 - 6*a \\
& *b^4*c^5*d^4*e^2 + 28*a*b^5*c^4*d^3*e^3 - 48*a*b^6*c^3*d^2*e^4 - 108*a^2*b^ \\
& 5*c^3*d*e^5 + 28*a^3*b*c^6*d^3*e^3 + 120*a^3*b^3*c^4*d*e^5))/c^7)*(-(b^11*e \\
& ^3 - 8*a^4*c^7*d^3 - b^8*c^3*d^3 + b^8*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a* \\
& b^6*c^4*d^3 - 36*a^5*b*c^5*e^3 + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2*e - 33*a^ \\
& 2*b^4*c^5*d^3 + 38*a^3*b^2*c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3*b^5*c^3*e \\
& ^3 + 129*a^4*b^3*c^4*e^3 + a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^5*c^3*d \\
& ^3*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e^3 - 3*b^10*c*d*e^2 + 15*a^2*b^4* \\
& c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 7*a*b^6*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e + 36*a*b^ \\
& 8*c^2*d*e^2 + 84*a^4*b*c^6*d^2*e - 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 4*a*b^3*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^5*d^3*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} + 126*a^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3*c^5 \\
& *d^2*e + 288*a^3*b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 - 3*a^3*c^5*d^2*e*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^ \\
& 4*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3 \\
& )^{(1/2)} + 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a^2*b^2*c^4*d^2* \\
& e*(-(4*a*c - b^2)^3)^{(1/2)} - 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)) \\
& /((2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10))^{(1/2)}*i)/((16*(a^5*b^4*e^8 + \\
& a^7*c^2*e^8 - 3*a^6*b^2*c*e^8 - 2*a^4*b^5*d*e^7 + a^3*b^6*d^2*e^6 - a^4*c^5 \\
& *d^6*e^2 - a^5*c^4*d^4*e^4 + a^6*c^3*d^2*e^6 + a^3*b^2*c^4*d^6*e^2 - 4*a^3* \\
& b^3*c^3*d^5*e^3 + 6*a^3*b^4*c^2*d^4*e^4 - 10*a^4*b^2*c^3*d^4*e^4 + 4*a^4*b^ \\
& 3*c^2*d^3*e^5 - 12*a^5*b^2*c^2*d^2*e^6 + 4*a^5*b^3*c*d*e^7 + 2*a^6*b*c^2*d* \\
& e^7 - 4*a^3*b^5*c*d^3*e^5 + 6*a^4*b*c^4*d^5*e^3 + 3*a^4*b^4*c*d^2*e^6 + 8*a \\
& ^5*b*c^3*d^3*e^5))/c^7 + (((8*(4*a^3*c^8*d*e^4 - 8*a^3*b*c^7*e^5 - a*b^5*c^ \\
& 5*e^5 + b^6*c^5*d*e^4 + 6*a^2*b^3*c^6*e^5 + 4*a^2*c^9*d^3*e^2 + b^4*c^7*d^3
\end{aligned}$$



$$\begin{aligned}
& e^2 - 2b^5c^6d^2e^3 - 5a^2b^4c^6d^2e^4 - 5a^2b^2c^8d^3e^2 + 11a^2b^3c^7d^2e^3 - 12a^2b^2c^8d^2e^3 + 3a^2b^2c^7d^2e^4)/c^7 - (8*(d + \\
& ex)^{(1/2)}*(-(b^{11}e^3 - 8a^4c^7d^3 - b^8c^3d^3 + b^8e^3*(-(4ac - \\
& b^2)^3)^{(1/2)} + 10a^2b^6c^4d^3 - 36a^5b^2c^5e^3 + 24a^5c^6d^2e^2 + 3b^9c^2d^2e - 33a^2b^4c^5d^3 + 38a^3b^2c^6d^3 + 63a^2b^7c^2e^3 - 138a^3b^5c^3e^3 + 129a^4b^3c^4e^3 + a^4c^4e^3*(-(4ac - b^2)^3)^{(1/2)} - b^5c^3d^3*(-(4ac - b^2)^3)^{(1/2)} - 13a^2b^9c^2e^3 - 3b^{10}c^2d^2e^2 + 15a^2b^4c^2e^3*(-(4ac - b^2)^3)^{(1/2)} - 10a^3b^2c^3e^3*(-(4ac - b^2)^3)^{(1/2)} - 7a^2b^6c^2e^3*(-(4ac - b^2)^3)^{(1/2)} - 33a^2b^7c^3d^2e + 36a^2b^8c^2d^2e^2 + 84a^4b^2c^6d^2e - 3b^7c^2d^2e^2*(-(4ac - b^2)^3)^{(1/2)} + 4a^2b^3c^4d^3*(-(4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^5d^3*(-(4ac - b^2)^3)^{(1/2)} + 126a^2b^5c^4d^2e - 156a^2b^6c^3d^2e^2 - 189a^3b^3c^5d^2e + 288a^3b^4c^4d^2e^2 - 198a^4b^2c^5d^2e^2 - 3a^3c^5d^2e*(-(4ac - b^2)^3)^{(1/2)} + 3b^6c^2d^2e*(-(4ac - b^2)^3)^{(1/2)} - 15a^2b^4c^3d^2e*(-(4ac - b^2)^3)^{(1/2)} + 18a^2b^5c^2d^2e^2*(-(4ac - b^2)^3)^{(1/2)} + 12a^3b^2c^4d^2e^2*(-(4ac - b^2)^3)^{(1/2)} + 18a^2b^2c^4d^2e*(-(4ac - b^2)^3)^{(1/2)} - 30a^2b^3c^3d^2e^2*(-(4ac - b^2)^3)^{(1/2)})/(2*(16a^2c^{11} + b^4c^9 - 8a^2b^2c^{10}))^{(1/2)}*(b^3c^9e^3 - 2b^2c^{10}d^2e^2 - 4a^2b^2c^{10}e^3 + 8a^2c^{11}d^2e^2)/c^7*(-(b^{11}e^3 - 8a^4c^7d^3 - b^8c^3d^3 + b^8e^3*(-(4ac - b^2)^3)^{(1/2)} + 10a^2b^6c^4d^3 - 36a^5b^2c^5e^3 + 24a^5c^6d^2e^2 + 3b^9c^2d^2e - 33a^2b^4c^5d^3 + 38a^3b^2c^6d^3 + 63a^2b^7c^2e^3 - 138a^3b^5c^3e^3 + 129a^4b^3c^4e^3 + a^4c^4e^3*(-(4ac - b^2)^3)^{(1/2)} - b^5c^3d^3*(-(4ac - b^2)^3)^{(1/2)} - 13a^2b^9c^2e^3 - 3b^{10}c^2d^2e^2 + 15a^2b^4c^2e^3*(-(4ac - b^2)^3)^{(1/2)} - 10a^3b^2c^3e^3*(-(4ac - b^2)^3)^{(1/2)} - 7a^2b^6c^2e^3*(-(4ac - b^2)^3)^{(1/2)} - 33a^2b^7c^3d^2e + 36a^2b^8c^2d^2e^2 + 84a^4b^2c^6d^2e - 3b^7c^2d^2e^2*(-(4ac - b^2)^3)^{(1/2)} + 4a^2b^3c^4d^3*(-(4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^5d^3*(-(4ac - b^2)^3)^{(1/2)} + 126a^2b^5c^4d^2e - 156a^2b^6c^3d^2e^2 - 189a^3b^3c^5d^2e + 288a^3b^4c^4d^2e^2 - 198a^4b^2c^5d^2e^2 - 3a^3c^5d^2e*(-(4ac - b^2)^3)^{(1/2)} + 3b^6c^2d^2e*(-(4ac - b^2)^3)^{(1/2)} - 15a^2b^4c^3d^2e*(-(4ac - b^2)^3)^{(1/2)} + 18a^2b^5c^2d^2e^2*(-(4ac - b^2)^3)^{(1/2)} + 12a^3b^2c^4d^2e^2*(-(4ac - b^2)^3)^{(1/2)} + 18a^2b^2c^4d^2e*(-(4ac - b^2)^3)^{(1/2)} - 30a^2b^3c^3d^2e^2*(-(4ac - b^2)^3)^{(1/2)})/(2*(16a^2c^{11} + b^4c^9 - 8a^2b^2c^{10}))^{(1/2)} - (8*(d + ex)^{(1/2)}*(b^{10}e^6 - 2a^5c^5e^6 + 35a^2b^6c^2e^6 - 50a^3b^4c^3e^6 + 25a^4b^2c^4e^6 - 2a^3c^7d^4e^2 + 12a^4c^6d^2e^4 + b^6c^4d^4e^2 - 4b^7c^3d^3e^3 + 6b^8c^2d^2e^4 - 10a^2b^8c^2e^6 - 4b^9c^2d^2e^5 + 9a^2b^2c^6d^4e^2 - 56a^2b^3c^5d^3e^3 + 120a^2b^4c^4d^2e^4 - 96a^3b^2c^5d^2e^4 + 36a^2b^7c^2d^2e^5 - 36a^4b^2c^5d^2e^5 - 6a^2b^4c^5d^4e^2 + 28a^2b^5c^4d^3e^3 - 48a^2b^6c^3d^2e^4 - 108a^2b^5c^3d^2e^5 + 28a^3b^2c^6d^3e^3 + 120a^3b^3c^4d^2e^5)/c^7*(-(b^{11}e^3 - 8a^4c^7d^3 - b^8c^3d^3 + b^8e^3*(-(4ac - b^2)^3)^{(1/2)} + 10a^2b^6c^4d^3 - 36a^5b^2c^5e^3 + 24a^5c^6d^2e^2 + 3b^9c^2d^2e - 33a^2b^4c^5d^3 + 38a^3b^2c^6d^3 + 63a^2b^7c^2e^3 - 138a^3b^5c^3e^3 + 1
\end{aligned}$$

$$\begin{aligned}
& 29a^4b^3c^4e^3 + a^4c^4e^3(-4ac - b^2)^3^{(1/2)} - b^5c^3d^3(-4ac - b^2)^3^{(1/2)} - 13ab^9c^3e^3 - 3b^{10}c^3d^3e^2 + 15a^2b^4c^2e^3 \\
& 3(-4ac - b^2)^3^{(1/2)} - 10a^3b^2c^3e^3(-4ac - b^2)^3^{(1/2)} - 7ab^6c^3e^3(-4ac - b^2)^3^{(1/2)} - 33ab^7c^3d^2e + 36ab^8c^2d^2e^2 \\
& + 84a^4b^6c^6d^2e - 3b^7c^3d^2e^2(-4ac - b^2)^3^{(1/2)} + 4ab^3c^4d^3(-4ac - b^2)^3^{(1/2)} - 3a^2b^5c^5d^3(-4ac - b^2)^3^{(1/2)} \\
& + 126a^2b^5c^4d^2e - 156a^2b^6c^3d^2e^2 - 189a^3b^3c^5d^2e + 288a^3b^4c^4d^2e^2 - 198a^4b^2c^5d^2e^2 - 3a^3c^5d^2e(-4ac - b^2)^3^{(1/2)} \\
& + 3b^6c^2d^2e(-4ac - b^2)^3^{(1/2)} - 15ab^4c^3d^2e(-4ac - b^2)^3^{(1/2)} + 18ab^5c^2d^2e^2(-4ac - b^2)^3^{(1/2)} \\
& + 12a^3b^4c^4d^2e^2(-4ac - b^2)^3^{(1/2)} + 18a^2b^2c^4d^2e(-4ac - b^2)^3^{(1/2)} - 30a^2b^3c^3d^2e^2(-4ac - b^2)^3^{(1/2)} \\
& / (2(16a^2c^{11} + b^4c^9 - 8ab^2c^{10}))^{(1/2)} + ((8(4a^3c^8d^4e^4 - 8a^3b^3c^7e^5 - ab^5c^5e^5 + b^6c^5d^4e^4 + 6a^2b^3c^6e^5 + 4a^2c^9d^3e^2 \\
& + b^4c^7d^3e^2 - 2b^5c^6d^2e^3 - 5ab^4c^6d^4e^4 - 5ab^2c^8d^3e^2 + 11ab^3c^7d^2e^3 - 12a^2b^4c^8d^2e^3 + 3a^2b^2c^7d^4e^4)) / c^7 \\
& + (8(d + ex)^{(1/2)}(-b^{11}e^3 - 8a^4c^7d^3 - b^8c^3d^3 + b^8e^3(-4ac - b^2)^3^{(1/2)} + 10ab^6c^4d^3 - 36a^5b^3c^5e^3 + 24a^5c^6d^2e^2 \\
& + 3b^9c^2d^2e - 33a^2b^4c^5d^3 + 38a^3b^2c^6d^3 + 63a^2b^7c^2e^3 - 138a^3b^5c^3e^3 + 129a^4b^3c^4e^3 + a^4c^4e^3(-4ac - b^2)^3^{(1/2)} \\
& - b^5c^3d^3(-4ac - b^2)^3^{(1/2)} - 13ab^9c^3e^3 - 3b^{10}c^3d^3e^2 + 15a^2b^4c^2e^3(-4ac - b^2)^3^{(1/2)} - 10a^3b^2c^3e^3(-4ac - b^2)^3^{(1/2)} \\
& - 7ab^6c^3e^3(-4ac - b^2)^3^{(1/2)} - 33ab^7c^3d^2e + 36ab^8c^2d^2e^2 + 84a^4b^6c^6d^2e - 3b^7c^3d^2e^2(-4ac - b^2)^3^{(1/2)} \\
& + 4ab^3c^4d^3(-4ac - b^2)^3^{(1/2)} - 3a^2b^5c^5d^3(-4ac - b^2)^3^{(1/2)} + 126a^2b^5c^4d^2e - 156a^2b^6c^3d^2e^2 - 189a^3b^3c^5d^2e \\
& + 288a^3b^4c^4d^2e^2 - 198a^4b^2c^5d^2e^2 - 3a^3c^5d^2e(-4ac - b^2)^3^{(1/2)} + 3b^6c^2d^2e(-4ac - b^2)^3^{(1/2)} \\
& - 15ab^4c^3d^2e(-4ac - b^2)^3^{(1/2)} + 18ab^5c^2d^2e^2(-4ac - b^2)^3^{(1/2)} + 12a^3b^4c^4d^2e^2(-4ac - b^2)^3^{(1/2)} \\
& + 18a^2b^2c^4d^2e(-4ac - b^2)^3^{(1/2)} - 30a^2b^3c^3d^2e^2(-4ac - b^2)^3^{(1/2)} / (2(16a^2c^{11} + b^4c^9 - 8ab^2c^{10}))^{(1/2)} \\
& * (b^3c^9e^3 - 2b^2c^{10}d^2e^2 - 4ab^3c^{10}e^3 + 8a^3c^{11}d^2e^2) / c^7 * (-b^{11}e^3 - 8a^4c^7d^3 - b^8c^3d^3 + b^8e^3(-4ac - b^2)^3^{(1/2)} \\
& + 10ab^6c^4d^3 - 36a^5b^3c^5e^3 + 24a^5c^6d^2e^2 + 3b^9c^2d^2e - 33a^2b^4c^5d^3 + 38a^3b^2c^6d^3 + 63a^2b^7c^2e^3 - 138a^3b^5c^3e^3 \\
& + 129a^4b^3c^4e^3 + a^4c^4e^3(-4ac - b^2)^3^{(1/2)} - b^5c^3d^3(-4ac - b^2)^3^{(1/2)} - 13ab^9c^3e^3 - 3b^{10}c^3d^3e^2 \\
& + 15a^2b^4c^2e^3(-4ac - b^2)^3^{(1/2)} - 10a^3b^2c^3e^3(-4ac - b^2)^3^{(1/2)} - 7ab^6c^3e^3(-4ac - b^2)^3^{(1/2)} - 33ab^7c^3d^2e \\
& + 36ab^8c^2d^2e^2 + 84a^4b^6c^6d^2e - 3b^7c^3d^2e^2(-4ac - b^2)^3^{(1/2)} + 4ab^3c^4d^3(-4ac - b^2)^3^{(1/2)} - 3a^2b^5c^5d^3 \\
& (-4ac - b^2)^3^{(1/2)} + 126a^2b^5c^4d^2e - 156a^2b^6c^3d^2e^2 - 189a^3b^3c^5d^2e + 288a^3b^4c^4d^2e^2 - 198a^4b^2c^5d^2e^2 \\
& - 3a^3c^5d^2e(-4ac - b^2)^3^{(1/2)} + 3b^6c^2d^2e(-4ac - b^2)^3^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& - b^2)^3)^{(1/2)} - 15*a*b^4*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a^2*b^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10))^{(1/2)} \\
& ) + (8*(d + e*x)^{(1/2)}*(b^10*e^6 - 2*a^5*c^5*e^6 + 35*a^2*b^6*c^2*e^6 - 50*a^3*b^4*c^3*e^6 + 25*a^4*b^2*c^4*e^6 - 2*a^3*c^7*d^4*e^2 + 12*a^4*c^6*d^2*e^4 + b^6*c^4*d^4*e^2 - 4*b^7*c^3*d^3*e^3 + 6*b^8*c^2*d^2*e^4 - 10*a*b^8*c*e^6 - 4*b^9*c*d*e^5 + 9*a^2*b^2*c^6*d^4*e^2 - 56*a^2*b^3*c^5*d^3*e^3 + 120*a^2*b^4*c^4*d^2*e^4 - 96*a^3*b^2*c^5*d^2*e^4 + 36*a*b^7*c^2*d*e^5 - 36*a^4*b*c^5*d*e^5 - 6*a*b^4*c^5*d^4*e^2 + 28*a*b^5*c^4*d^3*e^3 - 48*a*b^6*c^3*d^2*e^4 - 108*a^2*b^5*c^3*d*e^5 + 28*a^3*b*c^6*d^3*e^3 + 120*a^3*b^3*c^4*d*e^5)/c^7)*(-(b^11*e^3 - 8*a^4*c^7*d^3 - b^8*c^3*d^3 + b^8*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a*b^6*c^4*d^3 - 36*a^5*b*c^5*e^3 + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2*e - 33*a^2*b^4*c^5*d^3 + 38*a^3*b^2*c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3*b^5*c^3*e^3 + 129*a^4*b^3*c^4*e^3 + a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^5*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e^3 - 3*b^10*c*d*e^2 + 15*a^2*b^4*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^6*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e + 36*a*b^8*c^2*d*e^2 + 84*a^4*b*c^6*d^2*e - 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b^3*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 126*a^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3*c^5*d^2*e + 288*a^3*b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 - 3*a^3*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^4*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a^2*b^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10))^{(1/2)})))*(-(b^11*e^3 - 8*a^4*c^7*d^3 - b^8*c^3*d^3 + b^8*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a*b^6*c^4*d^3 - 36*a^5*b*c^5*e^3 + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2*e - 33*a^2*b^4*c^5*d^3 + 38*a^3*b^2*c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3*b^5*c^3*e^3 + 129*a^4*b^3*c^4*e^3 + a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^5*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e^3 - 3*b^10*c*d*e^2 + 15*a^2*b^4*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^6*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e + 36*a*b^8*c^2*d*e^2 + 84*a^4*b*c^6*d^2*e - 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b^3*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 126*a^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3*c^5*d^2*e + 288*a^3*b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 - 3*a^3*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^4*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a^2*b^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10))^{(1/2)}*2i - ((6*d)/(5*c*e^2) + (2*(b*e^3 - 2*c*d*e^2))/(5*c^2*e^4))*((d + e*x)^{(5/2)} + atan((((8*(4*a^3*c^8*d*e^4 - 8*a^3*b*c^7*e^5 - a*b^5*c^5*e^5 + b^6*c^5*d*e^4 + 6*a^2*b^3*c^
\end{aligned}$$



$$\begin{aligned}
& 2*b^7*c^2*e^3 - 138*a^3*b^5*c^3*e^3 + 129*a^4*b^3*c^4*e^3 - a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^5*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e^3 \\
& - 3*b^10*c*d*e^2 - 15*a^2*b^4*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a*b^6*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 33*a*b^7*c^3*d^2*e + 36*a*b^8*c^2*d*e^2 + 84*a^4*b*c^6*d^2*e + 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 3*a^2*b*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 126*a^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3*c^5*d^2*e + 288*a^3*b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 \\
& + 3*a^3*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^4*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a^2*b^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a^2*b^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} / (2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10))^{(1/2)} * 1i - (((8*(4*a^3*c^8*d*e^4 - 8*a^3*b*c^7*e^5 - a*b^5*c^5*e^5 + b^6*c^5*d*e^4 \\
& + 6*a^2*b^3*c^6*e^5 + 4*a^2*c^9*d^3*e^2 + b^4*c^7*d^3*e^2 - 2*b^5*c^6*d^2*e^3 - 5*a*b^4*c^6*d*e^4 - 5*a*b^2*c^8*d^3*e^2 + 11*a*b^3*c^7*d^2*e^3 - 12*a^2*b*c^8*d^2*e^3 \\
& + 3*a^2*b^2*c^7*d*e^4)) / c^7 + (8*(d + e*x))^{(1/2)} * (-(b^11*e^3 - 8*a^4*c^7*d^3 - b^8*c^3*d^3 - b^8*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a*b^6*c^4*d^3 - 36*a^5*b*c^5*e^3 \\
& + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2*e - 33*a^2*b^4*c^5*d^3 + 38*a^3*b^2*c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3*b^5*c^3*e^3 + 129*a^4*b^3*c^4*e^3 - a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^5*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e^3 - 3*b^10*c*d*e^2 - 15*a^2*b^4*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a*b^6*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e + 36*a*b^8*c^2*d*e^2 + 84*a^4*b*c^6*d^2*e + 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 126*a^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3*c^5*d^2*e + 288*a^3*b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 + 3*a^3*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^4*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a^2*b^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} / (2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10))^{(1/2)} * (b^3*c^9*e^3 - 2*b^2*c^10*d*e^2 - 4*a*b*c^10*e^3 + 8*a*c^11*d*e^2) / c^7 * (-(b^11*e^3 - 8*a^4*c^7*d^3 - b^8*c^3*d^3 - b^8*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a*b^6*c^4*d^3 - 36*a^5*b*c^5*e^3 + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2*e - 33*a^2*b^4*c^5*d^3 + 38*a^3*b^2*c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3*b^5*c^3*e^3 + 129*a^4*b^3*c^4*e^3 - a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^5*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e^3 - 3*b^10*c*d*e^2 - 15*a^2*b^4*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a*b^6*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e + 36*a*b^8*c^2*d*e^2 + 84*a^4*b*c^6*d^2*e + 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 126*a^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3*c^5*d^2*e + 288*a^3*b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 + 3*a^3*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& - b^2)^3)^{(1/2)} - 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^4*c^3*d \\
& ^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a^2*b^2*c^4*d^2*e*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2))}/(2*(16 \\
& *a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10)))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(b^10*e^6 \\
& - 2*a^5*c^5*e^6 + 35*a^2*b^6*c^2*e^6 - 50*a^3*b^4*c^3*e^6 + 25*a^4*b^2*c^4* \\
& e^6 - 2*a^3*c^7*d^4*e^2 + 12*a^4*c^6*d^2*e^4 + b^6*c^4*d^4*e^2 - 4*b^7*c^3* \\
& d^3*e^3 + 6*b^8*c^2*d^2*e^4 - 10*a*b^8*c*e^6 - 4*b^9*c*d*e^5 + 9*a^2*b^2*c^ \\
& 6*d^4*e^2 - 56*a^2*b^3*c^5*d^3*e^3 + 120*a^2*b^4*c^4*d^2*e^4 - 96*a^3*b^2*c \\
& ^5*d^2*e^4 + 36*a*b^7*c^2*d*e^5 - 36*a^4*b*c^5*d*e^5 - 6*a*b^4*c^5*d^4*e^2 \\
& + 28*a*b^5*c^4*d^3*e^3 - 48*a*b^6*c^3*d^2*e^4 - 108*a^2*b^5*c^3*d*e^5 + 28* \\
& a^3*b*c^6*d^3*e^3 + 120*a^3*b^3*c^4*d*e^5))/c^7)*(-(b^11*e^3 - 8*a^4*c^7*d^ \\
& 3 - b^8*c^3*d^3 - b^8*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a*b^6*c^4*d^3 - 36* \\
& a^5*b*c^5*e^3 + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2*e - 33*a^2*b^4*c^5*d^3 + 3 \\
& 8*a^3*b^2*c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3*b^5*c^3*e^3 + 129*a^4*b^3* \\
& c^4*e^3 - a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^5*c^3*d^3*(-(4*a*c - b^2 \\
& )^3)^{(1/2)} - 13*a*b^9*c*e^3 - 3*b^10*c*d*e^2 - 15*a^2*b^4*c^2*e^3*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a*b^6*c*e \\
& ^3*(-(4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e + 36*a*b^8*c^2*d*e^2 + 84* \\
& a^4*b*c^6*d^2*e + 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^4*d^3* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 126*a \\
& ^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3*c^5*d^2*e + 288*a^3* \\
& b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 + 3*a^3*c^5*d^2*e*(-(4*a*c - b^2)^3)^ \\
& (1/2) - 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^4*c^3*d^2*e*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^3* \\
& b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a^2*b^2*c^4*d^2*e*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} + 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2))}/(2*(16*a^2*c^11 \\
& + b^4*c^9 - 8*a*b^2*c^10)))^{(1/2)}*i)/((16*(a^5*b^4*e^8 + a^7*c^2*e^8 - 3*a \\
& ^6*b^2*c*e^8 - 2*a^4*b^5*d*e^7 + a^3*b^6*d^2*e^6 - a^4*c^5*d^6*e^2 - a^5*c^ \\
& 4*d^4*e^4 + a^6*c^3*d^2*e^6 + a^3*b^2*c^4*d^6*e^2 - 4*a^3*b^3*c^3*d^5*e^3 + \\
& 6*a^3*b^4*c^2*d^4*e^4 - 10*a^4*b^2*c^3*d^4*e^4 + 4*a^4*b^3*c^2*d^3*e^5 - 1 \\
& 2*a^5*b^2*c^2*d^2*e^6 + 4*a^5*b^3*c*d*e^7 + 2*a^6*b*c^2*d*e^7 - 4*a^3*b^5*c \\
& *d^3*e^5 + 6*a^4*b*c^4*d^5*e^3 + 3*a^4*b^4*c*d^2*e^6 + 8*a^5*b*c^3*d^3*e^5) \\
& )/c^7 + (((8*(4*a^3*c^8*d*e^4 - 8*a^3*b*c^7*e^5 - a*b^5*c^5*e^5 + b^6*c^5*d \\
& *e^4 + 6*a^2*b^3*c^6*e^5 + 4*a^2*c^9*d^3*e^2 + b^4*c^7*d^3*e^2 - 2*b^5*c^6* \\
& d^2*e^3 - 5*a*b^4*c^6*d*e^4 - 5*a*b^2*c^8*d^3*e^2 + 11*a*b^3*c^7*d^2*e^3 - \\
& 12*a^2*b*c^8*d^2*e^3 + 3*a^2*b^2*c^7*d*e^4))/c^7 - (8*(d + e*x)^{(1/2)}*(-(b^ \\
& 11*e^3 - 8*a^4*c^7*d^3 - b^8*c^3*d^3 - b^8*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 1 \\
& 0*a*b^6*c^4*d^3 - 36*a^5*b*c^5*e^3 + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2*e - 3 \\
& 3*a^2*b^4*c^5*d^3 + 38*a^3*b^2*c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3*b^5*c \\
& ^3*e^3 + 129*a^4*b^3*c^4*e^3 - a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^5*c \\
& ^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e^3 - 3*b^10*c*d*e^2 - 15*a^2* \\
& b^4*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3 \\
& )^{(1/2)} + 7*a*b^6*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e + 36* \\
& a*b^8*c^2*d*e^2 + 84*a^4*b*c^6*d^2*e + 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/
\end{aligned}$$

$$\begin{aligned}
& 2) - 4*a*b^3*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^5*d^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 126*a^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3 \\
& *c^5*d^2*e + 288*a^3*b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 + 3*a^3*c^5*d^2* \\
& e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 15* \\
& a*b^4*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} - 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a^2*b^2*c^4* \\
& d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1 \\
& /2))/(2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10))^{(1/2)}*(b^3*c^9*e^3 - 2*b^2 \\
& *c^10*d*e^2 - 4*a*b*c^10*e^3 + 8*a*c^11*d*e^2)/c^7*(-(b^11*e^3 - 8*a^4*c^ \\
& 7*d^3 - b^8*c^3*d^3 - b^8*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a*b^6*c^4*d^3 - \\
& 36*a^5*b*c^5*e^3 + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2*e - 33*a^2*b^4*c^5*d^3 \\
& + 38*a^3*b^2*c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3*b^5*c^3*e^3 + 129*a^4*b^3*c^4 \\
& *e^3 - a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^5*c^3*d^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 13*a*b^9*c*e^3 - 3*b^10*c*d*e^2 - 15*a^2*b^4*c^2*e^3*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a*b^6 \\
& *c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e + 36*a*b^8*c^2*d*e^2 + \\
& 84*a^4*b*c^6*d^2*e + 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^4* \\
& d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 1 \\
& 26*a^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3*c^5*d^2*e + 288* \\
& a^3*b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 + 3*a^3*c^5*d^2*e*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^4*c^3*d^2*e*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 12* \\
& a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a^2*b^2*c^4*d^2*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2))/(2*(16*a^2*c \\
& ^11 + b^4*c^9 - 8*a*b^2*c^10))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(b^10*e^6 - 2*a^ \\
& 5*c^5*e^6 + 35*a^2*b^6*c^2*e^6 - 50*a^3*b^4*c^3*e^6 + 25*a^4*b^2*c^4*e^6 - \\
& 2*a^3*c^7*d^4*e^2 + 12*a^4*c^6*d^2*e^4 + b^6*c^4*d^4*e^2 - 4*b^7*c^3*d^3*e^ \\
& 3 + 6*b^8*c^2*d^2*e^4 - 10*a*b^8*c*e^6 - 4*b^9*c*d*e^5 + 9*a^2*b^2*c^6*d^4* \\
& e^2 - 56*a^2*b^3*c^5*d^3*e^3 + 120*a^2*b^4*c^4*d^2*e^4 - 96*a^3*b^2*c^5*d^2 \\
& *e^4 + 36*a*b^7*c^2*d*e^5 - 36*a^4*b*c^5*d*e^5 - 6*a*b^4*c^5*d^4*e^2 + 28*a \\
& *b^5*c^4*d^3*e^3 - 48*a*b^6*c^3*d^2*e^4 - 108*a^2*b^5*c^3*d*e^5 + 28*a^3*b* \\
& c^6*d^3*e^3 + 120*a^3*b^3*c^4*d*e^5)/c^7*(-(b^11*e^3 - 8*a^4*c^7*d^3 - b^ \\
& 8*c^3*d^3 - b^8*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a*b^6*c^4*d^3 - 36*a^5*b* \\
& c^5*e^3 + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2*e - 33*a^2*b^4*c^5*d^3 + 38*a^3*b^2 \\
& *c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3*b^5*c^3*e^3 + 129*a^4*b^3*c^4*e^3 - a^4 \\
& *c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^5*c^3*d^3*(-(4*a*c - b^2)^3)^{( \\
& 1/2)} - 13*a*b^9*c*e^3 - 3*b^10*c*d*e^2 - 15*a^2*b^4*c^2*e^3*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} + 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a*b^6*c*c*e^3*(-( \\
& 4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e + 36*a*b^8*c^2*d*e^2 + 84*a^4*b* \\
& c^6*d^2*e + 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^4*d^3*(-(4*a \\
& *c - b^2)^3)^{(1/2)} + 3*a^2*b*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 126*a^2*b^5 \\
& *c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3*c^5*d^2*e + 288*a^3*b^4*c^ \\
& 4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 + 3*a^3*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^4*c^3*d^2*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^3*b*c^4*
\end{aligned}$$

$$\begin{aligned}
& d^2e^{2(-4ac - b^2)^{1/2}} - 18a^2b^2c^4d^2e^{2(-4ac - b^2)^{1/2}} + 30a^2b^3c^3d^2e^{2(-4ac - b^2)^{1/2}} / (2(16a^2c^{11} + b^4c^9 - 8ab^2c^{10}))^{1/2} + (((8(4a^3c^8d^4e^4 - 8a^3b^7c^5e^5 - ab^5c^5e^5 + b^6c^5d^4e^4 + 6a^2b^3c^6e^5 + 4a^2c^9d^3e^2 + b^4c^7d^3e^2 - 2b^5c^6d^2e^3 - 5ab^4c^6d^4e^4 - 5ab^2c^8d^3e^2 + 11ab^3c^7d^2e^3 - 12a^2b^2c^8d^2e^3 + 3a^2b^2c^7d^4e^4)) / c^7 + (8(d + ex)^{1/2} * (-b^{11}e^3 - 8a^4c^7d^3 - b^8c^3d^3 - b^8e^3 * (-4ac - b^2)^{1/2}) + 10ab^6c^4d^3 - 36a^5b^5c^5e^3 + 24a^5c^6d^2e^2 + 3b^9c^2d^2e - 33a^2b^4c^5d^3 + 38a^3b^2c^6d^3 + 63a^2b^7c^2e^3 - 138a^3b^5c^3e^3 + 129a^4b^3c^4e^3 - a^4c^4e^3 * (-4ac - b^2)^{1/2} + b^5c^3d^3 * (-4ac - b^2)^{1/2} - 13ab^9c^3e^3 - 3b^{10}c^4d^2e^2 - 15a^2b^4c^2e^3 * (-4ac - b^2)^{1/2} + 10a^3b^2c^3e^3 * (-4ac - b^2)^{1/2} + 7ab^6c^3e^3 * (-4ac - b^2)^{1/2} - 33ab^7c^3d^2e + 36ab^8c^2d^2e^2 + 84a^4b^6c^6d^2e + 3b^7c^3d^2e^2 * (-4ac - b^2)^{1/2} - 4ab^3c^4d^3 * (-4ac - b^2)^{1/2} + 3a^2b^5c^5d^3 * (-4ac - b^2)^{1/2} + 126a^2b^5c^4d^2e - 156a^2b^6c^3d^2e^2 - 189a^3b^3c^5d^2e + 288a^3b^4c^4d^2e^2 - 198a^4b^2c^5d^2e^2 + 3a^3c^5d^2e * (-4ac - b^2)^{1/2} - 3b^6c^2d^2e * (-4ac - b^2)^{1/2} + 15ab^4c^3d^2e * (-4ac - b^2)^{1/2} - 18ab^5c^2d^2e^2 * (-4ac - b^2)^{1/2} - 12a^3b^4c^4d^2e^2 * (-4ac - b^2)^{1/2} - 18a^2b^2c^4d^2e * (-4ac - b^2)^{1/2} + 30a^2b^3c^3d^2e^2 * (-4ac - b^2)^{1/2}) / (2(16a^2c^{11} + b^4c^9 - 8ab^2c^{10}))^{1/2} * (b^3c^9e^3 - 2b^2c^{10}d^2e^2 - 4ab^3c^{10}e^3 + 8a^2c^{11}d^2e^2) / c^7 * (-b^{11}e^3 - 8a^4c^7d^3 - b^8c^3d^3 - b^8e^3 * (-4ac - b^2)^{1/2}) + 10ab^6c^4d^3 - 36a^5b^5c^5e^3 + 24a^5c^6d^2e^2 + 3b^9c^2d^2e - 33a^2b^4c^5d^3 + 38a^3b^2c^6d^3 + 63a^2b^7c^2e^3 - 138a^3b^5c^3e^3 + 129a^4b^3c^4e^3 - a^4c^4e^3 * (-4ac - b^2)^{1/2} + b^5c^3d^3 * (-4ac - b^2)^{1/2} - 13ab^9c^3e^3 - 3b^{10}c^4d^2e^2 - 15a^2b^4c^2e^3 * (-4ac - b^2)^{1/2} + 10a^3b^2c^3e^3 * (-4ac - b^2)^{1/2} + 7ab^6c^3e^3 * (-4ac - b^2)^{1/2} - 33ab^7c^3d^2e + 36ab^8c^2d^2e^2 + 84a^4b^6c^6d^2e + 3b^7c^3d^2e^2 * (-4ac - b^2)^{1/2} - 4ab^3c^4d^3 * (-4ac - b^2)^{1/2} + 3a^2b^5c^5d^3 * (-4ac - b^2)^{1/2} + 126a^2b^5c^4d^2e - 156a^2b^6c^3d^2e^2 - 189a^3b^3c^5d^2e + 288a^3b^4c^4d^2e^2 - 198a^4b^2c^5d^2e^2 + 3a^3c^5d^2e * (-4ac - b^2)^{1/2} - 3b^6c^2d^2e * (-4ac - b^2)^{1/2} + 15ab^4c^3d^2e * (-4ac - b^2)^{1/2} - 18ab^5c^2d^2e^2 * (-4ac - b^2)^{1/2} - 12a^3b^4c^4d^2e^2 * (-4ac - b^2)^{1/2} - 18a^2b^2c^4d^2e * (-4ac - b^2)^{1/2} + 30a^2b^3c^3d^2e^2 * (-4ac - b^2)^{1/2}) / (2(16a^2c^{11} + b^4c^9 - 8ab^2c^{10}))^{1/2} + (8(d + ex)^{1/2} * (b^{10}e^6 - 2a^5c^5e^6 + 35a^2b^6c^2e^6 - 50a^3b^4c^3e^6 + 25a^4b^2c^4e^6 - 2a^3c^7d^4e^2 + 12a^4c^6d^2e^4 + b^6c^4d^4e^2 - 4b^7c^3d^3e^3 + 6b^8c^2d^2e^4 - 10ab^8c^3e^6 - 4b^9c^3d^2e^5 + 9a^2b^2c^6d^4e^2 - 56a^2b^3c^5d^3e^3 + 120a^2b^4c^4d^2e^4 - 96a^3b^2c^5d^2e^4 + 36ab^7c^2d^2e^5 - 36a^4b^6c^5d^2e^5 - 6ab^4c^5d^4e^2 + 28ab^5c^4d^3e^3 - 48ab^6c^3d^2e^4 - 108a^2b^5
\end{aligned}$$



$$\begin{aligned}
& *c^3*d*e^5 + 28*a^3*b*c^6*d^3*e^3 + 120*a^3*b^3*c^4*d*e^5)/c^7)*(-(b^{11}*e^3 - 8*a^4*c^7*d^3 - b^8*c^3*d^3 - b^8*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a*b^6*c^4*d^3 - 36*a^5*b*c^5*e^3 + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2*e - 33*a^2*b^4*c^5*d^3 + 38*a^3*b^2*c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3*b^5*c^3*e^3 + 129*a^4*b^3*c^4*e^3 - a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^5*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e^3 - 3*b^{10}*c*d*e^2 - 15*a^2*b^4*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a*b^6*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e + 36*a*b^8*c^2*d*e^2 + 84*a^4*b*c^6*d^2*e + 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 126*a^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3*c^5*d^2*e + 288*a^3*b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 + 3*a^3*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^4*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a^2*b^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10))^{(1/2)}))*(-(b^{11}*e^3 - 8*a^4*c^7*d^3 - b^8*c^3*d^3 - b^8*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a*b^6*c^4*d^3 - 36*a^5*b*c^5*e^3 + 24*a^5*c^6*d*e^2 + 3*b^9*c^2*d^2*e - 33*a^2*b^4*c^5*d^3 + 38*a^3*b^2*c^6*d^3 + 63*a^2*b^7*c^2*e^3 - 138*a^3*b^5*c^3*e^3 + 129*a^4*b^3*c^4*e^3 - a^4*c^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^5*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 13*a*b^9*c*e^3 - 3*b^{10}*c*d*e^2 - 15*a^2*b^4*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 10*a^3*b^2*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a*b^6*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 33*a*b^7*c^3*d^2*e + 36*a*b^8*c^2*d*e^2 + 84*a^4*b*c^6*d^2*e + 3*b^7*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 126*a^2*b^5*c^4*d^2*e - 156*a^2*b^6*c^3*d*e^2 - 189*a^3*b^3*c^5*d^2*e + 288*a^3*b^4*c^4*d*e^2 - 198*a^4*b^2*c^5*d*e^2 + 3*a^3*c^5*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^6*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^4*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a*b^5*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^3*b*c^4*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 18*a^2*b^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 30*a^2*b^3*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^11 + b^4*c^9 - 8*a*b^2*c^10))^{(1/2)}*2i + (d + e*x)^{(3/2)}*((2*d^2)/(c*e^2) - (2*(a*e^4 + c*d^2*e^2 - b*d*e^3))/(3*c^2*e^4) + (((6*d)/(c*e^2) + (2*(b*e^3 - 2*c*d*e^2))/(c^2*e^4))*(b*e^3 - 2*c*d*e^2))/(3*c*e^2) - (d + e*x)^{(1/2)}*((2*d^3)/(c*e^2) - (((6*d)/(c*e^2) + (2*(b*e^3 - 2*c*d*e^2))/(c^2*e^4))*(a*e^4 + c*d^2*e^2 - b*d*e^3))/(c*e^2) + ((b*e^3 - 2*c*d*e^2)*((6*d^2)/(c*e^2) - (2*(a*e^4 + c*d^2*e^2 - b*d*e^3))/(c^2*e^4) + (((6*d)/(c*e^2) + (2*(b*e^3 - 2*c*d*e^2))/(c^2*e^4))*(b*e^3 - 2*c*d*e^2))/(c*e^2)))/(c*e^2) + (2*(d + e*x)^{(7/2)})/(7*c*e^2)
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(e*x+d)**(3/2)/(c*x**2+b*x+a),x)
```

```
[Out] Timed out
```

$$3.344 \quad \int \frac{x^2(d+ex)^{3/2}}{a+bx+cx^2} dx$$

**Optimal.** Leaf size=441

$$\frac{2\sqrt{d+ex} \left( ace + b^2(-e) + bcd \right)}{c^3} + \frac{\sqrt{2} \left( (cd - be) \left( 2ace + b^2(-e) + bcd \right) + \frac{-b^2c(cd^2 - 4ae^2) - 6abc^2de + 2ac^2(cd^2 - ae^2) + b^4(-e^2)}{\sqrt{b^2 - 4ac}} \right)}{c^{7/2} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}}$$

**Rubi [A]** time = 2.15, antiderivative size = 441, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {897, 1287, 1166, 208}

$$\frac{\sqrt{2} \left( \frac{-b^2(cd^2 - 4ae^2) - 6abc^2de + 2ac^2(cd^2 - ae^2) + 2b^4de + b^4(-e^2)}{\sqrt{b^2 - 4ac}} + (cd - be) \left( 2ace + b^2(-e) + bcd \right) \right) \operatorname{tanh}^{-1} \left( \frac{\sqrt{2} \sqrt{d+ex}}{\sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}} \right)}{c^{7/2} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}} + \frac{\sqrt{2} \left( (cd - be) \left( 2ace + b^2(-e) + bcd \right) - \frac{-b^2(cd^2 - 4ae^2) - 6abc^2de + 2ac^2(cd^2 - ae^2) + 2b^4de + b^4(-e^2)}{\sqrt{b^2 - 4ac}} \right) \operatorname{tanh}^{-1} \left( \frac{\sqrt{2} \sqrt{d+ex}}{\sqrt{2cd - e \left( b + \sqrt{b^2 - 4ac} \right)}} \right)}{c^{7/2} \sqrt{2cd - e \left( b + \sqrt{b^2 - 4ac} \right)}} - \frac{2\sqrt{d+ex} \left( ace + b^2(-e) + bcd \right)}{c^3} - \frac{2b(d+ex)^{3/2}}{3c^2} + \frac{2(d+ex)^{5/2}}{5cx}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2), x]

[Out]  $(-2*(b*c*d - b^2*e + a*c*e)*\operatorname{Sqrt}[d + e*x])/c^3 - (2*b*(d + e*x)^{(3/2)})/(3*c^2) + (2*(d + e*x)^{(5/2)})/(5*c*e) + (\operatorname{Sqrt}[2]*((c*d - b*e)*(b*c*d - b^2*e + 2*a*c*e) + (2*b^3*c*d*e - 6*a*b*c^2*d*e - b^4*e^2 - b^2*c*(c*d^2 - 4*a*e^2) + 2*a*c^2*(c*d^2 - a*e^2))/\operatorname{Sqrt}[b^2 - 4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d + e*x])/\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]])/(c^{(7/2)}*\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]) + (\operatorname{Sqrt}[2]*((c*d - b*e)*(b*c*d - b^2*e + 2*a*c*e) - (2*b^3*c*d*e - 6*a*b*c^2*d*e - b^4*e^2 - b^2*c*(c*d^2 - 4*a*e^2) + 2*a*c^2*(c*d^2 - a*e^2))/\operatorname{Sqrt}[b^2 - 4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d + e*x])/\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e]])/(c^{(7/2)}*\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e])$

### Rule 208

$\operatorname{Int}[(a + (b_*)*(x_*)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b]$

### Rule 897

$\operatorname{Int}[(d_*) + (e_*)*(x_*)^m]*((f_*) + (g_*)*(x_*)^n)*((a_*) + (b_*)*(x_*) + (c_*)*(x_*)^2)^{p_}, x\_Symbol] \rightarrow \operatorname{With}\{q = \operatorname{Denominator}[m]\}, \operatorname{Dist}[q/e, \operatorname{Subst}[\operatorname{Int}[x^{(q*(m+1)-1)}*((e*f - d*g)/e + (g*x^q)/e)^n*(c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^{(2*q)})/e^2)^p, x], x, (d + e*x)^{(1/q)}, x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g\}, x] \ \&\& \ \operatorname{NeQ}[e*f - d*g, 0] \ \&\& \ \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \operatorname{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \operatorname{IntegersQ}[n, p] \ \&\& \ \operatorname{Fra}$

ctionQ[m]

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 1287

```
Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] :> Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

### Rubi steps

$$\int \frac{x^2(d+ex)^{3/2}}{a+bx+cx^2} dx = \frac{2 \operatorname{Subst} \left( \int \frac{x^4 \left( -\frac{d}{e} + \frac{x^2}{e} \right)^2}{\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}} dx, x, \sqrt{d+ex} \right)}{e}$$

$$= \frac{2 \operatorname{Subst} \left( \int \left( -\frac{e(bcd-b^2e+ace)}{c^3} - \frac{bex^2}{c^2} + \frac{x^4}{c} + \frac{(bcd-b^2e+ace)(cd^2-bde+ae^2) - (cd-be)(bcd-b^2e+2ace)x^2}{c^3 e \left( \frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2} \right)} \right) dx, x, \sqrt{d+ex} \right)}{e}$$

$$= -\frac{2(bcd-b^2e+ace)\sqrt{d+ex}}{c^3} - \frac{2b(d+ex)^{3/2}}{3c^2} + \frac{2(d+ex)^{5/2}}{5ce} + \frac{2 \operatorname{Subst} \left( \int \frac{(bcd-b^2e+ace)(cd^2-bde+ae^2) - (cd-be)(bcd-b^2e+2ace)x^2}{\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}} dx, x, \sqrt{d+ex} \right)}{e}$$

$$= -\frac{2(bcd-b^2e+ace)\sqrt{d+ex}}{c^3} - \frac{2b(d+ex)^{3/2}}{3c^2} + \frac{2(d+ex)^{5/2}}{5ce} - \frac{\left( (cd-be)(bcd-b^2e+2ace) \right)}{e}$$

$$= -\frac{2(bcd-b^2e+ace)\sqrt{d+ex}}{c^3} - \frac{2b(d+ex)^{3/2}}{3c^2} + \frac{2(d+ex)^{5/2}}{5ce} + \frac{\sqrt{2} \left( (cd-be)(bcd-b^2e+2ace) \right)}{e}$$

**Mathematica [A]** time = 0.67, size = 538, normalized size = 1.22

$$\frac{\sqrt{2ax^2 - 5bx + 4c} \sqrt{bx + 4c + 3bx^2 + 3bx^2 + a}}{bx^2} \cdot \frac{\sqrt{2ax^2 - 5bx + 4c} \sqrt{bx + 4c} \sqrt{bx + 4c + 3bx^2 + 3bx^2 + a}}{c^{7/2} \sqrt{(b^2 - 4ac - a^2) + 2ax}} \cdot \frac{\sqrt{2ax^2 - 5bx + 4c} \sqrt{bx + 4c} \sqrt{bx + 4c + 3bx^2 + 3bx^2 + a}}{c^{7/2} \sqrt{(b^2 - 4ac - a^2) + 2ax}} \cdot \frac{\sqrt{2ax^2 - 5bx + 4c} \sqrt{bx + 4c} \sqrt{bx + 4c + 3bx^2 + 3bx^2 + a}}{c^{7/2} \sqrt{(b^2 - 4ac - a^2) + 2ax}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2), x]

[Out] (2\* $\sqrt{d + e*x}$ \*(15\*b^2\*e^2 + 3\*c^2\*(d + e\*x)^2 - 5\*c\*e\*(4\*b\*d + 3\*a\*e + b\*e\*x)))/(15\*c^3\*e) + ( $\sqrt{2}$ \*(-(b^4\*e^2) + b^3\*e\*(2\*c\*d +  $\sqrt{b^2 - 4*a*c}$ )\*e) + b\*c\*(-2\*a\* $\sqrt{b^2 - 4*a*c}$ \*e^2 + c\*d\*( $\sqrt{b^2 - 4*a*c}$ \*d - 6\*a\*e)) - b^2\*c\*(c\*d^2 + 2\*e\*( $\sqrt{b^2 - 4*a*c}$ \*d - 2\*a\*e)) + 2\*a\*c^2\*(c\*d^2 + e\*( $\sqrt{b^2 - 4*a*c}$ \*d - a\*e)))\*ArcTanh[( $\sqrt{2}$ \* $\sqrt{c}$ \* $\sqrt{d + e*x}$ )/ $\sqrt{2*c*d - b*e + \sqrt{b^2 - 4*a*c}*e}$ ]]/(c^(7/2)\* $\sqrt{b^2 - 4*a*c}$ \* $\sqrt{2*c*d - b*e + \sqrt{b^2 - 4*a*c}*e}$ ) + ( $\sqrt{2}$ \*(b^4\*e^2 + b^3\*e\*(-2\*c\*d +  $\sqrt{b^2 - 4*a*c}$ )\*e) + 2\*a\*c^2\*(-(c\*d^2) + e\*( $\sqrt{b^2 - 4*a*c}$ \*d + a\*e)) + b^2\*c\*(c\*d^2 - 2\*e\*( $\sqrt{b^2 - 4*a*c}$ \*d + 2\*a\*e)) + b\*c\*(-2\*a\* $\sqrt{b^2 - 4*a*c}$ \*e^2 + c\*d\*( $\sqrt{b^2 - 4*a*c}$ \*d + 6\*a\*e)))\*ArcTanh[( $\sqrt{2}$ \* $\sqrt{c}$ \* $\sqrt{d + e*x}$ )/ $\sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})*e}$ ]]/(c^(7/2)\* $\sqrt{b^2 - 4*a*c}$ \* $\sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})*e}$ ))

**IntegrateAlgebraic [A]** time = 1.93, size = 702, normalized size = 1.59

$$\frac{(-15*b*c*d*e + 15*b^2*e^2 - 15*a*c*e^2 - 5*b*c*e*(d + e*x) + 3*c^2*(d + e*x)^2)}{15*c^3*e} + ((\sqrt{2}*b^2*c^2*d^2 - 2*\sqrt{2}*a*c^3*d^2 - \sqrt{2}*b*c^2*\sqrt{b^2 - 4*a*c}*d^2 - 2*\sqrt{2}*b^3*c*d*e + 6*\sqrt{2}*a*b*c^2*d*e + 2*\sqrt{2}*b^2*c*\sqrt{b^2 - 4*a*c}*d*e - 2*\sqrt{2}*a*c^2*\sqrt{b^2 - 4*a*c}*d*e + \sqrt{2}*b^4*e^2 - 4*\sqrt{2}*a*b^2*c*e^2 + 2*\sqrt{2}*a^2*c^2*e^2 - \sqrt{2}*b^3*\sqrt{b^2 - 4*a*c}*e^2 + 2*\sqrt{2}*a*b*c*\sqrt{b^2 - 4*a*c}*e^2)*ArcTan[(\sqrt{2}*sqrt{c}*sqrt{d + e*x})/sqrt{-2*c*d + b*e - sqrt{b^2 - 4*a*c}*e}]]/(c^(7/2)*sqrt{b^2 - 4*a*c}*sqrt{-2*c*d + b*e - sqrt{b^2 - 4*a*c}*e}) + ((-(\sqrt{2}*b^2*c^2*d^2) + 2*\sqrt{2}*a*c^3*d^2 - \sqrt{2}*b*c^2*\sqrt{b^2 - 4*a*c}*d^2 + 2*\sqrt{2}*b^3*c*d*e - 6*\sqrt{2}*a*b*c^2*d*e + 2*\sqrt{2}*b^2*c*\sqrt{b^2 - 4*a*c}*d*e - 2*\sqrt{2}*a*c^2*\sqrt{b^2 - 4*a*c}*d*e - \sqrt{2}*b^4*e^2 + 4*\sqrt{2}*a*b^2*c*e^2 - 2*\sqrt{2}*a^2*c^2*e^2 - \sqrt{2}*b^3*\sqrt{b^2 - 4*a*c}*e^2 + 2*\sqrt{2}*a*b*c*\sqrt{b^2 - 4*a*c}*e^2)*ArcTan[(\sqrt{2}*sqrt{c}*sqrt{d + e*x})/sqrt{-2*c*d + b*e + sqrt{b^2 - 4*a*c}*e}]]/(c^(7/2)*sqrt{b^2 - 4*a*c}*sqrt{-2*c*d + b*e + sqrt{b^2 - 4*a*c}*e}))$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x^2\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2), x]

[Out] (2\* $\sqrt{d + e*x}$ \*(-15\*b\*c\*d\*e + 15\*b^2\*e^2 - 15\*a\*c\*e^2 - 5\*b\*c\*e\*(d + e\*x) + 3\*c^2\*(d + e\*x)^2))/(15\*c^3\*e) + (( $\sqrt{2}$ \*(b^2\*c^2\*d^2 - 2\* $\sqrt{2}$ \*a\*c^3\*d^2 -  $\sqrt{2}$ \*b\*c^2\* $\sqrt{b^2 - 4*a*c}$ \*d^2 - 2\* $\sqrt{2}$ \*b^3\*c\*d\*e + 6\* $\sqrt{2}$ \*a\*b\*c^2\*d\*e + 2\* $\sqrt{2}$ \*b^2\*c\* $\sqrt{b^2 - 4*a*c}$ \*d\*e - 2\* $\sqrt{2}$ \*a\*c^2\* $\sqrt{b^2 - 4*a*c}$ \*d\*e +  $\sqrt{2}$ \*b^4\*e^2 - 4\* $\sqrt{2}$ \*a\*b^2\*c\*e^2 + 2\* $\sqrt{2}$ \*a^2\*c^2\*e^2 -  $\sqrt{2}$ \*b^3\* $\sqrt{b^2 - 4*a*c}$ \*e^2 + 2\* $\sqrt{2}$ \*a\*b\*c\* $\sqrt{b^2 - 4*a*c}$ \*e^2)\*ArcTan[( $\sqrt{2}$ \* $\sqrt{c}$ \* $\sqrt{d + e*x}$ )/ $\sqrt{-2*c*d + b*e - \sqrt{b^2 - 4*a*c}*e}$ ]]/(c^(7/2)\* $\sqrt{b^2 - 4*a*c}$ \* $\sqrt{-2*c*d + b*e - \sqrt{b^2 - 4*a*c}*e}$ ) + ((-( $\sqrt{2}$ \*b^2\*c^2\*d^2) + 2\* $\sqrt{2}$ \*a\*c^3\*d^2 -  $\sqrt{2}$ \*b\*c^2\* $\sqrt{b^2 - 4*a*c}$ \*d^2 + 2\* $\sqrt{2}$ \*b^3\*c\*d\*e - 6\* $\sqrt{2}$ \*a\*b\*c^2\*d\*e + 2\* $\sqrt{2}$ \*b^2\*c\* $\sqrt{b^2 - 4*a*c}$ \*d\*e - 2\* $\sqrt{2}$ \*a\*c^2\* $\sqrt{b^2 - 4*a*c}$ \*d\*e -  $\sqrt{2}$ \*b^4\*e^2 + 4\* $\sqrt{2}$ \*a\*b^2\*c\*e^2 - 2\* $\sqrt{2}$ \*a^2\*c^2\*e^2 -  $\sqrt{2}$ \*b^3\* $\sqrt{b^2 - 4*a*c}$ \*e^2 + 2\* $\sqrt{2}$ \*a\*b\*c\* $\sqrt{b^2 - 4*a*c}$ \*e^2)\*ArcTan[( $\sqrt{2}$ \* $\sqrt{c}$ \* $\sqrt{d + e*x}$ )/ $\sqrt{-2*c*d + b*e + \sqrt{b^2 - 4*a*c}*e}$ ]]/(c^(7/2)\* $\sqrt{b^2 - 4*a*c}$ \* $\sqrt{-2*c*d + b*e + \sqrt{b^2 - 4*a*c}*e}$ ))

**fricas [B]** time = 2.40, size = 8530, normalized size = 19.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e*x+d)^(3/2)/(c*x^2+b*x+a),x, algorithm="fricas")
```

```
[Out] -1/30*(15*sqrt(2)*c^3*e*sqrt(((b^4*c^3 - 4*a*b^2*c^4 + 2*a^2*c^5)*d^3 - 3*(b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*d^2*e + 3*(b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*d*e^2 - (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*e^3 + (b^2*c^7 - 4*a*c^8)*sqrt(((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8)*d^6 - 6*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d^5*e + 3*(5*b^8*c^4 - 30*a*b^6*c^5 + 55*a^2*b^4*c^6 - 30*a^3*b^2*c^7 + 3*a^4*c^8)*d^4*e^2 - 2*(10*b^9*c^3 - 70*a*b^7*c^4 + 160*a^2*b^5*c^5 - 130*a^3*b^3*c^6 + 29*a^4*b*c^7)*d^3*e^3 + 3*(5*b^10*c^2 - 40*a*b^8*c^3 + 110*a^2*b^6*c^4 - 120*a^3*b^4*c^5 + 45*a^4*b^2*c^6 - 2*a^5*c^7)*d^2*e^4 - 6*(b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e^5 + (b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^6)/(b^2*c^14 - 4*a*c^15)))/(b^2*c^7 - 4*a*c^8))*log(sqrt(2)*((b^6*c^4 - 6*a*b^4*c^5 + 8*a^2*b^2*c^6)*d^4 - (4*b^7*c^3 - 28*a*b^5*c^4 + 53*a^2*b^3*c^5 - 20*a^3*b*c^6)*d^3*e + 3*(2*b^8*c^2 - 16*a*b^6*c^3 + 39*a^2*b^4*c^4 - 29*a^3*b^2*c^5 + 4*a^4*c^6)*d^2*e^2 - (4*b^9*c - 36*a*b^7*c^2 + 107*a^2*b^5*c^3 - 118*a^3*b^3*c^4 + 40*a^4*b*c^5)*d*e^3 + (b^10 - 10*a*b^8*c + 35*a^2*b^6*c^2 - 51*a^3*b^4*c^3 + 29*a^4*b^2*c^4 - 4*a^5*c^5)*e^4 - ((b^4*c^8 - 6*a*b^2*c^9 + 8*a^2*c^10)*d - (b^5*c^7 - 7*a*b^3*c^8 + 12*a^2*b*c^9)*e)*sqrt(((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8)*d^6 - 6*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d^5*e + 3*(5*b^8*c^4 - 30*a*b^6*c^5 + 55*a^2*b^4*c^6 - 30*a^3*b^2*c^7 + 3*a^4*c^8)*d^4*e^2 - 2*(10*b^9*c^3 - 70*a*b^7*c^4 + 160*a^2*b^5*c^5 - 130*a^3*b^3*c^6 + 29*a^4*b*c^7)*d^3*e^3 + 3*(5*b^10*c^2 - 40*a*b^8*c^3 + 110*a^2*b^6*c^4 - 120*a^3*b^4*c^5 + 45*a^4*b^2*c^6 - 2*a^5*c^7)*d^2*e^4 - 6*(b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e^5 + (b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^6)/(b^2*c^14 - 4*a*c^15)))*sqrt(((b^4*c^3 - 4*a*b^2*c^4 + 2*a^2*c^5)*d^3 - 3*(b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*d^2*e + 3*(b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*d*e^2 - (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*e^3 + (b^2*c^7 - 4*a*c^8)*sqrt(((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8)*d^6 - 6*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d^5*e + 3*(5*b^8*c^4 - 30*a*b^6*c^5 + 55*a^2*b^4*c^6 - 30*a^3*b^2*c^7 + 3*a^4*c^8)*d^4*e^2 - 2*(10*b^9*c^3 - 70*a*b^7*c^4 + 160*a^2*b^5*c^5 - 130*a^3*b^3*c^6 + 29*a^4*b*c^7)*d^3*e^3 + 3*(5*b^10*c^2 - 40*a*b^8*c^3 + 110*a^2*b^6*c^4 - 120*a^3*b^4*c^5 + 45*a^4*b^2*c^6 - 2*a^5*c^7)*d^2*e^4 - 6*(b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e^5 + (b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^6)/(b^2*c^14 - 4*a*c^15)))/(b^2*c^7 - 4*a*c^8)) + 4*((a^2*b^3*c^4 - 2*a^3*b*c^5)*d^5 - (4*a^2*b^4*c^3 - 11*a^3*b^2*c^4 + 3*a^4*c^5)*d^4*e + 2*(3*a^2*b^5*c^2 - 10*a^3*b^3*c^3 + 5*a^4*b
```

$$\begin{aligned}
& *c^4)*d^3*e^2 - 2*(2*a^2*b^6*c - 7*a^3*b^4*c^2 + 3*a^4*b^2*c^3 + a^5*c^4)*d \\
& ^2*e^3 + (a^2*b^7 - 2*a^3*b^5*c - 6*a^4*b^3*c^2 + 8*a^5*b*c^3)*d*e^4 - (a^3 \\
& *b^6 - 5*a^4*b^4*c + 6*a^5*b^2*c^2 - a^6*c^3)*e^5)*\sqrt{e*x + d}) - 15*\sqrt{ \\
& (2)*c^3*e*\sqrt{((b^4*c^3 - 4*a*b^2*c^4 + 2*a^2*c^5)*d^3 - 3*(b^5*c^2 - 5*a* \\
& b^3*c^3 + 5*a^2*b*c^4)*d^2*e + 3*(b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a \\
& ^3*c^4)*d*e^2 - (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*e^3 + (b^2 \\
& *c^7 - 4*a*c^8)*\sqrt{((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8)*d^6 - 6*(b^7*c \\
& ^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d^5*e + 3*(5*b^8*c^4 - 30* \\
& a*b^6*c^5 + 55*a^2*b^4*c^6 - 30*a^3*b^2*c^7 + 3*a^4*c^8)*d^4*e^2 - 2*(10*b^ \\
& 9*c^3 - 70*a*b^7*c^4 + 160*a^2*b^5*c^5 - 130*a^3*b^3*c^6 + 29*a^4*b*c^7)*d^ \\
& 3*e^3 + 3*(5*b^10*c^2 - 40*a*b^8*c^3 + 110*a^2*b^6*c^4 - 120*a^3*b^4*c^5 + \\
& 45*a^4*b^2*c^6 - 2*a^5*c^7)*d^2*e^4 - 6*(b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c \\
& ^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e^5 + (b^12 - 10*a*b \\
& ^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + \\
& a^6*c^6)*e^6)/(b^2*c^14 - 4*a*c^15)))/(b^2*c^7 - 4*a*c^8))*\log(-\sqrt{2))* \\
& (b^6*c^4 - 6*a*b^4*c^5 + 8*a^2*b^2*c^6)*d^4 - (4*b^7*c^3 - 28*a*b^5*c^4 + 53 \\
& *a^2*b^3*c^5 - 20*a^3*b*c^6)*d^3*e + 3*(2*b^8*c^2 - 16*a*b^6*c^3 + 39*a^2*b \\
& ^4*c^4 - 29*a^3*b^2*c^5 + 4*a^4*c^6)*d^2*e^2 - (4*b^9*c - 36*a*b^7*c^2 + 10 \\
& 7*a^2*b^5*c^3 - 118*a^3*b^3*c^4 + 40*a^4*b*c^5)*d*e^3 + (b^10 - 10*a*b^8*c \\
& + 35*a^2*b^6*c^2 - 51*a^3*b^4*c^3 + 29*a^4*b^2*c^4 - 4*a^5*c^5)*e^4 - ((b^4 \\
& *c^8 - 6*a*b^2*c^9 + 8*a^2*c^10)*d - (b^5*c^7 - 7*a*b^3*c^8 + 12*a^2*b*c^9) \\
& *e)*\sqrt{((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8)*d^6 - 6*(b^7*c^5 - 5*a*b^ \\
& 5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d^5*e + 3*(5*b^8*c^4 - 30*a*b^6*c^5 + \\
& 55*a^2*b^4*c^6 - 30*a^3*b^2*c^7 + 3*a^4*c^8)*d^4*e^2 - 2*(10*b^9*c^3 - 70*a \\
& *b^7*c^4 + 160*a^2*b^5*c^5 - 130*a^3*b^3*c^6 + 29*a^4*b*c^7)*d^3*e^3 + 3*(5 \\
& *b^10*c^2 - 40*a*b^8*c^3 + 110*a^2*b^6*c^4 - 120*a^3*b^4*c^5 + 45*a^4*b^2*c \\
& ^6 - 2*a^5*c^7)*d^2*e^4 - 6*(b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3 \\
& *b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e^5 + (b^12 - 10*a*b^10*c + 37*a \\
& ^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^ \\
& 6)/(b^2*c^14 - 4*a*c^15))*\sqrt{((b^4*c^3 - 4*a*b^2*c^4 + 2*a^2*c^5)*d^3 - \\
& 3*(b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*d^2*e + 3*(b^6*c - 6*a*b^4*c^2 + 9* \\
& a^2*b^2*c^3 - 2*a^3*c^4)*d*e^2 - (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3* \\
& b*c^3)*e^3 + (b^2*c^7 - 4*a*c^8)*\sqrt{((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c \\
& ^8)*d^6 - 6*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d^5*e + 3 \\
& *(5*b^8*c^4 - 30*a*b^6*c^5 + 55*a^2*b^4*c^6 - 30*a^3*b^2*c^7 + 3*a^4*c^8)*d \\
& ^4*e^2 - 2*(10*b^9*c^3 - 70*a*b^7*c^4 + 160*a^2*b^5*c^5 - 130*a^3*b^3*c^6 + \\
& 29*a^4*b*c^7)*d^3*e^3 + 3*(5*b^10*c^2 - 40*a*b^8*c^3 + 110*a^2*b^6*c^4 - 1 \\
& 20*a^3*b^4*c^5 + 45*a^4*b^2*c^6 - 2*a^5*c^7)*d^2*e^4 - 6*(b^11*c - 9*a*b^9* \\
& c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e^5 \\
& + (b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - \\
& 12*a^5*b^2*c^5 + a^6*c^6)*e^6)/(b^2*c^14 - 4*a*c^15)))/(b^2*c^7 - 4*a*c^8) \\
& ) + 4*((a^2*b^3*c^4 - 2*a^3*b*c^5)*d^5 - (4*a^2*b^4*c^3 - 11*a^3*b^2*c^4 + \\
& 3*a^4*c^5)*d^4*e + 2*(3*a^2*b^5*c^2 - 10*a^3*b^3*c^3 + 5*a^4*b*c^4)*d^3*e^2 \\
& - 2*(2*a^2*b^6*c - 7*a^3*b^4*c^2 + 3*a^4*b^2*c^3 + a^5*c^4)*d^2*e^3 + (a^2 \\
& *b^7 - 2*a^3*b^5*c - 6*a^4*b^3*c^2 + 8*a^5*b*c^3)*d*e^4 - (a^3*b^6 - 5*a^4*
\end{aligned}$$

$$\begin{aligned}
& b^4c + 6a^5b^2c^2 - a^6c^3)e^5) \sqrt{ex + d} + 15\sqrt{2}c^3e\sqrt{t} \\
& \left( (b^4c^3 - 4ab^2c^4 + 2a^2c^5)d^3 - 3(b^5c^2 - 5ab^3c^3 + 5a^2b^2c^4)d^2e + 3(b^6c - 6ab^4c^2 + 9a^2b^2c^3 - 2a^3c^4)d^2e^2 \right. \\
& - (b^7 - 7ab^5c + 14a^2b^3c^2 - 7a^3b^2c^3)e^3 - (b^2c^7 - 4ac^8) \sqrt{t} \\
& \left. \left( (b^6c^6 - 4ab^4c^7 + 4a^2b^2c^8)d^6 - 6(b^7c^5 - 5ab^5c^6 + 7a^2b^3c^7 - 2a^3b^2c^8)d^5e + 3(5b^8c^4 - 30ab^6c^5 + 55a^2b^4c^6 - 30a^3b^2c^7 + 3a^4c^8)d^4e^2 \right. \right. \\
& - 2(10b^9c^3 - 70ab^7c^4 + 160a^2b^5c^5 - 130a^3b^3c^6 + 29a^4b^2c^7)d^3e^3 + 3(5b^{10}c^2 - 40ab^8c^3 + 110a^2b^6c^4 - 120a^3b^4c^5 + 45a^4b^2c^6 - 2a^5c^7)d^2e^4 \\
& - 6(b^{11}c - 9ab^9c^2 + 29a^2b^7c^3 - 40a^3b^5c^4 + 22a^4b^3c^5 - 3a^5b^2c^6)d^2e^5 + (b^{12} - 10ab^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6)e^6 \left. \right) / (b^2c^{14} - 4ac^{15}) \Big) / (b^2c^7 - 4ac^8) \Big) \log(\sqrt{2} \sqrt{t} \\
& \left( (b^6c^4 - 6ab^4c^5 + 8a^2b^2c^6)d^4 - (4b^7c^3 - 28ab^5c^4 + 53a^2b^3c^5 - 20a^3b^2c^6)d^3e + 3(2b^8c^2 - 16ab^6c^3 + 39a^2b^4c^4 - 29a^3b^2c^5 + 4a^4c^6)d^2e^2 \right. \\
& - (4b^9c - 36ab^7c^2 + 107a^2b^5c^3 - 118a^3b^3c^4 + 40a^4b^2c^5)d^2e^3 + (b^{10} - 10ab^8c + 35a^2b^6c^2 - 51a^3b^4c^3 + 29a^4b^2c^4 - 4a^5c^5)e^4 + ((b^4c^8 - 6ab^2c^9 + 8a^2c^{10})d - (b^5c^7 - 7ab^3c^8 + 12a^2b^2c^9)e) \sqrt{t} \\
& \left. \left( (b^6c^6 - 4ab^4c^7 + 4a^2b^2c^8)d^6 - 6(b^7c^5 - 5ab^5c^6 + 7a^2b^3c^7 - 2a^3b^2c^8)d^5e + 3(5b^8c^4 - 30ab^6c^5 + 55a^2b^4c^6 - 30a^3b^2c^7 + 3a^4c^8)d^4e^2 \right. \right. \\
& - 2(10b^9c^3 - 70ab^7c^4 + 160a^2b^5c^5 - 130a^3b^3c^6 + 29a^4b^2c^7)d^3e^3 + 3(5b^{10}c^2 - 40ab^8c^3 + 110a^2b^6c^4 - 120a^3b^4c^5 + 45a^4b^2c^6 - 2a^5c^7) \\
& \left. \left. \right) d^2e^4 - 6(b^{11}c - 9ab^9c^2 + 29a^2b^7c^3 - 40a^3b^5c^4 + 22a^4b^3c^5 - 3a^5b^2c^6)d^2e^5 + (b^{12} - 10ab^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6)e^6 \right) / (b^2c^{14} - 4ac^{15}) \Big) \sqrt{t} \\
& \left( (b^4c^3 - 4ab^2c^4 + 2a^2c^5)d^3 - 3(b^5c^2 - 5ab^3c^3 + 5a^2b^2c^4)d^2e + 3(b^6c - 6ab^4c^2 + 9a^2b^2c^3 - 2a^3c^4)d^2e^2 \right. \\
& - (b^7 - 7ab^5c + 14a^2b^3c^2 - 7a^3b^2c^3)e^3 - (b^2c^7 - 4ac^8) \sqrt{t} \\
& \left. \left( (b^6c^6 - 4ab^4c^7 + 4a^2b^2c^8)d^6 - 6(b^7c^5 - 5ab^5c^6 + 7a^2b^3c^7 - 2a^3b^2c^8)d^5e + 3(5b^8c^4 - 30ab^6c^5 + 55a^2b^4c^6 - 30a^3b^2c^7 + 3a^4c^8)d^4e^2 \right. \right. \\
& - 2(10b^9c^3 - 70ab^7c^4 + 160a^2b^5c^5 - 130a^3b^3c^6 + 29a^4b^2c^7)d^3e^3 + 3(5b^{10}c^2 - 40ab^8c^3 + 110a^2b^6c^4 - 120a^3b^4c^5 + 45a^4b^2c^6 - 2a^5c^7) \\
& \left. \left. \right) d^2e^4 - 6(b^{11}c - 9ab^9c^2 + 29a^2b^7c^3 - 40a^3b^5c^4 + 22a^4b^3c^5 - 3a^5b^2c^6)d^2e^5 + (b^{12} - 10ab^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6)e^6 \right) / (b^2c^{14} - 4ac^{15}) \Big) \Big) / (b^2c^7 - 4ac^8) + 4((a^2b^3c^4 - 2a^3b^2c^5)d^5 - (4a^2b^4c^3 - 11a^3b^2c^4 + 3a^4c^5)d^4e + 2(3a^2b^5c^2 - 10a^3b^3c^3 + 5a^4b^2c^4)d^3e^2 - 2(2a^2b^6c - 7a^3b^4c^2 + 3a^4b^2c^3 + a^5c^4)d^2e^3 + (a^2b^7 - 2a^3b^5c - 6a^4b^3c^2 + 8a^5b^2c^3)d^2e^4 - (a^3b^6 - 5a^4b^4c + 6a^5b^2c^2 - a^6c^3)e^5) \sqrt{t} \\
& \left. \left( (b^4c^3 - 4ab^2c^4 + 2a^2c^5)d^3 - 3(b^5c^2 - 5ab^3c^3 + 5a^2b^2c^4)d^2e \right. \right.
\end{aligned}$$



$$\begin{aligned}
& e + 3*(b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*d*e^2 - (b^7 - 7*a* \\
& b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*e^3 - (b^2*c^7 - 4*a*c^8)*\sqrt{((b^6*c \\
& c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8)*d^6 - 6*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b \\
& ^3*c^7 - 2*a^3*b*c^8)*d^5*e + 3*(5*b^8*c^4 - 30*a*b^6*c^5 + 55*a^2*b^4*c^6 \\
& - 30*a^3*b^2*c^7 + 3*a^4*c^8)*d^4*e^2 - 2*(10*b^9*c^3 - 70*a*b^7*c^4 + 160* \\
& a^2*b^5*c^5 - 130*a^3*b^3*c^6 + 29*a^4*b*c^7)*d^3*e^3 + 3*(5*b^10*c^2 - 40* \\
& a*b^8*c^3 + 110*a^2*b^6*c^4 - 120*a^3*b^4*c^5 + 45*a^4*b^2*c^6 - 2*a^5*c^7) \\
& *d^2*e^4 - 6*(b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a \\
& ^4*b^3*c^5 - 3*a^5*b*c^6)*d*e^5 + (b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62 \\
& *a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^6)/(b^2*c^14 - \\
& 4*a*c^15))/((b^2*c^7 - 4*a*c^8))*\log(-\sqrt{2})*((b^6*c^4 - 6*a*b^4*c^5 + 8*a \\
& ^2*b^2*c^6)*d^4 - (4*b^7*c^3 - 28*a*b^5*c^4 + 53*a^2*b^3*c^5 - 20*a^3*b*c^6 \\
& )*d^3*e + 3*(2*b^8*c^2 - 16*a*b^6*c^3 + 39*a^2*b^4*c^4 - 29*a^3*b^2*c^5 + 4 \\
& *a^4*c^6)*d^2*e^2 - (4*b^9*c - 36*a*b^7*c^2 + 107*a^2*b^5*c^3 - 118*a^3*b^3 \\
& *c^4 + 40*a^4*b*c^5)*d*e^3 + (b^10 - 10*a*b^8*c + 35*a^2*b^6*c^2 - 51*a^3*b \\
& ^4*c^3 + 29*a^4*b^2*c^4 - 4*a^5*c^5)*e^4 + ((b^4*c^8 - 6*a*b^2*c^9 + 8*a^2* \\
& c^10)*d - (b^5*c^7 - 7*a*b^3*c^8 + 12*a^2*b*c^9)*e)*\sqrt{((b^6*c^6 - 4*a*b^ \\
& 4*c^7 + 4*a^2*b^2*c^8)*d^6 - 6*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a \\
& ^3*b*c^8)*d^5*e + 3*(5*b^8*c^4 - 30*a*b^6*c^5 + 55*a^2*b^4*c^6 - 30*a^3*b^2 \\
& *c^7 + 3*a^4*c^8)*d^4*e^2 - 2*(10*b^9*c^3 - 70*a*b^7*c^4 + 160*a^2*b^5*c^5 \\
& - 130*a^3*b^3*c^6 + 29*a^4*b*c^7)*d^3*e^3 + 3*(5*b^10*c^2 - 40*a*b^8*c^3 + \\
& 110*a^2*b^6*c^4 - 120*a^3*b^4*c^5 + 45*a^4*b^2*c^6 - 2*a^5*c^7)*d^2*e^4 - 6 \\
& *(b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - \\
& 3*a^5*b*c^6)*d*e^5 + (b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 \\
& + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*e^6)/(b^2*c^14 - 4*a*c^15))* \\
& \sqrt{((b^4*c^3 - 4*a*b^2*c^4 + 2*a^2*c^5)*d^3 - 3*(b^5*c^2 - 5*a*b^3*c^3 + \\
& 5*a^2*b*c^4)*d^2*e + 3*(b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*d* \\
& e^2 - (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*e^3 - (b^2*c^7 - 4*a \\
& *c^8)*\sqrt{((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8)*d^6 - 6*(b^7*c^5 - 5*a* \\
& b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d^5*e + 3*(5*b^8*c^4 - 30*a*b^6*c^5 \\
& + 55*a^2*b^4*c^6 - 30*a^3*b^2*c^7 + 3*a^4*c^8)*d^4*e^2 - 2*(10*b^9*c^3 - 70 \\
& *a*b^7*c^4 + 160*a^2*b^5*c^5 - 130*a^3*b^3*c^6 + 29*a^4*b*c^7)*d^3*e^3 + 3* \\
& (5*b^10*c^2 - 40*a*b^8*c^3 + 110*a^2*b^6*c^4 - 120*a^3*b^4*c^5 + 45*a^4*b^2 \\
& *c^6 - 2*a^5*c^7)*d^2*e^4 - 6*(b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a \\
& ^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*d*e^5 + (b^12 - 10*a*b^10*c + 37 \\
& *a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)* \\
& e^6)/(b^2*c^14 - 4*a*c^15))/((b^2*c^7 - 4*a*c^8)) + 4*((a^2*b^3*c^4 - 2*a^3 \\
& *b*c^5)*d^5 - (4*a^2*b^4*c^3 - 11*a^3*b^2*c^4 + 3*a^4*c^5)*d^4*e + 2*(3*a^2 \\
& *b^5*c^2 - 10*a^3*b^3*c^3 + 5*a^4*b*c^4)*d^3*e^2 - 2*(2*a^2*b^6*c - 7*a^3*b \\
& ^4*c^2 + 3*a^4*b^2*c^3 + a^5*c^4)*d^2*e^3 + (a^2*b^7 - 2*a^3*b^5*c - 6*a^4* \\
& b^3*c^2 + 8*a^5*b*c^3)*d*e^4 - (a^3*b^6 - 5*a^4*b^4*c + 6*a^5*b^2*c^2 - a^6 \\
& *c^3)*e^5)*\sqrt{e*x + d} - 4*(3*c^2*e^2*x^2 + 3*c^2*d^2 - 20*b*c*d*e + 15* \\
& (b^2 - a*c)*e^2 + (6*c^2*d*e - 5*b*c*e^2)*x)*\sqrt{e*x + d}))/((c^3*e)
\end{aligned}$$

**giac [B]** time = 0.53, size = 1160, normalized size = 2.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(e*x+d)^(3/2)/(c*x^2+b*x+a),x, algorithm="giac")
```

```
[Out] -1/4*((b^3*c^2 - 4*a*b*c^3)*d^2*e - 2*(b^4*c - 5*a*b^2*c^2 + 4*a^2*c^3)*d*
e^2 + (b^5 - 6*a*b^3*c + 8*a^2*b*c^2)*e^3)*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^
2 - 4*a*c)*c)*e)*c^2 - 2*(sqrt(b^2 - 4*a*c)*b*c^4*d^3 + sqrt(b^2 - 4*a*c)*b
^3*c^2*d*e^2 - (2*b^2*c^3 - a*c^4)*sqrt(b^2 - 4*a*c)*d^2*e - (a*b^2*c^2 - a
^2*c^3)*sqrt(b^2 - 4*a*c)*e^3)*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c)*c
)*e)*abs(c) + (2*(b^2*c^5 - 2*a*c^6)*d^3 - (5*b^3*c^4 - 14*a*b*c^5)*d^2*e +
2*(2*b^4*c^3 - 7*a*b^2*c^4 + 2*a^2*c^5)*d*e^2 - (b^5*c^2 - 4*a*b^3*c^3 + 2
*a^2*b*c^4)*e^3)*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c)*c)*e))*arctan(2
*sqrt(1/2)*sqrt(x*e + d)/sqrt(-(2*c^6*d*e^6 - b*c^5*e^7 + sqrt(-4*(c^6*d^2*
e^6 - b*c^5*d*e^7 + a*c^5*e^8)*c^6*e^6 + (2*c^6*d*e^6 - b*c^5*e^7)^2))*e^(-
6)/c^6))/((sqrt(b^2 - 4*a*c)*c^6*d^2 - sqrt(b^2 - 4*a*c)*b*c^5*d*e + sqrt(b
^2 - 4*a*c)*a*c^5*e^2)*c^2) + 1/4*((b^3*c^2 - 4*a*b*c^3)*d^2*e - 2*(b^4*c
- 5*a*b^2*c^2 + 4*a^2*c^3)*d*e^2 + (b^5 - 6*a*b^3*c + 8*a^2*b*c^2)*e^3)*sq
rt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c)*c)*e)*c^2 + 2*(sqrt(b^2 - 4*a*c)*b
c^4*d^3 + sqrt(b^2 - 4*a*c)*b^3*c^2*d*e^2 - (2*b^2*c^3 - a*c^4)*sqrt(b^2 -
4*a*c)*d^2*e - (a*b^2*c^2 - a^2*c^3)*sqrt(b^2 - 4*a*c)*e^3)*sqrt(-4*c^2*d +
2*(b*c - sqrt(b^2 - 4*a*c)*c)*e)*abs(c) + (2*(b^2*c^5 - 2*a*c^6)*d^3 - (5*
b^3*c^4 - 14*a*b*c^5)*d^2*e + 2*(2*b^4*c^3 - 7*a*b^2*c^4 + 2*a^2*c^5)*d*e^2
- (b^5*c^2 - 4*a*b^3*c^3 + 2*a^2*b*c^4)*e^3)*sqrt(-4*c^2*d + 2*(b*c - sqrt
(b^2 - 4*a*c)*c)*e))*arctan(2*sqrt(1/2)*sqrt(x*e + d)/sqrt(-(2*c^6*d*e^6 -
b*c^5*e^7 - sqrt(-4*(c^6*d^2*e^6 - b*c^5*d*e^7 + a*c^5*e^8)*c^6*e^6 + (2*c^
6*d*e^6 - b*c^5*e^7)^2))*e^(-6)/c^6))/((sqrt(b^2 - 4*a*c)*c^6*d^2 - sqrt(b^
2 - 4*a*c)*b*c^5*d*e + sqrt(b^2 - 4*a*c)*a*c^5*e^2)*c^2) + 2/15*(3*(x*e +
d)^(5/2)*c^4*e^4 - 5*(x*e + d)^(3/2)*b*c^3*e^5 - 15*sqrt(x*e + d)*b*c^3*d*e^
5 + 15*sqrt(x*e + d)*b^2*c^2*e^6 - 15*sqrt(x*e + d)*a*c^3*e^6)*e^(-5)/c^5
```

**maple [B]** time = 0.06, size = 2358, normalized size = 5.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(e*x+d)^(3/2)/(c*x^2+b*x+a),x)
```

```
[Out] -e^2/c^3*2^(1/2)/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*arctan((e*x
+d)^(1/2)*2^(1/2)/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b^3-1/c
*2^(1/2)/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*arctan((e*x+d)^(1/2
)*2^(1/2)/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b*d^2+1/c*2^(1/
2)/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*arctanh((e*x+d)^(1/2)*2^
(1/2)/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*c)*b*d^2+e^2/c^3*2^(1
/2)/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^(1/2))*c)^(1/2)*arctanh((e*x+d)^(1/2)*2
```



$-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*\arctan((e*x+d)^{(1/2)}*2^{(1/2)})/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)}*c)^{(1/2)}*c)*b^3*d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{\frac{3}{2}}x^2}{cx^2+bx+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(e\*x+d)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)\*x^2/(c\*x^2 + b\*x + a), x)

**mupad** [B] time = 5.72, size = 19465, normalized size = 44.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2),x)

[Out] atan((((8\*(4\*a^3\*c^6\*e^5 + a\*b^4\*c^4\*e^5 - b^5\*c^4\*d\*e^4 - 5\*a^2\*b^2\*c^5\*e^5 + 4\*a^2\*c^7\*d^2\*e^3 - b^3\*c^6\*d^3\*e^2 + 2\*b^4\*c^5\*d^2\*e^3 + 4\*a\*b\*c^7\*d^3\*e^2 + 4\*a\*b^3\*c^5\*d\*e^4 - 9\*a\*b^2\*c^6\*d^2\*e^3))/c^5 - (8\*(d + e\*x)^(1/2)\*(-(b^9\*e^3 + 8\*a^3\*c^6\*d^3 - b^6\*c^3\*d^3 - b^6\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 8\*a\*b^4\*c^4\*d^3 + 28\*a^4\*b\*c^4\*e^3 - 24\*a^4\*c^5\*d\*e^2 + 3\*b^7\*c^2\*d^2\*e - 18\*a^2\*b^2\*c^5\*d^3 + 42\*a^2\*b^5\*c^2\*e^3 - 63\*a^3\*b^3\*c^3\*e^3 + a^3\*c^3\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) + b^3\*c^3\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 11\*a\*b^7\*c\*e^3 - 3\*b^8\*c\*d\*e^2 - 6\*a^2\*b^2\*c^2\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 2\*a\*b\*c^4\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 5\*a\*b^4\*c\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 27\*a\*b^5\*c^3\*d^2\*e + 30\*a\*b^6\*c^2\*d\*e^2 - 60\*a^3\*b\*c^5\*d^2\*e + 3\*b^5\*c\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 75\*a^2\*b^3\*c^4\*d^2\*e - 99\*a^2\*b^4\*c^3\*d\*e^2 + 114\*a^3\*b^2\*c^4\*d\*e^2 - 3\*a^2\*c^4\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) - 3\*b^4\*c^2\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 9\*a\*b^2\*c^3\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) - 12\*a\*b^3\*c^2\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 9\*a^2\*b\*c^3\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2))/(2\*(16\*a^2\*c^9 + b^4\*c^7 - 8\*a\*b^2\*c^8)))^(1/2)\*(b^3\*c^7\*e^3 - 2\*b^2\*c^8\*d\*e^2 - 4\*a\*b\*c^8\*e^3 + 8\*a\*c^9\*d\*e^2))/c^5)\*(-(b^9\*e^3 + 8\*a^3\*c^6\*d^3 - b^6\*c^3\*d^3 - b^6\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 8\*a\*b^4\*c^4\*d^3 + 28\*a^4\*b\*c^4\*e^3 - 24\*a^4\*c^5\*d\*e^2 + 3\*b^7\*c^2\*d^2\*e - 18\*a^2\*b^2\*c^5\*d^3 + 42\*a^2\*b^5\*c^2\*e^3 - 63\*a^3\*b^3\*c^3\*e^3 + a^3\*c^3\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) + b^3\*c^3\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 11\*a\*b^7\*c\*e^3 - 3\*b^8\*c\*d\*e^2 - 6\*a^2\*b^2\*c^2\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 2\*a\*b\*c^4\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 5\*a\*b^4\*c\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 27\*a\*b^5\*c^3\*d^2\*e + 30\*a\*b^6\*c^2\*d\*e^2 - 60\*a^3\*b\*c^5\*d^2\*e + 3\*b^5\*c\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 75\*a^2\*b^3\*c^4\*d^2\*e - 99\*a^2\*b^4\*c^3\*d\*e^2 + 114\*a^3\*b^2\*c^4\*d\*e^2 - 3\*a^2\*c^4\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) - 3\*b^4\*c^2\*d^2\*e

$$\begin{aligned}
& e * (- (4 * a * c - b^2)^3)^{(1/2)} + 9 * a * b^2 * c^3 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} - 1 \\
& 2 * a * b^3 * c^2 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} + 9 * a^2 * b * c^3 * d * e^2 * (- (4 * a * c - b \\
& ^2)^3)^{(1/2)} / (2 * (16 * a^2 * c^9 + b^4 * c^7 - 8 * a * b^2 * c^8))^{(1/2)} - (8 * (d + e * x \\
& )^{(1/2)} * (b^8 * e^6 + 2 * a^4 * c^4 * e^6 + 20 * a^2 * b^4 * c^2 * e^6 - 16 * a^3 * b^2 * c^3 * e^6 \\
& + 2 * a^2 * c^6 * d^4 * e^2 - 12 * a^3 * c^5 * d^2 * e^4 + b^4 * c^4 * d^4 * e^2 - 4 * b^5 * c^3 * d^3 * \\
& e^3 + 6 * b^6 * c^2 * d^2 * e^4 - 8 * a * b^6 * c * e^6 - 4 * b^7 * c * d * e^5 + 54 * a^2 * b^2 * c^4 * d^ \\
& 2 * e^4 + 28 * a * b^5 * c^2 * d * e^5 + 28 * a^3 * b * c^4 * d * e^5 - 4 * a * b^2 * c^5 * d^4 * e^2 + 20 * \\
& a * b^3 * c^4 * d^3 * e^3 - 36 * a * b^4 * c^3 * d^2 * e^4 - 20 * a^2 * b * c^5 * d^3 * e^3 - 56 * a^2 * b^ \\
& 3 * c^3 * d * e^5) / c^5) * (- (b^9 * e^3 + 8 * a^3 * c^6 * d^3 - b^6 * c^3 * d^3 - b^6 * e^3 * (- (4 * \\
& a * c - b^2)^3)^{(1/2)} + 8 * a * b^4 * c^4 * d^3 + 28 * a^4 * b * c^4 * e^3 - 24 * a^4 * c^5 * d * e^2 \\
& + 3 * b^7 * c^2 * d^2 * e - 18 * a^2 * b^2 * c^5 * d^3 + 42 * a^2 * b^5 * c^2 * e^3 - 63 * a^3 * b^3 * c \\
& ^3 * e^3 + a^3 * c^3 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + b^3 * c^3 * d^3 * (- (4 * a * c - b^2) \\
& ^3)^{(1/2)} - 11 * a * b^7 * c * e^3 - 3 * b^8 * c * d * e^2 - 6 * a^2 * b^2 * c^2 * e^3 * (- (4 * a * c - b \\
& ^2)^3)^{(1/2)} - 2 * a * b * c^4 * d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 5 * a * b^4 * c * e^3 * (- (4 * \\
& a * c - b^2)^3)^{(1/2)} - 27 * a * b^5 * c^3 * d^2 * e + 30 * a * b^6 * c^2 * d * e^2 - 60 * a^3 * b * c^ \\
& 5 * d^2 * e + 3 * b^5 * c * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} + 75 * a^2 * b^3 * c^4 * d^2 * e - 9 \\
& 9 * a^2 * b^4 * c^3 * d * e^2 + 114 * a^3 * b^2 * c^4 * d * e^2 - 3 * a^2 * c^4 * d^2 * e * (- (4 * a * c - b^ \\
& 2)^3)^{(1/2)} - 3 * b^4 * c^2 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} + 9 * a * b^2 * c^3 * d^2 * e * \\
& (- (4 * a * c - b^2)^3)^{(1/2)} - 12 * a * b^3 * c^2 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} + 9 * \\
& a^2 * b * c^3 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} / (2 * (16 * a^2 * c^9 + b^4 * c^7 - 8 * a * b^ \\
& 2 * c^8))^{(1/2)} * i - (((8 * (4 * a^3 * c^6 * e^5 + a * b^4 * c^4 * e^5 - b^5 * c^4 * d * e^4 - 5 \\
& * a^2 * b^2 * c^5 * e^5 + 4 * a^2 * c^7 * d^2 * e^3 - b^3 * c^6 * d^3 * e^2 + 2 * b^4 * c^5 * d^2 * e^3 \\
& + 4 * a * b * c^7 * d^3 * e^2 + 4 * a * b^3 * c^5 * d * e^4 - 9 * a * b^2 * c^6 * d^2 * e^3)) / c^5 + (8 * (d \\
& + e * x)^{(1/2)} * (- (b^9 * e^3 + 8 * a^3 * c^6 * d^3 - b^6 * c^3 * d^3 - b^6 * e^3 * (- (4 * a * c - \\
& b^2)^3)^{(1/2)} + 8 * a * b^4 * c^4 * d^3 + 28 * a^4 * b * c^4 * e^3 - 24 * a^4 * c^5 * d * e^2 + 3 * \\
& b^7 * c^2 * d^2 * e - 18 * a^2 * b^2 * c^5 * d^3 + 42 * a^2 * b^5 * c^2 * e^3 - 63 * a^3 * b^3 * c^3 * e^ \\
& 3 + a^3 * c^3 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + b^3 * c^3 * d^3 * (- (4 * a * c - b^2)^3)^{( \\
& 1/2)} - 11 * a * b^7 * c * e^3 - 3 * b^8 * c * d * e^2 - 6 * a^2 * b^2 * c^2 * e^3 * (- (4 * a * c - b^2)^3 \\
& )^{(1/2)} - 2 * a * b * c^4 * d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 5 * a * b^4 * c * e^3 * (- (4 * a * c - \\
& b^2)^3)^{(1/2)} - 27 * a * b^5 * c^3 * d^2 * e + 30 * a * b^6 * c^2 * d * e^2 - 60 * a^3 * b * c^5 * d^2 \\
& * e + 3 * b^5 * c * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} + 75 * a^2 * b^3 * c^4 * d^2 * e - 99 * a^2 \\
& * b^4 * c^3 * d * e^2 + 114 * a^3 * b^2 * c^4 * d * e^2 - 3 * a^2 * c^4 * d^2 * e * (- (4 * a * c - b^2)^3) \\
& ^{(1/2)} - 3 * b^4 * c^2 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} + 9 * a * b^2 * c^3 * d^2 * e * (- (4 * \\
& a * c - b^2)^3)^{(1/2)} - 12 * a * b^3 * c^2 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} + 9 * a^2 * b \\
& * c^3 * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} / (2 * (16 * a^2 * c^9 + b^4 * c^7 - 8 * a * b^2 * c^8 \\
& )))^{(1/2)} * (b^3 * c^7 * e^3 - 2 * b^2 * c^8 * d * e^2 - 4 * a * b * c^8 * e^3 + 8 * a * c^9 * d * e^2) / \\
& c^5) * (- (b^9 * e^3 + 8 * a^3 * c^6 * d^3 - b^6 * c^3 * d^3 - b^6 * e^3 * (- (4 * a * c - b^2)^3)^{( \\
& 1/2)} + 8 * a * b^4 * c^4 * d^3 + 28 * a^4 * b * c^4 * e^3 - 24 * a^4 * c^5 * d * e^2 + 3 * b^7 * c^2 * d \\
& ^2 * e - 18 * a^2 * b^2 * c^5 * d^3 + 42 * a^2 * b^5 * c^2 * e^3 - 63 * a^3 * b^3 * c^3 * e^3 + a^3 * c \\
& ^3 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + b^3 * c^3 * d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - 11 \\
& * a * b^7 * c * e^3 - 3 * b^8 * c * d * e^2 - 6 * a^2 * b^2 * c^2 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - \\
& 2 * a * b * c^4 * d^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + 5 * a * b^4 * c * e^3 * (- (4 * a * c - b^2)^3) \\
& ^{(1/2)} - 27 * a * b^5 * c^3 * d^2 * e + 30 * a * b^6 * c^2 * d * e^2 - 60 * a^3 * b * c^5 * d^2 * e + 3 * b^ \\
& 5 * c * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} + 75 * a^2 * b^3 * c^4 * d^2 * e - 99 * a^2 * b^4 * c^3 * \\
& d * e^2 + 114 * a^3 * b^2 * c^4 * d * e^2 - 3 * a^2 * c^4 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} -
\end{aligned}$$



$$\begin{aligned}
& 2)^3)^{(1/2)} - 3*b^4*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^2*c^3*d^2*e* \\
& (-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^3*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 9* \\
& a^2*b*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2))/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(b^8*e^6 + 2*a^4*c^4*e^6 + 20*a^2*b^4*c \\
& ^2*e^6 - 16*a^3*b^2*c^3*e^6 + 2*a^2*c^6*d^4*e^2 - 12*a^3*c^5*d^2*e^4 + b^4*c \\
& ^4*d^4*e^2 - 4*b^5*c^3*d^3*e^3 + 6*b^6*c^2*d^2*e^4 - 8*a*b^6*c*e^6 - 4*b^7 \\
& *c*d*e^5 + 54*a^2*b^2*c^4*d^2*e^4 + 28*a*b^5*c^2*d*e^5 + 28*a^3*b*c^4*d*e^5 \\
& - 4*a*b^2*c^5*d^4*e^2 + 20*a*b^3*c^4*d^3*e^3 - 36*a*b^4*c^3*d^2*e^4 - 20*a \\
& ^2*b*c^5*d^3*e^3 - 56*a^2*b^3*c^3*d*e^5))/c^5)*(-(b^9*e^3 + 8*a^3*c^6*d^3 - \\
& b^6*c^3*d^3 - b^6*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^4*c^4*d^3 + 28*a^4* \\
& b*c^4*e^3 - 24*a^4*c^5*d*e^2 + 3*b^7*c^2*d^2*e - 18*a^2*b^2*c^5*d^3 + 42*a^ \\
& 2*b^5*c^2*e^3 - 63*a^3*b^3*c^3*e^3 + a^3*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& b^3*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^3 - 3*b^8*c*d*e^2 - 6* \\
& a^2*b^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b*c^4*d^3*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} + 5*a*b^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 27*a*b^5*c^3*d^2*e + 30*a \\
& *b^6*c^2*d*e^2 - 60*a^3*b*c^5*d^2*e + 3*b^5*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& ) + 75*a^2*b^3*c^4*d^2*e - 99*a^2*b^4*c^3*d*e^2 + 114*a^3*b^2*c^4*d*e^2 - 3 \\
& *a^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^4*c^2*d^2*e*(-(4*a*c - b^2)^3 \\
& )^{(1/2)} + 9*a*b^2*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^3*c^2*d*e^2*( \\
& -(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2))/(2*(1 \\
& 6*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} + (((8*(4*a^3*c^6*e^5 + a*b^4*c^ \\
& 4*e^5 - b^5*c^4*d*e^4 - 5*a^2*b^2*c^5*e^5 + 4*a^2*c^7*d^2*e^3 - b^3*c^6*d^3 \\
& *e^2 + 2*b^4*c^5*d^2*e^3 + 4*a*b*c^7*d^3*e^2 + 4*a*b^3*c^5*d*e^4 - 9*a*b^2* \\
& c^6*d^2*e^3))/c^5 + (8*(d + e*x)^{(1/2)}*(-(b^9*e^3 + 8*a^3*c^6*d^3 - b^6*c^3 \\
& *d^3 - b^6*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^4*c^4*d^3 + 28*a^4*b*c^4*e^ \\
& 3 - 24*a^4*c^5*d*e^2 + 3*b^7*c^2*d^2*e - 18*a^2*b^2*c^5*d^3 + 42*a^2*b^5*c^ \\
& 2*e^3 - 63*a^3*b^3*c^3*e^3 + a^3*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^3 \\
& *d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^3 - 3*b^8*c*d*e^2 - 6*a^2*b^2* \\
& c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 5*a*b^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 27*a*b^5*c^3*d^2*e + 30*a*b^6*c^2 \\
& *d*e^2 - 60*a^3*b*c^5*d^2*e + 3*b^5*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 75*a \\
& ^2*b^3*c^4*d^2*e - 99*a^2*b^4*c^3*d*e^2 + 114*a^3*b^2*c^4*d*e^2 - 3*a^2*c^4 \\
& *d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^4*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 9*a*b^2*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^3*c^2*d*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 9*a^2*b*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2))/(2*(16*a^2*c^ \\
& 9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*(b^3*c^7*e^3 - 2*b^2*c^8*d*e^2 - 4*a*b*c \\
& ^8*e^3 + 8*a*c^9*d*e^2))/c^5)*(-(b^9*e^3 + 8*a^3*c^6*d^3 - b^6*c^3*d^3 - b^ \\
& 6*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^4*c^4*d^3 + 28*a^4*b*c^4*e^3 - 24*a^ \\
& 4*c^5*d*e^2 + 3*b^7*c^2*d^2*e - 18*a^2*b^2*c^5*d^3 + 42*a^2*b^5*c^2*e^3 - 6 \\
& 3*a^3*b^3*c^3*e^3 + a^3*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^3*d^3*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^3 - 3*b^8*c*d*e^2 - 6*a^2*b^2*c^2*e^3*( \\
& -(4*a*c - b^2)^3)^{(1/2)} - 2*a*b*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4* \\
& c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 27*a*b^5*c^3*d^2*e + 30*a*b^6*c^2*d*e^2 - \\
& 60*a^3*b*c^5*d^2*e + 3*b^5*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 75*a^2*b^3*c^ \\
& 4*d^2*e - 99*a^2*b^4*c^3*d*e^2 + 114*a^3*b^2*c^4*d*e^2 - 3*a^2*c^4*d^2*e*(-
\end{aligned}$$

$$\begin{aligned}
& (4ac - b^2)^3)^{1/2} - 3b^4c^2d^2e^*(-(4ac - b^2)^3)^{1/2} + 9a^2b^2c^3d^2e^*(-(4ac - b^2)^3)^{1/2} \\
& - 12ab^3c^2d^2e^*(-(4ac - b^2)^3)^{1/2} + 9a^2b^2c^3d^2e^*(-(4ac - b^2)^3)^{1/2} / (2(16a^2c^9 + b^4c^7 - 8ab^2c^8))^{1/2} \\
& + (8(d + ex)^{1/2})(b^8e^6 + 2a^4c^4e^6 + 20a^2b^4c^2e^6 - 16a^3b^2c^3e^6 + 2a^2c^6d^4e^2 - 12a^3c^5d^2e^4 + b^4c^4d^4e^2 \\
& - 4b^5c^3d^3e^3 + 6b^6c^2d^2e^4 - 8ab^6c^2e^6 - 4b^7c^2d^2e^5 + 54a^2b^2c^4d^2e^4 + 28ab^5c^2d^2e^5 + 28a^3b^2c^4d^2e^5 \\
& - 4ab^2c^5d^4e^2 + 20ab^3c^4d^3e^3 - 36ab^4c^3d^2e^4 - 20a^2b^2c^5d^3e^3 - 56a^2b^3c^3d^2e^5) / c^5 * (-(b^9e^3 + 8a^3c^6d^3 \\
& - b^6c^3d^3 - b^6e^3 * (-(4ac - b^2)^3)^{1/2} + 8ab^4c^4d^3 + 28a^4b^2c^4e^3 - 24a^4c^5d^2e^2 + 3b^7c^2d^2e^2 - 18a^2b^2c^5d^3 \\
& + 42a^2b^5c^2e^3 - 63a^3b^3c^3e^3 + a^3c^3e^3 * (-(4ac - b^2)^3)^{1/2} + b^3c^3d^3 * (-(4ac - b^2)^3)^{1/2} - 11ab^7c^2e^3 - 3b^8c^2d^2e^2 \\
& - 6a^2b^2c^2e^3 * (-(4ac - b^2)^3)^{1/2} - 2ab^2c^4d^3 * (-(4ac - b^2)^3)^{1/2} + 5ab^4c^2e^3 * (-(4ac - b^2)^3)^{1/2} - 27ab^5c^3d^2e^2 \\
& + 30ab^6c^2d^2e^2 - 60a^3b^2c^5d^2e^2 + 3b^5c^2d^2e^2 * (-(4ac - b^2)^3)^{1/2} + 75a^2b^3c^4d^2e^2 - 99a^2b^4c^3d^2e^2 + 114a^3b^2c^4d^2e^2 \\
& - 3a^2c^4d^2e^2 * (-(4ac - b^2)^3)^{1/2} - 3b^4c^2d^2e^2 * (-(4ac - b^2)^3)^{1/2} + 9a^2b^2c^3d^2e^2 * (-(4ac - b^2)^3)^{1/2} - 12ab^3c^2d^2e^2 \\
& * (-(4ac - b^2)^3)^{1/2} + 9a^2b^2c^3d^2e^2 * (-(4ac - b^2)^3)^{1/2} / (2(16a^2c^9 + b^4c^7 - 8ab^2c^8))^{1/2} - (16(a^4b^3e^8 - 2a^3b^4d^7 \\
& + 2a^5c^2d^7 + a^2b^5d^2e^6 + 2a^3c^4d^5e^3 + 4a^4c^3d^3e^5 - 2a^5b^2c^3d^5e^3 + 6a^2b^3c^2d^4e^4 + 2a^4b^2c^2d^7 + a^2b^2c^4d^6e^2 \\
& - 4a^2b^4c^2d^3e^5 - 4a^3b^2c^3d^4e^4 + 4a^3b^3c^2d^2e^6 - 7a^4b^2c^2d^2e^6) / c^5) * (-(b^9e^3 + 8a^3c^6d^3 - b^6c^3d^3 - b^6e^3 * (-(4ac - b^2)^3)^{1/2} \\
& + 8ab^4c^4d^3 + 28a^4b^2c^4e^3 - 24a^4c^5d^2e^2 + 3b^7c^2d^2e^2 - 18a^2b^2c^5d^3 + 42a^2b^5c^2e^3 - 63a^3b^3c^3e^3 + a^3c^3e^3 * (-(4ac - b^2)^3)^{1/2} \\
& + b^3c^3d^3 * (-(4ac - b^2)^3)^{1/2} - 11ab^7c^2e^3 - 3b^8c^2d^2e^2 - 6a^2b^2c^2e^3 * (-(4ac - b^2)^3)^{1/2} - 2ab^2c^4d^3 * (-(4ac - b^2)^3)^{1/2} \\
& + 5ab^4c^2e^3 * (-(4ac - b^2)^3)^{1/2} - 27ab^5c^3d^2e^2 + 30ab^6c^2d^2e^2 - 60a^3b^2c^5d^2e^2 + 3b^5c^2d^2e^2 * (-(4ac - b^2)^3)^{1/2} \\
& + 75a^2b^3c^4d^2e^2 - 99a^2b^4c^3d^2e^2 + 114a^3b^2c^4d^2e^2 - 3a^2c^4d^2e^2 * (-(4ac - b^2)^3)^{1/2} - 3b^4c^2d^2e^2 * (-(4ac - b^2)^3)^{1/2} \\
& + 9a^2b^2c^3d^2e^2 * (-(4ac - b^2)^3)^{1/2} - 12ab^3c^2d^2e^2 * (-(4ac - b^2)^3)^{1/2} + 9a^2b^2c^3d^2e^2 * (-(4ac - b^2)^3)^{1/2} / (2(16a^2c^9 + b^4c^7 - 8ab^2c^8))^{1/2} * 2i \\
& + \operatorname{atan}\left(\frac{(8(4a^3c^6e^5 + ab^4c^4e^5 - b^5c^4d^4e^4 - 5a^2b^2c^5e^5 + 4a^2c^7d^2e^3 - b^3c^6d^3e^2 + 2b^4c^5d^2e^3 + 4ab^2c^7d^3e^2 + 4ab^3c^5d^4e^4 - 9ab^2c^6d^2e^3)) / c^5 - (8(d + ex)^{1/2})(-(b^9e^3 + 8a^3c^6d^3 - b^6c^3d^3 + b^6e^3 * (-(4ac - b^2)^3)^{1/2} + 8ab^4c^4d^3 + 28a^4b^2c^4e^3 - 24a^4c^5d^2e^2 + 3b^7c^2d^2e^2 - 18a^2b^2c^5d^3 + 42a^2b^5c^2e^3 - 63a^3b^3c^3e^3 - a^3c^3e^3 * (-(4ac - b^2)^3)^{1/2} - b^3c^3d^3 * (-(4ac - b^2)^3)^{1/2} - 11ab^7c^2e^3 - 3b^8c^2d^2e^2 + 6a^2b^2c^2e^3 * (-(4ac - b^2)^3)^{1/2} + 2ab^2c^4d^3}
\right)
\end{aligned}$$



$$\begin{aligned}
&^3*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 27*a \\
&*b^5*c^3*d^2*e + 30*a*b^6*c^2*d*e^2 - 60*a^3*b*c^5*d^2*e - 3*b^5*c*d*e^2*(- \\
&(4*a*c - b^2)^3)^{(1/2)} + 75*a^2*b^3*c^4*d^2*e - 99*a^2*b^4*c^3*d*e^2 + 114*a \\
&a^3*b^2*c^4*d*e^2 + 3*a^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^4*c^2*d^2 \\
&2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^2*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + \\
&12*a*b^3*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b*c^3*d*e^2*(-(4*a*c - \\
&b^2)^3)^{(1/2))/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*(b^3*c^7*e^ \\
&3 - 2*b^2*c^8*d*e^2 - 4*a*b*c^8*e^3 + 8*a*c^9*d*e^2)/c^5)*(-(b^9*e^3 + 8*a \\
&^3*c^6*d^3 - b^6*c^3*d^3 + b^6*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^4*c^4*d \\
&^3 + 28*a^4*b*c^4*e^3 - 24*a^4*c^5*d*e^2 + 3*b^7*c^2*d^2*e - 18*a^2*b^2*c^5 \\
&*d^3 + 42*a^2*b^5*c^2*e^3 - 63*a^3*b^3*c^3*e^3 - a^3*c^3*e^3*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} - b^3*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^3 - 3*b^8*c \\
&*d*e^2 + 6*a^2*b^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^4*d^3*(-(4*a \\
&*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 27*a*b^5*c^3 \\
&d^2*e + 30*a*b^6*c^2*d*e^2 - 60*a^3*b*c^5*d^2*e - 3*b^5*c*d*e^2*(-(4*a*c - \\
&b^2)^3)^{(1/2)} + 75*a^2*b^3*c^4*d^2*e - 99*a^2*b^4*c^3*d*e^2 + 114*a^3*b^2*c \\
&^4*d*e^2 + 3*a^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^4*c^2*d^2*e*(-(4*a \\
&a*c - b^2)^3)^{(1/2)} - 9*a*b^2*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a*b^3 \\
&*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b*c^3*d*e^2*(-(4*a*c - b^2)^3)^{( \\
&1/2))/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} - (8*(d + e*x))^{(1/2)} \\
&*(b^8*e^6 + 2*a^4*c^4*e^6 + 20*a^2*b^4*c^2*e^6 - 16*a^3*b^2*c^3*e^6 + 2*a^2 \\
&*c^6*d^4*e^2 - 12*a^3*c^5*d^2*e^4 + b^4*c^4*d^4*e^2 - 4*b^5*c^3*d^3*e^3 + 6 \\
&*b^6*c^2*d^2*e^4 - 8*a*b^6*c*e^6 - 4*b^7*c*d*e^5 + 54*a^2*b^2*c^4*d^2*e^4 + \\
&28*a*b^5*c^2*d*e^5 + 28*a^3*b*c^4*d*e^5 - 4*a*b^2*c^5*d^4*e^2 + 20*a*b^3*c \\
&^4*d^3*e^3 - 36*a*b^4*c^3*d^2*e^4 - 20*a^2*b*c^5*d^3*e^3 - 56*a^2*b^3*c^3*d \\
&*e^5)/c^5)*(-(b^9*e^3 + 8*a^3*c^6*d^3 - b^6*c^3*d^3 + b^6*e^3*(-(4*a*c - b \\
&^2)^3)^{(1/2)} + 8*a*b^4*c^4*d^3 + 28*a^4*b*c^4*e^3 - 24*a^4*c^5*d*e^2 + 3*b^7 \\
&7*c^2*d^2*e - 18*a^2*b^2*c^5*d^3 + 42*a^2*b^5*c^2*e^3 - 63*a^3*b^3*c^3*e^3 \\
&- a^3*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/ \\
&2)} - 11*a*b^7*c*e^3 - 3*b^8*c*d*e^2 + 6*a^2*b^2*c^2*e^3*(-(4*a*c - b^2)^3)^{( \\
&1/2)} + 2*a*b*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^3*(-(4*a*c - b \\
&^2)^3)^{(1/2)} - 27*a*b^5*c^3*d^2*e + 30*a*b^6*c^2*d*e^2 - 60*a^3*b*c^5*d^2*e \\
&- 3*b^5*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 75*a^2*b^3*c^4*d^2*e - 99*a^2*b \\
&^4*c^3*d*e^2 + 114*a^3*b^2*c^4*d*e^2 + 3*a^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{( \\
&1/2)} + 3*b^4*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^2*c^3*d^2*e*(-(4*a* \\
&c - b^2)^3)^{(1/2)} + 12*a*b^3*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b*c \\
&^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2))/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8)) \\
&)^{(1/2)}*i - (((8*(4*a^3*c^6*e^5 + a*b^4*c^4*e^5 - b^5*c^4*d*e^4 - 5*a^2*b^ \\
&2*c^5*e^5 + 4*a^2*c^7*d^2*e^3 - b^3*c^6*d^3*e^2 + 2*b^4*c^5*d^2*e^3 + 4*a*b \\
&*c^7*d^3*e^2 + 4*a*b^3*c^5*d*e^4 - 9*a*b^2*c^6*d^2*e^3))/c^5 + (8*(d + e*x) \\
&)^{(1/2)}*(-(b^9*e^3 + 8*a^3*c^6*d^3 - b^6*c^3*d^3 + b^6*e^3*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} + 8*a*b^4*c^4*d^3 + 28*a^4*b*c^4*e^3 - 24*a^4*c^5*d*e^2 + 3*b^7*c^2 \\
&*d^2*e - 18*a^2*b^2*c^5*d^3 + 42*a^2*b^5*c^2*e^3 - 63*a^3*b^3*c^3*e^3 - a^3 \\
&*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - \\
&11*a*b^7*c*e^3 - 3*b^8*c*d*e^2 + 6*a^2*b^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& + 2*a*b*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 27*a*b^5*c^3*d^2*e + 30*a*b^6*c^2*d*e^2 - 60*a^3*b*c^5*d^2*e - 3*b^5*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 75*a^2*b^3*c^4*d^2*e - 99*a^2*b^4*c^3*d*e^2 + 114*a^3*b^2*c^4*d*e^2 + 3*a^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 3*b^4*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^2*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a*b^3*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*(b^3*c^7*e^3 - 2*b^2*c^8*d*e^2 - 4*a*b*c^8*e^3 + 8*a*c^9*d*e^2)/c^5*(-(b^9*e^3 + 8*a^3*c^6*d^3 - b^6*c^3*d^3 + b^6*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^4*c^4*d^3 + 28*a^4*b*c^4*e^3 - 24*a^4*c^5*d*e^2 + 3*b^7*c^2*d^2*e - 18*a^2*b^2*c^5*d^3 + 42*a^2*b^5*c^2*e^3 - 63*a^3*b^3*c^3*e^3 - a^3*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^3 - 3*b^8*c*d*e^2 + 6*a^2*b^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 27*a*b^5*c^3*d^2*e + 30*a*b^6*c^2*d*e^2 - 60*a^3*b*c^5*d^2*e - 3*b^5*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 75*a^2*b^3*c^4*d^2*e - 99*a^2*b^4*c^3*d*e^2 + 114*a^3*b^2*c^4*d*e^2 + 3*a^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^4*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^2*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a*b^3*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} + (8*(d + e*x))^{(1/2)}*(b^8*e^6 + 2*a^4*c^4*e^6 + 20*a^2*b^4*c^2*e^6 - 16*a^3*b^2*c^3*e^6 + 2*a^2*c^6*d^4*e^2 - 12*a^3*c^5*d^2*e^4 + b^4*c^4*d^4*e^2 - 4*b^5*c^3*d^3*e^3 + 6*b^6*c^2*d^2*e^4 - 8*a*b^6*c*e^6 - 4*b^7*c*d*e^5 + 54*a^2*b^2*c^4*d^2*e^4 + 28*a*b^5*c^2*d*e^5 + 28*a^3*b*c^4*d*e^5 - 4*a*b^2*c^5*d^4*e^2 + 20*a*b^3*c^4*d^3*e^3 - 36*a*b^4*c^3*d^2*e^4 - 20*a^2*b*c^5*d^3*e^3 - 56*a^2*b^3*c^3*d*e^5)/c^5*(-(b^9*e^3 + 8*a^3*c^6*d^3 - b^6*c^3*d^3 + b^6*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^4*c^4*d^3 + 28*a^4*b*c^4*e^3 - 24*a^4*c^5*d*e^2 + 3*b^7*c^2*d^2*e - 18*a^2*b^2*c^5*d^3 + 42*a^2*b^5*c^2*e^3 - 63*a^3*b^3*c^3*e^3 - a^3*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^3 - 3*b^8*c*d*e^2 + 6*a^2*b^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 27*a*b^5*c^3*d^2*e + 30*a*b^6*c^2*d*e^2 - 60*a^3*b*c^5*d^2*e - 3*b^5*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 75*a^2*b^3*c^4*d^2*e - 99*a^2*b^4*c^3*d*e^2 + 114*a^3*b^2*c^4*d*e^2 + 3*a^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^4*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^2*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a*b^3*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*1i)/((((8*(4*a^3*c^6*e^5 + a*b^4*c^4*e^5 - b^5*c^4*d*e^4 - 5*a^2*b^2*c^5*e^5 + 4*a^2*c^7*d^2*e^3 - b^3*c^6*d^3*e^2 + 2*b^4*c^5*d^2*e^3 + 4*a*b*c^7*d^3*e^2 + 4*a*b^3*c^5*d*e^4 - 9*a*b^2*c^6*d^2*e^3))/c^5 - (8*(d + e*x))^{(1/2)}*(-(b^9*e^3 + 8*a^3*c^6*d^3 - b^6*c^3*d^3 + b^6*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^4*c^4*d^3 + 28*a^4*b*c^4*e^3 - 24*a^4*c^5*d*e^2 + 3*b^7*c^2*d^2*e - 18*a^2*b^2*c^5*d^3 + 42*a^2*b^5*c^2*e^3 - 63*a^3*b^3*c^3*e^3 - a^3*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^3 - 3*b^8*c*d*e^2 + 6*a^2*b^2*c^2*e^3*(-(4*a*c -
\end{aligned}$$

$$\begin{aligned}
& b^2)^3)^{(1/2)} + 2*a*b*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 27*a*b^5*c^3*d^2*e + 30*a*b^6*c^2*d*e^2 - 60*a^3*b*c^5*d^2*e - 3*b^5*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 75*a^2*b^3*c^4*d^2*e - 99*a^2*b^4*c^3*d*e^2 + 114*a^3*b^2*c^4*d*e^2 + 3*a^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^4*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^2*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a*b^3*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*(b^3*c^7*e^3 - 2*b^2*c^8*d*e^2 - 4*a*b*c^8*e^3 + 8*a*c^9*d*e^2)/c^5*(-(b^9*e^3 + 8*a^3*c^6*d^3 - b^6*c^3*d^3 + b^6*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^4*c^4*d^3 + 28*a^4*b*c^4*e^3 - 24*a^4*c^5*d*e^2 + 3*b^7*c^2*d^2*e - 18*a^2*b^2*c^5*d^3 + 42*a^2*b^5*c^2*e^3 - 63*a^3*b^3*c^3*e^3 - a^3*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^3 - 3*b^8*c*d*e^2 + 6*a^2*b^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 27*a*b^5*c^3*d^2*e + 30*a*b^6*c^2*d*e^2 - 60*a^3*b*c^5*d^2*e - 3*b^5*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 75*a^2*b^3*c^4*d^2*e - 99*a^2*b^4*c^3*d*e^2 + 114*a^3*b^2*c^4*d*e^2 + 3*a^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^4*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^2*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a*b^3*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(b^8*e^6 + 2*a^4*c^4*e^6 + 20*a^2*b^4*c^2*e^6 - 16*a^3*b^2*c^3*e^6 + 2*a^2*c^6*d^4*e^2 - 12*a^3*c^5*d^2*e^4 + b^4*c^4*d^4*e^2 - 4*b^5*c^3*d^3*e^3 + 6*b^6*c^2*d^2*e^4 - 8*a*b^6*c*e^6 - 4*b^7*c*d*e^5 + 54*a^2*b^2*c^4*d^2*e^4 + 28*a*b^5*c^2*d*e^5 + 28*a^3*b*c^4*d*e^5 - 4*a*b^2*c^5*d^4*e^2 + 20*a*b^3*c^4*d^3*e^3 - 36*a*b^4*c^3*d^2*e^4 - 20*a^2*b*c^5*d^3*e^3 - 56*a^2*b^3*c^3*d*e^5))/c^5*(-(b^9*e^3 + 8*a^3*c^6*d^3 - b^6*c^3*d^3 + b^6*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^4*c^4*d^3 + 28*a^4*b*c^4*e^3 - 24*a^4*c^5*d*e^2 + 3*b^7*c^2*d^2*e - 18*a^2*b^2*c^5*d^3 + 42*a^2*b^5*c^2*e^3 - 63*a^3*b^3*c^3*e^3 - a^3*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^3 - 3*b^8*c*d*e^2 + 6*a^2*b^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 27*a*b^5*c^3*d^2*e + 30*a*b^6*c^2*d*e^2 - 60*a^3*b*c^5*d^2*e - 3*b^5*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 75*a^2*b^3*c^4*d^2*e - 99*a^2*b^4*c^3*d*e^2 + 114*a^3*b^2*c^4*d*e^2 + 3*a^2*c^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^4*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^2*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a*b^3*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} + (((8*(4*a^3*c^6*e^5 + a*b^4*c^4*e^5 - b^5*c^4*d*e^4 - 5*a^2*b^2*c^5*e^5 + 4*a^2*c^7*d^2*e^3 - b^3*c^6*d^3*e^2 + 2*b^4*c^5*d^2*e^3 + 4*a*b*c^7*d^3*e^2 + 4*a*b^3*c^5*d*e^4 - 9*a*b^2*c^6*d^2*e^3))/c^5 + (8*(d + e*x)^{(1/2)}*(-(b^9*e^3 + 8*a^3*c^6*d^3 - b^6*c^3*d^3 + b^6*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^4*c^4*d^3 + 28*a^4*b*c^4*e^3 - 24*a^4*c^5*d*e^2 + 3*b^7*c^2*d^2*e - 18*a^2*b^2*c^5*d^3 + 42*a^2*b^5*c^2*e^3 - 63*a^3*b^3*c^3*e^3 - a^3*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^3 - 3*b^8*c*d*e^2 + 6*a^2*b^2*c^2*e^3
\end{aligned}$$

$$\begin{aligned}
& *(-4ac - b^2)^3)^{1/2} + 2abc^4d^3(-4ac - b^2)^3)^{1/2} - 5ab^4c^3e^3(-4ac - b^2)^3)^{1/2} - 27a^5b^5c^3d^2e + 30a^6b^6c^2d^2e^2 \\
& - 60a^3b^5c^5d^2e - 3b^5c^5d^2e^2(-4ac - b^2)^3)^{1/2} + 75a^2b^3c^4d^2e^2 - 99a^2b^4c^3d^2e^2 + 114a^3b^2c^4d^2e^2 + 3a^2c^4d^2e^2 \\
& (-4ac - b^2)^3)^{1/2} + 3b^4c^2d^2e^2(-4ac - b^2)^3)^{1/2} - 9ab^2c^3d^2e^2(-4ac - b^2)^3)^{1/2} + 12ab^3c^2d^2e^2(-4ac - b^2)^3)^{1/2} \\
& - 9a^2b^3c^3d^2e^2(-4ac - b^2)^3)^{1/2})/(2(16a^2c^9 + b^4c^7 - 8ab^2c^8))^{1/2}(b^3c^7e^3 - 2b^2c^8d^2e^2 - 4ab^3c^8e^3 \\
& + 8a^3c^9d^2e^2)/c^5*(-(b^9e^3 + 8a^3c^6d^3 - b^6c^3d^3 + b^6e^3*(-4ac - b^2)^3)^{1/2} + 8ab^4c^4d^3 + 28a^4b^3c^4e^3 - 24a^4c^5d \\
& e^2 + 3b^7c^2d^2e - 18a^2b^2c^5d^3 + 42a^2b^5c^2e^3 - 63a^3b^3c^3e^3 - a^3c^3e^3(-4ac - b^2)^3)^{1/2} - b^3c^3d^3(-4ac - \\
& b^2)^3)^{1/2} - 11ab^7c^3e^3 - 3b^8c^3d^2e^2 + 6a^2b^2c^2e^3(-4ac - b^2)^3)^{1/2} + 2abc^4d^3(-4ac - b^2)^3)^{1/2} - 5ab^4c^3e^3(- \\
& -4ac - b^2)^3)^{1/2} - 27a^5b^5c^3d^2e + 30a^6b^6c^2d^2e^2 - 60a^3b^5c^5d^2e - 3b^5c^5d^2e^2(-4ac - b^2)^3)^{1/2} + 75a^2b^3c^4d^2e^2 \\
& - 99a^2b^4c^3d^2e^2 + 114a^3b^2c^4d^2e^2 + 3a^2c^4d^2e^2(-4ac - b^2)^3)^{1/2} + 3b^4c^2d^2e^2(-4ac - b^2)^3)^{1/2} - 9ab^2c^3d^2 \\
& e^2(-4ac - b^2)^3)^{1/2} + 12ab^3c^2d^2e^2(-4ac - b^2)^3)^{1/2} - 9a^2b^3c^3d^2e^2(-4ac - b^2)^3)^{1/2})/(2(16a^2c^9 + b^4c^7 - 8 \\
& ab^2c^8))^{1/2} + (8(d + ex)^{1/2}(b^8e^6 + 2a^4c^4e^6 + 20a^2b^4c^2e^6 - 16a^3b^2c^3e^6 + 2a^2c^6d^4e^2 - 12a^3c^5d^2e^4 + \\
& b^4c^4d^4e^2 - 4b^5c^3d^3e^3 + 6b^6c^2d^2e^4 - 8ab^6c^3e^6 - 4 \\
& *b^7c^3d^2e^5 + 54a^2b^2c^4d^2e^4 + 28ab^5c^2d^2e^5 + 28a^3b^3c^4d^2e^5 - 4ab^2c^5d^4e^2 + 20ab^3c^4d^3e^3 - 36ab^4c^3d^2e^4 - \\
& 20a^2b^5c^5d^3e^3 - 56a^2b^3c^3d^2e^5)/c^5*(-(b^9e^3 + 8a^3c^6d^3 - b^6c^3d^3 + b^6e^3(-4ac - b^2)^3)^{1/2} + 8ab^4c^4d^3 + 28 \\
& a^4b^3c^4e^3 - 24a^4c^5d^2e^2 + 3b^7c^2d^2e - 18a^2b^2c^5d^3 + 4 \\
& 2a^2b^5c^2e^3 - 63a^3b^3c^3e^3 - a^3c^3e^3(-4ac - b^2)^3)^{1/2} - b^3c^3d^3(-4ac - b^2)^3)^{1/2} - 11ab^7c^3e^3 - 3b^8c^3d^2e^2 \\
& + 6a^2b^2c^2e^3(-4ac - b^2)^3)^{1/2} + 2abc^4d^3(-4ac - b^2)^3)^{1/2} - 5ab^4c^3e^3(-4ac - b^2)^3)^{1/2} - 27a^5b^5c^3d^2e + \\
& 30a^6b^6c^2d^2e^2 - 60a^3b^5c^5d^2e - 3b^5c^5d^2e^2(-4ac - b^2)^3)^{1/2} + 75a^2b^3c^4d^2e^2 - 99a^2b^4c^3d^2e^2 + 114a^3b^2c^4d^2e^2 \\
& + 3a^2c^4d^2e^2(-4ac - b^2)^3)^{1/2} + 3b^4c^2d^2e^2(-4ac - b^2)^3)^{1/2} - 9ab^2c^3d^2e^2(-4ac - b^2)^3)^{1/2} + 12ab^3c^2d^2e^2(-4ac - b^2)^3)^{1/2} \\
& - 9a^2b^3c^3d^2e^2(-4ac - b^2)^3)^{1/2})/(2(16a^2c^9 + b^4c^7 - 8ab^2c^8))^{1/2} - (16(a^4b^3e^8 - 2a^3b^4d^2e^7 + 2a^5c^2d^2e^7 + a^2b^5d^2e^6 + 2a^3c^4d^5e^3 + 4a^4c^3 \\
& 3d^3e^5 - 2a^5b^3c^2e^8 - 4a^2b^2c^3d^5e^3 + 6a^2b^3c^2d^4e^4 + 2a^4b^2c^3d^2e^7 + a^2b^3c^4d^6e^2 - 4a^2b^4c^3d^3e^5 - 4a^3b^3c^3d^4e^4 + 4a^3b^3c^3d^2e^6 - 7a^4b^3c^2d^2e^6)/c^5)* \\
& (-b^9e^3 + 8a^3c^6d^3 - b^6c^3d^3 + b^6e^3(-4ac - b^2)^3)^{1/2} + 8ab^4c^4d^3 + 28a^4b^3c^4e^3 - 24a^4c^5d^2e^2 + 3b^7c^2d^2e - 18a^2b^2c^5d^3 + 42a^2b^5c^2e^3 - 63a^3b^3c^3e^3 - a^3c^3e^3(-4ac - b^2)^3)^{1/2}
\end{aligned}$$

$$\begin{aligned}
& 2)^3)^{(1/2)} - b^3c^3d^3(-4ac - b^2)^3)^{(1/2)} - 11ab^7c^3e^3 - 3b^8 \\
& *c*d*e^2 + 6a^2b^2c^2e^3(-4ac - b^2)^3)^{(1/2)} + 2ab^4c^3d^3(-4ac - b^2)^3)^{(1/2)} - 5ab^4c^3e^3(-4ac - b^2)^3)^{(1/2)} - 27ab^5c^3 \\
& *d^2e + 30ab^6c^2d^2e^2 - 60a^3b^3c^5d^2e - 3b^5c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 75a^2b^3c^4d^2e - 99a^2b^4c^3d^2e^2 + 114a^3b^2c^4 \\
& *d^2e^2 + 3a^2c^4d^2e(-4ac - b^2)^3)^{(1/2)} + 3b^4c^2d^2e(-4ac - b^2)^3)^{(1/2)} - 9ab^2c^3d^2e(-4ac - b^2)^3)^{(1/2)} + 12ab^3 \\
& *c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9a^2b^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2))} / (2(16a^2c^9 + b^4c^7 - 8ab^2c^8))^{(1/2)} * 2i + (d + ex)^{(1/2)} \\
& * ((2d^2)/(ce) - (2(ae^3 - bde^2 + cd^2e))/(c^2e^2) + ((4d)/(ce) + (2(b^2e - 2cde))/(c^2e^2)) * (b^2e - 2cde))/(ce) - ((4d)/(3ce) + (2(b^2e - 2cde))/(3c^2e^2)) * (d + ex)^{(3/2)} + (2(d + ex)^{(5/2)})/(5ce)
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(e\*x+d)\*\*(3/2)/(c\*x\*\*2+b\*x+a),x)

[Out] Timed out

$$3.345 \quad \int \frac{x(d+ex)^{3/2}}{a+bx+cx^2} dx$$

**Optimal.** Leaf size=453

$$\sqrt{2} \left( bc \left( e \left( 2d\sqrt{b^2 - 4ac} - 3ae \right) + cd^2 \right) + c \left( ae^2\sqrt{b^2 - 4ac} - cd \left( d\sqrt{b^2 - 4ac} - 4ae \right) \right) - b^2e \left( e\sqrt{b^2 - 4ac} + 2cd \right) + \right.$$

$$\left. c^{5/2}\sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)} \right)$$

**Rubi [A]** time = 4.53, antiderivative size = 453, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {824, 826, 1166, 208}

$$\frac{\sqrt{2} \left( bc \left( e \left( 2d\sqrt{b^2 - 4ac} - 3ae \right) + cd^2 \right) + c \left( ae^2\sqrt{b^2 - 4ac} - cd \left( d\sqrt{b^2 - 4ac} - 4ae \right) \right) - b^2e \left( e\sqrt{b^2 - 4ac} + 2cd \right) + c^{5/2}\sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)} \right)}{c^{5/2}\sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2), x]

[Out] (2\*(c\*d - b\*e)\*Sqrt[d + e\*x])/c^2 + (2\*(d + e\*x)^(3/2))/(3\*c) + (Sqrt[2]\*(b^3\*e^2 - b^2\*e\*(2\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e) + c\*(a\*Sqrt[b^2 - 4\*a\*c]\*e^2 - c\*d\*(Sqrt[b^2 - 4\*a\*c]\*d - 4\*a\*e)) + b\*c\*(c\*d^2 + e\*(2\*Sqrt[b^2 - 4\*a\*c]\*d - 3\*a\*e)))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]]/(c^(5/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]) - (Sqrt[2]\*(b^3\*e^2 - b^2\*e\*(2\*c\*d - Sqrt[b^2 - 4\*a\*c]\*e) + b\*c\*(c\*d^2 - e\*(2\*Sqrt[b^2 - 4\*a\*c]\*d + 3\*a\*e)) - c\*(a\*Sqrt[b^2 - 4\*a\*c]\*e^2 - c\*d\*(Sqrt[b^2 - 4\*a\*c]\*d + 4\*a\*e)))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]]/(c^(5/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e])

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 824

Int[(((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_)))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Simp[(g\*(d + e\*x)^m)/(c\*m), x] + Dist[1/c, Int[((d + e\*x)^(m - 1)\*Simp[c\*d\*f - a\*e\*g + (g\*c\*d - b\*e\*g + c\*e\*f)\*x, x])/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && FractionQ[m] && GtQ[m, 0]

Rule 826

```
Int[((f_.) + (g_.)*(x_))/(Sqrt[(d_.) + (e_.)*(x_)]*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)), x_Symbol] := Dist[2, Subst[Int[(e*f - d*g + g*x^2)/(c*d^2 - b*d*e + a*e^2 - (2*c*d - b*e)*x^2 + c*x^4), x], x, Sqrt[d + e*x]], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]
```

Rule 1166

```
Int[((d_.) + (e_.)*(x_)^2)/((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned} \int \frac{x(d+ex)^{3/2}}{a+bx+cx^2} dx &= \frac{2(d+ex)^{3/2}}{3c} + \frac{\int \frac{\sqrt{d+ex}(-ae+(cd-be)x)}{a+bx+cx^2} dx}{c} \\ &= \frac{2(cd-be)\sqrt{d+ex}}{c^2} + \frac{2(d+ex)^{3/2}}{3c} + \frac{\int \frac{-ae(2cd-be)+(c^2d^2+b^2e^2-ce(2bd+ae))x}{\sqrt{d+ex}(a+bx+cx^2)} dx}{c^2} \\ &= \frac{2(cd-be)\sqrt{d+ex}}{c^2} + \frac{2(d+ex)^{3/2}}{3c} + \frac{2 \operatorname{Subst}\left(\int \frac{-ae^2(2cd-be)-d(c^2d^2+b^2e^2-ce(2bd+ae))+c^2d^2+b^2e^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx\right)}{c^2} \\ &= \frac{2(cd-be)\sqrt{d+ex}}{c^2} + \frac{2(d+ex)^{3/2}}{3c} - \frac{\left(b^3e^2 - b^2e(2cd + \sqrt{b^2 - 4ace}) + c(a\sqrt{b^2 - 4ace}e^2 - \sqrt{2}(b^3e^2 - b^2e(2cd + \sqrt{b^2 - 4ace})) + c(a\sqrt{b^2 - 4ace}e^2 - \sqrt{2}(b^3e^2 - b^2e(2cd + \sqrt{b^2 - 4ace})))\right)}{c^2} \\ &= \frac{2(cd-be)\sqrt{d+ex}}{c^2} + \frac{2(d+ex)^{3/2}}{3c} + \frac{\sqrt{2}\left(b^3e^2 - b^2e(2cd + \sqrt{b^2 - 4ace}) + c(a\sqrt{b^2 - 4ace}e^2 - \sqrt{2}(b^3e^2 - b^2e(2cd + \sqrt{b^2 - 4ace})))\right)}{c^2} \end{aligned}$$

**Mathematica [A]** time = 1.49, size = 779, normalized size = 1.72

$$\frac{\frac{2 \sqrt{d+ex} (2cd-be) + \frac{2(d+ex)^{3/2}}{3c}}{c^2} + \frac{\sqrt{2} \left( b^3 e^2 - b^2 e (2cd + \sqrt{b^2 - 4ace}) + c (a \sqrt{b^2 - 4ace} e^2 - \sqrt{2} (b^3 e^2 - b^2 e (2cd + \sqrt{b^2 - 4ace}))) \right)}{c^2}}{\sqrt{d+ex} \sqrt{a+bx+cx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2), x]

[Out]  $(2*(-3*c*d*e*\sqrt{d + e*x} - 3*e*(-2*c*d + b*e)*\sqrt{d + e*x} + c*e*(d + e*x)^{3/2} + (3*\sqrt{c}*d*(2*c^2*d^2 + b*(b - \sqrt{b^2 - 4*a*c}))*e^2 - 2*c*e*(b*d - \sqrt{b^2 - 4*a*c}*d + a*e))*\text{ArcTanh}[(\sqrt{2}*\sqrt{c}*\sqrt{d + e*x})/\sqrt{2*c*d - b*e + \sqrt{b^2 - 4*a*c}*e}]) / (\sqrt{2}*\sqrt{c}*\sqrt{b^2 - 4*a*c}*\sqrt{2*c*d + (-b + \sqrt{b^2 - 4*a*c})*e}) - (3*(2*c^3*d^3 + b^2*(-b + \sqrt{b^2 - 4*a*c}))*e^3 + 3*c^2*d*e*(-(b*d) + \sqrt{b^2 - 4*a*c}*d - 2*a*e) + c*e^2*(3*b^2*d - 3*b*\sqrt{b^2 - 4*a*c}*d + 3*a*b*e - a*\sqrt{b^2 - 4*a*c}*e))*\text{ArcTanh}[(\sqrt{2}*\sqrt{c}*\sqrt{d + e*x})/\sqrt{2*c*d - b*e + \sqrt{b^2 - 4*a*c}*e}]) / (\sqrt{2}*\sqrt{c}*\sqrt{b^2 - 4*a*c}*\sqrt{2*c*d + (-b + \sqrt{b^2 - 4*a*c})*e}) - (3*\sqrt{c}*d*(2*c^2*d^2 + b*(b + \sqrt{b^2 - 4*a*c}))*e^2 - 2*c*e*(b*d + \sqrt{b^2 - 4*a*c}*d + a*e))*\text{ArcTanh}[(\sqrt{2}*\sqrt{c}*\sqrt{d + e*x})/\sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})*e}]) / (\sqrt{2}*\sqrt{c}*\sqrt{b^2 - 4*a*c}*\sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})*e}) + (3*(2*c^3*d^3 - b^2*(b + \sqrt{b^2 - 4*a*c}))*e^3 - 3*c^2*d*e*(b*d + \sqrt{b^2 - 4*a*c}*d + 2*a*e) + c*e^2*(3*b^2*d + a*\sqrt{b^2 - 4*a*c}*e + 3*b*(\sqrt{b^2 - 4*a*c}*d + a*e)))*\text{ArcTanh}[(\sqrt{2}*\sqrt{c}*\sqrt{d + e*x})/\sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})*e}]) / (\sqrt{2}*\sqrt{c}*\sqrt{b^2 - 4*a*c}*\sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})*e}))) / (3*c^2*e)$

**IntegrateAlgebraic [C]** time = 2.02, size = 599, normalized size = 1.32

$$\frac{\left(\sqrt{2c^2d^2 - 2\sqrt{2}bd\sqrt{4ac - b^2} + \sqrt{2}b^2\sqrt{4ac - b^2} - \sqrt{2}ac^2\sqrt{4ac - b^2} - 3\sqrt{2}abc^2 + 4\sqrt{2}a^2d^2 + \sqrt{2}b^2d^2 - 2\sqrt{2}b^2de + \sqrt{2}b^2c^2\right)\text{atan}^{-1}\left(\frac{\sqrt{2}c\sqrt{d+ex}}{\sqrt{2c^2d - b^2e + \sqrt{b^2 - 4ac}}}\right) + \left(\sqrt{2c^2d^2 - 2\sqrt{2}bd\sqrt{4ac - b^2} + \sqrt{2}b^2\sqrt{4ac - b^2} - \sqrt{2}ac^2\sqrt{4ac - b^2} - 3\sqrt{2}abc^2 - 4\sqrt{2}a^2d^2 - \sqrt{2}b^2d^2 + 2\sqrt{2}b^2de - \sqrt{2}b^2c^2\right)\text{atan}^{-1}\left(\frac{\sqrt{2}c\sqrt{d+ex}}{\sqrt{2c^2d - (b + \sqrt{b^2 - 4ac}})e}\right) + 2\sqrt{2}e^2x(-3b^2 + dd + ex) + 3cd}{3c^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(x\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2), x]

[Out]  $(2*\sqrt{d + e*x}*(3*c*d - 3*b*e + c*(d + e*x)))/(3*c^2) + ((I*\sqrt{2})*b*c^2*d^2 + \sqrt{2})*c^2*\sqrt{-b^2 + 4*a*c}*d^2 - (2*I)*\sqrt{2})*b^2*c*d*e + (4*I)*\sqrt{2})*a*c^2*d*e - 2*\sqrt{2})*b*c*\sqrt{-b^2 + 4*a*c}*d*e + I*\sqrt{2})*b^3*e^2 - (3*I)*\sqrt{2})*a*b*c*e^2 + \sqrt{2})*b^2*\sqrt{-b^2 + 4*a*c}*e^2 - \sqrt{2})*a*c*\sqrt{-b^2 + 4*a*c}*e^2)*\text{ArcTan}[(\sqrt{2}*\sqrt{c}*\sqrt{d + e*x})/\sqrt{-2*c*d + b*e - I*\sqrt{-b^2 + 4*a*c}*e}]) / (c^{5/2}*\sqrt{-b^2 + 4*a*c}*\sqrt{-2*c*d + b*e - I*\sqrt{-b^2 + 4*a*c}*e}) + (((-I)*\sqrt{2})*b*c^2*d^2 + \sqrt{2})*c^2*\sqrt{-b^2 + 4*a*c}*d^2 + (2*I)*\sqrt{2})*b^2*c*d*e - (4*I)*\sqrt{2})*a*c^2*d*e - 2*\sqrt{2})*b*c*\sqrt{-b^2 + 4*a*c}*d*e - I*\sqrt{2})*b^3*e^2 + (3*I)*\sqrt{2})*a*b*c*e^2 + \sqrt{2})*b^2*\sqrt{-b^2 + 4*a*c}*e^2 - \sqrt{2})*a*c*\sqrt{-b^2 + 4*a*c}*e^2)*\text{ArcTan}[(\sqrt{2}*\sqrt{c}*\sqrt{d + e*x})/\sqrt{-2*c*d + b*e + I*\sqrt{-b^2 + 4*a*c}*e}]) / (c^{5/2}*\sqrt{-b^2 + 4*a*c}*\sqrt{-2*c*d + b*e + I*\sqrt{-b^2 + 4*a*c}*e})$

**fricas [B]** time = 1.13, size = 5572, normalized size = 12.30

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/6*(3*\sqrt{2}*c^2*\sqrt{((b^2*c^3 - 2*a*c^4)*d^3 - 3*(b^3*c^2 - 3*a*b*c^3) \\ & *d^2*e + 3*(b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*d*e^2 - (b^5 - 5*a*b^3*c + 5*a \\ & ^2*b*c^2)*e^3 + (b^2*c^5 - 4*a*c^6)*\sqrt{((b^2*c^6*d^6 - 6*(b^3*c^5 - a*b*c^6) \\ & *d^5*e + 3*(5*b^4*c^4 - 10*a*b^2*c^5 + 3*a^2*c^6)*d^4*e^2 - 2*(10*b^5*c^3 \\ & - 30*a*b^3*c^4 + 19*a^2*b*c^5)*d^3*e^3 + 3*(5*b^6*c^2 - 20*a*b^4*c^3 + 20* \\ & a^2*b^2*c^4 - 2*a^3*c^5)*d^2*e^4 - 6*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - \\ & 2*a^3*b*c^4)*d*e^5 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a \\ & ^4*c^4)*e^6)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6))*\log(\sqrt{2}*((b^3 \\ & *c^4 - 4*a*b*c^5)*d^4 - (4*b^4*c^3 - 19*a*b^2*c^4 + 12*a^2*c^5)*d^3*e + 3*( \\ & 2*b^5*c^2 - 11*a*b^3*c^3 + 12*a^2*b*c^4)*d^2*e^2 - (4*b^6*c - 25*a*b^4*c^2 \\ & + 37*a^2*b^2*c^3 - 4*a^3*c^4)*d*e^3 + (b^7 - 7*a*b^5*c + 13*a^2*b^3*c^2 - 4 \\ & *a^3*b*c^3)*e^4 - ((b^3*c^6 - 4*a*b*c^7)*d - (b^4*c^5 - 6*a*b^2*c^6 + 8*a^2 \\ & *c^7)*e)*\sqrt{((b^2*c^6*d^6 - 6*(b^3*c^5 - a*b*c^6)*d^5*e + 3*(5*b^4*c^4 - 1 \\ & 0*a*b^2*c^5 + 3*a^2*c^6)*d^4*e^2 - 2*(10*b^5*c^3 - 30*a*b^3*c^4 + 19*a^2*b* \\ & c^5)*d^3*e^3 + 3*(5*b^6*c^2 - 20*a*b^4*c^3 + 20*a^2*b^2*c^4 - 2*a^3*c^5)*d^ \\ & 2*e^4 - 6*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e^5 + (b^8 \\ & - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^6)/(b^2*c^10 - 4* \\ & a*c^11)))*\sqrt{((b^2*c^3 - 2*a*c^4)*d^3 - 3*(b^3*c^2 - 3*a*b*c^3)*d^2*e + 3 \\ & *(b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*d*e^2 - (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)* \\ & e^3 + (b^2*c^5 - 4*a*c^6)*\sqrt{((b^2*c^6*d^6 - 6*(b^3*c^5 - a*b*c^6)*d^5*e + \\ & 3*(5*b^4*c^4 - 10*a*b^2*c^5 + 3*a^2*c^6)*d^4*e^2 - 2*(10*b^5*c^3 - 30*a*b^ \\ & 3*c^4 + 19*a^2*b*c^5)*d^3*e^3 + 3*(5*b^6*c^2 - 20*a*b^4*c^3 + 20*a^2*b^2*c^ \\ & 4 - 2*a^3*c^5)*d^2*e^4 - 6*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c \\ & ^4)*d*e^5 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^ \\ & 6)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6)) - 4*(a*b*c^4*d^5 - (4*a*b^2 \\ & *c^3 - 3*a^2*c^4)*d^4*e + 2*(3*a*b^3*c^2 - 4*a^2*b*c^3)*d^3*e^2 - 2*(2*a*b^ \\ & 4*c - 3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^3 + (a*b^5 - 5*a^3*b*c^2)*d*e^4 - (a^2 \\ & *b^4 - 3*a^3*b^2*c + a^4*c^2)*e^5)*\sqrt{e*x + d}) - 3*\sqrt{2}*c^2*\sqrt{((b^ \\ & 2*c^3 - 2*a*c^4)*d^3 - 3*(b^3*c^2 - 3*a*b*c^3)*d^2*e + 3*(b^4*c - 4*a*b^2*c \\ & ^2 + 2*a^2*c^3)*d*e^2 - (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*e^3 + (b^2*c^5 - 4* \\ & a*c^6)*\sqrt{((b^2*c^6*d^6 - 6*(b^3*c^5 - a*b*c^6)*d^5*e + 3*(5*b^4*c^4 - 10* \\ & a*b^2*c^5 + 3*a^2*c^6)*d^4*e^2 - 2*(10*b^5*c^3 - 30*a*b^3*c^4 + 19*a^2*b*c^ \\ & 5)*d^3*e^3 + 3*(5*b^6*c^2 - 20*a*b^4*c^3 + 20*a^2*b^2*c^4 - 2*a^3*c^5)*d^2* \\ & e^4 - 6*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e^5 + (b^8 - \\ & 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^6)/(b^2*c^10 - 4*a* \\ & c^11)))/(b^2*c^5 - 4*a*c^6))*\log(-\sqrt{2}*((b^3*c^4 - 4*a*b*c^5)*d^4 - (4*b \\ & ^4*c^3 - 19*a*b^2*c^4 + 12*a^2*c^5)*d^3*e + 3*(2*b^5*c^2 - 11*a*b^3*c^3 + 1 \\ & 2*a^2*b*c^4)*d^2*e^2 - (4*b^6*c - 25*a*b^4*c^2 + 37*a^2*b^2*c^3 - 4*a^3*c^4) \\ & *d*e^3 + (b^7 - 7*a*b^5*c + 13*a^2*b^3*c^2 - 4*a^3*b*c^3)*e^4 - ((b^3*c^6 - \\ & 4*a*b*c^7)*d - (b^4*c^5 - 6*a*b^2*c^6 + 8*a^2*c^7)*e)*\sqrt{((b^2*c^6*d^6 - \\ & 6*(b^3*c^5 - a*b*c^6)*d^5*e + 3*(5*b^4*c^4 - 10*a*b^2*c^5 + 3*a^2*c^6)*d^4 \end{aligned}$$

$$\begin{aligned}
& *e^2 - 2*(10*b^5*c^3 - 30*a*b^3*c^4 + 19*a^2*b*c^5)*d^3*e^3 + 3*(5*b^6*c^2 \\
& - 20*a*b^4*c^3 + 20*a^2*b^2*c^4 - 2*a^3*c^5)*d^2*e^4 - 6*(b^7*c - 5*a*b^5*c \\
& ^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e^5 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 \\
& - 6*a^3*b^2*c^3 + a^4*c^4)*e^6)/(b^2*c^10 - 4*a*c^11))*sqrt(((b^2*c^3 - 2 \\
& *a*c^4)*d^3 - 3*(b^3*c^2 - 3*a*b*c^3)*d^2*e + 3*(b^4*c - 4*a*b^2*c^2 + 2*a^ \\
& 2*c^3)*d*e^2 - (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*e^3 + (b^2*c^5 - 4*a*c^6)*sq \\
& rt((b^2*c^6*d^6 - 6*(b^3*c^5 - a*b*c^6)*d^5*e + 3*(5*b^4*c^4 - 10*a*b^2*c^5 \\
& + 3*a^2*c^6)*d^4*e^2 - 2*(10*b^5*c^3 - 30*a*b^3*c^4 + 19*a^2*b*c^5)*d^3*e^ \\
& 3 + 3*(5*b^6*c^2 - 20*a*b^4*c^3 + 20*a^2*b^2*c^4 - 2*a^3*c^5)*d^2*e^4 - 6*( \\
& b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e^5 + (b^8 - 6*a*b^6*c \\
& + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^6)/(b^2*c^10 - 4*a*c^11)))/( \\
& b^2*c^5 - 4*a*c^6)) - 4*(a*b*c^4*d^5 - (4*a*b^2*c^3 - 3*a^2*c^4)*d^4*e + 2* \\
& (3*a*b^3*c^2 - 4*a^2*b*c^3)*d^3*e^2 - 2*(2*a*b^4*c - 3*a^2*b^2*c^2 - a^3*c^ \\
& 3)*d^2*e^3 + (a*b^5 - 5*a^3*b*c^2)*d*e^4 - (a^2*b^4 - 3*a^3*b^2*c + a^4*c^2 \\
& )*e^5)*sqrt(e*x + d)) + 3*sqrt(2)*c^2*sqrt(((b^2*c^3 - 2*a*c^4)*d^3 - 3*(b^ \\
& 3*c^2 - 3*a*b*c^3)*d^2*e + 3*(b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*d*e^2 - (b^5 \\
& - 5*a*b^3*c + 5*a^2*b*c^2)*e^3 - (b^2*c^5 - 4*a*c^6)*sqrt((b^2*c^6*d^6 - 6 \\
& *(b^3*c^5 - a*b*c^6)*d^5*e + 3*(5*b^4*c^4 - 10*a*b^2*c^5 + 3*a^2*c^6)*d^4*e \\
& ^2 - 2*(10*b^5*c^3 - 30*a*b^3*c^4 + 19*a^2*b*c^5)*d^3*e^3 + 3*(5*b^6*c^2 - \\
& 20*a*b^4*c^3 + 20*a^2*b^2*c^4 - 2*a^3*c^5)*d^2*e^4 - 6*(b^7*c - 5*a*b^5*c^2 \\
& + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e^5 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - \\
& 6*a^3*b^2*c^3 + a^4*c^4)*e^6)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6)) \\
& *log(sqrt(2)*((b^3*c^4 - 4*a*b*c^5)*d^4 - (4*b^4*c^3 - 19*a*b^2*c^4 + 12*a^ \\
& 2*c^5)*d^3*e + 3*(2*b^5*c^2 - 11*a*b^3*c^3 + 12*a^2*b*c^4)*d^2*e^2 - (4*b^6 \\
& *c - 25*a*b^4*c^2 + 37*a^2*b^2*c^3 - 4*a^3*c^4)*d*e^3 + (b^7 - 7*a*b^5*c + \\
& 13*a^2*b^3*c^2 - 4*a^3*b*c^3)*e^4 + ((b^3*c^6 - 4*a*b*c^7)*d - (b^4*c^5 - 6 \\
& *a*b^2*c^6 + 8*a^2*c^7)*e)*sqrt((b^2*c^6*d^6 - 6*(b^3*c^5 - a*b*c^6)*d^5*e \\
& + 3*(5*b^4*c^4 - 10*a*b^2*c^5 + 3*a^2*c^6)*d^4*e^2 - 2*(10*b^5*c^3 - 30*a*b \\
& ^3*c^4 + 19*a^2*b*c^5)*d^3*e^3 + 3*(5*b^6*c^2 - 20*a*b^4*c^3 + 20*a^2*b^2*c \\
& ^4 - 2*a^3*c^5)*d^2*e^4 - 6*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b* \\
& c^4)*d*e^5 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e \\
& ^6)/(b^2*c^10 - 4*a*c^11))*sqrt(((b^2*c^3 - 2*a*c^4)*d^3 - 3*(b^3*c^2 - 3* \\
& a*b*c^3)*d^2*e + 3*(b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*d*e^2 - (b^5 - 5*a*b^3 \\
& *c + 5*a^2*b*c^2)*e^3 - (b^2*c^5 - 4*a*c^6)*sqrt((b^2*c^6*d^6 - 6*(b^3*c^5 \\
& - a*b*c^6)*d^5*e + 3*(5*b^4*c^4 - 10*a*b^2*c^5 + 3*a^2*c^6)*d^4*e^2 - 2*(10 \\
& *b^5*c^3 - 30*a*b^3*c^4 + 19*a^2*b*c^5)*d^3*e^3 + 3*(5*b^6*c^2 - 20*a*b^4*c \\
& ^3 + 20*a^2*b^2*c^4 - 2*a^3*c^5)*d^2*e^4 - 6*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b \\
& ^3*c^3 - 2*a^3*b*c^4)*d*e^5 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2 \\
& *c^3 + a^4*c^4)*e^6)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6)) - 4*(a*b* \\
& c^4*d^5 - (4*a*b^2*c^3 - 3*a^2*c^4)*d^4*e + 2*(3*a*b^3*c^2 - 4*a^2*b*c^3)*d \\
& ^3*e^2 - 2*(2*a*b^4*c - 3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^3 + (a*b^5 - 5*a^3*b \\
& *c^2)*d*e^4 - (a^2*b^4 - 3*a^3*b^2*c + a^4*c^2)*e^5)*sqrt(e*x + d)) - 3*sq \\
& rt(2)*c^2*sqrt(((b^2*c^3 - 2*a*c^4)*d^3 - 3*(b^3*c^2 - 3*a*b*c^3)*d^2*e + 3* \\
& (b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*d*e^2 - (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*e \\
& ^3 - (b^2*c^5 - 4*a*c^6)*sqrt((b^2*c^6*d^6 - 6*(b^3*c^5 - a*b*c^6)*d^5*e +
\end{aligned}$$

$$\begin{aligned}
& 3*(5*b^4*c^4 - 10*a*b^2*c^5 + 3*a^2*c^6)*d^4*e^2 - 2*(10*b^5*c^3 - 30*a*b^3*c^4 + 19*a^2*b*c^5)*d^3*e^3 + 3*(5*b^6*c^2 - 20*a*b^4*c^3 + 20*a^2*b^2*c^4 - 2*a^3*c^5)*d^2*e^4 - 6*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e^5 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^6 \\
& )/(b^2*c^10 - 4*a*c^11))/(b^2*c^5 - 4*a*c^6))*\log(-\sqrt{2}*((b^3*c^4 - 4*a*b*c^5)*d^4 - (4*b^4*c^3 - 19*a*b^2*c^4 + 12*a^2*c^5)*d^3*e + 3*(2*b^5*c^2 - 11*a*b^3*c^3 + 12*a^2*b*c^4)*d^2*e^2 - (4*b^6*c - 25*a*b^4*c^2 + 37*a^2*b^2*c^3 - 4*a^3*c^4)*d*e^3 + (b^7 - 7*a*b^5*c + 13*a^2*b^3*c^2 - 4*a^3*b*c^3)*e^4 + ((b^3*c^6 - 4*a*b*c^7)*d - (b^4*c^5 - 6*a*b^2*c^6 + 8*a^2*c^7)*e))*\sqrt{((b^2*c^6*d^6 - 6*(b^3*c^5 - a*b*c^6)*d^5*e + 3*(5*b^4*c^4 - 10*a*b^2*c^5 + 3*a^2*c^6)*d^4*e^2 - 2*(10*b^5*c^3 - 30*a*b^3*c^4 + 19*a^2*b*c^5)*d^3*e^3 + 3*(5*b^6*c^2 - 20*a*b^4*c^3 + 20*a^2*b^2*c^4 - 2*a^3*c^5)*d^2*e^4 - 6*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e^5 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^6)/(b^2*c^10 - 4*a*c^11)))*\sqrt{((b^2*c^3 - 2*a*c^4)*d^3 - 3*(b^3*c^2 - 3*a*b*c^3)*d^2*e + 3*(b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*d*e^2 - (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*e^3 - (b^2*c^5 - 4*a*c^6)*\sqrt{((b^2*c^6*d^6 - 6*(b^3*c^5 - a*b*c^6)*d^5*e + 3*(5*b^4*c^4 - 10*a*b^2*c^5 + 3*a^2*c^6)*d^4*e^2 - 2*(10*b^5*c^3 - 30*a*b^3*c^4 + 19*a^2*b*c^5)*d^3*e^3 + 3*(5*b^6*c^2 - 20*a*b^4*c^3 + 20*a^2*b^2*c^4 - 2*a^3*c^5)*d^2*e^4 - 6*(b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*d*e^5 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*e^6)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6)) - 4*(a*b*c^4*d^5 - (4*a*b^2*c^3 - 3*a^2*c^4)*d^4*e + 2*(3*a*b^3*c^2 - 4*a^2*b*c^3)*d^3*e^2 - 2*(2*a*b^4*c - 3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^3 + (a*b^5 - 5*a^3*b*c^2)*d*e^4 - (a^2*b^4 - 3*a^3*b^2*c + a^4*c^2)*e^5)*\sqrt{e*x + d}) - 4*(c*e*x + 4*c*d - 3*b*e)*\sqrt{e*x + d))/c^2
\end{aligned}$$

**giac [B]** time = 0.46, size = 978, normalized size = 2.16

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="giac")

[Out]  $1/4*((b^2*c^2 - 4*a*c^3)*d^2*e - 2*(b^3*c - 4*a*b*c^2)*d*e^2 + (b^4 - 5*a*b^2*c + 4*a^2*c^2)*e^3)*\sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e)^c^2 - 2*(\sqrt{b^2 - 4*a*c})*c^4*d^3 - 2*\sqrt{b^2 - 4*a*c}*b*c^3*d^2*e - \sqrt{b^2 - 4*a*c}*a*b*c^2*e^3 + (b^2*c^2 + a*c^3)*\sqrt{b^2 - 4*a*c}*d*e^2)*\sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e)*\text{abs}(c) + (2*b*c^5*d^3 - (5*b^2*c^4 - 8*a*c^5)*d^2*e + 2*(2*b^3*c^3 - 5*a*b*c^4)*d*e^2 - (b^4*c^2 - 3*a*b^2*c^3)*e^3)*\sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e))*\arctan(2*\sqrt{1/2}*\sqrt{x*e + d}/\sqrt{-(2*c^4*d - b*c^3*e + \sqrt{-4*(c^4*d^2 - b*c^3*d*e + a*c^3*e^2)*c^4 + (2*c^4*d - b*c^3*e)^2})/c^4))/((\sqrt{b^2 - 4*a*c})*c^5*d^2 - \sqrt{b^2 - 4*a*c}*b*c^4*d*e + \sqrt{b^2 - 4*a*c}*a*c^4*e^2)*c^2) - 1/4*((b^2*c^2 - 4*a*c^3)*d^2*e - 2*(b^3*c - 4*a*b*c^2)*d*e^2 + (b^4 - 5*a*b^2*c$

$$\begin{aligned}
& + 4*a^2*c^2)*e^3)*\text{sqrt}(-4*c^2*d + 2*(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*e)*c^2 + 2* \\
& (\text{sqrt}(b^2 - 4*a*c)*c^4*d^3 - 2*\text{sqrt}(b^2 - 4*a*c)*b*c^3*d^2*e - \text{sqrt}(b^2 - 4 \\
& *a*c)*a*b*c^2*e^3 + (b^2*c^2 + a*c^3)*\text{sqrt}(b^2 - 4*a*c)*d*e^2)*\text{sqrt}(-4*c^2*d \\
& + 2*(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*e)*\text{abs}(c) + (2*b*c^5*d^3 - (5*b^2*c^4 - 8 \\
& *a*c^5)*d^2*e + 2*(2*b^3*c^3 - 5*a*b*c^4)*d*e^2 - (b^4*c^2 - 3*a*b^2*c^3)*e \\
& ^3)*\text{sqrt}(-4*c^2*d + 2*(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*e))*\text{arctan}(2*\text{sqrt}(1/2)*\text{sq} \\
& \text{rt}(x*e + d)/\text{sqrt}(-(2*c^4*d - b*c^3*e - \text{sqrt}(-4*(c^4*d^2 - b*c^3*d*e + a*c^3 \\
& *e^2)*c^4 + (2*c^4*d - b*c^3*e)^2))/c^4))/((\text{sqrt}(b^2 - 4*a*c)*c^5*d^2 - \text{sq} \\
& \text{rt}(b^2 - 4*a*c)*b*c^4*d*e + \text{sqrt}(b^2 - 4*a*c)*a*c^4*e^2)*c^2) + 2/3*((x*e + \\
& d)^(3/2)*c^2 + 3*\text{sqrt}(x*e + d)*c^2*d - 3*\text{sqrt}(x*e + d)*b*c*e)/c^3
\end{aligned}$$

**maple [B]** time = 0.05, size = 1714, normalized size = 3.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x*(e*x+d)^{(3/2)}/(c*x^2+b*x+a), x)$

[Out]  $\begin{aligned}
& 2/3*(e*x+d)^{(3/2)}/c-2/c^2*b*e*(e*x+d)^{(1/2)}+2/c*d*(e*x+d)^{(1/2)}-3/c/(-4*a* \\
& c-b^2)*e^2)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2))*c)^{(1/2)*a} \\
& \text{rctanh}((e*x+d)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2))*c)^{(1/2) \\
& )*c)*a*b*e^3+4/(-4*a*c-b^2)*e^2)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)* \\
& e^2)^{(1/2))*c)^{(1/2)*\text{arctanh}((e*x+d)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^ \\
& 2)*e^2)^{(1/2))*c)^{(1/2)*c)*a*d*e^2+1/c^2/(-4*a*c-b^2)*e^2)^{(1/2)*2^{(1/2)}/( \\
& (-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2))*c)^{(1/2)*\text{arctanh}((e*x+d)^{(1/2)*2^{(1/2) \\
& )}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2))*c)^{(1/2)*c)*b^3*e^3-2/c/(-4*a*c-b \\
& ^2)*e^2)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2))*c)^{(1/2)*\text{arct} \\
& \text{anh}((e*x+d)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2))*c)^{(1/2)*c} \\
& )*b^2*d*e^2+1/(-4*a*c-b^2)*e^2)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e \\
& ^2)^{(1/2))*c)^{(1/2)*\text{arctanh}((e*x+d)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2) \\
& )*e^2)^{(1/2))*c)^{(1/2)*c)*b*d^2*e+1/c^2/((-b*e+2*c*d+(-4*a*c-b^2)*e^ \\
& 2)^{(1/2))*c)^{(1/2)*\text{arctanh}((e*x+d)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2) \\
& *e^2)^{(1/2))*c)^{(1/2)*c)*a*e^2-1/c^2*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2 \\
& )^(1/2))*c)^{(1/2)*\text{arctanh}((e*x+d)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)* \\
& e^2)^{(1/2))*c)^{(1/2)*c)*b^2*e^2+2/c^2/((-b*e+2*c*d+(-4*a*c-b^2)*e^2) \\
& ^{(1/2))*c)^{(1/2)*\text{arctanh}((e*x+d)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e \\
& ^2)^{(1/2))*c)^{(1/2)*c)*b*d*e-2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)) \\
& )*c)^{(1/2)*\text{arctanh}((e*x+d)^{(1/2)*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/ \\
& 2))*c)^{(1/2)*c)*d^2-3/c/(-4*a*c-b^2)*e^2)^{(1/2)*2^{(1/2)}/((b*e-2*c*d+(-4*a \\
& *c-b^2)*e^2)^{(1/2))*c)^{(1/2)*\text{arctan}((e*x+d)^{(1/2)*2^{(1/2)}/((b*e-2*c*d+(-4* \\
& a*c-b^2)*e^2)^{(1/2))*c)^{(1/2)*c)*a*b*e^3+4/(-4*a*c-b^2)*e^2)^{(1/2)*2^{(1/2) \\
& }/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2))*c)^{(1/2)*\text{arctan}((e*x+d)^{(1/2)*2^{(1/2) \\
& )}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2))*c)^{(1/2)*c)*a*d*e^2+1/c^2/(-4*a*c- \\
& b^2)*e^2)^{(1/2)*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2))*c)^{(1/2)*\text{arct} \\
& \text{an}((e*x+d)^{(1/2)*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2))*c)^{(1/2)*c)*
\end{aligned}$

$$b^3e^3-2/c/(-4ac-b^2)e^2)^{1/2}2^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2}\arctan((ex+d)^{1/2}2^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2})c^{1/2})*b^2d^2e^2+1/(-4ac-b^2)e^2)^{1/2}2^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2}\arctan((ex+d)^{1/2}2^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2})c^{1/2})*bd^2e-1/c2^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2}\arctan((ex+d)^{1/2}2^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2})c^{1/2})*ae^2+1/c^22^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2}\arctan((ex+d)^{1/2}2^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2})c^{1/2})*b^2e^2-2/c2^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2}\arctan((ex+d)^{1/2}2^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2})c^{1/2})*bd^2e+2^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2}\arctan((ex+d)^{1/2}2^{1/2}/((be-2cd+(-4ac-b^2)e^2)^{1/2})c^{1/2})c^{1/2})*d^2$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^2 x^3}{cx^2+bx+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)\*x/(c\*x^2 + b\*x + a), x)

**mupad [B]** time = 4.72, size = 13841, normalized size = 30.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(d + e\*x)^(3/2))/(a + b\*x + c\*x^2),x)

[Out]  $(2*(d + e*x)^{3/2})/(3*c) - ((2*d)/c + (2*(b*e - 2*c*d))/c^2)*(d + e*x)^{1/2} - \operatorname{atan}\left(\frac{(8*(a*b^3*c^3*e^5 - 4*a^2*b*c^4*e^5 + 4*a*c^6*d^3*e^2 + 4*a^2*c^5*d*e^4 - b^4*c^3*d*e^4 - b^2*c^5*d^3*e^2 + 2*b^3*c^4*d^2*e^3 - 8*a*b*c^5*d^2*e^3 + 3*a*b^2*c^4*d*e^4))/c^3 - (8*(d + e*x)^{1/2}*(-(b^7*e^3 - 8*a^2*c^5*d^3 - b^4*c^3*d^3 + b^4*e^3*(-(4*a*c - b^2)^3)^{1/2} + 6*a*b^2*c^4*d^3 - 20*a^3*b*c^3*e^3 - b*c^3*d^3*(-(4*a*c - b^2)^3)^{1/2} + 24*a^3*c^4*d*e^2 + 3*b^5*c^2*d^2*e + 25*a^2*b^3*c^2*e^3 + a^2*c^2*e^3*(-(4*a*c - b^2)^3)^{1/2} - 9*a*b^5*c*e^3 - 3*b^6*c*d*e^2 - 3*a*b^2*c*e^3*(-(4*a*c - b^2)^3)^{1/2} - 21*a*b^3*c^3*d^2*e + 24*a*b^4*c^2*d*e^2 + 36*a^2*b*c^4*d^2*e - 3*a*c^3*d^2*e*(-(4*a*c - b^2)^3)^{1/2} - 3*b^3*c*d*e^2*(-(4*a*c - b^2)^3)^{1/2} - 54*a^2*b^2*c^3*d*e^2 + 3*b^2*c^2*d^2*e*(-(4*a*c - b^2)^3)^{1/2} + 6*a*b*c^2*d*e^2*(-(4*a*c - b^2)^3)^{1/2}}{(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{1/2}*(b^3*c^5*e^3 - 2*b^2*c^6*d*e^2 - 4*a*b*c^6*e^3 + 8*a*c^7*d*e^2))/c^3}*(-(b^7*e^3 - 8*a^2*c^5*d^3 - b^4*c^3*d^3 + b^4*e^3*(-(4*a*c - b^2)^3)^{1/2})$

$$\begin{aligned}
& + 6*a*b^2*c^4*d^3 - 20*a^3*b*c^3*e^3 - b*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 24*a^3*c^4*d*e^2 + 3*b^5*c^2*d^2*e + 25*a^2*b^3*c^2*e^3 + a^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^3 - 3*b^6*c*d*e^2 - 3*a*b^2*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 21*a*b^3*c^3*d^2*e + 24*a*b^4*c^2*d*e^2 + 36*a^2*b*c^4*d^2*e - 3*a*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^3*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 54*a^2*b^2*c^3*d*e^2 + 3*b^2*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(b^6*e^6 - 2*a^3*c^3*e^6 - 2*a*c^5*d^4*e^2 + 9*a^2*b^2*c^2*e^6 + 12*a^2*c^4*d^2*e^4 + b^2*c^4*d^4*e^2 - 4*b^3*c^3*d^3*e^3 + 6*b^4*c^2*d^2*e^4 - 6*a*b^4*c*e^6 - 4*b^5*c*d*e^5 + 12*a*b*c^4*d^3*e^3 + 20*a*b^3*c^2*d*e^5 - 20*a^2*b*c^3*d*e^5 - 24*a*b^2*c^3*d^2*e^4))/c^3)*(-(b^7*e^3 - 8*a^2*c^5*d^3 - b^4*c^3*d^3 + b^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^4*d^3 - 20*a^3*b*c^3*e^3 - b*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*c^4*d*e^2 + 3*b^5*c^2*d^2*e + 25*a^2*b^3*c^2*e^3 + a^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^3 - 3*b^6*c*d*e^2 - 3*a*b^2*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 21*a*b^3*c^3*d^2*e + 24*a*b^4*c^2*d*e^2 + 36*a^2*b*c^4*d^2*e - 3*a*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^3*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 54*a^2*b^2*c^3*d*e^2 + 3*b^2*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*1i - (((8*(a*b^3*c^3*e^5 - 4*a^2*b*c^4*e^5 + 4*a*c^6*d^3*e^2 + 4*a^2*c^5*d*e^4 - b^4*c^3*d*e^4 - b^2*c^5*d^3*e^2 + 2*b^3*c^4*d^2*e^3 - 8*a*b*c^5*d^2*e^3 + 3*a*b^2*c^4*d*e^4))/c^3 + (8*(d + e*x)^{(1/2)}*(-(b^7*e^3 - 8*a^2*c^5*d^3 - b^4*c^3*d^3 + b^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^4*d^3 - 20*a^3*b*c^3*e^3 - b*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*c^4*d*e^2 + 3*b^5*c^2*d^2*e + 25*a^2*b^3*c^2*e^3 + a^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^3 - 3*b^6*c*d*e^2 - 3*a*b^2*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 21*a*b^3*c^3*d^2*e + 24*a*b^4*c^2*d*e^2 + 36*a^2*b*c^4*d^2*e - 3*a*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^3*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 54*a^2*b^2*c^3*d*e^2 + 3*b^2*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*(b^3*c^5*e^3 - 2*b^2*c^6*d*e^2 - 4*a*b*c^6*e^3 + 8*a*c^7*d*e^2))/c^3)*(-(b^7*e^3 - 8*a^2*c^5*d^3 - b^4*c^3*d^3 + b^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^4*d^3 - 20*a^3*b*c^3*e^3 - b*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*c^4*d*e^2 + 3*b^5*c^2*d^2*e + 25*a^2*b^3*c^2*e^3 + a^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^3 - 3*b^6*c*d*e^2 - 3*a*b^2*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 21*a*b^3*c^3*d^2*e + 24*a*b^4*c^2*d*e^2 + 36*a^2*b*c^4*d^2*e - 3*a*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^3*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 54*a^2*b^2*c^3*d*e^2 + 3*b^2*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(b^6*e^6 - 2*a^3*c^3*e^6 - 2*a*c^5*d^4*e^2 + 9*a^2*b^2*c^2*e^6 + 12*a^2*c^4*d^2*e^4 + b^2*c^4*d^4*e^2 - 4*b^3*c^3*d^3*e^3 + 6*b^4*c^2*d^2*e^4 - 6*a*b^4*c*e^6 - 4*b^5*c*d*e^5 + 12*a*b*c^4*d^3*e^3 + 20*a*b^3*c^2*d*e^5 - 20*a^2*b*c^3*d*e^5 - 24*a*b^2*c^3*d^2*e^4))/c^3)*(-(b^7*e^3 - 8*a^2*c^5*d^3 - b^4*c^3*d^3 + b^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^4*d^3 - 20*a^3*b*c^3*e^3
\end{aligned}$$

$$\begin{aligned}
& - b^3 c^3 d^3 (-4ac - b^2)^3)^{1/2} + 24a^3 c^4 d^2 e^2 + 3b^5 c^2 d^2 e + 25a^2 b^3 c^2 e^3 + a^2 c^2 e^3 (-4ac - b^2)^3)^{1/2} - 9a^5 b^3 c^3 e^3 \\
& - 3b^6 c^3 d^2 e^2 - 3a^5 b^2 c^3 e^3 (-4ac - b^2)^3)^{1/2} - 21a^5 b^3 c^3 d^2 e + 24a^5 b^4 c^2 d^2 e^2 + 36a^2 b^3 c^4 d^2 e - 3a^3 c^3 d^2 e (-4ac - b^2)^3)^{1/2} \\
& - 3b^3 c^3 d^2 e (-4ac - b^2)^3)^{1/2} - 54a^2 b^2 c^3 d^2 e^2 + 3b^2 c^2 d^2 e (-4ac - b^2)^3)^{1/2} + 6a^5 b^3 c^2 d^2 e (-4ac - b^2)^3)^{1/2} \\
& ) / (2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6))^{1/2} * i) / ((16(a^4 c^8 - a^3 b^2 e^8 - a^2 b^4 d^2 e^6 + 2a^2 b^3 d^2 e^7 - a^2 c^4 d^6 e^2 - a^2 c^3 d^4 e^4 + a^3 c^2 d^2 e^6 + 4a^2 b^3 c^3 d^5 e^3 + 4a^2 b^3 c^3 d^3 e^5 - 6a^2 b^2 c^2 d^4 e^4 + 4a^2 b^2 c^2 d^3 e^5 - 5a^2 b^2 c^2 d^2 e^6)) / c^3 + ((8(a^5 b^3 c^3 e^5 - 4a^2 b^3 c^4 e^5 + 4a^2 c^6 d^3 e^2 + 4a^2 c^5 d^2 e^4 - b^4 c^3 d^4 e^4 - b^2 c^5 d^3 e^2 + 2b^3 c^4 d^2 e^3 - 8a^2 b^3 c^5 d^2 e^3 + 3a^2 b^2 c^4 d^2 e^4)) / c^3 - (8(d + ex)^{1/2} * (-b^7 e^3 - 8a^2 c^5 d^3 - b^4 c^3 d^3 + b^4 e^3 (-4ac - b^2)^3)^{1/2} + 6a^5 b^2 c^4 d^3 - 20a^3 b^3 c^3 e^3 - b^3 c^3 d^3 (-4ac - b^2)^3)^{1/2} + 24a^3 c^4 d^2 e^2 + 3b^5 c^2 d^2 e + 25a^2 b^3 c^2 e^3 + a^2 c^2 e^3 (-4ac - b^2)^3)^{1/2} - 9a^5 b^3 c^3 e^3 - 3b^6 c^3 d^2 e^2 - 3a^5 b^2 c^3 e^3 (-4ac - b^2)^3)^{1/2} - 21a^5 b^3 c^3 d^2 e + 24a^5 b^4 c^2 d^2 e^2 + 36a^2 b^3 c^4 d^2 e - 3a^3 c^3 d^2 e (-4ac - b^2)^3)^{1/2} - 3b^3 c^3 d^2 e (-4ac - b^2)^3)^{1/2} - 54a^2 b^2 c^3 d^2 e^2 + 3b^2 c^2 d^2 e (-4ac - b^2)^3)^{1/2} + 6a^5 b^3 c^2 d^2 e (-4ac - b^2)^3)^{1/2} ) / (2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6))^{1/2} * (b^3 c^5 e^3 - 2b^2 c^6 d^2 e^2 - 4a^2 b^3 c^6 e^3 + 8a^2 c^7 d^2 e^2) / c^3 * (-b^7 e^3 - 8a^2 c^5 d^3 - b^4 c^3 d^3 + b^4 e^3 (-4ac - b^2)^3)^{1/2} + 6a^5 b^2 c^4 d^3 - 20a^3 b^3 c^3 e^3 - b^3 c^3 d^3 (-4ac - b^2)^3)^{1/2} + 24a^3 c^4 d^2 e^2 + 3b^5 c^2 d^2 e + 25a^2 b^3 c^2 e^3 + a^2 c^2 e^3 (-4ac - b^2)^3)^{1/2} - 9a^5 b^3 c^3 e^3 - 3b^6 c^3 d^2 e^2 - 3a^5 b^2 c^3 e^3 (-4ac - b^2)^3)^{1/2} - 21a^5 b^3 c^3 d^2 e + 24a^5 b^4 c^2 d^2 e^2 + 36a^2 b^3 c^4 d^2 e - 3a^3 c^3 d^2 e (-4ac - b^2)^3)^{1/2} - 3b^3 c^3 d^2 e (-4ac - b^2)^3)^{1/2} - 54a^2 b^2 c^3 d^2 e^2 + 3b^2 c^2 d^2 e (-4ac - b^2)^3)^{1/2} + 6a^5 b^3 c^2 d^2 e (-4ac - b^2)^3)^{1/2} ) / (2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6))^{1/2} - (8(d + ex)^{1/2} * (b^6 e^6 - 2a^3 c^3 e^6 - 2a^2 c^5 d^4 e^2 + 9a^2 b^2 c^2 e^6 + 12a^2 c^4 d^2 e^4 + b^2 c^4 d^4 e^2 - 4b^3 c^3 d^3 e^3 + 6b^4 c^2 d^2 e^4 - 6a^2 b^4 c^2 e^6 - 4b^5 c^3 d^2 e^5 + 12a^2 b^3 c^4 d^3 e^3 + 20a^2 b^3 c^2 d^2 e^5 - 20a^2 b^3 c^3 d^2 e^5 - 24a^2 b^2 c^3 d^2 e^4)) / c^3 * (-b^7 e^3 - 8a^2 c^5 d^3 - b^4 c^3 d^3 + b^4 e^3 (-4ac - b^2)^3)^{1/2} + 6a^5 b^2 c^4 d^3 - 20a^3 b^3 c^3 e^3 - b^3 c^3 d^3 (-4ac - b^2)^3)^{1/2} + 24a^3 c^4 d^2 e^2 + 3b^5 c^2 d^2 e + 25a^2 b^3 c^2 e^3 + a^2 c^2 e^3 (-4ac - b^2)^3)^{1/2} - 9a^5 b^3 c^3 e^3 - 3b^6 c^3 d^2 e^2 - 3a^5 b^2 c^3 e^3 (-4ac - b^2)^3)^{1/2} - 21a^5 b^3 c^3 d^2 e + 24a^5 b^4 c^2 d^2 e^2 + 36a^2 b^3 c^4 d^2 e - 3a^3 c^3 d^2 e (-4ac - b^2)^3)^{1/2} - 3b^3 c^3 d^2 e (-4ac - b^2)^3)^{1/2} - 54a^2 b^2 c^3 d^2 e^2 + 3b^2 c^2 d^2 e (-4ac - b^2)^3)^{1/2} + 6a^5 b^3 c^2 d^2 e (-4ac - b^2)^3)^{1/2} ) / (2(16a^2 c^7 + b^4 c^5 - 8a^2 b^2 c^6))^{1/2} + ((8(a^5 b^3 c^3 e^5 - 4a^2 b^3 c^4 e^5 + 4a^2 c^6 d^3 e^2 + 4a^2 c^5 d^2 e^4 - b^4 c^3 d^4 e^4 - b^2 c^5 d^3 e^2 + 2b^3 c^4 d^2 e^3 - 8a^2 b^3 c^5 d^2 e^3 + 3a^2 b^2 c^4 d^2 e^4)) / c^3 + (8(d + ex)^{1/2} * (-b^7 e^3 -
\end{aligned}$$

$$\begin{aligned}
& 8a^2c^5d^3 - b^4c^3d^3 + b^4e^3(-4ac - b^2)^3)^{(1/2)} + 6ab^2c^4d^3 - 20a^3b^3c^3e^3 - b^4c^3d^3(-4ac - b^2)^3)^{(1/2)} + 24a^3c^4d^2e^2 + 3b^5c^2d^2e + 25a^2b^3c^2e^3 + a^2c^2e^3(-4ac - b^2)^3)^{(1/2)} - 9ab^5c^3e^3 - 3b^6c^3d^2e^2 - 3ab^2c^3e^3(-4ac - b^2)^3)^{(1/2)} - 21ab^3c^3d^2e + 24ab^4c^2d^2e^2 + 36a^2b^3c^4d^2e - 3ac^3d^2e(-4ac - b^2)^3)^{(1/2)} - 3b^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 54a^2b^2c^3d^2e^2 + 3b^2c^2d^2e(-4ac - b^2)^3)^{(1/2)} + 6ab^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)}/(2(16a^2c^7 + b^4c^5 - 8ab^2c^6)))^{(1/2)}(b^3c^5e^3 - 2b^2c^6d^2e^2 - 4ab^3c^6e^3 + 8a^2c^7d^2e^2)/c^3(-b^7e^3 - 8a^2c^5d^3 - b^4c^3d^3 + b^4e^3(-4ac - b^2)^3)^{(1/2)} + 6ab^2c^4d^3 - 20a^3b^3c^3e^3 - b^4c^3d^3(-4ac - b^2)^3)^{(1/2)} + 24a^3c^4d^2e^2 + 3b^5c^2d^2e + 25a^2b^3c^2e^3 + a^2c^2e^3(-4ac - b^2)^3)^{(1/2)} - 9ab^5c^3e^3 - 3b^6c^3d^2e^2 - 3ab^2c^3e^3(-4ac - b^2)^3)^{(1/2)} - 21ab^3c^3d^2e + 24ab^4c^2d^2e^2 + 36a^2b^3c^4d^2e - 3ac^3d^2e(-4ac - b^2)^3)^{(1/2)} - 3b^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 54a^2b^2c^3d^2e^2 + 3b^2c^2d^2e(-4ac - b^2)^3)^{(1/2)} + 6ab^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)}/(2(16a^2c^7 + b^4c^5 - 8ab^2c^6)))^{(1/2)} + (8(d + ex))^{(1/2)}(b^6e^6 - 2a^3c^3e^6 - 2a^2c^5d^4e^2 + 9a^2b^2c^2e^6 + 12a^2c^4d^2e^4 + b^2c^4d^4e^2 - 4b^3c^3d^3e^3 + 6b^4c^2d^2e^4 - 6ab^4c^2e^6 - 4b^5c^3d^2e^5 + 12ab^3c^4d^3e^3 + 20ab^3c^2d^2e^5 - 20a^2b^3c^3d^2e^5 - 24ab^2c^3d^2e^4)/c^3(-b^7e^3 - 8a^2c^5d^3 - b^4c^3d^3 + b^4e^3(-4ac - b^2)^3)^{(1/2)} + 6ab^2c^4d^3 - 20a^3b^3c^3e^3 - b^4c^3d^3(-4ac - b^2)^3)^{(1/2)} + 24a^3c^4d^2e^2 + 3b^5c^2d^2e + 25a^2b^3c^2e^3 + a^2c^2e^3(-4ac - b^2)^3)^{(1/2)} - 9ab^5c^3e^3 - 3b^6c^3d^2e^2 - 3ab^2c^3e^3(-4ac - b^2)^3)^{(1/2)} - 21ab^3c^3d^2e + 24ab^4c^2d^2e^2 + 36a^2b^3c^4d^2e - 3ac^3d^2e(-4ac - b^2)^3)^{(1/2)} - 3b^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 54a^2b^2c^3d^2e^2 + 3b^2c^2d^2e(-4ac - b^2)^3)^{(1/2)} + 6ab^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)}/(2(16a^2c^7 + b^4c^5 - 8ab^2c^6)))^{(1/2)}}(2i - \operatorname{atan}(\frac{(((8(ab^3c^3e^5 - 4a^2b^3c^4e^5 + 4a^2c^6d^3e^2 + 4a^2c^5d^2e^4 - b^4c^3d^2e^4 - b^2c^5d^3e^2 + 2b^3c^4d^2e^3 - 8ab^3c^5d^2e^3 + 3ab^2c^4d^2e^4))/c^3 - (8(d + ex))^{(1/2)}(-b^7e^3 - 8a^2c^5d^3 - b^4c^3d^3 - b^4e^3(-4ac - b^2)^3)^{(1/2)} + 6ab^2c^4d^3 - 20a^3b^3c^3e^3 + b^4c^3d^3(-4ac - b^2)^3)^{(1/2)} + 24a^3c^4d^2e^2 + 3b^5c^2d^2e + 25a^2b^3c^2e^3 - a^2c^2e^3(-4ac - b^2)^3)^{(1/2)} - 9ab^5c^3e^3 - 3b^6c^3d^2e^2 + 3ab^2c^3e^3(-4ac - b^2)^3)^{(1/2)} - 21ab^3c^3d^2e + 24ab^4c^2d^2e^2 + 36a^2b^3c^4d^2e - 3ac^3d^2e(-4ac - b^2)^3)^{(1/2)} - 3b^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 54a^2b^2c^3d^2e^2 + 3b^2c^2d^2e(-4ac - b^2)^3)^{(1/2)} + 6ab^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)}}{2(16a^2c^7 + b^4c^5 - 8ab^2c^6)))^{(1/2)}}))^{(1/2)}
\end{aligned}$$





$$\begin{aligned}
& (2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(b^6*e^6 - 2*a^3*c^3*e^6 - 2*a*c^5*d^4*e^2 + 9*a^2*b^2*c^2*e^6 + 12*a^2*c^4*d^2*e^4 + b^2*c^4*d^4*e^2 - 4*b^3*c^3*d^3*e^3 + 6*b^4*c^2*d^2*e^4 - 6*a*b^4*c*e^6 - 4*b^5*c*d*e^5 + 12*a*b*c^4*d^3*e^3 + 20*a*b^3*c^2*d*e^5 - 20*a^2*b*c^3*d*e^5 - 24*a*b^2*c^3*d^2*e^4))/c^3)*(-(b^7*e^3 - 8*a^2*c^5*d^3 - b^4*c^3*d^3 - b^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^4*d^3 - 20*a^3*b*c^3*e^3 + b*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*c^4*d*e^2 + 3*b^5*c^2*d^2*e + 25*a^2*b^3*c^2*e^3 - a^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^3 - 3*b^6*c*d*e^2 + 3*a*b^2*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 21*a*b^3*c^3*d^2*e + 24*a*b^4*c^2*d*e^2 + 36*a^2*b*c^4*d^2*e + 3*a*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^3*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 54*a^2*b^2*c^3*d*e^2 - 3*b^2*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*i)/((16*(a^4*c*e^8 - a^3*b^2*e^8 - a*b^4*d^2*e^6 + 2*a^2*b^3*d*e^7 - a*c^4*d^6*e^2 - a^2*c^3*d^4*e^4 + a^3*c^2*d^2*e^6 + 4*a*b*c^3*d^5*e^3 + 4*a*b^3*c*d^3*e^5 - 6*a*b^2*c^2*d^4*e^4 + 4*a^2*b*c^2*d^3*e^5 - 5*a^2*b^2*c*d^2*e^6))/c^3 + (((8*(a*b^3*c^3*e^5 - 4*a^2*b*c^4*e^5 + 4*a*c^6*d^3*e^2 + 4*a^2*c^5*d*e^4 - b^4*c^3*d*e^4 - b^2*c^5*d^3*e^2 + 2*b^3*c^4*d^2*e^3 - 8*a*b*c^5*d^2*e^3 + 3*a*b^2*c^4*d*e^4))/c^3 - (8*(d + e*x)^{(1/2)}*(-(b^7*e^3 - 8*a^2*c^5*d^3 - b^4*c^3*d^3 - b^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^4*d^3 - 20*a^3*b*c^3*e^3 + b*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*c^4*d*e^2 + 3*b^5*c^2*d^2*e + 25*a^2*b^3*c^2*e^3 - a^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^3 - 3*b^6*c*d*e^2 + 3*a*b^2*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 21*a*b^3*c^3*d^2*e + 24*a*b^4*c^2*d*e^2 + 36*a^2*b*c^4*d^2*e + 3*a*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^3*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 54*a^2*b^2*c^3*d*e^2 - 3*b^2*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*(b^3*c^5*e^3 - 2*b^2*c^6*d*e^2 - 4*a*b*c^6*e^3 + 8*a*c^7*d*e^2))/c^3)*(-(b^7*e^3 - 8*a^2*c^5*d^3 - b^4*c^3*d^3 - b^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^4*d^3 - 20*a^3*b*c^3*e^3 + b*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*c^4*d*e^2 + 3*b^5*c^2*d^2*e + 25*a^2*b^3*c^2*e^3 - a^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^3 - 3*b^6*c*d*e^2 + 3*a*b^2*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 21*a*b^3*c^3*d^2*e + 24*a*b^4*c^2*d*e^2 + 36*a^2*b*c^4*d^2*e + 3*a*c^3*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^3*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 54*a^2*b^2*c^3*d*e^2 - 3*b^2*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(b^6*e^6 - 2*a^3*c^3*e^6 - 2*a*c^5*d^4*e^2 + 9*a^2*b^2*c^2*e^6 + 12*a^2*c^4*d^2*e^4 + b^2*c^4*d^4*e^2 - 4*b^3*c^3*d^3*e^3 + 6*b^4*c^2*d^2*e^4 - 6*a*b^4*c*e^6 - 4*b^5*c*d*e^5 + 12*a*b*c^4*d^3*e^3 + 20*a*b^3*c^2*d*e^5 - 20*a^2*b*c^3*d*e^5 - 24*a*b^2*c^3*d^2*e^4))/c^3)*(-(b^7*e^3 - 8*a^2*c^5*d^3 - b^4*c^3*d^3 - b^4*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^4*d^3 - 20*a^3*b*c^3*e^3 + b*c^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*c^4*d*e^2 + 3*b^5*c^2*d^2*e + 25*a^2*b^3*c^2*e^3 - a^2*c^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^3 - 3*b^6*c*d*e^2 + 3*a*b^2*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 21*a*b^3*c^3*d^2*e + 24*a*b^4*c^2*d*e^2 + 36*a^2*b*c^4*d^2*e + 3*a*c^3
\end{aligned}$$

$$\begin{aligned}
& *d^2e*(-(4ac - b^2)^3)^{(1/2)} + 3b^3c*d^2e*(-(4ac - b^2)^3)^{(1/2)} - \\
& 54a^2b^2c^3d^2e^2 - 3b^2c^2d^2e*(-(4ac - b^2)^3)^{(1/2)} - 6a*b*c^2 \\
& *d^2e*(-(4ac - b^2)^3)^{(1/2)})/(2*(16a^2c^7 + b^4c^5 - 8a*b^2c^6))^{(1/2)} + (((8*(a*b^3c^3e^5 - 4a^2b*c^4e^5 + 4a*c^6d^3e^2 + 4a^2c^5 \\
& *d^4e^4 - b^4c^3d^4e^4 - b^2c^5d^3e^2 + 2b^3c^4d^2e^3 - 8a*b*c^5d^2 \\
& *e^3 + 3a*b^2c^4d^4e^4))/c^3 + (8*(d + ex)^{(1/2)}*(-(b^7e^3 - 8a^2c^5 \\
& *d^3 - b^4c^3d^3 - b^4e^3*(-(4ac - b^2)^3)^{(1/2)} + 6a*b^2c^4d^3 - 2 \\
& 0a^3b*c^3e^3 + b*c^3d^3*(-(4ac - b^2)^3)^{(1/2)} + 24a^3c^4d^2e^2 + 3 \\
& *b^5c^2d^2e + 25a^2b^3c^2e^3 - a^2c^2e^3*(-(4ac - b^2)^3)^{(1/2)} \\
& - 9a*b^5c^3e^3 - 3b^6c*d^2e^2 + 3a*b^2c^3e^3*(-(4ac - b^2)^3)^{(1/2)} - \\
& 21a*b^3c^3d^2e + 24a*b^4c^2d^2e^2 + 36a^2b*c^4d^2e + 3a*c^3d^2e \\
& *(-(4ac - b^2)^3)^{(1/2)} + 3b^3c*d^2e*(-(4ac - b^2)^3)^{(1/2)} - 54a^2 \\
& b^2c^3d^2e^2 - 3b^2c^2d^2e*(-(4ac - b^2)^3)^{(1/2)} - 6a*b*c^2d^2e^2 \\
& *(-(4ac - b^2)^3)^{(1/2)})/(2*(16a^2c^7 + b^4c^5 - 8a*b^2c^6))^{(1/2)} * \\
& (b^3c^5e^3 - 2b^2c^6d^2e^2 - 4a*b*c^6e^3 + 8a*c^7d^2e^2))/c^3*(-(b^7 \\
& e^3 - 8a^2c^5d^3 - b^4c^3d^3 - b^4e^3*(-(4ac - b^2)^3)^{(1/2)} + 6 \\
& *a*b^2c^4d^3 - 20a^3b*c^3e^3 + b*c^3d^3*(-(4ac - b^2)^3)^{(1/2)} + 24 \\
& *a^3c^4d^2e^2 + 3b^5c^2d^2e + 25a^2b^3c^2e^3 - a^2c^2e^3*(-(4ac - \\
& b^2)^3)^{(1/2)} - 9a*b^5c^3e^3 - 3b^6c*d^2e^2 + 3a*b^2c^3e^3*(-(4ac - \\
& b^2)^3)^{(1/2)} - 21a*b^3c^3d^2e + 24a*b^4c^2d^2e^2 + 36a^2b*c^4d^2 \\
& e + 3a*c^3d^2e*(-(4ac - b^2)^3)^{(1/2)} + 3b^3c*d^2e*(-(4ac - b^2 \\
& )^3)^{(1/2)} - 54a^2b^2c^3d^2e^2 - 3b^2c^2d^2e*(-(4ac - b^2)^3)^{(1/2)} \\
& ) - 6a*b*c^2d^2e^2*(-(4ac - b^2)^3)^{(1/2)})/(2*(16a^2c^7 + b^4c^5 - 8 \\
& a*b^2c^6))^{(1/2)} + (8*(d + ex)^{(1/2)}*(b^6e^6 - 2a^3c^3e^6 - 2a*c^5d^4 \\
& e^2 + 9a^2b^2c^2e^6 + 12a^2c^4d^2e^4 + b^2c^4d^4e^2 - 4b^3c^3d^3e^3 + 6b^4 \\
& c^2d^2e^4 - 6a*b^4c^3e^6 - 4b^5c*d^2e^5 + 12a*b*c^4d^3e^3 + 20a*b^3c^2d^2 \\
& e^5 - 20a^2b*c^3d^2e^5 - 24a*b^2c^3d^2e^4))/c^3*(-(b^7e^3 - 8a^2c^5d^3 - \\
& b^4c^3d^3 - b^4e^3*(-(4ac - b^2)^3)^{(1/2)} + 6a*b^2c^4d^3 - 20a^3b*c^3e^3 \\
& + b*c^3d^3*(-(4ac - b^2)^3)^{(1/2)} + 24a^3c^4d^2e^2 + 3b^5c^2d^2e + 25a^2 \\
& b^3c^2e^3 - a^2c^2e^3*(-(4ac - b^2)^3)^{(1/2)} - 9a*b^5c^3e^3 - 3b^6c*d^2e^2 \\
& + 3a*b^2c^3e^3*(-(4ac - b^2)^3)^{(1/2)} - 21a*b^3c^3d^2e + 24a*b^4c^2d^2 \\
& e^2 + 36a^2b*c^4d^2e + 3a*c^3d^2e*(-(4ac - b^2)^3)^{(1/2)} + 3b^3c*d^2e^2 \\
& *(-(4ac - b^2)^3)^{(1/2)} - 54a^2b^2c^3d^2e^2 - 3b^2c^2d^2e*(-(4ac - b^2)^3)^{(1/2)} \\
& - 6a*b*c^2d^2e^2*(-(4ac - b^2)^3)^{(1/2)})/(2*(16a^2c^7 + b^4c^5 - 8a*b^2c^6))^{(1/2)} \\
& )*(-(b^7e^3 - 8a^2c^5d^3 - b^4c^3d^3 - b^4e^3*(-(4ac - b^2)^3)^{(1/2)} + 6 \\
& *a*b^2c^4d^3 - 20a^3b*c^3e^3 + b*c^3d^3*(-(4ac - b^2)^3)^{(1/2)} + 24a^3c^4d^2e^2 \\
& + 3b^5c^2d^2e + 25a^2b^3c^2e^3 - a^2c^2e^3*(-(4ac - b^2)^3)^{(1/2)} - 9a*b^5c^3e^3 - 3b^6 \\
& c*d^2e^2 + 3a*b^2c^3e^3*(-(4ac - b^2)^3)^{(1/2)} - 21a*b^3c^3d^2e + 24a*b^4c^2d^2e^2 \\
& + 36a^2b*c^4d^2e + 3a*c^3d^2e*(-(4ac - b^2)^3)^{(1/2)} + 3b^3c*d^2e^2*(-(4ac - b^2)^3)^{(1/2)} - \\
& 54a^2b^2c^3d^2e^2 - 3b^2c^2d^2e*(-(4ac - b^2)^3)^{(1/2)} - 6a*b*c^2d^2e^2*(-(4ac - b^2)^3)^{(1/2)}) \\
& )/(2*(16a^2c^7 + b^4c^5 - 8a*b^2c^6))^{(1/2)} * 2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(e\*x+d)\*\*(3/2)/(c\*x\*\*2+b\*x+a),x)

[Out] Timed out

$$3.346 \quad \int \frac{(d+ex)^{3/2}}{a+bx+cx^2} dx$$

**Optimal.** Leaf size=322

$$\frac{\sqrt{2} \left( -2ce \left( -d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left( b - \sqrt{b^2 - 4ac} \right) + 2c^2d^2 \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) + \sqrt{2} \left( -2ce \left( d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left( b + \sqrt{b^2 - 4ac} \right) + 2c^2d^2 \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b+\sqrt{b^2-4ac})}} \right) + \frac{2e\sqrt{d+ex}}{c}}{c^{3/2}\sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}} + \frac{c^{3/2}\sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b + \sqrt{b^2 - 4ac} \right)}}{c}$$

**Rubi [A]** time = 1.24, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {703, 826, 1166, 208}

$$\frac{\sqrt{2} \left( -2ce \left( -d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left( b - \sqrt{b^2 - 4ac} \right) + 2c^2d^2 \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) + \sqrt{2} \left( -2ce \left( d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left( b + \sqrt{b^2 - 4ac} \right) + 2c^2d^2 \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b+\sqrt{b^2-4ac})}} \right) + \frac{2e\sqrt{d+ex}}{c}}{c^{3/2}\sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}} + \frac{c^{3/2}\sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b + \sqrt{b^2 - 4ac} \right)}}{c}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/(a + b\*x + c\*x^2), x]

[Out] (2\*e\*Sqrt[d + e\*x])/c - (Sqrt[2]\*(2\*c^2\*d^2 + b\*(b - Sqrt[b^2 - 4\*a\*c]))\*e^2 - 2\*c\*e\*(b\*d - Sqrt[b^2 - 4\*a\*c]\*d + a\*e))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]]/(c^(3/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]) + (Sqrt[2]\*(2\*c^2\*d^2 + b\*(b + Sqrt[b^2 - 4\*a\*c]))\*e^2 - 2\*c\*e\*(b\*d + Sqrt[b^2 - 4\*a\*c]\*d + a\*e))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]]/(c^(3/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e])

**Rule 208**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

**Rule 703**

Int[((d\_) + (e\_)\*(x\_))^(m\_)/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1))/(c\*(m - 1)), x] + Dist[1/c, Int[((d + e\*x)^(m - 2)\*Simp[c\*d^2 - a\*e^2 + e\*(2\*c\*d - b\*e)\*x, x])/(a + b\*x + c\*x^2), x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && GtQ[m, 1]

**Rule 826**

```
Int[((f_.) + (g_.)*(x_))/(Sqrt[(d_.) + (e_.)*(x_)]*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)), x_Symbol] :> Dist[2, Subst[Int[(e*f - d*g + g*x^2)/(c*d^2 - b*d*e + a*e^2 - (2*c*d - b*e)*x^2 + c*x^4), x], x, Sqrt[d + e*x]], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]
```

### Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rubi steps

$$\begin{aligned} \int \frac{(d+ex)^{3/2}}{a+bx+cx^2} dx &= \frac{2e\sqrt{d+ex}}{c} + \frac{\int \frac{cd^2-ae^2+e(2cd-be)x}{\sqrt{d+ex}(a+bx+cx^2)} dx}{c} \\ &= \frac{2e\sqrt{d+ex}}{c} + \frac{2 \operatorname{Subst}\left(\int \frac{-de(2cd-be)+e(cd^2-ae^2)+e(2cd-be)x^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex}\right)}{c} \\ &= \frac{2e\sqrt{d+ex}}{c} + \frac{\left(2c^2d^2 + b\left(b - \sqrt{b^2 - 4ac}\right)e^2 - 2ce\left(bd - \sqrt{b^2 - 4ac}d + ae\right)\right) \operatorname{Subst}\left(\int \frac{-\frac{1}{2}\sqrt{b^2-4ac}}{\sqrt{d+ex}} dx, x, \sqrt{d+ex}\right)}{c\sqrt{b^2-4ac}} \\ &= \frac{2e\sqrt{d+ex}}{c} - \frac{\sqrt{2}\left(2c^2d^2 + b\left(b - \sqrt{b^2 - 4ac}\right)e^2 - 2ce\left(bd - \sqrt{b^2 - 4ac}d + ae\right)\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{d+ex}}{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}}\right)}{c^{3/2}\sqrt{b^2-4ac}\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}} \end{aligned}$$

**Mathematica** [A] time = 0.70, size = 317, normalized size = 0.98

$$\frac{\sqrt{2}\left(2ce\left(-d\sqrt{b^2-4ac}+ae+bd\right)+be^2\left(\sqrt{b^2-4ac}-b\right)-2c^2d^2\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{e\sqrt{b^2-4ac}-be+2cd}}\right) + \sqrt{2}\left(-2ce\left(d\sqrt{b^2-4ac}+ae+bd\right)+be^2\left(\sqrt{b^2-4ac}+b\right)+2c^2d^2\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{2cd-e\left(\sqrt{b^2-4ac}+b\right)}}\right)}{c^{3/2}\sqrt{b^2-4ac}\sqrt{e\left(\sqrt{b^2-4ac}-b\right)+2cd}} + 2\sqrt{c}e\sqrt{d+ex}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x)^(3/2)/(a + b*x + c*x^2), x]
```

```
[Out] (2*Sqrt[c]*e*Sqrt[d + e*x] + (Sqrt[2]*(-2*c^2*d^2 + b*(-b + Sqrt[b^2 - 4*a*c])
)*e^2 + 2*c*e*(b*d - Sqrt[b^2 - 4*a*c]*d + a*e))*ArcTanh[(Sqrt[2]*Sqrt[c]
)*Sqrt[d + e*x])/Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]]/(Sqrt[b^2 - 4*a*c]
)*Sqrt[2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e]) + (Sqrt[2]*(2*c^2*d^2 + b*(b +
Sqrt[b^2 - 4*a*c])*e^2 - 2*c*e*(b*d + Sqrt[b^2 - 4*a*c]*d + a*e))*ArcTanh[(
Sqrt[2]*Sqrt[c]*Sqrt[d + e*x])/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]])/(S
qrt[b^2 - 4*a*c]*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]))/c^(3/2)
```

**IntegrateAlgebraic [C]** time = 0.00, size = 436, normalized size = 1.35

$$\frac{(2\sqrt{2}cde\sqrt{4ac-b^2} - \sqrt{2}be^2\sqrt{4ac-b^2} + 2i\sqrt{2}ace^2 - i\sqrt{2}b^2e^2 + 2i\sqrt{2}bcde - 2i\sqrt{2}c^2d^2) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{d+ex}}{\sqrt{-ic\sqrt{4ac-b^2}+be-2cd}}\right) + (2\sqrt{2}cde\sqrt{4ac-b^2} - \sqrt{2}be^2\sqrt{4ac-b^2} - 2i\sqrt{2}ace^2 + i\sqrt{2}b^2e^2 - 2i\sqrt{2}bcde + 2i\sqrt{2}c^2d^2) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{d+ex}}{\sqrt{ic\sqrt{4ac-b^2}+be-2cd}}\right) + \frac{2c\sqrt{d+ex}}{c}}{c^{3/2}\sqrt{4ac-b^2}\sqrt{-ic\sqrt{4ac-b^2}+be-2cd}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(d + e*x)^(3/2)/(a + b*x + c*x^2), x]
```

```
[Out] (2*e*Sqrt[d + e*x])/c + (((-2*I)*Sqrt[2]*c^2*d^2 + (2*I)*Sqrt[2]*b*c*d*e +
2*Sqrt[2]*c*Sqrt[-b^2 + 4*a*c]*d*e - I*Sqrt[2]*b^2*e^2 + (2*I)*Sqrt[2]*a*c*
e^2 - Sqrt[2]*b*Sqrt[-b^2 + 4*a*c]*e^2)*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*
x])/Sqrt[-2*c*d + b*e - I*Sqrt[-b^2 + 4*a*c]*e]]/(c^(3/2)*Sqrt[-b^2 + 4*a*
c]*Sqrt[-2*c*d + b*e - I*Sqrt[-b^2 + 4*a*c]*e]) + (((2*I)*Sqrt[2]*c^2*d^2 -
(2*I)*Sqrt[2]*b*c*d*e + 2*Sqrt[2]*c*Sqrt[-b^2 + 4*a*c]*d*e + I*Sqrt[2]*b^2
*e^2 - (2*I)*Sqrt[2]*a*c*e^2 - Sqrt[2]*b*Sqrt[-b^2 + 4*a*c]*e^2)*ArcTan[(Sq
rt[2]*Sqrt[c]*Sqrt[d + e*x])/Sqrt[-2*c*d + b*e + I*Sqrt[-b^2 + 4*a*c]*e]]/
(c^(3/2)*Sqrt[-b^2 + 4*a*c]*Sqrt[-2*c*d + b*e + I*Sqrt[-b^2 + 4*a*c]*e])
```

**fricas [B]** time = 0.54, size = 2770, normalized size = 8.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)/(c*x^2+b*x+a), x, algorithm="fricas")
```

```
[Out] -1/2*(sqrt(2)*c*sqrt((2*c^3*d^3 - 3*b*c^2*d^2*e + 3*(b^2*c - 2*a*c^2)*d*e^2
- (b^3 - 3*a*b*c)*e^3 + (b^2*c^3 - 4*a*c^4)*sqrt((9*c^4*d^4*e^2 - 18*b*c^3
*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5 + (b
^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4))*l
og(sqrt(2)*(3*(b^2*c^2 - 4*a*c^3)*d^2*e^2 - 3*(b^3*c - 4*a*b*c^2)*d*e^3 + (
b^4 - 5*a*b^2*c + 4*a^2*c^2)*e^4 - (2*(b^2*c^4 - 4*a*c^5)*d - (b^3*c^3 - 4*
a*b*c^4)*e)*sqrt((9*c^4*d^4*e^2 - 18*b*c^3*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3
)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5 + (b^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b
^2*c^6 - 4*a*c^7))*sqrt((2*c^3*d^3 - 3*b*c^2*d^2*e + 3*(b^2*c - 2*a*c^2)*d
*e^2 - (b^3 - 3*a*b*c)*e^3 + (b^2*c^3 - 4*a*c^4)*sqrt((9*c^4*d^4*e^2 - 18*b
*c^3*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5
+ (b^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4
)) - 4*(3*c^3*d^4*e - 6*b*c^2*d^3*e^2 + 2*(2*b^2*c + a*c^2)*d^2*e^3 - (b^3
```

$$\begin{aligned}
& + 2*a*b*c)*d*e^4 + (a*b^2 - a^2*c)*e^5)*\sqrt{e*x + d}) - \sqrt{2}*c*\sqrt{(2*c^3*d^3 - 3*b*c^2*d^2*e + 3*(b^2*c - 2*a*c^2)*d*e^2 - (b^3 - 3*a*b*c)*e^3 + (b^2*c^3 - 4*a*c^4)*\sqrt{(9*c^4*d^4*e^2 - 18*b*c^3*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5 + (b^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4))*\log(-\sqrt{2}*(3*(b^2*c^2 - 4*a*c^3)*d^2*e^2 - 3*(b^3*c - 4*a*b*c^2)*d*e^3 + (b^4 - 5*a*b^2*c + 4*a^2*c^2)*e^4 - (2*(b^2*c^4 - 4*a*c^5)*d - (b^3*c^3 - 4*a*b*c^4)*e)*\sqrt{(9*c^4*d^4*e^2 - 18*b*c^3*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5 + (b^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b^2*c^6 - 4*a*c^7)))*\sqrt{(2*c^3*d^3 - 3*b*c^2*d^2*e + 3*(b^2*c - 2*a*c^2)*d*e^2 - (b^3 - 3*a*b*c)*e^3 + (b^2*c^3 - 4*a*c^4)*\sqrt{(9*c^4*d^4*e^2 - 18*b*c^3*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5 + (b^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4)) - 4*(3*c^3*d^4*e - 6*b*c^2*d^3*e^2 + 2*(2*b^2*c + a*c^2)*d^2*e^3 - (b^3 + 2*a*b*c)*d*e^4 + (a*b^2 - a^2*c)*e^5)*\sqrt{e*x + d}) + \sqrt{2}*c*\sqrt{(2*c^3*d^3 - 3*b*c^2*d^2*e + 3*(b^2*c - 2*a*c^2)*d*e^2 - (b^3 - 3*a*b*c)*e^3 - (b^2*c^3 - 4*a*c^4)*\sqrt{(9*c^4*d^4*e^2 - 18*b*c^3*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5 + (b^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4))*\log(\sqrt{2}*(3*(b^2*c^2 - 4*a*c^3)*d^2*e^2 - 3*(b^3*c - 4*a*b*c^2)*d*e^3 + (b^4 - 5*a*b^2*c + 4*a^2*c^2)*e^4 + (2*(b^2*c^4 - 4*a*c^5)*d - (b^3*c^3 - 4*a*b*c^4)*e)*\sqrt{(9*c^4*d^4*e^2 - 18*b*c^3*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5 + (b^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b^2*c^6 - 4*a*c^7)))*\sqrt{(2*c^3*d^3 - 3*b*c^2*d^2*e + 3*(b^2*c - 2*a*c^2)*d*e^2 - (b^3 - 3*a*b*c)*e^3 - (b^2*c^3 - 4*a*c^4)*\sqrt{(9*c^4*d^4*e^2 - 18*b*c^3*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5 + (b^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4)) - 4*(3*c^3*d^4*e - 6*b*c^2*d^3*e^2 + 2*(2*b^2*c + a*c^2)*d^2*e^3 - (b^3 + 2*a*b*c)*d*e^4 + (a*b^2 - a^2*c)*e^5)*\sqrt{e*x + d}) - \sqrt{2}*c*\sqrt{(2*c^3*d^3 - 3*b*c^2*d^2*e + 3*(b^2*c - 2*a*c^2)*d*e^2 - (b^3 - 3*a*b*c)*e^3 - (b^2*c^3 - 4*a*c^4)*\sqrt{(9*c^4*d^4*e^2 - 18*b*c^3*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5 + (b^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4))*\log(-\sqrt{2}*(3*(b^2*c^2 - 4*a*c^3)*d^2*e^2 - 3*(b^3*c - 4*a*b*c^2)*d*e^3 + (b^4 - 5*a*b^2*c + 4*a^2*c^2)*e^4 + (2*(b^2*c^4 - 4*a*c^5)*d - (b^3*c^3 - 4*a*b*c^4)*e)*\sqrt{(9*c^4*d^4*e^2 - 18*b*c^3*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5 + (b^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b^2*c^6 - 4*a*c^7)))*\sqrt{(2*c^3*d^3 - 3*b*c^2*d^2*e + 3*(b^2*c - 2*a*c^2)*d*e^2 - (b^3 - 3*a*b*c)*e^3 - (b^2*c^3 - 4*a*c^4)*\sqrt{(9*c^4*d^4*e^2 - 18*b*c^3*d^3*e^3 + 3*(5*b^2*c^2 - 2*a*c^3)*d^2*e^4 - 6*(b^3*c - a*b*c^2)*d*e^5 + (b^4 - 2*a*b^2*c + a^2*c^2)*e^6)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4)) - 4*(3*c^3*d^4*e - 6*b*c^2*d^3*e^2 + 2*(2*b^2*c + a*c^2)*d^2*e^3 - (b^3 + 2*a*b*c)*d*e^4 + (a*b^2 - a^2*c)*e^5)*\sqrt{e*x + d}) - 4*\sqrt{e*x + d})*e)/c
\end{aligned}$$





$$\begin{aligned} &)^{(1/2)} * c)^{(1/2)} * c * d + 2 / (- (4 * a * c - b^2) * e^2)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (- (4 * \\ &a * c - b^2) * e^2)^{(1/2)} * c)^{(1/2)} * \arctan((e * x + d)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (- (4 * \\ &a * c - b^2) * e^2)^{(1/2)} * c)^{(1/2)} * c) * a * e^3 - 1 / c / (- (4 * a * c - b^2) * e^2)^{(1/2)} * 2^{(1/2)} \\ &) / ((b * e - 2 * c * d + (- (4 * a * c - b^2) * e^2)^{(1/2)} * c)^{(1/2)} * \arctan((e * x + d)^{(1/2)} * 2^{(1/2)} \\ &) / ((b * e - 2 * c * d + (- (4 * a * c - b^2) * e^2)^{(1/2)} * c)^{(1/2)} * c) * b^2 * e^3 + 2 / (- (4 * a * c - b^2) \\ &) * e^2)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (- (4 * a * c - b^2) * e^2)^{(1/2)} * c)^{(1/2)} * \arctan( \\ &(e * x + d)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (- (4 * a * c - b^2) * e^2)^{(1/2)} * c)^{(1/2)} * c) * b * d \\ &* e^2 - 2 * e * c / (- (4 * a * c - b^2) * e^2)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (- (4 * a * c - b^2) * e^2)^{(1/2)} \\ &) * c)^{(1/2)} * \arctan((e * x + d)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (- (4 * a * c - b^2) * e^2)^{(1/2)} * c) \\ &)^{(1/2)} * c) * d^2 - 1 / c * 2^{(1/2)} / ((b * e - 2 * c * d + (- (4 * a * c - b^2) * e^2)^{(1/2)} * c) \\ &)^{(1/2)} * \arctan((e * x + d)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (- (4 * a * c - b^2) * e^2)^{(1/2)} * c) \\ &)^{(1/2)} * c) * b * e^2 + 2 * e * 2^{(1/2)} / ((b * e - 2 * c * d + (- (4 * a * c - b^2) * e^2)^{(1/2)} * c)^{(1/2)} \\ &) * \arctan((e * x + d)^{(1/2)} * 2^{(1/2)} / ((b * e - 2 * c * d + (- (4 * a * c - b^2) * e^2)^{(1/2)} * c)^{(1/2)} \\ &2) * c) * d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{cx^2 + bx + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/(c\*x^2 + b\*x + a), x)

**mupad** [B] time = 4.44, size = 8334, normalized size = 25.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(3/2)/(a + b\*x + c\*x^2),x)

[Out] 
$$\begin{aligned} &(2 * e * (d + e * x)^{(1/2)}) / c - \operatorname{atan}\left(\frac{(8 * (4 * a^2 * c^3 * e^5 - a * b^2 * c^2 * e^5 + 4 * a * c \\ &^4 * d^2 * e^3 + b^3 * c^2 * d * e^4 - b^2 * c^3 * d^2 * e^3 - 4 * a * b * c^3 * d * e^4)) / c - (8 * (d \\ &+ e * x)^{(1/2)} * (- (b^5 * e^3 + 8 * a * c^4 * d^3 - 2 * b^2 * c^3 * d^3 - b^2 * e^3 * (- (4 * a * c - \\ &b^2)^3)^{(1/2)} + 12 * a^2 * b * c^2 * e^3 - 24 * a^2 * c^3 * d * e^2 + 3 * b^3 * c^2 * d^2 * e - 3 * c \\ &^2 * d^2 * e * (- (4 * a * c - b^2)^3)^{(1/2)} - 7 * a * b^3 * c * e^3 + a * c * e^3 * (- (4 * a * c - b^2) \\ &^3)^{(1/2)} - 3 * b^4 * c * d * e^2 - 12 * a * b * c^3 * d^2 * e + 3 * b * c * d * e^2 * (- (4 * a * c - b^2)^3) \\ &^3)^{(1/2)} + 18 * a * b^2 * c^2 * d * e^2) / (2 * (16 * a^2 * c^5 + b^4 * c^3 - 8 * a * b^2 * c^4))^{(1/2)} * (b^3 * c^3 * e^3 - 2 * b^2 * c^4 * d * e^2 - 4 * a * b * c^4 * e^3 + 8 * a * c^5 * d * e^2)}{c} * (- ( \\ &b^5 * e^3 + 8 * a * c^4 * d^3 - 2 * b^2 * c^3 * d^3 - b^2 * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} + \\ &12 * a^2 * b * c^2 * e^3 - 24 * a^2 * c^3 * d * e^2 + 3 * b^3 * c^2 * d^2 * e - 3 * c^2 * d^2 * e * (- (4 * a * \\ &c - b^2)^3)^{(1/2)} - 7 * a * b^3 * c * e^3 + a * c * e^3 * (- (4 * a * c - b^2)^3)^{(1/2)} - 3 * b^4 * \\ &c * d * e^2 - 12 * a * b * c^3 * d^2 * e + 3 * b * c * d * e^2 * (- (4 * a * c - b^2)^3)^{(1/2)} + 18 * a * \\ &b^2 * c^2 * d * e^2) / (2 * (16 * a^2 * c^5 + b^4 * c^3 - 8 * a * b^2 * c^4))^{(1/2)} - (8 * (d + e \end{aligned}$$



$$\begin{aligned}
& 3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a*b^2*c^2*d*e^2)/(2*(16*a^2*c^5 \\
& + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} + (((8*(4*a^2*c^3*e^5 - a*b^2*c^2*e^5 + 4* \\
& a*c^4*d^2*e^3 + b^3*c^2*d*e^4 - b^2*c^3*d^2*e^3 - 4*a*b*c^3*d*e^4))/c + (8* \\
& (d + e*x)^{(1/2)}*(-(b^5*e^3 + 8*a*c^4*d^3 - 2*b^2*c^3*d^3 - b^2*e^3*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^3 - 24*a^2*c^3*d*e^2 + 3*b^3*c^2*d^2*e - \\
& 3*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c*e^3 + a*c*e^3*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 3*b^4*c*d*e^2 - 12*a*b*c^3*d^2*e + 3*b*c*d*e^2*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} + 18*a*b^2*c^2*d*e^2)/(2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))) \\
& ^{(1/2)}*(b^3*c^3*e^3 - 2*b^2*c^4*d*e^2 - 4*a*b*c^4*e^3 + 8*a*c^5*d*e^2))/c)* \\
& (- (b^5*e^3 + 8*a*c^4*d^3 - 2*b^2*c^3*d^3 - b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 12*a^2*b*c^2*e^3 - 24*a^2*c^3*d*e^2 + 3*b^3*c^2*d^2*e - 3*c^2*d^2*e*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c*e^3 + a*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3 \\
& *b^4*c*d*e^2 - 12*a*b*c^3*d^2*e + 3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 18 \\
& *a*b^2*c^2*d*e^2)/(2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^{(1/2)} + (8*(d + \\
& e*x)^{(1/2)}*(b^4*e^6 + 2*a^2*c^2*e^6 + 2*c^4*d^4*e^2 - 12*a*c^3*d^2*e^4 - 4 \\
& *b*c^3*d^3*e^3 + 6*b^2*c^2*d^2*e^4 - 4*a*b^2*c*e^6 - 4*b^3*c*d*e^5 + 12*a*b \\
& *c^2*d*e^5))/c)*(- (b^5*e^3 + 8*a*c^4*d^3 - 2*b^2*c^3*d^3 - b^2*e^3*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^3 - 24*a^2*c^3*d*e^2 + 3*b^3*c^2*d^2*e - 3* \\
& c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c*e^3 + a*c*e^3*(-(4*a*c - b^2 \\
& ^2)^3)^{(1/2)} - 3*b^4*c*d*e^2 - 12*a*b*c^3*d^2*e + 3*b*c*d*e^2*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} + 18*a*b^2*c^2*d*e^2)/(2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))) \\
& ^{(1/2)} - (16*(2*c^3*d^5*e^3 - b^3*d^2*e^6 - a^2*b*e^8 + 4*a*c^2*d^3*e^5 - 5 \\
& *b*c^2*d^4*e^4 + 4*b^2*c*d^3*e^5 + 2*a*b^2*d*e^7 + 2*a^2*c*d*e^7 - 6*a*b*c* \\
& d^2*e^6))/c)*(- (b^5*e^3 + 8*a*c^4*d^3 - 2*b^2*c^3*d^3 - b^2*e^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^3 - 24*a^2*c^3*d*e^2 + 3*b^3*c^2*d^2*e - 3* \\
& c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c*e^3 + a*c*e^3*(-(4*a*c - b^2 \\
& ^2)^3)^{(1/2)} - 3*b^4*c*d*e^2 - 12*a*b*c^3*d^2*e + 3*b*c*d*e^2*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} + 18*a*b^2*c^2*d*e^2)/(2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^{( \\
& 1/2)}*2i - \operatorname{atan}((((8*(4*a^2*c^3*e^5 - a*b^2*c^2*e^5 + 4*a*c^4*d^2*e^3 + b^3 \\
& *c^2*d*e^4 - b^2*c^3*d^2*e^3 - 4*a*b*c^3*d*e^4))/c - (8*(d + e*x)^{(1/2)}*(-( \\
& b^5*e^3 + 8*a*c^4*d^3 - 2*b^2*c^3*d^3 + b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 12*a^2*b*c^2*e^3 - 24*a^2*c^3*d*e^2 + 3*b^3*c^2*d^2*e + 3*c^2*d^2*e*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 7*a*b^3*c*e^3 - a*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^ \\
& 4*c*d*e^2 - 12*a*b*c^3*d^2*e - 3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a* \\
& b^2*c^2*d*e^2)/(2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^{(1/2)}*(b^3*c^3*e^3 \\
& - 2*b^2*c^4*d*e^2 - 4*a*b*c^4*e^3 + 8*a*c^5*d*e^2))/c)*(- (b^5*e^3 + 8*a*c^ \\
& 4*d^3 - 2*b^2*c^3*d^3 + b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^3 \\
& - 24*a^2*c^3*d*e^2 + 3*b^3*c^2*d^2*e + 3*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& ) - 7*a*b^3*c*e^3 - a*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^4*c*d*e^2 - 12*a \\
& *b*c^3*d^2*e - 3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 18*a*b^2*c^2*d*e^2)/( \\
& 2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(b^4*e^ \\
& 6 + 2*a^2*c^2*e^6 + 2*c^4*d^4*e^2 - 12*a*c^3*d^2*e^4 - 4*b*c^3*d^3*e^3 + 6* \\
& b^2*c^2*d^2*e^4 - 4*a*b^2*c*e^6 - 4*b^3*c*d*e^5 + 12*a*b*c^2*d*e^5))/c)*(- ( \\
& b^5*e^3 + 8*a*c^4*d^3 - 2*b^2*c^3*d^3 + b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 12*a^2*b*c^2*e^3 - 24*a^2*c^3*d*e^2 + 3*b^3*c^2*d^2*e + 3*c^2*d^2*e*(-(4*a*
\end{aligned}$$



$$\begin{aligned}
& + 12a^2b^2c^2e^3 - 24a^2c^3d^2e^2 + 3b^3c^2d^2e + 3c^2d^2e(-4ac - b^2)^3)^{1/2} - 7ab^3c^3e^3 - ac^3e^3(-4ac - b^2)^3)^{1/2} - 3 \\
& *b^4c^3d^2e^2 - 12ab^3c^3d^2e - 3b^3c^3d^2e^2(-4ac - b^2)^3)^{1/2} + 18 \\
& *ab^2c^2d^2e^2)/(2*(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2}*(b^3c^3e^3 - 2b^2c^4d^2e^2 - 4ab^3c^4e^3 + 8ac^5d^2e^2)/c*(-(b^5e^3 + 8a \\
& *c^4d^3 - 2b^2c^3d^3 + b^2e^3(-4ac - b^2)^3)^{1/2} + 12a^2b^2c^2e^3 - 24a^2c^3d^2e^2 + 3b^3c^2d^2e + 3c^2d^2e(-4ac - b^2)^3)^{1/2} \\
& - 7ab^3c^3e^3 - ac^3e^3(-4ac - b^2)^3)^{1/2} - 3b^4c^3d^2e^2 - 12ab^3c^3d^2e - 3b^3c^3d^2e^2(-4ac - b^2)^3)^{1/2} + 18ab^2c^2d^2e^2 \\
& )/(2*(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} + (8*(d + e*x)^{1/2}*(b^4e^6 + 2a^2c^2e^6 + 2c^4d^4e^2 - 12ac^3d^2e^4 - 4b^3c^3d^3e^3 + \\
& 6b^2c^2d^2e^4 - 4ab^2c^3e^6 - 4b^3c^3d^3e^5 + 12ab^2c^2d^2e^5))/c*(-(b^5e^3 + 8ac^4d^3 - 2b^2c^3d^3 + b^2e^3(-4ac - b^2)^3)^{1/2} \\
& + 12a^2b^2c^2e^3 - 24a^2c^3d^2e^2 + 3b^3c^2d^2e + 3c^2d^2e(-4ac - b^2)^3)^{1/2} - 7ab^3c^3e^3 - ac^3e^3(-4ac - b^2)^3)^{1/2} - 3 \\
& *b^4c^3d^2e^2 - 12ab^3c^3d^2e - 3b^3c^3d^2e^2(-4ac - b^2)^3)^{1/2} + 18 \\
& *ab^2c^2d^2e^2)/(2*(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} - (16*(2c^3d^5e^3 - b^3d^2e^6 - a^2b^2e^8 + 4ac^2d^3e^5 - 5b^3c^2d^4e^4 + \\
& 4b^2c^3d^3e^5 + 2ab^2d^2e^7 + 2a^2c^2d^2e^7 - 6ab^2c^2d^2e^6))/c*(-(b^5e^3 + 8ac^4d^3 - 2b^2c^3d^3 + b^2e^3(-4ac - b^2)^3)^{1/2} \\
& + 12a^2b^2c^2e^3 - 24a^2c^3d^2e^2 + 3b^3c^2d^2e + 3c^2d^2e(-4ac - b^2)^3)^{1/2} - 7ab^3c^3e^3 - ac^3e^3(-4ac - b^2)^3)^{1/2} - 3b \\
& ^4c^3d^2e^2 - 12ab^3c^3d^2e - 3b^3c^3d^2e^2(-4ac - b^2)^3)^{1/2} + 18a \\
& *b^2c^2d^2e^2)/(2*(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2}*2i
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)/(c\*x\*\*2+b\*x+a),x)

[Out] Timed out

$$3.347 \quad \int \frac{(d+ex)^{3/2}}{x(a+bx+cx^2)} dx$$

**Optimal.** Leaf size=340

$$\frac{\sqrt{2} \left( -cd \left( d\sqrt{b^2 - 4ac} - 4ae \right) + ae^2\sqrt{b^2 - 4ac} - b \left( ae^2 + cd^2 \right) \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) \sqrt{2} \left( -cd \left( d\sqrt{b^2 - 4ac} - 4ae \right) + ae^2\sqrt{b^2 - 4ac} - b \left( ae^2 + cd^2 \right) \right)}{a\sqrt{c} \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}}$$

**Rubi [A]** time = 1.58, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {897, 1287, 206, 1166, 208}

$$\frac{\sqrt{2} \left( -cd \left( d\sqrt{b^2 - 4ac} - 4ae \right) + ae^2\sqrt{b^2 - 4ac} - b \left( ae^2 + cd^2 \right) \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right)}{a\sqrt{c} \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}} - \frac{\sqrt{2} \left( -cd \left( d\sqrt{b^2 - 4ac} + 4ae \right) + ae^2\sqrt{b^2 - 4ac} + b \left( ae^2 + cd^2 \right) \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \right)}{a\sqrt{c} \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( \sqrt{b^2 - 4ac} + b \right)}} - \frac{2d^{3/2} \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/(x\*(a + b\*x + c\*x^2)), x]

[Out]  $(-2*d^{3/2}*ArcTanh[Sqrt[d + e*x]/Sqrt[d]])/a - (Sqrt[2]*(a*Sqrt[b^2 - 4*a*c]*e^2 - c*d*(Sqrt[b^2 - 4*a*c]*d - 4*a*e) - b*(c*d^2 + a*e^2))*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x])/Sqrt[2*c*d - (b - Sqrt[b^2 - 4*a*c])*e]])/(a*Sqrt[c]*Sqrt[b^2 - 4*a*c]*Sqrt[2*c*d - (b - Sqrt[b^2 - 4*a*c])*e]) - (Sqrt[2]*(a*Sqrt[b^2 - 4*a*c]*e^2 - c*d*(Sqrt[b^2 - 4*a*c]*d + 4*a*e) + b*(c*d^2 + a*e^2))*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x])/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]])/(a*Sqrt[c]*Sqrt[b^2 - 4*a*c]*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e])$

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 897

```

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)
^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]

```

### Rule 1166

```

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

```

### Rule 1287

```

Int[(((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]

```

### Rubi steps



$$\begin{aligned}
\int \frac{(d+ex)^{3/2}}{x(a+bx+cx^2)} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{x^4}{\left(-\frac{d}{e} + \frac{x^2}{e}\right) \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}\right)} dx, x, \sqrt{d+ex} \right)}{e} \\
&= \frac{2 \operatorname{Subst} \left( \int \left( -\frac{d^2 e}{a(d-x^2)} + \frac{e(d(cd^2-bde+ae^2)-(cd^2-ae^2)x^2)}{a(cd^2-bde+ae^2-(2cd-be)x^2+cx^4)} \right) dx, x, \sqrt{d+ex} \right)}{e} \\
&= \frac{2 \operatorname{Subst} \left( \int \frac{d(cd^2-bde+ae^2)+(-cd^2+ae^2)x^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex} \right)}{a} - \frac{(2d^2) \operatorname{Subst} \left( \int \frac{1}{d-x^2} dx, x, \sqrt{d+ex} \right)}{a} \\
&= -\frac{2d^{3/2} \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a} + \frac{\left( a\sqrt{b^2-4ac} e^2 - cd \left( \sqrt{b^2-4ac} d - 4ae \right) - b(cd^2+ae^2) \right) \operatorname{Subst} \left( \int \frac{1}{d-x^2} dx, x, \sqrt{d+ex} \right)}{a\sqrt{b^2-4ac}} \\
&= -\frac{2d^{3/2} \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a} - \frac{\sqrt{2} \left( a\sqrt{b^2-4ac} e^2 - cd \left( \sqrt{b^2-4ac} d - 4ae \right) - b(cd^2+ae^2) \right)}{a\sqrt{c}\sqrt{b^2-4ac}\sqrt{2cd-(b-\sqrt{b^2-4ac})e}}
\end{aligned}$$

**Mathematica [A]** time = 1.16, size = 331, normalized size = 0.97

$$\frac{\sqrt{2} \left( cd \left( d\sqrt{b^2-4ac} - 4ae \right) - ae^2 \sqrt{b^2-4ac} + b(ae^2+cd^2) \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{c\sqrt{b^2-4ac}-be+2cd}} \right) + \sqrt{2} \left( cd \left( d\sqrt{b^2-4ac} + 4ae \right) - ae^2 \sqrt{b^2-4ac} - b(ae^2+cd^2) \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-c(\sqrt{b^2-4ac}+b)}} \right) - 2d^{3/2} \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a\sqrt{c}\sqrt{b^2-4ac}\sqrt{c(\sqrt{b^2-4ac}-b)+2cd} + \sqrt{c}\sqrt{b^2-4ac}\sqrt{2cd-c(\sqrt{b^2-4ac}+b)}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/(x\*(a + b\*x + c\*x^2)),x]

[Out] (-2\*d^(3/2)\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]] + (Sqrt[2]\*(-(a\*Sqrt[b^2 - 4\*a\*c]\*e^2) + c\*d\*(Sqrt[b^2 - 4\*a\*c]\*d - 4\*a\*e) + b\*(c\*d^2 + a\*e^2))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - b\*e + Sqrt[b^2 - 4\*a\*c]\*e]]/(Sqrt[c]\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d + (-b + Sqrt[b^2 - 4\*a\*c])\*e]) + (Sqrt[2]\*(-(a\*Sqrt[b^2 - 4\*a\*c]\*e^2) + c\*d\*(Sqrt[b^2 - 4\*a\*c]\*d + 4\*a\*e) - b\*(c\*d^2 + a\*e^2))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]]/(Sqrt[c]\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]))/a

**IntegrateAlgebraic [C]** time = 1.40, size = 383, normalized size = 1.13

$$\frac{\sqrt{2} \left( cd^2 \sqrt{4ac - b^2} - ae^2 \sqrt{4ac - b^2} - iabe^2 + 4iacde - ibcd^2 \right) \tan^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{-ie\sqrt{4ac-b^2} + be - 2cd}} \right) - \sqrt{2} \left( cd^2 \sqrt{4ac - b^2} - ae^2 \sqrt{4ac - b^2} + iabe^2 - 4iacde + ibcd^2 \right) \tan^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{ie\sqrt{4ac-b^2} + be - 2cd}} \right) - 2d^{3/2} \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a\sqrt{c} \sqrt{4ac - b^2} \sqrt{-ie\sqrt{4ac - b^2} + be - 2cd} - a\sqrt{c} \sqrt{4ac - b^2} \sqrt{ie\sqrt{4ac - b^2} + be - 2cd} - a}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/(x\*(a + b\*x + c\*x^2)),x]

[Out] -((Sqrt[2]\*((-I)\*b\*c\*d^2 + c\*Sqrt[-b^2 + 4\*a\*c]\*d^2 + (4\*I)\*a\*c\*d\*e - I\*a\*b\*e^2 - a\*Sqrt[-b^2 + 4\*a\*c]\*e^2)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[-2\*c\*d + b\*e - I\*Sqrt[-b^2 + 4\*a\*c]\*e]])/(a\*Sqrt[c]\*Sqrt[-b^2 + 4\*a\*c]\*Sqrt[-2\*c\*d + b\*e - I\*Sqrt[-b^2 + 4\*a\*c]\*e])) - (Sqrt[2]\*(I\*b\*c\*d^2 + c\*Sqrt[-b^2 + 4\*a\*c]\*d^2 - (4\*I)\*a\*c\*d\*e + I\*a\*b\*e^2 - a\*Sqrt[-b^2 + 4\*a\*c]\*e^2)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[-2\*c\*d + b\*e + I\*Sqrt[-b^2 + 4\*a\*c]\*e]])/(a\*Sqrt[c]\*Sqrt[-b^2 + 4\*a\*c]\*Sqrt[-2\*c\*d + b\*e + I\*Sqrt[-b^2 + 4\*a\*c]\*e])) - (2\*d^(3/2)\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/a

**fricas [B]** time = 7.61, size = 5167, normalized size = 15.20

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/x/(c\*x^2+b\*x+a),x, algorithm="fricas")

[Out] [-1/2\*(sqrt(2)\*a\*sqrt(-(3\*a\*b\*c\*d^2\*e - 6\*a^2\*c\*d\*e^2 + a^2\*b\*e^3 - (b^2\*c - 2\*a\*c^2)\*d^3 + (a^2\*b^2\*c - 4\*a^3\*c^2)\*sqrt((b^2\*c^2\*d^6 - 6\*a\*b\*c^2\*d^5\*e + 9\*a^2\*c^2\*d^4\*e^2 + 2\*a^2\*b\*c\*d^3\*e^3 - 6\*a^3\*c\*d^2\*e^4 + a^4\*e^6)/(a^4\*b^2\*c^2 - 4\*a^5\*c^3)))/(a^2\*b^2\*c - 4\*a^3\*c^2))\*log(sqrt(2)\*((b^3\*c - 4\*a\*b\*c^2)\*d^4 - 3\*(a\*b^2\*c - 4\*a^2\*c^2)\*d^3\*e + (a^2\*b^2 - 4\*a^3\*c)\*d\*e^3 + ((a^2\*b^3\*c - 4\*a^3\*b\*c^2)\*d - 2\*(a^3\*b^2\*c - 4\*a^4\*c^2)\*e)\*sqrt((b^2\*c^2\*d^6 - 6\*a\*b\*c^2\*d^5\*e + 9\*a^2\*c^2\*d^4\*e^2 + 2\*a^2\*b\*c\*d^3\*e^3 - 6\*a^3\*c\*d^2\*e^4 + a^4\*e^6)/(a^4\*b^2\*c^2 - 4\*a^5\*c^3)))\*sqrt(-(3\*a\*b\*c\*d^2\*e - 6\*a^2\*c\*d\*e^2 + a^2\*b\*e^3 - (b^2\*c - 2\*a\*c^2)\*d^3 + (a^2\*b^2\*c - 4\*a^3\*c^2)\*sqrt((b^2\*c^2\*d^6 - 6\*a\*b\*c^2\*d^5\*e + 9\*a^2\*c^2\*d^4\*e^2 + 2\*a^2\*b\*c\*d^3\*e^3 - 6\*a^3\*c\*d^2\*e^4 + a^4\*e^6)/(a^4\*b^2\*c^2 - 4\*a^5\*c^3)))/(a^2\*b^2\*c - 4\*a^3\*c^2)) + 4\*(b\*c^2\*d^5 + 4\*a\*b\*c\*d^3\*e^2 - 2\*a^2\*c\*d^2\*e^3 - a^2\*b\*d\*e^4 + a^3\*e^5 - (b^2\*c + 3\*a\*c^2)\*d^4\*e)\*sqrt(e\*x + d) - sqrt(2)\*a\*sqrt(-(3\*a\*b\*c\*d^2\*e - 6\*a^2\*c\*d\*e^2 + a^2\*b\*e^3 - (b^2\*c - 2\*a\*c^2)\*d^3 + (a^2\*b^2\*c - 4\*a^3\*c^2)\*sqrt((b^2\*c^2\*d^6 - 6\*a\*b\*c^2\*d^5\*e + 9\*a^2\*c^2\*d^4\*e^2 + 2\*a^2\*b\*c\*d^3\*e^3 - 6\*a^3\*c\*d^2\*e^4 + a^4\*e^6)/(a^4\*b^2\*c^2 - 4\*a^5\*c^3)))/(a^2\*b^2\*c - 4\*a^3\*c^2))\*log(-sqrt(2)\*((b^3\*c - 4\*a\*b\*c^2)\*d^4 - 3\*(a\*b^2\*c - 4\*a^2\*c^2)\*d^3\*e + (a^2\*b^2 - 4\*a^3\*c)\*d\*e^3 + ((a^2\*b^3\*c - 4\*a^3\*b\*c^2)\*d - 2\*(a^3\*b^2\*c - 4\*a^4\*c^2)\*e)\*sqrt((b^2\*c^2\*d^6 - 6\*a\*b\*c^2\*d^5\*e + 9\*a^2\*c^2\*d^4\*e^2 + 2\*a^2\*b\*c\*d^3\*e^3 - 6\*a^3\*c\*d^2\*e^4 + a^4\*e^6)/(a^4\*b^2\*c^2 - 4\*a^5\*c^3)))\*sqrt(-(3\*a\*b\*c\*d^2\*e - 6\*a^2\*c\*d\*e^2 + a^2\*b\*e^3 - (b^2\*c - 2\*a\*c^2)\*d^3



$$\begin{aligned}
& 4 + a^4 e^6 / (a^4 b^2 c^2 - 4 a^5 c^3) / (a^2 b^2 c - 4 a^3 c^2) * \log(-\sqrt{2} * ((b^3 c - 4 a b c^2) d^4 - 3 (a b^2 c - 4 a^2 c^2) d^3 e + (a^2 b^2 - 4 a^3 c) d e^3 + ((a^2 b^3 c - 4 a^3 b c^2) d - 2 (a^3 b^2 c - 4 a^4 c^2) e) \\
& * \sqrt{(b^2 c^2 d^6 - 6 a b c^2 d^5 e + 9 a^2 c^2 d^4 e^2 + 2 a^2 b c d^3 e^3 - 6 a^3 c d^2 e^4 + a^4 e^6) / (a^4 b^2 c^2 - 4 a^5 c^3)}) * \sqrt{-(3 a b c d^2 e - 6 a^2 c d e^2 + a^2 b e^3 - (b^2 c - 2 a c^2) d^3 + (a^2 b^2 c - 4 a^3 c^2) * \sqrt{(b^2 c^2 d^6 - 6 a b c^2 d^5 e + 9 a^2 c^2 d^4 e^2 + 2 a^2 b c d^3 e^3 - 6 a^3 c d^2 e^4 + a^4 e^6) / (a^4 b^2 c^2 - 4 a^5 c^3)})} \\
& / (a^2 b^2 c - 4 a^3 c^2) + 4 * (b c^2 d^5 + 4 a b c d^3 e^2 - 2 a^2 c d^2 e^3 - a^2 b d e^4 + a^3 e^5 - (b^2 c + 3 a c^2) d^4 e) * \sqrt{e x + d} + \sqrt{2} * a * \sqrt{-(3 a b c d^2 e - 6 a^2 c d e^2 + a^2 b e^3 - (b^2 c - 2 a c^2) d^3 - (a^2 b^2 c - 4 a^3 c^2) * \sqrt{(b^2 c^2 d^6 - 6 a b c^2 d^5 e + 9 a^2 c^2 d^4 e^2 + 2 a^2 b c d^3 e^3 - 6 a^3 c d^2 e^4 + a^4 e^6) / (a^4 b^2 c^2 - 4 a^5 c^3)})} \\
& / (a^2 b^2 c - 4 a^3 c^2) * \log(\sqrt{2} * ((b^3 c - 4 a b c^2) d^4 - 3 (a b^2 c - 4 a^2 c^2) d^3 e + (a^2 b^2 - 4 a^3 c) d e^3 - ((a^2 b^3 c - 4 a^3 b c^2) d - 2 (a^3 b^2 c - 4 a^4 c^2) e) * \sqrt{(b^2 c^2 d^6 - 6 a b c^2 d^5 e + 9 a^2 c^2 d^4 e^2 + 2 a^2 b c d^3 e^3 - 6 a^3 c d^2 e^4 + a^4 e^6) / (a^4 b^2 c^2 - 4 a^5 c^3)})} \\
& * \sqrt{-(3 a b c d^2 e - 6 a^2 c d e^2 + a^2 b e^3 - (b^2 c - 2 a c^2) d^3 - (a^2 b^2 c - 4 a^3 c^2) * \sqrt{(b^2 c^2 d^6 - 6 a b c^2 d^5 e + 9 a^2 c^2 d^4 e^2 + 2 a^2 b c d^3 e^3 - 6 a^3 c d^2 e^4 + a^4 e^6) / (a^4 b^2 c^2 - 4 a^5 c^3)})} \\
& / (a^2 b^2 c - 4 a^3 c^2) + 4 * (b c^2 d^5 + 4 a b c d^3 e^2 - 2 a^2 c d^2 e^3 - a^2 b d e^4 + a^3 e^5 - (b^2 c + 3 a c^2) d^4 e) * \sqrt{e x + d} - \sqrt{2} * a * \sqrt{-(3 a b c d^2 e - 6 a^2 c d e^2 + a^2 b e^3 - (b^2 c - 2 a c^2) d^3 - (a^2 b^2 c - 4 a^3 c^2) * \sqrt{(b^2 c^2 d^6 - 6 a b c^2 d^5 e + 9 a^2 c^2 d^4 e^2 + 2 a^2 b c d^3 e^3 - 6 a^3 c d^2 e^4 + a^4 e^6) / (a^4 b^2 c^2 - 4 a^5 c^3)})} \\
& / (a^2 b^2 c - 4 a^3 c^2) * \log(-\sqrt{2} * ((b^3 c - 4 a b c^2) d^4 - 3 (a b^2 c - 4 a^2 c^2) d^3 e + (a^2 b^2 - 4 a^3 c) d e^3 - ((a^2 b^3 c - 4 a^3 b c^2) d - 2 (a^3 b^2 c - 4 a^4 c^2) e) * \sqrt{(b^2 c^2 d^6 - 6 a b c^2 d^5 e + 9 a^2 c^2 d^4 e^2 + 2 a^2 b c d^3 e^3 - 6 a^3 c d^2 e^4 + a^4 e^6) / (a^4 b^2 c^2 - 4 a^5 c^3)})} \\
& * \sqrt{-(3 a b c d^2 e - 6 a^2 c d e^2 + a^2 b e^3 - (b^2 c - 2 a c^2) d^3 - (a^2 b^2 c - 4 a^3 c^2) * \sqrt{(b^2 c^2 d^6 - 6 a b c^2 d^5 e + 9 a^2 c^2 d^4 e^2 + 2 a^2 b c d^3 e^3 - 6 a^3 c d^2 e^4 + a^4 e^6) / (a^4 b^2 c^2 - 4 a^5 c^3)})} \\
& / (a^2 b^2 c - 4 a^3 c^2) + 4 * (b c^2 d^5 + 4 a b c d^3 e^2 - 2 a^2 c d^2 e^3 - a^2 b d e^4 + a^3 e^5 - (b^2 c + 3 a c^2) d^4 e) * \sqrt{e x + d} - 4 * \sqrt{-d} * d * \arctan(\sqrt{e x + d} * \sqrt{-d} / d) / a]
\end{aligned}$$

**giac [B]** time = 0.41, size = 822, normalized size = 2.42



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/x/(c\*x^2+b\*x+a),x, algorithm="giac")

[Out] 2\*d^2\*arctan(sqrt(x\*e + d)/sqrt(-d))/(a\*sqrt(-d)) - 1/4\*((b^2\*c - 4\*a\*c^2)

$$\begin{aligned}
& d^2 e - (a b^2 - 4 a^2 c) e^3 \sqrt{-4 c^2 d + 2 (b c - \sqrt{b^2 - 4 a c}) c} e) a^2 - 2 (\sqrt{b^2 - 4 a c} a^2 c^2 d^3 - \sqrt{b^2 - 4 a c} a b c d^2 e \\
& + \sqrt{b^2 - 4 a c} a^2 c d e^2) \sqrt{-4 c^2 d + 2 (b c - \sqrt{b^2 - 4 a c}) c} e) \operatorname{abs}(a) - (2 a^2 b c^2 d^3 + 6 a^3 b c d e^2 - a^3 b^2 e^3 - (a^2 b^2 c \\
& + 8 a^3 c^2) d^2 e) \sqrt{-4 c^2 d + 2 (b c - \sqrt{b^2 - 4 a c}) c} e) \operatorname{arctan}(2 \sqrt{1/2} \sqrt{x e + d} / \sqrt{-(2 a c d - a b e + \sqrt{-4 (a c d^2 - a b d e + a^2 e^2) a c + (2 a c d - a b e)^2}) / (a c)}) / ((\sqrt{b^2 - 4 a c} a^2 c^2 d^2 - \sqrt{b^2 - 4 a c} a^2 b c d e + \sqrt{b^2 - 4 a c} a^3 c e^2) \operatorname{abs}(a) \operatorname{abs}(c)) + 1/4 (((b^2 c - 4 a c^2) d^2 e - (a b^2 - 4 a^2 c) e^3) \sqrt{-4 c^2 d + 2 (b c + \sqrt{b^2 - 4 a c}) c} e) a^2 + 2 (\sqrt{b^2 - 4 a c} a^2 c^2 d^3 - \sqrt{b^2 - 4 a c} a b c d^2 e + \sqrt{b^2 - 4 a c} a^2 c d e^2) \sqrt{-4 c^2 d + 2 (b c + \sqrt{b^2 - 4 a c}) c} e) \operatorname{abs}(a) - (2 a^2 b c^2 d^3 + 6 a^3 b c d e^2 - a^3 b^2 e^3 - (a^2 b^2 c + 8 a^3 c^2) d^2 e) \sqrt{-4 c^2 d + 2 (b c + \sqrt{b^2 - 4 a c}) c} e) \operatorname{arctan}(2 \sqrt{1/2} \sqrt{x e + d} / \sqrt{-(2 a c d - a b e - \sqrt{-4 (a c d^2 - a b d e + a^2 e^2) a c + (2 a c d - a b e)^2}) / (a c)}) / ((\sqrt{b^2 - 4 a c} a^2 c^2 d^2 - \sqrt{b^2 - 4 a c} a^2 b c d e + \sqrt{b^2 - 4 a c} a^3 c e^2) \operatorname{abs}(a) \operatorname{abs}(c))
\end{aligned}$$

**maple [B]** time = 0.04, size = 944, normalized size = 2.78

$$\frac{\sqrt{b^2-4ac} \sqrt{bx+d}}{\sqrt{(b^2-4ac)^2} \sqrt{(bx+d)^2}} + \frac{\sqrt{b^2-4ac} \sqrt{bx+d}}{\sqrt{(b^2-4ac)^2} \sqrt{(bx+d)^2}} + \frac{\sqrt{b^2-4ac} \sqrt{bx+d}}{\sqrt{(b^2-4ac)^2} \sqrt{(bx+d)^2}} + \frac{\sqrt{b^2-4ac} \sqrt{bx+d}}{\sqrt{(b^2-4ac)^2} \sqrt{(bx+d)^2}} + \frac{\sqrt{b^2-4ac} \sqrt{bx+d}}{\sqrt{(b^2-4ac)^2} \sqrt{(bx+d)^2}} + \frac{\sqrt{b^2-4ac} \sqrt{bx+d}}{\sqrt{(b^2-4ac)^2} \sqrt{(bx+d)^2}} + \frac{\sqrt{b^2-4ac} \sqrt{bx+d}}{\sqrt{(b^2-4ac)^2} \sqrt{(bx+d)^2}} + \frac{\sqrt{b^2-4ac} \sqrt{bx+d}}{\sqrt{(b^2-4ac)^2} \sqrt{(bx+d)^2}} + \frac{\sqrt{b^2-4ac} \sqrt{bx+d}}{\sqrt{(b^2-4ac)^2} \sqrt{(bx+d)^2}} + \frac{\sqrt{b^2-4ac} \sqrt{bx+d}}{\sqrt{(b^2-4ac)^2} \sqrt{(bx+d)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}((e*x+d)^{(3/2)}/x/(c*x^2+b*x+a), x)$

[Out]  $-2*d^{(3/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}/d^{(1/2)})/a+e^3/(-(4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*b-4*e^2*c/(-(4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*d+e/a*c/(-(4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*b*d^2-e^2*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)+1/a*c*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*d^2+e^3/(-(4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*b-4*e^2*c/(-(4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*d+e/a*c/(-(4*a*c-b^2)*e^2)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)*b*d^2+e^2*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)-1/a*c*2^{(1/2)}/((b*e-2*c*d+(-(4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*c)$

2)/((b\*e-2\*c\*d+(-4\*a\*c-b^2)\*e^2)^(1/2))\*c)^(1/2)\*arctan((e\*x+d)^(1/2)\*2^(1/2)/((b\*e-2\*c\*d+(-4\*a\*c-b^2)\*e^2)^(1/2))\*c)^(1/2)\*c)\*d^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{\frac{3}{2}}}{(cx^2+bx+a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/x/(c\*x^2+b\*x+a),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/((c\*x^2 + b\*x + a)\*x), x)

**mupad** [B] time = 8.16, size = 20897, normalized size = 61.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(3/2)/(x\*(a + b\*x + c\*x^2)),x)

[Out] atan((((b^4\*c\*d^3 - a^2\*b^3\*e^3 + 8\*a^2\*c^3\*d^3 + a^2\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 6\*a\*b^2\*c^2\*d^3 - 24\*a^3\*c^2\*d\*e^2 + 4\*a^3\*b\*c\*e^3 + b\*c\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 3\*a\*b^3\*c\*d^2\*e - 3\*a\*c\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 12\*a^2\*b\*c^2\*d^2\*e + 6\*a^2\*b^2\*c\*d\*e^2)/(2\*(16\*a^4\*c^3 + a^2\*b^4\*c - 8\*a^3\*b^2\*c^2)))^(1/2)\*(((b^4\*c\*d^3 - a^2\*b^3\*e^3 + 8\*a^2\*c^3\*d^3 + a^2\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 6\*a\*b^2\*c^2\*d^3 - 24\*a^3\*c^2\*d\*e^2 + 4\*a^3\*b\*c\*e^3 + b\*c\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 3\*a\*b^3\*c\*d^2\*e - 3\*a\*c\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 12\*a^2\*b\*c^2\*d^2\*e + 6\*a^2\*b^2\*c\*d\*e^2)/(2\*(16\*a^4\*c^3 + a^2\*b^4\*c - 8\*a^3\*b^2\*c^2)))^(1/2)\*((d + e\*x)^(1/2)\*((b^4\*c\*d^3 - a^2\*b^3\*e^3 + 8\*a^2\*c^3\*d^3 + a^2\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 6\*a\*b^2\*c^2\*d^3 - 24\*a^3\*c^2\*d\*e^2 + 4\*a^3\*b\*c\*e^3 + b\*c\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 3\*a\*b^3\*c\*d^2\*e - 3\*a\*c\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 12\*a^2\*b\*c^2\*d^2\*e + 6\*a^2\*b^2\*c\*d\*e^2)/(2\*(16\*a^4\*c^3 + a^2\*b^4\*c - 8\*a^3\*b^2\*c^2)))^(1/2)\*(512\*a^5\*c^4\*e^10 + 32\*a^3\*b^4\*c^2\*e^10 - 256\*a^4\*b^2\*c^3\*e^10 + 768\*a^4\*c^5\*d^2\*e^8 + 64\*a^2\*b^4\*c^3\*d^2\*e^8 - 448\*a^3\*b^2\*c^4\*d^2\*e^8 - 896\*a^4\*b\*c^4\*d\*e^9 - 64\*a^2\*b^5\*c^2\*d\*e^9 + 480\*a^3\*b^3\*c^3\*d\*e^9) - 384\*a^3\*c^5\*d^4\*e^8 - 384\*a^4\*c^4\*d^2\*e^10 + 96\*a^2\*b^2\*c^4\*d^4\*e^8 - 128\*a^2\*b^3\*c^3\*d^3\*e^9 + 32\*a^2\*b^4\*c^2\*d^2\*e^10 - 32\*a^3\*b^2\*c^3\*d^2\*e^10 + 128\*a^4\*b\*c^3\*d\*e^11 + 512\*a^3\*b\*c^4\*d^3\*e^9 - 32\*a^3\*b^3\*c^2\*d\*e^11) + (d + e\*x)^(1/2)\*(32\*a^3\*b^3\*c\*e^13 - 128\*a^4\*b\*c^2\*e^13 + 704\*a^4\*c^3\*d\*e^12 - 576\*a^2\*c^5\*d^5\*e^8 + 896\*a^3\*c^4\*d^3\*e^10 - 64\*b^4\*c^3\*d^5\*e^8 + 64\*b^5\*c^2\*d^4\*e^9 + 192\*a^2\*b^2\*c^3\*d^3\*e^10 + 448\*a^2\*b^3\*c^2\*d^2\*e^11 - 64\*a^2\*b^4\*c\*d\*e^12 + 384\*a\*b^2\*c^4\*d^5\*e^8 - 320\*a\*b^3\*c^3\*d^4\*e^9 - 128\*a\*b^4\*c^2\*d^3\*e^10 + 384\*a^2\*b\*c^4\*d^4\*e^9 - 1664\*a^3\*b\*c^3\*d^2\*e^11 + 64\*a^3\*b^2\*c^2\*d\*e^12)))\*((b^4\*c\*d^3 - a^2\*b^3\*e^3 + 8\*a^2\*c^3\*d^3 + a^2\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 6\*a\*b

$$\begin{aligned}
& ^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 + b*c*d^3*(-(4*a*c - b^2)^3)^{1/2} \\
& - 3*a*b^3*c*d^2*e - 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{1/2} \\
& + 96*a*c^5*d^7*e^8 + 32*a^4*c^2*d*e^14 - 672*a^2*c^4*d^5*e^10 - 736*a^3*c^3*d^3*e^12 - 32*b^2*c^4*d^7*e^8 - 32*b^3*c^3*d^6*e^9 + 64*b^4*c^2*d^5*e^10 \\
& - 96*a^2*b^2*c^2*d^3*e^12 + 256*a*b*c^4*d^6*e^9 - 32*a^3*b^2*c*d*e^14 - 288*a*b^2*c^3*d^5*e^10 - 160*a*b^3*c^2*d^4*e^11 + 1280*a^2*b*c^3*d^4*e^11 \\
& + 32*a^2*b^3*c*d^2*e^13 + 128*a^3*b*c^2*d^2*e^13) + (d + e*x)^{1/2}*(32*a^4*c*e^16 + 96*c^5*d^8*e^8 - 256*a*c^4*d^6*e^10 - 256*b*c^4*d^7*e^9 + 64*b^4*c*d^4*e^12 \\
& + 256*a^2*c^3*d^4*e^12 + 128*a^3*c^2*d^2*e^14 + 384*b^2*c^3*d^6*e^10 - 256*b^3*c^2*d^5*e^11 - 128*a^3*b*c*d*e^15 - 128*a*b^3*c*d^3*e^13 + 256*a*b^2*c^2*d^4*e^12 \\
& - 384*a^2*b*c^2*d^3*e^13 + 192*a^2*b^2*c*d^2*e^14)) * ((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 + a^2*e^3*(-(4*a*c - b^2)^3)^{1/2} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 + b*c*d^3*(-(4*a*c - b^2)^3)^{1/2} - 3*a*b^3*c*d^2*e - 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{1/2} * i + (((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 + a^2*e^3*(-(4*a*c - b^2)^3)^{1/2} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 + b*c*d^3*(-(4*a*c - b^2)^3)^{1/2} - 3*a*b^3*c*d^2*e - 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{1/2} * ((b^4*c*d^3 + a^2*e^3*(-(4*a*c - b^2)^3)^{1/2} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 + b*c*d^3*(-(4*a*c - b^2)^3)^{1/2} - 3*a*b^3*c*d^2*e - 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{1/2} * ((d + e*x)^{1/2} * ((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 + a^2*e^3*(-(4*a*c - b^2)^3)^{1/2} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 + b*c*d^3*(-(4*a*c - b^2)^3)^{1/2} - 3*a*b^3*c*d^2*e - 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{1/2} * (512*a^5*c^4*e^10 + 32*a^3*b^4*c^2*e^10 - 256*a^4*b^2*c^3*e^10 + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9) + 384*a^3*c^5*d^4*e^8 + 384*a^4*c^4*d^2*e^10 - 96*a^2*b^2*c^4*d^4*e^8 + 128*a^2*b^3*c^3*d^3*e^9 - 32*a^2*b^4*c^2*d^2*e^10 + 32*a^3*b^2*c^3*d^2*e^10 - 128*a^4*b*c^3*d*e^11 - 512*a^3*b*c^4*d^3*e^9 + 32*a^3*b^3*c^2*d*e^11) + (d + e*x)^{1/2}*(32*a^3*b^3*c*e^13 - 128*a^4*b*c^2*e^13 + 704*a^4*c^3*d*e^12 - 576*a^2*c^5*d^5*e^8 + 896*a^3*c^4*d^3*e^10 - 64*b^4*c^3*d^5*e^8 + 64*b^5*c^2*d^4*e^9 + 192*a^2*b^2*c^3*d^3*e^10 + 448*a^2*b^3*c^2*d^2*e^11 - 64*a^2*b^4*c*d*e^12 + 384*a*b^2*c^4*d^5*e^8 - 320*a*b^3*c^3*d^4*e^9 - 128*a*b^4*c^2*d^3*e^10 + 384*a^2*b*c^4*d^4*e^9 - 1664*a^3*b*c^3*d^2*e^11 + 64*a^3*b^2*c^2*d*e^12)) * ((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 + a^2*e^3*(-(4*a*c - b^2)^3)^{1/2} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 + b*c*d^3*(-(4*a*c - b^2)^3)^{1/2} - 3*a*b^3*c*d^2*e - 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{1/2} - 96*a*c^5*d^7*e^8 - 32*a^4*c^2*d*e^14 + 672*a^2*c^4
\end{aligned}$$

$$\begin{aligned}
& *d^5e^{10} + 736a^3c^3d^3e^{12} + 32b^2c^4d^7e^8 + 32b^3c^3d^6e^9 \\
& - 64b^4c^2d^5e^{10} + 96a^2b^2c^2d^3e^{12} - 256a^2b^2c^4d^6e^9 + 32a^3b^2c^2d^5e^{10} + 288a^2b^2c^3d^5e^{10} + 160a^2b^3c^2d^4e^{11} - 1280a^2b^2c^3d^4e^{11} - 32a^2b^3c^2d^2e^{13} - 128a^3b^2c^2d^2e^{13}) + (d + e^x)^{(1/2)} * (32a^4c^2e^{16} + 96c^5d^8e^8 - 256a^2c^4d^6e^{10} - 256b^2c^4d^7e^9 + 64b^4c^2d^4e^{12} + 256a^2c^3d^4e^{12} + 128a^3c^2d^2e^{14} + 384b^2c^3d^6e^{10} - 256b^3c^2d^5e^{11} - 128a^3b^2c^2d^2e^{15} - 128a^2b^3c^2d^3e^{13} + 256a^2b^2c^2d^4e^{12} - 384a^2b^2c^2d^3e^{13} + 192a^2b^2c^2d^2e^{14})) * ((b^4c^2d^3 - a^2b^3e^3 + 8a^2c^3d^3 + a^2e^3 * (-4ac - b^2)^3)^{(1/2)} - 6a^2b^2c^2d^3 - 24a^3c^2d^2e^2 + 4a^3b^2c^2e^3 + b^2c^2d^3 * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^3c^2d^2e - 3a^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2d^2e + 6a^2b^2c^2d^2e^2) / (2 * (16a^4c^3 + a^2b^4c - 8a^3b^2c^2))^{(1/2)} * i) / (((b^4c^2d^3 - a^2b^3e^3 + 8a^2c^3d^3 + a^2e^3 * (-4ac - b^2)^3)^{(1/2)} - 6a^2b^2c^2d^3 - 24a^3c^2d^2e^2 + 4a^3b^2c^2e^3 + b^2c^2d^3 * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^3c^2d^2e - 3a^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2d^2e + 6a^2b^2c^2d^2e^2) / (2 * (16a^4c^3 + a^2b^4c - 8a^3b^2c^2))^{(1/2)} * (((b^4c^2d^3 - a^2b^3e^3 + 8a^2c^3d^3 + a^2e^3 * (-4ac - b^2)^3)^{(1/2)} - 6a^2b^2c^2d^3 - 24a^3c^2d^2e^2 + 4a^3b^2c^2e^3 + b^2c^2d^3 * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^3c^2d^2e - 3a^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2d^2e + 6a^2b^2c^2d^2e^2) / (2 * (16a^4c^3 + a^2b^4c - 8a^3b^2c^2))^{(1/2)} * ((d + e^x)^{(1/2)} * ((b^4c^2d^3 - a^2b^3e^3 + 8a^2c^3d^3 + a^2e^3 * (-4ac - b^2)^3)^{(1/2)} - 6a^2b^2c^2d^3 - 24a^3c^2d^2e^2 + 4a^3b^2c^2e^3 + b^2c^2d^3 * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^3c^2d^2e - 3a^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2d^2e + 6a^2b^2c^2d^2e^2) / (2 * (16a^4c^3 + a^2b^4c - 8a^3b^2c^2))^{(1/2)} * (512a^5c^4e^{10} + 32a^3b^4c^2e^{10} - 256a^4b^2c^3e^{10} + 768a^4c^5d^2e^8 + 64a^2b^4c^3d^2e^8 - 448a^3b^2c^4d^2e^8 - 896a^4b^2c^4d^2e^8 - 896a^4b^2c^4d^2e^9 - 64a^2b^5c^2d^2e^9 + 480a^3b^3c^3d^2e^9) + 384a^3c^5d^4e^8 + 384a^4c^4d^2e^{10} - 96a^2b^2c^4d^4e^8 + 128a^2b^3c^3d^3e^9 - 32a^2b^4c^2d^2e^{10} + 32a^3b^2c^3d^2e^{10} - 128a^4b^2c^3d^2e^{11} - 512a^3b^2c^4d^3e^9 + 32a^3b^3c^2d^2e^{11}) + (d + e^x)^{(1/2)} * (32a^3b^3c^2e^{13} - 128a^4b^2c^2e^{13} + 704a^4c^3d^2e^{12} - 576a^2c^5d^5e^8 + 896a^3c^4d^3e^{10} - 64b^4c^3d^5e^8 + 64b^5c^2d^4e^9 + 192a^2b^2c^3d^3e^{10} + 448a^2b^3c^2d^2e^{11} - 64a^2b^4c^2d^3e^{12} + 384a^2b^2c^4d^4e^9 - 320a^2b^3c^3d^4e^9 - 128a^2b^4c^2d^3e^{10} + 384a^2b^2c^4d^4e^9 - 1664a^3b^2c^3d^2e^{11} + 64a^3b^2c^2d^2e^{12})) * ((b^4c^2d^3 - a^2b^3e^3 + 8a^2c^3d^3 + a^2e^3 * (-4ac - b^2)^3)^{(1/2)} - 6a^2b^2c^2d^3 - 24a^3c^2d^2e^2 + 4a^3b^2c^2e^3 + b^2c^2d^3 * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^3c^2d^2e - 3a^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2d^2e + 6a^2b^2c^2d^2e^2) / (2 * (16a^4c^3 + a^2b^4c - 8a^3b^2c^2))^{(1/2)} - 96a^2c^5d^7e^8 - 32a^4c^2d^2e^{14} + 672a^2c^4d^5e^{10} + 736a^3c^3d^3e^{12} + 32b^2c^4d^7e^8 + 32b^3c^3d^6e^9 - 64b^4c^2d^5e^{10} + 96a^2b^2c^2d^3e^{12} - 256a^2b^2c^4d^6e^9 + 32a^3b^2c^2d^2e^{14} + 288a^2b^2c^3d^5e^{10} + 160a^2b^3c^2d^4e^{11} - 1280a^2b^2c^3d^4e^{11} - 32a^2b^3c^2d^2e^{13} - 128a^3b^2c^2d^2e^{13}
\end{aligned}$$



$$\begin{aligned}
&^2e^{13}) + (d + ex)^{(1/2)} * (32*a^4*c*e^{16} + 96*c^5*d^8*e^8 - 256*a*c^4*d^6* \\
&e^{10} - 256*b*c^4*d^7*e^9 + 64*b^4*c*d^4*e^{12} + 256*a^2*c^3*d^4*e^{12} + 128*a \\
&^3*c^2*d^2*e^{14} + 384*b^2*c^3*d^6*e^{10} - 256*b^3*c^2*d^5*e^{11} - 128*a^3*b*c \\
&*d*e^{15} - 128*a*b^3*c*d^3*e^{13} + 256*a*b^2*c^2*d^4*e^{12} - 384*a^2*b*c^2*d^3 \\
&*e^{13} + 192*a^2*b^2*c*d^2*e^{14})) * ((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 \\
&+ a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4 \\
&*a^3*b*c*e^3 + b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e - 3*a*c*d \\
&^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2* \\
&(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/2)} - (((b^4*c*d^3 - a^2*b^3*e \\
&^3 + 8*a^2*c^3*d^3 + a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - 2 \\
&4*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 + b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^ \\
&3*c*d^2*e - 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a \\
&^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/2)} * (((b^4 \\
&*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 + a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6 \\
&*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 + b*c*d^3*(-(4*a*c - b^2) \\
&^3)^{(1/2)} - 3*a*b^3*c*d^2*e - 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2 \\
&*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^ \\
&2)))^{(1/2)} * ((d + ex)^{(1/2)} * ((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 + a^2 \\
&*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3* \\
&b*c*e^3 + b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e - 3*a*c*d^2*e* \\
&(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a \\
&^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/2)} * (512*a^5*c^4*e^{10} + 32*a^3*b^4* \\
&c^2*e^{10} - 256*a^4*b^2*c^3*e^{10} + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2* \\
&e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 \\
&+ 480*a^3*b^3*c^3*d*e^9) - 384*a^3*c^5*d^4*e^8 - 384*a^4*c^4*d^2*e^{10} + 96* \\
&a^2*b^2*c^4*d^4*e^8 - 128*a^2*b^3*c^3*d^3*e^9 + 32*a^2*b^4*c^2*d^2*e^{10} - 3 \\
&2*a^3*b^2*c^3*d^2*e^{10} + 128*a^4*b*c^3*d*e^{11} + 512*a^3*b*c^4*d^3*e^9 - 32* \\
&a^3*b^3*c^2*d*e^{11}) + (d + ex)^{(1/2)} * (32*a^3*b^3*c*e^{13} - 128*a^4*b*c^2*e^{ \\
&13} + 704*a^4*c^3*d*e^{12} - 576*a^2*c^5*d^5*e^8 + 896*a^3*c^4*d^3*e^{10} - 64*b \\
&^4*c^3*d^5*e^8 + 64*b^5*c^2*d^4*e^9 + 192*a^2*b^2*c^3*d^3*e^{10} + 448*a^2*b^ \\
&3*c^2*d^2*e^{11} - 64*a^2*b^4*c*d*e^{12} + 384*a*b^2*c^4*d^5*e^8 - 320*a*b^3*c^ \\
&3*d^4*e^9 - 128*a*b^4*c^2*d^3*e^{10} + 384*a^2*b*c^4*d^4*e^9 - 1664*a^3*b*c^3 \\
&*d^2*e^{11} + 64*a^3*b^2*c^2*d*e^{12})) * ((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d \\
&^3 + a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 \\
&+ 4*a^3*b*c*e^3 + b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e - 3*a* \\
&c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/ \\
&(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/2)} + 96*a*c^5*d^7*e^8 + 32 \\
&*a^4*c^2*d*e^{14} - 672*a^2*c^4*d^5*e^{10} - 736*a^3*c^3*d^3*e^{12} - 32*b^2*c^4* \\
&d^7*e^8 - 32*b^3*c^3*d^6*e^9 + 64*b^4*c^2*d^5*e^{10} - 96*a^2*b^2*c^2*d^3*e^1 \\
&2 + 256*a*b*c^4*d^6*e^9 - 32*a^3*b^2*c*d*e^{14} - 288*a*b^2*c^3*d^5*e^{10} - 16 \\
&0*a*b^3*c^2*d^4*e^{11} + 1280*a^2*b*c^3*d^4*e^{11} + 32*a^2*b^3*c*d^2*e^{13} + 12 \\
&8*a^3*b*c^2*d^2*e^{13}) + (d + ex)^{(1/2)} * (32*a^4*c*e^{16} + 96*c^5*d^8*e^8 - 2 \\
&56*a*c^4*d^6*e^{10} - 256*b*c^4*d^7*e^9 + 64*b^4*c*d^4*e^{12} + 256*a^2*c^3*d^4 \\
&*e^{12} + 128*a^3*c^2*d^2*e^{14} + 384*b^2*c^3*d^6*e^{10} - 256*b^3*c^2*d^5*e^{11} \\
&- 128*a^3*b*c*d*e^{15} - 128*a*b^3*c*d^3*e^{13} + 256*a*b^2*c^2*d^4*e^{12} - 384*
\end{aligned}$$

$$\begin{aligned}
& a^2 b^2 c^2 d^3 e^{13} + 192 a^2 b^2 c^2 d^2 e^{14}) * ((b^4 c^2 d^3 - a^2 b^3 e^3 + 8 \\
& a^2 c^3 d^3 + a^2 e^3 * (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c^2 d^3 - 24 a^3 c^2 d^2 e^2 + 4 a^3 b^2 c^2 e^3 + b^2 c^2 d^3 * (-4 a c - b^2)^3)^{1/2} - 3 a b^3 c^2 d^2 e - 3 a^2 c^2 d^2 e * (-4 a c - b^2)^3)^{1/2} + 12 a^2 b^2 c^2 d^2 e + 6 a^2 b^2 c^2 d^2 e^2) / (2 * (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{1/2} + 192 c^4 d^8 e^{10} + 448 a^2 c^3 d^6 e^{12} + 64 a^3 c^2 d^2 e^{16} - 512 b^2 c^3 d^7 e^{11} - 128 b^3 c^2 d^5 e^{13} + 320 a^2 c^2 d^4 e^{14} + 448 b^2 c^2 d^6 e^{12} - 768 a b^2 c^2 d^5 e^{13} + 320 a b^2 c^2 d^4 e^{14} - 256 a^2 b^2 c^2 d^3 e^{15}) * ((b^4 c^2 d^3 - a^2 b^3 e^3 + 8 a^2 c^3 d^3 + a^2 e^3 * (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c^2 d^3 - 24 a^3 c^2 d^2 e^2 + 4 a^3 b^2 c^2 e^3 + b^2 c^2 d^3 * (-4 a c - b^2)^3)^{1/2} - 3 a b^3 c^2 d^2 e - 3 a^2 c^2 d^2 e * (-4 a c - b^2)^3)^{1/2} + 12 a^2 b^2 c^2 d^2 e + 6 a^2 b^2 c^2 d^2 e^2) / (2 * (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{1/2} * 2i \\
& + \operatorname{atan}\left(\frac{(b^4 c^2 d^3 - a^2 b^3 e^3 + 8 a^2 c^3 d^3 - a^2 e^3 * (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c^2 d^3 - 24 a^3 c^2 d^2 e^2 + 4 a^3 b^2 c^2 e^3 - b^2 c^2 d^3 * (-4 a c - b^2)^3)^{1/2} - 3 a b^3 c^2 d^2 e + 3 a^2 c^2 d^2 e * (-4 a c - b^2)^3)^{1/2} + 12 a^2 b^2 c^2 d^2 e + 6 a^2 b^2 c^2 d^2 e^2}{(16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2)}\right) * \left(\frac{(b^4 c^2 d^3 - a^2 b^3 e^3 + 8 a^2 c^3 d^3 - a^2 e^3 * (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c^2 d^3 - 24 a^3 c^2 d^2 e^2 + 4 a^3 b^2 c^2 e^3 - b^2 c^2 d^3 * (-4 a c - b^2)^3)^{1/2} - 3 a b^3 c^2 d^2 e + 3 a^2 c^2 d^2 e * (-4 a c - b^2)^3)^{1/2} + 12 a^2 b^2 c^2 d^2 e + 6 a^2 b^2 c^2 d^2 e^2}{(16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2)}\right) * ((d + e x)^{1/2} * ((b^4 c^2 d^3 - a^2 b^3 e^3 + 8 a^2 c^3 d^3 - a^2 e^3 * (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c^2 d^3 - 24 a^3 c^2 d^2 e^2 + 4 a^3 b^2 c^2 e^3 - b^2 c^2 d^3 * (-4 a c - b^2)^3)^{1/2} - 3 a b^3 c^2 d^2 e + 3 a^2 c^2 d^2 e * (-4 a c - b^2)^3)^{1/2} + 12 a^2 b^2 c^2 d^2 e + 6 a^2 b^2 c^2 d^2 e^2) / (2 * (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{1/2} * (512 a^5 c^4 e^{10} + 32 a^3 b^4 c^2 e^{10} - 256 a^4 b^2 c^3 e^{10} + 768 a^4 c^5 d^2 e^8 + 64 a^2 b^4 c^3 d^2 e^8 - 448 a^3 b^2 c^4 d^2 e^8 - 896 a^4 b^2 c^4 d^2 e^9 - 64 a^2 b^5 c^2 d^2 e^9 + 480 a^3 b^3 c^3 d^2 e^9) - 384 a^3 c^5 d^4 e^8 - 384 a^4 c^4 d^2 e^{10} + 96 a^2 b^2 c^4 d^4 e^8 - 128 a^2 b^3 c^3 d^3 e^9 + 32 a^2 b^4 c^2 d^2 e^{10} - 32 a^3 b^2 c^3 d^2 e^{10} + 128 a^4 b^2 c^3 d^2 e^{11} + 512 a^3 b^2 c^4 d^3 e^9 - 32 a^3 b^3 c^2 d^2 e^{11}) + (d + e x)^{1/2} * (32 a^3 b^3 c^2 e^{13} - 128 a^4 b^2 c^2 e^{13} + 704 a^4 c^3 d^2 e^{12} - 576 a^2 c^5 d^5 e^8 + 896 a^3 c^4 d^3 e^{10} - 64 b^4 c^3 d^5 e^8 + 64 b^5 c^2 d^4 e^9 + 192 a^2 b^2 c^3 d^3 e^{10} + 448 a^2 b^3 c^2 d^2 e^{11} - 64 a^2 b^4 c^2 d^3 e^{12} + 384 a b^2 c^4 d^4 e^9 - 320 a b^3 c^3 d^4 e^9 - 128 a b^4 c^2 d^3 e^{10} + 384 a^2 b^2 c^4 d^4 e^9 - 1664 a^3 b^2 c^3 d^2 e^{11} + 64 a^3 b^2 c^2 d^2 e^{12}) * ((b^4 c^2 d^3 - a^2 b^3 e^3 + 8 a^2 c^3 d^3 - a^2 e^3 * (-4 a c - b^2)^3)^{1/2} - 6 a b^2 c^2 d^3 - 24 a^3 c^2 d^2 e^2 + 4 a^3 b^2 c^2 e^3 - b^2 c^2 d^3 * (-4 a c - b^2)^3)^{1/2} - 3 a b^3 c^2 d^2 e + 3 a^2 c^2 d^2 e * (-4 a c - b^2)^3)^{1/2} + 12 a^2 b^2 c^2 d^2 e + 6 a^2 b^2 c^2 d^2 e^2) / (2 * (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{1/2} + 96 a^2 c^5 d^7 e^8 + 32 a^4 c^2 d^2 e^{14} - 672 a^2 c^4 d^5 e^{10} - 73 6 a^3 c^3 d^3 e^{12} - 32 b^2 c^4 d^7 e^8 - 32 b^3 c^3 d^6 e^9 + 64 b^4 c^2 d^5 e^{10} - 96 a^2 b^2 c^2 d^3 e^{12} + 256 a b^2 c^4 d^6 e^9 - 32 a^3 b^2 c^2 d^4 e^{14} - 288 a b^2 c^3 d^5 e^{10} - 160 a b^3 c^2 d^4 e^{11} + 1280 a^2 b^2 c^3 d^4 e^{11} + 32 a^2 b^3 c^2 d^2 e^{13} + 128 a^3 b^2 c^2 d^2 e^{13}) + (d + e x)^{1/2} * (32
\end{aligned}$$

$$\begin{aligned}
& a^4 c e^{16} + 96 c^5 d^8 e^8 - 256 a^2 c^4 d^6 e^{10} - 256 b^2 c^4 d^7 e^9 + 64 b^4 c d^4 e^{12} + 256 a^2 c^3 d^4 e^{12} + 128 a^3 c^2 d^2 e^{14} + 384 b^2 c^3 d^6 e^{10} - 256 b^3 c^2 d^5 e^{11} - 128 a^3 b^2 c d e^{15} - 128 a^2 b^3 c d^3 e^{13} \\
& + 256 a^2 b^2 c^2 d^4 e^{12} - 384 a^2 b^2 c^2 d^3 e^{13} + 192 a^2 b^2 c^2 d^2 e^{14} \\
& ) * ((b^4 c d^3 - a^2 b^3 e^3 + 8 a^2 c^3 d^3 - a^2 e^3 * (-4 a c - b^2)^3)^{(1/2)} - 6 a^2 b^2 c^2 d^3 - 24 a^3 c^2 d^2 e^2 + 4 a^3 b^2 c e^3 - b^2 c d^3 * (-4 a c - b^2)^3)^{(1/2)} - 3 a^2 b^3 c d^2 e + 3 a^2 c d^2 e * (-4 a c - b^2)^3)^{(1/2)} \\
& + 12 a^2 b^2 c^2 d^2 e + 6 a^2 b^2 c^2 d e^2) / (2 * (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{(1/2)} * i + (((b^4 c d^3 - a^2 b^3 e^3 + 8 a^2 c^3 d^3 - a^2 e^3 * (-4 a c - b^2)^3)^{(1/2)} - 6 a^2 b^2 c^2 d^3 - 24 a^3 c^2 d^2 e^2 + 4 a^3 b^2 c e^3 - b^2 c d^3 * (-4 a c - b^2)^3)^{(1/2)} - 3 a^2 b^3 c d^2 e + 3 a^2 c d^2 e * (-4 a c - b^2)^3)^{(1/2)} + 12 a^2 b^2 c^2 d^2 e + 6 a^2 b^2 c^2 d e^2) / (2 * (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{(1/2)} * ((d + e x)^{(1/2)} * ((b^4 c d^3 - a^2 b^3 e^3 + 8 a^2 c^3 d^3 - a^2 e^3 * (-4 a c - b^2)^3)^{(1/2)} - 6 a^2 b^2 c^2 d^3 - 24 a^3 c^2 d^2 e^2 + 4 a^3 b^2 c e^3 - b^2 c d^3 * (-4 a c - b^2)^3)^{(1/2)} - 3 a^2 b^3 c d^2 e + 3 a^2 c d^2 e * (-4 a c - b^2)^3)^{(1/2)} + 12 a^2 b^2 c^2 d^2 e + 6 a^2 b^2 c^2 d e^2) / (2 * (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{(1/2)} * ((d + e x)^{(1/2)} * ((b^4 c d^3 - a^2 b^3 e^3 + 8 a^2 c^3 d^3 - a^2 e^3 * (-4 a c - b^2)^3)^{(1/2)} - 6 a^2 b^2 c^2 d^3 - 24 a^3 c^2 d^2 e^2 + 4 a^3 b^2 c e^3 - b^2 c d^3 * (-4 a c - b^2)^3)^{(1/2)} - 3 a^2 b^3 c d^2 e + 3 a^2 c d^2 e * (-4 a c - b^2)^3)^{(1/2)} + 12 a^2 b^2 c^2 d^2 e + 6 a^2 b^2 c^2 d e^2) / (2 * (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{(1/2)} * (512 a^5 c^4 e^{10} + 32 a^3 b^4 c^2 e^{10} - 256 a^4 b^2 c^3 e^{10} + 768 a^4 c^5 d^2 e^8 + 64 a^2 b^4 c^3 d^2 e^8 - 448 a^3 b^2 c^4 d^2 e^8 - 896 a^4 b^2 c^4 d e^9 - 64 a^2 b^5 c^2 d e^9 + 480 a^3 b^3 c^3 d e^9) + 384 a^3 c^5 d^4 e^8 + 384 a^4 c^4 d^2 e^{10} - 96 a^2 b^2 c^4 d^4 e^8 + 128 a^2 b^3 c^3 d^3 e^9 - 32 a^2 b^4 c^2 d^2 e^{10} + 32 a^3 b^2 c^3 d^2 e^{10} - 128 a^4 b^2 c^3 d e^{11} - 512 a^3 b^2 c^4 d^3 e^9 + 32 a^3 b^3 c^2 d e^{11}) + (d + e x)^{(1/2)} * (32 a^3 b^3 c e^{13} - 128 a^4 b^2 c^2 e^{13} + 704 a^4 c^3 d e^{12} - 576 a^2 c^5 d^5 e^8 + 896 a^3 c^4 d^3 e^{10} - 64 b^4 c^3 d^5 e^8 + 64 b^5 c^2 d^4 e^9 + 192 a^2 b^2 c^3 d^3 e^{10} + 448 a^2 b^3 c^2 d^2 e^{11} - 64 a^2 b^4 c^2 d e^{12} + 384 a^2 b^2 c^4 d^5 e^8 - 320 a^2 b^3 c^3 d^4 e^9 - 128 a^2 b^4 c^2 d^3 e^{10} + 384 a^2 b^2 c^4 d^4 e^9 - 1664 a^3 b^2 c^3 d^2 e^{11} + 64 a^3 b^2 c^2 d e^{12})) * ((b^4 c d^3 - a^2 b^3 e^3 + 8 a^2 c^3 d^3 - a^2 e^3 * (-4 a c - b^2)^3)^{(1/2)} - 6 a^2 b^2 c^2 d^3 - 24 a^3 c^2 d^2 e^2 + 4 a^3 b^2 c e^3 - b^2 c d^3 * (-4 a c - b^2)^3)^{(1/2)} - 3 a^2 b^3 c d^2 e + 3 a^2 c d^2 e * (-4 a c - b^2)^3)^{(1/2)} + 12 a^2 b^2 c^2 d^2 e + 6 a^2 b^2 c^2 d e^2) / (2 * (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{(1/2)} - 96 a^2 c^5 d^7 e^8 - 32 a^4 c^2 d e^{14} + 672 a^2 c^4 d^5 e^{10} + 736 a^3 c^3 d^3 e^{12} + 32 b^2 c^4 d^7 e^8 + 32 b^3 c^3 d^6 e^9 - 64 b^4 c^2 d^5 e^{10} + 96 a^2 b^2 c^2 d^3 e^{12} - 256 a^2 b^2 c^4 d^6 e^9 + 32 a^3 b^2 c^2 d e^{14} + 288 a^2 b^2 c^3 d^5 e^{10} + 160 a^2 b^3 c^2 d^4 e^{11} - 1280 a^2 b^2 c^3 d^4 e^{11} - 32 a^2 b^3 c^2 d^2 e^{13} - 128 a^3 b^2 c^2 d^2 e^{13}) + (d + e x)^{(1/2)} * (32 a^4 c e^{16} + 96 c^5 d^8 e^8 - 256 a^2 c^4 d^6 e^{10} - 256 b^2 c^4 d^7 e^9 + 64 b^4 c d^4 e^{12} + 256 a^2 c^3 d^4 e^{12} + 128 a^3 c^2 d^2 e^{14} + 384 b^2 c^3 d^6 e^{10} - 256 b^3 c^2 d^5 e^{11} - 128 a^3 b^2 c d e^{15} - 128 a^2 b^3 c^2 d^3 e^{13} + 256 a^2 b^2 c^2 d^4 e^{12} - 384 a^2 b^2 c^2 d^3 e^{13} + 192 a^2
\end{aligned}$$

$$\begin{aligned}
& 2*b^2*c*d^2*e^{14}))*((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 - a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 - \\
& b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e + 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + \\
& a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/2)}*i)/((((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 - a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d \\
& *e^2 + 4*a^3*b*c*e^3 - b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e + 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d* \\
& e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/2)}*(((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 - a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2* \\
& d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 - b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e + 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2* \\
& e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/2)}* \\
& ((d + e*x)^{(1/2)}*((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 - a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 - b \\
& *c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e + 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2* \\
& b^4*c - 8*a^3*b^2*c^2)))^{(1/2)}*(512*a^5*c^4*e^{10} + 32*a^3*b^4*c^2*e^{10} - \\
& 256*a^4*b^2*c^3*e^{10} + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9) \\
& + 384*a^3*c^5*d^4*e^8 + 384*a^4*c^4*d^2*e^{10} - 96*a^2*b^2*c^4*d^4*e^8 + 128*a^2*b^3*c^3*d^3*e^9 - 32*a^2*b^4*c^2*d^2*e^{10} + 32*a^3*b^2*c^3*d^2*e^{10} - 128*a^4*b*c^3*d*e^{11} \\
& - 512*a^3*b^3*c^4*d^3*e^9 + 32*a^3*b^3*c^2*d*e^{11}) + (d + e*x)^{(1/2)}*(32*a^3*b^3*c*e^{13} - 128*a^4*b*c^2*e^{13} + 704*a^4*c^3*d*e^{12} - 576*a^2*c^5*d^5*e^8 + 896*a^3*c^4*d^3*e^{10} - 64*b^4*c^3*d^5* \\
& e^8 + 64*b^5*c^2*d^4*e^9 + 192*a^2*b^2*c^3*d^3*e^{10} + 448*a^2*b^3*c^2*d^2*e^{11} - 64*a^2*b^4*c*d*e^{12} + 384*a*b^2*c^4*d^5*e^8 - 320*a*b^3*c^3*d^4*e^9 - \\
& 128*a*b^4*c^2*d^3*e^{10} + 384*a^2*b*c^4*d^4*e^9 - 1664*a^3*b*c^3*d^2*e^{11} + 64*a^3*b^2*c^2*d*e^{12}))*((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 - a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c \\
& *e^3 - b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e + 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/2)} - 96*a*c^5*d^7*e^8 - 32*a^4*c^2*d* \\
& e^{14} + 672*a^2*c^4*d^5*e^{10} + 736*a^3*c^3*d^3*e^{12} + 32*b^2*c^4*d^7*e^8 + 3 \\
& 2*b^3*c^3*d^6*e^9 - 64*b^4*c^2*d^5*e^{10} + 96*a^2*b^2*c^2*d^3*e^{12} - 256*a*b \\
& *c^4*d^6*e^9 + 32*a^3*b^2*c*d*e^{14} + 288*a*b^2*c^3*d^5*e^{10} + 160*a*b^3*c^2 \\
& *d^4*e^{11} - 1280*a^2*b*c^3*d^4*e^{11} - 32*a^2*b^3*c*d^2*e^{13} - 128*a^3*b*c^2 \\
& *d^2*e^{13}) + (d + e*x)^{(1/2)}*(32*a^4*c*e^{16} + 96*c^5*d^8*e^8 - 256*a*c^4*d^6* \\
& e^{10} - 256*b*c^4*d^7*e^9 + 64*b^4*c*d^4*e^{12} + 256*a^2*c^3*d^4*e^{12} + 128 \\
& *a^3*c^2*d^2*e^{14} + 384*b^2*c^3*d^6*e^{10} - 256*b^3*c^2*d^5*e^{11} - 128*a^3*b \\
& *c*d*e^{15} - 128*a*b^3*c*d^3*e^{13} + 256*a*b^2*c^2*d^4*e^{12} - 384*a^2*b*c^2*d^3* \\
& e^{13} + 192*a^2*b^2*c*d^2*e^{14}))*((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 - a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 - b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e + 3*a*c \\
& *d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(
\end{aligned}$$

$$\begin{aligned}
& 2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)} - (((b^4*c*d^3 - a^2*b^3 \\
& *e^3 + 8*a^2*c^3*d^3 - a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - \\
& 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 - b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a* \\
& b^3*c*d^2*e + 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6 \\
& *a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)}*(((b \\
& ^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 - a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^3*b*c*e^3 - b*c*d^3*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e + 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a \\
& ^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2* \\
& c^2))^{(1/2)}*((d + e*x)^{(1/2)}*((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3*d^3 - a \\
& ^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^2 + 4*a^ \\
& 3*b*c*e^3 - b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e + 3*a*c*d^2* \\
& e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2)/(2*(16 \\
& *a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)}*(512*a^5*c^4*e^10 + 32*a^3*b^ \\
& 4*c^2*e^10 - 256*a^4*b^2*c^3*e^10 + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^ \\
& 2*e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^ \\
& 9 + 480*a^3*b^3*c^3*d*e^9) - 384*a^3*c^5*d^4*e^8 - 384*a^4*c^4*d^2*e^10 + 9 \\
& 6*a^2*b^2*c^4*d^4*e^8 - 128*a^2*b^3*c^3*d^3*e^9 + 32*a^2*b^4*c^2*d^2*e^10 - \\
& 32*a^3*b^2*c^3*d^2*e^10 + 128*a^4*b*c^3*d*e^11 + 512*a^3*b*c^4*d^3*e^9 - 3 \\
& 2*a^3*b^3*c^2*d*e^11) + (d + e*x)^{(1/2)}*(32*a^3*b^3*c*e^13 - 128*a^4*b*c^2* \\
& e^13 + 704*a^4*c^3*d*e^12 - 576*a^2*c^5*d^5*e^8 + 896*a^3*c^4*d^3*e^10 - 64 \\
& *b^4*c^3*d^5*e^8 + 64*b^5*c^2*d^4*e^9 + 192*a^2*b^2*c^3*d^3*e^10 + 448*a^2* \\
& b^3*c^2*d^2*e^11 - 64*a^2*b^4*c*d*e^12 + 384*a*b^2*c^4*d^5*e^8 - 320*a*b^3* \\
& c^3*d^4*e^9 - 128*a*b^4*c^2*d^3*e^10 + 384*a^2*b*c^4*d^4*e^9 - 1664*a^3*b*c \\
& ^3*d^2*e^11 + 64*a^3*b^2*c^2*d*e^12))*((b^4*c*d^3 - a^2*b^3*e^3 + 8*a^2*c^3 \\
& *d^3 - a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - 24*a^3*c^2*d*e^ \\
& 2 + 4*a^3*b*c*e^3 - b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c*d^2*e + 3* \\
& a*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a^2*b^2*c*d*e^2 \\
& )/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)} + 96*a*c^5*d^7*e^8 + \\
& 32*a^4*c^2*d*e^14 - 672*a^2*c^4*d^5*e^10 - 736*a^3*c^3*d^3*e^12 - 32*b^2*c^ \\
& 4*d^7*e^8 - 32*b^3*c^3*d^6*e^9 + 64*b^4*c^2*d^5*e^10 - 96*a^2*b^2*c^2*d^3*e \\
& ^12 + 256*a*b*c^4*d^6*e^9 - 32*a^3*b^2*c*d*e^14 - 288*a*b^2*c^3*d^5*e^10 - \\
& 160*a*b^3*c^2*d^4*e^11 + 1280*a^2*b*c^3*d^4*e^11 + 32*a^2*b^3*c*d^2*e^13 + \\
& 128*a^3*b*c^2*d^2*e^13) + (d + e*x)^{(1/2)}*(32*a^4*c*e^16 + 96*c^5*d^8*e^8 - \\
& 256*a*c^4*d^6*e^10 - 256*b*c^4*d^7*e^9 + 64*b^4*c*d^4*e^12 + 256*a^2*c^3*d \\
& ^4*e^12 + 128*a^3*c^2*d^2*e^14 + 384*b^2*c^3*d^6*e^10 - 256*b^3*c^2*d^5*e^1 \\
& 1 - 128*a^3*b*c*d*e^15 - 128*a*b^3*c*d^3*e^13 + 256*a*b^2*c^2*d^4*e^12 - 38 \\
& 4*a^2*b*c^2*d^3*e^13 + 192*a^2*b^2*c*d^2*e^14))*((b^4*c*d^3 - a^2*b^3*e^3 + \\
& 8*a^2*c^3*d^3 - a^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c^2*d^3 - 24*a^ \\
& 3*c^2*d*e^2 + 4*a^3*b*c*e^3 - b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^3*c* \\
& d^2*e + 3*a*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2*e + 6*a^2*b \\
& ^2*c*d*e^2)/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)} + 192*c^4*d \\
& ^8*e^10 + 448*a*c^3*d^6*e^12 + 64*a^3*c*d^2*e^16 - 512*b*c^3*d^7*e^11 - 128 \\
& *b^3*c*d^5*e^13 + 320*a^2*c^2*d^4*e^14 + 448*b^2*c^2*d^6*e^12 - 768*a*b*c^2 \\
& *d^5*e^13 + 320*a*b^2*c*d^4*e^14 - 256*a^2*b*c*d^3*e^15))*((b^4*c*d^3 - a^2
\end{aligned}$$



$$\begin{aligned}
& 9)/a^2 - (192*b^4*c^2*d^8*e^10)/a^2 - 1024*a*b*c^2*d^5*e^13 + 384*a*b^2*c*d^4*e^14 - 256*a^2*b*c*d^3*e^15 - (1536*b*c^4*d^9*e^9)/a - (3328*b*c^3*d^5*e^11*(d^3)^{(1/2)}*(d + e*x)^{(1/2)})/(2304*c^4*d^8*e^10 + 1920*a*c^3*d^6*e^12 + 64*a^3*c*d^2*e^16 - 3328*b*c^3*d^7*e^11 - 192*b^3*c*d^5*e^13 + 256*a^2*c^2*d^4*e^14 + (576*c^5*d^10*e^8)/a + 640*b^2*c^2*d^6*e^12 + (640*b^2*c^3*d^8*e^10)/a + (384*b^3*c^2*d^7*e^11)/a - (128*b^2*c^4*d^10*e^8)/a^2 + (320*b^3*c^3*d^9*e^9)/a^2 - (192*b^4*c^2*d^8*e^10)/a^2 - 1024*a*b*c^2*d^5*e^13 + 384*a*b^2*c*d^4*e^14 - 256*a^2*b*c*d^3*e^15 - (1536*b*c^4*d^9*e^9)/a - (192*b^3*c*d^3*e^13*(d^3)^{(1/2)}*(d + e*x)^{(1/2)})/(2304*c^4*d^8*e^10 + 1920*a*c^3*d^6*e^12 + 64*a^3*c*d^2*e^16 - 3328*b*c^3*d^7*e^11 - 192*b^3*c*d^5*e^13 + 256*a^2*c^2*d^4*e^14 + (576*c^5*d^10*e^8)/a + 640*b^2*c^2*d^6*e^12 + (640*b^2*c^3*d^8*e^10)/a + (384*b^3*c^2*d^7*e^11)/a - (128*b^2*c^4*d^10*e^8)/a^2 + (320*b^3*c^3*d^9*e^9)/a^2 - (192*b^4*c^2*d^8*e^10)/a^2 - 1024*a*b*c^2*d^5*e^13 + 384*a*b^2*c*d^4*e^14 - 256*a^2*b*c*d^3*e^15 - (1536*b*c^4*d^9*e^9)/a + (640*b^2*c^3*d^6*e^10*(d^3)^{(1/2)}*(d + e*x)^{(1/2)})/(576*c^5*d^10*e^8 + 2304*a*c^4*d^8*e^10 + 64*a^4*c*d^2*e^16 - 1536*b*c^4*d^9*e^9 + 1920*a^2*c^3*d^6*e^12 + 256*a^3*c^2*d^4*e^14 + 640*b^2*c^3*d^8*e^10 + 384*b^3*c^2*d^7*e^11 - (128*b^2*c^4*d^10*e^8)/a + (320*b^3*c^3*d^9*e^9)/a - (192*b^4*c^2*d^8*e^10)/a - 3328*a*b*c^3*d^7*e^11 - 192*a*b^3*c*d^5*e^13 - 256*a^3*b*c*d^3*e^15 + 640*a*b^2*c^2*d^6*e^12 - 1024*a^2*b*c^2*d^5*e^13 + 384*a^2*b^2*c*d^4*e^14) + (384*b^3*c^2*d^5*e^11*(d^3)^{(1/2)}*(d + e*x)^{(1/2)})/(576*c^5*d^10*e^8 + 2304*a*c^4*d^8*e^10 + 64*a^4*c*d^2*e^16 - 1536*b*c^4*d^9*e^9 + 1920*a^2*c^3*d^6*e^12 + 256*a^3*c^2*d^4*e^14 + 640*b^2*c^3*d^8*e^10 + 384*b^3*c^2*d^7*e^11 - (128*b^2*c^4*d^10*e^8)/a + (320*b^3*c^3*d^9*e^9)/a - (192*b^4*c^2*d^8*e^10)/a - 3328*a*b*c^3*d^7*e^11 - 192*a*b^3*c*d^5*e^13 - 256*a^3*b*c*d^3*e^15 + 640*a*b^2*c^2*d^6*e^12 - 1024*a^2*b*c^2*d^5*e^13 + 384*a^2*b^2*c*d^4*e^14) + (256*a^2*c^2*d^2*e^14*(d^3)^{(1/2)}*(d + e*x)^{(1/2)})/(2304*c^4*d^8*e^10 + 1920*a*c^3*d^6*e^12 + 64*a^3*c*d^2*e^16 - 3328*b*c^3*d^7*e^11 - 192*b^3*c*d^5*e^13 + 256*a^2*c^2*d^4*e^14 + (576*c^5*d^10*e^8)/a + 640*b^2*c^2*d^6*e^12 + (640*b^2*c^3*d^8*e^10)/a + (384*b^3*c^2*d^7*e^11)/a - (128*b^2*c^4*d^10*e^8)/a^2 + (320*b^3*c^3*d^9*e^9)/a^2 - (192*b^4*c^2*d^8*e^10)/a^2 - 1024*a*b*c^2*d^5*e^13 + 384*a*b^2*c*d^4*e^14 - 256*a^2*b*c*d^3*e^15 - (1536*b*c^4*d^9*e^9)/a + (640*b^2*c^2*d^4*e^12*(d^3)^{(1/2)}*(d + e*x)^{(1/2)})/(2304*c^4*d^8*e^10 + 1920*a*c^3*d^6*e^12 + 64*a^3*c*d^2*e^16 - 3328*b*c^3*d^7*e^11 - 192*b^3*c*d^5*e^13 + 256*a^2*c^2*d^4*e^14 + (576*c^5*d^10*e^8)/a + 640*b^2*c^2*d^6*e^12 + (640*b^2*c^3*d^8*e^10)/a + (384*b^3*c^2*d^7*e^11)/a - (128*b^2*c^4*d^10*e^8)/a^2 + (320*b^3*c^3*d^9*e^9)/a^2 - (192*b^4*c^2*d^8*e^10)/a^2 - 1024*a*b*c^2*d^5*e^13 + 384*a*b^2*c*d^4*e^14 - 256*a^2*b*c*d^3*e^15 - (1536*b*c^4*d^9*e^9)/a - (1536*b*c^4*d^7*e^9*(d^3)^{(1/2)}*(d + e*x)^{(1/2)})/(576*c^5*d^10*e^8 + 2304*a*c^4*d^8*e^10 + 64*a^4*c*d^2*e^16 - 1536*b*c^4*d^9*e^9 + 1920*a^2*c^3*d^6*e^12 + 256*a^3*c^2*d^4*e^14 + 640*b^2*c^3*d^8*e^10 + 384*b^3*c^2*d^7*e^11 - (128*b^2*c^4*d^10*e^8)/a + (320*b^3*c^3*d^9*e^9)/a - (192*b^4*c^2*d^8*e^10)/a - 3328*a*b*c^3*d^7*e^11 - 192*a*b^3*c*d^5*e^13 - 256*a^3*b*c*d^3*e^15 + 640*a*b^2*c^2*d^6*e^12 - 1024*a^2*b*c^2*d^5*e^13 + 384*a^2*b^2*c*d^4*e^14) - (256*a^2*b*c*d*e^15*(d^3)^{(1/2)}*(d +
\end{aligned}$$

$$\frac{e^x)^{(1/2)}}{(2304*c^4*d^8*e^{10} + 1920*a*c^3*d^6*e^{12} + 64*a^3*c*d^2*e^{16} - 3328*b*c^3*d^7*e^{11} - 192*b^3*c*d^5*e^{13} + 256*a^2*c^2*d^4*e^{14} + (576*c^5*d^{10}*e^8)/a + 640*b^2*c^2*d^6*e^{12} + (640*b^2*c^3*d^8*e^{10})/a + (384*b^3*c^2*d^7*e^{11})/a - (128*b^2*c^4*d^{10}*e^8)/a^2 + (320*b^3*c^3*d^9*e^9)/a^2 - (192*b^4*c^2*d^8*e^{10})/a^2 - 1024*a*b*c^2*d^5*e^{13} + 384*a*b^2*c*d^4*e^{14} - 256*a^2*b*c*d^3*e^{15} - (1536*b*c^4*d^9*e^9)/a) - (1024*a*b*c^2*d^3*e^{13}*(d^3)^{(1/2)}*(d + e*x)^{(1/2))}/(2304*c^4*d^8*e^{10} + 1920*a*c^3*d^6*e^{12} + 64*a^3*c*d^2*e^{16} - 3328*b*c^3*d^7*e^{11} - 192*b^3*c*d^5*e^{13} + 256*a^2*c^2*d^4*e^{14} + (576*c^5*d^{10}*e^8)/a + 640*b^2*c^2*d^6*e^{12} + (640*b^2*c^3*d^8*e^{10})/a + (384*b^3*c^2*d^7*e^{11})/a - (128*b^2*c^4*d^{10}*e^8)/a^2 + (320*b^3*c^3*d^9*e^9)/a^2 - (192*b^4*c^2*d^8*e^{10})/a^2 - 1024*a*b*c^2*d^5*e^{13} + 384*a*b^2*c*d^4*e^{14} - 256*a^2*b*c*d^3*e^{15} - (1536*b*c^4*d^9*e^9)/a) + (384*a*b^2*c*d^2*e^{14}*(d^3)^{(1/2)}*(d + e*x)^{(1/2))}/(2304*c^4*d^8*e^{10} + 1920*a*c^3*d^6*e^{12} + 64*a^3*c*d^2*e^{16} - 3328*b*c^3*d^7*e^{11} - 192*b^3*c*d^5*e^{13} + 256*a^2*c^2*d^4*e^{14} + (576*c^5*d^{10}*e^8)/a + 640*b^2*c^2*d^6*e^{12} + (640*b^2*c^3*d^8*e^{10})/a + (384*b^3*c^2*d^7*e^{11})/a - (128*b^2*c^4*d^{10}*e^8)/a^2 + (320*b^3*c^3*d^9*e^9)/a^2 - (192*b^4*c^2*d^8*e^{10})/a^2 - 1024*a*b*c^2*d^5*e^{13} + 384*a*b^2*c*d^4*e^{14} - 256*a^2*b*c*d^3*e^{15} - (1536*b*c^4*d^9*e^9)/a))*(d^3)^{(1/2))}/a$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)/x/(c\*x\*\*2+b\*x+a),x)

[Out] Timed out



$$3.348 \quad \int \frac{(d+ex)^{3/2}}{x^2(a+bx+cx^2)} dx$$

**Optimal.** Leaf size=403

$$\frac{\sqrt{2} \sqrt{c} \left( -2a \left( e \left( d\sqrt{b^2 - 4ac} - ae \right) + cd^2 \right) + bd \left( d\sqrt{b^2 - 4ac} - 2ae \right) + b^2 d^2 \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) + \sqrt{2} \sqrt{c} \left( bd \left( d\sqrt{b^2 - 4ac} - 2ae \right) - 2ac \left( d\sqrt{b^2 - 4ac} - ae \right) - 2acd^2 + b^2 d^2 \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right)}{a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}}$$

**Rubi [A]** time = 3.07, antiderivative size = 402, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {897, 1287, 199, 206, 1166, 208}

$$\frac{\sqrt{2} \sqrt{c} \left( bd \left( d\sqrt{b^2 - 4ac} - 2ae \right) - 2ac \left( d\sqrt{b^2 - 4ac} - ae \right) - 2acd^2 + b^2 d^2 \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) + \sqrt{2} \sqrt{c} \left( -bd \left( d\sqrt{b^2 - 4ac} + 2ae \right) + 2ac \left( d\sqrt{b^2 - 4ac} + ae \right) - 2acd^2 + b^2 d^2 \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) + \frac{2\sqrt{d}(bd-2ae) \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right) + d\sqrt{d+ex} + \frac{\sqrt{d} e \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a}}{a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left( b - \sqrt{b^2 - 4ac} \right)}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/(x^2\*(a + b\*x + c\*x^2)), x]

[Out] -((d\*Sqrt[d + e\*x])/(a\*x)) + (Sqrt[d]\*e\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/a + (2\*Sqrt[d]\*(b\*d - 2\*a\*e)\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/a^2 - (Sqrt[2]\*Sqrt[c]\*(b^2\*d^2 - 2\*a\*c\*d^2 + b\*d\*(Sqrt[b^2 - 4\*a\*c]\*d - 2\*a\*e) - 2\*a\*e\*(Sqrt[b^2 - 4\*a\*c]\*d - a\*e))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]])/(a^2\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]) + (Sqrt[2]\*Sqrt[c]\*(b^2\*d^2 - 2\*a\*c\*d^2 + 2\*a\*e\*(Sqrt[b^2 - 4\*a\*c]\*d + a\*e) - b\*d\*(Sqrt[b^2 - 4\*a\*c]\*d + 2\*a\*e))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]])/(a^2\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e])

**Rule 199**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 897

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

Rule 1166

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

Rule 1287

Int((((f\_)\*(x\_)^(m\_))\*((d\_) + (e\_)\*(x\_)^2)^(q\_))/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] := Int[ExpandIntegrand[((f\*x)^m\*(d + e\*x^2)^q)/(a + b\*x^2 + c\*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{3/2}}{x^2(a+bx+cx^2)} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{x^4}{\left(-\frac{d}{e} + \frac{x^2}{e}\right)^2 \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}\right)} dx, x, \sqrt{d+ex} \right)}{e} \\
&= \frac{2 \operatorname{Subst} \left( \int \left( \frac{d^2 e^2}{a(d-x^2)^2} - \frac{de(-bd+2ae)}{a^2(d-x^2)} + \frac{e(-(bd-ae)(cd^2-bde+ae^2))+cd(bd-2ae)x^2}{a^2(cd^2-bde+ae^2-(2cd-be)x^2+cx^4)} \right) dx, x, \sqrt{d+ex} \right)}{e} \\
&= \frac{2 \operatorname{Subst} \left( \int \frac{-(bd-ae)(cd^2-bde+ae^2)+cd(bd-2ae)x^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex} \right)}{a^2} + \frac{(2d^2e) \operatorname{Subst} \left( \int \frac{1}{(d-x^2)^2} dx, x, \sqrt{d+ex} \right)}{a} \\
&= -\frac{d\sqrt{d+ex}}{ax} + \frac{2\sqrt{d}(bd-2ae) \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a^2} + \frac{(de) \operatorname{Subst} \left( \int \frac{1}{d-x^2} dx, x, \sqrt{d+ex} \right)}{a} \\
&= -\frac{d\sqrt{d+ex}}{ax} + \frac{\sqrt{d} e \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a} + \frac{2\sqrt{d}(bd-2ae) \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a^2} - \frac{\sqrt{2} \sqrt{c} (b^2 d^2 - 4ac^2)}{a^2}
\end{aligned}$$

**Mathematica [A]** time = 1.54, size = 393, normalized size = 0.98

$$\frac{\sqrt{2} \sqrt{c} \left( 2a \left( e \left( d \sqrt{b^2-4ac} - ac \right) + cd^2 \right) + bd \left( 2ac - d \sqrt{b^2-4ac} \right) - b^2 d^2 \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{e \sqrt{b^2-4ac} - be + 2cd}} \right) - \sqrt{2} \sqrt{c} \left( bd \left( d \sqrt{b^2-4ac} + 2ac \right) - 2ad \left( d \sqrt{b^2-4ac} + ae \right) + 2ac \left( d^2 - b^2 d^2 \right) \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - ( \sqrt{b^2-4ac} + b)}} \right)}{\sqrt{b^2-4ac} \sqrt{ \left( \sqrt{b^2-4ac} - b \right) + 2cd}} - \frac{\sqrt{2} \sqrt{c} \left( bd \left( d \sqrt{b^2-4ac} + 2ac \right) - 2ad \left( d \sqrt{b^2-4ac} + ae \right) + 2ac \left( d^2 - b^2 d^2 \right) \right) \tanh^{-1} \left( \frac{\sqrt{2} \sqrt{c} \sqrt{d+ex}}{\sqrt{2cd - ( \sqrt{b^2-4ac} + b)}} \right)}{\sqrt{b^2-4ac} \sqrt{ 2cd - ( \sqrt{b^2-4ac} + b)}} + 2\sqrt{d}(bd-2ae) \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right) - \frac{ad\sqrt{d+ex}}{x} + a\sqrt{d} e \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{d}} \right)}{a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/(x^2\*(a + b\*x + c\*x^2)), x]

[Out]  $-\left(\frac{a*d*\sqrt{d+e*x}}{x}\right) + a*\sqrt{d}*e*\operatorname{ArcTanh}\left[\frac{\sqrt{d+e*x}}{\sqrt{d}}\right] + 2*\sqrt{d}*(b*d - 2*a*e)*\operatorname{ArcTanh}\left[\frac{\sqrt{d+e*x}}{\sqrt{d}}\right] + \left(\sqrt{2}\sqrt{c}\right)*\left(-\left(b^2*d^2\right) + b*d*\left(-\left(\sqrt{b^2 - 4*a*c}\right)*d\right) + 2*a*e\right) + 2*a*\left(c*d^2 + e*\left(\sqrt{b^2 - 4*a*c}\right)*d - a*e\right)*\operatorname{ArcTanh}\left[\frac{\left(\sqrt{2}\sqrt{c}\right)*\sqrt{d+e*x}}{\sqrt{2*c*d - b*e + \sqrt{b^2 - 4*a*c}*e}}\right]/\left(\sqrt{b^2 - 4*a*c}\right)*\sqrt{2*c*d + \left(-b + \sqrt{b^2 - 4*a*c}\right)*e} - \left(\sqrt{2}\sqrt{c}\right)*\left(-\left(b^2*d^2\right) + 2*a*c*d^2 - 2*a*e*\left(\sqrt{b^2 - 4*a*c}\right)*d + a*e\right) + b*d*\left(\sqrt{b^2 - 4*a*c}\right)*d + 2*a*e)*\operatorname{ArcTanh}\left[\frac{\left(\sqrt{2}\sqrt{c}\right)*\sqrt{d+e*x}}{\sqrt{2*c*d - \left(b + \sqrt{b^2 - 4*a*c}\right)*e}}\right]/\left(\sqrt{b^2 - 4*a*c}\right)*\sqrt{2*c*d - \left(b + \sqrt{b^2 - 4*a*c}\right)*e}\right)/a^2$

**IntegrateAlgebraic [C]** time = 2.00, size = 529, normalized size = 1.31

$$\frac{(-2i\sqrt{2}a^2\sqrt{c}e^2 + \sqrt{2}b\sqrt{c}e\sqrt{4ac-b^2} - 2\sqrt{2}a\sqrt{c}d\sqrt{4ac-b^2} + 2i\sqrt{2}ab\sqrt{c}de + 2i\sqrt{2}ac^{3/2}e^2 - i\sqrt{2}b^2\sqrt{c}e^2)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{4ac-b^2}}{\sqrt{-a\sqrt{4ac-b^2}+be-2cd}}\right) + (2i\sqrt{2}a^2\sqrt{c}e^2 + \sqrt{2}b\sqrt{c}e\sqrt{4ac-b^2} - 2\sqrt{2}a\sqrt{c}d\sqrt{4ac-b^2} - 2i\sqrt{2}ab\sqrt{c}de - 2i\sqrt{2}ac^{3/2}e^2 + i\sqrt{2}b^2\sqrt{c}e^2)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{4ac-b^2}}{\sqrt{-a\sqrt{4ac-b^2}+be-2cd}}\right) + (2ib^{3/2} - 3a\sqrt{d}e)\tan^{-1}\left(\frac{\sqrt{4ac-b^2}}{\sqrt{c}}\right) + \frac{d\sqrt{d+ex}}{ax}}{a^2\sqrt{4ac-b^2}\sqrt{-a\sqrt{4ac-b^2}+be-2cd}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/(x^2\*(a + b\*x + c\*x^2)),x]

[Out]  $-\left(\frac{(d\sqrt{d+ex})}{(ax)} + \left(\frac{(-I)\sqrt{2}b^2\sqrt{c}d^2 + (2I)\sqrt{2}a^2c^{3/2}d^2 + \sqrt{2}b\sqrt{c}d^2\sqrt{-b^2+4ac}}{d^2} + (2I)\sqrt{2}ab\sqrt{c}d^2 + (2I)\sqrt{2}a^2c^{3/2}d^2\sqrt{-b^2+4ac}\right)\frac{d^2e - 2\sqrt{2}a\sqrt{c}d\sqrt{-b^2+4ac} - (2I)\sqrt{2}a^2c^{3/2}d^2\sqrt{-b^2+4ac}}{a^2\sqrt{-b^2+4ac}}\right) \frac{\text{ArcTan}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{-2cd+be-I\sqrt{-b^2+4ac}e}}\right)}{a^2\sqrt{-b^2+4ac}\sqrt{-2cd+be-I\sqrt{-b^2+4ac}e}} + \left(\frac{(I)\sqrt{2}b^2\sqrt{c}d^2 - (2I)\sqrt{2}a^2c^{3/2}d^2 + \sqrt{2}b\sqrt{c}d^2\sqrt{-b^2+4ac}}{d^2} - (2I)\sqrt{2}ab\sqrt{c}d^2 - (2I)\sqrt{2}a^2c^{3/2}d^2\sqrt{-b^2+4ac}\right)\frac{d^2e - 2\sqrt{2}a\sqrt{c}d\sqrt{-b^2+4ac} + (2I)\sqrt{2}a^2c^{3/2}d^2\sqrt{-b^2+4ac}}{a^2\sqrt{-b^2+4ac}} \frac{\text{ArcTan}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex}}{\sqrt{-2cd+be+I\sqrt{-b^2+4ac}e}}\right)}{a^2\sqrt{-b^2+4ac}\sqrt{-2cd+be+I\sqrt{-b^2+4ac}e}} + \left(\frac{(2bd^{3/2} - 3a\sqrt{d}e)\text{ArcTanh}\left(\frac{\sqrt{4ac-b^2}}{\sqrt{c}}\right)}{d^2} + \frac{d\sqrt{d+ex}}{ax}\right) \frac{1}{a^2}$

**fricas [B]** time = 34.64, size = 8653, normalized size = 21.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/x^2/(c\*x^2+b\*x+a),x, algorithm="fricas")

[Out]  $[-1/2*(\sqrt{2})a^2x\sqrt{-(a^3b^2e^3 - (b^4 - 4ab^2c + 2a^2c^2)d^3 + 3(a^2b^3 - 3a^2bc)d^2e - 3(a^2b^2 - 2a^3c)d^2e^2 + (a^4b^2 - 4a^5c)d^2e^3 + 3a^4c^2)d^2e^4 - 3(6a^5bd^2e^5 - a^6e^6 - (b^6 - 4ab^4c + 4a^2b^2c^2)d^6 + 6(a^2b^5 - 3a^2b^3c + 2a^3bc^2)d^5e - 3(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2(10a^3b^3 - 11a^4bc)d^3e^3 - 3(5a^4b^2 - 2a^5c)d^2e^4)/(a^8b^2 - 4a^9c))} + \log(\sqrt{2}) * ((b^6 - 6ab^4c + 8a^2b^2c^2)d^4 - (4ab^5 - 21a^2b^3c + 20a^3bc^2)d^3e + 3(2a^2b^4 - 9a^3b^2c + 4a^4c^2)d^2e^2 - 4(a^3b^3 - 4a^4bc)d^2e^3 + (a^4b^2 - 4a^5c)e^4 + ((a^4b^4 - 6a^5b^2c + 8a^6c^2)d - (a^5b^3 - 4a^6bc)e)\sqrt{-(6a^5bd^2e^5 - a^6e^6 - (b^6 - 4ab^4c + 4a^2b^2c^2)d^6 + 6(a^2b^5 - 3a^2b^3c + 2a^3bc^2)d^5e - 3(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2(10a^3b^3 - 11a^4bc)d^3e^3 - 3(5a^4b^2 - 2a^5c)d^2e^4)/(a^8b^2 - 4a^9c)}}) * \sqrt{-(a^3b^2e^3 - (b^4 - 4ab^2c + 2a^2c^2)d^3 + 3(a^2b^3 - 3a^2bc)d^2e - 3(a^2b^2 - 2a^3c)d^2e^2 + (a^4b^2 - 4a^5c)d^2e^3 - 3(6a^5bd^2e^5 - a^6e^6 - (b^6 - 4ab^4c + 4a^2b^2c^2)d^6 + 6(a^2b^5 - 3a^2b^3c + 2a^3bc^2)d^5e - 3(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2(10a^3b^3 - 11a^4bc)d^3e^3 - 3(5a^4b^2 - 2a^5c)d^2e^4)/(a^8b^2 - 4a^9c)}}] \frac{1}{a^2}$

$$\begin{aligned}
&^4)/(a^8b^2 - 4a^9c)))/(a^4b^2 - 4a^5c)) - 4*(4a^3b^3c^2d^4e^4 - a^4c^2e^5 + (b^3c^2 - 2a^2b^3c^3)d^5 - (b^4c + a^2b^2c^2 - 3a^2c^3)d^4e + \\
&2*(2a^2b^3c - a^2b^3c^2)d^3e^2 - 2*(3a^2b^2c - a^3c^2)d^2e^3)*\sqrt{(e*x + d)} - \sqrt{2}*a^2*x*\sqrt{-(a^3b^3e^3 - (b^4 - 4a^2b^2c + 2a^2c^2)d^3 + 3*(a^2b^3 - 3a^2b^3c)d^2e - 3*(a^2b^2 - 2a^3c)d^2e^2 + (a^4b^2 - 4a^5c)*\sqrt{-(6a^5b^3d^5e^5 - a^6e^6 - (b^6 - 4a^2b^4c + 4a^2b^2c^2)d^6 + 6*(a^2b^5 - 3a^2b^3c + 2a^3b^3c^2)d^5e - 3*(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2*(10a^3b^3 - 11a^4b^3c)d^3e^3 - 3*(5a^4b^2 - 2a^5c)d^2e^4)/(a^8b^2 - 4a^9c)))/(a^4b^2 - 4a^5c))*\log(-\sqrt{2}*((b^6 - 6a^2b^4c + 8a^2b^2c^2)d^4 - (4a^2b^5 - 21a^2b^3c + 20a^3b^3c^2)d^3e + 3*(2a^2b^4 - 9a^3b^2c + 4a^4c^2)d^2e^2 - 4*(a^3b^3 - 4a^4b^3c)d^2e^3 + (a^4b^2 - 4a^5c)e^4 + ((a^4b^4 - 6a^5b^2c + 8a^6c^2)d - (a^5b^3 - 4a^6b^3c)*e)*\sqrt{-(6a^5b^3d^5e^5 - a^6e^6 - (b^6 - 4a^2b^4c + 4a^2b^2c^2)d^6 + 6*(a^2b^5 - 3a^2b^3c + 2a^3b^3c^2)d^5e - 3*(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2*(10a^3b^3 - 11a^4b^3c)d^3e^3 - 3*(5a^4b^2 - 2a^5c)d^2e^4)/(a^8b^2 - 4a^9c)))*\sqrt{-(a^3b^3e^3 - (b^4 - 4a^2b^2c + 2a^2c^2)d^3 + 3*(a^2b^3 - 3a^2b^3c)d^2e - 3*(a^2b^2 - 2a^3c)d^2e^2 + (a^4b^2 - 4a^5c)*\sqrt{-(6a^5b^3d^5e^5 - a^6e^6 - (b^6 - 4a^2b^4c + 4a^2b^2c^2)d^6 + 6*(a^2b^5 - 3a^2b^3c + 2a^3b^3c^2)d^5e - 3*(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2*(10a^3b^3 - 11a^4b^3c)d^3e^3 - 3*(5a^4b^2 - 2a^5c)d^2e^4)/(a^8b^2 - 4a^9c)))/(a^4b^2 - 4a^5c)) - 4*(4a^3b^3c^2d^4e^4 - a^4c^2e^5 + (b^3c^2 - 2a^2b^3c^3)d^5 - (b^4c + a^2b^2c^2 - 3a^2c^3)d^4e + 2*(2a^2b^3c - a^2b^3c^2)d^3e^2 - 2*(3a^2b^2c - a^3c^2)d^2e^3)*\sqrt{(e*x + d)} + \sqrt{2}*a^2*x*\sqrt{-(a^3b^3e^3 - (b^4 - 4a^2b^2c + 2a^2c^2)d^3 + 3*(a^2b^3 - 3a^2b^3c)d^2e - 3*(a^2b^2 - 2a^3c)d^2e^2 - (a^4b^2 - 4a^5c)*\sqrt{-(6a^5b^3d^5e^5 - a^6e^6 - (b^6 - 4a^2b^4c + 4a^2b^2c^2)d^6 + 6*(a^2b^5 - 3a^2b^3c + 2a^3b^3c^2)d^5e - 3*(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2*(10a^3b^3 - 11a^4b^3c)d^3e^3 - 3*(5a^4b^2 - 2a^5c)d^2e^4)/(a^8b^2 - 4a^9c)))/(a^4b^2 - 4a^5c))*\log(\sqrt{2}*((b^6 - 6a^2b^4c + 8a^2b^2c^2)d^4 - (4a^2b^5 - 21a^2b^3c + 20a^3b^3c^2)d^3e + 3*(2a^2b^4 - 9a^3b^2c + 4a^4c^2)d^2e^2 - 4*(a^3b^3 - 4a^4b^3c)d^2e^3 + (a^4b^2 - 4a^5c)e^4 - ((a^4b^4 - 6a^5b^2c + 8a^6c^2)d - (a^5b^3 - 4a^6b^3c)*e)*\sqrt{-(6a^5b^3d^5e^5 - a^6e^6 - (b^6 - 4a^2b^4c + 4a^2b^2c^2)d^6 + 6*(a^2b^5 - 3a^2b^3c + 2a^3b^3c^2)d^5e - 3*(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2*(10a^3b^3 - 11a^4b^3c)d^3e^3 - 3*(5a^4b^2 - 2a^5c)d^2e^4)/(a^8b^2 - 4a^9c)))/(a^4b^2 - 4a^5c)) - 4*(4a^3b^3c^2d^4e^4 - a^4c^2e^5 + (b^3c^2 - 2a^2b^3c^3)d^5 - (b^4c + a^2b^2c^2 - 3a^2c^3)d^4e + 2*(2a^2b^3c - a^2b^3c^2)d^3e^2 - 2*(3a^2b^2c - a^3c^2)d^2e^3)*\sqrt{(e*x + d)} + \sqrt{2}*a^2*x*\sqrt{-(a^3b^3e^3 - (b^4 - 4a^2b^2c + 2a^2c^2)d^3 + 3*(a^2b^3 - 3a^2b^3c)d^2e - 3*(a^2b^2 - 2a^3c)d^2e^2 - (a^4b^2 - 4a^5c)*\sqrt{-(6a^5b^3d^5e^5 - a^6e^6 - (b^6 - 4a^2b^4c + 4a^2b^2c^2)d^6 + 6*(a^2b^5 - 3a^2b^3c + 2a^3b^3c^2)d^5e - 3*(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2*(10a^3b^3 - 11a^4b^3c)d^3e^3 - 3*(5a^4b^2 - 2a^5c)d^2e^4)/(a^8b^2 - 4a^9c)))/(a^4b^2 - 4a^5c)) - 4*(4a^3b^3c^2d^4e^4 - a^4c^2e^5 + (b^3c^2 - 2a^2b^3c^3)d^5 - (b^4c + a^2b^2c^2 - 3a^2c^3)d^4e + 2*(2a^2b^3c - a^2b^3c^2)d^3e^2 - 2*(3a^2b^2c - a^3c^2)*
\end{aligned}$$

$$\begin{aligned}
& d^2 e^3) \sqrt{e x + d}) - \sqrt{2} a^2 x \sqrt{-(a^3 b e^3 - (b^4 - 4 a b^2 c \\
& + 2 a^2 c^2) d^3 + 3(a b^3 - 3 a^2 b c) d^2 e - 3(a^2 b^2 - 2 a^3 c) d e \\
& ^2 - (a^4 b^2 - 4 a^5 c) \sqrt{-(6 a^5 b d e^5 - a^6 e^6 - (b^6 - 4 a b^4 c \\
& + 4 a^2 b^2 c^2) d^6 + 6(a b^5 - 3 a^2 b^3 c + 2 a^3 b c^2) d^5 e - 3(5 a \\
& ^2 b^4 - 10 a^3 b^2 c + 3 a^4 c^2) d^4 e^2 + 2(10 a^3 b^3 - 11 a^4 b c) d^ \\
& 3 e^3 - 3(5 a^4 b^2 - 2 a^5 c) d^2 e^4) / (a^8 b^2 - 4 a^9 c))} / (a^4 b^2 - 4 \\
& a^5 c)) * \log(-\sqrt{2} * ((b^6 - 6 a b^4 c + 8 a^2 b^2 c^2) d^4 - (4 a b^5 - 2 \\
& 1 a^2 b^3 c + 20 a^3 b c^2) d^3 e + 3(2 a^2 b^4 - 9 a^3 b^2 c + 4 a^4 c^2) \\
& * d^2 e^2 - 4(a^3 b^3 - 4 a^4 b c) d e^3 + (a^4 b^2 - 4 a^5 c) e^4 - ((a^4 b \\
& b^4 - 6 a^5 b^2 c + 8 a^6 c^2) d - (a^5 b^3 - 4 a^6 b c) e) \sqrt{-(6 a^5 b d \\
& e^5 - a^6 e^6 - (b^6 - 4 a b^4 c + 4 a^2 b^2 c^2) d^6 + 6(a b^5 - 3 a^2 b \\
& b^3 c + 2 a^3 b c^2) d^5 e - 3(5 a^2 b^4 - 10 a^3 b^2 c + 3 a^4 c^2) d^4 e \\
& ^2 + 2(10 a^3 b^3 - 11 a^4 b c) d^3 e^3 - 3(5 a^4 b^2 - 2 a^5 c) d^2 e^4) \\
& / (a^8 b^2 - 4 a^9 c))} \sqrt{-(a^3 b e^3 - (b^4 - 4 a b^2 c + 2 a^2 c^2) d^3 \\
& + 3(a b^3 - 3 a^2 b c) d^2 e - 3(a^2 b^2 - 2 a^3 c) d e^2 - (a^4 b^2 - 4 \\
& a^5 c) \sqrt{-(6 a^5 b d e^5 - a^6 e^6 - (b^6 - 4 a b^4 c + 4 a^2 b^2 c^2) d^6 \\
& + 6(a b^5 - 3 a^2 b^3 c + 2 a^3 b c^2) d^5 e - 3(5 a^2 b^4 - 10 a^3 b^2 c \\
& + 3 a^4 c^2) d^4 e^2 + 2(10 a^3 b^3 - 11 a^4 b c) d^3 e^3 - 3(5 a^4 b^2 - 2 a^5 c) \\
& d^2 e^4) / (a^8 b^2 - 4 a^9 c))} / (a^4 b^2 - 4 a^5 c)) - 4(4 a \\
& ^3 b c d e^4 - a^4 c e^5 + (b^3 c^2 - 2 a b c^3) d^5 - (b^4 c + a b^2 c^2 - \\
& 3 a^2 c^3) d^4 e + 2(2 a b^3 c - a^2 b c^2) d^3 e^2 - 2(3 a^2 b^2 c - a^ \\
& 3 c^2) d^2 e^3) \sqrt{e x + d}) + (2 b d - 3 a e) \sqrt{d} x \log((e x - 2 \sqrt{ \\
& t(e x + d) \sqrt{d} + 2 d) / x) + 2 \sqrt{e x + d} a d) / (a^2 x), -1 / 2 * (\sqrt{2} * \\
& a^2 x \sqrt{-(a^3 b e^3 - (b^4 - 4 a b^2 c + 2 a^2 c^2) d^3 + 3(a b^3 - 3 a \\
& ^2 b c) d^2 e - 3(a^2 b^2 - 2 a^3 c) d e^2 + (a^4 b^2 - 4 a^5 c) \sqrt{-(6 a \\
& ^5 b d e^5 - a^6 e^6 - (b^6 - 4 a b^4 c + 4 a^2 b^2 c^2) d^6 + 6(a b^5 - \\
& 3 a^2 b^3 c + 2 a^3 b c^2) d^5 e - 3(5 a^2 b^4 - 10 a^3 b^2 c + 3 a^4 c^2) \\
& * d^4 e^2 + 2(10 a^3 b^3 - 11 a^4 b c) d^3 e^3 - 3(5 a^4 b^2 - 2 a^5 c) d^ \\
& 2 e^4) / (a^8 b^2 - 4 a^9 c))} / (a^4 b^2 - 4 a^5 c)) * \log(\sqrt{2} * ((b^6 - 6 a b \\
& ^4 c + 8 a^2 b^2 c^2) d^4 - (4 a b^5 - 21 a^2 b^3 c + 20 a^3 b c^2) d^3 e + \\
& 3(2 a^2 b^4 - 9 a^3 b^2 c + 4 a^4 c^2) d^2 e^2 - 4(a^3 b^3 - 4 a^4 b c) * \\
& d e^3 + (a^4 b^2 - 4 a^5 c) e^4 + ((a^4 b^4 - 6 a^5 b^2 c + 8 a^6 c^2) d - \\
& (a^5 b^3 - 4 a^6 b c) e) \sqrt{-(6 a^5 b d e^5 - a^6 e^6 - (b^6 - 4 a b^4 c \\
& + 4 a^2 b^2 c^2) d^6 + 6(a b^5 - 3 a^2 b^3 c + 2 a^3 b c^2) d^5 e - 3(5 a \\
& ^2 b^4 - 10 a^3 b^2 c + 3 a^4 c^2) d^4 e^2 + 2(10 a^3 b^3 - 11 a^4 b c) d^ \\
& 3 e^3 - 3(5 a^4 b^2 - 2 a^5 c) d^2 e^4) / (a^8 b^2 - 4 a^9 c))} \sqrt{-(a^3 b \\
& e^3 - (b^4 - 4 a b^2 c + 2 a^2 c^2) d^3 + 3(a b^3 - 3 a^2 b c) d^2 e - 3 \\
& (a^2 b^2 - 2 a^3 c) d e^2 + (a^4 b^2 - 4 a^5 c) \sqrt{-(6 a^5 b d e^5 - a^6 e^6 \\
& - (b^6 - 4 a b^4 c + 4 a^2 b^2 c^2) d^6 + 6(a b^5 - 3 a^2 b^3 c + 2 a^ \\
& 3 b c^2) d^5 e - 3(5 a^2 b^4 - 10 a^3 b^2 c + 3 a^4 c^2) d^4 e^2 + 2(10 a \\
& ^3 b^3 - 11 a^4 b c) d^3 e^3 - 3(5 a^4 b^2 - 2 a^5 c) d^2 e^4) / (a^8 b^2 - \\
& 4 a^9 c))} / (a^4 b^2 - 4 a^5 c)) - 4(4 a^3 b c d e^4 - a^4 c e^5 + (b^3 c^2 \\
& - 2 a b c^3) d^5 - (b^4 c + a b^2 c^2 - 3 a^2 c^3) d^4 e + 2(2 a b^3 c - \\
& a^2 b c^2) d^3 e^2 - 2(3 a^2 b^2 c - a^3 c^2) d^2 e^3) \sqrt{e x + d}) - \sqrt{ \\
& rt(2) a^2 x \sqrt{-(a^3 b e^3 - (b^4 - 4 a b^2 c + 2 a^2 c^2) d^3 + 3(a b^3
\end{aligned}$$

$$\begin{aligned}
& - 3a^2bc)d^2e - 3(a^2b^2 - 2a^3c)d^2e + (a^4b^2 - 4a^5c)\sqrt{t} \\
& \left( -(6a^5bd^5e - a^6e^6 - (b^6 - 4ab^4c + 4a^2b^2c^2)d^6 + 6(a^5b^5 - 3a^2b^3c + 2a^3bc^2)d^5e - 3(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2(10a^3b^3 - 11a^4bc)d^3e^3 - 3(5a^4b^2 - 2a^5c)d^2e^4) / (a^8b^2 - 4a^9c) \right) / (a^4b^2 - 4a^5c) \\
& \log(-\sqrt{2}) \left( (b^6 - 6ab^4c + 8a^2b^2c^2)d^4 - (4ab^5 - 21a^2b^3c + 20a^3bc^2)d^3e + 3(2a^2b^4 - 9a^3b^2c + 4a^4c^2)d^2e^2 - 4(a^3b^3 - 4a^4bc)d^2e^3 + (a^4b^2 - 4a^5c)e^4 + ((a^4b^4 - 6a^5b^2c + 8a^6c^2)d - (a^5b^3 - 4a^6bc)e) \right) \\
& \sqrt{-(6a^5bd^5e - a^6e^6 - (b^6 - 4ab^4c + 4a^2b^2c^2)d^6 + 6(a^5b^5 - 3a^2b^3c + 2a^3bc^2)d^5e - 3(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2(10a^3b^3 - 11a^4bc)d^3e^3 - 3(5a^4b^2 - 2a^5c)d^2e^4) / (a^8b^2 - 4a^9c)} \\
& \sqrt{-(a^3be^3 - (b^4 - 4ab^2c + 2a^2c^2)d^3 + 3(ab^3 - 3a^2bc)d^2e - 3(a^2b^2 - 2a^3c)d^2e + (a^4b^2 - 4a^5c)\sqrt{-(6a^5bd^5e - a^6e^6 - (b^6 - 4ab^4c + 4a^2b^2c^2)d^6 + 6(a^5b^5 - 3a^2b^3c + 2a^3bc^2)d^5e - 3(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2(10a^3b^3 - 11a^4bc)d^3e^3 - 3(5a^4b^2 - 2a^5c)d^2e^4) / (a^8b^2 - 4a^9c)}} \\
& - 4(4a^3bc^2d^5e - a^4c^3e^5 + (b^3c^2 - 2abc^3)d^5 - (b^4c + ab^2c^2 - 3a^2c^3)d^4e + 2(2ab^3c - a^2bc^2)d^3e^2 - 2(3a^2b^2c - a^3c^2)d^2e^3) \sqrt{ex + d} \\
& + \sqrt{2}a^2x\sqrt{-(a^3be^3 - (b^4 - 4ab^2c + 2a^2c^2)d^3 + 3(ab^3 - 3a^2bc)d^2e - 3(a^2b^2 - 2a^3c)d^2e - (a^4b^2 - 4a^5c)\sqrt{-(6a^5bd^5e - a^6e^6 - (b^6 - 4ab^4c + 4a^2b^2c^2)d^6 + 6(a^5b^5 - 3a^2b^3c + 2a^3bc^2)d^5e - 3(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2(10a^3b^3 - 11a^4bc)d^3e^3 - 3(5a^4b^2 - 2a^5c)d^2e^4) / (a^8b^2 - 4a^9c)}} \\
& + 6(a^5bd^5e - a^6e^6 - (b^6 - 4ab^4c + 4a^2b^2c^2)d^6 + 6(a^5b^5 - 3a^2b^3c + 2a^3bc^2)d^5e - 3(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2(10a^3b^3 - 11a^4bc)d^3e^3 - 3(5a^4b^2 - 2a^5c)d^2e^4) / (a^8b^2 - 4a^9c)} \\
& \log(\sqrt{2}) \left( (b^6 - 6ab^4c + 8a^2b^2c^2)d^4 - (4ab^5 - 21a^2b^3c + 20a^3bc^2)d^3e + 3(2a^2b^4 - 9a^3b^2c + 4a^4c^2)d^2e^2 - 4(a^3b^3 - 4a^4bc)d^2e^3 + (a^4b^2 - 4a^5c)e^4 - ((a^4b^4 - 6a^5b^2c + 8a^6c^2)d - (a^5b^3 - 4a^6bc)e) \right) \\
& \sqrt{-(6a^5bd^5e - a^6e^6 - (b^6 - 4ab^4c + 4a^2b^2c^2)d^6 + 6(a^5b^5 - 3a^2b^3c + 2a^3bc^2)d^5e - 3(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2(10a^3b^3 - 11a^4bc)d^3e^3 - 3(5a^4b^2 - 2a^5c)d^2e^4) / (a^8b^2 - 4a^9c)} \\
& \sqrt{-(a^3be^3 - (b^4 - 4ab^2c + 2a^2c^2)d^3 + 3(ab^3 - 3a^2bc)d^2e - 3(a^2b^2 - 2a^3c)d^2e - (a^4b^2 - 4a^5c)\sqrt{-(6a^5bd^5e - a^6e^6 - (b^6 - 4ab^4c + 4a^2b^2c^2)d^6 + 6(a^5b^5 - 3a^2b^3c + 2a^3bc^2)d^5e - 3(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2(10a^3b^3 - 11a^4bc)d^3e^3 - 3(5a^4b^2 - 2a^5c)d^2e^4) / (a^8b^2 - 4a^9c)}} \\
& - 4(4a^3bc^2d^5e - a^4c^3e^5 + (b^3c^2 - 2abc^3)d^5 - (b^4c + ab^2c^2 - 3a^2c^3)d^4e + 2(2ab^3c - a^2bc^2)d^3e^2 - 2(3a^2b^2c - a^3c^2)d^2e^3) \sqrt{ex + d} \\
& - \sqrt{2}a^2x\sqrt{-(a^3be^3 - (b^4 - 4ab^2c + 2a^2c^2)d^3 + 3(ab^3 - 3a^2bc)d^2e - 3(a^2b^2 - 2a^3c)d^2e - (a^4b^2 - 4a^5c)\sqrt{-(6a^5bd^5e - a^6e^6 - (b^6 - 4ab^4c + 4a^2b^2c^2)d^6 + 6(a^5b^5 - 3a^2b^3c + 2a^3bc^2)d^5e - 3(5a^2b^4 - 10a^3b^2c + 3a^4c^2)d^4e^2 + 2(10a^3b^3 - 11a^4bc)d^3e^3 - 3(5a^4b^2 - 2a^5c)d^2e^4) / (a^8b^2 - 4a^9c)}}
\end{aligned}$$

```

*b^2*c + 3*a^4*c^2)*d^4*e^2 + 2*(10*a^3*b^3 - 11*a^4*b*c)*d^3*e^3 - 3*(5*a^
4*b^2 - 2*a^5*c)*d^2*e^4)/(a^8*b^2 - 4*a^9*c))/(a^4*b^2 - 4*a^5*c))*log(-s
qrt(2)*((b^6 - 6*a*b^4*c + 8*a^2*b^2*c^2)*d^4 - (4*a*b^5 - 21*a^2*b^3*c + 2
0*a^3*b*c^2)*d^3*e + 3*(2*a^2*b^4 - 9*a^3*b^2*c + 4*a^4*c^2)*d^2*e^2 - 4*(a
^3*b^3 - 4*a^4*b*c)*d*e^3 + (a^4*b^2 - 4*a^5*c)*e^4 - ((a^4*b^4 - 6*a^5*b^2
*c + 8*a^6*c^2)*d - (a^5*b^3 - 4*a^6*b*c)*e)*sqrt(-(6*a^5*b*d*e^5 - a^6*e^6
- (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^6 + 6*(a*b^5 - 3*a^2*b^3*c + 2*a^3*b
*c^2)*d^5*e - 3*(5*a^2*b^4 - 10*a^3*b^2*c + 3*a^4*c^2)*d^4*e^2 + 2*(10*a^3*
b^3 - 11*a^4*b*c)*d^3*e^3 - 3*(5*a^4*b^2 - 2*a^5*c)*d^2*e^4)/(a^8*b^2 - 4*a
^9*c)))*sqrt(-(a^3*b*e^3 - (b^4 - 4*a*b^2*c + 2*a^2*c^2)*d^3 + 3*(a*b^3 - 3
*a^2*b*c)*d^2*e - 3*(a^2*b^2 - 2*a^3*c)*d*e^2 - (a^4*b^2 - 4*a^5*c)*sqrt(-(
6*a^5*b*d*e^5 - a^6*e^6 - (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*d^6 + 6*(a*b^5
- 3*a^2*b^3*c + 2*a^3*b*c^2)*d^5*e - 3*(5*a^2*b^4 - 10*a^3*b^2*c + 3*a^4*c^
2)*d^4*e^2 + 2*(10*a^3*b^3 - 11*a^4*b*c)*d^3*e^3 - 3*(5*a^4*b^2 - 2*a^5*c)*
d^2*e^4)/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c)) - 4*(4*a^3*b*c*d*e^4 -
a^4*c*e^5 + (b^3*c^2 - 2*a*b*c^3)*d^5 - (b^4*c + a*b^2*c^2 - 3*a^2*c^3)*d^4
*e + 2*(2*a*b^3*c - a^2*b*c^2)*d^3*e^2 - 2*(3*a^2*b^2*c - a^3*c^2)*d^2*e^3)
*sqrt(e*x + d) + 2*(2*b*d - 3*a*e)*sqrt(-d)*x*arctan(sqrt(e*x + d)*sqrt(-d
)/d) + 2*sqrt(e*x + d)*a*d)/(a^2*x)]

```

**giac** [A] time = 0.55, size = 425, normalized size = 1.05

$$\frac{\sqrt{ax+d} \cdot \frac{(2bd^2-3ad)\arctan\left(\frac{\sqrt{ax+d}}{\sqrt{-d}}\right)}{a^2\sqrt{-d}} - \frac{\sqrt{-4c^2d+2(bc-\sqrt{b^2-4ac})}\left((b^2-2ac+\sqrt{b^2-4ac})d-(ab+\sqrt{b^2-4ac})\right)\arctan\left(\frac{2\sqrt{-d}}{2a^2d-2a\sqrt{-4(ac^2d-2a^2b^2e+a^3e^2)}}\right)}{2\sqrt{b^2-4ac}|c|}}{\sqrt{-4c^2d+2(bc+\sqrt{b^2-4ac})}\left((b^2-2ac-\sqrt{b^2-4ac})d-(ab-\sqrt{b^2-4ac})\right)\arctan\left(\frac{2\sqrt{-d}}{2a^2d-2a\sqrt{-4(ac^2d-2a^2b^2e+a^3e^2)}}\right)} - \frac{\sqrt{-4c^2d+2(bc+\sqrt{b^2-4ac})}\left((b^2-2ac-\sqrt{b^2-4ac})d-(ab-\sqrt{b^2-4ac})\right)\arctan\left(\frac{2\sqrt{-d}}{2a^2d-2a\sqrt{-4(ac^2d-2a^2b^2e+a^3e^2)}}\right)}{2\sqrt{b^2-4ac}|c|}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/x^2/(c\*x^2+b\*x+a),x, algorithm="giac")

```

[Out] -sqrt(x*e + d)*d/(a*x) - (2*b*d^2 - 3*a*d*e)*arctan(sqrt(x*e + d)/sqrt(-d))
/(a^2*sqrt(-d)) - 1/2*sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c)*c)*e)*((b^
2 - 2*a*c + sqrt(b^2 - 4*a*c)*b)*d - (a*b + sqrt(b^2 - 4*a*c)*a)*e)*arctan(
2*sqrt(1/2)*sqrt(x*e + d)/sqrt(-(2*a^2*c*d - a^2*b*e + sqrt(-4*(a^2*c*d^2 -
a^2*b*d*e + a^3*e^2))*a^2*c + (2*a^2*c*d - a^2*b*e)^2))/(a^2*c)))/(sqrt(b^2
- 4*a*c)*a^2*abs(c)) + 1/2*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c)*c)*e
)*((b^2 - 2*a*c - sqrt(b^2 - 4*a*c)*b)*d - (a*b - sqrt(b^2 - 4*a*c)*a)*e)*a
rctan(2*sqrt(1/2)*sqrt(x*e + d)/sqrt(-(2*a^2*c*d - a^2*b*e - sqrt(-4*(a^2*c
*d^2 - a^2*b*d*e + a^3*e^2))*a^2*c + (2*a^2*c*d - a^2*b*e)^2))/(a^2*c)))/(sq
rt(b^2 - 4*a*c)*a^2*abs(c))

```

**maple** [B] time = 0.05, size = 1215, normalized size = 3.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/x^2/(c\*x^2+b\*x+a),x)



```
[Out] -d*(e*x+d)^(1/2)/a/x-3*e*arctanh((e*x+d)^(1/2)/d^(1/2))*d^(1/2)/a+2*d^(3/2)
/a^2*arctanh((e*x+d)^(1/2)/d^(1/2))*b-2*e^3*c/(-(4*a*c-b^2)*e^2)^(1/2)*2^(1
/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2
^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*c)+2*e^2/a*c/(-(4*a*
c-b^2)*e^2)^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*a
rctanh((e*x+d)^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2
)*c)*b*d+2*e/a*c^2/(-(4*a*c-b^2)*e^2)^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*c-b
^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1/2)/((-b*e+2*c*d+(-4*a*
c-b^2)*e^2)^(1/2))*c^(1/2)*c)*d^2-e/a^2*c/(-(4*a*c-b^2)*e^2)^(1/2)*2^(1/2)
/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1
/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*c)*b^2*d^2+2*e/a*c*2^(1
/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2
^(1/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*c)*d-1/a^2*c*2^(1/2)
/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctanh((e*x+d)^(1/2)*2^(1
/2)/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*c)*b*d^2-2*e^3*c/(-(4*a
*c-b^2)*e^2)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*a
rctan((e*x+d)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*
c)+2*e^2/a*c/(-(4*a*c-b^2)*e^2)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2
)^(1/2))*c^(1/2)*arctan((e*x+d)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^
2)^(1/2))*c^(1/2)*c)*b*d+2*e/a*c^2/(-(4*a*c-b^2)*e^2)^(1/2)*2^(1/2)/((b*e
-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctan((e*x+d)^(1/2)*2^(1/2)/((b*e
-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*c)*d^2-e/a^2*c/(-(4*a*c-b^2)*e^2)
^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctan((e*x+d)
)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*c)*b^2*d^2-2
*e/a*c*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctan((e*x+d)
)^(1/2)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*c)*d+1/a^2*c
*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*arctan((e*x+d)^(1/2)
)*2^(1/2)/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^(1/2))*c^(1/2)*c)*b*d^2
```

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{(cx^2 + bx + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)/x^2/(c*x^2+b*x+a),x, algorithm="maxima")
```

```
[Out] integrate((e*x + d)^(3/2)/((c*x^2 + b*x + a)*x^2), x)
```

**mupad [B]** time = 7.36, size = 29890, normalized size = 74.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x)^(3/2)/(x^2*(a + b*x + c*x^2)),x)
```

```
[Out] (d^(1/2)*atan(((d^(1/2))*((8*(d + e*x)^(1/2))*(4*a^6*c^3*e^16 + 4*a^2*c^7*d^8
*e^8 - 2*a^3*c^6*d^6*e^10 + 132*a^4*c^5*d^4*e^12 - 2*a^5*c^4*d^2*e^14 + 4*b
^4*c^5*d^8*e^8 + 129*a^2*b^2*c^5*d^6*e^10 - 32*a^2*b^3*c^4*d^5*e^11 + 8*a^2
*b^4*c^3*d^4*e^12 + 88*a^3*b^2*c^4*d^4*e^12 - 28*a^3*b^3*c^3*d^3*e^13 + 33*
a^4*b^2*c^3*d^2*e^14 - 16*a^5*b*c^3*d*e^15 - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3
*c^5*d^7*e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^11 - 60*a^4*b*c^4*
d^3*e^13)))/a^4 - (d^(1/2))*((8*(56*a^4*c^6*d^6*e^9 - 44*a^5*c^5*d^4*e^11 - 1
00*a^6*c^4*d^2*e^13 + 40*a^2*b^3*c^5*d^7*e^8 - 39*a^2*b^5*c^3*d^5*e^10 - 11
*a^2*b^6*c^2*d^4*e^11 - 108*a^3*b^2*c^5*d^6*e^9 + 96*a^3*b^3*c^4*d^5*e^10 +
111*a^3*b^4*c^3*d^4*e^11 + 22*a^3*b^5*c^2*d^3*e^12 - 237*a^4*b^2*c^4*d^4*e
^11 - 161*a^4*b^3*c^3*d^3*e^12 - 19*a^4*b^4*c^2*d^2*e^13 + 111*a^5*b^2*c^3*
d^2*e^13 - 28*a^6*b*c^3*d*e^14 - 8*a*b^5*c^4*d^7*e^8 + 6*a*b^6*c^3*d^6*e^9
+ 2*a*b^7*c^2*d^5*e^10 - 32*a^3*b*c^6*d^7*e^8 + 92*a^4*b*c^5*d^5*e^10 + 252
*a^5*b*c^4*d^3*e^12 + 6*a^5*b^3*c^2*d*e^14))/a^4 + (d^(1/2))*((8*(d + e*x)^(
1/2))*(16*a^7*b*c^3*e^13 + 88*a^7*c^4*d*e^12 - 4*a^6*b^3*c^2*e^13 - 40*a^5*c
^6*d^5*e^8 + 184*a^6*c^5*d^3*e^10 + 8*a^2*b^6*c^3*d^5*e^8 - 8*a^2*b^7*c^2*d
^4*e^9 - 56*a^3*b^4*c^4*d^5*e^8 + 36*a^3*b^5*c^3*d^4*e^9 + 28*a^3*b^6*c^2*d
^3*e^10 + 108*a^4*b^2*c^5*d^5*e^8 + 36*a^4*b^3*c^4*d^4*e^9 - 179*a^4*b^4*c^
3*d^3*e^10 - 33*a^4*b^5*c^2*d^2*e^11 + 234*a^5*b^2*c^4*d^3*e^10 + 215*a^5*b
^3*c^3*d^2*e^11 - 224*a^5*b*c^5*d^4*e^9 + 16*a^5*b^4*c^2*d*e^12 - 348*a^6*b
*c^4*d^2*e^11 - 84*a^6*b^2*c^3*d*e^12))/a^4 + (d^(1/2))*((3*a*e - 2*b*d))*((8*
(80*a^8*c^4*d*e^11 + 80*a^7*c^5*d^3*e^9 + 8*a^5*b^3*c^4*d^4*e^8 - 6*a^5*b^4
*c^3*d^3*e^9 - 2*a^5*b^5*c^2*d^2*e^10 + 4*a^6*b^2*c^4*d^3*e^9 + 36*a^6*b^3*
c^3*d^2*e^10 - 32*a^6*b*c^5*d^4*e^8 + 2*a^6*b^4*c^2*d*e^11 - 112*a^7*b*c^4*
d^2*e^10 - 28*a^7*b^2*c^3*d*e^11))/a^4 - (4*d^(1/2))*((3*a*e - 2*b*d))*(d + e*
x)^(1/2))*(64*a^9*c^4*e^10 + 4*a^7*b^4*c^2*e^10 - 32*a^8*b^2*c^3*e^10 + 96*a
^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 56*a^7*b^2*c^4*d^2*e^8 - 112*a^8*b
*c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7*b^3*c^3*d*e^9))/a^6)/(2*a^2))*(3
*a*e - 2*b*d))/(2*a^2))*(3*a*e - 2*b*d))/(2*a^2))*(3*a*e - 2*b*d)*i)/(2*a^
2) + (d^(1/2))*((8*(d + e*x)^(1/2))*(4*a^6*c^3*e^16 + 4*a^2*c^7*d^8*e^8 - 2*a
^3*c^6*d^6*e^10 + 132*a^4*c^5*d^4*e^12 - 2*a^5*c^4*d^2*e^14 + 4*b^4*c^5*d^8
*e^8 + 129*a^2*b^2*c^5*d^6*e^10 - 32*a^2*b^3*c^4*d^5*e^11 + 8*a^2*b^4*c^3*d
^4*e^12 + 88*a^3*b^2*c^4*d^4*e^12 - 28*a^3*b^3*c^3*d^3*e^13 + 33*a^4*b^2*c^
3*d^2*e^14 - 16*a^5*b*c^3*d*e^15 - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e
^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^11 - 60*a^4*b*c^4*d^3*e^13)
)/a^4 + (d^(1/2))*((8*(56*a^4*c^6*d^6*e^9 - 44*a^5*c^5*d^4*e^11 - 100*a^6*c^4
*d^2*e^13 + 40*a^2*b^3*c^5*d^7*e^8 - 39*a^2*b^5*c^3*d^5*e^10 - 11*a^2*b^6*c
^2*d^4*e^11 - 108*a^3*b^2*c^5*d^6*e^9 + 96*a^3*b^3*c^4*d^5*e^10 + 111*a^3*b
^4*c^3*d^4*e^11 + 22*a^3*b^5*c^2*d^3*e^12 - 237*a^4*b^2*c^4*d^4*e^11 - 161*
a^4*b^3*c^3*d^3*e^12 - 19*a^4*b^4*c^2*d^2*e^13 + 111*a^5*b^2*c^3*d^2*e^13 -
28*a^6*b*c^3*d*e^14 - 8*a*b^5*c^4*d^7*e^8 + 6*a*b^6*c^3*d^6*e^9 + 2*a*b^7*
c^2*d^5*e^10 - 32*a^3*b*c^6*d^7*e^8 + 92*a^4*b*c^5*d^5*e^10 + 252*a^5*b*c^4
*d^3*e^12 + 6*a^5*b^3*c^2*d*e^14))/a^4 - (d^(1/2))*((8*(d + e*x)^(1/2))*(16*a
^7*b*c^3*e^13 + 88*a^7*c^4*d*e^12 - 4*a^6*b^3*c^2*e^13 - 40*a^5*c^6*d^5*e^8
+ 184*a^6*c^5*d^3*e^10 + 8*a^2*b^6*c^3*d^5*e^8 - 8*a^2*b^7*c^2*d^4*e^9 - 5
```

$$\begin{aligned}
& 6a^3b^4c^4d^5e^8 + 36a^3b^5c^3d^4e^9 + 28a^3b^6c^2d^3e^{10} + 108a^4b^2c^5d^5e^8 + 36a^4b^3c^4d^4e^9 - 179a^4b^4c^3d^3e^{10} \\
& - 33a^4b^5c^2d^2e^{11} + 234a^5b^2c^4d^3e^{10} + 215a^5b^3c^3d^2e^{11} - 224a^5b^4c^2d^4e^9 + 16a^5b^5c^2d^5e^8 - 348a^6b^2c^4d^2e^{11} \\
& - 84a^6b^3c^3d^3e^{12}))/a^4 - (d^{(1/2)}(3ae - 2bd)*((8*(80a^8c^4d^5e^{11} + 80a^7c^5d^3e^9 + 8a^5b^3c^4d^4e^8 - 6a^5b^4c^3d^3e^9 - 2a^5b^5c^2d^2e^{10} + 4a^6b^2c^4d^3e^9 + 36a^6b^3c^3d^2e^{10} - 32a^6b^4c^2d^4e^8 + 2a^6b^5c^2d^5e^8 + 2a^6b^6c^2d^6e^{11} - 112a^7b^2c^4d^2e^{10} - 28a^7b^3c^3d^3e^{11}))/a^4 + (4d^{(1/2)}(3ae - 2bd)*(d + ex)^{(1/2)}*(64a^9c^4e^{10} + 4a^7b^4c^2e^{10} - 32a^8b^2c^3e^{10} + 96a^8c^5d^2e^8 + 8a^6b^4c^3d^2e^8 - 56a^7b^2c^4d^2e^8 - 112a^8b^2c^4d^2e^9 - 8a^6b^5c^2d^5e^9 + 60a^7b^3c^3d^5e^9))/a^6))/(2a^2)*(3ae - 2bd))/(2a^2))*(3ae - 2bd))/(2a^2))*(3ae - 2bd)*1i)/(2a^2))/((16*(6a^7c^5d^9e^9 + 6a^5c^3d^7e^{17} - 4b^2c^7d^{10}e^8 + 6a^2c^6d^7e^{11} + 6a^4c^4d^3e^{15} + 8b^2c^6d^9e^9 - 4b^3c^5d^8e^{10} + 4a^2b^2c^4d^5e^{13} - 11a^2b^3c^3d^4e^{14} + 22a^3b^2c^3d^3e^{15} - 16a^2b^2c^6d^8e^{10} + 8a^2b^2c^5d^7e^{11} + 2a^2b^4c^3d^5e^{13} - 3a^2b^2c^5d^6e^{12} - 10a^3b^2c^4d^4e^{14} - 19a^4b^2c^3d^2e^{16}))/a^4 - (d^{(1/2)}((8*(d + ex)^{(1/2)}(4a^6c^3e^{16} + 4a^2c^7d^8e^8 - 2a^3c^6d^6e^{10} + 132a^4c^5d^4e^{12} - 2a^5c^4d^2e^{14} + 4b^4c^5d^8e^8 + 129a^2b^2c^5d^6e^{10} - 32a^2b^3c^4d^5e^{11} + 8a^2b^4c^3d^4e^{12} + 88a^3b^2c^4d^4e^{12} - 28a^3b^3c^3d^3e^{13} + 33a^4b^2c^3d^2e^{14} - 16a^5b^2c^3d^2e^{15} - 8a^2b^2c^6d^8e^8 - 28a^2b^3c^5d^7e^9 + 8a^2b^2c^6d^7e^9 - 228a^3b^2c^5d^5e^{11} - 60a^4b^2c^4d^3e^{13}))/a^4 - (d^{(1/2)}((8*(56a^4c^6d^6e^9 - 44a^5c^5d^4e^{11} - 100a^6c^4d^2e^{13} + 40a^2b^3c^5d^7e^8 - 39a^2b^5c^3d^5e^{10} - 11a^2b^6c^2d^4e^{11} - 108a^3b^2c^5d^6e^9 + 96a^3b^3c^4d^5e^{10} + 111a^3b^4c^3d^4e^{11} + 22a^3b^5c^2d^3e^{12} - 237a^4b^2c^4d^4e^{11} - 161a^4b^3c^3d^3e^{12} - 19a^4b^4c^2d^2e^{13} + 111a^5b^2c^3d^2e^{13} - 28a^6b^2c^3d^2e^{14} - 8a^2b^5c^4d^7e^8 + 6a^2b^6c^3d^6e^9 + 2a^2b^7c^2d^5e^{10} - 32a^3b^2c^6d^7e^8 + 92a^4b^2c^5d^5e^{10} + 252a^5b^2c^4d^3e^{12} + 6a^5b^3c^2d^2e^{14}))/a^4 + (d^{(1/2)}((8*(d + ex)^{(1/2)}(16a^7b^2c^3e^{13} + 88a^7c^4d^2e^{12} - 4a^6b^3c^2e^{13} - 40a^5c^6d^5e^8 + 184a^6c^5d^3e^{10} + 8a^2b^6c^3d^5e^8 - 8a^2b^7c^2d^4e^9 - 56a^3b^4c^4d^5e^8 + 36a^3b^5c^3d^4e^9 + 28a^3b^6c^2d^3e^{10} + 108a^4b^2c^5d^5e^8 + 36a^4b^3c^4d^4e^9 - 179a^4b^4c^3d^3e^{10} - 33a^4b^5c^2d^2e^{11} + 234a^5b^2c^4d^3e^{10} + 215a^5b^3c^3d^2e^{11} - 224a^5b^4c^2d^4e^9 + 16a^5b^5c^2d^5e^8 - 348a^6b^2c^4d^2e^{11} - 84a^6b^3c^3d^2e^{12}))/a^4 + (d^{(1/2)}(3ae - 2bd)*((8*(80a^8c^4d^5e^{11} + 80a^7c^5d^3e^9 + 8a^5b^3c^4d^4e^8 - 6a^5b^4c^3d^3e^9 - 2a^5b^5c^2d^2e^{10} + 4a^6b^2c^4d^3e^9 + 36a^6b^3c^3d^2e^{10} - 32a^6b^4c^2d^4e^8 + 2a^6b^5c^2d^5e^8 + 2a^6b^6c^2d^6e^{11} - 112a^7b^2c^4d^2e^{10} - 28a^7b^3c^3d^2e^{11}))/a^4 - (4d^{(1/2)}(3ae - 2bd)*(d + ex)^{(1/2)}*(64a^9c^4e^{10} + 4a^7b^4c^2e^{10} - 32a^8b^2c^3e^{10} + 96a^8c^5d^2e^8 + 8a^6b^4c^3d^2e^8 - 56a^7b^2c^4d^2e^8 - 112a^8b^2c^4d^2e^9 - 8a^6b^5c^2d^2e^8
\end{aligned}$$

$$\begin{aligned}
& e^9 + 60*a^7*b^3*c^3*d*e^9)/a^6))/(2*a^2))*(3*a*e - 2*b*d))/(2*a^2))*(3*a* \\
& e - 2*b*d))/(2*a^2))*(3*a*e - 2*b*d))/(2*a^2) + (d^{(1/2)}*((8*(d + e*x)^{(1/2)} \\
& )*(4*a^6*c^3*e^{16} + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6*d^6*e^{10} + 132*a^4*c^5*d^ \\
& 4*e^{12} - 2*a^5*c^4*d^2*e^{14} + 4*b^4*c^5*d^8*e^8 + 129*a^2*b^2*c^5*d^6*e^{10} \\
& - 32*a^2*b^3*c^4*d^5*e^{11} + 8*a^2*b^4*c^3*d^4*e^{12} + 88*a^3*b^2*c^4*d^4*e^{11} \\
& 2 - 28*a^3*b^3*c^3*d^3*e^{13} + 33*a^4*b^2*c^3*d^2*e^{14} - 16*a^5*b*c^3*d*e^{15} \\
& - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a \\
& ^3*b*c^5*d^5*e^{11} - 60*a^4*b*c^4*d^3*e^{13}))/a^4 + (d^{(1/2)}*((8*(56*a^4*c^6* \\
& d^6*e^9 - 44*a^5*c^5*d^4*e^{11} - 100*a^6*c^4*d^2*e^{13} + 40*a^2*b^3*c^5*d^7*e \\
& ^8 - 39*a^2*b^5*c^3*d^5*e^{10} - 11*a^2*b^6*c^2*d^4*e^{11} - 108*a^3*b^2*c^5*d^ \\
& 6*e^9 + 96*a^3*b^3*c^4*d^5*e^{10} + 111*a^3*b^4*c^3*d^4*e^{11} + 22*a^3*b^5*c^2 \\
& *d^3*e^{12} - 237*a^4*b^2*c^4*d^4*e^{11} - 161*a^4*b^3*c^3*d^3*e^{12} - 19*a^4*b^ \\
& 4*c^2*d^2*e^{13} + 111*a^5*b^2*c^3*d^2*e^{13} - 28*a^6*b*c^3*d*e^{14} - 8*a*b^5*c \\
& ^4*d^7*e^8 + 6*a*b^6*c^3*d^6*e^9 + 2*a*b^7*c^2*d^5*e^{10} - 32*a^3*b*c^6*d^7* \\
& e^8 + 92*a^4*b*c^5*d^5*e^{10} + 252*a^5*b*c^4*d^3*e^{12} + 6*a^5*b^3*c^2*d*e^{14} \\
& ))/a^4 - (d^{(1/2)}*((8*(d + e*x)^{(1/2)}*(16*a^7*b*c^3*e^{13} + 88*a^7*c^4*d*e^{11} \\
& 2 - 4*a^6*b^3*c^2*e^{13} - 40*a^5*c^6*d^5*e^8 + 184*a^6*c^5*d^3*e^{10} + 8*a^2* \\
& b^6*c^3*d^5*e^8 - 8*a^2*b^7*c^2*d^4*e^9 - 56*a^3*b^4*c^4*d^5*e^8 + 36*a^3*b \\
& ^5*c^3*d^4*e^9 + 28*a^3*b^6*c^2*d^3*e^{10} + 108*a^4*b^2*c^5*d^5*e^8 + 36*a^4 \\
& *b^3*c^4*d^4*e^9 - 179*a^4*b^4*c^3*d^3*e^{10} - 33*a^4*b^5*c^2*d^2*e^{11} + 234 \\
& *a^5*b^2*c^4*d^3*e^{10} + 215*a^5*b^3*c^3*d^2*e^{11} - 224*a^5*b*c^5*d^4*e^9 + \\
& 16*a^5*b^4*c^2*d*e^{12} - 348*a^6*b*c^4*d^2*e^{11} - 84*a^6*b^2*c^3*d*e^{12}))/a^ \\
& 4 - (d^{(1/2)}*(3*a*e - 2*b*d)*((8*(80*a^8*c^4*d*e^{11} + 80*a^7*c^5*d^3*e^9 + \\
& 8*a^5*b^3*c^4*d^4*e^8 - 6*a^5*b^4*c^3*d^3*e^9 - 2*a^5*b^5*c^2*d^2*e^{10} + 4* \\
& a^6*b^2*c^4*d^3*e^9 + 36*a^6*b^3*c^3*d^2*e^{10} - 32*a^6*b*c^5*d^4*e^8 + 2*a^ \\
& 6*b^4*c^2*d*e^{11} - 112*a^7*b*c^4*d^2*e^{10} - 28*a^7*b^2*c^3*d*e^{11}))/a^4 + ( \\
& 4*d^{(1/2)}*(3*a*e - 2*b*d)*(d + e*x)^{(1/2)}*(64*a^9*c^4*e^{10} + 4*a^7*b^4*c^2* \\
& e^{10} - 32*a^8*b^2*c^3*e^{10} + 96*a^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 5 \\
& 6*a^7*b^2*c^4*d^2*e^8 - 112*a^8*b*c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7* \\
& b^3*c^3*d*e^9))/a^6))/(2*a^2))*(3*a*e - 2*b*d))/(2*a^2))*(3*a*e - 2*b*d))/( \\
& (2*a^2))*(3*a*e - 2*b*d))/(2*a^2))*(3*a*e - 2*b*d)*1i)/a^2 - atan(((((((8*( \\
& 80*a^8*c^4*d*e^{11} + 80*a^7*c^5*d^3*e^9 + 8*a^5*b^3*c^4*d^4*e^8 - 6*a^5*b^4* \\
& c^3*d^3*e^9 - 2*a^5*b^5*c^2*d^2*e^{10} + 4*a^6*b^2*c^4*d^3*e^9 + 36*a^6*b^3*c \\
& ^3*d^2*e^{10} - 32*a^6*b*c^5*d^4*e^8 + 2*a^6*b^4*c^2*d*e^{11} - 112*a^7*b*c^4*d \\
& ^2*e^{10} - 28*a^7*b^2*c^3*d*e^{11}))/a^4 - (8*(d + e*x)^{(1/2)}*((b^6*d^3 - a^3* \\
& b^3*e^3 - 8*a^3*c^3*d^3 - a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*d^3*(-(4*a \\
& *c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^ \\
& 3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e - 2*a*b*c*d^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*d*e^2*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2 \\
& *c*d*e^2 + 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(a^4*b^4 + 16*a^6*c^2 \\
& - 8*a^5*b^2*c)))^{(1/2)}*(64*a^9*c^4*e^{10} + 4*a^7*b^4*c^2*e^{10} - 32*a^8*b^2* \\
& c^3*e^{10} + 96*a^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 56*a^7*b^2*c^4*d^2* \\
& e^8 - 112*a^8*b*c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7*b^3*c^3*d*e^9))/a^ \\
& 4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 - a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& 2) + b^3 d^3 (-4ac - b^2)^3)^{1/2} + 3a^2 b^4 d^2 e^2 + 24a^4 c^2 d^2 e^2 \\
& + 18a^2 b^2 c^2 d^3 - 8a^2 b^4 c^2 d^3 + 4a^4 b^2 c^2 e^3 - 3a^2 b^5 d^2 e - 2a^2 \\
& b^2 c^2 d^3 (-4ac - b^2)^3)^{1/2} - 3a^2 b^2 d^2 e (-4ac - b^2)^3)^{1/2} + \\
& 3a^2 b^2 d^2 e (-4ac - b^2)^3)^{1/2} + 21a^2 b^3 c^2 d^2 e - 36a^3 b^2 c^2 \\
& d^2 e - 18a^3 b^2 c^2 d^2 e + 3a^2 c^2 d^2 e (-4ac - b^2)^3)^{1/2} / (2(a^4 b^4 + 16a^6 c^2 - 8a^5 b^2 c))^{1/2} + (8(d + ex)^{1/2} (16a^7 b^2 c^3 e^{13} + 88a^7 c^4 d^2 e^{12} - 4a^6 b^3 c^2 e^{13} - 40a^5 c^6 d^5 e^8 + 184a^6 c^5 d^3 e^{10} + 8a^2 b^6 c^3 d^5 e^8 - 8a^2 b^7 c^2 d^4 e^9 - 56a^3 b^4 c^4 d^5 e^8 + 36a^3 b^5 c^3 d^4 e^9 + 28a^3 b^6 c^2 d^3 e^{10} + 108a^4 b^2 c^5 d^5 e^8 + 36a^4 b^3 c^4 d^4 e^9 - 179a^4 b^4 c^3 d^3 e^{10} - 33a^4 b^5 c^2 d^2 e^{11} + 234a^5 b^2 c^4 d^3 e^{10} + 215a^5 b^3 c^3 d^2 e^{11} - 224a^5 b^2 c^5 d^4 e^9 + 16a^5 b^4 c^2 d^2 e^{12} - 348a^6 b^2 c^4 d^2 e^{11} - 84a^6 b^2 c^3 d^2 e^{12})) / a^4 * ((b^6 d^3 - a^3 b^3 e^3 - 8a^3 c^3 d^3 - a^3 e^3 (-4ac - b^2)^3)^{1/2} + b^3 d^3 (-4ac - b^2)^3)^{1/2} + 3a^2 b^4 d^2 e^2 + 24a^4 c^2 d^2 e^2 + 18a^2 b^2 c^2 d^3 - 8a^2 b^4 c^2 d^3 + 4a^4 b^2 c^2 e^3 - 3a^2 b^5 d^2 e - 2a^2 b^2 c^2 d^3 (-4ac - b^2)^3)^{1/2} - 3a^2 b^2 d^2 e (-4ac - b^2)^3)^{1/2} + 3a^2 b^2 d^2 e (-4ac - b^2)^3)^{1/2} + 21a^2 b^3 c^2 d^2 e - 36a^3 b^2 c^2 d^2 e - 18a^3 b^2 c^2 d^2 e + 3a^2 c^2 d^2 e (-4ac - b^2)^3)^{1/2} / (2(a^4 b^4 + 16a^6 c^2 - 8a^5 b^2 c))^{1/2} + (8(56a^4 c^6 d^6 e^9 - 44a^5 c^5 d^4 e^{11} - 100a^6 c^4 d^2 e^{13} + 40a^2 b^3 c^5 d^7 e^8 - 39a^2 b^5 c^3 d^5 e^{10} - 11a^2 b^6 c^2 d^4 e^{11} - 108a^3 b^2 c^5 d^6 e^9 + 96a^3 b^3 c^4 d^5 e^{10} + 111a^3 b^4 c^3 d^4 e^{11} + 22a^3 b^5 c^2 d^3 e^{12} - 237a^4 b^2 c^4 d^4 e^{11} - 161a^4 b^3 c^3 d^3 e^{12} - 19a^4 b^4 c^2 d^2 e^{13} + 111a^5 b^2 c^3 d^2 e^{13} - 28a^6 b^2 c^3 d^2 e^{14} - 8a^2 b^5 c^4 d^7 e^8 + 6a^2 b^6 c^3 d^6 e^9 + 2a^2 b^7 c^2 d^5 e^{10} - 32a^3 b^2 c^6 d^7 e^8 + 92a^4 b^2 c^5 d^5 e^{10} + 252a^5 b^2 c^4 d^3 e^{12} + 6a^5 b^3 c^2 d^2 e^{14})) / a^4 * ((b^6 d^3 - a^3 b^3 e^3 - 8a^3 c^3 d^3 - a^3 e^3 (-4ac - b^2)^3)^{1/2} + b^3 d^3 (-4ac - b^2)^3)^{1/2} + 3a^2 b^4 d^2 e^2 + 24a^4 c^2 d^2 e^2 + 18a^2 b^2 c^2 d^3 - 8a^2 b^4 c^2 d^3 + 4a^4 b^2 c^2 e^3 - 3a^2 b^5 d^2 e - 2a^2 b^2 c^2 d^3 (-4ac - b^2)^3)^{1/2} - 3a^2 b^2 d^2 e (-4ac - b^2)^3)^{1/2} + 3a^2 b^2 d^2 e (-4ac - b^2)^3)^{1/2} + 21a^2 b^3 c^2 d^2 e - 36a^3 b^2 c^2 d^2 e - 18a^3 b^2 c^2 d^2 e + 3a^2 c^2 d^2 e (-4ac - b^2)^3)^{1/2} / (2(a^4 b^4 + 16a^6 c^2 - 8a^5 b^2 c))^{1/2} - (8(d + ex)^{1/2} (4a^6 c^3 e^{16} + 4a^2 c^7 d^8 e^8 - 2a^3 c^6 d^6 e^{10} + 132a^4 c^5 d^4 e^{12} - 2a^5 c^4 d^2 e^{14} + 4b^4 c^5 d^8 e^8 + 129a^2 b^2 c^5 d^6 e^{10} - 32a^2 b^3 c^4 d^5 e^{11} + 8a^2 b^4 c^3 d^4 e^{12} + 88a^3 b^2 c^4 d^4 e^{12} - 28a^3 b^3 c^3 d^3 e^{13} + 33a^4 b^2 c^3 d^2 e^{14} - 16a^5 b^2 c^3 d^2 e^{15} - 8a^2 b^2 c^6 d^8 e^8 - 28a^2 b^3 c^5 d^7 e^9 + 8a^2 b^2 c^6 d^7 e^9 - 228a^3 b^2 c^5 d^5 e^{11} - 60a^4 b^2 c^4 d^3 e^{13})) / a^4 * ((b^6 d^3 - a^3 b^3 e^3 - 8a^3 c^3 d^3 - a^3 e^3 (-4ac - b^2)^3)^{1/2} + b^3 d^3 (-4ac - b^2)^3)^{1/2} + 3a^2 b^4 d^2 e^2 + 24a^4 c^2 d^2 e^2 + 18a^2 b^2 c^2 d^3 - 8a^2 b^4 c^2 d^3 + 4a^4 b^2 c^2 e^3 - 3a^2 b^5 d^2 e - 2a^2 b^2 c^2 d^3 (-4ac - b^2)^3)^{1/2} - 3a^2 b^2 d^2 e (-4ac - b^2)^3)^{1/2} + 3a^2 b^2 d^2 e (-4ac - b^2)^3)^{1/2} + 21a^2 b^3 c^2 d^2 e - 36a^3 b^2 c^2 d^2 e - 18a^3 b^2 c^2 d^2 e + 3a^2 c^2 d^2 e (-4ac - b^2)^3)^{1/2} / (2(a^4 b^4 + 16a^6 c^2 - 8a^5 b^2 c))^{1/2}
\end{aligned}$$



$$\begin{aligned}
& )^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b^2*c*d^2*e - 18*a^3*b^2*c*d*e^2 + \\
& 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b \\
& ^2*c)))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(4*a^6*c^3*e^16 + 4*a^2*c^7*d^8*e^8 - 2* \\
& a^3*c^6*d^6*e^10 + 132*a^4*c^5*d^4*e^12 - 2*a^5*c^4*d^2*e^14 + 4*b^4*c^5*d^ \\
& 8*e^8 + 129*a^2*b^2*c^5*d^6*e^10 - 32*a^2*b^3*c^4*d^5*e^11 + 8*a^2*b^4*c^3* \\
& d^4*e^12 + 88*a^3*b^2*c^4*d^4*e^12 - 28*a^3*b^3*c^3*d^3*e^13 + 33*a^4*b^2*c \\
& ^3*d^2*e^14 - 16*a^5*b*c^3*d*e^15 - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7* \\
& e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^11 - 60*a^4*b*c^4*d^3*e^13) \\
& )/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 - a^3*e^3*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} + b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d* \\
& e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e - \\
& 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} + 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b \\
& *c^2*d^2*e - 18*a^3*b^2*c*d*e^2 + 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/( \\
& 2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)}*1i)/((((((8*(80*a^8*c^4*d*e^ \\
& 11 + 80*a^7*c^5*d^3*e^9 + 8*a^5*b^3*c^4*d^4*e^8 - 6*a^5*b^4*c^3*d^3*e^9 - 2 \\
& *a^5*b^5*c^2*d^2*e^10 + 4*a^6*b^2*c^4*d^3*e^9 + 36*a^6*b^3*c^3*d^2*e^10 - 3 \\
& 2*a^6*b*c^5*d^4*e^8 + 2*a^6*b^4*c^2*d*e^11 - 112*a^7*b*c^4*d^2*e^10 - 28*a^ \\
& 7*b^2*c^3*d*e^11))/a^4 - (8*(d + e*x)^{(1/2)}*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3 \\
& *c^3*d^3 - a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*d^3*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d \\
& ^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e - 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{ \\
& (1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 + 3*a^ \\
& 2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c) \\
& ))^{(1/2)}*(64*a^9*c^4*e^10 + 4*a^7*b^4*c^2*e^10 - 32*a^8*b^2*c^3*e^10 + 96*a \\
& ^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 56*a^7*b^2*c^4*d^2*e^8 - 112*a^8*b \\
& *c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7*b^3*c^3*d*e^9))/a^4)*((b^6*d^3 - \\
& a^3*b^3*e^3 - 8*a^3*c^3*d^3 - a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*d^3*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^ \\
& 2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e - 2*a*b*c*d^3*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*d*e^2* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3 \\
& *b^2*c*d*e^2 + 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6 \\
& *c^2 - 8*a^5*b^2*c)))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(16*a^7*b*c^3*e^13 + 88*a^ \\
& 7*c^4*d*e^12 - 4*a^6*b^3*c^2*e^13 - 40*a^5*c^6*d^5*e^8 + 184*a^6*c^5*d^3*e^ \\
& 10 + 8*a^2*b^6*c^3*d^5*e^8 - 8*a^2*b^7*c^2*d^4*e^9 - 56*a^3*b^4*c^4*d^5*e^8 \\
& + 36*a^3*b^5*c^3*d^4*e^9 + 28*a^3*b^6*c^2*d^3*e^10 + 108*a^4*b^2*c^5*d^5*e \\
& ^8 + 36*a^4*b^3*c^4*d^4*e^9 - 179*a^4*b^4*c^3*d^3*e^10 - 33*a^4*b^5*c^2*d^2 \\
& *e^11 + 234*a^5*b^2*c^4*d^3*e^10 + 215*a^5*b^3*c^3*d^2*e^11 - 224*a^5*b*c^5 \\
& *d^4*e^9 + 16*a^5*b^4*c^2*d*e^12 - 348*a^6*b*c^4*d^2*e^11 - 84*a^6*b^2*c^3* \\
& d*e^12))/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 - a^3*e^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4 \\
& *c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d \\
& ^2*e - 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*d^2*e*(-(4*a*c - b^2)
\end{aligned}$$





$$\begin{aligned}
& d^2e - 2*ab*cd^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - \\
& 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 + 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} - (8*(d + e*x))^{(1/2)} \\
& *(16*a^7*b*c^3*e^13 + 88*a^7*c^4*d*e^12 - 4*a^6*b^3*c^2*e^13 - 40*a^5*c^6*d^5*e^8 + 184*a^6*c^5*d^3*e^10 + 8*a^2*b^6*c^3*d^5*e^8 - 8*a^2*b^7*c^2*d^4*e^9 - \\
& 56*a^3*b^4*c^4*d^5*e^8 + 36*a^3*b^5*c^3*d^4*e^9 + 28*a^3*b^6*c^2*d^3*e^10 + 108*a^4*b^2*c^5*d^5*e^8 + 36*a^4*b^3*c^4*d^4*e^9 - 179*a^4*b^4*c^3*d^3*e^10 - \\
& 33*a^4*b^5*c^2*d^2*e^11 + 234*a^5*b^2*c^4*d^3*e^10 + 215*a^5*b^3*c^3*d^2*e^11 - 224*a^5*b*c^5*d^4*e^9 + 16*a^5*b^4*c^2*d*e^12 - 348*a^6*b*c^4*d^2*e^11 - \\
& 84*a^6*b^2*c^3*d*e^12)/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 - a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e - 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3* \\
& a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 + 3*a^2*c \\
& *d^2*e*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} + (8*(56*a^4*c^6*d^6*e^9 - 44*a^5*c^5*d^4*e^11 - 100*a^6*c^4*d^2*e^13 \\
& + 40*a^2*b^3*c^5*d^7*e^8 - 39*a^2*b^5*c^3*d^5*e^10 - 11*a^2*b^6*c^2*d^4*e^11 - 108*a^3*b^2*c^5*d^6*e^9 + 96*a^3*b^3*c^4*d^5*e^10 + 111*a^3*b^4*c^3*d^4*e^11 + \\
& 22*a^3*b^5*c^2*d^3*e^12 - 237*a^4*b^2*c^4*d^4*e^11 - 161*a^4*b^3*c^3*d^3*e^12 - 19*a^4*b^4*c^2*d^2*e^13 + 111*a^5*b^2*c^3*d^2*e^13 - 28*a^6*b \\
& *c^3*d*e^14 - 8*a*b^5*c^4*d^7*e^8 + 6*a*b^6*c^3*d^6*e^9 + 2*a*b^7*c^2*d^5*e^10 - 32*a^3*b*c^6*d^7*e^8 + 92*a^4*b*c^5*d^5*e^10 + 252*a^5*b*c^4*d^3*e^12 \\
& + 6*a^5*b^3*c^2*d*e^14)/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 - a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b \\
& ^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e - 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*d^2* \\
& e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 + 3*a^2*c*d^2*e*(-(4 \\
& *a*c - b^2)^3)^{(1/2)}/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} + (8*(d + e*x))^{(1/2)}*(4*a^6*c^3*e^16 + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6*d^6*e^10 + \\
& 132*a^4*c^5*d^4*e^12 - 2*a^5*c^4*d^2*e^14 + 4*b^4*c^5*d^8*e^8 + 129*a^2*b^2*c^5*d^6*e^10 - 32*a^2*b^3*c^4*d^5*e^11 + 8*a^2*b^4*c^3*d^4*e^12 + 88*a^3*b^2*c^4*d^4*e^12 - \\
& 28*a^3*b^3*c^3*d^3*e^13 + 33*a^4*b^2*c^3*d^2*e^14 - 16*a^5*b*c^3*d*e^15 - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^11 - \\
& 60*a^4*b*c^4*d^3*e^13)/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 - a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + \\
& 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e - 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 + 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)}/(2*(a^4*b^4 + 16*a^6*c^2 - \\
& 8*a^5*b^2*c))^{(1/2)} + (16*(6*a*c^7*d^9*e^9 + 6*a^5*c^3*d*e^17 - 4*b*c^7*d^10*e^8 + 6*a^2*c^6*d^7*e^11 + 6*a^4*c^4*d^3*e^15 + 8*b^2*c^6*d^9*e^
\end{aligned}$$

$$\begin{aligned}
& 9 - 4*b^3*c^5*d^8*e^{10} + 4*a^2*b^2*c^4*d^5*e^{13} - 11*a^2*b^3*c^3*d^4*e^{14} + \\
& 22*a^3*b^2*c^3*d^3*e^{15} - 16*a*b*c^6*d^8*e^{10} + 8*a*b^2*c^5*d^7*e^{11} + 2*a \\
& *b^4*c^3*d^5*e^{13} - 3*a^2*b*c^5*d^6*e^{12} - 10*a^3*b*c^4*d^4*e^{14} - 19*a^4*b \\
& *c^3*d^2*e^{16})/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 - a^3*e^3*(-( \\
& 4*a*c - b^2)^3)^{(1/2)} + b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 \\
& + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3 \\
& *a*b^5*d^2*e - 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*d^2*e*(-(4*a* \\
& c - b^2)^3)^{(1/2)} + 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d \\
& ^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 + 3*a^2*c*d^2*e*(-(4*a*c - b \\
& ^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)}*2i - \operatorname{atan}(((( \\
& ((8*(80*a^8*c^4*d*e^{11} + 80*a^7*c^5*d^3*e^9 + 8*a^5*b^3*c^4*d^4*e^8 - 6*a^ \\
& 5*b^4*c^3*d^3*e^9 - 2*a^5*b^5*c^2*d^2*e^{10} + 4*a^6*b^2*c^4*d^3*e^9 + 36*a^6 \\
& *b^3*c^3*d^2*e^{10} - 32*a^6*b*c^5*d^4*e^8 + 2*a^6*b^4*c^2*d*e^{11} - 112*a^7*b \\
& *c^4*d^2*e^{10} - 28*a^7*b^2*c^3*d*e^{11}))/a^4 - (8*(d + e*x)^{(1/2)}*((b^6*d^3 \\
& - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2* \\
& c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^ \\
& 2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a \\
& ^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a \\
& ^6*c^2 - 8*a^5*b^2*c))^{(1/2)}*(64*a^9*c^4*e^{10} + 4*a^7*b^4*c^2*e^{10} - 32*a^ \\
& 8*b^2*c^3*e^{10} + 96*a^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 56*a^7*b^2*c^ \\
& 4*d^2*e^8 - 112*a^8*b*c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7*b^3*c^3*d*e^ \\
& 9))/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2* \\
& d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e \\
& + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{( \\
& 1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3 \\
& *b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)}) \\
& / (2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(16*a \\
& ^7*b*c^3*e^{13} + 88*a^7*c^4*d*e^{12} - 4*a^6*b^3*c^2*e^{13} - 40*a^5*c^6*d^5*e^8 \\
& + 184*a^6*c^5*d^3*e^{10} + 8*a^2*b^6*c^3*d^5*e^8 - 8*a^2*b^7*c^2*d^4*e^9 - 5 \\
& 6*a^3*b^4*c^4*d^5*e^8 + 36*a^3*b^5*c^3*d^4*e^9 + 28*a^3*b^6*c^2*d^3*e^{10} + \\
& 108*a^4*b^2*c^5*d^5*e^8 + 36*a^4*b^3*c^4*d^4*e^9 - 179*a^4*b^4*c^3*d^3*e^{10} \\
& - 33*a^4*b^5*c^2*d^2*e^{11} + 234*a^5*b^2*c^4*d^3*e^{10} + 215*a^5*b^3*c^3*d^2 \\
& *e^{11} - 224*a^5*b*c^5*d^4*e^9 + 16*a^5*b^4*c^2*d*e^{12} - 348*a^6*b*c^4*d^2*e \\
& ^{11} - 84*a^6*b^2*c^3*d*e^{12}))/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 \\
& + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a \\
& ^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^ \\
& 4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2* \\
& d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 2 \\
& 1*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e \\
& *(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} \\
& + (8*(56*a^4*c^6*d^6*e^9 - 44*a^5*c^5*d^4*e^{11} - 100*a^6*c^4*d^2*e^{13} + 40* \\
& a^2*b^3*c^5*d^7*e^8 - 39*a^2*b^5*c^3*d^5*e^{10} - 11*a^2*b^6*c^2*d^4*e^{11} - 1
\end{aligned}$$

$$\begin{aligned}
& 08*a^3*b^2*c^5*d^6*e^9 + 96*a^3*b^3*c^4*d^5*e^{10} + 111*a^3*b^4*c^3*d^4*e^{11} \\
& + 22*a^3*b^5*c^2*d^3*e^{12} - 237*a^4*b^2*c^4*d^4*e^{11} - 161*a^4*b^3*c^3*d^3 \\
& *e^{12} - 19*a^4*b^4*c^2*d^2*e^{13} + 111*a^5*b^2*c^3*d^2*e^{13} - 28*a^6*b*c^3*d \\
& *e^{14} - 8*a*b^5*c^4*d^7*e^8 + 6*a*b^6*c^3*d^6*e^9 + 2*a*b^7*c^2*d^5*e^{10} - \\
& 32*a^3*b*c^6*d^7*e^8 + 92*a^4*b*c^5*d^5*e^{10} + 252*a^5*b*c^4*d^3*e^{12} + 6*a \\
& ^5*b^3*c^2*d*e^{14})/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3* \\
& (-4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e \\
& ^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 \\
& - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3* \\
& c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} - (8*(d + \\
& e*x)^{(1/2)}*(4*a^6*c^3*e^{16} + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6*d^6*e^{10} + 132*a \\
& ^4*c^5*d^4*e^{12} - 2*a^5*c^4*d^2*e^{14} + 4*b^4*c^5*d^8*e^8 + 129*a^2*b^2*c^5* \\
& d^6*e^{10} - 32*a^2*b^3*c^4*d^5*e^{11} + 8*a^2*b^4*c^3*d^4*e^{12} + 88*a^3*b^2*c^ \\
& 4*d^4*e^{12} - 28*a^3*b^3*c^3*d^3*e^{13} + 33*a^4*b^2*c^3*d^2*e^{14} - 16*a^5*b*c \\
& ^3*d*e^{15} - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8*a^2*b*c^6*d^7*e^ \\
& 9 - 228*a^3*b*c^5*d^5*e^{11} - 60*a^4*b*c^4*d^3*e^{13}))/a^4)*((b^6*d^3 - a^3*b \\
& ^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a* \\
& c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 \\
& - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2* \\
& c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 \\
& - 8*a^5*b^2*c))^{(1/2)}*i - ((((((8*(80*a^8*c^4*d*e^{11} + 80*a^7*c^5*d^3*e^9 \\
& + 8*a^5*b^3*c^4*d^4*e^8 - 6*a^5*b^4*c^3*d^3*e^9 - 2*a^5*b^5*c^2*d^2*e^{10} + \\
& 4*a^6*b^2*c^4*d^3*e^9 + 36*a^6*b^3*c^3*d^2*e^{10} - 32*a^6*b*c^5*d^4*e^8 + 2* \\
& a^6*b^4*c^2*d*e^{11} - 112*a^7*b*c^4*d^2*e^{10} - 28*a^7*b^2*c^3*d*e^{11}))/a^4 + \\
& (8*(d + e*x)^{(1/2)}*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + \\
& 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a \\
& *b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2 \\
& *e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2 \\
& )^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)}*(64*a^9*c^4*e^1 \\
& 0 + 4*a^7*b^4*c^2*e^{10} - 32*a^8*b^2*c^3*e^{10} + 96*a^8*c^5*d^2*e^8 + 8*a^6*b \\
& ^4*c^3*d^2*e^8 - 56*a^7*b^2*c^4*d^2*e^8 - 112*a^8*b*c^4*d*e^9 - 8*a^6*b^5*c \\
& ^2*d*e^9 + 60*a^7*b^3*c^3*d*e^9))/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3* \\
& d^3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + \\
& 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a* \\
& b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d \\
& ^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1 \\
& /2)} - (8*(d + e*x)^{(1/2)}*(16*a^7*b*c^3*e^{13} + 88*a^7*c^4*d*e^{12} - 4*a^6*b^3
\end{aligned}$$

$$\begin{aligned}
& *c^2e^{13} - 40a^5c^6d^5e^8 + 184a^6c^5d^3e^{10} + 8a^2b^6c^3d^5e^8 \\
& - 8a^2b^7c^2d^4e^9 - 56a^3b^4c^4d^5e^8 + 36a^3b^5c^3d^4e^9 \\
& + 28a^3b^6c^2d^3e^{10} + 108a^4b^2c^5d^5e^8 + 36a^4b^3c^4d^4e^9 \\
& - 179a^4b^4c^3d^3e^{10} - 33a^4b^5c^2d^2e^{11} + 234a^5b^2c^4d^3e^{10} \\
& + 215a^5b^3c^3d^2e^{11} - 224a^5b^4c^5d^4e^9 + 16a^5b^4c^2d^2e^{12} \\
& - 348a^6b^2c^4d^2e^{11} - 84a^6b^2c^3d^2e^{12})/a^4 * ((b^6d^3 - a^3b^3e^3 \\
& - 8a^3c^3d^3 + a^3e^3 * (-4ac - b^2)^3)^{1/2} - b^3d^3 * (-4ac - b^2)^3)^{1/2} \\
& + 3a^2b^4d^2e^2 + 24a^4c^2d^2e^2 + 18a^2b^2c^2d^3 - 8a^2b^4c^2d^3 \\
& + 4a^4b^2c^2e^3 - 3a^2b^5d^2e + 2a^2b^3c^2d^3 * (-4ac - b^2)^3)^{1/2} \\
& + 3a^2b^2d^2e * (-4ac - b^2)^3)^{1/2} - 3a^2b^2d^2e^2 * (-4ac - b^2)^3)^{1/2} \\
& + 21a^2b^3c^2d^2e - 36a^3b^2c^2d^2e - 18a^3b^2c^2d^2e^2 \\
& - 3a^2c^2d^2e * (-4ac - b^2)^3)^{1/2}) / (2(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^{1/2} \\
& + (8(56a^4c^6d^6e^9 - 44a^5c^5d^4e^{11} - 100a^6c^4d^2e^{13} + 40a^2b^3c^5d^7e^8 \\
& - 39a^2b^5c^3d^5e^{10} - 11a^2b^6c^2d^4e^{11} - 108a^3b^2c^5d^6e^9 + 96a^3b^3c^4d^5e^{10} \\
& + 111a^3b^4c^3d^4e^{11} + 22a^3b^5c^2d^3e^{12} - 237a^4b^2c^4d^4e^{11} \\
& - 161a^4b^3c^3d^3e^{12} - 19a^4b^4c^2d^2e^{13} + 111a^5b^2c^3d^2e^{13} \\
& - 28a^6b^2c^3d^2e^{14} - 8a^2b^5c^4d^7e^8 + 6a^2b^6c^3d^6e^9 \\
& + 2a^2b^7c^2d^5e^{10} - 32a^3b^2c^6d^7e^8 + 92a^4b^2c^5d^5e^{10} + 252a^5b^2c^4d^3e^{12} \\
& + 6a^5b^3c^2d^2e^{14})/a^4 * ((b^6d^3 - a^3b^3e^3 - 8a^3c^3d^3 + a^3e^3 * (-4ac - b^2)^3)^{1/2} \\
& - b^3d^3 * (-4ac - b^2)^3)^{1/2} + 3a^2b^4d^2e^2 + 24a^4c^2d^2e^2 + 18a^2b^2c^2d^3 - 8a^2b^4c^2d^3 \\
& + 4a^4b^2c^2e^3 - 3a^2b^5d^2e + 2a^2b^3c^2d^3 * (-4ac - b^2)^3)^{1/2} \\
& + 3a^2b^2d^2e * (-4ac - b^2)^3)^{1/2} - 3a^2b^2d^2e^2 * (-4ac - b^2)^3)^{1/2} \\
& + 21a^2b^3c^2d^2e - 36a^3b^2c^2d^2e - 18a^3b^2c^2d^2e^2 - 3a^2c^2d^2e * (-4ac - b^2)^3)^{1/2}) \\
& / (2(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^{1/2} + (8(d + ex)^{1/2} * (4a^6c^3e^{16} + 4a^2c^7d^8e^8 - 2a^3c^6d^6e^{10} \\
& + 132a^4c^5d^4e^{12} - 2a^5c^4d^2e^{14} + 4b^4c^5d^8e^8 + 129a^2b^2c^5d^6e^{10} - 32a^2b^3c^4d^5e^{11} \\
& + 8a^2b^4c^3d^4e^{12} + 88a^3b^2c^4d^4e^{12} - 28a^3b^3c^3d^3e^{13} + 33a^4b^2c^3d^2e^{14} \\
& - 16a^5b^2c^3d^2e^{15} - 8a^2b^2c^6d^8e^8 - 28a^2b^3c^5d^7e^9 + 8a^2b^2c^6d^7e^9 \\
& - 228a^3b^2c^5d^5e^{11} - 60a^4b^2c^4d^3e^{13})) / a^4 * ((b^6d^3 - a^3b^3e^3 - 8a^3c^3d^3 + a^3e^3 * (-4ac - b^2)^3)^{1/2} \\
& - b^3d^3 * (-4ac - b^2)^3)^{1/2} + 3a^2b^4d^2e^2 + 24a^4c^2d^2e^2 + 18a^2b^2c^2d^3 - 8a^2b^4c^2d^3 \\
& + 4a^4b^2c^2e^3 - 3a^2b^5d^2e + 2a^2b^3c^2d^3 * (-4ac - b^2)^3)^{1/2} + 3a^2b^2d^2e * (-4ac - b^2)^3)^{1/2} \\
& - 3a^2b^2d^2e^2 * (-4ac - b^2)^3)^{1/2} + 21a^2b^3c^2d^2e - 36a^3b^2c^2d^2e - 18a^3b^2c^2d^2e^2 \\
& - 3a^2c^2d^2e * (-4ac - b^2)^3)^{1/2}) / (2(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^{1/2} * i) / ((((((8(80a^8c^4d^2e^{11} \\
& + 80a^7c^5d^3e^9 + 8a^5b^3c^4d^4e^8 - 6a^5b^4c^3d^3e^9 - 2a^5b^5c^2d^2e^{10} + 4a^6b^2c^4d^3e^9 \\
& + 36a^6b^3c^3d^2e^{10} - 32a^6b^4c^2d^2e^{11} - 112a^7b^2c^4d^2e^{10} - 28a^7b^2c^3d^2e^{11})) / a^4 \\
& - (8(d + ex)^{1/2} * ((b^6d^3 - a^3b^3e^3 - 8a^3c^3d^3 + a^3e^3 * (-4ac - b^2)^3)^{1/2} - b^3d^3 * (-4ac - b^2)^3)^{1/2} \\
& + 3a^2b^4d^2e^2 + 24a^4c^2d^2e^2 + 18a^2b^2c^2d^3 - 8a^2b^4c^2d^3 - 8a^2b^
\end{aligned}$$

$$\begin{aligned}
&^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)}*(64*a^9*c^4*e^10 + 4*a^7*b^4*c^2*e^10 - 32*a^8*b^2*c^3*e^10 + 96*a^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 56*a^7*b^2*c^4*d^2*e^8 - 112*a^8*b*c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7*b^3*c^3*d*e^9)/a^4*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} + (8*(d + e*x)^{(1/2)}*(16*a^7*b*c^3*e^13 + 88*a^7*c^4*d*e^12 - 4*a^6*b^3*c^2*e^13 - 40*a^5*c^6*d^5*e^8 + 184*a^6*c^5*d^3*e^10 + 8*a^2*b^6*c^3*d^5*e^8 - 8*a^2*b^7*c^2*d^4*e^9 - 56*a^3*b^4*c^4*d^5*e^8 + 36*a^3*b^5*c^3*d^4*e^9 + 28*a^3*b^6*c^2*d^3*e^10 + 108*a^4*b^2*c^5*d^5*e^8 + 36*a^4*b^3*c^4*d^4*e^9 - 179*a^4*b^4*c^3*d^3*e^10 - 33*a^4*b^5*c^2*d^2*e^11 + 234*a^5*b^2*c^4*d^3*e^10 + 215*a^5*b^3*c^3*d^2*e^11 - 224*a^5*b*c^5*d^4*e^9 + 16*a^5*b^4*c^2*d*e^12 - 348*a^6*b*c^4*d^2*e^11 - 84*a^6*b^2*c^3*d*e^12))/a^4*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} + (8*(56*a^4*c^6*d^6*e^9 - 44*a^5*c^5*d^4*e^11 - 100*a^6*c^4*d^2*e^13 + 40*a^2*b^3*c^5*d^7*e^8 - 39*a^2*b^5*c^3*d^5*e^10 - 11*a^2*b^6*c^2*d^4*e^11 - 108*a^3*b^2*c^5*d^6*e^9 + 96*a^3*b^3*c^4*d^5*e^10 + 111*a^3*b^4*c^3*d^4*e^11 + 22*a^3*b^5*c^2*d^3*e^12 - 237*a^4*b^2*c^4*d^4*e^11 - 161*a^4*b^3*c^3*d^3*e^12 - 19*a^4*b^4*c^2*d^2*e^13 + 111*a^5*b^2*c^3*d^2*e^13 - 28*a^6*b*c^3*d*e^14 - 8*a*b^5*c^4*d^7*e^8 + 6*a*b^6*c^3*d^6*e^9 + 2*a*b^7*c^2*d^5*e^10 - 32*a^3*b*c^6*d^7*e^8 + 92*a^4*b*c^5*d^5*e^10 + 252*a^5*b*c^4*d^3*e^12 + 6*a^5*b^3*c^2*d*e^14))/a^4*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} - (8*(d + e*x)^{(1/2)}*(4*a^6*c^3*e^16 + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6*d^6*e^10 + 132*a^4*c^5*d^4*e^12 - 2*a^5*c^4*d^2*e^14 + 4*b^4*c^5*d^8*e^8 + 129*a^2*b^2*c^5*d^6*e^10 - 32*a^2*b^3*c^4*d^5*e^11 + 8*a^2*b^4*c^3*d^4*e^12 + 88*a^3*b^2*c^4*d^4*e^12 - 28*a^3*b^3*c^3*d^3*e^13 + 33*a^4*b^2*c^3*d^2*e^14 - 16*a^5*b*c^3*d*e^15 - 8*a
\end{aligned}$$

$$\begin{aligned}
& *b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^11 - 60*a^4*b*c^4*d^3*e^13)/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} + ((((((8*(80*a^8*c^4*d*e^11 + 80*a^7*c^5*d^3*e^9 + 8*a^5*b^3*c^4*d^4*e^8 - 6*a^5*b^4*c^3*d^3*e^9 - 2*a^5*b^5*c^2*d^2*e^10 + 4*a^6*b^2*c^4*d^3*e^9 + 36*a^6*b^3*c^3*d^2*e^10 - 32*a^6*b*c^5*d^4*e^8 + 2*a^6*b^4*c^2*d*e^11 - 112*a^7*b*c^4*d^2*e^10 - 28*a^7*b^2*c^3*d*e^11))/a^4 + (8*(d + e*x))^{(1/2)})*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)}*(64*a^9*c^4*e^10 + 4*a^7*b^4*c^2*e^10 - 32*a^8*b^2*c^3*e^10 + 96*a^8*c^5*d^2*e^8 + 8*a^6*b^4*c^3*d^2*e^8 - 5*6*a^7*b^2*c^4*d^2*e^8 - 112*a^8*b*c^4*d*e^9 - 8*a^6*b^5*c^2*d*e^9 + 60*a^7*b^3*c^3*d*e^9))/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} - (8*(d + e*x))^{(1/2)}*(16*a^7*b*c^3*e^13 + 88*a^7*c^4*d*e^12 - 4*a^6*b^3*c^2*e^13 - 40*a^5*c^6*d^5*e^8 + 184*a^6*c^5*d^3*e^10 + 8*a^2*b^6*c^3*d^5*e^8 - 8*a^2*b^7*c^2*d^4*e^9 - 56*a^3*b^4*c^4*d^5*e^8 + 36*a^3*b^5*c^3*d^4*e^9 + 28*a^3*b^6*c^2*d^3*e^10 + 108*a^4*b^2*c^5*d^5*e^8 + 36*a^4*b^3*c^4*d^4*e^9 - 179*a^4*b^4*c^3*d^3*e^10 - 33*a^4*b^5*c^2*d^2*e^11 + 234*a^5*b^2*c^4*d^3*e^10 + 215*a^5*b^3*c^3*d^2*e^11 - 224*a^5*b*c^5*d^4*e^9 + 16*a^5*b^4*c^2*d*e^12 - 348*a^6*b*c^4*d^2*e^11 - 84*a^6*b^2*c^3*d*e^12))/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} + (8*(56*a^4*c^6*d^6*e^9 - 44*a^5*c^5*d^4*e^11 - 100*a^6*c^4*d^2*e^13 + 40*a^2*b^3*c^5*d^7*e^8 - 39*a^2*b^5*c^3*d^5*e^10 - 11*a^2*b^6*c^2*d^4*e^11 - 108*a^3*b^2*c^5*d^6*e^9 + 96*a^3*b^3*c^4*d^5*e^10 + 111*a^3*b^4*c^3*d^4*e^11 + 22*a^3*b^5*c^2*d^3*e^12 - 237*a^4*b^2*c^4*d^4*e^11 - 161*a^4
\end{aligned}$$

$$\begin{aligned}
& *b^3*c^3*d^3*e^{12} - 19*a^4*b^4*c^2*d^2*e^{13} + 111*a^5*b^2*c^3*d^2*e^{13} - 28 \\
& *a^6*b*c^3*d*e^{14} - 8*a*b^5*c^4*d^7*e^8 + 6*a*b^6*c^3*d^6*e^9 + 2*a*b^7*c^2 \\
& *d^5*e^{10} - 32*a^3*b*c^6*d^7*e^8 + 92*a^4*b*c^5*d^5*e^{10} + 252*a^5*b*c^4*d^ \\
& 3*e^{12} + 6*a^5*b^3*c^2*d*e^{14})/a^4)*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^ \\
& 3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3 \\
& *a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4* \\
& a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^ \\
& 2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2 \\
& *e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} \\
& ) + (8*(d + e*x)^{(1/2)}*(4*a^6*c^3*e^{16} + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6*d^6* \\
& e^{10} + 132*a^4*c^5*d^4*e^{12} - 2*a^5*c^4*d^2*e^{14} + 4*b^4*c^5*d^8*e^8 + 129* \\
& a^2*b^2*c^5*d^6*e^{10} - 32*a^2*b^3*c^4*d^5*e^{11} + 8*a^2*b^4*c^3*d^4*e^{12} + 8 \\
& 8*a^3*b^2*c^4*d^4*e^{12} - 28*a^3*b^3*c^3*d^3*e^{13} + 33*a^4*b^2*c^3*d^2*e^{14} \\
& - 16*a^5*b*c^3*d*e^{15} - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8*a^2* \\
& b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^{11} - 60*a^4*b*c^4*d^3*e^{13}))/a^4)*((b^6 \\
& *d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3 \\
& *d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4*d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2 \\
& *b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b \\
& *d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - \\
& 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + \\
& 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} + (16*(6*a*c^7*d^9*e^9 + 6*a^5*c^3*d*e^1 \\
& 7 - 4*b*c^7*d^10*e^8 + 6*a^2*c^6*d^7*e^{11} + 6*a^4*c^4*d^3*e^{15} + 8*b^2*c^6* \\
& d^9*e^9 - 4*b^3*c^5*d^8*e^{10} + 4*a^2*b^2*c^4*d^5*e^{13} - 11*a^2*b^3*c^3*d^4* \\
& e^{14} + 22*a^3*b^2*c^3*d^3*e^{15} - 16*a*b*c^6*d^8*e^{10} + 8*a*b^2*c^5*d^7*e^{11} \\
& + 2*a*b^4*c^3*d^5*e^{13} - 3*a^2*b*c^5*d^6*e^{12} - 10*a^3*b*c^4*d^4*e^{14} - 19 \\
& *a^4*b*c^3*d^2*e^{16}))/a^4))*((b^6*d^3 - a^3*b^3*e^3 - 8*a^3*c^3*d^3 + a^3*e \\
& ^3*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^4* \\
& d*e^2 + 24*a^4*c^2*d*e^2 + 18*a^2*b^2*c^2*d^3 - 8*a*b^4*c*d^3 + 4*a^4*b*c*e \\
& ^3 - 3*a*b^5*d^2*e + 2*a*b*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*d^2*e* \\
& (- (4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 21*a^2*b \\
& ^3*c*d^2*e - 36*a^3*b*c^2*d^2*e - 18*a^3*b^2*c*d*e^2 - 3*a^2*c*d^2*e*(-(4*a \\
& *c - b^2)^3)^{(1/2)})/(2*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)}*2i - (d \\
& *(d + e*x)^{(1/2)})/(a*x)
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)/x\*\*2/(c\*x\*\*2+b\*x+a), x)

[Out] Timed out

$$3.349 \quad \int \frac{(d+ex)^{3/2}}{x^3(a+bx+cx^2)} dx$$

**Optimal.** Leaf size=607

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right) \left(-2abde - a(cd^2 - ae^2) + b^2d^2\right)}{a^3\sqrt{d}} + \frac{\sqrt{2}\sqrt{c} \left(-ab \left(e \left(2d\sqrt{b^2 - 4ac} - ae\right) + 3cd^2\right) + a \left(ae^2\sqrt{b^2 - 4ac} - 4cd^2\right)\right)}{a^3\sqrt{c}}$$

**Rubi [A]** time = 3.93, antiderivative size = 607, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 25, number of rules / integrand size = 0.240, Rules used = {897, 1287, 199, 206, 1166, 208}

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right) \left(-2abde - a(cd^2 - ae^2) + b^2d^2\right)}{a^3\sqrt{d}} + \frac{\sqrt{2}\sqrt{c} \left(-ab \left(e \left(2d\sqrt{b^2 - 4ac} - ae\right) + 3cd^2\right) + a \left(ae^2\sqrt{b^2 - 4ac} - 4cd^2\right)\right)}{a^3\sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/(x^3\*(a + b\*x + c\*x^2)), x]

[Out] -(d\*Sqrt[d + e\*x])/(2\*a\*x^2) + (3\*e\*Sqrt[d + e\*x])/(4\*a\*x) + ((b\*d - 2\*a\*e)\*Sqrt[d + e\*x])/(a^2\*x) - (3\*e^2\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/(4\*a\*Sqrt[d]) - (e\*(b\*d - 2\*a\*e)\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/(a^2\*Sqrt[d]) - (2\*(b^2\*d^2 - 2\*a\*b\*d\*e - a\*(c\*d^2 - a\*e^2))\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/(a^3\*Sqrt[d]) + (Sqrt[2]\*Sqrt[c]\*(b^3\*d^2 + b^2\*d\*(Sqrt[b^2 - 4\*a\*c]\*d - 2\*a\*e) + a\*(a\*Sqrt[b^2 - 4\*a\*c]\*e^2 - c\*d\*(Sqrt[b^2 - 4\*a\*c]\*d - 4\*a\*e)) - a\*b\*(3\*c\*d^2 + e\*(2\*Sqrt[b^2 - 4\*a\*c]\*d - a\*e)))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]]/(a^3\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]) - (Sqrt[2]\*Sqrt[c]\*(b^3\*d^2 - b^2\*d\*(Sqrt[b^2 - 4\*a\*c]\*d + 2\*a\*e) - a\*b\*(3\*c\*d^2 - e\*(2\*Sqrt[b^2 - 4\*a\*c]\*d + a\*e)) - a\*(a\*Sqrt[b^2 - 4\*a\*c]\*e^2 - c\*d\*(Sqrt[b^2 - 4\*a\*c]\*d + 4\*a\*e)))\*ArcTanh[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]]/(a^3\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e])

**Rule 199**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

**Rule 206**



```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 897

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)
^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[n, p] && Fra
ctionQ[m]
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 1287

```
Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{(d+ex)^{3/2}}{x^3(a+bx+cx^2)} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{x^4}{\left(-\frac{d}{e} + \frac{x^2}{e}\right)^3 \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}\right)} dx, x, \sqrt{d+ex} \right)}{e} \\
 &= \frac{2 \operatorname{Subst} \left( \int \left( -\frac{d^2 e^3}{a(d-x^2)^3} + \frac{de^2(-bd+2ae)}{a^2(d-x^2)^2} + \frac{e(-b^2 d^2 + 2abde + a(cd^2 - ae^2))}{a^3(d-x^2)} + \frac{e((b^2 d - acd - abe)(cd^2 - bde + ae^2))}{a^3(cd^2 - bde + ae^2)} \right) dx, x, \sqrt{d+ex} \right)}{e} \\
 &= \frac{2 \operatorname{Subst} \left( \int \frac{(b^2 d - acd - abe)(cd^2 - bde + ae^2) - c(b^2 d^2 - 2abde - a(cd^2 - ae^2))x^2}{cd^2 - bde + ae^2 + (-2cd + be)x^2 + cx^4} dx, x, \sqrt{d+ex} \right)}{a^3} \quad (2d^2 e^2) \operatorname{Subst} \\
 &= -\frac{d\sqrt{d+ex}}{2ax^2} + \frac{(bd-2ae)\sqrt{d+ex}}{a^2 x} - \frac{2(b^2 d^2 - 2abde - a(cd^2 - ae^2)) \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{a^3 \sqrt{d}} \\
 &= -\frac{d\sqrt{d+ex}}{2ax^2} + \frac{3e\sqrt{d+ex}}{4ax} + \frac{(bd-2ae)\sqrt{d+ex}}{a^2 x} - \frac{e(bd-2ae) \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{a^2 \sqrt{d}} - \frac{2(b^2 d^2 - 2abde - a(cd^2 - ae^2)) \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{a^3 \sqrt{d}} \\
 &= -\frac{d\sqrt{d+ex}}{2ax^2} + \frac{3e\sqrt{d+ex}}{4ax} + \frac{(bd-2ae)\sqrt{d+ex}}{a^2 x} - \frac{3e^2 \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{4a\sqrt{d}} - \frac{e(bd-2ae) \tanh^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{a^2 \sqrt{d}}
 \end{aligned}$$

**Mathematica [A]** time = 2.86, size = 587, normalized size = 0.97

$$\frac{2e^2 d \sqrt{d+ex}}{x^2} + 3a^2 e \left( \frac{e \operatorname{tanh}^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{x} - \frac{8 \operatorname{tanh}^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{\sqrt{d}} \right) - \frac{8 \operatorname{tanh}^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right) (2abd + (a^2 - c)d^2)}{\sqrt{d}} + \frac{4\sqrt{d} \sqrt{e} (d(4c - 2a\sqrt{d+ex}) - 3a^2) + (d(4a - d\sqrt{d+ex}) + a^2\sqrt{d+ex})^2 d^2 (e\sqrt{d+ex} - 2a)}{\sqrt{d+ex} \sqrt{(d^2 - 2cd + be)x^2 + cx^4}} \operatorname{tanh}^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d+2cd+be}}\right) - \frac{4\sqrt{d} \sqrt{e} (d(2d\sqrt{d+ex} + a) - 3a^2) + (d(\sqrt{d+2cd+be}) - a^2\sqrt{d+2cd+be})^2 d^2 (e\sqrt{d+ex} + 2a)}{\sqrt{d+2cd+be} \sqrt{(d^2 - 2cd + be)x^2 + cx^4}} \operatorname{tanh}^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d+2cd+be}}\right) + \frac{4a(2a - b) \operatorname{tanh}^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{d}}\right)}{\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/(x^3\*(a + b\*x + c\*x^2)), x]

[Out] ((-2\*a^2\*d\*sqrt[d + e\*x])/x^2 + (4\*a\*(b\*d - 2\*a\*e)\*sqrt[d + e\*x])/x + (4\*a\*e\*(-(b\*d) + 2\*a\*e)\*ArcTanh[sqrt[d + e\*x]/sqrt[d]]/sqrt[d] - (8\*(b^2\*d^2 - 2\*a\*b\*d\*e + a\*(-(c\*d^2) + a\*e^2))\*ArcTanh[sqrt[d + e\*x]/sqrt[d]]/sqrt[d] + 3\*a^2\*e\*(sqrt[d + e\*x]/x - (e\*ArcTanh[sqrt[d + e\*x]/sqrt[d]))/sqrt[d]) + (

$$4*\text{Sqrt}[2]*\text{Sqrt}[c]*(b^3*d^2 + b^2*d*(\text{Sqrt}[b^2 - 4*a*c]*d - 2*a*e) + a*b*(-3*c*d^2 + e*(-2*\text{Sqrt}[b^2 - 4*a*c]*d + a*e)) + a*(a*\text{Sqrt}[b^2 - 4*a*c]*e^2 + c*d*(-(\text{Sqrt}[b^2 - 4*a*c]*d) + 4*a*e)))*\text{ArcTanh}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x])/\text{Sqrt}[2*c*d - b*e + \text{Sqrt}[b^2 - 4*a*c]*e]]/(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c])*e]) - (4*\text{Sqrt}[2]*\text{Sqrt}[c]*(b^3*d^2 - b^2*d*(\text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e) + a*b*(-3*c*d^2 + e*(2*\text{Sqrt}[b^2 - 4*a*c]*d + a*e)) + a*(-(a*\text{Sqrt}[b^2 - 4*a*c]*e^2) + c*d*(\text{Sqrt}[b^2 - 4*a*c]*d + 4*a*e)))*\text{ArcTan}h[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x])/\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]])/(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]))/(4*a^3)$$

**IntegrateAlgebraic [C]** time = 3.20, size = 759, normalized size = 1.25

$$\frac{\sqrt{c} \sqrt{d+ex} \sqrt{4bd^2-3ade-4b^2d+5a^2e} \sqrt{d+ex} + (I \sqrt{2} b^3 \sqrt{c} d^2 - (3I) \sqrt{2} a b c^{3/2} d^2 - \sqrt{2} b^2 \sqrt{c} \sqrt{-b^2+4ac} d^2 + \sqrt{2} a c^{3/2} \sqrt{-b^2+4ac} d^2 - (2I) \sqrt{2} a b^2 \sqrt{c} d e + (4I) \sqrt{2} a^2 c^{3/2} d e + 2 \sqrt{2} a b \sqrt{c} \sqrt{-b^2+4ac} d e + I \sqrt{2} a^2 b \sqrt{c} e^2 - \sqrt{2} a^2 \sqrt{c} \sqrt{-b^2+4ac} e^2) \text{ArcTan}[(\sqrt{2} \sqrt{c} \sqrt{d+ex})/\sqrt{-2cd+be-I\sqrt{-b^2+4ac}e}]]}{(a^3 \sqrt{-b^2+4ac} \sqrt{-2cd+be-I\sqrt{-b^2+4ac}e}) + (((-I) \sqrt{2} b^3 \sqrt{c} d^2 + (3I) \sqrt{2} a b c^{3/2} d^2 - \sqrt{2} b^2 \sqrt{c} \sqrt{-b^2+4ac} d^2 + \sqrt{2} a c^{3/2} \sqrt{-b^2+4ac} d^2 + (2I) \sqrt{2} a b^2 \sqrt{c} d e - (4I) \sqrt{2} a^2 c^{3/2} d e + 2 \sqrt{2} a b \sqrt{c} \sqrt{-b^2+4ac} d e - I \sqrt{2} a^2 b \sqrt{c} e^2 - \sqrt{2} a^2 \sqrt{c} \sqrt{-b^2+4ac} e^2) \text{ArcTan}[(\sqrt{2} \sqrt{c} \sqrt{d+ex})/\sqrt{-2cd+be+I\sqrt{-b^2+4ac}e}]]}{(a^3 \sqrt{-b^2+4ac} \sqrt{-2cd+be+I\sqrt{-b^2+4ac}e}) + ((-8b^2 d^2 + 8ac d^2 + 12ab d e - 3a^2 e^2) \text{ArcTanh}[\sqrt{d+ex}/\sqrt{d}])/(4a^3 \sqrt{d})}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/(x^3\*(a + b\*x + c\*x^2)),x]

[Out] -1/4\*(Sqrt[d + e\*x]\*(4\*b\*d^2 - 3\*a\*d\*e - 4\*b\*d\*(d + e\*x) + 5\*a\*e\*(d + e\*x)))/(a^2\*e\*x^2) + ((I\*Sqrt[2]\*b^3\*Sqrt[c]\*d^2 - (3\*I)\*Sqrt[2]\*a\*b\*c^(3/2)\*d^2 - Sqrt[2]\*b^2\*Sqrt[c]\*Sqrt[-b^2 + 4\*a\*c]\*d^2 + Sqrt[2]\*a\*c^(3/2)\*Sqrt[-b^2 + 4\*a\*c]\*d^2 - (2\*I)\*Sqrt[2]\*a\*b^2\*Sqrt[c]\*d\*e + (4\*I)\*Sqrt[2]\*a^2\*c^(3/2)\*d\*e + 2\*Sqrt[2]\*a\*b\*Sqrt[c]\*Sqrt[-b^2 + 4\*a\*c]\*d\*e + I\*Sqrt[2]\*a^2\*b\*Sqrt[c]\*e^2 - Sqrt[2]\*a^2\*Sqrt[c]\*Sqrt[-b^2 + 4\*a\*c]\*e^2)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[-2\*c\*d + b\*e - I\*Sqrt[-b^2 + 4\*a\*c]\*e]])/(a^3\*Sqrt[-b^2 + 4\*a\*c]\*Sqrt[-2\*c\*d + b\*e - I\*Sqrt[-b^2 + 4\*a\*c]\*e]) + (((-I)\*Sqrt[2]\*b^3\*Sqrt[c]\*d^2 + (3\*I)\*Sqrt[2]\*a\*b\*c^(3/2)\*d^2 - Sqrt[2]\*b^2\*Sqrt[c]\*Sqrt[-b^2 + 4\*a\*c]\*d^2 + Sqrt[2]\*a\*c^(3/2)\*Sqrt[-b^2 + 4\*a\*c]\*d^2 + (2\*I)\*Sqrt[2]\*a\*b^2\*Sqrt[c]\*d\*e - (4\*I)\*Sqrt[2]\*a^2\*c^(3/2)\*d\*e + 2\*Sqrt[2]\*a\*b\*Sqrt[c]\*Sqrt[-b^2 + 4\*a\*c]\*d\*e - I\*Sqrt[2]\*a^2\*b\*Sqrt[c]\*e^2 - Sqrt[2]\*a^2\*Sqrt[c]\*Sqrt[-b^2 + 4\*a\*c]\*e^2)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*Sqrt[d + e\*x])/Sqrt[-2\*c\*d + b\*e + I\*Sqrt[-b^2 + 4\*a\*c]\*e]])/(a^3\*Sqrt[-b^2 + 4\*a\*c]\*Sqrt[-2\*c\*d + b\*e + I\*Sqrt[-b^2 + 4\*a\*c]\*e]) + ((-8\*b^2\*d^2 + 8\*a\*c\*d^2 + 12\*a\*b\*d\*e - 3\*a^2\*e^2)\*ArcTanh[Sqrt[d + e\*x]/Sqrt[d]])/(4\*a^3\*Sqrt[d])

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/x^3/(c\*x^2+b\*x+a),x, algorithm="fricas")

[Out] Timed out

**giac [B]** time = 0.61, size = 1121, normalized size = 1.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/x^3/(c\*x^2+b\*x+a),x, algorithm="giac")

[Out] 
$$-1/4 * (((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d^2*e - 2*(a*b^3 - 4*a^2*b*c)*d*e^2 + (a^2*b^2 - 4*a^3*c)*e^3)*\sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e)^2 + 2*(\sqrt{b^2 - 4*a*c})*a*b^3*d^2*e + \sqrt{b^2 - 4*a*c})*a^3*b*e^3 - (a*b^2*c - a^2*c^2)*\sqrt{b^2 - 4*a*c}*d^3 - (2*a^2*b^2 - a^3*c)*\sqrt{b^2 - 4*a*c})*d*e^2)*\sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e)*\text{abs}(a) + (a^4*b^2*e^3 - 2*(a^2*b^3*c - 3*a^3*b*c^2)*d^3 + (a^2*b^4 + a^3*b^2*c - 8*a^4*c^2)*d^2*e - 2*(a^3*b^3 - a^4*b*c)*d*e^2)*\sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c}*e))*\arctan(2*\sqrt{1/2}*\sqrt{x*e + d}/\sqrt{-(2*a^3*c*d - a^3*b*e + \sqrt{-4*(a^3*c*d^2 - a^3*b*d*e + a^4*e^2)}*a^3*c + (2*a^3*c*d - a^3*b*e)^2}))/ (a^3*c)))/((\sqrt{b^2 - 4*a*c})*a^4*c*d^2 - \sqrt{b^2 - 4*a*c})*a^4*b*d*e + \sqrt{b^2 - 4*a*c})*a^5*e^2)*\text{abs}(a)*\text{abs}(c)) + 1/4 * (((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d^2*e - 2*(a*b^3 - 4*a^2*b*c)*d*e^2 + (a^2*b^2 - 4*a^3*c)*e^3)*\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c})*c}*e)^2 - 2*(\sqrt{b^2 - 4*a*c})*a*b^3*d^2*e + \sqrt{b^2 - 4*a*c})*a^3*b*e^3 - (a*b^2*c - a^2*c^2)*\sqrt{b^2 - 4*a*c}*d^3 - (2*a^2*b^2 - a^3*c)*\sqrt{b^2 - 4*a*c})*d*e^2)*\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c})*c}*e)*\text{abs}(a) + (a^4*b^2*e^3 - 2*(a^2*b^3*c - 3*a^3*b*c^2)*d^3 + (a^2*b^4 + a^3*b^2*c - 8*a^4*c^2)*d^2*e - 2*(a^3*b^3 - a^4*b*c)*d*e^2)*\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c})*c}*e))*\arctan(2*\sqrt{1/2}*\sqrt{x*e + d}/\sqrt{-(2*a^3*c*d - a^3*b*e - \sqrt{-4*(a^3*c*d^2 - a^3*b*d*e + a^4*e^2)}*a^3*c + (2*a^3*c*d - a^3*b*e)^2}))/ (a^3*c)))/((\sqrt{b^2 - 4*a*c})*a^4*c*d^2 - \sqrt{b^2 - 4*a*c})*a^4*b*d*e + \sqrt{b^2 - 4*a*c})*a^5*e^2)*\text{abs}(a)*\text{abs}(c)) + 1/4 * (8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e + 3*a^2*e^2)*\arctan(\sqrt{x*e + d}/\sqrt{-d}))/ (a^3*\sqrt{-d}) + 1/4 * (4*(x*e + d)^(3/2)*b*d*e - 4*\sqrt{x*e + d})*b*d^2*e - 5*(x*e + d)^(3/2)*a*e^2 + 3*\sqrt{x*e + d})*a*d*e^2)*e^(-2)/(a^2*x^2)$$

**maple [B]** time = 0.06, size = 1880, normalized size = 3.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/x^3/(c\*x^2+b\*x+a),x)

[Out] 
$$-1/a^2*c^2*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)})*c)*d^2+1/a^2*c^2*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)})*c)*d^2+e^2/a*c*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}((e*x+d)^{(1/2)}*2^{(1/2)}/((-b*e+2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)})*c)-e^2/a*c*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}((e*x+d)^{(1/2)}*2^{(1/2)}/((b*e-2*c*d+(-4*a*c-b^2)*e^2)^{(1/2)})*c)^{(1/2)})*c)-1/e/a^2/x^2*(e*x+d)^{(1/2)}*b*d^2+1/e/a^2/x^2*(e*x+d)^{(3/2)}*b*d-2/a^3*d^{(3/2)}*\operatorname{arctanh}((e*x$$

$$\begin{aligned}
& +d)^{(1/2)}/d^{(1/2)}) * b^2 + 2/a^2 * d^{(3/2)} * \operatorname{arctanh}((e*x+d)^{(1/2)}/d^{(1/2)}) * c - 3*e/a \\
& ^2 * c^2 / (-4*a*c - b^2) * e^2)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)} \\
& )) * c)^{(1/2)} * \operatorname{arctan}((e*x+d)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)} \\
& )) * c)^{(1/2)} * c) * b * d^2 + e/a^3 * c / (-4*a*c - b^2) * e^2)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d + \\
& (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}((e*x+d)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d \\
& + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * c) * b^3 * d^2 - 2 * e^2 / a^2 * c / (-4*a*c - b^2) * e^2 \\
& ^2)^{(1/2)} * 2^{(1/2)} / ((-b*e + 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}((e \\
& *x+d)^{(1/2)} * 2^{(1/2)} / ((-b*e + 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * c) * b^2 * \\
& d - 3 * e / a^2 * c^2 / (-4*a*c - b^2) * e^2)^{(1/2)} * 2^{(1/2)} / ((-b*e + 2*c*d + (-4*a*c - b^2) * e \\
& ^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}((e*x+d)^{(1/2)} * 2^{(1/2)} / ((-b*e + 2*c*d + (-4*a*c - b^2) \\
& ) * e^2)^{(1/2)}) * c)^{(1/2)} * c) * b * d^2 + e/a^3 * c / (-4*a*c - b^2) * e^2)^{(1/2)} * 2^{(1/2)} / (( \\
& -b*e + 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}((e*x+d)^{(1/2)} * 2^{(1/2)} \\
& / ((-b*e + 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * c) * b^3 * d^2 - 2 * e^2 / a^2 * c / (- \\
& 4*a*c - b^2) * e^2)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} \\
& ) * \operatorname{arctan}((e*x+d)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} \\
& )) * c) * b^2 * d - 3/4 * e^2 * \operatorname{arctanh}((e*x+d)^{(1/2)}/d^{(1/2)}) / a / d^{(1/2)} + 3/4 * d * (e*x+d)^{(1/2)} \\
& / a / x^2 - 5/4 * a / x^2 * (e*x+d)^{(3/2)} + 3 * e / a^2 * d^{(1/2)} * \operatorname{arctanh}((e*x+d)^{(1/2)}/d^{(1/2)}) \\
& ) * b + 2 * e / a^2 * c * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * \\
& \operatorname{arctan}((e*x+d)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} \\
& ) * c) * b * d + e^3 / a * c / (-4*a*c - b^2) * e^2)^{(1/2)} * 2^{(1/2)} / ((-b*e + 2*c*d + (-4*a*c - b^2) \\
& ) * e^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}((e*x+d)^{(1/2)} * 2^{(1/2)} / ((-b*e + 2*c*d + (-4*a*c - b \\
& ^2) * e^2)^{(1/2)}) * c)^{(1/2)} * c) * b + 4 * e^2 / a * c^2 / (-4*a*c - b^2) * e^2)^{(1/2)} * 2^{(1/2)} / \\
& ((-b*e + 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}((e*x+d)^{(1/2)} * 2^{(1/2)} \\
& / ((-b*e + 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * c) * d - 2 * e / a^2 * c * 2^{(1/2)} / ( \\
& (-b*e + 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}((e*x+d)^{(1/2)} * 2^{(1/2)} \\
& / ((-b*e + 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * c) * b * d + e^3 / a * c / (-4*a*c - b \\
& ^2) * e^2)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan} \\
& ((e*x+d)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)}) * c)^{(1/2)} * c) * b \\
& + 4 * e^2 / a * c^2 / (-4*a*c - b^2) * e^2)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2 \\
& )^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}((e*x+d)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2 \\
& ^2)^{(1/2)}) * c)^{(1/2)} * c) * d + 1/a^3 * c * 2^{(1/2)} / ((-b*e + 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)} \\
& )) * c)^{(1/2)} * \operatorname{arctanh}((e*x+d)^{(1/2)} * 2^{(1/2)} / ((-b*e + 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)} \\
& )) * c)^{(1/2)} * c) * b^2 * d^2 - 1/a^3 * c * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)} \\
& )) * c)^{(1/2)} * \operatorname{arctan}((e*x+d)^{(1/2)} * 2^{(1/2)} / ((b*e - 2*c*d + (-4*a*c - b^2) * e^2)^{(1/2)} \\
& )) * c)^{(1/2)} * c) * b^2 * d^2
\end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{(cx^2 + bx + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/x^3/(c\*x^2+b\*x+a),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/((c\*x^2 + b\*x + a)\*x^3), x)

**mupad [B]** time = 8.19, size = 44649, normalized size = 73.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(3/2)/(x^3\*(a + b\*x + c\*x^2)),x)

[Out] (((3\*a\*d\*e^2 - 4\*b\*d^2\*e)\*(d + e\*x)^(1/2))/(4\*a^2) - ((5\*a\*e^2 - 4\*b\*d\*e)\*(d + e\*x)^(3/2))/(4\*a^2))/((d + e\*x)^2 - 2\*d\*(d + e\*x) + d^2) + atan(((((((192\*a^11\*b^2\*c^3\*e^12 - 24\*a^10\*b^4\*c^2\*e^12 - 384\*a^12\*c^4\*e^12 + 768\*a^10\*c^6\*d^4\*e^8 + 384\*a^11\*c^5\*d^2\*e^10 + 128\*a^8\*b^4\*c^4\*d^4\*e^8 - 96\*a^8\*b^5\*c^3\*d^3\*e^9 - 32\*a^8\*b^6\*c^2\*d^2\*e^10 - 704\*a^9\*b^2\*c^5\*d^4\*e^8 + 320\*a^9\*b^3\*c^4\*d^3\*e^9 + 488\*a^9\*b^4\*c^3\*d^2\*e^10 - 1536\*a^10\*b^2\*c^4\*d^2\*e^10 + 1408\*a^11\*b\*c^4\*d\*e^11 + 56\*a^9\*b^5\*c^2\*d\*e^11 + 256\*a^10\*b\*c^5\*d^3\*e^9 - 576\*a^10\*b^3\*c^3\*d\*e^11)/(2\*a^8) - ((d + e\*x)^(1/2)\*((b^8\*d^3 - a^3\*b^5\*e^3 + 8\*a^4\*c^4\*d^3 + b^5\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 7\*a^4\*b^3\*c\*e^3 - 12\*a^5\*b\*c^2\*e^3 + a^4\*c\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 3\*a^2\*b^6\*d\*e^2 - 24\*a^5\*c^3\*d\*e^2 + 33\*a^2\*b^4\*c^2\*d^3 - 38\*a^3\*b^2\*c^3\*d^3 - a^3\*b^2\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 10\*a\*b^6\*c\*d^3 - 3\*a\*b^7\*d^2\*e - 4\*a\*b^3\*c\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 3\*a\*b^4\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 27\*a^2\*b^5\*c\*d^2\*e - 24\*a^3\*b^4\*c\*d\*e^2 + 60\*a^4\*b\*c^3\*d^2\*e + 3\*a^2\*b\*c^2\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 3\*a^2\*b^3\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) - 75\*a^3\*b^3\*c^2\*d^2\*e + 54\*a^4\*b^2\*c^2\*d\*e^2 - 3\*a^3\*c^2\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 9\*a^2\*b^2\*c\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) - 6\*a^3\*b\*c\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2)))/(2\*(a^6\*b^4 + 16\*a^8\*c^2 - 8\*a^7\*b^2\*c)))^(1/2)\*(1024\*a^13\*c^4\*e^10 + 64\*a^11\*b^4\*c^2\*e^10 - 512\*a^12\*b^2\*c^3\*e^10 + 1536\*a^12\*c^5\*d^2\*e^8 + 128\*a^10\*b^4\*c^3\*d^2\*e^8 - 896\*a^11\*b^2\*c^4\*d^2\*e^8 - 1792\*a^12\*b\*c^4\*d\*e^9 - 128\*a^10\*b^5\*c^2\*d\*e^9 + 960\*a^11\*b^3\*c^3\*d\*e^9)))/(2\*a^8))\*((b^8\*d^3 - a^3\*b^5\*e^3 + 8\*a^4\*c^4\*d^3 + b^5\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 7\*a^4\*b^3\*c\*e^3 - 12\*a^5\*b\*c^2\*e^3 + a^4\*c\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 3\*a^2\*b^6\*d\*e^2 - 24\*a^5\*c^3\*d\*e^2 + 33\*a^2\*b^4\*c^2\*d^3 - 38\*a^3\*b^2\*c^3\*d^3 - a^3\*b^2\*e^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 10\*a\*b^6\*c\*d^3 - 3\*a\*b^7\*d^2\*e - 4\*a\*b^3\*c\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) - 3\*a\*b^4\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 27\*a^2\*b^5\*c\*d^2\*e - 24\*a^3\*b^4\*c\*d\*e^2 + 60\*a^4\*b\*c^3\*d^2\*e + 3\*a^2\*b\*c^2\*d^3\*(-(4\*a\*c - b^2)^3)^(1/2) + 3\*a^2\*b^3\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) - 75\*a^3\*b^3\*c^2\*d^2\*e + 54\*a^4\*b^2\*c^2\*d\*e^2 - 3\*a^3\*c^2\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) + 9\*a^2\*b^2\*c\*d^2\*e\*(-(4\*a\*c - b^2)^3)^(1/2) - 6\*a^3\*b\*c\*d\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2)))/(2\*(a^6\*b^4 + 16\*a^8\*c^2 - 8\*a^7\*b^2\*c)))^(1/2) - ((d + e\*x)^(1/2)\*(876\*a^10\*b\*c^4\*e^13 + 1336\*a^10\*c^5\*d\*e^12 + 73\*a^8\*b^5\*c^2\*e^13 - 511\*a^9\*b^3\*c^3\*e^13 - 1152\*a^8\*c^7\*d^5\*e^8 + 2176\*a^9\*c^6\*d^3\*e^10 - 128\*a^4\*b^8\*c^3\*d^5\*e^8 + 128\*a^4\*b^9\*c^2\*d^4\*e^9 + 1152\*a^5\*b^6\*c^4\*d^5\*e^8 - 832\*a^5\*b^7\*c^3\*d^4\*e^9 - 448\*a^5\*b^8\*c^2\*d^3\*e^10 - 3520\*a^6\*b^4\*c^5\*d^5\*e^8 + 768\*a^6\*b^5\*c^4\*d^4\*e^9 + 3520\*a^6\*b^6\*c^3\*d^3\*e^10 + 576\*a^6\*b^7\*c

$$\begin{aligned}
& c^2 d^2 e^{11} + 4096 a^7 b^2 c^6 d^5 e^8 + 3328 a^7 b^3 c^5 d^4 e^9 - 7824 a^7 b^4 c^4 d^3 e^{10} - 4520 a^7 b^5 c^3 d^2 e^{11} + 2912 a^8 b^2 c^5 d^3 e^{10} \\
& + 10016 a^8 b^3 c^4 d^2 e^{11} - 328 a^7 b^6 c^2 d e^{12} - 4864 a^8 b^3 c^6 d^4 e^9 + 2479 a^8 b^4 c^3 d^5 e^{12} - 4352 a^9 b^3 c^5 d^2 e^{11} - 5034 a^9 b^2 c^4 \\
& * d e^{12} / (2 a^8) * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 + b^5 d^3 * (-4 a \\
& * c - b^2)^3)^{(1/2)} + 7 a^4 b^3 c e^3 - 12 a^5 b^3 c^2 e^3 + a^4 c e^3 * (-4 a * \\
& c - b^2)^3)^{(1/2)} + 3 a^2 b^6 d e^2 - 24 a^5 c^3 d e^2 + 33 a^2 b^4 c^2 d^3 \\
& - 38 a^3 b^2 c^3 d^3 - a^3 b^2 e^3 * (-4 a * c - b^2)^3)^{(1/2)} - 10 a * b^6 c * d \\
& ^3 - 3 a * b^7 d^2 e - 4 a * b^3 c * d^3 * (-4 a * c - b^2)^3)^{(1/2)} - 3 a * b^4 d^2 e \\
& * (-4 a * c - b^2)^3)^{(1/2)} + 27 a^2 b^5 c * d^2 e - 24 a^3 b^4 c * d e^2 + 60 a^4 \\
& b^3 c^3 d^2 e + 3 a^2 b^3 c^2 d^3 * (-4 a * c - b^2)^3)^{(1/2)} + 3 a^2 b^3 d e^2 * \\
& (-4 a * c - b^2)^3)^{(1/2)} - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d e^2 - 3 a^3 \\
& c^2 d^2 e * (-4 a * c - b^2)^3)^{(1/2)} + 9 a^2 b^2 c * d^2 e * (-4 a * c - b^2)^3)^{(1/2)} \\
& - 6 a^3 b^3 c * d e^2 * (-4 a * c - b^2)^3)^{(1/2)} / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{(1/2)} - (216 a^9 b^3 c^4 e^{15} + 604 a^9 c^5 d e^{14} + 15 a^8 \\
& b^5 c^2 e^{15} - 114 a^8 b^3 c^3 e^{15} + 192 a^6 c^8 d^7 e^8 - 1344 a^7 c^7 d^5 e^{10} - 932 a^8 c^6 d^3 e^{12} + 128 a^2 b^8 c^4 d^7 e^8 - 96 a^2 b^9 c^3 \\
& d^6 e^9 - 32 a^2 b^10 c^2 d^5 e^{10} - 960 a^3 b^6 c^5 d^7 e^8 + 128 a^3 b^7 c^4 d^6 e^9 + 840 a^3 b^8 c^3 d^5 e^{10} + 152 a^3 b^9 c^2 d^4 e^{11} + 2176 a^4 \\
& b^4 c^6 d^7 e^8 + 2336 a^4 b^5 c^5 d^6 e^9 - 3648 a^4 b^6 c^4 d^5 e^{10} - 2496 a^4 b^7 c^3 d^4 e^{11} - 280 a^4 b^8 c^2 d^3 e^{12} - 1600 a^5 b^2 c^7 d^7 \\
& e^8 - 6016 a^5 b^3 c^6 d^6 e^9 + 2328 a^5 b^4 c^5 d^5 e^{10} + 10216 a^5 b^5 c^4 d^4 e^{11} + 3497 a^5 b^6 c^3 d^3 e^{12} + 247 a^5 b^7 c^2 d^2 e^{13} + 374 \\
& 4 a^6 b^2 c^6 d^5 e^{10} - 10912 a^6 b^3 c^5 d^4 e^{11} - 12151 a^6 b^4 c^4 d^3 e^{12} - 2498 a^6 b^5 c^3 d^2 e^{13} + 10885 a^7 b^2 c^5 d^3 e^{12} + 7081 a^7 b^3 \\
& c^4 d^2 e^{13} + 3200 a^6 b^3 c^7 d^6 e^9 - 102 a^6 b^6 c^2 d e^{14} + 1024 a^7 b^3 c^6 d^4 e^{11} + 867 a^7 b^4 c^3 d e^{14} - 4292 a^8 b^3 c^5 d^2 e^{13} - 1971 a^8 \\
& b^2 c^4 d e^{14} / (2 a^8) * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 + b^5 d^3 * (-4 a * c - b^2)^3)^{(1/2)} + 7 a^4 b^3 c e^3 - 12 a^5 b^3 c^2 e^3 + a^4 c e^3 * (-4 a * c - b^2)^3)^{(1/2)} + 3 a^2 b^6 d e^2 - 24 a^5 c^3 d e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 - a^3 b^2 e^3 * (-4 a * c - b^2)^3)^{(1/2)} - 10 a * b^6 c * d^3 - 3 a * b^7 d^2 e - 4 a * b^3 c * d^3 * (-4 a * c - b^2)^3)^{(1/2)} - 3 a * b^4 d^2 e * (-4 a * c - b^2)^3)^{(1/2)} + 27 a^2 b^5 c * d^2 e - 24 a^3 b^4 c * d e^2 + 60 a^4 b^3 c^3 d^2 e + 3 a^2 b^3 c^2 d^3 * (-4 a * c - b^2)^3)^{(1/2)} + 3 a^2 b^3 d e^2 * (-4 a * c - b^2)^3)^{(1/2)} - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d e^2 - 3 a^3 c^2 d^2 e * (-4 a * c - b^2)^3)^{(1/2)} + 9 a^2 b^2 c * d^2 e * (-4 a * c - b^2)^3)^{(1/2)} - 6 a^3 b^3 c * d e^2 * (-4 a * c - b^2)^3)^{(1/2)} / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{(1/2)} - ((d + e x)^{(1/2)} * (82 a^8 c^5 e^{16} + 192 a^4 c^9 d^8 e^8 - 608 a^5 c^8 d^6 e^{10} + 1106 a^6 c^7 d^4 e^{12} + 52 a^7 c^6 d^2 e^{14} + 64 b^8 c^5 d^8 e^8 + 704 a^2 b^4 c^7 d^8 e^8 + 2240 a^2 b^5 c^6 d^7 e^9 + 1344 a^2 b^6 c^5 d^6 e^{10} - 512 a^3 b^2 c^8 d^8 e^8 - 2944 a^3 b^3 c^7 d^7 e^9 - 5424 a^3 b^4 c^6 d^6 e^{10} - 2248 a^3 b^5 c^5 d^5 e^{11} + 5184 a^4 b^2 c^7 d^6 e^{10} + 6496 a^4 b^3 c^6 d^5 e^{11} + 2409 a^4 b^4 c^5 d^4 e^{12} - 3748 a^5 b^2 c^6 d^4 e^{12} - 1876 a^5 b^3 c^5 d^3 e^{13} + 1110 a^6 b^2 c^5 d^2 e^{14} - 436 a^7 b^3 c^5 d e^{15} - 384 a^7 b^6 c^6 d^8 e^8 - 448 a^7 b^7
\end{aligned}$$

$$\begin{aligned}
& *c^5*d^7*e^9 + 896*a^4*b*c^8*d^7*e^9 - 4048*a^5*b*c^7*d^5*e^11 + 780*a^6*b*c^6*d^3*e^13)/(2*a^8))*((b^8*d^3 - a^3*b^5*e^3 + 8*a^4*c^4*d^3 + b^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^5*b*c^2*e^3 + a^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5*c^3*d*e^2 + 33*a^2*b^4*c^2*d^3 - 38*a^3*b^2*c^3*d^3 - a^3*b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d^3 - 3*a*b^7*d^2*e - 4*a*b^3*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^2*e + 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 75*a^3*b^3*c^2*d^2*e + 54*a^4*b^2*c^2*d*e^2 - 3*a^3*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)))/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)}*i - (((((192*a^11*b^2*c^3*e^12 - 24*a^10*b^4*c^2*e^12 - 384*a^12*c^4*e^12 + 768*a^10*c^6*d^4*e^8 + 384*a^11*c^5*d^2*e^10 + 128*a^8*b^4*c^4*d^4*e^8 - 96*a^8*b^5*c^3*d^3*e^9 - 32*a^8*b^6*c^2*d^2*e^10 - 704*a^9*b^2*c^5*d^4*e^8 + 320*a^9*b^3*c^4*d^3*e^9 + 488*a^9*b^4*c^3*d^2*e^10 - 1536*a^10*b^2*c^4*d^2*e^10 + 1408*a^11*b*c^4*d*e^11 + 56*a^9*b^5*c^2*d*e^11 + 256*a^10*b*c^5*d^3*e^9 - 576*a^10*b^3*c^3*d*e^11)/(2*a^8) + ((d + e*x)^{(1/2)}*((b^8*d^3 - a^3*b^5*e^3 + 8*a^4*c^4*d^3 + b^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^5*b*c^2*e^3 + a^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5*c^3*d*e^2 + 33*a^2*b^4*c^2*d^3 - 38*a^3*b^2*c^3*d^3 - a^3*b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d^3 - 3*a*b^7*d^2*e - 4*a*b^3*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^2*e + 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 75*a^3*b^3*c^2*d^2*e + 54*a^4*b^2*c^2*d*e^2 - 3*a^3*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)))/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)}*(1024*a^13*c^4*e^10 + 64*a^11*b^4*c^2*e^10 - 512*a^12*b^2*c^3*e^10 + 1536*a^12*c^5*d^2*e^8 + 128*a^10*b^4*c^3*d^2*e^8 - 896*a^11*b^2*c^4*d^2*e^8 - 1792*a^12*b*c^4*d*e^9 - 128*a^10*b^5*c^2*d*e^9 + 960*a^11*b^3*c^3*d*e^9))/(2*a^8))*((b^8*d^3 - a^3*b^5*e^3 + 8*a^4*c^4*d^3 + b^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^5*b*c^2*e^3 + a^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5*c^3*d*e^2 + 33*a^2*b^4*c^2*d^3 - 38*a^3*b^2*c^3*d^3 - a^3*b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d^3 - 3*a*b^7*d^2*e - 4*a*b^3*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^2*e + 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 75*a^3*b^3*c^2*d^2*e + 54*a^4*b^2*c^2*d*e^2 - 3*a^3*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)))/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)} + ((d + e*x)^{(1/2)}*(876*a^10*b*c^4*e^13 + 1336*a^10*c^5*d*e^12 + 73*a^8*b^5*c^2*e^13 - 511*a^9*b^3*c^3*e^13 - 1152*a^8*c^7*d^5*e^8 + 2176*a^9*c^6*d^3*e^10 - 128*a^4*b^8*c^3*d^5*e^8 + 128*a^4*b^9*c^2*d^4*e^9 + 1152*a^5*b^6*c^4*d^5*e^8 - 832*a^5*b^7*c^3*d^4*e^9 - 448*a^5*b^8*c^2*d^3*e^10 - 3520*a^6*b^4*c^5*d^5*e^8 + 768*a^6*b^5*c^4*d^4*e^9
\end{aligned}$$



$$\begin{aligned}
& + 3520*a^6*b^6*c^3*d^3*e^{10} + 576*a^6*b^7*c^2*d^2*e^{11} + 4096*a^7*b^2*c^6*d^5*e^8 + 3328*a^7*b^3*c^5*d^4*e^9 - 7824*a^7*b^4*c^4*d^3*e^{10} - 4520*a^7*b^5*c^3*d^2*e^{11} + 2912*a^8*b^2*c^5*d^3*e^{10} + 10016*a^8*b^3*c^4*d^2*e^{11} - 328*a^7*b^6*c^2*d*e^{12} - 4864*a^8*b*c^6*d^4*e^9 + 2479*a^8*b^4*c^3*d*e^{12} - 4352*a^9*b*c^5*d^2*e^{11} - 5034*a^9*b^2*c^4*d*e^{12})/(2*a^8))*((b^8*d^3 - a^3*b^5*e^3 + 8*a^4*c^4*d^3 + b^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^5*b*c^2*e^3 + a^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5*c^3*d*e^2 + 33*a^2*b^4*c^2*d^3 - 38*a^3*b^2*c^3*d^3 - a^3*b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d^3 - 3*a*b^7*d^2*e - 4*a*b^3*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^2*e + 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 75*a^3*b^3*c^2*d^2*e + 54*a^4*b^2*c^2*d*e^2 - 3*a^3*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)} - (216*a^9*b*c^4*e^{15} + 604*a^9*c^5*d*e^{14} + 15*a^7*b^5*c^2*e^{15} - 114*a^8*b^3*c^3*e^{15} + 192*a^6*c^8*d^7*e^8 - 1344*a^7*c^7*d^5*e^{10} - 932*a^8*c^6*d^3*e^{12} + 128*a^2*b^8*c^4*d^7*e^8 - 96*a^2*b^9*c^3*d^6*e^9 - 32*a^2*b^10*c^2*d^5*e^{10} - 960*a^3*b^6*c^5*d^7*e^8 + 128*a^3*b^7*c^4*d^6*e^9 + 840*a^3*b^8*c^3*d^5*e^{10} + 152*a^3*b^9*c^2*d^4*e^{11} + 2176*a^4*b^4*c^6*d^7*e^8 + 2336*a^4*b^5*c^5*d^6*e^9 - 3648*a^4*b^6*c^4*d^5*e^{10} - 2496*a^4*b^7*c^3*d^4*e^{11} - 280*a^4*b^8*c^2*d^3*e^{12} - 1600*a^5*b^2*c^7*d^7*e^8 - 6016*a^5*b^3*c^6*d^6*e^9 + 2328*a^5*b^4*c^5*d^5*e^{10} + 10216*a^5*b^5*c^4*d^4*e^{11} + 3497*a^5*b^6*c^3*d^3*e^{12} + 247*a^5*b^7*c^2*d^2*e^{13} + 3744*a^6*b^2*c^6*d^5*e^{10} - 10912*a^6*b^3*c^5*d^4*e^{11} - 12151*a^6*b^4*c^4*d^3*e^{12} - 2498*a^6*b^5*c^3*d^2*e^{13} + 10885*a^7*b^2*c^5*d^3*e^{12} + 7081*a^7*b^3*c^4*d^2*e^{13} + 3200*a^6*b*c^7*d^6*e^9 - 102*a^6*b^6*c^2*d*e^{14} + 1024*a^7*b*c^6*d^4*e^{11} + 867*a^7*b^4*c^3*d*e^{14} - 4292*a^8*b*c^5*d^2*e^{13} - 1971*a^8*b^2*c^4*d*e^{14})/(2*a^8))*((b^8*d^3 - a^3*b^5*e^3 + 8*a^4*c^4*d^3 + b^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^5*b*c^2*e^3 + a^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5*c^3*d*e^2 + 33*a^2*b^4*c^2*d^3 - 38*a^3*b^2*c^3*d^3 - a^3*b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d^3 - 3*a*b^7*d^2*e - 4*a*b^3*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^2*e + 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 75*a^3*b^3*c^2*d^2*e + 54*a^4*b^2*c^2*d*e^2 - 3*a^3*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)})/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)} + ((d + e*x)^{(1/2)}*(82*a^8*c^5*e^{16} + 192*a^4*c^9*d^8*e^8 - 608*a^5*c^8*d^6*e^{10} + 1106*a^6*c^7*d^4*e^{12} + 52*a^7*c^6*d^2*e^{14} + 64*b^8*c^5*d^8*e^8 + 704*a^2*b^4*c^7*d^8*e^8 + 2240*a^2*b^5*c^6*d^7*e^9 + 1344*a^2*b^6*c^5*d^6*e^{10} - 512*a^3*b^2*c^8*d^8*e^8 - 2944*a^3*b^3*c^7*d^7*e^9 - 5424*a^3*b^4*c^6*d^6*e^{10} - 2248*a^3*b^5*c^5*d^5*e^{11} + 5184*a^4*b^2*c^7*d^6*e^{10} + 6496*a^4*b^3*c^6*d^5*e^{11} + 2409*a^4*b^4*c^5*d^4*e^{12} - 3748*a^5*b^2*c^6*d^4*e^{12} - 1876*a^5*b^3*c^5*d^3*e^{13} + 1110*a^6*b^2*c^5*d^2*e^{14} - 436*a^7*b*c^5*
\end{aligned}$$

$$\begin{aligned}
& d^8 e^{15} - 384 a^6 b^6 c^6 d^8 e^8 - 448 a^6 b^7 c^5 d^7 e^9 + 896 a^4 b^6 c^8 d^7 e^9 - 4048 a^5 b^6 c^7 d^5 e^{11} + 780 a^6 b^6 c^6 d^3 e^{13}) / (2 a^8) * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 + b^5 d^3 * (-4 a^2 c - b^2)^3)^{(1/2)} + 7 a^4 b^3 c^3 e^3 - 12 a^5 b^6 c^2 e^3 + a^4 c^3 e^3 * (-4 a^2 c - b^2)^3)^{(1/2)} + 3 a^2 b^6 d^6 e^2 - 24 a^5 c^3 d^3 e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 - a^3 b^2 e^3 * (-4 a^2 c - b^2)^3)^{(1/2)} - 10 a^6 b^6 c^3 d^3 - 3 a^6 b^7 d^2 e - 4 a^6 b^3 c^3 d^3 * (-4 a^2 c - b^2)^3)^{(1/2)} - 3 a^6 b^4 d^2 e * (-4 a^2 c - b^2)^3)^{(1/2)} + 27 a^2 b^5 c^3 d^2 e - 24 a^3 b^4 c^3 d^2 e + 60 a^4 b^6 c^3 d^2 e + 3 a^2 b^6 c^2 d^3 * (-4 a^2 c - b^2)^3)^{(1/2)} + 3 a^2 b^3 d^3 e^2 * (-4 a^2 c - b^2)^3)^{(1/2)} - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d^2 e - 3 a^3 c^2 d^2 e * (-4 a^2 c - b^2)^3)^{(1/2)} + 9 a^2 b^2 c^2 d^2 e * (-4 a^2 c - b^2)^3)^{(1/2)} - 6 a^3 b^3 c^2 d^2 e * (-4 a^2 c - b^2)^3)^{(1/2)} / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{(1/2)} * 1 i) / ((216 a^3 c^9 d^8 e^{10} - 15 a^7 c^5 e^{18} + 391 a^4 c^8 d^6 e^{12} + 119 a^5 c^7 d^4 e^{14} - 71 a^6 c^6 d^2 e^{16} - 64 b^4 c^8 d^{10} e^8 + 128 b^5 c^7 d^9 e^9 - 64 b^6 c^6 d^8 e^{10} + 1472 a^2 b^3 c^7 d^7 e^{11} - 1344 a^2 b^4 c^6 d^6 e^{12} + 32 a^2 b^5 c^5 d^5 e^{13} - 1264 a^3 b^2 c^7 d^6 e^{12} + 2088 a^3 b^3 c^6 d^5 e^{13} - 152 a^3 b^4 c^5 d^4 e^{14} - 1689 a^4 b^2 c^6 d^4 e^{14} + 280 a^4 b^3 c^5 d^3 e^{15} - 247 a^5 b^2 c^5 d^2 e^{16} + 102 a^6 b^3 c^5 d^2 e^{17} + 64 a^6 b^2 c^9 d^{10} e^8 + 192 a^6 b^3 c^8 d^9 e^9 - 704 a^6 b^4 c^7 d^8 e^{10} + 448 a^6 b^5 c^6 d^7 e^{11} - 224 a^2 b^6 c^9 d^9 e^9 - 504 a^3 b^6 c^8 d^7 e^{11} + 250 a^4 b^6 c^7 d^5 e^{13} + 632 a^5 b^6 c^6 d^3 e^{15}) / a^8 + ((((((192 a^{11} b^2 c^3 e^{12} - 24 a^{10} b^4 c^2 e^{12} - 384 a^{12} c^4 e^{12} + 768 a^{10} c^6 d^4 e^8 + 384 a^{11} c^5 d^2 e^{10} + 128 a^8 b^4 c^4 d^4 e^8 - 96 a^8 b^5 c^3 d^3 e^9 - 32 a^8 b^6 c^2 d^2 e^{10} - 704 a^9 b^2 c^5 d^4 e^8 + 320 a^9 b^3 c^4 d^3 e^9 + 488 a^9 b^4 c^3 d^2 e^{10} - 1536 a^{10} b^2 c^4 d^2 e^{10} + 1408 a^{11} b^3 c^4 d^2 e^{11} + 56 a^9 b^5 c^2 d^2 e^{11} + 256 a^{10} b^6 c^5 d^3 e^9 - 576 a^{10} b^3 c^3 d^2 e^{11}) / (2 a^8) - ((d + e^x)^{(1/2)} * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 + b^5 d^3 * (-4 a^2 c - b^2)^3)^{(1/2)} + 7 a^4 b^3 c^3 e^3 - 12 a^5 b^6 c^2 e^3 + a^4 c^3 e^3 * (-4 a^2 c - b^2)^3)^{(1/2)} + 3 a^2 b^6 d^6 e^2 - 24 a^5 c^3 d^3 e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 - a^3 b^2 e^3 * (-4 a^2 c - b^2)^3)^{(1/2)} - 10 a^6 b^6 c^3 d^3 - 3 a^6 b^7 d^2 e - 4 a^6 b^3 c^3 d^3 * (-4 a^2 c - b^2)^3)^{(1/2)} - 3 a^6 b^4 d^2 e * (-4 a^2 c - b^2)^3)^{(1/2)} + 27 a^2 b^5 c^3 d^2 e - 24 a^3 b^4 c^3 d^2 e + 60 a^4 b^6 c^3 d^2 e + 3 a^2 b^6 c^2 d^3 * (-4 a^2 c - b^2)^3)^{(1/2)} + 3 a^2 b^3 d^3 e^2 * (-4 a^2 c - b^2)^3)^{(1/2)} - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d^2 e - 3 a^3 c^2 d^2 e * (-4 a^2 c - b^2)^3)^{(1/2)} + 9 a^2 b^2 c^2 d^2 e * (-4 a^2 c - b^2)^3)^{(1/2)} - 6 a^3 b^3 c^2 d^2 e * (-4 a^2 c - b^2)^3)^{(1/2)})) / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{(1/2)} * (1024 a^{13} c^4 e^{10} + 64 a^{11} b^4 c^2 e^{10} - 512 a^{12} b^2 c^3 e^{10} + 1536 a^{12} c^5 d^2 e^8 + 128 a^{10} b^4 c^3 d^2 e^8 - 896 a^{11} b^2 c^4 d^2 e^8 - 1792 a^{12} b^3 c^4 d^2 e^9 - 128 a^{10} b^5 c^2 d^2 e^9 + 960 a^{11} b^3 c^3 d^2 e^9)) / (2 a^8) * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 + b^5 d^3 * (-4 a^2 c - b^2)^3)^{(1/2)} + 7 a^4 b^3 c^3 e^3 - 12 a^5 b^6 c^2 e^3 + a^4 c^3 e^3 * (-4 a^2 c - b^2)^3)^{(1/2)} + 3 a^2 b^6 d^6 e^2 - 24 a^5 c^3 d^3 e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 - a^3 b^2 e^3 * (-4 a^2 c - b^2)^3)^{(1/2)} - 10 a^6 b^6 c^3 d^3 - 3 a^6 b^7 d^2 e - 4 a^6 b^3 c^3 d^3 * (-4 a^2 c - b^2)^3)^{(1/2)} - 3 a^6 b^4 d^2 e * (-4 a^2 c - b^2)^3)^{(1/2)} + 27 a^2 b^5 c^3 d^2 e - 24
\end{aligned}$$

$$\begin{aligned}
& a^3 b^4 c d e^2 + 60 a^4 b^3 c^2 d^2 e + 3 a^2 b^3 c^2 d^3 (-4 a c - b^2)^3)^{1/2} \\
& + 3 a^2 b^3 d e^2 (-4 a c - b^2)^3)^{1/2} - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d e^2 - 3 a^3 c^2 d^2 e (-4 a c - b^2)^3)^{1/2} + 9 a^2 b^2 c^2 d^2 e (-4 a c - b^2)^3)^{1/2} \\
& - 6 a^3 b^3 c d e^2 (-4 a c - b^2)^3)^{1/2} \\
& ) / (2 (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} - ((d + e x)^{1/2} (876 a^{10} b^4 c^4 e^{13} + 1336 a^{10} c^5 d e^{12} + 73 a^8 b^5 c^2 e^{13} - 511 a^9 b^3 c^3 e^{13} \\
& - 1152 a^8 c^7 d^5 e^8 + 2176 a^9 c^6 d^3 e^{10} - 128 a^4 b^8 c^3 d^5 e^8 + 128 a^4 b^9 c^2 d^4 e^9 + 1152 a^5 b^6 c^4 d^5 e^8 - 832 a^5 b^7 c^3 d^4 e^9 \\
& - 448 a^5 b^8 c^2 d^3 e^{10} - 3520 a^6 b^4 c^5 d^5 e^8 + 768 a^6 b^5 c^4 d^4 e^9 + 3520 a^6 b^6 c^3 d^3 e^{10} + 576 a^6 b^7 c^2 d^2 e^{11} + 4096 a^7 b^2 c^6 d^5 e^8 \\
& + 3328 a^7 b^3 c^5 d^4 e^9 - 7824 a^7 b^4 c^4 d^3 e^{10} - 4520 a^7 b^5 c^3 d^2 e^{11} + 2912 a^8 b^2 c^5 d^3 e^{10} + 10016 a^8 b^3 c^4 d^2 e^{11} \\
& - 328 a^7 b^6 c^2 d e^{12} - 4864 a^8 b^3 c^6 d^4 e^9 + 2479 a^8 b^4 c^3 d e^{12} - 4352 a^9 b^3 c^5 d^2 e^{11} - 5034 a^9 b^2 c^4 d e^{12})) / (2 a^8) \\
& ) * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 + b^5 d^3 (-4 a c - b^2)^3)^{1/2} + 7 a^4 b^3 c e^3 - 12 a^5 b^3 c^2 e^3 + a^4 c e^3 (-4 a c - b^2)^3)^{1/2} \\
& + 3 a^2 b^6 d e^2 - 24 a^5 c^3 d e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 - a^3 b^2 e^3 (-4 a c - b^2)^3)^{1/2} - 10 a b^6 c d^3 - 3 a b^7 d^2 e - 4 a b^3 c d^3 (-4 a c - b^2)^3)^{1/2} \\
& - 3 a b^4 d^2 e (-4 a c - b^2)^3)^{1/2} + 27 a^2 b^5 c d^2 e - 24 a^3 b^4 c d e^2 + 60 a^4 b^3 c^2 d^2 e + 3 a^2 b^3 c^2 d^3 (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^3 d e^2 (-4 a c - b^2)^3)^{1/2} \\
& - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d e^2 - 3 a^3 c^2 d^2 e (-4 a c - b^2)^3)^{1/2} + 9 a^2 b^2 c^2 d^2 e (-4 a c - b^2)^3)^{1/2} - 6 a^3 b^3 c d e^2 (-4 a c - b^2)^3)^{1/2} \\
& ) / (2 (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} - (216 a^9 b^3 c^4 e^{15} + 604 a^9 c^5 d e^{14} + 15 a^7 b^5 c^2 e^{15} - 114 a^8 b^3 c^3 e^{15} + 192 a^6 c^8 d^7 e^8 - 1344 a^7 c^7 d^5 e^{10} - 932 a^8 c^6 d^3 e^{12} \\
& + 128 a^2 b^8 c^4 d^7 e^8 - 96 a^2 b^9 c^3 d^6 e^9 - 32 a^2 b^10 c^2 d^5 e^{10} - 960 a^3 b^6 c^5 d^7 e^8 + 128 a^3 b^7 c^4 d^6 e^9 + 840 a^3 b^8 c^3 d^5 e^{10} + 152 a^3 b^9 c^2 d^4 e^{11} + 2176 a^4 b^4 c^6 d^7 e^8 + 2336 a^4 b^5 c^5 d^6 e^9 - 3648 a^4 b^6 c^4 d^5 e^{10} - 2496 a^4 b^7 c^3 d^4 e^{11} \\
& - 280 a^4 b^8 c^2 d^3 e^{12} - 1600 a^5 b^2 c^7 d^7 e^8 - 6016 a^5 b^3 c^6 d^6 e^9 + 2328 a^5 b^4 c^5 d^5 e^{10} + 10216 a^5 b^5 c^4 d^4 e^{11} + 3497 a^5 b^6 c^3 d^3 e^{12} + 247 a^5 b^7 c^2 d^2 e^{13} + 3744 a^6 b^2 c^6 d^5 e^{10} - 10912 a^6 b^3 c^5 d^4 e^{11} - 12151 a^6 b^4 c^4 d^3 e^{12} - 2498 a^6 b^5 c^3 d^2 e^{13} \\
& + 10885 a^7 b^2 c^5 d^3 e^{12} + 7081 a^7 b^3 c^4 d^2 e^{13} + 3200 a^6 b^3 c^7 d^6 e^9 - 102 a^6 b^6 c^2 d e^{14} + 1024 a^7 b^3 c^6 d^4 e^{11} + 867 a^7 b^4 c^3 d e^{14} - 4292 a^8 b^3 c^5 d^2 e^{13} - 1971 a^8 b^2 c^4 d e^{14}) / (2 a^8) \\
& ) * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 + b^5 d^3 (-4 a c - b^2)^3)^{1/2} + 7 a^4 b^3 c e^3 - 12 a^5 b^3 c^2 e^3 + a^4 c e^3 (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^6 d e^2 - 24 a^5 c^3 d e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 - a^3 b^2 e^3 (-4 a c - b^2)^3)^{1/2} - 10 a b^6 c d^3 - 3 a b^7 d^2 e - 4 a b^3 c d^3 (-4 a c - b^2)^3)^{1/2} - 3 a b^4 d^2 e (-4 a c - b^2)^3)^{1/2} + 27 a^2 b^5 c d^2 e - 24 a^3 b^4 c d e^2 + 60 a^4 b^3 c^2 d^2 e + 3 a^2 b^3 c^2 d^3 (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^3 d e^2 (-4 a c - b^2)^3)^{1/2} - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d e^2 - 3 a^3 c^2 d^2 e (-4 a c - b^2)^3)^{1/2}
\end{aligned}$$

$$\begin{aligned}
& d^2 e * (- (4 a c - b^2)^3)^{(1/2)} + 9 a^2 b^2 c d^2 e * (- (4 a c - b^2)^3)^{(1/2)} \\
& - 6 a^3 b c d e^2 * (- (4 a c - b^2)^3)^{(1/2)} / (2 (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{(1/2)} - ((d + e x)^{(1/2)} * (82 a^8 c^5 e^{16} + 192 a^4 c^9 d^8 e^8 \\
& - 608 a^5 c^8 d^6 e^{10} + 1106 a^6 c^7 d^4 e^{12} + 52 a^7 c^6 d^2 e^{14} + 64 b^8 c^5 d^8 e^8 + 704 a^2 b^4 c^7 d^8 e^8 + 2240 a^2 b^5 c^6 d^7 e^9 + 1344 \\
& a^2 b^6 c^5 d^6 e^{10} - 512 a^3 b^2 c^8 d^8 e^8 - 2944 a^3 b^3 c^7 d^7 e^9 - 5424 a^3 b^4 c^6 d^6 e^{10} - 2248 a^3 b^5 c^5 d^5 e^{11} + 5184 a^4 b^2 c^7 * \\
& d^6 e^{10} + 6496 a^4 b^3 c^6 d^5 e^{11} + 2409 a^4 b^4 c^5 d^4 e^{12} - 3748 a^5 \\
& b^2 c^6 d^4 e^{12} - 1876 a^5 b^3 c^5 d^3 e^{13} + 1110 a^6 b^2 c^5 d^2 e^{14} - \\
& 436 a^7 b c^5 d e^{15} - 384 a b^6 c^6 d^8 e^8 - 448 a b^7 c^5 d^7 e^9 + 896 \\
& a^4 b c^8 d^7 e^9 - 4048 a^5 b c^7 d^5 e^{11} + 780 a^6 b c^6 d^3 e^{13})) / (2 * \\
& a^8) * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 + b^5 d^3 * (- (4 a c - b^2)^3)^{(1/2)} \\
& + 7 a^4 b^3 c e^3 - 12 a^5 b c^2 e^3 + a^4 c e^3 * (- (4 a c - b^2)^3)^{(1/2)} \\
& + 3 a^2 b^6 d e^2 - 24 a^5 c^3 d e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 \\
& c^3 d^3 - a^3 b^2 e^3 * (- (4 a c - b^2)^3)^{(1/2)} - 10 a b^6 c d^3 - 3 a b^7 * \\
& d^2 e - 4 a b^3 c d^3 * (- (4 a c - b^2)^3)^{(1/2)} - 3 a b^4 d^2 e * (- (4 a c - b \\
& ^2)^3)^{(1/2)} + 27 a^2 b^5 c d^2 e - 24 a^3 b^4 c d e^2 + 60 a^4 b c^3 d^2 e \\
& + 3 a^2 b c^2 d^3 * (- (4 a c - b^2)^3)^{(1/2)} + 3 a^2 b^3 d e^2 * (- (4 a c - b \\
& ^2)^3)^{(1/2)} - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d e^2 - 3 a^3 c^2 d^2 e \\
& * (- (4 a c - b^2)^3)^{(1/2)} + 9 a^2 b^2 c d^2 e * (- (4 a c - b^2)^3)^{(1/2)} - 6 * \\
& a^3 b c d e^2 * (- (4 a c - b^2)^3)^{(1/2)} / (2 (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{(1/2)} + (((((192 a^11 b^2 c^3 e^{12} - 24 a^10 b^4 c^2 e^{12} - 384 a^12 \\
& c^4 e^{12} + 768 a^10 c^6 d^4 e^8 + 384 a^11 c^5 d^2 e^{10} + 128 a^8 b^4 c^4 * \\
& d^4 e^8 - 96 a^8 b^5 c^3 d^3 e^9 - 32 a^8 b^6 c^2 d^2 e^{10} - 704 a^9 b^2 c^ \\
& 5 d^4 e^8 + 320 a^9 b^3 c^4 d^3 e^9 + 488 a^9 b^4 c^3 d^2 e^{10} - 1536 a^10 * \\
& b^2 c^4 d^2 e^{10} + 1408 a^11 b c^4 d e^{11} + 56 a^9 b^5 c^2 d e^{11} + 256 a^1 \\
& 0 b c^5 d^3 e^9 - 576 a^10 b^3 c^3 d e^{11})) / (2 a^8) + ((d + e x)^{(1/2)} * ((b^8 \\
& d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 + b^5 d^3 * (- (4 a c - b^2)^3)^{(1/2)} + 7 a \\
& ^4 b^3 c e^3 - 12 a^5 b c^2 e^3 + a^4 c e^3 * (- (4 a c - b^2)^3)^{(1/2)} + 3 a^ \\
& 2 b^6 d e^2 - 24 a^5 c^3 d e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 - \\
& a^3 b^2 e^3 * (- (4 a c - b^2)^3)^{(1/2)} - 10 a b^6 c d^3 - 3 a b^7 d^2 e - 4 a \\
& b^3 c d^3 * (- (4 a c - b^2)^3)^{(1/2)} - 3 a b^4 d^2 e * (- (4 a c - b^2)^3)^{(1/2)} \\
& ) + 27 a^2 b^5 c d^2 e - 24 a^3 b^4 c d e^2 + 60 a^4 b c^3 d^2 e + 3 a^2 b * \\
& c^2 d^3 * (- (4 a c - b^2)^3)^{(1/2)} + 3 a^2 b^3 d e^2 * (- (4 a c - b^2)^3)^{(1/2)} \\
& - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d e^2 - 3 a^3 c^2 d^2 e * (- (4 a c - \\
& b^2)^3)^{(1/2)} + 9 a^2 b^2 c d^2 e * (- (4 a c - b^2)^3)^{(1/2)} - 6 a^3 b c d e \\
& ^2 * (- (4 a c - b^2)^3)^{(1/2)} / (2 (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{(1/2)} \\
& ) * (1024 a^13 c^4 e^{10} + 64 a^11 b^4 c^2 e^{10} - 512 a^12 b^2 c^3 e^{10} + 1536 \\
& a^12 c^5 d^2 e^8 + 128 a^10 b^4 c^3 d^2 e^8 - 896 a^11 b^2 c^4 d^2 e^8 - 1 \\
& 792 a^12 b c^4 d e^9 - 128 a^10 b^5 c^2 d e^9 + 960 a^11 b^3 c^3 d e^9)) / (2 \\
& a^8) * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 + b^5 d^3 * (- (4 a c - b^2)^3)^{(1/2)} \\
& + 7 a^4 b^3 c e^3 - 12 a^5 b c^2 e^3 + a^4 c e^3 * (- (4 a c - b^2)^3)^{(1/2)} \\
& + 3 a^2 b^6 d e^2 - 24 a^5 c^3 d e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 \\
& c^3 d^3 - a^3 b^2 e^3 * (- (4 a c - b^2)^3)^{(1/2)} - 10 a b^6 c d^3 - 3 a b^7 \\
& d^2 e - 4 a b^3 c d^3 * (- (4 a c - b^2)^3)^{(1/2)} - 3 a b^4 d^2 e * (- (4 a c -
\end{aligned}$$

$$\begin{aligned}
& b^2)^3)^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^2* \\
& e + 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^3*d*e^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 75*a^3*b^3*c^2*d^2*e + 54*a^4*b^2*c^2*d*e^2 - 3*a^3*c^2*d^2* \\
& e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6 \\
& *a^3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2))}/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b \\
& ^2*c)))^{(1/2)} + ((d + e*x)^{(1/2)}*(876*a^10*b*c^4*e^13 + 1336*a^10*c^5*d*e^1 \\
& 2 + 73*a^8*b^5*c^2*e^13 - 511*a^9*b^3*c^3*e^13 - 1152*a^8*c^7*d^5*e^8 + 217 \\
& 6*a^9*c^6*d^3*e^10 - 128*a^4*b^8*c^3*d^5*e^8 + 128*a^4*b^9*c^2*d^4*e^9 + 11 \\
& 52*a^5*b^6*c^4*d^5*e^8 - 832*a^5*b^7*c^3*d^4*e^9 - 448*a^5*b^8*c^2*d^3*e^10 \\
& - 3520*a^6*b^4*c^5*d^5*e^8 + 768*a^6*b^5*c^4*d^4*e^9 + 3520*a^6*b^6*c^3*d^ \\
& 3*e^10 + 576*a^6*b^7*c^2*d^2*e^11 + 4096*a^7*b^2*c^6*d^5*e^8 + 3328*a^7*b^3 \\
& *c^5*d^4*e^9 - 7824*a^7*b^4*c^4*d^3*e^10 - 4520*a^7*b^5*c^3*d^2*e^11 + 2912 \\
& *a^8*b^2*c^5*d^3*e^10 + 10016*a^8*b^3*c^4*d^2*e^11 - 328*a^7*b^6*c^2*d*e^12 \\
& - 4864*a^8*b*c^6*d^4*e^9 + 2479*a^8*b^4*c^3*d*e^12 - 4352*a^9*b*c^5*d^2*e^ \\
& 11 - 5034*a^9*b^2*c^4*d*e^12))/((b^8*d^3 - a^3*b^5*e^3 + 8*a^4*c^4 \\
& *d^3 + b^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^5*b*c^2*e^ \\
& 3 + a^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5*c^3*d*e^2 \\
& + 33*a^2*b^4*c^2*d^3 - 38*a^3*b^2*c^3*d^3 - a^3*b^2*e^3*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} - 10*a*b^6*c*d^3 - 3*a*b^7*d^2*e - 4*a*b^3*c*d^3*(-(4*a*c - b^2)^3)^ \\
& ^{(1/2)} - 3*a*b^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^ \\
& 3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^2*e + 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} + 3*a^2*b^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 75*a^3*b^3*c^2*d^2*e + 54*a \\
& ^4*b^2*c^2*d*e^2 - 3*a^3*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^2*c*d \\
& ^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2))}/( \\
& 2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)} - (216*a^9*b*c^4*e^15 + 604* \\
& a^9*c^5*d*e^14 + 15*a^7*b^5*c^2*e^15 - 114*a^8*b^3*c^3*e^15 + 192*a^6*c^8*d \\
& ^7*e^8 - 1344*a^7*c^7*d^5*e^10 - 932*a^8*c^6*d^3*e^12 + 128*a^2*b^8*c^4*d^7 \\
& *e^8 - 96*a^2*b^9*c^3*d^6*e^9 - 32*a^2*b^10*c^2*d^5*e^10 - 960*a^3*b^6*c^5* \\
& d^7*e^8 + 128*a^3*b^7*c^4*d^6*e^9 + 840*a^3*b^8*c^3*d^5*e^10 + 152*a^3*b^9* \\
& c^2*d^4*e^11 + 2176*a^4*b^4*c^6*d^7*e^8 + 2336*a^4*b^5*c^5*d^6*e^9 - 3648*a \\
& ^4*b^6*c^4*d^5*e^10 - 2496*a^4*b^7*c^3*d^4*e^11 - 280*a^4*b^8*c^2*d^3*e^12 \\
& - 1600*a^5*b^2*c^7*d^7*e^8 - 6016*a^5*b^3*c^6*d^6*e^9 + 2328*a^5*b^4*c^5*d^ \\
& 5*e^10 + 10216*a^5*b^5*c^4*d^4*e^11 + 3497*a^5*b^6*c^3*d^3*e^12 + 247*a^5*b \\
& ^7*c^2*d^2*e^13 + 3744*a^6*b^2*c^6*d^5*e^10 - 10912*a^6*b^3*c^5*d^4*e^11 - \\
& 12151*a^6*b^4*c^4*d^3*e^12 - 2498*a^6*b^5*c^3*d^2*e^13 + 10885*a^7*b^2*c^5* \\
& d^3*e^12 + 7081*a^7*b^3*c^4*d^2*e^13 + 3200*a^6*b*c^7*d^6*e^9 - 102*a^6*b^6 \\
& *c^2*d*e^14 + 1024*a^7*b*c^6*d^4*e^11 + 867*a^7*b^4*c^3*d*e^14 - 4292*a^8*b \\
& *c^5*d^2*e^13 - 1971*a^8*b^2*c^4*d*e^14))/((b^8*d^3 - a^3*b^5*e^3 + \\
& 8*a^4*c^4*d^3 + b^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^ \\
& 5*b*c^2*e^3 + a^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5 \\
& *c^3*d*e^2 + 33*a^2*b^4*c^2*d^3 - 38*a^3*b^2*c^3*d^3 - a^3*b^2*e^3*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 10*a*b^6*c*d^3 - 3*a*b^7*d^2*e - 4*a*b^3*c*d^3*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 3*a*b^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 27*a^2*b^5*c*d^2 \\
& *e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^2*e + 3*a^2*b*c^2*d^3*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + 3*a^2*b^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 75*a^3*b^3*c^2*d^
\end{aligned}$$

$$\begin{aligned}
& 2*e + 54*a^4*b^2*c^2*d*e^2 - 3*a^3*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& )/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)} + ((d + e*x)^{(1/2)} * (82*a^8*c^5*e^16 + 192*a^4*c^9*d^8*e^8 - 608*a^5*c^8*d^6*e^10 + 1106*a^6*c^7*d^4*e^12 + 52*a^7*c^6*d^2*e^14 + 64*b^8*c^5*d^8*e^8 + 704*a^2*b^4*c^7*d^8*e^8 + 2240*a^2*b^5*c^6*d^7*e^9 + 1344*a^2*b^6*c^5*d^6*e^10 - 512*a^3*b^2*c^8*d^8*e^8 - 2944*a^3*b^3*c^7*d^7*e^9 - 5424*a^3*b^4*c^6*d^6*e^10 - 2248*a^3*b^5*c^5*d^5*e^11 + 5184*a^4*b^2*c^7*d^6*e^10 + 6496*a^4*b^3*c^6*d^5*e^11 + 2409*a^4*b^4*c^5*d^4*e^12 - 3748*a^5*b^2*c^6*d^4*e^12 - 1876*a^5*b^3*c^5*d^3*e^13 + 1110*a^6*b^2*c^5*d^2*e^14 - 436*a^7*b*c^5*d*e^15 - 384*a*b^6*c^6*d^8*e^8 - 448*a*b^7*c^5*d^7*e^9 + 896*a^4*b*c^8*d^7*e^9 - 4048*a^5*b*c^7*d^5*e^11 + 780*a^6*b*c^6*d^3*e^13))/(2*a^8))*((b^8*d^3 - a^3*b^5*e^3 + 8*a^4*c^4*d^3 + b^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^5*b*c^2*e^3 + a^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5*c^3*d*e^2 + 33*a^2*b^4*c^2*d^3 - 38*a^3*b^2*c^3*d^3 - a^3*b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d^3 - 3*a*b^7*d^2*e - 4*a*b^3*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^2*e + 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 75*a^3*b^3*c^2*d^2*e + 54*a^4*b^2*c^2*d*e^2 - 3*a^3*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)}))*((b^8*d^3 - a^3*b^5*e^3 + 8*a^4*c^4*d^3 + b^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^5*b*c^2*e^3 + a^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5*c^3*d*e^2 + 33*a^2*b^4*c^2*d^3 - 38*a^3*b^2*c^3*d^3 - a^3*b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d^3 - 3*a*b^7*d^2*e - 4*a*b^3*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^2*e + 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 75*a^3*b^3*c^2*d^2*e + 54*a^4*b^2*c^2*d*e^2 - 3*a^3*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^2*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)}))/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)})*2i + atan((((((192*a^11*b^2*c^3*e^12 - 24*a^10*b^4*c^2*e^12 - 384*a^12*c^4*e^12 + 768*a^10*c^6*d^4*e^8 + 384*a^11*c^5*d^2*e^10 + 128*a^8*b^4*c^4*d^4*e^8 - 96*a^8*b^5*c^3*d^3*e^9 - 32*a^8*b^6*c^2*d^2*e^10 - 704*a^9*b^2*c^5*d^4*e^8 + 320*a^9*b^3*c^4*d^3*e^9 + 488*a^9*b^4*c^3*d^2*e^10 - 1536*a^10*b^2*c^4*d^2*e^10 + 1408*a^11*b*c^4*d*e^11 + 56*a^9*b^5*c^2*d*e^11 + 256*a^10*b*c^5*d^3*e^9 - 576*a^10*b^3*c^3*d*e^11))/(2*a^8) - ((d + e*x)^{(1/2)}*((b^8*d^3 - a^3*b^5*e^3 + 8*a^4*c^4*d^3 - b^5*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^5*b*c^2*e^3 - a^4*c*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5*c^3*d*e^2 + 33*a^2*b^4*c^2*d^3 - 38*a^3*b^2*c^3*d^3 + a^3*b^2*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d^3 - 3*a*b^7*d^2*e + 4*a*b^3*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^4*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^2*e - 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 75*a^3*b^3*c^2*
\end{aligned}$$

$$\begin{aligned}
& d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9 \\
& a^2b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 6a^3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} \\
& / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} * (1024a^{13}c^4e^{10} + 64a^{11}b^4c^2e^{10} - 512a^{12}b^2c^3e^{10} + 1536a^{12}c^5d^2e^8 \\
& + 128a^{10}b^4c^3d^2e^8 - 896a^{11}b^2c^4d^2e^8 - 1792a^{12}b^2c^4d^2e^9 - 128a^{10}b^5c^2d^2e^9 + 960a^{11}b^3c^3d^2e^9) / (2a^8) * ((b^8d^3 - \\
& a^3b^5e^3 + 8a^4c^4d^3 - b^5d^3(-4ac - b^2)^3)^{(1/2)} + 7a^4b^3c^2e^3 - 12a^5b^2c^2e^3 - a^4c^2e^3(-4ac - b^2)^3)^{(1/2)} + 3a^2b^6d^2e^2 - 24a^5c^3d^2e^2 + 33a^2b^4c^2d^3 - 38a^3b^2c^3d^3 + a^3b^2e^3(-4ac - b^2)^3)^{(1/2)} - 10a^2b^6c^2d^3 - 3a^2b^7d^2e + 4a^2b^3c^2d^3(-4ac - b^2)^3)^{(1/2)} + 3a^2b^4d^2e^2(-4ac - b^2)^3)^{(1/2)} + 27 \\
& a^2b^5c^2d^2e - 24a^3b^4c^2d^2e + 60a^4b^2c^3d^2e - 3a^2b^3c^2d^3(-4ac - b^2)^3)^{(1/2)} - 3a^2b^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 75a^3b^3c^2d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9a^2b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 6a^3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} - (( \\
& d + ex)^{(1/2)} * (876a^{10}b^2c^4e^{13} + 1336a^{10}c^5d^2e^{12} + 73a^8b^5c^2e^{13} - 511a^9b^3c^3e^{13} - 1152a^8c^7d^5e^8 + 2176a^9c^6d^3e^{10} - 128a^4b^8c^3d^5e^8 + 128a^4b^9c^2d^4e^9 + 1152a^5b^6c^4d^5e^8 - 832a^5b^7c^3d^4e^9 - 448a^5b^8c^2d^3e^{10} - 3520a^6b^4c^5d^5e^8 + 768a^6b^5c^4d^4e^9 + 3520a^6b^6c^3d^3e^{10} + 576a^6b^7c^2d^2e^{11} + 4096a^7b^2c^6d^5e^8 + 3328a^7b^3c^5d^4e^9 - 7824a^7b^4c^4d^3e^{10} - 4520a^7b^5c^3d^2e^{11} + 2912a^8b^2c^5d^3e^{10} + 10016a^8b^3c^4d^2e^{11} - 328a^7b^6c^2d^2e^{12} - 4864a^8b^2c^6d^4e^9 + 2479a^8b^4c^3d^2e^{12} - 4352a^9b^2c^5d^2e^{11} - 5034a^9b^2c^4d^2e^{12})) / (2a^8) * ((b^8d^3 - a^3b^5e^3 + 8a^4c^4d^3 - b^5d^3(-4ac - b^2)^3)^{(1/2)} + 7a^4b^3c^2e^3 - 12a^5b^2c^2e^3 - a^4c^2e^3(-4ac - b^2)^3)^{(1/2)} + 3a^2b^6d^2e^2 - 24a^5c^3d^2e^2 + 33a^2b^4c^2d^3 - 38a^3b^2c^3d^3 + a^3b^2e^3(-4ac - b^2)^3)^{(1/2)} - 10a^2b^6c^2d^3 - 3a^2b^7d^2e + 4a^2b^3c^2d^3(-4ac - b^2)^3)^{(1/2)} + 3a^2b^4d^2e^2(-4ac - b^2)^3)^{(1/2)} + 27a^2b^5c^2d^2e - 24a^3b^4c^2d^2e + 60 \\
& a^4b^2c^3d^2e - 3a^2b^3c^2d^3(-4ac - b^2)^3)^{(1/2)} - 3a^2b^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 75a^3b^3c^2d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9a^2b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 6a^3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} - (216a^9b^2c^4e^{15} + 604a^9c^5d^2e^{14} + 15a^7b^5c^2e^{15} - 114a^8b^3c^3e^{15} + 192a^6c^8d^7e^8 - 1344a^7c^7d^5e^{10} - 932a^8c^6d^3e^{12} + 128a^2b^8c^4d^7e^8 - 96a^2b^9c^3d^6e^9 - 32a^2b^10c^2d^5e^{10} - 960a^3b^6c^5d^7e^8 + 128a^3b^7c^4d^6e^9 + 840a^3b^8c^3d^5e^{10} + 152a^3b^9c^2d^4e^{11} + 2176a^4b^4c^6d^7e^8 + 2336a^4b^5c^5d^6e^9 - 3648a^4b^6c^4d^5e^{10} - 2496a^4b^7c^3d^4e^{11} - 280a^4b^8c^2d^3e^{12} - 1600a^5b^2c^7d^7e^8 - 6016a^5b^3c^6d^6e^9 + 2328a^5b^4c^5d^5e^{10} + 10216a^5b^5c^4d^4e^{11} + 3497a^5b^6c^3d^3e^{12} + 247a^5b^7c^2d^2e^{13} + 3744a^6b^2c^6d^5e^{10} - 10912a^6b^3c^5d^4e^{11} - 12151a^6b^4c^4a
\end{aligned}$$

$$\begin{aligned}
& d^3e^{12} - 2498a^6b^5c^3d^2e^{13} + 10885a^7b^2c^5d^3e^{12} + 7081a^7b^3c^4d^2e^{13} + 3200a^6b^6c^7d^6e^9 - 102a^6b^6c^2d^6e^{14} + 1024 \\
& *a^7b^6c^6d^4e^{11} + 867a^7b^4c^3d^6e^{14} - 4292a^8b^6c^5d^2e^{13} - 1971a^8b^2c^4d^6e^{14})/(2a^8)) * ((b^8d^3 - a^3b^5e^3 + 8a^4c^4d^3 - b^5d^3 * \\
& (-4ac - b^2)^3)^{(1/2)} + 7a^4b^3c^3e^3 - 12a^5b^2c^2e^3 - a^4c^3e^3 * (-4ac - b^2)^3)^{(1/2)} + 3a^2b^6d^2e^2 - 24a^5c^3d^2e^2 + 33a^2b^4c^2d^3 - \\
& 38a^3b^2c^3d^3 + a^3b^2e^3 * (-4ac - b^2)^3)^{(1/2)} - 10a^6b^6c^3d^3 - 3a^6b^7d^2e + 4a^6b^3c^3d^3 * (-4ac - b^2)^3)^{(1/2)} + 3a^6b^4d^2e * (-4ac - b^2)^3)^{(1/2)} + 27a^2b^5c^3d^2e - 24a^3b^4c^3d^2e^2 + 60a^4b^3c^3d^2e - 3a^2b^3c^2d^3 * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^3d^3e^2 * (-4ac - b^2)^3)^{(1/2)} - 75a^3b^3c^2d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e * (-4ac - b^2)^3)^{(1/2)} - 9a^2b^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)} + 6a^3b^3c^2d^2e * (-4ac - b^2)^3)^{(1/2)))/(2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} - ((d + ex)^{(1/2)} * (82a^8c^5e^{16} + 192a^4c^9d^8e^8 - 608a^5c^8d^6e^{10} + 1106a^6c^7d^4e^{12} + 52a^7c^6d^2e^{14} + 64b^8c^5d^8e^8 + 704a^2b^4c^7d^8e^8 + 2240a^2b^5c^6d^7e^9 + 1344a^2b^6c^5d^6e^{10} - 512a^3b^2c^8d^8e^8 - 2944a^3b^3c^7d^7e^9 - 5424a^3b^4c^6d^6e^{10} - 2248a^3b^5c^5d^5e^{11} + 5184a^4b^2c^7d^6e^{10} + 6496a^4b^3c^6d^5e^{11} + 2409a^4b^4c^5d^4e^{12} - 3748a^5b^2c^6d^4e^{12} - 1876a^5b^3c^5d^3e^{13} + 1110a^6b^2c^5d^2e^{14} - 436a^7b^6c^5d^6e^{15} - 384a^6b^6c^6d^8e^8 - 448a^6b^7c^5d^7e^9 + 896a^4b^6c^8d^7e^9 - 4048a^5b^6c^7d^5e^{11} + 780a^6b^6c^6d^3e^{13}))/((b^8d^3 - a^3b^5e^3 + 8a^4c^4d^3 - b^5d^3 * (-4ac - b^2)^3)^{(1/2)} + 7a^4b^3c^3e^3 - 12a^5b^2c^2e^3 - a^4c^3e^3 * (-4ac - b^2)^3)^{(1/2)} + 3a^2b^6d^2e^2 - 24a^5c^3d^2e^2 + 33a^2b^4c^2d^3 * (-4ac - b^2)^3)^{(1/2)} - 10a^6b^6c^3d^3 - 3a^6b^7d^2e + 4a^6b^3c^3d^3 * (-4ac - b^2)^3)^{(1/2)} + 3a^6b^4d^2e * (-4ac - b^2)^3)^{(1/2)} + 27a^2b^5c^3d^2e - 24a^3b^4c^3d^2e^2 + 60a^4b^3c^3d^2e - 3a^2b^3c^2d^3 * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^3d^3e^2 * (-4ac - b^2)^3)^{(1/2)} - 75a^3b^3c^2d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e * (-4ac - b^2)^3)^{(1/2)} - 9a^2b^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)} + 6a^3b^3c^2d^2e * (-4ac - b^2)^3)^{(1/2)))/(2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{(1/2)} * i - (((((192a^{11}b^2c^3e^{12} - 24a^{10}b^4c^2e^{12} - 384a^{12}c^4e^{12} + 768a^{10}c^6d^4e^8 + 384a^{11}c^5d^2e^{10} + 128a^8b^4c^4d^4e^8 - 96a^8b^5c^3d^3e^9 - 32a^8b^6c^2d^2e^{10} - 704a^9b^2c^5d^4e^8 + 320a^9b^3c^4d^3e^9 + 488a^9b^4c^3d^2e^{10} - 1536a^{10}b^2c^4d^2e^{10} + 1408a^{11}b^3c^4d^2e^{11} + 56a^9b^5c^2d^2e^{11} + 256a^{10}b^6c^5d^3e^9 - 576a^{10}b^3c^3d^2e^{11}))/((b^8d^3 - a^3b^5e^3 + 8a^4c^4d^3 - b^5d^3 * (-4ac - b^2)^3)^{(1/2)} + 7a^4b^3c^3e^3 - 12a^5b^2c^2e^3 - a^4c^3e^3 * (-4ac - b^2)^3)^{(1/2)} + 3a^2b^6d^2e^2 - 24a^5c^3d^2e^2 + 33a^2b^4c^2d^3 - 38a^3b^2c^3d^3 + a^3b^2e^3 * (-4ac - b^2)^3)^{(1/2)} - 10a^6b^6c^3d^3 - 3a^6b^7d^2e + 4a^6b^3c^3d^3 * (-4ac - b^2)^3)^{(1/2)} + 3a^6b^4d^2e * (-4ac - b^2)^3)^{(1/2)} + 27a^2b^5c^3d^2e - 24a^3b^4c^3d^2e^2 + 60a^4b^3c^3d^2e - 3a^2b^3c^2d^3 * (-4ac - b^2)^3)^{(1/2)} - 3a^2b^3d^3e^2 *
\end{aligned}$$



$$\begin{aligned}
& (- (4ac - b^2)^3)^{1/2} - 75a^3b^3c^2d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e(- (4ac - b^2)^3)^{1/2} - 9a^2b^2c^2d^2e(- (4ac - b^2)^3)^{1/2} + 6a^3b^2c^2d^2e^2(- (4ac - b^2)^3)^{1/2} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} * (1024a^{13}c^4e^{10} + 64a^{11}b^4c^2e^{10} - 512a^{12}b^2c^3e^{10} + 1536a^{12}c^5d^2e^8 + 128a^{10}b^4c^3d^2e^8 - 896a^{11}b^2c^4d^2e^8 - 1792a^{12}b^2c^4d^2e^9 - 128a^{10}b^5c^2d^2e^9 + 960a^{11}b^3c^3d^2e^9) / (2a^8) * ((b^8d^3 - a^3b^5e^3 + 8a^4c^4d^3 - b^5d^3(- (4ac - b^2)^3)^{1/2} + 7a^4b^3c^2e^3 - 12a^5b^2c^2e^3 - a^4c^2e^3(- (4ac - b^2)^3)^{1/2} + 3a^2b^6d^2e^2 - 24a^5c^3d^2e^2 + 33a^2b^4c^2d^3 - 38a^3b^2c^3d^3 + a^3b^2e^3(- (4ac - b^2)^3)^{1/2} - 10ab^6c^2d^3 - 3ab^7d^2e + 4ab^3c^2d^3(- (4ac - b^2)^3)^{1/2} + 3ab^4d^2e(- (4ac - b^2)^3)^{1/2} + 27a^2b^5c^2d^2e - 24a^3b^4c^2d^2e^2 + 60a^4b^2c^3d^2e - 3a^2b^2c^2d^3(- (4ac - b^2)^3)^{1/2} - 3a^2b^3d^2e^2(- (4ac - b^2)^3)^{1/2} - 75a^3b^3c^2d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e(- (4ac - b^2)^3)^{1/2} - 9a^2b^2c^2d^2e(- (4ac - b^2)^3)^{1/2} + 6a^3b^2c^2d^2e^2(- (4ac - b^2)^3)^{1/2} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} + ((d + ex)^{1/2} * (876a^{10}b^3c^4e^{13} + 1336a^{10}c^5d^2e^{12} + 73a^8b^5c^2e^{13} - 511a^9b^3c^3e^{13} - 1152a^8c^7d^5e^8 + 2176a^9c^6d^3e^{10} - 128a^4b^8c^3d^5e^8 + 128a^4b^9c^2d^4e^9 + 1152a^5b^6c^4d^5e^8 - 832a^5b^7c^3d^4e^9 - 448a^5b^8c^2d^3e^{10} - 3520a^6b^4c^5d^5e^8 + 768a^6b^5c^4d^4e^9 + 3520a^6b^6c^3d^3e^{10} + 576a^6b^7c^2d^2e^{11} + 4096a^7b^2c^6d^5e^8 + 3328a^7b^3c^5d^4e^9 - 7824a^7b^4c^4d^3e^{10} - 4520a^7b^5c^3d^2e^{11} + 2912a^8b^2c^5d^3e^{10} + 10016a^8b^3c^4d^2e^{11} - 328a^7b^6c^2d^2e^{12} - 4864a^8b^2c^6d^4e^9 + 2479a^8b^4c^3d^2e^{12} - 4352a^9b^2c^5d^2e^{11} - 5034a^9b^2c^4d^2e^{12})) / (2a^8) * ((b^8d^3 - a^3b^5e^3 + 8a^4c^4d^3 - b^5d^3(- (4ac - b^2)^3)^{1/2} + 7a^4b^3c^2e^3 - 12a^5b^2c^2e^3 - a^4c^2e^3(- (4ac - b^2)^3)^{1/2} + 3a^2b^6d^2e^2 - 24a^5c^3d^2e^2 + 33a^2b^4c^2d^3 - 38a^3b^2c^3d^3 + a^3b^2e^3(- (4ac - b^2)^3)^{1/2} - 10ab^6c^2d^3 - 3ab^7d^2e + 4ab^3c^2d^3(- (4ac - b^2)^3)^{1/2} + 3ab^4d^2e(- (4ac - b^2)^3)^{1/2} + 27a^2b^5c^2d^2e - 24a^3b^4c^2d^2e^2 + 60a^4b^2c^3d^2e - 3a^2b^2c^2d^3(- (4ac - b^2)^3)^{1/2} - 3a^2b^3d^2e^2(- (4ac - b^2)^3)^{1/2} - 75a^3b^3c^2d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e(- (4ac - b^2)^3)^{1/2} - 9a^2b^2c^2d^2e(- (4ac - b^2)^3)^{1/2} + 6a^3b^2c^2d^2e^2(- (4ac - b^2)^3)^{1/2} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} - (216a^9b^2c^4e^{15} + 604a^9c^5d^2e^{14} + 15a^7b^5c^2e^{15} - 114a^8b^3c^3e^{15} + 192a^6c^8d^7e^8 - 1344a^7c^7d^5e^{10} - 932a^8c^6d^3e^{12} + 128a^2b^8c^4d^7e^8 - 96a^2b^9c^3d^6e^9 - 32a^2b^10c^2d^5e^{10} - 960a^3b^6c^5d^7e^8 + 128a^3b^7c^4d^6e^9 + 840a^3b^8c^3d^5e^{10} + 152a^3b^9c^2d^4e^{11} + 2176a^4b^4c^6d^7e^8 + 2336a^4b^5c^5d^6e^9 - 3648a^4b^6c^4d^5e^{10} - 2496a^4b^7c^3d^4e^{11} - 280a^4b^8c^2d^3e^{12} - 1600a^5b^2c^7d^7e^8 - 6016a^5b^3c^6d^6e^9 + 2328a^5b^4c^5d^5e^{10} + 10216a^5b^5c^4d^4e^{11} + 3497a^5b^6c^3d^3e^{12} + 247a^5b^7c^2d^2e^{13} + 3744a^6b^2c^6d^5e^{10} - 10912
\end{aligned}$$

$$\begin{aligned}
& a^6 b^3 c^5 d^4 e^{11} - 12151 a^6 b^4 c^4 d^3 e^{12} - 2498 a^6 b^5 c^3 d^2 e^{13} + 10885 a^7 b^2 c^5 d^3 e^{12} + 7081 a^7 b^3 c^4 d^2 e^{13} + 3200 a^6 b^3 c^7 d^6 e^9 - 102 a^6 b^6 c^2 d^2 e^{14} + 1024 a^7 b^3 c^6 d^4 e^{11} + 867 a^7 b^4 c^3 d^2 e^{14} - 4292 a^8 b^3 c^5 d^2 e^{13} - 1971 a^8 b^2 c^4 d^2 e^{14} / (2 a^8) * \\
& (b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 - b^5 d^3 * (-4 a c - b^2)^3)^{(1/2)} + 7 a^4 b^3 c^3 e^3 - 12 a^5 b^3 c^2 e^3 - a^4 c^3 e^3 * (-4 a c - b^2)^3)^{(1/2)} + \\
& 3 a^2 b^6 d^2 e^2 - 24 a^5 c^3 d^2 e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 + a^3 b^2 e^3 * (-4 a c - b^2)^3)^{(1/2)} - 10 a^2 b^6 c^3 d^3 - 3 a^2 b^7 d^2 e + \\
& 4 a^2 b^3 c^3 d^3 * (-4 a c - b^2)^3)^{(1/2)} + 3 a^2 b^4 d^2 e * (-4 a c - b^2)^3)^{(1/2)} + 27 a^2 b^5 c^3 d^2 e - 24 a^3 b^4 c^3 d^2 e^2 + 60 a^4 b^3 c^3 d^2 e - 3 a^2 \\
& 2 b^3 c^2 d^3 * (-4 a c - b^2)^3)^{(1/2)} - 3 a^2 b^3 d^2 e^2 * (-4 a c - b^2)^3)^{(1/2)} - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d^2 e^2 + 3 a^3 c^2 d^2 e * (-4 a \\
& c - b^2)^3)^{(1/2)} - 9 a^2 b^2 c^2 d^2 e * (-4 a c - b^2)^3)^{(1/2)} + 6 a^3 b^3 c^2 d^2 e^2 * (-4 a c - b^2)^3)^{(1/2)} / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{(1/2)} + \\
& ((d + e x)^{(1/2)} * (82 a^8 c^5 e^{16} + 192 a^4 c^9 d^8 e^8 - 608 a^5 c^8 d^6 e^{10} + 1106 a^6 c^7 d^4 e^{12} + 52 a^7 c^6 d^2 e^{14} + 64 b^8 c^5 d^8 e^8 + 704 a^2 b^4 c^7 d^8 e^8 + 2240 a^2 b^5 c^6 d^7 e^9 + 1344 a^2 b^6 c^5 \\
& d^6 e^{10} - 512 a^3 b^2 c^8 d^8 e^8 - 2944 a^3 b^3 c^7 d^7 e^9 - 5424 a^3 b^4 c^6 d^6 e^{10} - 2248 a^3 b^5 c^5 d^5 e^{11} + 5184 a^4 b^2 c^7 d^6 e^{10} + 6 \\
& 496 a^4 b^3 c^6 d^5 e^{11} + 2409 a^4 b^4 c^5 d^4 e^{12} - 3748 a^5 b^2 c^6 d^4 e^{12} - 1876 a^5 b^3 c^5 d^3 e^{13} + 1110 a^6 b^2 c^5 d^2 e^{14} - 436 a^7 b^3 c^5 d^2 e^{15} - 384 a^2 b^6 c^6 d^8 e^8 - 448 a^2 b^7 c^5 d^7 e^9 + 896 a^4 b^3 c^8 d^7 e^9 - 4048 a^5 b^3 c^7 d^5 e^{11} + 780 a^6 b^3 c^6 d^3 e^{13})) / (2 a^8) * \\
& (b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 - b^5 d^3 * (-4 a c - b^2)^3)^{(1/2)} + 7 a^4 b^3 c^3 e^3 - 12 a^5 b^3 c^2 e^3 - a^4 c^3 e^3 * (-4 a c - b^2)^3)^{(1/2)} + 3 a^2 \\
& b^6 d^2 e^2 - 24 a^5 c^3 d^2 e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 + a^3 b^2 e^3 * (-4 a c - b^2)^3)^{(1/2)} - 10 a^2 b^6 c^3 d^3 - 3 a^2 b^7 d^2 e + 4 a^2 \\
& b^3 c^3 d^3 * (-4 a c - b^2)^3)^{(1/2)} + 3 a^2 b^4 d^2 e * (-4 a c - b^2)^3)^{(1/2)} + 27 a^2 b^5 c^3 d^2 e - 24 a^3 b^4 c^3 d^2 e^2 + 60 a^4 b^3 c^3 d^2 e - 3 a^2 b^3 c^2 d^3 * (-4 a c - b^2)^3)^{(1/2)} - 3 a^2 b^3 d^2 e^2 * (-4 a c - b^2)^3)^{(1/2)} \\
& - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d^2 e^2 + 3 a^3 c^2 d^2 e * (-4 a c - b^2)^3)^{(1/2)} - 9 a^2 b^2 c^2 d^2 e * (-4 a c - b^2)^3)^{(1/2)} + 6 a^3 b^3 c^2 d^2 e^2 * (-4 a c - b^2)^3)^{(1/2)} / (2 * (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{(1/2)} * i) / ((216 a^3 c^9 d^8 e^{10} - 15 a^7 c^5 e^{18} + 391 a^4 c^8 d^6 e^{12} + 119 a^5 c^7 d^4 e^{14} - 71 a^6 c^6 d^2 e^{16} - 64 b^4 c^8 d^{10} e^8 + 128 b^5 c^7 d^9 e^9 - 64 b^6 c^6 d^8 e^{10} + 1472 a^2 b^3 c^7 d^7 e^{11} - 1344 a^2 b^4 c^6 d^6 e^{12} + 32 a^2 b^5 c^5 d^5 e^{13} - 1264 a^3 b^2 c^7 d^6 e^{12} + 2088 a^3 b^3 c^6 d^5 e^{13} - 152 a^3 b^4 c^5 d^4 e^{14} - 1689 a^4 b^2 c^6 d^4 e^{14} + 280 a^4 b^3 c^5 d^3 e^{15} - 247 a^5 b^2 c^5 d^2 e^{16} + 102 a^6 b^3 c^5 d^2 e^{17} + 64 a^2 b^2 c^9 d^{10} e^8 + 192 a^2 b^3 c^8 d^9 e^9 - 704 a^2 b^4 c^7 d^8 e^{10} + 448 a^2 b^5 c^6 d^7 e^{11} - 224 a^2 b^6 c^9 d^9 e^9 - 504 a^3 b^3 c^8 d^7 e^{11} + 250 a^4 b^3 c^7 d^5 e^{13} + 632 a^5 b^3 c^6 d^3 e^{15}) / a^8 + ((((((192 a^{11} b^2 c^3 e^{12} - 24 a^{10} b^4 c^2 e^{12} - 384 a^{12} c^4 e^{12} + 768 a^{10} c^6 d^4 e^8 + 384 a^{11} c^5 d^2 e^{10} + 128 a^8 b^4 c^4 d^4 e^8 - 96 a^8 b^5 c^3 d^3 e^9 - 32 a^8 b^6 c^2 d^2 e^{10} - 704 a^9 b^2 c^5 d^4 e^8 + 320 a^9 b^3 c^4 d^3 e^9
\end{aligned}$$

$$\begin{aligned}
& + 488a^9b^4c^3d^2e^{10} - 1536a^{10}b^2c^4d^2e^{10} + 1408a^{11}b^3c^4d^2e^{11} + 56a^9b^5c^2d^2e^{11} + 256a^{10}b^3c^5d^3e^9 - 576a^{10}b^3c^3d^2e^{11}) / (2a^8) - ((d + ex)^{1/2}) * ((b^8d^3 - a^3b^5e^3 + 8a^4c^4d^3 - b^5d^3 * (-4ac - b^2)^3)^{1/2} + 7a^4b^3c^3e^3 - 12a^5b^3c^2e^3 - a^4c^3e^3 * (-4ac - b^2)^3)^{1/2} + 3a^2b^6d^2e^2 - 24a^5c^3d^2e^2 + 33a^2b^4c^2d^3 - 38a^3b^2c^3d^3 + a^3b^2e^3 * (-4ac - b^2)^3)^{1/2} \\
& - 10ab^6c^3d^3 - 3ab^7d^2e + 4ab^3c^3d^3 * (-4ac - b^2)^3)^{1/2} + 3ab^4d^2e * (-4ac - b^2)^3)^{1/2} + 27a^2b^5c^3d^2e - 24a^3b^4c^3d^2e^2 + 60a^4b^3c^3d^2e - 3a^2b^3c^2d^3 * (-4ac - b^2)^3)^{1/2} - 3a^2b^3d^2e^2 * (-4ac - b^2)^3)^{1/2} - 75a^3b^3c^2d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e * (-4ac - b^2)^3)^{1/2} - 9a^2b^2c^2d^2e * (-4ac - b^2)^3)^{1/2} + 6a^3b^3c^2d^2e * (-4ac - b^2)^3)^{1/2} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} * (1024a^{13}c^4e^{10} + 64a^{11}b^4c^2e^{10} - 512a^{12}b^2c^3e^{10} + 1536a^{12}c^5d^2e^8 + 128a^{10}b^4c^3d^2e^8 - 896a^{11}b^2c^4d^2e^8 - 1792a^{12}b^3c^4d^2e^9 - 128a^{10}b^5c^2d^2e^9 + 960a^{11}b^3c^3d^2e^9)) / (2a^8) * ((b^8d^3 - a^3b^5e^3 + 8a^4c^4d^3 - b^5d^3 * (-4ac - b^2)^3)^{1/2} + 7a^4b^3c^3e^3 - 12a^5b^3c^2e^3 - a^4c^3e^3 * (-4ac - b^2)^3)^{1/2} + 3a^2b^6d^2e^2 - 24a^5c^3d^2e^2 + 33a^2b^4c^2d^3 - 38a^3b^2c^3d^3 + a^3b^2e^3 * (-4ac - b^2)^3)^{1/2} - 10ab^6c^3d^3 - 3ab^7d^2e + 4ab^3c^3d^3 * (-4ac - b^2)^3)^{1/2} + 3ab^4d^2e * (-4ac - b^2)^3)^{1/2} + 27a^2b^5c^3d^2e - 24a^3b^4c^3d^2e^2 + 60a^4b^3c^3d^2e - 3a^2b^3c^2d^3 * (-4ac - b^2)^3)^{1/2} - 3a^2b^3d^2e^2 * (-4ac - b^2)^3)^{1/2} - 75a^3b^3c^2d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e * (-4ac - b^2)^3)^{1/2} - 9a^2b^2c^2d^2e * (-4ac - b^2)^3)^{1/2} + 6a^3b^3c^2d^2e * (-4ac - b^2)^3)^{1/2} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} - ((d + ex)^{1/2}) * (876a^{10}b^3c^4e^{13} + 1336a^{10}c^5d^2e^{12} + 73a^8b^5c^2e^{13} - 511a^9b^3c^3e^{13} - 1152a^8c^7d^5e^8 + 2176a^9c^6d^3e^{10} - 128a^4b^8c^3d^5e^8 + 128a^4b^9c^2d^4e^9 + 1152a^5b^6c^4d^5e^8 - 832a^5b^7c^3d^4e^9 - 448a^5b^8c^2d^3e^{10} - 3520a^6b^4c^5d^5e^8 + 768a^6b^5c^4d^4e^9 + 3520a^6b^6c^3d^3e^{10} + 576a^6b^7c^2d^2e^{11} + 4096a^7b^2c^6d^5e^8 + 3328a^7b^3c^5d^4e^9 - 7824a^7b^4c^4d^3e^{10} - 4520a^7b^5c^3d^2e^{11} + 2912a^8b^2c^5d^3e^{10} + 10016a^8b^3c^4d^2e^{11} - 328a^7b^6c^2d^2e^{12} - 4864a^8b^3c^6d^4e^9 + 2479a^8b^4c^3d^2e^{12} - 4352a^9b^3c^5d^2e^{11} - 5034a^9b^2c^4d^2e^{12})) / (2a^8) * ((b^8d^3 - a^3b^5e^3 + 8a^4c^4d^3 - b^5d^3 * (-4ac - b^2)^3)^{1/2} + 7a^4b^3c^3e^3 - 12a^5b^3c^2e^3 - a^4c^3e^3 * (-4ac - b^2)^3)^{1/2} + 3a^2b^6d^2e^2 - 24a^5c^3d^2e^2 + 33a^2b^4c^2d^3 - 38a^3b^2c^3d^3 + a^3b^2e^3 * (-4ac - b^2)^3)^{1/2} - 10ab^6c^3d^3 - 3ab^7d^2e + 4ab^3c^3d^3 * (-4ac - b^2)^3)^{1/2} + 3ab^4d^2e * (-4ac - b^2)^3)^{1/2} + 27a^2b^5c^3d^2e - 24a^3b^4c^3d^2e^2 + 60a^4b^3c^3d^2e - 3a^2b^3c^2d^3 * (-4ac - b^2)^3)^{1/2} - 3a^2b^3d^2e^2 * (-4ac - b^2)^3)^{1/2} - 75a^3b^3c^2d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e * (-4ac - b^2)^3)^{1/2} - 9a^2b^2c^2d^2e * (-4ac - b^2)^3)^{1/2} + 6a^3b^3c^2d^2e * (-4ac - b^2)^3)^{1/2} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2}
\end{aligned}$$

$$\begin{aligned}
& c)))^{(1/2)} - (216*a^9*b*c^4*e^{15} + 604*a^9*c^5*d*e^{14} + 15*a^7*b^5*c^2*e^{15} \\
& - 114*a^8*b^3*c^3*e^{15} + 192*a^6*c^8*d^7*e^8 - 1344*a^7*c^7*d^5*e^{10} - 932 \\
& *a^8*c^6*d^3*e^{12} + 128*a^2*b^8*c^4*d^7*e^8 - 96*a^2*b^9*c^3*d^6*e^9 - 32*a \\
& ^2*b^10*c^2*d^5*e^{10} - 960*a^3*b^6*c^5*d^7*e^8 + 128*a^3*b^7*c^4*d^6*e^9 + \\
& 840*a^3*b^8*c^3*d^5*e^{10} + 152*a^3*b^9*c^2*d^4*e^{11} + 2176*a^4*b^4*c^6*d^7* \\
& e^8 + 2336*a^4*b^5*c^5*d^6*e^9 - 3648*a^4*b^6*c^4*d^5*e^{10} - 2496*a^4*b^7*c \\
& ^3*d^4*e^{11} - 280*a^4*b^8*c^2*d^3*e^{12} - 1600*a^5*b^2*c^7*d^7*e^8 - 6016*a^ \\
& 5*b^3*c^6*d^6*e^9 + 2328*a^5*b^4*c^5*d^5*e^{10} + 10216*a^5*b^5*c^4*d^4*e^{11} \\
& + 3497*a^5*b^6*c^3*d^3*e^{12} + 247*a^5*b^7*c^2*d^2*e^{13} + 3744*a^6*b^2*c^6*d \\
& ^5*e^{10} - 10912*a^6*b^3*c^5*d^4*e^{11} - 12151*a^6*b^4*c^4*d^3*e^{12} - 2498*a^ \\
& 6*b^5*c^3*d^2*e^{13} + 10885*a^7*b^2*c^5*d^3*e^{12} + 7081*a^7*b^3*c^4*d^2*e^{13} \\
& + 3200*a^6*b*c^7*d^6*e^9 - 102*a^6*b^6*c^2*d*e^{14} + 1024*a^7*b*c^6*d^4*e^1 \\
& 1 + 867*a^7*b^4*c^3*d*e^{14} - 4292*a^8*b*c^5*d^2*e^{13} - 1971*a^8*b^2*c^4*d*e \\
& ^{14})/(2*a^8))*((b^8*d^3 - a^3*b^5*e^3 + 8*a^4*c^4*d^3 - b^5*d^3*(-(4*a*c - \\
& b^2)^3))^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^5*b*c^2*e^3 - a^4*c*e^3*(-(4*a*c - b \\
& ^2)^3))^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5*c^3*d*e^2 + 33*a^2*b^4*c^2*d^3 - 38 \\
& *a^3*b^2*c^3*d^3 + a^3*b^2*e^3*(-(4*a*c - b^2)^3))^{(1/2)} - 10*a*b^6*c*d^3 - \\
& 3*a*b^7*d^2*e + 4*a*b^3*c*d^3*(-(4*a*c - b^2)^3))^{(1/2)} + 3*a*b^4*d^2*e*(-(4 \\
& *a*c - b^2)^3))^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c \\
& ^3*d^2*e - 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3))^{(1/2)} - 3*a^2*b^3*d*e^2*(-(4* \\
& a*c - b^2)^3))^{(1/2)} - 75*a^3*b^3*c^2*d^2*e + 54*a^4*b^2*c^2*d*e^2 + 3*a^3*c \\
& ^2*d^2*e*(-(4*a*c - b^2)^3))^{(1/2)} - 9*a^2*b^2*c*d^2*e*(-(4*a*c - b^2)^3))^{(1 \\
& /2)} + 6*a^3*b*c*d*e^2*(-(4*a*c - b^2)^3))^{(1/2)})/(2*(a^6*b^4 + 16*a^8*c^2 - \\
& 8*a^7*b^2*c)))^{(1/2)} - ((d + e*x)^{(1/2)}*(82*a^8*c^5*e^{16} + 192*a^4*c^9*d^8* \\
& e^8 - 608*a^5*c^8*d^6*e^{10} + 1106*a^6*c^7*d^4*e^{12} + 52*a^7*c^6*d^2*e^{14} + \\
& 64*b^8*c^5*d^8*e^8 + 704*a^2*b^4*c^7*d^8*e^8 + 2240*a^2*b^5*c^6*d^7*e^9 + 1 \\
& 344*a^2*b^6*c^5*d^6*e^{10} - 512*a^3*b^2*c^8*d^8*e^8 - 2944*a^3*b^3*c^7*d^7*e \\
& ^9 - 5424*a^3*b^4*c^6*d^6*e^{10} - 2248*a^3*b^5*c^5*d^5*e^{11} + 5184*a^4*b^2*c \\
& ^7*d^6*e^{10} + 6496*a^4*b^3*c^6*d^5*e^{11} + 2409*a^4*b^4*c^5*d^4*e^{12} - 3748* \\
& a^5*b^2*c^6*d^4*e^{12} - 1876*a^5*b^3*c^5*d^3*e^{13} + 1110*a^6*b^2*c^5*d^2*e^{1 \\
& 4} - 436*a^7*b*c^5*d*e^{15} - 384*a*b^6*c^6*d^8*e^8 - 448*a*b^7*c^5*d^7*e^9 + \\
& 896*a^4*b*c^8*d^7*e^9 - 4048*a^5*b*c^7*d^5*e^{11} + 780*a^6*b*c^6*d^3*e^{13}))/ \\
& (2*a^8))*((b^8*d^3 - a^3*b^5*e^3 + 8*a^4*c^4*d^3 - b^5*d^3*(-(4*a*c - b^2)^ \\
& 3))^{(1/2)} + 7*a^4*b^3*c*e^3 - 12*a^5*b*c^2*e^3 - a^4*c*e^3*(-(4*a*c - b^2)^3) \\
& )^{(1/2)} + 3*a^2*b^6*d*e^2 - 24*a^5*c^3*d*e^2 + 33*a^2*b^4*c^2*d^3 - 38*a^3* \\
& b^2*c^3*d^3 + a^3*b^2*e^3*(-(4*a*c - b^2)^3))^{(1/2)} - 10*a*b^6*c*d^3 - 3*a*b \\
& ^7*d^2*e + 4*a*b^3*c*d^3*(-(4*a*c - b^2)^3))^{(1/2)} + 3*a*b^4*d^2*e*(-(4*a*c \\
& - b^2)^3))^{(1/2)} + 27*a^2*b^5*c*d^2*e - 24*a^3*b^4*c*d*e^2 + 60*a^4*b*c^3*d^ \\
& 2*e - 3*a^2*b*c^2*d^3*(-(4*a*c - b^2)^3))^{(1/2)} - 3*a^2*b^3*d*e^2*(-(4*a*c - \\
& b^2)^3))^{(1/2)} - 75*a^3*b^3*c^2*d^2*e + 54*a^4*b^2*c^2*d*e^2 + 3*a^3*c^2*d^ \\
& 2*e*(-(4*a*c - b^2)^3))^{(1/2)} - 9*a^2*b^2*c*d^2*e*(-(4*a*c - b^2)^3))^{(1/2)} + \\
& 6*a^3*b*c*d*e^2*(-(4*a*c - b^2)^3))^{(1/2)})/(2*(a^6*b^4 + 16*a^8*c^2 - 8*a^7 \\
& *b^2*c)))^{(1/2)} + (((((192*a^11*b^2*c^3*e^{12} - 24*a^10*b^4*c^2*e^{12} - 384*a \\
& ^12*c^4*e^{12} + 768*a^10*c^6*d^4*e^8 + 384*a^11*c^5*d^2*e^{10} + 128*a^8*b^4*c \\
& ^4*d^4*e^8 - 96*a^8*b^5*c^3*d^3*e^9 - 32*a^8*b^6*c^2*d^2*e^{10} - 704*a^9*b^2
\end{aligned}$$

$$\begin{aligned}
& c^5 d^4 e^8 + 320 a^9 b^3 c^4 d^3 e^9 + 488 a^9 b^4 c^3 d^2 e^{10} - 1536 a^9 b^2 c^4 d^2 e^{10} + 1408 a^{11} b^3 c^4 d e^{11} + 56 a^9 b^5 c^2 d e^{11} + 256 a^{10} b^3 c^5 d^3 e^9 - 576 a^{10} b^3 c^3 d e^{11} / (2 a^8) + ((d + e x)^{1/2}) * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 - b^5 d^3 (-4 a c - b^2)^3)^{1/2} + 7 a^4 b^3 c e^3 - 12 a^5 b^3 c^2 e^3 - a^4 c e^3 (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^6 d e^2 - 24 a^5 c^3 d e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 + a^3 b^2 e^3 (-4 a c - b^2)^3)^{1/2} - 10 a b^6 c d^3 - 3 a b^7 d^2 e + 4 a b^3 c d^3 (-4 a c - b^2)^3)^{1/2} + 3 a b^4 d^2 e (-4 a c - b^2)^3)^{1/2} + 27 a^2 b^5 c d^2 e - 24 a^3 b^4 c d e^2 + 60 a^4 b^3 c^3 d^2 e - 3 a^2 b^3 c^2 d^3 (-4 a c - b^2)^3)^{1/2} - 3 a^2 b^3 d e^2 (-4 a c - b^2)^3)^{1/2} - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d e^2 + 3 a^3 c^2 d^2 e (-4 a c - b^2)^3)^{1/2} - 9 a^2 b^2 c d^2 e (-4 a c - b^2)^3)^{1/2} + 6 a^3 b^3 c d e^2 (-4 a c - b^2)^3)^{1/2} / (2 (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} * (1024 a^{13} c^4 e^{10} + 64 a^{11} b^4 c^2 e^{10} - 512 a^{12} b^2 c^3 e^{10} + 1536 a^{12} c^5 d^2 e^8 + 128 a^{10} b^4 c^3 d^2 e^8 - 896 a^{11} b^2 c^4 d^2 e^8 - 1792 a^{12} b^3 c^4 d e^9 - 128 a^{10} b^5 c^2 d e^9 + 960 a^{11} b^3 c^3 d e^9) / (2 a^8) * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 - b^5 d^3 (-4 a c - b^2)^3)^{1/2} + 7 a^4 b^3 c e^3 - 12 a^5 b^3 c^2 e^3 - a^4 c e^3 (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^6 d e^2 - 24 a^5 c^3 d e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 + a^3 b^2 e^3 (-4 a c - b^2)^3)^{1/2} - 10 a b^6 c d^3 - 3 a b^7 d^2 e + 4 a b^3 c d^3 (-4 a c - b^2)^3)^{1/2} + 3 a b^4 d^2 e (-4 a c - b^2)^3)^{1/2} + 27 a^2 b^5 c d^2 e - 24 a^3 b^4 c d e^2 + 60 a^4 b^3 c^3 d^2 e - 3 a^2 b^3 c^2 d^3 (-4 a c - b^2)^3)^{1/2} - 3 a^2 b^3 d e^2 (-4 a c - b^2)^3)^{1/2} - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d e^2 + 3 a^3 c^2 d^2 e (-4 a c - b^2)^3)^{1/2} - 9 a^2 b^2 c d^2 e (-4 a c - b^2)^3)^{1/2} + 6 a^3 b^3 c d e^2 (-4 a c - b^2)^3)^{1/2} / (2 (a^6 b^4 + 16 a^8 c^2 - 8 a^7 b^2 c))^{1/2} + ((d + e x)^{1/2}) * (876 a^{10} b^3 c^4 e^{13} + 1336 a^{10} c^5 d e^{12} + 73 a^8 b^5 c^2 e^{13} - 511 a^9 b^3 c^3 e^{13} - 1152 a^8 c^7 d^5 e^8 + 2176 a^9 c^6 d^3 e^{10} - 128 a^4 b^8 c^3 d^5 e^8 + 128 a^4 b^9 c^2 d^4 e^9 + 1152 a^5 b^6 c^4 d^5 e^8 - 832 a^5 b^7 c^3 d^4 e^9 - 448 a^5 b^8 c^2 d^3 e^{10} - 3520 a^6 b^4 c^5 d^5 e^8 + 768 a^6 b^5 c^4 d^4 e^9 + 3520 a^6 b^6 c^3 d^3 e^{10} + 576 a^6 b^7 c^2 d^2 e^{11} + 4096 a^7 b^2 c^6 d^5 e^8 + 3328 a^7 b^3 c^5 d^4 e^9 - 7824 a^7 b^4 c^4 d^3 e^{10} - 4520 a^7 b^5 c^3 d^2 e^{11} + 2912 a^8 b^2 c^5 d^3 e^{10} + 10016 a^8 b^3 c^4 d^2 e^{11} - 328 a^7 b^6 c^2 d e^{12} - 4864 a^8 b^3 c^6 d^4 e^9 + 2479 a^8 b^4 c^3 d e^{12} - 4352 a^9 b^3 c^5 d^2 e^{11} - 5034 a^9 b^2 c^4 d e^{12}) / (2 a^8) * ((b^8 d^3 - a^3 b^5 e^3 + 8 a^4 c^4 d^3 - b^5 d^3 (-4 a c - b^2)^3)^{1/2} + 7 a^4 b^3 c e^3 - 12 a^5 b^3 c^2 e^3 - a^4 c e^3 (-4 a c - b^2)^3)^{1/2} + 3 a^2 b^6 d e^2 - 24 a^5 c^3 d e^2 + 33 a^2 b^4 c^2 d^3 - 38 a^3 b^2 c^3 d^3 + a^3 b^2 e^3 (-4 a c - b^2)^3)^{1/2} - 10 a b^6 c d^3 - 3 a b^7 d^2 e + 4 a b^3 c d^3 (-4 a c - b^2)^3)^{1/2} + 3 a b^4 d^2 e (-4 a c - b^2)^3)^{1/2} + 27 a^2 b^5 c d^2 e - 24 a^3 b^4 c d e^2 + 60 a^4 b^3 c^3 d^2 e - 3 a^2 b^3 c^2 d^3 (-4 a c - b^2)^3)^{1/2} - 3 a^2 b^3 d e^2 (-4 a c - b^2)^3)^{1/2} - 75 a^3 b^3 c^2 d^2 e + 54 a^4 b^2 c^2 d e^2 + 3 a^3 c^2 d^2 e (-4 a c - b^2)^3)^{1/2} - 9 a^2 b^2 c d^2 e (-4 a c - b^2)^3)^{1/2} + 6 a^3 b^3 c d e^2 (-4 a c - b^2)^3)^{1/2}
\end{aligned}$$

$$\begin{aligned}
& ) / (2 * (a^6 * b^4 + 16 * a^8 * c^2 - 8 * a^7 * b^2 * c))^{(1/2)} - (216 * a^9 * b * c^4 * e^{15} + 6 \\
& 04 * a^9 * c^5 * d * e^{14} + 15 * a^7 * b^5 * c^2 * e^{15} - 114 * a^8 * b^3 * c^3 * e^{15} + 192 * a^6 * c^ \\
& 8 * d^7 * e^8 - 1344 * a^7 * c^7 * d^5 * e^{10} - 932 * a^8 * c^6 * d^3 * e^{12} + 128 * a^2 * b^8 * c^4 * \\
& d^7 * e^8 - 96 * a^2 * b^9 * c^3 * d^6 * e^9 - 32 * a^2 * b^{10} * c^2 * d^5 * e^{10} - 960 * a^3 * b^6 * c \\
& ^5 * d^7 * e^8 + 128 * a^3 * b^7 * c^4 * d^6 * e^9 + 840 * a^3 * b^8 * c^3 * d^5 * e^{10} + 152 * a^3 * b \\
& ^9 * c^2 * d^4 * e^{11} + 2176 * a^4 * b^4 * c^6 * d^7 * e^8 + 2336 * a^4 * b^5 * c^5 * d^6 * e^9 - 364 \\
& 8 * a^4 * b^6 * c^4 * d^5 * e^{10} - 2496 * a^4 * b^7 * c^3 * d^4 * e^{11} - 280 * a^4 * b^8 * c^2 * d^3 * e^{12} \\
& - 1600 * a^5 * b^2 * c^7 * d^7 * e^8 - 6016 * a^5 * b^3 * c^6 * d^6 * e^9 + 2328 * a^5 * b^4 * c^5 * \\
& d^5 * e^{10} + 10216 * a^5 * b^5 * c^4 * d^4 * e^{11} + 3497 * a^5 * b^6 * c^3 * d^3 * e^{12} + 247 * a^ \\
& 5 * b^7 * c^2 * d^2 * e^{13} + 3744 * a^6 * b^2 * c^6 * d^5 * e^{10} - 10912 * a^6 * b^3 * c^5 * d^4 * e^{11} \\
& - 12151 * a^6 * b^4 * c^4 * d^3 * e^{12} - 2498 * a^6 * b^5 * c^3 * d^2 * e^{13} + 10885 * a^7 * b^2 * c \\
& ^5 * d^3 * e^{12} + 7081 * a^7 * b^3 * c^4 * d^2 * e^{13} + 3200 * a^6 * b * c^7 * d^6 * e^9 - 102 * a^6 * \\
& b^6 * c^2 * d * e^{14} + 1024 * a^7 * b * c^6 * d^4 * e^{11} + 867 * a^7 * b^4 * c^3 * d * e^{14} - 4292 * a^ \\
& 8 * b * c^5 * d^2 * e^{13} - 1971 * a^8 * b^2 * c^4 * d * e^{14}) / (2 * a^8) * ((b^8 * d^3 - a^3 * b^5 * e^ \\
& ^3 + 8 * a^4 * c^4 * d^3 - b^5 * d^3 * (-4 * a * c - b^2)^3)^{(1/2)} + 7 * a^4 * b^3 * c * e^3 - 12 \\
& * a^5 * b * c^2 * e^3 - a^4 * c * e^3 * (-4 * a * c - b^2)^3)^{(1/2)} + 3 * a^2 * b^6 * d * e^2 - 24 * \\
& a^5 * c^3 * d * e^2 + 33 * a^2 * b^4 * c^2 * d^3 - 38 * a^3 * b^2 * c^3 * d^3 + a^3 * b^2 * e^3 * (-4 * \\
& a * c - b^2)^3)^{(1/2)} - 10 * a * b^6 * c * d^3 - 3 * a * b^7 * d^2 * e + 4 * a * b^3 * c * d^3 * (-4 * a \\
& * c - b^2)^3)^{(1/2)} + 3 * a * b^4 * d^2 * e * (-4 * a * c - b^2)^3)^{(1/2)} + 27 * a^2 * b^5 * c * \\
& d^2 * e - 24 * a^3 * b^4 * c * d * e^2 + 60 * a^4 * b * c^3 * d^2 * e - 3 * a^2 * b * c^2 * d^3 * (-4 * a * c \\
& - b^2)^3)^{(1/2)} - 3 * a^2 * b^3 * d * e^2 * (-4 * a * c - b^2)^3)^{(1/2)} - 75 * a^3 * b^3 * c^2 \\
& * d^2 * e + 54 * a^4 * b^2 * c^2 * d * e^2 + 3 * a^3 * c^2 * d^2 * e * (-4 * a * c - b^2)^3)^{(1/2)} - \\
& 9 * a^2 * b^2 * c * d^2 * e * (-4 * a * c - b^2)^3)^{(1/2)} + 6 * a^3 * b * c * d * e^2 * (-4 * a * c - b^2 \\
& )^3)^{(1/2)}) / (2 * (a^6 * b^4 + 16 * a^8 * c^2 - 8 * a^7 * b^2 * c))^{(1/2)} + ((d + e * x)^{(1 \\
& /2)} * (82 * a^8 * c^5 * e^{16} + 192 * a^4 * c^9 * d^8 * e^8 - 608 * a^5 * c^8 * d^6 * e^{10} + 1106 * a^ \\
& 6 * c^7 * d^4 * e^{12} + 52 * a^7 * c^6 * d^2 * e^{14} + 64 * b^8 * c^5 * d^8 * e^8 + 704 * a^2 * b^4 * c^7 \\
& * d^8 * e^8 + 2240 * a^2 * b^5 * c^6 * d^7 * e^9 + 1344 * a^2 * b^6 * c^5 * d^6 * e^{10} - 512 * a^3 * b \\
& ^2 * c^8 * d^8 * e^8 - 2944 * a^3 * b^3 * c^7 * d^7 * e^9 - 5424 * a^3 * b^4 * c^6 * d^6 * e^{10} - 224 \\
& 8 * a^3 * b^5 * c^5 * d^5 * e^{11} + 5184 * a^4 * b^2 * c^7 * d^6 * e^{10} + 6496 * a^4 * b^3 * c^6 * d^5 * e \\
& ^{11} + 2409 * a^4 * b^4 * c^5 * d^4 * e^{12} - 3748 * a^5 * b^2 * c^6 * d^4 * e^{12} - 1876 * a^5 * b^3 * \\
& c^5 * d^3 * e^{13} + 1110 * a^6 * b^2 * c^5 * d^2 * e^{14} - 436 * a^7 * b * c^5 * d * e^{15} - 384 * a * b^6 \\
& * c^6 * d^8 * e^8 - 448 * a * b^7 * c^5 * d^7 * e^9 + 896 * a^4 * b * c^8 * d^7 * e^9 - 4048 * a^5 * b * c \\
& ^7 * d^5 * e^{11} + 780 * a^6 * b * c^6 * d^3 * e^{13})) / (2 * a^8) * ((b^8 * d^3 - a^3 * b^5 * e^3 + 8 \\
& * a^4 * c^4 * d^3 - b^5 * d^3 * (-4 * a * c - b^2)^3)^{(1/2)} + 7 * a^4 * b^3 * c * e^3 - 12 * a^5 * \\
& b * c^2 * e^3 - a^4 * c * e^3 * (-4 * a * c - b^2)^3)^{(1/2)} + 3 * a^2 * b^6 * d * e^2 - 24 * a^5 * c \\
& ^3 * d * e^2 + 33 * a^2 * b^4 * c^2 * d^3 - 38 * a^3 * b^2 * c^3 * d^3 + a^3 * b^2 * e^3 * (-4 * a * c - \\
& b^2)^3)^{(1/2)} - 10 * a * b^6 * c * d^3 - 3 * a * b^7 * d^2 * e + 4 * a * b^3 * c * d^3 * (-4 * a * c - \\
& b^2)^3)^{(1/2)} + 3 * a * b^4 * d^2 * e * (-4 * a * c - b^2)^3)^{(1/2)} + 27 * a^2 * b^5 * c * d^2 * e \\
& - 24 * a^3 * b^4 * c * d * e^2 + 60 * a^4 * b * c^3 * d^2 * e - 3 * a^2 * b * c^2 * d^3 * (-4 * a * c - b^2 \\
& )^3)^{(1/2)} - 3 * a^2 * b^3 * d * e^2 * (-4 * a * c - b^2)^3)^{(1/2)} - 75 * a^3 * b^3 * c^2 * d^2 * \\
& e + 54 * a^4 * b^2 * c^2 * d * e^2 + 3 * a^3 * c^2 * d^2 * e * (-4 * a * c - b^2)^3)^{(1/2)} - 9 * a^2 \\
& * b^2 * c * d^2 * e * (-4 * a * c - b^2)^3)^{(1/2)} + 6 * a^3 * b * c * d * e^2 * (-4 * a * c - b^2)^3)^{( \\
& 1/2)}) / (2 * (a^6 * b^4 + 16 * a^8 * c^2 - 8 * a^7 * b^2 * c))^{(1/2)}) * ((b^8 * d^3 - a^3 * b^ \\
& 5 * e^3 + 8 * a^4 * c^4 * d^3 - b^5 * d^3 * (-4 * a * c - b^2)^3)^{(1/2)} + 7 * a^4 * b^3 * c * e^3 \\
& - 12 * a^5 * b * c^2 * e^3 - a^4 * c * e^3 * (-4 * a * c - b^2)^3)^{(1/2)} + 3 * a^2 * b^6 * d * e^2 -
\end{aligned}$$

$$\begin{aligned}
& 24a^5c^3d^2e^2 + 33a^2b^4c^2d^3 - 38a^3b^2c^3d^3 + a^3b^2e^3 \cdot \\
& (-4ac - b^2)^3)^{1/2} - 10ab^6cd^3 - 3ab^7d^2e + 4ab^3cd^3 \cdot (- \\
& (4ac - b^2)^3)^{1/2} + 3ab^4d^2e \cdot (-4ac - b^2)^3)^{1/2} + 27a^2b^5 \\
& cd^2e - 24a^3b^4cd^2e^2 + 60a^4b^3c^3d^2e - 3a^2b^3c^2d^3 \cdot (-4ac \\
& - b^2)^3)^{1/2} - 3a^2b^3d^2e \cdot (-4ac - b^2)^3)^{1/2} - 75a^3b^3 \\
& c^2d^2e + 54a^4b^2c^2d^2e^2 + 3a^3c^2d^2e \cdot (-4ac - b^2)^3)^{1/2} \\
& ) - 9a^2b^2cd^2e \cdot (-4ac - b^2)^3)^{1/2} + 6a^3b^3cd^2e \cdot (-4ac - \\
& b^2)^3)^{1/2} / (2(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} * i - (\text{atan} \\
& (((((d + ex)^{1/2}) * (82a^8c^5e^{16} + 192a^4c^9d^8e^8 - 608a^5c^8d^6 \\
& e^{10} + 1106a^6c^7d^4e^{12} + 52a^7c^6d^2e^{14} + 64b^8c^5d^8e^8 + \\
& 704a^2b^4c^7d^8e^8 + 2240a^2b^5c^6d^7e^9 + 1344a^2b^6c^5d^6e \\
& e^{10} - 512a^3b^2c^8d^8e^8 - 2944a^3b^3c^7d^7e^9 - 5424a^3b^4c^6 \\
& d^6e^{10} - 2248a^3b^5c^5d^5e^{11} + 5184a^4b^2c^7d^6e^{10} + 6496a \\
& ^4b^3c^6d^5e^{11} + 2409a^4b^4c^5d^4e^{12} - 3748a^5b^2c^6d^4e^{12} \\
& - 1876a^5b^3c^5d^3e^{13} + 1110a^6b^2c^5d^2e^{14} - 436a^7b^3c^5d^1 \\
& e^{15} - 384ab^6c^6d^8e^8 - 448ab^7c^5d^7e^9 + 896a^4b^3c^8d^7e^9 \\
& - 4048a^5b^3c^7d^5e^{11} + 780a^6b^3c^6d^3e^{13})) / (2a^8) + (((108a^9 \\
& * b^4e^{15} + 302a^9c^5d^4e^{14} + (15a^7b^5c^2e^{15}) / 2 - 57a^8b^3c^3 \\
& * e^{15} + 96a^6c^8d^7e^8 - 672a^7c^7d^5e^{10} - 466a^8c^6d^3e^{12} + \\
& 64a^2b^8c^4d^7e^8 - 48a^2b^9c^3d^6e^9 - 16a^2b^10c^2d^5e^{10} \\
& - 480a^3b^6c^5d^7e^8 + 64a^3b^7c^4d^6e^9 + 420a^3b^8c^3d^5e^{10} \\
& + 76a^3b^9c^2d^4e^{11} + 1088a^4b^4c^6d^7e^8 + 1168a^4b^5c^5d^6e^9 \\
& - 1824a^4b^6c^4d^5e^{10} - 1248a^4b^7c^3d^4e^{11} - 140a^4b^8 \\
& c^2d^3e^{12} - 800a^5b^2c^7d^7e^8 - 3008a^5b^3c^6d^6e^9 + 1164 \\
& * a^5b^4c^5d^5e^{10} + 5108a^5b^5c^4d^4e^{11} + (3497a^5b^6c^3d^3e \\
& ^{12}) / 2 + (247a^5b^7c^2d^2e^{13}) / 2 + 1872a^6b^2c^6d^5e^{10} - 5456a^6 \\
& b^3c^5d^4e^{11} - (12151a^6b^4c^4d^3e^{12}) / 2 - 1249a^6b^5c^3d^2e \\
& ^{13} + (10885a^7b^2c^5d^3e^{12}) / 2 + (7081a^7b^3c^4d^2e^{13}) / 2 + 160 \\
& 0a^6b^3c^7d^6e^9 - 51a^6b^6c^2d^2e^{14} + 512a^7b^3c^6d^4e^{11} + (867 \\
& * a^7b^4c^3d^2e^{14}) / 2 - 2146a^8b^3c^5d^2e^{13} - (1971a^8b^2c^4d^2e^{14} \\
& ) / 2) / a^8 + (((((d + ex)^{1/2}) * (876a^{10}b^3c^4e^{13} + 1336a^{10}c^5d^2e^{12} + \\
& 73a^8b^5c^2e^{13} - 511a^9b^3c^3e^{13} - 1152a^8c^7d^5e^8 + 2176a^9 \\
& c^6d^3e^{10} - 128a^4b^8c^3d^5e^8 + 128a^4b^9c^2d^4e^9 + 1152a^5 \\
& b^6c^4d^5e^8 - 832a^5b^7c^3d^4e^9 - 448a^5b^8c^2d^3e^{10} - \\
& 3520a^6b^4c^5d^5e^8 + 768a^6b^5c^4d^4e^9 + 3520a^6b^6c^3d^3e \\
& ^{10} + 576a^6b^7c^2d^2e^{11} + 4096a^7b^2c^6d^5e^8 + 3328a^7b^3c^5 \\
& d^4e^9 - 7824a^7b^4c^4d^3e^{10} - 4520a^7b^5c^3d^2e^{11} + 2912a^8 \\
& b^2c^5d^3e^{10} + 10016a^8b^3c^4d^2e^{11} - 328a^7b^6c^2d^2e^{12} - \\
& 4864a^8b^3c^6d^4e^9 + 2479a^8b^4c^3d^2e^{12} - 4352a^9b^3c^5d^2e^{11} \\
& - 5034a^9b^2c^4d^2e^{12})) / (2a^8) - (((96a^{11}b^2c^3e^{12} - 12a^{10}b^4 \\
& c^2e^{12} - 192a^{12}c^4e^{12} + 384a^{10}c^6d^4e^8 + 192a^{11}c^5d^2e^1 \\
& 0 + 64a^8b^4c^4d^4e^8 - 48a^8b^5c^3d^3e^9 - 16a^8b^6c^2d^2e^1 \\
& 0 - 352a^9b^2c^5d^4e^8 + 160a^9b^3c^4d^3e^9 + 244a^9b^4c^3d^2 \\
& e^{10} - 768a^{10}b^2c^4d^2e^{10} + 704a^{11}b^3c^4d^2e^{11} + 28a^9b^5c^2 \\
& * d^2e^{11} + 128a^{10}b^3c^5d^3e^9 - 288a^{10}b^3c^3d^2e^{11}) / a^8 - ((d + ex
\end{aligned}$$

$$\begin{aligned}
& )^{(1/2)} * (3*a^2*e^2 + 8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e) * (1024*a^13*c^4*e^10 + 64*a^11*b^4*c^2*e^10 - 512*a^12*b^2*c^3*e^10 + 1536*a^12*c^5*d^2*e^8 + \\
& 128*a^10*b^4*c^3*d^2*e^8 - 896*a^11*b^2*c^4*d^2*e^8 - 1792*a^12*b*c^4*d*e^9 - 128*a^10*b^5*c^2*d*e^9 + 960*a^11*b^3*c^3*d*e^9) / (16*a^11*d^{(1/2)}) * (3*a^2*e^2 + 8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e) / (8*a^3*d^{(1/2)}) * (3*a^2*e^2 + 8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e) / (8*a^3*d^{(1/2)}) * (3*a^2*e^2 + 8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e) / (8*a^3*d^{(1/2)}) * (3*a^2*e^2 + 8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e) * 1i) / (8*a^3*d^{(1/2)}) + (((d + e*x)^{(1/2)} * (82*a^8*c^5*e^16 + 192*a^4*c^9*d^8*e^8 - 608*a^5*c^8*d^6*e^10 + 1106*a^6*c^7*d^4*e^12 + 52*a^7*c^6*d^2*e^14 + 64*b^8*c^5*d^8*e^8 + 704*a^2*b^4*c^7*d^8*e^8 + 2240*a^2*b^5*c^6*d^7*e^9 + 1344*a^2*b^6*c^5*d^6*e^10 - 512*a^3*b^2*c^8*d^8*e^8 - 2944*a^3*b^3*c^7*d^7*e^9 - 5424*a^3*b^4*c^6*d^6*e^10 - 2248*a^3*b^5*c^5*d^5*e^11 + 5184*a^4*b^2*c^7*d^6*e^10 + 6496*a^4*b^3*c^6*d^5*e^11 + 2409*a^4*b^4*c^5*d^4*e^12 - 3748*a^5*b^2*c^6*d^4*e^12 - 1876*a^5*b^3*c^5*d^3*e^13 + 1110*a^6*b^2*c^5*d^2*e^14 - 436*a^7*b*c^5*d*e^15 - 384*a*b^6*c^6*d^8*e^8 - 448*a*b^7*c^5*d^7*e^9 + 896*a^4*b*c^8*d^7*e^9 - 4048*a^5*b*c^7*d^5*e^11 + 780*a^6*b*c^6*d^3*e^13)) / (2*a^8) - (((108*a^9*b*c^4*e^15 + 302*a^9*c^5*d*e^14 + (15*a^7*b^5*c^2*e^15) / 2 - 57*a^8*b^3*c^3*e^15 + 96*a^6*c^8*d^7*e^8 - 672*a^7*c^7*d^5*e^10 - 466*a^8*c^6*d^3*e^12 + 64*a^2*b^8*c^4*d^7*e^8 - 48*a^2*b^9*c^3*d^6*e^9 - 16*a^2*b^10*c^2*d^5*e^10 - 480*a^3*b^6*c^5*d^7*e^8 + 64*a^3*b^7*c^4*d^6*e^9 + 420*a^3*b^8*c^3*d^5*e^10 + 76*a^3*b^9*c^2*d^4*e^11 + 1088*a^4*b^4*c^6*d^7*e^8 + 1168*a^4*b^5*c^5*d^6*e^9 - 1824*a^4*b^6*c^4*d^5*e^10 - 1248*a^4*b^7*c^3*d^4*e^11 - 140*a^4*b^8*c^2*d^3*e^12 - 800*a^5*b^2*c^7*d^7*e^8 - 3008*a^5*b^3*c^6*d^6*e^9 + 1164*a^5*b^4*c^5*d^5*e^10 + 5108*a^5*b^5*c^4*d^4*e^11 + (3497*a^5*b^6*c^3*d^3*e^12) / 2 + (247*a^5*b^7*c^2*d^2*e^13) / 2 + 1872*a^6*b^2*c^6*d^5*e^10 - 5456*a^6*b^3*c^5*d^4*e^11 - (12151*a^6*b^4*c^4*d^3*e^12) / 2 - 1249*a^6*b^5*c^3*d^2*e^13 + (10885*a^7*b^2*c^5*d^3*e^12) / 2 + (7081*a^7*b^3*c^4*d^2*e^13) / 2 + 1600*a^6*b*c^7*d^6*e^9 - 51*a^6*b^6*c^2*d*e^14 + 512*a^7*b*c^6*d^4*e^11 + (867*a^7*b^4*c^3*d*e^14) / 2 - 2146*a^8*b*c^5*d^2*e^13 - (1971*a^8*b^2*c^4*d*e^14) / 2) / a^8 - (((d + e*x)^{(1/2)} * (876*a^10*b*c^4*e^13 + 1336*a^10*c^5*d*e^12 + 73*a^8*b^5*c^2*e^13 - 511*a^9*b^3*c^3*e^13 - 1152*a^8*c^7*d^5*e^8 + 2176*a^9*c^6*d^3*e^10 - 128*a^4*b^8*c^3*d^5*e^8 + 128*a^4*b^9*c^2*d^4*e^9 + 1152*a^5*b^6*c^4*d^5*e^8 - 832*a^5*b^7*c^3*d^4*e^9 - 448*a^5*b^8*c^2*d^3*e^10 - 3520*a^6*b^4*c^5*d^5*e^8 + 768*a^6*b^5*c^4*d^4*e^9 + 3520*a^6*b^6*c^3*d^3*e^10 + 576*a^6*b^7*c^2*d^2*e^11 + 4096*a^7*b^2*c^6*d^5*e^8 + 3328*a^7*b^3*c^5*d^4*e^9 - 7824*a^7*b^4*c^4*d^3*e^10 - 4520*a^7*b^5*c^3*d^2*e^11 + 2912*a^8*b^2*c^5*d^3*e^10 + 10016*a^8*b^3*c^4*d^2*e^11 - 328*a^7*b^6*c^2*d*e^12 - 4864*a^8*b*c^6*d^4*e^9 + 2479*a^8*b^4*c^3*d*e^12 - 4352*a^9*b*c^5*d^2*e^11 - 5034*a^9*b^2*c^4*d*e^12)) / (2*a^8) + (((96*a^11*b^2*c^3*e^12 - 12*a^10*b^4*c^2*e^12 - 192*a^12*c^4*e^12 + 384*a^10*c^6*d^4*e^8 + 192*a^11*c^5*d^2*e^10 + 64*a^8*b^4*c^4*d^4*e^8 - 48*a^8*b^5*c^3*d^3*e^9 - 16*a^8*b^6*c^2*d^2*e^10 - 352*a^9*b^2*c^5*d^4*e^8 + 160*a^9*b^3*c^4*d^3*e^9 + 244*a^9*b^4*c^3*d^2*e^10 - 768*a^10*b^2*c^4*d^2*e^10 + 704*a^11*b*c^4*d*e^11 + 28*a^9*b^5*c^2*d*e^11 + 128*a^10*b*c^5*d^3*e^9 - 288*a^10*b^3*c^3*d*e^11) / a^8 + ((d + e*x)^{(1/2)} * (3*a^2*e^2 + 8*b^2*d^2 -
\end{aligned}$$





$$\begin{aligned}
& 10 + 10016a^8b^3c^4d^2e^{11} - 328a^7b^6c^2de^{12} - 4864a^8b^6c^6d^4e^9 + 2479a^8b^4c^3de^{12} - 4352a^9b^6c^5d^2e^{11} - 5034a^9b^2c^4de^{12})/(2a^8) - (((96a^{11}b^2c^3e^{12} - 12a^{10}b^4c^2e^{12} - 192a^{12}c^4e^{12} + 384a^{10}c^6d^4e^8 + 192a^{11}c^5d^2e^{10} + 64a^8b^4c^4d^4e^8 - 48a^8b^5c^3d^3e^9 - 16a^8b^6c^2d^2e^{10} - 352a^9b^2c^5d^4e^8 + 160a^9b^3c^4d^3e^9 + 244a^9b^4c^3d^2e^{10} - 768a^{10}b^2c^4d^2e^{10} + 704a^{11}b^6c^4de^{11} + 28a^9b^5c^2de^{11} + 128a^{10}b^6c^5d^3e^9 - 288a^{10}b^3c^3de^{11})/a^8 - ((d + ex)^{(1/2)}(3a^2e^2 + 8b^2d^2 - 8a^2cd^2 - 12a^2bde)) * (1024a^{13}c^4e^{10} + 64a^{11}b^4c^2e^{10} - 512a^{12}b^2c^3e^{10} + 1536a^{12}c^5d^2e^8 + 128a^{10}b^4c^3d^2e^8 - 896a^{11}b^2c^4d^2e^8 - 1792a^{12}b^6c^4de^9 - 128a^{10}b^5c^2de^9 + 960a^{11}b^3c^3de^9)/(16a^{11}d^{(1/2)})) * (3a^2e^2 + 8b^2d^2 - 8a^2cd^2 - 12a^2bde))/(8a^3d^{(1/2)})) * (3a^2e^2 + 8b^2d^2 - 8a^2cd^2 - 12a^2bde))/(8a^3d^{(1/2)})) * (3a^2e^2 + 8b^2d^2 - 8a^2cd^2 - 12a^2bde))/(8a^3d^{(1/2)}) + (((d + ex)^{(1/2)}(82a^8c^5e^{16} + 192a^4c^9d^8e^8 - 608a^5c^8d^6e^{10} + 1106a^6c^7d^4e^{12} + 52a^7c^6d^2e^{14} + 64b^8c^5d^8e^8 + 704a^2b^4c^7d^8e^8 + 2240a^2b^5c^6d^7e^9 + 1344a^2b^6c^5d^6e^{10} - 512a^3b^2c^8d^8e^8 - 2944a^3b^3c^7d^7e^9 - 5424a^3b^4c^6d^6e^{10} - 2248a^3b^5c^5d^5e^{11} + 5184a^4b^2c^7d^6e^{10} + 6496a^4b^3c^6d^5e^{11} + 2409a^4b^4c^5d^4e^{12} - 3748a^5b^2c^6d^4e^{12} - 1876a^5b^3c^5d^3e^{13} + 1110a^6b^2c^5d^2e^{14} - 436a^7b^6c^5de^{15} - 384a^2b^6c^6d^8e^8 - 448a^2b^7c^5d^7e^9 + 896a^4b^6c^8d^7e^9 - 4048a^5b^6c^7d^5e^{11} + 780a^6b^6c^6d^3e^{13}))/ (2a^8) - (((108a^9b^6c^4e^{15} + 302a^9c^5de^{14} + (15a^7b^5c^2e^{15})/2 - 57a^8b^3c^3e^{15} + 96a^6c^8d^7e^8 - 672a^7c^7d^5e^{10} - 466a^8c^6d^3e^{12} + 64a^2b^8c^4d^7e^8 - 48a^2b^9c^3d^6e^9 - 16a^2b^10c^2d^5e^{10} - 480a^3b^6c^5d^7e^8 + 64a^3b^7c^4d^6e^9 + 420a^3b^8c^3d^5e^{10} + 76a^3b^9c^2d^4e^{11} + 1088a^4b^4c^6d^7e^8 + 1168a^4b^5c^5d^6e^9 - 1824a^4b^6c^4d^5e^{10} - 1248a^4b^7c^3d^4e^{11} - 140a^4b^8c^2d^3e^{12} - 800a^5b^2c^7d^7e^8 - 3008a^5b^3c^6d^6e^9 + 1164a^5b^4c^5d^5e^{10} + 5108a^5b^5c^4d^4e^{11} + (3497a^5b^6c^3d^3e^{12})/2 + (247a^5b^7c^2d^2e^{13})/2 + 1872a^6b^2c^6d^5e^{10} - 5456a^6b^3c^5d^4e^{11} - (12151a^6b^4c^4d^3e^{12})/2 - 1249a^6b^5c^3d^2e^{13} + (10885a^7b^2c^5d^3e^{12})/2 + (7081a^7b^3c^4d^2e^{13})/2 + 1600a^6b^6c^7d^6e^9 - 51a^6b^6c^2de^{14} + 512a^7b^6c^6d^4e^{11} + (867a^7b^4c^3de^{14})/2 - 2146a^8b^6c^5d^2e^{13} - (1971a^8b^2c^4de^{14})/2)/a^8 - (((d + ex)^{(1/2)}(876a^{10}b^6c^4e^{13} + 1336a^{10}c^5de^{12} + 73a^8b^5c^2e^{13} - 511a^9b^3c^3e^{13} - 1152a^8c^7d^5e^8 + 2176a^9c^6d^3e^{10} - 128a^4b^8c^3d^5e^8 + 128a^4b^9c^2d^4e^9 + 1152a^5b^6c^4d^5e^8 - 832a^5b^7c^3d^4e^9 - 448a^5b^8c^2d^3e^{10} - 3520a^6b^4c^5d^5e^8 + 768a^6b^5c^4d^4e^9 + 3520a^6b^6c^3d^3e^{10} + 576a^6b^7c^2d^2e^{11} + 4096a^7b^2c^6d^5e^8 + 3328a^7b^3c^5d^4e^9 - 7824a^7b^4c^4d^3e^{10} - 4520a^7b^5c^3d^2e^{11} + 2912a^8b^2c^5d^3e^{10} + 10016a^8b^3c^4d^2e^{11} - 3
\end{aligned}$$

$$\begin{aligned}
& 28*a^7*b^6*c^2*d*e^{12} - 4864*a^8*b*c^6*d^4*e^9 + 2479*a^8*b^4*c^3*d*e^{12} - \\
& 4352*a^9*b*c^5*d^2*e^{11} - 5034*a^9*b^2*c^4*d*e^{12})/(2*a^8) + (((96*a^{11}*b^2*c^3*e^{12} - 12*a^{10}*b^4*c^2*e^{12} - 192*a^{12}*c^4*e^{12} + 384*a^{10}*c^6*d^4*e^8 \\
& + 192*a^{11}*c^5*d^2*e^{10} + 64*a^8*b^4*c^4*d^4*e^8 - 48*a^8*b^5*c^3*d^3*e^9 - 16*a^8*b^6*c^2*d^2*e^{10} - 352*a^9*b^2*c^5*d^4*e^8 + 160*a^9*b^3*c^4*d^3*e^9 \\
& + 244*a^9*b^4*c^3*d^2*e^{10} - 768*a^{10}*b^2*c^4*d^2*e^{10} + 704*a^{11}*b*c^4*d*e^{11} + 28*a^9*b^5*c^2*d*e^{11} + 128*a^{10}*b*c^5*d^3*e^9 - 288*a^{10}*b^3*c^3*d*e^{11})/a^8 + ((d + e*x)^{(1/2)}*(3*a^2*e^2 + 8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e)*(1024*a^{13}*c^4*e^{10} + 64*a^{11}*b^4*c^2*e^{10} - 512*a^{12}*b^2*c^3*e^{10} + 1536*a^{12}*c^5*d^2*e^8 + 128*a^{10}*b^4*c^3*d^2*e^8 - 896*a^{11}*b^2*c^4*d^2*e^8 - 1792*a^{12}*b*c^4*d*e^9 - 128*a^{10}*b^5*c^2*d*e^9 + 960*a^{11}*b^3*c^3*d*e^9) \\
& )/(16*a^{11}*d^{(1/2)}))*(3*a^2*e^2 + 8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e))/(8*a^3*d^{(1/2)}))*(3*a^2*e^2 + 8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e))/(8*a^3*d^{(1/2)}))*(3*a^2*e^2 + 8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e))/(8*a^3*d^{(1/2)}))*(3*a^2*e^2 + 8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e))/(8*a^3*d^{(1/2)}))*(3*a^2*e^2 + 8*b^2*d^2 - 8*a*c*d^2 - 12*a*b*d*e)*1i)/(4*a^3*d^{(1/2)})
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)/x\*\*3/(c\*x\*\*2+b\*x+a), x)

[Out] Timed out

$$3.350 \quad \int \frac{(d+ex)^4(f+gx)^2}{d^2-e^2x^2} dx$$

**Optimal.** Leaf size=141

$$\frac{8d^3(dg+ef)^2 \log(d-ex)}{e^3} - \frac{dx^2(4d^2g^2+7defg+2e^2f^2)}{e} - \frac{d^2x(8d^2g^2+16defg+7e^2f^2)}{e^2} - \frac{1}{2}egx^4(2dg+ef) - \frac{1}{3}x^3$$

**Rubi [A]** time = 0.18, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 88}

$$\frac{dx^2(4d^2g^2+7defg+2e^2f^2)}{e} - \frac{d^2x(8d^2g^2+16defg+7e^2f^2)}{e^2} - \frac{8d^3(dg+ef)^2 \log(d-ex)}{e^3} - \frac{1}{2}egx^4(2dg+ef) - \frac{1}{3}x^3(dg+ef)(7dg+ef) - \frac{1}{5}e^2g^2x^5$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] -((d^2\*(7\*e^2\*f^2 + 16\*d\*e\*f\*g + 8\*d^2\*g^2)\*x)/e^2) - (d\*(2\*e^2\*f^2 + 7\*d\*e\*f\*g + 4\*d^2\*g^2)\*x^2)/e - ((e\*f + d\*g)\*(e\*f + 7\*d\*g)\*x^3)/3 - (e\*g\*(e\*f + 2\*d\*g)\*x^4)/2 - (e^2\*g^2\*x^5)/5 - (8\*d^3\*(e\*f + d\*g)^2\*Log[d - e\*x])/e^3

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m+p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m+p, 0]))

### Rubi steps

$$\begin{aligned} \int \frac{(d+ex)^4(f+gx)^2}{d^2-e^2x^2} dx &= \int \frac{(d+ex)^3(f+gx)^2}{d-ex} dx \\ &= \int \left( -\frac{d^2(7e^2f^2+16defg+8d^2g^2)}{e^2} - \frac{2d(2e^2f^2+7defg+4d^2g^2)x}{e} + (-ef-7dg) \right) dx \\ &= -\frac{d^2(7e^2f^2+16defg+8d^2g^2)x}{e^2} - \frac{d(2e^2f^2+7defg+4d^2g^2)x^2}{e} - \frac{1}{3}(ef+dg)(ef+dg)x \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 134, normalized size = 0.95

$$\frac{8d^3(dg+ef)^2 \log(d-ex)}{e^3} - \frac{x(240d^4g^2+120d^3eg(4f+gx)+70d^2e^2(3f^2+3fgx+g^2x^2)+10de^3x(6f^2+8fgx+3g^2x^2)+e^4x^2(10f^2+15fgx+6g^2x^2))}{30e^2}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] -1/30\*(x\*(240\*d^4\*g^2 + 120\*d^3\*e\*g\*(4\*f + g\*x) + 70\*d^2\*e^2\*(3\*f^2 + 3\*f\*g\*x + g^2\*x^2) + 10\*d\*e^3\*x\*(6\*f^2 + 8\*f\*g\*x + 3\*g^2\*x^2) + e^4\*x^2\*(10\*f^2 + 15\*f\*g\*x + 6\*g^2\*x^2)))/e^2 - (8\*d^3\*(e\*f + d\*g)^2\*Log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^4(f+gx)^2}{d^2-e^2x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] IntegrateAlgebraic[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

**fricas [A]** time = 0.39, size = 176, normalized size = 1.25

$$\frac{6e^5g^2x^5+15(e^5fg+2de^4g^2)x^4+10(e^5f^2+8de^4fg+7d^2e^3g^2)x^3+30(2de^4f^2+7d^2e^3fg+4d^3e^2g^2)x^2+30(7d^2e^3f^2+16d^3e^2fg+8d^4eg^2)x+240(d^2e^2f^2+2d^4efg+d^5g^2)\log(ex-d)}{30e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2), x, algorithm="fricas")

[Out] -1/30\*(6\*e^5\*g^2\*x^5 + 15\*(e^5\*f\*g + 2\*d\*e^4\*g^2)\*x^4 + 10\*(e^5\*f^2 + 8\*d\*e^4\*f\*g + 7\*d^2\*e^3\*g^2)\*x^3 + 30\*(2\*d\*e^4\*f^2 + 7\*d^2\*e^3\*f\*g + 4\*d^3\*e^2\*g^2)\*x^2 + 30\*(7\*d^2\*e^3\*f^2 + 16\*d^3\*e^2\*f\*g + 8\*d^4\*e\*g^2)\*x + 240\*(d^3\*e^2\*f^2 + 2\*d^4\*e\*f\*g + d^5\*g^2)\*log(e\*x - d))/e^3

**giac [A]** time = 0.16, size = 249, normalized size = 1.77

$$-4(d^6g^2e^4 + 2d^4fg^4 + d^3f^2e^4)e^{-40} \log(|x^2e^2 - d|) - \frac{1}{30} \left( 6g^2x^{12} + 30d^2g^2x^{11} + 70d^2g^2x^{10} + 120d^2g^2x^9 + 240d^2g^2x^8 + 15fg^2x^{12} + 80dfg^2x^{11} + 210d^2fg^2x^{10} + 480d^2fg^2x^9 + 10f^2x^{12} + 60df^2x^{11} + 210d^2f^2x^{10} \right) e^{-10} - \frac{4(d^6g^2e^4 + 2d^4fg^4 + d^3f^2e^4)e^{-7} \log\left(\frac{2x^2-2d}{2x^2+2d}\right)}{|d|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2), x, algorithm="giac")

[Out]  $-4*(d^5g^2e^3 + 2*d^4*f*g*e^4 + d^3*f^2*e^5)*e^{(-6)}*\log(\text{abs}(x^2*e^2 - d^2)) - 1/30*(6*g^2*x^5*e^{12} + 30*d*g^2*x^4*e^{11} + 70*d^2*g^2*x^3*e^{10} + 120*d^3*g^2*x^2*e^9 + 240*d^4*g^2*x*e^8 + 15*f*g*x^4*e^{12} + 80*d*f*g*x^3*e^{11} + 210*d^2*f*g*x^2*e^{10} + 480*d^3*f*g*x*e^9 + 10*f^2*x^3*e^{12} + 60*d*f^2*x^2*e^{11} + 210*d^2*f^2*x*e^{10})*e^{(-10)} - 4*(d^6*g^2*e^4 + 2*d^5*f*g*e^5 + d^4*f^2*e^6)*e^{(-7)}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs}(d)*e))/\text{abs}(d)$

**maple [A]** time = 0.01, size = 186, normalized size = 1.32

$$\frac{e^2g^2x^5}{5} - de g^2x^4 - \frac{e^2fgx^4}{2} - \frac{7d^2g^2x^3}{3} - \frac{8defgx^3}{3} - \frac{e^2f^2x^3}{3} - \frac{4d^3g^2x^2}{e} - 7d^2fgx^2 - 2de f^2x^2 - \frac{8d^5g^2 \ln(ex-d)}{e^3} - \frac{16d^4fg \ln(ex-d)}{e^2} - \frac{8d^4g^2x}{e^2} - \frac{8d^3f^2 \ln(ex-d)}{e} - \frac{16d^3fgx}{e} - 7d^2f^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2), x)

[Out]  $-1/5*e^2*g^2*x^5 - e*x^4*d*g^2 - 1/2*e^2*x^4*f*g - 7/3*x^3*d^2*g^2 - 8/3*e*x^3*d*f*g - 1/3*e^2*x^3*f^2 - 4/e*x^2*d^3*g^2 - 7*x^2*d^2*f*g - 2*e*x^2*d*f^2 - 8/e^2*x*d^4*g^2 - 16/e*x*d^3*f*g - 7*x*d^2*f^2 - 8*d^5/e^3*\ln(e*x-d)*g^2 - 16*d^4/e^2*\ln(e*x-d)*f*g - 8*d^3/e*\ln(e*x-d)*f^2$

**maxima [A]** time = 0.47, size = 175, normalized size = 1.24

$$\frac{6e^4g^2x^5 + 15(e^4fg + 2de^3g^2)x^4 + 10(e^4f^2 + 8de^3fg + 7d^2e^2g^2)x^3 + 30(2de^2f^2 + 7d^2e^2fg + 4d^3eg^2)x^2 + 30(7d^2e^2f^2 + 16d^3efg + 8d^4g^2)x}{30e^2} - \frac{8(d^3e^2f^2 + 2d^4efg + d^5g^2) \log(ex-d)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2), x, algorithm="maxima")

[Out]  $-1/30*(6*e^4*g^2*x^5 + 15*(e^4*f*g + 2*d*e^3*g^2)*x^4 + 10*(e^4*f^2 + 8*d*e^3*f*g + 7*d^2*e^2*g^2)*x^3 + 30*(2*d*e^3*f^2 + 7*d^2*e^2*f*g + 4*d^3*e*g^2)*x^2 + 30*(7*d^2*e^2*f^2 + 16*d^3*e*f*g + 8*d^4*g^2)*x)/e^2 - 8*(d^3*e^2*f^2 + 2*d^4*e*f*g + d^5*g^2)*\log(e*x - d)/e^3$

**mupad [B]** time = 0.11, size = 351, normalized size = 2.49

$$-x^2 \left( \frac{d^6g^2e^4 + 6d^4efg + 3d^2f^2}{2e} + \frac{d(3d^2e^2 + 4d^2fg + 2d^2f^2)}{2e} + \frac{d(e^2(3d^2x^2 + 2d^2x + d^2))}{e} \right) - x^4 \left( \frac{3d^2eg^2 + 6d^2fg + d^2f^2}{3e} + \frac{d(e^2(3dg + 2ef) + d^2eg^2)}{3e} \right) - x^4 \left( \frac{efg(3dg + 2ef) + d^2eg^2}{4} + \frac{d^2fg^2}{4} \right) - x \left( \frac{d \left( \frac{d^6g^2e^4 + 6d^4efg + 3d^2f^2}{e} + \frac{d(3d^2e^2 + 4d^2fg + 2d^2f^2)}{e} + \frac{d(e^2(3d^2x^2 + 2d^2x + d^2))}{e} \right)}{e} + \frac{d^2f(2dg + 3ef)}{e} \right) - \frac{\ln(ex-d)(8d^3g^2 + 16d^4efg + 8d^5f^2)}{e^3} - \frac{e^2g^2x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((f + g*x)^2*(d + e*x)^4)/(d^2 - e^2*x^2),x)`

[Out] 
$$-x^2 \left( \frac{d^3 g^2 + 3d^2 e^2 f^2 + 6d^2 e f g}{2e} + \frac{d \left( \frac{e^3 f^2 + 3d^2 e g^2 + 6d^2 e^2 f g}{e} + \frac{d(e g (3d g + 2e f) + d e g^2)}{e} \right)}{2e} \right) - x^3 \left( \frac{e^3 f^2 + 3d^2 e g^2 + 6d^2 e^2 f g}{3e} + \frac{d(e g (3d g + 2e f) + d e g^2)}{3e} \right) - x^4 \left( \frac{e g (3d g + 2e f)}{4} + \frac{d e g^2}{4} \right) - x \left( \frac{d \left( \frac{d^3 g^2 + 3d^2 e^2 f^2 + 6d^2 e f g}{e} + \frac{d \left( \frac{e^3 f^2 + 3d^2 e g^2 + 6d^2 e^2 f g}{e} + \frac{d(e g (3d g + 2e f) + d e g^2)}{e} \right)}{e} \right)}{e} + \frac{d^2 f (2d g + 3e f)}{e} - \frac{\log(e x - d) (8d^5 g^2 + 8d^3 e^2 f^2 + 16d^4 e f g)}{e^3} - \frac{e^2 g^2 x^5}{5} \right)$$

**sympy** [A] time = 0.60, size = 150, normalized size = 1.06

$$-\frac{8d^3 (dg + ef)^2 \log(-d + ex)}{e^3} - \frac{e^2 g^2 x^5}{5} - x^4 \left( deg^2 + \frac{e^2 fg}{2} \right) - x^3 \left( \frac{7d^2 g^2}{3} + \frac{8defg}{3} + \frac{e^2 f^2}{3} \right) - x^2 \left( \frac{4d^3 g^2}{e} + 7d^2 fg + 2def^2 \right) - x \left( \frac{8d^4 g^2}{e^2} + \frac{16d^3 fg}{e} + 7d^2 f^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**4*(g*x+f)**2/(-e**2*x**2+d**2),x)`

[Out] 
$$-8d^3 (d g + e f)^2 \log(-d + e x) / e^3 - e^2 g^2 x^5 / 5 - x^4 (d e g^2 + e^2 f g / 2) - x^3 (7d^2 g^2 / 3 + 8d e f g / 3 + e^2 f^2 / 3) - x^2 (4d^3 g^2 / e + 7d^2 f g + 2d e f^2) - x (8d^4 g^2 / e^2 + 16d^3 f g / e + 7d^2 f^2)$$

$$3.351 \quad \int \frac{(d+ex)^3(f+gx)^2}{d^2-e^2x^2} dx$$

**Optimal.** Leaf size=109

$$\frac{4d^2(dg+ef)^2 \log(d-ex)}{e^3} - \frac{x^2(4d^2g^2+6defg+e^2f^2)}{2e} - \frac{dx(2dg+ef)(2dg+3ef)}{e^2} - \frac{1}{3}gx^3(3dg+2ef) - \frac{1}{4}eg^2x^4$$

**Rubi [A]** time = 0.14, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 88}

$$-\frac{x^2(4d^2g^2+6defg+e^2f^2)}{2e} - \frac{4d^2(dg+ef)^2 \log(d-ex)}{e^3} - \frac{dx(2dg+ef)(2dg+3ef)}{e^2} - \frac{1}{3}gx^3(3dg+2ef) - \frac{1}{4}eg^2x^4$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] -((d\*(e\*f + 2\*d\*g)\*(3\*e\*f + 2\*d\*g)\*x)/e^2) - ((e^2\*f^2 + 6\*d\*e\*f\*g + 4\*d^2\*g^2)\*x^2)/(2\*e) - (g\*(2\*e\*f + 3\*d\*g)\*x^3)/3 - (e\*g^2\*x^4)/4 - (4\*d^2\*(e\*f + d\*g)^2\*Log[d - e\*x])/e^3

#### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

#### Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m+p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m+p, 0]))

#### Rubi steps



$$\begin{aligned} \int \frac{(d+ex)^3(f+gx)^2}{d^2-e^2x^2} dx &= \int \frac{(d+ex)^2(f+gx)^2}{d-ex} dx \\ &= \int \left( \frac{d(-3ef-2dg)(ef+2dg)}{e^2} - \frac{(e^2f^2+6defg+4d^2g^2)x}{e} - g(2ef+3dg)x^2 - eg^2x^3 \right) dx \\ &= -\frac{d(ef+2dg)(3ef+2dg)x}{e^2} - \frac{(e^2f^2+6defg+4d^2g^2)x^2}{2e} - \frac{1}{3}g(2ef+3dg)x^3 - \frac{1}{4}eg^2x^4 \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 103, normalized size = 0.94

$$\frac{48d^2(dg+ef)^2 \log(d-ex) + ex(48d^3g^2 + 24d^2eg(4f+gx) + 12de^2(3f^2 + 3fgx + g^2x^2) + e^3x(6f^2 + 8fgx + 3g^2x^2))}{12e^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] -1/12\*(e\*x\*(48\*d^3\*g^2 + 24\*d^2\*e\*g\*(4\*f + g\*x) + 12\*d\*e^2\*(3\*f^2 + 3\*f\*g\*x + g^2\*x^2) + e^3\*x\*(6\*f^2 + 8\*f\*g\*x + 3\*g^2\*x^2)) + 48\*d^2\*(e\*f + d\*g)^2\*log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^3(f+gx)^2}{d^2-e^2x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] IntegrateAlgebraic[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

**fricas [A]** time = 0.41, size = 139, normalized size = 1.28

$$\frac{3e^4g^2x^4 + 4(2e^4fg + 3de^3g^2)x^3 + 6(e^4f^2 + 6de^3fg + 4d^2e^2g^2)x^2 + 12(3de^3f^2 + 8d^2e^2fg + 4d^3eg^2)x + 48(d^2e^2f^2 + 2d^3efg + d^4g^2) \log(ex-d)}{12e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2), x, algorithm="fricas")

[Out] -1/12\*(3\*e^4\*g^2\*x^4 + 4\*(2\*e^4\*f\*g + 3\*d\*e^3\*g^2)\*x^3 + 6\*(e^4\*f^2 + 6\*d\*e^3\*f\*g + 4\*d^2\*e^2\*g^2)\*x^2 + 12\*(3\*d\*e^3\*f^2 + 8\*d^2\*e^2\*f\*g + 4\*d^3\*e\*g^2)\*x + 48\*(d^2\*e^2\*f^2 + 2\*d^3\*e\*f\*g + d^4\*g^2)\*log(e\*x - d))/e^3

**giac [B]** time = 0.21, size = 211, normalized size = 1.94

$$-2(d^4g^2e^3 + 2d^3fg^4 + d^2f^2e^5)e^{(-6)} \log(|x^2 - d|) - \frac{1}{12}(3g^2x^9 + 12dg^2x^3e^8 + 24d^2g^2x^2e^7 + 48d^3g^2xe^6 + 8fgx^3e^9 + 36dfg^2e^8 + 96d^2fgxe^7 + 6f^2x^2e^9 + 36d^2f^2xe^8)e^{(-9)} - \frac{2(d^5g^2e^2 + 2d^4fg^3 + d^3f^2e^4)e^{(-9)} \log\left(\frac{|2x^2 - 2fd|}{|2x^2 + 2fd|}\right)}{|d|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2),x, algorithm="giac")

[Out]  $-2*(d^4*g^2*e^3 + 2*d^3*f*g*e^4 + d^2*f^2*e^5)*e^{(-6)}*\log(\text{abs}(x^2*e^2 - d^2)) - 1/12*(3*g^2*x^4*e^9 + 12*d*g^2*x^3*e^8 + 24*d^2*g^2*x^2*e^7 + 48*d^3*g^2*x*e^6 + 8*f*g*x^3*e^9 + 36*d*f*g*x^2*e^8 + 96*d^2*f*g*x*e^7 + 6*f^2*x^2*e^9 + 36*d*f^2*x*e^8)*e^{(-8)} - 2*(d^5*g^2*e^2 + 2*d^4*f*g*e^3 + d^3*f^2*e^4)*e^{(-5)}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs}(d)*e))/\text{abs}(d)$

**maple [A]** time = 0.00, size = 145, normalized size = 1.33

$$-\frac{e g^2 x^4}{4} - d g^2 x^3 - \frac{2 e f g x^3}{3} - \frac{2 d^2 g^2 x^2}{e} - 3 d f g x^2 - \frac{e f^2 x^2}{2} - \frac{4 d^4 g^2 \ln(e x - d)}{e^3} - \frac{8 d^3 f g \ln(e x - d)}{e^2} - \frac{4 d^3 g^2 x}{e^2} - \frac{4 d^2 f^2 \ln(e x - d)}{e} - \frac{8 d^2 f g x}{e} - 3 d f^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2),x)

[Out]  $-1/4*e*g^2*x^4 - x^3*d*g^2 - 2/3*e*x^3*f*g - 2/e*x^2*d^2*g^2 - 3*x^2*d*f*g - 1/2*e*x^2*f^2 - 4/e^2*x*d^3*g^2 - 8/e*x*d^2*f*g - 3*x*d*f^2 - 4*d^4/e^3*\ln(e*x-d)*g^2 - 8*d^3/e^2*\ln(e*x-d)*f*g - 4*d^2/e*\ln(e*x-d)*f^2$

**maxima [A]** time = 0.45, size = 138, normalized size = 1.27

$$\frac{3e^3g^2x^4 + 4(2e^2fg + 3de^2g^2)x^3 + 6(e^3f^2 + 6de^2fg + 4d^2eg^2)x^2 + 12(3de^2f^2 + 8d^2efg + 4d^3g^2)x}{12e^2} - \frac{4(d^2e^2f^2 + 2d^3efg + d^4g^2)\log(ex - d)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2),x, algorithm="maxima")

[Out]  $-1/12*(3*e^3*g^2*x^4 + 4*(2*e^3*f*g + 3*d*e^2*g^2)*x^3 + 6*(e^3*f^2 + 6*d*e^2*f*g + 4*d^2*e*g^2)*x^2 + 12*(3*d*e^2*f^2 + 8*d^2*e*f*g + 4*d^3*g^2)*x)/e^2 - 4*(d^2*e^2*f^2 + 2*d^3*e*f*g + d^4*g^2)*\log(e*x - d)/e^3$

**mupad [B]** time = 2.59, size = 197, normalized size = 1.81

$$-x^3\left(\frac{2g(dg+ef)}{3} + \frac{dg^2}{3}\right) - x^2\left(\frac{d^2g^2 + 4defg + e^2f^2}{2e} + \frac{d(2g(dg+ef) + dg^2)}{2e}\right) - x\left(\frac{d\left(\frac{d^2g^2 + 4defg + e^2f^2}{e} + \frac{d(2g(dg+ef) + dg^2)}{e}\right) + 2df(dg+ef)}{e}\right) - \frac{\ln(ex-d)(4d^4g^2 + 8d^3efg + 4d^2e^2f^2)}{e^3} - \frac{eg^2x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(d + e\*x)^3)/(d^2 - e^2\*x^2),x)

```
[Out] - x^3*((2*g*(d*g + e*f))/3 + (d*g^2)/3) - x^2*((d^2*g^2 + e^2*f^2 + 4*d*e*f
*g)/(2*e) + (d*(2*g*(d*g + e*f) + d*g^2))/(2*e)) - x*((d*((d^2*g^2 + e^2*f^
2 + 4*d*e*f*g)/e + (d*(2*g*(d*g + e*f) + d*g^2))/e))/e + (2*d*f*(d*g + e*f)
)/e) - (log(e*x - d)*(4*d^4*g^2 + 4*d^2*e^2*f^2 + 8*d^3*e*f*g))/e^3 - (e*g^
2*x^4)/4
```

**sympy [A]** time = 0.48, size = 109, normalized size = 1.00

$$-\frac{4d^2(dg + ef)^2 \log(-d + ex)}{e^3} - \frac{eg^2x^4}{4} - x^3\left(dg^2 + \frac{2efg}{3}\right) - x^2\left(\frac{2d^2g^2}{e} + 3dfg + \frac{ef^2}{2}\right) - x\left(\frac{4d^3g^2}{e^2} + \frac{8d^2fg}{e} + 3df^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(g*x+f)**2/(-e**2*x**2+d**2), x)
```

```
[Out] -4*d**2*(d*g + e*f)**2*log(-d + e*x)/e**3 - e*g**2*x**4/4 - x**3*(d*g**2 +
2*e*f*g/3) - x**2*(2*d**2*g**2/e + 3*d*f*g + e*f**2/2) - x*(4*d**3*g**2/e**
2 + 8*d**2*f*g/e + 3*d*f**2)
```

$$3.352 \quad \int \frac{(d+ex)^2(f+gx)^2}{d^2-e^2x^2} dx$$

Optimal. Leaf size=65

$$-\frac{2d(dg+ef)^2 \log(d-ex)}{e^3} - \frac{2dgx(dg+ef)}{e^2} - \frac{d(f+gx)^2}{e} - \frac{(f+gx)^3}{3g}$$

Rubi [A] time = 0.06, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 77}

$$-\frac{2dgx(dg+ef)}{e^2} - \frac{2d(dg+ef)^2 \log(d-ex)}{e^3} - \frac{d(f+gx)^2}{e} - \frac{(f+gx)^3}{3g}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] (-2\*d\*g\*(e\*f + d\*g)\*x)/e^2 - (d\*(f + g\*x)^2)/e - (f + g\*x)^3/(3\*g) - (2\*d\*(e\*f + d\*g)^2\*Log[d - e\*x])/e^3

Rule 77

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9\*p + 5\*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 848

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

Rubi steps

$$\begin{aligned} \int \frac{(d+ex)^2(f+gx)^2}{d^2-e^2x^2} dx &= \int \frac{(d+ex)(f+gx)^2}{d-ex} dx \\ &= \int \left( -\frac{2dg(ef+dg)}{e^2} - \frac{2d(ef+dg)^2}{e^2(-d+ex)} - \frac{2dg(f+gx)}{e} - (f+gx)^2 \right) dx \\ &= -\frac{2dg(ef+dg)x}{e^2} - \frac{d(f+gx)^2}{e} - \frac{(f+gx)^3}{3g} - \frac{2d(ef+dg)^2 \log(d-ex)}{e^3} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 73, normalized size = 1.12

$$\frac{ex(6d^2g^2 + 3deg(4f + gx) + e^2(3f^2 + 3fgx + g^2x^2)) + 6d(dg + ef)^2 \log(d - ex)}{3e^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] -1/3\*(e\*x\*(6\*d^2\*g^2 + 3\*d\*e\*g\*(4\*f + g\*x) + e^2\*(3\*f^2 + 3\*f\*g\*x + g^2\*x^2)) + 6\*d\*(e\*f + d\*g)^2\*Log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^2(f+gx)^2}{d^2-e^2x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] IntegrateAlgebraic[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

**fricas [A]** time = 0.39, size = 98, normalized size = 1.51

$$\frac{e^3g^2x^3 + 3(e^3fg + de^2g^2)x^2 + 3(e^3f^2 + 4de^2fg + 2d^2eg^2)x + 6(de^2f^2 + 2d^2efg + d^3g^2) \log(ex - d)}{3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(g\*x+f)^2/(-e^2\*x^2+d^2), x, algorithm="fricas")

[Out] -1/3\*(e^3\*g^2\*x^3 + 3\*(e^3\*f\*g + d\*e^2\*g^2)\*x^2 + 3\*(e^3\*f^2 + 4\*d\*e^2\*f\*g + 2\*d^2\*e\*g^2)\*x + 6\*(d\*e^2\*f^2 + 2\*d^2\*e\*f\*g + d^3\*g^2)\*log(e\*x - d))/e^3

**giac [B]** time = 0.16, size = 172, normalized size = 2.65

$$-(d^3 g^2 e + 2 d^2 f g e^2 + d f^2 e^3) e^{(-4) \log(|x^2 e^2 - d^2|)} - \frac{1}{3} (g^2 x^3 e^6 + 3 d g^2 x^2 e^5 + 6 d^2 g^2 x e^4 + 3 f g x^2 e^6 + 12 d f g x e^5 + 3 f^2 x e^6) e^{(-6)} - \frac{(d^4 g^2 e^2 + 2 d^3 f g e^3 + d^2 f^2 e^4) e^{(-5) \log\left(\frac{2 x^2 - 2 d |d|}{2 x^2 + 2 d |e|}\right)}}{|d|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(g\*x+f)^2/(-e^2\*x^2+d^2),x, algorithm="giac")

[Out]  $-(d^3 g^2 e + 2 d^2 f g e^2 + d f^2 e^3) e^{(-4) \log(\text{abs}(x^2 e^2 - d^2))} - 1/3 (g^2 x^3 e^6 + 3 d g^2 x^2 e^5 + 6 d^2 g^2 x e^4 + 3 f g x^2 e^6 + 12 d f g x e^5 + 3 f^2 x e^6) e^{(-6)} - (d^4 g^2 e^2 + 2 d^3 f g e^3 + d^2 f^2 e^4) e^{(-5) \log(\text{abs}(2 x e^2 - 2 \text{abs}(d) e) / \text{abs}(2 x e^2 + 2 \text{abs}(d) e))} / \text{abs}(d)$

**maple [A]** time = 0.00, size = 110, normalized size = 1.69

$$-\frac{g^2 x^3}{3} - \frac{d g^2 x^2}{e} - f g x^2 - \frac{2 d^3 g^2 \ln(ex-d)}{e^3} - \frac{4 d^2 f g \ln(ex-d)}{e^2} - \frac{2 d^2 g^2 x}{e^2} - \frac{2 d f^2 \ln(ex-d)}{e} - \frac{4 d f g x}{e} - f^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^2\*(g\*x+f)^2/(-e^2\*x^2+d^2),x)

[Out]  $-1/3 g^2 x^3 - 1/e x^2 d g^2 - x^2 f g - 2/e^2 x d^2 g^2 - 4/e x d f g - x f^2 - 2 d^3 / e^3 \ln(e x - d) g^2 - 4 d^2 / e^2 \ln(e x - d) f g - 2 d / e \ln(e x - d) f^2$

**maxima [A]** time = 0.45, size = 97, normalized size = 1.49

$$-\frac{e^2 g^2 x^3 + 3 (e^2 f g + d e g^2) x^2 + 3 (e^2 f^2 + 4 d e f g + 2 d^2 g^2) x}{3 e^2} - \frac{2 (d e^2 f^2 + 2 d^2 e f g + d^3 g^2) \log(ex-d)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(g\*x+f)^2/(-e^2\*x^2+d^2),x, algorithm="maxima")

[Out]  $-1/3 (e^2 g^2 x^3 + 3 (e^2 f g + d e g^2) x^2 + 3 (e^2 f^2 + 4 d e f g + 2 d^2 g^2) x) / e^2 - 2 (d e^2 f^2 + 2 d^2 e f g + d^3 g^2) \log(e x - d) / e^3$

**mupad [B]** time = 0.07, size = 127, normalized size = 1.95

$$-x^2 \left( \frac{d g^2 + 2 e f g}{2 e} + \frac{d g^2}{2 e} \right) - x \left( \frac{e f^2 + 2 d g f}{e} + \frac{d \left( \frac{d g^2 + 2 e f g}{e} + \frac{d g^2}{e} \right)}{e} \right) - \frac{g^2 x^3}{3} - \frac{\ln(ex-d) (2 d^3 g^2 + 4 d^2 e f g + 2 d e^2 f^2)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(d + e\*x)^2)/(d^2 - e^2\*x^2),x)

[Out]  $-x^2 \left( \frac{d^2g^2 + 2efg}{2e} + \frac{d^2g^2}{2e} \right) - x \left( \frac{ef^2 + 2dfg}{e} + \frac{d(d^2g^2 + 2efg)}{e} + \frac{d^2g^2}{e} \right) - \frac{g^2x^3}{3} - \frac{(\log(ex - d)(2d^3g^2 + 2de^2f^2 + 4d^2efg))}{e^3}$

**sympy [A]** time = 0.38, size = 70, normalized size = 1.08

$$-\frac{2d(dg + ef)^2 \log(-d + ex)}{e^3} - \frac{g^2x^3}{3} - x^2 \left( \frac{dg^2}{e} + fg \right) - x \left( \frac{2d^2g^2}{e^2} + \frac{4dfg}{e} + f^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**2*(g*x+f)**2/(-e**2*x**2+d**2),x)`

[Out]  $-2*d*(d*g + e*f)**2*\log(-d + e*x)/e**3 - g**2*x**3/3 - x**2*(d*g**2/e + f*g) - x*(2*d**2*g**2/e**2 + 4*d*f*g/e + f**2)$

$$3.353 \quad \int \frac{(d+ex)(f+gx)^2}{d^2-e^2x^2} dx$$

**Optimal.** Leaf size=50

$$-\frac{(dg+ef)^2 \log(d-ex)}{e^3} - \frac{gx(dg+ef)}{e^2} - \frac{(f+gx)^2}{2e}$$

**Rubi [A]** time = 0.03, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {799, 43}

$$-\frac{gx(dg+ef)}{e^2} - \frac{(dg+ef)^2 \log(d-ex)}{e^3} - \frac{(f+gx)^2}{2e}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] -((g\*(e\*f + d\*g)\*x)/e^2) - (f + g\*x)^2/(2\*e) - ((e\*f + d\*g)^2\*Log[d - e\*x])/e^3

#### Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

#### Rule 799

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^m\*(f + g\*x)^(p + 1)\*(a/f + (c\*x)/g)^p, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && EqQ[c\*f^2 + a\*g^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[f, 0] && EqQ[p, -1]))

#### Rubi steps

$$\begin{aligned} \int \frac{(d+ex)(f+gx)^2}{d^2-e^2x^2} dx &= \int \frac{(f+gx)^2}{d-ex} dx \\ &= \int \left( -\frac{g(ef+dg)}{e^2} + \frac{(ef+dg)^2}{e^2(d-ex)} - \frac{g(f+gx)}{e} \right) dx \\ &= -\frac{g(ef+dg)x}{e^2} - \frac{(f+gx)^2}{2e} - \frac{(ef+dg)^2 \log(d-ex)}{e^3} \end{aligned}$$



**Mathematica [A]** time = 0.02, size = 43, normalized size = 0.86

$$\frac{egx(2dg + 4ef + egx) + 2(dg + ef)^2 \log(d - ex)}{2e^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] -1/2\*(e\*g\*x\*(4\*e\*f + 2\*d\*g + e\*g\*x) + 2\*(e\*f + d\*g)^2\*Log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)(f + gx)^2}{d^2 - e^2x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

[Out] IntegrateAlgebraic[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2), x]

**fricas [A]** time = 0.39, size = 64, normalized size = 1.28

$$\frac{e^2g^2x^2 + 2(2e^2fg + deg^2)x + 2(e^2f^2 + 2defg + d^2g^2) \log(ex - d)}{2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2), x, algorithm="fricas")

[Out] -1/2\*(e^2\*g^2\*x^2 + 2\*(2\*e^2\*f\*g + d\*e\*g^2)\*x + 2\*(e^2\*f^2 + 2\*d\*e\*f\*g + d^2\*g^2)\*log(e\*x - d))/e^3

**giac [B]** time = 0.17, size = 134, normalized size = 2.68

$$-\frac{1}{2}(d^2g^2e + 2dfge^2 + f^2e^3)e^{(-4)} \log(|x^2e^2 - d^2|) - \frac{1}{2}(g^2x^2e^3 + 2dg^2xe^2 + 4fgxe^3)e^{(-4)} - \frac{(d^3g^2 + 2d^2fge + df^2e^2)e^{(-3)} \log\left(\frac{|2xe^2 - 2|d|e|}{|2xe^2 + 2|d|e|}\right)}{2|d|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2), x, algorithm="giac")

[Out] -1/2\*(d^2\*g^2\*e + 2\*d\*f\*g\*e^2 + f^2\*e^3)\*e^(-4)\*log(abs(x^2\*e^2 - d^2)) - 1/2\*(g^2\*x^2\*e^3 + 2\*d\*g^2\*x\*e^2 + 4\*f\*g\*x\*e^3)\*e^(-4) - 1/2\*(d^3\*g^2 + 2\*d^2\*f\*g\*e + d\*f^2\*e^2)\*e^(-3)\*log(abs(2\*x\*e^2 - 2\*abs(d)\*e)/abs(2\*x\*e^2 + 2\*abs(d)\*e))/abs(d)

**maple [A]** time = 0.00, size = 82, normalized size = 1.64

$$-\frac{g^2 x^2}{2e} - \frac{d^2 g^2 \ln(ex-d)}{e^3} - \frac{2dfg \ln(ex-d)}{e^2} - \frac{d g^2 x}{e^2} - \frac{f^2 \ln(ex-d)}{e} - \frac{2fgx}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2),x)

[Out] -1/2\*g^2\*x^2/e-g^2/e^2\*d\*x-2\*g/e\*f\*x-1/e^3\*ln(e\*x-d)\*d^2\*g^2-2/e^2\*ln(e\*x-d)\*d\*f\*g-1/e\*ln(e\*x-d)\*f^2

**maxima [A]** time = 0.44, size = 63, normalized size = 1.26

$$\frac{eg^2x^2 + 2(2efg + dg^2)x}{2e^2} - \frac{(e^2f^2 + 2defg + d^2g^2)\log(ex-d)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2),x, algorithm="maxima")

[Out] -1/2\*(e\*g^2\*x^2 + 2\*(2\*e\*f\*g + d\*g^2)\*x)/e^2 - (e^2\*f^2 + 2\*d\*e\*f\*g + d^2\*g^2)\*log(e\*x - d)/e^3

**mupad [B]** time = 2.61, size = 65, normalized size = 1.30

$$-x \left( \frac{dg^2}{e^2} + \frac{2fg}{e} \right) - \frac{\ln(ex-d)(d^2g^2 + 2defg + e^2f^2)}{e^3} - \frac{g^2x^2}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(d + e\*x))/(d^2 - e^2\*x^2),x)

[Out] -x\*((d\*g^2)/e^2 + (2\*f\*g)/e) - (log(e\*x - d)\*(d^2\*g^2 + e^2\*f^2 + 2\*d\*e\*f\*g))/e^3 - (g^2\*x^2)/(2\*e)

**sympy [A]** time = 0.29, size = 46, normalized size = 0.92

$$-x \left( \frac{dg^2}{e^2} + \frac{2fg}{e} \right) - \frac{g^2x^2}{2e} - \frac{(dg + ef)^2 \log(-d + ex)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2),x)

[Out] -x\*(d\*g\*\*2/e\*\*2 + 2\*f\*g/e) - g\*\*2\*x\*\*2/(2\*e) - (d\*g + e\*f)\*\*2\*log(-d + e\*x)/e\*\*3

$$3.354 \quad \int \frac{(f+gx)^2}{d^2-e^2x^2} dx$$

Optimal. Leaf size=62

$$-\frac{(dg+ef)^2 \log(d-ex)}{2de^3} + \frac{(ef-dg)^2 \log(d+ex)}{2de^3} - \frac{g^2x}{e^2}$$

**Rubi [A]** time = 0.08, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {702, 633, 31}

$$-\frac{(dg+ef)^2 \log(d-ex)}{2de^3} + \frac{(ef-dg)^2 \log(d+ex)}{2de^3} - \frac{g^2x}{e^2}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/(d^2 - e^2\*x^2), x]

[Out] -((g^2\*x)/e^2) - ((e\*f + d\*g)^2\*Log[d - e\*x])/(2\*d\*e^3) + ((e\*f - d\*g)^2\*Log[d + e\*x])/(2\*d\*e^3)

#### Rule 31

Int[((a\_) + (b\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

#### Rule 633

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] := With[{q = Rt[-(a\*c), 2]}, Dist[e/2 + (c\*d)/(2\*q), Int[1/(-q + c\*x), x], x] + Dist[e/2 - (c\*d)/(2\*q), Int[1/(q + c\*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a\*c)]

#### Rule 702

Int[((d\_) + (e\_.)\*(x\_))^(m\_)/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Int[PolynomialDivide[(d + e\*x)^m, a + c\*x^2, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[m, 1] && (NeQ[d, 0] || GtQ[m, 2])

#### Rubi steps

$$\begin{aligned}
\int \frac{(f + gx)^2}{d^2 - e^2x^2} dx &= \int \left( -\frac{g^2}{e^2} + \frac{e^2f^2 + d^2g^2 + 2e^2fgx}{e^2(d^2 - e^2x^2)} \right) dx \\
&= -\frac{g^2x}{e^2} + \frac{\int \frac{e^2f^2 + d^2g^2 + 2e^2fgx}{d^2 - e^2x^2} dx}{e^2} \\
&= -\frac{g^2x}{e^2} - \frac{(ef - dg)^2 \int \frac{1}{-de - e^2x} dx}{2de} + \frac{(ef + dg)^2 \int \frac{1}{de - e^2x} dx}{2de} \\
&= -\frac{g^2x}{e^2} - \frac{(ef + dg)^2 \log(d - ex)}{2de^3} + \frac{(ef - dg)^2 \log(d + ex)}{2de^3}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 55, normalized size = 0.89

$$\frac{(d^2g^2 + e^2f^2) \tanh^{-1}\left(\frac{ex}{d}\right) - deg(f \log(d^2 - e^2x^2) + gx)}{de^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/(d^2 - e^2\*x^2), x]

[Out] ((e^2\*f^2 + d^2\*g^2)\*ArcTanh[(e\*x)/d] - d\*e\*g\*(g\*x + f\*Log[d^2 - e^2\*x^2]))/(d\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^2}{d^2 - e^2x^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/(d^2 - e^2\*x^2), x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/(d^2 - e^2\*x^2), x]

**fricas [A]** time = 0.41, size = 76, normalized size = 1.23

$$\frac{2deg^2x - (e^2f^2 - 2defg + d^2g^2) \log(ex + d) + (e^2f^2 + 2defg + d^2g^2) \log(ex - d)}{2de^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(-e^2\*x^2+d^2), x, algorithm="fricas")

[Out]  $-1/2*(2*d*e*g^2*x - (e^2*f^2 - 2*d*e*f*g + d^2*g^2)*\log(e*x + d) + (e^2*f^2 + 2*d*e*f*g + d^2*g^2)*\log(e*x - d))/(d*e^3)$

**giac** [A] time = 0.15, size = 81, normalized size = 1.31

$$-g^2xe^{(-2)} - fg e^{(-2)} \log(|x^2e^2 - d^2|) - \frac{(d^2g^2 + f^2e^2)e^{(-3)} \log\left(\frac{|2xe^2 - 2|d|e|}{|2xe^2 + 2|d|e|}\right)}{2|d|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)^2/(-e^2*x^2+d^2),x, algorithm="giac")`

[Out]  $-g^2*x*e^{(-2)} - f*g*e^{(-2)}*\log(\text{abs}(x^2*e^2 - d^2)) - 1/2*(d^2*g^2 + f^2*e^2)*e^{(-3)}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs}(d)*e))/\text{abs}(d)$

**maple** [A] time = 0.01, size = 107, normalized size = 1.73

$$-\frac{d g^2 \ln(ex - d)}{2e^3} + \frac{d g^2 \ln(ex + d)}{2e^3} - \frac{f^2 \ln(ex - d)}{2de} + \frac{f^2 \ln(ex + d)}{2de} - \frac{fg \ln(ex - d)}{e^2} - \frac{fg \ln(ex + d)}{e^2} - \frac{g^2 x}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x+f)^2/(-e^2*x^2+d^2),x)`

[Out]  $-g^2*x/e^2 - 1/2/e^3*d*\ln(e*x-d)*g^2 - 1/e^2*\ln(e*x-d)*f*g - 1/2/e/d*\ln(e*x-d)*f^2 + 1/2/e^3*d*\ln(e*x+d)*g^2 - 1/e^2*\ln(e*x+d)*f*g + 1/2/e/d*\ln(e*x+d)*f^2$

**maxima** [A] time = 0.44, size = 82, normalized size = 1.32

$$-\frac{g^2 x}{e^2} + \frac{(e^2 f^2 - 2 d e f g + d^2 g^2) \log(ex + d)}{2 d e^3} - \frac{(e^2 f^2 + 2 d e f g + d^2 g^2) \log(ex - d)}{2 d e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)^2/(-e^2*x^2+d^2),x, algorithm="maxima")`

[Out]  $-g^2*x/e^2 + 1/2*(e^2*f^2 - 2*d*e*f*g + d^2*g^2)*\log(e*x + d)/(d*e^3) - 1/2*(e^2*f^2 + 2*d*e*f*g + d^2*g^2)*\log(e*x - d)/(d*e^3)$

**mupad** [B] time = 0.15, size = 81, normalized size = 1.31

$$\frac{\ln(d + ex) (d^2 g^2 - 2 d e f g + e^2 f^2)}{2 d e^3} - \frac{g^2 x}{e^2} - \frac{\ln(d - ex) (d^2 g^2 + 2 d e f g + e^2 f^2)}{2 d e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)^2/(d^2 - e^2*x^2),x)`

[Out]  $(\log(d + e*x)*(d^2*g^2 + e^2*f^2 - 2*d*e*f*g))/(2*d*e^3) - (g^2*x)/e^2 - (\log(d - e*x)*(d^2*g^2 + e^2*f^2 + 2*d*e*f*g))/(2*d*e^3)$

sympy [B] time = 0.64, size = 112, normalized size = 1.81

$$-\frac{g^2x}{e^2} + \frac{(dg - ef)^2 \log\left(x + \frac{2d^2fg + \frac{d(dg-ef)^2}{e}}{d^2g^2 + e^2f^2}\right)}{2de^3} - \frac{(dg + ef)^2 \log\left(x + \frac{2d^2fg - \frac{d(dg+ef)^2}{e}}{d^2g^2 + e^2f^2}\right)}{2de^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**2/(-e**2*x**2+d**2),x)`

[Out]  $-g**2*x/e**2 + (d*g - e*f)**2*\log(x + (2*d**2*f*g + d*(d*g - e*f)**2/e)/(d**2*g**2 + e**2*f**2))/(2*d*e**3) - (d*g + e*f)**2*\log(x + (2*d**2*f*g - d*(d*g + e*f)**2/e)/(d**2*g**2 + e**2*f**2))/(2*d*e**3)$

$$3.355 \quad \int \frac{(f+gx)^2}{(d+ex)(d^2-e^2x^2)} dx$$

**Optimal.** Leaf size=86

$$\frac{(3dg + ef)(ef - dg) \log(d + ex)}{4d^2e^3} - \frac{(dg + ef)^2 \log(d - ex)}{4d^2e^3} - \frac{(ef - dg)^2}{2de^3(d + ex)}$$

**Rubi [A]** time = 0.09, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 88}

$$\frac{(3dg + ef)(ef - dg) \log(d + ex)}{4d^2e^3} - \frac{(dg + ef)^2 \log(d - ex)}{4d^2e^3} - \frac{(ef - dg)^2}{2de^3(d + ex)}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)),x]

[Out] -(e\*f - d\*g)^2/(2\*d\*e^3\*(d + e\*x)) - ((e\*f + d\*g)^2\*Log[d - e\*x])/(4\*d^2\*e^3) + ((e\*f - d\*g)\*(e\*f + 3\*d\*g)\*Log[d + e\*x])/(4\*d^2\*e^3)

**Rule 88**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

**Rule 848**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

**Rubi steps**

$$\begin{aligned} \int \frac{(f + gx)^2}{(d + ex)(d^2 - e^2x^2)} dx &= \int \frac{(f + gx)^2}{(d - ex)(d + ex)^2} dx \\ &= \int \left( \frac{(ef + dg)^2}{4d^2e^2(d - ex)} + \frac{(-ef + dg)^2}{2de^2(d + ex)^2} + \frac{(ef - dg)(ef + 3dg)}{4d^2e^2(d + ex)} \right) dx \\ &= -\frac{(ef - dg)^2}{2de^3(d + ex)} - \frac{(ef + dg)^2 \log(d - ex)}{4d^2e^3} + \frac{(ef - dg)(ef + 3dg) \log(d + ex)}{4d^2e^3} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 82, normalized size = 0.95

$$\frac{(ef - dg)((d + ex)(3dg + ef) \log(d + ex) + 2d(dg - ef)) - (d + ex)(dg + ef)^2 \log(d - ex)}{4d^2e^3(d + ex)}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)), x]

[Out] (-((e\*f + d\*g)^2\*(d + e\*x)\*Log[d - e\*x]) + (e\*f - d\*g)\*(2\*d\*(-(e\*f) + d\*g) + (e\*f + 3\*d\*g)\*(d + e\*x)\*Log[d + e\*x]))/(4\*d^2\*e^3\*(d + e\*x))

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^2}{(d + ex)(d^2 - e^2x^2)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)), x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)), x]

**fricas [B]** time = 0.40, size = 165, normalized size = 1.92

$$\frac{2d^2f^2 - 4d^2efg + 2d^3g^2 - (d^2f^2 + 2d^2efg - 3d^3g^2 + (e^3f^2 + 2d^2fg - 3d^2eg^2)x) \log(ex + d) + (d^2f^2 + 2d^2efg + d^3g^2 + (e^3f^2 + 2d^2fg + d^2eg^2)x) \log(ex - d)}{4(d^2e^4x + d^3e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(-e^2\*x^2+d^2), x, algorithm="fricas")

[Out] -1/4\*(2\*d\*e^2\*f^2 - 4\*d^2\*e\*f\*g + 2\*d^3\*g^2 - (d\*e^2\*f^2 + 2\*d^2\*e\*f\*g - 3\*d^3\*g^2 + (e^3\*f^2 + 2\*d\*e^2\*f\*g - 3\*d^2\*e\*g^2)\*x)\*log(e\*x + d) + (d\*e^2\*f^2 + 2\*d^2\*e\*f\*g + d^3\*g^2 + (e^3\*f^2 + 2\*d\*e^2\*f\*g + d^2\*e\*g^2)\*x)\*log(e\*x - d))/(d^2\*e^4\*x + d^3\*e^3)



**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(-e^2\*x^2+d^2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $-(d^2 * g^2 - 2*d*exp(1)*g*f + exp(1)^2*f^2) / (exp(2)*d^2*exp(1) - d^2*exp(1)^3) * \ln(\text{abs}(x * exp(1) + d)) - (2*exp(2)*d*g*f - exp(2)*exp(1)*f^2 - d^2*exp(1)*g^2) / (2*exp(2)^2*d^2 - 2*exp(2)*d^2*exp(1)^2) * \ln(\text{abs}(x^2*exp(2) - d^2)) - (exp(2)*f^2 + d^2*g^2 - 2*d*exp(1)*g*f) * 1/2 / (exp(2)*d - d*exp(1)^2) / exp(1) / \text{abs}(d) * \ln(\text{abs}(2*x*exp(2) - 2*exp(1)*\text{abs}(d)) / \text{abs}(2*x*exp(2) + 2*exp(1)*\text{abs}(d)))$

**maple** [A] time = 0.01, size = 149, normalized size = 1.73

$$-\frac{d g^2}{2(e x+d) e^3} - \frac{f^2}{2(e x+d) d e} - \frac{f g \ln (e x-d)}{2 d e^2} + \frac{f g \ln (e x+d)}{2 d e^2} - \frac{f^2 \ln (e x-d)}{4 d^2 e} + \frac{f^2 \ln (e x+d)}{4 d^2 e} + \frac{f g}{(e x+d) e^2} - \frac{g^2 \ln (e x-d)}{4 e^3} - \frac{3 g^2 \ln (e x+d)}{4 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^2/(e\*x+d)/(-e^2\*x^2+d^2),x)

[Out]  $-1/4/e^3*\ln(e*x-d)*g^2-1/2/e^2/d*\ln(e*x-d)*f*g-1/4/e/d^2*\ln(e*x-d)*f^2-3/4/e^3*\ln(e*x+d)*g^2+1/2/e^2/d*\ln(e*x+d)*f*g+1/4/e/d^2*\ln(e*x+d)*f^2-1/2/e^3*d/(e*x+d)*g^2+1/e^2/(e*x+d)*f*g-1/2/e/d/(e*x+d)*f^2$

**maxima** [A] time = 0.46, size = 113, normalized size = 1.31

$$\frac{e^2 f^2 - 2 d e f g + d^2 g^2}{2 (d e^4 x + d^2 e^3)} + \frac{(e^2 f^2 + 2 d e f g - 3 d^2 g^2) \log (e x + d)}{4 d^2 e^3} - \frac{(e^2 f^2 + 2 d e f g + d^2 g^2) \log (e x - d)}{4 d^2 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(-e^2\*x^2+d^2),x, algorithm="maxima")

[Out]  $-1/2*(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(d*e^4*x + d^2*e^3) + 1/4*(e^2*f^2 + 2*d*e*f*g - 3*d^2*g^2)*\log(e*x + d)/(d^2*e^3) - 1/4*(e^2*f^2 + 2*d*e*f*g + d^2*g^2)*\log(e*x - d)/(d^2*e^3)$

**mupad** [B] time = 2.70, size = 109, normalized size = 1.27

$$\frac{\ln (d+e x)\left(-3 d^2 g^2+2 d e f g+e^2 f^2\right)}{4 d^2 e^3}-\frac{\ln (d-e x)\left(d^2 g^2+2 d e f g+e^2 f^2\right)}{4 d^2 e^3}-\frac{d^2 g^2-2 d e f g+e^2 f^2}{2 d e^3(d+e x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)^2/((d^2 - e^2*x^2)*(d + e*x)),x)`

[Out]  $(\log(d + e*x)*(e^2*f^2 - 3*d^2*g^2 + 2*d*e*f*g))/(4*d^2*e^3) - (\log(d - e*x)*(d^2*g^2 + e^2*f^2 + 2*d*e*f*g))/(4*d^2*e^3) - (d^2*g^2 + e^2*f^2 - 2*d*e*f*g)/(2*d*e^3*(d + e*x))$

**sympy [B]** time = 1.00, size = 182, normalized size = 2.12

$$-\frac{d^2g^2 - 2defg + e^2f^2}{2d^2e^3 + 2de^4x} - \frac{(dg - ef)(3dg + ef) \log\left(x + \frac{-2d^3g^2 + d(dg - ef)(3dg + ef)}{d^2eg^2 - 2de^2fg - e^3f^2}\right)}{4d^2e^3} - \frac{(dg + ef)^2 \log\left(x + \frac{-2d^3g^2 + d(dg + ef)^2}{d^2eg^2 - 2de^2fg - e^3f^2}\right)}{4d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**2/(e*x+d)/(-e**2*x**2+d**2),x)`

[Out]  $-(d**2*g**2 - 2*d*e*f*g + e**2*f**2)/(2*d**2*e**3 + 2*d*e**4*x) - (d*g - e*f)*(3*d*g + e*f)*\log(x + (-2*d**3*g**2 + d*(d*g - e*f)*(3*d*g + e*f))/(d**2*e*g**2 - 2*d*e**2*f*g - e**3*f**2))/(4*d**2*e**3) - (d*g + e*f)**2*\log(x + (-2*d**3*g**2 + d*(d*g + e*f)**2)/(d**2*e*g**2 - 2*d*e**2*f*g - e**3*f**2))/(4*d**2*e**3)$

$$3.356 \quad \int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)} dx$$

**Optimal.** Leaf size=87

$$\frac{(dg+ef)^2 \tanh^{-1}\left(\frac{ex}{d}\right)}{4d^3e^3} - \frac{(3dg+ef)(ef-dg)}{4d^2e^3(d+ex)} - \frac{(ef-dg)^2}{4de^3(d+ex)^2}$$

**Rubi [A]** time = 0.10, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {848, 88, 208}

$$-\frac{(3dg+ef)(ef-dg)}{4d^2e^3(d+ex)} + \frac{(dg+ef)^2 \tanh^{-1}\left(\frac{ex}{d}\right)}{4d^3e^3} - \frac{(ef-dg)^2}{4de^3(d+ex)^2}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)),x]

[Out] -(e\*f - d\*g)^2/(4\*d\*e^3\*(d + e\*x)^2) - ((e\*f - d\*g)\*(e\*f + 3\*d\*g))/(4\*d^2\*e^3\*(d + e\*x)) + ((e\*f + d\*g)^2\*ArcTanh[(e\*x)/d])/(4\*d^3\*e^3)

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegerQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

### Rubi steps

$$\begin{aligned}
\int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)} dx &= \int \frac{(f+gx)^2}{(d-ex)(d+ex)^3} dx \\
&= \int \left( \frac{(-ef+dg)^2}{2de^2(d+ex)^3} + \frac{(ef-dg)(ef+3dg)}{4d^2e^2(d+ex)^2} + \frac{(ef+dg)^2}{4d^2e^2(d^2-e^2x^2)} \right) dx \\
&= -\frac{(ef-dg)^2}{4de^3(d+ex)^2} - \frac{(ef-dg)(ef+3dg)}{4d^2e^3(d+ex)} + \frac{(ef+dg)^2}{4d^2e^2} \int \frac{1}{d^2-e^2x^2} dx \\
&= -\frac{(ef-dg)^2}{4de^3(d+ex)^2} - \frac{(ef-dg)(ef+3dg)}{4d^2e^3(d+ex)} + \frac{(ef+dg)^2 \tanh^{-1}\left(\frac{ex}{d}\right)}{4d^3e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 87, normalized size = 1.00

$$\frac{\frac{2d(dg-ef)(2d^2g+de(2f+3gx)+e^2fx)}{(d+ex)^2} + (dg+ef)^2(-\log(d-ex)) + (dg+ef)^2 \log(d+ex)}{8d^3e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)), x]

[Out] ((2\*d\*(-(e\*f) + d\*g)\*(2\*d^2\*g + e^2\*f\*x + d\*e\*(2\*f + 3\*g\*x)))/(d + e\*x)^2 - (e\*f + d\*g)^2\*Log[d - e\*x] + (e\*f + d\*g)^2\*Log[d + e\*x])/(8\*d^3\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)), x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)), x]

**fricas [B]** time = 0.41, size = 271, normalized size = 3.11

$$\frac{4d^2e^2f^2 - 4d^4g^2 + 2(d^2f^2 + 2d^2e^2fg - 3d^2eg^2)x - (d^2e^2f^2 + 2d^2efg + d^4g^2 + (e^4f^2 + 2de^3fg + d^2e^2g^2)x^2 + 2(d^3f^2 + 2d^2e^2fg + d^2eg^2)x) \log(ex+d) + (d^2e^2f^2 + 2d^2efg + d^4g^2 + (e^4f^2 + 2de^3fg + d^2e^2g^2)x^2 + 2(d^3f^2 + 2d^2e^2fg + d^2eg^2)x) \log(ex-d)}{8(d^3e^3x^2 + 2d^4e^3x + d^5e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^2/(-e^2\*x^2+d^2), x, algorithm="fricas")

```
[Out] -1/8*(4*d^2*e^2*f^2 - 4*d^4*g^2 + 2*(d*e^3*f^2 + 2*d^2*e^2*f*g - 3*d^3*e*g^2)*x - (d^2*e^2*f^2 + 2*d^3*e*f*g + d^4*g^2 + (e^4*f^2 + 2*d*e^3*f*g + d^2*e^2*g^2)*x^2 + 2*(d*e^3*f^2 + 2*d^2*e^2*f*g + d^3*e*g^2)*x)*log(e*x + d) + (d^2*e^2*f^2 + 2*d^3*e*f*g + d^4*g^2 + (e^4*f^2 + 2*d*e^3*f*g + d^2*e^2*g^2)*x^2 + 2*(d*e^3*f^2 + 2*d^2*e^2*f*g + d^3*e*g^2)*x)*log(e*x - d))/(d^3*e^5*x^2 + 2*d^4*e^4*x + d^5*e^3)
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^2/(e*x+d)^2/(-e^2*x^2+d^2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: -(-g^2*d^2*exp(1)+g*d*exp(1)^2*f+g*d*f*exp(2)-exp(1)*f^2*exp(2))/(d^3*exp(1)^4-2*d^3*exp(1)^2*exp(2)+d^3*exp(2)^2)*ln(abs(-(-(exp(1)*x+d)^-1/exp(1))^2*d^2*exp(1)^4+(-(exp(1)*x+d)^-1/exp(1))^2*d^2*exp(1)^2*exp(2)-2*(exp(1)*x+d)^-1/exp(1)*d*exp(1)*exp(2)+exp(2)))- (g^2*d^2*exp(1)^4+g^2*d^2*exp(1)^2*exp(2)-4*g*d*exp(1)^3*f*exp(2)+exp(1)^4*f^2*exp(2)+exp(1)^2*f^2*exp(2)^2)/2/(d^2*exp(1)^4-2*d^2*exp(1)^2*exp(2)+d^2*exp(2)^2)/exp(1)/abs(d)/exp(1)^2*ln(abs(2*(exp(1)*x+d)^-1/exp(1)*d^2*exp(1)^4-2*(exp(1)*x+d)^-1/exp(1)*d^2*exp(1)^2*exp(2)+2*d*exp(1)*exp(2)-2*exp(1)*abs(d)*exp(1)^2)/abs(2*(exp(1)*x+d)^-1/exp(1)*d^2*exp(1)^4-2*(exp(1)*x+d)^-1/exp(1)*d^2*exp(1)^2*exp(2)+2*d*exp(1)*exp(2)+2*exp(1)*abs(d)*exp(1)^2))-((exp(1)*x+d)^-1/exp(1)*g^2*d^2*exp(1)^2-2*(exp(1)*x+d)^-1/exp(1)*g*d*exp(1)^3*f+(exp(1)*x+d)^-1/exp(1)*exp(1)^4*f^2)/(d^2*exp(1)^4-d^2*exp(1)^2*exp(2))
```

**maple** [B] time = 0.01, size = 206, normalized size = 2.37

$$-\frac{d^2 g^2}{4(e x+d)^2 e^3}-\frac{f^2}{4(e x+d)^2 d e}+\frac{f g}{2(e x+d)^2 e^2}-\frac{f g}{2(e x+d) d e^2}-\frac{g^2 \ln (e x-d)}{8 d e^3}+\frac{g^2 \ln (e x+d)}{8 d e^3}-\frac{f^2}{4(e x+d) d^2 e}-\frac{f g \ln (e x-d)}{4 d^2 e^2}+\frac{f g \ln (e x+d)}{4 d^2 e^2}-\frac{f^2 \ln (e x-d)}{8 d^3 e}+\frac{f^2 \ln (e x+d)}{8 d^3 e}+\frac{3 g^2}{4(e x+d) e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x+f)^2/(e*x+d)^2/(-e^2*x^2+d^2),x)
```

```
[Out] -1/8/e^3/d*ln(e*x-d)*g^2-1/4/e^2/d^2*ln(e*x-d)*f*g-1/8/e/d^3*ln(e*x-d)*f^2+3/4/e^3/(e*x+d)*g^2-1/2/d/e^2/(e*x+d)*f*g-1/4/d^2/e/(e*x+d)*f^2-1/4/e^3*d/(e*x+d)^2*g^2+1/2/e^2/(e*x+d)^2*f*g-1/4/e/d/(e*x+d)^2*f^2+1/8/e^3/d*ln(e*x+d)*g^2+1/4/e^2/d^2*ln(e*x+d)*f*g+1/8/e/d^3*ln(e*x+d)*f^2
```

**maxima** [A] time = 0.45, size = 149, normalized size = 1.71

$$-\frac{2 d e^2 f^2-2 d^3 g^2+\left(e^3 f^2+2 d e^2 f g-3 d^2 e g^2\right) x}{4\left(d^2 e^5 x^2+2 d^3 e^4 x+d^4 e^3\right)}+\frac{\left(e^2 f^2+2 d e f g+d^2 g^2\right) \log (e x+d)}{8 d^3 e^3}-\frac{\left(e^2 f^2+2 d e f g+d^2 g^2\right) \log (e x-d)}{8 d^3 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^2/(-e^2\*x^2+d^2),x, algorithm="maxima")

[Out] 
$$-1/4*(2*d*e^2*f^2 - 2*d^3*g^2 + (e^3*f^2 + 2*d*e^2*f*g - 3*d^2*e*g^2)*x)/(d^2*e^5*x^2 + 2*d^3*e^4*x + d^4*e^3) + 1/8*(e^2*f^2 + 2*d*e*f*g + d^2*g^2)*\log(e*x + d)/(d^3*e^3) - 1/8*(e^2*f^2 + 2*d*e*f*g + d^2*g^2)*\log(e*x - d)/(d^3*e^3)$$

**mupad [B]** time = 0.13, size = 100, normalized size = 1.15

$$\frac{\frac{d^2 g^2 - e^2 f^2}{2 d e^3} - \frac{x(-3 d^2 g^2 + 2 d e f g + e^2 f^2)}{4 d^2 e^2}}{d^2 + 2 d e x + e^2 x^2} + \frac{\operatorname{atanh}\left(\frac{e x}{d}\right) (d g + e f)^2}{4 d^3 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)^2/((d^2 - e^2\*x^2)\*(d + e\*x)^2),x)

[Out] 
$$\left(\frac{d^2 g^2 - e^2 f^2}{2 d e^3} - \frac{x(e^2 f^2 - 3 d^2 g^2 + 2 d e f g)}{4 d^2 e^2}\right) / (d^2 + e^2 x^2 + 2 d e x) + \frac{\operatorname{atanh}(e x / d) (d g + e f)^2}{4 d^3 e^3}$$

**sympy [B]** time = 1.03, size = 185, normalized size = 2.13

$$-\frac{-2 d^3 g^2 + 2 d e^2 f^2 + x(-3 d^2 e g^2 + 2 d e^2 f g + e^3 f^2)}{4 d^4 e^3 + 8 d^3 e^4 x + 4 d^2 e^5 x^2} - \frac{(d g + e f)^2 \log\left(-\frac{d(d g + e f)^2}{e(d^2 g^2 + 2 d e f g + e^2 f^2)} + x\right)}{8 d^3 e^3} + \frac{(d g + e f)^2 \log\left(\frac{d(d g + e f)^2}{e(d^2 g^2 + 2 d e f g + e^2 f^2)} + x\right)}{8 d^3 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*2/(e\*x+d)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2),x)

[Out] 
$$-(-2*d**3*g**2 + 2*d*e**2*f**2 + x*(-3*d**2*e*g**2 + 2*d*e**2*f*g + e**3*f**2))/(4*d**4*e**3 + 8*d**3*e**4*x + 4*d**2*e**5*x**2) - (d*g + e*f)**2*\log(-d*(d*g + e*f)**2/(e*(d**2*g**2 + 2*d*e*f*g + e**2*f**2)) + x)/(8*d**3*e**3) + (d*g + e*f)**2*\log(d*(d*g + e*f)**2/(e*(d**2*g**2 + 2*d*e*f*g + e**2*f**2)) + x)/(8*d**3*e**3)$$

$$3.357 \quad \int \frac{(f+gx)^2}{(d+ex)^3(d^2-e^2x^2)} dx$$

**Optimal.** Leaf size=113

$$\frac{(dg+ef)^2 \tanh^{-1}\left(\frac{ex}{d}\right)}{8d^4e^3} - \frac{(dg+ef)^2}{8d^3e^3(d+ex)} - \frac{(3dg+ef)(ef-dg)}{8d^2e^3(d+ex)^2} - \frac{(ef-dg)^2}{6de^3(d+ex)^3}$$

**Rubi [A]** time = 0.12, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {848, 88, 208}

$$-\frac{(3dg+ef)(ef-dg)}{8d^2e^3(d+ex)^2} - \frac{(dg+ef)^2}{8d^3e^3(d+ex)} + \frac{(dg+ef)^2 \tanh^{-1}\left(\frac{ex}{d}\right)}{8d^4e^3} - \frac{(ef-dg)^2}{6de^3(d+ex)^3}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)^3\*(d^2 - e^2\*x^2)),x]

[Out] -(e\*f - d\*g)^2/(6\*d\*e^3\*(d + e\*x)^3) - ((e\*f - d\*g)\*(e\*f + 3\*d\*g))/(8\*d^2\*e^3\*(d + e\*x)^2) - (e\*f + d\*g)^2/(8\*d^3\*e^3\*(d + e\*x)) + ((e\*f + d\*g)^2\*ArcTanh[(e\*x)/d])/(8\*d^4\*e^3)

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 848

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

### Rubi steps

$$\begin{aligned}
\int \frac{(f+gx)^2}{(d+ex)^3(d^2-e^2x^2)} dx &= \int \frac{(f+gx)^2}{(d-ex)(d+ex)^4} dx \\
&= \int \left( \frac{(-ef+dg)^2}{2de^2(d+ex)^4} + \frac{(ef-dg)(ef+3dg)}{4d^2e^2(d+ex)^3} + \frac{(ef+dg)^2}{8d^3e^2(d+ex)^2} + \frac{(ef+dg)^2}{8d^3e^2(d^2-e^2x^2)} \right) dx \\
&= -\frac{(ef-dg)^2}{6de^3(d+ex)^3} - \frac{(ef-dg)(ef+3dg)}{8d^2e^3(d+ex)^2} - \frac{(ef+dg)^2}{8d^3e^3(d+ex)} + \frac{(ef+dg)^2}{8d^3e^2} \int \frac{1}{d^2-e^2x^2} dx \\
&= -\frac{(ef-dg)^2}{6de^3(d+ex)^3} - \frac{(ef-dg)(ef+3dg)}{8d^2e^3(d+ex)^2} - \frac{(ef+dg)^2}{8d^3e^3(d+ex)} + \frac{(ef+dg)^2 \tanh^{-1}\left(\frac{ex}{d}\right)}{8d^4e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 122, normalized size = 1.08

$$\frac{-\frac{8d^3(ef-dg)^2}{(d+ex)^3} + \frac{6d^2(3d^2g^2-2defg-e^2f^2)}{(d+ex)^2} - \frac{6d(dg+ef)^2}{d+ex} - 3(dg+ef)^2 \log(d-ex) + 3(dg+ef)^2 \log(d+ex)}{48d^4e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)^3\*(d^2 - e^2\*x^2)), x]

[Out] ((-8\*d^3\*(e\*f - d\*g)^2)/(d + e\*x)^3 + (6\*d^2\*(-(e^2\*f^2) - 2\*d\*e\*f\*g + 3\*d^2\*g^2))/(d + e\*x)^2 - (6\*d\*(e\*f + d\*g)^2)/(d + e\*x) - 3\*(e\*f + d\*g)^2\*Log[d - e\*x] + 3\*(e\*f + d\*g)^2\*Log[d + e\*x])/(48\*d^4\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f+gx)^2}{(d+ex)^3(d^2-e^2x^2)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^3\*(d^2 - e^2\*x^2)), x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^3\*(d^2 - e^2\*x^2)), x]

**fricas [B]** time = 0.39, size = 400, normalized size = 3.54

$\frac{20d^2ef^2 + 8d^2efg - 4d^2g^2 + 6(d^2f^2 + 2d^2fg + d^2g^2)^2 + 6(3d^2ef^2 + 6d^2efg - d^2g^2)^2 - 3(d^2f^2 + 2d^2fg + d^2g^2 + (ef)^2 + 2d^2fg + d^2g^2)^2 + 3(d^2f^2 + 2d^2fg + d^2g^2)^2 + 3(d^2f^2 + 2d^2fg + d^2g^2) \log(ex+d) + 3(d^2f^2 + 2d^2fg + d^2g^2 + (ef)^2 + 2d^2fg + d^2g^2)^2 + 3(d^2f^2 + 2d^2fg + d^2g^2)^2 + 3(d^2f^2 + 2d^2fg + d^2g^2) \log(ex-d)}{48(d^2e^2 + 3d^2e^2 + 3d^2e^2 + d^2e^2)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^3/(-e^2\*x^2+d^2), x, algorithm="fricas")



```
[Out] -1/48*(20*d^3*e^2*f^2 + 8*d^4*e*f*g - 4*d^5*g^2 + 6*(d*e^4*f^2 + 2*d^2*e^3*f*g + d^3*e^2*g^2)*x^2 + 6*(3*d^2*e^3*f^2 + 6*d^3*e^2*f*g - d^4*e*g^2)*x - 3*(d^3*e^2*f^2 + 2*d^4*e*f*g + d^5*g^2 + (e^5*f^2 + 2*d*e^4*f*g + d^2*e^3*g^2)*x^3 + 3*(d*e^4*f^2 + 2*d^2*e^3*f*g + d^3*e^2*g^2)*x^2 + 3*(d^2*e^3*f^2 + 2*d^3*e^2*f*g + d^4*e*g^2)*x)*log(e*x + d) + 3*(d^3*e^2*f^2 + 2*d^4*e*f*g + d^5*g^2 + (e^5*f^2 + 2*d*e^4*f*g + d^2*e^3*g^2)*x^3 + 3*(d*e^4*f^2 + 2*d^2*e^3*f*g + d^3*e^2*g^2)*x^2 + 3*(d^2*e^3*f^2 + 2*d^3*e^2*f*g + d^4*e*g^2)*x)*log(e*x - d))/(d^4*e^6*x^3 + 3*d^5*e^5*x^2 + 3*d^6*e^4*x + d^7*e^3)
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^2/(e*x+d)^3/(-e^2*x^2+d^2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: -(2*exp(2)^2*d*g*f-3*exp(2)^2*exp(1)*f^2-3*exp(2)*d^2*exp(1)*g^2+6*exp(2)*d*exp(1)^2*g*f-exp(2)*exp(1)^3*f^2-d^2*exp(1)^3*g^2)/(2*exp(2)^3*d^4-6*exp(2)^2*d^4*exp(1)^2+6*exp(2)*d^4*exp(1)^4-2*d^4*exp(1)^6)*ln(abs(-x^2*exp(2)+d^2))-(-exp(2)^3*f^2-exp(2)^2*d^2*g^2+6*exp(2)^2*d*exp(1)*g*f-3*exp(2)^2*exp(1)^2*f^2-3*exp(2)*d^2*exp(1)^2*g^2+2*exp(2)*d*exp(1)^3*g*f)*1/2/(exp(2)^3*d^3-3*exp(2)^2*d^3*exp(1)^2+3*exp(2)*d^3*exp(1)^4-d^3*exp(1)^6)/exp(1)/abs(d)*ln(abs(-2*x*exp(2)-2*exp(1)*abs(d))/abs(-2*x*exp(2)+2*exp(1)*abs(d)))-(-2*exp(2)^2*d*exp(1)*g*f+3*exp(2)^2*exp(1)^2*f^2+3*exp(2)*d^2*exp(1)^2*g^2-6*exp(2)*d*exp(1)^3*g*f+exp(2)*exp(1)^4*f^2+d^2*exp(1)^4*g^2)/(exp(2)^3*d^4*exp(1)^3-3*exp(2)^2*d^4*exp(1)^3+3*exp(2)*d^4*exp(1)^5-d^4*exp(1)^7)*ln(abs(x*exp(1)+d))-(-exp(2)^2*d^4*g^2+6*exp(2)^2*d^3*exp(1)*g*f-5*exp(2)^2*d^2*exp(1)^2*f^2-2*exp(2)*d^4*exp(1)^2*g^2-4*exp(2)*d^3*exp(1)^3*g*f+6*exp(2)*d^2*exp(1)^4*f^2+3*d^4*exp(1)^4*g^2-2*d^3*exp(1)^5*g*f-d^2*exp(1)^6*f^2+(4*exp(2)^2*d^2*exp(1)^2*g*f-4*exp(2)^2*d*exp(1)^3*f^2-4*exp(2)*d^3*exp(1)^3*g^2+4*exp(2)*d*exp(1)^5*f^2+4*d^3*exp(1)^5*g^2-4*d^2*exp(1)^6*g*f)*x)/2/d^4/exp(1)/(exp(2)-exp(1)^2)^3/(x*exp(1)+d)^2
```

**maple** [B] time = 0.01, size = 259, normalized size = 2.29

$$-\frac{d g^2}{6(e x+d)^3 e^3}-\frac{f^2}{6(e x+d)^3 d e}+\frac{f g}{3(e x+d)^2 e^2}-\frac{f g}{4(e x+d)^2 d e}-\frac{f^2}{8(e x+d)^2 d e}+\frac{3 g^2}{8(e x+d)^2 e^3}-\frac{g^2}{8(e x+d) d e^3}-\frac{f g}{4(e x+d) d^2 e^2}-\frac{g^2 \ln (x-d)}{16 d^2 e^3}+\frac{g^2 \ln (x+d)}{16 d^2 e^3}-\frac{f^2}{8(e x+d) d^2 e}-\frac{f g \ln (x-d)}{8 d^3 e^2}+\frac{f g \ln (x+d)}{8 d^3 e^2}-\frac{f^2 \ln (x-d)}{16 d^4 e}+\frac{f^2 \ln (x+d)}{16 d^4 e}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x+f)^2/(e*x+d)^3/(-e^2*x^2+d^2),x)
```

```
[Out] -1/16/e^3/d^2*ln(e*x-d)*g^2-1/8/e^2/d^3*ln(e*x-d)*f*g-1/16/e/d^4*ln(e*x-d)*f^2+3/8/e^3/(e*x+d)^2*g^2-1/4/d/e^2/(e*x+d)^2*f*g-1/8/d^2/e/(e*x+d)^2*f^2-1/6/e^3*d/(e*x+d)^3*g^2+1/3/e^2/(e*x+d)^3*f*g-1/6/e/d/(e*x+d)^3*f^2+1/16/e^3
```

$/d^2 \ln(e*x+d) * g^2 + 1/8/e^2/d^3 \ln(e*x+d) * f * g + 1/16/e/d^4 \ln(e*x+d) * f^2 - 1/8/d/e^3/(e*x+d) * g^2 - 1/4/d^2/e^2/(e*x+d) * f * g - 1/8/d^3/e/(e*x+d) * f^2$

**maxima** [A] time = 0.48, size = 206, normalized size = 1.82

$$\frac{10d^2e^2f^2 + 4d^3efg - 2d^4g^2 + 3(e^4f^2 + 2de^3fg + d^2e^2g^2)x^2 + 3(3de^3f^2 + 6d^2e^2fg - d^3eg^2)x}{24(d^3e^6x^3 + 3d^4e^5x^2 + 3d^5e^4x + d^6e^3)} + \frac{(e^2f^2 + 2defg + d^2g^2)\log(ex + d)}{16d^4e^3} - \frac{(e^2f^2 + 2defg + d^2g^2)\log(ex - d)}{16d^4e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^3/(-e^2\*x^2+d^2), x, algorithm="maxima")

[Out]  $-1/24*(10*d^2*e^2*f^2 + 4*d^3*e*f*g - 2*d^4*g^2 + 3*(e^4*f^2 + 2*d*e^3*f*g + d^2*e^2*g^2)*x^2 + 3*(3*d*e^3*f^2 + 6*d^2*e^2*f*g - d^3*e*g^2)*x)/(d^3*e^6*x^3 + 3*d^4*e^5*x^2 + 3*d^5*e^4*x + d^6*e^3) + 1/16*(e^2*f^2 + 2*d*e*f*g + d^2*g^2)*\log(e*x + d)/(d^4*e^3) - 1/16*(e^2*f^2 + 2*d*e*f*g + d^2*g^2)*\log(e*x - d)/(d^4*e^3)$

**mupad** [B] time = 2.65, size = 152, normalized size = 1.35

$$\frac{\operatorname{atanh}\left(\frac{ex}{d}\right) (dg + ef)^2}{8d^4e^3} - \frac{-d^2g^2 + 2defg + 5e^2f^2}{12de^3} + \frac{x(-d^2g^2 + 6defg + 3e^2f^2)}{8d^2e^2} + \frac{x^2(d^2g^2 + 2defg + e^2f^2)}{8d^3e}$$

$$d^3 + 3d^2ex + 3de^2x^2 + e^3x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)^2/((d^2 - e^2\*x^2)\*(d + e\*x)^3), x)

[Out]  $(\operatorname{atanh}(e*x/d) * (d*g + e*f)^2) / (8*d^4*e^3) - ((5*e^2*f^2 - d^2*g^2 + 2*d*e*f*g) / (12*d*e^3) + (x*(3*e^2*f^2 - d^2*g^2 + 6*d*e*f*g)) / (8*d^2*e^2) + (x^2*(d^2*g^2 + e^2*f^2 + 2*d*e*f*g)) / (8*d^3*e)) / (d^3 + e^3*x^3 + 3*d*e^2*x^2 + 3*d^2*e*x)$

**sympy** [B] time = 1.42, size = 248, normalized size = 2.19

$$\frac{-2d^4g^2 + 4d^3efg + 10d^2e^2f^2 + x^2(3d^2e^2g^2 + 6de^3fg + 3e^4f^2) + x(-3d^3eg^2 + 18d^2e^2fg + 9de^3f^2)}{24d^6e^3 + 72d^5e^4x + 72d^4e^5x^2 + 24d^3e^6x^3} - \frac{(dg + ef)^2 \log\left(-\frac{d(dg+ef)}{e(d^2g^2+2defg+e^2f^2)} + x\right)}{16d^4e^3} + \frac{(dg + ef)^2 \log\left(\frac{d(dg+ef)}{e(d^2g^2+2defg+e^2f^2)} + x\right)}{16d^4e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*2/(e\*x+d)\*\*3/(-e\*\*2\*x\*\*2+d\*\*2), x)

[Out]  $-(-2*d**4*g**2 + 4*d**3*e*f*g + 10*d**2*e**2*f**2 + x**2*(3*d**2*e**2*g**2 + 6*d*e**3*f*g + 3*e**4*f**2) + x*(-3*d**3*e*g**2 + 18*d**2*e**2*f*g + 9*d*e**3*f**2)) / (24*d**6*e**3 + 72*d**5*e**4*x + 72*d**4*e**5*x**2 + 24*d**3*e**6*x**3) - (d*g + e*f)**2*\log(-d*(d*g + e*f)**2/(e*(d**2*g**2 + 2*d*e*f*g + e**2*f**2))) + x)/(16*d**4*e**3) + (d*g + e*f)**2*\log(d*(d*g + e*f)**2/(e*(d**2*g**2 + 2*d*e*f*g + e**2*f**2))) + x)/(16*d**4*e**3)$

$$3.358 \quad \int \frac{(f+gx)^2}{(d+ex)^4(d^2-e^2x^2)} dx$$

**Optimal.** Leaf size=139

$$\frac{(dg+ef)^2 \tanh^{-1}\left(\frac{ex}{d}\right)}{16d^5e^3} - \frac{(dg+ef)^2}{16d^4e^3(d+ex)} - \frac{(dg+ef)^2}{16d^3e^3(d+ex)^2} - \frac{(3dg+ef)(ef-dg)}{12d^2e^3(d+ex)^3} - \frac{(ef-dg)^2}{8de^3(d+ex)^4}$$

**Rubi [A]** time = 0.13, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {848, 88, 208}

$$-\frac{(3dg+ef)(ef-dg)}{12d^2e^3(d+ex)^3} - \frac{(dg+ef)^2}{16d^4e^3(d+ex)} - \frac{(dg+ef)^2}{16d^3e^3(d+ex)^2} + \frac{(dg+ef)^2 \tanh^{-1}\left(\frac{ex}{d}\right)}{16d^5e^3} - \frac{(ef-dg)^2}{8de^3(d+ex)^4}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)^4\*(d^2 - e^2\*x^2)),x]

[Out] -(e\*f - d\*g)^2/(8\*d\*e^3\*(d + e\*x)^4) - ((e\*f - d\*g)\*(e\*f + 3\*d\*g))/(12\*d^2\*e^3\*(d + e\*x)^3) - (e\*f + d\*g)^2/(16\*d^3\*e^3\*(d + e\*x)^2) - (e\*f + d\*g)^2/(16\*d^4\*e^3\*(d + e\*x)) + ((e\*f + d\*g)^2\*ArcTanh[(e\*x)/d])/(16\*d^5\*e^3)

#### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

#### Rubi steps

$$\begin{aligned}
\int \frac{(f+gx)^2}{(d+ex)^4(d^2-e^2x^2)} dx &= \int \frac{(f+gx)^2}{(d-ex)(d+ex)^5} dx \\
&= \int \left( \frac{(-ef+dg)^2}{2de^2(d+ex)^5} + \frac{(ef-dg)(ef+3dg)}{4d^2e^2(d+ex)^4} + \frac{(ef+dg)^2}{8d^3e^2(d+ex)^3} + \frac{(ef+dg)^2}{16d^4e^2(d+ex)^2} + \frac{(ef+dg)^2}{16d^5e^2(d+ex)} \right) dx \\
&= -\frac{(ef-dg)^2}{8de^3(d+ex)^4} - \frac{(ef-dg)(ef+3dg)}{12d^2e^3(d+ex)^3} - \frac{(ef+dg)^2}{16d^3e^3(d+ex)^2} - \frac{(ef+dg)^2}{16d^4e^3(d+ex)} + \frac{(ef+dg)^2}{16d^5e^3} \\
&= -\frac{(ef-dg)^2}{8de^3(d+ex)^4} - \frac{(ef-dg)(ef+3dg)}{12d^2e^3(d+ex)^3} - \frac{(ef+dg)^2}{16d^3e^3(d+ex)^2} - \frac{(ef+dg)^2}{16d^4e^3(d+ex)} + \frac{(ef+dg)^2}{16d^5e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 142, normalized size = 1.02

$$\frac{\frac{12d^4(ef-dg)^2}{(d+ex)^4} + \frac{6d^2(dg+ef)^2}{(d+ex)^2} + \frac{8d^3(-3d^2g^2+2defg+e^2f^2)}{(d+ex)^3} + \frac{6d(dg+ef)^2}{d+ex} + 3(dg+ef)^2 \log(d-ex) - 3(dg+ef)^2 \log(d+ex)}{96d^5e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)^4\*(d^2 - e^2\*x^2)), x]

[Out] -1/96\*((12\*d^4\*(e\*f - d\*g)^2)/(d + e\*x)^4 + (8\*d^3\*(e^2\*f^2 + 2\*d\*e\*f\*g - 3\*d^2\*g^2))/(d + e\*x)^3 + (6\*d^2\*(e\*f + d\*g)^2)/(d + e\*x)^2 + (6\*d\*(e\*f + d\*g)^2)/(d + e\*x) + 3\*(e\*f + d\*g)^2\*Log[d - e\*x] - 3\*(e\*f + d\*g)^2\*Log[d + e\*x])/d^5\*e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f+gx)^2}{(d+ex)^4(d^2-e^2x^2)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^4\*(d^2 - e^2\*x^2)), x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^4\*(d^2 - e^2\*x^2)), x]

**fricas [B]** time = 0.42, size = 511, normalized size = 3.68

32\*(d^4\*(e\*f - d\*g)^2)/(d + e\*x)^4 + (8\*d^3\*(e^2\*f^2 + 2\*d\*e\*f\*g - 3\*d^2\*g^2))/(d + e\*x)^3 + (6\*d^2\*(e\*f + d\*g)^2)/(d + e\*x)^2 + (6\*d\*(e\*f + d\*g)^2)/(d + e\*x) + 3\*(e\*f + d\*g)^2\*log(d - e\*x) - 3\*(e\*f + d\*g)^2\*log(d + e\*x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^4/(-e^2\*x^2+d^2),x, algorithm="fricas")

[Out] 
$$-1/96*(32*d^4*e^2*f^2 + 16*d^5*e*f*g + 6*(d*e^5*f^2 + 2*d^2*e^4*f*g + d^3*e^3*g^2)*x^3 + 24*(d^2*e^4*f^2 + 2*d^3*e^3*f*g + d^4*e^2*g^2)*x^2 + 2*(19*d^3*e^3*f^2 + 38*d^4*e^2*f*g + 3*d^5*e*g^2)*x - 3*(d^4*e^2*f^2 + 2*d^5*e*f*g + d^6*g^2 + (e^6*f^2 + 2*d*e^5*f*g + d^2*e^4*g^2)*x^4 + 4*(d*e^5*f^2 + 2*d^2*e^4*f*g + d^3*e^3*g^2)*x^3 + 6*(d^2*e^4*f^2 + 2*d^3*e^3*f*g + d^4*e^2*g^2)*x^2 + 4*(d^3*e^3*f^2 + 2*d^4*e^2*f*g + d^5*e*g^2)*x)*\log(e*x + d) + 3*(d^4*e^2*f^2 + 2*d^5*e*f*g + d^6*g^2 + (e^6*f^2 + 2*d*e^5*f*g + d^2*e^4*g^2)*x^4 + 4*(d*e^5*f^2 + 2*d^2*e^4*f*g + d^3*e^3*g^2)*x^3 + 6*(d^2*e^4*f^2 + 2*d^3*e^3*f*g + d^4*e^2*g^2)*x^2 + 4*(d^3*e^3*f^2 + 2*d^4*e^2*f*g + d^5*e*g^2)*x)*\log(e*x - d)/(d^5*e^7*x^4 + 4*d^6*e^6*x^3 + 6*d^7*e^5*x^2 + 4*d^8*e^4*x + d^9*e^3)$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^4/(-e^2\*x^2+d^2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 
$$-(\exp(2)^3*d*g*f-2*\exp(2)^3*\exp(1)*f^2-2*\exp(2)^2*d^2*\exp(1)*g^2+6*\exp(2)^2*d*\exp(1)^2*g*f-2*\exp(2)^2*\exp(1)^3*f^2-2*\exp(2)*d^2*\exp(1)^3*g^2+\exp(2)*d*\exp(1)^4*g*f)/(\exp(2)^4*d^5-4*\exp(2)^3*d^5*\exp(1)^2+6*\exp(2)^2*d^5*\exp(1)^4-4*\exp(2)*d^5*\exp(1)^6+d^5*\exp(1)^8)*\ln(\text{abs}(-x^2*\exp(2)+d^2))-(-\exp(2)^4*f^2-\exp(2)^3*d^2*g^2+8*\exp(2)^3*d*\exp(1)*g*f-6*\exp(2)^3*\exp(1)^2*f^2-6*\exp(2)^2*d^2*\exp(1)^2*g^2+8*\exp(2)^2*d*\exp(1)^3*g*f-\exp(2)^2*\exp(1)^4*f^2-\exp(2)*d^2*\exp(1)^4*g^2)*1/2/(\exp(2)^4*d^4-4*\exp(2)^3*d^4*\exp(1)^2+6*\exp(2)^2*d^4*\exp(1)^4-4*\exp(2)*d^4*\exp(1)^6+d^4*\exp(1)^8)/\exp(1)/\text{abs}(d)*\ln(\text{abs}(-2*x*\exp(2)-2*\exp(1)*\text{abs}(d))/\text{abs}(-2*x*\exp(2)+2*\exp(1)*\text{abs}(d)))-(-2*\exp(2)^3*d*\exp(1)*g*f+4*\exp(2)^3*\exp(1)^2*f^2+4*\exp(2)^2*d^2*\exp(1)^2*g^2-12*\exp(2)^2*d*\exp(1)^3*g*f+4*\exp(2)^2*\exp(1)^4*f^2+4*\exp(2)*d^2*\exp(1)^4*g^2-2*\exp(2)*d*\exp(1)^5*g*f)/(\exp(2)^4*d^5*\exp(1)-4*\exp(2)^3*d^5*\exp(1)^3+6*\exp(2)^2*d^5*\exp(1)^5-4*\exp(2)*d^5*\exp(1)^7+d^5*\exp(1)^9)*\ln(\text{abs}(x*\exp(1)+d))-((6*\exp(2)^3*d^2*\exp(1)^3*g*f-9*\exp(2)^3*d*\exp(1)^4*f^2-9*\exp(2)^2*d^3*\exp(1)^4*g^2+12*\exp(2)^2*d^2*\exp(1)^5*g*f+6*\exp(2)^2*d*\exp(1)^6*f^2+6*\exp(2)*d^3*\exp(1)^6*g^2-18*\exp(2)*d^2*\exp(1)^7*g*f+3*\exp(2)*d*\exp(1)^8*f^2+3*d^3*\exp(1)^8*g^2)*x^2+(15*\exp(2)^3*d^3*\exp(1)^2*g*f-21*\exp(2)^3*d^2*\exp(1)^3*f^2-21*\exp(2)^2*d^4*\exp(1)^3*g^2+21*\exp(2)^2*d^3*\exp(1)^4*g*f+18*\exp(2)^2*d^2*\exp(1)^5*f^2+18*\exp(2)*d^4*\exp(1)^5*g^2-39*\exp(2)*d^3*\exp(1)^6*g*f+3*\exp(2)*d^2*\exp(1)^7*f^2+3*d^4*\exp(1)^7*g^2+3*d^3*\exp(1)^8*g*f)*x-\exp(2)^3*d^5*g^2+11*\exp(2)^3*d^4*\exp(1)*g*f-13*\exp(2)^3*d^3*\exp(1)^2*f^2-9*\exp(2)^2*d^5*\exp(1)^2*g^2+3*\exp(2)^2*d^4*\exp(1)^3*g*f+15*\exp(2)^2*d^3*\exp(1)^4*f^2+9*\exp(2)*d^5*\exp(1)^4*g^2-15*\exp(2)*d^4*\exp(1)^5*g*f-3*\exp(2)*d^3*\exp(1)^6*f^2+d^5*\exp(1)^6*g^2+d^4*\exp(1)^7*g*f+d^3*\exp(1)^8*f^2)/3/d^5/\exp(1)/(\exp(2)-\exp(1)^2)^4/(x*\exp(1)+d)^3$$

**maple [B]** time = 0.01, size = 312, normalized size = 2.24

$$\frac{\frac{d^2}{8(ex+d)^2} - \frac{f^2}{8(ex+d)^2} + \frac{fg}{4(ex+d)^2} - \frac{fg}{6(ex+d)^2} - \frac{f^2}{12(ex+d)^2} + \frac{g^2}{4(ex+d)^2} - \frac{g^2}{16(ex+d)^2} - \frac{fg}{8(ex+d)^2} - \frac{f^2}{16(ex+d)^2} - \frac{g^2}{16(ex+d)^2} - \frac{fg}{8(ex+d)^2} - \frac{f^2}{16(ex+d)^2} - \frac{g^2}{16(ex+d)^2} - \frac{fg \ln(ex-d)}{32d^2e^3} + \frac{g^2 \ln(ex+d)}{32d^2e^3} - \frac{f^2}{16(ex+d)^2} - \frac{fg \ln(ex+d)}{16d^2e^3} - \frac{f^2 \ln(ex-d)}{32d^2e^3} - \frac{f^2 \ln(ex+d)}{32d^2e^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x+f)^2/(e*x+d)^4/(-e^2*x^2+d^2),x)`

[Out]  $-1/32/e^3/d^3*\ln(e*x-d)*g^2-1/16/e^2/d^4*\ln(e*x-d)*f*g-1/32/e/d^5*\ln(e*x-d)*f^2+1/4/e^3/(e*x+d)^3*g^2-1/6/d/e^2/(e*x+d)^3*f*g-1/12/d^2/e/(e*x+d)^3*f^2-1/8/e^3*d/(e*x+d)^4*g^2+1/4/e^2/(e*x+d)^4*f*g-1/8/e/d/(e*x+d)^4*f^2+1/32/e^3/d^3*\ln(e*x+d)*g^2+1/16/e^2/d^4*\ln(e*x+d)*f*g+1/32/e/d^5*\ln(e*x+d)*f^2-1/16/d^2/e^3/(e*x+d)*g^2-1/8/d^3/e^2/(e*x+d)*f*g-1/16/d^4/e/(e*x+d)*f^2-1/16/d/e^3/(e*x+d)^2*g^2-1/8/d^2/e^2/(e*x+d)^2*f*g-1/16/d^3/e/(e*x+d)^2*f^2$

**maxima [A]** time = 0.49, size = 236, normalized size = 1.70

$$\frac{16d^3ef^2 + 8d^4fg + 3(d^4f^2 + 2d^2efg + d^2e^2g^2)x^3 + 12(d^3f^2 + 2d^2efg + d^2eg^2)x^2 + (19d^2e^2f^2 + 38d^3efg + 3d^4g^2)x + \frac{(e^2f^2 + 2defg + d^2g^2)\log(ex+d)}{32d^5e^3} - \frac{(e^2f^2 + 2defg + d^2g^2)\log(ex-d)}{32d^5e^3}}{48(d^4e^6x^4 + 4d^5e^5x^3 + 6d^6e^4x^2 + 4d^7e^3x + d^8e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)^2/(e*x+d)^4/(-e^2*x^2+d^2),x, algorithm="maxima")`

[Out]  $-1/48*(16*d^3*e*f^2 + 8*d^4*f*g + 3*(e^4*f^2 + 2*d*e^3*f*g + d^2*e^2*g^2)*x^3 + 12*(d*e^3*f^2 + 2*d^2*e^2*f*g + d^3*e*g^2)*x^2 + (19*d^2*e^2*f^2 + 38*d^3*e*f*g + 3*d^4*g^2)*x)/(d^4*e^6*x^4 + 4*d^5*e^5*x^3 + 6*d^6*e^4*x^2 + 4*d^7*e^3*x + d^8*e^2) + 1/32*(e^2*f^2 + 2*d*e*f*g + d^2*g^2)*\log(e*x + d)/(d^5*e^3) - 1/32*(e^2*f^2 + 2*d*e*f*g + d^2*g^2)*\log(e*x - d)/(d^5*e^3)$

**mupad [B]** time = 0.15, size = 180, normalized size = 1.29

$$\frac{\operatorname{atanh}\left(\frac{ex}{d}\right) (dg + ef)^2}{16d^5e^3} - \frac{\frac{x^3(d^2g^2 + 2defg + e^2f^2)}{16d^4} + \frac{2ef^2 + dfg}{6de^2} + \frac{x(3d^2g^2 + 38defg + 19e^2f^2)}{48d^2e^2} + \frac{x^2(d^2g^2 + 2defg + e^2f^2)}{4d^3e}}{d^4 + 4d^3ex + 6d^2e^2x^2 + 4de^3x^3 + e^4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)^2/((d^2 - e^2*x^2)*(d + e*x)^4),x)`

[Out]  $(\operatorname{atanh}\left(\frac{e*x}{d}\right)*(d*g + e*f)^2)/(16*d^5*e^3) - ((x^3*(d^2*g^2 + e^2*f^2 + 2*d*e*f*g))/(16*d^4) + (2*e*f^2 + d*f*g)/(6*d*e^2) + (x*(3*d^2*g^2 + 19*e^2*f^2 + 38*d*e*f*g))/(48*d^2*e^2) + (x^2*(d^2*g^2 + e^2*f^2 + 2*d*e*f*g))/(4*d^3*e))/(d^4 + e^4*x^4 + 4*d*e^3*x^3 + 6*d^2*e^2*x^2 + 4*d^3*e*x)$

**sympy [B]** time = 1.93, size = 282, normalized size = 2.03

$$\frac{8d^4fg + 16d^3ef^2 + x^3(3d^2e^2g^2 + 6de^3fg + 3e^4f^2) + x^2(12d^3eg^2 + 24d^2e^2fg + 12d^2e^2f^2) + x(3d^4g^2 + 38d^3efg + 19d^2e^2f^2)}{48d^8e^2 + 192d^7e^2x + 288d^6e^4x^2 + 192d^5e^5x^3 + 48d^4e^6x^4} - \frac{(dg + ef)^2 \log\left(-\frac{d(dg+ef)^2}{e(d^2g^2 + 2defg + e^2f^2)} + x\right)}{32d^5e^3} + \frac{(dg + ef)^2 \log\left(\frac{d(dg+ef)^2}{e(d^2g^2 + 2defg + e^2f^2)} + x\right)}{32d^5e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**2/(e*x+d)**4/(-e**2*x**2+d**2),x)`

[Out] 
$$\begin{aligned} & -(8*d**4*f*g + 16*d**3*e*f**2 + x**3*(3*d**2*e**2*g**2 + 6*d*e**3*f*g + 3*e**4*f**2) + x**2*(12*d**3*e*g**2 + 24*d**2*e**2*f*g + 12*d*e**3*f**2) + x*(3*d**4*g**2 + 38*d**3*e*f*g + 19*d**2*e**2*f**2))/(48*d**8*e**2 + 192*d**7*e**3*x + 288*d**6*e**4*x**2 + 192*d**5*e**5*x**3 + 48*d**4*e**6*x**4) - (d*g + e*f)**2*log(-d*(d*g + e*f)**2/(e*(d**2*g**2 + 2*d*e*f*g + e**2*f**2))) + x/(32*d**5*e**3) + (d*g + e*f)**2*log(d*(d*g + e*f)**2/(e*(d**2*g**2 + 2*d*e*f*g + e**2*f**2))) + x/(32*d**5*e**3) \end{aligned}$$

$$3.359 \quad \int \frac{(d+ex)^7(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

**Optimal.** Leaf size=218

$$\frac{32d^5(dg+ef)^2}{e^3(d-ex)} + \frac{16d^4(dg+ef)(9dg+5ef)\log(d-ex)}{e^3} + \frac{1}{4}ex^4(23d^2g^2+14defg+e^2f^2) + \frac{1}{3}dx^3(49d^2g^2+46defg+e^2f^2)$$

**Rubi [A]** time = 0.28, antiderivative size = 218, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 88}

$$\frac{1}{4}ex^4(23d^2g^2+14defg+e^2f^2) + \frac{1}{3}dx^3(49d^2g^2+46defg+7e^2f^2) + \frac{d^2x^2(80d^2g^2+98defg+23e^2f^2)}{2e} + \frac{d^3x(112d^2g^2+160defg+49e^2f^2)}{e^2} + \frac{32d^5(dg+ef)^2}{e^3(d-ex)} + \frac{16d^4(dg+ef)(9dg+5ef)\log(d-ex)}{e^3} + \frac{1}{5}e^2gx^5(7dg+2ef) + \frac{1}{6}e^3g^2x^6$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^7\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] (d^3\*(49\*e^2\*f^2 + 160\*d\*e\*f\*g + 112\*d^2\*g^2)\*x)/e^2 + (d^2\*(23\*e^2\*f^2 + 9\*8\*d\*e\*f\*g + 80\*d^2\*g^2)\*x^2)/(2\*e) + (d\*(7\*e^2\*f^2 + 46\*d\*e\*f\*g + 49\*d^2\*g^2)\*x^3)/3 + (e\*(e^2\*f^2 + 14\*d\*e\*f\*g + 23\*d^2\*g^2)\*x^4)/4 + (e^2\*g\*(2\*e\*f + 7\*d\*g)\*x^5)/5 + (e^3\*g^2\*x^6)/6 + (32\*d^5\*(e\*f + d\*g)^2)/(e^3\*(d - e\*x)) + (16\*d^4\*(e\*f + d\*g)\*(5\*e\*f + 9\*d\*g)\*Log[d - e\*x])/e^3

**Rule 88**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

**Rule 848**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m+p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

**Rubi steps**



$$\int \frac{(d+ex)^7(f+gx)^2}{(d^2-e^2x^2)^2} dx = \int \frac{(d+ex)^5(f+gx)^2}{(d-ex)^2} dx$$

$$= \int \left( \frac{d^3(49e^2f^2 + 160defg + 112d^2g^2)}{e^2} + \frac{d^2(23e^2f^2 + 98defg + 80d^2g^2)x}{e} + d(7e^2f^2 + 14defg + 7d^2g^2) \right) \frac{1}{d-ex} + \frac{1}{3}d(7e^2f^2 + 14defg + 7d^2g^2)$$

$$= \frac{d^3(49e^2f^2 + 160defg + 112d^2g^2)x}{e^2} + \frac{d^2(23e^2f^2 + 98defg + 80d^2g^2)x^2}{2e} + \frac{1}{3}d(7e^2f^2 + 14defg + 7d^2g^2)$$

**Mathematica [A]** time = 0.12, size = 226, normalized size = 1.04

$$-\frac{32d^6(dx+ef)^2}{e^3(ex-d)} + \frac{1}{4}ex^4(23d^2g^2+14defg+e^2f^2) + \frac{1}{3}dx^3(49d^2g^2+46defg+7e^2f^2) + \frac{d^2x^2(80d^2g^2+98defg+23e^2f^2)}{2e} + \frac{16d^4(9d^2g^2+14defg+5e^2f^2)\log(d-ex)}{e^3} + \frac{d^5x(112d^2g^2+160defg+49e^2f^2)}{e^2} + \frac{1}{5}e^2gx^5(7dg+2ef) + \frac{1}{6}e^3g^2x^6$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^7\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] (d^3\*(49\*e^2\*f^2 + 160\*d\*e\*f\*g + 112\*d^2\*g^2)\*x)/e^2 + (d^2\*(23\*e^2\*f^2 + 98\*d\*e\*f\*g + 80\*d^2\*g^2)\*x^2)/(2\*e) + (d\*(7\*e^2\*f^2 + 14\*d\*e\*f\*g + 49\*d^2\*g^2)\*x^3)/3 + (e\*(e^2\*f^2 + 14\*d\*e\*f\*g + 23\*d^2\*g^2)\*x^4)/4 + (e^2\*g\*(2\*e\*f + 7\*d\*g)\*x^5)/5 + (e^3\*g^2\*x^6)/6 - (32\*d^5\*(e\*f + d\*g)^2)/(e^3\*(-d + e\*x)) + (16\*d^4\*(5\*e^2\*f^2 + 14\*d\*e\*f\*g + 9\*d^2\*g^2)\*Log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^7(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^7\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] IntegrateAlgebraic[((d + e\*x)^7\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

**fricas [A]** time = 0.42, size = 328, normalized size = 1.50

$$\frac{10e^7g^2x^7 - 1920d^5e^2f^2 - 3840d^6e*f*g - 1920d^7g^2 + 2(12e^7fg + 37d^6g^2)x^6 + 3(5e^7f^2 + 62d^6fg + 87d^7g^2)x^5 + 5(25d^6f^2 + 142d^7fg + 127d^8g^2)x^4 + 10(55d^6f^2 + 202d^7fg + 142d^8g^2)x^3 + 90(25d^6f^2 + 74d^7fg + 48d^8g^2)x^2 - 60(49d^6f^2 + 160d^7fg + 112d^8g^2)x - 960(5d^6f^2 + 14d^7fg + 9d^8g^2) - (5d^6f^2 + 14d^7fg + 9d^8g^2)\log(ex-d)}{60(e^2x-d)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^7\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="fricas")

[Out] 1/60\*(10\*e^7\*g^2\*x^7 - 1920\*d^5\*e^2\*f^2 - 3840\*d^6\*e\*f\*g - 1920\*d^7\*g^2 + 2\*(12\*e^7\*f\*g + 37\*d^6\*g^2)\*x^6 + 3\*(5\*e^7\*f^2 + 62\*d^6\*f\*g + 87\*d^7\*g^2)\*x^5 + 5\*(25\*d^6\*f^2 + 142\*d^7\*f\*g + 127\*d^8\*g^2)\*x^4 + 10\*(55\*d^6\*f^2 + 202\*d^7\*f\*g + 142\*d^8\*g^2)\*x^3 + 90\*(25\*d^6\*f^2 + 74\*d^7\*f\*g + 48\*d^8\*g^2)\*x^2 - 60\*(49\*d^6\*f^2 + 160\*d^7\*f\*g + 112\*d^8\*g^2)\*x - 960\*(5\*d^6\*f^2 + 14\*d^7\*f\*g + 9\*d^8\*g^2) - (5\*d^6\*f^2 + 14\*d^7\*f\*g + 9\*d^8\*g^2)\*log(ex-d)

$$*g^2)*x^5 + 5*(25*d*e^6*f^2 + 142*d^2*e^5*f*g + 127*d^3*e^4*g^2)*x^4 + 10*(55*d^2*e^5*f^2 + 202*d^3*e^4*f*g + 142*d^4*e^3*g^2)*x^3 + 90*(25*d^3*e^4*f^2 + 74*d^4*e^3*f*g + 48*d^5*e^2*g^2)*x^2 - 60*(49*d^4*e^3*f^2 + 160*d^5*e^2*f*g + 112*d^6*e*g^2)*x - 960*(5*d^5*e^2*f^2 + 14*d^6*e*f*g + 9*d^7*g^2 - (5*d^4*e^3*f^2 + 14*d^5*e^2*f*g + 9*d^6*e*g^2)*x)*\log(e*x - d)/(e^4*x - d*e^3)$$

**giac** [A] time = 0.18, size = 367, normalized size = 1.68

$$\frac{8(9d^6g^2 + 14d^5fg + 5d^4f^2)e^{-10}\log(|x^2e^2 - d|) + \frac{1}{60}(10g^2x^6e^{27} + 84d^2g^2x^5e^{26} + 345d^2g^2x^4e^{25} + 980d^3g^2x^3e^{24} + 2400d^4g^2x^2e^{23} + 6720d^5g^2xe^{22} + 24fg^2x^5e^{27} + 210dfg^2x^4e^{26} + 920d^2f^2g^2x^3e^{25} + 2940d^3f^2g^2x^2e^{24} + 9600d^4f^2g^2xe^{23} + 15f^2x^4e^{27} + 140df^2x^3e^{26} + 690d^2f^2x^2e^{25} + 2940d^3f^2xe^{24})e^{-24} + 8(9d^7g^2e^6 + 14d^6fg^2e^7 + 5d^5f^2e^8)e^{-9}\log(\frac{2|x^2e^2 - d|}{|2|x^2e^2 + d|})}{|d|} - 32(d^8g^2e^7 + 2d^7fg^2e^8 + d^6f^2e^9 + (d^7g^2e^8 + 2d^6fg^2e^9 + d^5f^2e^{10})x)e^{-10}}{(x^2e^2 - d)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^7\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="giac")

[Out] 8\*(9\*d^6\*g^2\*e^7 + 14\*d^5\*f\*g\*e^8 + 5\*d^4\*f^2\*e^9)\*e^(-10)\*log(abs(x^2\*e^2 - d^2)) + 1/60\*(10\*g^2\*x^6\*e^27 + 84\*d\*g^2\*x^5\*e^26 + 345\*d^2\*g^2\*x^4\*e^25 + 980\*d^3\*g^2\*x^3\*e^24 + 2400\*d^4\*g^2\*x^2\*e^23 + 6720\*d^5\*g^2\*x\*e^22 + 24\*f\*g\*x^5\*e^27 + 210\*d\*f\*g\*x^4\*e^26 + 920\*d^2\*f^2\*g\*x^3\*e^25 + 2940\*d^3\*f^2\*g\*x^2\*e^24 + 9600\*d^4\*f^2\*g\*x\*e^23 + 15\*f^2\*x^4\*e^27 + 140\*d\*f^2\*x^3\*e^26 + 690\*d^2\*f^2\*x^2\*e^25 + 2940\*d^3\*f^2\*x\*e^24)\*e^(-24) + 8\*(9\*d^7\*g^2\*e^6 + 14\*d^6\*f\*g\*e^7 + 5\*d^5\*f^2\*e^8)\*e^(-9)\*log(abs(2\*x\*e^2 - 2\*abs(d)\*e)/abs(2\*x\*e^2 + 2\*abs(d)\*e))/abs(d) - 32\*(d^8\*g^2\*e^7 + 2\*d^7\*f\*g\*e^8 + d^6\*f^2\*e^9 + (d^7\*g^2\*e^8 + 2\*d^6\*f\*g\*e^9 + d^5\*f^2\*e^10)\*x)\*e^(-10)/(x^2\*e^2 - d^2)

**maple** [A] time = 0.01, size = 286, normalized size = 1.31

$$\frac{d^6g^2}{6} + \frac{7d^5fg^2}{5} + \frac{2d^4f^2g^2}{5} + \frac{23d^3e^2g^2x^4}{4} + \frac{7d^2e^2fg^2x^4}{2} + \frac{e^2f^2x^4}{4} + \frac{49d^3g^2x^3}{3} + \frac{46d^2efg^2x^3}{3} + \frac{7d^2f^2x^3}{3} + \frac{40d^4g^2x^2}{e} + \frac{49d^3fg^2x^2}{e} + \frac{23d^2ef^2x^2}{2} - \frac{32d^2g^2}{(e-x)d^2} - \frac{64d^2fg}{(e-x)d^2} + \frac{144d^2g^2\ln(e-x-d)}{e^3} - \frac{32d^2f^2}{(e-x)d^2} + \frac{224d^2fg\ln(e-x-d)}{e^2} + \frac{112d^2f^2x}{e^2} + \frac{80d^2f^2\ln(e-x-d)}{e} + \frac{160d^2fgx}{e} + 49d^3f^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^7\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x)

[Out] 1/6\*e^3\*g^2\*x^6+7/5\*e^2\*x^5\*d\*g^2+2/5\*e^3\*x^5\*f\*g+23/4\*e\*x^4\*d^2\*g^2+7/2\*e^2\*x^4\*d\*f\*g+1/4\*e^3\*x^4\*f^2+49/3\*x^3\*d^3\*g^2+46/3\*e\*x^3\*d^2\*f\*g+7/3\*e^2\*x^3\*d\*f^2+40/e\*x^2\*d^4\*g^2+49\*x^2\*d^3\*f\*g+23/2\*e\*x^2\*d^2\*f^2+112/e^2\*d^5\*g^2\*x+160/e\*d^4\*f\*g\*x+49\*d^3\*f^2\*x+144\*d^6/e^3\*ln(e\*x-d)\*g^2+224\*d^5/e^2\*ln(e\*x-d)\*f\*g+80\*d^4/e\*ln(e\*x-d)\*f^2-32\*d^7/e^3/(e\*x-d)\*g^2-64\*d^6/e^2/(e\*x-d)\*f\*g-32\*d^5/e/(e\*x-d)\*f^2

**maxima** [A] time = 0.45, size = 258, normalized size = 1.18

$$\frac{32(d^6f^2 + 2d^5fg + d^4g^2)}{e^3x - de^2} + \frac{10d^5g^2x^6 + 12(2d^5fg + 7d^4g^2)x^5 + 15(d^5f^2 + 14d^4efg + 23d^3e^2g^2)x^4 + 20(7d^4f^2 + 46d^3efg + 49d^2e^2g^2)x^3 + 30(23d^3d^2f^2 + 98d^2d^2fg + 80d^4fg^2)x^2 + 60(49d^3d^2f^2 + 160d^2d^2fg + 112d^4fg^2)x}{e^2} + \frac{16(5d^4e^2f^2 + 14d^4efg + 9d^4g^2)\log(e*x - d)}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^7\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="maxima")

```
[Out] -32*(d^5*e^2*f^2 + 2*d^6*e*f*g + d^7*g^2)/(e^4*x - d*e^3) + 1/60*(10*e^5*g^2*x^6 + 12*(2*e^5*f*g + 7*d*e^4*g^2)*x^5 + 15*(e^5*f^2 + 14*d*e^4*f*g + 23*d^2*e^3*g^2)*x^4 + 20*(7*d*e^4*f^2 + 46*d^2*e^3*f*g + 49*d^3*e^2*g^2)*x^3 + 30*(23*d^2*e^3*f^2 + 98*d^3*e^2*f*g + 80*d^4*e*g^2)*x^2 + 60*(49*d^3*e^2*f^2 + 160*d^4*e*f*g + 112*d^5*g^2)*x)/e^2 + 16*(5*d^4*e^2*f^2 + 14*d^5*e*f*g + 9*d^6*g^2)*log(e*x - d)/e^3
```

**mupad [B]** time = 2.64, size = 1029, normalized size = 4.72

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f + g*x)^2*(d + e*x)^7)/(d^2 - e^2*x^2)^2, x)
```

```
[Out] x^5*((e^2*g*(5*d*g + 2*e*f))/5 + (2*d*e^2*g^2)/5) + x^3*((5*d*(2*d^2*g^2 + e^2*f^2 + 4*d*e*f*g))/3 + (2*d*((e^5*f^2 + 10*d^2*e^3*g^2 + 10*d*e^4*f*g)/e^2 - d^2*e*g^2 + (2*d*(e^2*g*(5*d*g + 2*e*f) + 2*d*e^2*g^2))/e))/(3*e) - (d^2*(e^2*g*(5*d*g + 2*e*f) + 2*d*e^2*g^2))/(3*e^2) + x^4*((e^5*f^2 + 10*d^2*e^3*g^2 + 10*d*e^4*f*g)/(4*e^2) - (d^2*e*g^2)/4 + (d*(e^2*g*(5*d*g + 2*e*f) + 2*d*e^2*g^2))/(2*e)) + x^2*((5*d^2*(d^2*g^2 + 2*e^2*f^2 + 4*d*e*f*g))/(2*e) - (d^2*((e^5*f^2 + 10*d^2*e^3*g^2 + 10*d*e^4*f*g)/e^2 - d^2*e*g^2 + (2*d*(e^2*g*(5*d*g + 2*e*f) + 2*d*e^2*g^2))/e))/(2*e^2) + (d*(5*d*(2*d^2*g^2 + e^2*f^2 + 4*d*e*f*g) + (2*d*((e^5*f^2 + 10*d^2*e^3*g^2 + 10*d*e^4*f*g)/e^2 - d^2*e*g^2 + (2*d*(e^2*g*(5*d*g + 2*e*f) + 2*d*e^2*g^2))/e))/e) - (d^2*(e^2*g*(5*d*g + 2*e*f) + 2*d*e^2*g^2))/e^2))/e + x*((d^5*g^2 + 10*d^3*e^2*f^2 + 10*d^4*e*f*g)/e^2 - (d^2*(5*d*(2*d^2*g^2 + e^2*f^2 + 4*d*e*f*g) + (2*d*((e^5*f^2 + 10*d^2*e^3*g^2 + 10*d*e^4*f*g)/e^2 - d^2*e*g^2 + (2*d*(e^2*g*(5*d*g + 2*e*f) + 2*d*e^2*g^2))/e))/e) - (d^2*(e^2*g*(5*d*g + 2*e*f) + 2*d*e^2*g^2))/e^2) + (2*d*((5*d^2*(d^2*g^2 + 2*e^2*f^2 + 4*d*e*f*g))/e - (d^2*((e^5*f^2 + 10*d^2*e^3*g^2 + 10*d*e^4*f*g)/e^2 - d^2*e*g^2 + (2*d*(e^2*g*(5*d*g + 2*e*f) + 2*d*e^2*g^2))/e))/e^2) + (2*d*(5*d*(2*d^2*g^2 + e^2*f^2 + 4*d*e*f*g) + (2*d*((e^5*f^2 + 10*d^2*e^3*g^2 + 10*d*e^4*f*g)/e^2 - d^2*e*g^2 + (2*d*(e^2*g*(5*d*g + 2*e*f) + 2*d*e^2*g^2))/e))/e) - (d^2*(e^2*g*(5*d*g + 2*e*f) + 2*d*e^2*g^2))/e^2) + (log(e*x - d)*(144*d^6*g^2 + 80*d^4*e^2*f^2 + 224*d^5*e*f*g))/e^3 + (32*(d^7*g^2 + d^5*e^2*f^2 + 2*d^6*e*f*g))/(e*(d*e^2 - e^3*x)) + (e^3*g^2*x^6)/6
```

**sympy [A]** time = 1.20, size = 250, normalized size = 1.15

$$\frac{16d^4(dg + ef)(9dg + 5ef)\log(-d + ex)}{e^3} + \frac{e^2g^2x^6}{6} + x^5\left(\frac{7d^2g^2}{5} + \frac{2e^3fg}{5}\right) + x^4\left(\frac{23d^2eg^2}{4} + \frac{7d^2fg}{2} + \frac{e^3f^2}{4}\right) + x^3\left(\frac{49d^3g^2}{3} + \frac{46d^2efg}{3} + \frac{7d^2f^2}{3}\right) + x^2\left(\frac{40d^4g^2}{e} + 49d^3fg + \frac{23d^2ef^2}{2}\right) + x\left(\frac{112d^5g^2}{e^2} + \frac{160d^4fg}{e} + 49d^3f^2\right) + \frac{-32d^7g^2 - 64d^6efg - 32d^5e^2f^2}{-de^3 + e^4x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**7*(g*x+f)**2/(-e**2*x**2+d**2)**2, x)
```

```
[Out] 16*d**4*(d*g + e*f)*(9*d*g + 5*e*f)*log(-d + e*x)/e**3 + e**3*g**2*x**6/6 +
x**5*(7*d*e**2*g**2/5 + 2*e**3*f*g/5) + x**4*(23*d**2*e*g**2/4 + 7*d*e**2*
f*g/2 + e**3*f**2/4) + x**3*(49*d**3*g**2/3 + 46*d**2*e*f*g/3 + 7*d*e**2*f*
*2/3) + x**2*(40*d**4*g**2/e + 49*d**3*f*g + 23*d**2*e*f**2/2) + x*(112*d**
5*g**2/e**2 + 160*d**4*f*g/e + 49*d**3*f**2) + (-32*d**7*g**2 - 64*d**6*e*f
*g - 32*d**5*e**2*f**2)/(-d*e**3 + e**4*x)
```

$$3.360 \quad \int \frac{(d+ex)^6(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

**Optimal.** Leaf size=177

$$\frac{16d^4(dg+ef)^2}{e^3(d-ex)} + \frac{32d^3(dg+ef)(2dg+ef)\log(d-ex)}{e^3} + \frac{1}{3}x^3(17d^2g^2+12defg+e^2f^2) + \frac{dx^2(16d^2g^2+17defg+e^2f^2)}{e}$$

**Rubi [A]** time = 0.23, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 88}

$$\frac{1}{3}x^3(17d^2g^2+12defg+e^2f^2) + \frac{dx^2(16d^2g^2+17defg+3e^2f^2)}{e} + \frac{d^2x(48d^2g^2+64defg+17e^2f^2)}{e^2} + \frac{16d^4(dg+ef)^2}{e^3(d-ex)} + \frac{32d^3(dg+ef)(2dg+ef)\log(d-ex)}{e^3} + \frac{1}{2}egx^4(3dg+ef) + \frac{1}{5}e^2g^2x^5$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^6\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] (d^2\*(17\*e^2\*f^2 + 64\*d\*e\*f\*g + 48\*d^2\*g^2)\*x)/e^2 + (d\*(3\*e^2\*f^2 + 17\*d\*e\*f\*g + 16\*d^2\*g^2)\*x^2)/e + ((e^2\*f^2 + 12\*d\*e\*f\*g + 17\*d^2\*g^2)\*x^3)/3 + (e\*g\*(e\*f + 3\*d\*g)\*x^4)/2 + (e^2\*g^2\*x^5)/5 + (16\*d^4\*(e\*f + d\*g)^2)/(e^3\*(d - e\*x)) + (32\*d^3\*(e\*f + d\*g)\*(e\*f + 2\*d\*g)\*Log[d - e\*x])/e^3

**Rule 88**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

**Rule 848**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m+p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m+p, 0]))

**Rubi steps**

$$\int \frac{(d+ex)^6(f+gx)^2}{(d^2-e^2x^2)^2} dx = \int \frac{(d+ex)^4(f+gx)^2}{(d-ex)^2} dx$$

$$= \int \left( \frac{d^2(17e^2f^2 + 64defg + 48d^2g^2)}{e^2} + \frac{2d(3e^2f^2 + 17defg + 16d^2g^2)x}{e} + (e^2f^2 + 12d) \right) dx$$

$$= \frac{d^2(17e^2f^2 + 64defg + 48d^2g^2)x}{e^2} + \frac{d(3e^2f^2 + 17defg + 16d^2g^2)x^2}{e} + \frac{1}{3}(e^2f^2 + 12d)x^3$$

**Mathematica [A]** time = 0.12, size = 185, normalized size = 1.05

$$-\frac{16d^4(dg+ef)^2}{e^3(ex-d)} + \frac{1}{3}x^3(17d^2g^2+12defg+e^2f^2) + \frac{dx^2(16d^2g^2+17defg+3e^2f^2)}{e} + \frac{d^2x(48d^2g^2+64defg+17e^2f^2)}{e^2} + \frac{32d^3(2d^2g^2+3defg+e^2f^2)\log(d-ex)}{e^3} + \frac{1}{2}egx^4(3dg+ef) + \frac{1}{5}e^2g^2x^5$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^6\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] (d^2\*(17\*e^2\*f^2 + 64\*d\*e\*f\*g + 48\*d^2\*g^2)\*x)/e^2 + (d\*(3\*e^2\*f^2 + 17\*d\*e\*f\*g + 16\*d^2\*g^2)\*x^2)/e + ((e^2\*f^2 + 12\*d\*e\*f\*g + 17\*d^2\*g^2)\*x^3)/3 + (e\*g\*(e\*f + 3\*d\*g)\*x^4)/2 + (e^2\*g^2\*x^5)/5 - (16\*d^4\*(e\*f + d\*g)^2)/(e^3\*(-d + e\*x)) + (32\*d^3\*(e^2\*f^2 + 3\*d\*e\*f\*g + 2\*d^2\*g^2)\*Log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^6(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^6\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] IntegrateAlgebraic[((d + e\*x)^6\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

**fricas [A]** time = 0.39, size = 288, normalized size = 1.63

$$\frac{6e^6g^2x^6 - 480d^4e^2f^2 - 960d^5e^2f^2 - 480d^6g^2 + 3(5e^6fg + 13d^2g^2)x^5 + 5(2e^6f^2 + 21d^2fg + 25d^2g^2)x^4 + 10(8de^2f^2 + 39d^2fg + 31d^2g^2)x^3 + 30(14d^4f^2 + 47d^4fg + 32d^4g^2)x^2 - 30(17d^2f^2 + 64d^2fg + 48d^2g^2)x - 960(d^2f^2 + 3d^2fg + 2d^2g^2)\log(x-d)}{30(d^2 - d^2e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^6\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="fricas")

[Out] 1/30\*(6\*e^6\*g^2\*x^6 - 480\*d^4\*e^2\*f^2 - 960\*d^5\*e^2\*f^2 - 480\*d^6\*g^2 + 3\*(5\*e^6\*f\*g + 13\*d\*e^5\*g^2)\*x^5 + 5\*(2\*e^6\*f^2 + 21\*d\*e^5\*f\*g + 25\*d^2\*e^4\*g^2)\*x^4 + 10\*(8\*d\*e^2\*f^2 + 39\*d^2\*f\*g + 31\*d^2\*g^2)\*x^3 + 30\*(14\*d^4\*f^2 + 47\*d^4\*f\*g + 32\*d^4\*g^2)\*x^2 - 30\*(17\*d^2\*f^2 + 64\*d^2\*f\*g + 48\*d^2\*g^2)\*x - 960\*(d^2\*f^2 + 3\*d^2\*f\*g + 2\*d^2\*g^2)\*log(x-d)

$$\begin{aligned}
 & *x^4 + 10*(8*d*e^5*f^2 + 39*d^2*e^4*f*g + 31*d^3*e^3*g^2)*x^3 + 30*(14*d^2* \\
 & e^4*f^2 + 47*d^3*e^3*f*g + 32*d^4*e^2*g^2)*x^2 - 30*(17*d^3*e^3*f^2 + 64*d^4* \\
 & e^2*f*g + 48*d^5*e*g^2)*x - 960*(d^4*e^2*f^2 + 3*d^5*e*f*g + 2*d^6*g^2 - \\
 & (d^3*e^3*f^2 + 3*d^4*e^2*f*g + 2*d^5*e*g^2)*x)*\log(e*x - d)/(e^4*x - d*e^3) \\
 & )
 \end{aligned}$$

**giac [A]** time = 0.18, size = 327, normalized size = 1.85

$$\frac{16(2d^2g^2 + 3dfg^2 + d^2f^2)e^{-9}\log\left(\frac{e^2x^2 - d}{e}\right) + \frac{1}{30}\left(6e^2x^2 + 45d^2e^{22} + 170d^2g^2x^{20} + 480d^2f^2x^{20} + 1440d^2fgx^{20} + 15fgx^{22} + 120dfg^2x^{22} + 50d^2fg^2x^{22} + 1920d^2fgx^{20} + 10f^2x^{22} + 90df^2x^{22} + 50d^2f^2x^{22}\right)e^{-9} + \frac{16(d^2g^2 + 3dfg^2 + d^2f^2)e^{-9}\log\left(\frac{e^2x^2 - d}{e}\right) - 16(d^2e^2 + 2dfg^2 + d^2f^2 + (d^2e^2 + 2dfg^2 + d^2f^2))e^{-9}}{e^2x - d}}{e^2x - d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^6\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="giac")

$$\begin{aligned}
 & [Out] 16*(2*d^5*g^2*e^5 + 3*d^4*f*g*e^6 + d^3*f^2*e^7)*e^{(-8)*\log(\text{abs}(x^2*e^2 - d \\
 & ^2))} + 1/30*(6*g^2*x^5*e^{22} + 45*d*g^2*x^4*e^{21} + 170*d^2*g^2*x^3*e^{20} + 48 \\
 & 0*d^3*g^2*x^2*e^{19} + 1440*d^4*g^2*x*e^{18} + 15*f*g*x^4*e^{22} + 120*d*f*g*x^3* \\
 & e^{21} + 510*d^2*f*g*x^2*e^{20} + 1920*d^3*f*g*x*e^{19} + 10*f^2*x^3*e^{22} + 90*d* \\
 & f^2*x^2*e^{21} + 510*d^2*f^2*x*e^{20})*e^{(-20)} + 16*(2*d^6*g^2*e^6 + 3*d^5*f*g* \\
 & e^7 + d^4*f^2*e^8)*e^{(-9)*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs} \\
 & (d)*e))/\text{abs}(d) - 16*(d^7*g^2*e^5 + 2*d^6*f*g*e^6 + d^5*f^2*e^7 + (d^6*g^2*e \\
 & ^6 + 2*d^5*f*g*e^7 + d^4*f^2*e^8)*x)*e^{(-8)}/(x^2*e^2 - d^2)
 \end{aligned}$$

**maple [A]** time = 0.01, size = 245, normalized size = 1.38

$$\frac{e^2g^2x^5}{5} + \frac{3de^2g^2x^4}{2} + \frac{e^2fgx^4}{2} + \frac{17d^2g^2x^3}{3} + 4defgx^3 + \frac{e^2f^2x^3}{3} + \frac{16d^3g^2x^2}{e} + 17d^2fgx^2 + 3de^2f^2x^2 - \frac{16d^6g^2}{(ex-d)e^3} - \frac{32d^5fg}{(ex-d)e^2} + \frac{64d^4g^2\ln(ex-d)}{e^3} - \frac{16d^4f^2}{(ex-d)e} + \frac{96d^4fg\ln(ex-d)}{e^2} + \frac{48d^4g^2x}{e^2} + \frac{32d^3f^2\ln(ex-d)}{e} + \frac{64d^3fgx}{e} + 17d^2f^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^6\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x)

$$\begin{aligned}
 & [Out] 1/5*e^2*g^2*x^5+3/2*d*e*g^2*x^4+1/2*e^2*f*g*x^4+17/3*d^2*g^2*x^3+4*d*e*f*g* \\
 & x^3+1/3*e^2*f^2*x^3+16*d^3/e*g^2*x^2+17*d^2*f*g*x^2+3*d*e*f^2*x^2+48*d^4/e^2* \\
 & g^2*x+64*d^3/e*f*g*x+17*d^2*f^2*x+64*d^5/e^3*g^2*\ln(e*x-d)+96*d^4/e^2*f*g \\
 & *\ln(e*x-d)+32*d^3/e*f^2*\ln(e*x-d)-16*d^6/e^3/(e*x-d)*g^2-32*d^5/e^2/(e*x-d) \\
 & *f*g-16*d^4/e/(e*x-d)*f^2
 \end{aligned}$$

**maxima [A]** time = 0.45, size = 218, normalized size = 1.23

$$\frac{-16(d^4e^2f^2 + 2d^3efg + d^2g^2)}{e^4x - de^3} + \frac{6e^4g^2x^3 + 15(e^4fg + 3de^3g^2)x^4 + 10(e^4f^2 + 12d^2fg + 17d^2e^2g^2)x^3 + 30(3de^3f^2 + 17d^2e^2fg + 16d^2eg^2)x^2 + 30(17d^2e^2f^2 + 64d^3efg + 48d^4g^2)x + 32(d^2e^2f^2 + 3d^4efg + 2d^2g^2)\log(ex-d)}{30e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^6\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="maxima")

$$\begin{aligned}
 & [Out] -16*(d^4*e^2*f^2 + 2*d^5*e*f*g + d^6*g^2)/(e^4*x - d*e^3) + 1/30*(6*e^4*g^2 \\
 & *x^5 + 15*(e^4*f*g + 3*d*e^3*g^2)*x^4 + 10*(e^4*f^2 + 12*d*e^3*f*g + 17*d^2
 \end{aligned}$$

$$*e^2*g^2)*x^3 + 30*(3*d*e^3*f^2 + 17*d^2*e^2*f*g + 16*d^3*e*g^2)*x^2 + 30*(17*d^2*e^2*f^2 + 64*d^3*e*f*g + 48*d^4*g^2)*x)/e^2 + 32*(d^3*e^2*f^2 + 3*d^4*e*f*g + 2*d^5*g^2)*\log(e*x - d)/e^3$$

**mupad [B]** time = 2.61, size = 565, normalized size = 3.19

$$\frac{32d^3(dg+ef)(2dg+ef)\log(-d+ex)}{e^3} + \frac{e^2g^2x^5}{5} + x^4\left(\frac{3deg^2}{2} + \frac{e^2fg}{2}\right) + x^3\left(\frac{17d^2g^2}{3} + 4defg + \frac{e^2f^2}{3}\right) + x^2\left(\frac{16d^3g^2}{e} + 17d^2fg + 3def^2\right) + x\left(\frac{48d^4g^2}{e^2} + \frac{64d^3fg}{e} + 17d^2f^2\right) + \frac{-16d^6g^2 - 32d^5efg - 16d^4e^2f^2}{-de^3 + e^4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(d + e\*x)^6)/(d^2 - e^2\*x^2)^2,x)

$$\begin{aligned} \text{[Out]} \quad & x^2*((2*d*(d^2*g^2 + e^2*f^2 + 3*d*e*f*g))/e - (d^2*(2*e*g*(2*d*g + e*f) + 2*d*e*g^2))/(2*e^2) + (d*((e^4*f^2 + 6*d^2*e^2*g^2 + 8*d*e^3*f*g)/e^2 - d^2*g^2 + (2*d*(2*e*g*(2*d*g + e*f) + 2*d*e*g^2))/e))/e) + x^4*((e*g*(2*d*g + e*f))/2 + (d*e*g^2)/2) + x*((d^4*g^2 + 6*d^2*e^2*f^2 + 8*d^3*e*f*g)/e^2 - (d^2*((e^4*f^2 + 6*d^2*e^2*g^2 + 8*d*e^3*f*g)/e^2 - d^2*g^2 + (2*d*(2*e*g*(2*d*g + e*f) + 2*d*e*g^2))/e))/e^2 + (2*d*((4*d*(d^2*g^2 + e^2*f^2 + 3*d*e*f*g))/e - (d^2*(2*e*g*(2*d*g + e*f) + 2*d*e*g^2))/e^2) + (2*d*((e^4*f^2 + 6*d^2*e^2*g^2 + 8*d*e^3*f*g)/e^2 - d^2*g^2 + (2*d*(2*e*g*(2*d*g + e*f) + 2*d*e*g^2))/e))/e) + x^3*((e^4*f^2 + 6*d^2*e^2*g^2 + 8*d*e^3*f*g)/(3*e^2) - (d^2*g^2)/3 + (2*d*(2*e*g*(2*d*g + e*f) + 2*d*e*g^2))/(3*e)) + (\log(e*x - d))*(64*d^5*g^2 + 32*d^3*e^2*f^2 + 96*d^4*e*f*g)/e^3 + (16*(d^6*g^2 + d^4*e^2*f^2 + 2*d^5*e*f*g))/(e*(d*e^2 - e^3*x)) + (e^2*g^2*x^5)/5 \end{aligned}$$

**sympy [A]** time = 1.01, size = 199, normalized size = 1.12

$$\frac{32d^3(dg+ef)(2dg+ef)\log(-d+ex)}{e^3} + \frac{e^2g^2x^5}{5} + x^4\left(\frac{3deg^2}{2} + \frac{e^2fg}{2}\right) + x^3\left(\frac{17d^2g^2}{3} + 4defg + \frac{e^2f^2}{3}\right) + x^2\left(\frac{16d^3g^2}{e} + 17d^2fg + 3def^2\right) + x\left(\frac{48d^4g^2}{e^2} + \frac{64d^3fg}{e} + 17d^2f^2\right) + \frac{-16d^6g^2 - 32d^5efg - 16d^4e^2f^2}{-de^3 + e^4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*6\*(g\*x+f)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*2,x)

$$\begin{aligned} \text{[Out]} \quad & 32*d**3*(d*g + e*f)*(2*d*g + e*f)*\log(-d + e*x)/e**3 + e**2*g**2*x**5/5 + x \\ & **4*(3*d*e*g**2/2 + e**2*f*g/2) + x**3*(17*d**2*g**2/3 + 4*d*e*f*g + e**2*f \\ & **2/3) + x**2*(16*d**3*g**2/e + 17*d**2*f*g + 3*d*e*f**2) + x*(48*d**4*g**2 \\ & /e**2 + 64*d**3*f*g/e + 17*d**2*f**2) + (-16*d**6*g**2 - 32*d**5*e*f*g - 16 \\ & *d**4*e**2*f**2)/(-d*e**3 + e**4*x) \end{aligned}$$



$$3.361 \quad \int \frac{(d+ex)^5(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

**Optimal.** Leaf size=146

$$\frac{8d^3(dg+ef)^2}{e^3(d-ex)} + \frac{4d^2(dg+ef)(7dg+3ef)\log(d-ex)}{e^3} + \frac{x^2(12d^2g^2+10defg+e^2f^2)}{2e} + \frac{dx(20d^2g^2+24defg+5e^2f^2)}{e^2}$$

**Rubi [A]** time = 0.18, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 88}

$$\frac{x^2(12d^2g^2+10defg+e^2f^2)}{2e} + \frac{dx(20d^2g^2+24defg+5e^2f^2)}{e^2} + \frac{8d^3(dg+ef)^2}{e^3(d-ex)} + \frac{4d^2(dg+ef)(7dg+3ef)\log(d-ex)}{e^3} + \frac{1}{3}gx^3(5dg+2ef) + \frac{1}{4}eg^2x^4$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^5\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] (d\*(5\*e^2\*f^2 + 24\*d\*e\*f\*g + 20\*d^2\*g^2)\*x)/e^2 + ((e^2\*f^2 + 10\*d\*e\*f\*g + 12\*d^2\*g^2)\*x^2)/(2\*e) + (g\*(2\*e\*f + 5\*d\*g)\*x^3)/3 + (e\*g^2\*x^4)/4 + (8\*d^3\*(e\*f + d\*g)^2)/(e^3\*(d - e\*x)) + (4\*d^2\*(e\*f + d\*g)\*(3\*e\*f + 7\*d\*g)\*Log[d - e\*x])/e^3

**Rule 88**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

**Rule 848**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

**Rubi steps**

$$\int \frac{(d+ex)^5(f+gx)^2}{(d^2-e^2x^2)^2} dx = \int \frac{(d+ex)^3(f+gx)^2}{(d-ex)^2} dx$$

$$= \int \left( \frac{d(5e^2f^2 + 24defg + 20d^2g^2)}{e^2} + \frac{(e^2f^2 + 10defg + 12d^2g^2)x}{e} + g(2ef + 5dg)x^2 + \frac{d(5e^2f^2 + 24defg + 20d^2g^2)x}{e^2} + \frac{(e^2f^2 + 10defg + 12d^2g^2)x^2}{2e} + \frac{1}{3}g(2ef + 5dg)x^3 + \dots \right) dx$$

**Mathematica [A]** time = 0.09, size = 154, normalized size = 1.05

$$\frac{8d^3(dg+ef)^2}{e^3(ex-d)} + \frac{x^2(12d^2g^2+10defg+e^2f^2)}{2e} + \frac{dx(20d^2g^2+24defg+5e^2f^2)}{e^2} + \frac{4d^2(7d^2g^2+10defg+3e^2f^2)\log(d-ex)}{e^3} + \frac{1}{3}gx^3(5dg+2ef) + \frac{1}{4}eg^2x^4$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^5\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] (d\*(5\*e^2\*f^2 + 24\*d\*e\*f\*g + 20\*d^2\*g^2)\*x)/e^2 + ((e^2\*f^2 + 10\*d\*e\*f\*g + 12\*d^2\*g^2)\*x^2)/(2\*e) + (g\*(2\*e\*f + 5\*d\*g)\*x^3)/3 + (e\*g^2\*x^4)/4 - (8\*d^3\*(e\*f + d\*g)^2)/(e^3\*(-d + e\*x)) + (4\*d^2\*(3\*e^2\*f^2 + 10\*d\*e\*f\*g + 7\*d^2\*g^2)\*Log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^5(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^5\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] IntegrateAlgebraic[((d + e\*x)^5\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

**fricas [A]** time = 0.40, size = 251, normalized size = 1.72

$$\frac{3e^2g^2x^5 - 96d^3e^2f^2 - 192d^4efg - 96d^5g^2 + (8e^2fg + 17de^2g^2)x^4 + 2(3e^5f^2 + 26de^4fg + 26d^2e^2g^2)x^3 + 6(9de^4f^2 + 38d^3e^2fg + 28d^3e^2g^2)x^2 - 12(5d^2e^2f^2 + 24d^2e^2fg + 20d^4eg^2)x - 48(3d^3e^2f^2 + 10d^4efg + 7d^5g^2 - (3d^2e^2f^2 + 10d^3e^2fg + 7d^4eg^2)x)\log(ex-d)}{12(e^2x-d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^5\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="fricas")

[Out] 1/12\*(3\*e^5\*g^2\*x^5 - 96\*d^3\*e^2\*f^2 - 192\*d^4\*e\*f\*g - 96\*d^5\*g^2 + (8\*e^5\*f\*g + 17\*d\*e^4\*g^2)\*x^4 + 2\*(3\*e^5\*f^2 + 26\*d\*e^4\*f\*g + 26\*d^2\*e^3\*g^2)\*x^3 + ...)

$$+ 6*(9*d*e^4*f^2 + 38*d^2*e^3*f*g + 28*d^3*e^2*g^2)*x^2 - 12*(5*d^2*e^3*f^2 + 24*d^3*e^2*f*g + 20*d^4*e*g^2)*x - 48*(3*d^3*e^2*f^2 + 10*d^4*e*f*g + 7*d^5*g^2 - (3*d^2*e^3*f^2 + 10*d^3*e^2*f*g + 7*d^4*e*g^2)*x)*\log(e*x - d)/(e^4*x - d*e^3)$$

**giac [B]** time = 0.19, size = 291, normalized size = 1.99

$$\frac{2(7d^5g^2e^5 + 10d^4fg^2 + 3d^3f^2e^4)\log(x^2e^2 - d^2) + \frac{1}{12}(3g^2e^{17} + 20dg^2e^{16} + 72d^2g^2e^{15} + 240d^3g^2e^{14} + 8fg^2e^{13} + 60dfg^2e^{12} + 288d^2fg^2e^{11} + 6f^2e^{10} + 60df^2e^{9})e^{16} + \frac{2(7d^5g^2e^4 + 10d^4fg^2 + 3d^3f^2e^3)\log(\frac{2x^2 - 2d}{5x^2 - 2d})}{11} - \frac{8(d^6e^2 + 2df^2 + d^4f^2 + (d^3g^2 + 2df^2 + d^2f^2)x)e^{16}}{x^2e^2 - d^2}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^5\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="giac")

$$[Out] 2*(7*d^4*g^2*e^5 + 10*d^3*f*g*e^6 + 3*d^2*f^2*e^7)*e^{(-8)}*\log(\text{abs}(x^2*e^2 - d^2)) + 1/12*(3*g^2*x^4*e^{17} + 20*d*g^2*x^3*e^{16} + 72*d^2*g^2*x^2*e^{15} + 240*d^3*g^2*x*e^{14} + 8*f*g*x^3*e^{17} + 60*d*f*g*x^2*e^{16} + 288*d^2*f*g*x*e^{15} + 6*f^2*x^2*e^{17} + 60*d*f^2*x*e^{16})*e^{(-16)} + 2*(7*d^5*g^2*e^4 + 10*d^4*f*g*e^5 + 3*d^3*f^2*e^6)*e^{(-7)}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs}(d)*e))/\text{abs}(d) - 8*(d^6*g^2*e^5 + 2*d^5*f*g*e^6 + d^4*f^2*e^7 + (d^5*g^2*e^6 + 2*d^4*f*g*e^7 + d^3*f^2*e^8)*x)*e^{(-8)}/(x^2*e^2 - d^2)$$

**maple [A]** time = 0.01, size = 204, normalized size = 1.40

$$\frac{e g^2 x^4}{4} + \frac{5 d g^2 x^3}{3} + \frac{2 e f g x^3}{3} + \frac{6 d^2 g^2 x^2}{e} + 5 d f g x^2 + \frac{e f^2 x^2}{2} - \frac{8 d^5 g^2}{(e x - d) e^3} - \frac{16 d^4 f g}{(e x - d) e^2} + \frac{28 d^4 g^2 \ln(e x - d)}{e^3} - \frac{8 d^3 f^2}{(e x - d) e} + \frac{40 d^3 f g \ln(e x - d)}{e^2} + \frac{20 d^3 g^2 x}{e^2} + \frac{12 d^2 f^2 \ln(e x - d)}{e} + \frac{24 d^2 f g x}{e} + 5 d f^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^5\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x)

$$[Out] 1/4*e*g^2*x^4+5/3*d*g^2*x^3+2/3*e*f*g*x^3+6*d^2/e*g^2*x^2+5*d*f*g*x^2+1/2*e*f^2*x^2+20*d^3/e^2*g^2*x+24*d^2/e*f*g*x+5*d*f^2*x+28*d^4/e^3*g^2*\ln(e*x-d)+40*d^3/e^2*f*g*\ln(e*x-d)+12*d^2/e*f^2*\ln(e*x-d)-8*d^5/e^3/(e*x-d)*g^2-16*d^4/e^2/(e*x-d)*f*g-8*d^3/e/(e*x-d)*f^2$$

**maxima [A]** time = 0.46, size = 182, normalized size = 1.25

$$\frac{8(d^3e^2f^2 + 2d^4efg + d^5g^2)}{e^4x - de^3} + \frac{3e^3g^2x^4 + 4(2e^3fg + 5de^2g^2)x^3 + 6(e^3f^2 + 10de^2fg + 12d^2eg^2)x^2 + 12(5de^2f^2 + 24d^2efg + 20d^3g^2)x + 4(3d^2e^2f^2 + 10d^3efg + 7d^4g^2)\log(ex - d)}{12e^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^5\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="maxima")

$$[Out] -8*(d^3*e^2*f^2 + 2*d^4*e*f*g + d^5*g^2)/(e^4*x - d*e^3) + 1/12*(3*e^3*g^2*x^4 + 4*(2*e^3*f*g + 5*d*e^2*g^2)*x^3 + 6*(e^3*f^2 + 10*d*e^2*f*g + 12*d^2*e*g^2)*x^2 + 12*(5*d*e^2*f^2 + 24*d^2*e*f*g + 20*d^3*g^2)*x)/e^2 + 4*(3*d^2*e^2*f^2 + 10*d^3*e*f*g + 7*d^4*g^2)*\log(e*x - d)/e^3$$

**mupad [B]** time = 0.09, size = 316, normalized size = 2.16

$$\left( \frac{d^3 g^2 + 6d^2 e f g + 3d^2 f^2}{e^2} - \frac{d^2 (g(3dg+2ef)+2dg^2)}{e^2} + \frac{2d \left( \frac{3d^2 e^2 + 4d^2 f^2 + 2d^2 g^2}{e} - \frac{d^2 g^2}{e} + \frac{2d(g(3dg+2ef)+2dg^2)}{e} \right)}{e} \right) + x^2 \left( \frac{3d^2 e g^2 + 6d^2 f g + 6d^2 f^2}{2e^2} - \frac{d^2 g^2}{2e} + \frac{d(g(3dg+2ef)+2dg^2)}{e} \right) + x^3 \left( \frac{g(3dg+2ef)}{3} + \frac{2dg^2}{3} \right) + \frac{\ln(e x - d) (28d^4 g^2 + 40d^3 e f g + 12d^2 e^2 f^2)}{e^3} + \frac{8(d^4 g^2 + 2d^3 e f g + d^2 e^2 f^2)}{e(d^2 - e^2 x)} + \frac{e g^2 x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(d + e\*x)^5)/(d^2 - e^2\*x^2)^2,x)

[Out]  $x*((d^3 g^2 + 3*d*e^2*f^2 + 6*d^2*e*f*g)/e^2 - (d^2*(g*(3*d*g + 2*e*f) + 2*d*g^2))/e^2 + (2*d*((e^3*f^2 + 3*d^2*e*g^2 + 6*d*e^2*f*g)/e^2 - (d^2*g^2)/e + (2*d*(g*(3*d*g + 2*e*f) + 2*d*g^2))/e))/e + x^2*((e^3*f^2 + 3*d^2*e*g^2 + 6*d*e^2*f*g)/(2*e^2) - (d^2*g^2)/(2*e) + (d*(g*(3*d*g + 2*e*f) + 2*d*g^2))/e) + x^3*((g*(3*d*g + 2*e*f))/3 + (2*d*g^2)/3) + (\log(e*x - d)*(28*d^4*g^2 + 12*d^2*e^2*f^2 + 40*d^3*e*f*g))/e^3 + (8*(d^5*g^2 + d^3*e^2*f^2 + 2*d^4*e*f*g))/(e*(d*e^2 - e^3*x)) + (e*g^2*x^4)/4$

**sympy [A]** time = 0.85, size = 162, normalized size = 1.11

$$\frac{4d^2 (dg + ef) (7dg + 3ef) \log(-d + ex)}{e^3} + \frac{eg^2 x^4}{4} + x^3 \left( \frac{5dg^2}{3} + \frac{2efg}{3} \right) + x^2 \left( \frac{6d^2 g^2}{e} + 5dfg + \frac{ef^2}{2} \right) + x \left( \frac{20d^3 g^2}{e^2} + \frac{24d^2 fg}{e} + 5df^2 \right) + \frac{-8d^5 g^2 - 16d^4 efg - 8d^3 e^2 f^2}{-de^3 + e^4 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*5\*(g\*x+f)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*2,x)

[Out]  $4*d**2*(d*g + e*f)*(7*d*g + 3*e*f)*\log(-d + e*x)/e**3 + e*g**2*x**4/4 + x**3*(5*d*g**2/3 + 2*e*f*g/3) + x**2*(6*d**2*g**2/e + 5*d*f*g + e*f**2/2) + x*(20*d**3*g**2/e**2 + 24*d**2*f*g/e + 5*d*f**2) + (-8*d**5*g**2 - 16*d**4*e*f*g - 8*d**3*e**2*f**2)/(-d*e**3 + e**4*x)$

$$3.362 \quad \int \frac{(d+ex)^4(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

**Optimal.** Leaf size=107

$$\frac{4d^2(dg+ef)^2}{e^3(d-ex)} + \frac{x(8d^2g^2+8defg+e^2f^2)}{e^2} + \frac{4d(dg+ef)(3dg+ef)\log(d-ex)}{e^3} + \frac{gx^2(2dg+ef)}{e} + \frac{g^2x^3}{3}$$

**Rubi [A]** time = 0.14, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 88}

$$\frac{x(8d^2g^2+8defg+e^2f^2)}{e^2} + \frac{4d^2(dg+ef)^2}{e^3(d-ex)} + \frac{4d(dg+ef)(3dg+ef)\log(d-ex)}{e^3} + \frac{gx^2(2dg+ef)}{e} + \frac{g^2x^3}{3}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

[Out] ((e^2\*f^2 + 8\*d\*e\*f\*g + 8\*d^2\*g^2)\*x)/e^2 + (g\*(e\*f + 2\*d\*g)\*x^2)/e + (g^2\*x^3)/3 + (4\*d^2\*(e\*f + d\*g)^2)/(e^3\*(d - e\*x)) + (4\*d\*(e\*f + d\*g)\*(e\*f + 3\*d\*g)\*Log[d - e\*x])/e^3

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 848

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

### Rubi steps

$$\begin{aligned} \int \frac{(d+ex)^4(f+gx)^2}{(d^2-e^2x^2)^2} dx &= \int \frac{(d+ex)^2(f+gx)^2}{(d-ex)^2} dx \\ &= \int \left( \frac{e^2f^2+8defg+8d^2g^2}{e^2} + \frac{2g(ef+2dg)x}{e} + g^2x^2 + \frac{4d(-ef-3dg)(ef+dg)}{e^2(d-ex)} + \frac{4d^2}{e^2} \right) dx \\ &= \frac{(e^2f^2+8defg+8d^2g^2)x}{e^2} + \frac{g(ef+2dg)x^2}{e} + \frac{g^2x^3}{3} + \frac{4d^2(ef+dg)^2}{e^3(d-ex)} + \frac{4d(ef+dg)(e^2f^2+8defg+8d^2g^2)}{e^3} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 115, normalized size = 1.07

$$-\frac{4d^2(dg+ef)^2}{e^3(ex-d)} + \frac{x(8d^2g^2+8defg+e^2f^2)}{e^2} + \frac{4d(3d^2g^2+4defg+e^2f^2)\log(d-ex)}{e^3} + \frac{gx^2(2dg+ef)}{e} + \frac{g^2x^3}{3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] ((e^2\*f^2 + 8\*d\*e\*f\*g + 8\*d^2\*g^2)\*x)/e^2 + (g\*(e\*f + 2\*d\*g)\*x^2)/e + (g^2\*x^3)/3 - (4\*d^2\*(e\*f + d\*g)^2)/(e^3\*(-d + e\*x)) + (4\*d\*(e^2\*f^2 + 4\*d\*e\*f\*g + 3\*d^2\*g^2)\*Log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^4(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] IntegrateAlgebraic[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

**fricas [A]** time = 0.39, size = 206, normalized size = 1.93

$$\frac{e^4g^2x^4 - 12d^2e^2f^2 - 24d^3efg - 12d^4g^2 + (3e^4fg + 5de^3g^2)x^3 + 3(e^4f^2 + 7de^3fg + 6d^2e^2g^2)x^2 - 3(de^3f^2 + 8d^2e^2fg + 8d^3eg^2)x - 12(d^2e^2f^2 + 4d^3efg + 3d^4g^2 - (de^3f^2 + 4d^2e^2fg + 3d^3eg^2)x)\log(ex-d)}{3(e^4x - de^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="fricas")

[Out] 1/3\*(e^4\*g^2\*x^4 - 12\*d^2\*e^2\*f^2 - 24\*d^3\*e\*f\*g - 12\*d^4\*g^2 + (3\*e^4\*f\*g + 5\*d\*e^3\*g^2)\*x^3 + 3\*(e^4\*f^2 + 7\*d\*e^3\*f\*g + 6\*d^2\*e^2\*g^2)\*x^2 - 3\*(d\*e

$$\begin{aligned} & 3f^2 + 8d^2e^2f^2g + 8d^3e^2fg^2) * x - 12(d^2e^2f^2 + 4d^3e^2fg + 3 \\ & * d^4g^2 - (d^2e^3f^2 + 4d^2e^2fg + 3d^3e^2g^2) * x) * \log(ex - d) / (e^4x \\ & - d^3e) \end{aligned}$$

**giac [B]** time = 0.17, size = 250, normalized size = 2.34

$$\frac{2(3d^3g^2e^3 + 4d^2fg^2e^4 + d^2f^2e^5)e^{(-6)} \log(|x^2e^2 - d^2|) + \frac{1}{3}(g^2x^3e^{12} + 6dmg^2x^2e^{11} + 24d^2g^2xe^{10} + 3fgx^2e^{12} + 24dfgx^{11} + 3f^2xe^{12})e^{(-12)} + \frac{2(3d^4g^2e^4 + 4d^3fg^2e^5 + d^2f^2e^6)e^{(-7)} \log\left(\frac{2x^2-2dfg}{2x^2+2dfg}\right) - 4(d^6g^2e^3 + 2d^4fg^2e^4 + d^3f^2e^5 + (d^4g^2e^4 + 2d^3fg^2e^5 + d^2f^2e^6)x)e^{(-6)}}{x^2e^2 - d^2}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="giac")

$$\begin{aligned} \text{[Out]} & 2*(3*d^3*g^2*e^3 + 4*d^2*f*g*e^4 + d*f^2*e^5)*e^{(-6)}*\log(\text{abs}(x^2*e^2 - d^2) \\ & ) + 1/3*(g^2*x^3*e^{12} + 6*d*m*g^2*x^2*e^{11} + 24*d^2*g^2*x*e^{10} + 3*f*g*x^2*e^{12} \\ & + 24*d*f*g*x*e^{11} + 3*f^2*x*e^{12})*e^{(-12)} + 2*(3*d^4*g^2*e^4 + 4*d^3*f*g \\ & *e^5 + d^2*f^2*e^6)*e^{(-7)}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{ab} \\ & \text{s}(d)*e))/\text{abs}(d) - 4*(d^5*g^2*e^3 + 2*d^4*f*g*e^4 + d^3*f^2*e^5 + (d^4*g^2*e \\ & ^4 + 2*d^3*f*g*e^5 + d^2*f^2*e^6)*x)*e^{(-6)}/(x^2*e^2 - d^2) \end{aligned}$$

**maple [A]** time = 0.01, size = 167, normalized size = 1.56

$$\frac{g^2x^3}{3} + \frac{2dg^2x^2}{e} + fgx^2 - \frac{4d^4g^2}{(ex-d)e^3} - \frac{8d^3fg}{(ex-d)e^2} + \frac{12d^3g^2 \ln(ex-d)}{e^3} - \frac{4d^2f^2}{(ex-d)e} + \frac{16d^2fg \ln(ex-d)}{e^2} + \frac{8d^2g^2x}{e^2} + \frac{4df^2 \ln(ex-d)}{e} + \frac{8dfgx}{e} + f^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x)

$$\begin{aligned} \text{[Out]} & 1/3*g^2*x^3+2*d/e*g^2*x^2+f*g*x^2+8*d^2/e^2*g^2*x+8*d/e*f*g*x+f^2*x+12*d^3/ \\ & e^3*g^2*\ln(e*x-d)+16*d^2/e^2*f*g*\ln(e*x-d)+4*d/e*f^2*\ln(e*x-d)-4*d^4/e^3/(e \\ & *x-d)*g^2-8*d^3/e^2/(e*x-d)*f*g-4*d^2/e/(e*x-d)*f^2 \end{aligned}$$

**maxima [A]** time = 0.45, size = 141, normalized size = 1.32

$$-\frac{4(d^2e^2f^2 + 2d^3efg + d^4g^2)}{e^4x - de^3} + \frac{e^2g^2x^3 + 3(e^2fg + 2deg^2)x^2 + 3(e^2f^2 + 8defg + 8d^2g^2)x}{3e^2} + \frac{4(d^2f^2 + 4d^2efg + 3d^3g^2) \log(ex - d)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="maxima")

$$\begin{aligned} \text{[Out]} & -4*(d^2*e^2*f^2 + 2*d^3*e*f*g + d^4*g^2)/(e^4*x - d^3*e) + 1/3*(e^2*g^2*x^3 \\ & + 3*(e^2*f*g + 2*d*e*g^2)*x^2 + 3*(e^2*f^2 + 8*d*e*f*g + 8*d^2*g^2)*x)/e^2 \\ & + 4*(d^2*e^2*f^2 + 4*d^2*e*f*g + 3*d^3*g^2)*\log(e*x - d)/e^3 \end{aligned}$$

**mupad [B]** time = 0.07, size = 185, normalized size = 1.73

$$x^2 \left( \frac{g(dg+ef)}{e} + \frac{dg^2}{e} \right) + x \left( \frac{d^2g^2 + 4defg + e^2f^2}{e^2} + \frac{2d \left( \frac{2g(dg+ef)}{e} + \frac{2dg^2}{e} \right)}{e} - \frac{d^2g^2}{e^2} \right) + \frac{g^2x^3}{3} + \frac{4(d^4g^2 + 2d^3efg + d^2e^2f^2)}{e(d^2e^2 - e^3x)} + \frac{\ln(ex-d)(12d^3g^2 + 16d^2efg + 4d^2e^2f^2)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((f + g*x)^2*(d + e*x)^4)/(d^2 - e^2*x^2)^2,x)`

[Out]  $x^2 \left( \frac{g(dg + ef)}{e} + \frac{d^2g^2}{e} \right) + x \left( \frac{d^2g^2 + e^2f^2 + 4d*ef*g}{e^2} + \frac{2d \left( \frac{2g(dg + ef)}{e} + \frac{2d^2g^2}{e} \right)}{e} - \frac{d^2g^2}{e^2} \right) + \frac{g^2x^3}{3} + \frac{4(d^4g^2 + d^2e^2f^2 + 2d^3*ef*g)}{(e(d^2 - e^3x))} + \frac{\log(ex - d)(12d^3g^2 + 4d^2e^2f^2 + 16d^2*ef*g)}{e^3}$

**sympy** [A] time = 0.74, size = 119, normalized size = 1.11

$$\frac{4d(dg + ef)(3dg + ef)\log(-d + ex)}{e^3} + \frac{g^2x^3}{3} + x^2 \left( \frac{2dg^2}{e} + fg \right) + x \left( \frac{8d^2g^2}{e^2} + \frac{8dfg}{e} + f^2 \right) + \frac{-4d^4g^2 - 8d^3efg - 4d^2e^2f^2}{-de^3 + e^4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**4*(g*x+f)**2/(-e**2*x**2+d**2)**2,x)`

[Out]  $4*d*(d*g + e*f)*(3*d*g + e*f)*\log(-d + e*x)/e**3 + g**2*x**3/3 + x**2*(2*d*g**2/e + f*g) + x*(8*d**2*g**2/e**2 + 8*d*f*g/e + f**2) + (-4*d**4*g**2 - 8*d**3*e*f*g - 4*d**2*e**2*f**2)/(-d*e**3 + e**4*x)$



$$3.363 \quad \int \frac{(d+ex)^3(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

Optimal. Leaf size=78

$$\frac{2d(dg+ef)^2}{e^3(d-ex)} + \frac{(5dg+ef)(dg+ef)\log(d-ex)}{e^3} + \frac{gx(3dg+2ef)}{e^2} + \frac{g^2x^2}{2e}$$

**Rubi [A]** time = 0.10, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 77}

$$\frac{2d(dg+ef)^2}{e^3(d-ex)} + \frac{gx(3dg+2ef)}{e^2} + \frac{(5dg+ef)(dg+ef)\log(d-ex)}{e^3} + \frac{g^2x^2}{2e}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] (g\*(2\*e\*f + 3\*d\*g)\*x)/e^2 + (g^2\*x^2)/(2\*e) + (2\*d\*(e\*f + d\*g)^2)/(e^3\*(d - e\*x)) + ((e\*f + d\*g)\*(e\*f + 5\*d\*g)\*Log[d - e\*x])/e^3

Rule 77

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9\*p + 5\*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 848

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

Rubi steps

$$\begin{aligned} \int \frac{(d+ex)^3(f+gx)^2}{(d^2-e^2x^2)^2} dx &= \int \frac{(d+ex)(f+gx)^2}{(d-ex)^2} dx \\ &= \int \left( \frac{g(2ef+3dg)}{e^2} + \frac{g^2x}{e} + \frac{(-ef-5dg)(ef+dg)}{e^2(d-ex)} + \frac{2d(ef+dg)^2}{e^2(-d+ex)^2} \right) dx \\ &= \frac{g(2ef+3dg)x}{e^2} + \frac{g^2x^2}{2e} + \frac{2d(ef+dg)^2}{e^3(d-ex)} + \frac{(ef+dg)(ef+5dg)\log(d-ex)}{e^3} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 83, normalized size = 1.06

$$\frac{2(5d^2g^2 + 6defg + e^2f^2)\log(d-ex) + \frac{4d(dg+ef)^2}{d-ex} + 2egx(3dg + 2ef) + e^2g^2x^2}{2e^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] (2\*e\*g\*(2\*e\*f + 3\*d\*g)\*x + e^2\*g^2\*x^2 + (4\*d\*(e\*f + d\*g)^2)/(d - e\*x) + 2\*(e^2\*f^2 + 6\*d\*e\*f\*g + 5\*d^2\*g^2)\*Log[d - e\*x])/(2\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^3(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] IntegrateAlgebraic[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

**fricas [B]** time = 0.39, size = 157, normalized size = 2.01

$$\frac{e^3g^2x^3 - 4de^2f^2 - 8d^2efg - 4d^3g^2 + (4e^3fg + 5de^2g^2)x^2 - 2(2de^2fg + 3d^2eg^2)x - 2(d^2f^2 + 6d^2efg + 5d^3g^2 - (e^3f^2 + 6de^2fg + 5d^2eg^2)x)\log(ex-d)}{2(e^4x - de^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="fricas")

[Out] 1/2\*(e^3\*g^2\*x^3 - 4\*d\*e^2\*f^2 - 8\*d^2\*e\*f\*g - 4\*d^3\*g^2 + (4\*e^3\*f\*g + 5\*d\*e^2\*g^2)\*x^2 - 2\*(2\*d\*e^2\*f\*g + 3\*d^2\*e\*g^2)\*x - 2\*(d\*e^2\*f^2 + 6\*d^2\*e\*f\*g

$$g + 5d^3g^2 - (e^3f^2 + 6d^2e^2f^2g + 5d^2e^2g^2)x \cdot \log(ex - d) / (e^4x - d^2e^3)$$

**giac** [B] time = 0.18, size = 212, normalized size = 2.72

$$\frac{1}{2}(5d^2g^2e^3 + 6dfge^4 + f^2e^5)^{e^{-6}} \log(|x^2e^2 - d^2|) + \frac{1}{2}(g^2x^2e^7 + 6dg^2xe^6 + 4fgxe^7)^{e^{-8}} + \frac{(5d^3g^2e^2 + 6d^2fge^3 + df^2e^4)^{e^{-5}} \log\left(\frac{|2x^2 - 2|d|d|}{|2x^2 + 2|d|d|}\right)}{2|d|} - \frac{2(d^4g^2e^3 + 2d^3fge^4 + d^2f^2e^5 + (d^3g^2e^4 + 2d^2fge^5 + df^2e^6)x)^{e^{-6}}}{x^2e^2 - d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="giac")

$$\begin{aligned} & [Out] \frac{1}{2}(5d^2g^2e^3 + 6d^2fge^4 + f^2e^5)e^{-6} \log(\text{abs}(x^2e^2 - d^2)) \\ & + \frac{1}{2}(g^2x^2e^7 + 6d^2g^2xe^6 + 4f^2g^2xe^7)e^{-8} + \frac{1}{2}(5d^3g^2e^2 \\ & + 6d^2fge^3 + d^2f^2e^4)e^{-5} \log(\text{abs}(2xe^2 - 2\text{abs}(d)e) / \text{abs}(2x \\ & e^2 + 2\text{abs}(d)e)) / \text{abs}(d) - 2(d^4g^2e^3 + 2d^3fge^4 + d^2f^2e^5 \\ & + (d^3g^2e^4 + 2d^2fge^5 + d^2f^2e^6)x)e^{-6} / (x^2e^2 - d^2) \end{aligned}$$

**maple** [A] time = 0.01, size = 138, normalized size = 1.77

$$\frac{g^2x^2}{2e} - \frac{2d^3g^2}{(ex-d)e^3} - \frac{4d^2fg}{(ex-d)e^2} + \frac{5d^2g^2 \ln(ex-d)}{e^3} - \frac{2df^2}{(ex-d)e} + \frac{6dfg \ln(ex-d)}{e^2} + \frac{3dg^2x}{e^2} + \frac{f^2 \ln(ex-d)}{e} + \frac{2fgx}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x)

$$\begin{aligned} & [Out] \frac{1}{2}e^2g^2x^2 + 3d/e^2g^2x + 2/e^2f^2g^2x + 5d^2/e^3g^2 \ln(ex-d) + 6d/e^2f^2g^2 \ln(ex-d) \\ & + 1/e^2f^2 \ln(ex-d) - 2d^3/e^3/(ex-d)g^2 - 4d^2/e^2/(ex-d)f^2g^2 - 2d/e^2/(ex-d)f^2 \end{aligned}$$

**maxima** [A] time = 0.44, size = 104, normalized size = 1.33

$$-\frac{2(d^2f^2 + 2d^2efg + d^3g^2)}{e^4x - de^3} + \frac{eg^2x^2 + 2(2efg + 3dg^2)x}{2e^2} + \frac{(e^2f^2 + 6defg + 5d^2g^2) \log(ex - d)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="maxima")

$$\begin{aligned} & [Out] -2(d^2e^2f^2 + 2d^2e^2f^2g + d^3g^2) / (e^4x - d^2e^3) + \frac{1}{2}(e^2g^2x^2 + 2 \\ & * (2e^2f^2g + 3d^2g^2)x) / e^2 + (e^2f^2 + 6d^2e^2f^2g + 5d^2g^2) \log(ex - d) / e^3 \end{aligned}$$

**mupad** [B] time = 2.53, size = 116, normalized size = 1.49

$$x \left( \frac{dg^2 + 2efg}{e^2} + \frac{2dg^2}{e^2} \right) + \frac{\ln(ex - d) (5d^2g^2 + 6defg + e^2f^2)}{e^3} + \frac{g^2x^2}{2e} + \frac{2(d^3g^2 + 2d^2efg + d^2e^2f^2)}{e(d^2e^2 - e^3x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((f + g*x)^2*(d + e*x)^3)/(d^2 - e^2*x^2)^2,x)`

[Out]  $x*((d*g^2 + 2*e*f*g)/e^2 + (2*d*g^2)/e^2) + (\log(e*x - d)*(5*d^2*g^2 + e^2*f^2 + 6*d*e*f*g))/e^3 + (g^2*x^2)/(2*e) + (2*(d^3*g^2 + d*e^2*f^2 + 2*d^2*e*f*g))/(e*(d*e^2 - e^3*x))$

**sympy** [A] time = 0.59, size = 94, normalized size = 1.21

$$x\left(\frac{3dg^2}{e^2} + \frac{2fg}{e}\right) + \frac{-2d^3g^2 - 4d^2efg - 2de^2f^2}{-de^3 + e^4x} + \frac{g^2x^2}{2e} + \frac{(dg + ef)(5dg + ef)\log(-d + ex)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**3*(g*x+f)**2/(-e**2*x**2+d**2)**2,x)`

[Out]  $x*(3*d*g**2/e**2 + 2*f*g/e) + (-2*d**3*g**2 - 4*d**2*e*f*g - 2*d*e**2*f**2)/(-d*e**3 + e**4*x) + g**2*x**2/(2*e) + (d*g + e*f)*(5*d*g + e*f)*\log(-d + e*x)/e**3$

$$3.364 \quad \int \frac{(d+ex)^2(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

Optimal. Leaf size=50

$$\frac{(dg+ef)^2}{e^3(d-ex)} + \frac{2g(dg+ef)\log(d-ex)}{e^3} + \frac{g^2x}{e^2}$$

**Rubi [A]** time = 0.06, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 43}

$$\frac{(dg+ef)^2}{e^3(d-ex)} + \frac{2g(dg+ef)\log(d-ex)}{e^3} + \frac{g^2x}{e^2}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

[Out] (g^2\*x)/e^2 + (e\*f + d\*g)^2/(e^3\*(d - e\*x)) + (2\*g\*(e\*f + d\*g)\*Log[d - e\*x])/e^3

Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

Rubi steps

$$\begin{aligned} \int \frac{(d+ex)^2(f+gx)^2}{(d^2-e^2x^2)^2} dx &= \int \frac{(f+gx)^2}{(d-ex)^2} dx \\ &= \int \left( \frac{g^2}{e^2} + \frac{(ef+dg)^2}{e^2(-d+ex)^2} + \frac{2g(ef+dg)}{e^2(-d+ex)} \right) dx \\ &= \frac{g^2x}{e^2} + \frac{(ef+dg)^2}{e^3(d-ex)} + \frac{2g(ef+dg)\log(d-ex)}{e^3} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 46, normalized size = 0.92

$$\frac{\frac{(dg+ef)^2}{d-ex} + 2g(dg+ef)\log(d-ex) + eg^2x}{e^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] (e\*g^2\*x + (e\*f + d\*g)^2/(d - e\*x) + 2\*g\*(e\*f + d\*g)\*Log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^2(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2,x]

[Out] IntegrateAlgebraic[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

**fricas [A]** time = 0.38, size = 95, normalized size = 1.90

$$\frac{e^2g^2x^2 - deg^2x - e^2f^2 - 2defg - d^2g^2 - 2(defg + d^2g^2 - (e^2fg + deg^2)x)\log(ex-d)}{e^4x - de^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="fricas")

[Out] (e^2\*g^2\*x^2 - d\*e\*g^2\*x - e^2\*f^2 - 2\*d\*e\*f\*g - d^2\*g^2 - 2\*(d\*e\*f\*g + d^2\*g^2 - (e^2\*f\*g + d\*e\*g^2)\*x)\*log(e\*x - d))/(e^4\*x - d\*e^3)

**giac [B]** time = 0.17, size = 160, normalized size = 3.20

$$g^2 x e^{(-2)} + (d g^2 e + f g e^2) e^{(-4)} \log(|x^2 e^2 - d^2|) + \frac{(d^2 g^2 e^2 + d f g e^3) e^{(-5)} \log\left(\frac{|2 x e^2 - 2 |d| e|}{|2 x e^2 + 2 |d| e|}\right)}{|d|} - \frac{(d^3 g^2 e + 2 d^2 f g e^2 + d f^2 e^3 + (d^2 g^2 e^2 + 2 d f g e^3 + f^2 e^4) x) e^{(-4)}}{x^2 e^2 - d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="giac")

[Out]  $g^2 x e^{(-2)} + (d g^2 e + f g e^2) e^{(-4)} \log(\text{abs}(x^2 e^2 - d^2)) + (d^2 g^2 e^2 + d f g e^3) e^{(-5)} \log(\text{abs}(2 x e^2 - 2 \text{abs}(d) e) / \text{abs}(2 x e^2 + 2 \text{abs}(d) e)) / \text{abs}(d) - (d^3 g^2 e + 2 d^2 f g e^2 + d f^2 e^3 + (d^2 g^2 e^2 + 2 d f g e^3 + f^2 e^4) x) e^{(-4)} / (x^2 e^2 - d^2)$

**maple [A]** time = 0.01, size = 96, normalized size = 1.92

$$-\frac{d^2 g^2}{(e x - d) e^3} - \frac{2 d f g}{(e x - d) e^2} + \frac{2 d g^2 \ln(e x - d)}{e^3} - \frac{f^2}{(e x - d) e} + \frac{2 f g \ln(e x - d)}{e^2} + \frac{g^2 x}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^2\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x)

[Out]  $1/e^2 g^2 x + 2 d/e^3 g^2 \ln(e x - d) + 2/e^2 f g \ln(e x - d) - 1/e^3/(e x - d) d^2 g^2 - 2/e^2/(e x - d) d f g - 1/e/(e x - d) f^2$

**maxima [A]** time = 0.44, size = 69, normalized size = 1.38

$$\frac{g^2 x}{e^2} - \frac{e^2 f^2 + 2 d e f g + d^2 g^2}{e^4 x - d e^3} + \frac{2 (e f g + d g^2) \log(e x - d)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="maxima")

[Out]  $g^2 x / e^2 - (e^2 f^2 + 2 d e f g + d^2 g^2) / (e^4 x - d e^3) + 2 (e f g + d g^2) \log(e x - d) / e^3$

**mupad [B]** time = 2.56, size = 72, normalized size = 1.44

$$\frac{d^2 g^2 + 2 d e f g + e^2 f^2}{e (d e^2 - e^3 x)} + \frac{g^2 x}{e^2} + \frac{\ln(e x - d) (2 d g^2 + 2 e f g)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(d + e\*x)^2)/(d^2 - e^2\*x^2)^2,x)

[Out]  $(d^2g^2 + e^2f^2 + 2d*ef*g)/(e*(d*e^2 - e^3*x)) + (g^2*x)/e^2 + (\log(e*x - d)*(2*d*g^2 + 2*ef*g))/e^3$

sympy [A] time = 0.40, size = 61, normalized size = 1.22

$$\frac{-d^2g^2 - 2defg - e^2f^2}{-de^3 + e^4x} + \frac{g^2x}{e^2} + \frac{2g(dg + ef)\log(-d + ex)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*2\*(g\*x+f)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*2,x)

[Out]  $(-d**2*g**2 - 2*d*ef*g - e**2*f**2)/(-d*e**3 + e**4*x) + g**2*x/e**2 + 2*g*(d*g + e*f)*\log(-d + e*x)/e**3$



$$3.365 \quad \int \frac{(d+ex)(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

Optimal. Leaf size=86

$$\frac{(ef-dg)^2 \log(d+ex)}{4d^2e^3} - \frac{(ef-3dg)(dg+ef) \log(d-ex)}{4d^2e^3} + \frac{(dg+ef)^2}{2de^3(d-ex)}$$

**Rubi [A]** time = 0.08, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {799, 88}

$$\frac{(ef-dg)^2 \log(d+ex)}{4d^2e^3} - \frac{(ef-3dg)(dg+ef) \log(d-ex)}{4d^2e^3} + \frac{(dg+ef)^2}{2de^3(d-ex)}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

[Out] (e\*f + d\*g)^2/(2\*d\*e^3\*(d - e\*x)) - ((e\*f - 3\*d\*g)\*(e\*f + d\*g)\*Log[d - e\*x])/(4\*d^2\*e^3) + ((e\*f - d\*g)^2\*Log[d + e\*x])/(4\*d^2\*e^3)

Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

Rule 799

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^m\*(f + g\*x)^(p + 1)\*(a/f + (c\*x)/g)^p, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && EqQ[c\*f^2 + a\*g^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[f, 0] && EqQ[p, -1]))

Rubi steps

$$\int \frac{(d+ex)(f+gx)^2}{(d^2-e^2x^2)^2} dx = \int \frac{(f+gx)^2}{(d-ex)^2(d+ex)} dx$$

$$= \int \left( \frac{(ef+dg)^2}{2de^2(d-ex)^2} + \frac{(ef-3dg)(ef+dg)}{4d^2e^2(d-ex)} + \frac{(-ef+dg)^2}{4d^2e^2(d+ex)} \right) dx$$

$$= \frac{(ef+dg)^2}{2de^3(d-ex)} - \frac{(ef-3dg)(ef+dg)\log(d-ex)}{4d^2e^3} + \frac{(ef-dg)^2\log(d+ex)}{4d^2e^3}$$

**Mathematica [A]** time = 0.05, size = 91, normalized size = 1.06

$$\frac{(d-ex)(3d^2g^2 + 2defg - e^2f^2)\log(d-ex) + (d-ex)(ef-dg)^2\log(d+ex) + 2d(dg+ef)^2}{4d^2e^3(d-ex)}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

[Out] (2\*d\*(e\*f + d\*g)^2 + (-e^2\*f^2) + 2\*d\*e\*f\*g + 3\*d^2\*g^2)\*(d - e\*x)\*Log[d - e\*x] + (e\*f - d\*g)^2\*(d - e\*x)\*Log[d + e\*x])/(4\*d^2\*e^3\*(d - e\*x))

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

[Out] IntegrateAlgebraic[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^2, x]

**fricas [B]** time = 0.39, size = 168, normalized size = 1.95

$$\frac{2d^2f^2 + 4d^2efg + 2d^3g^2 + (d^2f^2 - 2d^2efg + d^3g^2 - (e^3f^2 - 2d^2efg + d^2eg^2)x)\log(ex+d) - (d^2f^2 - 2d^2efg - 3d^3g^2 - (e^3f^2 - 2d^2efg - 3d^2eg^2)x)\log(ex-d)}{4(d^2e^4x - d^3e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2, x, algorithm="fricas")

[Out] -1/4\*(2\*d\*e^2\*f^2 + 4\*d^2\*e\*f\*g + 2\*d^3\*g^2 + (d\*e^2\*f^2 - 2\*d^2\*e\*f\*g + d^3\*g^2 - (e^3\*f^2 - 2\*d\*e^2\*f\*g + d^2\*e\*g^2)\*x)\*log(e\*x + d) - (d\*e^2\*f^2 -

$$2*d^2*e*f*g - 3*d^3*g^2 - (e^3*f^2 - 2*d*e^2*f*g - 3*d^2*e*g^2)*x)*\log(e*x - d))/(d^2*e^4*x - d^3*e^3)$$

**giac** [A] time = 0.19, size = 159, normalized size = 1.85

$$\frac{1}{2}g^2e^{(-3)}\log(|x^2e^2 - d^2|) + \frac{(d^2g^2 + 2dfge - f^2e^2)e^{(-3)}\log\left(\frac{|2xe^2 - 2|d|e|}{|2xe^2 + 2|d|e|}\right)}{4d|d|} - \frac{((d^2g^2 + 2dfge + f^2e^2)x + (d^3g^2e + 2d^2fge^2 + df^2e^3)e^{(-2)})e^{(-2)}}{2(x^2e^2 - d^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{2}g^2e^{(-3)}*\log(\text{abs}(x^2*e^2 - d^2)) + \frac{1}{4}*(d^2*g^2 + 2*d*f*g*e - f^2*e^2)*e^{(-3)}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs}(d)*e)))/(d*\text{abs}(d)) - \frac{1}{2}*((d^2*g^2 + 2*d*f*g*e + f^2*e^2)*x + (d^3*g^2*e + 2*d^2*f*g*e^2 + d*f^2*e^3)*e^{(-2)})*e^{(-2)}/((x^2*e^2 - d^2)*d)$

**maple** [A] time = 0.01, size = 156, normalized size = 1.81

$$-\frac{dg^2}{2(ex-d)e^3} - \frac{f^2}{2(ex-d)de} + \frac{fg \ln(ex-d)}{2de^2} - \frac{fg \ln(ex+d)}{2de^2} - \frac{f^2 \ln(ex-d)}{4d^2e} + \frac{f^2 \ln(ex+d)}{4d^2e} - \frac{fg}{(ex-d)e^2} + \frac{3g^2 \ln(ex-d)}{4e^3} + \frac{g^2 \ln(ex+d)}{4e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x)

[Out]  $-\frac{1}{2}/e^3*d/(e*x-d)*g^2 - \frac{1}{e^2}/(e*x-d)*f*g - \frac{1}{2}/e/d/(e*x-d)*f^2 + \frac{3}{4}/e^3*g^2*\ln(e*x-d) + \frac{1}{2}/d/e^2*f*g*\ln(e*x-d) - \frac{1}{4}/d^2/e*f^2*\ln(e*x-d) + \frac{1}{4}/e^3*g^2*\ln(e*x+d) - \frac{1}{2}/d/e^2*f*g*\ln(e*x+d) + \frac{1}{4}/d^2/e*f^2*\ln(e*x+d)$

**maxima** [A] time = 0.45, size = 114, normalized size = 1.33

$$-\frac{e^2f^2 + 2defg + d^2g^2}{2(d^4x - d^2e^3)} + \frac{(e^2f^2 - 2defg + d^2g^2)\log(ex+d)}{4d^2e^3} - \frac{(e^2f^2 - 2defg - 3d^2g^2)\log(ex-d)}{4d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="maxima")

[Out]  $-\frac{1}{2}*(e^2*f^2 + 2*d*e*f*g + d^2*g^2)/(d*e^4*x - d^2*e^3) + \frac{1}{4}*(e^2*f^2 - 2*d*e*f*g + d^2*g^2)*\log(e*x + d)/(d^2*e^3) - \frac{1}{4}*(e^2*f^2 - 2*d*e*f*g - 3*d^2*g^2)*\log(e*x - d)/(d^2*e^3)$

**mupad** [B] time = 2.64, size = 111, normalized size = 1.29

$$\frac{d^2g^2 + 2defg + e^2f^2}{2de^3(d-ex)} + \frac{\ln(d+ex)(d^2g^2 - 2defg + e^2f^2)}{4d^2e^3} + \frac{\ln(d-ex)(3d^2g^2 + 2defg - e^2f^2)}{4d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((f + g*x)^2*(d + e*x))/(d^2 - e^2*x^2)^2,x)`

[Out]  $(d^2g^2 + e^2f^2 + 2de^2fg)/(2de^3(d - ex)) + (\log(d + ex)(d^2g^2 + e^2f^2 - 2de^2fg))/(4d^2e^3) + (\log(d - ex)(3d^2g^2 - e^2f^2 + 2de^2fg))/(4d^2e^3)$

**sympy** [B] time = 1.04, size = 182, normalized size = 2.12

$$\frac{-d^2g^2 - 2defg - e^2f^2}{-2d^2e^3 + 2de^4x} + \frac{(dg - ef)^2 \log\left(x + \frac{2d^3g^2 - d(dg - ef)^2}{d^2eg^2 + 2de^2fg - e^3f^2}\right)}{4d^2e^3} + \frac{(dg + ef)(3dg - ef) \log\left(x + \frac{2d^3g^2 - d(dg + ef)(3dg - ef)}{d^2eg^2 + 2de^2fg - e^3f^2}\right)}{4d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)*(g*x+f)**2/(-e**2*x**2+d**2)**2,x)`

[Out]  $(-d^2g^2 - 2de^2fg - e^2f^2)/(-2d^2e^3 + 2de^4x) + (dg - e*f)^2 \log(x + (2d^3g^2 - d(dg - e*f)^2)/(d^2e^2g^2 + 2de^2fg - e^3f^2))/(4d^2e^3) + (dg + e*f)(3dg - e*f) \log(x + (2d^3g^2 - d(dg + e*f)(3dg - e*f))/(d^2e^2g^2 + 2de^2fg - e^3f^2))/(4d^2e^3)$

$$3.366 \quad \int \frac{(f+gx)^2}{(d^2-e^2x^2)^2} dx$$

Optimal. Leaf size=74

$$\frac{(ef-dg)(dg+ef) \tanh^{-1}\left(\frac{ex}{d}\right)}{2d^3e^3} + \frac{(f+gx)(d^2g+e^2fx)}{2d^2e^2(d^2-e^2x^2)}$$

**Rubi [A]** time = 0.03, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {723, 208}

$$\frac{(f+gx)(d^2g+e^2fx)}{2d^2e^2(d^2-e^2x^2)} + \frac{(ef-dg)(dg+ef) \tanh^{-1}\left(\frac{ex}{d}\right)}{2d^3e^3}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/(d^2 - e^2\*x^2)^2,x]

[Out] ((d^2\*g + e^2\*f\*x)\*(f + g\*x))/(2\*d^2\*e^2\*(d^2 - e^2\*x^2)) + ((e\*f - d\*g)\*(e\*f + d\*g)\*ArcTanh[(e\*x)/d])/(2\*d^3\*e^3)

Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 723

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m-1)\*(a\*e - c\*d\*x)\*(a + c\*x^2)^(p+1))/(2\*a\*c\*(p+1)), x] + Dist[((2\*p+3)\*(c\*d^2 + a\*e^2))/(2\*a\*c\*(p+1)), Int[(d + e\*x)^(m-2)\*(a + c\*x^2)^(p+1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c\*d^2 + a\*e^2, 0] && EqQ[m + 2\*p + 2, 0] && LtQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{(f+gx)^2}{(d^2-e^2x^2)^2} dx &= \frac{(d^2g+e^2fx)(f+gx)}{2d^2e^2(d^2-e^2x^2)} - \frac{1}{2} \left( -\frac{f^2}{d^2} + \frac{g^2}{e^2} \right) \int \frac{1}{d^2-e^2x^2} dx \\ &= \frac{(d^2g+e^2fx)(f+gx)}{2d^2e^2(d^2-e^2x^2)} + \frac{(ef-dg)(ef+dg) \tanh^{-1}\left(\frac{ex}{d}\right)}{2d^3e^3} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 85, normalized size = 1.15

$$\frac{-2d^2fg - d^2g^2x - e^2f^2x}{2d^2e^2(e^2x^2 - d^2)} - \frac{(d^2g^2 - e^2f^2) \tanh^{-1}\left(\frac{ex}{d}\right)}{2d^3e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/(d^2 - e^2\*x^2)^2,x]

[Out] (-2\*d^2\*f\*g - e^2\*f^2\*x - d^2\*g^2\*x)/(2\*d^2\*e^2\*(-d^2 + e^2\*x^2)) - ((-e^2\*f^2) + d^2\*g^2)\*ArcTanh[(e\*x)/d]/(2\*d^3\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^2}{(d^2 - e^2x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/(d^2 - e^2\*x^2)^2,x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/(d^2 - e^2\*x^2)^2, x]

**fricas [B]** time = 0.41, size = 155, normalized size = 2.09

$$\frac{4d^3efg + 2(de^3f^2 + d^3eg^2)x + (d^2e^2f^2 - d^4g^2 - (e^4f^2 - d^2e^2g^2)x^2) \log(ex + d) - (d^2e^2f^2 - d^4g^2 - (e^4f^2 - d^2e^2g^2)x^2) \log(ex - d)}{4(d^3e^5x^2 - d^5e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="fricas")

[Out] -1/4\*(4\*d^3\*e\*f\*g + 2\*(d\*e^3\*f^2 + d^3\*e\*g^2)\*x + (d^2\*e^2\*f^2 - d^4\*g^2 - (e^4\*f^2 - d^2\*e^2\*g^2)\*x^2)\*log(e\*x + d) - (d^2\*e^2\*f^2 - d^4\*g^2 - (e^4\*f^2 - d^2\*e^2\*g^2)\*x^2)\*log(e\*x - d))/(d^3\*e^5\*x^2 - d^5\*e^3)

**giac [A]** time = 0.16, size = 101, normalized size = 1.36

$$\frac{(d^2g^2 - f^2e^2)e^{(-3)} \log\left(\frac{|2xe^2 - 2|d|e|}{|2xe^2 + 2|d|e|}\right)}{4d^2|d|} - \frac{(d^2g^2x + 2d^2fg + f^2xe^2)e^{(-2)}}{2(x^2e^2 - d^2)d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(-e^2\*x^2+d^2)^2,x, algorithm="giac")

[Out]  $\frac{1}{4} \cdot (d^2 \cdot g^2 - f^2 \cdot e^2) \cdot e^{-3} \cdot \log(\text{abs}(2 \cdot x \cdot e^2 - 2 \cdot \text{abs}(d) \cdot e) / \text{abs}(2 \cdot x \cdot e^2 + 2 \cdot \text{abs}(d) \cdot e)) / (d^2 \cdot \text{abs}(d)) - \frac{1}{2} \cdot (d^2 \cdot g^2 \cdot x + 2 \cdot d^2 \cdot f \cdot g + f^2 \cdot x \cdot e^2) \cdot e^{-2} / ((x^2 \cdot e^2 - d^2) \cdot d^2)$

**maple [B]** time = 0.01, size = 180, normalized size = 2.43

$$-\frac{fg}{2(ex-d)de^2} + \frac{fg}{2(ex+d)de^2} + \frac{g^2 \ln(ex-d)}{4de^3} - \frac{g^2 \ln(ex+d)}{4de^3} - \frac{f^2}{4(ex-d)d^2e} - \frac{f^2}{4(ex+d)d^2e} - \frac{f^2 \ln(ex-d)}{4d^3e} + \frac{f^2 \ln(ex+d)}{4d^3e} - \frac{g^2}{4(ex-d)e^3} - \frac{g^2}{4(ex+d)e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((g \cdot x + f)^2 / (-e^2 \cdot x^2 + d^2)^2, x)$

[Out]  $\frac{1}{4} \cdot d / e^3 \cdot g^2 \cdot \ln(e \cdot x - d) - \frac{1}{4} \cdot d^3 / e \cdot f^2 \cdot \ln(e \cdot x - d) - \frac{1}{4} \cdot e^3 / (e \cdot x - d) \cdot g^2 - \frac{1}{2} \cdot e^2 / d \cdot (e \cdot x - d) \cdot f \cdot g - \frac{1}{4} \cdot e / d^2 \cdot (e \cdot x - d) \cdot f^2 - \frac{1}{4} \cdot d / e^3 \cdot g^2 \cdot \ln(e \cdot x + d) + \frac{1}{4} \cdot d^3 / e \cdot f^2 \cdot \ln(e \cdot x + d) - \frac{1}{4} \cdot (e \cdot x + d) / e^3 \cdot g^2 + \frac{1}{2} \cdot (e \cdot x + d) / d \cdot e^2 \cdot f \cdot g - \frac{1}{4} \cdot (e \cdot x + d) / d^2 \cdot e \cdot f^2$

**maxima [A]** time = 0.44, size = 111, normalized size = 1.50

$$-\frac{2d^2fg + (e^2f^2 + d^2g^2)x}{2(d^2e^4x^2 - d^4e^2)} + \frac{(e^2f^2 - d^2g^2) \log(ex + d)}{4d^3e^3} - \frac{(e^2f^2 - d^2g^2) \log(ex - d)}{4d^3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((g \cdot x + f)^2 / (-e^2 \cdot x^2 + d^2)^2, x, \text{algorithm}="maxima")$

[Out]  $-\frac{1}{2} \cdot (2 \cdot d^2 \cdot f \cdot g + (e^2 \cdot f^2 + d^2 \cdot g^2) \cdot x) / (d^2 \cdot e^4 \cdot x^2 - d^4 \cdot e^2) + \frac{1}{4} \cdot (e^2 \cdot f^2 - d^2 \cdot g^2) \cdot \log(e \cdot x + d) / (d^3 \cdot e^3) - \frac{1}{4} \cdot (e^2 \cdot f^2 - d^2 \cdot g^2) \cdot \log(e \cdot x - d) / (d^3 \cdot e^3)$

**mupad [B]** time = 2.61, size = 115, normalized size = 1.55

$$\frac{\frac{fg}{e^2} + \frac{x(d^2g^2 + e^2f^2)}{2d^2e^2}}{d^2 - e^2x^2} - \frac{2 \operatorname{atanh}\left(\frac{4ex\left(\frac{d^2g^2}{4} - \frac{e^2f^2}{4}\right)}{d(d^2g^2 - e^2f^2)}\right) \left(\frac{d^2g^2}{4} - \frac{e^2f^2}{4}\right)}{d^3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((f + g \cdot x)^2 / (d^2 - e^2 \cdot x^2)^2, x)$

[Out]  $\frac{(f \cdot g) / e^2 + (x \cdot (d^2 \cdot g^2 + e^2 \cdot f^2)) / (2 \cdot d^2 \cdot e^2)}{(d^2 - e^2 \cdot x^2)} - \frac{(2 \cdot \operatorname{atanh}\left(\frac{4 \cdot e \cdot x \cdot ((d^2 \cdot g^2) / 4 - (e^2 \cdot f^2) / 4)}{d \cdot (d^2 \cdot g^2 - e^2 \cdot f^2)}\right) \cdot ((d^2 \cdot g^2) / 4 - (e^2 \cdot f^2) / 4)) / (d^3 \cdot e^3)}$

**sympy [B]** time = 0.71, size = 156, normalized size = 2.11

$$\frac{-2d^2fg + x(-d^2g^2 - e^2f^2)}{-2d^4e^2 + 2d^2e^4x^2} + \frac{(dg - ef)(dg + ef) \log\left(-\frac{d(dg-ef)(dg+ef)}{e(d^2g^2 - e^2f^2)} + x\right)}{4d^3e^3} - \frac{(dg - ef)(dg + ef) \log\left(\frac{d(dg-ef)(dg+ef)}{e(d^2g^2 - e^2f^2)} + x\right)}{4d^3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*2,x)

[Out] 
$$\frac{-2d^2fg + x(-d^2g^2 - e^2f^2)}{-2d^4e^2 + 2d^2e^4x^2} + \frac{(dg - ef)(dg + ef)\log(-d(dg - ef)(dg + ef)/(e(d^2g^2 - e^2f^2)) + x)}{4d^3e^3} - \frac{(dg - ef)(dg + ef)\log(d(dg - ef)(dg + ef)/(e(d^2g^2 - e^2f^2)) + x)}{4d^3e^3}$$



$$3.367 \quad \int \frac{(f+gx)^2}{(d+ex)(d^2-e^2x^2)^2} dx$$

Optimal. Leaf size=121

$$\frac{(3ef - dg)(dg + ef) \tanh^{-1}\left(\frac{ex}{d}\right)}{8d^4e^3} + \frac{(dg + ef)^2}{8d^3e^3(d - ex)} - \frac{(ef - dg)^2}{8d^2e^3(d + ex)^2} - \frac{e^2f^2 - d^2g^2}{4d^3e^3(d + ex)}$$

**Rubi** [A] time = 0.14, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {848, 88, 208}

$$-\frac{e^2f^2 - d^2g^2}{4d^3e^3(d + ex)} - \frac{(ef - dg)^2}{8d^2e^3(d + ex)^2} + \frac{(dg + ef)^2}{8d^3e^3(d - ex)} + \frac{(3ef - dg)(dg + ef) \tanh^{-1}\left(\frac{ex}{d}\right)}{8d^4e^3}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)^2), x]

[Out] (e\*f + d\*g)^2/(8\*d^3\*e^3\*(d - e\*x)) - (e\*f - d\*g)^2/(8\*d^2\*e^3\*(d + e\*x)^2) - (e^2\*f^2 - d^2\*g^2)/(4\*d^3\*e^3\*(d + e\*x)) + ((3\*e\*f - d\*g)\*(e\*f + d\*g)\*ArcTanh[(e\*x)/d])/(8\*d^4\*e^3)

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 848

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{(f+gx)^2}{(d+ex)(d^2-e^2x^2)^2} dx &= \int \frac{(f+gx)^2}{(d-ex)^2(d+ex)^3} dx \\
&= \int \left( \frac{(ef+dg)^2}{8d^3e^2(d-ex)^2} + \frac{(-ef+dg)^2}{4d^2e^2(d+ex)^3} + \frac{e^2f^2-d^2g^2}{4d^3e^2(d+ex)^2} + \frac{(3ef-dg)(ef+dg)}{8d^3e^2(d^2-e^2x^2)} \right) dx \\
&= \frac{(ef+dg)^2}{8d^3e^3(d-ex)} - \frac{(ef-dg)^2}{8d^2e^3(d+ex)^2} - \frac{e^2f^2-d^2g^2}{4d^3e^3(d+ex)} + \frac{((3ef-dg)(ef+dg)) \int \frac{1}{d^2-e^2x^2} dx}{8d^3e^2} \\
&= \frac{(ef+dg)^2}{8d^3e^3(d-ex)} - \frac{(ef-dg)^2}{8d^2e^3(d+ex)^2} - \frac{e^2f^2-d^2g^2}{4d^3e^3(d+ex)} + \frac{(3ef-dg)(ef+dg) \tanh^{-1}\left(\frac{ex}{d}\right)}{8d^4e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 139, normalized size = 1.15

$$\frac{\frac{4d(d^2g^2-e^2f^2)}{d+ex} + (d^2g^2-2defg-3e^2f^2)\log(d-ex) + (-d^2g^2+2defg+3e^2f^2)\log(d+ex) - \frac{2d^2(ef-dg)^2}{(d+ex)^2} + \frac{2d(dg+ef)^2}{d-ex}}{16d^4e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)^2), x]

[Out] ((2\*d\*(e\*f + d\*g)^2)/(d - e\*x) - (2\*d^2\*(e\*f - d\*g)^2)/(d + e\*x)^2 + (4\*d\*(-(e^2\*f^2) + d^2\*g^2))/(d + e\*x) + (-3\*e^2\*f^2 - 2\*d\*e\*f\*g + d^2\*g^2)\*Log[d - e\*x] + (3\*e^2\*f^2 + 2\*d\*e\*f\*g - d^2\*g^2)\*Log[d + e\*x])/(16\*d^4\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f+gx)^2}{(d+ex)(d^2-e^2x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)^2), x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)^2), x]

**fricas [B]** time = 0.38, size = 417, normalized size = 3.45

$$\frac{4d^2f^2 - 8d^2fg - 4d^2g^2 - 2(3d^2fg + 2d^2f^2 - d^2g^2)^2 - 2(3d^2f^2 + 2d^2fg + 3d^2g^2)^2 - (3d^2f^2 + 2d^2fg - d^2g^2 - (3d^2f^2 + 2d^2fg - d^2g^2)^2 - (3d^2f^2 + 2d^2fg - d^2g^2)^2) \log(ex+d) + (3d^2f^2 + 2d^2fg - d^2g^2 - (3d^2f^2 + 2d^2fg - d^2g^2)^2 - (3d^2f^2 + 2d^2fg - d^2g^2)^2) \log(ex-d)}{16(d^2e^2 + d^2e^2 - d^2e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(-e^2\*x^2+d^2)^2, x, algorithm="fricas")

```
[Out] 1/16*(4*d^3*e^2*f^2 - 8*d^4*e*f*g - 4*d^5*g^2 - 2*(3*d*e^4*f^2 + 2*d^2*e^3*f*g - d^3*e^2*g^2)*x^2 - 2*(3*d^2*e^3*f^2 + 2*d^3*e^2*f*g + 3*d^4*e*g^2)*x - (3*d^3*e^2*f^2 + 2*d^4*e*f*g - d^5*g^2 - (3*e^5*f^2 + 2*d*e^4*f*g - d^2*e^3*g^2)*x^3 - (3*d*e^4*f^2 + 2*d^2*e^3*f*g - d^3*e^2*g^2)*x^2 + (3*d^2*e^3*f^2 + 2*d^3*e^2*f*g - d^4*e*g^2)*x)*log(e*x + d) + (3*d^3*e^2*f^2 + 2*d^4*e*f*g - d^5*g^2 - (3*e^5*f^2 + 2*d*e^4*f*g - d^2*e^3*g^2)*x^3 - (3*d*e^4*f^2 + 2*d^2*e^3*f*g - d^3*e^2*g^2)*x^2 + (3*d^2*e^3*f^2 + 2*d^3*e^2*f*g - d^4*e*g^2)*x)*log(e*x - d))/(d^4*e^6*x^3 + d^5*e^5*x^2 - d^6*e^4*x - d^7*e^3)
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^2/(e*x+d)/(-e^2*x^2+d^2)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (d^2*exp(1)^2*g^2-2*d*exp(1)^3*g*f+exp(1)^4*f^2)/(exp(2)^2*d^4*exp(1)-2*exp(2)*d^4*exp(1)^3+d^4*exp(1)^5)*ln(abs(x*exp(1)+d))+(-d^2*exp(1)*g^2+2*d*exp(1)^2*g*f-exp(1)^3*f^2)/(2*exp(2)^2*d^4-4*exp(2)*d^4*exp(1)^2+2*d^4*exp(1)^4)*ln(abs(-x^2*exp(2)+d^2))+exp(2)^2*f^2-exp(2)*d^2*g^2+2*exp(2)*d*exp(1)*g*f-3*exp(2)*exp(1)^2*f^2-d^2*exp(1)^2*g^2+2*d*exp(1)^3*g*f)*1/2/(2*exp(2)^2*d^3-4*exp(2)*d^3*exp(1)^2+2*d^3*exp(1)^4)/exp(1)/abs(d)*ln(abs(-2*x*exp(2)-2*exp(1)*abs(d))/abs(-2*x*exp(2)+2*exp(1)*abs(d)))-(-2*exp(2)^2*d^3*g*f+exp(2)^2*d^2*exp(1)*f^2+exp(2)*d^4*exp(1)*g^2+2*exp(2)*d^3*exp(1)^2*g*f-exp(2)*d^2*exp(1)^3*f^2-d^4*exp(1)^3*g^2+(-exp(2)^3*d*f^2-exp(2)^2*d^3*g^2+2*exp(2)^2*d^2*exp(1)*g*f+exp(2)^2*d*exp(1)^2*f^2+exp(2)*d^3*exp(1)^2*g^2-2*exp(2)*d^2*exp(1)^3*g*f)*x)/2/d^4/exp(2)/(exp(2)-exp(1)^2)^2/(-x^2*exp(2)+d^2)
```

**maple** [B] time = 0.01, size = 253, normalized size = 2.09

$$\frac{fg}{4(ex+d)^2d^2} - \frac{f^2}{8(ex+d)^2de} - \frac{g^2}{8(ex+d)^2e^3} - \frac{g^2}{8(ex-d)d^2e^3} + \frac{g^2}{4(ex+d)d^2e^3} - \frac{fg}{4(ex-d)d^2e^2} + \frac{g^2 \ln(ex-d)}{16d^2e^3} - \frac{g^2 \ln(ex+d)}{16d^2e^3} - \frac{f^2}{8(ex-d)d^2e} - \frac{f^2}{4(ex+d)d^2e} - \frac{fg \ln(ex-d)}{8d^3e^2} + \frac{fg \ln(ex+d)}{8d^3e^2} - \frac{3f^2 \ln(ex-d)}{16d^4e} + \frac{3f^2 \ln(ex+d)}{16d^4e}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x+f)^2/(e*x+d)/(-e^2*x^2+d^2)^2,x)
```

```
[Out] 1/16/d^2/e^3*g^2*ln(e*x-d)-1/8/d^3/e^2*f*g*ln(e*x-d)-3/16/d^4/e*f^2*ln(e*x-d)-1/8/e^3/d/(e*x-d)*g^2-1/4/e^2/d^2/(e*x-d)*f*g-1/8/e/d^3/(e*x-d)*f^2+1/4/(e*x+d)/d/e^3*g^2-1/4/(e*x+d)/d^3/e*f^2-1/16/d^2/e^3*g^2*ln(e*x+d)+1/8/d^3/e^2*f*g*ln(e*x+d)+3/16/d^4/e*f^2*ln(e*x+d)-1/8/(e*x+d)^2/e^3*g^2+1/4/(e*x+d)^2/d/e^2*f*g-1/8/(e*x+d)^2/d^2/e*f^2
```

**maxima** [A] time = 0.47, size = 212, normalized size = 1.75

$$\frac{2d^2e^2f^2 - 4d^3efg - 2d^4g^2 - (3e^4f^2 + 2de^3fg - d^2e^2g^2)x^2 - (3de^3f^2 + 2d^2e^2fg + 3d^3eg^2)x}{8(d^3e^6x^3 + d^4e^5x^2 - d^5e^4x - d^6e^3)} + \frac{(3e^2f^2 + 2defg - d^2g^2)\log(ex+d)}{16d^4e^3} - \frac{(3e^2f^2 + 2defg - d^2g^2)\log(ex-d)}{16d^4e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(-e^2\*x^2+d^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{8}*(2*d^2*e^2*f^2 - 4*d^3*e*f*g - 2*d^4*g^2 - (3*e^4*f^2 + 2*d*e^3*f*g - d^2*e^2*g^2)*x^2 - (3*d*e^3*f^2 + 2*d^2*e^2*f*g + 3*d^3*e*g^2)*x)/(d^3*e^6*x^3 + d^4*e^5*x^2 - d^5*e^4*x - d^6*e^3) + \frac{1}{16}*(3*e^2*f^2 + 2*d*e*f*g - d^2*g^2)*\log(e*x + d)/(d^4*e^3) - \frac{1}{16}*(3*e^2*f^2 + 2*d*e*f*g - d^2*g^2)*\log(e*x - d)/(d^4*e^3)$

**mupad [B]** time = 0.15, size = 198, normalized size = 1.64

$$\frac{\frac{d^2 g^2 + 2 d e f g - e^2 f^2}{4 d e^3} + \frac{x(3 d^2 g^2 + 2 d e f g + 3 e^2 f^2)}{8 d^2 e^2} + \frac{x^2(-d^2 g^2 + 2 d e f g + 3 e^2 f^2)}{8 d^3 e}}{d^3 + d^2 e x - d e^2 x^2 - e^3 x^3} + \frac{\operatorname{atanh}\left(\frac{e x(d g + e f)(d g - 3 e f)}{d(-d^2 g^2 + 2 d e f g + 3 e^2 f^2)}\right)(d g + e f)(d g - 3 e f)}{8 d^4 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)^2/((d^2 - e^2\*x^2)^2\*(d + e\*x)),x)

[Out]  $\frac{(d^2 g^2 - e^2 f^2 + 2 d e f g)/(4 d e^3) + (x(3 d^2 g^2 + 3 e^2 f^2 + 2 d e f g))/(8 d^2 e^2) + (x^2(3 e^2 f^2 - d^2 g^2 + 2 d e f g))/(8 d^3 e)}{(d^3 - e^3 x^3 - d e^2 x^2 + d^2 e x) + (\operatorname{atanh}((e x(d g + e f))(d g - 3 e f)))/(d(3 e^2 f^2 - d^2 g^2 + 2 d e f g))}*(d g + e f)*(d g - 3 e f)/(8 d^4 e^3)$

**sympy [B]** time = 1.26, size = 279, normalized size = 2.31

$$\frac{-2 d^4 g^2 - 4 d^3 e f g + 2 d^2 e^2 f^2 + x^2(d^2 e^2 g^2 - 2 d e^3 f g - 3 e^4 f^2) + x(-3 d^3 e g^2 - 2 d^2 e^2 f g - 3 d e^3 f^2)}{-8 d^6 e^3 - 8 d^5 e^4 x + 8 d^4 e^5 x^2 + 8 d^3 e^6 x^3} + \frac{(d g - 3 e f)(d g + e f) \log\left(-\frac{d(d g - 3 e f)(d g + e f)}{e(d^2 g^2 - 2 d e f g - 3 e^2 f^2)} + x\right)}{16 d^4 e^3} - \frac{(d g - 3 e f)(d g + e f) \log\left(\frac{d(d g - 3 e f)(d g + e f)}{e(d^2 g^2 - 2 d e f g - 3 e^2 f^2)} + x\right)}{16 d^4 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*2/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*2,x)

[Out]  $\frac{(-2*d**4*g**2 - 4*d**3*e*f*g + 2*d**2*e**2*f**2 + x**2*(d**2*e**2*g**2 - 2*d*e**3*f*g - 3*e**4*f**2) + x*(-3*d**3*e*g**2 - 2*d**2*e**2*f*g - 3*d*e**3*f**2))/( -8*d**6*e**3 - 8*d**5*e**4*x + 8*d**4*e**5*x**2 + 8*d**3*e**6*x**3) + (d*g - 3*e*f)*(d*g + e*f)*\log(-d*(d*g - 3*e*f)*(d*g + e*f)/(e*(d**2*g**2 - 2*d*e*f*g - 3*e**2*f**2)) + x)/(16*d**4*e**3) - (d*g - 3*e*f)*(d*g + e*f)*\log(d*(d*g - 3*e*f)*(d*g + e*f)/(e*(d**2*g**2 - 2*d*e*f*g - 3*e**2*f**2)) + x)/(16*d**4*e**3)$

$$3.368 \quad \int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)^2} dx$$

**Optimal.** Leaf size=146

$$\frac{f(dg+ef) \tanh^{-1}\left(\frac{ex}{d}\right)}{4d^5e^2} + \frac{(dg+ef)^2}{16d^4e^3(d-ex)} - \frac{(3ef-dg)(dg+ef)}{16d^4e^3(d+ex)} - \frac{(ef-dg)^2}{12d^2e^3(d+ex)^3} - \frac{e^2f^2-d^2g^2}{8d^3e^3(d+ex)^2}$$

**Rubi [A]** time = 0.16, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {848, 88, 208}

$$-\frac{e^2f^2-d^2g^2}{8d^3e^3(d+ex)^2} - \frac{(ef-dg)^2}{12d^2e^3(d+ex)^3} + \frac{(dg+ef)^2}{16d^4e^3(d-ex)} - \frac{(3ef-dg)(dg+ef)}{16d^4e^3(d+ex)} + \frac{f(dg+ef) \tanh^{-1}\left(\frac{ex}{d}\right)}{4d^5e^2}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)^2), x]

[Out] (e\*f + d\*g)^2/(16\*d^4\*e^3\*(d - e\*x)) - (e\*f - d\*g)^2/(12\*d^2\*e^3\*(d + e\*x)^3) - (e^2\*f^2 - d^2\*g^2)/(8\*d^3\*e^3\*(d + e\*x)^2) - ((3\*e\*f - d\*g)\*(e\*f + d\*g))/(16\*d^4\*e^3\*(d + e\*x)) + (f\*(e\*f + d\*g)\*ArcTanh[(e\*x)/d])/(4\*d^5\*e^2)

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 848

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

### Rubi steps

$$\int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)^2} dx = \int \frac{(f+gx)^2}{(d-ex)^2(d+ex)^4} dx$$

$$= \int \left( \frac{(ef+dg)^2}{16d^4e^2(d-ex)^2} + \frac{(-ef+dg)^2}{4d^2e^2(d+ex)^4} + \frac{e^2f^2-d^2g^2}{4d^3e^2(d+ex)^3} + \frac{(3ef-dg)(ef+dg)}{16d^4e^2(d+ex)^2} + \frac{f(ef+dg)}{16d^4e^3(d+ex)} \right) dx$$

$$= \frac{(ef+dg)^2}{16d^4e^3(d-ex)} - \frac{(ef-dg)^2}{12d^2e^3(d+ex)^3} - \frac{e^2f^2-d^2g^2}{8d^3e^3(d+ex)^2} - \frac{(3ef-dg)(ef+dg)}{16d^4e^3(d+ex)} + \frac{f(ef+dg)}{16d^4e^3(d+ex)}$$

$$= \frac{(ef+dg)^2}{16d^4e^3(d-ex)} - \frac{(ef-dg)^2}{12d^2e^3(d+ex)^3} - \frac{e^2f^2-d^2g^2}{8d^3e^3(d+ex)^2} - \frac{(3ef-dg)(ef+dg)}{16d^4e^3(d+ex)} + \frac{f(ef+dg)}{16d^4e^3(d+ex)}$$

**Mathematica [A]** time = 0.09, size = 171, normalized size = 1.17

$$\frac{2d(2d^5g^2 + 2d^4eg(f + 2gx) + d^3e^2f(gx - 4f) + d^2e^3fx(f + 6gx) + 3de^4fx^2(2f + gx) + 3e^5f^2x^3) + 3ef(ex - d)(d + ex)^3(dg + ef)\log(d - ex) + 3ef(d - ex)(d + ex)^3(dg + ef)\log(d + ex)}{24d^5e^3(d - ex)(d + ex)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)^2), x]

[Out] (2\*d\*(2\*d^5\*g^2 + 3\*e^5\*f^2\*x^3 + d^3\*e^2\*f\*(-4\*f + g\*x) + 3\*d\*e^4\*f\*x^2\*(2\*f + g\*x) + 2\*d^4\*e\*g\*(f + 2\*g\*x) + d^2\*e^3\*f\*x\*(f + 6\*g\*x)) + 3\*e\*f\*(e\*f + d\*g)\*(-d + e\*x)\*(d + e\*x)^3\*Log[d - e\*x] + 3\*e\*f\*(e\*f + d\*g)\*(d - e\*x)\*(d + e\*x)^3\*Log[d + e\*x])/(24\*d^5\*e^3\*(d - e\*x)\*(d + e\*x)^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)^2), x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)^2), x]

**fricas [B]** time = 0.38, size = 337, normalized size = 2.31

$$\frac{8d^4e^2f^2 - 4d^4efg - 4d^4g^2 - 6(d^2e^2f + d^2e^2fg)^2 - 12(d^2e^2f^2 + d^2e^2fg)^2 - 2(d^2e^2f^2 + d^2e^2fg + 4d^4eg^2)x - 3(d^2e^2f^2 + d^2efg - (e^2f^2 + d^2fg)^2 - 2(d^2e^2f^2 + d^2efg)x) \log(ex + d) + 3(d^2e^2f^2 + d^2efg - (e^2f^2 + d^2fg)^2 - 2(d^2e^2f^2 + d^2efg)x) \log(ex - d)}{24(d^2e^2x^2 + 2d^2e^2x - 2d^2e^2 - d^2e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^2/(-e^2\*x^2+d^2)^2,x, algorithm="fricas")

```
[Out] 1/24*(8*d^4*e^2*f^2 - 4*d^5*e*f*g - 4*d^6*g^2 - 6*(d*e^5*f^2 + d^2*e^4*f*g)
*x^3 - 12*(d^2*e^4*f^2 + d^3*e^3*f*g)*x^2 - 2*(d^3*e^3*f^2 + d^4*e^2*f*g +
4*d^5*e*g^2)*x - 3*(d^4*e^2*f^2 + d^5*e*f*g - (e^6*f^2 + d*e^5*f*g)*x^4 - 2
*(d*e^5*f^2 + d^2*e^4*f*g)*x^3 + 2*(d^3*e^3*f^2 + d^4*e^2*f*g)*x)*log(e*x +
d) + 3*(d^4*e^2*f^2 + d^5*e*f*g - (e^6*f^2 + d*e^5*f*g)*x^4 - 2*(d*e^5*f^2
+ d^2*e^4*f*g)*x^3 + 2*(d^3*e^3*f^2 + d^4*e^2*f*g)*x)*log(e*x - d))/(d^5*e
^7*x^4 + 2*d^6*e^6*x^3 - 2*d^8*e^4*x - d^9*e^3)
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^2/(e*x+d)^2/(-e^2*x^2+d^2)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: (- (ex
p(1)*x+d)^-1/exp(1)*g^2*d^2*exp(1)^6+2*(exp(1)*x+d)^-1/exp(1)*g*d*exp(1)^7*
f-(exp(1)*x+d)^-1/exp(1)*exp(1)^8*f^2)/(d^4*exp(1)^8-2*d^4*exp(1)^6*exp(2)+
d^4*exp(1)^4*exp(2)^2)-((-g^2*d^3*exp(1)^6-6*g^2*d^3*exp(1)^4*exp(2)-g^2*d
^3*exp(1)^2*exp(2)^2+8*g*d^2*exp(1)^5*exp(2)*f+8*g*d^2*exp(1)^3*exp(2)^2*f-
d*exp(1)^6*exp(2)*f^2-6*d*exp(1)^4*exp(2)^2*f^2-d*exp(1)^2*exp(2)^3*f^2)/(e
xp(1)^2-exp(2))* (exp(1)*x+d)^-1/exp(1)+(-3*g^2*d^2*exp(1)^3*exp(2)-g^2*d^2*
exp(1)*exp(2)^2+2*g*d*exp(1)^4*exp(2)*f+6*g*d*exp(1)^2*exp(2)^2*f-3*exp(1)^
3*exp(2)^2*f^2-exp(1)*exp(2)^3*f^2)/(exp(1)^2-exp(2))/2/d^5/(exp(2)-exp(1)
^2)^2/(-(-exp(1)*x+d)^-1/exp(1))^2*d^2*exp(1)^4+(-exp(1)*x+d)^-1/exp(1))^
2*d^2*exp(1)^2*exp(2)-2*(exp(1)*x+d)^-1/exp(1)*d*exp(1)*exp(2)+exp(2))+ (g^2
*d^2*exp(1)^3+g^2*d^2*exp(1)*exp(2)-g*d*exp(1)^4*f-3*g*d*exp(1)^2*f*exp(2)+
2*exp(1)^3*f^2*exp(2))/(d^5*exp(1)^6-3*d^5*exp(1)^4*exp(2)+3*d^5*exp(1)^2*e
xp(2)^2-d^5*exp(2)^3)*ln(abs(-(-exp(1)*x+d)^-1/exp(1))^2*d^2*exp(1)^4+(-e
xp(1)*x+d)^-1/exp(1))^2*d^2*exp(1)^2*exp(2)-2*(exp(1)*x+d)^-1/exp(1)*d*exp(
1)*exp(2)+exp(2))+(-g^2*d^2*exp(1)^6-6*g^2*d^2*exp(1)^4*exp(2)-g^2*d^2*exp
(1)^2*exp(2)^2+12*g*d*exp(1)^5*f*exp(2)+4*g*d*exp(1)^3*f*exp(2)^2-3*exp(1)^
6*f^2*exp(2)-6*exp(1)^4*f^2*exp(2)^2+exp(1)^2*f^2*exp(2)^3)/2/(2*d^4*exp(1)
^6-6*d^4*exp(1)^4*exp(2)+6*d^4*exp(1)^2*exp(2)^2-2*d^4*exp(2)^3)/exp(1)/abs
(d)/exp(1)^2*ln(abs(2*(exp(1)*x+d)^-1/exp(1)*d^2*exp(1)^4-2*(exp(1)*x+d)^-1
/exp(1)*d^2*exp(1)^2*exp(2)+2*d*exp(1)*exp(2)-2*exp(1)*abs(d)*exp(1)^2)/abs
(2*(exp(1)*x+d)^-1/exp(1)*d^2*exp(1)^4-2*(exp(1)*x+d)^-1/exp(1)*d^2*exp(1)^
2*exp(2)+2*d*exp(1)*exp(2)+2*exp(1)*abs(d)*exp(1)^2))
```

**maple** [A] time = 0.02, size = 270, normalized size = 1.85

$$\frac{fg}{6(ex+d)^3 d^2} - \frac{f^2}{12(ex+d)^3 d^2} - \frac{g^2}{12(ex+d)^3 e^3} + \frac{g^2}{8(ex+d)^2 d^2} - \frac{f^2}{8(ex+d)^2 d^2} - \frac{g^2}{16(ex-d)^2 e^3} + \frac{g^2}{16(ex+d)^2 d^2} - \frac{fg}{8(ex-d)^2 d^2} - \frac{fg}{8(ex+d)^2 d^2} - \frac{f^2}{16(ex-d)^2 d^2} - \frac{3f^2}{16(ex+d)^2 d^2} - \frac{fg \ln(ex-d)}{8d^4 e^2} + \frac{fg \ln(ex+d)}{8d^4 e^2} - \frac{f^2 \ln(ex-d)}{8d^2 e} + \frac{f^2 \ln(ex+d)}{8d^2 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x+f)^2/(e*x+d)^2/(-e^2*x^2+d^2)^2,x)`

[Out] 
$$-1/16/e^3/d^2/(e*x-d)*g^2-1/8/e^2/d^3/(e*x-d)*f*g-1/16/e/d^4/(e*x-d)*f^2-1/8/d^4/e^2*f*g*\ln(e*x-d)-1/8/d^5/e*f^2*\ln(e*x-d)+1/8/(e*x+d)^2/d/e^3*g^2-1/8/(e*x+d)^2/d^3/e*f^2+1/16/(e*x+d)/d^2/e^3*g^2-1/8/(e*x+d)/d^3/e^2*f*g-3/16/(e*x+d)/d^4/e*f^2-1/12/(e*x+d)^3/e^3*g^2+1/6/(e*x+d)^3/d/e^2*f*g-1/12/(e*x+d)^3/d^2/e*f^2+1/8/d^4/e^2*f*g*\ln(e*x+d)+1/8/d^5/e*f^2*\ln(e*x+d)$$

**maxima** [A] time = 0.48, size = 197, normalized size = 1.35

$$\frac{4d^3e^2f^2 - 2d^4efg - 2d^5g^2 - 3(e^5f^2 + de^4fg)x^3 - 6(de^4f^2 + d^2e^3fg)x^2 - (d^2e^3f^2 + d^3e^2fg + 4d^4eg^2)x}{12(d^4e^7x^4 + 2d^5e^6x^3 - 2d^7e^4x - d^8e^3)} + \frac{(ef^2 + dfg)\log(ex + d)}{8d^5e^2} - \frac{(ef^2 + dfg)\log(ex - d)}{8d^5e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)^2/(e*x+d)^2/(-e^2*x^2+d^2)^2,x, algorithm="maxima")`

[Out] 
$$\frac{1/12*(4*d^3*e^2*f^2 - 2*d^4*e*f*g - 2*d^5*g^2 - 3*(e^5*f^2 + d*e^4*f*g)*x^3 - 6*(d*e^4*f^2 + d^2*e^3*f*g)*x^2 - (d^2*e^3*f^2 + d^3*e^2*f*g + 4*d^4*e*g^2)*x)/(d^4*e^7*x^4 + 2*d^5*e^6*x^3 - 2*d^7*e^4*x - d^8*e^3) + 1/8*(e*f^2 + d*f*g)*\log(e*x + d)/(d^5*e^2) - 1/8*(e*f^2 + d*f*g)*\log(e*x - d)/(d^5*e^2)}$$

**mupad** [B] time = 2.63, size = 148, normalized size = 1.01

$$\frac{\frac{d^2g^2+defg-2e^2f^2}{6de^3} + \frac{fx^2(dg+ef)}{2d^3} + \frac{x(4d^2g^2+defg+e^2f^2)}{12d^2e^2} + \frac{efx^3(dg+ef)}{4d^4}}{d^4 + 2d^3ex - 2de^3x^3 - e^4x^4} + \frac{f \operatorname{atanh}\left(\frac{ex}{d}\right)(dg + ef)}{4d^5e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)^2/((d^2 - e^2*x^2)^2*(d + e*x)^2),x)`

[Out] 
$$\frac{(d^2g^2 - 2e^2f^2 + d*efg)/(6d^3e^3) + (f*x^2*(d*g + e*f))/(2*d^3) + (x*(4*d^2*g^2 + e^2*f^2 + d*efg))/(12*d^2*e^2) + (e*f*x^3*(d*g + e*f))/(4*d^4)}{(d^4 - e^4*x^4 - 2*d*e^3*x^3 + 2*d^3*e*x)} + \frac{(f*\operatorname{atanh}((e*x)/d)*(d*g + e*f))/(4*d^5*e^2)}$$

**sympy** [A] time = 1.36, size = 241, normalized size = 1.65

$$\frac{-2d^5g^2 - 2d^4efg + 4d^3e^2f^2 + x^3(-3de^4fg - 3e^5f^2) + x^2(-6d^2e^3fg - 6de^4f^2) + x(-4d^4eg^2 - d^3e^2fg - d^2e^3f^2)}{-12d^8e^3 - 24d^7e^4x + 24d^5e^6x^3 + 12d^4e^7x^4} - \frac{f(dg + ef)\log\left(-\frac{df(dg+ef)}{e(dfg+ef^2)} + x\right)}{8d^5e^2} + \frac{f(dg + ef)\log\left(\frac{df(dg+ef)}{e(dfg+ef^2)} + x\right)}{8d^5e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**2/(e*x+d)**2/(-e**2*x**2+d**2)**2,x)`

[Out] 
$$\frac{(-2*d**5*g**2 - 2*d**4*e*f*g + 4*d**3*e**2*f**2 + x**3*(-3*d*e**4*f*g - 3*e**5*f**2) + x**2*(-6*d**2*e**3*f*g - 6*d*e**4*f**2) + x*(-4*d**4*e*g**2 - d**3*e**2*f*g - d**2*e**3*f**2))/(-12*d**8*e**3 - 24*d**7*e**4*x + 24*d**5*e**6)}$$



$$\begin{aligned} & **6*x**3 + 12*d**4*e**7*x**4) - f*(d*g + e*f)*\log(-d*f*(d*g + e*f)/(e*(d*f* \\ & g + e*f**2)) + x)/(8*d**5*e**2) + f*(d*g + e*f)*\log(d*f*(d*g + e*f)/(e*(d*f \\ & *g + e*f**2)) + x)/(8*d**5*e**2) \end{aligned}$$

$$3.369 \quad \int \frac{(f+gx)^2}{(d+ex)^3(d^2-e^2x^2)^2} dx$$

**Optimal.** Leaf size=178

$$\frac{(dg+ef)(dg+5ef)\tanh^{-1}\left(\frac{ex}{d}\right)}{32d^6e^3} + \frac{(dg+ef)^2}{32d^5e^3(d-ex)} - \frac{f(dg+ef)}{8d^5e^2(d+ex)} - \frac{(3ef-dg)(dg+ef)}{32d^4e^3(d+ex)^2} - \frac{(ef-dg)^2}{16d^2e^3(d+ex)^4} - \frac{e^2f^2}{12d^3e^3}$$

**Rubi [A]** time = 0.20, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {848, 88, 208}

$$-\frac{e^2f^2-d^2g^2}{12d^3e^3(d+ex)^3} - \frac{(ef-dg)^2}{16d^2e^3(d+ex)^4} + \frac{(dg+ef)^2}{32d^5e^3(d-ex)} - \frac{f(dg+ef)}{8d^5e^2(d+ex)} - \frac{(3ef-dg)(dg+ef)}{32d^4e^3(d+ex)^2} + \frac{(dg+ef)(dg+5ef)\tanh^{-1}\left(\frac{ex}{d}\right)}{32d^6e^3}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)^3\*(d^2 - e^2\*x^2)^2), x]

[Out] (e\*f + d\*g)^2/(32\*d^5\*e^3\*(d - e\*x)) - (e\*f - d\*g)^2/(16\*d^2\*e^3\*(d + e\*x)^4) - (e^2\*f^2 - d^2\*g^2)/(12\*d^3\*e^3\*(d + e\*x)^3) - ((3\*e\*f - d\*g)\*(e\*f + d\*g))/(32\*d^4\*e^3\*(d + e\*x)^2) - (f\*(e\*f + d\*g))/(8\*d^5\*e^2\*(d + e\*x)) + ((e\*f + d\*g)\*(5\*e\*f + d\*g)\*ArcTanh[(e\*x)/d])/(32\*d^6\*e^3)

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[(d + e\*x)^(m+p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

### Rubi steps

$$\begin{aligned}
\int \frac{(f + gx)^2}{(d + ex)^3 (d^2 - e^2 x^2)^2} dx &= \int \frac{(f + gx)^2}{(d - ex)^2 (d + ex)^5} dx \\
&= \int \left( \frac{(ef + dg)^2}{32d^5 e^2 (d - ex)^2} + \frac{(-ef + dg)^2}{4d^2 e^2 (d + ex)^5} + \frac{e^2 f^2 - d^2 g^2}{4d^3 e^2 (d + ex)^4} + \frac{(3ef - dg)(ef + dg)}{16d^4 e^2 (d + ex)^3} + \frac{f}{8d} \right) dx \\
&= \frac{(ef + dg)^2}{32d^5 e^3 (d - ex)} - \frac{(ef - dg)^2}{16d^2 e^3 (d + ex)^4} - \frac{e^2 f^2 - d^2 g^2}{12d^3 e^3 (d + ex)^3} - \frac{(3ef - dg)(ef + dg)}{32d^4 e^3 (d + ex)^2} - \frac{f}{8d} \\
&= \frac{(ef + dg)^2}{32d^5 e^3 (d - ex)} - \frac{(ef - dg)^2}{16d^2 e^3 (d + ex)^4} - \frac{e^2 f^2 - d^2 g^2}{12d^3 e^3 (d + ex)^3} - \frac{(3ef - dg)(ef + dg)}{32d^4 e^3 (d + ex)^2} - \frac{f}{8d}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 195, normalized size = 1.10

$$\frac{-\frac{12d^4(ef-dg)^2}{(d+ex)^4} + \frac{6d^2(d^2g^2-2defg-3e^2f^2)}{(d+ex)^2} - 3(d^2g^2 + 6defg + 5e^2f^2)\log(d-ex) + 3(d^2g^2 + 6defg + 5e^2f^2)\log(d+ex) + \frac{16d^3(d^2g^2-e^2f^2)}{(d+ex)^3} + \frac{6d(dg+ef)^2}{d-ex} - \frac{24def(dg+ef)}{d+ex}}{192d^6e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)^3\*(d^2 - e^2\*x^2)^2), x]

[Out] ((6\*d\*(e\*f + d\*g)^2)/(d - e\*x) - (12\*d^4\*(e\*f - d\*g)^2)/(d + e\*x)^4 + (16\*d^3\*(-(e^2\*f^2) + d^2\*g^2))/(d + e\*x)^3 + (6\*d^2\*(-3\*e^2\*f^2 - 2\*d\*e\*f\*g + d^2\*g^2))/(d + e\*x)^2 - (24\*d\*e\*f\*(e\*f + d\*g))/(d + e\*x) - 3\*(5\*e^2\*f^2 + 6\*d\*e\*f\*g + d^2\*g^2)\*Log[d - e\*x] + 3\*(5\*e^2\*f^2 + 6\*d\*e\*f\*g + d^2\*g^2)\*Log[d + e\*x])/(192\*d^6\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^2}{(d + ex)^3 (d^2 - e^2 x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^3\*(d^2 - e^2\*x^2)^2), x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^3\*(d^2 - e^2\*x^2)^2), x]

**fricas [B]** time = 0.40, size = 648, normalized size = 3.64

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^3/(-e^2\*x^2+d^2)^2,x, algorithm="fricas")

[Out]  $\frac{1}{192} \cdot (64d^5e^2f^2 - 16d^7g^2 - 6(5d^4e^6f^2 + 6d^2e^5fg + d^3e^4g^2)x^4 - 18(5d^2e^5f^2 + 6d^3e^4fg + d^4e^3g^2)x^3 - 14(5d^3e^4f^2 + 6d^4e^3fg + d^5e^2g^2)x^2 + 6(5d^4e^3f^2 + 6d^5e^2fg - 7d^6eg^2)x - 3(5d^5e^2f^2 + 6d^6efg + d^7g^2 - (5e^7f^2 + 6de^6fg + d^2e^5g^2)x^5 - 3(5d^4e^6f^2 + 6d^2e^5fg + d^3e^4g^2)x^4 - 2(5d^2e^5f^2 + 6d^3e^4fg + d^4e^3g^2)x^3 + 2(5d^3e^4f^2 + 6d^4e^3fg + d^5e^2g^2)x^2 + 3(5d^4e^3f^2 + 6d^5e^2fg + d^6eg^2)x) \cdot \log(ex + d) + 3(5d^5e^2f^2 + 6d^6efg + d^7g^2 - (5e^7f^2 + 6de^6fg + d^2e^5g^2)x^5 - 3(5d^4e^6f^2 + 6d^2e^5fg + d^3e^4g^2)x^4 - 2(5d^2e^5f^2 + 6d^3e^4fg + d^4e^3g^2)x^3 + 2(5d^3e^4f^2 + 6d^4e^3fg + d^5e^2g^2)x^2 + 3(5d^4e^3f^2 + 6d^5e^2fg + d^6eg^2)x) \cdot \log(ex - d)) / (d^6e^8x^5 + 3d^7e^7x^4 + 2d^8e^6x^3 - 2d^9e^5x^2 - 3d^{10}e^4x - d^{11}e^3)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^3/(-e^2\*x^2+d^2)^2,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output:  $(-3e^{xp(2)^2}d^2 \exp(1)g^2 + 12 \exp(2)^2 d \exp(1)^2 g^2 f - 10 \exp(2)^2 \exp(1)^3 f^2 - 8 \exp(2) d^2 \exp(1)^3 g^2 + 12 \exp(2) d \exp(1)^4 g^2 f - 2 \exp(2) \exp(1)^5 f^2 - d^2 \exp(1)^5 g^2) / (2 \exp(2)^4 d^6 - 8 \exp(2)^3 d^6 \exp(1)^2 + 12 \exp(2)^2 d^6 \exp(1)^4 - 8 \exp(2) d^6 \exp(1)^6 + 2 d^6 \exp(1)^8) \cdot \ln(\text{abs}(-x^2 \exp(2) + d^2)) + (\exp(2)^4 f^2 - \exp(2)^3 d^2 g^2 + 6 \exp(2)^3 d \exp(1) g^2 f - 10 \exp(2)^3 \exp(1)^2 f^2 - 14 \exp(2)^2 d^2 \exp(1)^2 g^2 + 36 \exp(2)^2 d \exp(1)^3 g^2 f - 15 \exp(2)^2 \exp(1)^4 f^2 - 9 \exp(2) d^2 \exp(1)^4 g^2 + 6 \exp(2) d \exp(1)^5 g^2 f) \cdot 1/2 / (2 \exp(2)^4 d^5 - 8 \exp(2)^3 d^5 \exp(1)^2 + 12 \exp(2)^2 d^5 \exp(1)^4 - 8 \exp(2) d^5 \exp(1)^6 + 2 d^5 \exp(1)^8) / \exp(1) / \text{abs}(d) \cdot \ln(\text{abs}(-2x \exp(2) - 2 \exp(1) \text{abs}(d)) / \text{abs}(-2x \exp(2) + 2 \exp(1) \text{abs}(d))) + (3 \exp(2)^2 d^2 \exp(1)^2 g^2 - 12 \exp(2)^2 d \exp(1)^3 g^2 f + 10 \exp(2)^2 \exp(1)^4 f^2 + 8 \exp(2) d^2 \exp(1)^4 g^2 - 12 \exp(2) d \exp(1)^5 g^2 f + 2 \exp(2) \exp(1)^6 f^2 + d^2 \exp(1)^6 g^2) / (\exp(2)^4 d^6 \exp(1) - 4 \exp(2)^3 d^6 \exp(1)^3 + 6 \exp(2)^2 d^6 \exp(1)^5 - 4 \exp(2) d^6 \exp(1)^7 + d^6 \exp(1)^9) \cdot \ln(\text{abs}(x \exp(1) + d)) - ((-\exp(2)^4 d \exp(1)^2 f^2 - 5 \exp(2)^3 d^3 \exp(1)^2 g^2 + 18 \exp(2)^3 d^2 \exp(1)^3 g^2 f - 10 \exp(2)^3 d \exp(1)^4 f^2 - 2 \exp(2)^2 d^3 \exp(1)^4 g^2 - 12 \exp(2)^2 d^2 \exp(1)^5 g^2 f + 11 \exp(2)^2 d \exp(1)^6 f^2 + 7 \exp(2) d^3 \exp(1)^6 g^2 - 6 \exp(2) d^2 \exp(1)^7 g^2 f) \cdot x^3 + (-2 \exp(2)^4 d^2 \exp(1) f^2 - 7 \exp(2)^3 d^4 \exp(1) g^2 + 24 \exp(2)^3 d^3 \exp(1)^2 g^2 f - 10 \exp(2)^3 d^2 \exp(1)^3 f^2 + \exp(2)^2 d^4 \exp(1)^3 g^2 - 24 \exp(2)^2 d^3 \exp(1)^4 g^2 f + 14 \exp(2)^2 d^2 \exp(1)^5 f^2 + 7 \exp(2) d^4 \exp(1)^5 g^2 - 2 \exp(2) d^2 \exp(1)^7 f^2 - d^4 \exp(1)^7 g^2) \cdot x^2 + (-\exp(2)^4 d^3 f^2 - \exp(2)^3 d^5 g^2 + 2 \exp(2)^3 d^4 \exp(1) g$

$f+4\exp(2)^3d^3\exp(1)^2f^2+8\exp(2)^2d^5\exp(1)^2g^2-24\exp(2)^2d^4\exp(1)^3gf+7\exp(2)^2d^3\exp(1)^4f^2-\exp(2)d^5\exp(1)^4g^2+18\exp(2)d^4\exp(1)^5gf-10\exp(2)d^3\exp(1)^6f^2-6d^5\exp(1)^6g^2+4d^4\exp(1)^7gf) x-2\exp(2)^3d^5gf+3\exp(2)^3d^4\exp(1)f^2+8\exp(2)^2d^6\exp(1)g^2-18\exp(2)^2d^5\exp(1)^2gf+7\exp(2)^2d^4\exp(1)^3f^2-4\exp(2)d^6\exp(1)^3g^2+18\exp(2)d^5\exp(1)^4gf-11\exp(2)d^4\exp(1)^5f^2-4d^6\exp(1)^5g^2+2d^5\exp(1)^6gf+d^4\exp(1)^7f^2)/2/d^6/(\exp(2)-\exp(1)^2)^4/(-x\exp(1)-d)^2/(-x^2\exp(2)+d^2)$

**maple [B]** time = 0.02, size = 341, normalized size = 1.92

$$\frac{fg}{8(\alpha+d)^2d^2} - \frac{f^2}{16(\alpha+d)^2d^2} - \frac{g^2}{16(\alpha+d)^2d^2} + \frac{f^2}{12(\alpha+d)^2d^2} - \frac{f^2}{12(\alpha+d)^2d^2} + \frac{g^2}{32(\alpha+d)^2d^2} - \frac{fg}{16(\alpha+d)^2d^2} - \frac{3f^2}{32(\alpha+d)^2d^2} - \frac{g^2}{32(\alpha-d)d^2} - \frac{fg}{16(\alpha-d)d^2} - \frac{fg}{8(\alpha+d)d^2} - \frac{g^2 \ln(\alpha-d)}{64d^2} + \frac{g^2 \ln(\alpha+d)}{64d^2} - \frac{f^2}{32(\alpha-d)d^2} - \frac{f^2}{8(\alpha+d)d^2} - \frac{3fg \ln(\alpha-d)}{32d^2} + \frac{3fg \ln(\alpha+d)}{32d^2} - \frac{5f^2 \ln(\alpha-d)}{64d^2} + \frac{5f^2 \ln(\alpha+d)}{64d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((g*x+f)^2/(e*x+d)^3/(-e^2*x^2+d^2)^2, x)$

[Out]  $-1/64/e^3/d^4*\ln(e*x-d)*g^2-3/32/e^2/d^5*\ln(e*x-d)*f*g-5/64/e/d^6*\ln(e*x-d)*f^2-1/32/e^3/d^3/(e*x-d)*g^2-1/16/e^2/d^4/(e*x-d)*f*g-1/32/e/d^5/(e*x-d)*f^2+1/64/e^3/d^4*\ln(e*x+d)*g^2+3/32/e^2/d^5*\ln(e*x+d)*f*g+5/64/e/d^6*\ln(e*x+d)*f^2+1/12/e^3/d/(e*x+d)^3*g^2-1/12/e/d^3/(e*x+d)^3*f^2+1/32/e^3/d^2/(e*x+d)^2*g^2-1/16/e^2/d^3/(e*x+d)^2*f*g-3/32/e/d^4/(e*x+d)^2*f^2-1/16/e^3/(e*x+d)^4*g^2+1/8/e^2/d/(e*x+d)^4*f*g-1/16/e/d^2/(e*x+d)^4*f^2-1/8/e^2*f/d^4/(e*x+d)*g-1/8/e*f^2/d^5/(e*x+d)$

**maxima [A]** time = 0.50, size = 298, normalized size = 1.67

$$\frac{32d^4e^2f^2-8d^6g^2-3(5d^6f^2+6d^6efg+d^6e^2g^2)x^4-9(5d^6f^2+6d^6efg+d^6e^2g^2)x^3-7(5d^6f^2+6d^6efg+d^6e^2g^2)x^2+3(5d^6f^2+6d^6efg-7d^6eg^2)x}{96(d^6e^2x^5+3d^6e^2x^4+2d^7e^2x^3-2d^8e^2x^2-3d^9e^2x-d^{10}e^3)} + \frac{(5e^2f^2+6defg+d^2g^2)\log(\alpha+d)}{64d^6e^3} - \frac{(5e^2f^2+6defg+d^2g^2)\log(\alpha-d)}{64d^6e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((g*x+f)^2/(e*x+d)^3/(-e^2*x^2+d^2)^2, x, \text{algorithm}="maxima")$

[Out]  $1/96*(32*d^4*e^2*f^2 - 8*d^6*g^2 - 3*(5*e^6*f^2 + 6*d*e^5*f*g + d^2*e^4*g^2)*x^4 - 9*(5*d*e^5*f^2 + 6*d^2*e^4*f*g + d^3*e^3*g^2)*x^3 - 7*(5*d^2*e^4*f^2 + 6*d^3*e^3*f*g + d^4*e^2*g^2)*x^2 + 3*(5*d^3*e^3*f^2 + 6*d^4*e^2*f*g - 7*d^5*e*g^2)*x)/(d^5*e^8*x^5 + 3*d^6*e^7*x^4 + 2*d^7*e^6*x^3 - 2*d^8*e^5*x^2 - 3*d^9*e^4*x - d^{10}*e^3) + 1/64*(5*e^2*f^2 + 6*d*e*f*g + d^2*g^2)*\log(e*x + d)/(d^6*e^3) - 1/64*(5*e^2*f^2 + 6*d*e*f*g + d^2*g^2)*\log(e*x - d)/(d^6*e^3)$

**mupad [B]** time = 2.70, size = 274, normalized size = 1.54

$$\frac{d^2g^2-4e^2f^2}{12d^2e^3} + \frac{3x^3(d^2g^2+6defg+5e^2f^2)}{32d^4} + \frac{e^4(d^2g^2+6defg+5e^2f^2)}{32d^5} - \frac{x(-7d^2g^2+6defg+5e^2f^2)}{32d^2e^2} + \frac{7x^2(d^2g^2+6defg+5e^2f^2)}{96d^3e} + \frac{\operatorname{atanh}\left(\frac{ex(dg+ef)(dg+5ef)}{d(d^2g^2+6defg+5e^2f^2)}\right)(dg+ef)(dg+5ef)}{32d^6e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)^2/((d^2 - e^2*x^2)^2*(d + e*x)^3),x)`

[Out] 
$$\begin{aligned} & ((d^2 * g^2 - 4 * e^2 * f^2) / (12 * d * e^3) + (3 * x^3 * (d^2 * g^2 + 5 * e^2 * f^2 + 6 * d * e * f * g)) / (32 * d^4) \\ & + (e * x^4 * (d^2 * g^2 + 5 * e^2 * f^2 + 6 * d * e * f * g)) / (32 * d^5) - (x * (5 * e^2 * f^2 - 7 * d^2 * g^2 + 6 * d * e * f * g)) / (32 * d^2 * e^2) \\ & + (7 * x^2 * (d^2 * g^2 + 5 * e^2 * f^2 + 6 * d * e * f * g)) / (96 * d^3 * e)) / (d^5 - e^5 * x^5 - 3 * d * e^4 * x^4 + 2 * d^3 * e^2 * x^2 - 2 * d^2 * e^3 * x^3 + 3 * d^4 * e * x) \\ & + (\operatorname{atanh}((e * x * (d * g + e * f)) * (d * g + 5 * e * f)) / (d * (d^2 * g^2 + 5 * e^2 * f^2 + 6 * d * e * f * g))) * (d * g + e * f) * (d * g + 5 * e * f)) / (32 * d^6 * e^3) \end{aligned}$$

**sympy** [B] time = 1.93, size = 376, normalized size = 2.11

$$\frac{-8d^6g^2 + 32d^4e^2f^2 + x^4(-3d^2e^4g^2 - 18d^2fg - 15d^2f^2) + x^3(-9d^2e^2g^2 - 54d^2e^2fg - 45d^2f^2) + x^2(-7d^4e^2g^2 - 42d^2e^2fg - 35d^2e^2f^2) + x(-21d^6eg^2 + 18d^4e^2fg + 15d^2e^2f^2)}{-96d^{10}e^3 - 288d^8e^4x - 192d^6e^5x^2 + 192d^4e^6x^3 + 288d^2e^7x^4 + 96d^0e^8x^5} - \frac{(dg + ef)(dg + 5ef) \log\left(\frac{d(dg + ef)(dg + 5ef)}{d^2g^2 + 5d^2ef + 6d^2fg + 5e^2f^2} + x\right)}{64d^6e^3} + \frac{(dg + ef)(dg + 5ef) \log\left(\frac{d(dg + ef)(dg + 5ef)}{d^2g^2 + 5d^2ef + 6d^2fg + 5e^2f^2} + x\right)}{64d^6e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**2/(e*x+d)**3/(-e**2*x**2+d**2)**2,x)`

[Out] 
$$\begin{aligned} & (-8 * d ** 6 * g ** 2 + 32 * d ** 4 * e ** 2 * f ** 2 + x ** 4 * (-3 * d ** 2 * e ** 4 * g ** 2 - 18 * d * e ** 5 * f * g \\ & - 15 * e ** 6 * f ** 2) + x ** 3 * (-9 * d ** 3 * e ** 3 * g ** 2 - 54 * d ** 2 * e ** 4 * f * g - 45 * d * e ** 5 * f * \\ & ** 2) + x ** 2 * (-7 * d ** 4 * e ** 2 * g ** 2 - 42 * d ** 3 * e ** 3 * f * g - 35 * d ** 2 * e ** 4 * f ** 2) + x \\ & (-21 * d ** 5 * e * g ** 2 + 18 * d ** 4 * e ** 2 * f * g + 15 * d ** 3 * e ** 3 * f ** 2)) / (-96 * d ** 10 * e ** 3 - \\ & 288 * d ** 9 * e ** 4 * x - 192 * d ** 8 * e ** 5 * x ** 2 + 192 * d ** 7 * e ** 6 * x ** 3 + 288 * d ** 6 * e ** 7 * \\ & x ** 4 + 96 * d ** 5 * e ** 8 * x ** 5) - (d * g + e * f) * (d * g + 5 * e * f) * \log(-d * (d * g + e * f) * (d * \\ & g + 5 * e * f) / (e * (d ** 2 * g ** 2 + 6 * d * e * f * g + 5 * e ** 2 * f ** 2)) + x) / (64 * d ** 6 * e ** 3) + \\ & (d * g + e * f) * (d * g + 5 * e * f) * \log(d * (d * g + e * f) * (d * g + 5 * e * f) / (e * (d ** 2 * g ** 2 + \\ & 6 * d * e * f * g + 5 * e ** 2 * f ** 2)) + x) / (64 * d ** 6 * e ** 3) \end{aligned}$$

$$3.370 \quad \int \frac{(f+gx)^2}{(d+ex)^4(d^2-e^2x^2)^2} dx$$

**Optimal.** Leaf size=210

$$\frac{(dg+ef)(dg+3ef)\tanh^{-1}\left(\frac{ex}{d}\right)}{32d^7e^3} + \frac{(dg+ef)^2}{64d^6e^3(d-ex)} - \frac{(dg+ef)(dg+5ef)}{64d^6e^3(d+ex)} - \frac{f(dg+ef)}{16d^5e^2(d+ex)^2} - \frac{(3ef-dg)(dg+ef)}{48d^4e^3(d+ex)^3}$$

**Rubi [A]** time = 0.24, antiderivative size = 210, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {848, 88, 208}

$$-\frac{e^2f^2-d^2g^2}{16d^3e^3(d+ex)^4} - \frac{(ef-dg)^2}{20d^2e^3(d+ex)^5} + \frac{(dg+ef)^2}{64d^6e^3(d-ex)} - \frac{(dg+ef)(dg+5ef)}{64d^6e^3(d+ex)} - \frac{f(dg+ef)}{16d^5e^2(d+ex)^2} - \frac{(3ef-dg)(dg+ef)}{48d^4e^3(d+ex)^3} + \frac{(dg+ef)(dg+3ef)\tanh^{-1}\left(\frac{ex}{d}\right)}{32d^7e^3}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)^4\*(d^2 - e^2\*x^2)^2), x]

[Out] (e\*f + d\*g)^2/(64\*d^6\*e^3\*(d - e\*x)) - (e\*f - d\*g)^2/(20\*d^2\*e^3\*(d + e\*x)^5) - (e^2\*f^2 - d^2\*g^2)/(16\*d^3\*e^3\*(d + e\*x)^4) - ((3\*e\*f - d\*g)\*(e\*f + d\*g))/(48\*d^4\*e^3\*(d + e\*x)^3) - (f\*(e\*f + d\*g))/(16\*d^5\*e^2\*(d + e\*x)^2) - ((e\*f + d\*g)\*(5\*e\*f + d\*g))/(64\*d^6\*e^3\*(d + e\*x)) + ((e\*f + d\*g)\*(3\*e\*f + d\*g)\*ArcTanh[e\*x/d])/(32\*d^7\*e^3)

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

### Rubi steps

$$\begin{aligned}
\int \frac{(f+gx)^2}{(d+ex)^4(d^2-e^2x^2)^2} dx &= \int \frac{(f+gx)^2}{(d-ex)^2(d+ex)^6} dx \\
&= \int \left( \frac{(ef+dg)^2}{64d^6e^2(d-ex)^2} + \frac{(-ef+dg)^2}{4d^2e^2(d+ex)^6} + \frac{e^2f^2-d^2g^2}{4d^3e^2(d+ex)^5} + \frac{(3ef-dg)(ef+dg)}{16d^4e^2(d+ex)^4} + \frac{f}{8d^5e^2(d+ex)^3} \right) dx \\
&= \frac{(ef+dg)^2}{64d^6e^3(d-ex)} - \frac{(ef-dg)^2}{20d^2e^3(d+ex)^5} - \frac{e^2f^2-d^2g^2}{16d^3e^3(d+ex)^4} - \frac{(3ef-dg)(ef+dg)}{48d^4e^3(d+ex)^3} - \frac{f}{16d^5e^3(d+ex)^2} \\
&= \frac{(ef+dg)^2}{64d^6e^3(d-ex)} - \frac{(ef-dg)^2}{20d^2e^3(d+ex)^5} - \frac{e^2f^2-d^2g^2}{16d^3e^3(d+ex)^4} - \frac{(3ef-dg)(ef+dg)}{48d^4e^3(d+ex)^3} - \frac{f}{16d^5e^3(d+ex)^2}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 229, normalized size = 1.09

$$\frac{-\frac{48d^5(ef-dg)^2}{(d+ex)^5} - \frac{15d(d^2g^2+6defg+5e^2f^2)}{d+ex} - 15(d^2g^2+4defg+3e^2f^2)\log(d-ex) + 15(d^2g^2+4defg+3e^2f^2)\log(d+ex) - \frac{60d^2ef(dg+ef)}{(d+ex)^2} + \frac{60d^4(d^2g^2-e^2f^2)}{(d+ex)^4} + \frac{20d^3(d^2g^2-2defg-3e^2f^2)}{(d+ex)^3} + \frac{15d(dg+ef)^2}{d-ex}}{960d^7e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)^4\*(d^2 - e^2\*x^2)^2), x]

[Out] ((15\*d\*(e\*f + d\*g)^2)/(d - e\*x) - (48\*d^5\*(e\*f - d\*g)^2)/(d + e\*x)^5 + (60\*d^4\*(-(e^2\*f^2) + d^2\*g^2))/(d + e\*x)^4 + (20\*d^3\*(-3\*e^2\*f^2 - 2\*d\*e\*f\*g + d^2\*g^2))/(d + e\*x)^3 - (60\*d^2\*e\*f\*(e\*f + d\*g))/(d + e\*x)^2 - (15\*d\*(5\*e^2\*f^2 + 6\*d\*e\*f\*g + d^2\*g^2))/(d + e\*x) - 15\*(3\*e^2\*f^2 + 4\*d\*e\*f\*g + d^2\*g^2)\*Log[d - e\*x] + 15\*(3\*e^2\*f^2 + 4\*d\*e\*f\*g + d^2\*g^2)\*Log[d + e\*x])/(960\*d^7\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f+gx)^2}{(d+ex)^4(d^2-e^2x^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^4\*(d^2 - e^2\*x^2)^2), x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^4\*(d^2 - e^2\*x^2)^2), x]

**fricas [B]** time = 0.40, size = 693, normalized size = 3.30

Verification of antiderivative is not currently implemented for this CAS.





$$\begin{aligned} & p(2)^5 d^2 \exp(1)^2 f^2 - 51 \exp(2)^4 d^4 \exp(1)^2 g^2 + 228 \exp(2)^4 d^3 \exp(1) \\ & )^3 g f - 165 \exp(2)^4 d^2 \exp(1)^4 f^2 - 87 \exp(2)^3 d^4 \exp(1)^4 g^2 - 60 \exp(2) \\ & )^3 d^3 \exp(1)^5 g f + 165 \exp(2)^3 d^2 \exp(1)^6 f^2 + 135 \exp(2)^2 d^4 \exp(1)^6 \\ & g^2 - 180 \exp(2)^2 d^3 \exp(1)^7 g f + 9 \exp(2)^2 d^2 \exp(1)^8 f^2 + 3 \exp(2) d^4 \\ & 4 \exp(1)^8 g^2 + 12 \exp(2) d^3 \exp(1)^9 g f) * x^3 + (-9 \exp(2)^5 d^3 \exp(1) f^2 - \\ & 35 \exp(2)^4 d^5 \exp(1) g^2 + 148 \exp(2)^4 d^4 \exp(1)^2 g f - 83 \exp(2)^4 d^3 \exp \\ & p(1)^3 f^2 - 9 \exp(2)^3 d^5 \exp(1)^3 g^2 - 204 \exp(2)^3 d^4 \exp(1)^4 g f + 183 \exp \\ & p(2)^3 d^3 \exp(1)^5 f^2 + 117 \exp(2)^2 d^5 \exp(1)^5 g^2 - 36 \exp(2)^2 d^4 \exp(1) \\ & )^6 g f - 81 \exp(2)^2 d^3 \exp(1)^7 f^2 - 67 \exp(2) d^5 \exp(1)^7 g^2 + 92 \exp(2) d \\ & ^4 \exp(1)^8 g f - 10 \exp(2) d^3 \exp(1)^9 f^2 - 6 d^5 \exp(1)^9 g^2) * x^2 + (-3 \exp( \\ & 2)^5 d^4 f^2 - 3 \exp(2)^4 d^6 g^2 + 6 \exp(2)^4 d^5 \exp(1) g f + 21 \exp(2)^4 d^4 \exp \\ & p(1)^2 f^2 + 63 \exp(2)^3 d^6 \exp(1)^2 g^2 - 252 \exp(2)^3 d^5 \exp(1)^3 g f + 147 \exp \\ & (2)^3 d^4 \exp(1)^4 f^2 + 69 \exp(2)^2 d^6 \exp(1)^4 g^2 + 96 \exp(2)^2 d^5 \exp(1) \\ & )^5 g f - 153 \exp(2)^2 d^4 \exp(1)^6 f^2 - 123 \exp(2) d^6 \exp(1)^6 g^2 + 156 \exp( \\ & 2) d^5 \exp(1)^7 g f - 12 \exp(2) d^4 \exp(1)^8 f^2 - 6 d^6 \exp(1)^8 g^2 - 6 d^5 \exp \\ & (1)^9 g f) * x - 6 \exp(2)^4 d^6 g f + 12 \exp(2)^4 d^5 \exp(1) f^2 + 38 \exp(2)^3 d^7 * \\ & \exp(1) g^2 - 124 \exp(2)^3 d^6 \exp(1)^2 g f + 74 \exp(2)^3 d^5 \exp(1)^3 f^2 + 18 \exp \\ & p(2)^2 d^7 \exp(1)^3 g^2 + 72 \exp(2)^2 d^6 \exp(1)^4 g f - 90 \exp(2)^2 d^5 \exp(1) \\ & )^5 f^2 - 54 \exp(2) d^7 \exp(1)^5 g^2 + 60 \exp(2) d^6 \exp(1)^6 g f + 6 \exp(2) d^5 \exp \\ & (1)^7 f^2 - 2 d^7 \exp(1)^7 g^2 - 2 d^6 \exp(1)^8 g f - 2 d^5 \exp(1)^9 f^2) / 6 / d^7 \\ & / (\exp(2) - \exp(1)^2)^5 / (-x \exp(1) - d)^3 / (x^2 \exp(2) - d^2) \end{aligned}$$

**maple [B]** time = 0.02, size = 394, normalized size = 1.88

$$\frac{fg}{16(\alpha+d)^2d^2} - \frac{f^2}{20(\alpha+d)^2d^2} - \frac{g^2}{20(\alpha+d)^2d^2} + \frac{f^2}{16(\alpha+d)^2d^2} - \frac{g^2}{48(\alpha+d)^2d^2} - \frac{fg}{24(\alpha+d)^2d^2} - \frac{f^2}{16(\alpha+d)^2d^2} - \frac{fg}{16(\alpha+d)^2d^2} - \frac{g^2}{16(\alpha+d)^2d^2} - \frac{fg}{64(\alpha+d)^2d^2} - \frac{g^2}{64(\alpha+d)^2d^2} - \frac{fg}{32(\alpha+d)^2d^2} - \frac{3fg}{32(\alpha+d)^2d^2} - \frac{d^2 \ln(\alpha-d)}{64d^2e^{\alpha}} - \frac{d^2 \ln(\alpha+d)}{64d^2e^{\alpha}} - \frac{f^2}{64(\alpha-d)d^2} - \frac{5f^2}{64(\alpha+d)d^2} - \frac{(g \ln(\alpha-d))}{16d^2e^{\alpha}} - \frac{(g \ln(\alpha+d))}{16d^2e^{\alpha}} - \frac{3f^2 \ln(\alpha-d)}{64d^2e^{\alpha}} - \frac{3f^2 \ln(\alpha+d)}{64d^2e^{\alpha}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^2/(e\*x+d)^4/(-e^2\*x^2+d^2)^2,x)

[Out]  $-1/64/e^3/d^5 \ln(e*x-d) * g^2 - 1/16/e^2/d^6 \ln(e*x-d) * f * g - 3/64/e/d^7 \ln(e*x-d) * f^2 - 1/64/e^3/d^4/(e*x-d) * g^2 - 1/32/e^2/d^5/(e*x-d) * f * g - 1/64/e/d^6/(e*x-d) * f^2 + 1/64/e^3/d^5 \ln(e*x+d) * g^2 + 1/16/e^2/d^6 \ln(e*x+d) * f * g + 3/64/e/d^7 \ln(e*x+d) * f^2 - 1/64/e^3/d^4/(e*x+d) * g^2 - 3/32/e^2/d^5/(e*x+d) * f * g - 5/64/e/d^6/(e*x+d) * f^2 + 1/16/e^3/d/(e*x+d)^4 * g^2 - 1/16/e/d^3/(e*x+d)^4 * f^2 + 1/48/e^3/d^2/(e*x+d)^3 * g^2 - 1/24/e^2/d^3/(e*x+d)^3 * f * g - 1/16/e/d^4/(e*x+d)^3 * f^2 - 1/20/e^3/(e*x+d)^5 * g^2 + 1/10/e^2/d/(e*x+d)^5 * f * g - 1/20/e/d^2/(e*x+d)^5 * f^2 - 1/16/e^2 * f/d^4/(e*x+d)^2 * g - 1/16/e * f^2/d^5/(e*x+d)^2$

**maxima [A]** time = 0.53, size = 342, normalized size = 1.63

$$\frac{144d^4f^2f^2 + 32d^4f^2fg - 16d^4f^2g^2 - 15(3d^2f^2 + 4ddf^2g + d^2d^2g^2)^2 - 60(3dd^2f^2 + 4d^2d^2fg + d^2d^2g^2)^2 - 80(3d^2d^2f^2 + 4d^2d^2fg + d^2d^2g^2)^2 - 20(3d^2d^2f^2 + 4d^2d^2fg + d^2d^2g^2)^2 + (141d^4d^2f^2 + 188d^4d^2fg - 49d^4d^2g^2)x}{480(d^2e^{\alpha}x^2 + 4d^2e^{\alpha}x^2 + 5d^2e^{\alpha}x^2 - 5d^2e^{\alpha}x^2 - 4d^2e^{\alpha}x - d^2e^{\alpha})} + \frac{(3d^2f^2 + 4ddf^2g + d^2d^2g^2) \log(\alpha+d)}{64d^2e^{\alpha}} - \frac{(3d^2f^2 + 4ddf^2g + d^2d^2g^2) \log(\alpha-d)}{64d^2e^{\alpha}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^4/(-e^2\*x^2+d^2)^2,x, algorithm="maxima")

[Out]  $\frac{1}{480} \cdot (144 \cdot d^5 \cdot e^2 \cdot f^2 + 32 \cdot d^6 \cdot e \cdot f \cdot g - 16 \cdot d^7 \cdot g^2 - 15 \cdot (3 \cdot e^7 \cdot f^2 + 4 \cdot d \cdot e^6 \cdot f \cdot g + d^2 \cdot e^5 \cdot g^2)) \cdot x^5 - 60 \cdot (3 \cdot d \cdot e^6 \cdot f^2 + 4 \cdot d^2 \cdot e^5 \cdot f \cdot g + d^3 \cdot e^4 \cdot g^2) \cdot x^4 - 80 \cdot (3 \cdot d^2 \cdot e^5 \cdot f^2 + 4 \cdot d^3 \cdot e^4 \cdot f \cdot g + d^4 \cdot e^3 \cdot g^2) \cdot x^3 - 20 \cdot (3 \cdot d^3 \cdot e^4 \cdot f^2 + 4 \cdot d^4 \cdot e^3 \cdot f \cdot g + d^5 \cdot e^2 \cdot g^2) \cdot x^2 + (141 \cdot d^4 \cdot e^3 \cdot f^2 + 188 \cdot d^5 \cdot e^2 \cdot f \cdot g - 49 \cdot d^6 \cdot e \cdot g^2) \cdot x) / (d^6 \cdot e^9 \cdot x^6 + 4 \cdot d^7 \cdot e^8 \cdot x^5 + 5 \cdot d^8 \cdot e^7 \cdot x^4 - 5 \cdot d^{10} \cdot e^5 \cdot x^2 - 4 \cdot d^{11} \cdot e^4 \cdot x - d^{12} \cdot e^3) + \frac{1}{64} \cdot (3 \cdot e^2 \cdot f^2 + 4 \cdot d \cdot e \cdot f \cdot g + d^2 \cdot g^2) \cdot \log(e \cdot x + d) / (d^7 \cdot e^3) - \frac{1}{64} \cdot (3 \cdot e^2 \cdot f^2 + 4 \cdot d \cdot e \cdot f \cdot g + d^2 \cdot g^2) \cdot \log(e \cdot x - d) / (d^7 \cdot e^3)$

**mupad [B]** time = 2.72, size = 314, normalized size = 1.50

$$\frac{x^3 (d^2 g^2 + 4 d e f g + 3 e^2 f^2) - \frac{d^2 g^2 + 2 d e f g + 9 e^2 f^2}{30 d e^3} + \frac{e x^4 (d^2 g^2 + 4 d e f g + 3 e^2 f^2)}{8 d^6} - \frac{x (-49 d^2 g^2 + 188 d e f g + 141 e^2 f^2)}{480 d^2 e^2} + \frac{x^2 (d^2 g^2 + 4 d e f g + 3 e^2 f^2)}{24 d^3 e} + \frac{e^2 x^5 (d^2 g^2 + 4 d e f g + 3 e^2 f^2)}{32 d^6} + \frac{\operatorname{atanh}\left(\frac{e x (d g + e f) (d g + 3 e f)}{d (d^2 g^2 + 4 d e f g + 3 e^2 f^2)}\right) (d g + e f) (d g + 3 e f)}{32 d^7 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}((f + g \cdot x)^2 / ((d^2 - e^2 \cdot x^2)^2 \cdot (d + e \cdot x)^4), x)$

[Out]  $((x^3 \cdot (d^2 \cdot g^2 + 3 \cdot e^2 \cdot f^2 + 4 \cdot d \cdot e \cdot f \cdot g)) / (6 \cdot d^4) - (9 \cdot e^2 \cdot f^2 - d^2 \cdot g^2 + 2 \cdot d \cdot e \cdot f \cdot g) / (30 \cdot d \cdot e^3) + (e \cdot x^4 \cdot (d^2 \cdot g^2 + 3 \cdot e^2 \cdot f^2 + 4 \cdot d \cdot e \cdot f \cdot g)) / (8 \cdot d^5) - (x \cdot (141 \cdot e^2 \cdot f^2 - 49 \cdot d^2 \cdot g^2 + 188 \cdot d \cdot e \cdot f \cdot g)) / (480 \cdot d^2 \cdot e^2) + (x^2 \cdot (d^2 \cdot g^2 + 3 \cdot e^2 \cdot f^2 + 4 \cdot d \cdot e \cdot f \cdot g)) / (24 \cdot d^3 \cdot e) + (e^2 \cdot x^5 \cdot (d^2 \cdot g^2 + 3 \cdot e^2 \cdot f^2 + 4 \cdot d \cdot e \cdot f \cdot g)) / (32 \cdot d^6)) / (d^6 - e^6 \cdot x^6 - 4 \cdot d \cdot e^5 \cdot x^5 + 5 \cdot d^4 \cdot e^2 \cdot x^2 - 5 \cdot d^2 \cdot e^4 \cdot x^4 + 4 \cdot d^5 \cdot e \cdot x) + (\operatorname{atanh}((e \cdot x \cdot (d \cdot g + e \cdot f)) \cdot (d \cdot g + 3 \cdot e \cdot f)) / (d \cdot (d^2 \cdot g^2 + 3 \cdot e^2 \cdot f^2 + 4 \cdot d \cdot e \cdot f \cdot g))) \cdot (d \cdot g + e \cdot f) \cdot (d \cdot g + 3 \cdot e \cdot f)) / (32 \cdot d^7 \cdot e^3)$

**sympy [B]** time = 2.15, size = 427, normalized size = 2.03

$$\frac{-16d^7g^2 + 32d^6fg + 144d^5f^2 + x^5(-15d^2e^5g^2 - 60d^3e^4fg - 45e^7f^2) + x^4(-60d^3e^4g^2 - 240d^2e^3fg - 180d^2e^3f^2) + x^3(-80d^4e^3g^2 - 320d^3e^2fg - 240d^3e^2f^2) + x^2(-20d^5e^2g^2 - 80d^4e^2fg - 60d^4e^2f^2) + x(-49d^6e^1g^2 + 188d^5e^2fg + 141d^4e^3f^2)}{-480d^7e^3 - 1920d^6e^4x - 2400d^5e^5x^2 + 2400d^4e^6x^3 + 1920d^3e^7x^4 + 480d^2e^8x^5} \cdot \frac{(dg + ef)(dg + 3ef) \log\left(\frac{d(dg + ef)(dg + 3ef)}{d(d^2g^2 + 4defg + 3e^2f^2)} + x\right)}{64d^7} + \frac{(dg + ef)(dg + 3ef) \log\left(\frac{d(dg + ef)(dg + 3ef)}{d(d^2g^2 + 4defg + 3e^2f^2)} + x\right)}{64d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{integrate}((g \cdot x + f)^2 / (e \cdot x + d)^4 / (-e^2 \cdot x^2 + d^2)^2, x)$

[Out]  $(-16 \cdot d^7 \cdot g^2 + 32 \cdot d^6 \cdot e \cdot f \cdot g + 144 \cdot d^5 \cdot e^2 \cdot f^2 + x^5 \cdot (-15 \cdot d^2 \cdot e^5 \cdot g^2 - 60 \cdot d^3 \cdot e^4 \cdot f \cdot g - 45 \cdot e^7 \cdot f^2) + x^4 \cdot (-60 \cdot d^3 \cdot e^4 \cdot g^2 - 240 \cdot d^2 \cdot e^3 \cdot e^5 \cdot f \cdot g - 180 \cdot d \cdot e^6 \cdot f^2) + x^3 \cdot (-80 \cdot d^4 \cdot e^3 \cdot g^2 - 320 \cdot d^3 \cdot e^2 \cdot e^4 \cdot f \cdot g - 240 \cdot d^2 \cdot e^5 \cdot f^2) + x^2 \cdot (-20 \cdot d^5 \cdot e^2 \cdot g^2 - 80 \cdot d^4 \cdot e^3 \cdot f \cdot g - 60 \cdot d^3 \cdot e^4 \cdot f^2) + x \cdot (-49 \cdot d^6 \cdot e \cdot g^2 + 188 \cdot d^5 \cdot e^2 \cdot f \cdot g + 141 \cdot d^4 \cdot e^3 \cdot f^2)) / (-480 \cdot d^{12} \cdot e^3 - 1920 \cdot d^{11} \cdot e^4 \cdot x - 2400 \cdot d^{10} \cdot e^5 \cdot x^2 + 2400 \cdot d^8 \cdot e^7 \cdot x^4 + 1920 \cdot d^7 \cdot e^8 \cdot x^5 + 480 \cdot d^6 \cdot e^9 \cdot x^6) - (d \cdot g + e \cdot f) \cdot (d \cdot g + 3 \cdot e \cdot f) \cdot \log(-d \cdot (d \cdot g + e \cdot f) \cdot (d \cdot g + 3 \cdot e \cdot f)) / (e \cdot (d^2 \cdot g^2 + 4 \cdot d \cdot e \cdot f \cdot g + 3 \cdot e^2 \cdot f^2)) + x) / (64 \cdot d^7 \cdot e^3) + (d \cdot g + e \cdot f) \cdot (d \cdot g + 3 \cdot e \cdot f) \cdot \log(d \cdot (d \cdot g + e \cdot f) \cdot (d \cdot g + 3 \cdot e \cdot f)) / (e \cdot (d^2 \cdot g^2 + 4 \cdot d \cdot e \cdot f \cdot g + 3 \cdot e^2 \cdot f^2)) + x) / (64 \cdot d^7 \cdot e^3)$

$$3.371 \quad \int \frac{(d+ex)^7(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

**Optimal.** Leaf size=179

$$\frac{8d^4(dg+ef)^2}{e^3(d-ex)^2} - \frac{32d^3(dg+ef)(2dg+ef)}{e^3(d-ex)} - \frac{dx(56d^2g^2+48defg+7e^2f^2)}{e^2} - \frac{8d^2(13d^2g^2+14defg+3e^2f^2)\log(d-ex)}{e^3}$$

**Rubi [A]** time = 0.24, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 88}

$$\frac{dx(56d^2g^2+48defg+7e^2f^2)}{e^2} - \frac{8d^2(13d^2g^2+14defg+3e^2f^2)\log(d-ex)}{e^3} + \frac{8d^4(dg+ef)^2}{e^3(d-ex)^2} - \frac{32d^3(dg+ef)(2dg+ef)}{e^3(d-ex)} - \frac{1}{3}gx^3(7dg+2ef) - \frac{x^2(2dg+ef)(12dg+ef)}{2e} - \frac{1}{4}e^2x^4$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^7\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] -((d\*(7\*e^2\*f^2 + 48\*d\*e\*f\*g + 56\*d^2\*g^2)\*x)/e^2) - ((e\*f + 2\*d\*g)\*(e\*f + 12\*d\*g)\*x^2)/(2\*e) - (g\*(2\*e\*f + 7\*d\*g)\*x^3)/3 - (e\*g^2\*x^4)/4 + (8\*d^4\*(e\*f + d\*g)^2)/(e^3\*(d - e\*x)^2) - (32\*d^3\*(e\*f + d\*g)\*(e\*f + 2\*d\*g))/(e^3\*(d - e\*x)) - (8\*d^2\*(3\*e^2\*f^2 + 14\*d\*e\*f\*g + 13\*d^2\*g^2)\*Log[d - e\*x])/e^3

**Rule 88**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

**Rule 848**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m+p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

**Rubi steps**

$$\int \frac{(d+ex)^7(f+gx)^2}{(d^2-e^2x^2)^3} dx = \int \frac{(d+ex)^4(f+gx)^2}{(d-ex)^3} dx$$

$$= \int \left( -\frac{d(7e^2f^2 + 48defg + 56d^2g^2)}{e^2} + \frac{(-ef - 12dg)(ef + 2dg)x}{e} - g(2ef + 7dg)x^2 - \frac{d(7e^2f^2 + 48defg + 56d^2g^2)x}{e^2} - \frac{(ef + 2dg)(ef + 12dg)x^2}{2e} - \frac{1}{3}g(2ef + 7dg)x^3 - \frac{1}{4}g^2x^4 \right) dx$$

**Mathematica [A]** time = 0.10, size = 193, normalized size = 1.08

$$\frac{8d^4(dg+ef)^2}{e^3(d-ex)^2} - \frac{x^2(24d^2g^2+14defg+e^2f^2)}{2e} - \frac{dx(56d^2g^2+48defg+7e^2f^2)}{e^2} - \frac{8d^2(13d^2g^2+14defg+3e^2f^2)\log(d-ex)}{e^3} + \frac{32d^3(2d^2g^2+3defg+e^2f^2)}{e^3(ex-d)} - \frac{1}{3}gx^3(7dg+2ef) - \frac{1}{4}g^2x^4$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^7\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] -((d\*(7\*e^2\*f^2 + 48\*d\*e\*f\*g + 56\*d^2\*g^2)\*x)/e^2) - ((e^2\*f^2 + 14\*d\*e\*f\*g + 24\*d^2\*g^2)\*x^2)/(2\*e) - (g\*(2\*e\*f + 7\*d\*g)\*x^3)/3 - (e\*g^2\*x^4)/4 + (8\*d^4\*(e\*f + d\*g)^2)/(e^3\*(d - e\*x)^2) + (32\*d^3\*(e^2\*f^2 + 3\*d\*e\*f\*g + 2\*d^2\*g^2))/(e^3\*(-d + e\*x)) - (8\*d^2\*(3\*e^2\*f^2 + 14\*d\*e\*f\*g + 13\*d^2\*g^2)\*Log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^7(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^7\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] IntegrateAlgebraic[((d + e\*x)^7\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3, x]

**fricas [A]** time = 0.38, size = 336, normalized size = 1.88

$$\frac{3d^6g^4 + 288d^5f^2g + 960d^4efg + 672d^4g^2 + 2(4d^4fg + 11d^4g^2)^2 + (e^4f^2 + 68d^2fg + 91d^2g^2)^2 + 4(18d^2f^2 + 104d^2fg + 103d^2g^2)^2 - 6(27d^2f^2 + 176d^2fg + 200d^2g^2)^2 - 12(25d^2f^2 + 48d^2fg + 8d^2g^2)^2 + 96(3d^2f^2 + 14d^2fg + 13d^2g^2) + 14d^2f^2 + 14d^2fg + 13d^2g^2)^2 - 2(3d^2f^2 + 14d^2fg + 13d^2g^2)\log(ex-d)}{12(d^2 - 2d^2x + d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^7\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="fricas")

[Out] -1/12\*(3\*e^6\*g^2\*x^6 + 288\*d^4\*e^2\*f^2 + 960\*d^5\*e\*f\*g + 672\*d^6\*g^2 + 2\*(4\*e^6\*f\*g + 11\*d\*e^5\*g^2)\*x^5 + (6\*e^6\*f^2 + 68\*d\*e^5\*f\*g + 91\*d^2\*e^4\*g^2)\*

$$x^4 + 4*(18*d*e^5*f^2 + 104*d^2*e^4*f*g + 103*d^3*e^3*g^2)*x^3 - 6*(27*d^2*e^4*f^2 + 178*d^3*e^3*f*g + 200*d^4*e^2*g^2)*x^2 - 12*(25*d^3*e^3*f^2 + 48*d^4*e^2*f*g + 8*d^5*e*g^2)*x + 96*(3*d^4*e^2*f^2 + 14*d^5*e*f*g + 13*d^6*g^2 + (3*d^2*e^4*f^2 + 14*d^3*e^3*f*g + 13*d^4*e^2*g^2)*x^2 - 2*(3*d^3*e^3*f^2 + 14*d^4*e^2*f*g + 13*d^5*e*g^2)*x)*\log(e*x - d)/(e^5*x^2 - 2*d*e^4*x + d^2*e^3)$$

**giac [B]** time = 0.19, size = 364, normalized size = 2.03

$$-4(13d^2e^7 + 14d^3fg^2 + 3d^4f^2g^2)\log(|x^2e^2 - d^2|) - \frac{1}{12}(3g^2x^4e^{25} + 28dmg^2x^3e^{24} + 144d^2g^2x^2e^{23} + 672d^3g^2xe^{22} + 8f^2g^2x^3e^{25} + 84d^2f^2g^2x^2e^{24} + 576d^2f^2g^2xe^{23} + 6f^2x^2e^{25} + 84d^2f^2xe^{24})e^{-24} - 4(13d^5g^2e^6 + 14d^4fg^2e^7 + 3d^3f^2e^8)e^{-9}\log(|2xe^2 - 2abs(d)e|/abs(2xe^2 + 2abs(d)e))/abs(d) - 8(7d^8g^2e^7 + 10d^7f^2g^2e^8 + 3d^6f^2e^9 - 4(2d^5g^2e^{10} + 3d^4f^2g^2e^{11} + d^3f^2e^{12})x^3 - (9d^6g^2e^9 + 14d^5f^2g^2e^{10} + 5d^4f^2e^{11})x^2 + 2(3d^7g^2e^8 + 4d^6f^2g^2e^9 + d^5f^2e^{10})x)e^{-10}/(x^2e^2 - d^2)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^7\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="giac")

[Out] -4\*(13\*d^4\*g^2\*e^7 + 14\*d^3\*f\*g\*e^8 + 3\*d^2\*f^2\*e^9)\*e^(-10)\*log(abs(x^2\*e^2 - d^2)) - 1/12\*(3\*g^2\*x^4\*e^25 + 28\*d\*m\*g^2\*x^3\*e^24 + 144\*d^2\*g^2\*x^2\*e^23 + 672\*d^3\*g^2\*x\*e^22 + 8\*f^2\*g^2\*x^3\*e^25 + 84\*d^2\*f^2\*g^2\*x^2\*e^24 + 576\*d^2\*f^2\*g^2\*x\*e^23 + 6\*f^2\*x^2\*e^25 + 84\*d^2\*f^2\*x\*e^24)\*e^(-24) - 4\*(13\*d^5\*g^2\*e^6 + 14\*d^4\*f\*g\*e^7 + 3\*d^3\*f^2\*e^8)\*e^(-9)\*log(abs(2\*x\*e^2 - 2\*abs(d)\*e)/abs(2\*x\*e^2 + 2\*abs(d)\*e))/abs(d) - 8\*(7\*d^8\*g^2\*e^7 + 10\*d^7\*f^2\*g^2\*e^8 + 3\*d^6\*f^2\*e^9 - 4\*(2\*d^5\*g^2\*e^10 + 3\*d^4\*f^2\*g^2\*e^11 + d^3\*f^2\*e^12)\*x^3 - (9\*d^6\*g^2\*e^9 + 14\*d^5\*f^2\*g^2\*e^10 + 5\*d^4\*f^2\*e^11)\*x^2 + 2\*(3\*d^7\*g^2\*e^8 + 4\*d^6\*f^2\*g^2\*e^9 + d^5\*f^2\*e^10)\*x)\*e^(-10)/(x^2\*e^2 - d^2)^2

**maple [A]** time = 0.01, size = 263, normalized size = 1.47

$$\frac{e^2g^2x^4}{4} - \frac{7d^2g^2x^3}{3} - \frac{2efg^2x^3}{3} + \frac{8d^6g^2}{(ex-d)^2e^3} + \frac{16d^5fg}{(ex-d)^2e^2} + \frac{8d^4f^2}{(ex-d)^2e} - \frac{12d^2g^2x^2}{e} - 7d^2fgx^2 - \frac{e^2x^2}{2} + \frac{64d^5g^2}{(ex-d)e^3} + \frac{96d^4fg}{(ex-d)e^2} - \frac{104d^4g^2\ln(ex-d)}{e^3} + \frac{32d^3f^2}{(ex-d)e} - \frac{112d^3fg\ln(ex-d)}{e^2} - \frac{56d^2g^2x}{e^2} - \frac{24d^2f^2\ln(ex-d)}{e} - \frac{48d^2fgx}{e} - 7d^2fx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^7\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x)

[Out] -1/4\*e\*g^2\*x^4-7/3\*d\*g^2\*x^3-2/3\*e\*f\*g\*x^3-12\*d^2/e\*g^2\*x^2-7\*d\*f\*g\*x^2-1/2\*e\*f^2\*x^2-56\*d^3/e^2\*g^2\*x-48\*d^2/e\*f\*g\*x-7\*d\*f^2\*x-104\*d^4/e^3\*g^2\*ln(e\*x-d)-112\*d^3/e^2\*f\*g\*ln(e\*x-d)-24\*d^2/e\*f^2\*ln(e\*x-d)+8\*d^6/e^3/(e\*x-d)^2\*g^2+16\*d^5/e^2/(e\*x-d)^2\*f\*g+8\*d^4/e/(e\*x-d)^2\*f^2+64/(e\*x-d)\*d^5/e^3\*g^2+96/(e\*x-d)\*d^4/e^2\*f\*g+32/(e\*x-d)\*d^3/e\*f^2

**maxima [A]** time = 0.47, size = 227, normalized size = 1.27

$$\frac{8(3d^4e^2f^2 + 10d^2efg + 7d^6g^2 - 4(d^3e^3f^2 + 3d^4e^2fg + 2d^5eg^2)x) - 3e^3g^2x^4 + 4(2e^3fg + 7d^2e^2g^2)x^3 + 6(e^2f^2 + 14d^2efg + 24d^2eg^2)x^2 + 12(7d^2f^2 + 48d^2efg + 56d^2g^2)x - 8(3d^2e^2f^2 + 14d^3efg + 13d^4g^2)\log(ex-d)}{e^5x^2 - 2d^2ex + d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^7\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="maxima")

[Out]  $-8*(3*d^4*e^2*f^2 + 10*d^5*e*f*g + 7*d^6*g^2 - 4*(d^3*e^3*f^2 + 3*d^4*e^2*f*g + 2*d^5*e*g^2)*x)/(e^5*x^2 - 2*d*e^4*x + d^2*e^3) - 1/12*(3*e^3*g^2*x^4 + 4*(2*e^3*f*g + 7*d*e^2*g^2)*x^3 + 6*(e^3*f^2 + 14*d*e^2*f*g + 24*d^2*e*g^2)*x^2 + 12*(7*d*e^2*f^2 + 48*d^2*e*f*g + 56*d^3*g^2)*x)/e^2 - 8*(3*d^2*e^2*f^2 + 14*d^3*e*f*g + 13*d^4*g^2)*\log(e*x - d)/e^3$

**mupad [B]** time = 0.14, size = 375, normalized size = 2.09

$$\frac{x(64d^6e^2 + 96d^5efg + 32d^4f^2) - \frac{12d^3e^2f^2 + 10d^4efg + 7d^5g^2}{d^2e^3}}{d^2e^3 - 2de^4x + e^5x^2} - x^2 \left( \frac{6d^2e^2 + 8d^2fg + d^2f^2}{2d^2}, \frac{3d^2e^2}{2e}, \frac{3d(2d(e+f) + 3d^2)}{2e} \right) - x \left( \frac{d^2e^2}{d^2}, \frac{3d(2d(e+f) + 3d^2)}{e}, \frac{4d(d^2e^2 + 3defg + e^2f^2)}{e}, \frac{3d \left( \frac{d^2e^2 + 10d^3efg + 7d^4g^2}{e} - \frac{12d^3e^2f^2 + 10d^4efg + 7d^5g^2}{e} \right)}{e} \right) - x^2 \left( \frac{2d(2d(e+f) + d^2)}{3}, d^2 \right) - \frac{\ln(e*x - d)(104d^6e^2 + 112d^5efg + 24d^4f^2)}{e^3} - \frac{e^2x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(((f + g*x)^2*(d + e*x)^7)/(d^2 - e^2*x^2)^3, x)$

[Out]  $(x*(64*d^5*g^2 + 32*d^3*e^2*f^2 + 96*d^4*e*f*g) - (8*(7*d^6*g^2 + 3*d^4*e^2*f^2 + 10*d^5*e*f*g))/e)/(d^2*e^2 + e^4*x^2 - 2*d*e^3*x) - x^2*((e^4*f^2 + 6*d^2*e^2*g^2 + 8*d*e^3*f*g)/(2*e^3) - (3*d^2*g^2)/(2*e) + (3*d*(2*g*(2*d*g + e*f) + 3*d*g^2))/(2*e)) - x*((d^3*g^2)/e^2 - (3*d^2*(2*g*(2*d*g + e*f) + 3*d*g^2))/e^2 + (4*d*(d^2*g^2 + e^2*f^2 + 3*d*e*f*g))/e^2 + (3*d*((e^4*f^2 + 6*d^2*e^2*g^2 + 8*d*e^3*f*g)/e^3 - (3*d^2*g^2)/e + (3*d*(2*g*(2*d*g + e*f) + 3*d*g^2))/e))/e) - x^3*((2*g*(2*d*g + e*f))/3 + d*g^2) - (\log(e*x - d)*(104*d^4*g^2 + 24*d^2*e^2*f^2 + 112*d^3*e*f*g))/e^3 - (e*g^2*x^4)/4$

**sympy [A]** time = 1.55, size = 219, normalized size = 1.22

$$\frac{8d^2(13d^2g^2 + 14defg + 3e^2f^2)\log(-d + ex) - \frac{e^2x^4}{4} - x^3\left(\frac{7dg^2}{3} + \frac{2efg}{3}\right) - x^2\left(\frac{12d^2g^2}{e} + 7dfg + \frac{ef^2}{2}\right) - x\left(\frac{56d^2g^2}{e^2} + \frac{48d^2fg}{e} + 7df^2\right) - \frac{56d^6g^2 + 80d^5efg + 24d^4e^2f^2 + x(-64d^5eg^2 - 96d^4e^2fg - 32d^3e^3f^2)}{d^2e^3 - 2de^4x + e^5x^2}}{d^2e^3 - 2de^4x + e^5x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)**7*(g*x+f)**2/(-e**2*x**2+d**2)**3, x)$

[Out]  $-8*d**2*(13*d**2*g**2 + 14*d*e*f*g + 3*e**2*f**2)*\log(-d + e*x)/e**3 - e*g**2*x**4/4 - x**3*(7*d*g**2/3 + 2*e*f*g/3) - x**2*(12*d**2*g**2/e + 7*d*f*g + e*f**2/2) - x*(56*d**3*g**2/e**2 + 48*d**2*f*g/e + 7*d*f**2) - (56*d**6*g**2 + 80*d**5*e*f*g + 24*d**4*e**2*f**2 + x*(-64*d**5*e*g**2 - 96*d**4*e**2*f*g - 32*d**3*e**3*f**2))/(d**2*e**3 - 2*d*e**4*x + e**5*x**2)$

$$3.372 \quad \int \frac{(d+ex)^6(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

**Optimal.** Leaf size=149

$$\frac{4d^3(dg+ef)^2}{e^3(d-ex)^2} - \frac{4d^2(dg+ef)(7dg+3ef)}{e^3(d-ex)} - \frac{x(18d^2g^2+12defg+e^2f^2)}{e^2} - \frac{2d(19d^2g^2+18defg+3e^2f^2)\log(d-ex)}{e^3}$$

**Rubi [A]** time = 0.20, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 88}

$$\frac{x(18d^2g^2+12defg+e^2f^2)}{e^2} - \frac{2d(19d^2g^2+18defg+3e^2f^2)\log(d-ex)}{e^3} + \frac{4d^3(dg+ef)^2}{e^3(d-ex)^2} - \frac{4d^2(dg+ef)(7dg+3ef)}{e^3(d-ex)} - \frac{gx^2(3dg+ef)}{e} - \frac{g^2x^3}{3}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^6\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3, x]

[Out] -(((e^2\*f^2 + 12\*d\*e\*f\*g + 18\*d^2\*g^2)\*x)/e^2) - (g\*(e\*f + 3\*d\*g)\*x^2)/e - (g^2\*x^3)/3 + (4\*d^3\*(e\*f + d\*g)^2)/(e^3\*(d - e\*x)^2) - (4\*d^2\*(e\*f + d\*g)\*(3\*e\*f + 7\*d\*g))/(e^3\*(d - e\*x)) - (2\*d\*(3\*e^2\*f^2 + 18\*d\*e\*f\*g + 19\*d^2\*g^2)\*Log[d - e\*x])/e^3

Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m+p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m+p, 0]))

Rubi steps



$$\int \frac{(d+ex)^6(f+gx)^2}{(d^2-e^2x^2)^3} dx = \int \frac{(d+ex)^3(f+gx)^2}{(d-ex)^3} dx$$

$$= \int \left( \frac{-e^2f^2 - 12defg - 18d^2g^2}{e^2} - \frac{2g(ef+3dg)x}{e} - g^2x^2 + \frac{4d^2(-3ef-7dg)(ef+dg)}{e^2(d-ex)^2} \right) dx$$

$$= -\frac{(e^2f^2 + 12defg + 18d^2g^2)x}{e^2} - \frac{g(ef+3dg)x^2}{e} - \frac{g^2x^3}{3} + \frac{4d^3(ef+dg)^2}{e^3(d-ex)^2} - \frac{4d^2(ef+dg)}{e^3}$$

**Mathematica [A]** time = 0.08, size = 157, normalized size = 1.05

$$\frac{4d^3(dg+ef)^2}{e^3(d-ex)^2} - \frac{x(18d^2g^2+12defg+e^2f^2)}{e^2} + \frac{4d^2(7d^2g^2+10defg+3e^2f^2)}{e^3(ex-d)} - \frac{2d(19d^2g^2+18defg+3e^2f^2)\log(d-ex)}{e^3} - \frac{gx^2(3dg+ef)}{e} - \frac{g^2x^3}{3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^6\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] -(((e^2\*f^2 + 12\*d\*e\*f\*g + 18\*d^2\*g^2)\*x)/e^2) - (g\*(e\*f + 3\*d\*g)\*x^2)/e - (g^2\*x^3)/3 + (4\*d^3\*(e\*f + d\*g)^2)/(e^3\*(d - e\*x)^2) + (4\*d^2\*(3\*e^2\*f^2 + 10\*d\*e\*f\*g + 7\*d^2\*g^2))/(e^3\*(-d + e\*x)) - (2\*d\*(3\*e^2\*f^2 + 18\*d\*e\*f\*g + 19\*d^2\*g^2)\*Log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^6(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^6\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] IntegrateAlgebraic[((d + e\*x)^6\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3, x]

**fricas [A]** time = 0.38, size = 294, normalized size = 1.97

$$\frac{e^2g^2x^3 + 24d^2e^2f^2 + 96d^4efg + 72d^6g^2 + (3e^2fg + 7de^2g^2)x^4 + (3e^2f^2 + 30de^4fg + 37d^2e^2g^2)x^3 - 3(2de^4f^2 + 23d^2e^2fg + 33d^4e^2g^2)x^2 - 3(11d^2e^2f^2 + 28d^4e^2fg + 10d^6e^2g^2)x + 6(3d^2e^2f^2 + 18d^4e^2fg + 19d^6e^2g^2) - 2(3d^2e^2f^2 + 18d^4e^2fg + 19d^6e^2g^2)x \log(ex-d)}{3(e^2x^2 - 2de^2x + d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^6\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="fricas")

[Out] -1/3\*(e^5\*g^2\*x^5 + 24\*d^3\*e^2\*f^2 + 96\*d^4\*e\*f\*g + 72\*d^5\*g^2 + (3\*e^5\*f\*g + 7\*d\*e^4\*g^2)\*x^4 + (3\*e^5\*f^2 + 30\*d\*e^4\*f\*g + 37\*d^2\*e^3\*g^2)\*x^3 - 3\*(

$$2*d*e^4*f^2 + 23*d^2*e^3*f*g + 33*d^3*e^2*g^2)*x^2 - 3*(11*d^2*e^3*f^2 + 28*d^3*e^2*f*g + 10*d^4*e*g^2)*x + 6*(3*d^3*e^2*f^2 + 18*d^4*e*f*g + 19*d^5*g^2 + (3*d*e^4*f^2 + 18*d^2*e^3*f*g + 19*d^3*e^2*g^2)*x^2 - 2*(3*d^2*e^3*f^2 + 18*d^3*e^2*f*g + 19*d^4*e*g^2)*x)*\log(e*x - d))/(e^5*x^2 - 2*d*e^4*x + d^2*e^3)$$

**giac [B]** time = 0.20, size = 324, normalized size = 2.17

$$\frac{-(19*d^3*g^2 + 18*d^2*f*g + 3*d*f^2)*e^{-8} \log(|x^2 - d|) - \frac{1}{3} (g^2*x^{18} + 9*d*g^2*x^{17} + 54*d^2*g^2*x^{16} + 3*f*g*x^{18} + 36*d*f*g*x^{17} + 3*f^2*x^{18})e^{-18} - (19*d^4*g^2*e^6 + 18*d^3*f*g*e^7 + 3*d^2*f^2*e^8)*e^{-9} \log(\frac{abs(2*x*e^2 - 2*abs(d)*e)}{abs(2*x*e^2 + 2*abs(d)*e)})/abs(d) - 4*(6*d^7*g^2*e^5 + 8*d^6*f*g*e^6 + 2*d^5*f^2*e^7 - (7*d^4*g^2*e^8 + 10*d^3*f*g*e^9 + 3*d^2*f^2*e^{10})*x^3 - 4*(2*d^5*g^2*e^7 + 3*d^4*f*g*e^8 + d^3*f^2*e^9)*x^2 + (5*d^6*g^2*e^6 + 6*d^5*f*g*e^7 + d^4*f^2*e^8)*x)*e^{-8}}{(x^2*e^2 - d^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^6\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="giac")

[Out]  $-(19*d^3*g^2*e^5 + 18*d^2*f*g*e^6 + 3*d*f^2*e^7)*e^{-8}*\log(\text{abs}(x^2*e^2 - d^2)) - 1/3*(g^2*x^3*e^{18} + 9*d*g^2*x^2*e^{17} + 54*d^2*g^2*x*e^{16} + 3*f*g*x^2*e^{18} + 36*d*f*g*x*e^{17} + 3*f^2*x*e^{18})*e^{-18} - (19*d^4*g^2*e^6 + 18*d^3*f*g*e^7 + 3*d^2*f^2*e^8)*e^{-9}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs}(d)*e))/\text{abs}(d) - 4*(6*d^7*g^2*e^5 + 8*d^6*f*g*e^6 + 2*d^5*f^2*e^7 - (7*d^4*g^2*e^8 + 10*d^3*f*g*e^9 + 3*d^2*f^2*e^{10})*x^3 - 4*(2*d^5*g^2*e^7 + 3*d^4*f*g*e^8 + d^3*f^2*e^9)*x^2 + (5*d^6*g^2*e^6 + 6*d^5*f*g*e^7 + d^4*f^2*e^8)*x)*e^{-8}/(x^2*e^2 - d^2)^2$

**maple [A]** time = 0.01, size = 228, normalized size = 1.53

$$\frac{g^2x^3}{3} + \frac{4d^5g^2}{(ex-d)^2e^3} + \frac{8d^4fg}{(ex-d)^2e^2} + \frac{4d^3f^2}{(ex-d)^2e} - \frac{3d^2g^2x^2}{e} - fgx^2 + \frac{28d^4g^2}{(ex-d)e^3} + \frac{40d^3fg}{(ex-d)e^2} - \frac{38d^3g^2 \ln(ex-d)}{e^3} + \frac{12d^2f^2}{(ex-d)e} - \frac{36d^2fg \ln(ex-d)}{e^2} - \frac{18d^2g^2x}{e^2} - \frac{6d^2 \ln(ex-d)}{e} - \frac{12dfgx}{e} - f^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^6\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x)

[Out]  $-1/3*g^2*x^3-3*d/e*g^2*x^2-f*g*x^2-18*d^2/e^2*g^2*x-12*d/e*f*g*x-f^2*x-38*d^3/e^3*g^2*\ln(e*x-d)-36*d^2/e^2*f*g*\ln(e*x-d)-6*d/e*f^2*\ln(e*x-d)+4*d^5/e^3/(e*x-d)^2*g^2+8*d^4/e^2/(e*x-d)^2*f*g+4*d^3/e/(e*x-d)^2*f^2+28/(e*x-d)*d^4/e^3*g^2+40/(e*x-d)*d^3/e^2*f*g+12/(e*x-d)*d^2/e*f^2$

**maxima [A]** time = 0.46, size = 188, normalized size = 1.26

$$\frac{4(2d^3e^2f^2 + 8d^4efg + 6d^5g^2 - (3d^2e^3f^2 + 10d^3e^2fg + 7d^4eg^2)x) - e^2g^2x^3 + 3(e^2fg + 3deg^2)x^2 + 3(e^2f^2 + 12defg + 18d^2g^2)x - 2(3d^2e^2f^2 + 18d^2efg + 19d^3g^2)\log(ex-d)}{e^5x^2 - 2de^4x + d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^6\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="maxima")

[Out]  $-4*(2*d^3*e^2*f^2 + 8*d^4*e*f*g + 6*d^5*g^2 - (3*d^2*e^3*f^2 + 10*d^3*e^2*f*g + 7*d^4*e*g^2)*x)/(e^5*x^2 - 2*d*e^4*x + d^2*e^3) - 1/3*(e^2*g^2*x^3 + 3$

$$*(e^2*f*g + 3*d*e*g^2)*x^2 + 3*(e^2*f^2 + 12*d*e*f*g + 18*d^2*g^2)*x)/e^2 - 2*(3*d*e^2*f^2 + 18*d^2*e*f*g + 19*d^3*g^2)*\log(e*x - d)/e^3$$

**mupad [B]** time = 0.10, size = 240, normalized size = 1.61

$$\frac{x(28d^4g^2 + 40d^3efg + 12d^2e^2f^2) - \frac{8(3d^2g^2 + 4d^4efg + d^3f^2)}{e}}{d^2e^2 - 2de^3x + e^4x^2} - x \left( \frac{3d^2eg^2 + 6de^2fg + e^3f^2}{e^3} + \frac{3d \left( \frac{g(3dg+2ef)}{e} + \frac{3dg^2}{e} \right)}{e} - \frac{3d^2g^2}{e^2} \right) - x^2 \left( \frac{g(3dg+2ef)}{2e} + \frac{3dg^2}{2e} \right) - \frac{g^2x^3}{3} - \frac{\ln(ex-d)(38d^3g^2 + 36d^2efg + 6de^2f^2)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(d + e\*x)^6)/(d^2 - e^2\*x^2)^3,x)

[Out] (x\*(28\*d^4\*g^2 + 12\*d^2\*e^2\*f^2 + 40\*d^3\*e\*f\*g) - (8\*(3\*d^5\*g^2 + d^3\*e^2\*f^2 + 4\*d^4\*e\*f\*g)))/e)/(d^2\*e^2 + e^4\*x^2 - 2\*d\*e^3\*x) - x\*((e^3\*f^2 + 3\*d^2\*e\*g^2 + 6\*d\*e^2\*f\*g)/e^3 + (3\*d\*((g\*(3\*d\*g + 2\*e\*f))/e + (3\*d\*g^2)/e))/e - (3\*d^2\*g^2)/e^2) - x^2\*((g\*(3\*d\*g + 2\*e\*f))/(2\*e) + (3\*d\*g^2)/(2\*e)) - (g^2\*x^3)/3 - (log(e\*x - d)\*(38\*d^3\*g^2 + 6\*d\*e^2\*f^2 + 36\*d^2\*e\*f\*g))/e^3

**sympy [A]** time = 1.37, size = 178, normalized size = 1.19

$$-\frac{2d(19d^2g^2 + 18defg + 3e^2f^2)\log(-d + ex)}{e^3} - \frac{g^2x^3}{3} - x^2 \left( \frac{3dg^2}{e} + fg \right) - x \left( \frac{18d^2g^2}{e^2} + \frac{12dfg}{e} + f^2 \right) - \frac{24d^5g^2 + 32d^4efg + 8d^3e^2f^2 + x(-28d^4eg^2 - 40d^3e^2fg - 12d^2e^3f^2)}{d^2e^3 - 2de^4x + e^5x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*6\*(g\*x+f)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*3,x)

[Out] -2\*d\*(19\*d\*\*2\*g\*\*2 + 18\*d\*e\*f\*g + 3\*e\*\*2\*f\*\*2)\*log(-d + e\*x)/e\*\*3 - g\*\*2\*x\*\*3/3 - x\*\*2\*(3\*d\*g\*\*2/e + f\*g) - x\*(18\*d\*\*2\*g\*\*2/e\*\*2 + 12\*d\*f\*g/e + f\*\*2) - (24\*d\*\*5\*g\*\*2 + 32\*d\*\*4\*e\*f\*g + 8\*d\*\*3\*e\*\*2\*f\*\*2 + x\*(-28\*d\*\*4\*e\*g\*\*2 - 40\*d\*\*3\*e\*\*2\*f\*g - 12\*d\*\*2\*e\*\*3\*f\*\*2))/(d\*\*2\*e\*\*3 - 2\*d\*e\*\*4\*x + e\*\*5\*x\*\*2)

$$3.373 \quad \int \frac{(d+ex)^5(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

**Optimal.** Leaf size=118

$$\frac{2d^2(dg+ef)^2}{e^3(d-ex)^2} - \frac{(13d^2g^2+10defg+e^2f^2)\log(d-ex)}{e^3} - \frac{4d(3dg+ef)(dg+ef)}{e^3(d-ex)} - \frac{gx(5dg+2ef)}{e^2} - \frac{g^2x^2}{2e}$$

**Rubi [A]** time = 0.14, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 88}

$$-\frac{(13d^2g^2+10defg+e^2f^2)\log(d-ex)}{e^3} + \frac{2d^2(dg+ef)^2}{e^3(d-ex)^2} - \frac{4d(3dg+ef)(dg+ef)}{e^3(d-ex)} - \frac{gx(5dg+2ef)}{e^2} - \frac{g^2x^2}{2e}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^5\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] -((g\*(2\*e\*f + 5\*d\*g)\*x)/e^2) - (g^2\*x^2)/(2\*e) + (2\*d^2\*(e\*f + d\*g)^2)/(e^3\*(d - e\*x)^2) - (4\*d\*(e\*f + d\*g)\*(e\*f + 3\*d\*g))/(e^3\*(d - e\*x)) - ((e^2\*f^2 + 10\*d\*e\*f\*g + 13\*d^2\*g^2)\*Log[d - e\*x])/e^3

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m+p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m+p, 0]))

### Rubi steps

$$\int \frac{(d+ex)^5(f+gx)^2}{(d^2-e^2x^2)^3} dx = \int \frac{(d+ex)^2(f+gx)^2}{(d-ex)^3} dx$$

$$= \int \left( -\frac{g(2ef+5dg)}{e^2} - \frac{g^2x}{e} + \frac{4d(-ef-3dg)(ef+dg)}{e^2(d-ex)^2} - \frac{4d^2(ef+dg)^2}{e^2(-d+ex)^3} + \frac{-e^2f^2-10def}{e^2(-d+ex)^3} \right) dx$$

$$= -\frac{g(2ef+5dg)x}{e^2} - \frac{g^2x^2}{2e} + \frac{2d^2(ef+dg)^2}{e^3(d-ex)^2} - \frac{4d(ef+dg)(ef+3dg)}{e^3(d-ex)} - \frac{(e^2f^2+10def)}{e^3(d-ex)}$$

**Mathematica [A]** time = 0.09, size = 118, normalized size = 1.00

$$\frac{8d(3d^2g^2+4defg+e^2f^2)}{d-ex} + 2(13d^2g^2+10defg+e^2f^2)\log(d-ex) - \frac{4d^2(dg+ef)^2}{(d-ex)^2} + 2egx(5dg+2ef) + e^2g^2x^2}{2e^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^5\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] -1/2\*(2\*e\*g\*(2\*e\*f + 5\*d\*g)\*x + e^2\*g^2\*x^2 - (4\*d^2\*(e\*f + d\*g)^2)/(d - e\*x)^2 + (8\*d\*(e^2\*f^2 + 4\*d\*e\*f\*g + 3\*d^2\*g^2))/(d - e\*x) + 2\*(e^2\*f^2 + 10\*d\*e\*f\*g + 13\*d^2\*g^2)\*Log[d - e\*x])/e^3

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^5(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^5\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] IntegrateAlgebraic[((d + e\*x)^5\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3, x]

**fricas [B]** time = 0.39, size = 241, normalized size = 2.04

$$\frac{e^4g^2x^4 + 4d^2e^2f^2 + 24d^3efg + 20d^4g^2 + 4(e^4fg + 2de^2g^2)x^3 - (8de^3fg + 19d^2e^2g^2)x^2 - 2(4de^3f^2 + 14d^2e^2fg + 7d^3eg^2)x + 2(d^2e^2f^2 + 10d^3efg + 13d^4g^2 + (e^4f^2 + 10de^3fg + 13d^2e^2g^2)x^2 - 2(d^2e^2f^2 + 10d^2e^2fg + 13d^3eg^2)x)\log(ex-d)}{2(e^5x^2 - 2de^4x + d^2e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^5\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="fricas")

[Out] -1/2\*(e^4\*g^2\*x^4 + 4\*d^2\*e^2\*f^2 + 24\*d^3\*e\*f\*g + 20\*d^4\*g^2 + 4\*(e^4\*f\*g + 2\*d\*e^3\*g^2)\*x^3 - (8\*d\*e^3\*f\*g + 19\*d^2\*e^2\*g^2)\*x^2 - 2\*(4\*d\*e^3\*f^2 +

$$14*d^2*e^2*f*g + 7*d^3*e*g^2)*x + 2*(d^2*e^2*f^2 + 10*d^3*e*f*g + 13*d^4*g^2 + (e^4*f^2 + 10*d*e^3*f*g + 13*d^2*e^2*g^2)*x^2 - 2*(d*e^3*f^2 + 10*d^2*e^2*f*g + 13*d^3*e*g^2)*x)*\log(e*x - d))/(e^5*x^2 - 2*d*e^4*x + d^2*e^3)$$

**giac [B]** time = 0.38, size = 273, normalized size = 2.31

$$\frac{1}{2} (13d^3g^2e^2 + 10dfg^2 + f^2e^2) \log(|x^2 - d|) - \frac{1}{2} (d^2x^{11} + 10d^3x^{10} + 4fgx^{11})e^{-12} - \frac{(13d^3g^2e^2 + 10dfg^2 + df^2e^2)d^{-7} \log\left(\frac{2x^2 - 2|d|}{|x^2 + 2|d|}\right) - 2(5d^3g^2e^2 + 6dfg^2 + d^4f^2e^2 - 2(3d^3g^2e^2 + 4dfg^2 + df^2e^2))x^3 - (7d^4g^2e^2 + 10d^3fg^2 + 3d^2f^2e^2)x^2 + 4(d^3g^2e^2 + df^2e^2)x)^{d^{-9}}}{2|d| (x^2 - d)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^5\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="giac")

$$[Out] -1/2*(13*d^2*g^2*e^5 + 10*d*f*g*e^6 + f^2*e^7)*e^{-8}*\log(\text{abs}(x^2*e^2 - d^2)) - 1/2*(g^2*x^2*e^{11} + 10*d*g^2*x*e^{10} + 4*f*g*x*e^{11})*e^{-12} - 1/2*(13*d^3*g^2*e^4 + 10*d^2*f*g*e^5 + d*f^2*e^6)*e^{-7}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs}(d)*e))/\text{abs}(d) - 2*(5*d^6*g^2*e^5 + 6*d^5*f*g*e^6 + d^4*f^2*e^7 - 2*(3*d^3*g^2*e^8 + 4*d^2*f*g*e^9 + d*f^2*e^{10})*x^3 - (7*d^4*g^2*e^7 + 10*d^3*f*g*e^8 + 3*d^2*f^2*e^9)*x^2 + 4*(d^5*g^2*e^6 + d^4*f*g*e^7)*x)*e^{-8}/(x^2*e^2 - d^2)^2$$

**maple [A]** time = 0.01, size = 198, normalized size = 1.68

$$\frac{2d^4g^2}{(ex-d)^2e^3} + \frac{4d^3fg}{(ex-d)^2e^2} + \frac{2d^2f^2}{(ex-d)^2e} - \frac{g^2x^2}{2e} + \frac{12d^3g^2}{(ex-d)e^3} + \frac{16d^2fg}{(ex-d)e^2} - \frac{13d^2g^2\ln(ex-d)}{e^3} + \frac{4df^2}{(ex-d)e} - \frac{10dfg\ln(ex-d)}{e^2} - \frac{5d^2gx}{e^2} - \frac{f^2\ln(ex-d)}{e} - \frac{2fgx}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^5\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x)

$$[Out] -1/2/e*g^2*x^2-5*d/e^2*g^2*x-2/e*f*g*x-13*d^2/e^3*g^2*\ln(e*x-d)-10*d/e^2*f*g*\ln(e*x-d)-1/e*f^2*\ln(e*x-d)+2*d^4/e^3/(e*x-d)^2*g^2+4*d^3/e^2/(e*x-d)^2*f*g+2*d^2/e/(e*x-d)^2*f^2+12/(e*x-d)*d^3/e^3*g^2+16/(e*x-d)*d^2/e^2*f*g+4/(e*x-d)*d/e*f^2$$

**maxima [A]** time = 0.46, size = 149, normalized size = 1.26

$$\frac{2(d^2e^2f^2 + 6d^3efg + 5d^4g^2 - 2(d^3f^2 + 4d^2e^2fg + 3d^3eg^2)x) - \frac{eg^2x^2 + 2(2efg + 5dg^2)x}{2e^2} - \frac{(e^2f^2 + 10defg + 13d^2g^2)\log(ex-d)}{e^3}}{e^5x^2 - 2de^4x + d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^5\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="maxima")

$$[Out] -2*(d^2*e^2*f^2 + 6*d^3*e*f*g + 5*d^4*g^2 - 2*(d*e^3*f^2 + 4*d^2*e^2*f*g + 3*d^3*e*g^2)*x)/(e^5*x^2 - 2*d*e^4*x + d^2*e^3) - 1/2*(e*g^2*x^2 + 2*(2*e*f*g + 5*d*g^2)*x)/e^2 - (e^2*f^2 + 10*d*e*f*g + 13*d^2*g^2)*\log(e*x - d)/e^3$$

**mupad [B]** time = 2.60, size = 161, normalized size = 1.36

$$-\frac{\frac{2(5d^4g^2+6d^3efg+d^2e^2f^2)}{e} - x(12d^3g^2+16d^2efg+4de^2f^2)}{d^2e^2-2de^3x+e^4x^2} - x\left(\frac{2g(dg+ef)}{e^2} + \frac{3dg^2}{e^2}\right) - \frac{\ln(ex-d)(13d^2g^2+10defg+e^2f^2)}{e^3} - \frac{g^2x^2}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(d + e\*x)^5)/(d^2 - e^2\*x^2)^3, x)

[Out] - ((2\*(5\*d^4\*g^2 + d^2\*e^2\*f^2 + 6\*d^3\*e\*f\*g))/e - x\*(12\*d^3\*g^2 + 4\*d\*e^2\*f^2 + 16\*d^2\*e\*f\*g))/(d^2\*e^2 + e^4\*x^2 - 2\*d\*e^3\*x) - x\*((2\*g\*(d\*g + e\*f))/e^2 + (3\*d\*g^2)/e^2) - (log(e\*x - d)\*(13\*d^2\*g^2 + e^2\*f^2 + 10\*d\*e\*f\*g))/e^3 - (g^2\*x^2)/(2\*e)

**sympy [A]** time = 1.21, size = 151, normalized size = 1.28

$$-x\left(\frac{5dg^2}{e^2} + \frac{2fg}{e}\right) - \frac{10d^4g^2 + 12d^3efg + 2d^2e^2f^2 + x(-12d^3eg^2 - 16d^2e^2fg - 4de^3f^2)}{d^2e^3 - 2de^4x + e^5x^2} - \frac{g^2x^2}{2e} - \frac{(13d^2g^2 + 10defg + e^2f^2)\log(-d + ex)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*5\*(g\*x+f)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*3, x)

[Out] -x\*(5\*d\*g\*\*2/e\*\*2 + 2\*f\*g/e) - (10\*d\*\*4\*g\*\*2 + 12\*d\*\*3\*e\*f\*g + 2\*d\*\*2\*e\*\*2\*f\*\*2 + x\*(-12\*d\*\*3\*e\*g\*\*2 - 16\*d\*\*2\*e\*\*2\*f\*g - 4\*d\*e\*\*3\*f\*\*2))/(d\*\*2\*e\*\*3 - 2\*d\*e\*\*4\*x + e\*\*5\*x\*\*2) - g\*\*2\*x\*\*2/(2\*e) - (13\*d\*\*2\*g\*\*2 + 10\*d\*e\*f\*g + e\*\*2\*f\*\*2)\*log(-d + e\*x)/e\*\*3

$$3.374 \quad \int \frac{(d+ex)^4(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

**Optimal.** Leaf size=81

$$-\frac{(dg+ef)(5dg+ef)}{e^3(d-ex)} + \frac{d(dg+ef)^2}{e^3(d-ex)^2} - \frac{2g(2dg+ef)\log(d-ex)}{e^3} - \frac{g^2x}{e^2}$$

**Rubi [A]** time = 0.10, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 77}

$$-\frac{(dg+ef)(5dg+ef)}{e^3(d-ex)} + \frac{d(dg+ef)^2}{e^3(d-ex)^2} - \frac{2g(2dg+ef)\log(d-ex)}{e^3} - \frac{g^2x}{e^2}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] -((g^2\*x)/e^2) + (d\*(e\*f + d\*g)^2)/(e^3\*(d - e\*x)^2) - ((e\*f + d\*g)\*(e\*f + 5\*d\*g))/(e^3\*(d - e\*x)) - (2\*g\*(e\*f + 2\*d\*g)\*Log[d - e\*x])/e^3

Rule 77

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9\*p + 5\*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 848

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

Rubi steps



$$\int \frac{(d+ex)^4(f+gx)^2}{(d^2-e^2x^2)^3} dx = \int \frac{(d+ex)(f+gx)^2}{(d-ex)^3} dx$$

$$= \int \left( -\frac{g^2}{e^2} + \frac{(-ef-5dg)(ef+dg)}{e^2(d-ex)^2} - \frac{2d(ef+dg)^2}{e^2(-d+ex)^3} - \frac{2g(ef+2dg)}{e^2(-d+ex)} \right) dx$$

$$= -\frac{g^2x}{e^2} + \frac{d(ef+dg)^2}{e^3(d-ex)^2} - \frac{(ef+dg)(ef+5dg)}{e^3(d-ex)} - \frac{2g(ef+2dg)\log(d-ex)}{e^3}$$

**Mathematica [A]** time = 0.04, size = 93, normalized size = 1.15

$$\frac{-4d^3g^2 + 4d^2eg(gx-f) + 2de^2gx(3f+gx) - 2g(d-ex)^2(2dg+ef)\log(d-ex) + e^3x(f^2-g^2x^2)}{e^3(d-ex)^2}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] (-4\*d^3\*g^2 + 4\*d^2\*e\*g\*(-f + g\*x) + 2\*d\*e^2\*g\*x\*(3\*f + g\*x) + e^3\*x\*(f^2 - g^2\*x^2) - 2\*g\*(e\*f + 2\*d\*g)\*(d - e\*x)^2\*Log[d - e\*x])/(e^3\*(d - e\*x)^2)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^4(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] IntegrateAlgebraic[((d + e\*x)^4\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3, x]

**fricas [A]** time = 0.40, size = 159, normalized size = 1.96

$$\frac{e^3g^2x^3 - 2de^2g^2x^2 + 4d^2efg + 4d^3g^2 - (e^3f^2 + 6de^2fg + 4d^2eg^2)x + 2(d^2efg + 2d^3g^2 + (e^3fg + 2de^2g^2)x^2 - 2(de^2fg + 2d^2eg^2)x)\log(ex-d)}{e^5x^2 - 2de^4x + d^2e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="fricas")

[Out] -(e^3\*g^2\*x^3 - 2\*d\*e^2\*g^2\*x^2 + 4\*d^2\*e\*f\*g + 4\*d^3\*g^2 - (e^3\*f^2 + 6\*d\*e^2\*f\*g + 4\*d^2\*e\*g^2)\*x + 2\*(d^2\*e\*f\*g + 2\*d^3\*g^2 + (e^3\*f\*g + 2\*d\*e^2\*g^2)\*x^2 - 2\*(d\*e^2\*f\*g + 2\*d^2\*e\*g^2)\*x)\*log(e\*x - d))/(e^5\*x^2 - 2\*d\*e^4\*x + d^2\*e^3)

**giac [B]** time = 0.21, size = 227, normalized size = 2.80

$$-g^2 x^{d-2} - (2dg^2e^3 + fg^4e^{d-6}) \log(|x^2e^2 - d^2|) - \frac{(2d^2g^2e^4 + dfge^5)e^{d-7} \log\left(\frac{2x^2-2d|d|}{2x^2+2d|d|}\right)}{|d|} - \frac{(4d^3g^2e^3 + 4d^4fg^4e^4 - (5d^2g^2e^6 + 6dfge^7 + f^2e^8)x^3 - 2(3d^3g^2e^5 + 4d^2fg^4e^6 + df^2e^7)x^2 + (3d^4g^2e^4 + 2d^3fg^4e^5 - d^2f^2e^6)x)e^{d-6}}{(x^2e^2 - d^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="giac")

[Out]  $-g^2*x*e^{(-2)} - (2*d*g^2*e^3 + f*g*e^4)*e^{(-6)}*\log(\text{abs}(x^2*e^2 - d^2)) - (2*d^2*g^2*e^4 + d*f*g*e^5)*e^{(-7)}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs}(d)*e))/\text{abs}(d) - (4*d^5*g^2*e^3 + 4*d^4*f*g*e^4 - (5*d^2*g^2*e^6 + 6*d*f*g*e^7 + f^2*e^8)*x^3 - 2*(3*d^3*g^2*e^5 + 4*d^2*f*g*e^6 + d*f^2*e^7)*x^2 + (3*d^4*g^2*e^4 + 2*d^3*f*g*e^5 - d^2*f^2*e^6)*x)*e^{(-6)}/(x^2*e^2 - d^2)^2$

**maple [A]** time = 0.01, size = 151, normalized size = 1.86

$$\frac{d^3g^2}{(ex-d)^2e^3} + \frac{2d^2fg}{(ex-d)^2e^2} + \frac{df^2}{(ex-d)^2e} + \frac{5d^2g^2}{(ex-d)e^3} + \frac{6dfg}{(ex-d)e^2} - \frac{4dg^2 \ln(ex-d)}{e^3} + \frac{f^2}{(ex-d)e} - \frac{2fg \ln(ex-d)}{e^2} - \frac{g^2x}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x)

[Out]  $-1/e^2*g^2*x-4*d/e^3*g^2*\ln(e*x-d)-2/e^2*f*g*\ln(e*x-d)+d^3/e^3/(e*x-d)^2*g^2+2*d^2/e^2/(e*x-d)^2*f*g+d/e/(e*x-d)^2*f^2+5/(e*x-d)*d^2/e^3*g^2+6/(e*x-d)*d/e^2*f*g+1/(e*x-d)/e*f^2$

**maxima [A]** time = 0.45, size = 105, normalized size = 1.30

$$\frac{g^2x}{e^2} - \frac{4d^2efg + 4d^3g^2 - (e^3f^2 + 6de^2fg + 5d^2eg^2)x}{e^5x^2 - 2de^4x + d^2e^3} - \frac{2(efg + 2dg^2) \log(ex-d)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^4\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="maxima")

[Out]  $-g^2*x/e^2 - (4*d^2*e*f*g + 4*d^3*g^2 - (e^3*f^2 + 6*d*e^2*f*g + 5*d^2*e*g^2)*x)/(e^5*x^2 - 2*d*e^4*x + d^2*e^3) - 2*(e*f*g + 2*d*g^2)*\log(e*x - d)/e^3$

**mupad [B]** time = 2.60, size = 107, normalized size = 1.32

$$\frac{4(d^3g^2+ef d^2g)}{e} - x(5d^2g^2 + 6defg + e^2f^2) - \frac{g^2x}{e^2} - \frac{\ln(ex-d)(4dg^2 + 2efg)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((f + g*x)^2*(d + e*x)^4)/(d^2 - e^2*x^2)^3,x)`

[Out]  $-\frac{((4*(d^3*g^2 + d^2*e*f*g))/e - x*(5*d^2*g^2 + e^2*f^2 + 6*d*e*f*g))/(d^2*e^2 + e^4*x^2 - 2*d*e^3*x) - (g^2*x)/e^2 - (\log(e*x - d)*(4*d*g^2 + 2*e*f*g))}{e^3}$

**sympy** [A] time = 0.87, size = 102, normalized size = 1.26

$$\frac{4d^3g^2 + 4d^2efg + x(-5d^2eg^2 - 6de^2fg - e^3f^2)}{d^2e^3 - 2de^4x + e^5x^2} - \frac{g^2x}{e^2} - \frac{2g(2dg + ef)\log(-d + ex)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**4*(g*x+f)**2/(-e**2*x**2+d**2)**3,x)`

[Out]  $-\frac{(4*d**3*g**2 + 4*d**2*e*f*g + x*(-5*d**2*e*g**2 - 6*d*e**2*f*g - e**3*f**2))}{(d**2*e**3 - 2*d*e**4*x + e**5*x**2)} - \frac{g**2*x}{e**2} - 2*g*(2*d*g + e*f)*\log(-d + e*x)/e**3$

$$3.375 \quad \int \frac{(d+ex)^3(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

Optimal. Leaf size=61

$$-\frac{2g(dg+ef)}{e^3(d-ex)} + \frac{(dg+ef)^2}{2e^3(d-ex)^2} - \frac{g^2 \log(d-ex)}{e^3}$$

**Rubi [A]** time = 0.06, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$ , Rules used = {848, 43}

$$-\frac{2g(dg+ef)}{e^3(d-ex)} + \frac{(dg+ef)^2}{2e^3(d-ex)^2} - \frac{g^2 \log(d-ex)}{e^3}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] (e\*f + d\*g)^2/(2\*e^3\*(d - e\*x)^2) - (2\*g\*(e\*f + d\*g))/(e^3\*(d - e\*x)) - (g^2\*Log[d - e\*x])/e^3

Rule 43

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7\*m + 4\*n + 4, 0]) || LtQ[9\*m + 5\*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

Rubi steps

$$\begin{aligned} \int \frac{(d+ex)^3(f+gx)^2}{(d^2-e^2x^2)^3} dx &= \int \frac{(f+gx)^2}{(d-ex)^3} dx \\ &= \int \left( \frac{(ef+dg)^2}{e^2(d-ex)^3} - \frac{2g(ef+dg)}{e^2(d-ex)^2} + \frac{g^2}{e^2(d-ex)} \right) dx \\ &= \frac{(ef+dg)^2}{2e^3(d-ex)^2} - \frac{2g(ef+dg)}{e^3(d-ex)} - \frac{g^2 \log(d-ex)}{e^3} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 49, normalized size = 0.80

$$\frac{\frac{(dg+ef)(e(f+4gx)-3dg)}{(d-ex)^2} - 2g^2 \log(d-ex)}{2e^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] (((e\*f + d\*g)\*(-3\*d\*g + e\*(f + 4\*g\*x)))/(d - e\*x)^2 - 2\*g^2\*Log[d - e\*x])/(2\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^3(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] IntegrateAlgebraic[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3, x]

**fricas [A]** time = 0.38, size = 100, normalized size = 1.64

$$\frac{e^2 f^2 - 2 d e f g - 3 d^2 g^2 + 4 (e^2 f g + d e g^2) x - 2 (e^2 g^2 x^2 - 2 d e g^2 x + d^2 g^2) \log (e x - d)}{2 (e^5 x^2 - 2 d e^4 x + d^2 e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="fricas")

[Out] 1/2\*(e^2\*f^2 - 2\*d\*e\*f\*g - 3\*d^2\*g^2 + 4\*(e^2\*f\*g + d\*e\*g^2)\*x - 2\*(e^2\*g^2\*x^2 - 2\*d\*e\*g^2\*x + d^2\*g^2)\*log(e\*x - d))/(e^5\*x^2 - 2\*d\*e^4\*x + d^2\*e^3)

**giac [B]** time = 0.20, size = 195, normalized size = 3.20

$$-\frac{d g^2 e^{(-3)} \log\left(\frac{|2 x^2 - 2| |d|}{|2 x^2 + 2| |d|}\right)}{2 |d|} - \frac{1}{2} g^2 e^{(-3)} \log(|x^2 e^2 - d^2|) + \frac{(4(d^2 g^2 e^4 + d f g e^3) x^3 + (5 d^3 g^2 e^3 + 6 d^2 f g e^4 + d f^2 e^5) x^2 - 2(d^4 g^2 e^2 - d^2 f^2 e^4) x - (3 d^5 g^2 e^3 + 2 d^4 f g e^4 - d^3 f^2 e^5) e^{(-2)}) e^{(-4)}}{2(x^2 e^2 - d^2)^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="giac")

[Out]  $-\frac{1}{2} d g^2 e^{(-3)} \log(\text{abs}(2 x e^2 - 2 \text{abs}(d) e) / \text{abs}(2 x e^2 + 2 \text{abs}(d) e)) / \text{abs}(d) - \frac{1}{2} g^2 e^{(-3)} \log(\text{abs}(x^2 e^2 - d^2)) + \frac{1}{2} (4(d^2 g^2 e^4 + d f g e^5) x^3 + (5 d^3 g^2 e^3 + 6 d^2 f g e^4 + d f^2 e^5) x^2 - 2(d^4 g^2 e^2 - d^2 f^2 e^4) x - (3 d^5 g^2 e^3 + 2 d^4 f g e^4 - d^3 f^2 e^5) e^{(-2)}) e^{(-4)} / ((x^2 e^2 - d^2)^2 d)$

**maple [A]** time = 0.01, size = 105, normalized size = 1.72

$$\frac{d^2 g^2}{2 (e x - d)^2 e^3} + \frac{d f g}{(e x - d)^2 e^2} + \frac{f^2}{2 (e x - d)^2 e} + \frac{2 d g^2}{(e x - d) e^3} + \frac{2 f g}{(e x - d) e^2} - \frac{g^2 \ln(e x - d)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x)

[Out]  $-1/e^3 g^2 \ln(e x - d) + 1/2/e^3 (e x - d)^2 d^2 g^2 + 1/e^2 (e x - d)^2 d f g + 1/2/e (e x - d)^2 f^2 + 2/(e x - d) d/e^3 g^2 + 2/(e x - d)/e^2 f g$

**maxima [A]** time = 0.44, size = 81, normalized size = 1.33

$$\frac{e^2 f^2 - 2 d e f g - 3 d^2 g^2 + 4(e^2 f g + d e g^2) x}{2(e^5 x^2 - 2 d e^4 x + d^2 e^3)} - \frac{g^2 \log(e x - d)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{2} (e^2 f^2 - 2 d e f g - 3 d^2 g^2 + 4(e^2 f g + d e g^2) x) / (e^5 x^2 - 2 d e^4 x + d^2 e^3) - g^2 \log(e x - d) / e^3$

**mupad [B]** time = 0.07, size = 80, normalized size = 1.31

$$-\frac{\frac{3 d^2 g^2 + 2 d e f g - e^2 f^2}{2 e^3} - \frac{2 g x (d g + e f)}{e^2}}{d^2 - 2 d e x + e^2 x^2} - \frac{g^2 \ln(e x - d)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((f + g*x)^2*(d + e*x)^3)/(d^2 - e^2*x^2)^3,x)`

[Out]  $-\left(\frac{3d^2g^2 - e^2f^2 + 2d*ef*g}{2e^3} - \frac{2g*x*(d*g + e*f)}{e^2}\right)/(d^2 + e^2*x^2 - 2d*ex) - \frac{g^2 \log(ex - d)}{e^3}$

**sympy [A]** time = 0.54, size = 83, normalized size = 1.36

$$-\frac{3d^2g^2 + 2defg - e^2f^2 + x(-4deg^2 - 4e^2fg)}{2d^2e^3 - 4de^4x + 2e^5x^2} - \frac{g^2 \log(-d + ex)}{e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**3*(g*x+f)**2/(-e**2*x**2+d**2)**3,x)`

[Out]  $-\frac{(3d**2*g**2 + 2d*ef*g - e**2*f**2 + x*(-4d*e*g**2 - 4e**2*f*g))}{(2d**2*e**3 - 4d*e**4*x + 2e**5*x**2)} - \frac{g**2*\log(-d + e*x)}{e**3}$

$$3.376 \quad \int \frac{(d+ex)^2(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

Optimal. Leaf size=88

$$\frac{(ef-dg)^2 \tanh^{-1}\left(\frac{ex}{d}\right)}{4d^3e^3} + \frac{(ef-3dg)(dg+ef)}{4d^2e^3(d-ex)} + \frac{(dg+ef)^2}{4de^3(d-ex)^2}$$

Rubi [A] time = 0.10, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {848, 88, 208}

$$\frac{(ef-3dg)(dg+ef)}{4d^2e^3(d-ex)} + \frac{(ef-dg)^2 \tanh^{-1}\left(\frac{ex}{d}\right)}{4d^3e^3} + \frac{(dg+ef)^2}{4de^3(d-ex)^2}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] (e\*f + d\*g)^2/(4\*d\*e^3\*(d - e\*x)^2) + ((e\*f - 3\*d\*g)\*(e\*f + d\*g))/(4\*d^2\*e^3\*(d - e\*x)) + ((e\*f - d\*g)^2\*ArcTanh[(e\*x)/d])/(4\*d^3\*e^3)

Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

Rubi steps



$$\begin{aligned}
\int \frac{(d+ex)^2(f+gx)^2}{(d^2-e^2x^2)^3} dx &= \int \frac{(f+gx)^2}{(d-ex)^3(d+ex)} dx \\
&= \int \left( \frac{(ef+dg)^2}{2de^2(d-ex)^3} + \frac{(ef-3dg)(ef+dg)}{4d^2e^2(d-ex)^2} + \frac{(-ef+dg)^2}{4d^2e^2(d^2-e^2x^2)} \right) dx \\
&= \frac{(ef+dg)^2}{4de^3(d-ex)^2} + \frac{(ef-3dg)(ef+dg)}{4d^2e^3(d-ex)} + \frac{(ef-dg)^2 \int \frac{1}{d^2-e^2x^2} dx}{4d^2e^2} \\
&= \frac{(ef+dg)^2}{4de^3(d-ex)^2} + \frac{(ef-3dg)(ef+dg)}{4d^2e^3(d-ex)} + \frac{(ef-dg)^2 \tanh^{-1}\left(\frac{ex}{d}\right)}{4d^3e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 90, normalized size = 1.02

$$\frac{-\frac{2d(dg+ef)(2d^2g-de(2f+3gx)+e^2fx)}{(d-ex)^2} + (ef-dg)^2(-\log(d-ex)) + (ef-dg)^2 \log(d+ex)}{8d^3e^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] ((-2\*d\*(e\*f + d\*g)\*(2\*d^2\*g + e^2\*f\*x - d\*e\*(2\*f + 3\*g\*x)))/(d - e\*x)^2 - (e\*f - d\*g)^2\*Log[d - e\*x] + (e\*f - d\*g)^2\*Log[d + e\*x])/(8\*d^3\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^2(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] IntegrateAlgebraic[((d + e\*x)^2\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3, x]

**fricas [B]** time = 0.41, size = 271, normalized size = 3.08

$$\frac{4d^2e^2f^2 - 4d^4g^2 - 2(d^3f^2 - 2d^2e^2fg - 3d^3eg^2)x + (d^2e^2f^2 - 2d^3efg + d^4g^2 + (d^4f^2 - 2d^3fg + d^2e^2g^2)x^2 - 2(d^3f^2 - 2d^2e^2fg + d^3eg^2)x) \log(ex+d) - (d^2e^2f^2 - 2d^3efg + d^4g^2 + (d^4f^2 - 2d^3fg + d^2e^2g^2)x^2 - 2(d^3f^2 - 2d^2e^2fg + d^3eg^2)x) \log(ex-d)}{8(d^2e^5x^2 - 2d^4e^3x + d^6e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="fricas")

[Out]  $\frac{1}{8}*(4*d^2*e^2*f^2 - 4*d^4*g^2 - 2*(d*e^3*f^2 - 2*d^2*e^2*f*g - 3*d^3*e*g^2)*x + (d^2*e^2*f^2 - 2*d^3*e*f*g + d^4*g^2 + (e^4*f^2 - 2*d*e^3*f*g + d^2*e^2*g^2)*x^2 - 2*(d*e^3*f^2 - 2*d^2*e^2*f*g + d^3*e*g^2)*x)*\log(e*x + d) - (d^2*e^2*f^2 - 2*d^3*e*f*g + d^4*g^2 + (e^4*f^2 - 2*d*e^3*f*g + d^2*e^2*g^2)*x^2 - 2*(d*e^3*f^2 - 2*d^2*e^2*f*g + d^3*e*g^2)*x)*\log(e*x - d))/(d^3*e^5*x^2 - 2*d^4*e^4*x + d^5*e^3)$

**giac [B]** time = 0.17, size = 197, normalized size = 2.24

$$\frac{(d^2g^2e^2 - 2dfge^3 + f^2e^4)e^{(-5)} \log\left(\frac{|2xe^2 - 2|d|e|}{|2xe^2 + 2|d|e|}\right)}{8d^2|d|} + \frac{(3d^2g^2x^3e^4 + 4d^3g^2x^2e^3 - d^4g^2xe^2 - 2d^5g^2e + 2dfgx^3e^5 + 4d^2fgx^2e^4 + 2d^3fgxe^3 - f^2x^3e^6 + 3d^2f^2xe^4 + 2d^3f^2e^3)e^{(-4)}}{4(x^2e^2 - d^2)^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2*(g*x+f)^2/(-e^2*x^2+d^2)^3,x, algorithm="giac")`

[Out]  $-1/8*(d^2*g^2*e^2 - 2*d*f*g*e^3 + f^2*e^4)*e^{(-5)}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs}(d)*e))/(d^2*\text{abs}(d)) + 1/4*(3*d^2*g^2*x^3*e^4 + 4*d^3*g^2*x^2*e^3 - d^4*g^2*x*e^2 - 2*d^5*g^2*e + 2*d*f*g*x^3*e^5 + 4*d^2*f*g*x^2*e^4 + 2*d^3*f*g*x*e^3 - f^2*x^3*e^6 + 3*d^2*f^2*x*e^4 + 2*d^3*f^2*e^3)*e^{(-4)}/((x^2*e^2 - d^2)^2*d^2)$

**maple [B]** time = 0.01, size = 218, normalized size = 2.48

$$\frac{dg^2}{4(ex-d)^2e^3} + \frac{f^2}{4(ex-d)^2de} + \frac{fg}{2(ex-d)^2e^2} + \frac{fg}{2(ex-d)de^2} - \frac{g^2\ln(ex-d)}{8de^3} + \frac{g^2\ln(ex+d)}{8de^3} - \frac{f^2}{4(ex-d)d^2e} + \frac{fg\ln(ex-d)}{4d^2e^2} - \frac{fg\ln(ex+d)}{4d^2e^2} - \frac{f^2\ln(ex-d)}{8d^3e} + \frac{f^2\ln(ex+d)}{8d^3e} + \frac{3g^2}{4(ex-d)e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^2*(g*x+f)^2/(-e^2*x^2+d^2)^3,x)`

[Out]  $\frac{3}{4}/(e*x-d)/e^3*g^2+1/2/(e*x-d)/d/e^2*f*g-1/4/(e*x-d)/d^2/e*f^2+1/4/e^3*d/(e*x-d)^2*g^2+1/2/e^2/(e*x-d)^2*f*g+1/4/e/d/(e*x-d)^2*f^2-1/8/d/e^3*g^2*\ln(e*x-d)+1/4/d^2/e^2*f*g*\ln(e*x-d)-1/8/d^3/e*f^2*\ln(e*x-d)+1/8/d/e^3*g^2*\ln(e*x+d)-1/4/d^2/e^2*f*g*\ln(e*x+d)+1/8/d^3/e*f^2*\ln(e*x+d)$

**maxima [A]** time = 0.46, size = 150, normalized size = 1.70

$$\frac{2d^2f^2 - 2d^3g^2 - (e^3f^2 - 2de^2fg - 3d^2eg^2)x}{4(d^2e^5x^2 - 2d^3e^4x + d^4e^3)} + \frac{(e^2f^2 - 2defg + d^2g^2)\log(ex + d)}{8d^3e^3} - \frac{(e^2f^2 - 2defg + d^2g^2)\log(ex - d)}{8d^3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^2*(g*x+f)^2/(-e^2*x^2+d^2)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{4}*(2*d*e^2*f^2 - 2*d^3*g^2 - (e^3*f^2 - 2*d*e^2*f*g - 3*d^2*e*g^2)*x)/(d^2*e^5*x^2 - 2*d^3*e^4*x + d^4*e^3) + \frac{1}{8}*(e^2*f^2 - 2*d*e*f*g + d^2*g^2)*\log(e*x + d) - \frac{1}{8}*(e^2*f^2 - 2*d*e*f*g + d^2*g^2)*\log(e*x - d)$

$g(e*x + d)/(d^3*e^3) - 1/8*(e^2*f^2 - 2*d*e*f*g + d^2*g^2)*\log(e*x - d)/(d^3*e^3)$

**mupad [B]** time = 0.13, size = 103, normalized size = 1.17

$$\frac{\operatorname{atanh}\left(\frac{ex}{d}\right) (dg - ef)^2}{4d^3e^3} - \frac{\frac{d^2g^2 - e^2f^2}{2de^3} - \frac{x(3d^2g^2 + 2defg - e^2f^2)}{4d^2e^2}}{d^2 - 2dex + e^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((f + g*x)^2*(d + e*x)^2)/(d^2 - e^2*x^2)^3, x)`

[Out]  $(\operatorname{atanh}(ex/d)*(dg - ef)^2)/(4d^3e^3) - ((d^2g^2 - e^2f^2)/(2d^2e^3) - (x*(3d^2g^2 - e^2f^2 + 2d*ef*g))/(4d^2e^2))/(d^2 + e^2x^2 - 2d*ex)$

**sympy [B]** time = 1.01, size = 185, normalized size = 2.10

$$\frac{2d^3g^2 - 2de^2f^2 + x(-3d^2eg^2 - 2de^2fg + e^3f^2)}{4d^4e^3 - 8d^3e^4x + 4d^2e^5x^2} - \frac{(dg - ef)^2 \log\left(-\frac{d(dg - ef)^2}{e(d^2g^2 - 2defg + e^2f^2)} + x\right)}{8d^3e^3} + \frac{(dg - ef)^2 \log\left(\frac{d(dg - ef)^2}{e(d^2g^2 - 2defg + e^2f^2)} + x\right)}{8d^3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**2*(g*x+f)**2/(-e**2*x**2+d**2)**3, x)`

[Out]  $-(2d^3g^2 - 2d^2e^2f^2 + x(-3d^2eg^2 - 2d^2e^2fg + e^3f^2))/(4d^4e^3 - 8d^3e^4x + 4d^2e^5x^2) - (dg - ef)^2 \log(-d*(dg - ef)^2/(e*(d^2g^2 - 2d*ef*g + e^2f^2)) + x)/(8d^3e^3) + (dg - ef)^2 \log(d*(dg - ef)^2/(e*(d^2g^2 - 2d*ef*g + e^2f^2)) + x)/(8d^3e^3)$

$$3.377 \quad \int \frac{(d+ex)(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

**Optimal.** Leaf size=122

$$\frac{(dg + 3ef)(ef - dg) \tanh^{-1}\left(\frac{ex}{d}\right)}{8d^4e^3} - \frac{(ef - dg)^2}{8d^3e^3(d + ex)} + \frac{(dg + ef)^2}{8d^2e^3(d - ex)^2} + \frac{e^2f^2 - d^2g^2}{4d^3e^3(d - ex)}$$

**Rubi [A]** time = 0.12, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {799, 88, 208}

$$\frac{e^2f^2 - d^2g^2}{4d^3e^3(d - ex)} - \frac{(ef - dg)^2}{8d^3e^3(d + ex)} + \frac{(dg + ef)^2}{8d^2e^3(d - ex)^2} + \frac{(dg + 3ef)(ef - dg) \tanh^{-1}\left(\frac{ex}{d}\right)}{8d^4e^3}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] (e\*f + d\*g)^2/(8\*d^2\*e^3\*(d - e\*x)^2) + (e^2\*f^2 - d^2\*g^2)/(4\*d^3\*e^3\*(d - e\*x)) - (e\*f - d\*g)^2/(8\*d^3\*e^3\*(d + e\*x)) + ((e\*f - d\*g)\*(3\*e\*f + d\*g)\*ArcTanh[(e\*x)/d])/(8\*d^4\*e^3)

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 799

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^m\*(f + g\*x)^(p + 1)\*(a/f + (c\*x)/g)^p, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && EqQ[c\*f^2 + a\*g^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[f, 0] && EqQ[p, -1]))

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)(f+gx)^2}{(d^2-e^2x^2)^3} dx &= \int \frac{(f+gx)^2}{(d-ex)^3(d+ex)^2} dx \\
&= \int \left( \frac{(ef+dg)^2}{4d^2e^2(d-ex)^3} + \frac{e^2f^2-d^2g^2}{4d^3e^2(d-ex)^2} + \frac{(-ef+dg)^2}{8d^3e^2(d+ex)^2} + \frac{(ef-dg)(3ef+dg)}{8d^3e^2(d^2-e^2x^2)} \right) dx \\
&= \frac{(ef+dg)^2}{8d^2e^3(d-ex)^2} + \frac{e^2f^2-d^2g^2}{4d^3e^3(d-ex)} - \frac{(ef-dg)^2}{8d^3e^3(d+ex)} + \frac{((ef-dg)(3ef+dg)) \int \frac{1}{d^2-e^2x^2} dx}{8d^3e^2} \\
&= \frac{(ef+dg)^2}{8d^2e^3(d-ex)^2} + \frac{e^2f^2-d^2g^2}{4d^3e^3(d-ex)} - \frac{(ef-dg)^2}{8d^3e^3(d+ex)} + \frac{(ef-dg)(3ef+dg) \tanh^{-1}\left(\frac{ex}{d}\right)}{8d^4e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 140, normalized size = 1.15

$$\frac{\frac{4de^2f^2-4d^3g^2}{d-ex} + (d^2g^2 + 2defg - 3e^2f^2) \log(d-ex) + (-d^2g^2 - 2defg + 3e^2f^2) \log(d+ex) + \frac{2d^2(dg+ef)^2}{(d-ex)^2} - \frac{2d(ef-dg)^2}{d+ex}}{16d^4e^3}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] ((2\*d^2\*(e\*f + d\*g)^2)/(d - e\*x)^2 + (4\*d\*e^2\*f^2 - 4\*d^3\*g^2)/(d - e\*x) - (2\*d\*(e\*f - d\*g)^2)/(d + e\*x) + (-3\*e^2\*f^2 + 2\*d\*e\*f\*g + d^2\*g^2)\*Log[d - e\*x] + (3\*e^2\*f^2 - 2\*d\*e\*f\*g - d^2\*g^2)\*Log[d + e\*x])/(16\*d^4\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3,x]

[Out] IntegrateAlgebraic[((d + e\*x)\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^3, x]

**fricas [B]** time = 0.40, size = 417, normalized size = 3.42

$$\frac{4d^2f^2 + 8d^2fg - 4d^2g^2 - 2(3d^2f^2 - 2d^2fg - d^2g^2)^2 + 2(3d^2f^2 - 2d^2fg + 3d^2g^2)^2 + (3d^2f^2 - 2d^2fg - d^2g^2) + (3d^2f^2 - 2d^2fg - d^2g^2)^2 - (3d^2f^2 - 2d^2fg - d^2g^2)^2 - (3d^2f^2 - 2d^2fg - d^2g^2) \log(x+d) - (3d^2f^2 - 2d^2fg - d^2g^2) + (3d^2f^2 - 2d^2fg - d^2g^2)^2 - (3d^2f^2 - 2d^2fg - d^2g^2) \log(x-d)}{16(d^2e^2 - d^2x^2 - d^2e^2x^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="fricas")

[Out]  $\frac{1}{16}*(4*d^3*e^2*f^2 + 8*d^4*e*f*g - 4*d^5*g^2 - 2*(3*d*e^4*f^2 - 2*d^2*e^3*f*g - d^3*e^2*g^2)*x^2 + 2*(3*d^2*e^3*f^2 - 2*d^3*e^2*f*g + 3*d^4*e*g^2)*x + (3*d^3*e^2*f^2 - 2*d^4*e*f*g - d^5*g^2 + (3*e^5*f^2 - 2*d*e^4*f*g - d^2*e^3*g^2)*x^3 - (3*d*e^4*f^2 - 2*d^2*e^3*f*g - d^3*e^2*g^2)*x^2 - (3*d^2*e^3*f^2 - 2*d^3*e^2*f*g - d^4*e*g^2)*x)*\log(e*x + d) - (3*d^3*e^2*f^2 - 2*d^4*e*f*g - d^5*g^2 + (3*e^5*f^2 - 2*d*e^4*f*g - d^2*e^3*g^2)*x^3 - (3*d*e^4*f^2 - 2*d^2*e^3*f*g - d^3*e^2*g^2)*x^2 - (3*d^2*e^3*f^2 - 2*d^3*e^2*f*g - d^4*e*g^2)*x)*\log(e*x - d))/(d^4*e^6*x^3 - d^5*e^5*x^2 - d^6*e^4*x + d^7*e^3)$

**giac** [A] time = 0.17, size = 191, normalized size = 1.57

$$\frac{(d^2g^2 + 2dfge - 3f^2e^2)e^{(-3)} \log\left(\frac{2xe^2 - 2|d|e}{2xe^2 + 2|d|e}\right)}{16d^3|d|} + \frac{(d^2g^2x^3e^4 + 4d^3g^2x^2e^3 + d^4g^2xe^2 - 2d^5g^2e + 2dfgx^3e^5 + 2d^3fgxe^3 + 4d^4fge^2 - 3f^2x^3e^6 + 5d^2f^2xe^4 + 2d^3f^2e^3)e^{(-4)}}{8(x^2e^2 - d^2)d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{16}*(d^2*g^2 + 2*d*f*g*e - 3*f^2*e^2)*e^{(-3)}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs}(d)*e))/(d^3*\text{abs}(d)) + \frac{1}{8}*(d^2*g^2*x^3*e^4 + 4*d^3*g^2*x^2*e^3 + d^4*g^2*x*e^2 - 2*d^5*g^2*e + 2*d*f*g*x^3*e^5 + 2*d^3*f*g*x*e^3 + 4*d^4*f*g*e^2 - 3*f^2*x^3*e^6 + 5*d^2*f^2*x*e^4 + 2*d^3*f^2*e^3)*e^{(-4)}/((x^2*e^2 - d^2)^2*d^3)$

**maple** [B] time = 0.03, size = 257, normalized size = 2.11

$$\frac{fg}{4(ex-d)^2de^2} + \frac{f^2}{8(ex-d)^2d^2e} + \frac{g^2}{8(ex-d)^2e^3} + \frac{g^2}{4(ex-d)d^2e^3} - \frac{g^2}{8(ex+d)d^2e^3} + \frac{fg}{4(ex+d)d^2e^2} + \frac{g^2 \ln(ex-d)}{16d^2e^3} - \frac{g^2 \ln(ex+d)}{16d^2e^3} - \frac{f^2}{4(ex-d)d^2e} - \frac{f^2}{8(ex+d)d^2e} + \frac{fg \ln(ex-d)}{8d^3e^2} - \frac{fg \ln(ex+d)}{8d^3e^2} - \frac{3f^2 \ln(ex-d)}{16d^4e} + \frac{3f^2 \ln(ex+d)}{16d^4e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x)

[Out]  $\frac{1}{4}*(e*x-d)/d/e^3*g^2 - \frac{1}{4}*(e*x-d)/d^3/e*f^2 + \frac{1}{8}*(e*x-d)^2*g^2 + \frac{1}{4}*(e*x-d)^2*f*g + \frac{1}{8}*(e*x-d)^2*f^2 + \frac{1}{16}*(e*x-d)^2/e^3*g^2*\ln(e*x-d) + \frac{1}{8}*(e*x-d)^2*f*g*\ln(e*x-d) - \frac{3}{16}*(e*x-d)^2/e^3*g^2*\ln(e*x+d) - \frac{1}{8}*(e*x-d)^2*f*g*\ln(e*x+d) + \frac{3}{16}*(e*x-d)^2/e^3*g^2*\ln(e*x+d) - \frac{1}{8}*(e*x-d)^2*f*g*\ln(e*x+d) - \frac{1}{8}*(e*x-d)^2/e^3*g^2 + \frac{1}{4}*(e*x+d)/d^2/e^2*f*g - \frac{1}{8}*(e*x+d)/d^3/e*f^2$

**maxima** [A] time = 0.47, size = 211, normalized size = 1.73

$$\frac{2d^2e^2f^2 + 4d^3efg - 2d^4g^2 - (3e^4f^2 - 2de^3fg - d^2e^2g^2)x^2 + (3de^3f^2 - 2d^2e^2fg + 3d^3eg^2)x}{8(d^3e^6x^3 - d^4e^5x^2 - d^5e^4x + d^6e^3)} + \frac{(3e^2f^2 - 2defg - d^2g^2)\log(ex+d)}{16d^4e^3} - \frac{(3e^2f^2 - 2defg - d^2g^2)\log(ex-d)}{16d^4e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{8}*(2*d^2*e^2*f^2 + 4*d^3*e*f*g - 2*d^4*g^2 - (3*e^4*f^2 - 2*d*e^3*f*g - d^2*e^2*g^2)*x^2 + (3*d*e^3*f^2 - 2*d^2*e^2*f*g + 3*d^3*e*g^2)*x)/(d^3*e^6*x^3 - d^4*e^5*x^2 - d^5*e^4*x + d^6*e^3) + \frac{1}{16}*(3*e^2*f^2 - 2*d*e*f*g - d^2*g^2)*\log(e*x + d)/(d^4*e^3) - \frac{1}{16}*(3*e^2*f^2 - 2*d*e*f*g - d^2*g^2)*\log(e*x - d)/(d^4*e^3)$

**mupad [B]** time = 2.64, size = 198, normalized size = 1.62

$$\frac{-\frac{d^2 g^2 + 2 d e f g + e^2 f^2}{4 d^3} + \frac{x(3 d^2 g^2 - 2 d e f g + 3 e^2 f^2)}{8 d^2 e^2} + \frac{x^2(d^2 g^2 + 2 d e f g - 3 e^2 f^2)}{8 d^3 e}}{d^3 - d^2 e x - d e^2 x^2 + e^3 x^3} - \frac{\operatorname{atanh}\left(\frac{e x(d g - e f)(d g + 3 e f)}{d(d^2 g^2 + 2 d e f g - 3 e^2 f^2)}\right)(d g - e f)(d g + 3 e f)}{8 d^4 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}(((f + g*x)^2*(d + e*x))/(d^2 - e^2*x^2)^3, x)$

[Out]  $((e^2*f^2 - d^2*g^2 + 2*d*e*f*g)/(4*d*e^3) + (x*(3*d^2*g^2 + 3*e^2*f^2 - 2*d*e*f*g))/(8*d^2*e^2) + (x^2*(d^2*g^2 - 3*e^2*f^2 + 2*d*e*f*g))/(8*d^3*e))/(d^3 + e^3*x^3 - d*e^2*x^2 - d^2*e*x) - (\operatorname{atanh}((e*x*(d*g - e*f)*(d*g + 3*e*f)))/(d*(d^2*g^2 - 3*e^2*f^2 + 2*d*e*f*g)))*(d*g - e*f)*(d*g + 3*e*f))/(8*d^4*e^3)$

**sympy [B]** time = 1.32, size = 277, normalized size = 2.27

$$\frac{\frac{2d^4g^2 - 4d^3efg - 2d^2e^2f^2 + x^2(-d^2e^2g^2 - 2de^3fg + 3e^4f^2) + x(-3d^3eg^2 + 2d^2e^2fg - 3de^3f^2)}{8d^6e^3 - 8d^5e^4x - 8d^4e^5x^2 + 8d^3e^6x^3}}{d^3 - d^2ex - de^2x^2 + e^3x^3} + \frac{(dg - ef)(dg + 3ef)\log\left(-\frac{d(dg - ef)(dg + 3ef)}{e(d^2g^2 + 2defg - 3e^2f^2)} + x\right)}{16d^4e^3} - \frac{(dg - ef)(dg + 3ef)\log\left(\frac{d(dg - ef)(dg + 3ef)}{e(d^2g^2 + 2defg - 3e^2f^2)} + x\right)}{16d^4e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{integrate}((e*x+d)*(g*x+f)**2/(-e**2*x**2+d**2)**3, x)$

[Out]  $-(2*d**4*g**2 - 4*d**3*e*f*g - 2*d**2*e**2*f**2 + x**2*(-d**2*e**2*g**2 - 2*d*e**3*f*g + 3*e**4*f**2) + x*(-3*d**3*e*g**2 + 2*d**2*e**2*f*g - 3*d*e**3*f**2))/(8*d**6*e**3 - 8*d**5*e**4*x - 8*d**4*e**5*x**2 + 8*d**3*e**6*x**3) + (d*g - e*f)*(d*g + 3*e*f)*\log(-d*(d*g - e*f)*(d*g + 3*e*f)/(e*(d**2*g**2 + 2*d*e*f*g - 3*e**2*f**2)) + x)/(16*d**4*e**3) - (d*g - e*f)*(d*g + 3*e*f)*\log(d*(d*g - e*f)*(d*g + 3*e*f)/(e*(d**2*g**2 + 2*d*e*f*g - 3*e**2*f**2)) + x)/(16*d**4*e**3)$

$$3.378 \quad \int \frac{(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

**Optimal.** Leaf size=127

$$\frac{(f+gx)(d^2g+e^2fx)}{4d^2e^2(d^2-e^2x^2)^2} + \frac{(3e^2f^2-d^2g^2)\tanh^{-1}\left(\frac{ex}{d}\right)}{8d^5e^3} + \frac{x(3e^2f^2-d^2g^2)+2d^2fg}{8d^4e^2(d^2-e^2x^2)}$$

**Rubi [A]** time = 0.06, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$ , Rules used = {739, 639, 208}

$$\frac{x(3e^2f^2-d^2g^2)+2d^2fg}{8d^4e^2(d^2-e^2x^2)} + \frac{(3e^2f^2-d^2g^2)\tanh^{-1}\left(\frac{ex}{d}\right)}{8d^5e^3} + \frac{(f+gx)(d^2g+e^2fx)}{4d^2e^2(d^2-e^2x^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/(d^2 - e^2\*x^2)^3,x]

[Out] ((d^2\*g + e^2\*f\*x)\*(f + g\*x))/(4\*d^2\*e^2\*(d^2 - e^2\*x^2)^2) + (2\*d^2\*f\*g + (3\*e^2\*f^2 - d^2\*g^2)\*x)/(8\*d^4\*e^2\*(d^2 - e^2\*x^2)) + ((3\*e^2\*f^2 - d^2\*g^2)\*ArcTanh[(e\*x)/d])/(8\*d^5\*e^3)

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 639

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((a\*e - c\*d\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] + Dist[(d\*(2\*p + 3))/(2\*a\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && LtQ[p, -1] && NeQ[p, -3/2]

### Rule 739

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d + e\*x)^(m - 1)\*(a\*e - c\*d\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] + Dist[1/((p + 1)\*(-2\*a\*c)), Int[(d + e\*x)^(m - 2)\*Simp[a\*e^2\*(m - 1) - c\*d^2\*(2\*p + 3) - d\*c\*e\*(m + 2\*p + 2)\*x, x]\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]



Rubi steps

$$\begin{aligned}
\int \frac{(f+gx)^2}{(d^2-e^2x^2)^3} dx &= \frac{(d^2g+e^2fx)(f+gx)}{4d^2e^2(d^2-e^2x^2)^2} - \frac{\int \frac{-3e^2f^2+d^2g^2-2e^2fgx}{(d^2-e^2x^2)^2} dx}{4d^2e^2} \\
&= \frac{(d^2g+e^2fx)(f+gx)}{4d^2e^2(d^2-e^2x^2)^2} + \frac{2d^2fg+(3e^2f^2-d^2g^2)x}{8d^4e^2(d^2-e^2x^2)} - \frac{\left(-\frac{3e^2f^2}{d^2}+g^2\right) \int \frac{1}{d^2-e^2x^2} dx}{8d^2e^2} \\
&= \frac{(d^2g+e^2fx)(f+gx)}{4d^2e^2(d^2-e^2x^2)^2} + \frac{2d^2fg+(3e^2f^2-d^2g^2)x}{8d^4e^2(d^2-e^2x^2)} + \frac{(3e^2f^2-d^2g^2) \tanh^{-1}\left(\frac{ex}{d}\right)}{8d^5e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 110, normalized size = 0.87

$$\frac{d^5eg(4f+gx) + d^3e^3x(5f^2+g^2x^2) + (d^2-e^2x^2)^2(3e^2f^2-d^2g^2) \tanh^{-1}\left(\frac{ex}{d}\right) - 3de^5f^2x^3}{8d^5e^3(d^2-e^2x^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/(d^2 - e^2\*x^2)^3, x]

[Out] (-3\*d\*e^5\*f^2\*x^3 + d^5\*e\*g\*(4\*f + g\*x) + d^3\*e^3\*x\*(5\*f^2 + g^2\*x^2) + (3\*e^2\*f^2 - d^2\*g^2)\*(d^2 - e^2\*x^2)^2\*ArcTanh[(e\*x)/d])/(8\*d^5\*e^3\*(d^2 - e^2\*x^2)^2)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f+gx)^2}{(d^2-e^2x^2)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/(d^2 - e^2\*x^2)^3, x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/(d^2 - e^2\*x^2)^3, x]

**fricas [B]** time = 0.40, size = 252, normalized size = 1.98

$$\frac{8d^5efg - 2(3de^5f^2 - d^3e^3g^2)x^3 + 2(5d^3e^2f^2 + d^5eg^2)x + (3d^4e^2f^2 - d^6g^2 + (3e^6f^2 - d^2e^4g^2)x^4 - 2(3d^2e^4f^2 - d^4e^2g^2)x^2) \log(ex+d) - (3d^4e^2f^2 - d^6g^2 + (3e^6f^2 - d^2e^4g^2)x^4 - 2(3d^2e^4f^2 - d^4e^2g^2)x^2) \log(ex-d)}{16(d^5e^3x^4 - 2d^7e^5x^2 + d^9e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="fricas")

[Out]  $\frac{1}{16}*(8*d^5*e*f*g - 2*(3*d^4*e^2*f^2 - d^6*g^2)*x^3 + 2*(5*d^3*e^3*f^2 + d^5*e*g^2)*x + (3*d^4*e^2*f^2 - d^6*g^2 + (3*e^6*f^2 - d^2*e^4*g^2)*x^4 - 2*(3*d^2*e^4*f^2 - d^4*e^2*g^2)*x^2)*\log(e*x + d) - (3*d^4*e^2*f^2 - d^6*g^2 + (3*e^6*f^2 - d^2*e^4*g^2)*x^4 - 2*(3*d^2*e^4*f^2 - d^4*e^2*g^2)*x^2)*\log(e*x - d))/(d^5*e^7*x^4 - 2*d^7*e^5*x^2 + d^9*e^3)$

**giac** [A] time = 0.17, size = 127, normalized size = 1.00

$$\frac{(d^2g^2 - 3f^2e^2)e^{(-3)} \log\left(\frac{|2xe^2 - 2|d|e|}{|2xe^2 + 2|d|e|}\right)}{16d^4|d|} + \frac{(d^2g^2x^3e^2 + d^4g^2x + 4d^4fg - 3f^2x^3e^4 + 5d^2f^2xe^2)e^{(-2)}}{8(x^2e^2 - d^2)^2d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="giac")

[Out]  $\frac{1}{16}*(d^2*g^2 - 3*f^2*e^2)*e^{(-3)}*\log(\text{abs}(2*x*e^2 - 2*\text{abs}(d)*e)/\text{abs}(2*x*e^2 + 2*\text{abs}(d)*e))/(d^4*\text{abs}(d)) + 1/8*(d^2*g^2*x^3*e^2 + d^4*g^2*x + 4*d^4*f*g - 3*f^2*x^3*e^4 + 5*d^2*f^2*x*e^2)*e^{(-2)}/((x^2*e^2 - d^2)^2*d^4)$

**maple** [B] time = 0.02, size = 298, normalized size = 2.35

$$\frac{\frac{g^2}{16(ex-d)^2d^3} - \frac{g^2}{16(ex+d)^2d^3} + \frac{fg}{8(ex-d)^2d^2} + \frac{fg}{8(ex+d)^2d^2} + \frac{f^2}{16(ex-d)^2d^2} - \frac{f^2}{16(ex+d)^2d^2} + \frac{g^2}{16(ex-d)d^2e^3} + \frac{g^2}{16(ex+d)d^2e^3} - \frac{fg}{8(ex-d)d^2e^3} + \frac{fg}{8(ex+d)d^2e^3} + \frac{g^2 \ln(ex-d)}{16d^3e^3} - \frac{g^2 \ln(ex+d)}{16d^3e^3} - \frac{3f^2}{16(ex-d)d^2e} - \frac{3f^2}{16(ex+d)d^2e} - \frac{3f^2 \ln(ex-d)}{16d^2e} + \frac{3f^2 \ln(ex+d)}{16d^2e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^2/(-e^2\*x^2+d^2)^3,x)

[Out]  $\frac{1}{16}/d^3/e^3*g^2*\ln(e*x-d) - 3/16/d^5/e*f^2*\ln(e*x-d) + 1/16/e^3/d/(e*x-d)^2*g^2 + 1/8/e^2/d^2/(e*x-d)^2*f*g + 1/16/e/d^3/(e*x-d)^2*f^2 + 1/16/(e*x-d)/d^2/e^3*g^2 - 1/8/(e*x-d)/d^3/e^2*f*g - 3/16/(e*x-d)/d^4/e*f^2 - 1/16/d^3/e^3*g^2*\ln(e*x+d) + 3/16/d^5/e*f^2*\ln(e*x+d) + 1/16/(e*x+d)/d^2/e^3*g^2 + 1/8/(e*x+d)/d^3/e^2*f*g - 3/16/(e*x+d)/d^4/e*f^2 - 1/16/(e*x+d)^2/d/e^3*g^2 + 1/8/(e*x+d)^2/d^2/e^2*f*g - 1/16/(e*x+d)^2/d^3/e*f^2$

**maxima** [A] time = 0.45, size = 152, normalized size = 1.20

$$\frac{4d^4fg - (3e^4f^2 - d^2e^2g^2)x^3 + (5d^2e^2f^2 + d^4g^2)x}{8(d^4e^6x^4 - 2d^6e^4x^2 + d^8e^2)} + \frac{(3e^2f^2 - d^2g^2)\log(ex + d)}{16d^5e^3} - \frac{(3e^2f^2 - d^2g^2)\log(ex - d)}{16d^5e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(-e^2\*x^2+d^2)^3,x, algorithm="maxima")

[Out]  $\frac{1}{8}(4d^4fg - (3e^4f^2 - d^2e^2g^2)x^3 + (5d^2e^2f^2 + d^4g^2)x) / (d^4e^6x^4 - 2d^6e^4x^2 + d^8e^2) + \frac{1}{16}(3e^2f^2 - d^2g^2) \log\left(\frac{ex + d}{d^5e^3}\right) - \frac{1}{16}(3e^2f^2 - d^2g^2) \log\left(\frac{ex - d}{d^5e^3}\right)$

**mupad [B]** time = 0.10, size = 114, normalized size = 0.90

$$\frac{\frac{x^3(d^2g^2 - 3e^2f^2)}{8d^4} + \frac{fg}{2e^2} + \frac{x(d^2g^2 + 5e^2f^2)}{8d^2e^2}}{d^4 - 2d^2e^2x^2 + e^4x^4} - \frac{\operatorname{atanh}\left(\frac{ex}{d}\right)(d^2g^2 - 3e^2f^2)}{8d^5e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)^2/(d^2 - e^2*x^2)^3,x)`

[Out]  $\frac{(x^3(d^2g^2 - 3e^2f^2))/(8d^4) + (f*g)/(2e^2) + (x(d^2g^2 + 5e^2f^2))/(8d^2e^2)}{(d^4 + e^4x^4 - 2d^2e^2x^2)} - \frac{(\operatorname{atanh}(ex/d)(d^2g^2 - 3e^2f^2))}{(8d^5e^3)}$

**sympy [A]** time = 1.00, size = 144, normalized size = 1.13

$$-\frac{-4d^4fg + x^3(-d^2e^2g^2 + 3e^4f^2) + x(-d^4g^2 - 5d^2e^2f^2)}{8d^8e^2 - 16d^6e^4x^2 + 8d^4e^6x^4} + \frac{(d^2g^2 - 3e^2f^2) \log\left(-\frac{d}{e} + x\right)}{16d^5e^3} - \frac{(d^2g^2 - 3e^2f^2) \log\left(\frac{d}{e} + x\right)}{16d^5e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**2/(-e**2*x**2+d**2)**3,x)`

[Out]  $-\frac{(-4d**4*f*g + x**3*(-d**2*e**2*g**2 + 3*e**4*f**2) + x*(-d**4*g**2 - 5*d**2*e**2*f**2))}{(8*d**8*e**2 - 16*d**6*e**4*x**2 + 8*d**4*e**6*x**4)} + \frac{(d**2*g**2 - 3*e**2*f**2)*\log(-d/e + x)}{(16*d**5*e**3)} - \frac{(d**2*g**2 - 3*e**2*f**2)*\log(d/e + x)}{(16*d**5*e**3)}$

$$3.379 \quad \int \frac{(f+gx)^2}{(d+ex)(d^2-e^2x^2)^3} dx$$

**Optimal.** Leaf size=188

$$\frac{f(dg+ef)}{8d^5e^2(d-ex)} - \frac{(dg+3ef)(ef-dg)}{32d^4e^3(d+ex)^2} + \frac{(dg+ef)^2}{32d^4e^3(d-ex)^2} - \frac{(ef-dg)^2}{24d^3e^3(d+ex)^3} + \frac{(-d^2g^2+2defg+5e^2f^2)\tanh^{-1}\left(\frac{ex}{d}\right)}{16d^6e^3} - \frac{1}{1}$$

**Rubi [A]** time = 0.21, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {848, 88, 208}

$$-\frac{3e^2f^2-d^2g^2}{16d^5e^3(d+ex)} + \frac{(-d^2g^2+2defg+5e^2f^2)\tanh^{-1}\left(\frac{ex}{d}\right)}{16d^6e^3} - \frac{(ef-dg)^2}{24d^3e^3(d+ex)^3} - \frac{(dg+3ef)(ef-dg)}{32d^4e^3(d+ex)^2} + \frac{f(dg+ef)}{8d^5e^2(d-ex)} + \frac{(dg+ef)^2}{32d^4e^3(d-ex)^2}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)^3), x]

[Out] (e\*f + d\*g)^2/(32\*d^4\*e^3\*(d - e\*x)^2) + (f\*(e\*f + d\*g))/(8\*d^5\*e^2\*(d - e\*x)) - (e\*f - d\*g)^2/(24\*d^3\*e^3\*(d + e\*x)^3) - ((e\*f - d\*g)\*(3\*e\*f + d\*g))/(32\*d^4\*e^3\*(d + e\*x)^2) - (3\*e^2\*f^2 - d^2\*g^2)/(16\*d^5\*e^3\*(d + e\*x)) + ((5\*e^2\*f^2 + 2\*d\*e\*f\*g - d^2\*g^2)\*ArcTanh[(e\*x)/d])/(16\*d^6\*e^3)

### Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegerQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[(d + e\*x)^(m+p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

### Rubi steps

$$\begin{aligned}
\int \frac{(f + gx)^2}{(d + ex)(d^2 - e^2x^2)^3} dx &= \int \frac{(f + gx)^2}{(d - ex)^3(d + ex)^4} dx \\
&= \int \left( \frac{(ef + dg)^2}{16d^4e^2(d - ex)^3} + \frac{f(ef + dg)}{8d^5e(d - ex)^2} + \frac{(-ef + dg)^2}{8d^3e^2(d + ex)^4} + \frac{(ef - dg)(3ef + dg)}{16d^4e^2(d + ex)^3} + \frac{3e^2}{16d^5} \right) dx \\
&= \frac{(ef + dg)^2}{32d^4e^3(d - ex)^2} + \frac{f(ef + dg)}{8d^5e^2(d - ex)} - \frac{(ef - dg)^2}{24d^3e^3(d + ex)^3} - \frac{(ef - dg)(3ef + dg)}{32d^4e^3(d + ex)^2} - \frac{3e^2}{16d^5} \\
&= \frac{(ef + dg)^2}{32d^4e^3(d - ex)^2} + \frac{f(ef + dg)}{8d^5e^2(d - ex)} - \frac{(ef - dg)^2}{24d^3e^3(d + ex)^3} - \frac{(ef - dg)(3ef + dg)}{32d^4e^3(d + ex)^2} - \frac{3e^2}{16d^5}
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 197, normalized size = 1.05

$$\frac{-\frac{4d^3(ef-dg)^2}{(d+ex)^3} + \frac{3d^2(d^2g^2+2defg-3e^2f^2)}{(d+ex)^2} + \frac{6d(d^2g^2-3e^2f^2)}{d+ex} + 3(d^2g^2-2defg-5e^2f^2)\log(d-ex) + 3(-d^2g^2+2defg+5e^2f^2)\log(d+ex) + \frac{3d^2(dg+ef)^2}{(d-ex)^2} + \frac{12def(dg+ef)}{d-ex}}{96d^6e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)^3), x]

[Out] ((3\*d^2\*(e\*f + d\*g)^2)/(d - e\*x)^2 + (12\*d\*e\*f\*(e\*f + d\*g))/(d - e\*x) - (4\*d^3\*(e\*f - d\*g)^2)/(d + e\*x)^3 + (3\*d^2\*(-3\*e^2\*f^2 + 2\*d\*e\*f\*g + d^2\*g^2))/(d + e\*x)^2 + (6\*d\*(-3\*e^2\*f^2 + d^2\*g^2))/(d + e\*x) + 3\*(-5\*e^2\*f^2 - 2\*d\*e\*f\*g + d^2\*g^2)\*Log[d - e\*x] + 3\*(5\*e^2\*f^2 + 2\*d\*e\*f\*g - d^2\*g^2)\*Log[d + e\*x])/ (96\*d^6\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^2}{(d + ex)(d^2 - e^2x^2)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)^3), x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)\*(d^2 - e^2\*x^2)^3), x]

**fricas [B]** time = 0.40, size = 662, normalized size = 3.52

$$\frac{1}{96d^6e^3} \left( \frac{3d^2(d^2g^2 + 2defg - 3e^2f^2)}{(d+ex)^2} + \frac{6d(d^2g^2 - 3e^2f^2)}{d+ex} + 3(d^2g^2 - 2defg - 5e^2f^2)\log(d-ex) + 3(-d^2g^2 + 2defg + 5e^2f^2)\log(d+ex) + \frac{3d^2(dg+ef)^2}{(d-ex)^2} + \frac{12def(dg+ef)}{d-ex} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(-e^2\*x^2+d^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/96*(16*d^5*e^2*f^2 - 32*d^6*e*f*g - 8*d^7*g^2 + 6*(5*d*e^6*f^2 + 2*d^2*e^5*f*g - d^3*e^4*g^2)*x^4 + 6*(5*d^2*e^5*f^2 + 2*d^3*e^4*f*g - d^4*e^3*g^2) \\ & *x^3 - 10*(5*d^3*e^4*f^2 + 2*d^4*e^3*f*g - d^5*e^2*g^2)*x^2 - 2*(25*d^4*e^3*f^2 + 10*d^5*e^2*f*g + 7*d^6*e*g^2)*x - 3*(5*d^5*e^2*f^2 + 2*d^6*e*f*g - d^7*g^2 + (5*e^7*f^2 + 2*d*e^6*f*g - d^2*e^5*g^2)*x^5 + (5*d*e^6*f^2 + 2*d^2 \\ & *e^5*f*g - d^3*e^4*g^2)*x^4 - 2*(5*d^2*e^5*f^2 + 2*d^3*e^4*f*g - d^4*e^3*g^2)*x^3 - 2*(5*d^3*e^4*f^2 + 2*d^4*e^3*f*g - d^5*e^2*g^2)*x^2 + (5*d^4*e^3*f^2 + 2*d^5*e^2*f*g - d^6*e*g^2)*x)*\log(e*x + d) + 3*(5*d^5*e^2*f^2 + 2*d^6*e*f*g - d^7*g^2 + (5*e^7*f^2 + 2*d*e^6*f*g - d^2*e^5*g^2)*x^5 + (5*d*e^6*f^2 + 2*d^2*e^5*f*g - d^3*e^4*g^2)*x^4 - 2*(5*d^2*e^5*f^2 + 2*d^3*e^4*f*g - d^4*e^3*g^2)*x^3 - 2*(5*d^3*e^4*f^2 + 2*d^4*e^3*f*g - d^5*e^2*g^2)*x^2 + (5*d^4*e^3*f^2 + 2*d^5*e^2*f*g - d^6*e*g^2)*x)*\log(e*x - d))/(d^6*e^8*x^5 + d^7*e^7*x^4 - 2*d^8*e^6*x^3 - 2*d^9*e^5*x^2 + d^{10}*e^4*x + d^{11}*e^3) \end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(-e^2\*x^2+d^2)^3,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 
$$\begin{aligned} & -(d^2 * \exp(1)^4 * g^2 - 2 * d * \exp(1)^5 * g * f + \exp(1)^6 * f^2) / (\exp(2)^3 * d^6 * \exp(1) - 3 * \exp(2)^2 * d^6 * \exp(1)^3 + 3 * \exp(2) * d^6 * \exp(1)^5 - d^6 * \exp(1)^7) * \ln(\text{abs}(x * \exp(1) + d)) - (-d^2 * \exp(1)^3 * g^2 + 2 * d * \exp(1)^4 * g * f - \exp(1)^5 * f^2) / (2 * \exp(2)^3 * d^6 - 6 * \exp(2)^2 * d^6 * \exp(1)^2 + 6 * \exp(2) * d^6 * \exp(1)^4 - 2 * d^6 * \exp(1)^6) * \ln(\text{abs}(-x^2 * \exp(2) + d^2)) - (-3 * \exp(2)^3 * f^2 + \exp(2)^2 * d^2 * g^2 - 2 * \exp(2)^2 * d * \exp(1) * g * f + 10 * \exp(2)^2 * \exp(1)^2 * f^2 - 6 * \exp(2) * d^2 * \exp(1)^2 * g^2 + 12 * \exp(2) * d * \exp(1)^3 * g * f - 15 * \exp(2) * \exp(1)^4 * f^2 - 3 * d^2 * \exp(1)^4 * g^2 + 6 * d * \exp(1)^5 * g * f) * 1/2 / (8 * \exp(2)^3 * d^5 - 24 * \exp(2)^2 * d^5 * \exp(1)^2 + 24 * \exp(2) * d^5 * \exp(1)^4 - 8 * d^5 * \exp(1)^6) / \exp(1) / \text{abs}(d) * \ln(\text{abs}(-2 * x * \exp(2) - 2 * \exp(1) * \text{abs}(d)) / \text{abs}(-2 * x * \exp(2) + 2 * \exp(1) * \text{abs}(d))) - ((3 * \exp(2)^5 * d * f^2 - \exp(2)^4 * d^3 * g^2 + 2 * \exp(2)^4 * d^2 * \exp(1) * g * f - 10 * \exp(2)^4 * d * \exp(1)^2 * f^2 - 2 * \exp(2)^3 * d^3 * \exp(1)^2 * g^2 + 4 * \exp(2)^3 * d^2 * \exp(1)^3 * g * f + 7 * \exp(2)^3 * d * \exp(1)^4 * f^2 + 3 * \exp(2)^2 * d^3 * \exp(1)^4 * g^2 - 6 * \exp(2)^2 * d^2 * \exp(1)^5 * g * f) * x^3 + (4 * \exp(2)^3 * d^4 * \exp(1) * g^2 - 8 * \exp(2)^3 * d^3 * \exp(1)^2 * g * f + 4 * \exp(2)^3 * d^2 * \exp(1)^3 * f^2 - 4 * \exp(2)^2 * d^4 * \exp(1)^3 * g^2 + 8 * \exp(2)^2 * d^3 * \exp(1)^4 * g * f - 4 * \exp(2)^2 * d^2 * \exp(1)^5 * f^2) * x^2 + (-5 * \exp(2)^4 * d^3 * f^2 - \exp(2)^3 * d^5 * g^2 + 2 * \exp(2)^3 * d^4 * \exp(1) * g * f + 14 * \exp(2)^3 * d^3 * \exp(1)^2 * f^2 + 6 * \exp(2)^2 * d^5 * \exp(1)^2 * g^2 - 12 * \exp(2)^2 * d^4 * \exp(1)^3 * g * f - 9 * \exp(2)^2 * d^3 * \exp(1)^4 * f^2 - 5 * \exp(2) * d^5 * \exp(1)^4 * g^2 + 10 * \exp(2) * d^4 * \exp(1)^5 * g * f) * x - 4 * \exp(2)^3 * d^5 * g * f + 2 * \exp(2)^3 * d^4 * \exp(1) * f^2 - 2 * \exp(2)^2 * d^6 * \exp(1) * g^2 + 16 * \exp(2)^2 * d^5 * \exp(1)^2 * g * f - 8 * \exp(2)^2 * d^4 * \exp(1)^3 * f^2 - 12 * \exp(2) * d^5 * \exp(1)^4 * g * f + 6 * \exp(2) * d^4 * \exp(1)^5 * f^2 + 2 * d^6 * \exp(1)^5 * g^2) / (8 * d^6 / \exp(2) / (\exp(2) - \exp(1)^2)^3 / (-x^2 * \exp(2) + d^2)^2 \end{aligned}$$

**maple [A]** time = 0.02, size = 348, normalized size = 1.85

$$\frac{g^2}{24(ex+d)^2 d^2} + \frac{fg}{12(ex+d)^2 d^2} - \frac{f^2}{24(ex+d)^2 d^2} + \frac{g^2}{32(ex-d)^2 d^2} + \frac{fg}{32(ex+d)^2 d^2} + \frac{fg}{16(ex-d)^2 d^2} + \frac{f^2}{16(ex+d)^2 d^2} + \frac{3f^2}{32(ex-d)^2 d^2} + \frac{g^2}{16(ex+d)^2 d^2} - \frac{fg}{8(ex-d)^2 d^2} - \frac{g^2 \ln(ex-d)}{32d^2} - \frac{g^2 \ln(ex+d)}{32d^2} - \frac{f^2}{8(ex-d)^2 d^2} - \frac{3f^2}{16(ex+d)^2 d^2} - \frac{fg \ln(ex-d)}{16d^2} + \frac{fg \ln(ex+d)}{16d^2} - \frac{5f^2 \ln(ex-d)}{32d^2} + \frac{5f^2 \ln(ex+d)}{32d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^2/(e\*x+d)/(-e^2\*x^2+d^2)^3,x)

[Out]  $\frac{1}{32} \frac{e^{-3}}{d^2} \frac{(e*x-d)^{-2} g^2 + 1}{16} \frac{e^{-2}}{d^3} \frac{(e*x-d)^{-2} f * g + 1}{32} \frac{e^{-4}}{(e*x-d)^2} * f^2 + \frac{1}{32} \frac{e^{-4}}{d^4} \frac{e^{-3} g^2 * \ln(e*x-d) - 1}{16} \frac{e^{-5}}{d^5} \frac{e^{-2} f * g * \ln(e*x-d) - 5}{32} \frac{e^{-6}}{d^6} \frac{e^{-2} * \ln(e*x-d) - 1}{8} \frac{e^{-4}}{(e*x-d)} \frac{e^{-2} f * g - 1}{8} \frac{e^{-5}}{(e*x-d)} \frac{e^{-2} f^2 + 1}{16} \frac{e^{-3}}{d^3} \frac{e^{-4}}{(e*x+d)} * g^2 - \frac{3}{16} \frac{e^{-5}}{(e*x+d)} \frac{e^{-2} f^2 + 1}{32} \frac{e^{-2}}{d^2} \frac{e^{-3} g^2 + 1}{16} \frac{e^{-2}}{d^3} \frac{e^{-2} f * g - 3}{32} \frac{e^{-2}}{(e*x+d)} \frac{e^{-4}}{d^4} \frac{e^{-2} f^2 - 1}{32} \frac{e^{-4}}{d^4} \frac{e^{-3} g^2 * \ln(e*x+d) + 1}{16} \frac{e^{-5}}{d^5} \frac{e^{-2} f * g * \ln(e*x+d) + 5}{32} \frac{e^{-6}}{d^6} \frac{e^{-2} * \ln(e*x+d) - 1}{24} \frac{e^{-3}}{(e*x+d)} \frac{e^{-3} g^2 + 1}{12} \frac{e^{-2}}{d^2} \frac{e^{-3} f * g - 1}{24} \frac{e^{-3}}{(e*x+d)} \frac{e^{-3}}{d^3} \frac{e^{-2} f^2}{e^{-2}}$

**maxima [A]** time = 0.50, size = 308, normalized size = 1.64

$$\frac{8d^4 e^2 f^2 - 16d^3 e f g - 4d^2 g^2 + 3(5e^2 f^2 + 2d^2 f g - d^2 e^2 g^2) x^4 + 3(5d^2 f^2 + 2d^2 e f g - d^2 e^2 g^2) x^3 - 5(5d^2 e^2 f^2 + 2d^2 e^2 f g - d^4 e^2 g^2) x^2 - (25d^3 e^2 f^2 + 10d^4 e^2 f g + 7d^5 e^2 g^2) x + (5e^2 f^2 + 2d e f g - d^2 g^2) \log(ex+d) - (5e^2 f^2 + 2d e f g - d^2 g^2) \log(ex-d)}{48(d^2 e^2 x^5 + d^6 e^2 x^4 - 2d^7 e^2 x^3 - 2d^8 e^2 x^2 + d^9 e^2 x + d^{10} e^2)} + \frac{(5e^2 f^2 + 2d e f g - d^2 g^2) \log(ex+d)}{32d^6 e^3} - \frac{(5e^2 f^2 + 2d e f g - d^2 g^2) \log(ex-d)}{32d^6 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(-e^2\*x^2+d^2)^3,x, algorithm="maxima")

[Out]  $-\frac{1}{48} (8d^4 e^2 f^2 - 16d^5 e^2 f g - 4d^6 e^2 g^2 + 3(5e^6 f^2 + 2d^6 e^5 f g - d^2 e^4 g^2) x^4 + 3(5d^6 e^5 f^2 + 2d^2 e^4 f g - d^3 e^3 g^2) x^3 - 5(5d^2 e^4 f^2 + 2d^3 e^3 f g - d^4 e^2 g^2) x^2 - (25d^3 e^3 f^2 + 10d^4 e^2 f g + 7d^5 e^2 g^2) x) / (d^5 e^8 x^5 + d^6 e^7 x^4 - 2d^7 e^6 x^3 - 2d^8 e^5 x^2 + d^9 e^4 x + d^{10} e^3) + \frac{1}{32} (5e^2 f^2 + 2d e^2 f g - d^2 e^2 g^2) * \log(ex+d) / (d^6 e^3) - \frac{1}{32} (5e^2 f^2 + 2d e^2 f g - d^2 e^2 g^2) * \log(ex-d) / (d^6 e^3)$

**mupad [B]** time = 2.68, size = 249, normalized size = 1.32

$$\frac{d^2 g^2 + 4d e f g - 2e^2 f^2}{12d e^3} - \frac{x^3 (-d^2 g^2 + 2d e f g + 5e^2 f^2)}{16d^4} - \frac{e x^4 (-d^2 g^2 + 2d e f g + 5e^2 f^2)}{16d^5} + \frac{x(7d^2 g^2 + 10d e f g + 25e^2 f^2)}{48d^2 e^2} + \frac{5x^2 (-d^2 g^2 + 2d e f g + 5e^2 f^2)}{48d^3 e} + \frac{\operatorname{atanh}\left(\frac{ex}{d}\right) (-d^2 g^2 + 2d e f g + 5e^2 f^2)}{16d^6 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)^2/((d^2 - e^2\*x^2)^3\*(d + e\*x)),x)

[Out]  $\frac{(d^2 g^2 - 2e^2 f^2 + 4d e^2 f g)}{(12d e^3)} - \frac{(x^3 (5e^2 f^2 - d^2 g^2 + 2d e^2 f g))}{(16d^4)} - \frac{(e x^4 (5e^2 f^2 - d^2 g^2 + 2d e^2 f g))}{(16d^5)} + \frac{(x^7 (7d^2 g^2 + 25e^2 f^2 + 10d e^2 f g))}{(48d^2 e^2)} + \frac{(5x^2 (5e^2 f^2 - d^2 g^2 + 2d e^2 f g))}{(48d^3 e)} + \frac{(d^5 + e^5 x^5 + d e^4 x^4 - 2d^3 e^3 x^3 - 2d^2 e^2 x^2 - 2d e^2 x + d^4 e^2 x^3 + d^4 e^2 x^3 + d^4 e^2 x^3 + d^4 e^2 x^3 + d^4 e^2 x^3)}{(16d^6 e^3)} + \frac{(\operatorname{atanh}\left(\frac{ex}{d}\right) (5e^2 f^2 - d^2 g^2 + 2d e^2 f g))}{(16d^6 e^3)}$

sympy [A] time = 1.83, size = 321, normalized size = 1.71

$$\frac{-4d^6g^2 - 16d^5efg + 8d^4e^2f^2 + x^4(-3d^3e^3g^2 + 6d^2e^4fg + 15d^2f^2) + x^3(-3d^3e^3g^2 + 6d^2e^4fg + 15d^2f^2) + x^2(5d^4e^2g^2 - 10d^3e^3fg - 25d^2e^4f^2) + x(-7d^5eg^2 - 10d^4e^2fg - 25d^3e^3f^2)}{48d^{10}e^3 + 48d^9e^4x - 96d^8e^5x^2 - 96d^7e^6x^3 + 48d^6e^7x^4 + 48d^5e^8x^5} + \frac{(d^2g^2 - 2defg - 5e^2f^2) \log\left(\frac{d}{e} + x\right)}{32d^6e^3} - \frac{(d^2g^2 - 2defg - 5e^2f^2) \log\left(\frac{d}{e} + x\right)}{32d^6e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*2/(e\*x+d)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*3,x)

[Out] 
$$\begin{aligned} & -(-4*d**6*g**2 - 16*d**5*e*f*g + 8*d**4*e**2*f**2 + x**4*(-3*d**2*e**4*g**2 \\ & + 6*d*e**5*f*g + 15*e**6*f**2) + x**3*(-3*d**3*e**3*g**2 + 6*d**2*e**4*f*g \\ & + 15*d*e**5*f**2) + x**2*(5*d**4*e**2*g**2 - 10*d**3*e**3*f*g - 25*d**2*e** \\ & *4*f**2) + x*(-7*d**5*e*g**2 - 10*d**4*e**2*f*g - 25*d**3*e**3*f**2))/(48*d \\ & **10*e**3 + 48*d**9*e**4*x - 96*d**8*e**5*x**2 - 96*d**7*e**6*x**3 + 48*d** \\ & 6*e**7*x**4 + 48*d**5*e**8*x**5) + (d**2*g**2 - 2*d*e*f*g - 5*e**2*f**2)*lo \\ & g(-d/e + x)/(32*d**6*e**3) - (d**2*g**2 - 2*d*e*f*g - 5*e**2*f**2)*log(d/e \\ & + x)/(32*d**6*e**3) \end{aligned}$$



$$3.380 \quad \int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)^3} dx$$

Optimal. Leaf size=235

$$\frac{(dg+ef)(dg+5ef)}{64d^6e^3(d-ex)} + \frac{(dg+ef)^2}{64d^5e^3(d-ex)^2} - \frac{(dg+3ef)(ef-dg)}{48d^4e^3(d+ex)^3} - \frac{(ef-dg)^2}{32d^3e^3(d+ex)^4} + \frac{(-d^2g^2+10defg+15e^2f^2)\operatorname{tanh}^{-1}\left(\frac{ex}{d}\right)}{64d^7e^3}$$

Rubi [A] time = 0.27, antiderivative size = 235, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {848, 88, 208}

$$-\frac{-d^2g^2+2defg+5e^2f^2}{32d^6e^3(d+ex)} - \frac{3e^2f^2-d^2g^2}{32d^5e^3(d+ex)^2} + \frac{(-d^2g^2+10defg+15e^2f^2)\operatorname{tanh}^{-1}\left(\frac{ex}{d}\right)}{64d^7e^3} - \frac{(ef-dg)^2}{32d^3e^3(d+ex)^4} - \frac{(dg+3ef)(ef-dg)}{48d^4e^3(d+ex)^3} + \frac{(dg+ef)(dg+5ef)}{64d^6e^3(d-ex)} + \frac{(dg+ef)^2}{64d^5e^3(d-ex)^2}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)^3), x]

[Out] (e\*f + d\*g)^2/(64\*d^5\*e^3\*(d - e\*x)^2) + ((e\*f + d\*g)\*(5\*e\*f + d\*g))/(64\*d^6\*e^3\*(d - e\*x)) - (e\*f - d\*g)^2/(32\*d^3\*e^3\*(d + e\*x)^4) - ((e\*f - d\*g)\*(3\*e\*f + d\*g))/(48\*d^4\*e^3\*(d + e\*x)^3) - (3\*e^2\*f^2 - d^2\*g^2)/(32\*d^5\*e^3\*(d + e\*x)^2) - (5\*e^2\*f^2 + 2\*d\*e\*f\*g - d^2\*g^2)/(32\*d^6\*e^3\*(d + e\*x)) + ((15\*e^2\*f^2 + 10\*d\*e\*f\*g - d^2\*g^2)\*ArcTanh[(e\*x)/d])/(64\*d^7\*e^3)

Rule 88

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(a + b\*x)^m\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && IntegersQ[m, n] && (IntegerQ[p] || (GtQ[m, 0] && GeQ[n, -1]))

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 848

Int[((d\_) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^p, x\_Symbol] :> Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && (IntegerQ[p] || (GtQ[a, 0] && GtQ[d, 0] && EqQ[m + p, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)^3} dx &= \int \frac{(f+gx)^2}{(d-ex)^3(d+ex)^5} dx \\
&= \int \left( \frac{(ef+dg)^2}{32d^5e^2(d-ex)^3} + \frac{(ef+dg)(5ef+dg)}{64d^6e^2(d-ex)^2} + \frac{(-ef+dg)^2}{8d^3e^2(d+ex)^5} + \frac{(ef-dg)(3ef+dg)}{16d^4e^2(d+ex)^4} \right) dx \\
&= \frac{(ef+dg)^2}{64d^5e^3(d-ex)^2} + \frac{(ef+dg)(5ef+dg)}{64d^6e^3(d-ex)} - \frac{(ef-dg)^2}{32d^3e^3(d+ex)^4} - \frac{(ef-dg)(3ef+dg)}{48d^4e^3(d+ex)^3} \\
&= \frac{(ef+dg)^2}{64d^5e^3(d-ex)^2} + \frac{(ef+dg)(5ef+dg)}{64d^6e^3(d-ex)} - \frac{(ef-dg)^2}{32d^3e^3(d+ex)^4} - \frac{(ef-dg)(3ef+dg)}{48d^4e^3(d+ex)^3}
\end{aligned}$$

**Mathematica [A]** time = 0.17, size = 244, normalized size = 1.04

$$\frac{-\frac{12d^4(ef-dg)^2}{(d+ex)^4} + \frac{12d^2(d^2g^2-3e^2f^2)}{(d+ex)^2} + \frac{6d(d^2g^2+6defg+5e^2f^2)}{d-ex} + \frac{12d(d^2g^2-2defg-5e^2f^2)}{d+ex} + 3(d^2g^2-10defg-15e^2f^2)\log(d-ex) + 3(-d^2g^2+10defg+15e^2f^2)\log(d+ex) + \frac{6d^2(dg+ef)^2}{(d-ex)^2} + \frac{8d^3(d^2g^2+2defg-3e^2f^2)}{(d+ex)^3}}{384d^7e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)^3), x]

[Out] ((6\*d^2\*(e\*f + d\*g)^2)/(d - e\*x)^2 + (6\*d\*(5\*e^2\*f^2 + 6\*d\*e\*f\*g + d^2\*g^2))/(d - e\*x) - (12\*d^4\*(e\*f - d\*g)^2)/(d + e\*x)^4 + (8\*d^3\*(-3\*e^2\*f^2 + 2\*d\*e\*f\*g + d^2\*g^2))/(d + e\*x)^3 + (12\*d^2\*(-3\*e^2\*f^2 + d^2\*g^2))/(d + e\*x)^2 + (12\*d\*(-5\*e^2\*f^2 - 2\*d\*e\*f\*g + d^2\*g^2))/(d + e\*x) + 3\*(-15\*e^2\*f^2 - 10\*d\*e\*f\*g + d^2\*g^2)\*Log[d - e\*x] + 3\*(15\*e^2\*f^2 + 10\*d\*e\*f\*g - d^2\*g^2)\*Log[d + e\*x])/(384\*d^7\*e^3)

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f+gx)^2}{(d+ex)^2(d^2-e^2x^2)^3} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)^3), x]

[Out] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)^2\*(d^2 - e^2\*x^2)^3), x]

**fricas [B]** time = 0.41, size = 793, normalized size = 3.37

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^2/(-e^2\*x^2+d^2)^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/384*(96*d^6*e^2*f^2 - 64*d^7*e*f*g - 32*d^8*g^2 + 6*(15*d*e^7*f^2 + 10*d^2*e^6*f*g - d^3*e^5*g^2)*x^5 + 12*(15*d^2*e^6*f^2 + 10*d^3*e^5*f*g - d^4*e^4*g^2)*x^4 - 4*(15*d^3*e^5*f^2 + 10*d^4*e^4*f*g - d^5*e^3*g^2)*x^3 - 20*(15*d^4*e^4*f^2 + 10*d^5*e^3*f*g - d^6*e^2*g^2)*x^2 - 2*(51*d^5*e^3*f^2 + 34*d^6*e^2*f*g + 35*d^7*e*g^2)*x - 3*(15*d^6*e^2*f^2 + 10*d^7*e*f*g - d^8*g^2 + (15*e^8*f^2 + 10*d*e^7*f*g - d^2*e^6*g^2)*x^6 + 2*(15*d*e^7*f^2 + 10*d^2*e^6*f*g - d^3*e^5*g^2)*x^5 - (15*d^2*e^6*f^2 + 10*d^3*e^5*f*g - d^4*e^4*g^2)*x^4 - 4*(15*d^3*e^5*f^2 + 10*d^4*e^4*f*g - d^5*e^3*g^2)*x^3 - (15*d^4*e^4*f^2 + 10*d^5*e^3*f*g - d^6*e^2*g^2)*x^2 + 2*(15*d^5*e^3*f^2 + 10*d^6*e^2*f*g - d^7*e*g^2)*x)*\log(e*x + d) + 3*(15*d^6*e^2*f^2 + 10*d^7*e*f*g - d^8*g^2 + (15*e^8*f^2 + 10*d*e^7*f*g - d^2*e^6*g^2)*x^6 + 2*(15*d*e^7*f^2 + 10*d^2*e^6*f*g - d^3*e^5*g^2)*x^5 - (15*d^2*e^6*f^2 + 10*d^3*e^5*f*g - d^4*e^4*g^2)*x^4 - 4*(15*d^3*e^5*f^2 + 10*d^4*e^4*f*g - d^5*e^3*g^2)*x^3 - (15*d^4*e^4*f^2 + 10*d^5*e^3*f*g - d^6*e^2*g^2)*x^2 + 2*(15*d^5*e^3*f^2 + 10*d^6*e^2*f*g - d^7*e*g^2)*x)*\log(e*x - d))/(d^7*e^9*x^6 + 2*d^8*e^8*x^5 - d^9*e^7*x^4 - 4*d^10*e^6*x^3 - d^11*e^5*x^2 + 2*d^12*e^4*x + d^13*e^3) \end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)^2/(-e^2\*x^2+d^2)^3,x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: 
$$\begin{aligned} & -((\exp(1)*x+d)^{-1}/\exp(1)*g^2*d^2*\exp(1)^{10}-2*(\exp(1)*x+d)^{-1}/\exp(1)*g*d*\exp(1)^{11}*f+(\exp(1)*x+d)^{-1}/\exp(1)*\exp(1)^{12}*f^2)/(d^6*\exp(1)^{12}-3*d^6*\exp(1)^{10}*x^2+3*d^6*\exp(1)^8*\exp(2)^2-d^6*\exp(1)^6*\exp(2)^3)-((5*g^2*d^5*\exp(1)^{12}+50*g^2*d^5*\exp(1)^{10}*x^2-20*g^2*d^5*\exp(1)^8*\exp(2)^2-34*g^2*d^5*\exp(1)^6*\exp(2)^3-g^2*d^5*\exp(1)^4*\exp(2)^4-68*g*d^4*\exp(1)^{11}*x*\exp(2)*f-52*g*d^4*\exp(1)^9*\exp(2)^2*f+116*g*d^4*\exp(1)^7*\exp(2)^3*f+4*g*d^4*\exp(1)^5*\exp(2)^4*f+9*d^3*\exp(1)^{12}*x^2*f^2+66*d^3*\exp(1)^{10}*x^2*f^2-60*d^3*\exp(1)^8*e^2*\exp(2)^3*f^2-18*d^3*\exp(1)^6*\exp(2)^4*f^2+3*d^3*\exp(1)^4*\exp(2)^5*f^2)*(-(\exp(1)*x+d)^{-1}/\exp(1))^3+(17*g^2*d^4*\exp(1)^9*\exp(2)-85*g^2*d^4*\exp(1)^7*\exp(2)^2-89*g^2*d^4*\exp(1)^5*\exp(2)^3-3*g^2*d^4*\exp(1)^3*\exp(2)^4-16*g*d^3*\exp(1)^{10}*x*\exp(2)*f+44*g*d^3*\exp(1)^8*\exp(2)^2*f+280*g*d^3*\exp(1)^6*\exp(2)^3*f+12*g*d^3*\exp(1)^4*\exp(2)^4*f+21*d^2*\exp(1)^9*\exp(2)^2*f^2-145*d^2*\exp(1)^7*e^2*\exp(2)^3*f^2-45*d^2*\exp(1)^5*\exp(2)^4*f^2+9*d^2*\exp(1)^3*\exp(2)^5*f^2)*(-(\exp(1)*x+d)^{-1}/\exp(1))^2-(-3*g^2*d^3*\exp(1)^8*\exp(2)-77*g^2*d^3*\exp(1)^6*\exp(2)^2-77*g^2*d^3*\exp(1)^4*\exp(2)^3-3*g^2*d^3*\exp(1)^2*\exp(2)^4+76*g*d^2*\exp(1)^7*\exp(2)^2*f+232*g*d^2*\exp(1)^5*\exp(2)^3*f+12*g*d^2*\exp(1)^3*\exp(2)^4*f-7*d*\exp(1)^8*\exp(2)^2*f^2-121*d*\exp(1)^6*\exp(2)^3*f^2-41*d*\exp(1)^4*\exp(2)^4*f^2+9*d*\exp(1)^2*\exp(2)^5*f^2)*(\exp(1)*x+d)^{-1}/\exp(1)-17*g^2*d^2*\exp(1)^5 \end{aligned}$$

$$\begin{aligned} & * \exp(2)^2 - 22 * g^2 * d^2 * \exp(1)^3 * \exp(2)^3 - g^2 * d^2 * \exp(1) * \exp(2)^4 + 12 * g * d * \exp(1) \\ & )^6 * \exp(2)^2 * f + 64 * g * d * \exp(1)^4 * \exp(2)^3 * f + 4 * g * d * \exp(1)^2 * \exp(2)^4 * f - 29 * \exp(1) \\ & )^5 * \exp(2)^3 * f^2 - 14 * \exp(1)^3 * \exp(2)^4 * f^2 + 3 * \exp(1) * \exp(2)^5 * f^2) / 8 / d^7 / (\exp(2) - \exp(1)^2)^4 / \\ & ((-\exp(1) * x + d)^{-1} / \exp(1))^{2 * d^2 * \exp(1)^4} - ((-\exp(1) * x + d)^{-1} / \exp(1))^{2 * d^2 * \exp(1)^2 * \exp(2) + 2 * \\ & (\exp(1) * x + d)^{-1} / \exp(1) * d * \exp(1) * \exp(2) - \exp(2))^{2 - (g^2 * d^2 * \exp(1)^5 + 2 * g^2 * d^2 * \exp(1)^3 * \exp(2) - g * d * \exp(1)^6 * f - 5 * g * d * \exp(1)^4 * f * \exp(2) + 3 * \exp(1)^5 * f^2 * \exp(2)) / (-d^7 * \exp(1)^8 + 4 * d^7 * \exp(1)^6 * \exp(2) - 6 * d^7 * \exp(1)^4 * \exp(2)^2 + 4 * d^7 * \exp(1)^2 * \exp(2)^3 - d^7 * \exp(2)^4) * \ln(\text{abs}((-\exp(1) * x + d)^{-1} / \exp(1))^{2 * d^2 * \exp(1)^4} - ((-\exp(1) * x + d)^{-1} / \exp(1))^{2 * d^2 * \exp(1)^2 * \exp(2) + 2 * (\exp(1) * x + d)^{-1} / \exp(1) * d * \exp(1) * \exp(2) - \exp(2))) - (3 * g^2 * d^2 * \exp(1)^8 + 33 * g^2 * d^2 * \exp(1)^6 * \exp(2) + 13 * g^2 * d^2 * \exp(1)^4 * \exp(2)^2 - g^2 * d^2 * \exp(1)^2 * \exp(2)^3 - 60 * g * d * \exp(1)^7 * f * \exp(2) - 40 * g * d * \exp(1)^5 * f * \exp(2)^2 + 4 * g * d * \exp(1)^3 * f * \exp(2)^3 + 15 * \exp(1)^8 * f^2 * \exp(2) + 45 * \exp(1)^6 * f^2 * \exp(2)^2 - 15 * \exp(1)^4 * f^2 * \exp(2)^3 + 3 * \exp(1)^2 * f^2 * \exp(2)^4) / 2 / (-8 * d^6 * \exp(1)^8 + 32 * d^6 * \exp(1)^6 * \exp(2) - 48 * d^6 * \exp(1)^4 * \exp(2)^2 + 32 * d^6 * \exp(1)^2 * \exp(2)^3 - 8 * d^6 * \exp(2)^4) / \exp(1) / \text{abs}(d) / \exp(1)^2 * \ln(\text{abs}(-2 * (\exp(1) * x + d)^{-1} / \exp(1) * d^2 * \exp(1)^4 + 2 * (\exp(1) * x + d)^{-1} / \exp(1) * d^2 * \exp(1)^2 * \exp(2) - 2 * d * \exp(1) * \exp(2) - 2 * \exp(1) * \text{abs}(d) * \exp(1)^2) / \text{abs}(-2 * (\exp(1) * x + d)^{-1} / \exp(1) * d^2 * \exp(1)^4 + 2 * (\exp(1) * x + d)^{-1} / \exp(1) * d^2 * \exp(1)^2 * \exp(2) - 2 * d * \exp(1) * \exp(2) + 2 * \exp(1) * \text{abs}(d) * \exp(1)^2)) \end{aligned}$$

**maple [A]** time = 0.02, size = 421, normalized size = 1.79

$$\frac{f^2}{32(d^2+d^2)^2} + \frac{fg}{16(d+d^2)^2} + \frac{f^2}{32(d+d^2)^2} + \frac{d^2}{16(d+d^2)^2} + \frac{f^2}{32(d+d^2)^2} + \frac{d^2}{16(d+d^2)^2} + \frac{fg}{16(d+d^2)^2} + \frac{f^2}{32(d+d^2)^2} + \frac{d^2}{16(d+d^2)^2} + \frac{3f^2}{32(d+d^2)^2} + \frac{d^2}{16(d+d^2)^2} + \frac{3fg}{32(d+d^2)^2} + \frac{f^2}{16(d+d^2)^2} + \frac{d^2 \ln(d-d)}{128d^2} + \frac{d^2 \ln(d+d)}{128d^2} + \frac{3f^2}{16(d+d^2)^2} + \frac{3f^2}{32(d+d^2)^2} + \frac{5g \ln(d-d)}{64d^2} + \frac{5g \ln(d+d)}{64d^2} + \frac{15f^2 \ln(d-d)}{128d^2} + \frac{15f^2 \ln(d+d)}{128d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((g*x+f)^2/(e*x+d)^2/(-e^2*x^2+d^2)^3, x)$

[Out]  $-1/64/(e*x-d)/d^4/e^3*g^2-3/32/(e*x-d)/d^5/e^2*f*g-5/64/(e*x-d)/d^6/e*f^2+1/64/e^3/d^3/(e*x-d)^2*g^2+1/32/e^2/d^4/(e*x-d)^2*f*g+1/64/e/d^5/(e*x-d)^2*f^2+1/128/d^5/e^3*g^2*\ln(e*x-d)-5/64/d^6/e^2*f*g*\ln(e*x-d)-15/128/d^7/e*f^2*\ln(e*x-d)+1/32/e^3/d^3/(e*x+d)^2*g^2-3/32/(e*x+d)^2/d^5/e*f^2+1/48/(e*x+d)^3/d^2/e^3*g^2+1/24/(e*x+d)^3/d^3/e^2*f*g-1/16/(e*x+d)^3/d^4/e*f^2+1/32/(e*x+d)/d^4/e^3*g^2-1/16/(e*x+d)/d^5/e^2*f*g-5/32/(e*x+d)/d^6/e*f^2-1/128/d^5/e^3*g^2*\ln(e*x+d)+5/64/d^6/e^2*f*g*\ln(e*x+d)+15/128/d^7/e*f^2*\ln(e*x+d)-1/32/(e*x+d)^4/d/e^3*g^2+1/16/e^2/d^2/(e*x+d)^4*f*g-1/32/(e*x+d)^4/d^3/e*f^2$

**maxima [A]** time = 0.51, size = 359, normalized size = 1.53

$$\frac{48*d^2*f^2-32*d^2*f*g-16*d^2*g^2+3*(15*f^2+10*d*f*g-d^2*g^2)^2+6*(15*d^2*f^2+10*d^2*f*g-d^2*g^2)^2-2*(15*d^2*f^2+10*d^2*f*g-d^2*g^2)^2-10*(15*d^2*f^2+10*d^2*f*g-d^2*g^2)^2-(51*d^2*f^2+34*d^2*f*g+35*d^2*g^2)^2}{192*(d^2*e^2+2*d^2*e^2-d^2*x^4-4*d^2*e^2-d^2*d^2+2*d^2*e*x+d^2*e^2)} + \frac{(15*f^2+10*d*f*g-d^2*g^2)\log(e*x+d)}{128*d^2} + \frac{(15*f^2+10*d*f*g-d^2*g^2)\log(e*x-d)}{128*d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((g*x+f)^2/(e*x+d)^2/(-e^2*x^2+d^2)^3, x, \text{algorithm}="maxima")$

[Out]  $-1/192*(48*d^5*e^2*f^2-32*d^6*e*f*g-16*d^7*g^2+3*(15*e^7*f^2+10*d*e^6*f*g-d^2*e^5*g^2)*x^5+6*(15*d*e^6*f^2+10*d^2*e^5*f*g-d^3*e^4*g^2)$

$$*x^4 - 2*(15*d^2*e^5*f^2 + 10*d^3*e^4*f*g - d^4*e^3*g^2)*x^3 - 10*(15*d^3*e^4*f^2 + 10*d^4*e^3*f*g - d^5*e^2*g^2)*x^2 - (51*d^4*e^3*f^2 + 34*d^5*e^2*f*g + 35*d^6*e*g^2)*x)/(d^6*e^9*x^6 + 2*d^7*e^8*x^5 - d^8*e^7*x^4 - 4*d^9*e^6*x^3 - d^10*e^5*x^2 + 2*d^11*e^4*x + d^12*e^3) + 1/128*(15*e^2*f^2 + 10*d*e*f*g - d^2*g^2)*\log(e*x + d)/(d^7*e^3) - 1/128*(15*e^2*f^2 + 10*d*e*f*g - d^2*g^2)*\log(e*x - d)/(d^7*e^3)$$

**mupad [B]** time = 2.64, size = 296, normalized size = 1.26

$$\frac{\frac{d^2 g^2 + 2 d e f g - 3 e^2 f^2}{12 d e^3} + \frac{x^3 (-d^2 g^2 + 10 d e f g + 15 e^2 f^2)}{96 d^4} - \frac{e x^4 (-d^2 g^2 + 10 d e f g + 15 e^2 f^2)}{32 d^5} + \frac{x (35 d^2 g^2 + 34 d e f g + 51 e^2 f^2)}{192 d^2 e^2} + \frac{5 x^2 (-d^2 g^2 + 10 d e f g + 15 e^2 f^2)}{96 d^3 e} - \frac{e^2 x^5 (-d^2 g^2 + 10 d e f g + 15 e^2 f^2)}{64 d^6}}{d^6 + 2 d^5 e x - d^4 e^2 x^2 - 4 d^3 e^3 x^3 - d^2 e^4 x^4 + 2 d e^5 x^5 + e^6 x^6} + \frac{\operatorname{atanh}\left(\frac{e x}{d}\right) (-d^2 g^2 + 10 d e f g + 15 e^2 f^2)}{64 d^7 e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)^2/((d^2 - e^2*x^2)^3*(d + e*x)^2), x)`

[Out]  $((d^2*g^2 - 3*e^2*f^2 + 2*d*e*f*g)/(12*d*e^3) + (x^3*(15*e^2*f^2 - d^2*g^2 + 10*d*e*f*g))/(96*d^4) - (e*x^4*(15*e^2*f^2 - d^2*g^2 + 10*d*e*f*g))/(32*d^5) + (x*(35*d^2*g^2 + 51*e^2*f^2 + 34*d*e*f*g))/(192*d^2*e^2) + (5*x^2*(15*e^2*f^2 - d^2*g^2 + 10*d*e*f*g))/(96*d^3*e) - (e^2*x^5*(15*e^2*f^2 - d^2*g^2 + 10*d*e*f*g))/(64*d^6))/(d^6 + e^6*x^6 + 2*d*e^5*x^5 - d^4*e^2*x^2 - 4*d^3*e^3*x^3 - d^2*e^4*x^4 + 2*d^5*e*x) + (\operatorname{atanh}((e*x)/d)*(15*e^2*f^2 - d^2*g^2 + 10*d*e*f*g))/(64*d^7*e^3)$

**sympy [A]** time = 2.15, size = 372, normalized size = 1.58

$$\frac{-16d^2g^2 - 32de^2fg + 48e^2f^2 + x^3(-3d^2g^2 + 10defg + 45e^2f^2) + x^4(-6d^2g^2 + 60de^2fg + 90de^2f^2) + x^5(2d^2g^2 - 20d^2e^2fg - 30d^2e^2f^2) + x^6(10d^2g^2 - 100d^2e^2fg - 150d^2e^2f^2) + x(-35d^2g^2 - 34d^2e^2fg - 51d^2e^2f^2)}{192d^12e^3 + 384d^11e^4x - 192d^10e^5x^2 - 768d^9e^6x^3 - 192d^8e^7x^4 + 384d^7e^8x^5 + 192d^6e^9x^6} + \frac{(d^2g^2 - 10defg - 15e^2f^2)\log\left(-\frac{d}{e} + x\right) + (d^2g^2 - 10defg - 15e^2f^2)\log\left(\frac{d}{e} + x\right)}{128d^7e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**2/(e*x+d)**2/(-e**2*x**2+d**2)**3, x)`

[Out]  $(-16*d**7*g**2 - 32*d**6*e*f*g + 48*d**5*e**2*f**2 + x**5*(-3*d**2*e**5*g**2 + 30*d*e**6*f*g + 45*e**7*f**2) + x**4*(-6*d**3*e**4*g**2 + 60*d**2*e**5*f*g + 90*d*e**6*f**2) + x**3*(2*d**4*e**3*g**2 - 20*d**3*e**4*f*g - 30*d**2*e**5*f**2) + x**2*(10*d**5*e**2*g**2 - 100*d**4*e**3*f*g - 150*d**3*e**4*f**2) + x*(-35*d**6*e*g**2 - 34*d**5*e**2*f*g - 51*d**4*e**3*f**2))/(192*d**12*e**3 + 384*d**11*e**4*x - 192*d**10*e**5*x**2 - 768*d**9*e**6*x**3 - 192*d**8*e**7*x**4 + 384*d**7*e**8*x**5 + 192*d**6*e**9*x**6) + (d**2*g**2 - 10*d*e*f*g - 15*e**2*f**2)*\log(-d/e + x)/(128*d**7*e**3) - (d**2*g**2 - 10*d*e*f*g - 15*e**2*f**2)*\log(d/e + x)/(128*d**7*e**3)$

$$3.381 \quad \int \frac{(d+ex)^3(f+gx)^5}{(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=269

$$\frac{g^3(13d^2g^2 + 30defg + 20e^2f^2) \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^6} + \frac{g^4\sqrt{d^2-e^2x^2}(3dg + 5ef)}{e^6} + \frac{(d+ex)^2(2ef - 23dg)(dg + ef)^4}{15d^2e^6(d^2 - e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.97, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {1635, 1815, 641, 217, 203}

$$\frac{(d+ex)(dg+ef)^3(127d^2g^2-21defg+2e^2f^2)}{15d^3e^6\sqrt{d^2-e^2x^2}} - \frac{g^3(13d^2g^2+30defg+20e^2f^2)\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{2e^6} + \frac{g^4\sqrt{d^2-e^2x^2}(3dg+5ef)}{e^6} + \frac{(d+ex)^2(2ef-23dg)(dg+ef)^4}{15d^2e^6(d^2-e^2x^2)^{3/2}} + \frac{(d+ex)^3(dg+ef)^5}{5de^6(d^2-e^2x^2)^{3/2}} + \frac{g^5x\sqrt{d^2-e^2x^2}}{2e^5}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(f + g\*x)^5)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] ((e\*f + d\*g)^5\*(d + e\*x)^3)/(5\*d\*e^6\*(d^2 - e^2\*x^2)^(5/2)) + ((2\*e\*f - 23\*d\*g)\*(e\*f + d\*g)^4\*(d + e\*x)^2)/(15\*d^2\*e^6\*(d^2 - e^2\*x^2)^(3/2)) + ((e\*f + d\*g)^3\*(2\*e^2\*f^2 - 21\*d\*e\*f\*g + 127\*d^2\*g^2)\*(d + e\*x))/(15\*d^3\*e^6\*sqrt[d^2 - e^2\*x^2]) + (g^4\*(5\*e\*f + 3\*d\*g)\*sqrt[d^2 - e^2\*x^2])/e^6 + (g^5\*x\*sqrt[d^2 - e^2\*x^2])/(2\*e^5) - (g^3\*(20\*e^2\*f^2 + 30\*d\*e\*f\*g + 13\*d^2\*g^2)\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/(2\*e^6)

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 1635

```

Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]

```

### Rule 1815

```

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] :=> With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*
(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x
], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3(f+gx)^5}{(d^2-e^2x^2)^{7/2}} dx &= \frac{(ef+dg)^5(d+ex)^3}{5de^6(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d+ex)^2 \left( -\frac{2e^5f^5-15de^4f^4g-30d^2e^3f^3g^2-30d^3e^2f^2g^3-15d^4efg^4-3d^5g^5}{e^5} + \frac{5dg^2(10e^3f^3+10e^2f^2g+5efg^2)}{e^5} \right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{(ef+dg)^5(d+ex)^3}{5de^6(d^2-e^2x^2)^{5/2}} + \frac{(2ef-23dg)(ef+dg)^4(d+ex)^2}{15d^2e^6(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{(d+ex) \left( \frac{2e^5f^5-15de^4f^4g+70d^2e^3f^3g}{e^5} \right)}{(d^2-e^2x^2)^{3/2}} dx}{15d} \\
&= \frac{(ef+dg)^5(d+ex)^3}{5de^6(d^2-e^2x^2)^{5/2}} + \frac{(2ef-23dg)(ef+dg)^4(d+ex)^2}{15d^2e^6(d^2-e^2x^2)^{3/2}} + \frac{(ef+dg)^3(2e^2f^2-21defg)}{15d^3e^6\sqrt{d^2-e^2x^2}} \\
&= \frac{(ef+dg)^5(d+ex)^3}{5de^6(d^2-e^2x^2)^{5/2}} + \frac{(2ef-23dg)(ef+dg)^4(d+ex)^2}{15d^2e^6(d^2-e^2x^2)^{3/2}} + \frac{(ef+dg)^3(2e^2f^2-21defg)}{15d^3e^6\sqrt{d^2-e^2x^2}} \\
&= \frac{(ef+dg)^5(d+ex)^3}{5de^6(d^2-e^2x^2)^{5/2}} + \frac{(2ef-23dg)(ef+dg)^4(d+ex)^2}{15d^2e^6(d^2-e^2x^2)^{3/2}} + \frac{(ef+dg)^3(2e^2f^2-21defg)}{15d^3e^6\sqrt{d^2-e^2x^2}} \\
&= \frac{(ef+dg)^5(d+ex)^3}{5de^6(d^2-e^2x^2)^{5/2}} + \frac{(2ef-23dg)(ef+dg)^4(d+ex)^2}{15d^2e^6(d^2-e^2x^2)^{3/2}} + \frac{(ef+dg)^3(2e^2f^2-21defg)}{15d^3e^6\sqrt{d^2-e^2x^2}} \\
&= \frac{(ef+dg)^5(d+ex)^3}{5de^6(d^2-e^2x^2)^{5/2}} + \frac{(2ef-23dg)(ef+dg)^4(d+ex)^2}{15d^2e^6(d^2-e^2x^2)^{3/2}} + \frac{(ef+dg)^3(2e^2f^2-21defg)}{15d^3e^6\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.97, size = 193, normalized size = 0.72

$$\frac{\sqrt{d^2-e^2x^2} \left( \frac{2(2ef-23dg)(dg+ef)^4}{d^2(d-ex)^2} + \frac{2(dg+ef)^3(127d^2g^2-21defg+2e^2f^2)}{d^3(d-ex)} + 30g^4(3dg+5ef) + \frac{6(dg+ef)^5}{d(d-ex)^3} + 15eg^5x \right) - 15g^3(13d^2g^2+30defg+20e^2f^2) \tan^{-1} \left( \frac{ex}{\sqrt{d^2-e^2x^2}} \right)}{30e^6}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(f + g\*x)^5)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(30\*g^4\*(5\*e\*f + 3\*d\*g) + 15\*e\*g^5\*x + (6\*(e\*f + d\*g)^5)/(d\*(d - e\*x)^3) + (2\*(2\*e\*f - 23\*d\*g)\*(e\*f + d\*g)^4)/(d^2\*(d - e\*x)^2) + (2\*(e\*f + d\*g)^3\*(2\*e^2\*f^2 - 21\*d\*e\*f\*g + 127\*d^2\*g^2))/(d^3\*(d - e\*x)))



$$- 15*g^3*(20*e^2*f^2 + 30*d*e*f*g + 13*d^2*g^2)*ArcTan[(e*x)/Sqrt[d^2 - e^2*x^2]]/(30*e^6)$$

**IntegrateAlgebraic [A]** time = 1.98, size = 385, normalized size = 1.43

$$\frac{\sqrt{-d^2} (304f^5 + 720d^2ef^4 - 717d^2e^2f^3 + 440d^2e^3f^2g - 1710d^2e^4fg + 479d^2e^5g^2 + 48d^2e^6f^2g^2 - 1020d^2e^7fg^2 + 1170d^2e^8g^3 - 45d^2e^9f^2g^3 - 30d^2e^10fg^3 - 120d^2e^11g^4 + 640d^2e^12f^2g^4 - 150d^2e^13fg^4 + 14d^2e^14g^5 + 90d^2e^15fg^5 + 140d^2e^16g^6 - 12d^2e^17f^2g^6 - 30d^2e^18fg^6 + 4d^2e^19g^7) \sqrt{-d^2} (13d^2 + 30d^2e^2 + 20d^2e^4) \log(\sqrt{-d^2} - \sqrt{-d^2}x)}{30d^2e^6 - d^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(f + g\*x)^5)/(d^2 - e^2\*x^2)^(7/2),x]

$$[Out] (\text{Sqrt}[d^2 - e^2*x^2]*(14*d^2*e^5*f^5 - 30*d^3*e^4*f^4*g + 40*d^4*e^3*f^3*g^2 + 440*d^5*e^2*f^2*g^3 + 720*d^6*e*f*g^4 + 304*d^7*g^5 - 12*d*e^6*f^5*x + 90*d^2*e^5*f^4*g*x - 120*d^3*e^4*f^3*g^2*x - 1020*d^4*e^3*f^2*g^3*x - 1710*d^5*e^2*f*g^4*x - 717*d^6*e*g^5*x + 4*e^7*f^5*x^2 - 30*d*e^6*f^4*g*x^2 + 140*d^2*e^5*f^3*g^2*x^2 + 640*d^3*e^4*f^2*g^3*x^2 + 1170*d^4*e^3*f*g^4*x^2 + 479*d^5*e^2*g^5*x^2 - 150*d^3*e^4*f*g^4*x^3 - 45*d^4*e^3*g^5*x^3 - 15*d^3*e^4*g^5*x^4))/(30*d^3*e^6*(d - e*x)^3) - (\text{Sqrt}[-e^2]*(20*e^2*f^2*g^3 + 30*d*e*f*g^4 + 13*d^2*g^5)*\text{Log}[-(\text{Sqrt}[-e^2]*x) + \text{Sqrt}[d^2 - e^2*x^2]])/(2*e^7)$$

**fricas [B]** time = 0.49, size = 807, normalized size = 3.00

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^5/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

$$[Out] -1/30*(14*d^3*e^5*f^5 - 30*d^4*e^4*f^4*g + 40*d^5*e^3*f^3*g^2 + 440*d^6*e^2*f^2*g^3 + 720*d^7*e*f*g^4 + 304*d^8*g^5 - 2*(7*e^8*f^5 - 15*d*e^7*f^4*g + 20*d^2*e^6*f^3*g^2 + 220*d^3*e^5*f^2*g^3 + 360*d^4*e^4*f*g^4 + 152*d^5*e^3*g^5)*x^3 + 6*(7*d*e^7*f^5 - 15*d^2*e^6*f^4*g + 20*d^3*e^5*f^3*g^2 + 220*d^4*e^4*f^2*g^3 + 360*d^5*e^3*f*g^4 + 152*d^6*e^2*g^5)*x^2 - 6*(7*d^2*e^6*f^5 - 15*d^3*e^5*f^4*g + 20*d^4*e^4*f^3*g^2 + 220*d^5*e^3*f^2*g^3 + 360*d^6*e^2*f*g^4 + 152*d^7*e*g^5)*x + 30*(20*d^6*e^2*f^2*g^3 + 30*d^7*e*f*g^4 + 13*d^8*g^5 - (20*d^3*e^5*f^2*g^3 + 30*d^4*e^4*f*g^4 + 13*d^5*e^3*g^5)*x^3 + 3*(20*d^4*e^4*f^2*g^3 + 30*d^5*e^3*f*g^4 + 13*d^6*e^2*g^5)*x^2 - 3*(20*d^5*e^3*f^2*g^3 + 30*d^6*e^2*f*g^4 + 13*d^7*e*g^5)*x)*arctan(-(d - sqrt(-e^2*x^2 + d^2))/(e*x)) - (15*d^3*e^4*g^5*x^4 - 14*d^2*e^5*f^5 + 30*d^3*e^4*f^4*g - 40*d^4*e^3*f^3*g^2 - 440*d^5*e^2*f^2*g^3 - 720*d^6*e*f*g^4 - 304*d^7*g^5 + 15*(10*d^3*e^4*f*g^4 + 3*d^4*e^3*g^5)*x^3 - (4*e^7*f^5 - 30*d*e^6*f^4*g + 140*d^2*e^5*f^3*g^2 + 640*d^3*e^4*f^2*g^3 + 1170*d^4*e^3*f*g^4 + 479*d^5*e^2*g^5)*x^2 + 3*(4*d*e^6*f^5 - 30*d^2*e^5*f^4*g + 40*d^3*e^4*f^3*g^2 + 340*d^4*e^3*f^2*g^3 + 570*d^5*e^2*f*g^4 + 239*d^6*e*g^5)*x)*sqrt(-e^2*x^2 + d^2))/(d^3*e^9*x^3 - 3*d^4*e^8*x^2 + 3*d^5*e^7*x - d^6*e^6)$$

**giac [B]** time = 0.66, size = 537, normalized size = 2.00

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*(g*x+f)^5/(-e^2*x^2+d^2)^(7/2),x, algorithm="giac")
[Out] -1/2*(13*d^2*g^5 + 30*d*f*g^4*e + 20*f^2*g^3*e^2)*arcsin(x*e/d)*e^(-6)*sgn(d) + 1/30*sqrt(-x^2*e^2 + d^2)*((((((15*(g^5*x*e + 2*(3*d^5*g^5*e^12 + 5*d^4*f*g^4*e^13)*e^(-12)/d^4)*x - (299*d^6*g^5*e^11 + 720*d^5*f*g^4*e^12 + 640*d^4*f^2*g^3*e^13 + 140*d^3*f^3*g^2*e^14 - 30*d^2*f^4*g*e^15 + 4*d*f^5*e^16)*e^(-12)/d^4)*x - 30*(19*d^7*g^5*e^10 + 45*d^6*f*g^4*e^11 + 30*d^5*f^2*g^3*e^12 + 10*d^4*f^3*g^2*e^13)*e^(-12)/d^4)*x + 5*(91*d^8*g^5*e^9 + 210*d^7*f*g^4*e^10 + 140*d^6*f^2*g^3*e^11 - 20*d^5*f^3*g^2*e^12 - 30*d^4*f^4*g*e^13 + 2*d^3*f^5*e^14)*e^(-12)/d^4)*x + 10*(76*d^9*g^5*e^8 + 180*d^8*f*g^4*e^9 + 110*d^7*f^2*g^3*e^10 + 10*d^6*f^3*g^2*e^11 - 15*d^5*f^4*g*e^12 - d^4*f^5*e^13)*e^(-12)/d^4)*x - 15*(13*d^10*g^5*e^7 + 30*d^9*f*g^4*e^8 + 20*d^8*f^2*g^3*e^9 + 2*d^5*f^5*e^12)*e^(-12)/d^4)*x - 2*(152*d^11*g^5*e^6 + 360*d^10*f*g^4*e^7 + 220*d^9*f^2*g^3*e^8 + 20*d^8*f^3*g^2*e^9 - 15*d^7*f^4*g*e^10 + 7*d^6*f^5*e^11)*e^(-12)/d^4)/(x^2*e^2 - d^2)^3
```

**maple [B]** time = 0.06, size = 1308, normalized size = 4.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)^3*(g*x+f)^5/(-e^2*x^2+d^2)^(7/2),x)
[Out] 3/2*d^2/e*x/(-e^2*x^2+d^2)^(5/2)*f^4*g+1/2/e^4*x/(-e^2*x^2+d^2)^(3/2)*d^3*f*g^4+3/e^3*x/(-e^2*x^2+d^2)^(3/2)*d^2*f^2*g^3+7/3/e^2*x/(-e^2*x^2+d^2)^(3/2)*d*f^3*g^2-5/e^2*x^3/(-e^2*x^2+d^2)^(3/2)*d*f*g^4+16/e^4*x/(-e^2*x^2+d^2)^(1/2)*d*f*g^4-15/e^4/(e^2)^(1/2)*arctan((e^2)^(1/2)/(-e^2*x^2+d^2)^(1/2)*x)*d*f*g^4-110/3*d^3/e^2*x^2/(-e^2*x^2+d^2)^(5/2)*f^2*g^3-10/3*d^2/e*x^2/(-e^2*x^2+d^2)^(5/2)*f^3*g^2+5/2*x^3/e^2/(-e^2*x^2+d^2)^(5/2)*d^3*f*g^4+15*x^3/e/(-e^2*x^2+d^2)^(5/2)*d^2*f^2*g^3-3/2*d^5/e^4*x/(-e^2*x^2+d^2)^(5/2)*f*g^4+45*d^2/e*x^4/(-e^2*x^2+d^2)^(5/2)*f*g^4-60*d^4/e^3*x^2/(-e^2*x^2+d^2)^(5/2)*f*g^4+14/3/d/e^2*x/(-e^2*x^2+d^2)^(1/2)*f^3*g^2-1/d^2/e*x/(-e^2*x^2+d^2)^(1/2)*f^4*g-9*d^4/e^3*x/(-e^2*x^2+d^2)^(5/2)*f^2*g^3-7*d^3/e^2*x/(-e^2*x^2+d^2)^(5/2)*f^3*g^2-1/2*e*g^5*x^7/(-e^2*x^2+d^2)^(5/2)+7/15*d^2/e/(-e^2*x^2+d^2)^(5/2)*f^5+4/5*x/(-e^2*x^2+d^2)^(5/2)*d*f^5+1/15/d*x/(-e^2*x^2+d^2)^(3/2)*f^5+2/15/d^3*x/(-e^2*x^2+d^2)^(1/2)*f^5+1/3*x^2*e/(-e^2*x^2+d^2)^(5/2)*f^5-3*x^6/(-e^2*x^2+d^2)^(5/2)*d*g^5+152/15*d^7/e^6/(-e^2*x^2+d^2)^(5/2)*g^5+5/2*x^3*e/(-e^2*x^2+d^2)^(5/2)*f^4*g-1/2/e*x/(-e^2*x^2+d^2)^(3/2)*f^4*g+5*x^2/(-e^2*x^2+d^2)^(5/2)*d*f^4*g-d^3/e^2/(-e^2*x^2+d^2)^(5/2)*f^4*g-5*x^6*e/(-e^2*x^2+d^2)^(5/2)*f*g^4+19*d^3/e^2*x^4/(-e^2*x^2+d^2)^(5/2)*g^5-76/3*d^
```

$$\begin{aligned} & 5/e^4*x^2/(-e^2*x^2+d^2)^{(5/2)}*g^5+24*d^6/e^5/(-e^2*x^2+d^2)^{(5/2)}*f*g^4+3*x^5/(-e^2*x^2+d^2)^{(5/2)}*d*f*g^4+2*x^5*e/(-e^2*x^2+d^2)^{(5/2)}*f^2*g^3-10/3/e*x^3/(-e^2*x^2+d^2)^{(3/2)}*f^2*g^3+16/e^3*x/(-e^2*x^2+d^2)^{(1/2)}*f^2*g^3-10/e^3/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)*f^2*g^3+30*x^4/(-e^2*x^2+d^2)^{(5/2)}*d*f^2*g^3+10*x^4*e/(-e^2*x^2+d^2)^{(5/2)}*f^3*g^2+13/10/e*g^5*d^2*x^5/(-e^2*x^2+d^2)^{(5/2)}-13/6/e^3*g^5*d^2*x^3/(-e^2*x^2+d^2)^{(3/2)}+13/2/e^5*g^5*d^2*x/(-e^2*x^2+d^2)^{(1/2)}-13/2/e^5*g^5*d^2/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)+44/3*d^5/e^4/(-e^2*x^2+d^2)^{(5/2)}*f^2*g^3+4/3*d^4/e^3/(-e^2*x^2+d^2)^{(5/2)}*f^3*g^2+15*x^3/(-e^2*x^2+d^2)^{(5/2)}*d*f^3*g^2 \end{aligned}$$

**maxima [B]** time = 1.05, size = 1579, normalized size = 5.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*(g*x+f)^5/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")
[Out] -1/2*e*g^5*x^7/(-e^2*x^2 + d^2)^(5/2) + 7/30*d^2*e*g^5*x*(15*x^4/((-e^2*x^2 + d^2)^(5/2)*e^2) - 20*d^2*x^2/((-e^2*x^2 + d^2)^(5/2)*e^4) + 8*d^4/((-e^2*x^2 + d^2)^(5/2)*e^6)) - 7/6*d^2*g^5*x*(3*x^2/((-e^2*x^2 + d^2)^(3/2)*e^2) - 2*d^2/((-e^2*x^2 + d^2)^(3/2)*e^4))/e + 1/5*d*f^5*x/(-e^2*x^2 + d^2)^(5/2) + 3/5*d^2*f^5/((-e^2*x^2 + d^2)^(5/2)*e) + d^3*f^4*g/((-e^2*x^2 + d^2)^(5/2)*e^2) + 4/15*f^5*x/((-e^2*x^2 + d^2)^(3/2)*d) + 14/15*d^4*g^5*x/((-e^2*x^2 + d^2)^(3/2)*e^5) + 1/15*(10*e^3*f^2*g^3 + 15*d*e^2*f*g^4 + 3*d^2*e*g^5)*x*(15*x^4/((-e^2*x^2 + d^2)^(5/2)*e^2) - 20*d^2*x^2/((-e^2*x^2 + d^2)^(5/2)*e^4) + 8*d^4/((-e^2*x^2 + d^2)^(5/2)*e^6)) + 8/15*f^5*x/(sqrt(-e^2*x^2 + d^2)*d^3) - 49/30*d^2*g^5*x/(sqrt(-e^2*x^2 + d^2)*e^5) - (5*e^3*f*g^4 + 3*d*e^2*g^5)*x^6/((-e^2*x^2 + d^2)^(5/2)*e^2) - 7/2*d^2*g^5*arcsin(e*x/d)/e^6 - 1/3*(10*e^3*f^2*g^3 + 15*d*e^2*f*g^4 + 3*d^2*e*g^5)*x*(3*x^2/((-e^2*x^2 + d^2)^(3/2)*e^2) - 2*d^2/((-e^2*x^2 + d^2)^(3/2)*e^4))/e^2 + 6*(5*e^3*f*g^4 + 3*d*e^2*g^5)*d^2*x^4/((-e^2*x^2 + d^2)^(5/2)*e^4) + (10*e^3*f^3*g^2 + 30*d*e^2*f^2*g^3 + 15*d^2*e*f*g^4 + d^3*g^5)*x^4/((-e^2*x^2 + d^2)^(5/2)*e^2) + 5/2*(e^3*f^4*g + 6*d*e^2*f^3*g^2 + 6*d^2*e*f^2*g^3 + d^3*f*g^4)*x^3/((-e^2*x^2 + d^2)^(5/2)*e^2) - 8*(5*e^3*f*g^4 + 3*d*e^2*g^5)*d^4*x^2/((-e^2*x^2 + d^2)^(5/2)*e^6) - 4/3*(10*e^3*f^3*g^2 + 30*d*e^2*f^2*g^3 + 15*d^2*e*f*g^4 + d^3*g^5)*d^2*x^2/((-e^2*x^2 + d^2)^(5/2)*e^4) + 1/3*(e^3*f^5 + 15*d*e^2*f^4*g + 30*d^2*e*f^3*g^2 + 10*d^3*f^2*g^3)*x^2/((-e^2*x^2 + d^2)^(5/2)*e^2) - 3/2*(e^3*f^4*g + 6*d*e^2*f^3*g^2 + 6*d^2*e*f^2*g^3 + d^3*f*g^4)*d^2*x/((-e^2*x^2 + d^2)^(5/2)*e^4) + 1/5*(3*d*e^2*f^5 + 15*d^2*e*f^4*g + 10*d^3*f^3*g^2)*x/((-e^2*x^2 + d^2)^(5/2)*e^2) + 16/5*(5*e^3*f*g^4 + 3*d*e^2*g^5)*d^6/((-e^2*x^2 + d^2)^(5/2)*e^8) + 8/15*(10*e^3*f^3*g^2 + 30*d*e^2*f^2*g^3 + 15*d^2*e*f*g^4 + d^3*g^5)*d^4/((-e^2*x^2 + d^2)^(5/2)*e^6) - 2/15*(e^3*f^5 + 15*d*e^2*f^4*g + 30*d^2*e*f^3*g^2 + 10*d^3*f^2*g^3)*d^2/((-e^2*x^2 + d^2)^(5/2)*e^4) + 4/15*(10*e^3*f^2*g^3 + 15*d*e^2*f*g^4 + 3*d^2*e*g^5)*d^2*x/((-e^2*x^2 + d^2)^(3/2)*e^6) + 1/2*(e^3*f^4*g + 6*d*e^2*f^3*g^2 + 6*d^2*e*f^2
```

$2g^3 + d^3fg^4)x/((-e^2x^2 + d^2)^{(3/2)}e^4) - 1/15(3de^2f^5 + 15d^2ef^4g + 10d^3f^3g^2)x/((-e^2x^2 + d^2)^{(3/2)}d^2e^2) - 7/15(10e^3f^2g^3 + 15de^2f^3g^4 + 3d^2efg^5)x/(\sqrt{-e^2x^2 + d^2}e^6) + (e^3f^4g + 6de^2f^3g^2 + 6d^2ef^2g^3 + d^3fg^4)x/(\sqrt{-e^2x^2 + d^2}d^2e^4) - 2/15(3de^2f^5 + 15d^2ef^4g + 10d^3f^3g^2)x/(\sqrt{-e^2x^2 + d^2}d^4e^2) - (10e^3f^2g^3 + 15de^2f^3g^4 + 3d^2efg^5)\arcsin(ex/d)/e^7$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^5 (d + ex)^3}{(d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^5\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x)

[Out] int(((f + g\*x)^5\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3\*(g\*x+f)\*\*5/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] Timed out

$$3.382 \quad \int \frac{(d+ex)^3(f+gx)^4}{(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=215

$$\frac{g^3(3dg + 4ef) \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{e^5} + \frac{2(d+ex)^2(ef - 9dg)(dg + ef)^3}{15d^2e^5(d^2 - e^2x^2)^{3/2}} + \frac{(d+ex)^3(dg + ef)^4}{5de^5(d^2 - e^2x^2)^{5/2}} + \frac{g^4\sqrt{d^2 - e^2x^2}}{e^5} + \frac{2(d+ex)^2(ef - 9dg)(dg + ef)^3}{15d^2e^5(d^2 - e^2x^2)^{3/2}}$$

**Rubi [A]** time = 0.67, antiderivative size = 215, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {1635, 641, 217, 203}

$$\frac{2(d+ex)(dg+ef)^2(36d^2g^2 - 8defg + e^2f^2)}{15d^3e^5\sqrt{d^2 - e^2x^2}} - \frac{g^3(3dg + 4ef) \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{e^5} + \frac{2(d+ex)^2(ef - 9dg)(dg + ef)^3}{15d^2e^5(d^2 - e^2x^2)^{3/2}} + \frac{(d+ex)^3(dg + ef)^4}{5de^5(d^2 - e^2x^2)^{5/2}} + \frac{g^4\sqrt{d^2 - e^2x^2}}{e^5}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(f + g\*x)^4)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] ((e\*f + d\*g)^4\*(d + e\*x)^3)/(5\*d\*e^5\*(d^2 - e^2\*x^2)^(5/2)) + (2\*(e\*f - 9\*d\*g)\*(e\*f + d\*g)^3\*(d + e\*x)^2)/(15\*d^2\*e^5\*(d^2 - e^2\*x^2)^(3/2)) + (2\*(e\*f + d\*g)^2\*(e^2\*f^2 - 8\*d\*e\*f\*g + 36\*d^2\*g^2)\*(d + e\*x))/(15\*d^3\*e^5\*sqrt[d^2 - e^2\*x^2]) + (g^4\*sqrt[d^2 - e^2\*x^2])/e^5 - (g^3\*(4\*e\*f + 3\*d\*g)\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/e^5

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1635

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3(f+gx)^4}{(d^2-e^2x^2)^{7/2}} dx &= \frac{(ef+dg)^4(d+ex)^3}{5de^5(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d+ex)^2 \left( -\frac{2e^4f^4-12de^3f^3g-18d^2e^2f^2g^2-12d^3efg^3-3d^4g^4}{e^4} + \frac{5dg^2(6e^2f^2+4defg+d^2g^2)x}{e^3} \right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{(ef+dg)^4(d+ex)^3}{5de^5(d^2-e^2x^2)^{5/2}} + \frac{2(ef-9dg)(ef+dg)^3(d+ex)^2}{15d^2e^5(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{(d+ex) \left( \frac{2e^4f^4-12de^3f^3g+42d^2e^2f^2g^2}{e^4} \right)}{(d^2-e^2x^2)^{3/2}} dx}{15d^3e^5\sqrt{d^2-e^2x^2}} \\
&= \frac{(ef+dg)^4(d+ex)^3}{5de^5(d^2-e^2x^2)^{5/2}} + \frac{2(ef-9dg)(ef+dg)^3(d+ex)^2}{15d^2e^5(d^2-e^2x^2)^{3/2}} + \frac{2(ef+dg)^2(e^2f^2-8defg+e^2g^2)}{15d^3e^5\sqrt{d^2-e^2x^2}} \\
&= \frac{(ef+dg)^4(d+ex)^3}{5de^5(d^2-e^2x^2)^{5/2}} + \frac{2(ef-9dg)(ef+dg)^3(d+ex)^2}{15d^2e^5(d^2-e^2x^2)^{3/2}} + \frac{2(ef+dg)^2(e^2f^2-8defg+e^2g^2)}{15d^3e^5\sqrt{d^2-e^2x^2}} \\
&= \frac{(ef+dg)^4(d+ex)^3}{5de^5(d^2-e^2x^2)^{5/2}} + \frac{2(ef-9dg)(ef+dg)^3(d+ex)^2}{15d^2e^5(d^2-e^2x^2)^{3/2}} + \frac{2(ef+dg)^2(e^2f^2-8defg+e^2g^2)}{15d^3e^5\sqrt{d^2-e^2x^2}} \\
&= \frac{(ef+dg)^4(d+ex)^3}{5de^5(d^2-e^2x^2)^{5/2}} + \frac{2(ef-9dg)(ef+dg)^3(d+ex)^2}{15d^2e^5(d^2-e^2x^2)^{3/2}} + \frac{2(ef+dg)^2(e^2f^2-8defg+e^2g^2)}{15d^3e^5\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.74, size = 168, normalized size = 0.78

$$\frac{\sqrt{d^2-e^2x^2} (15d^3g^4(d-ex)^3+2(d-ex)^2(dg+ef)^2(36d^2g^2-8defg+e^2f^2)+3d^2(dg+ef)^4+2d(d-ex)(ef-9dg)(dg+ef)^3)}{d^3(d-ex)^3} - 15g^3(3dg+4ef) \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)$$

15e<sup>5</sup>

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(f + g\*x)^4)/(d^2 - e^2\*x^2)^(7/2),x]

[Out] ((Sqrt[d^2 - e^2\*x^2]\*(3\*d^2\*(e\*f + d\*g)^4 + 2\*d\*(e\*f - 9\*d\*g)\*(e\*f + d\*g)^3\*(d - e\*x) + 2\*(e\*f + d\*g)^2\*(e^2\*f^2 - 8\*d\*e\*f\*g + 36\*d^2\*g^2)\*(d - e\*x)^2 + 15\*d^3\*g^4\*(d - e\*x)^3))/(d^3\*(d - e\*x)^3) - 15\*g^3\*(4\*e\*f + 3\*d\*g)\*ArcTan[(e\*x)/Sqrt[d^2 - e^2\*x^2]]/(15\*e^5)

**IntegrateAlgebraic [A]** time = 1.57, size = 294, normalized size = 1.37

$$\frac{\sqrt{d^2 - e^2 x^2} (72 d^6 g^4 + 88 d^5 e f g^3 - 171 d^4 e^2 g^4 x + 12 d^4 d^2 f^2 g^2 - 204 d^4 d^2 f g^2 x + 117 d^4 d^2 g^4 x^2 - 12 d^4 d^2 f^2 g - 36 d^4 d^2 f g^2 x + 128 d^4 d^2 f g^2 x^2 - 15 d^4 d^2 g^4 x^3 + 7 d^4 e^4 f^4 + 36 d^4 e^4 f^2 g x + 42 d^4 e^4 f^2 g^2 x^2 - 6 d^4 e^4 f^2 x - 12 d^4 e^4 f g x^2 + 2 d^4 e^4 x^2) - 15 d^3 d^2 (d - e x)^3 \sqrt{-e^2} (3 d g^4 + 4 e f g^3) \log\left(\frac{\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x}{d}\right)}{15 d^3 d^2 (d - e x)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(f + g\*x)^4)/(d^2 - e^2\*x^2)^(7/2),x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(7\*d^2\*e^4\*f^4 - 12\*d^3\*e^3\*f^3\*g + 12\*d^4\*e^2\*f^2\*g^2 + 88\*d^5\*e\*f\*g^3 + 72\*d^6\*g^4 - 6\*d\*e^5\*f^4\*x + 36\*d^2\*e^4\*f^3\*g\*x - 36\*d^3\*e^3\*f^2\*g^2\*x - 204\*d^4\*e^2\*f\*g^3\*x - 171\*d^5\*e\*g^4\*x + 2\*e^6\*f^4\*x^2 - 12\*d\*e^5\*f^3\*g\*x^2 + 42\*d^2\*e^4\*f^2\*g^2\*x^2 + 128\*d^3\*e^3\*f\*g^3\*x^2 + 117\*d^4\*e^2\*g^4\*x^2 - 15\*d^3\*e^3\*g^4\*x^3))/(15\*d^3\*e^5\*(d - e\*x)^3) - (Sqrt[-e^2]\*(4\*e\*f\*g^3 + 3\*d\*g^4)\*Log[-(Sqrt[-e^2]\*x) + Sqrt[d^2 - e^2\*x^2]])/e^6

**fricas [B]** time = 0.57, size = 624, normalized size = 2.90

$$\frac{\sqrt{d^2 - e^2 x^2} (7 d^2 e^4 f^4 - 12 d^3 e^3 f^3 g + 12 d^4 e^2 f^2 g^2 + 88 d^5 e f g^3 + 72 d^6 g^4 - 6 d e^5 f^4 x + 36 d^2 e^4 f^3 g x - 36 d^3 e^3 f^2 g^2 x - 204 d^4 e^2 f g^3 x - 171 d^5 e g^4 x + 2 e^6 f^4 x^2 - 12 d e^5 f^3 g x^2 + 42 d^2 e^4 f^2 g^2 x^2 + 128 d^3 e^3 f g^3 x^2 + 117 d^4 e^2 g^4 x^2 - 15 d^3 e^3 g^4 x^3) - (3 d g^4 + 4 e f g^3) \sqrt{-e^2} \log\left(\frac{\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x}{d}\right)}{15 d^3 e^5 (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] -1/15\*(7\*d^3\*e^4\*f^4 - 12\*d^4\*e^3\*f^3\*g + 12\*d^5\*e^2\*f^2\*g^2 + 88\*d^6\*e\*f\*g^3 + 72\*d^7\*g^4 - (7\*e^7\*f^4 - 12\*d\*e^6\*f^3\*g + 12\*d^2\*e^5\*f^2\*g^2 + 88\*d^3\*e^4\*f\*g^3 + 72\*d^4\*e^3\*g^4)\*x^3 + 3\*(7\*d\*e^6\*f^4 - 12\*d^2\*e^5\*f^3\*g + 12\*d^3\*e^4\*f^2\*g^2 + 88\*d^4\*e^3\*f\*g^3 + 72\*d^5\*e^2\*g^4)\*x^2 - 3\*(7\*d^2\*e^5\*f^4 - 12\*d^3\*e^4\*f^3\*g + 12\*d^4\*e^3\*f^2\*g^2 + 88\*d^5\*e^2\*f\*g^3 + 72\*d^6\*e\*g^4)\*x + 30\*(4\*d^6\*e\*f\*g^3 + 3\*d^7\*g^4 - (4\*d^3\*e^4\*f\*g^3 + 3\*d^4\*e^3\*g^4)\*x^3 + 3\*(4\*d^4\*e^3\*f\*g^3 + 3\*d^5\*e^2\*g^4)\*x^2 - 3\*(4\*d^5\*e^2\*f\*g^3 + 3\*d^6\*e\*g^4)\*x)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) - (15\*d^3\*e^3\*g^4\*x^3 - 7\*d^2\*e^4\*f^4 + 12\*d^3\*e^3\*f^3\*g - 12\*d^4\*e^2\*f^2\*g^2 - 88\*d^5\*e\*f\*g^3 - 72\*d^6\*g^4 - (2\*e^6\*f^4 - 12\*d\*e^5\*f^3\*g + 42\*d^2\*e^4\*f^2\*g^2 + 128\*d^3\*e^3\*f\*g^3 + 117\*d^4\*e^2\*g^4)\*x^2 + 3\*(2\*d\*e^5\*f^4 - 12\*d^2\*e^4\*f^3\*g + 12\*d^3\*e^3\*f^2\*g^2 + 68\*d^4\*e^2\*f\*g^3 + 57\*d^5\*e\*g^4)\*x)\*sqrt(-e^2\*x^2 + d^2))/(d^3\*e^8\*x^3 - 3\*d^4\*e^7\*x^2 + 3\*d^5\*e^6\*x - d^6\*e^5)

**giac [B]** time = 0.40, size = 411, normalized size = 1.91

$$-\frac{(3 d^4 + 4 f g^3) \arcsin\left(\frac{x}{d}\right) e^{-5} \operatorname{sgn}(d) + \sqrt{-e^2 x^2 + d^2} \left( \frac{72 d^6 g^4 + 88 d^5 e f g^3 - 171 d^4 e^2 g^4 x + 12 d^4 d^2 f^2 g^2 - 204 d^4 d^2 f g^2 x + 117 d^4 d^2 g^4 x^2 - 12 d^4 d^2 f^2 g - 36 d^4 d^2 f g^2 x + 128 d^4 d^2 f g^2 x^2 - 15 d^4 d^2 g^4 x^3 + 7 d^4 e^4 f^4 + 36 d^4 e^4 f^2 g x + 42 d^4 e^4 f^2 g^2 x^2 - 6 d^4 e^4 f^2 x - 12 d^4 e^4 f g x^2 + 2 d^4 e^4 x^2}{15 d^3 d^2 (d - e x)^3} \right) - 15 d^3 d^2 (d - e x)^3 \sqrt{-e^2} (3 d g^4 + 4 e f g^3) \log\left(\frac{\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x}{d}\right)}{15 d^3 d^2 (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^4/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out]  $-(3*d*g^4 + 4*f*g^3*e)*\arcsin(x*e/d)*e^{(-5)}*\operatorname{sgn}(d) + 1/15*\sqrt{-x^2*e^2 + d^2} * ((((((15*g^4*x*e - 2*(36*d^5*g^4*e^{10} + 64*d^4*f*g^3*e^{11} + 21*d^3*f^2*g^2*e^{12} - 6*d^2*f^3*g*e^{13} + d*f^4*e^{14})*e^{(-10)}/d^4)*x - 45*(3*d^6*g^4*e^9 + 4*d^5*f*g^3*e^{10} + 2*d^4*f^2*g^2*e^{11})*e^{(-10)}/d^4)*x + 5*(21*d^7*g^4*e^8 + 28*d^6*f*g^3*e^9 - 6*d^5*f^2*g^2*e^{10} - 12*d^4*f^3*g*e^{11} + d^3*f^4*e^{12})*e^{(-10)}/d^4)*x + 5*(36*d^8*g^4*e^7 + 44*d^7*f*g^3*e^8 + 6*d^6*f^2*g^2*e^9 - 12*d^5*f^3*g*e^{10} - d^4*f^4*e^{11})*e^{(-10)}/d^4)*x - 15*(3*d^9*g^4*e^6 + 4*d^8*f*g^3*e^7 + d^5*f^4*e^{10})*e^{(-10)}/d^4)*x - (72*d^{10}*g^4*e^5 + 88*d^9*f*g^3*e^6 + 12*d^8*f^2*g^2*e^7 - 12*d^7*f^3*g*e^8 + 7*d^6*f^4*e^9)*e^{(-10)}/d^4)/(x^2*e^2 - d^2)^3$

**maple [B]** time = 0.01, size = 1030, normalized size = 4.79

---

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(g\*x+f)^4/(-e^2\*x^2+d^2)^(7/2),x)

[Out]  $4/5*x/(-e^2*x^2+d^2)^{(5/2)}*d*f^4+1/15/d*x/(-e^2*x^2+d^2)^{(3/2)}*f^4+2/15/d^3*x/(-e^2*x^2+d^2)^{(1/2)}*f^4+1/3*x^2*e/(-e^2*x^2+d^2)^{(5/2)}*f^4+7/15*d^2/e/(-e^2*x^2+d^2)^{(5/2)}*f^4+3/5*x^5/(-e^2*x^2+d^2)^{(5/2)}*d*g^4+24/5/e^5*g^4*d^6/(-e^2*x^2+d^2)^{(5/2)}-e*g^4*x^6/(-e^2*x^2+d^2)^{(5/2)}+6*x^3/e/(-e^2*x^2+d^2)^{(5/2)}*d^2*f*g^3-18/5*d^4/e^3*x/(-e^2*x^2+d^2)^{(5/2)}*f*g^3-44/3*d^3/e^2*x^2/(-e^2*x^2+d^2)^{(5/2)}*f*g^3-2*d^2/e*x^2/(-e^2*x^2+d^2)^{(5/2)}*f^2*g^2+14/5/d/e^2*x/(-e^2*x^2+d^2)^{(1/2)}*f^2*g^2-4/5/d^2/e*x/(-e^2*x^2+d^2)^{(1/2)}*f^3*g-21/5*d^3/e^2*x/(-e^2*x^2+d^2)^{(5/2)}*f^2*g^2+6/5*d^2/e*x/(-e^2*x^2+d^2)^{(5/2)}*f^3*g+6/5/e^3*x/(-e^2*x^2+d^2)^{(3/2)}*d^2*f*g^3+7/5/e^2*x/(-e^2*x^2+d^2)^{(3/2)}*d*f^2*g^2+6*x^4*e/(-e^2*x^2+d^2)^{(5/2)}*f^2*g^2+88/15*d^5/e^4/(-e^2*x^2+d^2)^{(5/2)}*f*g^3+4/5*d^4/e^3/(-e^2*x^2+d^2)^{(5/2)}*f^2*g^2-1/e^2*x^3/(-e^2*x^2+d^2)^{(3/2)}*d*g^4-4/3/e*x^3/(-e^2*x^2+d^2)^{(3/2)}*f*g^3+16/5/e^4*x/(-e^2*x^2+d^2)^{(1/2)}*d*g^4+32/5/e^3*x/(-e^2*x^2+d^2)^{(1/2)}*f*g^3-3/e^4/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)*d*g^4-4/e^3/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2*x^2+d^2)^{(1/2)}*x)*f*g^3+4/5*x^5*e/(-e^2*x^2+d^2)^{(5/2)}*f*g^3+2*x^3*e/(-e^2*x^2+d^2)^{(5/2)}*f^3*g-3/10*d^5/e^4*x/(-e^2*x^2+d^2)^{(5/2)}*g^4+12*x^4/(-e^2*x^2+d^2)^{(5/2)}*d*f*g^3+9*x^3/(-e^2*x^2+d^2)^{(5/2)}*d*f^2*g^2+1/2*x^3/e^2/(-e^2*x^2+d^2)^{(5/2)}*d^3*g^4-12/e^3*g^4*d^4*x^2/(-e^2*x^2+d^2)^{(5/2)}+9/e*g^4*d^2*x^4/(-e^2*x^2+d^2)^{(5/2)}+1/10/e^4*x/(-e^2*x^2+d^2)^{(3/2)}*d^3*g^4-2/5/e*x/(-e^2*x^2+d^2)^{(3/2)}*f^3*g+4*x^2/(-e^2*x^2+d^2)^{(5/2)}*d*f^3*g-4/5*d^3/e^2/(-e^2*x^2+d^2)^{(5/2)}*f^3*g$

**maxima [B]** time = 1.04, size = 1178, normalized size = 5.48



result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*(g*x+f)^4/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")
[Out] -e*g^4*x^6/(-e^2*x^2 + d^2)^(5/2) + 6*d^2*g^4*x^4/((-e^2*x^2 + d^2)^(5/2)*e
) - 8*d^4*g^4*x^2/((-e^2*x^2 + d^2)^(5/2)*e^3) + 1/5*d*f^4*x/(-e^2*x^2 + d
^2)^(5/2) + 1/15*(4*e^3*f*g^3 + 3*d*e^2*g^4)*x*(15*x^4/((-e^2*x^2 + d^2)^(5/
2)*e^2) - 20*d^2*x^2/((-e^2*x^2 + d^2)^(5/2)*e^4) + 8*d^4/((-e^2*x^2 + d^2)
^(5/2)*e^6)) + 3/5*d^2*f^4/((-e^2*x^2 + d^2)^(5/2)*e) + 4/5*d^3*f^3*g/((-e
^2*x^2 + d^2)^(5/2)*e^2) + 16/5*d^6*g^4/((-e^2*x^2 + d^2)^(5/2)*e^5) + 4/15*
f^4*x/((-e^2*x^2 + d^2)^(3/2)*d) + 8/15*f^4*x/(sqrt(-e^2*x^2 + d^2)*d^3) -
1/3*(4*e^3*f*g^3 + 3*d*e^2*g^4)*x*(3*x^2/((-e^2*x^2 + d^2)^(3/2)*e^2) - 2*d
^2/((-e^2*x^2 + d^2)^(3/2)*e^4))/e^2 + 3*(2*e^3*f^2*g^2 + 4*d*e^2*f*g^3 + d
^2*e*g^4)*x^4/((-e^2*x^2 + d^2)^(5/2)*e^2) + 1/2*(4*e^3*f^3*g + 18*d*e^2*f
^2*g^2 + 12*d^2*e*f*g^3 + d^3*g^4)*x^3/((-e^2*x^2 + d^2)^(5/2)*e^2) - 4*(2*
e^3*f^2*g^2 + 4*d*e^2*f*g^3 + d^2*e*g^4)*d^2*x^2/((-e^2*x^2 + d^2)^(5/2)*e^4
) + 1/3*(e^3*f^4 + 12*d*e^2*f^3*g + 18*d^2*e*f^2*g^2 + 4*d^3*f*g^3)*x^2/((-
e^2*x^2 + d^2)^(5/2)*e^2) - 3/10*(4*e^3*f^3*g + 18*d*e^2*f^2*g^2 + 12*d^2*
e*f*g^3 + d^3*g^4)*d^2*x/((-e^2*x^2 + d^2)^(5/2)*e^4) + 3/5*(d*e^2*f^4 + 4*d
^2*e*f^3*g + 2*d^3*f^2*g^2)*x/((-e^2*x^2 + d^2)^(5/2)*e^2) + 8/5*(2*e^3*f
^2*g^2 + 4*d*e^2*f*g^3 + d^2*e*g^4)*d^4/((-e^2*x^2 + d^2)^(5/2)*e^6) - 2/15*(
e^3*f^4 + 12*d*e^2*f^3*g + 18*d^2*e*f^2*g^2 + 4*d^3*f*g^3)*d^2/((-e^2*x^2 +
d^2)^(5/2)*e^4) + 4/15*(4*e^3*f*g^3 + 3*d*e^2*g^4)*d^2*x/((-e^2*x^2 + d^2)
^(3/2)*e^6) + 1/10*(4*e^3*f^3*g + 18*d*e^2*f^2*g^2 + 12*d^2*e*f*g^3 + d^3*
g^4)*x/((-e^2*x^2 + d^2)^(3/2)*e^4) - 1/5*(d*e^2*f^4 + 4*d^2*e*f^3*g + 2*d^3
*f^2*g^2)*x/((-e^2*x^2 + d^2)^(3/2)*d^2*e^2) - 7/15*(4*e^3*f*g^3 + 3*d*e^2
*g^4)*x/(sqrt(-e^2*x^2 + d^2)*e^6) + 1/5*(4*e^3*f^3*g + 18*d*e^2*f^2*g^2 + 1
2*d^2*e*f*g^3 + d^3*g^4)*x/(sqrt(-e^2*x^2 + d^2)*d^2*e^4) - 2/5*(d*e^2*f^4
+ 4*d^2*e*f^3*g + 2*d^3*f^2*g^2)*x/(sqrt(-e^2*x^2 + d^2)*d^4*e^2) - (4*e^3*
f*g^3 + 3*d*e^2*g^4)*arcsin(e*x/d)/e^7
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^4 (d + ex)^3}{(d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f + g*x)^4*(d + e*x)^3)/(d^2 - e^2*x^2)^(7/2),x)
```

```
[Out] int(((f + g*x)^4*(d + e*x)^3)/(d^2 - e^2*x^2)^(7/2), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(g*x+f)**4/(-e**2*x**2+d**2)**(7/2),x)
```

```
[Out] Timed out
```

$$3.383 \quad \int \frac{(d+ex)^3(f+gx)^3}{(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=183

$$\frac{(d+ex)^2(2ef-13dg)(dg+ef)^2}{15d^2e^4(d^2-e^2x^2)^{3/2}} + \frac{(d+ex)^3(dg+ef)^3}{5de^4(d^2-e^2x^2)^{5/2}} - \frac{g^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^4} + \frac{(d+ex)(dg+ef)(32d^2g^2-11def)}{15d^3e^4\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.40, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {1635, 778, 217, 203}

$$\frac{(d+ex)(dg+ef)(32d^2g^2-11defg+2e^2f^2)}{15d^3e^4\sqrt{d^2-e^2x^2}} + \frac{(d+ex)^2(2ef-13dg)(dg+ef)^2}{15d^2e^4(d^2-e^2x^2)^{3/2}} + \frac{(d+ex)^3(dg+ef)^3}{5de^4(d^2-e^2x^2)^{5/2}} - \frac{g^3 \tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)}{e^4}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(f + g\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] ((e\*f + d\*g)^3\*(d + e\*x)^3)/(5\*d\*e^4\*(d^2 - e^2\*x^2)^(5/2)) + ((2\*e\*f - 13\*d\*g)\*(e\*f + d\*g)^2\*(d + e\*x)^2)/(15\*d^2\*e^4\*(d^2 - e^2\*x^2)^(3/2)) + ((e\*f + d\*g)\*(2\*e^2\*f^2 - 11\*d\*e\*f\*g + 32\*d^2\*g^2)\*(d + e\*x))/(15\*d^3\*e^4\*sqrt[d^2 - e^2\*x^2]) - (g^3\*ArcTan[(e\*x)/sqrt[d^2 - e^2\*x^2]])/e^4

Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 778

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((a\*(e\*f + d\*g) - (c\*d\*f - a\*e\*g)\*x)\*(a + c\*x^2)^(p + 1))/(2\*a\*c\*(p + 1)), x] - Dist[(a\*e\*g - c\*d\*f\*(2\*p + 3))/(2\*a\*c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

Rule 1635

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder
[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^(m*(a + c*x^2)^(p + 1)))/(2*a*e*(
p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p +
1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x]] /; FreeQ[{a,
c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] &
& GtQ[m, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3(f+gx)^3}{(d^2-e^2x^2)^{7/2}} dx &= \frac{(ef+dg)^3(d+ex)^3}{5de^4(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d+ex)^2 \left( -\frac{2e^3f^3-9de^2f^2g-9d^2efg^2-3d^3g^3}{e^3} + \frac{5dg^2(3ef+dg)x}{e^2} + \frac{5dg^3x^2}{e} \right)}{(d^2-e^2x^2)^{5/2}} dx}{5d} \\
&= \frac{(ef+dg)^3(d+ex)^3}{5de^4(d^2-e^2x^2)^{5/2}} + \frac{(2ef-13dg)(ef+dg)^2(d+ex)^2}{15d^2e^4(d^2-e^2x^2)^{3/2}} + \frac{\int \frac{(d+ex) \left( \frac{2e^3f^3-9de^2f^2g+21d^2efg^2+1}{e^3} \right)}{(d^2-e^2x^2)^{3/2}} dx}{15d^2} \\
&= \frac{(ef+dg)^3(d+ex)^3}{5de^4(d^2-e^2x^2)^{5/2}} + \frac{(2ef-13dg)(ef+dg)^2(d+ex)^2}{15d^2e^4(d^2-e^2x^2)^{3/2}} + \frac{(ef+dg)(2e^2f^2-11defg)}{15d^3e^4\sqrt{d^2-e^2x^2}} \\
&= \frac{(ef+dg)^3(d+ex)^3}{5de^4(d^2-e^2x^2)^{5/2}} + \frac{(2ef-13dg)(ef+dg)^2(d+ex)^2}{15d^2e^4(d^2-e^2x^2)^{3/2}} + \frac{(ef+dg)(2e^2f^2-11defg)}{15d^3e^4\sqrt{d^2-e^2x^2}} \\
&= \frac{(ef+dg)^3(d+ex)^3}{5de^4(d^2-e^2x^2)^{5/2}} + \frac{(2ef-13dg)(ef+dg)^2(d+ex)^2}{15d^2e^4(d^2-e^2x^2)^{3/2}} + \frac{(ef+dg)(2e^2f^2-11defg)}{15d^3e^4\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.81, size = 182, normalized size = 0.99

$$\frac{(d+ex) \left( \sqrt{1-\frac{e^2x^2}{d^2}}(dg+ef)(22d^4g^2-d^3eg(16f+51gx)+d^2e^2(7f^2+33fgx+32g^2x^2)-de^3fx(6f+11gx)+2e^4f^2x^2)-15d^2g^3(d-ex)^3\sin^{-1}\left(\frac{ex}{d}\right) \right)}{15d^3e^4(d-ex)^2\sqrt{d^2-e^2x^2}\sqrt{1-\frac{e^2x^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(f + g\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] ((d + e\*x)\*((e\*f + d\*g)\*Sqrt[1 - (e^2\*x^2)/d^2]\*(22\*d^4\*g^2 + 2\*e^4\*f^2\*x^2 - d\*e^3\*f\*x\*(6\*f + 11\*g\*x) - d^3\*e\*g\*(16\*f + 51\*g\*x) + d^2\*e^2\*(7\*f^2 + 33

$*f*g*x + 32*g^2*x^2)) - 15*d^2*g^3*(d - e*x)^3*ArcSin[(e*x)/d])/(15*d^3*e^4*(d - e*x)^2*sqrt[d^2 - e^2*x^2]*sqrt[1 - (e^2*x^2)/d^2])$

**IntegrateAlgebraic [A]** time = 1.12, size = 223, normalized size = 1.22

$$\frac{\sqrt{d^2 - e^2 x^2} (22d^5 g^3 + 6d^4 e f g^2 - 51d^4 e g^3 x - 9d^3 e^2 f^2 g - 18d^3 e^2 f g^2 x + 32d^3 e^2 g^3 x^2 + 7d^2 e^3 f^3 + 27d^2 e^3 f^2 g x + 21d^2 e^3 f g^2 x^2 - 6d e^4 f^3 x - 9d e^4 f^2 g x^2 + 2e^5 f^3 x^2) - \sqrt{-e^2} g^3 \log\left(\frac{\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x}{e^5}\right)}{15d^3 e^4 (d - e x)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(f + g\*x)^3)/(d^2 - e^2\*x^2)^(7/2),x]

[Out] (sqrt[d^2 - e^2\*x^2]\*(7\*d^2\*e^3\*f^3 - 9\*d^3\*e^2\*f^2\*g + 6\*d^4\*e\*f\*g^2 + 22\*d^5\*g^3 - 6\*d\*e^4\*f^3\*x + 27\*d^2\*e^3\*f^2\*g\*x - 18\*d^3\*e^2\*f\*g^2\*x - 51\*d^4\*e\*g^3\*x + 2\*e^5\*f^3\*x^2 - 9\*d\*e^4\*f^2\*g\*x^2 + 21\*d^2\*e^3\*f\*g^2\*x^2 + 32\*d^3\*e^2\*g^3\*x^2))/(15\*d^3\*e^4\*(d - e\*x)^3) - (sqrt[-e^2]\*g^3\*Log[-(sqrt[-e^2]\*x) + sqrt[d^2 - e^2\*x^2]])/e^5

**fricas [B]** time = 0.44, size = 454, normalized size = 2.48

$$\frac{7d^5f^3 - 9d^4f^2g + 6d^4fg^2 + 22d^5g^3 - (7d^4f^3 - 9d^4f^2g + 6d^4fg^2 + 22d^5g^3)x + 3(7d^5f^3 - 9d^4f^2g + 6d^4fg^2 + 22d^5g^3)x^2 - 3(7d^4f^3 - 9d^4f^2g + 6d^4fg^2 + 22d^5g^3)x^3 - 3(7d^5f^3 - 9d^4f^2g + 6d^4fg^2 + 22d^5g^3)x^4 + 3(7d^4f^3 - 9d^4f^2g + 6d^4fg^2 + 22d^5g^3)x^5}{15(d^2e^2 - 3d^2e^2 + 3d^2e^2 - d^2e^2)} \arcsin\left(\frac{-e\sqrt{-e^2}}{d}\right) + (7d^5f^3 - 9d^4f^2g + 6d^4fg^2 + 22d^5g^3) \sqrt{-e^2} \log\left(\frac{\sqrt{d^2 - e^2 x^2} - \sqrt{-e^2} x}{e^5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] -1/15\*(7\*d^3\*e^3\*f^3 - 9\*d^4\*e^2\*f^2\*g + 6\*d^5\*e\*f\*g^2 + 22\*d^6\*g^3 - (7\*e^6\*f^3 - 9\*d\*e^5\*f^2\*g + 6\*d^2\*e^4\*f\*g^2 + 22\*d^3\*e^3\*g^3)\*x^3 + 3\*(7\*d\*e^5\*f^3 - 9\*d^2\*e^4\*f^2\*g + 6\*d^3\*e^3\*f\*g^2 + 22\*d^4\*e^2\*g^3)\*x^2 - 3\*(7\*d^2\*e^4\*f^3 - 9\*d^3\*e^3\*f^2\*g + 6\*d^4\*e^2\*f\*g^2 + 22\*d^5\*e\*g^3)\*x - 30\*(d^3\*e^3\*g^3\*x^3 - 3\*d^4\*e^2\*g^3\*x^2 + 3\*d^5\*e\*g^3\*x - d^6\*g^3)\*arctan(-(d - sqrt(-e^2\*x^2 + d^2))/(e\*x)) + (7\*d^2\*e^3\*f^3 - 9\*d^3\*e^2\*f^2\*g + 6\*d^4\*e\*f\*g^2 + 22\*d^5\*g^3 + (2\*e^5\*f^3 - 9\*d\*e^4\*f^2\*g + 21\*d^2\*e^3\*f\*g^2 + 32\*d^3\*e^2\*g^3)\*x^2 - 3\*(2\*d\*e^4\*f^3 - 9\*d^2\*e^3\*f^2\*g + 6\*d^3\*e^2\*f\*g^2 + 17\*d^4\*e\*g^3)\*x)\*sqrt(-e^2\*x^2 + d^2))/(d^3\*e^7\*x^3 - 3\*d^4\*e^6\*x^2 + 3\*d^5\*e^5\*x - d^6\*e^4)

**giac [A]** time = 0.38, size = 309, normalized size = 1.69

$$-g^3 \arcsin\left(\frac{x e}{d}\right) e^{-4} \operatorname{sgn}(d) - \frac{\sqrt{-x^2 e^2 + d^2} \left( \left( \frac{32d^4 e^3 + 21d^3 f e^2 - 9d^2 f^2 g + 22d^5 g^3}{d^4} \right) x^7 + \frac{45(d^4 e^3 + 4d^3 f e^2 - 7d^2 f^2 g - 22d^5 g^3)}{d^4} x^6 - \frac{5(7d^5 e^3 - 3d^4 f e^2 - 9d^3 f^2 g + 22d^5 g^3)}{d^4} x^5 - \frac{5(11d^4 e^3 + 3d^3 f e^2 - 9d^2 f^2 g - 22d^5 g^3)}{d^4} x^4 + \frac{15(d^4 e^3 + 4d^3 f e^2 - 7d^2 f^2 g - 22d^5 g^3)}{d^4} x^3 + \frac{22d^5 e^3 + 6d^4 f e^2 - 9d^3 f^2 g + 22d^5 g^3}{d^4} x^2 + \frac{22d^5 e^3 + 6d^4 f e^2 - 9d^3 f^2 g + 22d^5 g^3}{d^4} x + \frac{22d^5 e^3 + 6d^4 f e^2 - 9d^3 f^2 g + 22d^5 g^3}{d^4} \right)}{15(x^2 e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] -g^3\*arcsin(x\*e/d)\*e^(-4)\*sgn(d) - 1/15\*sqrt(-x^2\*e^2 + d^2)\*(((x\*((32\*d^4\*g^3\*e^8 + 21\*d^3\*f\*g^2\*e^9 - 9\*d^2\*f^2\*g\*e^10 + 2\*d\*f^3\*e^11)\*x\*e^(-7)/d^4

$$+ 45*(d^5*g^3*e^7 + d^4*f*g^2*e^8)*e^{(-7)/d^4} - 5*(7*d^6*g^3*e^6 - 3*d^5*f*g^2*e^7 - 9*d^4*f^2*g*e^8 + d^3*f^3*e^9)*e^{(-7)/d^4}*x - 5*(11*d^7*g^3*e^5 + 3*d^6*f*g^2*e^6 - 9*d^5*f^2*g*e^7 - d^4*f^3*e^8)*e^{(-7)/d^4}*x + 15*(d^8*g^3*e^4 + d^5*f^3*e^7)*e^{(-7)/d^4}*x + (22*d^9*g^3*e^3 + 6*d^8*f*g^2*e^4 - 9*d^7*f^2*g*e^5 + 7*d^6*f^3*e^6)*e^{(-7)/d^4}/(x^2*e^2 - d^2)^3$$

**maple [B]** time = 0.01, size = 713, normalized size = 3.90

---

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^3*(g*x+f)^3/(-e^2*x^2+d^2)^(7/2),x)`

[Out]  $\frac{4}{5}x/(-e^2x^2+d^2)^{(5/2)}*df^3+1/15/d*x/(-e^2x^2+d^2)^{(3/2)}*f^3+2/15/d^3*x/(-e^2x^2+d^2)^{(1/2)}*f^3+7/15*d^2/e/(-e^2x^2+d^2)^{(5/2)}*f^3+1/3*x^2*e/(-e^2x^2+d^2)^{(5/2)}*g^3+8/5/e^3*g^3*x/(-e^2x^2+d^2)^{(1/2)}-1/e^3*g^3/(e^2)^{(1/2)}*\arctan((e^2)^{(1/2)}/(-e^2x^2+d^2)^{(1/2)}*x)+1/5*e*g^3*x^5/(-e^2x^2+d^2)^{(5/2)}-1/3/e*g^3*x^3/(-e^2x^2+d^2)^{(3/2)}-21/10*d^3/e^2*x/(-e^2x^2+d^2)^{(5/2)}*f*g^2-d^2/e*x^2/(-e^2x^2+d^2)^{(5/2)}*f*g^2+9/10*d^2/e*x/(-e^2x^2+d^2)^{(5/2)}*f^2*g+7/10/e^2*x/(-e^2x^2+d^2)^{(3/2)}*d*f*g^2+7/5/d/e^2*x/(-e^2x^2+d^2)^{(1/2)}*f*g^2-3/5/d^2/e*x/(-e^2x^2+d^2)^{(1/2)}*f^2*g-9/10*d^4/e^3*x/(-e^2x^2+d^2)^{(5/2)}*g^3+3/10/e^3*x/(-e^2x^2+d^2)^{(3/2)}*d^2*g^3-3/10/e*x/(-e^2x^2+d^2)^{(3/2)}*f^2*g+3/2*x^3*e/(-e^2x^2+d^2)^{(5/2)}*f^2*g+3*x^2/(-e^2x^2+d^2)^{(5/2)}*d*f^2*g-3/5*d^3/e^2/(-e^2x^2+d^2)^{(5/2)}*f^2*g-11/3*d^3/e^2*x^2/(-e^2x^2+d^2)^{(5/2)}*g^3+2/5*d^4/e^3/(-e^2x^2+d^2)^{(5/2)}*f*g^2+3/2*x^3/e/(-e^2x^2+d^2)^{(5/2)}*d^2*g^3+9/2*x^3/(-e^2x^2+d^2)^{(5/2)}*d*f*g^2+3*x^4*e/(-e^2x^2+d^2)^{(5/2)}*f*g^2$

**maxima [B]** time = 1.03, size = 891, normalized size = 4.87

---

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3*(g*x+f)^3/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out]  $\frac{1}{15}e^3g^3x*(15x^4/((-e^2x^2 + d^2)^{(5/2)}e^2) - 20d^2x^2/((-e^2x^2 + d^2)^{(5/2)}e^4) + 8d^4/((-e^2x^2 + d^2)^{(5/2)}e^6)) - \frac{1}{3}e*g^3*x*(3x^2/((-e^2x^2 + d^2)^{(3/2)}e^2) - 2d^2/((-e^2x^2 + d^2)^{(3/2)}e^4)) + \frac{1}{5}d*f^3*x/(-e^2x^2 + d^2)^{(5/2)} + \frac{3}{5}d^2*f^3/((-e^2x^2 + d^2)^{(5/2)}e) + \frac{3}{5}d^3*f^2*g/((-e^2x^2 + d^2)^{(5/2)}e^2) + \frac{4}{15}f^3*x/((-e^2x^2 + d^2)^{(3/2)}*d) + \frac{4}{15}d^2*g^3*x/((-e^2x^2 + d^2)^{(3/2)}e^3) + \frac{8}{15}f^3*x/(sqrt(-e^2x^2 + d^2)*d^3) - \frac{7}{15}g^3*x/(sqrt(-e^2x^2 + d^2)*e^3) + 3*(e^3*f*g^2 + d*e^2*g^3)*x^4/((-e^2x^2 + d^2)^{(5/2)}e^2) - g^3*\arcsin(e*x/d)/e^4 + \frac{3}{2}*(e^3*f^2*g + 3*d*e^2*f*g^2 + d^2*e*g^3)*x^3/((-e^2x^2 + d^2)^{(5/2)}e^2) -$

$$4*(e^3*f*g^2 + d*e^2*g^3)*d^2*x^2/((-e^2*x^2 + d^2)^{(5/2)}*e^4) + 1/3*(e^3*f^3 + 9*d*e^2*f^2*g + 9*d^2*e*f*g^2 + d^3*g^3)*x^2/((-e^2*x^2 + d^2)^{(5/2)}*e^2) - 9/10*(e^3*f^2*g + 3*d*e^2*f*g^2 + d^2*e*g^3)*d^2*x/((-e^2*x^2 + d^2)^{(5/2)}*e^4) + 3/5*(d*e^2*f^3 + 3*d^2*e*f^2*g + d^3*f*g^2)*x/((-e^2*x^2 + d^2)^{(5/2)}*e^2) + 8/5*(e^3*f*g^2 + d*e^2*g^3)*d^4/((-e^2*x^2 + d^2)^{(5/2)}*e^6) - 2/15*(e^3*f^3 + 9*d*e^2*f^2*g + 9*d^2*e*f*g^2 + d^3*g^3)*d^2/((-e^2*x^2 + d^2)^{(5/2)}*e^4) + 3/10*(e^3*f^2*g + 3*d*e^2*f*g^2 + d^2*e*g^3)*x/((-e^2*x^2 + d^2)^{(3/2)}*e^4) - 1/5*(d*e^2*f^3 + 3*d^2*e*f^2*g + d^3*f*g^2)*x/((-e^2*x^2 + d^2)^{(3/2)}*d^2*e^2) + 3/5*(e^3*f^2*g + 3*d*e^2*f*g^2 + d^2*e*g^3)*x/(sqrt(-e^2*x^2 + d^2)*d^2*e^4) - 2/5*(d*e^2*f^3 + 3*d^2*e*f^2*g + d^3*f*g^2)*x/(sqrt(-e^2*x^2 + d^2)*d^4*e^2)$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(f + gx)^3 (d + ex)^3}{(d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^3\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x)

[Out] int(((f + g\*x)^3\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^3 (f + gx)^3}{(-(-d + ex)(d + ex))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3\*(g\*x+f)\*\*3/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] Integral((d + e\*x)\*\*3\*(f + g\*x)\*\*3/(-(-d + e\*x)\*(d + e\*x))\*\*7/2, x)

$$3.384 \quad \int \frac{(d+ex)^3(f+gx)^2}{(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=145

$$\frac{(d+ex)^3(dg+ef)^2}{5de^3(d^2-e^2x^2)^{5/2}} + \frac{2(d+ex)^2(ef-4dg)(dg+ef)}{15d^2e^3(d^2-e^2x^2)^{3/2}} + \frac{(d+ex)(7d^2g^2-6defg+2e^2f^2)}{15d^3e^3\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.22, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {1635, 789, 637}

$$\frac{(d+ex)(7d^2g^2-6defg+2e^2f^2)}{15d^3e^3\sqrt{d^2-e^2x^2}} + \frac{(d+ex)^3(dg+ef)^2}{5de^3(d^2-e^2x^2)^{5/2}} + \frac{2(d+ex)^2(ef-4dg)(dg+ef)}{15d^2e^3(d^2-e^2x^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] ((e\*f + d\*g)^2\*(d + e\*x)^3)/(5\*d\*e^3\*(d^2 - e^2\*x^2)^(5/2)) + (2\*(e\*f - 4\*d\*g)\*(e\*f + d\*g)\*(d + e\*x)^2)/(15\*d^2\*e^3\*(d^2 - e^2\*x^2)^(3/2)) + ((2\*e^2\*f^2 - 6\*d\*e\*f\*g + 7\*d^2\*g^2)\*(d + e\*x))/(15\*d^3\*e^3\*sqrt[d^2 - e^2\*x^2])

**Rule 637**

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (c\_)\*(x\_)^2)^(3/2), x\_Symbol] :> Simp[(-(a\*e) + c\*d\*x)/(a\*c\*sqrt[a + c\*x^2]), x] /; FreeQ[{a, c, d, e}, x]

**Rule 789**

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d\*g + e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] - Dist[(e\*(m\*(d\*g + e\*f) + 2\*e\*f\*(p + 1)))/(2\*c\*d\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && EqQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 0]

**Rule 1635**

Int[(Pq)\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[Pq, a\*e + c\*d\*x, x], f = PolynomialRemainder[Pq, a\*e + c\*d\*x, x]}, -Simp[(d\*f\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*a\*e\*(p + 1)), x] + Dist[d/(2\*a\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1)\*ExpandToSum[2\*a\*e\*(p + 1)\*Q + f\*(m + 2\*p + 2), x], x], x] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c\*d^2 + a\*e^2, 0] && ILtQ[p + 1/2, 0] &



& GtQ[m, 0]

Rubi steps

$$\int \frac{(d+ex)^3(f+gx)^2}{(d^2-e^2x^2)^{7/2}} dx = \frac{(ef+dg)^2(d+ex)^3}{5de^3(d^2-e^2x^2)^{5/2}} - \frac{\int \frac{(d+ex)^2\left(-2f^2+\frac{6dfg}{e}+\frac{3d^2g^2}{e^2}+\frac{5dg^2x}{e}\right)}{(d^2-e^2x^2)^{5/2}} dx}{5d}$$

$$= \frac{(ef+dg)^2(d+ex)^3}{5de^3(d^2-e^2x^2)^{5/2}} + \frac{2(ef-4dg)(ef+dg)(d+ex)^2}{15d^2e^3(d^2-e^2x^2)^{3/2}} + \frac{(2e^2f^2-6defg+7d^2g^2)\int}{15d^2e^2}$$

$$= \frac{(ef+dg)^2(d+ex)^3}{5de^3(d^2-e^2x^2)^{5/2}} + \frac{2(ef-4dg)(ef+dg)(d+ex)^2}{15d^2e^3(d^2-e^2x^2)^{3/2}} + \frac{(2e^2f^2-6defg+7d^2g^2)(d+ex)}{15d^3e^3\sqrt{d^2-e^2x^2}}$$

**Mathematica [A]** time = 0.39, size = 110, normalized size = 0.76

$$\frac{(d+ex)\left(2d^4g^2-6d^3eg(f+gx)+d^2e^2(7f^2+18fgx+7g^2x^2)-6de^3fx(f+gx)+2e^4f^2x^2\right)}{15d^3e^3(d-ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] ((d + e\*x)\*(2\*d^4\*g^2 + 2\*e^4\*f^2\*x^2 - 6\*d^3\*e\*g\*(f + g\*x) - 6\*d\*e^3\*f\*x\*(f + g\*x) + d^2\*e^2\*(7\*f^2 + 18\*f\*g\*x + 7\*g^2\*x^2)))/(15\*d^3\*e^3\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.77, size = 129, normalized size = 0.89

$$\frac{\sqrt{d^2-e^2x^2}\left(2d^4g^2-6d^3efg-6d^3eg^2x+7d^2e^2f^2+18d^2e^2fgx+7d^2e^2g^2x^2-6de^3f^2x-6de^3fgx^2+2e^4f^2x^2\right)}{15d^3e^3(d-ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(f + g\*x)^2)/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(7\*d^2\*e^2\*f^2 - 6\*d^3\*e\*f\*g + 2\*d^4\*g^2 - 6\*d\*e^3\*f^2\*x + 18\*d^2\*e^2\*f\*g\*x - 6\*d^3\*e\*g^2\*x + 2\*e^4\*f^2\*x^2 - 6\*d\*e^3\*f\*g\*x^2 + 7\*d^2\*e^2\*g^2\*x^2))/(15\*d^3\*e^3\*(d - e\*x)^3)

**fricas [B]** time = 0.42, size = 279, normalized size = 1.92

$$\frac{7d^3e^2f^2 - 6d^4efg + 2d^5g^2 - (7e^2f^2 - 6d^4fg + 2d^2e^2g^2)x^3 + 3(7de^4f^2 - 6d^2e^2fg + 2d^3e^2g^2)x^2 - 3(7d^2e^2f^2 - 6d^3e^2fg + 2d^4e^2g^2)x + (7d^2e^2f^2 - 6d^3efg + 2d^4g^2 + (2e^4f^2 - 6d^2e^2fg + 7d^2e^2g^2)x^2 - 6(d^2e^2f^2 - 3d^2e^2fg + d^3e^2g^2)x)\sqrt{-e^2x^2 + d^2}}{15(d^3e^2x^3 - 3d^4e^2x^2 + 3d^5e^2x - d^6e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 
$$-1/15*(7*d^3*e^2*f^2 - 6*d^4*e*f*g + 2*d^5*g^2 - (7*e^5*f^2 - 6*d*e^4*f*g + 2*d^2*e^3*g^2)*x^3 + 3*(7*d*e^4*f^2 - 6*d^2*e^3*f*g + 2*d^3*e^2*g^2)*x^2 - 3*(7*d^2*e^3*f^2 - 6*d^3*e^2*f*g + 2*d^4*e*g^2)*x + (7*d^2*e^2*f^2 - 6*d^3*e*f*g + 2*d^4*g^2 + (2*e^4*f^2 - 6*d*e^3*f*g + 7*d^2*e^2*g^2)*x^2 - 6*(d*e^3*f^2 - 3*d^2*e^2*f*g + d^3*e*g^2)*x)*\text{sqrt}(-e^2*x^2 + d^2)/(d^3*e^6*x^3 - 3*d^4*e^5*x^2 + 3*d^5*e^4*x - d^6*e^3)$$

**giac [A]** time = 0.34, size = 198, normalized size = 1.37

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( 15df^2 + \left( \left( 15ge + \frac{(7d^3g^2e^6 - 6d^2fge^7 + 2df^2e^8)xe^{(-4)}}{d^4} \right) x + \frac{5(d^5g^2e^4 + 6d^4fge^5 - d^3f^2e^6)e^{(-4)}}{d^4} \right) x - \frac{5(d^6g^2e^3 - 6d^5fge^4 - d^4f^2e^5)e^{(-4)}}{d^4} \right) x + \frac{(2d^8g^2e - 6d^7fge^2 + 7d^6f^2e^3)e^{(-4)}}{d^4} \right)}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] 
$$-1/15*\text{sqrt}(-x^2*e^2 + d^2)*((15*d*f^2 + (((15*g^2*e + (7*d^3*g^2*e^6 - 6*d^2*f*g*e^7 + 2*d*f^2*e^8)*x*e^{(-4)}/d^4)*x + 5*(d^5*g^2*e^4 + 6*d^4*f*g*e^5 - d^3*f^2*e^6)*e^{(-4)}/d^4)*x - 5*(d^6*g^2*e^3 - 6*d^5*f*g*e^4 - d^4*f^2*e^5)*e^{(-4)}/d^4)*x)*x + (2*d^8*g^2*e - 6*d^7*f*g*e^2 + 7*d^6*f^2*e^3)*e^{(-4)}/d^4)/(x^2*e^2 - d^2)^3$$

**maple [A]** time = 0.01, size = 131, normalized size = 0.90

$$\frac{(-ex + d)(ex + d)^4 (7d^2e^2g^2x^2 - 6de^3fgx^2 + 2e^4f^2x^2 - 6d^3e^2gx + 18d^2e^2fgx - 6de^3f^2x + 2d^4g^2 - 6d^3efg + 7d^2e^2f^2)}{15(-e^2x^2 + d^2)^{\frac{7}{2}}d^3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(g\*x+f)^2/(-e^2\*x^2+d^2)^(7/2),x)

[Out] 
$$1/15*(-e*x+d)*(e*x+d)^4*(7*d^2*e^2*g^2*x^2 - 6*d*e^3*f*g*x^2 + 2*e^4*f^2*x^2 - 6*d^3*e*g^2*x + 18*d^2*e^2*f*g*x - 6*d*e^3*f^2*x + 2*d^4*g^2 - 6*d^3*e*f*g + 7*d^2*e^2*f^2)/d^3/e^3/(-e^2*x^2+d^2)^(7/2)$$

**maxima [B]** time = 0.47, size = 583, normalized size = 4.02

$$\frac{\frac{e^{2x}}{(-e^2x^2 + d^2)^{\frac{7}{2}}} - \frac{4efg}{3(-e^2x^2 + d^2)^{\frac{5}{2}}} - \frac{d^2f^2}{5(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{3d^2fg}{5(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{2d^2fg}{5(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{6d^2fg}{15(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{4f^2g}{15(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{6f^2g}{15\sqrt{-e^2x^2 + d^2}} - \frac{2d^2fg + 3d^2fg^2}{2(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{(d^2f^2 + 6d^2fg + 3d^2fg^2)^2}{3(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{3(2d^2fg + 3d^2fg^2)^2}{10(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{(3d^2f^2 + 6d^2fg + d^2fg^2)^2}{5(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{2(d^2f^2 + 6d^2fg + 3d^2fg^2)^2}{15(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{(2d^2fg + 3d^2fg^2)^2}{10(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{(3d^2f^2 + 6d^2fg + d^2fg^2)^2}{15(-e^2x^2 + d^2)^{\frac{3}{2}}} - \frac{2(d^2fg + 3d^2fg^2)^2}{15\sqrt{-e^2x^2 + d^2}} - \frac{2(3d^2f^2 + 6d^2fg + d^2fg^2)^2}{15\sqrt{-e^2x^2 + d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3*(g*x+f)^2/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")
[Out] e*g^2*x^4/(-e^2*x^2 + d^2)^(5/2) - 4/3*d^2*g^2*x^2/((-e^2*x^2 + d^2)^(5/2)*
e) + 1/5*d*f^2*x/(-e^2*x^2 + d^2)^(5/2) + 3/5*d^2*f^2/((-e^2*x^2 + d^2)^(5/
2)*e) + 2/5*d^3*f*g/((-e^2*x^2 + d^2)^(5/2)*e^2) + 8/15*d^4*g^2/((-e^2*x^2
+ d^2)^(5/2)*e^3) + 4/15*f^2*x/((-e^2*x^2 + d^2)^(3/2)*d) + 8/15*f^2*x/(sqr
t(-e^2*x^2 + d^2)*d^3) + 1/2*(2*e^3*f*g + 3*d*e^2*g^2)*x^3/((-e^2*x^2 + d^2
)^(5/2)*e^2) + 1/3*(e^3*f^2 + 6*d*e^2*f*g + 3*d^2*e*g^2)*x^2/((-e^2*x^2 + d
^2)^(5/2)*e^2) - 3/10*(2*e^3*f*g + 3*d*e^2*g^2)*d^2*x/((-e^2*x^2 + d^2)^(5/
2)*e^4) + 1/5*(3*d*e^2*f^2 + 6*d^2*e*f*g + d^3*g^2)*x/((-e^2*x^2 + d^2)^(5/
2)*e^2) - 2/15*(e^3*f^2 + 6*d*e^2*f*g + 3*d^2*e*g^2)*d^2/((-e^2*x^2 + d^2)^(
5/2)*e^4) + 1/10*(2*e^3*f*g + 3*d*e^2*g^2)*x/((-e^2*x^2 + d^2)^(3/2)*e^4)
- 1/15*(3*d*e^2*f^2 + 6*d^2*e*f*g + d^3*g^2)*x/((-e^2*x^2 + d^2)^(3/2)*d^2*
e^2) + 1/5*(2*e^3*f*g + 3*d*e^2*g^2)*x/(sqrt(-e^2*x^2 + d^2)*d^2*e^4) - 2/1
5*(3*d*e^2*f^2 + 6*d^2*e*f*g + d^3*g^2)*x/(sqrt(-e^2*x^2 + d^2)*d^4*e^2)
```

**mupad [B]** time = 2.87, size = 125, normalized size = 0.86

$$\frac{\sqrt{d^2 - e^2 x^2} (2d^4 g^2 - 6d^3 e f g - 6d^3 e g^2 x + 7d^2 e^2 f^2 + 18d^2 e^2 f g x + 7d^2 e^2 g^2 x^2 - 6d e^3 f^2 x - 6d e^3 f g x^2 + 2e^4 f^2 x^2)}{15d^3 e^3 (d - ex)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f + g*x)^2*(d + e*x)^3)/(d^2 - e^2*x^2)^(7/2),x)
[Out] ((d^2 - e^2*x^2)^(1/2)*(2*d^4*g^2 + 7*d^2*e^2*f^2 + 2*e^4*f^2*x^2 - 6*d^3*e
*f*g + 7*d^2*e^2*g^2*x^2 - 6*d*e^3*f^2*x - 6*d^3*e*g^2*x + 18*d^2*e^2*f*g*x
- 6*d*e^3*f*g*x^2))/(15*d^3*e^3*(d - e*x)^3)
```

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^3 (f + gx)^2}{(-(-d + ex)(d + ex))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**3*(g*x+f)**2/(-e**2*x**2+d**2)**(7/2),x)
[Out] Integral((d + e*x)**3*(f + g*x)**2/(-(-d + e*x)*(d + e*x)**(7/2), x)
```

$$3.385 \quad \int \frac{(d+ex)^3(f+gx)}{(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=117

$$\frac{(d+ex)^3(dg+ef)}{5de^2(d^2-e^2x^2)^{5/2}} + \frac{2(d+ex)(2ef-3dg)}{15de^2(d^2-e^2x^2)^{3/2}} + \frac{x(2ef-3dg)}{15d^3e\sqrt{d^2-e^2x^2}}$$

**Rubi [A]** time = 0.06, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {789, 653, 191}

$$\frac{(d+ex)^3(dg+ef)}{5de^2(d^2-e^2x^2)^{5/2}} + \frac{2(d+ex)(2ef-3dg)}{15de^2(d^2-e^2x^2)^{3/2}} + \frac{x(2ef-3dg)}{15d^3e\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(f + g\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] ((e\*f + d\*g)\*(d + e\*x)^3)/(5\*d\*e^2\*(d^2 - e^2\*x^2)^(5/2)) + (2\*(2\*e\*f - 3\*d\*g)\*(d + e\*x))/(15\*d\*e^2\*(d^2 - e^2\*x^2)^(3/2)) + ((2\*e\*f - 3\*d\*g)\*x)/(15\*d^3\*e\*Sqrt[d^2 - e^2\*x^2])

#### Rule 191

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(x\*(a + b\*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

#### Rule 653

Int[((d\_) + (e\_.)\*(x\_))^(2\*((a\_) + (c\_.)\*(x\_)^2)^(p\_)), x\_Symbol] := Simp[(e\*(d + e\*x)\*(a + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e^2\*(p + 2))/(c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && LtQ[p, -1]

#### Rule 789

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d\*g + e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] - Dist[(e\*(m\*(d\*g + e\*f) + 2\*e\*f\*(p + 1)))/(2\*c\*d\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && EqQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3(f+gx)}{(d^2-e^2x^2)^{7/2}} dx &= \frac{(ef+dg)(d+ex)^3}{5de^2(d^2-e^2x^2)^{5/2}} - \frac{(-5ef+3(ef+dg)) \int \frac{(d+ex)^2}{(d^2-e^2x^2)^{5/2}} dx}{5de} \\
&= \frac{(ef+dg)(d+ex)^3}{5de^2(d^2-e^2x^2)^{5/2}} + \frac{2(2ef-3dg)(d+ex)}{15de^2(d^2-e^2x^2)^{3/2}} - \frac{(-5ef+3(ef+dg)) \int \frac{1}{(d^2-e^2x^2)^{3/2}} dx}{15de} \\
&= \frac{(ef+dg)(d+ex)^3}{5de^2(d^2-e^2x^2)^{5/2}} + \frac{2(2ef-3dg)(d+ex)}{15de^2(d^2-e^2x^2)^{3/2}} + \frac{(2ef-3dg)x}{15d^3e\sqrt{d^2-e^2x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.24, size = 83, normalized size = 0.71

$$\frac{(d+ex)(3d^3g - d^2e(7f+9gx) + 3de^2x(2f+gx) - 2e^3fx^2)}{15d^3e^2(d-ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(f + g\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] -1/15\*((d + e\*x)\*(3\*d^3\*g - 2\*e^3\*f\*x^2 + 3\*d\*e^2\*x\*(2\*f + g\*x) - d^2\*e\*(7\*f + 9\*g\*x)))/(d^3\*e^2\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.55, size = 83, normalized size = 0.71

$$\frac{\sqrt{d^2 - e^2x^2} (-3d^3g + 7d^2ef + 9d^2egx - 6de^2fx - 3de^2gx^2 + 2e^3fx^2)}{15d^3e^2(d-ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(f + g\*x))/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(7\*d^2\*e\*f - 3\*d^3\*g - 6\*d\*e^2\*f\*x + 9\*d^2\*e\*g\*x + 2\*e^3\*f\*x^2 - 3\*d\*e^2\*g\*x^2))/(15\*d^3\*e^2\*(d - e\*x)^3)

**fricas [A]** time = 0.39, size = 183, normalized size = 1.56

$$\frac{7d^3ef - 3d^4g - (7e^4f - 3de^3g)x^3 + 3(7de^3f - 3d^2e^2g)x^2 - 3(7d^2ef - 3d^3eg)x + (7d^2ef - 3d^3g + (2e^3f - 3de^2g)x^2 - 3(2de^2f - 3d^2eg)x)\sqrt{-e^2x^2 + d^2}}{15(d^3e^3x^3 - 3d^4e^4x^2 + 3d^5e^5x - d^6e^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)/(-e^2\*x^2+d^2)^(7/2), x, algorithm="fricas")

[Out]  $-1/15*(7*d^3*e*f - 3*d^4*g - (7*e^4*f - 3*d*e^3*g)*x^3 + 3*(7*d*e^3*f - 3*d^2*e^2*g)*x^2 - 3*(7*d^2*e^2*f - 3*d^3*e*g)*x + (7*d^2*e*f - 3*d^3*g + (2*e^3*f - 3*d*e^2*g)*x^2 - 3*(2*d*e^2*f - 3*d^2*e*g)*x)*\sqrt{-e^2*x^2 + d^2})/(d^3*e^5*x^3 - 3*d^4*e^4*x^2 + 3*d^5*e^3*x - d^6*e^2)$

**giac** [A] time = 0.33, size = 139, normalized size = 1.19

$$\frac{\sqrt{-x^2e^2 + d^2} \left( \left( 15df - \left( x \left( \frac{(3d^2ge^7 - 2dfe^8)x^2e^{(-4)}}{d^4} - \frac{5(3d^4ge^5 - d^3fe^6)e^{(-4)}}{d^4} \right) - \frac{5(3d^5ge^4 + d^4fe^5)e^{(-4)}}{d^4} \right) x - \frac{(3d^7ge^2 - 7d^6fe^3)e^{(-4)}}{d^4} \right)}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3*(g*x+f)/(-e^2*x^2+d^2)^(7/2),x, algorithm="giac")`

[Out]  $-1/15*\sqrt{-x^2*e^2 + d^2}*((15*d*f - (x*((3*d^2*g*e^7 - 2*d*f*e^8)*x^2*e^{(-4)}/d^4 - 5*(3*d^4*g*e^5 - d^3*f*e^6)*e^{(-4)}/d^4) - 5*(3*d^5*g*e^4 + d^4*f*e^5)*e^{(-4)}/d^4)*x - (3*d^7*g*e^2 - 7*d^6*f*e^3)*e^{(-4)}/d^4)/(x^2*e^2 - d^2)^3$

**maple** [A] time = 0.01, size = 85, normalized size = 0.73

$$\frac{(-ex + d)(ex + d)^4 (3de^2gx^2 - 2e^3fx^2 - 9d^2egx + 6de^2fx + 3d^3g - 7d^2ef)}{15(-e^2x^2 + d^2)^{\frac{7}{2}}d^3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^3*(g*x+f)/(-e^2*x^2+d^2)^(7/2),x)`

[Out]  $-1/15*(-e*x+d)*(e*x+d)^4*(3*d*e^2*g*x^2 - 2*e^3*f*x^2 - 9*d^2*e*g*x + 6*d*e^2*f*x + 3*d^3*g - 7*d^2*e*f)/d^3/e^2/(-e^2*x^2+d^2)^(7/2)$

**maxima** [B] time = 0.46, size = 373, normalized size = 3.19

$$\frac{egx^3}{2(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{dfx}{5(-e^2x^2 + d^2)^{\frac{5}{2}}} - \frac{3d^2gx}{10(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{3d^2f}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{d^3g}{5(-e^2x^2 + d^2)^{\frac{5}{2}}e^2} + \frac{4fx}{15(-e^2x^2 + d^2)^{\frac{3}{2}}d} + \frac{gx}{10(-e^2x^2 + d^2)^{\frac{3}{2}}e} + \frac{8fx}{15\sqrt{-e^2x^2 + d^2}d^3e} + \frac{gx}{5\sqrt{-e^2x^2 + d^2}d^3e} + \frac{(e^3f + 3d^2g)x^2}{3(-e^2x^2 + d^2)^{\frac{3}{2}}e^2} + \frac{3(d^2f + d^2eg)x}{5(-e^2x^2 + d^2)^{\frac{3}{2}}e^2} - \frac{2(e^3f + 3d^2g)d^2}{15(-e^2x^2 + d^2)^{\frac{3}{2}}e^4} - \frac{(d^2f + d^2eg)x}{5(-e^2x^2 + d^2)^{\frac{3}{2}}d^3e^2} - \frac{2(d^2f + d^2eg)x}{5\sqrt{-e^2x^2 + d^2}d^3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3*(g*x+f)/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out]  $1/2*e*g*x^3/(-e^2*x^2 + d^2)^(5/2) + 1/5*d*f*x/(-e^2*x^2 + d^2)^(5/2) - 3/10*d^2*g*x/((-e^2*x^2 + d^2)^(5/2)*e) + 3/5*d^2*f/((-e^2*x^2 + d^2)^(5/2)*e) + 1/5*d^3*g/((-e^2*x^2 + d^2)^(5/2)*e^2) + 4/15*f*x/((-e^2*x^2 + d^2)^(3/2))*d + 1/10*g*x/((-e^2*x^2 + d^2)^(3/2)*e) + 8/15*f*x/(sqrt(-e^2*x^2 + d^2)*d^3) + 1/5*g*x/(sqrt(-e^2*x^2 + d^2)*d^2*e) + 1/3*(e^3*f + 3*d*e^2*g)*x^2/((-e^2*x^2 + d^2)^(5/2)*e^2) + 3/5*(d*e^2*f + d^2*e*g)*x/((-e^2*x^2 + d^2)^(5/2)*e^2)$

$(5/2)*e^2) - 2/15*(e^3*f + 3*d*e^2*g)*d^2/((-e^2*x^2 + d^2)^(5/2)*e^4) - 1/5*(d*e^2*f + d^2*e*g)*x/((-e^2*x^2 + d^2)^(3/2)*d^2*e^2) - 2/5*(d*e^2*f + d^2*e*g)*x/(sqrt(-e^2*x^2 + d^2)*d^4*e^2)$

**mupad [B]** time = 2.79, size = 79, normalized size = 0.68

$$\frac{\sqrt{d^2 - e^2 x^2} (3 g d^3 - 9 g d^2 e x - 7 f d^2 e + 3 g d e^2 x^2 + 6 f d e^2 x - 2 f e^3 x^2)}{15 d^3 e^2 (d - e x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)\*(d + e\*x)^3)/(d^2 - e^2\*x^2)^(7/2), x)

[Out] -((d^2 - e^2\*x^2)^(1/2)\*(3\*d^3\*g - 2\*e^3\*f\*x^2 - 7\*d^2\*e\*f + 6\*d\*e^2\*f\*x - 9\*d^2\*e\*g\*x + 3\*d\*e^2\*g\*x^2))/(15\*d^3\*e^2\*(d - e\*x)^3)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^3 (f + gx)}{(-(-d + ex)(d + ex))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3\*(g\*x+f)/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] Integral((d + e\*x)\*\*3\*(f + g\*x)/(-(-d + e\*x)\*(d + e\*x))\*\*(7/2), x)

$$3.386 \quad \int \frac{(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=103

$$\frac{2\sqrt{d^2 - e^2x^2}}{15d^2e(d - ex)^2} + \frac{\sqrt{d^2 - e^2x^2}}{5de(d - ex)^3} + \frac{2\sqrt{d^2 - e^2x^2}}{15d^3e(d - ex)}$$

**Rubi [A]** time = 0.05, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {655, 659, 651}

$$\frac{2\sqrt{d^2 - e^2x^2}}{15d^3e(d - ex)} + \frac{2\sqrt{d^2 - e^2x^2}}{15d^2e(d - ex)^2} + \frac{\sqrt{d^2 - e^2x^2}}{5de(d - ex)^3}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^3/(d^2 - e^2\*x^2)^(7/2),x]

[Out] Sqrt[d^2 - e^2\*x^2]/(5\*d\*e\*(d - e\*x)^3) + (2\*Sqrt[d^2 - e^2\*x^2])/(15\*d^2\*e\*(d - e\*x)^2) + (2\*Sqrt[d^2 - e^2\*x^2])/(15\*d^3\*e\*(d - e\*x))

#### Rule 651

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[
(e*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*c*d*(p + 1)), x] /; FreeQ[{a, c, d,
e, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && EqQ[m + 2*p + 2,
0]
```

#### Rule 655

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[
d^(2*m)/a^m, Int[(a + c*x^2)^(m + p)/(d - e*x)^m, x], x] /; FreeQ[{a, c, d,
e, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && IntegerQ[m] && R
ationalQ[p] && (LtQ[0, -m, p] || LtQ[p, -m, 0]) && NeQ[m, 2] && NeQ[m, -1]
```

#### Rule 659

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp
[(e*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*c*d*(m + p + 1)), x] + Dist[Simplif
y[m + 2*p + 2]/(2*d*(m + p + 1)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x],
x] /; FreeQ[{a, c, d, e, m, p}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]
] && ILtQ[Simplify[m + 2*p + 2], 0]
```

#### Rubi steps



$$\begin{aligned}
\int \frac{(d+ex)^3}{(d^2-e^2x^2)^{7/2}} dx &= \int \frac{1}{(d-ex)^3 \sqrt{d^2-e^2x^2}} dx \\
&= \frac{\sqrt{d^2-e^2x^2}}{5de(d-ex)^3} + \frac{2 \int \frac{1}{(d-ex)^2 \sqrt{d^2-e^2x^2}} dx}{5d} \\
&= \frac{\sqrt{d^2-e^2x^2}}{5de(d-ex)^3} + \frac{2\sqrt{d^2-e^2x^2}}{15d^2e(d-ex)^2} + \frac{2 \int \frac{1}{(d-ex) \sqrt{d^2-e^2x^2}} dx}{15d^2} \\
&= \frac{\sqrt{d^2-e^2x^2}}{5de(d-ex)^3} + \frac{2\sqrt{d^2-e^2x^2}}{15d^2e(d-ex)^2} + \frac{2\sqrt{d^2-e^2x^2}}{15d^3e(d-ex)}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 58, normalized size = 0.56

$$\frac{(d+ex)(7d^2-6dex+2e^2x^2)}{15d^3e(d-ex)^2\sqrt{d^2-e^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^3/(d^2 - e^2\*x^2)^(7/2), x]

[Out] ((d + e\*x)\*(7\*d^2 - 6\*d\*e\*x + 2\*e^2\*x^2))/(15\*d^3\*e\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2])

**IntegrateAlgebraic [A]** time = 0.00, size = 53, normalized size = 0.51

$$\frac{\sqrt{d^2-e^2x^2}(7d^2-6dex+2e^2x^2)}{15d^3e(d-ex)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^3/(d^2 - e^2\*x^2)^(7/2), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*(7\*d^2 - 6\*d\*e\*x + 2\*e^2\*x^2))/(15\*d^3\*e\*(d - e\*x)^3)

**fricas [A]** time = 0.40, size = 106, normalized size = 1.03

$$\frac{7e^3x^3 - 21de^2x^2 + 21d^2ex - 7d^3 - (2e^2x^2 - 6dex + 7d^2)\sqrt{-e^2x^2 + d^2}}{15(d^3e^4x^3 - 3d^4e^3x^2 + 3d^5e^2x - d^6e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] 1/15\*(7\*e^3\*x^3 - 21\*d\*e^2\*x^2 + 21\*d^2\*e\*x - 7\*d^3 - (2\*e^2\*x^2 - 6\*d\*e\*x + 7\*d^2)\*sqrt(-e^2\*x^2 + d^2))/(d^3\*e^4\*x^3 - 3\*d^4\*e^3\*x^2 + 3\*d^5\*e^2\*x - d^6\*e)

**giac** [A] time = 0.30, size = 70, normalized size = 0.68

$$\frac{\sqrt{-x^2e^2 + d^2} \left( 7d^2e^{(-1)} + \left( \left( x \left( \frac{2x^2e^4}{d^3} - \frac{5e^2}{d} \right) + 5e \right) x + 15d \right) x \right)}{15(x^2e^2 - d^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out] -1/15\*sqrt(-x^2\*e^2 + d^2)\*(7\*d^2\*e^(-1) + ((x\*(2\*x^2\*e^4/d^3 - 5\*e^2/d) + 5\*e)\*x + 15\*d)\*x)/(x^2\*e^2 - d^2)^3

**maple** [A] time = 0.01, size = 55, normalized size = 0.53

$$\frac{(-ex + d)(ex + d)^4(2e^2x^2 - 6dex + 7d^2)}{15(-e^2x^2 + d^2)^{\frac{7}{2}}d^3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x)

[Out] 1/15\*(-e\*x+d)\*(e\*x+d)^4\*(2\*e^2\*x^2-6\*d\*e\*x+7\*d^2)/d^3/e/(-e^2\*x^2+d^2)^(7/2)

**maxima** [A] time = 0.44, size = 101, normalized size = 0.98

$$\frac{ex^2}{3(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{4dx}{5(-e^2x^2 + d^2)^{\frac{5}{2}}} + \frac{7d^2}{15(-e^2x^2 + d^2)^{\frac{5}{2}}e} + \frac{x}{15(-e^2x^2 + d^2)^{\frac{3}{2}}d} + \frac{2x}{15\sqrt{-e^2x^2 + d^2}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out] 1/3\*e\*x^2/(-e^2\*x^2 + d^2)^(5/2) + 4/5\*d\*x/(-e^2\*x^2 + d^2)^(5/2) + 7/15\*d^2/((-e^2\*x^2 + d^2)^(5/2)\*e) + 1/15\*x/((-e^2\*x^2 + d^2)^(3/2)\*d) + 2/15\*x/(sqrt(-e^2\*x^2 + d^2)\*d^3)

mupad [B] time = 2.70, size = 49, normalized size = 0.48

$$\frac{\sqrt{d^2 - e^2 x^2} (7d^2 - 6dex + 2e^2 x^2)}{15d^3 e (d - ex)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^3/(d^2 - e^2\*x^2)^(7/2), x)

[Out] ((d^2 - e^2\*x^2)^(1/2)\*(7\*d^2 + 2\*e^2\*x^2 - 6\*d\*e\*x))/(15\*d^3\*e\*(d - e\*x)^3)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^3}{(-(-d + ex)(d + ex))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2), x)

[Out] Integral((d + e\*x)\*\*3/(-(-d + e\*x)\*(d + e\*x))\*\*(7/2), x)

$$3.387 \quad \int \frac{(d+ex)^3}{(f+gx)(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=242

$$\frac{g^3 \tan^{-1}\left(\frac{d^2g+e^2fx}{\sqrt{d^2-e^2x^2}\sqrt{e^2f^2-d^2g^2}}\right)}{(dg+ef)^3\sqrt{e^2f^2-d^2g^2}} - \frac{5d(ef-dg) - ex(11dg+ef)}{15d(d^2-e^2x^2)^{3/2}(dg+ef)^2} + \frac{4d(d+ex)}{5(d^2-e^2x^2)^{5/2}(dg+ef)} + \frac{15d^3g^2 + ex(22d^2g^2 + 9d^2g^2)}{15d^3\sqrt{d^2-e^2x^2}(dg+ef)}$$

**Rubi [A]** time = 0.62, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {1647, 823, 12, 725, 204}

$$\frac{ex(22d^2g^2 + 9defg + 2e^2f^2) + 15d^3g^2}{15d^3\sqrt{d^2-e^2x^2}(dg+ef)^3} + \frac{g^3 \tan^{-1}\left(\frac{d^2g+e^2fx}{\sqrt{d^2-e^2x^2}\sqrt{e^2f^2-d^2g^2}}\right)}{(dg+ef)^3\sqrt{e^2f^2-d^2g^2}} - \frac{5d(ef-dg) - ex(11dg+ef)}{15d(d^2-e^2x^2)^{3/2}(dg+ef)^2} + \frac{4d(d+ex)}{5(d^2-e^2x^2)^{5/2}(dg+ef)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^3/((f + g\*x)\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (4\*d\*(d + e\*x))/(5\*(e\*f + d\*g)\*(d^2 - e^2\*x^2)^(5/2)) - (5\*d\*(e\*f - d\*g) - e\*(e\*f + 11\*d\*g)\*x)/(15\*d\*(e\*f + d\*g)^2\*(d^2 - e^2\*x^2)^(3/2)) + (15\*d^3\*g^2 + e\*(2\*e^2\*f^2 + 9\*d\*e\*f\*g + 22\*d^2\*g^2)\*x)/(15\*d^3\*(e\*f + d\*g)^3\*sqrt[d^2 - e^2\*x^2]) + (g^3\*ArcTan[(d^2\*g + e^2\*f\*x)/(sqrt[e^2\*f^2 - d^2\*g^2]\*sqrt[d^2 - e^2\*x^2]])/((e\*f + d\*g)^3\*sqrt[e^2\*f^2 - d^2\*g^2]))

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

### Rule 823

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])

```

### Rule 1647

```

Int[(Pq_)*((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[(d + e*x)^m*Pq, a + c*x^2, x], f = Coeff[Pol
ynomialRemainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 0], g = Coeff[Polynomial
Remainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 1]}, Simp[((a*g - c*f*x)*(a + c
*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[1/(2*a*c*(p + 1)), Int[(d + e*x)^
m*(a + c*x^2)^(p + 1)*ExpandToSum[(2*a*c*(p + 1)*Q)/(d + e*x)^m + (c*f*(2*p
+ 3))/(d + e*x)^m, x], x], x] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] &
& NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3}{(f+gx)(d^2-e^2x^2)^{7/2}} dx &= \frac{4d(d+ex)}{5(ef+dg)(d^2-e^2x^2)^{5/2}} + \int \frac{\frac{d^3e^2(ef+5dg)}{ef+dg} - \frac{d^2e^3(5ef-11dg)x}{ef+dg}}{(f+gx)(d^2-e^2x^2)^{5/2}} dx \\
&= \frac{4d(d+ex)}{5(ef+dg)(d^2-e^2x^2)^{5/2}} - \frac{5d(ef-dg) - e(ef+11dg)x}{15d(ef+dg)^2(d^2-e^2x^2)^{3/2}} - \int \frac{\frac{d^3e^4(ef-dg)(2e^2f^2+7defg+9d^2g^2)}{ef+dg}}{(f+gx)(d^2-e^2x^2)^{5/2}} dx \\
&= \frac{4d(d+ex)}{5(ef+dg)(d^2-e^2x^2)^{5/2}} - \frac{5d(ef-dg) - e(ef+11dg)x}{15d(ef+dg)^2(d^2-e^2x^2)^{3/2}} + \frac{15d^3g^2 + e(2e^2f^2 + 9d^2g^2)}{15d^3(ef+dg)^3} \\
&= \frac{4d(d+ex)}{5(ef+dg)(d^2-e^2x^2)^{5/2}} - \frac{5d(ef-dg) - e(ef+11dg)x}{15d(ef+dg)^2(d^2-e^2x^2)^{3/2}} + \frac{15d^3g^2 + e(2e^2f^2 + 9d^2g^2)}{15d^3(ef+dg)^3} \\
&= \frac{4d(d+ex)}{5(ef+dg)(d^2-e^2x^2)^{5/2}} - \frac{5d(ef-dg) - e(ef+11dg)x}{15d(ef+dg)^2(d^2-e^2x^2)^{3/2}} + \frac{15d^3g^2 + e(2e^2f^2 + 9d^2g^2)}{15d^3(ef+dg)^3} \\
&= \frac{4d(d+ex)}{5(ef+dg)(d^2-e^2x^2)^{5/2}} - \frac{5d(ef-dg) - e(ef+11dg)x}{15d(ef+dg)^2(d^2-e^2x^2)^{3/2}} + \frac{15d^3g^2 + e(2e^2f^2 + 9d^2g^2)}{15d^3(ef+dg)^3}
\end{aligned}$$

**Mathematica [A]** time = 0.39, size = 225, normalized size = 0.93

$$\frac{(d+ex)(d^2g^2-e^2f^2)(32d^4g^2+3d^3eg(8f-17gx)+d^2e^2(7f^2-27fgx+22g^2x^2))+3de^3fx(3gx-2f)+2e^4f^2x^2}{d^3(d-ex)^2\sqrt{d^2-e^2x^2}} - 15g^3\sqrt{e^2f^2-d^2g^2}\tan^{-1}\left(\frac{d^2g+e^2fx}{\sqrt{d^2-e^2x^2}\sqrt{e^2f^2-d^2g^2}}\right)$$

$$15(dg-ef)(dg+ef)^4$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^3/((f + g\*x)\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (((-(e^2\*f^2) + d^2\*g^2)\*(d + e\*x)\*(32\*d^4\*g^2 + 2\*e^4\*f^2\*x^2 + 3\*d^3\*e\*g\*(8\*f - 17\*g\*x) + 3\*d\*e^3\*f\*x\*(-2\*f + 3\*g\*x) + d^2\*e^2\*(7\*f^2 - 27\*f\*g\*x + 2\*g^2\*x^2)))/(d^3\*(d - e\*x)^2\*Sqrt[d^2 - e^2\*x^2]) - 15\*g^3\*Sqrt[e^2\*f^2 - d^2\*g^2]\*ArcTan[(d^2\*g + e^2\*f\*x)/(Sqrt[e^2\*f^2 - d^2\*g^2]\*Sqrt[d^2 - e^2\*x^2])])/(15\*(-(e\*f) + d\*g)\*(e\*f + d\*g)^4)

**IntegrateAlgebraic [F]** time = 180.98, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(d + e*x)^3/((f + g*x)*(d^2 - e^2*x^2)^(7/2)),x]
```

```
[Out] $Aborted
```

**fricas** [B] time = 0.48, size = 1767, normalized size = 7.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3/(g*x+f)/(-e^2*x^2+d^2)^(7/2),x, algorithm="fricas")
```

```
[Out] [1/15*(7*d^3*e^4*f^4 + 24*d^4*e^3*f^3*g + 25*d^5*e^2*f^2*g^2 - 24*d^6*e*f*g^3 - 32*d^7*g^4 - (7*e^7*f^4 + 24*d*e^6*f^3*g + 25*d^2*e^5*f^2*g^2 - 24*d^3*e^4*f*g^3 - 32*d^4*e^3*g^4)*x^3 + 3*(7*d*e^6*f^4 + 24*d^2*e^5*f^3*g + 25*d^3*e^4*f^2*g^2 - 24*d^4*e^3*f*g^3 - 32*d^5*e^2*g^4)*x^2 + 15*(d^3*e^3*g^3*x^3 - 3*d^4*e^2*g^3*x^2 + 3*d^5*e*g^3*x - d^6*g^3)*sqrt(-e^2*f^2 + d^2*g^2)*log((d*e^2*f*g*x + d^3*g^2 - sqrt(-e^2*f^2 + d^2*g^2)*(e^2*f*x + d^2*g + sqrt(-e^2*x^2 + d^2)*d*g) - (e^2*f^2 - d^2*g^2)*sqrt(-e^2*x^2 + d^2))/(g*x + f)) - 3*(7*d^2*e^5*f^4 + 24*d^3*e^4*f^3*g + 25*d^4*e^3*f^2*g^2 - 24*d^5*e^2*f*g^3 - 32*d^6*e*g^4)*x + (7*d^2*e^4*f^4 + 24*d^3*e^3*f^3*g + 25*d^4*e^2*f^2*g^2 - 24*d^5*e*f*g^3 - 32*d^6*g^4 + (2*e^6*f^4 + 9*d*e^5*f^3*g + 20*d^2*e^4*f^2*g^2 - 9*d^3*e^3*f*g^3 - 22*d^4*e^2*g^4)*x^2 - 3*(2*d*e^5*f^4 + 9*d^2*e^4*f^3*g + 15*d^3*e^3*f^2*g^2 - 9*d^4*e^2*f*g^3 - 17*d^5*e*g^4)*x)*sqrt(-e^2*x^2 + d^2))/(d^6*e^5*f^5 + 3*d^7*e^4*f^4*g + 2*d^8*e^3*f^3*g^2 - 2*d^9*e^2*f^2*g^3 - 3*d^10*e*f*g^4 - d^11*g^5 - (d^3*e^8*f^5 + 3*d^4*e^7*f^4*g + 2*d^5*e^6*f^3*g^2 - 2*d^6*e^5*f^2*g^3 - 3*d^7*e^4*f*g^4 - d^8*e^3*g^5)*x^3 + 3*(d^4*e^7*f^5 + 3*d^5*e^6*f^4*g + 2*d^6*e^5*f^3*g^2 - 2*d^7*e^4*f^2*g^3 - 3*d^8*e^3*f*g^4 - d^9*e^2*g^5)*x^2 - 3*(d^5*e^6*f^5 + 3*d^6*e^5*f^4*g + 2*d^7*e^4*f^3*g^2 - 2*d^8*e^3*f^2*g^3 - 3*d^9*e^2*f*g^4 - d^10*e*g^5)*x), 1/15*(7*d^3*e^4*f^4 + 24*d^4*e^3*f^3*g + 25*d^5*e^2*f^2*g^2 - 24*d^6*e*f*g^3 - 32*d^7*g^4 - (7*e^7*f^4 + 24*d*e^6*f^3*g + 25*d^2*e^5*f^2*g^2 - 24*d^3*e^4*f*g^3 - 32*d^4*e^3*g^4)*x^3 + 3*(7*d*e^6*f^4 + 24*d^2*e^5*f^3*g + 25*d^3*e^4*f^2*g^2 - 24*d^4*e^3*f*g^3 - 32*d^5*e^2*g^4)*x^2 - 30*(d^3*e^3*g^3*x^3 - 3*d^4*e^2*g^3*x^2 + 3*d^5*e*g^3*x - d^6*g^3)*sqrt(e^2*f^2 - d^2*g^2)*arctan((d*g*x + d*f - sqrt(-e^2*x^2 + d^2)*f)/(sqrt(e^2*f^2 - d^2*g^2)*x)) - 3*(7*d^2*e^5*f^4 + 24*d^3*e^4*f^3*g + 25*d^4*e^3*f^2*g^2 - 24*d^5*e^2*f*g^3 - 32*d^6*e*g^4)*x + (7*d^2*e^4*f^4 + 24*d^3*e^3*f^3*g + 25*d^4*e^2*f^2*g^2 - 24*d^5*e*f*g^3 - 32*d^6*g^4 + (2*e^6*f^4 + 9*d*e^5*f^3*g + 20*d^2*e^4*f^2*g^2 - 9*d^3*e^3*f*g^3 - 22*d^4*e^2*g^4)*x^2 - 3*(2*d*e^5*f^4 + 9*d^2*e^4*f^3*g + 15*d^3*e^3*f^2*g^2 - 9*d^4*e^2*f*g^3 - 17*d^5*e*g^4)*x)*sqrt(-e^2*x^2 + d^2))/(d^6*e^5*f^5 + 3*d^7*e^4*f^4*g + 2*d^8*e^3*f^3*g^2 - 2*d^9*e^2*f^2*g^3 - 3*d^10*e*f*g^4 - d^11*g^5 - (d^3*e^8*f^5 + 3*d^4*e^7*f^4*g + 2*d^5*e^6*f^3*g^2 - 2*d^6*e^5*f^2*g^3 - 3*d^7*e^4*f*g^4 - d^8*e^3*g^5)*x^3 + 3*(d^4*e^7*f^5 + 3*d^5*e^6*f^4*g + 2*d^6*e^5*f^3*g^2 - 2*d^7*e^4*f^2*g^3 - 3*d^8
```

$8e^3fg^4 - d^9e^2g^5)x^2 - 3(d^5e^6f^5 + 3d^6e^5f^4g + 2d^7e^4f^3g^2 - 2d^8e^3f^2g^3 - 3d^9e^2fg^4 - d^{10}e^*g^5)x]$

**giac [B]** time = 0.46, size = 2966, normalized size = 12.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/(g\*x+f)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out]  $-2*(d^3g^6e^2 - 3d^2f*g^5e^3 + 3d*f^2g^4e^4 - f^3g^3e^5)*\arctan\left(\frac{d*g*e + (d*e + \sqrt{-x^2*e^2 + d^2})*f/x}{\sqrt{-d^2*g^2*e^2 + f^2*e^4}}\right) / \left( (d^6g^6e - 3d^4f^2g^4e^3 + 3d^2f^4g^2e^5 - f^6e^7)*\sqrt{-d^2g^2e^2 + f^2e^4} \right) - 1/15*\sqrt{-x^2e^2 + d^2} * \left( \frac{\begin{aligned} &((22d^{18}g^{17}e^9 + 339d^{17}f*g^{16}e^{10} + 2447d^{16}f^2g^{15}e^{11} + 10985d^{15}f^3g^{14}e^{12} + 3433 \\ &5d^{14}f^4g^{13}e^{13} + 79261d^{13}f^5g^{12}e^{14} + 139867d^{12}f^6g^{11}e^{15} \\ &+ 192621d^{11}f^7g^{10}e^{16} + 209495d^{10}f^8g^9e^{17} + 180895d^9f^9g^8e^{18} + 123981d^8f^{10}g^7e^{19} + 67067d^7f^{11}g^6e^{20} + 28301d^6f^{12}g^5e^{21} \\ &+ 9135d^5f^{13}g^4e^{22} + 2185d^4f^{14}g^3e^{23} + 367d^3f^{15}g^2e^{24} + 39d^2f^{16}g^1e^{25} + 2d^1f^{17}e^{26}) * x}{(d^{22}g^{18}e^4 + 18d^{21}f*g^{17}e^5 + 153d^{20}f^2g^{16}e^6 + 816d^{19}f^3g^{15}e^7 + 3060d^{18}f^4g^{14}e^8 + 8568d^{17}f^5g^{13}e^9 + 18564d^{16}f^6g^{12}e^{10} + 31824d^{15}f^7g^{11}e^{11} + 43758d^{14}f^8g^{10}e^{12} + 48620d^{13}f^9g^9e^{13} + 43758d^{12}f^{10}g^8e^{14} + 31824d^{11}f^{11}g^7e^{15} + 18564d^{10}f^{12}g^6e^{16} + 8568d^9f^{13}g^5e^{17} + 3060d^8f^{14}g^4e^{18} + 816d^7f^{15}g^3e^{19} + 153d^6f^{16}g^2e^{20} + 18d^5f^{17}g^1e^{21} + d^4f^{18}e^{22})} + 15*(d^{19}g^{17}e^8 + 15d^{18}f*g^{16}e^9 + 105d^{17}f^2g^{15}e^{10} + 455d^{16}f^3g^{14}e^{11} + 1365d^{15}f^4g^{13}e^{12} + 3003d^{14}f^5g^{12}e^{13} + 5005d^{13}f^6g^{11}e^{14} + 6435d^{12}f^7g^{10}e^{15} + 6435d^{11}f^8g^9e^{16} + 5005d^{10}f^9g^8e^{17} + 3003d^9f^{10}g^7e^{18} + 1365d^8f^{11}g^6e^{19} + 455d^7f^{12}g^5e^{20} + 105d^6f^{13}g^4e^{21} + 15d^5f^{14}g^3e^{22} + d^4f^{15}g^2e^{23}) / (d^{22}g^{18}e^4 + 18d^{21}f*g^{17}e^5 + 153d^{20}f^2g^{16}e^6 + 816d^{19}f^3g^{15}e^7 + 3060d^{18}f^4g^{14}e^8 + 8568d^{17}f^5g^{13}e^9 + 18564d^{16}f^6g^{12}e^{10} + 31824d^{15}f^7g^{11}e^{11} + 43758d^{14}f^8g^{10}e^{12} + 48620d^{13}f^9g^9e^{13} + 43758d^{12}f^{10}g^8e^{14} + 31824d^{11}f^{11}g^7e^{15} + 18564d^{10}f^{12}g^6e^{16} + 8568d^9f^{13}g^5e^{17} + 3060d^8f^{14}g^4e^{18} + 816d^7f^{15}g^3e^{19} + 153d^6f^{16}g^2e^{20} + 18d^5f^{17}g^1e^{21} + d^4f^{18}e^{22}) * x - 5*(11d^{20}g^{17}e^7 + 171d^{19}f*g^{16}e^8 + 1246d^{18}f^2g^{15}e^9 + 5650d^{17}f^3g^{14}e^{10} + 17850d^{16}f^4g^{13}e^{11} + 41678d^{15}f^5g^{12}e^{12} + 74438d^{14}f^6g^{11}e^{13} + 103818d^{13}f^7g^{10}e^{14} + 114400d^{12}f^8g^9e^{15} + 100100d^{11}f^9g^8e^{16} + 69498d^{10}f^{10}g^7e^{17} + 38038d^9f^{11}g^6e^{18} + 16198d^8f^{12}g^5e^{19} + 5250d^7f^{13}g^4e^{20} + 1250d^6f^{14}g^3e^{21} + 206d^5f^{15}g^2e^{22} + 21d^4f^{16}g^1e^{23} + d^3f^{17}e^{24}) / (d^{22}g^{18}e^4 + 18d^{21}f*g^{17}e^5 + 153d^{20}f^2g^{16}e^6 + 816d^{19}f^3g^{15}e^7 + 3060d^{18}f^4g^{14}e^8 + 8568d^{17}f^5g^{13}e^9 + 18564d^{16}f^6g^{12}e^{10} + 31824d^{15}f^7g^{11}e^{11} + 43758d^{14}f^8g^{10}e^{12} + 48620d^{13}f^9g^9e^{13} + 43758d^{12}f^{10}g^8e^{14} + 31824d^{11}f^{11}g^7e^{15} + 18564d^{10}f^{12}g^6e^{16} + 8568d^9f^{13}g^5e^{17} + 3060d^8f^{14}g^4e^{18} + 816d^7f^{15}g^3e^{19} + 153d^6f^{16}g^2e^{20} + 18d^5f^{17}g^1e^{21} + d^4f^{18}e^{22})$



$$\begin{aligned}
& 6*f^6*g^12*e^10 + 31824*d^15*f^7*g^11*e^11 + 43758*d^14*f^8*g^10*e^12 + 486 \\
& 20*d^13*f^9*g^9*e^13 + 43758*d^12*f^10*g^8*e^14 + 31824*d^11*f^11*g^7*e^15 \\
& + 18564*d^10*f^12*g^6*e^16 + 8568*d^9*f^13*g^5*e^17 + 3060*d^8*f^14*g^4*e^1 \\
& 8 + 816*d^7*f^15*g^3*e^19 + 153*d^6*f^16*g^2*e^20 + 18*d^5*f^17*g*e^21 + d^ \\
& 4*f^18*e^22)) * x - 5*(7*d^21*g^17*e^6 + 105*d^20*f*g^16*e^7 + 734*d^19*f^2*g \\
& ^15*e^8 + 3170*d^18*f^3*g^14*e^9 + 9450*d^17*f^4*g^13*e^10 + 20566*d^16*f^5 \\
& *g^12*e^11 + 33670*d^15*f^6*g^11*e^12 + 42042*d^14*f^7*g^10*e^13 + 40040*d^ \\
& 13*f^8*g^9*e^14 + 28600*d^12*f^9*g^8*e^15 + 14586*d^11*f^10*g^7*e^16 + 4550 \\
& *d^10*f^11*g^6*e^17 + 182*d^9*f^12*g^5*e^18 - 630*d^8*f^13*g^4*e^19 - 350*d \\
& ^7*f^14*g^3*e^20 - 98*d^6*f^15*g^2*e^21 - 15*d^5*f^16*g*e^22 - d^4*f^17*e^2 \\
& 3)/(d^22*g^18*e^4 + 18*d^21*f*g^17*e^5 + 153*d^20*f^2*g^16*e^6 + 816*d^19*f \\
& ^3*g^15*e^7 + 3060*d^18*f^4*g^14*e^8 + 8568*d^17*f^5*g^13*e^9 + 18564*d^16* \\
& f^6*g^12*e^10 + 31824*d^15*f^7*g^11*e^11 + 43758*d^14*f^8*g^10*e^12 + 48620 \\
& *d^13*f^9*g^9*e^13 + 43758*d^12*f^10*g^8*e^14 + 31824*d^11*f^11*g^7*e^15 + \\
& 18564*d^10*f^12*g^6*e^16 + 8568*d^9*f^13*g^5*e^17 + 3060*d^8*f^14*g^4*e^18 \\
& + 816*d^7*f^15*g^3*e^19 + 153*d^6*f^16*g^2*e^20 + 18*d^5*f^17*g*e^21 + d^4* \\
& f^18*e^22)) * x + 15*(3*d^22*g^17*e^5 + 48*d^21*f*g^16*e^6 + 361*d^20*f^2*g^1 \\
& 5*e^7 + 1695*d^19*f^3*g^14*e^8 + 5565*d^18*f^4*g^13*e^9 + 13559*d^17*f^5*g^ \\
& 12*e^10 + 25389*d^16*f^6*g^11*e^11 + 37323*d^15*f^7*g^10*e^12 + 43615*d^14* \\
& f^8*g^9*e^13 + 40755*d^13*f^9*g^8*e^14 + 30459*d^12*f^10*g^7*e^15 + 18109*d \\
& ^11*f^11*g^6*e^16 + 8463*d^10*f^12*g^5*e^17 + 3045*d^9*f^13*g^4*e^18 + 815* \\
& d^8*f^14*g^3*e^19 + 153*d^7*f^15*g^2*e^20 + 18*d^6*f^16*g*e^21 + d^5*f^17*e \\
& ^22)/(d^22*g^18*e^4 + 18*d^21*f*g^17*e^5 + 153*d^20*f^2*g^16*e^6 + 816*d^19 \\
& *f^3*g^15*e^7 + 3060*d^18*f^4*g^14*e^8 + 8568*d^17*f^5*g^13*e^9 + 18564*d^1 \\
& 6*f^6*g^12*e^10 + 31824*d^15*f^7*g^11*e^11 + 43758*d^14*f^8*g^10*e^12 + 486 \\
& 20*d^13*f^9*g^9*e^13 + 43758*d^12*f^10*g^8*e^14 + 31824*d^11*f^11*g^7*e^15 \\
& + 18564*d^10*f^12*g^6*e^16 + 8568*d^9*f^13*g^5*e^17 + 3060*d^8*f^14*g^4*e^1 \\
& 8 + 816*d^7*f^15*g^3*e^19 + 153*d^6*f^16*g^2*e^20 + 18*d^5*f^17*g*e^21 + d^ \\
& 4*f^18*e^22)) * x + (32*d^23*g^17*e^4 + 504*d^22*f*g^16*e^5 + 3727*d^21*f^2*g \\
& ^15*e^6 + 17185*d^20*f^3*g^14*e^7 + 55335*d^19*f^4*g^13*e^8 + 132041*d^18*f \\
& ^5*g^12*e^9 + 241787*d^17*f^6*g^11*e^10 + 347061*d^16*f^7*g^10*e^11 + 39539 \\
& 5*d^15*f^8*g^9*e^12 + 359645*d^14*f^9*g^8*e^13 + 261261*d^13*f^10*g^7*e^14 \\
& + 150787*d^12*f^11*g^6*e^15 + 68341*d^11*f^12*g^5*e^16 + 23835*d^10*f^13*g^ \\
& 4*e^17 + 6185*d^9*f^14*g^3*e^18 + 1127*d^8*f^15*g^2*e^19 + 129*d^7*f^16*g*e \\
& ^20 + 7*d^6*f^17*e^21)/(d^22*g^18*e^4 + 18*d^21*f*g^17*e^5 + 153*d^20*f^2*g \\
& ^16*e^6 + 816*d^19*f^3*g^15*e^7 + 3060*d^18*f^4*g^14*e^8 + 8568*d^17*f^5*g^ \\
& 13*e^9 + 18564*d^16*f^6*g^12*e^10 + 31824*d^15*f^7*g^11*e^11 + 43758*d^14*f \\
& ^8*g^10*e^12 + 48620*d^13*f^9*g^9*e^13 + 43758*d^12*f^10*g^8*e^14 + 31824*d \\
& ^11*f^11*g^7*e^15 + 18564*d^10*f^12*g^6*e^16 + 8568*d^9*f^13*g^5*e^17 + 306 \\
& 0*d^8*f^14*g^4*e^18 + 816*d^7*f^15*g^3*e^19 + 153*d^6*f^16*g^2*e^20 + 18*d^ \\
& 5*f^17*g*e^21 + d^4*f^18*e^22))/(x^2*e^2 - d^2)^3
\end{aligned}$$

**maple [B]** time = 0.05, size = 3961, normalized size = 16.37

output too large to display



$$\begin{aligned}
& +f/g)+(d^2g^2-e^2f^2)/g^2)^{(3/2)}*x+11/15*e/g/d^2*x/(-e^2*x^2+d^2)^{(3/2)}+2 \\
& 2/15*e/g/d^4*x/(-e^2*x^2+d^2)^{(1/2)}-3/5/(d^2g^2-e^2f^2)/(-(x+f/g)^2*e^2+2 \\
& *e^2*f/g*(x+f/g)+(d^2g^2-e^2f^2)/g^2)^{(5/2)}*d^2*e*f-1/5/g^2/(d^2g^2-e^2f^2) \\
& f^2)/(-(x+f/g)^2*e^2+2*e^2*f/g*(x+f/g)+(d^2g^2-e^2f^2)/g^2)^{(5/2)}*e^3*f^3 \\
& -g^2/(d^2g^2-e^2f^2)^3/(-(x+f/g)^2*e^2+2*e^2*f/g*(x+f/g)+(d^2g^2-e^2f^2) \\
& )/g^2)^{(1/2)}*e^3*f^3-g^5/(d^2g^2-e^2f^2)^3/((d^2g^2-e^2f^2)/g^2)^{(1/2)}* \\
& \ln((2*(d^2g^2-e^2f^2)/g^2+2*e^2*f/g*(x+f/g)+2*((d^2g^2-e^2f^2)/g^2)^{(1/2)} \\
& )*(-(x+f/g)^2*e^2+2*e^2*f/g*(x+f/g)+(d^2g^2-e^2f^2)/g^2)^{(1/2)})/(x+f/g)) \\
& *d^3-3*g^3/(d^2g^2-e^2f^2)^3/((d^2g^2-e^2f^2)/g^2)^{(1/2)}*\ln((2*(d^2g^2 \\
& -e^2f^2)/g^2+2*e^2*f/g*(x+f/g)+2*((d^2g^2-e^2f^2)/g^2)^{(1/2)}*(-(x+f/g)^2 \\
& *e^2+2*e^2*f/g*(x+f/g)+(d^2g^2-e^2f^2)/g^2)^{(1/2)})/(x+f/g))*d*e^2*f^2-3/5 \\
& /g^2*e^4*f^3/(d^2g^2-e^2f^2)/d/(-(x+f/g)^2*e^2+2*e^2*f/g*(x+f/g)+(d^2g^2 \\
& -e^2f^2)/g^2)^{(5/2)}*x+1/5/g^3*e^5*f^4/(d^2g^2-e^2f^2)/d^2/(-(x+f/g)^2*e^2 \\
& +2*e^2*f/g*(x+f/g)+(d^2g^2-e^2f^2)/g^2)^{(5/2)}*x+4/5/g*e^3*f^2/(d^2g^2-e \\
& ^2f^2)/d^2/(-(x+f/g)^2*e^2+2*e^2*f/g*(x+f/g)+(d^2g^2-e^2f^2)/g^2)^{(3/2)}* \\
& x-2/3*g^2/(d^2g^2-e^2f^2)^2*e^2*f/d/(-(x+f/g)^2*e^2+2*e^2*f/g*(x+f/g)+(d^2 \\
& g^2-e^2f^2)/g^2)^{(1/2)}*x+2*g/(d^2g^2-e^2f^2)^2*e^3*f^2/d^2/(-(x+f/g)^2 \\
& *e^2+2*e^2*f/g*(x+f/g)+(d^2g^2-e^2f^2)/g^2)^{(1/2)}*x-4/5/g^2*e^4*f^3/(d^2g^2 \\
& -e^2f^2)/d^3/(-(x+f/g)^2*e^2+2*e^2*f/g*(x+f/g)+(d^2g^2-e^2f^2)/g^2)^{(3/2)} \\
& *x+4/15/g^3*e^5*f^4/(d^2g^2-e^2f^2)/d^4/(-(x+f/g)^2*e^2+2*e^2*f/g*(x+f/g) \\
& +(d^2g^2-e^2f^2)/g^2)^{(3/2)}*x+8/5/g*e^3*f^2/(d^2g^2-e^2f^2)/d^4/(-(x+f/g)^2 \\
& *e^2+2*e^2*f/g*(x+f/g)+(d^2g^2-e^2f^2)/g^2)^{(1/2)}*x-8/5/g^2*e^4*f^3/(d^2g^2 \\
& -e^2f^2)/d^5/(-(x+f/g)^2*e^2+2*e^2*f/g*(x+f/g)+(d^2g^2-e^2f^2) \\
& )/g^2)^{(1/2)}*x
\end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/(g\*x+f)/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((d\*g-e\*f)>0)', see `assume?` for more details)Is (d\*g-e\*f) \*(d\*g+e\*f) positive, negative or zero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d+ex)^3}{(f+gx)(d^2-e^2x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^3/((f + g\*x)\*(d^2 - e^2\*x^2)^(7/2)),x)

[Out] `int((d + e*x)^3/((f + g*x)*(d^2 - e^2*x^2)^(7/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^3}{(-(-d + ex)(d + ex))^{\frac{7}{2}}(f + gx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**3/(g*x+f)/(-e**2*x**2+d**2)**(7/2), x)`

[Out] `Integral((d + e*x)**3/((-(-d + e*x)*(d + e*x))**(7/2)*(f + g*x)), x)`

$$3.388 \quad \int \frac{(d+ex)^3}{(f+gx)^2(d^2-e^2x^2)^{7/2}} dx$$

Optimal. Leaf size=311

$$\frac{eg^3(4ef - 3dg) \tan^{-1}\left(\frac{d^2g+e^2fx}{\sqrt{d^2-e^2x^2}\sqrt{e^2f^2-d^2g^2}}\right)}{(ef-dg)(dg+ef)^4\sqrt{e^2f^2-d^2g^2}} + \frac{g^4\sqrt{d^2-e^2x^2}}{(f+gx)(ef-dg)(dg+ef)^4} - \frac{e(5d(ef-3dg) - ex(21dg+ef))}{15d(d^2-e^2x^2)^{3/2}(dg+ef)^3} + \frac{4de(d+ex)}{5(d^2-e^2x^2)^{5/2}(dg+ef)^2}$$

Rubi [A] time = 1.26, antiderivative size = 311, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {1647, 807, 725, 204}

$$\frac{e(57d^2g^2 + 14defg + 2e^2f^2) + 45d^3g^2}{15d^3\sqrt{d^2-e^2x^2}(dg+ef)^4} + \frac{eg^3(4ef-3dg)\tan^{-1}\left(\frac{d^2g+e^2fx}{\sqrt{d^2-e^2x^2}\sqrt{e^2f^2-d^2g^2}}\right)}{(ef-dg)(dg+ef)^4\sqrt{e^2f^2-d^2g^2}} + \frac{g^4\sqrt{d^2-e^2x^2}}{(f+gx)(ef-dg)(dg+ef)^4} - \frac{e(5d(ef-3dg) - ex(21dg+ef))}{15d(d^2-e^2x^2)^{3/2}(dg+ef)^3} + \frac{4de(d+ex)}{5(d^2-e^2x^2)^{5/2}(dg+ef)^2}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^3/((f + g\*x)^2\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (4\*d\*e\*(d + e\*x))/(5\*(e\*f + d\*g)^2\*(d^2 - e^2\*x^2)^(5/2)) - (e\*(5\*d\*(e\*f - 3\*d\*g) - e\*(e\*f + 21\*d\*g)\*x))/(15\*d\*(e\*f + d\*g)^3\*(d^2 - e^2\*x^2)^(3/2)) + (e\*(45\*d^3\*g^2 + e\*(2\*e^2\*f^2 + 14\*d\*e\*f\*g + 57\*d^2\*g^2)\*x))/(15\*d^3\*(e\*f + d\*g)^4\*Sqrt[d^2 - e^2\*x^2]) + (g^4\*Sqrt[d^2 - e^2\*x^2])/((e\*f - d\*g)\*(e\*f + d\*g)^4\*(f + g\*x)) + (e\*g^3\*(4\*e\*f - 3\*d\*g)\*ArcTan[(d^2\*g + e^2\*f\*x)/(Sqrt[e^2\*f^2 - d^2\*g^2]\*Sqrt[d^2 - e^2\*x^2]])/((e\*f - d\*g)\*(e\*f + d\*g)^4\*Sqrt[e^2\*f^2 - d^2\*g^2])

#### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 725

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (c\_)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 807

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m+1)\*(a + c\*x^2)^(p+1))/(2\*(p+1)\*(c\*d^2 + a\*e^2)), x] + Dist[(c\*d\*f + a\*e\*g)/(c\*d^2 + a\*e^2), In

$\text{t}[(d + e*x)^{(m + 1)}*(a + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{EqQ}[\text{Simplify}[m + 2*p + 3], 0]$

### Rule 1647

$\text{Int}[(\text{Pq}_*)*((d_) + (e_)*(x_))^{(m_)}*((a_) + (c_)*(x_)^2)^{(p_)}, x\_Symbol] :$   
 $> \text{With}[\{Q = \text{PolynomialQuotient}[(d + e*x)^m*\text{Pq}, a + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*\text{Pq}, a + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*\text{Pq}, a + c*x^2, x], x, 1]\}, \text{Simp}[(a*g - c*f*x)*(a + c*x^2)^{(p + 1)}/(2*a*c*(p + 1)), x] + \text{Dist}[1/(2*a*c*(p + 1)), \text{Int}[(d + e*x)^m*(a + c*x^2)^{(p + 1)}*\text{ExpandToSum}[(2*a*c*(p + 1)*Q)/(d + e*x)^m + (c*f*(2*p + 3))/(d + e*x)^m, x], x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PolyQ}[\text{Pq}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

### Rubi steps

$$\int \frac{(d + ex)^3}{(f + gx)^2 (d^2 - e^2x^2)^{7/2}} dx = \frac{4de(d + ex)}{5(ef + dg)^2 (d^2 - e^2x^2)^{5/2}} + \int \frac{\frac{d^3e^2(e^2f^2 + 10defg + 5d^2g^2)}{(ef + dg)^2} - \frac{d^2e^3(ef - 5dg)(5ef + 3dg)x}{(ef + dg)^2} + \frac{16d^3e^4g^2x^2}{(ef + dg)^2}}{(f + gx)^2 (d^2 - e^2x^2)^{5/2}} dx$$

$$= \frac{4de(d + ex)}{5(ef + dg)^2 (d^2 - e^2x^2)^{5/2}} - \frac{e(5d(ef - 3dg) - e(ef + 21dg)x)}{15d(ef + dg)^3 (d^2 - e^2x^2)^{3/2}} + \int \frac{d^3e^4(2e^3f^3 + 12de^2f^2)}{(ef + dg)^2} dx$$

$$= \frac{4de(d + ex)}{5(ef + dg)^2 (d^2 - e^2x^2)^{5/2}} - \frac{e(5d(ef - 3dg) - e(ef + 21dg)x)}{15d(ef + dg)^3 (d^2 - e^2x^2)^{3/2}} + \frac{e(45d^3g^2 + e(2d^2f^2 + 12defg + 5d^2g^2))}{15d^3(ef + dg)^3 (d^2 - e^2x^2)^{3/2}}$$

$$= \frac{4de(d + ex)}{5(ef + dg)^2 (d^2 - e^2x^2)^{5/2}} - \frac{e(5d(ef - 3dg) - e(ef + 21dg)x)}{15d(ef + dg)^3 (d^2 - e^2x^2)^{3/2}} + \frac{e(45d^3g^2 + e(2d^2f^2 + 12defg + 5d^2g^2))}{15d^3(ef + dg)^3 (d^2 - e^2x^2)^{3/2}}$$

$$= \frac{4de(d + ex)}{5(ef + dg)^2 (d^2 - e^2x^2)^{5/2}} - \frac{e(5d(ef - 3dg) - e(ef + 21dg)x)}{15d(ef + dg)^3 (d^2 - e^2x^2)^{3/2}} + \frac{e(45d^3g^2 + e(2d^2f^2 + 12defg + 5d^2g^2))}{15d^3(ef + dg)^3 (d^2 - e^2x^2)^{3/2}}$$

**Mathematica [A]** time = 0.61, size = 341, normalized size = 1.10

$$\frac{15eg^3(4ef - 3dg)\sqrt{e^2f^2 - d^2g^2} \tan^{-1}\left(\frac{d^2g + e^2fx}{\sqrt{e^2f^2 - d^2g^2}}\right) + \frac{(d+ex)(e^2f^2 - d^2g^2)(15d^6g^4 - 9d^5g^3(8f + 13gx) + d^4e^2g^2(38f^2 + 164fgx + 171g^2x^2) - 3d^3e^2g(-9f^3 + 19f^2gx + 47fg^2x^2 + 24g^3x^3) + d^2e^4(7f^3 - 29f^2gx + 7fg^2x^2 + 43g^3x^3) + 6d^2f^2x(-f^2 + fgx + 2g^2x^2) + 2d^2f^2x^2(f + gx))}{d^3(d - ex)^2\sqrt{e^2f^2 - d^2g^2}(f + gx)}}{15(ef - dg)^2(dg + ef)^5}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^3/((f + g\*x)^2\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] (((e^2\*f^2 - d^2\*g^2)\*(d + e\*x)\*(15\*d^6\*g^4 + 2\*e^6\*f^3\*x^2\*(f + g\*x) - 9\*d^5\*e\*g^3\*(8\*f + 13\*g\*x) + 6\*d\*e^5\*f^2\*x\*(-f^2 + f\*g\*x + 2\*g^2\*x^2) + d^4\*e^2\*g^2\*(38\*f^2 + 164\*f\*g\*x + 171\*g^2\*x^2) - 3\*d^3\*e^3\*g\*(-9\*f^3 + 19\*f^2\*g\*x + 47\*f\*g^2\*x^2 + 24\*g^3\*x^3) + d^2\*e^4\*f\*(7\*f^3 - 29\*f^2\*g\*x + 7\*f\*g^2\*x^2 + 43\*g^3\*x^3)))/(d^3\*(d - e\*x)^2\*(f + g\*x)\*Sqrt[d^2 - e^2\*x^2]) + 15\*e\*g^3\*(4\*e\*f - 3\*d\*g)\*Sqrt[e^2\*f^2 - d^2\*g^2]\*ArcTan[(d^2\*g + e^2\*f\*x)/(Sqrt[e^2\*f^2 - d^2\*g^2]\*Sqrt[d^2 - e^2\*x^2])])/(15\*(e\*f - d\*g)^2\*(e\*f + d\*g)^5)

**IntegrateAlgebraic [F]** time = 180.05, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^3/((f + g\*x)^2\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] \$Aborted

**fricas [B]** time = 1.02, size = 3305, normalized size = 10.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/(g\*x+f)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] [1/15\*(7\*d^3\*e^6\*f^7 + 27\*d^4\*e^5\*f^6\*g + 31\*d^5\*e^4\*f^5\*g^2 - 99\*d^6\*e^3\*f^4\*g^3 - 23\*d^7\*e^2\*f^3\*g^4 + 72\*d^8\*e\*f^2\*g^5 - 15\*d^9\*f\*g^6 - (7\*e^9\*f^6\*g + 27\*d\*e^8\*f^5\*g^2 + 31\*d^2\*e^7\*f^4\*g^3 - 99\*d^3\*e^6\*f^3\*g^4 - 23\*d^4\*e^5\*f^2\*g^5 + 72\*d^5\*e^4\*f\*g^6 - 15\*d^6\*e^3\*g^7)\*x^4 - (7\*e^9\*f^7 + 6\*d\*e^8\*f^6\*g - 50\*d^2\*e^7\*f^5\*g^2 - 192\*d^3\*e^6\*f^4\*g^3 + 274\*d^4\*e^5\*f^3\*g^4 + 141\*d^5\*e^4\*f^2\*g^5 - 231\*d^6\*e^3\*f\*g^6 + 45\*d^7\*e^2\*g^7)\*x^3 + 3\*(7\*d\*e^8\*f^7 + 20\*d^2\*e^7\*f^6\*g + 4\*d^3\*e^6\*f^5\*g^2 - 130\*d^4\*e^5\*f^4\*g^3 + 76\*d^5\*e^4\*f^3\*g^4 + 95\*d^6\*e^3\*f^2\*g^5 - 87\*d^7\*e^2\*f\*g^6 + 15\*d^8\*e\*g^7)\*x^2 - 15\*(4\*d^6\*e^2\*f^3\*g^3 - 3\*d^7\*e\*f^2\*g^4 - (4\*d^3\*e^5\*f^2\*g^4 - 3\*d^4\*e^4\*f\*g^5)\*x^4 - (4\*d^3\*e^5\*f^3\*g^3 - 15\*d^4\*e^4\*f^2\*g^4 + 9\*d^5\*e^3\*f\*g^5)\*x^3 + 3\*(4\*d^4\*e^4\*f^3\*g^3 - 7\*d^5\*e^3\*f^2\*g^4 + 3\*d^6\*e^2\*f\*g^5)\*x^2 - (12\*d^5\*e^3\*f^3\*g^3 - 13\*d^6\*e^2\*f^2\*g^4 + 3\*d^7\*e\*f\*g^5)\*x)\*sqrt(-e^2\*f^2 + d^2\*g^2)\*log((d\*e^2\*f\*g\*x + d^3\*g^2 - sqrt(-e^2\*f^2 + d^2\*g^2))\*(e^2\*f\*x + d^2\*g + sqrt(-e^2\*x^2 + d^2))\*d\*g) - (e^2\*f^2 - d^2\*g^2)\*sqrt(-e^2\*x^2 + d^2))/(g\*x + f))

$$\begin{aligned}
& - (21*d^2*e^7*f^7 + 74*d^3*e^6*f^6*g + 66*d^4*e^5*f^5*g^2 - 328*d^5*e^4*f^4*g^3 + 30*d^6*e^3*f^3*g^4 + 239*d^7*e^2*f^2*g^5 - 117*d^8*e*f*g^6 + 15*d^9*g^7)*x + (7*d^2*e^6*f^7 + 27*d^3*e^5*f^6*g + 31*d^4*e^4*f^5*g^2 - 99*d^5*e^3*f^4*g^3 - 23*d^6*e^2*f^3*g^4 + 72*d^7*e*f^2*g^5 - 15*d^8*f*g^6 + (2*e^8*f^6*g + 12*d*e^7*f^5*g^2 + 41*d^2*e^6*f^4*g^3 - 84*d^3*e^5*f^3*g^4 - 43*d^4*e^4*f^2*g^5 + 72*d^5*e^3*f*g^6)*x^3 + (2*e^8*f^7 + 6*d*e^7*f^6*g + 5*d^2*e^6*f^5*g^2 - 147*d^3*e^5*f^4*g^3 + 164*d^4*e^4*f^3*g^4 + 141*d^5*e^3*f^2*g^5 - 171*d^6*e^2*f*g^6)*x^2 - (6*d*e^7*f^7 + 29*d^2*e^6*f^6*g + 51*d^3*e^5*f^5*g^2 - 193*d^4*e^4*f^4*g^3 + 60*d^5*e^3*f^3*g^4 + 164*d^6*e^2*f^2*g^5 - 117*d^7*e*f*g^6)*x)*sqrt(-e^2*x^2 + d^2))/(d^6*e^7*f^9 + 3*d^7*e^6*f^8*g + d^8*e^5*f^7*g^2 - 5*d^9*e^4*f^6*g^3 - 5*d^10*e^3*f^5*g^4 + d^11*e^2*f^4*g^5 + 3*d^12*e*f^3*g^6 + d^13*f^2*g^7 - (d^3*e^10*f^8*g + 3*d^4*e^9*f^7*g^2 + d^5*e^8*f^6*g^3 - 5*d^6*e^7*f^5*g^4 - 5*d^7*e^6*f^4*g^5 + d^8*e^5*f^3*g^6 + 3*d^9*e^4*f^2*g^7 + d^10*e^3*f*g^8)*x^4 - (d^3*e^10*f^9 - 8*d^5*e^8*f^7*g^2 - 8*d^6*e^7*f^6*g^3 + 10*d^7*e^6*f^5*g^4 + 16*d^8*e^5*f^4*g^5 - 8*d^10*e^3*f^2*g^7 - 3*d^11*e^2*f*g^8)*x^3 + 3*(d^4*e^9*f^9 + 2*d^5*e^8*f^8*g - 2*d^6*e^7*f^7*g^2 - 6*d^7*e^6*f^6*g^3 + 6*d^9*e^4*f^4*g^5 + 2*d^10*e^3*f^3*g^6 - 2*d^11*e^2*f^2*g^7 - d^12*e*f*g^8)*x^2 - (3*d^5*e^8*f^9 + 8*d^6*e^7*f^8*g - 16*d^8*e^5*f^6*g^3 - 10*d^9*e^4*f^5*g^4 + 8*d^10*e^3*f^4*g^5 + 8*d^11*e^2*f^3*g^6 - d^13*f*g^8)*x), 1/15*(7*d^3*e^6*f^7 + 27*d^4*e^5*f^6*g + 31*d^5*e^4*f^5*g^2 - 99*d^6*e^3*f^4*g^3 - 23*d^7*e^2*f^3*g^4 + 72*d^8*e*f^2*g^5 - 15*d^9*f*g^6 - (7*e^9*f^6*g + 27*d*e^8*f^5*g^2 + 31*d^2*e^7*f^4*g^3 - 99*d^3*e^6*f^3*g^4 - 23*d^4*e^5*f^2*g^5 + 72*d^5*e^4*f*g^6 - 15*d^6*e^3*g^7)*x^4 - (7*e^9*f^7 + 6*d*e^8*f^6*g - 50*d^2*e^7*f^5*g^2 - 192*d^3*e^6*f^4*g^3 + 274*d^4*e^5*f^3*g^4 + 141*d^5*e^4*f^2*g^5 - 231*d^6*e^3*f*g^6 + 45*d^7*e^2*g^7)*x^3 + 3*(7*d*e^8*f^7 + 20*d^2*e^7*f^6*g + 4*d^3*e^6*f^5*g^2 - 130*d^4*e^5*f^4*g^3 + 76*d^5*e^4*f^3*g^4 + 95*d^6*e^3*f^2*g^5 - 87*d^7*e^2*f*g^6 + 15*d^8*e*g^7)*x^2 + 30*(4*d^6*e^2*f^3*g^3 - 3*d^7*e*f^2*g^4 - (4*d^3*e^5*f^2*g^4 - 3*d^4*e^4*f*g^5)*x^4 - (4*d^3*e^5*f^3*g^3 - 15*d^4*e^4*f^2*g^4 + 9*d^5*e^3*f*g^5)*x^3 + 3*(4*d^4*e^4*f^3*g^3 - 7*d^5*e^3*f^2*g^4 + 3*d^6*e^2*f*g^5)*x^2 - (12*d^5*e^3*f^3*g^3 - 13*d^6*e^2*f^2*g^4 + 3*d^7*e*f*g^5)*x)*sqrt(e^2*f^2 - d^2*g^2)*arctan((d*g*x + d*f - sqrt(-e^2*x^2 + d^2)*f)/(sqrt(e^2*f^2 - d^2*g^2)*x)) - (21*d^2*e^7*f^7 + 74*d^3*e^6*f^6*g + 66*d^4*e^5*f^5*g^2 - 328*d^5*e^4*f^4*g^3 + 30*d^6*e^3*f^3*g^4 + 239*d^7*e^2*f^2*g^5 - 117*d^8*e*f*g^6 + 15*d^9*g^7)*x + (7*d^2*e^6*f^7 + 27*d^3*e^5*f^6*g + 31*d^4*e^4*f^5*g^2 - 99*d^5*e^3*f^4*g^3 - 23*d^6*e^2*f^3*g^4 + 72*d^7*e*f^2*g^5 - 15*d^8*f*g^6 + (2*e^8*f^6*g + 12*d*e^7*f^5*g^2 + 41*d^2*e^6*f^4*g^3 - 84*d^3*e^5*f^3*g^4 - 43*d^4*e^4*f^2*g^5 + 72*d^5*e^3*f*g^6)*x^3 + (2*e^8*f^7 + 6*d*e^7*f^6*g + 5*d^2*e^6*f^5*g^2 - 147*d^3*e^5*f^4*g^3 + 164*d^4*e^4*f^3*g^4 + 141*d^5*e^3*f^2*g^5 - 171*d^6*e^2*f*g^6)*x^2 - (6*d*e^7*f^7 + 29*d^2*e^6*f^6*g + 51*d^3*e^5*f^5*g^2 - 193*d^4*e^4*f^4*g^3 + 60*d^5*e^3*f^3*g^4 + 164*d^6*e^2*f^2*g^5 - 117*d^7*e*f*g^6)*x)*sqrt(-e^2*x^2 + d^2))/(d^6*e^7*f^9 + 3*d^7*e^6*f^8*g + d^8*e^5*f^7*g^2 - 5*d^9*e^4*f^6*g^3 - 5*d^10*e^3*f^5*g^4 + d^11*e^2*f^4*g^5 + 3*d^12*e*f^3*g^6 + d^13*f^2*g^7 - (d^3*e^10*f^8*g + 3*d^4*e^9*f^7*g^2 + d^5*e^8*f^6*g^3 - 5*d^6*e^7*f^5*g^4 - 5*d^7*e^6*f^4*g^5
\end{aligned}$$



$$+ d^8 e^5 f^3 g^6 + 3 d^9 e^4 f^2 g^7 + d^{10} e^3 f g^8) x^4 - (d^3 e^{10} f^9 - 8 d^5 e^8 f^7 g^2 - 8 d^6 e^7 f^6 g^3 + 10 d^7 e^6 f^5 g^4 + 16 d^8 e^5 f^4 g^5 - 8 d^{10} e^3 f^2 g^7 - 3 d^{11} e^2 f g^8) x^3 + 3 (d^4 e^9 f^9 + 2 d^5 e^8 f^8 g - 2 d^6 e^7 f^7 g^2 - 6 d^7 e^6 f^6 g^3 + 6 d^9 e^4 f^4 g^5 + 2 d^{10} e^3 f^3 g^6 - 2 d^{11} e^2 f^2 g^7 - d^{12} e f g^8) x^2 - (3 d^5 e^8 f^9 + 8 d^6 e^7 f^8 g - 16 d^8 e^5 f^6 g^3 - 10 d^9 e^4 f^5 g^4 + 8 d^{10} e^3 f^4 g^5 + 8 d^{11} e^2 f^3 g^6 - d^{13} f g^8) x]$$

**giac** [C] time = 2.97, size = 4343, normalized size = 13.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/(g\*x+f)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="giac")

[Out]  $-1/15*(15*(-45*I*d^9*g^{12}*e^6*\log(d^2*g^4*e^2) - 75*I*d^8*f*g^{11}*e^7*\log(d^2*g^4*e^2) + 90*I*d^7*f^2*g^{10}*e^8*\log(d^2*g^4*e^2) + 144*\sqrt{d^2*g^2 - f^2}*e^2*d^8*g^{10}*abs(g)*e^6 + 210*I*d^6*f^3*g^9*e^9*\log(d^2*g^4*e^2) + 346*\sqrt{d^2*g^2 - f^2}*e^2*d^7*f*g^9*abs(g)*e^7 + 15*I*d^5*f^4*g^8*e^{10}*\log(d^2*g^4*e^2) + 6*\sqrt{d^2*g^2 - f^2}*e^2*d^6*f^2*g^8*abs(g)*e^8 - 135*I*d^4*f^5*g^7*e^{11}*\log(d^2*g^4*e^2) - 536*\sqrt{d^2*g^2 - f^2}*e^2*d^5*f^3*g^7*abs(g)*e^9 - 60*I*d^3*f^6*g^6*e^{12}*\log(d^2*g^4*e^2) - 320*\sqrt{d^2*g^2 - f^2}*e^2*d^4*f^4*g^6*abs(g)*e^{10} + 154*\sqrt{d^2*g^2 - f^2}*e^2*d^3*f^5*g^5*abs(g)*e^{11} + 166*\sqrt{d^2*g^2 - f^2}*e^2*d^2*f^6*g^4*abs(g)*e^{12} + 36*\sqrt{d^2*g^2 - f^2}*e^2*d*f^7*g^3*abs(g)*e^{13} + 4*\sqrt{d^2*g^2 - f^2}*e^2*f^8*g^2*abs(g)*e^{14})*sgn(1/(g*x + f))*sgn(g)/(30*I*\sqrt{d^2*g^2 - f^2}*e^2*d^{13}*g^{10}*abs(g)*e^5 + 180*I*\sqrt{d^2*g^2 - f^2}*e^2*d^{12}*f*g^9*abs(g)*e^6 + 390*I*\sqrt{d^2*g^2 - f^2}*e^2*d^{11}*f^2*g^8*abs(g)*e^7 + 240*I*\sqrt{d^2*g^2 - f^2}*e^2*d^{10}*f^3*g^7*abs(g)*e^8 - 420*I*\sqrt{d^2*g^2 - f^2}*e^2*d^9*f^4*g^6*abs(g)*e^9 - 840*I*\sqrt{d^2*g^2 - f^2}*e^2*d^8*f^5*g^5*abs(g)*e^{10} - 420*I*\sqrt{d^2*g^2 - f^2}*e^2*d^7*f^6*g^4*abs(g)*e^{11} + 240*I*\sqrt{d^2*g^2 - f^2}*e^2*d^6*f^7*g^3*abs(g)*e^{12} + 390*I*\sqrt{d^2*g^2 - f^2}*e^2*d^5*f^8*g^2*abs(g)*e^{13} + 180*I*\sqrt{d^2*g^2 - f^2}*e^2*d^4*f^9*g*abs(g)*e^{14} + 30*I*\sqrt{d^2*g^2 - f^2}*e^2*d^3*f^{10}*abs(g)*e^{15}) + 15*(3*d*g^7*e - 4*f*g^6*e^2)*\log(abs(f*g*e^2 + \sqrt{d^2*g^2 - f^2})*(\sqrt{d^2*g^2/(g*x + f)^2 + 2*f*e^2/(g*x + f) - f^2*e^2/(g*x + f)^2 - e^2} + \sqrt{d^2*g^4 - f^2*g^2*e^2}/((g*x + f)*g))*abs(g))/(\sqrt{d^2*g^2 - f^2}*e^2*d^5*g^5*abs(g)*sgn(1/(g*x + f))*sgn(g) + 3*\sqrt{d^2*g^2 - f^2}*e^2*d^4*f*g^4*abs(g)*e*sgn(1/(g*x + f))*sgn(g) + 2*\sqrt{d^2*g^2 - f^2}*e^2*d^3*f^2*g^3*abs(g)*e^2*sgn(1/(g*x + f))*sgn(g) - 2*\sqrt{d^2*g^2 - f^2}*e^2*d^2*f^3*g^2*abs(g)*e^3*sgn(1/(g*x + f))*sgn(g) - 3*\sqrt{d^2*g^2 - f^2}*e^2*d*f^4*g*abs(g)*e^4*sgn(1/(g*x + f))*sgn(g) - \sqrt{d^2*g^2 - f^2}*e^2*f^5*abs(g)*e^5*sgn(1/(g*x + f))*sgn(g)) - ((72*d^8*g^{24}*e^{10}*sgn(1/(g*x + f)))^3*sgn(g)^3 - 187*d^7*f*g^{23}*e^{11}*sgn(1/(g*x + f))^3*sgn(g)^3 + 146*d^6*f^2*g^{22}*e^{12}*sgn(1/(g*x + f))^3*sgn(g)^3 - 21*d^5*f^3*g^{21}*e^{13}*sgn(1/(g*x + f))^3*sgn(g)^3 - 8*d^4*f^4*g^{20}*e^{14}*sgn(1/(g*x + f))$

$$\begin{aligned}
& ^3\text{sgn}(g)^3 - 2d^3f^5g^{19}e^{15}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3)/(d^{13}g^{24}e^{15}\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 + d^{12}f^5g^{23}e^{15}\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 \\
& - 3d^{11}f^2g^{22}e^6\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - 3d^{10}f^3g^{21}e^7\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 + 3d^9f^4g^{20}e^8\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 \\
& + 3d^8f^5g^{19}e^9\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - d^7f^6g^{18}e^{10}\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - d^6f^7g^{17}e^{11}\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4) + ( \\
& 5*(9d^9g^{26}e^9\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 102d^8f^5g^{25}e^{10}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 220d^7f^2g^{24}e^{11}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - \\
& 158d^6f^3g^{23}e^{12}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 21d^5f^4g^{22}e^{13}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 8d^4f^5g^{21}e^{14}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 \\
& + 2d^3f^6g^{20}e^{15}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3)/(d^{13}g^{24}e^4\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 + d^{12}f^5g^{23}e^5\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - 3d^{11}f^2g^{22}e^6\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 \\
& - 3d^{10}f^3g^{21}e^7\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 + 3d^9f^4g^{20}e^8\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 + 3d^8f^5g^{19}e^9\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - d^7f^6g^{18}e^{10}\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 \\
& - d^6f^7g^{17}e^{11}\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4) - (5*(36d^{10}g^{28}e^8\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 53d^9f^5g^{27}e^9\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 206d^8f^2g^{26}e^{10}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 512d^7f^3g^{25}e^{11}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 350d^6f^4g^{24}e^{12}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 41d^5f^5g^{23}e^{13}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 16d^4f^6g^{22}e^{14}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 4d^3f^7g^{21}e^{15}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3)/(d^{13}g^{24}e^4\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 + d^{12}f^5g^{23}e^5\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - 3d^{11}f^2g^{22}e^6\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - 3d^{10}f^3g^{21}e^7\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 + 3d^9f^4g^{20}e^8\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 + 3d^8f^5g^{19}e^9\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - d^7f^6g^{18}e^{10}\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - d^6f^7g^{17}e^{11}\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4) + (5*(21d^{11}g^{30}e^7\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 178d^{10}f^5g^{29}e^8\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 287d^9f^2g^{28}e^9\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 132d^8f^3g^{27}e^{10}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 601d^7f^4g^{26}e^{11}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 398d^6f^5g^{25}e^{12}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 39d^5f^6g^{24}e^{13}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 16d^4f^7g^{23}e^{14}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 4d^3f^8g^{22}e^{15}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3)/(d^{13}g^{24}e^4\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 + d^{12}f^5g^{23}e^5\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - 3d^{11}f^2g^{22}e^6\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - 3d^{10}f^3g^{21}e^7\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 + 3d^9f^4g^{20}e^8\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 + 3d^8f^5g^{19}e^9\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - d^7f^6g^{18}e^{10}\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4 - d^6f^7g^{17}e^{11}\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4) - (5*(27d^{12}g^{32}e^6\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 18d^{11}f^5g^{31}e^7\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 227d^{10}f^2g^{30}e^8\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 406d^9f^3g^{29}e^9\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 27d^8f^4g^{28}e^{10}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 368d^7f^5g^{27}e^{11}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 + 235d^6f^6g^{26}e^{12}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 18d^5f^7g^{25}e^{13}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 8d^4f^8g^{24}e^{14}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3 - 2d^3f^9g^{23}e^{15}\text{sgn}(1/(gx + f))^3\text{sgn}(g)^3)/(d^{13}g^{24}e^4\text{sgn}(1/(gx + f))^4\text{sgn}(g)^4
\end{aligned}$$



[In] integrate((e\*x+d)^3/(g\*x+f)^2/(-e^2\*x^2+d^2)^(7/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((d\*g-e\*f)>0)', see `assume?` for more details)Is (d\*g-e\*f) \*(d\*g+e\*f) positive, negative or zero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex)^3}{(f + gx)^2 (d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^3/((f + g\*x)^2\*(d^2 - e^2\*x^2)^(7/2)),x)

[Out] int((d + e\*x)^3/((f + g\*x)^2\*(d^2 - e^2\*x^2)^(7/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^3}{(-(-d + ex)(d + ex))^{7/2} (f + gx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3/(g\*x+f)\*\*2/(-e\*\*2\*x\*\*2+d\*\*2)\*\*(7/2),x)

[Out] Integral((d + e\*x)\*\*3/((-(-d + e\*x)\*(d + e\*x))\*\*(7/2)\*(f + g\*x)\*\*2), x)

$$3.389 \quad \int \frac{(d+ex)^3}{(f+gx)^3(d^2-e^2x^2)^{7/2}} dx$$

**Optimal.** Leaf size=398

$$\frac{e^2g^3(13d^2g^2 - 30defg + 20e^2f^2) \tan^{-1}\left(\frac{d^2g+e^2fx}{\sqrt{d^2-e^2x^2}\sqrt{e^2f^2-d^2g^2}}\right)}{2(ef-dg)^2(dg+ef)^5\sqrt{e^2f^2-d^2g^2}} + \frac{3eg^4\sqrt{d^2-e^2x^2}(3ef-2dg)}{2(f+gx)(ef-dg)^2(dg+ef)^5} + \frac{g^4\sqrt{d^2-e^2x^2}}{2(f+gx)^2(ef-dg)}$$

**Rubi [A]** time = 2.57, antiderivative size = 398, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {1647, 1651, 807, 725, 204}

$$\frac{e^2(ex(107d^2g^2 + 19defg + 2e^2f^2) + 90d^3g^2)}{15d^3\sqrt{d^2-e^2x^2}(dg+ef)^5} + \frac{e^2g^3(13d^2g^2 - 30defg + 20e^2f^2) \tan^{-1}\left(\frac{d^2g+e^2fx}{\sqrt{d^2-e^2x^2}\sqrt{e^2f^2-d^2g^2}}\right)}{2(ef-dg)^2(dg+ef)^5\sqrt{e^2f^2-d^2g^2}} + \frac{3eg^4\sqrt{d^2-e^2x^2}(3ef-2dg)}{2(f+gx)(ef-dg)^2(dg+ef)^5} + \frac{g^4\sqrt{d^2-e^2x^2}}{2(f+gx)^2(ef-dg)} - \frac{e^2(5d(ef-5dg)-ex(31dg+ef))}{15d(d^2-e^2x^2)^{3/2}(dg+ef)^4} + \frac{4de^2(d+ex)}{5(d^2-e^2x^2)^{3/2}(dg+ef)^3}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^3/((f + g\*x)^3\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (4\*d\*e^2\*(d + e\*x))/(5\*(e\*f + d\*g)^3\*(d^2 - e^2\*x^2)^(5/2)) - (e^2\*(5\*d\*(e\*f - 5\*d\*g) - e\*(e\*f + 31\*d\*g)\*x))/(15\*d\*(e\*f + d\*g)^4\*(d^2 - e^2\*x^2)^(3/2)) + (e^2\*(90\*d^3\*g^2 + e\*(2\*e^2\*f^2 + 19\*d\*e\*f\*g + 107\*d^2\*g^2)\*x))/(15\*d^3\*(e\*f + d\*g)^5\*sqrt[d^2 - e^2\*x^2]) + (g^4\*sqrt[d^2 - e^2\*x^2])/(2\*(e\*f - d\*g)\*(e\*f + d\*g)^4\*(f + g\*x)^2) + (3\*e\*g^4\*(3\*e\*f - 2\*d\*g)\*sqrt[d^2 - e^2\*x^2])/(2\*(e\*f - d\*g)^2\*(e\*f + d\*g)^5\*(f + g\*x)) + (e^2\*g^3\*(20\*e^2\*f^2 - 30\*d\*e\*f\*g + 13\*d^2\*g^2)\*ArcTan[(d^2\*g + e^2\*f\*x)/(sqrt[e^2\*f^2 - d^2\*g^2]\*sqrt[d^2 - e^2\*x^2])])/(2\*(e\*f - d\*g)^2\*(e\*f + d\*g)^5\*sqrt[e^2\*f^2 - d^2\*g^2])

### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 725

Int[1/(((d\_) + (e\_)\*(x\_))\*sqrt[(a\_) + (c\_)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

### Rule 807

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m+1)\*(a + c\*x^2)^(p+1))

```
/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

### Rule 1647

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[(d + e*x)^m*Pq, a + c*x^2, x], f = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 1]}, Simp[((a*g - c*f*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[1/(2*a*c*(p + 1)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*ExpandToSum[(2*a*c*(p + 1)*Q)/(d + e*x)^m + (c*f*(2*p + 3))/(d + e*x)^m, x], x], x] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

### Rule 1651

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, d + e*x, x], R = PolynomialRemainder[Pq, d + e*x, x]}, Simp[(e*R*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*ExpandToSum[(m + 1)*(c*d^2 + a*e^2)*Q + c*d*R*(m + 1) - c*e*R*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, p}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3}{(f+gx)^3 (d^2-e^2x^2)^{7/2}} dx &= \frac{4de^2(d+ex)}{5(ef+dg)^3 (d^2-e^2x^2)^{5/2}} + \frac{\int \frac{d^3e^2(e^3f^3+15de^2f^2g+15d^2efg^2+5d^3g^3)}{(ef+dg)^3} - \frac{d^2e^3(5e^3f^3-33de^2f^2g-45d^2efg^2-5d^3g^3)}{(ef+dg)^3}}{(f+gx)^3 (d^2-e^2x^2)^5} \\
&= \frac{4de^2(d+ex)}{5(ef+dg)^3 (d^2-e^2x^2)^{5/2}} - \frac{e^2(5d(ef-5dg) - e(ef+31dg)x)}{15d(ef+dg)^4 (d^2-e^2x^2)^{3/2}} + \frac{\int \frac{d^3e^4(2e^4f^4+17d^3e^3f^3+15d^2e^2f^2g+5d^3g^3)}{(ef+dg)^3}}{(f+gx)^3 (d^2-e^2x^2)^5} \\
&= \frac{4de^2(d+ex)}{5(ef+dg)^3 (d^2-e^2x^2)^{5/2}} - \frac{e^2(5d(ef-5dg) - e(ef+31dg)x)}{15d(ef+dg)^4 (d^2-e^2x^2)^{3/2}} + \frac{e^2(90d^3g^2 + 15d^2efg^2 + 15d^2efg^2)}{15d(ef+dg)^4 (d^2-e^2x^2)^{3/2}} \\
&= \frac{4de^2(d+ex)}{5(ef+dg)^3 (d^2-e^2x^2)^{5/2}} - \frac{e^2(5d(ef-5dg) - e(ef+31dg)x)}{15d(ef+dg)^4 (d^2-e^2x^2)^{3/2}} + \frac{e^2(90d^3g^2 + 15d^2efg^2 + 15d^2efg^2)}{15d(ef+dg)^4 (d^2-e^2x^2)^{3/2}} \\
&= \frac{4de^2(d+ex)}{5(ef+dg)^3 (d^2-e^2x^2)^{5/2}} - \frac{e^2(5d(ef-5dg) - e(ef+31dg)x)}{15d(ef+dg)^4 (d^2-e^2x^2)^{3/2}} + \frac{e^2(90d^3g^2 + 15d^2efg^2 + 15d^2efg^2)}{15d(ef+dg)^4 (d^2-e^2x^2)^{3/2}} \\
&= \frac{4de^2(d+ex)}{5(ef+dg)^3 (d^2-e^2x^2)^{5/2}} - \frac{e^2(5d(ef-5dg) - e(ef+31dg)x)}{15d(ef+dg)^4 (d^2-e^2x^2)^{3/2}} + \frac{e^2(90d^3g^2 + 15d^2efg^2 + 15d^2efg^2)}{15d(ef+dg)^4 (d^2-e^2x^2)^{3/2}} \\
&= \frac{4de^2(d+ex)}{5(ef+dg)^3 (d^2-e^2x^2)^{5/2}} - \frac{e^2(5d(ef-5dg) - e(ef+31dg)x)}{15d(ef+dg)^4 (d^2-e^2x^2)^{3/2}} + \frac{e^2(90d^3g^2 + 15d^2efg^2 + 15d^2efg^2)}{15d(ef+dg)^4 (d^2-e^2x^2)^{3/2}}
\end{aligned}$$

**Mathematica [C]** time = 1.14, size = 387, normalized size = 0.97

$$\frac{\sqrt{d^2-e^2x^2} \left( \frac{2e^2(dg+ef)(17dg+2ef)}{d^2(d-ex)^2} + \frac{2e^2(107d^2g^2+19defg+2e^2f^2)}{d^3(d-ex)} + \frac{6e^2(dg+ef)^2}{d(d-ex)^3} + \frac{45eg^4(3ef-2dg)}{(f+gx)(ef-dg)^2} + \frac{15g^4(dg+ef)}{(f+gx)^2(ef-dg)} \right) - \frac{15ie^2g^3(13d^2g^2-30defg+20e^2f^2) \log \left( \frac{4(ef-dg)^2(dg+ef)^5 \left( \sqrt{d^2-e^2x^2} \sqrt{e^2f^2-d^2g^2+id^2g+ie^2fx} \right)}{e^2g^2(f+gx) \sqrt{d^2-e^2x^2} (13d^2g^2-30defg+20e^2f^2)} \right)}{(ef-dg)^2 \sqrt{e^2f^2-d^2g^2}}}{30(dg+ef)^5}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^3/((f + g\*x)^3\*(d^2 - e^2\*x^2)^(7/2)), x]

[Out] (Sqrt[d^2 - e^2\*x^2]\*((6\*e^2\*(e\*f + d\*g)^2)/(d\*(d - e\*x)^3) + (2\*e^2\*(e\*f + d\*g)\*(2\*e\*f + 17\*d\*g))/(d^2\*(d - e\*x)^2) + (2\*e^2\*(2\*e^2\*f^2 + 19\*d\*e\*f\*g

$$+ 107*d^2*g^2)/(d^3*(d - e*x)) + (15*g^4*(e*f + d*g))/((e*f - d*g)*(f + g*x)^2) + (45*e*g^4*(3*e*f - 2*d*g))/((e*f - d*g)^2*(f + g*x)) - ((15*I)*e^2*g^3*(20*e^2*f^2 - 30*d*e*f*g + 13*d^2*g^2)*\text{Log}[(4*(e*f - d*g)^2*(e*f + d*g)^5*(I*d^2*g + I*e^2*f*x + \text{Sqrt}[e^2*f^2 - d^2*g^2]*\text{Sqrt}[d^2 - e^2*x^2])])/(e^2*g^2*\text{Sqrt}[e^2*f^2 - d^2*g^2]*(20*e^2*f^2 - 30*d*e*f*g + 13*d^2*g^2)*(f + g*x)))]/((e*f - d*g)^2*\text{Sqrt}[e^2*f^2 - d^2*g^2])/(30*(e*f + d*g)^5)$$

**IntegrateAlgebraic [F]** time = 180.61, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^3/((f + g\*x)^3\*(d^2 - e^2\*x^2)^(7/2)),x]

[Out] \$Aborted

**fricas [B]** time = 3.55, size = 5361, normalized size = 13.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3/(g\*x+f)^3/(-e^2\*x^2+d^2)^(7/2),x, algorithm="fricas")

[Out] [1/30\*(14\*d^3\*e^8\*f^10 + 60\*d^4\*e^7\*f^9\*g + 78\*d^5\*e^6\*f^8\*g^2 - 480\*d^6\*e^5\*f^7\*g^3 + 312\*d^7\*e^4\*f^6\*g^4 + 330\*d^8\*e^3\*f^5\*g^5 - 419\*d^9\*e^2\*f^4\*g^6 + 90\*d^10\*e\*f^3\*g^7 + 15\*d^11\*f^2\*g^8 - (14\*e^11\*f^8\*g^2 + 60\*d\*e^10\*f^7\*g^3 + 78\*d^2\*e^9\*f^6\*g^4 - 480\*d^3\*e^8\*f^5\*g^5 + 312\*d^4\*e^7\*f^4\*g^6 + 330\*d^5\*e^6\*f^3\*g^7 - 419\*d^6\*e^5\*f^2\*g^8 + 90\*d^7\*e^4\*f\*g^9 + 15\*d^8\*e^3\*g^10)\*x^5 - (28\*e^11\*f^9\*g + 78\*d\*e^10\*f^8\*g^2 - 24\*d^2\*e^9\*f^7\*g^3 - 1194\*d^3\*e^8\*f^6\*g^4 + 2064\*d^4\*e^7\*f^5\*g^5 - 276\*d^5\*e^6\*f^4\*g^6 - 1828\*d^6\*e^5\*f^3\*g^7 + 1437\*d^7\*e^4\*f^2\*g^8 - 240\*d^8\*e^3\*f\*g^9 - 45\*d^9\*e^2\*g^10)\*x^4 - (14\*e^11\*f^10 - 24\*d\*e^10\*f^9\*g - 240\*d^2\*e^9\*f^8\*g^2 - 768\*d^3\*e^8\*f^7\*g^3 + 3426\*d^4\*e^7\*f^6\*g^4 - 2982\*d^5\*e^6\*f^5\*g^5 - 1463\*d^6\*e^5\*f^4\*g^6 + 3594\*d^7\*e^4\*f^3\*g^7 - 1782\*d^8\*e^3\*f^2\*g^8 + 180\*d^9\*e^2\*f\*g^9 + 45\*d^10\*e\*g^10)\*x^3 + (42\*d\*e^10\*f^10 + 96\*d^2\*e^9\*f^9\*g - 112\*d^3\*e^8\*f^8\*g^2 - 1848\*d^4\*e^7\*f^7\*g^3 + 3894\*d^5\*e^6\*f^6\*g^4 - 1362\*d^6\*e^5\*f^5\*g^5 - 2925\*d^7\*e^4\*f^4\*g^6 + 3114\*d^8\*e^3\*f^3\*g^7 - 914\*d^9\*e^2\*f^2\*g^8 + 15\*d^11\*g^10)\*x^2 - 15\*(20\*d^6\*e^4\*f^6\*g^3 - 30\*d^7\*e^3\*f^5\*g^4 + 13\*d^8\*e^2\*f^4\*g^5 - (20\*d^3\*e^7\*f^4\*g^5 - 30\*d^4\*e^6\*f^3\*g^6 + 13\*d^5\*e^5\*f^2\*g^7)\*x^5 - (40\*d^3\*e^7\*f^5\*g^4 - 120\*d^4\*e^6\*f^4\*g^5 + 116\*d^5\*e^5\*f^3\*g^6 - 39\*d^6\*e^4\*f^2\*g^7)\*x^4 - (20\*d^3\*e^7\*f^6\*g^3 - 150\*d^4\*e^6\*f^5\*g^4 + 253\*d^5\*e^5\*f^4\*g^5 - 168\*d^6\*e^4\*f^3\*g^6 + 39\*d^7\*e^3\*f^2\*g^7)\*x^3 + (60\*d^4\*e^6\*f^6\*g^3 - 210\*d^5\*e^5\*f^5\*g^4 + 239\*d^6\*e^4\*f^4\*g^5 - 108\*d^7\*e^3\*f^3\*g^6 + 13\*d^8\*e^2\*f^2\*g^7)\*x^2 - (60\*d^5\*e^5\*f^6\*g^3 - 130\*d^6\*e^4\*f^5\*g^4 + 99\*d^7\*e^3\*f^4\*g^5 - 26\*d^8\*e^2\*f^3\*g^6)\*x)\*sqrt(-e^2\*f^2 + d^2\*g^2)\*log((d\*e^2\*f\*g\*x + d^3\*g^2 - sqrt(-e^2\*f^2 + d^2\*g^2))\*(e^2\*f\*x + d^2\*g + sqrt(-e^2\*x^2 + d^2)\*d\*g) - (e^2\*f^2



$$\begin{aligned}
& - d^2 g^2) \sqrt{-e^2 x^2 + d^2}) / (g x + f)) - (42 d^2 e^9 f^{10} + 152 d^3 e^8 f^9 g + 114 d^4 e^7 f^8 g^2 - 1596 d^5 e^6 f^7 g^3 + 1896 d^6 e^5 f^6 g^4 + 366 d^7 e^4 f^5 g^5 - 1917 d^8 e^3 f^4 g^6 + 1108 d^9 e^2 f^3 g^7 - 135 d^{10} e f^2 g^8 - 30 d^{11} f g^9) x + (14 d^2 e^8 f^{10} + 60 d^3 e^7 f^9 g + 78 d^4 e^6 f^8 g^2 - 480 d^5 e^5 f^7 g^3 + 312 d^6 e^4 f^6 g^4 + 330 d^7 e^3 f^5 g^5 - 419 d^8 e^2 f^4 g^6 + 90 d^9 e f^3 g^7 + 15 d^{10} f^2 g^8 + (4 e^{10} f^8 g^2 + 30 d e^9 f^7 g^3 + 138 d^2 e^8 f^6 g^4 - 555 d^3 e^7 f^5 g^5 + 162 d^4 e^6 f^4 g^6 + 525 d^5 e^5 f^3 g^7 - 304 d^6 e^4 f^2 g^8) x^4 + (8 e^{10} f^9 g + 48 d e^9 f^8 g^2 + 186 d^2 e^8 f^7 g^3 - 1224 d^3 e^7 f^6 g^4 + 1539 d^4 e^6 f^5 g^5 + 459 d^5 e^5 f^4 g^6 - 1733 d^6 e^4 f^3 g^7 + 717 d^7 e^3 f^2 g^8) x^3 + (4 e^{10} f^{10} + 6 d e^9 f^9 g - 28 d^2 e^8 f^8 g^2 - 828 d^3 e^7 f^7 g^3 + 2400 d^4 e^6 f^6 g^4 - 1197 d^5 e^5 f^5 g^5 - 1897 d^6 e^4 f^4 g^6 + 2019 d^7 e^3 f^3 g^7 - 479 d^8 e^2 f^2 g^8) x^2 - (12 d e^9 f^{10} + 62 d^2 e^8 f^9 g + 114 d^3 e^7 f^8 g^2 - 1056 d^4 e^6 f^7 g^3 + 162 d^5 e^5 f^6 g^4 + 81 d^6 e^4 f^5 g^5 - 1707 d^7 e^3 f^4 g^6 + 913 d^8 e^2 f^3 g^7 - 45 d^9 e f^2 g^8) x) \sqrt{-e^2 x^2 + d^2}) / (d^6 e^9 f^{13} + 3 d^7 e^8 f^{12} g - 8 d^9 e^6 f^{10} g^3 - 6 d^{10} e^5 f^9 g^4 + 6 d^{11} e^4 f^8 g^5 + 8 d^{12} e^3 f^7 g^6 - 3 d^{14} e f^5 g^8 - d^{15} f^4 g^9 - (d^3 e^{12} f^{11} g^2 + 3 d^4 e^{11} f^{10} g^3 - 8 d^6 e^9 f^8 g^5 - 6 d^7 e^8 f^7 g^6 + 6 d^8 e^7 f^6 g^7 + 8 d^9 e^6 f^5 g^8 - 3 d^{11} e^4 f^3 g^{10} - d^{12} e^3 f^2 g^{11}) x^5 - (2 d^3 e^{12} f^{12} g + 3 d^4 e^{11} f^{11} g^2 - 9 d^5 e^{10} f^{10} g^3 - 16 d^6 e^9 f^9 g^4 + 12 d^7 e^8 f^8 g^5 + 30 d^8 e^7 f^7 g^6 - 2 d^9 e^6 f^6 g^7 - 24 d^{10} e^5 f^5 g^8 - 6 d^{11} e^4 f^4 g^9 + 7 d^{12} e^3 f^3 g^{10} + 3 d^{13} e^2 f^2 g^{11}) x^4 - (d^3 e^{12} f^{13} - 3 d^4 e^{11} f^{12} g - 15 d^5 e^{10} f^{11} g^2 + d^6 e^9 f^{10} g^3 + 42 d^7 e^8 f^9 g^4 + 18 d^8 e^7 f^8 g^5 - 46 d^9 e^6 f^7 g^6 - 30 d^{10} e^5 f^6 g^7 + 21 d^{11} e^4 f^5 g^8 + 17 d^{12} e^3 f^4 g^9 - 3 d^{13} e^2 f^3 g^{10} - 3 d^{14} e f^2 g^{11}) x^3 + (3 d^4 e^{11} f^{13} + 3 d^5 e^{10} f^{12} g - 17 d^6 e^9 f^{11} g^2 - 21 d^7 e^8 f^{10} g^3 + 30 d^8 e^7 f^9 g^4 + 46 d^9 e^6 f^8 g^5 - 18 d^{10} e^5 f^7 g^6 - 42 d^{11} e^4 f^6 g^7 - d^{12} e^3 f^5 g^8 + 15 d^{13} e^2 f^4 g^9 + 3 d^{14} e f^3 g^{10} - d^{15} f^2 g^{11}) x^2 - (3 d^5 e^{10} f^{13} + 7 d^6 e^9 f^{12} g - 6 d^7 e^8 f^{11} g^2 - 24 d^8 e^7 f^{10} g^3 - 2 d^9 e^6 f^9 g^4 + 30 d^{10} e^5 f^8 g^5 + 12 d^{11} e^4 f^7 g^6 - 16 d^{12} e^3 f^6 g^7 - 9 d^{13} e^2 f^5 g^8 + 3 d^{14} e f^4 g^9 + 2 d^{15} f^3 g^{10}) x), \\
& 1/30(14 d^3 e^8 f^{10} + 60 d^4 e^7 f^9 g + 78 d^5 e^6 f^8 g^2 - 480 d^6 e^5 f^7 g^3 + 312 d^7 e^4 f^6 g^4 + 330 d^8 e^3 f^5 g^5 - 419 d^9 e^2 f^4 g^6 + 90 d^{10} e f^3 g^7 + 15 d^{11} f^2 g^8 - (14 e^{11} f^8 g^2 + 60 d e^{10} f^7 g^3 + 78 d^2 e^9 f^6 g^4 - 480 d^3 e^8 f^5 g^5 + 312 d^4 e^7 f^4 g^6 + 330 d^5 e^6 f^3 g^7 - 419 d^6 e^5 f^2 g^8 + 90 d^7 e^4 f g^9 + 15 d^8 e^3 g^{10}) x^5 - (28 e^{11} f^9 g + 78 d e^{10} f^8 g^2 - 24 d^2 e^9 f^7 g^3 - 1194 d^3 e^8 f^6 g^4 + 2064 d^4 e^7 f^5 g^5 - 276 d^5 e^6 f^4 g^6 - 1828 d^6 e^5 f^3 g^7 + 1437 d^7 e^4 f^2 g^8 - 240 d^8 e^3 f g^9 - 45 d^9 e^2 g^{10}) x^4 - (14 e^{11} f^{10} - 24 d e^{10} f^9 g - 240 d^2 e^9 f^8 g^2 - 768 d^3 e^8 f^7 g^3 + 3426 d^4 e^7 f^6 g^4 - 2982 d^5 e^6 f^5 g^5 - 1463 d^6 e^5 f^4 g^6 + 3594 d^7 e^4 f^3 g^7 - 1782 d^8 e^3 f^2 g^8 + 180 d^9 e^2 f g^9 + 45 d^{10} e g^{10}) x^3 + (42 d e^{10} f^{10} + 96 d^2 e^9 f^9 g - 112 d^3 e^8 f^8 g^2 - 1848 d^4 e
\end{aligned}$$

$$\begin{aligned}
& ^7f^7g^3 + 3894d^5e^6f^6g^4 - 1362d^6e^5f^5g^5 - 2925d^7e^4f^4 \\
& *g^6 + 3114d^8e^3f^3g^7 - 914d^9e^2f^2g^8 + 15d^{11}g^{10})x^2 + 30* \\
& (20d^6e^4f^6g^3 - 30d^7e^3f^5g^4 + 13d^8e^2f^4g^5 - (20d^3e^7 \\
& *f^4g^5 - 30d^4e^6f^3g^6 + 13d^5e^5f^2g^7)*x^5 - (40d^3e^7f^5g^ \\
& ^4 - 120d^4e^6f^4g^5 + 116d^5e^5f^3g^6 - 39d^6e^4f^2g^7)*x^4 - \\
& (20d^3e^7f^6g^3 - 150d^4e^6f^5g^4 + 253d^5e^5f^4g^5 - 168d^6e \\
& ^4f^3g^6 + 39d^7e^3f^2g^7)*x^3 + (60d^4e^6f^6g^3 - 210d^5e^5f^ \\
& 5g^4 + 239d^6e^4f^4g^5 - 108d^7e^3f^3g^6 + 13d^8e^2f^2g^7)*x^2 \\
& - (60d^5e^5f^6g^3 - 130d^6e^4f^5g^4 + 99d^7e^3f^4g^5 - 26d^8e \\
& e^2f^3g^6)*x)*\text{sqrt}(e^{2f^2} - d^{2g^2})*\text{arctan}((d*g*x + d*f - \text{sqrt}(-e^{2x^2} \\
& + d^2)*f)/(\text{sqrt}(e^{2f^2} - d^{2g^2})*x)) - (42d^2e^9f^{10} + 152d^3e^8f^ \\
& 9g + 114d^4e^7f^8g^2 - 1596d^5e^6f^7g^3 + 1896d^6e^5f^6g^4 + 3 \\
& 66d^7e^4f^5g^5 - 1917d^8e^3f^4g^6 + 1108d^9e^2f^3g^7 - 135d^{10} \\
& *e*f^2g^8 - 30d^{11}f*g^9)*x + (14d^2e^8f^{10} + 60d^3e^7f^9g + 78d^ \\
& 4e^6f^8g^2 - 480d^5e^5f^7g^3 + 312d^6e^4f^6g^4 + 330d^7e^3f^5 \\
& *g^5 - 419d^8e^2f^4g^6 + 90d^9e*f^3g^7 + 15d^{10}f^2g^8 + (4e^{10}f \\
& ^8g^2 + 30d*e^9f^7g^3 + 138d^2e^8f^6g^4 - 555d^3e^7f^5g^5 + 162 \\
& *d^4e^6f^4g^6 + 525d^5e^5f^3g^7 - 304d^6e^4f^2g^8)*x^4 + (8e^{10} \\
& *f^9g + 48d*e^9f^8g^2 + 186d^2e^8f^7g^3 - 1224d^3e^7f^6g^4 + 15 \\
& 39d^4e^6f^5g^5 + 459d^5e^5f^4g^6 - 1733d^6e^4f^3g^7 + 717d^7e \\
& ^3f^2g^8)*x^3 + (4e^{10}f^{10} + 6d*e^9f^9g - 28d^2e^8f^8g^2 - 828d \\
& ^3e^7f^7g^3 + 2400d^4e^6f^6g^4 - 1197d^5e^5f^5g^5 - 1897d^6e^4 \\
& *f^4g^6 + 2019d^7e^3f^3g^7 - 479d^8e^2f^2g^8)*x^2 - (12d*e^9f^{10} \\
& + 62d^2e^8f^9g + 114d^3e^7f^8g^2 - 1056d^4e^6f^7g^3 + 1626d^5 \\
& *e^5f^6g^4 + 81d^6e^4f^5g^5 - 1707d^7e^3f^4g^6 + 913d^8e^2f^3* \\
& g^7 - 45d^9e*f^2g^8)*x)*\text{sqrt}(-e^{2x^2} + d^2))/(d^6e^9f^{13} + 3d^7e^8* \\
& f^{12}g - 8d^9e^6f^{10}g^3 - 6d^{10}e^5f^9g^4 + 6d^{11}e^4f^8g^5 + 8d \\
& ^{12}e^3f^7g^6 - 3d^{14}e*f^5g^8 - d^{15}f^4g^9 - (d^3e^{12}f^{11}g^2 + 3* \\
& d^4e^{11}f^{10}g^3 - 8d^6e^9f^8g^5 - 6d^7e^8f^7g^6 + 6d^8e^7f^6g \\
& ^7 + 8d^9e^6f^5g^8 - 3d^{11}e^4f^3g^{10} - d^{12}e^3f^2g^{11})*x^5 - (2* \\
& d^3e^{12}f^{12}g + 3d^4e^{11}f^{11}g^2 - 9d^5e^{10}f^{10}g^3 - 16d^6e^9f^ \\
& 9g^4 + 12d^7e^8f^8g^5 + 30d^8e^7f^7g^6 - 2d^9e^6f^6g^7 - 24d^ \\
& 10e^5f^5g^8 - 6d^{11}e^4f^4g^9 + 7d^{12}e^3f^3g^{10} + 3d^{13}e^2f^2* \\
& g^{11})*x^4 - (d^3e^{12}f^{13} - 3d^4e^{11}f^{12}g - 15d^5e^{10}f^{11}g^2 + d^6 \\
& *e^9f^{10}g^3 + 42d^7e^8f^9g^4 + 18d^8e^7f^8g^5 - 46d^9e^6f^7g^ \\
& 6 - 30d^{10}e^5f^6g^7 + 21d^{11}e^4f^5g^8 + 17d^{12}e^3f^4g^9 - 3d^{1} \\
& 3e^2f^3g^{10} - 3d^{14}e*f^2g^{11})*x^3 + (3d^4e^{11}f^{13} + 3d^5e^{10}f^{1} \\
& 2g - 17d^6e^9f^{11}g^2 - 21d^7e^8f^{10}g^3 + 30d^8e^7f^9g^4 + 46d \\
& ^9e^6f^8g^5 - 18d^{10}e^5f^7g^6 - 42d^{11}e^4f^6g^7 - d^{12}e^3f^5g \\
& ^8 + 15d^{13}e^2f^4g^9 + 3d^{14}e*f^3g^{10} - d^{15}f^2g^{11})*x^2 - (3d^5* \\
& e^{10}f^{13} + 7d^6e^9f^{12}g - 6d^7e^8f^{11}g^2 - 24d^8e^7f^{10}g^3 - 2 \\
& *d^9e^6f^9g^4 + 30d^{10}e^5f^8g^5 + 12d^{11}e^4f^7g^6 - 16d^{12}e^3* \\
& f^6g^7 - 9d^{13}e^2f^5g^8 + 3d^{14}e*f^4g^9 + 2d^{15}f^3g^{10})*x)]
\end{aligned}$$

**giac [B]** time = 2.09, size = 6017, normalized size = 15.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^3/(g*x+f)^3/(-e^2*x^2+d^2)^(7/2),x, algorithm="giac")
```

```
[Out] -(13*d^9*g^12*e^8 - 69*d^8*f*g^11*e^9 + 123*d^7*f^2*g^10*e^10 - 25*d^6*f^3*
g^9*e^11 - 195*d^5*f^4*g^8*e^12 + 237*d^4*f^5*g^7*e^13 - 31*d^3*f^6*g^6*e^1
4 - 123*d^2*f^7*g^5*e^15 + 90*d*f^8*g^4*e^16 - 20*f^9*g^3*e^17)*arctan((d*g
*e + (d*e + sqrt(-x^2*e^2 + d^2))*e)*f/x)/sqrt(-d^2*g^2*e^2 + f^2*e^4))/((d^
14*g^14*e^5 - 7*d^12*f^2*g^12*e^7 + 21*d^10*f^4*g^10*e^9 - 35*d^8*f^6*g^8*e
^11 + 35*d^6*f^8*g^6*e^13 - 21*d^4*f^10*g^4*e^15 + 7*d^2*f^12*g^2*e^17 - f^
14*e^19)*sqrt(-d^2*g^2*e^2 + f^2*e^4)) - 1/15*sqrt(-x^2*e^2 + d^2)*((((10
7*d^28*g^27*e^11 + 2694*d^27*f*g^26*e^12 + 32577*d^26*f^2*g^25*e^13 + 25185
0*d^25*f^3*g^24*e^14 + 1397850*d^24*f^4*g^23*e^15 + 5929860*d^23*f^5*g^22*e
^16 + 19984470*d^22*f^6*g^21*e^17 + 54906060*d^21*f^7*g^20*e^18 + 125216025
*d^20*f^8*g^19*e^19 + 240109650*d^19*f^9*g^18*e^20 + 390736995*d^18*f^10*g^
17*e^21 + 543134190*d^17*f^11*g^16*e^22 + 647660220*d^16*f^12*g^15*e^23 + 6
64152600*d^15*f^13*g^14*e^24 + 586148100*d^14*f^14*g^13*e^25 + 444848520*d^
13*f^15*g^12*e^26 + 289619565*d^12*f^16*g^11*e^27 + 161082570*d^11*f^17*g^1
0*e^28 + 76070775*d^10*f^18*g^9*e^29 + 30246150*d^9*f^19*g^8*e^30 + 1001121
0*d^8*f^20*g^7*e^31 + 2717220*d^7*f^21*g^6*e^32 + 592710*d^6*f^22*g^5*e^33
+ 101100*d^5*f^23*g^4*e^34 + 12975*d^4*f^24*g^3*e^35 + 1182*d^3*f^25*g^2*e^
36 + 69*d^2*f^26*g*e^37 + 2*d*f^27*e^38)*x/(d^34*g^30*e^4 + 30*d^33*f*g^29*
e^5 + 435*d^32*f^2*g^28*e^6 + 4060*d^31*f^3*g^27*e^7 + 27405*d^30*f^4*g^26*
e^8 + 142506*d^29*f^5*g^25*e^9 + 593775*d^28*f^6*g^24*e^10 + 2035800*d^27*f
^7*g^23*e^11 + 5852925*d^26*f^8*g^22*e^12 + 14307150*d^25*f^9*g^21*e^13 + 3
0045015*d^24*f^10*g^20*e^14 + 54627300*d^23*f^11*g^19*e^15 + 86493225*d^22*
f^12*g^18*e^16 + 119759850*d^21*f^13*g^17*e^17 + 145422675*d^20*f^14*g^16*e
^18 + 155117520*d^19*f^15*g^15*e^19 + 145422675*d^18*f^16*g^14*e^20 + 11975
9850*d^17*f^17*g^13*e^21 + 86493225*d^16*f^18*g^12*e^22 + 54627300*d^15*f^1
9*g^11*e^23 + 30045015*d^14*f^20*g^10*e^24 + 14307150*d^13*f^21*g^9*e^25 +
5852925*d^12*f^22*g^8*e^26 + 2035800*d^11*f^23*g^7*e^27 + 593775*d^10*f^24*
g^6*e^28 + 142506*d^9*f^25*g^5*e^29 + 27405*d^8*f^26*g^4*e^30 + 4060*d^7*f^
27*g^3*e^31 + 435*d^6*f^28*g^2*e^32 + 30*d^5*f^29*g*e^33 + d^4*f^30*e^34) +
90*(d^29*g^27*e^10 + 25*d^28*f*g^26*e^11 + 300*d^27*f^2*g^25*e^12 + 2300*d
^26*f^3*g^24*e^13 + 12650*d^25*f^4*g^23*e^14 + 53130*d^24*f^5*g^22*e^15 + 1
77100*d^23*f^6*g^21*e^16 + 480700*d^22*f^7*g^20*e^17 + 1081575*d^21*f^8*g^1
9*e^18 + 2042975*d^20*f^9*g^18*e^19 + 3268760*d^19*f^10*g^17*e^20 + 4457400
*d^18*f^11*g^16*e^21 + 5200300*d^17*f^12*g^15*e^22 + 5200300*d^16*f^13*g^14
*e^23 + 4457400*d^15*f^14*g^13*e^24 + 3268760*d^14*f^15*g^12*e^25 + 2042975
*d^13*f^16*g^11*e^26 + 1081575*d^12*f^17*g^10*e^27 + 480700*d^11*f^18*g^9*e
^28 + 177100*d^10*f^19*g^8*e^29 + 53130*d^9*f^20*g^7*e^30 + 12650*d^8*f^21*
g^6*e^31 + 2300*d^7*f^22*g^5*e^32 + 300*d^6*f^23*g^4*e^33 + 25*d^5*f^24*g^3
*e^34 + d^4*f^25*g^2*e^35)/(d^34*g^30*e^4 + 30*d^33*f*g^29*e^5 + 435*d^32*f
^2*g^28*e^6 + 4060*d^31*f^3*g^27*e^7 + 27405*d^30*f^4*g^26*e^8 + 142506*d^2
```

$$\begin{aligned}
& 9f^5g^{25}e^9 + 593775d^{28}f^6g^{24}e^{10} + 2035800d^{27}f^7g^{23}e^{11} + 5 \\
& 852925d^{26}f^8g^{22}e^{12} + 14307150d^{25}f^9g^{21}e^{13} + 30045015d^{24}f^{10} \\
& 0g^{20}e^{14} + 54627300d^{23}f^{11}g^{19}e^{15} + 86493225d^{22}f^{12}g^{18}e^{16} + \\
& 119759850d^{21}f^{13}g^{17}e^{17} + 145422675d^{20}f^{14}g^{16}e^{18} + 155117520* \\
& d^{19}f^{15}g^{15}e^{19} + 145422675d^{18}f^{16}g^{14}e^{20} + 119759850d^{17}f^{17}g^{13} \\
& e^{21} + 86493225d^{16}f^{18}g^{12}e^{22} + 54627300d^{15}f^{19}g^{11}e^{23} + 30 \\
& 045015d^{14}f^{20}g^{10}e^{24} + 14307150d^{13}f^{21}g^9e^{25} + 5852925d^{12}f^{22} \\
& 2g^8e^{26} + 2035800d^{11}f^{23}g^7e^{27} + 593775d^{10}f^{24}g^6e^{28} + 14250 \\
& 6d^9f^{25}g^5e^{29} + 27405d^8f^{26}g^4e^{30} + 4060d^7f^{27}g^3e^{31} + 43 \\
& 5d^6f^{28}g^2e^{32} + 30d^5f^{29}g^1e^{33} + d^4f^{30}e^{34}))x - 5*(49d^{30}g^{27} \\
& e^9 + 1239d^{29}f^1g^{26}e^{10} + 15051d^{28}f^2g^{25}e^{11} + 116925d^{27}f^3 \\
& g^{24}e^{12} + 652350d^{26}f^4g^{23}e^{13} + 2782770d^{25}f^5g^{22}e^{14} + 9434 \\
& 370d^{24}f^6g^{21}e^{15} + 26086830d^{23}f^7g^{20}e^{16} + 59904075d^{22}f^8g^{19} \\
& e^{17} + 115728525d^{21}f^9g^{18}e^{18} + 189852465d^{20}f^{10}g^{17}e^{19} + 26 \\
& 6218215d^{19}f^{11}g^{16}e^{20} + 320487060d^{18}f^{12}g^{15}e^{21} + 332076300d^{17} \\
& f^{13}g^{14}e^{22} + 296417100d^{16}f^{14}g^{13}e^{23} + 227773140d^{15}f^{15}g^{12} \\
& e^{24} + 150325815d^{14}f^{16}g^{11}e^{25} + 84867585d^{13}f^{17}g^{10}e^{26} + 4073 \\
& 9325d^{12}f^{18}g^9e^{27} + 16489275d^{11}f^{19}g^8e^{28} + 5563470d^{10}f^{20}g^7 \\
& e^{29} + 1540770d^9f^{21}g^6e^{30} + 342930d^8f^{22}g^5e^{31} + 59550d^7f^{23} \\
& g^4e^{32} + 7725d^6f^{24}g^3e^{33} + 699d^5f^{25}g^2e^{34} + 39d^4f^{26}g^1e^{35} \\
& + d^3f^{27}e^{36})/(d^{34}g^{30}e^4 + 30d^{33}f^1g^{29}e^5 + 435d^{32}f^2g^{28}e^6 \\
& + 4060d^{31}f^3g^{27}e^7 + 27405d^{30}f^4g^{26}e^8 + 142506d^{29}f^5g^{25}e^9 \\
& + 593775d^{28}f^6g^{24}e^{10} + 2035800d^{27}f^7g^{23}e^{11} + 58 \\
& 52925d^{26}f^8g^{22}e^{12} + 14307150d^{25}f^9g^{21}e^{13} + 30045015d^{24}f^{10} \\
& *g^{20}e^{14} + 54627300d^{23}f^{11}g^{19}e^{15} + 86493225d^{22}f^{12}g^{18}e^{16} + \\
& 119759850d^{21}f^{13}g^{17}e^{17} + 145422675d^{20}f^{14}g^{16}e^{18} + 155117520d \\
& ^{19}f^{15}g^{15}e^{19} + 145422675d^{18}f^{16}g^{14}e^{20} + 119759850d^{17}f^{17}g^{13} \\
& e^{21} + 86493225d^{16}f^{18}g^{12}e^{22} + 54627300d^{15}f^{19}g^{11}e^{23} + 300 \\
& 45015d^{14}f^{20}g^{10}e^{24} + 14307150d^{13}f^{21}g^9e^{25} + 5852925d^{12}f^{22} \\
& *g^8e^{26} + 2035800d^{11}f^{23}g^7e^{27} + 593775d^{10}f^{24}g^6e^{28} + 142506 \\
& *d^9f^{25}g^5e^{29} + 27405d^8f^{26}g^4e^{30} + 4060d^7f^{27}g^3e^{31} + 435 \\
& *d^6f^{28}g^2e^{32} + 30d^5f^{29}g^1e^{33} + d^4f^{30}e^{34}))x - 5*(41d^{31}g^{27} \\
& e^8 + 1029d^{30}f^1g^{26}e^9 + 12399d^{29}f^2g^{25}e^{10} + 95475d^{28}f^3g^{24} \\
& e^{11} + 527550d^{27}f^4g^{23}e^{12} + 2226630d^{26}f^5g^{22}e^{13} + 7460970 \\
& *d^{25}f^6g^{21}e^{14} + 20363970d^{24}f^7g^{20}e^{15} + 46090275d^{23}f^8g^{19} \\
& e^{16} + 87607575d^{22}f^9g^{18}e^{17} + 141109485d^{21}f^{10}g^{17}e^{18} + 193785 \\
& 465d^{20}f^{11}g^{16}e^{19} + 227773140d^{19}f^{12}g^{15}e^{20} + 229556100d^{18}f^{13} \\
& g^{14}e^{21} + 198354300d^{17}f^{14}g^{13}e^{22} + 146648460d^{16}f^{15}g^{12}e^{23} \\
& 3 + 92379615d^{15}f^{16}g^{11}e^{24} + 49247715d^{14}f^{17}g^{10}e^{25} + 21992025* \\
& d^{13}f^{18}g^9e^{26} + 8102325d^{12}f^{19}g^8e^{27} + 2406030d^{11}f^{20}g^7e^{28} \\
& 8 + 554070d^{10}f^{21}g^6e^{29} + 91770d^9f^{22}g^5e^{30} + 8850d^8f^{23}g^4 \\
& *e^{31} - 75d^7f^{24}g^3e^{32} - 159d^6f^{25}g^2e^{33} - 21d^5f^{26}g^1e^{34} - \\
& d^4f^{27}e^{35})/(d^{34}g^{30}e^4 + 30d^{33}f^1g^{29}e^5 + 435d^{32}f^2g^{28}e^6 \\
& + 4060d^{31}f^3g^{27}e^7 + 27405d^{30}f^4g^{26}e^8 + 142506d^{29}f^5g^{25}e^9 \\
& + 593775d^{28}f^6g^{24}e^{10} + 2035800d^{27}f^7g^{23}e^{11} + 5852925d^{26}
\end{aligned}$$

$$\begin{aligned}
& *f^8g^{22}e^{12} + 14307150*d^{25}f^9g^{21}e^{13} + 30045015*d^{24}f^{10}g^{20}e^{14} \\
& + 54627300*d^{23}f^{11}g^{19}e^{15} + 86493225*d^{22}f^{12}g^{18}e^{16} + 119759850* \\
& d^{21}f^{13}g^{17}e^{17} + 145422675*d^{20}f^{14}g^{16}e^{18} + 155117520*d^{19}f^{15}g^{15}e^{19} \\
& + 145422675*d^{18}f^{16}g^{14}e^{20} + 119759850*d^{17}f^{17}g^{13}e^{21} + 86493225*d^{16}f^{18}g^{12}e^{22} \\
& + 54627300*d^{15}f^{19}g^{11}e^{23} + 30045015*d^{14}f^{20}g^{10}e^{24} + 14307150*d^{13}f^{21}g^9e^{25} \\
& + 5852925*d^{12}f^{22}g^8e^{26} + 2035800*d^{11}f^{23}g^7e^{27} + 593775*d^{10}f^{24}g^6e^{28} + 142506*d^9f^{25}g^5e^{29} \\
& + 27405*d^8f^{26}g^4e^{30} + 4060*d^7f^{27}g^3e^{31} + 435*d^6f^{28}g^2e^{32} + 30*d^5f^{29}g^1e^{33} \\
& + d^4f^{30}e^{34})) *x + 15*(10*d^{32}g^{27}e^7 + 255*d^{31}f^2g^{26}e^8 + 3126*d^{30}f^2g^{25}e^9 + 24525*d^{29}f^3g^{24}e^{10} + 1 \\
& 38300*d^{28}f^4g^{23}e^{11} + 596850*d^{27}f^5g^{22}e^{12} + 2049300*d^{26}f^6g^{21}e^{13} + 5745630*d^{25}f^7g^{20}e^{14} \\
& + 13396350*d^{24}f^8g^{19}e^{15} + 26318325*d^{23}f^9g^{18}e^{16} + 43984050*d^{22}f^{10}g^{17}e^{17} + 62960775*d^{21}f^{11}g^{16}e^{18} \\
& + 77558760*d^{20}f^{12}g^{15}e^{19} + 82461900*d^{19}f^{13}g^{14}e^{20} + 75775800*d^{18}f^{14}g^{13}e^{21} \\
& + 60174900*d^{17}f^{15}g^{12}e^{22} + 41230950*d^{16}f^{16}g^{11}e^{23} + 24299385*d^{15}f^{17}g^{10}e^{24} + 12257850*d^{14}f^{18}g^9e^{25} \\
& + 5256075*d^{13}f^{19}g^8e^{26} + 1897500*d^{12}f^{20}g^7e^{27} + 569250*d^{11}f^{21}g^6e^{28} + 139380*d^{10}f^{22}g^5e^{29} \\
& + 27150*d^9f^{23}g^4e^{30} + 4050*d^8f^{24}g^3e^{31} + 435*d^7f^{25}g^2e^{32} + 30*d^6f^{26}g^1e^{33} + d^5f^{27}e^{34}) \\
& / (d^{34}g^{30}e^4 + 30*d^{33}f^1g^{29}e^5 + 435*d^{32}f^2g^{28}e^6 + 4060*d^{31}f^3g^{27}e^7 + 27405*d^{30}f^4g^{26}e^8 \\
& + 142506*d^{29}f^5g^{25}e^9 + 593775*d^{28}f^6g^{24}e^{10} + 2035800*d^{27}f^7g^{23}e^{11} + 5852925*d^{26}f^8g^{22}e^{12} \\
& + 14307150*d^{25}f^9g^{21}e^{13} + 30045015*d^{24}f^{10}g^{20}e^{14} + 54627300*d^{23}f^{11}g^{19}e^{15} + 86493225*d^{22}f^{12}g^{18}e^{16} \\
& + 119759850*d^{21}f^{13}g^{17}e^{17} + 145422675*d^{20}f^{14}g^{16}e^{18} + 155117520*d^{19}f^{15}g^{15}e^{19} + 145422675*d^{18}f^{16}g^{14}e^{20} \\
& + 119759850*d^{17}f^{17}g^{13}e^{21} + 86493225*d^{16}f^{18}g^{12}e^{22} + 54627300*d^{15}f^{19}g^{11}e^{23} + 30045015*d^{14}f^{20}g^{10}e^{24} \\
& + 14307150*d^{13}f^{21}g^9e^{25} + 5852925*d^{12}f^{22}g^8e^{26} + 2035800*d^{11}f^{23}g^7e^{27} + 593775*d^{10}f^{24}g^6e^{28} \\
& + 142506*d^9f^{25}g^5e^{29} + 27405*d^8f^{26}g^4e^{30} + 4060*d^7f^{27}g^3e^{31} + 435*d^6f^{28}g^2e^{32} + 30*d^5f^{29}g^1e^{33} \\
& + d^4f^{30}e^{34})) *x + (127*d^{33}g^{27}e^6 + 3219*d^{32}f^1g^{26}e^7 + 39207*d^{31}f^2g^{25}e^8 + 305475*d^{30}f^3g^{24}e^9 \\
& + 1709850*d^{29}f^4g^{23}e^{10} + 7320210*d^{28}f^5g^{22}e^{11} + 24917970*d^{27}f^6g^{21}e^{12} + 69213210*d^{26}f^7g^{20}e^{13} \\
& + 159750525*d^{25}f^8g^{19}e^{14} + 310412025*d^{24}f^9g^{18}e^{15} + 512594445*d^{23}f^{10}g^{17}e^{16} + 724216065*d^{22}f^{11}g^{16}e^{17} \\
& + 879445020*d^{21}f^{12}g^{15}e^{18} + 920453100*d^{20}f^{13}g^{14}e^{19} + 831305100*d^{19}f^{14}g^{13}e^{20} + 647660220*d^{18}f^{15}g^{12}e^{21} \\
& + 434485065*d^{17}f^{16}g^{11}e^{22} + 250132245*d^{16}f^{17}g^{10}e^{23} + 122939025*d^{15}f^{18}g^9e^{24} + 51213525*d^{14}f^{19}g^8e^{25} \\
& + 17904810*d^{13}f^{20}g^7e^{26} + 5183970*d^{12}f^{21}g^6e^{27} + 1220610*d^{11}f^{22}g^5e^{28} + 227850*d^{10}f^{23}g^4e^{29} + 32475*d^9f^{24}g^3e^{30} \\
& + 3327*d^8f^{25}g^2e^{31} + 219*d^7f^{26}g^1e^{32} + 7*d^6f^{27}e^{33}) / (d^{34}g^{30}e^4 + 30*d^{33}f^1g^{29}e^5 + 435*d^{32}f^2g^{28}e^6 + 4060*d^{31}f^3g^{27}e^7 \\
& + 27405*d^{30}f^4g^{26}e^8 + 142506*d^{29}f^5g^{25}e^9 + 593775*d^{28}f^6g^{24}e^{10} + 2035800*d^{27}f^7g^{23}e^{11} + 5852925*d^{26}f^8g^{22}e^{12} \\
& + 14307150*d^{25}f^9g^{21}e^{13} + 30045015*d^{24}f^{10}g^{20}e^{14} + 5
\end{aligned}$$

$$\begin{aligned}
& 4627300*d^{23}*f^{11}*g^{19}*e^{15} + 86493225*d^{22}*f^{12}*g^{18}*e^{16} + 119759850*d^{21} \\
& *f^{13}*g^{17}*e^{17} + 145422675*d^{20}*f^{14}*g^{16}*e^{18} + 155117520*d^{19}*f^{15}*g^{15} \\
& e^{19} + 145422675*d^{18}*f^{16}*g^{14}*e^{20} + 119759850*d^{17}*f^{17}*g^{13}*e^{21} + 8649 \\
& 3225*d^{16}*f^{18}*g^{12}*e^{22} + 54627300*d^{15}*f^{19}*g^{11}*e^{23} + 30045015*d^{14}*f^{20} \\
& 0*g^{10}*e^{24} + 14307150*d^{13}*f^{21}*g^9*e^{25} + 5852925*d^{12}*f^{22}*g^8*e^{26} + 20 \\
& 35800*d^{11}*f^{23}*g^7*e^{27} + 593775*d^{10}*f^{24}*g^6*e^{28} + 142506*d^9*f^{25}*g^5* \\
& e^{29} + 27405*d^8*f^{26}*g^4*e^{30} + 4060*d^7*f^{27}*g^3*e^{31} + 435*d^6*f^{28}*g^2* \\
& e^{32} + 30*d^5*f^{29}*g*e^{33} + d^4*f^{30}*e^{34})/(x^2*e^2 - d^2)^3 + (2*(d*e + s \\
& \text{qrt}(-x^2*e^2 + d^2)*e)^2*d^{10}*g^{13}*e^3/x^2 + 2*(d*e + \text{sqrt}(-x^2*e^2 + d^2)* \\
& e)*d^9*f*g^{12}*e^6/x + 6*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d^9*f*g^{12}*e^4/x^2 \\
& + 2*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*d^9*f*g^{12}*e^2/x^3 + d^8*f^2*g^{11}*e^9 \\
& + 12*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d^8*f^2*g^{11}*e^7/x - 51*(d*e + \text{sqrt}(-x \\
& ^2*e^2 + d^2)*e)^2*d^8*f^2*g^{11}*e^5/x^2 + 3*d^7*f^3*g^{10}*e^{10} - 79*(d*e + s \\
& \text{qrt}(-x^2*e^2 + d^2)*e)*d^7*f^3*g^{10}*e^8/x + 91*(d*e + \text{sqrt}(-x^2*e^2 + d^2)* \\
& e)^2*d^7*f^3*g^{10}*e^6/x^2 - 25*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*d^7*f^3*g^{10} \\
& 0*e^4/x^3 - 26*d^6*f^4*g^9*e^{11} + 127*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d^6*f^4 \\
& 4*g^9*e^9/x - 48*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d^6*f^4*g^9*e^7/x^2 + 49* \\
& (d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*d^6*f^4*g^9*e^5/x^3 + 44*d^5*f^5*g^8*e^{12} \\
& - 28*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d^5*f^5*g^8*e^{10}/x - 30*(d*e + \text{sqrt}(-x^ \\
& 2*e^2 + d^2)*e)^2*d^5*f^5*g^8*e^8/x^2 - 16*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3 \\
& *d^5*f^5*g^8*e^6/x^3 - 11*d^4*f^6*g^7*e^{13} - 110*(d*e + \text{sqrt}(-x^2*e^2 + d^2 \\
& )*e)*d^4*f^6*g^7*e^{11}/x + 61*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d^4*f^6*g^7*e \\
& ^9/x^2 - 38*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*d^4*f^6*g^7*e^7/x^3 - 37*d^3*f \\
& ^7*g^6*e^{14} + 105*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d^3*f^7*g^6*e^{12}/x - 57*(d \\
& *e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d^3*f^7*g^6*e^{10}/x^2 + 39*(d*e + \text{sqrt}(-x^2*e \\
& ^2 + d^2)*e)^3*d^3*f^7*g^6*e^8/x^3 + 36*d^2*f^8*g^5*e^{15} - 29*(d*e + \text{sqrt}(- \\
& x^2*e^2 + d^2)*e)*d^2*f^8*g^5*e^{13}/x + 36*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2* \\
& d^2*f^8*g^5*e^{11}/x^2 - 11*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^3*d^2*f^8*g^5*e^9/ \\
& x^3 - 10*d*f^9*g^4*e^{16} - 10*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)^2*d*f^9*g^4*e^{1 \\
& 2}/x^2)/((d^{12}*f^2*g^{12}*e^5 - 6*d^{10}*f^4*g^{10}*e^7 + 15*d^8*f^6*g^8*e^9 - 20* \\
& d^6*f^8*g^6*e^{11} + 15*d^4*f^{10}*g^4*e^{13} - 6*d^2*f^{12}*g^2*e^{15} + f^{14}*e^{17})* \\
& (2*(d*e + \text{sqrt}(-x^2*e^2 + d^2)*e)*d*g*e^{(-1)}/x + f*e^2 + (d*e + \text{sqrt}(-x^2*e \\
& ^2 + d^2)*e)^2*f*e^{(-2)}/x^2)^2)
\end{aligned}$$

**maple [B]** time = 0.03, size = 9593, normalized size = 24.10

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^3/(g*x+f)^3/(-e^2*x^2+d^2)^{(7/2)}, x)$

[Out] result too large to display

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^3/(g*x+f)^3/(-e^2*x^2+d^2)^(7/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((d\*g-e\*f)>0)', see `assume?` for more details) Is (d\*g-e\*f) \*(d\*g+e\*f) positive, negative or zero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex)^3}{(f + gx)^3 (d^2 - e^2 x^2)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^3/((f + g*x)^3*(d^2 - e^2*x^2)^(7/2)),x)`

[Out] `int((d + e*x)^3/((f + g*x)^3*(d^2 - e^2*x^2)^(7/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^3}{(-(-d + ex)(d + ex))^{7/2} (f + gx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**3/(g*x+f)**3/(-e**2*x**2+d**2)**(7/2),x)`

[Out] `Integral((d + e*x)**3/((-(-d + e*x)*(d + e*x))**(7/2)*(f + g*x)**3), x)`

$$3.390 \quad \int \frac{a+cx^2}{(d+ex)^{3/2}(f+gx)} dx$$

Optimal. Leaf size=112

$$-\frac{2(ae^2 + cd^2)}{e^2\sqrt{d+ex}(ef-dg)} - \frac{2(ag^2 + cf^2) \tan^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{ef-dg}}\right)}{g^{3/2}(ef-dg)^{3/2}} + \frac{2c\sqrt{d+ex}}{e^2g}$$

**Rubi [A]** time = 0.22, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {898, 1261, 205}

$$-\frac{2(ae^2 + cd^2)}{e^2\sqrt{d+ex}(ef-dg)} - \frac{2(ag^2 + cf^2) \tan^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{ef-dg}}\right)}{g^{3/2}(ef-dg)^{3/2}} + \frac{2c\sqrt{d+ex}}{e^2g}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^2)/((d + e\*x)^(3/2)\*(f + g\*x)), x]

[Out] (-2\*(c\*d^2 + a\*e^2))/(e^2\*(e\*f - d\*g)\*Sqrt[d + e\*x]) + (2\*c\*Sqrt[d + e\*x])/(e^2\*g) - (2\*(c\*f^2 + a\*g^2)\*ArcTan[(Sqrt[g]\*Sqrt[d + e\*x])/Sqrt[e\*f - d\*g]])/(g^(3/2)\*(e\*f - d\*g)^(3/2))

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 898

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (c\_)\*(x\_)^(2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 + a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

#### Rule 1261

Int[((f\_)\*(x\_)^(m\_))\*((d\_) + (e\_)\*(x\_)^(2)^(q\_))\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^(4)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(f\*x)^m\*(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[



$b^2 - 4ac, 0]$  && IGtQ[p, 0] && IGtQ[q, -2]

### Rubi steps

$$\begin{aligned} \int \frac{a + cx^2}{(d + ex)^{3/2}(f + gx)} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{\frac{cd^2 + ae^2}{e^2} - \frac{2cdx^2}{e^2} + \frac{cx^4}{e^2}}{x^2 \left( \frac{ef - dg}{e} + \frac{gx^2}{e} \right)} dx, x, \sqrt{d + ex} \right)}{e} \\ &= \frac{2 \operatorname{Subst} \left( \int \left( \frac{c}{eg} + \frac{cd^2 + ae^2}{e(ef - dg)x^2} - \frac{e(cf^2 + ag^2)}{g(-ef + dg)(-ef + dg - gx^2)} \right) dx, x, \sqrt{d + ex} \right)}{e} \\ &= -\frac{2(cd^2 + ae^2)}{e^2(ef - dg)\sqrt{d + ex}} + \frac{2c\sqrt{d + ex}}{e^2g} + \frac{(2(cf^2 + ag^2)) \operatorname{Subst} \left( \int \frac{1}{-ef + dg - gx^2} dx, x, \sqrt{d + ex} \right)}{g(ef - dg)} \\ &= -\frac{2(cd^2 + ae^2)}{e^2(ef - dg)\sqrt{d + ex}} + \frac{2c\sqrt{d + ex}}{e^2g} - \frac{2(cf^2 + ag^2) \tan^{-1} \left( \frac{\sqrt{g}\sqrt{d + ex}}{\sqrt{ef - dg}} \right)}{g^{3/2}(ef - dg)^{3/2}} \end{aligned}$$

**Mathematica [C]** time = 0.09, size = 91, normalized size = 0.81

$$\frac{2c(ef - dg)(2dg + e(f + gx)) - 2e^2(ag^2 + cf^2) {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{g(d + ex)}{dg - ef} \right)}{e^2g^2\sqrt{d + ex}(ef - dg)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c\*x^2)/((d + e\*x)^(3/2)\*(f + g\*x)),x]

[Out] (2\*c\*(e\*f - d\*g)\*(2\*d\*g + e\*(f + g\*x)) - 2\*e^2\*(c\*f^2 + a\*g^2)\*Hypergeometric2F1[-1/2, 1, 1/2, (g\*(d + e\*x))/(-e\*f) + d\*g])/(e^2\*g^2\*(e\*f - d\*g)\*Sqrt[d + e\*x])

**IntegrateAlgebraic [A]** time = 0.22, size = 118, normalized size = 1.05

$$-\frac{2(ae^2g + cd^2g - cef(d + ex) + cdg(d + ex))}{e^2g\sqrt{d + ex}(ef - dg)} - \frac{2(ag^2 + cf^2) \tan^{-1} \left( \frac{\sqrt{g}\sqrt{d + ex}}{\sqrt{ef - dg}} \right)}{g^{3/2}(ef - dg)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + c\*x^2)/((d + e\*x)^(3/2)\*(f + g\*x)),x]

[Out]  $(-2*(c*d^2*g + a*e^2*g - c*e*f*(d + e*x) + c*d*g*(d + e*x)))/(e^2*g*(e*f - d*g)*\text{Sqrt}[d + e*x]) - (2*(c*f^2 + a*g^2)*\text{ArcTan}[(\text{Sqrt}[g]*\text{Sqrt}[d + e*x])/\text{Sqrt}[e*f - d*g]])/(g^{(3/2)}*(e*f - d*g)^{(3/2)})$

**fricas** [B] time = 0.43, size = 499, normalized size = 4.46

$$\frac{\left(\frac{(cd^2f^2 + ad^2g^2 + (e^2f^2 + ae^2g^2))\sqrt{-efg + dg} \log\left(\frac{(cd^2f^2g - (3cd^2e + ae^2)f^2 + (2cd^2 + ad^2)g^2 + (e^2f^2g - 2cd^2f^2 + cd^2g^2))\sqrt{ex+d}}{g^2}\right) + 2\left((cd^2f^2g - (3cd^2e + ae^2)f^2 + (2cd^2 + ad^2)g^2 + (e^2f^2g - 2cd^2f^2 + cd^2g^2))\sqrt{ex+d}\right)}{d^2f^2g^2 - 2d^2efg^2 + d^2e^2g^4 + (e^2f^2g^2 - 2d^2efg^2 + d^2e^2g^4)}\right) + 2\left(\frac{(cd^2f^2 + ad^2g^2 + (e^2f^2 + ae^2g^2))\sqrt{fg - dg} \arctan\left(\frac{\sqrt{fg - dg}}{g}\right) + ((cd^2f^2g - (3cd^2e + ae^2)f^2 + (2cd^2 + ad^2)g^2 + (e^2f^2g - 2cd^2f^2 + cd^2g^2))\sqrt{ex+d}}{d^2f^2g^2 - 2d^2efg^2 + d^2e^2g^4 + (e^2f^2g^2 - 2d^2efg^2 + d^2e^2g^4)}\right)}{d^2f^2g^2 - 2d^2efg^2 + d^2e^2g^4 + (e^2f^2g^2 - 2d^2efg^2 + d^2e^2g^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(e*x+d)^(3/2)/(g*x+f),x, algorithm="fricas")`

[Out]  $(((c*d*e^2*f^2 + a*d*e^2*g^2 + (c*e^3*f^2 + a*e^3*g^2)*x)*\text{sqrt}(-e*f*g + d*g^2)*\log((e*g*x - e*f + 2*d*g - 2*\text{sqrt}(-e*f*g + d*g^2))*\text{sqrt}(e*x + d))/(g*x + f)) + 2*(c*d*e^2*f^2*g - (3*c*d^2*e + a*e^3)*f*g^2 + (2*c*d^3 + a*d*e^2)*g^3 + (c*e^3*f^2*g - 2*c*d*e^2*f*g^2 + c*d^2*e*g^3)*x)*\text{sqrt}(e*x + d))/(d*e^4*f^2*g^2 - 2*d^2*e^3*f*g^3 + d^3*e^2*g^4 + (e^5*f^2*g^2 - 2*d*e^4*f*g^3 + d^2*e^3*g^4)*x), 2*((c*d*e^2*f^2 + a*d*e^2*g^2 + (c*e^3*f^2 + a*e^3*g^2)*x)*\text{sqrt}(e*f*g - d*g^2)*\arctan(\text{sqrt}(e*f*g - d*g^2)*\text{sqrt}(e*x + d)/(e*g*x + d*g)) + (c*d*e^2*f^2*g - (3*c*d^2*e + a*e^3)*f*g^2 + (2*c*d^3 + a*d*e^2)*g^3 + (c*e^3*f^2*g - 2*c*d*e^2*f*g^2 + c*d^2*e*g^3)*x)*\text{sqrt}(e*x + d))/(d*e^4*f^2*g^2 - 2*d^2*e^3*f*g^3 + d^3*e^2*g^4 + (e^5*f^2*g^2 - 2*d*e^4*f*g^3 + d^2*e^3*g^4)*x)]$

**giac** [A] time = 0.19, size = 116, normalized size = 1.04

$$\frac{2\sqrt{xe+d}ce^{(-2)}}{g} + \frac{2(cf^2 + ag^2) \arctan\left(\frac{\sqrt{xe+dg}}{\sqrt{-dg^2+fge}}\right)}{(dg^2 - fge)\sqrt{-dg^2 + fge}} + \frac{2(cd^2 + ae^2)}{(dge^2 - fe^3)\sqrt{xe+d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(e*x+d)^(3/2)/(g*x+f),x, algorithm="giac")`

[Out]  $2*\text{sqrt}(x*e + d)*c*e^{(-2)}/g + 2*(c*f^2 + a*g^2)*\arctan(\text{sqrt}(x*e + d)*g/\text{sqrt}(-d*g^2 + f*g*e))/((d*g^2 - f*g*e)*\text{sqrt}(-d*g^2 + f*g*e)) + 2*(c*d^2 + a*e^2)/((d*g*e^2 - f*e^3)*\text{sqrt}(x*e + d))$

**maple** [A] time = 0.02, size = 114, normalized size = 1.02

$$\frac{-\frac{2(ag^2 + cf^2)e^2 \operatorname{arctanh}\left(\frac{\sqrt{ex+dg}}{\sqrt{(dg-ef)g}}\right)}{(dg-ef)\sqrt{(dg-ef)g}g} + \frac{2\sqrt{ex+d}c}{g} - \frac{2(-ae^2 - cd^2)}{(dg-ef)\sqrt{ex+d}}}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+a)/(e*x+d)^(3/2)/(g*x+f),x)`

[Out]  $2/e^2*(c/g*(e*x+d)^{(1/2)}-e^2*(a*g^2+c*f^2)/(d*g-e*f)/g/((d*g-e*f)*g)^{(1/2)}*\operatorname{arctanh}(g*(e*x+d)^{(1/2)/((d*g-e*f)*g)^{(1/2)})-(-a*e^2-c*d^2)/(d*g-e*f)/(e*x+d)^{(1/2)})$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(e*x+d)^(3/2)/(g*x+f),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(g\*(d\*g-e\*f)>0)', see `assume?` for more details)Is g\*(d\*g-e\*f) positive or negative?

**mupad** [B] time = 0.23, size = 124, normalized size = 1.11

$$\frac{2c\sqrt{d+ex}}{e^2g} + \frac{2(cgd^2 + age^2)}{e^2g(dg-ef)\sqrt{d+ex}} + \frac{\operatorname{atan}\left(\frac{dg^{3/2}\sqrt{d+ex} - ef\sqrt{g}\sqrt{d+ex}}{(dg-ef)^{3/2}}\right)(cf^2 + ag^2)}{g^{3/2}(dg-ef)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+c*x^2)/((f+g*x)*(d+e*x)^(3/2)),x)`

[Out]  $(\operatorname{atan}((d*g)^{(3/2)}*(d+e*x)^{(1/2)}*1i - e*f*g^{(1/2)}*(d+e*x)^{(1/2)}*1i)/(d*g - e*f)^{(3/2)}*(a*g^2 + c*f^2)*2i)/(g^{(3/2)}*(d*g - e*f)^{(3/2)}) + (2*c*(d+e*x)^{(1/2)})/(e^2*g) + (2*(a*e^2*g + c*d^2*g))/(e^2*g*(d*g - e*f)*(d+e*x)^{(1/2)})$

**sympy** [A] time = 87.88, size = 107, normalized size = 0.96

$$\frac{2c\sqrt{d+ex}}{e^2g} + \frac{2(ag^2 + cf^2)\operatorname{atan}\left(\frac{\sqrt{d+ex}}{\sqrt{-\frac{dg-ef}{g}}}\right)}{g^2\sqrt{-\frac{dg-ef}{g}}(dg-ef)} + \frac{2(ae^2 + cd^2)}{e^2\sqrt{d+ex}(dg-ef)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a)/(e*x+d)**(3/2)/(g*x+f),x)`

```
[Out] 2*c*sqrt(d + e*x)/(e**2*g) + 2*(a*g**2 + c*f**2)*atan(sqrt(d + e*x)/sqrt(-(d*g - e*f)/g))/(g**2*sqrt(-(d*g - e*f)/g)*(d*g - e*f)) + 2*(a*e**2 + c*d**2)/(e**2*sqrt(d + e*x)*(d*g - e*f))
```

$$3.391 \quad \int \frac{(d+ex)^3(a+cx^2)}{\sqrt{f+gx}} dx$$

Optimal. Leaf size=240

$$\frac{2e(f+gx)^{7/2}(ae^2g^2+c(3d^2g^2-12defg+10e^2f^2))}{7g^6} - \frac{2(f+gx)^{5/2}(ef-dg)(3ae^2g^2+c(d^2g^2-8defg+10e^2f^2))}{5g^6}$$

Rubi [A] time = 0.34, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {898, 1153}

$$\frac{2e(f+gx)^{7/2}(ae^2g^2+c(3d^2g^2-12defg+10e^2f^2))}{7g^6} - \frac{2(f+gx)^{5/2}(ef-dg)(3ae^2g^2+c(d^2g^2-8defg+10e^2f^2))}{5g^6} - \frac{2\sqrt{f+gx}(ag^2+cf^2)(ef-dg)^3}{g^6} + \frac{2(f+gx)^{3/2}(ef-dg)^2(3ae^2g^2+cf(5ef-2dg))}{3g^6} - \frac{2ce^2(f+gx)^{3/2}(5ef-3dg)}{9g^6} + \frac{2ce^3(f+gx)^{11/2}}{11g^6}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(a + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (-2\*(e\*f - d\*g)^3\*(c\*f^2 + a\*g^2)\*Sqrt[f + g\*x])/g^6 + (2\*(e\*f - d\*g)^2\*(3\*a\*e\*g^2 + c\*f\*(5\*e\*f - 2\*d\*g))\*(f + g\*x)^(3/2))/(3\*g^6) - (2\*(e\*f - d\*g)\*(3\*a\*e^2\*g^2 + c\*(10\*e^2\*f^2 - 8\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^(5/2))/(5\*g^6) + (2\*e\*(a\*e^2\*g^2 + c\*(10\*e^2\*f^2 - 12\*d\*e\*f\*g + 3\*d^2\*g^2))\*(f + g\*x)^(7/2))/(7\*g^6) - (2\*c\*e^2\*(5\*e\*f - 3\*d\*g)\*(f + g\*x)^(9/2))/(9\*g^6) + (2\*c\*e^3\*(f + g\*x)^(11/2))/(11\*g^6)

Rule 898

Int[((d\_.) + (e\_.)\*(x\_.))^(m\_.)\*((f\_.) + (g\_.)\*(x\_.))^(n\_.)\*((a\_.) + (c\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 + a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

Rule 1153

Int[((d\_.) + (e\_.)\*(x\_.)^2)^(q\_.)\*((a\_.) + (b\_.)\*(x\_.)^2 + (c\_.)\*(x\_.)^4)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\int \frac{(d+ex)^3(a+cx^2)}{\sqrt{f+gx}} dx = \frac{2 \operatorname{Subst}\left(\int \left(\frac{-ef+dg}{g} + \frac{ex^2}{g}\right)^3 \left(\frac{cf^2+ag^2}{g^2} - \frac{2cfx^2}{g^2} + \frac{cx^4}{g^2}\right) dx, x, \sqrt{f+gx}\right)}{g}$$

$$= \frac{2 \operatorname{Subst}\left(\int \left(\frac{(-ef+dg)^3(cf^2+ag^2)}{g^5} + \frac{(ef-dg)^2(3aeg^2+cf(5ef-2dg))x^2}{g^5} + \frac{(ef-dg)(-3ae^2g^2-c(10e^2f^2-8defg+10d^2f^2))}{g^5}\right) dx, x, \sqrt{f+gx}\right)}{g}$$

$$= -\frac{2(ef-dg)^3(cf^2+ag^2)\sqrt{f+gx}}{g^6} + \frac{2(ef-dg)^2(3aeg^2+cf(5ef-2dg))(f+gx)^{3/2}}{3g^6}$$

**Mathematica [A]** time = 0.24, size = 207, normalized size = 0.86

$$\frac{2\sqrt{f+gx}(495c(f+gx)^3(ae^2g^2+c(3d^2g^2-12defg+10d^2f^2))-693(f+gx)^2(ef-dg)(3ae^2g^2+c(d^2g^2-8defg+10d^2f^2))-3465(ag^2+cf^2)(ef-dg)^3+1155(f+gx)(ef-dg)(3aeg^2+cf(5ef-2dg))-385c^2(f+gx)^2(5ef-3dg)+315c^3(f+gx)^3)}{3465g^6}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(a + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(-3465\*(e\*f - d\*g)^3\*(c\*f^2 + a\*g^2) + 1155\*(e\*f - d\*g)^2\*(3\*a\*e\*g^2 + c\*f\*(5\*e\*f - 2\*d\*g))\*(f + g\*x) - 693\*(e\*f - d\*g)\*(3\*a\*e^2\*g^2 + c\*(10\*e^2\*f^2 - 8\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^2 + 495\*e\*(a\*e^2\*g^2 + c\*(10\*e^2\*f^2 - 12\*d\*e\*f\*g + 3\*d^2\*g^2))\*(f + g\*x)^3 - 385\*c\*e^2\*(5\*e\*f - 3\*d\*g)\*(f + g\*x)^4 + 315\*c\*e^3\*(f + g\*x)^5)/(3465\*g^6)

**IntegrateAlgebraic [A]** time = 0.17, size = 427, normalized size = 1.78

$$\frac{2\sqrt{f+gx}(-3465c^3e^3f^5+10395c^2d^2e^2f^4g-10395cd^3e^2f^3g^2+10395ad^3e^2f^2g^3-10395ad^2e^2f^2g^4+3465ad^3e^2f^2g^5+5775c^2e^3f^4(f+gx)-13860cd^2e^2f^3g(f+gx)+10395cd^2e^2f^2g^2(f+gx)+3465a^2e^3f^2g^2(f+gx)-2310cd^3f^3g^3(f+gx)-6930ad^2e^2f^3g^3(f+gx)+3465a^2d^2e^2g^4(f+gx)-6930c^2e^3f^3(f+gx)^2+12474cd^2e^2f^2g^2(f+gx)^2-6237cd^2e^2f^2g^2(f+gx)^2-2079a^2e^3f^2g^2(f+gx)^2+693cd^3g^3(f+gx)^2+2079ad^2e^2g^3(f+gx)^2+4950c^2e^3f^2(f+gx)^3-5940cd^2e^2f^2g^3(f+gx)^3+1485cd^2e^2g^2(f+gx)^3+495a^2e^3g^2(f+gx)^3-1925c^2e^3f^2(f+gx)^4+1155cd^2e^2g^2(f+gx)^4+315c^2e^3(f+gx)^5)/(3465g^6)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(a + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(-3465\*c^3\*e^3\*f^5 + 10395\*c^2\*d^2\*e^2\*f^4\*g - 10395\*c\*d^3\*e^2\*f^3\*g^2 - 10395\*a\*d^3\*e^2\*f^2\*g^3 - 10395\*a\*d^2\*e^2\*f^2\*g^4 + 3465\*a\*d^3\*e^2\*f^2\*g^5 + 5775\*c^2\*e^3\*f^4\*(f + g\*x) - 13860\*c\*d^2\*e^2\*f^3\*g\*(f + g\*x) + 10395\*c\*d^2\*e^2\*f^2\*g^2\*(f + g\*x) + 3465\*a^2\*e^3\*f^2\*g^2\*(f + g\*x) - 2310\*c\*d^3\*f^3\*g^3\*(f + g\*x) - 6930\*a\*d^2\*e^2\*f^3\*g^3\*(f + g\*x) + 3465\*a^2\*d^2\*e^2\*g^4\*(f + g\*x) - 6930\*c^2\*e^3\*f^3\*(f + g\*x)^2 + 12474\*c\*d^2\*e^2\*f^2\*g^2\*(f + g\*x)^2 - 6237\*c\*d^2\*e^2\*f^2\*g^2\*(f + g\*x)^2 - 2079\*a^2\*e^3\*f^2\*g^2\*(f + g\*x)^2 + 693\*c\*d^3\*g^3\*(f + g\*x)^2 + 2079\*a\*d^2\*e^2\*g^3\*(f + g\*x)^2 + 4950\*c^2\*e^3\*f^2\*(f + g\*x)^3 - 5940\*c\*d^2\*e^2\*f^2\*g^3\*(f + g\*x)^3 + 1485\*c\*d^2\*e^2\*g^2\*(f + g\*x)^3 + 495\*a^2\*e^3\*g^2\*(f + g\*x)^3 - 1925\*c^2\*e^3\*f^2\*(f + g\*x)^4 + 1155\*c\*d^2\*e^2\*g^2\*(f + g\*x)^4 + 315\*c^2\*e^3\*(f + g\*x)^5)/(3465\*g^6)

**fricas** [A] time = 0.40, size = 324, normalized size = 1.35

$$\frac{2(315c^2d^2e^3 - 1280c^2d^2e^2 + 4224cd^2e^2f^2g - 6930cd^2e^2f^2g^2 + 3465cd^2e^2f^2g^3 - 1584(3cd^2e + ae^3)f^2g^2 + 1848(cd^2 + 3ade^2)f^2g^2 - 35(10c^2d^2e^2 - 33cd^2e^2f^2g^2 + 5(80c^2d^2e^2 - 264cd^2e^2f^2g + 99(3cd^2e + ae^3)f^2g^2 - 3(160c^2d^2e^2 - 528cd^2e^2f^2g + 198(3cd^2e + ae^3)f^2g^2 - 231(3cd^2e + ae^3)f^2g^2 + 640c^2d^2e^2 + 3465cd^2e^2f^2g - 2112cd^2e^2f^2g^2 + 3465cd^2e^2f^2g^3 - 924(cd^2 + 3ade^2)f^2g^2) \sqrt{g^2 + f^2})}{3465g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out]  $\frac{2}{3465} * (315 * c * e^3 * g^5 * x^5 - 1280 * c * e^3 * f^5 + 4224 * c * d * e^2 * f^4 * g - 6930 * a * d^2 * e * f * g^4 + 3465 * a * d^3 * g^5 - 1584 * (3 * c * d^2 * e + a * e^3) * f^3 * g^2 + 1848 * (c * d^3 + 3 * a * d * e^2) * f^2 * g^3 - 35 * (10 * c * e^3 * f * g^4 - 33 * c * d * e^2 * g^5) * x^4 + 5 * (80 * c * e^3 * f^2 * g^3 - 264 * c * d * e^2 * f * g^4 + 99 * (3 * c * d^2 * e + a * e^3) * g^5) * x^3 - 3 * (160 * c * e^3 * f^3 * g^2 - 528 * c * d * e^2 * f^2 * g^3 + 198 * (3 * c * d^2 * e + a * e^3) * f * g^4 - 231 * (c * d^3 + 3 * a * d * e^2) * g^5) * x^2 + (640 * c * e^3 * f^4 * g - 2112 * c * d * e^2 * f^3 * g^2 + 3465 * a * d^2 * e * g^5 + 792 * (3 * c * d^2 * e + a * e^3) * f^2 * g^3 - 924 * (c * d^3 + 3 * a * d * e^2) * f * g^4) * x) * \text{sqrt}(g * x + f) / g^6$

**giac** [A] time = 0.18, size = 378, normalized size = 1.58

$$\frac{\left( \frac{2}{3465} \sqrt{g^2 + f^2} + \frac{3465 \sqrt{g^2 + f^2} - 2 \sqrt{g^2 + f^2}}{g}, \frac{231 \sqrt{g^2 + f^2} - 10 \sqrt{g^2 + f^2} + 15 \sqrt{g^2 + f^2}}{g^2}, \frac{693 \sqrt{g^2 + f^2} - 10 \sqrt{g^2 + f^2} + 15 \sqrt{g^2 + f^2}}{g^2}, \frac{297 \sqrt{g^2 + f^2} - 21 \sqrt{g^2 + f^2} + 35 \sqrt{g^2 + f^2}}{g^2}, \frac{315 \sqrt{g^2 + f^2} - 420 \sqrt{g^2 + f^2} + 315 \sqrt{g^2 + f^2}}{g^2}, \frac{315 \sqrt{g^2 + f^2} - 420 \sqrt{g^2 + f^2} + 315 \sqrt{g^2 + f^2}}{g^2}, \frac{315 \sqrt{g^2 + f^2} - 420 \sqrt{g^2 + f^2} + 315 \sqrt{g^2 + f^2}}{g^2}, \frac{315 \sqrt{g^2 + f^2} - 420 \sqrt{g^2 + f^2} + 315 \sqrt{g^2 + f^2}}{g^2} \right)}{3465g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out]  $\frac{2}{3465} * (3465 * \text{sqrt}(g * x + f) * a * d^3 + 3465 * ((g * x + f)^{3/2} - 3 * \text{sqrt}(g * x + f) * f) * a * d^2 * e / g + 231 * (3 * (g * x + f)^{5/2} - 10 * (g * x + f)^{3/2} * f + 15 * \text{sqrt}(g * x + f) * f^2) * c * d^3 / g^2 + 693 * (3 * (g * x + f)^{5/2} - 10 * (g * x + f)^{3/2} * f + 15 * \text{sqrt}(g * x + f) * f^2) * a * d * e^2 / g^2 + 297 * (5 * (g * x + f)^{7/2} - 21 * (g * x + f)^{5/2} * f + 35 * (g * x + f)^{3/2} * f^2 - 35 * \text{sqrt}(g * x + f) * f^3) * c * d^2 * e / g^3 + 99 * (5 * (g * x + f)^{7/2} - 21 * (g * x + f)^{5/2} * f + 35 * (g * x + f)^{3/2} * f^2 - 35 * \text{sqrt}(g * x + f) * f^3) * a * e^3 / g^3 + 33 * (35 * (g * x + f)^{9/2} - 180 * (g * x + f)^{7/2} * f + 378 * (g * x + f)^{5/2} * f^2 - 420 * (g * x + f)^{3/2} * f^3 + 315 * \text{sqrt}(g * x + f) * f^4) * c * d * e^2 / g^4 + 5 * (63 * (g * x + f)^{11/2} - 385 * (g * x + f)^{9/2} * f + 990 * (g * x + f)^{7/2} * f^2 - 1386 * (g * x + f)^{5/2} * f^3 + 1155 * (g * x + f)^{3/2} * f^4 - 693 * \text{sqrt}(g * x + f) * f^5) * c * e^3 / g^5) / g$

**maple** [A] time = 0.01, size = 365, normalized size = 1.52

$$\frac{2 \sqrt{g^2 + f^2} (315c^2d^2e^3 - 1155cd^2e^2f^2g + 350c^2d^2e^2f^2g^2 + 990cd^2e^2f^2g^3 - 1485cd^2e^2f^2g^4 - 1320cd^2e^2f^2g^5 + 405cd^2e^2f^2g^6 + 2070acd^2e^2f^2g^2 - 594cd^2e^2f^2g^3 + 675cd^2e^2f^2g^4 - 1702cd^2e^2f^2g^5 + 1584cd^2e^2f^2g^6 - 405cd^2e^2f^2g^7 + 3465cd^2e^2f^2g^8 - 2772acd^2e^2f^2g^3 + 792cd^2e^2f^2g^4 - 924cd^2e^2f^2g^5 + 2376cd^2e^2f^2g^6 - 2112cd^2e^2f^2g^7 + 1440cd^2e^2f^2g^8 + 3465cd^2e^2f^2g^9 - 990acd^2e^2f^2g^4 + 5544cd^2e^2f^2g^5 - 1584cd^2e^2f^2g^6 - 4752cd^2e^2f^2g^7 + 4224cd^2e^2f^2g^8 - 1280cd^2e^2f^2g^9)}{3465g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^3\*(c\*x^2+a)/(g\*x+f)^(1/2),x)

[Out]  $\frac{2}{3465} * (g * x + f)^{1/2} * (315 * c * e^3 * g^5 * x^5 + 1155 * c * d * e^2 * g^5 * x^4 - 350 * c * e^3 * f * g^4 * x^4 + 495 * a * e^3 * g^5 * x^3 + 1485 * c * d^2 * e * g^5 * x^3 - 1320 * c * d * e^2 * f * g^4 * x^3 + 400 * c * e$

$$\begin{aligned} & \left( 3f^2g^3x^3 + 2079ad^2e^2g^5x^2 - 594a^3efg^4x^2 + 693cd^3g^5x^2 - 1782cd^2efg^4x^2 + 1584cd^2ef^2g^3x^2 - 480c^3ef^3g^2x^2 + 3465ad^2e^2g^5x - 2772ad^2efg^4x + 792a^3ef^2g^3x - 924cd^3fg^4x + 2376cd^2ef^2g^3x - 2112cd^2ef^3g^2x + 640c^3ef^4gx + 3465ad^3g^5 - 6930ad^2efg^4 + 5544ad^2ef^2g^3 - 1584a^3ef^3g^2 + 1848cd^3f^2g^3 - 4752cd^2ef^3g^2 + 4224cd^2ef^4g - 1280c^3ef^5 \right) / g^6 \end{aligned}$$

**maxima [A]** time = 0.45, size = 326, normalized size = 1.36

$$\frac{2(315(gx+f)^{11/2}c^3 - 385(5c^2e^3f - 3cd^2e^2g)(gx+f)^{10/2} + 495(10c^2e^3f^2 - 12cd^2fg + (3cd^2e + a^2e^3)(gx+f)^2 - 495(10c^2e^3f^2 - 18cd^2fg + 3(3cd^2e + a^2e^3)(gx+f)^2 - (cd^2 + 3ad^2e)(gx+f)^2 + 1155(5c^2e^3f^2 - 12cd^2fg + 3ad^2e^2g + 3(3cd^2e + a^2e^3)(gx+f)^2 - 2(cd^2 + 3ad^2e)(gx+f)^2 - 3465(c^2e^3 - 3cd^2fg + 3ad^2e^2g - ad^2e^2 + (3cd^2e + a^2e^3)(gx+f)^2 - (cd^2 + 3ad^2e)(gx+f)^2))\sqrt{gx+f}}{3465g^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out]  $\frac{2/3465*(315*(gx + f)^{(11/2)}*c^3 - 385*(5*c^2*e^3*f - 3*c*d^2*e^2*g)*(gx + f)^{(9/2)} + 495*(10*c^2*e^3*f^2 - 12*c*d^2*e^2*f*g + (3*c*d^2*e + a*e^3)*g^2)*(gx + f)^{(7/2)} - 693*(10*c^2*e^3*f^2 - 18*c*d^2*e^2*f^2*g + 3*(3*c*d^2*e + a*e^3)*f*g^2 - (c*d^3 + 3*a*d^2*e^2)*g^3)*(gx + f)^{(5/2)} + 1155*(5*c^2*e^3*f^2 - 12*c*d^2*e^2*f^3*g + 3*a*d^2*e^2*g^4 + 3*(3*c*d^2*e + a*e^3)*f^2*g^2 - 2*(c*d^3 + 3*a*d^2*e^2)*f*g^3)*(gx + f)^{(3/2)} - 3465*(c^2*e^3*f^5 - 3*c*d^2*e^2*f^4*g + 3*a*d^2*e^2*f*g^4 - a*d^3*g^5 + (3*c*d^2*e + a*e^3)*f^3*g^2 - (c*d^3 + 3*a*d^2*e^2)*f^2*g^3)*\text{sqrt}(gx + f)}{g^6}$

**mupad [B]** time = 0.12, size = 222, normalized size = 0.92

$$\frac{(f+gx)^{7/2} (6c^2d^2e^2g^2 - 24cd^2fg + 20c^2f^2 + 2a^2g^2)}{7g^6} + \frac{2\sqrt{f+gx} (cf^2 + ag^2) (dg - cf)^3}{g^6} + \frac{2ce^3(f+gx)^{3/2}}{11g^6} + \frac{2(f+gx)^{3/2} (dg - cf)^2 (5cef^2 - 2cdfg + 3aeg^2)}{3g^6} + \frac{2(f+gx)^{3/2} (cd^2g^2 - 8cdfg + 10c^2f^2 + 3a^2g^2)}{5g^6} + \frac{2ce^2(f+gx)^{3/2} (3dg - 5ef)}{9g^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + c\*x^2)\*(d + e\*x)^3)/(f + g\*x)^(1/2),x)

[Out]  $\frac{(f + gx)^{(7/2)}*(2*a^3e^3g^2 + 20*c^2e^3f^2 + 6*c*d^2e^2g^2 - 24*c*d^2e^2f*g)}{7*g^6} + \frac{2*(f + gx)^{(1/2)}*(a*g^2 + c*f^2)*(d*g - e*f)^3}{g^6} + \frac{2*c^2e^3*(f + gx)^{(11/2)}}{11*g^6} + \frac{2*(f + gx)^{(3/2)}*(d*g - e*f)^2*(3*a^2e^2g^2 + 5*c^2e^2f^2 - 2*c*d^2f*g)}{3*g^6} + \frac{2*(f + gx)^{(5/2)}*(d*g - e*f)*(3*a^2e^2g^2 + c*d^2g^2 + 10*c^2e^2f^2 - 8*c*d^2e^2f*g)}{5*g^6} + \frac{2*c^2e^2*(f + gx)^{(9/2)}*(3*d*g - 5*e*f)}{9*g^6}$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3\*(c\*x\*\*2+a)/(g\*x+f)\*\*(1/2),x)

[Out] Timed out



$$3.392 \quad \int \frac{(d+ex)^2(a+cx^2)}{\sqrt{f+gx}} dx$$

Optimal. Leaf size=175

$$\frac{2(f+gx)^{5/2}(ae^2g^2+c(d^2g^2-6defg+6e^2f^2))}{5g^5} + \frac{2\sqrt{f+gx}(ag^2+cf^2)(ef-dg)^2}{g^5} - \frac{4(f+gx)^{3/2}(ef-dg)(aeg^2+cf^2)}{3g^5}$$

Rubi [A] time = 0.24, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {898, 1153}

$$\frac{2(f+gx)^{5/2}(ae^2g^2+c(d^2g^2-6defg+6e^2f^2))}{5g^5} + \frac{2\sqrt{f+gx}(ag^2+cf^2)(ef-dg)^2}{g^5} - \frac{4(f+gx)^{3/2}(ef-dg)(aeg^2+cf^2)}{3g^5} - \frac{4ce(f+gx)^{7/2}(2ef-dg)}{7g^5} + \frac{2ce^2(f+gx)^{9/2}}{9g^5}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^2\*(a + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*(e\*f - d\*g)^2\*(c\*f^2 + a\*g^2)\*Sqrt[f + g\*x])/g^5 - (4\*(e\*f - d\*g)\*(a\*e\*g^2 + c\*f\*(2\*e\*f - d\*g))\*(f + g\*x)^(3/2))/(3\*g^5) + (2\*(a\*e^2\*g^2 + c\*(6\*e^2\*f^2 - 6\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^(5/2))/(5\*g^5) - (4\*c\*e\*(2\*e\*f - d\*g)\*(f + g\*x)^(7/2))/(7\*g^5) + (2\*c\*e^2\*(f + g\*x)^(9/2))/(9\*g^5)

Rule 898

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 + a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

Rule 1153

Int[((d\_) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\int \frac{(d+ex)^2(a+cx^2)}{\sqrt{f+gx}} dx = \frac{2 \operatorname{Subst}\left(\int \left(\frac{-ef+dg}{g} + \frac{ex^2}{g}\right)^2 \left(\frac{cf^2+ag^2}{g^2} - \frac{2cfx^2}{g^2} + \frac{cx^4}{g^2}\right) dx, x, \sqrt{f+gx}\right)}{g}$$

$$= \frac{2 \operatorname{Subst}\left(\int \left(\frac{(-ef+dg)^2(cf^2+ag^2)}{g^4} + \frac{2(ef-dg)(-aeg^2-cf(2ef-dg))x^2}{g^4} + \frac{(ae^2g^2+c(6e^2f^2-6defg+d^2g^2))x^4}{g^4}\right) dx, x, \sqrt{f+gx}\right)}{g}$$

$$= \frac{2(ef-dg)^2(cf^2+ag^2)\sqrt{f+gx}}{g^5} - \frac{4(ef-dg)(aeg^2+cf(2ef-dg))(f+gx)^{3/2}}{3g^5} + \frac{2(ae^2g^2+c(6e^2f^2-6defg+d^2g^2))(f+gx)^{5/2}}{5g^5}$$

**Mathematica [A]** time = 0.15, size = 149, normalized size = 0.85

$$\frac{2\sqrt{f+gx}(63(f+gx)^2(ae^2g^2+c(d^2g^2-6defg+6e^2f^2))+315(ag^2+cf^2)(ef-dg)^2-210(f+gx)(ef-dg)(aeg^2+cf(2ef-dg))-90ce(f+gx)^3(2ef-dg)+35ce^2(f+gx)^4)}{315g^5}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^2\*(a + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(315\*(e\*f - d\*g)^2\*(c\*f^2 + a\*g^2) - 210\*(e\*f - d\*g)\*(a\*e\*g^2 + c\*f\*(2\*e\*f - d\*g))\*(f + g\*x) + 63\*(a\*e^2\*g^2 + c\*(6\*e^2\*f^2 - 6\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^2 - 90\*c\*e\*(2\*e\*f - d\*g)\*(f + g\*x)^3 + 35\*c\*e^2\*(f + g\*x)^4))/(315\*g^5)

**IntegrateAlgebraic [A]** time = 0.11, size = 250, normalized size = 1.43

$$\frac{2\sqrt{f+gx}(315ad^2g^4+210ade^2g^3(f+gx)-630def^2g^2+315a^2f^2g^2-210a^2f^2g^2(f+gx)+63ad^2g^2(f+gx)^2+315ad^2f^2g^2-210ad^2f^2g^2(f+gx)+63ad^2g^2(f+gx)^2-630def^2g+630ade^2f^2g(f+gx)-378defg(f+gx)^2+90ade^2f^2+315ce^2f^4-420ae^2f^2(f+gx)+378ce^2f^2(f+gx)^2-180ce^2f(f+gx)+35ce^2(f+gx)^4)}{315g^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^2\*(a + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(315\*c\*e^2\*f^4 - 630\*c\*d\*e\*f^3\*g + 315\*c\*d^2\*f^2\*g^2 + 315\*a\*e^2\*f^2\*g^2 - 630\*a\*d\*e\*f\*g^3 + 315\*a\*d^2\*g^4 - 420\*c\*e^2\*f^3\*(f + g\*x) + 630\*c\*d\*e\*f^2\*g\*(f + g\*x) - 210\*c\*d^2\*f\*g^2\*(f + g\*x) - 210\*a\*e^2\*f\*g^2\*(f + g\*x) + 210\*a\*d\*e\*g^3\*(f + g\*x) + 378\*c\*e^2\*f^2\*(f + g\*x)^2 - 378\*c\*d\*e\*f\*g\*(f + g\*x)^2 + 63\*c\*d^2\*g^2\*(f + g\*x)^2 + 63\*a\*e^2\*g^2\*(f + g\*x)^2 - 180\*c\*e^2\*f\*(f + g\*x)^3 + 90\*c\*d\*e\*g\*(f + g\*x)^3 + 35\*c\*e^2\*(f + g\*x)^4))/(315\*g^5)

**fricas [A]** time = 0.39, size = 197, normalized size = 1.13

$$\frac{2(35ce^2g^4x^4+128ce^2f^4-288cde^2fg-420adefg^3+315ad^2g^4+168(cd^2+ae^2)f^2g^2-10(4ce^2fg^3-9cde^2g^4)x^3+3(16ce^2f^2g^2-36cde^2fg^3+21(cd^2+ae^2)g^4)x^2-2(32ce^2f^3g-72cde^2fg^2-105ade^2g^4+42(cd^2+ae^2)fg^3)x)\sqrt{fx+f}}{315g^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out]  $\frac{2}{315}*(35*c*e^2*g^4*x^4 + 128*c*e^2*f^4 - 288*c*d*e*f^3*g - 420*a*d*e*f*g^3 + 315*a*d^2*g^4 + 168*(c*d^2 + a*e^2)*f^2*g^2 - 10*(4*c*e^2*f*g^3 - 9*c*d*e*g^4)*x^3 + 3*(16*c*e^2*f^2*g^2 - 36*c*d*e*f*g^3 + 21*(c*d^2 + a*e^2)*g^4)*x^2 - 2*(32*c*e^2*f^3*g - 72*c*d*e*f^2*g^2 - 105*a*d*e*g^4 + 42*(c*d^2 + a*e^2)*f*g^3)*x)*\text{sqrt}(g*x + f)/g^5$

**giac** [A] time = 0.17, size = 243, normalized size = 1.39

$$2 \left( \frac{315 \sqrt{g x + f} a d^2 + \frac{210 (g x + f)^{\frac{3}{2}} - 3 \sqrt{g x + f}}{g} a d e + \frac{21 (3 (g x + f)^{\frac{5}{2}} - 10 (g x + f)^{\frac{3}{2}} f + 15 \sqrt{g x + f}) a d^2}{g^2} + \frac{21 (3 (g x + f)^{\frac{5}{2}} - 10 (g x + f)^{\frac{3}{2}} f + 15 \sqrt{g x + f}) a d e}{g^2} + \frac{18 (5 (g x + f)^{\frac{7}{2}} - 21 (g x + f)^{\frac{5}{2}} f + 35 (g x + f)^{\frac{3}{2}} f^2 - 35 \sqrt{g x + f}) c d e}{g^3} + \frac{(35 (g x + f)^{\frac{9}{2}} - 180 (g x + f)^{\frac{7}{2}} f + 378 (g x + f)^{\frac{5}{2}} f^2 - 420 (g x + f)^{\frac{3}{2}} f^3 + 315 \sqrt{g x + f}) c d e^2}{g^4} \right) / 315 g$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out]  $\frac{2}{315}*(315*\text{sqrt}(g*x + f)*a*d^2 + 210*((g*x + f)^{(3/2)} - 3*\text{sqrt}(g*x + f)*f)*a*d*e/g + 21*(3*(g*x + f)^{(5/2)} - 10*(g*x + f)^{(3/2)}*f + 15*\text{sqrt}(g*x + f)*f^2)*c*d^2/g^2 + 21*(3*(g*x + f)^{(5/2)} - 10*(g*x + f)^{(3/2)}*f + 15*\text{sqrt}(g*x + f)*f^2)*a*e^2/g^2 + 18*(5*(g*x + f)^{(7/2)} - 21*(g*x + f)^{(5/2)}*f + 35*(g*x + f)^{(3/2)}*f^2 - 35*\text{sqrt}(g*x + f)*f^3)*c*d*e/g^3 + (35*(g*x + f)^{(9/2)} - 180*(g*x + f)^{(7/2)}*f + 378*(g*x + f)^{(5/2)}*f^2 - 420*(g*x + f)^{(3/2)}*f^3 + 315*\text{sqrt}(g*x + f)*f^4)*c*e^2/g^4)/g$

**maple** [A] time = 0.01, size = 215, normalized size = 1.23

$$\frac{2 \sqrt{g x + f} (35 c^2 c x^4 g^4 + 90 c d e g^3 x^3 - 40 c^2 f g^3 x^3 + 63 a c^2 g^4 x^2 + 63 c d^2 g^4 x^2 - 108 c d e f g^3 x^2 + 48 c e^2 f^2 g^3 x^2 + 210 a d e g^4 x - 84 a e^2 f g^3 x - 84 c d^2 f g^3 x + 144 c d e f^2 g^2 x - 64 c e^2 f^2 g x + 315 d^2 a g^4 - 420 a d e f g^3 + 168 a e^2 f^2 g^2 + 168 c d^2 f^2 g^2 - 288 c d e f^2 g + 128 c^2 f^4)}{315 g^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^2\*(c\*x^2+a)/(g\*x+f)^(1/2),x)

[Out]  $\frac{2}{315}*(g*x+f)^{(1/2)}*(35*c*e^2*g^4*x^4+90*c*d*e*g^4*x^3-40*c*e^2*f*g^3*x^3+63*a*e^2*g^4*x^2+63*c*d^2*g^4*x^2-108*c*d*e*f*g^3*x^2+48*c*e^2*f^2*g^2*x^2+210*a*d*e*g^4*x-84*a*e^2*f*g^3*x-84*c*d^2*f*g^3*x+144*c*d*e*f^2*g^2*x-64*c*e^2*f^3*g*x+315*a*d^2*g^4-420*a*d*e*f*g^3+168*a*e^2*f^2*g^2+168*c*d^2*f^2*g^2-288*c*d*e*f^3*g+128*c*e^2*f^4)/g^5$

**maxima** [A] time = 0.45, size = 197, normalized size = 1.13

$$\frac{2 \left( 35 (g x + f)^{\frac{3}{2}} c e^2 - 90 (2 c e^2 f - c d e g) (g x + f)^{\frac{3}{2}} + 63 (6 c e^2 f^2 - 6 c d e f g + (c d^2 + a e^2) g^2) (g x + f)^{\frac{3}{2}} - 210 (2 c e^2 f^3 - 3 c d e f^2 g - a d e g^3 + (c d^2 + a e^2) f g^2) (g x + f)^{\frac{3}{2}} + 315 (c e^2 f^4 - 2 c d e f^3 g - 2 a d e f g^3 + a d^2 g^4 + (c d^2 + a e^2) f^2 g^2) \sqrt{g x + f} \right)}{315 g^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out]  $\frac{2}{315} \cdot (35 \cdot (g \cdot x + f)^{(9/2)} \cdot c \cdot e^2 - 90 \cdot (2 \cdot c \cdot e^2 \cdot f - c \cdot d \cdot e \cdot g) \cdot (g \cdot x + f)^{(7/2)} + 63 \cdot (6 \cdot c \cdot e^2 \cdot f^2 - 6 \cdot c \cdot d \cdot e \cdot f \cdot g + (c \cdot d^2 + a \cdot e^2) \cdot g^2) \cdot (g \cdot x + f)^{(5/2)} - 21 \cdot 0 \cdot (2 \cdot c \cdot e^2 \cdot f^3 - 3 \cdot c \cdot d \cdot e \cdot f^2 \cdot g - a \cdot d \cdot e \cdot g^3 + (c \cdot d^2 + a \cdot e^2) \cdot f \cdot g^2) \cdot (g \cdot x + f)^{(3/2)} + 315 \cdot (c \cdot e^2 \cdot f^4 - 2 \cdot c \cdot d \cdot e \cdot f^3 \cdot g - 2 \cdot a \cdot d \cdot e \cdot f \cdot g^3 + a \cdot d^2 \cdot g^4 + (c \cdot d^2 + a \cdot e^2) \cdot f^2 \cdot g^2) \cdot \sqrt{g \cdot x + f}) / g^5$

**mupad [B]** time = 2.58, size = 159, normalized size = 0.91

$$\frac{(f+gx)^{5/2} (2cd^2g^2 - 12cdefg + 12ce^2f^2 + 2ae^2g^2)}{5g^5} + \frac{2\sqrt{f+gx} (cf^2 + ag^2) (dg - ef)^2}{g^5} + \frac{4(f+gx)^{3/2} (dg - ef) (2cef^2 - cdfg + aeg^2)}{3g^5} + \frac{2ce^2(f+gx)^{9/2}}{9g^5} + \frac{4ce(f+gx)^{7/2} (dg - 2ef)}{7g^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + c\*x^2)\*(d + e\*x)^2)/(f + g\*x)^(1/2),x)

[Out]  $\frac{(f + g \cdot x)^{(5/2)} \cdot (2 \cdot a \cdot e^2 \cdot g^2 + 2 \cdot c \cdot d^2 \cdot g^2 + 12 \cdot c \cdot e^2 \cdot f^2 - 12 \cdot c \cdot d \cdot e \cdot f \cdot g)}{(5 \cdot g^5)} + \frac{2 \cdot (f + g \cdot x)^{(1/2)} \cdot (a \cdot g^2 + c \cdot f^2) \cdot (d \cdot g - e \cdot f)^2}{g^5} + \frac{4 \cdot (f + g \cdot x)^{(3/2)} \cdot (d \cdot g - e \cdot f) \cdot (a \cdot e \cdot g^2 + 2 \cdot c \cdot e \cdot f^2 - c \cdot d \cdot f \cdot g)}{(3 \cdot g^5)} + \frac{2 \cdot c \cdot e^2 \cdot (f + g \cdot x)^{(9/2)}}{(9 \cdot g^5)} + \frac{4 \cdot c \cdot e \cdot (f + g \cdot x)^{(7/2)} \cdot (d \cdot g - 2 \cdot e \cdot f)}{(7 \cdot g^5)}$

**sympy [A]** time = 108.50, size = 673, normalized size = 3.85

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*2\*(c\*x\*\*2+a)/(g\*x+f)\*\*(1/2),x)

[Out]  $\text{Piecewise}(\left( \frac{-2 \cdot a \cdot d \cdot f}{\sqrt{f + g \cdot x}} - 2 \cdot a \cdot d \cdot \left( \frac{-f}{\sqrt{f + g \cdot x}} - \sqrt{f + g \cdot x} \right) - \sqrt{f + g \cdot x} \right) - 4 \cdot a \cdot d \cdot e \cdot f \cdot \left( \frac{-f}{\sqrt{f + g \cdot x}} - \sqrt{f + g \cdot x} \right) / g - 4 \cdot a \cdot d \cdot e \cdot \left( \frac{f^2}{\sqrt{f + g \cdot x}} + 2 \cdot f \cdot \sqrt{f + g \cdot x} - (f + g \cdot x)^{(3/2)} / 3 \right) / g - 2 \cdot a \cdot e \cdot \left( \frac{f^2}{\sqrt{f + g \cdot x}} + 2 \cdot f \cdot \sqrt{f + g \cdot x} - (f + g \cdot x)^{(3/2)} / 3 \right) / g^2 - 2 \cdot a \cdot e \cdot \left( \frac{-f^3}{\sqrt{f + g \cdot x}} - 3 \cdot f^2 \cdot \sqrt{f + g \cdot x} + f \cdot (f + g \cdot x)^{(3/2)} - (f + g \cdot x)^{(5/2)} / 5 \right) / g^2 - 2 \cdot c \cdot d \cdot \left( \frac{f^2}{\sqrt{f + g \cdot x}} + 2 \cdot f \cdot \sqrt{f + g \cdot x} - (f + g \cdot x)^{(3/2)} / 3 \right) / g^2 - 2 \cdot c \cdot d \cdot \left( \frac{-f^3}{\sqrt{f + g \cdot x}} - 3 \cdot f^2 \cdot \sqrt{f + g \cdot x} + f \cdot (f + g \cdot x)^{(3/2)} - (f + g \cdot x)^{(5/2)} / 5 \right) / g^2 - 4 \cdot c \cdot d \cdot e \cdot f \cdot \left( \frac{-f^3}{\sqrt{f + g \cdot x}} - 3 \cdot f^2 \cdot \sqrt{f + g \cdot x} + f \cdot (f + g \cdot x)^{(3/2)} - (f + g \cdot x)^{(5/2)} / 5 \right) / g^3 - 4 \cdot c \cdot d \cdot e \cdot \left( \frac{f^4}{\sqrt{f + g \cdot x}} + 4 \cdot f^3 \cdot \sqrt{f + g \cdot x} - 2 \cdot f^2 \cdot (f + g \cdot x)^{(3/2)} + 4 \cdot f \cdot (f + g \cdot x)^{(5/2)} / 5 - (f + g \cdot x)^{(7/2)} / 7 \right) / g^3 - 2 \cdot c \cdot e \cdot \left( \frac{f^4}{\sqrt{f + g \cdot x}} + 4 \cdot f^3 \cdot \sqrt{f + g \cdot x} - 2 \cdot f^2 \cdot (f + g \cdot x)^{(3/2)} + 4 \cdot f \cdot (f + g \cdot x)^{(5/2)} / 5 - (f + g \cdot x)^{(7/2)} / 7 \right) / g^4 - 2 \cdot c \cdot e \cdot \left( \frac{-f^5}{\sqrt{f + g \cdot x}} - 5 \cdot f^4 \cdot \sqrt{f + g \cdot x} + 10 \cdot f^3 \cdot (f + g \cdot x)^{(3/2)} / 3 - 2 \cdot f^2 \cdot (f + g \cdot x)^{(5/2)} + 5 \cdot f \cdot (f + g \cdot x)^{(7/2)} / 7 - (f + g \cdot x)^{(9/2)} / 9 \right) / g^4 / g, \text{Ne}(g, 0) \right), \left( \frac{a \cdot d \cdot 2 \cdot x + a \cdot d \cdot e \cdot x^2 + c \cdot d \cdot e \cdot x^4 / 2 + c \cdot e \cdot 2 \cdot x^5 / 5 + x^3 \cdot (a \cdot e^2 + c \cdot d^2) / 3}{\sqrt{f}} \right), \text{True})$

$$3.393 \quad \int \frac{(d+ex)(a+cx^2)}{\sqrt{f+gx}} dx$$

Optimal. Leaf size=113

$$-\frac{2\sqrt{f+gx}(ag^2+cf^2)(ef-dg)}{g^4} + \frac{2(f+gx)^{3/2}(aeg^2+cf(3ef-2dg))}{3g^4} - \frac{2c(f+gx)^{5/2}(3ef-dg)}{5g^4} + \frac{2ce(f+gx)^{7/2}}{7g^4}$$

Rubi [A] time = 0.07, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {772}

$$-\frac{2\sqrt{f+gx}(ag^2+cf^2)(ef-dg)}{g^4} + \frac{2(f+gx)^{3/2}(aeg^2+cf(3ef-2dg))}{3g^4} - \frac{2c(f+gx)^{5/2}(3ef-dg)}{5g^4} + \frac{2ce(f+gx)^{7/2}}{7g^4}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(a + c\*x^2))/Sqrt[f + g\*x], x]

[Out]  $(-2*(e*f - d*g)*(c*f^2 + a*g^2)*\text{Sqrt}[f + g*x])/g^4 + (2*(a*e*g^2 + c*f*(3*e*f - 2*d*g))*(f + g*x)^{(3/2)})/(3*g^4) - (2*c*(3*e*f - d*g)*(f + g*x)^{(5/2)})/(5*g^4) + (2*c*e*(f + g*x)^{(7/2)})/(7*g^4)$

Rule 772

Int[((d\_.) + (e\_.)\*(x\_.))^(m\_.)\*((f\_.) + (g\_.)\*(x\_.))\*((a\_.) + (c\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{(d+ex)(a+cx^2)}{\sqrt{f+gx}} dx &= \int \left( \frac{(-ef+dg)(cf^2+ag^2)}{g^3\sqrt{f+gx}} + \frac{(aeg^2+cf(3ef-2dg))\sqrt{f+gx}}{g^3} + \frac{c(-3ef+dg)(f+gx)}{g^3} \right. \\ &= -\frac{2(ef-dg)(cf^2+ag^2)\sqrt{f+gx}}{g^4} + \frac{2(aeg^2+cf(3ef-2dg))(f+gx)^{3/2}}{3g^4} - \frac{2c(3ef-dg)(f+gx)^{5/2}}{5g^4} \end{aligned}$$

Mathematica [A] time = 0.09, size = 94, normalized size = 0.83

$$\frac{2\sqrt{f+gx}(35ag^2(3dg-2ef+egx)+7cdg(8f^2-4fgx+3g^2x^2)-3ce(16f^3-8f^2gx+6fg^2x^2-5g^3x^3))}{105g^4}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(a + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(35\*a\*g^2\*(-2\*e\*f + 3\*d\*g + e\*g\*x) + 7\*c\*d\*g\*(8\*f^2 - 4\*f\*g\*x + 3\*g^2\*x^2) - 3\*c\*e\*(16\*f^3 - 8\*f^2\*g\*x + 6\*f\*g^2\*x^2 - 5\*g^3\*x^3)))/(105\*g^4)

**IntegrateAlgebraic [A]** time = 0.07, size = 117, normalized size = 1.04

$$\frac{2\sqrt{f+gx}(105adg^3+35aeg^2(f+gx)-105aefg^2+105cdf^2g-70cdfg(f+gx)+21cdg(f+gx)^2-105cef^3+105cef^2(f+gx)-63cef(f+gx)^2+15ce(f+gx)^3)}{105g^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(a + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(-105\*c\*e\*f^3 + 105\*c\*d\*f^2\*g - 105\*a\*e\*f\*g^2 + 105\*a\*d\*g^3 + 105\*c\*e\*f^2\*(f + g\*x) - 70\*c\*d\*f\*g\*(f + g\*x) + 35\*a\*e\*g^2\*(f + g\*x) - 6\*3\*c\*e\*f\*(f + g\*x)^2 + 21\*c\*d\*g\*(f + g\*x)^2 + 15\*c\*e\*(f + g\*x)^3)/(105\*g^4)

**fricas [A]** time = 0.39, size = 100, normalized size = 0.88

$$\frac{2(15ceg^3x^3 - 48cef^3 + 56cdf^2g - 70aefg^2 + 105adg^3 - 3(6cef^2g - 7cdg^3)x^2 + (24cef^2g - 28cdfg^2 + 35aeg^3)x)\sqrt{gx+f}}{105g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+a)/(g\*x+f)^(1/2), x, algorithm="fricas")

[Out] 2/105\*(15\*c\*e\*g^3\*x^3 - 48\*c\*e\*f^3 + 56\*c\*d\*f^2\*g - 70\*a\*e\*f\*g^2 + 105\*a\*d\*g^3 - 3\*(6\*c\*e\*f\*g^2 - 7\*c\*d\*g^3)\*x^2 + (24\*c\*e\*f^2\*g - 28\*c\*d\*f\*g^2 + 35\*a\*e\*g^3)\*x)\*sqrt(g\*x + f)/g^4

**giac [A]** time = 0.18, size = 134, normalized size = 1.19

$$\frac{2\left(105\sqrt{gx+f}ad + \frac{35\left((gx+f)^{\frac{3}{2}} - 3\sqrt{gx+f}f\right)ae}{g} + \frac{7\left(3(gx+f)^{\frac{5}{2}} - 10(gx+f)^{\frac{3}{2}}f + 15\sqrt{gx+f}f^2\right)cd}{g^2} + \frac{3\left(5(gx+f)^{\frac{7}{2}} - 21(gx+f)^{\frac{5}{2}}f + 35(gx+f)^{\frac{3}{2}}f^2 - 35\sqrt{gx+f}f^3\right)ce}{g^3}\right)}{105g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+a)/(g\*x+f)^(1/2), x, algorithm="giac")

[Out] 2/105\*(105\*sqrt(g\*x + f)\*a\*d + 35\*((g\*x + f)^(3/2) - 3\*sqrt(g\*x + f)\*f)\*a\*e/g + 7\*(3\*(g\*x + f)^(5/2) - 10\*(g\*x + f)^(3/2)\*f + 15\*sqrt(g\*x + f)\*f^2)\*c\*d/g^2 + 3\*(5\*(g\*x + f)^(7/2) - 21\*(g\*x + f)^(5/2)\*f + 35\*(g\*x + f)^(3/2)\*f^2 - 35\*sqrt(g\*x + f)\*f^3)\*c\*e/g^3)/g

**maple [A]** time = 0.00, size = 101, normalized size = 0.89

$$\frac{2\sqrt{gx+f} (15ce^3g^3 + 21cdg^3x^2 - 18cef^2g^2x^2 + 35aeg^3x - 28cdf^2g^2x + 24cef^2gx + 105adg^3 - 70aefg^2 + 56cdf^2g - 48cef^3)}{105g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)\*(c\*x^2+a)/(g\*x+f)^(1/2), x)

[Out]  $\frac{2}{105}*(g*x+f)^{(1/2)}*(15*c*e*g^3*x^3+21*c*d*g^3*x^2-18*c*e*f*g^2*x^2+35*a*e*g^3*x-28*c*d*f*g^2*x+24*c*e*f^2*g*x+105*a*d*g^3-70*a*e*f*g^2+56*c*d*f^2*g-48*c*e*f^3)/g^4$

**maxima [A]** time = 0.44, size = 104, normalized size = 0.92

$$\frac{2\left(15(gx+f)^{7/2}ce - 21(3cef - cdg)(gx+f)^{5/2} + 35(3cef^2 - 2cdfg + aeg^2)(gx+f)^{3/2} - 105(cef^3 - cdf^2g + aefg^2 - adg^3)\sqrt{gx+f}\right)}{105g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+a)/(g\*x+f)^(1/2), x, algorithm="maxima")

[Out]  $\frac{2}{105}*(15*(gx+f)^{(7/2)}*c*e - 21*(3*c*e*f - c*d*g)*(gx+f)^{(5/2)} + 35*(3*c*e*f^2 - 2*c*d*f*g + a*e*g^2)*(gx+f)^{(3/2)} - 105*(c*e*f^3 - c*d*f^2*g + a*e*f*g^2 - a*d*g^3)*\text{sqrt}(gx+f))/g^4$

**mupad [B]** time = 0.07, size = 100, normalized size = 0.88

$$\frac{(f+gx)^{3/2} (6cef^2 - 4cdfg + 2aeg^2)}{3g^4} + \frac{2ce(f+gx)^{7/2}}{7g^4} + \frac{2c(f+gx)^{5/2} (dg - 3ef)}{5g^4} + \frac{2\sqrt{f+gx} (cf^2 + ag^2) (dg - ef)}{g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + c\*x^2)\*(d + e\*x))/(f + g\*x)^(1/2), x)

[Out]  $((f+g*x)^{(3/2)}*(2*a*e*g^2 + 6*c*e*f^2 - 4*c*d*f*g))/(3*g^4) + (2*c*e*(f+g*x)^{(7/2)})/(7*g^4) + (2*c*(f+g*x)^{(5/2)}*(d*g - 3*e*f))/(5*g^4) + (2*(f+g*x)^{(1/2)}*(a*g^2 + c*f^2)*(d*g - e*f))/g^4$

**sympy [A]** time = 61.13, size = 374, normalized size = 3.31

$$\left\{ \begin{array}{l} \frac{-\frac{2adf}{\sqrt{fg^2}} - 2af\left(-\frac{f}{\sqrt{fg^2}} - \sqrt{f+gx}\right) - \frac{2af}{g}\left(-\frac{f}{\sqrt{fg^2}} - \sqrt{fg^2}\right)}{g} - \frac{2af\left(\frac{f^2}{\sqrt{fg^2}} + 2f\sqrt{fg^2} - \frac{(f+gx)^2}{g}\right)}{g} - \frac{2af\left(\frac{f^2}{\sqrt{fg^2}} + 2f\sqrt{fg^2} - \frac{(f+gx)^2}{g}\right)}{g^2} - \frac{2af\left(\frac{f^3}{\sqrt{fg^2}} - 3f^2\sqrt{fg^2} + f(f+gx)^2 - \frac{(f+gx)^2}{g}\right)}{g^2} - \frac{2af\left(\frac{f^3}{\sqrt{fg^2}} - 3f^2\sqrt{fg^2} + f(f+gx)^2 - \frac{(f+gx)^2}{g}\right)}{g^3} - \frac{2af\left(\frac{f^4}{\sqrt{fg^2}} + f^3\sqrt{fg^2} - 2f^2(f+gx)^2 + \frac{4f(f+gx)^2}{g} - \frac{(f+gx)^2}{g}\right)}{g^3} \right. \\ \left. \frac{afx + \frac{ax^2}{2} + \frac{ax^3}{3} + \frac{ax^4}{4}}{\sqrt{f}} \right. \end{array} \right. \begin{array}{l} \text{for } g \neq 0 \\ \text{otherwise} \end{array}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(c*x**2+a)/(g*x+f)**(1/2),x)
```

```
[Out] Piecewise((( -2*a*d*f/sqrt(f + g*x) - 2*a*d*(-f/sqrt(f + g*x) - sqrt(f + g*x)) - 2*a*e*f*(-f/sqrt(f + g*x) - sqrt(f + g*x))/g - 2*a*e*(f**2/sqrt(f + g*x) + 2*f*sqrt(f + g*x) - (f + g*x)**(3/2)/3)/g - 2*c*d*f*(f**2/sqrt(f + g*x) + 2*f*sqrt(f + g*x) - (f + g*x)**(3/2)/3)/g**2 - 2*c*d*(-f**3/sqrt(f + g*x) - 3*f**2*sqrt(f + g*x) + f*(f + g*x)**(3/2) - (f + g*x)**(5/2)/5)/g**2 - 2*c*e*f*(-f**3/sqrt(f + g*x) - 3*f**2*sqrt(f + g*x) + f*(f + g*x)**(3/2) - (f + g*x)**(5/2)/5)/g**3 - 2*c*e*(f**4/sqrt(f + g*x) + 4*f**3*sqrt(f + g*x) - 2*f**2*(f + g*x)**(3/2) + 4*f*(f + g*x)**(5/2)/5 - (f + g*x)**(7/2)/7)/g**3)/g, Ne(g, 0)), ((a*d*x + a*e*x**2/2 + c*d*x**3/3 + c*e*x**4/4)/sqrt(f), True))
```



$$3.394 \quad \int \frac{a+cx^2}{\sqrt{f+gx}} dx$$

**Optimal.** Leaf size=61

$$\frac{2\sqrt{f+gx}(ag^2+cf^2)}{g^3} + \frac{2c(f+gx)^{5/2}}{5g^3} - \frac{4cf(f+gx)^{3/2}}{3g^3}$$

**Rubi [A]** time = 0.03, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {697}

$$\frac{2\sqrt{f+gx}(ag^2+cf^2)}{g^3} + \frac{2c(f+gx)^{5/2}}{5g^3} - \frac{4cf(f+gx)^{3/2}}{3g^3}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^2)/Sqrt[f + g\*x], x]

[Out] (2\*(c\*f^2 + a\*g^2)\*Sqrt[f + g\*x])/g^3 - (4\*c\*f\*(f + g\*x)^(3/2))/(3\*g^3) + (2\*c\*(f + g\*x)^(5/2))/(5\*g^3)

**Rule 697**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{a+cx^2}{\sqrt{f+gx}} dx &= \int \left( \frac{cf^2+ag^2}{g^2\sqrt{f+gx}} - \frac{2cf\sqrt{f+gx}}{g^2} + \frac{c(f+gx)^{3/2}}{g^2} \right) dx \\ &= \frac{2(cf^2+ag^2)\sqrt{f+gx}}{g^3} - \frac{4cf(f+gx)^{3/2}}{3g^3} + \frac{2c(f+gx)^{5/2}}{5g^3} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 44, normalized size = 0.72

$$\frac{2\sqrt{f+gx}(15ag^2+c(8f^2-4fgx+3g^2x^2))}{15g^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c\*x^2)/Sqrt[f + g\*x],x]

[Out] (2\*Sqrt[f + g\*x]\*(15\*a\*g^2 + c\*(8\*f^2 - 4\*f\*g\*x + 3\*g^2\*x^2)))/(15\*g^3)

**IntegrateAlgebraic [A]** time = 0.04, size = 48, normalized size = 0.79

$$\frac{2\sqrt{f+gx} (15ag^2 + 15cf^2 - 10cf(f+gx) + 3c(f+gx)^2)}{15g^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + c\*x^2)/Sqrt[f + g\*x],x]

[Out] (2\*Sqrt[f + g\*x]\*(15\*c\*f^2 + 15\*a\*g^2 - 10\*c\*f\*(f + g\*x) + 3\*c\*(f + g\*x)^2))/(15\*g^3)

**fricas [A]** time = 0.40, size = 40, normalized size = 0.66

$$\frac{2(3cg^2x^2 - 4cfgx + 8cf^2 + 15ag^2)\sqrt{gx+f}}{15g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] 2/15\*(3\*c\*g^2\*x^2 - 4\*c\*f\*g\*x + 8\*c\*f^2 + 15\*a\*g^2)\*sqrt(g\*x + f)/g^3

**giac [A]** time = 0.15, size = 53, normalized size = 0.87

$$\frac{2 \left( 15 \sqrt{gx+f} a + \frac{\left( 3(gx+f)^{\frac{5}{2}} - 10(gx+f)^{\frac{3}{2}} f + 15 \sqrt{gx+f} f^2 \right) c}{g^2} \right)}{15g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] 2/15\*(15\*sqrt(g\*x + f)\*a + (3\*(g\*x + f)^(5/2) - 10\*(g\*x + f)^(3/2)\*f + 15\*sqrt(g\*x + f)\*f^2)\*c/g^2)/g

**maple [A]** time = 0.00, size = 41, normalized size = 0.67

$$\frac{2\sqrt{gx+f} (3cx^2g^2 - 4cfxg + 15ag^2 + 8cf^2)}{15g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+a)/(g*x+f)^(1/2),x)`

[Out]  $2/15*(g*x+f)^{(1/2)}*(3*c*g^2*x^2-4*c*f*g*x+15*a*g^2+8*c*f^2)/g^3$

**maxima** [A] time = 0.43, size = 53, normalized size = 0.87

$$\frac{2 \left( 15 \sqrt{g x + f} a + \frac{\left( 3 (g x + f)^{\frac{5}{2}} - 10 (g x + f)^{\frac{3}{2}} f + 15 \sqrt{g x + f} f^2 \right) c}{g^2} \right)}{15 g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(g*x+f)^(1/2),x, algorithm="maxima")`

[Out]  $2/15*(15*\text{sqrt}(g*x + f)*a + (3*(g*x + f)^{(5/2)} - 10*(g*x + f)^{(3/2)}*f + 15*\text{sqrt}(g*x + f)*f^2)*c/g^2)/g$

**mupad** [B] time = 2.56, size = 44, normalized size = 0.72

$$\frac{2 \sqrt{f + g x} \left( 3 c (f + g x)^2 + 15 a g^2 + 15 c f^2 - 10 c f (f + g x) \right)}{15 g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)/(f + g*x)^(1/2),x)`

[Out]  $(2*(f + g*x)^{(1/2)}*(3*c*(f + g*x)^2 + 15*a*g^2 + 15*c*f^2 - 10*c*f*(f + g*x)))/(15*g^3)$

**sympy** [A] time = 13.10, size = 150, normalized size = 2.46

$$\left\{ \begin{array}{l} \frac{-\frac{2af}{\sqrt{f+gx}} - 2a \left( -\frac{f}{\sqrt{f+gx}} - \sqrt{f+gx} \right) - \frac{2cf \left( \frac{f^2}{\sqrt{f+gx}} + 2f\sqrt{f+gx} - \frac{(f+gx)^{\frac{3}{2}}}{3} \right)}{g^2} - \frac{2c \left( -\frac{f^3}{\sqrt{f+gx}} - 3f^2\sqrt{f+gx} + f(f+gx)^{\frac{3}{2}} - \frac{(f+gx)^{\frac{5}{2}}}{5} \right)}{g^2}}{g} \quad \text{for } g \neq 0 \\ \frac{ax + \frac{cx^3}{3}}{\sqrt{f}} \quad \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a)/(g*x+f)**(1/2),x)`

```
[Out] Piecewise((((-2*a*f/sqrt(f + g*x) - 2*a*(-f/sqrt(f + g*x) - sqrt(f + g*x)) -
2*c*f*(f**2/sqrt(f + g*x) + 2*f*sqrt(f + g*x) - (f + g*x)**(3/2)/3)/g**2 -
2*c*(-f**3/sqrt(f + g*x) - 3*f**2*sqrt(f + g*x) + f*(f + g*x)**(3/2) - (f
+ g*x)**(5/2)/5)/g**2)/g, Ne(g, 0)), ((a*x + c*x**3/3)/sqrt(f), True))
```

$$3.395 \quad \int \frac{a+cx^2}{(d+ex)\sqrt{f+gx}} dx$$

**Optimal.** Leaf size=104

$$\frac{2(ae^2 + cd^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{e^{5/2}\sqrt{ef-dg}} - \frac{2c\sqrt{f+gx}(dg+ef)}{e^2g^2} + \frac{2c(f+gx)^{3/2}}{3eg^2}$$

**Rubi [A]** time = 0.12, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.125, Rules used = {898, 1153, 208}

$$\frac{2(ae^2 + cd^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{e^{5/2}\sqrt{ef-dg}} - \frac{2c\sqrt{f+gx}(dg+ef)}{e^2g^2} + \frac{2c(f+gx)^{3/2}}{3eg^2}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^2)/((d + e\*x)\*Sqrt[f + g\*x]),x]

[Out] (-2\*c\*(e\*f + d\*g)\*Sqrt[f + g\*x])/(e^2\*g^2) + (2\*c\*(f + g\*x)^(3/2))/(3\*e\*g^2) - (2\*(c\*d^2 + a\*e^2)\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(e^(5/2)\*Sqrt[e\*f - d\*g])

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 898

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 + a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1153

Int[((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned}
\int \frac{a + cx^2}{(d + ex)\sqrt{f + gx}} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{\frac{cf^2 + ag^2}{g^2} - \frac{2cfx^2}{g^2} + \frac{cx^4}{g^2}}{\frac{-ef + dg}{g} + \frac{ex^2}{g}} dx, x, \sqrt{f + gx} \right)}{g} \\
&= \frac{2 \operatorname{Subst} \left( \int \left( -\frac{c(ef + dg)}{e^2 g} + \frac{cx^2}{eg} + \frac{cd^2 + ae^2}{e^2 \left( d - \frac{ef}{g} + \frac{ex^2}{g} \right)} \right) dx, x, \sqrt{f + gx} \right)}{g} \\
&= -\frac{2c(ef + dg)\sqrt{f + gx}}{e^2 g^2} + \frac{2c(f + gx)^{3/2}}{3eg^2} + \frac{\left( 2 \left( a + \frac{cd^2}{e^2} \right) \right) \operatorname{Subst} \left( \int \frac{1}{d - \frac{ef}{g} + \frac{ex^2}{g}} dx, x, \sqrt{f + gx} \right)}{g} \\
&= -\frac{2c(ef + dg)\sqrt{f + gx}}{e^2 g^2} + \frac{2c(f + gx)^{3/2}}{3eg^2} - \frac{2(cd^2 + ae^2) \tanh^{-1} \left( \frac{\sqrt{e}\sqrt{f + gx}}{\sqrt{ef - dg}} \right)}{e^{5/2} \sqrt{ef - dg}}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 92, normalized size = 0.88

$$\frac{2c\sqrt{f + gx}(-3dg - 2ef + egx)}{3e^2 g^2} - \frac{2(ae^2 + cd^2) \tanh^{-1} \left( \frac{\sqrt{e}\sqrt{f + gx}}{\sqrt{ef - dg}} \right)}{e^{5/2} \sqrt{ef - dg}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c\*x^2)/((d + e\*x)\*Sqrt[f + g\*x]),x]

[Out] (2\*c\*Sqrt[f + g\*x]\*(-2\*e\*f - 3\*d\*g + e\*g\*x))/(3\*e^2\*g^2) - (2\*(c\*d^2 + a\*e^2)\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]]/(e^(5/2)\*Sqrt[e\*f - d\*g]))

**IntegrateAlgebraic [A]** time = 0.16, size = 105, normalized size = 1.01

$$\frac{2c\sqrt{f + gx}(-3dg + e(f + gx) - 3ef)}{3e^2 g^2} - \frac{2(ae^2 + cd^2) \tan^{-1} \left( \frac{\sqrt{e}\sqrt{f + gx}\sqrt{dg - ef}}{ef - dg} \right)}{e^{5/2} \sqrt{dg - ef}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + c\*x^2)/((d + e\*x)\*Sqrt[f + g\*x]),x]

[Out]  $(2*c*\text{Sqrt}[f + g*x]*(-3*e*f - 3*d*g + e*(f + g*x)))/(3*e^2*g^2) - (2*(c*d^2 + a*e^2)*\text{ArcTan}[\text{Sqrt}[e]*\text{Sqrt}[-(e*f) + d*g]*\text{Sqrt}[f + g*x]/(e*f - d*g)]/(e^{5/2}*\text{Sqrt}[-(e*f) + d*g])$

**fricas** [A] time = 0.41, size = 297, normalized size = 2.86

$$\frac{3(c d^2 + a e^2) \sqrt{e^2 f - d e g} \log\left(\frac{g x + 2 e f - 2 \sqrt{e^2 f - d e g} \sqrt{g x + f}}{e x + d}\right) - 2(2 c e^3 f^2 + c d^2 f g - 3 c d^2 e g^2 - (c e^3 f g - c d^2 e g^2) x) \sqrt{g x + f}}{3(e^4 f g^2 - d e^3 g^3)} - \frac{2\left(3(c d^2 + a e^2) \sqrt{-e^2 f + d e g} \arctan\left(\frac{\sqrt{-e^2 f + d e g} \sqrt{g x + f}}{e g x + e f}\right) - (2 c e^3 f^2 + c d^2 f g - 3 c d^2 e g^2 - (c e^3 f g - c d^2 e g^2) x) \sqrt{g x + f}\right)}{3(e^4 f g^2 - d e^3 g^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(e*x+d)/(g*x+f)^(1/2),x, algorithm="fricas")`

[Out]  $[1/3*(3*(c*d^2 + a*e^2)*\text{sqrt}(e^2*f - d*e*g)*g^2*\log((e*g*x + 2*e*f - d*g - 2*\text{sqrt}(e^2*f - d*e*g)*\text{sqrt}(g*x + f))/(e*x + d)) - 2*(2*c*e^3*f^2 + c*d*e^2*f*g - 3*c*d^2*e*g^2 - (c*e^3*f*g - c*d*e^2*g^2)*x)*\text{sqrt}(g*x + f))/(e^4*f*g^2 - d*e^3*g^3), 2/3*(3*(c*d^2 + a*e^2)*\text{sqrt}(-e^2*f + d*e*g)*g^2*\arctan(\text{sqrt}(-e^2*f + d*e*g)*\text{sqrt}(g*x + f)/(e*g*x + e*f)) - (2*c*e^3*f^2 + c*d*e^2*f*g - 3*c*d^2*e*g^2 - (c*e^3*f*g - c*d*e^2*g^2)*x)*\text{sqrt}(g*x + f))/(e^4*f*g^2 - d*e^3*g^3)]$

**giac** [A] time = 0.20, size = 107, normalized size = 1.03

$$\frac{2(c d^2 + a e^2) \arctan\left(\frac{\sqrt{g x + f} e}{\sqrt{d g e - f e^2}}\right) e^{-2}}{\sqrt{d g e - f e^2}} - \frac{2\left(3 \sqrt{g x + f} c d g^5 e - (g x + f)^{\frac{3}{2}} c g^4 e^2 + 3 \sqrt{g x + f} c f g^4 e^2\right) e^{-3}}{3 g^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(e*x+d)/(g*x+f)^(1/2),x, algorithm="giac")`

[Out]  $2*(c*d^2 + a*e^2)*\arctan(\text{sqrt}(g*x + f)*e/\text{sqrt}(d*g*e - f*e^2))*e^{-2}/\text{sqrt}(d*g*e - f*e^2) - 2/3*(3*\text{sqrt}(g*x + f)*c*d*g^5*e - (g*x + f)^{(3/2)}*c*g^4*e^2 + 3*\text{sqrt}(g*x + f)*c*f*g^4*e^2)*e^{-3}/g^6$

**maple** [A] time = 0.02, size = 132, normalized size = 1.27

$$\frac{2a \arctan\left(\frac{\sqrt{g x + f} e}{\sqrt{(d g - e f) e}}\right)}{\sqrt{(d g - e f) e}} + \frac{2c d^2 \arctan\left(\frac{\sqrt{g x + f} e}{\sqrt{(d g - e f) e^2}}\right)}{\sqrt{(d g - e f) e^2}} - \frac{2 \sqrt{g x + f} c d}{e^2 g} - \frac{2 \sqrt{g x + f} c f}{e g^2} + \frac{2 (g x + f)^{\frac{3}{2}} c}{3 e g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+a)/(e*x+d)/(g*x+f)^(1/2),x)`

[Out]  $2/3*c*(g*x+f)^{(3/2)}/e/g^2-2/g*c/e^2*d*(g*x+f)^{(1/2)}-2/g^2*c/e*f*(g*x+f)^{(1/2)}+2/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)*e}/((d*g-e*f)*e)^{(1/2)})*a+2/e^2/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)*e}/((d*g-e*f)*e)^{(1/2)})*c*d^2$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(e*x+d)/(g*x+f)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f positive or negative?

**mupad** [B] time = 0.11, size = 107, normalized size = 1.03

$$\frac{2 \operatorname{atan}\left(\frac{\sqrt{e} \sqrt{f+gx}}{\sqrt{dg-ef}}\right) (cd^2 + ae^2)}{e^{5/2} \sqrt{dg-ef}} - \sqrt{f+gx} \left( \frac{2c(dg^3 - efg^2)}{e^2 g^4} + \frac{4cf}{eg^2} \right) + \frac{2c(f+gx)^{3/2}}{3eg^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)/((f + g*x)^(1/2)*(d + e*x)),x)`

[Out]  $(2*\operatorname{atan}((e^{1/2}*(f + g*x)^{(1/2)})/(d*g - e*f)^{(1/2)})*(a*e^2 + c*d^2))/(e^{5/2}*(d*g - e*f)^{(1/2)}) - (f + g*x)^{(1/2)}*((2*c*(d*g^3 - e*f*g^2))/(e^2*g^4) + (4*c*f)/(e*g^2)) + (2*c*(f + g*x)^{(3/2)})/(3*e*g^2)$

**sympy** [A] time = 48.66, size = 100, normalized size = 0.96

$$\frac{2c(f+gx)^{\frac{3}{2}}}{3eg^2} - \frac{2c\sqrt{f+gx}(dg+ef)}{e^2g^2} - \frac{2(ae^2+cd^2)\operatorname{atan}\left(\frac{1}{\sqrt{\frac{e}{dg-ef}}\sqrt{f+gx}}\right)}{e^2\sqrt{\frac{e}{dg-ef}}(dg-ef)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a)/(e*x+d)/(g*x+f)**(1/2),x)`

[Out]  $2*c*(f + g*x)**(3/2)/(3*e*g**2) - 2*c*\operatorname{sqrt}(f + g*x)*(d*g + e*f)/(e**2*g**2) - 2*(a*e**2 + c*d**2)*\operatorname{atan}(1/(\operatorname{sqrt}(e/(d*g - e*f))*\operatorname{sqrt}(f + g*x)))/(e**2*\operatorname{sqrt}(e/(d*g - e*f))*(d*g - e*f))$



$$3.396 \quad \int \frac{a+cx^2}{(d+ex)^2 \sqrt{f+gx}} dx$$

**Optimal.** Leaf size=122

$$-\frac{\sqrt{f+gx} \left( a + \frac{cd^2}{e^2} \right)}{(d+ex)(ef-dg)} + \frac{(ae^2g + cd(4ef - 3dg)) \tanh^{-1} \left( \frac{\sqrt{e} \sqrt{f+gx}}{\sqrt{ef-dg}} \right)}{e^{5/2}(ef-dg)^{3/2}} + \frac{2c\sqrt{f+gx}}{e^2g}$$

**Rubi [A]** time = 0.20, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {898, 1157, 388, 208}

$$-\frac{\sqrt{f+gx} \left( a + \frac{cd^2}{e^2} \right)}{(d+ex)(ef-dg)} + \frac{(ae^2g + cd(4ef - 3dg)) \tanh^{-1} \left( \frac{\sqrt{e} \sqrt{f+gx}}{\sqrt{ef-dg}} \right)}{e^{5/2}(ef-dg)^{3/2}} + \frac{2c\sqrt{f+gx}}{e^2g}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^2)/((d + e\*x)^2\*Sqrt[f + g\*x]),x]

[Out] (2\*c\*Sqrt[f + g\*x])/(e^2\*g) - ((a + (c\*d^2)/e^2)\*Sqrt[f + g\*x])/((e\*f - d\*g)\*(d + e\*x)) + ((a\*e^2\*g + c\*d\*(4\*e\*f - 3\*d\*g))\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(e^(5/2)\*(e\*f - d\*g)^(3/2))

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 388

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

### Rule 898

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 + a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] :> With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2,
x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x,
0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rubi steps

$$\int \frac{a + cx^2}{(d + ex)^2 \sqrt{f + gx}} dx = \frac{2 \operatorname{Subst} \left( \int \frac{\frac{cf^2 + ag^2}{g^2} - \frac{2cfx^2}{g^2} + \frac{cx^4}{g^2}}{\left(\frac{-ef + dg}{g} + \frac{ex^2}{g}\right)^2} dx, x, \sqrt{f + gx} \right)}{g}$$

$$= -\frac{(cd^2 + ae^2) \sqrt{f + gx}}{e^2(ef - dg)(d + ex)} + \frac{\operatorname{Subst} \left( \int \frac{-a + \frac{cd^2}{e^2} - \frac{2cf^2}{g^2} + \frac{2c(ef - dg)x^2}{eg^2}}{\frac{-ef + dg}{g} + \frac{ex^2}{g}} dx, x, \sqrt{f + gx} \right)}{ef - dg}$$

$$= \frac{2c\sqrt{f + gx}}{e^2g} - \frac{(cd^2 + ae^2) \sqrt{f + gx}}{e^2(ef - dg)(d + ex)} - \frac{\left(a + \frac{cd(4ef - 3dg)}{e^2g}\right) \operatorname{Subst} \left( \int \frac{1}{\frac{-ef + dg}{g} + \frac{ex^2}{g}} dx, x, \sqrt{f + gx} \right)}{ef - dg}$$

$$= \frac{2c\sqrt{f + gx}}{e^2g} - \frac{(cd^2 + ae^2) \sqrt{f + gx}}{e^2(ef - dg)(d + ex)} + \frac{(ae^2g + cd(4ef - 3dg)) \tanh^{-1} \left( \frac{\sqrt{e} \sqrt{f + gx}}{\sqrt{ef - dg}} \right)}{e^{5/2}(ef - dg)^{3/2}}$$

**Mathematica [A]** time = 0.29, size = 171, normalized size = 1.40

$$\frac{(ae^2 + cd^2) \left( \sqrt{e} \sqrt{f + gx} (dg - ef) + g(d + ex) \sqrt{dg - ef} \tan^{-1} \left( \frac{\sqrt{e} \sqrt{f + gx}}{\sqrt{dg - ef}} \right) \right)}{(d + ex)(ef - dg)^2} + \frac{4cd \tanh^{-1} \left( \frac{\sqrt{e} \sqrt{f + gx}}{\sqrt{ef - dg}} \right)}{\sqrt{ef - dg}} + \frac{2c\sqrt{e} \sqrt{f + gx}}{g}$$

$$e^{5/2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c\*x^2)/((d + e\*x)^2\*Sqrt[f + g\*x]), x]

[Out] ((2\*c\*Sqrt[e]\*Sqrt[f + g\*x])/g + ((c\*d^2 + a\*e^2)\*(Sqrt[e]\*(-(e\*f) + d\*g)\*Sqrt[f + g\*x] + g\*Sqrt[-(e\*f) + d\*g]\*(d + e\*x)\*ArcTan[(Sqrt[e]\*Sqrt[f + g\*x]

)/Sqrt[-(e\*f) + d\*g]))/((e\*f - d\*g)^2\*(d + e\*x)) + (4\*c\*d\*ArcTanh[(Sqrt[e]  
\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/Sqrt[e\*f - d\*g])/e^(5/2)

**IntegrateAlgebraic [A]** time = 0.51, size = 179, normalized size = 1.47

$$\frac{\sqrt{f+gx} (ae^2g^2 + 3cd^2g^2 + 2cdeg(f+gx) - 4cdefg + 2ce^2f^2 - 2ce^2f(f+gx))}{e^2g(ef-dg)(-dg-c(f+gx)+ef)} + \frac{(-ae^2g + 3cd^2g - 4cdef) \tan^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}\sqrt{dg-ef}}{ef-dg}\right)}{e^{5/2}(dg-ef)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + c\*x^2)/((d + e\*x)^2\*Sqrt[f + g\*x]),x]

[Out] (Sqrt[f + g\*x]\*(2\*c\*e^2\*f^2 - 4\*c\*d\*e\*f\*g + 3\*c\*d^2\*g^2 + a\*e^2\*g^2 - 2\*c\*e  
^2\*f\*(f + g\*x) + 2\*c\*d\*e\*g\*(f + g\*x)))/(e^2\*g\*(e\*f - d\*g)\*(e\*f - d\*g - e\*(f  
+ g\*x))) + ((-4\*c\*d\*e\*f + 3\*c\*d^2\*g - a\*e^2\*g)\*ArcTan[(Sqrt[e]\*Sqrt[-(e\*f  
+ d\*g)\*Sqrt[f + g\*x])/(e\*f - d\*g)])/e^(5/2)\*(-(e\*f) + d\*g)^(3/2))

**fricas [B]** time = 0.41, size = 539, normalized size = 4.42

$$\frac{(4cd^2fg - (3cd^2 - ad^2)g^2 + (4cd^2f - (3cd^2 - ad^2)g^2)\sqrt{f-dg}) \arctan\left(\frac{\sqrt{e}\sqrt{f+gx}\sqrt{dg-ef}}{ef-dg}\right) - 2(2cd^2f^2 - (3cd^2 + ad^2)fg + (3cd^2 + ad^2)g^2 + 2cd^2f - 2cd^2fg + cd^2g^2)\sqrt{fg+f}}{2(d^2fg - 2d^2fg^2 + d^2g^3 + (e^2fg - 2d^2fg^2 + d^2g^3))} + \frac{(4cd^2fg - (3cd^2 - ad^2)g^2 + (4cd^2f - (3cd^2 - ad^2)g^2)\sqrt{f-dg}) \arctan\left(\frac{\sqrt{e}\sqrt{f+gx}\sqrt{dg-ef}}{ef-dg}\right) - (2cd^2f^2 - (3cd^2 + ad^2)fg + (3cd^2 + ad^2)g^2 + 2cd^2f - 2cd^2fg + cd^2g^2)\sqrt{fg+f}}{d^2fg - 2d^2fg^2 + d^2g^3 + (e^2fg - 2d^2fg^2 + d^2g^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^2/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] [-1/2\*((4\*c\*d^2\*e\*f\*g - (3\*c\*d^3 - a\*d\*e^2)\*g^2 + (4\*c\*d\*e^2\*f\*g - (3\*c\*d^2  
\*e - a\*e^3)\*g^2)\*x)\*sqrt(e^2\*f - d\*e\*g)\*log((e\*g\*x + 2\*e\*f - d\*g - 2\*sqrt(e  
^2\*f - d\*e\*g)\*sqrt(g\*x + f))/(e\*x + d)) - 2\*(2\*c\*d\*e^3\*f^2 - (5\*c\*d^2\*e^2 +  
a\*e^4)\*f\*g + (3\*c\*d^3\*e + a\*d\*e^3)\*g^2 + 2\*(c\*e^4\*f^2 - 2\*c\*d\*e^3\*f\*g + c  
d^2\*e^2\*g^2)\*x)\*sqrt(g\*x + f))/(d\*e^5\*f^2\*g - 2\*d^2\*e^4\*f\*g^2 + d^3\*e^3\*g^3  
+ (e^6\*f^2\*g - 2\*d\*e^5\*f\*g^2 + d^2\*e^4\*g^3)\*x), -((4\*c\*d^2\*e\*f\*g - (3\*c\*d^2  
3 - a\*d\*e^2)\*g^2 + (4\*c\*d\*e^2\*f\*g - (3\*c\*d^2\*e - a\*e^3)\*g^2)\*x)\*sqrt(-e^2\*f  
+ d\*e\*g)\*arctan(sqrt(-e^2\*f + d\*e\*g)\*sqrt(g\*x + f)/(e\*g\*x + e\*f)) - (2\*c\*d  
\*e^3\*f^2 - (5\*c\*d^2\*e^2 + a\*e^4)\*f\*g + (3\*c\*d^3\*e + a\*d\*e^3)\*g^2 + 2\*(c\*e^4  
\*f^2 - 2\*c\*d\*e^3\*f\*g + c\*d^2\*e^2\*g^2)\*x)\*sqrt(g\*x + f))/(d\*e^5\*f^2\*g - 2\*d^2  
\*e^4\*f\*g^2 + d^3\*e^3\*g^3 + (e^6\*f^2\*g - 2\*d\*e^5\*f\*g^2 + d^2\*e^4\*g^3)\*x)]

**giac [A]** time = 0.17, size = 148, normalized size = 1.21

$$\frac{2\sqrt{gx+f}ce^{(-2)}}{g} - \frac{(3cd^2g - 4cdfe - age^2) \arctan\left(\frac{\sqrt{gx+fe}}{\sqrt{dge-fe^2}}\right)}{(dge^2 - fe^3)\sqrt{dge-fe^2}} + \frac{\sqrt{gx+f}cd^2g + \sqrt{gx+f}age^2}{(dge^2 - fe^3)(dg + (gx+f)e - fe)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^2/(g\*x+f)^(1/2),x, algorithm="giac")

[Out]  $2\sqrt{g*x + f} * c * e^{-2} / g - (3*c*d^2*g - 4*c*d*f*e - a*g*e^2) * \arctan(\sqrt{g*x + f} * e / \sqrt{d*g*e - f*e^2}) / ((d*g*e^2 - f*e^3) * \sqrt{d*g*e - f*e^2}) + (\sqrt{g*x + f} * c * d^2 * g + \sqrt{g*x + f} * a * g * e^2) / ((d*g*e^2 - f*e^3) * (d*g + (g*x + f) * e - f * e))$

**maple [B]** time = 0.02, size = 237, normalized size = 1.94

$$\frac{ag \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{(dg-ef)e}}\right)}{(dg-ef)\sqrt{(dg-ef)e}} - \frac{3cd^2g \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{(dg-ef)e}}\right)}{(dg-ef)\sqrt{(dg-ef)e}e^2} + \frac{4cdf \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{(dg-ef)e}}\right)}{(dg-ef)\sqrt{(dg-ef)e}e} + \frac{\sqrt{gx+f}ag}{(dg-ef)(egx+dg)} + \frac{\sqrt{gx+f}cd^2g}{(dg-ef)(egx+dg)e^2} + \frac{2\sqrt{gx+f}c}{e^2g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+a)/(e*x+d)^2/(g*x+f)^(1/2),x)`

[Out]  $2*c*(g*x+f)^{(1/2)}/e^2/g+g/(d*g-e*f)*(g*x+f)^{(1/2)}/(e*g*x+d*g)*a+g/e^2/(d*g-e*f)*(g*x+f)^{(1/2)}/(e*g*x+d*g)*c*d^2+g/(d*g-e*f)/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*a-3*g/e^2/(d*g-e*f)/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*c*d^2+4/e/(d*g-e*f)/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*c*d*f$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(e*x+d)^2/(g*x+f)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f positive or negative?

**mupad [B]** time = 2.68, size = 128, normalized size = 1.05

$$\frac{\operatorname{atan}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{dg-ef}}\right)(-3cgd^2+4cfde+age^2)}{e^{5/2}(dg-ef)^{3/2}} + \frac{\sqrt{f+gx}(cgd^2+age^2)}{(dg-ef)(e^3(f+gx)-e^3f+de^2g)} + \frac{2c\sqrt{f+gx}}{e^2g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)/((f + g*x)^(1/2)*(d + e*x)^2),x)`

[Out]  $(\operatorname{atan}((e^{1/2}*(f + g*x)^{(1/2)})/(d*g - e*f)^{(1/2)})*(a*e^2*g - 3*c*d^2*g + 4*c*d*e*f))/(e^{5/2}*(d*g - e*f)^{(3/2)}) + ((f + g*x)^{(1/2})*(a*e^2*g + c*d^2*g))/(d*g - e*f)*(e^3*(f + g*x) - e^3*f + d*e^2*g)) + (2*c*(f + g*x)^{(1/2)})/(e^2*g)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+a)/(e\*x+d)\*\*2/(g\*x+f)\*\*(1/2),x)

[Out] Timed out

$$3.397 \quad \int \frac{a+cx^2}{(d+ex)^3 \sqrt{f+gx}} dx$$

**Optimal.** Leaf size=178

$$\frac{\sqrt{f+gx} \left( a + \frac{cd^2}{e^2} \right) (3ae^2g^2 + c(3d^2g^2 - 8defg + 8e^2f^2)) \tanh^{-1} \left( \frac{\sqrt{e} \sqrt{f+gx}}{\sqrt{ef-dg}} \right)}{2(d+ex)^2(ef-dg)} - \frac{(3ae^2g^2 + c(3d^2g^2 - 8defg + 8e^2f^2)) \tanh^{-1} \left( \frac{\sqrt{e} \sqrt{f+gx}}{\sqrt{ef-dg}} \right)}{4e^{5/2}(ef-dg)^{5/2}} + \frac{\sqrt{f+gx} (3ae^2g + cd(8ef - 5dg))}{4e^2(d+ex)(ef-dg)^2}$$

**Rubi [A]** time = 0.30, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {898, 1157, 385, 208}

$$-\frac{(3ae^2g^2 + c(3d^2g^2 - 8defg + 8e^2f^2)) \tanh^{-1} \left( \frac{\sqrt{e} \sqrt{f+gx}}{\sqrt{ef-dg}} \right)}{4e^{5/2}(ef-dg)^{5/2}} - \frac{\sqrt{f+gx} \left( a + \frac{cd^2}{e^2} \right)}{2(d+ex)^2(ef-dg)} + \frac{\sqrt{f+gx} (3ae^2g + cd(8ef - 5dg))}{4e^2(d+ex)(ef-dg)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^2)/((d + e\*x)^3\*sqrt[f + g\*x]),x]

[Out] -((a + (c\*d^2)/e^2)\*sqrt[f + g\*x])/(2\*(e\*f - d\*g)\*(d + e\*x)^2) + ((3\*a\*e^2\*g + c\*d\*(8\*e\*f - 5\*d\*g))\*sqrt[f + g\*x])/(4\*e^2\*(e\*f - d\*g)^2\*(d + e\*x)) - ((3\*a\*e^2\*g^2 + c\*(8\*e^2\*f^2 - 8\*d\*e\*f\*g + 3\*d^2\*g^2))\*ArcTanh[(sqrt[e]\*sqrt[f + g\*x])/sqrt[e\*f - d\*g]])/(4\*e^(5/2)\*(e\*f - d\*g)^(5/2))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

### Rule 898

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_)^(n\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 + a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n

, p] && FractionQ[m]

### Rule 1157

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_),
x_Symbol] :> With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2,
x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x,
0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

### Rubi steps

$$\int \frac{a + cx^2}{(d + ex)^3 \sqrt{f + gx}} dx = \frac{2 \operatorname{Subst} \left( \int \frac{\frac{cf^2 + ag^2}{g^2} - \frac{2cfx^2}{g^2} + \frac{cx^4}{g^2}}{\left(\frac{-ef + dg}{g} + \frac{ex^2}{g}\right)^3} dx, x, \sqrt{f + gx} \right)}{g}$$

$$= -\frac{(cd^2 + ae^2) \sqrt{f + gx}}{2e^2(ef - dg)(d + ex)^2} + \frac{\operatorname{Subst} \left( \int \frac{-3a + \frac{cd^2}{e^2} - \frac{4cf^2}{g^2} + \frac{4c(ef - dg)x^2}{eg^2}}{\left(\frac{-ef + dg}{g} + \frac{ex^2}{g}\right)^2} dx, x, \sqrt{f + gx} \right)}{2(ef - dg)}$$

$$= -\frac{(cd^2 + ae^2) \sqrt{f + gx}}{2e^2(ef - dg)(d + ex)^2} + \frac{(3ae^2g + cd(8ef - 5dg)) \sqrt{f + gx}}{4e^2(ef - dg)^2(d + ex)} + \frac{(3ae^2g^2 + c(8e^2f^2 - 4efdg)) \sqrt{f + gx}}{4e^2(ef - dg)^2(d + ex)}$$

$$= -\frac{(cd^2 + ae^2) \sqrt{f + gx}}{2e^2(ef - dg)(d + ex)^2} + \frac{(3ae^2g + cd(8ef - 5dg)) \sqrt{f + gx}}{4e^2(ef - dg)^2(d + ex)} - \frac{(3ae^2g^2 + c(8e^2f^2 - 4efdg)) \sqrt{f + gx}}{4e^2(ef - dg)^2(d + ex)}$$

**Mathematica [C]** time = 0.82, size = 207, normalized size = 1.16

$$2 \left( \frac{\sqrt{e} g^2 \sqrt{f + gx} (ae^2 + cd^2) {}_2F_1\left(\frac{1}{2}, 3; \frac{3}{2}; \frac{e(f + gx)}{ef - dg}\right)}{(dg - ef)^3} - \frac{cd \left( \sqrt{e} \sqrt{f + gx} (dg - ef) + g(d + ex) \sqrt{dg - ef} \tan^{-1}\left(\frac{\sqrt{e} \sqrt{f + gx}}{\sqrt{dg - ef}}\right) \right)}{(d + ex)(ef - dg)^2} - \frac{c \tanh^{-1}\left(\frac{\sqrt{e} \sqrt{f + gx}}{\sqrt{ef - dg}}\right)}{\sqrt{ef - dg}} \right) e^{5/2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c\*x^2)/((d + e\*x)^3\*Sqrt[f + g\*x]),x]

```
[Out] (2*(-((c*d*(Sqrt[e]*(-(e*f) + d*g))*Sqrt[f + g*x] + g*Sqrt[-(e*f) + d*g])*(d
+ e*x)*ArcTan[(Sqrt[e]*Sqrt[f + g*x])/Sqrt[-(e*f) + d*g]]))/((e*f - d*g)^2*
(d + e*x))) - (c*ArcTanh[(Sqrt[e]*Sqrt[f + g*x])/Sqrt[e*f - d*g]])/Sqrt[e*f
- d*g] + (Sqrt[e]*(c*d^2 + a*e^2)*g^2*Sqrt[f + g*x]*Hypergeometric2F1[1/2,
3, 3/2, (e*(f + g*x))/(e*f - d*g)]/(-(e*f) + d*g)^3))/e^(5/2)
```

**IntegrateAlgebraic [A]** time = 0.86, size = 225, normalized size = 1.26

$$\frac{(-3ae^2g^2 - 3cd^2g^2 + 8cdefg - 8ce^2f^2) \tan^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}\sqrt{dg-ef}}{ef-dg}\right) - g\sqrt{f+gx}(-5ade^2g^2 - 3ae^3g(f+gx) + 5ae^3fg + 3cd^3g^2 + 5cd^2eg(f+gx) - 11cd^2efg + 8cde^2f^2 - 8cde^2f(f+gx))}{4e^{5/2}(dg-ef)^{5/2}} - \frac{g\sqrt{f+gx}(-5ade^2g^2 - 3ae^3g(f+gx) + 5ae^3fg + 3cd^3g^2 + 5cd^2eg(f+gx) - 11cd^2efg + 8cde^2f^2 - 8cde^2f(f+gx))}{4e^2(ef-dg)^2(-dg-ef+gx)+ef^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + c*x^2)/((d + e*x)^3*Sqrt[f + g*x]),x]
```

```
[Out] -1/4*(g*Sqrt[f + g*x]*(8*c*d*e^2*f^2 - 11*c*d^2*e*f*g + 5*a*e^3*f*g + 3*c*d
^3*g^2 - 5*a*d*e^2*g^2 - 8*c*d*e^2*f*(f + g*x) + 5*c*d^2*e*g*(f + g*x) - 3*
a*e^3*g*(f + g*x)))/(e^2*(e*f - d*g)^2*(e*f - d*g - e*(f + g*x))^2) + ((-8*
c*e^2*f^2 + 8*c*d*e*f*g - 3*c*d^2*g^2 - 3*a*e^2*g^2)*ArcTan[(Sqrt[e]*Sqrt[-
(e*f) + d*g]*Sqrt[f + g*x])/(e*f - d*g)])/(4*e^(5/2)*(-(e*f) + d*g)^(5/2))
```

**fricas [B]** time = 0.43, size = 896, normalized size = 5.03

---

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+a)/(e*x+d)^3/(g*x+f)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/8*((8*c*d^2*e^2*f^2 - 8*c*d^3*e*f*g + 3*(c*d^4 + a*d^2*e^2)*g^2 + (8*c*e
^4*f^2 - 8*c*d*e^3*f*g + 3*(c*d^2*e^2 + a*e^4)*g^2)*x^2 + 2*(8*c*d*e^3*f^2
- 8*c*d^2*e^2*f*g + 3*(c*d^3*e + a*d*e^3)*g^2)*x)*sqrt(e^2*f - d*e*g)*log((
e*g*x + 2*e*f - d*g - 2*sqrt(e^2*f - d*e*g)*sqrt(g*x + f))/(e*x + d)) + 2*(
2*(3*c*d^2*e^3 - a*e^5)*f^2 - (9*c*d^3*e^2 - 7*a*d*e^4)*f*g + (3*c*d^4*e -
5*a*d^2*e^3)*g^2 + (8*c*d*e^4*f^2 - (13*c*d^2*e^3 - 3*a*e^5)*f*g + (5*c*d^3
*e^2 - 3*a*d*e^4)*g^2)*x)*sqrt(g*x + f))/(d^2*e^6*f^3 - 3*d^3*e^5*f^2*g + 3
*d^4*e^4*f*g^2 - d^5*e^3*g^3 + (e^8*f^3 - 3*d*e^7*f^2*g + 3*d^2*e^6*f*g^2 -
d^3*e^5*g^3)*x^2 + 2*(d*e^7*f^3 - 3*d^2*e^6*f^2*g + 3*d^3*e^5*f*g^2 - d^4*
e^4*g^3)*x), 1/4*((8*c*d^2*e^2*f^2 - 8*c*d^3*e*f*g + 3*(c*d^4 + a*d^2*e^2)*
g^2 + (8*c*e^4*f^2 - 8*c*d*e^3*f*g + 3*(c*d^2*e^2 + a*e^4)*g^2)*x^2 + 2*(8*
c*d*e^3*f^2 - 8*c*d^2*e^2*f*g + 3*(c*d^3*e + a*d*e^3)*g^2)*x)*sqrt(-e^2*f +
d*e*g)*arctan(sqrt(-e^2*f + d*e*g)*sqrt(g*x + f)/(e*g*x + e*f)) + (2*(3*c*
d^2*e^3 - a*e^5)*f^2 - (9*c*d^3*e^2 - 7*a*d*e^4)*f*g + (3*c*d^4*e - 5*a*d^2
*e^3)*g^2 + (8*c*d*e^4*f^2 - (13*c*d^2*e^3 - 3*a*e^5)*f*g + (5*c*d^3*e^2 -
3*a*d*e^4)*g^2)*x)*sqrt(g*x + f))/(d^2*e^6*f^3 - 3*d^3*e^5*f^2*g + 3*d^4*e
^4*f*g^2 - d^5*e^3*g^3 + (e^8*f^3 - 3*d*e^7*f^2*g + 3*d^2*e^6*f*g^2 - d^3*e
```



$5*g^3*x^2 + 2*(d*e^7*f^3 - 3*d^2*e^6*f^2*g + 3*d^3*e^5*f*g^2 - d^4*e^4*g^3)*x]$

**giac** [A] time = 0.21, size = 278, normalized size = 1.56

$$\frac{(3cd^2g^2 - 8cdfge + 8cf^2e^2 + 3ag^2e^2) \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{dg-ef}e}\right)}{4(d^2g^2e^2 - 2dfge^3 + f^2e^4)\sqrt{dg-ef}e} - \frac{3\sqrt{gx+f}cd^2g^3 + 5(gx+f)^3cd^2g^2e - 11\sqrt{gx+f}cd^2fg^2e - 8(gx+f)^{\frac{3}{2}}cdfge^2 + 8\sqrt{gx+f}cdf^2ge^2 - 5\sqrt{gx+f}adg^2e^2 - 3(gx+f)^{\frac{3}{2}}ag^2e^3 + 5\sqrt{gx+f}afg^2e^3}{4(d^2g^2e^2 - 2dfge^3 + f^2e^4)(dg + (gx+f)e - fe)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^3/(g\*x+f)^(1/2),x, algorithm="giac")

[Out]  $\frac{1}{4}*(3*c*d^2*g^2 - 8*c*d*f*g*e + 8*c*f^2*e^2 + 3*a*g^2*e^2)*\arctan(\sqrt{g*x + f}*e/\sqrt{d*g*e - f*e^2})/((d^2*g^2*e^2 - 2*d*f*g*e^3 + f^2*e^4)*\sqrt{d*g*e - f*e^2}) - \frac{1}{4}*(3*\sqrt{g*x + f}*c*d^3*g^3 + 5*(g*x + f)^{(3/2)}*c*d^2*g^2*e - 11*\sqrt{g*x + f}*c*d^2*f*g^2*e - 8*(g*x + f)^{(3/2)}*c*d*f*g*e^2 + 8*\sqrt{g*x + f}*c*d*f^2*g*e^2 - 5*\sqrt{g*x + f}*a*d*g^3*e^2 - 3*(g*x + f)^{(3/2)}*a*g^2*e^3 + 5*\sqrt{g*x + f}*a*f*g^2*e^3)/((d^2*g^2*e^2 - 2*d*f*g*e^3 + f^2*e^4)*(d*g + (g*x + f)*e - f*e)^2)$

**maple** [B] time = 0.02, size = 384, normalized size = 2.16

$$\frac{3ag^2 \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{dg-ef}e}\right)}{4(d^2g^2 - 2defg + e^2f^2)\sqrt{(dg-ef)e}} + \frac{3cd^2g^2 \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{dg-ef}e}\right)}{4(d^2g^2 - 2defg + e^2f^2)\sqrt{(dg-ef)e}e^2} - \frac{2cdfg \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{dg-ef}e}\right)}{(d^2g^2 - 2defg + e^2f^2)\sqrt{(dg-ef)e}e} + \frac{2cf^2 \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{dg-ef}e}\right)}{(d^2g^2 - 2defg + e^2f^2)\sqrt{(dg-ef)e}} + \frac{\frac{3a^2e^2g - 5c^2d^2g + 8cdef}{4(d^2g^2 - 2defg + e^2f^2)}\sqrt{gx+f}^{\frac{3}{2}}g + \frac{5a^2e^2g - 3c^2d^2g + 8cdef}{4(d^2g^2 - 2defg + e^2f^2)}\sqrt{gx+f}g}{(dg-ef + (gx+f)e)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+a)/(e\*x+d)^3/(g\*x+f)^(1/2),x)

[Out]  $2*(1/8*g*(3*a*e^2*g - 5*c*d^2*g + 8*c*d*e*f)/e/(d^2*g^2 - 2*d*e*f*g + e^2*f^2))*(g*x + f)^{(3/2)} + 1/8*(5*a*e^2*g - 3*c*d^2*g + 8*c*d*e*f)/e^2*g/(d*g - e*f)*(g*x + f)^{(1/2)}/(e*(g*x + f) + d*g - e*f)^2 + 3/4/(d^2*g^2 - 2*d*e*f*g + e^2*f^2)/((d*g - e*f)*e)^{(1/2)}*\arctan((g*x + f)^{(1/2)}/((d*g - e*f)*e)^{(1/2)}*e)*a*g^2 + 3/4/(d^2*g^2 - 2*d*e*f*g + e^2*f^2)/e^2/((d*g - e*f)*e)^{(1/2)}*\arctan((g*x + f)^{(1/2)}/((d*g - e*f)*e)^{(1/2)}*e)*c*d^2*g^2 - 2/(d^2*g^2 - 2*d*e*f*g + e^2*f^2)/e/((d*g - e*f)*e)^{(1/2)}*\arctan((g*x + f)^{(1/2)}/((d*g - e*f)*e)^{(1/2)}*e)*c*d*f*g + 2/(d^2*g^2 - 2*d*e*f*g + e^2*f^2)/((d*g - e*f)*e)^{(1/2)}*\arctan((g*x + f)^{(1/2)}/((d*g - e*f)*e)^{(1/2)}*e)*c*f^2$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^3/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* h

elp (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details) Is d\*g-e\*f positive or negative?

**mupad [B]** time = 2.91, size = 224, normalized size = 1.26

$$\frac{\frac{\sqrt{f+gx}(-3cd^2g^2+8cfd eg+5ae^2g^2)}{4e^2(dg-ef)} + \frac{(f+gx)^{3/2}(-5cd^2g^2+8cfd eg+3ae^2g^2)}{4e(dg-ef)^2}}{e^2(f+gx)^2 - (f+gx)(2e^2f-2deg) + d^2g^2 + e^2f^2 - 2defg} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{dg-ef}}\right)(3cd^2g^2-8cdefg+8ce^2f^2+3ae^2g^2)}{4e^{5/2}(dg-ef)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)/((f + g*x)^(1/2)*(d + e*x)^3), x)`

[Out]  $\left(\frac{(f + gx)^{1/2}(5ae^2g^2 - 3cd^2g^2 + 8cde*fg)}{4e^2(dg - ef)} + \frac{(f + gx)^{3/2}(3ae^2g^2 - 5cd^2g^2 + 8cde*fg)}{4e(dg - ef)^2}\right) / (e^2(f + gx)^2 - (f + gx)(2e^2f - 2deg) + d^2g^2 + e^2f^2 - 2defg) + \frac{\operatorname{atan}\left(\frac{e^{1/2}(f + gx)^{1/2}}{dg - ef}\right)(3ae^2g^2 + 3cd^2g^2 + 8ce^2f^2 - 8cde*fg)}{4e^{5/2}(dg - ef)^{5/2}}$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a)/(e*x+d)**3/(g*x+f)**(1/2), x)`

[Out] Timed out

$$3.398 \quad \int \frac{(d+ex)^3(a+cx^2)}{(f+gx)^{3/2}} dx$$

**Optimal.** Leaf size=238

$$\frac{2e(f+gx)^{5/2}(ae^2g^2+c(3d^2g^2-12defg+10e^2f^2))}{5g^6} - \frac{2(f+gx)^{3/2}(ef-dg)(3ae^2g^2+c(d^2g^2-8defg+10e^2f^2))}{3g^6}$$

**Rubi [A]** time = 0.27, antiderivative size = 238, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {898, 1261}

$$\frac{2e(f+gx)^{5/2}(ae^2g^2+c(3d^2g^2-12defg+10e^2f^2))}{5g^6} - \frac{2(f+gx)^{3/2}(ef-dg)(3ae^2g^2+c(d^2g^2-8defg+10e^2f^2))}{3g^6} + \frac{2(ag^2+cf^2)(ef-dg)^3}{g^6\sqrt{f+gx}} + \frac{2\sqrt{f+gx}(ef-dg)^2(3ae^2g^2+cf(5ef-2dg))}{g^6} - \frac{2ce^2(f+gx)^{7/2}(5ef-3dg)}{7g^6} + \frac{2ce^3(f+gx)^{9/2}}{9g^6}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(a + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(e\*f - d\*g)^3\*(c\*f^2 + a\*g^2))/(g^6\*sqrt[f + g\*x]) + (2\*(e\*f - d\*g)^2\*(3\*a\*e\*g^2 + c\*f\*(5\*e\*f - 2\*d\*g))\*sqrt[f + g\*x])/g^6 - (2\*(e\*f - d\*g)\*(3\*a\*e^2\*g^2 + c\*(10\*e^2\*f^2 - 8\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^(3/2))/(3\*g^6) + (2\*e\*(a\*e^2\*g^2 + c\*(10\*e^2\*f^2 - 12\*d\*e\*f\*g + 3\*d^2\*g^2))\*(f + g\*x)^(5/2))/(5\*g^6) - (2\*c\*e^2\*(5\*e\*f - 3\*d\*g)\*(f + g\*x)^(7/2))/(7\*g^6) + (2\*c\*e^3\*(f + g\*x)^(9/2))/(9\*g^6)

**Rule 898**

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 + a*e^2)/e^2 - (2*c*d*x^q)/e^2 + (c*x^(2*q))/e^2)^p, x], x, (d + e*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegersQ[n, p] && FractionQ[m]
```

**Rule 1261**

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

**Rubi steps**

$$\int \frac{(d+ex)^3(a+cx^2)}{(f+gx)^{3/2}} dx = \frac{2 \operatorname{Subst} \left( \int \frac{\left(\frac{-ef+dg}{g} + \frac{ex^2}{g}\right)^3 \left(\frac{cf^2+ag^2}{g^2} - \frac{2cfx^2}{g^2} + \frac{cx^4}{g^2}\right)}{x^2} dx, x, \sqrt{f+gx}\right)}{g}$$

$$= \frac{2 \operatorname{Subst} \left( \int \left( \frac{(ef-dg)^2(3aeg^2+cf(5ef-2dg))}{g^5} + \frac{(-ef+dg)^3(cf^2+ag^2)}{g^5x^2} + \frac{(ef-dg)(-3ae^2g^2-c(10e^2f^2-8defg)}{g^5} \right)}{g^6\sqrt{f+gx}} + \frac{2(ef-dg)^2(3aeg^2+cf(5ef-2dg))\sqrt{f+gx}}{g^6} - \frac{2(ef-dg)}{g^6} \right)}{g^6}$$

**Mathematica [A]** time = 0.24, size = 207, normalized size = 0.87

$$\frac{2(63e(f+gx)^3(ae^2g^2+c(3d^2g^2-12defg+10e^2f^2))-105(f+gx)^2(ef-dg)(3ae^2g^2+c(d^2g^2-8defg+10e^2f^2))+315(ag^2+cf^2)(ef-dg)^3+315(f+gx)(ef-dg)^2(3aeg^2+cf(5ef-2dg))-45ce^2(f+gx)^4(5ef-3dg)+35ce^2(f+gx)^5)}{315g^6\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(a + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(315\*(e\*f - d\*g)^3\*(c\*f^2 + a\*g^2) + 315\*(e\*f - d\*g)^2\*(3\*a\*e\*g^2 + c\*f\*(5\*e\*f - 2\*d\*g))\*(f + g\*x) - 105\*(e\*f - d\*g)\*(3\*a\*e^2\*g^2 + c\*(10\*e^2\*f^2 - 8\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^2 + 63\*e\*(a\*e^2\*g^2 + c\*(10\*e^2\*f^2 - 12\*d\*e\*f\*g + 3\*d^2\*g^2))\*(f + g\*x)^3 - 45\*c\*e^2\*(5\*e\*f - 3\*d\*g)\*(f + g\*x)^4 + 35\*c\*e^3\*(f + g\*x)^5)/(315\*g^6\*sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.18, size = 427, normalized size = 1.79

$$\frac{2(315c^3e^3f^5 - 945c^2d^3e^2f^4g + 945c^2d^2e^3f^3g^2 + 315a^3e^3f^3g^2 - 315c^2d^3f^2g^3 - 945a^2d^2e^2f^2g^3 + 945a^2d^2e^3f^2g^4 - 315a^2d^3g^5 + 1575c^2e^3f^4(f+gx) - 3780c^2d^2e^2f^3g(f+gx) + 2835c^2d^2e^2f^2g^2(f+gx) + 945a^2e^3f^2g^2(f+gx) - 630c^2d^3f^2g^3(f+gx) - 1890a^2d^2e^2f^2g^3(f+gx) + 945a^2d^2e^3g^4(f+gx) - 1050c^2e^3f^3(f+gx)^2 + 1890c^2d^2e^2f^2g^2(f+gx)^2 - 945c^2d^2e^3f^2g^2(f+gx)^2 - 315a^2e^3f^2g^2(f+gx)^2 + 105c^2d^3g^3(f+gx)^2 + 315a^2d^2e^2g^3(f+gx)^2 + 630c^2e^3f^2(f+gx)^3 - 756c^2d^2e^2f^2g^3(f+gx)^3 + 189c^2d^2e^3g^2(f+gx)^3 + 63a^2e^3g^2(f+gx)^3 - 225c^2e^3g^2(f+gx)^3)}{315g^6\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(a + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(315\*c^3\*e^3\*f^5 - 945\*c^2\*d^3\*e^2\*f^4\*g + 945\*c^2\*d^2\*e^3\*f^3\*g^2 + 315\*a^3\*e^3\*f^3\*g^2 - 315\*c^2\*d^3\*f^2\*g^3 - 945\*a^2\*d^2\*e^2\*f^2\*g^3 + 945\*a^2\*d^2\*e^3\*f^2\*g^4 - 315\*a^2\*d^3\*g^5 + 1575\*c^2\*e^3\*f^4\*(f + g\*x) - 3780\*c^2\*d^2\*e^2\*f^3\*g\*(f + g\*x) + 2835\*c^2\*d^2\*e^2\*f^2\*g^2\*(f + g\*x) + 945\*a^2\*e^3\*f^2\*g^2\*(f + g\*x) - 630\*c^2\*d^3\*f^2\*g^3\*(f + g\*x) - 1890\*a^2\*d^2\*e^2\*f^2\*g^3\*(f + g\*x) + 945\*a^2\*d^2\*e^3\*g^4\*(f + g\*x) - 1050\*c^2\*e^3\*f^3\*(f + g\*x)^2 + 1890\*c^2\*d^2\*e^2\*f^2\*g^2\*(f + g\*x)^2 - 945\*c^2\*d^2\*e^3\*f^2\*g^2\*(f + g\*x)^2 - 315\*a^2\*e^3\*f^2\*g^2\*(f + g\*x)^2 + 105\*c^2\*d^3\*g^3\*(f + g\*x)^2 + 315\*a^2\*d^2\*e^2\*g^3\*(f + g\*x)^2 + 630\*c^2\*e^3\*f^2\*(f + g\*x)^3 - 756\*c^2\*d^2\*e^2\*f^2\*g^3\*(f + g\*x)^3 + 189\*c^2\*d^2\*e^3\*g^2\*(f + g\*x)^3 + 63\*a^2\*e^3\*g^2\*(f + g\*x)^3 - 225\*c^2\*e^3\*g^2\*(f + g\*x)^3)

$f*(f + g*x)^4 + 135*c*d*e^2*g*(f + g*x)^4 + 35*c*e^3*(f + g*x)^5)/(315*g^6 * \text{Sqrt}[f + g*x])$

**fricas [A]** time = 0.39, size = 333, normalized size = 1.40

$\frac{2(35c^2d^2e^3 + 1280c^2d^2e^2 - 3456c^2d^2e^2g + 1890ad^2e^2g^2 - 315a^2d^3e^2g^2 + 1008(3cd^2e^2 + a^2e^3)fg^2 - 840(c^2d^3 + 3a^2d^2e^2)fg^2 - 5(10c^2d^2e^2 - 27c^2d^2e^2g^2)fg^2 + (80c^2d^2e^2 - 216c^2d^2e^2g^2 + 63(3cd^2e^2 + a^2e^3)fg^2 - (160c^2d^2e^2 - 432c^2d^2e^2g^2 + 126(3cd^2e^2 + a^2e^3)fg^2 - 105(c^2d^3 + 3a^2d^2e^2)fg^2 + (640c^2d^2e^2 - 1728c^2d^2e^2g^2 + 945ad^2e^2g^2 + 504(3cd^2e^2 + a^2e^3)fg^2 - 420(c^2d^3 + 3a^2d^2e^2)fg^2) \sqrt{g^2 + f}}{315(g^2 + f)^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(c\*x^2+a)/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out]  $\frac{2}{315}*(35*c*e^3*g^5*x^5 + 1280*c*e^3*f^5 - 3456*c*d*e^2*f^4*g + 1890*a*d^2*e*f*g^4 - 315*a*d^3*g^5 + 1008*(3*c*d^2*e + a*e^3)*f^3*g^2 - 840*(c*d^3 + 3*a*d^2*e^2)*f^2*g^3 - 5*(10*c*e^3*f*g^4 - 27*c*d*e^2*g^5)*x^4 + (80*c*e^3*f^2*g^3 - 216*c*d*e^2*f*g^4 + 63*(3*c*d^2*e + a*e^3)*g^5)*x^3 - (160*c*e^3*f^3*g^2 - 432*c*d*e^2*f^2*g^3 + 126*(3*c*d^2*e + a*e^3)*f*g^4 - 105*(c*d^3 + 3*a*d^2*e^2)*g^5)*x^2 + (640*c*e^3*f^4*g - 1728*c*d*e^2*f^3*g^2 + 945*a*d^2*e*g^5 + 504*(3*c*d^2*e + a*e^3)*f^2*g^3 - 420*(c*d^3 + 3*a*d^2*e^2)*f*g^4)*x)*\text{sqrt}(g*x + f)/(g^7*x + f*g^6)$

**giac [B]** time = 0.21, size = 453, normalized size = 1.90

$\frac{2(-35c^2d^2e^3 - 1280c^2d^2e^2 + 3456c^2d^2e^2g - 1890ad^2e^2g^2 + 315a^2d^3e^2g^2 - 1008(3cd^2e^2 + a^2e^3)fg^2 + 840(c^2d^3 + 3a^2d^2e^2)fg^2 + 5(10c^2d^2e^2 - 27c^2d^2e^2g^2)fg^2 - (80c^2d^2e^2 - 216c^2d^2e^2g^2 + 63(3cd^2e^2 + a^2e^3)fg^2 - (160c^2d^2e^2 - 432c^2d^2e^2g^2 + 126(3cd^2e^2 + a^2e^3)fg^2 - 105(c^2d^3 + 3a^2d^2e^2)fg^2 + (640c^2d^2e^2 - 1728c^2d^2e^2g^2 + 945ad^2e^2g^2 + 504(3cd^2e^2 + a^2e^3)fg^2 - 420(c^2d^3 + 3a^2d^2e^2)fg^2) \sqrt{g^2 + f}}{315(g^2 + f)^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(c\*x^2+a)/(g\*x+f)^(3/2),x, algorithm="giac")

[Out]  $-2*(c*d^3*f^2*g^3 + a*d^3*g^5 - 3*c*d^2*f^3*g^2*e - 3*a*d^2*f*g^4*e + 3*c*d*f^4*g*e^2 + 3*a*d*f^2*g^3*e^2 - c*f^5*e^3 - a*f^3*g^2*e^3)/(\text{sqrt}(g*x + f)*g^6) + \frac{2}{315}*(105*(g*x + f)^{(3/2)}*c*d^3*g^5 - 630*\text{sqrt}(g*x + f)*c*d^3*f*g^5 + 189*(g*x + f)^{(5/2)}*c*d^2*g^5 - 945*(g*x + f)^{(3/2)}*c*d^2*f*g^5 + 2835*\text{sqrt}(g*x + f)*c*d^2*f^2*g^5 + 945*\text{sqrt}(g*x + f)*a*d^2*g^5 + 135*(g*x + f)^{(7/2)}*c*d*g^4 - 756*(g*x + f)^{(5/2)}*c*d*f*g^4 + 1890*(g*x + f)^{(3/2)}*c*d*f^2*g^4 - 3780*\text{sqrt}(g*x + f)*c*d*f^3*g^4 + 315*(g*x + f)^{(3/2)}*a*d*f*g^5 - 1890*\text{sqrt}(g*x + f)*a*d*f^2*g^5 + 35*(g*x + f)^{(9/2)}*c*g^4 - 225*(g*x + f)^{(7/2)}*c*f*g^4 + 630*(g*x + f)^{(5/2)}*c*f^2*g^4 - 1050*(g*x + f)^{(3/2)}*c*f^3*g^4 + 1575*\text{sqrt}(g*x + f)*c*f^4*g^4 + 63*(g*x + f)^{(5/2)}*a*g^5 - 315*(g*x + f)^{(3/2)}*a*f*g^5 + 945*\text{sqrt}(g*x + f)*a*f^2*g^5)/g^54$

**maple [A]** time = 0.01, size = 365, normalized size = 1.53

$\frac{2(-35c^2d^2e^3 - 1280c^2d^2e^2 + 3456c^2d^2e^2g - 1890ad^2e^2g^2 + 315a^2d^3e^2g^2 - 1008(3cd^2e^2 + a^2e^3)fg^2 + 840(c^2d^3 + 3a^2d^2e^2)fg^2 + 5(10c^2d^2e^2 - 27c^2d^2e^2g^2)fg^2 - (80c^2d^2e^2 - 216c^2d^2e^2g^2 + 63(3cd^2e^2 + a^2e^3)fg^2 - (160c^2d^2e^2 - 432c^2d^2e^2g^2 + 126(3cd^2e^2 + a^2e^3)fg^2 - 105(c^2d^3 + 3a^2d^2e^2)fg^2 + (640c^2d^2e^2 - 1728c^2d^2e^2g^2 + 945ad^2e^2g^2 + 504(3cd^2e^2 + a^2e^3)fg^2 - 420(c^2d^3 + 3a^2d^2e^2)fg^2) \sqrt{g^2 + f}}{315(g^2 + f)^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^3*(c*x^2+a)/(g*x+f)^{(3/2)}, x)$

[Out]  $-2/315/(g*x+f)^{(1/2)}*(-35*c*e^3*g^5*x^5-135*c*d*e^2*g^5*x^4+50*c*e^3*f*g^4*x^4-63*a*e^3*g^5*x^3-189*c*d^2*e*g^5*x^3+216*c*d*e^2*f*g^4*x^3-80*c*e^3*f^2*g^3*x^3-315*a*d*e^2*g^5*x^2+126*a*e^3*f*g^4*x^2-105*c*d^3*g^5*x^2+378*c*d^2*e*f*g^4*x^2-432*c*d*e^2*f^2*g^3*x^2+160*c*e^3*f^3*g^2*x^2-945*a*d^2*e*g^5*x+1260*a*d*e^2*f*g^4*x-504*a*e^3*f^2*g^3*x+420*c*d^3*f*g^4*x-1512*c*d^2*e*f^2*g^3*x+1728*c*d*e^2*f^3*g^2*x-640*c*e^3*f^4*g*x+315*a*d^3*g^5-1890*a*d^2*e*f*g^4+2520*a*d*e^2*f^2*g^3-1008*a*e^3*f^3*g^2+840*c*d^3*f^2*g^3-3024*c*d^2*e*f^3*g^2+3456*c*d*e^2*f^4*g-1280*c*e^3*f^5)/g^6$

**maxima** [A] time = 0.46, size = 334, normalized size = 1.40

$$\frac{2 \left( \frac{35(gx+f)^9 c^3 - 45(5c^2 e^3 f - 3c d e^2 g)(gx+f)^7 + 63(10c^2 f^2 - 12c d^2 f g + 3c d^2 e^2 g^2)(gx+f)^5 - 105(10c^2 f^3 - 18c d^2 f^2 g + 3c d^2 e^2 f g^2 - (d^3 + 3a d^2)g^2)(gx+f)^3 + 315(5c^2 f^4 - 12c d^2 f^3 g + 3c d^2 e^2 f g^2 - 2(d^3 + 3a d^2)f^2 g^2)}{g^6} + \frac{315(c^2 f^3 - 3c d^2 f^2 g + 3c d^2 e^2 f g^2 - a d^3 g^2 + (3c d^2 + a d^2)f^2 g^2 - (d^3 + 3a d^2)f^2 g^2)}{\sqrt{g x + f} g^6} \right)}{315 g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)^3*(c*x^2+a)/(g*x+f)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out]  $2/315*((35*(g*x + f)^{(9/2)}*c*e^3 - 45*(5*c*e^3*f - 3*c*d*e^2*g)*(g*x + f)^{(7/2)} + 63*(10*c*e^3*f^2 - 12*c*d*e^2*f*g + (3*c*d^2*e + a*e^3)*g^2)*(g*x + f)^{(5/2)} - 105*(10*c*e^3*f^3 - 18*c*d*e^2*f^2*g + 3*(3*c*d^2*e + a*e^3)*f*g^2 - (c*d^3 + 3*a*d*e^2)*g^3)*(g*x + f)^{(3/2)} + 315*(5*c*e^3*f^4 - 12*c*d*e^2*f^3*g + 3*a*d^2*e*g^4 + 3*(3*c*d^2*e + a*e^3)*f^2*g^2 - 2*(c*d^3 + 3*a*d*e^2)*f*g^3)*\text{sqrt}(g*x + f))/g^5 + 315*(c*e^3*f^5 - 3*c*d*e^2*f^4*g + 3*a*d^2*e*f*g^4 - a*d^3*g^5 + (3*c*d^2*e + a*e^3)*f^3*g^2 - (c*d^3 + 3*a*d*e^2)*f^2*g^3)/(\text{sqrt}(g*x + f)*g^5)/g$

**mupad** [B] time = 0.09, size = 292, normalized size = 1.23

$$\frac{(f+g x)^{10} (6 c d^2 e g^2 - 24 c d^2 f g + 20 c^2 f^2 + 2 a c^2 g^2) - 2 c d^2 f^2 g^2 + 2 a d^2 g^2 - 6 c d^2 e f g^2 - 6 a d^2 f^2 g + 6 a d d^2 f^2 g^2 - 2 c d^2 f^2 g^2 - 2 a d^2 f^2 g^2}{5 g^6 \sqrt{f+g x}} + \frac{2 c d^2 (f+g x)^{10}}{9 g^6} + \frac{2 \sqrt{f+g x} (4 g-e) f^5 (5 c f^2 - 2 c d f g + 3 a e g^2)}{g^6} + \frac{2 (f+g x)^{10} (4 g-e) (c d^2 e^2 - 8 c d e f g + 10 c^2 f^2 + 3 a c^2 g^2)}{3 g^6} + \frac{2 c d^2 (f+g x)^{10} (3 d g - 5 e f)}{2 g^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(((a + c*x^2)*(d + e*x)^3)/(f + g*x)^{(3/2)}, x)$

[Out]  $((f + g*x)^{(5/2)}*(2*a*e^3*g^2 + 20*c*e^3*f^2 + 6*c*d^2*e*g^2 - 24*c*d*e^2*f*g))/(5*g^6) - (2*a*d^3*g^5 - 2*c*e^3*f^5 - 2*a*e^3*f^3*g^2 + 2*c*d^3*f^2*g^3 - 6*a*d^2*e*f*g^4 + 6*c*d*e^2*f^4*g + 6*a*d*e^2*f^2*g^3 - 6*c*d^2*e*f^3*g^2)/(g^6*(f + g*x)^{(1/2)}) + (2*c*e^3*(f + g*x)^{(9/2)})/(9*g^6) + (2*(f + g*x)^{(1/2)}*(d*g - e*f)^2*(3*a*e*g^2 + 5*c*e*f^2 - 2*c*d*f*g))/g^6 + (2*(f + g*x)^{(3/2)}*(d*g - e*f)*(3*a*e^2*g^2 + c*d^2*g^2 + 10*c*e^2*f^2 - 8*c*d*e*f*g))/(3*g^6) + (2*c*e^2*(f + g*x)^{(7/2)}*(3*d*g - 5*e*f))/(7*g^6)$

**sympy** [A] time = 110.87, size = 328, normalized size = 1.38

$$\frac{2 c d^2 (f+g x)^{\frac{5}{2}}}{9 g^6} + \frac{(f+g x)^{\frac{5}{2}} (6 a d^2 g^2 - 10 c d^2 f^2)}{7 g^6} + \frac{(f+g x)^{\frac{5}{2}} (2 a c^2 g^2 + 6 a d^2 f g^2 - 24 c d^2 f g + 20 c^2 f^2)}{5 g^6} + \frac{(f+g x)^{\frac{5}{2}} (6 a d^2 g^2 - 6 a d^2 f g^2 + 2 c d^2 g^2 - 18 c d^2 e f g^2 + 36 a d^2 f^2 g - 20 c d^2 f^2)}{3 g^6} + \frac{\sqrt{f+g x} (6 a d^2 e g^4 - 12 a d^2 e f g^2 + 6 a c^2 f g^2 - 4 c d^3 f g^3 + 18 c d^2 e f^2 g - 24 c d^2 f^2 g + 10 c^2 f^2)}{g^6} - \frac{2 (e g^2 + e f) (d g - e f)^3}{g^6 \sqrt{f+g x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**3*(c*x**2+a)/(g*x+f)**(3/2),x)`

[Out]  $2*c*e^{3*(f+g*x)^{9/2}}/(9*g^6) + (f+g*x)^{7/2}*(6*c*d*e^{2*g} - 10*c*e^{3*f})/(7*g^6) + (f+g*x)^{5/2}*(2*a*e^{3*g^2} + 6*c*d^2*e*g^2 - 24*c*d*e^2*f*g + 20*c*e^{3*f^2})/(5*g^6) + (f+g*x)^{3/2}*(6*a*d*e^{2*g^3} - 6*a*e^{3*f*g^2} + 2*c*d^3*g^3 - 18*c*d^2*e*f*g^2 + 36*c*d*e^2*f^2*g - 20*c*e^{3*f^3})/(3*g^6) + \sqrt{f+g*x}*(6*a*d^2*e*g^4 - 12*a*d*e^2*f*g^3 + 6*a*e^{3*f^2*g^2} - 4*c*d^3*f*g^3 + 18*c*d^2*e*f^2*g^2 - 24*c*d*e^2*f^3*g + 10*c*e^{3*f^4})/g^6 - 2*(a*g^2 + c*f^2)*(d*g - e*f)^3/(g^6*\sqrt{f+g*x})$

$$3.399 \quad \int \frac{(d+ex)^2(a+cx^2)}{(f+gx)^{3/2}} dx$$

**Optimal.** Leaf size=173

$$\frac{2(f+gx)^{3/2}(ae^2g^2+c(d^2g^2-6defg+6e^2f^2))}{3g^5} - \frac{2(ag^2+cf^2)(ef-dg)^2}{g^5\sqrt{f+gx}} - \frac{4\sqrt{f+gx}(ef-dg)(aeg^2+cf(2ef-dg))}{g^5}$$

**Rubi [A]** time = 0.20, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {898, 1261}

$$\frac{2(f+gx)^{3/2}(ae^2g^2+c(d^2g^2-6defg+6e^2f^2))}{3g^5} - \frac{2(ag^2+cf^2)(ef-dg)^2}{g^5\sqrt{f+gx}} - \frac{4\sqrt{f+gx}(ef-dg)(aeg^2+cf(2ef-dg))}{g^5} - \frac{4ce(f+gx)^{5/2}(2ef-dg)}{5g^5} + \frac{2ce^2(f+gx)^{7/2}}{7g^5}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^2\*(a + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (-2\*(e\*f - d\*g)^2\*(c\*f^2 + a\*g^2))/(g^5\*sqrt[f + g\*x]) - (4\*(e\*f - d\*g)\*(a\*e\*g^2 + c\*f\*(2\*e\*f - d\*g))\*sqrt[f + g\*x])/g^5 + (2\*(a\*e^2\*g^2 + c\*(6\*e^2\*f^2 - 6\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^(3/2))/(3\*g^5) - (4\*c\*e\*(2\*e\*f - d\*g)\*(f + g\*x)^(5/2))/(5\*g^5) + (2\*c\*e^2\*(f + g\*x)^(7/2))/(7\*g^5)

### Rule 898

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 + a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1261

Int[((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(f\*x)^m\*(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

### Rubi steps



$$\int \frac{(d+ex)^2(a+cx^2)}{(f+gx)^{3/2}} dx = \frac{2 \operatorname{Subst} \left( \int \frac{\left( \frac{-ef+dg}{g} + \frac{ex^2}{g} \right)^2 \left( \frac{cf^2+ag^2}{g^2} - \frac{2cfx^2}{g^2} + \frac{cx^4}{g^2} \right)}{x^2} dx, x, \sqrt{f+gx} \right)}{g}$$

$$= \frac{2 \operatorname{Subst} \left( \int \left( \frac{2(ef-dg)(-aeg^2-cf(2ef-dg))}{g^4} + \frac{(-ef+dg)^2(cf^2+ag^2)}{g^4x^2} + \frac{(ae^2g^2+c(6e^2f^2-6defg+d^2g^2))x^2}{g^4} \right) dx, x, \sqrt{f+gx} \right)}{g}$$

$$= -\frac{2(ef-dg)^2(cf^2+ag^2)}{g^5\sqrt{f+gx}} - \frac{4(ef-dg)(aeg^2+cf(2ef-dg))\sqrt{f+gx}}{g^5} + \frac{2(ae^2g^2-c(6e^2f^2-6defg+d^2g^2))x^2}{g^4}$$

**Mathematica [A]** time = 0.15, size = 149, normalized size = 0.86

$$\frac{2(35(f+gx)^2(ae^2g^2+c(d^2g^2-6defg+6e^2f^2))-105(ag^2+cf^2)(ef-dg)^2-210(f+gx)(ef-dg)(aeg^2+cf(2ef-dg))-42ce(f+gx)^3(2ef-dg)+15ce^2(f+gx)^4)}{105g^5\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^2\*(a + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(-105\*(e\*f - d\*g)^2\*(c\*f^2 + a\*g^2) - 210\*(e\*f - d\*g)\*(a\*e\*g^2 + c\*f\*(2\*e\*f - d\*g))\*(f + g\*x) + 35\*(a\*e^2\*g^2 + c\*(6\*e^2\*f^2 - 6\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^2 - 42\*c\*e\*(2\*e\*f - d\*g)\*(f + g\*x)^3 + 15\*c\*e^2\*(f + g\*x)^4))/(105\*g^5\*sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.12, size = 250, normalized size = 1.45

$$\frac{2(-105af^2g^4 + 210adeg^3(f+gx) + 210adefg^2 - 105a^2f^2g^2 - 210a^2fg^2(f+gx) + 35a^2c^2(f+gx)^2 - 105cb^2f^2g^2 - 210cb^2fg^2(f+gx) + 35cb^2c^2(f+gx)^2 + 210cdef^2g + 630cdef^2g(f+gx) - 210cdef^2g(f+gx)^2 + 42cdeg(f+gx)^3 - 105c^2f^4 - 420c^2f^3(f+gx) + 210c^2f^2(f+gx)^2 - 84c^2ff(f+gx)^3 + 15c^2(f+gx)^4)}{105g^5\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^2\*(a + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(-105\*c\*e^2\*f^4 + 210\*c\*d\*e\*f^3\*g - 105\*c\*d^2\*f^2\*g^2 - 105\*a\*e^2\*f^2\*g^2 + 210\*a\*d\*e\*f\*g^3 - 105\*a\*d^2\*g^4 - 420\*c\*e^2\*f^3\*(f + g\*x) + 630\*c\*d\*e\*f^2\*g\*(f + g\*x) - 210\*c\*d^2\*f\*g^2\*(f + g\*x) - 210\*a\*e^2\*f\*g^2\*(f + g\*x) + 210\*a\*d\*e\*g^3\*(f + g\*x) + 210\*c\*e^2\*f^2\*(f + g\*x)^2 - 210\*c\*d\*e\*f\*g\*(f + g\*x)^2 + 35\*c\*d^2\*g^2\*(f + g\*x)^2 + 35\*a\*e^2\*g^2\*(f + g\*x)^2 - 84\*c\*e^2\*f\*(f + g\*x)^3 + 42\*c\*d\*e\*g\*(f + g\*x)^3 + 15\*c\*e^2\*(f + g\*x)^4))/(105\*g^5\*sqrt[f + g\*x])

**fricas [A]** time = 0.38, size = 206, normalized size = 1.19

$$\frac{2(15ce^2g^4x^4 - 384ce^2f^4 + 672cdef^3g + 420adefg^3 - 105ad^2g^4 - 280(cd^2 + ae^2)f^2g^2 - 6(4ce^2fg^3 - 7cdeg^4)x^3 + (48ce^2fg^2 - 84cdefg^3 + 35(cd^2 + ae^2)g^4)x^2 - 2(96ce^2f^3g - 168cdef^2g^2 - 105adeg^4 + 70(cd^2 + ae^2)fg^3)x)\sqrt{gx+f}}{105(g^5x + fg^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+a)/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out]  $\frac{2}{105} \cdot (15 \cdot c \cdot e^2 \cdot g^4 \cdot x^4 - 384 \cdot c \cdot e^2 \cdot f^4 + 672 \cdot c \cdot d \cdot e \cdot f^3 \cdot g + 420 \cdot a \cdot d \cdot e \cdot f \cdot g^3 - 105 \cdot a \cdot d^2 \cdot g^4 - 280 \cdot (c \cdot d^2 + a \cdot e^2) \cdot f^2 \cdot g^2 - 6 \cdot (4 \cdot c \cdot e^2 \cdot f \cdot g^3 - 7 \cdot c \cdot d \cdot e \cdot g^4) \cdot x^3 + (48 \cdot c \cdot e^2 \cdot f^2 \cdot g^2 - 84 \cdot c \cdot d \cdot e \cdot f \cdot g^3 + 35 \cdot (c \cdot d^2 + a \cdot e^2) \cdot g^4) \cdot x^2 - 2 \cdot (96 \cdot c \cdot e^2 \cdot f^3 \cdot g - 168 \cdot c \cdot d \cdot e \cdot f^2 \cdot g^2 - 105 \cdot a \cdot d \cdot e \cdot g^4 + 70 \cdot (c \cdot d^2 + a \cdot e^2) \cdot f \cdot g^3) \cdot x) \cdot \sqrt{g \cdot x + f} / (g^6 \cdot x + f \cdot g^5)$

**giac** [A] time = 0.33, size = 275, normalized size = 1.59

$$\frac{2(ad^2g^2 + ad^2g^2 - 2cdfg^2 - 2cdfg^2 + cf^4 + af^2g^2)}{\sqrt{gx+f}g^5} + \frac{2(35(gx+f)^{\frac{1}{2}}cd^2g^2 - 210\sqrt{gx+f}cd^2fg^2 + 42(gx+f)^{\frac{1}{2}}adg^3e - 210(gx+f)^{\frac{1}{2}}cdfg^3e + 630\sqrt{gx+f}adg^3e + 210\sqrt{gx+f}adg^3e + 15(gx+f)^{\frac{1}{2}}cg^3e^2 - 84(gx+f)^{\frac{1}{2}}cf^2g^3e + 210(gx+f)^{\frac{1}{2}}cf^2g^3e - 420\sqrt{gx+f}cf^2g^3e + 35(gx+f)^{\frac{1}{2}}cg^3e^2 - 210\sqrt{gx+f}afg^3e)}{105g^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+a)/(g\*x+f)^(3/2),x, algorithm="giac")

[Out]  $-2 \cdot (c \cdot d^2 \cdot f^2 \cdot g^2 + a \cdot d^2 \cdot g^4 - 2 \cdot c \cdot d \cdot f^3 \cdot g \cdot e - 2 \cdot a \cdot d \cdot f \cdot g^3 \cdot e + c \cdot f^4 \cdot e^2 + a \cdot f^2 \cdot g^2 \cdot e^2) / (\sqrt{g \cdot x + f} \cdot g^5) + 2/105 \cdot (35 \cdot (g \cdot x + f)^{(3/2)} \cdot c \cdot d^2 \cdot g^3 \cdot e - 210 \cdot \sqrt{g \cdot x + f} \cdot c \cdot d^2 \cdot f \cdot g^3 \cdot e + 42 \cdot (g \cdot x + f)^{(5/2)} \cdot c \cdot d \cdot g^3 \cdot e - 210 \cdot (g \cdot x + f)^{(3/2)} \cdot c \cdot d \cdot f \cdot g^3 \cdot e + 630 \cdot \sqrt{g \cdot x + f} \cdot c \cdot d \cdot f^2 \cdot g^3 \cdot e + 210 \cdot \sqrt{g \cdot x + f} \cdot a \cdot d \cdot g^3 \cdot e + 15 \cdot (g \cdot x + f)^{(7/2)} \cdot c \cdot g^3 \cdot e^2 - 84 \cdot (g \cdot x + f)^{(5/2)} \cdot c \cdot f \cdot g^3 \cdot e^2 + 210 \cdot (g \cdot x + f)^{(3/2)} \cdot c \cdot f^2 \cdot g^3 \cdot e^2 - 420 \cdot \sqrt{g \cdot x + f} \cdot c \cdot f^3 \cdot g^3 \cdot e^2 + 35 \cdot (g \cdot x + f)^{(3/2)} \cdot a \cdot g^3 \cdot e^2 - 210 \cdot \sqrt{g \cdot x + f} \cdot a \cdot f \cdot g^3 \cdot e^2) / g^5$

**maple** [A] time = 0.01, size = 215, normalized size = 1.24

$$\frac{2(-15c^2cx^4g^4 - 42cde g^4x^3 + 24c^2f g^3x^3 - 35a^2g^4x^2 - 35cd^2g^4x^2 + 84cdef g^3x^2 - 48c^2f^2g^2x^2 - 210adeg^4x + 140a^2f g^3x + 140c^2d^2f g^3x - 336cde f^2g^2x + 192c^2f^3gx + 105d^2ag^4 - 420adef g^3 + 280a^2f^2g^2 + 280c^2d^2f^2g^2 - 672cde f^3g + 384c^2e^4)}{105\sqrt{gx+f}g^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^2\*(c\*x^2+a)/(g\*x+f)^(3/2),x)

[Out]  $-2/105 / (g \cdot x + f)^{(1/2)} \cdot (-15 \cdot c \cdot e^2 \cdot g^4 \cdot x^4 - 42 \cdot c \cdot d \cdot e \cdot g^4 \cdot x^3 + 24 \cdot c \cdot e^2 \cdot f \cdot g^3 \cdot x^3 - 35 \cdot a \cdot e^2 \cdot g^4 \cdot x^2 - 35 \cdot c \cdot d^2 \cdot g^4 \cdot x^2 + 84 \cdot c \cdot d \cdot e \cdot f \cdot g^3 \cdot x^2 - 48 \cdot c \cdot e^2 \cdot f^2 \cdot g^2 \cdot x^2 - 210 \cdot a \cdot d \cdot e \cdot g^4 \cdot x + 140 \cdot a \cdot e^2 \cdot f \cdot g^3 \cdot x + 140 \cdot c \cdot d^2 \cdot f \cdot g^3 \cdot x - 336 \cdot c \cdot d \cdot e \cdot f^2 \cdot g^2 \cdot x + 192 \cdot c \cdot e^2 \cdot f^3 \cdot g \cdot x + 105 \cdot a \cdot d^2 \cdot g^4 - 420 \cdot a \cdot d \cdot e \cdot f \cdot g^3 + 280 \cdot a \cdot e^2 \cdot f^2 \cdot g^2 + 280 \cdot c \cdot d^2 \cdot f^2 \cdot g^2 - 672 \cdot c \cdot d \cdot e \cdot f^3 \cdot g + 384 \cdot c \cdot e^2 \cdot f^4) / g^5$

**maxima** [A] time = 0.45, size = 205, normalized size = 1.18

$$\frac{2 \left( \frac{15(gx+f)^{\frac{7}{2}}ce^2 - 42(2ce^2f - cde g)(gx+f)^{\frac{5}{2}} + 35(6ce^2f^2 - 6cdefg + (cd^2 + ae^2)g^2)(gx+f)^{\frac{3}{2}} - 210(2ce^2f^3 - 3cdef^2g - adeg^3 + (cd^2 + ae^2)f g^2)\sqrt{gx+f}}{g^4} - \frac{105(ce^2f^4 - 2cdef^3g - 2adefg^3 + ad^2g^4 + (cd^2 + ae^2)f^2g^2)}{\sqrt{gx+f}g^4} \right)}{105g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+a)/(g\*x+f)^(3/2),x, algorithm="maxima")

[Out]  $\frac{2}{105} \cdot ((15 \cdot (g \cdot x + f)^{(7/2)} \cdot c \cdot e^2 - 42 \cdot (2 \cdot c \cdot e^2 \cdot f - c \cdot d \cdot e \cdot g) \cdot (g \cdot x + f)^{(5/2)} + 35 \cdot (6 \cdot c \cdot e^2 \cdot f^2 - 6 \cdot c \cdot d \cdot e \cdot f \cdot g + (c \cdot d^2 + a \cdot e^2) \cdot g^2) \cdot (g \cdot x + f)^{(3/2)} - 2 \cdot 10 \cdot (2 \cdot c \cdot e^2 \cdot f^3 - 3 \cdot c \cdot d \cdot e \cdot f^2 \cdot g - a \cdot d \cdot e \cdot g^3 + (c \cdot d^2 + a \cdot e^2) \cdot f \cdot g^2) \cdot \sqrt{g \cdot x + f}) / g^4 - 105 \cdot (c \cdot e^2 \cdot f^4 - 2 \cdot c \cdot d \cdot e \cdot f^3 \cdot g - 2 \cdot a \cdot d \cdot e \cdot f \cdot g^3 + a \cdot d^2 \cdot g^4 + (c \cdot d^2 + a \cdot e^2) \cdot f^2 \cdot g^2) / (\sqrt{g \cdot x + f} \cdot g^4)) / g$

**mupad [B]** time = 2.66, size = 199, normalized size = 1.15

$$\frac{(f+gx)^{3/2} (2cd^2g^2 - 12cdefg + 12ce^2f^2 + 2ae^2g^2)}{3g^5} - \frac{2cd^2f^2g^2 + 2ad^2g^4 - 4cdef^3g - 4adeffg^3 + 2ce^2f^4 + 2ae^2f^2g^2}{g^5 \sqrt{f+gx}} + \frac{4\sqrt{f+gx} (dg-ef) (2cef^2 - cdffg + aeg^2)}{g^5} + \frac{2ce^2(f+gx)^{7/2}}{7g^5} + \frac{4ce(f+gx)^{5/2} (dg-2ef)}{5g^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + c\*x^2)\*(d + e\*x)^2)/(f + g\*x)^(3/2),x)

[Out]  $\frac{((f + g \cdot x)^{(3/2)} \cdot (2 \cdot a \cdot e^2 \cdot g^2 + 2 \cdot c \cdot d^2 \cdot g^2 + 12 \cdot c \cdot e^2 \cdot f^2 - 12 \cdot c \cdot d \cdot e \cdot f \cdot g)) / (3 \cdot g^5) - (2 \cdot a \cdot d^2 \cdot g^4 + 2 \cdot c \cdot e^2 \cdot f^4 + 2 \cdot a \cdot e^2 \cdot f^2 \cdot g^2 + 2 \cdot c \cdot d^2 \cdot f^2 \cdot g^2 - 4 \cdot a \cdot d \cdot e \cdot f \cdot g^3 - 4 \cdot c \cdot d \cdot e \cdot f^3 \cdot g) / (g^5 \cdot (f + g \cdot x)^{(1/2)}) + (4 \cdot (f + g \cdot x)^{(1/2)} \cdot (d \cdot g - e \cdot f) \cdot (a \cdot e \cdot g^2 + 2 \cdot c \cdot e \cdot f^2 - c \cdot d \cdot f \cdot g)) / g^5 + (2 \cdot c \cdot e^2 \cdot (f + g \cdot x)^{(7/2)}) / (7 \cdot g^5) + (4 \cdot c \cdot e \cdot (f + g \cdot x)^{(5/2)} \cdot (d \cdot g - 2 \cdot e \cdot f)) / (5 \cdot g^5)}$

**sympy [A]** time = 50.85, size = 204, normalized size = 1.18

$$\frac{2ce^2(f+gx)^{7/2}}{7g^5} + \frac{(f+gx)^{5/2}(4cdeg-8ce^2f)}{5g^5} + \frac{(f+gx)^{3/2}(2ae^2g^2+2cd^2g^2-12cdefg+12ce^2f^2)}{3g^5} + \frac{\sqrt{f+gx}(4ade^2g^3-4ae^2fg^2-4cd^2fg^2+12cdef^2g-8ce^2f^3)}{g^5} - \frac{2(ag^2+cf^2)(dg-ef)^2}{g^5\sqrt{f+gx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*2\*(c\*x\*\*2+a)/(g\*x+f)\*\*(3/2),x)

[Out]  $2 \cdot c \cdot e^2 \cdot (f + g \cdot x)^{(7/2)} / (7 \cdot g^5) + (f + g \cdot x)^{(5/2)} \cdot (4 \cdot c \cdot d \cdot e \cdot g - 8 \cdot c \cdot e^2 \cdot f) / (5 \cdot g^5) + (f + g \cdot x)^{(3/2)} \cdot (2 \cdot a \cdot e^2 \cdot g^2 + 2 \cdot c \cdot d^2 \cdot g^2 - 12 \cdot c \cdot d \cdot e \cdot f \cdot g + 12 \cdot c \cdot e^2 \cdot f^2) / (3 \cdot g^5) + \sqrt{f + g \cdot x} \cdot (4 \cdot a \cdot d \cdot e \cdot g^3 - 4 \cdot a \cdot e^2 \cdot f \cdot g^2 - 4 \cdot c \cdot d^2 \cdot f \cdot g^2 + 12 \cdot c \cdot d \cdot e \cdot f^2 \cdot g - 8 \cdot c \cdot e^2 \cdot f^3) / g^5 - 2 \cdot (a \cdot g^2 + c \cdot f^2) \cdot (d \cdot g - e \cdot f)^2 / (g^5 \cdot \sqrt{f + g \cdot x})$

$$3.400 \quad \int \frac{(d+ex)(a+cx^2)}{(f+gx)^{3/2}} dx$$

**Optimal.** Leaf size=111

$$\frac{2(ag^2 + cf^2)(ef - dg)}{g^4\sqrt{f + gx}} + \frac{2\sqrt{f + gx}(aeg^2 + cf(3ef - 2dg))}{g^4} - \frac{2c(f + gx)^{3/2}(3ef - dg)}{3g^4} + \frac{2ce(f + gx)^{5/2}}{5g^4}$$

**Rubi [A]** time = 0.07, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {772}

$$\frac{2(ag^2 + cf^2)(ef - dg)}{g^4\sqrt{f + gx}} + \frac{2\sqrt{f + gx}(aeg^2 + cf(3ef - 2dg))}{g^4} - \frac{2c(f + gx)^{3/2}(3ef - dg)}{3g^4} + \frac{2ce(f + gx)^{5/2}}{5g^4}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(a + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(e\*f - d\*g)\*(c\*f^2 + a\*g^2))/(g^4\*Sqrt[f + g\*x]) + (2\*(a\*e\*g^2 + c\*f\*(3\*e\*f - 2\*d\*g))\*Sqrt[f + g\*x])/g^4 - (2\*c\*(3\*e\*f - d\*g)\*(f + g\*x)^(3/2))/(3\*g^4) + (2\*c\*e\*(f + g\*x)^(5/2))/(5\*g^4)

Rule 772

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{(d+ex)(a+cx^2)}{(f+gx)^{3/2}} dx &= \int \left( \frac{(-ef+dg)(cf^2+ag^2)}{g^3(f+gx)^{3/2}} + \frac{aeg^2+cf(3ef-2dg)}{g^3\sqrt{f+gx}} + \frac{c(-3ef+dg)\sqrt{f+gx}}{g^3} + \frac{ce(f+gx)^{5/2}}{5g^4} \right) dx \\ &= \frac{2(ef-dg)(cf^2+ag^2)}{g^4\sqrt{f+gx}} + \frac{2(aeg^2+cf(3ef-2dg))\sqrt{f+gx}}{g^4} - \frac{2c(3ef-dg)(f+gx)^{3/2}}{3g^4} + \frac{2ce(f+gx)^{5/2}}{5g^4} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 92, normalized size = 0.83

$$\frac{30ag^2(-dg + 2ef + egx) + 10cdg(-8f^2 - 4fgx + g^2x^2) + 6ce(16f^3 + 8f^2gx - 2fg^2x^2 + g^3x^3)}{15g^4\sqrt{f + gx}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(a + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (30\*a\*g^2\*(2\*e\*f - d\*g + e\*g\*x) + 10\*c\*d\*g\*(-8\*f^2 - 4\*f\*g\*x + g^2\*x^2) + 6\*c\*e\*(16\*f^3 + 8\*f^2\*g\*x - 2\*f\*g^2\*x^2 + g^3\*x^3))/(15\*g^4\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.07, size = 117, normalized size = 1.05

$$\frac{2(-15adg^3 + 15aeg^2(f + gx) + 15aefg^2 - 15cdf^2g - 30cdfg(f + gx) + 5cdg(f + gx)^2 + 15cef^3 + 45cef^2(f + gx) - 15cef(f + gx)^2 + 3ce(f + gx)^3)}{15g^4\sqrt{f + gx}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(a + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(15\*c\*e\*f^3 - 15\*c\*d\*f^2\*g + 15\*a\*e\*f\*g^2 - 15\*a\*d\*g^3 + 45\*c\*e\*f^2\*(f + g\*x) - 30\*c\*d\*f\*g\*(f + g\*x) + 15\*a\*e\*g^2\*(f + g\*x) - 15\*c\*e\*f\*(f + g\*x)^2 + 5\*c\*d\*g\*(f + g\*x)^2 + 3\*c\*e\*(f + g\*x)^3))/(15\*g^4\*Sqrt[f + g\*x])

**fricas [A]** time = 0.40, size = 110, normalized size = 0.99

$$\frac{2(3ceg^3x^3 + 48cef^3 - 40cdf^2g + 30aefg^2 - 15adg^3 - (6cef^2g^2 - 5cdg^3)x^2 + (24cef^2g - 20cdfg^2 + 15aeg^3)x)\sqrt{gx + f}}{15(g^5x + fg^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+a)/(g\*x+f)^(3/2), x, algorithm="fricas")

[Out] 2/15\*(3\*c\*e\*g^3\*x^3 + 48\*c\*e\*f^3 - 40\*c\*d\*f^2\*g + 30\*a\*e\*f\*g^2 - 15\*a\*d\*g^3 - (6\*c\*e\*f\*g^2 - 5\*c\*d\*g^3)\*x^2 + (24\*c\*e\*f^2\*g - 20\*c\*d\*f\*g^2 + 15\*a\*e\*g^3)\*x)\*sqrt(g\*x + f)/(g^5\*x + f\*g^4)

**giac [A]** time = 0.21, size = 143, normalized size = 1.29

$$\frac{2(cdf^2g + adg^3 - cf^3e - afg^2e)}{\sqrt{gx + fg^4}} + \frac{2\left(5(gx + f)^{\frac{3}{2}}cdg^{17} - 30\sqrt{gx + f}cdfg^{17} + 3(gx + f)^{\frac{5}{2}}cg^{16}e - 15(gx + f)^{\frac{3}{2}}cf^2g^{16}e + 45\sqrt{gx + f}cf^2g^{16}e + 15\sqrt{gx + f}ag^{18}e\right)}{15g^{20}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+a)/(g\*x+f)^(3/2), x, algorithm="giac")

[Out] -2\*(c\*d\*f^2\*g + a\*d\*g^3 - c\*f^3\*e - a\*f\*g^2\*e)/(sqrt(g\*x + f)\*g^4) + 2/15\*(5\*(g\*x + f)^(3/2)\*c\*d\*g^17 - 30\*sqrt(g\*x + f)\*c\*d\*f\*g^17 + 3\*(g\*x + f)^(5/2)\*c\*g^16\*e - 15\*(g\*x + f)^(3/2)\*c\*f\*g^16\*e + 45\*sqrt(g\*x + f)\*c\*f^2\*g^16\*e + 15\*sqrt(g\*x + f)\*a\*g^18\*e)/g^20

**maple [A]** time = 0.00, size = 101, normalized size = 0.91

$$\frac{2(-3ce x^3 g^3 - 5cd g^3 x^2 + 6cef g^2 x^2 - 15ae g^3 x + 20cdf g^2 x - 24ce f^2 g x + 15ad g^3 - 30aef g^2 + 40cd f^2 g - 48ce f^3)}{15\sqrt{gx+f} g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)\*(c\*x^2+a)/(g\*x+f)^(3/2), x)

[Out]  $-2/15/(g*x+f)^{(1/2)}*(-3*c*e*g^3*x^3-5*c*d*g^3*x^2+6*c*e*f*g^2*x^2-15*a*e*g^3*x+20*c*d*f*g^2*x-24*c*e*f^2*g*x+15*a*d*g^3-30*a*e*f*g^2+40*c*d*f^2*g-48*c*e*f^3)/g^4$

**maxima [A]** time = 0.45, size = 112, normalized size = 1.01

$$\frac{2\left(\frac{3(gx+f)^5 ce - 5(3cef - cdg)(gx+f)^3 + 15(3cef^2 - 2cdfg + aeg^2)\sqrt{gx+f}}{g^3} + \frac{15(cef^3 - cdf^2g + aefg^2 - adg^3)}{\sqrt{gx+f}g^3}\right)}{15g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+a)/(g\*x+f)^(3/2), x, algorithm="maxima")

[Out]  $2/15*((3*(gx+f)^{(5/2)}*c*e - 5*(3*c*e*f - c*d*g)*(gx+f)^{(3/2)} + 15*(3*c*e*f^2 - 2*c*d*f*g + a*e*g^2)*\text{sqrt}(gx+f))/g^3 + 15*(c*e*f^3 - c*d*f^2*g + a*e*f*g^2 - a*d*g^3)/(\text{sqrt}(gx+f)*g^3))/g$

**mupad [B]** time = 0.07, size = 111, normalized size = 1.00

$$\frac{\sqrt{f+gx} (6cef^2 - 4cdfg + 2aeg^2)}{g^4} - \frac{-2cef^3 + 2cdf^2g - 2aefg^2 + 2adg^3}{g^4\sqrt{f+gx}} + \frac{2ce(f+gx)^{5/2}}{5g^4} + \frac{2c(f+gx)^{3/2}(dg-3ef)}{3g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + c\*x^2)\*(d + e\*x))/(f + g\*x)^(3/2), x)

[Out]  $((f + g*x)^{(1/2)}*(2*a*e*g^2 + 6*c*e*f^2 - 4*c*d*f*g))/g^4 - (2*a*d*g^3 - 2*c*e*f^3 - 2*a*e*f*g^2 + 2*c*d*f^2*g)/(g^4*(f + g*x)^{(1/2)}) + (2*c*e*(f + g*x)^{(5/2)})/(5*g^4) + (2*c*(f + g*x)^{(3/2)}*(d*g - 3*e*f))/(3*g^4)$

**sympy [A]** time = 25.28, size = 112, normalized size = 1.01

$$\frac{2ce(f+gx)^5}{5g^4} + \frac{(f+gx)^3(2cdg-6cef)}{3g^4} + \frac{\sqrt{f+gx}(2aeg^2-4cdfg+6cef^2)}{g^4} - \frac{2(ag^2+cf^2)(dg-ef)}{g^4\sqrt{f+gx}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(c*x**2+a)/(g*x+f)**(3/2),x)
```

```
[Out] 2*c*e*(f + g*x)**(5/2)/(5*g**4) + (f + g*x)**(3/2)*(2*c*d*g - 6*c*e*f)/(3*g**4) + sqrt(f + g*x)*(2*a*e*g**2 - 4*c*d*f*g + 6*c*e*f**2)/g**4 - 2*(a*g**2 + c*f**2)*(d*g - e*f)/(g**4*sqrt(f + g*x))
```

$$3.401 \quad \int \frac{a+cx^2}{(f+gx)^{3/2}} dx$$

Optimal. Leaf size=59

$$-\frac{2(ag^2 + cf^2)}{g^3\sqrt{f+gx}} + \frac{2c(f+gx)^{3/2}}{3g^3} - \frac{4cf\sqrt{f+gx}}{g^3}$$

**Rubi [A]** time = 0.03, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {697}

$$-\frac{2(ag^2 + cf^2)}{g^3\sqrt{f+gx}} + \frac{2c(f+gx)^{3/2}}{3g^3} - \frac{4cf\sqrt{f+gx}}{g^3}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^2)/(f + g\*x)^(3/2), x]

[Out] (-2\*(c\*f^2 + a\*g^2))/(g^3\*Sqrt[f + g\*x]) - (4\*c\*f\*Sqrt[f + g\*x])/g^3 + (2\*c\*(f + g\*x)^(3/2))/(3\*g^3)

Rule 697

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{a+cx^2}{(f+gx)^{3/2}} dx &= \int \left( \frac{cf^2 + ag^2}{g^2(f+gx)^{3/2}} - \frac{2cf}{g^2\sqrt{f+gx}} + \frac{c\sqrt{f+gx}}{g^2} \right) dx \\ &= -\frac{2(cf^2 + ag^2)}{g^3\sqrt{f+gx}} - \frac{4cf\sqrt{f+gx}}{g^3} + \frac{2c(f+gx)^{3/2}}{3g^3} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 43, normalized size = 0.73

$$\frac{2(c(-8f^2 - 4fgx + g^2x^2) - 3ag^2)}{3g^3\sqrt{f+gx}}$$



Antiderivative was successfully verified.

[In] Integrate[(a + c\*x^2)/(f + g\*x)^(3/2), x]

[Out] (2\*(-3\*a\*g^2 + c\*(-8\*f^2 - 4\*f\*g\*x + g^2\*x^2)))/(3\*g^3\*Sqrt[f + g\*x])

**IntegrateAlgebraic** [A] time = 0.03, size = 47, normalized size = 0.80

$$\frac{2(-3ag^2 - 3cf^2 - 6cf(f + gx) + c(f + gx)^2)}{3g^3\sqrt{f + gx}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + c\*x^2)/(f + g\*x)^(3/2), x]

[Out] (2\*(-3\*c\*f^2 - 3\*a\*g^2 - 6\*c\*f\*(f + g\*x) + c\*(f + g\*x)^2))/(3\*g^3\*Sqrt[f + g\*x])

**fricas** [A] time = 0.38, size = 49, normalized size = 0.83

$$\frac{2(cg^2x^2 - 4cfgx - 8cf^2 - 3ag^2)\sqrt{gx + f}}{3(g^4x + fg^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(g\*x+f)^(3/2), x, algorithm="fricas")

[Out] 2/3\*(c\*g^2\*x^2 - 4\*c\*f\*g\*x - 8\*c\*f^2 - 3\*a\*g^2)\*sqrt(g\*x + f)/(g^4\*x + f\*g^3)

**giac** [A] time = 0.18, size = 56, normalized size = 0.95

$$-\frac{2(cf^2 + ag^2)}{\sqrt{gx + f}g^3} + \frac{2\left((gx + f)^{\frac{3}{2}}cg^6 - 6\sqrt{gx + f}cfcg^6\right)}{3g^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(g\*x+f)^(3/2), x, algorithm="giac")

[Out] -2\*(c\*f^2 + a\*g^2)/(sqrt(g\*x + f)\*g^3) + 2/3\*((g\*x + f)^(3/2)\*c\*g^6 - 6\*sqrt(g\*x + f)\*c\*f\*g^6)/g^9

**maple** [A] time = 0.00, size = 41, normalized size = 0.69

$$\frac{2(-cx^2g^2 + 4cfxg + 3ag^2 + 8cf^2)}{3\sqrt{gx + f}g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+a)/(g*x+f)^(3/2),x)`

[Out]  $-2/3/(g*x+f)^{(1/2)}*(-c*g^2*x^2+4*c*f*g*x+3*a*g^2+8*c*f^2)/g^3$

**maxima** [A] time = 0.44, size = 54, normalized size = 0.92

$$\frac{2 \left( \frac{(gx+f)^{\frac{3}{2}} c - 6 \sqrt{gx+f} c f}{g^2} - \frac{3(c f^2 + a g^2)}{\sqrt{gx+f} g^2} \right)}{3g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+a)/(g*x+f)^(3/2),x, algorithm="maxima")`

[Out]  $2/3*((g*x + f)^{(3/2)}*c - 6*\text{sqrt}(g*x + f)*c*f)/g^2 - 3*(c*f^2 + a*g^2)/(\text{sqrt}(g*x + f)*g^2))/g$

**mupad** [B] time = 0.05, size = 44, normalized size = 0.75

$$\frac{6ag^2 - 2c(f+gx)^2 + 6cf^2 + 12cf(f+gx)}{3g^3\sqrt{f+gx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)/(f + g*x)^(3/2),x)`

[Out]  $-(6*a*g^2 - 2*c*(f + g*x)^2 + 6*c*f^2 + 12*c*f*(f + g*x))/(3*g^3*(f + g*x)^{(1/2)})$

**sympy** [A] time = 10.14, size = 58, normalized size = 0.98

$$-\frac{4cf\sqrt{f+gx}}{g^3} + \frac{2c(f+gx)^{\frac{3}{2}}}{3g^3} - \frac{2(ag^2 + cf^2)}{g^3\sqrt{f+gx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a)/(g*x+f)**(3/2),x)`

[Out]  $-4*c*f*\text{sqrt}(f + g*x)/g**3 + 2*c*(f + g*x)**(3/2)/(3*g**3) - 2*(a*g**2 + c*f**2)/(g**3*\text{sqrt}(f + g*x))$

$$3.402 \quad \int \frac{a+cx^2}{(d+ex)(f+gx)^{3/2}} dx$$

Optimal. Leaf size=112

$$-\frac{2(ae^2 + cd^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{e^{3/2}(ef-dg)^{3/2}} + \frac{2(ag^2 + cf^2)}{g^2\sqrt{f+gx}(ef-dg)} + \frac{2c\sqrt{f+gx}}{eg^2}$$

**Rubi** [A] time = 0.17, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.125, Rules used = {898, 1261, 208}

$$-\frac{2(ae^2 + cd^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{e^{3/2}(ef-dg)^{3/2}} + \frac{2(ag^2 + cf^2)}{g^2\sqrt{f+gx}(ef-dg)} + \frac{2c\sqrt{f+gx}}{eg^2}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^2)/((d + e\*x)\*(f + g\*x)^(3/2)), x]

[Out] (2\*(c\*f^2 + a\*g^2))/(g^2\*(e\*f - d\*g)\*Sqrt[f + g\*x]) + (2\*c\*Sqrt[f + g\*x])/(e\*g^2) - (2\*(c\*d^2 + a\*e^2)\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(e^(3/2)\*(e\*f - d\*g)^(3/2))

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 898

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 + a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1261

Int[((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(f\*x)^m\*(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned}
\int \frac{a + cx^2}{(d + ex)(f + gx)^{3/2}} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{\frac{cf^2+ag^2}{g^2} - \frac{2cfx^2}{g^2} + \frac{cx^4}{g^2}}{x^2 \left( \frac{-ef+dg}{g} + \frac{ex^2}{g} \right)} dx, x, \sqrt{f + gx} \right)}{g} \\
&= \frac{2 \operatorname{Subst} \left( \int \left( \frac{c}{eg} + \frac{cf^2+ag^2}{g(-ef+dg)x^2} - \frac{(cd^2+ae^2)g}{e(ef-dg)(ef-dg-ex^2)} \right) dx, x, \sqrt{f + gx} \right)}{g} \\
&= \frac{2(cf^2 + ag^2)}{g^2(ef - dg)\sqrt{f + gx}} + \frac{2c\sqrt{f + gx}}{eg^2} - \frac{(2(cd^2 + ae^2)) \operatorname{Subst} \left( \int \frac{1}{ef-dg-ex^2} dx, x, \sqrt{f + gx} \right)}{e(ef - dg)} \\
&= \frac{2(cf^2 + ag^2)}{g^2(ef - dg)\sqrt{f + gx}} + \frac{2c\sqrt{f + gx}}{eg^2} - \frac{2(cd^2 + ae^2) \tanh^{-1} \left( \frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}} \right)}{e^{3/2}(ef - dg)^{3/2}}
\end{aligned}$$

**Mathematica** [C] time = 0.07, size = 90, normalized size = 0.80

$$\frac{2 \left( g^2 (ae^2 + cd^2) {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{e(f+gx)}{ef-dg} \right) + c(ef - dg)(dg + 2ef + egx) \right)}{e^2 g^2 \sqrt{f + gx} (dg - ef)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c\*x^2)/((d + e\*x)\*(f + g\*x)^(3/2)), x]

[Out] (-2\*(c\*(e\*f - d\*g)\*(2\*e\*f + d\*g + e\*g\*x) + (c\*d^2 + a\*e^2)\*g^2\*Hypergeometric2F1[-1/2, 1, 1/2, (e\*(f + g\*x))/(e\*f - d\*g)])/(e^2\*g^2\*(-(e\*f) + d\*g)\*Sqrt[f + g\*x])

**IntegrateAlgebraic** [A] time = 0.22, size = 128, normalized size = 1.14

$$\frac{2(ae^2 + cd^2) \tan^{-1} \left( \frac{\sqrt{e}\sqrt{f+gx}\sqrt{dg-ef}}{ef-dg} \right)}{e^{3/2}(dg - ef)^{3/2}} + \frac{2(aeg^2 - cdg(f + gx) + cef^2 + cef(f + gx))}{eg^2\sqrt{f + gx}(ef - dg)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + c\*x^2)/((d + e\*x)\*(f + g\*x)^(3/2)), x]

[Out] (2\*(c\*e\*f^2 + a\*e\*g^2 + c\*e\*f\*(f + g\*x) - c\*d\*g\*(f + g\*x))/(e\*g^2\*(e\*f - d\*g)\*Sqrt[f + g\*x]) + (2\*(c\*d^2 + a\*e^2)\*ArcTan[(Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[f + g\*x])/(e\*f - d\*g)])/(e^(3/2)\*(-(e\*f) + d\*g)^(3/2))

**fricas [B]** time = 0.42, size = 492, normalized size = 4.39

$$\frac{\left( (a^2 + a^2)g^2x + (a^2 + a^2)f^2 \right) \sqrt{f - dg} \log \left( \frac{2ax^2 + 2d\sqrt{d^2 - g^2}}{a^2} \right) - 2(2a^2f^3 - 3cd^2fg - ad^2g^3 + (a^2e + a^2)f^2 + (a^2fg - 2cd^2f^2 + cd^2g^2))\sqrt{g^2 + f}}{a^2fg^2 - 2d^2f^2g^2 + d^2g^2fg + (a^2fg^2 - 2d^2f^2g^2 + d^2g^2)x} \cdot \frac{2 \left( (a^2 + a^2)g^2x + (a^2 + a^2)f^2 \right) \sqrt{-d^2f + dg} \arctan \left( \frac{\sqrt{d^2 - g^2}}{a^2} \right) + (2a^2f^3 - 3cd^2fg - ad^2g^3 + (a^2e + a^2)f^2 + (a^2fg - 2cd^2f^2 + cd^2g^2))\sqrt{g^2 + f}}{a^2fg^2 - 2d^2f^2g^2 + d^2g^2fg + (a^2fg^2 - 2d^2f^2g^2 + d^2g^2)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out]  $-\left( (cd^2 + ae^2)g^3x + (cd^2 + ae^2)f^2 \right) \sqrt{e^2f - d^2e} \log \left( \frac{e^2gx + 2e^2f - d^2g + 2\sqrt{e^2f - d^2e} \sqrt{g^2 + f}}{e^2x + d} \right) - 2 \left( 2c^2e^3f^3 - 3cd^2e^2f^2g - ad^2e^2g^3 + (cd^2e + ae^3)f^2g + (c^2e^3f^2g - 2cd^2e^2f^2g + cd^2e^2g^3)x \right) \sqrt{g^2 + f} / (e^4f^3g^2 - 2d^2e^3f^2g^3 + d^2e^2f^2g^4 + (e^4f^2g^3 - 2d^2e^3f^2g^4 + d^2e^2f^2g^5)x)$ ,  $2 \left( (cd^2 + ae^2)g^3x + (cd^2 + ae^2)f^2 \right) \sqrt{-e^2f + d^2e} \arctan \left( \frac{\sqrt{-e^2f + d^2e} \sqrt{g^2 + f}}{e^2gx + e^2f} \right) + (2c^2e^3f^3 - 3cd^2e^2f^2g - ad^2e^2g^3 + (cd^2e + ae^3)f^2g + (c^2e^3f^2g - 2cd^2e^2f^2g + cd^2e^2g^3)x) \sqrt{g^2 + f} / (e^4f^3g^2 - 2d^2e^3f^2g^3 + d^2e^2f^2g^4 + (e^4f^2g^3 - 2d^2e^3f^2g^4 + d^2e^2f^2g^5)x)$

**giac [A]** time = 0.20, size = 101, normalized size = 0.90

$$-\frac{2(cd^2 + ae^2) \arctan \left( \frac{\sqrt{gx+fe}}{\sqrt{dge-fe^2}} \right)}{(dge - fe^2)^{\frac{3}{2}}} + \frac{2\sqrt{gx+fe} ce^{(-1)}}{g^2} - \frac{2(cf^2 + ag^2)}{(dg^3 - fg^2e)\sqrt{gx+f}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)/(g\*x+f)^(3/2),x, algorithm="giac")

[Out]  $-2(c^2d^2 + a^2e^2) \arctan(\sqrt{g^2 + f})e/\sqrt{d^2ge - f^2e^2} / (d^2ge - f^2e^2)^{\frac{3}{2}} + 2\sqrt{g^2 + f}c^2e^{(-1)}/g^2 - 2(c^2f^2 + a^2g^2) / ((d^2g^3 - f^2g^2e)\sqrt{g^2 + f})$

**maple [A]** time = 0.01, size = 165, normalized size = 1.47

$$\frac{2ae \arctan \left( \frac{\sqrt{gx+fe}}{\sqrt{(dg-ef)e}} \right)}{(dg-ef)\sqrt{(dg-ef)e}} - \frac{2cd^2 \arctan \left( \frac{\sqrt{gx+fe}}{\sqrt{(dg-ef)e}} \right)}{(dg-ef)\sqrt{(dg-ef)e}} - \frac{2a}{(dg-ef)\sqrt{gx+f}} - \frac{2cf^2}{(dg-ef)\sqrt{gx+f}g^2} + \frac{2\sqrt{gx+f}c}{eg^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+a)/(e\*x+d)/(g\*x+f)^(3/2),x)

[Out]  $2c^2(g^2x+f)^{\frac{1}{2}}/e/g^2 - 2/(d^2g-ef)e/((d^2g-ef)e)^{\frac{1}{2}} \arctan((g^2x+f)^{\frac{1}{2}}/((d^2g-ef)e)^{\frac{1}{2}})e - 2/(d^2g-ef)e/((d^2g-ef)e)^{\frac{1}{2}} \arctan((g^2x+f)^{\frac{1}{2}}/((d^2g-ef)e)^{\frac{1}{2}})e$

$$f^{1/2}/((d*g-e*f)*e)^{1/2}*e*c*d^2-2/(d*g-e*f)/(g*x+f)^{1/2}*a-2/g^2/(d*g-e*f)/(g*x+f)^{1/2}*c*f^2$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)/(g\*x+f)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f positive or negative?

**mupad** [B] time = 0.14, size = 141, normalized size = 1.26

$$\frac{2 \operatorname{atan}\left(\frac{2\sqrt{f+gx}(cd^2+ae^2)(e^2f-deg)}{\sqrt{e}(2cd^2+2ae^2)(dg-ef)^{3/2}}\right)(cd^2+ae^2)}{e^{3/2}(dg-ef)^{3/2}} + \frac{2c\sqrt{f+gx}}{eg^2} - \frac{2(cef^2+ae^2g^2)}{eg^2\sqrt{f+gx}(dg-ef)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c\*x^2)/((f + g\*x)^(3/2)\*(d + e\*x)),x)

[Out] (2\*atan((2\*(f + g\*x)^(1/2)\*(a\*e^2 + c\*d^2)\*(e^2\*f - d\*e\*g))/(e^(1/2)\*(2\*a\*e^2 + 2\*c\*d^2)\*(d\*g - e\*f)^(3/2)))\*(a\*e^2 + c\*d^2))/(e^(3/2)\*(d\*g - e\*f)^(3/2)) + (2\*c\*(f + g\*x)^(1/2))/(e\*g^2) - (2\*(a\*e\*g^2 + c\*e\*f^2))/(e\*g^2\*(f + g\*x)^(1/2)\*(d\*g - e\*f))

**sympy** [A] time = 41.28, size = 104, normalized size = 0.93

$$\frac{2c\sqrt{f+gx}}{eg^2} - \frac{2(ag^2+cf^2)}{g^2\sqrt{f+gx}(dg-ef)} - \frac{2(ae^2+cd^2)\operatorname{atan}\left(\frac{\sqrt{f+gx}}{\sqrt{\frac{dg-ef}{e}}}\right)}{e^2\sqrt{\frac{dg-ef}{e}}(dg-ef)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+a)/(e\*x+d)/(g\*x+f)\*\*(3/2),x)

[Out] 2\*c\*sqrt(f + g\*x)/(e\*g\*\*2) - 2\*(a\*g\*\*2 + c\*f\*\*2)/(g\*\*2\*sqrt(f + g\*x)\*(d\*g - e\*f)) - 2\*(a\*e\*\*2 + c\*d\*\*2)\*atan(sqrt(f + g\*x)/sqrt((d\*g - e\*f)/e))/(e\*\*2\*sqrt((d\*g - e\*f)/e)\*(d\*g - e\*f))

$$3.403 \quad \int \frac{a+cx^2}{(d+ex)^2(f+gx)^{3/2}} dx$$

**Optimal.** Leaf size=144

$$-\frac{\sqrt{f+gx}(ae^2+cd^2)}{e(d+ex)(ef-dg)^2} + \frac{(3ae^2g+cd(4ef-dg))\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{e^{3/2}(ef-dg)^{5/2}} - \frac{2(ag^2+cf^2)}{g\sqrt{f+gx}(ef-dg)^2}$$

**Rubi [A]** time = 0.27, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {898, 1259, 453, 208}

$$-\frac{\sqrt{f+gx}(ae^2+cd^2)}{e(d+ex)(ef-dg)^2} + \frac{(3ae^2g+cd(4ef-dg))\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{e^{3/2}(ef-dg)^{5/2}} - \frac{2(ag^2+cf^2)}{g\sqrt{f+gx}(ef-dg)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^2)/((d + e\*x)^2\*(f + g\*x)^(3/2)), x]

[Out] (-2\*(c\*f^2 + a\*g^2))/(g\*(e\*f - d\*g)^2\*Sqrt[f + g\*x]) - ((c\*d^2 + a\*e^2)\*Sqrt[f + g\*x])/(e\*(e\*f - d\*g)^2\*(d + e\*x)) + ((3\*a\*e^2\*g + c\*d\*(4\*e\*f - d\*g))\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(e^(3/2)\*(e\*f - d\*g)^(5/2))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 453

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(c\*(e\*x)^(m+1)\*(a+b\*x^n)^(p+1))/(a\*e\*(m+1)), x] + Dist[(a\*d\*(m+1) - b\*c\*(m+n\*(p+1)+1))/(a\*e^n\*(m+1)), Int[(e\*x)^(m+n)\*(a+b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b\*c - a\*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m+n, -1])) && !ILtQ[p, -1]

### Rule 898

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m+1)-1)\*((e\*f-d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2+a\*e^2)/e^2 - (2\*c\*d\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d+e\*x)^(1/q)], x] /; FreeQ[{a, c, d

, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1259

Int[(x\_)^(m\_)\*((d\_) + (e\_.)\*(x\_)^2)^(q\_)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Simp[((-d)^(m/2 - 1)\*(c\*d^2 - b\*d\*e + a\*e^2)^p\*x\*(d + e\*x^2)^(q + 1))/(2\*e^(2\*p + m/2)\*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2\*e^(2\*p)\*(q + 1)), Int[x^m\*(d + e\*x^2)^(q + 1)\*ExpandToSum[Together[(1\*(2\*(-d)^(-(m/2) + 1)\*e^(2\*p)\*(q + 1)\*(a + b\*x^2 + c\*x^4))^p - ((c\*d^2 - b\*d\*e + a\*e^2)^p/(e^(m/2)\*x^m))\*(d + e\*(2\*q + 3)\*x^2))]/(d + e\*x^2)], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m/2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{a + cx^2}{(d + ex)^2(f + gx)^{3/2}} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{\frac{cf^2 + ag^2}{g^2} - \frac{2cfx^2}{g^2} + \frac{cx^4}{g^2}}{x^2 \left( \frac{-ef + dg}{g} + \frac{ex^2}{g} \right)^2} dx, x, \sqrt{f + gx} \right)}{g} \\ &= \frac{(cd^2 + ae^2) \sqrt{f + gx}}{e(ef - dg)^2(d + ex)} - \frac{g^3 \operatorname{Subst} \left( \int \frac{\frac{2e^2(ef - dg)(cf^2 + ag^2)}{g^5} + \frac{e(ae^2g^2 - c(2e^2f^2 - 4defg + d^2g^2))x^2}{g^5}}{x^2 \left( \frac{-ef + dg}{g} + \frac{ex^2}{g} \right)} dx, x, \sqrt{f + gx} \right)}{e^2(ef - dg)^2} \\ &= -\frac{2(cf^2 + ag^2)}{g(ef - dg)^2\sqrt{f + gx}} - \frac{(cd^2 + ae^2) \sqrt{f + gx}}{e(ef - dg)^2(d + ex)} - \frac{(3ae^2g + cd(4ef - dg)) \operatorname{Subst} \left( \int \frac{1}{\sqrt{f + gx}} dx, x, \sqrt{f + gx} \right)}{eg(ef - dg)} \\ &= -\frac{2(cf^2 + ag^2)}{g(ef - dg)^2\sqrt{f + gx}} - \frac{(cd^2 + ae^2) \sqrt{f + gx}}{e(ef - dg)^2(d + ex)} + \frac{(3ae^2g + cd(4ef - dg)) \tanh^{-1} \left( \frac{\sqrt{ef - dg}}{\sqrt{f + gx}} \right)}{e^{3/2}(ef - dg)^{5/2}} \end{aligned}$$

**Mathematica [C]** time = 0.08, size = 118, normalized size = 0.82

$$\frac{2 \left( g^2 (ae^2 + cd^2) {}_2F_1 \left( -\frac{1}{2}, 2; \frac{1}{2}; \frac{e(f+gx)}{ef-dg} \right) + 2cdg(ef - dg) {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{e(f+gx)}{ef-dg} \right) + c(ef - dg)^2 \right)}{e^2g\sqrt{f + gx}(ef - dg)^2}$$

Antiderivative was successfully verified.



[In] Integrate[(a + c\*x^2)/((d + e\*x)^2\*(f + g\*x)^(3/2)),x]

[Out]  $(-2*(c*(e*f - d*g)^2 + 2*c*d*g*(e*f - d*g)*\text{Hypergeometric2F1}[-1/2, 1, 1/2, (e*(f + g*x))/(e*f - d*g)] + (c*d^2 + a*e^2)*g^2*\text{Hypergeometric2F1}[-1/2, 2, 1/2, (e*(f + g*x))/(e*f - d*g)]))/(e^2*g*(e*f - d*g)^2*\text{Sqrt}[f + g*x])$

**IntegrateAlgebraic [A]** time = 0.57, size = 210, normalized size = 1.46

$$\frac{2adeg^3 + 3ae^2g^2(f + gx) - 2ae^2fg^2 + cd^2g^2(f + gx) + 2cdef^2g - 2ce^2f^3 + 2ce^2f^2(f + gx)}{eg\sqrt{f + gx}(ef - dg)^2(-dg - e(f + gx) + ef)} + \frac{(3ae^2g - cd^2g + 4cdef)\tan^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}\sqrt{dg-ef}}{ef-dg}\right)}{e^{3/2}(ef - dg)^2\sqrt{dg - ef}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + c\*x^2)/((d + e\*x)^2\*(f + g\*x)^(3/2)),x]

[Out]  $(-2*c*e^2*f^3 + 2*c*d*e*f^2*g - 2*a*e^2*f*g^2 + 2*a*d*e*g^3 + 2*c*e^2*f^2*(f + g*x) + c*d^2*g^2*(f + g*x) + 3*a*e^2*g^2*(f + g*x))/(e*g*(e*f - d*g)^2*\text{Sqrt}[f + g*x]*(e*f - d*g - e*(f + g*x))) + ((4*c*d*e*f - c*d^2*g + 3*a*e^2*g)*\text{ArcTan}[\text{Sqrt}[e]*\text{Sqrt}[-(e*f) + d*g]*\text{Sqrt}[f + g*x]]/(e*f - d*g))/(e^{3/2}*(e*f - d*g)^2*\text{Sqrt}[-(e*f) + d*g])$

**fricas [B]** time = 0.43, size = 906, normalized size = 6.29

[[[...]]]

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^2/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out]  $[1/2*((4*c*d^2*e*f^2*g - (c*d^3 - 3*a*d*e^2)*f*g^2 + (4*c*d*e^2*f*g^2 - (c*d^2*e - 3*a*e^3)*g^3)*x^2 + (4*c*d*e^2*f^2*g + 3*(c*d^2*e + a*e^3)*f*g^2 - (c*d^3 - 3*a*d*e^2)*g^3)*x)*\text{sqrt}(e^2*f - d*e*g)*\log((e*g*x + 2*e*f - d*g + 2*\text{sqrt}(e^2*f - d*e*g)*\text{sqrt}(g*x + f))/(e*x + d)) - 2*(2*c*d*e^3*f^3 - 2*a*d^2*e^2*g^3 - (c*d^2*e^2 - a*e^4)*f^2*g - (c*d^3*e - a*d*e^3)*f*g^2 + (2*c*e^4*f^3 - 2*c*d*e^3*f^2*g + (c*d^2*e^2 + 3*a*e^4)*f*g^2 - (c*d^3*e + 3*a*d*e^3)*g^3)*x)*\text{sqrt}(g*x + f)/(d*e^5*f^4*g - 3*d^2*e^4*f^3*g^2 + 3*d^3*e^3*f^2*g^3 - d^4*e^2*f*g^4 + (e^6*f^3*g^2 - 3*d*e^5*f^2*g^3 + 3*d^2*e^4*f*g^4 - d^3*e^3*g^5)*x^2 + (e^6*f^4*g - 2*d*e^5*f^3*g^2 + 2*d^3*e^3*f*g^4 - d^4*e^2*g^5)*x), -((4*c*d^2*e*f^2*g - (c*d^3 - 3*a*d*e^2)*f*g^2 + (4*c*d*e^2*f*g^2 - (c*d^2*e - 3*a*e^3)*g^3)*x^2 + (4*c*d*e^2*f^2*g + 3*(c*d^2*e + a*e^3)*f*g^2 - (c*d^3 - 3*a*d*e^2)*g^3)*x)*\text{sqrt}(-e^2*f + d*e*g)*\text{arctan}(\text{sqrt}(-e^2*f + d*e*g)*\text{sqrt}(g*x + f)/(e*g*x + e*f)) + (2*c*d*e^3*f^3 - 2*a*d^2*e^2*g^3 - (c*d^2*e^2 - a*e^4)*f^2*g - (c*d^3*e - a*d*e^3)*f*g^2 + (2*c*e^4*f^3 - 2*c*d*e^3*f^2*g + (c*d^2*e^2 + 3*a*e^4)*f*g^2 - (c*d^3*e + 3*a*d*e^3)*g^3)*x)*\text{sqrt}(g*x + f)/(d*e^5*f^4*g - 3*d^2*e^4*f^3*g^2 + 3*d^3*e^3*f^2*g^3 - d^4*e^2*f*g^4 + (e^6*f^3*g^2 - 3*d*e^5*f^2*g^3 + 3*d^2*e^4*f*g^4 - d^3*e^3*g^5)*x^2 + (e^6*f^4*g - 2*d*e^5*f^3*g^2 + 2*d^3*e^3*f*g^4 - d^4*e^2*g^5)*x)]$

**giac [A]** time = 0.19, size = 225, normalized size = 1.56

$$\frac{(cd^2g - 4cdf e - 3age^2) \arctan\left(\frac{\sqrt{gx+fe}}{\sqrt{dge-fe^2}}\right)}{(d^2g^2e - 2dfge^2 + f^2e^3)\sqrt{dge-fe^2}} - \frac{(gx+f)cd^2g^2 + 2cdf^2ge + 2adg^3e + 2(gx+f)cf^2e^2 - 2cf^3e^2 + 3(gx+f)ag^2e^2 - 2afg^2e^2}{(d^2g^3e - 2dfg^2e^2 + f^2ge^3)\left(\sqrt{gx+f}dg + (gx+f)^{\frac{3}{2}}e - \sqrt{gx+f}fe\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^2/(g\*x+f)^(3/2),x, algorithm="giac")

[Out] (c\*d^2\*g - 4\*c\*d\*f\*e - 3\*a\*g\*e^2)\*arctan(sqrt(g\*x + f)\*e/sqrt(d\*g\*e - f\*e^2)) / ((d^2\*g^2\*e - 2\*d\*f\*g\*e^2 + f^2\*e^3)\*sqrt(d\*g\*e - f\*e^2)) - ((g\*x + f)\*c\*d^2\*g^2 + 2\*c\*d\*f^2\*g\*e + 2\*a\*d\*g^3\*e + 2\*(g\*x + f)\*c\*f^2\*e^2 - 2\*c\*f^3\*e^2 + 3\*(g\*x + f)\*a\*g^2\*e^2 - 2\*a\*f\*g^2\*e^2) / ((d^2\*g^3\*e - 2\*d\*f\*g^2\*e^2 + f^2\*g\*e^3)\*(sqrt(g\*x + f)\*d\*g + (g\*x + f)^(3/2)\*e - sqrt(g\*x + f)\*f\*e))

**maple [B]** time = 0.02, size = 269, normalized size = 1.87

$$-\frac{3aeg \arctan\left(\frac{\sqrt{gx+fe}}{\sqrt{dg-ef}}\right)}{(dg-ef)^2 \sqrt{(dg-ef)}e} + \frac{cd^2g \arctan\left(\frac{\sqrt{gx+fe}}{\sqrt{dg-ef}}\right)}{(dg-ef)^2 \sqrt{(dg-ef)}e} - \frac{4cdf \arctan\left(\frac{\sqrt{gx+fe}}{\sqrt{dg-ef}}\right)}{(dg-ef)^2 \sqrt{(dg-ef)}e} - \frac{\sqrt{gx+f} aeg}{(dg-ef)^2 (egx+dg)} - \frac{\sqrt{gx+f} cd^2g}{(dg-ef)^2 (egx+dg)e} - \frac{2ag}{(dg-ef)^2 \sqrt{gx+f}} - \frac{2cf^2}{(dg-ef)^2 \sqrt{gx+f}g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+a)/(e\*x+d)^2/(g\*x+f)^(3/2),x)

[Out] -g/(d\*g-e\*f)^2\*e\*(g\*x+f)^(1/2)/(e\*g\*x+d\*g)\*a-g/(d\*g-e\*f)^2/e\*(g\*x+f)^(1/2)/(e\*g\*x+d\*g)\*c\*d^2-3\*g/(d\*g-e\*f)^2\*e/((d\*g-e\*f)\*e)^(1/2)\*arctan((g\*x+f)^(1/2))/((d\*g-e\*f)\*e)^(1/2)\*e\*a+g/(d\*g-e\*f)^2/e/((d\*g-e\*f)\*e)^(1/2)\*arctan((g\*x+f)^(1/2))/((d\*g-e\*f)\*e)^(1/2)\*e\*c\*d^2-4/(d\*g-e\*f)^2/((d\*g-e\*f)\*e)^(1/2)\*arctan((g\*x+f)^(1/2))/((d\*g-e\*f)\*e)^(1/2)\*e\*c\*d\*f-2\*g/(d\*g-e\*f)^2/(g\*x+f)^(1/2)\*a-2/g/(d\*g-e\*f)^2/(g\*x+f)^(1/2)\*c\*f^2

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^2/(g\*x+f)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f positive or negative?

**mupad [B]** time = 3.29, size = 187, normalized size = 1.30

$$\frac{\frac{2(cf^2+ag^2)}{dg-ef} + \frac{(f+gx)(cd^2g^2+2ce^2f^2+3ae^2g^2)}{e(dg-ef)^2}}{\sqrt{f+gx}(dg^2-efg)+eg(f+gx)^{3/2}} - \frac{\operatorname{atan}\left(\frac{\sqrt{f+gx}(d^2eg^2-2de^2fg+e^3f^2)}{\sqrt{e}(dg-ef)^{5/2}}\right)(-cgd^2+4cfde+3age^2)}{e^{3/2}(dg-ef)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)/((f + g*x)^(3/2)*(d + e*x)^2),x)`

[Out]  $-\left(\frac{2(a*g^2 + c*f^2)}{d*g - e*f} + \frac{(f + g*x)*(3*a*e^2*g^2 + c*d^2*g^2 + 2*c*e^2*f^2)}{e*(d*g - e*f)^2}\right) / \left(\frac{(f + g*x)^{1/2}*(d*g^2 - e*f*g) + e*g*(f + g*x)^{3/2}}{e^{1/2}*(d*g - e*f)^{5/2}} - \frac{\operatorname{atan}\left(\frac{(f + g*x)^{1/2}*(e^3*f^2 + d^2*e*g^2 - 2*d*e^2*f*g)}{e^{3/2}*(d*g - e*f)^{5/2}}\right)}{e^{3/2}*(d*g - e*f)^{5/2}}\right)$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a)/(e*x+d)**2/(g*x+f)**(3/2),x)`

[Out] Timed out

$$3.404 \quad \int \frac{a+cx^2}{(d+ex)^3(f+gx)^{3/2}} dx$$

Optimal. Leaf size=214

$$\frac{\sqrt{f+gx} (ae^2 + cd^2)}{2e(d+ex)^2(ef-dg)^2} - \frac{(15ae^2g^2 + c(-d^2g^2 + 8defg + 8e^2f^2)) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{4e^{3/2}(ef-dg)^{7/2}} + \frac{\sqrt{f+gx} (7ae^2g + cd(8ef - dg))}{4e(d+ex)(ef-dg)^3}$$

**Rubi [A]** time = 0.50, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {898, 1259, 456, 453, 208}

$$-\frac{(15ae^2g^2 + c(-d^2g^2 + 8defg + 8e^2f^2)) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{4e^{3/2}(ef-dg)^{7/2}} - \frac{\sqrt{f+gx} (ae^2 + cd^2)}{2e(d+ex)^2(ef-dg)^2} + \frac{\sqrt{f+gx} (7ae^2g + cd(8ef - dg))}{4e(d+ex)(ef-dg)^3} + \frac{2(ag^2 + cf^2)}{\sqrt{f+gx}(ef-dg)^3}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^2)/((d + e\*x)^3\*(f + g\*x)^(3/2)), x]

[Out] (2\*(c\*f^2 + a\*g^2))/((e\*f - d\*g)^3\*Sqrt[f + g\*x]) - ((c\*d^2 + a\*e^2)\*Sqrt[f + g\*x])/(2\*e\*(e\*f - d\*g)^2\*(d + e\*x)^2) + ((7\*a\*e^2\*g + c\*d\*(8\*e\*f - d\*g))\*Sqrt[f + g\*x])/(4\*e\*(e\*f - d\*g)^3\*(d + e\*x)) - ((15\*a\*e^2\*g^2 + c\*(8\*e^2\*f^2 + 8\*d\*e\*f\*g - d^2\*g^2))\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(4\*e^(3/2)\*(e\*f - d\*g)^(7/2))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 453

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(c\*(e\*x)^(m+1)\*(a + b\*x^n)^(p+1))/(a\*e^(m+1)), x] + Dist[(a\*d\*(m+1) - b\*c\*(m+n\*(p+1)+1))/(a\*e^n\*(m+1)), Int[(e\*x)^(m+n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b\*c - a\*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m+n, -1])) && !ILtQ[p, -1]

### Rule 456

Int[(x\_)^(m)\*((a\_) + (b\_.)\*(x\_)^2)^(p)\*((c\_) + (d\_.)\*(x\_)^2), x\_Symbol] := Simp[((-a)^(m/2 - 1)\*(b\*c - a\*d)\*x\*(a + b\*x^2)^(p+1))/(2\*b^(m/2 + 1)\*(p+1)), x] + Dist[1/(2\*b^(m/2 + 1)\*(p+1)), Int[x^m\*(a + b\*x^2)^(p+1)\*ExpandToSum[2\*b\*(p+1)\*Together[(b^(m/2)\*(c + d\*x^2) - (-a)^(m/2 - 1)\*(b\*c -

```

a*d)*x^(-m + 2))/(a + b*x^2)] - ((-a)^(m/2 - 1)*(b*c - a*d))/x^m, x], x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && ILtQ[m/2
, 0] && (IntegerQ[p] || EqQ[m + 2*p + 1, 0])

```

### Rule 898

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^
2)^(p_.), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q*
(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 + a*e^2)/e^2 - (2*c*d*x^
q)/e^2 + (c*x^(2*q))/e^2)^p, x], x, (d + e*x)^(1/q)], x]] /; FreeQ[{a, c, d
, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegersQ[n
, p] && FractionQ[m]

```

### Rule 1259

```

Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^
4)^(p_.), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d
+ e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^
(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)
^(-(m/2) + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4)^p - ((c*d^2 - b*d*e + a*e
^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x], x] /; Fr
eeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1]
&& ILtQ[m/2, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{a + cx^2}{(d + ex)^3(f + gx)^{3/2}} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{\frac{cf^2+ag^2}{g^2} - \frac{2cfx^2}{g^2} + \frac{cx^4}{g^2}}{x^2 \left( \frac{-ef+dg}{g} + \frac{ex^2}{g} \right)^3} dx, x, \sqrt{f + gx} \right)}{g} \\
&= \frac{(cd^2 + ae^2) \sqrt{f + gx}}{2e(ef - dg)^2(d + ex)^2} - \frac{g^3 \operatorname{Subst} \left( \int \frac{\frac{4e^2(ef-dg)(cf^2+ag^2)}{g^5} + \frac{e(3ae^2g^2 - c(4e^2f^2 - 8defg + d^2g^2))x^2}{g^5}}{x^2 \left( \frac{-ef+dg}{g} + \frac{ex^2}{g} \right)^2} dx, x, \sqrt{f + gx} \right)}{2e^2(ef - dg)^2} \\
&= \frac{(cd^2 + ae^2) \sqrt{f + gx}}{2e(ef - dg)^2(d + ex)^2} + \frac{(7ae^2g + cd(8ef - dg)) \sqrt{f + gx}}{4e(ef - dg)^3(d + ex)} + \frac{g^3 \operatorname{Subst} \left( \int \frac{\frac{8e^2(cf^2+ag^2)}{g^4}}{x^2 \left( \frac{-ef+dg}{g} + \frac{ex^2}{g} \right)} dx, x, \sqrt{f + gx} \right)}{4e^2(ef - dg)^3} \\
&= \frac{2(cf^2 + ag^2)}{(ef - dg)^3 \sqrt{f + gx}} - \frac{(cd^2 + ae^2) \sqrt{f + gx}}{2e(ef - dg)^2(d + ex)^2} + \frac{(7ae^2g + cd(8ef - dg)) \sqrt{f + gx}}{4e(ef - dg)^3(d + ex)} + \frac{g^3 \operatorname{Subst} \left( \int \frac{\frac{8e^2(cf^2+ag^2)}{g^4}}{x^2 \left( \frac{-ef+dg}{g} + \frac{ex^2}{g} \right)} dx, x, \sqrt{f + gx} \right)}{4e^2(ef - dg)^3} \\
&= \frac{2(cf^2 + ag^2)}{(ef - dg)^3 \sqrt{f + gx}} - \frac{(cd^2 + ae^2) \sqrt{f + gx}}{2e(ef - dg)^2(d + ex)^2} + \frac{(7ae^2g + cd(8ef - dg)) \sqrt{f + gx}}{4e(ef - dg)^3(d + ex)} - \frac{g^3 \operatorname{Subst} \left( \int \frac{\frac{8e^2(cf^2+ag^2)}{g^4}}{x^2 \left( \frac{-ef+dg}{g} + \frac{ex^2}{g} \right)} dx, x, \sqrt{f + gx} \right)}{4e^2(ef - dg)^3}
\end{aligned}$$

**Mathematica [C]** time = 0.10, size = 140, normalized size = 0.65

$$\frac{2 \left( g \left( g (ae^2 + cd^2) {}_2F_1 \left( -\frac{1}{2}, 3; \frac{1}{2}; \frac{e(f+gx)}{ef-dg} \right) + 2cd(ef - dg) {}_2F_1 \left( -\frac{1}{2}, 2; \frac{1}{2}; \frac{e(f+gx)}{ef-dg} \right) \right) + c(ef - dg)^2 {}_2F_1 \left( -\frac{1}{2}, 1; \frac{1}{2}; \frac{e(f+gx)}{ef-dg} \right) \right)}{e^2 \sqrt{f + gx} (ef - dg)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c\*x^2)/((d + e\*x)^3\*(f + g\*x)^(3/2)), x]

[Out] (2\*(c\*(e\*f - d\*g)^2\*Hypergeometric2F1[-1/2, 1, 1/2, (e\*(f + g\*x))/(e\*f - d\*g)] + g\*(2\*c\*d\*(e\*f - d\*g)\*Hypergeometric2F1[-1/2, 2, 1/2, (e\*(f + g\*x))/(e\*f - d\*g)] + (c\*d^2 + a\*e^2)\*g\*Hypergeometric2F1[-1/2, 3, 1/2, (e\*(f + g\*x))/(e\*f - d\*g)])))/(e^2\*(e\*f - d\*g)^3\*sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 1.06, size = 369, normalized size = 1.72

$$\frac{(-15ae^2g^2 + cd^2g^2 - 8cdefg - 8e^2f^2) \arctan\left(\frac{g\sqrt{f+gx}\sqrt{ef-dg}}{f-dg}\right) + 8ae^2eg^4 + 25aade^2g^3(f+gx) - 16ade^2fg^3 + 8ae^2f^2g^2 - 25ae^2fg^2(f+gx) + 15ae^2g^2(f+gx)^2 + ad^2g^2(f+gx) + 8ad^2fg^2 + 7ad^2efg^2(f+gx) - cd^2g^2(f+gx)^2 - 16cdad^2fg^2 + 8cdad^2fg(f+gx) + 8ad^2fg(f+gx)^2 + 8cd^2f^4 - 16cd^2f^3(f+gx) + 8cd^2f^2(f+gx)^2}{4e^2(ef-dg)^3\sqrt{ef-dg}}}{4e\sqrt{f+gx}(ef-dg)^3\sqrt{ef-dg}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + c\*x^2)/((d + e\*x)^3\*(f + g\*x)^(3/2)),x]

[Out]  $(8*c*e^3*f^4 - 16*c*d*e^2*f^3*g + 8*c*d^2*e*f^2*g^2 + 8*a*e^3*f^2*g^2 - 16*a*d*e^2*f*g^3 + 8*a*d^2*e*g^4 - 16*c*e^3*f^3*(f + g*x) + 8*c*d*e^2*f^2*g*(f + g*x) + 7*c*d^2*e*f*g^2*(f + g*x) - 25*a*e^3*f*g^2*(f + g*x) + c*d^3*g^3*(f + g*x) + 25*a*d*e^2*g^3*(f + g*x) + 8*c*e^3*f^2*(f + g*x)^2 + 8*c*d*e^2*f*g*(f + g*x)^2 - c*d^2*e*g^2*(f + g*x)^2 + 15*a*e^3*g^2*(f + g*x)^2)/(4*e*(e*f - d*g)^3*\text{Sqrt}[f + g*x]*(e*f - d*g - e*(f + g*x))^2) + ((-8*c*e^2*f^2 - 8*c*d*e*f*g + c*d^2*g^2 - 15*a*e^2*g^2)*\text{ArcTan}[\text{Sqrt}[e]*\text{Sqrt}[-(e*f) + d*g]]*\text{Sqrt}[f + g*x])/(e*f - d*g))/(4*e^(3/2)*(e*f - d*g)^3*\text{Sqrt}[-(e*f) + d*g])$

**fricas** [B] time = 0.45, size = 1539, normalized size = 7.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^3/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out]  $[-1/8*((8*c*d^2*e^2*f^3 + 8*c*d^3*e*f^2*g - (c*d^4 - 15*a*d^2*e^2)*f*g^2 + (8*c*e^4*f^2*g + 8*c*d*e^3*f*g^2 - (c*d^2*e^2 - 15*a*e^4)*g^3)*x^3 + (8*c*e^4*f^3 + 24*c*d*e^3*f^2*g + 15*(c*d^2*e^2 + a*e^4)*f*g^2 - 2*(c*d^3*e - 15*a*d*e^3)*g^3)*x^2 + (16*c*d*e^3*f^3 + 24*c*d^2*e^2*f^2*g + 6*(c*d^3*e + 5*a*d*e^3)*f*g^2 - (c*d^4 - 15*a*d^2*e^2)*g^3)*x)*\text{sqrt}(e^2*f - d*e*g)*\log((e*g*x + 2*e*f - d*g + 2*\text{sqrt}(e^2*f - d*e*g))*\text{sqrt}(g*x + f))/(e*x + d)) + 2*(8*a*d^3*e^2*g^3 - 2*(7*c*d^2*e^3 - a*e^5)*f^3 + (13*c*d^3*e^2 - 11*a*d*e^4)*f^2*g + (c*d^4*e + a*d^2*e^3)*f*g^2 - (8*c*e^5*f^3 - 3*(3*c*d^2*e^3 - 5*a*e^5)*f*g^2 + (c*d^3*e^2 - 15*a*d*e^4)*g^3)*x^2 - (24*c*d*e^4*f^3 - (19*c*d^2*e^3 - 5*a*e^5)*f^2*g - 4*(c*d^3*e^2 - 5*a*d*e^4)*f*g^2 - (c*d^4*e + 25*a*d^2*e^3)*g^3)*x)*\text{sqrt}(g*x + f))/(d^2*e^6*f^5 - 4*d^3*e^5*f^4*g + 6*d^4*e^4*f^3*g^2 - 4*d^5*e^3*f^2*g^3 + d^6*e^2*f*g^4 + (e^8*f^4*g - 4*d*e^7*f^3*g^2 + 6*d^2*e^6*f^2*g^3 - 4*d^3*e^5*f*g^4 + d^4*e^4*g^5)*x^3 + (e^8*f^5 - 2*d*e^7*f^4*g - 2*d^2*e^6*f^3*g^2 + 8*d^3*e^5*f^2*g^3 - 7*d^4*e^4*f*g^4 + 2*d^5*e^3*g^5)*x^2 + (2*d*e^7*f^5 - 7*d^2*e^6*f^4*g + 8*d^3*e^5*f^3*g^2 - 2*d^4*e^4*f^2*g^3 - 2*d^5*e^3*f*g^4 + d^6*e^2*g^5)*x), 1/4*((8*c*d^2*e^2*f^3 + 8*c*d^3*e*f^2*g - (c*d^4 - 15*a*d^2*e^2)*f*g^2 + (8*c*e^4*f^2*g + 8*c*d*e^3*f*g^2 - (c*d^2*e^2 - 15*a*e^4)*g^3)*x^3 + (8*c*e^4*f^3 + 24*c*d*e^3*f^2*g + 15*(c*d^2*e^2 + a*e^4)*f*g^2 - 2*(c*d^3*e - 15*a*d*e^3)*g^3)*x^2 + (16*c*d*e^3*f^3 + 24*c*d^2*e^2*f^2*g + 6*(c*d^3*e + 5*a*d*e^3)*f*g^2 - (c*d^4 - 15*a*d^2*e^2)*g^3)*x)*\text{sqrt}(-e^2*f + d*e*g)*\text{arctan}(\text{sqrt}(-e^2*f + d*e*g)*\text{sqrt}(g*x + f))/(e*g*x + e*f)) - (8*a*d^3*e^2*g^3 - 2*(7*c*d^2*e^3 - a*e^5)*f^3 + (13*c*d^3*e^2 - 11*a*d*e^4)*f^2*g + (c*d^4*e + a*d^2*e^3)*f*g^2 - (8*c*e^5*f^3 - 3*(3*c*d^2*e^3 - 5*a*e^5)*f*g^2 + (c*d^3*e^2 - 15*a*d*e^4)*g^3)*x^2 - (24*c*d*e^4*f^3 - (19*c*d^2*e^3 - 5*a*e^5)*f^2*g - 4*(c*d^3*e^2 - 5*a*d*e^4)*f*g^2 - (c*d^4*e + 25*a*d^2*e^3)*g^3)*x)*\text{sqrt}(g*x + f))/(d^2*e^6*f^5 - 4*d^3*e^5*f^4*g + 6*d^4*e^4*f^3*g^2 - 4*d^5*e^3*f^2*g^3 + d^6*e^2*f*g^4 + (e^8*f^4*g - 4*d*e^7*f^3*g^2 + 6*d^2*e^6*f^2*g^3 - 4*d^3*e^5*f*g^4 + d^4*e^4*g^5)*x$

$$\begin{aligned} &^3 + (e^{8f^5} - 2d^7e^7f^4g - 2d^2e^6f^3g^2 + 8d^3e^5f^2g^3 - 7d^4e^4f^1g^4 + 2d^5e^3g^5) * x^2 + (2d^7e^7f^5 - 7d^2e^6f^4g + 8d^3e^5f^3g^2 - 2d^4e^4f^2g^3 - 2d^5e^3f^1g^4 + d^6e^2g^5) * x \end{aligned}$$

**giac** [A] time = 0.22, size = 361, normalized size = 1.69

$$\frac{(cd^2g^2 - 8cdfge - 8cf^2e^2 - 15ag^2e^2) \arctan\left(\frac{\sqrt{gx+f}}{\sqrt{d^2g^2 - f^2e^2}}\right) - \frac{2(cf^2 + ag^2)}{(d^2g^2 - 3d^2fg^2e + 3df^2ge^2 - f^2e^2)\sqrt{gx+f}} - \frac{\sqrt{gx+f}cd^3g^3 - (gx+f)^{\frac{3}{2}}cd^2g^2e + 7\sqrt{gx+f}cd^2fg^2e + 8(gx+f)^{\frac{3}{2}}cdfge^2 - 8\sqrt{gx+f}cd^2g^2e^2 + 9\sqrt{gx+f}adfg^2e^2 + 7(gx+f)^{\frac{3}{2}}ag^2e^2 - 9\sqrt{gx+f}afg^2e^2}{4(d^2g^2e - 3d^2fg^2e^2 + 3df^2ge^2 - f^2e^2)(dg + (gx+f)e - fe)^{\frac{3}{2}}}}{4(d^2g^2e - 3d^2fg^2e^2 + 3df^2ge^2 - f^2e^2)\sqrt{d^2g^2 - f^2e^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^3/(g\*x+f)^(3/2),x, algorithm="giac")

[Out]  $\frac{1}{4} * (c * d^2 * g^2 - 8 * c * d * f * g * e - 8 * c * f^2 * e^2 - 15 * a * g^2 * e^2) * \arctan(\sqrt{g * x + f} * e / \sqrt{d * g * e - f * e^2}) / ((d^3 * g^3 * e - 3 * d^2 * f * g^2 * e^2 + 3 * d * f^2 * g * e^3 - f^3 * e^4) * \sqrt{d * g * e - f * e^2}) - 2 * (c * f^2 + a * g^2) / ((d^3 * g^3 - 3 * d^2 * f * g^2 * e + 3 * d * f^2 * g * e^2 - f^3 * e^3) * \sqrt{g * x + f}) - 1/4 * (\sqrt{g * x + f} * c * d^3 * g^3 - (g * x + f)^{(3/2)} * c * d^2 * g^2 * e + 7 * \sqrt{g * x + f} * c * d^2 * f * g^2 * e + 8 * (g * x + f)^{(3/2)} * c * d * f * g * e^2 - 8 * \sqrt{g * x + f} * c * d * f^2 * g * e^2 + 9 * \sqrt{g * x + f} * a * d * g^3 * e^2 + 7 * (g * x + f)^{(3/2)} * a * g^2 * e^3 - 9 * \sqrt{g * x + f} * a * f * g^2 * e^3) / ((d^3 * g^3 * e - 3 * d^2 * f * g^2 * e^2 + 3 * d * f^2 * g * e^3 - f^3 * e^4) * (d * g + (g * x + f) * e - f * e)^2)$

**maple** [B] time = 0.02, size = 546, normalized size = 2.55

$$\frac{\frac{9\sqrt{gx+f}ade^2}{4(dg-ef)(gxx+dg)} + \frac{9\sqrt{gx+f}af^2g^2}{4(dg-ef)(gxx+dg)} - \frac{\sqrt{gx+f}cd^2g^2}{4(dg-ef)(gxx+dg)} - \frac{7\sqrt{gx+f}cd^2fg^2}{4(dg-ef)(gxx+dg)} - \frac{2\sqrt{gx+f}cd^2f^2g}{4(dg-ef)(gxx+dg)} - \frac{7(gx+f)^{\frac{3}{2}}a^2e^2}{4(dg-ef)(gxx+dg)} - \frac{15ag^2e^2 \arctan\left(\frac{\sqrt{gx+f}}{\sqrt{d^2g^2 - f^2e^2}}\right)}{4(dg-ef)\sqrt{d^2g^2 - f^2e^2}} - \frac{cd^2g^2 \arctan\left(\frac{\sqrt{gx+f}}{\sqrt{d^2g^2 - f^2e^2}}\right)}{4(dg-ef)\sqrt{d^2g^2 - f^2e^2}} - \frac{(gx+f)^{\frac{3}{2}}cd^2g^2}{4(dg-ef)(gxx+dg)} - \frac{2(gx+f)^{\frac{3}{2}}cdfg}{4(dg-ef)(gxx+dg)} - \frac{2cdfg \arctan\left(\frac{\sqrt{gx+f}}{\sqrt{d^2g^2 - f^2e^2}}\right)}{4(dg-ef)\sqrt{d^2g^2 - f^2e^2}} - \frac{2cf^2 \arctan\left(\frac{\sqrt{gx+f}}{\sqrt{d^2g^2 - f^2e^2}}\right)}{4(dg-ef)\sqrt{d^2g^2 - f^2e^2}} - \frac{2ag^2}{4(dg-ef)\sqrt{d^2g^2 - f^2e^2}} - \frac{2cf^2}{4(dg-ef)\sqrt{d^2g^2 - f^2e^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+a)/(e\*x+d)^3/(g\*x+f)^(3/2),x)

[Out]  $-7/4 / (d * g - e * f)^3 / (e * g * x + d * g)^2 * (g * x + f)^{(3/2)} * a * e^2 * g^2 + 1/4 / (d * g - e * f)^3 / (e * g * x + d * g)^2 * (g * x + f)^{(3/2)} * c * d^2 * g^2 - 2 / (d * g - e * f)^3 / (e * g * x + d * g)^2 * (g * x + f)^{(3/2)} * c * d * e * f * g - 9/4 / (d * g - e * f)^3 / (e * g * x + d * g)^2 * g^3 * e * (g * x + f)^{(1/2)} * a * d + 9/4 / (d * g - e * f)^3 / (e * g * x + d * g)^2 * g^2 * e^2 * (g * x + f)^{(1/2)} * a * f - 1/4 / (d * g - e * f)^3 / (e * g * x + d * g)^2 * g^3 / e * (g * x + f)^{(1/2)} * c * d^3 - 7/4 / (d * g - e * f)^3 / (e * g * x + d * g)^2 * g^2 * (g * x + f)^{(1/2)} * f * c * d^2 + 2 / (d * g - e * f)^3 / (e * g * x + d * g)^2 * g * e * (g * x + f)^{(1/2)} * c * d * f^2 - 15/4 / (d * g - e * f)^3 * e / ((d * g - e * f) * e)^{(1/2)} * \arctan((g * x + f)^{(1/2)} / ((d * g - e * f) * e)^{(1/2)}) * a * g^2 + 1/4 / (d * g - e * f)^3 * e / ((d * g - e * f) * e)^{(1/2)} * \arctan((g * x + f)^{(1/2)} / ((d * g - e * f) * e)^{(1/2)}) * c * d^2 * g^2 - 2 / (d * g - e * f)^3 / ((d * g - e * f) * e)^{(1/2)} * \arctan((g * x + f)^{(1/2)} / ((d * g - e * f) * e)^{(1/2)}) * e * c * d * f * g - 2 / (d * g - e * f)^3 * e / ((d * g - e * f) * e)^{(1/2)} * \arctan((g * x + f)^{(1/2)} / ((d * g - e * f) * e)^{(1/2)}) * c * f^2 - 2 / (d * g - e * f)^3 / (g * x + f)^{(1/2)} * a * g^2 - 2 / (d * g - e * f)^3 / (g * x + f)^{(1/2)} * c * f^2$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^3/(g\*x+f)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f positive or negative?

**mupad [B]** time = 3.37, size = 310, normalized size = 1.45

$$\frac{\operatorname{atan}\left(\frac{\sqrt{f+gx}(-d^3eg^3+3d^2e^2fg^2-3de^3f^2g+e^4f^3)}{\sqrt{e}(dg-ef)^{7/2}}\right)(-cd^2g^2+8cdefg+8ce^2f^2+15ae^2g^2)}{4e^{3/2}(dg-ef)^{7/2}} - \frac{\frac{2(c^2f^2+ag^2)}{dg-ef} + \frac{(f+gx)^2(-cd^2g^2+8cdefg+8ce^2f^2+15ae^2g^2)}{4(dg-ef)^3} + \frac{(f+gx)(cd^2g^2+8cdefg+16ce^2f^2+25ae^2g^2)}{4e(dg-ef)^2}}{e^2(f+gx)^{5/2} - (f+gx)^{3/2}(2e^2f-2deg) + \sqrt{f+gx}(d^2g^2-2defg+e^2f^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c\*x^2)/((f + g\*x)^(3/2)\*(d + e\*x)^3),x)

[Out] (atan(((f + g\*x)^(1/2)\*(e^4\*f^3 - d^3\*e\*g^3 + 3\*d^2\*e^2\*f\*g^2 - 3\*d\*e^3\*f^2\*g))/((e^(1/2)\*(d\*g - e\*f)^(7/2))))\*(15\*a\*e^2\*g^2 - c\*d^2\*g^2 + 8\*c\*e^2\*f^2 + 8\*c\*d\*e\*f\*g))/(4\*e^(3/2)\*(d\*g - e\*f)^(7/2)) - ((2\*(a\*g^2 + c\*f^2))/(d\*g - e\*f) + ((f + g\*x)^2\*(15\*a\*e^2\*g^2 - c\*d^2\*g^2 + 8\*c\*e^2\*f^2 + 8\*c\*d\*e\*f\*g)))/(4\*(d\*g - e\*f)^3) + ((f + g\*x)\*(25\*a\*e^2\*g^2 + c\*d^2\*g^2 + 16\*c\*e^2\*f^2 + 8\*c\*d\*e\*f\*g))/(4\*e\*(d\*g - e\*f)^2))/(e^2\*(f + g\*x)^(5/2) - (f + g\*x)^(3/2)\*(2\*e^2\*f - 2\*d\*e\*g) + (f + g\*x)^(1/2)\*(d^2\*g^2 + e^2\*f^2 - 2\*d\*e\*f\*g))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+a)/(e\*x+d)\*\*3/(g\*x+f)\*\*(3/2),x)

[Out] Timed out

$$3.405 \quad \int \frac{a+cx^2}{\sqrt{d+ex}\sqrt{f+gx}} dx$$

**Optimal.** Leaf size=147

$$\frac{(8ae^2g^2 + c(3d^2g^2 + 2defg + 3e^2f^2)) \tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)}{4e^{5/2}g^{5/2}} - \frac{c\sqrt{d+ex}\sqrt{f+gx}(5dg + 3ef)}{4e^2g^2} + \frac{c(d+ex)^{3/2}\sqrt{f+gx}}{2e^2g}$$

**Rubi [A]** time = 0.14, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {952, 80, 63, 217, 206}

$$\frac{(8ae^2g^2 + c(3d^2g^2 + 2defg + 3e^2f^2)) \tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)}{4e^{5/2}g^{5/2}} - \frac{c\sqrt{d+ex}\sqrt{f+gx}(5dg + 3ef)}{4e^2g^2} + \frac{c(d+ex)^{3/2}\sqrt{f+gx}}{2e^2g}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^2)/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), x]

[Out] -(c\*(3\*e\*f + 5\*d\*g)\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])/(4\*e^2\*g^2) + (c\*(d + e\*x)^(3/2)\*Sqrt[f + g\*x])/(2\*e^2\*g) + ((8\*a\*e^2\*g^2 + c\*(3\*e^2\*f^2 + 2\*d\*e\*f\*g + 3\*d^2\*g^2))\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(4\*e^(5/2)\*g^(5/2))

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

Q[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 952

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(c^p\*(d + e\*x)^(m + 2\*p)\*(f + g\*x)^(n + 1))/(g\*e^(2\*p)\*(m + n + 2\*p + 1)), x] + Dist[1/(g\*e^(2\*p)\*(m + n + 2\*p + 1)), Int[(d + e\*x)^m\*(f + g\*x)^n\*ExpandToSum[g\*(m + n + 2\*p + 1)\*(e^(2\*p)\*(a + c\*x^2)^p - c^p\*(d + e\*x)^(2\*p)) - c^p\*(e\*f - d\*g)\*(m + 2\*p)\*(d + e\*x)^(2\*p - 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[p, 0] && NeQ[m + n + 2\*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])

### Rubi steps

$$\begin{aligned} \int \frac{a + cx^2}{\sqrt{d + ex} \sqrt{f + gx}} dx &= \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{\int \frac{\frac{1}{2}(4ae^2g - cd(3ef + dg)) - \frac{1}{2}ce(3ef + 5dg)x}{\sqrt{d + ex} \sqrt{f + gx}} dx}{2e^2g} \\ &= -\frac{c(3ef + 5dg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{1}{8} \left( 8a + \frac{c(3e^2f^2 + 2defg)}{e^2g^2} \right) \\ &= -\frac{c(3ef + 5dg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{\left( 8a + \frac{c(3e^2f^2 + 2defg + 3d^2g^2)}{e^2g^2} \right)}{8} \\ &= -\frac{c(3ef + 5dg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{\left( 8a + \frac{c(3e^2f^2 + 2defg + 3d^2g^2)}{e^2g^2} \right)}{8} \\ &= -\frac{c(3ef + 5dg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{(8ae^2g^2 + c(3e^2f^2 + 2defg + 3d^2g^2))}{8} \end{aligned}$$

**Mathematica [A]** time = 0.56, size = 155, normalized size = 1.05

$$\frac{\sqrt{ef-dg} \sqrt{\frac{e(f+gx)}{ef-dg}} (8ae^2g^2 + c(3d^2g^2 + 2defg + 3e^2f^2)) \sinh^{-1}\left(\frac{\sqrt{g} \sqrt{d+ex}}{\sqrt{ef-dg}}\right) + ce\sqrt{g} \sqrt{d+ex} (f+gx)(-3dg - 3ef + 2egx)}{4e^3g^{5/2}\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c\*x^2)/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), x]

[Out] (c\*e\*Sqrt[g]\*Sqrt[d + e\*x]\*(f + g\*x)\*(-3\*e\*f - 3\*d\*g + 2\*e\*g\*x) + Sqrt[e\*f - d\*g]\*(8\*a\*e^2\*g^2 + c\*(3\*e^2\*f^2 + 2\*d\*e\*f\*g + 3\*d^2\*g^2))\*Sqrt[(e\*(f + g\*x))/(e\*f - d\*g)]\*ArcSinh[(Sqrt[g]\*Sqrt[d + e\*x])/Sqrt[e\*f - d\*g]])/(4\*e^3\*g^(5/2)\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.40, size = 216, normalized size = 1.47

$$\frac{(8ae^2g^2 + 3cd^2g^2 + 2cdefg + 3ce^2f^2) \tanh^{-1}\left(\frac{\sqrt{e} \sqrt{f+gx}}{\sqrt{g} \sqrt{d+ex}}\right) - c\sqrt{f+gx} \left(\frac{-5d^2eg^2(f+gx)}{d+ex} + 3d^2g^3 + \frac{3e^3f^2(f+gx)}{d+ex} + \frac{2de^2fg(f+gx)}{d+ex} + 2defg^2 - 5e^2f^2g\right)}{4e^{5/2}g^{5/2} \cdot 4e^2g^2\sqrt{d+ex} \left(\frac{e(f+gx)}{d+ex} - g\right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + c\*x^2)/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), x]

[Out] -1/4\*(c\*Sqrt[f + g\*x]\*(-5\*e^2\*f^2\*g + 2\*d\*e\*f\*g^2 + 3\*d^2\*g^3 + (3\*e^3\*f^2\*(f + g\*x))/(d + e\*x) + (2\*d\*e^2\*f\*g\*(f + g\*x))/(d + e\*x) - (5\*d^2\*e\*g^2\*(f + g\*x))/(d + e\*x))/(e^2\*g^2\*Sqrt[d + e\*x]\*(-g + (e\*(f + g\*x))/(d + e\*x))^2) + ((3\*c\*e^2\*f^2 + 2\*c\*d\*e\*f\*g + 3\*c\*d^2\*g^2 + 8\*a\*e^2\*g^2)\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[g]\*Sqrt[d + e\*x]])/(4\*e^(5/2)\*g^(5/2))

**fricas [A]** time = 0.47, size = 336, normalized size = 2.29

$$\frac{(3c^2f^2 + 2cdefg + (3cd^2 + 8a^2e^2)g^2)\sqrt{eg} \log\left(\frac{8c^2g^2x^2 + e^2f + 6defg + d^2g^2 + 4(2egx + ef + dg)\sqrt{eg}\sqrt{d+ex} + 8(e^2fg + dg^2)x + 4(2c^2g^2x - 3c^2fg - 3cdg^2)\sqrt{d+ex}\sqrt{egx}}{16c^2g^2}\right) + (3c^2f^2 + 2cdefg + (3cd^2 + 8a^2e^2)g^2)\sqrt{eg} \arctan\left(\frac{(2egx + ef + dg)\sqrt{eg}\sqrt{d+ex}}{2(2c^2g^2x - 3c^2fg - 3cdg^2)\sqrt{d+ex}\sqrt{egx}}\right) - 2(2c^2g^2x - 3c^2fg - 3cdg^2)\sqrt{d+ex}\sqrt{egx}}{8c^2g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2), x, algorithm="fricas")

[Out] [1/16\*((3\*c\*e^2\*f^2 + 2\*c\*d\*e\*f\*g + (3\*c\*d^2 + 8\*a\*e^2)\*g^2)\*sqrt(e\*g)\*log(8\*e^2\*g^2\*x^2 + e^2\*f^2 + 6\*d\*e\*f\*g + d^2\*g^2 + 4\*(2\*e\*g\*x + e\*f + d\*g)\*sqrt(e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(e^2\*f\*g + d\*e\*g^2)\*x) + 4\*(2\*c\*e^2\*g^2\*x - 3\*c\*e^2\*f\*g - 3\*c\*d\*e\*g^2)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(e^3\*g^3), -1/8\*((3\*c\*e^2\*f^2 + 2\*c\*d\*e\*f\*g + (3\*c\*d^2 + 8\*a\*e^2)\*g^2)\*sqrt(-e\*g)\*arctan(1/2\*(2\*e\*g\*x + e\*f + d\*g)\*sqrt(-e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(e^2\*g^2\*x^2 + d\*e\*f\*g + (e^2\*f\*g + d\*e\*g^2)\*x)) - 2\*(2\*c\*e^2\*g^2\*x - 3\*c\*e^2\*f\*g - 3\*c\*d\*e\*g^2)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(e^3\*g^3)]

**giac [A]** time = 0.27, size = 155, normalized size = 1.05

$$\frac{1}{4} \sqrt{(xe+d)ge-dge+fe^2} \sqrt{xe+d} \left( \frac{2(xe+d)ce^{-3}}{g} - \frac{(5cdg^2e^5+3cfdge^6)e^{-8}}{g^3} \right) - \frac{(3cd^2g^2+2cdfge+3cf^2e^2+8ag^2e^2)e^{-\frac{5}{2}} \log\left(-\sqrt{xe+d}\sqrt{g}e^{\frac{1}{2}}+\sqrt{(xe+d)ge-dge+fe^2}\right)}{4g^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out]  $\frac{1}{4} \sqrt{(xe+d)ge-dge+fe^2} \sqrt{xe+d} (2*(xe+d)*c*e^{-3}/g - (5*c*d*g^2*e^5 + 3*c*f*g*e^6)*e^{-8}/g^3) - \frac{1}{4} * (3*c*d^2*g^2 + 2*c*d*f*g*e + 3*c*f^2*e^2 + 8*a*g^2*e^2)*e^{-5/2} * \log(\text{abs}(-\sqrt{(xe+d)ge-dge+fe^2}) * \sqrt{g}) * e^{1/2} + \sqrt{(xe+d)ge-dge+fe^2}) / g^{5/2}$

**maple [B]** time = 0.04, size = 306, normalized size = 2.08

$$\frac{8a^2g^2 \ln\left(\frac{2gx+dy+ef+2\sqrt{(ax+d)(gx+f)}\sqrt{g}}{2\sqrt{g}}\right) + 3c d^2 g^2 \ln\left(\frac{2gx+dy+ef+2\sqrt{(ax+d)(gx+f)}\sqrt{g}}{2\sqrt{g}}\right) + 2cdfg \ln\left(\frac{2gx+dy+ef+2\sqrt{(ax+d)(gx+f)}\sqrt{g}}{2\sqrt{g}}\right) + 3c^2 f^2 \ln\left(\frac{2gx+dy+ef+2\sqrt{(ax+d)(gx+f)}\sqrt{g}}{2\sqrt{g}}\right) + 4\sqrt{g} \sqrt{(ax+d)(gx+f)} \operatorname{csc} x - 6\sqrt{(ax+d)(gx+f)} \sqrt{g} \operatorname{csc} g - 6\sqrt{(ax+d)(gx+f)} \sqrt{g} \operatorname{csc} f}{8\sqrt{g} \sqrt{(ax+d)(gx+f)} e^{\frac{1}{2}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2),x)

[Out]  $\frac{1}{8} * (8 * \ln(1/2 * (2 * e * g * x + 2 * ((e * x + d) * (g * x + f))^{1/2} * (e * g)^{1/2} + d * g + e * f) / (e * g)^{1/2}) * a * e^{-2} * g^2 + 3 * \ln(1/2 * (2 * e * g * x + 2 * ((e * x + d) * (g * x + f))^{1/2} * (e * g)^{1/2} + d * g + e * f) / (e * g)^{1/2}) * c * d^2 * g^2 + 3 * \ln(1/2 * (2 * e * g * x + 2 * ((e * x + d) * (g * x + f))^{1/2} * (e * g)^{1/2} + d * g + e * f) / (e * g)^{1/2}) * c * e^{-2} * f^2 + 2 * \ln(1/2 * (2 * e * g * x + 2 * ((e * x + d) * (g * x + f))^{1/2} * (e * g)^{1/2} + d * g + e * f) / (e * g)^{1/2}) * c * d * e * f * g + 4 * (e * g)^{1/2} * ((e * x + d) * (g * x + f))^{1/2} * x * c * e * g - 6 * ((e * x + d) * (g * x + f))^{1/2} * (e * g)^{1/2} * c * d * g - 6 * ((e * x + d) * (g * x + f))^{1/2} * (e * g)^{1/2} * c * e * f) * (e * x + d)^{1/2} * (g * x + f)^{1/2} / (e * g)^{1/2} / g^2 / e^2 / ((e * x + d) * (g * x + f))^{1/2}$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details) Is d\*g-e\*f zero or nonzero?

**mupad [B]** time = 20.13, size = 569, normalized size = 3.87

$$\frac{\operatorname{catanh}\left(\frac{\sqrt{g}(\sqrt{ax+d}-\sqrt{d})}{\sqrt{e}(\sqrt{gx+f}-\sqrt{f})}\right) (3d^2g^2+2defg+3c^2f^2)}{2e^{3/2}g^{5/2}} - \frac{4a \operatorname{atan}\left(\frac{e(\sqrt{gx+f}-\sqrt{f})}{\sqrt{e}(\sqrt{ax+d}-\sqrt{d})}\right)}{\sqrt{-eg}} - \frac{(\sqrt{ax+d}-\sqrt{d})\left(\frac{3c^2d^2e^2+d^2fg+3c^2d^2}{2}\right)}{g^2(\sqrt{gx+f}-\sqrt{f})} - \frac{(\sqrt{ax+d}-\sqrt{d})\left(\frac{11c^2d^2+25cdefg+11c^2d^2}{2}\right)}{g^2(\sqrt{gx+f}-\sqrt{f})^3} + \frac{(\sqrt{ax+d}-\sqrt{d})\left(\frac{3c^2d^2+d^2fg+3c^2d^2}{2}\right)}{e^2g^2(\sqrt{gx+f}-\sqrt{f})^3} - \frac{(\sqrt{ax+d}-\sqrt{d})\left(\frac{11c^2d^2+25cdefg+11c^2d^2}{2}\right)}{e^2g^2(\sqrt{gx+f}-\sqrt{f})^3} + \frac{\sqrt{d}\sqrt{g}(32cdg+32cef)(\sqrt{ax+d}-\sqrt{d})^4}{g^2(\sqrt{gx+f}-\sqrt{f})^4} + \frac{4e(\sqrt{ax+d}-\sqrt{d})^4}{g^2(\sqrt{gx+f}-\sqrt{f})^4} + \frac{4d(\sqrt{ax+d}-\sqrt{d})^4}{g^2(\sqrt{gx+f}-\sqrt{f})^4} + \frac{6e^2(\sqrt{ax+d}-\sqrt{d})^4}{g^2(\sqrt{gx+f}-\sqrt{f})^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^2)/((f + g*x)^(1/2)*(d + e*x)^(1/2)),x)`

[Out] 
$$\begin{aligned} & (c*\operatorname{atanh}((g^{1/2}*((d + e*x)^{1/2} - d^{1/2}))/e^{1/2}*((f + g*x)^{1/2} - f^{1/2}))) * (3*d^2*g^2 + 3*e^2*f^2 + 2*d*e*f*g) / (2*e^{5/2}*g^{5/2}) - (4*a* \\ & \operatorname{atan}((e*((f + g*x)^{1/2} - f^{1/2}))/((-e*g)^{1/2}*((d + e*x)^{1/2} - d^{1/2})))) / (-e*g)^{1/2} - (((d + e*x)^{1/2} - d^{1/2}) * ((3*c*e^3*f^2)/2 + (3*c \\ & *d^2*e*g^2)/2 + c*d*e^2*f*g)) / (g^6*((f + g*x)^{1/2} - f^{1/2})) - (((d + e*x)^{1/2} - d^{1/2})^3 * ((11*c*d^2*g^2)/2 + (11*c*e^2*f^2)/2 + 25*c*d*e*f*g)) \\ & / (g^5*((f + g*x)^{1/2} - f^{1/2})^3) + (((d + e*x)^{1/2} - d^{1/2})^7 * ((3*c*d^2*g^2)/2 + (3*c*e^2*f^2)/2 + c*d*e*f*g)) / (e^2*g^3*((f + g*x)^{1/2} - f^{1/2})^7) - (((d + e*x)^{1/2} - d^{1/2})^5 * ((11*c*d^2*g^2)/2 + (11*c*e^2*f^2) \\ & /2 + 25*c*d*e*f*g)) / (e*g^4*((f + g*x)^{1/2} - f^{1/2})^5) + (d^{1/2}*f^{1/2} * (32*c*d*g + 32*c*e*f) * ((d + e*x)^{1/2} - d^{1/2})^4) / (g^4*((f + g*x)^{1/2} - f^{1/2})^4) / (((d + e*x)^{1/2} - d^{1/2})^8 / ((f + g*x)^{1/2} - f^{1/2})^8 + e^4/g^4 - (4*e*((d + e*x)^{1/2} - d^{1/2})^6) / (g*((f + g*x)^{1/2} - f^{1/2})^6) - (4*e^3*((d + e*x)^{1/2} - d^{1/2})^2) / (g^3*((f + g*x)^{1/2} - f^{1/2})^2) + (6*e^2*((d + e*x)^{1/2} - d^{1/2})^4) / (g^2*((f + g*x)^{1/2} - f^{1/2})^4)) \end{aligned}$$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + cx^2}{\sqrt{d + ex}\sqrt{f + gx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+a)/(e*x+d)**(1/2)/(g*x+f)**(1/2),x)`

[Out] `Integral((a + c*x**2)/(sqrt(d + e*x)*sqrt(f + g*x)), x)`

$$3.406 \quad \int \frac{-1+2x^2}{\sqrt{-1+x}\sqrt{1+x}} dx$$

Optimal. Leaf size=16

$$\sqrt{x-1}x\sqrt{x+1}$$

Rubi [A] time = 0.01, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {384}

$$\sqrt{x-1}x\sqrt{x+1}$$

Antiderivative was successfully verified.

[In] Int[(-1 + 2\*x^2)/(Sqrt[-1 + x]\*Sqrt[1 + x]),x]

[Out] Sqrt[-1 + x]\*x\*Sqrt[1 + x]

Rule 384

Int[((a1\_) + (b1\_.)\*(x\_)^(non2\_.))^(p\_.)\*((a2\_) + (b2\_.)\*(x\_)^(non2\_.))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_.)), x\_Symbol] :> Simp[(c\*x\*(a1 + b1\*x^(n/2))^(p + 1)\*(a2 + b2\*x^(n/2))^(p + 1))/(a1\*a2), x] /; FreeQ[{a1, b1, a2, b2, c, d, n, p}, x] && EqQ[non2, n/2] && EqQ[a2\*b1 + a1\*b2, 0] && EqQ[a1\*a2\*d - b1\*b2\*c\*(n\*(p + 1) + 1), 0]

Rubi steps

$$\int \frac{-1+2x^2}{\sqrt{-1+x}\sqrt{1+x}} dx = \sqrt{-1+x}x\sqrt{1+x}$$

Mathematica [C] time = 0.09, size = 66, normalized size = 4.12

$$\frac{\sqrt{x-1} \left( x\sqrt{1-x^2} - 2 \sin^{-1} \left( \frac{\sqrt{1-x}}{\sqrt{2}} \right) \right)}{\sqrt{1-x}} + 2 \tanh^{-1} \left( \sqrt{\frac{x-1}{x+1}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(-1 + 2\*x^2)/(Sqrt[-1 + x]\*Sqrt[1 + x]),x]

[Out] (Sqrt[-1 + x]\*(x\*Sqrt[1 - x^2] - 2\*ArcSin[Sqrt[1 - x]/Sqrt[2]]))/Sqrt[1 - x] + 2\*ArcTanh[Sqrt[(-1 + x)/(1 + x)]]

**IntegrateAlgebraic** [B] time = 0.05, size = 46, normalized size = 2.88

$$\frac{2 \left( \frac{(x-1)^{3/2}}{(x+1)^{3/2}} + \frac{\sqrt{x-1}}{\sqrt{x+1}} \right)}{\left( \frac{x-1}{x+1} - 1 \right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(-1 + 2\*x^2)/(Sqrt[-1 + x]\*Sqrt[1 + x]),x]

[Out] (2\*((-1 + x)^(3/2)/(1 + x)^(3/2) + Sqrt[-1 + x]/Sqrt[1 + x]))/(-1 + (-1 + x)/(1 + x))^2

**fricas** [A] time = 0.39, size = 12, normalized size = 0.75

$$\sqrt{x+1} \sqrt{x-1} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*x^2-1)/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="fricas")

[Out] sqrt(x + 1)\*sqrt(x - 1)\*x

**giac** [A] time = 0.17, size = 12, normalized size = 0.75

$$\sqrt{x+1} \sqrt{x-1} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*x^2-1)/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="giac")

[Out] sqrt(x + 1)\*sqrt(x - 1)\*x

**maple** [A] time = 0.00, size = 13, normalized size = 0.81

$$\sqrt{x-1} \sqrt{x+1} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*x^2-1)/(x-1)^(1/2)/(x+1)^(1/2),x)

[Out] x\*(x-1)^(1/2)\*(x+1)^(1/2)

**maxima** [C] time = 0.43, size = 9, normalized size = 0.56

$$\sqrt{x^2-1} x$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*x^2-1)/(-1+x)^(1/2)/(1+x)^(1/2),x, algorithm="maxima")

[Out] sqrt(x^2 - 1)\*x

**mupad [B]** time = 2.80, size = 16, normalized size = 1.00

$$\frac{(x^2 + x) \sqrt{x - 1}}{\sqrt{x + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2\*x^2 - 1)/((x - 1)^(1/2)\*(x + 1)^(1/2)),x)

[Out] ((x + x^2)\*(x - 1)^(1/2))/(x + 1)^(1/2)

**sympy [C]** time = 43.48, size = 129, normalized size = 8.06

$$- \begin{cases} 2 \operatorname{acosh}\left(\frac{\sqrt{2}\sqrt{x+1}}{2}\right) & \text{for } \frac{|x+1|}{2} > 1 \\ -2i \operatorname{asin}\left(\frac{\sqrt{2}\sqrt{x+1}}{2}\right) & \text{otherwise} \end{cases} + \frac{G_{6,6}^{6,2}\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{4} & -\frac{1}{2}, -\frac{1}{2}, 0, 1 \\ -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 0 \end{matrix} \middle| \frac{1}{x^2}\right)}{2\pi^{\frac{3}{2}}} - \frac{iG_{6,6}^{2,6}\left(\begin{matrix} -\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1 \\ -\frac{5}{4}, -\frac{3}{4} & -\frac{3}{2}, -1, -1, 0 \end{matrix} \middle| \frac{e^{2i\pi}}{x^2}\right)}{2\pi^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2\*x\*\*2-1)/(-1+x)\*\*(1/2)/(1+x)\*\*(1/2),x)

[Out] -Piecewise((2\*acosh(sqrt(2)\*sqrt(x + 1)/2), Abs(x + 1)/2 > 1), (-2\*I\*asin(sqrt(2)\*sqrt(x + 1)/2), True)) + meijerg((((-3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), x\*\*(-2))/(2\*pi\*\*(3/2)) - I\*meijerg((((-3/2, -5/4, -1, -3/4, -1/2, 1), ()), ((-5/4, -3/4), (-3/2, -1, -1, 0)), exp\_polar(2\*I\*pi)/x\*\*2)/(2\*pi\*\*(3/2)))

$$3.407 \quad \int \frac{(d+ex)^{3/2} \sqrt{f+gx}}{a+cx^2} dx$$

**Optimal.** Leaf size=411

$$\frac{\left(\frac{a(ae^2g-cd(dg+2ef))}{\sqrt{c}} - \sqrt{-a} (cd^2f - ae(2dg + ef))\right) \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{c}f - \sqrt{-a}g}}{\sqrt{f+gx} \sqrt{\sqrt{c}d - \sqrt{-a}e}}\right) + \left(\sqrt{-a} (cd^2f - ae(2dg + ef)) + \frac{a(ae^2g-cd(dg+2ef))}{\sqrt{c}}\right) \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{c}f - \sqrt{-a}g}}{\sqrt{f+gx} \sqrt{\sqrt{c}d - \sqrt{-a}e}}\right)}{ac\sqrt{\sqrt{c}d - \sqrt{-a}e} \sqrt{\sqrt{c}f - \sqrt{-a}g} + ac\sqrt{\sqrt{-a}e + \sqrt{c}f}}$$

**Rubi [A]** time = 2.51, antiderivative size = 411, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {904, 80, 63, 217, 206, 6725, 93, 208}

$$\frac{\left(\frac{d(ae^2g-cd(dg+2ef))}{\sqrt{c}} - \sqrt{-a} (cd^2f - ae(2dg + ef))\right) \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{c}f - \sqrt{-a}g}}{\sqrt{f+gx} \sqrt{\sqrt{c}d - \sqrt{-a}e}}\right) + \left(\sqrt{-a} (cd^2f - ae(2dg + ef)) + \frac{d(ae^2g-cd(dg+2ef))}{\sqrt{c}}\right) \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{c}f - \sqrt{-a}g}}{\sqrt{f+gx} \sqrt{\sqrt{c}d - \sqrt{-a}e}}\right) + \frac{e\sqrt{d+ex} \sqrt{f+gx}}{c} + \frac{\sqrt{c}(3dg + ef) \tanh^{-1}\left(\frac{\sqrt{c} \sqrt{d+ex}}{\sqrt{c} \sqrt{f+gx}}\right)}{c\sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*Sqrt[f + g\*x])/(a + c\*x^2), x]

[Out] (e\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])/c + (Sqrt[e]\*(e\*f + 3\*d\*g)\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(c\*Sqrt[g]) + (((a\*(a\*e^2\*g - c\*d\*(2\*e\*f + d\*g)))/Sqrt[c] - Sqrt[-a]\*(c\*d^2\*f - a\*e\*(e\*f + 2\*d\*g)))\*ArcTanh[(Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(a\*c\*Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]) + (((a\*(a\*e^2\*g - c\*d\*(2\*e\*f + d\*g)))/Sqrt[c] + Sqrt[-a]\*(c\*d^2\*f - a\*e\*(e\*f + 2\*d\*g)))\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(a\*c\*Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f}

, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 93

Int[(((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 904

Int[(((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_)^(n\_)))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[g/c, Int[Simp[2\*e\*f + d\*g + e\*g\*x, x]\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n - 2), x], x] + Dist[1/c, Int[(Simp[c\*d\*f^2 - 2\*a\*e\*f\*g - a\*d\*g^2 + (c\*e\*f^2 + 2\*c\*d\*f\*g - a\*e\*g^2)\*x, x]\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n - 2))/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[m] && !IntegerQ[n] && GtQ[m, 0] && GtQ[n, 1]

### Rule 6725

Int[(u\_)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] := With[{v = RationalFunctionExpand[u/(a + b\*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

### Rubi steps

$$\int \frac{(d+ex)^{3/2} \sqrt{f+gx}}{a+cx^2} dx = \frac{\int \frac{cd^2f - ae(ef+2dg) - (ae^2g - cd(2ef+dg))x}{\sqrt{d+ex} \sqrt{f+gx} (a+cx^2)} dx}{c} + \frac{e \int \frac{ef+2dg+egx}{\sqrt{d+ex} \sqrt{f+gx}} dx}{c}$$

$$= \frac{e\sqrt{d+ex} \sqrt{f+gx}}{c} + \frac{\int \left( \frac{-\frac{a(-ae^2g+cd(2ef+dg)) + \sqrt{-a}(cd^2f - ae(ef+2dg))}{\sqrt{c}}}{2a(\sqrt{-a} - \sqrt{c}x) \sqrt{d+ex} \sqrt{f+gx}} + \frac{\frac{a(-ae^2g+cd(2ef+dg)) + \sqrt{-a}(cd^2f - ae(ef+2dg))}{\sqrt{c}}}{2a(\sqrt{-a} + \sqrt{c}x) \sqrt{d+ex} \sqrt{f+gx}} \right) dx}{c}$$

$$= \frac{e\sqrt{d+ex} \sqrt{f+gx}}{c} + \frac{(ef+3dg) \text{Subst} \left( \int \frac{1}{\sqrt{f - \frac{dg}{e} + \frac{gx^2}{e}}} dx, x, \sqrt{d+ex} \right)}{c} + \frac{\left( \frac{a(ae^2g - cd(2ef+dg))}{\sqrt{c}} \right)}{c}$$

$$= \frac{e\sqrt{d+ex} \sqrt{f+gx}}{c} + \frac{(ef+3dg) \text{Subst} \left( \int \frac{1}{1 - \frac{gx^2}{e}} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}} \right)}{c} + \frac{\left( \frac{a(ae^2g - cd(2ef+dg))}{\sqrt{c}} \right)}{c}$$

$$= \frac{e\sqrt{d+ex} \sqrt{f+gx}}{c} + \frac{\sqrt{e}(ef+3dg) \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{d+ex}}{\sqrt{e} \sqrt{f+gx}} \right)}{c\sqrt{g}} + \frac{\left( \frac{a(ae^2g - cd(2ef+dg))}{\sqrt{c}} - \sqrt{-a} \right)}{ac\sqrt{-a}}$$

**Mathematica [A]** time = 2.44, size = 410, normalized size = 1.00

$$\frac{(\sqrt{-a}cd^2 + 2a\sqrt{c}de + (-a)^{3/2}e^2)\sqrt{-a}g - \sqrt{c}ef \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{-a}g - \sqrt{c}f}{\sqrt{f+gx}\sqrt{-a}e - \sqrt{c}d}\right) + (\sqrt{-a}cd^2 - 2a\sqrt{c}de + (-a)^{3/2}e^2)\sqrt{-a}g + \sqrt{c}ef \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{-a}g + \sqrt{c}f}{\sqrt{f+gx}\sqrt{-a}e + \sqrt{c}d}\right) + \sqrt{c}e\sqrt{d+ex}\sqrt{f+gx} + \frac{\sqrt{c}e\sqrt{ef-dg}(3dg+ef)\sqrt{\frac{ef+gx}{ef-dg}} \sinh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f-dg}}\right)}{\sqrt{g}\sqrt{f+gx}}}{a\sqrt{-a}e - \sqrt{c}d} + \frac{(\sqrt{-a}cd^2 - 2a\sqrt{c}de + (-a)^{3/2}e^2)\sqrt{-a}g + \sqrt{c}ef \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{-a}g + \sqrt{c}f}{\sqrt{f+gx}\sqrt{-a}e + \sqrt{c}d}\right) + \sqrt{c}e\sqrt{d+ex}\sqrt{f+gx} + \frac{\sqrt{c}e\sqrt{ef-dg}(3dg+ef)\sqrt{\frac{ef+gx}{ef-dg}} \sinh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f-dg}}\right)}{\sqrt{g}\sqrt{f+gx}}}{a\sqrt{-a}e + \sqrt{c}d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((d + e*x)^(3/2)*Sqrt[f + g*x])/(a + c*x^2), x]
[Out] (Sqrt[c]*e*Sqrt[d + e*x]*Sqrt[f + g*x] + (Sqrt[c]*Sqrt[e*f - d*g])*(e*f + 3*d*g)*Sqrt[(e*(f + g*x))/(e*f - d*g)]*ArcSinh[(Sqrt[g]*Sqrt[d + e*x])/Sqrt[e*f - d*g]])/(Sqrt[g]*Sqrt[f + g*x] - ((Sqrt[-a]*c*d^2 + 2*a*Sqrt[c]*d*e + (-a)^(3/2)*e^2)*Sqrt[-(Sqrt[c]*f) + Sqrt[-a]*g]*ArcTanh[(Sqrt[-(Sqrt[c]*f) + Sqrt[-a]*g]*Sqrt[d + e*x])/(Sqrt[-(Sqrt[c]*d) + Sqrt[-a]*e]*Sqrt[f + g*x])])/(a*Sqrt[-(Sqrt[c]*d) + Sqrt[-a]*e]) + ((Sqrt[-a]*c*d^2 - 2*a*Sqrt[c]*d*e + (-a)^(3/2)*e^2)*Sqrt[Sqrt[c]*f + Sqrt[-a]*g]*ArcTanh[(Sqrt[Sqrt[c]*f + Sqrt[-a]*g]*Sqrt[d + e*x])/(Sqrt[Sqrt[c]*d + Sqrt[-a]*e]*Sqrt[f + g*x])])/(a*Sqrt[Sqrt[c]*d + Sqrt[-a]*e]))/c^(3/2)
```

**IntegrateAlgebraic [C]** time = 1.44, size = 580, normalized size = 1.41

$$\frac{(-idf\sqrt{a^2+c^2} + \sqrt{a}\sqrt{c}ef\sqrt{a^2+c^2} + \sqrt{a}\sqrt{c}dg\sqrt{a^2+c^2} + iacg\sqrt{a^2+c^2}) \tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{a^2+c^2}}{\sqrt{a^2+c^2}\sqrt{-i\sqrt{g}d+i\sqrt{c}ef-i\sqrt{g}d}\right) + (idf\sqrt{a^2+c^2} + \sqrt{a}\sqrt{c}ef\sqrt{a^2+c^2} + \sqrt{a}\sqrt{c}dg\sqrt{a^2+c^2} - iacg\sqrt{a^2+c^2}) \tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{a^2+c^2}}{\sqrt{a^2+c^2}\sqrt{i\sqrt{g}d+i\sqrt{c}ef+i\sqrt{g}d}\right) + (3d\sqrt{g} + e^{3/2}f) \tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f-dg}}\right) + \frac{e\sqrt{f+gx}(ef-dg)}{c\sqrt{g}}}{\sqrt{a}c^{3/2}\sqrt{-(\sqrt{c}d-i\sqrt{a}e)(\sqrt{c}f+i\sqrt{a}g)}} + \frac{(\sqrt{a}cd^2 - 2a\sqrt{c}de + (-a)^{3/2}e^2)\sqrt{-a}g + \sqrt{c}ef \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{-a}g + \sqrt{c}f}{\sqrt{f+gx}\sqrt{-a}e + \sqrt{c}d}\right) + \sqrt{c}e\sqrt{d+ex}\sqrt{f+gx} + \frac{\sqrt{c}e\sqrt{ef-dg}(3dg+ef)\sqrt{\frac{ef+gx}{ef-dg}} \sinh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f-dg}}\right)}{\sqrt{g}\sqrt{f+gx}}}{\sqrt{a}c^{3/2}\sqrt{-(\sqrt{c}d+i\sqrt{a}e)(\sqrt{c}f-i\sqrt{a}g)}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[((d + e*x)^(3/2)*Sqrt[f + g*x])/(a + c*x^2),x]
```

```
[Out] -((e*(e*f - d*g)*Sqrt[f + g*x])/(c*Sqrt[d + e*x]*(g - (e*(f + g*x))/(d + e*x)))) + (((-I)*c*d*Sqrt[c*d^2 + a*e^2]*f + Sqrt[a]*Sqrt[c]*e*Sqrt[c*d^2 + a*e^2]*f + Sqrt[a]*Sqrt[c]*d*Sqrt[c*d^2 + a*e^2]*g + I*a*e*Sqrt[c*d^2 + a*e^2]*g)*ArcTan[(Sqrt[c*d^2 + a*e^2]*Sqrt[f + g*x])/(Sqrt[-(c*d*f) + I*Sqrt[a]*Sqrt[c]*e*f - I*Sqrt[a]*Sqrt[c]*d*g - a*e*g]*Sqrt[d + e*x])])/(Sqrt[a]*c^(3/2)*Sqrt[-((Sqrt[c]*d - I*Sqrt[a]*e)*(Sqrt[c]*f + I*Sqrt[a]*g))]) + ((I*c*d*Sqrt[c*d^2 + a*e^2]*f + Sqrt[a]*Sqrt[c]*e*Sqrt[c*d^2 + a*e^2]*f + Sqrt[a]*Sqrt[c]*d*Sqrt[c*d^2 + a*e^2]*g - I*a*e*Sqrt[c*d^2 + a*e^2]*g)*ArcTan[(Sqrt[c*d^2 + a*e^2]*Sqrt[f + g*x])/(Sqrt[-(c*d*f) - I*Sqrt[a]*Sqrt[c]*e*f + I*Sqrt[a]*Sqrt[c]*d*g - a*e*g]*Sqrt[d + e*x])])/(Sqrt[a]*c^(3/2)*Sqrt[-((Sqrt[c]*d + I*Sqrt[a]*e)*(Sqrt[c]*f - I*Sqrt[a]*g))]) + ((e^(3/2)*f + 3*d*Sqrt[e]*g)*ArcTanh[(Sqrt[e]*Sqrt[f + g*x])/(Sqrt[g]*Sqrt[d + e*x])])/(c*Sqrt[g])
```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(g*x+f)^(1/2)/(c*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(g*x+f)^(1/2)/(c*x^2+a),x, algorithm="giac")
```

```
[Out] Timed out
```

**maple** [B] time = 0.11, size = 2497, normalized size = 6.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)^(3/2)*(g*x+f)^(1/2)/(c*x^2+a),x)
```

```
[Out] 1/2*(e*x+d)^(1/2)*(g*x+f)^(1/2)*(3*(-a*c)^(1/2)*(-((-a*c)^(1/2)*d*g+(-a*c)^(1/2)*e*f+a*e*g-c*d*f)/c)^(1/2)*(((a*c)^(1/2)*d*g+(-a*c)^(1/2)*e*f-a*e*g+c*d*f)/c)^(1/2)*ln(1/2*(2*e*g*x+2*(e*g*x^2+d*g*x+e*f*x+d*f)^(1/2)*(e*g)^(1/2)+d*g+e*f)/(e*g)^(1/2))*c*d*e*g+(-a*c)^(1/2)*(-((-a*c)^(1/2)*d*g+(-a*c)^(1/2)*e*f+a*e*g-c*d*f)/c)^(1/2)
```



$$\frac{1}{2}*(e*g)^{(1/2)}*\ln((x*c*d*g+x*c*e*f-2*(-a*c)^{(1/2)}*x*e*g+2*c*d*f+2*(e*g*x^2+d*g*x+e*f*x+d*f)^{(1/2)}*(-((-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+a*e*g-c*d*f)/c)^{(1/2)}*c-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f)/(c*x+(-a*c)^{(1/2)})))*c^2*d^2*f+2*(-a*c)^{(1/2)}*(e*g*x^2+d*g*x+e*f*x+d*f)^{(1/2)}*(-((-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+a*e*g-c*d*f)/c)^{(1/2)}*(((-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f-a*e*g+c*d*f)/c)^{(1/2)}*(e*g)^{(1/2)}*c*e)/(e*g*x^2+d*g*x+e*f*x+d*f)^{(1/2)}/(-a*c)^{(1/2)}/c^2/(e*g)^{(1/2)}/(-((-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+a*e*g-c*d*f)/c)^{(1/2)}/(((a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f-a*e*g+c*d*f)/c)^{(1/2)}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{\frac{3}{2}} \sqrt{gx+f}}{cx^2+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^(1/2)/(c\*x^2+a), x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)\*sqrt(g\*x + f)/(c\*x^2 + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{f+gx} (d+ex)^{3/2}}{cx^2+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(1/2)\*(d + e\*x)^(3/2))/(a + c\*x^2), x)

[Out] int(((f + g\*x)^(1/2)\*(d + e\*x)^(3/2))/(a + c\*x^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^{\frac{3}{2}} \sqrt{f+gx}}{a+cx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)\*(g\*x+f)\*\*(1/2)/(c\*x\*\*2+a), x)

[Out] Integral((d + e\*x)\*\*(3/2)\*sqrt(f + g\*x)/(a + c\*x\*\*2), x)

$$3.408 \quad \int \frac{\sqrt{d+ex} \sqrt{f+gx}}{a+cx^2} dx$$

**Optimal.** Leaf size=342

$$\frac{(-\sqrt{-a} \sqrt{c} (dg + ef) - aeg + cdf) \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{\sqrt{c} f - \sqrt{-a} g}}{\sqrt{f+gx} \sqrt{\sqrt{c} d - \sqrt{-a} e}} \right) (\sqrt{-a} \sqrt{c} (dg + ef) - aeg + cdf) \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{\sqrt{-a} g + \sqrt{c} f}}{\sqrt{f+gx} \sqrt{\sqrt{-a} e + \sqrt{c} d}} \right)}{\sqrt{-a} c \sqrt{\sqrt{c} d - \sqrt{-a} e} \sqrt{\sqrt{c} f - \sqrt{-a} g} \sqrt{-a} c \sqrt{\sqrt{-a} e + \sqrt{c} d} \sqrt{\sqrt{-a} g + \sqrt{c} f}}$$

**Rubi [A]** time = 2.09, antiderivative size = 342, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {906, 63, 217, 206, 6725, 93, 208}

$$\frac{(-\sqrt{-a} \sqrt{c} (dg + ef) - aeg + cdf) \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{\sqrt{c} f - \sqrt{-a} g}}{\sqrt{f+gx} \sqrt{\sqrt{c} d - \sqrt{-a} e}} \right) (\sqrt{-a} \sqrt{c} (dg + ef) - aeg + cdf) \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{\sqrt{-a} g + \sqrt{c} f}}{\sqrt{f+gx} \sqrt{\sqrt{-a} e + \sqrt{c} d}} \right) + \frac{2\sqrt{e} \sqrt{g} \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{d+ex}}{\sqrt{e} \sqrt{f+gx}} \right)}{c}}{\sqrt{-a} c \sqrt{\sqrt{c} d - \sqrt{-a} e} \sqrt{\sqrt{c} f - \sqrt{-a} g} \sqrt{-a} c \sqrt{\sqrt{-a} e + \sqrt{c} d} \sqrt{\sqrt{-a} g + \sqrt{c} f}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e\*x]\*Sqrt[f + g\*x])/(a + c\*x^2), x]

[Out] (2\*Sqrt[e]\*Sqrt[g]\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])]) /c + ((c\*d\*f - a\*e\*g - Sqrt[-a]\*Sqrt[c]\*(e\*f + d\*g))\*ArcTanh[(Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[f + g\*x])]) / (Sqrt[-a]\*c\*Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]) - ((c\*d\*f - a\*e\*g + Sqrt[-a]\*Sqrt[c]\*(e\*f + d\*g))\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])]) / (Sqrt[-a]\*c\*Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 93

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]



Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 906

```
Int[(((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_)^(n_)))/((a_) + (c_.)*(x_
)^2), x_Symbol] := Dist[(e*g)/c, Int[(d + e*x)^(m - 1)*(f + g*x)^(n - 1), x
], x] + Dist[1/c, Int[(Simp[c*d*f - a*e*g + (c*e*f + c*d*g)*x, x]*(d + e*x)
^(m - 1)*(f + g*x)^(n - 1))/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}
, x] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[m] && !IntegerQ[n] && GtQ[m, 0
] && GtQ[n, 0]
```

Rule 6725

```
Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex} \sqrt{f+gx}}{a+cx^2} dx &= \frac{\int \frac{cdf-aeg+c(ef+dg)x}{\sqrt{d+ex} \sqrt{f+gx} (a+cx^2)} dx}{c} + \frac{(eg) \int \frac{1}{\sqrt{d+ex} \sqrt{f+gx}} dx}{c} \\
&= \frac{\int \left( \frac{-a\sqrt{c}(ef+dg)+\sqrt{-a}(cdf-aeg)}{2a(\sqrt{-a}-\sqrt{c}x)\sqrt{d+ex} \sqrt{f+gx}} + \frac{a\sqrt{c}(ef+dg)+\sqrt{-a}(cdf-aeg)}{2a(\sqrt{-a}+\sqrt{c}x)\sqrt{d+ex} \sqrt{f+gx}} \right) dx}{c} + \frac{(2g) \text{Subst} \left( \int \frac{1}{\sqrt{f-\frac{dg}{e}+\frac{gx^2}{e}}} dx \right)}{c} \\
&= \frac{(2g) \text{Subst} \left( \int \frac{1}{1-\frac{gx^2}{e}} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}} \right)}{c} - \frac{(cdf-aeg-\sqrt{-a}\sqrt{c}(ef+dg)) \int \frac{1}{(\sqrt{-a}+\sqrt{c}x)\sqrt{d+ex}} dx}{2\sqrt{-a}c} \\
&= \frac{2\sqrt{e}\sqrt{g} \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}} \right)}{c} - \frac{(cdf-aeg-\sqrt{-a}\sqrt{c}(ef+dg)) \text{Subst} \left( \int \frac{1}{-\sqrt{c}d+\sqrt{-a}e-\sqrt{c}x} dx \right)}{\sqrt{-a}c} \\
&= \frac{2\sqrt{e}\sqrt{g} \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}} \right)}{c} + \frac{(cdf-aeg-\sqrt{-a}\sqrt{c}(ef+dg)) \tanh^{-1} \left( \frac{\sqrt{\sqrt{c}f-\sqrt{-a}g}\sqrt{d+ex}}{\sqrt{\sqrt{c}d-\sqrt{-a}e}\sqrt{f+gx}} \right)}{\sqrt{-a}c\sqrt{\sqrt{c}d-\sqrt{-a}e}\sqrt{\sqrt{c}f-\sqrt{-a}g}}
\end{aligned}$$

**Mathematica [A]** time = 1.27, size = 339, normalized size = 0.99

$$\frac{(\sqrt{-a}\sqrt{c}d-ae)\sqrt{\sqrt{-a}g+\sqrt{c}f} \tanh^{-1} \left( \frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}} \right) - (\sqrt{-a}\sqrt{c}d+ae)\sqrt{\sqrt{-a}g-\sqrt{c}f} \tanh^{-1} \left( \frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g-\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e-\sqrt{c}d}} \right)}{\sqrt{-a}e+\sqrt{c}d} + \frac{2\sqrt{g}\sqrt{ef-dg}\sqrt{\frac{e(f+gx)}{ef-dg}} \sinh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{ef-dg}} \right)}{\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e\*x]\*Sqrt[f + g\*x])/(a + c\*x^2), x]

[Out] ((2\*Sqrt[g]\*Sqrt[e\*f - d\*g]\*Sqrt[(e\*(f + g\*x))/(e\*f - d\*g)]\*ArcSinh[(Sqrt[g]\*Sqrt[d + e\*x])/Sqrt[e\*f - d\*g]])/Sqrt[f + g\*x] + (-(((Sqrt[-a]\*Sqrt[c]\*d + a\*e)\*Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]\*ArcTanh[(Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*Sqrt[f + g\*x])]))/Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e] + ((Sqrt[-a]\*Sqrt[c]\*d - a\*e)\*Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])]))/Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e])/a/c

**IntegrateAlgebraic [C]** time = 1.08, size = 378, normalized size = 1.11

$$\frac{\sqrt{ae^2 + cd^2} (\sqrt{a}g - i\sqrt{c}f) \tan^{-1} \left( \frac{\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{-i\sqrt{a}\sqrt{c}dg+i\sqrt{a}\sqrt{c}ef-ae-gcdf}} \right)}{\sqrt{a}c\sqrt{-((\sqrt{c}d-i\sqrt{a}e)(\sqrt{c}f+i\sqrt{a}g))}} + \frac{\sqrt{ae^2 + cd^2} (\sqrt{a}g + i\sqrt{c}f) \tan^{-1} \left( \frac{\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{i\sqrt{a}\sqrt{c}dg-i\sqrt{a}\sqrt{c}ef-ae-gcdf}} \right)}{\sqrt{a}c\sqrt{-((\sqrt{c}d+i\sqrt{a}e)(\sqrt{c}f-i\sqrt{a}g))}} + \frac{2\sqrt{e}\sqrt{g} \tanh^{-1} \left( \frac{\sqrt{c}\sqrt{f+gx}}{\sqrt{g}\sqrt{d+ex}} \right)}{c}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(Sqrt[d + e*x]*Sqrt[f + g*x])/(a + c*x^2),x]
```

```
[Out] (Sqrt[c*d^2 + a*e^2]*((-I)*Sqrt[c]*f + Sqrt[a]*g)*ArcTan[(Sqrt[c*d^2 + a*e^2]*Sqrt[f + g*x])/(Sqrt[-(c*d*f) + I*Sqrt[a]*Sqrt[c]*e*f - I*Sqrt[a]*Sqrt[c]*d*g - a*e*g]*Sqrt[d + e*x])])/(Sqrt[a]*c*Sqrt[-((Sqrt[c]*d - I*Sqrt[a]*e)*(Sqrt[c]*f + I*Sqrt[a]*g))]) + (Sqrt[c*d^2 + a*e^2]*(I*Sqrt[c]*f + Sqrt[a]*g)*ArcTan[(Sqrt[c*d^2 + a*e^2]*Sqrt[f + g*x])/(Sqrt[-(c*d*f) - I*Sqrt[a]*Sqrt[c]*e*f + I*Sqrt[a]*Sqrt[c]*d*g - a*e*g]*Sqrt[d + e*x])])/(Sqrt[a]*c*Sqrt[-((Sqrt[c]*d + I*Sqrt[a]*e)*(Sqrt[c]*f - I*Sqrt[a]*g))]) + (2*Sqrt[e]*Sqrt[g]*ArcTanh[(Sqrt[e]*Sqrt[f + g*x])/(Sqrt[g]*Sqrt[d + e*x])])/c
```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)*(g*x+f)^(1/2)/(c*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

*sage0x*

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)*(g*x+f)^(1/2)/(c*x^2+a),x, algorithm="giac")
```

```
[Out] sage0*x
```

**maple** [B] time = 0.03, size = 1569, normalized size = 4.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)^(1/2)*(g*x+f)^(1/2)/(c*x^2+a),x)
```

```
[Out] 1/2*(e*x+d)^(1/2)*(g*x+f)^(1/2)*(2*ln(1/2*(2*e*g*x+d*g+e*f+2*(e*g*x^2+d*g*x+e*f*x+d*f)^(1/2)*(e*g)^(1/2)))/(e*g)^(1/2))*(-(a*e*g-c*d*f+(-a*c)^(1/2)*d*g+(-a*c)^(1/2)*e*f)/c)^(1/2)*((-a*e*g+c*d*f+(-a*c)^(1/2)*d*g+(-a*c)^(1/2)*e*f)/c)^(1/2)*(-a*c)^(1/2)*e*g-(e*g)^(1/2)*(-(a*e*g-c*d*f+(-a*c)^(1/2)*d*g+(-a*c)^(1/2)*e*f)/c)^(1/2)*ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^(1/2)*e*g*x+(-a*c)^(1/2)*d*g+(-a*c)^(1/2)*e*f+2*(e*g*x^2+d*g*x+e*f*x+d*f)^(1/2))*((-a*e*g+c*d*f+(-a*c)^(1/2)*d*g+(-a*c)^(1/2)*e*f)/c)^(1/2)*c/(c*x-(-a*c)^(1/2))*((-a*c)^(1/2)*d*g-(e*g)^(1/2))*(-(a*e*g-c*d*f+(-a*c)^(1/2)*d*g+(-a*c)^(1/2)*e*f)
```

$f)/c)^{(1/2)} * \ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d$   
 $*g+(-a*c)^{(1/2)}*e*f+2*(e*g*x^2+d*g*x+e*f*x+d*f)^{(1/2)}*((-a*e*g+c*d*f+(-a*c)$   
 $^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)})) * (-a*c)^{(1/2)}*e$   
 $*f+(e*g)^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*1$   
 $n((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}$   
 $*e*f+2*(e*g*x^2+d*g*x+e*f*x+d*f)^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-$   
 $a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)})) * a*e*g-(e*g)^{(1/2)}*(-(a*e*g-$   
 $c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)} * \ln((c*d*g*x+c*e*f*x+2*c*d$   
 $*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*(e*g*x^2+d*g*x+$   
 $e*f*x+d*f)^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}$   
 $*c)/(c*x-(-a*c)^{(1/2)})) * c*d*f-(e*g)^{(1/2)} * \ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a$   
 $*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f+2*(e*g*x^2+d*g*x+e*f*x+d*$   
 $f)^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x$   
 $+(-a*c)^{(1/2)})) * ((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*$   
 $(-a*c)^{(1/2)}*d*g-(e*g)^{(1/2)} * \ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g$   
 $*x-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f+2*(e*g*x^2+d*g*x+e*f*x+d*f)^{(1/2)}*(-(a$   
 $*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x+(-a*c)^{(1/2)}$   
 $)) * ((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)} * (-a*c)^{(1/2)}*$   
 $e*f-(e*g)^{(1/2)} * \ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}$   
 $*d*g-(-a*c)^{(1/2)}*e*f+2*(e*g*x^2+d*g*x+e*f*x+d*f)^{(1/2)}*(-(a*e*g-c*d*f+(-$   
 $a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x+(-a*c)^{(1/2)})) * ((-a*e*g+c$   
 $*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)} * a*e*g+(e*g)^{(1/2)} * \ln((c*d*$   
 $*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f+$   
 $2*(e*g*x^2+d*g*x+e*f*x+d*f)^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}$   
 $*e*f)/c)^{(1/2)}*c)/(c*x+(-a*c)^{(1/2)})) * ((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-$   
 $a*c)^{(1/2)}*e*f)/c)^{(1/2)} * c*d*f/(e*g*x^2+d*g*x+e*f*x+d*f)^{(1/2)}/(-a*c)^{(1/2)}$   
 $/c/(e*g)^{(1/2)}/(-a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}/$   
 $((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}\sqrt{gx+f}}{cx^2+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)\*(g\*x+f)^(1/2)/(c\*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)\*sqrt(g\*x + f)/(c\*x^2 + a), x)

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f + g*x)^(1/2)*(d + e*x)^(1/2))/(a + c*x^2), x)
```

```
[Out] \text{Hanged}
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex} \sqrt{f+gx}}{a+cx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(1/2)*(g*x+f)**(1/2)/(c*x**2+a), x)
```

```
[Out] Integral(sqrt(d + e*x)*sqrt(f + g*x)/(a + c*x**2), x)
```

$$3.409 \quad \int \frac{\sqrt{f+gx}}{\sqrt{d+ex}(a+cx^2)} dx$$

**Optimal.** Leaf size=240

$$\frac{\sqrt{\sqrt{c}f - \sqrt{-a}g} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f - \sqrt{-a}g}}{\sqrt{f+gx}\sqrt{\sqrt{c}d - \sqrt{-a}e}}\right)}{\sqrt{-a}\sqrt{c}\sqrt{\sqrt{c}d - \sqrt{-a}e}} - \frac{\sqrt{\sqrt{-a}g + \sqrt{c}f} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g + \sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e + \sqrt{c}d}}\right)}{\sqrt{-a}\sqrt{c}\sqrt{\sqrt{-a}e + \sqrt{c}d}}$$

**Rubi [A]** time = 0.34, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$ , Rules used = {910, 93, 208}

$$\frac{\sqrt{\sqrt{c}f - \sqrt{-a}g} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f - \sqrt{-a}g}}{\sqrt{f+gx}\sqrt{\sqrt{c}d - \sqrt{-a}e}}\right)}{\sqrt{-a}\sqrt{c}\sqrt{\sqrt{c}d - \sqrt{-a}e}} - \frac{\sqrt{\sqrt{-a}g + \sqrt{c}f} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g + \sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e + \sqrt{c}d}}\right)}{\sqrt{-a}\sqrt{c}\sqrt{\sqrt{-a}e + \sqrt{c}d}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[f + g*x]/(Sqrt[d + e*x]*(a + c*x^2)), x]
```

```
[Out] (Sqrt[Sqrt[c]*f - Sqrt[-a]*g]*ArcTanh[(Sqrt[Sqrt[c]*f - Sqrt[-a]*g]*Sqrt[d + e*x])/(Sqrt[Sqrt[c]*d - Sqrt[-a]*e]*Sqrt[f + g*x])])/(Sqrt[-a]*Sqrt[c]*Sqrt[Sqrt[c]*d - Sqrt[-a]*e]) - (Sqrt[Sqrt[c]*f + Sqrt[-a]*g]*ArcTanh[(Sqrt[Sqrt[c]*f + Sqrt[-a]*g]*Sqrt[d + e*x])/(Sqrt[Sqrt[c]*d + Sqrt[-a]*e]*Sqrt[f + g*x])])/(Sqrt[-a]*Sqrt[c]*Sqrt[Sqrt[c]*d + Sqrt[-a]*e])
```

### Rule 93

```
Int[(((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)))/((e_.) + (f_.)*(x_)), x_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1) - 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

### Rule 208

```
Int[(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 910

```
Int[((d_.) + (e_.)*(x_))^(m_)/(Sqrt[(f_.) + (g_.)*(x_)]*((a_.) + (c_.)*(x_)
^2)), x_Symbol] := Int[ExpandIntegrand[1/(Sqrt[d + e*x]*Sqrt[f + g*x]), (d
+ e*x)^(m + 1/2)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ
[c*d^2 + a*e^2, 0] && IGtQ[m + 1/2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{f+gx}}{\sqrt{d+ex}(a+cx^2)} dx &= \int \left( \frac{\sqrt{-a}f - \frac{ag}{\sqrt{c}}}{2a(\sqrt{-a} - \sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} + \frac{\sqrt{-a}f + \frac{ag}{\sqrt{c}}}{2a(\sqrt{-a} + \sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} \right) dx \\ &= \frac{1}{2} \left( \frac{af}{(-a)^{3/2}} - \frac{g}{\sqrt{c}} \right) \int \frac{1}{(\sqrt{-a} - \sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} dx + \frac{1}{2} \left( \frac{af}{(-a)^{3/2}} + \frac{g}{\sqrt{c}} \right) \int \frac{1}{(\sqrt{-a} + \sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} dx \\ &= \left( \frac{af}{(-a)^{3/2}} - \frac{g}{\sqrt{c}} \right) \text{Subst} \left( \int \frac{1}{\sqrt{cd + \sqrt{-a}e} - (\sqrt{c}f + \sqrt{-a}g)x^2} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}} \right) + \left( \frac{af}{(-a)^{3/2}} + \frac{g}{\sqrt{c}} \right) \text{Subst} \left( \int \frac{1}{\sqrt{cd + \sqrt{-a}e} + (\sqrt{c}f + \sqrt{-a}g)x^2} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}} \right) \\ &= \frac{\sqrt{\sqrt{c}f - \sqrt{-a}g} \tanh^{-1} \left( \frac{\sqrt{\sqrt{c}f - \sqrt{-a}g} \sqrt{d+ex}}{\sqrt{\sqrt{c}d - \sqrt{-a}e} \sqrt{f+gx}} \right)}{\sqrt{-a} \sqrt{c} \sqrt{\sqrt{c}d - \sqrt{-a}e}} - \frac{\sqrt{\sqrt{c}f + \sqrt{-a}g} \tanh^{-1} \left( \frac{\sqrt{\sqrt{c}f + \sqrt{-a}g} \sqrt{d+ex}}{\sqrt{\sqrt{c}d + \sqrt{-a}e} \sqrt{f+gx}} \right)}{\sqrt{-a} \sqrt{c} \sqrt{\sqrt{c}d + \sqrt{-a}e}} \end{aligned}$$

**Mathematica [A]** time = 0.35, size = 229, normalized size = 0.95

$$\frac{\frac{\sqrt{\sqrt{-a}g - \sqrt{c}f} \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{\sqrt{-a}g - \sqrt{c}f}}{\sqrt{f+gx} \sqrt{\sqrt{-a}e - \sqrt{c}d}} \right)}{\sqrt{\sqrt{-a}e - \sqrt{c}d}} - \frac{\sqrt{\sqrt{-a}g + \sqrt{c}f} \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{\sqrt{-a}g + \sqrt{c}f}}{\sqrt{f+gx} \sqrt{\sqrt{-a}e + \sqrt{c}d}} \right)}{\sqrt{\sqrt{-a}e + \sqrt{c}d}}}{\sqrt{-a} \sqrt{c}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[f + g\*x]/(Sqrt[d + e\*x]\*(a + c\*x^2)),x]

[Out] ((Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]\*ArcTanh[(Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e] - (Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]))/(Sqrt[-a]\*Sqrt[c])

**IntegrateAlgebraic [C]** time = 172.25, size = 1248, normalized size = 5.20

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[f + g\*x]/(Sqrt[d + e\*x]\*(a + c\*x^2)),x]

[Out]  $(e^2 f^2 \sqrt{e/g} g^2 - 2 d e f \sqrt{e/g} g^3 + d^2 \sqrt{e/g} g^4) \text{RootSum}[c e^4 f^4 - 4 c d e^3 f^3 g + 6 c d^2 e^2 f^2 g^2 - 4 c d^3 e f g^3 + c d^4 g^4 - 4 c e^3 f^3 g^{\#1^2} + 4 c d e^2 f^2 g^{\#1^2} + 4 c d^2 e f g^{\#1^2} - 4 c d^3 g^{\#1^2} + 6 c e^2 f^2 g^{\#1^4} + 4 c d e f g^{\#1^4} + 6 c d^2 g^{\#1^4} + 16 a e^2 g^{\#1^4} - 4 c e f g^{\#1^6} - 4 c d g^{\#1^6} + c g^{\#1^8} \& , \text{Log}[-(\sqrt{e/g} \sqrt{f + g x}) + \sqrt{d - (e f)/g + (e(f + g x))/g} - \#1] / (c e^3 f^3 - c d e^2 f^2 g - c d^2 e f g^2 + c d^3 g^3 - 3 c e^2 f^2 g^{\#1^2} - 2 c d e f g^{\#1^2} - 3 c d^2 g^{\#1^2} - 8 a e^2 g^{\#1^2} + 3 c e f g^{\#1^4} + 3 c d g^{\#1^4} - c g^{\#1^6}) \& ] - 2 (e f \sqrt{e/g} g^3 - d \sqrt{e/g} g^4) \text{RootSum}[c e^4 f^4 - 4 c d e^3 f^3 g + 6 c d^2 e^2 f^2 g^2 - 4 c d^3 e f g^3 + c d^4 g^4 - 4 c e^3 f^3 g^{\#1^2} + 4 c d e^2 f^2 g^{\#1^2} + 4 c d^2 e f g^{\#1^2} - 4 c d^3 g^{\#1^2} + 6 c e^2 f^2 g^{\#1^4} + 4 c d e f g^{\#1^4} + 6 c d^2 g^{\#1^4} + 16 a e^2 g^{\#1^4} - 4 c e f g^{\#1^6} - 4 c d g^{\#1^6} + c g^{\#1^8} \& , (\text{Log}[-(\sqrt{e/g} \sqrt{f + g x}) + \sqrt{d - (e f)/g + (e(f + g x))/g} - \#1] \#1^2) / (- (c e^3 f^3) + c d e^2 f^2 g + c d^2 e f g^2 - c d^3 g^3 + 3 c e^2 f^2 g^{\#1^2} + 2 c d e f g^{\#1^2} + 3 c d^2 g^{\#1^2} + 8 a e^2 g^{\#1^2} - 3 c e f g^{\#1^4} - 3 c d g^{\#1^4} + c g^{\#1^6}) \& ] - \text{Sqrt}[e/g] g^4 \text{RootSum}[c e^4 f^4 - 4 c d e^3 f^3 g + 6 c d^2 e^2 f^2 g^2 - 4 c d^3 e f g^3 + c d^4 g^4 - 4 c e^3 f^3 g^{\#1^2} + 4 c d e^2 f^2 g^{\#1^2} + 4 c d^2 e f g^{\#1^2} - 4 c d^3 g^{\#1^2} + 6 c e^2 f^2 g^{\#1^4} + 4 c d e f g^{\#1^4} + 6 c d^2 g^{\#1^4} + 16 a e^2 g^{\#1^4} - 4 c e f g^{\#1^6} - 4 c d g^{\#1^6} + c g^{\#1^8} \& , (\text{Log}[-(\sqrt{e/g} \sqrt{f + g x}) + \sqrt{d - (e f)/g + (e(f + g x))/g} - \#1] \#1^4) / (- (c e^3 f^3) + c d e^2 f^2 g + c d^2 e f g^2 - c d^3 g^3 + 3 c e^2 f^2 g^{\#1^2} + 2 c d e f g^{\#1^2} + 3 c d^2 g^{\#1^2} + 8 a e^2 g^{\#1^2} - 3 c e f g^{\#1^4} - 3 c d g^{\#1^4} + c g^{\#1^6}) \& ]$

**fricas [B]** time = 10.39, size = 1921, normalized size = 8.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)/(e\*x+d)^(1/2)/(c\*x^2+a),x, algorithm="fricas")

[Out]  $-1/4 \sqrt{-(c d f + a e g + (a c^2 d^2 + a^2 c e^2)) \sqrt{-(e^2 f^2 - 2 d e f g + d^2 g^2)}} / (a c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^3 c e^4) / (a c^2 d^2 + a^2 c e^2) * \log(- (e^2 f^2 - d^2 g^2 + 2 (c d e f - c d^2 g - (a c^2 d^2 e + a^2 c e^3)) \sqrt{-(e^2 f^2 - 2 d e f g + d^2 g^2)}} / (a c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^3 c e^4)) * \sqrt{e x + d} \sqrt{g x + f} \sqrt{-(c d f + a e g + (a c^2 d^2 + a^2 c e^2)) \sqrt{-(e^2 f^2 - 2 d e f g + d^2 g^2)}} / (a c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^3 c e^4) / (a c^2 d^2 + a^2 c e^2) + 2 (e^2 f g - d e g^2) x + (2 (c^2 d^3 + a c d e^2) f + ((c^2 d^2 e + a c e^3) f + (c^2 d^3 + a c d e^2) g) x) \sqrt{-(e^2 f^2 - 2 d e f g + d^2 g^2)}} / (a c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^3 c e^4)$



$$\begin{aligned}
& 2*d^2*e^2 + a^3*c*e^4)))/x) + 1/4*\sqrt{-(c*d*f + a*e*g + (a*c^2*d^2 + a^2*c \\
& *e^2)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 \\
& + a^3*c*e^4)))/(a*c^2*d^2 + a^2*c*e^2))*\log(-(e^2*f^2 - d^2*g^2 - 2*(c*d*e*f \\
& f - c*d^2*g - (a*c^2*d^2*e + a^2*c*e^3)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2 \\
& 2)/(a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)))*\sqrt{e*x + d}*\sqrt{g*x + f} \\
& )*\sqrt{-(c*d*f + a*e*g + (a*c^2*d^2 + a^2*c*e^2)*\sqrt{-(e^2*f^2 - 2*d*e*f*g \\
& + d^2*g^2)/(a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)))/(a*c^2*d^2 + a^2* \\
& c*e^2)) + 2*(e^2*f*g - d*e*g^2)*x + (2*(c^2*d^3 + a*c*d*e^2)*f + ((c^2*d^2*e \\
& e + a*c*e^3)*f + (c^2*d^3 + a*c*d*e^2)*g)*x)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d \\
& ^2*g^2)/(a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)))/x) - 1/4*\sqrt{-(c*d*f \\
& + a*e*g - (a*c^2*d^2 + a^2*c*e^2)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a \\
& *c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)))/(a*c^2*d^2 + a^2*c*e^2))*\log(-( \\
& e^2*f^2 - d^2*g^2 + 2*(c*d*e*f - c*d^2*g + (a*c^2*d^2*e + a^2*c*e^3)*\sqrt{-( \\
& (e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4) \\
& ))*\sqrt{e*x + d}*\sqrt{g*x + f}*\sqrt{-(c*d*f + a*e*g - (a*c^2*d^2 + a^2*c*e^ \\
& 2)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a \\
& ^3*c*e^4)))/(a*c^2*d^2 + a^2*c*e^2)) + 2*(e^2*f*g - d*e*g^2)*x - (2*(c^2*d^ \\
& 3 + a*c*d*e^2)*f + ((c^2*d^2*e + a*c*e^3)*f + (c^2*d^3 + a*c*d*e^2)*g)*x)*\s \\
& \sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c \\
& *e^4)))/x) + 1/4*\sqrt{-(c*d*f + a*e*g - (a*c^2*d^2 + a^2*c*e^2)*\sqrt{-(e^2* \\
& f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)))/(a \\
& *c^2*d^2 + a^2*c*e^2))*\log(-(e^2*f^2 - d^2*g^2 - 2*(c*d*e*f - c*d^2*g + (a* \\
& c^2*d^2*e + a^2*c*e^3)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*d^4 + 2 \\
& *a^2*c^2*d^2*e^2 + a^3*c*e^4)))*\sqrt{e*x + d}*\sqrt{g*x + f}*\sqrt{-(c*d*f + \\
& a*e*g - (a*c^2*d^2 + a^2*c*e^2)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^ \\
& 3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)))/(a*c^2*d^2 + a^2*c*e^2)) + 2*(e^2* \\
& f*g - d*e*g^2)*x - (2*(c^2*d^3 + a*c*d*e^2)*f + ((c^2*d^2*e + a*c*e^3)*f + \\
& (c^2*d^3 + a*c*d*e^2)*g)*x)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*d^ \\
& 4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)))/x)
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)/(e\*x+d)^(1/2)/(c\*x^2+a),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x):;OUTPUT:Warning, need to choose a branch for the root  
of a polynomial with parameters. This might be wrong.Non regular value [0  
,0] was discarded and replaced randomly by 0=[62,91]Warning, need to choose  
a branch for the root of a polynomial with parameters. This might be wrong  
.Non regular value [0,0] was discarded and replaced randomly by 0=[44,-43]W  
arning, need to choose a branch for the root of a polynomial with parameter  
s. This might be wrong.Non regular value [0,0] was discarded and replaced r

andomly by 0=[-18,-31]Precision problem choosing root in common\_EXT, current precision 14Warning, choosing root of  $[1,0,2,1,1]+2, [0,1], 0, 1, 2, 2+2, [1,2]+1, [0,2]$  at parameters values [-27,26]Warning, choosing root of  $[1,0,2,1,1]+2, [0,1], 0, 1, 2, 2+2, [1,2]+1, [0,2]$  at parameters values [-89,63]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.Non regular value [0,0] was discarded and replaced randomly by 0=[-59,-77]Precision problem choosing root in common\_EXT, current precision 14Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.Non regular value [0,0] was discarded and replaced randomly by 0=[-37,-94]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.Non regular value [0,0] was discarded and replaced randomly by 0=[-32,97]Warning, choosing root of  $[1,0,2,1,1]+2, [1,0], 0, 1, 2, 2+2, [2,1]+1, [2,0]$  at parameters values [-82.3579015951,0]Warning, choosing root of  $[1,0,2,1,1]+2, [1,0], 0, 1, 2, 2+2, [2,1]+1, [2,0]$  at parameters values [-29.292030761,22]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.Non regular value [0,0] was discarded and replaced randomly by 0=[2,-99]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.Non regular value [0,0] was discarded and replaced randomly by 0=[-13,69]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.Non regular value [0,0] was discarded and replaced randomly by 0=[-55,-78]Warning, choosing root of  $[1,0,2,1,1]+2, [1,0], 0, 1, 2, 2+2, [2,1]+1, [2,0]$  at parameters values [-57.0371161718,0]Warning, choosing root of  $[1,0,2,1,1]+2, [1,0], 0, 1, 2, 2+2, [2,1]+1, [2,0]$  at parameters values [-53.6704242053,49]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.Non regular value [0,0] was discarded and replaced randomly by 0=[-20,-31]Precision problem choosing root in common\_EXT, current precision 14Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.Non regular value [0,0] was discarded and replaced randomly by 0=[-67,8]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.Non regular value [0,0] was discarded and replaced randomly by 0=[-69,98]Warning, choosing root of  $[1,0,2,1,1]+2, [1,0], 0, 1, 2, 2+2, [2,1]+1, [2,0]$  at parameters values [-41.1343540126,0]Warning, choosing root of  $[1,0,2,1,1]+2, [1,0], 0, 1, 2, 2+2, [2,1]+1, [2,0]$  at parameters values [-46.2420096635,-70]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.Non regular value [0,0] was discarded and replaced randomly by 0=[-53,73]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.Non regular value [0,0] was discarded and replaced randomly by 0=[-78,50]Warning, need to choose a branch for the ro

ot of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[-61,27]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[-18,-4]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[15,-93]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[97,57]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[70,-37]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[8,40]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[10,9]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[85,-92]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[-83,95]Warning, choosing root of  $[1,0, \sqrt{2}, [1,1]] + \sqrt{2}, [1,0], 0, \sqrt{1}, [2,2]] + \sqrt{-2}, [2,1]] + \sqrt{1}, [2,0]]$  at parameters values [-49.3556851153,0]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[66,42]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[20,-21]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[13,-34]Warning, choosing root of  $[1,0, \sqrt{2}, [1,1]] + \sqrt{2}, [1,0], 0, \sqrt{1}, [2,2]] + \sqrt{-2}, [2,1]] + \sqrt{1}, [2,0]]$  at parameters values [-90.5690937298,0]Warning, choosing root of  $[1,0, \sqrt{2}, [1,1]] + \sqrt{2}, [1,0], 0, \sqrt{1}, [2,2]] + \sqrt{-2}, [2,1]] + \sqrt{1}, [2,0]]$  at parameters values [-36.6004387327,-85]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[99,-89]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[2,-9]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong. Non regular value [0,0] was discarded and replaced randomly by 0=[-74,46]Warning, choosing root of  $[1,0, \sqrt{2}, [1,1]] + \sqrt{2}, [1,0], 0, \sqrt{1}, [2,2]] + \sqrt{-2}, [2,1]] + \sqrt{1}, [2,0]]$  at parameters values [-4.22288109735,0]Warning, choosing root of  $[1,0, \sqrt{2}, [1,1]] + \sqrt{2}, [1,0], 0, \sqrt{1}, [2,2]] + \sqrt{-2}, [2,1]] + \sqrt{1}, [2,0]]$  at parameters values [-6.87379696826,-21]Warning, need to choose a branch for the root of a polynomial with param



$$\begin{aligned}
& c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c+2*c*d*f)/(c*x-(-a*c)^{(1/2)}) \\
& )^2*d^2*f*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}+ \\
& \ln((2*(-a*c)^{(1/2)}*e*g*x+c*d*g*x+c*e*f*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+ \\
& 2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f) \\
& /c)^{(1/2)}*c+2*c*d*f)/(c*x-(-a*c)^{(1/2)})))*c*d^2*g*(-a*c)^{(1/2)}*(-(a*e*g-c*d* \\
& f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x-2*(-a*c)^{(1/2)} \\
& *e*g*x+2*c*d*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d \\
& *g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f)/(c*x+(-a \\
& *c)^{(1/2)}))*a*c*e^2*f*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)} \\
& +\ln((c*d*g*x+c*e*f*x-2*(-a*c)^{(1/2)}*e*g*x+2*c*d*f+2*((e*x+d)*(g*x+f))^{(1/2)} \\
& *(-a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c-(-a*c)^{(1/2)} \\
& *d*g-(-a*c)^{(1/2)}*e*f)/(c*x+(-a*c)^{(1/2)}))*a*e^2*g*((-a*e*g+c*d*f+(-a*c) \\
& )^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*(-a*c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x-2*(- \\
& a*c)^{(1/2)}*e*g*x+2*c*d*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)} \\
& *d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f)/(c \\
& *x+(-a*c)^{(1/2)}))*c^2*d^2*f*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e \\
& f)/c)^{(1/2)}+\ln((c*d*g*x+c*e*f*x-2*(-a*c)^{(1/2)}*e*g*x+2*c*d*f+2*((e*x+d)*(g \\
& x+f))^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c-(- \\
& a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f)/(c*x+(-a*c)^{(1/2)}))*c*d^2*g*((-a*e*g+c*d*f \\
& +(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*(-a*c)^{(1/2)})/((e*x+d)*(g*x+f) \\
& )^{(1/2)}/(c*d-(-a*c)^{(1/2)}*e)/(-a*c)^{(1/2)}/(-a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+( \\
& -a*c)^{(1/2)}*e*f)/c)^{(1/2)}/((-a*c)^{(1/2)}*e+c*d)/((-a*e*g+c*d*f+(-a*c)^{(1/2)}* \\
& d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}
\end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{gx+f}}{(cx^2+a)\sqrt{ex+d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)/(e\*x+d)^(1/2)/(c\*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(g\*x + f)/((c\*x^2 + a)\*sqrt(e\*x + d)), x)

**mupad [F(-1)]** time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)^(1/2)/((a + c\*x^2)\*(d + e\*x)^(1/2)),x)

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{f + gx}}{(a + cx^2) \sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*(1/2)/(e\*x+d)\*\*(1/2)/(c\*x\*\*2+a), x)

[Out] Integral(sqrt(f + g\*x)/((a + c\*x\*\*2)\*sqrt(d + e\*x)), x)

$$3.410 \quad \int \frac{\sqrt{f+gx}}{(d+ex)^{3/2}(a+cx^2)} dx$$

**Optimal.** Leaf size=351

$$\frac{2e\sqrt{f+gx}}{\sqrt{d+ex}(ae^2+cd^2)} + \frac{(\sqrt{-a}\sqrt{c}(ef-dg) + aeg + cdf) \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f-\sqrt{-a}g}}{\sqrt{f+gx}\sqrt{\sqrt{c}d-\sqrt{-a}e}}\right)}{\sqrt{-a}\sqrt{\sqrt{c}d-\sqrt{-a}e}(ae^2+cd^2)\sqrt{\sqrt{c}f-\sqrt{-a}g}} - \frac{(-\sqrt{-a}\sqrt{c}(ef-dg) + aeg)}{\sqrt{-a}\sqrt{\sqrt{-a}e+\sqrt{c}d}}$$

**Rubi [A]** time = 2.15, antiderivative size = 351, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {908, 37, 6725, 93, 208}

$$\frac{2e\sqrt{f+gx}}{\sqrt{d+ex}(ae^2+cd^2)} + \frac{(\sqrt{-a}\sqrt{c}(ef-dg) + aeg + cdf) \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f-\sqrt{-a}g}}{\sqrt{f+gx}\sqrt{\sqrt{c}d-\sqrt{-a}e}}\right)}{\sqrt{-a}\sqrt{\sqrt{c}d-\sqrt{-a}e}(ae^2+cd^2)\sqrt{\sqrt{c}f-\sqrt{-a}g}} - \frac{(-\sqrt{-a}\sqrt{c}(ef-dg) + aeg + cdf) \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right)}{\sqrt{-a}\sqrt{\sqrt{-a}e+\sqrt{c}d}(ae^2+cd^2)\sqrt{\sqrt{-a}g+\sqrt{c}f}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[f + g\*x]/((d + e\*x)^(3/2)\*(a + c\*x^2)), x]

[Out]  $(-2*e*\text{Sqrt}[f + g*x])/((c*d^2 + a*e^2)*\text{Sqrt}[d + e*x]) + ((c*d*f + a*e*g + \text{Sqrt}[-a]*\text{Sqrt}[c]*(e*f - d*g))*\text{ArcTanh}[(\text{Sqrt}[\text{Sqrt}[c]*f - \text{Sqrt}[-a]*g]*\text{Sqrt}[d + e*x])/(\text{Sqrt}[\text{Sqrt}[c]*d - \text{Sqrt}[-a]*e]*\text{Sqrt}[f + g*x])])/(\text{Sqrt}[-a]*\text{Sqrt}[\text{Sqrt}[c]*d - \text{Sqrt}[-a]*e]*(c*d^2 + a*e^2)*\text{Sqrt}[\text{Sqrt}[c]*f - \text{Sqrt}[-a]*g]) - ((c*d*f + a*e*g - \text{Sqrt}[-a]*\text{Sqrt}[c]*(e*f - d*g))*\text{ArcTanh}[(\text{Sqrt}[\text{Sqrt}[c]*f + \text{Sqrt}[-a]*g]*\text{Sqrt}[d + e*x])/(\text{Sqrt}[\text{Sqrt}[c]*d + \text{Sqrt}[-a]*e]*\text{Sqrt}[f + g*x])])/(\text{Sqrt}[-a]*\text{Sqrt}[\text{Sqrt}[c]*d + \text{Sqrt}[-a]*e]*(c*d^2 + a*e^2)*\text{Sqrt}[\text{Sqrt}[c]*f + \text{Sqrt}[-a]*g])$

### Rule 37

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

### Rule 93

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 908

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))/((a\_) + (c\_)\*(x\_)^2), x\_Symbol] := -Dist[(g\*(e\*f - d\*g))/(c\*f^2 + a\*g^2), Int[(d + e\*x)^(m - 1)\*(f + g\*x)^n, x], x] + Dist[1/(c\*f^2 + a\*g^2), Int[(Simp[c\*d\*f + a\*e\*g + c\*(e\*f - d\*g)\*x, x]\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1))/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[m] && !IntegerQ[n] && GtQ[m, 0] && LtQ[n, -1]

Rule 6725

Int[(u\_)/((a\_) + (b\_)\*(x\_)^n), x\_Symbol] := With[{v = RationalFunctionExpand[u/(a + b\*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{f+gx}}{(d+ex)^{3/2}(a+cx^2)} dx &= \frac{\int \frac{cdf+aeg-c(ef-dg)x}{\sqrt{d+ex}\sqrt{f+gx}(a+cx^2)} dx}{cd^2+ae^2} + \frac{(e(ef-dg)) \int \frac{1}{(d+ex)^{3/2}\sqrt{f+gx}} dx}{cd^2+ae^2} \\
 &= -\frac{2e\sqrt{f+gx}}{(cd^2+ae^2)\sqrt{d+ex}} + \frac{\int \left( \frac{a\sqrt{c}(ef-dg)+\sqrt{-a}(cdf+aeg)}{2a(\sqrt{-a}-\sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} + \frac{-a\sqrt{c}(ef-dg)+\sqrt{-a}(cdf+aeg)}{2a(\sqrt{-a}+\sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} \right) dx}{cd^2+ae^2} \\
 &= -\frac{2e\sqrt{f+gx}}{(cd^2+ae^2)\sqrt{d+ex}} - \frac{(cdf+aeg-\sqrt{-a}\sqrt{c}(ef-dg)) \int \frac{1}{(\sqrt{-a}-\sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} dx}{2\sqrt{-a}(cd^2+ae^2)} \\
 &= -\frac{2e\sqrt{f+gx}}{(cd^2+ae^2)\sqrt{d+ex}} - \frac{(cdf+aeg-\sqrt{-a}\sqrt{c}(ef-dg)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{cd+\sqrt{-a}e-(\sqrt{c}f+gx)}} dx, \sqrt{-a}\sqrt{cd+ae}\sqrt{f+gx}\right)}{\sqrt{-a}(cd^2+ae^2)} \\
 &= -\frac{2e\sqrt{f+gx}}{(cd^2+ae^2)\sqrt{d+ex}} + \frac{(cdf+aeg+\sqrt{-a}\sqrt{c}(ef-dg)) \tanh^{-1}\left(\frac{\sqrt{\sqrt{c}f-\sqrt{-a}g}\sqrt{d+ex}}{\sqrt{\sqrt{c}d-\sqrt{-a}e}\sqrt{f+gx}}\right)}{\sqrt{-a}\sqrt{\sqrt{c}d-\sqrt{-a}e}(cd^2+ae^2)\sqrt{\sqrt{c}f-\sqrt{-a}g}}
 \end{aligned}$$



**Mathematica [A]** time = 0.70, size = 265, normalized size = 0.75

$$-\frac{2e\sqrt{f+gx}}{\sqrt{d+ex}(ae^2+cd^2)} + \frac{a\sqrt{\sqrt{-a}g-\sqrt{c}f} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g-\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e-\sqrt{c}d}}\right)}{(-a)^{3/2}(\sqrt{-a}e-\sqrt{c}d)^{3/2}} + \frac{a\sqrt{\sqrt{-a}g+\sqrt{c}f} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right)}{(-a)^{3/2}(\sqrt{-a}e+\sqrt{c}d)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[f + g\*x]/((d + e\*x)^(3/2)\*(a + c\*x^2)),x]

[Out]  $(-2*e*\text{Sqrt}[f + g*x])/((c*d^2 + a*e^2)*\text{Sqrt}[d + e*x]) + (a*\text{Sqrt}[-(\text{Sqrt}[c]*f) + \text{Sqrt}[-a]*g]*\text{ArcTanh}[(\text{Sqrt}[-(\text{Sqrt}[c]*f) + \text{Sqrt}[-a]*g]*\text{Sqrt}[d + e*x])/(\text{Sqrt}[-(\text{Sqrt}[c]*d) + \text{Sqrt}[-a]*e]*\text{Sqrt}[f + g*x])])/((-a)^{(3/2)}*(-(\text{Sqrt}[c]*d) + \text{Sqrt}[-a]*e)^{(3/2)}) + (a*\text{Sqrt}[\text{Sqrt}[c]*f + \text{Sqrt}[-a]*g]*\text{ArcTanh}[(\text{Sqrt}[\text{Sqrt}[c]*f + \text{Sqrt}[-a]*g]*\text{Sqrt}[d + e*x])/(\text{Sqrt}[\text{Sqrt}[c]*d + \text{Sqrt}[-a]*e]*\text{Sqrt}[f + g*x])])/((-a)^{(3/2)}*(\text{Sqrt}[c]*d + \text{Sqrt}[-a]*e)^{(3/2)})$

**IntegrateAlgebraic [C]** time = 1.25, size = 401, normalized size = 1.14

$$-\frac{2e\sqrt{f+gx}}{\sqrt{d+ex}(ae^2+cd^2)} + \frac{(\sqrt{c}d-i\sqrt{a}e)^2(\sqrt{a}g-i\sqrt{c}f)\tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{-i\sqrt{a}\sqrt{c}dg+i\sqrt{a}\sqrt{c}ef-ae^2-cd^2}}\right)}{\sqrt{a}(ae^2+cd^2)^{3/2}\sqrt{-((\sqrt{c}d-i\sqrt{a}e)(\sqrt{c}f+i\sqrt{a}g))}} + \frac{(\sqrt{c}d+i\sqrt{a}e)^2(\sqrt{a}g+i\sqrt{c}f)\tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{i\sqrt{a}\sqrt{c}dg-i\sqrt{a}\sqrt{c}ef-ae^2-cd^2}}\right)}{\sqrt{a}(ae^2+cd^2)^{3/2}\sqrt{-((\sqrt{c}d+i\sqrt{a}e)(\sqrt{c}f-i\sqrt{a}g))}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[f + g\*x]/((d + e\*x)^(3/2)\*(a + c\*x^2)),x]

[Out]  $(-2*e*\text{Sqrt}[f + g*x])/((c*d^2 + a*e^2)*\text{Sqrt}[d + e*x]) + ((\text{Sqrt}[c]*d - I*\text{Sqrt}[a]*e)^2*((-I)*\text{Sqrt}[c]*f + \text{Sqrt}[a]*g)*\text{ArcTan}[(\text{Sqrt}[c*d^2 + a*e^2]*\text{Sqrt}[f + g*x])/(\text{Sqrt}[-(c*d*f) + I*\text{Sqrt}[a]*\text{Sqrt}[c]*e*f - I*\text{Sqrt}[a]*\text{Sqrt}[c]*d*g - a*e*g]*\text{Sqrt}[d + e*x])])/(\text{Sqrt}[a]*(c*d^2 + a*e^2)^{(3/2)}*\text{Sqrt}[-((\text{Sqrt}[c]*d - I*\text{Sqrt}[a]*e)*(\text{Sqrt}[c]*f + I*\text{Sqrt}[a]*g))]) + ((\text{Sqrt}[c]*d + I*\text{Sqrt}[a]*e)^2*(I*\text{Sqrt}[c]*f + \text{Sqrt}[a]*g)*\text{ArcTan}[(\text{Sqrt}[c*d^2 + a*e^2]*\text{Sqrt}[f + g*x])/(\text{Sqrt}[-(c*d*f) - I*\text{Sqrt}[a]*\text{Sqrt}[c]*e*f + I*\text{Sqrt}[a]*\text{Sqrt}[c]*d*g - a*e*g]*\text{Sqrt}[d + e*x])])/(\text{Sqrt}[a]*(c*d^2 + a*e^2)^{(3/2)}*\text{Sqrt}[-((\text{Sqrt}[c]*d + I*\text{Sqrt}[a]*e)*(\text{Sqrt}[c]*f - I*\text{Sqrt}[a]*g))])$

**fricas [B]** time = 52.33, size = 5816, normalized size = 16.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)/(e\*x+d)^(3/2)/(c\*x^2+a),x, algorithm="fricas")

[Out]  $-1/4*((c*d^3 + a*d*e^2 + (c*d^2*e + a*e^3)*x)*\text{sqrt}(-((c^2*d^3 - 3*a*c*d*e^2)*f + (3*a*c*d^2*e - a^2*e^3)*g + (a*c^3*d^6 + 3*a^2*c^2*d^4*e^2 + 3*a^3*c*d^2*e^4 + a^4*e^6)*\text{sqrt}(-((9*c^3*d^4*e^2 - 6*a*c^2*d^2*e^4 + a^2*c*e^6)*f^2$

$$\begin{aligned}
& - 2*(3*c^3*d^5*e - 10*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*f*g + (c^3*d^6 - 6*a*c^2*d^4*e^2 + 9*a^2*c*d^2*e^4)*g^2)/(a*c^6*d^12 + 6*a^2*c^5*d^10*e^2 + 15*a^3*c^4*d^8*e^4 + 20*a^4*c^3*d^6*e^6 + 15*a^5*c^2*d^4*e^8 + 6*a^6*c*d^2*e^10 + a^7*e^12)))/(a*c^3*d^6 + 3*a^2*c^2*d^4*e^2 + 3*a^3*c*d^2*e^4 + a^4*e^6)) \\
& *log(((3*c*d^2*e^2 - a*e^4)*f^2 + 2*(c*d^3*e + a*d*e^3)*f*g - (c*d^4 - 3*a*d^2*e^2)*g^2 + 2*((3*c^2*d^4*e - 4*a*c*d^2*e^3 + a^2*e^5)*f - (c^2*d^5 - 4*a*c*d^3*e^2 + 3*a^2*d*e^4)*g - 2*(a*c^3*d^7*e + 3*a^2*c^2*d^5*e^3 + 3*a^3*c*d^3*e^5 + a^4*d*e^7)*sqrt(-((9*c^3*d^4*e^2 - 6*a*c^2*d^2*e^4 + a^2*c*e^6)*f^2 - 2*(3*c^3*d^5*e - 10*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*f*g + (c^3*d^6 - 6*a*c^2*d^4*e^2 + 9*a^2*c*d^2*e^4)*g^2)/(a*c^6*d^12 + 6*a^2*c^5*d^10*e^2 + 15*a^3*c^4*d^8*e^4 + 20*a^4*c^3*d^6*e^6 + 15*a^5*c^2*d^4*e^8 + 6*a^6*c*d^2*e^10 + a^7*e^12)))*sqrt(e*x + d)*sqrt(g*x + f)*sqrt(-((c^2*d^3 - 3*a*c*d*e^2)*f + (3*a*c*d^2*e - a^2*e^3)*g + (a*c^3*d^6 + 3*a^2*c^2*d^4*e^2 + 3*a^3*c*d^2*e^4 + a^4*e^6)*sqrt(-((9*c^3*d^4*e^2 - 6*a*c^2*d^2*e^4 + a^2*c*e^6)*f^2 - 2*(3*c^3*d^5*e - 10*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*f*g + (c^3*d^6 - 6*a*c^2*d^4*e^2 + 9*a^2*c*d^2*e^4)*g^2)/(a*c^6*d^12 + 6*a^2*c^5*d^10*e^2 + 15*a^3*c^4*d^8*e^4 + 20*a^4*c^3*d^6*e^6 + 15*a^5*c^2*d^4*e^8 + 6*a^6*c*d^2*e^10 + a^7*e^12))))*sqrt(e*x + d)*sqrt(g*x + f)*sqrt(-((c^2*d^3 - 3*a*c*d*e^2)*f + (3*a*c*d^2*e - a^2*e^3)*g + (a*c^3*d^6 + 3*a^2*c^2*d^4*e^2 + 3*a^3*c*d^2*e^4 + a^4*e^6)*sqrt(-((9*c^3*d^4*e^2 - 6*a*c^2*d^2*e^4 + a^2*c*e^6)*f^2 - 2*(3*c^3*d^5*e - 10*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*f*g + (c^3*d^6 - 6*a*c^2*d^4*e^2 + 9*a^2*c*d^2*e^4)*g^2)/(a*c^6*d^12 + 6*a^2*c^5*d^10*e^2 + 15*a^3*c^4*d^8*e^4 + 20*a^4*c^3*d^6*e^6 + 15*a^5*c^2*d^4*e^8 + 6*a^6*c*d^2*e^10 + a^7*e^12))))/x) - (c*d^3 + a*d*e^2 + (c*d^2*e + a*e^3)*x)*sqrt(-((c^2*d^3 - 3*a*c*d*e^2)*f + (3*a*c*d^2*e - a^2*e^3)*g + (a*c^3*d^6 + 3*a^2*c^2*d^4*e^2 + 3*a^3*c*d^2*e^4 + a^4*e^6)*sqrt(-((9*c^3*d^4*e^2 - 6*a*c^2*d^2*e^4 + a^2*c*e^6)*f^2 - 2*(3*c^3*d^5*e - 10*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*f*g + (c^3*d^6 - 6*a*c^2*d^4*e^2 + 9*a^2*c*d^2*e^4)*g^2)/(a*c^6*d^12 + 6*a^2*c^5*d^10*e^2 + 15*a^3*c^4*d^8*e^4 + 20*a^4*c^3*d^6*e^6 + 15*a^5*c^2*d^4*e^8 + 6*a^6*c*d^2*e^10 + a^7*e^12))))/(a*c^3*d^6 + 3*a^2*c^2*d^4*e^2 + 3*a^3*c*d^2*e^4 + a^4*e^6))*log(((3*c*d^2*e^2 - a*e^4)*f^2 + 2*(c*d^3*e + a*d*e^3)*f*g - (c*d^4 - 3*a*d^2*e^2)*g^2 - 2*((3*c^2*d^4*e - 4*a*c*d^2*e^3 + a^2*e^5)*f - (c^2*d^5 - 4*a*c*d^3*e^2 + 3*a^2*d*e^4)*g - 2*(a*c^3*d^7*e + 3*a^2*c^2*d^5*e^3 + 3*a^3*c*d^3*e^5 + a^4*d*e^7)*sqrt(-((9*c^3*d^4*e^2 - 6*a*c^2*d^2*e^4 + a^2*c*e^6)*f^2 - 2*(3*c^3*d^5*e - 10*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*f*g + (c^3*d^6 - 6*a*c^2*d^4*e^2 + 9*a^2*c*d^2*e^4)*g^2)/(a*c^6*d^12 + 6*a^2*c^5*d^10*e^2 + 15*a^3*c^4*d^8*e^4 + 20*a^4*c^3*d^6*e^6 + 15*a^5*c^2*d^4*e^8 + 6*a^6*c*d^2*e^10 + a^7*e^12)))*sqrt(e*x + d)*sqrt(g*x + f)*sqrt(-((c^2*d^3 - 3*a*c*d*e^2)*f + (3*a*c*d^2*e - a^2*e^3)*g + (a*c^3*d^6 + 3*a^2*c^2*d^4*e^2 + 3*a^3*c*d^2*e^4 + a^4*e^6)*sqrt(-((9*c^3*d^4*e^2 - 6*a*c^2*d^2*e^4 + a^2*c*e^6)*f^2 - 2*(3*c^3*d^5*e - 10*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*f*g + (c^3*d^6 - 6*a*c^2*d^4*e^2 + 9*a^2*c*d^2*e^4)*g^2)/(a*c^6*d^12 + 6*a^2*c^5*d^10*e^2 + 15*a^3*c^4*d^8*e^4 + 20*a^4*c^3*d^6*e^6 + 15*a^5*c^2*d^4*e^8 + 6*a^6*c*d^2*e^10 + a^7*e^12))))/x) - (c*d^3 + a*d*e^2 + (c*d^2*e + a*e^3)*x)*sqrt(-((c^2*d^3 - 3*a*c*d*e^2)*f + (3*a*c*d^2*e - a^2*e^3)*g + (a*c^3*d^6 + 3*a^2*c^2*d^4*e^2 + 3*a^3*c*d^2*e^4 + a^4*e^6)*sqrt(-((9*c^3*d^4*e^2 - 6*a*c^2*d^2*e^4 + a^2*c*e^6)*f^2 - 2*(3*c^3*d^5*e - 10*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*f*g + (c^3*d^6 - 6*a*c^2*d^4*e^2 + 9*a^2*c*d^2*e^4)*g^2)/(a*c^6*d^12 + 6*a^2*c^5*d^10*e^2 + 15*a^3*c^4*d^8*e^4 + 20*a^4*c^3*d^6*e^6 + 15*a^5*c^2*d^4*e^8 + 6*a^6*c*d^2*e^10 + a^7*e^12))))/(a*c^3*d^6 + 3*a^2*c^2*d^4*e^2 + 3*a^3*c*d^2*e^4 + a^4*e^6))
\end{aligned}$$

$$\begin{aligned}
& d^4 e^8 + 6 a^6 c d^2 e^{10} + a^7 e^{12})) / (a c^3 d^6 + 3 a^2 c^2 d^4 e^2 + \\
& 3 a^3 c d^2 e^4 + a^4 e^6) + 2 * ((3 c d^2 e^2 - a e^4) * f * g - (c d^3 e - 3 a \\
& * d e^3) * g^2) * x + (2 * (c^3 d^7 + 3 a c^2 d^5 e^2 + 3 a^2 c d^3 e^4 + a^3 d e^6) * f + ((c^3 d^6 e + 3 a c^2 d^4 e^3 + 3 a^2 c d^2 e^5 + a^3 e^7) * f + (c^3 d^7 + 3 a c^2 d^5 e^2 + 3 a^2 c d^3 e^4 + a^3 d e^6) * g) * x) * \text{sqrt}(-((9 c^3 d^4 e^2 - 6 a c^2 d^2 e^4 + a^2 c e^6) * f^2 - 2 * (3 c^3 d^5 e - 10 a c^2 d^3 e^3 + 3 a^2 c d e^5) * f * g + (c^3 d^6 - 6 a c^2 d^4 e^2 + 9 a^2 c d^2 e^4) * g^2) / (a c^6 d^{12} + 6 a^2 c^5 d^{10} e^2 + 15 a^3 c^4 d^8 e^4 + 20 a^4 c^3 d^6 e^6 + 15 a^5 c^2 d^4 e^8 + 6 a^6 c d^2 e^{10} + a^7 e^{12})) / x) + (c d^3 + a d e^2 + (c d^2 e + a e^3) * x) * \text{sqrt}(-((c^2 d^3 - 3 a c d e^2) * f + (3 a c d^2 e - a^2 e^3) * g - (a c^3 d^6 + 3 a^2 c^2 d^4 e^2 + 3 a^3 c d^2 e^4 + a^4 e^6) * \text{sqrt}(-((9 c^3 d^4 e^2 - 6 a c^2 d^2 e^4 + a^2 c e^6) * f^2 - 2 * (3 c^3 d^5 e - 10 a c^2 d^3 e^3 + 3 a^2 c d e^5) * f * g + (c^3 d^6 - 6 a c^2 d^4 e^2 + 9 a^2 c d^2 e^4) * g^2) / (a c^6 d^{12} + 6 a^2 c^5 d^{10} e^2 + 15 a^3 c^4 d^8 e^4 + 20 a^4 c^3 d^6 e^6 + 15 a^5 c^2 d^4 e^8 + 6 a^6 c d^2 e^{10} + a^7 e^{12}))) / (a c^3 d^6 + 3 a^2 c^2 d^4 e^2 + 3 a^3 c d^2 e^4 + a^4 e^6)) * \log(((3 c d^2 e^2 - a e^4) * f^2 + 2 * (c d^3 e + a d e^3) * f * g - (c d^4 - 3 a d^2 e^2) * g^2 + 2 * ((3 c^2 d^4 e - 4 a c d^2 e^3 + a^2 e^5) * f - (c^2 d^5 - 4 a c d^3 e^2 + 3 a^2 d e^4) * g + 2 * (a c^3 d^7 e + 3 a^2 c^2 d^5 e^3 + 3 a^3 c d^3 e^5 + a^4 d e^7) * \text{sqrt}(-((9 c^3 d^4 e^2 - 6 a c^2 d^2 e^4 + a^2 c e^6) * f^2 - 2 * (3 c^3 d^5 e - 10 a c^2 d^3 e^3 + 3 a^2 c d e^5) * f * g + (c^3 d^6 - 6 a c^2 d^4 e^2 + 9 a^2 c d^2 e^4) * g^2) / (a c^6 d^{12} + 6 a^2 c^5 d^{10} e^2 + 15 a^3 c^4 d^8 e^4 + 20 a^4 c^3 d^6 e^6 + 15 a^5 c^2 d^4 e^8 + 6 a^6 c d^2 e^{10} + a^7 e^{12}))) * \text{sqrt}(e * x + d) * \text{sqrt}(g * x + f) * \text{sqrt}(-((c^2 d^3 - 3 a c d e^2) * f + (3 a c d^2 e - a^2 e^3) * g - (a c^3 d^6 + 3 a^2 c^2 d^4 e^2 + 3 a^3 c d^2 e^4 + a^4 e^6) * \text{sqrt}(-((9 c^3 d^4 e^2 - 6 a c^2 d^2 e^4 + a^2 c e^6) * f^2 - 2 * (3 c^3 d^5 e - 10 a c^2 d^3 e^3 + 3 a^2 c d e^5) * f * g + (c^3 d^6 - 6 a c^2 d^4 e^2 + 9 a^2 c d^2 e^4) * g^2) / (a c^6 d^{12} + 6 a^2 c^5 d^{10} e^2 + 15 a^3 c^4 d^8 e^4 + 20 a^4 c^3 d^6 e^6 + 15 a^5 c^2 d^4 e^8 + 6 a^6 c d^2 e^{10} + a^7 e^{12}))) / (a c^3 d^6 + 3 a^2 c^2 d^4 e^2 + 3 a^3 c d^2 e^4 + a^4 e^6)) + 2 * ((3 c d^2 e^2 - a e^4) * f * g - (c d^3 e - 3 a d e^3) * g^2) * x - (2 * (c^3 d^7 + 3 a c^2 d^5 e^2 + 3 a^2 c d^3 e^4 + a^3 d e^6) * f + ((c^3 d^6 e + 3 a c^2 d^4 e^3 + 3 a^2 c d^2 e^5 + a^3 e^7) * f + (c^3 d^7 + 3 a c^2 d^5 e^2 + 3 a^2 c d^3 e^4 + a^3 d e^6) * g) * x) * \text{sqrt}(-((9 c^3 d^4 e^2 - 6 a c^2 d^2 e^4 + a^2 c e^6) * f^2 - 2 * (3 c^3 d^5 e - 10 a c^2 d^3 e^3 + 3 a^2 c d e^5) * f * g + (c^3 d^6 - 6 a c^2 d^4 e^2 + 9 a^2 c d^2 e^4) * g^2) / (a c^6 d^{12} + 6 a^2 c^5 d^{10} e^2 + 15 a^3 c^4 d^8 e^4 + 20 a^4 c^3 d^6 e^6 + 15 a^5 c^2 d^4 e^8 + 6 a^6 c d^2 e^{10} + a^7 e^{12}))) / x) - (c d^3 + a d e^2 + (c d^2 e + a e^3) * x) * \text{sqrt}(-((c^2 d^3 - 3 a c d e^2) * f + (3 a c d^2 e - a^2 e^3) * g - (a c^3 d^6 + 3 a^2 c^2 d^4 e^2 + 3 a^3 c d^2 e^4 + a^4 e^6) * \text{sqrt}(-((9 c^3 d^4 e^2 - 6 a c^2 d^2 e^4 + a^2 c e^6) * f^2 - 2 * (3 c^3 d^5 e - 10 a c^2 d^3 e^3 + 3 a^2 c d e^5) * f * g + (c^3 d^6 - 6 a c^2 d^4 e^2 + 9 a^2 c d^2 e^4) * g^2) / (a c^6 d^{12} + 6 a^2 c^5 d^{10} e^2 + 15 a^3 c^4 d^8 e^4 + 20 a^4 c^3 d^6 e^6 + 15 a^5 c^2 d^4 e^8 + 6 a^6 c d^2 e^{10} + a^7 e^{12}))) / (a c^3 d^6 + 3 a^2 c^2 d^4 e^2 + 3 a^3 c d^2 e^4 + a^4 e^6)) * \log(((3 c d^2 e^2 - a e^4) * f^2 + 2 * (c d^3 e + a d e^3) * f * g - (c d^4
\end{aligned}$$

$$\begin{aligned}
& - 3*a*d^2*e^2)*g^2 - 2*((3*c^2*d^4*e - 4*a*c*d^2*e^3 + a^2*e^5)*f - (c^2*d^5 \\
& - 4*a*c*d^3*e^2 + 3*a^2*d*e^4)*g + 2*(a*c^3*d^7*e + 3*a^2*c^2*d^5*e^3 + 3 \\
& *a^3*c*d^3*e^5 + a^4*d*e^7)*\sqrt{-((9*c^3*d^4*e^2 - 6*a*c^2*d^2*e^4 + a^2*c \\
& *e^6)*f^2 - 2*(3*c^3*d^5*e - 10*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*f*g + (c^3*d^6 \\
& - 6*a*c^2*d^4*e^2 + 9*a^2*c*d^2*e^4)*g^2)/(a*c^6*d^12 + 6*a^2*c^5*d^10*e^2 \\
& + 15*a^3*c^4*d^8*e^4 + 20*a^4*c^3*d^6*e^6 + 15*a^5*c^2*d^4*e^8 + 6*a^6*c \\
& *d^2*e^10 + a^7*e^12)))*\sqrt{e*x + d}*\sqrt{g*x + f}*\sqrt{-((c^2*d^3 - 3*a*c \\
& *d*e^2)*f + (3*a*c*d^2*e - a^2*e^3)*g - (a*c^3*d^6 + 3*a^2*c^2*d^4*e^2 + 3* \\
& a^3*c*d^2*e^4 + a^4*e^6)*\sqrt{-((9*c^3*d^4*e^2 - 6*a*c^2*d^2*e^4 + a^2*c*e^6 \\
& )*f^2 - 2*(3*c^3*d^5*e - 10*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*f*g + (c^3*d^6 \\
& - 6*a*c^2*d^4*e^2 + 9*a^2*c*d^2*e^4)*g^2)/(a*c^6*d^12 + 6*a^2*c^5*d^10*e^2 \\
& + 15*a^3*c^4*d^8*e^4 + 20*a^4*c^3*d^6*e^6 + 15*a^5*c^2*d^4*e^8 + 6*a^6*c*d^2 \\
& *e^10 + a^7*e^12)))/(a*c^3*d^6 + 3*a^2*c^2*d^4*e^2 + 3*a^3*c*d^2*e^4 + a^4 \\
& *e^6)) + 2*((3*c*d^2*e^2 - a*e^4)*f*g - (c*d^3*e - 3*a*d*e^3)*g^2)*x - (2*( \\
& c^3*d^7 + 3*a*c^2*d^5*e^2 + 3*a^2*c*d^3*e^4 + a^3*d*e^6)*f + ((c^3*d^6*e + \\
& 3*a*c^2*d^4*e^3 + 3*a^2*c*d^2*e^5 + a^3*e^7)*f + (c^3*d^7 + 3*a*c^2*d^5*e^2 \\
& + 3*a^2*c*d^3*e^4 + a^3*d*e^6)*g)*x)*\sqrt{-((9*c^3*d^4*e^2 - 6*a*c^2*d^2*e^4 \\
& + a^2*c*e^6)*f^2 - 2*(3*c^3*d^5*e - 10*a*c^2*d^3*e^3 + 3*a^2*c*d*e^5)*f* \\
& g + (c^3*d^6 - 6*a*c^2*d^4*e^2 + 9*a^2*c*d^2*e^4)*g^2)/(a*c^6*d^12 + 6*a^2* \\
& c^5*d^10*e^2 + 15*a^3*c^4*d^8*e^4 + 20*a^4*c^3*d^6*e^6 + 15*a^5*c^2*d^4*e^8 \\
& + 6*a^6*c*d^2*e^10 + a^7*e^12)))/x) + 8*\sqrt{e*x + d}*\sqrt{g*x + f}*e)/(c \\
& d^3 + a*d*e^2 + (c*d^2*e + a*e^3)*x)
\end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)/(e\*x+d)^(3/2)/(c\*x^2+a),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.06, size = 5383, normalized size = 15.34

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^(1/2)/(e\*x+d)^(3/2)/(c\*x^2+a),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{gx+f}}{(cx^2+a)(ex+d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)/(e\*x+d)^(3/2)/(c\*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(g\*x + f)/((c\*x^2 + a)\*(e\*x + d)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{f + g x}}{(c x^2 + a) (d + e x)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)^(1/2)/((a + c\*x^2)\*(d + e\*x)^(3/2)),x)

[Out] int((f + g\*x)^(1/2)/((a + c\*x^2)\*(d + e\*x)^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*(1/2)/(e\*x+d)\*\*(3/2)/(c\*x\*\*2+a),x)

[Out] Timed out

$$3.411 \quad \int \frac{\sqrt{f+gx}}{(d+ex)^{5/2}(a+cx^2)} dx$$

Optimal. Leaf size=613

$$\frac{e\sqrt{f+gx}(-\sqrt{-a}\sqrt{c}(ef-dg)+aeg+cdf)}{\sqrt{-a}\sqrt{d+ex}(\sqrt{-a}e+\sqrt{c}d)(ae^2+cd^2)(ef-dg)} - \frac{e\sqrt{f+gx}(\sqrt{-a}\sqrt{c}(ef-dg)+aeg+cdf)}{\sqrt{-a}\sqrt{d+ex}(\sqrt{c}d-\sqrt{-a}e)(ae^2+cd^2)(ef-dg)} + \frac{1}{3\sqrt{d+ex}}$$

**Rubi [A]** time = 3.16, antiderivative size = 613, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {908, 45, 37, 6725, 96, 93, 208}

$$\frac{e\sqrt{f+gx}(-\sqrt{-a}\sqrt{c}(ef-dg)+aeg+cdf)}{\sqrt{-a}\sqrt{d+ex}(\sqrt{-a}e+\sqrt{c}d)(ae^2+cd^2)(ef-dg)} - \frac{e\sqrt{f+gx}(\sqrt{-a}\sqrt{c}(ef-dg)+aeg+cdf)}{\sqrt{-a}\sqrt{d+ex}(\sqrt{c}d-\sqrt{-a}e)(ae^2+cd^2)(ef-dg)} + \frac{4eg\sqrt{f+gx}}{3\sqrt{d+ex}(ae^2+cd^2)(ef-dg)} - \frac{2e\sqrt{f+gx}}{3(d+ex)^{3/2}(ae^2+cd^2)} + \frac{\sqrt{c}(\sqrt{-a}\sqrt{c}(ef-dg)+aeg+cdf)\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{f+gx}}{\sqrt{f+gx}\sqrt{d+ex}}\right)}{\sqrt{-a}(\sqrt{c}d-\sqrt{-a}e)^{3/2}(ae^2+cd^2)\sqrt{ef-dg}} + \frac{\sqrt{c}(a\sqrt{c}(ef-dg)+\sqrt{-a}cdf+\sqrt{-a}aeg)\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{f+gx}}{\sqrt{f+gx}\sqrt{d+ex}}\right)}{d(\sqrt{-a}e+\sqrt{c}d)^{3/2}(ae^2+cd^2)\sqrt{-a}g+\sqrt{c}f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[f + g\*x]/((d + e\*x)^(5/2)\*(a + c\*x^2)), x]

[Out]  $(-2e\sqrt{f+gx})/(3(c*d^2+a*e^2)(d+e*x)^{3/2}) + (4e*g*\sqrt{f+gx})/(3(c*d^2+a*e^2)(e*f-d*g)*\sqrt{d+e*x}) + (e*(c*d*f+a*e*g-\sqrt{-a}*\sqrt{c}*(e*f-d*g))*\sqrt{f+g*x})/(\sqrt{-a}*(\sqrt{c}*d+\sqrt{-a}*e)*(c*d^2+a*e^2)*(e*f-d*g)*\sqrt{d+e*x}) - (e*(c*d*f+a*e*g+\sqrt{-a}*\sqrt{c}*(e*f-d*g))*\sqrt{f+g*x})/(\sqrt{-a}*(\sqrt{c}*d-\sqrt{-a}*e)*(c*d^2+a*e^2)*(e*f-d*g)*\sqrt{d+e*x}) + (\sqrt{c}*(c*d*f+a*e*g+\sqrt{-a}*\sqrt{c}*(e*f-d*g))*\text{ArcTanh}[(\sqrt{\sqrt{c}*f-\sqrt{-a}*g})*\sqrt{d+e*x}])/(\sqrt{\sqrt{c}*d-\sqrt{-a}*e}*\sqrt{f+g*x})/(\sqrt{-a}*(\sqrt{c}*d-\sqrt{-a}*e)^{3/2}*(c*d^2+a*e^2)*\sqrt{\sqrt{c}*f-\sqrt{-a}*g}) + (\sqrt{c}*(\sqrt{-a}*c*d*f+\sqrt{-a}*a*e*g+a*\sqrt{c}*(e*f-d*g))*\text{ArcTanh}[(\sqrt{\sqrt{c}*f+\sqrt{-a}*g})*\sqrt{d+e*x}])/(\sqrt{\sqrt{c}*d+\sqrt{-a}*e}*\sqrt{f+g*x})/(\sqrt{-a}*(\sqrt{c}*d+\sqrt{-a}*e)^{3/2}*(c*d^2+a*e^2)*\sqrt{\sqrt{c}*f+\sqrt{-a}*g})$

Rule 37

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

Rule 45

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*S

```

simplify[m + n + 2])/((b*c - a*d)*(m + 1)), Int[(a + b*x)^Simplify[m + 1]*(c
+ d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b*c - a*d, 0] && I
LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] &&
(EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimpler
Q[m, 1] || !SumSimplerQ[n, 1])

```

### Rule 93

```

Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

### Rule 96

```

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_
))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x
)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[(a*d*f*(m + 1) + b*
c*f*(n + 1) + b*d*e*(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*
x)^(m + 1)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n
, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m
, 1])

```

### Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

### Rule 908

```

Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_))/((a_) + (c_.)*(x_
)^2), x_Symbol] := -Dist[(g*(e*f - d*g))/(c*f^2 + a*g^2), Int[(d + e*x)^(m
- 1)*(f + g*x)^n, x], x] + Dist[1/(c*f^2 + a*g^2), Int[(Simp[c*d*f + a*e*g
+ c*(e*f - d*g)*x, x]*(d + e*x)^(m - 1)*(f + g*x)^(n + 1))/(a + c*x^2), x],
x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[
m] && !IntegerQ[n] && GtQ[m, 0] && LtQ[n, -1]

```

### Rule 6725

```

Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionE
xpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ
[n, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{f+gx}}{(d+ex)^{5/2}(a+cx^2)} dx &= \frac{\int \frac{cdf+aeg-c(ef-dg)x}{(d+ex)^{3/2}\sqrt{f+gx}(a+cx^2)} dx}{cd^2+ae^2} + \frac{(e(ef-dg)) \int \frac{1}{(d+ex)^{5/2}\sqrt{f+gx}} dx}{cd^2+ae^2} \\
&= -\frac{2e\sqrt{f+gx}}{3(cd^2+ae^2)(d+ex)^{3/2}} + \frac{\int \left( \frac{a\sqrt{c}(ef-dg)+\sqrt{-a}(cdf+aeg)}{2a(\sqrt{-a}-\sqrt{c}x)(d+ex)^{3/2}\sqrt{f+gx}} + \frac{-a\sqrt{c}(ef-dg)+\sqrt{-a}(cdf+aeg)}{2a(\sqrt{-a}+\sqrt{c}x)(d+ex)^{3/2}\sqrt{f+gx}} \right) dx}{cd^2+ae^2} \\
&= -\frac{2e\sqrt{f+gx}}{3(cd^2+ae^2)(d+ex)^{3/2}} + \frac{4eg\sqrt{f+gx}}{3(cd^2+ae^2)(ef-dg)\sqrt{d+ex}} - \frac{(cdf+aeg-\sqrt{-a}\sqrt{cd+ae})}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)} \\
&= -\frac{2e\sqrt{f+gx}}{3(cd^2+ae^2)(d+ex)^{3/2}} + \frac{4eg\sqrt{f+gx}}{3(cd^2+ae^2)(ef-dg)\sqrt{d+ex}} + \frac{e(cdf+aeg-\sqrt{-a}\sqrt{cd+ae})}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)} \\
&= -\frac{2e\sqrt{f+gx}}{3(cd^2+ae^2)(d+ex)^{3/2}} + \frac{4eg\sqrt{f+gx}}{3(cd^2+ae^2)(ef-dg)\sqrt{d+ex}} + \frac{e(cdf+aeg-\sqrt{-a}\sqrt{cd+ae})}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)} \\
&= -\frac{2e\sqrt{f+gx}}{3(cd^2+ae^2)(d+ex)^{3/2}} + \frac{4eg\sqrt{f+gx}}{3(cd^2+ae^2)(ef-dg)\sqrt{d+ex}} + \frac{e(cdf+aeg-\sqrt{-a}\sqrt{cd+ae})}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)}
\end{aligned}$$

**Mathematica [A]** time = 2.86, size = 353, normalized size = 0.58

$$\frac{2e\sqrt{f+gx}(ae^3(f+gx)+cd(-6d^2g+7def-5degx+6e^2fx))}{3(d+ex)^{3/2}(ae^2+cd^2)^2(ef-dg)} - \frac{\sqrt{c}\sqrt{-ag-\sqrt{c}f}\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{-ag-\sqrt{c}f}}{\sqrt{f+gx}\sqrt{-ae-\sqrt{c}d}}\right)}{(\sqrt{-a}e-\sqrt{c}d)^{3/2}(\sqrt{-a}\sqrt{c}d+ae)} - \frac{\sqrt{c}\sqrt{-ag+\sqrt{c}f}\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{-ag+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{-ae+\sqrt{c}d}}\right)}{(\sqrt{-a}e+\sqrt{c}d)^{3/2}(\sqrt{-a}\sqrt{c}d-ae)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[f + g\*x]/((d + e\*x)^(5/2)\*(a + c\*x^2)),x]

[Out] (-2\*e\*Sqrt[f + g\*x]\*(a\*e^3\*(f + g\*x) + c\*d\*(7\*d\*e\*f - 6\*d^2\*g + 6\*e^2\*f\*x - 5\*d\*e\*g\*x))/(3\*(c\*d^2 + a\*e^2)^2\*(e\*f - d\*g)\*(d + e\*x)^(3/2)) - (Sqrt[c]\*Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]\*ArcTanh[(Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/((-(Sqrt[c]\*d) + Sqrt[-a]\*e)^(3/2)\*(Sqrt[-a]\*Sqrt[c]\*d + a\*e)) - (Sqrt[c]\*Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[c]\*d + Sqrt[-a]\*e)^(3/2)\*(Sqrt[-a]\*Sqrt[c]\*d - a\*e))



**IntegrateAlgebraic [C]** time = 1.78, size = 498, normalized size = 0.81

$$\frac{(\sqrt{c}d - i\sqrt{a}e)^3 (\sqrt{a}\sqrt{c}g - icf) \tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{a^2+cd^2}}{\sqrt{d+ex}\sqrt{-i\sqrt{a}\sqrt{c}dg+i\sqrt{a}\sqrt{c}ef-ae^2-cd^2}}\right)}{\sqrt{a}(ae^2+cd^2)^{5/2}\sqrt{-((\sqrt{c}d-i\sqrt{a}e)(\sqrt{c}f+i\sqrt{a}g))}} + \frac{(\sqrt{c}d+i\sqrt{a}e)^3 (\sqrt{a}\sqrt{c}g+icf) \tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{a^2+cd^2}}{\sqrt{d+ex}\sqrt{i\sqrt{a}\sqrt{c}dg-i\sqrt{a}\sqrt{c}ef-ae^2-cd^2}}\right)}{\sqrt{a}(ae^2+cd^2)^{5/2}\sqrt{-((\sqrt{c}d+i\sqrt{a}e)(\sqrt{c}f-i\sqrt{a}g))}} + \frac{2\left(\frac{ae^4(f+gx)^{3/2}}{(d+ex)^{3/2}} + \frac{cd^2e^2(f+gx)^{3/2}}{(d+ex)^{3/2}} - \frac{6cd^2eg\sqrt{f+gx}}{\sqrt{d+ex}} + \frac{6cd^2f\sqrt{f+gx}}{\sqrt{d+ex}}\right)}{3(ae^2+cd^2)^2(dg-ef)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[f + g\*x]/((d + e\*x)^(5/2)\*(a + c\*x^2)),x]

[Out] (2\*((6\*c\*d\*e^2\*f\*Sqrt[f + g\*x])/Sqrt[d + e\*x] - (6\*c\*d^2\*e\*g\*Sqrt[f + g\*x])/Sqrt[d + e\*x] + (c\*d^2\*e^2\*(f + g\*x)^(3/2))/(d + e\*x)^(3/2) + (a\*e^4\*(f + g\*x)^(3/2))/(d + e\*x)^(3/2))/(3\*(c\*d^2 + a\*e^2)^2\*(-(e\*f) + d\*g)) + ((Sqrt[c]\*d - I\*Sqrt[a]\*e)^3\*((-I)\*c\*f + Sqrt[a]\*Sqrt[c]\*g)\*ArcTan[(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[f + g\*x])/(Sqrt[-(c\*d\*f) + I\*Sqrt[a]\*Sqrt[c]\*e\*f - I\*Sqrt[a]\*Sqrt[c]\*d\*g - a\*e\*g]\*Sqrt[d + e\*x])]/(Sqrt[a]\*(c\*d^2 + a\*e^2)^(5/2)\*Sqrt[-((Sqrt[c]\*d - I\*Sqrt[a]\*e)\*(Sqrt[c]\*f + I\*Sqrt[a]\*g))]) + ((Sqrt[c]\*d + I\*Sqrt[a]\*e)^3\*(I\*c\*f + Sqrt[a]\*Sqrt[c]\*g)\*ArcTan[(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[f + g\*x])/(Sqrt[-(c\*d\*f) - I\*Sqrt[a]\*Sqrt[c]\*e\*f + I\*Sqrt[a]\*Sqrt[c]\*d\*g - a\*e\*g]\*Sqrt[d + e\*x])]/(Sqrt[a]\*(c\*d^2 + a\*e^2)^(5/2)\*Sqrt[-((Sqrt[c]\*d + I\*Sqrt[a]\*e)\*(Sqrt[c]\*f - I\*Sqrt[a]\*g))])

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)/(e\*x+d)^(5/2)/(c\*x^2+a),x, algorithm="fricas")

[Out] Timed out

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)/(e\*x+d)^(5/2)/(c\*x^2+a),x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.09, size = 14861, normalized size = 24.24

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x+f)^(1/2)/(e*x+d)^(5/2)/(c*x^2+a),x)`

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{gx+f}}{(cx^2+a)(ex+d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)^(1/2)/(e*x+d)^(5/2)/(c*x^2+a),x, algorithm="maxima")`

[Out] `integrate(sqrt(g*x + f)/((c*x^2 + a)*(e*x + d)^(5/2)), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{f+gx}}{(cx^2+a)(d+ex)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)^(1/2)/((a + c*x^2)*(d + e*x)^(5/2)),x)`

[Out] `int((f + g*x)^(1/2)/((a + c*x^2)*(d + e*x)^(5/2)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**(1/2)/(e*x+d)**(5/2)/(c*x**2+a),x)`

[Out] Timed out

$$3.412 \quad \int \frac{(d+ex)^{3/2}}{\sqrt{f+gx}(a+cx^2)} dx$$

**Optimal.** Leaf size=337

$$\frac{(-2\sqrt{-a}\sqrt{c}de - ae^2 + cd^2) \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f-\sqrt{-a}g}}{\sqrt{f+gx}\sqrt{\sqrt{c}d-\sqrt{-a}e}}\right) - (2\sqrt{-a}\sqrt{c}de - ae^2 + cd^2) \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right)}{\sqrt{-a}c\sqrt{\sqrt{c}d-\sqrt{-a}e}\sqrt{\sqrt{c}f-\sqrt{-a}g} - \sqrt{-a}c\sqrt{\sqrt{-a}e+\sqrt{c}d}\sqrt{\sqrt{-a}g+\sqrt{c}f}}$$

**Rubi [A]** time = 2.46, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {910, 63, 217, 206, 6725, 93, 208}

$$\frac{(-2\sqrt{-a}\sqrt{c}de - ae^2 + cd^2) \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f-\sqrt{-a}g}}{\sqrt{f+gx}\sqrt{\sqrt{c}d-\sqrt{-a}e}}\right) - (2\sqrt{-a}\sqrt{c}de - ae^2 + cd^2) \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right) + \frac{2e^{3/2} \tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)}{c\sqrt{g}}}{\sqrt{-a}c\sqrt{\sqrt{c}d-\sqrt{-a}e}\sqrt{\sqrt{c}f-\sqrt{-a}g} - \sqrt{-a}c\sqrt{\sqrt{-a}e+\sqrt{c}d}\sqrt{\sqrt{-a}g+\sqrt{c}f}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/(Sqrt[f + g\*x]\*(a + c\*x^2)),x]

[Out] (2\*e^(3/2)\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(c\*Sqrt[g]) + ((c\*d^2 - 2\*Sqrt[-a]\*Sqrt[c]\*d\*e - a\*e^2)\*ArcTanh[(Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*c\*Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]) - ((c\*d^2 + 2\*Sqrt[-a]\*Sqrt[c]\*d\*e - a\*e^2)\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*c\*Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 93

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 910

Int[((d\_.) + (e\_.)\*(x\_)^m)/(Sqrt[(f\_.) + (g\_.)\*(x\_)^2]), x\_Symbol] := Int[ExpandIntegrand[1/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), (d + e\*x)^(m + 1/2)/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[m + 1/2, 0]

Rule 6725

Int[(u\_)/((a\_) + (b\_.)\*(x\_)^n), x\_Symbol] := With[{v = RationalFunctionExpand[u/(a + b\*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{3/2}}{\sqrt{f+gx}(a+cx^2)} dx &= \int \left( \frac{e^2}{c\sqrt{d+ex}\sqrt{f+gx}} + \frac{cd^2 - ae^2 + 2cdex}{c\sqrt{d+ex}\sqrt{f+gx}(a+cx^2)} \right) dx \\
&= \frac{\int \frac{cd^2 - ae^2 + 2cdex}{\sqrt{d+ex}\sqrt{f+gx}(a+cx^2)} dx}{c} + \frac{e^2 \int \frac{1}{\sqrt{d+ex}\sqrt{f+gx}} dx}{c} \\
&= \frac{\int \left( \frac{-2a\sqrt{c}de + \sqrt{-a}(cd^2 - ae^2)}{2a(\sqrt{-a} - \sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} + \frac{2a\sqrt{c}de + \sqrt{-a}(cd^2 - ae^2)}{2a(\sqrt{-a} + \sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} \right) dx}{c} + \frac{(2e) \text{Subst} \left( \int \frac{1}{\sqrt{f - \frac{dg}{e} + gx^2}} dx \right)}{c} \\
&= \frac{(2e) \text{Subst} \left( \int \frac{1}{1 - \frac{gx^2}{e}} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}} \right)}{c} - \frac{(cd^2 - 2\sqrt{-a}\sqrt{c}de - ae^2) \int \frac{1}{(\sqrt{-a} + \sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} dx}{2\sqrt{-a}c} \\
&= \frac{2e^{3/2} \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}} \right)}{c\sqrt{g}} - \frac{(cd^2 - 2\sqrt{-a}\sqrt{c}de - ae^2) \text{Subst} \left( \int \frac{1}{-\sqrt{c}d + \sqrt{-a}e - (-\sqrt{c}f + \sqrt{-a}gx)} dx \right)}{\sqrt{-a}c} \\
&= \frac{2e^{3/2} \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}} \right)}{c\sqrt{g}} + \frac{(cd^2 - 2\sqrt{-a}\sqrt{c}de - ae^2) \tanh^{-1} \left( \frac{\sqrt{\sqrt{c}f - \sqrt{-a}g}\sqrt{d+ex}}{\sqrt{\sqrt{c}d - \sqrt{-a}e}\sqrt{f+gx}} \right)}{\sqrt{-a}c\sqrt{\sqrt{c}d - \sqrt{-a}e}\sqrt{\sqrt{c}f - \sqrt{-a}g}}
\end{aligned}$$

**Mathematica [A]** time = 1.09, size = 339, normalized size = 1.01

$$\frac{\frac{\sqrt{-ae+\sqrt{c}d}(\sqrt{-a}\sqrt{cd-ae})\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{-ag+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{-ae+\sqrt{c}d}}\right)}{\sqrt{-ag+\sqrt{c}f}} - \frac{\sqrt{-ae-\sqrt{c}d}(\sqrt{-a}\sqrt{cd+ae})\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{-ag-\sqrt{c}f}}{\sqrt{f+gx}\sqrt{-ae-\sqrt{c}d}}\right)}{\sqrt{-ag-\sqrt{c}f}}}{a} + \frac{2(e^2-dg)^{3/2}\left(\frac{e(f+gx)}{ef-dg}\right)^{3/2}\sinh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{ef-dg}}\right)}{\sqrt{g}(f+gx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/(Sqrt[f + g\*x]\*(a + c\*x^2)), x]

[Out] ((2\*(e\*f - d\*g)^(3/2)\*((e\*(f + g\*x))/(e\*f - d\*g))^(3/2)\*ArcSinh[(Sqrt[g]\*Sqrt[d + e\*x])/Sqrt[e\*f - d\*g]])/(Sqrt[g]\*(f + g\*x)^(3/2)) + (-((Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e)]\*(Sqrt[-a]\*Sqrt[c]\*d + a\*e)\*ArcTanh[(Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]) + (Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*(Sqrt[-a]\*Sqrt[c]\*d - a\*e)\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g])/a)/c

**IntegrateAlgebraic [C]** time = 1.16, size = 378, normalized size = 1.12

$$\frac{(\sqrt{a}e - i\sqrt{c}d)\sqrt{ae^2 + cd^2} \tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{-i\sqrt{a}\sqrt{c}dg+i\sqrt{a}\sqrt{c}ef-ae^2-cd^2}}\right)}{\sqrt{a}c\sqrt{-((\sqrt{c}d - i\sqrt{a}e)(\sqrt{c}f + i\sqrt{a}g))}} + \frac{(\sqrt{a}e + i\sqrt{c}d)\sqrt{ae^2 + cd^2} \tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{i\sqrt{a}\sqrt{c}dg-i\sqrt{a}\sqrt{c}ef-ae^2-cd^2}}\right)}{\sqrt{a}c\sqrt{-((\sqrt{c}d + i\sqrt{a}e)(\sqrt{c}f - i\sqrt{a}g))}} + \frac{2e^{3/2} \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{f+gx}}{\sqrt{g}\sqrt{d+ex}}\right)}{c\sqrt{g}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/(Sqrt[f + g\*x]\*(a + c\*x^2)),x]

[Out] (((-I)\*Sqrt[c]\*d + Sqrt[a]\*e)\*Sqrt[c\*d^2 + a\*e^2]\*ArcTan[(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[f + g\*x])/(Sqrt[-(c\*d\*f) + I\*Sqrt[a]\*Sqrt[c]\*e\*f - I\*Sqrt[a]\*Sqrt[c]\*d\*g - a\*e\*g]\*Sqrt[d + e\*x])])/(Sqrt[a]\*c\*Sqrt[-((Sqrt[c]\*d - I\*Sqrt[a]\*e)\*(Sqrt[c]\*f + I\*Sqrt[a]\*g))]) + ((I\*Sqrt[c]\*d + Sqrt[a]\*e)\*Sqrt[c\*d^2 + a\*e^2]\*ArcTan[(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[f + g\*x])/(Sqrt[-(c\*d\*f) - I\*Sqrt[a]\*Sqrt[c]\*e\*f + I\*Sqrt[a]\*Sqrt[c]\*d\*g - a\*e\*g]\*Sqrt[d + e\*x])])/(Sqrt[a]\*c\*Sqrt[-((Sqrt[c]\*d + I\*Sqrt[a]\*e)\*(Sqrt[c]\*f - I\*Sqrt[a]\*g))]) + (2\*e^(3/2)\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/(Sqrt[g]\*Sqrt[d + e\*x])])/(c\*Sqrt[g])

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.04, size = 2336, normalized size = 6.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x)

[Out] 1/2\*(e\*x+d)^(1/2)\*(g\*x+f)^(1/2)\*(2\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2)))/(e\*g)^(1/2))\*a\*e^2\*g^2\*(-a\*c)^(1/2)\*(-(a\*e\*g-c\*d\*f+(

$$\begin{aligned}
& -a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+ \\
& (-a*c)^{(1/2)}*e*f)/c)^{(1/2)}+2*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}))/(e*g)^{(1/2)})*c*e^{2*f^2*(-a*c)^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}+ \\
& \ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)}))*a^2*e^2*g^2*(e*g)^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)}))*a*c*d^2*g^2*(e*g)^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}+ \\
& \ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)}))*a*c*e^{2*f^2*(e*g)^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-2*\ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)}))*a*c*d^2*g^2*(e*g)^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)}))*c^2*d^2*f^2*(e*g)^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-2*\ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)}))*c*d*e*f^2*(-a*c)^{(1/2)}*(e*g)^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x+(-a*c)^{(1/2)}))*a^2*e^2*g^2*(e*g)^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}+ \\
& \ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x+(-a*c)^{(1/2)}))*a*c*d^2*g^2*(e*g)^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x+(-a*c)^{(1/2)}))*a*c*d^2*g^2*(e*g)^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}+ \\
& \ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x+(-a*c)^{(1/2)}))*c^2*d^2*f^2*(e*g)^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-2
\end{aligned}$$

\*ln((c\*d\*g\*x+c\*e\*f\*x+2\*c\*d\*f-2\*(-a\*c)^(1/2)\*e\*g\*x-(-a\*c)^(1/2)\*d\*g-(-a\*c)^(1/2)\*e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(-a\*e\*g-c\*d\*f+(-a\*c)^(1/2)\*d\*g+(-a\*c)^(1/2)\*e\*f)/c)^(1/2)\*c)/(c\*x+(-a\*c)^(1/2))) \*c\*d\*e\*f^2\*(-a\*c)^(1/2)\*(e\*g)^(1/2)\*((-a\*e\*g+c\*d\*f+(-a\*c)^(1/2)\*d\*g+(-a\*c)^(1/2)\*e\*f)/c)^(1/2))/((e\*x+d)\*(g\*x+f))^(1/2)/(c\*f-g\*(-a\*c)^(1/2))/(-a\*c)^(1/2)/(e\*g)^(1/2)/(-a\*e\*g-c\*d\*f+(-a\*c)^(1/2)\*d\*g+(-a\*c)^(1/2)\*e\*f)/c)^(1/2)/(g\*(-a\*c)^(1/2)+c\*f)/((-a\*e\*g+c\*d\*f+(-a\*c)^(1/2)\*d\*g+(-a\*c)^(1/2)\*e\*f)/c)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{(cx^2 + a)\sqrt{gx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/((c\*x^2 + a)\*sqrt(g\*x + f)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex)^{3/2}}{\sqrt{f + gx} (cx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(3/2)/((f + g\*x)^(1/2)\*(a + c\*x^2)),x)

[Out] int((d + e\*x)^(3/2)/((f + g\*x)^(1/2)\*(a + c\*x^2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^{\frac{3}{2}}}{(a + cx^2)\sqrt{f + gx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)/(c\*x\*\*2+a)/(g\*x+f)\*\*(1/2),x)

[Out] Integral((d + e\*x)\*\*(3/2)/((a + c\*x\*\*2)\*sqrt(f + g\*x)), x)



$$3.413 \quad \int \frac{\sqrt{d+ex}}{\sqrt{f+gx}(a+cx^2)} dx$$

Optimal. Leaf size=240

$$\frac{\sqrt{\sqrt{c}d - \sqrt{-a}e} \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{c}f - \sqrt{-a}g}}{\sqrt{f+gx} \sqrt{\sqrt{c}d - \sqrt{-a}e}}\right)}{\sqrt{-a} \sqrt{c} \sqrt{\sqrt{c}f - \sqrt{-a}g}} - \frac{\sqrt{\sqrt{-a}e + \sqrt{c}d} \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{-a}g + \sqrt{c}f}}{\sqrt{f+gx} \sqrt{\sqrt{-a}e + \sqrt{c}d}}\right)}{\sqrt{-a} \sqrt{c} \sqrt{\sqrt{-a}g + \sqrt{c}f}}$$

**Rubi** [A] time = 0.33, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$ , Rules used = {910, 93, 208}

$$\frac{\sqrt{\sqrt{c}d - \sqrt{-a}e} \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{c}f - \sqrt{-a}g}}{\sqrt{f+gx} \sqrt{\sqrt{c}d - \sqrt{-a}e}}\right)}{\sqrt{-a} \sqrt{c} \sqrt{\sqrt{c}f - \sqrt{-a}g}} - \frac{\sqrt{\sqrt{-a}e + \sqrt{c}d} \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{-a}g + \sqrt{c}f}}{\sqrt{f+gx} \sqrt{\sqrt{-a}e + \sqrt{c}d}}\right)}{\sqrt{-a} \sqrt{c} \sqrt{\sqrt{-a}g + \sqrt{c}f}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/(Sqrt[f + g\*x]\*(a + c\*x^2)),x]

[Out] (Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*ArcTanh[(Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*Sqrt[c]\*Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]) - (Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*Sqrt[c]\*Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g])

Rule 93

Int[(((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

Rule 208

Int[(((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 910

```
Int[((d_.) + (e_.)*(x_))^(m_)/(Sqrt[(f_.) + (g_.)*(x_)]*((a_.) + (c_.)*(x_
^2)), x_Symbol] := Int[ExpandIntegrand[1/(Sqrt[d + e*x]*Sqrt[f + g*x]), (d
+ e*x)^(m + 1/2)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ
[c*d^2 + a*e^2, 0] && IGtQ[m + 1/2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{d+ex}}{\sqrt{f+gx}(a+cx^2)} dx &= \int \left( \frac{\sqrt{-a}d - \frac{ae}{\sqrt{c}}}{2a(\sqrt{-a} - \sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} + \frac{\sqrt{-a}d + \frac{ae}{\sqrt{c}}}{2a(\sqrt{-a} + \sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} \right) dx \\ &= \frac{1}{2} \left( \frac{ad}{(-a)^{3/2}} - \frac{e}{\sqrt{c}} \right) \int \frac{1}{(\sqrt{-a} - \sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} dx + \frac{1}{2} \left( \frac{ad}{(-a)^{3/2}} + \frac{e}{\sqrt{c}} \right) \int \frac{1}{(\sqrt{-a} + \sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} dx \\ &= \left( \frac{ad}{(-a)^{3/2}} - \frac{e}{\sqrt{c}} \right) \text{Subst} \left( \int \frac{1}{\sqrt{c}d + \sqrt{-a}e - (\sqrt{c}f + \sqrt{-a}g)x^2} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}} \right) + \left( \frac{ad}{(-a)^{3/2}} + \frac{e}{\sqrt{c}} \right) \text{Subst} \left( \int \frac{1}{\sqrt{c}d + \sqrt{-a}e - (\sqrt{c}f + \sqrt{-a}g)x^2} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}} \right) \\ &= \frac{\sqrt{\sqrt{c}d - \sqrt{-a}e} \tanh^{-1} \left( \frac{\sqrt{\sqrt{c}f - \sqrt{-a}g} \sqrt{d+ex}}{\sqrt{\sqrt{c}d - \sqrt{-a}e} \sqrt{f+gx}} \right)}{\sqrt{-a} \sqrt{c} \sqrt{\sqrt{c}f - \sqrt{-a}g}} - \frac{\sqrt{\sqrt{c}d + \sqrt{-a}e} \tanh^{-1} \left( \frac{\sqrt{\sqrt{c}f + \sqrt{-a}g} \sqrt{d+ex}}{\sqrt{\sqrt{c}d + \sqrt{-a}e} \sqrt{f+gx}} \right)}{\sqrt{-a} \sqrt{c} \sqrt{\sqrt{c}f + \sqrt{-a}g}} \end{aligned}$$

**Mathematica [A]** time = 0.33, size = 229, normalized size = 0.95

$$\frac{\frac{\sqrt{\sqrt{-a}e - \sqrt{c}d} \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{\sqrt{-a}g - \sqrt{c}f}}{\sqrt{f+gx} \sqrt{\sqrt{-a}e - \sqrt{c}d}} \right)}{\sqrt{\sqrt{-a}g - \sqrt{c}f}} - \frac{\sqrt{\sqrt{-a}e + \sqrt{c}d} \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{\sqrt{-a}g + \sqrt{c}f}}{\sqrt{f+gx} \sqrt{\sqrt{-a}e + \sqrt{c}d}} \right)}{\sqrt{\sqrt{-a}g + \sqrt{c}f}}}{\sqrt{-a} \sqrt{c}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[d + e*x]/(Sqrt[f + g*x]*(a + c*x^2)), x]
```

```
[Out] ((Sqrt[-(Sqrt[c]*d) + Sqrt[-a]*e]*ArcTanh[(Sqrt[-(Sqrt[c]*f) + Sqrt[-a]*g]*
Sqrt[d + e*x])/(Sqrt[-(Sqrt[c]*d) + Sqrt[-a]*e]*Sqrt[f + g*x])])/Sqrt[-(Sqr
t[c]*f) + Sqrt[-a]*g] - (Sqrt[Sqrt[c]*d + Sqrt[-a]*e]*ArcTanh[(Sqrt[Sqrt[c]
*f + Sqrt[-a]*g]*Sqrt[d + e*x])/(Sqrt[Sqrt[c]*d + Sqrt[-a]*e]*Sqrt[f + g*x]
)))/Sqrt[Sqrt[c]*f + Sqrt[-a]*g])/Sqrt[-a]*Sqrt[c])
```

**IntegrateAlgebraic [C]** time = 116.51, size = 1253, normalized size = 5.22

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/(Sqrt[f + g\*x]\*(a + c\*x^2)),x]

[Out]  $(e^3 f^2 \sqrt{e/g} g - 2 d e^2 f \sqrt{e/g} g^2 + d^2 e \sqrt{e/g} g^3) \text{RootSum}[c e^4 f^4 - 4 c d e^3 f^3 g + 6 c d^2 e^2 f^2 g^2 - 4 c d^3 e f g^3 + c d^4 g^4 - 4 c e^3 f^3 g \#1^2 + 4 c d e^2 f^2 g^2 \#1^2 + 4 c d^2 e f g^3 \#1^2 - 4 c d^3 g^4 \#1^2 + 6 c e^2 f^2 g^2 \#1^4 + 4 c d e f g^3 \#1^4 + 6 c d^2 g^4 \#1^4 + 16 a e^2 g^4 \#1^4 - 4 c e f g^3 \#1^6 - 4 c d g^4 \#1^6 + c g^4 \#1^8 \& , \text{Log}[-(\sqrt{e/g} \sqrt{f + g x}) + \sqrt{d - (e f)/g + (e(f + g x))/g}] - \#1]/(c e^3 f^3 - c d e^2 f^2 g - c d^2 e f g^2 + c d^3 g^3 - 3 c e^2 f^2 g \#1^2 - 2 c d e f g^2 \#1^2 - 3 c d^2 g^3 \#1^2 - 8 a e^2 g^3 \#1^2 + 3 c e f g^2 \#1^4 + 3 c d g^3 \#1^4 - c g^3 \#1^6) \& ] + 2(e^2 f \sqrt{e/g} g^2 - d e \sqrt{e/g} g^3) \text{RootSum}[c e^4 f^4 - 4 c d e^3 f^3 g + 6 c d^2 e^2 f^2 g^2 - 4 c d^3 e f g^3 + c d^4 g^4 - 4 c e^3 f^3 g \#1^2 + 4 c d e^2 f^2 g^2 \#1^2 + 4 c d^2 e f g^3 \#1^2 - 4 c d^3 g^4 \#1^2 + 6 c e^2 f^2 g^2 \#1^4 + 4 c d e f g^3 \#1^4 + 6 c d^2 g^4 \#1^4 + 16 a e^2 g^4 \#1^4 - 4 c e f g^3 \#1^6 - 4 c d g^4 \#1^6 + c g^4 \#1^8 \& , (\text{Log}[-(\sqrt{e/g} \sqrt{f + g x}) + \sqrt{d - (e f)/g + (e(f + g x))/g}] - \#1) \#1^2)/(-(c e^3 f^3) + c d e^2 f^2 g + c d^2 e f g^2 - c d^3 g^3 + 3 c e^2 f^2 g \#1^2 + 2 c d e f g^2 \#1^2 + 3 c d^2 g^3 \#1^2 + 8 a e^2 g^3 \#1^2 - 3 c e f g^2 \#1^4 - 3 c d g^3 \#1^4 + c g^3 \#1^6) \& ] - e \sqrt{e/g} g^3 \text{RootSum}[c e^4 f^4 - 4 c d e^3 f^3 g + 6 c d^2 e^2 f^2 g^2 - 4 c d^3 e f g^3 + c d^4 g^4 - 4 c e^3 f^3 g \#1^2 + 4 c d e^2 f^2 g^2 \#1^2 + 4 c d^2 e f g^3 \#1^2 - 4 c d^3 g^4 \#1^2 + 6 c e^2 f^2 g^2 \#1^4 + 4 c d e f g^3 \#1^4 + 6 c d^2 g^4 \#1^4 + 16 a e^2 g^4 \#1^4 - 4 c e f g^3 \#1^6 - 4 c d g^4 \#1^6 + c g^4 \#1^8 \& , (\text{Log}[-(\sqrt{e/g} \sqrt{f + g x}) + \sqrt{d - (e f)/g + (e(f + g x))/g}] - \#1) \#1^4)/(-(c e^3 f^3) + c d e^2 f^2 g + c d^2 e f g^2 - c d^3 g^3 + 3 c e^2 f^2 g \#1^2 + 2 c d e f g^2 \#1^2 + 3 c d^2 g^3 \#1^2 + 8 a e^2 g^3 \#1^2 - 3 c e f g^2 \#1^4 - 3 c d g^3 \#1^4 + c g^3 \#1^6) \& ]$

**fricas** [B] time = 9.63, size = 1913, normalized size = 7.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out]  $-1/4 \sqrt{-c d f + a e g + (a c^2 f^2 + a^2 c g^2) \sqrt{-(e^2 f^2 - 2 d e f g + d^2 g^2)}} / (a c^3 f^4 + 2 a^2 c^2 f^2 g^2 + a^3 c g^4) / (a c^2 f^2 + a^2 c g^2) \log(-e^2 f^2 - d^2 g^2 + 2(c e f^2 - c d f g + (a c^2 f^2 g + a^2 c g^3) \sqrt{-(e^2 f^2 - 2 d e f g + d^2 g^2)}} / (a c^3 f^4 + 2 a^2 c^2 f^2 g^2 + a^3 c g^4)) \sqrt{e x + d} \sqrt{g x + f} \sqrt{-(c d f + a e g + (a c^2 f^2 + a^2 c g^2) \sqrt{-(e^2 f^2 - 2 d e f g + d^2 g^2)}} / (a c^3 f^4 + 2 a^2 c^2 f^2 g^2 + a^3 c g^4)) / (a c^2 f^2 + a^2 c g^2) + 2(e^2 f g - d e g^2) x - (2 c^2 d f^3 + 2 a c d f g^2 + (c^2 e f^3 + c^2 d f^2 g + a c e f g^2)$

$$\begin{aligned}
& 2 + a*c*d*g^3)*x)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4))/x} + 1/4*\sqrt{-(c*d*f + a*e*g + (a*c^2*f^2 + a^2*c*g^2)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))/(a*c^2*f^2 + a^2*c*g^2))*\log(-(e^2*f^2 - d^2*g^2 - 2*(c*e*f^2 - c*d*f*g + (a*c^2*f^2*g + a^2*c*g^3)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))*\sqrt{e*x + d}*\sqrt{g*x + f}*\sqrt{-(c*d*f + a*e*g + (a*c^2*f^2 + a^2*c*g^2)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))/(a*c^2*f^2 + a^2*c*g^2)) + 2*(e^2*f*g - d*e*g^2)*x - (2*c^2*d*f^3 + 2*a*c*d*f*g^2 + (c^2*e*f^3 + c^2*d*f^2*g + a*c*e*f*g^2 + a*c*d*g^3)*x)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))/x} - 1/4*\sqrt{-(c*d*f + a*e*g - (a*c^2*f^2 + a^2*c*g^2)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))/(a*c^2*f^2 + a^2*c*g^2))*\log(-(e^2*f^2 - d^2*g^2 + 2*(c*e*f^2 - c*d*f*g - (a*c^2*f^2*g + a^2*c*g^3)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))*\sqrt{e*x + d}*\sqrt{g*x + f}*\sqrt{-(c*d*f + a*e*g - (a*c^2*f^2 + a^2*c*g^2)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))/(a*c^2*f^2 + a^2*c*g^2)) + 2*(e^2*f*g - d*e*g^2)*x + (2*c^2*d*f^3 + 2*a*c*d*f*g^2 + (c^2*e*f^3 + c^2*d*f^2*g + a*c*e*f*g^2 + a*c*d*g^3)*x)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))/x} + 1/4*\sqrt{-(c*d*f + a*e*g - (a*c^2*f^2 + a^2*c*g^2)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))/(a*c^2*f^2 + a^2*c*g^2))*\log(-(e^2*f^2 - d^2*g^2 - 2*(c*e*f^2 - c*d*f*g - (a*c^2*f^2*g + a^2*c*g^3)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))*\sqrt{e*x + d}*\sqrt{g*x + f}*\sqrt{-(c*d*f + a*e*g - (a*c^2*f^2 + a^2*c*g^2)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))/(a*c^2*f^2 + a^2*c*g^2)) + 2*(e^2*f*g - d*e*g^2)*x + (2*c^2*d*f^3 + 2*a*c*d*f*g^2 + (c^2*e*f^3 + c^2*d*f^2*g + a*c*e*f*g^2 + a*c*d*g^3)*x)*\sqrt{-(e^2*f^2 - 2*d*e*f*g + d^2*g^2)/(a*c^3*f^4 + 2*a^2*c^2*f^2*g^2 + a^3*c*g^4)))/x}
\end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.03, size = 1387, normalized size = 5.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^{(1/2)}/(c*x^2+a)/(g*x+f)^{(1/2)}, x)$

[Out]  $\frac{1}{2}*(e*x+d)^{(1/2)}*(g*x+f)^{(1/2)}*\ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x+(-a*c)^{(1/2)})$   
 $+a*c*d*g^2*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x+(-a*c)^{(1/2)})$   
 $+a*e*g^2*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*(-a*c)^{(1/2)}+\ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x+(-a*c)^{(1/2)})$   
 $+c^2*d*f^2*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}*d*g-(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x+(-a*c)^{(1/2)})$   
 $+c*e*f^2*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*\ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)})$   
 $+a*c*d*g^2*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)})$   
 $+a*e*g^2*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*\ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)})$   
 $+c^2*d*f^2*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)})$   
 $+c*e*f^2*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*((e*x+d)*(g*x+f))^{(1/2)}/(c*f-(-a*c)^{(1/2)}*g)/(-a*c)^{(1/2)}/(-a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}/(c*f+(-a*c)^{(1/2)}*g)/((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{(cx^2+a)\sqrt{gx+f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)^{(1/2)}/(c*x^2+a)/(g*x+f)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out]  $\text{integrate}(\text{sqrt}(e*x + d)/((c*x^2 + a)*\text{sqrt}(g*x + f)), x)$

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^(1/2)/((f + g*x)^(1/2)*(a + c*x^2)), x)`

[Out] `\text{Hanged}`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex}}{(a+cx^2)\sqrt{f+gx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(1/2)/(c*x**2+a)/(g*x+f)**(1/2), x)`

[Out] `Integral(sqrt(d + e*x)/((a + c*x**2)*sqrt(f + g*x)), x)`

$$3.414 \quad \int \frac{1}{\sqrt{d+ex} \sqrt{f+gx} (a+cx^2)} dx$$

**Optimal.** Leaf size=230

$$\frac{\tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{c} f - \sqrt{-a} g}}{\sqrt{f+gx} \sqrt{\sqrt{c} d - \sqrt{-a} e}}\right)}{\sqrt{-a} \sqrt{\sqrt{c} d - \sqrt{-a} e} \sqrt{\sqrt{c} f - \sqrt{-a} g}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{-a} g + \sqrt{c} f}}{\sqrt{f+gx} \sqrt{\sqrt{-a} e + \sqrt{c} d}}\right)}{\sqrt{-a} \sqrt{\sqrt{-a} e + \sqrt{c} d} \sqrt{\sqrt{-a} g + \sqrt{c} f}}$$

**Rubi [A]** time = 0.20, antiderivative size = 230, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$ , Rules used = {912, 93, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{c} f - \sqrt{-a} g}}{\sqrt{f+gx} \sqrt{\sqrt{c} d - \sqrt{-a} e}}\right)}{\sqrt{-a} \sqrt{\sqrt{c} d - \sqrt{-a} e} \sqrt{\sqrt{c} f - \sqrt{-a} g}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{\sqrt{-a} g + \sqrt{c} f}}{\sqrt{f+gx} \sqrt{\sqrt{-a} e + \sqrt{c} d}}\right)}{\sqrt{-a} \sqrt{\sqrt{-a} e + \sqrt{c} d} \sqrt{\sqrt{-a} g + \sqrt{c} f}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]\*(a + c\*x^2)),x]

[Out] ArcTanh[(Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[f + g\*x])]/(Sqrt[-a]\*Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]) - ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])]/(Sqrt[-a]\*Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g])

**Rule 93**

Int[(((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

**Rule 208**

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

**Rule 912**

Int[(((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_)^(n\_)))/((a\_.) + (c\_.)\*(x\_)^2), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n, 1/(a + c\*x^2)], x]

2), x], x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[c\*d^2 + a\*e^2, 0] &  
& !IntegerQ[m] && !IntegerQ[n]

### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{d+ex}\sqrt{f+gx}(a+cx^2)} dx &= \int \left( \frac{\sqrt{-a}}{2a(\sqrt{-a}-\sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} + \frac{\sqrt{-a}}{2a(\sqrt{-a}+\sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} \right) dx \\ &= \frac{\int \frac{1}{(\sqrt{-a}-\sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} dx}{2\sqrt{-a}} - \frac{\int \frac{1}{(\sqrt{-a}+\sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} dx}{2\sqrt{-a}} \\ &= \frac{\text{Subst}\left(\int \frac{1}{-\sqrt{c}d+\sqrt{-a}e-(-\sqrt{c}f+\sqrt{-a}g)x^2} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}}\right)}{\sqrt{-a}} - \frac{\text{Subst}\left(\int \frac{1}{\sqrt{c}d+\sqrt{-a}e-(\sqrt{c}f+\sqrt{-a}g)x^2} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}}\right)}{\sqrt{-a}} \\ &= \frac{\tanh^{-1}\left(\frac{\sqrt{\sqrt{c}f-\sqrt{-a}g}\sqrt{d+ex}}{\sqrt{\sqrt{c}d-\sqrt{-a}e}\sqrt{f+gx}}\right)}{\sqrt{-a}\sqrt{\sqrt{c}d-\sqrt{-a}e}\sqrt{\sqrt{c}f-\sqrt{-a}g}} - \frac{\tanh^{-1}\left(\frac{\sqrt{\sqrt{c}f+\sqrt{-a}g}\sqrt{d+ex}}{\sqrt{\sqrt{c}d+\sqrt{-a}e}\sqrt{f+gx}}\right)}{\sqrt{-a}\sqrt{\sqrt{c}d+\sqrt{-a}e}\sqrt{\sqrt{c}f+\sqrt{-a}g}} \end{aligned}$$

**Mathematica [A]** time = 0.19, size = 225, normalized size = 0.98

$$\frac{\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g-\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e-\sqrt{c}d}}\right)}{\sqrt{\sqrt{-a}e-\sqrt{c}d}\sqrt{\sqrt{-a}g-\sqrt{c}f}} - \frac{\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right)}{\sqrt{\sqrt{-a}e+\sqrt{c}d}\sqrt{\sqrt{-a}g+\sqrt{c}f}}}{\sqrt{-a}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]\*(a + c\*x^2)), x]

[Out] 
$$\frac{-(\text{ArcTanh}[(\text{Sqrt}[-(\text{Sqrt}[c]*f) + \text{Sqrt}[-a]*g]*\text{Sqrt}[d + e*x])]/(\text{Sqrt}[-(\text{Sqrt}[c]*d) + \text{Sqrt}[-a]*e]*\text{Sqrt}[f + g*x]))/(\text{Sqrt}[-(\text{Sqrt}[c]*f) + \text{Sqrt}[-a]*g]) - \text{ArcTanh}[(\text{Sqrt}[\text{Sqrt}[c]*f + \text{Sqrt}[-a]*g]*\text{Sqrt}[d + e*x])]/(\text{Sqrt}[\text{Sqrt}[c]*d + \text{Sqrt}[-a]*e]*\text{Sqrt}[f + g*x]))/(\text{Sqrt}[\text{Sqrt}[c]*d + \text{Sqrt}[-a]*e]*\text{Sqrt}[\text{Sqrt}[c]*f + \text{Sqrt}[-a]*g])]/\text{Sqrt}[-a]}$$

**IntegrateAlgebraic [C]** time = 1.20, size = 310, normalized size = 1.35

$$\frac{\sqrt[4]{-1}\sqrt{\sqrt{a}e+i\sqrt{c}d}\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{\sqrt{a}e+i\sqrt{c}d}\sqrt{\sqrt{c}f+i\sqrt{a}g}}\right)}{\sqrt{a}\sqrt{ae^2+cd^2}\sqrt{\sqrt{c}f+i\sqrt{a}g}} - \frac{\sqrt[4]{-1}\sqrt{\sqrt{a}e-i\sqrt{c}d}\tanh^{-1}\left(\frac{\sqrt[4]{-1}\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{\sqrt{a}e-i\sqrt{c}d}\sqrt{\sqrt{c}f-i\sqrt{a}g}}\right)}{\sqrt{a}\sqrt{ae^2+cd^2}\sqrt{\sqrt{c}f-i\sqrt{a}g}}$$



Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[1/(Sqrt[d + e*x]*Sqrt[f + g*x]*(a + c*x^2)),x]
```

```
[Out] -(((-1)^(1/4)*Sqrt[(-I)*Sqrt[c]*d + Sqrt[a]*e]*ArcTan[((-1)^(1/4)*Sqrt[c*d^2 + a*e^2]*Sqrt[f + g*x])/(Sqrt[(-I)*Sqrt[c]*d + Sqrt[a]*e]*Sqrt[Sqrt[c]*f - I*Sqrt[a]*g]*Sqrt[d + e*x])])/(Sqrt[a]*Sqrt[c*d^2 + a*e^2]*Sqrt[Sqrt[c]*f - I*Sqrt[a]*g]) + ((-1)^(1/4)*Sqrt[I*Sqrt[c]*d + Sqrt[a]*e]*ArcTanh[((-1)^(1/4)*Sqrt[c*d^2 + a*e^2]*Sqrt[f + g*x])/(Sqrt[I*Sqrt[c]*d + Sqrt[a]*e]*Sqrt[Sqrt[c]*f + I*Sqrt[a]*g]*Sqrt[d + e*x])])/(Sqrt[a]*Sqrt[c*d^2 + a*e^2]*Sqrt[Sqrt[c]*f + I*Sqrt[a]*g])
```

**fricas [B]** time = 23.24, size = 4325, normalized size = 18.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x+d)^(1/2)/(c*x^2+a)/(g*x+f)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/4*sqrt(-(c*d*f - a*e*g + ((a*c^2*d^2 + a^2*c*e^2)*f^2 + (a^2*c*d^2 + a^3*e^2)*g^2)*sqrt(-(c*e^2*f^2 + 2*c*d*e*f*g + c*d^2*g^2)/((a*c^4*d^4 + 2*a^2*c^3*d^2*e^2 + a^3*c^2*e^4)*f^4 + 2*(a^2*c^3*d^4 + 2*a^3*c^2*d^2*e^2 + a^4*c*e^4)*f^2*g^2 + (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*g^4)))/((a*c^2*d^2 + a^2*c*e^2)*f^2 + (a^2*c*d^2 + a^3*e^2)*g^2))*log((e^2*f^2 + 2*d*e*f*g + d^2*g^2 + 2*(c*d*e*f^2 - a*d*e*g^2 + (c*d^2 - a*e^2)*f*g - ((a*c^2*d^2*e + a^2*c*e^3)*f^3 + (a*c^2*d^3 + a^2*c*d*e^2)*f^2*g + (a^2*c*d^2*e + a^3*e^3)*f*g^2 + (a^2*c*d^3 + a^3*d*e^2)*g^3)*sqrt(-(c*e^2*f^2 + 2*c*d*e*f*g + c*d^2*g^2)/((a*c^4*d^4 + 2*a^2*c^3*d^2*e^2 + a^3*c^2*e^4)*f^4 + 2*(a^2*c^3*d^4 + 2*a^3*c^2*d^2*e^2 + a^4*c*e^4)*f^2*g^2 + (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*g^4)))*sqrt(e*x + d)*sqrt(g*x + f)*sqrt(-(c*d*f - a*e*g + ((a*c^2*d^2 + a^2*c*e^2)*f^2 + (a^2*c*d^2 + a^3*e^2)*g^2)*sqrt(-(c*e^2*f^2 + 2*c*d*e*f*g + c*d^2*g^2)/((a*c^4*d^4 + 2*a^2*c^3*d^2*e^2 + a^3*c^2*e^4)*f^4 + 2*(a^2*c^3*d^4 + 2*a^3*c^2*d^2*e^2 + a^4*c*e^4)*f^2*g^2 + (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*g^4)))/((a*c^2*d^2 + a^2*c*e^2)*f^2 + (a^2*c*d^2 + a^3*e^2)*g^2)) + 2*(e^2*f*g + d*e*g^2)*x + (2*(c^2*d^3 + a*c*d*e^2)*f^3 + 2*(a*c*d^3 + a^2*d*e^2)*f*g^2 + ((c^2*d^2*e + a*c*e^3)*f^3 + (c^2*d^3 + a*c*d*e^2)*f^2*g + (a*c*d^2*e + a^2*e^3)*f*g^2 + (a*c*d^3 + a^2*d*e^2)*g^3)*x)*sqrt(-(c*e^2*f^2 + 2*c*d*e*f*g + c*d^2*g^2)/((a*c^4*d^4 + 2*a^2*c^3*d^2*e^2 + a^3*c^2*e^4)*f^4 + 2*(a^2*c^3*d^4 + 2*a^3*c^2*d^2*e^2 + a^4*c*e^4)*f^2*g^2 + (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*g^4))/x + 1/4*sqrt(-(c*d*f - a*e*g + ((a*c^2*d^2 + a^2*c*e^2)*f^2 + (a^2*c*d^2 + a^3*e^2)*g^2)*sqrt(-(c*e^2*f^2 + 2*c*d*e*f*g + c*d^2*g^2)/((a*c^4*d^4 + 2*a^2*c^3*d^2*e^2 + a^3*c^2*e^4)*f^4 + 2*(a^2*c^3*d^4 + 2*a^3*c^2*d^2*e^2 + a^4*c*e^4)*f^2*g^2 + (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*g^4)))/((a*c^2*d^2 + a^2*c*e^2)*f^2 + (a^2*c*d^2 + a^3*e^2)*g^2))*log((e^2*f^2 + 2*d*e*f*g + d^2*g^2 - 2*(c*d*e*f^2 - a*d*e*g^2 + (c*d^2 - a*e^2)*f*g - ((a*c^2*d^2*e + a^2*c*e^3)*f^3 +
```

$$\begin{aligned}
& (a^2c^2d^3 + a^2cd^2e^2)*f^2g + (a^2cd^2e + a^3e^3)*fg^2 + (a^2cd^3 + a^3d^2e^2)*g^3)*\sqrt{-(c^2e^2f^2 + 2cd^2efg + cd^2g^2)} / ((a^4d^4 + 2a^2c^3d^2e^2 + a^3c^2e^4)*f^4 + 2*(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4c^2e^4)*f^2g^2 + (a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)*g^4)) * \sqrt{e^2x + d} * \sqrt{g^2x + f} * \sqrt{-(cd^2f - a^2eg + ((a^2cd^2 + a^2c^2e^2)*f^2 + (a^2cd^2 + a^3e^2)*g^2))} * \sqrt{-(c^2e^2f^2 + 2cd^2efg + cd^2g^2)} / ((a^4d^4 + 2a^2c^3d^2e^2 + a^3c^2e^4)*f^4 + 2*(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4c^2e^4)*f^2g^2 + (a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)*g^4)) / ((a^2cd^2 + a^2c^2e^2)*f^2 + (a^2cd^2 + a^3e^2)*g^2)) + 2*(e^2f^2g + d^2eg^2)*x + (2*(c^2d^3 + a^2cd^2e^2)*f^3 + 2*(a^2cd^3 + a^2d^2e^2)*fg^2 + ((c^2d^2e + a^2c^2e^3)*f^3 + (c^2d^3 + a^2cd^2e^2)*f^2g + (a^2cd^2e + a^2e^3)*fg^2 + (a^2cd^3 + a^2d^2e^2)*g^3)*x) * \sqrt{-(c^2e^2f^2 + 2cd^2efg + cd^2g^2)} / ((a^4d^4 + 2a^2c^3d^2e^2 + a^3c^2e^4)*f^4 + 2*(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4c^2e^4)*f^2g^2 + (a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)*g^4)) / x - 1/4 * \sqrt{-(cd^2f - a^2eg - ((a^2cd^2 + a^2c^2e^2)*f^2 + (a^2cd^2 + a^3e^2)*g^2))} * \sqrt{-(c^2e^2f^2 + 2cd^2efg + cd^2g^2)} / ((a^4d^4 + 2a^2c^3d^2e^2 + a^3c^2e^4)*f^4 + 2*(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4c^2e^4)*f^2g^2 + (a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)*g^4)) / x - 1/4 * \sqrt{-(cd^2f - a^2eg - ((a^2cd^2 + a^2c^2e^2)*f^2 + (a^2cd^2 + a^3e^2)*g^2))} * \sqrt{-(c^2e^2f^2 + 2cd^2efg + cd^2g^2)} / ((a^4d^4 + 2a^2c^3d^2e^2 + a^3c^2e^4)*f^4 + 2*(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4c^2e^4)*f^2g^2 + (a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)*g^4)) / x + 1/4 * \sqrt{-(cd^2f - a^2eg - ((a^2cd^2 + a^2c^2e^2)*f^2 + (a^2cd^2 + a^3e^2)*g^2))} * \sqrt{-(c^2e^2f^2 + 2cd^2efg + cd^2g^2)} / ((a^4d^4 + 2a^2c^3d^2e^2 + a^3c^2e^4)*f^4 + 2*(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4c^2e^4)*f^2g^2 + (a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)*g^4)) / ((a^2cd^2 + a^2c^2e^2)*f^2 + (a^2cd^2 + a^3e^2)*g^2)) * \log((e^2f^2 + 2d^2efg + d^2g^2 + 2*(cd^2ef^2 - a^2deg^2 + (cd^2 - a^2e^2)*fg + ((a^2cd^2e + a^2c^2e^3)*f^3 + (a^2cd^3 + a^2cd^2e^2)*fg^2 + (a^2cd^2e + a^3e^3)*fg^2 + (a^2cd^3 + a^3d^2e^2)*g^3)) * \sqrt{-(c^2e^2f^2 + 2cd^2efg + cd^2g^2)} / ((a^4d^4 + 2a^2c^3d^2e^2 + a^3c^2e^4)*f^4 + 2*(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4c^2e^4)*f^2g^2 + (a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)*g^4)) / x + 1/4 * \sqrt{-(cd^2f - a^2eg - ((a^2cd^2 + a^2c^2e^2)*f^2 + (a^2cd^2 + a^3e^2)*g^2))} * \sqrt{-(c^2e^2f^2 + 2cd^2efg + cd^2g^2)} / ((a^4d^4 + 2a^2c^3d^2e^2 + a^3c^2e^4)*f^4 + 2*(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4c^2e^4)*f^2g^2 + (a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)*g^4)) / ((a^2cd^2 + a^2c^2e^2)*f^2 + (a^2cd^2 + a^3e^2)*g^2)) * \log((e^2f^2 + 2d^2efg + d^2g^2 - 2*(cd^2ef^2 - a^2deg^2 + (cd^2 - a^2e^2)*fg + ((a^2cd^2e + a^2c^2e^3)*f^3 + (a^2cd^3 + a^2cd^2e^2)*fg^2 + (a^2cd^2e + a^3e^3)*fg^2 + (a^2cd^3 + a^3d^2e^2)*g^3)) * \sqrt{-(c^2e^2f^2 + 2cd^2efg + cd^2g^2)} / ((a^4d^4 + 2a^2c^3d^2e^2 + a^3c^2e^4)*f^4 + 2*(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4c^2e^4)*f^2g^2 + (a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)*g^4)) / x + 1/4 * \sqrt{-(cd^2f - a^2eg - ((a^2cd^2 + a^2c^2e^2)*f^2 + (a^2cd^2 + a^3e^2)*g^2))} * \sqrt{-(c^2e^2f^2 + 2cd^2efg + cd^2g^2)} / ((a^4d^4 + 2a^2c^3d^2e^2 + a^3c^2e^4)*f^4 + 2*(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4c^2e^4)*f^2g^2 + (a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)*g^4)) / x
\end{aligned}$$

$$\begin{aligned} & 4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*g^4)))*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f)*\text{sqrt}(-(c* \\ & d*f - a*e*g - ((a*c^2*d^2 + a^2*c*e^2)*f^2 + (a^2*c*d^2 + a^3*e^2)*g^2))*\text{sq} \\ & \text{rt}(-(c*e^2*f^2 + 2*c*d*e*f*g + c*d^2*g^2)/((a*c^4*d^4 + 2*a^2*c^3*d^2*e^2 + \\ & a^3*c^2*e^4)*f^4 + 2*(a^2*c^3*d^4 + 2*a^3*c^2*d^2*e^2 + a^4*c*e^4)*f^2*g^2 \\ & + (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*g^4)))/((a*c^2*d^2 + a^2*c*e^2) \\ & *f^2 + (a^2*c*d^2 + a^3*e^2)*g^2)) + 2*(e^2*f*g + d*e*g^2)*x - (2*(c^2*d^3 \\ & + a*c*d*e^2)*f^3 + 2*(a*c*d^3 + a^2*d*e^2)*f*g^2 + ((c^2*d^2*e + a*c*e^3)*f \\ & ^3 + (c^2*d^3 + a*c*d*e^2)*f^2*g + (a*c*d^2*e + a^2*e^3)*f*g^2 + (a*c*d^3 + \\ & a^2*d*e^2)*g^3)*x)*\text{sqrt}(-(c*e^2*f^2 + 2*c*d*e*f*g + c*d^2*g^2)/((a*c^4*d^4 \\ & + 2*a^2*c^3*d^2*e^2 + a^3*c^2*e^4)*f^4 + 2*(a^2*c^3*d^4 + 2*a^3*c^2*d^2*e^ \\ & 2 + a^4*c*e^4)*f^2*g^2 + (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*g^4)))/x \\ & ) \end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(1/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.04, size = 1415, normalized size = 6.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)^(1/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x)

[Out] 
$$\begin{aligned} & -1/2*c^2*(\ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g \\ & +(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g \\ & +(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)}))*a^2*e^2*g^2*(-(a*e*g-c*d \\ & *f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}+\ln((c*d*g*x+c*e*f*x+2*c*d*f+ \\ & 2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)} \\ & *((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(- \\ & a*c)^{(1/2)}))*a*c*d^2*g^2*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/ \\ & c)^{(1/2)}+\ln((c*d*g*x+c*e*f*x+2*c*d*f+2*(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+ \\ & (-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+ \\ & (-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a*c)^{(1/2)}))*a*c*e^2*f^2*(-(a*e*g-c*d* \\ & f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}+\ln((c*d*g*x+c*e*f*x+2*c*d*f+2 \\ & *(-a*c)^{(1/2)}*e*g*x+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)} \\ & *((-a*e*g+c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c)^{(1/2)}*c)/(c*x-(-a \\ & *c)^{(1/2)}))*c^2*d^2*f^2*(-(a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+(-a*c)^{(1/2)}*e*f)/c \\ & )^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)}*e*g*x-(-a*c)^{(1/2)}*d*g- \\ & (-a*c)^{(1/2)}*e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*((-a*e*g-c*d*f+(-a*c)^{(1/2)}*d*g+( \end{aligned}$$

$$\begin{aligned}
& -a*c)^{(1/2)*e*f)/c)^{(1/2)*c)/(c*x+(-a*c)^{(1/2)})))*a^2*e^2*g^2*((-a*e*g+c*d*f \\
& +(-a*c)^{(1/2)*d*g+(-a*c)^{(1/2)*e*f)/c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f-2* \\
& (-a*c)^{(1/2)*e*g*x-(-a*c)^{(1/2)*d*g-(-a*c)^{(1/2)*e*f+2*((e*x+d)*(g*x+f))}^{(1/2)} \\
& /2)*(-a*e*g-c*d*f+(-a*c)^{(1/2)*d*g+(-a*c)^{(1/2)*e*f)/c)^{(1/2)*c)/(c*x+(-a* \\
& c)^{(1/2)})))*a*c*d^2*g^2*((-a*e*g+c*d*f+(-a*c)^{(1/2)*d*g+(-a*c)^{(1/2)*e*f)/c) \\
& ^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f-2*(-a*c)^{(1/2)*e*g*x-(-a*c)^{(1/2)*d*g-(- \\
& a*c)^{(1/2)*e*f+2*((e*x+d)*(g*x+f))}^{(1/2)}*(-a*e*g-c*d*f+(-a*c)^{(1/2)*d*g+(- \\
& a*c)^{(1/2)*e*f)/c)^{(1/2)*c)/(c*x+(-a*c)^{(1/2)})))*a*c*e^2*f^2*((-a*e*g+c*d*f+ \\
& (-a*c)^{(1/2)*d*g+(-a*c)^{(1/2)*e*f)/c)^{(1/2)}-\ln((c*d*g*x+c*e*f*x+2*c*d*f-2*( \\
& -a*c)^{(1/2)*e*g*x-(-a*c)^{(1/2)*d*g-(-a*c)^{(1/2)*e*f+2*((e*x+d)*(g*x+f))}^{(1/2)} \\
& /2)*(-a*e*g-c*d*f+(-a*c)^{(1/2)*d*g+(-a*c)^{(1/2)*e*f)/c)^{(1/2)*c)/(c*x+(-a*c) \\
& )^{(1/2)})))*c^2*d^2*f^2*((-a*e*g+c*d*f+(-a*c)^{(1/2)*d*g+(-a*c)^{(1/2)*e*f)/c)^{(1/2)} \\
& /2))*((g*x+f)^{(1/2)*(e*x+d)^{(1/2)})/((-a*e*g+c*d*f+(-a*c)^{(1/2)*d*g+(-a*c)^{(1/2) \\
& /2)*e*f)/c)^{(1/2)/(c*f+(-a*c)^{(1/2)*g)/(c*d+(-a*c)^{(1/2)*e)/(-a*e*g-c*d*f \\
& +(-a*c)^{(1/2)*d*g+(-a*c)^{(1/2)*e*f)/c)^{(1/2)/(-a*c)^{(1/2)/(c*f-(-a*c)^{(1/2) \\
& *g)/(c*d-(-a*c)^{(1/2)*e)/((e*x+d)*(g*x+f))}^{(1/2)}
\end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + a)\sqrt{ex + d}\sqrt{gx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(1/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((c\*x^2 + a)\*sqrt(e\*x + d)\*sqrt(g\*x + f)), x)

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((f + g\*x)^(1/2)\*(a + c\*x^2)\*(d + e\*x)^(1/2)),x)

[Out] \text{Hanged}

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + cx^2)\sqrt{d + ex}\sqrt{f + gx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)\*\*(1/2)/(c\*x\*\*2+a)/(g\*x+f)\*\*(1/2),x)

[Out] Integral(1/((a + c\*x\*\*2)\*sqrt(d + e\*x)\*sqrt(f + g\*x)), x)

$$3.415 \quad \int \frac{1}{(d+ex)^{3/2} \sqrt{f+gx} (a+cx^2)} dx$$

**Optimal.** Leaf size=354

$$-\frac{e\sqrt{f+gx}}{\sqrt{-a}\sqrt{d+ex}(\sqrt{c}d-\sqrt{-a}e)(ef-dg)} + \frac{e\sqrt{f+gx}}{\sqrt{-a}\sqrt{d+ex}(\sqrt{-a}e+\sqrt{c}d)(ef-dg)} + \frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{c}d}}\right)}{\sqrt{-a}(\sqrt{c}d-\sqrt{-a}e)^{3/2}\sqrt{\sqrt{c}f}}$$

**Rubi [A]** time = 0.61, antiderivative size = 354, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {912, 96, 93, 208}

$$-\frac{e\sqrt{f+gx}}{\sqrt{-a}\sqrt{d+ex}(\sqrt{c}d-\sqrt{-a}e)(ef-dg)} + \frac{e\sqrt{f+gx}}{\sqrt{-a}\sqrt{d+ex}(\sqrt{-a}e+\sqrt{c}d)(ef-dg)} + \frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f-\sqrt{-a}g}}{\sqrt{f+gx}\sqrt{\sqrt{c}d-\sqrt{-a}e}}\right)}{\sqrt{-a}(\sqrt{c}d-\sqrt{-a}e)^{3/2}\sqrt{\sqrt{c}f-\sqrt{-a}g}} - \frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right)}{\sqrt{-a}(\sqrt{-a}e+\sqrt{c}d)^{3/2}\sqrt{\sqrt{-a}g+\sqrt{c}f}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)^(3/2)\*Sqrt[f + g\*x]\*(a + c\*x^2)), x]

[Out] -((e\*Sqrt[f + g\*x])/(Sqrt[-a]\*(Sqrt[c]\*d - Sqrt[-a]\*e)\*(e\*f - d\*g)\*Sqrt[d + e\*x])) + (e\*Sqrt[f + g\*x])/(Sqrt[-a]\*(Sqrt[c]\*d + Sqrt[-a]\*e)\*(e\*f - d\*g)\*Sqrt[d + e\*x]) + (Sqrt[c]\*ArcTanh[(Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*(Sqrt[c]\*d - Sqrt[-a]\*e)^(3/2)\*Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]) - (Sqrt[c]\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*(Sqrt[c]\*d + Sqrt[-a]\*e)^(3/2)\*Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g])

**Rule 93**

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

**Rule 96**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] :> Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[(a\*d\*f\*(m + 1) + b\*c\*f\*(n + 1) + b\*d\*e\*(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n}

, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m, 1])

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 912

Int[(((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_))/((a\_) + (c\_)\*(x\_)^2), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n, 1/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[c\*d^2 + a\*e^2, 0] & !IntegerQ[m] && !IntegerQ[n]

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(d+ex)^{3/2}\sqrt{f+gx}(a+cx^2)} dx &= \int \left( \frac{\sqrt{-a}}{2a(\sqrt{-a}-\sqrt{c}x)(d+ex)^{3/2}\sqrt{f+gx}} + \frac{\sqrt{-a}}{2a(\sqrt{-a}+\sqrt{c}x)(d+ex)^{3/2}\sqrt{f+gx}} \right) dx \\
 &= -\frac{\int \frac{1}{(\sqrt{-a}-\sqrt{c}x)(d+ex)^{3/2}\sqrt{f+gx}} dx}{2\sqrt{-a}} - \frac{\int \frac{1}{(\sqrt{-a}+\sqrt{c}x)(d+ex)^{3/2}\sqrt{f+gx}} dx}{2\sqrt{-a}} \\
 &= -\frac{e\sqrt{f+gx}}{\sqrt{-a}(\sqrt{c}d-\sqrt{-a}e)(ef-dg)\sqrt{d+ex}} + \frac{e\sqrt{f+gx}}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)(ef-dg)} \\
 &= -\frac{e\sqrt{f+gx}}{\sqrt{-a}(\sqrt{c}d-\sqrt{-a}e)(ef-dg)\sqrt{d+ex}} + \frac{e\sqrt{f+gx}}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)(ef-dg)} \\
 &= -\frac{e\sqrt{f+gx}}{\sqrt{-a}(\sqrt{c}d-\sqrt{-a}e)(ef-dg)\sqrt{d+ex}} + \frac{e\sqrt{f+gx}}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)(ef-dg)}
 \end{aligned}$$

**Mathematica [A]** time = 0.70, size = 287, normalized size = 0.81

$$\frac{2\sqrt{-a}e^2\sqrt{f+gx}}{\sqrt{d+ex}(ae^2+cd^2)(dg-ef)} + \frac{\sqrt{c}\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g-\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e-\sqrt{c}d}}\right)}{(\sqrt{-a}e-\sqrt{c}d)^{3/2}\sqrt{\sqrt{-a}g-\sqrt{c}f}} - \frac{\sqrt{c}\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right)}{(\sqrt{-a}e+\sqrt{c}d)^{3/2}\sqrt{\sqrt{-a}g+\sqrt{c}f}}$$


---


$$\sqrt{-a}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)^(3/2)\*Sqrt[f + g\*x]\*(a + c\*x^2)),x]

[Out] ((2\*Sqrt[-a]\*e^2\*Sqrt[f + g\*x])/((c\*d^2 + a\*e^2)\*(-(e\*f) + d\*g)\*Sqrt[d + e\*x]) + (Sqrt[c]\*ArcTanh[(Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/((-(Sqrt[c]\*d) + Sqrt[-a]\*e)^(3/2)\*Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]) - (Sqrt[c]\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[c]\*d + Sqrt[-a]\*e)^(3/2)\*Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g])/Sqrt[-a]

**IntegrateAlgebraic [C]** time = 1.08, size = 393, normalized size = 1.11

$$\frac{2e^2\sqrt{f+gx}}{\sqrt{d+ex}(ae^2+cd^2)(dg-ef)} - \frac{i\sqrt{c}(\sqrt{c}d-i\sqrt{a}e)^2 \tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{-i\sqrt{a}\sqrt{c}dg+i\sqrt{a}\sqrt{c}ef-ae^2-cd^2}}\right)}{\sqrt{a}(ae^2+cd^2)^{3/2}\sqrt{-((\sqrt{c}d-i\sqrt{a}e)(\sqrt{c}f+i\sqrt{a}g))}} + \frac{i\sqrt{c}(\sqrt{c}d+i\sqrt{a}e)^2 \tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{i\sqrt{a}\sqrt{c}dg-i\sqrt{a}\sqrt{c}ef-ae^2-cd^2}}\right)}{\sqrt{a}(ae^2+cd^2)^{3/2}\sqrt{-((\sqrt{c}d+i\sqrt{a}e)(\sqrt{c}f-i\sqrt{a}g))}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)^(3/2)\*Sqrt[f + g\*x]\*(a + c\*x^2)),x]

[Out] (2\*e^2\*Sqrt[f + g\*x])/((c\*d^2 + a\*e^2)\*(-(e\*f) + d\*g)\*Sqrt[d + e\*x]) - (I\*Sqrt[c]\*(Sqrt[c]\*d - I\*Sqrt[a]\*e)^2\*ArcTan[(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[f + g\*x])/(Sqrt[-(c\*d\*f) + I\*Sqrt[a]\*Sqrt[c]\*e\*f - I\*Sqrt[a]\*Sqrt[c]\*d\*g - a\*e\*g]\*Sqrt[d + e\*x])])/(Sqrt[a]\*(c\*d^2 + a\*e^2)^(3/2)\*Sqrt[-((Sqrt[c]\*d - I\*Sqrt[a]\*e)\*(Sqrt[c]\*f + I\*Sqrt[a]\*g))]) + (I\*Sqrt[c]\*(Sqrt[c]\*d + I\*Sqrt[a]\*e)^2\*ArcTan[(Sqrt[c\*d^2 + a\*e^2]\*Sqrt[f + g\*x])/(Sqrt[-(c\*d\*f) - I\*Sqrt[a]\*Sqrt[c]\*e\*f + I\*Sqrt[a]\*Sqrt[c]\*d\*g - a\*e\*g]\*Sqrt[d + e\*x])])/(Sqrt[a]\*(c\*d^2 + a\*e^2)^(3/2)\*Sqrt[-((Sqrt[c]\*d + I\*Sqrt[a]\*e)\*(Sqrt[c]\*f - I\*Sqrt[a]\*g))])

**fricas [B]** time = 80.36, size = 11846, normalized size = 33.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(3/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] -1/4\*(8\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*e^2 + ((c\*d^3\*e + a\*d\*e^3)\*f - (c\*d^4 + a\*d^2\*e^2)\*g + ((c\*d^2\*e^2 + a\*e^4)\*f - (c\*d^3\*e + a\*d\*e^3)\*g)\*x)\*sqrt(-((c^3\*d^3 - 3\*a\*c^2\*d\*e^2)\*f - (3\*a\*c^2\*d^2\*e - a^2\*c\*e^3)\*g + ((a\*c^4\*d^6 + 3\*a^2\*c^3\*d^4\*e^2 + 3\*a^3\*c^2\*d^2\*e^4 + a^4\*c\*e^6)\*f^2 + (a^2\*c^3\*d^6 + 3\*a^3\*c^2\*d^4\*e^2 + 3\*a^4\*c\*d^2\*e^4 + a^5\*e^6)\*g^2)\*sqrt(-((9\*c^5\*d^4\*e^2 - 6\*a\*c^4\*d^2\*e^4 + a^2\*c^3\*e^6)\*f^2 + 2\*(3\*c^5\*d^5\*e - 10\*a\*c^4\*d^3\*e^3 + 3\*a^2\*c^3\*d\*e^5)\*f\*g + (c^5\*d^6 - 6\*a\*c^4\*d^4\*e^2 + 9\*a^2\*c^3\*d^2\*e^4)\*g^2))/((a\*c^8\*d^12 + 6\*a^2\*c^7\*d^10\*e^2 + 15\*a^3\*c^6\*d^8\*e^4 + 20\*a^4\*c^5\*d^6\*e^6 + 15\*a^5\*c^4\*d^4\*e^8 + 6\*a^6\*c^3\*d^2\*e^10 + a^7\*c^2\*e^12)\*f^4 + 2\*(a^2\*c^7\*d^12 + 6\*a^3\*c^6\*d^10\*e^2 + 15\*a^4\*c^5\*d^8\*e^4 + 20\*a^5\*c^4\*d^6\*e^6 + 15\*a^6\*c^3\*d^4\*e^8 + 6\*a^7\*c^2\*d^2\*e^10 + a^8\*c\*e^12)\*g^2)

$$\begin{aligned}
& c^3 d^4 e^8 + 6 a^7 c^2 d^2 e^{10} + a^8 c e^{12}) f^2 g^2 + (a^3 c^6 d^{12} + 6 a^4 c^5 d^{10} e^2 + 15 a^5 c^4 d^8 e^4 + 20 a^6 c^3 d^6 e^6 + 15 a^7 c^2 d^4 e^8 + 6 a^8 c d^2 e^{10} + a^9 e^{12}) g^4) / ((a^3 c^4 d^6 + 3 a^2 c^3 d^4 e^2 + 3 a^3 c^2 d^2 e^4 + a^4 c e^6) f^2 + (a^2 c^3 d^6 + 3 a^3 c^2 d^4 e^2 + 3 a^4 c d^2 e^4 + a^5 e^6) g^2) * \log(-((3 c^3 d^2 e^2 - a c^2 e^4) f^2 + 4 (c^3 d^3 e - a c^2 d e^3) f g + (c^3 d^4 - 3 a c^2 d^2 e^2) g^2 + 2 * ((3 c^4 d^4 e - 4 a c^3 d^2 e^3 + a^2 c^2 e^5) f^2 + (c^4 d^5 - 10 a c^3 d^3 e^2 + 5 a^2 c^2 d e^4) f g - 2 (a c^3 d^4 e - 3 a^2 c^2 d^2 e^3) g^2 - (2 (a c^5 d^7 e + 3 a^2 c^4 d^5 e^3 + 3 a^3 c^3 d^3 e^5 + a^4 c^2 d e^7) f^3 + (a c^5 d^8 + 2 a^2 c^4 d^6 e^2 - 2 a^4 c^2 d^2 e^6 - a^5 c e^8) f^2 g + 2 (a^2 c^4 d^7 e + 3 a^3 c^3 d^5 e^3 + 3 a^4 c^2 d^3 e^5 + a^5 c d e^7) f g^2 + (a^2 c^4 d^8 + 2 a^3 c^3 d^6 e^2 - 2 a^5 c d^2 e^6 - a^6 e^8) g^3) * \sqrt{-((9 c^5 d^4 e^2 - 6 a c^4 d^2 e^4 + a^2 c^3 e^6) f^2 + 2 (3 c^5 d^5 e - 10 a c^4 d^3 e^3 + 3 a^2 c^3 d e^5) f g + (c^5 d^6 - 6 a c^4 d^4 e^2 + 9 a^2 c^3 d^2 e^4) g^2) / ((a c^8 d^{12} + 6 a^2 c^7 d^{10} e^2 + 15 a^3 c^6 d^8 e^4 + 20 a^4 c^5 d^6 e^6 + 15 a^5 c^4 d^4 e^8 + 6 a^6 c^3 d^2 e^{10} + a^7 c^2 e^{12}) f^4 + 2 (a^2 c^7 d^{12} + 6 a^3 c^6 d^{10} e^2 + 15 a^4 c^5 d^8 e^4 + 20 a^5 c^4 d^6 e^6 + 15 a^6 c^3 d^4 e^8 + 6 a^7 c^2 d^2 e^{10} + a^8 c e^{12}) f^2 g^2 + (a^3 c^6 d^{12} + 6 a^4 c^5 d^{10} e^2 + 15 a^5 c^4 d^8 e^4 + 20 a^6 c^3 d^6 e^6 + 15 a^7 c^2 d^4 e^8 + 6 a^8 c d^2 e^{10} + a^9 e^{12}) g^4) * \sqrt{e x + d} * \sqrt{g x + f} * \sqrt{-((c^3 d^3 - 3 a c^2 d e^2) f - (3 a c^2 d^2 e - a^2 c e^3) g + ((a c^4 d^6 + 3 a^2 c^3 d^4 e^2 + 3 a^3 c^2 d^2 e^4 + a^4 c e^6) f^2 + (a^2 c^3 d^6 + 3 a^3 c^2 d^4 e^2 + 3 a^4 c d^2 e^4 + a^5 e^6) g^2) * \sqrt{-((9 c^5 d^4 e^2 - 6 a c^4 d^2 e^4 + a^2 c^3 e^6) f^2 + 2 (3 c^5 d^5 e - 10 a c^4 d^3 e^3 + 3 a^2 c^3 d e^5) f g + (c^5 d^6 - 6 a c^4 d^4 e^2 + 9 a^2 c^3 d^2 e^4) g^2) / ((a c^8 d^{12} + 6 a^2 c^7 d^{10} e^2 + 15 a^3 c^6 d^8 e^4 + 20 a^4 c^5 d^6 e^6 + 15 a^5 c^4 d^4 e^8 + 6 a^6 c^3 d^2 e^{10} + a^7 c^2 e^{12}) f^4 + 2 (a^2 c^7 d^{12} + 6 a^3 c^6 d^{10} e^2 + 15 a^4 c^5 d^8 e^4 + 20 a^5 c^4 d^6 e^6 + 15 a^6 c^3 d^4 e^8 + 6 a^7 c^2 d^2 e^{10} + a^8 c e^{12}) f^2 g^2 + (a^3 c^6 d^{12} + 6 a^4 c^5 d^{10} e^2 + 15 a^5 c^4 d^8 e^4 + 20 a^6 c^3 d^6 e^6 + 15 a^7 c^2 d^4 e^8 + 6 a^8 c d^2 e^{10} + a^9 e^{12}) g^4) / ((a c^4 d^6 + 3 a^2 c^3 d^4 e^2 + 3 a^3 c^2 d^2 e^4 + a^4 c e^6) f^2 + (a^2 c^3 d^6 + 3 a^3 c^2 d^4 e^2 + 3 a^4 c d^2 e^4 + a^5 e^6) g^2) + 2 * ((3 c^3 d^2 e^2 - a c^2 e^4) f g + (c^3 d^3 e - 3 a c^2 d e^3) g^2) * x + (2 (c^5 d^7 + 3 a c^4 d^5 e^2 + 3 a^2 c^3 d^3 e^4 + a^3 c^2 d e^6) f^3 + 2 (a c^4 d^7 + 3 a^2 c^3 d^5 e^2 + 3 a^3 c^2 d^3 e^4 + a^4 c d e^6) f g^2 + ((c^5 d^6 e + 3 a c^4 d^4 e^3 + 3 a^2 c^3 d^2 e^5 + a^3 c^2 d e^7) f^3 + (c^5 d^7 + 3 a c^4 d^5 e^2 + 3 a^2 c^3 d^3 e^4 + a^3 c^2 d e^6) f^2 g + (a c^4 d^6 e + 3 a^2 c^3 d^4 e^3 + 3 a^3 c^2 d^2 e^5 + a^4 c e^7) f g^2 + (a c^4 d^7 + 3 a^2 c^3 d^5 e^2 + 3 a^3 c^2 d^3 e^4 + a^4 c d e^6) g^3) * x) * \sqrt{-((9 c^5 d^4 e^2 - 6 a c^4 d^2 e^4 + a^2 c^3 e^6) f^2 + 2 (3 c^5 d^5 e - 10 a c^4 d^3 e^3 + 3 a^2 c^3 d e^5) f g + (c^5 d^6 - 6 a c^4 d^4 e^2 + 9 a^2 c^3 d^2 e^4) g^2) / ((a c^8 d^{12} + 6 a^2 c^7 d^{10} e^2 + 15 a^3 c^6 d^8 e^4 + 20 a^4 c^5 d^6 e^6 + 15 a^5 c^4 d^4 e^8 + 6 a^6 c^3 d^2 e^{10} + a^7 c^2 e^{12}) f^4 + 2 (a^2 c^7 d^{12} + 6 a^3 c^6 d^{10} e^2 + 15 a^4 c^5 d^8 e^4 + 20 a^5 c^4 d^6 e^6 + 15 a^6 c^3 d^4 e^8 + 6 a^7 c^2 d^2 e^{10} + a^8 c e^{12}) f^2 g^2 + (a^3 c^6 d^{12} + 6 a^4 c^5 d^{10} e^2 + 15 a^5 c^4 d^8 e^4 + 20 a^6 c^3 d^6 e^6 + 15 a^7 c^2 d^4 e^8 + 6 a^8 c d^2 e^{10} + a^9 e^{12}) g^4)
\end{aligned}$$



$$\begin{aligned}
& e^8 + 6a^7c^2d^2e^{10} + a^8c^*e^{12})f^2g^2 + (a^3c^6d^{12} + 6a^4c^5d^{10}e^2 + 15a^5c^4d^8e^4 + 20a^6c^3d^6e^6 + 15a^7c^2d^4e^8 + 6 \\
& *a^8c^*d^2e^{10} + a^9e^{12})g^4)/x) - ((c^d^3e + a*d^e^3)*f - (c^d^4 + a \\
& *d^2e^2)*g + ((c^d^2e^2 + a^e^4)*f - (c^d^3e + a*d^e^3)*g)*x)*\sqrt{-((c^ \\
& 3d^3 - 3a*c^2*d^2e^2)*f - (3a*c^2*d^2e - a^2*c^e^3)*g + ((a*c^4d^6 + 3a \\
& a^2*c^3d^4e^2 + 3a^3c^2d^2e^4 + a^4c^*e^6)*f^2 + (a^2*c^3d^6 + 3a^3 \\
& *c^2d^4e^2 + 3a^4c^*d^2e^4 + a^5e^6)*g^2)*\sqrt{-((9c^5d^4e^2 - 6a*c \\
& c^4d^2e^4 + a^2*c^3e^6)*f^2 + 2*(3c^5d^5e - 10a*c^4d^3e^3 + 3a^2c^3 \\
& c^3d^e^5)*f*g + (c^5d^6 - 6a*c^4d^4e^2 + 9a^2c^3d^2e^4)*g^2)/((a*c \\
& ^8d^{12} + 6a^2c^7d^{10}e^2 + 15a^3c^6d^8e^4 + 20a^4c^5d^6e^6 + 15 \\
& *a^5c^4d^4e^8 + 6a^6c^3d^2e^{10} + a^7c^2e^{12})f^4 + 2*(a^2c^7d^{12} \\
& + 6a^3c^6d^{10}e^2 + 15a^4c^5d^8e^4 + 20a^5c^4d^6e^6 + 15a^6c^3 \\
& 3d^4e^8 + 6a^7c^2d^2e^{10} + a^8c^*e^{12})f^2g^2 + (a^3c^6d^{12} + 6a^4 \\
& c^5d^{10}e^2 + 15a^5c^4d^8e^4 + 20a^6c^3d^6e^6 + 15a^7c^2d^4e^8 + 6a^8c^*d^2e^{10} + a^9e^{12})g^4))/((a*c^4d^6 + 3a^2c^3d^4e^2 + \\
& 3a^3c^2d^2e^4 + a^4c^*e^6)*f^2 + (a^2c^3d^6 + 3a^3c^2d^4e^2 + 3a^4c^*d^2e^4 + a^5e^6)*g^2))*\log(-((3c^3d^2e^2 - a*c^2e^4)*f^2 + 4*(c^ \\
& 3d^3e - a*c^2*d^e^3)*f*g + (c^3d^4 - 3a*c^2*d^2e^2)*g^2 - 2*((3c^4d^ \\
& 4e - 4a*c^3d^2e^3 + a^2c^2e^5)*f^2 + (c^4d^5 - 10a*c^3d^3e^2 + 5a^2c^2 \\
& d^e^4)*f*g - 2*(a*c^3d^4e - 3a^2c^2d^2e^3)*g^2 - (2*(a*c^5d^7e + 3a^2c^4 \\
& d^5e^3 + 3a^3c^3d^3e^5 + a^4c^2d^e^7)*f^3 + (a*c^5d^8 + 2a^2c^4d^6e^2 - 2a^4c^2 \\
& d^2e^6 - a^5c^*e^8)*f^2g + 2*(a^2c^4d^7e + 3a^3c^3d^5e^3 + 3a^4c^2d^3e^5 + a^5c^*d^e^7)*f \\
& g^2 + (a^2c^4d^8 + 2a^3c^3d^6e^2 - 2a^5c^*d^2e^6 - a^6e^8)*g^3)*\sqrt{-((9c^5d^4e^2 - 6a*c^4d^2e^4 + a^2c^3e^6)*f^2 + 2*(3c^5d^5e - 10a*c^4d^ \\
& 3e^3 + 3a^2c^3d^e^5)*f*g + (c^5d^6 - 6a*c^4d^4e^2 + 9a^2c^3d^2e^4)*g^2)/((a*c^8d^{12} + 6a^2c^7d^{10}e^2 + 15a^3c^6d^8e^4 + 20a^4c^5d^6e^6 + 15a^5c^4d^4e^8 + 6a^6c^3d^2e^{10} + a^7c^2e^{12})f^4 + 2 \\
& *(a^2c^7d^{12} + 6a^3c^6d^{10}e^2 + 15a^4c^5d^8e^4 + 20a^5c^4d^6e^6 + 15a^6c^3d^4e^8 + 6a^7c^2d^2e^{10} + a^8c^*e^{12})f^2g^2 + (a^3c^6d^{12} + 6a^4c^5d^{10}e^2 + 15a^5c^4d^8e^4 + 20a^6c^3d^6e^6 + 15 \\
& *a^7c^2d^4e^8 + 6a^8c^*d^2e^{10} + a^9e^{12})g^4))*\sqrt{e*x + d)*\sqrt{g \\
& *x + f)*\sqrt{-((c^3d^3 - 3a*c^2*d^2e^2)*f - (3a*c^2*d^2e - a^2*c^e^3)*g \\
& + ((a*c^4d^6 + 3a^2c^3d^4e^2 + 3a^3c^2d^2e^4 + a^4c^*e^6)*f^2 + (a^2c^3d^6 + 3a^3c^2d^4e^2 + 3a^4c^*d^2e^4 + a^5e^6)*g^2)*\sqrt{-((9c^5d^4e^2 - 6a*c^4d^2e^4 + a^2c^3e^6)*f^2 + 2*(3c^5d^5e - 10a*c^4d^ \\
& 3e^3 + 3a^2c^3d^e^5)*f*g + (c^5d^6 - 6a*c^4d^4e^2 + 9a^2c^3d^2e^4)*g^2)/((a*c^8d^{12} + 6a^2c^7d^{10}e^2 + 15a^3c^6d^8e^4 + 20a^4c^5d^6e^6 + 15a^5c^4d^4e^8 + 6a^6c^3d^2e^{10} + a^7c^2e^{12})f^4 + 2 \\
& *(a^2c^7d^{12} + 6a^3c^6d^{10}e^2 + 15a^4c^5d^8e^4 + 20a^5c^4d^6e^6 + 15a^6c^3d^4e^8 + 6a^7c^2d^2e^{10} + a^8c^*e^{12})f^2g^2 + (a^3c^6d^{12} + 6a^4c^5d^{10}e^2 + 15a^5c^4d^8e^4 + 20a^6c^3d^6e^6 + 15a^7c^2d^4e^8 + 6a^8c^*d^2e^{10} + a^9e^{12})g^4))/((a*c^4d^6 + 3a^2c^3d^4e^2 + 3a^3c^2d^2e^4 + a^4c^*e^6)*f^2 + (a^2c^3d^6 + 3a^3c^2d^4e^2 + 3a^4c^*d^2e^4 + a^5e^6)*g^2)) + 2*((3c^3d^2e^2 - a*c^2
\end{aligned}$$

$$\begin{aligned}
& *e^4)*f*g + (c^3*d^3*e - 3*a*c^2*d*e^3)*g^2)*x + (2*(c^5*d^7 + 3*a*c^4*d^5* \\
& e^2 + 3*a^2*c^3*d^3*e^4 + a^3*c^2*d*e^6)*f^3 + 2*(a*c^4*d^7 + 3*a^2*c^3*d^5 \\
& *e^2 + 3*a^3*c^2*d^3*e^4 + a^4*c*d*e^6)*f*g^2 + ((c^5*d^6*e + 3*a*c^4*d^4*e \\
& ^3 + 3*a^2*c^3*d^2*e^5 + a^3*c^2*e^7)*f^3 + (c^5*d^7 + 3*a*c^4*d^5*e^2 + 3* \\
& a^2*c^3*d^3*e^4 + a^3*c^2*d*e^6)*f^2*g + (a*c^4*d^6*e + 3*a^2*c^3*d^4*e^3 + \\
& 3*a^3*c^2*d^2*e^5 + a^4*c*e^7)*f*g^2 + (a*c^4*d^7 + 3*a^2*c^3*d^5*e^2 + 3* \\
& a^3*c^2*d^3*e^4 + a^4*c*d*e^6)*g^3)*x)*sqrt(-((9*c^5*d^4*e^2 - 6*a*c^4*d^2* \\
& e^4 + a^2*c^3*e^6)*f^2 + 2*(3*c^5*d^5*e - 10*a*c^4*d^3*e^3 + 3*a^2*c^3*d*e^ \\
& 5)*f*g + (c^5*d^6 - 6*a*c^4*d^4*e^2 + 9*a^2*c^3*d^2*e^4)*g^2)/((a*c^8*d^12 \\
& + 6*a^2*c^7*d^10*e^2 + 15*a^3*c^6*d^8*e^4 + 20*a^4*c^5*d^6*e^6 + 15*a^5*c^4 \\
& *d^4*e^8 + 6*a^6*c^3*d^2*e^10 + a^7*c^2*e^12)*f^4 + 2*(a^2*c^7*d^12 + 6*a^3 \\
& *c^6*d^10*e^2 + 15*a^4*c^5*d^8*e^4 + 20*a^5*c^4*d^6*e^6 + 15*a^6*c^3*d^4*e^ \\
& 8 + 6*a^7*c^2*d^2*e^10 + a^8*c*e^12)*f^2*g^2 + (a^3*c^6*d^12 + 6*a^4*c^5*d^ \\
& 10*e^2 + 15*a^5*c^4*d^8*e^4 + 20*a^6*c^3*d^6*e^6 + 15*a^7*c^2*d^4*e^8 + 6*a \\
& ^8*c*d^2*e^10 + a^9*e^12)*g^4))/x) + ((c*d^3*e + a*d*e^3)*f - (c*d^4 + a*d \\
& ^2*e^2)*g + ((c*d^2*e^2 + a*e^4)*f - (c*d^3*e + a*d*e^3)*g)*x)*sqrt(-((c^3* \\
& d^3 - 3*a*c^2*d*e^2)*f - (3*a*c^2*d^2*e - a^2*c*e^3)*g - ((a*c^4*d^6 + 3*a^ \\
& 2*c^3*d^4*e^2 + 3*a^3*c^2*d^2*e^4 + a^4*c*e^6)*f^2 + (a^2*c^3*d^6 + 3*a^3*c \\
& ^2*d^4*e^2 + 3*a^4*c*d^2*e^4 + a^5*e^6)*g^2))*sqrt(-((9*c^5*d^4*e^2 - 6*a*c^ \\
& 4*d^2*e^4 + a^2*c^3*e^6)*f^2 + 2*(3*c^5*d^5*e - 10*a*c^4*d^3*e^3 + 3*a^2*c^ \\
& 3*d*e^5)*f*g + (c^5*d^6 - 6*a*c^4*d^4*e^2 + 9*a^2*c^3*d^2*e^4)*g^2)/((a*c^8 \\
& *d^12 + 6*a^2*c^7*d^10*e^2 + 15*a^3*c^6*d^8*e^4 + 20*a^4*c^5*d^6*e^6 + 15*a \\
& ^5*c^4*d^4*e^8 + 6*a^6*c^3*d^2*e^10 + a^7*c^2*e^12)*f^4 + 2*(a^2*c^7*d^12 + \\
& 6*a^3*c^6*d^10*e^2 + 15*a^4*c^5*d^8*e^4 + 20*a^5*c^4*d^6*e^6 + 15*a^6*c^3* \\
& d^4*e^8 + 6*a^7*c^2*d^2*e^10 + a^8*c*e^12)*f^2*g^2 + (a^3*c^6*d^12 + 6*a^4* \\
& c^5*d^10*e^2 + 15*a^5*c^4*d^8*e^4 + 20*a^6*c^3*d^6*e^6 + 15*a^7*c^2*d^4*e^8 \\
& + 6*a^8*c*d^2*e^10 + a^9*e^12)*g^4))/((a*c^4*d^6 + 3*a^2*c^3*d^4*e^2 + 3* \\
& a^3*c^2*d^2*e^4 + a^4*c*e^6)*f^2 + (a^2*c^3*d^6 + 3*a^3*c^2*d^4*e^2 + 3*a^4 \\
& *c*d^2*e^4 + a^5*e^6)*g^2))*log(-((3*c^3*d^2*e^2 - a*c^2*e^4)*f^2 + 4*(c^3* \\
& d^3*e - a*c^2*d*e^3)*f*g + (c^3*d^4 - 3*a*c^2*d^2*e^2)*g^2 + 2*((3*c^4*d^4* \\
& e - 4*a*c^3*d^2*e^3 + a^2*c^2*e^5)*f^2 + (c^4*d^5 - 10*a*c^3*d^3*e^2 + 5*a^ \\
& 2*c^2*d*e^4)*f*g - 2*(a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*g^2 + (2*(a*c^5*d^7* \\
& e + 3*a^2*c^4*d^5*e^3 + 3*a^3*c^3*d^3*e^5 + a^4*c^2*d*e^7)*f^3 + (a*c^5*d^8 \\
& + 2*a^2*c^4*d^6*e^2 - 2*a^4*c^2*d^2*e^6 - a^5*c*e^8)*f^2*g + 2*(a^2*c^4*d^ \\
& 7*e + 3*a^3*c^3*d^5*e^3 + 3*a^4*c^2*d^3*e^5 + a^5*c*d*e^7)*f*g^2 + (a^2*c^4 \\
& *d^8 + 2*a^3*c^3*d^6*e^2 - 2*a^5*c*d^2*e^6 - a^6*e^8)*g^3))*sqrt(-((9*c^5*d^ \\
& 4*e^2 - 6*a*c^4*d^2*e^4 + a^2*c^3*e^6)*f^2 + 2*(3*c^5*d^5*e - 10*a*c^4*d^3* \\
& e^3 + 3*a^2*c^3*d*e^5)*f*g + (c^5*d^6 - 6*a*c^4*d^4*e^2 + 9*a^2*c^3*d^2*e^4 \\
& )*g^2)/((a*c^8*d^12 + 6*a^2*c^7*d^10*e^2 + 15*a^3*c^6*d^8*e^4 + 20*a^4*c^5* \\
& d^6*e^6 + 15*a^5*c^4*d^4*e^8 + 6*a^6*c^3*d^2*e^10 + a^7*c^2*e^12)*f^4 + 2*( \\
& a^2*c^7*d^12 + 6*a^3*c^6*d^10*e^2 + 15*a^4*c^5*d^8*e^4 + 20*a^5*c^4*d^6*e^6 \\
& + 15*a^6*c^3*d^4*e^8 + 6*a^7*c^2*d^2*e^10 + a^8*c*e^12)*f^2*g^2 + (a^3*c^6 \\
& *d^12 + 6*a^4*c^5*d^10*e^2 + 15*a^5*c^4*d^8*e^4 + 20*a^6*c^3*d^6*e^6 + 15*a \\
& ^7*c^2*d^4*e^8 + 6*a^8*c*d^2*e^10 + a^9*e^12)*g^4))*sqrt(e*x + d)*sqrt(g*x \\
& + f)*sqrt(-((c^3*d^3 - 3*a*c^2*d*e^2)*f - (3*a*c^2*d^2*e - a^2*c*e^3)*g -
\end{aligned}$$

$$\begin{aligned}
& ((a^4c^4d^6 + 3a^2c^3d^4e^2 + 3a^3c^2d^2e^4 + a^4c^4e^6) * f^2 + (a^2c^3d^6 + 3a^3c^2d^4e^2 + 3a^4c^2d^2e^4 + a^5e^6) * g^2) * \sqrt{-((9c^5d^4e^2 - 6a^2c^4d^2e^4 + a^2c^3e^6) * f^2 + 2(3c^5d^5e - 10a^2c^4d^3e^3 + 3a^2c^3d^4e^5) * f * g + (c^5d^6 - 6a^2c^4d^4e^2 + 9a^2c^3d^2e^4) * g^2)} / ((a^8c^8d^12 + 6a^2c^7d^10e^2 + 15a^3c^6d^8e^4 + 20a^4c^5d^6e^6 + 15a^5c^4d^4e^8 + 6a^6c^3d^2e^10 + a^7c^2e^12) * f^4 + 2(a^2c^7d^12 + 6a^3c^6d^10e^2 + 15a^4c^5d^8e^4 + 20a^5c^4d^6e^6 + 15a^6c^3d^4e^8 + 6a^7c^2d^2e^10 + a^8c^2e^12) * f^2 * g^2 + (a^3c^6d^12 + 6a^4c^5d^10e^2 + 15a^5c^4d^8e^4 + 20a^6c^3d^6e^6 + 15a^7c^2d^4e^8 + 6a^8c^2d^2e^10 + a^9e^12) * g^4)) / ((a^4c^4d^6 + 3a^2c^3d^4e^2 + 3a^3c^2d^2e^4 + a^4c^4e^6) * f^2 + (a^2c^3d^6 + 3a^3c^2d^4e^2 + 3a^4c^2d^2e^4 + a^5e^6) * g^2)) + 2((3c^3d^2e^2 - a^2c^2e^4) * f * g + (c^3d^3e - 3a^2c^2d^2e^3) * g^2) * x - (2(c^5d^7 + 3a^2c^4d^5e^2 + 3a^2c^3d^3e^4 + a^3c^2d^2e^6) * f^3 + 2(a^2c^4d^7 + 3a^2c^3d^5e^2 + 3a^3c^2d^3e^4 + a^4c^2d^2e^6) * f * g^2 + ((c^5d^6e + 3a^2c^4d^4e^3 + 3a^2c^3d^2e^5 + a^3c^2e^7) * f^3 + (c^5d^7 + 3a^2c^4d^5e^2 + 3a^2c^3d^3e^4 + a^3c^2d^2e^6) * f^2 * g + (a^2c^4d^6e + 3a^2c^3d^4e^3 + 3a^3c^2d^2e^5 + a^4c^2e^7) * f * g^2 + (a^2c^4d^7 + 3a^2c^3d^5e^2 + 3a^3c^2d^3e^4 + a^4c^2d^2e^6) * g^3) * x) * \sqrt{-((9c^5d^4e^2 - 6a^2c^4d^2e^4 + a^2c^3e^6) * f^2 + 2(3c^5d^5e - 10a^2c^4d^3e^3 + 3a^2c^3d^4e^5) * f * g + (c^5d^6 - 6a^2c^4d^4e^2 + 9a^2c^3d^2e^4) * g^2)} / ((a^8c^8d^12 + 6a^2c^7d^10e^2 + 15a^3c^6d^8e^4 + 20a^4c^5d^6e^6 + 15a^5c^4d^4e^8 + 6a^6c^3d^2e^10 + a^7c^2e^12) * f^4 + 2(a^2c^7d^12 + 6a^3c^6d^10e^2 + 15a^4c^5d^8e^4 + 20a^5c^4d^6e^6 + 15a^6c^3d^4e^8 + 6a^7c^2d^2e^10 + a^8c^2e^12) * f^2 * g^2 + (a^3c^6d^12 + 6a^4c^5d^10e^2 + 15a^5c^4d^8e^4 + 20a^6c^3d^6e^6 + 15a^7c^2d^4e^8 + 6a^8c^2d^2e^10 + a^9e^12) * g^4)) / x) - ((c^3d^3e + a^2d^2e^3) * f - (c^3d^4 + a^2d^2e^2) * g + ((c^3d^2e^2 + a^2e^4) * f - (c^3d^3e + a^2d^2e^3) * g) * x) * \sqrt{-((c^3d^3 - 3a^2c^2d^2e^2) * f - (3a^2c^2d^2e - a^2c^2e^3) * g - ((a^2c^4d^6 + 3a^2c^3d^4e^2 + 3a^3c^2d^2e^4 + a^4c^2e^6) * f^2 + (a^2c^3d^6 + 3a^3c^2d^4e^2 + 3a^4c^2d^2e^4 + a^5e^6) * g^2) * \sqrt{-((9c^5d^4e^2 - 6a^2c^4d^2e^4 + a^2c^3e^6) * f^2 + 2(3c^5d^5e - 10a^2c^4d^3e^3 + 3a^2c^3d^4e^5) * f * g + (c^5d^6 - 6a^2c^4d^4e^2 + 9a^2c^3d^2e^4) * g^2)} / ((a^8c^8d^12 + 6a^2c^7d^10e^2 + 15a^3c^6d^8e^4 + 20a^4c^5d^6e^6 + 15a^5c^4d^4e^8 + 6a^6c^3d^2e^10 + a^7c^2e^12) * f^4 + 2(a^2c^7d^12 + 6a^3c^6d^10e^2 + 15a^4c^5d^8e^4 + 20a^5c^4d^6e^6 + 15a^6c^3d^4e^8 + 6a^7c^2d^2e^10 + a^8c^2e^12) * f^2 * g^2 + (a^3c^6d^12 + 6a^4c^5d^10e^2 + 15a^5c^4d^8e^4 + 20a^6c^3d^6e^6 + 15a^7c^2d^4e^8 + 6a^8c^2d^2e^10 + a^9e^12) * g^4)) / ((a^2c^4d^6 + 3a^2c^3d^4e^2 + 3a^3c^2d^2e^4 + a^4c^2e^6) * f^2 + (a^2c^3d^6 + 3a^3c^2d^4e^2 + 3a^4c^2d^2e^4 + a^5e^6) * g^2)) * \log(-((3c^3d^2e^2 - a^2c^2e^4) * f^2 + 4(c^3d^3e - a^2c^2d^2e^3) * f * g + (c^3d^4 - 3a^2c^2d^2e^2) * g^2 - 2((3c^4d^4e - 4a^2c^3d^2e^3 + a^2c^2e^5) * f^2 + (c^4d^5 - 10a^2c^3d^3e^2 + 5a^2c^2d^2e^4) * f * g - 2(a^2c^3d^4e - 3a^2c^2d^2e^3) * g^2 + (2(a^2c^5d^7e + 3a^2c^4d^5e^3 + 3a^3c^3d^3e^5 + a^4c^2d^2e^7) * f^3 + (a^2c^5d^8 +
\end{aligned}$$

$$\begin{aligned}
& 2*a^2*c^4*d^6*e^2 - 2*a^4*c^2*d^2*e^6 - a^5*c*e^8)*f^2*g + 2*(a^2*c^4*d^7* \\
& e + 3*a^3*c^3*d^5*e^3 + 3*a^4*c^2*d^3*e^5 + a^5*c*d*e^7)*f*g^2 + (a^2*c^4*d \\
& ^8 + 2*a^3*c^3*d^6*e^2 - 2*a^5*c*d^2*e^6 - a^6*e^8)*g^3)*\text{sqrt}(-((9*c^5*d^4* \\
& e^2 - 6*a*c^4*d^2*e^4 + a^2*c^3*e^6)*f^2 + 2*(3*c^5*d^5*e - 10*a*c^4*d^3*e^ \\
& 3 + 3*a^2*c^3*d*e^5)*f*g + (c^5*d^6 - 6*a*c^4*d^4*e^2 + 9*a^2*c^3*d^2*e^4)* \\
& g^2)/((a*c^8*d^12 + 6*a^2*c^7*d^10*e^2 + 15*a^3*c^6*d^8*e^4 + 20*a^4*c^5*d^ \\
& 6*e^6 + 15*a^5*c^4*d^4*e^8 + 6*a^6*c^3*d^2*e^10 + a^7*c^2*e^12)*f^4 + 2*(a^ \\
& 2*c^7*d^12 + 6*a^3*c^6*d^10*e^2 + 15*a^4*c^5*d^8*e^4 + 20*a^5*c^4*d^6*e^6 + \\
& 15*a^6*c^3*d^4*e^8 + 6*a^7*c^2*d^2*e^10 + a^8*c*e^12)*f^2*g^2 + (a^3*c^6*d \\
& ^12 + 6*a^4*c^5*d^10*e^2 + 15*a^5*c^4*d^8*e^4 + 20*a^6*c^3*d^6*e^6 + 15*a^7 \\
& *c^2*d^4*e^8 + 6*a^8*c*d^2*e^10 + a^9*e^12)*g^4)))*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + \\
& f)*\text{sqrt}(-((c^3*d^3 - 3*a*c^2*d*e^2)*f - (3*a*c^2*d^2*e - a^2*c*e^3)*g - (( \\
& a*c^4*d^6 + 3*a^2*c^3*d^4*e^2 + 3*a^3*c^2*d^2*e^4 + a^4*c*e^6)*f^2 + (a^2*c \\
& ^3*d^6 + 3*a^3*c^2*d^4*e^2 + 3*a^4*c*d^2*e^4 + a^5*e^6)*g^2)*\text{sqrt}(-((9*c^5* \\
& d^4*e^2 - 6*a*c^4*d^2*e^4 + a^2*c^3*e^6)*f^2 + 2*(3*c^5*d^5*e - 10*a*c^4*d^ \\
& 3*e^3 + 3*a^2*c^3*d*e^5)*f*g + (c^5*d^6 - 6*a*c^4*d^4*e^2 + 9*a^2*c^3*d^2*e \\
& ^4)*g^2)/((a*c^8*d^12 + 6*a^2*c^7*d^10*e^2 + 15*a^3*c^6*d^8*e^4 + 20*a^4*c^ \\
& 5*d^6*e^6 + 15*a^5*c^4*d^4*e^8 + 6*a^6*c^3*d^2*e^10 + a^7*c^2*e^12)*f^4 + 2 \\
& *(a^2*c^7*d^12 + 6*a^3*c^6*d^10*e^2 + 15*a^4*c^5*d^8*e^4 + 20*a^5*c^4*d^6*e \\
& ^6 + 15*a^6*c^3*d^4*e^8 + 6*a^7*c^2*d^2*e^10 + a^8*c*e^12)*f^2*g^2 + (a^3*c \\
& ^6*d^12 + 6*a^4*c^5*d^10*e^2 + 15*a^5*c^4*d^8*e^4 + 20*a^6*c^3*d^6*e^6 + 15 \\
& *a^7*c^2*d^4*e^8 + 6*a^8*c*d^2*e^10 + a^9*e^12)*g^4)))/((a*c^4*d^6 + 3*a^2* \\
& c^3*d^4*e^2 + 3*a^3*c^2*d^2*e^4 + a^4*c*e^6)*f^2 + (a^2*c^3*d^6 + 3*a^3*c^2 \\
& *d^4*e^2 + 3*a^4*c*d^2*e^4 + a^5*e^6)*g^2)) + 2*((3*c^3*d^2*e^2 - a*c^2*e^4 \\
& )*f*g + (c^3*d^3*e - 3*a*c^2*d*e^3)*g^2)*x - (2*(c^5*d^7 + 3*a*c^4*d^5*e^2 \\
& + 3*a^2*c^3*d^3*e^4 + a^3*c^2*d*e^6)*f^3 + 2*(a*c^4*d^7 + 3*a^2*c^3*d^5*e^2 \\
& + 3*a^3*c^2*d^3*e^4 + a^4*c*d*e^6)*f*g^2 + ((c^5*d^6*e + 3*a*c^4*d^4*e^3 + \\
& 3*a^2*c^3*d^2*e^5 + a^3*c^2*e^7)*f^3 + (c^5*d^7 + 3*a*c^4*d^5*e^2 + 3*a^2* \\
& c^3*d^3*e^4 + a^3*c^2*d*e^6)*f^2*g + (a*c^4*d^6*e + 3*a^2*c^3*d^4*e^3 + 3*a \\
& ^3*c^2*d^2*e^5 + a^4*c*e^7)*f*g^2 + (a*c^4*d^7 + 3*a^2*c^3*d^5*e^2 + 3*a^3* \\
& c^2*d^3*e^4 + a^4*c*d*e^6)*g^3)*x)*\text{sqrt}(-((9*c^5*d^4*e^2 - 6*a*c^4*d^2*e^4 \\
& + a^2*c^3*e^6)*f^2 + 2*(3*c^5*d^5*e - 10*a*c^4*d^3*e^3 + 3*a^2*c^3*d*e^5)*f \\
& *g + (c^5*d^6 - 6*a*c^4*d^4*e^2 + 9*a^2*c^3*d^2*e^4)*g^2)/((a*c^8*d^12 + 6* \\
& a^2*c^7*d^10*e^2 + 15*a^3*c^6*d^8*e^4 + 20*a^4*c^5*d^6*e^6 + 15*a^5*c^4*d^4 \\
& *e^8 + 6*a^6*c^3*d^2*e^10 + a^7*c^2*e^12)*f^4 + 2*(a^2*c^7*d^12 + 6*a^3*c^6 \\
& *d^10*e^2 + 15*a^4*c^5*d^8*e^4 + 20*a^5*c^4*d^6*e^6 + 15*a^6*c^3*d^4*e^8 + \\
& 6*a^7*c^2*d^2*e^10 + a^8*c*e^12)*f^2*g^2 + (a^3*c^6*d^12 + 6*a^4*c^5*d^10*e \\
& ^2 + 15*a^5*c^4*d^8*e^4 + 20*a^6*c^3*d^6*e^6 + 15*a^7*c^2*d^4*e^8 + 6*a^8*c \\
& *d^2*e^10 + a^9*e^12)*g^4))/x)/((c*d^3*e + a*d*e^3)*f - (c*d^4 + a*d^2*e^ \\
& 2)*g + ((c*d^2*e^2 + a*e^4)*f - (c*d^3*e + a*d*e^3)*g)*x)
\end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(3/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.09, size = 10977, normalized size = 31.01

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)^(3/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + a)(ex + d)^{\frac{3}{2}} \sqrt{gx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(3/2)/(c\*x^2+a)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((c\*x^2 + a)\*(e\*x + d)^(3/2)\*sqrt(g\*x + f)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{f + gx} (cx^2 + a) (d + ex)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((f + g\*x)^(1/2)\*(a + c\*x^2)\*(d + e\*x)^(3/2)),x)

[Out] int(1/((f + g\*x)^(1/2)\*(a + c\*x^2)\*(d + e\*x)^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + cx^2)(d + ex)^{\frac{3}{2}} \sqrt{f + gx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)\*\*(3/2)/(c\*x\*\*2+a)/(g\*x+f)\*\*(1/2),x)

[Out] Integral(1/((a + c\*x\*\*2)\*(d + e\*x)\*\*(3/2)\*sqrt(f + g\*x)), x)

$$3.416 \quad \int \frac{(d+ex)^{3/2}}{(f+gx)^{3/2}(a+cx^2)} dx$$

**Optimal.** Leaf size=625

$$\frac{2\sqrt{d+ex}(ef-dg)}{\sqrt{f+gx}(ag^2+cf^2)} - \frac{2\sqrt{e}(ef-dg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)}{\sqrt{g}(ag^2+cf^2)} - \frac{\sqrt{e}(-\sqrt{-a}\sqrt{c}(ef-dg)+aeg+cdf)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)}{\sqrt{-a}\sqrt{c}\sqrt{g}(ag^2+cf^2)}$$

**Rubi [A]** time = 2.53, antiderivative size = 625, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 9, integrand size = 28, number of rules / integrand size = 0.321, Rules used = {908, 47, 63, 217, 206, 6725, 105, 93, 208}

$$\frac{2\sqrt{d+ex}(ef-dg)}{\sqrt{f+gx}(ag^2+cf^2)} - \frac{2\sqrt{e}(ef-dg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)}{\sqrt{g}(ag^2+cf^2)} - \frac{\sqrt{e}(-\sqrt{-a}\sqrt{c}(ef-dg)+aeg+cdf)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)}{\sqrt{-a}\sqrt{c}\sqrt{g}(ag^2+cf^2)} + \frac{\sqrt{e}(\sqrt{-a}\sqrt{c}(ef-dg)+aeg+cdf)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)}{\sqrt{-a}\sqrt{c}\sqrt{g}(ag^2+cf^2)} + \frac{\sqrt{e}d-\sqrt{-a}e(-\sqrt{-a}\sqrt{c}(ef-dg)+aeg+cdf)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)}{\sqrt{-a}\sqrt{c}\sqrt{g}f-\sqrt{-a}g(ag^2+cf^2)} - \frac{\sqrt{a}e+\sqrt{c}d(\sqrt{-a}\sqrt{c}(ef-dg)+aeg+cdf)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)}{\sqrt{-a}\sqrt{c}\sqrt{a}g+\sqrt{c}f(ag^2+cf^2)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/((f + g\*x)^(3/2)\*(a + c\*x^2)), x]

[Out] (2\*(e\*f - d\*g)\*Sqrt[d + e\*x])/((c\*f^2 + a\*g^2)\*Sqrt[f + g\*x]) - (2\*Sqrt[e]\*(e\*f - d\*g)\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(Sqrt[g]\*(c\*f^2 + a\*g^2)) - (Sqrt[e]\*(c\*d\*f + a\*e\*g - Sqrt[-a]\*Sqrt[c]\*(e\*f - d\*g))\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*Sqrt[c]\*Sqrt[g]\*(c\*f^2 + a\*g^2)) + (Sqrt[e]\*(c\*d\*f + a\*e\*g + Sqrt[-a]\*Sqrt[c]\*(e\*f - d\*g))\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*Sqrt[c]\*Sqrt[g]\*(c\*f^2 + a\*g^2)) + (Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*(c\*d\*f + a\*e\*g - Sqrt[-a]\*Sqrt[c]\*(e\*f - d\*g))\*ArcTanh[(Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*Sqrt[c]\*Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]\*(c\*f^2 + a\*g^2)) - (Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*(c\*d\*f + a\*e\*g + Sqrt[-a]\*Sqrt[c]\*(e\*f - d\*g))\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*Sqrt[c]\*Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*(c\*f^2 + a\*g^2))

**Rule 47**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + 1)), x] - Dist[(d\*n)/(b\*(m + 1)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !IntegerQ[m]) && !(IleQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2\*n + m + 1, 0])) && IntLinearQ[a, b, c, d, m, n, x]

**Rule 63**

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 93

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q*(m + 1)
- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]
```

### Rule 105

```
Int[(((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_))/((e_.) + (f_.)*(x
_)), x_Symbol] := Dist[b/f, Int[(a + b*x)^(m - 1)*(c + d*x)^n, x], x] - Dis
t[(b*e - a*f)/f, Int[((a + b*x)^(m - 1)*(c + d*x)^n)/(e + f*x), x], x] /; F
reeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[Simplify[m + n + 1], 0] && (GtQ[m
, 0] || (!RationalQ[m] && (SumSimplerQ[m, -1] || !SumSimplerQ[n, -1])))
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 908

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_))/((a_) + (c_.)*(x_
)^2), x_Symbol] := -Dist[(g*(e*f - d*g))/(c*f^2 + a*g^2), Int[(d + e*x)^(m
- 1)*(f + g*x)^n, x], x] + Dist[1/(c*f^2 + a*g^2), Int[(Simp[c*d*f + a*e*g
+ c*(e*f - d*g)*x, x]*(d + e*x)^(m - 1)*(f + g*x)^(n + 1))/(a + c*x^2), x],
x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[
```

m] && !IntegerQ[n] && GtQ[m, 0] && LtQ[n, -1]

### Rule 6725

Int[(u\_)/((a\_) + (b\_.)\*(x\_)^(n\_)), x\_Symbol] := With[{v = RationalFunctionE  
xpand[u/(a + b\*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ  
[n, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{(d+ex)^{3/2}}{(f+gx)^{3/2}(a+cx^2)} dx &= \frac{\int \frac{\sqrt{d+ex}(cdf+aeg+c(e f-dg)x)}{\sqrt{f+gx}(a+cx^2)} dx}{cf^2+ag^2} - \frac{(g(ef-dg)) \int \frac{\sqrt{d+ex}}{(f+gx)^{3/2}} dx}{cf^2+ag^2} \\
 &= \frac{2(ef-dg)\sqrt{d+ex}}{(cf^2+ag^2)\sqrt{f+gx}} + \frac{\int \left( \frac{(-a\sqrt{c}(ef-dg)+\sqrt{-a}(cdf+aeg))\sqrt{d+ex}}{2a(\sqrt{-a}-\sqrt{c}x)\sqrt{f+gx}} + \frac{(a\sqrt{c}(ef-dg)+\sqrt{-a}(cdf+aeg))\sqrt{d+ex}}{2a(\sqrt{-a}+\sqrt{c}x)\sqrt{f+gx}} \right) dx}{cf^2+ag^2} \\
 &= \frac{2(ef-dg)\sqrt{d+ex}}{(cf^2+ag^2)\sqrt{f+gx}} - \frac{(2(ef-dg)) \operatorname{Subst} \left( \int \frac{1}{\sqrt{f-\frac{dg}{e}+\frac{gx^2}{e}}} dx, x, \sqrt{d+ex} \right)}{cf^2+ag^2} - \frac{(cdf+aeg)\sqrt{d+ex}}{\sqrt{-a}\sqrt{f+gx}} \\
 &= \frac{2(ef-dg)\sqrt{d+ex}}{(cf^2+ag^2)\sqrt{f+gx}} - \frac{(2(ef-dg)) \operatorname{Subst} \left( \int \frac{1}{1-\frac{gx^2}{e}} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}} \right)}{cf^2+ag^2} - \frac{(e(cdf+aeg)-\sqrt{-a}\sqrt{c})\sqrt{d+ex}}{\sqrt{-a}\sqrt{f+gx}} \\
 &= \frac{2(ef-dg)\sqrt{d+ex}}{(cf^2+ag^2)\sqrt{f+gx}} - \frac{2\sqrt{e}(ef-dg) \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}} \right)}{\sqrt{g}(cf^2+ag^2)} - \frac{(cdf+aeg-\sqrt{-a}\sqrt{c})\sqrt{d+ex}}{\sqrt{-a}\sqrt{f+gx}} \\
 &= \frac{2(ef-dg)\sqrt{d+ex}}{(cf^2+ag^2)\sqrt{f+gx}} - \frac{2\sqrt{e}(ef-dg) \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}} \right)}{\sqrt{g}(cf^2+ag^2)} + \frac{\sqrt{\sqrt{c}d-\sqrt{-a}e}(cdf+aeg-\sqrt{-a}\sqrt{c})\sqrt{d+ex}}{\sqrt{-a}\sqrt{f+gx}} \\
 &= \frac{2(ef-dg)\sqrt{d+ex}}{(cf^2+ag^2)\sqrt{f+gx}} - \frac{2\sqrt{e}(ef-dg) \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}} \right)}{\sqrt{g}(cf^2+ag^2)} - \frac{\sqrt{e}(cdf+aeg-\sqrt{-a}\sqrt{c})\sqrt{d+ex}}{\sqrt{-a}\sqrt{f+gx}}
 \end{aligned}$$



**Mathematica [A]** time = 0.73, size = 336, normalized size = 0.54

$$-\left(\frac{d}{\sqrt{-a}} - \frac{e}{\sqrt{c}}\right) \left( \frac{\sqrt{d+ex}}{\sqrt{f+gx}(\sqrt{c}f - \sqrt{-a}g)} + \frac{\sqrt{\sqrt{-a}e - \sqrt{c}d} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g - \sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e - \sqrt{c}d}}\right)}{(\sqrt{-a}g - \sqrt{c}f)^{3/2}} \right) - \left(\frac{ad}{(-a)^{3/2}} - \frac{e}{\sqrt{c}}\right) \left( \frac{\sqrt{d+ex}}{\sqrt{f+gx}(\sqrt{-a}g + \sqrt{c}f)} - \frac{\sqrt{\sqrt{-a}e + \sqrt{c}d} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g + \sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e + \sqrt{c}d}}\right)}{(\sqrt{-a}g + \sqrt{c}f)^{3/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/((f + g\*x)^(3/2)\*(a + c\*x^2)),x]

[Out] -((d/Sqrt[-a] - e/Sqrt[c])\*(Sqrt[d + e\*x]/((Sqrt[c]\*f - Sqrt[-a]\*g)\*Sqrt[f + g\*x]) + (Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*ArcTanh[(Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*Sqrt[f + g\*x]))]/(-(Sqrt[c]\*f) + Sqrt[-a]\*g)^(3/2))) - ((a\*d)/(-a)^(3/2) - e/Sqrt[c])\*(Sqrt[d + e\*x]/((Sqrt[c]\*f + Sqrt[-a]\*g)\*Sqrt[f + g\*x]) - (Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x]))]/(Sqrt[c]\*f + Sqrt[-a]\*g)^(3/2)))

**IntegrateAlgebraic [C]** time = 92.44, size = 1541, normalized size = 2.47

result too large to display

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/((f + g\*x)^(3/2)\*(a + c\*x^2)),x]

[Out] (2\*(e\*f - d\*g)\*Sqrt[d - (e\*f)/g + (e\*(f + g\*x))/g])/((c\*f^2 + a\*g^2)\*Sqrt[f + g\*x]) + ((2\*c\*d\*e^3\*f^3\*Sqrt[e/g]\*g - 5\*c\*d^2\*e^2\*f^2\*Sqrt[e/g]\*g^2 + a\*e^4\*f^2\*Sqrt[e/g]\*g^2 + 4\*c\*d^3\*e\*f\*Sqrt[e/g]\*g^3 - 2\*a\*d\*e^3\*f\*Sqrt[e/g]\*g^3 - c\*d^4\*Sqrt[e/g]\*g^4 + a\*d^2\*e^2\*Sqrt[e/g]\*g^4)\*RootSum[c\*e^4\*f^4 - 4\*c\*d\*e^3\*f^3\*g + 6\*c\*d^2\*e^2\*f^2\*g^2 - 4\*c\*d^3\*e\*f\*g^3 + c\*d^4\*g^4 - 4\*c\*e^3\*f^3\*g^4 + 6\*c\*d^2\*e^2\*f^2\*g^2 + 4\*c\*d^3\*e\*f\*g^3 - 4\*c\*d^4\*g^4 + 16\*a\*e^2\*g^4 - 4\*c\*e\*f\*g^3 - 4\*c\*d\*g^4 + c\*g^4] & , Log[-(Sqrt[e/g]\*Sqrt[f + g\*x]) + Sqrt[d - (e\*f)/g + (e\*(f + g\*x))/g] - #1]/(c\*e^3\*f^3 - c\*d\*e^2\*f^2\*g - c\*d^2\*e\*f\*g^2 + c\*d^3\*g^3 - 3\*c\*e^2\*f^2\*g - 2\*c\*d\*e\*f\*g^2 - 3\*c\*d^2\*g^3 - 8\*a\*e^2\*g^3 + 3\*c\*e\*f\*g^2 + 3\*c\*d\*g^3 - c\*g^3) & )]/(c\*f^2 + a\*g^2) + (2\*(2\*c\*d\*e^2\*f^2\*Sqrt[e/g]\*g^2 - c\*d^2\*e\*f\*Sqrt[e/g]\*g^3 + 3\*a\*e^3\*f\*Sqrt[e/g]\*g^3 - c\*d^3\*Sqrt[e/g]\*g^4 - 3\*a\*d\*e^2\*Sqrt[e/g]\*g^4)\*RootSum[c\*e^4\*f^4 - 4\*c\*d\*e^3\*f^3\*g + 6\*c\*d^2\*e^2\*f^2\*g^2 - 4\*c\*d^3\*e\*f\*g^3 + c\*d^4\*g^4 - 4\*c\*e^3\*f^3\*g^4 + 6\*c\*d^2\*e^2\*f^2\*g^2 + 4\*c\*d^3\*e\*f\*g^3 - 4\*c\*d^4\*g^4 + 16\*a\*e^2\*g^4 - 4\*c\*e\*f\*g^3 - 4\*c\*d\*g^4 + c\*g^4] & , (Log[-(Sqrt[e/g]\*Sqrt[f + g\*x]) + Sqrt[d - (e\*f)/g + (e\*(f + g\*x))/g] - #1]\*#1^2)/(-(c\*e^3\*f^3) + c\*d\*e^2\*f^2\*g + c\*d^2\*e\*f\*g^2 - c\*d^3\*g^3 + 3\*c\*e^2\*f^2\*g - 2\*c\*d\*e\*f\*g^2 + 3\*c\*d^2\*g^3 + 8\*a\*e^2\*g^3 - 3\*c\*e\*f\*g^2 - 3\*c\*d\*g^3 + 4\*c\*d^2\*g^3 - 8\*a\*e^2\*g^3 + 3\*c\*e\*f\*g^2 + 3\*c\*d\*g^3 - c\*g^3) & )]

$c*g^3*#1^6) \& ])/(c*f^2 + a*g^2) + ((-2*c*d*e*f*Sqrt[e/g]*g^3 + c*d^2*Sqrt[e/g]*g^4 - a*e^2*Sqrt[e/g]*g^4)*RootSum[c*e^4*f^4 - 4*c*d*e^3*f^3*g + 6*c*d^2*e^2*f^2*g^2 - 4*c*d^3*e*f*g^3 + c*d^4*g^4 - 4*c*e^3*f^3*g*#1^2 + 4*c*d*e^2*f^2*g^2*#1^4 + 4*c*d^2*e*f*g^3*#1^2 - 4*c*d^3*g^4*#1^2 + 6*c*e^2*f^2*g^2*#1^4 + 4*c*d*e*f*g^3*#1^4 + 6*c*d^2*g^4*#1^4 + 16*a*e^2*g^4*#1^4 - 4*c*e*f*g^3*#1^6 - 4*c*d*g^4*#1^6 + c*g^4*#1^8 \& , (Log[-(Sqrt[e/g]*Sqrt[f + g*x]) + Sqrt[d - (e*f)/g + (e*(f + g*x))/g] - #1]*#1^4)/(-(c*e^3*f^3) + c*d*e^2*f^2*g + c*d^2*e*f*g^2 - c*d^3*g^3 + 3*c*e^2*f^2*g*#1^2 + 2*c*d*e*f*g^2*#1^2 + 3*c*d^2*g^3*#1^2 + 8*a*e^2*g^3*#1^2 - 3*c*e*f*g^2*#1^4 - 3*c*d*g^3*#1^4 + c*g^3*#1^6) \& ])/(c*f^2 + a*g^2)$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.07, size = 8264, normalized size = 13.22

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{(cx^2 + a)(gx + f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/((c\*x^2 + a)\*(g\*x + f)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex)^{3/2}}{(f + gx)^{3/2} (cx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(3/2)/((f + g\*x)^(3/2)\*(a + c\*x^2)),x)

[Out] int((d + e\*x)^(3/2)/((f + g\*x)^(3/2)\*(a + c\*x^2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)/(g\*x+f)\*\*(3/2)/(c\*x\*\*2+a),x)

[Out] Timed out

$$3.417 \quad \int \frac{\sqrt{d+ex}}{(f+gx)^{3/2}(a+cx^2)} dx$$

**Optimal.** Leaf size=351

$$\frac{2g\sqrt{d+ex}}{\sqrt{f+gx}(ag^2+cf^2)} + \frac{(-\sqrt{-a}\sqrt{c}(ef-dg) + aeg + cdf) \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f-\sqrt{-a}g}}{\sqrt{f+gx}\sqrt{\sqrt{c}d-\sqrt{-a}e}}\right)}{\sqrt{-a}\sqrt{\sqrt{c}d-\sqrt{-a}e}\sqrt{\sqrt{c}f-\sqrt{-a}g}(ag^2+cf^2)} - \frac{(\sqrt{-a}\sqrt{c}(ef-dg) + aeg)}{\sqrt{-a}\sqrt{\sqrt{-a}e+\sqrt{c}d}(ag^2+cf^2)}$$

**Rubi [A]** time = 1.81, antiderivative size = 351, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {908, 37, 6725, 93, 208}

$$\frac{2g\sqrt{d+ex}}{\sqrt{f+gx}(ag^2+cf^2)} + \frac{(-\sqrt{-a}\sqrt{c}(ef-dg) + aeg + cdf) \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f-\sqrt{-a}g}}{\sqrt{f+gx}\sqrt{\sqrt{c}d-\sqrt{-a}e}}\right)}{\sqrt{-a}\sqrt{\sqrt{c}d-\sqrt{-a}e}\sqrt{\sqrt{c}f-\sqrt{-a}g}(ag^2+cf^2)} - \frac{(\sqrt{-a}\sqrt{c}(ef-dg) + aeg + cdf) \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right)}{\sqrt{-a}\sqrt{\sqrt{-a}e+\sqrt{c}d}\sqrt{\sqrt{-a}g+\sqrt{c}f}(ag^2+cf^2)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/((f + g\*x)^(3/2)\*(a + c\*x^2)), x]

[Out]  $(-2*g*\text{Sqrt}[d + e*x])/((c*f^2 + a*g^2)*\text{Sqrt}[f + g*x]) + ((c*d*f + a*e*g - \text{Sqrt}[-a]*\text{Sqrt}[c]*(e*f - d*g))*\text{ArcTanh}[(\text{Sqrt}[\text{Sqrt}[c]*f - \text{Sqrt}[-a]*g]*\text{Sqrt}[d + e*x])/(\text{Sqrt}[\text{Sqrt}[c]*d - \text{Sqrt}[-a]*e]*\text{Sqrt}[f + g*x])])/(\text{Sqrt}[-a]*\text{Sqrt}[\text{Sqrt}[c]*d - \text{Sqrt}[-a]*e]*\text{Sqrt}[\text{Sqrt}[c]*f - \text{Sqrt}[-a]*g]*(c*f^2 + a*g^2)) - ((c*d*f + a*e*g + \text{Sqrt}[-a]*\text{Sqrt}[c]*(e*f - d*g))*\text{ArcTanh}[(\text{Sqrt}[\text{Sqrt}[c]*f + \text{Sqrt}[-a]*g]*\text{Sqrt}[d + e*x])/(\text{Sqrt}[\text{Sqrt}[c]*d + \text{Sqrt}[-a]*e]*\text{Sqrt}[f + g*x])])/(\text{Sqrt}[-a]*\text{Sqrt}[\text{Sqrt}[c]*d + \text{Sqrt}[-a]*e]*\text{Sqrt}[\text{Sqrt}[c]*f + \text{Sqrt}[-a]*g]*(c*f^2 + a*g^2))$

### Rule 37

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[(((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

### Rule 93

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 908

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))/((a\_) + (c\_)\*(x\_)^2), x\_Symbol] := -Dist[(g\*(e\*f - d\*g))/(c\*f^2 + a\*g^2), Int[(d + e\*x)^(m - 1)\*(f + g\*x)^n, x], x] + Dist[1/(c\*f^2 + a\*g^2), Int[(Simp[c\*d\*f + a\*e\*g + c\*(e\*f - d\*g)\*x, x]\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1))/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[m] && !IntegerQ[n] && GtQ[m, 0] && LtQ[n, -1]

Rule 6725

Int[(u\_)/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] := With[{v = RationalFunctionExpand[u/(a + b\*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{d+ex}}{(f+gx)^{3/2}(a+cx^2)} dx &= \frac{\int \frac{cdf+aeg+c(ef-dg)x}{\sqrt{d+ex}\sqrt{f+gx}(a+cx^2)} dx}{cf^2+ag^2} - \frac{(g(ef-dg)) \int \frac{1}{\sqrt{d+ex}(f+gx)^{3/2}} dx}{cf^2+ag^2} \\
 &= -\frac{2g\sqrt{d+ex}}{(cf^2+ag^2)\sqrt{f+gx}} + \frac{\int \left( \frac{-a\sqrt{c}(ef-dg)+\sqrt{-a}(cdf+aeg)}{2a(\sqrt{-a}-\sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} + \frac{a\sqrt{c}(ef-dg)+\sqrt{-a}(cdf+aeg)}{2a(\sqrt{-a}+\sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} \right) dx}{cf^2+ag^2} \\
 &= -\frac{2g\sqrt{d+ex}}{(cf^2+ag^2)\sqrt{f+gx}} - \frac{(cdf+aeg-\sqrt{-a}\sqrt{c}(ef-dg)) \int \frac{1}{(\sqrt{-a}+\sqrt{c}x)\sqrt{d+ex}\sqrt{f+gx}} dx}{2\sqrt{-a}(cf^2+ag^2)} \\
 &= -\frac{2g\sqrt{d+ex}}{(cf^2+ag^2)\sqrt{f+gx}} - \frac{(cdf+aeg-\sqrt{-a}\sqrt{c}(ef-dg)) \text{Subst}\left(\int \frac{1}{-\sqrt{c}d+\sqrt{-a}e-} \right)}{\sqrt{-a}(cf^2+ag^2)} \\
 &= -\frac{2g\sqrt{d+ex}}{(cf^2+ag^2)\sqrt{f+gx}} + \frac{(cdf+aeg-\sqrt{-a}\sqrt{c}(ef-dg)) \tanh^{-1}\left(\frac{\sqrt{c}f-\sqrt{-a}g\sqrt{d+ex}}{\sqrt{c}d-\sqrt{-a}e\sqrt{f+gx}}\right)}{\sqrt{-a}\sqrt{c}d-\sqrt{-a}e\sqrt{c}f-\sqrt{-a}g}(cf^2+ag^2)
 \end{aligned}$$

**Mathematica [A]** time = 0.64, size = 265, normalized size = 0.75

$$-\frac{2g\sqrt{d+ex}}{\sqrt{f+gx}(ag^2+cf^2)} + \frac{a\sqrt{\sqrt{-a}e-\sqrt{c}d}\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g-\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e-\sqrt{c}d}}\right)}{(-a)^{3/2}(\sqrt{-a}g-\sqrt{c}f)^{3/2}} + \frac{a\sqrt{\sqrt{-a}e+\sqrt{c}d}\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right)}{(-a)^{3/2}(\sqrt{-a}g+\sqrt{c}f)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e\*x]/((f + g\*x)^(3/2)\*(a + c\*x^2)),x]

[Out] (-2\*g\*Sqrt[d + e\*x])/((c\*f^2 + a\*g^2)\*Sqrt[f + g\*x]) + (a\*Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*ArcTanh[(Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/((-a)^(3/2)\*(-(Sqrt[c]\*f) + Sqrt[-a]\*g)^(3/2)) + (a\*Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/((-a)^(3/2)\*(Sqrt[c]\*f + Sqrt[-a]\*g)^(3/2))

**IntegrateAlgebraic [C]** time = 1.28, size = 401, normalized size = 1.14

$$-\frac{2g\sqrt{d+ex}}{\sqrt{f+gx}(ag^2+cf^2)} + \frac{(\sqrt{a}e-i\sqrt{c}d)(\sqrt{c}f-i\sqrt{a}g)^2\tan^{-1}\left(\frac{\sqrt{d+ex}\sqrt{ag^2+cf^2}}{\sqrt{f+gx}\sqrt{i\sqrt{a}\sqrt{c}dg-i\sqrt{a}\sqrt{c}ef-agc-df}}\right)}{\sqrt{a}(ag^2+cf^2)^{3/2}\sqrt{-((\sqrt{c}d+i\sqrt{a}e)(\sqrt{c}f-i\sqrt{a}g))}} + \frac{(\sqrt{a}e+i\sqrt{c}d)(\sqrt{c}f+i\sqrt{a}g)^2\tan^{-1}\left(\frac{\sqrt{d+ex}\sqrt{ag^2+cf^2}}{\sqrt{f+gx}\sqrt{-i\sqrt{a}\sqrt{c}dg+i\sqrt{a}\sqrt{c}ef-agc-df}}\right)}{\sqrt{a}(ag^2+cf^2)^{3/2}\sqrt{-((\sqrt{c}d-i\sqrt{a}e)(\sqrt{c}f+i\sqrt{a}g))}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/((f + g\*x)^(3/2)\*(a + c\*x^2)),x]

[Out] (-2\*g\*Sqrt[d + e\*x])/((c\*f^2 + a\*g^2)\*Sqrt[f + g\*x]) + ((I\*Sqrt[c]\*d + Sqrt[a]\*e)\*(Sqrt[c]\*f + I\*Sqrt[a]\*g)^2\*ArcTan[(Sqrt[c\*f^2 + a\*g^2]\*Sqrt[d + e\*x])/(Sqrt[-(c\*d\*f) + I\*Sqrt[a]\*Sqrt[c]\*e\*f - I\*Sqrt[a]\*Sqrt[c]\*d\*g - a\*e\*g]\*Sqrt[f + g\*x])])/((Sqrt[a]\*Sqrt[-((Sqrt[c]\*d - I\*Sqrt[a]\*e)\*(Sqrt[c]\*f + I\*Sqrt[a]\*g))]\*(c\*f^2 + a\*g^2)^(3/2)) + (((-I)\*Sqrt[c]\*d + Sqrt[a]\*e)\*(Sqrt[c]\*f - I\*Sqrt[a]\*g)^2\*ArcTan[(Sqrt[c\*f^2 + a\*g^2]\*Sqrt[d + e\*x])/(Sqrt[-(c\*d\*f) - I\*Sqrt[a]\*Sqrt[c]\*e\*f + I\*Sqrt[a]\*Sqrt[c]\*d\*g - a\*e\*g]\*Sqrt[f + g\*x])])/((Sqrt[a]\*Sqrt[-((Sqrt[c]\*d + I\*Sqrt[a]\*e)\*(Sqrt[c]\*f - I\*Sqrt[a]\*g))]\*(c\*f^2 + a\*g^2)^(3/2)))

**fricas [B]** time = 66.39, size = 5844, normalized size = 16.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x, algorithm="fricas")

[Out] -1/4\*((c\*f^3 + a\*f\*g^2 + (c\*f^2\*g + a\*g^3)\*x)\*sqrt(-(c^2\*d\*f^3 + 3\*a\*c\*e\*f^2\*g - 3\*a\*c\*d\*f\*g^2 - a^2\*e\*g^3 + (a\*c^3\*f^6 + 3\*a^2\*c^2\*f^4\*g^2 + 3\*a^3\*c\*f^2\*g^4 + a^4\*g^6)\*sqrt(-(c^3\*e^2\*f^6 - 6\*c^3\*d\*e\*f^5\*g + 20\*a\*c^2\*d\*e\*f^3\*

$$\begin{aligned}
&g^3 - 6a^2cd^2efg^5 + a^2cd^2g^6 + 3(3c^3d^2 - 2a^2c^2e^2)ef^4g^2 - 3(2a^2c^2d^2 - 3a^2c^2e^2)ef^2g^4)/(a^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))/((a^3f^6 + 3a^2c^2f^4g^2 + 3a^3cf^2g^4 + a^4g^6)) * \log((c^2ef^4 - 2cd^2ef^3g - 2ad^2efg^3 + ad^2g^4 - 3(c^2d^2 + ae^2)ef^2g^2 + 2(c^2ef^5 - 3c^2d^2f^4g - 4ac^2ef^3g^2 + 4ac^2d^2f^2g^3 + 3a^2efg^4 - a^2d^2g^5 + 2(ac^3f^7g + 3a^2c^2f^5g^3 + 3a^3cf^3g^5 + a^4f^7g^7)) * \sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2cd^2ef^3g^3 - 6a^2cd^2efg^5 + a^2cd^2g^6 + 3(3c^3d^2 - 2a^2c^2e^2)ef^4g^2 - 3(2a^2c^2d^2 - 3a^2c^2e^2)ef^2g^4)/(a^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))) * \sqrt{ex + d} * \sqrt{gx + f} * \sqrt{-(c^2d^2f^3 + 3ac^2ef^2g - 3ac^2d^2f^2g^2 - a^2efg^3 + (a^3f^6 + 3a^2c^2f^4g^2 + 3a^3cf^2g^4 + a^4g^6)) * \sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2cd^2ef^3g^3 - 6a^2cd^2efg^5 + a^2cd^2g^6 + 3(3c^3d^2 - 2a^2c^2e^2)ef^4g^2 - 3(2a^2c^2d^2 - 3a^2c^2e^2)ef^2g^4)/(a^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))) / x - (2c^3d^2f^7 + 6a^2cd^2f^5g^2 + 6a^2cd^2f^3g^4 + 2a^3d^2f^2g^6 + (c^3ef^7 + c^3d^2f^6g + 3ac^2ef^5g^2 + 3ac^2d^2f^4g^3 + 3a^2c^2ef^3g^4 + 3a^2cd^2f^2g^5 + a^3efg^6 + a^3d^2g^7)) * \sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2cd^2ef^3g^3 - 6a^2cd^2efg^5 + a^2cd^2g^6 + 3(3c^3d^2 - 2a^2c^2e^2)ef^4g^2 - 3(2a^2c^2d^2 - 3a^2c^2e^2)ef^2g^4)/(a^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))) / x - (cf^3 + af^2g + (cf^2g + ag^3)x) * \sqrt{-(c^2d^2f^3 + 3ac^2ef^2g - 3ac^2d^2f^2g^2 - a^2efg^3 + (a^3f^6 + 3a^2c^2f^4g^2 + 3a^3cf^2g^4 + a^4g^6)) * \sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2cd^2ef^3g^3 - 6a^2cd^2efg^5 + a^2cd^2g^6 + 3(3c^3d^2 - 2a^2c^2e^2)ef^4g^2 - 3(2a^2c^2d^2 - 3a^2c^2e^2)ef^2g^4)/(a^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))) / (a^3f^6 + 3a^2c^2f^4g^2 + 3a^3cf^2g^4 + a^4g^6)) * \log((c^2ef^4 - 2cd^2ef^3g - 2ad^2efg^3 + ad^2g^4 - 3(c^2d^2 + ae^2)ef^2g^2 - 2(c^2ef^5 - 3c^2d^2f^4g - 4ac^2ef^3g^2 + 4ac^2d^2f^2g^3 + 3a^2efg^4 - a^2d^2g^5 + 2(ac^3f^7g + 3a^2c^2f^5g^3 + 3a^3cf^3g^5 + a^4f^7g^7)) * \sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2cd^2ef^3g^3 - 6a^2cd^2efg^5 + a^2cd^2g^6 + 3(3c^3d^2 - 2a^2c^2e^2)ef^4g^2 - 3(2a^2c^2d^2 - 3a^2c^2e^2)ef^2g^4)/(a^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))) * \sqrt{ex + d} * \sqrt{gx + f} * \sqrt{-(c^2d^2f^3 + 3ac^2ef^2g - 3ac^2d^2f^2g^2 - a^2efg^3 + (a^3f^6 + 3a^2c^2f^4g^2 + 3a^3cf^2g^4 + a^4g^6)) * \sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2cd^2ef^3g^3 - 6a^2cd^2efg^5 + a^2cd^2g^6 + 3(3c^3d^2 - 2a^2c^2e^2)ef^4g^2 - 3(2a^2c^2d^2 - 3a^2c^2e^2)ef^2g^4)/(a^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))) / x)
\end{aligned}$$

$$\begin{aligned}
& 6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12})) / (ac^3f^6 + 3a^2c^2f^4g^2 + 3a^3cf^2g^4 + a^4g^6) + 2*(c^2e^2f^3g - 3cd^2ef^2g^2 - 3ae^2f^3g^3 + ad^2efg^4)*x - (2c^3d^2f^7 + 6a^2c^2d^2f^5g^2 + 6a^2c^2d^2f^3g^4 + 2a^3d^2f^6g^6 + (c^3e^2f^7 + c^3d^2f^6g + 3a^2c^2e^2f^5g^2 + 3a^2c^2d^2f^4g^3 + 3a^2c^2e^2f^3g^4 + 3a^2c^2d^2f^2g^5 + a^3e^2f^6g^6 + a^3d^2f^7g^7)*x)*\sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2c^2d^2ef^3g^3 - 6a^2c^2d^2ef^2g^5 + a^2c^2d^2g^6 + 3*(3c^3d^2 - 2a^2c^2e^2)*f^4g^2 - 3*(2a^2c^2d^2 - 3a^2c^2e^2)*f^2g^4)} / (ac^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12})) / x + (cf^3 + af^2g + (cf^2g + ag^3)*x)*\sqrt{-(c^2d^2f^3 + 3a^2c^2ef^2g - 3a^2cd^2f^2g^2 - a^2e^2g^3 - (ac^3f^6 + 3a^2c^2f^4g^2 + 3a^3cf^2g^4 + a^4g^6)*\sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2c^2d^2ef^3g^3 - 6a^2c^2d^2ef^2g^5 + a^2c^2d^2g^6 + 3*(3c^3d^2 - 2a^2c^2e^2)*f^4g^2 - 3*(2a^2c^2d^2 - 3a^2c^2e^2)*f^2g^4)} / (ac^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))} * \log((c^2e^2f^4 - 2cd^2ef^3g - 2ad^2efg^3 + ad^2g^4 - 3*(cd^2 + ae^2)*f^2g^2 + 2*(c^2e^2f^5 - 3c^2d^2f^4g - 4a^2c^2ef^3g^2 + 4a^2cd^2f^2g^3 + 3a^2e^2f^4g^4 - a^2d^2g^5 - 2*(ac^3f^7g + 3a^2c^2f^5g^3 + 3a^3cf^3g^5 + a^4f^6g^7)*\sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2c^2d^2ef^3g^3 - 6a^2c^2d^2ef^2g^5 + a^2c^2d^2g^6 + 3*(3c^3d^2 - 2a^2c^2e^2)*f^4g^2 - 3*(2a^2c^2d^2 - 3a^2c^2e^2)*f^2g^4)} / (ac^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))} * \sqrt{ex + d} * \sqrt{gx + f} * \sqrt{-(c^2d^2f^3 + 3a^2c^2ef^2g - 3a^2cd^2f^2g^2 - a^2e^2g^3 - (ac^3f^6 + 3a^2c^2f^4g^2 + 3a^3cf^2g^4 + a^4g^6)*\sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2c^2d^2ef^3g^3 - 6a^2c^2d^2ef^2g^5 + a^2c^2d^2g^6 + 3*(3c^3d^2 - 2a^2c^2e^2)*f^4g^2 - 3*(2a^2c^2d^2 - 3a^2c^2e^2)*f^2g^4)} / (ac^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))} / (ac^3f^6 + 3a^2c^2f^4g^2 + 3a^3cf^2g^4 + a^4g^6) + 2*(c^2e^2f^3g - 3cd^2ef^2g^2 - 3ae^2f^3g^3 + ad^2efg^4)*x + (2c^3d^2f^7 + 6a^2c^2d^2f^5g^2 + 6a^2c^2d^2f^3g^4 + 2a^3d^2f^6g^6 + (c^3e^2f^7 + c^3d^2f^6g + 3a^2c^2e^2f^5g^2 + 3a^2c^2d^2f^4g^3 + 3a^2c^2e^2f^3g^4 + 3a^2c^2d^2f^2g^5 + a^3e^2f^6g^6 + a^3d^2f^7g^7)*x)*\sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2c^2d^2ef^3g^3 - 6a^2c^2d^2ef^2g^5 + a^2c^2d^2g^6 + 3*(3c^3d^2 - 2a^2c^2e^2)*f^4g^2 - 3*(2a^2c^2d^2 - 3a^2c^2e^2)*f^2g^4)} / (ac^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))} / x - (cf^3 + af^2g + (cf^2g + ag^3)*x)*\sqrt{-(c^2d^2f^3 + 3a^2c^2ef^2g - 3a^2cd^2f^2g^2 - a^2e^2g^3 - (ac^3f^6 + 3a^2c^2f^4g^2 + 3a^3cf^2g^4 + a^4g^6)*\sqrt{-(c^3e^2f^6 - 6c^3d^2ef^5g + 20a^2c^2d^2ef^3g^3 - 6a^2c^2d^2ef^2g^5 + a^2c^2d^2g^6 + 3*(3c^3d^2 - 2a^2c^2e^2)*f^4g^2 - 3*(2a^2c^2d^2 - 3a^2c^2e^2)*f^2g^4)} / (ac^6f^{12} + 6a^2c^5f^{10}g^2 + 15a^3c^4f^8g^4 + 20a^4c^3f^6g^6 + 15a^5c^2f^4g^8 + 6a^6cf^2g^{10} + a^7g^{12}))} / x
\end{aligned}$$



$$\frac{(f^4 g^8 + 6 a^6 c f^2 g^{10} + a^7 g^{12}))}{(a^3 c^3 f^6 + 3 a^2 c^2 f^4 g^2 + 3 a^3 c f^2 g^4 + a^4 g^6)} \log((c e^{2f} - 2 c d e f^3 g - 2 a d e f^3 g^3 + a d^2 g^4 - 3(c d^2 + a e^2) f^2 g^2 - 2(c^2 e f^5 - 3 c^2 d f^4 g - 4 a c e f^3 g^2 + 4 a c d f^2 g^3 + 3 a^2 e f g^4 - a^2 d g^5 - 2(a^3 c f^7 g + 3 a^2 c^2 f^5 g^3 + 3 a^3 c f^3 g^5 + a^4 f g^7)) \sqrt{-(c^3 e^{2f} - 6 c^3 d e f^5 g + 20 a c^2 d e f^3 g^3 - 6 a^2 c d e f g^5 + a^2 c d^2 g^6 + 3(3 c^3 d^2 - 2 a c^2 e^2) f^4 g^2 - 3(2 a c^2 d^2 - 3 a^2 c e^2) f^2 g^4)}) / (a^6 f^{12} + 6 a^2 c^5 f^{10} g^2 + 15 a^3 c^4 f^8 g^4 + 20 a^4 c^3 f^6 g^6 + 15 a^5 c^2 f^4 g^8 + 6 a^6 c f^2 g^{10} + a^7 g^{12})) \sqrt{e x + d} \sqrt{g x + f} \sqrt{-(c^2 d f^3 + 3 a c e f^2 g - 3 a c d f g^2 - a^2 e g^3 - (a c^3 f^6 + 3 a^2 c^2 f^4 g^2 + 3 a^3 c f^2 g^4 + a^4 g^6)) \sqrt{-(c^3 e^{2f} - 6 c^3 d e f^5 g + 20 a c^2 d e f^3 g^3 - 6 a^2 c d e f g^5 + a^2 c d^2 g^6 + 3(3 c^3 d^2 - 2 a c^2 e^2) f^4 g^2 - 3(2 a c^2 d^2 - 3 a^2 c e^2) f^2 g^4)}) / (a^6 f^{12} + 6 a^2 c^5 f^{10} g^2 + 15 a^3 c^4 f^8 g^4 + 20 a^4 c^3 f^6 g^6 + 15 a^5 c^2 f^4 g^8 + 6 a^6 c f^2 g^{10} + a^7 g^{12})) / (a^3 c^3 f^6 + 3 a^2 c^2 f^4 g^2 + 3 a^3 c f^2 g^4 + a^4 g^6)) + 2(c e^{2f} - 3 c d e f^2 g^2 - 3 a e^{2f} g^3 + a d e g^4) x + (2 c^3 d f^7 + 6 a c^2 d f^5 g^2 + 6 a^2 c d f^3 g^4 + 2 a^3 d f g^6 + (c^3 e f^7 + c^3 d f^6 g + 3 a c^2 e f^5 g^2 + 3 a c^2 d f^4 g^3 + 3 a^2 c e f^3 g^4 + 3 a^2 c d f^2 g^5 + a^3 e f g^6 + a^3 d g^7) x) \sqrt{-(c^3 e^{2f} - 6 c^3 d e f^5 g + 20 a c^2 d e f^3 g^3 - 6 a^2 c d e f g^5 + a^2 c d^2 g^6 + 3(3 c^3 d^2 - 2 a c^2 e^2) f^4 g^2 - 3(2 a c^2 d^2 - 3 a^2 c e^2) f^2 g^4)} / (a^6 f^{12} + 6 a^2 c^5 f^{10} g^2 + 15 a^3 c^4 f^8 g^4 + 20 a^4 c^3 f^6 g^6 + 15 a^5 c^2 f^4 g^8 + 6 a^6 c f^2 g^{10} + a^7 g^{12})) / x) + 8 \sqrt{e x + d} \sqrt{g x + f} g / (c f^3 + a f^2 g + (c f^2 g + a g^3) x)$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.06, size = 5383, normalized size = 15.34

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(1/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{(cx^2+a)(gx+f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)/((c\*x^2 + a)\*(g\*x + f)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{d+ex}}{(f+gx)^{\frac{3}{2}}(cx^2+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(1/2)/((f + g\*x)^(3/2)\*(a + c\*x^2)),x)

[Out] int((d + e\*x)^(1/2)/((f + g\*x)^(3/2)\*(a + c\*x^2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)/(g\*x+f)\*\*(3/2)/(c\*x\*\*2+a),x)

[Out] Timed out

$$3.418 \quad \int \frac{1}{\sqrt{d+ex} (f+gx)^{3/2} (a+cx^2)} dx$$

**Optimal.** Leaf size=354

$$\frac{g\sqrt{d+ex}}{\sqrt{-a}\sqrt{f+gx}(\sqrt{c}f-\sqrt{-a}g)(ef-dg)} - \frac{g\sqrt{d+ex}}{\sqrt{-a}\sqrt{f+gx}(\sqrt{-a}g+\sqrt{c}f)(ef-dg)} + \frac{\sqrt{c}\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{c}g}}\right)}{\sqrt{-a}\sqrt{\sqrt{c}d-\sqrt{-a}e}(\sqrt{c}f)}$$

**Rubi [A]** time = 0.76, antiderivative size = 354, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {912, 96, 93, 208}

$$\frac{g\sqrt{d+ex}}{\sqrt{-a}\sqrt{f+gx}(\sqrt{c}f-\sqrt{-a}g)(ef-dg)} - \frac{g\sqrt{d+ex}}{\sqrt{-a}\sqrt{f+gx}(\sqrt{-a}g+\sqrt{c}f)(ef-dg)} + \frac{\sqrt{c}\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{c}f-\sqrt{-a}g}}{\sqrt{f+gx}\sqrt{\sqrt{c}d-\sqrt{-a}e}}\right)}{\sqrt{-a}\sqrt{\sqrt{c}d-\sqrt{-a}e}(\sqrt{c}f-\sqrt{-a}g)^{3/2}} - \frac{\sqrt{c}\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right)}{\sqrt{-a}\sqrt{\sqrt{-a}e+\sqrt{c}d}(\sqrt{-a}g+\sqrt{c}f)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[d + e\*x]\*(f + g\*x)^(3/2)\*(a + c\*x^2)),x]

[Out] (g\*Sqrt[d + e\*x])/(Sqrt[-a]\*(Sqrt[c]\*f - Sqrt[-a]\*g)\*(e\*f - d\*g)\*Sqrt[f + g\*x]) - (g\*Sqrt[d + e\*x])/(Sqrt[-a]\*(Sqrt[c]\*f + Sqrt[-a]\*g)\*(e\*f - d\*g)\*Sqrt[f + g\*x]) + (Sqrt[c]\*ArcTanh[(Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*(Sqrt[c]\*f - Sqrt[-a]\*g)^(3/2)) - (Sqrt[c]\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*(Sqrt[c]\*f + Sqrt[-a]\*g)^(3/2))

### Rule 93

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

### Rule 96

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_)), x\_Symbol] :> Simp[(b\*(a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), x] + Dist[(a\*d\*f\*(m + 1) + b\*c\*f\*(n + 1) + b\*d\*e\*(p + 1))/((m + 1)\*(b\*c - a\*d)\*(b\*e - a\*f)), Int[(a + b\*x)^(m + 1)\*(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m

, 1])

Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 912

Int[(((d\_) + (e\_)\*(x\_)^2)^(m\_)\*((f\_) + (g\_)\*(x\_)^n))/((a\_) + (c\_)\*(x\_)^2), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n, 1/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[c\*d^2 + a\*e^2, 0] & !IntegerQ[m] && !IntegerQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{\sqrt{d+ex}(f+gx)^{3/2}(a+cx^2)} dx &= \int \left( \frac{\sqrt{-a}}{2a(\sqrt{-a}-\sqrt{c}x)\sqrt{d+ex}(f+gx)^{3/2}} + \frac{\sqrt{-a}}{2a(\sqrt{-a}+\sqrt{c}x)\sqrt{d+ex}(f+gx)^{3/2}} \right) dx \\
 &= -\frac{\int \frac{1}{(\sqrt{-a}-\sqrt{c}x)\sqrt{d+ex}(f+gx)^{3/2}} dx}{2\sqrt{-a}} - \frac{\int \frac{1}{(\sqrt{-a}+\sqrt{c}x)\sqrt{d+ex}(f+gx)^{3/2}} dx}{2\sqrt{-a}} \\
 &= \frac{g\sqrt{d+ex}}{\sqrt{-a}(\sqrt{c}f-\sqrt{-a}g)(ef-dg)\sqrt{f+gx}} - \frac{g\sqrt{d+ex}}{\sqrt{-a}(\sqrt{c}f+\sqrt{-a}g)(ef-dg)\sqrt{f+gx}} \\
 &= \frac{g\sqrt{d+ex}}{\sqrt{-a}(\sqrt{c}f-\sqrt{-a}g)(ef-dg)\sqrt{f+gx}} - \frac{g\sqrt{d+ex}}{\sqrt{-a}(\sqrt{c}f+\sqrt{-a}g)(ef-dg)\sqrt{f+gx}} \\
 &= \frac{g\sqrt{d+ex}}{\sqrt{-a}(\sqrt{c}f-\sqrt{-a}g)(ef-dg)\sqrt{f+gx}} - \frac{g\sqrt{d+ex}}{\sqrt{-a}(\sqrt{c}f+\sqrt{-a}g)(ef-dg)\sqrt{f+gx}}
 \end{aligned}$$

Mathematica [A] time = 0.78, size = 287, normalized size = 0.81

$$\frac{2\sqrt{-a}g^2\sqrt{d+ex}}{\sqrt{f+gx}(ag^2+cf^2)(ef-dg)} + \frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g-\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e-\sqrt{c}d}}\right)}{\sqrt{\sqrt{-a}e-\sqrt{c}d}(\sqrt{-a}g-\sqrt{c}f)^{3/2}} - \frac{\sqrt{c} \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right)}{\sqrt{\sqrt{-a}e+\sqrt{c}d}(\sqrt{-a}g+\sqrt{c}f)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[d + e\*x]\*(f + g\*x)^(3/2)\*(a + c\*x^2)),x]

[Out] ((2\*Sqrt[-a]\*g^2\*Sqrt[d + e\*x])/((e\*f - d\*g)\*(c\*f^2 + a\*g^2)\*Sqrt[f + g\*x]) + (Sqrt[c]\*ArcTanh[(Sqrt[-(Sqrt[c]\*f) + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*Sqrt[f + g\*x]))/(Sqrt[-(Sqrt[c]\*d) + Sqrt[-a]\*e]\*Sqrt[f + g\*x])^(3/2)) - (Sqrt[c]\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*(Sqrt[c]\*f + Sqrt[-a]\*g)^(3/2)))/Sqrt[-a]

**IntegrateAlgebraic [C]** time = 1.05, size = 393, normalized size = 1.11

$$\frac{2g^2\sqrt{d+ex}}{\sqrt{f+gx}(ag^2+cf^2)(ef-dg)} + \frac{i\sqrt{c}(\sqrt{c}f+i\sqrt{a}g)^2 \tan^{-1}\left(\frac{\sqrt{d+ex}\sqrt{ag^2+cf^2}}{\sqrt{f+gx}\sqrt{-i\sqrt{a}\sqrt{c}dg+i\sqrt{a}\sqrt{c}ef-ae g-cdf}}\right)}{\sqrt{a}(ag^2+cf^2)^{3/2}\sqrt{-((\sqrt{c}d-i\sqrt{a}e)(\sqrt{c}f+i\sqrt{a}g))}} - \frac{i\sqrt{c}(\sqrt{c}f-i\sqrt{a}g)^2 \tan^{-1}\left(\frac{\sqrt{d+ex}\sqrt{ag^2+cf^2}}{\sqrt{f+gx}\sqrt{i\sqrt{a}\sqrt{c}dg-i\sqrt{a}\sqrt{c}ef-ae g-cdf}}\right)}{\sqrt{a}(ag^2+cf^2)^{3/2}\sqrt{-((\sqrt{c}d+i\sqrt{a}e)(\sqrt{c}f-i\sqrt{a}g))}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/(Sqrt[d + e\*x]\*(f + g\*x)^(3/2)\*(a + c\*x^2)),x]

[Out] (2\*g^2\*Sqrt[d + e\*x])/((e\*f - d\*g)\*(c\*f^2 + a\*g^2)\*Sqrt[f + g\*x]) + (I\*Sqrt[c]\*(Sqrt[c]\*f + I\*Sqrt[a]\*g)^2\*ArcTan[(Sqrt[c\*f^2 + a\*g^2]\*Sqrt[d + e\*x])/(Sqrt[-(c\*d\*f) + I\*Sqrt[a]\*Sqrt[c]\*e\*f - I\*Sqrt[a]\*Sqrt[c]\*d\*g - a\*e\*g]\*Sqrt[f + g\*x])])/(Sqrt[a]\*Sqrt[-((Sqrt[c]\*d - I\*Sqrt[a]\*e)\*(Sqrt[c]\*f + I\*Sqrt[a]\*g))]\*(c\*f^2 + a\*g^2)^(3/2)) - (I\*Sqrt[c]\*(Sqrt[c]\*f - I\*Sqrt[a]\*g)^2\*ArcTan[(Sqrt[c\*f^2 + a\*g^2]\*Sqrt[d + e\*x])/(Sqrt[-(c\*d\*f) - I\*Sqrt[a]\*Sqrt[c]\*e\*f + I\*Sqrt[a]\*Sqrt[c]\*d\*g - a\*e\*g]\*Sqrt[f + g\*x])])/(Sqrt[a]\*Sqrt[-((Sqrt[c]\*d + I\*Sqrt[a]\*e)\*(Sqrt[c]\*f - I\*Sqrt[a]\*g))]\*(c\*f^2 + a\*g^2)^(3/2))

**fricas [B]** time = 126.49, size = 12028, normalized size = 33.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(1/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x, algorithm="fricas")

[Out] 1/4\*(8\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*g^2 - (c\*e\*f^4 - c\*d\*f^3\*g + a\*e\*f^2\*g^2 - a\*d\*f\*g^3 + (c\*e\*f^3\*g - c\*d\*f^2\*g^2 + a\*e\*f\*g^3 - a\*d\*g^4)\*x)\*sqrt(-(c^3\*d\*f^3 - 3\*a\*c^2\*e\*f^2\*g - 3\*a\*c^2\*d\*f\*g^2 + a^2\*c\*e\*g^3 + ((a\*c^4\*d^2 + a^2\*c^3\*e^2)\*f^6 + 3\*(a^2\*c^3\*d^2 + a^3\*c^2\*e^2)\*f^4\*g^2 + 3\*(a^3\*c^2\*d^2 + a^4\*c\*e^2)\*f^2\*g^4 + (a^4\*c\*d^2 + a^5\*e^2)\*g^6)\*sqrt(-(c^5\*e^2\*f^6 + 6\*c^5\*d\*e\*f^5\*g - 20\*a\*c^4\*d\*e\*f^3\*g^3 + 6\*a^2\*c^3\*d\*e\*f\*g^5 + a^2\*c^3\*d^2\*g^6 + 3\*(3\*c^5\*d^2 - 2\*a\*c^4\*e^2)\*f^4\*g^2 - 3\*(2\*a\*c^4\*d^2 - 3\*a^2\*c^3\*e^2)\*f^2\*g^4)/((a\*c^8\*d^4 + 2\*a^2\*c^7\*d^2\*e^2 + a^3\*c^6\*e^4)\*f^12 + 6\*(a^2\*c^7\*d^4 + 2\*a^3\*c^6\*d^2\*e^2 + a^4\*c^5\*e^4)\*f^10\*g^2 + 15\*(a^3\*c^6\*d^4 + 2\*a^4\*c^5\*d^2\*e^2 + a^5\*c^4\*e^4)\*f^8\*g^4 + 20\*(a^4\*c^5\*d^4 + 2\*a^5\*c^4\*d^2\*e^2 + a^6\*c^3

$$\begin{aligned}
& *e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^2*e^2 + a^7*c^2*e^4)*f^4*g^8 \\
& + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c*e^4)*f^2*g^{10} + (a^7*c^2*d^4 + \\
& 2*a^8*c*d^2*e^2 + a^9*e^4)*g^{12}))/((a*c^4*d^2 + a^2*c^3*e^2)*f^6 + 3*(a^2* \\
& c^3*d^2 + a^3*c^2*e^2)*f^4*g^2 + 3*(a^3*c^2*d^2 + a^4*c*e^2)*f^2*g^4 + (a^ \\
& 4*c*d^2 + a^5*e^2)*g^6))*\log(-(c^3*e^2*f^4 + 4*c^3*d*e*f^3*g - 4*a*c^2*d*e* \\
& f*g^3 - a*c^2*d^2*g^4 + 3*(c^3*d^2 - a*c^2*e^2)*f^2*g^2 + 2*(c^4*d*e*f^5 - \\
& 10*a*c^3*d*e*f^3*g^2 + 5*a^2*c^2*d*e*f*g^4 + a^2*c^2*d^2*g^5 + (3*c^4*d^2 - \\
& 2*a*c^3*e^2)*f^4*g - 2*(2*a*c^3*d^2 - 3*a^2*c^2*e^2)*f^2*g^3 - ((a*c^5*d^2 \\
& *e + a^2*c^4*e^3)*f^8 + 2*(a*c^5*d^3 + a^2*c^4*d*e^2)*f^7*g + 2*(a^2*c^4*d^ \\
& 2*e + a^3*c^3*e^3)*f^6*g^2 + 6*(a^2*c^4*d^3 + a^3*c^3*d*e^2)*f^5*g^3 + 6*(a \\
& ^3*c^3*d^3 + a^4*c^2*d*e^2)*f^3*g^5 - 2*(a^4*c^2*d^2*e + a^5*c*e^3)*f^2*g^6 \\
& + 2*(a^4*c^2*d^3 + a^5*c*d*e^2)*f*g^7 - (a^5*c*d^2*e + a^6*e^3)*g^8)*\sqrt{( \\
& -(c^5*e^2*f^6 + 6*c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3*d*e*f*g^5 \\
& + a^2*c^3*d^2*g^6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a*c^4*d^2 - \\
& 3*a^2*c^3*e^2)*f^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6*e^4)*f^ \\
& 12 + 6*(a^2*c^7*d^4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 15*(a^3*c^ \\
& ^6*d^4 + 2*a^4*c^5*d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 + 2*a^5* \\
& c^4*d^2*e^2 + a^6*c^3*e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^2*e^2 + \\
& a^7*c^2*e^4)*f^4*g^8 + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c*e^4)*f^2* \\
& g^{10} + (a^7*c^2*d^4 + 2*a^8*c*d^2*e^2 + a^9*e^4)*g^{12}))*\sqrt{e*x + d)*\sqrt{ \\
& t(g*x + f)*\sqrt{-(c^3*d*f^3 - 3*a*c^2*e*f^2*g - 3*a*c^2*d*f*g^2 + a^2*c*e*g \\
& ^3 + ((a*c^4*d^2 + a^2*c^3*e^2)*f^6 + 3*(a^2*c^3*d^2 + a^3*c^2*e^2)*f^4*g^2 \\
& + 3*(a^3*c^2*d^2 + a^4*c*e^2)*f^2*g^4 + (a^4*c*d^2 + a^5*e^2)*g^6))*\sqrt{-( \\
& c^5*e^2*f^6 + 6*c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3*d*e*f*g^5 \\
& + a^2*c^3*d^2*g^6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a*c^4*d^2 - \\
& 3*a^2*c^3*e^2)*f^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6*e^4)*f^12 \\
& + 6*(a^2*c^7*d^4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 15*(a^3*c^6* \\
& d^4 + 2*a^4*c^5*d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 + 2*a^5*c^ \\
& ^4*d^2*e^2 + a^6*c^3*e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^2*e^2 + a \\
& ^7*c^2*e^4)*f^4*g^8 + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c*e^4)*f^2*g \\
& ^{10} + (a^7*c^2*d^4 + 2*a^8*c*d^2*e^2 + a^9*e^4)*g^{12}))/((a*c^4*d^2 + a^2*c \\
& ^3*e^2)*f^6 + 3*(a^2*c^3*d^2 + a^3*c^2*e^2)*f^4*g^2 + 3*(a^3*c^2*d^2 + a^4* \\
& c*e^2)*f^2*g^4 + (a^4*c*d^2 + a^5*e^2)*g^6)) + 2*(c^3*e^2*f^3*g + 3*c^3*d*e \\
& *f^2*g^2 - 3*a*c^2*e^2*f*g^3 - a*c^2*d*e*g^4)*x + (2*(c^5*d^3 + a*c^4*d*e^2 \\
& )*f^7 + 6*(a*c^4*d^3 + a^2*c^3*d*e^2)*f^5*g^2 + 6*(a^2*c^3*d^3 + a^3*c^2*d* \\
& e^2)*f^3*g^4 + 2*(a^3*c^2*d^3 + a^4*c*d*e^2)*f*g^6 + ((c^5*d^2*e + a*c^4*e^ \\
& 3)*f^7 + (c^5*d^3 + a*c^4*d*e^2)*f^6*g + 3*(a*c^4*d^2*e + a^2*c^3*e^3)*f^5* \\
& g^2 + 3*(a*c^4*d^3 + a^2*c^3*d*e^2)*f^4*g^3 + 3*(a^2*c^3*d^2*e + a^3*c^2*e^ \\
& 3)*f^3*g^4 + 3*(a^2*c^3*d^3 + a^3*c^2*d*e^2)*f^2*g^5 + (a^3*c^2*d^2*e + a^4 \\
& *c*e^3)*f*g^6 + (a^3*c^2*d^3 + a^4*c*d*e^2)*g^7)*x)*\sqrt{-(c^5*e^2*f^6 + 6* \\
& c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3*d*e*f*g^5 + a^2*c^3*d^2*g^ \\
& 6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a*c^4*d^2 - 3*a^2*c^3*e^2)*f \\
& ^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6*e^4)*f^12 + 6*(a^2*c^7*d^ \\
& 4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 15*(a^3*c^6*d^4 + 2*a^4*c^5 \\
& *d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 + 2*a^5*c^4*d^2*e^2 + a^6
\end{aligned}$$

$$\begin{aligned}
& c^3e^4)f^6g^6 + 15(a^5c^4d^4 + 2a^6c^3d^2e^2 + a^7c^2e^4)f^4g^8 + 6(a^6c^3d^4 + 2a^7c^2d^2e^2 + a^8c^2e^4)f^2g^{10} + (a^7c^2d^4 + 2a^8c^2d^2e^2 + a^9e^4)g^{12}))/x) + (c^2ef^4 - c^2d^3fg + a^2ef^2g^2 - a^2d^3fg^3 + (c^2ef^3g - c^2d^2fg^2 + a^2efg^3 - a^2d^2g^4)*x)*\sqrt{-(c^3d^3f^3 - 3a^2c^2e^2f^2g - 3a^2c^2d^2fg^2 + a^2c^2e^2g^3 + ((a^2c^4d^2 + a^2c^3e^2)f^6 + 3(a^2c^3d^2 + a^3c^2e^2)f^4g^2 + 3(a^3c^2d^2 + a^4c^2e^2)f^2g^4 + (a^4cd^2 + a^5e^2)g^6))*\sqrt{-(c^5e^2f^6 + 6c^5d^2e^2f^5g - 20a^2c^4d^2e^2f^3g^3 + 6a^2c^3d^2e^2f^2g^5 + a^2c^3d^2g^6 + 3(3c^5d^2 - 2a^2c^4e^2)f^4g^2 - 3(2a^2c^4d^2 - 3a^2c^3e^2)f^2g^4))/((a^2c^8d^4 + 2a^2c^7d^2e^2 + a^3c^6e^4)f^{12} + 6(a^2c^7d^4 + 2a^3c^6d^2e^2 + a^4c^5e^4)f^{10}g^2 + 15(a^3c^6d^4 + 2a^4c^5d^2e^2 + a^5c^4e^4)f^8g^4 + 20(a^4c^5d^4 + 2a^5c^4d^2e^2 + a^6c^3e^4)f^6g^6 + 15(a^5c^4d^4 + 2a^6c^3d^2e^2 + a^7c^2e^4)f^4g^8 + 6(a^6c^3d^4 + 2a^7c^2d^2e^2 + a^8c^2e^4)f^2g^{10} + (a^7c^2d^4 + 2a^8c^2d^2e^2 + a^9e^4)g^{12}))/((a^2c^4d^2 + a^2c^3e^2)f^6 + 3(a^2c^3d^2 + a^3c^2e^2)f^4g^2 + 3(a^3c^2d^2 + a^4c^2e^2)f^2g^4 + (a^4cd^2 + a^5e^2)g^6))*\log(-(c^3e^2f^4 + 4c^3d^2e^2f^3g - 4a^2c^2d^2e^2f^2g^3 - a^2c^2d^2g^4 + 3(c^3d^2 - a^2c^2e^2)f^2g^2 - 2(c^4d^2e^2f^5 - 10a^2c^3d^2e^2f^3g^2 + 5a^2c^2d^2e^2f^2g^4 + a^2c^2d^2g^5 + (3c^4d^2 - 2a^2c^3e^2)f^4g - 2(2a^2c^3d^2 - 3a^2c^2e^2)f^2g^3 - ((a^2c^5d^2e + a^2c^4e^3)f^8 + 2(a^2c^5d^3 + a^2c^4d^2e^2)f^7g + 2(a^2c^4d^2e + a^3c^3e^3)f^6g^2 + 6(a^2c^4d^3 + a^3c^3d^2e^2)f^5g^3 + 6(a^3c^3d^3 + a^4c^2d^2e^2)f^3g^5 - 2(a^4c^2d^2e + a^5c^2e^3)f^2g^6 + 2(a^4c^2d^3 + a^5c^2d^2e^2)f^2g^7 - (a^5c^2d^2e + a^6e^3)g^8))*\sqrt{-(c^5e^2f^6 + 6c^5d^2e^2f^5g - 20a^2c^4d^2e^2f^3g^3 + 6a^2c^3d^2e^2f^2g^5 + a^2c^3d^2g^6 + 3(3c^5d^2 - 2a^2c^4e^2)f^4g^2 - 3(2a^2c^4d^2 - 3a^2c^3e^2)f^2g^4))/((a^2c^8d^4 + 2a^2c^7d^2e^2 + a^3c^6e^4)f^{12} + 6(a^2c^7d^4 + 2a^3c^6d^2e^2 + a^4c^5e^4)f^{10}g^2 + 15(a^3c^6d^4 + 2a^4c^5d^2e^2 + a^5c^4e^4)f^8g^4 + 20(a^4c^5d^4 + 2a^5c^4d^2e^2 + a^6c^3e^4)f^6g^6 + 15(a^5c^4d^4 + 2a^6c^3d^2e^2 + a^7c^2e^4)f^4g^8 + 6(a^6c^3d^4 + 2a^7c^2d^2e^2 + a^8c^2e^4)f^2g^{10} + (a^7c^2d^4 + 2a^8c^2d^2e^2 + a^9e^4)g^{12}))*\sqrt{ex + d)*\sqrt{gx + f)*\sqrt{-(c^3d^3f^3 - 3a^2c^2e^2f^2g - 3a^2c^2d^2fg^2 + a^2c^2e^2g^3 + ((a^2c^4d^2 + a^2c^3e^2)f^6 + 3(a^2c^3d^2 + a^3c^2e^2)f^4g^2 + 3(a^3c^2d^2 + a^4c^2e^2)f^2g^4 + (a^4cd^2 + a^5e^2)g^6))*\sqrt{-(c^5e^2f^6 + 6c^5d^2e^2f^5g - 20a^2c^4d^2e^2f^3g^3 + 6a^2c^3d^2e^2f^2g^5 + a^2c^3d^2g^6 + 3(3c^5d^2 - 2a^2c^4e^2)f^4g^2 - 3(2a^2c^4d^2 - 3a^2c^3e^2)f^2g^4))/((a^2c^8d^4 + 2a^2c^7d^2e^2 + a^3c^6e^4)f^{12} + 6(a^2c^7d^4 + 2a^3c^6d^2e^2 + a^4c^5e^4)f^{10}g^2 + 15(a^3c^6d^4 + 2a^4c^5d^2e^2 + a^5c^4e^4)f^8g^4 + 20(a^4c^5d^4 + 2a^5c^4d^2e^2 + a^6c^3e^4)f^6g^6 + 15(a^5c^4d^4 + 2a^6c^3d^2e^2 + a^7c^2e^4)f^4g^8 + 6(a^6c^3d^4 + 2a^7c^2d^2e^2 + a^8c^2e^4)f^2g^{10} + (a^7c^2d^4 + 2a^8c^2d^2e^2 + a^9e^4)g^{12}))/((a^2c^4d^2 + a^2c^3e^2)f^6 + 3(a^2c^3d^2 + a^3c^2e^2)f^4g^2 + 3(a^3c^2d^2 + a^4c^2e^2)f^2g^4 + (a^4cd^2 + a^5e^2)g^6)) + 2(c^3e^2f^3g + 3c^3
\end{aligned}$$

$$\begin{aligned}
& *d*e*f^2*g^2 - 3*a*c^2*e^2*f*g^3 - a*c^2*d*e*g^4)*x + (2*(c^5*d^3 + a*c^4*d \\
& *e^2)*f^7 + 6*(a*c^4*d^3 + a^2*c^3*d*e^2)*f^5*g^2 + 6*(a^2*c^3*d^3 + a^3*c^ \\
& 2*d*e^2)*f^3*g^4 + 2*(a^3*c^2*d^3 + a^4*c*d*e^2)*f*g^6 + ((c^5*d^2*e + a*c^ \\
& 4*e^3)*f^7 + (c^5*d^3 + a*c^4*d*e^2)*f^6*g + 3*(a*c^4*d^2*e + a^2*c^3*e^3)* \\
& f^5*g^2 + 3*(a*c^4*d^3 + a^2*c^3*d*e^2)*f^4*g^3 + 3*(a^2*c^3*d^2*e + a^3*c^ \\
& 2*e^3)*f^3*g^4 + 3*(a^2*c^3*d^3 + a^3*c^2*d*e^2)*f^2*g^5 + (a^3*c^2*d^2*e + \\
& a^4*c*e^3)*f*g^6 + (a^3*c^2*d^3 + a^4*c*d*e^2)*g^7)*x)*sqrt(-(c^5*e^2*f^6 \\
& + 6*c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3*d*e*f*g^5 + a^2*c^3*d^ \\
& 2*g^6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a*c^4*d^2 - 3*a^2*c^3*e^ \\
& 2)*f^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6*e^4)*f^12 + 6*(a^2*c^ \\
& 7*d^4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 15*(a^3*c^6*d^4 + 2*a^4 \\
& *c^5*d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 + 2*a^5*c^4*d^2*e^2 + \\
& a^6*c^3*e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^2*e^2 + a^7*c^2*e^4)* \\
& f^4*g^8 + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c*e^4)*f^2*g^10 + (a^7*c \\
& ^2*d^4 + 2*a^8*c*d^2*e^2 + a^9*e^4)*g^12))) / x) - (c*e*f^4 - c*d*f^3*g + a*e \\
& *f^2*g^2 - a*d*f*g^3 + (c*e*f^3*g - c*d*f^2*g^2 + a*e*f*g^3 - a*d*g^4)*x)*s \\
& qrt(-(c^3*d*f^3 - 3*a*c^2*e*f^2*g - 3*a*c^2*d*f*g^2 + a^2*c*e*g^3 - ((a*c^4 \\
& *d^2 + a^2*c^3*e^2)*f^6 + 3*(a^2*c^3*d^2 + a^3*c^2*e^2)*f^4*g^2 + 3*(a^3*c^ \\
& 2*d^2 + a^4*c*e^2)*f^2*g^4 + (a^4*c*d^2 + a^5*e^2)*g^6)*sqrt(-(c^5*e^2*f^6 \\
& + 6*c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3*d*e*f*g^5 + a^2*c^3*d^ \\
& 2*g^6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a*c^4*d^2 - 3*a^2*c^3*e^ \\
& 2)*f^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6*e^4)*f^12 + 6*(a^2*c^ \\
& 7*d^4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 15*(a^3*c^6*d^4 + 2*a^4 \\
& *c^5*d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 + 2*a^5*c^4*d^2*e^2 + \\
& a^6*c^3*e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^2*e^2 + a^7*c^2*e^4)* \\
& f^4*g^8 + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c*e^4)*f^2*g^10 + (a^7*c \\
& ^2*d^4 + 2*a^8*c*d^2*e^2 + a^9*e^4)*g^12))) / ((a*c^4*d^2 + a^2*c^3*e^2)*f^6 \\
& + 3*(a^2*c^3*d^2 + a^3*c^2*e^2)*f^4*g^2 + 3*(a^3*c^2*d^2 + a^4*c*e^2)*f^2*g \\
& ^4 + (a^4*c*d^2 + a^5*e^2)*g^6))*log(-(c^3*e^2*f^4 + 4*c^3*d*e*f^3*g - 4*a* \\
& c^2*d*e*f*g^3 - a*c^2*d^2*g^4 + 3*(c^3*d^2 - a*c^2*e^2)*f^2*g^2 + 2*(c^4*d* \\
& e*f^5 - 10*a*c^3*d*e*f^3*g^2 + 5*a^2*c^2*d*e*f*g^4 + a^2*c^2*d^2*g^5 + (3*c \\
& ^4*d^2 - 2*a*c^3*e^2)*f^4*g - 2*(2*a*c^3*d^2 - 3*a^2*c^2*e^2)*f^2*g^3 + ((a \\
& *c^5*d^2*e + a^2*c^4*e^3)*f^8 + 2*(a*c^5*d^3 + a^2*c^4*d*e^2)*f^7*g + 2*(a^ \\
& 2*c^4*d^2*e + a^3*c^3*e^3)*f^6*g^2 + 6*(a^2*c^4*d^3 + a^3*c^3*d*e^2)*f^5*g^ \\
& 3 + 6*(a^3*c^3*d^3 + a^4*c^2*d*e^2)*f^3*g^5 - 2*(a^4*c^2*d^2*e + a^5*c*e^3) \\
& *f^2*g^6 + 2*(a^4*c^2*d^3 + a^5*c*d*e^2)*f*g^7 - (a^5*c*d^2*e + a^6*e^3)*g^ \\
& 8)*sqrt(-(c^5*e^2*f^6 + 6*c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3* \\
& d*e*f*g^5 + a^2*c^3*d^2*g^6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a* \\
& c^4*d^2 - 3*a^2*c^3*e^2)*f^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6 \\
& *e^4)*f^12 + 6*(a^2*c^7*d^4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 1 \\
& 5*(a^3*c^6*d^4 + 2*a^4*c^5*d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 \\
& + 2*a^5*c^4*d^2*e^2 + a^6*c^3*e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^ \\
& ^2*e^2 + a^7*c^2*e^4)*f^4*g^8 + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c* \\
& e^4)*f^2*g^10 + (a^7*c^2*d^4 + 2*a^8*c*d^2*e^2 + a^9*e^4)*g^12))) *sqrt(e*x \\
& + d)*sqrt(g*x + f)*sqrt(-(c^3*d*f^3 - 3*a*c^2*e*f^2*g - 3*a*c^2*d*f*g^2 + a
\end{aligned}$$



$$\begin{aligned}
&^2*c*e*g^3 - ((a*c^4*d^2 + a^2*c^3*e^2)*f^6 + 3*(a^2*c^3*d^2 + a^3*c^2*e^2) \\
&*f^4*g^2 + 3*(a^3*c^2*d^2 + a^4*c*e^2)*f^2*g^4 + (a^4*c*d^2 + a^5*e^2)*g^6) \\
&*sqrt(-(c^5*e^2*f^6 + 6*c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3*d* \\
&e*f*g^5 + a^2*c^3*d^2*g^6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a*c^ \\
&4*d^2 - 3*a^2*c^3*e^2)*f^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6*e \\
&^4)*f^12 + 6*(a^2*c^7*d^4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 15* \\
&(a^3*c^6*d^4 + 2*a^4*c^5*d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 + \\
&2*a^5*c^4*d^2*e^2 + a^6*c^3*e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^2 \\
&*e^2 + a^7*c^2*e^4)*f^4*g^8 + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c*e^ \\
&4)*f^2*g^10 + (a^7*c^2*d^4 + 2*a^8*c*d^2*e^2 + a^9*e^4)*g^12)))/((a*c^4*d^2 \\
&+ a^2*c^3*e^2)*f^6 + 3*(a^2*c^3*d^2 + a^3*c^2*e^2)*f^4*g^2 + 3*(a^3*c^2*d^ \\
&2 + a^4*c*e^2)*f^2*g^4 + (a^4*c*d^2 + a^5*e^2)*g^6)) + 2*(c^3*e^2*f^3*g + 3 \\
&*c^3*d*e*f^2*g^2 - 3*a*c^2*e^2*f*g^3 - a*c^2*d*e*g^4)*x - (2*(c^5*d^3 + a*c \\
&^4*d*e^2)*f^7 + 6*(a*c^4*d^3 + a^2*c^3*d*e^2)*f^5*g^2 + 6*(a^2*c^3*d^3 + a^ \\
&3*c^2*d*e^2)*f^3*g^4 + 2*(a^3*c^2*d^3 + a^4*c*d*e^2)*f*g^6 + ((c^5*d^2*e + \\
&a*c^4*e^3)*f^7 + (c^5*d^3 + a*c^4*d*e^2)*f^6*g + 3*(a*c^4*d^2*e + a^2*c^3*e \\
&^3)*f^5*g^2 + 3*(a*c^4*d^3 + a^2*c^3*d*e^2)*f^4*g^3 + 3*(a^2*c^3*d^2*e + a^ \\
&3*c^2*e^3)*f^3*g^4 + 3*(a^2*c^3*d^3 + a^3*c^2*d*e^2)*f^2*g^5 + (a^3*c^2*d^2 \\
&*e + a^4*c*e^3)*f*g^6 + (a^3*c^2*d^3 + a^4*c*d*e^2)*g^7)*x)*sqrt(-(c^5*e^2* \\
&f^6 + 6*c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3*d*e*f*g^5 + a^2*c^ \\
&3*d^2*g^6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a*c^4*d^2 - 3*a^2*c^ \\
&3*e^2)*f^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6*e^4)*f^12 + 6*(a^ \\
&2*c^7*d^4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 15*(a^3*c^6*d^4 + 2 \\
&*a^4*c^5*d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 + 2*a^5*c^4*d^2*e \\
&^2 + a^6*c^3*e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^2*e^2 + a^7*c^2*e \\
&^4)*f^4*g^8 + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c*e^4)*f^2*g^10 + (a \\
&^7*c^2*d^4 + 2*a^8*c*d^2*e^2 + a^9*e^4)*g^12))/x) + (c*e*f^4 - c*d*f^3*g + \\
&a*e*f^2*g^2 - a*d*f*g^3 + (c*e*f^3*g - c*d*f^2*g^2 + a*e*f*g^3 - a*d*g^4)* \\
&x)*sqrt(-(c^3*d*f^3 - 3*a*c^2*e*f^2*g - 3*a*c^2*d*f*g^2 + a^2*c*e*g^3 - ((a \\
&*c^4*d^2 + a^2*c^3*e^2)*f^6 + 3*(a^2*c^3*d^2 + a^3*c^2*e^2)*f^4*g^2 + 3*(a^ \\
&3*c^2*d^2 + a^4*c*e^2)*f^2*g^4 + (a^4*c*d^2 + a^5*e^2)*g^6)*sqrt(-(c^5*e^2* \\
&f^6 + 6*c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3*d*e*f*g^5 + a^2*c^ \\
&3*d^2*g^6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a*c^4*d^2 - 3*a^2*c^ \\
&3*e^2)*f^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6*e^4)*f^12 + 6*(a^ \\
&2*c^7*d^4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 15*(a^3*c^6*d^4 + 2 \\
&*a^4*c^5*d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 + 2*a^5*c^4*d^2*e \\
&^2 + a^6*c^3*e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^2*e^2 + a^7*c^2*e \\
&^4)*f^4*g^8 + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c*e^4)*f^2*g^10 + (a \\
&^7*c^2*d^4 + 2*a^8*c*d^2*e^2 + a^9*e^4)*g^12)))/((a*c^4*d^2 + a^2*c^3*e^2)* \\
&f^6 + 3*(a^2*c^3*d^2 + a^3*c^2*e^2)*f^4*g^2 + 3*(a^3*c^2*d^2 + a^4*c*e^2)*f \\
&^2*g^4 + (a^4*c*d^2 + a^5*e^2)*g^6))*log(-(c^3*e^2*f^4 + 4*c^3*d*e*f^3*g - \\
&4*a*c^2*d*e*f*g^3 - a*c^2*d^2*g^4 + 3*(c^3*d^2 - a*c^2*e^2)*f^2*g^2 - 2*(c^ \\
&4*d*e*f^5 - 10*a*c^3*d*e*f^3*g^2 + 5*a^2*c^2*d*e*f*g^4 + a^2*c^2*d^2*g^5 + \\
&(3*c^4*d^2 - 2*a*c^3*e^2)*f^4*g - 2*(2*a*c^3*d^2 - 3*a^2*c^2*e^2)*f^2*g^3 + \\
&((a*c^5*d^2*e + a^2*c^4*e^3)*f^8 + 2*(a*c^5*d^3 + a^2*c^4*d*e^2)*f^7*g + 2
\end{aligned}$$

$$\begin{aligned}
&*(a^2*c^4*d^2*e + a^3*c^3*e^3)*f^6*g^2 + 6*(a^2*c^4*d^3 + a^3*c^3*d*e^2)*f^5*g^3 + 6*(a^3*c^3*d^3 + a^4*c^2*d^2*e^2)*f^3*g^5 - 2*(a^4*c^2*d^2*e + a^5*c^2*e^3)*f^2*g^6 + 2*(a^4*c^2*d^3 + a^5*c*d*e^2)*f*g^7 - (a^5*c*d^2*e + a^6*e^3)*g^8)*\sqrt{-(c^5*e^2*f^6 + 6*c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3*d*e*f*g^5 + a^2*c^3*d^2*g^6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a*c^4*d^2 - 3*a^2*c^3*e^2)*f^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6*e^4)*f^12 + 6*(a^2*c^7*d^4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 15*(a^3*c^6*d^4 + 2*a^4*c^5*d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 + 2*a^5*c^4*d^2*e^2 + a^6*c^3*e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^2*e^2 + a^7*c^2*e^4)*f^4*g^8 + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c^2*e^4)*f^2*g^10 + (a^7*c^2*d^4 + 2*a^8*c*d^2*e^2 + a^9*e^4)*g^12)))*\sqrt{(e*x + d)*\sqrt{(g*x + f)*\sqrt{-(c^3*d*f^3 - 3*a*c^2*e*f^2*g - 3*a*c^2*d*f*g^2 + a^2*c*e*g^3 - ((a*c^4*d^2 + a^2*c^3*e^2)*f^6 + 3*(a^2*c^3*d^2 + a^3*c^2*e^2)*f^4*g^2 + 3*(a^3*c^2*d^2 + a^4*c*e^2)*f^2*g^4 + (a^4*c*d^2 + a^5*e^2)*g^6))*\sqrt{-(c^5*e^2*f^6 + 6*c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3*d*e*f*g^5 + a^2*c^3*d^2*g^6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a*c^4*d^2 - 3*a^2*c^3*e^2)*f^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6*e^4)*f^12 + 6*(a^2*c^7*d^4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 15*(a^3*c^6*d^4 + 2*a^4*c^5*d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 + 2*a^5*c^4*d^2*e^2 + a^6*c^3*e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^2*e^2 + a^7*c^2*e^4)*f^4*g^8 + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c^2*e^4)*f^2*g^10 + (a^7*c^2*d^4 + 2*a^8*c*d^2*e^2 + a^9*e^4)*g^12)))/((a*c^4*d^2 + a^2*c^3*e^2)*f^6 + 3*(a^2*c^3*d^2 + a^3*c^2*e^2)*f^4*g^2 + 3*(a^3*c^2*d^2 + a^4*c*e^2)*f^2*g^4 + (a^4*c*d^2 + a^5*e^2)*g^6)) + 2*(c^3*e^2*f^3*g + 3*c^3*d*e*f^2*g^2 - 3*a*c^2*e^2*f*g^3 - a*c^2*d*e*g^4)*x - (2*(c^5*d^3 + a*c^4*d*e^2)*f^7 + 6*(a*c^4*d^3 + a^2*c^3*d*e^2)*f^5*g^2 + 6*(a^2*c^3*d^3 + a^3*c^2*d*e^2)*f^3*g^4 + 2*(a^3*c^2*d^3 + a^4*c*d*e^2)*f*g^6 + ((c^5*d^2*e + a*c^4*e^3)*f^7 + (c^5*d^3 + a*c^4*d*e^2)*f^6*g + 3*(a*c^4*d^2*e + a^2*c^3*e^3)*f^5*g^2 + 3*(a*c^4*d^3 + a^2*c^3*d*e^2)*f^4*g^3 + 3*(a^2*c^3*d^2*e + a^3*c^2*e^3)*f^3*g^4 + 3*(a^2*c^3*d^3 + a^3*c^2*d*e^2)*f^2*g^5 + (a^3*c^2*d^2*e + a^4*c*e^3)*f*g^6 + (a^3*c^2*d^3 + a^4*c*d*e^2)*g^7)*x)*\sqrt{-(c^5*e^2*f^6 + 6*c^5*d*e*f^5*g - 20*a*c^4*d*e*f^3*g^3 + 6*a^2*c^3*d*e*f*g^5 + a^2*c^3*d^2*g^6 + 3*(3*c^5*d^2 - 2*a*c^4*e^2)*f^4*g^2 - 3*(2*a*c^4*d^2 - 3*a^2*c^3*e^2)*f^2*g^4)/((a*c^8*d^4 + 2*a^2*c^7*d^2*e^2 + a^3*c^6*e^4)*f^12 + 6*(a^2*c^7*d^4 + 2*a^3*c^6*d^2*e^2 + a^4*c^5*e^4)*f^10*g^2 + 15*(a^3*c^6*d^4 + 2*a^4*c^5*d^2*e^2 + a^5*c^4*e^4)*f^8*g^4 + 20*(a^4*c^5*d^4 + 2*a^5*c^4*d^2*e^2 + a^6*c^3*e^4)*f^6*g^6 + 15*(a^5*c^4*d^4 + 2*a^6*c^3*d^2*e^2 + a^7*c^2*e^4)*f^4*g^8 + 6*(a^6*c^3*d^4 + 2*a^7*c^2*d^2*e^2 + a^8*c^2*e^4)*f^2*g^10 + (a^7*c^2*d^4 + 2*a^8*c*d^2*e^2 + a^9*e^4)*g^12))/x))/((c*e*f^4 - c*d*f^3*g + a*e*f^2*g^2 - a*d*f*g^3 + (c*e*f^3*g - c*d*f^2*g^2 + a*e*f*g^3 - a*d*g^4)*x)
\end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(1/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.09, size = 10977, normalized size = 31.01

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)^(1/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + a)\sqrt{ex + d}(gx + f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(1/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x, algorithm="maxima")

[Out] integrate(1/((c\*x^2 + a)\*sqrt(e\*x + d)\*(g\*x + f)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(f + gx)^{3/2} (cx^2 + a) \sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((f + g\*x)^(3/2)\*(a + c\*x^2)\*(d + e\*x)^(1/2)),x)

[Out] int(1/((f + g\*x)^(3/2)\*(a + c\*x^2)\*(d + e\*x)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + cx^2) \sqrt{d + ex} (f + gx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)\*\*(1/2)/(g\*x+f)\*\*(3/2)/(c\*x\*\*2+a),x)

[Out] Integral(1/((a + c\*x\*\*2)\*sqrt(d + e\*x)\*(f + g\*x)\*\*(3/2)), x)

$$3.419 \quad \int \frac{1}{(d+ex)^{3/2}(f+gx)^{3/2}(a+cx^2)} dx$$

**Optimal.** Leaf size=549

$$\frac{e}{\sqrt{-a} \sqrt{d+ex} \sqrt{f+gx} (\sqrt{c}d - \sqrt{-a}e) (ef - dg)} + \frac{e}{\sqrt{-a} \sqrt{d+ex} \sqrt{f+gx} (\sqrt{-a}e + \sqrt{c}d) (ef - dg)} + \frac{e}{\sqrt{-a} \sqrt{f+gx}}$$

**Rubi [A]** time = 1.32, antiderivative size = 543, normalized size of antiderivative = 0.99, number of steps used = 12, number of rules used = 6, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {912, 104, 152, 12, 93, 208}

$$\frac{e}{\sqrt{-a} \sqrt{d+ex} \sqrt{f+gx} (\sqrt{c}d - \sqrt{-a}e) (ef - dg)} + \frac{e}{\sqrt{-a} \sqrt{d+ex} \sqrt{f+gx} (\sqrt{-a}e + \sqrt{c}d) (ef - dg)} + \frac{g\sqrt{d+cx} (2aeg - \sqrt{-a} \sqrt{c} (dg + ef))}{a\sqrt{f+gx} (\sqrt{-a}e + \sqrt{c}d) (\sqrt{-a}g + \sqrt{c}f) (ef - dg)^2} + \frac{g\sqrt{d+cx} (\sqrt{-a} \sqrt{c} (dg + ef) + 2aeg)}{a\sqrt{f+gx} (\sqrt{c}d - \sqrt{-a}e) (\sqrt{c}f - \sqrt{-a}g) (ef - dg)^2} + \frac{c \tanh^{-1} \left( \frac{\sqrt{d+cx} \sqrt{c}f - \sqrt{-a}g}{\sqrt{f+gx} \sqrt{d+cx}} \right)}{\sqrt{-a} (\sqrt{c}d - \sqrt{-a}e)^{3/2} (\sqrt{c}f - \sqrt{-a}g)^{3/2}} - \frac{c \tanh^{-1} \left( \frac{\sqrt{d+cx} \sqrt{-a}g + \sqrt{c}f}{\sqrt{f+gx} \sqrt{d+cx}} \right)}{\sqrt{-a} (\sqrt{-a}e + \sqrt{c}d)^{3/2} (\sqrt{-a}g + \sqrt{c}f)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)^(3/2)\*(f + g\*x)^(3/2)\*(a + c\*x^2)),x]

[Out] -(e/(Sqrt[-a]\*(Sqrt[c]\*d - Sqrt[-a]\*e))\*(e\*f - d\*g)\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])) + e/(Sqrt[-a]\*(Sqrt[c]\*d + Sqrt[-a]\*e))\*(e\*f - d\*g)\*Sqrt[d + e\*x]\*Sqrt[f + g\*x]) + (g\*(2\*a\*e\*g - Sqrt[-a]\*Sqrt[c]\*(e\*f + d\*g))\*Sqrt[d + e\*x])/(a\*(Sqrt[c]\*d + Sqrt[-a]\*e)\*(Sqrt[c]\*f + Sqrt[-a]\*g)\*(e\*f - d\*g)^2\*Sqrt[f + g\*x]) + (g\*(2\*a\*e\*g + Sqrt[-a]\*Sqrt[c]\*(e\*f + d\*g))\*Sqrt[d + e\*x])/(a\*(Sqrt[c]\*d - Sqrt[-a]\*e)\*(Sqrt[c]\*f - Sqrt[-a]\*g)\*(e\*f - d\*g)^2\*Sqrt[f + g\*x]) + (c\*ArcTanh[(Sqrt[Sqrt[c]\*f - Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d - Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*(Sqrt[c]\*d - Sqrt[-a]\*e)^(3/2)\*(Sqrt[c]\*f - Sqrt[-a]\*g)^(3/2)) - (c\*ArcTanh[(Sqrt[Sqrt[c]\*f + Sqrt[-a]\*g]\*Sqrt[d + e\*x])/(Sqrt[Sqrt[c]\*d + Sqrt[-a]\*e]\*Sqrt[f + g\*x])])/(Sqrt[-a]\*(Sqrt[c]\*d + Sqrt[-a]\*e)^(3/2)\*(Sqrt[c]\*f + Sqrt[-a]\*g)^(3/2))

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 93

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

Rule 104

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[(b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 152

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_)*((g_.) + (h_.)*(x_)), x_Symbol] := Simp[((b*g - a*h)*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[(a*d*f*g - b*(d*e + c*f)*g + b*c*e*h)*(m + 1) - (b*g - a*h)*(d*e*(n + 1) + c*f*(p + 1)) - d*f*(b*g - a*h)*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, n, p}, x] && LtQ[m, -1] && IntegersQ[2*m, 2*n, 2*p]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 912

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n, 1/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g, m, n}, x] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[m] && !IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex)^{3/2}(f+gx)^{3/2}(a+cx^2)} dx &= \int \left( \frac{\sqrt{-a}}{2a(\sqrt{-a}-\sqrt{c}x)(d+ex)^{3/2}(f+gx)^{3/2}} + \frac{\sqrt{-a}}{2a(\sqrt{-a}+\sqrt{c}x)(d+ex)^{3/2}} \right) dx \\
&= -\frac{\int \frac{1}{(\sqrt{-a}-\sqrt{c}x)(d+ex)^{3/2}(f+gx)^{3/2}} dx}{2\sqrt{-a}} - \frac{\int \frac{1}{(\sqrt{-a}+\sqrt{c}x)(d+ex)^{3/2}(f+gx)^{3/2}} dx}{2\sqrt{-a}} \\
&= -\frac{e}{\sqrt{-a}(\sqrt{c}d-\sqrt{-a}e)(ef-dg)\sqrt{d+ex}\sqrt{f+gx}} + \frac{e}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)(ef-dg)\sqrt{d+ex}\sqrt{f+gx}} \\
&= -\frac{e}{\sqrt{-a}(\sqrt{c}d-\sqrt{-a}e)(ef-dg)\sqrt{d+ex}\sqrt{f+gx}} + \frac{e}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)(ef-dg)\sqrt{d+ex}\sqrt{f+gx}} \\
&= -\frac{e}{\sqrt{-a}(\sqrt{c}d-\sqrt{-a}e)(ef-dg)\sqrt{d+ex}\sqrt{f+gx}} + \frac{e}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)(ef-dg)\sqrt{d+ex}\sqrt{f+gx}} \\
&= -\frac{e}{\sqrt{-a}(\sqrt{c}d-\sqrt{-a}e)(ef-dg)\sqrt{d+ex}\sqrt{f+gx}} + \frac{e}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)(ef-dg)\sqrt{d+ex}\sqrt{f+gx}} \\
&= -\frac{e}{\sqrt{-a}(\sqrt{c}d-\sqrt{-a}e)(ef-dg)\sqrt{d+ex}\sqrt{f+gx}} + \frac{e}{\sqrt{-a}(\sqrt{c}d+\sqrt{-a}e)(ef-dg)\sqrt{d+ex}\sqrt{f+gx}}
\end{aligned}$$

**Mathematica [A]** time = 2.07, size = 521, normalized size = 0.95

$$\frac{\frac{e}{\sqrt{d+ex}\sqrt{f+gx}(\sqrt{-a}e-\sqrt{c}d)} + \frac{e}{\sqrt{d+ex}\sqrt{f+gx}(\sqrt{-a}e+\sqrt{c}d)} + \frac{g\sqrt{d+ex}(2\sqrt{-a}eg+\sqrt{c}(dg+ef))}{\sqrt{f+gx}(\sqrt{-a}e+\sqrt{c}d)(\sqrt{-a}g+\sqrt{c}f)(ef-dg)} + \frac{\frac{c(ef-dg)\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g-\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e-\sqrt{c}d}}\right)}{\sqrt{f+gx}(\sqrt{c}f-\sqrt{-a}g)(ef-dg)} + \frac{c(ef-dg)\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g-\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e-\sqrt{c}d}}\right)}{\sqrt{f+gx}(\sqrt{c}f-\sqrt{-a}g)(ef-dg)}}{\sqrt{c}d-\sqrt{-a}e} + \frac{c(dg-ef)\tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{\sqrt{-a}g+\sqrt{c}f}}{\sqrt{f+gx}\sqrt{\sqrt{-a}e+\sqrt{c}d}}\right)}{(\sqrt{-a}e+\sqrt{c}d)(\sqrt{-a}g+\sqrt{c}f)^{3/2}}}{\sqrt{-a}(ef-dg)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)^(3/2)\*(f + g\*x)^(3/2)\*(a + c\*x^2)),x]

[Out] (e/((-Sqrt[c]\*d) + Sqrt[-a]\*e)\*Sqrt[d + e\*x]\*Sqrt[f + g\*x]) + e/((Sqrt[c]\*d + Sqrt[-a]\*e)\*Sqrt[d + e\*x]\*Sqrt[f + g\*x]) + (g\*(2\*Sqrt[-a]\*e\*g + Sqrt[c]\*(e\*f + d\*g))\*Sqrt[d + e\*x])/((Sqrt[c]\*d + Sqrt[-a]\*e)\*(Sqrt[c]\*f + Sqrt[-a]\*g)\*(e\*f - d\*g)\*Sqrt[f + g\*x]) + ((g\*(2\*Sqrt[-a]\*e\*g - Sqrt[c]\*(e\*f + d\*g))\*Sqrt[d + e\*x])/((Sqrt[c]\*f - Sqrt[-a]\*g)\*(e\*f - d\*g)\*Sqrt[f + g\*x]) + (c

$$\frac{(e* f - d* g)* \text{ArcTanh}[(\text{Sqrt}[-(\text{Sqrt}[c]* f) + \text{Sqrt}[-a]* g]* \text{Sqrt}[d + e* x]) / (\text{Sqrt}[-(\text{Sqrt}[c]* d) + \text{Sqrt}[-a]* e]* \text{Sqrt}[f + g* x])]}{(\text{Sqrt}[-(\text{Sqrt}[c]* d) + \text{Sqrt}[-a]* e]* \text{Sqrt}[f + g* x])} * (-\text{Sqrt}[c]* f + \text{Sqrt}[-a]* g)^{(3/2)}}{(\text{Sqrt}[c]* d - \text{Sqrt}[-a]* e) + (c*(-(e* f) + d* g)* \text{ArcTanh}[(\text{Sqrt}[\text{Sqrt}[c]* f + \text{Sqrt}[-a]* g]* \text{Sqrt}[d + e* x]) / (\text{Sqrt}[\text{Sqrt}[c]* d + \text{Sqrt}[-a]* e]* \text{Sqrt}[f + g* x])]} / ((\text{Sqrt}[c]* d + \text{Sqrt}[-a]* e)^{(3/2}) * (\text{Sqrt}[c]* f + \text{Sqrt}[-a]* g)^{(3/2))} / (\text{Sqrt}[-a]* (e* f - d* g))$$

**IntegrateAlgebraic [C]** time = 1.69, size = 492, normalized size = 0.90

$$\frac{ic(\sqrt{c}d - i\sqrt{a}e)^2 \tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{-i\sqrt{a}\sqrt{c}dg+i\sqrt{a}\sqrt{c}ef-ae^2-cd^2}}\right)}{\sqrt{a}(ae^2+cd^2)^{3/2}(\sqrt{c}f+i\sqrt{a}g)\sqrt{-((\sqrt{c}d-i\sqrt{a}e)(\sqrt{c}f+i\sqrt{a}g))}} + \frac{ic(\sqrt{c}d+i\sqrt{a}e)^2 \tan^{-1}\left(\frac{\sqrt{f+gx}\sqrt{ae^2+cd^2}}{\sqrt{d+ex}\sqrt{i\sqrt{a}\sqrt{c}dg-i\sqrt{a}\sqrt{c}ef-ae^2-cd^2}}\right)}{\sqrt{a}(ae^2+cd^2)^{3/2}(\sqrt{c}f-i\sqrt{a}g)\sqrt{-((\sqrt{c}d+i\sqrt{a}e)(\sqrt{c}f-i\sqrt{a}g))}} - \frac{2\sqrt{d+ex}\left(\frac{ae^2g^2(f+gx)}{d+ex} + ae^2g^3 + cd^2g^3 + \frac{ce^3f^2(f+gx)}{d+ex}\right)}{\sqrt{f+gx}(ae^2+cd^2)(ag^2+cf^2)(dg-ef)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)^(3/2)\*(f + g\*x)^(3/2)\*(a + c\*x^2)),x]

[Out] 
$$\frac{(-2*\text{Sqrt}[d + e*x]*(c*d^2*g^3 + a*e^2*g^3 + (c*e^3*f^2*(f + g*x))/(d + e*x) + (a*e^3*g^2*(f + g*x))/(d + e*x)) / ((c*d^2 + a*e^2)*(-(e*f) + d*g)^2*(c*f^2 + a*g^2)*\text{Sqrt}[f + g*x]) - (I*c*(\text{Sqrt}[c]*d - I*\text{Sqrt}[a]*e)^2*\text{ArcTan}[(\text{Sqrt}[c]*d^2 + a*e^2)*\text{Sqrt}[f + g*x]) / (\text{Sqrt}[-(c*d*f) + I*\text{Sqrt}[a]*\text{Sqrt}[c]*e*f - I*\text{Sqrt}[a]*\text{Sqrt}[c]*d*g - a*e*g]*\text{Sqrt}[d + e*x])]}{(\text{Sqrt}[a]*(c*d^2 + a*e^2)^{(3/2}) * (\text{Sqrt}[c]*f + I*\text{Sqrt}[a]*g)*\text{Sqrt}[-((\text{Sqrt}[c]*d - I*\text{Sqrt}[a]*e)*(\text{Sqrt}[c]*f + I*\text{Sqrt}[a]*g))]} + (I*c*(\text{Sqrt}[c]*d + I*\text{Sqrt}[a]*e)^2*\text{ArcTan}[(\text{Sqrt}[c*d^2 + a*e^2]*\text{Sqrt}[f + g*x]) / (\text{Sqrt}[-(c*d*f) - I*\text{Sqrt}[a]*\text{Sqrt}[c]*e*f + I*\text{Sqrt}[a]*\text{Sqrt}[c]*d*g - a*e*g]*\text{Sqrt}[d + e*x])]}{(\text{Sqrt}[a]*(c*d^2 + a*e^2)^{(3/2}) * (\text{Sqrt}[c]*f - I*\text{Sqrt}[a]*g)*\text{Sqrt}[-((\text{Sqrt}[c]*d + I*\text{Sqrt}[a]*e)*(\text{Sqrt}[c]*f - I*\text{Sqrt}[a]*g))}]$$

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(3/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x, algorithm="fricas")

[Out] Timed out

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(3/2)/(g\*x+f)^(3/2)/(c\*x^2+a),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.23, size = 30656, normalized size = 55.84

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x+d)^(3/2)/(g*x+f)^(3/2)/(c*x^2+a), x)`

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + a)(ex + d)^{\frac{3}{2}}(gx + f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)^(3/2)/(g*x+f)^(3/2)/(c*x^2+a), x, algorithm="maxima")`

[Out] `integrate(1/((c*x^2 + a)*(e*x + d)^(3/2)*(g*x + f)^(3/2)), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(f + gx)^{3/2} (cx^2 + a) (d + ex)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((f + g*x)^(3/2)*(a + c*x^2)*(d + e*x)^(3/2)), x)`

[Out] `int(1/((f + g*x)^(3/2)*(a + c*x^2)*(d + e*x)^(3/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + cx^2)(d + ex)^{\frac{3}{2}}(f + gx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)**(3/2)/(g*x+f)**(3/2)/(c*x**2+a), x)`

[Out] `Integral(1/((a + c*x**2)*(d + e*x)**(3/2)*(f + g*x)**(3/2)), x)`



$$3.420 \quad \int \frac{\sqrt{x}}{\sqrt{1+x}(1+x^2)} dx$$

Optimal. Leaf size=65

$$-\frac{1}{2}(1-i)^{3/2} \tanh^{-1}\left(\frac{\sqrt{1-i}\sqrt{x}}{\sqrt{x+1}}\right) - \frac{1}{2}(1+i)^{3/2} \tanh^{-1}\left(\frac{\sqrt{1+i}\sqrt{x}}{\sqrt{x+1}}\right)$$

Rubi [A] time = 0.05, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {910, 93, 208}

$$-\frac{1}{2}(1-i)^{3/2} \tanh^{-1}\left(\frac{\sqrt{1-i}\sqrt{x}}{\sqrt{x+1}}\right) - \frac{1}{2}(1+i)^{3/2} \tanh^{-1}\left(\frac{\sqrt{1+i}\sqrt{x}}{\sqrt{x+1}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[x]/(Sqrt[1+x]\*(1+x^2)),x]

[Out] -((1-I)^(3/2)\*ArcTanh[(Sqrt[1-I]\*Sqrt[x])/Sqrt[1+x]])/2 - ((1+I)^(3/2)\*ArcTanh[(Sqrt[1+I]\*Sqrt[x])/Sqrt[1+x]])/2

Rule 93

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m+1)-1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

Rule 208

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 910

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)/(Sqrt[(f\_.) + (g\_.)\*(x\_)]\*((a\_.) + (c\_.)\*(x\_)^2)), x\_Symbol] := Int[ExpandIntegrand[1/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), (d + e\*x)^(m+1/2)/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c\*d^2 + a\*e^2, 0] && IGtQ[m + 1/2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{x}}{\sqrt{1+x}(1+x^2)} dx &= \int \left( -\frac{1}{2(i-x)\sqrt{x}\sqrt{1+x}} + \frac{1}{2\sqrt{x}(i+x)\sqrt{1+x}} \right) dx \\
&= -\left( \frac{1}{2} \int \frac{1}{(i-x)\sqrt{x}\sqrt{1+x}} dx \right) + \frac{1}{2} \int \frac{1}{\sqrt{x}(i+x)\sqrt{1+x}} dx \\
&= -\text{Subst} \left( \int \frac{1}{i-(1+i)x^2} dx, x, \frac{\sqrt{x}}{\sqrt{1+x}} \right) + \text{Subst} \left( \int \frac{1}{i+(1-i)x^2} dx, x, \frac{\sqrt{x}}{\sqrt{1+x}} \right) \\
&= -\frac{1}{2}(1-i)^{3/2} \tanh^{-1} \left( \frac{\sqrt{1-i}\sqrt{x}}{\sqrt{1+x}} \right) - \frac{1}{2}(1+i)^{3/2} \tanh^{-1} \left( \frac{\sqrt{1+i}\sqrt{x}}{\sqrt{1+x}} \right)
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 63, normalized size = 0.97

$$\frac{1}{2} \left( -(-1+i)^{3/2} \tan^{-1} \left( \sqrt{-1+i} \sqrt{\frac{x}{x+1}} \right) - (1+i)^{3/2} \tanh^{-1} \left( \sqrt{1+i} \sqrt{\frac{x}{x+1}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[x]/(Sqrt[1+x]\*(1+x^2)),x]

[Out] (-((-1+I)^(3/2)\*ArcTan[Sqrt[-1+I]\*Sqrt[x/(1+x)]]) - (1+I)^(3/2)\*ArcTanh[Sqrt[1+I]\*Sqrt[x/(1+x)]])/2

**IntegrateAlgebraic [C]** time = 0.09, size = 59, normalized size = 0.91

$$-\text{RootSum} \left[ \#1^4 + 16\#1^2 + 32\#1 + 16\&, \frac{\#1^2 \log(\#1 - 2x + 2\sqrt{x+1}\sqrt{x})}{\#1^3 + 8\#1 + 8} \& \right]$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[x]/(Sqrt[1+x]\*(1+x^2)),x]

[Out] -RootSum[16 + 32\*#1 + 16\*#1^2 + #1^4 & , (Log[-2\*x + 2\*Sqrt[x]\*Sqrt[1+x] + #1]\*#1^2)/(8 + 8\*#1 + #1^3) & ]

**fricas [B]** time = 0.48, size = 744, normalized size = 11.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1/2)/(x^2+1)/(1+x)^(1/2),x, algorithm="fricas")

```
[Out] 1/8*2^(1/4)*sqrt(2*sqrt(2) + 4)*(sqrt(2) - 1)*log(-8*sqrt(x + 1)*x^(3/2) +
8*x^2 + 2*(2^(1/4)*sqrt(x + 1)*sqrt(x)*(sqrt(2) - 2) - 2^(1/4)*(sqrt(2)*(x
+ 1) - 2*x))*sqrt(2*sqrt(2) + 4) + 4*x + 4*sqrt(2) + 4) - 1/8*2^(1/4)*sqrt(
2*sqrt(2) + 4)*(sqrt(2) - 1)*log(-8*sqrt(x + 1)*x^(3/2) + 8*x^2 - 2*(2^(1/4
)*sqrt(x + 1)*sqrt(x)*(sqrt(2) - 2) - 2^(1/4)*(sqrt(2)*(x + 1) - 2*x))*sqrt
(2*sqrt(2) + 4) + 4*x + 4*sqrt(2) + 4) - 1/2*2^(1/4)*sqrt(2*sqrt(2) + 4)*ar
ctan(1/7*(sqrt(2)*(5*sqrt(2) + 6) + 8*sqrt(2) + 4)*sqrt(x + 1)*sqrt(x) - 1/
7*sqrt(2)*(sqrt(2)*(5*x + 1) + 6*x + 4) - 1/28*sqrt(-8*sqrt(x + 1)*x^(3/2)
+ 8*x^2 - 2*(2^(1/4)*sqrt(x + 1)*sqrt(x)*(sqrt(2) - 2) - 2^(1/4)*(sqrt(2)*(
x + 1) - 2*x))*sqrt(2*sqrt(2) + 4) + 4*x + 4*sqrt(2) + 4)*(2*sqrt(2)*(5*sq
rt(2) + 6) - (2^(3/4)*(3*sqrt(2) + 5) + 2*2^(1/4)*(sqrt(2) + 4))*sqrt(2*sqrt
(2) + 4) + 16*sqrt(2) + 8) - 1/7*sqrt(2)*(8*x + 3) - 1/14*((2^(3/4)*(3*sqrt
(2) + 5) + 2*2^(1/4)*(sqrt(2) + 4))*sqrt(x + 1)*sqrt(x) - 2^(3/4)*(sqrt(2)*
(3*x + 2) + 5*x + 1) - 2*2^(1/4)*(sqrt(2)*(x + 3) + 4*x - 2))*sqrt(2*sqrt(2
) + 4) - 4/7*x - 5/7) - 1/2*2^(1/4)*sqrt(2*sqrt(2) + 4)*arctan(-1/7*(sqrt(2
)*(5*sqrt(2) + 6) + 8*sqrt(2) + 4)*sqrt(x + 1)*sqrt(x) + 1/7*sqrt(2)*(sqrt(
2)*(5*x + 1) + 6*x + 4) + 1/28*sqrt(-8*sqrt(x + 1)*x^(3/2) + 8*x^2 + 2*(2^(
1/4)*sqrt(x + 1)*sqrt(x)*(sqrt(2) - 2) - 2^(1/4)*(sqrt(2)*(x + 1) - 2*x))*s
qrt(2*sqrt(2) + 4) + 4*x + 4*sqrt(2) + 4)*(2*sqrt(2)*(5*sqrt(2) + 6) + (2^(
3/4)*(3*sqrt(2) + 5) + 2*2^(1/4)*(sqrt(2) + 4))*sqrt(2*sqrt(2) + 4) + 16*sq
rt(2) + 8) + 1/7*sqrt(2)*(8*x + 3) - 1/14*((2^(3/4)*(3*sqrt(2) + 5) + 2*2^(
1/4)*(sqrt(2) + 4))*sqrt(x + 1)*sqrt(x) - 2^(3/4)*(sqrt(2)*(3*x + 2) + 5*x
+ 1) - 2*2^(1/4)*(sqrt(2)*(x + 3) + 4*x - 2))*sqrt(2*sqrt(2) + 4) + 4/7*x +
5/7)
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(1/2)/(x^2+1)/(1+x)^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

**maple** [B] time = 0.17, size = 305, normalized size = 4.69

$$\frac{\sqrt{\frac{(\sqrt{x+1})}{(\sqrt{x+2}-1)}}(x+\sqrt{2}-1)\left(4\sqrt{2}\operatorname{arctanh}\left(\frac{\sqrt{2}\sqrt{\frac{(\sqrt{x+1})}{(\sqrt{x+2}-1)}}}{\sqrt{1+\sqrt{2}}}\right)-6\operatorname{arctanh}\left(\frac{\sqrt{2}\sqrt{\frac{(\sqrt{x+1})}{(\sqrt{x+2}-1)}}}{\sqrt{1+\sqrt{2}}}\right)+\sqrt{-2+2\sqrt{2}}\sqrt{1+\sqrt{2}}\operatorname{arctan}\left(\frac{\sqrt{\frac{(\sqrt{x+1})}{(\sqrt{x+2}-1)}}\sqrt{-2+2\sqrt{2}}(\sqrt{x+2}\sqrt{(\sqrt{x+2}-1)(\sqrt{x+2}+1)(\sqrt{x+2}-4)(\sqrt{x+2}-1)}}{4(\sqrt{x+1})}}\right)-2\sqrt{-2+2\sqrt{2}}\sqrt{1+\sqrt{2}}\operatorname{arctan}\left(\frac{\sqrt{\frac{(\sqrt{x+1})}{(\sqrt{x+2}-1)}}\sqrt{-2+2\sqrt{2}}(\sqrt{x+2}\sqrt{(\sqrt{x+2}\sqrt{(\sqrt{x+2}-1)(\sqrt{x+2}+1)(\sqrt{x+2}-4)(\sqrt{x+2}-1)}}{4(\sqrt{x+1})}}}\right)\right)}{4\sqrt{x+1}(3\sqrt{2}-4)\sqrt{1+\sqrt{2}}\sqrt{x}}\right)\sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^(1/2)/(x^2+1)/(x+1)^(1/2),x)
```

```
[Out] 1/4/x^(1/2)/(x+1)^(1/2)*(x*(x+1)/(2^(1/2)-1+x)^2)^(1/2)*(2^(1/2)-1+x)*((-2+
2*2^(1/2))^(1/2)*arctan(1/4*((3*2^(1/2)-4)*x*(x+1)*(4+3*2^(1/2)))/(2^(1/2)-1
```

$(+x)^2)^{(1/2)} * (-2+2*2^{(1/2)})^{(1/2)} * (3+2*2^{(1/2)}) * (2^{(1/2)}+1-x) * (3*2^{(1/2)}-4) * (2^{(1/2)}-1+x)/x/(x+1)) * (1+2^{(1/2)})^{(1/2)} * 2^{(1/2)} - 2 * (-2+2*2^{(1/2)})^{(1/2)} * \arctan(1/4 * ((3*2^{(1/2)}-4) * x * (x+1) * (4+3*2^{(1/2)})) / (2^{(1/2)}-1+x)^2)^{(1/2)} * (-2+2*2^{(1/2)})^{(1/2)} * (3+2*2^{(1/2)}) * (2^{(1/2)}+1-x) * (3*2^{(1/2)}-4) * (2^{(1/2)}-1+x)/x/(x+1)) * (1+2^{(1/2)})^{(1/2)} + 4 * \operatorname{arctanh}(2^{(1/2)} * (x * (x+1) / (2^{(1/2)}-1+x)^2)^{(1/2)} / (1+2^{(1/2)})^{(1/2)}) * 2^{(1/2)} - 6 * \operatorname{arctanh}(2^{(1/2)} * (x * (x+1) / (2^{(1/2)}-1+x)^2)^{(1/2)} / (1+2^{(1/2)})^{(1/2)}) * 2^{(1/2)} / (3*2^{(1/2)}-4) / (1+2^{(1/2)})^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x}}{(x^2 + 1)\sqrt{x + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1/2)/(x^2+1)/(1+x)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x)/((x^2 + 1)\*sqrt(x + 1)), x)

**mupad** [B] time = 8.49, size = 1610, normalized size = 24.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(1/2)/((x^2 + 1)\*(x + 1)^(1/2)),x)

[Out] - atan(((((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*(((28454158336\*x^(1/2))/((x + 1)^(1/2) - 1) + ((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*(((112742891520\*x^(1/2))/((x + 1)^(1/2) - 1) - ((531502202880\*x)/((x + 1)^(1/2) - 1)^2 - 241591910400))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)) - (12079595520\*x)/((x + 1)^(1/2) - 1)^2 + 68451041280))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)) + (13555990528\*x)/((x + 1)^(1/2) - 1)^2 + 9529458688) + (3556769792\*x^(1/2))/((x + 1)^(1/2) - 1))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*1i - (((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*((13555990528\*x)/((x + 1)^(1/2) - 1)^2 - ((28454158336\*x^(1/2))/((x + 1)^(1/2) - 1) + ((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*(((112742891520\*x^(1/2))/((x + 1)^(1/2) - 1) + ((531502202880\*x)/((x + 1)^(1/2) - 1)^2 - 241591910400))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)) + (12079595520\*x)/((x + 1)^(1/2) - 1)^2 - 68451041280))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)) + 9529458688) - (3556769792\*x^(1/2))/((x + 1)^(1/2) - 1))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*1i)/(((((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*(((28454158336\*x^(1/2))/((x + 1)^(1/2) - 1) + ((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*(((112742891520\*x^(1/2))/((x + 1)^(1/2) - 1) + ((531502202880\*x)/((x + 1)^(1/2) - 1)^2 - 241591910400))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)) + (12079595520\*x)/((x + 1)^(1/2) - 1)^2 - 68451041280))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)) + 9529458688) - (3556769792\*x^(1/2))/((x + 1)^(1/2) - 1))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*1i)/(((((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*(((28454158336\*x^(1/2))/((x + 1)^(1/2) - 1) + ((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*(((112742891520\*x^(1/2))/((x + 1)^(1/2) - 1) + ((531502202880\*x)/((x + 1)^(1/2) - 1)^2 - 241591910400))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)) + (12079595520\*x)/((x + 1)^(1/2) - 1)^2 - 68451041280))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2)) + 9529458688) - (3556769792\*x^(1/2))/((x + 1)^(1/2) - 1))\*((- 2^(1/2)/16 - 1/16)^(1/2) - (2^(1/2)/16 - 1/16)^(1/2))\*1i)

$$\begin{aligned}
& 20*x^{(1/2)} / ((x+1)^{(1/2)} - 1) - ((531502202880*x) / ((x+1)^{(1/2)} - 1)^2 - \\
& 241591910400) * ((-2^{(1/2)}/16 - 1/16)^{(1/2)} - (2^{(1/2)}/16 - 1/16)^{(1/2)}) * ( \\
& (-2^{(1/2)}/16 - 1/16)^{(1/2)} - (2^{(1/2)}/16 - 1/16)^{(1/2)}) - (12079595520*x) / \\
& ((x+1)^{(1/2)} - 1)^2 + 68451041280) * ((-2^{(1/2)}/16 - 1/16)^{(1/2)} - (2^{(1/2)}/16 - \\
& 1/16)^{(1/2)}) + (13555990528*x) / ((x+1)^{(1/2)} - 1)^2 + 9529458688) \\
& + (3556769792*x^{(1/2)}) / ((x+1)^{(1/2)} - 1) * ((-2^{(1/2)}/16 - 1/16)^{(1/2)} - \\
& (2^{(1/2)}/16 - 1/16)^{(1/2)}) + (((-2^{(1/2)}/16 - 1/16)^{(1/2)} - (2^{(1/2)}/16 - \\
& 1/16)^{(1/2)}) * ((13555990528*x) / ((x+1)^{(1/2)} - 1)^2 - ((28454158336*x^{(1/2)}) \\
& ) / ((x+1)^{(1/2)} - 1) + ((-2^{(1/2)}/16 - 1/16)^{(1/2)} - (2^{(1/2)}/16 - 1/16)^{(1/2)}) * \\
& (((112742891520*x^{(1/2)}) / ((x+1)^{(1/2)} - 1) + ((531502202880*x) / ((x+1)^{(1/2)} - 1)^2 - \\
& 241591910400) * ((-2^{(1/2)}/16 - 1/16)^{(1/2)} - (2^{(1/2)}/16 - 1/16)^{(1/2)})) * \\
& ((-2^{(1/2)}/16 - 1/16)^{(1/2)} - (2^{(1/2)}/16 - 1/16)^{(1/2)}) + (12079595520*x) / ((x+1)^{(1/2)} - 1)^2 - \\
& 68451041280) * ((-2^{(1/2)}/16 - 1/16)^{(1/2)} - (2^{(1/2)}/16 - 1/16)^{(1/2)}) + 9529458688) - \\
& (3556769792*x^{(1/2)}) / ((x+1)^{(1/2)} - 1) * ((-2^{(1/2)}/16 - 1/16)^{(1/2)} - (2^{(1/2)}/16 - \\
& 1/16)^{(1/2)}) + (7549747200*x) / ((x+1)^{(1/2)} - 1)^2 + 503316480) * ((-2^{(1/2)}/16 - \\
& 1/16)^{(1/2)} * 2i - (2^{(1/2)}/16 - 1/16)^{(1/2)} * 2i) - \operatorname{atan}((x^{(1/2)} * (-2^{(1/2)}/16 - \\
& 1/16)^{(1/2)} * 848i) / ((x+1)^{(1/2)} - 1) + (x^{(1/2)} * (2^{(1/2)}/16 - 1/16)^{(1/2)} * 848i) / \\
& ((x+1)^{(1/2)} - 1) + (x^{(1/2)} * (-2^{(1/2)}/16 - 1/16)^{(3/2)} * 6784i) / ((x+1)^{(1/2)} - 1) + \\
& (x^{(1/2)} * (2^{(1/2)}/16 - 1/16)^{(3/2)} * 6784i) / ((x+1)^{(1/2)} - 1) + (x^{(1/2)} * (-2^{(1/2)}/16 - \\
& 1/16)^{(5/2)} * 26880i) / ((x+1)^{(1/2)} - 1) + (x^{(1/2)} * (2^{(1/2)}/16 - 1/16)^{(5/2)} * 26880i) / \\
& ((x+1)^{(1/2)} - 1) + (x^{(1/2)} * (2^{(1/2)}/16 - 1/16)^{(1/2)} * (2^{(1/2)}/16 + 1/16)^2 * 134400i) / \\
& ((x+1)^{(1/2)} - 1) + (x^{(1/2)} * (2^{(1/2)}/16 - 1/16) * (-2^{(1/2)}/16 - 1/16)^{(1/2)} * 20352i) / \\
& ((x+1)^{(1/2)} - 1) - (x^{(1/2)} * (2^{(1/2)}/16 - 1/16)^{(1/2)} * (2^{(1/2)}/16 + 1/16) * 20352i) / \\
& ((x+1)^{(1/2)} - 1) + (x^{(1/2)} * (2^{(1/2)}/16 - 1/16) * (-2^{(1/2)}/16 - 1/16)^{(3/2)} * 268800i) / \\
& ((x+1)^{(1/2)} - 1) - (x^{(1/2)} * (2^{(1/2)}/16 - 1/16)^{(3/2)} * (2^{(1/2)}/16 + 1/16) * 268800i) / \\
& ((x+1)^{(1/2)} - 1)) / (4544 * (2^{(1/2)}/16 - 1/16)^{(1/2)} * (-2^{(1/2)}/16 - 1/16)^{(1/2)} + 65280 * (2^{(1/2)}/16 - \\
& 1/16)^{(1/2)} * (-2^{(1/2)}/16 - 1/16)^{(3/2)} + 65280 * (2^{(1/2)}/16 - 1/16)^{(3/2)} * (-2^{(1/2)}/16 - \\
& 1/16)^{(1/2)} + 345600 * (2^{(1/2)}/16 - 1/16)^{(1/2)} * (-2^{(1/2)}/16 - 1/16)^{(5/2)} + 1152000 * \\
& (2^{(1/2)}/16 - 1/16)^{(3/2)} * (-2^{(1/2)}/16 - 1/16)^{(3/2)} + 345600 * (2^{(1/2)}/16 - 1/16)^{(5/2)} * \\
& (-2^{(1/2)}/16 - 1/16)^{(1/2)} + x / ((x+1)^{(1/2)} - 1)^2 + (6464*x * (2^{(1/2)}/16 - 1/16)^{(1/2)} * (-2^{(1/2)}/16 - \\
& 1/16)^{(1/2)}) / ((x+1)^{(1/2)} - 1)^2 - (11520*x * (2^{(1/2)}/16 - 1/16)^{(1/2)} * (-2^{(1/2)}/16 - \\
& 1/16)^{(3/2)}) / ((x+1)^{(1/2)} - 1)^2 - (11520*x * (2^{(1/2)}/16 - 1/16)^{(3/2)} * (-2^{(1/2)}/16 - \\
& 1/16)^{(1/2)}) / ((x+1)^{(1/2)} - 1)^2 - (760320*x * (2^{(1/2)}/16 - 1/16)^{(1/2)} * (-2^{(1/2)}/16 - \\
& 1/16)^{(5/2)}) / ((x+1)^{(1/2)} - 1)^2 - (2534400*x * (2^{(1/2)}/16 - 1/16)^{(3/2)} * (-2^{(1/2)}/16 - \\
& 1/16)^{(3/2)}) / ((x+1)^{(1/2)} - 1)^2 - (760320*x * (2^{(1/2)}/16 - 1/16)^{(5/2)} * (-2^{(1/2)}/16 - \\
& 1/16)^{(1/2)}) / ((x+1)^{(1/2)} - 1)^2 + 1) * ((-2^{(1/2)}/16 - 1/16)^{(1/2)} * 2i + (2^{(1/2)}/16 - \\
& 1/16)^{(1/2)} * 2i)
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x}}{\sqrt{x+1}(x^2+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*(1/2)/(x\*\*2+1)/(1+x)\*\*(1/2),x)

[Out] Integral(sqrt(x)/(sqrt(x + 1)\*(x\*\*2 + 1)), x)

$$3.421 \quad \int \frac{(f+gx)^2 \sqrt{1-x^2}}{(1-x)^4} dx$$

**Optimal.** Leaf size=80

$$\frac{(x+1)^4(f+g)^2}{5(1-x^2)^{5/2}} + \frac{(x+1)^3(f-9g)(f+g)}{15(1-x^2)^{3/2}} + \frac{2g^2(x+1)}{\sqrt{1-x^2}} - g^2 \sin^{-1}(x)$$

**Rubi [A]** time = 0.14, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {853, 1635, 789, 653, 216}

$$\frac{(x+1)^4(f+g)^2}{5(1-x^2)^{5/2}} + \frac{(x+1)^3(f-9g)(f+g)}{15(1-x^2)^{3/2}} + \frac{2g^2(x+1)}{\sqrt{1-x^2}} - g^2 \sin^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^2\*Sqrt[1 - x^2])/(1 - x)^4, x]

[Out] ((f + g)^2\*(1 + x)^4)/(5\*(1 - x^2)^(5/2)) + ((f - 9\*g)\*(f + g)\*(1 + x)^3)/(15\*(1 - x^2)^(3/2)) + (2\*g^2\*(1 + x))/Sqrt[1 - x^2] - g^2\*ArcSin[x]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 653

Int[((d\_) + (e\_.)\*(x\_))^(2\*((a\_) + (c\_.)\*(x\_)^2)^(p\_)), x\_Symbol] :> Simp[(e\*(d + e\*x)\*(a + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e^2\*(p + 2))/(c\*(p + 1)), Int[(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, p}, x] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && LtQ[p, -1]

#### Rule 789

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[((d\*g + e\*f)\*(d + e\*x)^m\*(a + c\*x^2)^(p + 1))/(2\*c\*d\*(p + 1)), x] - Dist[(e\*(m\*(d\*g + e\*f) + 2\*e\*f\*(p + 1)))/(2\*c\*d\*(p + 1)), Int[(d + e\*x)^(m - 1)\*(a + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && EqQ[c\*d^2 + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 0]

#### Rule 853

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[d^(2*m)/a^m, Int[((f + g*x)^n*(a + c*x^2)^(m + p))/(d - e*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0] && IntegerQ[n]
```

### Rule 1635

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, a*e + c*d*x, x], f = PolynomialRemainder[Pq, a*e + c*d*x, x]}, -Simp[(d*f*(d + e*x)^m*(a + c*x^2)^(p + 1))/(2*a*e*(p + 1)), x] + Dist[d/(2*a*(p + 1)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*ExpandToSum[2*a*e*(p + 1)*Q + f*(m + 2*p + 2), x], x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && EqQ[c*d^2 + a*e^2, 0] && ILtQ[p + 1/2, 0] && GtQ[m, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{(f + gx)^2 \sqrt{1 - x^2}}{(1 - x)^4} dx &= \int \frac{(1 + x)^4 (f + gx)^2}{(1 - x^2)^{7/2}} dx \\ &= \frac{(f + g)^2 (1 + x)^4}{5 (1 - x^2)^{5/2}} - \frac{1}{5} \int \frac{(1 + x)^3 (-f^2 + 8fg + 4g^2 + 5g^2x)}{(1 - x^2)^{5/2}} dx \\ &= \frac{(f + g)^2 (1 + x)^4}{5 (1 - x^2)^{5/2}} + \frac{(f - 9g)(f + g)(1 + x)^3}{15 (1 - x^2)^{3/2}} + g^2 \int \frac{(1 + x)^2}{(1 - x^2)^{3/2}} dx \\ &= \frac{(f + g)^2 (1 + x)^4}{5 (1 - x^2)^{5/2}} + \frac{(f - 9g)(f + g)(1 + x)^3}{15 (1 - x^2)^{3/2}} + \frac{2g^2(1 + x)}{\sqrt{1 - x^2}} - g^2 \int \frac{1}{\sqrt{1 - x^2}} dx \\ &= \frac{(f + g)^2 (1 + x)^4}{5 (1 - x^2)^{5/2}} + \frac{(f - 9g)(f + g)(1 + x)^3}{15 (1 - x^2)^{3/2}} + \frac{2g^2(1 + x)}{\sqrt{1 - x^2}} - g^2 \sin^{-1}(x) \end{aligned}$$

**Mathematica** [C] time = 0.14, size = 91, normalized size = 1.14

$$\frac{\sqrt{1 - x^2} \left( (x + 1)^{3/2} (f^2(x - 4) + fg(2 - 8x) + g^2(x - 4)) - 20\sqrt{2}g^2(x - 1) {}_2F_1\left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; \frac{1-x}{2}\right) \right)}{15(x - 1)^3 \sqrt{x + 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((f + g*x)^2*Sqrt[1 - x^2])/(1 - x)^4, x]
```



[Out]  $(\text{Sqrt}[1 - x^2] * ((f * g * (2 - 8 * x) + f^2 * (-4 + x) + g^2 * (-4 + x)) * (1 + x)^{(3/2)} - 20 * \text{Sqrt}[2] * g^2 * (-1 + x) * \text{Hypergeometric2F1}[-3/2, -3/2, -1/2, (1 - x)/2])) / (15 * (-1 + x)^3 * \text{Sqrt}[1 + x])$

**IntegrateAlgebraic [A]** time = 0.35, size = 98, normalized size = 1.22

$$\frac{\sqrt{1-x^2} (f^2 x^2 - 3f^2 x - 4f^2 - 8fgx^2 - 6fgx + 2fg - 39g^2 x^2 + 57g^2 x - 24g^2)}{15(x-1)^3} + 2g^2 \tan^{-1}\left(\frac{\sqrt{1-x^2}}{x+1}\right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)^2\*Sqrt[1 - x^2])/(1 - x)^4, x]

[Out]  $(\text{Sqrt}[1 - x^2] * (-4 * f^2 + 2 * f * g - 24 * g^2 - 3 * f^2 * x - 6 * f * g * x + 57 * g^2 * x + f^2 * x^2 - 8 * f * g * x^2 - 39 * g^2 * x^2)) / (15 * (-1 + x)^3) + 2 * g^2 * \text{ArcTan}[\text{Sqrt}[1 - x^2] / (1 + x)]$

**fricas [B]** time = 0.40, size = 193, normalized size = 2.41

$$\frac{2(2f^2 - fg + 12g^2)x^3 - 6(2f^2 - fg + 12g^2)x^2 - 4f^2 + 2fg - 24g^2 + 6(2f^2 - fg + 12g^2)x + 30(g^2x^3 - 3g^2x^2 + 3g^2x - g^2) \arctan\left(\frac{\sqrt{-x^2+1}}{x}\right) + ((f^2 - 8fg - 39g^2)x^2 - 4f^2 + 2fg - 24g^2 - 3(f^2 + 2fg - 19g^2)x)\sqrt{-x^2+1}}{15(x^3 - 3x^2 + 3x - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(-x^2+1)^(1/2)/(1-x)^4,x, algorithm="fricas")

[Out]  $1/15 * (2 * (2 * f^2 - f * g + 12 * g^2) * x^3 - 6 * (2 * f^2 - f * g + 12 * g^2) * x^2 - 4 * f^2 + 2 * f * g - 24 * g^2 + 6 * (2 * f^2 - f * g + 12 * g^2) * x + 30 * (g^2 * x^3 - 3 * g^2 * x^2 + 3 * g^2 * x - g^2) * \arctan((\text{sqrt}(-x^2 + 1) - 1) / x) + ((f^2 - 8 * f * g - 39 * g^2) * x^2 - 4 * f^2 + 2 * f * g - 24 * g^2 - 3 * (f^2 + 2 * f * g - 19 * g^2) * x) * \text{sqrt}(-x^2 + 1)) / (x^3 - 3 * x^2 + 3 * x - 1)$

**giac [B]** time = 0.35, size = 266, normalized size = 3.32

$$-g^2 \arcsin(x) + \frac{2 \left( 4f^2 - 2fg + 24g^2 + \frac{5f^2(\sqrt{-x^2+1})}{x} - \frac{10fg(\sqrt{-x^2+1})}{x} + \frac{105g^2(\sqrt{-x^2+1})}{x} + \frac{25f^2(\sqrt{-x^2+1})^2}{x^2} + \frac{10fg(\sqrt{-x^2+1})^2}{x^2} + \frac{165g^2(\sqrt{-x^2+1})^2}{x^2} + \frac{15f^2(\sqrt{-x^2+1})^3}{x^3} - \frac{30fg(\sqrt{-x^2+1})^3}{x^3} + \frac{75g^2(\sqrt{-x^2+1})^3}{x^3} + \frac{15f^2(\sqrt{-x^2+1})^4}{x^4} + \frac{15g^2(\sqrt{-x^2+1})^4}{x^4} \right)}{15 \left( \frac{\sqrt{-x^2+1}}{x} + 1 \right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(-x^2+1)^(1/2)/(1-x)^4,x, algorithm="giac")

[Out]  $-g^2 * \arcsin(x) + 2/15 * (4 * f^2 - 2 * f * g + 24 * g^2 + 5 * f^2 * (\text{sqrt}(-x^2 + 1) - 1) / x - 10 * f * g * (\text{sqrt}(-x^2 + 1) - 1) / x + 105 * g^2 * (\text{sqrt}(-x^2 + 1) - 1) / x + 25 * f^2 * (\text{sqrt}(-x^2 + 1) - 1)^2 / x^2 + 10 * f * g * (\text{sqrt}(-x^2 + 1) - 1)^2 / x^2 + 165 * g^2 * (\text{sqrt}(-x^2 + 1) - 1)^2 / x^2 + 15 * f^2 * (\text{sqrt}(-x^2 + 1) - 1)^3 / x^3 - 30 * f * g * (\text{sqrt}(-x^2 + 1) - 1)^3 / x^3 + 75 * g^2 * (\text{sqrt}(-x^2 + 1) - 1)^3 / x^3 + 15 * f^2 * (\text{sqrt}(-x^2 + 1) - 1)^4 / x^4 + 15 * g^2 * (\text{sqrt}(-x^2 + 1) - 1)^4 / x^4)$

$$x^2 + 1) - 1)^4/x^4 + 15*g^2*(\sqrt{-x^2 + 1} - 1)^4/x^4)/((\sqrt{-x^2 + 1} - 1)/x + 1)^5$$

**maple** [A] time = 0.02, size = 125, normalized size = 1.56

$$\left(-\arcsin(x) + \frac{(-2x - (x-1)^2 + 2)^{\frac{3}{2}}}{(x-1)^2} + \sqrt{-2x - (x-1)^2 + 2}\right)g^2 + \frac{2(f+g)(-2x - (x-1)^2 + 2)^{\frac{3}{2}}g}{3(x-1)^3} + (f^2 + 2fg + g^2)\left(\frac{(-2x - (x-1)^2 + 2)^{\frac{3}{2}}}{5(x-1)^4} - \frac{(-2x - (x-1)^2 + 2)^{\frac{3}{2}}}{15(x-1)^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^2\*(-x^2+1)^(1/2)/(1-x)^4,x)

[Out] 2/3\*g\*(f+g)/(x-1)^3\*(-(x-1)^2-2\*x+2)^(3/2)+g^2\*(1/(x-1)^2\*(-(x-1)^2-2\*x+2)^(3/2)+(-(x-1)^2-2\*x+2)^(1/2)-arcsin(x))+(f^2+2\*f\*g+g^2)\*(1/5/(x-1)^4\*(-(x-1)^2-2\*x+2)^(3/2)-1/15/(x-1)^3\*(-(x-1)^2-2\*x+2)^(3/2))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(gx + f)^2 \sqrt{-x^2 + 1}}{(x-1)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(-x^2+1)^(1/2)/(1-x)^4,x, algorithm="maxima")

[Out] integrate((g\*x + f)^2\*sqrt(-x^2 + 1)/(x - 1)^4, x)

**mupad** [B] time = 2.96, size = 164, normalized size = 2.05

$$\sqrt{1-x^2} \left( \frac{f^2 + 2fg + \frac{5g^2}{3}}{x-1} - \frac{f^2 + 2fg + \frac{5g^2}{3}}{(x-1)^2} \right) - \sqrt{1-x^2} \left( \frac{\frac{2f^2}{5} + \frac{4fg}{5} + \frac{2g^2}{5}}{(x-1)^3} + \frac{\frac{4f^2}{15} + \frac{8fg}{15} + \frac{4g^2}{15}}{x-1} - \frac{\frac{4f^2}{15} + \frac{8fg}{15} + \frac{4g^2}{15}}{(x-1)^2} \right) - g^2 \arcsin(x) - \frac{\sqrt{1-x^2} (4g^2 + 2fg)}{x-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(1 - x^2)^(1/2))/(x - 1)^4,x)

[Out] (1 - x^2)^(1/2)\*((2\*f\*g + f^2/3 + (5\*g^2)/3)/(x - 1) - (2\*f\*g + f^2/3 + (5\*g^2)/3)/(x - 1)^2) - (1 - x^2)^(1/2)\*(((4\*f\*g)/5 + (2\*f^2)/5 + (2\*g^2)/5)/(x - 1)^3 + ((8\*f\*g)/15 + (4\*f^2)/15 + (4\*g^2)/15)/(x - 1) - ((8\*f\*g)/15 + (4\*f^2)/15 + (4\*g^2)/15)/(x - 1)^2) - g^2\*asin(x) - ((1 - x^2)^(1/2)\*(2\*f\*g + 4\*g^2))/(x - 1)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(x-1)(x+1)} (f + gx)^2}{(x-1)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)**2*(-x**2+1)**(1/2)/(1-x)**4,x)
```

```
[Out] Integral(sqrt(-(x - 1)*(x + 1))*(f + g*x)**2/(x - 1)**4, x)
```

$$3.422 \quad \int \frac{(1-a^2x^2)^{3/2}}{(1-ax)^2(c+dx)} dx$$

Optimal. Leaf size=107

$$\frac{(ac-d)^2 \tan^{-1}\left(\frac{a^2cx+d}{\sqrt{1-a^2x^2}\sqrt{a^2c^2-d^2}}\right)}{d^2\sqrt{a^2c^2-d^2}} - \frac{\sqrt{1-a^2x^2}}{d} - \frac{(ac-2d)\sin^{-1}(ax)}{d^2}$$

**Rubi [A]** time = 0.24, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {853, 1654, 844, 216, 725, 204}

$$\frac{(ac-d)^2 \tan^{-1}\left(\frac{a^2cx+d}{\sqrt{1-a^2x^2}\sqrt{a^2c^2-d^2}}\right)}{d^2\sqrt{a^2c^2-d^2}} - \frac{\sqrt{1-a^2x^2}}{d} - \frac{(ac-2d)\sin^{-1}(ax)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(1 - a^2\*x^2)^(3/2)/((1 - a\*x)^2\*(c + d\*x)), x]

[Out] -(Sqrt[1 - a^2\*x^2]/d) - ((a\*c - 2\*d)\*ArcSin[a\*x])/d^2 + ((a\*c - d)^2\*ArcTan[(d + a^2\*c\*x)/(Sqrt[a^2\*c^2 - d^2]\*Sqrt[1 - a^2\*x^2])]/(d^2\*Sqrt[a^2\*c^2 - d^2]))

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + D

ist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 853

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Dist[d^(2\*m)/a^m, Int[((f + g\*x)^n\*(a + c\*x^2)^(m + p))/(d - e\*x)^m, x], x] /; FreeQ[{a, c, d, e, f, g, n, p}, x] && NeQ[e\*f - d\*g, 0] && EqQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[m, 0] && IntegerQ[n]

### Rule 1654

Int[(Pq\_)\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(d + e\*x)^(m + q - 1)\*(a + c\*x^2)^(p + 1))/(c\*e^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(c\*e^q\*(m + q + 2\*p + 1)), Int[(d + e\*x)^m\*(a + c\*x^2)^p\*ExpandToSum[c\*e^q\*(m + q + 2\*p + 1)\*Pq - c\*f\*(m + q + 2\*p + 1)\*(d + e\*x)^q - f\*(d + e\*x)^(q - 2)\*(a\*e^2\*(m + q - 1) - c\*d^2\*(m + q + 2\*p + 1) - 2\*c\*d\*e\*(m + q + p)\*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2\*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c\*d^2 + a\*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

### Rubi steps

$$\begin{aligned}
 \int \frac{(1 - a^2x^2)^{3/2}}{(1 - ax)^2(c + dx)} dx &= \int \frac{(1 + ax)^2}{(c + dx)\sqrt{1 - a^2x^2}} dx \\
 &= -\frac{\sqrt{1 - a^2x^2}}{d} - \frac{\int \frac{-a^2d^2 + a^3(ac - 2d)dx}{(c + dx)\sqrt{1 - a^2x^2}} dx}{a^2d^2} \\
 &= -\frac{\sqrt{1 - a^2x^2}}{d} - \frac{(a(ac - 2d)) \int \frac{1}{\sqrt{1 - a^2x^2}} dx}{d^2} + \frac{(ac - d)^2 \int \frac{1}{(c + dx)\sqrt{1 - a^2x^2}} dx}{d^2} \\
 &= -\frac{\sqrt{1 - a^2x^2}}{d} - \frac{(ac - 2d) \sin^{-1}(ax)}{d^2} - \frac{(ac - d)^2 \text{Subst}\left(\int \frac{1}{-a^2c^2 + d^2 - x^2} dx, x, \frac{d + a^2cx}{\sqrt{1 - a^2x^2}}\right)}{d^2} \\
 &= -\frac{\sqrt{1 - a^2x^2}}{d} - \frac{(ac - 2d) \sin^{-1}(ax)}{d^2} + \frac{(ac - d)^2 \tan^{-1}\left(\frac{d + a^2cx}{\sqrt{a^2c^2 - d^2} \sqrt{1 - a^2x^2}}\right)}{d^2 \sqrt{a^2c^2 - d^2}}
 \end{aligned}$$

**Mathematica [C]** time = 0.30, size = 148, normalized size = 1.38

$$\frac{i(d-ac)^2 \log\left(\frac{2d^3(\sqrt{1-a^2x^2}\sqrt{a^2c^2-d^2}+ia^2cx+id)}{(d-ac)^2\sqrt{a^2c^2-d^2}(c+dx)}\right) + d\sqrt{1-a^2x^2} + (ac-2d)\sin^{-1}(ax)}{\sqrt{a^2c^2-d^2}d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - a^2\*x^2)^(3/2)/((1 - a\*x)^2\*(c + d\*x)), x]

[Out] -((d\*Sqrt[1 - a^2\*x^2] + (a\*c - 2\*d)\*ArcSin[a\*x] + (I\*(-(a\*c) + d)^2\*Log[(2\*d^3\*(I\*d + I\*a^2\*c\*x + Sqrt[a^2\*c^2 - d^2])\*Sqrt[1 - a^2\*x^2]])/((-a\*c) + d)^2\*Sqrt[a^2\*c^2 - d^2]\*(c + d\*x)))/Sqrt[a^2\*c^2 - d^2])/d^2)

**IntegrateAlgebraic [B]** time = 2.56, size = 971, normalized size = 9.07

-----

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 - a^2\*x^2)^(3/2)/((1 - a\*x)^2\*(c + d\*x)), x]

[Out] -(Sqrt[1 - a^2\*x^2]/d) + ((a^3\*c^3\*Sqrt[2\*a^2\*c^2 - d^2 - 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]] - a^2\*c^2\*d\*Sqrt[2\*a^2\*c^2 - d^2 - 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]] - a\*c\*d^2\*Sqrt[2\*a^2\*c^2 - d^2 - 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]] + d^3\*Sqrt[2\*a^2\*c^2 - d^2 - 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]] + a^2\*c^2\*Sqrt[a^2\*c^2 - d^2]\*Sqrt[2\*a^2\*c^2 - d^2 - 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]] - a\*c\*d\*Sqrt[a^2\*c^2 - d^2]\*Sqrt[2\*a^2\*c^2 - d^2 - 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]])\*ArcTan[(Sqrt[-a^2]\*d\*x - d\*Sqrt[1 - a^2\*x^2])/Sqrt[2\*a^2\*c^2 - d^2 - 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]])/(d^4\*(a\*c + d)) + ((a^3\*c^3\*Sqrt[2\*a^2\*c^2 - d^2 + 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]] - a^2\*c^2\*d\*Sqrt[2\*a^2\*c^2 - d^2 + 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]] - a\*c\*d^2\*Sqrt[2\*a^2\*c^2 - d^2 + 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]] + d^3\*Sqrt[2\*a^2\*c^2 - d^2 + 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]] - a^2\*c^2\*Sqrt[a^2\*c^2 - d^2]\*Sqrt[2\*a^2\*c^2 - d^2 + 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]] + a\*c\*d\*Sqrt[a^2\*c^2 - d^2]\*Sqrt[2\*a^2\*c^2 - d^2 + 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]])\*ArcTan[(Sqrt[-a^2]\*d\*x - d\*Sqrt[1 - a^2\*x^2])/Sqrt[2\*a^2\*c^2 - d^2 + 2\*a\*c\*Sqrt[a^2\*c^2 - d^2]])/(d^4\*(a\*c + d)) - (Sqrt[-a^2]\*(a\*c - d)\*Sqrt[-(a^2\*c^2) + d^2]\*ArcTan[(a^2\*c^2 - a^2\*d^2\*x^2 - Sqrt[-a^2]\*d^2\*x\*Sqrt[1 - a^2\*x^2])/(a\*c\*Sqrt[-(a^2\*c^2) + d^2])])/(a\*d^2\*(a\*c + d)) - (Sqrt[-a^2]\*(a\*c - 2\*d)\*Log[-(Sqrt[-a^2]\*x) + Sqrt[1 - a^2\*x^2]])/(a\*d^2)

**fricas [A]** time = 0.54, size = 318, normalized size = 2.97

$$\frac{(ac-d)\sqrt{\frac{ac-d}{ac+d}} \log\left(\frac{a^2dx+a^2-(a^2-d)\sqrt{-a^2x^2+1}-(acd+a^2+(a^2+a^2d)x+\sqrt{-a^2x^2+1}(acd+a^2))\sqrt{\frac{ac-d}{ac+d}}}{dx+c}\right) - 2(ac-2d)\arctan\left(\frac{\sqrt{-a^2x^2+1}}{ax}\right) + \sqrt{-a^2x^2+1}d}{d^2} + \frac{2(ac-d)\sqrt{\frac{ac-d}{ac+d}} \arctan\left(\frac{(dx-\sqrt{-a^2x^2+1}c)\sqrt{\frac{ac-d}{ac+d}}}{(ac-d)x}\right) + 2(ac-2d)\arctan\left(\frac{\sqrt{-a^2x^2+1}}{ax}\right) - \sqrt{-a^2x^2+1}d}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*x^2+1)^(3/2)/(-a\*x+1)^2/(d\*x+c),x, algorithm="fricas")

[Out] 
$$\left[ -\left( (a*c - d)*\sqrt{-a*c - d}/(a*c + d) \right) * \log\left( (a^2*c*d*x + d^2 - (a^2*c^2 - d^2)*\sqrt{-a^2*x^2 + 1} - (a*c*d + d^2 + (a^3*c^2 + a^2*c*d)*x + \sqrt{-a^2*x^2 + 1}*(a*c*d + d^2)) * \sqrt{-a*c - d}/(a*c + d) \right) / (d*x + c) \right] - 2*(a*c - 2*d)*\arctan\left( \frac{\sqrt{-a^2*x^2 + 1} - 1}{a*x} \right) + \sqrt{-a^2*x^2 + 1}*d/d^2, \left( 2*(a*c - d)*\sqrt{(a*c - d)/(a*c + d)} * \arctan\left( \frac{d*x - \sqrt{-a^2*x^2 + 1}*c + c}{\sqrt{(a*c - d)/(a*c + d)}} \right) \right) + 2*(a*c - 2*d)*\arctan\left( \frac{\sqrt{-a^2*x^2 + 1} - 1}{a*x} \right) - \sqrt{-a^2*x^2 + 1}*d/d^2 \right]$$

**giac** [B] time = 0.59, size = 208, normalized size = 1.94

$$\left( \frac{(ax-1)\sqrt{\frac{2}{ax-1}-1}\operatorname{sgn}\left(\frac{1}{ax-1}\right)\operatorname{sgn}(a)}{ad} - \frac{2\left(\operatorname{acsgn}\left(\frac{1}{ax-1}\right)\operatorname{sgn}(a) - 2\operatorname{dsgn}\left(\frac{1}{ax-1}\right)\operatorname{sgn}(a)\right)\arctan\left(\sqrt{\frac{2}{ax-1}-1}\right)}{ad^2} + \frac{2\left(a^2c^2\operatorname{sgn}\left(\frac{1}{ax-1}\right)\operatorname{sgn}(a) - 2\operatorname{acds}\operatorname{gn}\left(\frac{1}{ax-1}\right)\operatorname{sgn}(a) + d^2\operatorname{sgn}\left(\frac{1}{ax-1}\right)\operatorname{sgn}(a)\right)\arctan\left(\frac{\operatorname{ac}\sqrt{\frac{2}{ax-1}-1} + d\sqrt{\frac{2}{ax-1}-1}}{\sqrt{d^2c^2-d^2}}\right)}{\sqrt{a^2c^2-d^2}} \right) | a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*x^2+1)^(3/2)/(-a\*x+1)^2/(d\*x+c),x, algorithm="giac")

[Out] 
$$-\left( (a*x - 1)*\sqrt{-2/(a*x - 1) - 1} * \operatorname{sgn}(1/(a*x - 1)) * \operatorname{sgn}(a) \right) / (a*d) - 2*(a*c*\operatorname{sgn}(1/(a*x - 1)) * \operatorname{sgn}(a) - 2*d*\operatorname{sgn}(1/(a*x - 1)) * \operatorname{sgn}(a)) * \arctan\left( \sqrt{-2/(a*x - 1) - 1} \right) / (a*d^2) + 2*(a^2*c^2*\operatorname{sgn}(1/(a*x - 1)) * \operatorname{sgn}(a) - 2*a*c*d*\operatorname{sgn}(1/(a*x - 1)) * \operatorname{sgn}(a) + d^2*\operatorname{sgn}(1/(a*x - 1)) * \operatorname{sgn}(a)) * \arctan\left( \frac{a*c*\sqrt{-2/(a*x - 1) - 1} + d*\sqrt{-2/(a*x - 1) - 1}}{\sqrt{a^2*c^2 - d^2}} \right) / (\sqrt{a^2*c^2 - d^2} * a*d^2) * \operatorname{abs}(a)$$

**maple** [B] time = 0.04, size = 1178, normalized size = 11.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-a^2\*x^2+1)^(3/2)/(-a\*x+1)^2/(d\*x+c),x)

[Out] 
$$\begin{aligned} & -1/a^2/(a*c+d)/(x-1/a)^2*(-(x-1/a)^2*a^2-2*(x-1/a)*a)^(5/2)-1/(a*c+d)*(-(x-1/a)^2*a^2-2*(x-1/a)*a)^(3/2)+3/2*a/(a*c+d)*(-(x-1/a)^2*a^2-2*(x-1/a)*a)^(1/2)*x+3/2*a/(a*c+d)/(a^2)^(1/2)*\arctan\left(\frac{(a^2)^(1/2)}{-(x-1/a)^2*a^2-2*(x-1/a)*a}\right)*a)^(1/2)*x-1/3*d/(a*c+d)^2*(-(x-1/a)^2*a^2-2*(x-1/a)*a)^(3/2)+1/2*d/(a*c+d)^2*a*(-(x-1/a)^2*a^2-2*(x-1/a)*a)^(1/2)*x+1/2*d/(a*c+d)^2*a/(a^2)^(1/2)*\arctan\left(\frac{(a^2)^(1/2)}{-(x-1/a)^2*a^2-2*(x-1/a)*a}\right)*x+1/3*d/(a*c+d)^2*(-(x+c/d)^2*a^2+2*a^2*c/d*(x+c/d)-(a^2*c^2-d^2)/d^2)^(3/2)+1/2/(a*c+d)^2*a^2*c*(-(x+c/d)^2*a^2+2*a^2*c/d*(x+c/d)-(a^2*c^2-d^2)/d^2)^(1/2)*x+3/2/(a*c+d)^2*a^2*c/(a^2)^(1/2)*\arctan\left(\frac{(a^2)^(1/2)*x}{-(x+c/d)^2*a^2+2*a^2*c/d*(x+c/d)-(a^2*c^2-d^2)/d^2}\right)-1/d/(a*c+d)^2*(-(x+c/d)^2*a^2+2*a^2*c/d*(x+c/d)-(a^2*c^2-d^2)/d^2)^(1/2)*a^2*c^2+d/(a*c+d)^2*(-(x+c/d)^2*a^2+2*a^2*c/d*(x+c/d)-(a^2*c^2-d^2)/d^2)^(1/2)-1/d^2/(a*c+d)^2*a^4*c^3/(a^2)^(1/2)*\arctan\left(\frac{(a^2)^(1/2)}{-(x+c/d)^2*a^2+2*a^2*c/d*(x+c/d)-(a^2*c^2-d^2)/d^2}\right) \end{aligned}$$

$$\begin{aligned} &)^{(1/2)} * x / (- (x+c/d)^2 * a^2 + 2 * a^2 * c / d * (x+c/d) - (a^2 * c^2 - d^2) / d^2)^{(1/2)} - 1 / d^3 \\ & / (a * c + d)^2 / (- (a^2 * c^2 - d^2) / d^2)^{(1/2)} * \ln((-2 * (a^2 * c^2 - d^2) / d^2 + 2 * a^2 * c / d * (x \\ & + c/d) + 2 * (- (a^2 * c^2 - d^2) / d^2)^{(1/2)} * (- (x+c/d)^2 * a^2 + 2 * a^2 * c / d * (x+c/d) - (a^2 * c \\ & ^2 - d^2) / d^2)^{(1/2)}) / (x+c/d)) * a^4 * c^4 + 2 / d / (a * c + d)^2 / (- (a^2 * c^2 - d^2) / d^2)^{(1/ \\ & 2)} * \ln((-2 * (a^2 * c^2 - d^2) / d^2 + 2 * a^2 * c / d * (x+c/d) + 2 * (- (a^2 * c^2 - d^2) / d^2)^{(1/2)} * \\ & (- (x+c/d)^2 * a^2 + 2 * a^2 * c / d * (x+c/d) - (a^2 * c^2 - d^2) / d^2)^{(1/2)}) / (x+c/d)) * a^2 * c^ \\ & 2 - d / (a * c + d)^2 / (- (a^2 * c^2 - d^2) / d^2)^{(1/2)} * \ln((-2 * (a^2 * c^2 - d^2) / d^2 + 2 * a^2 * c / d \\ & * (x+c/d) + 2 * (- (a^2 * c^2 - d^2) / d^2)^{(1/2)} * (- (x+c/d)^2 * a^2 + 2 * a^2 * c / d * (x+c/d) - (a^ \\ & 2 * c^2 - d^2) / d^2)^{(1/2)}) / (x+c/d)) \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-a^2 x^2 + 1)^{\frac{3}{2}}}{(ax - 1)^2(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a^2\*x^2+1)^(3/2)/(-a\*x+1)^2/(d\*x+c), x, algorithm="maxima")

[Out] integrate((-a^2\*x^2 + 1)^(3/2)/((a\*x - 1)^2\*(d\*x + c)), x)

**mupad** [B] time = 0.29, size = 148, normalized size = 1.38

$$\frac{\frac{\sqrt{1-a^2x^2}}{d} - \frac{\operatorname{asinh}\left(x\sqrt{-a^2}\right)\left(2a\sqrt{-a^2} - \frac{a^2c\sqrt{-a^2}}{d}\right)}{a^2d} - \frac{\left(\ln\left(\sqrt{1-\frac{a^2c^2}{d^2}}\sqrt{1-a^2x^2} + \frac{a^2cx}{d} + 1\right) - \ln(c+dx)\right)\left(a^2c^2 - 2acd + d^2\right)}{d^3\sqrt{1-\frac{a^2c^2}{d^2}}}}{d^3\sqrt{1-\frac{a^2c^2}{d^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1 - a^2\*x^2)^(3/2)/((a\*x - 1)^2\*(c + d\*x)), x)

[Out] - (1 - a^2\*x^2)^(1/2)/d - (asinh(x\*(-a^2)^(1/2))\* (2\*a\*(-a^2)^(1/2) - (a^2\*c\*(-a^2)^(1/2))/d))/ (a^2\*d) - ((log((1 - (a^2\*c^2)/d^2)^(1/2)\*(1 - a^2\*x^2)^(1/2) + (a^2\*c\*x)/d + 1) - log(c + d\*x))\*(d^2 + a^2\*c^2 - 2\*a\*c\*d))/ (d^3\*(1 - (a^2\*c^2)/d^2)^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(- (ax - 1) (ax + 1))^{\frac{3}{2}}}{(c + dx) (ax - 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-a\*\*2\*x\*\*2+1)\*\*(3/2)/(-a\*x+1)\*\*2/(d\*x+c), x)

[Out] Integral((- (a\*x - 1) \* (a\*x + 1)) \*\* (3/2) / ((c + d\*x) \* (a\*x - 1) \*\* 2), x)



$$3.423 \quad \int \frac{(1+ax)^2}{(c+dx)\sqrt{1-a^2x^2}} dx$$

Optimal. Leaf size=107

$$\frac{(ac-d)^2 \tan^{-1}\left(\frac{a^2cx+d}{\sqrt{1-a^2x^2}\sqrt{a^2c^2-d^2}}\right)}{d^2\sqrt{a^2c^2-d^2}} - \frac{\sqrt{1-a^2x^2}}{d} - \frac{(ac-2d)\sin^{-1}(ax)}{d^2}$$

**Rubi** [A] time = 0.18, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.172, Rules used = {1654, 844, 216, 725, 204}

$$\frac{(ac-d)^2 \tan^{-1}\left(\frac{a^2cx+d}{\sqrt{1-a^2x^2}\sqrt{a^2c^2-d^2}}\right)}{d^2\sqrt{a^2c^2-d^2}} - \frac{\sqrt{1-a^2x^2}}{d} - \frac{(ac-2d)\sin^{-1}(ax)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(1 + a\*x)^2/((c + d\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] -(Sqrt[1 - a^2\*x^2]/d) - ((a\*c - 2\*d)\*ArcSin[a\*x])/d^2 + ((a\*c - d)^2\*ArcTan[(d + a^2\*c\*x)/(Sqrt[a^2\*c^2 - d^2]\*Sqrt[1 - a^2\*x^2])])/(d^2\*Sqrt[a^2\*c^2 - d^2])

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 725

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] :> -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

#### Rule 844

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + c\*x^2)^p, x], x] + D

Int[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c\*d^2 + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 1654

Int[(Pq\_)\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(d + e\*x)^(m + q - 1)\*(a + c\*x^2)^(p + 1))/(c\*e^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(c\*e^q\*(m + q + 2\*p + 1)), Int[(d + e\*x)^m\*(a + c\*x^2)^p\*ExpandToSum[c\*e^q\*(m + q + 2\*p + 1)\*Pq - c\*f\*(m + q + 2\*p + 1)\*(d + e\*x)^q - f\*(d + e\*x)^(q - 2)\*(a\*e^2\*(m + q - 1) - c\*d^2\*(m + q + 2\*p + 1) - 2\*c\*d\*e\*(m + q + p)\*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2\*p + 1, 0] /; FreeQ[{a, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[c\*d^2 + a\*e^2, 0] && !(EqQ[d, 0] && True) && !(IGtQ[m, 0] && RationalQ[a, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

### Rubi steps

$$\begin{aligned} \int \frac{(1 + ax)^2}{(c + dx)\sqrt{1 - a^2x^2}} dx &= -\frac{\sqrt{1 - a^2x^2}}{d} - \frac{\int \frac{-a^2d^2 + a^3(ac - 2d)dx}{(c + dx)\sqrt{1 - a^2x^2}} dx}{a^2d^2} \\ &= -\frac{\sqrt{1 - a^2x^2}}{d} - \frac{(a(ac - 2d)) \int \frac{1}{\sqrt{1 - a^2x^2}} dx}{d^2} + \frac{(ac - d)^2 \int \frac{1}{(c + dx)\sqrt{1 - a^2x^2}} dx}{d^2} \\ &= -\frac{\sqrt{1 - a^2x^2}}{d} - \frac{(ac - 2d) \sin^{-1}(ax)}{d^2} - \frac{(ac - d)^2 \text{Subst}\left(\int \frac{1}{-a^2c^2 + d^2 - x^2} dx, x, \frac{d + a^2cx}{\sqrt{1 - a^2x^2}}\right)}{d^2} \\ &= -\frac{\sqrt{1 - a^2x^2}}{d} - \frac{(ac - 2d) \sin^{-1}(ax)}{d^2} + \frac{(ac - d)^2 \tan^{-1}\left(\frac{d + a^2cx}{\sqrt{a^2c^2 - d^2} \sqrt{1 - a^2x^2}}\right)}{d^2 \sqrt{a^2c^2 - d^2}} \end{aligned}$$

**Mathematica [A]** time = 0.11, size = 120, normalized size = 1.12

$$\frac{(ac - d)\sqrt{a^2c^2 - d^2} \tan^{-1}\left(\frac{a^2cx + d}{\sqrt{1 - a^2x^2} \sqrt{a^2c^2 - d^2}}\right)}{d^2(ac + d)} - \frac{\sqrt{1 - a^2x^2}}{d} - \frac{(ac - d) \sin^{-1}(ax)}{d^2} + \frac{\sin^{-1}(ax)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + a\*x)^2/((c + d\*x)\*Sqrt[1 - a^2\*x^2]), x]

[Out] -(Sqrt[1 - a^2\*x^2]/d) - ((a\*c - d)\*ArcSin[a\*x])/d^2 + ArcSin[a\*x]/d + ((a\*c - d)\*Sqrt[a^2\*c^2 - d^2]\*ArcTan[(d + a^2\*c\*x)/(Sqrt[a^2\*c^2 - d^2]\*Sqrt[1 - a^2\*x^2]])/(d^2\*(a\*c + d))

**IntegrateAlgebraic [B]** time = 1.78, size = 971, normalized size = 9.07

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(1 + a\*x)^2/((c + d\*x)\*Sqrt[1 - a^2\*x^2]),x]

[Out] 
$$-\frac{\sqrt{1 - a^2 x^2}}{d} + \frac{((a^3 c^3 \sqrt{2 a^2 c^2 - d^2} - 2 a c \sqrt{a^2 c^2 - d^2}) - a^2 c^2 d \sqrt{2 a^2 c^2 - d^2} - 2 a c \sqrt{a^2 c^2 - d^2}) - a^2 c^2 d^2 \sqrt{2 a^2 c^2 - d^2} + d^3 \sqrt{2 a^2 c^2 - d^2} + a^2 c^2 \sqrt{a^2 c^2 - d^2} \sqrt{2 a^2 c^2 - d^2} - a^2 c^2 \sqrt{a^2 c^2 - d^2}) \operatorname{ArcTan}\left(\frac{\sqrt{-a^2} d x - d \sqrt{1 - a^2 x^2}}{\sqrt{2 a^2 c^2 - d^2} - 2 a c \sqrt{a^2 c^2 - d^2}}\right)}{d^4 (a c + d)} + \frac{((a^3 c^3 \sqrt{2 a^2 c^2 - d^2} + 2 a c \sqrt{a^2 c^2 - d^2}) - a^2 c^2 d \sqrt{2 a^2 c^2 - d^2} + 2 a c \sqrt{a^2 c^2 - d^2}) + d^3 \sqrt{2 a^2 c^2 - d^2} + 2 a c \sqrt{a^2 c^2 - d^2} - a^2 c^2 \sqrt{a^2 c^2 - d^2} \sqrt{2 a^2 c^2 - d^2} + 2 a c \sqrt{a^2 c^2 - d^2} + a^2 c^2 \sqrt{a^2 c^2 - d^2} \sqrt{2 a^2 c^2 - d^2} + a^2 c^2 \sqrt{a^2 c^2 - d^2}) \operatorname{ArcTan}\left(\frac{\sqrt{-a^2} d x - d \sqrt{1 - a^2 x^2}}{\sqrt{2 a^2 c^2 - d^2} + 2 a c \sqrt{a^2 c^2 - d^2}}\right)}{d^4 (a c + d)} - \frac{(\sqrt{-a^2} (a c - d) \sqrt{-(a^2 c^2 + d^2)} \operatorname{ArcTan}\left(\frac{a^2 c^2 - a^2 d^2 x^2 - \sqrt{-a^2} d^2 x \sqrt{1 - a^2 x^2}}{a c \sqrt{-(a^2 c^2 + d^2)}}\right))}{a^2 d^2 (a c + d)} - \frac{(\sqrt{-a^2} (a c - 2 d) \operatorname{Log}\left[-\left(\sqrt{-a^2} x + \sqrt{1 - a^2 x^2}\right)\right])}{a^2 d^2}$$

**fricas [A]** time = 0.56, size = 318, normalized size = 2.97

$$\frac{(ac-d)\sqrt{\frac{ac-d}{ac+d}} \log\left(\frac{d^2 ac + d^2 (a^2 - d^2) \sqrt{-a^2 x^2 + 1} - (ad + d^2 + (d^2 + d^2) \sqrt{-a^2 x^2 + 1}) \sqrt{\frac{ac-d}{ac+d}}}{dx+c}\right) - 2(ac-d) \arctan\left(\frac{\sqrt{-a^2 x^2 + 1}}{ax}\right) + \sqrt{-a^2 x^2 + 1} d}{d^2} - \frac{2(ac-d)\sqrt{\frac{ac-d}{ac+d}} \arctan\left(\frac{(dx - \sqrt{-a^2 x^2 + 1} + c) \sqrt{\frac{ac-d}{ac+d}}}{(ac-d)x}\right) + 2(ac-d) \arctan\left(\frac{\sqrt{-a^2 x^2 + 1}}{ax}\right) - \sqrt{-a^2 x^2 + 1} d}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*x+1)^2/(d\*x+c)/(-a^2\*x^2+1)^(1/2),x, algorithm="fricas")

[Out] 
$$\frac{-((a c - d) \sqrt{-a^2 x^2 + 1} - (a^2 c^2 + d^2) \sqrt{-a^2 x^2 + 1} - (a^2 c^2 + d^2) \sqrt{-a^2 x^2 + 1}) \operatorname{Log}\left(\frac{a^2 c^2 d x + d^2 - (a^2 c^2 - d^2) \sqrt{-a^2 x^2 + 1}}{(a^2 c^2 + d^2) \sqrt{-a^2 x^2 + 1}}\right) - 2(a c - d) \operatorname{arctan}\left(\frac{\sqrt{-a^2 x^2 + 1} - 1}{a x}\right) + \sqrt{-a^2 x^2 + 1} d}{d^2} + \frac{2(a c - d) \sqrt{-a^2 x^2 + 1} \operatorname{arctan}\left(\frac{d x - \sqrt{-a^2 x^2 + 1}}{a c + c}\right) \sqrt{\frac{a c - d}{a c + d}} + 2(a c - 2 d) \operatorname{arctan}\left(\frac{\sqrt{-a^2 x^2 + 1} - 1}{a x}\right) - \sqrt{-a^2 x^2 + 1} d}{d^2}$$

**giac** [A] time = 0.46, size = 131, normalized size = 1.22

$$\frac{(a^2c - 2ad) \arcsin(ax) \operatorname{sgn}(a)}{d^2|a|} - \frac{\sqrt{-a^2x^2 + 1}}{d} - \frac{2(a^3c^2 - 2a^2cd + ad^2) \arctan\left(\frac{d + \frac{(\sqrt{-a^2x^2 + 1}|a| + a)c}{ax}}{\sqrt{a^2c^2 - d^2}}\right)}{\sqrt{a^2c^2 - d^2} d^2|a|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*x+1)^2/(d\*x+c)/(-a^2\*x^2+1)^(1/2), x, algorithm="giac")

[Out]  $-(a^2c - 2ad) \arcsin(ax) \operatorname{sgn}(a) / (d^2 \operatorname{abs}(a)) - \sqrt{-a^2x^2 + 1} / d - 2(a^3c^2 - 2a^2cd + ad^2) \arctan((d + (\sqrt{-a^2x^2 + 1}) \operatorname{abs}(a) + a)c / (ax)) / \sqrt{a^2c^2 - d^2} / (\sqrt{a^2c^2 - d^2} d^2 \operatorname{abs}(a))$

**maple** [B] time = 0.02, size = 524, normalized size = 4.90

$$\frac{a^2c^2 \ln\left(\frac{\frac{d(\frac{1}{2})^{2c}}{d} + \frac{2(\frac{a^2c-d}{d})}{d} \sqrt{\frac{d^2-d^2}{d}} \sqrt{\frac{d(\frac{1}{2})^{2c}}{d} - (\frac{1}{2})^2 \frac{a^2c-d}{d}}}{x+\frac{1}{2}}\right)}{\sqrt{\frac{d^2-d^2}{d^2}} d^3} - \frac{a^2c \arctan\left(\frac{\sqrt{d^2-x}}{\sqrt{-a^2x^2+1}}\right)}{\sqrt{d^2} d^2} + \frac{2ac \ln\left(\frac{\frac{d(\frac{1}{2})^{2c}}{d} + \frac{2(\frac{a^2c-d}{d})}{d} \sqrt{\frac{d^2-d^2}{d}} \sqrt{\frac{d(\frac{1}{2})^{2c}}{d} - (\frac{1}{2})^2 \frac{a^2c-d}{d}}}{x+\frac{1}{2}}\right)}{\sqrt{\frac{d^2-d^2}{d^2}} d^2} + \frac{2a \arctan\left(\frac{\sqrt{d^2-x}}{\sqrt{-a^2x^2+1}}\right)}{\sqrt{d^2} d} - \frac{\ln\left(\frac{\frac{d(\frac{1}{2})^{2c}}{d} + \frac{2(\frac{a^2c-d}{d})}{d} \sqrt{\frac{d^2-d^2}{d}} \sqrt{\frac{d(\frac{1}{2})^{2c}}{d} - (\frac{1}{2})^2 \frac{a^2c-d}{d}}}{x+\frac{1}{2}}\right)}{\sqrt{\frac{d^2-d^2}{d^2}} d} - \frac{\sqrt{-a^2x^2+1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*x+1)^2/(d\*x+c)/(-a^2\*x^2+1)^(1/2), x)

[Out]  $-(a^2x^2+1)^{1/2}/d - a^2/d^2c/(a^2)^{1/2} \arctan((a^2)^{1/2}/(-a^2x^2+1)^{1/2}x) + 2a/d/(a^2)^{1/2} \arctan((a^2)^{1/2}/(-a^2x^2+1)^{1/2}x) - 1/d^3/(-a^2c^2-d^2)/d^2)^{1/2} \ln((2(x+c/d)a^2c/d - 2(a^2c^2-d^2)/d^2 + 2(-a^2c^2-d^2)/d^2)^{1/2} * (2(x+c/d)a^2c/d - (x+c/d)^2a^2 - (a^2c^2-d^2)/d^2)^{1/2}) / (x+c/d) * a^2c^2+2/d^2/(-a^2c^2-d^2)/d^2)^{1/2} \ln((2(x+c/d)a^2c/d - 2(a^2c^2-d^2)/d^2 + 2(-a^2c^2-d^2)/d^2)^{1/2} * (2(x+c/d)a^2c/d - (x+c/d)^2a^2 - (a^2c^2-d^2)/d^2)^{1/2}) / (x+c/d) * ac - 1/d/(-a^2c^2-d^2)/d^2)^{1/2} \ln((2(x+c/d)a^2c/d - 2(a^2c^2-d^2)/d^2 + 2(-a^2c^2-d^2)/d^2)^{1/2} * (2(x+c/d)a^2c/d - (x+c/d)^2a^2 - (a^2c^2-d^2)/d^2)^{1/2}) / (x+c/d)$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*x+1)^2/(d\*x+c)/(-a^2\*x^2+1)^(1/2), x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d-a\*c>0)', see `assume?` for more details) Is d-a\*c positive, negative or zero?

**mupad [B]** time = 0.12, size = 148, normalized size = 1.38

$$\frac{\frac{\sqrt{1-a^2x^2}}{d} \operatorname{asinh}\left(x\sqrt{-a^2}\right) \left(2a\sqrt{-a^2} - \frac{a^2c\sqrt{-a^2}}{d}\right) \left(\ln\left(\sqrt{1-\frac{a^2c^2}{d^2}}\sqrt{1-a^2x^2} + \frac{a^2cx}{d} + 1\right) - \ln(c+dx)\right) (a^2c^2 - 2acd + d^2)}{d^3\sqrt{1-\frac{a^2c^2}{d^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*x + 1)^2/((1 - a^2*x^2)^(1/2)*(c + d*x)), x)`

[Out]  $-(1 - a^2x^2)^{1/2}/d - (\operatorname{asinh}(x(-a^2)^{1/2})*(2a(-a^2)^{1/2} - (a^2c*(-a^2)^{1/2})/d))/(a^2d) - ((\log((1 - (a^2c^2)/d^2)^{1/2}*(1 - a^2x^2)^{1/2} + (a^2c*x)/d + 1) - \log(c + dx))*(d^2 + a^2c^2 - 2a*c*d))/(d^3*(1 - (a^2c^2)/d^2)^{1/2})$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ax + 1)^2}{\sqrt{-(ax - 1)(ax + 1)}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*x+1)**2/(d*x+c)/(-a**2*x**2+1)**(1/2), x)`

[Out] `Integral((a*x + 1)**2/(sqrt(-(a*x - 1)*(a*x + 1))*(c + d*x)), x)`

$$3.424 \quad \int \frac{\sqrt{d+ex}(f+gx)^3}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=269

$$\frac{16\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^2(2ae^2g-cd(3ef-dg))}{35c^4d^4e\sqrt{d+ex}} + \frac{16g\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{35c^3d^3e}$$

**Rubi [A]** time = 0.42, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {870, 794, 648}

$$\frac{12(f+gx)^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}{35c^2d^2\sqrt{d+ex}} + \frac{16g\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^2}{35c^3d^3e} - \frac{16\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^2(2ae^2g-cd(3ef-dg))}{35c^4d^4e\sqrt{d+ex}} + \frac{2(f+gx)^3\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{7cd\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e\*x]\*(f + g\*x)^3)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (-16\*(c\*d\*f - a\*e\*g)^2\*(2\*a\*e^2\*g - c\*d\*(3\*e\*f - d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(35\*c^4\*d^4\*e\*Sqrt[d + e\*x]) + (16\*g\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(35\*c^3\*d^3\*e) + (12\*(c\*d\*f - a\*e\*g)\*(f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(35\*c^2\*d^2\*Sqrt[d + e\*x]) + (2\*(f + g\*x)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(7\*c\*d\*Sqrt[d + e\*x])

Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

Rule 870

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

### Rubi steps

$$\int \frac{\sqrt{d+ex}(f+gx)^3}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{2(f+gx)^3 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{7cd\sqrt{d+ex}} + \frac{(6(cde^2f+cd^2eg-e(cd^2+ae^2)))\sqrt{d+ex}}{7cd^2\sqrt{d+ex}}$$

$$= \frac{12(cdf-aeg)(f+gx)^2 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{35c^2d^2\sqrt{d+ex}} + \frac{2(f+gx)^3 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{7cd^2\sqrt{d+ex}}$$

$$= \frac{16g(cdf-aeg)^2 \sqrt{d+ex} \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{35c^3d^3e} + \frac{12(cdf-aeg)\sqrt{d+ex}}{7cd^2\sqrt{d+ex}}$$

$$= -\frac{16(cdf-aeg)^2(2ae^2g-cd(3ef-dg)) \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{35c^4d^4e\sqrt{d+ex}} + \frac{12(cdf-aeg)\sqrt{d+ex}}{7cd^2\sqrt{d+ex}}$$

**Mathematica [A]** time = 0.13, size = 136, normalized size = 0.51

$$\frac{2\sqrt{(d+ex)(ae+cdx)}(-16a^3e^3g^3+8a^2cde^2g^2(7f+gx)-2ac^2d^2eg(35f^2+14fgx+3g^2x^2)+c^3d^3(35f^3+35f^2gx+21fg^2x^2+5g^3x^3))}{35c^4d^4\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e\*x]\*(f + g\*x)^3)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-16\*a^3\*e^3\*g^3 + 8\*a^2\*c\*d\*e^2\*g^2\*(7\*f + g\*x) - 2\*a\*c^2\*d^2\*e\*g\*(35\*f^2 + 14\*f\*g\*x + 3\*g^2\*x^2) + c^3\*d^3\*(35\*f^3 + 35\*f^2\*g\*x + 21\*f\*g^2\*x^2 + 5\*g^3\*x^3)))/(35\*c^4\*d^4\*Sqrt[d + e\*x])

**IntegrateAlgebraic [A]** time = 0.85, size = 394, normalized size = 1.46

$$2\sqrt{(d+ex)} \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{35c^4d^4e\sqrt{d+ex}} (-16a^3e^3g^3+8a^2cde^2g^2(7f+gx)-2ac^2d^2eg(35f^2+14fgx+3g^2x^2)+c^3d^3(35f^3+35f^2gx+21fg^2x^2+5g^3x^3))$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[d + e\*x]\*(f + g\*x)^3)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e]\*(35\*c^3\*d^3\*e^3\*f^3 - 35\*c^3\*d^4\*e^2\*f^2\*g - 70\*a\*c^2\*d^2\*e^4\*f^2\*g + 21\*c^3\*d^5\*e\*f\*g^2 + 28\*a\*c^2\*d^3\*e^3\*f\*g^2 + 56\*a^2\*c\*d\*e^5\*f\*g^2 - 5\*c^3\*d^6\*g^3 - 6\*a\*c^2\*d^4\*e^2\*g^3 - 8\*a^2\*c\*d^2\*e^4\*g^3 - 16\*a^3\*e^6\*g^3 + 35\*c^3\*d^3\*e^2\*f^2\*g\*(d + e\*x) - 42\*c^3\*d^4\*e\*f\*g^2\*(d + e\*x) - 28\*a\*c^2\*d^2\*e^3\*f\*g^2\*(d + e\*x) + 15\*c^3\*d^5\*g^3\*(d + e\*x) + 12\*a\*c^2\*d^3\*e^2\*g^3\*(d + e\*x) + 8\*a^2\*c\*d\*e^4\*g^3\*(d + e\*x) + 21\*c^3\*d^3\*e\*f\*g^2\*(d + e\*x)^2 - 15\*c^3\*d^4\*g^3\*(d + e\*x)^2 - 6\*a\*c^2\*d^2\*e^2\*g^3\*(d + e\*x)^2 + 5\*c^3\*d^3\*g^3\*(d + e\*x)^3))/(35\*c^4\*d^4\*e^3\*Sqrt[d + e\*x])

**fricas** [A] time = 0.42, size = 193, normalized size = 0.72

$$\frac{2(5c^3d^3g^3x^3 + 35c^3d^3f^3 - 70ac^2d^2ef^2g + 56a^2cde^2fg^2 - 16a^3e^3g^3 + 3(7c^3d^3fg^2 - 2ac^2d^2eg^3)x^2 + (35c^3d^3f^2g - 28ac^2d^2efg^2 + 8a^2cde^2g^3)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{35(c^4d^4ex + c^4d^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] 2/35\*(5\*c^3\*d^3\*g^3\*x^3 + 35\*c^3\*d^3\*f^3 - 70\*a\*c^2\*d^2\*e\*f^2\*g + 56\*a^2\*c\*d\*e^2\*f\*g^2 - 16\*a^3\*e^3\*g^3 + 3\*(7\*c^3\*d^3\*f\*g^2 - 2\*a\*c^2\*d^2\*e\*g^3)\*x^2 + (35\*c^3\*d^3\*f^2\*g - 28\*a\*c^2\*d^2\*e\*f\*g^2 + 8\*a^2\*c\*d\*e^2\*g^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^4\*d^4\*e\*x + c^4\*d^5)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex + d} (gx + f)^3}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(e\*x + d)\*(g\*x + f)^3/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x), x)

**maple** [A] time = 0.01, size = 188, normalized size = 0.70

$$\frac{2(cdx + ae)(-5g^3x^3c^3d^3 + 6a^2c^2d^2eg^3x^2 - 21c^3d^3fg^2x^2 - 8a^2cd^2e^2g^3x + 28a^2c^2d^2efg^2x - 35c^3d^3f^2gx + 16a^3e^3g^3 - 56a^2cd^2efg^2 + 70a^2c^2d^2ef^2g - 35f^3c^3d^3)\sqrt{ex + d}}{35\sqrt{cdex^2 + ae^2x + cd^2x + ade}c^4d^4}$$



Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((g*x+f)^3*(e*x+d)^{(1/2)}/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}, x)$

[Out]  $-2/35*(c*d*x+a*e)*(-5*c^3*d^3*g^3*x^3+6*a*c^2*d^2*e*g^3*x^2-21*c^3*d^3*f*g^2*x^2-8*a^2*c*d*e^2*g^3*x+28*a*c^2*d^2*e*f*g^2*x-35*c^3*d^3*f^2*g*x+16*a^3*e^3*g^3-56*a^2*c*d*e^2*f*g^2+70*a*c^2*d^2*e*f^2*g-35*c^3*d^3*f^3)*(e*x+d)^{(1/2)}/c^4/d^4/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}$

**maxima** [A] time = 0.66, size = 218, normalized size = 0.81

$$\frac{2\sqrt{cdx+ae}f^3}{cd} + \frac{2(c^2d^2x^2-acdex-2a^2e^2)f^2g}{\sqrt{cdx+ae}c^2d^2} + \frac{2(3c^3d^3x^3-ac^2d^2ex^2+4a^2cde^2x+8a^3e^3)fg^2}{5\sqrt{cdx+ae}c^3d^3} + \frac{2(5c^4d^4x^4-ac^3d^3ex^3+2a^2c^2d^2e^2x^2-8a^3cde^3x-16a^4e^4)g^3}{35\sqrt{cdx+ae}c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((g*x+f)^3*(e*x+d)^{(1/2)}/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out]  $2*\text{sqrt}(c*d*x + a*e)*f^3/(c*d) + 2*(c^2*d^2*x^2 - a*c*d*e*x - 2*a^2*e^2)*f^2*g/(\text{sqrt}(c*d*x + a*e)*c^2*d^2) + 2/5*(3*c^3*d^3*x^3 - a*c^2*d^2*e*x^2 + 4*a^2*c*d*e^2*x + 8*a^3*e^3)*f*g^2/(\text{sqrt}(c*d*x + a*e)*c^3*d^3) + 2/35*(5*c^4*d^4*x^4 - a*c^3*d^3*e*x^3 + 2*a^2*c^2*d^2*e^2*x^2 - 8*a^3*c*d*e^3*x - 16*a^4*e^4)*g^3/(\text{sqrt}(c*d*x + a*e)*c^4*d^4)$

**mupad** [B] time = 3.66, size = 218, normalized size = 0.81

$$\frac{\sqrt{cdex^2+(cd^2+ae^2)x+ade} \left( \frac{\sqrt{d+ex}(32a^3e^3g^3-112a^2cd^2fg^2+140a^2d^2ef^2g-70c^3d^3f^3)}{35c^4d^4e} - \frac{2g^3x^3\sqrt{d+ex}}{7cde} + \frac{6g^2x^2(2aeg-7cdf)\sqrt{d+ex}}{35c^2d^2e} - \frac{2gx\sqrt{d+ex}(8a^2e^2g^2-28acdefg+35c^2d^2f^2)}{35c^3d^3e} \right)}{x + \frac{d}{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(((f + g*x)^3*(d + e*x)^{(1/2)})/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}, x)$

[Out]  $-((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}*((d + e*x)^{(1/2)}*(32*a^3*e^3*g^3 - 70*c^3*d^3*f^3 + 140*a*c^2*d^2*e*f^2*g - 112*a^2*c*d*e^2*f*g^2)))/(35*c^4*d^4*e) - (2*g^3*x^3*(d + e*x)^{(1/2)})/(7*c*d*e) + (6*g^2*x^2*(2*a*e*g - 7*c*d*f)*(d + e*x)^{(1/2)})/(35*c^2*d^2*e) - (2*g*x*(d + e*x)^{(1/2)}*(8*a^2*e^2*g^2 + 35*c^2*d^2*f^2 - 28*a*c*d*e*f*g))/(35*c^3*d^3*e)))/(x + d/e)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex} (f+gx)^3}{\sqrt{(d+ex)(ae+cdx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)**3*(e*x+d)**(1/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)
```

```
[Out] Integral(sqrt(d + e*x)*(f + g*x)**3/sqrt((d + e*x)*(a*e + c*d*x)), x)
```

$$3.425 \quad \int \frac{\sqrt{d+ex}(f+gx)^2}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=200

$$\frac{8\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)(2ae^2g-cd(3ef-dg))}{15c^3d^3e\sqrt{d+ex}} + \frac{8g\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{15c^2d^2e}$$

**Rubi [A]** time = 0.23, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {870, 794, 648}

$$\frac{8g\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}{15c^2d^2e} - \frac{8\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)(2ae^2g-cd(3ef-dg))}{15c^3d^3e\sqrt{d+ex}} + \frac{2(f+gx)^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5cd\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e\*x]\*(f + g\*x)^2)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (-8\*(c\*d\*f - a\*e\*g)\*(2\*a\*e^2\*g - c\*d\*(3\*e\*f - d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(15\*c^3\*d^3\*e\*Sqrt[d + e\*x]) + (8\*g\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(15\*c^2\*d^2\*e) + (2\*(f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(5\*c\*d\*Sqrt[d + e\*x])

#### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

#### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

#### Rule 870

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

### Rubi steps

$$\int \frac{\sqrt{d+ex}(f+gx)^2}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{2(f+gx)^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{5cd\sqrt{d+ex}} + \frac{4(cde^2f+cd^2eg-e(cd^2+ae^2))}{5cd^2e}$$

$$= \frac{8g(cdf-aeg)\sqrt{d+ex}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{15c^2d^2e} + \frac{2(f+gx)^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{5cd^2e}$$

$$= -\frac{8(cdf-aeg)(2ae^2g-cd(3ef-dg))\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{15c^3d^3e\sqrt{d+ex}} + \frac{8g}{15c^3d^3e\sqrt{d+ex}}$$

**Mathematica [A]** time = 0.08, size = 89, normalized size = 0.44

$$\frac{2\sqrt{(d+ex)(ae+cdx)}(8a^2e^2g^2-4acdeg(5f+gx)+c^2d^2(15f^2+10fgx+3g^2x^2))}{15c^3d^3\sqrt{d+ex}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[d + e*x]*(f + g*x)^2)/Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*
e*x^2], x]
```

```
[Out] (2*Sqrt[(a*e + c*d*x)*(d + e*x)]*(8*a^2*e^2*g^2 - 4*a*c*d*e*g*(5*f + g*x) +
c^2*d^2*(15*f^2 + 10*f*g*x + 3*g^2*x^2)))/(15*c^3*d^3*Sqrt[d + e*x])
```

**IntegrateAlgebraic [A]** time = 0.44, size = 199, normalized size = 1.00

$$\frac{2\sqrt{ac(d+ex) - \frac{cd^2(d+ex)}{e} + \frac{cd(d+ex)^2}{e}}(8a^2e^4g^2 + 4acd^2e^2g^2 - 20acde^3fg - 4acde^2g^2(d+ex) + 3c^2d^4g^2 - 10c^2d^3efg - 6c^2d^3g^2(d+ex) + 15c^2d^2e^2f^2 + 10c^2d^2efg(d+ex) + 3c^2d^2g^2(d+ex)^2)}{15c^3d^3e^2\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[d + e\*x]\*(f + g\*x)^2)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e]\*(15\*c^2\*d^2\*e^2\*f^2 - 10\*c^2\*d^3\*e\*f\*g - 20\*a\*c\*d\*e^3\*f\*g + 3\*c^2\*d^4\*g^2 + 4\*a\*c\*d^2\*e^2\*g^2 + 8\*a^2\*e^4\*g^2 + 10\*c^2\*d^2\*e\*f\*g\*(d + e\*x) - 6\*c^2\*d^3\*g^2\*(d + e\*x) - 4\*a\*c\*d\*e^2\*g^2\*(d + e\*x) + 3\*c^2\*d^2\*g^2\*(d + e\*x)^2))/(15\*c^3\*d^3\*e^2\*Sqrt[d + e\*x])

**fricas** [A] time = 0.44, size = 123, normalized size = 0.62

$$\frac{2(3c^2d^2g^2x^2 + 15c^2d^2f^2 - 20acdefg + 8a^2e^2g^2 + 2(5c^2d^2fg - 2acdeg^2)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{15(c^3d^3ex + c^3d^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] 2/15\*(3\*c^2\*d^2\*g^2\*x^2 + 15\*c^2\*d^2\*f^2 - 20\*a\*c\*d\*e\*f\*g + 8\*a^2\*e^2\*g^2 + 2\*(5\*c^2\*d^2\*f\*g - 2\*a\*c\*d\*e\*g^2)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^3\*d^3\*e\*x + c^3\*d^4)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex + d}(gx + f)^2}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(e\*x + d)\*(g\*x + f)^2/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x), x)

**maple** [A] time = 0.01, size = 116, normalized size = 0.58

$$\frac{2(cdx + ae)(3g^2x^2c^2d^2 - 4acdeg^2x + 10c^2d^2fgx + 8a^2e^2g^2 - 20acdefg + 15f^2c^2d^2)\sqrt{ex + d}}{15\sqrt{cde x^2 + a e^2x + c d^2x + ade} c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^2\*(e\*x+d)^(1/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2), x)

[Out]  $2/15*(c*d*x+a*e)*(3*c^2*d^2*g^2*x^2-4*a*c*d*e*g^2*x+10*c^2*d^2*f*g*x+8*a^2*e^2*g^2-20*a*c*d*e*f*g+15*c^2*d^2*f^2)*(e*x+d)^{(1/2)}/c^3/d^3/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}$

**maxima** [A] time = 0.61, size = 133, normalized size = 0.66

$$\frac{2\sqrt{cdx+ae}f^2}{cd} + \frac{4(c^2d^2x^2 - acdex - 2a^2e^2)fg}{3\sqrt{cdx+ae}c^2d^2} + \frac{2(3c^3d^3x^3 - ac^2d^2ex^2 + 4a^2cde^2x + 8a^3e^3)g^2}{15\sqrt{cdx+ae}c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)^2*(e*x+d)^(1/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2), x, algorithm="maxima")`

[Out]  $2*\text{sqrt}(c*d*x + a*e)*f^2/(c*d) + 4/3*(c^2*d^2*x^2 - a*c*d*e*x - 2*a^2*e^2)*f*g/(\text{sqrt}(c*d*x + a*e)*c^2*d^2) + 2/15*(3*c^3*d^3*x^3 - a*c^2*d^2*e*x^2 + 4*a^2*c*d*e^2*x + 8*a^3*e^3)*g^2/(\text{sqrt}(c*d*x + a*e)*c^3*d^3)$

**mupad** [B] time = 3.40, size = 142, normalized size = 0.71

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{\sqrt{d+ex}(16a^2e^2g^2 - 40acdefg + 30c^2d^2f^2)}{15c^3d^3e} + \frac{2g^2x^2\sqrt{d+ex}}{5cde} - \frac{4gx(2aeg - 5cdf)\sqrt{d+ex}}{15c^2d^2e} \right)}{x + \frac{d}{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((f + g*x)^2*(d + e*x)^(1/2))/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2), x)`

[Out]  $((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}*((d + e*x)^{(1/2)}*(16*a^2*e^2*g^2 + 30*c^2*d^2*f^2 - 40*a*c*d*e*f*g))/(15*c^3*d^3*e) + (2*g^2*x^2*(d + e*x)^{(1/2)})/(5*c*d*e) - (4*g*x*(2*a*e*g - 5*c*d*f)*(d + e*x)^{(1/2)})/(15*c^2*d^2*e))/(x + d/e)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex} (f+gx)^2}{\sqrt{(d+ex)(ae+cdx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**2*(e*x+d)**(1/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2), x)`

[Out] `Integral(sqrt(d + e*x)*(f + g*x)**2/sqrt((d + e*x)*(a*e + c*d*x)), x)`

$$3.426 \quad \int \frac{\sqrt{d+ex}(f+gx)}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=125

$$\frac{2g\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3cde} - \frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}(2ae^2g-cd(3ef-dg))}{3c^2d^2e\sqrt{d+ex}}$$

**Rubi [A]** time = 0.09, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 44,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {794, 648}

$$\frac{2g\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3cde} - \frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}(2ae^2g-cd(3ef-dg))}{3c^2d^2e\sqrt{d+ex}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[d + e*x]*(f + g*x))/Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2], x]
```

```
[Out] (-2*(2*a*e^2*g - c*d*(3*e*f - d*g))*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(3*c^2*d^2*e*Sqrt[d + e*x]) + (2*g*Sqrt[d + e*x]*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(3*c*d*e)
```

#### Rule 648

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(d + e*x)^(m - 1)*(a + b*x + c*x^2)^(p + 1))/(c*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]
```

#### Rule 794

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + b*x + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[(m*(g*(c*d - b*e) + c*e*f) + e*(p + 1)*(2*c*f - b*g))/(c*e*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[m + 2*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])
```

#### Rubi steps

$$\int \frac{\sqrt{d+ex}(f+gx)}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{2g\sqrt{d+ex}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3cde} + \frac{1}{3} \left( 3f - \frac{dg}{e} - \frac{2aeg}{cd} \right) \int \frac{1}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

$$= -\frac{2(2ae^2g - cd(3ef - dg))\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3c^2d^2e\sqrt{d+ex}} + \frac{2g\sqrt{d+ex}}{3c^2d^2e\sqrt{d+ex}}$$

**Mathematica [A]** time = 0.05, size = 53, normalized size = 0.42

$$\frac{2\sqrt{(d+ex)(ae+cdx)}(cd(3f+gx)-2aeg)}{3c^2d^2\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e\*x]\*(f + g\*x))/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-2\*a\*e\*g + c\*d\*(3\*f + g\*x)))/(3\*c^2\*d^2\*Sqrt[d + e\*x])

**IntegrateAlgebraic [A]** time = 0.23, size = 92, normalized size = 0.74

$$\frac{2\sqrt{ae(d+ex) - \frac{cd^2(d+ex)}{e} + \frac{cd(d+ex)^2}{e}}(-2ae^2g - cd^2g + 3cdef + cdg(d+ex))}{3c^2d^2e\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[d + e\*x]\*(f + g\*x))/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*(3\*c\*d\*e\*f - c\*d^2\*g - 2\*a\*e^2\*g + c\*d\*g\*(d + e\*x))\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e])/(3\*c^2\*d^2\*e\*Sqrt[d + e\*x])

**fricas [A]** time = 0.40, size = 71, normalized size = 0.57

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(cdgx + 3cdf - 2aeg)\sqrt{ex + d}}{3(c^2d^2ex + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((g\*x+f)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x,  
algorithm="fricas")

[Out] 2/3\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*g\*x + 3\*c\*d\*f - 2\*a\*e\*g)\*sqrt(e\*x + d)/(c^2\*d^2\*e\*x + c^2\*d^3)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}(gx+f)}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x,  
algorithm="giac")

[Out] integrate(sqrt(e\*x + d)\*(g\*x + f)/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x), x)

maple [A] time = 0.01, size = 67, normalized size = 0.54

$$\frac{2(cdx + ae)(-cdgx + 2aeg - 3cdf)\sqrt{ex+d}}{3\sqrt{cdex^2 + ae^2x + cd^2x + ade}c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)\*(e\*x+d)^(1/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2),x)

[Out] -2/3\*(c\*d\*x+a\*e)\*(-c\*d\*g\*x+2\*a\*e\*g-3\*c\*d\*f)\*(e\*x+d)^(1/2)/c^2/d^2/(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)

maxima [A] time = 0.55, size = 65, normalized size = 0.52

$$\frac{2\sqrt{cdx+ae}f}{cd} + \frac{2(c^2d^2x^2 - acdex - 2a^2e^2)g}{3\sqrt{cdx+ae}c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x,  
algorithm="maxima")

[Out] 2\*sqrt(c\*d\*x + a\*e)\*f/(c\*d) + 2/3\*(c^2\*d^2\*x^2 - a\*c\*d\*e\*x - 2\*a^2\*e^2)\*g/(sqrt(c\*d\*x + a\*e)\*c^2\*d^2)

**mupad [B]** time = 3.23, size = 88, normalized size = 0.70

$$\frac{\left(\frac{4aeg-6cdf}{3c^2d^2e}\sqrt{d+ex} - \frac{2gx\sqrt{d+ex}}{3cde}\right)\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x + \frac{d}{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)\*(d + e\*x)^(1/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2), x)

[Out] -((((4\*a\*e\*g - 6\*c\*d\*f)\*(d + e\*x)^(1/2))/(3\*c^2\*d^2\*e) - (2\*g\*x\*(d + e\*x)^(1/2))/(3\*c\*d\*e))\*((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(x + d/e)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex}(f+gx)}{\sqrt{(d+ex)(ae+cdx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(e\*x+d)\*\*(1/2)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2), x)

[Out] Integral(sqrt(d + e\*x)\*(f + g\*x)/sqrt((d + e\*x)\*(a\*e + c\*d\*x)), x)

$$3.427 \quad \int \frac{\sqrt{d+ex}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=46

$$\frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{cd\sqrt{d+ex}}$$

**Rubi [A]** time = 0.02, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$ , Rules used = {648}

$$\frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{cd\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(c\*d\*Sqrt[d + e\*x])

Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

Rubi steps

$$\int \frac{\sqrt{d+ex}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{cd\sqrt{d+ex}}$$

**Mathematica [A]** time = 0.02, size = 35, normalized size = 0.76

$$\frac{2\sqrt{(d+ex)(ae+cdx)}}{cd\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e\*x]/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])/(c\*d\*Sqrt[d + e\*x])

**IntegrateAlgebraic [A]** time = 0.00, size = 57, normalized size = 1.24

$$\frac{2\sqrt{ae(d+ex) - \frac{cd^2(d+ex)}{e} + \frac{cd(d+ex)^2}{e}}}{cd\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e])/(c\*d\*Sqrt[d + e\*x])

**fricas [A]** time = 0.41, size = 49, normalized size = 1.07

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{cdex + cd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c\*d\*e\*x + c\*d^2)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex + d}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(e\*x + d)/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x), x)

**maple [A]** time = 0.00, size = 50, normalized size = 1.09

$$\frac{2(cdx + ae)\sqrt{ex + d}}{\sqrt{cde x^2 + a e^2 x + c d^2 x + ade cd}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(1/2)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2),x)`

[Out] `2*(c*d*x+a*e)*(e*x+d)^(1/2)/c/d/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)`

**maxima** [A] time = 0.50, size = 18, normalized size = 0.39

$$\frac{2\sqrt{cdx+ae}}{cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(1/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="maxima")`

[Out] `2*sqrt(c*d*x + a*e)/(c*d)`

**mupad** [B] time = 3.20, size = 54, normalized size = 1.17

$$\frac{2\sqrt{d+ex}\sqrt{cdex^2+(cd^2+ae^2)x+ade}}{cde\left(x+\frac{d}{e}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^(1/2)/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2),x)`

[Out] `(2*(d + e*x)^(1/2)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2))/(c*d*e*(x + d/e))`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex}}{\sqrt{(d+ex)(ae+cdx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(1/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)`

[Out] `Integral(sqrt(d + e*x)/sqrt((d + e*x)*(a*e + c*d*x)), x)`

$$3.428 \quad \int \frac{\sqrt{d+ex}}{(f+gx)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=80

$$\frac{2 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}} \right)}{\sqrt{g} \sqrt{cdf-aeg}}$$

**Rubi [A]** time = 0.13, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {874, 205}

$$\frac{2 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}} \right)}{\sqrt{g} \sqrt{cdf-aeg}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[d + e*x]/((f + g*x)*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]),x]
```

```
[Out] (2*ArcTan[(Sqrt[g]*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(Sqrt[c*d*f - a*e*g]*Sqrt[d + e*x])])/(Sqrt[g]*Sqrt[c*d*f - a*e*g])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 874

```
Int[Sqrt[(d_) + (e_.)*(x_)]/(((f_.) + (g_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\int \frac{\sqrt{d+ex}}{(f+gx)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = (2e^2) \text{Subst} \left[ \int \frac{1}{-e(cd^2+ae^2)g+cd e(ef+dg)+e^2gx^2} dx, x, \frac{\sqrt{g}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{cdf-aeg}\sqrt{d+ex}} \right]$$

$$= \frac{2 \tan^{-1} \left( \frac{\sqrt{g}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{cdf-aeg}\sqrt{d+ex}} \right)}{\sqrt{g}\sqrt{cdf-aeg}}$$

**Mathematica [A]** time = 0.04, size = 93, normalized size = 1.16

$$\frac{2\sqrt{d+ex}\sqrt{ae+cdx}\tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cdf-aeg}}\right)}{\sqrt{g}\sqrt{(d+ex)(ae+cdx)}\sqrt{cdf-aeg}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e\*x]/((f + g\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (2\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTan[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/Sqrt[c\*d\*f - a\*e\*g]])/(Sqrt[g]\*Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [C]** time = 5.27, size = 609, normalized size = 7.61

$$\frac{2(\sqrt{e}\sqrt{cdf-ae^2}-i\sqrt{e}\sqrt{d}\sqrt{fg-ef})\sqrt{-2i\sqrt{d}\sqrt{e}\sqrt{fg-ef}\sqrt{cdf-ae^2}+ae^2g+cd^2g-2def}\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{cdx}\sqrt{-2i\sqrt{d}\sqrt{e}\sqrt{fg-ef}\sqrt{cdf-ae^2}+ae^2g+cd^2g-2def}}{e\sqrt{g}\sqrt{cd+ex}\sqrt{cdf-ae^2}}\right)}{g^{3/2}(a^2-cd^2)\sqrt{cdf-ae^2}} - \frac{2(\sqrt{e}\sqrt{cdf-ae^2}+i\sqrt{e}\sqrt{d}\sqrt{fg-ef})\sqrt{-2i\sqrt{d}\sqrt{e}\sqrt{fg-ef}\sqrt{cdf-ae^2}+ae^2g+cd^2g-2def}\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{cdx}\sqrt{-2i\sqrt{d}\sqrt{e}\sqrt{fg-ef}\sqrt{cdf-ae^2}+ae^2g+cd^2g-2def}}{e\sqrt{g}\sqrt{cd+ex}\sqrt{cdf-ae^2}}\right)}{g^{3/2}(a^2-cd^2)\sqrt{cdf-ae^2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/((f + g\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (-2\*((-1)\*Sqrt[c]\*Sqrt[d]\*Sqrt[-(e\*f) + d\*g] + Sqrt[e]\*Sqrt[c\*d\*f - a\*e\*g])\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g - (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]\*ArcTanh[(Sqrt[e]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g - (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]\*Sqrt[d + e\*x])/(-(Sqrt[c\*d\*e]\*Sqrt[g]\*(d + e\*x)) + e\*Sqrt[g]\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e])]/((-c\*d^2 + a\*e^2)\*g^(3/2)\*Sqrt[c\*d\*f - a\*e\*g]) - (2\*(I\*Sqrt[c]\*Sqrt[d]\*Sqrt[-(e\*f) + d\*g] + Sqrt[e]\*Sqrt[c\*d\*f - a\*e\*g])\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g + (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]\*ArcT

anh[(Sqrt[e]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g + (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]\*Sqrt[d + e\*x])/(-(Sqrt[c\*d\*e]\*Sqrt[g]\*(d + e\*x)) + e\*Sqrt[g]\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e])]/((-c\*d^2) + a\*e^2)\*g^(3/2)\*Sqrt[c\*d\*f - a\*e\*g]

**fricas** [A] time = 0.42, size = 252, normalized size = 3.15

$$\left[ \frac{\sqrt{-cdfg + aeg^2} \log\left(\frac{-cdegx^2 - cd^2f + 2adeg - (cdf - (cd^2 + 2ae^2)g)x - 2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} \sqrt{-cdfg + aeg^2} \sqrt{ex + d}}{egx^2 + df + (ef + dg)x}\right)}{cdfg - aeg^2}, \frac{2 \arctan\left(\frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} \sqrt{cdfg - aeg^2} \sqrt{ex + d}}{cdegx^2 + adeg + (cd^2 + ae^2)gx}\right)}{\sqrt{cdfg - aeg^2}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="fricas")

[Out] [-sqrt(-c\*d\*f\*g + a\*e\*g^2)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*sqrt(e\*x + d))/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x))/(c\*d\*f\*g - a\*e\*g^2), -2\*arctan(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*sqrt(e\*x + d)/(c\*d\*e\*g\*x^2 + a\*d\*e\*g + (c\*d^2 + a\*e^2)\*g\*x))/sqrt(c\*d\*f\*g - a\*e\*g^2)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex + d}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(gx + f)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(e\*x + d)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)), x)

**maple** [A] time = 0.03, size = 87, normalized size = 1.09

$$\frac{2\sqrt{cdex^2 + ae^2x + cd^2x + ade} \operatorname{arctanh}\left(\frac{\sqrt{cdx + ae}g}{\sqrt{(aeg - cdf)g}}\right)}{\sqrt{ex + d} \sqrt{cdx + ae} \sqrt{(aeg - cdf)g}}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((e*x+d)^(1/2)/(g*x+f)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2),x)`

[Out] `-2/(e*x+d)^(1/2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)/(c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*arctanh(g*(c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2))`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{\sqrt{cdex^2+ade+(cd^2+ae^2)x}(gx+f)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(1/2)/(g*x+f)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x,algorithm="maxima")`

[Out] `integrate(sqrt(e*x+d)/(sqrt(c*d*e*x^2+a*d*e+(c*d^2+a*e^2)*x)*(g*x+f)),x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{d+ex}}{(f+gx)\sqrt{cdex^2+(cd^2+ae^2)x+ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e*x)^(1/2)/((f+g*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2)),x)`

[Out] `int((d+e*x)^(1/2)/((f+g*x)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2)),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex}}{\sqrt{(d+ex)(ae+cdx)}(f+gx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(1/2)/(g*x+f)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)`

[Out] `Integral(sqrt(d+e*x)/(sqrt((d+e*x)*(a*e+c*d*x))*(f+g*x)),x)`

$$3.429 \quad \int \frac{\sqrt{d+ex}}{(f+gx)^2 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=140

$$\frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}(f+gx)(cdf-aeg)} + \frac{cd \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{\sqrt{g}(cdf-aeg)^{3/2}}$$

**Rubi [A]** time = 0.19, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {872, 874, 205}

$$\frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}(f+gx)(cdf-aeg)} + \frac{cd \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{\sqrt{g}(cdf-aeg)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/((f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/((c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)) + (c\*d\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(Sqrt[g]\*(c\*d\*f - a\*e\*g)^(3/2))

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 872

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

#### Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] :> Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

### Rubi steps

$$\int \frac{\sqrt{d+ex}}{(f+gx)^2 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{(cdf-aeg)\sqrt{d+ex}(f+gx)} + \frac{(cd) \int \frac{\sqrt{d+ex}}{(f+gx)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{2(cdf-aeg)}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{(cdf-aeg)\sqrt{d+ex}(f+gx)} + \frac{(cde^2) \text{Subst}\left(\int \frac{1}{-e(cd^2+ae^2)g+cdex} dx\right)}{2(cdf-aeg)}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{(cdf-aeg)\sqrt{d+ex}(f+gx)} + \frac{cd \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{cdf-aeg}\sqrt{d+ex}}\right)}{\sqrt{g}(cdf-aeg)^{3/2}}$$

**Mathematica [A]** time = 0.11, size = 136, normalized size = 0.97

$$\frac{\sqrt{d+ex} \left( \sqrt{g}(ae+cdx)\sqrt{cdf-aeg} + cd(f+gx)\sqrt{ae+cdx} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cdf-aeg}}\right) \right)}{\sqrt{g}(f+gx)\sqrt{(d+ex)(ae+cdx)}(cdf-aeg)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[d + e*x]/((f + g*x)^2*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e
*x^2]), x]
```

```
[Out] (Sqrt[d + e*x]*(Sqrt[g]*Sqrt[c*d*f - a*e*g]*(a*e + c*d*x) + c*d*Sqrt[a*e +
c*d*x]*(f + g*x)*ArcTan[(Sqrt[g]*Sqrt[a*e + c*d*x])/Sqrt[c*d*f - a*e*g]])/
(Sqrt[g]*(c*d*f - a*e*g)^(3/2)*Sqrt[(a*e + c*d*x)*(d + e*x)]*(f + g*x))
```

**IntegrateAlgebraic [F]** time = 180.13, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/((f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] \$Aborted

**fricas** [B] time = 0.43, size = 703, normalized size = 5.02

$$\frac{\left(\frac{cdgx^2 + cd^2f + (cdf + cd^2g)\sqrt{-cdfg + aeg}}{2((c^2d^2fg - 2acd^2fg^2 + d^2d^2fg^2) + (c^2d^2fg^2 - 2acd^2fg^2 + d^2d^2fg^2)^2 + (c^2d^2fg^2 + d^2d^2fg^2 + (c^2d^2 - 2acd^2)fg^2 - (2acd^2 - d^2d^2)fg^2))}\right) \log\left(\frac{(cdgx^2 + cd^2f + (cdf + cd^2g)\sqrt{-cdfg + aeg}) \sqrt{cdx + ae}}{cdgx^2 + cd^2f + (cdf + cd^2g)\sqrt{-cdfg + aeg}}\right) + 2\sqrt{cdx^2 + ade + (cd^2 + ae^2)(cdfg - aeg)}\sqrt{cx + d} \arctan\left(\frac{\sqrt{cdx^2 + ade + (cd^2 + ae^2)(cdfg - aeg)}\sqrt{cdx + ae}}{cdgx^2 + cd^2f + (cdf + cd^2g)\sqrt{-cdfg + aeg}}\right) - \sqrt{cdx^2 + ade + (cd^2 + ae^2)(cdfg - aeg)}\sqrt{cx + d}}{2((c^2d^2fg - 2acd^2fg^2 + d^2d^2fg^2) + (c^2d^2fg^2 - 2acd^2fg^2 + d^2d^2fg^2)^2 + (c^2d^2fg^2 + d^2d^2fg^2 + (c^2d^2 - 2acd^2)fg^2 - (2acd^2 - d^2d^2)fg^2))} \cdot \frac{(cdgx^2 + cd^2f + (cdf + cd^2g)\sqrt{-cdfg + aeg})\sqrt{cdx + ae} \arctan\left(\frac{\sqrt{cdx^2 + ade + (cd^2 + ae^2)(cdfg - aeg)}\sqrt{cdx + ae}}{cdgx^2 + cd^2f + (cdf + cd^2g)\sqrt{-cdfg + aeg}}\right) - \sqrt{cdx^2 + ade + (cd^2 + ae^2)(cdfg - aeg)}\sqrt{cx + d}}{c^2d^2fg - 2acd^2fg^2 + d^2d^2fg^2 + (c^2d^2fg^2 - 2acd^2fg^2 + d^2d^2fg^2)^2 + (c^2d^2fg^2 + d^2d^2fg^2 + (c^2d^2 - 2acd^2)fg^2 - (2acd^2 - d^2d^2)fg^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] [1/2\*((c\*d\*e\*g\*x^2 + c\*d^2\*f + (c\*d\*e\*f + c\*d^2\*g)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*sqrt(e\*x + d))/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x) + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*f\*g - a\*e\*g^2)\*sqrt(e\*x + d))/(c^2\*d^3\*f^3\*g - 2\*a\*c\*d^2\*e\*f^2\*g^2 + a^2\*d\*e^2\*f\*g^3 + (c^2\*d^2\*e\*f^2\*g^2 - 2\*a\*c\*d\*e^2\*f\*g^3 + a^2\*e^3\*g^4)\*x^2 + (c^2\*d^2\*e\*f^3\*g + a^2\*d\*e^2\*g^4 + (c^2\*d^3 - 2\*a\*c\*d\*e^2)\*f^2\*g^2 - (2\*a\*c\*d^2\*e - a^2\*e^3)\*f\*g^3)\*x), -((c\*d\*e\*g\*x^2 + c\*d^2\*f + (c\*d\*e\*f + c\*d^2\*g)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*arctan(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*sqrt(e\*x + d)/(c\*d\*e\*g\*x^2 + a\*d\*e\*g + (c\*d^2 + a\*e^2)\*g\*x)) - sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*f\*g - a\*e\*g^2)\*sqrt(e\*x + d))/(c^2\*d^3\*f^3\*g - 2\*a\*c\*d^2\*e\*f^2\*g^2 + a^2\*d\*e^2\*f\*g^3 + (c^2\*d^2\*e\*f^2\*g^2 - 2\*a\*c\*d\*e^2\*f\*g^3 + a^2\*e^3\*g^4)\*x^2 + (c^2\*d^2\*e\*f^3\*g + a^2\*d\*e^2\*g^4 + (c^2\*d^3 - 2\*a\*c\*d\*e^2)\*f^2\*g^2 - (2\*a\*c\*d^2\*e - a^2\*e^3)\*f\*g^3)\*x)]

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.02, size = 168, normalized size = 1.20

$$\frac{\sqrt{cde x^2 + a e^2 x + c d^2 x + ade} \left( cdgx \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae} g}{\sqrt{(aeg-cdf)g}}\right) + cdf \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae} g}{\sqrt{(aeg-cdf)g}}\right) - \sqrt{cdx + ae} \sqrt{(aeg - cdf)g} \right)}{\sqrt{ex + d} \sqrt{cdx + ae} (aeg - cdf) (gx + f) \sqrt{(aeg - cdf)g}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(1/2)/(g*x+f)^2/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2),x)`

[Out]  $(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*c*d*g+\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2))*g*c*d*f-(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2))/(e*x+d)^(1/2)/(c*d*x+a*e)^(1/2)/(a*e*g-c*d*f)/(g*x+f)/((a*e*g-c*d*f)*g)^(1/2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{\sqrt{cdex^2+ade+(cd^2+ae^2)x}(gx+f)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(1/2)/(g*x+f)^2/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x,algorithm="maxima")`

[Out] `integrate(sqrt(e*x+d)/(sqrt(c*d*e*x^2+a*d*e+(c*d^2+a*e^2)*x)*(g*x+f)^2),x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{d+ex}}{(f+gx)^2 \sqrt{cdex^2+(cd^2+ae^2)x+ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e*x)^(1/2)/((f+g*x)^2*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2)),x)`

[Out] `int((d+e*x)^(1/2)/((f+g*x)^2*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2)),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex}}{\sqrt{(d+ex)(ae+cdx)}(f+gx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(1/2)/(g*x+f)**2/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)`

[Out] `Integral(sqrt(d+e*x)/(sqrt((d+e*x)*(a*e+c*d*x))*(f+g*x)**2),x)`

$$3.430 \quad \int \frac{\sqrt{d+ex}}{(f+gx)^3 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=213

$$\frac{3c^2d^2 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{4\sqrt{g}(cdf-aeg)^{5/2}} + \frac{3cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4\sqrt{d+ex}(f+gx)(cdf-aeg)^2} + \frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{2\sqrt{d+ex}(f+gx)^2(cdf-aeg)}$$

**Rubi [A]** time = 0.31, antiderivative size = 213, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {872, 874, 205}

$$\frac{3c^2d^2 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{4\sqrt{g}(cdf-aeg)^{5/2}} + \frac{3cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4\sqrt{d+ex}(f+gx)(cdf-aeg)^2} + \frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{2\sqrt{d+ex}(f+gx)^2(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/((f + g\*x)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(2\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)^2) + (3\*c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)) + (3\*c^2\*d^2\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(4\*Sqrt[g]\*(c\*d\*f - a\*e\*g)^(5/2))

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 872**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\int \frac{\sqrt{d+ex}}{(f+gx)^3 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{2(cdf-aeg)\sqrt{d+ex}(f+gx)^2} + \frac{(3cd) \int \frac{\sqrt{d+ex}}{(f+gx)^2 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{4(cdf-aeg)}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{2(cdf-aeg)\sqrt{d+ex}(f+gx)^2} + \frac{3cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{4(cdf-aeg)^2\sqrt{d+ex}(f+gx)}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{2(cdf-aeg)\sqrt{d+ex}(f+gx)^2} + \frac{3cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{4(cdf-aeg)^2\sqrt{d+ex}(f+gx)}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{2(cdf-aeg)\sqrt{d+ex}(f+gx)^2} + \frac{3cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{4(cdf-aeg)^2\sqrt{d+ex}(f+gx)}$$

**Mathematica [C]** time = 0.05, size = 77, normalized size = 0.36

$$\frac{2c^2d^2\sqrt{(d+ex)(ae+cdx)} {}_2F_1\left(\frac{1}{2}, 3; \frac{3}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{\sqrt{d+ex}(cdf-aeg)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[d + e*x]/((f + g*x)^3*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*
e*x^2]), x]
```

```
[Out] (2*c^2*d^2*Sqrt[(a*e + c*d*x)*(d + e*x)]*Hypergeometric2F1[1/2, 3, 3/2, (g*
(a*e + c*d*x))/(-(c*d*f) + a*e*g)]/((c*d*f - a*e*g)^3*Sqrt[d + e*x])
```

**IntegrateAlgebraic [F]** time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[Sqrt[d + e*x]/((f + g*x)^3*Sqrt[a*d*e + (c*d^2 + a*e^2)*
x + c*d*e*x^2]),x]
```

```
[Out] $Aborted
```

```
fricas [B] time = 0.45, size = 1283, normalized size = 6.02
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)/(g*x+f)^3/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x
, algorithm="fricas")
```

```
[Out] [-1/8*(3*(c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + (2*c^2*d^2*e*f*g + c^2*d^3*g^2)
*x^2 + (c^2*d^2*e*f^2 + 2*c^2*d^3*f*g)*x)*sqrt(-c*d*f*g + a*e*g^2)*log(-(c*
d*e*g*x^2 - c*d^2*f + 2*a*d*e*g - (c*d*e*f - (c*d^2 + 2*a*e^2)*g)*x - 2*sqr
t(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-c*d*f*g + a*e*g^2)*sqrt(e*x
+ d))/(e*g*x^2 + d*f + (e*f + d*g)*x) - 2*(5*c^2*d^2*f^2*g - 7*a*c*d*e*f*g
^2 + 2*a^2*e^2*g^3 + 3*(c^2*d^2*f*g^2 - a*c*d*e*g^3)*x)*sqrt(c*d*e*x^2 + a*
d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d))/(c^3*d^4*f^5*g - 3*a*c^2*d^3*e*f^4*
g^2 + 3*a^2*c*d^2*e^2*f^3*g^3 - a^3*d*e^3*f^2*g^4 + (c^3*d^3*e*f^3*g^3 - 3*
a*c^2*d^2*e^2*f^2*g^4 + 3*a^2*c*d*e^3*f*g^5 - a^3*e^4*g^6)*x^3 + (2*c^3*d^3
*e*f^4*g^2 - a^3*d*e^3*g^6 + (c^3*d^4 - 6*a*c^2*d^2*e^2)*f^3*g^3 - 3*(a*c^2
*d^3*e - 2*a^2*c*d*e^3)*f^2*g^4 + (3*a^2*c*d^2*e^2 - 2*a^3*e^4)*f*g^5)*x^2
+ (c^3*d^3*e*f^5*g - 2*a^3*d*e^3*f*g^5 + (2*c^3*d^4 - 3*a*c^2*d^2*e^2)*f^4*
g^2 - 3*(2*a*c^2*d^3*e - a^2*c*d*e^3)*f^3*g^3 + (6*a^2*c*d^2*e^2 - a^3*e^4)
*f^2*g^4)*x), -1/4*(3*(c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + (2*c^2*d^2*e*f*g +
c^2*d^3*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*c^2*d^3*f*g)*x)*sqrt(c*d*f*g - a*e*g
^2)*arctan(sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(c*d*f*g - a*e*g
^2)*sqrt(e*x + d)/(c*d*e*g*x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x)) - (5*c^2*d
^2*f^2*g - 7*a*c*d*e*f*g^2 + 2*a^2*e^2*g^3 + 3*(c^2*d^2*f*g^2 - a*c*d*e*g^3
)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d))/(c^3*d^4*f^
5*g - 3*a*c^2*d^3*e*f^4*g^2 + 3*a^2*c*d^2*e^2*f^3*g^3 - a^3*d*e^3*f^2*g^4 +
(c^3*d^3*e*f^3*g^3 - 3*a*c^2*d^2*e^2*f^2*g^4 + 3*a^2*c*d*e^3*f*g^5 - a^3*e
^4*g^6)*x^3 + (2*c^3*d^3*e*f^4*g^2 - a^3*d*e^3*g^6 + (c^3*d^4 - 6*a*c^2*d^2
*e^2)*f^3*g^3 - 3*(a*c^2*d^3*e - 2*a^2*c*d*e^3)*f^2*g^4 + (3*a^2*c*d^2*e^2
- 2*a^3*e^4)*f*g^5)*x^2 + (c^3*d^3*e*f^5*g - 2*a^3*d*e^3*f*g^5 + (2*c^3*d^4
- 3*a*c^2*d^2*e^2)*f^4*g^2 - 3*(2*a*c^2*d^3*e - a^2*c*d*e^3)*f^3*g^3 + (6*
a^2*c*d^2*e^2 - a^3*e^4)*f^2*g^4)*x]
```

```
giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.02, size = 285, normalized size = 1.34

$$\frac{\sqrt{cdex^2 + ae^2x + cd^2x + adc} \left( 3c^2d^2g^2x^2 \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(ag-cd)g}}\right) + 6c^2d^2fgx \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(ag-cd)g}}\right) + 3c^2d^2f^2 \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(ag-cd)g}}\right) - 3\sqrt{(ag-cd)g} \sqrt{cdx+ae} cdgx + 2\sqrt{(ag-cd)g} \sqrt{cdx+ae} aeg - 5\sqrt{(ag-cd)g} \sqrt{cdx+ae} cdf \right)}{4\sqrt{ex+d} \sqrt{cdx+ae} (ag-cd)^2 (gx+f)^2 \sqrt{(ag-cd)g}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(1/2)/(g\*x+f)^3/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2), x)

[Out] 
$$-1/4*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(3*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^2*c^2*d^2*g^2+6*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*c^2*d^2*f*g+3*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*c^2*d^2*f^2-3*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*x*c*d*g+2*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*e*g-5*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c*d*f/(e*x+d)^(1/2)/(c*d*x+a*e)^(1/2)/(a*e*g-c*d*f)^(1/2)/(g*x+f)^2/((a*e*g-c*d*f)*g)^(1/2)$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{\sqrt{cdex^2+ade+(cd^2+ae^2)x}(gx+f)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^3), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{d+ex}}{(f+gx)^3 \sqrt{cdex^2+(cd^2+ae^2)x+ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(1/2)/((f + g\*x)^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)), x)

[Out] int((d + e\*x)^(1/2)/((f + g\*x)^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)/(g\*x+f)\*\*3/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2),x)

[Out] Timed out

$$3.431 \quad \int \frac{\sqrt{d+ex}}{(f+gx)^4 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=280

$$\frac{5c^3d^3 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{8\sqrt{g}(cdf-aeg)^{7/2}} + \frac{5c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{8\sqrt{d+ex}(f+gx)(cdf-aeg)^3} + \frac{5cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{12\sqrt{d+ex}(f+gx)^2(cdf-aeg)^2}$$

**Rubi [A]** time = 0.42, antiderivative size = 280, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {872, 874, 205}

$$\frac{5c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{8\sqrt{d+ex}(f+gx)(cdf-aeg)^3} + \frac{5c^3d^3 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{8\sqrt{g}(cdf-aeg)^{7/2}} + \frac{5cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{12\sqrt{d+ex}(f+gx)^2(cdf-aeg)^2} + \frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}(f+gx)^3(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/((f + g\*x)^4\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(3\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)^3) + (5\*c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(12\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)^2) + (5\*c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*(c\*d\*f - a\*e\*g)^3\*Sqrt[d + e\*x]\*(f + g\*x)) + (5\*c^3\*d^3\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(8\*Sqrt[g]\*(c\*d\*f - a\*e\*g)^(7/2))

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m-1)\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^(p+1))/((n+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m-n-2))/((n+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\int \frac{\sqrt{d+ex}}{(f+gx)^4 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3(cdf-aeg)\sqrt{d+ex}(f+gx)^3} + \frac{(5cd) \int \frac{\sqrt{d+ex}}{(f+gx)^3 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{6(cdf-aeg)}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3(cdf-aeg)\sqrt{d+ex}(f+gx)^3} + \frac{5cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{12(cdf-aeg)^2\sqrt{d+ex}(f+gx)^2}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3(cdf-aeg)\sqrt{d+ex}(f+gx)^3} + \frac{5cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{12(cdf-aeg)^2\sqrt{d+ex}(f+gx)^2}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3(cdf-aeg)\sqrt{d+ex}(f+gx)^3} + \frac{5cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{12(cdf-aeg)^2\sqrt{d+ex}(f+gx)^2}$$

$$= \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3(cdf-aeg)\sqrt{d+ex}(f+gx)^3} + \frac{5cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{12(cdf-aeg)^2\sqrt{d+ex}(f+gx)^2}$$

**Mathematica [C]** time = 0.04, size = 77, normalized size = 0.28

$$\frac{2c^3 d^3 \sqrt{(d+ex)(ae+cdx)} {}_2F_1\left(\frac{1}{2}, 4; \frac{3}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{\sqrt{d+ex} (cdf-aeg)^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[d + e*x]/((f + g*x)^4*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e
*x^2]), x]
```

[Out]  $(2*c^3*d^3*\text{Sqrt}[(a*e + c*d*x)*(d + e*x)]*\text{Hypergeometric2F1}[1/2, 4, 3/2, (g*(a*e + c*d*x))/(-(c*d*f) + a*e*g)])/((c*d*f - a*e*g)^4*\text{Sqrt}[d + e*x])$

IntegrateAlgebraic [F] time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/((f + g\*x)^4\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]),x]

[Out] \$Aborted

fricas [B] time = 0.47, size = 2027, normalized size = 7.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^4/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="fricas")

[Out]  $[1/48*(15*(c^3*d^3*e*g^3*x^4 + c^3*d^4*f^3 + (3*c^3*d^3*e*f*g^2 + c^3*d^4*g^3)*x^3 + 3*(c^3*d^3*e*f^2*g + c^3*d^4*f*g^2)*x^2 + (c^3*d^3*e*f^3 + 3*c^3*d^4*f^2*g)*x)*\text{sqrt}(-c*d*f*g + a*e*g^2)*\log(-(c*d*e*g*x^2 - c*d^2*f + 2*a*d*e*g - (c*d*e*f - (c*d^2 + 2*a*e^2)*g)*x + 2*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(-c*d*f*g + a*e*g^2)*\text{sqrt}(e*x + d))/(e*g*x^2 + d*f + (e*f + d*g)*x)) + 2*(33*c^3*d^3*f^3*g - 59*a*c^2*d^2*e*f^2*g^2 + 34*a^2*c*d*e^2*f*g^3 - 8*a^3*e^3*g^4 + 15*(c^3*d^3*f*g^3 - a*c^2*d^2*e*g^4)*x^2 + 10*(4*c^3*d^3*f^2*g^2 - 5*a*c^2*d^2*e*f*g^3 + a^2*c*d*e^2*g^4)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d))/(c^4*d^5*f^7*g - 4*a*c^3*d^4*e*f^6*g^2 + 6*a^2*c^2*d^3*e^2*f^5*g^3 - 4*a^3*c*d^2*e^3*f^4*g^4 + a^4*d*e^4*f^3*g^5 + (c^4*d^4*e*f^4*g^4 - 4*a*c^3*d^3*e^2*f^3*g^5 + 6*a^2*c^2*d^2*e^3*f^2*g^6 - 4*a^3*c*d*e^4*f*g^7 + a^4*e^5*g^8)*x^4 + (3*c^4*d^4*e*f^5*g^3 + a^4*d*e^4*g^8 + (c^4*d^5 - 12*a*c^3*d^3*e^2)*f^4*g^4 - 2*(2*a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^3*g^5 + 6*(a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^2*g^6 - (4*a^3*c*d^2*e^3 - 3*a^4*e^5)*f*g^7)*x^3 + 3*(c^4*d^4*e*f^6*g^2 + a^4*d*e^4*f*g^7 + (c^4*d^5 - 4*a*c^3*d^3*e^2)*f^5*g^3 - 2*(2*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^4*g^4 + 2*(3*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^3*g^5 - (4*a^3*c*d^2*e^3 - a^4*e^5)*f^2*g^6)*x^2 + (c^4*d^4*e*f^7*g + 3*a^4*d*e^4*f^2*g^6 + (3*c^4*d^5 - 4*a*c^3*d^3*e^2)*f^6*g^2 - 6*(2*a*c^3*d^4*e - a^2*c^2*d^2*e^3)*f^5*g^3 + 2*(9*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^4*g^4 - (12*a^3*c*d^2*e^3 - a^4*e^5)*f^3*g^5)*x), -1/24*(15*(c^3*d^3*e*g^3*x^4 + c^3*d^4*f^3 + (3*c^3*d^3*e*f*g^2 + c^3*d^4*g^3)*x^3 + 3*(c^3*d^3*e*f^2*g + c^3*d^4*f*g^2)*x^2 + (c^3*d^3*e*f^3 + 3*c^3*d^4*f^2*g)*x)*\text{sqrt}(c*d*f*g - a*e*g^2)*\text{arctan}(\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(c*d*f*g - a*e*g^2)*\text{sqrt}(e*x + d)/(c*d*e*g*x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x)) - (33*c^3*d^3*f^3*g - 59*a*c$

$$\begin{aligned} &^2*d^2*e*f^2*g^2 + 34*a^2*c*d*e^2*f*g^3 - 8*a^3*e^3*g^4 + 15*(c^3*d^3*f*g^3 \\ &- a*c^2*d^2*e*g^4)*x^2 + 10*(4*c^3*d^3*f^2*g^2 - 5*a*c^2*d^2*e*f*g^3 + a^2 \\ &*c*d*e^2*g^4)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d)} \\ &/((c^4*d^5*f^7*g - 4*a*c^3*d^4*e*f^6*g^2 + 6*a^2*c^2*d^3*e^2*f^5*g^3 - 4*a^3 \\ &*c*d^2*e^3*f^4*g^4 + a^4*d*e^4*f^3*g^5 + (c^4*d^4*e*f^4*g^4 - 4*a*c^3*d^3*e \\ &^2*f^3*g^5 + 6*a^2*c^2*d^2*e^3*f^2*g^6 - 4*a^3*c*d*e^4*f*g^7 + a^4*e^5*g^8) \\ &*x^4 + (3*c^4*d^4*e*f^5*g^3 + a^4*d*e^4*g^8 + (c^4*d^5 - 12*a*c^3*d^3*e^2)* \\ &f^4*g^4 - 2*(2*a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^3*g^5 + 6*(a^2*c^2*d^3*e^2 \\ &- 2*a^3*c*d*e^4)*f^2*g^6 - (4*a^3*c*d^2*e^3 - 3*a^4*e^5)*f*g^7)*x^3 + 3*( \\ &c^4*d^4*e*f^6*g^2 + a^4*d*e^4*f*g^7 + (c^4*d^5 - 4*a*c^3*d^3*e^2)*f^5*g^3 - \\ &2*(2*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^4*g^4 + 2*(3*a^2*c^2*d^3*e^2 - 2*a \\ &^3*c*d*e^4)*f^3*g^5 - (4*a^3*c*d^2*e^3 - a^4*e^5)*f^2*g^6)*x^2 + (c^4*d^4*e \\ &f^7*g + 3*a^4*d*e^4*f^2*g^6 + (3*c^4*d^5 - 4*a*c^3*d^3*e^2)*f^6*g^2 - 6*(2 \\ &*a*c^3*d^4*e - a^2*c^2*d^2*e^3)*f^5*g^3 + 2*(9*a^2*c^2*d^3*e^2 - 2*a^3*c*d \\ &e^4)*f^4*g^4 - (12*a^3*c*d^2*e^3 - a^4*e^5)*f^3*g^5)*x] \end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^4/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.02, size = 450, normalized size = 1.61

$$\frac{\sqrt{d}x^2 + a^2x + c^2d^2 + ad^2 \left( \frac{15c^2d^2f^2 \operatorname{arctanh}\left(\frac{\sqrt{d}x + a}{\sqrt{c^2d^2 + ad^2}}\right) + 45c^2d^2f^2 \operatorname{arctanh}\left(\frac{\sqrt{d}x + a}{\sqrt{c^2d^2 + ad^2}}\right) + 45c^2d^2f^2 \operatorname{arctanh}\left(\frac{\sqrt{d}x + a}{\sqrt{c^2d^2 + ad^2}}\right) + 15c^2d^2f^2 \operatorname{arctanh}\left(\frac{\sqrt{d}x + a}{\sqrt{c^2d^2 + ad^2}}\right) - 15\sqrt{\log(-df)} \sqrt{d}x + ad^2d^2x^2 + 15\sqrt{\log(-df)} \sqrt{d}x + ad^2d^2x^2 - 45\sqrt{\log(-df)} \sqrt{d}x + ad^2d^2x^2 - 45\sqrt{\log(-df)} \sqrt{d}x + ad^2d^2x^2 + 26\sqrt{\log(-df)} \sqrt{d}x + ad^2d^2x^2 - 35\sqrt{\log(-df)} \sqrt{d}x + ad^2d^2x^2 \right)}{24\sqrt{c^2d^2 + ad^2} \sqrt{\log(-df)} (fx + f) \sqrt{\log(-df)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(1/2)/(g\*x+f)^4/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2), x)

[Out]  $\frac{1}{24}*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^3*c^3*d^3*f*g^3+45*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^2*c^3*d^3*f*g^2+45*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*c^3*d^3*f^2*g+15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*c^3*d^3*f^3-15*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*x^2*c^2*d^2*g^2+10*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*x*a*c*d*e*g^2-40*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*x*c^2*d^2*f*g-8*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a^2*e^2*g^2+26*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c*d*e*f*g-33*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d^2*f^2/(e*x+d)^(1/2)/(c*d*x+a*e)^(1/2)/(a*e*g-c*d*f)^3/(g*x+f)^3/((a*e*g-c*d*f)*g)^(1/2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{\sqrt{cdex^2+ade+(cd^2+ae^2)x}(gx+f)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^4/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^4), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{d+ex}}{(f+gx)^4 \sqrt{cdex^2+(cd^2+ae^2)x+ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(1/2)/((f + g\*x)^4\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)), x)

[Out] int((d + e\*x)^(1/2)/((f + g\*x)^4\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)/(g\*x+f)\*\*4/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2), x)

[Out] Timed out

$$3.432 \quad \int \frac{(d+ex)^{3/2}(f+gx)^3}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=257

$$\frac{16g\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)(2ae^2g-cd(3ef-dg))}{5c^4d^4e\sqrt{d+ex}} + \frac{16g^2\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5c^3d^3e}$$

**Rubi [A]** time = 0.33, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {866, 870, 794, 648}

$$\frac{16g^2\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}{5c^3d^3e} + \frac{12g(f+gx)^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5c^2d^2\sqrt{d+ex}} - \frac{16g\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)(2ae^2g-cd(3ef-dg))}{5c^4d^4e\sqrt{d+ex}} - \frac{2\sqrt{d+ex}(f+gx)^3}{cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*(f + g\*x)^3)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (-2\*Sqrt[d + e\*x]\*(f + g\*x)^3)/(c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (16\*g\*(c\*d\*f - a\*e\*g)\*(2\*a\*e^2\*g - c\*d\*(3\*e\*f - d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(5\*c^4\*d^4\*e\*Sqrt[d + e\*x]) + (16\*g^2\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(5\*c^3\*d^3\*e) + (12\*g\*(f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(5\*c^2\*d^2\*Sqrt[d + e\*x])

#### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

#### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

#### Rule 866



```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(a
+ b*x + c*x^2)^(p + 1))/(c*(p + 1)), x] - Dist[(e*g*n)/(c*(p + 1)), Int[(d
+ e*x)^(m - 1)*(f + g*x)^(n - 1)*(a + b*x + c*x^2)^(p + 1), x], x] /; Free
Q[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] &&
EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -
1] && GtQ[n, 0]

```

### Rule 870

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])

```

### Rubi steps

$$\begin{aligned}
\int \frac{(d + ex)^{3/2}(f + gx)^3}{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} dx &= -\frac{2\sqrt{d + ex}(f + gx)^3}{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} + \frac{(6g) \int \frac{\sqrt{d+ex}(f+gx)^2}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{cd} \\
&= -\frac{2\sqrt{d + ex}(f + gx)^3}{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} + \frac{12g(f + gx)^2\sqrt{ade + (cd^2 + ae^2)}}{5c^2d^2\sqrt{d + ex}} \\
&= -\frac{2\sqrt{d + ex}(f + gx)^3}{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} + \frac{16g^2(cdf - aeg)\sqrt{d + ex}\sqrt{ade + (cd^2 + ae^2)}}{5c^3d^3e} \\
&= -\frac{2\sqrt{d + ex}(f + gx)^3}{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{16g(cdf - aeg)(2ae^2g - cd(3ef - 5c^2d^2e))}{5c^4d^4e}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 134, normalized size = 0.52

$$\frac{2\sqrt{d + ex} (16a^3e^3g^3 + 8a^2cde^2g^2(gx - 5f) - 2ac^2d^2eg(-15f^2 + 10fgx + g^2x^2) + c^3d^3(-5f^3 + 15f^2gx + 5fg^2x^2 + g^3x^3))}{5c^4d^4\sqrt{(d + ex)(ae + cdx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((d + e*x)^(3/2)*(f + g*x)^3)/(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2), x]
```

```
[Out] (2*Sqrt[d + e*x]*(16*a^3*e^3*g^3 + 8*a^2*c*d*e^2*g^2*(-5*f + g*x) - 2*a*c^2*d^2*e*g*(-15*f^2 + 10*f*g*x + g^2*x^2) + c^3*d^3*(-5*f^3 + 15*f^2*g*x + 5*f*g^2*x^2 + g^3*x^3)))/(5*c^4*d^4*Sqrt[(a*e + c*d*x)*(d + e*x)])
```

**IntegrateAlgebraic [A]** time = 3.64, size = 202, normalized size = 0.79

$$\frac{2(d+ex)^{3/2}(ae+cdx)(5a^3e^3g^3 - 15a^2cde^2fg^2 + 15a^2e^2g^3(ae+cdx) + 15c^2d^2f^2g(ae+cdx) + 15ac^2d^2ef^2g + 5cdfg^2(ae+cdx)^2 - 30acdefg^2(ae+cdx) + g^3(ae+cdx)^3 - 5aeg^3(ae+cdx)^2 - 5c^3d^3f^3)}{5c^4d^4((d+ex)(ae+cdx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[((d + e*x)^(3/2)*(f + g*x)^3)/(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2), x]
```

```
[Out] (2*(a*e + c*d*x)*(d + e*x)^(3/2)*(-5*c^3*d^3*f^3 + 15*a*c^2*d^2*e*f^2*g - 15*a^2*c*d*e^2*f*g^2 + 5*a^3*e^3*g^3 + 15*c^2*d^2*f^2*g*(a*e + c*d*x) - 30*a*c*d*e*f*g^2*(a*e + c*d*x) + 15*a^2*e^2*g^3*(a*e + c*d*x) + 5*c*d*f*g^2*(a*e + c*d*x)^2 - 5*a*e*g^3*(a*e + c*d*x)^2 + g^3*(a*e + c*d*x)^3))/(5*c^4*d^4*((a*e + c*d*x)*(d + e*x))^(3/2))
```

**fricas [A]** time = 0.42, size = 216, normalized size = 0.84

$$\frac{2(c^3d^3g^3x^3 - 5c^3d^3f^3 + 30a^2cde^2fg^2 - 40a^2cde^2fg^2 + 16a^3e^3g^3 + (5c^3d^3fg^2 - 2ac^2d^2eg^3)x^2 + (15c^3d^3f^2g - 20ac^2d^2efg^2 + 8a^2cde^2g^3)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{5(c^5d^5ex^2 + ac^4d^5e + (c^5d^6 + ac^4d^4e^2)x)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(g*x+f)^3/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2), x, algorithm="fricas")
```

```
[Out] 2/5*(c^3*d^3*g^3*x^3 - 5*c^3*d^3*f^3 + 30*a*c^2*d^2*e*f^2*g - 40*a^2*c*d*e^2*f*g^2 + 16*a^3*e^3*g^3 + (5*c^3*d^3*f*g^2 - 2*a*c^2*d^2*e*g^3)*x^2 + (15*c^3*d^3*f^2*g - 20*a*c^2*d^2*e*f*g^2 + 8*a^2*c*d*e^2*g^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^5*d^5*e*x^2 + a*c^4*d^5*e + (c^5*d^6 + a*c^4*d^4*e^2)*x)
```

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(g*x+f)^3/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2), x, algorithm="giac")
```

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 1.71Unable to transpose Error:  
 or: Bad Argument Value

**maple [A]** time = 0.01, size = 187, normalized size = 0.73

$$\frac{2(cdx + ae)(g^3x^3c^3d^3 - 2ac^2d^2eg^3x^2 + 5c^3d^3fg^2x^2 + 8a^2cde^2g^3x - 20ac^2d^2efg^2x + 15c^3d^3f^2gx + 16a^3e^3g^3 - 40a^2cd^2efg^2 + 30ac^2d^2ef^2g - 5f^3c^3d^3)(ex + d)^3}{5(cdex^2 + ae^2x + cd^2x + ade)^{\frac{3}{2}}c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)\*(g\*x+f)^3/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out]  $2/5*(c*d*x+a*e)*(c^3*d^3*g^3*x^3-2*a*c^2*d^2*e*g^3*x^2+5*c^3*d^3*f*g^2*x^2+8*a^2*c*d*e^2*g^3*x-20*a*c^2*d^2*e*f*g^2*x+15*c^3*d^3*f^2*g*x+16*a^3*e^3*g^3-40*a^2*c*d*e^2*f*g^2+30*a*c^2*d^2*e*f^2*g-5*c^3*d^3*f^3)*(e*x+d)^(3/2)/c^4/d^4/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(3/2)$

**maxima [A]** time = 0.70, size = 165, normalized size = 0.64

$$-\frac{2f^3}{\sqrt{cdx+ae}cd} + \frac{6(cdx+2ae)f^2g}{\sqrt{cdx+ae}c^2d^2} + \frac{2(c^2d^2x^2-4acdex-8a^2e^2)fg^2}{\sqrt{cdx+ae}c^3d^3} + \frac{2(c^3d^3x^3-2ac^2d^2ex^2+8a^2cde^2x+16a^3e^3)g^3}{5\sqrt{cdx+ae}c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x,  
 , algorithm="maxima")

[Out]  $-2*f^3/(\text{sqrt}(c*d*x + a*e)*c*d) + 6*(c*d*x + 2*a*e)*f^2*g/(\text{sqrt}(c*d*x + a*e)*c^2*d^2) + 2*(c^2*d^2*x^2 - 4*a*c*d*e*x - 8*a^2*e^2)*f*g^2/(\text{sqrt}(c*d*x + a*e)*c^3*d^3) + 2/5*(c^3*d^3*x^3 - 2*a*c^2*d^2*e*x^2 + 8*a^2*c*d*e^2*x + 16*a^3*e^3)*g^3/(\text{sqrt}(c*d*x + a*e)*c^4*d^4)$

**mupad [B]** time = 3.61, size = 252, normalized size = 0.98

$$\frac{\sqrt{cdex^2+(cd^2+ae^2)x+ade}\left(\frac{\sqrt{d+ex}(32a^3e^3g^3-80a^2cd^2fg^2+60a^2d^2ef^2g-10c^3d^3f^3)}{5c^5d^5e} + \frac{2g^3x^3\sqrt{d+ex}}{5c^2d^2e} - \frac{2g^2x^2(2aeg-5cdf)\sqrt{d+ex}}{5c^3d^3e} + \frac{2gx\sqrt{d+ex}(8a^2e^2g^2-20acd^2efg+15c^2d^2f^2)}{5c^4d^4e}\right)}{\frac{a}{c} + x^2 + \frac{x(5c^5d^6+5a^4d^4e^2)}{5c^5d^5e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^3\*(d + e\*x)^(3/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2),x)

[Out]  $((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)*((d + e*x)^(1/2)*(32*a^3*e^3*g^3 - 10*c^3*d^3*f^3 + 60*a*c^2*d^2*e*f^2*g - 80*a^2*c*d*e^2*f*g^2)))/(5*c^5*d^5*e) + (2*g^3*x^3*(d + e*x)^(1/2))/(5*c^2*d^2*e) - (2*g^2*x^2*(2*a*e*g - 5*c*d*f)*(d + e*x)^(1/2))/(5*c^3*d^3*e) + (2*g*x*(d + e*x)^(1/2)*(8*a^2*$

$$\frac{e^2 g^2 + 15 c^2 d^2 f^2 - 20 a c d e f g}{(5 c^4 d^4 e)} \Big/ \left( \frac{a}{c} + x^2 + (x^2 + (5 c^5 d^6 + 5 a c^4 d^4 e^2)) / (5 c^5 d^5 e) \right)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)\*(g\*x+f)\*\*3/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2),x)

[Out] Timed out

$$3.433 \quad \int \frac{(d+ex)^{3/2}(f+gx)^2}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=181

$$\frac{8g\sqrt{x(ae^2+cd^2)+ade+cdex^2}(2ae^2g-cd(3ef-dg))}{3c^3d^3e\sqrt{d+ex}} + \frac{8g^2\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3c^2d^2e} - \frac{2\sqrt{d+ex}(f+gx)^2}{cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

**Rubi [A]** time = 0.18, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {866, 794, 648}

$$\frac{8g\sqrt{x(ae^2+cd^2)+ade+cdex^2}(2ae^2g-cd(3ef-dg))}{3c^3d^3e\sqrt{d+ex}} + \frac{8g^2\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3c^2d^2e} - \frac{2\sqrt{d+ex}(f+gx)^2}{cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*(f + g\*x)^2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (-2\*Sqrt[d + e\*x]\*(f + g\*x)^2)/(c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (8\*g\*(2\*a\*e^2\*g - c\*d\*(3\*e\*f - d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*c^3\*d^3\*e\*Sqrt[d + e\*x]) + (8\*g^2\*Sqrt[d + e\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*c^2\*d^2\*e)

### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rule 866

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(a
+ b*x + c*x^2)^(p + 1))/(c*(p + 1)), x] - Dist[(e*g*n)/(c*(p + 1)), Int[(d
+ e*x)^(m - 1)*(f + g*x)^(n - 1)*(a + b*x + c*x^2)^(p + 1), x], x] /; Free
Q[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] &&
EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -
1] && GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{(d+ex)^{3/2}(f+gx)^2}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx &= -\frac{2\sqrt{d+ex}(f+gx)^2}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{(4g) \int \frac{\sqrt{d+ex}(f+gx)}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{cd} \\ &= -\frac{2\sqrt{d+ex}(f+gx)^2}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{8g^2\sqrt{d+ex}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3c^2d^2e} \\ &= -\frac{2\sqrt{d+ex}(f+gx)^2}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{8g(2ae^2g-cd(3ef-dg))\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3c^3d^3e\sqrt{d+ex}} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 88, normalized size = 0.49

$$\frac{2\sqrt{d+ex}(-8a^2e^2g^2-4acdeg(gx-3f)+c^2d^2(-3f^2+6fgx+g^2x^2))}{3c^3d^3\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((d + e*x)^(3/2)*(f + g*x)^2)/(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x
x^2)^(3/2), x]
```

```
[Out] (2*Sqrt[d + e*x]*(-8*a^2*e^2*g^2 - 4*a*c*d*e*g*(-3*f + g*x) + c^2*d^2*(-3*f
^2 + 6*f*g*x + g^2*x^2)))/(3*c^3*d^3*Sqrt[(a*e + c*d*x)*(d + e*x)])
```

**IntegrateAlgebraic [A]** time = 2.12, size = 119, normalized size = 0.66

$$\frac{2(d+ex)^{3/2}(ae+cdx)(-3a^2e^2g^2+6cdfg(ae+cdx)+6acdefg+g^2(ae+cdx)^2-6aeg^2(ae+cdx)-3c^2d^2f^2)}{3c^3d^3((d+ex)(ae+cdx))^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(3/2)\*(f + g\*x)^2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (2\*(a\*e + c\*d\*x)\*(d + e\*x)^(3/2)\*(-3\*c^2\*d^2\*f^2 + 6\*a\*c\*d\*e\*f\*g - 3\*a^2\*e^2\*g^2 + 6\*c\*d\*f\*g\*(a\*e + c\*d\*x) - 6\*a\*e\*g^2\*(a\*e + c\*d\*x) + g^2\*(a\*e + c\*d\*x)^2))/(3\*c^3\*d^3\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

**fricas** [A] time = 0.41, size = 147, normalized size = 0.81

$$\frac{2(c^2d^2g^2x^2 - 3c^2d^2f^2 + 12acdefg - 8a^2e^2g^2 + 2(3c^2d^2fg - 2acdeg^2)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{3(c^4d^4ex^2 + ac^3d^4e + (c^4d^5 + ac^3d^3e^2)x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2), x, algorithm="fricas")

[Out] 2/3\*(c^2\*d^2\*g^2\*x^2 - 3\*c^2\*d^2\*f^2 + 12\*a\*c\*d\*e\*f\*g - 8\*a^2\*e^2\*g^2 + 2\*(3\*c^2\*d^2\*f\*g - 2\*a\*c\*d\*e\*g^2)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^4\*d^4\*e\*x^2 + a\*c^3\*d^4\*e + (c^4\*d^5 + a\*c^3\*d^3\*e^2)\*x)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 1.25Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 116, normalized size = 0.64

$$\frac{2(cdx + ae)\left(-g^2x^2c^2d^2 + 4acdeg^2x - 6c^2d^2fgx + 8a^2e^2g^2 - 12acdefg + 3f^2c^2d^2\right)(ex + d)^{\frac{3}{2}}}{3\left(cdex^2 + ae^2x + cd^2x + ade\right)^{\frac{3}{2}}c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)\*(g\*x+f)^2/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2), x)

[Out] -2/3\*(c\*d\*x+a\*e)\*(-c^2\*d^2\*g^2\*x^2+4\*a\*c\*d\*e\*g^2\*x-6\*c^2\*d^2\*f\*g\*x+8\*a^2\*e^2\*g^2-12\*a\*c\*d\*e\*f\*g+3\*c^2\*d^2\*f^2)\*(e\*x+d)^(3/2)/c^3/d^3/(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(3/2)

**maxima** [A] time = 0.63, size = 98, normalized size = 0.54

$$-\frac{2f^2}{\sqrt{cdx+ae}cd} + \frac{4(cdx+2ae)fg}{\sqrt{cdx+ae}c^2d^2} + \frac{2(c^2d^2x^2-4acdex-8a^2e^2)g^2}{3\sqrt{cdx+ae}c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2), x, algorithm="maxima")

[Out] -2\*f^2/(sqrt(c\*d\*x + a\*e)\*c\*d) + 4\*(c\*d\*x + 2\*a\*e)\*f\*g/(sqrt(c\*d\*x + a\*e)\*c^2\*d^2) + 2/3\*(c^2\*d^2\*x^2 - 4\*a\*c\*d\*e\*x - 8\*a^2\*e^2)\*g^2/(sqrt(c\*d\*x + a\*e)\*c^3\*d^3)

**mupad** [B] time = 3.43, size = 178, normalized size = 0.98

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{\sqrt{d+ex}(16a^2e^2g^2 - 24acdefg + 6c^2d^2f^2)}{3c^4d^4e} - \frac{2g^2x^2\sqrt{d+ex}}{3c^2d^2e} + \frac{4gx(2aeg - 3cdf)\sqrt{d+ex}}{3c^3d^3e} \right)}{\frac{a}{c} + x^2 + \frac{x(3c^4d^5 + 3ac^3d^3e^2)}{3c^4d^4e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(d + e\*x)^(3/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2), x)

[Out] -((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)\*(((d + e\*x)^(1/2)\*(16\*a^2\*e^2\*g^2 + 6\*c^2\*d^2\*f^2 - 24\*a\*c\*d\*e\*f\*g))/(3\*c^4\*d^4\*e) - (2\*g^2\*x^2\*(d + e\*x)^(1/2))/(3\*c^2\*d^2\*e) + (4\*g\*x\*(2\*a\*e\*g - 3\*c\*d\*f)\*(d + e\*x)^(1/2))/(3\*c^3\*d^3\*e)))/(a/c + x^2 + (x\*(3\*c^4\*d^5 + 3\*a\*c^3\*d^3\*e^2))/(3\*c^4\*d^4\*e))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)\*(g\*x+f)\*\*2/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2), x)

[Out] Timed out



$$3.434 \quad \int \frac{(d+ex)^{3/2}(f+gx)}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=150

$$\frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}(2ae^2g-cd(dg+ef))}{c^2d^2\sqrt{d+ex}(cd^2-ae^2)} - \frac{2(d+ex)^{3/2}(cdf-aeg)}{cd(cd^2-ae^2)\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

**Rubi [A]** time = 0.14, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 44,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {788, 648}

$$\frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}(2ae^2g-cd(dg+ef))}{c^2d^2\sqrt{d+ex}(cd^2-ae^2)} - \frac{2(d+ex)^{3/2}(cdf-aeg)}{cd(cd^2-ae^2)\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*(f + g\*x))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (-2\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(3/2))/(c\*d\*(c\*d^2 - a\*e^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (2\*(2\*a\*e^2\*g - c\*d\*(e\*f + d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(c^2\*d^2\*(c\*d^2 - a\*e^2)\*Sqrt[d + e\*x])

#### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

#### Rule 788

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((g\*(c\*d - b\*e) + c\*e\*f)\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)\*(2\*c\*d - b\*e)), x] - Dist[(e\*(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g)))/(c\*(p + 1)\*(2\*c\*d - b\*e)), Int[(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 0]

#### Rubi steps

$$\int \frac{(d+ex)^{3/2}(f+gx)}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx = -\frac{2(cdf-aeg)(d+ex)^{3/2}}{cd(cd^2-ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{2\left(-\frac{1}{2}e(2cdef-(cd^2+ae^2)(f+gx))\right)}{cd^2(cd^2-ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}$$

$$= -\frac{2(cdf-aeg)(d+ex)^{3/2}}{cd(cd^2-ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{2(2ae^2g-cd(ef+dg))}{c^2d^2(cd^2-ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}$$

**Mathematica** [A] time = 0.04, size = 51, normalized size = 0.34

$$\frac{2\sqrt{d+ex}(2aeg+cd(gx-f))}{c^2d^2\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(3/2)\*(f + g\*x))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (2\*Sqrt[d + e\*x]\*(2\*a\*e\*g + c\*d\*(-f + g\*x)))/(c^2\*d^2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic** [A] time = 1.36, size = 63, normalized size = 0.42

$$\frac{2(d+ex)^{3/2}(ae+cdx)(g(ae+cdx)+aeg-cdf)}{c^2d^2((d+ex)(ae+cdx))^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(3/2)\*(f + g\*x))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (2\*(a\*e + c\*d\*x)\*(d + e\*x)^(3/2)\*(-(c\*d\*f) + a\*e\*g + g\*(a\*e + c\*d\*x)))/(c^2\*d^2\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

**fricas** [A] time = 0.40, size = 96, normalized size = 0.64

$$\frac{2\sqrt{cdex^2+ade+(cd^2+ae^2)}x(cdgx-cdf+2aeg)\sqrt{ex+d}}{c^3d^3ex^2+ac^2d^3e+(c^3d^4+ac^2d^2e^2)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x,  
algorithm="fricas")

[Out] 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*g\*x - c\*d\*f + 2\*a\*e\*g)\*s  
qrt(e\*x + d)/(c^3\*d^3\*e\*x^2 + a\*c^2\*d^3\*e + (c^3\*d^4 + a\*c^2\*d^2\*e^2)\*x)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x,  
algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 0.89Unable to transpose Err  
or: Bad Argument Value

**maple** [A] time = 0.01, size = 66, normalized size = 0.44

$$\frac{2(cdx + ae)(cdgx + 2aeg - cdf)(ex + d)^{\frac{3}{2}}}{(cde x^2 + a e^2 x + c d^2 x + ade)^{\frac{3}{2}} c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)\*(g\*x+f)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out] 2\*(c\*d\*x+a\*e)\*(c\*d\*g\*x+2\*a\*e\*g-c\*d\*f)\*(e\*x+d)^(3/2)/c^2/d^2/(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(3/2)

**maxima** [A] time = 0.57, size = 48, normalized size = 0.32

$$-\frac{2f}{\sqrt{cdx + ae} cd} + \frac{2(cdx + 2ae)g}{\sqrt{cdx + ae} c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x,  
algorithm="maxima")

[Out] -2\*f/(sqrt(c\*d\*x + a\*e)\*c\*d) + 2\*(c\*d\*x + 2\*a\*e)\*g/(sqrt(c\*d\*x + a\*e)\*c^2\*d^2)

mupad [B] time = 3.37, size = 118, normalized size = 0.79

$$\frac{\left(\frac{4aeg-2cdf}{c^3 d^3 e} \sqrt{d+ex} + \frac{2gx \sqrt{d+ex}}{c^2 d^2 e}\right) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{\frac{a}{c} + x^2 + \frac{x(c^3 d^4 + ac^2 d^2 e^2)}{c^3 d^3 e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)\*(d + e\*x)^(3/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2),x)

[Out] (((4\*a\*e\*g - 2\*c\*d\*f)\*(d + e\*x)^(1/2))/(c^3\*d^3\*e) + (2\*g\*x\*(d + e\*x)^(1/2))/(c^2\*d^2\*e))\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(a/c + x^2 + (x\*(c^3\*d^4 + a\*c^2\*d^2\*e^2))/(c^3\*d^3\*e))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^{\frac{3}{2}}(f+gx)}{((d+ex)(ae+cdx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)\*(g\*x+f)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2),x)

[Out] Integral((d + e\*x)\*\*(3/2)\*(f + g\*x)/((d + e\*x)\*(a\*e + c\*d\*x))\*\*(3/2), x)

$$3.435 \quad \int \frac{(d+ex)^{3/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

Optimal. Leaf size=46

$$-\frac{2\sqrt{d+ex}}{cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Rubi [A] time = 0.02, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$ , Rules used = {648}

$$-\frac{2\sqrt{d+ex}}{cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (-2\*Sqrt[d + e\*x])/(c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

Rubi steps

$$\int \frac{(d+ex)^{3/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx = -\frac{2\sqrt{d+ex}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}$$

Mathematica [A] time = 0.01, size = 35, normalized size = 0.76

$$-\frac{2\sqrt{d+ex}}{cd\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2),x]

[Out] (-2\*Sqrt[d + e\*x])/(c\*d\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [A]** time = 0.00, size = 43, normalized size = 0.93

$$\frac{2(d + ex)^{3/2}(ae + cdx)}{cd((d + ex)(ae + cdx))^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2),x]

[Out] (-2\*(a\*e + c\*d\*x)\*(d + e\*x)^(3/2))/(c\*d\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

**fricas [A]** time = 0.41, size = 74, normalized size = 1.61

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{c^2d^2ex^2 + acd^2e + (c^2d^3 + acde^2)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] -2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^2\*d^2\*e\*x^2 + a\*c\*d^2\*e + (c^2\*d^3 + a\*c\*d\*e^2)\*x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 0.66Unable to transpose Error: Bad Argument Value

**maple [A]** time = 0.00, size = 50, normalized size = 1.09

$$\frac{2(cdx + ae)(ex + d)^{\frac{3}{2}}}{(cde x^2 + a e^2 x + c d^2 x + ade)^{\frac{3}{2}} cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(3/2)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2),x)`

[Out] `-2*(c*d*x+a*e)*(e*x+d)^(3/2)/c/d/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(3/2)`

**maxima** [A] time = 0.51, size = 18, normalized size = 0.39

$$-\frac{2}{\sqrt{cdx + ae cd}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(3/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm m="maxima")`

[Out] `-2/(sqrt(c*d*x + a*e)*c*d)`

**mupad** [B] time = 3.27, size = 82, normalized size = 1.78

$$\frac{2\sqrt{d+ex}\sqrt{cdex^2+(cd^2+ae^2)x+a de}}{c^2d^2e\left(\frac{a}{c}+x^2+\frac{x(c^2d^3+acde^2)}{c^2d^2e}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e*x)^(3/2)/(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(3/2),x)`

[Out] `-(2*(d+e*x)^(1/2)*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2))/(c^2*d^2*e*(a/c+x^2+(x*(c^2*d^3+a*c*d*e^2))/(c^2*d^2*e)))`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^{\frac{3}{2}}}{((d+ex)(ae+cdx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(3/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2),x)`

[Out] `Integral((d+e*x)**(3/2)/((d+e*x)*(a*e+c*d*x))**3/2,x)`

$$3.436 \quad \int \frac{(d+ex)^{3/2}}{(f+gx)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

Optimal. Leaf size=133

$$\frac{2\sqrt{d+ex}}{\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)} - \frac{2\sqrt{g} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{(cdf-aeg)^{3/2}}$$

Rubi [A] time = 0.18, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {868, 874, 205}

$$\frac{2\sqrt{d+ex}}{\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)} - \frac{2\sqrt{g} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{(cdf-aeg)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/((f + g\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*Sqrt[d + e\*x])/((c\*d\*f - a\*e\*g)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (2\*Sqrt[g]\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(c\*d\*f - a\*e\*g)^(3/2)

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 868

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] + Dist[(e^2\*g\*(m - n - 2))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && RationalQ[n]



Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\int \frac{(d+ex)^{3/2}}{(f+gx)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx = -\frac{2\sqrt{d+ex}}{(cdf-aeg)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{g \int \frac{\sqrt{d+ex}}{(f+gx)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{cdf}$$

$$= -\frac{2\sqrt{d+ex}}{(cdf-aeg)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{(2e^2g) \text{Subst}\left(\int \frac{\sqrt{d+ex}}{ade+(cd^2+ae^2)x+cdex^2} dx\right)}{(cdf-aeg)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}$$

$$= -\frac{2\sqrt{d+ex}}{(cdf-aeg)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} - \frac{2\sqrt{g} \tan^{-1}\left(\frac{\sqrt{g}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}\right)}{(cdf-aeg)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}$$

Mathematica [C] time = 0.03, size = 71, normalized size = 0.53

$$-\frac{2\sqrt{d+ex} {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{\sqrt{(d+ex)(ae+cdx)}(cdf-aeg)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x)^(3/2)/((f + g*x)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)), x]
```

```
[Out] (-2*Sqrt[d + e*x]*Hypergeometric2F1[-1/2, 1, 1/2, (g*(a*e + c*d*x))/(-(c*d*f) + a*e*g)]/((c*d*f - a*e*g)*Sqrt[(a*e + c*d*x)*(d + e*x)])
```

IntegrateAlgebraic [F] time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/((f + g\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] \$Aborted

**fricas** [B] time = 0.44, size = 553, normalized size = 4.16

$$\frac{\left( cdx^2 + ade + (cf^2 + ae^2) \sqrt{\frac{e}{af+ag}} \log \left( \frac{-abg^2 - d^2 f + 2abg \sqrt{2} \sqrt{dx^2 + ade + (cf^2 + ae^2)} (df - ag) \sqrt{\frac{e}{af+ag}} - (df - ag) \sqrt{\frac{e}{af+ag}}}{ag^2 + f^2 + abg} \right) + 2 \sqrt{cdex^2 + ade + (cf^2 + ae^2)} x \sqrt{cx + d} \right) \arctan \left( \frac{\sqrt{dx^2 + ade + (cf^2 + ae^2)} (df - ag) \sqrt{\frac{e}{af+ag}}}{abg^2 + abg \sqrt{(cf^2 + ae^2)}} \right) + \sqrt{cdex^2 + ade + (cf^2 + ae^2)} x \sqrt{cx + d}}{acdfef - a^2 d^2 g + (c^2 d^2 ef - acd^2 g)^2 + ((c^2 d^2 + acd^2) f - (acd^2 e + a^2 d^2) g) x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2), x, algorithm="fricas")

[Out] [-(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-g/(c\*d\*f - a\*e\*g))\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*f - a\*e\*g)\*sqrt(e\*x + d)\*sqrt(-g/(c\*d\*f - a\*e\*g)) - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x)/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)) + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d))/(a\*c\*d^2\*e\*f - a^2\*d\*e^2\*g + (c^2\*d^2\*e\*f - a\*c\*d\*e^2\*g)\*x^2 + ((c^2\*d^3 + a\*c\*d\*e^2)\*f - (a\*c\*d^2\*e + a^2\*e^3)\*g)\*x), -2\*((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(g/(c\*d\*f - a\*e\*g))\*arctan(-sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*f - a\*e\*g)\*sqrt(e\*x + d)\*sqrt(g/(c\*d\*f - a\*e\*g)))/(c\*d\*e\*g\*x^2 + a\*d\*e\*g + (c\*d^2 + a\*e^2)\*g\*x)) + sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d))/(a\*c\*d^2\*e\*f - a^2\*d\*e^2\*g + (c^2\*d^2\*e\*f - a\*c\*d\*e^2\*g)\*x^2 + ((c^2\*d^3 + a\*c\*d\*e^2)\*f - (a\*c\*d^2\*e + a^2\*e^3)\*g)\*x)]

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 1.51Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.03, size = 128, normalized size = 0.96

$$\frac{2\sqrt{cde x^2 + a e^2 x + c d^2 x + ade} \left( \sqrt{cdx + ae} g \operatorname{arctanh} \left( \frac{\sqrt{cdx + ae} g}{\sqrt{(aeg - cdf) g}} \right) - \sqrt{(aeg - cdf) g} \right)}{\sqrt{ex + d} (cdx + ae) (aeg - cdf) \sqrt{(aeg - cdf) g}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(3/2)/(g*x+f)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2),x)`

[Out]  $-2*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(g*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*(c*d*x+a*e)^(1/2)-((a*e*g-c*d*f)*g)^(1/2)/(e*x+d)^(1/2)/(c*d*x+a*e)/(a*e*g-c*d*f)/((a*e*g-c*d*f)*g)^(1/2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{\frac{3}{2}}}{(cdex^2+ade+(cd^2+ae^2)x)^{\frac{3}{2}}(gx+f)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(3/2)/(g*x+f)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x,algorithm="maxima")`

[Out] `integrate((e*x + d)^(3/2)/((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(3/2)*(g*x + f)), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d+ex)^{3/2}}{(f+gx)(cdex^2+(cd^2+ae^2)x+ade)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^(3/2)/((f + g*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)),x)`

[Out] `int((d + e*x)^(3/2)/((f + g*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(3/2)/(g*x+f)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2),x)`

[Out] Timed out

$$3.437 \quad \int \frac{(d+ex)^{3/2}}{(f+gx)^2(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

Optimal. Leaf size=202

$$\frac{3g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}(f+gx)(cdf-aeg)^2} - \frac{2\sqrt{d+ex}}{(f+gx)\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)} - \frac{3cd\sqrt{g}\tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}}\right)}{(cdf-aeg)^{5/2}}$$

**Rubi [A]** time = 0.26, antiderivative size = 202, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {868, 872, 874, 205}

$$\frac{3g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}(f+gx)(cdf-aeg)^2} - \frac{2\sqrt{d+ex}}{(f+gx)\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)} - \frac{3cd\sqrt{g}\tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{(cdf-aeg)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*Sqrt[d + e\*x])/((c\*d\*f - a\*e\*g)\*(f + g\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (3\*g\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)) - (3\*c\*d\*Sqrt[g]\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])]/(c\*d\*f - a\*e\*g)^(5/2))

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 868

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e^2\*(d + e\*x)^(m-1)\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^(p+1))/((p+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] + Dist[(e^2\*g\*(m-n-2))/((p+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^(m-1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p+1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && RationalQ[n]

Rule 872

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(
n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p
]
```

Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex)^{3/2}}{(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} dx &= -\frac{2\sqrt{d + ex}}{(cdf - aeg)(f + gx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{(3g)}{(cdf - aeg)(f + gx)} \int \frac{\sqrt{d + ex}}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx \\
&= -\frac{2\sqrt{d + ex}}{(cdf - aeg)(f + gx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{3g\sqrt{a}}{(cdf - aeg)(f + gx)} \\
&= -\frac{2\sqrt{d + ex}}{(cdf - aeg)(f + gx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{3g\sqrt{a}}{(cdf - aeg)(f + gx)} \\
&= -\frac{2\sqrt{d + ex}}{(cdf - aeg)(f + gx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{3g\sqrt{a}}{(cdf - aeg)(f + gx)}
\end{aligned}$$

**Mathematica** [C] time = 0.03, size = 73, normalized size = 0.36

$$\frac{2cd\sqrt{d+ex} {}_2F_1\left(-\frac{1}{2}, 2; \frac{1}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{\sqrt{(d+ex)(ae+cdx)}(cdf-aeg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*c\*d\*sqrt[d + e\*x]\*Hypergeometric2F1[-1/2, 2, 1/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)])/((c\*d\*f - a\*e\*g)^2\*sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic** [F] time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] \$Aborted

**fricas** [B] time = 0.45, size = 1067, normalized size = 5.28

$$\frac{3 \sqrt{d+ex} \sqrt{ae+cdx} \operatorname{arctan}\left(\frac{\sqrt{d+ex} \sqrt{ae+cdx}}{\sqrt{ae+cdx}}\right) - \sqrt{d+ex} \sqrt{ae+cdx} \operatorname{arctan}\left(\frac{\sqrt{d+ex} \sqrt{ae+cdx}}{\sqrt{ae+cdx}}\right) - \sqrt{d+ex} \sqrt{ae+cdx} \operatorname{arctan}\left(\frac{\sqrt{d+ex} \sqrt{ae+cdx}}{\sqrt{ae+cdx}}\right) - \sqrt{d+ex} \sqrt{ae+cdx} \operatorname{arctan}\left(\frac{\sqrt{d+ex} \sqrt{ae+cdx}}{\sqrt{ae+cdx}}\right)}{2 \sqrt{d+ex} \sqrt{ae+cdx} \operatorname{arctan}\left(\frac{\sqrt{d+ex} \sqrt{ae+cdx}}{\sqrt{ae+cdx}}\right) - \sqrt{d+ex} \sqrt{ae+cdx} \operatorname{arctan}\left(\frac{\sqrt{d+ex} \sqrt{ae+cdx}}{\sqrt{ae+cdx}}\right) - \sqrt{d+ex} \sqrt{ae+cdx} \operatorname{arctan}\left(\frac{\sqrt{d+ex} \sqrt{ae+cdx}}{\sqrt{ae+cdx}}\right) - \sqrt{d+ex} \sqrt{ae+cdx} \operatorname{arctan}\left(\frac{\sqrt{d+ex} \sqrt{ae+cdx}}{\sqrt{ae+cdx}}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2), x, algorithm="fricas")

[Out] [1/2\*(3\*(c^2\*d^2\*e\*g\*x^3 + a\*c\*d^2\*e\*f + (c^2\*d^2\*e\*f + (c^2\*d^3 + a\*c\*d\*e^2)\*g)\*x^2 + (a\*c\*d^2\*e\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*f)\*x)\*sqrt(-g/(c\*d\*f - a\*e\*g))\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*f - a\*e\*g)\*sqrt(e\*x + d)\*sqrt(-g/(c\*d\*f - a\*e\*g)) - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x)/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)) - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(3\*c\*d\*g\*x + 2\*c\*d\*f + a\*e\*g)\*sqrt(e\*x + d)/(a\*c^2\*d^3\*e\*f^3 - 2\*a^2\*c\*d^2\*e^2\*f^2\*g + a^3\*d\*e^3\*f\*g^2 + (c^3\*d^3\*e\*f^2\*g - 2\*a\*c^2\*d^2\*e^2\*f\*g^2 + a^2\*c\*d\*e^3\*g^3)\*x^3 + (c^3\*d^3\*e\*f^3 + (c^3\*d^4 - a\*c^2\*d^2\*e^2)\*f^2\*g - (2\*a\*c^2\*d^3\*e + a^2\*c\*d\*e^3)\*f\*g^2 + (a^2\*c\*d^2\*e^2 + a^3\*e^4)\*g^3)\*x^2 + (a^3\*d\*e^3\*g^3 + (c^3\*d^4 + a\*c^2\*d^2\*e^2)\*f^3 - (a\*c^2\*d^3\*e + 2\*a^2\*c\*d\*e^3)\*f^2\*g - (a^2\*c\*d^2\*e^2 - a^3\*e^4)\*f\*g^2)\*x, -(3\*(c^2\*d^2\*e\*g\*x^3 + a\*c\*d^2\*e\*f + (c^2\*d^2\*e\*f + (c^2\*d^3 + a\*c\*d\*e^2)\*g)\*x^2 + (a\*c\*d^2\*e\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*f)\*x)\*sqrt(g/(c\*d

```
*f - a*e*g))*arctan(-sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(c*d*f - a
*e*g)*sqrt(e*x + d)*sqrt(g/(c*d*f - a*e*g))/(c*d*e*g*x^2 + a*d*e*g + (c*d^2
+ a*e^2)*g*x)) + sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(3*c*d*g*x +
2*c*d*f + a*e*g)*sqrt(e*x + d))/(a*c^2*d^3*e*f^3 - 2*a^2*c*d^2*e^2*f^2*g +
a^3*d*e^3*f*g^2 + (c^3*d^3*e*f^2*g - 2*a*c^2*d^2*e^2*f*g^2 + a^2*c*d*e^3*g^
3)*x^3 + (c^3*d^3*e*f^3 + (c^3*d^4 - a*c^2*d^2*e^2)*f^2*g - (2*a*c^2*d^3*e
+ a^2*c*d*e^3)*f*g^2 + (a^2*c*d^2*e^2 + a^3*e^4)*g^3)*x^2 + (a^3*d*e^3*g^3
+ (c^3*d^4 + a*c^2*d^2*e^2)*f^3 - (a*c^2*d^3*e + 2*a^2*c*d*e^3)*f^2*g - (a^
2*c*d^2*e^2 - a^3*e^4)*f*g^2)*x)]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)/(g*x+f)^2/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x
, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 2.58Unable to transpose Err
or: Bad Argument Value
```

**maple** [A] time = 0.03, size = 225, normalized size = 1.11

$$\frac{\sqrt{cde x^2 + a^2 x + c d^2 x + ade} \left( 3\sqrt{cdx + ae} cd g^2 x \operatorname{arctanh}\left(\frac{\sqrt{cdx + ae} g}{\sqrt{(aeg - cdf)g}}\right) + 3\sqrt{cdx + ae} cdf g \operatorname{arctanh}\left(\frac{\sqrt{cdx + ae} g}{\sqrt{(aeg - cdf)g}}\right) - 3\sqrt{(aeg - cdf)g} cdgx - \sqrt{(aeg - cdf)g} aeg - 2\sqrt{(aeg - cdf)g} cdf \right)}{\sqrt{ex + d} (cdx + ae)(aeg - cdf)^2 (gx + f)\sqrt{(aeg - cdf)g}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)^(3/2)/(g*x+f)^2/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2),x)
```

```
[Out] (c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(3*arctanh((c*d*x+a*e)^(1/2)/((a*e*
g-c*d*f)*g)^(1/2)*g)*(c*d*x+a*e)^(1/2)*x*c*d*g^2+3*arctanh((c*d*x+a*e)^(1/2
)/((a*e*g-c*d*f)*g)^(1/2)*g)*(c*d*x+a*e)^(1/2)*c*d*f*g-3*((a*e*g-c*d*f)*g)^(
1/2)*x*c*d*g-((a*e*g-c*d*f)*g)^(1/2)*a*e*g-2*((a*e*g-c*d*f)*g)^(1/2)*c*d*f
)/(e*x+d)^(1/2)/(c*d*x+a*e)/(a*e*g-c*d*f)^2/(g*x+f)/((a*e*g-c*d*f)*g)^(1/2)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(gx + f)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*(g\*x + f)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex)^{3/2}}{(f + gx)^2 (cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(3/2)/((f + g\*x)^2\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)),x)

[Out] int((d + e\*x)^(3/2)/((f + g\*x)^2\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)/(g\*x+f)\*\*2/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2),x)

[Out] Timed out



$$3.438 \quad \int \frac{(d+ex)^{3/2}}{(f+gx)^3(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

Optimal. Leaf size=274

$$\frac{15c^2d^2\sqrt{g} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{4(cdf-aeg)^{7/2}} - \frac{15cdg\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4\sqrt{d+ex}(f+gx)(cdf-aeg)^3} - \frac{5g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{2\sqrt{d+ex}(f+gx)^2(cdf-aeg)}$$

**Rubi [A]** time = 0.35, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {868, 872, 874, 205}

$$\frac{15c^2d^2\sqrt{g} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{4(cdf-aeg)^{7/2}} - \frac{15cdg\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4\sqrt{d+ex}(f+gx)(cdf-aeg)^3} - \frac{5g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{2\sqrt{d+ex}(f+gx)^2(cdf-aeg)^2} - \frac{2\sqrt{d+ex}}{(f+gx)^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/((f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*sqrt[d + e\*x])/((c\*d\*f - a\*e\*g)\*(f + g\*x)^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (5\*g\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(2\*(c\*d\*f - a\*e\*g)^2\*sqrt[d + e\*x]\*(f + g\*x)^2) - (15\*c\*d\*g\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*(c\*d\*f - a\*e\*g)^3\*sqrt[d + e\*x]\*(f + g\*x)) - (15\*c^2\*d^2\*sqrt[g]\*ArcTan[(sqrt[g]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(sqrt[c\*d\*f - a\*e\*g]\*sqrt[d + e\*x])])/(4\*(c\*d\*f - a\*e\*g)^(7/2))

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 868

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] + Dist[(e^2\*g\*(m - n - 2))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && RationalQ[n]

Rule 872

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(
n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p
]
```

Rule 874

```
Int[Sqrt[(d_) + (e_.)*(x_)]/(((f_.) + (g_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) +
(c_.)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{3/2}}{(f+gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} dx &= -\frac{2\sqrt{d+ex}}{(cdf - aeg)(f+gx)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{5g}{2(cd^2 + ae^2)} \sqrt{d+ex} \\
&= -\frac{2\sqrt{d+ex}}{(cdf - aeg)(f+gx)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{5g}{2(cd^2 + ae^2)} \sqrt{d+ex} \\
&= -\frac{2\sqrt{d+ex}}{(cdf - aeg)(f+gx)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{5g}{2(cd^2 + ae^2)} \sqrt{d+ex} \\
&= -\frac{2\sqrt{d+ex}}{(cdf - aeg)(f+gx)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{5g}{2(cd^2 + ae^2)} \sqrt{d+ex} \\
&= -\frac{2\sqrt{d+ex}}{(cdf - aeg)(f+gx)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{5g}{2(cd^2 + ae^2)} \sqrt{d+ex}
\end{aligned}$$

**Mathematica [C]** time = 0.04, size = 77, normalized size = 0.28

$$\frac{2c^2d^2\sqrt{d+ex} {}_2F_1\left(-\frac{1}{2}, 3; \frac{1}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{\sqrt{(d+ex)(ae+cdx)}(cdf-aeg)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/((f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*c^2\*d^2\*sqrt[d + e\*x]\*Hypergeometric2F1[-1/2, 3, 1/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)])/((c\*d\*f - a\*e\*g)^3\*sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [F]** time = 180.00, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/((f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] \$Aborted

**fricas** [B] time = 0.47, size = 1863, normalized size = 6.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/8*(15*(c^3*d^3*e*g^2*x^4 + a*c^2*d^3*e*f^2 + (2*c^3*d^3*e*f*g + (c^3*d^4 \\ & + a*c^2*d^2*e^2)*g^2)*x^3 + (c^3*d^3*e*f^2 + a*c^2*d^3*e*g^2 + 2*(c^3*d^4 \\ & + a*c^2*d^2*e^2)*f*g)*x^2 + (2*a*c^2*d^3*e*f*g + (c^3*d^4 + a*c^2*d^2*e^2) \\ & *f^2)*x)*\sqrt{-g/(c*d*f - a*e*g)}*\log(-(c*d*e*g*x^2 - c*d^2*f + 2*a*d*e*g + \\ & 2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(c*d*f - a*e*g)*\sqrt{e*x + d} \\ & )*\sqrt{-g/(c*d*f - a*e*g)} - (c*d*e*f - (c*d^2 + 2*a*e^2)*g)*x)/(e*g*x^2 + \\ & d*f + (e*f + d*g)*x) + 2*(15*c^2*d^2*g^2*x^2 + 8*c^2*d^2*f^2 + 9*a*c*d*e*f \\ & *g - 2*a^2*e^2*g^2 + 5*(5*c^2*d^2*f*g + a*c*d*e*g^2)*x)*\sqrt{c*d*e*x^2 + a \\ & d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d}]/(a*c^3*d^4*e*f^5 - 3*a^2*c^2*d^3*e^ \\ & 2*f^4*g + 3*a^3*c*d^2*e^3*f^3*g^2 - a^4*d*e^4*f^2*g^3 + (c^4*d^4*e*f^3*g^2 \\ & - 3*a*c^3*d^3*e^2*f^2*g^3 + 3*a^2*c^2*d^2*e^3*f*g^4 - a^3*c*d*e^4*g^5)*x^4 \\ & + (2*c^4*d^4*e*f^4*g + (c^4*d^5 - 5*a*c^3*d^3*e^2)*f^3*g^2 - 3*(a*c^3*d^4*e \\ & - a^2*c^2*d^2*e^3)*f^2*g^3 + (3*a^2*c^2*d^3*e^2 + a^3*c*d*e^4)*f*g^4 - (a^ \\ & 3*c*d^2*e^3 + a^4*e^5)*g^5)*x^3 + (c^4*d^4*e*f^5 - a^4*d*e^4*g^5 + (2*c^4*d \\ & ^5 - a*c^3*d^3*e^2)*f^4*g - (5*a*c^3*d^4*e + 3*a^2*c^2*d^2*e^3)*f^3*g^2 + ( \\ & 3*a^2*c^2*d^3*e^2 + 5*a^3*c*d*e^4)*f^2*g^3 + (a^3*c*d^2*e^3 - 2*a^4*e^5)*f* \\ & g^4)*x^2 - (2*a^4*d*e^4*f*g^4 - (c^4*d^5 + a*c^3*d^3*e^2)*f^5 + (a*c^3*d^4*e \\ & + 3*a^2*c^2*d^2*e^3)*f^4*g + 3*(a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^3*g^2 - \\ & (5*a^3*c*d^2*e^3 - a^4*e^5)*f^2*g^3)*x, -1/4*(15*(c^3*d^3*e*g^2*x^4 + a*c^ \\ & 2*d^3*e*f^2 + (2*c^3*d^3*e*f*g + (c^3*d^4 + a*c^2*d^2*e^2)*g^2)*x^3 + (c^3*d \\ & ^3*e*f^2 + a*c^2*d^3*e*g^2 + 2*(c^3*d^4 + a*c^2*d^2*e^2)*f*g)*x^2 + (2*a*c \\ & ^2*d^3*e*f*g + (c^3*d^4 + a*c^2*d^2*e^2)*f^2)*x)*\sqrt{g/(c*d*f - a*e*g)}*ar \\ & ctan(-\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(c*d*f - a*e*g)*\sqrt{e*x \\ & + d}*\sqrt{g/(c*d*f - a*e*g)})/(c*d*e*g*x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x) \\ & + (15*c^2*d^2*g^2*x^2 + 8*c^2*d^2*f^2 + 9*a*c*d*e*f*g - 2*a^2*e^2*g^2 + 5* \\ & (5*c^2*d^2*f*g + a*c*d*e*g^2)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x} \\ & )*\sqrt{e*x + d}]/(a*c^3*d^4*e*f^5 - 3*a^2*c^2*d^3*e^2*f^4*g + 3*a^3*c*d^2*e \\ & ^3*f^3*g^2 - a^4*d*e^4*f^2*g^3 + (c^4*d^4*e*f^3*g^2 - 3*a*c^3*d^3*e^2*f^2*g \\ & ^3 + 3*a^2*c^2*d^2*e^3*f*g^4 - a^3*c*d*e^4*g^5)*x^4 + (2*c^4*d^4*e*f^4*g + \\ & (c^4*d^5 - 5*a*c^3*d^3*e^2)*f^3*g^2 - 3*(a*c^3*d^4*e - a^2*c^2*d^2*e^3)*f^2 \\ & *g^3 + (3*a^2*c^2*d^3*e^2 + a^3*c*d*e^4)*f*g^4 - (a^3*c*d^2*e^3 + a^4*e^5)* \\ & g^5)*x^3 + (c^4*d^4*e*f^5 - a^4*d*e^4*g^5 + (2*c^4*d^5 - a*c^3*d^3*e^2)*f^4 \\ & *g - (5*a*c^3*d^4*e + 3*a^2*c^2*d^2*e^3)*f^3*g^2 + (3*a^2*c^2*d^3*e^2 + 5*a \end{aligned}$$

$$\begin{aligned} &^3*c*d*e^4)*f^2*g^3 + (a^3*c*d^2*e^3 - 2*a^4*e^5)*f*g^4)*x^2 - (2*a^4*d*e^4 \\ &*f*g^4 - (c^4*d^5 + a*c^3*d^3*e^2)*f^5 + (a*c^3*d^4*e + 3*a^2*c^2*d^2*e^3)* \\ &f^4*g + 3*(a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^3*g^2 - (5*a^3*c*d^2*e^3 - a^4* \\ &e^5)*f^2*g^3)*x] \end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 3.85Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.04, size = 379, normalized size = 1.38

$$\frac{\sqrt{cdx^2 + ae^2x + c^2d} \left( 15\sqrt{cdx + ae} c^2d^2g^3 \operatorname{arctanh}\left(\frac{\sqrt{cdx + ae}}{\sqrt{ag - df}}\right) + 30\sqrt{cdx + ae} c^2d^2f^2g^2 \operatorname{arctanh}\left(\frac{\sqrt{cdx + ae}}{\sqrt{ag - df}}\right) + 15\sqrt{cdx + ae} c^2d^2fg \operatorname{arctanh}\left(\frac{\sqrt{cdx + ae}}{\sqrt{ag - df}}\right) - 15\sqrt{(ag - df)g} c^2d^2g^2 - 5\sqrt{(ag - df)g} acd^2g^2 - 25\sqrt{(ag - df)g} acd^2fg - 25\sqrt{(ag - df)g} acd^2fg - 8\sqrt{(ag - df)g} c^2d^2f^2 \right)}{4\sqrt{cdx + ae} (cdx + ae)(ag - df)^3(gx + f)^3\sqrt{(ag - df)g}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/(g\*x+f)^3/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2), x)

[Out] 
$$\begin{aligned} &-1/4*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/ \\ &((a*e*g-c*d*f)*g)^(1/2)*g)*(c*d*x+a*e)^(1/2)*x^2*c^2*d^2*g^3+30*\operatorname{arctanh}((c* \\ &d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*(c*d*x+a*e)^(1/2)*x*c^2*d^2*f*g^2 \\ &+15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*(c*d*x+a*e)^(1/2)* \\ &c^2*d^2*f^2*g-15*((a*e*g-c*d*f)*g)^(1/2)*x^2*c^2*d^2*g^2-5*((a*e*g-c*d*f)*g \\ &)^(1/2)*x*a*c*d*e*g^2-25*((a*e*g-c*d*f)*g)^(1/2)*x*c^2*d^2*f*g+2*((a*e*g-c* \\ &d*f)*g)^(1/2)*a^2*e^2*g^2-9*((a*e*g-c*d*f)*g)^(1/2)*a*c*d*e*f*g-8*((a*e*g-c \\ &*d*f)*g)^(1/2)*c^2*d^2*f^2)/(e*x+d)^(1/2)/(c*d*x+a*e)/(a*e*g-c*d*f)^3/(g*x+ \\ &f)^2/((a*e*g-c*d*f)*g)^(1/2) \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(gx + f)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2), x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*(g\*x + f)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex)^{3/2}}{(f + gx)^3 (c dex^2 + (cd^2 + ae^2)x + ade)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(3/2)/((f + g\*x)^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)),x)

[Out] int((d + e\*x)^(3/2)/((f + g\*x)^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)/(g\*x+f)\*\*3/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2),x)

[Out] Timed out

$$3.439 \quad \int \frac{(d+ex)^{5/2}(f+gx)^3}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=239

$$\frac{16g^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (2ae^2g - cd(3ef - dg))}{3c^4d^4e\sqrt{d + ex}} + \frac{16g^3 \sqrt{d + ex} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3c^3d^3e} - \frac{c^2d^2}{c^2d^2}$$

**Rubi [A]** time = 0.28, antiderivative size = 239, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {866, 794, 648}

$$\frac{16g^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (2ae^2g - cd(3ef - dg))}{3c^4d^4e\sqrt{d + ex}} - \frac{4g\sqrt{d + ex}(f + gx)^2}{c^2d^2\sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{16g^3\sqrt{d + ex}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3c^3d^3e} - \frac{2(d + ex)^{3/2}(f + gx)^3}{3cd(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(5/2)\*(f + g\*x)^3)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (-2\*(d + e\*x)^(3/2)\*(f + g\*x)^3)/(3\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2) - (4\*g\*sqrt[d + e\*x]\*(f + g\*x)^2)/(c^2\*d^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (16\*g^2\*(2\*a\*e^2\*g - c\*d\*(3\*e\*f - d\*g))\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*c^4\*d^4\*e\*sqrt[d + e\*x]) + (16\*g^3\*sqrt[d + e\*x]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*c^3\*d^3\*e)

#### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

#### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

#### Rule 866

```

Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(a
+ b*x + c*x^2)^(p + 1))/(c*(p + 1)), x] - Dist[(e*g*n)/(c*(p + 1)), Int[(d
+ e*x)^(m - 1)*(f + g*x)^(n - 1)*(a + b*x + c*x^2)^(p + 1), x], x] /; Free
Q[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] &&
EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -
1] && GtQ[n, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{5/2}(f+gx)^3}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx &= -\frac{2(d+ex)^{3/2}(f+gx)^3}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{(2g) \int \frac{(d+ex)^{3/2}(f+gx)^2}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx}{cd} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^3}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{4g\sqrt{d+ex}(f+gx)^2}{c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^3}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{4g\sqrt{d+ex}(f+gx)^2}{c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^3}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{4g\sqrt{d+ex}(f+gx)^2}{c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 131, normalized size = 0.55

$$\frac{2(d+ex)^{3/2}(-16a^3e^3g^3+24a^2cde^2g^2(f-gx)-6ac^2d^2eg(f^2-6fgx+g^2x^2)+c^3d^3(-f^3-9f^2gx+9fg^2x^2+g^3x^3))}{3c^4d^4((d+ex)(ae+cdx))^{3/2}}$$

Antiderivative was successfully verified.

```

[In] Integrate[((d + e*x)^(5/2)*(f + g*x)^3)/(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x
^2)^(5/2), x]

```

```

[Out] (2*(d + e*x)^(3/2)*(-16*a^3*e^3*g^3 + 24*a^2*c*d*e^2*g^2*(f - g*x) - 6*a*c^
2*d^2*e*g*(f^2 - 6*f*g*x + g^2*x^2) + c^3*d^3*(-f^3 - 9*f^2*g*x + 9*f*g^2*x
^2 + g^3*x^3)))/(3*c^4*d^4*((a*e + c*d*x)*(d + e*x))^(3/2))

```

**IntegrateAlgebraic [A]** time = 4.48, size = 201, normalized size = 0.84

$$\frac{2(d+ex)^{5/2}(ae+cdx)(a^3e^3g^3-3a^2cde^2fg^2-9a^2e^2g^3(ae+cdx)-9c^2d^2f^2g(ae+cdx)+3ac^2d^2ef^2g+9cdfg^2(ae+cdx)^2+18acdefg^2(ae+cdx)+g^3(ae+cdx)^3-9aeg^3(ae+cdx)^2-c^3d^3f^3)}{3c^4d^4((d+ex)(ae+cdx))^{5/2}}$$



Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(5/2)\*(f + g\*x)^3)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (2\*(a\*e + c\*d\*x)\*(d + e\*x)^(5/2)\*(-c^3\*d^3\*f^3) + 3\*a\*c^2\*d^2\*e\*f^2\*g - 3\*a^2\*c\*d\*e^2\*f\*g^2 + a^3\*e^3\*g^3 - 9\*c^2\*d^2\*f^2\*g\*(a\*e + c\*d\*x) + 18\*a\*c\*d\*e\*f\*g^2\*(a\*e + c\*d\*x) - 9\*a^2\*e^2\*g^3\*(a\*e + c\*d\*x) + 9\*c\*d\*f\*g^2\*(a\*e + c\*d\*x)^2 - 9\*a\*e\*g^3\*(a\*e + c\*d\*x)^2 + g^3\*(a\*e + c\*d\*x)^3)/(3\*c^4\*d^4\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2))

**fricas** [A] time = 0.42, size = 251, normalized size = 1.05

$$\frac{2(c^3d^3g^3x^3 - c^3d^3f^3 - 6ac^2d^2ef^2g + 24a^2cde^2fg^2 - 16a^3e^3g^3 + 3(3c^3d^3fg^2 - 2ac^2d^2eg^3)x^2 - 3(3c^3d^3f^2g - 12ac^2d^2efg^2 + 8a^2cde^2g^3)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{3(c^6d^6ex^3 + a^2c^4d^5e^2 + (c^6d^7 + 2ac^5d^5e^2)x^2 + (2ac^5d^6e + a^2c^4d^4e^3)x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="fricas")

[Out] 2/3\*(c^3\*d^3\*g^3\*x^3 - c^3\*d^3\*f^3 - 6\*a\*c^2\*d^2\*e\*f^2\*g + 24\*a^2\*c\*d\*e^2\*f\*g^2 - 16\*a^3\*e^3\*g^3 + 3\*(3\*c^3\*d^3\*f\*g^2 - 2\*a\*c^2\*d^2\*e\*g^3)\*x^2 - 3\*(3\*c^3\*d^3\*f^2\*g - 12\*a\*c^2\*d^2\*e\*f\*g^2 + 8\*a^2\*c\*d\*e^2\*g^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^6\*d^6\*e\*x^3 + a^2\*c^4\*d^5\*e^2 + (c^6\*d^7 + 2\*a\*c^5\*d^5\*e^2)\*x^2 + (2\*a\*c^5\*d^6\*e + a^2\*c^4\*d^4\*e^3)\*x)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 6.27Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 187, normalized size = 0.78

$$\frac{2(cdx + ae)(-g^3x^3c^3d^3 + 6a^2d^2eg^3x^2 - 9c^3d^3fg^2x^2 + 24a^2cde^2g^3x - 36a^2d^2efg^2x + 9c^3d^3f^2gx + 16a^3e^3g^3 - 24a^2cde^2fg^2 + 6a^2d^2ef^2g + f^3c^3d^3)(ex + d)^{\frac{5}{2}}}{3(cdex^2 + ae^2x + cd^2x + ade)^{\frac{5}{2}}c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(5/2)\*(g\*x+f)^3/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2), x)

[Out]  $-2/3*(c*d*x+a*e)*(-c^3*d^3*g^3*x^3+6*a*c^2*d^2*e*g^3*x^2-9*c^3*d^3*f*g^2*x^2+24*a^2*c*d*e^2*g^3*x-36*a*c^2*d^2*e*f*g^2*x+9*c^3*d^3*f^2*g*x+16*a^3*e^3*g^3-24*a^2*c*d*e^2*f*g^2+6*a*c^2*d^2*e*f^2*g+c^3*d^3*f^3)*(e*x+d)^{(5/2)}/c^4/d^4/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(5/2)}$

**maxima [A]** time = 0.74, size = 219, normalized size = 0.92

$$\frac{2(3cdx+2ae)f^2g}{(c^3d^3x+ac^2d^2e)\sqrt{cdx+ae}} + \frac{2(3c^2d^2x^2+12acdex+8a^2e^2)fg^2}{(c^4d^4x+ac^3d^3e)\sqrt{cdx+ae}} + \frac{2(c^3d^3x^3-6ac^2d^2ex^2-24a^2cde^2x-16a^3e^3)g^3}{3(c^5d^5x+ac^4d^4e)\sqrt{cdx+ae}} - \frac{2f^3}{3(c^2d^2x+acde)\sqrt{cdx+ae}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="maxima")

[Out]  $-2*(3*c*d*x + 2*a*e)*f^2*g/((c^3*d^3*x + a*c^2*d^2*e)*\text{sqrt}(c*d*x + a*e)) + 2*(3*c^2*d^2*x^2 + 12*a*c*d*e*x + 8*a^2*e^2)*f*g^2/((c^4*d^4*x + a*c^3*d^3*e)*\text{sqrt}(c*d*x + a*e)) + 2/3*(c^3*d^3*x^3 - 6*a*c^2*d^2*e*x^2 - 24*a^2*c*d*e^2*x - 16*a^3*e^3)*g^3/((c^5*d^5*x + a*c^4*d^4*e)*\text{sqrt}(c*d*x + a*e)) - 2/3*f^3/((c^2*d^2*x + a*c*d*e)*\text{sqrt}(c*d*x + a*e))$

**mupad [B]** time = 3.77, size = 278, normalized size = 1.16

$$\frac{\sqrt{cdex^2+(cd^2+ae^2)x+ade} \left( \frac{\sqrt{d+ex} \left( \frac{32a^3c^3g^3}{3} - 16a^2cd^2fg^2 + 4a^2d^2ef^2g + \frac{2c^3d^3f^3}{3} \right)}{c^6d^6e} - \frac{2g^3x^3\sqrt{d+ex}}{3c^3d^3e} + \frac{g^2x^2(4aeg-6cdf)\sqrt{d+ex}}{c^4d^4e} + \frac{2gx\sqrt{d+ex}(8a^2e^2g^2-12acdefg+3c^2d^2f^2)}{c^5d^5e} \right)}{x^3 + \frac{a^2e}{c^2d} + \frac{ax(2cd^2+ae^2)}{c^2d^2} + \frac{x^2(c^6d^7+2ac^5d^5e^2)}{c^6d^6e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^3\*(d + e\*x)^(5/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2), x)

[Out]  $-((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}*((d + e*x)^{(1/2)}*((32*a^3*e^3*g^3)/3 + (2*c^3*d^3*f^3)/3 + 4*a*c^2*d^2*e*f^2*g - 16*a^2*c*d*e^2*f*g^2)))/(c^6*d^6*e) - (2*g^3*x^3*(d + e*x)^{(1/2)})/(3*c^3*d^3*e) + (g^2*x^2*(4*a*e*g - 6*c*d*f)*(d + e*x)^{(1/2)})/(c^4*d^4*e) + (2*g*x*(d + e*x)^{(1/2)}*(8*a^2*e^2*g^2 + 3*c^2*d^2*f^2 - 12*a*c*d*e*f*g))/(c^5*d^5*e)))/(x^3 + (a^2*e)/(c^2*d) + (a*x*(a*e^2 + 2*c*d^2))/(c^2*d^2) + (x^2*(c^6*d^7 + 2*a*c^5*d^5*e^2))/(c^6*d^6*e))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(5/2)\*(g\*x+f)\*\*3/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2), x)

[Out] Timed out

$$3.440 \quad \int \frac{(d+ex)^{5/2}(f+gx)^2}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=211

$$\frac{8g\sqrt{x(ae^2+cd^2)+ade+cdex^2}(2ae^2g-cd(dg+ef))}{3c^3d^3\sqrt{d+ex}(cd^2-ae^2)} - \frac{8g(d+ex)^{3/2}(cdf-aeg)}{3c^2d^2(cd^2-ae^2)\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2(d+ex)^{3/2}(f+gx)^2}{3cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}$$

**Rubi [A]** time = 0.22, antiderivative size = 211, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {866, 788, 648}

$$\frac{8g\sqrt{x(ae^2+cd^2)+ade+cdex^2}(2ae^2g-cd(dg+ef))}{3c^3d^3\sqrt{d+ex}(cd^2-ae^2)} - \frac{8g(d+ex)^{3/2}(cdf-aeg)}{3c^2d^2(cd^2-ae^2)\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2(d+ex)^{3/2}(f+gx)^2}{3cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(5/2)\*(f + g\*x)^2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (-2\*(d + e\*x)^(3/2)\*(f + g\*x)^2)/(3\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) - (8\*g\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(3/2))/(3\*c^2\*d^2\*(c\*d^2 - a\*e^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (8\*g\*(2\*a\*e^2\*g - c\*d\*(e\*f + d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*c^3\*d^3\*(c\*d^2 - a\*e^2)\*Sqrt[d + e\*x])

### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

### Rule 788

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((g\*(c\*d - b\*e) + c\*e\*f)\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)\*(2\*c\*d - b\*e)), x] - Dist[(e\*(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g)))/(c\*(p + 1)\*(2\*c\*d - b\*e)), Int[(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 0]

Rule 866

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(a
+ b*x + c*x^2)^(p + 1))/(c*(p + 1)), x] - Dist[(e*g*n)/(c*(p + 1)), Int[(d
+ e*x)^(m - 1)*(f + g*x)^(n - 1)*(a + b*x + c*x^2)^(p + 1), x], x] /; Free
Q[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] &&
EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -
1] && GtQ[n, 0]
```

Rubi steps

$$\int \frac{(d+ex)^{5/2}(f+gx)^2}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx = -\frac{2(d+ex)^{3/2}(f+gx)^2}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{(4g) \int \frac{(d+ex)^{3/2}(f+gx)}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx}{3cd}$$

$$= -\frac{2(d+ex)^{3/2}(f+gx)^2}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{8g(cdf-aeg)(d+e)}{3c^2d^2(cd^2-ae^2)\sqrt{ade+(cd^2-ae^2)x+cdex^2}}$$

$$= -\frac{2(d+ex)^{3/2}(f+gx)^2}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{8g(cdf-aeg)(d+e)}{3c^2d^2(cd^2-ae^2)\sqrt{ade+(cd^2-ae^2)x+cdex^2}}$$

**Mathematica [A]** time = 0.07, size = 87, normalized size = 0.41

$$\frac{2(d+ex)^{3/2}(8a^2e^2g^2-4acdeg(f-3gx)-c^2d^2(f^2+6fgx-3g^2x^2))}{3c^3d^3((d+ex)(ae+cdx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(5/2)\*(f + g\*x)^2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (2\*(d + e\*x)^(3/2)\*(8\*a^2\*e^2\*g^2 - 4\*a\*c\*d\*e\*g\*(f - 3\*g\*x) - c^2\*d^2\*(f^2 + 6\*f\*g\*x - 3\*g^2\*x^2)))/(3\*c^3\*d^3\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

**IntegrateAlgebraic [A]** time = 2.99, size = 120, normalized size = 0.57

$$\frac{2(d+ex)^{5/2}(ae+cdx)(-a^2e^2g^2-6cdfg(ae+cdx)+2acdefg+3g^2(ae+cdx)^2+6aeg^2(ae+cdx)-c^2d^2f^2)}{3c^3d^3((d+ex)(ae+cdx))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[((d + e*x)^(5/2)*(f + g*x)^2)/(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2), x]
```

```
[Out] (2*(a*e + c*d*x)*(d + e*x)^(5/2)*(-(c^2*d^2*f^2) + 2*a*c*d*e*f*g - a^2*e^2*g^2 - 6*c*d*f*g*(a*e + c*d*x) + 6*a*e*g^2*(a*e + c*d*x) + 3*g^2*(a*e + c*d*x)^2))/(3*c^3*d^3*((a*e + c*d*x)*(d + e*x))^(5/2))
```

**fricas** [A] time = 0.41, size = 180, normalized size = 0.85

$$\frac{2 \left( 3 c^2 d^2 g^2 x^2 - c^2 d^2 f^2 - 4 a c d e f g + 8 a^2 e^2 g^2 - 6 (c^2 d^2 f g - 2 a c d e g^2) x \right) \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{e x + d}}{3 \left( c^5 d^5 e x^3 + a^2 c^3 d^4 e^2 + (c^5 d^6 + 2 a c^4 d^4 e^2) x^2 + (2 a c^4 d^5 e + a^2 c^3 d^3 e^3) x \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(5/2)*(g*x+f)^2/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2), x, algorithm="fricas")
```

```
[Out] 2/3*(3*c^2*d^2*g^2*x^2 - c^2*d^2*f^2 - 4*a*c*d*e*f*g + 8*a^2*e^2*g^2 - 6*(c^2*d^2*f*g - 2*a*c*d*e*g^2)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^5*d^5*e*x^3 + a^2*c^3*d^4*e^2 + (c^5*d^6 + 2*a*c^4*d^4*e^2)*x^2 + (2*a*c^4*d^5*e + a^2*c^3*d^3*e^3)*x)
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(5/2)*(g*x+f)^2/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2), x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 4.4Unable to transpose Error: Bad Argument Value
```

**maple** [A] time = 0.01, size = 116, normalized size = 0.55

$$\frac{2(cdx + ae) \left( 3g^2x^2c^2d^2 + 12acdeg^2x - 6c^2d^2fgx + 8a^2e^2g^2 - 4acdefg - f^2c^2d^2 \right) (ex + d)^{\frac{5}{2}}}{3 \left( cde x^2 + a e^2 x + c d^2 x + ade \right)^{\frac{5}{2}} c^3 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)^(5/2)*(g*x+f)^2/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2), x)
```

[Out]  $\frac{2}{3}*(c*d*x+a*e)*(3*c^2*d^2*g^2*x^2+12*a*c*d*e*g^2*x-6*c^2*d^2*f*g*x+8*a^2*e^2*g^2-4*a*c*d*e*f*g-c^2*d^2*f^2)*(e*x+d)^{(5/2)}/c^3/d^3/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(5/2)}$

**maxima [A]** time = 0.67, size = 138, normalized size = 0.65

$$\frac{4(3cdx + 2ae)fg}{3(c^3d^3x + ac^2d^2e)\sqrt{cdx + ae}} + \frac{2(3c^2d^2x^2 + 12acdex + 8a^2e^2)g^2}{3(c^4d^4x + ac^3d^3e)\sqrt{cdx + ae}} - \frac{2f^2}{3(c^2d^2x + acde)\sqrt{cdx + ae}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="maxima")

[Out]  $-4/3*(3*c*d*x + 2*a*e)*f*g/((c^3*d^3*x + a*c^2*d^2*e)*\text{sqrt}(c*d*x + a*e)) + 2/3*(3*c^2*d^2*x^2 + 12*a*c*d*e*x + 8*a^2*e^2)*g^2/((c^4*d^4*x + a*c^3*d^3*e)*\text{sqrt}(c*d*x + a*e)) - 2/3*f^2/((c^2*d^2*x + a*c*d*e)*\text{sqrt}(c*d*x + a*e))$

**mupad [B]** time = 3.61, size = 206, normalized size = 0.98

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{2g^2x^2\sqrt{d+ex}}{c^3d^3e} - \frac{\sqrt{d+ex}(-16a^2e^2g^2+8acdefg+2c^2d^2f^2)}{3c^5d^5e} + \frac{4gx(2aeg-cdf)\sqrt{d+ex}}{c^4d^4e} \right)}{x^3 + \frac{a^2e}{c^2d} + \frac{ax(2cd^2+ae^2)}{c^2d^2} + \frac{x^2(3c^5d^6+6ac^4d^4e^2)}{3c^5d^5e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(d + e\*x)^(5/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2), x)

[Out]  $((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}*((2*g^2*x^2*(d + e*x)^{(1/2)})/(c^3*d^3*e) - ((d + e*x)^{(1/2)}*(2*c^2*d^2*f^2 - 16*a^2*e^2*g^2 + 8*a*c*d*e*f*g))/(3*c^5*d^5*e) + (4*g*x*(2*a*e*g - c*d*f)*(d + e*x)^{(1/2)})/(c^4*d^4*e)))/(x^3 + (a^2*e)/(c^2*d) + (a*x*(a*e^2 + 2*c*d^2))/(c^2*d^2) + (x^2*(3*c^5*d^6 + 6*a*c^4*d^4*e^2))/(3*c^5*d^5*e))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(5/2)\*(g\*x+f)\*\*2/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2), x)

[Out] Timed out

$$3.441 \quad \int \frac{(d+ex)^{5/2}(f+gx)}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=154

$$\frac{2\sqrt{d+ex} (2ae^2g + cd(ef - 3dg))}{3c^2d^2 (cd^2 - ae^2) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} - \frac{2(d+ex)^{5/2}(cdf - aeg)}{3cd (cd^2 - ae^2) (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}$$

**Rubi [A]** time = 0.13, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 44,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {788, 648}

$$\frac{2\sqrt{d+ex} (2ae^2g + cd(ef - 3dg))}{3c^2d^2 (cd^2 - ae^2) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} - \frac{2(d+ex)^{5/2}(cdf - aeg)}{3cd (cd^2 - ae^2) (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(5/2)\*(f + g\*x))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (-2\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(5/2))/(3\*c\*d\*(c\*d^2 - a\*e^2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) + (2\*(2\*a\*e^2\*g + c\*d\*(e\*f - 3\*d\*g))\*Sqrt[d + e\*x])/((3\*c^2\*d^2\*(c\*d^2 - a\*e^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

#### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

#### Rule 788

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((g\*(c\*d - b\*e) + c\*e\*f)\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)\*(2\*c\*d - b\*e)), x] - Dist[(e\*(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g)))/(c\*(p + 1)\*(2\*c\*d - b\*e)), Int[(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 0]

#### Rubi steps

$$\int \frac{(d+ex)^{5/2}(f+gx)}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx = -\frac{2(cdf-aeg)(d+ex)^{5/2}}{3cd(cd^2-ae^2)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{(2ae^2g+cd(ef-3aeg))\sqrt{d+ex}}{3c^2d^2(cd^2-ae^2)\sqrt{d+ex}}$$

$$= -\frac{2(cdf-aeg)(d+ex)^{5/2}}{3cd(cd^2-ae^2)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{2(2ae^2g+cd(ef-3aeg))\sqrt{d+ex}}{3c^2d^2(cd^2-ae^2)\sqrt{d+ex}}$$

**Mathematica [A]** time = 0.05, size = 52, normalized size = 0.34

$$-\frac{2(d+ex)^{3/2}(2aeg+cd(f+3gx))}{3c^2d^2((d+ex)(ae+cdx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(5/2)\*(f + g\*x))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (-2\*(d + e\*x)^(3/2)\*(2\*a\*e\*g + c\*d\*(f + 3\*g\*x)))/(3\*c^2\*d^2\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

**IntegrateAlgebraic [A]** time = 1.96, size = 66, normalized size = 0.43

$$-\frac{2(d+ex)^{5/2}(ae+cdx)(3g(ae+cdx)-aeg+cdf)}{3c^2d^2((d+ex)(ae+cdx))^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(5/2)\*(f + g\*x))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (-2\*(a\*e + c\*d\*x)\*(d + e\*x)^(5/2)\*(c\*d\*f - a\*e\*g + 3\*g\*(a\*e + c\*d\*x)))/(3\*c^2\*d^2\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2))

**fricas [A]** time = 0.41, size = 129, normalized size = 0.84

$$\frac{2\sqrt{cdex^2+ade+(cd^2+ae^2)x}(3cdgx+cdf+2aeg)\sqrt{ex+d}}{3(c^4d^4ex^3+a^2c^2d^3e^2+(c^4d^5+2ac^3d^3e^2)x^2+(2ac^3d^4e+a^2c^2d^2e^3)x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="fricas")



[Out]  $-2/3\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(3*c*d*g*x + c*d*f + 2*a*e*g)*\sqrt{e*x + d}/(c^4*d^4*e*x^3 + a^2*c^2*d^3*e^2 + (c^4*d^5 + 2*a*c^3*d^3*e^2)*x^2 + (2*a*c^3*d^4*e + a^2*c^2*d^2*e^3)*x)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(5/2)*(g*x+f)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2),x,algorithm="giac")`

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 3.14Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.01, size = 66, normalized size = 0.43

$$\frac{2(cdx + ae)(3cdgx + 2aeg + cdf)(ex + d)^{\frac{5}{2}}}{3(cde x^2 + ae^2x + cd^2x + ade)^{\frac{5}{2}}c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(5/2)*(g*x+f)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2),x)`

[Out]  $-2/3*(c*d*x+a*e)*(3*c*d*g*x+2*a*e*g+c*d*f)*(e*x+d)^(5/2)/c^2/d^2/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(5/2)$

**maxima** [A] time = 0.60, size = 73, normalized size = 0.47

$$-\frac{2(3cdx + 2ae)g}{3(c^3d^3x + ac^2d^2e)\sqrt{cdx + ae}} - \frac{2f}{3(c^2d^2x + acde)\sqrt{cdx + ae}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(5/2)*(g*x+f)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2),x,algorithm="maxima")`

[Out]  $-2/3*(3*c*d*x + 2*a*e)*g/((c^3*d^3*x + a*c^2*d^2*e)*\sqrt{c*d*x + a*e}) - 2/3*f/((c^2*d^2*x + a*c*d*e)*\sqrt{c*d*x + a*e})$

**mupad** [B] time = 3.50, size = 149, normalized size = 0.97

$$\frac{\left(\frac{\left(\frac{4aeg}{3} + \frac{2cdf}{3}\right)\sqrt{d+ex}}{c^4d^4e} + \frac{2gx\sqrt{d+ex}}{c^3d^3e}\right)\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x^3 + \frac{a^2e}{c^2d} + \frac{ax(2cd^2 + ae^2)}{c^2d^2} + \frac{x^2(c^4d^5 + 2ac^3d^3e^2)}{c^4d^4e}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f + g*x)*(d + e*x)^(5/2))/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2),x)
```

```
[Out] -((((4*a*e*g)/3 + (2*c*d*f)/3)*(d + e*x)^(1/2))/(c^4*d^4*e) + (2*g*x*(d + e*x)^(1/2))/(c^3*d^3*e)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/(x^3 + (a^2*e)/(c^2*d) + (a*x*(a*e^2 + 2*c*d^2))/(c^2*d^2) + (x^2*(c^4*d^5 + 2*a*c^3*d^3*e^2))/(c^4*d^4*e))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(5/2)*(g*x+f)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2),x)
```

```
[Out] Timed out
```

$$3.442 \quad \int \frac{(d+ex)^{5/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

Optimal. Leaf size=48

$$-\frac{2(d+ex)^{3/2}}{3cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}$$

**Rubi [A]** time = 0.02, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$ , Rules used = {648}

$$-\frac{2(d+ex)^{3/2}}{3cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(5/2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (-2\*(d + e\*x)^(3/2))/(3\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))

Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

Rubi steps

$$\int \frac{(d+ex)^{5/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx = -\frac{2(d+ex)^{3/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}$$

**Mathematica [A]** time = 0.03, size = 37, normalized size = 0.77

$$-\frac{2(d+ex)^{3/2}}{3cd((d+ex)(ae+cdx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(5/2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out]  $(-2*(d + e*x)^{(3/2)})/(3*c*d*((a*e + c*d*x)*(d + e*x))^{(3/2)})$

**IntegrateAlgebraic [A]** time = 0.00, size = 45, normalized size = 0.94

$$\frac{2(d + ex)^{5/2}(ae + cdx)}{3cd((d + ex)(ae + cdx))^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(5/2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2),x]

[Out]  $(-2*(a*e + c*d*x)*(d + e*x)^{(5/2)})/(3*c*d*((a*e + c*d*x)*(d + e*x))^{(5/2)})$

**fricas [B]** time = 0.41, size = 107, normalized size = 2.23

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{3(c^3d^3ex^3 + a^2cd^2e^2 + (c^3d^4 + 2ac^2d^2e^2)x^2 + (2ac^2d^3e + a^2cde^3)x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="fricas")

[Out]  $-2/3*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d}/(c^3*d^3*e*x^3 + a^2*c*d^2*e^2 + (c^3*d^4 + 2*a*c^2*d^2*e^2)*x^2 + (2*a*c^2*d^3*e + a^2*c*d*e^3)*x)$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Evaluation time: 2.06Unable to transpose Error: Bad Argument Value

**maple [A]** time = 0.00, size = 50, normalized size = 1.04

$$\frac{2(cdx + ae)(ex + d)^{\frac{5}{2}}}{3(cde x^2 + a e^2 x + c d^2 x + ade)^{\frac{5}{2}} cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(5/2)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2),x)`

[Out] `-2/3*(c*d*x+a*e)*(e*x+d)^(5/2)/c/d/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(5/2)`

**maxima** [A] time = 0.52, size = 28, normalized size = 0.58

$$\frac{2}{3(c^2d^2x + acde)\sqrt{cdx + ae}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(5/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2),x, algorithm="maxima")`

[Out] `-2/3/((c^2*d^2*x + a*c*d*e)*sqrt(c*d*x + a*e))`

**mupad** [B] time = 3.32, size = 110, normalized size = 2.29

$$\frac{2\sqrt{d+ex}\sqrt{cd^2x+cde x^2+ade+ae^2x}}{3(a^2cd^2e^2+a^2cde^3x+2ac^2d^3ex+2ac^2d^2e^2x^2+c^3d^4x^2+c^3d^3ex^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e*x)^(5/2)/(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(5/2),x)`

[Out] `-(2*(d+e*x)^(1/2)*(a*d*e+a*e^2*x+c*d^2*x+c*d*e*x^2)^(1/2))/(3*(c^3*d^4*x^2+a^2*c*d^2*e^2+c^3*d^3*e*x^3+2*a*c^2*d^3*e*x+a^2*c*d*e^3*x+2*a*c^2*d^2*e^2*x^2))`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(5/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2),x)`

[Out] Timed out

$$3.443 \quad \int \frac{(d+ex)^{5/2}}{(f+gx)(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=188

$$\frac{2g^{3/2} \tan^{-1}\left(\frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}}\right)}{(cdf-aeg)^{5/2}} + \frac{2g\sqrt{d+ex}}{\sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf-aeg)^2} - \frac{2(d+ex)^{3/2}}{3(x(ae^2+cd^2)+ade+cdex^2)^{3/2} (cdf-aeg)}$$

**Rubi [A]** time = 0.27, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {868, 874, 205}

$$\frac{2g^{3/2} \tan^{-1}\left(\frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}}\right)}{(cdf-aeg)^{5/2}} + \frac{2g\sqrt{d+ex}}{\sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf-aeg)^2} - \frac{2(d+ex)^{3/2}}{3(x(ae^2+cd^2)+ade+cdex^2)^{3/2} (cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(5/2)/((f + g\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (-2\*(d + e\*x)^(3/2))/(3\*(c\*d\*f - a\*e\*g)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) + (2\*g\*sqrt[d + e\*x])/((c\*d\*f - a\*e\*g)^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + (2\*g^(3/2)\*ArcTan[(sqrt[g]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(sqrt[c\*d\*f - a\*e\*g]\*sqrt[d + e\*x])])/(c\*d\*f - a\*e\*g)^(5/2)

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 868**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e^2\*(d + e\*x)^(m-1)\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^(p+1))/((p+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] + Dist[(e^2\*g\*(m-n-2))/((p+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^(m-1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p+1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && RationalQ[n]

Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\int \frac{(d+ex)^{5/2}}{(f+gx)(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx = -\frac{2(d+ex)^{3/2}}{3(cdf-aeg)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{g \int \frac{1}{(f+gx)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx}{(cdf-aeg)}$$

$$= -\frac{2(d+ex)^{3/2}}{3(cdf-aeg)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{1}{(cdf-aeg)}$$

$$= -\frac{2(d+ex)^{3/2}}{3(cdf-aeg)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{1}{(cdf-aeg)}$$

$$= -\frac{2(d+ex)^{3/2}}{3(cdf-aeg)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{1}{(cdf-aeg)}$$

**Mathematica [C]** time = 0.04, size = 73, normalized size = 0.39

$$\frac{2(d+ex)^{3/2} {}_2F_1\left(-\frac{3}{2}, 1; -\frac{1}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{3((d+ex)(ae+cdx))^{3/2}(aeg-cdf)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x)^(5/2)/((f + g*x)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)), x]
```

```
[Out] (2*(d + e*x)^(3/2)*Hypergeometric2F1[-3/2, 1, -1/2, (g*(a*e + c*d*x))/(-(c*d*f) + a*e*g)]/(3*(-(c*d*f) + a*e*g)*((a*e + c*d*x)*(d + e*x))^(3/2))
```

IntegrateAlgebraic [F] time = 180.06, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^(5/2)/((f + g\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] \$Aborted

fricas [B] time = 0.43, size = 1015, normalized size = 5.40

$$\frac{3 \sqrt{d^2 e^2 + a^2 f^2 + (c^2 d^2 + 2 a c d e + a^2 e^2) x} \sqrt{\frac{-(c^2 d^2 + 2 a c d e + a^2 e^2) x^2 + (c^2 d f + 2 a c d e + a^2 e^2) x + c^2 d^2 e}{(c^2 d^2 + 2 a c d e + a^2 e^2) x^2 + (c^2 d f + 2 a c d e + a^2 e^2) x + c^2 d^2 e}} \log\left(\frac{-(c^2 d^2 + 2 a c d e + a^2 e^2) x^2 + (c^2 d f + 2 a c d e + a^2 e^2) x + c^2 d^2 e}{(c^2 d^2 + 2 a c d e + a^2 e^2) x^2 + (c^2 d f + 2 a c d e + a^2 e^2) x + c^2 d^2 e}\right) + 2 \sqrt{d^2 e^2 + a^2 f^2 + (c^2 d^2 + 2 a c d e + a^2 e^2) x} \sqrt{\frac{-(c^2 d^2 + 2 a c d e + a^2 e^2) x^2 + (c^2 d f + 2 a c d e + a^2 e^2) x + c^2 d^2 e}{(c^2 d^2 + 2 a c d e + a^2 e^2) x^2 + (c^2 d f + 2 a c d e + a^2 e^2) x + c^2 d^2 e}} \arctan\left(\frac{\sqrt{d^2 e^2 + a^2 f^2 + (c^2 d^2 + 2 a c d e + a^2 e^2) x} \sqrt{\frac{-(c^2 d^2 + 2 a c d e + a^2 e^2) x^2 + (c^2 d f + 2 a c d e + a^2 e^2) x + c^2 d^2 e}{(c^2 d^2 + 2 a c d e + a^2 e^2) x^2 + (c^2 d f + 2 a c d e + a^2 e^2) x + c^2 d^2 e}}}{(c^2 d^2 + 2 a c d e + a^2 e^2) x^2 + (c^2 d f + 2 a c d e + a^2 e^2) x + c^2 d^2 e}\right) + \sqrt{d^2 e^2 + a^2 f^2 + (c^2 d^2 + 2 a c d e + a^2 e^2) x} \sqrt{\frac{-(c^2 d^2 + 2 a c d e + a^2 e^2) x^2 + (c^2 d f + 2 a c d e + a^2 e^2) x + c^2 d^2 e}{(c^2 d^2 + 2 a c d e + a^2 e^2) x^2 + (c^2 d f + 2 a c d e + a^2 e^2) x + c^2 d^2 e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="fricas")

[Out] [1/3\*(3\*(c^2\*d^2\*e\*g\*x^3 + a^2\*d\*e^2\*g + (c^2\*d^3 + 2\*a\*c\*d\*e^2)\*g\*x^2 + (2\*a\*c\*d^2\*e + a^2\*e^3)\*g\*x)\*sqrt(-g/(c\*d\*f - a\*e\*g))\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*f - a\*e\*g)\*sqrt(e\*x + d)\*sqrt(-g/(c\*d\*f - a\*e\*g)) - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x)/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)) + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(3\*c\*d\*g\*x - c\*d\*f + 4\*a\*e\*g)\*sqrt(e\*x + d)/(a^2\*c^2\*d^3\*e^2\*f^2 - 2\*a^3\*c\*d^2\*e^3\*f\*g + a^4\*d\*e^4\*g^2 + (c^4\*d^4\*e\*f^2 - 2\*a\*c^3\*d^3\*e^2\*f\*g + a^2\*c^2\*d^2\*e^3\*g^2)\*x^3 + ((c^4\*d^5 + 2\*a\*c^3\*d^3\*e^2)\*f^2 - 2\*(a\*c^3\*d^4\*e + 2\*a^2\*c^2\*d^2\*e^3)\*f\*g + (a^2\*c^2\*d^3\*e^2 + 2\*a^3\*c\*d\*e^4)\*g^2)\*x^2 + ((2\*a\*c^3\*d^4\*e + a^2\*c^2\*d^2\*e^3)\*f^2 - 2\*(2\*a^2\*c^2\*d^3\*e^2 + a^3\*c\*d\*e^4)\*f\*g + (2\*a^3\*c\*d^2\*e^3 + a^4\*e^5)\*g^2)\*x), 2/3\*(3\*(c^2\*d^2\*e\*g\*x^3 + a^2\*d\*e^2\*g + (c^2\*d^3 + 2\*a\*c\*d\*e^2)\*g\*x^2 + (2\*a\*c\*d^2\*e + a^2\*e^3)\*g\*x)\*sqrt(g/(c\*d\*f - a\*e\*g))\*arctan(-sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*f - a\*e\*g)\*sqrt(e\*x + d)\*sqrt(g/(c\*d\*f - a\*e\*g))/(c\*d\*e\*g\*x^2 + a\*d\*e\*g + (c\*d^2 + a\*e^2)\*g\*x)) + sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(3\*c\*d\*g\*x - c\*d\*f + 4\*a\*e\*g)\*sqrt(e\*x + d)/(a^2\*c^2\*d^3\*e^2\*f^2 - 2\*a^3\*c\*d^2\*e^3\*f\*g + a^4\*d\*e^4\*g^2 + (c^4\*d^4\*e\*f^2 - 2\*a\*c^3\*d^3\*e^2\*f\*g + a^2\*c^2\*d^2\*e^3\*g^2)\*x^3 + ((c^4\*d^5 + 2\*a\*c^3\*d^3\*e^2)\*f^2 - 2\*(a\*c^3\*d^4\*e + 2\*a^2\*c^2\*d^2\*e^3)\*f\*g + (a^2\*c^2\*d^3\*e^2 + 2\*a^3\*c\*d\*e^4)\*g^2)\*x^2 + ((2\*a\*c^3\*d^4\*e + a^2\*c^2\*d^2\*e^3)\*f^2 - 2\*(2\*a^2\*c^2\*d^3\*e^2 + a^3\*c\*d\*e^4)\*f\*g + (2\*a^3\*c\*d^2\*e^3 + a^4\*e^5)\*g^2)\*x)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((e\*x+d)^(5/2)/(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 6.14Unable to transpose Error: Bad Argument Value

**maple [A]** time = 0.03, size = 219, normalized size = 1.16

$$\frac{2\sqrt{cdex^2 + ae^2x + cd^2x + ade} \left( 3\sqrt{cdx + ae} cdg^2x \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(aeg-cdf)g}}\right) + 3\sqrt{cdx + ae} aeg^2 \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(aeg-cdf)g}}\right) - 3\sqrt{(aeg-cdf)g} cdgx - 4\sqrt{(aeg-cdf)g} aeg + \sqrt{(aeg-cdf)g} cdf \right)}{3\sqrt{ex+d} (cdx+ae)^2 (aeg-cdf)^2 \sqrt{(aeg-cdf)g}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(5/2)/(g\*x+f)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2), x)

[Out]  $-2/3*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}*(3*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g*(c*d*x+a*e)^{(1/2)}*x*c*d*g^2+3*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g*a*e*g^2*(c*d*x+a*e)^{(1/2)}-3*((a*e*g-c*d*f)*g)^{(1/2)}*c*d*g*x-4*((a*e*g-c*d*f)*g)^{(1/2)}*a*e*g+((a*e*g-c*d*f)*g)^{(1/2)}*c*d*f)/(e*x+d)^{(1/2)}/(c*d*x+a*e)^2/(a*e*g-c*d*f)^2/((a*e*g-c*d*f)*g)^{(1/2)}$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{5/2}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{5/2}(gx+f)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="maxima")

[Out] integrate((e\*x + d)^(5/2)/((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)\*(g\*x + f)), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d+ex)^{5/2}}{(f+gx)(cdex^2 + (cd^2 + ae^2)x + ade)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(5/2)/((f + g\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)), x)

```
[Out] int((d + e*x)^(5/2)/((f + g*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(5/2)/(g*x+f)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2),x)
```

```
[Out] Timed out
```

$$3.444 \quad \int \frac{(d+ex)^{5/2}}{(f+gx)^2(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=268

$$\frac{5cdg^{3/2} \tan^{-1}\left(\frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}}\right)}{(cdf-aeg)^{7/2}} + \frac{5g^2 \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} (f+gx)(cdf-aeg)^3} + \frac{10g\sqrt{d+ex}}{3(f+gx)\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

**Rubi [A]** time = 0.34, antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {868, 872, 874, 205}

$$\frac{5g^2 \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} (f+gx)(cdf-aeg)^3} + \frac{5cdg^{3/2} \tan^{-1}\left(\frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}}\right)}{(cdf-aeg)^{7/2}} + \frac{10g\sqrt{d+ex}}{3(f+gx)\sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf-aeg)^2} - \frac{2(d+ex)^{3/2}}{3(f+gx)(x(ae^2+cd^2)+ade+cdex^2)^{3/2} (cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(5/2)/((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (-2\*(d + e\*x)^(3/2))/(3\*(c\*d\*f - a\*e\*g)\*(f + g\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) + (10\*g\*Sqrt[d + e\*x])/(3\*(c\*d\*f - a\*e\*g)^2\*(f + g\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + (5\*g^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((c\*d\*f - a\*e\*g)^3\*Sqrt[d + e\*x]\*(f + g\*x)) + (5\*c\*d\*g^(3/2)\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(c\*d\*f - a\*e\*g)^(7/2)

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 868

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e^2\*(d + e\*x)^(m-1)\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^(p+1))/((p+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] + Dist[(e^2\*g\*(m-n-2))/((p+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^(m-1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p+1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && RationalQ[n]

Rule 872

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(
n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p
]
```

Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{5/2}}{(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}} dx &= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)(f+gx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} - \frac{(5g)}{\dots} \\
&= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)(f+gx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} + \frac{\dots}{3(cd \dots)} \\
&= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)(f+gx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} + \frac{\dots}{3(cd \dots)} \\
&= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)(f+gx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} + \frac{\dots}{3(cd \dots)} \\
&= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)(f+gx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} + \frac{\dots}{3(cd \dots)}
\end{aligned}$$

**Mathematica [C]** time = 0.05, size = 75, normalized size = 0.28

$$\frac{2cd(d+ex)^{3/2} {}_2F_1\left(-\frac{3}{2}, 2; -\frac{1}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{3((d+ex)(ae+cdx))^{3/2}(cdf-aeg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(5/2)/((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)),x]

[Out] (-2\*c\*d\*(d + e\*x)^(3/2)\*Hypergeometric2F1[-3/2, 2, -1/2, (g\*(a\*e + c\*d\*x))/(-c\*d\*f + a\*e\*g)]/(3\*(c\*d\*f - a\*e\*g)^2\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

**IntegrateAlgebraic [F]** time = 180.63, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^(5/2)/((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)),x]

[Out] \$Aborted

**fricas [B]** time = 0.48, size = 1907, normalized size = 7.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="fricas")

[Out] [-1/6\*(15\*(c^3\*d^3\*e\*g^2\*x^4 + a^2\*c\*d^2\*e^2\*f\*g + (c^3\*d^3\*e\*f\*g + (c^3\*d^4 + 2\*a\*c^2\*d^2\*e^2)\*g^2)\*x^3 + ((c^3\*d^4 + 2\*a\*c^2\*d^2\*e^2)\*f\*g + (2\*a\*c^2\*d^3\*e + a^2\*c\*d\*e^3)\*g^2)\*x^2 + (a^2\*c\*d^2\*e^2\*g^2 + (2\*a\*c^2\*d^3\*e + a^2\*c\*d\*e^3)\*f\*g)\*x)\*sqrt(-g/(c\*d\*f - a\*e\*g))\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*f - a\*e\*g)\*sqrt(e\*x + d)\*sqrt(-g/(c\*d\*f - a\*e\*g)) - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x)/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)) - 2\*(15\*c^2\*d^2\*g^2\*x^2 - 2\*c^2\*d^2\*f^2 + 14\*a\*c\*d\*e\*f\*g + 3\*a^2\*e^2\*g^2 + 10\*(c^2\*d^2\*f\*g + 2\*a\*c\*d\*e\*g^2)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(a^2\*c^3\*d^4\*e^2\*f^4 - 3\*a^3\*c^2\*d^3\*e^3\*f^3\*g + 3\*a^4\*c\*d^2\*e^4\*f^2\*g^2 - a^5\*d\*e^5\*f\*g^3 + (c^5\*d^5\*e\*f^3\*g - 3\*a\*c^4\*d^4\*e^2\*f^2\*g^2 + 3\*a^2\*c^3\*d^3\*e^3\*f\*g^3 - a^3\*c^2\*d^2\*e^4\*g^4)\*x^4 + (c^5\*d^5\*e\*f^4 + (c^5\*d^6 - a\*c^4\*d^4\*e^2)\*f^3\*g - 3\*(a\*c^4\*d^5\*e + a^2\*c^3\*d^3\*e^3)\*f^2\*g^2 + (3\*a^2\*c^3\*d^4\*e^2 + 5\*a^3\*c^2\*d^2\*e^4)\*f\*g^3 - (a^3\*c^2\*d^3\*e^3 + 2\*a^4\*c\*d\*e^5)\*g^4)\*x^3 + ((c^5\*d^6 + 2\*a\*c^4\*d

$$\begin{aligned}
& ^4e^2)*f^4 - (a^4c^4d^5e + 5a^2c^3d^3e^3)*f^3g - 3(a^2c^3d^4e^2 \\
& - a^3c^2d^2e^4)*f^2g^2 + (5a^3c^2d^3e^3 + a^4c^4d^5e)*f^2g^3 - (2a^4c^4d^2e^4 + a^5e^6)*g^4)*x^2 - (a^5d^5e^5g^4 - (2a^4c^4d^5e + a^2c^3d^3e^3)*f^4 + (5a^2c^3d^4e^2 + 3a^3c^2d^2e^4)*f^3g - 3(a^3c^2d^3e^3 + a^4c^4d^5e)*f^2g^2 - (a^4c^4d^2e^4 - a^5e^6)*f^2g^3)*x), 1/3*(15*(c^3d^3e^2g^2*x^4 + a^2c^4d^2e^2*f*g + (c^3d^3e^2*f*g + (c^3d^4 + 2*a^2c^2d^2e^2)*g^2)*x^3 + ((c^3d^4 + 2*a^2c^2d^2e^2)*f*g + (2*a^2c^2d^3e + a^2c^4d^2e^3)*g^2)*x^2 + (a^2c^4d^2e^2*g^2 + (2*a^2c^2d^3e + a^2c^4d^2e^3)*f*g)*x)*sqrt(g/(c*d*f - a*e*g))*arctan(-sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(c*d*f - a*e*g)*sqrt(e*x + d)*sqrt(g/(c*d*f - a*e*g)))/(c*d*e*g*x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x)) + (15*c^2*d^2*g^2*x^2 - 2*c^2*d^2*f^2 + 14*a*c*d*e*f*g + 3*a^2*e^2*g^2 + 10*(c^2*d^2*f*g + 2*a*c*d*e*g^2)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d))/(a^2c^3d^4e^2*f^4 - 3a^3c^2d^3e^3*f^3g + 3a^4c^4d^2e^4*f^2g^2 - a^5d^5e^5*f^2g^3 + (c^5d^5e^5*f^3g - 3a^4c^4d^4e^2*f^2g^2 + 3a^2c^3d^3e^3*f^2g^3 - a^3c^2d^2e^4*g^4)*x^4 + (c^5d^5e^5*f^4 + (c^5d^6 - a^4c^4d^4e^2)*f^3g - 3(a^4c^4d^5e + a^2c^3d^3e^3)*f^2g^2 + (3a^2c^3d^4e^2 + 5a^3c^2d^2e^4)*f^2g^3 - (a^3c^2d^3e^3 + 2a^4c^4d^5e)*g^4)*x^3 + ((c^5d^6 + 2a^4c^4d^4e^2)*f^4 - (a^4c^4d^5e + 5a^2c^3d^3e^3)*f^3g - 3(a^2c^3d^4e^2 - a^3c^2d^2e^4)*f^2g^2 + (5a^3c^2d^3e^3 + a^4c^4d^5e)*f^2g^3 - (2a^4c^4d^2e^4 + a^5e^6)*g^4)*x^2 - (a^5d^5e^5g^4 - (2a^4c^4d^5e + a^2c^3d^3e^3)*f^4 + (5a^2c^3d^4e^2 + 3a^3c^2d^2e^4)*f^3g - 3(a^3c^2d^3e^3 + a^4c^4d^5e)*f^2g^2 - (a^4c^4d^2e^4 - a^5e^6)*f^2g^3)*x) ]
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 10.12Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.04, size = 424, normalized size = 1.58

$$\frac{\sqrt{d^2x^2 + a^2e^2 + c^2f^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2x^2 + a^2e^2 + c^2f^2}}{\sqrt{aeg - df}}\right) + 15\sqrt{d^2x^2 + a^2e^2 + c^2f^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2x^2 + a^2e^2 + c^2f^2}}{\sqrt{aeg - df}}\right) + 15\sqrt{d^2x^2 + a^2e^2 + c^2f^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2x^2 + a^2e^2 + c^2f^2}}{\sqrt{aeg - df}}\right) + 15\sqrt{d^2x^2 + a^2e^2 + c^2f^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2x^2 + a^2e^2 + c^2f^2}}{\sqrt{aeg - df}}\right) - 15\sqrt{(aeg - df)} \frac{c^2d^2e^2}{g} - 20\sqrt{(aeg - df)} \frac{c^2d^2e^2}{g} - 3\sqrt{(aeg - df)} \frac{c^2d^2e^2}{g} - 14\sqrt{(aeg - df)} \frac{c^2d^2e^2}{g} + 2\sqrt{(aeg - df)} \frac{c^2d^2e^2}{g}}{3\sqrt{a^2e^2 + c^2f^2} (d^2x^2 + a^2e^2 + c^2f^2) (g^2 + f) \sqrt{(aeg - df)} g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(5/2)/(g\*x+f)^2/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2), x)

```
[Out] 1/3*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(15*arctanh((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*(c*d*x+a*e)^(1/2)*x^2*c^2*d^2*g^3+15*arctanh((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*a*c*d*e*g^3*(c*d*x+a*e)^(1/2)+15*arctanh((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*(c*d*x+a*e)^(1/2)*x*c^2*d^2*f*g^2+15*arctanh((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*a*c*d*e*f*g^2*(c*d*x+a*e)^(1/2)-15*((a*e*g-c*d*f)*g)^(1/2)*c^2*d^2*g^2*x^2-20*((a*e*g-c*d*f)*g)^(1/2)*a*c*d*e*g^2*x-10*((a*e*g-c*d*f)*g)^(1/2)*c^2*d^2*f*g*x-3*((a*e*g-c*d*f)*g)^(1/2)*a^2*e^2*g^2-14*((a*e*g-c*d*f)*g)^(1/2)*a*c*d*e*f*g+2*((a*e*g-c*d*f)*g)^(1/2)*c^2*d^2*f^2)/(e*x+d)^(1/2)/(c*d*x+a*e)^2/(a*e*g-c*d*f)^3/(g*x+f)/((a*e*g-c*d*f)*g)^(1/2)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{5}{2}}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}(gx + f)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(5/2)/(g*x+f)^2/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2), x, algorithm="maxima")
```

```
[Out] integrate((e*x + d)^(5/2)/((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(5/2)*(g*x + f)^2), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex)^{5/2}}{(f + gx)^2 (cdex^2 + (cd^2 + ae^2)x + ade)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x)^(5/2)/((f + g*x)^2*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)), x)
```

```
[Out] int((d + e*x)^(5/2)/((f + g*x)^2*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(5/2)/(g*x+f)**2/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2), x)
```

```
[Out] Timed out
```

$$3.445 \quad \int \frac{(d+ex)^{5/2}}{(f+gx)^3(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=342

$$\frac{35c^2d^2g^{3/2} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{4(cdf-aeg)^{9/2}} + \frac{35cdg^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4\sqrt{d+ex}(f+gx)(cdf-aeg)^4} + \frac{35g^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{6\sqrt{d+ex}(f+gx)^2(cdf-aeg)}$$

**Rubi [A]** time = 0.54, antiderivative size = 342, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {868, 872, 874, 205}

$$\frac{35c^2d^2g^{3/2} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{4(cdf-aeg)^{9/2}} + \frac{35cdg^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4\sqrt{d+ex}(f+gx)(cdf-aeg)^4} + \frac{35g^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{6\sqrt{d+ex}(f+gx)^2(cdf-aeg)} + \frac{14g\sqrt{d+ex}}{3(f+gx)^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^2} - \frac{2(d+ex)^{3/2}}{3(f+gx)^2(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(5/2)/((f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (-2\*(d + e\*x)^(3/2))/(3\*(c\*d\*f - a\*e\*g)\*(f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) + (14\*g\*sqrt[d + e\*x])/(3\*(c\*d\*f - a\*e\*g)^2\*(f + g\*x)^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + (35\*g^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(6\*(c\*d\*f - a\*e\*g)^3\*sqrt[d + e\*x]\*(f + g\*x)^2) + (35\*c\*d\*g^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*(c\*d\*f - a\*e\*g)^4\*sqrt[d + e\*x]\*(f + g\*x)) + (35\*c^2\*d^2\*g^(3/2)\*ArcTan[(sqrt[g]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(sqrt[c\*d\*f - a\*e\*g]\*sqrt[d + e\*x])])/(4\*(c\*d\*f - a\*e\*g)^(9/2))

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 868**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e^2\*(d + e\*x)^(m-1)\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^(p+1))/((p+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] + Dist[(e^2\*g\*(m-n-2))/((p+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^(m-1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p+1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && Rational



Q[n]

Rule 872

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(
n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p
]
```

Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{5/2}}{(f+gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}} dx &= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} - \frac{(7g}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} \\
&= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} + \frac{(7g}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} \\
&= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} + \frac{(7g}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} \\
&= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} + \frac{(7g}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} \\
&= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} + \frac{(7g}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} \\
&= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} + \frac{(7g}{3(cdf - aeg)(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}
\end{aligned}$$

**Mathematica [C]** time = 0.05, size = 79, normalized size = 0.23

$$-\frac{2c^2d^2(d+ex)^{3/2} {}_2F_1\left(-\frac{3}{2}, 3; -\frac{1}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{3((d+ex)(ae+cdx))^{3/2}(cdf-aeg)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(5/2)/((f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (-2\*c^2\*d^2\*(d + e\*x)^(3/2)\*Hypergeometric2F1[-3/2, 3, -1/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)]/(3\*(c\*d\*f - a\*e\*g)^3\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

IntegrateAlgebraic [F] time = 180.03, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^(5/2)/((f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] \$Aborted

fricas [B] time = 0.49, size = 2935, normalized size = 8.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="fricas")

[Out] [1/24\*(105\*(c^4\*d^4\*e\*g^3\*x^5 + a^2\*c^2\*d^3\*e^2\*f^2\*g + (2\*c^4\*d^4\*e\*f\*g^2 + (c^4\*d^5 + 2\*a\*c^3\*d^3\*e^2)\*g^3)\*x^4 + (c^4\*d^4\*e\*f^2\*g + 2\*(c^4\*d^5 + 2\*a\*c^3\*d^3\*e^2)\*f\*g^2 + (2\*a\*c^3\*d^4\*e + a^2\*c^2\*d^2\*e^3)\*g^3)\*x^3 + (a^2\*c^2\*d^3\*e^2\*g^3 + (c^4\*d^5 + 2\*a\*c^3\*d^3\*e^2)\*f^2\*g + 2\*(2\*a\*c^3\*d^4\*e + a^2\*c^2\*d^2\*e^3)\*f\*g^2)\*x^2 + (2\*a^2\*c^2\*d^3\*e^2\*f\*g^2 + (2\*a\*c^3\*d^4\*e + a^2\*c^2\*d^2\*e^3)\*f^2\*g)\*x)\*sqrt(-g/(c\*d\*f - a\*e\*g))\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*f - a\*e\*g))\*sqrt(e\*x + d)\*sqrt(-g/(c\*d\*f - a\*e\*g)) - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x)/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)) + 2\*(105\*c^3\*d^3\*g^3\*x^3 - 8\*c^3\*d^3\*f^3 + 80\*a\*c^2\*d^2\*e\*f^2\*g + 39\*a^2\*c\*d\*e^2\*f\*g^2 - 6\*a^3\*e^3\*g^3 + 35\*(5\*c^3\*d^3\*f\*g^2 + 4\*a\*c^2\*d^2\*e\*g^3)\*x^2 + 7\*(8\*c^3\*d^3\*f^2\*g + 34\*a\*c^2\*d^2\*e\*f\*g^2 + 3\*a^2\*c\*d\*e^2\*g^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(a^2\*c^4\*d^5\*e^2\*f^6 - 4\*a^3\*c^3\*d^4\*e^3\*f^5\*g + 6\*a^4\*c^2\*d^3\*e^4\*f^4\*g^2 - 4\*a^5\*c\*d^2\*e^5\*f^3\*g^3 + a^6\*d\*e^6\*f^2\*g^4 + (c^6\*d^6\*e\*f^4\*g^2 - 4\*a\*c^5\*d^5\*e^2\*f^3\*g^3 + 6\*a^2\*c^4\*d^4\*e^3\*f^2\*g^4 - 4\*a^3\*c^3\*d^3\*e^4\*f\*g^5 + a^4\*c^2\*d^2\*e^5\*g^6)\*x^5 + (2\*c^6\*d^6\*e\*f^5\*g + (c^6\*d^7 - 6\*a\*c^5\*d^5\*e^2)\*f^4\*g^2 - 4\*(a\*c^5\*d^6\*e - a^2\*c^4\*d^4\*e^3)\*f^3\*g^3 + 2\*(3\*a^2\*c^4\*d^5\*e^2 + 2\*a^3\*c^3\*d^3\*e^4)\*f^2\*g^4 - 2\*(2\*a^3\*c^3\*d^4\*e^3 + 3\*a^4\*c^2\*d^2\*e^5)\*f\*g^5 + (a^4\*c^2\*d^3\*e^4 + 2\*a^5\*c\*d\*e^6)\*g^6)\*x^4 + (c^6\*d^6\*e\*f^6 + 2\*c^6\*d^7\*f^5\*g - 6\*a^4\*c^2\*d^3\*e^4\*f\*g^5 - 3\*(2\*a\*c^5\*d^6\*e + 3\*a^2\*c^4\*d^4\*e^3)\*f^4\*g^2 + 4\*(a^2\*c^4\*d^5\*e^2 + 4\*a^3\*c^3\*d^3\*e^4)\*f^3\*g^3 + (4\*a^3\*c^3\*d^4\*e^3 - 9\*a^4\*c^2\*d^2\*e^5)\*f^2\*g^4 + (2\*a^5\*c\*d^2\*e^5 + a^6\*e^7)\*g^6)\*x^3 - (6\*a^2\*c^4\*d^4\*e^3\*f^5\*g - 2\*a^6\*e^7\*f\*g^5 - a^6\*d\*e^6\*g^6 - (c^6\*d^7 + 2\*a\*c^5\*d^5\*e^2)\*f^6 + (9\*a^2\*c^4\*d^5\*e^2 - 4\*a^3\*c^3\*d^3\*e^4)\*f^4\*g^2 - 4\*(4\*a^3\*c^3\*d^4\*e^3 + a^4\*c^2\*d^2\*e^5)\*f^3\*g^3 + 3\*(3\*a^4\*c^2\*d^3\*e^4 + 2\*a^5\*c\*d\*e^6)\*f^2\*g^4)\*x^2 + (2\*a^6\*d\*e^6\*f\*g^5 + (2\*a\*c^5\*d^6\*e + a^2\*c^4\*d^4\*e^3)\*f^6 - 2\*(3\*a^2\*c^4\*d^5\*e^2 + 2\*a^3\*c^3\*d^3\*e^4)\*f^5\*g + 2\*(2\*

$$\begin{aligned}
& a^3c^3d^4e^3 + 3a^4c^2d^2e^5) * f^4g^2 + 4*(a^4c^2d^3e^4 - a^5c*d \\
& *e^6)*f^3g^3 - (6a^5c*d^2e^5 - a^6e^7)*f^2g^4)*x), 1/12*(c^4d^4 \\
& *e*g^3*x^5 + a^2c^2d^3e^2f^2g + (2c^4d^4e*f*g^2 + (c^4d^5 + 2a*c^ \\
& 3d^3e^2)*g^3)*x^4 + (c^4d^4e*f^2g + 2*(c^4d^5 + 2a*c^3d^3e^2)*f*g^ \\
& 2 + (2a*c^3d^4e + a^2c^2d^2e^3)*g^3)*x^3 + (a^2c^2d^3e^2g^3 + (c^ \\
& 4d^5 + 2a*c^3d^3e^2)*f^2g + 2*(2a*c^3d^4e + a^2c^2d^2e^3)*f*g^2) \\
& *x^2 + (2a^2c^2d^3e^2f*g^2 + (2a*c^3d^4e + a^2c^2d^2e^3)*f^2g)* \\
& x)*sqrt(g/(c*d*f - a*e*g))*arctan(-sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2) \\
& *x)*(c*d*f - a*e*g)*sqrt(e*x + d)*sqrt(g/(c*d*f - a*e*g)))/(c*d*e*g*x^2 + a \\
& d*e*g + (c*d^2 + a*e^2)*g*x)) + (105*c^3d^3g^3*x^3 - 8*c^3d^3f^3 + 80*a \\
& *c^2d^2e*f^2g + 39*a^2c*d*e^2f*g^2 - 6*a^3e^3g^3 + 35*(5*c^3d^3f*g \\
& ^2 + 4*a*c^2d^2e*g^3)*x^2 + 7*(8*c^3d^3f^2g + 34*a*c^2d^2e*f*g^2 + 3 \\
& *a^2c*d*e^2g^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + \\
& d))/(a^2c^4d^5e^2f^6 - 4*a^3c^3d^4e^3f^5g + 6*a^4c^2d^3e^4f^4 \\
& *g^2 - 4*a^5c*d^2e^5f^3g^3 + a^6d*e^6f^2g^4 + (c^6d^6e*f^4g^2 - 4 \\
& *a*c^5d^5e^2f^3g^3 + 6*a^2c^4d^4e^3f^2g^4 - 4*a^3c^3d^3e^4f*g^ \\
& 5 + a^4c^2d^2e^5g^6)*x^5 + (2*c^6d^6e*f^5g + (c^6d^7 - 6*a*c^5d^5* \\
& e^2)*f^4g^2 - 4*(a*c^5d^6e - a^2c^4d^4e^3)*f^3g^3 + 2*(3*a^2c^4d^5 \\
& *e^2 + 2*a^3c^3d^3e^4)*f^2g^4 - 2*(2*a^3c^3d^4e^3 + 3*a^4c^2d^2e^ \\
& 5)*f*g^5 + (a^4c^2d^3e^4 + 2*a^5c*d*e^6)*g^6)*x^4 + (c^6d^6e*f^6 + 2* \\
& c^6d^7*f^5g - 6*a^4c^2d^3e^4f*g^5 - 3*(2*a*c^5d^6e + 3*a^2c^4d^4* \\
& e^3)*f^4g^2 + 4*(a^2c^4d^5e^2 + 4*a^3c^3d^3e^4)*f^3g^3 + (4*a^3c^3 \\
& *d^4e^3 - 9*a^4c^2d^2e^5)*f^2g^4 + (2*a^5c*d^2e^5 + a^6e^7)*g^6)*x^ \\
& 3 - (6*a^2c^4d^4e^3f^5g - 2*a^6e^7*f*g^5 - a^6d*e^6*g^6 - (c^6d^7 + \\
& 2*a*c^5d^5e^2)*f^6 + (9*a^2c^4d^5e^2 - 4*a^3c^3d^3e^4)*f^4g^2 - 4 \\
& *(4*a^3c^3d^4e^3 + a^4c^2d^2e^5)*f^3g^3 + 3*(3*a^4c^2d^3e^4 + 2*a \\
& ^5c*d*e^6)*f^2g^4)*x^2 + (2*a^6d*e^6*f*g^5 + (2*a*c^5d^6e + a^2c^4d^ \\
& 4e^3)*f^6 - 2*(3*a^2c^4d^5e^2 + 2*a^3c^3d^3e^4)*f^5g + 2*(2*a^3c^3 \\
& *d^4e^3 + 3*a^4c^2d^2e^5)*f^4g^2 + 4*(a^4c^2d^3e^4 - a^5c*d*e^6)*f \\
& ^3g^3 - (6*a^5c*d^2e^5 - a^6e^7)*f^2g^4)*x)]
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 13.97Unable to transpose Error: Bad Argument Value

**maple** [B] time = 0.04, size = 670, normalized size = 1.96

-----

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(5/2)/(g*x+f)^3/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2),x)`

[Out] 
$$\begin{aligned} & -1/12*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(105*\operatorname{arctanh}((c*d*x+a*e)^(1/2) \\ & )/((a*e*g-c*d*f)*g)^(1/2)*g)*x^3*c^3*d^3*g^4*(c*d*x+a*e)^(1/2)+105*\operatorname{arctanh} \\ & ((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^2*a*c^2*d^2*e*g^4*(c*d*x+a*e) \\ & )^(1/2)+210*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^2*c^3*d^ \\ & 3*f*g^3*(c*d*x+a*e)^(1/2)+210*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^( \\ & 1/2)*g)*x*a*c^2*d^2*e*f*g^3*(c*d*x+a*e)^(1/2)+105*\operatorname{arctanh}((c*d*x+a*e)^(1/2) \\ & )/((a*e*g-c*d*f)*g)^(1/2)*g)*x*c^3*d^3*f^2*g^2*(c*d*x+a*e)^(1/2)-105*((a*e*g \\ & -c*d*f)*g)^(1/2)*x^3*c^3*d^3*g^3+105*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d* \\ & f)*g)^(1/2)*g)*a*c^2*d^2*e*f^2*g^2*(c*d*x+a*e)^(1/2)-140*((a*e*g-c*d*f)*g)^( \\ & 1/2)*x^2*a*c^2*d^2*e*g^3-175*((a*e*g-c*d*f)*g)^(1/2)*x^2*c^3*d^3*f*g^2-21* \\ & ((a*e*g-c*d*f)*g)^(1/2)*x*a^2*c*d*e^2*g^3-238*((a*e*g-c*d*f)*g)^(1/2)*x*a*c \\ & ^2*d^2*e*f*g^2-56*((a*e*g-c*d*f)*g)^(1/2)*x*c^3*d^3*f^2*g+6*((a*e*g-c*d*f)* \\ & g)^(1/2)*a^3*e^3*g^3-39*((a*e*g-c*d*f)*g)^(1/2)*a^2*c*d*e^2*f*g^2-80*((a*e* \\ & g-c*d*f)*g)^(1/2)*a*c^2*d^2*e*f^2*g+8*((a*e*g-c*d*f)*g)^(1/2)*c^3*d^3*f^3)/ \\ & (e*x+d)^(1/2)/(c*d*x+a*e)^2/(a*e*g-c*d*f)^4/(g*x+f)^2/((a*e*g-c*d*f)*g)^(1/ \\ & 2) \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{\frac{5}{2}}}{(cdex^2+ade+(cd^2+ae^2)x)^{\frac{5}{2}}(gx+f)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(5/2)/(g*x+f)^3/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2),x,algorithm="maxima")`

[Out] `integrate((e*x+d)^(5/2)/((c*d*e*x^2+a*d*e+(c*d^2+a*e^2)*x)^(5/2)*(g*x+f)^3),x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d+ex)^{5/2}}{(f+gx)^3(cdex^2+(cd^2+ae^2)x+ade)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e*x)^(5/2)/((f+g*x)^3*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(5/2)),x)`

[Out] `int((d+e*x)^(5/2)/((f+g*x)^3*(x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(5/2)),x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(5/2)/(g\*x+f)\*\*3/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2),x)

[Out] Timed out

$$3.446 \quad \int \frac{(f+gx)^4 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$$

Optimal. Leaf size=336

$$\frac{128(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)^3(2ae^2g-cd(5ef-3dg))}{3465c^5d^5e(d+ex)^{3/2}} + \frac{128g(x(ae^2+cd^2)+ade+cdex^2)}{1155c^4d^4e\sqrt{d+ex}}$$

Rubi [A] time = 0.61, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {870, 794, 648}

$$\frac{16(f+gx)^3(x(a^2+cd^2)+ade+cdex^2)^{3/2}(df-avg)}{99c^2d^2(d+ex)^{3/2}} + \frac{32(f+gx)^2(x(a^2+cd^2)+ade+cdex^2)^{3/2}(cdf-avg)^2}{231c^2d^2(d+ex)^{3/2}} + \frac{128g(x(a^2+cd^2)+ade+cdex^2)^{3/2}(cdf-avg)^3}{1155c^4d^4e\sqrt{d+ex}} - \frac{128(x(a^2+cd^2)+ade+cdex^2)^{3/2}(cdf-avg)^3(2ae^2g-cd(5ef-3dg))}{3465c^5d^5e(d+ex)^{3/2}} + \frac{2(f+gx)^4(x(a^2+cd^2)+ade+cdex^2)^{3/2}}{11cd(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^4\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] (-128\*(c\*d\*f - a\*e\*g)^3\*(2\*a\*e^2\*g - c\*d\*(5\*e\*f - 3\*d\*g))\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(3465\*c^5\*d^5\*e\*(d + e\*x)^(3/2)) + (128\*g\*(c\*d\*f - a\*e\*g)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(1155\*c^4\*d^4\*e\*Sqrt[d + e\*x]) + (32\*(c\*d\*f - a\*e\*g)^2\*(f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(231\*c^3\*d^3\*(d + e\*x)^(3/2)) + (16\*(c\*d\*f - a\*e\*g)\*(f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(99\*c^2\*d^2\*(d + e\*x)^(3/2)) + (2\*(f + g\*x)^4\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(11\*c\*d\*(d + e\*x)^(3/2))

Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

## Rule 870

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || IntegerQ[n])
```

## Rubi steps

$$\int \frac{(f + gx)^4 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}} dx = \frac{2(f + gx)^4 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{11cd(d + ex)^{3/2}} + \frac{(8cdf - aeg) \int \dots}{\dots}$$

$$= \frac{16(cdf - aeg)(f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{99c^2d^2(d + ex)^{3/2}} + \frac{2(f + gx)^4 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{11cd(d + ex)^{3/2}}$$

$$= \frac{32(cdf - aeg)^2(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{231c^3d^3(d + ex)^{3/2}} + \frac{16(cdf - aeg)(f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{11cd(d + ex)^{3/2}}$$

$$= \frac{128g(cdf - aeg)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{1155c^4d^4e\sqrt{d + ex}} + \frac{32(cdf - aeg)(f + gx)^4 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{11cd(d + ex)^{3/2}}$$

$$= \frac{128(cdf - aeg)^3 \left(5f - \frac{3dg}{e} - \frac{2aeg}{cd}\right) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3465c^4d^4(d + ex)^{3/2}}$$

**Mathematica** [A] time = 0.18, size = 195, normalized size = 0.58

$$\frac{2(d + ex)(ae + cdx)^{3/2} (128a^4e^4g^4 - 64a^3cd^3g^3(11f + 3gx) + 48a^2c^2d^2e^2g^2(33f^2 + 22fgx + 5g^2x^2) - 8ac^3d^3eg(231f^3 + 297f^2gx + 165fg^2x^2 + 35g^3x^3) + c^4d^4(1155f^4 + 2772f^3gx + 2970f^2g^2x^2 + 1540fg^3x^3 + 315g^4x^4))}{3465c^4d^4(d + ex)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((f + g*x)^4*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/Sqrt[d
+ e*x], x]
```

```
[Out] (2*((a*e + c*d*x)*(d + e*x))^(3/2)*(128*a^4*e^4*g^4 - 64*a^3*c*d*e^3*g^3*(1
1*f + 3*g*x) + 48*a^2*c^2*d^2*e^2*g^2*(33*f^2 + 22*f*g*x + 5*g^2*x^2) - 8*a
```



$*c^3*d^3*e*g*(231*f^3 + 297*f^2*g*x + 165*f*g^2*x^2 + 35*g^3*x^3) + c^4*d^4$   
 $*(1155*f^4 + 2772*f^3*g*x + 2970*f^2*g^2*x^2 + 1540*f*g^3*x^3 + 315*g^4*x^4$   
 $))/((3465*c^5*d^5*(d + e*x)^(3/2))$

**IntegrateAlgebraic [B]** time = 23.69, size = 7594, normalized size = 22.60

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)^4\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])  
 )/Sqrt[d + e\*x],x]

[Out] Result too large to show

**fricas [A]** time = 0.40, size = 375, normalized size = 1.12

$$\frac{2(315c^3d^3e^2g^2 + 1155ac^2d^2e^2fg - 1848a^2c^2d^2e^2f^2g + 1584a^3c^2d^2e^2f^2g^2 - 704a^4c^2d^2e^2f^2g^3 + 128a^5c^2d^2e^2f^2g^4 + 35(44c^5d^5f^2g^3 + a^4c^4d^4e^2fg^4)x^4 + 10(297c^5d^5f^2g^2 + 22a^4c^4d^4e^2fg^3 - 4a^2c^3d^3e^2g^4)x^3 + 6(462c^5d^5f^3g + 99a^4c^4d^4e^2fg^2 - 44a^2c^3d^3e^2f^2g^3 + 8a^3c^2d^2e^3fg^4)x^2 + (1155c^5d^5f^4 + 924a^4c^4d^4e^3fg - 792a^2c^3d^3e^2f^2g^2 + 352a^3c^2d^2e^3f^2g^3 - 64a^4c^2d^2e^4fg^4)x}{3465(c^5d^5e^2x + c^5d^6e^2)}\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2),x  
 , algorithm="fricas")

[Out]  $2/3465*(315*c^5*d^5*g^4*x^5 + 1155*a*c^4*d^4*e*f^4 - 1848*a^2*c^3*d^3*e^2*f^3*g$   
 $+ 1584*a^3*c^2*d^2*e^3*f^2*g^2 - 704*a^4*c*d*e^4*f*g^3 + 128*a^5*e^5*g^4 + 35*(44*c^5*d^5*f^2*g^3$   
 $+ a^4*c^4*d^4*e^2*f*g^4)*x^4 + 10*(297*c^5*d^5*f^2*g^2 + 22*a*c^4*d^4*e*f*g^3 - 4*a^2*c^3*d^3*e^2*g^4)*x^3$   
 $+ 6*(462*c^5*d^5*f^3*g + 99*a*c^4*d^4*e*f^2*g^2 - 44*a^2*c^3*d^3*e^2*f*g^3 + 8*a^3*c^2*d^2*e^3*g^4)$   
 $*x^2 + (1155*c^5*d^5*f^4 + 924*a*c^4*d^4*e*f^3*g - 792*a^2*c^3*d^3*e^2*f^2*g^2 + 352*a^3*c^2*d^2*e^3*f^2*g^3$   
 $- 64*a^4*c*d*e^4*g^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^5*d^5*e*x + c^5*d^6)$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} (gx + f)^4}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2),x  
 , algorithm="giac")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^4/sqrt(e\*x  
 + d), x)

**maple [A]** time = 0.01, size = 283, normalized size = 0.84

$$\frac{2(cdx+ae)(315c^4d^4g^4x^4-280a^2c^2d^2eg^4x^3+1540c^4d^4f^2g^2x^2+240a^2c^2d^2e^2g^4x-1320a^2c^2d^2efg^2x^2+2970c^4d^4f^2g^2x-192a^2cd^2eg^4x+1056a^2c^2d^2efg^2x-2376a^2c^2d^2ef^2g^2x+2772a^4d^4f^2g^2x+128a^4d^4g^4-704a^2cd^2efg^2+1584a^2c^2d^2ef^2g^2-1848a^2c^2d^2ef^2g^2+1155f^2c^4d^4)\sqrt{cdx^2+ax+ae}}{3465\sqrt{cx+1}c^6d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^4\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(e\*x+d)^(1/2),x)

[Out]  $\frac{2}{3465}(c*d*x+a*e)*(315*c^4*d^4*g^4*x^4-280*a*c^3*d^3*e*g^4*x^3+1540*c^4*d^4*f*g^3*x^3+240*a^2*c^2*d^2*e^2*g^4*x^2-1320*a*c^3*d^3*e*f*g^3*x^2+2970*c^4*d^4*f^2*g^2*x^2-192*a^3*c*d*e^3*g^4*x+1056*a^2*c^2*d^2*e^2*f*g^3*x-2376*a*c^3*d^3*e*f^2*g^2*x+2772*c^4*d^4*f^3*g*x+128*a^4*e^4*g^4-704*a^3*c*d*e^3*f*g^3+1584*a^2*c^2*d^2*e^2*f^2*g^2-1848*a*c^3*d^3*e*f^3*g+1155*c^4*d^4*f^4)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)/c^5/d^5/(e*x+d)^(1/2)$

**maxima [A]** time = 0.71, size = 320, normalized size = 0.95

$$\frac{2(cdx+ae)^{3/2}}{3cd} + \frac{8(3c^2d^2x^2+acdx-2a^2e^2)\sqrt{cdx+ae}f^2g}{15c^2d^2} + \frac{4(15c^3d^3x^3+3ac^2d^2ex^2-4a^2cd^2x+8a^3e^2)\sqrt{cdx+ae}f^2g^2}{35c^3d^3} + \frac{8(35c^4d^4x^4+5ac^3d^3ex^3-6a^2c^2d^2e^2x^2+8a^3cd^2x-16a^4e^4)\sqrt{cdx+ae}f^2g^3}{315c^4d^4} + \frac{2(315c^5d^5x^5+35ac^4d^4ex^4-40a^2c^3d^3e^2x^3+48a^3c^2d^2e^3x^2-64a^4c^4d^4e^4x+128a^5e^5)\sqrt{cdx+ae}g^4}{3465c^5d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out]  $\frac{2}{3}(c*d*x+a*e)^{(3/2)}*f^4/(c*d) + \frac{8}{15}(3*c^2*d^2*x^2+a*c*d*e*x-2*a^2*e^2)*\text{sqrt}(c*d*x+a*e)*f^3*g/(c^2*d^2) + \frac{4}{35}(15*c^3*d^3*x^3+3*a*c^2*d^2*e*x^2-4*a^2*c*d*e^2*x+8*a^3*e^3)*\text{sqrt}(c*d*x+a*e)*f^2*g^2/(c^3*d^3) + \frac{8}{315}(35*c^4*d^4*x^4+5*a*c^3*d^3*e*x^3-6*a^2*c^2*d^2*e^2*x^2+8*a^3*c*d*e^3*x-16*a^4*e^4)*\text{sqrt}(c*d*x+a*e)*f*g^3/(c^4*d^4) + \frac{2}{3465}(315*c^5*d^5*x^5+35*a*c^4*d^4*e*x^4-40*a^2*c^3*d^3*e^2*x^3+48*a^3*c^2*d^2*e^3*x^2-64*a^4*c*d*e^4*x+128*a^5*e^5)*\text{sqrt}(c*d*x+a*e)*g^4/(c^5*d^5)$

**mpad [B]** time = 3.60, size = 347, normalized size = 1.03

$$\frac{\sqrt{cdx^2+(c^2+ae^2)x+a^2d}}{11} \left( \frac{2g^5x^5}{11} + \frac{256a^5d^5c^4d^4ef^4-3168a^4c^3d^3e^2f^3g-3696a^2c^3d^3e^2f^3g-1408a^4c^3d^3e^2f^3g-1408a^4c^3d^3e^2f^3g}{3465c^5d^5} + \frac{(-128a^4cd^4g^4+704a^3c^2d^2e^3fg^3+1848a^2c^4d^4ef^2g+2310c^5d^5f^4)}{3465c^5d^5} + \frac{4g^2(8a^2c^2d^2-44a^2cd^2ef^2+99a^2d^2ef^2+462c^2d^2f^2)}{1155c^5d^5} + \frac{4g^2(-4a^2c^2d^2+22cd^2ef^2+270c^2d^2f^2)}{693c^5d^5} + \frac{2g^4(12g^4cd^4)}{99cd} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f+g\*x)^4\*(x\*(a\*e^2+c\*d^2)+a\*d\*e+c\*d\*e\*x^2)^(1/2))/(d+e\*x)^(1/2),x)

[Out]  $((x*(a*e^2+c*d^2)+a*d*e+c*d*e*x^2)^(1/2))*((2*g^4*x^5)/11+(256*a^5*d^5*c^4*d^4*ef^4+2310*a^4*c^3*d^3*e^2*f^3*g-3696*a^2*c^3*d^3*e^2*f^3*g-1408*a^4*c^3*d^3*e^2*f^3*g-1408*a^4*c^3*d^3*e^2*f^3*g)/(3465*c^5*d^5)+(x*(2310*c^5*d^5*f^4-128*a^4*c^3*d^3*e^2*f^2*g^2+704*a^3*c^2*d^2*e^3*f^2*g^2+1848*a^2*c^4*d^4*ef^2g+2310*c^5*d^5*f^4-128*a^4*c^3*d^3*e^2*f^2*g^2))/(3465*c^5*d^5)+(4*g*x^2*(8*a^3*e^3*g^3+462*c^3*d^3*f^3+99*a*c^2*d^2*e*f^2*g-44*a^2*c*d*e^2*f*g^2))/(1155*c^5*d^5)$

$$c^3d^3) + (4g^2x^3(297c^2d^2f^2 - 4a^2e^2g^2 + 22acd*efg))/(693c^2d^2) + (2g^3x^4(aeg + 44cdf))/(99cd))/(d + ex)^{1/2}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*4\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)

[Out] Timed out

$$3.447 \quad \int \frac{(f+gx)^3 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=269

$$\frac{16 \left( x \left( ae^2 + cd^2 \right) + ade + cdex^2 \right)^{3/2} (cdf - aeg)^2 \left( 2ae^2g - cd(5ef - 3dg) \right)}{315c^4d^4e(d+ex)^{3/2}} + \frac{16g \left( x \left( ae^2 + cd^2 \right) + ade + cdex^2 \right)^{3/2}}{105c^3d^3e\sqrt{d+ex}}$$

**Rubi [A]** time = 0.39, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {870, 794, 648}

$$\frac{4(f+gx)^2(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)}{21c^2d^2(d+ex)^{3/2}} + \frac{16g(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)^2}{105c^3d^3e\sqrt{d+ex}} - \frac{16(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)^2(2ae^2g-cd(5ef-3dg))}{315c^4d^4e(d+ex)^{3/2}} + \frac{2(f+gx)^3(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{9cd(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((f + g*x)^3*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/Sqrt[d + e*x], x]
```

```
[Out] (-16*(c*d*f - a*e*g)^2*(2*a*e^2*g - c*d*(5*e*f - 3*d*g))*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2))/(315*c^4*d^4*e*(d + e*x)^(3/2)) + (16*g*(c*d*f - a*e*g)^2*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2))/(105*c^3*d^3*e*Sqrt[d + e*x]) + (4*(c*d*f - a*e*g)*(f + g*x)^2*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2))/(21*c^2*d^2*(d + e*x)^(3/2)) + (2*(f + g*x)^3*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2))/(9*c*d*(d + e*x)^(3/2))
```

### Rule 648

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(e*(d + e*x)^(m - 1)*(a + b*x + c*x^2)^(p + 1))/(c*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]
```

### Rule 794

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + b*x + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[(m*(g*(c*d - b*e) + c*e*f) + e*(p + 1)*(2*c*f - b*g))/(c*e*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[m + 2*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])
```

### Rule 870

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

### Rubi steps

$$\int \frac{(f + gx)^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}} dx = \frac{2(f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{9cd(d + ex)^{3/2}} + \frac{2(cdex^2 f + cd^2 e)}{9cd(d + ex)^{3/2}}$$

$$= \frac{4(cdf - aeg)(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{21c^2 d^2 (d + ex)^{3/2}} + \frac{2(f + gx)}{9cd(d + ex)^{3/2}}$$

$$= \frac{16g(cdf - aeg)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{105c^3 d^3 e \sqrt{d + ex}} + \frac{4(cdf - aeg)}{9cd(d + ex)^{3/2}}$$

$$= \frac{16(cdf - aeg)^2 \left(5f - \frac{3dg}{e} - \frac{2aeg}{cd}\right) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{315c^3 d^3 (d + ex)^{3/2}}$$

**Mathematica [A]** time = 0.12, size = 136, normalized size = 0.51

$$\frac{2((d + ex)(ae + cdex))^{3/2} (-16a^3 e^3 g^3 + 24a^2 cde^2 g^2 (3f + gx) - 6ac^2 d^2 eg (21f^2 + 18fgx + 5g^2 x^2) + c^3 d^3 (105f^3 + 189f^2 gx + 135fg^2 x^2 + 35g^3 x^3))}{315c^4 d^4 (d + ex)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((f + g*x)^3*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/Sqrt[d
+ e*x], x]
```

```
[Out] (2*((a*e + c*d*x)*(d + e*x))^(3/2)*(-16*a^3*e^3*g^3 + 24*a^2*c*d*e^2*g^2*(3
*f + g*x) - 6*a*c^2*d^2*e*g*(21*f^2 + 18*f*g*x + 5*g^2*x^2) + c^3*d^3*(105*
f^3 + 189*f^2*g*x + 135*f*g^2*x^2 + 35*g^3*x^3)))/(315*c^4*d^4*(d + e*x)^(3
/2))
```

**IntegrateAlgebraic [B]** time = 1.25, size = 676, normalized size = 2.51

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[((f + g*x)^3*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/Sqrt[d + e*x], x]
```

```
[Out] (2*Sqrt[-((c*d^2*(d + e*x))/e) + a*e*(d + e*x) + (c*d*(d + e*x)^2)/e]*(-105*c^4*d^5*e^3*f^3 + 105*a*c^3*d^3*e^5*f^3 + 189*c^4*d^6*e^2*f^2*g - 63*a*c^3*d^4*e^4*f^2*g - 126*a^2*c^2*d^2*e^6*f^2*g - 135*c^4*d^7*e*f*g^2 + 27*a*c^3*d^5*e^3*f*g^2 + 36*a^2*c^2*d^3*e^5*f*g^2 + 72*a^3*c*d*e^7*f*g^2 + 35*c^4*d^8*g^3 - 5*a*c^3*d^6*e^2*g^3 - 6*a^2*c^2*d^4*e^4*g^3 - 8*a^3*c*d^2*e^6*g^3 - 16*a^4*e^8*g^3 + 105*c^4*d^4*e^3*f^3*(d + e*x) - 378*c^4*d^5*e^2*f^2*g*(d + e*x) + 63*a*c^3*d^3*e^4*f^2*g*(d + e*x) + 405*c^4*d^6*e*f*g^2*(d + e*x) - 54*a*c^3*d^4*e^3*f*g^2*(d + e*x) - 36*a^2*c^2*d^2*e^5*f*g^2*(d + e*x) - 140*c^4*d^7*g^3*(d + e*x) + 15*a*c^3*d^5*e^2*g^3*(d + e*x) + 12*a^2*c^2*d^3*e^4*g^3*(d + e*x) + 8*a^3*c*d*e^6*g^3*(d + e*x) + 189*c^4*d^4*e^2*f^2*g*(d + e*x)^2 - 405*c^4*d^5*e*f*g^2*(d + e*x)^2 + 27*a*c^3*d^3*e^3*f*g^2*(d + e*x)^2 + 210*c^4*d^6*g^3*(d + e*x)^2 - 15*a*c^3*d^4*e^2*g^3*(d + e*x)^2 - 6*a^2*c^2*d^2*e^4*g^3*(d + e*x)^2 + 135*c^4*d^4*e*f*g^2*(d + e*x)^3 - 140*c^4*d^5*g^3*(d + e*x)^3 + 5*a*c^3*d^3*e^2*g^3*(d + e*x)^3 + 35*c^4*d^4*g^3*(d + e*x)^4))/(315*c^4*d^4*e^4*Sqrt[d + e*x])
```

**fricas** [A] time = 0.41, size = 264, normalized size = 0.98

$$\frac{2(35c^4d^5g^3e^4 + 105ac^3d^3ef^3 - 126a^2c^2d^2f^2g + 72a^3cde^2fg - 16a^4e^4g^3 + 5(27c^4d^4fg^2 + ac^3d^3g^2)x^3 + 3(63c^4d^4f^2g + 9ac^3d^3efg^2 - 2a^2c^2d^2e^2g^2)x^2 + (105c^4d^4f^3 + 63ac^3d^3ef^2g - 36a^2c^2d^2e^2fg^2 + 8a^3cde^2g^2)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{315(c^4d^4ex + c^4d^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^3*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(e*x+d)^(1/2), x, algorithm="fricas")
```

```
[Out] 2/315*(35*c^4*d^4*g^3*x^4 + 105*a*c^3*d^3*e*f^3 - 126*a^2*c^2*d^2*e^2*f^2*g + 72*a^3*c*d*e^3*f*g^2 - 16*a^4*e^4*g^3 + 5*(27*c^4*d^4*f*g^2 + a*c^3*d^3*e*g^3)*x^3 + 3*(63*c^4*d^4*f^2*g + 9*a*c^3*d^3*e*f*g^2 - 2*a^2*c^2*d^2*e^2*g^3)*x^2 + (105*c^4*d^4*f^3 + 63*a*c^3*d^3*e*f^2*g - 36*a^2*c^2*d^2*e^2*f*g^2 + 8*a^3*c*d*e^3*g^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^4*d^4*e*x + c^4*d^5)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} (gx + f)^3}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^3*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(e*x+d)^(1/2), x, algorithm="giac")
```

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^3/sqrt(e\*x + d), x)

**maple [A]** time = 0.01, size = 188, normalized size = 0.70

$$\frac{2(cdx + ae)(-35g^3x^3c^3d^3 + 30a^2d^2eg^3x^2 - 135c^3d^3fg^2x^2 - 24a^2cd^2e^2g^3x + 108a^2d^2efg^2x - 189c^3d^3f^2gx + 16a^3e^3g^3 - 72a^2cd^2efg^2 + 126a^2d^2ef^2g - 105f^3c^3d^3)\sqrt{cde x^2 + a^2e x + cd^2x + ade}}{315\sqrt{ex + d} c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^3\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(e\*x+d)^(1/2), x)

[Out] 
$$-2/315*(c*d*x+a*e)*(-35*c^3*d^3*g^3*x^3+30*a*c^2*d^2*e*g^3*x^2-135*c^3*d^3*f*g^2*x^2-24*a^2*c*d*e^2*g^3*x+108*a*c^2*d^2*e*f*g^2*x-189*c^3*d^3*f^2*g*x+16*a^3*e^3*g^3-72*a^2*c*d*e^2*f*g^2+126*a*c^2*d^2*e*f^2*g-105*c^3*d^3*f^3)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)/c^4/d^4/(e*x+d)^(1/2)$$

**maxima [A]** time = 0.65, size = 218, normalized size = 0.81

$$\frac{2(cdx + ae)^{\frac{3}{2}}f^3}{3cd} + \frac{2(3c^2d^2x^2 + acdx - 2a^2e^2)\sqrt{cdx + ae}f^2g}{5c^2d^2} + \frac{2(15c^3d^3x^3 + 3a^2d^2ex^2 - 4a^2cd^2x + 8a^3e^3)\sqrt{cdx + ae}fg^2}{35c^3d^3} + \frac{2(35c^4d^4x^4 + 5a^2d^3ex^3 - 6a^2c^2d^2e^2x^2 + 8a^3cde^3x - 16a^4e^4)\sqrt{cdx + ae}g^3}{315c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2), x, algorithm="maxima")

[Out] 
$$2/3*(c*d*x + a*e)^{(3/2)}*f^3/(c*d) + 2/5*(3*c^2*d^2*x^2 + a*c*d*e*x - 2*a^2*e^2)*\text{sqrt}(c*d*x + a*e)*f^2*g/(c^2*d^2) + 2/35*(15*c^3*d^3*x^3 + 3*a*c^2*d^2*e*x^2 - 4*a^2*c*d*e^2*x + 8*a^3*e^3)*\text{sqrt}(c*d*x + a*e)*f*g^2/(c^3*d^3) + 2/315*(35*c^4*d^4*x^4 + 5*a*c^3*d^3*e*x^3 - 6*a^2*c^2*d^2*e^2*x^2 + 8*a^3*c*d*e^3*x - 16*a^4*e^4)*\text{sqrt}(c*d*x + a*e)*g^3/(c^4*d^4)$$

**mupad [B]** time = 3.37, size = 242, normalized size = 0.90

$$\frac{\sqrt{cde x^2 + (cd^2 + ae^2)x + ade} \left( \frac{2g^3x^4}{9} - \frac{32a^4e^4g^3 - 144a^3cde^3fg^2 + 252a^2d^2e^2f^2g - 210a^2d^3ef^3}{315c^4d^4} + \frac{x(16a^3cd^3g^3 - 72a^2c^2d^2fg^2 + 126a^3d^3ef^2g + 210c^4d^4f^3)}{315c^4d^4} + \frac{2gx^2(-2a^2d^2g^2 + 9acdefg + 63c^2d^2f^2)}{105c^2d^2} + \frac{2g^2x^3(aeg + 27cdf)}{63cd} \right)}{\sqrt{d + ex}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x)^(1/2), x)

[Out] 
$$((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2))*((2*g^3*x^4)/9 - (32*a^4*e^4*g^3 - 210*a*c^3*d^3*e*f^3 + 252*a^2*c^2*d^2*e^2*f^2*g - 144*a^3*c*d*e^3*f*g^2)/(315*c^4*d^4) + (x*(210*c^4*d^4*f^3 + 16*a^3*c*d*e^3*g^3 - 72*a^2*c^2*d^2*e^2*f*g^2 + 126*a*c^3*d^3*e*f^2*g))/(315*c^4*d^4) + (2*g*x^2*(63*c^2*d^2*f^2 - 2*a^2*e^2*g^2 + 9*a*c*d*e*f*g))/(105*c^2*d^2) + (2*g^2*x^3*(a*e*g + 27*c*d*f))/(63*c*d)))/(d + e*x)^(1/2)$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d+ex)(ae+cdx)} (f+gx)^3}{\sqrt{d+ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*3\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))\*(f + g\*x)\*\*3/sqrt(d + e\*x), x)



$$3.448 \quad \int \frac{(f+gx)^2 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=200

$$\frac{8(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)(2ae^2g-cd(5ef-3dg))}{105c^3d^3e(d+ex)^{3/2}} + \frac{8g(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cd^2+ae^2)}{35c^2d^2e\sqrt{d+ex}}$$

**Rubi [A]** time = 0.23, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {870, 794, 648}

$$\frac{8g(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)}{35c^2d^2e\sqrt{d+ex}} - \frac{8(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)(2ae^2g-cd(5ef-3dg))}{105c^3d^3e(d+ex)^{3/2}} + \frac{2(f+gx)^2(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{7cd(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/sqrt[d + e\*x], x]

[Out] (-8\*(c\*d\*f - a\*e\*g)\*(2\*a\*e^2\*g - c\*d\*(5\*e\*f - 3\*d\*g))\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(105\*c^3\*d^3\*e\*(d + e\*x)^(3/2)) + (8\*g\*(c\*d\*f - a\*e\*g)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(35\*c^2\*d^2\*e\*sqrt[d + e\*x]) + (2\*(f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(7\*c\*d\*(d + e\*x)^(3/2))

### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rule 870

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(

$a + b*x + c*x^2)^{(p + 1)}/(c*(m - n - 1)), x] - \text{Dist}[(n*(c*e*f + c*d*g - b*e*g))/(c*e*(m - n - 1)), \text{Int}[(d + e*x)^m*(f + g*x)^{(n - 1)*(a + b*x + c*x^2)^p}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, p\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& !\text{IntegerQ}[p] \&\& \text{EqQ}[m + p, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[m - n - 1, 0] \&\& (\text{IntegerQ}[2*p] || \text{IntegerQ}[n])$

### Rubi steps

$$\int \frac{(f + gx)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}} dx = \frac{2(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{7cd(d + ex)^{3/2}} + \frac{(4(cde^2f + cd^2eg + cd^2ef + cd^2eg))^{3/2}}{35c^2d^2e\sqrt{d + ex}} + \frac{2(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{105c^3d^3e(d + ex)^{3/2}}$$

**Mathematica [A]** time = 0.08, size = 90, normalized size = 0.45

$$\frac{2((d + ex)(ae + cdx))^{3/2} (8a^2e^2g^2 - 4acdeg(7f + 3gx) + c^2d^2(35f^2 + 42fgx + 15g^2x^2))}{105c^3d^3(d + ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*(8\*a^2\*e^2\*g^2 - 4\*a\*c\*d\*e\*g\*(7\*f + 3\*g\*x) + c^2\*d^2\*(35\*f^2 + 42\*f\*g\*x + 15\*g^2\*x^2)))/(105\*c^3\*d^3\*(d + e\*x)^(3/2))

**IntegrateAlgebraic [A]** time = 0.64, size = 365, normalized size = 1.82

$$\frac{2\sqrt{(d + ex) \left( \frac{2ade + cd^2 + ae^2}{d + ex} + \frac{2cdex^2 + ade + cd^2 + ae^2}{d + ex} \right)} (8a^2e^2g^2 + 4a^2cd^2fg - 2a^2cd^2fg - 4a^2cd^2fg + cx) + 3a^2d^2fg^2 - 14a^2d^2fg - 6a^2d^2fg^2(d + ex) + 35a^2d^2fg^2 + 14a^2d^2fg^2(d + ex) + 3a^2d^2fg^2(d + ex)^2 - 15a^2d^2fg^2 + 42a^2d^2fg^2 + 45a^2d^2fg^2(d + ex) - 35a^2d^2fg^2(d + ex) - 84a^2d^2fg^2(d + ex) - 45a^2d^2fg^2(d + ex)^2 + 35a^2d^2fg^2(d + ex) + 42a^2d^2fg^2(d + ex)^2 + 15a^2d^2fg^2(d + ex)^3)}{105c^3d^3\sqrt{d + ex}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

```
[Out] (2*Sqrt[-((c*d^2*(d + e*x))/e) + a*e*(d + e*x) + (c*d*(d + e*x)^2)/e]*(-35*c^3*d^4*e^2*f^2 + 35*a*c^2*d^2*e^4*f^2 + 42*c^3*d^5*e*f*g - 14*a*c^2*d^3*e^3*f*g - 28*a^2*c*d*e^5*f*g - 15*c^3*d^6*g^2 + 3*a*c^2*d^4*e^2*g^2 + 4*a^2*c*d^2*e^4*g^2 + 8*a^3*e^6*g^2 + 35*c^3*d^3*e^2*f^2*(d + e*x) - 84*c^3*d^4*e*f*g*(d + e*x) + 14*a*c^2*d^2*e^3*f*g*(d + e*x) + 45*c^3*d^5*g^2*(d + e*x) - 6*a*c^2*d^3*e^2*g^2*(d + e*x) - 4*a^2*c*d*e^4*g^2*(d + e*x) + 42*c^3*d^3*e*f*g*(d + e*x)^2 - 45*c^3*d^4*g^2*(d + e*x)^2 + 3*a*c^2*d^2*e^2*g^2*(d + e*x)^2 + 15*c^3*d^3*g^2*(d + e*x)^3))/(105*c^3*d^3*e^3*Sqrt[d + e*x])
```

**fricas** [A] time = 0.41, size = 173, normalized size = 0.86

$$\frac{2(15c^3d^3g^2x^3 + 35ac^2d^2ef^2 - 28a^2cde^2fg + 8a^3e^3g^2 + 3(14c^3d^3fg + ac^2d^2eg^2)x^2 + (35c^3d^3f^2 + 14ac^2d^2efg - 4a^2cde^2g^2)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{105(c^3d^3ex + c^3d^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^2*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(e*x+d)^(1/2), x, algorithm="fricas")
```

```
[Out] 2/105*(15*c^3*d^3*g^2*x^3 + 35*a*c^2*d^2*e*f^2 - 28*a^2*c*d*e^2*f*g + 8*a^3*e^3*g^2 + 3*(14*c^3*d^3*f*g + a*c^2*d^2*e*g^2)*x^2 + (35*c^3*d^3*f^2 + 14*a*c^2*d^2*e*f*g - 4*a^2*c*d*e^2*g^2)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^3*d^3*e*x + c^3*d^4)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(gx + f)^2}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^2*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(e*x+d)^(1/2), x, algorithm="giac")
```

```
[Out] integrate(sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(g*x + f)^2/sqrt(e*x + d), x)
```

**maple** [A] time = 0.01, size = 116, normalized size = 0.58

$$\frac{2(cdx + ae)(15g^2x^2c^2d^2 - 12acde g^2x + 42c^2d^2fgx + 8a^2e^2g^2 - 28acdefg + 35f^2c^2d^2)\sqrt{cde x^2 + a e^2x + c d^2x + ade}}{105\sqrt{ex + d} c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x+f)^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)/(e*x+d)^(1/2), x)
```

[Out]  $2/105*(c*d*x+a*e)*(15*c^2*d^2*g^2*x^2-12*a*c*d*e*g^2*x+42*c^2*d^2*f*g*x+8*a^2*e^2*g^2-28*a*c*d*e*f*g+35*c^2*d^2*f^2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}/c^3/d^3/(e*x+d)^{(1/2)}$

**maxima [A]** time = 0.59, size = 133, normalized size = 0.66

$$\frac{2(cdx+ae)^{\frac{3}{2}}f^2}{3cd} + \frac{4(3c^2d^2x^2+acdex-2a^2e^2)\sqrt{cdx+ae}fg}{15c^2d^2} + \frac{2(15c^3d^3x^3+3a^3c^2d^2e^2x-4a^2cde^2x+8a^3e^3)\sqrt{cdx+ae}g^2}{105c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2), x, algorithm="maxima")

[Out]  $2/3*(c*d*x + a*e)^{(3/2)}*f^2/(c*d) + 4/15*(3*c^2*d^2*x^2 + a*c*d*e*x - 2*a^2*e^2)*\text{sqrt}(c*d*x + a*e)*f*g/(c^2*d^2) + 2/105*(15*c^3*d^3*x^3 + 3*a^3*c^2*d^2*e^2*x - 4*a^2*c*d*e^2*x + 8*a^3*e^3)*\text{sqrt}(c*d*x + a*e)*g^2/(c^3*d^3)$

**mupad [B]** time = 3.25, size = 157, normalized size = 0.78

$$\frac{\sqrt{cdex^2+(cd^2+ae^2)x+ade} \left( \frac{2g^2x^3}{7} + \frac{16a^3e^3g^2-56a^2cd^2efg+70a^2d^2ef^2}{105c^3d^3} + \frac{x(-8a^2cd^2g^2+28a^2d^2efg+70c^3d^3f^2)}{105c^3d^3} + \frac{2gx^2(aeg+14cdf)}{35cd} \right)}{\sqrt{d+ex}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x)^(1/2), x)

[Out]  $((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}*((2*g^2*x^3)/7 + (16*a^3*e^3*g^2 + 70*a*c^2*d^2*e*f^2 - 56*a^2*c*d*e^2*f*g)/(105*c^3*d^3) + (x*(70*c^3*d^3*f^2 - 8*a^2*c*d*e^2*g^2 + 28*a*c^2*d^2*e*f*g))/(105*c^3*d^3) + (2*g*x^2*(a*e*g + 14*c*d*f))/(35*c*d)))/(d + e*x)^{(1/2)}$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d+ex)(ae+cdx)}(f+gx)^2}{\sqrt{d+ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*2\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(e\*x+d)\*\*(1/2), x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))\*(f + g\*x)\*\*2/sqrt(d + e\*x), x)

$$3.449 \quad \int \frac{(f+gx)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=125

$$\frac{2g(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{5cde\sqrt{d+ex}} - \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}(2ae^2g - cd(5ef - 3dg))}{15c^2d^2e(d+ex)^{3/2}}$$

**Rubi [A]** time = 0.10, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 44,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {794, 648}

$$\frac{2g(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{5cde\sqrt{d+ex}} - \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}(2ae^2g - cd(5ef - 3dg))}{15c^2d^2e(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] (-2\*(2\*a\*e^2\*g - c\*d\*(5\*e\*f - 3\*d\*g))\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(15\*c^2\*d^2\*e\*(d + e\*x)^(3/2)) + (2\*g\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(5\*c\*d\*e\*Sqrt[d + e\*x])

Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

Rubi steps

$$\int \frac{(f + gx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}} dx = \frac{2g(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{5cde\sqrt{d + ex}} + \frac{1}{5} \left(5f - \frac{3dg}{e} - \frac{2aeg}{cd}\right) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}} dx$$

$$= \frac{2 \left(5f - \frac{3dg}{e} - \frac{2aeg}{cd}\right) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{15cd(d + ex)^{3/2}} + \frac{2g(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{5cde\sqrt{d + ex}}$$

**Mathematica [A]** time = 0.05, size = 54, normalized size = 0.43

$$\frac{2((d + ex)(ae + cdx))^{3/2}(cd(5f + 3gx) - 2aeg)}{15c^2d^2(d + ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*(-2\*a\*e\*g + c\*d\*(5\*f + 3\*g\*x)))/(15\*c^2\*d^2\*(d + e\*x)^(3/2))

**IntegrateAlgebraic [A]** time = 0.32, size = 169, normalized size = 1.35

$$\frac{2\sqrt{ae(d + ex) - \frac{cd^2(d+ex)}{e} + \frac{cd(d+ex)^2}{e}} (-2a^2e^4g - acd^2e^2g + 5acde^3f + acde^2g(d + ex) + 3c^2d^4g - 5c^2d^3ef - 6c^2d^3g(d + ex) + 5c^2d^2ef(d + ex) + 3c^2d^2g(d + ex)^2)}{15c^2d^2e^2\sqrt{d + ex}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] (2\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e]\*(-5\*c^2\*d^3\*e\*f + 5\*a\*c\*d\*e^3\*f + 3\*c^2\*d^4\*g - a\*c\*d^2\*e^2\*g - 2\*a^2\*e^4\*g + 5\*c^2\*d^2\*e\*f\*(d + e\*x) - 6\*c^2\*d^3\*g\*(d + e\*x) + a\*c\*d\*e^2\*g\*(d + e\*x) + 3\*c^2\*d^2\*g\*(d + e\*x)^2))/(15\*c^2\*d^2\*e^2\*Sqrt[d + e\*x])

**fricas [A]** time = 0.41, size = 102, normalized size = 0.82

$$\frac{2(3c^2d^2gx^2 + 5acdef - 2a^2e^2g + (5c^2d^2f + acdeg)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{15(c^2d^2ex + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2), x, algorithm="fricas")

[Out] 2/15\*(3\*c^2\*d^2\*g\*x^2 + 5\*a\*c\*d\*e\*f - 2\*a^2\*e^2\*g + (5\*c^2\*d^2\*f + a\*c\*d\*e\*g)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^2\*d^2\*e\*x + c^2\*d^3)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} (gx + f)}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)/sqrt(e\*x + d), x)

**maple** [A] time = 0.01, size = 67, normalized size = 0.54

$$\frac{2(cdx + ae)(-3cdgx + 2aeg - 5cdf) \sqrt{cde x^2 + a e^2 x + c d^2 x + ade}}{15 \sqrt{ex + d} c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(e\*x+d)^(1/2), x)

[Out] -2/15\*(c\*d\*x+a\*e)\*(-3\*c\*d\*g\*x+2\*a\*e\*g-5\*c\*d\*f)\*(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)/c^2/d^2/(e\*x+d)^(1/2)

**maxima** [A] time = 0.54, size = 65, normalized size = 0.52

$$\frac{2(cdx + ae)^{\frac{3}{2}} f}{3cd} + \frac{2(3c^2d^2x^2 + acdex - 2a^2e^2)\sqrt{cdx + ae} g}{15c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2), x, algorithm="maxima")

[Out] 2/3\*(c\*d\*x + a\*e)^(3/2)\*f/(c\*d) + 2/15\*(3\*c^2\*d^2\*x^2 + a\*c\*d\*e\*x - 2\*a^2\*e^2)\*sqrt(c\*d\*x + a\*e)\*g/(c^2\*d^2)

mupad [B] time = 3.13, size = 93, normalized size = 0.74

$$\frac{\left(\frac{2gx^2}{5} - \frac{4a^2e^2g-10acdef}{15c^2d^2} + \frac{x(10fc^2d^2+2aegcd)}{15c^2d^2}\right) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{\sqrt{d+ex}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x)^(1/2), x)

[Out] (((2\*g\*x^2)/5 - (4\*a^2\*e^2\*g - 10\*a\*c\*d\*e\*f)/(15\*c^2\*d^2) + (x\*(10\*c^2\*d^2\*f + 2\*a\*c\*d\*e\*g))/(15\*c^2\*d^2))\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x)^(1/2)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d+ex)(ae+cdx)}(f+gx)}{\sqrt{d+ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(e\*x+d)\*\*(1/2), x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))\*(f + g\*x)/sqrt(d + e\*x), x)



$$3.450 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=48

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3cd(d+ex)^{3/2}}$$

**Rubi [A]** time = 0.02, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$ , Rules used = {648}

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3cd(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/Sqrt[d + e\*x],x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(3\*c\*d\*(d + e\*x)^(3/2))

**Rule 648**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

**Rubi steps**

$$\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3cd(d+ex)^{3/2}}$$

**Mathematica [A]** time = 0.02, size = 37, normalized size = 0.77

$$\frac{2((d+ex)(ae+cdx))^{3/2}}{3cd(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/Sqrt[d + e\*x],x]

[Out]  $(2*((a*e + c*d*x)*(d + e*x))^{(3/2)})/(3*c*d*(d + e*x)^{(3/2)})$

**IntegrateAlgebraic [A]** time = 0.00, size = 82, normalized size = 1.71

$$\frac{2(ae^2 - cd^2 + cd(d + ex))\sqrt{ae(d + ex) - \frac{cd^2(d+ex)}{e} + \frac{cd(d+ex)^2}{e}}}{3cde\sqrt{d + ex}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/Sqrt[d + e\*x], x]

[Out]  $(2*(-(c*d^2) + a*e^2 + c*d*(d + e*x))*\text{Sqrt}[-((c*d^2*(d + e*x))/e) + a*e*(d + e*x) + (c*d*(d + e*x)^2)/e])/(3*c*d*e*\text{Sqrt}[d + e*x])$

**fricas [A]** time = 0.43, size = 57, normalized size = 1.19

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(cdx + ae)\sqrt{ex + d}}{3(cdex + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2), x, algorithm="fricas")

[Out]  $2/3*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(c*d*x + a*e)*\text{sqrt}(e*x + d)/(c*d*e*x + c*d^2)$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/sqrt(e\*x + d), x)

**maple [A]** time = 0.00, size = 50, normalized size = 1.04

$$\frac{2(cdx + ae)\sqrt{cdex^2 + ae^2x + cd^2x + ade}}{3\sqrt{ex + d}cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)/(e*x+d)^(1/2),x)`

[Out] `2/3*(c*d*x+a*e)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)/c/d/(e*x+d)^(1/2)`

**maxima** [A] time = 0.49, size = 18, normalized size = 0.38

$$\frac{2(cdx + ae)^{\frac{3}{2}}}{3cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] `2/3*(c*d*x + a*e)^(3/2)/(c*d)`

**mupad** [B] time = 3.05, size = 49, normalized size = 1.02

$$\frac{\left(\frac{2x}{3} + \frac{2ae}{3cd}\right) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{\sqrt{d + ex}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/(d + e*x)^(1/2),x)`

[Out] `((2*x)/3 + (2*a*e)/(3*c*d))*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/(d + e*x)^(1/2)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d + ex)(ae + cdx)}}{\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2)/(e*x+d)**(1/2),x)`

[Out] `Integral(sqrt((d + e*x)*(a*e + c*d*x))/sqrt(d + e*x), x)`

$$3.451 \quad \int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)} dx$$

**Optimal.** Leaf size=124

$$\frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g\sqrt{d+ex}} - \frac{2\sqrt{cdf-aeg} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{g^{3/2}}$$

**Rubi [A]** time = 0.19, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {864, 874, 205}

$$\frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g\sqrt{d+ex}} - \frac{2\sqrt{cdf-aeg} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{g^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)),x ]

[Out] (2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(g\*Sqrt[d + e\*x]) - (2\*Sqrt[c\*d\*f - a\*e\*g]\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/g^(3/2)

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 864

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(m - n - 1)), x] - Dist[(m\*(c\*e\*f + c\*d\*g - b\*e\*g))/(e^2\*g\*(m - n - 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]

#### Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

### Rubi steps

$$\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}(f + gx)} dx = \frac{2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d + ex}} - \frac{(cde^2f + cd^2eg - e(cd^2 + ae^2)g) \int \frac{1}{f + gx} dx}{e^2g}$$

$$= \frac{2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d + ex}} - \frac{(2e^2(cdf - aeg)) \text{Subst}\left(\int \frac{1}{-e(cd^2 + ae^2)g - (f + gx)} dx\right)}{e^2g}$$

$$= \frac{2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d + ex}} - \frac{2\sqrt{cdf - aeg} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ade + (cd^2 + ae^2)x}}{\sqrt{cdf - aeg}\sqrt{d + ex}}\right)}{g^{3/2}}$$

**Mathematica [A]** time = 0.13, size = 101, normalized size = 0.81

$$\frac{2\sqrt{(d + ex)(ae + cdx)} \left( \sqrt{g} - \frac{\sqrt{cdf - aeg} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae + cdx}}{\sqrt{cdf - aeg}}\right)}{\sqrt{ae + cdx}} \right)}{g^{3/2}\sqrt{d + ex}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]/(Sqrt[d + e*x]*(f + g
*x)), x]
```

```
[Out] (2*Sqrt[(a*e + c*d*x)*(d + e*x)]*(Sqrt[g] - (Sqrt[c*d*f - a*e*g]*ArcTan[(Sqrt[g]*Sqrt[a*e + c*d*x])/Sqrt[c*d*f - a*e*g]])/Sqrt[a*e + c*d*x]))/(g^(3/2)*Sqrt[d + e*x])
```

**IntegrateAlgebraic [C]** time = 4.70, size = 931, normalized size = 7.51

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)),x]

[Out] (2\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e])/((g\*Sqrt[d + e\*x]) - (2\*(c\*d\*Sqrt[e]\*f\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g - (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]] - a\*e^(3/2)\*g\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g - (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]] - I\*Sqrt[c]\*Sqrt[d]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g - (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]))\*ArcTanh[(Sqrt[e]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g - (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]\*Sqrt[d + e\*x])/(-(Sqrt[c\*d\*e]\*Sqrt[g]\*(d + e\*x)) + e\*Sqrt[g]\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e]))]/((c\*d^2 - a\*e^2)\*g^(5/2)) - (2\*(c\*d\*Sqrt[e]\*f\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g + (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]] - a\*e^(3/2)\*g\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g + (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]] + I\*Sqrt[c]\*Sqrt[d]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g + (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]))\*ArcTanh[(Sqrt[e]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g + (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]\*Sqrt[d + e\*x])/(-(Sqrt[c\*d\*e]\*Sqrt[g]\*(d + e\*x)) + e\*Sqrt[g]\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e]))]/((c\*d^2 - a\*e^2)\*g^(5/2))

**fricas** [A] time = 0.44, size = 318, normalized size = 2.56

$$\frac{(ex+d)\sqrt{\frac{df-eg}{g}} \log\left(\frac{-cdex^2 - cd^2 + 2adeg - 2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex+d} \sqrt{\frac{df-eg}{g}} - (cdf - (cd^2 + 2ae^2)x)}{egx^2 + df + (ef+dg)x}\right) + 2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex+d} \left(2\left((ex+d)\sqrt{\frac{df-eg}{g}} \arctan\left(\frac{\sqrt{ex+d}\sqrt{\frac{df-eg}{g}}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}\right) + \sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex+d}\right)\right)}{egx + dg}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out] [((e\*x + d)\*sqrt(-(c\*d\*f - a\*e\*g)/g)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*g\*sqrt(-(c\*d\*f - a\*e\*g)/g) - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x)/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)) + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d))/(e\*g\*x + d\*g), 2\*((e\*x + d)\*sqrt((c\*d\*f - a\*e\*g)/g)\*arctan(sqrt(e\*x + d)\*sqrt((c\*d\*f - a\*e\*g)/g)/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)) + sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d))/(e\*g\*x + d\*g)]

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)/(e\*x+d)^(1/2), x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.02, size = 153, normalized size = 1.23

$$\frac{2\sqrt{cdex^2 + ae^2x + cd^2x + ade} \left( aeg \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(aeg-cdf)g}}\right) - cdf \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(aeg-cdf)g}}\right) - \sqrt{cdx+ae} \sqrt{(aeg-cdf)g} \right)}{\sqrt{ex+d} \sqrt{cdx+ae} \sqrt{(aeg-cdf)g}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(g\*x+f)/(e\*x+d)^(1/2), x)

[Out]  $-2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x+a*d*e)^{(1/2)}*(\operatorname{arctanh}((c*d*x+a*e)^{(1/2)}/((a*e*g-c*d*f)*g))^{(1/2)}*g)*a*e*g-\operatorname{arctanh}((c*d*x+a*e)^{(1/2)}/((a*e*g-c*d*f)*g))^{(1/2)}*g)*c*d*f-(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}/(e*x+d)^{(1/2)}/(c*d*x+a*e)^{(1/2)}/g/((a*e*g-c*d*f)*g)^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{\sqrt{ex+d}(gx+f)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)/(e\*x+d)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(sqrt(e\*x + d)\*(g\*x + f)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{(f + gx) \sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)\*(d + e\*x)^(1/2)), x)

[Out] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/((f + g*x)*(d + e*x)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d+ex)(ae+cdx)}}{\sqrt{d+ex}(f+gx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2)/(g*x+f)/(e*x+d)**(1/2),x)`

[Out] `Integral(sqrt((d + e*x)*(a*e + c*d*x))/(sqrt(d + e*x)*(f + g*x)), x)`



$$3.452 \quad \int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^2} dx$$

Optimal. Leaf size=132

$$\frac{cd \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}} \right)}{g^{3/2} \sqrt{cdf-aeg}} - \frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g\sqrt{d+ex}(f+gx)}$$

**Rubi** [A] time = 0.16, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {862, 874, 205}

$$\frac{cd \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}} \right)}{g^{3/2} \sqrt{cdf-aeg}} - \frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g\sqrt{d+ex}(f+gx)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^2), x]

[Out] -(Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(g\*Sqrt[d + e\*x]\*(f + g\*x))) + (c\*d\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(g^(3/2)\*Sqrt[c\*d\*f - a\*e\*g])

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 862

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

Rule 874

```
Int[Sqrt[(d_) + (e_.)*(x_)]/(((f_.) + (g_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) +
(c_.)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}(f + gx)^2} dx &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d + ex}(f + gx)} + \frac{(cd) \int \frac{\sqrt{d+ex}}{(f+gx)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{2g} \\ &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d + ex}(f + gx)} + \frac{(cde^2) \text{Subst}\left(\int \frac{1}{-e(cd^2+ae^2)g+cde(ef+dg)+e^2x^2} dx\right)}{g} \\ &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d + ex}(f + gx)} + \frac{cd \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{cdf-ae^2}\sqrt{d+ex}}\right)}{g^{3/2}\sqrt{cdf-ae^2}} \end{aligned}$$

**Mathematica [A]** time = 0.19, size = 110, normalized size = 0.83

$$\frac{\sqrt{(d + ex)(ae + cdx)} \left( \frac{cd \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cdf-ae^2}}\right)}{\sqrt{ae+cdx}\sqrt{cdf-ae^2}} - \frac{\sqrt{g}}{f+gx} \right)}{g^{3/2}\sqrt{d + ex}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]/(Sqrt[d + e*x]*(f + g
*x)^2), x]
```

```
[Out] (Sqrt[(a*e + c*d*x)*(d + e*x)]*(-(Sqrt[g]/(f + g*x)) + (c*d*ArcTan[(Sqrt[g]
*Sqrt[a*e + c*d*x])/Sqrt[c*d*f - a*e*g]])/(Sqrt[c*d*f - a*e*g]*Sqrt[a*e +
c*d*x])))/(g^(3/2)*Sqrt[d + e*x])
```

**IntegrateAlgebraic [C]** time = 12.70, size = 1241, normalized size = 9.40

$$\frac{\sqrt{d+ex} \sqrt{ae+cdx} \left( \frac{cd \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cdf-ae^2}}\right)}{\sqrt{ae+cdx}\sqrt{cdf-ae^2}} - \frac{\sqrt{g}}{f+gx} \right)}{g^{3/2}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^2),x]

[Out] (Sqrt[c\*d\*e]\*(-2\*c\*d^2\*(d + e\*x) + 2\*a\*e^2\*(d + e\*x) + 2\*c\*d\*(d + e\*x)^2) + (c\*d^2\*e - a\*e^3 - 2\*c\*d\*e\*(d + e\*x))\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e])/(g\*Sqrt[d + e\*x]\*(-(c\*d^2) + a\*e^2 + 2\*c\*d\*(d + e\*x))\*(e\*f - d\*g + g\*(d + e\*x)) - 2\*Sqrt[c\*d\*e]\*g\*Sqrt[d + e\*x]\*(e\*f - d\*g + g\*(d + e\*x))\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e]) - (c\*d\*Sqrt[e]\*ArcTanh[(Sqrt[e]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g - (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]\*Sqrt[d + e\*x])/(-(Sqrt[c\*d\*e]\*Sqrt[g]\*(d + e\*x)) + e\*Sqrt[g]\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e])]/(g^(3/2)\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g - (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]) - (I\*c^(3/2)\*d^(3/2)\*Sqrt[-(e\*f) + d\*g]\*ArcTanh[(Sqrt[e]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g - (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]\*Sqrt[d + e\*x])/(-(Sqrt[c\*d\*e]\*Sqrt[g]\*(d + e\*x)) + e\*Sqrt[g]\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e])]/(g^(3/2)\*Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g - (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]) - (c\*d\*Sqrt[e]\*ArcTanh[(Sqrt[e]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g + (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]\*Sqrt[d + e\*x])/(-(Sqrt[c\*d\*e]\*Sqrt[g]\*(d + e\*x)) + e\*Sqrt[g]\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e])]/(g^(3/2)\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g + (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]) + (I\*c^(3/2)\*d^(3/2)\*Sqrt[-(e\*f) + d\*g]\*ArcTanh[(Sqrt[e]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g + (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]]\*Sqrt[d + e\*x])/(-(Sqrt[c\*d\*e]\*Sqrt[g]\*(d + e\*x)) + e\*Sqrt[g]\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e])]/(g^(3/2)\*Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[-2\*c\*d\*e\*f + c\*d^2\*g + a\*e^2\*g + (2\*I)\*Sqrt[c]\*Sqrt[d]\*Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[c\*d\*f - a\*e\*g]])

**fricas [B]** time = 0.45, size = 562, normalized size = 4.26

$$\frac{(cdx^2 + cf + (cdf + cd^2g)\sqrt{-dfg + ag^2} \log\left(\frac{(cdx^2 - cf + 2abx - (d^2 + a^2)x - 2\sqrt{(cd^2 + adx + (cf + a^2))\sqrt{-dfg + ag^2}}\sqrt{-dfg + ag^2}}{x^2 + c(f + dg)}\right) + 2\sqrt{(cdx^2 + adx + (cf + a^2))\sqrt{-dfg + ag^2}}\sqrt{-dfg + ag^2}}{2(cd^2g^2 - adfg^2 + (cdfg^2 - adg^4) + (cd^2 - ad^2)g^2)} + \frac{(cdx^2 + cf + (cdf + cd^2g)\sqrt{-dfg + ag^2} \arctan\left(\frac{\sqrt{(cd^2 + adx + (cf + a^2))\sqrt{-dfg + ag^2}}}{cdx^2 + adx + (cf + a^2)\sqrt{-dfg + ag^2}}\right) + \sqrt{(cdx^2 + adx + (cf + a^2))\sqrt{-dfg + ag^2}}}{cd^2g^2 - adfg^2 + (cdfg^2 - adg^4) + (cd^2 - ad^2)g^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^2/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out] [-1/2\*((c\*d\*e\*g\*x^2 + c\*d^2\*f + (c\*d\*e\*f + c\*d^2\*g)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*sqrt(e\*x + d))/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x) + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*f\*g - a\*e\*g^2)\*sqrt(e\*x + d))/(c\*d^2\*f^2\*g^2

- a\*d\*e\*f\*g^3 + (c\*d\*e\*f\*g^3 - a\*e^2\*g^4)\*x^2 + (c\*d\*e\*f^2\*g^2 - a\*d\*e\*g^4 + (c\*d^2 - a\*e^2)\*f\*g^3)\*x, -((c\*d\*e\*g\*x^2 + c\*d^2\*f + (c\*d\*e\*f + c\*d^2\*g)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*arctan(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*sqrt(e\*x + d)/(c\*d\*e\*g\*x^2 + a\*d\*e\*g + (c\*d^2 + a\*e^2)\*g\*x)) + sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*f\*g - a\*e\*g^2)\*sqrt(e\*x + d)/(c\*d^2\*f^2\*g^2 - a\*d\*e\*f\*g^3 + (c\*d\*e\*f\*g^3 - a\*e^2\*g^4)\*x^2 + (c\*d\*e\*f^2\*g^2 - a\*d\*e\*g^4 + (c\*d^2 - a\*e^2)\*f\*g^3)\*x]

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^2/(e\*x+d)^(1/2), x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.02, size = 161, normalized size = 1.22

$$\frac{\left(-cdgx \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(aeg-cdf)g}}\right) - cdf \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(aeg-cdf)g}}\right) - \sqrt{cdx+ae} \sqrt{(aeg-cdf)g}\right) \sqrt{cdex^2 + ae^2x + cd^2x + ade}}{\sqrt{ex+d} \sqrt{cdx+ae} (gx+f) \sqrt{(aeg-cdf)g}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(g\*x+f)^2/(e\*x+d)^(1/2), x)

[Out] (-arctanh((c\*d\*x+a\*e)^(1/2)/((a\*e\*g-c\*d\*f)\*g)^(1/2)\*g)\*x\*c\*d\*g-arctanh((c\*d\*x+a\*e)^(1/2)/((a\*e\*g-c\*d\*f)\*g)^(1/2)\*g)\*c\*d\*f-(c\*d\*x+a\*e)^(1/2)\*((a\*e\*g-c\*d\*f)\*g)^(1/2))\*(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)/(e\*x+d)^(1/2)/(c\*d\*x+a\*e)^(1/2)/g/(g\*x+f)/((a\*e\*g-c\*d\*f)\*g)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{\sqrt{ex+d} (gx+f)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^2/(e\*x+d)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(sqrt(e\*x + d)\*(g\*x + f)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{(f + gx)^2 \sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^2\*(d + e\*x)^(1/2)), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^2\*(d + e\*x)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d + ex)(ae + cdx)}}{\sqrt{d + ex} (f + gx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(g\*x+f)\*\*2/(e\*x+d)\*\*(1/2), x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(sqrt(d + e\*x)\*(f + g\*x)\*\*2), x)

$$3.453 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^3} dx$$

**Optimal.** Leaf size=207

$$\frac{c^2 d^2 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{4g^{3/2}(cdf - aeg)^{3/2}} + \frac{cd \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4g \sqrt{d+ex}(f+gx)(cdf - aeg)} - \frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{2g \sqrt{d+ex}(f+gx)^2}$$

**Rubi [A]** time = 0.27, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 872, 874, 205}

$$\frac{c^2 d^2 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{4g^{3/2}(cdf - aeg)^{3/2}} + \frac{cd \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4g \sqrt{d+ex}(f+gx)(cdf - aeg)} - \frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{2g \sqrt{d+ex}(f+gx)^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^3), x]

[Out] -Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(2\*g\*Sqrt[d + e\*x]\*(f + g\*x)^2) + (c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*g\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)) + (c^2\*d^2\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(4\*g^(3/2)\*(c\*d\*f - a\*e\*g)^(3/2))

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 862**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

Rule 872

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(
n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p
]
```

Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}(f + gx)^3} dx &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2g\sqrt{d + ex}(f + gx)^2} + \frac{(cd) \int \frac{\sqrt{d + ex}}{(f + gx)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx}{4g} \\ &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2g\sqrt{d + ex}(f + gx)^2} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g(cdf - aeg)\sqrt{d + ex}(f + gx)} + \dots \\ &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2g\sqrt{d + ex}(f + gx)^2} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g(cdf - aeg)\sqrt{d + ex}(f + gx)} + \dots \\ &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2g\sqrt{d + ex}(f + gx)^2} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g(cdf - aeg)\sqrt{d + ex}(f + gx)} + \dots \end{aligned}$$

**Mathematica [C]** time = 0.04, size = 79, normalized size = 0.38

$$\frac{2c^2d^2((d + ex)(ae + cdex))^{3/2} {}_2F_1\left(\frac{3}{2}, 3; \frac{5}{2}; \frac{g(ae + cdex)}{aeg - cdf}\right)}{3(d + ex)^{3/2}(cdf - aeg)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]/(Sqrt[d + e*x]*(f + g*x)^3),x]
```

```
[Out] (2*c^2*d^2*((a*e + c*d*x)*(d + e*x))^(3/2)*Hypergeometric2F1[3/2, 3, 5/2, (g*(a*e + c*d*x))/(-(c*d*f) + a*e*g)]/(3*(c*d*f - a*e*g)^3*(d + e*x)^(3/2))
```

**IntegrateAlgebraic [F]** time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]/(Sqrt[d + e*x]*(f + g*x)^3),x]
```

```
[Out] $Aborted
```

**fricas [B]** time = 0.45, size = 1056, normalized size = 5.10

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(g*x+f)^3/(e*x+d)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/8*((c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + (2*c^2*d^2*e*f*g + c^2*d^3*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*c^2*d^3*f*g)*x)*sqrt(-c*d*f*g + a*e*g^2)*log(-(c*d*e*g*x^2 - c*d^2*f + 2*a*d*e*g - (c*d*e*f - (c*d^2 + 2*a*e^2)*g)*x + 2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-c*d*f*g + a*e*g^2)*sqrt(e*x + d))/(e*g*x^2 + d*f + (e*f + d*g)*x) - 2*(c^2*d^2*f^2*g - 3*a*c*d*e*f*g^2 + 2*a^2*e^2*g^3 - (c^2*d^2*f*g^2 - a*c*d*e*g^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^2*d^3*f^4*g^2 - 2*a*c*d^2*e*f^3*g^3 + a^2*d*e^2*f^2*g^4 + (c^2*d^2*e*f^2*g^4 - 2*a*c*d*e^2*f*g^5 + a^2*e^3*g^6)*x^3 + (2*c^2*d^2*e*f^3*g^3 + a^2*d*e^2*g^6 + (c^2*d^3 - 4*a*c*d*e^2)*f^2*g^4 - 2*(a*c*d^2*e - a^2*e^3)*f*g^5)*x^2 + (c^2*d^2*e*f^4*g^2 + 2*a^2*d*e^2*f*g^5 + 2*(c^2*d^3 - a*c*d*e^2)*f^3*g^3 - (4*a*c*d^2*e - a^2*e^3)*f^2*g^4)*x, -1/4*((c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + (2*c^2*d^2*e*f*g + c^2*d^3*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*c^2*d^3*f*g)*x)*sqrt(c*d*f*g - a*e*g^2)*arctan(sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(c*d*f*g - a*e*g^2)*sqrt(e*x + d)/(c*d*e*g*x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x) + (c^2*d^2*f^2*g - 3*a*c*d*e*f*g^2 + 2*a^2*e^2*g^3 - (c^2*d^2*f*g^2 - a*c*d*e*g^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^2*d^3*f^4*g^2 - 2*a*c*d^2*e*f^3*g^3 + a^2*d*e^2*f^2*g^4 + (c^2*d^2*e*f^2*g^4 - 2*a*c*d*e^2*f*g^5 + a^2*e^3*g^6)*x^3 + (2*c^2*d^2*e*f^3*g^3 + a^2*d*e^2*g^6 + (c^2*d^3 - 4*a*c*d*e
```



$(^2)*f^2*g^4 - 2*(a*c*d^2*e - a^2*e^3)*f*g^5)*x^2 + (c^2*d^2*e*f^4*g^2 + 2*a^2*d*e^2*f*g^5 + 2*(c^2*d^3 - a*c*d*e^2)*f^3*g^3 - (4*a*c*d^2*e - a^2*e^3)*f^2*g^4)*x]$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^3/(e\*x+d)^(1/2), x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.03, size = 285, normalized size = 1.38

$$\frac{\sqrt{cdex^2 + ae^2x + cd^2x + ade} \left( c^2d^2g^2x^2 \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(aeg-cdf)g}}\right) + 2c^2d^2fgx \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(aeg-cdf)g}}\right) + c^2d^2f^2 \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(aeg-cdf)g}}\right) - \sqrt{(aeg-cdf)g} \sqrt{cdx+ae} cdgx - 2\sqrt{(aeg-cdf)g} \sqrt{cdx+ae} aeg + \sqrt{(aeg-cdf)g} \sqrt{cdx+ae} cdf \right)}{4\sqrt{ex+d} \sqrt{cdx+ae} (aeg-cdf)(gx+f)^2 \sqrt{(aeg-cdf)g} g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(g\*x+f)^3/(e\*x+d)^(1/2), x)

[Out]  $\frac{1}{4}*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^2*c^2*d^2*g^2+2*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*c^2*d^2*f*g+\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*c^2*d^2*f^2-((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c*d*g*x-2*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*e*g+((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c*d*f/(e*x+d)^(1/2)/(c*d*x+a*e)^(1/2)/(a*e*g-c*d*f)/g/(g*x+f)^2/((a*e*g-c*d*f)*g)^(1/2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{\sqrt{ex+d}(gx+f)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^3/(e\*x+d)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(sqrt(e\*x + d)\*(g\*x + f)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{(f + gx)^3 \sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^3\*(d + e\*x)^(1/2)), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^3\*(d + e\*x)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d + ex)(ae + cd x)}}{\sqrt{d + ex} (f + gx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(g\*x+f)\*\*3/(e\*x+d)\*\*(1/2), x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(sqrt(d + e\*x)\*(f + g\*x)\*\*3), x)

$$3.454 \quad \int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^4} dx$$

Optimal. Leaf size=277

$$\frac{c^3 d^3 \tan^{-1}\left(\frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}}\right)}{8g^{3/2}(cdf-aeg)^{5/2}} + \frac{c^2 d^2 \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{8g\sqrt{d+ex}(f+gx)(cdf-aeg)^2} + \frac{cd \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{12g\sqrt{d+ex}(f+gx)^2(cdf-aeg)} - \frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3g\sqrt{d+ex}(f+gx)^3}$$

**Rubi [A]** time = 0.35, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 872, 874, 205}

$$\frac{c^3 d^3 \tan^{-1}\left(\frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}}\right)}{8g^{3/2}(cdf-aeg)^{5/2}} + \frac{c^2 d^2 \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{8g\sqrt{d+ex}(f+gx)(cdf-aeg)^2} + \frac{cd \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{12g\sqrt{d+ex}(f+gx)^2(cdf-aeg)} - \frac{\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3g\sqrt{d+ex}(f+gx)^3}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^4), x]

[Out] -Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(3\*g\*Sqrt[d + e\*x]\*(f + g\*x)^3) + (c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(12\*g\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)^2) + (c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*g\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)) + (c^3\*d^3\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(8\*g^(3/2)\*(c\*d\*f - a\*e\*g)^(5/2))

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 862

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

Rule 872

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(
n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p
]
```

Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}(f + gx)^4} dx &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3g\sqrt{d + ex}(f + gx)^3} + \frac{(cd) \int \frac{\sqrt{d + ex}}{(f + gx)^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx}{6g} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3g\sqrt{d + ex}(f + gx)^3} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12g(cdf - aeg)\sqrt{d + ex}(f + gx)^2} + \frac{c^2d}{8} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3g\sqrt{d + ex}(f + gx)^3} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12g(cdf - aeg)\sqrt{d + ex}(f + gx)^2} + \frac{c^2d}{8} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3g\sqrt{d + ex}(f + gx)^3} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12g(cdf - aeg)\sqrt{d + ex}(f + gx)^2} + \frac{c^2d}{8} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3g\sqrt{d + ex}(f + gx)^3} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12g(cdf - aeg)\sqrt{d + ex}(f + gx)^2} + \frac{c^2d}{8}
\end{aligned}$$

**Mathematica [C]** time = 0.04, size = 79, normalized size = 0.29

$$\frac{2c^3d^3((d+ex)(ae+cdx))^{3/2} {}_2F_1\left(\frac{3}{2}, 4; \frac{5}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{3(d+ex)^{3/2}(cdf-aeg)^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^4), x]

[Out] (2\*c^3\*d^3\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*Hypergeometric2F1[3/2, 4, 5/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)]/(3\*(c\*d\*f - a\*e\*g)^4\*(d + e\*x)^(3/2))

**IntegrateAlgebraic [F]** time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^4), x]

[Out] \$Aborted

**fricas [B]** time = 0.50, size = 1732, normalized size = 6.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^4/(e\*x+d)^(1/2), x, algorithm="fricas")

[Out] [-1/48\*(3\*(c^3\*d^3\*e\*g^3\*x^4 + c^3\*d^4\*f^3 + (3\*c^3\*d^3\*e\*f\*g^2 + c^3\*d^4\*g^3)\*x^3 + 3\*(c^3\*d^3\*e\*f^2\*g + c^3\*d^4\*f\*g^2)\*x^2 + (c^3\*d^3\*e\*f^3 + 3\*c^3\*d^4\*f^2\*g)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*sqrt(e\*x + d))/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x) + 2\*(3\*c^3\*d^3\*f^3\*g - 17\*a\*c^2\*d^2\*e\*f^2\*g^2 + 22\*a^2\*c\*d\*e^2\*f\*g^3 - 8\*a^3\*e^3\*g^4 - 3\*(c^3\*d^3\*f\*g^3 - a\*c^2\*d^2\*e\*g^4)\*x^2 - 2\*(4\*c^3\*d^3\*f^2\*g^2 - 5\*a\*c^2\*d^2\*e\*f\*g^3 + a^2\*c\*d\*e^2\*g^4)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d))/(c^3\*d^4\*f^6\*g^2 - 3\*a\*c^2\*d^3\*e\*f^5\*g^3 + 3\*a^2\*c\*d^2\*e^2\*f^4\*g^4 - a^3\*d\*e^3\*f^3\*g^5 + (c^3\*d^3\*e\*f^3\*g^5 - 3\*a\*c^2\*d^2\*e^2\*f^2\*g^6 + 3\*a^2\*c\*d\*e^3\*f\*g^7 - a^3\*e^4\*g^8)\*x^4 + (3\*c^3\*d^3\*e\*f^4\*g^4 - a^3\*d\*e^3\*g^8 + (c^3\*d^4 - 9\*a\*c^2\*d^2\*e^2)\*f^3\*g^5 - 3\*(a\*c^2\*d^3\*e - 3\*a^2\*c\*d\*e^3)\*f^2\*g^6 + 3\*(a^2\*c\*d^2\*e^2 - a^3\*e^4)\*f\*g^7)\*x^3 + 3\*(c^3\*d^3\*e\*f^5\*g^3 - a^3\*d\*e^3\*f\*g^7 + (c^3\*d^4 - 3\*a\*c^2\*d^2\*e^2)\*f^4\*g

$$\begin{aligned} &^4 - 3*(a*c^2*d^3*e - a^2*c*d*e^3)*f^3*g^5 + (3*a^2*c*d^2*e^2 - a^3*e^4)*f^2* \\ &2*g^6)*x^2 + (c^3*d^3*e*f^6*g^2 - 3*a^3*d*e^3*f^2*g^6 + 3*(c^3*d^4 - a*c^2* \\ &d^2*e^2)*f^5*g^3 - 3*(3*a*c^2*d^3*e - a^2*c*d*e^3)*f^4*g^4 + (9*a^2*c*d^2*e \\ &^2 - a^3*e^4)*f^3*g^5)*x, -1/24*(3*(c^3*d^3*e*f^3*g^3*x^4 + c^3*d^4*f^3 + (3*c \\ &^3*d^3*e*f*g^2 + c^3*d^4*g^3)*x^3 + 3*(c^3*d^3*e*f^2*g + c^3*d^4*f*g^2)*x^2 \\ &+ (c^3*d^3*e*f^3 + 3*c^3*d^4*f^2*g)*x)*sqrt(c*d*f*g - a*e*g^2)*arctan(sqrt \\ &(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(c*d*f*g - a*e*g^2)*sqrt(e*x + \\ &d)/(c*d*e*g*x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x)) + (3*c^3*d^3*f^3*g - 17*a \\ &*c^2*d^2*e*f^2*g^2 + 22*a^2*c*d*e^2*f*g^3 - 8*a^3*e^3*g^4 - 3*(c^3*d^3*f*g^3 \\ &- a*c^2*d^2*e*g^4)*x^2 - 2*(4*c^3*d^3*f^2*g^2 - 5*a*c^2*d^2*e*f*g^3 + a^2 \\ &*c*d*e^2*g^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d) \\ &/((c^3*d^4*f^6*g^2 - 3*a*c^2*d^3*e*f^5*g^3 + 3*a^2*c*d^2*e^2*f^4*g^4 - a^3*d \\ &*e^3*f^3*g^5 + (c^3*d^3*e*f^3*g^5 - 3*a*c^2*d^2*e^2*f^2*g^6 + 3*a^2*c*d*e^3 \\ &*f*g^7 - a^3*e^4*g^8)*x^4 + (3*c^3*d^3*e*f^4*g^4 - a^3*d*e^3*g^8 + (c^3*d^4 \\ &- 9*a*c^2*d^2*e^2)*f^3*g^5 - 3*(a*c^2*d^3*e - 3*a^2*c*d*e^3)*f^2*g^6 + 3*( \\ &a^2*c*d^2*e^2 - a^3*e^4)*f*g^7)*x^3 + 3*(c^3*d^3*e*f^5*g^3 - a^3*d*e^3*f*g^7 \\ &+ (c^3*d^4 - 3*a*c^2*d^2*e^2)*f^4*g^4 - 3*(a*c^2*d^3*e - a^2*c*d*e^3)*f^3 \\ &*g^5 + (3*a^2*c*d^2*e^2 - a^3*e^4)*f^2*g^6)*x^2 + (c^3*d^3*e*f^6*g^2 - 3*a^3 \\ &*d*e^3*f^2*g^6 + 3*(c^3*d^4 - a*c^2*d^2*e^2)*f^5*g^3 - 3*(3*a*c^2*d^3*e - \\ &a^2*c*d*e^3)*f^4*g^4 + (9*a^2*c*d^2*e^2 - a^3*e^4)*f^3*g^5)*x] \end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^4/(e\*x+d)^(1/2), x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.04, size = 453, normalized size = 1.64

$$\frac{\sqrt{d}x^2 + a d e + c d^2 x + a d e^2 + c^2 d^2 x^2 \operatorname{arctanh}\left(\frac{c d x + a e}{\sqrt{c d x + a e}}\right) + 3 c^2 d^2 x \operatorname{arctanh}\left(\frac{c d x + a e}{\sqrt{c d x + a e}}\right) + 3 c^2 d^2 x^2 \operatorname{arctanh}\left(\frac{c d x + a e}{\sqrt{c d x + a e}}\right) - 3 \sqrt{(a e - c d f) g} \sqrt{d e + a e^2} \sqrt{c d x + a e} + 2 \sqrt{(a e - c d f) g} \sqrt{d e + a e^2} \sqrt{c d x + a e} - 8 \sqrt{(a e - c d f) g} \sqrt{d e + a e^2} \sqrt{c d x + a e} + 8 \sqrt{(a e - c d f) g} \sqrt{d e + a e^2} \sqrt{c d x + a e} - 14 \sqrt{(a e - c d f) g} \sqrt{d e + a e^2} \sqrt{c d x + a e} + 3 \sqrt{(a e - c d f) g} \sqrt{d e + a e^2} \sqrt{c d x + a e}}{24 \sqrt{e} \sqrt{d} \sqrt{(a e - c d f) g} (g x + f) \sqrt{d e + a e^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(g\*x+f)^4/(e\*x+d)^(1/2), x)

[Out] 
$$\begin{aligned} &-1/24*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)*(3*arctanh((c*d*x+a*e)^(1/2)/ \\ &((a*e*g-c*d*f)*g)^(1/2)*g)*x^3*c^3*d^3*g^3+9*arctanh((c*d*x+a*e)^(1/2)/((a* \\ &e*g-c*d*f)*g)^(1/2)*g)*x^2*c^3*d^3*f*g^2+9*arctanh((c*d*x+a*e)^(1/2)/((a*e* \\ &g-c*d*f)*g)^(1/2)*g)*x*c^3*d^3*f^2*g+3*arctanh((c*d*x+a*e)^(1/2)/((a*e*g-c* \\ &d*f)*g)^(1/2)*g)*c^3*d^3*f^3-3*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2 \\ &2*d^2*g^2*x^2+2*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c*d*e*g^2*x-8*( \end{aligned}$$

$$\begin{aligned} & (a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*c^2*d^2*f*g*x+8*((a*e*g-c*d*f)*g)^{(1/2)} \\ & (1/2)*(c*d*x+a*e)^{(1/2)}*a^2*e^2*g^2-14*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)} \\ & (1/2)*a*c*d*e*f*g+3*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*c^2*d^2*f^2)/ \\ & (e*x+d)^{(1/2)}/((a*e*g-c*d*f)*g)^{(1/2)}/(g*x+f)^3/g/(a*e*g-c*d*f)^2/(c*d*x+a* \\ & e)^{(1/2)} \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{\sqrt{ex + d}(gx + f)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^4/(e\*x+d)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(sqrt(e\*x + d)\*(g\*x + f)^4), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{(f + gx)^4 \sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^4\*(d + e\*x)^(1/2)), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^4\*(d + e\*x)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d + ex)(ae + cd*x)}}{\sqrt{d + ex}(f + gx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(g\*x+f)\*\*4/(e\*x+d)\*\*(1/2), x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(sqrt(d + e\*x)\*(f + g\*x)\*\*4), x)

$$3.455 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^5} dx$$

**Optimal.** Leaf size=347

$$\frac{5c^4 d^4 \tan^{-1}\left(\frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}}\right)}{64g^{3/2}(cdf - aeg)^{7/2}} + \frac{5c^3 d^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64g\sqrt{d+ex}(f+gx)(cdf - aeg)^3} + \frac{5c^2 d^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{96g\sqrt{d+ex}(f+gx)^2(cdf - aeg)^2}$$

**Rubi [A]** time = 0.45, antiderivative size = 347, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 872, 874, 205}

$$\frac{5c^4 d^4 \tan^{-1}\left(\frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}}\right)}{64g^{3/2}(cdf - aeg)^{7/2}} + \frac{5c^3 d^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64g\sqrt{d+ex}(f+gx)(cdf - aeg)^3} + \frac{5c^2 d^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{96g\sqrt{d+ex}(f+gx)^2(cdf - aeg)^2} + \frac{cd \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{24g\sqrt{d+ex}(f+gx)^3(cdf - aeg)} - \frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4g\sqrt{d+ex}(f+gx)^4}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^5), x]

[Out] -Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(4\*g\*Sqrt[d + e\*x]\*(f + g\*x)^4) + (c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(24\*g\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)^3) + (5\*c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(96\*g\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)^2) + (5\*c^3\*d^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(64\*g\*(c\*d\*f - a\*e\*g)^3\*Sqrt[d + e\*x]\*(f + g\*x)) + (5\*c^4\*d^4\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(64\*g^(3/2)\*(c\*d\*f - a\*e\*g)^(7/2))

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 862**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])



Rule 872

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(
n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p
]

```

Rule 874

```

Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^5} dx &= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g\sqrt{d+ex}(f+gx)^4} + \frac{(cd) \int \frac{\sqrt{d+ex}}{(f+gx)^4 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{8g} \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g\sqrt{d+ex}(f+gx)^4} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24g(cdf - aeg)\sqrt{d+ex}(f+gx)^3} + \dots \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g\sqrt{d+ex}(f+gx)^4} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24g(cdf - aeg)\sqrt{d+ex}(f+gx)^3} + \dots \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g\sqrt{d+ex}(f+gx)^4} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24g(cdf - aeg)\sqrt{d+ex}(f+gx)^3} + \dots \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g\sqrt{d+ex}(f+gx)^4} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24g(cdf - aeg)\sqrt{d+ex}(f+gx)^3} + \dots \\
&= -\frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g\sqrt{d+ex}(f+gx)^4} + \frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24g(cdf - aeg)\sqrt{d+ex}(f+gx)^3} + \dots
\end{aligned}$$

**Mathematica [C]** time = 0.04, size = 79, normalized size = 0.23

$$\frac{2c^4d^4((d+ex)(ae+cdx))^{3/2} {}_2F_1\left(\frac{3}{2}, 5; \frac{5}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{3(d+ex)^{3/2}(cdf-aeg)^5}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^5), x]

[Out] (2\*c^4\*d^4\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*Hypergeometric2F1[3/2, 5, 5/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)]/(3\*(c\*d\*f - a\*e\*g)^5\*(d + e\*x)^(3/2))

**IntegrateAlgebraic [F]** time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^5),x]

[Out] \$Aborted

**fricas** [B] time = 0.48, size = 2610, normalized size = 7.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^5/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out] [1/384\*(15\*(c^4\*d^4\*e\*g^4\*x^5 + c^4\*d^5\*f^4 + (4\*c^4\*d^4\*e\*f\*g^3 + c^4\*d^5\*g^4)\*x^4 + 2\*(3\*c^4\*d^4\*e\*f^2\*g^2 + 2\*c^4\*d^5\*f\*g^3)\*x^3 + 2\*(2\*c^4\*d^4\*e\*f^3\*g + 3\*c^4\*d^5\*f^2\*g^2)\*x^2 + (c^4\*d^4\*e\*f^4 + 4\*c^4\*d^5\*f^3\*g)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*sqrt(e\*x + d))/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)) - 2\*(15\*c^4\*d^4\*f^4\*g - 133\*a\*c^3\*d^3\*e\*f^3\*g^2 + 254\*a^2\*c^2\*d^2\*e^2\*f^2\*g^3 - 184\*a^3\*c\*d\*e^3\*f\*g^4 + 48\*a^4\*e^4\*g^5 - 15\*(c^4\*d^4\*f\*g^4 - a\*c^3\*d^3\*e\*g^5)\*x^3 - 5\*(11\*c^4\*d^4\*f^2\*g^3 - 13\*a\*c^3\*d^3\*e\*f\*g^4 + 2\*a^2\*c^2\*d^2\*e^2\*g^5)\*x^2 - (73\*c^4\*d^4\*f^3\*g^2 - 109\*a\*c^3\*d^3\*e\*f^2\*g^3 + 44\*a^2\*c^2\*d^2\*e^2\*f\*g^4 - 8\*a^3\*c\*d\*e^3\*g^5)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d))/(c^4\*d^5\*f^8\*g^2 - 4\*a\*c^3\*d^4\*e\*f^7\*g^3 + 6\*a^2\*c^2\*d^3\*e^2\*f^6\*g^4 - 4\*a^3\*c\*d^2\*e^3\*f^5\*g^5 + a^4\*d\*e^4\*f^4\*g^6 + (c^4\*d^4\*e\*f^4\*g^6 - 4\*a\*c^3\*d^3\*e^2\*f^3\*g^7 + 6\*a^2\*c^2\*d^2\*e^3\*f^2\*g^8 - 4\*a^3\*c\*d\*e^4\*f\*g^9 + a^4\*e^5\*g^10)\*x^5 + (4\*c^4\*d^4\*e\*f^5\*g^5 + a^4\*d\*e^4\*g^10 + (c^4\*d^5 - 16\*a\*c^3\*d^3\*e^2)\*f^4\*g^6 - 4\*(a\*c^3\*d^4\*e - 6\*a^2\*c^2\*d^2\*e^3)\*f^3\*g^7 + 2\*(3\*a^2\*c^2\*d^3\*e^2 - 8\*a^3\*c\*d\*e^4)\*f^2\*g^8 - 4\*(a^3\*c\*d^2\*e^3 - a^4\*e^5)\*f\*g^9)\*x^4 + 2\*(3\*c^4\*d^4\*e\*f^6\*g^4 + 2\*a^4\*d\*e^4\*f\*g^9 + 2\*(c^4\*d^5 - 6\*a\*c^3\*d^3\*e^2)\*f^5\*g^5 - 2\*(4\*a\*c^3\*d^4\*e - 9\*a^2\*c^2\*d^2\*e^3)\*f^4\*g^6 + 12\*(a^2\*c^2\*d^3\*e^2 - a^3\*c\*d\*e^4)\*f^3\*g^7 - (8\*a^3\*c\*d^2\*e^3 - 3\*a^4\*e^5)\*f^2\*g^8)\*x^3 + 2\*(2\*c^4\*d^4\*e\*f^7\*g^3 + 3\*a^4\*d\*e^4\*f^2\*g^8 + (3\*c^4\*d^5 - 8\*a\*c^3\*d^3\*e^2)\*f^6\*g^4 - 12\*(a\*c^3\*d^4\*e - a^2\*c^2\*d^2\*e^3)\*f^5\*g^5 + 2\*(9\*a^2\*c^2\*d^3\*e^2 - 4\*a^3\*c\*d\*e^4)\*f^4\*g^6 - 2\*(6\*a^3\*c\*d^2\*e^3 - a^4\*e^5)\*f^3\*g^7)\*x^2 + (c^4\*d^4\*e\*f^8\*g^2 + 4\*a^4\*d\*e^4\*f^3\*g^7 + 4\*(c^4\*d^5 - a\*c^3\*d^3\*e^2)\*f^7\*g^3 - 2\*(8\*a\*c^3\*d^4\*e - 3\*a^2\*c^2\*d^2\*e^3)\*f^6\*g^4 + 4\*(6\*a^2\*c^2\*d^3\*e^2 - a^3\*c\*d\*e^4)\*f^5\*g^5 - (16\*a^3\*c\*d^2\*e^3 - a^4\*e^5)\*f^4\*g^6)\*x), -1/192\*(15\*(c^4\*d^4\*e\*g^4\*x^5 + c^4\*d^5\*f^4 + (4\*c^4\*d^4\*e\*f\*g^3 + c^4\*d^5\*g^4)\*x^4 + 2\*(3\*c^4\*d^4\*e\*f^2\*g^2 + 2\*c^4\*d^5\*f\*g^3)\*x^3 + 2\*(2\*c^4\*d^4\*e\*f^3\*g + 3\*c^4\*d^5\*f^2\*g^2)\*x^2 + (c^4\*d^4\*e\*f^4 + 4\*c^4\*d^5\*f^3\*g)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*arctan(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*sqrt(e\*x + d)/(c\*d\*e\*g\*x^2 + a\*d\*e\*g + (c\*d^2 + a\*e^2)\*g\*x)) + (15\*c^4\*d^4\*f^4\*g - 133\*a\*c^3\*d^3\*e\*f^3\*g^2 + 254\*a^2\*c^2\*d^2\*e^2\*f^2\*g^3 - 184\*a^3\*c\*d\*e^3\*f\*g^4 + 48\*a^4\*e^4\*g^5 - 15\*(c^4\*d^4\*f\*g^4 - a\*c^3\*d

$$\begin{aligned} & ^3*e*g^5)*x^3 - 5*(11*c^4*d^4*f^2*g^3 - 13*a*c^3*d^3*e*f*g^4 + 2*a^2*c^2*d^2 \\ & *e^2*g^5)*x^2 - (73*c^4*d^4*f^3*g^2 - 109*a*c^3*d^3*e*f^2*g^3 + 44*a^2*c^2 \\ & *d^2*e^2*f*g^4 - 8*a^3*c*d*e^3*g^5)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a \\ & *e^2)*x)*\text{sqrt}(e*x + d))/(c^4*d^5*f^8*g^2 - 4*a*c^3*d^4*e*f^7*g^3 + 6*a^2*c^2 \\ & *d^3*e^2*f^6*g^4 - 4*a^3*c*d^2*e^3*f^5*g^5 + a^4*d*e^4*f^4*g^6 + (c^4*d^4*e \\ & *f^4*g^6 - 4*a*c^3*d^3*e^2*f^3*g^7 + 6*a^2*c^2*d^2*e^3*f^2*g^8 - 4*a^3*c*d* \\ & *e^4*f*g^9 + a^4*e^5*g^10)*x^5 + (4*c^4*d^4*e*f^5*g^5 + a^4*d*e^4*g^10 + (c^ \\ & 4*d^5 - 16*a*c^3*d^3*e^2)*f^4*g^6 - 4*(a*c^3*d^4*e - 6*a^2*c^2*d^2*e^3)*f^3 \\ & *g^7 + 2*(3*a^2*c^2*d^3*e^2 - 8*a^3*c*d*e^4)*f^2*g^8 - 4*(a^3*c*d^2*e^3 - a \\ & ^4*e^5)*f*g^9)*x^4 + 2*(3*c^4*d^4*e*f^6*g^4 + 2*a^4*d*e^4*f*g^9 + 2*(c^4*d^ \\ & 5 - 6*a*c^3*d^3*e^2)*f^5*g^5 - 2*(4*a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^4*g^ \\ & 6 + 12*(a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^3*g^7 - (8*a^3*c*d^2*e^3 - 3*a^4*e \\ & ^5)*f^2*g^8)*x^3 + 2*(2*c^4*d^4*e*f^7*g^3 + 3*a^4*d*e^4*f^2*g^8 + (3*c^4*d^ \\ & 5 - 8*a*c^3*d^3*e^2)*f^6*g^4 - 12*(a*c^3*d^4*e - a^2*c^2*d^2*e^3)*f^5*g^5 + \\ & 2*(9*a^2*c^2*d^3*e^2 - 4*a^3*c*d*e^4)*f^4*g^6 - 2*(6*a^3*c*d^2*e^3 - a^4*e \\ & ^5)*f^3*g^7)*x^2 + (c^4*d^4*e*f^8*g^2 + 4*a^4*d*e^4*f^3*g^7 + 4*(c^4*d^5 - \\ & a*c^3*d^3*e^2)*f^7*g^3 - 2*(8*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^6*g^4 + 4* \\ & (6*a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^5*g^5 - (16*a^3*c*d^2*e^3 - a^4*e^5)*f^ \\ & 4*g^6)*x] \end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^5/(e\*x+d)^(1/2), x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.04, size = 696, normalized size = 2.01

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(g\*x+f)^5/(e\*x+d)^(1/2), x)

[Out]  $\frac{1}{192}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*(15*\text{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x^4*c^4*d^4*g^4+60*\text{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x^3*c^4*d^4*f*g^3+90*\text{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x^2*c^4*d^4*f^2*g^2+60*\text{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x*c^4*d^4*f^3*g-15*x^3*c^3*d^3*g^3*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}+15*\text{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*c^4*d^4*f^4+10*x^2*a*c^2*d^2*e*g^3*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)$

$$\begin{aligned}
 & *g)^{(1/2)} - 55*x^2*c^3*d^3*f*g^2*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)} - 8* \\
 & x*a^2*c*d*e^2*g^3*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)} + 36*x*a*c^2*d^2* \\
 & e*f*g^2*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)} - 73*x*c^3*d^3*f^2*g*(c*d*x \\
 & +a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)} - 48*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)} \\
 & *a^3*e^3*g^3 + 136*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a^2*c*d*e^2 \\
 & *f*g^2 - 118*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a*c^2*d^2*e*f^2*g + 15*( \\
 & (a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*c^3*d^3*f^3/(e*x+d)^{(1/2)}/((a*e*g \\
 & -c*d*f)*g)^{(1/2)}/(g*x+f)^4/g/(a*e*g-c*d*f)/(a^2*e^2*g^2-2*a*c*d*e*f*g+c^2*d \\
 & ^2*f^2)/(c*d*x+a*e)^{(1/2)}
 \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{\sqrt{ex + d}(gx + f)^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^5/(e\*x+d)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(sqrt(e\*x + d)\*(g\*x + f)^5), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{(f + gx)^5 \sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^5\*(d + e\*x)^(1/2)), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^5\*(d + e\*x)^(1/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(g\*x+f)\*\*5/(e\*x+d)\*\*(1/2), x)

[Out] Timed out

$$3.456 \quad \int \frac{(f+gx)^4 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx$$

**Optimal.** Leaf size=336

$$\frac{128 (x (ae^2 + cd^2) + ade + cdex^2)^{5/2} (cdf - aeg)^3 (2ae^2g - cd(7ef - 5dg))}{15015c^5d^5e(d+ex)^{5/2}} + \frac{128g (x (ae^2 + cd^2) + ade + cdex^2)^5}{3003c^4d^4e(d+ex)^{3/2}}$$

**Rubi [A]** time = 0.61, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {870, 794, 648}

$$\frac{16(f+gx)^3(x(ae^2+cd^2)+ade+cdex^2)^{5/2}(cdf-aeg)}{143c^2d^2(d+ex)^{5/2}} + \frac{32(f+gx)^2(x(ae^2+cd^2)+ade+cdex^2)^{5/2}(cdf-aeg)^2}{429c^3d^3(d+ex)^{5/2}} + \frac{128g(x(ae^2+cd^2)+ade+cdex^2)^{5/2}(cdf-aeg)^3}{3003c^4d^4e(d+ex)^{3/2}} - \frac{128(x(ae^2+cd^2)+ade+cdex^2)^{5/2}(cdf-aeg)^3(2ae^2g-cd(7ef-5dg))}{15015c^5d^5e(d+ex)^{5/2}} + \frac{2(f+gx)^4(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{13cd(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^4\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (-128\*(c\*d\*f - a\*e\*g)^3\*(2\*a\*e^2\*g - c\*d\*(7\*e\*f - 5\*d\*g))\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(15015\*c^5\*d^5\*e\*(d + e\*x)^(5/2)) + (128\*g\*(c\*d\*f - a\*e\*g)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(3003\*c^4\*d^4\*e\*(d + e\*x)^(3/2)) + (32\*(c\*d\*f - a\*e\*g)^2\*(f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(429\*c^3\*d^3\*(d + e\*x)^(5/2)) + (16\*(c\*d\*f - a\*e\*g)\*(f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(143\*c^2\*d^2\*(d + e\*x)^(5/2)) + (2\*(f + g\*x)^4\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(13\*c\*d\*(d + e\*x)^(5/2))

### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rule 870

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

### Rubi steps

$$\int \frac{(f + gx)^4 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}} dx = \frac{2(f + gx)^4 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{13cd(d + ex)^{5/2}} + \frac{(8cdf - aeg)}{13cd(d + ex)^{5/2}}$$

$$= \frac{16(cdf - aeg)(f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{143c^2d^2(d + ex)^{5/2}} + \frac{2(8cdf - aeg)(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{143c^2d^2(d + ex)^{5/2}}$$

$$= \frac{32(cdf - aeg)^2(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{429c^3d^3(d + ex)^{5/2}} + \frac{2(8cdf - aeg)(f + gx) (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{429c^3d^3(d + ex)^{5/2}}$$

$$= \frac{128g(cdf - aeg)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3003c^4d^4e(d + ex)^{3/2}} + \frac{32(cdf - aeg)(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3003c^4d^4e(d + ex)^{3/2}}$$

$$= \frac{128(cdf - aeg)^3 \left(7f - \frac{5dg}{e} - \frac{2aeg}{cd}\right) (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{15015c^4d^4(d + ex)^{5/2}}$$

**Mathematica [A]** time = 0.23, size = 195, normalized size = 0.58

$$\frac{2((d + ex)(ae + cdex))^{5/2} (128a^4e^4g^4 - 64a^3cde^3g^3(13f + 5gx) + 16a^2c^2d^2e^2g^2(143f^2 + 130fgx + 35g^2x^2) - 8ac^3d^3eg(429f^3 + 715f^2gx + 455fg^2x^2 + 105g^3x^3) + c^4d^4(3003f^4 + 8580f^3gx + 10010f^2g^2x^2 + 5460fg^3x^3 + 1155g^4x^4))}{15015c^4d^4(d + ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^4\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*(128\*a^4\*e^4\*g^4 - 64\*a^3\*c\*d\*e^3\*g^3\*(13\*f + 5\*g\*x) + 16\*a^2\*c^2\*d^2\*e^2\*g^2\*(143\*f^2 + 130\*f\*g\*x + 35\*g^2\*x^2) - 8\*a\*c^3\*d^3\*e\*g\*(429\*f^3 + 715\*f^2\*g\*x + 455\*f\*g^2\*x^2 + 105\*g^3\*x^3) + c^4\*d^4\*(3003\*f^4 + 8580\*f^3\*g\*x + 10010\*f^2\*g^2\*x^2 + 5460\*f\*g^3\*x^3 + 1155\*g^4\*x^4)))/(15015\*c^5\*d^5\*(d + e\*x)^(5/2))

**IntegrateAlgebraic [F]** time = 180.10, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((f + g\*x)^4\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] \$Aborted

**fricas [A]** time = 0.43, size = 472, normalized size = 1.40

2(1155g^4a^4d^4 - 840a^3d^3e g^4 + 5460a^4d^4 f^2 g^3 + 560a^2c^2d^2e^2 g^3 + 3640a^2d^3e f^2 g^3 + 10010a^4d^4 f^2 g^3 - 320a^3cd^2e^2 g^3 + 2080a^2c^2d^2e^2 f^2 g^3 - 5720a^3d^3e f^2 g^3 + 8580a^4d^4 f^2 g^3 + 128a^4e^4 - 832a^3cd^2e^2 f^2 g^3 + 2288a^2c^2d^2e^2 f^2 g^3 - 3432a^3d^3e f^2 g^3 + 3003a^4d^4 f^2 g^3)(cdx^2 + ade + (cd^2 + ae^2)x)^3/(ex + d)^3/2

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2), x, algorithm="fricas")

[Out] 2/15015\*(1155\*c^6\*d^6\*g^4\*x^6 + 3003\*a^2\*c^4\*d^4\*e^2\*f^4 - 3432\*a^3\*c^3\*d^3\*e^3\*f^3\*g + 2288\*a^4\*c^2\*d^2\*e^4\*f^2\*g^2 - 832\*a^5\*c\*d\*e^5\*f\*g^3 + 128\*a^6\*e^6\*g^4 + 210\*(26\*c^6\*d^6\*f\*g^3 + 7\*a\*c^5\*d^5\*e\*g^4)\*x^5 + 35\*(286\*c^6\*d^6\*f^2\*g^2 + 208\*a\*c^5\*d^5\*e\*f\*g^3 + a^2\*c^4\*d^4\*e^2\*g^4)\*x^4 + 20\*(429\*c^6\*d^6\*f^3\*g + 715\*a\*c^5\*d^5\*e\*f^2\*g^2 + 13\*a^2\*c^4\*d^4\*e^2\*f\*g^3 - 2\*a^3\*c^3\*d^3\*e^3\*g^4)\*x^3 + 3\*(1001\*c^6\*d^6\*f^4 + 4576\*a\*c^5\*d^5\*e\*f^3\*g + 286\*a^2\*c^4\*d^4\*e^2\*f^2\*g^2 - 104\*a^3\*c^3\*d^3\*e^3\*f\*g^3 + 16\*a^4\*c^2\*d^2\*e^4\*g^4)\*x^2 + 2\*(3003\*a\*c^5\*d^5\*e\*f^4 + 858\*a^2\*c^4\*d^4\*e^2\*f^3\*g - 572\*a^3\*c^3\*d^3\*e^3\*f^2\*g^2 + 208\*a^4\*c^2\*d^2\*e^4\*f\*g^3 - 32\*a^5\*c\*d\*e^5\*g^4)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^5\*d^5\*e\*x + c^5\*d^6)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(gx + f)^4}{(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2), x, algorithm="giac")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*(g\*x + f)^4/(e\*x + d)^(3/2), x)

**maple [A]** time = 0.01, size = 283, normalized size = 0.84

2(cdx + ad)(1155g^4a^4d^4 - 840a^3d^3e g^4 + 5460a^4d^4 f^2 g^3 + 560a^2c^2d^2e^2 g^3 + 3640a^2d^3e f^2 g^3 + 10010a^4d^4 f^2 g^3 - 320a^3cd^2e^2 g^3 + 2080a^2c^2d^2e^2 f^2 g^3 - 5720a^3d^3e f^2 g^3 + 8580a^4d^4 f^2 g^3 + 128a^4e^4 - 832a^3cd^2e^2 f^2 g^3 + 2288a^2c^2d^2e^2 f^2 g^3 - 3432a^3d^3e f^2 g^3 + 3003a^4d^4 f^2 g^3)(cdx^2 + ade + (cd^2 + ae^2)x)^3/2



Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((g*x+f)^4*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(3/2)}/(e*x+d)^{(3/2)}, x)$

[Out]  $2/15015*(c*d*x+a*e)*(1155*c^4*d^4*g^4*x^4-840*a*c^3*d^3*e*g^4*x^3+5460*c^4*d^4*f*g^3*x^3+560*a^2*c^2*d^2*e^2*g^4*x^2-3640*a*c^3*d^3*e*f*g^3*x^2+10010*c^4*d^4*f^2*g^2*x^2-320*a^3*c*d*e^3*g^4*x+2080*a^2*c^2*d^2*e^2*f*g^3*x-5720*a*c^3*d^3*e*f^2*g^2*x+8580*c^4*d^4*f^3*g*x+128*a^4*e^4*g^4-832*a^3*c*d*e^3*f*g^3+2288*a^2*c^2*d^2*e^2*f^2*g^2-3432*a*c^3*d^3*e*f^3*g+3003*c^4*d^4*f^4)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(3/2)}/c^5/d^5/(e*x+d)^{(3/2)}$

**maxima [A]** time = 0.74, size = 413, normalized size = 1.23

$\frac{2(\sqrt{d^2x^2+2adex+a^2})\sqrt{dx+e}}{5d^2}, \frac{8(5d^2e^2+8ad^2e^2+a^2d^2e-2d^2e)\sqrt{dx+e}}{35d^2e^2}, \frac{4(25d^4e^4+50ad^4e^2+3d^2e^2d^2-4d^2e^2+8d^4e)\sqrt{dx+e}}{105d^2e^2}, \frac{8(105d^2e^2+140ad^2e^2+5d^2e^2d^2-6d^2e^2d^2+8d^4e-16d^2e)\sqrt{dx+e}}{1155d^2e^2}, \frac{2(1155d^4e^4+1470ad^4e^2+35d^2e^2d^2-40d^2e^2d^2+48d^4e^2+128d^4e)\sqrt{dx+e}}{15015d^2e^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((g*x+f)^4*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(3/2)}/(e*x+d)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out]  $2/5*(c^2*d^2*x^2 + 2*a*c*d*e*x + a^2*e^2)*\text{sqrt}(c*d*x + a*e)*f^4/(c*d) + 8/35*(5*c^3*d^3*x^3 + 8*a*c^2*d^2*e*x^2 + a^2*c*d*e^2*x - 2*a^3*e^3)*\text{sqrt}(c*d*x + a*e)*f^3*g/(c^2*d^2) + 4/105*(35*c^4*d^4*x^4 + 50*a*c^3*d^3*e*x^3 + 3*a^2*c^2*d^2*e^2*x^2 - 4*a^3*c*d*e^3*x + 8*a^4*e^4)*\text{sqrt}(c*d*x + a*e)*f^2*g^2/(c^3*d^3) + 8/1155*(105*c^5*d^5*x^5 + 140*a*c^4*d^4*e*x^4 + 5*a^2*c^3*d^3*e^2*x^3 - 6*a^3*c^2*d^2*e^3*x^2 + 8*a^4*c*d*e^4*x - 16*a^5*e^5)*\text{sqrt}(c*d*x + a*e)*f*g^3/(c^4*d^4) + 2/15015*(1155*c^6*d^6*x^6 + 1470*a*c^5*d^5*e*x^5 + 35*a^2*c^4*d^4*e^2*x^4 - 40*a^3*c^3*d^3*e^3*x^3 + 48*a^4*c^2*d^2*e^4*x^2 - 64*a^5*c*d*e^5*x + 128*a^6*e^6)*\text{sqrt}(c*d*x + a*e)*g^4/(c^5*d^5)$

**mupad [B]** time = 3.80, size = 445, normalized size = 1.32

$\frac{\sqrt{d^2x^2+(c*d^2+e^2)x+ad}}{15d} \left( \frac{1155d^2e^2+1470ad^2e^2+35d^2e^2d^2-40d^2e^2d^2+48d^4e^2+128d^4e}{15015d^2e^2} \sqrt{d^2x^2+(c*d^2+e^2)x+ad} + \frac{2(1155d^4e^4+1470ad^4e^2+35d^2e^2d^2-40d^2e^2d^2+48d^4e^2+128d^4e)\sqrt{d^2x^2+(c*d^2+e^2)x+ad}}{15015d^2e^2} \right) + \frac{4(25d^4e^4+50ad^4e^2+3d^2e^2d^2-4d^2e^2+8d^4e)\sqrt{d^2x^2+(c*d^2+e^2)x+ad}}{105d^2e^2} + \frac{8(105d^2e^2+140ad^2e^2+5d^2e^2d^2-6d^2e^2d^2+8d^4e-16d^2e)\sqrt{d^2x^2+(c*d^2+e^2)x+ad}}{1155d^2e^2} + \frac{2(1155d^4e^4+1470ad^4e^2+35d^2e^2d^2-40d^2e^2d^2+48d^4e^2+128d^4e)\sqrt{d^2x^2+(c*d^2+e^2)x+ad}}{15015d^2e^2}$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(((f + g*x)^4*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(3/2)})/(d + e*x)^{(3/2)}, x)$

[Out]  $((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}*((4*g^3*x^5*(7*a*e*g + 26*c*d*f))/143 + (256*a^6*e^6*g^4 + 6006*a^2*c^4*d^4*e^2*f^4 - 6864*a^3*c^3*d^3*e^3*f^3*g - 1664*a^5*c*d*e^5*f*g^3 + 4576*a^4*c^2*d^2*e^4*f^2*g^2)/(15015*c^5*d^5) + (x^2*(6006*c^6*d^6*f^4 + 96*a^4*c^2*d^2*e^4*g^4 - 624*a^3*c^3*d^3*e^3*f*g^3 + 27456*a*c^5*d^5*e*f^3*g + 1716*a^2*c^4*d^4*e^2*f^2*g^2))/(15015*c^5*d^5) + (x*(12012*a*c^5*d^5*e*f^4 - 128*a^5*c*d*e^5*g^4 + 3432*a^2*c^4*d^4*e^2*f^3*g + 832*a^4*c^2*d^2*e^4*f*g^3 - 2288*a^3*c^3*d^3*e^3*f^2*g^2))/(15015*c^5*d^5) + (2*c*d*g^4*x^6)/13 + (8*g*x^3*(429*c^3*d^3*f^3 - 2*a^3*e$

$$\frac{(3g^3 + 715ac^2d^2ef^2g + 13a^2cde^2fg^2)}{(3003c^2d^2) + (2g^2x^4(a^2e^2g^2 + 286c^2d^2f^2 + 208acde^2fg)) / (429cd)} / (d + ex)^{1/2}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*4\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2),x)

[Out] Timed out

$$3.457 \quad \int \frac{(f+gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx$$

**Optimal.** Leaf size=269

$$\frac{16(x(ae^2 + cd^2) + ade + cdex^2)^{5/2} (cdf - aeg)^2 (2ae^2g - cd(7ef - 5dg))}{1155c^4d^4e(d+ex)^{5/2}} + \frac{16g(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{231c^3d^3e(d+ex)^{3/2}}$$

**Rubi [A]** time = 0.41, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {870, 794, 648}

$$\frac{4(f+gx)^2(x(ae^2+cd^2)+ade+cdex^2)^{5/2}(cdf-aeg)}{33c^2d^2(d+ex)^{5/2}} + \frac{16g(x(ae^2+cd^2)+ade+cdex^2)^{5/2}(cdf-aeg)^2}{231c^3d^3e(d+ex)^{3/2}} - \frac{16(x(ae^2+cd^2)+ade+cdex^2)^{5/2}(cdf-aeg)^2(2ae^2g-cd(7ef-5dg))}{1155c^4d^4e(d+ex)^{5/2}} + \frac{2(f+gx)^3(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{11cd(d+ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (-16\*(c\*d\*f - a\*e\*g)^2\*(2\*a\*e^2\*g - c\*d\*(7\*e\*f - 5\*d\*g))\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(1155\*c^4\*d^4\*e\*(d + e\*x)^(5/2)) + (16\*g\*(c\*d\*f - a\*e\*g)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(231\*c^3\*d^3\*e\*(d + e\*x)^(3/2)) + (4\*(c\*d\*f - a\*e\*g)\*(f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(33\*c^2\*d^2\*(d + e\*x)^(5/2)) + (2\*(f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(11\*c\*d\*(d + e\*x)^(5/2))

### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rule 870

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(

$a + b*x + c*x^2)^{(p + 1)}/(c*(m - n - 1)), x] - \text{Dist}[(n*(c*e*f + c*d*g - b*e*g))/(c*e*(m - n - 1)), \text{Int}[(d + e*x)^m*(f + g*x)^{(n - 1)*(a + b*x + c*x^2)^p}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, p\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& !\text{IntegerQ}[p] \&\& \text{EqQ}[m + p, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[m - n - 1, 0] \&\& (\text{IntegerQ}[2*p] || \text{IntegerQ}[n])$

### Rubi steps

$$\begin{aligned} \int \frac{(f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}} dx &= \frac{2(f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{11cd(d + ex)^{5/2}} + \frac{(6cdf - aeg) \int (f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2} dx}{11cd(d + ex)^{5/2}} \\ &= \frac{4(cdf - aeg)(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{33c^2d^2(d + ex)^{5/2}} + \frac{2(f + gx) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{11cd(d + ex)^{5/2}} \\ &= \frac{16g(cdf - aeg)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{231c^3d^3e(d + ex)^{3/2}} + \frac{4(cdf - aeg) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{11cd(d + ex)^{5/2}} \\ &= \frac{16(cdf - aeg)^2 \left(7f - \frac{5dg}{e} - \frac{2aeg}{cd}\right) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{1155c^3d^3(d + ex)^{5/2}} \end{aligned}$$

**Mathematica** [A] time = 0.17, size = 137, normalized size = 0.51

$$\frac{2((d + ex)(ae + cdx))^{5/2} (-16a^3e^3g^3 + 8a^2cde^2g^2(11f + 5gx) - 2ac^2d^2eg(99f^2 + 110fgx + 35g^2x^2) + c^3d^3(231f^3 + 495f^2gx + 385fg^2x^2 + 105g^3x^3))}{1155c^4d^4(d + ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*(-16\*a^3\*e^3\*g^3 + 8\*a^2\*c\*d\*e^2\*g^2\*(11\*f + 5\*g\*x) - 2\*a\*c^2\*d^2\*e\*g\*(99\*f^2 + 110\*f\*g\*x + 35\*g^2\*x^2) + c^3\*d^3\*(231\*f^3 + 495\*f^2\*g\*x + 385\*f\*g^2\*x^2 + 105\*g^3\*x^3)))/(1155\*c^4\*d^4\*(d + e\*x)^(5/2))

**IntegrateAlgebraic** [F] time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] \$Aborted

**fricas** [A] time = 0.44, size = 340, normalized size = 1.26

$$\frac{2(105c^5d^5g^3x^5 + 231a^2c^3d^3e^2f^3 - 198a^3c^2d^2e^3f^2g + 88a^4c*d*e^4f*g^2 - 16a^5e^5g^3 + 35(11c^5d^5f*g^2 + 4a^*c^4*d^4*e*g^3)*x^4 + 5(99c^5d^5f^2g + 110a^*c^4*d^4*e*f*g^2 + a^2*c^3*d^3*e^2*g^3)*x^3 + 3(77c^5d^5f^3 + 264a^*c^4*d^4*e*f^2g + 11a^2*c^3*d^3*e^2*f*g^2 - 2a^3*c^2*d^2*e^3*f*g^3)*x^2 + (462a^*c^4*d^4*e*f^3 + 99a^2*c^3*d^3*e^2*f^2g - 44a^3*c^2*d^2*e^3*f*g^2 + 8a^4*c*d*e^4g^3)*x)*\sqrt{cdx^2 + ade + (d^2 + ae^2)*x + d}}{1155(c^4dex + c^4d^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2), x, algorithm="fricas")

[Out] 2/1155\*(105\*c^5\*d^5\*g^3\*x^5 + 231\*a^2\*c^3\*d^3\*e^2\*f^3 - 198\*a^3\*c^2\*d^2\*e^3\*f^2\*g + 88\*a^4\*c\*d\*e^4\*f\*g^2 - 16\*a^5\*e^5\*g^3 + 35\*(11\*c^5\*d^5\*f\*g^2 + 4\*a\*c^4\*d^4\*e\*g^3)\*x^4 + 5\*(99\*c^5\*d^5\*f^2\*g + 110\*a\*c^4\*d^4\*e\*f\*g^2 + a^2\*c^3\*d^3\*e^2\*g^3)\*x^3 + 3\*(77\*c^5\*d^5\*f^3 + 264\*a\*c^4\*d^4\*e\*f^2\*g + 11\*a^2\*c^3\*d^3\*e^2\*f\*g^2 - 2\*a^3\*c^2\*d^2\*e^3\*f\*g^3)\*x^2 + (462\*a\*c^4\*d^4\*e\*f^3 + 99\*a^2\*c^3\*d^3\*e^2\*f^2\*g - 44\*a^3\*c^2\*d^2\*e^3\*f\*g^2 + 8\*a^4\*c\*d\*e^4\*g^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^4\*d^4\*e\*x + c^4\*d^5)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(gx + f)^3}{(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2), x, algorithm="giac")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*(g\*x + f)^3/(e\*x + d)^(3/2), x)

**maple** [A] time = 0.01, size = 188, normalized size = 0.70

$$\frac{2(cdx + ae)(-105g^3x^3c^3d^3 + 70a^2c^2d^2eg^3x^2 - 385c^3d^3fg^2x^2 - 40a^2cd^2e^2g^3x + 220a^2c^2d^2efg^2x - 495c^3d^3f^2gx + 16a^3e^3g^3 - 88a^2cd^2efg^2 + 198a^2c^2d^2ef^2g - 231f^3c^3d^3)(cdex^2 + ae^2x + cd^2x + ade)^{\frac{3}{2}}}{1155(ex + d)^{\frac{3}{2}}c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^3\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2), x)

[Out] -2/1155\*(c\*d\*x+a\*e)\*(-105\*c^3\*d^3\*g^3\*x^3+70\*a\*c^2\*d^2\*e\*g^3\*x^2-385\*c^3\*d^3\*f\*g^2\*x^2-40\*a^2\*c\*d\*e^2\*g^3\*x+220\*a\*c^2\*d^2\*e\*f\*g^2\*x-495\*c^3\*d^3\*f^2\*g\*

$x+16*a^3*e^3*g^3-88*a^2*c*d*e^2*f*g^2+198*a*c^2*d^2*e*f^2*g-231*c^3*d^3*f^3$   
 $)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(3/2)}/c^4/d^4/(e*x+d)^{(3/2)}$

**maxima [A]** time = 0.69, size = 294, normalized size = 1.09

$$\frac{2(\sqrt{c^2d^2+2acdx+ae^2})\sqrt{cdx+ae^2}}{5cd} + \frac{6(5c^2d^3x^3+8ac^2d^2cx^2+a^2cd^2x-2a^3e^2)\sqrt{cdx+ae^2}g}{35c^2d^2} + \frac{2(35c^4d^4x^4+50ac^2d^3cx^3+3a^2c^2d^2x^2-4a^3cd^2x+8a^4e^4)\sqrt{cdx+ae^2}g^2}{105c^4d^4} + \frac{2(105c^5d^5x^5+140ac^4d^4cx^4+5a^2c^3d^3x^3-6a^2c^2d^2x^2+8a^3cd^2x-16a^5e^5)\sqrt{cdx+ae^2}g^3}{1155c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2), x, algorithm="maxima")

[Out]  $\frac{2}{5}(c^2d^2x^2 + 2acdx + ae^2)\sqrt{cdx + ae^2}f^3/(cd) + \frac{6}{35}(5c^2d^3x^3 + 8ac^2d^2cx^2 + a^2cd^2x - 2a^3e^2)\sqrt{cdx + ae^2}f^2g/(c^2d^2) + \frac{2}{105}(35c^4d^4x^4 + 50ac^3d^3cx^3 + 3a^2c^2d^2e^2x^2 - 4a^3cd^2e^3x + 8a^4e^4)\sqrt{cdx + ae^2}f^2g^2/(c^3d^3) + \frac{2}{1155}(105c^5d^5x^5 + 140ac^4d^4cx^4 + 5a^2c^3d^3e^2x^3 - 6a^3c^2d^2e^3x^2 + 8a^4cd^2e^4x - 16a^5e^5)\sqrt{cdx + ae^2}f^3g^3/(c^4d^4)$

**mupad [B]** time = 3.65, size = 310, normalized size = 1.15

$$\frac{\sqrt{cdex^2+(c^2d^2+ae^2)x+ade}\left(\frac{2g^2x^4(4acg+11cdf)}{33} - \frac{32a^3d^3g^3-176a^2cd^2efg^2+396a^3c^2d^2e^3f^2g-462a^2c^2d^2e^3f^3}{1155c^4d^4} + \frac{g^2(-12c^2d^2g^3+66c^2d^2efg^2+1584ac^4d^4ef^2g+462c^2d^2f^3)}{1155c^4d^4} + \frac{2cdg^2g^3}{11} + \frac{2g^2(g^2+110acdefg+99c^2d^2f^2)}{231cd} + \frac{2acx(6a^3d^3g^3-44a^2cd^2efg^2+99a^2d^2efg+462c^2d^2f^3)}{1155c^3d^3}\right)}{\sqrt{d+ex}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x)

[Out]  $((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}*((2*g^2*x^4*(4*a*e*g + 11*c*d*f))/33 - (32*a^5*e^5*g^3 - 462*a^2*c^3*d^3*e^2*f^3 + 396*a^3*c^2*d^2*e^3*f^2*g - 176*a^4*c*d*e^4*f*g^2)/(1155*c^4*d^4) + (x^2*(462*c^5*d^5*f^3 - 12*a^3*c^2*d^2*e^3*g^3 + 66*a^2*c^3*d^3*e^2*f*g^2 + 1584*a*c^4*d^4*e*f^2*g))/(1155*c^4*d^4) + (2*c*d*g^3*x^5)/11 + (2*g*x^3*(a^2*e^2*g^2 + 99*c^2*d^2*f^2 + 110*a*c*d*e*f*g))/(231*c*d) + (2*a*e*x*(8*a^3*e^3*g^3 + 462*c^3*d^3*f^3 + 99*a*c^2*d^2*e*f^2*g - 44*a^2*c*d*e^2*f*g^2))/(1155*c^3*d^3)))/(d + e*x)^{(1/2)}$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*3\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2), x)

[Out] Timed out

$$3.458 \quad \int \frac{(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx$$

**Optimal.** Leaf size=200

$$\frac{8(x(ae^2 + cd^2) + ade + cdex^2)^{5/2} (cdf - aeg) (2ae^2g - cd(7ef - 5dg))}{315c^3d^3e(d+ex)^{5/2}} + \frac{8g(x(ae^2 + cd^2) + ade + cdex^2)^{5/2} (cdf - aeg)}{63c^2d^2e(d+ex)^{3/2}}$$

**Rubi [A]** time = 0.23, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {870, 794, 648}

$$\frac{8g(x(ae^2 + cd^2) + ade + cdex^2)^{5/2} (cdf - aeg)}{63c^2d^2e(d+ex)^{3/2}} - \frac{8(x(ae^2 + cd^2) + ade + cdex^2)^{5/2} (cdf - aeg) (2ae^2g - cd(7ef - 5dg))}{315c^3d^3e(d+ex)^{5/2}} + \frac{2(f+gx)^2 (x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{9cd(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (-8\*(c\*d\*f - a\*e\*g)\*(2\*a\*e^2\*g - c\*d\*(7\*e\*f - 5\*d\*g))\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(315\*c^3\*d^3\*e\*(d + e\*x)^(5/2)) + (8\*g\*(c\*d\*f - a\*e\*g)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(63\*c^2\*d^2\*e\*(d + e\*x)^(3/2)) + (2\*(f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(9\*c\*d\*(d + e\*x)^(5/2))

### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rule 870

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(

$a + b*x + c*x^2)^{(p + 1)}/(c*(m - n - 1)), x] - \text{Dist}[(n*(c*e*f + c*d*g - b*e*g))/(c*e*(m - n - 1)), \text{Int}[(d + e*x)^m*(f + g*x)^{(n - 1)*(a + b*x + c*x^2)^p}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, p\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& !\text{IntegerQ}[p] \&\& \text{EqQ}[m + p, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[m - n - 1, 0] \&\& (\text{IntegerQ}[2*p] || \text{IntegerQ}[n])$

### Rubi steps

$$\int \frac{(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}} dx = \frac{2(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{9cd(d + ex)^{5/2}} + \frac{4(cde^2f + cd^2e^2g)}{9cd(d + ex)^{5/2}}$$

$$= \frac{8g(cdf - aeg) (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{63c^2d^2e(d + ex)^{3/2}} + \frac{2(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{9cd(d + ex)^{5/2}}$$

$$= -\frac{8(cdf - aeg) (2ae^2g - cd(7ef - 5dg)) (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{315c^3d^3e(d + ex)^{5/2}}$$

**Mathematica [A]** time = 0.12, size = 90, normalized size = 0.45

$$\frac{2((d + ex)(ae + cdx))^{5/2} (8a^2e^2g^2 - 4acdeg(9f + 5gx) + c^2d^2 (63f^2 + 90fgx + 35g^2x^2))}{315c^3d^3(d + ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*(8\*a^2\*e^2\*g^2 - 4\*a\*c\*d\*e\*g\*(9\*f + 5\*g\*x) + c^2\*d^2\*(63\*f^2 + 90\*f\*g\*x + 35\*g^2\*x^2)))/(315\*c^3\*d^3\*(d + e\*x)^(5/2))

**IntegrateAlgebraic [A]** time = 2.27, size = 120, normalized size = 0.60

$$\frac{2(ae + cdx)((d + ex)(ae + cdx))^{3/2} (63a^2e^2g^2 + 90cdfg(ae + cdx) - 126acdefg + 35g^2(ae + cdx)^2 - 90aeg^2(ae + cdx) + 63c^2d^2f^2)}{315c^3d^3(d + ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]



[Out]  $(2*(a*e + c*d*x)*((a*e + c*d*x)*(d + e*x))^{3/2}*(63*c^2*d^2*f^2 - 126*a*c*d*e*f*g + 63*a^2*e^2*g^2 + 90*c*d*f*g*(a*e + c*d*x) - 90*a*e*g^2*(a*e + c*d*x) + 35*g^2*(a*e + c*d*x)^2))/((315*c^3*d^3*(d + e*x)^{3/2}))$

**fricas** [A] time = 0.42, size = 230, normalized size = 1.15

$$\frac{2(35c^4d^4g^2x^4 + 63a^2c^2d^2e^2f^2 - 36a^3cde^3fg + 8a^4e^4g^2 + 10(9c^4d^4fg + 5ac^3d^3eg^2)x^3 + 3(21c^4d^4f^2 + 48ac^3d^3efg + a^2c^2d^2e^2g^2)x^2 + 2(63ac^3d^3ef^2 + 9a^2c^2d^2e^2fg - 2a^3cde^3g^2)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{315(c^3d^3ex + c^3d^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)^2*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d)^(3/2), x, algorithm="fricas")`

[Out]  $2/315*(35*c^4*d^4*g^2*x^4 + 63*a^2*c^2*d^2*e^2*f^2 - 36*a^3*c*d*e^3*f*g + 8*a^4*e^4*g^2 + 10*(9*c^4*d^4*f*g + 5*a*c^3*d^3*e*g^2)*x^3 + 3*(21*c^4*d^4*f^2 + 48*a*c^3*d^3*e*f*g + a^2*c^2*d^2*e^2*g^2)*x^2 + 2*(63*a*c^3*d^3*e*f^2 + 9*a^2*c^2*d^2*e^2*f*g - 2*a^3*c*d*e^3*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)/(c^3*d^3*e*x + c^3*d^4)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(gx + f)^2}{(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)^2*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d)^(3/2), x, algorithm="giac")`

[Out] `integrate((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(3/2)*(g*x + f)^2/(e*x + d)^(3/2), x)`

**maple** [A] time = 0.01, size = 116, normalized size = 0.58

$$\frac{2(cdx + ae)(35g^2x^2c^2d^2 - 20acde g^2x + 90c^2d^2fgx + 8a^2e^2g^2 - 36acdefg + 63f^2c^2d^2)(cde x^2 + a e^2x + c d^2x + ade)^{\frac{3}{2}}}{315(ex + d)^{\frac{3}{2}}c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x+f)^2*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)/(e*x+d)^(3/2), x)`

[Out]  $2/315*(c*d*x+a*e)*(35*c^2*d^2*g^2*x^2-20*a*c*d*e*g^2*x+90*c^2*d^2*f*g*x+8*a^2*e^2*g^2-36*a*c*d*e*f*g+63*c^2*d^2*f^2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{3/2}/c^3/d^3/(e*x+d)^{3/2}$

**maxima [A]** time = 0.62, size = 192, normalized size = 0.96

$$\frac{2(c^2d^2x^2 + 2acdex + a^2e^2)\sqrt{cdx + ae}f^2}{5cd} + \frac{4(5c^3d^3x^3 + 8ac^2d^2ex^2 + a^2cde^2x - 2a^3e^3)\sqrt{cdx + ae}fg}{35c^2d^2} + \frac{2(35c^4d^4x^4 + 50ac^3d^3ex^3 + 3a^2c^2d^2e^2x^2 - 4a^3cde^3x + 8a^4e^4)\sqrt{cdx + ae}g^2}{315c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2), x, algorithm="maxima")

[Out]  $\frac{2}{5}(c^2d^2x^2 + 2ac^2d^2ex + a^2e^2)\sqrt{cdx + ae}f^2/(cd) + \frac{4}{3}5(5c^3d^3x^3 + 8ac^2d^2ex^2 + a^2cde^2x - 2a^3e^3)\sqrt{cdx + ae}fg/(c^2d^2) + \frac{2}{315}(35c^4d^4x^4 + 50ac^3d^3ex^3 + 3a^2c^2d^2e^2x^2 - 4a^3cde^3x + 8a^4e^4)\sqrt{cdx + ae}g^2/(c^3d^3)$

**mupad [B]** time = 3.43, size = 206, normalized size = 1.03

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{4gx^3(5aeg+9cdf)}{63} + \frac{16a^4e^4g^2 - 72a^3cd^3fg + 126a^2c^2d^2e^2f^2}{315c^3d^3} + \frac{x^2(6a^2c^2d^2e^2g^2 + 288a^3d^3efg + 126c^4d^4f^2)}{315c^3d^3} + \frac{2cdg^2x^4}{9} + \frac{4aex(-2a^2c^2g^2 + 9acdefg + 63c^2d^2f^2)}{315c^2d^2} \right)}{\sqrt{d + ex}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x)

[Out]  $((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)} * ((4*g*x^3*(5*a*e*g + 9*c*d*f)) / 63 + (16*a^4*e^4*g^2 + 126*a^2*c^2*d^2*e^2*f^2 - 72*a^3*c*d*e^3*f*g) / (315*c^3*d^3) + (x^2*(126*c^4*d^4*f^2 + 6*a^2*c^2*d^2*e^2*g^2 + 288*a*c^3*d^3*e*f*g)) / (315*c^3*d^3) + (2*c*d*g^2*x^4) / 9 + (4*a*e*x*(63*c^2*d^2*f^2 - 2*a^2*e^2*g^2 + 9*a*c*d*e*f*g)) / (315*c^2*d^2))) / (d + e*x)^{(1/2)}$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*2\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2), x)

[Out] Timed out

$$3.459 \quad \int \frac{(f+gx)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}{(d+ex)^{3/2}} dx$$

Optimal. Leaf size=125

$$\frac{2g(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{7cde(d+ex)^{3/2}} - \frac{2(x(ae^2+cd^2)+ade+cdex^2)^{5/2}(2ae^2g-cd(7ef-5dg))}{35c^2d^2e(d+ex)^{5/2}}$$

**Rubi** [A] time = 0.10, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 44,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.045, Rules used = {794, 648}

$$\frac{2g(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{7cde(d+ex)^{3/2}} - \frac{2(x(ae^2+cd^2)+ade+cdex^2)^{5/2}(2ae^2g-cd(7ef-5dg))}{35c^2d^2e(d+ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (-2\*(2\*a\*e^2\*g - c\*d\*(7\*e\*f - 5\*d\*g))\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(35\*c^2\*d^2\*e\*(d + e\*x)^(5/2)) + (2\*g\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(7\*c\*d\*e\*(d + e\*x)^(3/2))

#### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

#### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

#### Rubi steps

$$\int \frac{(f + gx)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}} dx = \frac{2g(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{7cde(d + ex)^{3/2}} + \frac{1}{7} \left( 7f - \frac{5dg}{e} - \frac{2aeg}{cd} \right) \int \frac{1}{(d + ex)^{3/2}} dx$$

$$= \frac{2 \left( 7f - \frac{5dg}{e} - \frac{2aeg}{cd} \right) (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{35cd(d + ex)^{5/2}} + \frac{2g(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{7cde(d + ex)^{3/2}}$$

**Mathematica [A]** time = 0.07, size = 54, normalized size = 0.43

$$\frac{2((d + ex)(ae + cdx))^{5/2}(cd(7f + 5gx) - 2aeg)}{35c^2d^2(d + ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*(-2\*a\*e\*g + c\*d\*(7\*f + 5\*g\*x)))/(35\*c^2\*d^2\*(d + e\*x)^(5/2))

**IntegrateAlgebraic [A]** time = 1.31, size = 67, normalized size = 0.54

$$\frac{2(ae + cdx)((d + ex)(ae + cdx))^{3/2}(5g(ae + cdx) - 7aeg + 7cdf)}{35c^2d^2(d + ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (2\*(a\*e + c\*d\*x)\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*(7\*c\*d\*f - 7\*a\*e\*g + 5\*g\*(a\*e + c\*d\*x)))/(35\*c^2\*d^2\*(d + e\*x)^(3/2))

**fricas [A]** time = 0.41, size = 137, normalized size = 1.10

$$\frac{2(5c^3d^3gx^3 + 7a^2cde^2f - 2a^3e^3g + (7c^3d^3f + 8ac^2d^2eg)x^2 + (14ac^2d^2ef + a^2cde^2g)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{35(c^2d^2ex + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2), x, algorithm="fricas")

[Out]  $2/35*(5*c^3*d^3*g*x^3 + 7*a^2*c*d*e^2*f - 2*a^3*e^3*g + (7*c^3*d^3*f + 8*a*c^2*d^2*e*g)*x^2 + (14*a*c^2*d^2*e*f + a^2*c*d*e^2*g)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d}/(c^2*d^2*e*x + c^2*d^3)$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d)^(3/2),x,algorithm="giac")`

[Out] Timed out

**maple** [A] time = 0.00, size = 67, normalized size = 0.54

$$\frac{2(cdx + ae)(-5cdgx + 2aeg - 7cdf)(cde x^2 + a e^2 x + c d^2 x + ade)^{\frac{3}{2}}}{35(ex + d)^{\frac{3}{2}} c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x+f)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)/(e*x+d)^(3/2),x)`

[Out]  $-2/35*(c*d*x+a*e)*(-5*c*d*g*x+2*a*e*g-7*c*d*f)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(3/2)/c^2/d^2/(e*x+d)^(3/2)$

**maxima** [A] time = 0.57, size = 107, normalized size = 0.86

$$\frac{2(c^2 d^2 x^2 + 2 a c d e x + a^2 e^2) \sqrt{c d x + a e} f}{5 c d} + \frac{2(5 c^3 d^3 x^3 + 8 a c^2 d^2 e x^2 + a^2 c d e^2 x - 2 a^3 e^3) \sqrt{c d x + a e} g}{35 c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d)^(3/2),x,algorithm="maxima")`

[Out]  $2/5*(c^2*d^2*x^2 + 2*a*c*d*e*x + a^2*e^2)*\sqrt{c*d*x + a*e}*f/(c*d) + 2/35*(5*c^3*d^3*x^3 + 8*a*c^2*d^2*e*x^2 + a^2*c*d*e^2*x - 2*a^3*e^3)*\sqrt{c*d*x + a*e}*g/(c^2*d^2)$

**mupad** [B] time = 3.25, size = 109, normalized size = 0.87

$$\frac{\sqrt{c d e x^2 + (c d^2 + a e^2) x + a d e} \left( x^2 \left( \frac{16 a e g}{35} + \frac{2 c d f}{5} \right) - \frac{4 a^3 e^3 g - 14 a^2 c d e^2 f}{35 c^2 d^2} + \frac{2 c d g x^3}{7} + \frac{2 a e x (a e g + 14 c d f)}{35 c d} \right)}{\sqrt{d + e x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((f + g*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2))/(d + e*x)^(3/2),x)`

[Out]  $((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{1/2}*(x^2*((16*a*e*g)/35 + (2*c*d*f)/5) - (4*a^3*e^3*g - 14*a^2*c*d*e^2*f)/(35*c^2*d^2) + (2*c*d*g*x^3)/7 + (2*a*e*x*(a*e*g + 14*c*d*f))/(35*c*d)))/(d + e*x)^{1/2}$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + ex)(ae + cdx))^{\frac{3}{2}}(f + gx)}{(d + ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)*(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/(e*x+d)**(3/2),x)`

[Out] `Integral(((d + e*x)*(a*e + c*d*x))**(3/2)*(f + g*x)/(d + e*x)**(3/2), x)`

$$3.460 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx$$

Optimal. Leaf size=48

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{5cd(d+ex)^{5/2}}$$

Rubi [A] time = 0.02, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$ , Rules used = {648}

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{5cd(d+ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(d + e\*x)^(3/2),x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(5\*c\*d\*(d + e\*x)^(5/2))

Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

Rubi steps

$$\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{5cd(d+ex)^{5/2}}$$

Mathematica [A] time = 0.03, size = 37, normalized size = 0.77

$$\frac{2((d+ex)(ae+cdx))^{5/2}}{5cd(d+ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(d + e\*x)^(3/2),x]

[Out]  $(2*((a*e + c*d*x)*(d + e*x))^{(5/2)})/(5*c*d*(d + e*x)^{(5/2)})$

**IntegrateAlgebraic [A]** time = 0.00, size = 45, normalized size = 0.94

$$\frac{2(ae + cdx)((d + ex)(ae + cdx))^{3/2}}{5cd(d + ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(d + e\*x)^(3/2),x]

[Out]  $(2*(a*e + c*d*x)*((a*e + c*d*x)*(d + e*x))^{(3/2)})/(5*c*d*(d + e*x)^{(3/2)})$

**fricas [A]** time = 0.40, size = 74, normalized size = 1.54

$$\frac{2(c^2d^2x^2 + 2acdex + a^2e^2)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{5(cdex + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2),x, algorithm="fricas")

[Out]  $2/5*(c^2*d^2*x^2 + 2*a*c*d*e*x + a^2*e^2)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)/(c*d*e*x + c*d^2)$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2),x, algorithm="giac")

[Out]  $\text{integrate}((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^{(3/2)}/(e*x + d)^{(3/2)}, x)$

**maple [A]** time = 0.00, size = 50, normalized size = 1.04

$$\frac{2(cdx + ae)(cde x^2 + a e^2 x + c d^2 x + ade)^{\frac{3}{2}}}{5(ex + d)^{\frac{3}{2}} cd}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)/(e*x+d)^(3/2),x)`

[Out]  $2/5*(c*d*x+a*e)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(3/2)/c/d/(e*x+d)^(3/2)$

**maxima** [A] time = 0.51, size = 43, normalized size = 0.90

$$\frac{2(c^2d^2x^2 + 2acdex + a^2e^2)\sqrt{cdx + ae}}{5cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d)^(3/2),x, algorithm="maxima")`

[Out]  $2/5*(c^2*d^2*x^2 + 2*a*c*d*e*x + a^2*e^2)*\text{sqrt}(c*d*x + a*e)/(c*d)$

**mupad** [B] time = 3.08, size = 62, normalized size = 1.29

$$\frac{\left(\frac{4aex}{5} + \frac{2cdx^2}{5} + \frac{2a^2e^2}{5cd}\right) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{\sqrt{d + ex}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/(d + e*x)^(3/2),x)`

[Out]  $((4*a*e*x)/5 + (2*c*d*x^2)/5 + (2*a^2*e^2)/(5*c*d))*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/(d + e*x)^(1/2)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + ex)(ae + cdx))^{\frac{3}{2}}}{(d + ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/(e*x+d)**(3/2),x)`

[Out] `Integral(((d + e*x)*(a*e + c*d*x))**(3/2)/(d + e*x)**(3/2), x)`

$$3.461 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)} dx$$

Optimal. Leaf size=179

$$\frac{2(cdf - aeg)^{3/2} \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{g^{5/2}} - \frac{2\sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)}{g^2 \sqrt{d+ex}} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3g(d+ex)^{3/2}}$$

Rubi [A] time = 0.30, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {864, 874, 205}

$$-\frac{2\sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)}{g^2 \sqrt{d+ex}} + \frac{2(cdf - aeg)^{3/2} \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{g^{5/2}} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3g(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)), x]

[Out] (-2\*(c\*d\*f - a\*e\*g)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(g^2\*Sqrt[d + e\*x]) + (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(3\*g\*(d + e\*x)^(3/2)) + (2\*(c\*d\*f - a\*e\*g)^(3/2)\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])]/g^(5/2)

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 864

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(m - n - 1)), x] - Dist[(m\*(c\*e\*f + c\*d\*g - b\*e\*g))/(e^2\*g\*(m - n - 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]

#### Rule 874

```
Int[Sqrt[(d_) + (e_.)*(x_)]/(((f_.) + (g_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) +
(c_.)*(x_)^2]), x_Symbol] :> Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

### Rubi steps

$$\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g(d + ex)^{3/2}} - \frac{(cde^2f + cd^2eg - e(cd^2 + ae^2)g)}{e^2g}$$

$$= -\frac{2(cdf - aeg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}} + \frac{2(ade + (cd^2 + ae^2)x}{3g(d + ex)^{3/2}}$$

$$= -\frac{2(cdf - aeg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}} + \frac{2(ade + (cd^2 + ae^2)x}{3g(d + ex)^{3/2}}$$

$$= -\frac{2(cdf - aeg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}} + \frac{2(ade + (cd^2 + ae^2)x}{3g(d + ex)^{3/2}}$$

**Mathematica [A]** time = 0.26, size = 132, normalized size = 0.74

$$\frac{2\sqrt{d + ex}\sqrt{ae + cdx} \left( \sqrt{g}\sqrt{ae + cdx}(4aeg + cd(gx - 3f)) + 3(cdf - aeg)^{3/2} \tan^{-1} \left( \frac{\sqrt{g}\sqrt{ae + cdx}}{\sqrt{cdf - aeg}} \right) \right)}{3g^{5/2}\sqrt{(d + ex)(ae + cdx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)/((d + e*x)^(3/2)*(f
+ g*x)), x]
```

```
[Out] (2*Sqrt[a*e + c*d*x]*Sqrt[d + e*x]*(Sqrt[g]*Sqrt[a*e + c*d*x]*(4*a*e*g + c*
d*(-3*f + g*x)) + 3*(c*d*f - a*e*g)^(3/2)*ArcTan[(Sqrt[g]*Sqrt[a*e + c*d*x]
)/Sqrt[c*d*f - a*e*g]]))/(3*g^(5/2)*Sqrt[(a*e + c*d*x)*(d + e*x)])
```

**IntegrateAlgebraic [A]** time = 7.98, size = 151, normalized size = 0.84

$$\frac{((d + ex)(ae + cdx))^{3/2} \left( \frac{2(cdf - aeg)^{3/2} \tan^{-1} \left( \frac{\sqrt{g} \sqrt{ae + cdx}}{\sqrt{cdf - aeg}} \right)}{g^{5/2}} + \frac{2(-3cdf \sqrt{ae + cdx} + g(ae + cdx)^{3/2} + 3aeg \sqrt{ae + cdx})}{3g^2} \right)}{(d + ex)^{3/2} (ae + cdx)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)), x]

[Out] (((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*((2\*(-3\*c\*d\*f\*Sqrt[a\*e + c\*d\*x] + 3\*a\*e\*g\*Sqrt[a\*e + c\*d\*x] + g\*(a\*e + c\*d\*x)^(3/2)))/(3\*g^2) + (2\*(c\*d\*f - a\*e\*g)^(3/2)\*ArcTan[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/Sqrt[c\*d\*f - a\*e\*g]]/g^(5/2)))/((a\*e + c\*d\*x)^(3/2)\*(d + e\*x)^(3/2))

**fricas [A]** time = 0.44, size = 408, normalized size = 2.28

$$\frac{3(a^2f - adg + (cdf - ae^2)x) \sqrt{\frac{cdf - aeg}{g}} \log \left( \frac{cdg^2 - d^2f + 2adg - 2 \sqrt{cdx^2 + adx + (d^2 + ae^2)} \sqrt{\frac{cdf - aeg}{g}} \sqrt{\frac{cdf - aeg}{g}} (cdf - (d^2 + ae^2)x)}{cdx^2 + adx + (d^2 + ae^2)x} \right) - 2 \sqrt{cdx^2 + adx + (d^2 + ae^2)x} (cdg - 3cdf + 4aeg) \sqrt{cx + d}}{3(e^2x + d^2)} \cdot \frac{2(3(cdf - adg + (cdf - ae^2)x) \sqrt{\frac{cdf - aeg}{g}} \arctan \left( \frac{\sqrt{cx + d} \sqrt{\frac{cdf - aeg}{g}}}{\sqrt{cdx^2 + adx + (d^2 + ae^2)x}} \right) - \sqrt{cdx^2 + adx + (d^2 + ae^2)x} (cdg - 3cdf + 4aeg) \sqrt{cx + d})}{3(e^2x + d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f), x, algorithm="fricas")

[Out] [-1/3\*(3\*(c\*d^2\*f - a\*d\*e\*g + (c\*d\*e\*f - a\*e^2\*g)\*x)\*sqrt(-(c\*d\*f - a\*e\*g)/g)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*g\*sqrt(-(c\*d\*f - a\*e\*g)/g) - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x)/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)) - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*g\*x - 3\*c\*d\*f + 4\*a\*e\*g)\*sqrt(e\*x + d))/(e\*g^2\*x + d\*g^2), -2/3\*(3\*(c\*d^2\*f - a\*d\*e\*g + (c\*d\*e\*f - a\*e^2\*g)\*x)\*sqrt((c\*d\*f - a\*e\*g)/g)\*arctan(sqrt(e\*x + d)\*sqrt((c\*d\*f - a\*e\*g)/g)/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)) - sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*g\*x - 3\*c\*d\*f + 4\*a\*e\*g)\*sqrt(e\*x + d))/(e\*g^2\*x + d\*g^2)]

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f), x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:  
 INPUT:sage2OUTPUT:Evaluation time: 4.51Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.02, size = 263, normalized size = 1.47

$$\frac{2\sqrt{cde x^2 + a e^2 x + c d^2 x + ade} \left( 3a^2 e^2 g^2 \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae} g}{\sqrt{(ag-cd)f} g}\right) - 6acdefg \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae} g}{\sqrt{(ag-cd)f} g}\right) + 3c^2 d^2 f^2 \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae} g}{\sqrt{(ag-cd)f} g}\right) - \sqrt{(ag-cd)f} g \sqrt{cdx+ae} cdgx - 4\sqrt{(ag-cd)f} g \sqrt{cdx+ae} aeg + 3\sqrt{(ag-cd)f} g \sqrt{cdx+ae} cdf \right)}{3\sqrt{ex+d} \sqrt{cdx+ae} \sqrt{(ag-cd)f} g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f),x)

[Out] 
$$-2/3*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}*(3*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*a^2*e^2*g^2-6*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*a*c*d*e*f*g+3*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*c^2*d^2*f^2-((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*c*d*g*x-4*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a*e*g+3*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*c*d*f)/(e*x+d)^{(1/2)}/(c*d*x+a*e)^{(1/2)}/g^2/((a*e*g-c*d*f)*g)^{(1/2)}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{3/2}}{(ex + d)^2 (gx + f)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*(g\*x + f)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}}{(f + gx)(d + ex)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)\*(d + e\*x)^(3/2)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)\*(d + e\*x)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d + ex)(ae + cd x))^{\frac{3}{2}}}{(d + ex)^{\frac{3}{2}}(f + gx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2)/(g\*x+f),x)

[Out] Integral(((d + e\*x)\*(a\*e + c\*d\*x))\*\*(3/2)/((d + e\*x)\*\*(3/2)\*(f + g\*x)), x)

$$3.462 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^2} dx$$

Optimal. Leaf size=178

$$\frac{3cd\sqrt{cdf - aeg} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{g^{5/2}} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{g(d+ex)^{3/2}(f+gx)} + \frac{3cd\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{g^2\sqrt{d+ex}}$$

Rubi [A] time = 0.25, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 864, 874, 205}

$$\frac{3cd\sqrt{cdf - aeg} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{g^{5/2}} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{g(d+ex)^{3/2}(f+gx)} + \frac{3cd\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{g^2\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^2), x]

[Out] (3\*c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(g^2\*Sqrt[d + e\*x]) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(g\*(d + e\*x)^(3/2)\*(f + g\*x)) - (3\*c\*d\*Sqrt[c\*d\*f - a\*e\*g]\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])]/g^(5/2)

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 862

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^p)/(g\*(n+1)), x] + Dist[(c\*m)/(e\*g\*(n+1)), Int[(d + e\*x)^(m+1)\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^(p-1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

Rule 864

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && NeQ
[eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]

```

### Rule 874

```

Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^2} dx &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{g(d + ex)^{3/2}(f + gx)} + \frac{(3cd) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}(f + gx)} dx}{2g} \\
&= \frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{g(d + ex)^{3/2}(f + gx)} \\
&= \frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{g(d + ex)^{3/2}(f + gx)} \\
&= \frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{g(d + ex)^{3/2}(f + gx)}
\end{aligned}$$

**Mathematica [C]** time = 0.05, size = 75, normalized size = 0.42

$$\frac{2cd((d + ex)(ae + cdex))^{5/2} {}_2F_1\left(2, \frac{5}{2}; \frac{7}{2}; \frac{g(ae + cdex)}{aeg - cdf}\right)}{5(d + ex)^{5/2}(cdf - aeg)^2}$$

Antiderivative was successfully verified.



[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^2), x]

[Out] (2\*c\*d\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*Hypergeometric2F1[2, 5/2, 7/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)]/(5\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(5/2))

**IntegrateAlgebraic [A]** time = 103.69, size = 159, normalized size = 0.89

$$\frac{((d + ex)(ae + cdx))^{3/2} \left( \frac{cd\sqrt{ae+cdx}(2g(ae+cdx)-3aeg+3cdf)}{g^2(g(ae+cdx)-aeg+cdf)} - \frac{3cd\sqrt{cdf-aeg}\tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cdf-aeg}}\right)}{g^{5/2}} \right)}{(d + ex)^{3/2}(ae + cdx)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^2), x]

[Out] (((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))\*((c\*d\*Sqrt[a\*e + c\*d\*x]\*(3\*c\*d\*f - 3\*a\*e\*g + 2\*g\*(a\*e + c\*d\*x)))/(g^2\*(c\*d\*f - a\*e\*g + g\*(a\*e + c\*d\*x))) - (3\*c\*d\*Sqrt[c\*d\*f - a\*e\*g]\*ArcTan[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/Sqrt[c\*d\*f - a\*e\*g]])/g^(5/2))/((a\*e + c\*d\*x)^(3/2)\*(d + e\*x)^(3/2))

**fricas [A]** time = 0.52, size = 444, normalized size = 2.49

$$\frac{3(cdgx^2 + cd^2f + (cdf + cd^2g))\sqrt{\frac{cd-f}{x}} \log\left(\frac{-cdgx^2 - cd^2f + 2cdg\sqrt{cd^2 + ade + (cd^2 + ae^2)}\sqrt{cd-f} + \sqrt{cd^2 + ade + (cd^2 + ae^2)}\sqrt{\frac{cd-f}{x}} - (cdf - (cd^2 + ae^2)g)}{cd^2 + ade + (cd^2 + ae^2)}\right) + 2\sqrt{cdex^2 + ade + (cd^2 + ae^2)}(2cdgx + 3cdf - aeg)\sqrt{ex + d} - 3(cdgx^2 + cd^2f + (cdf + cd^2g))\sqrt{\frac{cd-f}{x}} \arctan\left(\frac{\sqrt{cd-f}\sqrt{\frac{cd-f}{x}}}{\sqrt{cd^2 + ade + (cd^2 + ae^2)}}\right) + \sqrt{cdex^2 + ade + (cd^2 + ae^2)}(2cdgx + 3cdf - aeg)\sqrt{ex + d}}{2(cd^2x^2 + dfg^2 + (efg^2 + dg^3)x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^2, x, algorithm="fricas")

[Out] [1/2\*(3\*(c\*d\*e\*g\*x^2 + c\*d^2\*f + (c\*d\*e\*f + c\*d^2\*g)\*x)\*sqrt(-(c\*d\*f - a\*e\*g)/g)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(ex + d))\*g\*sqrt(-(c\*d\*f - a\*e\*g)/g) - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x)/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x) + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x + 3\*c\*d\*f - a\*e\*g)\*sqrt(ex + d))/(e\*g^3\*x^2 + d\*f\*g^2 + (e\*f\*g^2 + d\*g^3)\*x), (3\*(c\*d\*e\*g\*x^2 + c\*d^2\*f + (c\*d\*e\*f + c\*d^2\*g)\*x)\*sqrt((c\*d\*f - a\*e\*g)/g)\*arctan(sqrt(ex + d)\*sqrt((c\*d\*f - a\*e\*g)/g)/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)) + sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x + 3\*c\*d\*f - a\*e\*g)\*sqrt(ex + d))/(e\*g^3\*x^2 + d\*f\*g^2 + (e\*f\*g^2 + d\*g^3)\*x)]

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^2,x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.03, size = 306, normalized size = 1.72

$$\frac{\sqrt{cdex^2 + ae^2x + cd^2x + ade} \left( -3acde g^2 x \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae} g}{\sqrt{(ag-cd)f}}\right) + 3c^2 d^2 f g x \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae} g}{\sqrt{(ag-cd)f}}\right) - 3acdefg \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae} g}{\sqrt{(ag-cd)f}}\right) + 3c^2 d^2 f^2 \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae} g}{\sqrt{(ag-cd)f}}\right) + 2\sqrt{(ag-cd)g} \sqrt{cdx+ae} cdgx - \sqrt{(ag-cd)g} \sqrt{cdx+ae} aeg + 3\sqrt{(ag-cd)g} \sqrt{cdx+ae} cdf \right)}{\sqrt{ex+d} \sqrt{cdx+ae} (gx+f) \sqrt{(ag-cd)g} g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^2,x)

[Out] (c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)/(e\*x+d)^(1/2)\*(-3\*arctanh((c\*d\*x+a\*e)^(1/2)/((a\*e\*g-c\*d\*f)\*g)^(1/2)\*g)\*x\*a\*c\*d\*e\*g^2+3\*arctanh((c\*d\*x+a\*e)^(1/2)/((a\*e\*g-c\*d\*f)\*g)^(1/2)\*g)\*x\*c^2\*d^2\*f\*g-3\*arctanh((c\*d\*x+a\*e)^(1/2)/((a\*e\*g-c\*d\*f)\*g)^(1/2)\*g)\*a\*c\*d\*e\*f\*g+3\*arctanh((c\*d\*x+a\*e)^(1/2)/((a\*e\*g-c\*d\*f)\*g)^(1/2)\*g)\*c^2\*d^2\*f^2+2\*((a\*e\*g-c\*d\*f)\*g)^(1/2)\*(c\*d\*x+a\*e)^(1/2)\*c\*d\*g\*x-((a\*e\*g-c\*d\*f)\*g)^(1/2)\*(c\*d\*x+a\*e)^(1/2)\*a\*e\*g+3\*((a\*e\*g-c\*d\*f)\*g)^(1/2)\*(c\*d\*x+a\*e)^(1/2)\*c\*d\*f/(c\*d\*x+a\*e)^(1/2)/g^2/(g\*x+f)/((a\*e\*g-c\*d\*f)\*g)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}}(gx + f)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^2,x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*(g\*x + f)^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{\frac{3}{2}}}{(f + gx)^2 (d + ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/((f + g*x)^2*(d + e*x)^(3/2)),x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/((f + g*x)^2*(d + e*x)^(3/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/(e*x+d)**(3/2)/(g*x+f)**2,x)
```

```
[Out] Timed out
```

$$3.463 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^3} dx$$

**Optimal.** Leaf size=195

$$\frac{3c^2d^2 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{4g^{5/2}\sqrt{cdf-aeg}} - \frac{3cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4g^2\sqrt{d+ex}(f+gx)} - \frac{(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{2g(d+ex)^{3/2}(f+gx)^2}$$

**Rubi [A]** time = 0.26, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {862, 874, 205}

$$\frac{3c^2d^2 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{4g^{5/2}\sqrt{cdf-aeg}} - \frac{3cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4g^2\sqrt{d+ex}(f+gx)} - \frac{(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{2g(d+ex)^{3/2}(f+gx)^2}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^3), x]

[Out] (-3\*c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*g^2\*Sqrt[d + e\*x]\*(f + g\*x)) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(2\*g\*(d + e\*x)^(3/2)\*(f + g\*x)^2) + (3\*c^2\*d^2\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(4\*g^(5/2)\*Sqrt[c\*d\*f - a\*e\*g])

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 862**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

**Rule 874**

```
Int[Sqrt[(d_) + (e_.)*(x_)]/(((f_.) + (g_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) +
(c_.)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^3} dx &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2g(d + ex)^{3/2}(f + gx)^2} + \frac{(3cd) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}(f + gx)^2} dx}{4g} \\ &= -\frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2\sqrt{d + ex}(f + gx)} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2g(d + ex)^{3/2}(f + gx)^2} \\ &= -\frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2\sqrt{d + ex}(f + gx)} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2g(d + ex)^{3/2}(f + gx)^2} \\ &= -\frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2\sqrt{d + ex}(f + gx)} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2g(d + ex)^{3/2}(f + gx)^2} \end{aligned}$$

**Mathematica [A]** time = 0.32, size = 135, normalized size = 0.69

$$\frac{\sqrt{(d + ex)(ae + cdx)} \left( \frac{3c^2d^2 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cdf-aeg}}\right)}{\sqrt{ae+cdx}\sqrt{cdf-aeg}} - \frac{\sqrt{g}(2aeg+cd(3f+5gx))}{(f+gx)^2} \right)}{4g^{5/2}\sqrt{d + ex}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)/((d + e*x)^(3/2)*(f
+ g*x)^3), x]
```

```
[Out] (Sqrt[(a*e + c*d*x)*(d + e*x)]*(-((Sqrt[g]*(2*a*e*g + c*d*(3*f + 5*g*x)))/
(f + g*x)^2) + (3*c^2*d^2*ArcTan[(Sqrt[g]*Sqrt[a*e + c*d*x])/Sqrt[c*d*f - a*
e*g]])/(Sqrt[c*d*f - a*e*g]*Sqrt[a*e + c*d*x])))/(4*g^(5/2)*Sqrt[d + e*x])
```

**IntegrateAlgebraic [F]** time = 180.00, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)/((d + e*x)^(3/2)*(f + g*x)^3),x]
```

```
[Out] $Aborted
```

```
fricas [B] time = 0.45, size = 840, normalized size = 4.31
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d)^(3/2)/(g*x+f)^3,x, algorithm="fricas")
```

```
[Out] [-1/8*(3*(c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + (2*c^2*d^2*e*f*g + c^2*d^3*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*c^2*d^3*f*g)*x)*sqrt(-c*d*f*g + a*e*g^2)*log(-(c*d*e*g*x^2 - c*d^2*f + 2*a*d*e*g - (c*d*e*f - (c*d^2 + 2*a*e^2)*g)*x - 2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-c*d*f*g + a*e*g^2)*sqrt(e*x + d))/(e*g*x^2 + d*f + (e*f + d*g)*x) + 2*(3*c^2*d^2*f^2*g - a*c*d*e*f*g^2 - 2*a^2*e^2*g^3 + 5*(c^2*d^2*f*g^2 - a*c*d*e*g^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d))/(c*d^2*f^3*g^3 - a*d*e*f^2*g^4 + (c*d*e*f*g^5 - a*e^2*g^6)*x^3 + (2*c*d*e*f^2*g^4 - a*d*e*g^6 + (c*d^2 - 2*a*e^2)*f*g^5)*x^2 + (c*d*e*f^3*g^3 - 2*a*d*e*f*g^5 + (2*c*d^2 - a*e^2)*f^2*g^4)*x), -1/4*(3*(c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + (2*c^2*d^2*e*f*g + c^2*d^3*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*c^2*d^3*f*g)*x)*sqrt(c*d*f*g - a*e*g^2)*arctan(sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(c*d*f*g - a*e*g^2)*sqrt(e*x + d)/(c*d*e*g*x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x)) + (3*c^2*d^2*f^2*g - a*c*d*e*f*g^2 - 2*a^2*e^2*g^3 + 5*(c^2*d^2*f*g^2 - a*c*d*e*g^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d))/(c*d^2*f^3*g^3 - a*d*e*f^2*g^4 + (c*d*e*f*g^5 - a*e^2*g^6)*x^3 + (2*c*d*e*f^2*g^4 - a*d*e*g^6 + (c*d^2 - 2*a*e^2)*f*g^5)*x^2 + (c*d*e*f^3*g^3 - 2*a*d*e*f*g^5 + (2*c*d^2 - a*e^2)*f^2*g^4)*x]]
```

```
giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d)^(3/2)/(g*x+f)^3,x, algorithm="giac")
```

```
[Out] Timed out
```

**maple [A]** time = 0.03, size = 276, normalized size = 1.42

$$\frac{\sqrt{cde x^2 + a e^2 x + c d^2 x + ade} \left( 3c^2 d^2 g^2 x^2 \operatorname{arctanh} \left( \frac{\sqrt{c d x + a e} g}{\sqrt{(a e g - c d f) g}} \right) + 6c^2 d^2 f g x \operatorname{arctanh} \left( \frac{\sqrt{c d x + a e} g}{\sqrt{(a e g - c d f) g}} \right) + 3c^2 d^2 f^2 \operatorname{arctanh} \left( \frac{\sqrt{c d x + a e} g}{\sqrt{(a e g - c d f) g}} \right) + 5\sqrt{(a e g - c d f) g} \sqrt{c d x + a e} c d g x + 2\sqrt{(a e g - c d f) g} \sqrt{c d x + a e} a e g + 3\sqrt{(a e g - c d f) g} \sqrt{c d x + a e} c d f \right)}{4\sqrt{e x + d} \sqrt{c d x + a e} (g x + f)^2 \sqrt{(a e g - c d f) g} g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^3,x)

[Out] 
$$-1/4*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(3*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^2*c^2*d^2*g^2+6*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*c^2*d^2*f*g+3*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*c^2*d^2*f^2+5*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c*d*g*x+2*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*e*g+3*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c*d*f/(e*x+d)^(1/2)/(c*d*x+a*e)^(1/2)/g^2/(g*x+f)^2/((a*e*g-c*d*f)*g)^(1/2)$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}}(gx + f)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^3,x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*(g\*x + f)^3), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{3/2}}{(f + g x)^3 (d + e x)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^3\*(d + e\*x)^(3/2)), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^3\*(d + e\*x)^(3/2)), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/(e*x+d)**(3/2)/(g*x+f)  
)**3,x)
```

```
[Out] Timed out
```



$$3.464 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^4} dx$$

**Optimal.** Leaf size=265

$$\frac{c^3 d^3 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{8g^{5/2}(cdf - aeg)^{3/2}} + \frac{c^2 d^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{8g^2 \sqrt{d+ex} (f+gx)(cdf - aeg)} - \frac{cd \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4g^2 \sqrt{d+ex} (f+gx)^2} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3g(d+ex)^{3/2}(f+gx)^3}$$

**Rubi [A]** time = 0.35, antiderivative size = 265, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 872, 874, 205}

$$\frac{c^2 d^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{8g^2 \sqrt{d+ex} (f+gx)(cdf - aeg)} + \frac{c^3 d^3 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{8g^{5/2}(cdf - aeg)^{3/2}} - \frac{cd \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4g^2 \sqrt{d+ex} (f+gx)^2} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3g(d+ex)^{3/2}(f+gx)^3}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^4), x]

[Out] -(c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*g^2\*Sqrt[d + e\*x]\*(f + g\*x)^2) + (c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*g^2\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(3\*g\*(d + e\*x)^(3/2)\*(f + g\*x)^3) + (c^3\*d^3\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(8\*g^(5/2)\*(c\*d\*f - a\*e\*g)^(3/2))

**Rule 205**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 862**

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

**Rule 872**

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(
n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p
]

```

### Rule 874

```

Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^4} dx &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g(d + ex)^{3/2}(f + gx)^3} + \frac{(cd) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}(f + gx)^3} dx}{2g} \\
&= -\frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2\sqrt{d + ex}(f + gx)^2} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g(d + ex)^{3/2}(f + gx)^3} + \\
&= -\frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2\sqrt{d + ex}(f + gx)^2} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^2(cdf - aeg)\sqrt{d + ex}(f + gx)} \\
&= -\frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2\sqrt{d + ex}(f + gx)^2} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^2(cdf - aeg)\sqrt{d + ex}(f + gx)} \\
&= -\frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2\sqrt{d + ex}(f + gx)^2} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^2(cdf - aeg)\sqrt{d + ex}(f + gx)}
\end{aligned}$$

**Mathematica [C]** time = 0.06, size = 79, normalized size = 0.30

$$\frac{2c^3d^3((d+ex)(ae+cdx))^{5/2} {}_2F_1\left(\frac{5}{2}, 4; \frac{7}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{5(d+ex)^{5/2}(cdf-aeg)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^4), x]

[Out] (2\*c^3\*d^3\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*Hypergeometric2F1[5/2, 4, 7/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)]/(5\*(c\*d\*f - a\*e\*g)^4\*(d + e\*x)^(5/2))

**IntegrateAlgebraic [F]** time = 180.03, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^4), x]

[Out] \$Aborted

**fricas [B]** time = 0.47, size = 1434, normalized size = 5.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^4,x, algorithm="fricas")

[Out] [1/48\*(3\*(c^3\*d^3\*e\*g^3\*x^4 + c^3\*d^4\*f^3 + (3\*c^3\*d^3\*e\*f\*g^2 + c^3\*d^4\*g^3)\*x^3 + 3\*(c^3\*d^3\*e\*f^2\*g + c^3\*d^4\*f\*g^2)\*x^2 + (c^3\*d^3\*e\*f^3 + 3\*c^3\*d^4\*f^2\*g)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*sqrt(e\*x + d))/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x) - 2\*(3\*c^3\*d^3\*f^3\*g - a\*c^2\*d^2\*e\*f^2\*g^2 - 10\*a^2\*c\*d\*e^2\*f\*g^3 + 8\*a^3\*e^3\*g^4 - 3\*(c^3\*d^3\*f\*g^3 - a\*c^2\*d^2\*e\*g^4)\*x^2 + 2\*(4\*c^3\*d^3\*f^2\*g^2 - 11\*a\*c^2\*d^2\*e\*f\*g^3 + 7\*a^2\*c\*d\*e^2\*g^4)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^2\*d^3\*f^5\*g^3 - 2\*a\*c\*d^2\*e\*f^4\*g^4 + a^2\*d\*e^2\*f^3\*g^5 + (c^2\*d^2\*e\*f^2\*g^6 - 2\*a\*c\*d\*e^2\*f\*g^7 + a^2\*e^3\*g^8)\*x^4 + (3\*c^2\*d^2\*e\*f^3\*g^5 + a^2\*d\*e^2\*g^8 + (c^2\*d^3 - 6\*a\*c\*d\*e^2)\*f^2\*g^6 - (2\*a\*c\*d^2\*e - 3\*a^2\*e^3)\*f\*g^7)\*x^3 + 3\*(c^2\*d^2\*e\*f^4\*g^4 + a^2\*d\*e^2\*f\*g^7 + (c^2\*d^3 - 2\*a\*c\*d\*e^2)\*f^3\*g^5 - (2\*a\*c\*d^2\*e - a^2\*e^3)\*f^2\*g^6)\*x^2 + (c^2\*d^2\*e\*f^5\*g^3 + 3\*a^2\*d\*e^2\*f^2\*g^6 + (3\*c^2\*d^3 - 2\*a\*c\*d\*e

$$\begin{aligned} &^2)*f^4*g^4 - (6*a*c*d^2*e - a^2*e^3)*f^3*g^5)*x), -1/24*(3*(c^3*d^3*e*g^3* \\ &x^4 + c^3*d^4*f^3 + (3*c^3*d^3*e*f*g^2 + c^3*d^4*g^3)*x^3 + 3*(c^3*d^3*e*f^ \\ &2*g + c^3*d^4*f*g^2)*x^2 + (c^3*d^3*e*f^3 + 3*c^3*d^4*f^2*g)*x)*\sqrt{c*d*f* \\ &g - a*e*g^2}*\arctan(\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{c*d*f* \\ &g - a*e*g^2})*\sqrt{e*x + d}/(c*d*e*g*x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x)) + \\ &(3*c^3*d^3*f^3*g - a*c^2*d^2*e*f^2*g^2 - 10*a^2*c*d*e^2*f*g^3 + 8*a^3*e^3* \\ &g^4 - 3*(c^3*d^3*f*g^3 - a*c^2*d^2*e*g^4)*x^2 + 2*(4*c^3*d^3*f^2*g^2 - 11*a \\ &*c^2*d^2*e*f*g^3 + 7*a^2*c*d*e^2*g^4)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + \\ &a*e^2)*x}*\sqrt{e*x + d})/(c^2*d^3*f^5*g^3 - 2*a*c*d^2*e*f^4*g^4 + a^2*d*e^2 \\ &*f^3*g^5 + (c^2*d^2*e*f^2*g^6 - 2*a*c*d*e^2*f*g^7 + a^2*e^3*g^8)*x^4 + (3*c \\ &^2*d^2*e*f^3*g^5 + a^2*d*e^2*g^8 + (c^2*d^3 - 6*a*c*d*e^2)*f^2*g^6 - (2*a*c \\ &d^2*e - 3*a^2*e^3)*f*g^7)*x^3 + 3*(c^2*d^2*e*f^4*g^4 + a^2*d*e^2*f*g^7 + ( \\ &c^2*d^3 - 2*a*c*d*e^2)*f^3*g^5 - (2*a*c*d^2*e - a^2*e^3)*f^2*g^6)*x^2 + (c^ \\ &2*d^2*e*f^5*g^3 + 3*a^2*d*e^2*f^2*g^6 + (3*c^2*d^3 - 2*a*c*d*e^2)*f^4*g^4 - \\ &(6*a*c*d^2*e - a^2*e^3)*f^3*g^5)*x] \end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^4,x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.03, size = 453, normalized size = 1.71

$$\frac{\sqrt{d^2 x^2 + a^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2 x^2 + a^2}}{d x + f}\right) + 3/2 \sqrt{d^2 x^2 + a^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2 x^2 + a^2}}{d x + f}\right) + 3/2 \sqrt{d^2 x^2 + a^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2 x^2 + a^2}}{d x + f}\right) - 3 \sqrt{d^2 x^2 + a^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2 x^2 + a^2}}{d x + f}\right) - 14 \sqrt{d^2 x^2 + a^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2 x^2 + a^2}}{d x + f}\right) + 8 \sqrt{d^2 x^2 + a^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2 x^2 + a^2}}{d x + f}\right) - 8 \sqrt{d^2 x^2 + a^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2 x^2 + a^2}}{d x + f}\right) + 2 \sqrt{d^2 x^2 + a^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2 x^2 + a^2}}{d x + f}\right) + 3 \sqrt{d^2 x^2 + a^2} \operatorname{arctanh}\left(\frac{\sqrt{d^2 x^2 + a^2}}{d x + f}\right)}{24 \sqrt{d^2 x^2 + a^2} \sqrt{d^2 x^2 + a^2} (\log(-df)) (g x + f) \sqrt{(d x + f)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^4,x)

[Out]  $\frac{1}{24}*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}*(3*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x^3*c^3*d^3*g^3+9*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x^2*c^3*d^3*f*g^2+9*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x*c^3*d^3*f^2*g+3*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*c^3*d^3*f^3-3*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*c^2*d^2*g^2*x^2-14*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a*c*d*e*g^2*x+8*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*c^2*d^2*f*g*x-8*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a^2*e^2*g^2+2*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a*c*d*e*f*g+3*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*c^2*d^2*f^2)/(e*x+d)^{(1/2)}/(c*d*x+a*e)^{(1/2)}/(a*e*g-c*d*f)/g^2/(g*x+f)^3/((a*e*g-c*d*f)*g)^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}}(gx + f)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^4,x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*(g\*x + f)^4), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{\frac{3}{2}}}{(f + gx)^4 (d + ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^4\*(d + e\*x)^(3/2)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^4\*(d + e\*x)^(3/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2)/(g\*x+f)\*\*4,x)

[Out] Timed out

$$3.465 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^5} dx$$

**Optimal.** Leaf size=335

$$\frac{3c^4 d^4 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{64g^{5/2}(cdf - aeg)^{5/2}} + \frac{3c^3 d^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64g^2 \sqrt{d+ex} (f+gx)(cdf - aeg)^2} + \frac{c^2 d^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{32g^2 \sqrt{d+ex} (f+gx)^2 (cdf - aeg)}$$

**Rubi [A]** time = 0.45, antiderivative size = 335, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 872, 874, 205}

$$\frac{3c^3 d^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64g^2 \sqrt{d+ex} (f+gx)(cdf - aeg)^2} + \frac{c^2 d^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{32g^2 \sqrt{d+ex} (f+gx)^2 (cdf - aeg)} + \frac{3c^4 d^4 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{64g^{5/2} (cdf - aeg)^{5/2}} - \frac{cd \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{8g^2 \sqrt{d+ex} (f+gx)^3} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{4g(d+ex)^{3/2} (f+gx)^4}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^5), x]

[Out] -(c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*g^2\*Sqrt[d + e\*x]\*(f + g\*x)^3) + (c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(32\*g^2\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)^2) + (3\*c^3\*d^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(64\*g^2\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(4\*g\*(d + e\*x)^(3/2)\*(f + g\*x)^4) + (3\*c^4\*d^4\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(64\*g^(5/2)\*(c\*d\*f - a\*e\*g)^(5/2))

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 862**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

Rule 872

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(
n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p
]

```

Rule 874

```

Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^5} dx &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{4g(d + ex)^{3/2}(f + gx)^4} + \frac{(3cd) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^4} dx}{8g} \\
&= -\frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^2\sqrt{d + ex}(f + gx)^3} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{4g(d + ex)^{3/2}(f + gx)^4} + \\
&= -\frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^2\sqrt{d + ex}(f + gx)^3} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^2(cdf - aeg)\sqrt{d + ex}(f + gx)^2} \\
&= -\frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^2\sqrt{d + ex}(f + gx)^3} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^2(cdf - aeg)\sqrt{d + ex}(f + gx)^2} \\
&= -\frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^2\sqrt{d + ex}(f + gx)^3} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^2(cdf - aeg)\sqrt{d + ex}(f + gx)^2} \\
&= -\frac{cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^2\sqrt{d + ex}(f + gx)^3} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^2(cdf - aeg)\sqrt{d + ex}(f + gx)^2}
\end{aligned}$$

**Mathematica [C]** time = 0.06, size = 79, normalized size = 0.24

$$\frac{2c^4d^4((d + ex)(ae + cdex))^{5/2} {}_2F_1\left(\frac{5}{2}, 5; \frac{7}{2}; \frac{g(ae + cdex)}{aeg - cdf}\right)}{5(d + ex)^{5/2}(cdf - aeg)^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^5), x]

[Out] (2\*c^4\*d^4\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*Hypergeometric2F1[5/2, 5, 7/2, (g\*(a\*e + c\*d\*x))/(-c\*d\*f + a\*e\*g)]/(5\*(c\*d\*f - a\*e\*g)^5\*(d + e\*x)^(5/2))

**IntegrateAlgebraic [F]** time = 180.00, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.



[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^5),x]

[Out] \$Aborted

**fricas** [B] time = 0.48, size = 2238, normalized size = 6.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^5,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/128*(3*(c^4*d^4*e*g^4*x^5 + c^4*d^5*f^4 + (4*c^4*d^4*e*f*g^3 + c^4*d^5* \\ & g^4)*x^4 + 2*(3*c^4*d^4*e*f^2*g^2 + 2*c^4*d^5*f*g^3)*x^3 + 2*(2*c^4*d^4*e*f \\ & ^3*g + 3*c^4*d^5*f^2*g^2)*x^2 + (c^4*d^4*e*f^4 + 4*c^4*d^5*f^3*g)*x)*\sqrt{-} \\ & c*d*f*g + a*e*g^2)*\log(-(c*d*e*g*x^2 - c*d^2*f + 2*a*d*e*g - (c*d*e*f - (c \\ & d^2 + 2*a*e^2)*g)*x - 2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{-} \\ & c*d*f*g + a*e*g^2)*\sqrt{e*x + d}))/ (e*g*x^2 + d*f + (e*f + d*g)*x)) + 2*(3*c^ \\ & 4*d^4*f^4*g - a*c^3*d^3*e*f^3*g^2 - 26*a^2*c^2*d^2*e^2*f^2*g^3 + 40*a^3*c*d \\ & *e^3*f*g^4 - 16*a^4*e^4*g^5 - 3*(c^4*d^4*f*g^4 - a*c^3*d^3*e*g^5)*x^3 - (11 \\ & *c^4*d^4*f^2*g^3 - 13*a*c^3*d^3*e*f*g^4 + 2*a^2*c^2*d^2*e^2*g^5)*x^2 + (11* \\ & c^4*d^4*f^3*g^2 - 55*a*c^3*d^3*e*f^2*g^3 + 68*a^2*c^2*d^2*e^2*f*g^4 - 24*a^ \\ & 3*c*d*e^3*g^5)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d} \\ & )/(c^3*d^4*f^7*g^3 - 3*a*c^2*d^3*e*f^6*g^4 + 3*a^2*c*d^2*e^2*f^5*g^5 - a^3* \\ & d*e^3*f^4*g^6 + (c^3*d^3*e*f^3*g^7 - 3*a*c^2*d^2*e^2*f^2*g^8 + 3*a^2*c*d*e^ \\ & 3*f*g^9 - a^3*e^4*g^10)*x^5 + (4*c^3*d^3*e*f^4*g^6 - a^3*d*e^3*g^10 + (c^3* \\ & d^4 - 12*a*c^2*d^2*e^2)*f^3*g^7 - 3*(a*c^2*d^3*e - 4*a^2*c*d*e^3)*f^2*g^8 + \\ & (3*a^2*c*d^2*e^2 - 4*a^3*e^4)*f*g^9)*x^4 + 2*(3*c^3*d^3*e*f^5*g^5 - 2*a^3* \\ & d*e^3*f*g^9 + (2*c^3*d^4 - 9*a*c^2*d^2*e^2)*f^4*g^6 - 3*(2*a*c^2*d^3*e - 3* \\ & a^2*c*d*e^3)*f^3*g^7 + 3*(2*a^2*c*d^2*e^2 - a^3*e^4)*f^2*g^8)*x^3 + 2*(2*c^ \\ & 3*d^3*e*f^6*g^4 - 3*a^3*d*e^3*f^2*g^8 + 3*(c^3*d^4 - 2*a*c^2*d^2*e^2)*f^5*g \\ & ^5 - 3*(3*a*c^2*d^3*e - 2*a^2*c*d*e^3)*f^4*g^6 + (9*a^2*c*d^2*e^2 - 2*a^3*e \\ & ^4)*f^3*g^7)*x^2 + (c^3*d^3*e*f^7*g^3 - 4*a^3*d*e^3*f^3*g^7 + (4*c^3*d^4 - \\ & 3*a*c^2*d^2*e^2)*f^6*g^4 - 3*(4*a*c^2*d^3*e - a^2*c*d*e^3)*f^5*g^5 + (12*a^ \\ & 2*c*d^2*e^2 - a^3*e^4)*f^4*g^6)*x), -1/64*(3*(c^4*d^4*e*g^4*x^5 + c^4*d^5*f \\ & ^4 + (4*c^4*d^4*e*f*g^3 + c^4*d^5*g^4)*x^4 + 2*(3*c^4*d^4*e*f^2*g^2 + 2*c^4 \\ & *d^5*f*g^3)*x^3 + 2*(2*c^4*d^4*e*f^3*g + 3*c^4*d^5*f^2*g^2)*x^2 + (c^4*d^4* \\ & e*f^4 + 4*c^4*d^5*f^3*g)*x)*\sqrt{c*d*f*g - a*e*g^2}*\arctan(\sqrt{c*d*e*x^2 + \\ & a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{c*d*f*g - a*e*g^2}*\sqrt{e*x + d}))/ (c*d*e*g* \\ & x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x)) + (3*c^4*d^4*f^4*g - a*c^3*d^3*e*f^3* \\ & g^2 - 26*a^2*c^2*d^2*e^2*f^2*g^3 + 40*a^3*c*d*e^3*f*g^4 - 16*a^4*e^4*g^5 - \\ & 3*(c^4*d^4*f*g^4 - a*c^3*d^3*e*g^5)*x^3 - (11*c^4*d^4*f^2*g^3 - 13*a*c^3*d^ \\ & 3*e*f*g^4 + 2*a^2*c^2*d^2*e^2*g^5)*x^2 + (11*c^4*d^4*f^3*g^2 - 55*a*c^3*d^3 \\ & *e*f^2*g^3 + 68*a^2*c^2*d^2*e^2*f*g^4 - 24*a^3*c*d*e^3*g^5)*x)*\sqrt{c*d*e*x \\ & ^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d}))/ (c^3*d^4*f^7*g^3 - 3*a*c^2*d \end{aligned}$$

$$\begin{aligned} &^3e*f^6*g^4 + 3*a^2*c*d^2*e^2*f^5*g^5 - a^3*d*e^3*f^4*g^6 + (c^3*d^3*e*f^3 \\ &*g^7 - 3*a*c^2*d^2*e^2*f^2*g^8 + 3*a^2*c*d*e^3*f*g^9 - a^3*e^4*g^10)*x^5 + \\ &(4*c^3*d^3*e*f^4*g^6 - a^3*d*e^3*g^10 + (c^3*d^4 - 12*a*c^2*d^2*e^2)*f^3*g^7 \\ &- 3*(a*c^2*d^3*e - 4*a^2*c*d*e^3)*f^2*g^8 + (3*a^2*c*d^2*e^2 - 4*a^3*e^4) \\ &*f*g^9)*x^4 + 2*(3*c^3*d^3*e*f^5*g^5 - 2*a^3*d*e^3*f*g^9 + (2*c^3*d^4 - 9*a \\ &*c^2*d^2*e^2)*f^4*g^6 - 3*(2*a*c^2*d^3*e - 3*a^2*c*d*e^3)*f^3*g^7 + 3*(2*a^ \\ &2*c*d^2*e^2 - a^3*e^4)*f^2*g^8)*x^3 + 2*(2*c^3*d^3*e*f^6*g^4 - 3*a^3*d*e^3* \\ &f^2*g^8 + 3*(c^3*d^4 - 2*a*c^2*d^2*e^2)*f^5*g^5 - 3*(3*a*c^2*d^3*e - 2*a^2* \\ &c*d*e^3)*f^4*g^6 + (9*a^2*c*d^2*e^2 - 2*a^3*e^4)*f^3*g^7)*x^2 + (c^3*d^3*e* \\ &f^7*g^3 - 4*a^3*d*e^3*f^3*g^7 + (4*c^3*d^4 - 3*a*c^2*d^2*e^2)*f^6*g^4 - 3*( \\ &4*a*c^2*d^3*e - a^2*c*d*e^3)*f^5*g^5 + (12*a^2*c*d^2*e^2 - a^3*e^4)*f^4*g^6 \\ &)*x] \end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^5,x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.04, size = 665, normalized size = 1.99

---

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^5,x)

[Out] 
$$\begin{aligned} &-1/64*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(3*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/ \\ &((a*e*g-c*d*f)*g)^(1/2)*g)*x^4*c^4*d^4*g^4+12*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a \\ &*e*g-c*d*f)*g)^(1/2)*g)*x^3*c^4*d^4*f*g^3+18*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a* \\ &e*g-c*d*f)*g)^(1/2)*g)*x^2*c^4*d^4*f^2*g^2+12*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a \\ &*e*g-c*d*f)*g)^(1/2)*g)*x*c^4*d^4*f^3*g-3*(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)* \\ &g)^(1/2)*c^3*d^3*g^3*x^3+3*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2) \\ &)*g)*c^4*d^4*f^4+2*(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2)*a*c^2*d^2*e*g^ \\ &3*x^2-11*(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2)*c^3*d^3*f*g^2*x^2+24*(c* \\ &d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2)*a^2*c*d*e^2*g^3*x-44*(c*d*x+a*e)^(1/ \\ &2)*((a*e*g-c*d*f)*g)^(1/2)*a*c^2*d^2*e*f*g^2*x+11*(c*d*x+a*e)^(1/2)*((a*e*g \\ &-c*d*f)*g)^(1/2)*c^3*d^3*f^2*g*x+16*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/ \\ &2)*a^3*e^3*g^3-24*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a^2*c*d*e^2*f*g \\ &^2+2*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c^2*d^2*e*f^2*g+3*((a*e*g- \\ &c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^3*d^3*f^3)/(e*x+d)^(1/2)/((a*e*g-c*d*f) \\ &*g)^(1/2)/(g*x+f)^4/g^2/(a*e*g-c*d*f)^2/(c*d*x+a*e)^(1/2) \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}}(gx + f)^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^5,x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*(g\*x + f)^5), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{\frac{3}{2}}}{(f + gx)^5 (d + ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^5\*(d + e\*x)^(3/2)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^5\*(d + e\*x)^(3/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2)/(g\*x+f)\*\*5,x)

[Out] Timed out

$$3.466 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^6} dx$$

**Optimal.** Leaf size=405

$$\frac{3c^5 d^5 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{128g^{5/2}(cdf - aeg)^{7/2}} + \frac{3c^4 d^4 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{128g^2 \sqrt{d+ex} (f+gx)(cdf - aeg)^3} + \frac{c^3 d^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64g^2 \sqrt{d+ex} (f+gx)^2 (cdf - aeg)^2}$$

**Rubi [A]** time = 0.56, antiderivative size = 405, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 872, 874, 205}

$$\frac{3c^4 d^4 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{128g^2 \sqrt{d+ex} (f+gx)(cdf - aeg)^3} + \frac{c^3 d^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64g^2 \sqrt{d+ex} (f+gx)^2 (cdf - aeg)^2} + \frac{c^2 d^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{80g^2 \sqrt{d+ex} (f+gx)^3 (cdf - aeg)} + \frac{3c^5 d^5 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{128g^{5/2} (cdf - aeg)^{7/2}} - \frac{3cd \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{40g^2 \sqrt{d+ex} (f+gx)^4} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{5g(d+ex)^{3/2} (f+gx)^5}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^6), x]

[Out] (-3\*c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(40\*g^2\*Sqrt[d + e\*x]\*(f + g\*x)^4) + (c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(80\*g^2\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)^3) + (c^3\*d^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(64\*g^2\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)^2) + (3\*c^4\*d^4\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(128\*g^2\*(c\*d\*f - a\*e\*g)^3\*Sqrt[d + e\*x]\*(f + g\*x)) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/(5\*g\*(d + e\*x)^(3/2)\*(f + g\*x)^5) + (3\*c^5\*d^5\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(128\*g^(5/2)\*(c\*d\*f - a\*e\*g)^(7/2))

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 862

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^p)/(g\*(n+1)), x] + Dist[(c\*m)/(e\*g\*(n+1)), Int[(d + e\*x)^(m+1)\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^(p-1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ

$[n, -1] \&\& \text{!(IntegerQ}[n + p] \&\& \text{LeQ}[n + p + 2, 0])$

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

### Rule 874

Int[Sqrt[(d\_) + (e\_)\*(x\_)]/(((f\_) + (g\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[2\*e^2, Subst[Int[1/(c\*(e\*f + d\*g) - b\*e\*g + e^2\*g\*x^2), x], x, Sqrt[a + b\*x + c\*x^2]/Sqrt[d + e\*x]], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^6} dx &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{5g(d + ex)^{3/2}(f + gx)^5} + \frac{(3cd) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^5} dx}{10g} \\
&= -\frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{40g^2\sqrt{d + ex}(f + gx)^4} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{5g(d + ex)^{3/2}(f + gx)^5} \\
&= -\frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{40g^2\sqrt{d + ex}(f + gx)^4} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{80g^2(cdf - aeg)\sqrt{d + ex}(f + gx)} \\
&= -\frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{40g^2\sqrt{d + ex}(f + gx)^4} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{80g^2(cdf - aeg)\sqrt{d + ex}(f + gx)} \\
&= -\frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{40g^2\sqrt{d + ex}(f + gx)^4} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{80g^2(cdf - aeg)\sqrt{d + ex}(f + gx)} \\
&= -\frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{40g^2\sqrt{d + ex}(f + gx)^4} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{80g^2(cdf - aeg)\sqrt{d + ex}(f + gx)} \\
&= -\frac{3cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{40g^2\sqrt{d + ex}(f + gx)^4} + \frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{80g^2(cdf - aeg)\sqrt{d + ex}(f + gx)}
\end{aligned}$$

**Mathematica [C]** time = 0.06, size = 79, normalized size = 0.20

$$\frac{2c^5d^5((d + ex)(ae + cdex))^{5/2} {}_2F_1\left(\frac{5}{2}, 6; \frac{7}{2}; \frac{g(ae+cdex)}{aeg-cdf}\right)}{5(d + ex)^{5/2}(cdf - aeg)^6}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^6), x]

[Out] (2\*c^5\*d^5\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*Hypergeometric2F1[5/2, 6, 7/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)]/(5\*(c\*d\*f - a\*e\*g)^6\*(d + e\*x)^(5/2))

IntegrateAlgebraic [F] time = 180.34, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^6), x]

[Out] \$Aborted

fricas [B] time = 0.53, size = 3204, normalized size = 7.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^6, x, algorithm="fricas")

[Out] [1/1280\*(15\*(c^5\*d^5\*e\*g^5\*x^6 + c^5\*d^6\*f^5 + (5\*c^5\*d^5\*e\*f\*g^4 + c^5\*d^6\*g^5)\*x^5 + 5\*(2\*c^5\*d^5\*e\*f^2\*g^3 + c^5\*d^6\*f\*g^4)\*x^4 + 10\*(c^5\*d^5\*e\*f^3\*g^2 + c^5\*d^6\*f^2\*g^3)\*x^3 + 5\*(c^5\*d^5\*e\*f^4\*g + 2\*c^5\*d^6\*f^3\*g^2)\*x^2 + (c^5\*d^5\*e\*f^5 + 5\*c^5\*d^6\*f^4\*g)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*sqrt(e\*x + d))/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)) - 2\*(15\*c^5\*d^5\*f^5\*g - 5\*a\*c^4\*d^4\*e\*f^4\*g^2 - 258\*a^2\*c^3\*d^3\*e^2\*f^3\*g^3 + 584\*a^3\*c^2\*d^2\*e^3\*f^2\*g^4 - 464\*a^4\*c\*d\*e^4\*f\*g^5 + 128\*a^5\*e^5\*g^6 - 15\*(c^5\*d^5\*f\*g^5 - a\*c^4\*d^4\*e\*g^6)\*x^4 - 10\*(7\*c^5\*d^5\*f^2\*g^4 - 8\*a\*c^4\*d^4\*e\*f\*g^5 + a^2\*c^3\*d^3\*e^2\*g^6)\*x^3 - 2\*(64\*c^5\*d^5\*f^3\*g^3 - 87\*a\*c^4\*d^4\*e\*f^2\*g^4 + 27\*a^2\*c^3\*d^3\*e^2\*f\*g^5 - 4\*a^3\*c^2\*d^2\*e^3\*g^6)\*x^2 + 2\*(35\*c^5\*d^5\*f^4\*g^2 - 268\*a\*c^4\*d^4\*e\*f^3\*g^3 + 489\*a^2\*c^3\*d^3\*e^2\*f^2\*g^4 - 344\*a^3\*c^2\*d^2\*e^3\*f\*g^5 + 88\*a^4\*c\*d\*e^4\*g^6)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^4\*d^5\*f^9\*g^3 - 4\*a\*c^3\*d^4\*e\*f^8\*g^4 + 6\*a^2\*c^2\*d^3\*e^2\*f^7\*g^5 - 4\*a^3\*c\*d^2\*e^3\*f^6\*g^6 + a^4\*d\*e^4\*f^5\*g^7 + (c^4\*d^4\*e\*f^4\*g^8 - 4\*a\*c^3\*d^3\*e^2\*f^3\*g^9 + 6\*a^2\*c^2\*d^2\*e^3\*f^2\*g^10 - 4\*a^3\*c\*d\*e^4\*f\*g^11 + a^4\*e^5\*g^12)\*x^6 + (5\*c^4\*d^4\*e\*f^5\*g^7 + a^4\*d\*e^4\*g^12 + (c^4\*d^5 - 20\*a\*c^3\*d^3\*e^2)\*f^4\*g^8 - 2\*(2\*a\*c^3\*d^4\*e - 15\*a^2\*c^2\*d^2\*e^3)\*f^3\*g^9 + 2\*(3\*a^2\*c^2\*d^3\*e^2 - 10\*a^3\*c\*d\*e^4)\*f^2\*g^10 - (4\*a^3\*c\*d^2\*e^3 - 5\*a^4\*e^5)\*f\*g^11)\*x^5 + 5\*(2\*c^4\*d^4\*e\*f^6\*g^6 + a^4\*d\*e^4\*f\*g^11 + (c^4\*d^5 - 8\*a\*c^3\*d^3\*e^2)\*f^5\*g^7 - 4\*(a\*c^3\*d^4\*e - 3\*a^2\*c^2\*d^2\*e^3)\*f^4\*g^8 + 2\*(3\*a^2\*c^2\*d^3\*e^2 - 4\*a^3\*c\*d\*e^4)\*f^3\*g^9 - 2\*(2\*a^3\*c\*d^2\*e^3 - a^4\*e^5)\*f^2\*g^10)\*x^4 + 10\*(c^4\*d^4\*e\*f^7\*g^5 + a^4\*d\*e^4\*f^2\*g^10 + (c^4\*d^5 - 4\*a\*c^3\*d^3\*e^2)\*f^6\*g^6 - 2\*(2\*a\*c^3\*d^4\*e - 3\*a^2\*c^2\*d^2\*e^3)\*f^5\*g^7 + 2\*(3\*a^2\*c^2\*d^3\*e^2 - 2\*a^3\*c\*d\*e^4)\*f^4\*g^8 - (4\*a^3\*c\*d^2\*e^3 - a^4\*e^5)\*f^3\*g^9)\*x^3 + 5\*(c^4\*d^4\*e\*f^8\*g^4 + 2\*a^4\*d\*e^4\*f^3\*g^9 + 2\*(c^4\*d^5 - 2\*a\*c^3\*d^3\*e^2)\*f^

$$\begin{aligned}
& 7g^5 - 2(4ac^3d^4e - 3a^2c^2d^2e^3) f^6 g^6 + 4(3a^2c^2d^3e^2 - a^3cd^4e^4) f^5 g^7 - (8a^3cd^2e^3 - a^4e^5) f^4 g^8) x^2 + (c^4d^4e^9 f^3 g^3 + 5a^4d^4e^4 f^4 g^8 + (5c^4d^5 - 4ac^3d^3e^2) f^8 g^4 - 2(10ac^3d^4e - 3a^2c^2d^2e^3) f^7 g^5 + 2(15a^2c^2d^3e^2 - 2a^3cd^4e^4) f^6 g^6 - (20a^3cd^2e^3 - a^4e^5) f^5 g^7) x), -1/640 * \\
& (15(c^5d^5e^9 g^5 x^6 + c^5d^6 f^5 + (5c^5d^5e^9 f^4 g^4 + c^5d^6 g^5) x^5 + 5(2c^5d^5e^9 f^2 g^3 + c^5d^6 f^4 g^4) x^4 + 10(c^5d^5e^9 f^3 g^2 + c^5d^6 f^2 g^3) x^3 + 5(c^5d^5e^9 f^4 g + 2c^5d^6 f^3 g^2) x^2 + (c^5d^5e^9 f^5 + 5c^5d^6 f^4 g) x) * \sqrt{c d f g - a e g^2} * \arctan(\sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} * \sqrt{c d f g - a e g^2} * \sqrt{e x + d}) / (c d e g x^2 + a d e g + (c d^2 + a e^2) g x)) + (15c^5d^5f^5g - 5a^4c^4d^4e f^4 g^2 - 258a^2c^3d^3e^2 f^3 g^3 + 584a^3c^2d^2e^3 f^2 g^4 - 464a^4c^4d^4e f^4 g^5 + 128a^5e^5 g^6 - 15(c^5d^5f^5g^5 - a^4c^4d^4e g^6) x^4 - 10(7c^5d^5f^2g^4 - 8a^4c^4d^4e f^4 g^5 + a^2c^3d^3e^2 g^6) x^3 - 2(64c^5d^5f^3g^3 - 87a^4c^4d^4e f^2 g^4 + 27a^2c^3d^3e^2 f^5 g^5 - 4a^3c^2d^2e^3 g^6) x^2 + 2(35c^5d^5f^4g^2 - 268a^4c^4d^4e f^3 g^3 + 489a^2c^3d^3e^2 f^2 g^4 - 344a^3c^2d^2e^3 f^4 g^5 + 88a^4c^4d^4e f^4 g^6) x) * \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} * \sqrt{e x + d}) / (c^4d^5f^9g^3 - 4a^4c^3d^4e f^8g^4 + 6a^2c^2d^3e^2 f^7g^5 - 4a^3c^4d^5f^9g^3 - 4a^4c^3d^4e f^8g^4 + 6a^2c^2d^3e^2 f^7g^5 - 4a^3c^4d^5f^9g^3 - 4a^4c^3d^4e f^8g^4 + a^4d^4e^4 f^5 g^7 + (c^4d^4e^4 f^4 g^8 - 4a^4c^3d^3e^2 f^3 g^9 + 6a^2c^2d^2e^3 f^2 g^10 - 4a^3c^4d^5f^9g^3 - 4a^4c^3d^4e f^8g^4 + a^4e^5 g^12) x^6 + (5c^4d^4e^4 f^5 g^7 + a^4d^4e^4 g^12 + (c^4d^5 - 20a^4c^3d^3e^2) f^4 g^8 - 2(2a^4c^3d^4e - 15a^2c^2d^2e^3) f^3 g^9 + 2(3a^2c^2d^3e^2 - 10a^3c^4d^5e^4) f^2 g^10 - (4a^3c^4d^5e^4 - 5a^4e^5) f^4 g^11) x^5 + 5(2c^4d^4e^4 f^6 g^6 + a^4d^4e^4 f^4 g^11 + (c^4d^5 - 8a^4c^3d^3e^2) f^5 g^7 - 4(a^4c^3d^4e - 3a^2c^2d^2e^3) f^4 g^8 + 2(3a^2c^2d^3e^2 - 4a^3c^4d^5e^4) f^3 g^9 - 2(2a^3c^4d^5e^4 - a^4e^5) f^2 g^10) x^4 + 10(c^4d^4e^4 f^7 g^5 + a^4d^4e^4 f^2 g^10 + (c^4d^5 - 4a^4c^3d^3e^2) f^6 g^6 - 2(2a^4c^3d^4e - 3a^2c^2d^2e^3) f^5 g^7 + 2(3a^2c^2d^3e^2 - 2a^3c^4d^5e^4) f^4 g^8 - (4a^3c^4d^5e^4 - a^4e^5) f^3 g^9) x^3 + 5(c^4d^4e^4 f^8 g^4 + 2a^4d^4e^4 f^3 g^9 + 2(c^4d^5 - 2a^4c^3d^3e^2) f^7 g^5 - 2(4a^4c^3d^4e - 3a^2c^2d^2e^3) f^6 g^6 + 4(3a^2c^2d^3e^2 - a^3c^4d^5e^4) f^5 g^7 - (8a^3c^4d^5e^4 - a^4e^5) f^4 g^8) x^2 + (c^4d^4e^4 f^9 g^3 + 5a^4d^4e^4 f^4 g^8 + (5c^4d^5 - 4a^4c^3d^3e^2) f^8 g^4 - 2(10a^4c^3d^4e - 3a^2c^2d^2e^3) f^7 g^5 + 2(15a^2c^2d^3e^2 - 2a^3c^4d^5e^4) f^6 g^6 - (20a^3c^4d^5e^4 - a^4e^5) f^5 g^7) x)]
\end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^6,x, algorithm="giac")



[Out] Timed out

**maple [B]** time = 0.04, size = 955, normalized size = 2.36

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)/(e*x+d)^(3/2)/(g*x+f)^6,x)$

[Out]  $\frac{1}{640}*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(15*\text{arctanh}((c*d*x+a*e)^(1/2))/((a*e*g-c*d*f)*g)^(1/2)*g*x^5*c^5*d^5*f*g^5+75*\text{arctanh}((c*d*x+a*e)^(1/2))/((a*e*g-c*d*f)*g)^(1/2)*g*x^4*c^5*d^5*f*g^4+150*\text{arctanh}((c*d*x+a*e)^(1/2))/((a*e*g-c*d*f)*g)^(1/2)*g*x^3*c^5*d^5*f^2*g^3+150*\text{arctanh}((c*d*x+a*e)^(1/2))/((a*e*g-c*d*f)*g)^(1/2)*g*x^2*c^5*d^5*f^3*g^2-15*x^4*c^4*d^4*g^4*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)+75*\text{arctanh}((c*d*x+a*e)^(1/2))/((a*e*g-c*d*f)*g)^(1/2)*g*x*c^5*d^5*f^4*g+10*x^3*a*c^3*d^3*e*g^4*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)-70*x^3*c^4*d^4*f*g^3*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)+15*\text{arctanh}((c*d*x+a*e)^(1/2))/((a*e*g-c*d*f)*g)^(1/2)*g*c^5*d^5*f^5-8*x^2*a^2*c^2*d^2*e^2*g^4*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)+46*x^2*a*c^3*d^3*e*f*g^3*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)-128*x^2*c^4*d^4*f^2*g^2*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)-176*x*a^3*c*d*e^3*g^4*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)+512*x*a^2*c^2*d^2*e^2*f*g^3*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)-466*x*a*c^3*d^3*e*f^2*g^2*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)+70*x*c^4*d^4*f^3*g*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)-128*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a^4*e^4*g^4+336*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a^3*c*d*e^3*f*g^3-248*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a^2*c^2*d^2*e^2*f^2*g^2+10*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c^3*d^3*e*f^3*g+15*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^4*d^4*f^4)/(e*x+d)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)/(g*x+f)^5/g^2/(a*e*g-c*d*f)/(a^2*e^2*g^2-2*a*c*d*e*f*g+c^2*d^2*f^2)/(c*d*x+a*e)^(1/2)$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}}(gx + f)^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d)^(3/2)/(g*x+f)^6,x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(3/2)/((e*x + d)^(3/2)*(g*x + f)^6), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{3/2}}{(f + g x)^6 (d + e x)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^6\*(d + e\*x)^(3/2)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^6\*(d + e\*x)^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2)/(g\*x+f)\*\*6,x)

[Out] Timed out

$$3.467 \quad \int \frac{(f+gx)^4 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}} dx$$

**Optimal.** Leaf size=336

$$\frac{128 (x (ae^2 + cd^2) + ade + cdex^2)^{7/2} (cdf - aeg)^3 (2ae^2g - cd(9ef - 7dg))}{45045c^5d^5e(d+ex)^{7/2}} + \frac{128g (x (ae^2 + cd^2) + ade + cdex^2)^{5/2}}{6435c^4d^4e(d+ex)^{5/2}}$$

**Rubi [A]** time = 0.62, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {870, 794, 648}

$$\frac{16(f+gx)^3(x(ae^2+cd^2)+ade+cdex^2)^{7/2}(cdf-aeg)}{195c^2d^2(d+ex)^{7/2}} + \frac{32(f+gx)^2(x(ae^2+cd^2)+ade+cdex^2)^{7/2}(cdf-aeg)^2}{715c^3d^3(d+ex)^{7/2}} + \frac{128g(x(ae^2+cd^2)+ade+cdex^2)^{7/2}(cdf-aeg)^3}{6435c^4d^4e(d+ex)^{7/2}} + \frac{128(x(ae^2+cd^2)+ade+cdex^2)^{7/2}(cdf-aeg)^3(2ae^2g-cd(9ef-7dg))}{45045c^5d^5e(d+ex)^{7/2}} + \frac{2(f+gx)^4(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{15cd(d+ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^4\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] (-128\*(c\*d\*f - a\*e\*g)^3\*(2\*a\*e^2\*g - c\*d\*(9\*e\*f - 7\*d\*g))\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2)/(45045\*c^5\*d^5\*e\*(d + e\*x)^(7/2)) + (128\*g\*(c\*d\*f - a\*e\*g)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2)/(6435\*c^4\*d^4\*e\*(d + e\*x)^(5/2)) + (32\*(c\*d\*f - a\*e\*g)^2\*(f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2)/(715\*c^3\*d^3\*(d + e\*x)^(7/2)) + (16\*(c\*d\*f - a\*e\*g)\*(f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2)/(195\*c^2\*d^2\*(d + e\*x)^(7/2)) + (2\*(f + g\*x)^4\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2)/(15\*c\*d\*(d + e\*x)^(7/2))

### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rule 870

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || IntegerQ[n])

```

### Rubi steps

$$\begin{aligned}
\int \frac{(f + gx)^4 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}} dx &= \frac{2(f + gx)^4 (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{15cd(d + ex)^{7/2}} + \frac{(8cdf - aeg) \int (f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2} dx}{15cd(d + ex)^{7/2}} \\
&= \frac{16(cdf - aeg)(f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{195c^2d^2(d + ex)^{7/2}} + \frac{2(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2} \int (f + gx) dx}{195c^2d^2(d + ex)^{7/2}} \\
&= \frac{32(cdf - aeg)^2(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{715c^3d^3(d + ex)^{7/2}} + \frac{16(cdf - aeg)(f + gx) (ade + (cd^2 + ae^2)x + cdex^2)^{5/2} \int dx}{715c^3d^3(d + ex)^{7/2}} \\
&= \frac{128g(cdf - aeg)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{6435c^4d^4e(d + ex)^{5/2}} + \frac{32(cdf - aeg) (ade + (cd^2 + ae^2)x + cdex^2)^{5/2} \int dx}{6435c^4d^4e(d + ex)^{5/2}} \\
&= \frac{128(cdf - aeg)^3 \left(9f - \frac{7dg}{e} - \frac{2aeg}{cd}\right) (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{45045c^4d^4(d + ex)^{7/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 205, normalized size = 0.61

$$\frac{2(ae + cd^2)\sqrt{(d + ex)(ae + cd^2)} (128a^4e^4g^4 - 64a^3cde^2g^3(15f + 7gx) + 48a^2c^2d^2e^2g^2(65f^2 + 70fgx + 21g^2x^2) - 8ac^3d^3eg(715f^3 + 1365f^2gx + 945f^2g^2x^2 + 231g^3x^3) + c^4d^4(6435f^4 + 20020f^3gx + 24570f^2g^2x^2 + 13860fg^2x^3 + 3003g^4x^4))}{45045c^4d^4\sqrt{d + ex}}$$

Antiderivative was successfully verified.

```

[In] Integrate[((f + g*x)^4*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2))/(d +
e*x)^(5/2), x]

```

```

[Out] (2*(a*e + c*d*x)^3*Sqrt[(a*e + c*d*x)*(d + e*x)]*(128*a^4*e^4*g^4 - 64*a^3*
c*d*e^3*g^3*(15*f + 7*g*x) + 48*a^2*c^2*d^2*e^2*g^2*(65*f^2 + 70*f*g*x + 21
*g^2*x^2) - 8*a*c^3*d^3*e*g*(715*f^3 + 1365*f^2*g*x + 945*f*g^2*x^2 + 231*g
^3*x^3) + c^4*d^4*(6435*f^4 + 20020*f^3*g*x + 24570*f^2*g^2*x^2 + 13860*f*g
^3*x^3 + 3003*g^4*x^4)))/(45045*c^5*d^5*Sqrt[d + e*x])

```

**IntegrateAlgebraic [F]** time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((f + g\*x)^4\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] \$Aborted

**fricas [A]** time = 0.42, size = 567, normalized size = 1.69

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2), x, algorithm="fricas")

[Out] 
$$\frac{2}{45045} \cdot (3003 \cdot c^7 \cdot d^7 \cdot g^4 \cdot x^7 + 6435 \cdot a^3 \cdot c^4 \cdot d^4 \cdot e^3 \cdot f^4 - 5720 \cdot a^4 \cdot c^3 \cdot d^3 \cdot e^4 \cdot f^3 \cdot g + 3120 \cdot a^5 \cdot c^2 \cdot d^2 \cdot e^5 \cdot f^2 \cdot g^2 - 960 \cdot a^6 \cdot c \cdot d \cdot e^6 \cdot f \cdot g^3 + 128 \cdot a^7 \cdot e^7 \cdot g^4 + 231 \cdot (60 \cdot c^7 \cdot d^7 \cdot f \cdot g^3 + 31 \cdot a \cdot c^6 \cdot d^6 \cdot e \cdot g^4) \cdot x^6 + 63 \cdot (390 \cdot c^7 \cdot d^7 \cdot f^2 \cdot g^2 + 540 \cdot a \cdot c^6 \cdot d^6 \cdot e \cdot f \cdot g^3 + 71 \cdot a^2 \cdot c^5 \cdot d^5 \cdot e^2 \cdot g^4) \cdot x^5 + 35 \cdot (572 \cdot c^7 \cdot d^7 \cdot f^3 \cdot g + 1794 \cdot a \cdot c^6 \cdot d^6 \cdot e \cdot f^2 \cdot g^2 + 636 \cdot a^2 \cdot c^5 \cdot d^5 \cdot e^2 \cdot f \cdot g^3 + a^3 \cdot c^4 \cdot d^4 \cdot e^3 \cdot g^4) \cdot x^4 + 5 \cdot (1287 \cdot c^7 \cdot d^7 \cdot f^4 + 10868 \cdot a \cdot c^6 \cdot d^6 \cdot e \cdot f^3 \cdot g + 8814 \cdot a^2 \cdot c^5 \cdot d^5 \cdot e^2 \cdot f^2 \cdot g^2 + 60 \cdot a^3 \cdot c^4 \cdot d^4 \cdot e^3 \cdot f \cdot g^3 - 8 \cdot a^4 \cdot c^3 \cdot d^3 \cdot e^4 \cdot g^4) \cdot x^3 + 3 \cdot (6435 \cdot a \cdot c^6 \cdot d^6 \cdot e \cdot f^4 + 14300 \cdot a^2 \cdot c^5 \cdot d^5 \cdot e^2 \cdot f^3 \cdot g + 390 \cdot a^3 \cdot c^4 \cdot d^4 \cdot e^3 \cdot f^2 \cdot g^2 - 120 \cdot a^4 \cdot c^3 \cdot d^3 \cdot e^4 \cdot f \cdot g^3 + 16 \cdot a^5 \cdot c^2 \cdot d^2 \cdot e^5 \cdot g^4) \cdot x^2 + (19305 \cdot a^2 \cdot c^5 \cdot d^5 \cdot e^2 \cdot f^4 + 2860 \cdot a^3 \cdot c^4 \cdot d^4 \cdot e^3 \cdot f^3 \cdot g - 1560 \cdot a^4 \cdot c^3 \cdot d^3 \cdot e^4 \cdot f^2 \cdot g^2 + 480 \cdot a^5 \cdot c^2 \cdot d^2 \cdot e^5 \cdot f \cdot g^3 - 64 \cdot a^6 \cdot c \cdot d \cdot e^6 \cdot g^4) \cdot x) \cdot \sqrt{c \cdot d \cdot e \cdot x^2 + a \cdot d \cdot e + (c \cdot d^2 + a \cdot e^2) \cdot x} \cdot \sqrt{e \cdot x + d} / (c^5 \cdot d^5 \cdot e \cdot x + c^5 \cdot d^6)$$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP UT:sage2:=int(sage0,x);;OUTPUT:index.cc index\_m operator + Error: Bad Argument Valueindex.cc index\_m operator + Error: Bad Argument Valueindex.cc index\_m operator + Error: Bad Argument ValueEvaluation time: 17.12Done

maple [A] time = 0.01, size = 283, normalized size = 0.84

$$\frac{2(cdx+ad)(3003c^4d^4g^4x^4-1848a^3c^3d^3eg^4x^3+13860c^4d^4f^2g^3x^3+1008a^2c^2d^2e^2g^4x^2-7560a^3c^3d^3efg^3x^2+24570a^4d^4f^2g^2x^2-448a^3c^2d^2f^2g^4x+3360a^2c^2d^2e^2f^2g^3x-10920a^3c^3d^3ef^2g^2x+20020a^4d^4f^3g^2x+128a^4e^4g^4-960a^3c^3d^3efg^3+3120a^2c^2d^2e^2f^2g^2-5720a^3c^3d^3efg^2+6435a^4d^4f^3g)(cdx^2+ax^2+cd^2x+ad)^{\frac{5}{2}}}{45045(cx+d)^{\frac{5}{2}}c^5d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^4\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2),x)

[Out] 2/45045\*(c\*d\*x+a\*e)\*(3003\*c^4\*d^4\*g^4\*x^4-1848\*a\*c^3\*d^3\*e\*g^4\*x^3+13860\*c^4\*d^4\*f^2\*g^3\*x^3+1008\*a^2\*c^2\*d^2\*e^2\*g^4\*x^2-7560\*a\*c^3\*d^3\*e\*f\*g^3\*x^2+24570\*c^4\*d^4\*f^2\*g^2\*x^2-448\*a^3\*c\*d\*e^3\*g^4\*x+3360\*a^2\*c^2\*d^2\*e^2\*f\*g^3\*x-10920\*a\*c^3\*d^3\*e\*f^2\*g^2\*x+20020\*c^4\*d^4\*f^3\*g\*x+128\*a^4\*e^4\*g^4-960\*a^3\*c\*d\*e^3\*f\*g^3+3120\*a^2\*c^2\*d^2\*e^2\*f^2\*g^2-5720\*a\*c^3\*d^3\*e\*f^3\*g+6435\*c^4\*d^4\*f^4)\*(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(5/2)/c^5/d^5/(e\*x+d)^(5/2)

maxima [A] time = 0.76, size = 498, normalized size = 1.48

$$\frac{2(c^3d^3x^3+3a^2c^2d^2ex^2+3a^2cde^2x+a^3e^3)\sqrt{cdx+ae}f^4/(cd)+8/63(7c^4d^4x^4+19a^3c^3d^3ex^3+15a^2c^2d^2e^2x^2+a^3cde^3x-2a^4e^4)\sqrt{cdx+ae}f^3g/(c^2d^2)+4/231(63c^5d^5x^5+161a^4c^4d^4ex^4+113a^2c^3d^3e^2x^3+3a^3c^2d^2e^3x^2-4a^4cde^4x+8a^5e^5)\sqrt{cdx+ae}f^2g^2/(c^3d^3)+8/3003(231c^6d^6x^6+567a^5c^5d^5ex^5+371a^2c^4d^4e^2x^4+5a^3c^3d^3e^3x^3-6a^4c^2d^2e^4x^2+8a^5cde^5x-16a^6e^6)\sqrt{cdx+ae}f^3g^3/(c^4d^4)+2/45045(3003c^7d^7x^7+7161a^6c^6d^6ex^6+4473a^2c^5d^5e^2x^5+35a^3c^4d^4e^3x^4-40a^4c^3d^3e^4x^3+48a^5c^2d^2e^5x^2-64a^6cde^6x+128a^7e^7)\sqrt{cdx+ae}g^4/(c^5d^5)}{45045}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2),x, algorithm="maxima")

[Out] 2/7\*(c^3\*d^3\*x^3 + 3\*a\*c^2\*d^2\*e\*x^2 + 3\*a^2\*c\*d\*e^2\*x + a^3\*e^3)\*sqrt(c\*d\*x + a\*e)\*f^4/(c\*d) + 8/63\*(7\*c^4\*d^4\*x^4 + 19\*a\*c^3\*d^3\*e\*x^3 + 15\*a^2\*c^2\*d^2\*e^2\*x^2 + a^3\*c\*d\*e^3\*x - 2\*a^4\*e^4)\*sqrt(c\*d\*x + a\*e)\*f^3\*g/(c^2\*d^2) + 4/231\*(63\*c^5\*d^5\*x^5 + 161\*a\*c^4\*d^4\*e\*x^4 + 113\*a^2\*c^3\*d^3\*e^2\*x^3 + 3\*a^3\*c^2\*d^2\*e^3\*x^2 - 4\*a^4\*c\*d\*e^4\*x + 8\*a^5\*e^5)\*sqrt(c\*d\*x + a\*e)\*f^2\*g^2/(c^3\*d^3) + 8/3003\*(231\*c^6\*d^6\*x^6 + 567\*a\*c^5\*d^5\*e\*x^5 + 371\*a^2\*c^4\*d^4\*e^2\*x^4 + 5\*a^3\*c^3\*d^3\*e^3\*x^3 - 6\*a^4\*c^2\*d^2\*e^4\*x^2 + 8\*a^5\*c\*d\*e^5\*x - 16\*a^6\*e^6)\*sqrt(c\*d\*x + a\*e)\*f^3\*g^3/(c^4\*d^4) + 2/45045\*(3003\*c^7\*d^7\*x^7 + 7161\*a\*c^6\*d^6\*e\*x^6 + 4473\*a^2\*c^5\*d^5\*e^2\*x^5 + 35\*a^3\*c^4\*d^4\*e^3\*x^4 - 40\*a^4\*c^3\*d^3\*e^4\*x^3 + 48\*a^5\*c^2\*d^2\*e^5\*x^2 - 64\*a^6\*c\*d\*e^6\*x + 128\*a^7\*e^7)\*sqrt(c\*d\*x + a\*e)\*g^4/(c^5\*d^5)

mupad [B] time = 4.09, size = 523, normalized size = 1.56

$$\frac{\sqrt{cdx+ae}((x^2+ax+d)^{\frac{5}{2}}(2g^2x^5(71a^2e^2g^2+390c^2d^2f^2+540acde*fg)+256a^7e^7g^4+12870a^3c^2))}{715}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^4\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2),x)

[Out] ((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))\*((2\*g^2\*x^5\*(71\*a^2\*e^2\*g^2 + 390\*c^2\*d^2\*f^2 + 540\*a\*c\*d\*e\*f\*g))/715 + (256\*a^7\*e^7\*g^4 + 12870\*a^3\*c^2

$$4*d^4*e^3*f^4 - 11440*a^4*c^3*d^3*e^4*f^3*g - 1920*a^6*c*d*e^6*f*g^3 + 6240*a^5*c^2*d^2*e^5*f^2*g^2)/(45045*c^5*d^5) + (x^3*(12870*c^7*d^7*f^4 - 80*a^4*c^3*d^3*e^4*g^4 + 600*a^3*c^4*d^4*e^3*f*g^3 + 108680*a*c^6*d^6*e*f^3*g + 88140*a^2*c^5*d^5*e^2*f^2*g^2))/(45045*c^5*d^5) + (2*c^2*d^2*g^4*x^7)/15 + (2*c*d*g^3*x^6*(31*a*e*g + 60*c*d*f))/195 + (2*g*x^4*(a^3*e^3*g^3 + 572*c^3*d^3*f^3 + 1794*a*c^2*d^2*e*f^2*g + 636*a^2*c*d*e^2*f*g^2))/(1287*c*d) + (2*a^2*e^2*x*(19305*c^4*d^4*f^4 - 64*a^4*e^4*g^4 + 2860*a*c^3*d^3*e*f^3*g + 480*a^3*c*d*e^3*f*g^3 - 1560*a^2*c^2*d^2*e^2*f^2*g^2))/(45045*c^4*d^4) + (2*a*e*x^2*(16*a^4*e^4*g^4 + 6435*c^4*d^4*f^4 + 14300*a*c^3*d^3*e*f^3*g - 120*a^3*c*d*e^3*f*g^3 + 390*a^2*c^2*d^2*e^2*f^2*g^2))/(15015*c^3*d^3))/(d + e*x)^(1/2)$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*4\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2),x)

[Out] Timed out

$$3.468 \quad \int \frac{(f+gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}} dx$$

**Optimal.** Leaf size=269

$$\frac{16 \left( x \left( ae^2 + cd^2 \right) + ade + cdex^2 \right)^{7/2} (cdf - aeg)^2 \left( 2ae^2g - cd(9ef - 7dg) \right)}{3003c^4d^4e(d+ex)^{7/2}} + \frac{16g \left( x \left( ae^2 + cd^2 \right) + ade + cdex^2 \right)^{7/2}}{429c^3d^3e(d+ex)^{5/2}}$$

**Rubi [A]** time = 0.40, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {870, 794, 648}

$$\frac{12(f+gx)^2 \left( x \left( ae^2 + cd^2 \right) + ade + cdex^2 \right)^{7/2} (cdf - aeg)}{143c^2d^2(d+ex)^{7/2}} + \frac{16g \left( x \left( ae^2 + cd^2 \right) + ade + cdex^2 \right)^{7/2} (cdf - aeg)^2}{429c^3d^3e(d+ex)^{5/2}} - \frac{16 \left( x \left( ae^2 + cd^2 \right) + ade + cdex^2 \right)^{7/2} (cdf - aeg)^2 \left( 2ae^2g - cd(9ef - 7dg) \right)}{3003c^4d^4e(d+ex)^{7/2}} + \frac{2(f+gx)^3 \left( x \left( ae^2 + cd^2 \right) + ade + cdex^2 \right)^{7/2}}{13cd(d+ex)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] (-16\*(c\*d\*f - a\*e\*g)^2\*(2\*a\*e^2\*g - c\*d\*(9\*e\*f - 7\*d\*g))\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2)/(3003\*c^4\*d^4\*e\*(d + e\*x)^(7/2)) + (16\*g\*(c\*d\*f - a\*e\*g)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2)/(429\*c^3\*d^3\*e\*(d + e\*x)^(5/2)) + (12\*(c\*d\*f - a\*e\*g)\*(f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2)/(143\*c^2\*d^2\*(d + e\*x)^(7/2)) + (2\*(f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2)/(13\*c\*d\*(d + e\*x)^(7/2))

### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rule 870

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(



$a + b*x + c*x^2)^{(p + 1)}/(c*(m - n - 1)), x] - \text{Dist}[(n*(c*e*f + c*d*g - b*e*g))/(c*e*(m - n - 1)), \text{Int}[(d + e*x)^m*(f + g*x)^{(n - 1)*(a + b*x + c*x^2)^p}, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2\*p] || IntegerQ[n])

### Rubi steps

$$\begin{aligned} \int \frac{(f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}} dx &= \frac{2(f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{13cd(d + ex)^{7/2}} + \frac{(6cdf - aeg)}{13cd} \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{(d + ex)^{7/2}} \\ &= \frac{12(cdf - aeg)(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{143c^2d^2(d + ex)^{7/2}} + \frac{2(6cdf - aeg)(f + gx)}{143cd} \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{(d + ex)^{7/2}} \\ &= \frac{16g(cdf - aeg)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{429c^3d^3e(d + ex)^{5/2}} + \frac{12(cdf - aeg)(f + gx)}{429cd} \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{(d + ex)^{5/2}} \\ &= \frac{16(cdf - aeg)^2 \left(9f - \frac{7dg}{e} - \frac{2aeg}{cd}\right) (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{3003c^3d^3(d + ex)^{7/2}} \end{aligned}$$

**Mathematica [A]** time = 0.16, size = 147, normalized size = 0.55

$$\frac{2(ae + cdx)^3 \sqrt{(d + ex)(ae + cdx)} (-16a^3e^3g^3 + 8a^2cde^2g^2(13f + 7gx) - 2ac^2d^2eg(143f^2 + 182fgx + 63g^2x^2) + c^3d^3(429f^3 + 1001f^2gx + 819fg^2x^2 + 231g^3x^3))}{3003c^4d^4\sqrt{d + ex}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] (2\*(a\*e + c\*d\*x)^3\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-16\*a^3\*e^3\*g^3 + 8\*a^2\*c\*d\*e^2\*g^2\*(13\*f + 7\*g\*x) - 2\*a\*c^2\*d^2\*e\*g\*(143\*f^2 + 182\*f\*g\*x + 63\*g^2\*x^2) + c^3\*d^3\*(429\*f^3 + 1001\*f^2\*g\*x + 819\*f\*g^2\*x^2 + 231\*g^3\*x^3)))/(3003\*c^4\*d^4\*Sqrt[d + e\*x])

**IntegrateAlgebraic [F]** time = 180.51, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[((f + g*x)^3*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2))/(d + e*x)^(5/2),x]
```

```
[Out] $Aborted
```

```
fricas [A] time = 0.40, size = 416, normalized size = 1.55
```

$$\frac{2(231c^2d^2e^2 + 429c^2d^2e^2 - 286a^2d^2e^2 + 104a^2d^2e^2 - 16d^2e^2 + 63(13c^6d^6f^2 + 9a^2c^5d^5e^2f^2 + 7(143c^6d^6f^2 + 299a^2c^5d^5e^2f^2 + 53a^2c^4d^4e^2f^2)g^2 + (429c^6d^6f^2 + 2717a^2c^5d^5e^2f^2 + 1469a^2c^4d^4e^2f^2 + 5a^2c^3d^3e^2f^2)g^3 + 3(429a^2c^5d^5e^2f^2 + 715a^2c^4d^4e^2f^2 + 13a^2c^3d^3e^2f^2 - 2a^4c^2d^2e^4g^3) + (1287a^2c^4d^4e^2f^2 + 143a^3c^3d^3e^3f^2)g^2 + 52a^4c^2d^2e^4g^3)}{303(c^4d^4e^2x + c^4d^4e^2x + c^4d^4e^2x)} \sqrt{d^2 + ax} \sqrt{ex + d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^3*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2),x, algorithm="fricas")
```

```
[Out] 2/3003*(231*c^6*d^6*g^3*x^6 + 429*a^3*c^3*d^3*e^3*f^3 - 286*a^4*c^2*d^2*e^4*f^2*g + 104*a^5*c*d*e^5*f*g^2 - 16*a^6*e^6*g^3 + 63*(13*c^6*d^6*f*g^2 + 9*a*c^5*d^5*e*g^3)*x^5 + 7*(143*c^6*d^6*f^2*g + 299*a*c^5*d^5*e*f*g^2 + 53*a^2*c^4*d^4*e^2*g^3)*x^4 + (429*c^6*d^6*f^3 + 2717*a*c^5*d^5*e*f^2*g + 1469*a^2*c^4*d^4*e^2*f*g^2 + 5*a^3*c^3*d^3*e^3*g^3)*x^3 + 3*(429*a*c^5*d^5*e*f^3 + 715*a^2*c^4*d^4*e^2*f^2*g + 13*a^3*c^3*d^3*e^3*f*g^2 - 2*a^4*c^2*d^2*e^4*g^3)*x^2 + (1287*a^2*c^4*d^4*e^2*f^3 + 143*a^3*c^3*d^3*e^3*f^2*g - 52*a^4*c^2*d^2*e^4*f*g^2 + 8*a^5*c*d*e^5*g^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^4*d^4*e*x + c^4*d^5)
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^3*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x);OUTPUT:index.cc index_m operator + Error: Bad Argument Valueindex.cc index_m operator + Error: Bad Argument Valueindex.cc index_m operator + Error: Bad Argument ValueEvaluation time: 12.66Done
```

```
maple [A] time = 0.01, size = 188, normalized size = 0.70
```

$$\frac{2(cdx + ae) \left( -231g^3x^3c^3d^3 + 126a^2c^2d^2eg^2x^2 - 819c^3d^3fg^2x^2 - 56a^2cd^2e^2g^3x + 364a^2c^2d^2efg^2x - 1001c^3d^3f^2gx + 16a^3e^3g^3 - 104a^2cd^2e^2fg^2 + 286a^2d^2e^2f^2g - 429f^3c^3d^3 \right) (cde x^2 + a e^2 x + c d^2 x + ade)^{\frac{5}{2}}}{3003 (ex + d)^{\frac{5}{2}} c^4 d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x+f)^3*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/(e*x+d)^(5/2),x)
```

```
[Out] -2/3003*(c*d*x+a*e)*(-231*c^3*d^3*g^3*x^3+126*a*c^2*d^2*e*g^3*x^2-819*c^3*d^3*f*g^2*x^2-56*a^2*c*d*e^2*g^3*x+364*a*c^2*d^2*e*f*g^2*x-1001*c^3*d^3*f^2*g^2*x^2)
```

$$g*x+16*a^3*e^3*g^3-104*a^2*c*d*e^2*f*g^2+286*a*c^2*d^2*e*f^2*g-429*c^3*d^3*f^3)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(5/2)}/c^4/d^4/(e*x+d)^{(5/2)}$$

**maxima [A]** time = 0.70, size = 362, normalized size = 1.35

$$\frac{2(c^3d^3g^3+3ac^2d^2e^2f^2g^2)\sqrt{cdx+ae}}{7cd} + \frac{2(7c^4d^4x^4+19a^2c^3d^3e^2f^2g^2+15c^2d^2e^3f^2g^2+15c^2d^2e^3f^2g^2-2a^4e^4)\sqrt{cdx+ae}f^2g}{21c^2d^4} + \frac{2(63c^5d^5x^5+161a^2c^4d^4e^2f^2g^2+113c^2d^3e^3f^2g^2-4a^4cd^4x+8a^5e^5)\sqrt{cdx+ae}f^2g^2}{231c^2d^4} + \frac{2(231c^6d^6x^6+567a^2c^5d^5e^2f^2g^2+371c^4d^4e^3f^2g^2-6a^4c^2d^2e^4x^2+8a^5c^2d^2e^4x-16a^6e^6)\sqrt{cdx+ae}g^3}{3003c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2), x, algorithm="maxima")

[Out] 
$$\frac{2}{7}*(c^3*d^3*x^3 + 3*a*c^2*d^2*e*x^2 + 3*a^2*c*d*e^2*x + a^3*e^3)*\text{sqrt}(c*d*x + a*e)*f^3/(c*d) + \frac{2}{21}*(7*c^4*d^4*x^4 + 19*a*c^3*d^3*e*x^3 + 15*a^2*c^2*d^2*e^2*x^2 + a^3*c*d*e^3*x - 2*a^4*e^4)*\text{sqrt}(c*d*x + a*e)*f^2*g/(c^2*d^2) + \frac{2}{231}*(63*c^5*d^5*x^5 + 161*a*c^4*d^4*e*x^4 + 113*a^2*c^3*d^3*e^2*x^3 + 3*a^3*c^2*d^2*e^3*x^2 - 4*a^4*c*d*e^4*x + 8*a^5*e^5)*\text{sqrt}(c*d*x + a*e)*f*g^2/(c^3*d^3) + \frac{2}{3003}*(231*c^6*d^6*x^6 + 567*a*c^5*d^5*e*x^5 + 371*a^2*c^4*d^4*e^2*x^4 + 5*a^3*c^3*d^3*e^3*x^3 - 6*a^4*c^2*d^2*e^4*x^2 + 8*a^5*c*d*e^5*x - 16*a^6*e^6)*\text{sqrt}(c*d*x + a*e)*g^3/(c^4*d^4)$$

**mupad [B]** time = 3.81, size = 379, normalized size = 1.41

$$\frac{\sqrt{dex^2+(cd+ae)x+ade}\left(\frac{2c^4(53d^3g^3+299cd^2e^2f^2g^2)}{429} - \frac{32c^2d^2e^2f^2g^2(299cd^2e^2f^2g^2+143d^2e^2f^2g^2)}{3003c^4d^4} + \frac{2^2(10c^2d^2e^2f^2g^2+299cd^2e^2f^2g^2+543cd^2e^2f^2g^2+89cd^2e^2f^2g^2)}{3003c^4d^4} + \frac{2^2d^2e^2f^2g^2}{13} + \frac{6cd^2e^2f^2g^2(9cd+13cd)}{143} + \frac{2cd^2e^2f^2g^2(52cd^2e^2f^2g^2+143cd^2e^2f^2g^2+120d^2e^2f^2g^2)}{3003c^3d^3} + \frac{2cd^2e^2f^2g^2(2cd^2e^2f^2g^2+13cd^2e^2f^2g^2+75cd^2e^2f^2g^2+42cd^2e^2f^2g^2)}{1001c^2d^2}\right)}{\sqrt{d+ex}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x)

[Out] 
$$\left(\frac{(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}*((2*g*x^4*(53*a^2*e^2*g^2 + 143*c^2*d^2*f^2 + 299*a*c*d*e*f*g))/429 - (32*a^6*e^6*g^3 - 858*a^3*c^3*d^3*e^3*f^3 + 572*a^4*c^2*d^2*e^4*f^2*g - 208*a^5*c*d*e^5*f*g^2)/(3003*c^4*d^4)}{d+ex}\right) + \left(\frac{x^3*(858*c^6*d^6*f^3 + 10*a^3*c^3*d^3*e^3*g^3 + 2938*a^2*c^4*d^4*e^2*f*g^2 + 5434*a*c^5*d^5*e*f^2*g)}{(3003*c^4*d^4)} + \frac{(2*c^2*d^2*g^3*x^6)}{13} + \frac{(6*c*d*g^2*x^5*(9*a*e*g + 13*c*d*f))}{143} + \frac{(2*a^2*e^2*x*(8*a^3*e^3*g^3 + 128*7*c^3*d^3*f^3 + 143*a*c^2*d^2*e*f^2*g - 52*a^2*c*d*e^2*f*g^2))}{(3003*c^3*d^3)} + \frac{(2*a*e*x^2*(429*c^3*d^3*f^3 - 2*a^3*e^3*g^3 + 715*a*c^2*d^2*e*f^2*g + 13*a^2*c*d*e^2*f*g^2))}{(1001*c^2*d^2)}\right)/(d+ex)^{(1/2)}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*3\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2), x)

[Out] Timed out

$$3.469 \quad \int \frac{(f+gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}} dx$$

**Optimal.** Leaf size=200

$$\frac{8(x(ae^2 + cd^2) + ade + cdex^2)^{7/2} (cdf - aeg) (2ae^2g - cd(9ef - 7dg))}{693c^3d^3e(d+ex)^{7/2}} + \frac{8g(x(ae^2 + cd^2) + ade + cdex^2)^{7/2} (cdf - aeg)}{99c^2d^2e(d+ex)^{5/2}}$$

**Rubi [A]** time = 0.23, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {870, 794, 648}

$$\frac{8g(x(ae^2 + cd^2) + ade + cdex^2)^{7/2} (cdf - aeg)}{99c^2d^2e(d+ex)^{5/2}} - \frac{8(x(ae^2 + cd^2) + ade + cdex^2)^{7/2} (cdf - aeg) (2ae^2g - cd(9ef - 7dg))}{693c^3d^3e(d+ex)^{7/2}} + \frac{2(f+gx)^2 (x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{11cd(d+ex)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] (-8\*(c\*d\*f - a\*e\*g)\*(2\*a\*e^2\*g - c\*d\*(9\*e\*f - 7\*d\*g))\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(693\*c^3\*d^3\*e\*(d + e\*x)^(7/2)) + (8\*g\*(c\*d\*f - a\*e\*g)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(99\*c^2\*d^2\*e\*(d + e\*x)^(5/2)) + (2\*(f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(11\*c\*d\*(d + e\*x)^(7/2))

### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rule 870

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(

$a + b*x + c*x^2)^{(p + 1)}/(c*(m - n - 1)), x] - \text{Dist}[(n*(c*e*f + c*d*g - b*e*g))/(c*e*(m - n - 1)), \text{Int}[(d + e*x)^m*(f + g*x)^{(n - 1)*(a + b*x + c*x^2)^p}, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2\*p] || IntegerQ[n])

### Rubi steps

$$\int \frac{(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}} dx = \frac{2(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{11cd(d + ex)^{7/2}} + \frac{(4(cdf - aeg))}{11cd} \int \frac{(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{(d + ex)^{5/2}} dx$$

$$= \frac{8g(cdf - aeg) (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{99c^2d^2e(d + ex)^{5/2}} + \frac{2(f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{693c^2d^2(d + ex)^{7/2}}$$

$$= \frac{8(cdf - aeg) \left(9f - \frac{7dg}{e} - \frac{2aeg}{cd}\right) (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{693c^2d^2(d + ex)^{7/2}}$$

**Mathematica** [A] time = 0.11, size = 100, normalized size = 0.50

$$\frac{2(ae + cdx)^3 \sqrt{(d + ex)(ae + cdx)} (8a^2e^2g^2 - 4acdeg(11f + 7gx) + c^2d^2(99f^2 + 154fgx + 63g^2x^2))}{693c^3d^3\sqrt{d + ex}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] (2\*(a\*e + c\*d\*x)^3\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(8\*a^2\*e^2\*g^2 - 4\*a\*c\*d\*e\*g\*(11\*f + 7\*g\*x) + c^2\*d^2\*(99\*f^2 + 154\*f\*g\*x + 63\*g^2\*x^2)))/(693\*c^3\*d^3\*Sqrt[d + e\*x])

**IntegrateAlgebraic** [F] time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] \$Aborted

**fricas** [A] time = 0.42, size = 284, normalized size = 1.42

$$\frac{2(63c^3d^2g^2x^5 + 99a^2c^2d^2f^2 - 44a^4cde^2fg + 8a^2c^2g^2 + 7(22c^2d^2fg + 23ac^4d^2g^2)x^4 + (99c^3d^2f^2 + 418ac^4d^2fg + 113a^2c^3d^2g^2)x^3 + 3(99ac^4d^2f^2 + 110a^2c^2d^2fg + a^3c^2d^2g^2)x^2 + (297a^2c^3d^2f^2 + 22a^3c^2d^2fg - 4a^4cde^2g^2)x)\sqrt{cde^2x + ade + (c^2 + a^2)x}\sqrt{ex + d}}{693(c^2d^2ex + c^3d^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2), x, algorithm="fricas")

[Out]  $\frac{2}{693} * (63 * c^5 * d^5 * g^2 * x^5 + 99 * a^3 * c^2 * d^2 * e^3 * f^2 - 44 * a^4 * c * d * e^4 * f * g + 8 * a^5 * e^5 * g^2 + 7 * (22 * c^5 * d^5 * f * g + 23 * a * c^4 * d^4 * e * g^2) * x^4 + (99 * c^5 * d^5 * f^2 + 418 * a * c^4 * d^4 * e * f * g + 113 * a^2 * c^3 * d^3 * e^2 * g^2) * x^3 + 3 * (99 * a * c^4 * d^4 * e * f^2 + 110 * a^2 * c^3 * d^3 * e^2 * f * g + a^3 * c^2 * d^2 * e^3 * g^2) * x^2 + (297 * a^2 * c^3 * d^3 * e^2 * f^2 + 22 * a^3 * c^2 * d^2 * e^3 * f * g - 4 * a^4 * c * d * e^4 * g^2) * x) * \text{sqrt}(c * d * e * x^2 + a * d * e + (c * d^2 + a * e^2) * x) * \text{sqrt}(e * x + d) / (c^3 * d^3 * e * x + c^3 * d^4)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP UT:sage2:=int(sage0,x);;OUTPUT:index.cc index\_m operator + Error: Bad Argument Valueindex.cc index\_m operator + Error: Bad Argument Valueindex.cc index\_m operator + Error: Bad Argument ValueEvaluation time: 9.37Done

**maple** [A] time = 0.01, size = 116, normalized size = 0.58

$$\frac{2(cdx + ae)(63g^2x^2c^2d^2 - 28acde g^2x + 154c^2d^2fgx + 8a^2e^2g^2 - 44acdefg + 99f^2c^2d^2)(cde x^2 + a e^2x + c d^2x + ade)^{\frac{5}{2}}}{693(ex + d)^{\frac{5}{2}}c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^2\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2), x)

[Out]  $\frac{2}{693} * (c * d * x + a * e) * (63 * c^2 * d^2 * g^2 * x^2 - 28 * a * c * d * e * g^2 * x + 154 * c^2 * d^2 * f * g * x + 8 * a^2 * e^2 * g^2 - 44 * a * c * d * e * f * g + 99 * c^2 * d^2 * f^2) * (c * d * e * x^2 + a * e^2 * x + c * d^2 * x + a * d * e)^{\frac{5}{2}} / c^3 / d^3 / (e * x + d)^{\frac{5}{2}}$

**maxima** [A] time = 0.64, size = 243, normalized size = 1.22

$$\frac{2(c^2d^3x^3 + 3a^2d^2ex^2 + 3a^2cde^2x + a^3e^3)\sqrt{cdx + ae f^2} + 4(7c^4d^4x^4 + 19ac^3d^2ex^3 + 15a^2c^2d^2e^2x^2 + a^3cde^3x - 2a^4e^4)\sqrt{cdx + ae fg} + 2(63c^5d^5x^5 + 161ac^4d^4ex^4 + 113a^2c^3d^3e^2x^3 + 3a^3c^2d^2e^3x^2 - 4a^4cde^4x + 8a^5e^5)\sqrt{cdx + ae g^2}}{7cd + \frac{4(7c^4d^4x^4 + 19ac^3d^2ex^3 + 15a^2c^2d^2e^2x^2 + a^3cde^3x - 2a^4e^4)\sqrt{cdx + ae fg}}{63c^2d^2} + \frac{2(63c^5d^5x^5 + 161ac^4d^4ex^4 + 113a^2c^3d^3e^2x^3 + 3a^3c^2d^2e^3x^2 - 4a^4cde^4x + 8a^5e^5)\sqrt{cdx + ae g^2}}{693c^3d^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2), x, algorithm="maxima")

[Out]  $\frac{2}{7}(c^3d^3x^3 + 3a^2c^2d^2ex^2 + 3a^2c^2d^2ex^2 + a^3e^3)\sqrt{c^2dx^2 + a^2e} + \frac{4}{63}(7c^4d^4x^4 + 19a^2c^3d^3ex^3 + 15a^2c^2d^2e^2x^2 + a^3c^2d^2e^3x - 2a^4e^4)\sqrt{c^2dx^2 + a^2e} + \frac{2}{693}(63c^5d^5x^5 + 161a^2c^4d^4ex^4 + 113a^2c^3d^3e^2x^3 + 3a^3c^2d^2e^3x^2 - 4a^4c^2d^2e^4x + 8a^5e^5)\sqrt{c^2dx^2 + a^2e} + \frac{2}{231cd} \frac{2ae^2(d^2e^2g^2 + 110acdefg + 99c^2d^2f^2)}{231cd}$

**mupad [B]** time = 3.56, size = 259, normalized size = 1.30

$$\frac{\sqrt{c^2dx^2 + (cd^2 + a^2e)x + ade} \left( \frac{16a^5e^5g^2 - 88a^4cd^4efg + 198a^3c^2d^2e^2f^2}{693c^3d^3} + \frac{226a^2c^3d^2e^2g^2 + 836a^2cd^4efg + 198c^5d^5f^2}{693c^3d^3} + \frac{2c^2d^2g^2e^2}{11} + \frac{2cdg^4(23aeg + 22cdf)}{99} + \frac{2d^2e^2x(-4d^2e^2g^2 + 22acdefg + 297c^2d^2f^2)}{693c^2d^2} + \frac{2ae^2(d^2e^2g^2 + 110acdefg + 99c^2d^2f^2)}{231cd} \right)}{\sqrt{d + ex}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x)

[Out]  $((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{1/2} * ((16*a^5*e^5*g^2 + 198*a^3*c^2*d^2*e^3*f^2 - 88*a^4*c*d*e^4*f*g)/(693*c^3*d^3) + (x^3*(198*c^5*d^5*f^2 + 226*a^2*c^3*d^3*e^2*g^2 + 836*a*c^4*d^4*e*f*g))/(693*c^3*d^3) + (2*c^2*d^2*g^2*x^5)/11 + (2*c*d*g*x^4*(23*a*e*g + 22*c*d*f))/99 + (2*a^2*e^2*x*(297*c^2*d^2*f^2 - 4*a^2*e^2*g^2 + 22*a*c*d*e*f*g))/(693*c^2*d^2) + (2*a*e*x^2*(a^2*e^2*g^2 + 99*c^2*d^2*f^2 + 110*a*c*d*e*f*g))/(231*c*d)))/(d + e*x)^{1/2}$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*2\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2), x)

[Out] Timed out



$$3.470 \quad \int \frac{(f+gx)(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}} dx$$

Optimal. Leaf size=125

$$\frac{2g(x(ae^2+cd^2)+ade+cdex^2)^{7/2}}{9cde(d+ex)^{5/2}} - \frac{2(x(ae^2+cd^2)+ade+cdex^2)^{7/2}(2ae^2g-cd(9ef-7dg))}{63c^2d^2e(d+ex)^{7/2}}$$

**Rubi** [A] time = 0.10, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 44,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.045, Rules used = {794, 648}

$$\frac{2g(x(ae^2+cd^2)+ade+cdex^2)^{7/2}}{9cde(d+ex)^{5/2}} - \frac{2(x(ae^2+cd^2)+ade+cdex^2)^{7/2}(2ae^2g-cd(9ef-7dg))}{63c^2d^2e(d+ex)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] (-2\*(2\*a\*e^2\*g - c\*d\*(9\*e\*f - 7\*d\*g))\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(63\*c^2\*d^2\*e\*(d + e\*x)^(7/2)) + (2\*g\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(9\*c\*d\*e\*(d + e\*x)^(5/2))

#### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

#### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

#### Rubi steps

$$\int \frac{(f + gx)(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}} dx = \frac{2g(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{9cde(d + ex)^{5/2}} + \frac{1}{9} \left(9f - \frac{7dg}{e} - \frac{2aeg}{cd}\right) \int \frac{1}{(d + ex)^{5/2}} dx$$

$$= \frac{2 \left(9f - \frac{7dg}{e} - \frac{2aeg}{cd}\right) (ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{63cd(d + ex)^{7/2}} + \frac{2g(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{63cd(d + ex)^{7/2}}$$

**Mathematica [A]** time = 0.08, size = 64, normalized size = 0.51

$$\frac{2(ae + cdx)^3 \sqrt{(d + ex)(ae + cdx)} (cd(9f + 7gx) - 2aeg)}{63c^2 d^2 \sqrt{d + ex}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] (2\*(a\*e + c\*d\*x)^3\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-2\*a\*e\*g + c\*d\*(9\*f + 7\*g\*x)))/(63\*c^2\*d^2\*Sqrt[d + e\*x])

**IntegrateAlgebraic [A]** time = 1.73, size = 67, normalized size = 0.54

$$\frac{2(ae + cdx)((d + ex)(ae + cdx))^{5/2}(7g(ae + cdx) - 9aeg + 9cdf)}{63c^2 d^2 (d + ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] (2\*(a\*e + c\*d\*x)\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*(9\*c\*d\*f - 9\*a\*e\*g + 7\*g\*(a\*e + c\*d\*x)))/(63\*c^2\*d^2\*(d + e\*x)^(5/2))

**fricas [A]** time = 0.42, size = 173, normalized size = 1.38

$$\frac{2(7c^4d^4gx^4 + 9a^3cde^3f - 2a^4e^4g + (9c^4d^4f + 19ac^3d^3eg)x^3 + 3(9ac^3d^3ef + 5a^2c^2d^2e^2g)x^2 + (27a^2c^2d^2e^2f + a^3cde^3g)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{63(c^2d^2ex + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2), x, algorithm="fricas")

[Out] 2/63\*(7\*c^4\*d^4\*g\*x^4 + 9\*a^3\*c\*d\*e^3\*f - 2\*a^4\*e^4\*g + (9\*c^4\*d^4\*f + 19\*a\*c^3\*d^3\*e\*g)\*x^3 + 3\*(9\*a\*c^3\*d^3\*e\*f + 5\*a^2\*c^2\*d^2\*e^2\*g)\*x^2 + (27\*a^2

$*c^2*d^2*e^2*f + a^3*c*d*e^3*g)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)/(c^2*d^2*e*x + c^2*d^3)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2),x, algorithm="giac")`

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:index.cc index\_m operator + Error: Bad Argument Valueindex.cc index\_m operator + Error: Bad Argument Valueindex.cc index\_m operator + Error: Bad Argument ValueEvaluation time: 5.43Done

**maple** [A] time = 0.00, size = 67, normalized size = 0.54

$$\frac{2(cdx + ae)(-7cdgx + 2aeg - 9cdf)(cde x^2 + a e^2 x + c d^2 x + ade)^{\frac{5}{2}}}{63(ex + d)^{\frac{5}{2}} c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x+f)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/(e*x+d)^(5/2),x)`

[Out]  $-2/63*(c*d*x+a*e)*(-7*c*d*g*x+2*a*e*g-9*c*d*f)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(5/2)/c^2/d^2/(e*x+d)^(5/2)$

**maxima** [A] time = 0.57, size = 141, normalized size = 1.13

$$\frac{2(c^3 d^3 x^3 + 3 a c^2 d^2 e x^2 + 3 a^2 c d e^2 x + a^3 e^3) \sqrt{c d x + a e} f}{7 c d} + \frac{2(7 c^4 d^4 x^4 + 19 a c^3 d^3 e x^3 + 15 a^2 c^2 d^2 e^2 x^2 + a^3 c d e^3 x - 2 a^4 e^4) \sqrt{c d x + a e} g}{63 c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2),x, algorithm="maxima")`

[Out]  $2/7*(c^3*d^3*x^3 + 3*a*c^2*d^2*e*x^2 + 3*a^2*c*d*e^2*x + a^3*e^3)*\text{sqrt}(c*d*x + a*e)*f/(c*d) + 2/63*(7*c^4*d^4*x^4 + 19*a*c^3*d^3*e*x^3 + 15*a^2*c^2*d^2*e^2*x^2 + a^3*c*d*e^3*x - 2*a^4*e^4)*\text{sqrt}(c*d*x + a*e)*g/(c^2*d^2)$

**mupad** [B] time = 3.37, size = 134, normalized size = 1.07

$$\frac{\sqrt{c d e x^2 + (c d^2 + a e^2) x + a d e} \left( \frac{2 c^2 d^2 g x^4}{9} + \frac{2 a e x^2 (5 a e g + 9 c d f)}{21} + \frac{2 c d x^3 (19 a e g + 9 c d f)}{63} - \frac{2 a^3 e^3 (2 a e g - 9 c d f)}{63 c^2 d^2} + \frac{2 a^2 e^2 x (a e g + 27 c d f)}{63 c d} \right)}{\sqrt{d + e x}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f + g*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2))/(d + e*x)^(5/2),x)
```

```
[Out] ((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)*((2*c^2*d^2*g*x^4)/9 + (2*a*e*x^2*(5*a*e*g + 9*c*d*f))/21 + (2*c*d*x^3*(19*a*e*g + 9*c*d*f))/63 - (2*a^3*e^3*(2*a*e*g - 9*c*d*f))/(63*c^2*d^2) + (2*a^2*e^2*x*(a*e*g + 27*c*d*f))/(63*c*d)))/(d + e*x)^(1/2)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)*(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/(e*x+d)**(5/2),x)
```

```
[Out] Timed out
```

$$3.471 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}} dx$$

Optimal. Leaf size=48

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{7cd(d+ex)^{7/2}}$$

Rubi [A] time = 0.02, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$ , Rules used = {648}

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{7cd(d+ex)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(d + e\*x)^(5/2),x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(7\*c\*d\*(d + e\*x)^(7/2))

Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

Rubi steps

$$\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{7cd(d+ex)^{7/2}}$$

Mathematica [A] time = 0.04, size = 37, normalized size = 0.77

$$\frac{2((d+ex)(ae+cdx))^{7/2}}{7cd(d+ex)^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(d + e\*x)^(5/2),x]

[Out]  $(2*((a*e + c*d*x)*(d + e*x))^{(7/2)})/(7*c*d*(d + e*x)^{(7/2)})$

**IntegrateAlgebraic [A]** time = 0.00, size = 45, normalized size = 0.94

$$\frac{2(ae + cdx)((d + ex)(ae + cdx))^{5/2}}{7cd(d + ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(d + e\*x)^(5/2),x]

[Out]  $(2*(a*e + c*d*x)*((a*e + c*d*x)*(d + e*x))^{(5/2)})/(7*c*d*(d + e*x)^{(5/2)})$

**fricas [B]** time = 0.41, size = 91, normalized size = 1.90

$$\frac{2(c^3d^3x^3 + 3ac^2d^2ex^2 + 3a^2cde^2x + a^3e^3)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{7(cdex + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2),x, algorithm="fricas")

[Out]  $2/7*(c^3*d^3*x^3 + 3*a*c^2*d^2*e*x^2 + 3*a^2*c*d*e^2*x + a^3*e^3)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)/(c*d*e*x + c*d^2)$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:index.cc index\_m operator + Error: Bad Argument Valueindex.cc index\_m operator + Error: Bad Argument Valueindex.cc index\_m operator + Error: Bad Argument ValueEvaluation time: 3.17Done

**maple [A]** time = 0.00, size = 50, normalized size = 1.04

$$\frac{2(cdx + ae)(cde x^2 + a e^2 x + c d^2 x + ade)^{\frac{5}{2}}}{7(ex + d)^{\frac{5}{2}} cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/(e*x+d)^(5/2),x)`

[Out]  $2/7*(c*d*x+a*e)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(5/2)/c/d/(e*x+d)^(5/2)$

**maxima** [A] time = 0.51, size = 60, normalized size = 1.25

$$\frac{2(c^3d^3x^3 + 3ac^2d^2ex^2 + 3a^2cde^2x + a^3e^3)\sqrt{cdx + ae}}{7cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2),x, algorithm="maxima")`

[Out]  $2/7*(c^3*d^3*x^3 + 3*a*c^2*d^2*e*x^2 + 3*a^2*c*d*e^2*x + a^3*e^3)*\text{sqrt}(c*d*x + a*e)/(c*d)$

**mupad** [B] time = 3.16, size = 79, normalized size = 1.65

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{6a^2e^2x}{7} + \frac{2c^2d^2x^3}{7} + \frac{2a^3e^3}{7cd} + \frac{6acdex^2}{7} \right)}{\sqrt{d + ex}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/(d + e*x)^(5/2),x)`

[Out]  $((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)*((6*a^2*e^2*x)/7 + (2*c^2*d^2*x^3)/7 + (2*a^3*e^3)/(7*c*d) + (6*a*c*d*e*x^2)/7))/(d + e*x)^(1/2)$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/(e*x+d)**(5/2),x)`

[Out] Timed out

$$3.472 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)} dx$$

**Optimal.** Leaf size=236

$$\frac{2(cdf - aeg)^{5/2} \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{g^{7/2}} + \frac{2\sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^2}{g^3 \sqrt{d+ex}} - \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{5g(d+ex)^{5/2}} + \dots$$

**Rubi [A]** time = 0.47, antiderivative size = 236, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {864, 874, 205}

$$\frac{2\sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^2}{g^3 \sqrt{d+ex}} - \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2} (cdf - aeg)}{3g^2(d+ex)^{3/2}} - \frac{2(cdf - aeg)^{5/2} \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{g^{7/2}} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{5g(d+ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)), x]

[Out] (2\*(c\*d\*f - a\*e\*g)^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(g^3\*sqrt[d + e\*x]) - (2\*(c\*d\*f - a\*e\*g)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(3\*g^2\*(d + e\*x)^(3/2)) + (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(5\*g\*(d + e\*x)^(5/2)) - (2\*(c\*d\*f - a\*e\*g)^(5/2)\*ArcTan[(sqrt[g]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(sqrt[c\*d\*f - a\*e\*g]\*sqrt[d + e\*x])])/g^(7/2)

**Rule 205**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 864**

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m)\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^p)/(g\*(m - n - 1)), x] - Dist[(m\*(c\*e\*f + c\*d\*g - b\*e\*g))/(e^2\*g\*(m - n - 1)), Int[(d + e\*x)^(m+1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p-1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]



Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)} dx &= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{5g(d + ex)^{5/2}} - \frac{(cde^2f + cd^2eg - e(cd^2 + ae^2)g)}{e^2g} \\ &= -\frac{2(cdf - aeg)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}} + \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{5g(d + ex)^{5/2}} \\ &= \frac{2(cdf - aeg)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3 \sqrt{d + ex}} - \frac{2(cdf - aeg)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}} \\ &= \frac{2(cdf - aeg)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3 \sqrt{d + ex}} - \frac{2(cdf - aeg)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}} \\ &= \frac{2(cdf - aeg)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3 \sqrt{d + ex}} - \frac{2(cdf - aeg)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}} \end{aligned}$$

**Mathematica** [A] time = 0.36, size = 145, normalized size = 0.61

$$\frac{((d + ex)(ae + cdex))^{5/2} \left( -\frac{10(cdf - aeg)^{5/2} \tan^{-1}\left(\frac{\sqrt{g} \sqrt{ae + cdex}}{\sqrt{cdf - aeg}}\right)}{g^{5/2}(ae + cdex)^{5/2}} + \frac{10(aeg - cdf)(4aeg + cd(gx - 3f))}{3g^2(ae + cdex)^2} + 2 \right)}{5g(d + ex)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)/((d + e*x)^(5/2)*(f
+ g*x)), x]
```

```
[Out] (((a*e + c*d*x)*(d + e*x))^(5/2)*(2 + (10*(-(c*d*f) + a*e*g)*(4*a*e*g + c*d*(-3*f + g*x)))/(3*g^2*(a*e + c*d*x)^2) - (10*(c*d*f - a*e*g)^(5/2)*ArcTan[(Sqrt[g]*Sqrt[a*e + c*d*x])/Sqrt[c*d*f - a*e*g]])/(g^(5/2)*(a*e + c*d*x)^(5/2))))/(5*g*(d + e*x)^(5/2))
```

**IntegrateAlgebraic [A]** time = 11.68, size = 189, normalized size = 0.80

$$\frac{((d + ex)(ae + cdx))^{5/2} \left( \frac{2\sqrt{ae+cdx}(15a^2e^2g^2 - 5cdfg(ae+cdx) - 30acdefg + 3g^2(ae+cdx)^2 + 5aeg^2(ae+cdx) + 15c^2d^2f^2)}{15g^3} - \frac{2(cdf - aeg)^{5/2} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cdf - aeg}}\right)}{g^{7/2}} \right)}{(d + ex)^{5/2}(ae + cdx)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)/((d + e*x)^(5/2)*(f + g*x)),x]
```

```
[Out] (((a*e + c*d*x)*(d + e*x))^(5/2)*((2*Sqrt[a*e + c*d*x]*(15*c^2*d^2*f^2 - 30*a*c*d*e*f*g + 15*a^2*e^2*g^2 - 5*c*d*f*g*(a*e + c*d*x) + 5*a*e*g^2*(a*e + c*d*x) + 3*g^2*(a*e + c*d*x)^2))/(15*g^3) - (2*(c*d*f - a*e*g)^(5/2)*ArcTan[(Sqrt[g]*Sqrt[a*e + c*d*x])/Sqrt[c*d*f - a*e*g]])/g^(7/2)))/((a*e + c*d*x)^(5/2)*(d + e*x)^(5/2))
```

**fricas [A]** time = 0.44, size = 587, normalized size = 2.49

$$\frac{[1/15*(15*(c^2*d^3*f^2 - 2*a*c*d^2*e*f*g + a^2*d*e^2*g^2 + (c^2*d^2*e*f^2 - 2*a*c*d*e^2*f*g + a^2*e^3*g^2)*x)*sqrt(-(c*d*f - a*e*g)/g)*log(-(c*d*e*g*x^2 - c*d^2*f + 2*a*d*e*g - 2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d))*g*sqrt(-(c*d*f - a*e*g)/g) - (c*d*e*f - (c*d^2 + 2*a*e^2)*g)*x)/(e*g*x^2 + d*f + (e*f + d*g)*x) + 2*(3*c^2*d^2*g^2*x^2 + 15*c^2*d^2*f^2 - 35*a*c*d*e*f*g + 23*a^2*e^2*g^2 - (5*c^2*d^2*f*g - 11*a*c*d*e*g^2)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)]/(e*g^3*x + d*g^3), 2/15*(15*(c^2*d^3*f^2 - 2*a*c*d^2*e*f*g + a^2*d*e^2*g^2 + (c^2*d^2*e*f^2 - 2*a*c*d*e^2*f*g + a^2*e^3*g^2)*x)*sqrt((c*d*f - a*e*g)/g)*arctan(sqrt(e*x + d)*sqrt((c*d*f - a*e*g)/g)/sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)) + (3*c^2*d^2*g^2*x^2 + 15*c^2*d^2*f^2 - 35*a*c*d*e*f*g + 23*a^2*e^2*g^2 - (5*c^2*d^2*f*g - 11*a*c*d*e*g^2)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)]/(e*g^3*x + d*g^3)]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2)/(g*x+f),x, algorithm="fricas")
```

```
[Out] [1/15*(15*(c^2*d^3*f^2 - 2*a*c*d^2*e*f*g + a^2*d*e^2*g^2 + (c^2*d^2*e*f^2 - 2*a*c*d*e^2*f*g + a^2*e^3*g^2)*x)*sqrt(-(c*d*f - a*e*g)/g)*log(-(c*d*e*g*x^2 - c*d^2*f + 2*a*d*e*g - 2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d))*g*sqrt(-(c*d*f - a*e*g)/g) - (c*d*e*f - (c*d^2 + 2*a*e^2)*g)*x)/(e*g*x^2 + d*f + (e*f + d*g)*x) + 2*(3*c^2*d^2*g^2*x^2 + 15*c^2*d^2*f^2 - 35*a*c*d*e*f*g + 23*a^2*e^2*g^2 - (5*c^2*d^2*f*g - 11*a*c*d*e*g^2)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)]/(e*g^3*x + d*g^3), 2/15*(15*(c^2*d^3*f^2 - 2*a*c*d^2*e*f*g + a^2*d*e^2*g^2 + (c^2*d^2*e*f^2 - 2*a*c*d*e^2*f*g + a^2*e^3*g^2)*x)*sqrt((c*d*f - a*e*g)/g)*arctan(sqrt(e*x + d)*sqrt((c*d*f - a*e*g)/g)/sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)) + (3*c^2*d^2*g^2*x^2 + 15*c^2*d^2*f^2 - 35*a*c*d*e*f*g + 23*a^2*e^2*g^2 - (5*c^2*d^2*f*g - 11*a*c*d*e*g^2)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)]/(e*g^3*x + d*g^3)]
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f), x, algorithm="giac")

[Out] sage0\*x

**maple [B]** time = 0.02, size = 431, normalized size = 1.83

$$\frac{2\sqrt{cd^2 + ae^2} + 2d^2 + ade \left( \frac{\sqrt{cd^2 + ae^2}}{\sqrt{cd^2 + ae^2}} \right) + 45d^2e^2f^2 \operatorname{arctanh} \left( \frac{\sqrt{cd^2 + ae^2}}{\sqrt{cd^2 + ae^2}} \right) + 45d^2e^2f^2 \operatorname{arctanh} \left( \frac{\sqrt{cd^2 + ae^2}}{\sqrt{cd^2 + ae^2}} \right) - 15c^2d^2 \operatorname{arctanh} \left( \frac{\sqrt{cd^2 + ae^2}}{\sqrt{cd^2 + ae^2}} \right) - 3\sqrt{\log(-df)}g\sqrt{cd^2 + ae^2}d^2e^2 - 11\sqrt{\log(-df)}g\sqrt{cd^2 + ae^2}ade^2e^2 + 5\sqrt{\log(-df)}g\sqrt{cd^2 + ae^2}d^2fg - 23\sqrt{\log(-df)}g\sqrt{cd^2 + ae^2}d^2e^2 + 35\sqrt{\log(-df)}g\sqrt{cd^2 + ae^2}ade^2e^2 - 15\sqrt{\log(-df)}g\sqrt{cd^2 + ae^2}d^2e^2}{15\sqrt{cd^2 + ae^2}\sqrt{cd^2 + ae^2}\sqrt{\log(-df)}g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f), x)

[Out] 
$$-2/15*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(15*\operatorname{arctanh}((c*d*x+a*e)^(1/2))/((a*e*g-c*d*f)*g)^(1/2)*g*a^3*e^3*g^3-45*\operatorname{arctanh}((c*d*x+a*e)^(1/2))/((a*e*g-c*d*f)*g)^(1/2)*g*a^2*c*d*e^2*f*g^2+45*\operatorname{arctanh}((c*d*x+a*e)^(1/2))/((a*e*g-c*d*f)*g)^(1/2)*g*a*c^2*d^2*e*f^2*g-15*\operatorname{arctanh}((c*d*x+a*e)^(1/2))/((a*e*g-c*d*f)*g)^(1/2)*g*c^3*d^3*f^3-3*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d^2*g^2*x^2-11*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c*d*e*g^2*x+5*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d^2*f*g*x-23*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a^2*e^2*g^2+35*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c*d*e*f*g-15*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d^2*f^2)/(e*x+d)^(1/2)/(c*d*x+a*e)^(1/2)/g^3/((a*e*g-c*d*f)*g)^(1/2)$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{5/2}}{(ex + d)^{5/2}(gx + f)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f), x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)^(5/2)\*(g\*x + f)), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{5/2}}{(f + gx)(d + ex)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/((f + g*x)*(d + e*x)^(5/2)),x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/((f + g*x)*(d + e*x)^(5/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/(e*x+d)**(5/2)/(g*x+f),x)
```

```
[Out] Timed out
```

$$3.473 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^2} dx$$

Optimal. Leaf size=235

$$\frac{5cd(cdf - aeg)^{3/2} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex}\sqrt{cdf - aeg}}\right)}{g^{7/2}} - \frac{5cd\sqrt{x(ae^2 + cd^2) + ade + cdex^2}(cdf - aeg)}{g^3\sqrt{d+ex}} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{g(d+ex)^{5/2}(f+gx)^2} + \frac{5cd(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3g^2(d+ex)^{3/2}}$$

Rubi [A] time = 0.38, antiderivative size = 235, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 864, 874, 205}

$$\frac{5cd\sqrt{x(ae^2 + cd^2) + ade + cdex^2}(cdf - aeg)}{g^3\sqrt{d+ex}} + \frac{5cd(cdf - aeg)^{3/2} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex}\sqrt{cdf - aeg}}\right)}{g^{7/2}} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{g(d+ex)^{5/2}(f+gx)^2} + \frac{5cd(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3g^2(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^2), x]

[Out] (-5\*c\*d\*(c\*d\*f - a\*e\*g)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(g^3\*Sqrt[d + e\*x]) + (5\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(3\*g^2\*(d + e\*x)^(3/2)) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(g\*(d + e\*x)^(5/2)\*(f + g\*x)) + (5\*c\*d\*(c\*d\*f - a\*e\*g)^(3/2)\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])]/g^(7/2)

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 862

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

Rule 864

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && N
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]

```

### Rule 874

```

Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^2} dx &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{g(d + ex)^{5/2}(f + gx)} + \frac{(5cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)} dx}{2g} \\
&= \frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{g(d + ex)^{5/2}(f + gx)} \\
&= -\frac{5cd(cd f - aeg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}} + \frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g^2(d + ex)} \\
&= -\frac{5cd(cd f - aeg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}} + \frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g^2(d + ex)} \\
&= -\frac{5cd(cd f - aeg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}} + \frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g^2(d + ex)}
\end{aligned}$$

**Mathematica [C]** time = 0.07, size = 75, normalized size = 0.32

$$\frac{2cd((d+ex)(ae+cdx))^{7/2} {}_2F_1\left(2, \frac{7}{2}; \frac{9}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{7(d+ex)^{7/2}(cdf-aeg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^2), x]

[Out] (2\*c\*d\*((a\*e + c\*d\*x)\*(d + e\*x))^(7/2)\*Hypergeometric2F1[2, 7/2, 9/2, (g\*(a\*e + c\*d\*x))/(-c\*d\*f + a\*e\*g)]/(7\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(7/2))

**IntegrateAlgebraic [A]** time = 104.17, size = 215, normalized size = 0.91

$$\frac{((d+ex)(ae+cdx))^{5/2} \left( \frac{5cd(cdf-aeg)^{3/2} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cdf-aeg}}\right)}{g^{7/2}} - \frac{cd\sqrt{ae+cdx}(15a^2e^2g^2+10cdfg(ae+cdx)-30acdefg-2g^2(ae+cdx)^2-10aeg^2(ae+cdx)+15c^2d^2f^2)}{3g^3(g(ae+cdx)-aeg+cdf)} \right)}{(d+ex)^{5/2}(ae+cdx)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^2), x]

[Out] (((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*(-1/3\*(c\*d\*Sqrt[a\*e + c\*d\*x]\*(15\*c^2\*d^2\*f^2 - 30\*a\*c\*d\*e\*f\*g + 15\*a^2\*e^2\*g^2 + 10\*c\*d\*f\*g\*(a\*e + c\*d\*x) - 10\*a\*e\*g^2\*(a\*e + c\*d\*x) - 2\*g^2\*(a\*e + c\*d\*x)^2))/(g^3\*(c\*d\*f - a\*e\*g + g\*(a\*e + c\*d\*x))) + (5\*c\*d\*(c\*d\*f - a\*e\*g)^(3/2)\*ArcTan[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/Sqrt[c\*d\*f - a\*e\*g]]/g^(7/2)))/((a\*e + c\*d\*x)^(5/2)\*(d + e\*x)^(5/2))

**fricas [A]** time = 0.49, size = 672, normalized size = 2.86

$$\frac{\frac{5\sqrt{c}d^2\sqrt{e}\sqrt{f}\sqrt{g}\sqrt{ae+cdx}\sqrt{cdf-aeg}\sqrt{ae+cdx}}{3g^3\sqrt{e}\sqrt{f}\sqrt{g}\sqrt{ae+cdx}\sqrt{cdf-aeg}} - \frac{5cd(cdf-aeg)^{3/2}\tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cdf-aeg}}\right)}{g^{7/2}} - \frac{cd\sqrt{ae+cdx}(15a^2e^2g^2+10cdfg(ae+cdx)-30acdefg-2g^2(ae+cdx)^2-10aeg^2(ae+cdx)+15c^2d^2f^2)}{3g^3(g(ae+cdx)-aeg+cdf)}}{(d+ex)^{5/2}(ae+cdx)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^2,x, algorithm="fricas")

[Out] [-1/6\*(15\*(c^2\*d^3\*f^2 - a\*c\*d^2\*e\*f\*g + (c^2\*d^2\*e\*f\*g - a\*c\*d\*e^2\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 - a\*c\*d^2\*e\*g^2 + (c^2\*d^3 - a\*c\*d\*e^2)\*f\*g)\*x)\*sqrt(-(c\*d\*f - a\*e\*g)/g)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*g\*sqrt(-(c\*d\*f - a\*e\*g)/g) - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x)/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x) - 2\*(2\*c^2\*d^2\*g^2\*x^2 - 15\*c^2\*d^2\*f^2 + 20\*a\*c\*d\*e\*f\*g - 3\*a^2\*e^2\*g^2 - 2\*(5\*c^2\*

$$d^2*f*g - 7*a*c*d*e*g^2)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{\sqrt{e*x + d}}/(e*g^4*x^2 + d*f*g^3 + (e*f*g^3 + d*g^4)*x), -1/3*(15*(c^2*d^3*f^2 - a*c*d^2*e*f*g + (c^2*d^2*e*f*g - a*c*d*e^2*g^2)*x^2 + (c^2*d^2*e*f^2 - a*c*d^2*e*g^2 + (c^2*d^3 - a*c*d*e^2)*f*g)*x)*\sqrt{((c*d*f - a*e*g)/g)*\arctan(\sqrt{e*x + d}*\sqrt{(c*d*f - a*e*g)/g})/\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}}) - (2*c^2*d^2*g^2*x^2 - 15*c^2*d^2*f^2 + 20*a*c*d*e*f*g - 3*a^2*e^2*g^2 - 2*(5*c^2*d^2*f*g - 7*a*c*d*e*g^2)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d})/(e*g^4*x^2 + d*f*g^3 + (e*f*g^3 + d*g^4)*x]$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^2,x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.03, size = 523, normalized size = 2.23

$$\frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2} \left( \frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2}}{2 d e} \operatorname{arctanh}\left(\frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2}}{2 d e}\right) - \frac{3 a c d^2 f^2 \operatorname{arctanh}\left(\frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2}}{2 d e}\right)}{2 d e} + \frac{15 c^2 d^2 f^2 \operatorname{arctanh}\left(\frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2}}{2 d e}\right)}{2 d e} + \frac{15 c^2 d^2 f^2 \operatorname{arctanh}\left(\frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2}}{2 d e}\right)}{2 d e} + \frac{15 c^2 d^2 f^2 \operatorname{arctanh}\left(\frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2}}{2 d e}\right)}{2 d e} + \frac{15 c^2 d^2 f^2 \operatorname{arctanh}\left(\frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2}}{2 d e}\right)}{2 d e} \right) - 2 \sqrt{a^2 d^2 e^2 + 2 d^2 e a^2} \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{e x + d} \operatorname{arctanh}\left(\frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2}}{2 d e}\right) + 10 \sqrt{a^2 d^2 e^2 + 2 d^2 e a^2} \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{e x + d} \operatorname{arctanh}\left(\frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2}}{2 d e}\right) - 20 \sqrt{a^2 d^2 e^2 + 2 d^2 e a^2} \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{e x + d} \operatorname{arctanh}\left(\frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2}}{2 d e}\right) + 15 \sqrt{a^2 d^2 e^2 + 2 d^2 e a^2} \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{e x + d} \operatorname{arctanh}\left(\frac{\sqrt{a^2 d^2 e^2 + 2 d^2 e a^2}}{2 d e}\right)}{2 d e^2 \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{e x + d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^2,x)

[Out] 
$$-1/3*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*a^2*c*d*e^2*g^3-30*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*a*c^2*d^2*e*f*g^2+15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*c^3*d^3*f^2*g+15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*a^2*c*d*e^2*f*g^2-30*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*a*c^2*d^2*e*f^2*g+15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*c^3*d^3*f^3-2*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d^2*g^2*x^2-14*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c*d*e*g^2*x+10*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d^2*f*g*x+3*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a^2*e^2*g^2-20*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c*d*e*f*g+15*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d^2*f^2)/(e*x+d)^(1/2)/(c*d*x+a*e)^(1/2)/g^3/(g*x+f)/((a*e*g-c*d*f)*g)^(1/2)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^2,x
, algorithm="maxima")
```

```
[Out] integrate((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(5/2)/((e*x + d)^(5/2)*(g
*x + f)^2), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{(f + g x)^2 (d + e x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/((f + g*x)^2*(d + e*x)^(5
/2)), x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/((f + g*x)^2*(d + e*x)^(5
/2)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/(e*x+d)**(5/2)/(g*x+f
)**2,x)
```

```
[Out] Timed out
```

$$3.474 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^3} dx$$

**Optimal.** Leaf size=246

$$\frac{15c^2d^2\sqrt{cdf - aeg} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{4g^{7/2}} + \frac{15c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4g^3\sqrt{d+ex}} - \frac{5cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{4g^2(d+ex)^{3/2}}$$

**Rubi [A]** time = 0.34, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 864, 874, 205}

$$\frac{15c^2d^2\sqrt{cdf - aeg} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{4g^{7/2}} + \frac{15c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4g^3\sqrt{d+ex}} - \frac{5cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{4g^2(d+ex)^{3/2}(f+gx)} - \frac{(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{2g(d+ex)^{5/2}(f+gx)^2}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^3), x]

[Out] (15\*c^2\*d^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*g^3\*sqrt[d + e\*x]) - (5\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(4\*g^2\*(d + e\*x)^(3/2)\*(f + g\*x)) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(2\*g\*(d + e\*x)^(5/2)\*(f + g\*x)^2) - (15\*c^2\*d^2\*sqrt[c\*d\*f - a\*e\*g]\*ArcTan[(sqrt[g]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(sqrt[c\*d\*f - a\*e\*g]\*sqrt[d + e\*x])])/(4\*g^(7/2))

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 862**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

**Rule 864**

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && N
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]

```

### Rule 874

```

Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^3} dx &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{2g(d + ex)^{5/2}(f + gx)^2} + \frac{(5cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^2} dx}{4g} \\
&= -\frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{4g^2(d + ex)^{3/2}(f + gx)} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{2g(d + ex)^{5/2}(f + gx)^2} \\
&= \frac{15c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^3\sqrt{d + ex}} - \frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{4g^2(d + ex)^{3/2}(f + gx)} \\
&= \frac{15c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^3\sqrt{d + ex}} - \frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{4g^2(d + ex)^{3/2}(f + gx)} \\
&= \frac{15c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^3\sqrt{d + ex}} - \frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{4g^2(d + ex)^{3/2}(f + gx)}
\end{aligned}$$

**Mathematica [C]** time = 0.07, size = 79, normalized size = 0.32

$$\frac{2c^2d^2((d+ex)(ae+cdx))^{7/2} {}_2F_1\left(3, \frac{7}{2}; \frac{9}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{7(d+ex)^{7/2}(cdf-aeg)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^3), x]

[Out] (2\*c^2\*d^2\*((a\*e + c\*d\*x)\*(d + e\*x))^(7/2)\*Hypergeometric2F1[3, 7/2, 9/2, (g\*(a\*e + c\*d\*x))/(-c\*d\*f + a\*e\*g)]/(7\*(c\*d\*f - a\*e\*g)^3\*(d + e\*x)^(7/2))

**IntegrateAlgebraic [F]** time = 180.04, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^3), x]

[Out] \$Aborted

**fricas [A]** time = 0.62, size = 683, normalized size = 2.78

$$\frac{\sqrt{\frac{15 \left( (d^2 e^2 x^2 + 2 d e^2 x + e^3) \sqrt{d + e x} \sqrt{g x + f} \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{-c d f - a e g} \right)}{4 (g^2 x^2 + d f + (e f + d g) x)} + 2 \left( 8 c^2 d^2 g^2 x^2 + 15 c^2 d^2 f^2 - 5 a c d e f g - 2 a^2 e^2 g^2 + (25 c^2 d^2 f g - 9 a c d e g^2) x \right) \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{d + e x}}{4 (g^2 x^2 + d f + (e f + d g) x) \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{d + e x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^3, x, algorithm="fricas")

[Out] [1/8\*(15\*(c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + (2\*c^2\*d^2\*e\*f\*g + c^2\*d^3\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*c^2\*d^3\*f\*g)\*x)\*sqrt(-(c\*d\*f - a\*e\*g)/g)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*g\*sqrt(-(c\*d\*f - a\*e\*g)/g) - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x)/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x) + 2\*(8\*c^2\*d^2\*g^2\*x^2 + 15\*c^2\*d^2\*f^2 - 5\*a\*c\*d\*e\*f\*g - 2\*a^2\*e^2\*g^2 + (25\*c^2\*d^2\*f\*g - 9\*a\*c\*d\*e\*g^2)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(e\*g^5\*x^3 + d\*f^2\*g^3 + (2\*e\*f\*g^4 + d\*g^5)\*x^2 + (e\*f^2\*g^3 + 2\*d\*f\*g^4)\*x), 1/4\*(15\*(c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + (2\*c^2\*d^2\*e\*f\*g + c^2\*d^3\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*c^2\*d^3\*f\*g)\*x)\*sqrt((c\*d\*f - a\*e\*g)/g)\*arctan(sqrt(e\*x + d)\*sqrt((c\*d\*f - a\*e\*g)/g)/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)) + (8\*c^2\*d^2\*g^2\*x^2 + 15\*c^2\*d^2\*f^2 - 5\*a\*c\*d\*e\*f\*g - 2\*a^2\*e^2\*g^2 + (25\*c^2\*d^2\*f\*g - 9\*a\*c\*d\*e\*g^2)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt

$(e*x + d)/(e*g^5*x^3 + d*f^2*g^3 + (2*e*f*g^4 + d*g^5)*x^2 + (e*f^2*g^3 + 2*d*f*g^4)*x)$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^3,x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.03, size = 526, normalized size = 2.14

$$\frac{\sqrt{a^2 d^2 + c^2 d^2 + a^2 d} \left( \frac{a^2 d}{\sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} - 15 \sqrt{d} \operatorname{arctanh} \left( \frac{a^2 d}{\sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} \right) + 30 a^2 d^2 \sqrt{d} \operatorname{arctanh} \left( \frac{a^2 d}{\sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} \right) - 30 \sqrt{d} \operatorname{arctanh} \left( \frac{a^2 d}{\sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} \right) - 15 \sqrt{d} \operatorname{arctanh} \left( \frac{a^2 d}{\sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} \right) - 4 \sqrt{(a g - c d f) \sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} \sqrt{(a g - c d f) \sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} + 2 \sqrt{(a g - c d f) \sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} \sqrt{(a g - c d f) \sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} + 2 \sqrt{(a g - c d f) \sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} \sqrt{(a g - c d f) \sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} - 15 \sqrt{(a g - c d f) \sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} \sqrt{(a g - c d f) \sqrt{a^2 d^2 + c^2 d^2 + a^2 d}} \right)}{4 \sqrt{a^2 d^2 + c^2 d^2 + a^2 d} \sqrt{(a g - c d f) \sqrt{a^2 d^2 + c^2 d^2 + a^2 d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^3,x)

[Out] 
$$\begin{aligned} & -1/4*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/ \\ & ((a*e*g-c*d*f)*g)^(1/2)*g)*x^2*a*c^2*d^2*e*g^3-15*\operatorname{arctanh}((c*d*x+a*e)^(1/2) \\ & /((a*e*g-c*d*f)*g)^(1/2)*g)*x^2*c^3*d^3*f*g^2+30*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/ \\ & ((a*e*g-c*d*f)*g)^(1/2)*g)*x*a*c^2*d^2*e*f*g^2-30*\operatorname{arctanh}((c*d*x+a*e)^(1/2) \\ & /((a*e*g-c*d*f)*g)^(1/2)*g)*x*c^3*d^3*f^2*g+15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/(( \\ & a*e*g-c*d*f)*g)^(1/2)*g)*a*c^2*d^2*e*f^2*g-15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a \\ & *e*g-c*d*f)*g)^(1/2)*g)*c^3*d^3*f^3-8*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^( \\ & 1/2)*c^2*d^2*g^2*x^2+9*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c*d*e*g^ \\ & 2*x-25*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d^2*f*g*x+2*((a*e*g-c \\ & d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a^2*e^2*g^2+5*((a*e*g-c*d*f)*g)^(1/2)*(c*d \\ & x+a*e)^(1/2)*a*c*d*e*f*g-15*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d \\ & ^2*f^2)/(e*x+d)^(1/2)/(c*d*x+a*e)^(1/2)/g^3/(g*x+f)^2/((a*e*g-c*d*f)*g)^(1/ \\ & 2) \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^3,x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)^(5/2)\*(g\*x + f)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{(f + g x)^3 (d + e x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^3\*(d + e\*x)^(5/2)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^3\*(d + e\*x)^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2)/(g\*x+f)\*\*3,x)

[Out] Timed out

$$3.475 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^4} dx$$

**Optimal.** Leaf size=253

$$\frac{5c^3d^3 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{8g^{7/2}\sqrt{cdf-aeg}} - \frac{5c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{8g^3\sqrt{d+ex}(f+gx)} - \frac{5cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{12g^2(d+ex)^{3/2}(f+gx)^2}$$

**Rubi [A]** time = 0.34, antiderivative size = 253, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {862, 874, 205}

$$-\frac{5c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{8g^3\sqrt{d+ex}(f+gx)} + \frac{5c^3d^3 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{8g^{7/2}\sqrt{cdf-aeg}} - \frac{5cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{12g^2(d+ex)^{3/2}(f+gx)^2} - \frac{(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{3g(d+ex)^{5/2}(f+gx)^3}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^4), x]

[Out] (-5\*c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((8\*g^3\*Sqrt[d + e\*x]\*(f + g\*x)) - (5\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(12\*g^2\*(d + e\*x)^(3/2)\*(f + g\*x)^2) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(3\*g\*(d + e\*x)^(5/2)\*(f + g\*x)^3) + (5\*c^3\*d^3\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(8\*g^(7/2)\*Sqrt[c\*d\*f - a\*e\*g])

**Rule 205**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 862**

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

**Rule 874**

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^4} dx &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g(d + ex)^{5/2}(f + gx)^3} + \frac{(5cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^3} dx}{6g} \\ &= -\frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{12g^2(d + ex)^{3/2}(f + gx)^2} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g(d + ex)^{5/2}(f + gx)^3} \\ &= -\frac{5c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^3\sqrt{d + ex}(f + gx)} - \frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{12g^2(d + ex)^{3/2}(f + gx)^2} \\ &= -\frac{5c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^3\sqrt{d + ex}(f + gx)} - \frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{12g^2(d + ex)^{3/2}(f + gx)^2} \\ &= -\frac{5c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^3\sqrt{d + ex}(f + gx)} - \frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{12g^2(d + ex)^{3/2}(f + gx)^2} \end{aligned}$$

**Mathematica [A]** time = 0.37, size = 171, normalized size = 0.68

$$\frac{\sqrt{(d + ex)(ae + cdx)} \left( \frac{15c^3d^3 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cdf-aeg}}\right)}{\sqrt{ae+cdx}\sqrt{cdf-aeg}} - \frac{\sqrt{g}(8a^2e^2g^2 + 2acdeg(5f + 13gx) + c^2d^2(15f^2 + 40fgx + 33g^2x^2))}{(f + gx)^3} \right)}{24g^{7/2}\sqrt{d + ex}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)/((d + e*x)^(5/2)*(f
+ g*x)^4), x]
```

```
[Out] (Sqrt[(a*e + c*d*x)*(d + e*x)]*(-((Sqrt[g]*(8*a^2*e^2*g^2 + 2*a*c*d*e*g*(5*
f + 13*g*x) + c^2*d^2*(15*f^2 + 40*f*g*x + 33*g^2*x^2)))/(f + g*x)^3) + (15
```



$*c^3*d^3*ArcTan[(Sqrt[g]*Sqrt[a*e + c*d*x])/Sqrt[c*d*f - a*e*g]]/(Sqrt[c*d*f - a*e*g]*Sqrt[a*e + c*d*x]))/(24*g^{(7/2)}*Sqrt[d + e*x])$

**IntegrateAlgebraic [F]** time = 180.03, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^4),x]

[Out] \$Aborted

**fricas [B]** time = 0.46, size = 1140, normalized size = 4.51

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^4,x, algorithm="fricas")

[Out] [-1/48\*(15\*(c^3\*d^3\*e\*g^3\*x^4 + c^3\*d^4\*f^3 + (3\*c^3\*d^3\*e\*f\*g^2 + c^3\*d^4\*g^3)\*x^3 + 3\*(c^3\*d^3\*e\*f^2\*g + c^3\*d^4\*f\*f\*g^2)\*x^2 + (c^3\*d^3\*e\*f^3 + 3\*c^3\*d^4\*f^2\*g)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*sqrt(e\*x + d))/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x) + 2\*(15\*c^3\*d^3\*f^3\*g - 5\*a\*c^2\*d^2\*e\*f^2\*g^2 - 2\*a^2\*c\*d\*e^2\*f\*g^3 - 8\*a^3\*e^3\*g^4 + 33\*(c^3\*d^3\*f\*f\*g^3 - a\*c^2\*d^2\*e\*g^4)\*x^2 + 2\*(20\*c^3\*d^3\*f^2\*g^2 - 7\*a\*c^2\*d^2\*e\*f\*f\*g^3 - 13\*a^2\*c\*d\*e^2\*g^4)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d))/(c\*d^2\*f^4\*g^4 - a\*d\*e\*f^3\*g^5 + (c\*d\*e\*f\*g^7 - a\*e^2\*g^8)\*x^4 + (3\*c\*d\*e\*f^2\*g^6 - a\*d\*e\*g^8 + (c\*d^2 - 3\*a\*e^2)\*f\*f\*g^7)\*x^3 + 3\*(c\*d\*e\*f^3\*g^5 - a\*d\*e\*f\*f\*g^7 + (c\*d^2 - a\*e^2)\*f^2\*g^6)\*x^2 + (c\*d\*e\*f^4\*g^4 - 3\*a\*d\*e\*f^2\*g^6 + (3\*c\*d^2 - a\*e^2)\*f^3\*g^5)\*x), -1/24\*(15\*(c^3\*d^3\*e\*g^3\*x^4 + c^3\*d^4\*f^3 + (3\*c^3\*d^3\*e\*f\*f\*g^2 + c^3\*d^4\*g^3)\*x^3 + 3\*(c^3\*d^3\*e\*f^2\*g + c^3\*d^4\*f\*f\*g^2)\*x^2 + (c^3\*d^3\*e\*f^3 + 3\*c^3\*d^4\*f^2\*g)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*arctan(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*sqrt(e\*x + d)/(c\*d\*e\*g\*x^2 + a\*d\*e\*g + (c\*d^2 + a\*e^2)\*g\*x) + (15\*c^3\*d^3\*f^3\*g - 5\*a\*c^2\*d^2\*e\*f^2\*g^2 - 2\*a^2\*c\*d\*e^2\*f\*f\*g^3 - 8\*a^3\*e^3\*g^4 + 33\*(c^3\*d^3\*f\*f\*g^3 - a\*c^2\*d^2\*e\*g^4)\*x^2 + 2\*(20\*c^3\*d^3\*f^2\*g^2 - 7\*a\*c^2\*d^2\*e\*f\*f\*g^3 - 13\*a^2\*c\*d\*e^2\*g^4)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d))/(c\*d^2\*f^4\*g^4 - a\*d\*e\*f^3\*g^5 + (c\*d\*e\*f\*f\*g^7 - a\*e^2\*g^8)\*x^4 + (3\*c\*d\*e\*f^2\*g^6 - a\*d\*e\*g^8 + (c\*d^2 - 3\*a\*e^2)\*f\*f\*g^7)\*x^3 + 3\*(c\*d\*e\*f^3\*g^5 - a\*d\*e\*f\*f\*g^7 + (c\*d^2 - a\*e^2)\*f^2\*g^6)\*x^2 + (c\*d\*e\*f^4\*g^4 - 3\*a\*d\*e\*f^2\*g^6 + (3\*c\*d^2 - a\*e^2)\*f^3\*g^5)\*x)]

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^4,x  
, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.03, size = 441, normalized size = 1.74

$$\frac{\sqrt{cd^2 + d^2e + ade} \left( \frac{2c^2d^2g^2 \operatorname{arctanh}\left(\frac{\sqrt{cd^2 + d^2e + ade}}{\sqrt{cd^2 + d^2e + ade}}\right) + cd^2f^2g^2 \operatorname{arctanh}\left(\frac{\sqrt{cd^2 + d^2e + ade}}{\sqrt{cd^2 + d^2e + ade}}\right) + cd^2f^2g^2 \operatorname{arctanh}\left(\frac{\sqrt{cd^2 + d^2e + ade}}{\sqrt{cd^2 + d^2e + ade}}\right) + 15c^2f^2g^2 \operatorname{arctanh}\left(\frac{\sqrt{cd^2 + d^2e + ade}}{\sqrt{cd^2 + d^2e + ade}}\right) + 2c\sqrt{\log(-df)} \sqrt{cd^2 + d^2e + ade} + 2c\sqrt{\log(-df)} \sqrt{cd^2 + d^2e + ade} + 4c\sqrt{\log(-df)} \sqrt{cd^2 + d^2e + ade} + 8c\sqrt{\log(-df)} \sqrt{cd^2 + d^2e + ade} + 15c\sqrt{\log(-df)} \sqrt{cd^2 + d^2e + ade} \right)}{24\sqrt{cd^2 + d^2e + ade} (ex + d)^5 \sqrt{\log(-df)} g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^4,x)

[Out] 
$$-1/24*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^3*c^3*d^3*g^3+45*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^2*c^3*d^3*f*g^2+45*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*c^3*d^3*f^2*g+15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*c^3*d^3*f^3+33*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d^2*g^2*x^2+26*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c*d*e*g^2*x+40*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d^2*f*g*x+8*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a^2*e^2*g^2+10*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c*d*e*f*g+15*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^2*d^2*f^2/(e*x+d)^(1/2)/(c*d*x+a*e)^(1/2)/g^3/(g*x+f)^3/((a*e*g-c*d*f)*g)^(1/2)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^4,x  
, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)^(5/2)\*(g\*x + f)^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{(f + g x)^4 (d + e x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^4\*(d + e\*x)^(5/2)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^4\*(d + e\*x)^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2)/(g\*x+f)\*\*4,x)

[Out] Timed out

$$3.476 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^5} dx$$

**Optimal.** Leaf size=323

$$\frac{5c^4 d^4 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{64g^{7/2}(cdf - aeg)^{3/2}} + \frac{5c^3 d^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64g^3 \sqrt{d+ex} (f+gx)(cdf - aeg)} - \frac{5c^2 d^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{32g^3 \sqrt{d+ex} (f+gx)^2}$$

**Rubi [A]** time = 0.47, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 872, 874, 205}

$$\frac{5c^3 d^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64g^3 \sqrt{d+ex} (f+gx)(cdf - aeg)} - \frac{5c^2 d^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{32g^3 \sqrt{d+ex} (f+gx)^2} + \frac{5c^4 d^4 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{64g^{7/2}(cdf - aeg)^{3/2}} - \frac{5cd(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{24g^2(d+ex)^{3/2}(f+gx)^3} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{4g(d+ex)^{5/2}(f+gx)^4}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^5), x]

[Out] (-5\*c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(32\*g^3\*Sqrt[d + e\*x]\*(f + g\*x)^2) + (5\*c^3\*d^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(64\*g^3\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)) - (5\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(24\*g^2\*(d + e\*x)^(3/2)\*(f + g\*x)^3) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(4\*g\*(d + e\*x)^(5/2)\*(f + g\*x)^4) + (5\*c^4\*d^4\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(64\*g^(7/2)\*(c\*d\*f - a\*e\*g)^(3/2))

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 862**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^p)/(g\*(n+1)), x] + Dist[(c\*m)/(e\*g\*(n+1)), Int[(d + e\*x)^(m+1)\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^(p-1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

Rule 872

```

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(
n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p
]

```

Rule 874

```

Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^5} dx &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{4g(d + ex)^{5/2}(f + gx)^4} + \frac{(5cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^4} dx}{8g} \\
&= -\frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{24g^2(d + ex)^{3/2}(f + gx)^3} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{4g(d + ex)^{5/2}(f + gx)^4} \\
&= -\frac{5c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3\sqrt{d + ex}(f + gx)^2} - \frac{5cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{24g^2(d + ex)^{3/2}(f + gx)^3} \\
&= -\frac{5c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3\sqrt{d + ex}(f + gx)^2} + \frac{5c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64g^3(cdf - aeg)\sqrt{d + ex}(f + gx)} \\
&= -\frac{5c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3\sqrt{d + ex}(f + gx)^2} + \frac{5c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64g^3(cdf - aeg)\sqrt{d + ex}(f + gx)} \\
&= -\frac{5c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3\sqrt{d + ex}(f + gx)^2} + \frac{5c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64g^3(cdf - aeg)\sqrt{d + ex}(f + gx)}
\end{aligned}$$

**Mathematica** [C] time = 0.08, size = 79, normalized size = 0.24

$$\frac{2c^4d^4((d + ex)(ae + cdex))^{7/2} {}_2F_1\left(\frac{7}{2}, 5; \frac{9}{2}; \frac{g(ae + cdex)}{aeg - cdf}\right)}{7(d + ex)^{7/2}(cdf - aeg)^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^5), x]

[Out] (2\*c^4\*d^4\*((a\*e + c\*d\*x)\*(d + e\*x))^(7/2)\*Hypergeometric2F1[7/2, 5, 9/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)]/(7\*(c\*d\*f - a\*e\*g)^5\*(d + e\*x)^(7/2))

**IntegrateAlgebraic** [F] time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^5),x]

[Out] \$Aborted

**fricas** [B] time = 0.48, size = 1862, normalized size = 5.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^5,x, algorithm="fricas")

[Out] [1/384\*(15\*(c^4\*d^4\*e\*g^4\*x^5 + c^4\*d^5\*f^4 + (4\*c^4\*d^4\*e\*f\*g^3 + c^4\*d^5\*g^4)\*x^4 + 2\*(3\*c^4\*d^4\*e\*f^2\*g^2 + 2\*c^4\*d^5\*f\*g^3)\*x^3 + 2\*(2\*c^4\*d^4\*e\*f^3\*g + 3\*c^4\*d^5\*f^2\*g^2)\*x^2 + (c^4\*d^4\*e\*f^4 + 4\*c^4\*d^5\*f^3\*g)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*sqrt(e\*x + d))/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)) - 2\*(15\*c^4\*d^4\*f^4\*g - 5\*a\*c^3\*d^3\*e\*f^3\*g^2 - 2\*a^2\*c^2\*d^2\*e^2\*f^2\*g^3 - 56\*a^3\*c\*d\*e^3\*f\*g^4 + 48\*a^4\*e^4\*g^5 - 15\*(c^4\*d^4\*f\*g^4 - a\*c^3\*d^3\*e\*g^5)\*x^3 + (73\*c^4\*d^4\*f^2\*g^3 - 191\*a\*c^3\*d^3\*e\*f\*g^4 + 118\*a^2\*c^2\*d^2\*e^2\*g^5)\*x^2 + (55\*c^4\*d^4\*f^3\*g^2 - 19\*a\*c^3\*d^3\*e\*f^2\*g^3 - 172\*a^2\*c^2\*d^2\*e^2\*f\*g^4 + 136\*a^3\*c\*d\*e^3\*g^5)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d))/(c^2\*d^3\*f^6\*g^4 - 2\*a\*c\*d^2\*e\*f^5\*g^5 + a^2\*d\*e^2\*f^4\*g^6 + (c^2\*d^2\*e\*f^2\*g^8 - 2\*a\*c\*d\*e^2\*f\*g^9 + a^2\*e^3\*g^10)\*x^5 + (4\*c^2\*d^2\*e\*f^3\*g^7 + a^2\*d\*e^2\*g^10 + (c^2\*d^3 - 8\*a\*c\*d\*e^2)\*f^2\*g^8 - 2\*(a\*c\*d^2\*e - 2\*a^2\*e^3)\*f\*g^9)\*x^4 + 2\*(3\*c^2\*d^2\*e\*f^4\*g^6 + 2\*a^2\*d\*e^2\*f\*g^9 + 2\*(c^2\*d^3 - 3\*a\*c\*d\*e^2)\*f^3\*g^7 - (4\*a\*c\*d^2\*e - 3\*a^2\*e^3)\*f^2\*g^8)\*x^3 + 2\*(2\*c^2\*d^2\*e\*f^5\*g^5 + 3\*a^2\*d\*e^2\*f^2\*g^8 + (3\*c^2\*d^3 - 4\*a\*c\*d\*e^2)\*f^4\*g^6 - 2\*(3\*a\*c\*d^2\*e - a^2\*e^3)\*f^3\*g^7)\*x^2 + (c^2\*d^2\*e\*f^6\*g^4 + 4\*a^2\*d\*e^2\*f^3\*g^7 + 2\*(2\*c^2\*d^3 - a\*c\*d\*e^2)\*f^5\*g^5 - (8\*a\*c\*d^2\*e - a^2\*e^3)\*f^4\*g^6)\*x), -1/192\*(15\*(c^4\*d^4\*e\*g^4\*x^5 + c^4\*d^5\*f^4 + (4\*c^4\*d^4\*e\*f\*g^3 + c^4\*d^5\*g^4)\*x^4 + 2\*(3\*c^4\*d^4\*e\*f^2\*g^2 + 2\*c^4\*d^5\*f\*g^3)\*x^3 + 2\*(2\*c^4\*d^4\*e\*f^3\*g + 3\*c^4\*d^5\*f^2\*g^2)\*x^2 + (c^4\*d^4\*e\*f^4 + 4\*c^4\*d^5\*f^3\*g)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*arctan(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*sqrt(e\*x + d)/(c\*d\*e\*g\*x^2 + a\*d\*e\*g + (c\*d^2 + a\*e^2)\*g\*x)) + (15\*c^4\*d^4\*f^4\*g - 5\*a\*c^3\*d^3\*e\*f^3\*g^2 - 2\*a^2\*c^2\*d^2\*e^2\*f^2\*g^3 - 56\*a^3\*c\*d\*e^3\*f\*g^4 + 48\*a^4\*e^4\*g^5 - 15\*(c^4\*d^4\*f\*g^4 - a\*c^3\*d^3\*e\*g^5)\*x^3 + (73\*c^4\*d^4\*f^2\*g^3 - 191\*a\*c^3\*d^3\*e\*f\*g^4 + 118\*a^2\*c^2\*d^2\*e^2\*g^5)\*x^2 + (55\*c^4\*d^4\*f^3\*g^2 - 19\*a\*c^3\*d^3\*e\*f^2\*g^3 - 172\*a^2\*c^2\*d^2\*e^2\*f\*g^4 + 136\*a^3\*c\*d\*e^3\*g^5)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d))/(c^2\*d^3\*f^6\*g^4 - 2\*a\*c\*d^2\*e\*f^5\*g^5 + a^2\*d\*e^2\*f^4\*g^6 + (c^2\*d^2\*e\*f^2\*g^8 - 2\*a\*c\*d\*e^2\*f\*g^9 + a^2\*e^3\*g^10)\*x^5 + (4\*c^2\*d^2\*e\*f^3\*g^7 + a^2\*d\*e^2\*g^10 + (c^2\*d^3 - 8\*a\*c\*d\*e^2)\*f^2\*g^8 - 2\*(a\*c\*d^2\*e - 2\*a^2\*e^3)\*f\*g^9)\*x^4 + 2\*(3\*c^2\*d^2\*e\*f^4\*g^6 + 2\*a^2\*d\*e^2\*f^3\*g^7 + 2\*(c^2\*d^3 - 3\*a\*c\*d\*e^2)\*f^3\*g^7 - (4\*a\*c\*d^2\*e - 3\*a^2\*e^3)\*f^2\*g^8)\*x^3 + 2\*(2\*c^2\*d^2\*e\*f^5\*g^5 + 3\*a^2\*d\*e^2\*f^2\*g^8 + (3\*c^2\*d^3 - 4\*a\*c\*d\*e^2)\*f^4\*g^6 - 2\*(3\*a\*c\*d^2\*e - a^2\*e^3)\*f^3\*g^7)\*x^2 + (c^2\*d^2\*e\*f^6\*g^4 + 4\*a^2\*d\*e^2\*f^3\*g^7 + 2\*(2\*c^2\*d^3 - a\*c\*d\*e^2)\*f^5\*g^5 - (8\*a\*c\*d^2\*e - a^2\*e^3)\*f^4\*g^6)\*x)

```
f*g^9 + 2*(c^2*d^3 - 3*a*c*d*e^2)*f^3*g^7 - (4*a*c*d^2*e - 3*a^2*e^3)*f^2*g^8)*x^3 + 2*(2*c^2*d^2*e*f^5*g^5 + 3*a^2*d*e^2*f^2*g^8 + (3*c^2*d^3 - 4*a*c*d*e^2)*f^4*g^6 - 2*(3*a*c*d^2*e - a^2*e^3)*f^3*g^7)*x^2 + (c^2*d^2*e*f^6*g^4 + 4*a^2*d*e^2*f^3*g^7 + 2*(2*c^2*d^3 - a*c*d*e^2)*f^5*g^5 - (8*a*c*d^2*e - a^2*e^3)*f^4*g^6)*x]
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^5,x, algorithm="giac")
```

[Out] Timed out

**maple** [B] time = 0.04, size = 665, normalized size = 2.06

```
-----
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^5,x)
```

```
[Out] 1/192*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(15*arctanh((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^4*c^4*d^4*g^4+60*arctanh((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^3*c^4*d^4*f*g^3+90*arctanh((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^2*c^4*d^4*f^2*g^2+60*arctanh((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*c^4*d^4*f^3*g-15*(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2)*c^3*d^3*g^3*x^3+15*arctanh((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*c^4*d^4*f^4-118*(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2)*a*c^2*d^2*e*g^3*x^2+73*(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2)*c^3*d^3*f*g^2*x^2-136*(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2)*a^2*c*d*e^2*g^3*x+36*(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2)*a*c^2*d^2*e*f*g^2*x+55*(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2)*c^3*d^3*f^2*g*x-48*(a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a^3*e^3*g^3+8*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a^2*c*d*e^2*f*g^2+10*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*a*c^2*d^2*e*f^2*g+15*((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*c^3*d^3*f^3)/(e*x+d)^(1/2)/(c*d*x+a*e)^(1/2)/g^3/(a*e*g-c*d*f)/(g*x+f)^4/((a*e*g-c*d*f)*g)^(1/2)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^5} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^5,x
, algorithm="maxima")
```

```
[Out] integrate((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(5/2)/((e*x + d)^(5/2)*(g
*x + f)^5), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{(f + g x)^5 (d + e x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/((f + g*x)^5*(d + e*x)^(5
/2)),x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/((f + g*x)^5*(d + e*x)^(5
/2)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/(e*x+d)**(5/2)/(g*x+f
)**5,x)
```

```
[Out] Timed out
```

$$3.477 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^6} dx$$

**Optimal.** Leaf size=393

$$\frac{3c^5 d^5 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{128g^{7/2}(cdf - aeg)^{5/2}} + \frac{3c^4 d^4 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{128g^3 \sqrt{d+ex} (f+gx)(cdf - aeg)^2} + \frac{c^3 d^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64g^3 \sqrt{d+ex} (f+gx)^2 (cdf - aeg)}$$

**Rubi [A]** time = 0.57, antiderivative size = 393, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 872, 874, 205}

$$\frac{3c^4 d^4 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{128g^3 \sqrt{d+ex} (f+gx)(cdf - aeg)^2} + \frac{c^3 d^3 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{64g^3 \sqrt{d+ex} (f+gx)^2 (cdf - aeg)} - \frac{c^2 d^2 \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{16g^3 \sqrt{d+ex} (f+gx)^3} + \frac{3c^5 d^5 \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{128g^{7/2} (cdf - aeg)^{5/2}} - \frac{cd(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{8g^2 (d+ex)^{3/2} (f+gx)^4} - \frac{(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{5g(d+ex)^{5/2} (f+gx)^5}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^6), x]

[Out] -(c^2\*d^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(16\*g^3\*sqrt[d + e\*x])\*(f + g\*x)^3 + (c^3\*d^3\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(64\*g^3\*(c\*d\*f - a\*e\*g)\*sqrt[d + e\*x]\*(f + g\*x)^2) + (3\*c^4\*d^4\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(128\*g^3\*(c\*d\*f - a\*e\*g)^2\*sqrt[d + e\*x]\*(f + g\*x)) - (c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(8\*g^2\*(d + e\*x)^(3/2)\*(f + g\*x)^4) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(5\*g\*(d + e\*x)^(5/2)\*(f + g\*x)^5) + (3\*c^5\*d^5\*ArcTan[(sqrt[g]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(sqrt[c\*d\*f - a\*e\*g]\*sqrt[d + e\*x])])/(128\*g^(7/2)\*(c\*d\*f - a\*e\*g)^(5/2))

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 862**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^p)/(g\*(n+1)), x] + Dist[(c\*m)/(e\*g\*(n+1)), Int[(d + e\*x)^(m+1)\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^(p-1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ

`[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])`

### Rule 872

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(
n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p
]
```

### Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^6} dx &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{5g(d + ex)^{5/2}(f + gx)^5} + \frac{(cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^5} dx}{2g} \\
&= -\frac{cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{8g^2(d + ex)^{3/2}(f + gx)^4} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{5g(d + ex)^{5/2}(f + gx)^5} \\
&= -\frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{16g^3\sqrt{d + ex}(f + gx)^3} - \frac{cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{8g^2(d + ex)^{3/2}(f + gx)^4} \\
&= -\frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{16g^3\sqrt{d + ex}(f + gx)^3} + \frac{c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64g^3(cdf - aeg)\sqrt{d + ex}(f + gx)^4} \\
&= -\frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{16g^3\sqrt{d + ex}(f + gx)^3} + \frac{c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64g^3(cdf - aeg)\sqrt{d + ex}(f + gx)^4} \\
&= -\frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{16g^3\sqrt{d + ex}(f + gx)^3} + \frac{c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64g^3(cdf - aeg)\sqrt{d + ex}(f + gx)^4} \\
&= -\frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{16g^3\sqrt{d + ex}(f + gx)^3} + \frac{c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64g^3(cdf - aeg)\sqrt{d + ex}(f + gx)^4}
\end{aligned}$$

**Mathematica [C]** time = 0.08, size = 79, normalized size = 0.20

$$\frac{2c^5d^5((d + ex)(ae + cdex))^{7/2} {}_2F_1\left(\frac{7}{2}, 6; \frac{9}{2}; \frac{g(ae + cdex)}{aeg - cdf}\right)}{7(d + ex)^{7/2}(cdf - aeg)^6}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^6), x]

[Out] (2\*c^5\*d^5\*((a\*e + c\*d\*x)\*(d + e\*x))^(7/2)\*Hypergeometric2F1[7/2, 6, 9/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)]/(7\*(c\*d\*f - a\*e\*g)^6\*(d + e\*x)^(7/2))

**IntegrateAlgebraic [F]** time = 180.32, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)/((d + e*x)^(5/2)*(f + g*x)^6),x]
```

```
[Out] $Aborted
```

```
fricas [B] time = 0.53, size = 2750, normalized size = 7.00
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^6,x, algorithm="fricas")
```

```
[Out] [-1/1280*(15*(c^5*d^5*e*g^5*x^6 + c^5*d^6*f^5 + (5*c^5*d^5*e*f*g^4 + c^5*d^6*g^5)*x^5 + 5*(2*c^5*d^5*e*f^2*g^3 + c^5*d^6*f*g^4)*x^4 + 10*(c^5*d^5*e*f^3*g^2 + c^5*d^6*f^2*g^3)*x^3 + 5*(c^5*d^5*e*f^4*g + 2*c^5*d^6*f^3*g^2)*x^2 + (c^5*d^5*e*f^5 + 5*c^5*d^6*f^4*g)*x)*sqrt(-c*d*f*g + a*e*g^2)*log(-(c*d*e*g*x^2 - c*d^2*f + 2*a*d*e*g - (c*d*e*f - (c*d^2 + 2*a*e^2)*g)*x - 2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-c*d*f*g + a*e*g^2)*sqrt(e*x + d)))/(e*g*x^2 + d*f + (e*f + d*g)*x) + 2*(15*c^5*d^5*f^5*g - 5*a*c^4*d^4*e*f^4*g^2 - 2*a^2*c^3*d^3*e^2*f^3*g^3 - 184*a^3*c^2*d^2*e^3*f^2*g^4 + 304*a^4*c*d*e^4*f*g^5 - 128*a^5*e^5*g^6 - 15*(c^5*d^5*f*g^5 - a*c^4*d^4*e*g^6)*x^4 - 10*(7*c^5*d^5*f^2*g^4 - 8*a*c^4*d^4*e*f*g^5 + a^2*c^3*d^3*e^2*g^6)*x^3 + 2*(64*c^5*d^5*f^3*g^3 - 297*a*c^4*d^4*e*f^2*g^4 + 357*a^2*c^3*d^3*e^2*f*g^5 - 124*a^3*c^2*d^2*e^3*g^6)*x^2 + 2*(35*c^5*d^5*f^4*g^2 - 12*a*c^4*d^4*e*f^3*g^3 - 279*a^2*c^3*d^3*e^2*f^2*g^4 + 424*a^3*c^2*d^2*e^3*f*g^5 - 168*a^4*c*d*e^4*g^6)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d))/(c^3*d^4*f^8*g^4 - 3*a*c^2*d^3*e*f^7*g^5 + 3*a^2*c*d^2*e^2*f^6*g^6 - a^3*d*e^3*f^5*g^7 + (c^3*d^3*e*f^3*g^9 - 3*a*c^2*d^2*e^2*f^2*g^10 + 3*a^2*c*d*e^3*f*g^11 - a^3*e^4*g^12)*x^6 + (5*c^3*d^3*e*f^4*g^8 - a^3*d*e^3*g^12 + (c^3*d^4 - 15*a*c^2*d^2*e^2)*f^3*g^9 - 3*(a*c^2*d^3*e - 5*a^2*c*d*e^3)*f^2*g^10 + (3*a^2*c*d^2*e^2 - 5*a^3*e^4)*f*g^11)*x^5 + 5*(2*c^3*d^3*e*f^5*g^7 - a^3*d*e^3*f*g^11 + (c^3*d^4 - 6*a*c^2*d^2*e^2)*f^4*g^8 - 3*(a*c^2*d^3*e - 2*a^2*c*d*e^3)*f^3*g^9 + (3*a^2*c*d^2*e^2 - 2*a^3*e^4)*f^2*g^10)*x^4 + 10*(c^3*d^3*e*f^6*g^6 - a^3*d*e^3*f^2*g^10 + (c^3*d^4 - 3*a*c^2*d^2*e^2)*f^5*g^7 - 3*(a*c^2*d^3*e - a^2*c*d*e^3)*f^4*g^8 + (3*a^2*c*d^2*e^2 - a^3*e^4)*f^3*g^9)*x^3 + 5*(c^3*d^3*e*f^7*g^5 - 2*a^3*d*e^3*f^3*g^9 + (2*c^3*d^4 - 3*a*c^2*d^2*e^2)*f^6*g^6 - 3*(2*a*c^2*d^3*e - a^2*c*d*e^3)*f^5*g^7 + (6*a^2*c*d^2*e^2 - a^3*e^4)*f^4*g^8)*x^2 + (c^3*d^3*e*f^8*g^4 - 5*a^3*d*e^3*f^4*g^8 + (5*c^3*d^4 - 3*a*c^2*d^2*e^2)*f^7*g^5 - 3*(5*a*c^2*d^3*e - a^2*c*d*e^3)*f^6*g^6 + (15*a^2*c*d^2*e^2 - a^3*e^4)*f^5*g^7)*x), -1/640*(15*(c^5*d^5*e*g^5*x^6 + c^5*d^6*f^5 + (5*c^5*d^5*e*f*g^4 + c^5*d^6*g^5)*x^5 + 5*(2*c^5*d^5*e*f^2*g^3 + c^5*d^6*f*g^4)*x^4 + 10*(c^5*d^5*e*f^3*g^2 + c^5*d^6*f^2*g^3)*x^3 + 5*(c^5*d^5*e*f^4*g + 2*c^5*d^6*f^3*g^2)*x^2 + (c^5*d^5*e*f^5 + 5*c^5*d^6*f^4*g)*x)
```

$$\begin{aligned}
& )x) \sqrt{c*d*f*g - a*e*g^2} \arctan(\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)} \\
& )x) \sqrt{c*d*f*g - a*e*g^2} \sqrt{e*x + d} / (c*d*e*g*x^2 + a*d*e*g + (c*d^2 \\
& + a*e^2)*g*x)) + (15*c^5*d^5*f^5*g - 5*a*c^4*d^4*e*f^4*g^2 - 2*a^2*c^3*d^3* \\
& e^2*f^3*g^3 - 184*a^3*c^2*d^2*e^3*f^2*g^4 + 304*a^4*c*d*e^4*f*g^5 - 128*a^5 \\
& *e^5*g^6 - 15*(c^5*d^5*f*g^5 - a*c^4*d^4*e*g^6)*x^4 - 10*(7*c^5*d^5*f^2*g^4 \\
& - 8*a*c^4*d^4*e*f*g^5 + a^2*c^3*d^3*e^2*g^6)*x^3 + 2*(64*c^5*d^5*f^3*g^3 - \\
& 297*a*c^4*d^4*e*f^2*g^4 + 357*a^2*c^3*d^3*e^2*f*g^5 - 124*a^3*c^2*d^2*e^3* \\
& g^6)*x^2 + 2*(35*c^5*d^5*f^4*g^2 - 12*a*c^4*d^4*e*f^3*g^3 - 279*a^2*c^3*d^3* \\
& e^2*f^2*g^4 + 424*a^3*c^2*d^2*e^3*f*g^5 - 168*a^4*c*d*e^4*g^6)*x) \sqrt{c*d \\
& *e*x^2 + a*d*e + (c*d^2 + a*e^2)*x} \sqrt{e*x + d} / (c^3*d^4*f^8*g^4 - 3*a*c \\
& ^2*d^3*e*f^7*g^5 + 3*a^2*c*d^2*e^2*f^6*g^6 - a^3*d*e^3*f^5*g^7 + (c^3*d^3*e \\
& *f^3*g^9 - 3*a*c^2*d^2*e^2*f^2*g^10 + 3*a^2*c*d*e^3*f*g^11 - a^3*e^4*g^12)* \\
& x^6 + (5*c^3*d^3*e*f^4*g^8 - a^3*d*e^3*g^12 + (c^3*d^4 - 15*a*c^2*d^2*e^2)* \\
& f^3*g^9 - 3*(a*c^2*d^3*e - 5*a^2*c*d*e^3)*f^2*g^10 + (3*a^2*c*d^2*e^2 - 5*a \\
& ^3*e^4)*f*g^11)*x^5 + 5*(2*c^3*d^3*e*f^5*g^7 - a^3*d*e^3*f*g^11 + (c^3*d^4 \\
& - 6*a*c^2*d^2*e^2)*f^4*g^8 - 3*(a*c^2*d^3*e - 2*a^2*c*d*e^3)*f^3*g^9 + (3*a \\
& ^2*c*d^2*e^2 - 2*a^3*e^4)*f^2*g^10)*x^4 + 10*(c^3*d^3*e*f^6*g^6 - a^3*d*e^3 \\
& *f^2*g^10 + (c^3*d^4 - 3*a*c^2*d^2*e^2)*f^5*g^7 - 3*(a*c^2*d^3*e - a^2*c*d* \\
& e^3)*f^4*g^8 + (3*a^2*c*d^2*e^2 - a^3*e^4)*f^3*g^9)*x^3 + 5*(c^3*d^3*e*f^7* \\
& g^5 - 2*a^3*d*e^3*f^3*g^9 + (2*c^3*d^4 - 3*a*c^2*d^2*e^2)*f^6*g^6 - 3*(2*a* \\
& c^2*d^3*e - a^2*c*d*e^3)*f^5*g^7 + (6*a^2*c*d^2*e^2 - a^3*e^4)*f^4*g^8)*x^2 \\
& + (c^3*d^3*e*f^8*g^4 - 5*a^3*d*e^3*f^4*g^8 + (5*c^3*d^4 - 3*a*c^2*d^2*e^2) \\
& *f^7*g^5 - 3*(5*a*c^2*d^3*e - a^2*c*d*e^3)*f^6*g^6 + (15*a^2*c*d^2*e^2 - a^ \\
& 3*e^4)*f^5*g^7)*x]
\end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^6,x
, algorithm="giac")
```

```
[Out] Timed out
```

**maple** [B] time = 0.04, size = 924, normalized size = 2.35

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^6,x)
```

```
[Out] -1/640*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(15*arctanh((c*d*x+a*e)^(1/2)
)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^5*c^5*d^5*g^5+75*arctanh((c*d*x+a*e)^(1/2)/(
```

$$\begin{aligned} & (a*eg-c*d*f)*g)^{(1/2)}*g)*x^4*c^5*d^5*f*g^4+150*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/ \\ & (a*eg-c*d*f)*g)^{(1/2)}*g)*x^3*c^5*d^5*f^2*g^3+150*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)}) \\ & /((a*eg-c*d*f)*g)^{(1/2)}*g)*x^2*c^5*d^5*f^3*g^2-15*((a*eg-c*d*f)*g)^{(1/2)}* \\ & (c*d*x+a*e)^{(1/2)}*c^4*d^4*g^4*x^4+75*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*eg-c*d* \\ & f)*g)^{(1/2)}*g)*x*c^5*d^5*f^4*g+10*((a*eg-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)} \\ & *a*c^3*d^3*e*g^4*x^3-70*((a*eg-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*c^4*d^4*f \\ & *g^3*x^3+15*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*eg-c*d*f)*g)^{(1/2)}*g)*c^5*d^5*f^ \\ & 5+248*((a*eg-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a^2*c^2*d^2*e^2*g^4*x^2-466 \\ & *((a*eg-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a*c^3*d^3*e*f*g^3*x^2+128*((a*eg- \\ & c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*c^4*d^4*f^2*g^2*x^2+336*((a*eg-c*d*f)* \\ & g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a^3*c*d*e^3*g^4*x-512*((a*eg-c*d*f)*g)^{(1/2)}*(c \\ & *d*x+a*e)^{(1/2)}*a^2*c^2*d^2*e^2*f*g^3*x+46*((a*eg-c*d*f)*g)^{(1/2)}*(c*d*x+a \\ & *e)^{(1/2)}*a*c^3*d^3*e*f^2*g^2*x+70*((a*eg-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)} \\ & )*c^4*d^4*f^3*g*x+128*((a*eg-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a^4*e^4*g^4 \\ & -176*((a*eg-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a^3*c*d*e^3*f*g^3+8*((a*eg- \\ & c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a^2*c^2*d^2*e^2*f^2*g^2+10*((a*eg-c*d*f) \\ & *g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a*c^3*d^3*e*f^3*g+15*((a*eg-c*d*f)*g)^{(1/2)}*(c \\ & *d*x+a*e)^{(1/2)}*c^4*d^4*f^4)/(e*x+d)^{(1/2)}/((a*eg-c*d*f)*g)^{(1/2)}/(g*x+f)^ \\ & 5/g^3/(a*eg-c*d*f)^2/(c*d*x+a*e)^{(1/2)} \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^6,x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)^(5/2)\*(g\*x + f)^6), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{\frac{5}{2}}}{(f + gx)^6 (d + ex)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^6\*(d + e\*x)^(5/2)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^6\*(d + e\*x)^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/(e*x+d)**(5/2)/(g*x+f)  
)**6,x)
```

```
[Out] Timed out
```



$$3.478 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^7} dx$$

Optimal. Leaf size=463

$$\frac{5c^6d^6 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{512g^{7/2}(cdf-aeg)^{7/2}} + \frac{5c^5d^5\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{512g^3\sqrt{d+ex}(f+gx)(cdf-aeg)^3} + \frac{5c^4d^4\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{768g^3\sqrt{d+ex}(f+gx)^2(cdf-aeg)}$$

Rubi [A] time = 0.72, antiderivative size = 463, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {862, 872, 874, 205}

$$\frac{5c^6d^6\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{512g^3\sqrt{d+ex}(f+gx)(cdf-aeg)^3} + \frac{5c^4d^4\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{768g^3\sqrt{d+ex}(f+gx)^2(cdf-aeg)} + \frac{c^3d^3\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{192g^3\sqrt{d+ex}(f+gx)^3(cdf-aeg)} - \frac{c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{32g^3\sqrt{d+ex}(f+gx)^4} + \frac{5c^6d^6 \tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{512g^{7/2}(cdf-aeg)^{7/2}} - \frac{cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{12g^2(d+ex)^{3/2}(f+gx)^3} - \frac{(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{6g(d+ex)^{5/2}(f+gx)^6}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^7), x]

[Out] -(c^2\*d^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(32\*g^3\*sqrt[d + e\*x])\*(f + g\*x)^4 + (c^3\*d^3\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(192\*g^3\*(c\*d\*f - a\*e\*g)\*sqrt[d + e\*x]\*(f + g\*x)^3) + (5\*c^4\*d^4\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(768\*g^3\*(c\*d\*f - a\*e\*g)^2\*sqrt[d + e\*x]\*(f + g\*x)^2) + (5\*c^5\*d^5\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(512\*g^3\*(c\*d\*f - a\*e\*g)^3\*sqrt[d + e\*x]\*(f + g\*x)) - (c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(12\*g^2\*(d + e\*x)^(3/2)\*(f + g\*x)^5) - (a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/(6\*g\*(d + e\*x)^(5/2)\*(f + g\*x)^6) + (5\*c^6\*d^6\*ArcTan[(sqrt[g]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(sqrt[c\*d\*f - a\*e\*g]\*sqrt[d + e\*x])])/(512\*g^(7/2)\*(c\*d\*f - a\*e\*g)^(7/2))

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 862

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ

$[n, -1] \&\& \text{!(IntegerQ}[n + p] \&\& \text{LeQ}[n + p + 2, 0])$

### Rule 872

$\text{Int}[(d + (e \cdot x)^m) \cdot (f + (g \cdot x)^n) \cdot (a + (b \cdot x) + (c \cdot x^2)^p), x\_Symbol] \text{:> } -\text{Simp}[(e^2 \cdot (d + e \cdot x)^{m-1} \cdot (f + g \cdot x)^{n+1} \cdot (a + b \cdot x + c \cdot x^2)^{p+1}) / ((n+1) \cdot (c \cdot e \cdot f + c \cdot d \cdot g - b \cdot e \cdot g)), x] - \text{Dist}[(c \cdot e \cdot (m - n - 2)) / ((n+1) \cdot (c \cdot e \cdot f + c \cdot d \cdot g - b \cdot e \cdot g)), \text{Int}[(d + e \cdot x)^m \cdot (f + g \cdot x)^{n+1} \cdot (a + b \cdot x + c \cdot x^2)^p, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, g, m, p\}, x\} \&\& \text{NeQ}[e \cdot f - d \cdot g, 0] \&\& \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0] \&\& \text{EqQ}[c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2, 0] \&\& \text{!IntegerQ}[p] \&\& \text{EqQ}[m + p, 0] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2 \cdot p]$

### Rule 874

$\text{Int}[\text{Sqrt}[d + (e \cdot x)] / (((f + (g \cdot x)) \cdot \text{Sqrt}[a + (b \cdot x) + (c \cdot x^2)]), x\_Symbol] \text{:> } \text{Dist}[2 \cdot e^2, \text{Subst}[\text{Int}[1 / (c \cdot (e \cdot f + d \cdot g) - b \cdot e \cdot g + e^2 \cdot g \cdot x^2), x], x, \text{Sqrt}[a + b \cdot x + c \cdot x^2] / \text{Sqrt}[d + e \cdot x]], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, g\}, x\} \&\& \text{NeQ}[e \cdot f - d \cdot g, 0] \&\& \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0] \&\& \text{EqQ}[c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2, 0]$

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^7} dx &= -\frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{6g(d + ex)^{5/2}(f + gx)^6} + \frac{(5cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^6} dx}{12g} \\
&= -\frac{cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{12g^2(d + ex)^{3/2}(f + gx)^5} - \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{6g(d + ex)^{5/2}(f + gx)^6} \\
&= -\frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3\sqrt{d + ex}(f + gx)^4} - \frac{cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{12g^2(d + ex)^{3/2}(f + gx)^5} \\
&= -\frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3\sqrt{d + ex}(f + gx)^4} + \frac{c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{192g^3(cdf - aeg)\sqrt{d + ex}(f + gx)^4} \\
&= -\frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3\sqrt{d + ex}(f + gx)^4} + \frac{c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{192g^3(cdf - aeg)\sqrt{d + ex}(f + gx)^4} \\
&= -\frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3\sqrt{d + ex}(f + gx)^4} + \frac{c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{192g^3(cdf - aeg)\sqrt{d + ex}(f + gx)^4} \\
&= -\frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3\sqrt{d + ex}(f + gx)^4} + \frac{c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{192g^3(cdf - aeg)\sqrt{d + ex}(f + gx)^4} \\
&= -\frac{c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3\sqrt{d + ex}(f + gx)^4} + \frac{c^3d^3\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{192g^3(cdf - aeg)\sqrt{d + ex}(f + gx)^4}
\end{aligned}$$

**Mathematica [C]** time = 0.08, size = 79, normalized size = 0.17

$$\frac{2c^6d^6((d + ex)(ae + cdex))^{7/2} {}_2F_1\left(\frac{7}{2}, 7; \frac{9}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{7(d + ex)^{7/2}(cdf - aeg)^7}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^7), x]

[Out]  $(2c^6d^6((a^2e + cd^2x)(d + ex))^{7/2} \text{Hypergeometric2F1}[7/2, 7, 9/2, (g(a^2e + cd^2x))/(-(cdf) + aeg)]) / (7(cdf - aeg)^7(d + ex)^{7/2})$

IntegrateAlgebraic [F] time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^7),x]

[Out] \$Aborted

fricas [B] time = 0.55, size = 3872, normalized size = 8.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^7,x, algorithm="fricas")

[Out]  $[1/3072*(15*(c^6d^6e^6g^6x^7 + c^6d^7f^6 + (6*c^6d^6e^6f^5g^5 + c^6d^7g^6)*x^6 + 3*(5*c^6d^6e^6f^2g^4 + 2*c^6d^7f^5g^5)*x^5 + 5*(4*c^6d^6e^6f^3g^3 + 3*c^6d^7f^2g^4)*x^4 + 5*(3*c^6d^6e^6f^4g^2 + 4*c^6d^7f^3g^3)*x^3 + 3*(2*c^6d^6e^6f^5g + 5*c^6d^7f^4g^2)*x^2 + (c^6d^6e^6f^6 + 6*c^6d^7f^5g)*x)*\text{sqrt}(-cdfg + aeg^2)*\log(-(cde^6g^2x^2 - cd^2f + 2ade^6g - (cde^6f - (cd^2 + 2ae^2)*g)*x + 2\text{sqrt}(cde^6x^2 + ade + (cd^2 + ae^2)*x)*\text{sqrt}(-cdfg + aeg^2)*\text{sqrt}(ex + d))/(e^6g^2x^2 + df + (ef + dg)*x)) - 2*(15*c^6d^6f^6g - 5*a*c^5d^5e^6f^5g^2 - 2*a^2c^4d^4e^2f^4g^3 - 440*a^3c^3d^3e^3f^3g^4 + 1072*a^4c^2d^2e^4f^2g^5 - 896*a^5c^2d^2e^5f^2g^6 + 256*a^6e^6g^7 - 15*(c^6d^6f^6g^6 - a*c^5d^5e^6g^7)*x^5 - 5*(17*c^6d^6f^2g^5 - 19*a*c^5d^5e^6f^6 + 2*a^2c^4d^4e^2g^7)*x^4 - 2*(99*c^6d^6f^3g^4 - 127*a*c^5d^5e^6f^2g^5 + 32*a^2c^4d^4e^2f^2g^6 - 4*a^3c^3d^3e^3g^7)*x^3 + 6*(33*c^6d^6f^4g^3 - 231*a*c^5d^5e^6f^3g^4 + 410*a^2c^4d^4e^2f^2g^5 - 284*a^3c^3d^3e^3f^2g^6 + 72*a^4c^2d^2e^4g^7)*x^2 + (85*c^6d^6f^5g^2 - 29*a*c^5d^5e^6f^4g^3 - 1328*a^2c^4d^4e^2f^3g^4 + 2968*a^3c^3d^3e^3f^2g^5 - 2336*a^4c^2d^2e^4f^2g^6 + 640*a^5c^2d^2e^5g^7)*x)*\text{sqrt}(cde^6x^2 + ade + (cd^2 + ae^2)*x)*\text{sqrt}(ex + d))/(c^4d^5f^10g^4 - 4*a*c^3d^4e^6f^9g^5 + 6*a^2c^2d^3e^2f^8g^6 - 4*a^3c^2d^2e^3f^7g^7 + a^4d^4e^4f^6g^8 + (c^4d^4e^6f^4g^10 - 4*a*c^3d^3e^2f^3g^11 + 6*a^2c^2d^2e^3f^2g^12 - 4*a^3c^2d^2e^4f^2g^13 + a^4e^5g^14)*x^7 + (6*c^4d^4e^6f^5g^9 + a^4d^4e^4g^14 + (c^4d^5 - 24*a*c^3d^3e^2)*f^4g^10 - 4*(a*c^3d^4e - 9*a^2c^2d^2e^3)*f^3g^11 + 6*(a^2c^2d^3e^2 - 4*a^3c^2d^2e^4)*f^2g^12 - 2*(2*a^3c^2d^2e^3 - 3*a^4e^5)*f^2g^13)*x^6 + 3*(5*c^4d^4e^6f^6g^8 + 2*a^4d^4e^4f^6g^13 + 2*(c^4d^5 - 10*a*c^3d^3e^2)*f^5g^9 - 2*(4*a*c^3d^4e - 15*a^$

$$\begin{aligned}
& 2*c^2*d^2*e^3)*f^4*g^10 + 4*(3*a^2*c^2*d^3*e^2 - 5*a^3*c*d*e^4)*f^3*g^11 - \\
& (8*a^3*c*d^2*e^3 - 5*a^4*e^5)*f^2*g^12)*x^5 + 5*(4*c^4*d^4*e*f^7*g^7 + 3*a^4*d^4*e^4*f^2*g^12 + (3*c^4*d^5 - 16*a*c^3*d^3*e^2)*f^6*g^8 - 12*(a*c^3*d^4*e \\
& - 2*a^2*c^2*d^2*e^3)*f^5*g^9 + 2*(9*a^2*c^2*d^3*e^2 - 8*a^3*c*d*e^4)*f^4*g^10 - 4*(3*a^3*c*d^2*e^3 - a^4*e^5)*f^3*g^11)*x^4 + 5*(3*c^4*d^4*e*f^8*g^6 \\
& + 4*a^4*d^4*e^4*f^3*g^11 + 4*(c^4*d^5 - 3*a*c^3*d^3*e^2)*f^7*g^7 - 2*(8*a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^6*g^8 + 12*(2*a^2*c^2*d^3*e^2 - a^3*c*d*e^4)* \\
& f^5*g^9 - (16*a^3*c*d^2*e^3 - 3*a^4*e^5)*f^4*g^10)*x^3 + 3*(2*c^4*d^4*e*f^9*g^5 + 5*a^4*d^4*e^4*f^4*g^10 + (5*c^4*d^5 - 8*a*c^3*d^3*e^2)*f^8*g^6 - 4*(5* \\
& a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^7*g^7 + 2*(15*a^2*c^2*d^3*e^2 - 4*a^3*c*d*e^4)*f^6*g^8 - 2*(10*a^3*c*d^2*e^3 - a^4*e^5)*f^5*g^9)*x^2 + (c^4*d^4*e*f^10*g^4 + 6*a^4*d^4*e^4*f^5*g^9 + 2*(3*c^4*d^5 - 2*a*c^3*d^3*e^2)*f^9*g^5 - 6 \\
& *(4*a*c^3*d^4*e - a^2*c^2*d^2*e^3)*f^8*g^6 + 4*(9*a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^7*g^7 - (24*a^3*c*d^2*e^3 - a^4*e^5)*f^6*g^8)*x, -1/1536*(15*(c^6*d^6*e*g^6*x^7 + c^6*d^7*f^6 + (6*c^6*d^6*e*f*g^5 + c^6*d^7*g^6)*x^6 + 3*(5* \\
& c^6*d^6*e*f^2*g^4 + 2*c^6*d^7*f*g^5)*x^5 + 5*(4*c^6*d^6*e*f^3*g^3 + 3*c^6*d^7*f^2*g^4)*x^4 + 5*(3*c^6*d^6*e*f^4*g^2 + 4*c^6*d^7*f^3*g^3)*x^3 + 3*(2*c^6*d^6*e*f^5*g + 5*c^6*d^7*f^4*g^2)*x^2 + (c^6*d^6*e*f^6 + 6*c^6*d^7*f^5*g)* \\
& x)*sqrt(c*d*f*g - a*e*g^2)*arctan(sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(c*d*f*g - a*e*g^2)*sqrt(e*x + d)/(c*d*e*g*x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x)) + (15*c^6*d^6*f^6*g - 5*a*c^5*d^5*e*f^5*g^2 - 2*a^2*c^4*d^4*e^2*f^4*g^3 - 440*a^3*c^3*d^3*e^3*f^3*g^4 + 1072*a^4*c^2*d^2*e^4*f^2*g^5 - 89 \\
& 6*a^5*c*d*e^5*f*g^6 + 256*a^6*e^6*g^7 - 15*(c^6*d^6*f*g^6 - a*c^5*d^5*e*g^7)*x^5 - 5*(17*c^6*d^6*f^2*g^5 - 19*a*c^5*d^5*e*f*g^6 + 2*a^2*c^4*d^4*e^2*g^7)*x^4 - 2*(99*c^6*d^6*f^3*g^4 - 127*a*c^5*d^5*e*f^2*g^5 + 32*a^2*c^4*d^4*e^2*f*g^6 - 4*a^3*c^3*d^3*e^3*g^7)*x^3 + 6*(33*c^6*d^6*f^4*g^3 - 231*a*c^5*d^5*e*f^3*g^4 + 410*a^2*c^4*d^4*e^2*f^2*g^5 - 284*a^3*c^3*d^3*e^3*f*g^6 + 72 \\
& *a^4*c^2*d^2*e^4*g^7)*x^2 + (85*c^6*d^6*f^5*g^2 - 29*a*c^5*d^5*e*f^4*g^3 - 1328*a^2*c^4*d^4*e^2*f^3*g^4 + 2968*a^3*c^3*d^3*e^3*f^2*g^5 - 2336*a^4*c^2*d^2*e^4*f*g^6 + 640*a^5*c*d*e^5*g^7)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^4*d^5*f^10*g^4 - 4*a*c^3*d^4*e*f^9*g^5 + 6*a^2*c^2*d^3*e^2*f^8*g^6 - 4*a^3*c*d^2*e^3*f^7*g^7 + a^4*d^4*e^4*f^6*g^8 + (c^4*d^4*e*f^4*g^10 - 4*a*c^3*d^3*e^2*f^3*g^11 + 6*a^2*c^2*d^2*e^3*f^2*g^12 - 4*a^3*c*d*e^4*f*g^13 + a^4*e^5*g^14)*x^7 + (6*c^4*d^4*e*f^5*g^9 + a^4*d^4*e^4*g^14 + (c^4*d^5 - 24*a*c^3*d^3*e^2)*f^4*g^10 - 4*(a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^3*g^11 + 6*(a^2*c^2*d^3*e^2 - 4*a^3*c*d*e^4)*f^2*g^12 - 2*(2*a^3*c*d^2*e^3 - 3*a^4*e^5)*f*g^13)*x^6 + 3*(5*c^4*d^4*e*f^6*g^8 + 2*a^4*d^4*e^4*f*g^13 + 2*(c^4*d^5 - 10*a*c^3*d^3*e^2)*f^5*g^9 - 2*(4*a*c^3*d^4*e - 15*a^2*c^2*d^2*e^3)*f^4*g^10 + 4*(3*a^2*c^2*d^3*e^2 - 5*a^3*c*d*e^4)*f^3*g^11 - (8*a^3*c*d^2*e^3 - 5*a^4*e^5)*f^2*g^12)*x^5 + 5*(4*c^4*d^4*e*f^7*g^7 + 3*a^4*d^4*e^4*f^2*g^12 + (3*c^4*d^5 - 16*a*c^3*d^3*e^2)*f^6*g^8 - 12*(a*c^3*d^4*e - 2*a^2*c^2*d^2*e^3)*f^5*g^9 + 2*(9*a^2*c^2*d^3*e^2 - 8*a^3*c*d*e^4)*f^4*g^10 - 4*(3*a^3*c*d^2*e^3 - a^4*e^5)*f^3*g^11)*x^4 + 5*(3*c^4*d^4*e*f^8*g^6 + 4*a^4*d^4*e^4*f^3*g^11 + 4*(c^4*d^5 - 3*a*c^3*d^3*e^2)*f^7*g^7 - 2*(8*a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^6*g^8 + 12*(2*a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^5*g^
\end{aligned}$$

$$9 - (16*a^3*c*d^2*e^3 - 3*a^4*e^5)*f^4*g^{10}*x^3 + 3*(2*c^4*d^4*e*f^9*g^5 + 5*a^4*d*e^4*f^4*g^{10} + (5*c^4*d^5 - 8*a*c^3*d^3*e^2)*f^8*g^6 - 4*(5*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^7*g^7 + 2*(15*a^2*c^2*d^3*e^2 - 4*a^3*c*d*e^4)*f^6*g^8 - 2*(10*a^3*c*d^2*e^3 - a^4*e^5)*f^5*g^9)*x^2 + (c^4*d^4*e*f^{10}*g^4 + 6*a^4*d*e^4*f^5*g^9 + 2*(3*c^4*d^5 - 2*a*c^3*d^3*e^2)*f^9*g^5 - 6*(4*a*c^3*d^4*e - a^2*c^2*d^2*e^3)*f^8*g^6 + 4*(9*a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^7*g^7 - (24*a^3*c*d^2*e^3 - a^4*e^5)*f^6*g^8)*x]$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^7,x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.04, size = 1261, normalized size = 2.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^7,x)

[Out]  $\frac{1}{1536}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*(15*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*c^6*d^6*f^6-15*x^5*c^5*d^5*g^5*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}-85*x^4*c^5*d^5*f*g^4*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}-198*x^3*c^5*d^5*f^2*g^3*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}+198*x^2*c^5*d^5*f^3*g^2*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}+85*x*c^5*d^5*f^4*g*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}+10*x^4*a*c^4*d^4*e*g^5*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}+15*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x^6*c^6*d^6*f^6+90*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x^5*c^6*d^6*f^5*g^5+225*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x^4*c^6*d^6*f^2*g^4+300*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x^3*c^6*d^6*f^3*g^3+225*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x^2*c^6*d^6*f^4*g^2+90*\operatorname{arctanh}((c*d*x+a*e)^{(1/2)})/((a*e*g-c*d*f)*g)^{(1/2)}*g)*x*c^6*d^6*f^5*g-8*x^3*a^2*c^3*d^3*e^2*g^5*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}-432*x^2*a^3*c^2*d^2*e^3*g^5*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}-640*x*a^4*c*d*e^4*g^5*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}+640*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a^4*c*d*e^4*f*g^4-432*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a^3*c^2*d^2*e^3*f^2*g^3+8*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a^2*c^3*d^3*e^2*f^3*g^2+10*((a*e*g-c*d*f)*g)^{(1/2)}*(c*d*x+a*e)^{(1/2)}*a*c^4*d^4*e*f^4*g+56*x^3*a*c^4*d^4*e*f^4*g^4*(c*d*x+a*e)^{(1/2)}*((a*e*g-c*d*f)*g)^{(1/2)}+1272*x^2*a^2*c^3*d^$

$3e^2fg^4(cdx+ae)^{1/2}((aeg-cdf)g)^{1/2}-1188x^2a^4d^4ef^2g^3(cdx+ae)^{1/2}((aeg-cdf)g)^{1/2}+1696xa^3c^2d^2e^3fg^4(cdx+ae)^{1/2}((aeg-cdf)g)^{1/2}-1272xa^2c^3d^3e^2f^2g^3(cdx+ae)^{1/2}((aeg-cdf)g)^{1/2}+56xa^4d^4e^3fg^2(cdx+ae)^{1/2}((aeg-cdf)g)^{1/2}-256((aeg-cdf)g)^{1/2}(cdx+ae)^{1/2}a^5e^5g^5+15((aeg-cdf)g)^{1/2}(cdx+ae)^{1/2}c^5d^5f^5)/(ex+d)^{1/2}/((aeg-cdf)g)^{1/2}/(gx+f)^6/g^3/(aeg-cdf)/(a^2e^2g^2-2a^2c^2d^2efg+c^2d^2f^2)/(cdx+ae)^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^7,x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)^(5/2)\*(g\*x + f)^7), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{5/2}}{(f + gx)^7 (d + ex)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^7\*(d + e\*x)^(5/2)), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^7\*(d + e\*x)^(5/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2)/(g\*x+f)\*\*7,x)

[Out] Timed out

$$3.479 \quad \int \frac{\sqrt{d+ex} (f+gx)^{5/2}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=313

$$\frac{5\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^3 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{8c^{7/2}d^{7/2}\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}} + \frac{5\sqrt{f+gx} \sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf - aeg)^2}{8c^3d^3\sqrt{d+ex}} + \dots$$

**Rubi [A]** time = 0.56, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$ , Rules used = {870, 891, 63, 217, 206}

$$\frac{5\sqrt{f+gx} \sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf - aeg)^2}{8c^3d^3\sqrt{d+ex}} + \frac{5(f+gx)^{3/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf - aeg)}{12c^2d^2\sqrt{d+ex}} + \frac{5\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^3 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{8c^{7/2}d^{7/2}\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}} + \frac{(f+gx)^{5/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3cd\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e\*x]\*(f + g\*x)^(5/2))/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (5\*(c\*d\*f - a\*e\*g)^2\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*c^3\*d^3\*Sqrt[d + e\*x]) + (5\*(c\*d\*f - a\*e\*g)\*(f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(12\*c^2\*d^2\*Sqrt[d + e\*x]) + ((f + g\*x)^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*c\*d\*Sqrt[d + e\*x]) + (5\*(c\*d\*f - a\*e\*g)^3\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(8\*c^(7/2)\*d^(7/2)\*Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 217



```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 870

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

### Rule 891

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex}(f+gx)^{5/2}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= \frac{(f+gx)^{5/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3cd\sqrt{d+ex}} + \frac{(5(cde^2f+cd^2eg-e(cd^2+ae^2)))}{6} \\
&= \frac{5(cdf-aeg)(f+gx)^{3/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{12c^2d^2\sqrt{d+ex}} + \frac{(f+gx)^{5/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3cd} \\
&= \frac{5(cdf-aeg)^2\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{8c^3d^3\sqrt{d+ex}} + \frac{5(cdf-aeg)(f+gx)^{5/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{6cd} \\
&= \frac{5(cdf-aeg)^2\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{8c^3d^3\sqrt{d+ex}} + \frac{5(cdf-aeg)(f+gx)^{5/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{6cd} \\
&= \frac{5(cdf-aeg)^2\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{8c^3d^3\sqrt{d+ex}} + \frac{5(cdf-aeg)(f+gx)^{5/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{6cd} \\
&= \frac{5(cdf-aeg)^2\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{8c^3d^3\sqrt{d+ex}} + \frac{5(cdf-aeg)(f+gx)^{5/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{6cd} \\
&= \frac{5(cdf-aeg)^2\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{8c^3d^3\sqrt{d+ex}} + \frac{5(cdf-aeg)(f+gx)^{5/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{6cd} \\
&= \frac{5(cdf-aeg)^2\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{8c^3d^3\sqrt{d+ex}} + \frac{5(cdf-aeg)(f+gx)^{5/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{6cd} \\
&= \frac{5(cdf-aeg)^2\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{8c^3d^3\sqrt{d+ex}} + \frac{5(cdf-aeg)(f+gx)^{5/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{6cd}
\end{aligned}$$

**Mathematica [A]** time = 0.61, size = 269, normalized size = 0.86

$$\frac{\sqrt{d+ex}\sqrt{f+gx}\sqrt{ae+cdx}\left(\sqrt{c}\sqrt{d}\sqrt{g}\sqrt{ae+cdx}\sqrt{\frac{cd(f+gx)}{cdf-aeg}}(15a^2e^2g^2-10acdeg(4f+gx)+c^2d^2(33f^2+26fgx+8g^2x^2))+15\sqrt{cd}(cdf-aeg)^{5/2}\sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cdf-aeg}}\right)\right)}{24c^{7/2}d^{7/2}\sqrt{g}\sqrt{(d+ex)(ae+cdx)}\sqrt{\frac{cd(f+gx)}{cdf-aeg}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e\*x]\*(f + g\*x)^(5/2))/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*Sqrt[f + g\*x]\*(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g)]\*(15\*a^2\*e^2\*g^2 - 10\*a

$*c*d*e*g*(4*f + g*x) + c^2*d^2*(33*f^2 + 26*f*g*x + 8*g^2*x^2) + 15*\text{Sqrt}[c*d]*(c*d*f - a*e*g)^{(5/2)}*\text{ArcSinh}[(\text{Sqrt}[c]*\text{Sqrt}[d]*\text{Sqrt}[g]*\text{Sqrt}[a*e + c*d*x])/(\text{Sqrt}[c*d]*\text{Sqrt}[c*d*f - a*e*g])]/(24*c^{(7/2)}*d^{(7/2)}*\text{Sqrt}[g]*\text{Sqrt}[(a*e + c*d*x)*(d + e*x)]*\text{Sqrt}[(c*d*(f + g*x))/(c*d*f - a*e*g)])$

**IntegrateAlgebraic [A]** time = 8.64, size = 238, normalized size = 0.76

$$\frac{\sqrt{d+ex}\sqrt{ae+cdx} \left( \frac{5(cdf-aeg)^3 \tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{8c^{7/2}d^{7/2}\sqrt{g}} + \frac{(cdf-aeg)^3 \left( \frac{33c^2d^2\sqrt{ae+cdx}}{\sqrt{f+gx}} + \frac{15g^2(ae+cdx)^{5/2}}{(f+gx)^{5/2}} - \frac{40cdg(ae+cdx)^{3/2}}{(f+gx)^{3/2}} \right)}{24c^3d^3 \left( cd - \frac{g(ae+cdx)}{f+gx} \right)^3} \right)}{\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[d + e\*x]\*(f + g\*x)^(5/2))/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*(((c\*d\*f - a\*e\*g)^3\*((15\*g^2\*(a\*e + c\*d\*x)^(5/2))/(f + g\*x)^(5/2) - (40\*c\*d\*g\*(a\*e + c\*d\*x)^(3/2))/(f + g\*x)^(3/2) + (33\*c^2\*d^2\*Sqrt[a\*e + c\*d\*x])/Sqrt[f + g\*x]))/(24\*c^3\*d^3\*(c\*d - (g\*(a\*e + c\*d\*x))/(f + g\*x))^3 + (5\*(c\*d\*f - a\*e\*g)^3\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(\text{Sqrt}[c]\*\text{Sqrt}[d]\*\text{Sqrt}[f + g\*x])])/(8\*c^{(7/2)}\*d^{(7/2)}\*\text{Sqrt}[g])))/Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]

**fricas [A]** time = 1.56, size = 841, normalized size = 2.69

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(5/2)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] [1/96\*(4\*(8\*c^3\*d^3\*g^3\*x^2 + 33\*c^3\*d^3\*f^2\*g - 40\*a\*c^2\*d^2\*e\*f\*g^2 + 15\*a^2\*c\*d\*e^2\*g^3 + 2\*(13\*c^3\*d^3\*f\*g^2 - 5\*a\*c^2\*d^2\*e\*g^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f) - 15\*(c^3\*d^4\*f^3 - 3\*a\*c^2\*d^3\*e\*f^2\*g + 3\*a^2\*c\*d^2\*e^2\*f\*g^2 - a^3\*d\*e^3\*g^3 + (c^3\*d^3\*e\*f^3 - 3\*a\*c^2\*d^2\*e^2\*f^2\*g + 3\*a^2\*c\*d\*e^3\*f\*g^2 - a^3\*e^4\*g^3)\*x)\*sqrt(c\*d\*g)\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x + c\*d\*f + a\*e\*g)\*sqrt(c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d)))/(c^4\*d^4\*e\*g\*x + c^4\*d^5\*g), 1/48\*(2\*(8\*c^3\*d^3\*g^3\*x^2 + 33\*c^3\*d^3\*f^2\*g - 40\*a\*c^2\*d^2\*e\*f\*g^2 + 15\*a^2\*c\*d\*e^2\*g^3 + 2\*(13\*c^3\*d^3\*f\*g^2 - 5\*a\*c^2\*d^2\*e\*g^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f) - 15\*(c^3\*d^4\*f^3

$$- 3*a*c^2*d^3*e*f^2*g + 3*a^2*c*d^2*e^2*f*g^2 - a^3*d*e^3*g^3 + (c^3*d^3*e*f^3 - 3*a*c^2*d^2*e^2*f^2*g + 3*a^2*c*d*e^3*f*g^2 - a^3*e^4*g^3)*x)*\text{sqrt}(-c*d*g)*\text{arctan}(2*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(-c*d*g)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f)/(2*c*d*e*g*x^2 + c*d^2*f + a*d*e*g + (c*d*e*f + (2*c*d^2 + a*e^2)*g)*x)))/(c^4*d^4*e*g*x + c^4*d^5*g)]$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(5/2)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.04, size = 511, normalized size = 1.63

$$\frac{\sqrt{c^3 d^3 e f^3 + 3 a c^2 d^2 e^2 f^2 g + 3 a^2 c d e^3 f g^2 - a^3 d e^3 g^3} \sqrt{c d g} \arctan\left(\frac{2 \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{-c d g} \sqrt{e x + d} \sqrt{g x + f}}{2 c d e g x^2 + c d^2 f + a d e g + (c d e f + (2 c d^2 + a e^2) g) x}\right)}{c^4 d^4 e g x + c^4 d^5 g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^(5/2)\*(e\*x+d)^(1/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2),x)

[Out] 
$$-1/48*(g*x+f)^{(1/2)}*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}*(15*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(d*g*c)^{(1/2)}))/(d*g*c)^{(1/2)})*a^3*e^3*g^3-45*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(d*g*c)^{(1/2)}))/(d*g*c)^{(1/2)})*a^2*c*d*e^2*f*g^2+45*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(d*g*c)^{(1/2)}))/(d*g*c)^{(1/2)})*a*c^2*d^2*e*f^2*g-15*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(d*g*c)^{(1/2)}))/(d*g*c)^{(1/2)})*c^3*d^3*f^3-16*x^2*c^2*d^2*g^2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(d*g*c)^{(1/2)}+20*(d*g*c)^{(1/2)}*((g*x+f)*(c*d*x+a*e))^{(1/2)}*x*a*c*d*e*g^2-52*(d*g*c)^{(1/2)}*((g*x+f)*(c*d*x+a*e))^{(1/2)}*x*c^2*d^2*f*g-30*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(d*g*c)^{(1/2)})*a^2*e^2*g^2+80*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(d*g*c)^{(1/2)})*a*c*d*e*f*g-66*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(d*g*c)^{(1/2)})*c^2*d^2*f^2)/(e*x+d)^(1/2)/c^3/d^3/((g*x+f)*(c*d*x+a*e))^(1/2)/(d*g*c)^(1/2)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}(gx+f)^2}{\sqrt{cdex^2+ade+(cd^2+ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(5/2)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)\*(g\*x + f)^(5/2)/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^{5/2} \sqrt{d + ex}}{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(5/2)\*(d + e\*x)^(1/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2),x)

[Out] int(((f + g\*x)^(5/2)\*(d + e\*x)^(1/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*(5/2)\*(e\*x+d)\*\*(1/2)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2),x)

[Out] Timed out

$$3.480 \quad \int \frac{\sqrt{d+ex} (f+gx)^{3/2}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=244

$$\frac{3\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^2 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{4c^{5/2} d^{5/2} \sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{3\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)}{4c^2 d^2 \sqrt{d+ex}} + \dots$$

**Rubi [A]** time = 0.37, antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$ , Rules used = {870, 891, 63, 217, 206}

$$\frac{3\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)}{4c^2 d^2 \sqrt{d+ex}} + \frac{3\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^2 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{4c^{5/2} d^{5/2} \sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{(f+gx)^{3/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{2cd \sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e\*x]\*(f + g\*x)^(3/2))/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (3\*(c\*d\*f - a\*e\*g)\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*c^2\*d^2\*Sqrt[d + e\*x]) + ((f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(2\*c\*d\*Sqrt[d + e\*x]) + (3\*(c\*d\*f - a\*e\*g)^2\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(4\*c^(5/2)\*d^(5/2)\*Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 870

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

### Rule 891

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex}(f+gx)^{3/2}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= \frac{(f+gx)^{3/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{2cd\sqrt{d+ex}} + \frac{3(cde^2f+cd^2eg-e(cd^2+ae^2))}{4c^2d^2\sqrt{d+ex}} \\
&= \frac{3(cdf-aeg)\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{4c^2d^2\sqrt{d+ex}} + \frac{(f+gx)^{3/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{2cd\sqrt{d+ex}} \\
&= \frac{3(cdf-aeg)\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{4c^2d^2\sqrt{d+ex}} + \frac{(f+gx)^{3/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{2cd\sqrt{d+ex}} \\
&= \frac{3(cdf-aeg)\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{4c^2d^2\sqrt{d+ex}} + \frac{(f+gx)^{3/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{2cd\sqrt{d+ex}} \\
&= \frac{3(cdf-aeg)\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{4c^2d^2\sqrt{d+ex}} + \frac{(f+gx)^{3/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{2cd\sqrt{d+ex}} \\
&= \frac{3(cdf-aeg)\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{4c^2d^2\sqrt{d+ex}} + \frac{(f+gx)^{3/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{2cd\sqrt{d+ex}}
\end{aligned}$$

**Mathematica [A]** time = 0.47, size = 234, normalized size = 0.96

$$\frac{\sqrt{d+ex}\sqrt{f+gx}\sqrt{ae+cdx}\left(\sqrt{c}\sqrt{d}\sqrt{g}\sqrt{ae+cdx}\sqrt{\frac{cd(f+gx)}{cdf-aeg}}(cd(5f+2gx)-3aeg)+3\sqrt{cd}(cdf-aeg)^{3/2}\sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cdf-aeg}}\right)\right)}{4c^{5/2}d^{5/2}\sqrt{g}\sqrt{(d+ex)(ae+cdx)}\sqrt{\frac{cd(f+gx)}{cdf-aeg}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e\*x]\*(f + g\*x)^(3/2))/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*Sqrt[f + g\*x]\*(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g)]\*(-3\*a\*e\*g + c\*d\*(5\*f + 2\*g\*x)) + 3\*Sqrt[c\*d]\*(c\*d\*f - a\*e\*g)^(3/2)\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d\*f - a\*e\*g])])/(4\*c^(5/2)\*d^(5/2))



\*Sqrt[g]\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g)]  
 ])

**IntegrateAlgebraic [A]** time = 7.75, size = 206, normalized size = 0.84


$$\frac{\sqrt{d+ex}\sqrt{ae+cdx}\left(\frac{3(cdf-aeg)^2 \tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{4c^{5/2}d^{5/2}\sqrt{g}} + \frac{(cdf-aeg)^2\left(\frac{5cd\sqrt{ae+cdx}}{\sqrt{f+gx}} - \frac{3g(ae+cdx)^{3/2}}{(f+gx)^{3/2}}\right)}{4c^2d^2\left(cd - \frac{g(ae+cdx)}{f+gx}\right)^2}\right)}{\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[d + e\*x]\*(f + g\*x)^(3/2))/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*(((c\*d\*f - a\*e\*g)^2\*((-3\*g\*(a\*e + c\*d\*x)^(3/2))/(f + g\*x)^(3/2) + (5\*c\*d\*Sqrt[a\*e + c\*d\*x])/Sqrt[f + g\*x]))/(4\*c^2\*d^2\*(c\*d - (g\*(a\*e + c\*d\*x))/(f + g\*x))^2) + (3\*(c\*d\*f - a\*e\*g)^2\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(4\*c^(5/2)\*d^(5/2)\*Sqrt[g]))/Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]

**fricas [A]** time = 1.24, size = 655, normalized size = 2.68



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(3/2)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] [1/16\*(4\*(2\*c^2\*d^2\*g^2\*x + 5\*c^2\*d^2\*f\*g - 3\*a\*c\*d\*e\*g^2)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 3\*(c^2\*d^3\*f^2 - 2\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + (c^2\*d^2\*e\*f^2 - 2\*a\*c\*d\*e^2\*f\*g + a^2\*e^3\*g^2)\*x)\*sqrt(c\*d\*g)\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x + c\*d\*f + a\*e\*g)\*sqrt(c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d)))/(c^3\*d^3\*e\*g\*x + c^3\*d^4\*g), 1/8\*(2\*(2\*c^2\*d^2\*g^2\*x + 5\*c^2\*d^2\*f\*g - 3\*a\*c\*d\*e\*g^2)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f) - 3\*(c^2\*d^3\*f^2 - 2\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + (c^2\*d^2\*e\*f^2 - 2\*a\*c\*d\*e^2\*f\*g + a^2\*e^3\*g^2)\*x)\*sqrt(-c\*d\*g)\*arctan(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(2\*c\*d\*e\*g\*x^2 + c\*d^2\*f + a\*d\*e\*g + (c\*d\*e\*f + (2\*c\*d^2 + a\*e^2)\*g)\*x)))/(c^3\*d^3\*e\*g\*x + c^3\*d^4\*g)]

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(3/2)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.03, size = 328, normalized size = 1.34

$$\frac{\sqrt{gx+f} \sqrt{cdex^2 + ade} \left( 3a^2 e^2 g^2 \ln \left( \frac{2adgx + ag + cf + 2\sqrt{(gx+f)(dx+ae)} \sqrt{cd}}{2\sqrt{cd}} \right) - 6acdefg \ln \left( \frac{2adgx + ag + cf + 2\sqrt{(gx+f)(dx+ae)} \sqrt{cd}}{2\sqrt{cd}} \right) + 3e^2 d^2 f^2 \ln \left( \frac{2adgx + ag + cf + 2\sqrt{(gx+f)(dx+ae)} \sqrt{cd}}{2\sqrt{cd}} \right) + 4\sqrt{cdg} \sqrt{(gx+f)(dx+ae)} cdgx - 6\sqrt{cdg} \sqrt{(gx+f)(dx+ae)} agx + 10\sqrt{cdg} \sqrt{(gx+f)(dx+ae)} cdf \right)}{8\sqrt{cx+d} \sqrt{(gx+f)(dx+ae)} \sqrt{cdg} c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^(3/2)\*(e\*x+d)^(1/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2),x)

[Out]  $\frac{1}{8} (g*x+f)^{1/2} (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x+a*d*e)^{1/2} (3*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}))/((c*d*g)^{1/2})) * a^2*e^2*g^2-6*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}))/((c*d*g)^{1/2})) * a*c*d*e*f*g+3*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}))/((c*d*g)^{1/2})) * c^2*d^2*f^2+4*(c*d*g)^{1/2} * ((g*x+f)*(c*d*x+a*e))^{1/2} * x*c*d*g-6*(c*d*g)^{1/2} * ((g*x+f)*(c*d*x+a*e))^{1/2} * a*e*g+10*(c*d*g)^{1/2} * ((g*x+f)*(c*d*x+a*e))^{1/2} * c*d*f)/(e*x+d)^{1/2} / ((g*x+f)*(c*d*x+a*e))^{1/2} / c^2/d^2 / (c*d*g)^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d} (gx+f)^2}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(3/2)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)\*(g\*x + f)^(3/2)/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f+gx)^{3/2} \sqrt{d+ex}}{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f + g*x)^(3/2)*(d + e*x)^(1/2))/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2), x)
```

```
[Out] int(((f + g*x)^(3/2)*(d + e*x)^(1/2))/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex} (f+gx)^{\frac{3}{2}}}{\sqrt{(d+ex)(ae+cdx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)**(3/2)*(e*x+d)**(1/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)^(1/2), x)
```

```
[Out] Integral(sqrt(d + e*x)*(f + g*x)**(3/2)/sqrt((d + e*x)*(a*e + c*d*x)), x)
```

$$3.481 \quad \int \frac{\sqrt{d+ex} \sqrt{f+gx}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=169

$$\frac{\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg) \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}} \right)}{c^{3/2} d^{3/2} \sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{cd \sqrt{d+ex}}$$

**Rubi [A]** time = 0.22, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$ , Rules used = {870, 891, 63, 217, 206}

$$\frac{\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg) \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}} \right)}{c^{3/2} d^{3/2} \sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{cd \sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e\*x]\*Sqrt[f + g\*x])/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(c\*d\*Sqrt[d + e\*x]) + ((c\*d\*f - a\*e\*g)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(c^(3/2)\*d^(3/2)\*Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_)^(m\_))\*((c\_.) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 870

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

### Rule 891

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex}\sqrt{f+gx}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= \frac{\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{cd\sqrt{d+ex}} + \frac{(cde^2f+cd^2eg-e(cd^2+ae^2))g}{2c^2d^2e^2} \\
&= \frac{\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{cd\sqrt{d+ex}} + \frac{((cde^2f+cd^2eg-e(cd^2+ae^2))g)}{2cde^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= \frac{\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{cd\sqrt{d+ex}} + \frac{((cde^2f+cd^2eg-e(cd^2+ae^2))g)}{c^2d^2e^2} \\
&= \frac{\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{cd\sqrt{d+ex}} + \frac{((cde^2f+cd^2eg-e(cd^2+ae^2))g)}{c^2d^2e^2} \\
&= \frac{\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{cd\sqrt{d+ex}} + \frac{(cdf-aeg)\sqrt{ae+cdx}\sqrt{d+ex}}{c^{3/2}d^{3/2}\sqrt{g}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 213, normalized size = 1.26

$$\frac{\sqrt{d+ex}\sqrt{f+gx}\sqrt{ae+cdx}\left(\sqrt{c}\sqrt{d}\sqrt{g}\sqrt{ae+cdx}\sqrt{\frac{cd(f+gx)}{cdf-aeg}}+\sqrt{cd}\sqrt{cdf-aeg}\sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cdf-aeg}}\right)\right)}{c^{3/2}d^{3/2}\sqrt{g}\sqrt{(d+ex)(ae+cdx)}\sqrt{\frac{cd(f+gx)}{cdf-aeg}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e\*x]\*Sqrt[f + g\*x])/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*Sqrt[f + g\*x]\*(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g)] + Sqrt[c\*d]\*Sqrt[c\*d\*f - a\*e\*g]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d\*f - a\*e\*g])])/(c^(3/2)\*d^(3/2)\*Sqrt[g]\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g)])

**IntegrateAlgebraic** [A] time = 0.71, size = 171, normalized size = 1.01

$$\frac{\sqrt{d+ex}\sqrt{aeg+cdgx}\left(\frac{\sqrt{f+gx}\sqrt{aeg+cd(f+gx)-cdf}}{cd\sqrt{g}} - \frac{\sqrt{cd}(cdf-aeg)\log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{c^2d^2\sqrt{g}}\right)}{\sqrt{g}\sqrt{\frac{(dg+egx)(aeg+cdgx)}{g^2}}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[d + e\*x]\*Sqrt[f + g\*x])/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (Sqrt[d + e\*x]\*Sqrt[a\*e\*g + c\*d\*g\*x]\*((Sqrt[f + g\*x]\*Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)])/(c\*d\*Sqrt[g]) - (Sqrt[c\*d]\*(c\*d\*f - a\*e\*g)\*Log[-(Sqrt[c\*d]\*Sqrt[f + g\*x]) + Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)])])/(c^2\*d^2\*Sqrt[g]))/(Sqrt[g]\*Sqrt[((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2])

**fricas** [A] time = 1.15, size = 521, normalized size = 3.08

$$\frac{4\sqrt{cdx^2+ade+(d^2+ae^2)\sqrt{e}}\sqrt{d+ex}-(d^2f-ade+(cdf-ae^2g))\sqrt{cdg}\log\left(\frac{2\sqrt{cdx^2+ade+(d^2+ae^2)\sqrt{e}}\sqrt{d+ex}+(d^2f-ade+(cdf-ae^2g))\sqrt{cdg}\arctan\left(\frac{2\sqrt{cdx^2+ade+(d^2+ae^2)\sqrt{e}}\sqrt{d+ex}}{2(d^2f-ade+(cdf-ae^2g))\sqrt{cdg}}\right)}{4(d^2f-ade+(cdf-ae^2g))\sqrt{cdg}}\right)}{2(d^2f-ade+(cdf-ae^2g))\sqrt{cdg}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] [1/4\*(4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*c\*d\*g - (c\*d^2\*f - a\*d\*e\*g + (c\*d\*e\*f - a\*e^2\*g)\*x)\*sqrt(c\*d\*g)\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x + c\*d\*f + a\*e\*g)\*sqrt(c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d)))/(c^2\*d^2\*e\*g\*x + c^2\*d^3\*g), 1/2\*(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*c\*d\*g - (c\*d^2\*f - a\*d\*e\*g + (c\*d\*e\*f - a\*e^2\*g)\*x)\*sqrt(-c\*d\*g)\*arctan(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(2\*c\*d\*e\*g\*x^2 + c\*d^2\*f + a\*d\*e\*g + (c\*d\*e\*f + (2\*c\*d^2 + a\*e^2)\*g)\*x)))/(c^2\*d^2\*e\*g\*x + c^2\*d^3\*g)]

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.02, size = 201, normalized size = 1.19

$$\frac{\sqrt{gx+f} \sqrt{cdex^2 + ae^2x + cd^2x + ade} \left( aeg \ln \left( \frac{2cdgx+aeg+cdf+2\sqrt{(gx+f)(cdx+ae)} \sqrt{cdg}}{2\sqrt{cdg}} \right) - cdf \ln \left( \frac{2cdgx+aeg+cdf+2\sqrt{(gx+f)(cdx+ae)} \sqrt{cdg}}{2\sqrt{cdg}} \right) - 2\sqrt{(gx+f)(cdx+ae)} \sqrt{cdg} \right)}{2\sqrt{ex+d} \sqrt{(gx+f)(cdx+ae)} \sqrt{cdg} cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^(1/2)\*(e\*x+d)^(1/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2),x)

[Out]  $-1/2*(g*x+f)^{(1/2)}*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}*(\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)})*a*e*g-\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)})*c*d*f-2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2)})/(e*x+d)^{(1/2)}/((g*x+f)*(c*d*x+a*e))^{(1/2)}/c/d/(c*d*g)^{(1/2)}$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d} \sqrt{gx+f}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)\*(e\*x+d)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)\*sqrt(g\*x + f)/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{f+gx} \sqrt{d+ex}}{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2),x)

[Out] int(((f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2), x)



sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex}\sqrt{f+gx}}{\sqrt{(d+ex)(ae+cdx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)**(1/2)*(e*x+d)**(1/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)  
)**(1/2),x)
```

```
[Out] Integral(sqrt(d + e*x)*sqrt(f + g*x)/sqrt((d + e*x)*(a*e + c*d*x)), x)
```

$$3.482 \quad \int \frac{\sqrt{d+ex}}{\sqrt{f+gx} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=105

$$\frac{2\sqrt{d+ex} \sqrt{ae+cdx} \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

**Rubi [A]** time = 0.12, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {891, 63, 217, 206}

$$\frac{2\sqrt{d+ex} \sqrt{ae+cdx} \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[d + e*x]/(Sqrt[f + g*x]*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]),x]
```

```
[Out] (2*Sqrt[a*e + c*d*x]*Sqrt[d + e*x]*ArcTanh[(Sqrt[g]*Sqrt[a*e + c*d*x])/(Sqrt[c]*Sqrt[d]*Sqrt[f + g*x])])/(Sqrt[c]*Sqrt[d]*Sqrt[g]*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 891

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[(a + b\*x + c\*x^2)^FracPart[p]/((d + e\*x)^FracPart[p]\*(a/d + (c\*x)/e)^FracPart[p]), Int[(d + e\*x)^(m + p)\*(f + g\*x)^n\*(a/d + (c\*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{d+ex}}{\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx &= \frac{(\sqrt{ae+cdx} \sqrt{d+ex}) \int \frac{1}{\sqrt{ae+cdx} \sqrt{f+gx}} dx}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \\ &= \frac{(2\sqrt{ae+cdx} \sqrt{d+ex}) \text{Subst} \left( \int \frac{1}{\sqrt{f - \frac{aeg}{cd} + \frac{gx^2}{cd}}} dx, x, \sqrt{ae+cdx} \right)}{cd \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \\ &= \frac{(2\sqrt{ae+cdx} \sqrt{d+ex}) \text{Subst} \left( \int \frac{1}{1 - \frac{gx^2}{cd}} dx, x, \frac{\sqrt{ae+cdx}}{\sqrt{f+gx}} \right)}{cd \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \\ &= \frac{2\sqrt{ae+cdx} \sqrt{d+ex} \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}} \right)}{\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \end{aligned}$$

**Mathematica [A]** time = 0.11, size = 160, normalized size = 1.52

$$\frac{2\sqrt{cd} \sqrt{d+ex} \sqrt{ae+cdx} \sqrt{cdf - aeg} \sqrt{\frac{cd(f+gx)}{cdf - aeg}} \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{ae+cdx}}{\sqrt{cd} \sqrt{cdf - aeg}} \right)}{c^{3/2} d^{3/2} \sqrt{g} \sqrt{f+gx} \sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e\*x]/(Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (2\*Sqrt[c\*d]\*Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d\*f - a\*e\*g])])/(c^(3/2)\*d^(3/2)\*Sqrt[g]\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.75, size = 167, normalized size = 1.59

$$\frac{2\sqrt{d+ex}\sqrt{aeg+cdgx}\left(\sqrt{aeg+cdgx}-\sqrt{cd}\sqrt{f+gx}\right)\log\left(\sqrt{aeg+cd(f+gx)}-cdf-\sqrt{cd}\sqrt{f+gx}\right)}{g\sqrt{\frac{(dg+egx)(aeg+cdgx)}{g^2}}\left(\sqrt{cd}\sqrt{aeg+cdgx}-cd\sqrt{f+gx}\right)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/(Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (-2\*Sqrt[d + e\*x]\*Sqrt[a\*e\*g + c\*d\*g\*x]\*(-(Sqrt[c\*d]\*Sqrt[f + g\*x]) + Sqrt[a\*e\*g + c\*d\*g\*x])\*Log[-(Sqrt[c\*d]\*Sqrt[f + g\*x]) + Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)])]/(g\*Sqrt[(a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x)]/g^2)\*(-(c\*d\*Sqrt[f + g\*x]) + Sqrt[c\*d]\*Sqrt[a\*e\*g + c\*d\*g\*x]))

**fricas [A]** time = 1.04, size = 343, normalized size = 3.27

$$\left[ \frac{\sqrt{cdg} \log\left(\frac{8c^2d^2eg^2x^3 + 2d^3f^2 + 6acd^2efg + a^2d^2g^2 + 4\sqrt{cdex^2 + ade + (a^2 + ae^2)x}(2cdgx + cdf + aeg)\sqrt{cdg}\sqrt{ex+d}\sqrt{gx+f} + 8((2d^2efg + (c^2d^3 + acd^2)g^2) + (2d^2ef^2 + 2(4c^2d^3 + 3acd^2)fg + (8acd^2e + d^2e^2)g^2)x}{cx+d}\right)}{2cdg}, \frac{\sqrt{-cdg} \arctan\left(\frac{2\sqrt{cdex^2 + ade + (a^2 + ae^2)x}\sqrt{-cdg}\sqrt{ex+d}\sqrt{gx+f}}{2cdgx^2 + cd^2f + adeg + (cdf + (2cd^2 + ae^2)g)x}\right)}{cdg} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] [1/2\*sqrt(c\*d\*g)\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x + c\*d\*f + a\*e\*g)\*sqrt(c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d))/(c\*d\*g), -sqrt(-c\*d\*g)\*arctan(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(2\*c\*d\*e\*g\*x^2 + c\*d^2\*f + a\*d\*e\*g + (c\*d\*e\*f + (2\*c\*d^2 + a\*e^2)\*g)\*x))/(c\*d\*g)]

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.03, size = 120, normalized size = 1.14

$$\frac{\sqrt{gx+f} \sqrt{cdex^2 + ae^2x + cd^2x + ade} \ln\left(\frac{2cdgx+aeg+cdf+2\sqrt{(gx+f)(cdx+ae)} \sqrt{cdg}}{2\sqrt{cdg}}\right)}{\sqrt{ex+d} \sqrt{cdg} \sqrt{cdgx^2 + aegx + cdfx + aef}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(1/2)/(g\*x+f)^(1/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2),x)

[Out] 1/(e\*x+d)^(1/2)\*(g\*x+f)^(1/2)\*(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)\*ln(1/2\*(2\*c\*d\*g\*x+a\*e\*g+c\*d\*f+2\*((g\*x+f)\*(c\*d\*x+a\*e))^(1/2)\*(c\*d\*g)^(1/2))/(c\*d\*g)^(1/2))/(c\*d\*g)^(1/2)/(c\*d\*g\*x^2+a\*e\*g\*x+c\*d\*f\*x+a\*e\*f)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} \sqrt{gx+f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(g\*x + f)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{d+ex}}{\sqrt{f+gx} \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(1/2)/((f + g\*x)^(1/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)),x)

[Out] `int((d + e*x)^(1/2)/((f + g*x)^(1/2)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex}}{\sqrt{(d + ex)(ae + cdx)}\sqrt{f + gx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(1/2)/(g*x+f)**(1/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)`

[Out] `Integral(sqrt(d + e*x)/(sqrt((d + e*x)*(a*e + c*d*x))*sqrt(f + g*x)), x)`

$$3.483 \quad \int \frac{\sqrt{d+ex}}{(f+gx)^{3/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=61

$$\frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)}$$

**Rubi** [A] time = 0.07, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.021$ , Rules used = {860}

$$\frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/((f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])

Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

Rubi steps

$$\int \frac{\sqrt{d+ex}}{(f+gx)^{3/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{(cdf-aeg)\sqrt{d+ex}\sqrt{f+gx}}$$

**Mathematica** [A] time = 0.03, size = 50, normalized size = 0.82

$$\frac{2\sqrt{(d+ex)(ae+cdx)}}{\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[d + e*x]/((f + g*x)^(3/2)*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]),x]
```

```
[Out] (2*Sqrt[(a*e + c*d*x)*(d + e*x)])/((c*d*f - a*e*g)*Sqrt[d + e*x]*Sqrt[f + g*x])
```

**IntegrateAlgebraic [B]** time = 0.64, size = 143, normalized size = 2.34

$$\frac{2\sqrt{d+ex}(ef+egx)^{3/2}\sqrt{ae^2+cdex}\sqrt{ae^2-cd^2+cd(d+ex)}}{e^2\sqrt{\frac{(d+ex)(ae^2+cdex)}{e}}\sqrt{g(d+ex)-dg+ef}\left(\frac{g(d+ex)-dg+ef}{e}\right)^{3/2}(cdf-aeg)}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[Sqrt[d + e*x]/((f + g*x)^(3/2)*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]),x]
```

```
[Out] (2*Sqrt[d + e*x]*Sqrt[a*e^2 + c*d*e*x]*(e*f + e*g*x)^(3/2)*Sqrt[-(c*d^2) + a*e^2 + c*d*(d + e*x)])/(e^2*(c*d*f - a*e*g)*Sqrt[((d + e*x)*(a*e^2 + c*d*e*x))/e]*Sqrt[e*f - d*g + g*(d + e*x)]*((e*f - d*g + g*(d + e*x))/e)^(3/2))
```

**fricas [B]** time = 0.43, size = 114, normalized size = 1.87

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}\sqrt{gx + f}}{cd^2f^2 - adefg + (cdefg - ae^2g^2)x^2 + (cdf^2 - adeg^2 + (cd^2 - ae^2)fg)x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)/(g*x+f)^(3/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="fricas")
```

```
[Out] 2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)*sqrt(g*x + f)/(c*d^2*f^2 - a*d*e*f*g + (c*d*e*f*g - a*e^2*g^2)*x^2 + (c*d*e*f^2 - a*d*e*g^2 + (c*d^2 - a*e^2)*f*g)*x)
```

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)/(g*x+f)^(3/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="giac")
```



[Out] Timed out

**maple** [A] time = 0.01, size = 63, normalized size = 1.03

$$\frac{2(cdx + ae)\sqrt{ex + d}}{\sqrt{gx + f} (aeg - cdf) \sqrt{cdex^2 + ae^2x + cd^2x + ade}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(1/2)/(g\*x+f)^(3/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2),x)

[Out] -2/(g\*x+f)^(1/2)\*(c\*d\*x+a\*e)/(a\*e\*g-c\*d\*f)\*(e\*x+d)^(1/2)/(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex + d}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} (gx + f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^(3/2)), x)

**mupad** [B] time = 4.64, size = 100, normalized size = 1.64

$$\frac{2\sqrt{d+ex}\sqrt{cdex^2+(cd^2+ae^2)x+ade}}{\left(x\sqrt{f+gx}-\frac{\sqrt{f+gx}(cd^2f-ade g)}{ae^2g-cdef}\right)(ae^2g-cdef)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(1/2)/((f + g\*x)^(3/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)),x)

[Out] -(2\*(d + e\*x)^(1/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/((x\*(f + g\*x)^(1/2) - ((f + g\*x)^(1/2)\*(c\*d^2\*f - a\*d\*e\*g))/(a\*e^2\*g - c\*d\*e\*f))\*(a\*e^2\*g - c\*d\*e\*f))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex}}{\sqrt{(d + ex)(ae + cdx)} (f + gx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(1/2)/(g*x+f)**(3/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)  
)**(1/2),x)
```

```
[Out] Integral(sqrt(d + e*x)/(sqrt((d + e*x)*(a*e + c*d*x))*(f + g*x)**(3/2)), x)
```

$$3.484 \quad \int \frac{\sqrt{d+ex}}{(f+gx)^{5/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=129

$$\frac{4cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^2} + \frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}(f+gx)^{3/2}(cdf-aeg)}$$

**Rubi [A]** time = 0.14, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{4cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^2} + \frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}(f+gx)^{3/2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/((f + g\*x)^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)^(3/2)) + (4\*c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])

### Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

Rubi steps

$$\int \frac{\sqrt{d+ex}}{(f+gx)^{5/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3(cdf-aeg)\sqrt{d+ex}(f+gx)^{3/2}} + \frac{(2cd) \int \frac{\sqrt{d+ex}}{(f+gx)^{3/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}}}{3(cdf-aeg)}$$

$$= \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3(cdf-aeg)\sqrt{d+ex}(f+gx)^{3/2}} + \frac{4cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3(cdf-aeg)^2\sqrt{d+ex}\sqrt{f}}$$

**Mathematica [A]** time = 0.05, size = 69, normalized size = 0.53

$$\frac{2\sqrt{(d+ex)(ae+cdx)}(cd(3f+2gx)-aeg)}{3\sqrt{d+ex}(f+gx)^{3/2}(cdf-aeg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e\*x]/((f + g\*x)^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-(a\*e\*g) + c\*d\*(3\*f + 2\*g\*x)))/(3\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)^(3/2))

**IntegrateAlgebraic [A]** time = 3.44, size = 196, normalized size = 1.52

$$\frac{2\sqrt{d+ex}(ef+egx)^{5/2}\sqrt{ae^2+cdex} \left( \frac{3cd\sqrt{ae^2-cd^2+cd(d+ex)}}{\sqrt{g(d+ex)-dg+ef}} - \frac{g(ae^2-cd^2+cd(d+ex))^{3/2}}{(g(d+ex)-dg+ef)^{3/2}} \right)}{3e^3\sqrt{\frac{(d+ex)(ae^2+cdex)}{e}} \left( \frac{g(d+ex)-dg+ef}{e} \right)^{5/2} (cdf-aeg)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/((f + g\*x)^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (2\*Sqrt[d + e\*x]\*Sqrt[a\*e^2 + c\*d\*e\*x]\*(e\*f + e\*g\*x)^(5/2)\*(-(g\*(-(c\*d^2) + a\*e^2 + c\*d\*(d + e\*x))^(3/2)))/(e\*f - d\*g + g\*(d + e\*x))^(3/2)) + (3\*c\*d\*Sqrt[-(c\*d^2) + a\*e^2 + c\*d\*(d + e\*x)]/Sqrt[e\*f - d\*g + g\*(d + e\*x)]))/(3\*e^3\*(c\*d\*f - a\*e\*g)^2\*Sqrt[((d + e\*x)\*(a\*e^2 + c\*d\*e\*x))/e]\*((e\*f - d\*g + g\*(d + e\*x))/e)^(5/2))

**fricas [B]** time = 0.42, size = 288, normalized size = 2.23

$$\frac{2\sqrt{cdex^2+ade+(cd^2+ae^2)x}(2cdgx+3cdf-aeg)\sqrt{ex+d}\sqrt{gx+f}}{3(c^2d^3f^4-2acd^2ef^3g+a^2d^2f^2g^2+(c^2d^2ef^2g^2-2acde^2fg^3+a^2e^3g^4)x^3+(2c^2d^2ef^3g+a^2de^2g^4+(c^2d^3-4acde^2)f^2g^2-2(acd^2e-a^2e^3)fg^3)x^2+(c^2d^2ef^4+2a^2d^2efg^3+2(c^2d^3-acde^2)f^3g-(4acd^2e-a^2e^3)f^2g^2)x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)/(g*x+f)^(5/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="fricas")
```

```
[Out] 2/3*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*g*x + 3*c*d*f - a*e*g)*sqrt(e*x + d)*sqrt(g*x + f)/(c^2*d^3*f^4 - 2*a*c*d^2*e*f^3*g + a^2*d*e^2*f^2*g^2 + (c^2*d^2*e*f^2*g^2 - 2*a*c*d*e^2*f*g^3 + a^2*e^3*g^4)*x^3 + (2*c^2*d^2*e*f^3*g + a^2*d*e^2*g^4 + (c^2*d^3 - 4*a*c*d*e^2)*f^2*g^2 - 2*(a*c*d^2*e - a^2*e^3)*f*g^3)*x^2 + (c^2*d^2*e*f^4 + 2*a^2*d*e^2*f*g^3 + 2*(c^2*d^3 - a*c*d*e^2)*f^3*g - (4*a*c*d^2*e - a^2*e^3)*f^2*g^2)*x)
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)/(g*x+f)^(5/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

**maple** [A] time = 0.01, size = 98, normalized size = 0.76

$$\frac{2(cdx + ae)(-2cdgx + aeg - 3cdf)\sqrt{ex + d}}{3(gx + f)^{\frac{3}{2}}(a^2e^2g^2 - 2acdefg + f^2c^2d^2)\sqrt{cdex^2 + ae^2x + cd^2x + ade}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)^(1/2)/(g*x+f)^(5/2)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2),x)
```

```
[Out] -2/3*(c*d*x+a*e)*(-2*c*d*g*x+a*e*g-3*c*d*f)*(e*x+d)^(1/2)/(g*x+f)^(3/2)/(a^2*e^2*g^2-2*a*c*d*e*f*g+c^2*d^2*f^2)/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex + d}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(gx + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)/(g*x+f)^(5/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="maxima")
```

[Out] integrate(sqrt(e\*x + d)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^(5/2)), x)

mupad [B] time = 4.90, size = 147, normalized size = 1.14

$$\frac{\left(\frac{(2aeg-6cdf)\sqrt{d+ex}}{3eg(aeg-cdf)^2} - \frac{4cdx\sqrt{d+ex}}{3e(aeg-cdf)^2}\right)\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x^2\sqrt{f+gx} + \frac{df\sqrt{f+gx}}{eg} + \frac{x\sqrt{f+gx}(dg+ef)}{eg}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(1/2)/((f + g\*x)^(5/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)),x)

[Out] -(((2\*a\*e\*g - 6\*c\*d\*f)\*(d + e\*x)^(1/2))/(3\*e\*g\*(a\*e\*g - c\*d\*f)^2) - (4\*c\*d\*x\*(d + e\*x)^(1/2))/(3\*e\*(a\*e\*g - c\*d\*f)^2))\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(x^2\*(f + g\*x)^(1/2) + (d\*f\*(f + g\*x)^(1/2))/(e\*g) + (x\*(f + g\*x)^(1/2)\*(d\*g + e\*f))/(e\*g))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)/(g\*x+f)\*\*(5/2)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2),x)

[Out] Timed out

$$3.485 \quad \int \frac{\sqrt{d+ex}}{(f+gx)^{7/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=198

$$\frac{16c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{15\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^3} + \frac{8cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{15\sqrt{d+ex}(f+gx)^{3/2}(cdf-aeg)^2} + \frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5\sqrt{d+ex}(f+gx)^{5/2}(cdf-aeg)}$$

**Rubi [A]** time = 0.22, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{16c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{15\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^3} + \frac{8cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{15\sqrt{d+ex}(f+gx)^{3/2}(cdf-aeg)^2} + \frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5\sqrt{d+ex}(f+gx)^{5/2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/((f + g\*x)^(7/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(5\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)^(5/2)) + (8\*c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(15\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)^(3/2)) + (16\*c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(15\*(c\*d\*f - a\*e\*g)^3\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])

### Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

]

Rubi steps

$$\int \frac{\sqrt{d+ex}}{(f+gx)^{7/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{5(cdf-aeg)\sqrt{d+ex}(f+gx)^{5/2}} + \frac{(4cd) \int \frac{\sqrt{d+ex}}{(f+gx)^{5/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}}}{5(cdf-aeg)}$$

$$= \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{5(cdf-aeg)\sqrt{d+ex}(f+gx)^{5/2}} + \frac{8cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{15(cdf-aeg)^2\sqrt{d+ex}(f+gx)^{3/2}}$$

$$= \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{5(cdf-aeg)\sqrt{d+ex}(f+gx)^{5/2}} + \frac{8cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{15(cdf-aeg)^2\sqrt{d+ex}(f+gx)^{3/2}}$$

Mathematica [A] time = 0.09, size = 105, normalized size = 0.53

$$\frac{2\sqrt{(d+ex)(ae+cdx)} (3a^2e^2g^2 - 2acdeg(5f+2gx) + c^2d^2(15f^2+20fgx+8g^2x^2))}{15\sqrt{d+ex}(f+gx)^{5/2}(cdf-aeg)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[d + e*x]/((f + g*x)^(7/2)*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]), x]
```

```
[Out] (2*Sqrt[(a*e + c*d*x)*(d + e*x)]*(3*a^2*e^2*g^2 - 2*a*c*d*e*g*(5*f + 2*g*x) + c^2*d^2*(15*f^2 + 20*f*g*x + 8*g^2*x^2)))/(15*(c*d*f - a*e*g)^3*Sqrt[d + e*x]*(f + g*x)^(5/2))
```

IntegrateAlgebraic [A] time = 8.50, size = 137, normalized size = 0.69

$$\frac{2\sqrt{d+ex} \sqrt{ae+cdx} \left( \frac{15c^2d^2\sqrt{ae+cdx}}{\sqrt{f+gx}} + \frac{3g^2(ae+cdx)^{5/2}}{(f+gx)^{5/2}} - \frac{10cdg(ae+cdx)^{3/2}}{(f+gx)^{3/2}} \right)}{15\sqrt{(d+ex)(ae+cdx)}(cdf-aeg)^3}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[Sqrt[d + e*x]/((f + g*x)^(7/2)*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]), x]
```

```
[Out] (2*Sqrt[a*e + c*d*x]*Sqrt[d + e*x]*((3*g^2*(a*e + c*d*x)^(5/2))/(f + g*x)^(5/2) - (10*c*d*g*(a*e + c*d*x)^(3/2))/(f + g*x)^(3/2) + (15*c^2*d^2*Sqrt[a*
```



$e + c*d*x))/\text{Sqrt}[f + g*x]))/(15*(c*d*f - a*e*g)^3*\text{Sqrt}[(a*e + c*d*x)*(d + e*x)])$

**fricas [B]** time = 0.45, size = 572, normalized size = 2.89

$$\frac{2(8c^2d^2e^2 + 15c^2d^2f^2 - 10acdefg + 3a^2e^2g^2 + 4(5c^2d^2fg - acd^2g^2)\sqrt{cde + ade + (c^2d + ae^2)\sqrt{ex + d}})}{15(c^2d^2e^2 + 3ac^2d^2f^2 - 3ac^2d^2fg + 3a^2c^2d^2g^2 - a^3c^2d^2e^2 + (c^2d^2f^2 - 3ac^2d^2fg + 3a^2c^2d^2g^2 - a^3c^2d^2e^2)*\sqrt{cde + ade + (c^2d + ae^2)\sqrt{ex + d}}) + (3c^2d^2f^2 - 3ac^2d^2fg + 3a^2c^2d^2g^2 - a^3c^2d^2e^2) + (c^2d^2f^2 - 3ac^2d^2fg + 3a^2c^2d^2g^2 - a^3c^2d^2e^2)*\sqrt{cde + ade + (c^2d + ae^2)\sqrt{ex + d}})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^(7/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="fricas")

[Out]  $2/15*(8*c^2*d^2*g^2*x^2 + 15*c^2*d^2*f^2 - 10*a*c*d*e*f*g + 3*a^2*e^2*g^2 + 4*(5*c^2*d^2*f*g - a*c*d*e*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f)/(c^3*d^4*f^6 - 3*a*c^2*d^3*e*f^5*g + 3*a^2*c*d^2*e^2*f^4*g^2 - a^3*d*e^3*f^3*g^3 + (c^3*d^3*e*f^3*g^3 - 3*a*c^2*d^2*e^2*f^2*g^4 + 3*a^2*c*d*e^3*f*g^5 - a^3*e^4*g^6)*x^4 + (3*c^3*d^3*e*f^4*g^2 - a^3*d*e^3*g^6 + (c^3*d^4 - 9*a*c^2*d^2*e^2)*f^3*g^3 - 3*(a*c^2*d^3*e - 3*a^2*c*d*e^3)*f^2*g^4 + 3*(a^2*c*d^2*e^2 - a^3*e^4)*f*g^5)*x^3 + 3*(c^3*d^3*e*f^5*g - a^3*d*e^3*f*g^5 + (c^3*d^4 - 3*a*c^2*d^2*e^2)*f^4*g^2 - 3*(a*c^2*d^3*e - a^2*c*d*e^3)*f^3*g^3 + (3*a^2*c*d^2*e^2 - a^3*e^4)*f^2*g^4)*x^2 + (c^3*d^3*e*f^6 - 3*a^3*d*e^3*f^2*g^4 + 3*(c^3*d^4 - a*c^2*d^2*e^2)*f^5*g - 3*(3*a*c^2*d^3*e - a^2*c*d*e^3)*f^4*g^2 + (9*a^2*c*d^2*e^2 - a^3*e^4)*f^3*g^3)*x)$

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^(7/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.01, size = 169, normalized size = 0.85

$$\frac{2(cdx + ae)(8g^2x^2c^2d^2 - 4acde g^2x + 20c^2d^2fgx + 3a^2e^2g^2 - 10acdefg + 15f^2c^2d^2)\sqrt{ex + d}}{15(gx + f)^2(a^3e^3g^3 - 3a^2cde^2fg^2 + 3ac^2d^2ef^2g - f^3c^3d^3)\sqrt{cde x^2 + a e^2x + c d^2x + ade}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(1/2)/(g\*x+f)^(7/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2),x)

[Out]  $-2/15*(c*d*x+a*e)*(8*c^2*d^2*g^2*x^2-4*a*c*d*e*g^2*x+20*c^2*d^2*f*g*x+3*a^2*e^2*g^2-10*a*c*d*e*f*g+15*c^2*d^2*f^2)*(e*x+d)^(1/2)/(g*x+f)^(5/2)/(a^3*e^3g^3-3*a^2*c*d*e^2*f*g^2+3*a*c^2*d^2*e*f^2*g-f^3*c^3*d^3)\sqrt{cde x^2 + a e^2x + c d^2x + ade}$

$3*g^3-3*a^2*c*d*e^2*f*g^2+3*a*c^2*d^2*e*f^2*g-c^3*d^3*f^3)/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{\sqrt{cdex^2+ade+(cd^2+ae^2)x}(gx+f)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^(7/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^(7/2)), x)

**mupad** [B] time = 5.17, size = 242, normalized size = 1.22

$$\frac{\left(\frac{\sqrt{d+ex}(6a^2e^2g^2-20acdefg+30c^2d^2f^2)}{15eg^2(aeg-cdf)^3} + \frac{16c^2d^2x^2\sqrt{d+ex}}{15e(aeg-cdf)^3} - \frac{8cdx(aeg-5cdf)\sqrt{d+ex}}{15eg(aeg-cdf)^3}\right)\sqrt{cdex^2+(cd^2+ae^2)x+ade}}{x^3\sqrt{f+gx} + \frac{df^2\sqrt{f+gx}}{eg^2} + \frac{x^2\sqrt{f+gx}(dg+2ef)}{eg} + \frac{fx\sqrt{f+gx}(2dg+ef)}{eg^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(1/2)/((f + g\*x)^(7/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)),x)

[Out] -((((d + e\*x)^(1/2)\*(6\*a^2\*e^2\*g^2 + 30\*c^2\*d^2\*f^2 - 20\*a\*c\*d\*e\*f\*g))/(15\*e\*g^2\*(a\*e\*g - c\*d\*f)^3) + (16\*c^2\*d^2\*x^2\*(d + e\*x)^(1/2))/(15\*e\*(a\*e\*g - c\*d\*f)^3) - (8\*c\*d\*x\*(a\*e\*g - 5\*c\*d\*f)\*(d + e\*x)^(1/2))/(15\*e\*g\*(a\*e\*g - c\*d\*f)^3))\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(x^3\*(f + g\*x)^(1/2) + (d\*f^2\*(f + g\*x)^(1/2))/(e\*g^2) + (x^2\*(f + g\*x)^(1/2)\*(d\*g + 2\*e\*f))/(e\*g) + (f\*x\*(f + g\*x)^(1/2)\*(2\*d\*g + e\*f))/(e\*g^2))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)/(g\*x+f)\*\*(7/2)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2),x)

[Out] Timed out

$$3.486 \quad \int \frac{\sqrt{d+ex}}{(f+gx)^{9/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=267

$$\frac{32c^3d^3 \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{35\sqrt{d+ex} \sqrt{f+gx} (cdf-aeg)^4} + \frac{16c^2d^2 \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{35\sqrt{d+ex} (f+gx)^{3/2} (cdf-aeg)^3} + \frac{12cd \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{35\sqrt{d+ex} (f+gx)^{5/2} (cdf-aeg)}$$

**Rubi** [A] time = 0.31, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{32c^3d^3 \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{35\sqrt{d+ex} \sqrt{f+gx} (cdf-aeg)^4} + \frac{16c^2d^2 \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{35\sqrt{d+ex} (f+gx)^{3/2} (cdf-aeg)^3} + \frac{12cd \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{35\sqrt{d+ex} (f+gx)^{5/2} (cdf-aeg)^2} + \frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{7\sqrt{d+ex} (f+gx)^{7/2} (cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/((f + g\*x)^(9/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(7\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)^(7/2)) + (12\*c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(35\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)^(5/2)) + (16\*c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(35\*(c\*d\*f - a\*e\*g)^3\*Sqrt[d + e\*x]\*(f + g\*x)^(3/2)) + (32\*c^3\*d^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(35\*(c\*d\*f - a\*e\*g)^4\*Sqrt[d + e\*x]\*Sqrt[f + g\*x]))

### Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e

+ a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]  
]

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{d+ex}}{(f+gx)^{9/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{7(cdf-aeg)\sqrt{d+ex}(f+gx)^{7/2}} + \frac{(6cd) \int \frac{\sqrt{d+ex}}{(f+gx)^{7/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}}}{7(cdf-aeg)} \\ &= \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{7(cdf-aeg)\sqrt{d+ex}(f+gx)^{7/2}} + \frac{12cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{35(cdf-aeg)^2\sqrt{d+ex}(f+gx)^{5/2}} \\ &= \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{7(cdf-aeg)\sqrt{d+ex}(f+gx)^{7/2}} + \frac{12cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{35(cdf-aeg)^2\sqrt{d+ex}(f+gx)^{5/2}} \\ &= \frac{2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{7(cdf-aeg)\sqrt{d+ex}(f+gx)^{7/2}} + \frac{12cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{35(cdf-aeg)^2\sqrt{d+ex}(f+gx)^{5/2}} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 152, normalized size = 0.57

$$\frac{2\sqrt{(d+ex)(ae+cdx)}(-5a^3e^3g^3+3a^2cde^2g^2(7f+2gx)-ac^2d^2eg(35f^2+28fgx+8g^2x^2)+c^3d^3(35f^3+70f^2gx+56fg^2x^2+16g^3x^3))}{35\sqrt{d+ex}(f+gx)^{7/2}(cdf-aeg)^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e\*x]/((f + g\*x)^(9/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-5\*a^3\*e^3\*g^3 + 3\*a^2\*c\*d\*e^2\*g^2\*(7\*f + 2\*g\*x) - a\*c^2\*d^2\*e\*g\*(35\*f^2 + 28\*f\*g\*x + 8\*g^2\*x^2) + c^3\*d^3\*(35\*f^3 + 70\*f^2\*g\*x + 56\*f\*g^2\*x^2 + 16\*g^3\*x^3)))/(35\*(c\*d\*f - a\*e\*g)^4\*Sqrt[d + e\*x]\*(f + g\*x)^(7/2))

**IntegrateAlgebraic [A]** time = 8.73, size = 169, normalized size = 0.63

$$\frac{2\sqrt{d+ex}\sqrt{ae+cdx}\left(\frac{35c^3d^3\sqrt{ae+cdx}}{\sqrt{f+gx}} - \frac{35c^2d^2g(ae+cdx)^{3/2}}{(f+gx)^{3/2}} - \frac{5g^3(ae+cdx)^{7/2}}{(f+gx)^{7/2}} + \frac{21cdg^2(ae+cdx)^{5/2}}{(f+gx)^{5/2}}\right)}{35\sqrt{(d+ex)(ae+cdx)}(cdf-aeg)^4}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[Sqrt[d + e*x]/((f + g*x)^(9/2)*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]),x]
```

```
[Out] (2*Sqrt[a*e + c*d*x]*Sqrt[d + e*x]*((-5*g^3*(a*e + c*d*x)^(7/2))/(f + g*x)^(7/2) + (21*c*d*g^2*(a*e + c*d*x)^(5/2))/(f + g*x)^(5/2) - (35*c^2*d^2*g*(a*e + c*d*x)^(3/2))/(f + g*x)^(3/2) + (35*c^3*d^3*Sqrt[a*e + c*d*x])/Sqrt[f + g*x]))/(35*(c*d*f - a*e*g)^4*Sqrt[(a*e + c*d*x)*(d + e*x)])
```

**fricas** [B] time = 0.46, size = 953, normalized size = 3.57

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)/(g*x+f)^(9/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="fricas")
```

```
[Out] 2/35*(16*c^3*d^3*g^3*x^3 + 35*c^3*d^3*f^3 - 35*a*c^2*d^2*e*f^2*g + 21*a^2*c*d*e^2*f*g^2 - 5*a^3*e^3*g^3 + 8*(7*c^3*d^3*f*g^2 - a*c^2*d^2*e*g^3)*x^2 + 2*(35*c^3*d^3*f^2*g - 14*a*c^2*d^2*e*f*g^2 + 3*a^2*c*d*e^2*g^3)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)*sqrt(g*x + f)/(c^4*d^5*f^8 - 4*a*c^3*d^4*e*f^7*g + 6*a^2*c^2*d^3*e^2*f^6*g^2 - 4*a^3*c*d^2*e^3*f^5*g^3 + a^4*d*e^4*f^4*g^4 + (c^4*d^4*e*f^4*g^4 - 4*a*c^3*d^3*e^2*f^3*g^5 + 6*a^2*c^2*d^2*e^3*f^2*g^6 - 4*a^3*c*d*e^4*f*g^7 + a^4*e^5*g^8)*x^5 + (4*c^4*d^4*e*f^5*g^3 + a^4*d*e^4*g^8 + (c^4*d^5 - 16*a*c^3*d^3*e^2)*f^4*g^4 - 4*(a*c^3*d^4*e - 6*a^2*c^2*d^2*e^3)*f^3*g^5 + 2*(3*a^2*c^2*d^3*e^2 - 8*a^3*c*d*e^4)*f^2*g^6 - 4*(a^3*c*d^2*e^3 - a^4*e^5)*f*g^7)*x^4 + 2*(3*c^4*d^4*e*f^6*g^2 + 2*a^4*d*e^4*f*g^7 + 2*(c^4*d^5 - 6*a*c^3*d^3*e^2)*f^5*g^3 - 2*(4*a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^4*g^4 + 12*(a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^3*g^5 - (8*a^3*c*d^2*e^3 - 3*a^4*e^5)*f^2*g^6)*x^3 + 2*(2*c^4*d^4*e*f^7*g + 3*a^4*d*e^4*f^2*g^6 + (3*c^4*d^5 - 8*a*c^3*d^3*e^2)*f^6*g^2 - 12*(a*c^3*d^4*e - a^2*c^2*d^2*e^3)*f^5*g^3 + 2*(9*a^2*c^2*d^3*e^2 - 4*a^3*c*d*e^4)*f^4*g^4 - 2*(6*a^3*c*d^2*e^3 - a^4*e^5)*f^3*g^5)*x^2 + (c^4*d^4*e*f^8 + 4*a^4*d*e^4*f^3*g^5 + 4*(c^4*d^5 - a*c^3*d^3*e^2)*f^7*g - 2*(8*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^6*g^2 + 4*(6*a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^5*g^3 - (16*a^3*c*d^2*e^3 - a^4*e^5)*f^4*g^4)*x)
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(1/2)/(g*x+f)^(9/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

**maple [A]** time = 0.01, size = 260, normalized size = 0.97

$$\frac{2(cdx + ae)(-16g^3x^3c^3d^3 + 8ac^2d^2eg^3x^2 - 56c^3d^3fg^2x^2 - 6a^2cd^2e^2g^3x + 28a^2d^2efg^2x - 70c^3d^3f^2gx + 5a^3e^3g^3 - 21a^2cd^2efg^2 + 35a^2d^2ef^2g - 35f^3c^3d^3)\sqrt{ex + d}}{35(gx + f)^{\frac{7}{2}}(g^4e^4a^4 - 4a^3cd^3efg^3 + 6a^2c^2d^2e^2f^2g^2 - 4ac^3d^3ef^3g + f^4c^4d^4)\sqrt{cdex^2 + ae^2x + cd^2x + ade}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(1/2)/(g\*x+f)^(9/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2),x)

[Out] 
$$-2/35*(c*d*x+a*e)*(-16*c^3*d^3*g^3*x^3+8*a*c^2*d^2*e*g^3*x^2-56*c^3*d^3*f*g^2*x^2-6*a^2*c*d*e^2*g^3*x+28*a*c^2*d^2*e*f*g^2*x-70*c^3*d^3*f^2*g*x+5*a^3*e^3*g^3-21*a^2*c*d*e^2*f*g^2+35*a*c^2*d^2*e*f^2*g-35*c^3*d^3*f^3)*(e*x+d)^(1/2)/(g*x+f)^(7/2)/(a^4*e^4*g^4-4*a^3*c*d*e^3*f*g^3+6*a^2*c^2*d^2*e^2*f^2*g^2-4*a*c^3*d^3*e*f^3*g+c^4*d^4*f^4)/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex + d}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} (gx + f)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(g\*x+f)^(9/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^(9/2)), x)

**mupad [B]** time = 5.51, size = 357, normalized size = 1.34

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{\sqrt{d+ex}(10a^2e^3g^3-42a^2cd^2efg^2+70a^2d^2e^2fg-70c^3d^3f^3)}{35eg^3(aeg-cdf)^4} - \frac{32c^3d^3\sqrt{d+ex}}{35(aeg-cdf)^4} - \frac{4cdx\sqrt{d+ex}(3d^2e^2g^2-14acdefg+35c^2d^2f^2)}{35eg^2(aeg-cdf)^4} + \frac{16c^2d^2x^2(aeg-7cdf)\sqrt{d+ex}}{35eg(aeg-cdf)^4} \right)}{x^4\sqrt{f+gx} + \frac{df^3\sqrt{f+gx}}{eg^3} + \frac{x^3\sqrt{f+gx}(dg+3ef)}{eg} + \frac{3fx^2\sqrt{f+gx}(dg+ef)}{eg^2} + \frac{f^2x\sqrt{f+gx}(3dg+ef)}{eg^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(1/2)/((f + g\*x)^(9/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)),x)

[Out] 
$$-((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)*(((d + e*x)^(1/2)*(10*a^3*e^3*g^3 - 70*c^3*d^3*f^3 + 70*a*c^2*d^2*e*f^2*g - 42*a^2*c*d*e^2*f*g^2))/(35*e*g^3*(a*e*g - c*d*f)^4) - (32*c^3*d^3*x^3*(d + e*x)^(1/2))/(35*e*(a*e*g - c*d*f)^4) - (4*c*d*x*(d + e*x)^(1/2)*(3*a^2*e^2*g^2 + 35*c^2*d^2*f^2 - 14*a*c*d*e*f*g))/(35*e*g^2*(a*e*g - c*d*f)^4) + (16*c^2*d^2*x^2*(a*e*g - 7*c*d*f)*(d + e*x)^(1/2))/(35*e*g*(a*e*g - c*d*f)^4))/(x^4*(f + g*x)^(1/2) + (d*f^3*(f + g*x)^(1/2))/(e*g^3) + (x^3*(f + g*x)^(1/2)*(d*g + 3*e*f))/(e*g) +$$

$$(3fx^2(f+gx)^{1/2}(dg+ef))/(eg^2) + (f^2x(f+gx)^{1/2}(3dg+ef))/(eg^3)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(1/2)/(g*x+f)**(9/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)
```

```
[Out] Timed out
```

$$3.487 \quad \int \frac{(d+ex)^{3/2}(f+gx)^{5/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=301

$$\frac{15\sqrt{g} \sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^2 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{4c^{7/2}d^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} + \frac{15g\sqrt{f+gx} \sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf - aeg)}{4c^3d^3\sqrt{d+ex}}$$

**Rubi [A]** time = 0.47, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {866, 870, 891, 63, 217, 206}

$$\frac{5g(f+gx)^{3/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{2c^2d^2\sqrt{d+ex}} + \frac{15g\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}{4c^3d^3\sqrt{d+ex}} + \frac{15\sqrt{g}\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)^2 \tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{4c^{7/2}d^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2\sqrt{d+ex}(f+gx)^{5/2}}{cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*(f + g\*x)^(5/2))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (-2\*Sqrt[d + e\*x]\*(f + g\*x)^(5/2))/(c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + (15\*g\*(c\*d\*f - a\*e\*g)\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*c^3\*d^3\*Sqrt[d + e\*x]) + (5\*g\*(f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(2\*c^2\*d^2\*Sqrt[d + e\*x]) + (15\*Sqrt[g]\*(c\*d\*f - a\*e\*g)^2\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(4\*c^(7/2)\*d^(7/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217



Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 866

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a  
+ b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e\*g\*n)/(c\*(p + 1)), Int[(d  
+ e\*x)^(m - 1)\*(f + g\*x)^(n - 1)\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; Free  
Q[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] &&  
EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -  
1] && GtQ[n, 0]

### Rule 870

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(  
a + b\*x + c\*x^2)^(p + 1))/(c\*(m - n - 1)), x] - Dist[(n\*(c\*e\*f + c\*d\*g - b\*  
e\*g))/(c\*e\*(m - n - 1)), Int[(d + e\*x)^m\*(f + g\*x)^(n - 1)\*(a + b\*x + c\*x^2  
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] &  
& NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] &&  
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2\*p] || Intege  
rQ[n])

### Rule 891

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[(a + b\*x + c\*x^2)^FracPart[p]/((d +  
e\*x)^FracPart[p]\*(a/d + (c\*x)/e)^FracPart[p]), Int[(d + e\*x)^(m + p)\*(f +  
g\*x)^n\*(a/d + (c\*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &  
& NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0]  
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{3/2}(f+gx)^{5/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx &= -\frac{2\sqrt{d+ex}(f+gx)^{5/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{(5g) \int \frac{\sqrt{d+ex}(f+gx)^{3/2}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{cd} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{5/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{5g(f+gx)^{3/2}\sqrt{ade+(cd^2+ae^2)x}}{2c^2d^2\sqrt{d+ex}} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{5/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{15g(cdf-aeg)\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x}}{4c^3d^3\sqrt{d+ex}} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{5/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{15g(cdf-aeg)\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x}}{4c^3d^3\sqrt{d+ex}} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{5/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{15g(cdf-aeg)\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x}}{4c^3d^3\sqrt{d+ex}} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{5/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{15g(cdf-aeg)\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x}}{4c^3d^3\sqrt{d+ex}} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{5/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{15g(cdf-aeg)\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x}}{4c^3d^3\sqrt{d+ex}} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{5/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{15g(cdf-aeg)\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x}}{4c^3d^3\sqrt{d+ex}}
\end{aligned}$$

**Mathematica [C]** time = 0.12, size = 100, normalized size = 0.33

$$-\frac{2\sqrt{d+ex}(f+gx)^{5/2} {}_2F_1\left(-\frac{5}{2}, -\frac{1}{2}; \frac{1}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{cd\sqrt{(d+ex)(ae+cdx)} \left(\frac{cd(f+gx)}{cdf-aeg}\right)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(3/2)\*(f + g\*x)^(5/2))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out]  $(-2\sqrt{d+ex})(f+gx)^{5/2}\text{Hypergeometric2F1}[-5/2, -1/2, 1/2, (g(ae+cdx))/(-(cdf)+aeg)]/(cd\sqrt{(ae+cdx)(d+ex)}((cdf)(f+gx))/(cdf-aeg))^{5/2})$

**IntegrateAlgebraic [A]** time = 3.86, size = 342, normalized size = 1.14

$$\frac{(d+ex)^{3/2}(aeg+cdgx)^{3/2} \left( \frac{\sqrt{aeg+cd(f+gx)-cdf}(15a^2g^2\sqrt{f+gx}+5acdeg^{3/2}(f+gx)^{3/2}-30acdefg^{3/2}\sqrt{f+gx}+15c^2d^2f^2\sqrt{f+gx}-2c^2d^2\sqrt{g}(f+gx)^{3/2}-5c^2d^2f\sqrt{g}(f+gx)^{3/2})}{4c^3d^3-aeg-cd(f+gx)+cdf} - \frac{15\sqrt{cd}(a^2g^2-2acdefg^{3/2}+c^2d^2f^2\sqrt{g})\log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{4c^4d^4} \right)}{g^{3/2} \left( \frac{d(g+egx)(aeg+cdgx)}{g^2} \right)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d+ex)^(3/2)\*(f+gx)^(5/2))/(a\*d\*e+(c\*d^2+a\*e^2)\*x+c\*d\*e\*x^2)^(3/2),x]

[Out]  $((d+ex)^{3/2}(aeg+cdgx)^{3/2}((\sqrt{-(cdf)+aeg+cd(f+gx)})(15c^2d^2f^2\sqrt{g}\sqrt{f+gx}-30a*c*d*e*f*g^{3/2}\sqrt{f+gx}+15a^2e^2g^{5/2}\sqrt{f+gx}-5c^2d^2f\sqrt{g}(f+gx)^{3/2}+5a*c*d*e*g^{3/2}(f+gx)^{3/2}-2c^2d^2\sqrt{g}(f+gx)^{5/2}))/((4c^3d^3(cdf-aeg-cd(f+gx)))-(15\sqrt{cd}(c^2d^2f^2\sqrt{g}-2a*c*d*e*f*g^{3/2}+a^2e^2g^{5/2}))\text{Log}[-(\sqrt{cd}\sqrt{f+gx})+\sqrt{-(cdf)+aeg+cd(f+gx)}])/(4c^4d^4)))/(g^{3/2}((aeg+cdgx)(d*g+e*gx))/g^2)^{3/2})$

**fricas [A]** time = 1.23, size = 971, normalized size = 3.23

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((ex+d)^(3/2)\*(gx+f)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out]  $[1/16*(4*(2c^2d^2g^2x^2-8c^2d^2f^2+25a*c*d*e*f*g-15a^2e^2g^2+(9c^2d^2f*g-5a*c*d*e*g^2)*x)*\sqrt{c*d*e*x^2+a*d*e+(c*d^2+a*e^2)*x}*\sqrt{ex+d}*\sqrt{gx+f}+15*(a*c^2*d^3*e*f^2-2a^2*c*d^2*e^2*f*g+a^3*d*e^3*g^2+(c^3*d^3*e*f^2-2a*c^2*d^2*e^2*f*g+a^2*c*d*e^3*g^2)*x^2+((c^3*d^4+a*c^2*d^2*e^2)*f^2-2*(a*c^2*d^3*e+a^2*c*d*e^3)*f*g+(a^2*c*d^2*e^2+a^3*e^4)*g^2)*x)*\sqrt{g/(c*d)}*\log(-(8c^2d^2e*g^2*x^3+c^2d^3f^2+6a*c*d^2e*f*g+a^2d*e^2g^2+8*(c^2d^2e*f*g+(c^2d^3+a*c*d*e^2)*g^2)*x^2+4*(2c^2d^2g*x+c^2d^2f+a*c*d*e*g)*\sqrt{c*d*e*x^2+a*d*e+(c*d^2+a*e^2)*x}*\sqrt{ex+d}*\sqrt{gx+f}*\sqrt{g/(c*d)}+(c^2d^2e*f^2+2*(4c^2d^3+3a*c*d*e^2)*f*g+(8a*c*d^2e+a^2e^3)*g^2)*x)/(ex+d)))/(c^4d^4e*x^2+a*c^3d^4e+(c^4d^5+a*c^3d^3e^2)*x), 1/8*(2*(2c^2d^2g^2x^2-8c^2d^2f^2+25a*c*d*e*f*g-15a^2e^2g^2+(9c^2d^2f*g-5a*c*d*e*g^2)*x)*\sqrt{c*d*e*x^2+a*d*e+(c*d^2+a*e^2)*x}*\sqrt{ex+d}*\sqrt{gx+f}-15*(a*c^2*d^3*e*f^2-2a^2*c*d^2*e^2*f*g+a^3*d*e^3*g^2+(c^3*d^3*e*f^2-2a*c^2*d^2*e^2*f*g$

$$+ a^2*c*d*e^3*g^2)*x^2 + ((c^3*d^4 + a*c^2*d^2*e^2)*f^2 - 2*(a*c^2*d^3*e + a^2*c*d*e^3)*f*g + (a^2*c*d^2*e^2 + a^3*e^4)*g^2)*x)*\sqrt{-g/(c*d)}*\arctan(2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})*\sqrt{e*x + d}*\sqrt{g*x + f}*c*d*\sqrt{-g/(c*d)})/(2*c*d*e*g*x^2 + c*d^2*f + a*d*e*g + (c*d*e*f + (2*c*d^2 + a*e^2)*g)*x))/((c^4*d^4*e*x^2 + a*c^3*d^4*e + (c^4*d^5 + a*c^3*d^3*e^2)*x)]$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:Evaluation time: 3.47Unable to transpose Error: Bad Argument Value

**maple** [B] time = 0.04, size = 648, normalized size = 2.15

---

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)\*(g\*x+f)^(5/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out]  $\frac{1}{8}*(15*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2})*(c*d*g)^{1/2}))/((c*d*g)^{1/2})*x*a^2*c*d*e^2*g^3-30*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2})*(c*d*g)^{1/2}))/((c*d*g)^{1/2})*x*a*c^2*d^2*e*f*g^2+15*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2})*(c*d*g)^{1/2}))/((c*d*g)^{1/2})*x*c^3*d^3*f^2*g+15*a^3*e^3*g^3*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2})*(c*d*g)^{1/2}))/((c*d*g)^{1/2})-30*a^2*c*d*e^2*f*g^2*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2})*(c*d*g)^{1/2}))/((c*d*g)^{1/2})+15*a*c^2*d^2*e*f^2*g*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2})*(c*d*g)^{1/2}))/((c*d*g)^{1/2})+4*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}*c^2*d^2*g^2*x^2-10*(c*d*g)^{1/2}*((g*x+f)*(c*d*x+a*e))^{1/2}*a*c*d*e*g^2*x+18*(c*d*g)^{1/2}*((g*x+f)*(c*d*x+a*e))^{1/2}*c^2*d^2*f*g*x-30*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}*a^2*e^2*g^2+50*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}*a*c*d*e*f*g-16*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}*c^2*d^2*f^2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{1/2}*(g*x+f)^{1/2}/((g*x+f)*(c*d*x+a*e))^{1/2}/(c*d*g)^{1/2}/(c*d*x+a*e)/c^3/d^3/(e*x+d)^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}(gx + f)^{\frac{5}{2}}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)\*(g\*x + f)^(5/2)/(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^{5/2} (d + ex)^{3/2}}{(cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(5/2)\*(d + e\*x)^(3/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2), x)

[Out] int(((f + g\*x)^(5/2)\*(d + e\*x)^(3/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)\*(g\*x+f)\*\*(5/2)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2),x)

[Out] Timed out

$$3.488 \quad \int \frac{(d+ex)^{3/2}(f+gx)^{3/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=227

$$\frac{3\sqrt{g}\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{c^{5/2}d^{5/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} + \frac{3g\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{c^2d^2\sqrt{d+ex}} - \frac{2\sqrt{d+ex}(f+gx)^{3/2}}{cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

**Rubi [A]** time = 0.31, antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {866, 870, 891, 63, 217, 206}

$$\frac{3g\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{c^2d^2\sqrt{d+ex}} + \frac{3\sqrt{g}\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{c^{5/2}d^{5/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2\sqrt{d+ex}(f+gx)^{3/2}}{cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*(f + g\*x)^(3/2))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (-2\*Sqrt[d + e\*x]\*(f + g\*x)^(3/2))/(c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + (3\*g\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(c^2\*d^2\*Sqrt[d + e\*x]) + (3\*Sqrt[g]\*(c\*d\*f - a\*e\*g)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(c^(5/2)\*d^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 866

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a  
+ b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e\*g\*n)/(c\*(p + 1)), Int[(d  
+ e\*x)^(m - 1)\*(f + g\*x)^(n - 1)\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; Free  
Q[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] &&  
EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -  
1] && GtQ[n, 0]

### Rule 870

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(  
a + b\*x + c\*x^2)^(p + 1))/(c\*(m - n - 1)), x] - Dist[(n\*(c\*e\*f + c\*d\*g - b\*  
e\*g))/(c\*e\*(m - n - 1)), Int[(d + e\*x)^m\*(f + g\*x)^(n - 1)\*(a + b\*x + c\*x^2  
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] &  
& NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] &&  
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2\*p] || Intege  
rQ[n])

### Rule 891

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[(a + b\*x + c\*x^2)^FracPart[p]/((d +  
e\*x)^FracPart[p]\*(a/d + (c\*x)/e)^FracPart[p]), Int[(d + e\*x)^(m + p)\*(f +  
g\*x)^n\*(a/d + (c\*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &  
& NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0]  
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{3/2}(f+gx)^{3/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx &= -\frac{2\sqrt{d+ex}(f+gx)^{3/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{(3g) \int \frac{\sqrt{d+ex}\sqrt{f+gx}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{cd} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{3/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{3g\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{c^2d^2\sqrt{d+ex}} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{3/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{3g\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{c^2d^2\sqrt{d+ex}} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{3/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{3g\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{c^2d^2\sqrt{d+ex}} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{3/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{3g\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{c^2d^2\sqrt{d+ex}} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{3/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{3g\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{c^2d^2\sqrt{d+ex}} \\
&= -\frac{2\sqrt{d+ex}(f+gx)^{3/2}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{3g\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{c^2d^2\sqrt{d+ex}}
\end{aligned}$$

**Mathematica [C]** time = 0.08, size = 100, normalized size = 0.44

$$-\frac{2\sqrt{d+ex}(f+gx)^{3/2} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}, \frac{g(ae+cdx)}{aeg-cdf}\right)}{cd\sqrt{(d+ex)(ae+cdx)}\left(\frac{cd(f+gx)}{cdf-aeg}\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(3/2)\*(f + g\*x)^(3/2))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (-2\*Sqrt[d + e\*x]\*(f + g\*x)^(3/2)\*Hypergeometric2F1[-3/2, -1/2, 1/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)]/(c\*d\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*((c\*d\*f + g\*x))/(c\*d\*f - a\*e\*g))^(3/2))



**IntegrateAlgebraic [A]** time = 2.26, size = 238, normalized size = 1.05

$$\frac{(d+ex)^{3/2}(aeg+cdgx)^{3/2} \left( \frac{\sqrt{aeg+cd(f+gx)-cdf}(-3aeg^{3/2}\sqrt{f+gx}-cd\sqrt{g}(f+gx)^{3/2}+3cdf\sqrt{g}\sqrt{f+gx})}{c^2d^2(-aeg-cd(f+gx)+cdf)} - \frac{3\sqrt{cd}(cdf\sqrt{g}-aeg^{3/2})\log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{c^3d^3} \right)}{g^{3/2} \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(3/2)\*(f + g\*x)^(3/2))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] ((d + e\*x)^(3/2)\*(a\*e\*g + c\*d\*g\*x)^(3/2)\*((Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]\*(3\*c\*d\*f\*Sqrt[g]\*Sqrt[f + g\*x] - 3\*a\*e\*g^(3/2)\*Sqrt[f + g\*x] - c\*d\*Sqrt[g]\*(f + g\*x)^(3/2)))/(c^2\*d^2\*(c\*d\*f - a\*e\*g - c\*d\*(f + g\*x))) - (3\*Sqrt[c\*d]\*(c\*d\*f\*Sqrt[g] - a\*e\*g^(3/2))\*Log[-(Sqrt[c\*d]\*Sqrt[f + g\*x]) + Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)])/(c^3\*d^3)))/(g^(3/2)\*((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(3/2)

**fricas [A]** time = 1.14, size = 725, normalized size = 3.19



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2), x, algorithm="fricas")

[Out] [1/4\*(4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*g\*x - 2\*c\*d\*f + 3\*a\*e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) - 3\*(a\*c\*d^2\*e\*f - a^2\*d\*e^2\*g + (c^2\*d^2\*e\*f - a\*c\*d\*e^2\*g)\*x^2 + ((c^2\*d^3 + a\*c\*d\*e^2)\*f - (a\*c\*d^2\*e + a^2\*e^3)\*g)\*x)\*sqrt(g/(c\*d))\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 - 4\*(2\*c^2\*d^2\*g\*x + c^2\*d^2\*f + a\*c\*d\*e\*g)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*sqrt(g/(c\*d)) + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d)))/(c^3\*d^3\*e\*x^2 + a\*c^2\*d^3\*e + (c^3\*d^4 + a\*c^2\*d^2\*e^2)\*x), 1/2\*(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*g\*x - 2\*c\*d\*f + 3\*a\*e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) - 3\*(a\*c\*d^2\*e\*f - a^2\*d\*e^2\*g + (c^2\*d^2\*e\*f - a\*c\*d\*e^2\*g)\*x^2 + ((c^2\*d^3 + a\*c\*d\*e^2)\*f - (a\*c\*d^2\*e + a^2\*e^3)\*g)\*x)\*sqrt(-g/(c\*d))\*arctan(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*c\*d\*sqrt(-g/(c\*d))/(2\*c\*d\*e\*g\*x^2 + c\*d^2\*f + a\*d\*e\*g + (c\*d\*e\*f + (2\*c\*d^2 + a\*e^2)\*g)\*x)))/(c^3\*d^3\*e\*x^2 + a\*c^2\*d^3\*e + (c^3\*d^4 + a\*c^2\*d^2\*e^2)\*x)]

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(g*x+f)^(3/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 2.26Unable to transpose Error:
Bad Argument Value
```

**maple [B]** time = 0.03, size = 396, normalized size = 1.74

$$\frac{\left(3acdx^2 + b\right) \sqrt{\frac{2d(gx+of) + 2\sqrt{(gx+of)(dx+ae)}}{2\sqrt{de}}} - 3a^2d^2fg \ln\left(\frac{2d(gx+of) + 2\sqrt{(gx+of)(dx+ae)}}{2\sqrt{de}}\right) + 3a^2d^2g^2 \ln\left(\frac{2d(gx+of) + 2\sqrt{(gx+of)(dx+ae)}}{2\sqrt{de}}\right) - 3acdfg \ln\left(\frac{2d(gx+of) + 2\sqrt{(gx+of)(dx+ae)}}{2\sqrt{de}}\right) - 2\sqrt{de} \sqrt{(gx+f)(dx+ae)} cdx - 6\sqrt{de} \sqrt{(gx+f)(dx+ae)} agx + 4\sqrt{de} \sqrt{(gx+f)(dx+ae)} of\right) \sqrt{de}x^2 + ae^2x + cd^2x + ad^2e \sqrt{gx+f}}{2\sqrt{(gx+f)(dx+ae)} \sqrt{de} \sqrt{ex+d} e^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)^(3/2)*(g*x+f)^(3/2)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2),x)
```

```
[Out] -1/2*(3*ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^(1/2)*(c*d*g)^(1/2)))/(c*d*g)^(1/2))*x*a*c*d*e*g^2-3*ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^(1/2)*(c*d*g)^(1/2)))/(c*d*g)^(1/2))*x*c^2*d^2*f*g+3*a^2*e^2*g^2*ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^(1/2)*(c*d*g)^(1/2)))/(c*d*g)^(1/2))-3*a*c*d*e*f*g*ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^(1/2)*(c*d*g)^(1/2)))/(c*d*g)^(1/2))-2*(c*d*g)^(1/2)*((g*x+f)*(c*d*x+a*e))^(1/2)*c*d*g*x-6*(c*d*g)^(1/2)*((g*x+f)*(c*d*x+a*e))^(1/2)*a*e*g+4*(c*d*g)^(1/2)*((g*x+f)*(c*d*x+a*e))^(1/2)*c*d*f*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(g*x+f)^(1/2)/((g*x+f)*(c*d*x+a*e))^(1/2)/(c*d*x+a*e)/(c*d*g)^(1/2)/c^2/d^2/(e*x+d)^(1/2)
```

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{\frac{3}{2}}(gx+f)^{\frac{3}{2}}}{(cdex^2+ade+(cd^2+ae^2)x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(g*x+f)^(3/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((e*x + d)^(3/2)*(g*x + f)^(3/2)/(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(3/2), x)
```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f+gx)^{3/2}(d+ex)^{3/2}}{(cdex^2+(cd^2+ae^2)x+ade)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f + g*x)^(3/2)*(d + e*x)^(3/2))/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2), x)
```

```
[Out] int(((f + g*x)^(3/2)*(d + e*x)^(3/2))/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(3/2)*(g*x+f)**(3/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2), x)
```

```
[Out] Timed out
```

$$3.489 \quad \int \frac{(d+ex)^{3/2} \sqrt{f+gx}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=161

$$\frac{2\sqrt{g} \sqrt{d+ex} \sqrt{ae+cdx} \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{c^{3/2} d^{3/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2\sqrt{d+ex} \sqrt{f+gx}}{cd \sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

**Rubi [A]** time = 0.20, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$ , Rules used = {866, 891, 63, 217, 206}

$$\frac{2\sqrt{g} \sqrt{d+ex} \sqrt{ae+cdx} \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{c^{3/2} d^{3/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2\sqrt{d+ex} \sqrt{f+gx}}{cd \sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*Sqrt[f + g\*x])/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (-2\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])/(c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + (2\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(c^(3/2)\*d^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 866

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(a
+ b*x + c*x^2)^(p + 1))/(c*(p + 1)), x] - Dist[(e*g*n)/(c*(p + 1)), Int[(d
+ e*x)^(m - 1)*(f + g*x)^(n - 1)*(a + b*x + c*x^2)^(p + 1), x], x] /; Free
Q[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] &&
EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -
1] && GtQ[n, 0]
```

### Rule 891

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{3/2} \sqrt{f+gx}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx &= -\frac{2\sqrt{d+ex} \sqrt{f+gx}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{g \int \frac{\sqrt{d+ex}}{\sqrt{f+gx} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{cd} \\
&= -\frac{2\sqrt{d+ex} \sqrt{f+gx}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{(g\sqrt{ae+cdx} \sqrt{d+ex}) \int \frac{1}{\sqrt{ae+cdx} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2\sqrt{d+ex} \sqrt{f+gx}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{(2g\sqrt{ae+cdx} \sqrt{d+ex}) \operatorname{Subst} \left( \int \frac{1}{\sqrt{ae+cdx} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \right)}{c^2 d^2 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2\sqrt{d+ex} \sqrt{f+gx}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{(2g\sqrt{ae+cdx} \sqrt{d+ex}) \operatorname{Subst} \left( \int \frac{1}{\sqrt{ae+cdx} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \right)}{c^2 d^2 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2\sqrt{d+ex} \sqrt{f+gx}}{cd\sqrt{ade+(cd^2+ae^2)x+cdex^2}} + \frac{2\sqrt{g} \sqrt{ae+cdx} \sqrt{d+ex} \tanh^{-1} \left( \frac{\sqrt{cd} \sqrt{f+gx}}{\sqrt{cd} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} \right)}{c^{3/2} d^{3/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.37, size = 176, normalized size = 1.09

$$\frac{2\sqrt{d+ex} \left( \sqrt{c} \sqrt{d} \sqrt{g} \sqrt{ae+cdx} \sqrt{cdf-aeg} \sqrt{\frac{cd(f+gx)}{cdf-aeg}} \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{ae+cdx}}{\sqrt{cd} \sqrt{cdf-aeg}} \right) - (cd)^{3/2} (f+gx) \right)}{(cd)^{5/2} \sqrt{f+gx} \sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(3/2)\*Sqrt[f + g\*x])/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] (2\*Sqrt[d + e\*x]\*(-((c\*d)^(3/2)\*(f + g\*x)) + Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g]])\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d\*f - a\*e\*g])])/((c\*d)^(5/2)\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.97, size = 162, normalized size = 1.01

$$\frac{(d + ex)^{3/2}(aeg + cdgx)^{3/2} \left( -\frac{2\sqrt{g}\sqrt{cd} \log(\sqrt{aeg+cd(f+gx)}-cdf-\sqrt{cd}\sqrt{f+gx})}{c^2d^2} - \frac{2\sqrt{g}\sqrt{f+gx}}{cd\sqrt{aeg+cd(f+gx)}-cdf} \right)}{g^{3/2} \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(3/2)\*Sqrt[f + g\*x])/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2), x]

[Out] ((d + e\*x)^(3/2)\*(a\*e\*g + c\*d\*g\*x)^(3/2)\*((-2\*Sqrt[g]\*Sqrt[f + g\*x])/(c\*d\*Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]) - (2\*Sqrt[c\*d]\*Sqrt[g]\*Log[-(Sqrt[c\*d]\*Sqrt[f + g\*x]) + Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)])]/(c^2\*d^2)))/(g^(3/2)\*((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(3/2)

**fricas [A]** time = 1.10, size = 569, normalized size = 3.53

$$\frac{\left( \frac{(cdx^2 + ade + (af^2 + ad^2)x) \sqrt{\frac{2\sqrt{g}\sqrt{cd} \log(\sqrt{aeg+cd(f+gx)}-cdf-\sqrt{cd}\sqrt{f+gx})}{c^2d^2}}}{2(c^2d^2x^2 + ad^2e + (af^2 + ad^2)x)} - 4\sqrt{cdx^2 + ade + (af^2 + ad^2)x} \sqrt{cx + d} \sqrt{g} \right) \arctan\left(\frac{2\sqrt{cdx^2 + ade + (af^2 + ad^2)x} \sqrt{g}}{2\sqrt{cd} \sqrt{aeg+cd(f+gx)}-cdf}\right) + 2\sqrt{cdx^2 + ade + (af^2 + ad^2)x} \sqrt{cx + d} \sqrt{g} }{c^2d^2x^2 + ad^2e + (af^2 + ad^2)x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2), x, algorithm="fricas")

[Out] [1/2\*((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(g/(c\*d))\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + 4\*(2\*c^2\*d^2\*g\*x + c^2\*d^2\*f + a\*c\*d\*e\*g)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f))\*sqrt(g/(c\*d)) + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d) - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(c^2\*d^2\*e\*x^2 + a\*c\*d^2\*e + (c^2\*d^3 + a\*c\*d\*e^2)\*x), -((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-g/(c\*d))\*arctan(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*c\*d\*sqrt(-g/(c\*d)))/(2\*c\*d\*e\*g\*x^2 + c\*d^2\*f + a\*d\*e\*g + (c\*d\*e\*f + (2\*c\*d^2 + a\*e^2)\*g)\*x) + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(c^2\*d^2\*e\*x^2 + a\*c\*d^2\*e + (c^2\*d^3 + a\*c\*d\*e^2)\*x)]

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 1.34Unable to transpose Err  
or: Bad Argument Value

maple [A] time = 0.03, size = 210, normalized size = 1.30

$$\frac{\sqrt{gx+f} \sqrt{cdex^2 + ae^2x + cd^2x + ade} \left( cdgx \ln \left( \frac{2cdgx + aeg + cd + 2\sqrt{(gx+f)(cdx+ae)} \sqrt{cdg}}{2\sqrt{cdg}} \right) + aeg \ln \left( \frac{2cdgx + aeg + cd + 2\sqrt{(gx+f)(cdx+ae)} \sqrt{cdg}}{2\sqrt{cdg}} \right) - 2\sqrt{(gx+f)(cdx+ae)} \sqrt{cdg} \right)}{\sqrt{cdg} (cdx+ae) \sqrt{(gx+f)(cdx+ae)} \sqrt{ex+d} cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)\*(g\*x+f)^(1/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out] (g\*x+f)^(1/2)\*(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)\*(ln(1/2\*(2\*c\*d\*g\*x+a\*e\*g+c\*d\*f+2\*((g\*x+f)\*(c\*d\*x+a\*e))^(1/2)\*(c\*d\*g)^(1/2)))/(c\*d\*g)^(1/2))\*x\*c\*d\*g+a\*e\*g\*ln(1/2\*(2\*c\*d\*g\*x+a\*e\*g+c\*d\*f+2\*((g\*x+f)\*(c\*d\*x+a\*e))^(1/2)\*(c\*d\*g)^(1/2)))/(c\*d\*g)^(1/2))-2\*((g\*x+f)\*(c\*d\*x+a\*e))^(1/2)\*(c\*d\*g)^(1/2))/(c\*d\*g)^(1/2)/(c\*d\*x+a\*e)/((g\*x+f)\*(c\*d\*x+a\*e))^(1/2)/d/c/(e\*x+d)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{\frac{3}{2}} \sqrt{gx+f}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)\*sqrt(g\*x + f)/(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{f+gx} (d+ex)^{3/2}}{(cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(1/2)\*(d + e\*x)^(3/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2),x)



[Out] `int(((f + g*x)^(1/2)*(d + e*x)^(3/2))/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^{\frac{3}{2}} \sqrt{f + gx}}{((d + ex)(ae + cdx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(3/2)*(g*x+f)**(1/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2),x)`

[Out] `Integral((d + e*x)**(3/2)*sqrt(f + g*x)/((d + e*x)*(a*e + c*d*x))**(3/2), x)`

$$3.490 \quad \int \frac{(d+ex)^{3/2}}{\sqrt{f+gx} (ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

Optimal. Leaf size=61

$$-\frac{2\sqrt{d+ex}\sqrt{f+gx}}{\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}$$

**Rubi [A]** time = 0.07, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.021$ , Rules used = {860}

$$-\frac{2\sqrt{d+ex}\sqrt{f+gx}}{\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/(Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])/((c\*d\*f - a\*e\*g)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

Rule 860

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] :> -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]
```

Rubi steps

$$\int \frac{(d+ex)^{3/2}}{\sqrt{f+gx} (ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx = -\frac{2\sqrt{d+ex}\sqrt{f+gx}}{(cdf-aeg)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}$$

**Mathematica [A]** time = 0.03, size = 50, normalized size = 0.82

$$-\frac{2\sqrt{d+ex}\sqrt{f+gx}}{\sqrt{(d+ex)(ae+cdx)}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/(Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] (-2\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])/((c\*d\*f - a\*e\*g)\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [A]** time = 0.85, size = 118, normalized size = 1.93

$$\frac{2(d+ex)^{3/2}\sqrt{f+gx}(aeg+cdgx)^{3/2}\sqrt{aeg+cd(f+gx)-cdf}}{g(cdf-aeg)\left(\frac{(dg+egx)(aeg+cdgx)}{g^2}\right)^{3/2}(-aeg-cd(f+gx)+cdf)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/(Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] (2\*(d + e\*x)^(3/2)\*Sqrt[f + g\*x]\*(a\*e\*g + c\*d\*g\*x)^(3/2)\*Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]/(g\*(c\*d\*f - a\*e\*g)\*(((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(3/2)\*(c\*d\*f - a\*e\*g - c\*d\*(f + g\*x)))

**fricas [B]** time = 0.44, size = 125, normalized size = 2.05

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}\sqrt{gx + f}}{acd^2ef - a^2de^2g + (c^2d^2ef - acde^2g)x^2 + ((c^2d^3 + acde^2)f - (acd^2e + a^2e^3)g)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] -2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(a\*c\*d^2\*e\*f - a^2\*d\*e^2\*g + (c^2\*d^2\*e\*f - a\*c\*d\*e^2\*g)\*x^2 + ((c^2\*d^3 + a\*c\*d\*e^2)\*f - (a\*c\*d^2\*e + a^2\*e^3)\*g)\*x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 63, normalized size = 1.03

$$\frac{2\sqrt{gx+f} (cdx+ae)(ex+d)^{\frac{3}{2}}}{(aeg-cdf)(cde x^2+a e^2 x+c d^2 x+ade)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/(g\*x+f)^(1/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out] 2\*(g\*x+f)^(1/2)\*(c\*d\*x+a\*e)/(a\*e\*g-c\*d\*f)\*(e\*x+d)^(3/2)/(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(3/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{\frac{3}{2}}}{(cdex^2+ade+(cd^2+ae^2)x)^{\frac{3}{2}}\sqrt{gx+f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="maxima")

[Out] integrate((e\*x+d)^(3/2)/((c\*d\*e\*x^2+a\*d\*e+(c\*d^2+a\*e^2)\*x)^(3/2)\*sqrt(g\*x+f)),x)

**mupad** [B] time = 4.68, size = 147, normalized size = 2.41

$$\frac{\left(\frac{2f\sqrt{d+ex}}{cde(aeg-cdf)} + \frac{2gx\sqrt{d+ex}}{cde(aeg-cdf)}\right) \sqrt{cdex^2+(cd^2+ae^2)x+ade}}{x^2\sqrt{f+gx} + \frac{a\sqrt{f+gx}}{c} + \frac{x\sqrt{f+gx}(cd^2+ae^2)}{cde}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e\*x)^(3/2)/((f+g\*x)^(1/2)\*(x\*(a\*e^2+c\*d^2)+a\*d\*e+c\*d\*e\*x^2)^(3/2)),x)

[Out] (((2\*f\*(d+e\*x)^(1/2))/(c\*d\*e\*(a\*e\*g-c\*d\*f)) + (2\*g\*x\*(d+e\*x)^(1/2))/(c\*d\*e\*(a\*e\*g-c\*d\*f)))\*(x\*(a\*e^2+c\*d^2)+a\*d\*e+c\*d\*e\*x^2)^(1/2))/(x^2\*(f+g\*x)^(1/2) + (a\*(f+g\*x)^(1/2))/c + (x\*(f+g\*x)^(1/2)\*(a\*e^2+c\*d^2))/(c\*d\*e))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^{\frac{3}{2}}}{((d + ex)(ae + cdx))^{\frac{3}{2}} \sqrt{f + gx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)/(g\*x+f)\*\*(1/2)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)  
)\*\*(3/2),x)

[Out] Integral((d + e\*x)\*\*(3/2)/(((d + e\*x)\*(a\*e + c\*d\*x))\*\*(3/2)\*sqrt(f + g\*x)),  
x)

$$3.491 \quad \int \frac{(d+ex)^{3/2}}{(f+gx)^{3/2}(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=124

$$\frac{4g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^2} - \frac{2\sqrt{d+ex}}{\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}$$

**Rubi [A]** time = 0.15, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {868, 860}

$$\frac{4g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^2} - \frac{2\sqrt{d+ex}}{\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/((f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*Sqrt[d + e\*x])/((c\*d\*f - a\*e\*g)\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (4\*g\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])

### Rule 860

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

### Rule 868

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] + Dist[(e^2\*g\*(m - n - 2))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && Rational

Q[n]

Rubi steps

$$\int \frac{(d+ex)^{3/2}}{(f+gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} dx = -\frac{2\sqrt{d+ex}}{(cdf - aeg)\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{2g\sqrt{d+ex}}{(cdf - aeg)\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{4g\sqrt{d+ex}}{(cdf - aeg)\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}$$

**Mathematica [A]** time = 0.05, size = 64, normalized size = 0.52

$$-\frac{2\sqrt{d+ex}(aeg + cd(f + 2gx))}{\sqrt{f+gx} \sqrt{(d+ex)(ae + cdx)} (cdf - aeg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/((f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] (-2\*Sqrt[d + e\*x]\*(a\*e\*g + c\*d\*(f + 2\*g\*x)))/((c\*d\*f - a\*e\*g)^2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.88, size = 132, normalized size = 1.06

$$\frac{2(d+ex)^{3/2}(aeg + cdgx)^{3/2} (aeg^{3/2} + 2cd\sqrt{g}(f+gx) - cdf\sqrt{g})}{g^{3/2}\sqrt{f+gx} (cdf - aeg)^2 \left(\frac{(dg+egx)(aeg+cdgx)}{g^2}\right)^{3/2} \sqrt{aeg + cd(f+gx) - cdf}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/((f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] (-2\*(d + e\*x)^(3/2)\*(a\*e\*g + c\*d\*g\*x)^(3/2)\*(-(c\*d\*f\*Sqrt[g]) + a\*e\*g^(3/2) + 2\*c\*d\*Sqrt[g]\*(f + g\*x)))/(g^(3/2)\*(c\*d\*f - a\*e\*g)^2\*Sqrt[f + g\*x]\*(((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(3/2)\*Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)])

**fricas** [B] time = 0.44, size = 325, normalized size = 2.62

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(2cdgx + cdf + aeg)\sqrt{ex + d}\sqrt{gx + f}}{a^2d^3e^3 - 2a^2cd^2e^2fg + a^3de^3fg^2 + (c^3d^3ef^3 - 2a^2d^2e^2fg^2 + a^2cd^3g^3)x^3 + (c^3d^3ef^3 + (c^3d^4 - a^2d^2e^2)f^2g - (2a^2d^3e + a^2cd^2e^2)fg^2 + (a^2cd^2e^2 + a^3e^4)g^3)x^2 + (a^3d^3g^3 + (c^3d^4 + a^2d^2e^2)f^3 - (a^2d^3e + 2a^2cd^2e^2)fg - (a^2cd^2e^2 - a^3e^4)fg^2)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] -2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x + c\*d\*f + a\*e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(a\*c^2\*d^3\*e\*f^3 - 2\*a^2\*c\*d^2\*e^2\*f^2\*g + a^3\*d\*e^3\*f\*g^2 + (c^3\*d^3\*e\*f^2\*g - 2\*a\*c^2\*d^2\*e^2\*f\*g^2 + a^2\*c\*d\*e^3\*g^3)\*x^3 + (c^3\*d^3\*e\*f^3 + (c^3\*d^4 - a\*c^2\*d^2\*e^2)\*f^2\*g - (2\*a\*c^2\*d^3\*e + a^2\*c\*d\*e^3)\*f\*g^2 + (a^2\*c\*d^2\*e^2 + a^3\*e^4)\*g^3)\*x^2 + (a^3\*d\*e^3\*g^3 + (c^3\*d^4 + a\*c^2\*d^2\*e^2)\*f^3 - (a\*c^2\*d^3\*e + 2\*a^2\*c\*d\*e^3)\*f^2\*g - (a^2\*c\*d^2\*e^2 - a^3\*e^4)\*f\*g^2)\*x)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 97, normalized size = 0.78

$$\frac{2(cdx + ae)(2cdgx + aeg + cdf)(ex + d)^{\frac{3}{2}}}{\sqrt{gx + f}(a^2e^2g^2 - 2acdefg + f^2c^2d^2)(cde x^2 + a e^2x + c d^2x + ade)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/(g\*x+f)^(3/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out] -2\*(c\*d\*x+a\*e)\*(2\*c\*d\*g\*x+a\*e\*g+c\*d\*f)\*(e\*x+d)^(3/2)/(g\*x+f)^(1/2)/(a^2\*e^2\*g^2-2\*a\*c\*d\*e\*f\*g+c^2\*d^2\*f^2)/(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(3/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(gx + f)^{\frac{3}{2}}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)/(g*x+f)^(3/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((e*x + d)^(3/2)/((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(3/2)*(g*x + f)^(3/2)), x)
```

**mupad [B]** time = 4.98, size = 151, normalized size = 1.22

$$\frac{\left(\frac{4gx\sqrt{d+ex}}{e(aeg-cdf)^2} + \frac{(2aeg+2cdf)\sqrt{d+ex}}{cde(aeg-cdf)^2}\right)\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x^2\sqrt{f+gx} + \frac{a\sqrt{f+gx}}{c} + \frac{x\sqrt{f+gx}(cd^2+ae^2)}{cde}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x)^(3/2)/((f + g*x)^(3/2)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)),x)
```

```
[Out] -(((4*g*x*(d + e*x)^(1/2))/(e*(a*e*g - c*d*f)^2) + ((2*a*e*g + 2*c*d*f)*(d + e*x)^(1/2))/(c*d*e*(a*e*g - c*d*f)^2))*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/(x^2*(f + g*x)^(1/2) + (a*(f + g*x)^(1/2))/c + (x*(f + g*x)^(1/2)*(a*e^2 + c*d^2))/(c*d*e))
```

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(3/2)/(g*x+f)**(3/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2),x)
```

```
[Out] Timed out
```

$$3.492 \quad \int \frac{(d+ex)^{3/2}}{(f+gx)^{5/2}(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=192

$$\frac{16cdg\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^3} - \frac{8g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}(f+gx)^{3/2}(cdf-aeg)^2} - \frac{2\sqrt{d+ex}}{(f+gx)^{3/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

**Rubi [A]** time = 0.25, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {868, 872, 860}

$$\frac{16cdg\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^3} - \frac{8g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}(f+gx)^{3/2}(cdf-aeg)^2} - \frac{2\sqrt{d+ex}}{(f+gx)^{3/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/((f + g\*x)^(5/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*Sqrt[d + e\*x])/((c\*d\*f - a\*e\*g)\*(f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (8\*g\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((3\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)^(3/2)) - (16\*c\*d\*g\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*(c\*d\*f - a\*e\*g)^3\*Sqrt[d + e\*x]\*Sqrt[f + g\*x]))

#### Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

#### Rule 868

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] + Dist[(e^2\*g\*(m - n - 2))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*

$d*e + a*e^2, 0]$  && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && RationalQ[n]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

### Rubi steps

$$\int \frac{(d + ex)^{3/2}}{(f + gx)^{5/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} dx = -\frac{2\sqrt{d + ex}}{(cdf - aeg)(f + gx)^{3/2}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{2\sqrt{d + ex}}{(cdf - aeg)(f + gx)^{3/2}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{2\sqrt{d + ex}}{(cdf - aeg)(f + gx)^{3/2}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \quad (4)$$

**Mathematica [A]** time = 0.07, size = 105, normalized size = 0.55

$$\frac{2\sqrt{d + ex} (-a^2e^2g^2 + 2acdeg(3f + 2gx) + c^2d^2(3f^2 + 12fgx + 8g^2x^2))}{3(f + gx)^{3/2}\sqrt{(d + ex)(ae + cdx)}(cdf - aeg)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/((f + g\*x)^(5/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*Sqrt[d + e\*x]\*(-(a^2\*e^2\*g^2) + 2\*a\*c\*d\*e\*g\*(3\*f + 2\*g\*x) + c^2\*d^2\*(3\*f^2 + 12\*f\*g\*x + 8\*g^2\*x^2)))/(3\*(c\*d\*f - a\*e\*g)^3\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(f + g\*x)^(3/2))

**IntegrateAlgebraic [A]** time = 1.09, size = 198, normalized size = 1.03

$$\frac{2(d+ex)^{3/2}(aeg+cdgx)^{3/2}(-a^2e^2g^{5/2}+4acdeg^{3/2}(f+gx)+2acdefg^{3/2}-c^2d^2f^2\sqrt{g}+8c^2d^2\sqrt{g}(f+gx)^2-4c^2d^2f\sqrt{g}(f+gx))}{3g^{3/2}(f+gx)^{3/2}(cdf-aeg)^3\left(\frac{(dg+egx)(aeg+cdgx)}{g^2}\right)^{3/2}\sqrt{aeg+cd(f+gx)-cdf}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/((f + g\*x)^(5/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)),x]

[Out] (-2\*(d + e\*x)^(3/2)\*(a\*e\*g + c\*d\*g\*x)^(3/2)\*(-(c^2\*d^2\*f^2\*sqrt[g]) + 2\*a\*c\*d\*e\*f\*g^(3/2) - a^2\*e^2\*g^(5/2) - 4\*c^2\*d^2\*f\*sqrt[g]\*(f + g\*x) + 4\*a\*c\*d\*e\*g^(3/2)\*(f + g\*x) + 8\*c^2\*d^2\*sqrt[g]\*(f + g\*x)^2))/(3\*g^(3/2)\*(c\*d\*f - a\*e\*g)^3\*(f + g\*x)^(3/2)\*((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(3/2)\*sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]

**fricas [B]** time = 0.46, size = 649, normalized size = 3.38

$$\frac{2(aeg+cdgx)^{3/2}(d+ex)^{3/2}(-a^2e^2g^{5/2}+4acdeg^{3/2}(f+gx)+2acdefg^{3/2}-c^2d^2f^2\sqrt{g}+8c^2d^2\sqrt{g}(f+gx)^2-4c^2d^2f\sqrt{g}(f+gx))}{3g^{3/2}(f+gx)^{3/2}(cdf-aeg)^3\left(\frac{(dg+egx)(aeg+cdgx)}{g^2}\right)^{3/2}\sqrt{aeg+cd(f+gx)-cdf}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="fricas")

[Out] -2/3\*(8\*c^2\*d^2\*g^2\*x^2 + 3\*c^2\*d^2\*f^2 + 6\*a\*c\*d\*e\*f\*g - a^2\*e^2\*g^2 + 4\*(3\*c^2\*d^2\*f\*g + a\*c\*d\*e\*g^2)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(a\*c^3\*d^4\*e\*f^5 - 3\*a^2\*c^2\*d^3\*e^2\*f^4\*g + 3\*a^3\*c\*d^2\*e^3\*f^3\*g^2 - a^4\*d\*e^4\*f^2\*g^3 + (c^4\*d^4\*e\*f^3\*g^2 - 3\*a\*c^3\*d^3\*e^2\*f^2\*g^3 + 3\*a^2\*c^2\*d^2\*e^3\*f\*g^4 - a^3\*c\*d\*e^4\*g^5)\*x^4 + (2\*c^4\*d^4\*e\*f^4\*g + (c^4\*d^5 - 5\*a\*c^3\*d^3\*e^2)\*f^3\*g^2 - 3\*(a\*c^3\*d^4\*e - a^2\*c^2\*d^2\*e^3)\*f^2\*g^3 + (3\*a^2\*c^2\*d^3\*e^2 + a^3\*c\*d\*e^4)\*f\*g^4 - (a^3\*c\*d^2\*e^3 + a^4\*e^5)\*g^5)\*x^3 + (c^4\*d^4\*e\*f^5 - a^4\*d\*e^4\*g^5 + (2\*c^4\*d^5 - a\*c^3\*d^3\*e^2)\*f^4\*g - (5\*a\*c^3\*d^4\*e + 3\*a^2\*c^2\*d^2\*e^3)\*f^3\*g^2 + (3\*a^2\*c^2\*d^3\*e^2 + 5\*a^3\*c\*d\*e^4)\*f^2\*g^3 + (a^3\*c\*d^2\*e^3 - 2\*a^4\*e^5)\*f\*g^4)\*x^2 - (2\*a^4\*d\*e^4\*f\*g^4 - (c^4\*d^5 + a\*c^3\*d^3\*e^2)\*f^5 + (a\*c^3\*d^4\*e + 3\*a^2\*c^2\*d^2\*e^3)\*f^4\*g + 3\*(a^2\*c^2\*d^3\*e^2 - a^3\*c\*d\*e^4)\*f^3\*g^2 - (5\*a^3\*c\*d^2\*e^3 - a^4\*e^5)\*f^2\*g^3)\*x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.01, size = 168, normalized size = 0.88

$$\frac{2(cdx + ae) \left( -8g^2x^2c^2d^2 - 4acde g^2x - 12c^2d^2fgx + a^2e^2g^2 - 6acdefg - 3f^2c^2d^2 \right) (ex + d)^{\frac{3}{2}}}{3(gx + f)^{\frac{3}{2}} \left( a^3e^3g^3 - 3a^2cd e^2fg^2 + 3a c^2d^2e f^2g - f^3c^3d^3 \right) (cde x^2 + a e^2x + c d^2x + ade)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/(g\*x+f)^(5/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2), x)

[Out]  $-2/3*(c*d*x+a*e)*(-8*c^2*d^2*g^2*x^2-4*a*c*d*e*g^2*x-12*c^2*d^2*f*g*x+a^2*e^2*g^2-6*a*c*d*e*f*g-3*c^2*d^2*f^2)*(e*x+d)^{(3/2)}/(g*x+f)^{(3/2)}/(a^3*e^3*g^3-3*3*a^2*c*d*e^2*f*g^2+3*a*c^2*d^2*e*f^2*g-c^3*d^3*f^3)/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(3/2)}$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(gx + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2), x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*(g\*x + f)^(5/2)), x)

**mupad [B]** time = 5.33, size = 268, normalized size = 1.40

$$\frac{\left( \frac{8x(aeg+3cdf)\sqrt{d+ex}}{3e(aeg-cdf)^3} + \frac{\sqrt{d+ex}(-2a^2e^2g^2+12acdefg+6c^2d^2f^2)}{3cdeg(aeg-cdf)^3} + \frac{16cdgx^2\sqrt{d+ex}}{3e(aeg-cdf)^3} \right) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x^3\sqrt{f+gx} + \frac{af\sqrt{f+gx}}{cg} + \frac{x\sqrt{f+gx}(cfd^2+agde+afe^2)}{cdeg} + \frac{x^2\sqrt{f+gx}(cgd^2+cfd+age^2)}{cdeg}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(3/2)/((f + g\*x)^(5/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)), x)

[Out]  $((8*x*(a*e*g + 3*c*d*f)*(d + e*x)^{(1/2)})/(3*e*(a*e*g - c*d*f)^3) + ((d + e*x)^{(1/2)}*(6*c^2*d^2*f^2 - 2*a^2*e^2*g^2 + 12*a*c*d*e*f*g))/(3*c*d*e*g*(a*e*g - c*d*f)^3) + (16*c*d*g*x^2*(d + e*x)^{(1/2)})/(3*e*(a*e*g - c*d*f)^3))*(x$

$$\frac{(a^2e^2 + c^2d^2 + a^2d^2e + c^2d^2ex^2)^{1/2}}{(x^3(f + gx)^{1/2} + (af(f + gx)^{1/2})/(cg) + (x(f + gx)^{1/2}(ae^2f + cd^2f + ade^2g))/(c^2d^2eg) + (x^2(f + gx)^{1/2}(ae^2g + cd^2g + cde^2f))/(c^2d^2eg))}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)/(g\*x+f)\*\*(5/2)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2),x)

[Out] Timed out

$$3.493 \quad \int \frac{(d+ex)^{3/2}}{(f+gx)^{7/2}(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx$$

**Optimal.** Leaf size=262

$$\frac{32c^2d^2g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^4} - \frac{16cdg\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5\sqrt{d+ex}(f+gx)^{3/2}(cdf-aeg)^3} - \frac{12g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5\sqrt{d+ex}(f+gx)^{5/2}(cdf-aeg)}$$

**Rubi [A]** time = 0.33, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {868, 872, 860}

$$\frac{32c^2d^2g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^4} - \frac{16cdg\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5\sqrt{d+ex}(f+gx)^{3/2}(cdf-aeg)^3} - \frac{12g\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5\sqrt{d+ex}(f+gx)^{5/2}(cdf-aeg)^2} - \frac{2\sqrt{d+ex}}{(f+gx)^{5/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/((f + g\*x)^(7/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]

[Out] (-2\*sqrt[d + e\*x])/((c\*d\*f - a\*e\*g)\*(f + g\*x)^(5/2)\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) - (12\*g\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(5\*(c\*d\*f - a\*e\*g)^2\*sqrt[d + e\*x]\*(f + g\*x)^(5/2)) - (16\*c\*d\*g\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(5\*(c\*d\*f - a\*e\*g)^3\*sqrt[d + e\*x]\*(f + g\*x)^(3/2)) - (32\*c^2\*d^2\*g\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(5\*(c\*d\*f - a\*e\*g)^4\*sqrt[d + e\*x]\*sqrt[f + g\*x])

### Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

### Rule 868

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] + Dist[(e^2\*g\*(m - n - 2))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*

$d*e + a*e^2, 0]$  && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && RationalQ[n]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

### Rubi steps

$$\int \frac{(d + ex)^{3/2}}{(f + gx)^{7/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} dx = -\frac{2\sqrt{d + ex}}{(cdf - aeg)(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{12g}{5(cdf - aeg)(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}$$

$$= -\frac{2\sqrt{d + ex}}{(cdf - aeg)(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{12g}{5(cdf - aeg)(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}$$

$$= -\frac{2\sqrt{d + ex}}{(cdf - aeg)(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{12g}{5(cdf - aeg)(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}$$

$$= -\frac{2\sqrt{d + ex}}{(cdf - aeg)(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} - \frac{12g}{5(cdf - aeg)(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}$$

**Mathematica [A]** time = 0.09, size = 150, normalized size = 0.57

$$\frac{2\sqrt{d + ex} (a^3 e^3 g^3 - a^2 c d e^2 g^2 (5f + 2gx) + a c^2 d^2 e g (15f^2 + 20f g x + 8g^2 x^2) + c^3 d^3 (5f^3 + 30f^2 g x + 40f g^2 x^2 + 16g^3 x^3))}{5(f + gx)^{5/2} \sqrt{(d + ex)(ae + cdx)} (cdf - aeg)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/((f + g\*x)^(7/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)), x]



```
[Out] (-2*sqrt[d + e*x]*(a^3*e^3*g^3 - a^2*c*d*e^2*g^2*(5*f + 2*g*x) + a*c^2*d^2*
e*g*(15*f^2 + 20*f*g*x + 8*g^2*x^2) + c^3*d^3*(5*f^3 + 30*f^2*g*x + 40*f*g^
2*x^2 + 16*g^3*x^3)))/(5*(c*d*f - a*e*g)^4*sqrt[(a*e + c*d*x)*(d + e*x)]*(f
+ g*x)^(5/2))
```

**IntegrateAlgebraic [A]** time = 1.31, size = 289, normalized size = 1.10

$$\frac{2(d+ex)^{3/2}(aeg+cdgx)^{3/2}(a^3e^3g^{7/2}-2a^2cde^2g^{5/2}(f+gx)-3a^2cde^2fg^{5/2}+3a^2d^2e^2g^{3/2}+8a^2d^2eg^{3/2}(f+gx)^2+4a^2d^2efg^{3/2}(f+gx)-c^3d^3f^3\sqrt{g}-2c^3d^3f^2\sqrt{g}(f+gx)+16c^3d^3\sqrt{g}(f+gx)^3-8c^3d^3f\sqrt{g}(f+gx)^2)}{5g^{3/2}(f+gx)^{5/2}(cdf-aeg)^4\left(\frac{d(g+ex)(aeg+cdgx)}{g^2}\right)^{3/2}\sqrt{aeg+cd(f+gx)-cdf}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(d + e*x)^(3/2)/((f + g*x)^(7/2)*(a*d*e + (c*d^2 + a*e^2
)*x + c*d*e*x^2)^(3/2)),x]
```

```
[Out] (-2*(d + e*x)^(3/2)*(a*e*g + c*d*g*x)^(3/2)*(-(c^3*d^3*f^3*sqrt[g]) + 3*a*c
^2*d^2*e*f^2*g^(3/2) - 3*a^2*c*d*e^2*f*g^(5/2) + a^3*e^3*g^(7/2) - 2*c^3*d^
3*f^2*sqrt[g]*(f + g*x) + 4*a*c^2*d^2*e*f*g^(3/2)*(f + g*x) - 2*a^2*c*d*e^2
*g^(5/2)*(f + g*x) - 8*c^3*d^3*f*sqrt[g]*(f + g*x)^2 + 8*a*c^2*d^2*e*g^(3/2
)*(f + g*x)^2 + 16*c^3*d^3*sqrt[g]*(f + g*x)^3))/(5*g^(3/2)*(c*d*f - a*e*g)
^4*(f + g*x)^(5/2)*((a*e*g + c*d*g*x)*(d*g + e*g*x))/g^2)^(3/2)*sqrt[-(c*d
*f) + a*e*g + c*d*(f + g*x)])
```

**fricas [B]** time = 0.51, size = 1062, normalized size = 4.05

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)/(g*x+f)^(7/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/
2),x, algorithm="fricas")
```

```
[Out] -2/5*(16*c^3*d^3*g^3*x^3 + 5*c^3*d^3*f^3 + 15*a*c^2*d^2*e*f^2*g - 5*a^2*c*d
*e^2*f*g^2 + a^3*e^3*g^3 + 8*(5*c^3*d^3*f*g^2 + a*c^2*d^2*e*g^3)*x^2 + 2*(1
5*c^3*d^3*f^2*g + 10*a*c^2*d^2*e*f*g^2 - a^2*c*d*e^2*g^3)*x)*sqrt(c*d*e*x^2
+ a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)*sqrt(g*x + f)/(a*c^4*d^5*e*f^7
- 4*a^2*c^3*d^4*e^2*f^6*g + 6*a^3*c^2*d^3*e^3*f^5*g^2 - 4*a^4*c*d^2*e^4*f^4
*g^3 + a^5*d*e^5*f^3*g^4 + (c^5*d^5*e*f^4*g^3 - 4*a*c^4*d^4*e^2*f^3*g^4 + 6
*a^2*c^3*d^3*e^3*f^2*g^5 - 4*a^3*c^2*d^2*e^4*f*g^6 + a^4*c*d*e^5*g^7)*x^5 +
(3*c^5*d^5*e*f^5*g^2 + (c^5*d^6 - 11*a*c^4*d^4*e^2)*f^4*g^3 - 2*(2*a*c^4*d
^5*e - 7*a^2*c^3*d^3*e^3)*f^3*g^4 + 6*(a^2*c^3*d^4*e^2 - a^3*c^2*d^2*e^4)*f
^2*g^5 - (4*a^3*c^2*d^3*e^3 + a^4*c*d*e^5)*f*g^6 + (a^4*c*d^2*e^4 + a^5*e^6
)*g^7)*x^4 + (3*c^5*d^5*e*f^6*g + a^5*d*e^5*g^7 + 3*(c^5*d^6 - 3*a*c^4*d^4*
e^2)*f^5*g^2 - (11*a*c^4*d^5*e - 6*a^2*c^3*d^3*e^3)*f^4*g^3 + 2*(7*a^2*c^3*
d^4*e^2 + 3*a^3*c^2*d^2*e^4)*f^3*g^4 - 3*(2*a^3*c^2*d^3*e^3 + 3*a^4*c*d*e^5
)*f^2*g^5 - (a^4*c*d^2*e^4 - 3*a^5*e^6)*f*g^6)*x^3 + (c^5*d^5*e*f^7 + 3*a^5
*d*e^5*f*g^6 + (3*c^5*d^6 - a*c^4*d^4*e^2)*f^6*g - 3*(3*a*c^4*d^5*e + 2*a^2
```

$$\begin{aligned} & *c^3*d^3*e^3)*f^5*g^2 + 2*(3*a^2*c^3*d^4*e^2 + 7*a^3*c^2*d^2*e^4)*f^4*g^3 + \\ & (6*a^3*c^2*d^3*e^3 - 11*a^4*c*d*e^5)*f^3*g^4 - 3*(3*a^4*c*d^2*e^4 - a^5*e^6) \\ & *f^2*g^5)*x^2 + (3*a^5*d*e^5*f^2*g^5 + (c^5*d^6 + a*c^4*d^4*e^2)*f^7 - (a \\ & *c^4*d^5*e + 4*a^2*c^3*d^3*e^3)*f^6*g - 6*(a^2*c^3*d^4*e^2 - a^3*c^2*d^2*e^4) \\ & *f^5*g^2 + 2*(7*a^3*c^2*d^3*e^3 - 2*a^4*c*d*e^5)*f^4*g^3 - (11*a^4*c*d^2* \\ & e^4 - a^5*e^6)*f^3*g^4)*x) \end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(7/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 259, normalized size = 0.99

$$\frac{2(cdx + ae)(16g^3x^3c^3d^3 + 8a^2c^2d^2eg^3x^2 + 40c^3d^3fg^2x^2 - 2a^2cd^2e^2g^3x + 20a^2c^2d^2efg^2x + 30c^3d^3f^2gx + a^3e^3g^3 - 5a^2cd^2efg^2 + 15a^2c^2d^2ef^2g + 5f^3c^3d^3)(ex + d)^{\frac{3}{2}}}{5(gx + f)^{\frac{5}{2}}(g^4e^4a^4 - 4a^3cd^3fg^3 + 6a^2c^2d^2e^2f^2g^2 - 4ac^3d^3ef^3g + f^4c^4d^4)(cde x^2 + a e^2x + c d^2x + ade)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/(g\*x+f)^(7/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2),x)

[Out]  $-2/5*(c*d*x+a*e)*(16*c^3*d^3*g^3*x^3+8*a*c^2*d^2*e*g^3*x^2+40*c^3*d^3*f*g^2*x^2-2*a^2*c*d*e^2*g^3*x+20*a*c^2*d^2*e*f*g^2*x+30*c^3*d^3*f^2*g*x+a^3*e^3*g^3-5*a^2*c*d*e^2*f*g^2+15*a*c^2*d^2*e*f^2*g+5*c^3*d^3*f^3)*(e*x+d)^(3/2)/(g*x+f)^(5/2)/(a^4*e^4*g^4-4*a^3*c*d*e^3*f*g^3+6*a^2*c^2*d^2*e^2*f^2*g^2-4*a*c^3*d^3*e*f^3*g+c^4*d^4*f^4)/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(3/2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(gx + f)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^(7/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*(g\*x + f)^(7/2)), x)

**mupad [B]** time = 5.70, size = 414, normalized size = 1.58

$$\frac{\sqrt{c d e x^2 + (c d^2 + a e^2) x + a d e} \left( \frac{4 x \sqrt{d+e x} (-a^2 d^2 g^2 + 10 a c d e f g + 15 c^2 d^2 f^2)}{5 e g (a e g - c d f)^4} + \frac{\sqrt{d+e x} \left( \frac{2 a^3 e^3 g^3}{5} - 2 a^2 c d^2 f g^2 + 6 a^2 d^2 e f^2 g + 2 c^3 d^3 f^3 \right)}{c d e g^2 (a e g - c d f)^4} + \frac{32 c^2 d^2 g^3 \sqrt{d+e x}}{5 e (a e g - c d f)^4} + \frac{16 c d x^2 (a e g + 5 c d f) \sqrt{d+e x}}{5 e (a e g - c d f)^4} \right)}{x^4 \sqrt{f+g x} + \frac{a f^2 \sqrt{f+g x}}{c g^2} + \frac{x^2 \sqrt{f+g x} (2 c d^2 f g + c d e f^2 + a d e g^2 + 2 a c^2 f g)}{c d e g^2} + \frac{x^3 \sqrt{f+g x} (c g d^2 + 2 c f d e + a g e^2)}{c d e g} + \frac{f x \sqrt{f+g x} (c f d^2 + 2 a g d e + a f^2)}{c d e g^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d + e*x)^{(3/2)} / ((f + g*x)^{(7/2)} * (x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(3/2})), x)$

[Out]  $-\left( (x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)} * \left( (4*x*(d + e*x)^{(1/2)} * (15*c^2*d^2*f^2 - a^2*e^2*g^2 + 10*a*c*d*e*f*g) / (5*e*g*(a*e*g - c*d*f)^4) + ((d + e*x)^{(1/2)} * ((2*a^3*e^3*g^3)/5 + 2*c^3*d^3*f^3 + 6*a*c^2*d^2*e*f^2*g - 2*a^2*c*d*e^2*f*g^2)) / (c*d*e*g^2*(a*e*g - c*d*f)^4) + (32*c^2*d^2*g*x^3*(d + e*x)^{(1/2)}) / (5*e*(a*e*g - c*d*f)^4) + (16*c*d*x^2*(a*e*g + 5*c*d*f)*(d + e*x)^{(1/2)}) / (5*e*(a*e*g - c*d*f)^4) \right) / (x^4*(f + g*x)^{(1/2)} + (a*f^2*(f + g*x)^{(1/2)}) / (c*g^2) + (x^2*(f + g*x)^{(1/2)} * (a*d*e*g^2 + c*d*e*f^2 + 2*a*e^2*f*g + 2*c*d^2*f*g)) / (c*d*e*g^2) + (x^3*(f + g*x)^{(1/2)} * (a*e^2*g + c*d^2*g + 2*c*d*e*f)) / (c*d*e*g) + (f*x*(f + g*x)^{(1/2)} * (a*e^2*f + c*d^2*f + 2*a*d*e*g)) / (c*d*e*g^2) \right)$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)**(3/2)/(g*x+f)**(7/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2), x)$

[Out] Timed out

$$3.494 \quad \int \frac{(d+ex)^{5/2}(f+gx)^{5/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=289

$$\frac{5g^{3/2}\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{c^{7/2}d^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} + \frac{5g^2\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{c^3d^3\sqrt{d+ex}} - \frac{10}{3c^2d^2\sqrt{x}}$$

**Rubi [A]** time = 0.43, antiderivative size = 289, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {866, 870, 891, 63, 217, 206}

$$\frac{5g^2\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{c^3d^3\sqrt{d+ex}} + \frac{5g^{3/2}\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{c^{7/2}d^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{10g\sqrt{d+ex}(f+gx)^{3/2}}{3c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2(d+ex)^{3/2}(f+gx)^{5/2}}{3cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(5/2)\*(f + g\*x)^(5/2))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (-2\*(d + e\*x)^(3/2)\*(f + g\*x)^(5/2))/(3\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) - (10\*g\*Sqrt[d + e\*x]\*(f + g\*x)^(3/2))/(3\*c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + (5\*g^2\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(c^3\*d^3\*Sqrt[d + e\*x]) + (5\*g^(3/2)\*(c\*d\*f - a\*e\*g)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(c^(7/2)\*d^(7/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 866

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a  
+ b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] - Dist[(e\*g\*n)/(c\*(p + 1)), Int[(d  
+ e\*x)^(m - 1)\*(f + g\*x)^(n - 1)\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; Free  
Q[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] &&  
EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -  
1] && GtQ[n, 0]

### Rule 870

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(  
a + b\*x + c\*x^2)^(p + 1))/(c\*(m - n - 1)), x] - Dist[(n\*(c\*e\*f + c\*d\*g - b\*  
e\*g))/(c\*e\*(m - n - 1)), Int[(d + e\*x)^m\*(f + g\*x)^(n - 1)\*(a + b\*x + c\*x^2  
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] &  
& NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] &&  
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2\*p] || Intege  
rQ[n])

### Rule 891

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[(a + b\*x + c\*x^2)^FracPart[p]/((d +  
e\*x)^FracPart[p]\*(a/d + (c\*x)/e)^FracPart[p]), Int[(d + e\*x)^(m + p)\*(f +  
g\*x)^n\*(a/d + (c\*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &  
& NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0]  
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{5/2}(f+gx)^{5/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx &= -\frac{2(d+ex)^{3/2}(f+gx)^{5/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{(5g) \int \frac{(d+ex)^{3/2}(f+gx)^{3/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx}{3cd} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{5/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{10g\sqrt{d+ex}(f+gx)^{3/2}}{3c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{5/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{10g\sqrt{d+ex}(f+gx)^{3/2}}{3c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{5/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{10g\sqrt{d+ex}(f+gx)^{3/2}}{3c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{5/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{10g\sqrt{d+ex}(f+gx)^{3/2}}{3c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{5/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{10g\sqrt{d+ex}(f+gx)^{3/2}}{3c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{5/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{10g\sqrt{d+ex}(f+gx)^{3/2}}{3c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{5/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{10g\sqrt{d+ex}(f+gx)^{3/2}}{3c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}
\end{aligned}$$

**Mathematica [C]** time = 0.14, size = 102, normalized size = 0.35

$$-\frac{2(d+ex)^{3/2}(f+gx)^{5/2} {}_2F_1\left(-\frac{5}{2}, -\frac{3}{2}; -\frac{1}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{3cd((d+ex)(ae+cdx))^{3/2} \left(\frac{cd(f+gx)}{cdf-aeg}\right)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(5/2)\*(f + g\*x)^(5/2))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out]  $(-2*(d + e*x)^{(3/2)}*(f + g*x)^{(5/2)}*Hypergeometric2F1[-5/2, -3/2, -1/2, (g*(a*e + c*d*x))/(-(c*d*f) + a*e*g)])/(3*c*d*((a*e + c*d*x)*(d + e*x))^{(3/2)}*((c*d*(f + g*x))/(c*d*f - a*e*g))^{(5/2)})$

**IntegrateAlgebraic [A]** time = 4.55, size = 319, normalized size = 1.10

$$\frac{(d + ex)^{5/2}(aeg + cdgx)^{5/2} \left( \frac{\sqrt{aeg+cd(f+gx)-cf} (15a^2e^2g^{7/2}\sqrt{f+gx}+20acdeg^{5/2}(f+gx)^{3/2}-30acdefg^{5/2}\sqrt{f+gx}+15c^2d^2f^2g^{3/2}\sqrt{f+gx}+3c^2d^2g^{3/2}(f+gx)^{5/2}-20c^2d^2fg^{3/2}(f+gx)^{3/2})}{3c^3d^3(-aeg-cd(f+gx)+cf)^2} - \frac{5\sqrt{cd}(cdfg^{3/2}-aeg^{5/2})\log\left(\frac{\sqrt{aeg+cd(f+gx)-cf}-\sqrt{cd}\sqrt{f+gx}}{c^4d^4}\right)}{c^4d^4} \right)}{g^{5/2} \left( \frac{d(g+egx)(aeg+cdgx)}{g^2} \right)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(5/2)\*(f + g\*x)^(5/2))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out]  $((d + e*x)^{(5/2)}*(a*e*g + c*d*g*x)^{(5/2)}*((\text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)]*(15*c^2*d^2*f^2*g^{(3/2)}*\text{Sqrt}[f + g*x] - 30*a*c*d*e*f*g^{(5/2)}*\text{Sqrt}[f + g*x] + 15*a^2*e^2*g^{(7/2)}*\text{Sqrt}[f + g*x] - 20*c^2*d^2*f*g^{(3/2)}*(f + g*x)^{(3/2)} + 20*a*c*d*e*g^{(5/2)}*(f + g*x)^{(3/2)} + 3*c^2*d^2*g^{(3/2)}*(f + g*x)^{(5/2)})))/(3*c^3*d^3*(c*d*f - a*e*g - c*d*(f + g*x))^2 - (5*\text{Sqrt}[c*d]*(c*d*f*g^{(3/2)} - a*e*g^{(5/2)})*\text{Log}[-(\text{Sqrt}[c*d]*\text{Sqrt}[f + g*x]) + \text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)])])/(c^4*d^4)))/(g^{(5/2)}*((a*e*g + c*d*g*x)*(d*g + e*g*x))/g^2)^{(5/2)})$

**fricas [A]** time = 1.15, size = 1055, normalized size = 3.65

---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="fricas")

[Out]  $[1/12*(4*(3*c^2*d^2*g^2*x^2 - 2*c^2*d^2*f^2 - 10*a*c*d*e*f*g + 15*a^2*e^2*g^2 - 2*(7*c^2*d^2*f*g - 10*a*c*d*e*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f) - 15*(a^2*c*d^2*e^2*f*g - a^3*d*e^3*g^2 + (c^3*d^3*e*f*g - a*c^2*d^2*e^2*g^2)*x^3 + ((c^3*d^4 + 2*a*c^2*d^2*e^2)*f*g - (a*c^2*d^3*e + 2*a^2*c*d*e^3)*g^2)*x^2 + ((2*a*c^2*d^3*e + a^2*c*d*e^3)*f*g - (2*a^2*c*d^2*e^2 + a^3*e^4)*g^2)*x)*\text{sqrt}(g/(c*d))*\log(- (8*c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + 6*a*c*d^2*e*f*g + a^2*d*e^2*g^2 + 8*(c^2*d^2*e*f*g + (c^2*d^3 + a*c*d*e^2)*g^2)*x^2 - 4*(2*c^2*d^2*g*x + c^2*d^2*f + a*c*d*e*g)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f)*\text{sqrt}(g/(c*d)) + (c^2*d^2*e*f^2 + 2*(4*c^2*d^3 + 3*a*c*d*e^2)*f*g + (8*a*c*d^2*e + a^2*e^3)*g^2)*x)/(e*x + d)))/(c^5*d^5*e*x^3 + a^2*c^3*d^4*e^2 + (c^5*d^6 + 2*a*c^4*d^4*e^2)*x^2 + (2*a*c^4*d^5*e + a^2*c^3*d^3*e^3)*x), 1/6*(2*(3*c^2*d^2*g^2*x^2 - 2*c^2*d^2*f^2 - 10*a*c*d*e*f*g + 15*a^2*e^2*g^2 - 2*(7*c^2*d^2*f*g - 10*a*c*d*e*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e$

$$\begin{aligned} &^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f) - 15*(a^2*c*d^2*e^2*f*g - a^3*d*e^3*g^2 \\ &+ (c^3*d^3*e*f*g - a*c^2*d^2*e^2*g^2)*x^3 + ((c^3*d^4 + 2*a*c^2*d^2*e^2)*f* \\ &g - (a*c^2*d^3*e + 2*a^2*c*d*e^3)*g^2)*x^2 + ((2*a*c^2*d^3*e + a^2*c*d*e^3) \\ &*f*g - (2*a^2*c*d^2*e^2 + a^3*e^4)*g^2)*x)*\text{sqrt}(-g/(c*d))*\text{arctan}(2*\text{sqrt}(c*d \\ &*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f)*c*d*\text{sqrt}(-g \\ &/((c*d)/(2*c*d*e*g*x^2 + c*d^2*f + a*d*e*g + (c*d*e*f + (2*c*d^2 + a*e^2)*g \\ &)*x)))/(c^5*d^5*e*x^3 + a^2*c^3*d^4*e^2 + (c^5*d^6 + 2*a*c^4*d^4*e^2)*x^2 + \\ &(2*a*c^4*d^5*e + a^2*c^3*d^3*e^3)*x) \end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 7.72Unable to transpose Error: Bad Argument Value

**maple** [B] time = 0.04, size = 652, normalized size = 2.26

---

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(5/2)\*(g\*x+f)^(5/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2),x)

[Out] 
$$\begin{aligned} &-1/6*(15*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^(1/2)*(c*d*g) \\ &)^{(1/2)})/(c*d*g)^{(1/2)}*x^2*a*c^2*d^2*e*g^3-15*\ln(1/2*(2*c*d*g*x+a*e*g+c*d* \\ &f+2*((g*x+f)*(c*d*x+a*e)))^(1/2)*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)}*x^2*c^3*d^3*f \\ &*g^2+30*a^2*c*d*e^2*g^3*x*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a \\ &e)))^(1/2)*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)}-30*a*c^2*d^2*e*f*g^2*x*\ln(1/2*(2*c \\ &*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^(1/2)*(c*d*g)^{(1/2)})/(c*d*g)^{(1/ \\ &2))+15*a^3*e^3*g^3*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^(1 \\ &/2)*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)}-15*a^2*c*d*e^2*f*g^2*\ln(1/2*(2*c*d*g*x+a* \\ &e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^(1/2)*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)}-6*((g \\ &*x+f)*(c*d*x+a*e))^(1/2)*(c*d*g)^{(1/2)}*c^2*d^2*g^2*x^2-40*(c*d*g)^{(1/2)}*((g \\ &*x+f)*(c*d*x+a*e))^(1/2)*a*c*d*e*g^2*x+28*(c*d*g)^{(1/2)}*((g*x+f)*(c*d*x+a*e \\ &))^(1/2)*c^2*d^2*f*g*x-30*((g*x+f)*(c*d*x+a*e))^(1/2)*(c*d*g)^{(1/2)}*a^2*e^2 \\ &*g^2+20*((g*x+f)*(c*d*x+a*e))^(1/2)*(c*d*g)^{(1/2)}*a*c*d*e*f*g+4*((g*x+f)*(c \\ &*d*x+a*e))^(1/2)*(c*d*g)^{(1/2)}*c^2*d^2*f^2*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d* \\ &e)^(1/2)*(g*x+f)^(1/2)/((g*x+f)*(c*d*x+a*e))^(1/2)/(c*d*x+a*e)^2/(c*d*g)^{(1/ \\ &2)/c^3/d^3/(e*x+d)^(1/2) \end{aligned}$$



**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{5}{2}}(gx + f)^{\frac{5}{2}}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(5/2)\*(g\*x + f)^(5/2)/(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^{5/2} (d + ex)^{5/2}}{(cdex^2 + (cd^2 + ae^2)x + ade)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(5/2)\*(d + e\*x)^(5/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2), x)

[Out] int(((f + g\*x)^(5/2)\*(d + e\*x)^(5/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(5/2)\*(g\*x+f)\*\*(5/2)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2),x)

[Out] Timed out

$$3.495 \quad \int \frac{(d+ex)^{5/2}(f+gx)^{3/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=219

$$\frac{2g^{3/2}\sqrt{d+ex}\sqrt{ae+cdx}\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{c^{5/2}d^{5/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2g\sqrt{d+ex}\sqrt{f+gx}}{c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}$$

**Rubi [A]** time = 0.29, antiderivative size = 219, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$ , Rules used = {866, 891, 63, 217, 206}

$$\frac{2g^{3/2}\sqrt{d+ex}\sqrt{ae+cdx}\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{c^{5/2}d^{5/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2g\sqrt{d+ex}\sqrt{f+gx}}{c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(5/2)\*(f + g\*x)^(3/2))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (-2\*(d + e\*x)^(3/2)\*(f + g\*x)^(3/2))/(3\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2) - (2\*g\*sqrt[d + e\*x]\*sqrt[f + g\*x])/(c^2\*d^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + (2\*g^(3/2)\*sqrt[a\*e + c\*d\*x]\*sqrt[d + e\*x]\*ArcTanh[(sqrt[g]\*sqrt[a\*e + c\*d\*x])/(sqrt[c]\*sqrt[d]\*sqrt[f + g\*x])])/(c^(5/2)\*d^(5/2)\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 866

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(a
+ b*x + c*x^2)^(p + 1))/(c*(p + 1)), x] - Dist[(e*g*n)/(c*(p + 1)), Int[(d
+ e*x)^(m - 1)*(f + g*x)^(n - 1)*(a + b*x + c*x^2)^(p + 1), x], x] /; Free
Q[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] &&
EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -
1] && GtQ[n, 0]
```

### Rule 891

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{5/2}(f+gx)^{3/2}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx &= -\frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} + \frac{g \int \frac{(d+ex)^{3/2}\sqrt{f+gx}}{(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} dx}{cd} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2g\sqrt{d+ex}\sqrt{f+gx}}{c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2g\sqrt{d+ex}\sqrt{f+gx}}{c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2g\sqrt{d+ex}\sqrt{f+gx}}{c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2g\sqrt{d+ex}\sqrt{f+gx}}{c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2g\sqrt{d+ex}\sqrt{f+gx}}{c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}} \\
&= -\frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3cd(ade+(cd^2+ae^2)x+cdex^2)^{3/2}} - \frac{2g\sqrt{d+ex}\sqrt{f+gx}}{c^2d^2\sqrt{ade+(cd^2+ae^2)x+cdex^2}}
\end{aligned}$$

**Mathematica [C]** time = 0.11, size = 102, normalized size = 0.47

$$\frac{2(d+ex)^{3/2}(f+gx)^{3/2} {}_2F_1\left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; \frac{g(ae+cdx)}{aeg-cdf}\right)}{3cd((d+ex)(ae+cdx))^{3/2} \left(\frac{cd(f+gx)}{cdf-aeg}\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(5/2)\*(f + g\*x)^(3/2))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (-2\*(d + e\*x)^(3/2)\*(f + g\*x)^(3/2)\*Hypergeometric2F1[-3/2, -3/2, -1/2, (g\*(a\*e + c\*d\*x))/(-c\*d\*f + a\*e\*g)]/(3\*c\*d\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*((c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g))^(3/2))

**IntegrateAlgebraic [A]** time = 2.67, size = 227, normalized size = 1.04

$$\frac{(d+ex)^{5/2}(aeg+cdgx)^{5/2} \left( \frac{2\sqrt{aeg+cd(f+gx)-cdf}(-3aeg^{5/2}\sqrt{f+gx}-4cdg^{3/2}(f+gx)^{3/2}+3cdfg^{3/2}\sqrt{f+gx})}{3c^2d^2(-aeg-cd(f+gx)+cdf)^2} - \frac{2g^{3/2}\sqrt{cd} \log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{c^3d^3} \right)}{g^{5/2} \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(5/2)\*(f + g\*x)^(3/2))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] ((d + e\*x)^(5/2)\*(a\*e\*g + c\*d\*g\*x)^(5/2)\*((2\*sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]\*(3\*c\*d\*f\*g^(3/2)\*sqrt[f + g\*x] - 3\*a\*e\*g^(5/2)\*sqrt[f + g\*x] - 4\*c\*d\*g^(3/2)\*(f + g\*x)^(3/2)))/(3\*c^2\*d^2\*(c\*d\*f - a\*e\*g - c\*d\*(f + g\*x))^2) - (2\*sqrt[c\*d]\*g^(3/2)\*Log[-(sqrt[c\*d]\*sqrt[f + g\*x]) + sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)])/(c^3\*d^3)))/(g^(5/2)\*(((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(5/2))

**fricas [A]** time = 1.13, size = 755, normalized size = 3.45

$$\frac{\sqrt{a^2d^2 + ad^2 + a^2e^2}(aeg + cdgx)^{5/2} \left( \frac{2\sqrt{aeg+cd(f+gx)-cdf}(-3aeg^{5/2}\sqrt{f+gx}-4cdg^{3/2}(f+gx)^{3/2}+3cdfg^{3/2}\sqrt{f+gx})}{3c^2d^2(-aeg-cd(f+gx)+cdf)^2} - \frac{2g^{3/2}\sqrt{cd} \log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{c^3d^3} \right)}{g^{5/2} \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="fricas")

[Out] [-1/6\*(4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(4\*c\*d\*g\*x + c\*d\*f + 3\*a\*e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) - 3\*(c^2\*d^2\*e\*g\*x^3 + a^2\*d\*e^2\*g + (c^2\*d^3 + 2\*a\*c\*d\*e^2)\*g\*x^2 + (2\*a\*c\*d^2\*e + a^2\*e^3)\*g\*x)\*sqrt(g/(c\*d))\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + 4\*(2\*c^2\*d^2\*g\*x + c^2\*d^2\*f + a\*c\*d\*e\*g)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*sqrt(g/(c\*d)) + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d)))/(c^4\*d^4\*e\*x^3 + a^2\*c^2\*d^3\*e^2 + (c^4\*d^5 + 2\*a\*c^3\*d^3\*e^2)\*x^2 + (2\*a\*c^3\*d^4\*e + a^2\*c^2\*d^2\*e^3)\*x), -1/3\*(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(4\*c\*d\*g\*x + c\*d\*f + 3\*a\*e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 3\*(c^2\*d^2\*e\*g\*x^3 + a^2\*d\*e^2\*g + (c^2\*d^3 + 2\*a\*c\*d\*e^2)\*g\*x^2 + (2\*a\*c\*d^2\*e + a^2\*e^3)\*g\*x)\*sqrt(-g/(c\*d))\*arctan(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*c\*d\*sqrt(-g/(c\*d)))/(2\*c\*d\*e\*g\*x^2 + c\*d^2\*f + a\*d\*e\*g + (c\*d\*e\*f + (2\*c\*d^2 + a\*e^2)\*g)\*x)))/(c^4\*d^4\*e\*x^3 + a^2\*c^2\*d^3\*e^2 + (c^4\*d^5 + 2\*a\*c^3\*d^3\*e^2)\*x^2 + (2\*a\*c^3\*d^4\*e + a^2\*c^2\*d^2\*e^3)\*x)]

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 5.17Unable to transpose Error: Bad Argument Value

**maple** [A] time = 0.03, size = 343, normalized size = 1.57

$$\frac{\sqrt{gx+f} \sqrt{cdex^2 + ade} \left( 3c^2 d^2 g^2 \ln \left( \frac{2adex + ag + d^2 \sqrt{(gx+f)(dx+ae)} \sqrt{cd}}{2\sqrt{cd}} \right) + 6acde g^2 \ln \left( \frac{2adex + ag + d^2 \sqrt{(gx+f)(dx+ae)} \sqrt{cd}}{2\sqrt{cd}} \right) + 3a^2 e^2 g^2 \ln \left( \frac{2adex + ag + d^2 \sqrt{(gx+f)(dx+ae)} \sqrt{cd}}{2\sqrt{cd}} \right) - 8\sqrt{cdg} \sqrt{(gx+f)(dx+ae)} cdgx - 6\sqrt{cdg} \sqrt{(gx+f)(dx+ae)} agx - 2\sqrt{cdg} \sqrt{(gx+f)(dx+ae)} cdf \right)}{3\sqrt{cdg} (cdx+ae)^2 \sqrt{(gx+f)(dx+ae)} \sqrt{cx+d} c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(5/2)\*(g\*x+f)^(3/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2),x)

[Out]  $\frac{1}{3} * (g*x+f)^{(1/2)} * (c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)} * (3*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^{(1/2)}*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)}) * x^2 * c^2 * d^2 * g^2 + 6*a*c*d*e*g^2 * x * \ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^{(1/2)}*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)} + 3*a^2 * e^2 * g^2 * \ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^{(1/2)}*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)} - 8*(c*d*g)^{(1/2)} * ((g*x+f)*(c*d*x+a*e))^{(1/2)} * c*d*g*x - 6*(c*d*g)^{(1/2)} * ((g*x+f)*(c*d*x+a*e))^{(1/2)} * a*e*g - 2*(c*d*g)^{(1/2)} * ((g*x+f)*(c*d*x+a*e))^{(1/2)} * c*d*f / (c*d*g)^{(1/2)} / (c*d*x+a*e)^2 / ((g*x+f)*(c*d*x+a*e))^{(1/2)} / d^2 / c^2 / (e*x+d)^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{5/2} (gx+f)^{3/2}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="maxima")

[Out] integrate((e\*x+d)^(5/2)\*(g\*x+f)^(3/2)/(c\*d\*e\*x^2+a\*d\*e+(c\*d^2+a\*e^2)\*x)^(5/2),x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f+gx)^{3/2} (d+ex)^{5/2}}{(cdex^2 + (cd^2 + ae^2)x + ade)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f + g*x)^(3/2)*(d + e*x)^(5/2))/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2), x)
```

```
[Out] int(((f + g*x)^(3/2)*(d + e*x)^(5/2))/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(5/2)*(g*x+f)**(3/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2), x)
```

```
[Out] Timed out
```

$$3.496 \quad \int \frac{(d+ex)^{5/2} \sqrt{f+gx}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

Optimal. Leaf size=63

$$-\frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)}$$

**Rubi [A]** time = 0.07, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.021$ , Rules used = {860}

$$-\frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(5/2)\*Sqrt[f + g\*x])/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out] (-2\*(d + e\*x)^(3/2)\*(f + g\*x)^(3/2))/(3\*(c\*d\*f - a\*e\*g)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))

Rule 860

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] :> -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]
```

Rubi steps

$$\int \frac{(d+ex)^{5/2} \sqrt{f+gx}}{(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx = -\frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3(cdf-aeg)(ade+(cd^2+ae^2)x+cdex^2)^{3/2}}$$

**Mathematica [A]** time = 0.03, size = 52, normalized size = 0.83

$$-\frac{2(d+ex)^{3/2}(f+gx)^{3/2}}{3((d+ex)(ae+cdx))^{3/2}(cdf-aeg)}$$



Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(5/2)\*Sqrt[f + g\*x])/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out]  $(-2*(d + e*x)^{(3/2)}*(f + g*x)^{(3/2)})/(3*(c*d*f - a*e*g)*((a*e + c*d*x)*(d + e*x))^{(3/2)})$

**IntegrateAlgebraic [A]** time = 1.09, size = 99, normalized size = 1.57

$$\frac{2(d + ex)^{5/2}(f + gx)^{3/2}(aeg + cdgx)^{5/2}}{3g(aeg - cdf) \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{5/2} (aeg + cd(f + gx) - cdf)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(5/2)\*Sqrt[f + g\*x])/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2), x]

[Out]  $(2*(d + e*x)^{(5/2)}*(f + g*x)^{(3/2)}*(a*e*g + c*d*g*x)^{(5/2)})/(3*g*(-(c*d*f) + a*e*g)*(((a*e*g + c*d*g*x)*(d*g + e*g*x))/g^2)^{(5/2)}*(-(c*d*f) + a*e*g + c*d*(f + g*x))^{(3/2)})$

**fricas [B]** time = 0.41, size = 193, normalized size = 3.06

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}(gx + f)^{\frac{3}{2}}}{3(a^2cd^2e^2f - a^3de^3g + (c^3d^3ef - ac^2d^2e^2g)x^3 + ((c^3d^4 + 2ac^2d^2e^2)f - (ac^2d^3e + 2a^2cde^3)g)x^2 + ((2ac^2d^3e + a^2cde^3)f - (2a^2cd^2e^2 + a^3e^4)g)x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="fricas")

[Out]  $-2/3*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*(g*x + f)^{(3/2)}/(a^2*c*d^2*e^2*f - a^3*d*e^3*g + (c^3*d^3*e*f - a*c^2*d^2*e^2*g)*x^3 + ((c^3*d^4 + 2*a*c^2*d^2*e^2)*f - (a*c^2*d^3*e + 2*a^2*c*d*e^3)*g)*x^2 + ((2*a*c^2*d^3*e + a^2*c*d*e^3)*f - (2*a^2*c*d^2*e^2 + a^3*e^4)*g)*x)$

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 3.22Unable to transpose Err  
 or: Bad Argument Value

**maple** [A] time = 0.01, size = 63, normalized size = 1.00

$$\frac{2(gx + f)^{\frac{3}{2}}(cdx + ae)(ex + d)^{\frac{5}{2}}}{3(aeg - cdf)(cde x^2 + a e^2 x + c d^2 x + ade)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(5/2)\*(g\*x+f)^(1/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2),x)

[Out] 2/3\*(g\*x+f)^(3/2)\*(c\*d\*x+a\*e)/(a\*e\*g-c\*d\*f)\*(e\*x+d)^(5/2)/(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(5/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{5}{2}} \sqrt{gx + f}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)\*(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(5/2)\*sqrt(g\*x + f)/(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2), x)

**mupad** [B] time = 4.32, size = 169, normalized size = 2.68

$$\frac{\left(\frac{2f\sqrt{f+gx}\sqrt{d+ex}}{3c^2d^2e(aeg-cdf)} + \frac{2gx\sqrt{f+gx}\sqrt{d+ex}}{3c^2d^2e(aeg-cdf)}\right) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x^3 + \frac{a^2e}{c^2d} + \frac{ax(2cd^2+ae^2)}{c^2d^2} + \frac{x^2(cd^2+2ae^2)}{cde}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(1/2)\*(d + e\*x)^(5/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2),x)

[Out] (((2\*f\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/(3\*c^2\*d^2\*e\*(a\*e\*g - c\*d\*f)) + (2\*g\*x\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/(3\*c^2\*d^2\*e\*(a\*e\*g - c\*d\*f)))\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(x^3 + (a^2\*e)/(c^2\*d) + (a\*x\*(a\*e^2 + 2\*c\*d^2))/(c^2\*d^2) + (x^2\*(2\*a\*e^2 + c\*d^2))/(c\*d\*e))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(5/2)*(g*x+f)**(1/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)  
)**(5/2),x)
```

```
[Out] Timed out
```

$$3.497 \quad \int \frac{(d+ex)^{5/2}}{\sqrt{f+gx} (ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=128

$$\frac{4g\sqrt{d+ex}\sqrt{f+gx}}{3\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^2} - \frac{2(d+ex)^{3/2}\sqrt{f+gx}}{3(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)}$$

**Rubi [A]** time = 0.14, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {868, 860}

$$\frac{4g\sqrt{d+ex}\sqrt{f+gx}}{3\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^2} - \frac{2(d+ex)^{3/2}\sqrt{f+gx}}{3(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(5/2)/(Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (-2\*(d + e\*x)^(3/2)\*Sqrt[f + g\*x])/(3\*(c\*d\*f - a\*e\*g)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) + (4\*g\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])/(3\*(c\*d\*f - a\*e\*g)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

#### Rule 860

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]
```

#### Rule 868

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(c*e*f + c*d*g - b*e*g)), x] + Dist[(e^2*g*(m - n - 2))/((p + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^(m - 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && RationalQ[n]
```

Rubi steps

$$\int \frac{(d+ex)^{5/2}}{\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}} dx = -\frac{2(d+ex)^{3/2}\sqrt{f+gx}}{3(cdf - aeg)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} - \frac{(2g) \int \frac{1}{\sqrt{f+gx}}}{3(cdf - aeg)}$$

$$= -\frac{2(d+ex)^{3/2}\sqrt{f+gx}}{3(cdf - aeg)(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} + \frac{1}{3(cdf - aeg)}$$

**Mathematica [A]** time = 0.06, size = 68, normalized size = 0.53

$$\frac{2(d+ex)^{3/2}\sqrt{f+gx}(3aeg - cd(f - 2gx))}{3((d+ex)(ae + cdex))^{3/2}(cdf - aeg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(5/2)/(Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (2\*(d + e\*x)^(3/2)\*Sqrt[f + g\*x]\*(3\*a\*e\*g - c\*d\*(f - 2\*g\*x)))/(3\*(c\*d\*f - a\*e\*g)^2\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))

**IntegrateAlgebraic [A]** time = 1.03, size = 119, normalized size = 0.93

$$\frac{2(d+ex)^{5/2}\sqrt{f+gx}(aeg + cdgx)^{5/2}(3aeg + 2cd(f+gx) - 3cdf)}{3g(cdf - aeg)^2 \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{5/2} (aeg + cd(f+gx) - cdf)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(5/2)/(Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (2\*(d + e\*x)^(5/2)\*Sqrt[f + g\*x]\*(a\*e\*g + c\*d\*g\*x)^(5/2)\*(-3\*c\*d\*f + 3\*a\*e\*g + 2\*c\*d\*(f + g\*x)))/(3\*g\*(c\*d\*f - a\*e\*g)^2\*((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(5/2)\*(-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x))^(3/2))

**fricas [B]** time = 0.45, size = 318, normalized size = 2.48

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(2cdgx - cdf + 3aeg)\sqrt{ex + d}\sqrt{gx + f}}{3(a^2c^2d^3e^2f^2 - 2a^2cd^2e^2fg + a^2de^4g^2 + (c^4d^4e^2 - 2ac^3d^2e^2fg + a^2c^2d^2e^2g^2)x^3 + ((c^4d^3 + 2ac^3d^2e^2)f^2 - 2(ac^4d^4e + 2a^2c^2d^2e^2)fg + (a^2c^2d^3e^2 + 2a^2cde^4)g^2)x^2 + ((2ac^3d^4e + a^2c^2d^2e^2)f^2 - 2(2a^2c^2d^3e^2 + a^2cde^4)fg + (2a^2cd^2e^3 + a^4e^5)g^2)x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="fricas")

[Out] 2/3\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x - c\*d\*f + 3\*a\*e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(a^2\*c^2\*d^3\*e^2\*f^2 - 2\*a^3\*c\*d^2\*e^3\*f\*g + a^4\*d\*e^4\*g^2 + (c^4\*d^4\*e\*f^2 - 2\*a\*c^3\*d^3\*e^2\*f\*g + a^2\*c^2\*d^2\*e^3\*g^2)\*x^3 + ((c^4\*d^5 + 2\*a\*c^3\*d^3\*e^2)\*f^2 - 2\*(a\*c^3\*d^4\*e + 2\*a^2\*c^2\*d^2\*e^3)\*f\*g + (a^2\*c^2\*d^3\*e^2 + 2\*a^3\*c\*d\*e^4)\*g^2)\*x^2 + ((2\*a\*c^3\*d^4\*e + a^2\*c^2\*d^2\*e^3)\*f^2 - 2\*(2\*a^2\*c^2\*d^3\*e^2 + a^3\*c\*d\*e^4)\*f\*g + (2\*a^3\*c\*d^2\*e^3 + a^4\*e^5)\*g^2)\*x)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 99, normalized size = 0.77

$$\frac{2\sqrt{gx+f} (cdx+ae) (2cdgx+3aeg-cdf) (ex+d)^{\frac{5}{2}}}{3(a^2e^2g^2-2acdefg+f^2c^2d^2) (cde x^2+ae^2x+cd^2x+ade)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(5/2)/(g\*x+f)^(1/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2),x)

[Out] 2/3\*(g\*x+f)^(1/2)\*(c\*d\*x+a\*e)\*(2\*c\*d\*g\*x+3\*a\*e\*g-c\*d\*f)\*(e\*x+d)^(5/2)/(a^2\*e^2\*g^2-2\*a\*c\*d\*e\*f\*g+c^2\*d^2\*f^2)/(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(5/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{\frac{5}{2}}}{(cdex^2+ade+(cd^2+ae^2)x)^{\frac{5}{2}}\sqrt{gx+f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)^(1/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(5/2)/((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)\*sqrt(g\*x + f)), x)

**mupad [B]** time = 5.06, size = 246, normalized size = 1.92

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{4g^2x^2\sqrt{d+ex}}{3cde(aeg-cdf)^2} - \frac{(2cdf^2-6aefg)\sqrt{d+ex}}{3c^2d^2e(aeg-cdf)^2} + \frac{x(6aeg^2+2cdfg)\sqrt{d+ex}}{3c^2d^2e(aeg-cdf)^2} \right)}{x^3\sqrt{f+gx} + \frac{a^2e\sqrt{f+gx}}{c^2d} + \frac{x^2\sqrt{f+gx}(cd^2+2ae^2)}{cde} + \frac{ax\sqrt{f+gx}(2cd^2+ae^2)}{c^2d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(5/2)/((f + g\*x)^(1/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)), x)

[Out] ((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)\*((4\*g^2\*x^2\*(d + e\*x)^(1/2))/(3\*c\*d\*e\*(a\*e\*g - c\*d\*f)^2) - ((2\*c\*d\*f^2 - 6\*a\*e\*f\*g)\*(d + e\*x)^(1/2))/(3\*c^2\*d^2\*e\*(a\*e\*g - c\*d\*f)^2) + (x\*(6\*a\*e\*g^2 + 2\*c\*d\*f\*g)\*(d + e\*x)^(1/2))/(3\*c^2\*d^2\*e\*(a\*e\*g - c\*d\*f)^2)))/(x^3\*(f + g\*x)^(1/2) + (a^2\*e\*(f + g\*x)^(1/2))/(c^2\*d) + (x^2\*(f + g\*x)^(1/2)\*(2\*a\*e^2 + c\*d^2))/(c\*d\*e) + (a\*x\*(f + g\*x)^(1/2)\*(a\*e^2 + 2\*c\*d^2))/(c^2\*d^2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(5/2)/(g\*x+f)\*\*(1/2)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2), x)

[Out] Timed out

$$3.498 \quad \int \frac{(d+ex)^{5/2}}{(f+gx)^{3/2}(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=194

$$\frac{16g^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^3} + \frac{8g\sqrt{d+ex}}{3\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^2} - \frac{2(d+ex)^{3/2}}{3\sqrt{f+gx}(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)}$$

**Rubi [A]** time = 0.22, antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {868, 860}

$$\frac{16g^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^3} + \frac{8g\sqrt{d+ex}}{3\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^2} - \frac{2(d+ex)^{3/2}}{3\sqrt{f+gx}(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(5/2)/((f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (-2\*(d + e\*x)^(3/2))/(3\*(c\*d\*f - a\*e\*g)\*Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) + (8\*g\*Sqrt[d + e\*x])/(3\*(c\*d\*f - a\*e\*g)^2\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + (16\*g^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*(c\*d\*f - a\*e\*g)^3\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])

**Rule 860**

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

**Rule 868**

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] + Dist[(e^2\*g\*(m - n - 2))/((p + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && Rational



Q[n]

Rubi steps

$$\int \frac{(d+ex)^{5/2}}{(f+gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}} dx = -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} -$$

$$= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} +$$

$$= -\frac{2(d+ex)^{3/2}}{3(cdf - aeg)\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} +$$

**Mathematica [A]** time = 0.07, size = 103, normalized size = 0.53

$$\frac{2(d+ex)^{3/2} (3a^2e^2g^2 + 6acdeg(f+2gx) + c^2d^2(-f^2 + 4fgx + 8g^2x^2))}{3\sqrt{f+gx} ((d+ex)(ae+cdx))^{3/2} (cdf - aeg)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(5/2)/((f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (2\*(d + e\*x)^(3/2)\*(3\*a^2\*e^2\*g^2 + 6\*a\*c\*d\*e\*g\*(f + 2\*g\*x) + c^2\*d^2\*(-f^2 + 4\*f\*g\*x + 8\*g^2\*x^2)))/(3\*(c\*d\*f - a\*e\*g)^3\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 1.20, size = 198, normalized size = 1.02

$$\frac{2(d+ex)^{5/2}(aeg + cdgx)^{5/2} (3a^2e^2g^{7/2} + 12acdeg^{5/2}(f+gx) - 6acdefg^{5/2} + 3c^2d^2f^2g^{3/2} + 8c^2d^2g^{3/2}(f+gx)^2 - 12c^2d^2fg^{3/2}(f+gx))}{3g^{5/2}\sqrt{f+gx} (cdf - aeg)^3 \left(\frac{(dg+egx)(aeg+cdgx)}{g^2}\right)^{5/2} (aeg + cd(f+gx) - cdf)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(5/2)/((f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (2\*(d + e\*x)^(5/2)\*(a\*e\*g + c\*d\*g\*x)^(5/2)\*(3\*c^2\*d^2\*f^2\*g^(3/2) - 6\*a\*c\*d\*e\*f\*g^(5/2) + 3\*a^2\*e^2\*g^(7/2) - 12\*c^2\*d^2\*f\*g^(3/2)\*(f + g\*x) + 12\*a\*c\*

$$d*e*g^{(5/2)*(f + g*x) + 8*c^2*d^2*g^{(3/2)*(f + g*x)^2}}/(3*g^{(5/2)*(c*d*f - a*e*g)^3*\text{sqrt}[f + g*x]*((a*e*g + c*d*g*x)*(d*g + e*g*x))/g^2)^{(5/2)*(-(c*d*f) + a*e*g + c*d*(f + g*x))^{(3/2)}}$$

**fricas** [B] time = 0.45, size = 667, normalized size = 3.44

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="fricas")

[Out] 
$$\frac{2/3*(8*c^2*d^2*g^2*x^2 - c^2*d^2*f^2 + 6*a*c*d*e*f*g + 3*a^2*e^2*g^2 + 4*(c^2*d^2*f*g + 3*a*c*d*e*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f)/(a^2*c^3*d^4*e^2*f^4 - 3*a^3*c^2*d^3*e^3*f^3*g + 3*a^4*c*d^2*e^4*f^2*g^2 - a^5*d*e^5*f*g^3 + (c^5*d^5*e*f^3*g - 3*a*c^4*d^4*e^2*f^2*g^2 + 3*a^2*c^3*d^3*e^3*f*g^3 - a^3*c^2*d^2*e^4*g^4)*x^4 + (c^5*d^5*e*f^4 + (c^5*d^6 - a*c^4*d^4*e^2)*f^3*g - 3*(a*c^4*d^5*e + a^2*c^3*d^3*e^3)*f^2*g^2 + (3*a^2*c^3*d^4*e^2 + 5*a^3*c^2*d^2*e^4)*f*g^3 - (a^3*c^2*d^3*e^3 + 2*a^4*c*d*e^5)*g^4)*x^3 + ((c^5*d^6 + 2*a*c^4*d^4*e^2)*f^4 - (a*c^4*d^5*e + 5*a^2*c^3*d^3*e^3)*f^3*g - 3*(a^2*c^3*d^4*e^2 - a^3*c^2*d^2*e^4)*f^2*g^2 + (5*a^3*c^2*d^3*e^3 + a^4*c*d*e^5)*f*g^3 - (2*a^4*c*d^2*e^4 + a^5*e^6)*g^4)*x^2 - (a^5*d*e^5*g^4 - (2*a*c^4*d^5*e + a^2*c^3*d^3*e^3)*f^4 + (5*a^2*c^3*d^4*e^2 + 3*a^3*c^2*d^2*e^4)*f^3*g - 3*(a^3*c^2*d^3*e^3 + a^4*c*d*e^5)*f^2*g^2 - (a^4*c*d^2*e^4 - a^5*e^6)*f*g^3)*x}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 169, normalized size = 0.87

$$\frac{2(cdx + ae) \left( 8g^2x^2c^2d^2 + 12acde g^2x + 4c^2d^2fgx + 3a^2e^2g^2 + 6acdefg - f^2c^2d^2 \right) (ex + d)^{\frac{5}{2}}}{3\sqrt{gx + f} \left( a^3e^3g^3 - 3a^2cde^2fg^2 + 3ac^2d^2ef^2g - f^3c^3d^3 \right) \left( cde x^2 + ae^2x + cd^2x + ade \right)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(5/2)/(g\*x+f)^(3/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2),x)

[Out] 
$$-2/3*(c*d*x+a*e)*(8*c^2*d^2*g^2*x^2+12*a*c*d*e*g^2*x+4*c^2*d^2*f*g*x+3*a^2*e^2*g^2+6*a*c*d*e*f*g-c^2*d^2*f^2)*(e*x+d)^{(5/2)}/(g*x+f)^{(1/2)}/(a^3*e^3*g^3-3*a^2*c*d*e^2*f*g^2+3*a*c^2*d^2*e*f^2*g-c^3*d^3*f^3)/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(5/2)}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{5}{2}}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}(gx + f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(5/2)/(g*x+f)^(3/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2),x, algorithm="maxima")`

[Out] `integrate((e*x + d)^(5/2)/((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(5/2)*(g*x + f)^(3/2)), x)`

**mupad** [B] time = 5.28, size = 255, normalized size = 1.31

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{16g^2x^2\sqrt{d+ex}}{3e(aeg-cdf)^3} + \frac{\sqrt{d+ex}(6a^2e^2g^2+12acdefg-2c^2d^2f^2)}{3c^2d^2e(aeg-cdf)^3} + \frac{8gx(3aeg+cdf)\sqrt{d+ex}}{3cde(aeg-cdf)^3} \right)}{x^3\sqrt{f+gx} + \frac{a^2e\sqrt{f+gx}}{c^2d} + \frac{x^2\sqrt{f+gx}(cd^2+2ae^2)}{cde} + \frac{ax\sqrt{f+gx}(2cd^2+ae^2)}{c^2d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^(5/2)/((f + g*x)^(3/2)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)),x)`

[Out] 
$$-\left(\frac{(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}*((16*g^2*x^2*(d + e*x)^{(1/2)})/(3*e*(a*e*g - c*d*f)^3) + ((d + e*x)^{(1/2)}*(6*a^2*e^2*g^2 - 2*c^2*d^2*f^2 + 12*a*c*d*e*f*g))/(3*c^2*d^2*e*(a*e*g - c*d*f)^3) + (8*g*x*(3*a*e*g + c*d*f)*(d + e*x)^{(1/2)})/(3*c*d*e*(a*e*g - c*d*f)^3)}{(x^3*(f + g*x)^{(1/2)} + (a^2*e*(f + g*x)^{(1/2)})/(c^2*d) + (x^2*(f + g*x)^{(1/2)}*(2*a*e^2 + c*d^2))/(c*d*e) + (a*x*(f + g*x)^{(1/2)}*(a*e^2 + 2*c*d^2))/(c^2*d^2)}\right)$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(5/2)/(g*x+f)**(3/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2),x)`

[Out] Timed out

$$3.499 \quad \int \frac{(d+ex)^{5/2}}{(f+gx)^{5/2}(ade+(cd^2+ae^2)x+cdex^2)^{5/2}} dx$$

**Optimal.** Leaf size=260

$$\frac{32cdg^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^4} + \frac{16g^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}(f+gx)^{3/2}(cdf-aeg)^3} + \frac{4g\sqrt{d+ex}}{(f+gx)^{3/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

**Rubi [A]** time = 0.31, antiderivative size = 260, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {868, 872, 860}

$$\frac{32cdg^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}\sqrt{f+gx}(cdf-aeg)^4} + \frac{16g^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3\sqrt{d+ex}(f+gx)^{3/2}(cdf-aeg)^3} + \frac{4g\sqrt{d+ex}}{(f+gx)^{3/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2(d+ex)^{3/2}}{3(f+gx)^{3/2}(x(ae^2+cd^2)+ade+cdex^2)^{3/2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(5/2)/((f + g\*x)^(5/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

[Out] (-2\*(d + e\*x)^(3/2))/(3\*(c\*d\*f - a\*e\*g)\*(f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)) + (4\*g\*sqrt[d + e\*x])/((c\*d\*f - a\*e\*g)^2\*(f + g\*x)^(3/2)\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]) + (16\*g^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((3\*(c\*d\*f - a\*e\*g)^3\*sqrt[d + e\*x]\*(f + g\*x)^(3/2)) + (32\*c\*d\*g^2\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]))/(3\*(c\*d\*f - a\*e\*g)^4\*sqrt[d + e\*x]\*sqrt[f + g\*x])

### Rule 860

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]
```

### Rule 868

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(c*e*f + c*d*g - b*e*g)), x] + Dist[(e^2*g*(m - n - 2))/((p + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^(m - 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b
```

$d*e + a*e^2, 0]$  && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[p, -1] && RationalQ[n]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

### Rubi steps

$$\begin{aligned} \int \frac{(d + ex)^{5/2}}{(f + gx)^{5/2} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}} dx &= -\frac{2(d + ex)^{3/2}}{3(cdf - aeg)(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} \\ &= -\frac{2(d + ex)^{3/2}}{3(cdf - aeg)(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} \\ &= -\frac{2(d + ex)^{3/2}}{3(cdf - aeg)(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} \\ &= -\frac{2(d + ex)^{3/2}}{3(cdf - aeg)(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 152, normalized size = 0.58

$$\frac{2(d + ex)^{3/2} (-a^3e^3g^3 + 3a^2cde^2g^2(3f + 2gx) + 3ac^2d^2eg(3f^2 + 12fgx + 8g^2x^2) + c^3d^3(-f^3 + 6f^2gx + 24fg^2x^2 + 16g^3x^3))}{3(f + gx)^{3/2}(d + ex)(ae + cdx)^{3/2}(cdf - aeg)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(5/2)/((f + g\*x)^(5/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)), x]

```
[Out] (2*(d + e*x)^(3/2)*(-(a^3*e^3*g^3) + 3*a^2*c*d*e^2*g^2*(3*f + 2*g*x) + 3*a*c^2*d^2*e*g*(3*f^2 + 12*f*g*x + 8*g^2*x^2) + c^3*d^3*(-f^3 + 6*f^2*g*x + 24*f*g^2*x^2 + 16*g^3*x^3)))/(3*(c*d*f - a*e*g)^4*((a*e + c*d*x)*(d + e*x))^(3/2)*(f + g*x)^(3/2))
```

**IntegrateAlgebraic [F]** time = 180.09, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(d + e*x)^(5/2)/((f + g*x)^(5/2)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)),x]
```

[Out] \$Aborted

**fricas [B]** time = 0.51, size = 1065, normalized size = 4.10

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(5/2)/(g*x+f)^(5/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2),x, algorithm="fricas")
```

```
[Out] 2/3*(16*c^3*d^3*g^3*x^3 - c^3*d^3*f^3 + 9*a*c^2*d^2*e*f^2*g + 9*a^2*c*d*e^2*f*g^2 - a^3*e^3*g^3 + 24*(c^3*d^3*f*g^2 + a*c^2*d^2*e*g^3)*x^2 + 6*(c^3*d^3*f^2*g + 6*a*c^2*d^2*e*f*g^2 + a^2*c*d*e^2*g^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)*sqrt(g*x + f)/(a^2*c^4*d^5*e^2*f^6 - 4*a^3*c^3*d^4*e^3*f^5*g + 6*a^4*c^2*d^3*e^4*f^4*g^2 - 4*a^5*c*d^2*e^5*f^3*g^3 + a^6*d*e^6*f^2*g^4 + (c^6*d^6*e*f^4*g^2 - 4*a*c^5*d^5*e^2*f^3*g^3 + 6*a^2*c^4*d^4*e^3*f^2*g^4 - 4*a^3*c^3*d^3*e^4*f*g^5 + a^4*c^2*d^2*e^5*g^6)*x^5 + (2*c^6*d^6*e*f^5*g + (c^6*d^7 - 6*a*c^5*d^5*e^2)*f^4*g^2 - 4*(a*c^5*d^6*e - a^2*c^4*d^4*e^3)*f^3*g^3 + 2*(3*a^2*c^4*d^5*e^2 + 2*a^3*c^3*d^3*e^4)*f^2*g^4 - 2*(2*a^3*c^3*d^4*e^3 + 3*a^4*c^2*d^2*e^5)*f*g^5 + (a^4*c^2*d^3*e^4 + 2*a^5*c*d*e^6)*g^6)*x^4 + (c^6*d^6*e*f^6 + 2*c^6*d^7*f^5*g - 6*a^4*c^2*d^3*e^4*f*g^5 - 3*(2*a*c^5*d^6*e + 3*a^2*c^4*d^4*e^3)*f^4*g^2 + 4*(a^2*c^4*d^5*e^2 + 4*a^3*c^3*d^3*e^4)*f^3*g^3 + (4*a^3*c^3*d^4*e^3 - 9*a^4*c^2*d^2*e^5)*f^2*g^4 + (2*a^5*c*d^2*e^5 + a^6*e^7)*g^6)*x^3 - (6*a^2*c^4*d^4*e^3*f^5*g - 2*a^6*e^7*f*g^5 - a^6*d*e^6*g^6 - (c^6*d^7 + 2*a*c^5*d^5*e^2)*f^6 + (9*a^2*c^4*d^5*e^2 - 4*a^3*c^3*d^3*e^4)*f^4*g^2 - 4*(4*a^3*c^3*d^4*e^3 + a^4*c^2*d^2*e^5)*f^3*g^3 + 3*(3*a^4*c^2*d^3*e^4 + 2*a^5*c*d*e^6)*f^2*g^4)*x^2 + (2*a^6*d*e^6*f*g^5 + (2*a*c^5*d^6*e + a^2*c^4*d^4*e^3)*f^6 - 2*(3*a^2*c^4*d^5*e^2 + 2*a^3*c^3*d^3*e^4)*f^5*g + 2*(2*a^3*c^3*d^4*e^3 + 3*a^4*c^2*d^2*e^5)*f^4*g^2 + 4*(a^4*c^2*d^3*e^4 - a^5*c*d*e^6)*f^3*g^3 - (6*a^5*c*d^2*e^5 - a^6*e^7)*f^2*g^4)*x)
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 258, normalized size = 0.99

$$\frac{2(cdx + ae)(-16g^3x^3c^3d^3 - 24a^2c^2d^2eg^3x^2 - 24c^3d^3fg^2x^2 - 6a^2cd^2e^2g^3x - 36a^2c^2d^2efg^2x - 6c^3d^3f^2gx + a^3e^3g^3 - 9a^2cd^2efg^2 - 9a^2c^2d^2ef^2g + f^3c^3d^3)(ex + d)^{\frac{5}{2}}}{3(gx + f)^{\frac{3}{2}}(g^4e^4a^4 - 4a^3cd^3efg^3 + 6a^2c^2d^2e^2f^2g^2 - 4ac^3d^3ef^3g + f^4c^4d^4)(cde x^2 + a e^2 x + c d^2 x + ade)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(5/2)/(g\*x+f)^(5/2)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2),x)

[Out] 
$$-2/3*(c*d*x+a*e)*(-16*c^3*d^3*g^3*x^3-24*a*c^2*d^2*e*g^3*x^2-24*c^3*d^3*f*g^2*x^2-6*a^2*c*d*e^2*g^3*x-36*a*c^2*d^2*e*f*g^2*x-6*c^3*d^3*f^2*g*x+a^3*e^3*g^3-9*a^2*c*d*e^2*f*g^2-9*a*c^2*d^2*e*f^2*g+c^3*d^3*f^3)*(e*x+d)^(5/2)/(g*x+f)^(3/2)/(a^4*e^4*g^4-4*a^3*c*d*e^3*f*g^3+6*a^2*c^2*d^2*e^2*f^2*g^2-4*a*c^3*d^3*e*f^3*g+c^4*d^4*f^4)/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(5/2)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{5}{2}}}{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}(gx + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(5/2)/(g\*x+f)^(5/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(5/2)/((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)\*(g\*x + f)^(5/2)), x)

**mupad** [B] time = 5.86, size = 416, normalized size = 1.60

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{16gx^2(aeg+cdf)\sqrt{d+ex}}{e(aeg-cdf)^4} - \frac{\sqrt{d+ex}(2a^3e^3g^3-18a^2cd^2efg^2-18a^2c^2d^2ef^2g+2c^3d^3f^3)}{3c^2d^2eg(aeg-cdf)^4} + \frac{32cdg^2x^3\sqrt{d+ex}}{3e(aeg-cdf)^4} + \frac{4x\sqrt{d+ex}(a^2e^2g^2+6acdefg+c^2d^2f^2)}{cde(aeg-cdf)^4} \right)}{x^4\sqrt{f+gx} + \frac{x^2\sqrt{f+gx}(g^2e^3+2gac^2d^2e+2facd^2e+f^2d^3)}{c^2d^2eg} + \frac{ax\sqrt{f+gx}(2cf^2d^2+agde+af^2)}{c^2d^2g} + \frac{a^2ef\sqrt{f+gx}}{c^2dg} + \frac{x^3\sqrt{f+gx}(cgd^2+cfd^2e+2ag^2e)}{cdeg}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x)^(5/2)/((f + g*x)^(5/2)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)),x)
```

```
[Out] ((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)*((16*g*x^2*(a*e*g + c*d*f)*(d + e*x)^(1/2))/(e*(a*e*g - c*d*f)^4) - ((d + e*x)^(1/2)*(2*a^3*e^3*g^3 + 2*c^3*d^3*f^3 - 18*a*c^2*d^2*e*f^2*g - 18*a^2*c*d*e^2*f*g^2))/(3*c^2*d^2*e*g*(a*e*g - c*d*f)^4) + (32*c*d*g^2*x^3*(d + e*x)^(1/2))/(3*e*(a*e*g - c*d*f)^4) + (4*x*(d + e*x)^(1/2)*(a^2*e^2*g^2 + c^2*d^2*f^2 + 6*a*c*d*e*f*g))/(c*d*e*(a*e*g - c*d*f)^4))/(x^4*(f + g*x)^(1/2) + (x^2*(f + g*x)^(1/2)*(a^2*e^3*g + c^2*d^3*f + 2*a*c*d*e^2*f + 2*a*c*d^2*e*g))/(c^2*d^2*e*g) + (a*x*(f + g*x)^(1/2)*(a*e^2*f + 2*c*d^2*f + a*d*e*g))/(c^2*d^2*g) + (a^2*e*f*(f + g*x)^(1/2))/(c^2*d*g) + (x^3*(f + g*x)^(1/2)*(2*a*e^2*g + c*d^2*g + c*d*e*f))/(c*d*e*g))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(5/2)/(g*x+f)**(5/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2),x)
```

```
[Out] Timed out
```



$$3.500 \quad \int \frac{(f+gx)^{5/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=385

$$\frac{5\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^4 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right) 5\sqrt{f+gx} \sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf - aeg)^3}{64c^{7/2}d^{7/2}g^{3/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2} 64c^3d^3g\sqrt{d+ex}}$$

**Rubi [A]** time = 0.72, antiderivative size = 385, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {864, 870, 891, 63, 217, 206}

$$\frac{5\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^4 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{64c^{7/2}d^{7/2}g^{3/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{5\sqrt{f+gx} \sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf - aeg)^3}{64c^3d^3g\sqrt{d+ex}} - \frac{5(f+gx)^{3/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf - aeg)^2}{96c^2d^2g\sqrt{d+ex}} + \frac{(f+gx)^{5/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4g\sqrt{d+ex}} + \frac{(f+gx)^{7/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2} \left(\frac{d}{a} - \frac{f}{g}\right)}{24\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] (-5\*(c\*d\*f - a\*e\*g)^3\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(64\*c^3\*d^3\*g\*Sqrt[d + e\*x]) - (5\*(c\*d\*f - a\*e\*g)^2\*(f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(96\*c^2\*d^2\*g\*Sqrt[d + e\*x]) + (((a\*e)/(c\*d) - f/g)\*(f + g\*x)^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(24\*Sqrt[d + e\*x]) + ((f + g\*x)^(7/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*g\*Sqrt[d + e\*x]) - (5\*(c\*d\*f - a\*e\*g)^4\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(64\*c^(7/2)\*d^(7/2)\*g^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 864

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && N
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]
```

Rule 870

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

Rule 891

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}} dx &= \frac{(f + gx)^{7/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g\sqrt{d + ex}} - \frac{(cdf - aeg) \int \frac{1}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx}{4g} \\
&= \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) (f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24\sqrt{d + ex}} + \frac{(f + gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{24g\sqrt{d + ex}} \\
&= -\frac{5(cdf - aeg)^2 (f + gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{96c^2d^2g\sqrt{d + ex}} + \frac{(f + gx)^{1/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{96cd^2g\sqrt{d + ex}} \\
&= -\frac{5(cdf - aeg)^3 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64c^3d^3g\sqrt{d + ex}} - \frac{5(cdf - aeg)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cd^2g\sqrt{d + ex}} \\
&= -\frac{5(cdf - aeg)^3 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64c^3d^3g\sqrt{d + ex}} - \frac{5(cdf - aeg)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cd^2g\sqrt{d + ex}} \\
&= -\frac{5(cdf - aeg)^3 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64c^3d^3g\sqrt{d + ex}} - \frac{5(cdf - aeg)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cd^2g\sqrt{d + ex}} \\
&= -\frac{5(cdf - aeg)^3 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64c^3d^3g\sqrt{d + ex}} - \frac{5(cdf - aeg)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cd^2g\sqrt{d + ex}} \\
&= -\frac{5(cdf - aeg)^3 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64c^3d^3g\sqrt{d + ex}} - \frac{5(cdf - aeg)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cd^2g\sqrt{d + ex}} \\
&= -\frac{5(cdf - aeg)^3 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64c^3d^3g\sqrt{d + ex}} - \frac{5(cdf - aeg)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cd^2g\sqrt{d + ex}}
\end{aligned}$$

**Mathematica [A]** time = 1.16, size = 300, normalized size = 0.78

$$\frac{\sqrt{cd}\sqrt{d+ex} \left( \sqrt{c}\sqrt{d}\sqrt{g}\sqrt{cd}(f+gx)(ae+cdx) (15a^3c^3g^3 - 5a^2cd^2g^2(11f+2gx) + a^2d^2eg(73f^2 + 36fgx + 8g^2x^2) + c^3d^3(15f^3 + 118f^2gx + 136fg^2x^2 + 48g^3x^3)) - 15\sqrt{ae+cdx}(cdf - aeg)^{3/2} \sqrt{\frac{cd(f+gx)}{cd-f-ae}} \sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cd-f-ae}}\right) \right)}{192c^{3/2}d^{3/2}g^{3/2}\sqrt{f+gx}\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out]  $(\sqrt{c*d}*\sqrt{d+e*x}*(\sqrt{c}*\sqrt{d}*\sqrt{c*d}*\sqrt{g}*(a*e+c*d*x))*(f+g*x)*(15*a^3*e^3*g^3-5*a^2*c*d*e^2*g^2*(11*f+2*g*x)+a*c^2*d^2*e*g*(73*f^2+36*f*g*x+8*g^2*x^2)+c^3*d^3*(15*f^3+118*f^2*g*x+136*f*g^2*x^2+48*g^3*x^3))-15*(c*d*f-a*e*g)^{(9/2)}*\sqrt{a*e+c*d*x}*\sqrt{(c*d*(f+g*x))/(c*d*f-a*e*g)}*\text{ArcSinh}[(\sqrt{c}*\sqrt{d}*\sqrt{g}*\sqrt{a*e+c*d*x})/(\sqrt{c*d}*\sqrt{c*d*f-a*e*g})])/(192*c^{(9/2)}*d^{(9/2)}*g^{(3/2)}*\sqrt{(a*e+c*d*x)*(d+e*x)}*\sqrt{f+g*x})$

**IntegrateAlgebraic [A]** time = 8.58, size = 259, normalized size = 0.67

$$\frac{\sqrt{d+ex}\sqrt{ae+cdx}\left(\frac{\sqrt{ae+cdx}(cdf-ae g)^4\left(\frac{73c^2d^2g(ae+cdx)}{f+gx}+\frac{15g^3(ae+cdx)^3}{(f+gx)^3}-\frac{55cdg^2(ae+cdx)^2}{(f+gx)^2}+15c^3d^3\right)}{192c^3d^3g\sqrt{f+gx}\left(cd-\frac{g(ae+cdx)}{f+gx}\right)^4}-\frac{5(cdf-ae g)^4\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{64c^{7/2}d^{7/2}g^{3/2}}\right)}{\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic(((f+g\*x)^(5/2)\*sqrt[a\*d\*e+(c\*d^2+a\*e^2)\*x+c\*d\*e\*x^2])/sqrt[d+e\*x],x)

[Out]  $(\sqrt{a*e+c*d*x}*\sqrt{d+e*x}*((c*d*f-a*e*g)^4*\sqrt{a*e+c*d*x}*(15*c^3*d^3+(15*g^3*(a*e+c*d*x)^3)/(f+g*x)^3-(55*c*d*g^2*(a*e+c*d*x)^2)/(f+g*x)^2+(73*c^2*d^2*g*(a*e+c*d*x))/(f+g*x)))/(192*c^3*d^3*g*\sqrt{f+g*x}*(c*d-(g*(a*e+c*d*x))/(f+g*x))^4)-(5*(c*d*f-a*e*g)^4*\text{ArcTan}h[(\sqrt{g}*\sqrt{a*e+c*d*x})/(\sqrt{c}*\sqrt{d}*\sqrt{f+g*x})])/(64*c^{(7/2)}*d^{(7/2)}*g^{(3/2)})/sqrt[(a*e+c*d*x)*(d+e*x)]$

**fricas [A]** time = 2.69, size = 1065, normalized size = 2.77

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(5/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out]  $[1/768*(4*(48*c^4*d^4*g^4*x^3+15*c^4*d^4*f^3*g+73*a*c^3*d^3*e*f^2*g^2-55*a^2*c^2*d^2*e^2*f*g^3+15*a^3*c*d*e^3*g^4+8*(17*c^4*d^4*f*g^3+a*c^3*d^3*e*g^4)*x^2+2*(59*c^4*d^4*f^2*g^2+18*a*c^3*d^3*e*f*g^3-5*a^2*c^2*d^2*e^2*g^4)*x)*\sqrt{c*d*e*x^2+a*d*e+(c*d^2+a*e^2)*x}*\sqrt{e*x+d}*\sqrt{g*x+f}+15*(c^4*d^5*f^4-4*a*c^3*d^4*e*f^3*g+6*a^2*c^2*d^3*e^2*f^2*g^2-4*a^3*c*d^2*e^3*f*g^3+a^4*d*e^4*g^4+(c^4*d^4*e*f^4-4*a*c^3*d^3*e^2*f^3*g+6*a^2*c^2*d^2*e^3*f^2*g^2-4*a^3*c*d*e^4*f*g^3+a^4*e^5*g^4)*x)*\sqrt{c*d*g}*\log(-(8*c^2*d^2*e*g^2*x^3+c^2*d^3*f^2+6*a*c*d^2*e*f*g+a^2*d*e^2*g^2-4*\sqrt{c*d*e*x^2+a*d*e+(c*d^2+a*e^2)*x}*(2*c*d*g*x+c*d*f+a*e*g)*\sqrt{c*d*g}*\sqrt{e*x+d}*\sqrt{g*x+f}+8*(c^2*d^2*e*f*g+(c^2*d^3+a*c*d*e^2)*g^2)*x^2+(c^2*d^2*e*f^2+2*(4*c^2*d^3+3*a*c$

$$d^2e^2)fg + (8acd^2e + a^2e^3)g^2x)/(ex + d))/(c^4d^4e^2g^2x + c^4d^5g^2), 1/384*(2*(48c^4d^4g^4x^3 + 15c^4d^4f^3g + 73a^3c^3d^3e^2f^2g^2 - 55a^2c^2d^2e^2fg^3 + 15a^3cd^3e^3g^4 + 8*(17c^4d^4f^2g^3 + ac^3d^3e^4)g^4)x^2 + 2*(59c^4d^4f^2g^2 + 18a^3c^3d^3e^2fg^3 - 5a^2c^2d^2e^2g^4)x)*sqrt(cd^2ex^2 + ade + (cd^2 + ae^2)x)*sqrt(ex + d)*sqrt(gx + f) + 15*(c^4d^5f^4 - 4a^3c^3d^4e^2fg^3 + 6a^2c^2d^3e^2f^2g^2 - 4a^3cd^2e^3fg^3 + a^4d^4e^4g^4 + (c^4d^4e^2f^4 - 4a^3c^3d^3e^2f^3g + 6a^2c^2d^2e^3f^2g^2 - 4a^3cd^2e^4fg^3 + a^4e^5g^4)x)*sqrt(-cdg)*arctan(2*sqrt(cd^2ex^2 + ade + (cd^2 + ae^2)x)*sqrt(-cdg)*sqrt(ex + d)*sqrt(gx + f)/(2cd^2ex^2 + cd^2f + adeg + (cd^2 + ae^2)g)x))/(c^4d^4e^2g^2x + c^4d^5g^2)]$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(5/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.03, size = 870, normalized size = 2.26

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^(5/2)\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(e\*x+d)^(1/2),x)

[Out] 
$$\begin{aligned} & -1/384*(g*x+f)^{(1/2)}*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}*(-96*x^3*c^3*d^3*g^3*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)}+15*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2)}) \\ & *a^4*e^4*g^4-60*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2)}) \\ & *a^3*c*d^3*f*g^3+90*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2)}) \\ & *a^2*c^2*d^2*e^2*f^2*g^2-60*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2)}) \\ & *a^3*c^3*d^3*e^3*f*g^3+15*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2)}) \\ & *c^4*d^4*f^4-16*x^2*a^2*c^2*d^2*e^2*f^2*g^2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)}-272*x^2*c^3*d^3*f*g^2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)}+20*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*x*a^2*c*d^2*e^2*g^3-72*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*x*a^2*c^2*d^2*e^2*f*g^2- \end{aligned}$$

$$236*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*x*c^3*d^3*f^2*g-30*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a^3*e^3*g^3+110*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a^2*c*d*e^2*f*g^2-146*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a*c^2*d^2*e*f^2*g-30*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*c^3*d^3*f^3)/(e*x+d)^{(1/2)}/g/(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}/c^3/d^3/(c*d*g)^{(1/2)}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} (gx + f)^{\frac{5}{2}}}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(5/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^(5/2)/sqrt(e\*x + d), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^{5/2} \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(5/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x)^(1/2),x)

[Out] int(((f + g\*x)^(5/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x)^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*(5/2)\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)

[Out] Timed out

$$3.501 \quad \int \frac{(f+gx)^{3/2} \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=313

$$\frac{\sqrt{d+ex} \sqrt{ae+cdx} (cdf-aeg)^3 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right) \sqrt{f+gx} \sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf-aeg)^2}{8c^{5/2}d^{5/2}g^{3/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2} 8c^2d^2g \sqrt{d+ex}}$$

**Rubi [A]** time = 0.52, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {864, 870, 891, 63, 217, 206}

$$\frac{\sqrt{d+ex} \sqrt{ae+cdx} (cdf-aeg)^3 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right) - \sqrt{f+gx} \sqrt{x(ae^2+cd^2)+ade+cdex^2} (cdf-aeg)^2}{8c^{5/2}d^{5/2}g^{3/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2}} + \frac{(f+gx)^{5/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{3g \sqrt{d+ex}} + \frac{(f+gx)^{3/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2} \left(\frac{ac}{cd} - \frac{1}{g}\right)}{12 \sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] -((c\*d\*f - a\*e\*g)^2\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((8\*c^2\*d^2\*g\*Sqrt[d + e\*x]) + (((a\*e)/(c\*d) - f/g)\*(f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(12\*Sqrt[d + e\*x]) + ((f + g\*x)^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*g\*Sqrt[d + e\*x]) - ((c\*d\*f - a\*e\*g)^3\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(8\*c^(5/2)\*d^(5/2)\*g^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 864

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && NeQ[
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]
```

### Rule 870

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &&
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

### Rule 891

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &&
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps



$$\begin{aligned}
\int \frac{(f + gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}} dx &= \frac{(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3g\sqrt{d + ex}} - \frac{(cdf - aeg) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}} dx}{3g} \\
&= \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) (f + gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12\sqrt{d + ex}} + \frac{(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{3g\sqrt{d + ex}} \\
&= -\frac{(cdf - aeg)^2 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8c^2d^2g\sqrt{d + ex}} + \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) (f + gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12\sqrt{d + ex}} \\
&= -\frac{(cdf - aeg)^2 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8c^2d^2g\sqrt{d + ex}} + \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) (f + gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12\sqrt{d + ex}} \\
&= -\frac{(cdf - aeg)^2 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8c^2d^2g\sqrt{d + ex}} + \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) (f + gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12\sqrt{d + ex}} \\
&= -\frac{(cdf - aeg)^2 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8c^2d^2g\sqrt{d + ex}} + \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) (f + gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12\sqrt{d + ex}} \\
&= -\frac{(cdf - aeg)^2 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8c^2d^2g\sqrt{d + ex}} + \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) (f + gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{12\sqrt{d + ex}}
\end{aligned}$$

**Mathematica [A]** time = 0.84, size = 255, normalized size = 0.81

$$\frac{\sqrt{cd} \sqrt{d + ex} \left( -\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{cd} (f + gx)(ae + cdx) (3a^2e^2g^2 - 2acdeg(4f + gx) - c^2d^2(3f^2 + 14fgx + 8g^2x^2)) - 3\sqrt{ae + cdx} (cdf - aeg)^{7/2} \sqrt{\frac{cd(f + gx)}{cdf - aeg}} \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{ae + cdx}}{\sqrt{cd} \sqrt{cdf - aeg}} \right) \right)}{24c^7d^7g^{3/2} \sqrt{f + gx} \sqrt{(d + ex)(ae + cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] (Sqrt[c\*d]\*Sqrt[d + e\*x]\*(-(Sqrt[c]\*Sqrt[d]\*Sqrt[c\*d]\*Sqrt[g]\*(a\*e + c\*d\*x)\*(f + g\*x)\*(3\*a^2\*e^2\*g^2 - 2\*a\*c\*d\*e\*g\*(4\*f + g\*x) - c^2\*d^2\*(3\*f^2 + 14\*f

$*g*x + 8*g^2*x^2))) - 3*(c*d*f - a*e*g)^{(7/2)}*\text{Sqrt}[a*e + c*d*x]*\text{Sqrt}[(c*d*(f + g*x))/(c*d*f - a*e*g)]*\text{ArcSinh}[(\text{Sqrt}[c]*\text{Sqrt}[d]*\text{Sqrt}[g]*\text{Sqrt}[a*e + c*d*x])/(\text{Sqrt}[c*d]*\text{Sqrt}[c*d*f - a*e*g])])]/(24*c^{(7/2)}*d^{(7/2)}*g^{(3/2)}*\text{Sqrt}[(a*e + c*d*x)*(d + e*x)]*\text{Sqrt}[f + g*x])$

**IntegrateAlgebraic [A]** time = 7.68, size = 231, normalized size = 0.74

$$\frac{\sqrt{d+ex}\sqrt{ae+cdx} \left( \frac{\sqrt{ae+cdx}(cdf-aeg)^3 \left( -\frac{3g^2(ae+cdx)^2}{(f+gx)^2} + \frac{8cdg(ae+cdx)}{f+gx} + 3c^2d^2 \right)}{24c^2d^2g\sqrt{f+gx} \left( cd - \frac{g(ae+cdx)}{f+gx} \right)^3} - \frac{(cdf-aeg)^3 \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}} \right)}{8c^{5/2}d^{5/2}g^{3/2}} \right)}{\sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] (Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*(((c\*d\*f - a\*e\*g)^3\*Sqrt[a\*e + c\*d\*x]\*(3\*c^2\*d^2 - (3\*g^2\*(a\*e + c\*d\*x)^2)/(f + g\*x)^2 + (8\*c\*d\*g\*(a\*e + c\*d\*x))/(f + g\*x)))/(24\*c^2\*d^2\*g\*Sqrt[f + g\*x]\*(c\*d - (g\*(a\*e + c\*d\*x))/(f + g\*x))^3 - ((c\*d\*f - a\*e\*g)^3\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(\text{Sqrt}[c]\*\text{Sqrt}[d]\*\text{Sqrt}[f + g\*x])])/(8\*c^{(5/2)}\*d^{(5/2)}\*g^{(3/2)})))/Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]

**fricas [A]** time = 1.50, size = 847, normalized size = 2.71

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(3/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2), x, algorithm="fricas")

[Out] [1/96\*(4\*(8\*c^3\*d^3\*g^3\*x^2 + 3\*c^3\*d^3\*f^2\*g + 8\*a\*c^2\*d^2\*e\*f\*g^2 - 3\*a^2\*c\*d\*e^2\*g^3 + 2\*(7\*c^3\*d^3\*f\*g^2 + a\*c^2\*d^2\*e\*g^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f) - 3\*(c^3\*d^4\*f^3 - 3\*a\*c^2\*d^3\*e\*f^2\*g + 3\*a^2\*c\*d^2\*e^2\*f\*g^2 - a^3\*d\*e^3\*g^3 + (c^3\*d^3\*e\*f^3 - 3\*a\*c^2\*d^2\*e^2\*f^2\*g + 3\*a^2\*c\*d\*e^3\*f\*g^2 - a^3\*e^4\*g^3)\*x)\*sqrt(c\*d\*g)\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x + c\*d\*f + a\*e\*g)\*sqrt(c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d))/(c^3\*d^3\*e\*g^2\*x + c^3\*d^4\*g^2), 1/4\*8\*(2\*(8\*c^3\*d^3\*g^3\*x^2 + 3\*c^3\*d^3\*f^2\*g + 8\*a\*c^2\*d^2\*e\*f\*g^2 - 3\*a^2\*c\*d\*e^2\*g^3 + 2\*(7\*c^3\*d^3\*f\*g^2 + a\*c^2\*d^2\*e\*g^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 3\*(c^3\*d^4\*f^3 - 3\*a\*c^2\*d^3\*e\*f^2\*g + 3\*a^2\*c\*d^2\*e^2\*f\*g^2 - a^3\*d\*e^3\*g^3 + (c^3\*d^3\*e\*f^3 - 3\*a

```
*c^2*d^2*e^2*f^2*g + 3*a^2*c*d*e^3*f*g^2 - a^3*e^4*g^3)*x)*sqrt(-c*d*g)*arc
tan(2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-c*d*g)*sqrt(e*x + d
)*sqrt(g*x + f)/(2*c*d*e*g*x^2 + c*d^2*f + a*d*e*g + (c*d*e*f + (2*c*d^2 +
a*e^2)*g)*x)))/(c^3*d^3*e*g^2*x + c^3*d^4*g^2)]
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^(3/2)*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(e*x+d)^(1/
2),x, algorithm="giac")
```

[Out] Timed out

**maple** [B] time = 0.03, size = 602, normalized size = 1.92

```


```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x+f)^(3/2)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2)/(e*x+d)^(1/2),x)
```

```
[Out] 1/48*(g*x+f)^(1/2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(3*ln(1/2*(2*c*d
*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)*(c*d*g)^(1/2)))/(
c*d*g)^(1/2))*a^3*e^3*g^3-9*ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e
g*x+c*d*f*x+a*e*f)^(1/2)*(c*d*g)^(1/2)))/(c*d*g)^(1/2))*a^2*c*d*e^2*f*g^2+9*
ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)*(c
d*g)^(1/2)))/(c*d*g)^(1/2))*a*c^2*d^2*e*f^2*g-3*ln(1/2*(2*c*d*g*x+a*e*g+c*d
f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)*(c*d*g)^(1/2)))/(c*d*g)^(1/2))*c
^3*d^3*f^3+16*x^2*c^2*d^2*g^2*(c*d*g)^(1/2)*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e
f)^(1/2)+4*(c*d*g)^(1/2)*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)*x*a*c*d*e
g^2+28*(c*d*g)^(1/2)*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)*x*c^2*d^2*f*g-
6*(c*d*g)^(1/2)*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)*a^2*e^2*g^2+16*a*c
d*e*f*g*(c*d*g)^(1/2)*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)+6*(c*d*g)^(1/
2)*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)*c^2*d^2*f^2)/(e*x+d)^(1/2)/g/(c
d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)/d^2/c^2/(c*d*g)^(1/2)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} (gx + f)^{\frac{3}{2}}}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(3/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^(3/2)/sqrt(e\*x + d), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^{3/2} \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(3/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x)^(1/2),x)

[Out] int(((f + g\*x)^(3/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x)^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*(3/2)\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)

[Out] Timed out

$$3.502 \quad \int \frac{\sqrt{f+gx} \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=241

$$\frac{\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^2 \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}} \right)}{4c^{3/2} d^{3/2} g^{3/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{(f+gx)^{3/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{2g\sqrt{d+ex}} + \frac{\sqrt{f+gx} \sqrt{d+ex}}{4\sqrt{d+ex}}$$

**Rubi [A]** time = 0.35, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {864, 870, 891, 63, 217, 206}

$$\frac{\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^2 \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}} \right)}{4c^{3/2} d^{3/2} g^{3/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{(f+gx)^{3/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{2g\sqrt{d+ex}} + \frac{\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} \left( \frac{ae}{cd} - \frac{f}{g} \right)}{4\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] (((a\*e)/(c\*d) - f/g)\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*Sqrt[d + e\*x]) + ((f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(2\*g\*Sqrt[d + e\*x]) - ((c\*d\*f - a\*e\*g)^2\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(4\*c^(3/2)\*d^(3/2)\*g^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 864

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && NeQ[
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]
```

### Rule 870

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &&
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

### Rule 891

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &&
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}} dx &= \frac{(f+gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2g\sqrt{d+ex}} - \frac{(cdf - aeg) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}} dx}{4g} \\
&= \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4\sqrt{d+ex}} + \frac{(f+gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g} \\
&= \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4\sqrt{d+ex}} + \frac{(f+gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g} \\
&= \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4\sqrt{d+ex}} + \frac{(f+gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g} \\
&= \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4\sqrt{d+ex}} + \frac{(f+gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g} \\
&= \frac{\left(\frac{ae}{cd} - \frac{f}{g}\right) \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4\sqrt{d+ex}} + \frac{(f+gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g}
\end{aligned}$$

**Mathematica [A]** time = 0.59, size = 215, normalized size = 0.89

$$\frac{\sqrt{c} \sqrt{d} \sqrt{d+ex} \left( \sqrt{c} \sqrt{d} \sqrt{g} \sqrt{cd} (f+gx)(ae+cdx)(aeg+cd(f+2gx)) - \sqrt{ae+cdx} (cdf-aeg)^{5/2} \sqrt{\frac{cd(f+gx)}{cdf-aeg}} \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{ae+cdx}}{\sqrt{cd} \sqrt{cdf-aeg}} \right) \right)}{4g^{3/2}(cd)^{5/2} \sqrt{f+gx} \sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] (Sqrt[c]\*Sqrt[d]\*Sqrt[d + e\*x]\*(Sqrt[c]\*Sqrt[d]\*Sqrt[c\*d]\*Sqrt[g]\*(a\*e + c\*d\*x)\*(f + g\*x)\*(a\*e\*g + c\*d\*(f + 2\*g\*x)) - (c\*d\*f - a\*e\*g)^(5/2)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d\*f - a\*e\*g])]))/(4\*(c\*d)^(5/2)\*g^(3/2)\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.78, size = 227, normalized size = 0.94

$$\frac{\sqrt{g} \sqrt{\frac{(dg+egx)(aeg+cdgx)}{g^2}} \left( \frac{\sqrt{cd} (a^2 e^2 g^2 - 2acdefg + c^2 d^2 f^2) \log(\sqrt{aeg+cd(f+gx)} - cd f - \sqrt{cd} \sqrt{f+gx})}{4c^2 d^2 g^{3/2}} + \frac{\sqrt{aeg+cd(f+gx)} - cd f (aeg \sqrt{f+gx} + 2cd(f+gx)^{3/2} - cd f \sqrt{f+gx})}{4cdg^{3/2}} \right)}{\sqrt{d+ex} \sqrt{aeg+cdgx}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/Sqrt[d + e\*x], x]

[Out] (Sqrt[g]\*Sqrt[((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2]\*((Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]\*(-(c\*d\*f\*Sqrt[f + g\*x]) + a\*e\*g\*Sqrt[f + g\*x] + 2\*c\*d\*(f + g\*x)^(3/2)))/(4\*c\*d\*g^(3/2)) + (Sqrt[c\*d]\*(c^2\*d^2\*f^2 - 2\*a\*c\*d\*e\*f\*g + a^2\*e^2\*g^2)\*Log[-(Sqrt[c\*d]\*Sqrt[f + g\*x]) + Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]])/(4\*c^2\*d^2\*g^(3/2)))/(Sqrt[d + e\*x]\*Sqrt[a\*e\*g + c\*d\*g\*x])

**fricas [A]** time = 1.20, size = 657, normalized size = 2.73

$$\frac{\sqrt{g} \sqrt{\frac{(dg+egx)(aeg+cdgx)}{g^2}} \left( \frac{\sqrt{cd} (a^2 e^2 g^2 - 2acdefg + c^2 d^2 f^2) \log(\sqrt{aeg+cd(f+gx)} - cd f - \sqrt{cd} \sqrt{f+gx})}{4c^2 d^2 g^{3/2}} + \frac{\sqrt{aeg+cd(f+gx)} - cd f (aeg \sqrt{f+gx} + 2cd(f+gx)^{3/2} - cd f \sqrt{f+gx})}{4cdg^{3/2}} \right)}{\sqrt{d+ex} \sqrt{aeg+cdgx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2), x, algorithm="fricas")

[Out] [1/16\*(4\*(2\*c^2\*d^2\*g^2\*x + c^2\*d^2\*f\*g + a\*c\*d\*e\*g^2)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + (c^2\*d^3\*f^2 - 2\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + (c^2\*d^2\*e\*f^2 - 2\*a\*c\*d\*e^2\*f\*g + a^2\*e^3\*g^2)\*x)\*sqrt(c\*d\*g)\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x + c\*d\*f + a\*e\*g)\*sqrt(c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d)))/(c^2\*d^2\*e\*g^2\*x + c^2\*d^3\*g^2), 1/8\*(2\*(2\*c^2\*d^2\*g^2\*x + c^2\*d^2\*f\*g + a\*c\*d\*e\*g^2)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + (c^2\*d^3\*f^2 - 2\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + (c^2\*d^2\*e\*f^2 - 2\*a\*c\*d\*e^2\*f\*g + a^2\*e^3\*g^2)\*x)\*sqrt(-c\*d\*g)\*arctan(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(2\*c\*d\*e\*g\*x^2 + c\*d^2\*f + a\*d\*e\*g + (c\*d\*e\*f + (2\*c\*d^2 + a\*e^2)\*g)\*x)))/(c^2\*d^2\*e\*g^2\*x + c^2\*d^3\*g^2)]

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((g\*x+f)^(1/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.02, size = 385, normalized size = 1.60

$$\frac{\sqrt{gx+f} \sqrt{cdex^2 + ade + (cd^2 + ae^2)x} \sqrt{ex+d}}{8\sqrt{ex+d} \sqrt{cdex^2 + aegx + cdfx + aef} \sqrt{cdg} \sqrt{cdg}} \ln\left(\frac{2cdex + aef + \sqrt{cdex^2 + aegx + cdfx + aef} \sqrt{cdg}}{2\sqrt{cdg}}\right) - 2acdfg \ln\left(\frac{2cdex + aef + \sqrt{cdex^2 + aegx + cdfx + aef} \sqrt{cdg}}{2\sqrt{cdg}}\right) + c^2df^2 \ln\left(\frac{2cdex + aef + \sqrt{cdex^2 + aegx + cdfx + aef} \sqrt{cdg}}{2\sqrt{cdg}}\right) - 4\sqrt{cdg} \sqrt{cdex^2 + aegx + cdfx + aef} \sqrt{cdg} - 2\sqrt{cdg} \sqrt{cdex^2 + aegx + cdfx + aef} \sqrt{cdg} - 2\sqrt{cdg} \sqrt{cdex^2 + aegx + cdfx + aef} \sqrt{cdg}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^(1/2)\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(e\*x+d)^(1/2),x)

[Out] 
$$-1/8*(g*x+f)^{(1/2)}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x+a*d*e)^{(1/2)}*(\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)}))/(c*d*g)^{(1/2)})*a^2*e^2*g^2-2*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)}))/(c*d*g)^{(1/2)})*a*c*d*e*f*g+\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)}))/(c*d*g)^{(1/2)})*c^2*d^2*f^2-4*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*x*c*d*g-2*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a*e*g-2*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*c*d*f)/(e*x+d)^{(1/2)}/(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}/d/g/c/(c*d*g)^{(1/2)}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} \sqrt{gx + f}}{\sqrt{ex + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(g\*x + f)/sqrt(e\*x + d), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{f + gx} \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(1/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(d + e\*x)^(1/2),x)

[Out] `int(((f + g*x)^(1/2)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2))/(d + e*x)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d+ex)(ae+cdx)}\sqrt{f+gx}}{\sqrt{d+ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**(1/2)*(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2)/(e*x+d)**(1/2),x)`

[Out] `Integral(sqrt((d + e*x)*(a*e + c*d*x))*sqrt(f + g*x)/sqrt(d + e*x), x)`

$$3.503 \quad \int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex} \sqrt{f+gx}} dx$$

Optimal. Leaf size=167

$$\frac{\sqrt{f+gx} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g\sqrt{d+ex}} - \frac{\sqrt{d+ex} \sqrt{ae+cdx} (cdf-aeg) \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{\sqrt{c} \sqrt{d} g^{3/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

**Rubi** [A] time = 0.21, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$ , Rules used = {864, 891, 63, 217, 206}

$$\frac{\sqrt{f+gx} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g\sqrt{d+ex}} - \frac{\sqrt{d+ex} \sqrt{ae+cdx} (cdf-aeg) \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{\sqrt{c} \sqrt{d} g^{3/2} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]/(Sqrt[d + e*x]*Sqrt[f + g*x]),x]
```

```
[Out] (Sqrt[f + g*x]*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])/(g*Sqrt[d + e*x]) - ((c*d*f - a*e*g)*Sqrt[a*e + c*d*x]*Sqrt[d + e*x]*ArcTanh[(Sqrt[g]*Sqrt[a*e + c*d*x])/(Sqrt[c]*Sqrt[d]*Sqrt[f + g*x])])/(Sqrt[c]*Sqrt[d]*g^(3/2)*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2])
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 864

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && N
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]
```

### Rule 891

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex} \sqrt{f+gx}} dx &= \frac{\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d+ex}} - \frac{(cdf - aeg) \int \frac{\sqrt{d+ex}}{\sqrt{f+gx} \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{2g} \\
&= \frac{\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d+ex}} - \frac{((cdf - aeg)\sqrt{ae + cd} \sqrt{d+ex})}{2g\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \\
&= \frac{\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d+ex}} - \frac{((cdf - aeg)\sqrt{ae + cd} \sqrt{d+ex})}{cdg\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \\
&= \frac{\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d+ex}} - \frac{((cdf - aeg)\sqrt{ae + cd} \sqrt{d+ex})}{cdg\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \\
&= \frac{\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d+ex}} - \frac{(cdf - aeg)\sqrt{ae + cd} \sqrt{d+ex}}{\sqrt{c} \sqrt{d} g^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.81, size = 173, normalized size = 1.04

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \sqrt{g}(f+gx) - \frac{\sqrt{c} \sqrt{d} (cdf-aeg)^{3/2} \sqrt{\frac{cd(f+gx)}{cdf-aeg}} \sinh^{-1}\left(\frac{\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{ae+cdx}}{\sqrt{cd} \sqrt{cdf-aeg}}\right)}{(cd)^{3/2} \sqrt{ae+cdx}} \right)}{g^{3/2} \sqrt{d+ex} \sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(Sqrt[g]\*(f + g\*x) - (Sqrt[c]\*Sqrt[d]\*(c\*d\*f - a\*e\*g)^(3/2)\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d\*f - a\*e\*g])])/(c\*d)^(3/2)\*Sqrt[a\*e + c\*d\*x]))/(g^(3/2)\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.71, size = 164, normalized size = 0.98

$$\frac{\sqrt{g} \sqrt{\frac{(dg+egx)(aeg+cdgx)}{g^2}} \left( \frac{\sqrt{f+gx} \sqrt{aeg+cd(f+gx)-cdf}}{g^{3/2}} + \frac{\sqrt{cd} (cdf-aeg) \log(\sqrt{aeg+cd(f+gx)-cdf} - \sqrt{cd} \sqrt{f+gx})}{cdg^{3/2}} \right)}{\sqrt{d+ex} \sqrt{aeg+cdgx}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]),x]

[Out] (Sqrt[g]\*Sqrt[((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2]\*((Sqrt[f + g\*x]\*Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]/g^(3/2) + (Sqrt[c\*d]\*(c\*d\*f - a\*e\*g)\*Log[-(Sqrt[c\*d]\*Sqrt[f + g\*x]) + Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]])/(c\*d\*g^(3/2))))/(Sqrt[d + e\*x]\*Sqrt[a\*e\*g + c\*d\*g\*x])

**fricas [A]** time = 1.14, size = 516, normalized size = 3.09

$$\frac{\sqrt{\frac{(dg+egx)(aeg+cdgx)}{g^2}} \left( \frac{\sqrt{f+gx} \sqrt{aeg+cd(f+gx)-cdf}}{g^{3/2}} + \frac{\sqrt{cd} (cdf-aeg) \log(\sqrt{aeg+cd(f+gx)-cdf} - \sqrt{cd} \sqrt{f+gx})}{cdg^{3/2}} \right)}{\sqrt{d+ex} \sqrt{aeg+cdgx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(1/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out] [1/4\*(4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*c\*d\*g - (c\*d^2\*f - a\*d\*e\*g + (c\*d\*e\*f - a\*e^2\*g)\*x)\*sqrt(c\*d\*g)\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x + c\*d\*f + a\*e\*g)\*sqrt(c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d)))/(c\*d\*e\*g^2\*x + c\*d^2\*g^2), 1/2\*(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*c\*d\*g + (c\*d^2\*f - a\*d\*e\*g + (c\*d\*e\*f - a\*e^2\*g)\*x)\*sqrt(-c\*d\*g)\*arctan(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(2\*c\*d\*e\*g\*x^2 + c\*d^2\*f + a\*d\*e\*g + (c\*d\*e\*f + (2\*c\*d^2 + a\*e^2)\*g)\*x)))/(c\*d\*e\*g^2\*x + c\*d^2\*g^2)]

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(1/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.02, size = 198, normalized size = 1.19

$$\frac{\sqrt{cde x^2 + a e^2 x + c d^2 x + a d e} \sqrt{g x + f} \left( a e g \ln \left( \frac{2 c d g x + a e g + c d f + 2 \sqrt{(g x + f)(c d x + a e)} \sqrt{c d g}}{2 \sqrt{c d g}} \right) - c d f \ln \left( \frac{2 c d g x + a e g + c d f + 2 \sqrt{(g x + f)(c d x + a e)} \sqrt{c d g}}{2 \sqrt{c d g}} \right) + 2 \sqrt{(g x + f)(c d x + a e)} \sqrt{c d g} \right)}{2 \sqrt{e x + d} \sqrt{(g x + f)(c d x + a e)} \sqrt{c d g} g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(g\*x+f)^(1/2)/(e\*x+d)^(1/2),x)

[Out]  $\frac{1}{2} * (c * d * e * x^2 + a * d * e + (a * e^2 + c * d^2) * x)^{1/2} * (g * x + f)^{1/2} / (e * x + d)^{1/2} * (a * e * g * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2})) / (c * d * g)^{1/2} - c * d * f * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2})) / (c * d * g)^{1/2} + 2 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2} / ((g * x + f) * (c * d * x + a * e))^{1/2} / g / (c * d * g)^{1/2}$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x}}{\sqrt{e x + d} \sqrt{g x + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(sqrt(e\*x + d)\*sqrt(g\*x + f)), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{c d e x^2 + (c d^2 + a e^2) x + a d e}}{\sqrt{f + g x} \sqrt{d + e x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^(1/2)\*(d + e\*x)^(1/2)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^(1/2)\*(d + e\*x)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d+ex)(ae+cdx)}}{\sqrt{d+ex}\sqrt{f+gx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(g\*x+f)\*\*(1/2)/(e\*x+d)  
)\*\*1/2,x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(sqrt(d + e\*x)\*sqrt(f + g\*x)), x)



$$3.504 \quad \int \frac{\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{\sqrt{d+ex}(f+gx)^{3/2}} dx$$

Optimal. Leaf size=158

$$\frac{2\sqrt{c}\sqrt{d}\sqrt{d+ex}\sqrt{ae+cdx}\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{g^{3/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g\sqrt{d+ex}\sqrt{f+gx}}$$

**Rubi** [A] time = 0.19, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$ , Rules used = {862, 891, 63, 217, 206}

$$\frac{2\sqrt{c}\sqrt{d}\sqrt{d+ex}\sqrt{ae+cdx}\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{g^{3/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g\sqrt{d+ex}\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(3/2)),x]

[Out] (-2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(g\*Sqrt[d + e\*x]\*Sqrt[f + g\*x]) + (2\*Sqrt[c]\*Sqrt[d]\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(g^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 862

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a +
b*x + c*x^2)^p)/(g*(n + 1)), x] + Dist[(c*m)/(e*g*(n + 1)), Int[(d + e*x)^(
m + 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b,
c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^
2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ
[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])
```

### Rule 891

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^{3/2}} dx &= -\frac{2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d+ex}\sqrt{f+gx}} + \frac{(cd) \int \frac{\sqrt{d+ex}}{\sqrt{f+gx}\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{g} \\
&= -\frac{2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d+ex}\sqrt{f+gx}} + \frac{(cd\sqrt{ae+cdx}\sqrt{d+ex}) \int \frac{1}{\sqrt{ae+cdx}\sqrt{f}}}{g\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \\
&= -\frac{2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d+ex}\sqrt{f+gx}} + \frac{(2\sqrt{ae+cdx}\sqrt{d+ex}) \text{Subst} \left( \int \frac{1}{\sqrt{f}} \right)}{g\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \\
&= -\frac{2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d+ex}\sqrt{f+gx}} + \frac{(2\sqrt{ae+cdx}\sqrt{d+ex}) \text{Subst} \left( \int \frac{1}{1-\frac{g}{f}} \right)}{g\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} \\
&= -\frac{2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g\sqrt{d+ex}\sqrt{f+gx}} + \frac{2\sqrt{c}\sqrt{d}\sqrt{ae+cdx}\sqrt{d+ex} \tanh^{-1} \left( \frac{\sqrt{d+ex}}{\sqrt{f}} \right)}{g^{3/2}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.79, size = 169, normalized size = 1.07

$$\frac{2\sqrt{(d+ex)(ae+cdx)} \left( \frac{\sqrt{c}\sqrt{d}\sqrt{cdf-aeg} \sqrt{\frac{cd(f+gx)}{cdf-aeg}} \sinh^{-1} \left( \frac{\sqrt{c}\sqrt{d}\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cdf-aeg}} \right) - \sqrt{g}}{\sqrt{cd}\sqrt{ae+cdx}} \right)}{g^{3/2}\sqrt{d+ex}\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(3/2)), x]

[Out] (2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-Sqrt[g] + (Sqrt[c]\*Sqrt[d]\*Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d\*f - a\*e\*g])])/(Sqrt[c\*d]\*Sqrt[a\*e + c\*d\*x]))/(g^(3/2)\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 1.97, size = 213, normalized size = 1.35

$$\frac{\sqrt{d+ex}(ef+egx)^{3/2}\sqrt{ae^2+cdex} \left( \frac{2\sqrt{c}\sqrt{d}\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae^2-cd^2+cd(d+ex)}}{\sqrt{c}\sqrt{d}\sqrt{g(d+ex)-dg+ef}}\right)}{g^{3/2}} - \frac{2\sqrt{ae^2-cd^2+cd(d+ex)}}{g\sqrt{g(d+ex)-dg+ef}} \right)}{e^2\sqrt{\frac{(d+ex)(ae^2+cdex)}{e}} \left( \frac{g(d+ex)-dg+ef}{e} \right)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(3/2)),x]

[Out] (Sqrt[d + e\*x]\*Sqrt[a\*e^2 + c\*d\*e\*x]\*(e\*f + e\*g\*x)^(3/2)\*((-2\*Sqrt[-(c\*d^2 + a\*e^2 + c\*d\*(d + e\*x))]/(g\*Sqrt[e\*f - d\*g + g\*(d + e\*x)]) + (2\*Sqrt[c]\*Sqrt[d]\*ArcTanh[(Sqrt[g]\*Sqrt[-(c\*d^2 + a\*e^2 + c\*d\*(d + e\*x))]/(Sqrt[c]\*Sqrt[d]\*Sqrt[e\*f - d\*g + g\*(d + e\*x)])))/g^(3/2)))/(e^2\*Sqrt[((d + e\*x)\*(a\*e^2 + c\*d\*e\*x))/e]\*((e\*f - d\*g + g\*(d + e\*x))/e)^(3/2))

**fricas [A]** time = 1.07, size = 521, normalized size = 3.30

$$\frac{\left( \sqrt{e^2 x^2 + d f + (f + d g) x} \sqrt{\frac{2 \sqrt{c} \sqrt{d} \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{a e^2 - c d^2 + c d (d + e x)}}{\sqrt{c} \sqrt{d} \sqrt{g (d + e x) - d g + e f}}\right)}{g^{3/2}} - \frac{2 \sqrt{a e^2 - c d^2 + c d (d + e x)}}{g \sqrt{g (d + e x) - d g + e f}} \right)}{2 \left( e^2 x^2 + d f g + (f g + d g^2) x \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(3/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out] [1/2\*((e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)\*sqrt(c\*d/g)\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + 4\*(2\*c\*d\*g^2\*x + c\*d\*f\*g + a\*e\*g^2)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*sqrt(c\*d/g) + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d) - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(e\*g^2\*x^2 + d\*f\*g + (e\*f\*g + d\*g^2)\*x), -((e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)\*sqrt(-c\*d/g)\*arctan(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*sqrt(-c\*d/g)\*g/(2\*c\*d\*e\*g\*x^2 + c\*d^2\*f + a\*d\*e\*g + (c\*d\*e\*f + (2\*c\*d^2 + a\*e^2)\*g)\*x)) + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(e\*g^2\*x^2 + d\*f\*g + (e\*f\*g + d\*g^2)\*x)]

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(3/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.03, size = 197, normalized size = 1.25

$$\frac{\sqrt{cde x^2 + a e^2 x + c d^2 x + a d e} \left( cdgx \ln \left( \frac{2cdgx+aeg+cdf+2\sqrt{(gx+f)(cdx+ae)} \sqrt{cdg}}{2\sqrt{cdg}} \right) + cdf \ln \left( \frac{2cdgx+aeg+cdf+2\sqrt{(gx+f)(cdx+ae)} \sqrt{cdg}}{2\sqrt{cdg}} \right) - 2\sqrt{(gx+f)(cdx+ae)} \sqrt{cdg} \right)}{\sqrt{cdg} \sqrt{(gx+f)(cdx+ae)} \sqrt{ex+d} \sqrt{gx+f} g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(g\*x+f)^(3/2)/(e\*x+d)^(1/2),x)

[Out] (c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)\*(c\*d\*g\*x\*ln(1/2\*(2\*c\*d\*g\*x+a\*e\*g+c\*d\*f+2\*((g\*x+f)\*(c\*d\*x+a\*e))^(1/2)\*(c\*d\*g)^(1/2))/(c\*d\*g)^(1/2))+c\*d\*f\*ln(1/2\*(2\*c\*d\*g\*x+a\*e\*g+c\*d\*f+2\*((g\*x+f)\*(c\*d\*x+a\*e))^(1/2)\*(c\*d\*g)^(1/2))/(c\*d\*g)^(1/2))-2\*((g\*x+f)\*(c\*d\*x+a\*e))^(1/2)\*(c\*d\*g)^(1/2))/(c\*d\*g)^(1/2)/((g\*x+f)\*(c\*d\*x+a\*e))^(1/2)/g/(e\*x+d)^(1/2)/(g\*x+f)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{\sqrt{ex+d}(gx+f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(3/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(sqrt(e\*x + d)\*(g\*x + f)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{(f+gx)^{\frac{3}{2}} \sqrt{d+ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^(3/2)\*(d + e\*x)^(1/2)),x)

[Out] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/((f + g*x)^(3/2)*(d + e*x)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d+ex)(ae+cdx)}}{\sqrt{d+ex} (f+gx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2)/(g*x+f)**(3/2)/(e*x+d)**(1/2),x)`

[Out] `Integral(sqrt((d + e*x)*(a*e + c*d*x))/(sqrt(d + e*x)*(f + g*x)**(3/2)), x)`

$$3.505 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^{5/2}} dx$$

Optimal. Leaf size=63

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3(d+ex)^{3/2}(f+gx)^{3/2}(cdf - aeg)}$$

**Rubi** [A] time = 0.06, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.021$ , Rules used = {860}

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3(d+ex)^{3/2}(f+gx)^{3/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(5/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(3\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(3/2)\*(f + g\*x)^(3/2))

Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

Rubi steps

$$\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^{5/2}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3(cdf - aeg)(d+ex)^{3/2}(f+gx)^{3/2}}$$

**Mathematica** [A] time = 0.03, size = 52, normalized size = 0.83

$$\frac{2((d+ex)(ae+cdx))^{3/2}}{3(d+ex)^{3/2}(f+gx)^{3/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(5/2)),x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2))/(3\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(3/2)\*(f + g\*x)^(3/2))

**IntegrateAlgebraic [B]** time = 2.66, size = 145, normalized size = 2.30

$$\frac{2\sqrt{d+ex}(ef+egx)^{5/2}\sqrt{ae^2+cdex}(ae^2-cd^2+cd(d+ex))^{3/2}}{3e^3\sqrt{\frac{(d+ex)(ae^2+cdex)}{e}}(g(d+ex)-dg+ef)^{3/2}\left(\frac{g(d+ex)-dg+ef}{e}\right)^{5/2}(cdf-aeg)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(5/2)),x]

[Out] (2\*Sqrt[d + e\*x]\*Sqrt[a\*e^2 + c\*d\*e\*x]\*(e\*f + e\*g\*x)^(5/2)\*(-(c\*d^2) + a\*e^2 + c\*d\*(d + e\*x))^(3/2))/(3\*e^3\*(c\*d\*f - a\*e\*g)\*Sqrt[((d + e\*x)\*(a\*e^2 + c\*d\*e\*x))/e]\*(e\*f - d\*g + g\*(d + e\*x))^(3/2)\*((e\*f - d\*g + g\*(d + e\*x))/e)^(5/2))

**fricas [B]** time = 0.43, size = 169, normalized size = 2.68

$$\frac{2\sqrt{cdex^2+ade+(cd^2+ae^2)x}(cdx+ae)\sqrt{ex+d}\sqrt{gx+f}}{3(cd^2f^3-ade^2fg+(cdefg^2-ae^2g^3)x^3+(2cdef^2g-ade^2g^3+(cd^2-2ae^2)fg^2)x^2+(cdef^3-2cdefg^2+(2cd^2-ae^2)f^2g)x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(5/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out] 2/3\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*x + a\*e)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(c\*d^2\*f^3 - a\*d\*e\*f^2\*g + (c\*d\*e\*f\*g^2 - a\*e^2\*g^3)\*x^3 + (2\*c\*d\*e\*f^2\*g - a\*d\*e\*g^3 + (c\*d^2 - 2\*a\*e^2)\*f\*g^2)\*x^2 + (c\*d\*e\*f^3 - 2\*a\*d\*e\*f\*g^2 + (2\*c\*d^2 - a\*e^2)\*f^2\*g)\*x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(5/2)/(e\*x+d)^(1/2),x, algorithm="giac")



[Out] Timed out

**maple [A]** time = 0.01, size = 63, normalized size = 1.00

$$\frac{2(cdx + ae)\sqrt{cdex^2 + ae^2x + cd^2x + ade}}{3(gx + f)^{\frac{3}{2}}(aeg - cdf)\sqrt{ex + d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(g\*x+f)^(5/2)/(e\*x+d)^(1/2),x)

[Out] -2/3/(g\*x+f)^(3/2)\*(c\*d\*x+a\*e)/(a\*e\*g-c\*d\*f)\*(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)/(e\*x+d)^(1/2)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{\sqrt{ex + d}(gx + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(5/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(sqrt(e\*x + d)\*(g\*x + f)^(5/2)), x)

**mupad [B]** time = 3.92, size = 136, normalized size = 2.16

$$\frac{\left(\frac{2ae}{3aeg^2-3cdfg} + \frac{2cdx}{3aeg^2-3cdfg}\right)\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x\sqrt{f + gx}\sqrt{d + ex} - \frac{\sqrt{f+gx}(3cdf^2-3aefg)\sqrt{d+ex}}{3aeg^2-3cdfg}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^(5/2)\*(d + e\*x)^(1/2)),x)

[Out] -(((2\*a\*e)/(3\*a\*e\*g^2 - 3\*c\*d\*f\*g) + (2\*c\*d\*x)/(3\*a\*e\*g^2 - 3\*c\*d\*f\*g))\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(x\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2) - ((f + g\*x)^(1/2)\*(3\*c\*d\*f^2 - 3\*a\*e\*f\*g)\*(d + e\*x)^(1/2))/(3\*a\*e\*g^2 - 3\*c\*d\*f\*g))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(d+ex)(ae+cdx)}}{\sqrt{d+ex}(f+gx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(g\*x+f)\*\*(5/2)/(e\*x+d)  
)\*\*1/2,x)

[Out] Integral(sqrt((d + e\*x)\*(a\*e + c\*d\*x))/(sqrt(d + e\*x)\*(f + g\*x)\*\*(5/2)), x)

$$3.506 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^{7/2}} dx$$

Optimal. Leaf size=129

$$\frac{4cd(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{15(d+ex)^{3/2}(f+gx)^{3/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{5(d+ex)^{3/2}(f+gx)^{5/2}(cdf - aeg)}$$

**Rubi** [A] time = 0.14, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{4cd(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{15(d+ex)^{3/2}(f+gx)^{3/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{5(d+ex)^{3/2}(f+gx)^{5/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(7/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(5\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(3/2)\*(f + g\*x)^(5/2)) + (4\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(15\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(3/2)\*(f + g\*x)^(3/2))

### Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

Rubi steps

$$\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^{7/2}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{5(cdf - aeg)(d+ex)^{3/2}(f+gx)^{5/2}} + \frac{(2cd) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^{5/2}} dx}{5(cdf - aeg)}$$

$$= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{5(cdf - aeg)(d+ex)^{3/2}(f+gx)^{5/2}} + \frac{4cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{15(cdf - aeg)^2(d+ex)^{3/2}(f+gx)^{3/2}}$$

Mathematica [A] time = 0.05, size = 69, normalized size = 0.53

$$\frac{2((d+ex)(ae+cdx))^{3/2}(cd(5f+2gx)-3aeg)}{15(d+ex)^{3/2}(f+gx)^{5/2}(cdf-aeg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(7/2)), x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*(-3\*a\*e\*g + c\*d\*(5\*f + 2\*g\*x)))/(15\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(3/2)\*(f + g\*x)^(5/2))

IntegrateAlgebraic [A] time = 3.13, size = 196, normalized size = 1.52

$$\frac{2\sqrt{d+ex}(ef+egx)^{7/2}\sqrt{ae^2+cdex}\left(\frac{5cd(ae^2-cd^2+cd(d+ex))^{3/2}}{(g(d+ex)-dg+ef)^{3/2}} - \frac{3g(ae^2-cd^2+cd(d+ex))^{5/2}}{(g(d+ex)-dg+ef)^{5/2}}\right)}{15e^4\sqrt{\frac{(d+ex)(ae^2+cdex)}{e}}\left(\frac{g(d+ex)-dg+ef}{e}\right)^{7/2}(cdf-aeg)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(7/2)), x]

[Out] (2\*Sqrt[d + e\*x]\*Sqrt[a\*e^2 + c\*d\*e\*x]\*(e\*f + e\*g\*x)^(7/2)\*((-3\*g\*(-(c\*d^2 + a\*e^2 + c\*d\*(d + e\*x))^(5/2)))/(e\*f - d\*g + g\*(d + e\*x))^(5/2) + (5\*c\*d\*(-(c\*d^2 + a\*e^2 + c\*d\*(d + e\*x))^(3/2)))/(e\*f - d\*g + g\*(d + e\*x))^(3/2)))/(15\*e^4\*(c\*d\*f - a\*e\*g)^2\*Sqrt[((d + e\*x)\*(a\*e^2 + c\*d\*e\*x))/e]\*((e\*f - d\*g + g\*(d + e\*x))/e)^(7/2))

fricas [B] time = 0.44, size = 402, normalized size = 3.12

$$\frac{2(2c^2d^2gx^2 + 5acdef - 3a^2e^2g + (5c^2d^2f - acdex)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}\sqrt{gx + f}}{15(c^2d^2f^3 - 2acd^2ef^2g + a^2de^2f^2g^2 + (c^2d^2ef^2g^3 - 2acde^2f^2g^4 + a^2e^2g^2)^2 + (3c^2d^2ef^2g^3 + a^2de^2f^2g^3 + (c^2d^2 - 2acde^2)f^2g^3 - (2acd^2e - a^2e^2)f^2g^2 + (c^2d^2ef^2g^3 + a^2de^2f^2g^3 + (c^2d^2 - 2acde^2)f^2g^3 - (2acd^2e - a^2e^2)f^2g^2 - (6acd^2e - a^2e^2)f^2g^2))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(7/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out] 2/15\*(2\*c^2\*d^2\*g\*x^2 + 5\*a\*c\*d\*e\*f - 3\*a^2\*e^2\*g + (5\*c^2\*d^2\*f - a\*c\*d\*e\*g)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(c^2\*d^3\*f^5 - 2\*a\*c\*d^2\*e\*f^4\*g + a^2\*d\*e^2\*f^3\*g^2 + (c^2\*d^2\*e\*f^2\*g^3 - 2\*a\*c\*d\*e^2\*f\*g^4 + a^2\*e^3\*g^5)\*x^4 + (3\*c^2\*d^2\*e\*f^3\*g^2 + a^2\*d\*e^2\*g^5 + (c^2\*d^3 - 6\*a\*c\*d\*e^2)\*f^2\*g^3 - (2\*a\*c\*d^2\*e - 3\*a^2\*e^3)\*f\*g^4)\*x^3 + 3\*(c^2\*d^2\*e\*f^4\*g + a^2\*d\*e^2\*f\*g^4 + (c^2\*d^3 - 2\*a\*c\*d\*e^2)\*f^3\*g^2 - (2\*a\*c\*d^2\*e - a^2\*e^3)\*f^2\*g^3)\*x^2 + (c^2\*d^2\*e\*f^5 + 3\*a^2\*d\*e^2\*f^2\*g^3 + (3\*c^2\*d^3 - 2\*a\*c\*d\*e^2)\*f^4\*g - (6\*a\*c\*d^2\*e - a^2\*e^3)\*f^3\*g^2)\*x)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(7/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 99, normalized size = 0.77

$$\frac{2(cdx + ae)(-2cdgx + 3aeg - 5cdf)\sqrt{cdex^2 + ae^2x + cd^2x + ade}}{15(gx + f)^{\frac{5}{2}}(a^2e^2g^2 - 2acdefg + f^2c^2d^2)\sqrt{ex + d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(g\*x+f)^(7/2)/(e\*x+d)^(1/2),x)

[Out] -2/15\*(c\*d\*x+a\*e)\*(-2\*c\*d\*g\*x+3\*a\*e\*g-5\*c\*d\*f)\*(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)/(g\*x+f)^(5/2)/(a^2\*e^2\*g^2-2\*a\*c\*d\*e\*f\*g+c^2\*d^2\*f^2)/(e\*x+d)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{\sqrt{ex + d}(gx + f)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(7/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(sqrt(e\*x + d)\*(g\*x + f)^(7/2)), x)

mupad [B] time = 4.08, size = 187, normalized size = 1.45

$$\frac{\left(\frac{x(10c^2d^2f-2acdeg)}{15g^2(aeg-cdf)^2} - \frac{6a^2e^2g-10acdef}{15g^2(aeg-cdf)^2} + \frac{4c^2d^2x^2}{15g(aeg-cdf)^2}\right) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x^2 \sqrt{f+gx} \sqrt{d+ex} + \frac{f^2 \sqrt{f+gx} \sqrt{d+ex}}{g^2} + \frac{2fx \sqrt{f+gx} \sqrt{d+ex}}{g}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^(7/2)\*(d + e\*x)^(1/2)),x)

[Out] (((x\*(10\*c^2\*d^2\*f - 2\*a\*c\*d\*e\*g))/(15\*g^2\*(a\*e\*g - c\*d\*f)^2) - (6\*a^2\*e^2\*g - 10\*a\*c\*d\*e\*f)/(15\*g^2\*(a\*e\*g - c\*d\*f)^2) + (4\*c^2\*d^2\*x^2)/(15\*g\*(a\*e\*g - c\*d\*f)^2))\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/(x^2\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2) + (f^2\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/g^2 + (2\*f\*x\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/g)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(g\*x+f)\*\*(7/2)/(e\*x+d)\*\*(1/2),x)

[Out] Timed out

$$3.507 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex} (f+gx)^{9/2}} dx$$

Optimal. Leaf size=198

$$\frac{16c^2d^2 (x (ae^2 + cd^2) + ade + cdex^2)^{3/2}}{105(d+ex)^{3/2}(f+gx)^{3/2}(cdf - aeg)^3} + \frac{8cd (x (ae^2 + cd^2) + ade + cdex^2)^{3/2}}{35(d+ex)^{3/2}(f+gx)^{5/2}(cdf - aeg)^2} + \frac{2 (x (ae^2 + cd^2) + ade + cdex^2)^3}{7(d+ex)^{3/2}(f+gx)^{7/2}(cdf - aeg)}$$

**Rubi [A]** time = 0.22, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{16c^2d^2 (x (ae^2 + cd^2) + ade + cdex^2)^{3/2}}{105(d+ex)^{3/2}(f+gx)^{3/2}(cdf - aeg)^3} + \frac{8cd (x (ae^2 + cd^2) + ade + cdex^2)^{3/2}}{35(d+ex)^{3/2}(f+gx)^{5/2}(cdf - aeg)^2} + \frac{2 (x (ae^2 + cd^2) + ade + cdex^2)^3}{7(d+ex)^{3/2}(f+gx)^{7/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(9/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(7\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(3/2)\*(f + g\*x)^(7/2)) + (8\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(35\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(3/2)\*(f + g\*x)^(5/2)) + (16\*c^2\*d^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(105\*(c\*d\*f - a\*e\*g)^3\*(d + e\*x)^(3/2)\*(f + g\*x)^(3/2))

### Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

]

Rubi steps

$$\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}(f + gx)^{9/2}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{7(cdf - aeg)(d + ex)^{3/2}(f + gx)^{7/2}} + \frac{(4cd) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}(f + gx)^{7/2}} dx}{7(cdf - aeg)}$$

$$= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{7(cdf - aeg)(d + ex)^{3/2}(f + gx)^{7/2}} + \frac{8cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{35(cdf - aeg)^2(d + ex)^{3/2}(f + gx)^{5/2}}$$

$$= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{7(cdf - aeg)(d + ex)^{3/2}(f + gx)^{7/2}} + \frac{8cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{35(cdf - aeg)^2(d + ex)^{3/2}(f + gx)^{5/2}}$$

**Mathematica [A]** time = 0.09, size = 105, normalized size = 0.53

$$\frac{2((d + ex)(ae + cdx))^{3/2} (15a^2e^2g^2 - 6acdeg(7f + 2gx) + c^2d^2(35f^2 + 28fgx + 8g^2x^2))}{105(d + ex)^{3/2}(f + gx)^{7/2}(cdf - aeg)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(9/2)), x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(3/2)\*(15\*a^2\*e^2\*g^2 - 6\*a\*c\*d\*e\*g\*(7\*f + 2\*g\*x) + c^2\*d^2\*(35\*f^2 + 28\*f\*g\*x + 8\*g^2\*x^2)))/(105\*(c\*d\*f - a\*e\*g)^3\*(d + e\*x)^(3/2)\*(f + g\*x)^(7/2))

**IntegrateAlgebraic [A]** time = 8.34, size = 137, normalized size = 0.69

$$\frac{2\sqrt{d + ex} \sqrt{ae + cdx} \left( \frac{35c^2d^2(ae+cdx)^{3/2}}{(f+gx)^{3/2}} + \frac{15g^2(ae+cdx)^{7/2}}{(f+gx)^{7/2}} - \frac{42cdg(ae+cdx)^{5/2}}{(f+gx)^{5/2}} \right)}{105\sqrt{(d + ex)(ae + cdx)}(cdf - aeg)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(9/2)), x]

[Out] (2\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*((15\*g^2\*(a\*e + c\*d\*x)^(7/2))/(f + g\*x)^(7/2) - (42\*c\*d\*g\*(a\*e + c\*d\*x)^(5/2))/(f + g\*x)^(5/2) + (35\*c^2\*d^2\*(a\*e +



$(c*d*x)^{(3/2)}/(f + g*x)^{(3/2)))/(105*(c*d*f - a*e*g)^3*\text{Sqrt}[(a*e + c*d*x)*(d + e*x)])$

**fricas** [B] time = 0.45, size = 748, normalized size = 3.78

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(9/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out] 
$$\frac{2/105*(8*c^3*d^3*g^2*x^3 + 35*a*c^2*d^2*e*f^2 - 42*a^2*c*d*e^2*f*g + 15*a^3*e^3*g^2 + 4*(7*c^3*d^3*f*g - a*c^2*d^2*e*g^2)*x^2 + (35*c^3*d^3*f^2 - 14*a*c^2*d^2*e*f*g + 3*a^2*c*d*e^2*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f)/(c^3*d^4*f^7 - 3*a*c^2*d^3*e*f^6*g + 3*a^2*c*d^2*e^2*f^5*g^2 - a^3*d*e^3*f^4*g^3 + (c^3*d^3*e*f^3*g^4 - 3*a*c^2*d^2*e^2*f^2*g^5 + 3*a^2*c*d*e^3*f*g^6 - a^3*e^4*g^7)*x^5 + (4*c^3*d^3*e*f^4*g^3 - a^3*d*e^3*g^7 + (c^3*d^4 - 12*a*c^2*d^2*e^2)*f^3*g^4 - 3*(a*c^2*d^3*e - 4*a^2*c*d*e^3)*f^2*g^5 + (3*a^2*c*d^2*e^2 - 4*a^3*e^4)*f*g^6)*x^4 + 2*(3*c^3*d^3*e*f^5*g^2 - 2*a^3*d*e^3*f*g^6 + (2*c^3*d^4 - 9*a*c^2*d^2*e^2)*f^4*g^3 - 3*(2*a*c^2*d^3*e - 3*a^2*c*d*e^3)*f^3*g^4 + 3*(2*a^2*c*d^2*e^2 - a^3*e^4)*f^2*g^5)*x^3 + 2*(2*c^3*d^3*e*f^6*g - 3*a^3*d*e^3*f^2*g^5 + 3*(c^3*d^4 - 2*a*c^2*d^2*e^2)*f^5*g^2 - 3*(3*a*c^2*d^3*e - 2*a^2*c*d*e^3)*f^4*g^3 + (9*a^2*c*d^2*e^2 - 2*a^3*e^4)*f^3*g^4)*x^2 + (c^3*d^3*e*f^7 - 4*a^3*d*e^3*f^3*g^4 + (4*c^3*d^4 - 3*a*c^2*d^2*e^2)*f^6*g - 3*(4*a*c^2*d^3*e - a^2*c*d*e^3)*f^5*g^2 + (12*a^2*c*d^2*e^2 - a^3*e^4)*f^4*g^3)*x$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(9/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 169, normalized size = 0.85

$$\frac{2(cdx + ae)(8g^2x^2c^2d^2 - 12acde g^2x + 28c^2d^2fgx + 15a^2e^2g^2 - 42acdefg + 35f^2c^2d^2)\sqrt{cde x^2 + a e^2x + c d^2x + ade}}{105(gx + f)^{\frac{7}{2}}(a^3e^3g^3 - 3a^2cd e^2fg^2 + 3a c^2d^2e f^2g - f^3c^3d^3)\sqrt{ex + d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(g\*x+f)^(9/2)/(e\*x+d)^(1/2),x)

[Out] 
$$-2/105*(c*d*x+a*e)*(8*c^2*d^2*g^2*x^2-12*a*c*d*e*g^2*x+28*c^2*d^2*f*g*x+15*a^2*e^2*g^2-42*a*c*d*e*f*g+35*c^2*d^2*f^2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}/(g*x+f)^{(7/2)}/(a^3*e^3*g^3-3*a^2*c*d*e^2*f*g^2+3*a*c^2*d^2*e*f^2*g-c^3*d^3*f^3)/(e*x+d)^{(1/2)}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{\sqrt{ex + d}(gx + f)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(g*x+f)^(9/2)/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/(sqrt(e*x + d)*(g*x + f)^(9/2)), x)`

**mupad** [B] time = 4.29, size = 289, normalized size = 1.46

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{30a^3e^3g^2 - 84a^2cd^2fg + 70a^2d^2ef^2}{105g^3(aeg-cdf)^3} + \frac{x(6a^2cd^2g^2 - 28a^2d^2efg + 70c^3d^3f^2)}{105g^3(aeg-cdf)^3} + \frac{16c^3d^3x^3}{105g(aeg-cdf)^3} - \frac{8c^2d^2x^2(aeg-7cdf)}{105g^2(aeg-cdf)^3} \right)}{x^3 \sqrt{f+gx} \sqrt{d+ex} + \frac{f^3 \sqrt{f+gx} \sqrt{d+ex}}{g^3} + \frac{3fx^2 \sqrt{f+gx} \sqrt{d+ex}}{g} + \frac{3f^2x \sqrt{f+gx} \sqrt{d+ex}}{g^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/((f + g*x)^(9/2)*(d + e*x)^(1/2)),x)`

[Out] 
$$-((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}*((30*a^3*e^3*g^2 + 70*a*c^2*d^2*e*f^2 - 84*a^2*c*d*e^2*f*g)/(105*g^3*(a*e*g - c*d*f)^3) + (x*(70*c^3*d^3*f^2 + 6*a^2*c*d*e^2*g^2 - 28*a*c^2*d^2*e*f*g))/(105*g^3*(a*e*g - c*d*f)^3) + (16*c^3*d^3*x^3)/(105*g*(a*e*g - c*d*f)^3) - (8*c^2*d^2*x^2*(a*e*g - 7*c*d*f))/(105*g^2*(a*e*g - c*d*f)^3))/(x^3*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)} + (f^3*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)})/g^3 + (3*f*x^2*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)})/g + (3*f^2*x*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)})/g^2)$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2)/(g*x+f)**(9/2)/(e*x+d)**(1/2),x)`

[Out] Timed out

$$3.508 \quad \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex} (f+gx)^{11/2}} dx$$

Optimal. Leaf size=267

$$\frac{32c^3d^3 (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{315(d+ex)^{3/2}(f+gx)^{3/2}(cdf - aeg)^4} + \frac{16c^2d^2 (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{105(d+ex)^{3/2}(f+gx)^{5/2}(cdf - aeg)^3} + \frac{4cd (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{21(d+ex)^{3/2}(f+gx)^{7/2}(cdf - aeg)^2}$$

**Rubi [A]** time = 0.31, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{32c^3d^3 (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{315(d+ex)^{3/2}(f+gx)^{3/2}(cdf - aeg)^4} + \frac{16c^2d^2 (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{105(d+ex)^{3/2}(f+gx)^{5/2}(cdf - aeg)^3} + \frac{4cd (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{21(d+ex)^{3/2}(f+gx)^{7/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{9(d+ex)^{3/2}(f+gx)^{9/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(Sqrt[d + e\*x]\*(f + g\*x)^(1/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(9\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(3/2)\*(f + g\*x)^(9/2)) + (4\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(21\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(3/2)\*(f + g\*x)^(7/2)) + (16\*c^2\*d^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(105\*(c\*d\*f - a\*e\*g)^3\*(d + e\*x)^(3/2)\*(f + g\*x)^(5/2)) + (32\*c^3\*d^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(315\*(c\*d\*f - a\*e\*g)^4\*(d + e\*x)^(3/2)\*(f + g\*x)^(3/2))

### Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^{11/2}} dx &= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{9(cdf - aeg)(d+ex)^{3/2}(f+gx)^{9/2}} + \frac{(2cd) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^{9/2}} dx}{3(cdf - aeg)} \\
&= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{9(cdf - aeg)(d+ex)^{3/2}(f+gx)^{9/2}} + \frac{4cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{21(cdf - aeg)^2(d+ex)^{3/2}(f+gx)^{7/2}} \\
&= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{9(cdf - aeg)(d+ex)^{3/2}(f+gx)^{9/2}} + \frac{4cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{21(cdf - aeg)^2(d+ex)^{3/2}(f+gx)^{7/2}} \\
&= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{9(cdf - aeg)(d+ex)^{3/2}(f+gx)^{9/2}} + \frac{4cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{21(cdf - aeg)^2(d+ex)^{3/2}(f+gx)^{7/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 152, normalized size = 0.57

$$\frac{2((d+ex)(ae+cdx))^{3/2}(-35a^3e^3g^3 + 15a^2cde^2g^2(9f+2gx) - 3ac^2d^2eg(63f^2 + 36f*gx + 8g^2x^2) + c^3d^3(105f^3 + 126f^2gx + 72fg^2x^2 + 16g^3x^3))}{315(d+ex)^{3/2}(f+gx)^{9/2}(cdf - aeg)^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]/(Sqrt[d + e*x]*(f + g*x)^(11/2)), x]
```

```
[Out] (2*((a*e + c*d*x)*(d + e*x))^(3/2)*(-35*a^3*e^3*g^3 + 15*a^2*c*d*e^2*g^2*(9*f + 2*g*x) - 3*a*c^2*d^2*e*g*(63*f^2 + 36*f*g*x + 8*g^2*x^2) + c^3*d^3*(105*f^3 + 126*f^2*g*x + 72*f*g^2*x^2 + 16*g^3*x^3)))/(315*(c*d*f - a*e*g)^4*(d + e*x)^(3/2)*(f + g*x)^(9/2))
```

**IntegrateAlgebraic [A]** time = 8.88, size = 169, normalized size = 0.63

$$\frac{2\sqrt{d+ex}\sqrt{ae+cdx}\left(\frac{105c^3d^3(ae+cdx)^{3/2}}{(f+gx)^{3/2}} - \frac{189c^2d^2g(ae+cdx)^{5/2}}{(f+gx)^{5/2}} - \frac{35g^3(ae+cdx)^{9/2}}{(f+gx)^{9/2}} + \frac{135cdg^2(ae+cdx)^{7/2}}{(f+gx)^{7/2}}\right)}{315\sqrt{(d+ex)(ae+cdx)}(cdf - aeg)^4}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]/(Sqrt[d + e*x]*(f + g*x)^(11/2)), x]
```

```
[Out] (2*sqrt[a*e + c*d*x]*sqrt[d + e*x]*((-35*g^3*(a*e + c*d*x)^(9/2))/(f + g*x)^(9/2) + (135*c*d*g^2*(a*e + c*d*x)^(7/2))/(f + g*x)^(7/2) - (189*c^2*d^2*g*(a*e + c*d*x)^(5/2))/(f + g*x)^(5/2) + (105*c^3*d^3*(a*e + c*d*x)^(3/2))/(f + g*x)^(3/2)))/(315*(c*d*f - a*e*g)^4*sqrt[(a*e + c*d*x)*(d + e*x)])
```

**fricas** [B] time = 0.47, size = 1179, normalized size = 4.42

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(g*x+f)^(11/2)/(e*x+d)^(1/2),x, algorithm="fricas")
```

```
[Out] 2/315*(16*c^4*d^4*g^3*x^4 + 105*a*c^3*d^3*e*f^3 - 189*a^2*c^2*d^2*e^2*f^2*g + 135*a^3*c*d*e^3*f*g^2 - 35*a^4*e^4*g^3 + 8*(9*c^4*d^4*f*g^2 - a*c^3*d^3*e*g^3)*x^3 + 6*(21*c^4*d^4*f^2*g - 6*a*c^3*d^3*e*f*g^2 + a^2*c^2*d^2*e^2*g^3)*x^2 + (105*c^4*d^4*f^3 - 63*a*c^3*d^3*e*f^2*g + 27*a^2*c^2*d^2*e^2*f*g^2 - 5*a^3*c*d*e^3*g^3)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)*sqrt(g*x + f)/(c^4*d^5*f^9 - 4*a*c^3*d^4*e*f^8*g + 6*a^2*c^2*d^3*e^2*f^7*g^2 - 4*a^3*c*d^2*e^3*f^6*g^3 + a^4*d*e^4*f^5*g^4 + (c^4*d^4*e*f^4*g^5 - 4*a*c^3*d^3*e^2*f^3*g^6 + 6*a^2*c^2*d^2*e^3*f^2*g^7 - 4*a^3*c*d*e^4*f*g^8 + a^4*e^5*g^9)*x^6 + (5*c^4*d^4*e*f^5*g^4 + a^4*d*e^4*g^9 + (c^4*d^5 - 2*0*a*c^3*d^3*e^2)*f^4*g^5 - 2*(2*a*c^3*d^4*e - 15*a^2*c^2*d^2*e^3)*f^3*g^6 + 2*(3*a^2*c^2*d^3*e^2 - 10*a^3*c*d*e^4)*f^2*g^7 - (4*a^3*c*d^2*e^3 - 5*a^4*e^5)*f*g^8)*x^5 + 5*(2*c^4*d^4*e*f^6*g^3 + a^4*d*e^4*f*g^8 + (c^4*d^5 - 8*a*c^3*d^3*e^2)*f^5*g^4 - 4*(a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^4*g^5 + 2*(3*a^2*c^2*d^3*e^2 - 4*a^3*c*d*e^4)*f^3*g^6 - 2*(2*a^3*c*d^2*e^3 - a^4*e^5)*f^2*g^7)*x^4 + 10*(c^4*d^4*e*f^7*g^2 + a^4*d*e^4*f^2*g^7 + (c^4*d^5 - 4*a*c^3*d^3*e^2)*f^6*g^3 - 2*(2*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^5*g^4 + 2*(3*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^4*g^5 - (4*a^3*c*d^2*e^3 - a^4*e^5)*f^3*g^6)*x^3 + 5*(c^4*d^4*e*f^8*g + 2*a^4*d*e^4*f^3*g^6 + 2*(c^4*d^5 - 2*a*c^3*d^3*e^2)*f^7*g^2 - 2*(4*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^6*g^3 + 4*(3*a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^5*g^4 - (8*a^3*c*d^2*e^3 - a^4*e^5)*f^4*g^5)*x^2 + (c^4*d^4*e*f^9 + 5*a^4*d*e^4*f^4*g^5 + (5*c^4*d^5 - 4*a*c^3*d^3*e^2)*f^8*g - 2*(10*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^7*g^2 + 2*(15*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^6*g^3 - (20*a^3*c*d^2*e^3 - a^4*e^5)*f^5*g^4)*x)
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2)/(g*x+f)^(11/2)/(e*x+d)^(1/2),x, algorithm="giac")
```

[Out] Timed out

**maple** [A] time = 0.01, size = 260, normalized size = 0.97

$$\frac{2(cdx + ae)(-16g^3x^3c^3d^3 + 24a^2c^2d^2e^2g^3x^2 - 72c^3d^3fg^2x^2 - 30a^2cd^2e^2g^3x + 108a^2c^2d^2efg^2x - 126c^3d^3f^2gx + 35a^3e^3g^3 - 135a^2cd^2efg^2 + 189a^2c^2d^2ef^2g - 105f^3c^3d^3)\sqrt{cdex^2 + ae^2x + ade}}{315(gx + f)^2(g^4e^4a^4 - 4a^3cd^3fg^3 + 6a^2c^2d^2ef^2g^2 - 4a^2c^3d^3ef^3g + f^4e^4d^4)\sqrt{ex + d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2)/(g\*x+f)^(11/2)/(e\*x+d)^(1/2), x)

[Out] 
$$-2/315*(c*d*x+a*e)*(-16*c^3*d^3*g^3*x^3+24*a*c^2*d^2*e*g^3*x^2-72*c^3*d^3*f^2*g^2*x^2-30*a^2*c*d*e^2*g^3*x+108*a*c^2*d^2*e*f*g^2*x-126*c^3*d^3*f^2*g^2*x+35*a^3*e^3*g^3-135*a^2*c*d*e^2*f*g^2+189*a*c^2*d^2*e*f^2*g-105*c^3*d^3*f^3)*((c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)/(g*x+f)^(9/2)/(a^4*e^4*g^4-4*a^3*c*d*e^3*f*g^3+6*a^2*c^2*d^2*e^2*f^2*g^2-4*a*c^3*d^3*e*f^3*g+c^4*d^4*f^4)/(e*x+d)^(1/2))$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}}{\sqrt{ex + d}(gx + f)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2)/(g\*x+f)^(11/2)/(e\*x+d)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)/(sqrt(e\*x + d)\*(g\*x + f)^(11/2)), x)

**mupad** [B] time = 4.50, size = 409, normalized size = 1.53

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{x(-10a^3cd^3c^3+54a^2d^2c^2f^2g^2-126a^2c^3d^3ef^2g+210a^4d^4f^3) - 70a^4d^4g^3-270a^3cd^3f^2g^2+378a^2c^2d^2f^2g^2-210a^3d^3ef^3}{315g^4(aeg-cd)^4} + \frac{32a^4d^4x^4}{315g^4(aeg-cd)^4} + \frac{4c^2d^2x^2(a^2c^2g^2-6acdefg+21c^2d^2f^2)}{105g^3(aeg-cd)^4} - \frac{16c^3d^3x^3(aeg-9cdf)}{315g^2(aeg-cd)^4} \right)}{x^4\sqrt{f+gx}\sqrt{d+ex} + \frac{f^4\sqrt{fgx}\sqrt{d+ex}}{g^4} + \frac{4f^3x\sqrt{fgx}\sqrt{d+ex}}{g^3} + \frac{4f^2x^2\sqrt{fgx}\sqrt{d+ex}}{g^2} + \frac{6f^2x^2\sqrt{fgx}\sqrt{d+ex}}{g^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)/((f + g\*x)^(11/2)\*(d + e\*x)^(1/2)), x)

[Out] 
$$((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)*((x*(210*c^4*d^4*f^3 - 10*a^3*c*d*e^3*g^3 + 54*a^2*c^2*d^2*e^2*f*g^2 - 126*a*c^3*d^3*e*f^2*g))/(315*g^4*(a*e*g - c*d*f)^4) - (70*a^4*e^4*g^3 - 210*a*c^3*d^3*e*f^3 + 378*a^2*c^2*d^2*e^2*f^2*g - 270*a^3*c*d*e^3*f*g^2)/(315*g^4*(a*e*g - c*d*f)^4) + (32*c^4*d^4*x^4)/(315*g*(a*e*g - c*d*f)^4) + (4*c^2*d^2*x^2*(a^2*e^2*g^2 + 21*c^2*$$

$$\frac{d^2 f^2 - 6 a c d e f g}{(105 g^3 (a e g - c d f)^4) - (16 c^3 d^3 x^3 (a e g - 9 c d f)) / (315 g^2 (a e g - c d f)^4)} - \frac{(x^4 (f + g x)^{1/2} (d + e x)^{1/2} + (f^4 (f + g x)^{1/2} (d + e x)^{1/2}) / g^4 + (4 f x^3 (f + g x)^{1/2} (d + e x)^{1/2}) / g + (4 f^3 x (f + g x)^{1/2} (d + e x)^{1/2}) / g^3 + (6 f^2 x^2 (f + g x)^{1/2} (d + e x)^{1/2}) / g^2)}{(x^4 (f + g x)^{1/2} (d + e x)^{1/2} + (f^4 (f + g x)^{1/2} (d + e x)^{1/2}) / g^4 + (4 f x^3 (f + g x)^{1/2} (d + e x)^{1/2}) / g + (4 f^3 x (f + g x)^{1/2} (d + e x)^{1/2}) / g^3 + (6 f^2 x^2 (f + g x)^{1/2} (d + e x)^{1/2}) / g^2)}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2)/(g\*x+f)\*\*(11/2)/(e\*x+d)\*\*(1/2),x)

[Out] Timed out

$$3.509 \quad \int \frac{(f+gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx$$

Optimal. Leaf size=382

$$\frac{3\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^4 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{64c^{5/2} d^{5/2} g^{5/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{3\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^3}{64c^2 d^2 g^2 \sqrt{d+ex}}$$

**Rubi [A]** time = 0.71, antiderivative size = 382, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {864, 870, 891, 63, 217, 206}

$$\frac{3\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^3}{64c^2 d^2 g^2 \sqrt{d+ex}} + \frac{3\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^4 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{64c^{5/2} d^{5/2} g^{5/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{(f+gx)^{3/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^2}{32d^2 g^2 \sqrt{d+ex}} - \frac{(f+gx)^{5/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)}{8g^2 \sqrt{d+ex}} + \frac{(f+gx)^{5/2} (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{4g(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (3\*(c\*d\*f - a\*e\*g)^3\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((64\*c^2\*d^2\*g^2\*Sqrt[d + e\*x]) + ((c\*d\*f - a\*e\*g)^2\*(f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(32\*c\*d\*g^2\*Sqrt[d + e\*x]) - ((c\*d\*f - a\*e\*g)\*(f + g\*x)^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*g^2\*Sqrt[d + e\*x]) + ((f + g\*x)^(5/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(4\*g\*(d + e\*x)^(3/2)) + (3\*(c\*d\*f - a\*e\*g)^4\*Sqrt[a\*d\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(64\*c^(5/2)\*d^(5/2)\*g^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])



Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 864

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a  
+ b\*x + c\*x^2)^p)/(g\*(m - n - 1)), x] - Dist[(m\*(c\*e\*f + c\*d\*g - b\*e\*g))/(e  
^2\*g\*(m - n - 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p -  
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && N  
eQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ  
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ  
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]

Rule 870

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(  
a + b\*x + c\*x^2)^(p + 1))/(c\*(m - n - 1)), x] - Dist[(n\*(c\*e\*f + c\*d\*g - b\*  
e\*g))/(c\*e\*(m - n - 1)), Int[(d + e\*x)^m\*(f + g\*x)^(n - 1)\*(a + b\*x + c\*x^2  
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] &  
& NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] &&  
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2\*p] || Intege  
rQ[n])

Rule 891

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[(a + b\*x + c\*x^2)^FracPart[p]/((d +  
e\*x)^FracPart[p]\*(a/d + (c\*x)/e)^FracPart[p]), Int[(d + e\*x)^(m + p)\*(f +  
g\*x)^n\*(a/d + (c\*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &  
& NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0]  
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}} dx &= \frac{(f + gx)^{5/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{4g(d + ex)^{3/2}} - \frac{(3cdf - aeg)}{4g} \frac{(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}} \\
&= -\frac{(cdf - aeg)(f + gx)^{5/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^2 \sqrt{d + ex}} + \frac{(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{8g^2 \sqrt{d + ex}} \\
&= \frac{(cdf - aeg)^2 (f + gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32cdg^2 \sqrt{d + ex}} - \frac{(cdf - aeg)(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{32cdg^2 \sqrt{d + ex}} \\
&= \frac{3(cdf - aeg)^3 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64c^2 d^2 g^2 \sqrt{d + ex}} + \frac{(cdf - aeg)(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{64c^2 d^2 g^2 \sqrt{d + ex}} \\
&= \frac{3(cdf - aeg)^3 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64c^2 d^2 g^2 \sqrt{d + ex}} + \frac{(cdf - aeg)(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{64c^2 d^2 g^2 \sqrt{d + ex}} \\
&= \frac{3(cdf - aeg)^3 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64c^2 d^2 g^2 \sqrt{d + ex}} + \frac{(cdf - aeg)(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{64c^2 d^2 g^2 \sqrt{d + ex}} \\
&= \frac{3(cdf - aeg)^3 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64c^2 d^2 g^2 \sqrt{d + ex}} + \frac{(cdf - aeg)(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{64c^2 d^2 g^2 \sqrt{d + ex}} \\
&= \frac{3(cdf - aeg)^3 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64c^2 d^2 g^2 \sqrt{d + ex}} + \frac{(cdf - aeg)(f + gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{64c^2 d^2 g^2 \sqrt{d + ex}}
\end{aligned}$$

**Mathematica [A]** time = 1.17, size = 302, normalized size = 0.79

$$\frac{\sqrt{cd} \sqrt{d + ex} \left( 3\sqrt{ae + cd} (cdf - aeg)^{3/2} \sqrt{\frac{cd(f + gx)}{cdf - aeg}} \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{ae + cd} x}{\sqrt{cd} \sqrt{cdf - aeg}} \right) - \sqrt{c} \sqrt{d} \sqrt{g} \sqrt{cd} (f + gx)(ae + cd) (3a^3 e^3 g^3 - a^2 c d e^2 g^2 (11f + 2gx) - a c^2 d^2 e g (11f^2 + 44fgx + 24g^2 x^2) + c^3 d^3 (3f^3 - 2f^2 gx - 24fg^2 x^2 - 16g^3 x^3)) \right)}{64c^{7/2} d^{7/2} g^{5/2} \sqrt{f + gx} \sqrt{(d + ex)(ae + cd)}}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

```
[Out] (Sqrt[c*d]*Sqrt[d + e*x]*(-(Sqrt[c]*Sqrt[d]*Sqrt[c*d]*Sqrt[g]*(a*e + c*d*x)
*(f + g*x)*(3*a^3*e^3*g^3 - a^2*c*d*e^2*g^2*(11*f + 2*g*x) - a*c^2*d^2*e*g*
(11*f^2 + 44*f*g*x + 24*g^2*x^2) + c^3*d^3*(3*f^3 - 2*f^2*g*x - 24*f*g^2*x^
2 - 16*g^3*x^3))) + 3*(c*d*f - a*e*g)^(9/2)*Sqrt[a*e + c*d*x]*Sqrt[(c*d*(f
+ g*x))/(c*d*f - a*e*g)]*ArcSinh[(Sqrt[c]*Sqrt[d]*Sqrt[g]*Sqrt[a*e + c*d*x]
)/(Sqrt[c*d]*Sqrt[c*d*f - a*e*g])))/(64*c^(7/2)*d^(7/2)*g^(5/2)*Sqrt[(a*e
+ c*d*x)*(d + e*x)]*Sqrt[f + g*x])
```

**IntegrateAlgebraic [A]** time = 2.05, size = 431, normalized size = 1.13

$$\frac{\sqrt{\frac{d+ex}{c^2}} \left( \frac{\sqrt{d+ex} \sqrt{d+ex} (-3d^2g^2\sqrt{d+ex} + 2d^2cd^2g^2(f+gx)^2 + 2d^2cd^2g^2\sqrt{d+ex} - 2d^2cd^2g^2\sqrt{d+ex} + 24d^2cd^2g^2(f+gx)^2 - 4d^2cd^2g^2(f+gx)^2 - 3d^2cd^2g^2\sqrt{d+ex} + 2d^2cd^2g^2\sqrt{d+ex} + 16d^2cd^2g^2(f+gx)^2 - 24d^2cd^2g^2(f+gx)^2)}{64d^2g^2} \right)}{(d+ex)^{3/2}(ag+cdgx)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[((f + g*x)^(3/2)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)
^(3/2))/(d + e*x)^(3/2), x]
```

```
[Out] (g^(3/2)*(((a*e*g + c*d*g*x)*(d*g + e*g*x))/g^2)^(3/2)*((Sqrt[-(c*d*f) + a*
e*g + c*d*(f + g*x)]*(3*c^3*d^3*f^3*Sqrt[f + g*x] - 9*a*c^2*d^2*e*f^2*g*Sqr
t[f + g*x] + 9*a^2*c*d*e^2*f*g^2*Sqrt[f + g*x] - 3*a^3*e^3*g^3*Sqrt[f + g*x
] + 2*c^3*d^3*f^2*(f + g*x)^(3/2) - 4*a*c^2*d^2*e*f*g*(f + g*x)^(3/2) + 2*a
^2*c*d*e^2*g^2*(f + g*x)^(3/2) - 24*c^3*d^3*f*(f + g*x)^(5/2) + 24*a*c^2*d^
2*e*g*(f + g*x)^(5/2) + 16*c^3*d^3*(f + g*x)^(7/2)))/(64*c^2*d^2*g^(5/2)) -
(3*Sqrt[c*d]*(c^4*d^4*f^4 - 4*a*c^3*d^3*e*f^3*g + 6*a^2*c^2*d^2*e^2*f^2*g^
2 - 4*a^3*c*d*e^3*f*g^3 + a^4*e^4*g^4)*Log[-(Sqrt[c*d]*Sqrt[f + g*x]) + Sqr
t[-(c*d*f) + a*e*g + c*d*(f + g*x)])/(64*c^3*d^3*g^(5/2)))/((d + e*x)^(3/
2)*(a*e*g + c*d*g*x)^(3/2))
```

**fricas [A]** time = 2.68, size = 1059, normalized size = 2.77

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^(3/2)*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d)^(3/
2), x, algorithm="fricas")
```

```
[Out] [1/256*(4*(16*c^4*d^4*g^4*x^3 - 3*c^4*d^4*f^3*g + 11*a*c^3*d^3*e*f^2*g^2 +
11*a^2*c^2*d^2*e^2*f*g^3 - 3*a^3*c*d*e^3*g^4 + 24*(c^4*d^4*f*g^3 + a*c^3*d^
3*e*g^4)*x^2 + 2*(c^4*d^4*f^2*g^2 + 22*a*c^3*d^3*e*f*g^3 + a^2*c^2*d^2*e^2*
g^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)*sqrt(g*x
+ f) + 3*(c^4*d^5*f^4 - 4*a*c^3*d^4*e*f^3*g + 6*a^2*c^2*d^3*e^2*f^2*g^2 - 4
*a^3*c*d^2*e^3*f*g^3 + a^4*d*e^4*g^4 + (c^4*d^4*e*f^4 - 4*a*c^3*d^3*e^2*f^3
*g + 6*a^2*c^2*d^2*e^3*f^2*g^2 - 4*a^3*c*d*e^4*f*g^3 + a^4*e^5*g^4)*x)*sqrt
(c*d*g)*log(-(8*c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + 6*a*c*d^2*e*f*g + a^2*d*e
^2*g^2 + 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*g*x + c*d*f +
```

$$\begin{aligned}
& a*e*g)*\sqrt{c*d*g)*\sqrt{e*x + d)*\sqrt{g*x + f) + 8*(c^2*d^2*e*f*g + (c^2*d^3 + a*c*d*e^2)*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*(4*c^2*d^3 + 3*a*c*d*e^2)*f*g + (8*a*c*d^2*e + a^2*e^3)*g^2)*x)/(e*x + d)))/(c^3*d^3*e*g^3*x + c^3*d^4*g^3), \\
& 1/128*(2*(16*c^4*d^4*g^4*x^3 - 3*c^4*d^4*f^3*g + 11*a*c^3*d^3*e*f^2*g^2 + 11*a^2*c^2*d^2*e^2*f*g^3 - 3*a^3*c*d*e^3*g^4 + 24*(c^4*d^4*f*g^3 + a*c^3*d^3*e*g^4)*x^2 + 2*(c^4*d^4*f^2*g^2 + 22*a*c^3*d^3*e*f*g^3 + a^2*c^2*d^2*e^2*g^4)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\sqrt{e*x + d)*\sqrt{g*x + f) - 3*(c^4*d^5*f^4 - 4*a*c^3*d^4*e*f^3*g + 6*a^2*c^2*d^3*e^2*f^2*g^2 - 4*a^3*c*d^2*e^3*f*g^3 + a^4*d*e^4*g^4 + (c^4*d^4*e*f^4 - 4*a*c^3*d^3*e^2*f^3*g + 6*a^2*c^2*d^2*e^3*f^2*g^2 - 4*a^3*c*d*e^4*f*g^3 + a^4*e^5*g^4)*x)*\sqrt{-c*d*g)*\arctan(2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\sqrt{-c*d*g)*\sqrt{e*x + d)*\sqrt{g*x + f)/(2*c*d*e*g*x^2 + c*d^2*f + a*d*e*g + (c*d*e*f + (2*c*d^2 + a*e^2)*g)*x)))/(c^3*d^3*e*g^3*x + c^3*d^4*g^3)]
\end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(3/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.02, size = 870, normalized size = 2.28

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^(3/2)\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2),x)

[Out]  $1/128*(g*x+f)^{(1/2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)*(32*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)*(c*d*g)^{(1/2)*c^3*d^3*g^3*x^3+3*a^4*e^4*g^4*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2))}-12*a^3*c*d*e^3*f*g^3*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2))}+18*a^2*c^2*d^2*e^2*f^2*g^2*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2))}-12*a*c^3*d^3*e*f^3*g*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2))}+3*c^4*d^4*f^4*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2))}+48*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)*(c*d*g)^{(1/2)*a*c^2*d^2*e*g^3*x^2+48*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)*(c*d*g)^{(1/2)*c^3*d^3*f*g^2*x^2+4*(c*d*g)^{(1/2)*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)*a^2*c*d*e^2*g^3*x+88*(c*d*$

$$g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * a*c^2*d^2*e*f*g^2*x + 4*(c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * c^3*d^3*f^2*g*x - 6*(c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * a^3*e^3*g^3 + 22*(c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * a^2*c*d*e^2*f*g^2 + 22*(c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * a*c^2*d^2*e*f^2*g - 6*(c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * c^3*d^3*f^3 / (e*x+d)^{(1/2)} / c^2/d^2/g^2 / (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} / (c*d*g)^{(1/2)}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}(gx + f)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(3/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*(g\*x + f)^(3/2)/(e\*x + d)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^{3/2} (cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}}{(d + ex)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(3/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x)

[Out] int(((f + g\*x)^(3/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*(3/2)\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2),x)

[Out] Timed out

$$3.510 \quad \int \frac{\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx$$

**Optimal.** Leaf size=310

$$\frac{\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^3 \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}} \right)}{8c^{3/2} d^{3/2} g^{5/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^2 (f - aeg)}{8cdg^2 \sqrt{d+ex}}$$

**Rubi [A]** time = 0.53, antiderivative size = 310, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {864, 870, 891, 63, 217, 206}

$$\frac{\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^3 \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}} \right)}{8c^{3/2} d^{3/2} g^{5/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^2}{8cdg^2 \sqrt{d+ex}} - \frac{(f+gx)^{3/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)}{4g^2 \sqrt{d+ex}} + \frac{(f+gx)^{3/2} (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{3g(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] ((c\*d\*f - a\*e\*g)^2\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*c\*d\*g^2\*Sqrt[d + e\*x]) - ((c\*d\*f - a\*e\*g)\*(f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*g^2\*Sqrt[d + e\*x]) + ((f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(3\*g\*(d + e\*x)^(3/2)) + ((c\*d\*f - a\*e\*g)^3\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(8\*c^(3/2)\*d^(3/2)\*g^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 864

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && N
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]
```

### Rule 870

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

### Rule 891

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx &= \frac{(f+gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g(d+ex)^{3/2}} - \frac{(cdf - aeg) \int \frac{\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx}{3g(d+ex)^{3/2}} \\
&= -\frac{(cdf - aeg)(f+gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2 \sqrt{d+ex}} + \frac{(f+gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2 \sqrt{d+ex}} \\
&= \frac{(cdf - aeg)^2 \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8cdg^2 \sqrt{d+ex}} - \frac{(cdf - aeg) \int \frac{\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx}{8cdg^2 \sqrt{d+ex}} \\
&= \frac{(cdf - aeg)^2 \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8cdg^2 \sqrt{d+ex}} - \frac{(cdf - aeg) \int \frac{\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx}{8cdg^2 \sqrt{d+ex}} \\
&= \frac{(cdf - aeg)^2 \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8cdg^2 \sqrt{d+ex}} - \frac{(cdf - aeg) \int \frac{\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx}{8cdg^2 \sqrt{d+ex}} \\
&= \frac{(cdf - aeg)^2 \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8cdg^2 \sqrt{d+ex}} - \frac{(cdf - aeg) \int \frac{\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx}{8cdg^2 \sqrt{d+ex}} \\
&= \frac{(cdf - aeg)^2 \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8cdg^2 \sqrt{d+ex}} - \frac{(cdf - aeg) \int \frac{\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}} dx}{8cdg^2 \sqrt{d+ex}}
\end{aligned}$$

**Mathematica [A]** time = 0.83, size = 254, normalized size = 0.82

$$\frac{\sqrt{c} \sqrt{d} \sqrt{d+ex} \left( \sqrt{c} \sqrt{d} \sqrt{g} \sqrt{cd} (f+gx)(ae+cdx) (3a^2e^2g^2 + 2acdeg(4f+7gx) + c^2d^2(-3f^2+2fgx+8g^2x^2)) + 3\sqrt{ae+cdx}(cdf-aeg)^{7/2} \sqrt{\frac{cd(f+gx)}{cdf-aeg}} \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{ae+cdx}}{\sqrt{cd} \sqrt{cdf-aeg}} \right) \right)}{24g^{5/2}(cd)^{5/2} \sqrt{f+gx} \sqrt{(d+ex)(ae+cdx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (Sqrt[c]\*Sqrt[d]\*Sqrt[d + e\*x]\*(Sqrt[c]\*Sqrt[d]\*Sqrt[c\*d]\*Sqrt[g]\*(a\*e + c\*d\*x)\*(f + g\*x)\*(3\*a^2\*e^2\*g^2 + 2\*a\*c\*d\*e\*g\*(4\*f + 7\*g\*x) + c^2\*d^2\*(-3\*f^2 + 2\*f\*g\*x + 8\*g^2\*x^2)) + 3\*sqrt[ae+cdx]\*(cdf-aeg)^(7/2)\*sqrt[cd\*(f+gx)/(cdf-aeg)]\*sinh^-1(sqrt[c]\*sqrt[d]\*sqrt[g]\*sqrt[ae+cdx]/(sqrt[cd]\*sqrt[cdf-aeg])))/(24\*g^(5/2)\*(cd)^(5/2)\*sqrt[f+gx]\*sqrt[(d+ex)\*(ae+cdx)])



+ 2\*f\*g\*x + 8\*g^2\*x^2)) + 3\*(c\*d\*f - a\*e\*g)^(7/2)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c\*d\*f - a\*e\*g])])]/(24\*(c\*d)^(5/2)\*g^(5/2)\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 1.79, size = 316, normalized size = 1.02

$$g^{3/2} \left( \frac{(dg+ex)(aeg+cdgx)}{g^2} \right)^{3/2} \left( \frac{\sqrt{aeg+cd(f+gx)-cdf} (3a^2d^2g^2\sqrt{f+gx}+14acdlog(f+gx)^{3/2}-6acdefg\sqrt{f+gx}+3d^2f^2\sqrt{f+gx}+8c^2d^2(f+gx)^{3/2}-14c^2d^2f(f+gx)^{3/2})}{24cdg^{5/2}} - \frac{\sqrt{cd}(-d^3e^2g^3+3d^2cd^2fg^2-3ac^2d^2ef^2g+c^2d^3f^3)\log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{8c^2d^2g^{5/2}} \right) (d+ex)^{3/2}(aeg+cdgx)^{3/2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x]

[Out] (g^(3/2)\*(((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(3/2)\*((Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]\*(3\*c^2\*d^2\*f^2\*Sqrt[f + g\*x] - 6\*a\*c\*d\*e\*f\*g\*Sqrt[f + g\*x] + 3\*a^2\*e^2\*g^2\*Sqrt[f + g\*x] - 14\*c^2\*d^2\*f\*(f + g\*x)^(3/2) + 14\*a\*c\*d\*e\*g\*(f + g\*x)^(3/2) + 8\*c^2\*d^2\*(f + g\*x)^(5/2)))/(24\*c\*d\*g^(5/2)) - (Sqrt[c\*d]\*(c^3\*d^3\*f^3 - 3\*a\*c^2\*d^2\*e\*f^2\*g + 3\*a^2\*c\*d\*e^2\*f\*g^2 - a^3\*e^3\*g^3)\*Log[-(Sqrt[c\*d]\*Sqrt[f + g\*x]) + Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]])/(8\*c^2\*d^2\*g^(5/2))))/(d + e\*x)^(3/2)\*(a\*e\*g + c\*d\*g\*x)^(3/2))

**fricas [A]** time = 1.51, size = 847, normalized size = 2.73

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2), x, algorithm="fricas")

[Out] [1/96\*(4\*(8\*c^3\*d^3\*g^3\*x^2 - 3\*c^3\*d^3\*f^2\*g + 8\*a\*c^2\*d^2\*e\*f\*g^2 + 3\*a^2\*c\*d\*e^2\*g^3 + 2\*(c^3\*d^3\*f\*g^2 + 7\*a\*c^2\*d^2\*e\*g^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f) - 3\*(c^3\*d^4\*f^3 - 3\*a\*c^2\*d^3\*e\*f^2\*g + 3\*a^2\*c\*d^2\*e^2\*f\*g^2 - a^3\*d\*e^3\*g^3 + (c^3\*d^3\*e\*f^3 - 3\*a\*c^2\*d^2\*e^2\*f^2\*g + 3\*a^2\*c\*d\*e^3\*f\*g^2 - a^3\*e^4\*g^3)\*x)\*sqrt(c\*d\*g)\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 - 4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(2\*c\*d\*g\*x + c\*d\*f + a\*e\*g)\*sqrt(c\*d\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d)))/(c^2\*d^2\*e\*g^3\*x + c^2\*d^3\*g^3), 1/4\*8\*(2\*(8\*c^3\*d^3\*g^3\*x^2 - 3\*c^3\*d^3\*f^2\*g + 8\*a\*c^2\*d^2\*e\*f\*g^2 + 3\*a^2\*c\*d\*e^2\*g^3 + 2\*(c^3\*d^3\*f\*g^2 + 7\*a\*c^2\*d^2\*e\*g^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f) - 3\*(c^3\*d^4\*f^3 - 3\*a\*c^2\*d^3\*e\*f^2\*g + 3\*a^2\*c\*d^2\*e^2\*f\*g^2 - a^3\*d\*e^3\*g^3 + (c^3\*d^3\*e\*f^3 - 3\*a\*c^2\*d^2\*e^2\*f^2\*g + 3\*a^2\*c\*d\*e^3\*f\*g^2 - a^3\*e^4\*g^3)\*x)\*sqrt(-c\*d\*g)\*arc

$$\tan(2\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x})*\sqrt{-c*d*g}*\sqrt{e*x + d}*\sqrt{g*x + f}/(2*c*d*e*g*x^2 + c*d^2*f + a*d*e*g + (c*d*e*f + (2*c*d^2 + a*e^2)*g)*x))/(c^2*d^2*e*g^3*x + c^2*d^3*g^3)]$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.02, size = 602, normalized size = 1.94

---

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^(1/2)\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2),x)

[Out] 
$$\begin{aligned} & -1/48*(g*x+f)^{(1/2)}*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}*(3*a^3*e^3*g^3* \\ & \ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2)}-9*a^2*c*d*e^2*f*g^2*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2)}+9*a*c^2*d^2*e*f^2*g*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2)}-3*c^3*d^3*f^3*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)))/(c*d*g)^{(1/2)}-16*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*c^2*d^2*g^2*x^2-28*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a*c*d*e*g^2*x-4*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*c^2*d^2*f*g*x-6*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a^2*e^2*g^2-16*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a*c*d*e*f*g+6*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*c^2*d^2*f^2)/(e*x+d)^{(1/2)}/c/d/(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}/g^2/(c*d*g)^{(1/2)} \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^3 \sqrt{gx + f}}{(ex + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)\*sqrt(g\*x + f)/(e\*x + d)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{f+gx} (cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}}{(d+ex)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(1/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2),x)

[Out] int(((f + g\*x)^(1/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2))/(d + e\*x)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((d+ex)(ae+cdx))^{\frac{3}{2}} \sqrt{f+gx}}{(d+ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*(1/2)\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2),x)

[Out] Integral(((d + e\*x)\*(a\*e + c\*d\*x))\*\*(3/2)\*sqrt(f + g\*x)/(d + e\*x)\*\*(3/2), x)

$$3.511 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2} \sqrt{f+gx}} dx$$

**Optimal.** Leaf size=238

$$\frac{3\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^2 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{4\sqrt{c} \sqrt{d} g^{5/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} - \frac{3\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)}{4g^2 \sqrt{d+ex}} + \dots$$

**Rubi [A]** time = 0.35, antiderivative size = 238, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$ , Rules used = {864, 891, 63, 217, 206}

$$\frac{3\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)}{4g^2 \sqrt{d+ex}} + \frac{3\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^2 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{4\sqrt{c} \sqrt{d} g^{5/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{\sqrt{f+gx} (x(ae^2 + cd^2) + ade + cdex^2)^{3/2}}{2g(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*Sqrt[f + g\*x]), x]

[Out] (-3\*(c\*d\*f - a\*e\*g)\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(4\*g^2\*Sqrt[d + e\*x]) + (Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(2\*g\*(d + e\*x)^(3/2)) + (3\*(c\*d\*f - a\*e\*g)^2\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(4\*Sqrt[c]\*Sqrt[d]\*g^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 864

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && N
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]
```

### Rule 891

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2} \sqrt{f + gx}} dx &= \frac{\sqrt{f + gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2g(d + ex)^{3/2}} - \frac{(3cdf - aeg) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d + ex}}}{4g} \\
&= -\frac{3(3cdf - aeg)\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2 \sqrt{d + ex}} + \frac{\sqrt{f + gx} (ade - \dots)}{2} \\
&= -\frac{3(3cdf - aeg)\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2 \sqrt{d + ex}} + \frac{\sqrt{f + gx} (ade - \dots)}{2} \\
&= -\frac{3(3cdf - aeg)\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2 \sqrt{d + ex}} + \frac{\sqrt{f + gx} (ade - \dots)}{2} \\
&= -\frac{3(3cdf - aeg)\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2 \sqrt{d + ex}} + \frac{\sqrt{f + gx} (ade - \dots)}{2} \\
&= -\frac{3(3cdf - aeg)\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^2 \sqrt{d + ex}} + \frac{\sqrt{f + gx} (ade - \dots)}{2}
\end{aligned}$$

**Mathematica [A]** time = 0.77, size = 193, normalized size = 0.81

$$\frac{\sqrt{(d + ex)(ae + cd)} \left( \sqrt{g} (f + gx)(5aeg + cd(2gx - 3f)) + \frac{3\sqrt{c} \sqrt{d} (cdf - aeg)^{5/2} \sqrt{\frac{cd(f+gx)}{cdf-aeg}} \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{ae+cdx}}{\sqrt{cd} \sqrt{cdf-aeg}} \right)}{(cd)^{3/2} \sqrt{ae+cdx}} \right)}{4g^{5/2} \sqrt{d + ex} \sqrt{f + gx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*Sqrt[f + g\*x]), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(Sqrt[g]\*(f + g\*x)\*(5\*a\*e\*g + c\*d\*(-3\*f + 2\*g\*x)) + (3\*Sqrt[c]\*Sqrt[d]\*(c\*d\*f - a\*e\*g)^(5/2)\*Sqrt[(c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g)]\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*

$\text{Sqrt}[c*d*f - a*e*g]])/((c*d)^{(3/2)}*\text{Sqrt}[a*e + c*d*x]))/(4*g^{(5/2)}*\text{Sqrt}[d + e*x]*\text{Sqrt}[f + g*x])$

**IntegrateAlgebraic [A]** time = 1.38, size = 222, normalized size = 0.93

$$\frac{g^{3/2} \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{3/2} \left( \frac{\sqrt{aeg+cd(f+gx)-cdf} (5aeg\sqrt{f+gx}+2cd(f+gx)^{3/2}-5cdf\sqrt{f+gx})}{4g^5/2} - \frac{3\sqrt{cd}(a^2e^2g^2-2acdefg+c^2d^2f^2)\log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{4cdg^5/2} \right)}{(d+ex)^{3/2}(aeg+cdgx)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*Sqrt[f + g\*x]), x]

[Out]  $(g^{(3/2)}*((a*e*g + c*d*g*x)*(d*g + e*g*x))/g^2)^{(3/2)}*((\text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)]*(-5*c*d*f*\text{Sqrt}[f + g*x] + 5*a*e*g*\text{Sqrt}[f + g*x] + 2*c*d*(f + g*x)^{(3/2)}))/4*g^{(5/2)}) - (3*\text{Sqrt}[c*d]*(c^2*d^2*f^2 - 2*a*c*d*e*f*g + a^2*e^2*g^2)*\text{Log}[-(\text{Sqrt}[c*d]*\text{Sqrt}[f + g*x]) + \text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)])]/(4*c*d*g^{(5/2)}))/((d + e*x)^{(3/2)}*(a*e*g + c*d*g*x)^{(3/2)})$

**fricas [A]** time = 1.21, size = 651, normalized size = 2.74

$$\frac{1}{16} \left( 4 \left( 2c^2d^2g^2x - 3c^2d^2f^2g + 5a^2c^2d^2e^2g^2 \right) \sqrt{c^2d^2e^2x^2 + a^2d^2e + (c^2d^2 + a^2e^2)x} \sqrt{ex + d} \sqrt{gx + f} + 3 \left( c^2d^3f^2 - 2a^2c^2d^2e^2f^2g + a^2d^2e^2g^2 + (c^2d^2e^2f^2 - 2a^2c^2d^2e^2f^2g + a^2d^2e^2g^2)x \right) \sqrt{c^2d^2g} \log \left( - \left( 8c^2d^2e^2g^2x^3 + c^2d^3f^2 + 6a^2c^2d^2e^2f^2g + a^2d^2e^2g^2 + 4\sqrt{c^2d^2e^2x^2 + a^2d^2e + (c^2d^2 + a^2e^2)x} \right) \left( 2c^2d^2g^2x + c^2d^2f + a^2e^2g \right) \sqrt{c^2d^2g} \sqrt{ex + d} \sqrt{gx + f} + 8 \left( c^2d^2e^2f^2g + (c^2d^3 + a^2c^2d^2e^2)g^2 \right) x^2 + (c^2d^2e^2f^2 + 2(4c^2d^3 + 3a^2c^2d^2e^2)f^2g + (8a^2c^2d^2e^2 + a^2d^2e^3)g^2)x \right) / (ex + d) \right) / (c^2d^2e^2g^3x + c^2d^2g^3) + \frac{1}{8} \left( 2 \left( 2c^2d^2g^2x - 3c^2d^2f^2g + 5a^2c^2d^2e^2g^2 \right) \sqrt{c^2d^2e^2x^2 + a^2d^2e + (c^2d^2 + a^2e^2)x} \sqrt{ex + d} \sqrt{gx + f} - 3 \left( c^2d^3f^2 - 2a^2c^2d^2e^2f^2g + a^2d^2e^2g^2 + (c^2d^2e^2f^2 - 2a^2c^2d^2e^2f^2g + a^2d^2e^2g^2)x \right) \sqrt{-c^2d^2g} \arctan \left( 2\sqrt{c^2d^2e^2x^2 + a^2d^2e + (c^2d^2 + a^2e^2)x} \sqrt{-c^2d^2g} \sqrt{ex + d} \sqrt{gx + f} / (2c^2d^2e^2g^2x + c^2d^2f + a^2e^2g + (c^2d^2e^2f + (2c^2d^2 + a^2e^2)g)x) \right) \right) / (c^2d^2e^2g^3x + c^2d^2g^3) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(1/2), x, algorithm="fricas")

[Out]  $[1/16*(4*(2*c^2*d^2*g^2*x - 3*c^2*d^2*f^2*g + 5*a^2*c^2*d^2*e^2*g^2)*\text{sqrt}(c^2*d^2*e^2*x^2 + a^2*d^2*e + (c^2*d^2 + a^2*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f) + 3*(c^2*d^3*f^2 - 2*a^2*c^2*d^2*e^2*f^2*g + a^2*d^2*e^2*g^2 + (c^2*d^2*e^2*f^2 - 2*a^2*c^2*d^2*e^2*f^2*g + a^2*d^2*e^2g^2)*x)*\text{sqrt}(c^2*d^2*g)*\log(-\left( 8*c^2*d^2*e^2*g^2*x^3 + c^2*d^3*f^2 + 6*a^2*c^2*d^2*e^2*f^2*g + a^2*d^2*e^2g^2 + 4*\text{sqrt}(c^2*d^2*e^2*x^2 + a^2*d^2*e + (c^2*d^2 + a^2*e^2)*x) \right) \left( 2*c^2*d^2*g^2*x + c^2*d^2*f + a^2*e^2g \right) *\text{sqrt}(c^2*d^2*g)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f) + 8*(c^2*d^2*e^2*f^2*g + (c^2*d^3 + a^2*c^2*d^2*e^2)*g^2)*x^2 + (c^2*d^2*e^2*f^2 + 2*(4*c^2*d^3 + 3*a^2*c^2*d^2*e^2)*f^2*g + (8*a^2*c^2*d^2*e^2 + a^2*d^2*e^3)*g^2)*x)/(e*x + d)))/(c^2*d^2*e^2*g^3*x + c^2*d^2*g^3), 1/8*(2*(2*c^2*d^2*g^2*x - 3*c^2*d^2*f^2*g + 5*a^2*c^2*d^2*e^2*g^2)*\text{sqrt}(c^2*d^2*e^2*x^2 + a^2*d^2*e + (c^2*d^2 + a^2*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f) - 3*(c^2*d^3*f^2 - 2*a^2*c^2*d^2*e^2*f^2*g + a^2*d^2*e^2g^2 + (c^2*d^2*e^2*f^2 - 2*a^2*c^2*d^2*e^2*f^2*g + a^2*d^2*e^2g^2)*x)*\text{sqrt}(-c^2*d^2*g)*\arctan(2*\text{sqrt}(c^2*d^2*e^2*x^2 + a^2*d^2*e + (c^2*d^2 + a^2*e^2)*x)*\text{sqrt}(-c^2*d^2*g)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f)/(2*c^2*d^2*e^2*g^2*x + c^2*d^2*f + a^2*d^2*e + (c^2*d^2*e^2*f + (2*c^2*d^2 + a^2*e^2)*g)*x)))/(c^2*d^2*e^2*g^3*x + c^2*d^2*g^3)]$

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.03, size = 325, normalized size = 1.37

$$\frac{\sqrt{cdex^2 + ae^2x + cd^2x + ade} \sqrt{gx + f} \left( 3a^2e^2g^2 \ln \left( \frac{2adg + aeg + cd^2 \sqrt{(gx+f)(cd+ae)}}{2\sqrt{cdg}} \right) - 6acdefg \ln \left( \frac{2adg + aeg + cd^2 \sqrt{(gx+f)(cd+ae)}}{2\sqrt{cdg}} \right) + 3e^2d^2f^2 \ln \left( \frac{2adg + aeg + cd^2 \sqrt{(gx+f)(cd+ae)}}{2\sqrt{cdg}} \right) + 4\sqrt{cdg} \sqrt{(gx+f)(cd+ae)} cdgx + 10\sqrt{cdg} \sqrt{(gx+f)(cd+ae)} aeg - 6\sqrt{cdg} \sqrt{(gx+f)(cd+ae)} cdf \right)}{8\sqrt{ex+d} \sqrt{(gx+f)(cd+ae)} \sqrt{cdg} g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(1/2),x)

[Out]  $\frac{1}{8} * (c*d*e*x^2 + a*d*e + (a*e^2 + c*d^2)*x + a*d*e)^{(1/2)} * (g*x+f)^{(1/2)} * (3*a^2*e^2*g^2*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2))}/(c*d*g)^{(1/2)}) - 6*a*c*d*e*f*g*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2))}/(c*d*g)^{(1/2)}) + 3*c^2*d^2*f^2*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2))}/(c*d*g)^{(1/2)}) + 4*(c*d*g)^{(1/2)}*((g*x+f)*(c*d*x+a*e))^{(1/2)}*c*d*g*x + 10*(c*d*g)^{(1/2)}*((g*x+f)*(c*d*x+a*e))^{(1/2)}*a*e*g - 6*(c*d*g)^{(1/2)}*((g*x+f)*(c*d*x+a*e))^{(1/2)}*c*d*f)/(e*x+d)^{(1/2)}/((g*x+f)*(c*d*x+a*e))^{(1/2)}/g^2/(c*d*g)^{(1/2)}$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}} \sqrt{gx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*sqrt(g\*x + f)), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{3/2}}{\sqrt{f + gx} (d + ex)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/((f + g*x)^(1/2)*(d + e*x)^(3/2)),x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/((f + g*x)^(1/2)*(d + e*x)^(3/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/(e*x+d)**(3/2)/(g*x+f)
)**(1/2),x)
```

```
[Out] Timed out
```

$$3.512 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{3/2}} dx$$

**Optimal.** Leaf size=222

$$\frac{3\sqrt{c}\sqrt{d}\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{g^{5/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} + \frac{3cd\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g^2\sqrt{d+ex}} - 2(x$$

**Rubi [A]** time = 0.30, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {862, 864, 891, 63, 217, 206}

$$\frac{3cd\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g^2\sqrt{d+ex}} - \frac{3\sqrt{c}\sqrt{d}\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{g^{5/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{g(d+ex)^{3/2}\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(3/2)), x]

[Out] (3\*c\*d\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(g^2\*Sqrt[d + e\*x]) - (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(g\*(d + e\*x)^(3/2)\*Sqrt[f + g\*x]) - (3\*Sqrt[c]\*Sqrt[d]\*(c\*d\*f - a\*e\*g)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(g^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 862

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a +  
b\*x + c\*x^2)^p)/(g\*(n + 1)), x] + Dist[(c\*m)/(e\*g\*(n + 1)), Int[(d + e\*x)^(  
m + 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b,  
c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 -  
b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ  
[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])

### Rule 864

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a  
+ b\*x + c\*x^2)^p)/(g\*(m - n - 1)), x] - Dist[(m\*(c\*e\*f + c\*d\*g - b\*e\*g))/(e  
^2\*g\*(m - n - 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p -  
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && N  
eQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ  
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ  
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]

### Rule 891

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[(a + b\*x + c\*x^2)^FracPart[p]/((d +  
e\*x)^FracPart[p]\*(a/d + (c\*x)/e)^FracPart[p]), Int[(d + e\*x)^(m + p)\*(f +  
g\*x)^n\*(a/d + (c\*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &  
& NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0]  
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^{3/2}} dx &= -\frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{g(d + ex)^{3/2}\sqrt{f + gx}} + \frac{(3cd) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}\sqrt{f+gx}} dx}{g} \\
&= \frac{3cd\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{g(d + ex)^{3/2}\sqrt{f + gx}} \\
&= \frac{3cd\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{g(d + ex)^{3/2}\sqrt{f + gx}} \\
&= \frac{3cd\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{g(d + ex)^{3/2}\sqrt{f + gx}} \\
&= \frac{3cd\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{g(d + ex)^{3/2}\sqrt{f + gx}} \\
&= \frac{3cd\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{g(d + ex)^{3/2}\sqrt{f + gx}}
\end{aligned}$$

**Mathematica** [C] time = 0.16, size = 102, normalized size = 0.46

$$\frac{2((d + ex)(ae + cdex))^{5/2} \left(\frac{cd(f+gx)}{cdf-aeg}\right)^{3/2} {}_2F_1\left(\frac{3}{2}, \frac{5}{2}, \frac{7}{2}, \frac{g(ae+cdx)}{aeg-cdf}\right)}{5cd(d + ex)^{5/2}(f + gx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(3/2)), x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*((c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g))^(3/2)\*Hypergeometric2F1[3/2, 5/2, 7/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)]/(5\*c\*d\*(d + e\*x)^(5/2)\*(f + g\*x)^(3/2))

**IntegrateAlgebraic [A]** time = 1.45, size = 178, normalized size = 0.80

$$\frac{g^{3/2} \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{3/2} \left( \frac{\sqrt{aeg+cd(f+gx)-cdf}(-2aeg+cd(f+gx)+2cdf)}{g^{5/2}\sqrt{f+gx}} + \frac{3\sqrt{cd}(cdf-aeg)\log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{g^{5/2}} \right)}{(d+ex)^{3/2}(aeg+cdgx)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(3/2)),x]

[Out] (g^(3/2)\*(((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(3/2)\*(((2\*c\*d\*f - 2\*a\*e\*g + c\*d\*(f + g\*x))\*Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)])/(g^(5/2)\*Sqrt[f + g\*x]) + (3\*Sqrt[c\*d]\*(c\*d\*f - a\*e\*g)\*Log[-(Sqrt[c\*d]\*Sqrt[f + g\*x]) + Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]]/g^(5/2)))/((d + e\*x)^(3/2)\*(a\*e\*g + c\*d\*g\*x)^(3/2))

**fricas [A]** time = 1.12, size = 663, normalized size = 2.99

$$\frac{\sqrt{\sqrt{d^2 + 4e^2} + (d^2 + e^2)\sqrt{d^2 + 4e^2} - 2ad}\sqrt{d^2 + 4e^2} - 3(d^2 - a^2)\sqrt{d^2 + 4e^2} + (d^2 - a^2)\sqrt{d^2 + 4e^2} + (d^2 - a^2)\sqrt{d^2 + 4e^2}}{2(d^2 + 4e^2)\sqrt{d^2 + 4e^2}} \log\left(\frac{\sqrt{d^2 + 4e^2} + (d^2 + e^2)\sqrt{d^2 + 4e^2} - 2ad}{2(d^2 + 4e^2)\sqrt{d^2 + 4e^2}}\right) + \frac{2\sqrt{d^2 + 4e^2} + 4d\sqrt{d^2 + 4e^2} + 3ad - 2ad}\sqrt{d^2 + 4e^2} - 3(d^2 - a^2)\sqrt{d^2 + 4e^2} + (d^2 - a^2)\sqrt{d^2 + 4e^2} + (d^2 - a^2)\sqrt{d^2 + 4e^2}}{2(d^2 + 4e^2)\sqrt{d^2 + 4e^2}} \sqrt{\frac{d^2 + 4e^2}{d^2 + 4e^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out] [1/4\*(4\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*g\*x + 3\*c\*d\*f - 2\*a\*e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) - 3\*(c\*d^2\*f^2 - a\*d\*e\*f\*g + (c\*d\*e\*f\*g - a\*e^2\*g^2)\*x^2 + (c\*d\*e\*f^2 - a\*d\*e\*g^2 + (c\*d^2 - a\*e^2)\*f\*g)\*x)\*sqrt(c\*d/g)\*log(-(8\*c^2\*d^2\*e\*g^2\*x^3 + c^2\*d^3\*f^2 + 6\*a\*c\*d^2\*e\*f\*g + a^2\*d\*e^2\*g^2 + 4\*(2\*c\*d\*g^2\*x + c\*d\*f\*g + a\*e\*g^2))\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*sqrt(c\*d/g) + 8\*(c^2\*d^2\*e\*f\*g + (c^2\*d^3 + a\*c\*d\*e^2)\*g^2)\*x^2 + (c^2\*d^2\*e\*f^2 + 2\*(4\*c^2\*d^3 + 3\*a\*c\*d\*e^2)\*f\*g + (8\*a\*c\*d^2\*e + a^2\*e^3)\*g^2)\*x)/(e\*x + d))/(e\*g^3\*x^2 + d\*f\*g^2 + (e\*f\*g^2 + d\*g^3)\*x), 1/2\*(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(c\*d\*g\*x + 3\*c\*d\*f - 2\*a\*e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 3\*(c\*d^2\*f^2 - a\*d\*e\*f\*g + (c\*d\*e\*f\*g - a\*e^2\*g^2)\*x^2 + (c\*d\*e\*f^2 - a\*d\*e\*g^2 + (c\*d^2 - a\*e^2)\*f\*g)\*x)\*sqrt(-c\*d/g)\*arctan(2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)\*sqrt(-c\*d/g)\*g/(2\*c\*d\*e\*g\*x^2 + c\*d^2\*f + a\*d\*e\*g + (c\*d\*e\*f + (2\*c\*d^2 + a\*e^2)\*g)\*x)))/(e\*g^3\*x^2 + d\*f\*g^2 + (e\*f\*g^2 + d\*g^3)\*x)]

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.03, size = 383, normalized size = 1.73

$$\frac{\left(3acde^2 \ln\left(\frac{2d(gx+f)\sqrt{2d(gx+f)\sqrt{cd^2+ae^2}}}{2\sqrt{cd^2+ae^2}}\right) - 3c^2d^2fg \ln\left(\frac{2d(gx+f)\sqrt{2d(gx+f)\sqrt{cd^2+ae^2}}}{2\sqrt{cd^2+ae^2}}\right) + 3acdefg \ln\left(\frac{2d(gx+f)\sqrt{2d(gx+f)\sqrt{cd^2+ae^2}}}{2\sqrt{cd^2+ae^2}}\right) - 3c^2d^2f^2 \ln\left(\frac{2d(gx+f)\sqrt{2d(gx+f)\sqrt{cd^2+ae^2}}}{2\sqrt{cd^2+ae^2}}\right) + 2\sqrt{cd^2+ae^2} \sqrt{(gx+f)(cdx+ae)} \operatorname{cd}gx - 4\sqrt{cd^2+ae^2} \sqrt{(gx+f)(cdx+ae)} agx + 6\sqrt{cd^2+ae^2} \sqrt{(gx+f)(cdx+ae)} cdf\right) \sqrt{cdx^2+ae^2} + cd^2x + cd^2x + ade}{2\sqrt{(gx+f)(cdx+ae)} \sqrt{cd^2+ae^2} \sqrt{cd^2+ae^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(3/2),x)

[Out]  $\frac{1}{2} * (3 * a * c * d * e * g^2 * x * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e)))^{1/2} * (c * d * g)^{1/2}) / (c * d * g)^{1/2}) - 3 * c^2 * d^2 * f * g * x * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e)))^{1/2} * (c * d * g)^{1/2}) / (c * d * g)^{1/2}) + 3 * a * c * d * e * f * g * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e)))^{1/2} * (c * d * g)^{1/2}) / (c * d * g)^{1/2}) - 3 * c^2 * d^2 * f^2 * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e)))^{1/2} * (c * d * g)^{1/2}) / (c * d * g)^{1/2}) + 2 * (c * d * g)^{1/2} * ((g * x + f) * (c * d * x + a * e))^{1/2} * c * d * g * x - 4 * (c * d * g)^{1/2} * ((g * x + f) * (c * d * x + a * e))^{1/2} * a * e * g + 6 * (c * d * g)^{1/2} * ((g * x + f) * (c * d * x + a * e))^{1/2} * c * d * f * (c * d * e * x^2 + a * e^2 * x + c * d^2 * x + a * d * e)^{1/2} / ((g * x + f) * (c * d * x + a * e))^{1/2} / (c * d * g)^{1/2} / g^2 / (g * x + f)^{1/2} / (e * x + d)^{1/2}$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{3/2}}{(ex + d)^2(gx + f)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(3/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*(g\*x + f)^(3/2)), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cde x^2 + (cd^2 + ae^2)x + ade)^{3/2}}{(f + gx)^{3/2} (d + ex)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/((f + g*x)^(3/2)*(d + e*x)^(3/2)),x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/((f + g*x)^(3/2)*(d + e*x)^(3/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/(e*x+d)**(3/2)/(g*x+f) ** (3/2),x)
```

```
[Out] Timed out
```

$$3.513 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{5/2}} dx$$

**Optimal.** Leaf size=214

$$\frac{2c^{3/2}d^{3/2}\sqrt{d+ex}\sqrt{ae+cdx}\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{g^{5/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g^2\sqrt{d+ex}\sqrt{f+gx}} - \frac{2(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{3g(d+ex)^{3/2}(f+gx)}$$

**Rubi [A]** time = 0.28, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$ , Rules used = {862, 891, 63, 217, 206}

$$\frac{2c^{3/2}d^{3/2}\sqrt{d+ex}\sqrt{ae+cdx}\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{g^{5/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2cd\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g^2\sqrt{d+ex}\sqrt{f+gx}} - \frac{2(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{3g(d+ex)^{3/2}(f+gx)}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(5/2)), x]

[Out] (-2\*c\*d\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(g^2\*Sqrt[d + e\*x]\*Sqrt[f + g\*x]) - (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(3\*g\*(d + e\*x)^(3/2)\*(f + g\*x)^(3/2)) + (2\*c^(3/2)\*d^(3/2)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(g^(5/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217



```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 862

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a +
b*x + c*x^2)^p)/(g*(n + 1)), x] + Dist[(c*m)/(e*g*(n + 1)), Int[(d + e*x)^(
m + 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b,
c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^
2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ
[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])
```

### Rule 891

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^{5/2}} dx &= -\frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g(d + ex)^{3/2}(f + gx)^{3/2}} + \frac{(cd) \int \frac{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{d+ex}(f+gx)^{3/2}} dx}{g} \\
&= -\frac{2cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}\sqrt{f + gx}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g(d + ex)^{3/2}(f + gx)^{3/2}} \\
&= -\frac{2cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}\sqrt{f + gx}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g(d + ex)^{3/2}(f + gx)^{3/2}} \\
&= -\frac{2cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}\sqrt{f + gx}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g(d + ex)^{3/2}(f + gx)^{3/2}} \\
&= -\frac{2cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}\sqrt{f + gx}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g(d + ex)^{3/2}(f + gx)^{3/2}} \\
&= -\frac{2cd\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^2\sqrt{d + ex}\sqrt{f + gx}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g(d + ex)^{3/2}(f + gx)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.06, size = 188, normalized size = 0.88

$$\frac{2\sqrt{(d + ex)(ae + cdx)} \left( \frac{3\sqrt{c}\sqrt{d}(cdf - aeg)^{3/2} \left( \frac{cd(f+gx)}{cdf - aeg} \right)^{3/2} \sinh^{-1} \left( \frac{\sqrt{c}\sqrt{d}\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cdf-aeg}} \right)}{\sqrt{cd}\sqrt{ae+cdx}} - \sqrt{g}(aeg + cd(3f + 4gx)) \right)}{3g^{5/2}\sqrt{d + ex}(f + gx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(5/2)), x]

[Out] (2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-(Sqrt[g]\*(a\*e\*g + c\*d\*(3\*f + 4\*g\*x))) + (3\*Sqrt[c]\*Sqrt[d]\*(c\*d\*f - a\*e\*g)^(3/2)\*((c\*d\*(f + g\*x))/(c\*d\*f - a\*e\*g))^(3/2)\*ArcSinh[(Sqrt[c]\*Sqrt[d]\*Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c\*d]\*Sqrt[c

$(d*f - a*e*g)]]) / (\text{Sqrt}[c*d] * \text{Sqrt}[a*e + c*d*x])) / (3*g^{(5/2)} * \text{Sqrt}[d + e*x] * (f + g*x)^{(3/2)})$

**IntegrateAlgebraic [A]** time = 1.54, size = 173, normalized size = 0.81

$$\frac{g^{3/2} \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{3/2} \left( \frac{2(-aeg-4cd(f+gx)+cdf)\sqrt{aeg+cd(f+gx)-cdf}}{3g^{5/2}(f+gx)^{3/2}} - \frac{2cd\sqrt{cd} \log(\sqrt{aeg+cd(f+gx)-cdf} - \sqrt{cd}\sqrt{f+gx})}{g^{5/2}} \right)}{(d+ex)^{3/2}(aeg+cdgx)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(5/2)),x]

[Out]  $(g^{(3/2)} * (((a*e*g + c*d*g*x) * (d*g + e*g*x)) / g^2)^{(3/2)} * ((2 * (c*d*f - a*e*g - 4*c*d*(f + g*x)) * \text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)]) / (3*g^{(5/2)} * (f + g*x)^{(3/2)}) - (2*c*d*\text{Sqrt}[c*d] * \text{Log}[-(\text{Sqrt}[c*d] * \text{Sqrt}[f + g*x]) + \text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)])] / g^{(5/2)})) / ((d + e*x)^{(3/2)} * (a*e*g + c*d*g*x)^{(3/2)})$

**fricas [A]** time = 1.08, size = 685, normalized size = 3.20

$$\frac{\sqrt{a^2 d^2 + a d e + a^2 e^2} (d e g x + a e g) \sqrt{d^2 + a e^2} \sqrt{g x + f} - 3 (d e g^2 x^3 + c^2 d^2 f^2 + 2 c d e f g + c d^2 g^2) x^2 + (c d e e f^2 + 2 c d^2 f g) x \sqrt{c d / g} \log(-8 c^2 d^2 e g^2 x^3 + c^2 d^3 f^2 + 6 a c d^2 e f g + a^2 d e^2 g^2 + 4 (2 c d g^2 x + c d f g + a e g^2) \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x}) \sqrt{e x + d} \sqrt{g x + f} \sqrt{c d / g} + 8 (c^2 d^2 e f g + (c^2 d^3 + a c d e^2) g^2) x^2 + (c^2 d^2 e f^2 + 2 (4 c^2 d^3 + 3 a c d e^2) f g + (8 a c d^2 e + a^2 e^3) g^2) x) / (e x + d) / (e g^4 x^3 + d f^2 g^2 + (2 e f g^3 + d g^4) x^2 + (e f^2 g^2 + 2 d f g^3) x), -1/3 (2 \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} (4 c d g x + 3 c d f + a e g) \sqrt{e x + d} \sqrt{g x + f} + 3 (c d e g^2 x^3 + c d^2 f^2 + (2 c d e f g + c d^2 g^2) x^2 + (c d e f^2 + 2 c d^2 f g) x) \sqrt{-c d / g} \arctan(2 \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{e x + d} \sqrt{g x + f} \sqrt{-c d / g} g / (2 c d e g x^2 + c d^2 f + a d e g + (c d e f + (2 c d^2 + a e^2) g) x)) / (e g^4 x^3 + d f^2 g^2 + (2 e f g^3 + d g^4) x^2 + (e f^2 g^2 + 2 d f g^3) x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(5/2),x, algorithm="fricas")

[Out]  $[-1/6 * (4 * \text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x) * (4*c*d*g*x + 3*c*d*f + a*e*g) * \text{sqrt}(e*x + d) * \text{sqrt}(g*x + f) - 3 * (c*d*e*g^2*x^3 + c*d^2*f^2 + (2*c*d*e*f*g + c*d^2*g^2)*x^2 + (c*d*e*f^2 + 2*c*d^2*f*g)*x) * \text{sqrt}(c*d/g) * \log(-8*c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + 6*a*c*d^2*e*f*g + a^2*d*e^2*g^2 + 4*(2*c*d*g^2*x + c*d*f*g + a*e*g^2) * \text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x) * \text{sqrt}(e*x + d) * \text{sqrt}(g*x + f) * \text{sqrt}(c*d/g) + 8*(c^2*d^2*e*f*g + (c^2*d^3 + a*c*d*e^2)*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*(4*c^2*d^3 + 3*a*c*d*e^2)*f*g + (8*a*c*d^2*e + a^2*e^3)*g^2)*x) / (e*x + d)) / (e*g^4*x^3 + d*f^2*g^2 + (2*e*f*g^3 + d*g^4)*x^2 + (e*f^2*g^2 + 2*d*f*g^3)*x), -1/3 * (2 * \text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x) * (4*c*d*g*x + 3*c*d*f + a*e*g) * \text{sqrt}(e*x + d) * \text{sqrt}(g*x + f) + 3 * (c*d*e*g^2*x^3 + c*d^2*f^2 + (2*c*d*e*f*g + c*d^2*g^2)*x^2 + (c*d*e*f^2 + 2*c*d^2*f*g)*x) * \text{sqrt}(-c*d/g) * \arctan(2 * \text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x) * \text{sqrt}(e*x + d) * \text{sqrt}(g*x + f) * \text{sqrt}(-c*d/g) * g / (2*c*d*e*g*x^2 + c*d^2*f + a*d*e*g + (c*d*e*f + (2*c*d^2 + a*e^2)*g)*x)) / (e*g^4*x^3 + d*f^2*g^2 + (2*e*f*g^3 + d*g^4)*x^2 + (e*f^2*g^2 + 2*d*f*g^3)*x)]$

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(5/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.03, size = 331, normalized size = 1.55

$$\frac{\sqrt{cdex^2 + ade} \left( 3c^2d^2e^2 \ln \left( \frac{2d(gx+af) + 2\sqrt{(gx+f)(dx+ae)} \sqrt{cd}}{2\sqrt{cd}} \right) + 6c^2d^2fgx \ln \left( \frac{2d(gx+af) + 2\sqrt{(gx+f)(dx+ae)} \sqrt{cd}}{2\sqrt{cd}} \right) + 3c^2d^2f^2 \ln \left( \frac{2d(gx+af) + 2\sqrt{(gx+f)(dx+ae)} \sqrt{cd}}{2\sqrt{cd}} \right) - 8\sqrt{cd} \sqrt{(gx+f)(dx+ae)} cdgx - 2\sqrt{cd} \sqrt{(gx+f)(dx+ae)} agx - 6\sqrt{cd} \sqrt{(gx+f)(dx+ae)} cdf \right)}{3\sqrt{cd} \sqrt{(gx+f)(dx+ae)} (gx+f)^2 \sqrt{dx+d} g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(5/2),x)

[Out]  $\frac{1}{3} (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x+a*d*e)^{(1/2)} * (3*c^2*d^2*g^2*x^2*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)}) + 6*c^2*d^2*f*g*x*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)}) + 3*c^2*d^2*f^2*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2)})/(c*d*g)^{(1/2)}) - 8*(c*d*g)^{(1/2)}*((g*x+f)*(c*d*x+a*e))^{(1/2)}*c*d*g*x - 2*(c*d*g)^{(1/2)}*((g*x+f)*(c*d*x+a*e))^{(1/2)}*a*e*g - 6*(c*d*g)^{(1/2)}*((g*x+f)*(c*d*x+a*e))^{(1/2)}*c*d*f)/(c*d*g)^{(1/2)} / ((g*x+f)*(c*d*x+a*e))^{(1/2)} / g^2 / (g*x+f)^{(3/2)} / (e*x+d)^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}}(gx + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(5/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*(g\*x + f)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cdex^2 + (cd^2 + ae^2)x + ade)^{\frac{3}{2}}}{(f + gx)^{\frac{5}{2}}(d + ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/((f + g*x)^(5/2)*(d + e*x)^(3/2)),x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(3/2)/((f + g*x)^(5/2)*(d + e*x)^(3/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(3/2)/(e*x+d)**(3/2)/(g*x+f) ** (5/2),x)
```

```
[Out] Timed out
```

$$3.514 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{7/2}} dx$$

**Optimal.** Leaf size=63

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{5(d+ex)^{5/2}(f+gx)^{5/2}(cdf - aeg)}$$

**Rubi [A]** time = 0.07, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.021$ , Rules used = {860}

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{5(d+ex)^{5/2}(f+gx)^{5/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(7/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(5\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(5/2)\*(f + g\*x)^(5/2))

**Rule 860**

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]
```

**Rubi steps**

$$\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{7/2}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{5(cdf - aeg)(d+ex)^{5/2}(f+gx)^{5/2}}$$

**Mathematica [A]** time = 0.05, size = 52, normalized size = 0.83

$$\frac{2((d+ex)(ae+cdx))^{5/2}}{5(d+ex)^{5/2}(f+gx)^{5/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(7/2)),x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2))/(5\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(5/2)\*(f + g\*x)^(5/2))

**IntegrateAlgebraic [B]** time = 1.40, size = 168, normalized size = 2.67

$$\frac{2\left(\frac{(dg+egx)(aeg+cdgx)}{g^2}\right)^{3/2}\sqrt{aeg+cd(f+gx)-cdf}\left(a^2e^2g^2+2acdeg(f+gx)-2acdefg+c^2d^2f^2+c^2d^2(f+gx)^2-2c^2d^2f(f+gx)\right)}{5g(d+ex)^{3/2}(f+gx)^{5/2}(aeg-cdf)(aeg+cdgx)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(7/2)),x]

[Out] (-2\*(((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(3/2)\*Sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]\*(c^2\*d^2\*f^2 - 2\*a\*c\*d\*e\*f\*g + a^2\*e^2\*g^2 - 2\*c^2\*d^2\*f\*(f + g\*x) + 2\*a\*c\*d\*e\*g\*(f + g\*x) + c^2\*d^2\*(f + g\*x)^2))/(5\*g\*(-(c\*d\*f) + a\*e\*g)\*(d + e\*x)^(3/2)\*(f + g\*x)^(5/2)\*(a\*e\*g + c\*d\*g\*x)^(3/2))

**fricas [B]** time = 0.44, size = 232, normalized size = 3.68

$$\frac{2\left(e^2d^2x^2+2acdex+a^2e^2\right)\sqrt{cdex^2+ade+(cd^2+ae^2)x}\sqrt{ex+d}\sqrt{gx+f}}{5\left(cd^2f^4-ade^2f^3g+(cdefg^3-ae^2g^4)x^4+(3cdef^2g^2-ade^4+(cd^2-3ae^2)f^3g^3)x^3+3(cdef^3g-ade^2f^3g^3+(cd^2-ae^2)f^2g^2)x^2+(cdef^4-3ade^2f^2g^2+(3cd^2-ae^2)f^3g)x\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(7/2),x, algorithm="fricas")

[Out] 2/5\*(c^2\*d^2\*x^2 + 2\*a\*c\*d\*e\*x + a^2\*e^2)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(c\*d^2\*f^4 - a\*d\*e\*f^3\*g + (c\*d\*e\*f\*g^3 - a\*e^2\*g^4)\*x^4 + (3\*c\*d\*e\*f^2\*g^2 - a\*d\*e\*g^4 + (c\*d^2 - 3\*a\*e^2)\*f\*g^3)\*x^3 + 3\*(c\*d\*e\*f^3\*g - a\*d\*e\*f\*g^3 + (c\*d^2 - a\*e^2)\*f^2\*g^2)\*x^2 + (c\*d\*e\*f^4 - 3\*a\*d\*e\*f^2\*g^2 + (3\*c\*d^2 - a\*e^2)\*f^3\*g)\*x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(7/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.01, size = 63, normalized size = 1.00

$$\frac{2(cdx + ae) \left( cde x^2 + a e^2 x + c d^2 x + ade \right)^{\frac{3}{2}}}{5 \left( gx + f \right)^{\frac{5}{2}} \left( aeg - cdf \right) \left( ex + d \right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(7/2),x)

[Out] -2/5/(g\*x+f)^(5/2)\*(c\*d\*x+a\*e)/(a\*e\*g-c\*d\*f)\*(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(3/2)/(e\*x+d)^(3/2)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left( cdex^2 + ade + (cd^2 + ae^2)x \right)^{\frac{3}{2}}}{\left( ex + d \right)^{\frac{3}{2}} \left( gx + f \right)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(7/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*(g\*x + f)^(7/2)), x)

**mupad [B]** time = 4.07, size = 232, normalized size = 3.68

$$\frac{\left( \frac{2a^2e^2}{5aeg^3-5cdfg^2} + \frac{2c^2d^2x^2}{5aeg^3-5cdfg^2} + \frac{4acdex}{5aeg^3-5cdfg^2} \right) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x^2 \sqrt{f+gx} \sqrt{d+ex} - \frac{\sqrt{f+gx} (5cdf^3-5aef^2g) \sqrt{d+ex}}{5aeg^3-5cdfg^2} + \frac{x \sqrt{f+gx} (10aefg^2-10cdf^2g) \sqrt{d+ex}}{5aeg^3-5cdfg^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^(7/2)\*(d + e\*x)^(3/2)),x)

[Out] -(((2\*a^2\*e^2)/(5\*a\*e\*g^3 - 5\*c\*d\*f\*g^2) + (2\*c^2\*d^2\*x^2)/(5\*a\*e\*g^3 - 5\*c\*d\*f\*g^2) + (4\*a\*c\*d\*e\*x)/(5\*a\*e\*g^3 - 5\*c\*d\*f\*g^2))\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2))/(x^2\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2) - ((f + g\*x)^(1/2)\*(5\*c\*d\*f^3 - 5\*a\*e\*f^2\*g)\*(d + e\*x)^(1/2))/(5\*a\*e\*g^3 - 5\*c\*d\*f\*g^2))



+ (x\*(f + g\*x)^(1/2)\*(10\*a\*e\*f\*g^2 - 10\*c\*d\*f^2\*g)\*(d + e\*x)^(1/2))/(5\*a\*e\*g^3 - 5\*c\*d\*f\*g^2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2)/(g\*x+f)\*\*(7/2),x)

[Out] Timed out

$$3.515 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{9/2}} dx$$

Optimal. Leaf size=129

$$\frac{4cd(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{35(d+ex)^{5/2}(f+gx)^{5/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{7(d+ex)^{5/2}(f+gx)^{7/2}(cdf - aeg)}$$

**Rubi [A]** time = 0.15, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{4cd(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{35(d+ex)^{5/2}(f+gx)^{5/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{7(d+ex)^{5/2}(f+gx)^{7/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(9/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(7\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(5/2)\*(f + g\*x)^(7/2)) + (4\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(35\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(5/2)\*(f + g\*x)^(5/2))

### Rule 860

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(n
+ 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] /;
FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 -
4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]
] && EqQ[m - n - 2, 0]
```

### Rule 872

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(n
+ 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - D
ist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^(m*(f
+ g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e
+ a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p]
]
```

Rubi steps

$$\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{9/2}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{7(cdf - aeg)(d+ex)^{5/2}(f+gx)^{7/2}} + \frac{(2cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{7/2}} dx}{7(cdf - aeg)}$$

$$= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{7(cdf - aeg)(d+ex)^{5/2}(f+gx)^{7/2}} + \frac{4cd(ade + (cd^2 + ae^2)x + cdex^2)}{35(cdf - aeg)^2(d+ex)^{5/2}(f+gx)^{7/2}}$$

**Mathematica [A]** time = 0.09, size = 69, normalized size = 0.53

$$\frac{2((d+ex)(ae+cdx))^{5/2}(cd(7f+2gx)-5aeg)}{35(d+ex)^{5/2}(f+gx)^{7/2}(cdf-aeg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(9/2)), x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(5/2)\*(-5\*a\*e\*g + c\*d\*(7\*f + 2\*g\*x)))/(35\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(5/2)\*(f + g\*x)^(7/2))

**IntegrateAlgebraic [A]** time = 1.71, size = 249, normalized size = 1.93

$$\frac{2\left(\frac{(dg+gx)(aeg+cdgx)}{g^2}\right)^{3/2} \sqrt{aeg+cd(f+gx)-cdf} (-5a^3e^3g^3 - 8a^2cde^2g^2(f+gx) + 15a^2cde^2fg^2 - 15ac^2d^2ef^2g - ac^2d^2eg(f+gx)^2 + 16ac^2d^2efg(f+gx) + 5c^3d^3f^3 - 8c^3d^3f^2(f+gx) + 2c^3d^3(f+gx)^3 + c^3d^3f(f+gx)^2)}{35g(d+ex)^{3/2}(f+gx)^{7/2}(aeg-cdf)^2(aeg+cdgx)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(9/2)), x]

[Out] (2\*(((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(3/2)\*sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]\*(5\*c^3\*d^3\*f^3 - 15\*a\*c^2\*d^2\*e\*f^2\*g + 15\*a^2\*c\*d\*e^2\*f\*g^2 - 5\*a^3\*e^3\*g^3 - 8\*c^3\*d^3\*f^2\*(f + g\*x) + 16\*a\*c^2\*d^2\*e\*f\*g\*(f + g\*x) - 8\*a^2\*c\*d\*e^2\*g^2\*(f + g\*x) + c^3\*d^3\*f\*(f + g\*x)^2 - a\*c^2\*d^2\*e\*g\*(f + g\*x)^2 + 2\*c^3\*d^3\*(f + g\*x)^3)/(35\*g\*(-(c\*d\*f) + a\*e\*g)^2\*(d + e\*x)^(3/2)\*(f + g\*x)^(7/2)\*(a\*e\*g + c\*d\*g\*x)^(3/2))

**fricas [B]** time = 0.47, size = 526, normalized size = 4.08

$$\frac{2(2c^2d^3g^3 + 7c^2cd^2f - 5c^2d^2g + (2c^2d^2f - ac^2d^2g)^2 + 2(2ac^2d^2f - 4c^2cd^2g)) \sqrt{(cd^2 + ae^2)x + cdex^2} \sqrt{d+ex} \sqrt{f+gx}}{35(c^2d^3f^3 - 2a^2c^2d^2fg + c^2d^2f^2g^2 - 2a^2cd^2f^2g - 2a^2cd^2f^2g^2 + (c^2d^2f^2g + c^2d^2f^2g^2 + (c^2d^2 - 8a^2cd^2)/f^2 - 2(a^2d^2 - 2a^2d^2)/f^2)^2 + 2(15a^2c^2d^2fg^2 + 2c^2d^2f^2g^2 + 2(c^2d^2 - 3a^2cd^2)/f^2 - (4a^2d^2 - 3a^2d^2)/f^2)^2 + 2(2c^2d^2f^2g + 3c^2d^2f^2g^2 + (3c^2d^2 - 4a^2cd^2)/f^2 - 2(3a^2d^2 - c^2d^2)/f^2)^2 + (c^2d^2f^2g + 4c^2d^2f^2g^2 + 2(c^2d^2 - a^2cd^2)/f^2 - (8a^2d^2 - c^2d^2)/f^2)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(9/2),x, algorithm="fricas")

[Out]  $\frac{2}{35}*(2*c^3*d^3*g*x^3 + 7*a^2*c*d*e^2*f - 5*a^3*e^3*g + (7*c^3*d^3*f - a*c^2*d^2*e*g)*x^2 + 2*(7*a*c^2*d^2*e*f - 4*a^2*c*d*e^2*g)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d}*\sqrt{g*x + f}/(c^2*d^3*f^6 - 2*a*c*d^2*e*f^5*g + a^2*d*e^2*f^4*g^2 + (c^2*d^2*e*f^2*g^4 - 2*a*c*d*e^2*f*g^5 + a^2*e^3*g^6)*x^5 + (4*c^2*d^2*e*f^3*g^3 + a^2*d*e^2*g^6 + (c^2*d^3 - 8*a*c*d*e^2)*f^2*g^4 - 2*(a*c*d^2*e - 2*a^2*e^3)*f*g^5)*x^4 + 2*(3*c^2*d^2*e*f^4*g^2 + 2*a^2*d*e^2*f*g^5 + 2*(c^2*d^3 - 3*a*c*d*e^2)*f^3*g^3 - (4*a*c*d^2*e - 3*a^2*e^3)*f^2*g^4)*x^3 + 2*(2*c^2*d^2*e*f^5*g + 3*a^2*d*e^2*f^2*g^4 + (3*c^2*d^3 - 4*a*c*d*e^2)*f^4*g^2 - 2*(3*a*c*d^2*e - a^2*e^3)*f^3*g^3)*x^2 + (c^2*d^2*e*f^6 + 4*a^2*d*e^2*f^3*g^3 + 2*(2*c^2*d^3 - a*c*d*e^2)*f^5*g - (8*a*c*d^2*e - a^2*e^3)*f^4*g^2)*x)$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(9/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 99, normalized size = 0.77

$$\frac{2(cdx + ae)(-2cdgx + 5aeg - 7cdf)(cdex^2 + ae^2x + cd^2x + ade)^{\frac{3}{2}}}{35(gx + f)^{\frac{7}{2}}(a^2e^2g^2 - 2acdefg + f^2c^2d^2)(ex + d)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(9/2),x)

[Out]  $-2/35*(c*d*x+a*e)*(-2*c*d*g*x+5*a*e*g-7*c*d*f)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(3/2)/(g*x+f)^(7/2)/(a^2*e^2*g^2-2*a*c*d*e*f*g+c^2*d^2*f^2)/(e*x+d)^(3/2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}}(gx + f)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(9/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*(g\*x + f)^(9/2)), x)

**mupad [B]** time = 4.31, size = 247, normalized size = 1.91

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{2a^2e^2(5aeg-7cdf)}{35g^3(aeg-cdf)^2} - \frac{4c^3d^3x^3}{35g^2(aeg-cdf)^2} + \frac{2c^2d^2x^2(aeg-7cdf)}{35g^3(aeg-cdf)^2} + \frac{4acdex(4aeg-7cdf)}{35g^3(aeg-cdf)^2} \right)}{x^3 \sqrt{f+gx} \sqrt{d+ex} + \frac{f^3 \sqrt{f+gx} \sqrt{d+ex}}{g^3} + \frac{3fx^2 \sqrt{f+gx} \sqrt{d+ex}}{g} + \frac{3f^2x \sqrt{f+gx} \sqrt{d+ex}}{g^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^(9/2)\*(d + e\*x)^(3/2)),x)

[Out] -((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)\*((2\*a^2\*e^2\*(5\*a\*e\*g - 7\*c\*d\*f))/(35\*g^3\*(a\*e\*g - c\*d\*f)^2) - (4\*c^3\*d^3\*x^3)/(35\*g^2\*(a\*e\*g - c\*d\*f)^2) + (2\*c^2\*d^2\*x^2\*(a\*e\*g - 7\*c\*d\*f))/(35\*g^3\*(a\*e\*g - c\*d\*f)^2) + (4\*a\*c\*d\*e\*x\*(4\*a\*e\*g - 7\*c\*d\*f))/(35\*g^3\*(a\*e\*g - c\*d\*f)^2))/((x^3\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2) + (f^3\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/g^3 + (3\*f\*x^2\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/g + (3\*f^2\*x\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/g^2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2)/(g\*x+f)\*\*(9/2),x)

[Out] Timed out

$$3.516 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{11/2}} dx$$

**Optimal.** Leaf size=198

$$\frac{16c^2d^2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{315(d+ex)^{5/2}(f+gx)^{5/2}(cdf - aeg)^3} + \frac{8cd(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{63(d+ex)^{5/2}(f+gx)^{7/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{9(d+ex)^{5/2}(f+gx)^{9/2}(cdf - aeg)}$$

**Rubi [A]** time = 0.23, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{16c^2d^2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{315(d+ex)^{5/2}(f+gx)^{5/2}(cdf - aeg)^3} + \frac{8cd(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{63(d+ex)^{5/2}(f+gx)^{7/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{9(d+ex)^{5/2}(f+gx)^{9/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(11/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(9\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(5/2)\*(f + g\*x)^(9/2)) + (8\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(63\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(5/2)\*(f + g\*x)^(7/2)) + (16\*c^2\*d^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(315\*(c\*d\*f - a\*e\*g)^3\*(d + e\*x)^(5/2)\*(f + g\*x)^(5/2))

### Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d)^(3/2)/(g*x+f)^(11/2),x, algorithm="fricas")
```

```
[Out] 2/315*(8*c^4*d^4*g^2*x^4 + 63*a^2*c^2*d^2*e^2*f^2 - 90*a^3*c*d*e^3*f*g + 35*a^4*e^4*g^2 + 4*(9*c^4*d^4*f*g - a*c^3*d^3*e*g^2)*x^3 + 3*(21*c^4*d^4*f^2 - 6*a*c^3*d^3*e*f*g + a^2*c^2*d^2*e^2*g^2)*x^2 + 2*(63*a*c^3*d^3*e*f^2 - 72*a^2*c^2*d^2*e^2*f*g + 25*a^3*c*d*e^3*g^2)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)*sqrt(g*x + f)/(c^3*d^4*f^8 - 3*a*c^2*d^3*e*f^7*g + 3*a^2*c*d^2*e^2*f^6*g^2 - a^3*d*e^3*f^5*g^3 + (c^3*d^3*e*f^3*g^5 - 3*a*c^2*d^2*e^2*f^2*g^6 + 3*a^2*c*d*e^3*f*g^7 - a^3*e^4*g^8)*x^6 + (5*c^3*d^3*e*f^4*g^4 - a^3*d*e^3*g^8 + (c^3*d^4 - 15*a*c^2*d^2*e^2)*f^3*g^5 - 3*(a*c^2*d^3*e - 5*a^2*c*d*e^3)*f^2*g^6 + (3*a^2*c*d^2*e^2 - 5*a^3*e^4)*f*g^7)*x^5 + 5*(2*c^3*d^3*e*f^5*g^3 - a^3*d*e^3*f*g^7 + (c^3*d^4 - 6*a*c^2*d^2*e^2)*f^4*g^4 - 3*(a*c^2*d^3*e - 2*a^2*c*d*e^3)*f^3*g^5 + (3*a^2*c*d^2*e^2 - 2*a^3*e^4)*f^2*g^6)*x^4 + 10*(c^3*d^3*e*f^6*g^2 - a^3*d*e^3*f^2*g^6 + (c^3*d^4 - 3*a*c^2*d^2*e^2)*f^5*g^3 - 3*(a*c^2*d^3*e - a^2*c*d*e^3)*f^4*g^4 + (3*a^2*c*d^2*e^2 - a^3*e^4)*f^3*g^5)*x^3 + 5*(c^3*d^3*e*f^7*g - 2*a^3*d*e^3*f^3*g^5 + (2*c^3*d^4 - 3*a*c^2*d^2*e^2)*f^6*g^2 - 3*(2*a*c^2*d^3*e - a^2*c*d*e^3)*f^5*g^3 + (6*a^2*c*d^2*e^2 - a^3*e^4)*f^4*g^4)*x^2 + (c^3*d^3*e*f^8 - 5*a^3*d*e^3*f^4*g^4 + (5*c^3*d^4 - 3*a*c^2*d^2*e^2)*f^7*g - 3*(5*a*c^2*d^3*e - a^2*c*d*e^3)*f^6*g^2 + (15*a^2*c*d^2*e^2 - a^3*e^4)*f^5*g^3)*x)
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(3/2)/(e*x+d)^(3/2)/(g*x+f)^(11/2),x, algorithm="giac")
```

```
[Out] Timed out
```

**maple** [A] time = 0.01, size = 169, normalized size = 0.85

$$\frac{2(cdx + ae)(8g^2x^2c^2d^2 - 20acde g^2x + 36c^2d^2fgx + 35a^2e^2g^2 - 90acdefg + 63f^2c^2d^2)(cde x^2 + a e^2x + c d^2x + ade)^{\frac{3}{2}}}{315(gx + f)^{\frac{9}{2}}(a^3e^3g^3 - 3a^2cd e^2f g^2 + 3a c^2d^2e f^2g - f^3c^3d^3)(ex + d)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(3/2)/(e*x+d)^(3/2)/(g*x+f)^(11/2),x)
```

```
[Out] -2/315*(c*d*x+a*e)*(8*c^2*d^2*g^2*x^2-20*a*c*d*e*g^2*x+36*c^2*d^2*f*g*x+35*a^2*e^2*g^2-90*a*c*d*e*f*g+63*c^2*d^2*f^2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e
```



$(g*x+f)^{9/2}/(a^3*e^3*g^3-3*a^2*c*d*e^2*f*g^2+3*a*c^2*d^2*e*f^2*g-c^3*d^3*f^3)/(e*x+d)^{3/2}$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}}(gx + f)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(11/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*(g\*x + f)^(11/2)), x)

**mupad [B]** time = 4.48, size = 377, normalized size = 1.90

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{70a^4e^4g^2 - 180a^3cd^3fg + 126a^2c^2d^2e^2f^2}{315g^4(aeg-cdf)^3} + \frac{x^2(6a^2c^2d^2e^2g^2 - 36ac^3d^3efg + 126c^4d^4f^2)}{315g^4(aeg-cdf)^3} + \frac{16c^4d^4x^4}{315g^2(aeg-cdf)^3} - \frac{8c^3d^3x^3(aeg-9cdf)}{315g^3(aeg-cdf)^3} + \frac{4acdex(25a^2c^2g^2 - 72acdefg + 63c^2d^2f^2)}{315g^4(aeg-cdf)^3} \right)}{x^4 \sqrt{f+gx} \sqrt{d+ex} + \frac{f^4 \sqrt{f+gx} \sqrt{d+ex}}{g^4} + \frac{4fx^3 \sqrt{f+gx} \sqrt{d+ex}}{g} + \frac{4f^3x \sqrt{f+gx} \sqrt{d+ex}}{g^3} + \frac{6f^2x^2 \sqrt{f+gx} \sqrt{d+ex}}{g^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^(11/2)\*(d + e\*x)^(3/2)),x)

[Out]  $-\left( (x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{1/2} * \left( \frac{70*a^4*e^4*g^2 + 126*a^2*c^2*d^2*e^2*f^2 - 180*a^3*c*d*e^3*f*g}{315*g^4*(a*e*g - c*d*f)^3} + \frac{x^2*(126*c^4*d^4*f^2 + 6*a^2*c^2*d^2*e^2*g^2 - 36*a*c^3*d^3*e*f*g)}{315*g^4*(a*e*g - c*d*f)^3} + \frac{16*c^4*d^4*x^4}{315*g^2*(a*e*g - c*d*f)^3} - \frac{8*c^3*d^3*x^3*(a*e*g - 9*c*d*f)}{315*g^3*(a*e*g - c*d*f)^3} + \frac{4*a*c*d*e*x*(25*a^2*e^2*g^2 + 63*c^2*d^2*f^2 - 72*a*c*d*e*f*g)}{315*g^4*(a*e*g - c*d*f)^3} \right) / \left( x^4*(f + g*x)^{1/2}*(d + e*x)^{1/2} + \frac{f^4*(f + g*x)^{1/2}*(d + e*x)^{1/2}}{g^4} + \frac{4*f*x^3*(f + g*x)^{1/2}*(d + e*x)^{1/2}}{g} + \frac{4*f^3*x*(f + g*x)^{1/2}*(d + e*x)^{1/2}}{g^3} + \frac{6*f^2*x^2*(f + g*x)^{1/2}*(d + e*x)^{1/2}}{g^2} \right)$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2)/(g\*x+f)\*\*(11/2),x)

[Out] Timed out

$$3.517 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d+ex)^{3/2}(f+gx)^{13/2}} dx$$

**Optimal.** Leaf size=267

$$\frac{32c^3d^3(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{1155(d+ex)^{5/2}(f+gx)^{5/2}(cdf - aeg)^4} + \frac{16c^2d^2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{231(d+ex)^{5/2}(f+gx)^{7/2}(cdf - aeg)^3} + \frac{4cd(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{33(d+ex)^{5/2}(f+gx)^{9/2}(cdf - aeg)^2}$$

**Rubi [A]** time = 0.32, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{32c^3d^3(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{1155(d+ex)^{5/2}(f+gx)^{5/2}(cdf - aeg)^4} + \frac{16c^2d^2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{231(d+ex)^{5/2}(f+gx)^{7/2}(cdf - aeg)^3} + \frac{4cd(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{33(d+ex)^{5/2}(f+gx)^{9/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{11(d+ex)^{5/2}(f+gx)^{11/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2)/((d + e\*x)^(3/2)\*(f + g\*x)^(13/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(11\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(5/2)\*(f + g\*x)^(11/2)) + (4\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(33\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(5/2)\*(f + g\*x)^(9/2)) + (16\*c^2\*d^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(231\*(c\*d\*f - a\*e\*g)^3\*(d + e\*x)^(5/2)\*(f + g\*x)^(7/2)) + (32\*c^3\*d^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(1155\*(c\*d\*f - a\*e\*g)^4\*(d + e\*x)^(5/2)\*(f + g\*x)^(5/2))

**Rule 860**

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]
```

**Rule 872**

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[(e^2*(d + e*x)^(m - 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p + 1))/((n + 1)*(c*e*f + c*d*g - b*e*g)), x] - Dist[(c*e*(m - n - 2))/((n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^m*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2*p]
```

]

Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^{13/2}} dx &= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{11(cdf - aeg)(d + ex)^{5/2}(f + gx)^{11/2}} + \frac{(6cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^{11/2}} dx}{11(cdf - aeg)} \\
&= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{11(cdf - aeg)(d + ex)^{5/2}(f + gx)^{11/2}} + \frac{4cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{33(cdf - aeg)^2(d + ex)^{5/2}(f + gx)^{11/2}} \\
&= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{11(cdf - aeg)(d + ex)^{5/2}(f + gx)^{11/2}} + \frac{4cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{33(cdf - aeg)^2(d + ex)^{5/2}(f + gx)^{11/2}} \\
&= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{11(cdf - aeg)(d + ex)^{5/2}(f + gx)^{11/2}} + \frac{4cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{33(cdf - aeg)^2(d + ex)^{5/2}(f + gx)^{11/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 152, normalized size = 0.57

$$\frac{2((d + ex)(ae + cdx))^{5/2}(-105a^3e^3g^3 + 35a^2cde^2g^2(11f + 2gx) - 5ac^2d^2eg(99f^2 + 44fgx + 8g^2x^2) + c^3d^3(231f^3 + 198f^2gx + 88fg^2x^2 + 16g^3x^3))}{1155(d + ex)^{5/2}(f + gx)^{11/2}(cdf - aeg)^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)/((d + e*x)^(3/2)*(f + g*x)^(13/2)), x]
```

```
[Out] (2*((a*e + c*d*x)*(d + e*x))^(5/2)*(-105*a^3*e^3*g^3 + 35*a^2*c*d*e^2*g^2*(11*f + 2*g*x) - 5*a*c^2*d^2*e*g*(99*f^2 + 44*f*g*x + 8*g^2*x^2) + c^3*d^3*(231*f^3 + 198*f^2*g*x + 88*f*g^2*x^2 + 16*g^3*x^3)))/(1155*(c*d*f - a*e*g)^4*(d + e*x)^(5/2)*(f + g*x)^(11/2))
```

**IntegrateAlgebraic [F]** time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(3/2)/((d + e*x)^(3/2)*(f + g*x)^(13/2)), x]
```

```
[Out] $Aborted
```

**fricas** [B] time = 0.50, size = 1420, normalized size = 5.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(13/2),x, algorithm="fricas")

[Out] 
$$\frac{2/1155*(16*c^5*d^5*g^3*x^5 + 231*a^2*c^3*d^3*e^2*f^3 - 495*a^3*c^2*d^2*e^3*f^2*g + 385*a^4*c*d*e^4*f*g^2 - 105*a^5*e^5*g^3 + 8*(11*c^5*d^5*f*g^2 - a*c^4*d^4*e*g^3)*x^4 + 2*(99*c^5*d^5*f^2*g - 22*a*c^4*d^4*e*f*g^2 + 3*a^2*c^3*d^3*e^2*f*g^3)*x^3 + (231*c^5*d^5*f^3 - 99*a*c^4*d^4*e*f^2*g + 33*a^2*c^3*d^3*e^2*f*g^2 - 5*a^3*c^2*d^2*e^3*g^3)*x^2 + 2*(231*a*c^4*d^4*e*f^3 - 396*a^2*c^3*d^3*e^2*f^2*g + 275*a^3*c^2*d^2*e^3*f*g^2 - 70*a^4*c*d*e^4*g^3)*x*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d}*\sqrt{g*x + f}/(c^4*d^5*f^10 - 4*a*c^3*d^4*e*f^9*g + 6*a^2*c^2*d^3*e^2*f^8*g^2 - 4*a^3*c*d^2*e^3*f^7*g^3 + a^4*d*e^4*f^6*g^4 + (c^4*d^4*e*f^4*g^6 - 4*a*c^3*d^3*e^2*f^3*g^7 + 6*a^2*c^2*d^2*e^3*f^2*g^8 - 4*a^3*c*d*e^4*f*g^9 + a^4*e^5*g^10)*x^7 + (6*c^4*d^4*e*f^5*g^5 + a^4*d*e^4*g^10 + (c^4*d^5 - 24*a*c^3*d^3*e^2)*f^4*g^6 - 4*(a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^3*g^7 + 6*(a^2*c^2*d^3*e^2 - 4*a^3*c*d*e^4)*f^2*g^8 - 2*(2*a^3*c*d^2*e^3 - 3*a^4*e^5)*f*g^9)*x^6 + 3*(5*c^4*d^4*e*f^6*g^4 + 2*a^4*d*e^4*f*g^9 + 2*(c^4*d^5 - 10*a*c^3*d^3*e^2)*f^5*g^5 - 2*(4*a*c^3*d^4*e - 15*a^2*c^2*d^2*e^3)*f^4*g^6 + 4*(3*a^2*c^2*d^3*e^2 - 5*a^3*c*d*e^4)*f^3*g^7 - (8*a^3*c*d^2*e^3 - 5*a^4*e^5)*f^2*g^8)*x^5 + 5*(4*c^4*d^4*e*f^7*g^3 + 3*a^4*d*e^4*f^2*g^8 + (3*c^4*d^5 - 16*a*c^3*d^3*e^2)*f^6*g^4 - 12*(a*c^3*d^4*e - 2*a^2*c^2*d^2*e^3)*f^5*g^5 + 2*(9*a^2*c^2*d^3*e^2 - 8*a^3*c*d*e^4)*f^4*g^6 - 4*(3*a^3*c*d^2*e^3 - a^4*e^5)*f^3*g^7)*x^4 + 5*(3*c^4*d^4*e*f^8*g^2 + 4*a^4*d*e^4*f^3*g^7 + 4*(c^4*d^5 - 3*a*c^3*d^3*e^2)*f^7*g^3 - 2*(8*a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^6*g^4 + 12*(2*a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^5*g^5 - (16*a^3*c*d^2*e^3 - 3*a^4*e^5)*f^4*g^6)*x^3 + 3*(2*c^4*d^4*e*f^9*g + 5*a^4*d*e^4*f^4*g^6 + (5*c^4*d^5 - 8*a*c^3*d^3*e^2)*f^8*g^2 - 4*(5*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^7*g^3 + 2*(15*a^2*c^2*d^3*e^2 - 4*a^3*c*d*e^4)*f^6*g^4 - 2*(10*a^3*c*d^2*e^3 - a^4*e^5)*f^5*g^5)*x^2 + (c^4*d^4*e*f^10 + 6*a^4*d*e^4*f^5*g^5 + 2*(3*c^4*d^5 - 2*a*c^3*d^3*e^2)*f^9*g - 6*(4*a*c^3*d^4*e - a^2*c^2*d^2*e^3)*f^8*g^2 + 4*(9*a^2*c^2*d^3*e^2 - a^3*c*d*e^4)*f^7*g^3 - (24*a^3*c*d^2*e^3 - a^4*e^5)*f^6*g^4)*x$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(13/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.01, size = 260, normalized size = 0.97

$$\frac{2(cdx + ae)(-16g^3x^3c^3d^3 + 40a^2d^2eg^3x^2 - 88c^3d^3fg^2x^2 - 70a^2cd^2g^3x + 220a^2d^2efg^2x - 198c^3d^3f^2gx + 105a^3e^3g^3 - 385a^2cd^2efg^2 + 495a^2d^2ef^2g - 231f^3c^3d^3)(cdex^2 + ae^2x + cd^2x + ade)^{\frac{3}{2}}}{1155(gx + f)^{\frac{11}{2}}(g^4e^4a^4 - 4a^3cd^3fg^3 + 6a^2c^2d^2ef^2g^2 - 4ac^3d^3ef^3g + f^4c^4d^4)(ex + d)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(13/2), x)

[Out] 
$$-2/1155*(c*d*x+a*e)*(-16*c^3*d^3*g^3*x^3+40*a*c^2*d^2*e*g^3*x^2-88*c^3*d^3*f*g^2*x^2-70*a^2*c*d*e^2*g^3*x+220*a*c^2*d^2*e*f*g^2*x-198*c^3*d^3*f^2*g*x+105*a^3*e^3*g^3-385*a^2*c*d*e^2*f*g^2+495*a*c^2*d^2*e*f^2*g-231*c^3*d^3*f^3)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(3/2)/(g*x+f)^(11/2)/(a^4*e^4*g^4-4*a^3*c*d*e^3*f*g^3+6*a^2*c^2*d^2*e^2*f^2*g^2-4*a*c^3*d^3*e*f^3*g+c^4*d^4*f^4)/(e*x+d)^(3/2)$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{3}{2}}}{(ex + d)^{\frac{3}{2}}(gx + f)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(3/2)/(e\*x+d)^(3/2)/(g\*x+f)^(13/2), x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(3/2)/((e\*x + d)^(3/2)\*(g\*x + f)^(13/2)), x)

**mupad [B]** time = 4.83, size = 519, normalized size = 1.94

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{210d^3c^3 - 770d^4c^2f + 990d^5c^2d^2e^2f^2 - 462d^6c^2d^2e^2f^3}{1155d^6(aeg-cd)^3} - \frac{d^2(-10d^2c^2d^2e^2g+66d^2c^2d^2e^2f^2-198a^2d^2e^2fg+462d^2e^2f^3)}{1155d^6(aeg-cd)^3} - \frac{32d^2d^2e^2}{1155d^6(aeg-cd)^3} + \frac{4d^2d^2e^2(5d^2c^2d^2-22a^2d^2efg+99d^2e^2f^2)}{1155d^6(aeg-cd)^3} + \frac{16a^4d^4(aeg-11cd)^2}{1155d^6(aeg-cd)^3} + \frac{4acdex(70d^2c^2d^2-275d^2c^2d^2ef^2+396a^2d^2e^2fg-231d^2d^2e^2f^3)}{1155d^6(aeg-cd)^3} \right)}{x^3\sqrt{f+gx}\sqrt{d+ex} + \frac{f^2\sqrt{f+gx}\sqrt{d+ex}}{g} + \frac{5f^2\sqrt{f+gx}\sqrt{d+ex}}{g} + \frac{5f^2\sqrt{f+gx}\sqrt{d+ex}}{g} + \frac{10f^2\sqrt{f+gx}\sqrt{d+ex}}{g^2} + \frac{10f^2\sqrt{f+gx}\sqrt{d+ex}}{g^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(3/2)/((f + g\*x)^(13/2)\*(d + e\*x)^(3/2)), x)

[Out] 
$$-((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2))*((210*a^5*e^5*g^3 - 462*a^2*c^3*d^3*e^2*f^3 + 990*a^3*c^2*d^2*e^3*f^2*g - 770*a^4*c*d*e^4*f*g^2)/(1155*g^5*(a*e*g - c*d*f)^4) - (x^2*(462*c^5*d^5*f^3 - 10*a^3*c^2*d^2*e^3*g^3 + 66*a^2*c^3*d^3*e^2*f*g^2 - 198*a*c^4*d^4*e*f^2*g))/(1155*g^5*(a*e*g - c*d*f)^4) - (32*c^5*d^5*x^5)/(1155*g^2*(a*e*g - c*d*f)^4) - (4*c^3*d^3*x^3*(3*a^4$$

$$\begin{aligned} & 2*e^2*g^2 + 99*c^2*d^2*f^2 - 22*a*c*d*e*f*g) / (1155*g^4*(a*e*g - c*d*f)^4) \\ & + (16*c^4*d^4*x^4*(a*e*g - 11*c*d*f) / (1155*g^3*(a*e*g - c*d*f)^4) + (4*a*c \\ & *d*e*x*(70*a^3*e^3*g^3 - 231*c^3*d^3*f^3 + 396*a*c^2*d^2*e*f^2*g - 275*a^2* \\ & c*d*e^2*f*g^2)) / (1155*g^5*(a*e*g - c*d*f)^4)) / (x^5*(f + g*x)^{(1/2)}*(d + e* \\ & x)^{(1/2)} + (f^5*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)}) / g^5 + (5*f*x^4*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)}) / g \\ & + (5*f^4*x*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)}) / g^4 + ( \\ & 10*f^2*x^3*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)}) / g^2 + (10*f^3*x^2*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)}) / g^3) \end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(3/2)/(e\*x+d)\*\*(3/2)/(g\*x+f)  
)\*\* (13/2), x)

[Out] Timed out

$$3.518 \quad \int \frac{(f+gx)^{3/2}(ade+(cd^2+ae^2)x+cdex^2)^{5/2}}{(d+ex)^{5/2}} dx$$

**Optimal.** Leaf size=448

$$\frac{3\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)^5 \tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{128c^{5/2}d^{5/2}g^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{3\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^4}{128c^2d^2g^3\sqrt{d+ex}}$$

**Rubi [A]** time = 0.89, antiderivative size = 448, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {864, 870, 891, 63, 217, 206}

$$\frac{3\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^5}{128c^{5/2}d^{5/2}g^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{3\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)^5 \tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{128c^{5/2}d^{5/2}g^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} + \frac{(f+gx)^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^3}{64cdg^3\sqrt{d+ex}} + \frac{(f+gx)^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^2}{16g^3\sqrt{d+ex}} - \frac{(f+gx)^2(x(ae^2+cd^2)+ade+cdex^2)(cdf-aeg)}{8g^2(d+ex)^{3/2}} + \frac{(f+gx)^2(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{5g(d+ex)^{5/2}} - \frac{3(cdf-aeg)^5\sqrt{ae+cdx}\sqrt{d+ex}\text{ArcTanh}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{(128c^{5/2}d^{5/2}g^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2})}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] (-3\*(c\*d\*f - a\*e\*g)^4\*sqrt[f + g\*x]\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(128\*c^2\*d^2\*g^3\*sqrt[d + e\*x]) - ((c\*d\*f - a\*e\*g)^3\*(f + g\*x)^(3/2)\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(64\*c\*d\*g^3\*sqrt[d + e\*x]) + ((c\*d\*f - a\*e\*g)^2\*(f + g\*x)^(5/2)\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(16\*g^3\*sqrt[d + e\*x]) - ((c\*d\*f - a\*e\*g)\*(f + g\*x)^(5/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(8\*g^2\*(d + e\*x)^(3/2)) + ((f + g\*x)^(5/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(5\*g\*(d + e\*x)^(5/2)) - (3\*(c\*d\*f - a\*e\*g)^5\*sqrt[ae + cd\*x]\*sqrt[d + e\*x]\*ArcTanh[(sqrt[g]\*sqrt[ae + cd\*x])/(sqrt[c]\*sqrt[d]\*sqrt[f + g\*x])])/(128\*c^(5/2)\*d^(5/2)\*g^(7/2)\*sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 864

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && N
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]
```

Rule 870

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || Intege
rQ[n])
```

Rule 891

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

Rubi steps



$$\begin{aligned}
\int \frac{(f+gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}} dx &= \frac{(f+gx)^{5/2} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{5g(d+ex)^{5/2}} - \frac{(cdf - aeg)}{5g} \int \frac{(f+gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}} dx \\
&= -\frac{(cdf - aeg)(f+gx)^{5/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{8g^2(d+ex)^{3/2}} + \frac{(cdf - aeg)^2(f+gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{16g^3\sqrt{d+ex}} \\
&= -\frac{(cdf - aeg)^3(f+gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cdg^3\sqrt{d+ex}} + \frac{3(cdf - aeg)^4\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2g^3\sqrt{d+ex}} \\
&= -\frac{3(cdf - aeg)^4\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2g^3\sqrt{d+ex}} + \frac{3(cdf - aeg)^4\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2g^3\sqrt{d+ex}} \\
&= -\frac{3(cdf - aeg)^4\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2g^3\sqrt{d+ex}} + \frac{3(cdf - aeg)^4\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2g^3\sqrt{d+ex}} \\
&= -\frac{3(cdf - aeg)^4\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2g^3\sqrt{d+ex}} + \frac{3(cdf - aeg)^4\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2g^3\sqrt{d+ex}} \\
&= -\frac{3(cdf - aeg)^4\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2g^3\sqrt{d+ex}} + \frac{3(cdf - aeg)^4\sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{128c^2d^2g^3\sqrt{d+ex}}
\end{aligned}$$

**Mathematica [A]** time = 6.01, size = 285, normalized size = 0.64

$$\frac{\sqrt{f+gx}((d+ex)(ae+cdx))^{7/2} \left( -\frac{15\sqrt{c}\sqrt{d}\sqrt{cd}(cdf-aeg)^{9/2} \sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cdf-aeg}}\right)}{g^{7/2}(ae+cdx)^{7/2}\sqrt{\frac{cd(f+gx)}{cdf-aeg}}} + \frac{15cd(cdf-aeg)^4}{g^3(ae+cdx)^3} - \frac{10cd(cdf-aeg)^3}{g^2(ae+cdx)^2} + \frac{8cd(cdf-aeg)^2}{g(ae+cdx)} + 48cd(cdf-aeg) + 128c^2d^2(f+gx) \right)}{640c^3d^3(d+ex)^{7/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((f + g*x)^(3/2)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2))/(d + e*x)^(5/2),x]
```

```
[Out] (((a*e + c*d*x)*(d + e*x))^(7/2)*Sqrt[f + g*x]*(48*c*d*(c*d*f - a*e*g) + (15*c*d*(c*d*f - a*e*g)^4)/(g^3*(a*e + c*d*x)^3) - (10*c*d*(c*d*f - a*e*g)^3)/(g^2*(a*e + c*d*x)^2) + (8*c*d*(c*d*f - a*e*g)^2)/(g*(a*e + c*d*x)) + 128*c^2*d^2*(f + g*x) - (15*Sqrt[c]*Sqrt[d]*Sqrt[c*d]*(c*d*f - a*e*g)^(9/2)*ArcSinh[(Sqrt[c]*Sqrt[d]*Sqrt[g]*Sqrt[a*e + c*d*x])/(Sqrt[c*d]*Sqrt[c*d*f - a*e*g])])/(g^(7/2)*(a*e + c*d*x)^(7/2)*Sqrt[(c*d*(f + g*x))/(c*d*f - a*e*g]))/(640*c^3*d^3*(d + e*x)^(7/2))
```

**IntegrateAlgebraic** [F] time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[((f + g*x)^(3/2)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2))/(d + e*x)^(5/2),x]
```

```
[Out] $Aborted
```

**fricas** [A] time = 5.79, size = 1331, normalized size = 2.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^(3/2)*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2),x, algorithm="fricas")
```

```
[Out] [1/2560*(4*(128*c^5*d^5*g^5*x^4 + 15*c^5*d^5*f^4*g - 70*a*c^4*d^4*e*f^3*g^2 + 128*a^2*c^3*d^3*e^2*f^2*g^3 + 70*a^3*c^2*d^2*e^3*f*g^4 - 15*a^4*c*d*e^4*g^5 + 16*(11*c^5*d^5*f*g^4 + 21*a*c^4*d^4*e*g^5)*x^3 + 8*(c^5*d^5*f^2*g^3 + 64*a*c^4*d^4*e*f*g^4 + 31*a^2*c^3*d^3*e^2*g^5)*x^2 - 2*(5*c^5*d^5*f^3*g^2 - 23*a*c^4*d^4*e*f^2*g^3 - 233*a^2*c^3*d^3*e^2*f*g^4 - 5*a^3*c^2*d^2*e^3*g^5)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)*sqrt(g*x + f) - 15*(c^5*d^6*f^5 - 5*a*c^4*d^5*e*f^4*g + 10*a^2*c^3*d^4*e^2*f^3*g^2 - 10*a^3*c^2*d^3*e^3*f^2*g^3 + 5*a^4*c*d^2*e^4*f*g^4 - a^5*d*e^5*g^5 + (c^5*d^5*e*f^5 - 5*a*c^4*d^4*e^2*f^4*g + 10*a^2*c^3*d^3*e^3*f^3*g^2 - 10*a^3*c^2*d^2*e^4*f^2*g^3 + 5*a^4*c*d*e^5*f*g^4 - a^5*e^6*g^5)*x)*sqrt(c*d*g)*log(-(8*c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + 6*a*c*d^2*e*f*g + a^2*d*e^2*g^2 + 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*g*x + c*d*f + a*e*g)*sqrt(c*d*g)*sqrt(e*x + d)*sqrt(g*x + f) + 8*(c^2*d^2*e*f*g + (c^2*d^3 + a*c*d*e^2)*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*(4*c^2*d^3 + 3*a*c*d*e^2)*f*g + (8*a*c*d^2*e + a^2*e^3)*g^2)*x)/(e*x + d)))/(c^3*d^3*e*g^4*x + c^3*d^4*g^4), 1/1280*(2*(
```

$$128c^5d^5g^5x^4 + 15c^5d^5f^4g - 70a^2c^4d^4ef^3g^2 + 128a^2c^3d^3e^2f^2g^3 + 70a^3c^2d^2e^3fg^4 - 15a^4c^2d^2e^4g^5 + 16(11c^5d^5fg^4 + 21a^2c^4d^4efg^5)x^3 + 8(c^5d^5f^2g^3 + 64a^2c^4d^4efg^4 + 31a^2c^3d^3e^2fg^5)x^2 - 2(5c^5d^5f^3g^2 - 23a^2c^4d^4ef^2g^3 - 233a^2c^3d^3e^2fg^4 - 5a^3c^2d^2e^3g^5)x \sqrt{c^2d^2e^2x^2 + ad^2e + (cd^2 + ae^2)x} \sqrt{ex + d} \sqrt{gx + f} + 15(c^5d^6f^5 - 5a^2c^4d^5ef^4g + 10a^2c^3d^4e^2f^3g^2 - 10a^3c^2d^3e^3f^2g^3 + 5a^4c^2d^2e^4fg^4 - a^5d^2e^5g^5 + (c^5d^5ef^5 - 5a^2c^4d^4e^2f^4g + 10a^2c^3d^3e^3fg^2 - 10a^3c^2d^2e^4f^2g^3 + 5a^4c^2d^2e^5fg^4 - a^5e^6g^5)x) \sqrt{-cdg} \arctan(2\sqrt{c^2d^2e^2x^2 + ad^2e + (cd^2 + ae^2)x} \sqrt{-cdg}) \sqrt{ex + d} \sqrt{gx + f} / (2cd^2egx^2 + cd^2f + ad^2eg + (cd^2ef + (2cd^2 + ae^2)g)x) / (c^3d^3efg^4x + c^3d^4g^4)$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(3/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:index.cc index\_m operator + Error: Bad Argument Valueindex.cc index\_m operator + Error: Bad Argument Valueindex.cc index\_m operator + Error: Bad Argument ValueEvaluation time: 16.59Done

**maple** [B] time = 0.03, size = 1191, normalized size = 2.66

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^(3/2)\*(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2),x)

[Out]  $\frac{1}{1280}(g*x+f)^{(1/2)}(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}(256*x^4*c^4*d^4*g^4*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}(c*d*g)^{(1/2)}+672*x^3*a^2*c^3*d^3*e*g^4*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}(c*d*g)^{(1/2)}+352*x^3*c^4*d^4*f*g^3*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}(c*d*g)^{(1/2)}+15*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}(c*d*g)^{(1/2}))/((c*d*g)^{(1/2}))*a^5*e^5*g^5-75*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}(c*d*g)^{(1/2}))/((c*d*g)^{(1/2}))*a^4*c*d*e^4*f*g^4+150*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}(c*d*g)^{(1/2}))/((c*d*g)^{(1/2}))*a^3*c^2*d^2*e^3*f^2*g^3-150*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}(c*d*g)^{(1/2}))$

$$\begin{aligned} & /((c*d*g)^{(1/2)}) * a^2 * c^3 * d^3 * e^2 * f^3 * g^2 + 75 * \ln(1/2 * (2 * c*d*g*x + a*e*g + c*d*f + 2 * \\ & (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)}) * (c*d*g)^{(1/2)}) / (c*d*g)^{(1/2)}) * a * c^4 \\ & * d^4 * e * f^4 * g - 15 * \ln(1/2 * (2 * c*d*g*x + a*e*g + c*d*f + 2 * (c*d*g*x^2 + a*e*g*x + c*d*f*x + \\ & a*e*f)^{(1/2)}) * (c*d*g)^{(1/2)}) / (c*d*g)^{(1/2)}) * c^5 * d^5 * f^5 + 496 * x^2 * a^2 * c^2 * d^2 * \\ & e^2 * g^4 * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * (c*d*g)^{(1/2)} + 1024 * x^2 * a * c^3 \\ & * d^3 * e * f * g^3 * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * (c*d*g)^{(1/2)} + 16 * x^2 * \\ & c^4 * d^4 * f^2 * g^2 * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * (c*d*g)^{(1/2)} + 20 * (c \\ & * d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * x * a^3 * c * d * e^3 * g^4 + 932 * ( \\ & c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * x * a^2 * c^2 * d^2 * e^2 * f * g^3 \\ & + 92 * (c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * x * a * c^3 * d^3 * e * f^2 \\ & * g^2 - 20 * (c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * x * c^4 * d^4 * f^3 \\ & * g - 30 * (c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * a^4 * e^4 * g^4 + 14 \\ & 0 * (c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * a^3 * c * d * e^3 * f * g^3 + 2 \\ & 56 * a^2 * c^2 * d^2 * e^2 * f^2 * g^2 * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * (c*d*g)^{(1/2)} \\ & - 140 * (c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * a * c^3 * d^3 * e \\ & * f^3 * g + 30 * (c*d*g)^{(1/2)} * (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} * c^4 * d^4 * f^4 \\ & ) / (e*x+d)^{(1/2)} / g^3 / c^2 / d^2 / (c*d*g*x^2 + a*e*g*x + c*d*f*x + a*e*f)^{(1/2)} / (c*d*g)^{(1/2)} \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}} (gx + f)^{\frac{3}{2}}}{(ex + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(3/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)\*(g\*x + f)^(3/2)/(e\*x + d)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^{3/2} (cdex^2 + (cd^2 + ae^2)x + ade)^{5/2}}{(d + ex)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(3/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2),x)

[Out] int(((f + g\*x)^(3/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)**(3/2)*(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/(e*x+d)  
)**(5/2),x)
```

```
[Out] Timed out
```

$$3.519 \quad \int \frac{\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}} dx$$

Optimal. Leaf size=376

$$\frac{5\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^4 \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}} \right) 5\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^3}{64c^{3/2} d^{3/2} g^{7/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} 64cdg^3 \sqrt{d+ex}}$$

**Rubi [A]** time = 0.68, antiderivative size = 376, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {864, 870, 891, 63, 217, 206}

$$\frac{5\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^4 \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}} \right) 5\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^3}{64c^{3/2} d^{3/2} g^{7/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} 64cdg^3 \sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]

[Out] (-5\*(c\*d\*f - a\*e\*g)^3\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(64\*c\*d\*g^3\*Sqrt[d + e\*x]) + (5\*(c\*d\*f - a\*e\*g)^2\*(f + g\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(32\*g^3\*Sqrt[d + e\*x]) - (5\*(c\*d\*f - a\*e\*g)\*(f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(24\*g^2\*(d + e\*x)^(3/2)) + ((f + g\*x)^(3/2)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(4\*g\*(d + e\*x)^(5/2)) - (5\*(c\*d\*f - a\*e\*g)^4\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(64\*c^(3/2)\*d^(3/2)\*g^(7/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 864

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a  
+ b\*x + c\*x^2)^p)/(g\*(m - n - 1)), x] - Dist[(m\*(c\*e\*f + c\*d\*g - b\*e\*g))/(e  
^2\*g\*(m - n - 1)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p -  
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e\*f - d\*g, 0] && N  
eQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ  
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ  
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]

Rule 870

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(  
a + b\*x + c\*x^2)^(p + 1))/(c\*(m - n - 1)), x] - Dist[(n\*(c\*e\*f + c\*d\*g - b\*  
e\*g))/(c\*e\*(m - n - 1)), Int[(d + e\*x)^m\*(f + g\*x)^(n - 1)\*(a + b\*x + c\*x^2  
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] &  
& NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] &&  
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2\*p] || Intege  
rQ[n])

Rule 891

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[(a + b\*x + c\*x^2)^FracPart[p]/((d +  
e\*x)^FracPart[p]\*(a/d + (c\*x)/e)^FracPart[p]), Int[(d + e\*x)^(m + p)\*(f +  
g\*x)^n\*(a/d + (c\*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &  
& NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0]  
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}} dx &= \frac{(f+gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{4g(d+ex)^{5/2}} - \frac{(5cdf - aeg) \int \sqrt{f+gx} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{4g(d+ex)^{5/2}} \\
&= -\frac{5(cdf - aeg)(f+gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{24g^2(d+ex)^{3/2}} + \frac{(f+gx)^{3/2} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{24g^2(d+ex)^{3/2}} \\
&= \frac{5(cdf - aeg)^2 (f+gx)^{3/2} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3 \sqrt{d+ex}} - \frac{5(cdf - aeg) \int \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{32g^3 \sqrt{d+ex}} \\
&= -\frac{5(cdf - aeg)^3 \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cdg^3 \sqrt{d+ex}} + \frac{5(cdf - aeg) \int \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cdg^3 \sqrt{d+ex}} \\
&= -\frac{5(cdf - aeg)^3 \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cdg^3 \sqrt{d+ex}} + \frac{5(cdf - aeg) \int \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cdg^3 \sqrt{d+ex}} \\
&= -\frac{5(cdf - aeg)^3 \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cdg^3 \sqrt{d+ex}} + \frac{5(cdf - aeg) \int \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cdg^3 \sqrt{d+ex}} \\
&= -\frac{5(cdf - aeg)^3 \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cdg^3 \sqrt{d+ex}} + \frac{5(cdf - aeg) \int \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cdg^3 \sqrt{d+ex}} \\
&= -\frac{5(cdf - aeg)^3 \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cdg^3 \sqrt{d+ex}} + \frac{5(cdf - aeg) \int \sqrt{f+gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{64cdg^3 \sqrt{d+ex}}
\end{aligned}$$

**Mathematica [A]** time = 1.13, size = 299, normalized size = 0.80

$$\frac{\sqrt{c} \sqrt{d+ex} \left( \sqrt{c} \sqrt{d} \sqrt{g} \sqrt{cd} (f+gx)(ae+cdx) (15a^3e^3g^3 + a^2cde^2g^2(73f+118gx) + a^2d^2eg(-55f^2+36fgx+136g^2x^2) + c^3d^3(15f^3-10f^2gx+8fg^2x^2+48g^3x^3)) - 15\sqrt{ae+cdx} (cdf - aeg)^{9/2} \sqrt{\frac{cd(f+gx)}{cdf-aeg}} \sinh^{-1} \left( \frac{\sqrt{c} \sqrt{d} \sqrt{g} \sqrt{ae+cdx}}{\sqrt{cd} \sqrt{cdf-aeg}} \right) \right)}{192g^{7/2}(cd)^{5/2} \sqrt{f+gx} \sqrt{d+ex} (ae+cdx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x]



```
[Out] (Sqrt[c]*Sqrt[d]*Sqrt[d + e*x))*(Sqrt[c]*Sqrt[d]*Sqrt[c*d]*Sqrt[g]*(a*e + c*d*x)*(f + g*x)*(15*a^3*e^3*g^3 + a^2*c*d*e^2*g^2*(73*f + 118*g*x) + a*c^2*d^2*e*g*(-55*f^2 + 36*f*g*x + 136*g^2*x^2) + c^3*d^3*(15*f^3 - 10*f^2*g*x + 8*f*g^2*x^2 + 48*g^3*x^3)) - 15*(c*d*f - a*e*g)^(9/2)*Sqrt[a*e + c*d*x]*Sqrt[(c*d*(f + g*x))/(c*d*f - a*e*g)]*ArcSinh[(Sqrt[c]*Sqrt[d]*Sqrt[g]*Sqrt[a*e + c*d*x])/(Sqrt[c*d]*Sqrt[c*d*f - a*e*g])))/(192*(c*d)^(5/2)*g^(7/2)*Sqrt[(a*e + c*d*x)*(d + e*x)]*Sqrt[f + g*x])
```

**IntegrateAlgebraic [A]** time = 2.59, size = 431, normalized size = 1.15

$$\frac{\sqrt{50} \left( \frac{\sqrt{(5e+cd)(ag+cdg)}}{g^2} \right)^{5/2} \left( \frac{\sqrt{(5e+cd)(f+g)} \sqrt{(15d^2d^2 - \sqrt{f^2g^2 + 118cd^2d^2(f+g)^2 - 45d^2d^2f^2} \sqrt{f^2g^2 + 45d^2d^2f^2} \sqrt{f^2g^2 + 136cd^2d^2(f+g)^2 - 236cd^2d^2(f+g)^2 - 15d^2d^2f^2} \sqrt{f^2g^2 + 118cd^2d^2(f+g)^2 + 48d^2d^2(f+g)^2 - 136cd^2d^2(f+g)^2}}{192d^2g^2} + \frac{5\sqrt{d} \sqrt{d^2d^2 - 4d^2d^2f^2 + 6d^2d^2f^2g^2 - 4d^2d^2f^2g^2} \log\left(\frac{\sqrt{(5e+cd)(f+g)} - \sqrt{d} \sqrt{f^2g^2}}{d^2d^2g^2}\right)}{6d^2d^2g^2} \right)}{(d + ex)^{5/2}(ag + cdg)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(Sqrt[f + g*x]*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2))/(d + e*x)^(5/2), x]
```

```
[Out] (g^(5/2)*(((a*e*g + c*d*g*x)*(d*g + e*g*x))/g^2)^(5/2)*((Sqrt[-(c*d*f) + a*e*g + c*d*(f + g*x)]*(-15*c^3*d^3*f^3*Sqrt[f + g*x] + 45*a*c^2*d^2*e*f^2*g*Sqrt[f + g*x] - 45*a^2*c*d*e^2*f*g^2*Sqrt[f + g*x] + 15*a^3*e^3*g^3*Sqrt[f + g*x] + 118*c^3*d^3*f^2*(f + g*x)^(3/2) - 236*a*c^2*d^2*e*f*g*(f + g*x)^(3/2) + 118*a^2*c*d*e^2*g^2*(f + g*x)^(3/2) - 136*c^3*d^3*f*(f + g*x)^(5/2) + 136*a*c^2*d^2*e*g*(f + g*x)^(5/2) + 48*c^3*d^3*(f + g*x)^(7/2)))/(192*c*d*g^(7/2)) + (5*Sqrt[c*d]*(c^4*d^4*f^4 - 4*a*c^3*d^3*e*f^3*g + 6*a^2*c^2*d^2*e^2*f^2*g^2 - 4*a^3*c*d*e^3*f*g^3 + a^4*e^4*g^4)*Log[-(Sqrt[c*d]*Sqrt[f + g*x]) + Sqrt[-(c*d*f) + a*e*g + c*d*(f + g*x)])]/(64*c^2*d^2*g^(7/2)))/((d + e*x)^(5/2)*(a*e*g + c*d*g*x)^(5/2))
```

**fricas [A]** time = 2.71, size = 1065, normalized size = 2.83

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^(1/2)*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2), x, algorithm="fricas")
```

```
[Out] [1/768*(4*(48*c^4*d^4*g^4*x^3 + 15*c^4*d^4*f^3*g - 55*a*c^3*d^3*e*f^2*g^2 + 73*a^2*c^2*d^2*e^2*f*g^3 + 15*a^3*c*d*e^3*g^4 + 8*(c^4*d^4*f*g^3 + 17*a*c^3*d^3*e*g^4)*x^2 - 2*(5*c^4*d^4*f^2*g^2 - 18*a*c^3*d^3*e*f*g^3 - 59*a^2*c^2*d^2*e^2*g^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)*sqrt(g*x + f) + 15*(c^4*d^5*f^4 - 4*a*c^3*d^4*e*f^3*g + 6*a^2*c^2*d^3*e^2*f^2*g^2 - 4*a^3*c*d^2*e^3*f*g^3 + a^4*d*e^4*g^4 + (c^4*d^4*e*f^4 - 4*a*c^3*d^3*e^2*f^3*g + 6*a^2*c^2*d^2*e^3*f^2*g^2 - 4*a^3*c*d*e^4*f*g^3 + a^4*e^5*g^4)*x)*sqrt(c*d*g)*log(-(8*c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + 6*a*c*d^2*e*f*g + a^2*d*e^2*g^2 - 4*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*(2*c*d*g*x
```

```

+ c*d*f + a*e*g)*sqrt(c*d*g)*sqrt(e*x + d)*sqrt(g*x + f) + 8*(c^2*d^2*e*f*
g + (c^2*d^3 + a*c*d*e^2)*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*(4*c^2*d^3 + 3*a*c*
d*e^2)*f*g + (8*a*c*d^2*e + a^2*e^3)*g^2)*x)/(e*x + d))/(c^2*d^2*e*g^4*x +
c^2*d^3*g^4), 1/384*(2*(48*c^4*d^4*g^4*x^3 + 15*c^4*d^4*f^3*g - 55*a*c^3*d
^3*e*f^2*g^2 + 73*a^2*c^2*d^2*e^2*f*g^3 + 15*a^3*c*d*e^3*g^4 + 8*(c^4*d^4*f
*g^3 + 17*a*c^3*d^3*e*g^4)*x^2 - 2*(5*c^4*d^4*f^2*g^2 - 18*a*c^3*d^3*e*f*g^
3 - 59*a^2*c^2*d^2*e^2*g^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*
sqrt(e*x + d)*sqrt(g*x + f) + 15*(c^4*d^5*f^4 - 4*a*c^3*d^4*e*f^3*g + 6*a^2
*c^2*d^3*e^2*f^2*g^2 - 4*a^3*c*d^2*e^3*f*g^3 + a^4*d*e^4*g^4 + (c^4*d^4*e*f
^4 - 4*a*c^3*d^3*e^2*f^3*g + 6*a^2*c^2*d^2*e^3*f^2*g^2 - 4*a^3*c*d*e^4*f*g^
3 + a^4*e^5*g^4)*x)*sqrt(-c*d*g)*arctan(2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 +
a*e^2)*x)*sqrt(-c*d*g)*sqrt(e*x + d)*sqrt(g*x + f)/(2*c*d*e*g*x^2 + c*d^2*
f + a*d*e*g + (c*d*e*f + (2*c*d^2 + a*e^2)*g)*x)))/(c^2*d^2*e*g^4*x + c^2*d
^3*g^4)]

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^(1/2)*(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/
2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:index.cc index_m operator + Error: Bad Argum
ent Valueindex.cc index_m operator + Error: Bad Argument Valueindex.cc inde
x_m operator + Error: Bad Argument ValueEvaluation time: 7.91Done
```

**maple** [B] time = 0.02, size = 870, normalized size = 2.31

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x+f)^(1/2)*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/(e*x+d)^(5/2),x)
```

```
[Out] -1/384*(g*x+f)^(1/2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(-96*(c*d*g*x^
2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)*(c*d*g)^(1/2)*c^3*d^3*g^3*x^3+15*a^4*e^4*g^4
*ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)*(c
*d*g)^(1/2)))/(c*d*g)^(1/2))-60*a^3*c*d*e^3*f*g^3*ln(1/2*(2*c*d*g*x+a*e*g+c*
d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)*(c*d*g)^(1/2)))/(c*d*g)^(1/2))
+90*a^2*c^2*d^2*e^2*f^2*g^2*ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*
g*x+c*d*f*x+a*e*f)^(1/2)*(c*d*g)^(1/2)))/(c*d*g)^(1/2))-60*a*c^3*d^3*e*f^3*g
*ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^(1/2)*(c
*d*g)^(1/2)))/(c*d*g)^(1/2))+15*c^4*d^4*f^4*ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*
```

$$\begin{aligned} & (c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)}/(c*d*g)^{(1/2)}-272*( \\ & c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)}*a*c^2*d^2*e*g^3*x^2-16 \\ & *(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*(c*d*g)^{(1/2)}*c^3*d^3*f*g^2*x^2-23 \\ & 6*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a^2*c*d*e^2*g^3*x-7 \\ & 2*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a*c^2*d^2*e*f*g^2*x \\ & +20*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*c^3*d^3*f^2*g*x-3 \\ & 0*(c*d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a^3*e^3*g^3-146*(c \\ & d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a^2*c*d*e^2*f*g^2+110*(c \\ & *d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*a*c^2*d^2*e*f^2*g-30*(c \\ & *d*g)^{(1/2)}*(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}*c^3*d^3*f^3)/(e*x+d)^{(1 \\ & /2)}/c/d/(c*d*g*x^2+a*e*g*x+c*d*f*x+a*e*f)^{(1/2)}/g^3/(c*d*g)^{(1/2)} \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}} \sqrt{gx + f}}{(ex + d)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^(1/2)\*(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)\*sqrt(g\*x + f)/(e\*x + d)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{f + gx} (cdex^2 + (cd^2 + ae^2)x + ade)^{5/2}}{(d + ex)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^(1/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2),x)

[Out] int(((f + g\*x)^(1/2)\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2))/(d + e\*x)^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*(1/2)\*(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2),x)

[Out] Timed out

$$3.520 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2} \sqrt{f+gx}} dx$$

**Optimal.** Leaf size=304

$$\frac{5\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^3 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{8\sqrt{c} \sqrt{d} g^{7/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{5\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^2}{8g^3 \sqrt{d+ex}}$$

**Rubi [A]** time = 0.49, antiderivative size = 304, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$ , Rules used = {864, 891, 63, 217, 206}

$$\frac{5\sqrt{f+gx} \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^2}{8g^3 \sqrt{d+ex}} - \frac{5\sqrt{f+gx} (x(ae^2 + cd^2) + ade + cdex^2)^{3/2} (cdf - aeg)}{12g^2 (d+ex)^{3/2}} - \frac{5\sqrt{d+ex} \sqrt{ae+cdx} (cdf - aeg)^3 \tanh^{-1}\left(\frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{c} \sqrt{d} \sqrt{f+gx}}\right)}{8\sqrt{c} \sqrt{d} g^{7/2} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}} + \frac{\sqrt{f+gx} (x(ae^2 + cd^2) + ade + cdex^2)^{5/2}}{3g(d+ex)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*Sqrt[f + g\*x]), x]

[Out] (5\*(c\*d\*f - a\*e\*g)^2\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*g^3\*Sqrt[d + e\*x]) - (5\*(c\*d\*f - a\*e\*g)\*Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(12\*g^2\*(d + e\*x)^(3/2)) + (Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(3\*g\*(d + e\*x)^(5/2)) - (5\*(c\*d\*f - a\*e\*g)^3\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(8\*Sqrt[c]\*Sqrt[d]\*g^(7/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 864

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && N
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !GtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]
```

### Rule 891

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !GtQ[m, 0] && !GtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2} \sqrt{f + gx}} dx &= \frac{\sqrt{f + gx} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g(d + ex)^{5/2}} - \frac{(5cdf - aeg) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}} dx}{6g} \\
&= -\frac{5(cdf - aeg)\sqrt{f + gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{12g^2(d + ex)^{3/2}} + \frac{\sqrt{f + gx} (ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{6g(d + ex)^{3/2}} \\
&= \frac{5(cdf - aeg)^2 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^3 \sqrt{d + ex}} - \frac{5(cdf - aeg) \sqrt{f + gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6g(d + ex)^{3/2}} \\
&= \frac{5(cdf - aeg)^2 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^3 \sqrt{d + ex}} - \frac{5(cdf - aeg) \sqrt{f + gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6g(d + ex)^{3/2}} \\
&= \frac{5(cdf - aeg)^2 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^3 \sqrt{d + ex}} - \frac{5(cdf - aeg) \sqrt{f + gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6g(d + ex)^{3/2}} \\
&= \frac{5(cdf - aeg)^2 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^3 \sqrt{d + ex}} - \frac{5(cdf - aeg) \sqrt{f + gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6g(d + ex)^{3/2}} \\
&= \frac{5(cdf - aeg)^2 \sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{8g^3 \sqrt{d + ex}} - \frac{5(cdf - aeg) \sqrt{f + gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{6g(d + ex)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.00, size = 229, normalized size = 0.75

$$\frac{\sqrt{(d + ex)(ae + cdx)} \left( \sqrt{g}(f + gx) (33a^2e^2g^2 + 2acdeg(13gx - 20f) + c^2d^2(15f^2 - 10fgx + 8g^2x^2)) - \frac{15\sqrt{c}\sqrt{d}(cdf - aeg)^{7/2} \sqrt{\frac{cd(f+gx)}{cdf - aeg}} \sinh^{-1}\left(\frac{\sqrt{c}\sqrt{d}\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cd}\sqrt{cdf - aeg}}\right)}{(cd)^{3/2}\sqrt{ae+cdx}} \right)}{24g^{7/2}\sqrt{d + ex}\sqrt{f + gx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*Sqrt[f + g\*x]),x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(Sqrt[g]\*(f + g\*x)\*(33\*a^2\*e^2\*g^2 + 2\*a\*c\*d\*e\*g\*(-20\*f + 13\*g\*x) + c^2\*d^2\*(15\*f^2 - 10\*f\*g\*x + 8\*g^2\*x^2)) - (15\*Sqrt

$[c] \cdot \text{Sqrt}[d] \cdot (c \cdot d \cdot f - a \cdot e \cdot g)^{(7/2)} \cdot \text{Sqrt}[(c \cdot d \cdot (f + g \cdot x)) / (c \cdot d \cdot f - a \cdot e \cdot g)] \cdot \text{ArcSinh}[(\text{Sqrt}[c] \cdot \text{Sqrt}[d] \cdot \text{Sqrt}[g] \cdot \text{Sqrt}[a \cdot e + c \cdot d \cdot x]) / (\text{Sqrt}[c \cdot d] \cdot \text{Sqrt}[c \cdot d \cdot f - a \cdot e \cdot g])] / ((c \cdot d)^{(3/2)} \cdot \text{Sqrt}[a \cdot e + c \cdot d \cdot x]) / (24 \cdot g^{(7/2)} \cdot \text{Sqrt}[d + e \cdot x] \cdot \text{Sqrt}[f + g \cdot x])$

**IntegrateAlgebraic [A]** time = 1.84, size = 310, normalized size = 1.02

$$g^{5/2} \frac{(dg+egx)(aeg+cdgx)^{5/2} \left( \frac{\sqrt{aeg+cd(f+gx)-cdf} (33a^2d^2g^2\sqrt{f+gx}+26acd^2g(f+gx)^{3/2}-66acdfg\sqrt{f+gx}+33c^2d^2f^2\sqrt{f+gx}+8c^2d^2(f+gx)^{5/2}-26c^2d^2f(f+gx)^{3/2}}{24g^{7/2}} + \frac{5\sqrt{cd}(-a^3c^2g^2+3a^2cd^2fg^2-3a^2d^2ef^2g+c^3d^3f^2)\log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{8cdg^{7/2}} \right)}{(d+ex)^{5/2}(aeg+cdgx)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*Sqrt[f + g\*x]),x]

[Out]  $(g^{(5/2)} * (((a \cdot e \cdot g + c \cdot d \cdot g \cdot x) \cdot (d \cdot g + e \cdot g \cdot x)) / g^2)^{(5/2)} * ((\text{Sqrt}[-(c \cdot d \cdot f) + a \cdot e \cdot g + c \cdot d \cdot (f + g \cdot x)] * (33 \cdot c^2 \cdot d^2 \cdot f^2 \cdot \text{Sqrt}[f + g \cdot x] - 66 \cdot a \cdot c \cdot d \cdot e \cdot f \cdot g \cdot \text{Sqrt}[f + g \cdot x] + 33 \cdot a^2 \cdot e^2 \cdot g^2 \cdot \text{Sqrt}[f + g \cdot x] - 26 \cdot c^2 \cdot d^2 \cdot f \cdot (f + g \cdot x)^{(3/2)} + 26 \cdot a \cdot c \cdot d \cdot e \cdot g \cdot (f + g \cdot x)^{(3/2)} + 8 \cdot c^2 \cdot d^2 \cdot (f + g \cdot x)^{(5/2)})) / (24 \cdot g^{(7/2)}) + (5 \cdot \text{Sqrt}[c \cdot d] \cdot (c^3 \cdot d^3 \cdot f^3 - 3 \cdot a \cdot c^2 \cdot d^2 \cdot e \cdot f^2 \cdot g + 3 \cdot a^2 \cdot c \cdot d \cdot e^2 \cdot f \cdot g^2 - a^3 \cdot e^3 \cdot g^3) \cdot \text{Log}[-(\text{Sqrt}[c \cdot d] \cdot \text{Sqrt}[f + g \cdot x]) + \text{Sqrt}[-(c \cdot d \cdot f) + a \cdot e \cdot g + c \cdot d \cdot (f + g \cdot x)]] / (8 \cdot c \cdot d \cdot g^{(7/2)}))) / ((d + e \cdot x)^{(5/2)} \cdot (a \cdot e \cdot g + c \cdot d \cdot g \cdot x)^{(5/2)})$

**fricas [A]** time = 1.56, size = 837, normalized size = 2.75

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out]  $[1/96 * (4 * (8 * c^3 * d^3 * g^3 * x^2 + 15 * c^3 * d^3 * f^2 * g - 40 * a * c^2 * d^2 * e * f * g^2 + 33 * a^2 * c * d * e^2 * g^3 - 2 * (5 * c^3 * d^3 * f * g^2 - 13 * a * c^2 * d^2 * e * g^3) * x) * \text{sqrt}(c * d * e * x^2 + a * d * e + (c * d^2 + a * e^2) * x) * \text{sqrt}(e * x + d) * \text{sqrt}(g * x + f) - 15 * (c^3 * d^4 * f^3 - 3 * a * c^2 * d^3 * e * f^2 * g + 3 * a^2 * c * d^2 * e^2 * f * g^2 - a^3 * d * e^3 * g^3 + (c^3 * d^3 * e * f^3 - 3 * a * c^2 * d^2 * e^2 * f^2 * g + 3 * a^2 * c * d * e^3 * f * g^2 - a^3 * e^4 * g^3) * x) * \text{sqrt}(c * d * g) * \log(-(8 * c^2 * d^2 * e * g^2 * x^3 + c^2 * d^3 * f^2 + 6 * a * c * d^2 * e * f * g + a^2 * d * e^2 * g^2 + 4 * \text{sqrt}(c * d * e * x^2 + a * d * e + (c * d^2 + a * e^2) * x) * (2 * c * d * g * x + c * d * f + a * e * g) * \text{sqrt}(c * d * g) * \text{sqrt}(e * x + d) * \text{sqrt}(g * x + f) + 8 * (c^2 * d^2 * e * f * g + (c^2 * d^3 + a * c * d * e^2) * g^2) * x^2 + (c^2 * d^2 * e * f^2 + 2 * (4 * c^2 * d^3 + 3 * a * c * d * e^2) * f * g + (8 * a * c * d^2 * e + a^2 * e^3) * g^2) * x) / (e * x + d))) / (c * d * e * g^4 * x + c * d^2 * g^4), 1/48 * (2 * (8 * c^3 * d^3 * g^3 * x^2 + 15 * c^3 * d^3 * f^2 * g - 40 * a * c^2 * d^2 * e * f * g^2 + 33 * a^2 * c * d * e^2 * g^3 - 2 * (5 * c^3 * d^3 * f * g^2 - 13 * a * c^2 * d^2 * e * g^3) * x) * \text{sqrt}(c * d * e * x^2 + a * d * e + (c * d^2 + a * e^2) * x) * \text{sqrt}(e * x + d) * \text{sqrt}(g * x + f) + 15 * (c^3 * d^4 * f^3 - 3 * a * c^2 * d^3 * e * f^2 * g + 3 * a^2 * c * d^2 * e^2 * f * g^2 - a^3 * d * e^3 * g^3 + (c^3 * d^3 * e * f^3 - 3 * a * c^2 * d^2 * e^2 * f^2 * g + 3 * a^2 * c * d * e^3 * f * g^2 - a^3 * e^4 * g^3) * x) * \text{sqrt}(-c$



$d*g) \arctan(2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{-c*d*g}*\sqrt{(e*x + d)*\sqrt{g*x + f}}/(2*c*d*e*g*x^2 + c*d^2*f + a*d*e*g + (c*d*e*f + (2*c*d^2 + a*e^2)*g)*x)))/(c*d*e*g^4*x + c*d^2*g^4)]$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.03, size = 508, normalized size = 1.67

$$\frac{\sqrt{a^2 d^2 + c^2 d^2 + 2 a c d} \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{g x + f} \operatorname{arctan}\left(\frac{\sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{-c d g}}{\sqrt{(e x + d) \sqrt{g x + f}}}\right) + 45 a^2 c^2 d^2 e f^2 g \ln\left(\frac{1}{2} \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{g x + f} + 52 \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{g x + f} + 20 \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{g x + f} + 66 \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{g x + f} - 80 \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{g x + f} + 30 \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{g x + f}\right)}{48 \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{g x + f}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(1/2),x)

[Out]  $\frac{1}{48} (c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{1/2} * (g*x+f)^{1/2} * (15*a^3*e^3*g^3 * \ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}))/ (c*d*g)^{1/2} - 45*a^2*c*d*e^2*f*g^2*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}))/ (c*d*g)^{1/2} + 45*a*c^2*d^2*e*f^2*g*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}))/ (c*d*g)^{1/2} - 15*c^3*d^3*f^3*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}))/ (c*d*g)^{1/2} + 16*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2} * c^2*d^2*g^2*x^2 + 52*(c*d*g)^{1/2}*((g*x+f)*(c*d*x+a*e))^{1/2} * a*c*d*e*g^2*x - 20*(c*d*g)^{1/2}*((g*x+f)*(c*d*x+a*e))^{1/2} * c^2*d^2*f*g*x + 66*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2} * a^2*e^2*g^2 - 80*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2} * a*c*d*e*f*g + 30*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2} * c^2*d^2*f^2) / (e*x+d)^{1/2} / g^3 / ((g*x+f)*(c*d*x+a*e))^{1/2} / (c*d*g)^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}} \sqrt{gx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)^(5/2)\*sqrt(g\*x + f)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{\sqrt{f + g x} (d + e x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^(1/2)\*(d + e\*x)^(5/2)), x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^(1/2)\*(d + e\*x)^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2)/(g\*x+f)\*\*(1/2), x)

[Out] Timed out

$$3.521 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{3/2}} dx$$

Optimal. Leaf size=294

$$\frac{15\sqrt{c}\sqrt{d}\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)^2 \tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right) - 15cd\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{4g^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2} - 4g^3\sqrt{d+ex}}$$

**Rubi [A]** time = 0.43, antiderivative size = 294, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {862, 864, 891, 63, 217, 206}

$$\frac{5cd\sqrt{f+gx}(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{2g^2(d+ex)^{3/2}} - \frac{15cd\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)}{4g^3\sqrt{d+ex}} + \frac{15\sqrt{c}\sqrt{d}\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)^2 \tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{4g^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{g(d+ex)^{5/2}\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(3/2)), x]

[Out] (-15\*c\*d\*(c\*d\*f - a\*e\*g)\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(4\*g^3\*Sqrt[d + e\*x]) + (5\*c\*d\*Sqrt[f + g\*x]\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(2\*g^2\*(d + e\*x)^(3/2)) - (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(g\*(d + e\*x)^(5/2)\*Sqrt[f + g\*x]) + (15\*Sqrt[c]\*Sqrt[d]\*(c\*d\*f - a\*e\*g)^2\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(4\*g^(7/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 862

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(n + 1)), x] + Dist[(c*m)/(e*g*(n + 1)), Int[(d + e*x)^(
m + 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b,
c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^
2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ
[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])
```

### Rule 864

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && N
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]
```

### Rule 891

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^{3/2}} dx &= -\frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{g(d + ex)^{5/2}\sqrt{f + gx}} + \frac{(5cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}\sqrt{f + gx}} dx}{g} \\
&= \frac{5cd\sqrt{f + gx} (ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{2g^2(d + ex)^{3/2}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{g(d + ex)^{5/2}\sqrt{f + gx}} \\
&= -\frac{15cd(cdf - aeg)\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^3\sqrt{d + ex}} + \frac{5cd\sqrt{f + gx}}{g} \\
&= -\frac{15cd(cdf - aeg)\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^3\sqrt{d + ex}} + \frac{5cd\sqrt{f + gx}}{g} \\
&= -\frac{15cd(cdf - aeg)\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^3\sqrt{d + ex}} + \frac{5cd\sqrt{f + gx}}{g} \\
&= -\frac{15cd(cdf - aeg)\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^3\sqrt{d + ex}} + \frac{5cd\sqrt{f + gx}}{g} \\
&= -\frac{15cd(cdf - aeg)\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^3\sqrt{d + ex}} + \frac{5cd\sqrt{f + gx}}{g} \\
&= -\frac{15cd(cdf - aeg)\sqrt{f + gx} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{4g^3\sqrt{d + ex}} + \frac{5cd\sqrt{f + gx}}{g}
\end{aligned}$$

**Mathematica [C]** time = 0.10, size = 112, normalized size = 0.38

$$\frac{2(ae + cdx)^3 \sqrt{(d + ex)(ae + cdx)} \left(\frac{cd(f + gx)}{cdf - aeg}\right)^{3/2} {}_2F_1\left(\frac{3}{2}, \frac{7}{2}; \frac{9}{2}; \frac{g(ae + cdx)}{aeg - cdf}\right)}{7cd\sqrt{d + ex} (f + gx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(3/2)), x]

[Out]  $(2*(a*e + c*d*x)^3*\text{Sqrt}[(a*e + c*d*x)*(d + e*x)]*((c*d*(f + g*x))/(c*d*f - a*e*g))^{(3/2)}*\text{Hypergeometric2F1}[3/2, 7/2, 9/2, (g*(a*e + c*d*x))/(-(c*d*f + a*e*g))]/(7*c*d*\text{Sqrt}[d + e*x]*(f + g*x)^{(3/2}))$

**IntegrateAlgebraic [A]** time = 2.06, size = 255, normalized size = 0.87

$$\frac{g^{5/2} \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{5/2} \left( \frac{\sqrt{aeg+cd(f+gx)-cdf} (-8a^2e^2g^2+9acdeg(f+gx)+16acdefg-8e^2d^2f^2+2c^2d^2(f+gx)^2-9c^2d^2f(f+gx))}{4g^{7/2}\sqrt{f+gx}} - \frac{15\sqrt{cd}(a^2e^2g^2-2acdeg+c^2d^2f^2)\log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{4g^{7/2}} \right)}{(d+ex)^{5/2}(aeg+cdgx)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(3/2)),x]

[Out]  $(g^{(5/2)}*((a*e*g + c*d*g*x)*(d*g + e*g*x))/g^2)^{(5/2)}*((\text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)]*(-8*c^2*d^2*f^2 + 16*a*c*d*e*f*g - 8*a^2*e^2*g^2 - 9*c^2*d^2*f*(f + g*x) + 9*a*c*d*e*g*(f + g*x) + 2*c^2*d^2*(f + g*x)^2))/(4*g^{(7/2)}*\text{Sqrt}[f + g*x]) - (15*\text{Sqrt}[c*d]*(c^2*d^2*f^2 - 2*a*c*d*e*f*g + a^2*e^2*g^2)*\text{Log}[-(\text{Sqrt}[c*d]*\text{Sqrt}[f + g*x]) + \text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)])]/(4*g^{(7/2)})))/((d + e*x)^{(5/2)}*(a*e*g + c*d*g*x)^{(5/2)})$

**fricas [A]** time = 1.20, size = 915, normalized size = 3.11

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out]  $[1/16*(4*(2*c^2*d^2*g^2*x^2 - 15*c^2*d^2*f^2 + 25*a*c*d*e*f*g - 8*a^2*e^2*g^2 - (5*c^2*d^2*f*g - 9*a*c*d*e*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f) + 15*(c^2*d^3*f^3 - 2*a*c*d^2*e*f^2*g + a^2*d*e^2*f*g^2 + (c^2*d^2*e*f^2*g - 2*a*c*d*e^2*f*g^2 + a^2*e^3*g^3)*x^2 + (c^2*d^2*e*f^3 + a^2*d*e^2*g^3 + (c^2*d^3 - 2*a*c*d*e^2)*f^2*g - (2*a*c*d^2*e - a^2*e^3)*f*g^2)*x)*\text{sqrt}(c*d/g)*\log(-(8*c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + 6*a*c*d^2*e*f*g + a^2*d*e^2*g^2 + 4*(2*c*d*g^2*x + c*d*f*g + a*e*g^2)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f)*\text{sqrt}(c*d/g) + 8*(c^2*d^2*e*f*g + (c^2*d^3 + a*c*d*e^2)*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*(4*c^2*d^3 + 3*a*c*d*e^2)*f*g + (8*a*c*d^2*e + a^2*e^3)*g^2)*x)/(e*x + d)))/(e*g^4*x^2 + d*f*g^3 + (e*f*g^3 + d*g^4)*x), 1/8*(2*(2*c^2*d^2*g^2*x^2 - 15*c^2*d^2*f^2 + 25*a*c*d*e*f*g - 8*a^2*e^2*g^2 - (5*c^2*d^2*f*g - 9*a*c*d*e*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f) - 15*(c^2*d^3*f^3 - 2*a*c*d^2*e*f^2*g + a^2*d*e^2*f*g^2 + (c^2*d^2*e*f^2*g - 2*a*c*d*e^2*f*g^2 + a^2*e^3*g^3)*x^2 + (c^2*d^2*e*f^3 + a^2*d*e^2*g^3 + (c^2*d^3 - 2*a*c*d*e^2)*f^2*g - (2*a*c*d^2*e - a^2*e^3)*f*g^2)*x)*\text{sqrt}(-c*d/g)*\text{arctan}(2*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}($

$e*x + d)*\text{sqrt}(g*x + f)*\text{sqrt}(-c*d/g)*g/(2*c*d*e*g*x^2 + c*d^2*f + a*d*e*g + (c*d*e*f + (2*c*d^2 + a*e^2)*g)*x))/((e*g^4*x^2 + d*f*g^3 + (e*f*g^3 + d*g^4)*x)]$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00


Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.03, size = 635, normalized size = 2.16



Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(3/2),x)

[Out]  $\frac{1}{8}*(15*a^2*c*d*e^2*g^3*x*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^{1/2}*(c*d*g)^{1/2}))/((c*d*g)^{1/2})-30*a*c^2*d^2*e*f*g^2*x*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^{1/2}*(c*d*g)^{1/2}))/((c*d*g)^{1/2})+15*c^3*d^3*f^2*g*x*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^{1/2}*(c*d*g)^{1/2}))/((c*d*g)^{1/2})+15*a^2*c*d*e^2*f*g^2*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^{1/2}*(c*d*g)^{1/2}))/((c*d*g)^{1/2})-30*a*c^2*d^2*e*f^2*g*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^{1/2}*(c*d*g)^{1/2}))/((c*d*g)^{1/2})+15*c^3*d^3*f^3*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e)))^{1/2}*(c*d*g)^{1/2}))/((c*d*g)^{1/2})+4*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}*c^2*d^2*g^2*x^2+18*(c*d*g)^{1/2}*((g*x+f)*(c*d*x+a*e))^{1/2}*a*c*d*e*g^2*x-10*(c*d*g)^{1/2}*((g*x+f)*(c*d*x+a*e))^{1/2}*c^2*d^2*f*g*x-16*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}*a^2*e^2*g^2+50*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}*a*c*d*e*f*g-30*((g*x+f)*(c*d*x+a*e))^{1/2}*(c*d*g)^{1/2}*c^2*d^2*f^2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{1/2}/((g*x+f)*(c*d*x+a*e))^{1/2}/(c*d*g)^{1/2}/g^3/(g*x+f)^{1/2}/(e*x+d)^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(3/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)^(5/2)\*(g\*x + f)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{(f + g x)^{3/2} (d + e x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^(3/2)\*(d + e\*x)^(5/2)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^(3/2)\*(d + e\*x)^(5/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2)/(g\*x+f)\*\*(3/2),x)

[Out] Timed out



$$3.522 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{5/2}} dx$$

Optimal. Leaf size=284

$$\frac{5c^{3/2}d^{3/2}\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{g^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} + \frac{5c^2d^2\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g^3\sqrt{d+ex}}$$

**Rubi [A]** time = 0.40, antiderivative size = 284, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {862, 864, 891, 63, 217, 206}

$$\frac{5c^2d^2\sqrt{f+gx}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g^3\sqrt{d+ex}} - \frac{5c^{3/2}d^{3/2}\sqrt{d+ex}\sqrt{ae+cdx}(cdf-aeg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{g^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{10cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{3g^2(d+ex)^{3/2}\sqrt{f+gx}} - \frac{2(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{3g(d+ex)^{5/2}(f+gx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(5/2)), x]

[Out] (5\*c^2\*d^2\*Sqrt[f + g\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(g^3\*Sqrt[d + e\*x]) - (10\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(3\*g^2\*(d + e\*x)^(3/2)\*Sqrt[f + g\*x]) - (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(3\*g\*(d + e\*x)^(5/2)\*(f + g\*x)^(3/2)) - (5\*c^(3/2)\*d^(3/2)\*(c\*d\*f - a\*e\*g)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(g^(7/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 862

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(n + 1)), x] + Dist[(c*m)/(e*g*(n + 1)), Int[(d + e*x)^(
m + 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b,
c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^
2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ
[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])
```

### Rule 864

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a
+ b*x + c*x^2)^p)/(g*(m - n - 1)), x] - Dist[(m*(c*e*f + c*d*g - b*e*g))/(e
^2*g*(m - n - 1)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*(a + b*x + c*x^2)^(p -
1), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0] && N
eQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ
[m + p, 0] && GtQ[p, 0] && NeQ[m - n - 1, 0] && !IGtQ[n, 0] && !(IntegerQ
[n + p] && LtQ[n + p + 2, 0]) && RationalQ[n]
```

### Rule 891

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^{5/2}} dx &= -\frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g(d + ex)^{5/2}(f + gx)^{3/2}} + \frac{(5cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^{3/2}} dx}{3g} \\
&= -\frac{10cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}\sqrt{f + gx}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g(d + ex)^{5/2}(f + gx)^{3/2}} \\
&= \frac{5c^2d^2\sqrt{f + gx}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}} - \frac{10cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}\sqrt{f + gx}} \\
&= \frac{5c^2d^2\sqrt{f + gx}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}} - \frac{10cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}\sqrt{f + gx}} \\
&= \frac{5c^2d^2\sqrt{f + gx}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}} - \frac{10cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}\sqrt{f + gx}} \\
&= \frac{5c^2d^2\sqrt{f + gx}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}} - \frac{10cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}\sqrt{f + gx}} \\
&= \frac{5c^2d^2\sqrt{f + gx}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}} - \frac{10cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}\sqrt{f + gx}} \\
&= \frac{5c^2d^2\sqrt{f + gx}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}} - \frac{10cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}\sqrt{f + gx}}
\end{aligned}$$

**Mathematica [C]** time = 0.12, size = 112, normalized size = 0.39

$$\frac{2(ae + cdx)^3\sqrt{(d + ex)(ae + cdx)}\left(\frac{cd(f + gx)}{cdf - aeg}\right)^{5/2} {}_2F_1\left(\frac{5}{2}, \frac{7}{2}; \frac{9}{2}; \frac{g(ae + cdx)}{aeg - cdf}\right)}{7cd\sqrt{d + ex}(f + gx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(5/2)), x]

[Out]  $(2*(a*e + c*d*x)^3*\text{Sqrt}[(a*e + c*d*x)*(d + e*x)]*((c*d*(f + g*x))/(c*d*f - a*e*g))^{5/2}*\text{Hypergeometric2F1}[5/2, 7/2, 9/2, (g*(a*e + c*d*x))/(-c*d*f + a*e*g)])/(7*c*d*\text{Sqrt}[d + e*x]*(f + g*x)^{5/2})$

**IntegrateAlgebraic [A]** time = 2.24, size = 240, normalized size = 0.85

$$\frac{g^{5/2} \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{5/2} \left( \frac{\sqrt{aeg+cd(f+gx)-cdf}(-2a^2e^2g^2-14acdeg(f+gx)+4acdegfg-2c^2d^2f^2+3c^2d^2(f+gx)^2+14c^2d^2f(f+gx))}{3g^{7/2}(f+gx)^{3/2}} + \frac{5\sqrt{cd}(c^2d^2f-acdeg)\log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{g^{7/2}} \right)}{(d+ex)^{5/2}(aeg+cdgx)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(5/2)),x]

[Out]  $(g^{5/2}*(((a*e*g + c*d*g*x)*(d*g + e*g*x))/g^2)^{5/2}*((\text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)]*(-2*c^2*d^2*f^2 + 4*a*c*d*e*f*g - 2*a^2*e^2*g^2 + 14*c^2*d^2*f*(f + g*x) - 14*a*c*d*e*g*(f + g*x) + 3*c^2*d^2*(f + g*x)^2))/(3*g^{7/2}*(f + g*x)^{3/2}) + (5*\text{Sqrt}[c*d]*(c^2*d^2*f - a*c*d*e*g)*\text{Log}[-(\text{Sqrt}[c*d]*\text{Sqrt}[f + g*x]) + \text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)])]/g^{7/2}))/((d + e*x)^{5/2}*(a*e*g + c*d*g*x)^{5/2})$

**fricas [A]** time = 1.15, size = 973, normalized size = 3.43

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(5/2),x, algorithm="fricas")

[Out]  $[1/12*(4*(3*c^2*d^2*g^2*x^2 + 15*c^2*d^2*f^2 - 10*a*c*d*e*f*g - 2*a^2*e^2*g^2 + 2*(10*c^2*d^2*f*g - 7*a*c*d*e*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f) - 15*(c^2*d^3*f^3 - a*c*d^2*e*f^2*g + (c^2*d^2*e*f*g^2 - a*c*d*e^2*g^3)*x^3 + (2*c^2*d^2*e*f^2*g - a*c*d^2*e*g^3 + (c^2*d^3 - 2*a*c*d*e^2)*f*g^2)*x^2 + (c^2*d^2*e*f^3 - 2*a*c*d^2*e*f*g^2 + (2*c^2*d^3 - a*c*d*e^2)*f^2*g)*x)*\text{sqrt}(c*d/g)*\log(-(8*c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + 6*a*c*d^2*e*f*g + a^2*d*e^2*g^2 + 4*(2*c*d*g^2*x + c*d*f*g + a*e*g^2)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f)*\text{sqrt}(c*d/g) + 8*(c^2*d^2*e*f*g + (c^2*d^3 + a*c*d*e^2)*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*(4*c^2*d^3 + 3*a*c*d*e^2)*f*g + (8*a*c*d^2*e + a^2*e^3)*g^2)*x)/(e*x + d))/((e*g^5*x^3 + d*f^2*g^3 + (2*e*f*g^4 + d*g^5)*x^2 + (e*f^2*g^3 + 2*d*f*g^4)*x), 1/6*(2*(3*c^2*d^2*g^2*x^2 + 15*c^2*d^2*f^2 - 10*a*c*d*e*f*g - 2*a^2*e^2*g^2 + 2*(10*c^2*d^2*f*g - 7*a*c*d*e*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f) + 15*(c^2*d^3*f^3 - a*c*d^2*e*f^2*g + (c^2*d^2*e*f*g^2 - a*c*d*e^2*g^3)*x^3 + (2*c^2*d^2*e*f^2*g - a*c*d^2*e*g^3 + (c^2*d^3 - 2*a*c*d*e^2)*f*g^2)*x^2 + (c^2*d^2*e$

$$f^3 - 2*a*c*d^2*e*f*g^2 + (2*c^2*d^3 - a*c*d*e^2)*f^2*g*x)*\sqrt{-c*d/g)*\arctan(2*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d}*\sqrt{g*x + f}*\sqrt{-c*d/g}*g/(2*c*d*e*g*x^2 + c*d^2*f + a*d*e*g + (c*d*e*f + (2*c*d^2 + a*e^2)*g)*x)))/(e*g^5*x^3 + d*f^2*g^3 + (2*e*f*g^4 + d*g^5)*x^2 + (e*f^2*g^3 + 2*d*f*g^4)*x)]$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(5/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.03, size = 638, normalized size = 2.25

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(5/2),x)

[Out] 
$$\frac{1}{6} * (15 * a * c^2 * d^2 * e * g^3 * x^2 * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2})) / (c * d * g)^{1/2}) - 15 * c^3 * d^3 * f * g^2 * x^2 * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2})) / (c * d * g)^{1/2}) + 30 * a * c^2 * d^2 * e * f * g^2 * x * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2})) / (c * d * g)^{1/2}) - 30 * c^3 * d^3 * f^2 * g * x * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2})) / (c * d * g)^{1/2}) + 15 * a * c^2 * d^2 * e * f^2 * g * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2})) / (c * d * g)^{1/2}) - 15 * c^3 * d^3 * f^3 * \ln(1/2 * (2 * c * d * g * x + a * e * g + c * d * f + 2 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2})) / (c * d * g)^{1/2}) + 6 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2} * c^2 * d^2 * g^2 * x^2 - 28 * (c * d * g)^{1/2} * ((g * x + f) * (c * d * x + a * e))^{1/2} * a * c * d * e * g^2 * x + 40 * (c * d * g)^{1/2} * ((g * x + f) * (c * d * x + a * e))^{1/2} * c^2 * d^2 * f * g * x - 4 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2} * a^2 * e^2 * g^2 - 20 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2} * a * c * d * e * f * g + 30 * ((g * x + f) * (c * d * x + a * e))^{1/2} * (c * d * g)^{1/2} * c^2 * d^2 * f^2) * (c * d * e * x^2 + a * e^2 * x + c * d^2 * x + a * d * e)^{1/2} / ((g * x + f) * (c * d * x + a * e))^{1/2} / (c * d * g)^{1/2} / g^3 / (g * x + f)^{3/2} / (e * x + d)^{1/2}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(5/2)/((e*x + d)^(5/2)*(g*x + f)^(5/2)), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{(f + g x)^{5/2} (d + e x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/((f + g*x)^(5/2)*(d + e*x)^(5/2)),x)
```

```
[Out] int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/((f + g*x)^(5/2)*(d + e*x)^(5/2)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/(e*x+d)**(5/2)/(g*x+f)**(5/2),x)
```

```
[Out] Timed out
```

$$3.523 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{7/2}} dx$$

**Optimal.** Leaf size=274

$$\frac{2c^{5/2}d^{5/2}\sqrt{d+ex}\sqrt{ae+cdx}\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{g^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g^3\sqrt{d+ex}\sqrt{f+gx}} - \frac{2cd(x(ae^2+cd^2)+ade+cdex^2)}{3g^2(d+ex)^{3/2}(f+gx)^{5/2}}$$

**Rubi [A]** time = 0.37, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.104$ , Rules used = {862, 891, 63, 217, 206}

$$-\frac{2c^2d^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{g^3\sqrt{d+ex}\sqrt{f+gx}} + \frac{2c^{5/2}d^{5/2}\sqrt{d+ex}\sqrt{ae+cdx}\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{c}\sqrt{d}\sqrt{f+gx}}\right)}{g^{7/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}} - \frac{2cd(x(ae^2+cd^2)+ade+cdex^2)^{3/2}}{3g^2(d+ex)^{3/2}(f+gx)^{3/2}} - \frac{2(x(ae^2+cd^2)+ade+cdex^2)^{5/2}}{5g(d+ex)^{5/2}(f+gx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(7/2)), x]

[Out] (-2\*c^2\*d^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(g^3\*Sqrt[d + e\*x]\*Sqrt[f + g\*x]) - (2\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(3/2))/(3\*g^2\*(d + e\*x)^(3/2)\*(f + g\*x)^(3/2)) - (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2))/(5\*g\*(d + e\*x)^(5/2)\*(f + g\*x)^(5/2)) + (2\*c^(5/2)\*d^(5/2)\*Sqrt[a\*e + c\*d\*x]\*Sqrt[d + e\*x]\*ArcTanh[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/(Sqrt[c]\*Sqrt[d]\*Sqrt[f + g\*x])])/(g^(7/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 862

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^m*(f + g*x)^(n + 1)*(a +
b*x + c*x^2)^p)/(g*(n + 1)), x] + Dist[(c*m)/(e*g*(n + 1)), Int[(d + e*x)^(
m + 1)*(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b,
c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^
2 - b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[p, 0] && LtQ
[n, -1] && !(IntegerQ[n + p] && LeQ[n + p + 2, 0])
```

### Rule 891

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

### Rubi steps



$$\begin{aligned}
\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^{7/2}} dx &= -\frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{5g(d + ex)^{5/2}(f + gx)^{5/2}} + \frac{(cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{(d + ex)^{3/2}(f + gx)^{5/2}} dx}{g} \\
&= -\frac{2cd(ade + (cd^2 + ae^2)x + cdex^2)^{3/2}}{3g^2(d + ex)^{3/2}(f + gx)^{3/2}} - \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{5g(d + ex)^{5/2}(f + gx)^{5/2}} \\
&= -\frac{2c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}\sqrt{f + gx}} - \frac{2cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g^2(d + ex)^{3/2}(f + gx)^{3/2}} \\
&= -\frac{2c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}\sqrt{f + gx}} - \frac{2cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g^2(d + ex)^{3/2}(f + gx)^{3/2}} \\
&= -\frac{2c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}\sqrt{f + gx}} - \frac{2cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g^2(d + ex)^{3/2}(f + gx)^{3/2}} \\
&= -\frac{2c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}\sqrt{f + gx}} - \frac{2cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g^2(d + ex)^{3/2}(f + gx)^{3/2}} \\
&= -\frac{2c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}\sqrt{f + gx}} - \frac{2cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g^2(d + ex)^{3/2}(f + gx)^{3/2}} \\
&= -\frac{2c^2d^2\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g^3\sqrt{d + ex}\sqrt{f + gx}} - \frac{2cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{3g^2(d + ex)^{3/2}(f + gx)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.37, size = 224, normalized size = 0.82

$$\frac{2\sqrt{(d + ex)(ae + cdx)} \left( \frac{15\sqrt{c}\sqrt{d}(cdf - aeg)^{5/2} \left( \frac{cd(f + gx)}{cdf - aeg} \right)^{5/2} \sinh^{-1} \left( \frac{\sqrt{c}\sqrt{d}\sqrt{g}\sqrt{ae + cdx}}{\sqrt{cd}\sqrt{cdf - aeg}} \right)}{\sqrt{cd}\sqrt{ae + cdx}} - \sqrt{g} (3a^2e^2g^2 + acdeg(5f + 11gx) + c^2d^2(15f^2 + 35fgx + 23g^2x^2)) \right)}{15g^{7/2}\sqrt{d + ex}(f + gx)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)/((d + e*x)^(5/2)*(f + g*x)^(7/2)), x]
[Out] (2*Sqrt[(a*e + c*d*x)*(d + e*x)]*(-(Sqrt[g]*(3*a^2*e^2*g^2 + a*c*d*e*g*(5*f + 11*g*x) + c^2*d^2*(15*f^2 + 35*f*g*x + 23*g^2*x^2))) + (15*Sqrt[c]*Sqrt[
```

$d*(c*d*f - a*e*g)^{(5/2)*((c*d*(f + g*x))/(c*d*f - a*e*g))^{(5/2)*\text{ArcSinh}[\text{Sqrt}[c]*\text{Sqrt}[d]*\text{Sqrt}[g]*\text{Sqrt}[a*e + c*d*x])/(\text{Sqrt}[c*d]*\text{Sqrt}[c*d*f - a*e*g])]/(\text{Sqrt}[c*d]*\text{Sqrt}[a*e + c*d*x])})/(15*g^{(7/2)*\text{Sqrt}[d + e*x]*(f + g*x)^{(5/2)})}$

**IntegrateAlgebraic [A]** time = 2.43, size = 230, normalized size = 0.84

$$\frac{g^{5/2} \left( \frac{(dg+egx)(aeg+cdgx)}{g^2} \right)^{5/2} \left( -\frac{2\sqrt{aeg+cd(f+gx)-cdf} (3a^2e^2g^2+11acdeg(f+gx)-6acdefg+3c^2d^2f^2+23c^2d^2(f+gx)^2-11c^2d^2f(f+gx))}{15g^{7/2}(f+gx)^{5/2}} - \frac{2c^2d^2\sqrt{cd}\log(\sqrt{aeg+cd(f+gx)-cdf}-\sqrt{cd}\sqrt{f+gx})}{g^{7/2}} \right)}{(d+ex)^{5/2}(aeg+cdgx)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(7/2)),x]

[Out]  $(g^{(5/2)*(((a*e*g + c*d*g*x)*(d*g + e*g*x))/g^2)^{(5/2)*((-2*\text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)]*(3*c^2*d^2*f^2 - 6*a*c*d*e*f*g + 3*a^2*e^2*g^2 - 11*c^2*d^2*f*(f + g*x) + 11*a*c*d*e*g*(f + g*x) + 23*c^2*d^2*(f + g*x)^2)))/(15*g^{(7/2)*(f + g*x)^{(5/2)})} - (2*c^2*d^2*\text{Sqrt}[c*d]*\text{Log}[-(\text{Sqrt}[c*d]*\text{Sqrt}[f + g*x]) + \text{Sqrt}[-(c*d*f) + a*e*g + c*d*(f + g*x)])]/g^{(7/2)})/((d + e*x)^{(5/2)}*(a*e*g + c*d*g*x)^{(5/2)})}$

**fricas [A]** time = 1.10, size = 933, normalized size = 3.41



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(7/2),x, algorithm="fricas")

[Out]  $[-1/30*(4*(23*c^2*d^2*g^2*x^2 + 15*c^2*d^2*f^2 + 5*a*c*d*e*f*g + 3*a^2*e^2*g^2 + (35*c^2*d^2*f*g + 11*a*c*d*e*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f) - 15*(c^2*d^2*e*g^3*x^4 + c^2*d^3*f^3 + (3*c^2*d^2*e*f*g^2 + c^2*d^3*g^3)*x^3 + 3*(c^2*d^2*e*f^2*g + c^2*d^3*f*g^2)*x^2 + (c^2*d^2*e*f^3 + 3*c^2*d^3*f^2*g)*x)*\text{sqrt}(c*d/g)*\log(-(8*c^2*d^2*e*g^2*x^3 + c^2*d^3*f^2 + 6*a*c*d^2*e*f*g + a^2*d*e^2*g^2 + 4*(2*c*d*g^2*x + c*d*f*g + a*e*g^2)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f)*\text{sqrt}(c*d/g) + 8*(c^2*d^2*e*f*g + (c^2*d^3 + a*c*d*e^2)*g^2)*x^2 + (c^2*d^2*e*f^2 + 2*(4*c^2*d^3 + 3*a*c*d*e^2)*f*g + (8*a*c*d^2*e + a^2*e^3)*g^2)*x)/(e*x + d)))/(e*g^6*x^4 + d*f^3*g^3 + (3*e*f*g^5 + d*g^6)*x^3 + 3*(e*f^2*g^4 + d*f*g^5)*x^2 + (e*f^3*g^3 + 3*d*f^2*g^4)*x), -1/15*(2*(23*c^2*d^2*g^2*x^2 + 15*c^2*d^2*f^2 + 5*a*c*d*e*f*g + 3*a^2*e^2*g^2 + (35*c^2*d^2*f*g + 11*a*c*d*e*g^2)*x)*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f) + 15*(c^2*d^2*e*g^3*x^4 + c^2*d^3*f^3 + (3*c^2*d^2*e*f*g^2 + c^2*d^3*g^3)*x^3 + 3*(c^2*d^2*e*f^2*g + c^2*d^3*f*g^2)*x^2 + (c^2*d^2*e*f^3 + 3*c^2*d^3*f^2*g)*x)*\text{sqrt}(-c*d/g)*\text{arctan}(2*\text{sqrt}(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)/\text{sqrt}(e*x + d)))]$

$$2 + a*d*e + (c*d^2 + a*e^2)*x)*\sqrt{e*x + d}*\sqrt{g*x + f}*\sqrt{-c*d/g}*g/(2*c*d*e*g*x^2 + c*d^2*f + a*d*e*g + (c*d*e*f + (2*c*d^2 + a*e^2)*g)*x))/(e*g^6*x^4 + d*f^3*g^3 + (3*e*f*g^5 + d*g^6)*x^3 + 3*(e*f^2*g^4 + d*f*g^5)*x^2 + (e*f^3*g^3 + 3*d*f^2*g^4)*x]$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(7/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.04, size = 511, normalized size = 1.86

$$\frac{\sqrt{d^2 + 2dax + a^2} \sqrt{c^2 d^2 + 2cdax + a^2} \sqrt{c^2 d^2 + 2cdax + a^2}}{25 \sqrt{(g^2 + f)(dx + a)} \sqrt{g^2 + f} \sqrt{c^2 d^2 + 2cdax + a^2}} + \frac{45 \sqrt{d^2 + 2dax + a^2} \sqrt{c^2 d^2 + 2cdax + a^2}}{25 \sqrt{(g^2 + f)(dx + a)} \sqrt{g^2 + f} \sqrt{c^2 d^2 + 2cdax + a^2}} + \frac{45 \sqrt{d^2 + 2dax + a^2} \sqrt{c^2 d^2 + 2cdax + a^2}}{25 \sqrt{(g^2 + f)(dx + a)} \sqrt{g^2 + f} \sqrt{c^2 d^2 + 2cdax + a^2}} + \frac{45 \sqrt{d^2 + 2dax + a^2} \sqrt{c^2 d^2 + 2cdax + a^2}}{25 \sqrt{(g^2 + f)(dx + a)} \sqrt{g^2 + f} \sqrt{c^2 d^2 + 2cdax + a^2}} + \frac{45 \sqrt{d^2 + 2dax + a^2} \sqrt{c^2 d^2 + 2cdax + a^2}}{25 \sqrt{(g^2 + f)(dx + a)} \sqrt{g^2 + f} \sqrt{c^2 d^2 + 2cdax + a^2}} + \frac{45 \sqrt{d^2 + 2dax + a^2} \sqrt{c^2 d^2 + 2cdax + a^2}}{25 \sqrt{(g^2 + f)(dx + a)} \sqrt{g^2 + f} \sqrt{c^2 d^2 + 2cdax + a^2}} + \frac{45 \sqrt{d^2 + 2dax + a^2} \sqrt{c^2 d^2 + 2cdax + a^2}}{25 \sqrt{(g^2 + f)(dx + a)} \sqrt{g^2 + f} \sqrt{c^2 d^2 + 2cdax + a^2}} + \frac{45 \sqrt{d^2 + 2dax + a^2} \sqrt{c^2 d^2 + 2cdax + a^2}}{25 \sqrt{(g^2 + f)(dx + a)} \sqrt{g^2 + f} \sqrt{c^2 d^2 + 2cdax + a^2}} + \frac{45 \sqrt{d^2 + 2dax + a^2} \sqrt{c^2 d^2 + 2cdax + a^2}}{25 \sqrt{(g^2 + f)(dx + a)} \sqrt{g^2 + f} \sqrt{c^2 d^2 + 2cdax + a^2}} + \frac{45 \sqrt{d^2 + 2dax + a^2} \sqrt{c^2 d^2 + 2cdax + a^2}}{25 \sqrt{(g^2 + f)(dx + a)} \sqrt{g^2 + f} \sqrt{c^2 d^2 + 2cdax + a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(7/2),x)

[Out]  $\frac{1}{15}*(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}*(15*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2))}/(c*d*g)^{(1/2)})*x^3*c^3*d^3*g^3+45*c^3*d^3*f*g^2*x^2*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2))}/(c*d*g)^{(1/2)})+45*c^3*d^3*f^2*g*x*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2))}/(c*d*g)^{(1/2)})+15*c^3*d^3*f^3*\ln(1/2*(2*c*d*g*x+a*e*g+c*d*f+2*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2))}/(c*d*g)^{(1/2)})-46*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2)}*c^2*d^2*g^2*x^2-22*(c*d*g)^{(1/2)}*((g*x+f)*(c*d*x+a*e))^{(1/2)}*a*c*d*e*g^2*x-70*(c*d*g)^{(1/2)}*((g*x+f)*(c*d*x+a*e))^{(1/2)}*c^2*d^2*f*g*x-6*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2)}*a^2*e^2*g^2-10*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2)}*a*c*d*e*f*g-30*((g*x+f)*(c*d*x+a*e))^{(1/2)}*(c*d*g)^{(1/2)}*c^2*d^2*f^2)/((g*x+f)*(c*d*x+a*e))^{(1/2)}/(c*d*g)^{(1/2)}/g^3/(g*x+f)^(5/2)/(e*x+d)^(1/2)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(7/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)^(5/2)\*(g\*x + f)^(7/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c d e x^2 + (c d^2 + a e^2) x + a d e)^{5/2}}{(f + g x)^{7/2} (d + e x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^(7/2)\*(d + e\*x)^(5/2)),x)

[Out] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^(7/2)\*(d + e\*x)^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2)/(g\*x+f)\*\*(7/2),x)

[Out] Timed out

$$3.524 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{9/2}} dx$$

Optimal. Leaf size=63

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{7(d+ex)^{7/2}(f+gx)^{7/2}(cdf - aeg)}$$

Rubi [A] time = 0.07, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.021$ , Rules used = {860}

$$\frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{7(d+ex)^{7/2}(f+gx)^{7/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(9/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(7\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(7/2)\*(f + g\*x)^(7/2))

Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

Rubi steps

$$\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{9/2}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{7(cdf - aeg)(d+ex)^{7/2}(f+gx)^{7/2}}$$

Mathematica [A] time = 0.08, size = 52, normalized size = 0.83

$$\frac{2((d+ex)(ae+cdx))^{7/2}}{7(d+ex)^{7/2}(f+gx)^{7/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(9/2)),x]

[Out] (2\*((a\*e + c\*d\*x)\*(d + e\*x))^(7/2))/(7\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(7/2)\*(f + g\*x)^(7/2))

**IntegrateAlgebraic [B]** time = 1.88, size = 248, normalized size = 3.94

$$\frac{2 \left( \frac{d(g+gx)(aeg+cdgx)}{g^2} \right)^{5/2} \sqrt{aeg + cd(f+gx) - cdf} \left( a^3 e^3 g^3 + 3a^2 c d e^2 g^2 (f+gx) - 3a^2 c d e^2 f g^2 + 3a^2 d^2 e f^2 g + 3a^2 d^2 e g (f+gx)^2 - 6a^2 d^2 e f g (f+gx) - c^3 d^3 f^3 + 3c^3 d^3 f^2 (f+gx) + c^3 d^3 (f+gx)^3 - 3c^3 d^3 f (f+gx)^2 \right)}{7g(d+ex)^{5/2}(f+gx)^{7/2}(aeg-cdf)(aeg+cdgx)^{5/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(9/2)),x]

[Out] (-2\*(((a\*e\*g + c\*d\*g\*x)\*(d\*g + e\*g\*x))/g^2)^(5/2)\*sqrt[-(c\*d\*f) + a\*e\*g + c\*d\*(f + g\*x)]\*(-(c^3\*d^3\*f^3) + 3\*a\*c^2\*d^2\*e\*f^2\*g - 3\*a^2\*c\*d\*e^2\*f\*g^2 + a^3\*e^3\*g^3 + 3\*c^3\*d^3\*f^2\*(f + g\*x) - 6\*a\*c^2\*d^2\*e\*f\*g\*(f + g\*x) + 3\*a^2\*c\*d\*e^2\*g^2\*(f + g\*x) - 3\*c^3\*d^3\*f\*(f + g\*x)^2 + 3\*a\*c^2\*d^2\*e\*g\*(f + g\*x)^2 + c^3\*d^3\*(f + g\*x)^3))/(7\*g\*(-(c\*d\*f) + a\*e\*g)\*(d + e\*x)^(5/2)\*(f + g\*x)^(7/2)\*(a\*e\*g + c\*d\*g\*x)^(5/2))

**fricas [B]** time = 0.44, size = 299, normalized size = 4.75

$$\frac{2(c^3 d^3 x^3 + 3a^2 c d^2 e x^2 + 3a^2 c d e^2 x + a^3 e^3) \sqrt{cdex^2 + ade + (cd^2 + ae^2)x} \sqrt{ex + d} \sqrt{gx + f}}{7(cd^2 f^5 - adef^4 g + (cdefg^4 - ae^2 g^5)x^5 + (4cdef^2 g^3 - adeg^5 + (cd^2 - 4ae^2)f g^4)x^4 + 2(3cdef^3 g^2 - 2adefg^4 + (2cd^2 - 3ae^2)f^2 g^3)x^3 + 2(2cdef^4 g - 3adef^2 g^3 + (3cd^2 - 2ae^2)f^3 g^2)x^2 + (cdef^5 - 4adef^3 g^2 + (4cd^2 - ae^2)f^4 g)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/((e\*x+d)^(5/2)/(g\*x+f)^(9/2)),x, algorithm="fricas")

[Out] 2/7\*(c^3\*d^3\*x^3 + 3\*a\*c^2\*d^2\*e\*x^2 + 3\*a^2\*c\*d\*e^2\*x + a^3\*e^3)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(c\*d^2\*f^5 - a\*d\*e\*f^4\*g + (c\*d\*e\*f\*g^4 - a\*e^2\*g^5)\*x^5 + (4\*c\*d\*e\*f^2\*g^3 - a\*d\*e\*g^5 + (c\*d^2 - 4\*a\*e^2)\*f\*g^4)\*x^4 + 2\*(3\*c\*d\*e\*f^3\*g^2 - 2\*a\*d\*e\*f\*g^4 + (2\*c\*d^2 - 3\*a\*e^2)\*f^2\*g^3)\*x^3 + 2\*(2\*c\*d\*e\*f^4\*g - 3\*a\*d\*e\*f^2\*g^3 + (3\*c\*d^2 - 2\*a\*e^2)\*f^3\*g^2)\*x^2 + (c\*d\*e\*f^5 - 4\*a\*d\*e\*f^3\*g^2 + (4\*c\*d^2 - a\*e^2)\*f^4\*g)\*x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(9/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 63, normalized size = 1.00

$$\frac{2(cdx + ae) \left( cde x^2 + a e^2 x + c d^2 x + ade \right)^{\frac{5}{2}}}{7(gx + f)^{\frac{7}{2}} (aeg - cdf) (ex + d)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(9/2),x)

[Out]  $-2/7/(g*x+f)^{(7/2)}*(c*d*x+a*e)/(a*e*g-c*d*f)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(5/2)/(e*x+d)^{(5/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left( cdex^2 + ade + (cd^2 + ae^2)x \right)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(9/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)^(5/2)\*(g\*x + f)^(9/2)), x)

**mupad** [B] time = 4.34, size = 325, normalized size = 5.16

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{2a^3e^3}{7aeg^4 - 7cdfg^3} + \frac{2c^3d^3x^3}{7aeg^4 - 7cdfg^3} + \frac{6a^2cde^2x}{7aeg^4 - 7cdfg^3} + \frac{6ac^2d^2ex^2}{7aeg^4 - 7cdfg^3} \right)}{x^3 \sqrt{f+gx} \sqrt{d+ex} - \frac{\sqrt{f+gx}(7cdf^4 - 7aef^3g)\sqrt{d+ex}}{7aeg^4 - 7cdfg^3} + \frac{x^2 \sqrt{f+gx}(21aefg^3 - 21cdf^2g^2)\sqrt{d+ex}}{7aeg^4 - 7cdfg^3} - \frac{x \sqrt{f+gx}(21cdf^3g - 21aef^2g^2)\sqrt{d+ex}}{7aeg^4 - 7cdfg^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^(9/2)\*(d + e\*x)^(5/2)),x)

[Out]  $-((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)}*((2*a^3*e^3)/(7*a*e*g^4 - 7*c*d*f*g^3) + (2*c^3*d^3*x^3)/(7*a*e*g^4 - 7*c*d*f*g^3) + (6*a^2*c*d*e^2*x)/(7*a*e*g^4 - 7*c*d*f*g^3) + (6*a*c^2*d^2*e*x^2)/(7*a*e*g^4 - 7*c*d*f*g^3))$

$$\begin{aligned} &)/(x^3*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)} - ((f + g*x)^{(1/2)}*(7*c*d*f^4 - 7*a* \\ &e*f^3*g)*(d + e*x)^{(1/2)))/(7*a*e*g^4 - 7*c*d*f*g^3) + (x^2*(f + g*x)^{(1/2)}* \\ &(21*a*e*f*g^3 - 21*c*d*f^2*g^2)*(d + e*x)^{(1/2)))/(7*a*e*g^4 - 7*c*d*f*g^3) \\ &- (x*(f + g*x)^{(1/2)}*(21*c*d*f^3*g - 21*a*e*f^2*g^2)*(d + e*x)^{(1/2)))/(7*a* \\ &e*g^4 - 7*c*d*f*g^3) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2)/(g\*x+f)  
)\*\*(9/2),x)

[Out] Timed out



$$3.525 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{11/2}} dx$$

Optimal. Leaf size=129

$$\frac{4cd(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{63(d+ex)^{7/2}(f+gx)^{7/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{9(d+ex)^{7/2}(f+gx)^{9/2}(cdf - aeg)}$$

**Rubi** [A] time = 0.15, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{4cd(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{63(d+ex)^{7/2}(f+gx)^{7/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{9(d+ex)^{7/2}(f+gx)^{9/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(11/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(9\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(7/2)\*(f + g\*x)^(9/2)) + (4\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(63\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(7/2)\*(f + g\*x)^(7/2))

### Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

Rubi steps

$$\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^{11/2}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{9(cdf - aeg)(d + ex)^{7/2}(f + gx)^{9/2}} + \frac{(2cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^{9/2}} dx}{9(cdf - aeg)}$$

$$= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{9(cdf - aeg)(d + ex)^{7/2}(f + gx)^{9/2}} + \frac{4cd(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{63(cdf - aeg)^2(d + ex)^{7/2}(f + gx)^{9/2}}$$

**Mathematica [A]** time = 0.08, size = 79, normalized size = 0.61

$$\frac{2(ae + cdx)^3 \sqrt{(d + ex)(ae + cdx)} (cd(9f + 2gx) - 7aeg)}{63\sqrt{d + ex} (f + gx)^{9/2} (cdf - aeg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(11/2)), x]

[Out] (2\*(a\*e + c\*d\*x)^3\*sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-7\*a\*e\*g + c\*d\*(9\*f + 2\*g\*x)))/(63\*(c\*d\*f - a\*e\*g)^2\*sqrt[d + e\*x]\*(f + g\*x)^(9/2))

**IntegrateAlgebraic [F]** time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(11/2)), x]

[Out] \$Aborted

**fricas [B]** time = 0.47, size = 639, normalized size = 4.95

$$\frac{2(2c^4d^4g^2x^4 + 9a^3c^2d^2e^3f - 7a^4e^4g + (9c^4d^4f - a^2c^3d^3e^2g)x^3 + 3(9a^2c^3d^3e^2f - 5a^2c^2d^2e^2g)x^2 + (27a^2c^2d^2e^2g - 2a^2c^2d^2e^2g)x + (27a^2c^2d^2e^2g - 2a^2c^2d^2e^2g))\sqrt{(d + ex)(ae + cdx)}}{63(cdf - aeg)^2\sqrt{d + ex}(f + gx)^{9/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(11/2), x, algorithm="fricas")

[Out] 2/63\*(2\*c^4\*d^4\*g\*x^4 + 9\*a^3\*c\*d^2\*e^3\*f - 7\*a^4\*e^4\*g + (9\*c^4\*d^4\*f - a\*c^3\*d^3\*e^2\*g)\*x^3 + 3\*(9\*a^2\*c^3\*d^3\*e^2\*f - 5\*a^2\*c^2\*d^2\*e^2\*g)\*x^2 + (27\*a^2\*c^2\*d^2\*e^2\*g - 2\*a^2\*c^2\*d^2\*e^2\*g)\*x + (27\*a^2\*c^2\*d^2\*e^2\*g - 2\*a^2\*c^2\*d^2\*e^2\*g))\sqrt{(d + ex)(ae + cdx)}/(63\*(cdf - aeg)^2\*sqrt{d + ex}\*(f + g\*x)^{9/2})

$$2*d^2*e^2*f - 19*a^3*c*d*e^3*g)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)} \\ *x)*\sqrt{e*x + d)*\sqrt{g*x + f)/(c^2*d^3*f^7 - 2*a*c*d^2*e*f^6*g + a^2*d*e^2*f^5*g^2 + (c^2*d^2*e*f^2*g^5 - 2*a*c*d*e^2*f*g^6 + a^2*e^3*g^7)*x^6 + (5*c^2*d^2*e*f^3*g^4 + a^2*d*e^2*g^7 + (c^2*d^3 - 10*a*c*d*e^2)*f^2*g^5 - (2*a*c*d^2*e - 5*a^2*e^3)*f*g^6)*x^5 + 5*(2*c^2*d^2*e*f^4*g^3 + a^2*d*e^2*f*g^6 + (c^2*d^3 - 4*a*c*d*e^2)*f^3*g^4 - 2*(a*c*d^2*e - a^2*e^3)*f^2*g^5)*x^4 + 10*(c^2*d^2*e*f^5*g^2 + a^2*d*e^2*f^2*g^5 + (c^2*d^3 - 2*a*c*d*e^2)*f^4*g^3 - (2*a*c*d^2*e - a^2*e^3)*f^3*g^4)*x^3 + 5*(c^2*d^2*e*f^6*g + 2*a^2*d*e^2*f^3*g^4 + 2*(c^2*d^3 - a*c*d*e^2)*f^5*g^2 - (4*a*c*d^2*e - a^2*e^3)*f^4*g^3)*x^2 + (c^2*d^2*e*f^7 + 5*a^2*d*e^2*f^4*g^3 + (5*c^2*d^3 - 2*a*c*d*e^2)*f^6*g - (10*a*c*d^2*e - a^2*e^3)*f^5*g^2)*x)$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(11/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 99, normalized size = 0.77

$$\frac{2(cdx + ae)(-2cdgx + 7aeg - 9cdf)(cde x^2 + a e^2 x + c d^2 x + ade)^{\frac{5}{2}}}{63(gx + f)^{\frac{9}{2}}(a^2 e^2 g^2 - 2acdefg + f^2 c^2 d^2)(ex + d)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(11/2),x)

[Out] -2/63\*(c\*d\*x+a\*e)\*(-2\*c\*d\*g\*x+7\*a\*e\*g-9\*c\*d\*f)\*(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(5/2)/(g\*x+f)^(9/2)/(a^2\*e^2\*g^2-2\*a\*c\*d\*e\*f\*g+c^2\*d^2\*f^2)/(e\*x+d)^(5/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(11/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)^(5/2)\*(g\*x + f)^(11/2)), x)

**mupad [B]** time = 4.54, size = 315, normalized size = 2.44

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{2a^3e^3(7aeg-9cdf)}{63g^4(aeg-cdf)^2} - \frac{4c^4d^4x^4}{63g^3(aeg-cdf)^2} + \frac{2c^3d^3x^3(aeg-9cdf)}{63g^4(aeg-cdf)^2} + \frac{2a^2cd^2x(19aeg-27cdf)}{63g^4(aeg-cdf)^2} + \frac{2ac^2d^2ex^2(5aeg-9cdf)}{21g^4(aeg-cdf)^2} \right)}{x^4 \sqrt{f+gx} \sqrt{d+ex} + \frac{f^4 \sqrt{f+gx} \sqrt{d+ex}}{g^4} + \frac{4fx^3 \sqrt{f+gx} \sqrt{d+ex}}{g} + \frac{4f^3x \sqrt{f+gx} \sqrt{d+ex}}{g^3} + \frac{6f^2x^2 \sqrt{f+gx} \sqrt{d+ex}}{g^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(5/2)/((f + g\*x)^(11/2)\*(d + e\*x)^(5/2)),x)

[Out] -((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)\*((2\*a^3\*e^3\*(7\*a\*e\*g - 9\*c\*d\*f))/(63\*g^4\*(a\*e\*g - c\*d\*f)^2) - (4\*c^4\*d^4\*x^4)/(63\*g^3\*(a\*e\*g - c\*d\*f)^2) + (2\*c^3\*d^3\*x^3\*(a\*e\*g - 9\*c\*d\*f))/(63\*g^4\*(a\*e\*g - c\*d\*f)^2) + (2\*a^2\*c\*d\*e^2\*x\*(19\*a\*e\*g - 27\*c\*d\*f))/(63\*g^4\*(a\*e\*g - c\*d\*f)^2) + (2\*a\*c^2\*d^2\*e\*x^2\*(5\*a\*e\*g - 9\*c\*d\*f))/(21\*g^4\*(a\*e\*g - c\*d\*f)^2))/((x^4\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2) + (f^4\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/g^4 + (4\*f\*x^3\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/g + (4\*f^3\*x\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/g^3 + (6\*f^2\*x^2\*(f + g\*x)^(1/2)\*(d + e\*x)^(1/2))/g^2)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(5/2)/(e\*x+d)\*\*(5/2)/(g\*x+f)\*\*(11/2),x)

[Out] Timed out

$$3.526 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{13/2}} dx$$

Optimal. Leaf size=198

$$\frac{16c^2d^2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{693(d+ex)^{7/2}(f+gx)^{7/2}(cdf - aeg)^3} + \frac{8cd(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{99(d+ex)^{7/2}(f+gx)^{9/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{11(d+ex)^{7/2}(f+gx)^{11/2}(cdf - aeg)}$$

Rubi [A] time = 0.23, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{16c^2d^2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{693(d+ex)^{7/2}(f+gx)^{7/2}(cdf - aeg)^3} + \frac{8cd(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{99(d+ex)^{7/2}(f+gx)^{9/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{11(d+ex)^{7/2}(f+gx)^{11/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(13/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(11\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(7/2)\*(f + g\*x)^(11/2)) + (8\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(99\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(7/2)\*(f + g\*x)^(9/2)) + (16\*c^2\*d^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(693\*(c\*d\*f - a\*e\*g)^3\*(d + e\*x)^(7/2)\*(f + g\*x)^(7/2))

Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

]

Rubi steps

$$\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^{13/2}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{11(cdf - aeg)(d + ex)^{7/2}(f + gx)^{11/2}} + \frac{(4cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^{11/2}} dx}{11(cdf - aeg)}$$

$$= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{11(cdf - aeg)(d + ex)^{7/2}(f + gx)^{11/2}} + \frac{8cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{99(cdf - aeg)^2(d + ex)^{7/2}(f + gx)^{11/2}}$$

$$= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{11(cdf - aeg)(d + ex)^{7/2}(f + gx)^{11/2}} + \frac{8cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{99(cdf - aeg)^2(d + ex)^{7/2}(f + gx)^{11/2}}$$

**Mathematica [A]** time = 0.11, size = 115, normalized size = 0.58

$$\frac{2(ae + cdx)^3 \sqrt{(d + ex)(ae + cdx)} (63a^2e^2g^2 - 14acdeg(11f + 2gx) + c^2d^2(99f^2 + 44fgx + 8g^2x^2))}{693\sqrt{d + ex}(f + gx)^{11/2}(cdf - aeg)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)/((d + e*x)^(5/2)*(f + g*x)^(13/2)), x]
```

```
[Out] (2*(a*e + c*d*x)^3*Sqrt[(a*e + c*d*x)*(d + e*x)]*(63*a^2*e^2*g^2 - 14*a*c*d*e*g*(11*f + 2*g*x) + c^2*d^2*(99*f^2 + 44*f*g*x + 8*g^2*x^2)))/(693*(c*d*f - a*e*g)^3*Sqrt[d + e*x]*(f + g*x)^(11/2))
```

**IntegrateAlgebraic [F]** time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(5/2)/((d + e*x)^(5/2)*(f + g*x)^(13/2)), x]
```

```
[Out] $Aborted
```

**fricas [B]** time = 0.48, size = 1101, normalized size = 5.56

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^(13/2),x, algorithm="fricas")`

[Out] 
$$\frac{2}{693} \cdot (8c^5d^5g^2x^5 + 99a^3c^2d^2e^3f^2 - 154a^4c*d*e^4f*g + 63a^5e^5g^2 + 4 \cdot (11c^5d^5f*g - a^4c^4d^4e*g^2) \cdot x^4 + (99c^5d^5f^2 - 22a^4c^4d^4e*f*g + 3a^2c^3d^3e^2g^2) \cdot x^3 + (297a^4c^4d^4e*f^2 - 330a^2c^3d^3e^2f*g + 113a^3c^2d^2e^3g^2) \cdot x^2 + (297a^2c^3d^3e^2f^2 - 418a^3c^2d^2e^3f*g + 161a^4c*d*e^4g^2) \cdot x) \cdot \sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2) \cdot x} \cdot \sqrt{e*x + d} \cdot \sqrt{g*x + f} / (c^3d^4f^9 - 3a^2c^2d^3e*f^8g + 3a^2c*d^2e^2f^7g^2 - a^3d*e^3f^6g^3 + (c^3d^3e*f^3g^6 - 3a^2c^2d^2e^2f^2g^7 + 3a^2c*d*e^3f^4g^8 - a^3e^4g^9) \cdot x^7 + (6c^3d^3e*f^4g^5 - a^3d*e^3g^9 + (c^3d^4 - 18a^2c^2d^2e^2) \cdot f^3g^6 - 3(a^2c^2d^3e - 6a^2c*d*e^3) \cdot f^2g^7 + 3(a^2c*d^2e^2 - 2a^3e^4) \cdot f^2g^8) \cdot x^6 + 3(5c^3d^3e*f^5g^4 - 2a^3d*e^3f^4g^8 + (2c^3d^4 - 15a^2c^2d^2e^2) \cdot f^4g^5 - 3(2a^2c^2d^3e - 5a^2c*d*e^3) \cdot f^3g^6 + (6a^2c*d^2e^2 - 5a^3e^4) \cdot f^2g^7) \cdot x^5 + 5(4c^3d^3e*f^6g^3 - 3a^3d*e^3f^2g^7 + 3(c^3d^4 - 4a^2c^2d^2e^2) \cdot f^5g^4 - 3(3a^2c^2d^3e - 4a^2c*d*e^3) \cdot f^4g^5 + (9a^2c*d^2e^2 - 4a^3e^4) \cdot f^3g^6) \cdot x^4 + 5(3c^3d^3e*f^7g^2 - 4a^3d*e^3f^3g^6 + (4c^3d^4 - 9a^2c^2d^2e^2) \cdot f^6g^3 - 3(4a^2c^2d^3e - 3a^2c*d*e^3) \cdot f^5g^4 + 3(4a^2c*d^2e^2 - a^3e^4) \cdot f^4g^5) \cdot x^3 + 3(2c^3d^3e*f^8g - 5a^3d*e^3f^4g^5 + (5c^3d^4 - 6a^2c^2d^2e^2) \cdot f^7g^2 - 3(5a^2c^2d^3e - 2a^2c*d*e^3) \cdot f^6g^3 + (15a^2c*d^2e^2 - 2a^3e^4) \cdot f^5g^4) \cdot x^2 + (c^3d^3e*f^9 - 6a^3d*e^3f^5g^4 + 3(2c^3d^4 - a^2c^2d^2e^2) \cdot f^8g - 3(6a^2c^2d^3e - a^2c*d*e^3) \cdot f^7g^2 + (18a^2c*d^2e^2 - a^3e^4) \cdot f^6g^3) \cdot x)$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^(13/2),x, algorithm="giac")`

[Out] Timed out

**maple** [A] time = 0.01, size = 169, normalized size = 0.85

$$\frac{2(cdx + ae)(8g^2x^2c^2d^2 - 28acde g^2x + 44c^2d^2fgx + 63a^2e^2g^2 - 154acdefg + 99f^2c^2d^2)(cde x^2 + a e^2x + c d^2x + ade)^5}{693(gx + f)^{\frac{11}{2}}(a^3e^3g^3 - 3a^2cd e^2f g^2 + 3a^2c^2d^2e f^2g - f^3c^3d^3)(ex + d)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^(13/2),x)`

[Out] 
$$-2/693*(c*d*x+a*e)*(8*c^2*d^2*g^2*x^2-28*a*c*d*e*g^2*x+44*c^2*d^2*f*g*x+63*a^2*e^2*g^2-154*a*c*d*e*f*g+99*c^2*d^2*f^2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(5/2)/(g*x+f)^(11/2)/(a^3*e^3*g^3-3*a^2*c*d*e^2*f*g^2+3*a*c^2*d^2*e*f^2*g-c^3*d^3*f^3)/(e*x+d)^(5/2)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(5/2)/(e*x+d)^(5/2)/(g*x+f)^(13/2),x, algorithm="maxima")`

[Out] `integrate((c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^(5/2)/((e*x + d)^(5/2)*(g*x + f)^(13/2)), x)`

**mupad** [B] time = 4.82, size = 465, normalized size = 2.35

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{126a^5e^5g^2 - 308a^4cd^4fg + 198a^3c^2d^2e^2f^2}{693g^5(aeg - cdf)^3} + \frac{x^2(6a^2c^2d^2g^2 - 44a^4d^4efg + 198c^2d^2f^2)}{693g^5(aeg - cdf)^3} + \frac{16c^3d^3x^5}{693g^5(aeg - cdf)^3} + \frac{8c^4d^4(aeg - 11cdf)}{693g^4(aeg - cdf)^3} + \frac{2a^2cd^2x(161a^2c^2g^2 - 418acdefg + 297c^2d^2f^2)}{693g^5(aeg - cdf)^3} + \frac{2a^2d^2e^2x(113a^2c^2g^2 - 330acdefg + 297c^2d^2f^2)}{693g^5(aeg - cdf)^3} \right)}{x^5\sqrt{f+gx}\sqrt{d+cx} + \frac{f^2\sqrt{f+gx}\sqrt{d+cx}}{g^2} + \frac{5fx^4\sqrt{f+gx}\sqrt{d+cx}}{g} + \frac{5f^4x\sqrt{f+gx}\sqrt{d+cx}}{g^4} + \frac{10f^2x^3\sqrt{f+gx}\sqrt{d+cx}}{g^2} + \frac{10f^3x^2\sqrt{f+gx}\sqrt{d+cx}}{g^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(5/2)/((f + g*x)^(13/2)*(d + e*x)^(5/2)),x)`

[Out] 
$$-((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)*((126*a^5*e^5*g^2 + 198*a^5*c^2*d^2*e^3*f^2 - 308*a^4*c*d*e^4*f*g)/(693*g^5*(a*e*g - c*d*f)^3) + (x^3*(198*c^5*d^5*f^2 + 6*a^2*c^3*d^3*e^2*g^2 - 44*a*c^4*d^4*e*f*g)/(693*g^5*(a*e*g - c*d*f)^3) + (16*c^5*d^5*x^5)/(693*g^3*(a*e*g - c*d*f)^3) - (8*c^4*d^4*x^4*(a*e*g - 11*c*d*f))/(693*g^4*(a*e*g - c*d*f)^3) + (2*a^2*c*d*e^2*x*(161*a^2*e^2*g^2 + 297*c^2*d^2*f^2 - 418*a*c*d*e*f*g))/(693*g^5*(a*e*g - c*d*f)^3) + (2*a*c^2*d^2*e*x^2*(113*a^2*e^2*g^2 + 297*c^2*d^2*f^2 - 330*a*c*d*e*f*g))/(693*g^5*(a*e*g - c*d*f)^3)))/(x^5*(f + g*x)^(1/2)*(d + e*x)^(1/2) + (f^5*(f + g*x)^(1/2)*(d + e*x)^(1/2))/g^5 + (5*f*x^4*(f + g*x)^(1/2)*(d + e*x)^(1/2))/g + (5*f^4*x*(f + g*x)^(1/2)*(d + e*x)^(1/2))/g^4 + (10*f^2*x^3*(f + g*x)^(1/2)*(d + e*x)^(1/2))/g^2 + (10*f^3*x^2*(f + g*x)^(1/2)*(d + e*x)^(1/2))/g^3)$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/(e*x+d)**(5/2)/(g*x+f)  
)**(13/2),x)
```

```
[Out] Timed out
```

$$3.527 \quad \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d+ex)^{5/2}(f+gx)^{15/2}} dx$$

**Optimal.** Leaf size=267

$$\frac{32c^3d^3(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{3003(d+ex)^{7/2}(f+gx)^{7/2}(cdf - aeg)^4} + \frac{16c^2d^2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{429(d+ex)^{7/2}(f+gx)^{9/2}(cdf - aeg)^3} + \frac{12cd(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{143(d+ex)^{7/2}(f+gx)^{11/2}(cdf - aeg)^2}$$

**Rubi [A]** time = 0.32, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 48,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {872, 860}

$$\frac{32c^3d^3(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{3003(d+ex)^{7/2}(f+gx)^{7/2}(cdf - aeg)^4} + \frac{16c^2d^2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{429(d+ex)^{7/2}(f+gx)^{9/2}(cdf - aeg)^3} + \frac{12cd(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{143(d+ex)^{7/2}(f+gx)^{11/2}(cdf - aeg)^2} + \frac{2(x(ae^2 + cd^2) + ade + cdex^2)^{7/2}}{13(d+ex)^{7/2}(f+gx)^{13/2}(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(15/2)), x]

[Out] (2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(13\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(7/2)\*(f + g\*x)^(13/2)) + (12\*c\*d\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(143\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^(7/2)\*(f + g\*x)^(11/2)) + (16\*c^2\*d^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(429\*(c\*d\*f - a\*e\*g)^3\*(d + e\*x)^(7/2)\*(f + g\*x)^(9/2)) + (32\*c^3\*d^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(7/2))/(3003\*(c\*d\*f - a\*e\*g)^4\*(d + e\*x)^(7/2)\*(f + g\*x)^(7/2))

### Rule 860

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[m - n - 2, 0]

### Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e

+ a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]  
]

### Rubi steps

$$\int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^{15/2}} dx = \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{13(cdf - aeg)(d + ex)^{7/2}(f + gx)^{13/2}} + \frac{(6cd) \int \frac{(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{(d + ex)^{5/2}(f + gx)^{13/2}} dx}{13(cdf - aeg)}$$

$$= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{13(cdf - aeg)(d + ex)^{7/2}(f + gx)^{13/2}} + \frac{12cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{143(cdf - aeg)^2(d + ex)^{7/2}(f + gx)^{11/2}}$$

$$= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{13(cdf - aeg)(d + ex)^{7/2}(f + gx)^{13/2}} + \frac{12cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{143(cdf - aeg)^2(d + ex)^{7/2}(f + gx)^{11/2}}$$

$$= \frac{2(ade + (cd^2 + ae^2)x + cdex^2)^{7/2}}{13(cdf - aeg)(d + ex)^{7/2}(f + gx)^{13/2}} + \frac{12cd(ade + (cd^2 + ae^2)x + cdex^2)^{5/2}}{143(cdf - aeg)^2(d + ex)^{7/2}(f + gx)^{11/2}}$$

**Mathematica [A]** time = 0.14, size = 162, normalized size = 0.61

$$\frac{2(ae + cdx)^3 \sqrt{(d + ex)(ae + cdx)} (-231a^3e^3g^3 + 63a^2cde^2g^2(13f + 2gx) - 7ac^2d^2eg(143f^2 + 52fgx + 8g^2x^2) + c^3d^3(429f^3 + 286f^2gx + 104fg^2x^2 + 16g^3x^3))}{3003\sqrt{d + ex}(f + gx)^{13/2}(cdf - aeg)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(15/2)),x]

[Out] (2\*(a\*e + c\*d\*x)^3\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-231\*a^3\*e^3\*g^3 + 63\*a^2\*c\*d\*e^2\*g^2\*(13\*f + 2\*g\*x) - 7\*a\*c^2\*d^2\*e\*g\*(143\*f^2 + 52\*f\*g\*x + 8\*g^2\*x^2) + c^3\*d^3\*(429\*f^3 + 286\*f^2\*g\*x + 104\*f\*g^2\*x^2 + 16\*g^3\*x^3)))/(3003\*(c\*d\*f - a\*e\*g)^4\*Sqrt[d + e\*x]\*(f + g\*x)^(13/2))

**IntegrateAlgebraic [F]** time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(5/2)/((d + e\*x)^(5/2)\*(f + g\*x)^(15/2)),x]

[Out] \$Aborted

**fricas** [B] time = 0.54, size = 1648, normalized size = 6.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(15/2),x, algorithm="fricas")

[Out] 
$$\frac{2/3003*(16*c^6*d^6*g^3*x^6 + 429*a^3*c^3*d^3*e^3*f^3 - 1001*a^4*c^2*d^2*e^4*f^2*g + 819*a^5*c*d*e^5*f*g^2 - 231*a^6*e^6*g^3 + 8*(13*c^6*d^6*f*g^2 - a*c^5*d^5*e*g^3)*x^5 + 2*(143*c^6*d^6*f^2*g - 26*a*c^5*d^5*e*f*g^2 + 3*a^2*c^4*d^4*e^2*g^3)*x^4 + (429*c^6*d^6*f^3 - 143*a*c^5*d^5*e*f^2*g + 39*a^2*c^4*d^4*e^2*f*g^2 - 5*a^3*c^3*d^3*e^3*g^3)*x^3 + (1287*a*c^5*d^5*e*f^3 - 2145*a^2*c^4*d^4*e^2*f^2*g + 1469*a^3*c^3*d^3*e^3*f*g^2 - 371*a^4*c^2*d^2*e^4*g^3)*x^2 + (1287*a^2*c^4*d^4*e^2*f^3 - 2717*a^3*c^3*d^3*e^3*f^2*g + 2093*a^4*c^2*d^2*e^4*f*g^2 - 567*a^5*c*d*e^5*g^3)*x*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d}*\sqrt{g*x + f}/(c^4*d^5*f^11 - 4*a*c^3*d^4*e*f^10*g + 6*a^2*c^2*d^3*e^2*f^9*g^2 - 4*a^3*c*d^2*e^3*f^8*g^3 + a^4*d*e^4*f^7*g^4 + (c^4*d^4*e*f^4*g^7 - 4*a*c^3*d^3*e^2*f^3*g^8 + 6*a^2*c^2*d^2*e^3*f^2*g^9 - 4*a^3*c*d*e^4*f*g^10 + a^4*e^5*g^11)*x^8 + (7*c^4*d^4*e*f^5*g^6 + a^4*d*e^4*g^11 + (c^4*d^5 - 28*a*c^3*d^3*e^2)*f^4*g^7 - 2*(2*a*c^3*d^4*e - 21*a^2*c^2*d^2*e^3)*f^3*g^8 + 2*(3*a^2*c^2*d^3*e^2 - 14*a^3*c*d*e^4)*f^2*g^9 - (4*a^3*c*d^2*e^3 - 7*a^4*e^5)*f*g^10)*x^7 + 7*(3*c^4*d^4*e*f^6*g^5 + a^4*d*e^4*f*g^10 + (c^4*d^5 - 12*a*c^3*d^3*e^2)*f^5*g^6 - 2*(2*a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^4*g^7 + 6*(a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^3*g^8 - (4*a^3*c*d^2*e^3 - 3*a^4*e^5)*f^2*g^9)*x^6 + 7*(5*c^4*d^4*e*f^7*g^4 + 3*a^4*d*e^4*f^2*g^9 + (3*c^4*d^5 - 20*a*c^3*d^3*e^2)*f^6*g^5 - 6*(2*a*c^3*d^4*e - 5*a^2*c^2*d^2*e^3)*f^5*g^6 + 2*(9*a^2*c^2*d^3*e^2 - 10*a^3*c*d*e^4)*f^4*g^7 - (12*a^3*c*d^2*e^3 - 5*a^4*e^5)*f^3*g^8)*x^5 + 35*(c^4*d^4*e*f^8*g^3 + a^4*d*e^4*f^3*g^8 + (c^4*d^5 - 4*a*c^3*d^3*e^2)*f^7*g^4 - 2*(2*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^6*g^5 + 2*(3*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^5*g^6 - (4*a^3*c*d^2*e^3 - a^4*e^5)*f^4*g^7)*x^4 + 7*(3*c^4*d^4*e*f^9*g^2 + 5*a^4*d*e^4*f^4*g^7 + (5*c^4*d^5 - 12*a*c^3*d^3*e^2)*f^8*g^3 - 2*(10*a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^7*g^4 + 6*(5*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^6*g^5 - (20*a^3*c*d^2*e^3 - 3*a^4*e^5)*f^5*g^6)*x^3 + 7*(c^4*d^4*e*f^10*g + 3*a^4*d*e^4*f^5*g^6 + (3*c^4*d^5 - 4*a*c^3*d^3*e^2)*f^9*g^2 - 6*(2*a*c^3*d^4*e - a^2*c^2*d^2*e^3)*f^8*g^3 + 2*(9*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^7*g^4 - (12*a^3*c*d^2*e^3 - a^4*e^5)*f^6*g^5)*x^2 + (c^4*d^4*e*f^11 + 7*a^4*d*e^4*f^6*g^5 + (7*c^4*d^5 - 4*a*c^3*d^3*e^2)*f^10*g - 2*(14*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^9*g^2 + 2*(21*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^8*g^3 - (28*a^3*c*d^2*e^3 - a^4*e^5)*f^7*g^4)*x)$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(15/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 260, normalized size = 0.97

$$\frac{2(cdx + ae)(-16g^3x^3c^3d^3 + 56a^2c^2d^2eg^3x^2 - 104c^3d^3fg^2x^2 - 126a^2cd^2e^2g^3x + 364a^2c^2d^2efg^2x - 286c^3d^3f^2gx + 231a^3e^3g^3 - 819a^2cd^2efg^2 + 1001a^2c^2d^2ef^2g - 429f^3c^3d^3)(cdex^2 + ae^2x + cd^2x + ade)^{\frac{5}{2}}}{3003(gx + f)^{\frac{13}{2}}(g^4e^4a^4 - 4a^3cd^3efg^3 + 6a^2c^2d^2ef^2g^2 - 4ac^3d^3ef^3g + f^4e^4d^4)(ex + d)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(15/2),x)

[Out] 
$$-2/3003*(c*d*x+a*e)*(-16*c^3*d^3*g^3*x^3+56*a*c^2*d^2*e*g^3*x^2-104*c^3*d^3*f*g^2*x^2-126*a^2*c*d*e^2*g^3*x+364*a*c^2*d^2*e*f*g^2*x-286*c^3*d^3*f^2*g*x+231*a^3*e^3*g^3-819*a^2*c*d*e^2*f*g^2+1001*a*c^2*d^2*e*f^2*g-429*c^3*d^3*f^3)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(5/2)/(g*x+f)^(13/2)/(a^4*e^4*g^4-4*a^3*c*d*e^3*f*g^3+6*a^2*c^2*d^2*e^2*f^2*g^2-4*a*c^3*d^3*e*f^3*g+c^4*d^4*f^4)/(e*x+d)^(5/2)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cdex^2 + ade + (cd^2 + ae^2)x)^{\frac{5}{2}}}{(ex + d)^{\frac{5}{2}}(gx + f)^{\frac{15}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(5/2)/(e\*x+d)^(5/2)/(g\*x+f)^(15/2),x, algorithm="maxima")

[Out] integrate((c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^(5/2)/((e\*x + d)^(5/2)\*(g\*x + f)^(15/2)), x)

**mupad** [B] time = 5.12, size = 627, normalized size = 2.35

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{402cd^2e^2x^3 - 1658cd^2e^2x^2 + 2202cd^2e^2x - 808cd^2e^2}{3003d^2(e^2x + d)^2} - \frac{2^4(10cd^2e^2x^2 - 286cd^2e^2x + 231a^3e^3g^3 - 819a^2cd^2efg^2 + 1001a^2c^2d^2ef^2g - 429f^3c^3d^3)}{3003d^2(e^2x + d)^2} - \frac{16cd^2e^2x^2 - 286cd^2e^2x + 231a^3e^3g^3 - 819a^2cd^2efg^2 + 1001a^2c^2d^2ef^2g - 429f^3c^3d^3}{3003d^2(e^2x + d)^2} - \frac{2cd^2e^2(500cd^2e^2x^2 - 2002cd^2e^2x + 2272cd^2e^2x - 1287cd^2e^2)}{3003d^2(e^2x + d)^2} - \frac{2cd^2e^2(1071cd^2e^2x^2 - 1488cd^2e^2x + 1287cd^2e^2)}{3003d^2(e^2x + d)^2} \right)}{x^6 \sqrt{f + gx} \sqrt{d + ex} + \frac{c^2 \sqrt{d + ex} \sqrt{d + ex}}{d} + \frac{6cd \sqrt{d + ex} \sqrt{d + ex}}{d} + \frac{6d^2 \sqrt{d + ex} \sqrt{d + ex}}{d} + \frac{10d^3 \sqrt{d + ex} \sqrt{d + ex}}{d} + \frac{20d^4 \sqrt{d + ex} \sqrt{d + ex}}{d} + \frac{10d^5 \sqrt{d + ex} \sqrt{d + ex}}{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(5/2)} / ((f + g*x)^{(15/2)}*(d + e*x)^{(5/2)}), x)$

[Out]  $-\left(\frac{(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^{(1/2)} * ((462*a^6*e^6*g^3 - 858*a^3*c^3*d^3*e^3*f^3 + 2002*a^4*c^2*d^2*e^4*f^2*g - 1638*a^5*c*d*e^5*f*g^2) / (3003*g^6*(a*e*g - c*d*f)^4) - (x^3*(858*c^6*d^6*f^3 - 10*a^3*c^3*d^3*e^3*g^3 + 78*a^2*c^4*d^4*e^2*f*g^2 - 286*a*c^5*d^5*e*f^2*g)) / (3003*g^6*(a*e*g - c*d*f)^4) - (32*c^6*d^6*x^6) / (3003*g^3*(a*e*g - c*d*f)^4) - (4*c^4*d^4*x^4*(3*a^2*e^2*g^2 + 143*c^2*d^2*f^2 - 26*a*c*d*e*f*g)) / (3003*g^5*(a*e*g - c*d*f)^4) + (16*c^5*d^5*x^5*(a*e*g - 13*c*d*f)) / (3003*g^4*(a*e*g - c*d*f)^4) + (2*a^2*c*d*e^2*x*(567*a^3*e^3*g^3 - 1287*c^3*d^3*f^3 + 2717*a*c^2*d^2*e*f^2*g - 2093*a^2*c*d*e^2*f*g^2) / (3003*g^6*(a*e*g - c*d*f)^4) + (2*a*c^2*d^2*e*x^2*(371*a^3*e^3*g^3 - 1287*c^3*d^3*f^3 + 2145*a*c^2*d^2*e*f^2*g - 1469*a^2*c*d*e^2*f*g^2)) / (3003*g^6*(a*e*g - c*d*f)^4)) / (x^6*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)} + (f^6*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)})/g^6 + (6*f*x^5*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)})/g^5 + (15*f^2*x^4*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)})/g^2 + (20*f^3*x^3*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)})/g^3 + (15*f^4*x^2*(f + g*x)^{(1/2)}*(d + e*x)^{(1/2)})/g^4)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(5/2)/(e*x+d)**(5/2)/(g*x+f)**(15/2), x)$

[Out] Timed out

$$3.528 \quad \int (d + ex)^m (f + gx)^3 \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{-m} dx$$

Optimal. Leaf size=343

$$\frac{6(d + ex)^{m-1}(cdf - aeg)^2 \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m} (ae^2g + cd(dg(1 - m) - ef(2 - m)))}{c^4d^4e(1 - m)(2 - m)(3 - m)(4 - m)} + \frac{6g(d + ex)^m(d + ex)^{m-1}(cdf - aeg)^2 \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m} (ae^2g + cd(dg(1 - m) - ef(2 - m)))}{c^4d^4e(1 - m)(2 - m)(3 - m)(4 - m)}$$

Rubi [A] time = 0.45, antiderivative size = 343, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 44,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.068$ , Rules used = {870, 794, 648}

$$\frac{6(d + ex)^{m-1}(cdf - aeg)^2 \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m} (ae^2g + cd(dg(1 - m) - ef(2 - m)))}{c^4d^4e(1 - m)(2 - m)(3 - m)(4 - m)} + \frac{6g(d + ex)^m(d + ex)^{m-1}(cdf - aeg)^2 \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m} (ae^2g + cd(dg(1 - m) - ef(2 - m)))}{c^4d^4e(1 - m)(2 - m)(3 - m)(4 - m)}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^m\*(f + g\*x)^3)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

[Out] (-6\*(c\*d\*f - a\*e\*g)^2\*(a\*e^2\*g + c\*d\*(d\*g\*(1 - m) - e\*f\*(2 - m)))\*(d + e\*x)^(1 - m)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(1 - m))/(c^4\*d^4\*e\*(1 - m)\*(2 - m)\*(3 - m)\*(4 - m)) + (6\*g\*(c\*d\*f - a\*e\*g)^2\*(d + e\*x)^m\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(1 - m))/(c^3\*d^3\*e\*(2 - m)\*(3 - m)\*(4 - m)) + (3\*(c\*d\*f - a\*e\*g)\*(d + e\*x)^(1 - m)\*(f + g\*x)^2\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(1 - m))/(c^2\*d^2\*(3 - m)\*(4 - m)) + ((d + e\*x)^(1 - m)\*(f + g\*x)^3\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(1 - m))/(c\*d\*(4 - m))

### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rule 870

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(

$a + b*x + c*x^2)^{(p + 1)}/(c*(m - n - 1)), x] - \text{Dist}[(n*(c*e*f + c*d*g - b*e*g))/(c*e*(m - n - 1)), \text{Int}[(d + e*x)^m*(f + g*x)^{(n - 1)*(a + b*x + c*x^2)^p}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m, p\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& !\text{IntegerQ}[p] \&\& \text{EqQ}[m + p, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[m - n - 1, 0] \&\& (\text{IntegerQ}[2*p] || \text{IntegerQ}[n])$

### Rubi steps

$$\begin{aligned} \int (d + ex)^m (f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{-m} dx &= \frac{(d + ex)^{-1+m} (f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^1}{cd(4 - m)} \\ &= \frac{3(cdf - aeg)(d + ex)^{-1+m} (f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)}{c^2 d^2 (3 - m)(4 - m)} \\ &= \frac{6g(cdf - aeg)^2 (d + ex)^m (ade + (cd^2 + ae^2)x + cdex^2)}{c^3 d^3 e(2 - m)(3 - m)(4 - m)} \\ &= -\frac{6(cdf - aeg)^2 (ae^2 g + cd(dg(1 - m) - ef(2 - m)))}{c^4 d^4 e(1 - m)(2 - m)} \end{aligned}$$

**Mathematica [A]** time = 0.17, size = 134, normalized size = 0.39

$$\frac{(d + ex)^{m-1} ((d + ex)(ae + cdx))^{1-m} \left( \frac{3g^2(ae+cdx)^2(aeg-cdf)}{m-3} - \frac{3g(ae+cdx)(cdf-aeg)^2}{m-2} - \frac{(cdf-aeg)^3}{m-1} - \frac{g^3(ae+cdx)^3}{m-4} \right)}{c^4 d^4}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^m\*(f + g\*x)^3)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

[Out] ((d + e\*x)^(-1 + m)\*((a\*e + c\*d\*x)\*(d + e\*x))^(1 - m)\*(-((c\*d\*f - a\*e\*g)^3/(-1 + m)) - (3\*g\*(c\*d\*f - a\*e\*g)^2\*(a\*e + c\*d\*x))/(-2 + m) + (3\*g^2\*(-(c\*d\*f) + a\*e\*g)\*(a\*e + c\*d\*x)^2)/(-3 + m) - (g^3\*(a\*e + c\*d\*x)^3)/(-4 + m)))/(c^4\*d^4)

**IntegrateAlgebraic [F]** time = 0.69, size = 0, normalized size = 0.00

$$\int (d + ex)^m (f + gx)^3 (ade + (cd^2 + ae^2)x + cdex^2)^{-m} dx$$

Verification is not applicable to the result.



```
[In] IntegrateAlgebraic[((d + e*x)^m*(f + g*x)^3)/(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^m,x]
```

```
[Out] Defer[IntegrateAlgebraic] [((d + e*x)^m*(f + g*x)^3)/(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^m, x]
```

**fricas** [B] time = 0.44, size = 705, normalized size = 2.06

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^m*(g*x+f)^3/((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^m),x, algo rithm="fricas")
```

```
[Out] -(a*c^3*d^3*e*f^3*m^3 - 24*a*c^3*d^3*e*f^3 + 36*a^2*c^2*d^2*e^2*f^2*g - 24*a^3*c*d*e^3*f*g^2 + 6*a^4*e^4*g^3 + (c^4*d^4*g^3*m^3 - 6*c^4*d^4*g^3*m^2 + 11*c^4*d^4*g^3*m - 6*c^4*d^4*g^3)*x^4 - (24*c^4*d^4*f*g^2 - (3*c^4*d^4*f*g^2 + a*c^3*d^3*e*g^3)*m^3 + 3*(7*c^4*d^4*f*g^2 + a*c^3*d^3*e*g^3)*m^2 - 2*(21*c^4*d^4*f*g^2 + a*c^3*d^3*e*g^3)*m)*x^3 - 3*(3*a*c^3*d^3*e*f^3 - a^2*c^2*d^2*e^2*f^2*g)*m^2 - 3*(12*c^4*d^4*f^2*g - (c^4*d^4*f^2*g + a*c^3*d^3*e*f*g^2)*m^3 + (8*c^4*d^4*f^2*g + 5*a*c^3*d^3*e*f*g^2 - a^2*c^2*d^2*e^2*g^3)*m^2 - (19*c^4*d^4*f^2*g + 4*a*c^3*d^3*e*f*g^2 - a^2*c^2*d^2*e^2*g^3)*m)*x^2 + (26*a*c^3*d^3*e*f^3 - 21*a^2*c^2*d^2*e^2*f^2*g + 6*a^3*c*d*e^3*f*g^2)*m - (24*c^4*d^4*f^3 - (c^4*d^4*f^3 + 3*a*c^3*d^3*e*f^2*g)*m^3 + 3*(3*c^4*d^4*f^3 + 7*a*c^3*d^3*e*f^2*g - 2*a^2*c^2*d^2*e^2*f*g^2)*m^2 - 2*(13*c^4*d^4*f^3 + 18*a*c^3*d^3*e*f^2*g - 12*a^2*c^2*d^2*e^2*f*g^2 + 3*a^3*c*d*e^3*g^3)*m)*x) * (e*x + d)^m / ((c^4*d^4*m^4 - 10*c^4*d^4*m^3 + 35*c^4*d^4*m^2 - 50*c^4*d^4*m + 24*c^4*d^4)*(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^m)
```

**giac** [B] time = 0.33, size = 2024, normalized size = 5.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^m*(g*x+f)^3/((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^m),x, algo rithm="giac")
```

```
[Out] -((x*e + d)^m*c^4*d^4*g^3*m^3*x^4*e^(-m*log(c*d*x + a*e) - m*log(x*e + d)) + 3*(x*e + d)^m*c^4*d^4*f*g^2*m^3*x^3*e^(-m*log(c*d*x + a*e) - m*log(x*e + d)) - 6*(x*e + d)^m*c^4*d^4*g^3*m^2*x^4*e^(-m*log(c*d*x + a*e) - m*log(x*e + d)) + (x*e + d)^m*a*c^3*d^3*g^3*m^3*x^3*e^(-m*log(c*d*x + a*e) - m*log(x*e + d) + 1) + 3*(x*e + d)^m*c^4*d^4*f^2*g*m^3*x^2*e^(-m*log(c*d*x + a*e) - m*log(x*e + d)) - 21*(x*e + d)^m*c^4*d^4*f*g^2*m^2*x^3*e^(-m*log(c*d*x + a*e) - m*log(x*e + d)) + 11*(x*e + d)^m*c^4*d^4*g^3*m*x^4*e^(-m*log(c*d*x + a*e) - m*log(x*e + d)) + 3*(x*e + d)^m*a*c^3*d^3*f*g^2*m^3*x^2*e^(-m*log(c*d*x + a*e) - m*log(x*e + d) + 1) - 3*(x*e + d)^m*a*c^3*d^3*g^3*m^2*x^3*e^(-m
```



+11\*c^3\*d^3\*g^3\*m\*x^3+6\*a\*c^2\*d^2\*e\*f\*g^2\*m^2\*x-9\*a\*c^2\*d^2\*e\*g^3\*m\*x^2+c^3\*d^3\*f^3\*m^3-24\*c^3\*d^3\*f^2\*g\*m^2\*x+42\*c^3\*d^3\*f\*g^2\*m\*x^2-6\*c^3\*d^3\*g^3\*x^3+6\*a^2\*c\*d\*e^2\*g^3\*m\*x+3\*a\*c^2\*d^2\*e\*f^2\*g\*m^2-30\*a\*c^2\*d^2\*e\*f\*g^2\*m\*x+6\*a\*c^2\*d^2\*e\*g^3\*x^2-9\*c^3\*d^3\*f^3\*m^2+57\*c^3\*d^3\*f^2\*g\*m\*x-24\*c^3\*d^3\*f\*g^2\*x^2+6\*a^2\*c\*d\*e^2\*f\*g^2\*m-6\*a^2\*c\*d\*e^2\*g^3\*x-21\*a\*c^2\*d^2\*e\*f^2\*g\*m+24\*a\*c^2\*d^2\*e\*f\*g^2\*x+26\*c^3\*d^3\*f^3\*m-36\*c^3\*d^3\*f^2\*g\*x+6\*a^3\*e^3\*g^3-24\*a^2\*c\*d\*e^2\*f\*g^2+36\*a\*c^2\*d^2\*e\*f^2\*g-24\*c^3\*d^3\*f^3)\*(c\*d\*x+a\*e)/((c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^m)/c^4/d^4/(m^4-10\*m^3+35\*m^2-50\*m+24)

**maxima [A]** time = 0.61, size = 331, normalized size = 0.97

$$\frac{(cdx+ae)^3}{(cdx+ae)^3cd(m-1)} - \frac{3(c^2d^2(m-1)x^2+acdex+a^2e^2)^2g}{(m^2-3m+2)(cdx+ae)^2c^2d^2} - \frac{3((m^2-3m+2)c^3d^3x^3+(m^2-m)ac^2d^2ex^2+2a^2cd^2mx+2a^2e^2)fg^2}{(m^3-6m^2+11m-6)(cdx+ae)^2c^3d^3} - \frac{((m^3-6m^2+11m-6)c^4d^4x^4+(m^3-3m^2+2m)ac^3d^3ex^3+3(m^2-m)d^2c^2d^2x^2+6a^2cd^2mx+6a^4e^4)g^3}{(m^4-10m^3+35m^2-50m+24)(cdx+ae)^3c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)^3/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m),x, algorithm="maxima")

[Out] -(c\*d\*x + a\*e)\*f^3/((c\*d\*x + a\*e)^m\*c\*d\*(m - 1)) - 3\*(c^2\*d^2\*(m - 1)\*x^2 + a\*c\*d\*e\*m\*x + a^2\*e^2)\*f^2\*g/((m^2 - 3\*m + 2)\*(c\*d\*x + a\*e)^m\*c^2\*d^2) - 3\*((m^2 - 3\*m + 2)\*c^3\*d^3\*x^3 + (m^2 - m)\*a\*c^2\*d^2\*e\*x^2 + 2\*a^2\*c\*d\*e^2\*m\*x + 2\*a^3\*e^3)\*f\*g^2/((m^3 - 6\*m^2 + 11\*m - 6)\*(c\*d\*x + a\*e)^m\*c^3\*d^3) - ((m^3 - 6\*m^2 + 11\*m - 6)\*c^4\*d^4\*x^4 + (m^3 - 3\*m^2 + 2\*m)\*a\*c^3\*d^3\*e\*x^3 + 3\*(m^2 - m)\*a^2\*c^2\*d^2\*e^2\*x^2 + 6\*a^3\*c\*d\*e^3\*m\*x + 6\*a^4\*e^4)\*g^3/((m^4 - 10\*m^3 + 35\*m^2 - 50\*m + 24)\*(c\*d\*x + a\*e)^m\*c^4\*d^4)

**mupad [B]** time = 3.75, size = 615, normalized size = 1.79

$$\frac{(cdx+ae)^3}{(cdx+ae)^3cd(m-1)} - \frac{3(c^2d^2(m-1)x^2+acdex+a^2e^2)^2g}{(m^2-3m+2)(cdx+ae)^2c^2d^2} - \frac{3((m^2-3m+2)c^3d^3x^3+(m^2-m)ac^2d^2ex^2+2a^2cd^2mx+2a^2e^2)fg^2}{(m^3-6m^2+11m-6)(cdx+ae)^2c^3d^3} - \frac{((m^3-6m^2+11m-6)c^4d^4x^4+(m^3-3m^2+2m)ac^3d^3ex^3+3(m^2-m)d^2c^2d^2x^2+6a^2cd^2mx+6a^4e^4)g^3}{(m^4-10m^3+35m^2-50m+24)(cdx+ae)^3c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^3\*(d + e\*x)^m)/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^m,x)

[Out] -((g^3\*x^4\*(d + e\*x)^m\*(11\*m - 6\*m^2 + m^3 - 6))/(35\*m^2 - 50\*m - 10\*m^3 + m^4 + 24) + (x\*(d + e\*x)^m\*(26\*c^4\*d^4\*f^3\*m - 24\*c^4\*d^4\*f^3 - 9\*c^4\*d^4\*f^3\*m^2 + c^4\*d^4\*f^3\*m^3 + 6\*a^3\*c\*d\*e^3\*g^3\*m - 24\*a^2\*c^2\*d^2\*e^2\*f\*g^2\*m + 36\*a\*c^3\*d^3\*e\*f^2\*g\*m + 6\*a^2\*c^2\*d^2\*e^2\*f\*g^2\*m^2 - 21\*a\*c^3\*d^3\*e\*f^2\*g\*m^2 + 3\*a\*c^3\*d^3\*e\*f^2\*g\*m^3))/(c^4\*d^4\*(35\*m^2 - 50\*m - 10\*m^3 + m^4 + 24)) + (a\*e\*(d + e\*x)^m\*(6\*a^3\*e^3\*g^3 - 24\*c^3\*d^3\*f^3 + 26\*c^3\*d^3\*f^3\*m - 9\*c^3\*d^3\*f^3\*m^2 + c^3\*d^3\*f^3\*m^3 + 36\*a\*c^2\*d^2\*e\*f^2\*g - 24\*a^2\*c\*d\*e^2\*f\*g^2 - 21\*a\*c^2\*d^2\*e\*f^2\*g\*m + 6\*a^2\*c\*d\*e^2\*f\*g^2\*m + 3\*a\*c^2\*d^2\*e\*f^2\*g\*m^2))/(c^4\*d^4\*(35\*m^2 - 50\*m - 10\*m^3 + m^4 + 24)) + (3\*g\*x^2\*(m - 1)\*(d + e\*x)^m\*(12\*c^2\*d^2\*f^2 + a^2\*e^2\*g^2\*m - 7\*c^2\*d^2\*f^2\*m + c^2\*d^2\*f^2\*m^2 - 4\*a\*c\*d\*e\*f\*g\*m + a\*c\*d\*e\*f\*g\*m^2))/(c^2\*d^2\*(35\*m^2 - 50\*m - 10\*m^3 + m^4 + 24)) + (g^2\*x^3\*(d + e\*x)^m\*(a\*e\*g\*m - 12\*c\*d\*f + 3\*c\*d\*f\*m)\*(m

$$\frac{(m^2 - 3m + 2)}{(c*d*(35*m^2 - 50*m - 10*m^3 + m^4 + 24))} / (x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^m$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*m\*(g\*x+f)\*\*3/((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*m), x)

[Out] Timed out

$$3.529 \quad \int (d + ex)^m (f + gx)^2 \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{-m} dx$$

Optimal. Leaf size=246

$$\frac{2(d + ex)^{m-1}(cdf - aeg) \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m} (ae^2g + cd(dg(1 - m) - ef(2 - m)))}{c^3 d^3 e(1 - m)(2 - m)(3 - m)} + \frac{2g(d + ex)^m (cdf - aeg) \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{-m}}{cd(3 - m)}$$

Rubi [A] time = 0.20, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 44,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.068$ , Rules used = {870, 794, 648}

$$\frac{2(d + ex)^{m-1}(cdf - aeg) \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m} (ae^2g + cd(dg(1 - m) - ef(2 - m)))}{c^3 d^3 e(1 - m)(2 - m)(3 - m)} + \frac{2g(d + ex)^m (cdf - aeg) \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{-m}}{c^2 d^2 e(2 - m)(3 - m)} + \frac{(f + gx)^2 (d + ex)^{m-1} \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{-m}}{cd(3 - m)}$$

Antiderivative was successfully verified.

```
[In] Int[((d + e*x)^m*(f + g*x)^2)/(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^m,x]
[Out] (-2*(c*d*f - a*e*g)*(a*e^2*g + c*d*(d*g*(1 - m) - e*f*(2 - m)))*(d + e*x)^(
-1 + m)*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(1 - m))/(c^3*d^3*e*(1 - m)
*(2 - m)*(3 - m)) + (2*g*(c*d*f - a*e*g)*(d + e*x)^m*(a*d*e + (c*d^2 + a*e^
2)*x + c*d*e*x^2)^(1 - m))/(c^2*d^2*e*(2 - m)*(3 - m)) + ((d + e*x)^(-1 + m)
)*(f + g*x)^2*(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^(1 - m))/(c*d*(3 - m)
)
```

### Rule 648

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_S
ymbol] := Simp[(e*(d + e*x)^(m - 1)*(a + b*x + c*x^2)^(p + 1))/(c*(p + 1)),
x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2
- b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]
```

### Rule 794

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)
)/(c*(m + 2*p + 2)), x] + Dist[(m*(g*(c*d - b*e) + c*e*f) + e*(p + 1)*(2*c
*f - b*g))/(c*e*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x]
/; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d
^2 - b*d*e + a*e^2, 0] && NeQ[m + 2*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])
```

### Rule 870

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
```

$e*g)/(c*e*(m - n - 1)), \text{Int}[(d + e*x)^m*(f + g*x)^{(n - 1)*(a + b*x + c*x^2)^p}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m, p\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& !\text{IntegerQ}[p] \&\& \text{EqQ}[m + p, 0] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[m - n - 1, 0] \&\& (\text{IntegerQ}[2*p] || \text{IntegerQ}[n])$

### Rubi steps

$$\begin{aligned} \int (d + ex)^m (f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{-m} dx &= \frac{(d + ex)^{-1+m} (f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^1}{cd(3 - m)} \\ &= \frac{2g(cdf - aeg)(d + ex)^m (ade + (cd^2 + ae^2)x + cdex^2)}{c^2 d^2 e(2 - m)(3 - m)} \\ &= -\frac{2(cdf - aeg)(ae^2g + cd(dg(1 - m) - ef(2 - m)))(d + ex)^{m-1}}{c^3 d^3 e(1 - m)(2 - m)} \end{aligned}$$

**Mathematica [A]** time = 0.11, size = 131, normalized size = 0.53

$$\frac{(d + ex)^{m-1} ((d + ex)(ae + cdx))^{1-m} (2a^2e^2g^2 + 2acdeg(f(m-3) + g(m-1)x) + c^2d^2(f^2(m^2 - 5m + 6) + 2fg(m^2 - 4m + 3)x + g^2(m^2 - 3m + 2)x^2))}{c^3 d^3 (m-3)(m-2)(m-1)}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^m\*(f + g\*x)^2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

[Out] -(((d + e\*x)^(-1 + m)\*((a\*e + c\*d\*x)\*(d + e\*x))^(1 - m)\*(2\*a^2\*e^2\*g^2 + 2\*a\*c\*d\*e\*g\*(f\*(-3 + m) + g\*(-1 + m)\*x) + c^2\*d^2\*(f^2\*(6 - 5\*m + m^2) + 2\*f\*g\*(3 - 4\*m + m^2)\*x + g^2\*(2 - 3\*m + m^2)\*x^2)))/(c^3\*d^3\*(-3 + m)\*(-2 + m)\*(-1 + m)))

**IntegrateAlgebraic [F]** time = 0.41, size = 0, normalized size = 0.00

$$\int (d + ex)^m (f + gx)^2 (ade + (cd^2 + ae^2)x + cdex^2)^{-m} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^m\*(f + g\*x)^2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

[Out] Defer[IntegrateAlgebraic](((d + e\*x)^m\*(f + g\*x)^2)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

**fricas** [A] time = 0.46, size = 350, normalized size = 1.42

$$\frac{(a^2 d^2 e f^2 m^2 + 6 a^2 d^2 e f^2 - 6 a^2 c d^2 f g + 2 a^2 c^2 g^2 + (c^2 d^3 g^2 m^2 - 3 c^2 d^3 g^2 m + 2 c^2 d^3 g^2) x^3 + (6 c^2 d^3 f g + (2 c^2 d^3 f g + a c^2 d^3 g^2) m^2 - (8 c^2 d^3 f g + a c^2 d^3 g^2) m) x^2 - (5 a^2 d^2 e f^2 - 2 a^2 c d^2 f g) m + (6 c^2 d^3 f^2 + (c^2 d^3 f^2 + 2 a^2 d^2 e f g) m^2 - (5 c^2 d^3 f^2 + 6 a^2 d^2 e f g - 2 a^2 c d^2 g^2) m) x)(c x + d)^m}{(c^3 d^3 m^3 - 6 c^3 d^3 m^2 + 11 c^3 d^3 m - 6 c^3 d^3)(c d x^2 + a d e + (c d^2 + a e^2) x)^m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)^2/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m),x, algorithm="fricas")

[Out]  $-(a^2 c^2 d^2 e f^2 m^2 + 6 a^2 c^2 d^2 e f^2 - 6 a^2 c^2 d^2 e f g + 2 a^3 e^3 g^2 m^2 + (c^3 d^3 g^2 m^2 - 3 c^3 d^3 g^2 m + 2 c^3 d^3 g^2) x^3 + (6 c^3 d^3 f g + (2 c^3 d^3 f g + a c^2 d^2 e g^2) m^2 - (8 c^3 d^3 f g + a c^2 d^2 e g^2) m) x^2 - (5 a^2 c^2 d^2 e f^2 - 2 a^2 c^2 d^2 e f g) m + (6 c^3 d^3 f^2 + (c^3 d^3 f^2 + 2 a^2 d^2 e f g) m^2 - (5 c^3 d^3 f^2 + 6 a^2 d^2 e f g - 2 a^2 c^2 d^2 e g^2) m) x)(e x + d)^m / ((c^3 d^3 m^3 - 6 c^3 d^3 m^2 + 11 c^3 d^3 m - 6 c^3 d^3)(c d e x^2 + a d e + (c d^2 + a e^2) x)^m)$

**giac** [B] time = 0.28, size = 981, normalized size = 3.99

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)^2/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m),x, algorithm="giac")

[Out]  $-\left( (x e + d)^m c^3 d^3 g^2 m^2 x^3 e^{(-m \log(c d x + a e) - m \log(x e + d))} + 2 (x e + d)^m c^3 d^3 f g m^2 x^2 e^{(-m \log(c d x + a e) - m \log(x e + d))} - 3 (x e + d)^m c^3 d^3 g^2 m x^3 e^{(-m \log(c d x + a e) - m \log(x e + d))} + (x e + d)^m a c^2 d^2 g^2 m^2 x^2 e^{(-m \log(c d x + a e) - m \log(x e + d))} + 1 + (x e + d)^m c^3 d^3 f^2 m^2 x e^{(-m \log(c d x + a e) - m \log(x e + d))} - 8 (x e + d)^m c^3 d^3 f g m x^2 e^{(-m \log(c d x + a e) - m \log(x e + d))} + 2 (x e + d)^m c^3 d^3 g^2 x^3 e^{(-m \log(c d x + a e) - m \log(x e + d))} + 2 (x e + d)^m a c^2 d^2 f g m^2 x e^{(-m \log(c d x + a e) - m \log(x e + d))} + 1 - (x e + d)^m a c^2 d^2 g^2 m x^2 e^{(-m \log(c d x + a e) - m \log(x e + d))} + 1 - 5 (x e + d)^m c^3 d^3 f^2 m x e^{(-m \log(c d x + a e) - m \log(x e + d))} + 6 (x e + d)^m c^3 d^3 f g x^2 e^{(-m \log(c d x + a e) - m \log(x e + d))} + (x e + d)^m a c^2 d^2 f^2 m^2 e^{(-m \log(c d x + a e) - m \log(x e + d))} + 1 - 6 (x e + d)^m a c^2 d^2 f g m x e^{(-m \log(c d x + a e) - m \log(x e + d))} + 1 + 6 (x e + d)^m c^3 d^3 f^2 x e^{(-m \log(c d x + a e) - m \log(x e + d))} + 2 (x e + d)^m a^2 c d g^2 m x e^{(-m \log(c d x + a e) - m \log(x e + d))} + 2 - 5 (x e + d)^m a c^2 d^2 f^2 m e^{(-m \log(c d x + a e) - m \log(x e + d))} + 1 + 2 (x e + d)^m a^2 c d f g m e^{(-m \log(c d x + a e) - m \log(x e + d))} + 2 + 6 (x e + d)^m a c^2 d^2 f^2 e^{(-m \log(c d x + a e) - m \log(x e + d))} + 1 - 6 (x e + d)^m a^2 c d f g e^{(-m \log(c d x + a e) - m \log(x e + d))} \right)$

$x*e + d) + 2) + 2*(x*e + d)^m*a^3*g^2*e^{(-m*\log(c*d*x + a*e) - m*\log(x*e + d) + 3))/(c^3*d^3*m^3 - 6*c^3*d^3*m^2 + 11*c^3*d^3*m - 6*c^3*d^3)$

**maple [A]** time = 0.01, size = 235, normalized size = 0.96

$$\frac{(cdx + ae)(c^2d^2g^2m^2x^2 + 2c^2d^2fgm^2x - 3c^2d^2g^2m^2x^2 + 2acdeg^2mx + c^2d^2f^2m^2 - 8c^2d^2fgmx + 2g^2x^2d^2 + 2acdefgm - 2acdeg^2x - 5c^2d^2f^2m + 6c^2d^2fgx + 2a^2e^2g^2 - 6acdefg + 6f^2c^2d^2)(ex + d)^m (cdex^2 + a^2x + cd^2x + ade)^{-m}}{(m^3 - 6m^2 + 11m - 6)c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^m*(g*x+f)^2/((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^m), x)$

[Out]  $-(c*d*x+a*e)*(c^2*d^2*g^2*m^2*x^2+2*c^2*d^2*f*g*m^2*x-3*c^2*d^2*g^2*m*x^2+2*a*c*d*e*g^2*m*x+c^2*d^2*f^2*m^2-8*c^2*d^2*f*g*m*x+2*c^2*d^2*g^2*x^2+2*a*c*d*e*f*g*m-2*a*c*d*e*g^2*x-5*c^2*d^2*f^2*m+6*c^2*d^2*f*g*x+2*a^2*e^2*g^2-6*a*c*d*e*f*g+6*c^2*d^2*f^2)*(e*x+d)^m/((c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^m)/c^3/d^3/(m^3-6*m^2+11*m-6)$

**maxima [A]** time = 0.56, size = 193, normalized size = 0.78

$$\frac{(cdx + ae)f^2}{(cdx + ae)^m cd(m-1)} - \frac{2(c^2d^2(m-1)x^2 + acdemx + a^2e^2)fg}{(m^2 - 3m + 2)(cdx + ae)^m c^2d^2} - \frac{((m^2 - 3m + 2)c^3d^3x^3 + (m^2 - m)ac^2d^2ex^2 + 2a^2cde^2mx + 2a^3e^3)g^2}{(m^3 - 6m^2 + 11m - 6)(cdx + ae)^m c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)^m*(g*x+f)^2/((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^m), x, \text{algorithm}="maxima")$

[Out]  $-(c*d*x + a*e)*f^2/((c*d*x + a*e)^m*c*d*(m - 1)) - 2*(c^2*d^2*(m - 1)*x^2 + a*c*d*e*m*x + a^2*e^2)*f*g/((m^2 - 3*m + 2)*(c*d*x + a*e)^m*c^2*d^2) - ((m^2 - 3*m + 2)*c^3*d^3*x^3 + (m^2 - m)*a*c^2*d^2*e*x^2 + 2*a^2*c*d*e^2*m*x + 2*a^3*e^3)*g^2/((m^3 - 6*m^2 + 11*m - 6)*(c*d*x + a*e)^m*c^3*d^3)$

**mupad [B]** time = 3.52, size = 327, normalized size = 1.33

$$\frac{\frac{g^2x^3(dx+e)^m(m^2-3m+2)}{m^3-6m^2+11m-6} + \frac{x(dx+e)^m(2a^2cd^2g^2m+2a^2d^2efgm^2-6a^2d^2efgm+c^3d^3f^2m^2-5c^3d^3f^2m+6c^3d^3f^2)}{c^3d^3(m^3-6m^2+11m-6)} + \frac{ac(dx+e)^m(2a^2d^2g^2+2acdefgm-6acdefg+a^2d^2f^2m^2-5c^2d^2f^2m+6c^2d^2f^2)}{c^3d^3(m^3-6m^2+11m-6)} + \frac{g^2(m-1)(dx+e)^m(aegm-6cdf+2cdfm)}{cd(m^3-6m^2+11m-6)}}{(cdex^2 + (cd^2 + ae^2)x + ade)^m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(((f + g*x)^2*(d + e*x)^m)/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^m, x)$

[Out]  $-((g^2*x^3*(d + e*x)^m*(m^2 - 3*m + 2))/(11*m - 6*m^2 + m^3 - 6) + (x*(d + e*x)^m*(6*c^3*d^3*f^2 - 5*c^3*d^3*f^2*m + c^3*d^3*f^2*m^2 + 2*a^2*c*d*e^2*g^2*m + 2*a*c^2*d^2*e*f*g*m^2 - 6*a*c^2*d^2*e*f*g*m))/(c^3*d^3*(11*m - 6*m^2 + m^3 - 6)) + (a*e*(d + e*x)^m*(2*a^2*e^2*g^2 + 6*c^2*d^2*f^2 - 5*c^2*d^2*f^2*m + c^2*d^2*f^2*m^2 - 6*a*c*d*e*f*g + 2*a*c*d*e*f*g*m))/(c^3*d^3*(11*m - 6*m^2 + m^3 - 6)) + (g*x^2*(m - 1)*(d + e*x)^m*(a*e*g*m - 6*c*d*f + 2*c*d$



$$\frac{f^m}{c d (11 m - 6 m^2 + m^3 - 6)} \frac{1}{(x(a e^2 + c d^2) + a d e + c d e x^2)^m}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*m\*(g\*x+f)\*\*2/((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*m),x)

[Out] Timed out

$$3.530 \quad \int (d + ex)^m (f + gx) \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{-m} dx$$

**Optimal.** Leaf size=150

$$\frac{g(d + ex)^m \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m}}{cde(2 - m)} - \frac{(d + ex)^{m-1} \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m} (ae^2g + cd(dg(1 - m)))}{c^2d^2e(1 - m)(2 - m)}$$

**Rubi [A]** time = 0.08, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 42,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {794, 648}

$$\frac{g(d + ex)^m \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m}}{cde(2 - m)} - \frac{(d + ex)^{m-1} \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m} (ae^2g + cd(dg(1 - m) - ef(2 - m)))}{c^2d^2e(1 - m)(2 - m)}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^m\*(f + g\*x))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

[Out] -(((a\*e^2\*g + c\*d\*(d\*g\*(1 - m) - e\*f\*(2 - m)))\*(d + e\*x)^(-1 + m)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(1 - m))/(c^2\*d^2\*e\*(1 - m)\*(2 - m))) + (g\*(d + e\*x)^m\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(1 - m))/(c\*d\*e\*(2 - m))

#### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

#### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

#### Rubi steps

$$\int (d + ex)^m (f + gx) (ade + (cd^2 + ae^2)x + cdex^2)^{-m} dx = \frac{g(d + ex)^m (ade + (cd^2 + ae^2)x + cdex^2)^{1-m}}{cde(2 - m)} - \frac{(ae^2g)}{c^2d^2e(1 - m)(2 - m)}$$

$$= -\frac{(ae^2g + cd(dg(1 - m) - ef(2 - m)))(d + ex)^{-1+m}}{c^2d^2e(1 - m)(2 - m)}$$

**Mathematica [A]** time = 0.06, size = 67, normalized size = 0.45

$$-\frac{(d + ex)^{m-1}((d + ex)(ae + cdex))^{1-m}(aeg + cd(f(m - 2) + g(m - 1)x))}{c^2d^2(m - 2)(m - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^m\*(f + g\*x))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

[Out] -(((d + e\*x)^(-1 + m)\*((a\*e + c\*d\*x)\*(d + e\*x))^(1 - m)\*(a\*e\*g + c\*d\*(f\*(-2 + m) + g\*(-1 + m)\*x)))/(c^2\*d^2\*(-2 + m)\*(-1 + m)))

**IntegrateAlgebraic [F]** time = 0.26, size = 0, normalized size = 0.00

$$\int (d + ex)^m (f + gx) (ade + (cd^2 + ae^2)x + cdex^2)^{-m} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((d + e\*x)^m\*(f + g\*x))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

[Out] Defer[IntegrateAlgebraic][((d + e\*x)^m\*(f + g\*x))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

**fricas [A]** time = 0.42, size = 145, normalized size = 0.97

$$\frac{(acdefm - 2acdef + a^2e^2g + (c^2d^2gm - c^2d^2g)x^2 - (2c^2d^2f - (c^2d^2f + acdeg)m)x)(ex + d)^m}{(c^2d^2m^2 - 3c^2d^2m + 2c^2d^2)(cdex^2 + ade + (cd^2 + ae^2)x)^m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m), x, algorithm="fricas")

[Out]  $-(a*c*d*e*f*m - 2*a*c*d*e*f + a^2*e^2*g + (c^2*d^2*g*m - c^2*d^2*g)*x^2 - (2*c^2*d^2*f - (c^2*d^2*f + a*c*d*e*g)*m)*x)*(e*x + d)^m / ((c^2*d^2*m^2 - 3*c^2*d^2*m + 2*c^2*d^2)*(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)^m)$

**giac** [B] time = 0.25, size = 369, normalized size = 2.46

$$\frac{(x^2 + d^2) \int \frac{g(x^2 + a)}{(c^2 d^2 m^2 - 3 c^2 d^2 m + 2 c^2 d^2) (c d e x^2 + a d e + (c d^2 + a e^2) x)^m} dx - (x^2 + d^2) \int \frac{f(x^2 + a)}{(c^2 d^2 m^2 - 3 c^2 d^2 m + 2 c^2 d^2) (c d e x^2 + a d e + (c d^2 + a e^2) x)^m} dx - (x^2 + d^2) \int \frac{g(x^2 + a)}{(c^2 d^2 m^2 - 3 c^2 d^2 m + 2 c^2 d^2) (c d e x^2 + a d e + (c d^2 + a e^2) x)^m} dx + (x^2 + d^2) \int \frac{f(x^2 + a)}{(c^2 d^2 m^2 - 3 c^2 d^2 m + 2 c^2 d^2) (c d e x^2 + a d e + (c d^2 + a e^2) x)^m} dx - 2 (x^2 + d^2) \int \frac{f(x^2 + a)}{(c^2 d^2 m^2 - 3 c^2 d^2 m + 2 c^2 d^2) (c d e x^2 + a d e + (c d^2 + a e^2) x)^m} dx + (x^2 + d^2) \int \frac{g(x^2 + a)}{(c^2 d^2 m^2 - 3 c^2 d^2 m + 2 c^2 d^2) (c d e x^2 + a d e + (c d^2 + a e^2) x)^m} dx - 2 (x^2 + d^2) \int \frac{f(x^2 + a)}{(c^2 d^2 m^2 - 3 c^2 d^2 m + 2 c^2 d^2) (c d e x^2 + a d e + (c d^2 + a e^2) x)^m} dx + (x^2 + d^2) \int \frac{g(x^2 + a)}{(c^2 d^2 m^2 - 3 c^2 d^2 m + 2 c^2 d^2) (c d e x^2 + a d e + (c d^2 + a e^2) x)^m} dx}{c^2 d^2 m^2 - 3 c^2 d^2 m + 2 c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^m*(g*x+f)/((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^m),x, algorithm="giac")`

[Out]  $-(x*e + d)^m*c^2*d^2*g*m*x^2*e^{(-m*\log(c*d*x + a*e) - m*\log(x*e + d))} + (x*e + d)^m*c^2*d^2*f*m*x*e^{(-m*\log(c*d*x + a*e) - m*\log(x*e + d))} - (x*e + d)^m*c^2*d^2*g*x^2*e^{(-m*\log(c*d*x + a*e) - m*\log(x*e + d))} + (x*e + d)^m*a*c*d*g*m*x*e^{(-m*\log(c*d*x + a*e) - m*\log(x*e + d) + 1)} - 2*(x*e + d)^m*c^2*d^2*f*x*e^{(-m*\log(c*d*x + a*e) - m*\log(x*e + d))} + (x*e + d)^m*a*c*d*f*m*e^{(-m*\log(c*d*x + a*e) - m*\log(x*e + d) + 1)} - 2*(x*e + d)^m*a*c*d*f*e^{(-m*\log(c*d*x + a*e) - m*\log(x*e + d) + 1)} + (x*e + d)^m*a^2*g*e^{(-m*\log(c*d*x + a*e) - m*\log(x*e + d) + 2)) / (c^2*d^2*m^2 - 3*c^2*d^2*m + 2*c^2*d^2)$

**maple** [A] time = 0.00, size = 89, normalized size = 0.59

$$\frac{(cdgmx + cdfm - cdgx + aeg - 2cdf)(cdx + ae)(ex + d)^m (cde x^2 + a e^2 x + c d^2 x + ade)^{-m}}{(m^2 - 3m + 2) c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^m*(g*x+f)/((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^m),x)`

[Out]  $-(e*x+d)^m*(c*d*g*m*x+c*d*f*m-c*d*g*x+a*e*g-2*c*d*f)*(c*d*x+a*e)/((c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^m)/c^2/d^2/(m^2-3*m+2)$

**maxima** [A] time = 0.52, size = 94, normalized size = 0.63

$$\frac{(cdx + ae)f}{(cdx + ae)^m cd(m - 1)} - \frac{(c^2 d^2 (m - 1) x^2 + acdemx + a^2 e^2)g}{(m^2 - 3m + 2)(cdx + ae)^m c^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^m*(g*x+f)/((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^m),x, algorithm="maxima")`

[Out]  $-(c*d*x + a*e)*f/((c*d*x + a*e)^m*c*d*(m - 1)) - (c^2*d^2*(m - 1)*x^2 + a*c*d*e*m*x + a^2*e^2)*g/((m^2 - 3*m + 2)*(c*d*x + a*e)^m*c^2*d^2)$

mupad [B] time = 3.36, size = 139, normalized size = 0.93

$$\frac{\frac{g x^2 (m-1) (d+e x)^m}{m^2-3 m+2} + \frac{x (d+e x)^m (a e g m-2 c d f+c d f m)}{c d (m^2-3 m+2)} + \frac{a e (d+e x)^m (a e g-2 c d f+c d f m)}{c^2 d^2 (m^2-3 m+2)}}{(c d e x^2 + (c d^2 + a e^2) x + a d e)^m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)\*(d + e\*x)^m)/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^m,x)

[Out] -((g\*x^2\*(m - 1)\*(d + e\*x)^m)/(m^2 - 3\*m + 2) + (x\*(d + e\*x)^m\*(a\*e\*g\*m - 2\*c\*d\*f + c\*d\*f\*m))/(c\*d\*(m^2 - 3\*m + 2)) + (a\*e\*(d + e\*x)^m\*(a\*e\*g - 2\*c\*d\*f + c\*d\*f\*m))/(c^2\*d^2\*(m^2 - 3\*m + 2)))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^m

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*m\*(g\*x+f)/((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*m),x)

[Out] Exception raised: TypeError

$$3.531 \quad \int (d + ex)^m \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{-m} dx$$

Optimal. Leaf size=54

$$\frac{(d + ex)^{m-1} \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m}}{cd(1 - m)}$$

Rubi [A] time = 0.01, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 37,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.027$ , Rules used = {648}

$$\frac{(d + ex)^{m-1} \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m}}{cd(1 - m)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^m/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m,x]

[Out] ((d + e\*x)^(-1 + m)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(1 - m))/(c\*d\*(1 - m))

Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

Rubi steps

$$\int (d + ex)^m \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{-m} dx = \frac{(d + ex)^{-1+m} \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{1-m}}{cd(1 - m)}$$

Mathematica [A] time = 0.02, size = 42, normalized size = 0.78

$$\frac{(d + ex)^{m-1}((d + ex)(ae + cdx))^{1-m}}{cd(m - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^m/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m,x]

[Out]  $-\left(\left(d + ex\right)^{-1 + m} \left( (a * e + c * d * x) * (d + ex) \right)^{1 - m} / (c * d * (-1 + m))\right)$

**IntegrateAlgebraic** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (d + ex)^m \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{-m} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^m/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m,x]

[Out] Defer[IntegrateAlgebraic] [(d + e\*x)^m/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

**fricas** [A] time = 0.42, size = 57, normalized size = 1.06

$$-\frac{(cdx + ae)(ex + d)^m}{(cdm - cd)(cdex^2 + ade + (cd^2 + ae^2)x)^m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m),x, algorithm="fricas")

[Out]  $-(c * d * x + a * e) * (e * x + d)^m / ((c * d * m - c * d) * (c * d * e * x^2 + a * d * e + (c * d^2 + a * e^2) * x)^m)$

**giac** [A] time = 0.22, size = 87, normalized size = 1.61

$$-\frac{(xe + d)^m cdx e^{(-m \log(cdx+ae)-m \log(xe+d))} + (xe + d)^m a e^{(-m \log(cdx+ae)-m \log(xe+d)+1)}}{cdm - cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m),x, algorithm="giac")

[Out]  $-\left(\left(x * e + d\right)^m * c * d * x * e^{-m * \log(c * d * x + a * e) - m * \log(x * e + d)} + \left(x * e + d\right)^m * a * e^{-m * \log(c * d * x + a * e) - m * \log(x * e + d) + 1}\right) / (c * d * m - c * d)$

**maple** [A] time = 0.00, size = 57, normalized size = 1.06

$$-\frac{(cdx + ae)(ex + d)^m (cde x^2 + a e^2 x + c d^2 x + ade)^{-m}}{(m - 1) cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^m/((c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^m),x)`

[Out] `-(c*d*x+a*e)/c/d/(-1+m)*(e*x+d)^m/((c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^m)`

**maxima** [A] time = 0.47, size = 33, normalized size = 0.61

$$\frac{cdx + ae}{(cdx + ae)^m cd(m - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^m/((a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^m),x, algorithm="maxima")`

[Out] `-(c*d*x + a*e)/((c*d*x + a*e)^m*c*d*(m - 1))`

**mupad** [B] time = 3.25, size = 57, normalized size = 1.06

$$\frac{(ae + cdx)(d + ex)^m}{cd(m - 1)(cdex^2 + (cd^2 + ae^2)x + ade)^m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^m/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^m,x)`

[Out] `-((a*e + c*d*x)*(d + e*x)^m)/(c*d*(m - 1)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^m)`

**sympy** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**m/((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**m),x)`

[Out] Exception raised: TypeError



## 3.532

$$\int (ae + cdx)^n (d + ex)^m \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{-m} dx$$

Optimal. Leaf size=65

$$\frac{(d + ex)^{m-1} \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m} (ae + cdx)^n}{cd(-m + n + 1)}$$

Rubi [A] time = 0.04, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 47,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.021$ , Rules used = {858}

$$\frac{(d + ex)^{m-1} \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{1-m} (ae + cdx)^n}{cd(-m + n + 1)}$$

Antiderivative was successfully verified.

[In] Int[((a\*e + c\*d\*x)^n\*(d + e\*x)^m)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

[Out] ((a\*e + c\*d\*x)^n\*(d + e\*x)^(-1 + m)\*(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^(1 - m))/(c\*d\*(1 - m + n))

Rule 858

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m - n - 1)), x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && EqQ[c\*e\*f + c\*d\*g - b\*e\*g, 0] && NeQ[m - n - 1, 0]

Rubi steps

$$\int (ae + cdx)^n (d + ex)^m \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{-m} dx = \frac{(ae + cdx)^n (d + ex)^{-1+m} \left( ade + (cd^2 + ae^2)x + cdex^2 \right)^{-m}}{cd(1 - m + n)}$$

Mathematica [A] time = 0.03, size = 53, normalized size = 0.82

$$\frac{(d + ex)^m ((d + ex)(ae + cdx))^{-m} (ae + cdx)^{n+1}}{-cdm + cdn + cd}$$

Antiderivative was successfully verified.

[In] Integrate[((a\*e + c\*d\*x)^n\*(d + e\*x)^m)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m,x]

[Out] ((a\*e + c\*d\*x)^(1 + n)\*(d + e\*x)^m)/((c\*d - c\*d\*m + c\*d\*n)\*((a\*e + c\*d\*x)\*(d + e\*x))^m)

**IntegrateAlgebraic** [F] time = 0.16, size = 0, normalized size = 0.00

$$\int (ae + cdx)^n (d + ex)^m (ade + (cd^2 + ae^2)x + cdex^2)^{-m} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((a\*e + c\*d\*x)^n\*(d + e\*x)^m)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m,x]

[Out] Defer[IntegrateAlgebraic] [((a\*e + c\*d\*x)^n\*(d + e\*x)^m)/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m, x]

**fricas** [A] time = 0.42, size = 66, normalized size = 1.02

$$\frac{(cdx + ae)(cdx + ae)^n (ex + d)^m e^{(-m \log(cdx+ae) - m \log(ex+d))}}{cdm - cdn - cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+a\*e)^n\*(e\*x+d)^m/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m),x, algorithm="fricas")

[Out] -(c\*d\*x + a\*e)\*(c\*d\*x + a\*e)^n\*(e\*x + d)^m\*e^(-m\*log(c\*d\*x + a\*e) - m\*log(e\*x + d))/(c\*d\*m - c\*d\*n - c\*d)

**giac** [A] time = 0.25, size = 114, normalized size = 1.75

$$\frac{(cdx + ae)^n (xe + d)^m cdx e^{(-m \log(cdx+ae) - m \log(xe+d))} + (cdx + ae)^n (xe + d)^m ae^{(-m \log(cdx+ae) - m \log(xe+d)+1)}}{cdm - cdn - cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+a\*e)^n\*(e\*x+d)^m/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m),x, algorithm="giac")

[Out] -((c\*d\*x + a\*e)^n\*(x\*e + d)^m\*c\*d\*x\*e^(-m\*log(c\*d\*x + a\*e) - m\*log(x\*e + d)) + (c\*d\*x + a\*e)^n\*(x\*e + d)^m\*a\*e^(-m\*log(c\*d\*x + a\*e) - m\*log(x\*e + d) + 1))/(c\*d\*m - c\*d\*n - c\*d)

**maple** [A] time = 0.00, size = 64, normalized size = 0.98

$$\frac{(ex + d)^m (cdx + ae)^{n+1} (cde x^2 + a e^2 x + c d^2 x + ade)^{-m}}{(m - n - 1) cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*d\*x+a\*e)^n\*(e\*x+d)^m/((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^m),x)

[Out] -(c\*d\*x+a\*e)^(n+1)/c/d/(-1+m-n)\*(e\*x+d)^m/((c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^m)

**maxima** [A] time = 0.50, size = 49, normalized size = 0.75

$$\frac{(cdx + ae)e^{(-m \log(cdx+ae)+n \log(cdx+ae))}}{cd(m - n - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+a\*e)^n\*(e\*x+d)^m/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m),x, algorithm="maxima")

[Out] -(c\*d\*x + a\*e)\*e^(-m\*log(c\*d\*x + a\*e) + n\*log(c\*d\*x + a\*e))/(c\*d\*(m - n - 1))

**mupad** [B] time = 3.54, size = 63, normalized size = 0.97

$$\frac{(ae + cdx)^{n+1} (d + ex)^m}{cd(cdex^2 + (cd^2 + ae^2)x + ade)^m (n - m + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a\*e + c\*d\*x)^n\*(d + e\*x)^m)/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^m,x)

[Out] ((a\*e + c\*d\*x)^(n + 1)\*(d + e\*x)^m)/(c\*d\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^m\*(n - m + 1))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*d\*x+a\*e)\*\*n\*(e\*x+d)\*\*m/((a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*m),x)

[Out] Timed out

$$3.533 \quad \int (d + ex)^m \left( cd^2 eg - e (cd^2 + ae^2) g - cde^2 gx \right)^{-1+m} \left( ade + (cd^2 + ae^2) x + cdex \right)$$

**Optimal.** Leaf size=78

$$\frac{(d + ex)^m \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{-m} \log(ae + cdx) \left( -ae^3 g - cde^2 gx \right)^m}{cde^2 g}$$

**Rubi [A]** time = 0.15, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 73,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.041$ , Rules used = {891, 23, 31}

$$\frac{(d + ex)^m \left( x(ae^2 + cd^2) + ade + cdex^2 \right)^{-m} \log(ae + cdx) \left( -ae^3 g - cde^2 gx \right)^m}{cde^2 g}$$

Antiderivative was successfully verified.

```
[In] Int[((d + e*x)^m*(c*d^2*e*g - e*(c*d^2 + a*e^2)*g - c*d*e^2*g*x)^(-1 + m)]/
(a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^m,x]
```

```
[Out] -(((d + e*x)^m*(-(a*e^3*g) - c*d*e^2*g*x)^m*Log[a*e + c*d*x])/(c*d*e^2*g*(a
*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2)^m))
```

### Rule 23

```
Int[(u_.)*((a_.) + (b_.)*(v_))^(m_)*((c_.) + (d_.)*(v_))^(n_), x_Symbol] :> D
ist[(a + b*v)^m/(c + d*v)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && EqQ[b*c - a*d, 0] && !(IntegerQ[m] || IntegerQ[n] ||
GtQ[b/d, 0])
```

### Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rule 891

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] :> Dist[(a + b*x + c*x^2)^FracPart[p]/((d +
e*x)^FracPart[p]*(a/d + (c*x)/e)^FracPart[p]), Int[(d + e*x)^(m + p)*(f +
g*x)^n*(a/d + (c*x)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] &
& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& !IntegerQ[p] && !IGtQ[m, 0] && !IGtQ[n, 0]
```

Rubi steps

$$\int (d+ex)^m (cd^2eg - e(cd^2 + ae^2)g - cde^2gx)^{-1+m} (ade + (cd^2 + ae^2)x + cdex^2)^{-m} dx = \left( (ae + cdx)^m (d+ex)^m \right. \\ = \left( (d+ex)^m (cd^2eg - e \right. \\ = - \frac{(d+ex)^m (-ae^3g - c$$

**Mathematica [A]** time = 0.03, size = 64, normalized size = 0.82

$$\frac{(d+ex)^m ((d+ex)(ae+cdx))^{-m} \log(ae+cdx) (-e^2g(ae+cdx))^m}{cde^2g}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^m\*(c\*d^2\*e\*g - e\*(c\*d^2 + a\*e^2)\*g - c\*d\*e^2\*g\*x)^(-1 + m))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m,x]

[Out] -((((-(e^2\*g\*(a\*e + c\*d\*x))))^m\*(d + e\*x)^m\*Log[a\*e + c\*d\*x])/(c\*d\*e^2\*g\*((a\*e + c\*d\*x)\*(d + e\*x))^m))

**IntegrateAlgebraic [A]** time = 0.39, size = 64, normalized size = 0.82

$$\frac{(d+ex)^m ((d+ex)(ae+cdx))^{-m} \log(ae+cdx) (-e^2g(ae+cdx))^m}{cde^2g}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^m\*(c\*d^2\*e\*g - e\*(c\*d^2 + a\*e^2)\*g - c\*d\*e^2\*g\*x)^(-1 + m))/(a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2)^m,x]

[Out] -((((-(e^2\*g\*(a\*e + c\*d\*x))))^m\*(d + e\*x)^m\*Log[a\*e + c\*d\*x])/(c\*d\*e^2\*g\*((a\*e + c\*d\*x)\*(d + e\*x))^m))

**fricas [A]** time = 0.43, size = 35, normalized size = 0.45

$$\frac{\log(cdx + ae)}{cde^2g \left(-\frac{1}{e^2g}\right)^m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(c\*d^2\*e\*g-e\*(a\*e^2+c\*d^2)\*g-c\*d\*e^2\*g\*x)^(-1+m)/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m),x, algorithm="fricas")

[Out] -log(c\*d\*x + a\*e)/(c\*d\*e^2\*g\*(-1/(e^2\*g))^m)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-cde^2gx + cd^2eg - (cd^2 + ae^2)eg)^{m-1} (ex + d)^m}{(cdex^2 + ade + (cd^2 + ae^2)x)^m} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(c\*d^2\*e\*g-e\*(a\*e^2+c\*d^2)\*g-c\*d\*e^2\*g\*x)^(-1+m)/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m),x, algorithm="giac")

[Out] integrate((-c\*d\*e^2\*g\*x + c\*d^2\*e\*g - (c\*d^2 + a\*e^2)\*e\*g)^(m - 1)\*(e\*x + d)^m/(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)^m, x)

**maple** [F] time = 0.24, size = 0, normalized size = 0.00

$$\int (cdex^2 + ade + (ae^2 + cd^2)x)^{-m} (-cd^2gx + cd^2eg - (ae^2 + cd^2)eg)^{m-1} (ex + d)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^m\*(c\*d^2\*e\*g-e\*(a\*e^2+c\*d^2)\*g-c\*d\*e^2\*g\*x)^(m-1)/((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^m),x)

[Out] int((e\*x+d)^m\*(c\*d^2\*e\*g-e\*(a\*e^2+c\*d^2)\*g-c\*d\*e^2\*g\*x)^(m-1)/((c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^m),x)

**maxima** [A] time = 0.50, size = 32, normalized size = 0.41

$$-\frac{e^{2m-2}(-g)^m \log(cdx + ae)}{cdg}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(c\*d^2\*e\*g-e\*(a\*e^2+c\*d^2)\*g-c\*d\*e^2\*g\*x)^(-1+m)/((a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^m),x, algorithm="maxima")

[Out] -e^(2\*m - 2)\*(-g)^m\*log(c\*d\*x + a\*e)/(c\*d\*g)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d + ex)^m (cd^2eg - eg(cd^2 + ae^2) - cde^2gx)^{m-1}}{(cdex^2 + (cd^2 + ae^2)x + ade)^m} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d + e*x)^m*(c*d^2*e*g - e*g*(a*e^2 + c*d^2) - c*d*e^2*g*x)^(m - 1))/(
x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^m, x)
```

```
[Out] int(((d + e*x)^m*(c*d^2*e*g - e*g*(a*e^2 + c*d^2) - c*d*e^2*g*x)^(m - 1))/(
x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^m, x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**m*(c*d**2*e*g-e*(a*e**2+c*d**2)*g-c*d*e**2*g*x)**(-1+m)/
((a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**m), x)
```

```
[Out] Timed out
```

$$3.534 \quad \int \frac{(d+ex)^{3/2}(f+gx)^4}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=501

$$\frac{128\sqrt{x(ae^2 + cd^2) + ade + cdex^2} (cdf - aeg)^3 (10ae^2g + cd(ef - 11dg)) (2ae^2g - cd(3ef - dg))}{3465c^6d^6eg\sqrt{d + ex}} \quad 128\sqrt{d + ex} \sqrt{x}$$

**Rubi [A]** time = 0.89, antiderivative size = 501, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {880, 870, 794, 648}

$\frac{2f + g\sqrt{a^2 + d^2} + ade + cdex^2}{4ac\sqrt{d + ex}}$   $\frac{16f + g\sqrt{a^2 + d^2} + ade + cdex^2}{4ac\sqrt{d + ex}}$   $\frac{32f + g\sqrt{a^2 + d^2} + ade + cdex^2}{4ac\sqrt{d + ex}}$   $\frac{128\sqrt{d + ex}}{3465c^6d^6eg}$   $\frac{128\sqrt{a^2 + d^2} + ade + cdex^2}{3465c^6d^6eg}$   $\frac{2f + g\sqrt{a^2 + d^2} + ade + cdex^2}{4ac\sqrt{d + ex}}$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*(f + g\*x)^4)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (128\*(c\*d\*f - a\*e\*g)^3\*(10\*a\*e^2\*g + c\*d\*(e\*f - 11\*d\*g))\*(2\*a\*e^2\*g - c\*d\*(3\*e\*f - d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(3465\*c^6\*d^6\*e\*g\*Sqrt[d + e\*x]) - (128\*(c\*d\*f - a\*e\*g)^3\*(10\*a\*e^2\*g + c\*d\*(e\*f - 11\*d\*g))\*Sqrt[d + e\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(3465\*c^5\*d^5\*e) - (32\*(c\*d\*f - a\*e\*g)^2\*(10\*a\*e^2\*g + c\*d\*(e\*f - 11\*d\*g))\*(f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(1155\*c^4\*d^4\*g\*Sqrt[d + e\*x]) - (16\*(c\*d\*f - a\*e\*g)\*(10\*a\*e^2\*g + c\*d\*(e\*f - 11\*d\*g))\*(f + g\*x)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(693\*c^3\*d^3\*g\*Sqrt[d + e\*x]) - (2\*(10\*a\*e^2\*g + c\*d\*(e\*f - 11\*d\*g))\*(f + g\*x)^4\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(99\*c^2\*d^2\*g\*Sqrt[d + e\*x]) + (2\*e\*(f + g\*x)^5\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(11\*c\*d\*g\*Sqrt[d + e\*x])

**Rule 648**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

**Rule 794**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x]



/; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rule 870

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m - n - 1)), x] - Dist[(n\*(c\*e\*f + c\*d\*g - b\*e\*g))/(c\*e\*(m - n - 1)), Int[(d + e\*x)^m\*(f + g\*x)^(n - 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2\*p] || IntegerQ[n])

### Rule 880

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e^2\*(d + e\*x)^(m - 2)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*g\*(n + p + 2)), x] - Dist[(b\*e\*g\*(n + 1) + c\*e\*f\*(p + 1) - c\*d\*g\*(2\*n + p + 3))/(c\*g\*(n + p + 2)), Int[(d + e\*x)^(m - 1)\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p - 1, 0] && !LtQ[n, -1] && IntegerQ[2\*p]

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{3/2}(f+gx)^4}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= \frac{2e(f+gx)^5 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{11cdg\sqrt{d+ex}} - \frac{1}{11} \left( -11d + \frac{10ae^2}{cd} + \frac{ef}{g} \right) \int \frac{1}{\sqrt{d+ex}} dx \\
&= -\frac{2(10ae^2g+cd(ef-11dg))(f+gx)^4 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{99c^2d^2g\sqrt{d+ex}} + \frac{2e}{11} \int \frac{1}{\sqrt{d+ex}} dx \\
&= -\frac{16(cdf-aeg)(10ae^2g+cd(ef-11dg))(f+gx)^3 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{693c^3d^3g\sqrt{d+ex}} + \frac{2e}{11} \int \frac{1}{\sqrt{d+ex}} dx \\
&= -\frac{32(cdf-aeg)^2(10ae^2g+cd(ef-11dg))(f+gx)^2 \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{1155c^4d^4g\sqrt{d+ex}} + \frac{2e}{11} \int \frac{1}{\sqrt{d+ex}} dx \\
&= -\frac{128(cdf-aeg)^3(10ae^2g+cd(ef-11dg))\sqrt{d+ex} \sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3465c^5d^5e} + \frac{2e}{11} \int \frac{1}{\sqrt{d+ex}} dx \\
&= -\frac{128(cdf-aeg)^3(10ae^2g+cd(ef-11dg))(2ae^2g-cd(3ef-dg))\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3465c^6d^6eg\sqrt{d+ex}} + \frac{2e}{11} \int \frac{1}{\sqrt{d+ex}} dx
\end{aligned}$$

**Mathematica [A]** time = 0.42, size = 246, normalized size = 0.49

$$\frac{2\sqrt{d+ex}(ae+cdx)(3465(cd^2-ae^2)(cdf-aeg)^4-385g^2(ae+cdx)^4(5ae^2g-cd(dg+4ef))+990g^2(ae+cdx)^3(cdf-aeg)(cd(2dg+3ef)-5ae^2g)+1386g(ae+cdx)^2(cdf-aeg)^2(cd(3dg+2ef)-5ae^2g)+1155(ae+cdx)(cdf-aeg)(cd(4dg+ef)-5ae^2g)+315g^4(ae+cdx)^3)}{3465c^6d^6\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(3/2)\*(f + g\*x)^4)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(3465\*(c\*d^2 - a\*e^2)\*(c\*d\*f - a\*e\*g)^4 + 1155\*(c\*d\*f - a\*e\*g)^3\*(-5\*a\*e^2\*g + c\*d\*(e\*f + 4\*d\*g))\*(a\*e + c\*d\*x) + 1386\*g\*(c\*d\*f - a\*e\*g)^2\*(-5\*a\*e^2\*g + c\*d\*(2\*e\*f + 3\*d\*g))\*(a\*e + c\*d\*x)^2 + 990\*g^2\*(c\*d\*f - a\*e\*g)\*(-5\*a\*e^2\*g + c\*d\*(3\*e\*f + 2\*d\*g))\*(a\*e + c\*d\*x)^3 - 385\*g^3\*(5\*a\*e^2\*g - c\*d\*(4\*e\*f + d\*g))\*(a\*e + c\*d\*x)^4 + 315\*e\*g^4\*(a\*e + c\*d\*x)^5))/(3465\*c^6\*d^6\*Sqrt[d + e\*x])

**IntegrateAlgebraic [B]** time = 38.39, size = 8325, normalized size = 16.62

Result too large to show

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[((d + e*x)^(3/2)*(f + g*x)^4)/Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2], x]
```

```
[Out] Result too large to show
```

**fricas** [A] time = 0.42, size = 597, normalized size = 1.19

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(g*x+f)^4/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2), x, algorithm="fricas")
```

```
[Out] 2/3465*(315*c^5*d^5*e*g^4*x^5 + 1155*(3*c^5*d^6 - 2*a*c^4*d^4*e^2)*f^4 - 1848*(5*a*c^4*d^5*e - 4*a^2*c^3*d^3*e^3)*f^3*g + 1584*(7*a^2*c^3*d^4*e^2 - 6*a^3*c^2*d^2*e^4)*f^2*g^2 - 704*(9*a^3*c^2*d^3*e^3 - 8*a^4*c*d*e^5)*f*g^3 + 128*(11*a^4*c*d^2*e^4 - 10*a^5*e^6)*g^4 + 35*(44*c^5*d^5*e*f*g^3 + (11*c^5*d^6 - 10*a*c^4*d^4*e^2)*g^4)*x^4 + 10*(297*c^5*d^5*e*f^2*g^2 + 22*(9*c^5*d^6 - 8*a*c^4*d^4*e^2)*f*g^3 - 4*(11*a*c^4*d^5*e - 10*a^2*c^3*d^3*e^3)*g^4)*x^3 + 6*(462*c^5*d^5*e*f^3*g + 99*(7*c^5*d^6 - 6*a*c^4*d^4*e^2)*f^2*g^2 - 44*(9*a*c^4*d^5*e - 8*a^2*c^3*d^3*e^3)*f*g^3 + 8*(11*a^2*c^3*d^4*e^2 - 10*a^3*c^2*d^2*e^4)*g^4)*x^2 + (1155*c^5*d^5*e*f^4 + 924*(5*c^5*d^6 - 4*a*c^4*d^4*e^2)*f^3*g - 792*(7*a*c^4*d^5*e - 6*a^2*c^3*d^3*e^3)*f^2*g^2 + 352*(9*a^2*c^3*d^4*e^2 - 8*a^3*c^2*d^2*e^4)*f*g^3 - 64*(11*a^3*c^2*d^3*e^3 - 10*a^4*c*d*e^5)*g^4)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^6*d^6*e*x + c^6*d^7)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}(gx + f)^4}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(g*x+f)^4/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2), x, algorithm="giac")
```

```
[Out] integrate((e*x + d)^(3/2)*(g*x + f)^4/sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x), x)
```

**maple** [A] time = 0.01, size = 641, normalized size = 1.28

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^{(3/2)}*(g*x+f)^4/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^{(1/2)}, x)$

[Out]  $-2/3465*(c*d*x+a*e)*(-315*c^5*d^5*e*g^4*x^5+350*a*c^4*d^4*e^2*g^4*x^4-385*c^5*d^6*g^4*x^4-1540*c^5*d^5*e*f*g^3*x^4-400*a^2*c^3*d^3*e^3*g^4*x^3+440*a*c^4*d^5*e*g^4*x^3+1760*a*c^4*d^4*e^2*f*g^3*x^3-1980*c^5*d^6*f*g^3*x^3-2970*c^5*d^5*e*f^2*g^2*x^3+480*a^3*c^2*d^2*e^4*g^4*x^2-528*a^2*c^3*d^4*e^2*g^4*x^2-2112*a^2*c^3*d^3*e^3*f*g^3*x^2+2376*a*c^4*d^5*e*f*g^3*x^2+3564*a*c^4*d^4*e^2*f^2*g^2*x^2-4158*c^5*d^6*f^2*g^2*x^2-2772*c^5*d^5*e*f^3*g*x^2-640*a^4*c*d*e^5*g^4*x+704*a^3*c^2*d^3*e^3*g^4*x+2816*a^3*c^2*d^2*e^4*f*g^3*x-3168*a^2*c^3*d^4*e^2*f*g^3*x-4752*a^2*c^3*d^3*e^3*f^2*g^2*x+5544*a*c^4*d^5*e*f^2*g^2*x+3696*a*c^4*d^4*e^2*f^3*g*x-4620*c^5*d^6*f^3*g*x-1155*c^5*d^5*e*f^4*x+1280*a^5*e^6*g^4-1408*a^4*c*d^2*e^4*g^4-5632*a^4*c*d*e^5*f*g^3+6336*a^3*c^2*d^3*e^3*f*g^3+9504*a^3*c^2*d^2*e^4*f^2*g^2-11088*a^2*c^3*d^4*e^2*f^2*g^2-7392*a^2*c^3*d^3*e^3*f^3*g+9240*a*c^4*d^5*e*f^3*g+2310*a*c^4*d^4*e^2*f^4-3465*c^5*d^6*f^4)*(e*x+d)^{(1/2)}/c^6/d^6/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^{(1/2)}$

**maxima** [A] time = 0.74, size = 693, normalized size = 1.38

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)^{(3/2)}*(g*x+f)^4/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^{(1/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out]  $2/3*(c^2*d^2*e*x^2 + 3*a*c*d^2*e - 2*a^2*e^3 + (3*c^2*d^3 - a*c*d*e^2)*x)*f^4/(\text{sqrt}(c*d*x + a*e)*c^2*d^2) + 8/15*(3*c^3*d^3*e*x^3 - 10*a^2*c*d^2*e^2 + 8*a^3*e^4 + (5*c^3*d^4 - a*c^2*d^2*e^2)*x^2 - (5*a*c^2*d^3*e - 4*a^2*c*d*e^3)*x)*f^3*g/(\text{sqrt}(c*d*x + a*e)*c^3*d^3) + 4/35*(15*c^4*d^4*e*x^4 + 56*a^3*c*d^2*e^3 - 48*a^4*e^5 + 3*(7*c^4*d^5 - a*c^3*d^3*e^2)*x^3 - (7*a*c^3*d^4*e - 6*a^2*c^2*d^2*e^3)*x^2 + 4*(7*a^2*c^2*d^3*e^2 - 6*a^3*c*d*e^4)*x)*f^2*g^2/(\text{sqrt}(c*d*x + a*e)*c^4*d^4) + 8/315*(35*c^5*d^5*e*x^5 - 144*a^4*c*d^2*e^4 + 128*a^5*e^6 + 5*(9*c^5*d^6 - a*c^4*d^4*e^2)*x^4 - (9*a*c^4*d^5*e - 8*a^2*c^3*d^3*e^3)*x^3 + 2*(9*a^2*c^3*d^4*e^2 - 8*a^3*c^2*d^2*e^4)*x^2 - 8*(9*a^3*c^2*d^3*e^3 - 8*a^4*c*d*e^5)*x)*f*g^3/(\text{sqrt}(c*d*x + a*e)*c^5*d^5) + 2/3465*(315*c^6*d^6*e*x^6 + 1408*a^5*c*d^2*e^5 - 1280*a^6*e^7 + 35*(11*c^6*d^7 - a*c^5*d^5*e^2)*x^5 - 5*(11*a*c^5*d^6*e - 10*a^2*c^4*d^4*e^3)*x^4 + 8*(11*a^2*c^4*d^5*e^2 - 10*a^3*c^3*d^3*e^4)*x^3 - 16*(11*a^3*c^3*d^4*e^3 - 10*a^4*c^2*d^2*e^5)*x^2 + 64*(11*a^4*c^2*d^3*e^4 - 10*a^5*c*d*e^6)*x)*g^4/(\text{sqrt}(c*d*x + a*e)*c^6*d^6)$

**mupad** [B] time = 4.09, size = 653, normalized size = 1.30

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f + g*x)^4*(d + e*x)^(3/2))/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2),x)
```

```
[Out] ((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)*((2*g^4*x^5*(d + e*x)^(1/2))
/(11*c*d) - ((d + e*x)^(1/2)*(2560*a^5*e^6*g^4 - 6930*c^5*d^6*f^4 + 4620*a*
c^4*d^4*e^2*f^4 - 2816*a^4*c*d^2*e^4*g^4 - 14784*a^2*c^3*d^3*e^3*f^3*g + 12
672*a^3*c^2*d^3*e^3*f*g^3 + 18480*a*c^4*d^5*e*f^3*g - 11264*a^4*c*d*e^5*f*g
^3 - 22176*a^2*c^3*d^4*e^2*f^2*g^2 + 19008*a^3*c^2*d^2*e^4*f^2*g^2))/(3465*
c^6*d^6*e) + (x*(d + e*x)^(1/2)*(2310*c^5*d^5*e*f^4 + 9240*c^5*d^6*f^3*g -
1408*a^3*c^2*d^3*e^3*g^4 + 1280*a^4*c*d*e^5*g^4 - 7392*a*c^4*d^4*e^2*f^3*g
- 11088*a*c^4*d^5*e*f^2*g^2 + 6336*a^2*c^3*d^4*e^2*f*g^3 - 5632*a^3*c^2*d^2
*e^4*f*g^3 + 9504*a^2*c^3*d^3*e^3*f^2*g^2))/(3465*c^6*d^6*e) + (x^2*(d + e
x)^(1/2)*(8316*c^5*d^6*f^2*g^2 + 1056*a^2*c^3*d^4*e^2*g^4 - 960*a^3*c^2*d^2
*e^4*g^4 + 5544*c^5*d^5*e*f^3*g - 7128*a*c^4*d^4*e^2*f^2*g^2 + 4224*a^2*c^3
*d^3*e^3*f*g^3 - 4752*a*c^4*d^5*e*f*g^3))/(3465*c^6*d^6*e) + (4*g^2*x^3*(d
+ e*x)^(1/2)*(40*a^2*e^3*g^2 + 297*c^2*d^2*e*f^2 + 198*c^2*d^3*f*g - 44*a*c
*d^2*e*g^2 - 176*a*c*d*e^2*f*g))/(693*c^3*d^3*e) + (2*g^3*x^4*(d + e*x)^(1/
2)*(11*c*d^2*g - 10*a*e^2*g + 44*c*d*e*f))/(99*c^2*d^2*e)))/(x + d/e)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(3/2)*(g*x+f)**4/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)
```

```
[Out] Timed out
```

$$3.535 \quad \int \frac{(d+ex)^{3/2}(f+gx)^3}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=412

$$\frac{16\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^2(8ae^2g+cd(ef-9dg))(2ae^2g-cd(3ef-dg))}{315c^5d^5eg\sqrt{d+ex}} - \frac{16\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{315c^5d^5eg\sqrt{d+ex}}$$

**Rubi [A]** time = 0.63, antiderivative size = 412, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {880, 870, 794, 648}

$$\frac{2(f+gx)\sqrt{(a^2+cd^2)+ade+cdex^2}(8ae^2g+cd(ef-9dg))}{63c^2d^2g\sqrt{d+ex}} - \frac{4(f+gx)^2\sqrt{(a^2+cd^2)+ade+cdex^2}(cdf-aeg)(8ae^2g+cd(ef-9dg))}{105c^3d^3g\sqrt{d+ex}} - \frac{16\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)^2(8ae^2g+cd(ef-9dg))}{315c^5d^5eg\sqrt{d+ex}} - \frac{16\sqrt{(a^2+cd^2)+ade+cdex^2}(cdf-aeg)^2(8ae^2g+cd(ef-9dg))(2ae^2g-cd(3ef-dg))}{315c^5d^5eg\sqrt{d+ex}} - \frac{2(f+gx)\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{9dg\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*(f + g\*x)^3)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (16\*(c\*d\*f - a\*e\*g)^2\*(8\*a\*e^2\*g + c\*d\*(e\*f - 9\*d\*g))\*(2\*a\*e^2\*g - c\*d\*(3\*e\*f - d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(315\*c^5\*d^5\*e\*g\*Sqrt[d + e\*x]) - (16\*(c\*d\*f - a\*e\*g)^2\*(8\*a\*e^2\*g + c\*d\*(e\*f - 9\*d\*g))\*Sqrt[d + e\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(315\*c^4\*d^4\*e) - (4\*(c\*d\*f - a\*e\*g)\*(8\*a\*e^2\*g + c\*d\*(e\*f - 9\*d\*g))\*(f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/((105\*c^3\*d^3\*g\*Sqrt[d + e\*x]) - (2\*(8\*a\*e^2\*g + c\*d\*(e\*f - 9\*d\*g))\*(f + g\*x)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]))/(63\*c^2\*d^2\*g\*Sqrt[d + e\*x]) + (2\*e\*(f + g\*x)^4\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(9\*c\*d\*g\*Sqrt[d + e\*x])

**Rule 648**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

**Rule 794**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

Rule 870

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n\*(a + b\*x + c\*x^2)^(p + 1)))/(c\*(m - n - 1)), x] - Dist[(n\*(c\*e\*f + c\*d\*g - b\*e\*g))/(c\*e\*(m - n - 1)), Int[(d + e\*x)^(m\*(f + g\*x)^(n - 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2\*p] || IntegerQ[n])

Rule 880

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e^2\*(d + e\*x)^(m - 2)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*g\*(n + p + 2)), x] - Dist[(b\*e\*g\*(n + 1) + c\*e\*f\*(p + 1) - c\*d\*g\*(2\*n + p + 3))/(c\*g\*(n + p + 2)), Int[(d + e\*x)^(m - 1)\*(f + g\*x)^(n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p - 1, 0] && !LtQ[n, -1] && IntegerQ[2\*p]

Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex)^{3/2}(f + gx)^3}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx &= \frac{2e(f + gx)^4 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{9cdg\sqrt{d + ex}} - \frac{1}{9} \left( -9d + \frac{8ae^2}{cd} + \frac{ef}{g} \right) \int \frac{1}{\sqrt{d + ex}} dx \\
 &= -\frac{2(8ae^2g + cd(ef - 9dg))(f + gx)^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{63c^2d^2g\sqrt{d + ex}} + \frac{2e}{9} \int \frac{1}{\sqrt{d + ex}} dx \\
 &= -\frac{4(cdf - aeg)(8ae^2g + cd(ef - 9dg))(f + gx)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{105c^3d^3g\sqrt{d + ex}} + \frac{2e}{9} \int \frac{1}{\sqrt{d + ex}} dx \\
 &= -\frac{16(cdf - aeg)^2(8ae^2g + cd(ef - 9dg))\sqrt{d + ex} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{315c^4d^4e} + \frac{2e}{9} \int \frac{1}{\sqrt{d + ex}} dx \\
 &= \frac{16(cdf - aeg)^2(8ae^2g + cd(ef - 9dg))(2ae^2g - cd(3ef - dg))\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{315c^5d^5eg\sqrt{d + ex}} + \frac{2e}{9} \int \frac{1}{\sqrt{d + ex}} dx
 \end{aligned}$$

**Mathematica [A]** time = 0.27, size = 264, normalized size = 0.64

$$\frac{2\sqrt{d+ex}(ae+cd5)(128a^4e^3g^3-16a^3cde^2g^2(9dg+27f+4egx)+24a^2c^2d^2e^2g(3dg(7f+gx)+e(21f^2+9fgx+2g^2x^2))-2ac^2d^2e(9dg(35f^2+14fgx+3g^2x^2)+e(105f^3+126f^2gx+81fg^2x^2+20g^3x^3))+c^4d^4(9d(35f^2+35f^2gx+21fg^2x^2+5g^3x^3)+ex(105f^3+189f^2gx+135fg^2x^2+35g^3x^3)))}{315c^5d^5\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(3/2)\*(f + g\*x)^3)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(128\*a^4\*e^5\*g^3 - 16\*a^3\*c\*d\*e^3\*g^2\*(27\*e\*f + 9\*d\*g + 4\*e\*g\*x) + 24\*a^2\*c^2\*d^2\*e^2\*g\*(3\*d\*g\*(7\*f + g\*x) + e\*(21\*f^2 + 9\*f\*g\*x + 2\*g^2\*x^2)) - 2\*a\*c^3\*d^3\*e\*(9\*d\*g\*(35\*f^2 + 14\*f\*g\*x + 3\*g^2\*x^2) + e\*(105\*f^3 + 126\*f^2\*g\*x + 81\*f\*g^2\*x^2 + 20\*g^3\*x^3)) + c^4\*d^4\*(9\*d\*(35\*f^3 + 35\*f^2\*g\*x + 21\*f\*g^2\*x^2 + 5\*g^3\*x^3) + e\*x\*(105\*f^3 + 189\*f^2\*g\*x + 135\*f\*g^2\*x^2 + 35\*g^3\*x^3)))/(315\*c^5\*d^5\*Sqrt[d + e\*x])

**IntegrateAlgebraic [A]** time = 1.40, size = 676, normalized size = 1.64

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(3/2)\*(f + g\*x)^3)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e]\*(210\*c^4\*d^5\*e^3\*f^3 - 210\*a\*c^3\*d^3\*e^5\*f^3 - 126\*c^4\*d^6\*e^2\*f^2\*g - 378\*a\*c^3\*d^4\*e^4\*f^2\*g + 504\*a^2\*c^2\*d^2\*e^6\*f^2\*g + 54\*c^4\*d^7\*e\*f\*g^2 + 90\*a\*c^3\*d^5\*e^3\*f\*g^2 + 288\*a^2\*c^2\*d^3\*e^5\*f\*g^2 - 432\*a^3\*c\*d\*e^7\*f\*g^2 - 10\*c^4\*d^8\*g^3 - 14\*a\*c^3\*d^6\*e^2\*g^3 - 24\*a^2\*c^2\*d^4\*e^4\*g^3 - 80\*a^3\*c\*d^2\*e^6\*g^3 + 128\*a^4\*e^8\*g^3 + 105\*c^4\*d^4\*e^3\*f^3\*(d + e\*x) - 63\*c^4\*d^5\*e^2\*f^2\*g\*(d + e\*x) - 252\*a\*c^3\*d^3\*e^4\*f^2\*g\*(d + e\*x) + 27\*c^4\*d^6\*e\*f\*g^2\*(d + e\*x) + 72\*a\*c^3\*d^4\*e^3\*f\*g^2\*(d + e\*x) + 216\*a^2\*c^2\*d^2\*e^5\*f\*g^2\*(d + e\*x) - 5\*c^4\*d^7\*g^3\*(d + e\*x) - 12\*a\*c^3\*d^5\*e^2\*g^3\*(d + e\*x) - 24\*a^2\*c^2\*d^3\*e^4\*g^3\*(d + e\*x) - 64\*a^3\*c\*d\*e^6\*g^3\*(d + e\*x) + 189\*c^4\*d^4\*e^2\*f^2\*g\*(d + e\*x)^2 - 216\*c^4\*d^5\*e\*f\*g^2\*(d + e\*x)^2 - 162\*a\*c^3\*d^3\*e^3\*f\*g^2\*(d + e\*x)^2 + 75\*c^4\*d^6\*g^3\*(d + e\*x)^2 + 66\*a\*c^3\*d^4\*e^2\*g^3\*(d + e\*x)^2 + 48\*a^2\*c^2\*d^2\*e^4\*g^3\*(d + e\*x)^2 + 135\*c^4\*d^4\*e\*f\*g^2\*(d + e\*x)^3 - 95\*c^4\*d^5\*g^3\*(d + e\*x)^3 - 40\*a\*c^3\*d^3\*e^2\*g^3\*(d + e\*x)^3 + 35\*c^4\*d^4\*g^3\*(d + e\*x)^4))/(315\*c^5\*d^5\*e^3\*Sqrt[d + e\*x])

**fricas [A]** time = 0.42, size = 408, normalized size = 0.99

$$\frac{2(8a^4c^2g^3 + 105(3a^4e - 2ac^2d^2)f^2 - 126(5a^3c^2e - 4a^2c^2d^2)f^2 + 72(7a^2c^2d^2e - 6a^2cd^2)f^2 - 16(9a^2cd^2e^2 - 8a^2d^2)f^2 + 5(27c^4d^2f^2 + (c^4d^2 - 8ac^2d^2)f^2) + 3(63c^4d^2f^2 + 9(7c^4d^2 - 6ac^2d^2)f^2 - 2(6ac^2d^2e - 8a^2c^2d^2)f^2) + (105c^4d^2f^2 + 63(5c^4d^2 - 4ac^2d^2)f^2 - 36(7a^3c^2e - 6a^2c^2d^2)f^2 + 9(9a^2c^2d^2e - 8a^2cd^2)f^2))\sqrt{d+ex} + a*d*e + (c*d^2 + a*e^2)\sqrt{d+ex}}{315(c^5d^5 + c^4d^4e)}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] 2/315\*(35\*c^4\*d^4\*e\*g^3\*x^4 + 105\*(3\*c^4\*d^5 - 2\*a\*c^3\*d^3\*e^2)\*f^3 - 126\*(5\*a\*c^3\*d^4\*e - 4\*a^2\*c^2\*d^2\*e^3)\*f^2\*g + 72\*(7\*a^2\*c^2\*d^3\*e^2 - 6\*a^3\*c\*d\*e^4)\*f\*g^2 - 16\*(9\*a^3\*c\*d^2\*e^3 - 8\*a^4\*e^5)\*g^3 + 5\*(27\*c^4\*d^4\*e\*f\*g^2 + (9\*c^4\*d^5 - 8\*a\*c^3\*d^3\*e^2)\*g^3)\*x^3 + 3\*(63\*c^4\*d^4\*e\*f^2\*g + 9\*(7\*c^4\*d^5 - 6\*a\*c^3\*d^3\*e^2)\*f\*g^2 - 2\*(9\*a\*c^3\*d^4\*e - 8\*a^2\*c^2\*d^2\*e^3)\*g^3)\*x^2 + (105\*c^4\*d^4\*e\*f^3 + 63\*(5\*c^4\*d^5 - 4\*a\*c^3\*d^3\*e^2)\*f^2\*g - 36\*(7\*a\*c^3\*d^4\*e - 6\*a^2\*c^2\*d^2\*e^3)\*f\*g^2 + 8\*(9\*a^2\*c^2\*d^3\*e^2 - 8\*a^3\*c\*d\*e^4)\*g^3)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^5\*d^5\*e\*x + c^5\*d^6)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{\frac{3}{2}}(gx+f)^3}{\sqrt{cdex^2+ade+(cd^2+ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="giac")

[Out] integrate((e\*x + d)^(3/2)\*(g\*x + f)^3/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x), x)

**maple** [A] time = 0.01, size = 425, normalized size = 1.03

$\frac{2(dx+e)(35c^4d^4e^2g^3x^4-40c^4d^4e^2fg^3x^3+45c^4d^5e^2g^3x^3+135c^4d^4e^2f^2g^2x^3+48a^2c^2d^2e^3g^3x^2-54a^2c^3d^4e^2fg^3x^2-162a^2c^3d^3e^2f^2g^2x^2+189c^4d^5e^2fg^2x^2+189c^4d^4e^2f^2g^2x^2-64a^3c^3d^4e^2fg^3x+72a^2c^2d^3e^2fg^3x+216a^2c^2d^2e^3f^2g^2x-252a^2c^3d^4e^2fg^2x-252a^2c^3d^3e^2f^2g^2x+315c^4d^5e^2fg^2x+105c^4d^4e^2f^3x+128a^4e^5g^3-144a^3c^3d^2e^3g^3-432a^3c^3d^4e^2fg^2+504a^2c^2d^3e^2fg^2+504a^2c^2d^2e^3f^2g-630a^2c^3d^4e^2fg^2-210a^2c^3d^3e^2f^3+315c^4d^5e^2fg^3)(e*x+d)^{1/2}}{c^5d^5(e*x^2+ax+ae^2)^{1/2}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)\*(g\*x+f)^3/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2), x)

[Out] 2/315\*(c\*d\*x+a\*e)\*(35\*c^4\*d^4\*e\*g^3\*x^4-40\*a\*c^3\*d^3\*e^2\*g^3\*x^3+45\*c^4\*d^5\*e\*g^3\*x^3+135\*c^4\*d^4\*e\*f\*g^2\*x^3+48\*a^2\*c^2\*d^2\*e^3\*g^3\*x^2-54\*a\*c^3\*d^4\*e\*f\*g^3\*x^2-162\*a\*c^3\*d^3\*e^2\*f\*g^2\*x^2+189\*c^4\*d^5\*f\*g^2\*x^2+189\*c^4\*d^4\*e\*f^2\*g\*x^2-64\*a^3\*c\*d\*e^4\*g^3\*x+72\*a^2\*c^2\*d^3\*e^2\*g^3\*x+216\*a^2\*c^2\*d^2\*e^3\*f\*g^2\*x-252\*a\*c^3\*d^4\*e\*f\*g^2\*x-252\*a\*c^3\*d^3\*e^2\*f^2\*g\*x+315\*c^4\*d^5\*f^2\*g\*x+105\*c^4\*d^4\*e\*f^3\*x+128\*a^4\*e^5\*g^3-144\*a^3\*c\*d^2\*e^3\*g^3-432\*a^3\*c\*d^4\*e^2\*f\*g^2+504\*a^2\*c^2\*d^3\*e^2\*f\*g^2+504\*a^2\*c^2\*d^2\*e^3\*f^2\*g-630\*a\*c^3\*d^4\*e\*f^2\*g-210\*a\*c^3\*d^3\*e^2\*f^3+315\*c^4\*d^5\*f^3)\*(e\*x+d)^(1/2)/c^5/d^5/(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)

**maxima** [A] time = 0.69, size = 484, normalized size = 1.17

$\frac{2(c^4d^4e^2g^3x^4-40c^4d^4e^2fg^3x^3+45c^4d^5e^2g^3x^3+135c^4d^4e^2f^2g^2x^3+48a^2c^2d^2e^3g^3x^2-54a^2c^3d^4e^2fg^3x^2-162a^2c^3d^3e^2f^2g^2x^2+189c^4d^5e^2fg^2x^2+189c^4d^4e^2f^2g^2x^2-64a^3c^3d^4e^2fg^3x+72a^2c^2d^3e^2fg^3x+216a^2c^2d^2e^3f^2g^2x-252a^2c^3d^4e^2fg^2x-252a^2c^3d^3e^2f^2g^2x+315c^4d^5e^2fg^2x+105c^4d^4e^2f^3x+128a^4e^5g^3-144a^3c^3d^2e^3g^3-432a^3c^3d^4e^2fg^2+504a^2c^2d^3e^2fg^2+504a^2c^2d^2e^3f^2g-630a^2c^3d^4e^2fg^2-210a^2c^3d^3e^2f^3+315c^4d^5e^2fg^3)(e*x+d)^{1/2}}{35\sqrt{dx+ae^2}c^5d^5(e*x^2+ax+ae^2)^{1/2}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="maxima")

[Out]  $\frac{2}{3}(c^2d^2e^2x^2 + 3ac^2d^2e - 2a^2e^3 + (3c^2d^3 - ac^2de^2)x) \sqrt{c^2d^2e^2x^2 + 3ac^2d^2e - 2a^2e^3} + \frac{2}{5}(3c^3d^3e^2x^3 - 10a^2c^2d^2e^2 + 8a^3e^4 + (5c^3d^4 - ac^2d^2e^2)x^2 - (5ac^2d^3e - 4a^2c^2de^3)x) \sqrt{c^3d^3e^2x^3 - 10a^2c^2d^2e^2 + 8a^3e^4} + \frac{2}{35}(15c^4d^4e^2x^4 + 56a^3c^3d^2e^3 - 48a^4e^5 + 3(7c^4d^5 - ac^3d^3e^2)x^3 - (7ac^3d^4e - 6a^2c^2d^2e^3)x^2 + 4(7a^2c^2d^3e^2 - 6a^3c^2de^4)x) \sqrt{c^4d^4e^2x^4 + 56a^3c^3d^2e^3 - 48a^4e^5} + \frac{2}{315}(35c^5d^5e^2x^5 - 144a^4c^4d^2e^4 + 128a^5e^6 + 5(9c^5d^6 - ac^4d^4e^2)x^4 - (9ac^4d^5e - 8a^2c^3d^3e^3)x^3 + 2(9a^2c^3d^4e^2 - 8a^3c^2d^2e^4)x^2 - 8(9a^3c^2d^3e^3 - 8a^4c^2de^5)x) \sqrt{c^5d^5e^2x^5 - 144a^4c^4d^2e^4 + 128a^5e^6}$

**mupad [B]** time = 3.86, size = 438, normalized size = 1.06

$$\frac{\sqrt{cdex^2 + (d^2 + ae^2)x + ade} \left( \frac{\sqrt{cdex^2 + (d^2 + ae^2)x + ade} (228cd^2e^2x^2 - 288cd^2e^2x - 384d^2e^2) \sqrt{cdex^2 + (d^2 + ae^2)x + ade} + 228cd^2e^2x^2 - 288cd^2e^2x - 384d^2e^2}{228cd^2e^2} + \frac{\sqrt{cdex^2 + (d^2 + ae^2)x + ade} (128cd^2e^2x^2 - 144cd^2e^2x - 144cd^2e^2) \sqrt{cdex^2 + (d^2 + ae^2)x + ade} + 128cd^2e^2x^2 - 144cd^2e^2x - 144cd^2e^2}{128cd^2e^2} + \frac{\sqrt{cdex^2 + (d^2 + ae^2)x + ade} (35cd^2e^2x^2 - 144cd^2e^2x - 144cd^2e^2) \sqrt{cdex^2 + (d^2 + ae^2)x + ade} + 35cd^2e^2x^2 - 144cd^2e^2x - 144cd^2e^2}{35cd^2e^2} \right)}{x + d/e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^3\*(d + e\*x)^(3/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2), x)

[Out]  $\frac{(x(ae^2 + cd^2) + ade + cde^2x^2)^{1/2} \left( (d + ex)^{1/2} (256a^4e^5g^3 + 630c^4d^5f^3 - 420ac^3d^3e^2f^3 - 288a^3c^2d^2e^3g^3 + 1008a^2c^2d^2e^3f^2g + 1008a^2c^2d^3e^2f^2g^2 - 1260ac^3d^4e^4f^2g - 864a^3c^2d^2e^4f^2g^2) \sqrt{c^5d^5e^2x^5 + (2ae^2d^2 + c^2d^2e^2)x^4 + (2ae^2d^2 + c^2d^2e^2)x^3 + (2ae^2d^2 + c^2d^2e^2)x^2 + (2ae^2d^2 + c^2d^2e^2)x + (2ae^2d^2 + c^2d^2e^2)} \right) + (2g^3x^4(d + ex)^{1/2}) \sqrt{c^5d^5e^2x^5 + (2ae^2d^2 + c^2d^2e^2)x^4 + (2ae^2d^2 + c^2d^2e^2)x^3 + (2ae^2d^2 + c^2d^2e^2)x^2 + (2ae^2d^2 + c^2d^2e^2)x + (2ae^2d^2 + c^2d^2e^2)} + (x(d + ex)^{1/2} (210c^4d^4e^2f^3 + 630c^4d^5f^2g + 144a^2c^2d^3e^2g^3 - 128a^3c^2d^2e^4g^3 - 504ac^3d^3e^2f^2g + 432a^2c^2d^2e^3f^2g^2 - 504ac^3d^4e^4f^2g^2) \sqrt{c^5d^5e^2x^5 + (2ae^2d^2 + c^2d^2e^2)x^4 + (2ae^2d^2 + c^2d^2e^2)x^3 + (2ae^2d^2 + c^2d^2e^2)x^2 + (2ae^2d^2 + c^2d^2e^2)x + (2ae^2d^2 + c^2d^2e^2)} + (2g^2x^3(d + ex)^{1/2} (16a^2e^3g^2 + 63c^2d^2e^2f^2 + 63c^2d^3f^2g - 18ac^2d^2e^2g^2 - 54ac^2d^2e^2f^2g) \sqrt{c^3d^3e^2x^3 + (2ae^2d^2 + c^2d^2e^2)x^2 + (2ae^2d^2 + c^2d^2e^2)x + (2ae^2d^2 + c^2d^2e^2)} + (2g^2x^3(d + ex)^{1/2} (9cd^2g - 8ae^2g + 27cde^2f) \sqrt{c^2d^2e^2x^2 + (2ae^2d^2 + c^2d^2e^2)x + (2ae^2d^2 + c^2d^2e^2)}) \sqrt{c^2d^2e^2x^2 + (2ae^2d^2 + c^2d^2e^2)x + (2ae^2d^2 + c^2d^2e^2)}}{x + d/e}$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^{\frac{3}{2}} (f + gx)^3}{\sqrt{(d + ex)(ae + cdx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)\*(g\*x+f)\*\*3/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2), x)

[Out] Integral((d + e\*x)\*\*(3/2)\*(f + g\*x)\*\*3/sqrt((d + e\*x)\*(a\*e + c\*d\*x)), x)

$$3.536 \quad \int \frac{(d+ex)^{3/2}(f+gx)^2}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=321

$$\frac{8\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)(6ae^2g+cd(ef-7dg))(2ae^2g-cd(3ef-dg))}{105c^4d^4eg\sqrt{d+ex}} - \frac{8\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)(6ae^2g+cd(ef-7dg))(2ae^2g-cd(3ef-dg))}{7cdg\sqrt{d+ex}}$$

**Rubi [A]** time = 0.42, antiderivative size = 321, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {880, 870, 794, 648}

$$\frac{2(f+gx)^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}(6ae^2g+cd(ef-7dg))}{35c^2d^2g\sqrt{d+ex}} - \frac{8\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)(6ae^2g+cd(ef-7dg))}{105c^4d^4eg\sqrt{d+ex}} + \frac{8\sqrt{x(ae^2+cd^2)+ade+cdex^2}(cdf-aeg)(6ae^2g+cd(ef-7dg))(2ae^2g-cd(3ef-dg))}{105c^4d^4eg\sqrt{d+ex}} + \frac{2e(f+gx)^2\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{7cdg\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*(f + g\*x)^2)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (8\*(c\*d\*f - a\*e\*g)\*(6\*a\*e^2\*g + c\*d\*(e\*f - 7\*d\*g))\*(2\*a\*e^2\*g - c\*d\*(3\*e\*f - d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(105\*c^4\*d^4\*e\*g\*Sqrt[d + e\*x]) - (8\*(c\*d\*f - a\*e\*g)\*(6\*a\*e^2\*g + c\*d\*(e\*f - 7\*d\*g))\*Sqrt[d + e\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(105\*c^3\*d^3\*e) - (2\*(6\*a\*e^2\*g + c\*d\*(e\*f - 7\*d\*g))\*(f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(35\*c^2\*d^2\*g\*Sqrt[d + e\*x]) + (2\*e\*(f + g\*x)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]/(7\*c\*d\*g\*Sqrt[d + e\*x]))

### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rule 870

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[(e*(d + e*x)^(m - 1)*(f + g*x)^n*(
a + b*x + c*x^2)^(p + 1))/(c*(m - n - 1)), x] - Dist[(n*(c*e*f + c*d*g - b*
e*g))/(c*e*(m - n - 1)), Int[(d + e*x)^m*(f + g*x)^(n - 1)*(a + b*x + c*x^2
)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e*f - d*g, 0] &&
& NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p] &&
EqQ[m + p, 0] && GtQ[n, 0] && NeQ[m - n - 1, 0] && (IntegerQ[2*p] || IntegerQ[n])
```

### Rule 880

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e^2*(d + e*x)^(m - 2)*(f + g*x)^(n
+ 1)*(a + b*x + c*x^2)^(p + 1))/(c*g*(n + p + 2)), x] - Dist[(b*e*g*(n + 1
) + c*e*f*(p + 1) - c*d*g*(2*n + p + 3))/(c*g*(n + p + 2)), Int[(d + e*x)^(
m - 1)*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f,
g, m, n, p}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 -
b*d*e + a*e^2, 0] && !IntegerQ[p] && EqQ[m + p - 1, 0] && !LtQ[n, -1] &&
IntegerQ[2*p]
```

### Rubi steps

$$\int \frac{(d + ex)^{3/2}(f + gx)^2}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx = \frac{2e(f + gx)^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{7cdg\sqrt{d + ex}} - \frac{1}{7} \left( -7d + \frac{6ae^2}{cd} + \frac{ef}{g} \right) \int \frac{1}{\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx$$

$$= -\frac{2(6ae^2g + cd(ef - 7dg))(f + gx)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{35c^2d^2g\sqrt{d + ex}} + \frac{2e(f + gx)^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{105c^3d^3e}$$

$$= -\frac{8(cdf - aeg)(6ae^2g + cd(ef - 7dg))\sqrt{d + ex} \sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{105c^3d^3e}$$

$$= \frac{8(cdf - aeg)(6ae^2g + cd(ef - 7dg))(2ae^2g - cd(3ef - dg))\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{105c^4d^4eg\sqrt{d + ex}}$$

**Mathematica [A]** time = 0.18, size = 169, normalized size = 0.53

$$\frac{2\sqrt{(d + ex)(ae + cdx)}(-48a^3e^4g^2 + 8a^2cde^2g(7dg + 14ef + 3egx) - 2ac^2d^2e(14dg(5f + gx) + e(35f^2 + 28fgx + 9g^2x^2)) + c^3d^3(7d(15f^2 + 10fgx + 3g^2x^2) + ex(35f^2 + 42fgx + 15g^2x^2)))}{105c^4d^4\sqrt{d + ex}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(3/2)\*(f + g\*x)^2)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-48\*a^3\*e^4\*g^2 + 8\*a^2\*c\*d\*e^2\*g\*(14\*e\*f + 7\*d\*g + 3\*e\*g\*x) - 2\*a\*c^2\*d^2\*e\*(14\*d\*g\*(5\*f + g\*x) + e\*(35\*f^2 + 28\*f\*g\*x + 9\*g^2\*x^2)) + c^3\*d^3\*(7\*d\*(15\*f^2 + 10\*f\*g\*x + 3\*g^2\*x^2) + e\*x\*(35\*f^2 + 42\*f\*g\*x + 15\*g^2\*x^2)))/(105\*c^4\*d^4\*sqrt[d + e\*x])

**IntegrateAlgebraic [A]** time = 0.80, size = 365, normalized size = 1.14

$$\frac{2\sqrt{(d+e)x} \sqrt{aex+cd^2+ae^2x^2} (-48a^3e^4g^2 + 8a^2cd^2e^2g(14ef+7dg+3egx) - 2ac^2d^2e(14dg(5f+gx) + e(35f^2+28fgx+9g^2x^2)) + c^3d^3(7d(15f^2+10fgx+3g^2x^2) + ex(35f^2+42fgx+15g^2x^2)))}{105c^4d^4\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(3/2)\*(f + g\*x)^2)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e]\*(70\*c^3\*d^4\*e^2\*f^2 - 70\*a\*c^2\*d^2\*e^4\*f^2 - 28\*c^3\*d^5\*e\*f\*g - 84\*a\*c^2\*d^3\*e^3\*f\*g + 112\*a^2\*c\*d\*e^5\*f\*g + 6\*c^3\*d^6\*g^2 + 10\*a\*c^2\*d^4\*e^2\*g^2 + 32\*a^2\*c\*d^2\*e^4\*g^2 - 48\*a^3\*e^6\*g^2 + 35\*c^3\*d^3\*e^2\*f^2\*(d + e\*x) - 14\*c^3\*d^4\*e\*f\*g\*(d + e\*x) - 56\*a\*c^2\*d^2\*e^3\*f\*g\*(d + e\*x) + 3\*c^3\*d^5\*g^2\*(d + e\*x) + 8\*a\*c^2\*d^3\*e^2\*g^2\*(d + e\*x) + 24\*a^2\*c\*d\*e^4\*g^2\*(d + e\*x) + 42\*c^3\*d^3\*e\*f\*g\*(d + e\*x)^2 - 24\*c^3\*d^4\*g^2\*(d + e\*x)^2 - 18\*a\*c^2\*d^2\*e^2\*g^2\*(d + e\*x)^2 + 15\*c^3\*d^3\*g^2\*(d + e\*x)^3))/(105\*c^4\*d^4\*e^2\*sqrt[d + e\*x])

**fricas [A]** time = 0.43, size = 256, normalized size = 0.80

$$\frac{2(15c^3d^3eg^2x^3 + 35(3c^3d^4 - 2ac^2d^2e)f^2 - 28(5ac^2d^3e - 4a^2cd^2e^2)fg + 8(7a^2cd^2e^2 - 6a^3e^4)g^2 + 3(14c^3d^3efg + (7c^3d^4 - 6ac^2d^2e^2)g^2)x^2 + (35c^3d^3ef^2 + 14(5c^3d^4 - 4ac^2d^2e^2)fg - 4(7ac^2d^3e - 6a^2cd^2e^2)g^2)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{105(c^3d^3ex + c^4d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] 2/105\*(15\*c^3\*d^3\*e\*g^2\*x^3 + 35\*(3\*c^3\*d^4 - 2\*a\*c^2\*d^2\*e^2)\*f^2 - 28\*(5\*a\*c^2\*d^3\*e - 4\*a^2\*c\*d\*e^3)\*f\*g + 8\*(7\*a^2\*c\*d^2\*e^2 - 6\*a^3\*e^4)\*g^2 + 3\*(14\*c^3\*d^3\*e\*f\*g + (7\*c^3\*d^4 - 6\*a\*c^2\*d^2\*e^2)\*g^2)\*x^2 + (35\*c^3\*d^3\*e\*f^2 + 14\*(5\*c^3\*d^4 - 4\*a\*c^2\*d^2\*e^2)\*f\*g - 4\*(7\*a\*c^2\*d^3\*e - 6\*a^2\*c\*d\*e^3)\*g^2)\*x)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^4\*d^4\*e\*x + c^4\*d^5)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}(gx + f)^2}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="giac")

[Out] integrate((e\*x + d)^(3/2)\*(g\*x + f)^2/sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x), x)

**maple** [A] time = 0.01, size = 255, normalized size = 0.79

$$\frac{2(cdx + ae)(-15e^2g^2c^3d^3 + 18a^2c^2d^2e^2g^2x^2 - 21c^2d^4g^2x^2 - 42c^2d^3efg^2x - 24a^2cd^2e^2g^2x + 28a^2d^2efg^2x + 56a^2d^2efg^2x - 70c^2d^4fg^2x - 35c^2d^3ef^2x + 48a^2d^2e^2g^2 - 56a^2cd^2e^2g^2 - 112a^2cd^2efg + 140a^2d^2efg + 70a^2c^2d^2f^2 - 105a^2d^2f^2)\sqrt{cx + d}}{105\sqrt{cdx^2 + a^2x + c^2d^2 + ade^2cd^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)\*(g\*x+f)^2/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2), x)

[Out] 
$$-2/105*(c*d*x+a*e)*(-15*c^3*d^3*e*g^2*x^3+18*a*c^2*d^2*e^2*g^2*x^2-21*c^3*d^4*g^2*x^2-42*c^3*d^3*e*f*g*x^2-24*a^2*c*d^2*e^3*g^2*x+28*a*c^2*d^3*e*g^2*x+56*a*c^2*d^2*e^2*f*g*x-70*c^3*d^4*f*g*x-35*c^3*d^3*e*f^2*x+48*a^3*e^4*g^2-56*a^2*c*d^2*e^2*f*g^2-112*a^2*c*d^2*e^3*f*g+140*a*c^2*d^3*e*f*g+70*a*c^2*d^2*e^2*f^2-105*c^3*d^4*f^2)*(e*x+d)^(1/2)/c^4/d^4/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)$$

**maxima** [A] time = 0.63, size = 309, normalized size = 0.96

$$\frac{(c^2d^2ex^2 + 3acd^2e - 2a^2e^2 + (3c^2d^2 - acd^2)x)f^2}{3\sqrt{cdx + ae}c^2d^2} + \frac{4(3c^2d^2ex^2 - 10a^2cd^2e^2 + 8a^3e^4 + (5c^2d^4 - ac^2d^2e^2)x^2 - (5ac^2d^2e - 4a^2cde^2)x)fg}{15\sqrt{cdx + ae}c^3d^3} + \frac{2(15c^4d^4ex^4 + 56a^2cd^2e^3 - 48a^4e^5 + 3(7c^4d^5 - ac^3d^3e^2)x^3 - (7ac^2d^4e - 6a^2c^2d^2e^2)x^2 + 4(7a^2c^2d^3e^2 - 6a^2cde^4)x)g^2}{105\sqrt{cdx + ae}c^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="maxima")

[Out] 
$$2/3*(c^2*d^2*e*x^2 + 3*a*c*d^2*e - 2*a^2*e^3 + (3*c^2*d^3 - a*c*d*e^2)*x)*f^2/(sqrt(c*d*x + a*e)*c^2*d^2) + 4/15*(3*c^3*d^3*e*x^3 - 10*a^2*c*d^2*e^2 + 8*a^3*e^4 + (5*c^3*d^4 - a*c^2*d^2*e^2)*x^2 - (5*a*c^2*d^3*e - 4*a^2*c*d*e^3)*x)*f*g/(sqrt(c*d*x + a*e)*c^3*d^3) + 2/105*(15*c^4*d^4*e*x^4 + 56*a^3*c*d^2*e^3 - 48*a^4*e^5 + 3*(7*c^4*d^5 - a*c^3*d^3*e^2)*x^3 - (7*a*c^3*d^4*e - 6*a^2*c^2*d^2*e^3)*x^2 + 4*(7*a^2*c^2*d^3*e^2 - 6*a^3*c*d*e^4)*x)*g^2/(sqrt(c*d*x + a*e)*c^4*d^4)$$

**mupad** [B] time = 3.71, size = 279, normalized size = 0.87

$$\frac{\sqrt{cde x^2 + (cd^2 + ae^2)x + ade} \left( \frac{2g^2x^3\sqrt{d+ex}}{7cd} - \frac{\sqrt{d+ex}(96a^3d^3g^2 - 112a^2cd^2g^2 - 22a^2cd^2fg + 280a^2d^2efg + 140a^2d^2d^2f^2 - 210c^2d^4f^2)}{105c^4d^4e} + \frac{x\sqrt{d+ex}(48a^2cd^3g^2 - 56a^2d^3eg^2 - 112a^2d^2efg + 140c^2d^4fg + 70c^2d^3ef^2)}{105c^4d^4e} + \frac{2gx^2\sqrt{d+ex}(7c^2d^4 + 14cfd - 6ag^2)}{35c^2d^4e} \right)}{x + \frac{d}{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(d + e\*x)^(3/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2), x)

```
[Out] ((x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)*((2*g^2*x^3*(d + e*x)^(1/2))
/(7*c*d) - ((d + e*x)^(1/2)*(96*a^3*e^4*g^2 - 210*c^3*d^4*f^2 + 140*a*c^2*d
^2*e^2*f^2 - 112*a^2*c*d^2*e^2*g^2 + 280*a*c^2*d^3*e*f*g - 224*a^2*c*d*e^3*
f*g))/(105*c^4*d^4*e) + (x*(d + e*x)^(1/2)*(70*c^3*d^3*e*f^2 + 140*c^3*d^4*
f*g - 56*a*c^2*d^3*e*g^2 + 48*a^2*c*d*e^3*g^2 - 112*a*c^2*d^2*e^2*f*g))/(10
5*c^4*d^4*e) + (2*g*x^2*(d + e*x)^(1/2)*(7*c*d^2*g - 6*a*e^2*g + 14*c*d*e*f
))/(35*c^2*d^2*e)))/(x + d/e)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^{\frac{3}{2}} (f + gx)^2}{\sqrt{(d + ex)(ae + cdx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(3/2)*(g*x+f)**2/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(
1/2),x)
```

```
[Out] Integral((d + e*x)**(3/2)*(f + g*x)**2/sqrt((d + e*x)*(a*e + c*d*x)), x)
```

$$3.537 \quad \int \frac{(d+ex)^{3/2}(f+gx)}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=209

$$\frac{4(cd^2 - ae^2)\sqrt{x(ae^2 + cd^2) + ade + cdex^2} (4ae^2g - cd(5ef - dg))}{15c^3d^3e\sqrt{d + ex}} - \frac{2\sqrt{d + ex}\sqrt{x(ae^2 + cd^2) + ade + cdex^2} (4ae^2g - cd(5ef - dg))}{15c^2d^2e}$$

**Rubi [A]** time = 0.20, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 44,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.068$ , Rules used = {794, 656, 648}

$$\frac{2\sqrt{d+ex}\sqrt{x(ae^2+cd^2)+ade+cdex^2}(4ae^2g-cd(5ef-dg))}{15c^2d^2e} - \frac{4(cd^2-ae^2)\sqrt{x(ae^2+cd^2)+ade+cdex^2}(4ae^2g-cd(5ef-dg))}{15c^3d^3e\sqrt{d+ex}} + \frac{2g(d+ex)^{3/2}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{5cde}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*(f + g\*x))/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (-4\*(c\*d^2 - a\*e^2)\*(4\*a\*e^2\*g - c\*d\*(5\*e\*f - d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(15\*c^3\*d^3\*e\*Sqrt[d + e\*x]) - (2\*(4\*a\*e^2\*g - c\*d\*(5\*e\*f - d\*g))\*Sqrt[d + e\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(15\*c^2\*d^2\*e) + (2\*g\*(d + e\*x)^(3/2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(5\*c\*d\*e)

#### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

#### Rule 656

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 1)), x] + Dist[(Simplify[m + p]\*(2\*c\*d - b\*e))/(c\*(m + 2\*p + 1)), Int[(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && IGtQ[Simplify[m + p], 0]

#### Rule 794

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(g\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1)



))/((c\*(m + 2\*p + 2)), x] + Dist[(m\*(g\*(c\*d - b\*e) + c\*e\*f) + e\*(p + 1)\*(2\*c\*f - b\*g))/(c\*e\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[m + 2\*p + 2, 0] && (NeQ[m, 2] || EqQ[d, 0])

### Rubi steps

$$\begin{aligned} \int \frac{(d+ex)^{3/2}(f+gx)}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= \frac{2g(d+ex)^{3/2}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{5cde} + \frac{1}{5} \left( 5f - \frac{dg}{e} - \frac{4aeg}{cd} \right) \int \frac{1}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx \\ &= -\frac{2(4ae^2g - cd(5ef - dg))\sqrt{d+ex}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{15c^2d^2e} + \frac{2g(d+ex)^{3/2}}{5cde} \\ &= -\frac{4(cd^2 - ae^2)(4ae^2g - cd(5ef - dg))\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{15c^3d^3e\sqrt{d+ex}} - \frac{2g(d+ex)^{3/2}}{5cde} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 96, normalized size = 0.46

$$\frac{2\sqrt{(d+ex)(ae+cdx)}(8a^2e^3g - 2acde(5dg + 5ef + 2egx) + c^2d^2(5d(3f + gx) + ex(5f + 3gx)))}{15c^3d^3\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(3/2)\*(f + g\*x))/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(8\*a^2\*e^3\*g - 2\*a\*c\*d\*e\*(5\*e\*f + 5\*d\*g + 2\*e\*g\*x) + c^2\*d^2\*(5\*d\*(3\*f + g\*x) + e\*x\*(5\*f + 3\*g\*x)))/(15\*c^3\*d^3\*Sqrt[d + e\*x])

**IntegrateAlgebraic [A]** time = 0.41, size = 170, normalized size = 0.81

$$\frac{2\sqrt{ae(d+ex) - \frac{cd^2(d+ex)}{e} + \frac{cd(d+ex)^2}{e}}(8a^2e^4g - 6acd^2e^2g - 10acde^3f - 4acde^2g(d+ex) - 2c^2d^4g + 10c^2d^3ef - c^2d^3g(d+ex) + 5c^2d^2ef(d+ex) + 3c^2d^2g(d+ex)^2)}{15c^3d^3e\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(3/2)\*(f + g\*x))/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out]  $(2\sqrt{-((c*d^2*(d + e*x))/e) + a*e*(d + e*x) + (c*d*(d + e*x)^2)/e}*(10*c^2*d^3*e*f - 10*a*c*d*e^3*f - 2*c^2*d^4*g - 6*a*c*d^2*e^2*g + 8*a^2*e^4*g + 5*c^2*d^2*e*f*(d + e*x) - c^2*d^3*g*(d + e*x) - 4*a*c*d*e^2*g*(d + e*x) + 3*c^2*d^2*g*(d + e*x)^2))/(15*c^3*d^3*e*\sqrt{d + e*x})$

**fricas** [A] time = 0.41, size = 141, normalized size = 0.67

$$\frac{2(3c^2d^2egx^2 + 5(3c^2d^3 - 2acde^2)f - 2(5acd^2e - 4a^2e^3)g + (5c^2d^2ef + (5c^2d^3 - 4acde^2)g)x)\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}\sqrt{ex + d}}{15(c^3d^3ex + c^3d^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(3/2)*(g*x+f)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="fricas")`

[Out]  $2/15*(3*c^2*d^2*e*g*x^2 + 5*(3*c^2*d^3 - 2*a*c*d*e^2)*f - 2*(5*a*c*d^2*e - 4*a^2*e^3)*g + (5*c^2*d^2*e*f + (5*c^2*d^3 - 4*a*c*d*e^2)*g)*x)*\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*\sqrt{e*x + d}/(c^3*d^3*e*x + c^3*d^4)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}(gx + f)}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(3/2)*(g*x+f)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="giac")`

[Out] `integrate((e*x + d)^(3/2)*(g*x + f)/sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x), x)`

**maple** [A] time = 0.00, size = 131, normalized size = 0.63

$$\frac{2(cdx + ae)(3egx^2c^2d^2 - 4acd^2egx + 5c^2d^3gx + 5c^2d^2efx + 8a^2e^3g - 10acd^2eg - 10acd^2ef + 15d^3fc^2)\sqrt{ex + d}}{15\sqrt{cdex^2 + ae^2x + cd^2x + ade}c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(3/2)*(g*x+f)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2),x)`

[Out]  $2/15*(c*d*x+a*e)*(3*c^2*d^2*e*g*x^2-4*a*c*d*e^2*g*x+5*c^2*d^3*g*x+5*c^2*d^2*e*f*x+8*a^2*e^3*g-10*a*c*d^2*e*g-10*a*c*d*e^2*f+15*c^2*d^3*f)*(e*x+d)^(1/2)/c^3/d^3/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)$

**maxima** [A] time = 0.57, size = 168, normalized size = 0.80

$$\frac{2(c^2d^2ex^2 + 3acd^2e - 2a^2e^3 + (3c^2d^3 - acde^2)x)f}{3\sqrt{cdx + ae}c^2d^2} + \frac{2(3c^3d^3ex^3 - 10a^2cd^2e^2 + 8a^3e^4 + (5c^3d^4 - ac^2d^2e^2)x^2 - (5ac^2d^3e - 4a^2cde^3)x)g}{15\sqrt{cdx + ae}c^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x,  
algorithm="maxima")

[Out] 2/3\*(c^2\*d^2\*e\*x^2 + 3\*a\*c\*d^2\*e - 2\*a^2\*e^3 + (3\*c^2\*d^3 - a\*c\*d\*e^2)\*x)\*f  
/(sqrt(c\*d\*x + a\*e)\*c^2\*d^2) + 2/15\*(3\*c^3\*d^3\*e\*x^3 - 10\*a^2\*c\*d^2\*e^2 + 8  
\*a^3\*e^4 + (5\*c^3\*d^4 - a\*c^2\*d^2\*e^2)\*x^2 - (5\*a\*c^2\*d^3\*e - 4\*a^2\*c\*d\*e^3  
)\*x)\*g/(sqrt(c\*d\*x + a\*e)\*c^3\*d^3)

**mupad** [B] time = 3.48, size = 152, normalized size = 0.73

$$\frac{\sqrt{cdex^2 + (cd^2 + ae^2)x + ade} \left( \frac{\sqrt{d+ex} (16ga^2e^3 - 20gacd^2e - 20facde^2 + 30fc^2d^3)}{15c^3d^3e} + \frac{2gx^2\sqrt{d+ex}}{5cd} + \frac{2x\sqrt{d+ex} (5cgd^2 + 5cfde - 4age^2)}{15c^2d^2e} \right)}{x + \frac{d}{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)\*(d + e\*x)^(3/2))/(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/  
2),x)

[Out] ((x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)\*((d + e\*x)^(1/2)\*(16\*a^2\*e^3  
\*g + 30\*c^2\*d^3\*f - 20\*a\*c\*d\*e^2\*f - 20\*a\*c\*d^2\*e\*g))/(15\*c^3\*d^3\*e) + (2\*  
g\*x^2\*(d + e\*x)^(1/2))/(5\*c\*d) + (2\*x\*(d + e\*x)^(1/2)\*(5\*c\*d^2\*g - 4\*a\*e^2\*  
g + 5\*c\*d\*e\*f))/(15\*c^2\*d^2\*e))/(x + d/e)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d+ex)^{\frac{3}{2}}(f+gx)}{\sqrt{(d+ex)(ae+cdx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)\*(g\*x+f)/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2  
,x)

[Out] Integral((d + e\*x)\*\*(3/2)\*(f + g\*x)/sqrt((d + e\*x)\*(a\*e + c\*d\*x)), x)

$$3.538 \quad \int \frac{(d+ex)^{3/2}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=109

$$\frac{4(cd^2 - ae^2) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3c^2d^2\sqrt{d + ex}} + \frac{2\sqrt{d + ex} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3cd}$$

**Rubi [A]** time = 0.06, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 39,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.051$ , Rules used = {656, 648}

$$\frac{4(cd^2 - ae^2) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3c^2d^2\sqrt{d + ex}} + \frac{2\sqrt{d + ex} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3cd}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (4\*(c\*d^2 - a\*e^2)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*c^2\*d^2\*Sqrt[d + e\*x]) + (2\*Sqrt[d + e\*x]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*c\*d)

#### Rule 648

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(p + 1)), x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0]

#### Rule 656

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*(m + 2\*p + 1)), x] + Dist[(Simplify[m + p]\*(2\*c\*d - b\*e))/(c\*(m + 2\*p + 1)), Int[(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && IGtQ[Simplify[m + p], 0]

#### Rubi steps

$$\int \frac{(d+ex)^{3/2}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx = \frac{2\sqrt{d+ex}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3cd} + \frac{\left(2\left(d^2-\frac{ae^2}{c}\right)\right) \int \frac{\sqrt{d+ex}}{\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx}{3d}$$

$$= \frac{4(cd^2-ae^2)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3c^2d^2\sqrt{d+ex}} + \frac{2\sqrt{d+ex}\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3cd}$$

**Mathematica [A]** time = 0.04, size = 54, normalized size = 0.50

$$\frac{2\sqrt{(d+ex)(ae+cdx)}(cd(3d+ex)-2ae^2)}{3c^2d^2\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*(-2\*a\*e^2 + c\*d\*(3\*d + e\*x)))/(3\*c^2\*d^2\*Sqrt[d + e\*x])

**IntegrateAlgebraic [A]** time = 0.00, size = 80, normalized size = 0.73

$$\frac{2(-2ae^2 + 2cd^2 + cd(d+ex))\sqrt{ae(d+ex) - \frac{cd^2(d+ex)}{e} + \frac{cd(d+ex)^2}{e}}}{3c^2d^2\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2], x]

[Out] (2\*(2\*c\*d^2 - 2\*a\*e^2 + c\*d\*(d + e\*x))\*Sqrt[-((c\*d^2\*(d + e\*x))/e) + a\*e\*(d + e\*x) + (c\*d\*(d + e\*x)^2)/e])/(3\*c^2\*d^2\*Sqrt[d + e\*x])

**fricas [A]** time = 0.41, size = 73, normalized size = 0.67

$$\frac{2\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(cdex + 3cd^2 - 2ae^2)\sqrt{ex + d}}{3(c^2d^2ex + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out]  $\frac{2}{3}\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x}*(c*d*e*x + 3*c*d^2 - 2*a*e^2)*\sqrt{e*x + d}/(c^2*d^2*e*x + c^2*d^3)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(3/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="giac")`

[Out] `integrate((e*x + d)^(3/2)/sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x), x)`

**maple** [A] time = 0.00, size = 69, normalized size = 0.63

$$\frac{2(cdx + ae)(-cdex + 2ae^2 - 3cd^2)\sqrt{ex + d}}{3\sqrt{cdex^2 + ae^2x + cd^2x + ade}c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(3/2)/(c*d*e*x^2+a*d*e+(a*e^2+c*d^2)*x)^(1/2),x)`

[Out]  $-2/3*(c*d*x+a*e)*(-c*d*e*x+2*a*e^2-3*c*d^2)*(e*x+d)^(1/2)/c^2/d^2/(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)$

**maxima** [A] time = 0.50, size = 65, normalized size = 0.60

$$\frac{2(c^2d^2ex^2 + 3acd^2e - 2a^2e^3 + (3c^2d^3 - acde^2)x)}{3\sqrt{cdx + ae}c^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(3/2)/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="maxima")`

[Out]  $\frac{2/3*(c^2*d^2*e*x^2 + 3*a*c*d^2*e - 2*a^2*e^3 + (3*c^2*d^3 - a*c*d*e^2)*x)}{\sqrt{c*d*x + a*e}*c^2*d^2}$

**mupad** [B] time = 3.36, size = 85, normalized size = 0.78

$$\frac{\left(\frac{2x\sqrt{d+ex}}{3cd} - \frac{(4ae^2-6cd^2)\sqrt{d+ex}}{3c^2d^2e}\right)\sqrt{cdex^2 + (cd^2 + ae^2)x + ade}}{x + \frac{d}{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^(3/2)/(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2),x)`

[Out] `((2*x*(d + e*x)^(1/2))/(3*c*d) - ((4*a*e^2 - 6*c*d^2)*(d + e*x)^(1/2))/(3*c^2*d^2*e))*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)/(x + d/e)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^{\frac{3}{2}}}{\sqrt{(d + ex)(ae + cdx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(3/2)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)`

[Out] `Integral((d + e*x)**(3/2)/sqrt((d + e*x)*(a*e + c*d*x)), x)`

$$3.539 \quad \int \frac{(d+ex)^{3/2}}{(f+gx)\sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=139

$$\frac{2e\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{cdg\sqrt{d+ex}} - \frac{2(ef-dg)\tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{g^{3/2}\sqrt{cdf-aeg}}$$

**Rubi [A]** time = 0.19, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {880, 874, 205}

$$\frac{2e\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{cdg\sqrt{d+ex}} - \frac{2(ef-dg)\tan^{-1}\left(\frac{\sqrt{g}\sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex}\sqrt{cdf-aeg}}\right)}{g^{3/2}\sqrt{cdf-aeg}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/((f + g\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (2\*e\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(c\*d\*g\*Sqrt[d + e\*x]) - (2\*(e\*f - d\*g)\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(g^(3/2)\*Sqrt[c\*d\*f - a\*e\*g])

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 874

Int[Sqrt[(d\_) + (e\_.)\*(x\_)]/(((f\_.) + (g\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[2\*e^2, Subst[Int[1/(c\*(e\*f + d\*g) - b\*e\*g + e^2\*g\*x^2), x], x, Sqrt[a + b\*x + c\*x^2]/Sqrt[d + e\*x]], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0]

#### Rule 880

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e^2\*(d + e\*x)^(m - 2)\*(f + g\*x)^(n



$+ 1)(a + b*x + c*x^2)^{(p + 1)}/(c*g*(n + p + 2)), x] - \text{Dist}[(b*e*g*(n + 1) + c*e*f*(p + 1) - c*d*g*(2*n + p + 3))/(c*g*(n + p + 2)), \text{Int}[(d + e*x)^{(m - 1)}*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m, n, p\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{!IntegerQ}[p] \&\& \text{EqQ}[m + p - 1, 0] \&\& \text{!LtQ}[n, -1] \&\& \text{IntegerQ}[2*p]$

### Rubi steps

$$\begin{aligned} \int \frac{(d + ex)^{3/2}}{(f + gx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx &= \frac{2e\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{cdg\sqrt{d + ex}} - \frac{\left(2\left(\frac{1}{2}cde^2f - \frac{1}{2}cd^2eg\right)\right) \int \frac{1}{(f + gx)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx}{cdg\sqrt{d + ex}} \\ &= \frac{2e\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{cdg\sqrt{d + ex}} - \frac{(2e^2(ef - dg)) \text{Subst}\left(\int \frac{1}{-e(cx + d)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx\right)}{cdg\sqrt{d + ex}} \\ &= \frac{2e\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{cdg\sqrt{d + ex}} - \frac{2(ef - dg) \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{\sqrt{cdf - aeg}}\right)}{g^{3/2}\sqrt{cdf - aeg}} \end{aligned}$$

**Mathematica [A]** time = 0.11, size = 140, normalized size = 1.01

$$\frac{2\sqrt{d + ex} \left( e\sqrt{g}(ae + cdx)\sqrt{cdf - aeg} + cd(dg - ef)\sqrt{ae + cdx} \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae + cdx}}{\sqrt{cdf - aeg}}\right) \right)}{cdg^{3/2}\sqrt{(d + ex)(ae + cdx)}\sqrt{cdf - aeg}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/((f + g\*x)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (2\*Sqrt[d + e\*x]\*(e\*Sqrt[g]\*Sqrt[c\*d\*f - a\*e\*g]\*(a\*e + c\*d\*x) + c\*d\*(-(e\*f) + d\*g)\*Sqrt[a\*e + c\*d\*x]\*ArcTan[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/Sqrt[c\*d\*f - a\*e\*g]])/(c\*d\*g^(3/2)\*Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [C]** time = 20.82, size = 2866, normalized size = 20.62

Result too large to show

Antiderivative was successfully verified.



$$\begin{aligned} & e*x))/e) + a*e*(d + e*x) + (c*d*(d + e*x)^2/e)]])/(g^{(3/2)}*Sqrt[-2*c*d*e*f \\ & + c*d^2*g + a*e^2*g + (2*I)*Sqrt[c]*Sqrt[d]*Sqrt[e]*Sqrt[-(e*f) + d*g]*Sqr \\ & t[c*d*f - a*e*g]]) + (2*d*Sqrt[e]*Sqrt[c*d*e]*(d + e*x)*ArcTanh[(Sqrt[e]*Sq \\ & rt[-2*c*d*e*f + c*d^2*g + a*e^2*g + (2*I)*Sqrt[c]*Sqrt[d]*Sqrt[e]*Sqrt[-(e* \\ & f) + d*g]*Sqrt[c*d*f - a*e*g]]*Sqrt[d + e*x])/(-(Sqrt[c*d*e]*Sqrt[g]*(d + e \\ & *x)) + e*Sqrt[g]*Sqrt[-((c*d^2*(d + e*x))/e) + a*e*(d + e*x) + (c*d*(d + e* \\ & x)^2/e)])]/(Sqrt[g]*Sqrt[-2*c*d*e*f + c*d^2*g + a*e^2*g + (2*I)*Sqrt[c]*Sq \\ & rt[d]*Sqrt[e]*Sqrt[-(e*f) + d*g]*Sqrt[c*d*f - a*e*g]]) + (2*e^(5/2)*f*Sqrt[ \\ & -((c*d^2*(d + e*x))/e) + a*e*(d + e*x) + (c*d*(d + e*x)^2/e)*ArcTanh[(Sqrt \\ & [e]*Sqrt[-2*c*d*e*f + c*d^2*g + a*e^2*g + (2*I)*Sqrt[c]*Sqrt[d]*Sqrt[e]*Sqr \\ & t[-(e*f) + d*g]*Sqrt[c*d*f - a*e*g]]*Sqrt[d + e*x])/(-(Sqrt[c*d*e]*Sqrt[g]* \\ & (d + e*x)) + e*Sqrt[g]*Sqrt[-((c*d^2*(d + e*x))/e) + a*e*(d + e*x) + (c*d*( \\ & d + e*x)^2/e)])]/(g^{(3/2)}*Sqrt[-2*c*d*e*f + c*d^2*g + a*e^2*g + (2*I)*Sqrt \\ & [c]*Sqrt[d]*Sqrt[e]*Sqrt[-(e*f) + d*g]*Sqrt[c*d*f - a*e*g]]) - (2*d*e^(3/2) \\ & *Sqrt[-((c*d^2*(d + e*x))/e) + a*e*(d + e*x) + (c*d*(d + e*x)^2/e)*ArcTanh \\ & [(Sqrt[e]*Sqrt[-2*c*d*e*f + c*d^2*g + a*e^2*g + (2*I)*Sqrt[c]*Sqrt[d]*Sqrt[ \\ & e]*Sqrt[-(e*f) + d*g]*Sqrt[c*d*f - a*e*g]]*Sqrt[d + e*x])/(-(Sqrt[c*d*e]*Sq \\ & rt[g]*(d + e*x)) + e*Sqrt[g]*Sqrt[-((c*d^2*(d + e*x))/e) + a*e*(d + e*x) + \\ & (c*d*(d + e*x)^2/e)])]/(Sqrt[g]*Sqrt[-2*c*d*e*f + c*d^2*g + a*e^2*g + (2*I) \\ & )*Sqrt[c]*Sqrt[d]*Sqrt[e]*Sqrt[-(e*f) + d*g]*Sqrt[c*d*f - a*e*g]]))/(-(Sqrt \\ & [c*d*e]*(d + e*x)) + e*Sqrt[-((c*d^2*(d + e*x))/e) + a*e*(d + e*x) + (c*d*( \\ & d + e*x)^2/e)]) \end{aligned}$$

**fricas** [A] time = 0.44, size = 511, normalized size = 3.68

$$\frac{(a^2ef - cd^2g + (ad^2f - cd^2g))\sqrt{-d^2fg + ad^2g} \log\left(\frac{-ad^2ef + 2adg(adf - cd^2g) - 2\sqrt{ad^2(adf - cd^2g)}\sqrt{-d^2fg + ad^2g}}{ad^2ef + ad^2g}\right) + 2(adefg - ad^2g^2)\sqrt{ad^2 + ade + (ad^2 + ad^2)\sqrt{ex + d}}}{c^2d^3fg^2 - ad^2eg^2 + (c^2defg^2 - ad^2g^3)x} - 2\left((ad^2ef - cd^2g + (ad^2f - cd^2g))\sqrt{-d^2fg - ad^2g} \arctan\left(\frac{\sqrt{ad^2(adf - cd^2g)}\sqrt{-d^2fg + ad^2g}}{ad^2ef + ad^2g}\right) + (ad^2fg - ad^2g^2)\sqrt{ad^2 + ade + (ad^2 + ad^2)\sqrt{ex + d}}\right)}{c^2d^3fg^2 - ad^2eg^2 + (c^2defg^2 - ad^2g^3)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] [((c\*d^2\*e\*f - c\*d^3\*g + (c\*d\*e^2\*f - c\*d^2\*e\*g)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x - 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*sqrt(e\*x + d))/(e\*g\*x^2 + d\*f + (e\*f + d\*g)\*x)) + 2\*(c\*d\*e\*f\*g - a\*e^2\*g^2)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^2\*d^3\*f\*g^2 - a\*c\*d^2\*e\*g^3 + (c^2\*d^2\*e\*f\*g^2 - a\*c\*d\*e^2\*g^3)\*x), 2\*((c\*d^2\*e\*f - c\*d^3\*g + (c\*d\*e^2\*f - c\*d^2\*e\*g)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*arctan(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(c\*d\*f\*g - a\*e\*g^2)\*sqrt(e\*x + d)/(c\*d\*e\*g\*x^2 + a\*d\*e\*g + (c\*d^2 + a\*e^2)\*g\*x)) + (c\*d\*e\*f\*g - a\*e^2\*g^2)\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*sqrt(e\*x + d)/(c^2\*d^3\*f\*g^2 - a\*c\*d^2\*e\*g^3 + (c^2\*d^2\*e\*f\*g^2 - a\*c\*d\*e^2\*g^3)\*x)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(gx + f)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="giac")

[Out] integrate((e\*x + d)^(3/2)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)), x)

**maple** [A] time = 0.02, size = 163, normalized size = 1.17

$$\frac{2\sqrt{cdex^2 + ae^2x + cd^2x + ade} \left( cd^2g \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(aeg-cdf)g}}\right) - cdef \operatorname{arctanh}\left(\frac{\sqrt{cdx+ae}g}{\sqrt{(aeg-cdf)g}}\right) - \sqrt{cdx+ae} \sqrt{(aeg-cdf)g} e \right)}{\sqrt{ex+d} \sqrt{cdx+ae} \sqrt{(aeg-cdf)g} cdg}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/(g\*x+f)/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2), x)

[Out] -2\*(c\*d\*e\*x^2+a\*e^2\*x+c\*d^2\*x+a\*d\*e)^(1/2)\*(arctanh((c\*d\*x+a\*e)^(1/2)/((a\*e\*g-c\*d\*f)\*g)^(1/2)\*g)\*c\*d^2\*g-arctanh((c\*d\*x+a\*e)^(1/2)/((a\*e\*g-c\*d\*f)\*g)^(1/2)\*g)\*c\*d\*e\*f-(c\*d\*x+a\*e)^(1/2)\*e\*((a\*e\*g-c\*d\*f)\*g)^(1/2)/(e\*x+d)^(1/2)/(c\*d\*x+a\*e)^(1/2)/c/d/g/((a\*e\*g-c\*d\*f)\*g)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x}(gx + f)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d + ex)^{3/2}}{(f + gx) \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x)^(3/2)/((f + g*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)), x)
```

```
[Out] int((d + e*x)^(3/2)/((f + g*x)*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex)^{\frac{3}{2}}}{\sqrt{(d + ex)(ae + cdx)} (f + gx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(3/2)/(g*x+f)/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2), x)
```

```
[Out] Integral((d + e*x)**(3/2)/(sqrt((d + e*x)*(a*e + c*d*x))*(f + g*x)), x)
```

$$3.540 \quad \int \frac{(d+ex)^{3/2}}{(f+gx)^2 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

**Optimal.** Leaf size=170

$$\frac{(2ae^2g - cd(dg + ef)) \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}} \right)}{g^{3/2}(cdf - aeg)^{3/2}} - \frac{(ef - dg) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{g \sqrt{d + ex} (f + gx)(cdf - aeg)}$$

**Rubi [A]** time = 0.23, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {878, 874, 205}

$$\frac{(2ae^2g - cd(dg + ef)) \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}} \right)}{g^{3/2}(cdf - aeg)^{3/2}} - \frac{(ef - dg) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{g \sqrt{d + ex} (f + gx)(cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/((f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] -(((e\*f - d\*g)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(g\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x))) - ((2\*a\*e^2\*g - c\*d\*(e\*f + d\*g))\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(g^(3/2)\*(c\*d\*f - a\*e\*g)^(3/2))

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 874

Int[Sqrt[(d\_) + (e\_.)\*(x\_)]/(((f\_.) + (g\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[2\*e^2, Subst[Int[1/(c\*(e\*f + d\*g) - b\*e\*g + e^2\*g\*x^2), x], x, Sqrt[a + b\*x + c\*x^2]/Sqrt[d + e\*x]], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0]

#### Rule 878

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e^2\*(e\*f - d\*g)\*(d + e\*x)^(m - 2)\*

$(f + g*x)^{(n + 1)}*(a + b*x + c*x^2)^{(p + 1)}/(g*(n + 1)*(c*e*f + c*d*g - b*e*g)), x] - \text{Dist}[(e*(b*e*g*(n + 1) + c*e*f*(p + 1) - c*d*g*(2*n + p + 3)))/(g*(n + 1)*(c*e*f + c*d*g - b*e*g)), \text{Int}[(d + e*x)^{(m - 1)}*(f + g*x)^{(n + 1)}*(a + b*x + c*x^2)^p, x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, g, m, p\}, x\} \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{IntegerQ}[p] \&\& \text{EqQ}[m + p - 1, 0] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*p]$

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex)^{3/2}}{(f + gx)^2 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx &= -\frac{(ef - dg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g(cdf - aeg)\sqrt{d + ex}(f + gx)} + \frac{\left(e\left(\frac{1}{2}cde^2f + \frac{3}{2}cd^2e\right)\right)}{g} \\
 &= -\frac{(ef - dg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g(cdf - aeg)\sqrt{d + ex}(f + gx)} - \frac{(e^2(2ae^2g - cd(ef + d)))}{g} \\
 &= -\frac{(ef - dg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{g(cdf - aeg)\sqrt{d + ex}(f + gx)} - \frac{(2ae^2g - cd(ef + d))}{g}
 \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 155, normalized size = 0.91

$$\frac{\sqrt{d + ex} \left( -\frac{\sqrt{ae+cdx}(cd(dg+ef)-2ae^2g) \tan^{-1}\left(\frac{\sqrt{g}\sqrt{ae+cdx}}{\sqrt{cdf-aeg}}\right)}{\sqrt{cdf-aeg}} - \frac{\sqrt{g}(dg-ef)(ae+cdx)}{f+gx} \right)}{g^{3/2}\sqrt{(d+ex)(ae+cdx)}(aeg-cdf)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/((f + g\*x)^2\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (Sqrt[d + e\*x]\*(-((Sqrt[g]\*(-(e\*f) + d\*g)\*(a\*e + c\*d\*x))/(f + g\*x)) - ((-2\*a\*e^2\*g + c\*d\*(e\*f + d\*g))\*Sqrt[a\*e + c\*d\*x]\*ArcTan[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/Sqrt[c\*d\*f - a\*e\*g]])/Sqrt[c\*d\*f - a\*e\*g]))/(g^(3/2)\*(-(c\*d\*f) + a\*e\*g)\*Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)])

**IntegrateAlgebraic [F]** time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(d + e*x)^(3/2)/((f + g*x)^2*Sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]),x]
```

```
[Out] $Aborted
```

**fricas [B]** time = 0.44, size = 896, normalized size = 5.27

---

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)/(g*x+f)^2/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/2*((c*d^2*e*f^2 + (c*d^3 - 2*a*d*e^2)*f*g + (c*d*e^2*f*g + (c*d^2*e - 2*a*e^3)*g^2)*x^2 + (c*d*e^2*f^2 + 2*(c*d^2*e - a*e^3)*f*g + (c*d^3 - 2*a*d*e^2)*g^2)*x)*sqrt(-c*d*f*g + a*e*g^2)*log(-(c*d*e*g*x^2 - c*d^2*f + 2*a*d*e*g - (c*d*e*f - (c*d^2 + 2*a*e^2)*g)*x - 2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-c*d*f*g + a*e*g^2)*sqrt(e*x + d))/(e*g*x^2 + d*f + (e*f + d*g)*x) + 2*(c*d*e*f^2*g + a*d*e*g^3 - (c*d^2 + a*e^2)*f*g^2)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^2*d^3*f^3*g^2 - 2*a*c*d^2*e*f^2*g^3 + a^2*d*e^2*f*g^4 + (c^2*d^2*e*f^2*g^3 - 2*a*c*d^2*e*f^2*g^4 + a^2*e^3*g^5)*x^2 + (c^2*d^2*e*f^3*g^2 + a^2*d*e^2*g^5 + (c^2*d^3 - 2*a*c*d*e^2)*f^2*g^3 - (2*a*c*d^2*e - a^2*e^3)*f*g^4)*x), -((c*d^2*e*f^2 + (c*d^3 - 2*a*d*e^2)*f*g + (c*d*e^2*f*g + (c*d^2*e - 2*a*e^3)*g^2)*x^2 + (c*d*e^2*f^2 + 2*(c*d^2*e - a*e^3)*f*g + (c*d^3 - 2*a*d*e^2)*g^2)*x)*sqrt(c*d*f*g - a*e*g^2)*arctan(sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(c*d*f*g - a*e*g^2)*sqrt(e*x + d)/(c*d*e*g*x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x)) + (c*d*e*f^2*g + a*d*e*g^3 - (c*d^2 + a*e^2)*f*g^2)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d)/(c^2*d^3*f^3*g^2 - 2*a*c*d^2*e*f^2*g^3 + a^2*d*e^2*f*g^4 + (c^2*d^2*e*f^2*g^3 - 2*a*c*d^2*e*f^2*g^4 + a^2*e^3*g^5)*x^2 + (c^2*d^2*e*f^3*g^2 + a^2*d*e^2*g^5 + (c^2*d^3 - 2*a*c*d*e^2)*f^2*g^3 - (2*a*c*d^2*e - a^2*e^3)*f*g^4)*x]]
```

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)/(g*x+f)^2/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```



**maple [B]** time = 0.03, size = 347, normalized size = 2.04

$$\frac{(-2ae^2g^2x \operatorname{arctanh}\left(\frac{\sqrt{cdx+e}}{\sqrt{ag-af}g}\right) + c d^2 g^2 x \operatorname{arctanh}\left(\frac{\sqrt{cdx+e}}{\sqrt{ag-af}g}\right) + c d e f g x \operatorname{arctanh}\left(\frac{\sqrt{cdx+e}}{\sqrt{ag-af}g}\right) - 2ae^2 f g \operatorname{arctanh}\left(\frac{\sqrt{cdx+e}}{\sqrt{ag-af}g}\right) + c d^2 f g \operatorname{arctanh}\left(\frac{\sqrt{cdx+e}}{\sqrt{ag-af}g}\right) + c d e f^2 \operatorname{arctanh}\left(\frac{\sqrt{cdx+e}}{\sqrt{ag-af}g}\right) - \sqrt{(ag-cd)f} \sqrt{cdx+ae} dg + \sqrt{(ag-cd)f} g \sqrt{cdx+ae} ef) \sqrt{cdex^2+ae^2x+cd^2x+ade}}{\sqrt{ex+d} \sqrt{cdx+ae} (ag-cd) (gx+f) \sqrt{(ag-cd)f} g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/(g\*x+f)^2/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2), x)

[Out]  $(-2*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*a*e^2*g^2+\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*c*d^2*g^2+\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x*c*d*e*f*g-2*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*a*e^2*f*g+\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*c*d^2*f*g+\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*c*d*e*f^2-((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*d*g+((a*e*g-c*d*f)*g)^(1/2)*(c*d*x+a*e)^(1/2)*e*f)/(e*x+d)^(1/2)*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)/(c*d*x+a*e)^(1/2)/(a*e*g-c*d*f)/g/(g*x+f)/((a*e*g-c*d*f)*g)^(1/2)$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex+d)^{3/2}}{\sqrt{cdex^2+ade+(cd^2+ae^2)x}(gx+f)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^2/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d+ex)^{3/2}}{(f+gx)^2 \sqrt{cdex^2+(cd^2+ae^2)x+ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(3/2)/((f + g\*x)^2\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)), x)

[Out] int((d + e\*x)^(3/2)/((f + g\*x)^2\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)/(g\*x+f)\*\*2/(a\*d\*e+(a\*e\*\*2+c\*d\*\*2)\*x+c\*d\*e\*x\*\*2)\*\*(1/2),x)

[Out] Timed out

$$3.541 \quad \int \frac{(d+ex)^{3/2}}{(f+gx)^3 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=261

$$\frac{cd(4ae^2g - cd(3dg + ef)) \tan^{-1}\left(\frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}}\right)}{4g^{3/2}(cdf - aeg)^{5/2}} - \frac{(ef - dg) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{2g\sqrt{d + ex}(f + gx)^2(cdf - aeg)} - \frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{4g\sqrt{d + ex}(f + gx)(cdf - aeg)}$$

Rubi [A] time = 0.36, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {878, 872, 874, 205}

$$\frac{cd(4ae^2g - cd(3dg + ef)) \tan^{-1}\left(\frac{\sqrt{g} \sqrt{x(ae^2+cd^2)+ade+cdex^2}}{\sqrt{d+ex} \sqrt{cdf-aeg}}\right)}{4g^{3/2}(cdf - aeg)^{5/2}} - \frac{(ef - dg) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{2g\sqrt{d + ex}(f + gx)^2(cdf - aeg)} - \frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2} (4ae^2g - cd(3dg + ef))}{4g\sqrt{d + ex}(f + gx)(cdf - aeg)^2}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/((f + g\*x)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] -((e\*f - d\*g)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(2\*g\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)^2) - ((4\*a\*e^2\*g - c\*d\*(e\*f + 3\*d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(4\*g\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)) - (c\*d\*(4\*a\*e^2\*g - c\*d\*(e\*f + 3\*d\*g))\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(4\*g^(3/2)\*(c\*d\*f - a\*e\*g)^(5/2))

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 872

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m - 1)\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m - n - 2))/((n + 1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rule 878

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e^2*(e*f - d*g)*(d + e*x)^(m - 2)*
(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p + 1))/(g*(n + 1)*(c*e*f + c*d*g - b*
e*g)), x] - Dist[(e*(b*e*g*(n + 1) + c*e*f*(p + 1) - c*d*g*(2*n + p + 3)))/
(g*(n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^(m - 1)*(f + g*x)^(n + 1)
*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && N
eQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] &&
!IntegerQ[p] && EqQ[m + p - 1, 0] && LtQ[n, -1] && IntegerQ[2*p]
```

Rubi steps

$$\int \frac{(d + ex)^{3/2}}{(f + gx)^3 \sqrt{ade + (cd^2 + ae^2)x + cdex^2}} dx = -\frac{(ef - dg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2g(cdf - aeg)\sqrt{d + ex}(f + gx)^2} + \frac{\left(e\left(\frac{1}{2}cde^2f + \frac{7}{2}cd^2eg\right)\right)}{2g}$$

$$= -\frac{(ef - dg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2g(cdf - aeg)\sqrt{d + ex}(f + gx)^2} - \frac{(4ae^2g - cd(ef + 3d))}{4g(cdf - aeg)}$$

$$= -\frac{(ef - dg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2g(cdf - aeg)\sqrt{d + ex}(f + gx)^2} - \frac{(4ae^2g - cd(ef + 3d))}{4g(cdf - aeg)}$$

$$= -\frac{(ef - dg)\sqrt{ade + (cd^2 + ae^2)x + cdex^2}}{2g(cdf - aeg)\sqrt{d + ex}(f + gx)^2} - \frac{(4ae^2g - cd(ef + 3d))}{4g(cdf - aeg)}$$

**Mathematica [A]** time = 0.42, size = 189, normalized size = 0.72

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \frac{cd \left( 2ae^2g - \frac{1}{2}cd(3dg+ef) \right) \left( \frac{cdf-aeg}{cdf+cdgx} + \frac{\sqrt{cdf-aeg} \tan^{-1} \left( \frac{\sqrt{g} \sqrt{ae+cdx}}{\sqrt{cdf-aeg}} \right)}{\sqrt{g} \sqrt{ae+cdx}} \right)}{(cdf-aeg)^2} + \frac{ef-dg}{(f+gx)^2} \right)}{2g\sqrt{d+ex}(aeg-cdf)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/((f + g\*x)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*((e\*f - d\*g)/(f + g\*x)^2 + (c\*d\*(2\*a\*e^2\*g - (c\*d\*(e\*f + 3\*d\*g))/2)\*((c\*d\*f - a\*e\*g)/(c\*d\*f + c\*d\*g\*x) + (Sqrt[c\*d\*f - a\*e\*g]\*ArcTan[(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])/Sqrt[c\*d\*f - a\*e\*g]])/(Sqrt[g]\*Sqrt[a\*e + c\*d\*x])))/(c\*d\*f - a\*e\*g)^2)/(2\*g\*(-(c\*d\*f) + a\*e\*g)\*Sqrt[d + e\*x])

**IntegrateAlgebraic [F]** time = 180.01, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/((f + g\*x)^3\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] \$Aborted

**fricas [B]** time = 0.47, size = 1704, normalized size = 6.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="fricas")

[Out] [1/8\*((c^2\*d^3\*e\*f^3 + (3\*c^2\*d^4 - 4\*a\*c\*d^2\*e^2)\*f^2\*g + (c^2\*d^2\*e^2\*f\*g^2 + (3\*c^2\*d^3\*e - 4\*a\*c\*d\*e^3)\*g^3)\*x^3 + (2\*c^2\*d^2\*e^2\*f^2\*g + (7\*c^2\*d^3\*e - 8\*a\*c\*d\*e^3)\*f\*g^2 + (3\*c^2\*d^4 - 4\*a\*c\*d^2\*e^2)\*g^3)\*x^2 + (c^2\*d^2\*e^2\*f^3 + (5\*c^2\*d^3\*e - 4\*a\*c\*d\*e^3)\*f^2\*g + 2\*(3\*c^2\*d^4 - 4\*a\*c\*d^2\*e^2)\*f\*g^2)\*x)\*sqrt(-c\*d\*f\*g + a\*e\*g^2)\*log(-(c\*d\*e\*g\*x^2 - c\*d^2\*f + 2\*a\*d\*e\*g - (c\*d\*e\*f - (c\*d^2 + 2\*a\*e^2)\*g)\*x + 2\*sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 +

$$\begin{aligned}
& a^2 e^2 x) \sqrt{-c d f g + a e g^2} \sqrt{e x + d} / (e g x^2 + d f + (e f + d g) x) - 2 (c^2 d^2 e f^3 g - 2 a^2 d e^2 g^4 - (5 c^2 d^3 - a c d e^2) f^2 g^2 + (7 a c d^2 e - 2 a^2 e^3) f g^3 - (c^2 d^2 e f^2 g^2 + (3 c^2 d^3 - 5 a c d e^2) f g^3 - (3 a c d^2 e - 4 a^2 e^3) g^4) x) \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{e x + d} / (c^3 d^4 f^5 g^2 - 3 a c^2 d^3 e f^4 g^3 + 3 a^2 c d^2 e^2 f^3 g^4 - a^3 d e^3 f^2 g^5 + (c^3 d^3 e f^3 g^4 - 3 a c^2 d^2 e^2 f^2 g^5 + 3 a^2 c d e^3 f g^6 - a^3 e^4 g^7) x^3 + (2 c^3 d^3 e f^4 g^3 - a^3 d e^3 g^7 + (c^3 d^4 - 6 a c^2 d^2 e^2) f^3 g^4 - 3 (a c^2 d^3 e - 2 a^2 c d e^3) f^2 g^5 + (3 a^2 c d^2 e^2 - 2 a^3 e^4) f g^6) x^2 + (c^3 d^3 e f^5 g^2 - 2 a^3 d e^3 f g^6 + (2 c^3 d^4 - 3 a c^2 d^2 e^2) f^4 g^3 - 3 (2 a c^2 d^3 e - a^2 c d e^3) f^3 g^4 + (6 a^2 c d^2 e^2 - a^3 e^4) f^2 g^5) x), -1/4 ((c^2 d^3 e f^3 + (3 c^2 d^4 - 4 a c d^2 e^2) f^2 g + (c^2 d^2 e^2 f g^2 + (3 c^2 d^3 e - 4 a c d e^3) g^3) x^3 + (2 c^2 d^2 e^2 f^2 g + (7 c^2 d^3 e - 8 a c d e^3) f g^2 + (3 c^2 d^4 - 4 a c d^2 e^2) g^3) x^2 + (c^2 d^2 e^2 f^3 + (5 c^2 d^3 e - 4 a c d e^3) f^2 g + 2 (3 c^2 d^4 - 4 a c d^2 e^2) f g^2) x) \sqrt{c d f g - a e g^2} \arctan(\sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{c d f g - a e g^2}) \sqrt{e x + d} / (c d e g x^2 + a d e g + (c d^2 + a e^2) g x) + (c^2 d^2 e f^3 g - 2 a^2 d e^2 g^4 - (5 c^2 d^3 - a c d e^2) f^2 g^2 + (7 a c d^2 e - 2 a^2 e^3) f g^3 - (c^2 d^2 e f^2 g^2 + (3 c^2 d^3 - 5 a c d e^2) f g^3 - (3 a c d^2 e - 4 a^2 e^3) g^4) x) \sqrt{c d e x^2 + a d e + (c d^2 + a e^2) x} \sqrt{e x + d} / (c^3 d^4 f^5 g^2 - 3 a c^2 d^3 e f^4 g^3 + 3 a^2 c d^2 e^2 f^3 g^4 - a^3 d e^3 f^2 g^5 + (c^3 d^3 e f^3 g^4 - 3 a c^2 d^2 e^2 f^2 g^5 + 3 a^2 c d e^3 f g^6 - a^3 e^4 g^7) x^3 + (2 c^3 d^3 e f^4 g^3 - a^3 d e^3 g^7 + (c^3 d^4 - 6 a c^2 d^2 e^2) f^3 g^4 - 3 (a c^2 d^3 e - 2 a^2 c d e^3) f^2 g^5 + (3 a^2 c d^2 e^2 - 2 a^3 e^4) f g^6) x^2 + (c^3 d^3 e f^5 g^2 - 2 a^3 d e^3 f g^6 + (2 c^3 d^4 - 3 a c^2 d^2 e^2) f^4 g^3 - 3 (2 a c^2 d^3 e - a^2 c d e^3) f^3 g^4 + (6 a^2 c d^2 e^2 - a^3 e^4) f^2 g^5) x)]
\end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.04, size = 673, normalized size = 2.58

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/(g\*x+f)^3/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2),x)

[Out]  $\frac{1}{4} \cdot (c \cdot d \cdot e \cdot x^2 + a \cdot e^2 \cdot x + c \cdot d^2 \cdot x + a \cdot d \cdot e)^{1/2} \cdot (4 \cdot \operatorname{arctanh}((c \cdot d \cdot x + a \cdot e)^{1/2}) / ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} \cdot g) \cdot x^2 \cdot a \cdot c \cdot d \cdot e^2 \cdot g^3 - 3 \cdot \operatorname{arctanh}((c \cdot d \cdot x + a \cdot e)^{1/2}) / ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} \cdot g) \cdot x^2 \cdot c^2 \cdot d^3 \cdot g^3 - \operatorname{arctanh}((c \cdot d \cdot x + a \cdot e)^{1/2}) / ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} \cdot g) \cdot x^2 \cdot c^2 \cdot d^2 \cdot e \cdot f \cdot g^2 + 8 \cdot \operatorname{arctanh}((c \cdot d \cdot x + a \cdot e)^{1/2}) / ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} \cdot g) \cdot x \cdot a \cdot c \cdot d \cdot e^2 \cdot f \cdot g^2 - 6 \cdot \operatorname{arctanh}((c \cdot d \cdot x + a \cdot e)^{1/2}) / ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} \cdot g) \cdot x \cdot c^2 \cdot d^3 \cdot f \cdot g^2 - 2 \cdot \operatorname{arctanh}((c \cdot d \cdot x + a \cdot e)^{1/2}) / ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} \cdot g) \cdot x \cdot c^2 \cdot d^2 \cdot e \cdot f^2 \cdot g + 4 \cdot \operatorname{arctanh}((c \cdot d \cdot x + a \cdot e)^{1/2}) / ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} \cdot g) \cdot a \cdot c \cdot d \cdot e^2 \cdot f^2 \cdot g - 3 \cdot \operatorname{arctanh}((c \cdot d \cdot x + a \cdot e)^{1/2}) / ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} \cdot g) \cdot c^2 \cdot d^3 \cdot f^2 \cdot g - \operatorname{arctanh}((c \cdot d \cdot x + a \cdot e)^{1/2}) / ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} \cdot g) \cdot c^2 \cdot d^2 \cdot e \cdot f^3 - 4 \cdot x \cdot a \cdot e^2 \cdot g^2 \cdot (c \cdot d \cdot x + a \cdot e)^{1/2} \cdot ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} + 3 \cdot x \cdot c \cdot d^2 \cdot g^2 \cdot (c \cdot d \cdot x + a \cdot e)^{1/2} \cdot ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} + x \cdot c \cdot d \cdot e \cdot f \cdot g \cdot (c \cdot d \cdot x + a \cdot e)^{1/2} \cdot ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} - 2 \cdot a \cdot d \cdot e \cdot g^2 \cdot (c \cdot d \cdot x + a \cdot e)^{1/2} \cdot ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} - 2 \cdot a \cdot e^2 \cdot f \cdot g \cdot (c \cdot d \cdot x + a \cdot e)^{1/2} \cdot ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} + 5 \cdot c \cdot d^2 \cdot f \cdot g \cdot (c \cdot d \cdot x + a \cdot e)^{1/2} \cdot ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} - c \cdot d \cdot e \cdot f^2 \cdot (c \cdot d \cdot x + a \cdot e)^{1/2} \cdot ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2}) / (e \cdot x + d)^{1/2} / ((a \cdot e \cdot g - c \cdot d \cdot f) \cdot g)^{1/2} / (g \cdot x + f)^2 / g / (a \cdot e \cdot g - c \cdot d \cdot f)^2 / (c \cdot d \cdot x + a \cdot e)^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} (gx + f)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^3/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2),x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex)^{3/2}}{(f + gx)^3 \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(3/2)/((f + g\*x)^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)),x)

[Out] int((d + e\*x)^(3/2)/((f + g\*x)^3\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(3/2)/(g*x+f)**3/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)
```

```
[Out] Timed out
```



$$3.542 \quad \int \frac{(d+ex)^{3/2}}{(f+gx)^4 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx$$

Optimal. Leaf size=351

$$\frac{c^2 d^2 (6ae^2 g - cd(5dg + ef)) \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{8g^{3/2}(cdf - aeg)^{7/2}} - \frac{cd \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (6ae^2 g - cd(5dg + ef))}{8g \sqrt{d+ex} (f+gx)(cdf - aeg)^3}$$

**Rubi [A]** time = 0.56, antiderivative size = 351, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 46,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {878, 872, 874, 205}

$$\frac{c^2 d^2 (6ae^2 g - cd(5dg + ef)) \tan^{-1} \left( \frac{\sqrt{g} \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{\sqrt{d+ex} \sqrt{cdf - aeg}} \right)}{8g^{3/2}(cdf - aeg)^{7/2}} - \frac{cd \sqrt{x(ae^2 + cd^2) + ade + cdex^2} (6ae^2 g - cd(5dg + ef))}{8g \sqrt{d+ex} (f+gx)(cdf - aeg)^3} - \frac{\sqrt{x(ae^2 + cd^2) + ade + cdex^2} (6ae^2 g - cd(5dg + ef))}{12g \sqrt{d+ex} (f+gx)^2 (cdf - aeg)^2} - \frac{(ef - dg) \sqrt{x(ae^2 + cd^2) + ade + cdex^2}}{3g \sqrt{d+ex} (f+gx)^3 (cdf - aeg)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/((f + g\*x)^4\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] -((e\*f - d\*g)\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(3\*g\*(c\*d\*f - a\*e\*g)\*Sqrt[d + e\*x]\*(f + g\*x)^3) - ((6\*a\*e^2\*g - c\*d\*(e\*f + 5\*d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(12\*g\*(c\*d\*f - a\*e\*g)^2\*Sqrt[d + e\*x]\*(f + g\*x)^2) - (c\*d\*(6\*a\*e^2\*g - c\*d\*(e\*f + 5\*d\*g))\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(8\*g\*(c\*d\*f - a\*e\*g)^3\*Sqrt[d + e\*x]\*(f + g\*x)) - (c^2\*d^2\*(6\*a\*e^2\*g - c\*d\*(e\*f + 5\*d\*g))\*ArcTan[(Sqrt[g]\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2])/(Sqrt[c\*d\*f - a\*e\*g]\*Sqrt[d + e\*x])])/(8\*g^(3/2)\*(c\*d\*f - a\*e\*g)^(7/2))

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 872

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[(e^2\*(d + e\*x)^(m-1)\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^(p+1))/((n+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), x] - Dist[(c\*e\*(m-n-2))/((n+1)\*(c\*e\*f + c\*d\*g - b\*e\*g)), Int[(d + e\*x)^m\*(f + g\*x)^(n+1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IntegerQ[p] && EqQ[m + p, 0] && LtQ[n, -1] && IntegerQ[2\*p]

]

Rule 874

```
Int[Sqrt[(d_) + (e_)*(x_)]/(((f_) + (g_)*(x_))*Sqrt[(a_) + (b_)*(x_) +
(c_)*(x_)^2]), x_Symbol] := Dist[2*e^2, Subst[Int[1/(c*(e*f + d*g) - b*e*
g + e^2*g*x^2), x], x, Sqrt[a + b*x + c*x^2]/Sqrt[d + e*x]], x] /; FreeQ[{a
, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[
c*d^2 - b*d*e + a*e^2, 0]
```

Rule 878

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e^2*(e*f - d*g)*(d + e*x)^(m - 2)*
(f + g*x)^(n + 1)*(a + b*x + c*x^2)^(p + 1))/(g*(n + 1)*(c*e*f + c*d*g - b*
e*g)), x] - Dist[(e*(b*e*g*(n + 1) + c*e*f*(p + 1) - c*d*g*(2*n + p + 3)))/
(g*(n + 1)*(c*e*f + c*d*g - b*e*g)), Int[(d + e*x)^(m - 1)*(f + g*x)^(n + 1
)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && N
eQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] &&
!IntegerQ[p] && EqQ[m + p - 1, 0] && LtQ[n, -1] && IntegerQ[2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{3/2}}{(f+gx)^4 \sqrt{ade+(cd^2+ae^2)x+cdex^2}} dx &= -\frac{(ef-dg)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3g(cdf-aeg)\sqrt{d+ex}(f+gx)^3} + \frac{\left(e\left(\frac{1}{2}cde^2f + \frac{11}{2}cd^2\right)\right)}{\dots} \\
&= -\frac{(ef-dg)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3g(cdf-aeg)\sqrt{d+ex}(f+gx)^3} - \frac{(6ae^2g-cd(ef+5d^2))}{12g(cdf-aeg)\sqrt{d+ex}(f+gx)^3} \\
&= -\frac{(ef-dg)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3g(cdf-aeg)\sqrt{d+ex}(f+gx)^3} - \frac{(6ae^2g-cd(ef+5d^2))}{12g(cdf-aeg)\sqrt{d+ex}(f+gx)^3} \\
&= -\frac{(ef-dg)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3g(cdf-aeg)\sqrt{d+ex}(f+gx)^3} - \frac{(6ae^2g-cd(ef+5d^2))}{12g(cdf-aeg)\sqrt{d+ex}(f+gx)^3} \\
&= -\frac{(ef-dg)\sqrt{ade+(cd^2+ae^2)x+cdex^2}}{3g(cdf-aeg)\sqrt{d+ex}(f+gx)^3} - \frac{(6ae^2g-cd(ef+5d^2))}{12g(cdf-aeg)\sqrt{d+ex}(f+gx)^3}
\end{aligned}$$

**Mathematica [C]** time = 0.10, size = 132, normalized size = 0.38

$$\frac{\sqrt{(d+ex)(ae+cdx)} \left( \frac{ef-dg}{(f+gx)^3} - \frac{c^2d^2(cd(5dg+ef)-6ae^2g) {}_2F_1\left(\frac{1}{2}, 3; \frac{3}{2}, \frac{g(ae+cdx)}{aeg-cdf}\right)}{(cdf-aeg)^3} \right)}{3g\sqrt{d+ex}(aeg-cdf)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/((f + g\*x)^4\*Sqrt[a\*d\*e + (c\*d^2 + a\*e^2)\*x + c\*d\*e\*x^2]), x]

[Out] (Sqrt[(a\*e + c\*d\*x)\*(d + e\*x)]\*((e\*f - d\*g)/(f + g\*x)^3 - (c^2\*d^2\*(-6\*a\*e^2\*g + c\*d\*(e\*f + 5\*d\*g))\*Hypergeometric2F1[1/2, 3, 3/2, (g\*(a\*e + c\*d\*x))/(-(c\*d\*f) + a\*e\*g)])/(c\*d\*f - a\*e\*g)^3))/(3\*g\*(-(c\*d\*f) + a\*e\*g)\*Sqrt[d + e\*x])

**IntegrateAlgebraic [F]** time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(d + e*x)^(3/2)/((f + g*x)^4*sqrt[a*d*e + (c*d^2 + a*e^2)*x + c*d*e*x^2]),x]
```

```
[Out] $Aborted
```

```
fricas [B] time = 0.49, size = 2736, normalized size = 7.79
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)/(g*x+f)^4/(a*d*e+(a*e^2+c*d^2)*x+c*d*e*x^2)^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/48*(3*(c^3*d^4*e*f^4 + (5*c^3*d^5 - 6*a*c^2*d^3*e^2)*f^3*g + (c^3*d^3*e^2*f*g^3 + (5*c^3*d^4*e - 6*a*c^2*d^2*e^3)*g^4)*x^4 + (3*c^3*d^3*e^2*f^2*g^2 + 2*(8*c^3*d^4*e - 9*a*c^2*d^2*e^3)*f*g^3 + (5*c^3*d^5 - 6*a*c^2*d^3*e^2)*g^4)*x^3 + 3*(c^3*d^3*e^2*f^3*g + 6*(c^3*d^4*e - a*c^2*d^2*e^3)*f^2*g^2 + (5*c^3*d^5 - 6*a*c^2*d^3*e^2)*f*g^3)*x^2 + (c^3*d^3*e^2*f^4 + 2*(4*c^3*d^4*e - 3*a*c^2*d^2*e^3)*f^3*g + 3*(5*c^3*d^5 - 6*a*c^2*d^3*e^2)*f^2*g^2)*x)*sqrt(-c*d*f*g + a*e*g^2)*log(-(c*d*e*g*x^2 - c*d^2*f + 2*a*d*e*g - (c*d*e*f - (c*d^2 + 2*a*e^2)*g)*x - 2*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(-c*d*f*g + a*e*g^2)*sqrt(e*x + d))/(e*g*x^2 + d*f + (e*f + d*g)*x)) + 2*(3*c^3*d^3*e*f^4*g + 8*a^3*d*e^3*g^5 - (33*c^3*d^4 - 13*a*c^2*d^2*e^2)*f^3*g^2 + (59*a*c^2*d^3*e - 20*a^2*c*d*e^3)*f^2*g^3 - 2*(17*a^2*c*d^2*e^2 - 2*a^3*e^4)*f*g^4 - 3*(c^3*d^3*e*f^2*g^3 + (5*c^3*d^4 - 7*a*c^2*d^2*e^2)*f*g^4 - (5*a*c^2*d^3*e - 6*a^2*c*d*e^3)*g^5)*x^2 - 2*(4*c^3*d^3*e*f^3*g^2 + (20*c^3*d^4 - 29*a*c^2*d^2*e^2)*f^2*g^3 - (25*a*c^2*d^3*e - 31*a^2*c*d*e^3)*f*g^4 + (5*a^2*c*d^2*e^2 - 6*a^3*e^4)*g^5)*x)*sqrt(c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)*x)*sqrt(e*x + d))/(c^4*d^5*f^7*g^2 - 4*a*c^3*d^4*e*f^6*g^3 + 6*a^2*c^2*d^3*e^2*f^5*g^4 - 4*a^3*c*d^2*e^3*f^4*g^5 + a^4*d*e^4*f^3*g^6 + (c^4*d^4*e*f^4*g^5 - 4*a*c^3*d^3*e^2*f^3*g^6 + 6*a^2*c^2*d^2*e^3*f^2*g^7 - 4*a^3*c*d*e^4*f*g^8 + a^4*e^5*g^9)*x^4 + (3*c^4*d^4*e*f^5*g^4 + a^4*d*e^4*g^9 + (c^4*d^5 - 12*a*c^3*d^3*e^2)*f^4*g^5 - 2*(2*a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^3*g^6 + 6*(a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^2*g^7 - (4*a^3*c*d^2*e^3 - 3*a^4*e^5)*f*g^8)*x^3 + 3*(c^4*d^4*e*f^6*g^3 + a^4*d*e^4*f*g^8 + (c^4*d^5 - 4*a*c^3*d^3*e^2)*f^5*g^4 - 2*(2*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^4*g^5 + 2*(3*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^3*g^6 - (4*a^3*c*d^2*e^3 - a^4*e^5)*f^2*g^7)*x^2 + (c^4*d^4*e*f^7*g^2 + 3*a^4*d*e^4*f^2*g^7 + (3*c^4*d^5 - 4*a*c^3*d^3*e^2)*f^6*g^3 - 6*(2*a*c^3*d^4*e - a^2*c^2*d^2*e^3)*f^5*g^4 + 2*(9*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^4*g^5 - (12*a^3*c*d^2*e^3 - a^4*e^5)*f^3*g^6)*x), -1/24*(3*(c^3*d^4*e*f^4 + (5*c^3*d^5 - 6*a*c^2*d^3*e^2)*f^3*g + (c^3*d^3*e^2*f*g^3 + (5*c^3*d^4*e - 6*a*c^2*d^2*e^3)*g^4)*x^4 + (3*c^3*d^3*e^2*f^2*g^2 + 2*(8*c^3*d^4*e - 9*a*c^2*d^2*e^3)*f*g^3 + (5*c^3*d^5 - 6*a*c^2*d^3*e^2)*g^4)*x^3 + 3*(c^3*d^3*e^2*f^3*g + 6*(c^3*d^4*e - a*c^2*d^2*e^3)*f^2*g^2 + (5*c^3*d^5 - 6*a*c^2*d^3*e^2)*f*g^3)*x^2 + (c^3*d^3*e^2*f^4 + 2*(4*c^3*d^4*e - 3*a*c^2*d^2*e^3)*f^3*g + 3*(5*c^3*d^5 - 6*a*c^2*d^3*e^2)*f^2*g
```

$$\begin{aligned} &^2)x) \sqrt{c*d*f*g - a*e*g^2} \arctan(\sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)x}) \sqrt{c*d*f*g - a*e*g^2} \sqrt{e*x + d} / (c*d*e*g*x^2 + a*d*e*g + (c*d^2 + a*e^2)*g*x) + (3*c^3*d^3*e*f^4*g + 8*a^3*d*e^3*g^5 - (33*c^3*d^4 - 13*a*c^2*d^2*e^2)*f^3*g^2 + (59*a*c^2*d^3*e - 20*a^2*c*d*e^3)*f^2*g^3 - 2*(17*a^2*c*d^2*e^2 - 2*a^3*e^4)*f*g^4 - 3*(c^3*d^3*e*f^2*g^3 + (5*c^3*d^4 - 7*a*c^2*d^2*e^2)*f*g^4 - (5*a*c^2*d^3*e - 6*a^2*c*d*e^3)*g^5)*x^2 - 2*(4*c^3*d^3*e*f^3*g^2 + (20*c^3*d^4 - 29*a*c^2*d^2*e^2)*f^2*g^3 - (25*a*c^2*d^3*e - 31*a^2*c*d*e^3)*f*g^4 + (5*a^2*c*d^2*e^2 - 6*a^3*e^4)*g^5)*x) \sqrt{c*d*e*x^2 + a*d*e + (c*d^2 + a*e^2)x} \sqrt{e*x + d} / (c^4*d^5*f^7*g^2 - 4*a*c^3*d^4*e*f^6*g^3 + 6*a^2*c^2*d^3*e^2*f^5*g^4 - 4*a^3*c*d^2*e^3*f^4*g^5 + a^4*d*e^4*f^3*g^6 + (c^4*d^4*e*f^4*g^5 - 4*a*c^3*d^3*e^2*f^3*g^6 + 6*a^2*c^2*d^2*e^3*f^2*g^7 - 4*a^3*c*d*e^4*f*g^8 + a^4*e^5*g^9)*x^4 + (3*c^4*d^4*e*f^5*g^4 + a^4*d*e^4*g^9 + (c^4*d^5 - 12*a*c^3*d^3*e^2)*f^4*g^5 - 2*(2*a*c^3*d^4*e - 9*a^2*c^2*d^2*e^3)*f^3*g^6 + 6*(a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^2*g^7 - (4*a^3*c*d^2*e^3 - 3*a^4*e^5)*f*g^8)*x^3 + 3*(c^4*d^4*e*f^6*g^3 + a^4*d*e^4*f*g^8 + (c^4*d^5 - 4*a*c^3*d^3*e^2)*f^5*g^4 - 2*(2*a*c^3*d^4*e - 3*a^2*c^2*d^2*e^3)*f^4*g^5 + 2*(3*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^3*g^6 - (4*a^3*c*d^2*e^3 - a^4*e^5)*f^2*g^7)*x^2 + (c^4*d^4*e*f^7*g^2 + 3*a^4*d*e^4*f^2*g^7 + (3*c^4*d^5 - 4*a*c^3*d^3*e^2)*f^6*g^3 - 6*(2*a*c^3*d^4*e - a^2*c^2*d^2*e^3)*f^5*g^4 + 2*(9*a^2*c^2*d^3*e^2 - 2*a^3*c*d*e^4)*f^4*g^5 - (12*a^3*c*d^2*e^3 - a^4*e^5)*f^3*g^6)*x) ] \end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^4/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.05, size = 1142, normalized size = 3.25

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)/(g\*x+f)^4/(c\*d\*e\*x^2+a\*d\*e+(a\*e^2+c\*d^2)\*x)^(1/2), x)

[Out] 
$$\begin{aligned} &-1/24*(c*d*e*x^2+a*e^2*x+c*d^2*x+a*d*e)^(1/2)*(-3*c^2*d^2*e*f^3*(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2)-15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*x^3*c^3*d^4*g^4-15*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*c^3*d^4*f^3*g-3*\operatorname{arctanh}((c*d*x+a*e)^(1/2)/((a*e*g-c*d*f)*g)^(1/2)*g)*c^3*d^3*e*f^4-50*x*a*c*d*e^2*f*g^2*(c*d*x+a*e)^(1/2)*((a*e*g-c*d*f)*g)^(1/2) \end{aligned}$$

$$\frac{1}{2} - 45 \operatorname{arctanh}\left(\frac{(c d x + a e)^{1/2}}{(a e g - c d f) g}\right) x^2 c^3 d^4 f g^3 - 45 \operatorname{arctanh}\left(\frac{(c d x + a e)^{1/2}}{(a e g - c d f) g}\right) x c^3 d^4 f^2 g^2 + 15 x^2 c^2 d^3 g^3 (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} + 12 x a^2 e^3 g^3 (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} + 8 a^2 d e^2 g^3 (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} + 4 a^2 e^3 f g^2 (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} + 33 c^2 d^3 f^2 g (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} - 18 x^2 a c d e^2 g^3 (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} + 40 x c^2 d^3 f g^2 (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} + 18 \operatorname{arctanh}\left(\frac{(c d x + a e)^{1/2}}{(a e g - c d f) g}\right) x^3 a c^2 d^2 e^2 g^4 - 3 \operatorname{arctanh}\left(\frac{(c d x + a e)^{1/2}}{(a e g - c d f) g}\right) x^3 c^3 d^3 e f g^3 - 9 \operatorname{arctanh}\left(\frac{(c d x + a e)^{1/2}}{(a e g - c d f) g}\right) x^2 c^3 d^3 e f^2 g^2 - 9 \operatorname{arctanh}\left(\frac{(c d x + a e)^{1/2}}{(a e g - c d f) g}\right) x c^3 d^3 e f^3 g + 18 \operatorname{arctanh}\left(\frac{(c d x + a e)^{1/2}}{(a e g - c d f) g}\right) a c^2 d^2 e^2 f^3 g + 3 x^2 c^2 d^2 e f g^2 (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} - 10 x a c d^2 e g^3 (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} + 8 x c^2 d^2 e f^2 g (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} - 26 a c d^2 e f g^2 (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} - 16 a c d e^2 f^2 g (c d x + a e)^{1/2} \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} + 54 \operatorname{arctanh}\left(\frac{(c d x + a e)^{1/2}}{(a e g - c d f) g}\right) x^2 a c^2 d^2 e^2 f g^3 + 54 \operatorname{arctanh}\left(\frac{(c d x + a e)^{1/2}}{(a e g - c d f) g}\right) x a c^2 d^2 e^2 f^2 g^2 / (e x + d)^{1/2} / \left(\frac{(a e g - c d f) g}{(a e g - c d f) g}\right)^{1/2} / (g x + f)^3 / g / (a e g - c d f) / (a^2 e^2 g^2 - 2 a c d e f g + c^2 d^2 f^2) / (c d x + a e)^{1/2}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{\sqrt{cdex^2 + ade + (cd^2 + ae^2)x} (gx + f)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(g\*x+f)^4/(a\*d\*e+(a\*e^2+c\*d^2)\*x+c\*d\*e\*x^2)^(1/2), x, algorithm="maxima")

[Out] integrate((e\*x + d)^(3/2)/(sqrt(c\*d\*e\*x^2 + a\*d\*e + (c\*d^2 + a\*e^2)\*x)\*(g\*x + f)^4), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex)^{3/2}}{(f + gx)^4 \sqrt{cdex^2 + (cd^2 + ae^2)x + ade}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(3/2)/((f + g\*x)^4\*(x\*(a\*e^2 + c\*d^2) + a\*d\*e + c\*d\*e\*x^2)^(1/2)), x)

```
[Out] int((d + e*x)^(3/2)/((f + g*x)^4*(x*(a*e^2 + c*d^2) + a*d*e + c*d*e*x^2)^(1/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(3/2)/(g*x+f)**4/(a*d*e+(a*e**2+c*d**2)*x+c*d*e*x**2)**(1/2),x)
```

```
[Out] Timed out
```

$$3.543 \quad \int \frac{(a+bx+cx^2)^3}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

**Optimal.** Leaf size=324

$$\frac{b\sqrt{1-d^2x^2} (45a^2d^4 + 60acd^2 + 10b^2d^2 + 24c^2)}{15d^6} - \frac{x\sqrt{1-d^2x^2} (24a^2cd^4 + 24ab^2d^4 + 18ac^2d^2 + 18b^2cd^2 + 5c^3)}{16d^6}$$

**Rubi [A]** time = 0.93, antiderivative size = 324, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {899, 1815, 641, 216}

$$\frac{x\sqrt{1-d^2x^2} (24a^2cd^4 + 24ab^2d^4 + 18ac^2d^2 + 18b^2cd^2 + 5c^3)}{16d^6} - \frac{b\sqrt{1-d^2x^2} (45a^2d^4 + 60acd^2 + 10b^2d^2 + 24c^2)}{15d^6} + \frac{\sin^{-1}(dx) (24a^2cd^4 + 16a^2d^4 + 24ab^2d^4 + 18ac^2d^2 + 18b^2cd^2 + 5c^3)}{16d^7} - \frac{c^3\sqrt{1-d^2x^2} (18acd^2 + 18b^2d^2 + 5c^2)}{24d^4} - \frac{bx^2\sqrt{1-d^2x^2} (30acd^2 + 5b^2d^2 + 12c^2)}{15d^4} - \frac{3bc^2x\sqrt{1-d^2x^2}}{5d^2} - \frac{c^3x^5\sqrt{1-d^2x^2}}{6d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)^3/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -(b\*(24\*c^2 + 10\*b^2\*d^2 + 60\*a\*c\*d^2 + 45\*a^2\*d^4)\*Sqrt[1 - d^2\*x^2])/(15\*d^6) - ((5\*c^3 + 18\*b^2\*c\*d^2 + 18\*a\*c^2\*d^2 + 24\*a\*b^2\*d^4 + 24\*a^2\*c\*d^4)\*x\*Sqrt[1 - d^2\*x^2])/(16\*d^6) - (b\*(12\*c^2 + 5\*b^2\*d^2 + 30\*a\*c\*d^2)\*x^2\*Sqrt[1 - d^2\*x^2])/(15\*d^4) - (c\*(5\*c^2 + 18\*b^2\*d^2 + 18\*a\*c\*d^2)\*x^3\*Sqrt[1 - d^2\*x^2])/(24\*d^4) - (3\*b\*c^2\*x^4\*Sqrt[1 - d^2\*x^2])/(5\*d^2) - (c^3\*x^5\*Sqrt[1 - d^2\*x^2])/(6\*d^2) + ((5\*c^3 + 18\*b^2\*c\*d^2 + 18\*a\*c^2\*d^2 + 24\*a\*b^2\*d^4 + 24\*a^2\*c\*d^4 + 16\*a^3\*d^6)\*ArcSin[d\*x])/(16\*d^7)

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 899

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

### Rule 1815



```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*
(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x
], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2)^3}{\sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{(a + bx + cx^2)^3}{\sqrt{1 - d^2x^2}} dx \\
&= -\frac{c^3x^5\sqrt{1 - d^2x^2}}{6d^2} - \int \frac{-6a^3d^2 - 18a^2bd^2x - 18a(b^2 + ac)d^2x^2 - 6b(b^2 + 6ac)d^2x^3 - c(5c^2 + 18b^2d^2 + 18acd^2)x^4 - 18cd^2x^5}{\sqrt{1 - d^2x^2}} dx \\
&= -\frac{3bc^2x^4\sqrt{1 - d^2x^2}}{5d^2} - \frac{c^3x^5\sqrt{1 - d^2x^2}}{6d^2} + \int \frac{30a^3d^4 + 90a^2bd^4x + 90a(b^2 + ac)d^4x^2 + 6bd^2(12c^2 + 5b^2d^2 + 3acd^2)x^3 + 3cd^2(5c^2 + 18b^2d^2 + 18acd^2)x^4 + 3d^6x^5}{\sqrt{1 - d^2x^2}} dx \\
&= -\frac{c(5c^2 + 18b^2d^2 + 18acd^2)x^3\sqrt{1 - d^2x^2}}{24d^4} - \frac{3bc^2x^4\sqrt{1 - d^2x^2}}{5d^2} - \frac{c^3x^5\sqrt{1 - d^2x^2}}{6d^2} - \int \frac{30a^3d^4 + 90a^2bd^4x + 90a(b^2 + ac)d^4x^2 + 6bd^2(12c^2 + 5b^2d^2 + 3acd^2)x^3 + 3cd^2(5c^2 + 18b^2d^2 + 18acd^2)x^4 + 3d^6x^5}{\sqrt{1 - d^2x^2}} dx \\
&= -\frac{b(12c^2 + 5b^2d^2 + 30acd^2)x^2\sqrt{1 - d^2x^2}}{15d^4} - \frac{c(5c^2 + 18b^2d^2 + 18acd^2)x^3\sqrt{1 - d^2x^2}}{24d^4} - \int \frac{30a^3d^4 + 90a^2bd^4x + 90a(b^2 + ac)d^4x^2 + 6bd^2(12c^2 + 5b^2d^2 + 3acd^2)x^3 + 3cd^2(5c^2 + 18b^2d^2 + 18acd^2)x^4 + 3d^6x^5}{\sqrt{1 - d^2x^2}} dx \\
&= -\frac{(5c^3 + 18b^2cd^2 + 18ac^2d^2 + 24ab^2d^4 + 24a^2cd^4)x\sqrt{1 - d^2x^2}}{16d^6} - \frac{b(12c^2 + 5b^2d^2 + 3acd^2)x^2\sqrt{1 - d^2x^2}}{15d^4} - \int \frac{30a^3d^4 + 90a^2bd^4x + 90a(b^2 + ac)d^4x^2 + 6bd^2(12c^2 + 5b^2d^2 + 3acd^2)x^3 + 3cd^2(5c^2 + 18b^2d^2 + 18acd^2)x^4 + 3d^6x^5}{\sqrt{1 - d^2x^2}} dx \\
&= -\frac{b(24c^2 + 10b^2d^2 + 60acd^2 + 45a^2d^4)\sqrt{1 - d^2x^2}}{15d^6} - \frac{(5c^3 + 18b^2cd^2 + 18ac^2d^2 + 24a^2cd^4)x\sqrt{1 - d^2x^2}}{16d^6} - \int \frac{30a^3d^4 + 90a^2bd^4x + 90a(b^2 + ac)d^4x^2 + 6bd^2(12c^2 + 5b^2d^2 + 3acd^2)x^3 + 3cd^2(5c^2 + 18b^2d^2 + 18acd^2)x^4 + 3d^6x^5}{\sqrt{1 - d^2x^2}} dx \\
&= -\frac{b(24c^2 + 10b^2d^2 + 60acd^2 + 45a^2d^4)\sqrt{1 - d^2x^2}}{15d^6} - \frac{(5c^3 + 18b^2cd^2 + 18ac^2d^2 + 24a^2cd^4)x\sqrt{1 - d^2x^2}}{16d^6} - \int \frac{30a^3d^4 + 90a^2bd^4x + 90a(b^2 + ac)d^4x^2 + 6bd^2(12c^2 + 5b^2d^2 + 3acd^2)x^3 + 3cd^2(5c^2 + 18b^2d^2 + 18acd^2)x^4 + 3d^6x^5}{\sqrt{1 - d^2x^2}} dx
\end{aligned}$$

**Mathematica [A]** time = 0.26, size = 229, normalized size = 0.71

$15 \sin^{-1}(dx) (16a^3d^6 + 24a^2cd^4 + 24ab^2d^4 + 18a^2d^2 + 18b^2cd^2 + 5c^3) - d\sqrt{1 - d^2x^2} (48b(15a^2d^4 + 10acd^2(d^2x^2 + 2) + c^2(3d^4x^4 + 4d^2x^2 + 8)) + 5cx(72a^2d^4 + 18acd^2(2d^2x^2 + 3) + c^2(8d^4x^4 + 10d^2x^2 + 15)) + 90b^2d^2x(4ad^2 + c(2d^2x^2 + 3)) + 80b^3d^2(d^2x^2 + 2))$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)^3/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out]  $(-d\sqrt{1 - d^2x^2})(80b^3d^2(2 + d^2x^2) + 90b^2d^2x(4ad^2 + c(3 + 2d^2x^2))) + 48b(15a^2d^4 + 10ac^2d^2(2 + d^2x^2) + c^2(8 + 10d^2x^2))\sqrt{1 - d^2x^2} - (5c^3 + 18b^2cd^2 + 18ac^2d^2 + 24a^2cd^4)x\sqrt{1 - d^2x^2} - \frac{(5c^3 + 18b^2cd^2 + 18ac^2d^2 + 24a^2cd^4)x\sqrt{1 - d^2x^2}}{16d^6}$

$$4*d^2*x^2 + 3*d^4*x^4)) + 5*c*x*(72*a^2*d^4 + 18*a*c*d^2*(3 + 2*d^2*x^2) + c^2*(15 + 10*d^2*x^2 + 8*d^4*x^4))) + 15*(5*c^3 + 18*b^2*c*d^2 + 18*a*c^2*d^2 + 24*a*b^2*d^4 + 24*a^2*c*d^4 + 16*a^3*d^6)*ArcSin[d*x]]/(240*d^7)$$

**IntegrateAlgebraic [B]** time = 0.63, size = 1219, normalized size = 3.76

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)^3/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] (Sqrt[1 - d\*x]\*(-165\*c^3 - 720\*b\*c^2\*d - 450\*b^2\*c\*d^2 - 450\*a\*c^2\*d^2 - 240\*b^3\*d^3 - 1440\*a\*b\*c\*d^3 - 360\*a\*b^2\*d^4 - 360\*a^2\*c\*d^4 - 720\*a^2\*b\*d^5 + (165\*c^3\*(1 - d\*x)^5)/(1 + d\*x)^5 - (720\*b\*c^2\*d\*(1 - d\*x)^5)/(1 + d\*x)^5 + (450\*b^2\*c\*d^2\*(1 - d\*x)^5)/(1 + d\*x)^5 + (450\*a\*c^2\*d^2\*(1 - d\*x)^5)/(1 + d\*x)^5 - (240\*b^3\*d^3\*(1 - d\*x)^5)/(1 + d\*x)^5 - (1440\*a\*b\*c\*d^3\*(1 - d\*x)^5)/(1 + d\*x)^5 + (360\*a\*b^2\*d^4\*(1 - d\*x)^5)/(1 + d\*x)^5 + (360\*a^2\*c\*d^4\*(1 - d\*x)^5)/(1 + d\*x)^5 - (720\*a^2\*b\*d^5\*(1 - d\*x)^5)/(1 + d\*x)^5 - (25\*c^3\*(1 - d\*x)^4)/(1 + d\*x)^4 - (1680\*b\*c^2\*d\*(1 - d\*x)^4)/(1 + d\*x)^4 + (630\*b^2\*c\*d^2\*(1 - d\*x)^4)/(1 + d\*x)^4 + (630\*a\*c^2\*d^2\*(1 - d\*x)^4)/(1 + d\*x)^4 - (880\*b^3\*d^3\*(1 - d\*x)^4)/(1 + d\*x)^4 - (5280\*a\*b\*c\*d^3\*(1 - d\*x)^4)/(1 + d\*x)^4 + (1080\*a\*b^2\*d^4\*(1 - d\*x)^4)/(1 + d\*x)^4 + (1080\*a^2\*c\*d^4\*(1 - d\*x)^4)/(1 + d\*x)^4 - (3600\*a^2\*b\*d^5\*(1 - d\*x)^4)/(1 + d\*x)^4 + (450\*c^3\*(1 - d\*x)^3)/(1 + d\*x)^3 - (3744\*b\*c^2\*d\*(1 - d\*x)^3)/(1 + d\*x)^3 + (180\*b^2\*c\*d^2\*(1 - d\*x)^3)/(1 + d\*x)^3 + (180\*a\*c^2\*d^2\*(1 - d\*x)^3)/(1 + d\*x)^3 - (1440\*b^3\*d^3\*(1 - d\*x)^3)/(1 + d\*x)^3 - (8640\*a\*b\*c\*d^3\*(1 - d\*x)^3)/(1 + d\*x)^3 + (720\*a\*b^2\*d^4\*(1 - d\*x)^3)/(1 + d\*x)^3 + (720\*a^2\*c\*d^4\*(1 - d\*x)^3)/(1 + d\*x)^3 - (7200\*a^2\*b\*d^5\*(1 - d\*x)^3)/(1 + d\*x)^3 - (450\*c^3\*(1 - d\*x)^2)/(1 + d\*x)^2 - (3744\*b\*c^2\*d\*(1 - d\*x)^2)/(1 + d\*x)^2 - (180\*b^2\*c\*d^2\*(1 - d\*x)^2)/(1 + d\*x)^2 - (1440\*b^3\*d^3\*(1 - d\*x)^2)/(1 + d\*x)^2 - (8640\*a\*b\*c\*d^3\*(1 - d\*x)^2)/(1 + d\*x)^2 - (720\*a\*b^2\*d^4\*(1 - d\*x)^2)/(1 + d\*x)^2 - (720\*a^2\*c\*d^4\*(1 - d\*x)^2)/(1 + d\*x)^2 - (7200\*a^2\*b\*d^5\*(1 - d\*x)^2)/(1 + d\*x)^2 + (25\*c^3\*(1 - d\*x))/(1 + d\*x) - (1680\*b\*c^2\*d\*(1 - d\*x))/(1 + d\*x) - (630\*b^2\*c\*d^2\*(1 - d\*x))/(1 + d\*x) - (630\*a\*c^2\*d^2\*(1 - d\*x))/(1 + d\*x) - (880\*b^3\*d^3\*(1 - d\*x))/(1 + d\*x) - (5280\*a\*b\*c\*d^3\*(1 - d\*x))/(1 + d\*x) - (1080\*a\*b^2\*d^4\*(1 - d\*x))/(1 + d\*x) - (1080\*a^2\*c\*d^4\*(1 - d\*x))/(1 + d\*x) - (3600\*a^2\*b\*d^5\*(1 - d\*x))/(1 + d\*x))/(120\*d^7\*Sqrt[1 + d\*x]\*(1 + (1 - d\*x)/(1 + d\*x))^6 + ((-5\*c^3 - 18\*b^2\*c\*d^2 - 18\*a\*c^2\*d^2 - 24\*a\*b^2\*d^4 - 24\*a^2\*c\*d^4 - 16\*a^3\*d^6)\*ArcTan[Sqrt[1 - d\*x]/Sqrt[1 + d\*x]])/(8\*d^7)

**fricas [A]** time = 0.42, size = 251, normalized size = 0.77

(40\*c^3\*d^3 + 144\*b^2\*d^3\*c^2 + 720\*a^2\*d^3\*c + 384\*b^2\*d^3 + 160\*(b^3 + 6\*a\*b\*c)\*d^3 + 10\*(5\*c^3\*d^3 + 18\*(b^2\*c + a\*c^2)\*d^3)\*x^2 + 16\*(12\*b^2\*d^3 + 5\*(b^3 + 6\*a\*b\*c)\*d^3)\*x + 15\*(24\*(a\*d^2 + a^2\*c)\*d^3 + 5\*c^3\*d + 18\*(b^2\*c + a\*c^2)\*d^3)\*x)\*sqrt(dx+1)\*sqrt(-dx+1) + 30\*(16\*a^3\*d^6 + 24\*(a\*d^2 + a^2\*c)\*d^6 + 5\*c^3 + 18\*(b^2\*c + a\*c^2)\*d^6)\*arctan((sqrt(1-d\*x)\*sqrt(1+d\*x))/d)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^3/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out] 
$$-1/240*((40*c^3*d^5*x^5 + 144*b*c^2*d^5*x^4 + 720*a^2*b*d^5 + 384*b*c^2*d + 160*(b^3 + 6*a*b*c)*d^3 + 10*(5*c^3*d^3 + 18*(b^2*c + a*c^2)*d^5)*x^3 + 16*(12*b*c^2*d^3 + 5*(b^3 + 6*a*b*c)*d^5)*x^2 + 15*(24*(a*b^2 + a^2*c)*d^5 + 5*c^3*d + 18*(b^2*c + a*c^2)*d^3)*x)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 30*(16*a^3*d^6 + 24*(a*b^2 + a^2*c)*d^4 + 5*c^3 + 18*(b^2*c + a*c^2)*d^2)*\arctan(\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 1)/(d*x))/d^7$$

**giac** [A] time = 0.62, size = 412, normalized size = 1.27

$$\left(\frac{d^2(d+1)\left(4(d+1)\left(\frac{16a^3d^6 + 24(a^2c + ab^2)d^4 + 5c^3 + 18(b^2c + ac^2)d^2}{240d} + \frac{15(24(ab^2 + a^2c)d^5 + 5c^3d + 18(b^2c + ac^2)d^3)}{240d}\right)\sqrt{d^2x^2 + 2dx + 1}\sqrt{-d^2x^2 + 1} + 30(16a^3d^6 + 24(a^2c + ab^2)d^4 + 5c^3 + 18(b^2c + ac^2)d^2)\arctan\left(\frac{\sqrt{d^2x^2 + 2dx + 1}\sqrt{-d^2x^2 + 1} - 1}{d^2x}\right)}{240d}\right)(d+1) + \frac{10(5c^3d^3 + 18(b^2c + ac^2)d^5)*d^5 + 16(12b^2c^2d^3 + 5(b^3 + 6abc)d^5)*d^5}{240d}\right)(d+1) + \frac{15(24(ab^2 + a^2c)d^5 + 5c^3d + 18(b^2c + ac^2)d^3)*d^5}{240d}\sqrt{d^2x^2 + 2dx + 1}\sqrt{-d^2x^2 + 1} + \frac{30(16a^3d^6 + 24(a^2c + ab^2)d^4 + 5c^3 + 18(b^2c + ac^2)d^2)\arctan\left(\frac{\sqrt{d^2x^2 + 2dx + 1}\sqrt{-d^2x^2 + 1} - 1}{d^2x}\right)}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^3/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] 
$$-1/240*\left(\left(2*((d*x + 1)*(4*(d*x + 1)*(5*(d*x + 1)*c^3/d^6 + (18*b*c^2*d^37 - 25*c^3*d^36)/d^42) + 9*(10*b^2*c*d^38 + 10*a*c^2*d^38 - 32*b*c^2*d^37 + 25*c^3*d^36)/d^42) + (40*b^3*d^39 + 240*a*b*c*d^39 - 270*b^2*c*d^38 - 270*a*c^2*d^38 + 528*b*c^2*d^37 - 275*c^3*d^36)/d^42\right)*(d*x + 1) + 5*(72*a*b^2*d^40 + 72*a^2*c*d^40 - 32*b^3*d^39 - 192*a*b*c*d^39 + 162*b^2*c*d^38 + 162*a*c^2*d^38 - 192*b*c^2*d^37 + 85*c^3*d^36)/d^42\right)*(d*x + 1) + 15*(48*a^2*b*d^41 - 24*a*b^2*d^40 - 24*a^2*c*d^40 + 16*b^3*d^39 + 96*a*b*c*d^39 - 30*b^2*c*d^38 - 30*a*c^2*d^38 + 48*b*c^2*d^37 - 11*c^3*d^36)/d^42\right)*\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 30*(16*a^3*d^6 + 24*a*b^2*d^4 + 24*a^2*c*d^4 + 18*b^2*c*d^2 + 18*a*c^2*d^2 + 5*c^3)*\arcsin(1/2*\sqrt{2}*\sqrt{d*x + 1))/d^6)/d$$

**maple** [C] time = 0.06, size = 602, normalized size = 1.86

$$\left(\frac{d^2(d+1)\left(4(d+1)\left(\frac{16a^3d^6 + 24(a^2c + ab^2)d^4 + 5c^3 + 18(b^2c + ac^2)d^2}{240d} + \frac{15(24(ab^2 + a^2c)d^5 + 5c^3d + 18(b^2c + ac^2)d^3)}{240d}\right)\sqrt{d^2x^2 + 2dx + 1}\sqrt{-d^2x^2 + 1} + 30(16a^3d^6 + 24(a^2c + ab^2)d^4 + 5c^3 + 18(b^2c + ac^2)d^2)\arctan\left(\frac{\sqrt{d^2x^2 + 2dx + 1}\sqrt{-d^2x^2 + 1} - 1}{d^2x}\right)}{240d}\right)(d+1) + \frac{10(5c^3d^3 + 18(b^2c + ac^2)d^5)*d^5 + 16(12b^2c^2d^3 + 5(b^3 + 6abc)d^5)*d^5}{240d}\right)(d+1) + \frac{15(24(ab^2 + a^2c)d^5 + 5c^3d + 18(b^2c + ac^2)d^3)*d^5}{240d}\sqrt{d^2x^2 + 2dx + 1}\sqrt{-d^2x^2 + 1} + \frac{30(16a^3d^6 + 24(a^2c + ab^2)d^4 + 5c^3 + 18(b^2c + ac^2)d^2)\arctan\left(\frac{\sqrt{d^2x^2 + 2dx + 1}\sqrt{-d^2x^2 + 1} - 1}{d^2x}\right)}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)^3/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] 
$$-1/240*(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*(40*c\operatorname{sgn}(d)*x^5*c^3*d^5*(-d^2*x^2+1)^{(1/2)}+144*c\operatorname{sgn}(d)*x^4*b*c^2*d^5*(-d^2*x^2+1)^{(1/2)}+180*c\operatorname{sgn}(d)*x^3*a*c^2*d^5*(-d^2*x^2+1)^{(1/2)}+180*c\operatorname{sgn}(d)*x^3*b^2*c*d^5*(-d^2*x^2+1)^{(1/2)}+480*c\operatorname{sgn}(d)*x^2*a*b*c*d^5*(-d^2*x^2+1)^{(1/2)}+80*c\operatorname{sgn}(d)*x^2*b^3*d^5*(-d^2*x^2+1)^{(1/2)}+50*c\operatorname{sgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x^3*c^3+360*c\operatorname{sgn}(d)*d^5*(-d^2*x^2+1)^{(1/2)}*x*a^2*c+360*c\operatorname{sgn}(d)*d^5*(-d^2*x^2+1)^{(1/2)}*x*a*b^2+192*c\operatorname{sgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x^2*b*c^2+720*(-d^2*x^2+1)^{(1/2)}*c\operatorname{sgn}(d)*d^5*a^2*b-240*\arctan(c\operatorname{sgn}(d)*d*x/(-d^2*x^2+1)^{(1/2)})*a^3*d^6+270*c\operatorname{sgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x*a*c^2+270*c\operatorname{sgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x*b^2*c+960*(-d^2*x^2+1)^{(1/2)}*c\operatorname{sgn}(d)*d^3*a*b*c+160*(-d^2*x^2+1)^{(1/2)}*c\operatorname{sgn}(d)*d^3*b^3-360*\arctan(c\operatorname{sgn}(d)$$

$$*d*x/(-d^2*x^2+1)^{(1/2)}*a^2*c*d^4-360*\arctan(\operatorname{csgn}(d)*d*x/(-d^2*x^2+1)^{(1/2)})*a*b^2*d^4+75*\operatorname{csgn}(d)*d*(-d^2*x^2+1)^{(1/2)}*x*c^3+384*(-d^2*x^2+1)^{(1/2)}*\operatorname{csgn}(d)*d*b*c^2-270*\arctan(\operatorname{csgn}(d)*d*x/(-d^2*x^2+1)^{(1/2)})*a*c^2*d^2-270*\arctan(\operatorname{csgn}(d)*d*x/(-d^2*x^2+1)^{(1/2)})*b^2*c*d^2-75*\arctan(\operatorname{csgn}(d)*d*x/(-d^2*x^2+1)^{(1/2)})*c^3*\operatorname{csgn}(d)/d^7/(-d^2*x^2+1)^{(1/2)}$$

**maxima [A]** time = 0.98, size = 365, normalized size = 1.13

$$\frac{\sqrt{-d^2+1}c^3}{6d^6} - \frac{3\sqrt{-d^2+1}b^2c^2}{5d^5} + \frac{c^2\arcsin(dx)}{d} - \frac{5\sqrt{-d^2+1}c^2}{24d^4} - \frac{3\sqrt{-d^2+1}(b^2+ac^2)^2}{4d^4} - \frac{3\sqrt{-d^2+1}d^2}{d^3} - \frac{4\sqrt{-d^2+1}b^2c^2}{5d^4} - \frac{\sqrt{-d^2+1}(b^2+6abc)^2}{3d^3} - \frac{3\sqrt{-d^2+1}(b^2+c^2)^2}{2d^2} - \frac{3(b^2+c^2)\arcsin(dx)}{2d^2} - \frac{5\sqrt{-d^2+1}c^2}{16d^6} - \frac{9\sqrt{-d^2+1}(b^2+ac^2)^2}{8d^4} - \frac{8\sqrt{-d^2+1}b^2}{5d^5} - \frac{2\sqrt{-d^2+1}(b^2+6abc)}{3d^4} - \frac{5c^2\arcsin(dx)}{16d^6} - \frac{9(b^2+ac^2)\arcsin(dx)}{8d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^3/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out]  $-1/6*\sqrt{-d^2*x^2+1}*c^3*x^5/d^2 - 3/5*\sqrt{-d^2*x^2+1}*b*c^2*x^4/d^2 + a^3*\arcsin(dx)/d - 5/24*\sqrt{-d^2*x^2+1}*c^3*x^3/d^4 - 3/4*\sqrt{-d^2*x^2+1}*(b^2*c + a*c^2)*x^3/d^2 - 3*\sqrt{-d^2*x^2+1}*a^2*b/d^2 - 4/5*\sqrt{-d^2*x^2+1}*b*c^2*x^2/d^4 - 1/3*\sqrt{-d^2*x^2+1}*(b^3 + 6*a*b*c)*x^2/d^2 - 3/2*\sqrt{-d^2*x^2+1}*(a*b^2 + a^2*c)*x/d^2 + 3/2*(a*b^2 + a^2*c)*\arcsin(dx)/d^3 - 5/16*\sqrt{-d^2*x^2+1}*c^3*x/d^6 - 9/8*\sqrt{-d^2*x^2+1}*(b^2*c + a*c^2)*x/d^4 - 8/5*\sqrt{-d^2*x^2+1}*b*c^2/d^6 - 2/3*\sqrt{-d^2*x^2+1}*(b^3 + 6*a*b*c)/d^4 + 5/16*c^3*\arcsin(dx)/d^7 + 9/8*(b^2*c + a*c^2)*\arcsin(dx)/d^5$

**mupad [B]** time = 31.33, size = 1768, normalized size = 5.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)^3/((1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2)),x)

[Out]  $-(((1-d*x)^{(1/2)}-1)^{23}*((5*c^3)/4+6*a*b^2*d^4+(9*a*c^2*d^2)/2+6*a^2*c*d^4+(9*b^2*c*d^2)/2))/((d*x+1)^{(1/2)}-1)^{23} - (((1-d*x)^{(1/2)}-1)*((5*c^3)/4+6*a*b^2*d^4+(9*a*c^2*d^2)/2+6*a^2*c*d^4+(9*b^2*c*d^2)/2))/((d*x+1)^{(1/2)}-1) - (((1-d*x)^{(1/2)}-1)^3*((175*c^3)/12+6*a*b^2*d^4+(105*a*c^2*d^2)/2+6*a^2*c*d^4+(105*b^2*c*d^2)/2))/((d*x+1)^{(1/2)}-1)^3 + (((1-d*x)^{(1/2)}-1)^{21}*((175*c^3)/12+6*a*b^2*d^4+(105*a*c^2*d^2)/2+6*a^2*c*d^4+(105*b^2*c*d^2)/2))/((d*x+1)^{(1/2)}-1)^{21} + (((1-d*x)^{(1/2)}-1)^5*(126*a*b^2*d^4-(311*c^3)/4+(669*a*c^2*d^2)/2+126*a^2*c*d^4+(669*b^2*c*d^2)/2))/((d*x+1)^{(1/2)}-1)^5 - (((1-d*x)^{(1/2)}-1)^{19}*(126*a*b^2*d^4-(311*c^3)/4+(669*a*c^2*d^2)/2+126*a^2*c*d^4+(669*b^2*c*d^2)/2))/((d*x+1)^{(1/2)}-1)^{19} + (((1-d*x)^{(1/2)}-1)^7*((8361*c^3)/4+510*a*b^2*d^4+(1533*a*c^2*d^2)/2+510*a^2*c*d^4+(1533*b^2*c*d^2)/2))/((d*x+1)^{(1/2)}-1)^7 - (((1-d*x)^{(1/2)}-1)^{17}*((8361*c^3)/4+510*a*b^2*d^4+(1533*a*c^2*d^2)/2+510*a^2*c*d^4+(1533*b^2*c*d^2)/2))/((d*x+1)^{(1/2)}-1)^{17} + (((1-d*x)^{(1/2)}-1)^{11}*((25295*$

$$\begin{aligned} & c^3)/2 + 420*a*b^2*d^4 - 549*a*c^2*d^2 + 420*a^2*c*d^4 - 549*b^2*c*d^2))/(( \\ & d*x + 1)^{(1/2)} - 1)^{11} - (((1 - d*x)^{(1/2)} - 1)^{13}*((25295*c^3)/2 + 420*a*b \\ & ^2*d^4 - 549*a*c^2*d^2 + 420*a^2*c*d^4 - 549*b^2*c*d^2))/((d*x + 1)^{(1/2)} - \\ & 1)^{13} - (((1 - d*x)^{(1/2)} - 1)^9*((42259*c^3)/6 - 804*a*b^2*d^4 + 165*a*c^ \\ & 2*d^2 - 804*a^2*c*d^4 + 165*b^2*c*d^2))/((d*x + 1)^{(1/2)} - 1)^9 + (((1 - d* \\ & x)^{(1/2)} - 1)^{15}*((42259*c^3)/6 - 804*a*b^2*d^4 + 165*a*c^2*d^2 - 804*a^2*c \\ & *d^4 + 165*b^2*c*d^2))/((d*x + 1)^{(1/2)} - 1)^{15} + (((1 - d*x)^{(1/2)} - 1)^6* \\ & ((1024*b^3*d^3)/3 + 1080*a^2*b*d^5 + 2048*b*c^2*d + 2048*a*b*c*d^3))/((d*x \\ & + 1)^{(1/2)} - 1)^6 + (((1 - d*x)^{(1/2)} - 1)^{18}*((1024*b^3*d^3)/3 + 1080*a^2* \\ & b*d^5 + 2048*b*c^2*d + 2048*a*b*c*d^3))/((d*x + 1)^{(1/2)} - 1)^{18} + (((1 - d \\ & *x)^{(1/2)} - 1)^{10}*(1024*b^3*d^3 + 5040*a^2*b*d^5 + (6144*b*c^2*d)/5 + 6144* \\ & a*b*c*d^3))/((d*x + 1)^{(1/2)} - 1)^{10} + (((1 - d*x)^{(1/2)} - 1)^{14}*(1024*b^3* \\ & d^3 + 5040*a^2*b*d^5 + (6144*b*c^2*d)/5 + 6144*a*b*c*d^3))/((d*x + 1)^{(1/2)} \\ & - 1)^{14} + (((1 - d*x)^{(1/2)} - 1)^{12}*((3200*b^3*d^3)/3 + 6048*a^2*b*d^5 + ( \\ & 32768*b*c^2*d)/5 + 6400*a*b*c*d^3))/((d*x + 1)^{(1/2)} - 1)^{12} + (((1 - d*x)^ \\ & (1/2) - 1)^4*(64*b^3*d^3 + 240*a^2*b*d^5 + 384*a*b*c*d^3))/((d*x + 1)^{(1/2)} \\ & - 1)^4 + (((1 - d*x)^{(1/2)} - 1)^{20}*(64*b^3*d^3 + 240*a^2*b*d^5 + 384*a*b*c \\ & *d^3))/((d*x + 1)^{(1/2)} - 1)^{20} + (((1 - d*x)^{(1/2)} - 1)^8*(768*b^3*d^3 + 2 \\ & 880*a^2*b*d^5 + 4608*a*b*c*d^3))/((d*x + 1)^{(1/2)} - 1)^8 + (((1 - d*x)^{(1/2)} \\ & - 1)^{16}*(768*b^3*d^3 + 2880*a^2*b*d^5 + 4608*a*b*c*d^3))/((d*x + 1)^{(1/2)} \\ & - 1)^{16} + (24*a^2*b*d^5*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + \\ & (24*a^2*b*d^5*((1 - d*x)^{(1/2)} - 1)^{22})/((d*x + 1)^{(1/2)} - 1)^{22}/(d^7 + ( \\ & 12*d^7*((1 - d*x)^{(1/2)} - 1)^2)/((d*x + 1)^{(1/2)} - 1)^2 + (66*d^7*((1 - d*x) \\ & )^{(1/2)} - 1)^4)/((d*x + 1)^{(1/2)} - 1)^4 + (220*d^7*((1 - d*x)^{(1/2)} - 1)^6) \\ & /((d*x + 1)^{(1/2)} - 1)^6 + (495*d^7*((1 - d*x)^{(1/2)} - 1)^8)/((d*x + 1)^{(1/2)} \\ & - 1)^8 + (792*d^7*((1 - d*x)^{(1/2)} - 1)^{10})/((d*x + 1)^{(1/2)} - 1)^{10} + ( \\ & 924*d^7*((1 - d*x)^{(1/2)} - 1)^{12})/((d*x + 1)^{(1/2)} - 1)^{12} + (792*d^7*((1 - \\ & d*x)^{(1/2)} - 1)^{14})/((d*x + 1)^{(1/2)} - 1)^{14} + (495*d^7*((1 - d*x)^{(1/2)} - \\ & 1)^{16})/((d*x + 1)^{(1/2)} - 1)^{16} + (220*d^7*((1 - d*x)^{(1/2)} - 1)^{18})/((d*x \\ & + 1)^{(1/2)} - 1)^{18} + (66*d^7*((1 - d*x)^{(1/2)} - 1)^{20})/((d*x + 1)^{(1/2)} - \\ & 1)^{20} + (12*d^7*((1 - d*x)^{(1/2)} - 1)^{22})/((d*x + 1)^{(1/2)} - 1)^{22} + (d^7*( \\ & (1 - d*x)^{(1/2)} - 1)^{24})/((d*x + 1)^{(1/2)} - 1)^{24} - (atan(((1 - d*x)^{(1/2)} \\ & - 1)/((d*x + 1)^{(1/2)} - 1))*(5*c^3 + 16*a^3*d^6 + 24*a*b^2*d^4 + 18*a*c^2* \\ & d^2 + 24*a^2*c*d^4 + 18*b^2*c*d^2))/(4*d^7) \end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*\*3/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] Timed out

$$3.544 \quad \int \frac{(a+bx+cx^2)^2}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

**Optimal.** Leaf size=166

$$\frac{\sin^{-1}(dx)(8a^2d^4 + 8acd^2 + 4b^2d^2 + 3c^2)}{8d^5} - \frac{x\sqrt{1-d^2x^2}\left(c\left(8a + \frac{3c}{d^2}\right) + 4b^2\right)}{8d^2} - \frac{2b\sqrt{1-d^2x^2}(3ad^2 + 2c)}{3d^4} - \frac{2bcx^2\sqrt{1-d^2x^2}}{3d^2}$$

**Rubi [A]** time = 0.32, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {899, 1815, 641, 216}

$$\frac{\sin^{-1}(dx)(8a^2d^4 + 8acd^2 + 4b^2d^2 + 3c^2)}{8d^5} - \frac{x\sqrt{1-d^2x^2}\left(c\left(8a + \frac{3c}{d^2}\right) + 4b^2\right)}{8d^2} - \frac{2b\sqrt{1-d^2x^2}(3ad^2 + 2c)}{3d^4} - \frac{2bcx^2\sqrt{1-d^2x^2}}{3d^2} - \frac{c^2x^3\sqrt{1-d^2x^2}}{4d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)^2/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] (-2\*b\*(2\*c + 3\*a\*d^2)\*Sqrt[1 - d^2\*x^2]/(3\*d^4) - ((4\*b^2 + c\*(8\*a + (3\*c)/d^2))\*x\*Sqrt[1 - d^2\*x^2])/(8\*d^2) - (2\*b\*c\*x^2\*Sqrt[1 - d^2\*x^2])/(3\*d^2) - (c^2\*x^3\*Sqrt[1 - d^2\*x^2])/(4\*d^2) + ((3\*c^2 + 4\*b^2\*d^2 + 8\*a\*c\*d^2 + 8\*a^2\*d^4)\*ArcSin[d\*x])/(8\*d^5)

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

### Rule 899

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

### Rule 1815

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e\*x^(q - 1)\*(a + b\*x^2)^(p + 1))/(b\*

$(q + 2*p + 1)), x] + \text{Dist}[1/(b*(q + 2*p + 1)), \text{Int}[(a + b*x^2)^p \text{ExpandToSum}[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x], x] /;$  FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

### Rubi steps

$$\begin{aligned} \int \frac{(a + bx + cx^2)^2}{\sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{(a + bx + cx^2)^2}{\sqrt{1 - d^2x^2}} dx \\ &= -\frac{c^2x^3\sqrt{1 - d^2x^2}}{4d^2} - \frac{\int \frac{-4a^2d^2 - 8abd^2x - (3c^2 + 4b^2d^2 + 8acd^2)x^2 - 8bcd^2x^3}{\sqrt{1 - d^2x^2}} dx}{4d^2} \\ &= -\frac{2bcx^2\sqrt{1 - d^2x^2}}{3d^2} - \frac{c^2x^3\sqrt{1 - d^2x^2}}{4d^2} + \frac{\int \frac{12a^2d^4 + 8bd^2(2c + 3ad^2)x + 3d^2(3c^2 + 4b^2d^2 + 8acd^2)x^2}{\sqrt{1 - d^2x^2}} dx}{12d^4} \\ &= -\frac{(3c^2 + 4b^2d^2 + 8acd^2)x\sqrt{1 - d^2x^2}}{8d^4} - \frac{2bcx^2\sqrt{1 - d^2x^2}}{3d^2} - \frac{c^2x^3\sqrt{1 - d^2x^2}}{4d^2} - \int \frac{-3d^2(3c^2 + 4b^2d^2 + 8acd^2)x^2}{\sqrt{1 - d^2x^2}} dx \\ &= -\frac{2b(2c + 3ad^2)\sqrt{1 - d^2x^2}}{3d^4} - \frac{(3c^2 + 4b^2d^2 + 8acd^2)x\sqrt{1 - d^2x^2}}{8d^4} - \frac{2bcx^2\sqrt{1 - d^2x^2}}{3d^2} \\ &= -\frac{2b(2c + 3ad^2)\sqrt{1 - d^2x^2}}{3d^4} - \frac{(3c^2 + 4b^2d^2 + 8acd^2)x\sqrt{1 - d^2x^2}}{8d^4} - \frac{2bcx^2\sqrt{1 - d^2x^2}}{3d^2} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 114, normalized size = 0.69

$$\frac{3 \sin^{-1}(dx) (8a^2d^4 + 8acd^2 + 4b^2d^2 + 3c^2) - d\sqrt{1 - d^2x^2} (16b(3ad^2 + cd^2x^2 + 2c) + 3cx(8ad^2 + 2cd^2x^2 + 3c) + 12b^2d^2x)}{24d^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)^2/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]), x]

[Out]  $(-(d*\text{Sqrt}[1 - d^2*x^2]*(12*b^2*d^2*x + 16*b*(2*c + 3*a*d^2 + c*d^2*x^2) + 3*c*x*(3*c + 8*a*d^2 + 2*c*d^2*x^2))) + 3*(3*c^2 + 4*b^2*d^2 + 8*a*c*d^2 + 8*a^2*d^4)*\text{ArcSin}[d*x])/(24*d^5)$

**IntegrateAlgebraic [B]** time = 0.29, size = 446, normalized size = 2.69

$$\frac{\tan^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{1+dx}}\right) (-8a^2d^4 - 8acd^2 - 4b^2d^2 - 3c^2) + \sqrt{1-dx} \left( \frac{144bd^3(1-d)}{d+1} - \frac{144bd^3(1-d)^2}{(d+1)^2} - \frac{48bd^3(1-d)^3}{(d+1)^3} - 48bd^3 - \frac{24ad^2(1-d)}{d+1} + \frac{24ad^2(1-d)^2}{(d+1)^2} + \frac{24ad^2(1-d)^3}{(d+1)^3} - 24ad^2 - \frac{12b^2d^2(1-d)}{d+1} + \frac{12b^2d^2(1-d)^2}{(d+1)^2} - 12b^2d^2 - \frac{80cd(1-d)}{d+1} - \frac{80cd(1-d)^2}{(d+1)^2} - \frac{80cd(1-d)^3}{(d+1)^3} - 48bcd + \frac{9c^2(1-d)}{d+1} - \frac{9c^2(1-d)^2}{(d+1)^2} + \frac{15c^2(1-d)^3}{(d+1)^3} - 15c^2 \right)}{12d^5\sqrt{dx+1}\left(\frac{1+d}{d+1}\right)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)^2/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] (Sqrt[1 - d\*x]\*(-15\*c^2 - 48\*b\*c\*d - 12\*b^2\*d^2 - 24\*a\*c\*d^2 - 48\*a\*b\*d^3 + (15\*c^2\*(1 - d\*x)^3)/(1 + d\*x)^3 - (48\*b\*c\*d\*(1 - d\*x)^3)/(1 + d\*x)^3 + (12\*b^2\*d^2\*(1 - d\*x)^3)/(1 + d\*x)^3 + (24\*a\*c\*d^2\*(1 - d\*x)^3)/(1 + d\*x)^3 - (48\*a\*b\*d^3\*(1 - d\*x)^3)/(1 + d\*x)^3 - (9\*c^2\*(1 - d\*x)^2)/(1 + d\*x)^2 - (80\*b\*c\*d\*(1 - d\*x)^2)/(1 + d\*x)^2 + (12\*b^2\*d^2\*(1 - d\*x)^2)/(1 + d\*x)^2 + (24\*a\*c\*d^2\*(1 - d\*x)^2)/(1 + d\*x)^2 - (144\*a\*b\*d^3\*(1 - d\*x)^2)/(1 + d\*x)^2 + (9\*c^2\*(1 - d\*x))/(1 + d\*x) - (80\*b\*c\*d\*(1 - d\*x))/(1 + d\*x) - (12\*b^2\*d^2\*(1 - d\*x))/(1 + d\*x) - (24\*a\*c\*d^2\*(1 - d\*x))/(1 + d\*x) - (144\*a\*b\*d^3\*(1 - d\*x))/(1 + d\*x))/(12\*d^5\*Sqrt[1 + d\*x]\*(1 + (1 - d\*x)/(1 + d\*x))^4) + ((-3\*c^2 - 4\*b^2\*d^2 - 8\*a\*c\*d^2 - 8\*a^2\*d^4)\*ArcTan[Sqrt[1 - d\*x]/Sqrt[1 + d\*x]])/(4\*d^5)

**fricas** [A] time = 0.42, size = 134, normalized size = 0.81

$$\frac{(6c^2d^3x^3 + 16bcd^3x^2 + 48abd^3 + 32bcd + 3(4(b^2 + 2ac)d^3 + 3c^2d)x)\sqrt{dx+1}\sqrt{-dx+1} + 6(8a^2d^4 + 4(b^2 + 2ac)d^2 + 3c^2)\arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{24d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out] -1/24\*((6\*c^2\*d^3\*x^3 + 16\*b\*c\*d^3\*x^2 + 48\*a\*b\*d^3 + 32\*b\*c\*d + 3\*(4\*(b^2 + 2\*a\*c)\*d^3 + 3\*c^2\*d)\*x)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) + 6\*(8\*a^2\*d^4 + 4\*(b^2 + 2\*a\*c)\*d^2 + 3\*c^2)\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x)))/d^5

**giac** [A] time = 0.42, size = 196, normalized size = 1.18

$$\frac{(dx+1)\left(2(dx+1)\left(\frac{3(dx+1)^2}{d^4} + \frac{8bcd^{17}-9c^2d^{16}}{d^{20}}\right) + \frac{12b^2d^{18}+24acd^{18}-32bcd^{17}+27c^2d^{16}}{d^{20}}\right) + \frac{3(16abd^{19}-4b^2d^{18}-8acd^{18}+16bcd^{17}-5c^2d^{16})}{d^{20}}\right)\sqrt{dx+1}\sqrt{-dx+1} - \frac{6(8a^2d^4+4b^2d^2+8acd^2+3c^2)\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d^4}}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] -1/24\*(((d\*x + 1)\*(2\*(d\*x + 1)\*(3\*(d\*x + 1)\*c^2/d^4 + (8\*b\*c\*d^17 - 9\*c^2\*d^16)/d^20) + (12\*b^2\*d^18 + 24\*a\*c\*d^18 - 32\*b\*c\*d^17 + 27\*c^2\*d^16)/d^20) + 3\*(16\*a\*b\*d^19 - 4\*b^2\*d^18 - 8\*a\*c\*d^18 + 16\*b\*c\*d^17 - 5\*c^2\*d^16)/d^20)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 6\*(8\*a^2\*d^4 + 4\*b^2\*d^2 + 8\*a\*c\*d^2 + 3\*c^2)\*arcsin(1/2\*sqrt(2)\*sqrt(d\*x + 1))/d^4)/d

**maple** [C] time = 0.03, size = 291, normalized size = 1.75

$$\frac{\sqrt{-dx+1}\sqrt{dx+1}\left(6\sqrt{-d^2x^2+1}c^2d^3\operatorname{csign}(d)+16\sqrt{-d^2x^2+1}bc d^2\operatorname{csign}(d)-24d^2d\operatorname{arctan}\left(\frac{d\operatorname{csign}(d)}{\sqrt{-d^2x^2+1}}\right)+24\sqrt{-d^2x^2+1}ac d^3\operatorname{csign}(d)+12\sqrt{-d^2x^2+1}b^2d^3\operatorname{csign}(d)+48\sqrt{-d^2x^2+1}ab d^2\operatorname{csign}(d)-24ac d^2\operatorname{arctan}\left(\frac{d\operatorname{csign}(d)}{\sqrt{-d^2x^2+1}}\right)-12b^2d\operatorname{arctan}\left(\frac{d\operatorname{csign}(d)}{\sqrt{-d^2x^2+1}}\right)+9\sqrt{-d^2x^2+1}c^2d^3\operatorname{csign}(d)+32\sqrt{-d^2x^2+1}bcd\operatorname{csign}(d)-9c^2\operatorname{arctan}\left(\frac{d\operatorname{csign}(d)}{\sqrt{-d^2x^2+1}}\right)\operatorname{csign}(d)\right)}{24\sqrt{-d^2x^2+1}d^5}$$



Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c*x^2+b*x+a)^2/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)}, x)$

[Out]  $-1/24*(-d*x+1)^{(1/2)}*(d*x+1)^{(1/2)}*(6*c\text{sgn}(d)*x^3*c^2*d^3*(-d^2*x^2+1)^{(1/2)}+16*c\text{sgn}(d)*x^2*b*c*d^3*(-d^2*x^2+1)^{(1/2)}+24*c\text{sgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x*a*c+12*c\text{sgn}(d)*d^3*(-d^2*x^2+1)^{(1/2)}*x*b^2+48*(-d^2*x^2+1)^{(1/2)}*c\text{sgn}(d)*d^3*a*b-24*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c\text{sgn}(d))*a^2*d^4+9*c\text{sgn}(d)*d*(-d^2*x^2+1)^{(1/2)}*x*c^2+32*(-d^2*x^2+1)^{(1/2)}*c\text{sgn}(d)*d*b*c-24*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c\text{sgn}(d))*a*c*d^2-12*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c\text{sgn}(d))*b^2*d^2-9*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c\text{sgn}(d))*c^2)*c\text{sgn}(d)/d^5/(-d^2*x^2+1)^{(1/2)}$

**maxima [A]** time = 0.97, size = 171, normalized size = 1.03

$$\frac{\sqrt{-d^2x^2+1}c^2x^3}{4d^2} - \frac{2\sqrt{-d^2x^2+1}bcx^2}{3d^2} + \frac{a^2\arcsin(dx)}{d} - \frac{2\sqrt{-d^2x^2+1}ab}{d^2} - \frac{\sqrt{-d^2x^2+1}(b^2+2ac)x}{2d^2} - \frac{3\sqrt{-d^2x^2+1}c^2x}{8d^4} + \frac{(b^2+2ac)\arcsin(dx)}{2d^3} - \frac{4\sqrt{-d^2x^2+1}bc}{3d^4} + \frac{3c^2\arcsin(dx)}{8d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((c*x^2+b*x+a)^2/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out]  $-1/4*\text{sqrt}(-d^2*x^2+1)*c^2*x^3/d^2 - 2/3*\text{sqrt}(-d^2*x^2+1)*b*c*x^2/d^2 + a^2*\arcsin(d*x)/d - 2*\text{sqrt}(-d^2*x^2+1)*a*b/d^2 - 1/2*\text{sqrt}(-d^2*x^2+1)*(b^2+2*a*c)*x/d^2 - 3/8*\text{sqrt}(-d^2*x^2+1)*c^2*x/d^4 + 1/2*(b^2+2*a*c)*a*\arcsin(d*x)/d^3 - 4/3*\text{sqrt}(-d^2*x^2+1)*b*c/d^4 + 3/8*c^2*\arcsin(d*x)/d^5$

**mupad [B]** time = 13.85, size = 897, normalized size = 5.40

$$\frac{\sqrt{-d^2x^2+1}c^2x^3}{4d^2} - \frac{2\sqrt{-d^2x^2+1}bcx^2}{3d^2} + \frac{a^2\arcsin(dx)}{d} - \frac{2\sqrt{-d^2x^2+1}ab}{d^2} - \frac{\sqrt{-d^2x^2+1}(b^2+2ac)x}{2d^2} - \frac{3\sqrt{-d^2x^2+1}c^2x}{8d^4} + \frac{(b^2+2ac)\arcsin(dx)}{2d^3} - \frac{4\sqrt{-d^2x^2+1}bc}{3d^4} + \frac{3c^2\arcsin(dx)}{8d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*x+c*x^2)^2/((1-d*x)^{(1/2)}*(d*x+1)^{(1/2)}), x)$

[Out]  $-(((1-d*x)^{(1/2)}-1)^{15}*((3*c^2)/2+2*b^2*d^2+4*a*c*d^2))/((d*x+1)^{(1/2)}-1)^{15}+(((1-d*x)^{(1/2)}-1)^3*(6*b^2*d^2-(23*c^2)/2+12*a*c*d^2))/((d*x+1)^{(1/2)}-1)^3-(((1-d*x)^{(1/2)}-1)^{13}*(6*b^2*d^2-(23*c^2)/2+12*a*c*d^2))/((d*x+1)^{(1/2)}-1)^{13}+(((1-d*x)^{(1/2)}-1)^5*((333*c^2)/2+30*b^2*d^2+60*a*c*d^2))/((d*x+1)^{(1/2)}-1)^5-(((1-d*x)^{(1/2)}-1)^{11}*((333*c^2)/2+30*b^2*d^2+60*a*c*d^2))/((d*x+1)^{(1/2)}-1)^{11}+(((1-d*x)^{(1/2)}-1)^7*(22*b^2*d^2-(671*c^2)/2+44*a*c*d^2))/((d*x+1)^{(1/2)}-1)^7-(((1-d*x)^{(1/2)}-1)^9*(22*b^2*d^2-(671*c^2)/2+44*a*c*d^2))/((d*x+1)^{(1/2)}-1)^9+(((1-d*x)^{(1/2)}-1)^4*(128*b*c*d+96*a*b*d^3))/((d*x+1)^{(1/2)}-1)^4+(((1-d*x)^{(1/2)}-1)^{12}*(128*b*c*d+96*a*b*d^3))/((d*x+1)^{(1/2)}-1)^{12}+(((1-d*x)^{(1/2)}-1)^8*((256*b*c*d)/3+320*a*b*d^3))/((d*x+1)^{(1/2)}-1)^8+(((1-d*x)^{(1/2)}-1)^{10}*(128*b*c*d+96*a*b*d^3))/((d*x+1)^{(1/2)}-1)^{10}$

$$\begin{aligned}
& - 1)^6 * ((512 * b * c * d) / 3 + 240 * a * b * d^3) / ((d * x + 1)^{(1/2)} - 1)^6 + (((1 - d * x) \\
& )^{(1/2)} - 1)^{10} * ((512 * b * c * d) / 3 + 240 * a * b * d^3) / ((d * x + 1)^{(1/2)} - 1)^{10} - ( \\
& ((1 - d * x)^{(1/2)} - 1) * ((3 * c^2) / 2 + 2 * b^2 * d^2 + 4 * a * c * d^2) / ((d * x + 1)^{(1/2)} \\
& - 1) + (16 * a * b * d^3 * ((1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 + (16 * \\
& a * b * d^3 * ((1 - d * x)^{(1/2)} - 1)^{14}) / ((d * x + 1)^{(1/2)} - 1)^{14} / (d^5 + (8 * d^5 * ( \\
& (1 - d * x)^{(1/2)} - 1)^2) / ((d * x + 1)^{(1/2)} - 1)^2 + (28 * d^5 * ((1 - d * x)^{(1/2)} \\
& - 1)^4) / ((d * x + 1)^{(1/2)} - 1)^4 + (56 * d^5 * ((1 - d * x)^{(1/2)} - 1)^6) / ((d * x + \\
& 1)^{(1/2)} - 1)^6 + (70 * d^5 * ((1 - d * x)^{(1/2)} - 1)^8) / ((d * x + 1)^{(1/2)} - 1)^8 \\
& + (56 * d^5 * ((1 - d * x)^{(1/2)} - 1)^{10}) / ((d * x + 1)^{(1/2)} - 1)^{10} + (28 * d^5 * ((1 \\
& - d * x)^{(1/2)} - 1)^{12}) / ((d * x + 1)^{(1/2)} - 1)^{12} + (8 * d^5 * ((1 - d * x)^{(1/2)} - \\
& 1)^{14}) / ((d * x + 1)^{(1/2)} - 1)^{14} + (d^5 * ((1 - d * x)^{(1/2)} - 1)^{16}) / ((d * x + 1) \\
& ^{(1/2)} - 1)^{16} - (\operatorname{atan}(((1 - d * x)^{(1/2)} - 1) / ((d * x + 1)^{(1/2)} - 1)) * (3 * c^2 \\
& + 8 * a^2 * d^4 + 4 * b^2 * d^2 + 8 * a * c * d^2)) / (2 * d^5)
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*\*2/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] Timed out

$$3.545 \quad \int \frac{a+bx+cx^2}{\sqrt{1-dx}\sqrt{1+dx}} dx$$

Optimal. Leaf size=63

$$\frac{(2ad^2 + c) \sin^{-1}(dx)}{2d^3} - \frac{b\sqrt{1-d^2x^2}}{d^2} - \frac{cx\sqrt{1-d^2x^2}}{2d^2}$$

**Rubi [A]** time = 0.06, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {899, 1815, 641, 216}

$$\frac{(2ad^2 + c) \sin^{-1}(dx)}{2d^3} - \frac{b\sqrt{1-d^2x^2}}{d^2} - \frac{cx\sqrt{1-d^2x^2}}{2d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -((b\*Sqrt[1 - d^2\*x^2])/d^2) - (c\*x\*Sqrt[1 - d^2\*x^2])/(2\*d^2) + ((c + 2\*a\*d^2)\*ArcSin[d\*x])/(2\*d^3)

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 899

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

Rule 1815

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e\*x^(q - 1)\*(a + b\*x^2)^(p + 1))/(b\*(q + 2\*p + 1)), x] + Dist[1/(b\*(q + 2\*p + 1)), Int[(a + b\*x^2)^p\*ExpandToSum[b\*(q + 2\*p + 1)\*Pq - a\*e\*(q - 1)\*x^(q - 2) - b\*e\*(q + 2\*p + 1)\*x^q, x], x]

], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{a + bx + cx^2}{\sqrt{1 - dx} \sqrt{1 + dx}} dx &= \int \frac{a + bx + cx^2}{\sqrt{1 - d^2x^2}} dx \\
 &= -\frac{cx\sqrt{1 - d^2x^2}}{2d^2} - \frac{\int \frac{-c - 2ad^2 - 2bd^2x}{\sqrt{1 - d^2x^2}} dx}{2d^2} \\
 &= -\frac{b\sqrt{1 - d^2x^2}}{d^2} - \frac{cx\sqrt{1 - d^2x^2}}{2d^2} - \frac{(-c - 2ad^2) \int \frac{1}{\sqrt{1 - d^2x^2}} dx}{2d^2} \\
 &= -\frac{b\sqrt{1 - d^2x^2}}{d^2} - \frac{cx\sqrt{1 - d^2x^2}}{2d^2} + \frac{(c + 2ad^2) \sin^{-1}(dx)}{2d^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 45, normalized size = 0.71

$$\frac{(2ad^2 + c) \sin^{-1}(dx) - d\sqrt{1 - d^2x^2} (2b + cx)}{2d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -(d\*(2\*b + c\*x)\*Sqrt[1 - d^2\*x^2]) + (c + 2\*a\*d^2)\*ArcSin[d\*x])/(2\*d^3)

**IntegrateAlgebraic [A]** time = 0.00, size = 117, normalized size = 1.86

$$\frac{(-2ad^2 - c) \tan^{-1}\left(\frac{\sqrt{1-dx}}{\sqrt{dx+1}}\right)}{d^3} - \frac{\sqrt{1-dx} \left(\frac{2bd(1-dx)}{dx+1} + 2bd - \frac{c(1-dx)}{dx+1} + c\right)}{d^3 \sqrt{dx+1} \left(\frac{1-dx}{dx+1} + 1\right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]),x]

[Out] -((Sqrt[1 - d\*x]\*(c + 2\*b\*d - (c\*(1 - d\*x))/(1 + d\*x) + (2\*b\*d\*(1 - d\*x))/(1 + d\*x)))/(d^3\*Sqrt[1 + d\*x]\*(1 + (1 - d\*x)/(1 + d\*x))^2) + ((-c - 2\*a\*d^2)\*ArcTan[Sqrt[1 - d\*x]/Sqrt[1 + d\*x]])/d^3

**fricas** [A] time = 0.42, size = 67, normalized size = 1.06

$$\frac{(cdx + 2bd)\sqrt{dx+1}\sqrt{-dx+1} + 2(2ad^2 + c)\arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="fricas")

[Out] -1/2\*((c\*d\*x + 2\*b\*d)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) + 2\*(2\*a\*d^2 + c)\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x)))/d^3

**giac** [A] time = 0.27, size = 76, normalized size = 1.21

$$\frac{\sqrt{dx+1}\sqrt{-dx+1}\left(\frac{(dx+1)c}{d^2} + \frac{2bd^5 - cd^4}{d^6}\right) - \frac{2(2ad^2+c)\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] -1/2\*(sqrt(d\*x + 1)\*sqrt(-d\*x + 1)\*((d\*x + 1)\*c/d^2 + (2\*b\*d^5 - c\*d^4)/d^6) - 2\*(2\*a\*d^2 + c)\*arcsin(1/2\*sqrt(2)\*sqrt(d\*x + 1))/d^2)/d

**maple** [C] time = 0.02, size = 117, normalized size = 1.86

$$\frac{\sqrt{-dx+1}\sqrt{dx+1}\left(-2ad^2\arctan\left(\frac{dx\operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right) + \sqrt{-d^2x^2+1}cdx\operatorname{csgn}(d) + 2\sqrt{-d^2x^2+1}bd\operatorname{csgn}(d) - c\arctan\left(\frac{dx\operatorname{csgn}(d)}{\sqrt{-d^2x^2+1}}\right)\right)\operatorname{csgn}(d)}{2\sqrt{-d^2x^2+1}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] -1/2\*(-d\*x+1)^(1/2)\*(d\*x+1)^(1/2)/d^3\*(csgn(d)\*d\*(-d^2\*x^2+1)^(1/2)\*x\*c-2\*a\*rctan(1/(-d^2\*x^2+1)^(1/2)\*d\*x\*csgn(d))\*a\*d^2+2\*csgn(d)\*d\*(-d^2\*x^2+1)^(1/2)\*b-arctan(1/(-d^2\*x^2+1)^(1/2)\*d\*x\*csgn(d))\*c)/(-d^2\*x^2+1)^(1/2)\*csgn(d)

**maxima** [A] time = 0.97, size = 57, normalized size = 0.90

$$\frac{a\arcsin(dx)}{d} - \frac{\sqrt{-d^2x^2+1}cx}{2d^2} - \frac{\sqrt{-d^2x^2+1}b}{d^2} + \frac{c\arcsin(dx)}{2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out]  $a \cdot \arcsin(dx)/d - 1/2 \cdot \sqrt{-d^2x^2 + 1} \cdot cx/d^2 - \sqrt{-d^2x^2 + 1} \cdot b/d^2 + 1/2 \cdot c \cdot \arcsin(dx)/d^3$

mupad [B] time = 7.76, size = 232, normalized size = 3.68

$$\frac{\sqrt{1-dx} \left( \frac{b}{d^2} + \frac{bx}{d} \right)}{\sqrt{dx+1}} - \frac{4a \operatorname{atan} \left( \frac{d(\sqrt{1-dx}-1)}{(\sqrt{dx+1}-1)\sqrt{d^2}} \right)}{\sqrt{d^2}} - \frac{2c \operatorname{atan} \left( \frac{\sqrt{1-dx}-1}{\sqrt{dx+1}-1} \right)}{d^3} - \frac{\frac{14c(\sqrt{1-dx}-1)^3}{(\sqrt{dx+1}-1)^3} - \frac{14c(\sqrt{1-dx}-1)^5}{(\sqrt{dx+1}-1)^5} + \frac{2c(\sqrt{1-dx}-1)^7}{(\sqrt{dx+1}-1)^7} - \frac{2c(\sqrt{1-dx}-1)}{\sqrt{dx+1}-1}}{d^3 \left( \frac{(\sqrt{1-dx}-1)^2}{(\sqrt{dx+1}-1)^2} + 1 \right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/((1 - d*x)^(1/2)*(d*x + 1)^(1/2)),x)`

[Out]  $-\frac{((1-dx)^{1/2} \cdot (b/d^2 + (bx)/d)) / (dx+1)^{1/2} - (4a \cdot \operatorname{atan}((d \cdot ((1-dx)^{1/2} - 1)) / (((dx+1)^{1/2} - 1) \cdot (d^2)^{1/2}))) / (d^2)^{1/2} - (2c \cdot a \cdot \tan(((1-dx)^{1/2} - 1) / ((dx+1)^{1/2} - 1))) / d^3 - ((14c \cdot ((1-dx)^{1/2} - 1)^3) / ((dx+1)^{1/2} - 1)^3 - (14c \cdot ((1-dx)^{1/2} - 1)^5) / ((dx+1)^{1/2} - 1)^5 + (2c \cdot ((1-dx)^{1/2} - 1)^7) / ((dx+1)^{1/2} - 1)^7 - (2c \cdot ((1-dx)^{1/2} - 1)) / ((dx+1)^{1/2} - 1)}{d^3 \cdot (((1-dx)^{1/2} - 1)^2 + 1)^4}$

sympy [C] time = 49.71, size = 282, normalized size = 4.48

$$\frac{{}_2F_1\left(\frac{1}{4}, \frac{3}{4}; \frac{1}{2}, 1, 1 \mid \frac{1}{d^2}\right)}{4\pi^{3/2}d} + \frac{{}_2F_1\left(\frac{1}{2}, \frac{1}{2}; 1, 1 \mid \frac{1}{d^2}\right)}{4\pi^{3/2}d} + \frac{{}_2F_1\left(\frac{1}{2}, \frac{1}{2}; 1, 1 \mid \frac{1}{d^2}\right)}{4\pi^{3/2}d^2} + \frac{{}_2F_1\left(\frac{1}{2}, \frac{1}{2}; 1, 1 \mid \frac{1}{d^2}\right)}{4\pi^{3/2}d^2} + \frac{{}_2F_1\left(\frac{1}{2}, \frac{1}{2}; 1, 1 \mid \frac{1}{d^2}\right)}{4\pi^{3/2}d^3} + \frac{{}_2F_1\left(\frac{1}{2}, \frac{1}{2}; 1, 1 \mid \frac{1}{d^2}\right)}{4\pi^{3/2}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/(-d*x+1)**(1/2)/(d*x+1)**(1/2),x)`

[Out]  $-I \cdot a \cdot \operatorname{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), 1/(d^2 \cdot x^2)) / (4 \cdot \pi \cdot (3/2) \cdot d) + a \cdot \operatorname{meijerg}((-1/2, -1/4, 0, 1/4, 1/2, 1), ((-1/4, 1/4), (-1/2, 0, 0, 0)), \exp(\pi \cdot I) / (d^2 \cdot x^2)) / (4 \cdot \pi \cdot (3/2) \cdot d) - I \cdot b \cdot \operatorname{meijerg}((-1/4, 1/4), (0, 0, 1/2, 1), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), 1/(d^2 \cdot x^2)) / (4 \cdot \pi \cdot (3/2) \cdot d^2) - b \cdot \operatorname{meijerg}((-1, -3/4, -1/2, -1/4, 0, 1), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), \exp(\pi \cdot I) / (d^2 \cdot x^2)) / (4 \cdot \pi \cdot (3/2) \cdot d^2) - I \cdot c \cdot \operatorname{meijerg}((-3/4, -1/4), (-1/2, -1/2, 0, 1), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), 1/(d^2 \cdot x^2)) / (4 \cdot \pi \cdot (3/2) \cdot d^3) + c \cdot \operatorname{meijerg}((-3/2, -5/4, -1, -3/4, -1/2, 1), ((-5/4, -3/4), (-3/2, -1, -1, 0)), \exp(\pi \cdot I) / (d^2 \cdot x^2)) / (4 \cdot \pi \cdot (3/2) \cdot d^3)$

$$3.546 \quad \int \frac{1}{\sqrt{1-dx} \sqrt{1+dx} (a+bx+cx^2)} dx$$

**Optimal.** Leaf size=282

$$\frac{\sqrt{2} c \tanh^{-1} \left( \frac{d^2 x (\sqrt{b^2 - 4ac} + b) + 2c}{\sqrt{2} \sqrt{1-d^2 x^2} \sqrt{-bd^2 (\sqrt{b^2 - 4ac} + b) + 2acd^2 + 2c^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{-bd^2 (\sqrt{b^2 - 4ac} + b) + 2acd^2 + 2c^2}} - \frac{\sqrt{2} c \tanh^{-1} \left( \frac{d^2 x (b - \sqrt{b^2 - 4ac}) + 2c}{\sqrt{2} \sqrt{1-d^2 x^2} \sqrt{-bd^2 (b - \sqrt{b^2 - 4ac}) + 2acd^2 + 2c^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{-bd^2 (b - \sqrt{b^2 - 4ac}) + 2acd^2 + 2c^2}}$$

**Rubi [A]** time = 0.52, antiderivative size = 282, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {899, 985, 725, 206}

$$\frac{\sqrt{2} c \tanh^{-1} \left( \frac{d^2 x (\sqrt{b^2 - 4ac} + b) + 2c}{\sqrt{2} \sqrt{1-d^2 x^2} \sqrt{-bd^2 (\sqrt{b^2 - 4ac} + b) + 2acd^2 + 2c^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{-bd^2 (\sqrt{b^2 - 4ac} + b) + 2acd^2 + 2c^2}} - \frac{\sqrt{2} c \tanh^{-1} \left( \frac{d^2 x (b - \sqrt{b^2 - 4ac}) + 2c}{\sqrt{2} \sqrt{1-d^2 x^2} \sqrt{-bd^2 (b - \sqrt{b^2 - 4ac}) + 2acd^2 + 2c^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{-bd^2 (b - \sqrt{b^2 - 4ac}) + 2acd^2 + 2c^2}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(a + b\*x + c\*x^2)), x]

[Out] -((Sqrt[2]\*c\*ArcTanh[(2\*c + (b - Sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(Sqrt[2]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b - Sqrt[b^2 - 4\*a\*c])\*d^2])\*Sqrt[1 - d^2\*x^2]])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b - Sqrt[b^2 - 4\*a\*c])\*d^2])) + (Sqrt[2]\*c\*ArcTanh[(2\*c + (b + Sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(Sqrt[2]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2])\*Sqrt[1 - d^2\*x^2]])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2]))

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 725**

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]

**Rule 899**

```
Int[((d_) + (e_.)*(x_))^(m_)*((f_) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) +
(c_.)*(x_)^2)^(p_), x_Symbol] := Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^
p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[
*f + d*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))
```

### Rule 985

```
Int[1/(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)*Sqrt[(d_) + (f_.)*(x_)^2]), x_Sym
bol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[1/((b - q + 2*c*x)
*Sqrt[d + f*x^2]), x], x] - Dist[(2*c)/q, Int[1/((b + q + 2*c*x)*Sqrt[d + f
*x^2]), x], x]] /; FreeQ[{a, b, c, d, f}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ
[b^2 - 4*a*c]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{1-dx}\sqrt{1+dx}(a+bx+cx^2)} dx &= \int \frac{1}{(a+bx+cx^2)\sqrt{1-d^2x^2}} dx \\
&= \frac{(2c) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx)\sqrt{1-d^2x^2}} dx}{\sqrt{b^2-4ac}} - \frac{(2c) \int \frac{1}{(b+\sqrt{b^2-4ac}+2cx)\sqrt{1-d^2x^2}} dx}{\sqrt{b^2-4ac}} \\
&= -\frac{(2c) \operatorname{Subst}\left(\int \frac{1}{4c^2-(b-\sqrt{b^2-4ac})^2 d^2-x^2} dx, x, \frac{2c+(b-\sqrt{b^2-4ac})d^2x}{\sqrt{1-d^2x^2}}\right)}{\sqrt{b^2-4ac}} + \frac{(2c) \operatorname{Subst}\left(\int \frac{1}{4c^2-(b+\sqrt{b^2-4ac})^2 d^2-x^2} dx, x, \frac{2c+(b+\sqrt{b^2-4ac})d^2x}{\sqrt{1-d^2x^2}}\right)}{\sqrt{b^2-4ac}} \\
&= -\frac{\sqrt{2} c \tanh^{-1}\left(\frac{2c+(b-\sqrt{b^2-4ac})d^2x}{\sqrt{2}\sqrt{2c^2+2acd^2-b(b-\sqrt{b^2-4ac})d^2}\sqrt{1-d^2x^2}}\right)}{\sqrt{b^2-4ac}\sqrt{2c^2+2acd^2-b(b-\sqrt{b^2-4ac})d^2}} + \frac{\sqrt{2} c \tanh^{-1}\left(\frac{2c+(b+\sqrt{b^2-4ac})d^2x}{\sqrt{2}\sqrt{2c^2+2acd^2-b(b+\sqrt{b^2-4ac})d^2}\sqrt{1-d^2x^2}}\right)}{\sqrt{b^2-4ac}\sqrt{2c^2+2acd^2-b(b+\sqrt{b^2-4ac})d^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.56, size = 260, normalized size = 0.92

$$\frac{2\sqrt{2}c \left( \frac{\tanh^{-1}\left(\frac{d^2x(\sqrt{b^2-4ac}+b)+2c}{\sqrt{1-d^2x^2}\sqrt{-2bd^2(\sqrt{b^2-4ac}+b)+4acd^2+4c^2}}\right)}{2\sqrt{-bd^2(\sqrt{b^2-4ac}+b)+2acd^2+2c^2}} - \frac{\tanh^{-1}\left(\frac{d^2x(b-\sqrt{b^2-4ac})+2c}{\sqrt{1-d^2x^2}\sqrt{2bd^2(\sqrt{b^2-4ac}-b)+4acd^2+4c^2}}\right)}{2\sqrt{bd^2(\sqrt{b^2-4ac}-b)+2acd^2+2c^2}} \right)}{\sqrt{b^2-4ac}}$$







$$\begin{aligned} & *a^2*b*c^3*d^2)*\sqrt{b^2*d^4/((a^4*b^2 - 4*a^5*c)*d^8 - 2*(a^2*b^4 - 6*a^3 \\ & *b^2*c + 8*a^4*c^2)*d^6 + b^2*c^4 - 4*a*c^5 + (b^6 - 8*a*b^4*c + 22*a^2*b^2 \\ & *c^2 - 24*a^3*c^3)*d^4 - 2*(b^4*c^2 - 6*a*b^2*c^3 + 8*a^2*c^4)*d^2)}*x - (( \\ & a*b^3 - 4*a^2*b*c)*d^4 + (b^3*c - 4*a*b*c^2)*d^2)*x)*\sqrt{-((b^2 - 2*a*c)*d \\ & ^2 - 2*c^2 + ((a^2*b^2 - 4*a^3*c)*d^4 + b^2*c^2 - 4*a*c^3 - (b^4 - 6*a*b^2*c \\ & c + 8*a^2*c^2)*d^2)*\sqrt{b^2*d^4/((a^4*b^2 - 4*a^5*c)*d^8 - 2*(a^2*b^4 - 6* \\ & a^3*b^2*c + 8*a^4*c^2)*d^6 + b^2*c^4 - 4*a*c^5 + (b^6 - 8*a*b^4*c + 22*a^2* \\ & b^2*c^2 - 24*a^3*c^3)*d^4 - 2*(b^4*c^2 - 6*a*b^2*c^3 + 8*a^2*c^4)*d^2)}}/(( \\ & a^2*b^2 - 4*a^3*c)*d^4 + b^2*c^2 - 4*a*c^3 - (b^4 - 6*a*b^2*c + 8*a^2*c^2)* \\ & d^2))/x + 1/2*\sqrt{2}*\sqrt{-((b^2 - 2*a*c)*d^2 - 2*c^2 + ((a^2*b^2 - 4*a^ \\ & 3*c)*d^4 + b^2*c^2 - 4*a*c^3 - (b^4 - 6*a*b^2*c + 8*a^2*c^2)*d^2)*\sqrt{b^2* \\ & d^4/((a^4*b^2 - 4*a^5*c)*d^8 - 2*(a^2*b^4 - 6*a^3*b^2*c + 8*a^4*c^2)*d^6 + \\ & b^2*c^4 - 4*a*c^5 + (b^6 - 8*a*b^4*c + 22*a^2*b^2*c^2 - 24*a^3*c^3)*d^4 - 2 \\ & *(b^4*c^2 - 6*a*b^2*c^3 + 8*a^2*c^4)*d^2)}}/((a^2*b^2 - 4*a^3*c)*d^4 + b^2*c^ \\ & ^2 - 4*a*c^3 - (b^4 - 6*a*b^2*c + 8*a^2*c^2)*d^2))*\log((4*\sqrt{d*x + 1})*\sqrt{ \\ & -d*x + 1})*a*b*c*d^2 - 2*b^2*c*d^2*x - 4*a*b*c*d^2 - 2*(b^2*c^3 - 4*a*c^4 \\ & + (a^2*b^2*c - 4*a^3*c^2)*d^4 - (b^4*c - 6*a*b^2*c^2 + 8*a^2*c^3)*d^2)*\sqrt{ \\ & b^2*d^4/((a^4*b^2 - 4*a^5*c)*d^8 - 2*(a^2*b^4 - 6*a^3*b^2*c + 8*a^4*c^2)* \\ & d^6 + b^2*c^4 - 4*a*c^5 + (b^6 - 8*a*b^4*c + 22*a^2*b^2*c^2 - 24*a^3*c^3)*d \\ & ^4 - 2*(b^4*c^2 - 6*a*b^2*c^3 + 8*a^2*c^4)*d^2)}*x - \sqrt{2}*((a^3*b^3 - 4 \\ & *a^4*b*c)*d^6 - b^3*c^3 + 4*a*b*c^4 - (a*b^5 - 5*a^2*b^3*c + 4*a^3*b*c^2)*d \\ & ^4 + (b^5*c - 5*a*b^3*c^2 + 4*a^2*b*c^3)*d^2)*\sqrt{b^2*d^4/((a^4*b^2 - 4*a^ \\ & 5*c)*d^8 - 2*(a^2*b^4 - 6*a^3*b^2*c + 8*a^4*c^2)*d^6 + b^2*c^4 - 4*a*c^5 + \\ & (b^6 - 8*a*b^4*c + 22*a^2*b^2*c^2 - 24*a^3*c^3)*d^4 - 2*(b^4*c^2 - 6*a*b^2* \\ & c^3 + 8*a^2*c^4)*d^2)}*x - ((a*b^3 - 4*a^2*b*c)*d^4 + (b^3*c - 4*a*b*c^2)*d \\ & ^2)*x)*\sqrt{-((b^2 - 2*a*c)*d^2 - 2*c^2 + ((a^2*b^2 - 4*a^3*c)*d^4 + b^2*c^ \\ & ^2 - 4*a*c^3 - (b^4 - 6*a*b^2*c + 8*a^2*c^2)*d^2)*\sqrt{b^2*d^4/((a^4*b^2 - 4 \\ & *a^5*c)*d^8 - 2*(a^2*b^4 - 6*a^3*b^2*c + 8*a^4*c^2)*d^6 + b^2*c^4 - 4*a*c^5 \\ & + (b^6 - 8*a*b^4*c + 22*a^2*b^2*c^2 - 24*a^3*c^3)*d^4 - 2*(b^4*c^2 - 6*a*b \\ & ^2*c^3 + 8*a^2*c^4)*d^2)}}/((a^2*b^2 - 4*a^3*c)*d^4 + b^2*c^2 - 4*a*c^3 - ( \\ & b^4 - 6*a*b^2*c + 8*a^2*c^2)*d^2))/x \end{aligned}$$

**giac [B]** time = 1.50, size = 684, normalized size = 2.43

$$\frac{(a^2 - bd + c) \left( \frac{\sqrt{a^2 - c} \sqrt{(a^2 + bd + c)(a^2 - bd + c)(a^2 - c)^2}}{a^2 - bd + c} \right) - d \sqrt{(a^2 - c) \sqrt{(a^2 + bd + c)(a^2 - bd + c)(a^2 - c)^2}}}{(a^2 - c + \sqrt{(a^2 + bd + c)(a^2 - bd + c) + (a^2 - c)^2}) \sqrt{(a^2 + bd + c)(a^2 - bd + c) + (a^2 - c)^2}} + \frac{(a^2 - bd + c) \left( \frac{\sqrt{a^2 - c} \sqrt{(a^2 + bd + c)(a^2 - bd + c)(a^2 - c)^2}}{a^2 - bd + c} \right) - d \sqrt{(a^2 - c) \sqrt{(a^2 + bd + c)(a^2 - bd + c)(a^2 - c)^2}}}{(a^2 - c - \sqrt{(a^2 + bd + c)(a^2 - bd + c) + (a^2 - c)^2}) \sqrt{(a^2 + bd + c)(a^2 - bd + c) + (a^2 - c)^2}} \arctan \left( \frac{\frac{\sqrt{a^2 - c} \sqrt{(a^2 + bd + c)(a^2 - bd + c)(a^2 - c)^2}}{a^2 - bd + c}}{2 \sqrt{(a^2 - c) \sqrt{(a^2 + bd + c)(a^2 - bd + c)(a^2 - c)^2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c\*x^2+b\*x+a)/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out]  $-(a*d^2 - b*d + c)*((a*d^2 - c + \sqrt{-(a*d^2 + b*d + c)*(a*d^2 - b*d + c) + (a*d^2 - c)^2})*d/(a*d^2 - b*d + c) - d)*\sqrt{((a*d^2 - c + \sqrt{-(a*d^2 + b*d + c)*(a*d^2 - b*d + c) + (a*d^2 - c)^2}))/((a*d^2 - b*d + c)*\arctan(-1/2*((\sqrt{2} - \sqrt{-d*x + 1}))/\sqrt{d*x + 1} - \sqrt{d*x + 1}/(\sqrt{2} - \sqrt{d*x + 1}))}$

$$\begin{aligned} & (-dx + 1)) / \sqrt{(a^2d^2 - c + \sqrt{-(a^2d^2 + b^2d + c)}(a^2d^2 - b^2d + c) + \\ & (a^2d^2 - c)^2) / (a^2d^2 - b^2d + c)) / ((a^2d^2 - c + \sqrt{-(a^2d^2 + b^2d + c)}( \\ & a^2d^2 - b^2d + c) + (a^2d^2 - c)^2)) * \sqrt{-(a^2d^2 + b^2d + c)}(a^2d^2 - b^2d + c) \\ & + (a^2d^2 - c)^2) + (a^2d^2 - b^2d + c)((a^2d^2 - c - \sqrt{-(a^2d^2 + b^2d + c)} \\ & (a^2d^2 - b^2d + c) + (a^2d^2 - c)^2)) * d / (a^2d^2 - b^2d + c) - d * \sqrt{(a^2d^2 \\ & - c - \sqrt{-(a^2d^2 + b^2d + c)}(a^2d^2 - b^2d + c) + (a^2d^2 - c)^2) / (a^2d^2 - \\ & b^2d + c)) * \arctan(-1/2 * ((\sqrt{2} - \sqrt{-dx + 1}) / \sqrt{dx + 1} - \sqrt{dx \\ & + 1}) / (\sqrt{2} - \sqrt{-dx + 1})) / \sqrt{(a^2d^2 - c - \sqrt{-(a^2d^2 + b^2d + c)} \\ & (a^2d^2 - b^2d + c) + (a^2d^2 - c)^2) / (a^2d^2 - b^2d + c)) / ((a^2d^2 - c - \sqrt{ \\ & -(a^2d^2 + b^2d + c)}(a^2d^2 - b^2d + c) + (a^2d^2 - c)^2)) * \sqrt{-(a^2d^2 + b^2d \\ & + c)}(a^2d^2 - b^2d + c) + (a^2d^2 - c)^2) \end{aligned}$$

**maple [C]** time = 0.14, size = 1759, normalized size = 6.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(1/(c*x^2+b*x+a)/(-d*x+1)^{(1/2)}/(d*x+1)^{(1/2)}, x)$

[Out] 
$$\begin{aligned} & -32 * (-d*x+1)^{(1/2)} * (d*x+1)^{(1/2)} * \text{csgn}(d)^2 * c^2 * (\ln(2 * (x*b*d^2 - (-4*a*c+b^2)^{(1/2)} \\ & (1/2) * x*d^2 + (-d^2*x^2+1)^{(1/2)} * (-b * (-4*a*c+b^2)^{(1/2)} + 2*a*c-b^2) * (-2*a^2*d^2 \\ & ^2+b * (-4*a*c+b^2)^{(1/2)} - 2*a*c+b^2) / a^2/c^2)^{(1/2)} * c+2*c) / (2*c*x - (-4*a*c+b^2 \\ & )^{(1/2)}+b)) * a^2*d^4 * (-b * (-4*a*c+b^2)^{(1/2)} - 2*a*c+b^2) * (2*a^2*d^2+b * (-4*a*c \\ & +b^2)^{(1/2)}+2*a*c-b^2) / a^2/c^2)^{(1/2)} - \ln(2 * ((-4*a*c+b^2)^{(1/2)} * x*d^2+x*b*d^2 \\ & + (-d^2*x^2+1)^{(1/2)} * (-b * (-4*a*c+b^2)^{(1/2)} - 2*a*c+b^2) * (2*a^2*d^2+b * (-4*a*c \\ & +b^2)^{(1/2)}+2*a*c-b^2) / a^2/c^2)^{(1/2)} * c+2*c) / (b+2*c*x+(-4*a*c+b^2)^{(1/2)})) \\ & * a^2*d^4 * (-b * (-4*a*c+b^2)^{(1/2)}+2*a*c-b^2) * (-2*a^2*d^2+b * (-4*a*c+b^2)^{(1/2)} \\ & ) - 2*a*c+b^2) / a^2/c^2)^{(1/2)} + 2 * \ln(2 * (x*b*d^2 - (-4*a*c+b^2)^{(1/2)} * x*d^2 + (-d^2*x^2 \\ & +1)^{(1/2)} * (-b * (-4*a*c+b^2)^{(1/2)}+2*a*c-b^2) * (-2*a^2*d^2+b * (-4*a*c+b^2)^{(1/2)} \\ & ) - 2*a*c+b^2) / a^2/c^2)^{(1/2)} * c+2*c) / (2*c*x - (-4*a*c+b^2)^{(1/2)}+b)) * a*c*d^2 \\ & * (-b * (-4*a*c+b^2)^{(1/2)} - 2*a*c+b^2) * (2*a^2*d^2+b * (-4*a*c+b^2)^{(1/2)}+2*a*c-b^2) / a^2/c^2)^{(1/2)} \\ & - \ln(2 * (x*b*d^2 - (-4*a*c+b^2)^{(1/2)} * x*d^2 + (-d^2*x^2+1)^{(1/2)} * (-b * (-4*a*c+b^2)^{(1/2)} \\ & ) - 2*a*c+b^2) / a^2/c^2)^{(1/2)} * c+2*c) / (2*c*x - (-4*a*c+b^2)^{(1/2)}+b)) * b^2*d^2 * (-b * (-4 \\ & *a*c+b^2)^{(1/2)} - 2*a*c+b^2) * (2*a^2*d^2+b * (-4*a*c+b^2)^{(1/2)}+2*a*c-b^2) / a^2/c^2)^{(1/2)} \\ & - 2 * \ln(2 * ((-4*a*c+b^2)^{(1/2)} * x*d^2+x*b*d^2 + (-d^2*x^2+1)^{(1/2)} * (-b * (-4*a*c+b^2)^{(1/2)} \\ & ) - 2*a*c+b^2) * (2*a^2*d^2+b * (-4*a*c+b^2)^{(1/2)}+2*a*c-b^2) / a^2/c^2)^{(1/2)} * c+2*c) / (b+2*c*x+(-4*a*c+b^2)^{(1/2)})) \\ & * a*c*d^2 * (-b * (-4*a*c+b^2)^{(1/2)}+2*a*c-b^2) * (-2*a^2*d^2+b * (-4*a*c+b^2)^{(1/2)} - 2*a*c+b^2) / a^2/c^2)^{(1/2)} \\ & + \ln(2 * ((-4*a*c+b^2)^{(1/2)} * x*d^2+x*b*d^2 + (-d^2*x^2+1)^{(1/2)} * (-b * (-4*a*c+b^2)^{(1/2)} \\ & ) - 2*a*c+b^2) * (2*a^2*d^2+b * (-4*a*c+b^2)^{(1/2)}+2*a*c-b^2) / a^2/c^2)^{(1/2)} * c+2*c) / (b+2*c*x+(-4*a*c+b^2)^{(1/2)})) \\ & * b^2*d^2 * (-b * (-4*a*c+b^2)^{(1/2)}+2*a*c-b^2) * (-2*a^2*d^2+b * (-4*a*c+b^2)^{(1/2)} - 2*a*c+b^2) / a^2/c^2)^{(1/2)} + \ln(2 * (x \\ & *b*d^2 - (-4*a*c+b^2)^{(1/2)} * x*d^2 + (-d^2*x^2+1)^{(1/2)} * (-b * (-4*a*c+b^2)^{(1/2)}+2 \\ & *a*c-b^2) * (-2*a^2*d^2+b * (-4*a*c+b^2)^{(1/2)} - 2*a*c+b^2) / a^2/c^2)^{(1/2)} * c+2*c) \end{aligned}$$



$$\begin{aligned}
& *a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*((-(8*a*c^3 - 2*b^2*c^2 + b^4*d^2 + b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*(((1 - d*x)^{(1/2)} - 1)^2*(1073741824*a*b^10*d^12 - 2147483648*a^3*b^8*d^14 + 1073741824*a^5*b^6*d^16 - 36283883716608*a^3*c^8*d^6 + 36283883716608*a^4*c^7*d^8 + 210900074102784*a^5*c^6*d^10 + 167812962189312*a^6*c^5*d^12 + 29480655519744*a^7*c^4*d^14 - 2267742732288*a*b^4*c^6*d^6 + 760209211392*a*b^6*c^4*d^8 + 1504312295424*a*b^8*c^2*d^10 + 75161927680*a^2*b^8*c*d^12 - 66571993088*a^4*b^6*c*d^14 - 8589934592*a^6*b^4*c*d^16 + 18141941858304*a^2*b^2*c^7*d^6 - 3813930958848*a^2*b^4*c^5*d^8 - 5978594476032*a^3*b^2*c^6*d^8 - 21930103013376*a^2*b^6*c^3*d^10 + 116415088558080*a^3*b^4*c^4*d^10 - 263779711451136*a^4*b^2*c^5*d^10 - 4173634469888*a^3*b^6*c^2*d^12 + 39994735460352*a^4*b^4*c^3*d^12 - 140239272148992*a^5*b^2*c^4*d^12 + 2478196129792*a^5*b^4*c^2*d^14 - 16080357556224*a^6*b^2*c^3*d^14 + 17179869184*a^7*b^2*c^2*d^16))/((d*x + 1)^{(1/2)} - 1)^2 + 1073741824*a*b^10*d^12 + (((1 - d*x)^{(1/2)} - 1)*(1176821039104*a*b^7*c^3*d^9 - 21440476741632*a^3*b*c^7*d^7 - 1340029796352*a*b^5*c^5*d^7 - 11544872091648*a^4*b*c^6*d^9 + 42193758715904*a^5*b*c^5*d^11 - 210453397504*a^3*b^7*c*d^13 + 32985348833280*a^6*b*c^4*d^13 + 42949672960*a^5*b^5*c*d^15 + 687194767360*a^7*b*c^3*d^15 + 10720238370816*a^2*b^3*c^6*d^7 - 10136122818560*a^2*b^5*c^4*d^9 + 24601572671488*a^3*b^3*c^5*d^9 - 3646427234304*a^2*b^7*c^2*d^11 + 23768349016064*a^3*b^5*c^3*d^11 - 57999238365184*a^4*b^3*c^4*d^11 + 3745211482112*a^4*b^5*c^2*d^13 - 19859928776704*a^5*b^3*c^3*d^13 - 343597383680*a^6*b^3*c^2*d^15 + 167503724544*a*b^9*c*d^11))/((d*x + 1)^{(1/2)} - 1) - 2147483648*a^3*b^8*d^14 + 1073741824*a^5*b^6*d^16 + 1099511627776*a^3*c^8*d^6 - 4947802324992*a^4*c^7*d^8 - 1580547964928*a^5*c^6*d^10 + 16080357556224*a^6*c^5*d^12 + 11613591568384*a^7*c^4*d^14 + 68719476736*a*b^4*c^6*d^6 - 115964116992*a*b^6*c^4*d^8 + 48318382080*a*b^8*c^2*d^10 + 23622320128*a^2*b^8*c*d^12 - 15032385536*a^4*b^6*c*d^14 - 8589934592*a^6*b^4*c*d^16 - 549755813888*a^2*b^2*c^7*d^6 + 618475290624*a^2*b^4*c^5*d^8 + 618475290624*a^3*b^2*c^6*d^8 - 77309411328*a^2*b^6*c^3*d^10 - 1799591297024*a^3*b^4*c^4*d^10 + 5738076307456*a^4*b^2*c^5*d^10 - 1081258016768*a^3*b^6*c^2*d^12 + 8246337208320*a^4*b^4*c^3*d^12 - 21492016349184*a^5*b^2*c^4*d^12 + 949187772416*a^5*b^4*c^2*d^14 - 6322191859712*a^6*b^2*c^3*d^14 + 17179869184*a^7*b^2*c^2*d^16) + (((1 - d*x)^{(1/2)} - 1)^2*(1778116460544*a*b^5*c^4*d^8 + 28449863368704*a^3*b*c^6*d^8 - 1767379042304*a*b^7*c^2*d^10 + 57312043597824*a^4*b*c^5*d^10 - 47244640256*a^2*b^7*c*d^12 + 29618094473216*a^5*b*c^4*d^12 + 47244640256*a^4*b^5*c*d^14 + 755914244096*a^6*b*c^3*d^14 - 14224931684352*a^2*b^3*c^5*d^8 + 17721035063296*a^2*b^5*c^3*d^10 - 56934086475776*a^3*b^3*c^4*d^10 + 2229088026624*a^3*b^5*c^2*d^12 - 15564961480704*a^4*b^3*c^3*d^12 - 377957122048*a^5*b^3*c^2*d^14))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)*(30236569763840*a^3*c^7*d^7 + 57449482551296*a^4*c^6*d^9 + 24189255811072*a^5*c^5*d^11 - 3023656976384*a^6*c^4*d^11
\end{aligned}$$

$$\begin{aligned}
& 3 + 1889785610240*a*b^4*c^5*d^7 - 1778116460544*a*b^6*c^3*d^9 + 12884901888 \\
& 0*a^3*b^6*c*d^13 - 15118284881920*a^2*b^2*c^6*d^7 + 17815524343808*a^2*b^4* \\
& c^4*d^9 - 57174604644352*a^3*b^2*c^5*d^9 + 1494648619008*a^2*b^6*c^2*d^11 - \\
& 4260607557632*a^3*b^4*c^3*d^11 - 4672924418048*a^4*b^2*c^4*d^11 - 12197707 \\
& 12064*a^4*b^4*c^2*d^13 + 3573412790272*a^5*b^2*c^3*d^13 - 128849018880*a*b^ \\
& 8*c*d^11)/((d*x + 1)^(1/2) - 1) + 77309411328*a*b^5*c^4*d^8 + 123695058124 \\
& 8*a^3*b*c^6*d^8 - 88046829568*a*b^7*c^2*d^10 + 3298534883328*a^4*b*c^5*d^10 \\
& - 30064771072*a^2*b^7*c*d^12 + 2542620639232*a^5*b*c^4*d^12 + 30064771072* \\
& a^4*b^5*c*d^14 + 481036337152*a^6*b*c^3*d^14 - 618475290624*a^2*b^3*c^5*d^8 \\
& + 910533066752*a^2*b^5*c^3*d^10 - 3058016714752*a^3*b^3*c^4*d^10 + 3994319 \\
& 58528*a^3*b^5*c^2*d^12 - 1752346656768*a^4*b^3*c^3*d^12 - 240518168576*a^5* \\
& b^3*c^2*d^14) - 2147483648*a*b^8*d^12 + (((1 - d*x)^(1/2) - 1)*(26800595927 \\
& 04*a*b^3*c^5*d^7 - 10720238370816*a^2*b*c^6*d^7 - 962072674304*a*b^5*c^3*d^ \\
& 9 + 5772436045824*a^3*b*c^5*d^9 + 17248588660736*a^4*b*c^4*d^11 + 644245094 \\
& 40*a^3*b^5*c*d^13 + 687194767360*a^5*b*c^3*d^13 + 2405181685760*a^2*b^3*c^4 \\
& *d^9 + 3221225472000*a^2*b^5*c^2*d^11 - 14173392076800*a^3*b^3*c^3*d^11 - 4 \\
& 29496729600*a^4*b^3*c^2*d^13 - 188978561024*a*b^7*c*d^11)/((d*x + 1)^(1/2) \\
& - 1) + (((1 - d*x)^(1/2) - 1)^2*(2147483648*a^3*b^6*d^14 - 2147483648*a*b^ \\
& 8*d^12 - 18141941858304*a^2*c^7*d^6 + 44598940401664*a^3*c^6*d^8 + 85796266 \\
& 704896*a^4*c^5*d^10 + 23055384444928*a^5*c^4*d^12 + 4535485464576*a*b^2*c^6 \\
& *d^6 + 1267015352320*a*b^4*c^4*d^8 - 2045478174720*a*b^6*c^2*d^10 - 6871947 \\
& 6736*a^2*b^6*c*d^12 - 15032385536*a^4*b^4*c*d^14 - 16217796509696*a^2*b^2*c \\
& ^5*d^8 + 21371757264896*a^2*b^4*c^3*d^10 - 74208444940288*a^3*b^2*c^4*d^10 \\
& + 2832530931712*a^3*b^4*c^2*d^12 - 15857019256832*a^4*b^2*c^3*d^12 + 257698 \\
& 03776*a^5*b^2*c^2*d^14)/((d*x + 1)^(1/2) - 1)^2 + 2147483648*a^3*b^6*d^14 \\
& + 549755813888*a^2*c^7*d^6 - 755914244096*a^3*c^6*d^8 + 6768868458496*a^4*c \\
& ^5*d^10 + 8074538516480*a^5*c^4*d^12 - 137438953472*a*b^2*c^6*d^6 + 3049426 \\
& 78016*a*b^4*c^4*d^8 - 164282499072*a*b^6*c^2*d^10 - 17179869184*a^2*b^6*c*d \\
& ^12 - 15032385536*a^4*b^4*c*d^14 - 1030792151040*a^2*b^2*c^5*d^8 + 11338713 \\
& 66144*a^2*b^4*c^3*d^10 - 3599182594048*a^3*b^2*c^4*d^10 + 1028644667392*a^3 \\
& *b^4*c^2*d^12 - 5720896438272*a^4*b^2*c^3*d^12 + 25769803776*a^5*b^2*c^2*d^ \\
& 14) + (((1 - d*x)^(1/2) - 1)^2*(13950053777408*a^2*b*c^5*d^8 - 348751344435 \\
& 2*a*b^3*c^4*d^8 + 1730871820288*a*b^5*c^2*d^10 + 14224931684352*a^3*b*c^4*d \\
& ^10 + 47244640256*a^2*b^5*c*d^12 + 360777252864*a^4*b*c^3*d^12 - 1047972020 \\
& 2240*a^2*b^3*c^3*d^10 - 279172874240*a^3*b^3*c^2*d^12)/((d*x + 1)^(1/2) - \\
& 1)^2 + (((1 - d*x)^(1/2) - 1)*(15118284881920*a^2*c^6*d^7 + 13606456393728* \\
& a^3*c^5*d^9 - 1511828488192*a^4*c^4*d^11 - 3779571220480*a*b^2*c^5*d^7 + 16 \\
& 32087572480*a*b^4*c^3*d^9 - 9929964388352*a^2*b^2*c^4*d^9 - 944892805120*a^ \\
& 2*b^4*c^2*d^11 + 2095944040448*a^3*b^2*c^3*d^11 + 128849018880*a*b^6*c*d^11 \\
& ))/((d*x + 1)^(1/2) - 1) - 223338299392*a*b^3*c^4*d^8 + 893353197568*a^2*b* \\
& c^5*d^8 + 124554051584*a*b^5*c^2*d^10 + 1236950581248*a^3*b*c^4*d^10 + 3006 \\
& 4771072*a^2*b^5*c*d^12 + 257698037760*a^4*b*c^3*d^12 - 807453851648*a^2*b^3 \\
& *c^3*d^10 - 184683593728*a^3*b^3*c^2*d^12) + 1073741824*a*b^6*d^12 + 687194 \\
& 76736*a*c^6*d^6 - (((1 - d*x)^(1/2) - 1)*(231928233984*a*b^3*c^3*d^9 - 2233 \\
& 382993920*a^2*b*c^4*d^9 - 197568495616*a^3*b*c^3*d^11 + 124554051584*a^2*b^
\end{aligned}$$

$$\begin{aligned}
& 3*c^2*d^{11} + 1340029796352*a*b*c^5*d^7 - 21474836480*a*b^5*c*d^{11})/((d*x + \\
& 1)^{(1/2)} - 1) + 687194767360*a^2*c^5*d^8 + 1859720839168*a^3*c^4*d^{10} + (( \\
& (1 - d*x)^{(1/2)} - 1)^2*(1073741824*a*b^6*d^{12} - 2267742732288*a*c^6*d^6 + 1 \\
& 0960756539392*a^2*c^5*d^8 + 6000069312512*a^3*c^4*d^{10} - 2546915606528*a*b^ \\
& 2*c^4*d^8 + 505732399104*a*b^4*c^2*d^{10} - 6442450944*a^2*b^4*c*d^{12} - 31525 \\
& 05995264*a^2*b^2*c^3*d^{10} + 9663676416*a^3*b^2*c^2*d^{12}))/((d*x + 1)^{(1/2)} \\
& - 1)^2 - 330712481792*a*b^2*c^4*d^8 + 149250113536*a*b^4*c^2*d^{10} - 6442450 \\
& 944*a^2*b^4*c*d^{12} - 919123001344*a^2*b^2*c^3*d^{10} + 9663676416*a^3*b^2*c^2 \\
& *d^{12} + (((1 - d*x)^{(1/2)} - 1)^2*(2147483648*a*b^3*c^2*d^{10} + 42949672960* \\
& a^2*b*c^3*d^{10} + 1709396983808*a*b*c^4*d^8))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 \\
& - d*x)^{(1/2)} - 1)*(1889785610240*a*c^5*d^7 - 188978561024*a^2*c^4*d^9 + 14 \\
& 6028888064*a*b^2*c^3*d^9))/((d*x + 1)^{(1/2)} - 1) - 2147483648*a*b^3*c^2*d^1 \\
& 0 + 34359738368*a^2*b*c^3*d^{10} + 146028888064*a*b*c^4*d^8)*1i + (- (8*a*c^3 \\
& - 2*b^2*c^2 + b^4*d^2 + b*d^2*(- (4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6* \\
& a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 \\
& + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + \\
& 10*a*b^4*c*d^2)))^{(1/2)}*(((1 - d*x)^{(1/2)} - 1)^2*(2147483648*a*b^3*c^2*d^ \\
& 10 + 42949672960*a^2*b*c^3*d^{10} + 1709396983808*a*b*c^4*d^8))/((d*x + 1)^{(1 \\
& /2)} - 1)^2 - (- (8*a*c^3 - 2*b^2*c^2 + b^4*d^2 + b*d^2*(- (4*a*c - b^2)^3)^{(1 \\
& /2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8 \\
& *a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - \\
& 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*(1073741824*a*b^6*d^{12} - ( \\
& - (8*a*c^3 - 2*b^2*c^2 + b^4*d^2 + b*d^2*(- (4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^ \\
& 2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a \\
& ^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2 \\
& *c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*(- (8*a*c^3 - 2*b^2*c^2 + b^4*d^2 + b*d^ \\
& 2*(- (4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 \\
& + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c \\
& ^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*(- ( \\
& (8*a*c^3 - 2*b^2*c^2 + b^4*d^2 + b*d^2*(- (4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2 \\
& *d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^ \\
& 2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2* \\
& c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*(((1 - d*x)^{(1/2)} - 1)^2*(1778116460544* \\
& a*b^5*c^4*d^8 + 28449863368704*a^3*b*c^6*d^8 - 1767379042304*a*b^7*c^2*d^{10} \\
& + 57312043597824*a^4*b*c^5*d^{10} - 47244640256*a^2*b^7*c*d^{12} + 29618094473 \\
& 216*a^5*b*c^4*d^{12} + 47244640256*a^4*b^5*c*d^{14} + 755914244096*a^6*b*c^3*d^ \\
& 14 - 14224931684352*a^2*b^3*c^5*d^8 + 17721035063296*a^2*b^5*c^3*d^{10} - 569 \\
& 34086475776*a^3*b^3*c^4*d^{10} + 2229088026624*a^3*b^5*c^2*d^{12} - 15564961480 \\
& 704*a^4*b^3*c^3*d^{12} - 377957122048*a^5*b^3*c^2*d^{14}))/((d*x + 1)^{(1/2)} - 1 \\
& )^2 - (- (8*a*c^3 - 2*b^2*c^2 + b^4*d^2 + b*d^2*(- (4*a*c - b^2)^3)^{(1/2)} + 8 \\
& *a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2* \\
& c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32* \\
& a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*(((1 - d*x)^{(1/2)} - 1)^2*(107374 \\
& 1824*a*b^{10}*d^{12} - 2147483648*a^3*b^8*d^{14} + 1073741824*a^5*b^6*d^{16} - 3628 \\
& 3883716608*a^3*c^8*d^6 + 36283883716608*a^4*c^7*d^8 + 210900074102784*a^5*c
\end{aligned}$$



$$\begin{aligned}
& ^6*d^{10} + 167812962189312*a^6*c^5*d^{12} + 29480655519744*a^7*c^4*d^{14} - 2267 \\
& 742732288*a*b^4*c^6*d^6 + 760209211392*a*b^6*c^4*d^8 + 1504312295424*a*b^8* \\
& c^2*d^{10} + 75161927680*a^2*b^8*c*d^{12} - 66571993088*a^4*b^6*c*d^{14} - 858993 \\
& 4592*a^6*b^4*c*d^{16} + 18141941858304*a^2*b^2*c^7*d^6 - 3813930958848*a^2*b^ \\
& 4*c^5*d^8 - 5978594476032*a^3*b^2*c^6*d^8 - 21930103013376*a^2*b^6*c^3*d^{10} \\
& + 116415088558080*a^3*b^4*c^4*d^{10} - 263779711451136*a^4*b^2*c^5*d^{10} - 41 \\
& 73634469888*a^3*b^6*c^2*d^{12} + 39994735460352*a^4*b^4*c^3*d^{12} - 1402392721 \\
& 48992*a^5*b^2*c^4*d^{12} + 2478196129792*a^5*b^4*c^2*d^{14} - 16080357556224*a^ \\
& 6*b^2*c^3*d^{14} + 17179869184*a^7*b^2*c^2*d^{16}))/((d*x + 1)^{(1/2)} - 1)^2 + 1 \\
& 073741824*a*b^{10}*d^{12} + (((1 - d*x)^{(1/2)} - 1)*(1176821039104*a*b^7*c^3*d^9 \\
& - 21440476741632*a^3*b*c^7*d^7 - 1340029796352*a*b^5*c^5*d^7 - 11544872091 \\
& 648*a^4*b*c^6*d^9 + 42193758715904*a^5*b*c^5*d^{11} - 210453397504*a^3*b^7*c* \\
& d^{13} + 32985348833280*a^6*b*c^4*d^{13} + 42949672960*a^5*b^5*c*d^{15} + 6871947 \\
& 67360*a^7*b*c^3*d^{15} + 10720238370816*a^2*b^3*c^6*d^7 - 10136122818560*a^2* \\
& b^5*c^4*d^9 + 24601572671488*a^3*b^3*c^5*d^9 - 3646427234304*a^2*b^7*c^2*d^ \\
& 11 + 23768349016064*a^3*b^5*c^3*d^{11} - 57999238365184*a^4*b^3*c^4*d^{11} + 37 \\
& 45211482112*a^4*b^5*c^2*d^{13} - 19859928776704*a^5*b^3*c^3*d^{13} - 3435973836 \\
& 80*a^6*b^3*c^2*d^{15} + 167503724544*a*b^9*c*d^{11}))/((d*x + 1)^{(1/2)} - 1) - 2 \\
& 147483648*a^3*b^8*d^{14} + 1073741824*a^5*b^6*d^{16} + 1099511627776*a^3*c^8*d^ \\
& 6 - 4947802324992*a^4*c^7*d^8 - 1580547964928*a^5*c^6*d^{10} + 16080357556224 \\
& *a^6*c^5*d^{12} + 11613591568384*a^7*c^4*d^{14} + 68719476736*a*b^4*c^6*d^6 - 1 \\
& 15964116992*a*b^6*c^4*d^8 + 48318382080*a*b^8*c^2*d^{10} + 23622320128*a^2*b^ \\
& 8*c*d^{12} - 15032385536*a^4*b^6*c*d^{14} - 8589934592*a^6*b^4*c*d^{16} - 5497558 \\
& 13888*a^2*b^2*c^7*d^6 + 618475290624*a^2*b^4*c^5*d^8 + 618475290624*a^3*b^2 \\
& *c^6*d^8 - 77309411328*a^2*b^6*c^3*d^{10} - 1799591297024*a^3*b^4*c^4*d^{10} + \\
& 5738076307456*a^4*b^2*c^5*d^{10} - 1081258016768*a^3*b^6*c^2*d^{12} + 824633720 \\
& 8320*a^4*b^4*c^3*d^{12} - 21492016349184*a^5*b^2*c^4*d^{12} + 949187772416*a^5* \\
& b^4*c^2*d^{14} - 6322191859712*a^6*b^2*c^3*d^{14} + 17179869184*a^7*b^2*c^2*d^ \\
& 16) + (((1 - d*x)^{(1/2)} - 1)*(30236569763840*a^3*c^7*d^7 + 57449482551296*a^ \\
& 4*c^6*d^9 + 24189255811072*a^5*c^5*d^{11} - 3023656976384*a^6*c^4*d^{13} + 1889 \\
& 785610240*a*b^4*c^5*d^7 - 1778116460544*a*b^6*c^3*d^9 + 128849018880*a^3*b^ \\
& 6*c*d^{13} - 15118284881920*a^2*b^2*c^6*d^7 + 17815524343808*a^2*b^4*c^4*d^9 \\
& - 57174604644352*a^3*b^2*c^5*d^9 + 1494648619008*a^2*b^6*c^2*d^{11} - 4260607 \\
& 557632*a^3*b^4*c^3*d^{11} - 4672924418048*a^4*b^2*c^4*d^{11} - 1219770712064*a^ \\
& 4*b^4*c^2*d^{13} + 3573412790272*a^5*b^2*c^3*d^{13} - 128849018880*a*b^8*c*d^{11} \\
& ))/((d*x + 1)^{(1/2)} - 1) + 77309411328*a*b^5*c^4*d^8 + 1236950581248*a^3*b* \\
& c^6*d^8 - 88046829568*a*b^7*c^2*d^{10} + 3298534883328*a^4*b*c^5*d^{10} - 30064 \\
& 771072*a^2*b^7*c*d^{12} + 2542620639232*a^5*b*c^4*d^{12} + 30064771072*a^4*b^5* \\
& c*d^{14} + 481036337152*a^6*b*c^3*d^{14} - 618475290624*a^2*b^3*c^5*d^8 + 91053 \\
& 3066752*a^2*b^5*c^3*d^{10} - 3058016714752*a^3*b^3*c^4*d^{10} + 399431958528*a^ \\
& 3*b^5*c^2*d^{12} - 1752346656768*a^4*b^3*c^3*d^{12} - 240518168576*a^5*b^3*c^2* \\
& d^{14} + 2147483648*a*b^8*d^{12} - (((1 - d*x)^{(1/2)} - 1)*(2680059592704*a*b^3 \\
& *c^5*d^7 - 10720238370816*a^2*b*c^6*d^7 - 962072674304*a*b^5*c^3*d^9 + 5772 \\
& 436045824*a^3*b*c^5*d^9 + 17248588660736*a^4*b*c^4*d^{11} + 64424509440*a^3*b \\
& ^5*c*d^{13} + 687194767360*a^5*b*c^3*d^{13} + 2405181685760*a^2*b^3*c^4*d^9 + 3
\end{aligned}$$

$$\begin{aligned}
& 221225472000*a^2*b^5*c^2*d^11 - 14173392076800*a^3*b^3*c^3*d^11 - 429496729 \\
& 600*a^4*b^3*c^2*d^13 - 188978561024*a*b^7*c*d^11)/((d*x + 1)^(1/2) - 1) - \\
& (((1 - d*x)^(1/2) - 1)^2*(2147483648*a^3*b^6*d^14 - 2147483648*a*b^8*d^12 - \\
& 18141941858304*a^2*c^7*d^6 + 44598940401664*a^3*c^6*d^8 + 85796266704896*a \\
& ^4*c^5*d^10 + 23055384444928*a^5*c^4*d^12 + 4535485464576*a*b^2*c^6*d^6 + 1 \\
& 267015352320*a*b^4*c^4*d^8 - 2045478174720*a*b^6*c^2*d^10 - 68719476736*a^2 \\
& *b^6*c*d^12 - 15032385536*a^4*b^4*c*d^14 - 16217796509696*a^2*b^2*c^5*d^8 + \\
& 21371757264896*a^2*b^4*c^3*d^10 - 74208444940288*a^3*b^2*c^4*d^10 + 283253 \\
& 0931712*a^3*b^4*c^2*d^12 - 15857019256832*a^4*b^2*c^3*d^12 + 25769803776*a^ \\
& 5*b^2*c^2*d^14))/((d*x + 1)^(1/2) - 1)^2 - 2147483648*a^3*b^6*d^14 - 549755 \\
& 813888*a^2*c^7*d^6 + 755914244096*a^3*c^6*d^8 - 6768868458496*a^4*c^5*d^10 \\
& - 8074538516480*a^5*c^4*d^12 + 137438953472*a*b^2*c^6*d^6 - 304942678016*a* \\
& b^4*c^4*d^8 + 164282499072*a*b^6*c^2*d^10 + 17179869184*a^2*b^6*c*d^12 + 15 \\
& 032385536*a^4*b^4*c*d^14 + 1030792151040*a^2*b^2*c^5*d^8 - 1133871366144*a^ \\
& 2*b^4*c^3*d^10 + 3599182594048*a^3*b^2*c^4*d^10 - 1028644667392*a^3*b^4*c^2 \\
& *d^12 + 5720896438272*a^4*b^2*c^3*d^12 - 25769803776*a^5*b^2*c^2*d^14) + (( \\
& (1 - d*x)^(1/2) - 1)^2*(13950053777408*a^2*b*c^5*d^8 - 3487513444352*a*b^3* \\
& c^4*d^8 + 1730871820288*a*b^5*c^2*d^10 + 14224931684352*a^3*b*c^4*d^10 + 47 \\
& 244640256*a^2*b^5*c*d^12 + 360777252864*a^4*b*c^3*d^12 - 10479720202240*a^2 \\
& *b^3*c^3*d^10 - 279172874240*a^3*b^3*c^2*d^12))/((d*x + 1)^(1/2) - 1)^2 + ( \\
& ((1 - d*x)^(1/2) - 1)*(15118284881920*a^2*c^6*d^7 + 13606456393728*a^3*c^5* \\
& d^9 - 1511828488192*a^4*c^4*d^11 - 3779571220480*a*b^2*c^5*d^7 + 1632087572 \\
& 480*a*b^4*c^3*d^9 - 9929964388352*a^2*b^2*c^4*d^9 - 944892805120*a^2*b^4*c^ \\
& 2*d^11 + 2095944040448*a^3*b^2*c^3*d^11 + 128849018880*a*b^6*c*d^11))/((d*x \\
& + 1)^(1/2) - 1) - 223338299392*a*b^3*c^4*d^8 + 893353197568*a^2*b*c^5*d^8 \\
& + 124554051584*a*b^5*c^2*d^10 + 1236950581248*a^3*b*c^4*d^10 + 30064771072* \\
& a^2*b^5*c*d^12 + 257698037760*a^4*b*c^3*d^12 - 807453851648*a^2*b^3*c^3*d^1 \\
& 0 - 184683593728*a^3*b^3*c^2*d^12) + 68719476736*a*c^6*d^6 - (((1 - d*x)^(1 \\
& /2) - 1)*(231928233984*a*b^3*c^3*d^9 - 2233382993920*a^2*b*c^4*d^9 - 197568 \\
& 495616*a^3*b*c^3*d^11 + 124554051584*a^2*b^3*c^2*d^11 + 1340029796352*a*b*c \\
& ^5*d^7 - 21474836480*a*b^5*c*d^11))/((d*x + 1)^(1/2) - 1) + 687194767360*a^ \\
& 2*c^5*d^8 + 1859720839168*a^3*c^4*d^10 + (((1 - d*x)^(1/2) - 1)^2*(10737418 \\
& 24*a*b^6*d^12 - 2267742732288*a*c^6*d^6 + 10960756539392*a^2*c^5*d^8 + 6000 \\
& 069312512*a^3*c^4*d^10 - 2546915606528*a*b^2*c^4*d^8 + 505732399104*a*b^4*c \\
& ^2*d^10 - 6442450944*a^2*b^4*c*d^12 - 3152505995264*a^2*b^2*c^3*d^10 + 9663 \\
& 676416*a^3*b^2*c^2*d^12))/((d*x + 1)^(1/2) - 1)^2 - 330712481792*a*b^2*c^4* \\
& d^8 + 149250113536*a*b^4*c^2*d^10 - 6442450944*a^2*b^4*c*d^12 - 91912300134 \\
& 4*a^2*b^2*c^3*d^10 + 9663676416*a^3*b^2*c^2*d^12) + (((1 - d*x)^(1/2) - 1)* \\
& (1889785610240*a*c^5*d^7 - 188978561024*a^2*c^4*d^9 + 146028888064*a*b^2*c^ \\
& 3*d^9))/((d*x + 1)^(1/2) - 1) - 2147483648*a*b^3*c^2*d^10 + 34359738368*a^2 \\
& *b*c^3*d^10 + 146028888064*a*b*c^4*d^8)*1i)/((-8*a*c^3 - 2*b^2*c^2 + b^4*d \\
& ^2 + b*d^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16 \\
& *a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + \\
& 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^ \\
& (1/2)*((-8*a*c^3 - 2*b^2*c^2 + b^4*d^2 + b*d^2*(-(4*a*c - b^2)^3)^(1/2) +
\end{aligned}$$

$$\begin{aligned}
& 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2 \\
& *c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32 \\
& *a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*((-(8*a*c^3 - 2*b^2*c^2 + b^4*d^2 \\
& + b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16* \\
& a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + \\
& 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{( \\
& 1/2)}*((-(8*a*c^3 - 2*b^2*c^2 + b^4*d^2 + b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8 \\
& *a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2* \\
& c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32* \\
& a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*((-(8*a*c^3 - 2*b^2*c^2 + b^4*d^2 \\
& + b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a \\
& ^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 1 \\
& 6*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1 \\
& /2)}*((-(8*a*c^3 - 2*b^2*c^2 + b^4*d^2 + b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8* \\
& a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c \\
& ^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a \\
& ^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}((((1 - d*x)^{(1/2)} - 1)^2*(1073741 \\
& 824*a*b^10*d^12 - 2147483648*a^3*b^8*d^14 + 1073741824*a^5*b^6*d^16 - 36283 \\
& 883716608*a^3*c^8*d^6 + 36283883716608*a^4*c^7*d^8 + 210900074102784*a^5*c^ \\
& 6*d^10 + 167812962189312*a^6*c^5*d^12 + 29480655519744*a^7*c^4*d^14 - 22677 \\
& 42732288*a*b^4*c^6*d^6 + 760209211392*a*b^6*c^4*d^8 + 1504312295424*a*b^8*c \\
& ^2*d^10 + 75161927680*a^2*b^8*c*d^12 - 66571993088*a^4*b^6*c*d^14 - 8589934 \\
& 592*a^6*b^4*c*d^16 + 18141941858304*a^2*b^2*c^7*d^6 - 3813930958848*a^2*b^4 \\
& *c^5*d^8 - 5978594476032*a^3*b^2*c^6*d^8 - 21930103013376*a^2*b^6*c^3*d^10 \\
& + 116415088558080*a^3*b^4*c^4*d^10 - 263779711451136*a^4*b^2*c^5*d^10 - 417 \\
& 3634469888*a^3*b^6*c^2*d^12 + 39994735460352*a^4*b^4*c^3*d^12 - 14023927214 \\
& 8992*a^5*b^2*c^4*d^12 + 2478196129792*a^5*b^4*c^2*d^14 - 16080357556224*a^6 \\
& *b^2*c^3*d^14 + 17179869184*a^7*b^2*c^2*d^16))/((d*x + 1)^{(1/2)} - 1)^2 + 10 \\
& 73741824*a*b^10*d^12 + (((1 - d*x)^{(1/2)} - 1)*(1176821039104*a*b^7*c^3*d^9 \\
& - 21440476741632*a^3*b*c^7*d^7 - 1340029796352*a*b^5*c^5*d^7 - 115448720916 \\
& 48*a^4*b*c^6*d^9 + 42193758715904*a^5*b*c^5*d^11 - 210453397504*a^3*b^7*c*d \\
& ^13 + 32985348833280*a^6*b*c^4*d^13 + 42949672960*a^5*b^5*c*d^15 + 68719476 \\
& 7360*a^7*b*c^3*d^15 + 10720238370816*a^2*b^3*c^6*d^7 - 10136122818560*a^2*b \\
& ^5*c^4*d^9 + 24601572671488*a^3*b^3*c^5*d^9 - 3646427234304*a^2*b^7*c^2*d^1 \\
& 1 + 23768349016064*a^3*b^5*c^3*d^11 - 57999238365184*a^4*b^3*c^4*d^11 + 374 \\
& 5211482112*a^4*b^5*c^2*d^13 - 19859928776704*a^5*b^3*c^3*d^13 - 34359738368 \\
& 0*a^6*b^3*c^2*d^15 + 167503724544*a*b^9*c*d^11))/((d*x + 1)^{(1/2)} - 1) - 21 \\
& 47483648*a^3*b^8*d^14 + 1073741824*a^5*b^6*d^16 + 1099511627776*a^3*c^8*d^6 \\
& - 4947802324992*a^4*c^7*d^8 - 1580547964928*a^5*c^6*d^10 + 16080357556224* \\
& a^6*c^5*d^12 + 11613591568384*a^7*c^4*d^14 + 68719476736*a*b^4*c^6*d^6 - 11 \\
& 5964116992*a*b^6*c^4*d^8 + 48318382080*a*b^8*c^2*d^10 + 23622320128*a^2*b^8 \\
& *c*d^12 - 15032385536*a^4*b^6*c*d^14 - 8589934592*a^6*b^4*c*d^16 - 54975581 \\
& 3888*a^2*b^2*c^7*d^6 + 618475290624*a^2*b^4*c^5*d^8 + 618475290624*a^3*b^2* \\
& c^6*d^8 - 77309411328*a^2*b^6*c^3*d^10 - 1799591297024*a^3*b^4*c^4*d^10 + 5 \\
& 738076307456*a^4*b^2*c^5*d^10 - 1081258016768*a^3*b^6*c^2*d^12 + 8246337208
\end{aligned}$$

$$\begin{aligned}
& 320*a^4*b^4*c^3*d^12 - 21492016349184*a^5*b^2*c^4*d^12 + 949187772416*a^5*b^4*c^2*d^14 - 6322191859712*a^6*b^2*c^3*d^14 + 17179869184*a^7*b^2*c^2*d^16 \\
& ) + (((1 - d*x)^{(1/2)} - 1)^2*(1778116460544*a*b^5*c^4*d^8 + 28449863368704*a^3*b*c^6*d^8 - 1767379042304*a*b^7*c^2*d^10 + 57312043597824*a^4*b*c^5*d^10 \\
& 0 - 47244640256*a^2*b^7*c*d^12 + 29618094473216*a^5*b*c^4*d^12 + 47244640256*a^4*b^5*c*d^14 + 755914244096*a^6*b*c^3*d^14 - 14224931684352*a^2*b^3*c^5 \\
& *d^8 + 17721035063296*a^2*b^5*c^3*d^10 - 56934086475776*a^3*b^3*c^4*d^10 + 2229088026624*a^3*b^5*c^2*d^12 - 15564961480704*a^4*b^3*c^3*d^12 - 37795712 \\
& 2048*a^5*b^3*c^2*d^14))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)*(30236569763840*a^3*c^7*d^7 + 57449482551296*a^4*c^6*d^9 + 24189255811072*a^5 \\
& *c^5*d^11 - 3023656976384*a^6*c^4*d^13 + 1889785610240*a*b^4*c^5*d^7 - 1778116460544*a*b^6*c^3*d^9 + 128849018880*a^3*b^6*c*d^13 - 15118284881920*a^2*b^2*c^6*d^7 \\
& + 17815524343808*a^2*b^4*c^4*d^9 - 57174604644352*a^3*b^2*c^5*d^9 + 1494648619008*a^2*b^6*c^2*d^11 - 4260607557632*a^3*b^4*c^3*d^11 - 4672 \\
& 924418048*a^4*b^2*c^4*d^11 - 1219770712064*a^4*b^4*c^2*d^13 + 3573412790272*a^5*b^2*c^3*d^13 - 128849018880*a*b^8*c*d^11))/((d*x + 1)^{(1/2)} - 1) + 773 \\
& 09411328*a*b^5*c^4*d^8 + 1236950581248*a^3*b*c^6*d^8 - 88046829568*a*b^7*c^2*d^10 + 3298534883328*a^4*b*c^5*d^10 - 30064771072*a^2*b^7*c*d^12 + 254262 \\
& 0639232*a^5*b*c^4*d^12 + 30064771072*a^4*b^5*c*d^14 + 481036337152*a^6*b*c^3*d^14 - 618475290624*a^2*b^3*c^5*d^8 + 910533066752*a^2*b^5*c^3*d^10 - 305 \\
& 8016714752*a^3*b^3*c^4*d^10 + 399431958528*a^3*b^5*c^2*d^12 - 1752346656768*a^4*b^3*c^3*d^12 - 240518168576*a^5*b^3*c^2*d^14) - 2147483648*a*b^8*d^12 \\
& + (((1 - d*x)^{(1/2)} - 1)*(2680059592704*a*b^3*c^5*d^7 - 10720238370816*a^2*b*c^6*d^7 - 962072674304*a*b^5*c^3*d^9 + 5772436045824*a^3*b*c^5*d^9 + 1724 \\
& 8588660736*a^4*b*c^4*d^11 + 64424509440*a^3*b^5*c*d^13 + 687194767360*a^5*b*c^3*d^13 + 2405181685760*a^2*b^3*c^4*d^9 + 3221225472000*a^2*b^5*c^2*d^11 \\
& - 14173392076800*a^3*b^3*c^3*d^11 - 429496729600*a^4*b^3*c^2*d^13 - 188978561024*a*b^7*c*d^11))/((d*x + 1)^{(1/2)} - 1) + (((1 - d*x)^{(1/2)} - 1)^2*(2147 \\
& 483648*a^3*b^6*d^14 - 2147483648*a*b^8*d^12 - 18141941858304*a^2*c^7*d^6 + 44598940401664*a^3*c^6*d^8 + 85796266704896*a^4*c^5*d^10 + 23055384444928*a^5 \\
& *c^4*d^12 + 4535485464576*a*b^2*c^6*d^6 + 1267015352320*a*b^4*c^4*d^8 - 2045478174720*a*b^6*c^2*d^10 - 68719476736*a^2*b^6*c*d^12 - 15032385536*a^4*b^4*c*d^14 \\
& - 16217796509696*a^2*b^2*c^5*d^8 + 21371757264896*a^2*b^4*c^3*d^10 - 74208444940288*a^3*b^2*c^4*d^10 + 2832530931712*a^3*b^4*c^2*d^12 - 158 \\
& 57019256832*a^4*b^2*c^3*d^12 + 25769803776*a^5*b^2*c^2*d^14))/((d*x + 1)^{(1/2)} - 1)^2 + 2147483648*a^3*b^6*d^14 + 549755813888*a^2*c^7*d^6 - 755914244 \\
& 096*a^3*c^6*d^8 + 6768868458496*a^4*c^5*d^10 + 8074538516480*a^5*c^4*d^12 - 137438953472*a*b^2*c^6*d^6 + 304942678016*a*b^4*c^4*d^8 - 164282499072*a*b^6 \\
& *c^2*d^10 - 17179869184*a^2*b^6*c*d^12 - 15032385536*a^4*b^4*c*d^14 - 1030792151040*a^2*b^2*c^5*d^8 + 1133871366144*a^2*b^4*c^3*d^10 - 3599182594048 \\
& *a^3*b^2*c^4*d^10 + 1028644667392*a^3*b^4*c^2*d^12 - 5720896438272*a^4*b^2*c^3*d^12 + 25769803776*a^5*b^2*c^2*d^14) + (((1 - d*x)^{(1/2)} - 1)^2*(139500 \\
& 53777408*a^2*b*c^5*d^8 - 3487513444352*a*b^3*c^4*d^8 + 1730871820288*a*b^5*c^2*d^10 + 14224931684352*a^3*b*c^4*d^10 + 47244640256*a^2*b^5*c*d^12 + 360 \\
& 777252864*a^4*b*c^3*d^12 - 10479720202240*a^2*b^3*c^3*d^10 - 279172874240*a
\end{aligned}$$

$$\begin{aligned}
& \left( 3b^3c^2d^{12} \right) / \left( (dx + 1)^{1/2} - 1 \right)^2 + \left( ((1 - dx)^{1/2} - 1) * (1511828 \right. \\
& 4881920a^2c^6d^7 + 13606456393728a^3c^5d^9 - 1511828488192a^4c^4d^{11} \\
& - 3779571220480a^5b^2c^5d^7 + 1632087572480a^6b^4c^3d^9 - 9929964388 \\
& 352a^7b^2c^4d^9 - 944892805120a^8b^4c^2d^{11} + 2095944040448a^9b^2 \\
& * c^3d^{11} + 128849018880a^{10}b^6c^2d^{11}) / \left( (dx + 1)^{1/2} - 1 \right) - 22333829939 \\
& 2a^2b^3c^4d^8 + 893353197568a^3b^2c^5d^8 + 124554051584a^4b^5c^2d^{10} \\
& + 1236950581248a^5b^3c^4d^{10} + 30064771072a^6b^5c^2d^{12} + 257698037760a^7 \\
& a^4b^2c^3d^{12} - 807453851648a^8b^3c^3d^{10} - 184683593728a^9b^3c^2d^{12} \\
& + 1073741824a^{10}b^6d^{12} + 68719476736a^{11}c^6d^6 - \left( ((1 - dx)^{1/2} - 1) \right. \\
& \left. * (231928233984a^2b^3c^3d^9 - 2233382993920a^3b^2c^4d^9 - 197568495616 \right. \\
& * a^4b^3c^3d^{11} + 124554051584a^5b^3c^2d^{11} + 1340029796352a^6b^2c^5d^7 \\
& - 21474836480a^7b^5c^2d^{11}) / \left( (dx + 1)^{1/2} - 1 \right) + 687194767360a^8c^5d^8 \\
& + 1859720839168a^9c^4d^{10} + \left( ((1 - dx)^{1/2} - 1) \right)^2 * (1073741824a^{10}b^6 \\
& d^{12} - 2267742732288a^{11}c^6d^6 + 10960756539392a^{12}c^5d^8 + 6000069312 \\
& 512a^{13}c^4d^{10} - 2546915606528a^{14}b^2c^4d^8 + 505732399104a^{15}b^4c^2d^{10} \\
& - 6442450944a^{16}b^4c^2d^{12} - 3152505995264a^{17}b^2c^3d^{10} + 9663676416 \\
& * a^{18}b^2c^2d^{12}) / \left( (dx + 1)^{1/2} - 1 \right)^2 - 330712481792a^{19}b^2c^4d^8 + \\
& 149250113536a^{20}b^4c^2d^{10} - 6442450944a^{21}b^4c^2d^{12} - 919123001344a^{22}b^2 \\
& c^3d^{10} + 9663676416a^{23}b^2c^2d^{12}) + \left( ((1 - dx)^{1/2} - 1) \right)^2 * (214 \\
& 7483648a^{24}b^3c^2d^{10} + 42949672960a^{25}b^2c^3d^{10} + 1709396983808a^{26}b^2c^4 \\
& * d^8) / \left( (dx + 1)^{1/2} - 1 \right)^2 + \left( ((1 - dx)^{1/2} - 1) * (1889785610240a^{27}c^5 \\
& d^7 - 1889785610240a^{28}c^4d^9 + 146028888064a^{29}b^2c^3d^9) \right) / \left( (dx + 1) \right. \\
& \left. (1/2) - 1 \right) - 2147483648a^{30}b^3c^2d^{10} + 34359738368a^{31}b^2c^3d^{10} + 14602 \\
& 8888064a^{32}b^2c^4d^8 - \left( -(8a^3c^3 - 2b^2c^2 + b^4d^2 + b^2d^2 * (-4ac - b^2)^3) \right. \\
& \left. ^{1/2} + 8a^2c^2d^2 - 6a^2b^2c^2d^2 \right) / \left( 2 * (16a^2c^4 + b^4c^2 - b^6d^2 - 8a^2b^2c^3 \right. \\
& + a^2b^4d^4 + 32a^3c^3d^2 + 16a^4c^2d^4 - 8a^3b^2c^2d^4 - 32a^2b^2c^2d^2 + 10a^2b^4c^2d^2) \right) \\
& \left. \right)^{1/2} * \left( ((1 - dx)^{1/2} - 1) \right)^2 * (2147483648a^{32}b^3c^2d^{10} + 42949672960a^{33}b^2c^3d^{10} \\
& + 1709396983808a^{34}b^2c^4d^8) / \left( (dx + 1)^{1/2} - 1 \right)^2 - \left( -(8a^3c^3 - 2b^2c^2 + b^4d^2 \right. \\
& \left. + b^2d^2 * (-4ac - b^2)^3) \right)^{1/2} + 8a^2c^2d^2 - 6a^2b^2c^2d^2) / \left( 2 * (16a^2c^4 + b^4c^2 \right. \\
& - b^6d^2 - 8a^2b^2c^3 + a^2b^4d^4 + 32a^3c^3d^2 + 16a^4c^2d^4 - 8a^3b^2c^2d^4 - 32a^2b^2c^2d^2 \\
& + 10a^2b^4c^2d^2) \right) \\
& \left. \right)^{1/2} * (1073741824a^{35}b^6d^{12} - \left( -(8a^3c^3 - 2b^2c^2 + b^4d^2 + b^2d^2 * (-4ac - b^2)^3) \right. \\
& \left. ^{1/2} + 8a^2c^2d^2 - 6a^2b^2c^2d^2 \right) / \left( 2 * (16a^2c^4 + b^4c^2 - b^6d^2 - 8a^2b^2c^3 \right. \\
& + a^2b^4d^4 + 32a^3c^3d^2 + 16a^4c^2d^4 - 8a^3b^2c^2d^4 - 32a^2b^2c^2d^2 + 10a^2b^4c^2d^2) \right) \\
& \left. \right)^{1/2} * \left( -(8a^3c^3 - 2b^2c^2 + b^4d^2 + b^2d^2 * (-4ac - b^2)^3) \right)^{1/2} + 8a^2c^2d^2 \\
& - 6a^2b^2c^2d^2) / \left( 2 * (16a^2c^4 + b^4c^2 - b^6d^2 - 8a^2b^2c^3 + a^2b^4d^4 + 32a^3c^3d^2 \right. \\
& + 16a^4c^2d^4 - 8a^3b^2c^2d^4 - 32a^2b^2c^2d^2 + 10a^2b^4c^2d^2) \right) \\
& \left. \right)^{1/2} * \left( -(8a^3c^3 - 2b^2c^2 + b^4d^2 + b^2d^2 * (-4ac - b^2)^3) \right)^{1/2} + 8a^2c^2d^2 \\
& - 6a^2b^2c^2d^2) / \left( 2 * (16a^2c^4 + b^4c^2 - b^6d^2 - 8a^2b^2c^3 + a^2b^4d^4 + 32a^3c^3d^2 \right. \\
& + 16a^4c^2d^4 - 8a^3b^2c^2d^4 - 32a^2b^2c^2d^2 + 10a^2b^4c^2d^2) \right) \\
& \left. \right)^{1/2} * \left( ((1 - dx)^{1/2} - 1) \right)^2 * (1778116460544a^{36}b^5c^4d^8 + 28449863368704a^{37}b^3c^6 \\
& d^8 - 1767379042304a^{38}b^7c^2d^{10} + 57312043597824a^{39}b^4c^5d^{10} - 472446
\end{aligned}$$

$$\begin{aligned}
& 40256a^2b^7c^4d^{12} + 29618094473216a^5b^3c^4d^{12} + 47244640256a^4b^5c^4d^{14} + 755914244096a^6b^3c^3d^{14} - 14224931684352a^2b^3c^5d^8 + 177 \\
& 21035063296a^2b^5c^3d^{10} - 56934086475776a^3b^3c^4d^{10} + 2229088026 \\
& 624a^3b^5c^2d^{12} - 15564961480704a^4b^3c^3d^{12} - 377957122048a^5b^3c^2d^{14}) / ((dx + 1)^{(1/2)} - 1)^2 - ((8a^3c^3 - 2b^2c^2 + b^4d^2 + \\
& b^6d^2 * (-4ac - b^2)^3)^{(1/2)} + 8a^2c^2d^2 - 6ab^2cd^2) / (2 * (16a^2c^4 + b^4c^2 - b^6d^2 - 8ab^2c^3 + a^2b^4d^4 + 32a^3c^3d^2 + 16a^4c^2d^4 - 8a^3b^2cd^4 - 32a^2b^2c^2d^2 + 10ab^4cd^2))^{(1/2)} \\
& * (((1 - dx)^{(1/2)} - 1)^2 * (1073741824a^5b^10d^{12} - 2147483648a^3b^8d^{14} + 1073741824a^5b^6d^{16} - 36283883716608a^3c^8d^6 + 36283883716608a^4c^7d^8 + 210900074102784a^5c^6d^{10} + 167812962189312a^6c^5d^{12} + \\
& 29480655519744a^7c^4d^{14} - 2267742732288a^5b^4c^6d^6 + 760209211392a^6b^6c^4d^8 + 1504312295424a^5b^8c^2d^{10} + 75161927680a^2b^8cd^{12} - 6 \\
& 6571993088a^4b^6cd^{14} - 8589934592a^6b^4cd^{16} + 18141941858304a^2b^2c^7d^6 - 3813930958848a^2b^4c^5d^8 - 5978594476032a^3b^2c^6d^8 \\
& - 21930103013376a^2b^6c^3d^{10} + 116415088558080a^3b^4c^4d^{10} - 263 \\
& 779711451136a^4b^2c^5d^{10} - 4173634469888a^3b^6c^2d^{12} + 3999473546 \\
& 0352a^4b^4c^3d^{12} - 140239272148992a^5b^2c^4d^{12} + 2478196129792a^5b^4c^2d^{14} - 16080357556224a^6b^2c^3d^{14} + 17179869184a^7b^2c^2d^{16}) / ((dx + 1)^{(1/2)} - 1)^2 + 1073741824a^5b^10d^{12} + (((1 - dx)^{(1/2)} - 1) * (1176821039104a^5b^7c^3d^9 - 21440476741632a^3b^7cd^7 - 1340029 \\
& 796352a^5b^5c^5d^7 - 11544872091648a^4b^6cd^9 + 42193758715904a^5b^5c^5d^{11} - 210453397504a^3b^7cd^{13} + 32985348833280a^6b^5c^4d^{13} + 42 \\
& 949672960a^5b^5cd^{15} + 687194767360a^7b^3cd^{15} + 10720238370816a^2b^3c^6d^7 - 10136122818560a^2b^5c^4d^9 + 24601572671488a^3b^3c^5d^9 - 3646427234304a^2b^7c^2d^{11} + 23768349016064a^3b^5c^3d^{11} - 57 \\
& 999238365184a^4b^3c^4d^{11} + 3745211482112a^4b^5c^2d^{13} - 1985992877 \\
& 6704a^5b^3c^3d^{13} - 343597383680a^6b^3c^2d^{15} + 167503724544a^5b^9c^4d^{11}) / ((dx + 1)^{(1/2)} - 1) - 2147483648a^3b^8d^{14} + 1073741824a^5b^6d^{16} + 1099511627776a^3c^8d^6 - 4947802324992a^4c^7d^8 - 158054796 \\
& 4928a^5c^6d^{10} + 16080357556224a^6c^5d^{12} + 11613591568384a^7c^4d^{14} + 68719476736a^5b^4c^6d^6 - 115964116992a^5b^6c^4d^8 + 48318382080a^6b^8c^2d^{10} + 23622320128a^2b^8cd^{12} - 15032385536a^4b^6cd^{14} - 8 \\
& 589934592a^6b^4cd^{16} - 549755813888a^2b^2c^7d^6 + 618475290624a^2b^4c^5d^8 + 618475290624a^3b^2c^6d^8 - 77309411328a^2b^6c^3d^{10} - \\
& 1799591297024a^3b^4c^4d^{10} + 5738076307456a^4b^2c^5d^{10} - 10812580 \\
& 16768a^3b^6c^2d^{12} + 8246337208320a^4b^4c^3d^{12} - 21492016349184a^5b^2c^4d^{12} + 949187772416a^5b^4c^2d^{14} - 6322191859712a^6b^2c^3d^{14} + 17179869184a^7b^2c^2d^{16}) + (((1 - dx)^{(1/2)} - 1) * (302365697638 \\
& 40a^3c^7d^7 + 57449482551296a^4c^6d^9 + 24189255811072a^5c^5d^{11} - \\
& 3023656976384a^6c^4d^{13} + 1889785610240a^5b^4c^5d^7 - 1778116460544a^6b^6c^3d^9 + 128849018880a^3b^6cd^{13} - 15118284881920a^2b^2c^6d^7 \\
& + 17815524343808a^2b^4c^4d^9 - 57174604644352a^3b^2c^5d^9 + 149464 \\
& 8619008a^2b^6c^2d^{11} - 4260607557632a^3b^4c^3d^{11} - 4672924418048a^4b^2c^4d^{11} - 1219770712064a^4b^4c^2d^{13} + 3573412790272a^5b^2c^4d^{11} - 1219770712064a^4b^4c^2d^{13} + 3573412790272a^5b^2c^4d^{11}
\end{aligned}$$

$$\begin{aligned}
& 3*d^{13} - 128849018880*a*b^8*c*d^{11})/((d*x + 1)^{(1/2)} - 1) + 77309411328*a* \\
& b^5*c^4*d^8 + 1236950581248*a^3*b*c^6*d^8 - 88046829568*a*b^7*c^2*d^{10} + 32 \\
& 98534883328*a^4*b*c^5*d^{10} - 30064771072*a^2*b^7*c*d^{12} + 2542620639232*a^5 \\
& *b*c^4*d^{12} + 30064771072*a^4*b^5*c*d^{14} + 481036337152*a^6*b*c^3*d^{14} - 61 \\
& 8475290624*a^2*b^3*c^5*d^8 + 910533066752*a^2*b^5*c^3*d^{10} - 3058016714752* \\
& a^3*b^3*c^4*d^{10} + 399431958528*a^3*b^5*c^2*d^{12} - 1752346656768*a^4*b^3*c^ \\
& 3*d^{12} - 240518168576*a^5*b^3*c^2*d^{14}) + 2147483648*a*b^8*d^{12} - (((1 - d* \\
& x)^{(1/2)} - 1)*(2680059592704*a*b^3*c^5*d^7 - 10720238370816*a^2*b*c^6*d^7 - \\
& 962072674304*a*b^5*c^3*d^9 + 5772436045824*a^3*b*c^5*d^9 + 17248588660736* \\
& a^4*b*c^4*d^{11} + 64424509440*a^3*b^5*c*d^{13} + 687194767360*a^5*b*c^3*d^{13} + \\
& 2405181685760*a^2*b^3*c^4*d^9 + 3221225472000*a^2*b^5*c^2*d^{11} - 141733920 \\
& 76800*a^3*b^3*c^3*d^{11} - 429496729600*a^4*b^3*c^2*d^{13} - 188978561024*a*b^7 \\
& *c*d^{11})/((d*x + 1)^{(1/2)} - 1) - (((1 - d*x)^{(1/2)} - 1)^2*(2147483648*a^3* \\
& b^6*d^{14} - 2147483648*a*b^8*d^{12} - 18141941858304*a^2*c^7*d^6 + 44598940401 \\
& 664*a^3*c^6*d^8 + 85796266704896*a^4*c^5*d^{10} + 23055384444928*a^5*c^4*d^{12} \\
& + 4535485464576*a*b^2*c^6*d^6 + 1267015352320*a*b^4*c^4*d^8 - 204547817472 \\
& 0*a*b^6*c^2*d^{10} - 68719476736*a^2*b^6*c*d^{12} - 15032385536*a^4*b^4*c*d^{14} \\
& - 16217796509696*a^2*b^2*c^5*d^8 + 21371757264896*a^2*b^4*c^3*d^{10} - 742084 \\
& 44940288*a^3*b^2*c^4*d^{10} + 2832530931712*a^3*b^4*c^2*d^{12} - 15857019256832 \\
& *a^4*b^2*c^3*d^{12} + 25769803776*a^5*b^2*c^2*d^{14}))/((d*x + 1)^{(1/2)} - 1)^2 \\
& - 2147483648*a^3*b^6*d^{14} - 549755813888*a^2*c^7*d^6 + 755914244096*a^3*c^6 \\
& *d^8 - 6768868458496*a^4*c^5*d^{10} - 8074538516480*a^5*c^4*d^{12} + 1374389534 \\
& 72*a*b^2*c^6*d^6 - 304942678016*a*b^4*c^4*d^8 + 164282499072*a*b^6*c^2*d^{10} \\
& + 17179869184*a^2*b^6*c*d^{12} + 15032385536*a^4*b^4*c*d^{14} + 1030792151040* \\
& a^2*b^2*c^5*d^8 - 1133871366144*a^2*b^4*c^3*d^{10} + 3599182594048*a^3*b^2*c^ \\
& 4*d^{10} - 1028644667392*a^3*b^4*c^2*d^{12} + 5720896438272*a^4*b^2*c^3*d^{12} - \\
& 25769803776*a^5*b^2*c^2*d^{14}) + (((1 - d*x)^{(1/2)} - 1)^2*(13950053777408*a^ \\
& 2*b*c^5*d^8 - 3487513444352*a*b^3*c^4*d^8 + 1730871820288*a*b^5*c^2*d^{10} + \\
& 14224931684352*a^3*b*c^4*d^{10} + 47244640256*a^2*b^5*c*d^{12} + 360777252864*a \\
& ^4*b*c^3*d^{12} - 10479720202240*a^2*b^3*c^3*d^{10} - 279172874240*a^3*b^3*c^2* \\
& d^{12}))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)*(15118284881920*a^2 \\
& *c^6*d^7 + 13606456393728*a^3*c^5*d^9 - 1511828488192*a^4*c^4*d^{11} - 377957 \\
& 1220480*a*b^2*c^5*d^7 + 1632087572480*a*b^4*c^3*d^9 - 9929964388352*a^2*b^2 \\
& *c^4*d^9 - 944892805120*a^2*b^4*c^2*d^{11} + 2095944040448*a^3*b^2*c^3*d^{11} + \\
& 128849018880*a*b^6*c*d^{11}))/((d*x + 1)^{(1/2)} - 1) - 223338299392*a*b^3*c^4 \\
& *d^8 + 893353197568*a^2*b*c^5*d^8 + 124554051584*a*b^5*c^2*d^{10} + 123695058 \\
& 1248*a^3*b*c^4*d^{10} + 30064771072*a^2*b^5*c*d^{12} + 257698037760*a^4*b*c^3*d \\
& ^{12} - 807453851648*a^2*b^3*c^3*d^{10} - 184683593728*a^3*b^3*c^2*d^{12}) + 6871 \\
& 9476736*a*c^6*d^6 - (((1 - d*x)^{(1/2)} - 1)*(231928233984*a*b^3*c^3*d^9 - 22 \\
& 33382993920*a^2*b*c^4*d^9 - 197568495616*a^3*b*c^3*d^{11} + 124554051584*a^2* \\
& b^3*c^2*d^{11} + 1340029796352*a*b*c^5*d^7 - 21474836480*a*b^5*c*d^{11}))/((d*x \\
& + 1)^{(1/2)} - 1) + 687194767360*a^2*c^5*d^8 + 1859720839168*a^3*c^4*d^{10} + \\
& (((1 - d*x)^{(1/2)} - 1)^2*(1073741824*a*b^6*d^{12} - 2267742732288*a*c^6*d^6 + \\
& 10960756539392*a^2*c^5*d^8 + 6000069312512*a^3*c^4*d^{10} - 2546915606528*a* \\
& b^2*c^4*d^8 + 505732399104*a*b^4*c^2*d^{10} - 6442450944*a^2*b^4*c*d^{12} - 315
\end{aligned}$$

$$\begin{aligned}
& 2505995264*a^2*b^2*c^3*d^10 + 9663676416*a^3*b^2*c^2*d^12) / ((d*x + 1)^{(1/2)} - 1)^2 - 330712481792*a*b^2*c^4*d^8 + 149250113536*a*b^4*c^2*d^10 - 64424 \\
& 50944*a^2*b^4*c*d^12 - 919123001344*a^2*b^2*c^3*d^10 + 9663676416*a^3*b^2*c^2*d^12) + (((1 - d*x)^{(1/2)} - 1)*(1889785610240*a*c^5*d^7 - 188978561024*a \\
& ^2*c^4*d^9 + 146028888064*a*b^2*c^3*d^9)) / ((d*x + 1)^{(1/2)} - 1) - 214748364 \\
& 8*a*b^3*c^2*d^10 + 34359738368*a^2*b*c^3*d^10 + 146028888064*a*b*c^4*d^8) + \\
& 283467841536*a*c^4*d^8 + (2*((1 - d*x)^{(1/2)} - 1)^2*(519691042816*a*c^4*d^ \\
& 8 + 1073741824*a*b^2*c^2*d^10)) / ((d*x + 1)^{(1/2)} - 1)^2 + 2147483648*a*b^2* \\
& c^2*d^10 + (34359738368*a*b*c^3*d^9*((1 - d*x)^{(1/2)} - 1)) / ((d*x + 1)^{(1/2)} \\
& - 1))) * (- (8*a*c^3 - 2*b^2*c^2 + b^4*d^2 + b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^ \\
& 2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 3 \\
& 2*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)} * i - \operatorname{atan}((( - (8*a*c^3 - 2*b^2*c \\
& ^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d \\
& ^2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3 \\
& *c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4 \\
& *c*d^2)))^{(1/2)} * (( - (8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3 \\
& )^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 \\
& - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2* \\
& c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)} * (( - (8*a*c^3 - 2*b^2*c^ \\
& 2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^ \\
& 2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3* \\
& c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4* \\
& c*d^2)))^{(1/2)} * (( - (8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3) \\
& )^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 \\
& - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c \\
& *d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)} * (( - (8*a*c^3 - 2*b^2*c^2 \\
& + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^ \\
& 2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3* \\
& c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4* \\
& c*d^2)))^{(1/2)} * (( - (8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3) \\
& )^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - \\
& 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c* \\
& d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)} * (((1 - d*x)^{(1/2)} - 1)^ \\
& 2*(1073741824*a*b^10*d^12 - 2147483648*a^3*b^8*d^14 + 1073741824*a^5*b^6*d^ \\
& 16 - 36283883716608*a^3*c^8*d^6 + 36283883716608*a^4*c^7*d^8 + 210900074102 \\
& 784*a^5*c^6*d^10 + 167812962189312*a^6*c^5*d^12 + 29480655519744*a^7*c^4*d^ \\
& 14 - 2267742732288*a*b^4*c^6*d^6 + 760209211392*a*b^6*c^4*d^8 + 15043122954 \\
& 24*a*b^8*c^2*d^10 + 75161927680*a^2*b^8*c*d^12 - 66571993088*a^4*b^6*c*d^14 \\
& - 8589934592*a^6*b^4*c*d^16 + 18141941858304*a^2*b^2*c^7*d^6 - 38139309588 \\
& 48*a^2*b^4*c^5*d^8 - 5978594476032*a^3*b^2*c^6*d^8 - 21930103013376*a^2*b^6 \\
& *c^3*d^10 + 116415088558080*a^3*b^4*c^4*d^10 - 263779711451136*a^4*b^2*c^5* \\
& d^10 - 4173634469888*a^3*b^6*c^2*d^12 + 39994735460352*a^4*b^4*c^3*d^12 - 1 \\
& 40239272148992*a^5*b^2*c^4*d^12 + 2478196129792*a^5*b^4*c^2*d^14 - 16080357 \\
& 556224*a^6*b^2*c^3*d^14 + 17179869184*a^7*b^2*c^2*d^16)) / ((d*x + 1)^{(1/2)} -
\end{aligned}$$



$$\begin{aligned}
& 1)^2 + 1073741824*a*b^{10}*d^{12} + (((1 - d*x)^{(1/2)} - 1)*(1176821039104*a*b^7*c^3*d^9 - 21440476741632*a^3*b*c^7*d^7 - 1340029796352*a*b^5*c^5*d^7 - 11544872091648*a^4*b*c^6*d^9 + 42193758715904*a^5*b*c^5*d^{11} - 210453397504*a^3*b^7*c*d^{13} + 32985348833280*a^6*b*c^4*d^{13} + 42949672960*a^5*b^5*c*d^{15} + 687194767360*a^7*b*c^3*d^{15} + 10720238370816*a^2*b^3*c^6*d^7 - 10136122818560*a^2*b^5*c^4*d^9 + 24601572671488*a^3*b^3*c^5*d^9 - 3646427234304*a^2*b^7*c^2*d^{11} + 23768349016064*a^3*b^5*c^3*d^{11} - 57999238365184*a^4*b^3*c^4*d^{11} + 3745211482112*a^4*b^5*c^2*d^{13} - 19859928776704*a^5*b^3*c^3*d^{13} - 343597383680*a^6*b^3*c^2*d^{15} + 167503724544*a*b^9*c*d^{11}))/((d*x + 1)^{(1/2)} - 1) - 2147483648*a^3*b^8*d^{14} + 1073741824*a^5*b^6*d^{16} + 1099511627776*a^3*c^8*d^6 - 4947802324992*a^4*c^7*d^8 - 1580547964928*a^5*c^6*d^{10} + 16080357556224*a^6*c^5*d^{12} + 11613591568384*a^7*c^4*d^{14} + 68719476736*a*b^4*c^6*d^6 - 115964116992*a*b^6*c^4*d^8 + 48318382080*a*b^8*c^2*d^{10} + 23622320128*a^2*b^8*c*d^{12} - 15032385536*a^4*b^6*c*d^{14} - 8589934592*a^6*b^4*c*d^{16} - 549755813888*a^2*b^2*c^7*d^6 + 618475290624*a^2*b^4*c^5*d^8 + 618475290624*a^3*b^2*c^6*d^8 - 77309411328*a^2*b^6*c^3*d^{10} - 1799591297024*a^3*b^4*c^4*d^{10} + 5738076307456*a^4*b^2*c^5*d^{10} - 1081258016768*a^3*b^6*c^2*d^{12} + 8246337208320*a^4*b^4*c^3*d^{12} - 21492016349184*a^5*b^2*c^4*d^{12} + 949187772416*a^5*b^4*c^2*d^{14} - 6322191859712*a^6*b^2*c^3*d^{14} + 17179869184*a^7*b^2*c^2*d^{16}) + (((1 - d*x)^{(1/2)} - 1)^2*(1778116460544*a*b^5*c^4*d^8 + 28449863368704*a^3*b*c^6*d^8 - 1767379042304*a*b^7*c^2*d^{10} + 57312043597824*a^4*b*c^5*d^{10} - 47244640256*a^2*b^7*c*d^{12} + 29618094473216*a^5*b*c^4*d^{12} + 47244640256*a^4*b^5*c*d^{14} + 755914244096*a^6*b*c^3*d^{14} - 14224931684352*a^2*b^3*c^5*d^8 + 17721035063296*a^2*b^5*c^3*d^{10} - 56934086475776*a^3*b^3*c^4*d^{10} + 2229088026624*a^3*b^5*c^2*d^{12} - 15564961480704*a^4*b^3*c^3*d^{12} - 377957122048*a^5*b^3*c^2*d^{14}))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)*(30236569763840*a^3*c^7*d^7 + 57449482551296*a^4*c^6*d^9 + 24189255811072*a^5*c^5*d^{11} - 3023656976384*a^6*c^4*d^{13} + 1889785610240*a*b^4*c^5*d^7 - 1778116460544*a*b^6*c^3*d^9 + 128849018880*a^3*b^6*c*d^{13} - 15118284881920*a^2*b^2*c^6*d^7 + 17815524343808*a^2*b^4*c^4*d^9 - 57174604644352*a^3*b^2*c^5*d^9 + 1494648619008*a^2*b^6*c^2*d^{11} - 4260607557632*a^3*b^4*c^3*d^{11} - 4672924418048*a^4*b^2*c^4*d^{11} - 1219770712064*a^4*b^4*c^2*d^{13} + 3573412790272*a^5*b^2*c^3*d^{13} - 128849018880*a*b^8*c*d^{11}))/((d*x + 1)^{(1/2)} - 1) + 77309411328*a*b^5*c^4*d^8 + 1236950581248*a^3*b*c^6*d^8 - 88046829568*a*b^7*c^2*d^{10} + 3298534883328*a^4*b*c^5*d^{10} - 30064771072*a^2*b^7*c*d^{12} + 2542620639232*a^5*b*c^4*d^{12} + 30064771072*a^4*b^5*c*d^{14} + 481036337152*a^6*b*c^3*d^{14} - 618475290624*a^2*b^3*c^5*d^8 + 910533066752*a^2*b^5*c^3*d^{10} - 3058016714752*a^3*b^3*c^4*d^{10} + 399431958528*a^3*b^5*c^2*d^{12} - 1752346656768*a^4*b^3*c^3*d^{12} - 240518168576*a^5*b^3*c^2*d^{14}) - 2147483648*a*b^8*d^{12} + (((1 - d*x)^{(1/2)} - 1)*(2680059592704*a*b^3*c^5*d^7 - 10720238370816*a^2*b*c^6*d^7 - 962072674304*a*b^5*c^3*d^9 + 5772436045824*a^3*b*c^5*d^9 + 17248588660736*a^4*b*c^4*d^{11} + 64424509440*a^3*b^5*c*d^{13} + 687194767360*a^5*b*c^3*d^{13} + 2405181685760*a^2*b^3*c^4*d^9 + 3221225472000*a^2*b^5*c^2*d^{11} - 14173392076800*a^3*b^3*c^3*d^{11} - 429496729600*a^4*b^3*c^2*d^{13} - 188978561024*a*b^7*c*d^{11}))/((d*x + 1)^{(1/2)} - 1) + (((1 - d*x)^{(1/2)} - 1)
\end{aligned}$$

$$\begin{aligned}
& 1)^2*(2147483648*a^3*b^6*d^14 - 2147483648*a*b^8*d^12 - 18141941858304*a^2* \\
& c^7*d^6 + 44598940401664*a^3*c^6*d^8 + 85796266704896*a^4*c^5*d^10 + 230553 \\
& 84444928*a^5*c^4*d^12 + 4535485464576*a*b^2*c^6*d^6 + 1267015352320*a*b^4*c \\
& ^4*d^8 - 2045478174720*a*b^6*c^2*d^10 - 68719476736*a^2*b^6*c*d^12 - 150323 \\
& 85536*a^4*b^4*c*d^14 - 16217796509696*a^2*b^2*c^5*d^8 + 21371757264896*a^2* \\
& b^4*c^3*d^10 - 74208444940288*a^3*b^2*c^4*d^10 + 2832530931712*a^3*b^4*c^2* \\
& d^12 - 15857019256832*a^4*b^2*c^3*d^12 + 25769803776*a^5*b^2*c^2*d^14))/((d \\
& *x + 1)^(1/2) - 1)^2 + 2147483648*a^3*b^6*d^14 + 549755813888*a^2*c^7*d^6 - \\
& 755914244096*a^3*c^6*d^8 + 6768868458496*a^4*c^5*d^10 + 8074538516480*a^5* \\
& c^4*d^12 - 137438953472*a*b^2*c^6*d^6 + 304942678016*a*b^4*c^4*d^8 - 164282 \\
& 499072*a*b^6*c^2*d^10 - 17179869184*a^2*b^6*c*d^12 - 15032385536*a^4*b^4*c* \\
& d^14 - 1030792151040*a^2*b^2*c^5*d^8 + 1133871366144*a^2*b^4*c^3*d^10 - 359 \\
& 9182594048*a^3*b^2*c^4*d^10 + 1028644667392*a^3*b^4*c^2*d^12 - 572089643827 \\
& 2*a^4*b^2*c^3*d^12 + 25769803776*a^5*b^2*c^2*d^14) + (((1 - d*x)^(1/2) - 1) \\
& ^2*(13950053777408*a^2*b*c^5*d^8 - 3487513444352*a*b^3*c^4*d^8 + 1730871820 \\
& 288*a*b^5*c^2*d^10 + 14224931684352*a^3*b*c^4*d^10 + 47244640256*a^2*b^5*c* \\
& d^12 + 360777252864*a^4*b*c^3*d^12 - 10479720202240*a^2*b^3*c^3*d^10 - 2791 \\
& 72874240*a^3*b^3*c^2*d^12))/((d*x + 1)^(1/2) - 1)^2 + (((1 - d*x)^(1/2) - 1 \\
& )*(15118284881920*a^2*c^6*d^7 + 13606456393728*a^3*c^5*d^9 - 1511828488192* \\
& a^4*c^4*d^11 - 3779571220480*a*b^2*c^5*d^7 + 1632087572480*a*b^4*c^3*d^9 - \\
& 9929964388352*a^2*b^2*c^4*d^9 - 944892805120*a^2*b^4*c^2*d^11 + 20959440404 \\
& 48*a^3*b^2*c^3*d^11 + 128849018880*a*b^6*c*d^11))/((d*x + 1)^(1/2) - 1) - 2 \\
& 23338299392*a*b^3*c^4*d^8 + 893353197568*a^2*b*c^5*d^8 + 124554051584*a*b^5 \\
& *c^2*d^10 + 1236950581248*a^3*b*c^4*d^10 + 30064771072*a^2*b^5*c*d^12 + 257 \\
& 698037760*a^4*b*c^3*d^12 - 807453851648*a^2*b^3*c^3*d^10 - 184683593728*a^3 \\
& *b^3*c^2*d^12) + 1073741824*a*b^6*d^12 + 68719476736*a*c^6*d^6 - (((1 - d*x \\
& )^(1/2) - 1)*(231928233984*a*b^3*c^3*d^9 - 2233382993920*a^2*b*c^4*d^9 - 19 \\
& 7568495616*a^3*b*c^3*d^11 + 124554051584*a^2*b^3*c^2*d^11 + 1340029796352*a \\
& *b*c^5*d^7 - 21474836480*a*b^5*c*d^11))/((d*x + 1)^(1/2) - 1) + 68719476736 \\
& 0*a^2*c^5*d^8 + 1859720839168*a^3*c^4*d^10 + (((1 - d*x)^(1/2) - 1)^2*(1073 \\
& 741824*a*b^6*d^12 - 2267742732288*a*c^6*d^6 + 10960756539392*a^2*c^5*d^8 + \\
& 6000069312512*a^3*c^4*d^10 - 2546915606528*a*b^2*c^4*d^8 + 505732399104*a*b \\
& ^4*c^2*d^10 - 6442450944*a^2*b^4*c*d^12 - 3152505995264*a^2*b^2*c^3*d^10 + \\
& 9663676416*a^3*b^2*c^2*d^12))/((d*x + 1)^(1/2) - 1)^2 - 330712481792*a*b^2* \\
& c^4*d^8 + 149250113536*a*b^4*c^2*d^10 - 6442450944*a^2*b^4*c*d^12 - 9191230 \\
& 01344*a^2*b^2*c^3*d^10 + 9663676416*a^3*b^2*c^2*d^12) + (((1 - d*x)^(1/2) - \\
& 1)^2*(2147483648*a*b^3*c^2*d^10 + 42949672960*a^2*b*c^3*d^10 + 17093969838 \\
& 08*a*b*c^4*d^8))/((d*x + 1)^(1/2) - 1)^2 + (((1 - d*x)^(1/2) - 1)*(18897856 \\
& 10240*a*c^5*d^7 - 188978561024*a^2*c^4*d^9 + 146028888064*a*b^2*c^3*d^9))/ \\
& ((d*x + 1)^(1/2) - 1) - 2147483648*a*b^3*c^2*d^10 + 34359738368*a^2*b*c^3*d^ \\
& 10 + 146028888064*a*b*c^4*d^8)*1i + (- (8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^ \\
& 2*(- (4*a*c - b^2)^3)^(1/2) + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 \\
& + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c \\
& ^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^(1/2)*((( \\
& (1 - d*x)^(1/2) - 1)^2*(2147483648*a*b^3*c^2*d^10 + 42949672960*a^2*b*c^3*d
\end{aligned}$$

$$\begin{aligned}
& \left( 10 + 1709396983808*a*b*c^4*d^8 \right) / \left( (d*x + 1)^{(1/2)} - 1 \right)^2 - \left( -(8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)) \right)^{(1/2)} * \left( 1073741824*a*b^6*d^12 - \left( -(8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)) \right)^{(1/2)} * \left( -(8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)) \right)^{(1/2)} * \left( -(8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)) \right)^{(1/2)} * \left( -(8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)) \right)^{(1/2)} * \left( (1 - d*x)^{(1/2)} - 1 \right)^2 * \left( 1778116460544*a*b^5*c^4*d^8 + 28449863368704*a^3*b*c^6*d^8 - 1767379042304*a*b^7*c^2*d^10 + 57312043597824*a^4*b*c^5*d^10 - 47244640256*a^2*b^7*c*d^12 + 29618094473216*a^5*b*c^4*d^12 + 47244640256*a^4*b^5*c*d^14 + 755914244096*a^6*b*c^3*d^14 - 14224931684352*a^2*b^3*c^5*d^8 + 17721035063296*a^2*b^5*c^3*d^10 - 56934086475776*a^3*b^3*c^4*d^10 + 2229088026624*a^3*b^5*c^2*d^12 - 15564961480704*a^4*b^3*c^3*d^12 - 377957122048*a^5*b^3*c^2*d^14 \right) / \left( (d*x + 1)^{(1/2)} - 1 \right)^2 - \left( -(8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2) / (2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)) \right)^{(1/2)} * \left( (1 - d*x)^{(1/2)} - 1 \right)^2 * \left( 1073741824*a*b^10*d^12 - 2147483648*a^3*b^8*d^14 + 1073741824*a^5*b^6*d^16 - 36283883716608*a^3*c^8*d^6 + 36283883716608*a^4*c^7*d^8 + 210900074102784*a^5*c^6*d^10 + 167812962189312*a^6*c^5*d^12 + 29480655519744*a^7*c^4*d^14 - 2267742732288*a*b^4*c^6*d^6 + 760209211392*a*b^6*c^4*d^8 + 1504312295424*a*b^8*c^2*d^10 + 75161927680*a^2*b^8*c*d^12 - 66571993088*a^4*b^6*c*d^14 - 8589934592*a^6*b^4*c*d^16 + 18141941858304*a^2*b^2*c^7*d^6 - 3813930958848*a^2*b^4*c^5*d^8 - 5978594476032*a^3*b^2*c^6*d^8 - 21930103013376*a^2*b^6*c^3*d^10 + 116415088558080*a^3*b^4*c^4*d^10 - 263779711451136*a^4*b^2*c^5*d^10 - 4173634469888*a^3*b^6*c^2*d^12 + 39994735460352*a^4*b^4*c^3*d^12 - 140239272148992*a^5*b^2*c^4*d^12 + 2478196129792*a^5*b^4*c^2*d^14 - 16080357556224*a^6*b^2*c^3*d^14 + 17179869184*a^7*b^2*c^2*d^16 \right) / \left( (d*x + 1)^{(1/2)} - 1 \right)^2 + 1073741824*a*b^10*d^12 + \left( (1 - d*x)^{(1/2)} - 1 \right) * \left( 1176821039104*a*b^7*c^3*d^9 - 21440476741632*a^3*b*c^7*d^7 - 1340029796352*a*b^5*c^5*d^7 - 11544872091648*a^4*b*c^6*d^9 + 42193758715904*a^5*b*c^5*d^11 - 210453397504*a^3*b^7*c*d^13 + 32985348833280*a^6*b*c^4*d^13 + 42949672960*a^5*b^5*c*d^15 + 687194767360*a^7*b*c^3*d^15 + 10720238370816*a^2*b^3*c^6*d^7 - 10136122818560*a^2*b^5*c^4*d^9 + 24601572671488*a^3*b^3*c^5*d^9 - 3646427234304*a^2*b^7*c^2*d^11 + 23768349016064*a^3*b^5*c^3*d^11 - 57999238365184*a^4*b^3*c^4*d^11 + 3745211482112*a^4*b^5*c^2*d^13 - 19859928776704*a^5*b^3*c^3*d^13 - 343597383680*a^6*b^3*c^2*d^15 + 167503
\end{aligned}$$

$$\begin{aligned}
& 724544*a*b^9*c*d^{11})/((d*x + 1)^{(1/2)} - 1) - 2147483648*a^3*b^8*d^{14} + 107 \\
& 3741824*a^5*b^6*d^{16} + 1099511627776*a^3*c^8*d^6 - 4947802324992*a^4*c^7*d^8 \\
& - 1580547964928*a^5*c^6*d^{10} + 16080357556224*a^6*c^5*d^{12} + 116135915683 \\
& 84*a^7*c^4*d^{14} + 68719476736*a*b^4*c^6*d^6 - 115964116992*a*b^6*c^4*d^8 + \\
& 48318382080*a*b^8*c^2*d^{10} + 23622320128*a^2*b^8*c*d^{12} - 15032385536*a^4*b^ \\
& ^6*c*d^{14} - 8589934592*a^6*b^4*c*d^{16} - 549755813888*a^2*b^2*c^7*d^6 + 6184 \\
& 75290624*a^2*b^4*c^5*d^8 + 618475290624*a^3*b^2*c^6*d^8 - 77309411328*a^2*b^ \\
& ^6*c^3*d^{10} - 1799591297024*a^3*b^4*c^4*d^{10} + 5738076307456*a^4*b^2*c^5*d^ \\
& 10 - 1081258016768*a^3*b^6*c^2*d^{12} + 8246337208320*a^4*b^4*c^3*d^{12} - 2149 \\
& 2016349184*a^5*b^2*c^4*d^{12} + 949187772416*a^5*b^4*c^2*d^{14} - 6322191859712 \\
& *a^6*b^2*c^3*d^{14} + 17179869184*a^7*b^2*c^2*d^{16}) + (((1 - d*x)^{(1/2)} - 1)* \\
& (30236569763840*a^3*c^7*d^7 + 57449482551296*a^4*c^6*d^9 + 24189255811072*a^ \\
& ^5*c^5*d^{11} - 3023656976384*a^6*c^4*d^{13} + 1889785610240*a*b^4*c^5*d^7 - 17 \\
& 78116460544*a*b^6*c^3*d^9 + 128849018880*a^3*b^6*c*d^{13} - 15118284881920*a^ \\
& ^2*b^2*c^6*d^7 + 17815524343808*a^2*b^4*c^4*d^9 - 57174604644352*a^3*b^2*c^5 \\
& *d^9 + 1494648619008*a^2*b^6*c^2*d^{11} - 4260607557632*a^3*b^4*c^3*d^{11} - 46 \\
& 72924418048*a^4*b^2*c^4*d^{11} - 1219770712064*a^4*b^4*c^2*d^{13} + 35734127902 \\
& 72*a^5*b^2*c^3*d^{13} - 128849018880*a*b^8*c*d^{11})/((d*x + 1)^{(1/2)} - 1) + 7 \\
& 7309411328*a*b^5*c^4*d^8 + 1236950581248*a^3*b*c^6*d^8 - 88046829568*a*b^7* \\
& c^2*d^{10} + 3298534883328*a^4*b*c^5*d^{10} - 30064771072*a^2*b^7*c*d^{12} + 2542 \\
& 620639232*a^5*b*c^4*d^{12} + 30064771072*a^4*b^5*c*d^{14} + 481036337152*a^6*b* \\
& c^3*d^{14} - 618475290624*a^2*b^3*c^5*d^8 + 910533066752*a^2*b^5*c^3*d^{10} - 3 \\
& 058016714752*a^3*b^3*c^4*d^{10} + 399431958528*a^3*b^5*c^2*d^{12} - 17523466567 \\
& 68*a^4*b^3*c^3*d^{12} - 240518168576*a^5*b^3*c^2*d^{14}) + 2147483648*a*b^8*d^1 \\
& 2 - (((1 - d*x)^{(1/2)} - 1)*(2680059592704*a*b^3*c^5*d^7 - 10720238370816*a^ \\
& ^2*b*c^6*d^7 - 962072674304*a*b^5*c^3*d^9 + 5772436045824*a^3*b*c^5*d^9 + 17 \\
& 248588660736*a^4*b*c^4*d^{11} + 64424509440*a^3*b^5*c*d^{13} + 687194767360*a^5 \\
& *b*c^3*d^{13} + 2405181685760*a^2*b^3*c^4*d^9 + 3221225472000*a^2*b^5*c^2*d^1 \\
& 1 - 14173392076800*a^3*b^3*c^3*d^{11} - 429496729600*a^4*b^3*c^2*d^{13} - 18897 \\
& 8561024*a*b^7*c*d^{11})/((d*x + 1)^{(1/2)} - 1) - (((1 - d*x)^{(1/2)} - 1)^2*(21 \\
& 47483648*a^3*b^6*d^{14} - 2147483648*a*b^8*d^{12} - 18141941858304*a^2*c^7*d^6 \\
& + 44598940401664*a^3*c^6*d^8 + 85796266704896*a^4*c^5*d^{10} + 23055384444928 \\
& *a^5*c^4*d^{12} + 4535485464576*a*b^2*c^6*d^6 + 1267015352320*a*b^4*c^4*d^8 - \\
& 2045478174720*a*b^6*c^2*d^{10} - 68719476736*a^2*b^6*c*d^{12} - 15032385536*a^ \\
& 4*b^4*c*d^{14} - 16217796509696*a^2*b^2*c^5*d^8 + 21371757264896*a^2*b^4*c^3* \\
& d^{10} - 74208444940288*a^3*b^2*c^4*d^{10} + 2832530931712*a^3*b^4*c^2*d^{12} - 1 \\
& 5857019256832*a^4*b^2*c^3*d^{12} + 25769803776*a^5*b^2*c^2*d^{14})/((d*x + 1)^ \\
& (1/2) - 1)^2 - 2147483648*a^3*b^6*d^{14} - 549755813888*a^2*c^7*d^6 + 7559142 \\
& 44096*a^3*c^6*d^8 - 6768868458496*a^4*c^5*d^{10} - 8074538516480*a^5*c^4*d^{12} \\
& + 137438953472*a*b^2*c^6*d^6 - 304942678016*a*b^4*c^4*d^8 + 164282499072*a \\
& *b^6*c^2*d^{10} + 17179869184*a^2*b^6*c*d^{12} + 15032385536*a^4*b^4*c*d^{14} + 1 \\
& 030792151040*a^2*b^2*c^5*d^8 - 1133871366144*a^2*b^4*c^3*d^{10} + 35991825940 \\
& 48*a^3*b^2*c^4*d^{10} - 1028644667392*a^3*b^4*c^2*d^{12} + 5720896438272*a^4*b^ \\
& ^2*c^3*d^{12} - 25769803776*a^5*b^2*c^2*d^{14}) + (((1 - d*x)^{(1/2)} - 1)^2*(1395 \\
& 0053777408*a^2*b*c^5*d^8 - 3487513444352*a*b^3*c^4*d^8 + 1730871820288*a*b^
\end{aligned}$$

$$\begin{aligned}
& 5*c^2*d^{10} + 14224931684352*a^3*b*c^4*d^{10} + 47244640256*a^2*b^5*c*d^{12} + 3 \\
& 60777252864*a^4*b*c^3*d^{12} - 10479720202240*a^2*b^3*c^3*d^{10} - 279172874240 \\
& *a^3*b^3*c^2*d^{12}))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)*(15118 \\
& 284881920*a^2*c^6*d^7 + 13606456393728*a^3*c^5*d^9 - 1511828488192*a^4*c^4* \\
& d^{11} - 3779571220480*a*b^2*c^5*d^7 + 1632087572480*a*b^4*c^3*d^9 - 99299643 \\
& 88352*a^2*b^2*c^4*d^9 - 944892805120*a^2*b^4*c^2*d^{11} + 2095944040448*a^3*b \\
& ^2*c^3*d^{11} + 128849018880*a*b^6*c*d^{11}))/((d*x + 1)^{(1/2)} - 1) - 223338299 \\
& 392*a*b^3*c^4*d^8 + 893353197568*a^2*b*c^5*d^8 + 124554051584*a*b^5*c^2*d^1 \\
& 0 + 1236950581248*a^3*b*c^4*d^{10} + 30064771072*a^2*b^5*c*d^{12} + 25769803776 \\
& 0*a^4*b*c^3*d^{12} - 807453851648*a^2*b^3*c^3*d^{10} - 184683593728*a^3*b^3*c^2 \\
& *d^{12}) + 68719476736*a*c^6*d^6 - (((1 - d*x)^{(1/2)} - 1)*(231928233984*a*b^3 \\
& *c^3*d^9 - 2233382993920*a^2*b*c^4*d^9 - 197568495616*a^3*b*c^3*d^{11} + 1245 \\
& 54051584*a^2*b^3*c^2*d^{11} + 1340029796352*a*b*c^5*d^7 - 21474836480*a*b^5*c \\
& *d^{11}))/((d*x + 1)^{(1/2)} - 1) + 687194767360*a^2*c^5*d^8 + 1859720839168*a^ \\
& 3*c^4*d^{10} + (((1 - d*x)^{(1/2)} - 1)^2*(1073741824*a*b^6*d^{12} - 226774273228 \\
& 8*a*c^6*d^6 + 10960756539392*a^2*c^5*d^8 + 6000069312512*a^3*c^4*d^{10} - 254 \\
& 6915606528*a*b^2*c^4*d^8 + 505732399104*a*b^4*c^2*d^{10} - 6442450944*a^2*b^4 \\
& *c*d^{12} - 3152505995264*a^2*b^2*c^3*d^{10} + 9663676416*a^3*b^2*c^2*d^{12}))/(( \\
& d*x + 1)^{(1/2)} - 1)^2 - 330712481792*a*b^2*c^4*d^8 + 149250113536*a*b^4*c^2 \\
& *d^{10} - 6442450944*a^2*b^4*c*d^{12} - 919123001344*a^2*b^2*c^3*d^{10} + 9663676 \\
& 416*a^3*b^2*c^2*d^{12}) + (((1 - d*x)^{(1/2)} - 1)*(1889785610240*a*c^5*d^7 - 1 \\
& 88978561024*a^2*c^4*d^9 + 146028888064*a*b^2*c^3*d^9))/((d*x + 1)^{(1/2)} - 1 \\
& ) - 2147483648*a*b^3*c^2*d^{10} + 34359738368*a^2*b*c^3*d^{10} + 146028888064*a \\
& *b*c^4*d^8)*i)/((-8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3 \\
& )^(1/2) + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 \\
& - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c \\
& *d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^(1/2)*((-8*a*c^3 - 2*b^2*c^ \\
& 2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^ \\
& 2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c \\
& ^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c \\
& *d^2)))^(1/2)*((-8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3) \\
& )^(1/2) + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 \\
& - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c \\
& *d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^(1/2)*((-8*a*c^3 - 2*b^2*c^2 \\
& + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2 \\
& )/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c \\
& ^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c \\
& *d^2)))^(1/2)*(((1 - d*x)^{(1/2)} - 1)^2*(1073741824*a*b^10*d^{12} - 2147483648
\end{aligned}$$

$$\begin{aligned}
& a^3 b^8 d^{14} + 1073741824 a^5 b^6 d^{16} - 36283883716608 a^3 c^8 d^6 + 3628 \\
& 3883716608 a^4 c^7 d^8 + 210900074102784 a^5 c^6 d^{10} + 167812962189312 a^6 \\
& c^5 d^{12} + 29480655519744 a^7 c^4 d^{14} - 2267742732288 a^8 c^6 d^6 + 760 \\
& 209211392 a^8 c^4 d^8 + 1504312295424 a^8 c^2 d^{10} + 75161927680 a^2 b^8 \\
& c^4 d^{12} - 66571993088 a^4 b^6 c^4 d^{14} - 8589934592 a^6 b^4 c^4 d^{16} + 1814194 \\
& 1858304 a^2 b^2 c^7 d^6 - 3813930958848 a^2 b^4 c^5 d^8 - 5978594476032 a^3 \\
& b^2 c^6 d^8 - 21930103013376 a^2 b^6 c^3 d^{10} + 116415088558080 a^3 b^4 c^4 \\
& d^{10} - 263779711451136 a^4 b^2 c^5 d^{10} - 4173634469888 a^3 b^6 c^2 d^{12} \\
& + 39994735460352 a^4 b^4 c^3 d^{12} - 140239272148992 a^5 b^2 c^4 d^{12} + 2478 \\
& 196129792 a^5 b^4 c^2 d^{14} - 16080357556224 a^6 b^2 c^3 d^{14} + 17179869184 a^7 \\
& b^2 c^2 d^{16}) / ((d x + 1)^{(1/2)} - 1)^2 + 1073741824 a^8 b^{10} d^{12} + (((1 \\
& - d x)^{(1/2)} - 1) * (1176821039104 a^8 b^7 c^3 d^9 - 21440476741632 a^3 b^7 c^7 d^7 \\
& - 1340029796352 a^8 b^5 c^5 d^7 - 11544872091648 a^4 b^7 c^6 d^9 + 421937587 \\
& 15904 a^5 b^7 c^5 d^{11} - 210453397504 a^3 b^7 c^4 d^{13} + 32985348833280 a^6 b^7 c^4 \\
& d^{13} + 42949672960 a^5 b^5 c^4 d^{15} + 687194767360 a^7 b^5 c^3 d^{15} + 107202 \\
& 38370816 a^2 b^3 c^6 d^7 - 10136122818560 a^2 b^5 c^4 d^9 + 24601572671488 a^3 \\
& b^3 c^5 d^9 - 3646427234304 a^2 b^7 c^2 d^{11} + 23768349016064 a^3 b^5 c^3 d^{11} \\
& - 57999238365184 a^4 b^3 c^4 d^{11} + 3745211482112 a^4 b^5 c^2 d^{13} \\
& - 19859928776704 a^5 b^3 c^3 d^{13} - 343597383680 a^6 b^3 c^2 d^{15} + 1675037 \\
& 24544 a^8 b^9 c^4 d^{11}) / ((d x + 1)^{(1/2)} - 1) - 2147483648 a^3 b^8 d^{14} + 1073 \\
& 741824 a^5 b^6 d^{16} + 1099511627776 a^3 c^8 d^6 - 4947802324992 a^4 c^7 d^8 \\
& - 1580547964928 a^5 c^6 d^{10} + 16080357556224 a^6 c^5 d^{12} + 1161359156838 \\
& 4 a^7 c^4 d^{14} + 68719476736 a^8 c^6 d^6 - 115964116992 a^8 b^6 c^4 d^8 + 4 \\
& 8318382080 a^8 b^8 c^2 d^{10} + 23622320128 a^2 b^8 c^4 d^{12} - 15032385536 a^4 b^6 \\
& c^4 d^{14} - 8589934592 a^6 b^4 c^4 d^{16} - 549755813888 a^2 b^2 c^7 d^6 + 61847 \\
& 5290624 a^2 b^4 c^5 d^8 + 618475290624 a^3 b^2 c^6 d^8 - 77309411328 a^2 b^6 \\
& c^3 d^{10} - 1799591297024 a^3 b^4 c^4 d^{10} + 5738076307456 a^4 b^2 c^5 d^{10} \\
& 0 - 1081258016768 a^3 b^6 c^2 d^{12} + 8246337208320 a^4 b^4 c^3 d^{12} - 21492 \\
& 016349184 a^5 b^2 c^4 d^{12} + 949187772416 a^5 b^4 c^2 d^{14} - 6322191859712 a^6 \\
& b^2 c^3 d^{14} + 17179869184 a^7 b^2 c^2 d^{16}) + (((1 - d x)^{(1/2)} - 1)^2 \\
& * (1778116460544 a^8 b^5 c^4 d^8 + 28449863368704 a^3 b^7 c^6 d^8 - 176737904230 \\
& 4 a^8 b^7 c^2 d^{10} + 57312043597824 a^4 b^7 c^5 d^{10} - 47244640256 a^2 b^7 c^4 d^{12} \\
& + 29618094473216 a^5 b^5 c^4 d^{12} + 47244640256 a^4 b^5 c^4 d^{14} + 755914244 \\
& 096 a^6 b^5 c^3 d^{14} - 14224931684352 a^2 b^3 c^5 d^8 + 17721035063296 a^2 b^5 \\
& c^3 d^{10} - 56934086475776 a^3 b^3 c^4 d^{10} + 2229088026624 a^3 b^5 c^2 d^{12} \\
& - 15564961480704 a^4 b^3 c^3 d^{12} - 377957122048 a^5 b^3 c^2 d^{14}) / ((d x \\
& + 1)^{(1/2)} - 1)^2 + (((1 - d x)^{(1/2)} - 1) * (30236569763840 a^3 c^7 d^7 + \\
& 57449482551296 a^4 c^6 d^9 + 24189255811072 a^5 c^5 d^{11} - 3023656976384 a^6 \\
& c^4 d^{13} + 1889785610240 a^8 b^4 c^5 d^7 - 1778116460544 a^8 b^6 c^3 d^9 + 12 \\
& 8849018880 a^3 b^6 c^4 d^{13} - 15118284881920 a^2 b^2 c^6 d^7 + 17815524343808 \\
& a^2 b^4 c^4 d^9 - 57174604644352 a^3 b^2 c^5 d^9 + 1494648619008 a^2 b^6 c^2 \\
& d^{11} - 4260607557632 a^3 b^4 c^3 d^{11} - 4672924418048 a^4 b^2 c^4 d^{11} - \\
& 1219770712064 a^4 b^4 c^2 d^{13} + 3573412790272 a^5 b^2 c^3 d^{13} - 12884901 \\
& 8880 a^8 b^8 c^4 d^{11}) / ((d x + 1)^{(1/2)} - 1) + 77309411328 a^8 b^5 c^4 d^8 + 123 \\
& 6950581248 a^3 b^7 c^6 d^8 - 88046829568 a^8 b^7 c^2 d^{10} + 3298534883328 a^4 b^
\end{aligned}$$

$$\begin{aligned}
& *c^5*d^{10} - 30064771072*a^2*b^7*c*d^{12} + 2542620639232*a^5*b*c^4*d^{12} + 300 \\
& 64771072*a^4*b^5*c*d^{14} + 481036337152*a^6*b*c^3*d^{14} - 618475290624*a^2*b^ \\
& 3*c^5*d^8 + 910533066752*a^2*b^5*c^3*d^{10} - 3058016714752*a^3*b^3*c^4*d^{10} \\
& + 399431958528*a^3*b^5*c^2*d^{12} - 1752346656768*a^4*b^3*c^3*d^{12} - 24051816 \\
& 8576*a^5*b^3*c^2*d^{14} - 2147483648*a*b^8*d^{12} + (((1 - d*x)^{(1/2)} - 1)*(26 \\
& 80059592704*a*b^3*c^5*d^7 - 10720238370816*a^2*b*c^6*d^7 - 962072674304*a*b \\
& ^5*c^3*d^9 + 5772436045824*a^3*b*c^5*d^9 + 17248588660736*a^4*b*c^4*d^{11} + \\
& 64424509440*a^3*b^5*c*d^{13} + 687194767360*a^5*b*c^3*d^{13} + 2405181685760*a^ \\
& 2*b^3*c^4*d^9 + 3221225472000*a^2*b^5*c^2*d^{11} - 14173392076800*a^3*b^3*c^3 \\
& *d^{11} - 429496729600*a^4*b^3*c^2*d^{13} - 188978561024*a*b^7*c*d^{11}))/((d*x + \\
& 1)^{(1/2)} - 1) + (((1 - d*x)^{(1/2)} - 1)^2*(2147483648*a^3*b^6*d^{14} - 214748 \\
& 3648*a*b^8*d^{12} - 18141941858304*a^2*c^7*d^6 + 44598940401664*a^3*c^6*d^8 + \\
& 85796266704896*a^4*c^5*d^{10} + 23055384444928*a^5*c^4*d^{12} + 4535485464576* \\
& a*b^2*c^6*d^6 + 1267015352320*a*b^4*c^4*d^8 - 2045478174720*a*b^6*c^2*d^{10} \\
& - 68719476736*a^2*b^6*c*d^{12} - 15032385536*a^4*b^4*c*d^{14} - 16217796509696* \\
& a^2*b^2*c^5*d^8 + 21371757264896*a^2*b^4*c^3*d^{10} - 74208444940288*a^3*b^2* \\
& c^4*d^{10} + 2832530931712*a^3*b^4*c^2*d^{12} - 15857019256832*a^4*b^2*c^3*d^{12} \\
& + 25769803776*a^5*b^2*c^2*d^{14}))/((d*x + 1)^{(1/2)} - 1)^2 + 2147483648*a^3* \\
& b^6*d^{14} + 549755813888*a^2*c^7*d^6 - 755914244096*a^3*c^6*d^8 + 6768868458 \\
& 496*a^4*c^5*d^{10} + 8074538516480*a^5*c^4*d^{12} - 137438953472*a*b^2*c^6*d^6 \\
& + 304942678016*a*b^4*c^4*d^8 - 164282499072*a*b^6*c^2*d^{10} - 17179869184*a^ \\
& 2*b^6*c*d^{12} - 15032385536*a^4*b^4*c*d^{14} - 1030792151040*a^2*b^2*c^5*d^8 + \\
& 1133871366144*a^2*b^4*c^3*d^{10} - 3599182594048*a^3*b^2*c^4*d^{10} + 10286446 \\
& 67392*a^3*b^4*c^2*d^{12} - 5720896438272*a^4*b^2*c^3*d^{12} + 25769803776*a^5*b \\
& ^2*c^2*d^{14} + (((1 - d*x)^{(1/2)} - 1)^2*(13950053777408*a^2*b*c^5*d^8 - 348 \\
& 7513444352*a*b^3*c^4*d^8 + 1730871820288*a*b^5*c^2*d^{10} + 14224931684352*a^ \\
& 3*b*c^4*d^{10} + 47244640256*a^2*b^5*c*d^{12} + 360777252864*a^4*b*c^3*d^{12} - 1 \\
& 0479720202240*a^2*b^3*c^3*d^{10} - 279172874240*a^3*b^3*c^2*d^{12}))/((d*x + 1) \\
& ^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)*(15118284881920*a^2*c^6*d^7 + 136064 \\
& 56393728*a^3*c^5*d^9 - 1511828488192*a^4*c^4*d^{11} - 3779571220480*a*b^2*c^5 \\
& *d^7 + 1632087572480*a*b^4*c^3*d^9 - 9929964388352*a^2*b^2*c^4*d^9 - 944892 \\
& 805120*a^2*b^4*c^2*d^{11} + 2095944040448*a^3*b^2*c^3*d^{11} + 128849018880*a*b \\
& ^6*c*d^{11}))/((d*x + 1)^{(1/2)} - 1) - 223338299392*a*b^3*c^4*d^8 + 8933531975 \\
& 68*a^2*b*c^5*d^8 + 124554051584*a*b^5*c^2*d^{10} + 1236950581248*a^3*b*c^4*d^ \\
& 10 + 30064771072*a^2*b^5*c*d^{12} + 257698037760*a^4*b*c^3*d^{12} - 80745385164 \\
& 8*a^2*b^3*c^3*d^{10} - 184683593728*a^3*b^3*c^2*d^{12} + 1073741824*a*b^6*d^{12} \\
& + 68719476736*a*c^6*d^6 - (((1 - d*x)^{(1/2)} - 1)*(231928233984*a*b^3*c^3*d \\
& ^9 - 2233382993920*a^2*b*c^4*d^9 - 197568495616*a^3*b*c^3*d^{11} + 1245540515 \\
& 84*a^2*b^3*c^2*d^{11} + 1340029796352*a*b*c^5*d^7 - 21474836480*a*b^5*c*d^{11} \\
& ))/((d*x + 1)^{(1/2)} - 1) + 687194767360*a^2*c^5*d^8 + 1859720839168*a^3*c^4* \\
& d^{10} + (((1 - d*x)^{(1/2)} - 1)^2*(1073741824*a*b^6*d^{12} - 2267742732288*a*c^ \\
& 6*d^6 + 10960756539392*a^2*c^5*d^8 + 6000069312512*a^3*c^4*d^{10} - 254691560 \\
& 6528*a*b^2*c^4*d^8 + 505732399104*a*b^4*c^2*d^{10} - 6442450944*a^2*b^4*c*d^1 \\
& 2 - 3152505995264*a^2*b^2*c^3*d^{10} + 9663676416*a^3*b^2*c^2*d^{12}))/((d*x + \\
& 1)^{(1/2)} - 1)^2 - 330712481792*a*b^2*c^4*d^8 + 149250113536*a*b^4*c^2*d^{10}
\end{aligned}$$

$$\begin{aligned}
& - 6442450944*a^2*b^4*c*d^12 - 919123001344*a^2*b^2*c^3*d^10 + 9663676416*a^3*b^2*c^2*d^12) + (((1 - d*x)^{(1/2)} - 1)^2*(2147483648*a*b^3*c^2*d^10 + 42949672960*a^2*b*c^3*d^10 + 1709396983808*a*b*c^4*d^8))/((d*x + 1)^{(1/2)} - 1)^2 + (((1 - d*x)^{(1/2)} - 1)*(1889785610240*a*c^5*d^7 - 188978561024*a^2*c^4*d^9 + 146028888064*a*b^2*c^3*d^9))/((d*x + 1)^{(1/2)} - 1) - 2147483648*a*b^3*c^2*d^10 + 34359738368*a^2*b*c^3*d^10 + 146028888064*a*b*c^4*d^8) - ((-8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*(((1 - d*x)^{(1/2)} - 1)^2*(2147483648*a*b^3*c^2*d^10 + 42949672960*a^2*b*c^3*d^10 + 1709396983808*a*b*c^4*d^8))/((d*x + 1)^{(1/2)} - 1)^2 - ((-8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*(1073741824*a*b^6*d^12 - ((-8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*(1778116460544*a*b^5*c^4*d^8 + 28449863368704*a^3*b*c^6*d^8 - 1767379042304*a*b^7*c^2*d^10 + 57312043597824*a^4*b*c^5*d^10 - 47244640256*a^2*b^7*c*d^12 + 29618094473216*a^5*b*c^4*d^12 + 47244640256*a^4*b^5*c*d^14 + 755914244096*a^6*b*c^3*d^14 - 14224931684352*a^2*b^3*c^5*d^8 + 17721035063296*a^2*b^5*c^3*d^10 - 56934086475776*a^3*b^3*c^4*d^10 + 2229088026624*a^3*b^5*c^2*d^12 - 15564961480704*a^4*b^3*c^3*d^12 - 377957122048*a^5*b^3*c^2*d^14))/((d*x + 1)^{(1/2)} - 1)^2 - ((-8*a*c^3 - 2*b^2*c^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3*c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4*c*d^2)))^{(1/2)}*(((1 - d*x)^{(1/2)} - 1)^2*(1073741824*a*b^10*d^12 - 2147483648*a^3*b^8*d^14 + 1073741824*a^5*b^6*d^16 - 36283883716608*a^3*c^8*d^6 + 36283883716608*a^4*c^7*d^8 + 210900074102784*a^5*c^6*d^10 + 167812962189312*a^6*c^5*d^12 + 29480655519744*a^7*c^4*d^14 - 2267742732288*a*b^4*c^6*d^6 + 760209211392*a*b^6*c^4*d^8 + 1504312295424*a*b^8*c^2*d^10 + 75161927680*a^2*b^8*c*d^12 - 66571993088*a^4*b^6*c*d^14 - 8589934592*a^6*b^4*c*d^16 + 18141941858304*a^2*b^2*c^7*d^6 - 3813930958848*a^2*b^4*c^5*d^8 - 5978594476032*a^3*b^2*c^6*d^8 - 21930103013376*a^2*b^6*c^3*d^10 + 116415088558080*a^3*b^4*c^4*d^10 - 263779711451136*a^4*b^2*c^5*d^10 - 4173634469888*a^3*b^6*c^2*d^12 + 39994735460352*a^4*b^4*c^3*d^12 - 1402
\end{aligned}$$



$$\begin{aligned}
& 39272148992*a^5*b^2*c^4*d^12 + 2478196129792*a^5*b^4*c^2*d^14 - 16080357556 \\
& 224*a^6*b^2*c^3*d^14 + 17179869184*a^7*b^2*c^2*d^16)/((d*x + 1)^(1/2) - 1) \\
& ^2 + 1073741824*a*b^10*d^12 + (((1 - d*x)^(1/2) - 1)*(1176821039104*a*b^7*c \\
& ^3*d^9 - 21440476741632*a^3*b*c^7*d^7 - 1340029796352*a*b^5*c^5*d^7 - 11544 \\
& 872091648*a^4*b*c^6*d^9 + 42193758715904*a^5*b*c^5*d^11 - 210453397504*a^3* \\
& b^7*c*d^13 + 32985348833280*a^6*b*c^4*d^13 + 42949672960*a^5*b^5*c*d^15 + 6 \\
& 87194767360*a^7*b*c^3*d^15 + 10720238370816*a^2*b^3*c^6*d^7 - 1013612281856 \\
& 0*a^2*b^5*c^4*d^9 + 24601572671488*a^3*b^3*c^5*d^9 - 3646427234304*a^2*b^7* \\
& c^2*d^11 + 23768349016064*a^3*b^5*c^3*d^11 - 57999238365184*a^4*b^3*c^4*d^1 \\
& 1 + 3745211482112*a^4*b^5*c^2*d^13 - 19859928776704*a^5*b^3*c^3*d^13 - 3435 \\
& 97383680*a^6*b^3*c^2*d^15 + 167503724544*a*b^9*c*d^11))/((d*x + 1)^(1/2) - \\
& 1) - 2147483648*a^3*b^8*d^14 + 1073741824*a^5*b^6*d^16 + 1099511627776*a^3* \\
& c^8*d^6 - 4947802324992*a^4*c^7*d^8 - 1580547964928*a^5*c^6*d^10 + 16080357 \\
& 556224*a^6*c^5*d^12 + 11613591568384*a^7*c^4*d^14 + 68719476736*a*b^4*c^6*d \\
& ^6 - 115964116992*a*b^6*c^4*d^8 + 48318382080*a*b^8*c^2*d^10 + 23622320128* \\
& a^2*b^8*c*d^12 - 15032385536*a^4*b^6*c*d^14 - 8589934592*a^6*b^4*c*d^16 - 5 \\
& 49755813888*a^2*b^2*c^7*d^6 + 618475290624*a^2*b^4*c^5*d^8 + 618475290624*a \\
& ^3*b^2*c^6*d^8 - 77309411328*a^2*b^6*c^3*d^10 - 1799591297024*a^3*b^4*c^4*d \\
& ^10 + 5738076307456*a^4*b^2*c^5*d^10 - 1081258016768*a^3*b^6*c^2*d^12 + 824 \\
& 6337208320*a^4*b^4*c^3*d^12 - 21492016349184*a^5*b^2*c^4*d^12 + 94918777241 \\
& 6*a^5*b^4*c^2*d^14 - 6322191859712*a^6*b^2*c^3*d^14 + 17179869184*a^7*b^2*c \\
& ^2*d^16) + (((1 - d*x)^(1/2) - 1)*(30236569763840*a^3*c^7*d^7 + 57449482551 \\
& 296*a^4*c^6*d^9 + 24189255811072*a^5*c^5*d^11 - 3023656976384*a^6*c^4*d^13 \\
& + 1889785610240*a*b^4*c^5*d^7 - 1778116460544*a*b^6*c^3*d^9 + 128849018880* \\
& a^3*b^6*c*d^13 - 15118284881920*a^2*b^2*c^6*d^7 + 17815524343808*a^2*b^4*c^ \\
& 4*d^9 - 57174604644352*a^3*b^2*c^5*d^9 + 1494648619008*a^2*b^6*c^2*d^11 - 4 \\
& 260607557632*a^3*b^4*c^3*d^11 - 4672924418048*a^4*b^2*c^4*d^11 - 1219770712 \\
& 064*a^4*b^4*c^2*d^13 + 3573412790272*a^5*b^2*c^3*d^13 - 128849018880*a*b^8* \\
& c*d^11))/((d*x + 1)^(1/2) - 1) + 77309411328*a*b^5*c^4*d^8 + 1236950581248* \\
& a^3*b*c^6*d^8 - 88046829568*a*b^7*c^2*d^10 + 3298534883328*a^4*b*c^5*d^10 - \\
& 30064771072*a^2*b^7*c*d^12 + 2542620639232*a^5*b*c^4*d^12 + 30064771072*a^ \\
& 4*b^5*c*d^14 + 481036337152*a^6*b*c^3*d^14 - 618475290624*a^2*b^3*c^5*d^8 + \\
& 910533066752*a^2*b^5*c^3*d^10 - 3058016714752*a^3*b^3*c^4*d^10 + 399431958 \\
& 528*a^3*b^5*c^2*d^12 - 1752346656768*a^4*b^3*c^3*d^12 - 240518168576*a^5*b^ \\
& 3*c^2*d^14) + 2147483648*a*b^8*d^12 - (((1 - d*x)^(1/2) - 1)*(2680059592704 \\
& *a*b^3*c^5*d^7 - 10720238370816*a^2*b*c^6*d^7 - 962072674304*a*b^5*c^3*d^9 \\
& + 5772436045824*a^3*b*c^5*d^9 + 17248588660736*a^4*b*c^4*d^11 + 64424509440 \\
& *a^3*b^5*c*d^13 + 687194767360*a^5*b*c^3*d^13 + 2405181685760*a^2*b^3*c^4*d \\
& ^9 + 3221225472000*a^2*b^5*c^2*d^11 - 14173392076800*a^3*b^3*c^3*d^11 - 429 \\
& 496729600*a^4*b^3*c^2*d^13 - 188978561024*a*b^7*c*d^11))/((d*x + 1)^(1/2) - \\
& 1) - (((1 - d*x)^(1/2) - 1)^2*(2147483648*a^3*b^6*d^14 - 2147483648*a*b^8* \\
& d^12 - 18141941858304*a^2*c^7*d^6 + 44598940401664*a^3*c^6*d^8 + 8579626670 \\
& 4896*a^4*c^5*d^10 + 23055384444928*a^5*c^4*d^12 + 4535485464576*a*b^2*c^6*d \\
& ^6 + 1267015352320*a*b^4*c^4*d^8 - 2045478174720*a*b^6*c^2*d^10 - 687194767 \\
& 36*a^2*b^6*c*d^12 - 15032385536*a^4*b^4*c*d^14 - 16217796509696*a^2*b^2*c^5
\end{aligned}$$

$$\begin{aligned}
& *d^8 + 21371757264896*a^2*b^4*c^3*d^{10} - 74208444940288*a^3*b^2*c^4*d^{10} + \\
& 2832530931712*a^3*b^4*c^2*d^{12} - 15857019256832*a^4*b^2*c^3*d^{12} + 25769803 \\
& 776*a^5*b^2*c^2*d^{14}))/((d*x + 1)^{(1/2)} - 1)^2 - 2147483648*a^3*b^6*d^{14} - \\
& 549755813888*a^2*c^7*d^6 + 755914244096*a^3*c^6*d^8 - 6768868458496*a^4*c^5 \\
& *d^{10} - 8074538516480*a^5*c^4*d^{12} + 137438953472*a*b^2*c^6*d^6 - 304942678 \\
& 016*a*b^4*c^4*d^8 + 164282499072*a*b^6*c^2*d^{10} + 17179869184*a^2*b^6*c*d^1 \\
& 2 + 15032385536*a^4*b^4*c*d^{14} + 1030792151040*a^2*b^2*c^5*d^8 - 1133871366 \\
& 144*a^2*b^4*c^3*d^{10} + 3599182594048*a^3*b^2*c^4*d^{10} - 1028644667392*a^3*b \\
& ^4*c^2*d^{12} + 5720896438272*a^4*b^2*c^3*d^{12} - 25769803776*a^5*b^2*c^2*d^{14} \\
& ) + (((1 - d*x)^{(1/2)} - 1)^2*(13950053777408*a^2*b*c^5*d^8 - 3487513444352* \\
& a*b^3*c^4*d^8 + 1730871820288*a*b^5*c^2*d^{10} + 14224931684352*a^3*b*c^4*d^1 \\
& 0 + 47244640256*a^2*b^5*c*d^{12} + 360777252864*a^4*b*c^3*d^{12} - 104797202022 \\
& 40*a^2*b^3*c^3*d^{10} - 279172874240*a^3*b^3*c^2*d^{12}))/((d*x + 1)^{(1/2)} - 1) \\
& ^2 + (((1 - d*x)^{(1/2)} - 1)*(15118284881920*a^2*c^6*d^7 + 13606456393728*a^ \\
& 3*c^5*d^9 - 1511828488192*a^4*c^4*d^{11} - 3779571220480*a*b^2*c^5*d^7 + 1632 \\
& 087572480*a*b^4*c^3*d^9 - 9929964388352*a^2*b^2*c^4*d^9 - 944892805120*a^2* \\
& b^4*c^2*d^{11} + 2095944040448*a^3*b^2*c^3*d^{11} + 128849018880*a*b^6*c*d^{11})) \\
& /((d*x + 1)^{(1/2)} - 1) - 223338299392*a*b^3*c^4*d^8 + 893353197568*a^2*b*c^ \\
& 5*d^8 + 124554051584*a*b^5*c^2*d^{10} + 1236950581248*a^3*b*c^4*d^{10} + 300647 \\
& 71072*a^2*b^5*c*d^{12} + 257698037760*a^4*b*c^3*d^{12} - 807453851648*a^2*b^3*c \\
& ^3*d^{10} - 184683593728*a^3*b^3*c^2*d^{12}) + 68719476736*a*c^6*d^6 - (((1 - d \\
& *x)^{(1/2)} - 1)*(231928233984*a*b^3*c^3*d^9 - 2233382993920*a^2*b*c^4*d^9 - \\
& 197568495616*a^3*b*c^3*d^{11} + 124554051584*a^2*b^3*c^2*d^{11} + 1340029796352 \\
& *a*b*c^5*d^7 - 21474836480*a*b^5*c*d^{11}))/((d*x + 1)^{(1/2)} - 1) + 687194767 \\
& 360*a^2*c^5*d^8 + 1859720839168*a^3*c^4*d^{10} + (((1 - d*x)^{(1/2)} - 1)^2*(10 \\
& 73741824*a*b^6*d^{12} - 2267742732288*a*c^6*d^6 + 10960756539392*a^2*c^5*d^8 \\
& + 6000069312512*a^3*c^4*d^{10} - 2546915606528*a*b^2*c^4*d^8 + 505732399104*a \\
& *b^4*c^2*d^{10} - 6442450944*a^2*b^4*c*d^{12} - 3152505995264*a^2*b^2*c^3*d^{10} \\
& + 9663676416*a^3*b^2*c^2*d^{12}))/((d*x + 1)^{(1/2)} - 1)^2 - 330712481792*a*b^ \\
& 2*c^4*d^8 + 149250113536*a*b^4*c^2*d^{10} - 6442450944*a^2*b^4*c*d^{12} - 91912 \\
& 3001344*a^2*b^2*c^3*d^{10} + 9663676416*a^3*b^2*c^2*d^{12}) + (((1 - d*x)^{(1/2)} \\
& - 1)*(1889785610240*a*c^5*d^7 - 188978561024*a^2*c^4*d^9 + 146028888064*a* \\
& b^2*c^3*d^9))/((d*x + 1)^{(1/2)} - 1) - 2147483648*a*b^3*c^2*d^{10} + 343597383 \\
& 68*a^2*b*c^3*d^{10} + 146028888064*a*b*c^4*d^8) + 283467841536*a*c^4*d^8 + (2 \\
& *(((1 - d*x)^{(1/2)} - 1)^2*(519691042816*a*c^4*d^8 + 1073741824*a*b^2*c^2*d^1 \\
& 0))/((d*x + 1)^{(1/2)} - 1)^2 + 2147483648*a*b^2*c^2*d^{10} + (34359738368*a*b* \\
& c^3*d^9*((1 - d*x)^{(1/2)} - 1))/((d*x + 1)^{(1/2)} - 1))*(-(8*a*c^3 - 2*b^2*c \\
& ^2 + b^4*d^2 - b*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*c^2*d^2 - 6*a*b^2*c*d \\
& ^2)/(2*(16*a^2*c^4 + b^4*c^2 - b^6*d^2 - 8*a*b^2*c^3 + a^2*b^4*d^4 + 32*a^3 \\
& *c^3*d^2 + 16*a^4*c^2*d^4 - 8*a^3*b^2*c*d^4 - 32*a^2*b^2*c^2*d^2 + 10*a*b^4 \\
& *c*d^2)))^{(1/2)}*2i
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-dx+1} \sqrt{dx+1} (a+bx+cx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c\*x\*\*2+b\*x+a)/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] Integral(1/(sqrt(-d\*x + 1)\*sqrt(d\*x + 1)\*(a + b\*x + c\*x\*\*2)), x)

$$3.547 \quad \int \frac{1}{\sqrt{1-dx} \sqrt{1+dx} (a+bx+cx^2)^2} dx$$

**Optimal.** Leaf size=571

$$\frac{c \left( -cd^2 \left( -8a^2d^2 - b\sqrt{b^2 - 4ac} + 5b^2 \right) - abd^4 \left( \sqrt{b^2 - 4ac} + b \right) + 12ac^2d^2 + 4c^3 \right) \tanh^{-1} \left( \frac{d^2x \left( b - \sqrt{b^2 - 4ac} \right)}{\sqrt{2} \sqrt{1-d^2x^2} \sqrt{-bd^2 \left( b - \sqrt{b^2 - 4ac} \right)}} \right)}{\sqrt{2} (b^2 - 4ac)^{3/2} \sqrt{-bd^2 \left( b - \sqrt{b^2 - 4ac} \right) + 2acd^2 + 2c^2 \left( b^2d^2 - (ad^2 + c)^2 \right)}}$$

**Rubi [A]** time = 5.23, antiderivative size = 571, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$ , Rules used = {899, 975, 1034, 725, 206}

$$\frac{c \left( -4cd^2 \left( -8a^2d^2 - b\sqrt{b^2 - 4ac} + 5b^2 \right) - abd^4 \left( \sqrt{b^2 - 4ac} + b \right) + 12ac^2d^2 + 4c^3 \right) \tanh^{-1} \left( \frac{d^2x \left( b - \sqrt{b^2 - 4ac} \right)}{\sqrt{2} \sqrt{1-d^2x^2} \sqrt{-bd^2 \left( b - \sqrt{b^2 - 4ac} \right)}} \right)}{\sqrt{2} (b^2 - 4ac)^{3/2} \sqrt{-bd^2 \left( b - \sqrt{b^2 - 4ac} \right) + 2acd^2 + 2c^2 \left( b^2d^2 - (ad^2 + c)^2 \right)}} + \frac{c \left( -4cd^2 \left( b^2 - 2a^2d^2 \right) - bd^4 \left( \sqrt{b^2 - 4ac} + b \right) \left( c - ad^2 \right) - 2bd^2d^4 + 12ac^2d^2 + 4c^3 \right) \tanh^{-1} \left( \frac{d^2x \left( \sqrt{b^2 - 4ac} + b \right)}{\sqrt{2} \sqrt{1-d^2x^2} \sqrt{-bd^2 \left( b - \sqrt{b^2 - 4ac} \right)}} \right)}{\sqrt{2} (b^2 - 4ac)^{3/2} \sqrt{-bd^2 \left( b - \sqrt{b^2 - 4ac} \right) + 2acd^2 + 2c^2 \left( b^2d^2 - (ad^2 + c)^2 \right)}} - \frac{\sqrt{1-d^2x^2} \left( b \left( b^2d^2 - c \left( 3ad^2 + c \right) \right) - cd \left( 2acd^2 - b^2d^2 + 2c^2 \right) \right)}{(b^2 - 4ac) \left( b^2d^2 - (ad^2 + c)^2 \right) (a + bx + cx^2)}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(a + b\*x + c\*x^2)^2), x]

[Out] -(((b\*(b^2\*d^2 - c\*(c + 3\*a\*d^2)) - c\*(2\*c^2 - b^2\*d^2 + 2\*a\*c\*d^2)\*x)\*Sqrt[1 - d^2\*x^2])/((b^2 - 4\*a\*c)\*(b^2\*d^2 - (c + a\*d^2)^2)\*(a + b\*x + c\*x^2)) - (c\*(4\*c^3 + 12\*a\*c^2\*d^2 - a\*b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^4 - c\*d^2\*(5\*b^2 - b\*Sqrt[b^2 - 4\*a\*c] - 8\*a^2\*d^2))\*ArcTanh[(2\*c + (b - Sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(Sqrt[2]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b - Sqrt[b^2 - 4\*a\*c])\*d^2]\*Sqrt[1 - d^2\*x^2])]/(Sqrt[2]\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b - Sqrt[b^2 - 4\*a\*c])\*d^2]\*(b^2\*d^2 - (c + a\*d^2)^2)) + (c\*(4\*c^3 + 12\*a\*c^2\*d^2 - 2\*a\*b^2\*d^4 - b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2\*(c - a\*d^2) - 4\*c\*d^2\*(b^2 - 2\*a^2\*d^2))\*ArcTanh[(2\*c + (b + Sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(Sqrt[2]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2]\*Sqrt[1 - d^2\*x^2])]/(Sqrt[2]\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2]\*(b^2\*d^2 - (c + a\*d^2)^2))

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 725**

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ

[{a, c, d, e}, x]

### Rule 899

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

### Rule 975

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_)\*((d\_) + (f\_)\*(x\_)^2)^(q\_), x\_Symbol] := Simp[((b^3\*f + b\*c\*(c\*d - 3\*a\*f) + c\*(2\*c^2\*d + b^2\*f - c\*(2\*a\*f)))\*x\*(a + b\*x + c\*x^2)^(p + 1)\*(d + f\*x^2)^(q + 1)/((b^2 - 4\*a\*c)\*(b^2\*d\*f + (c\*d - a\*f)^2)\*(p + 1)), x] - Dist[1/((b^2 - 4\*a\*c)\*(b^2\*d\*f + (c\*d - a\*f)^2)\*(p + 1)), Int[(a + b\*x + c\*x^2)^(p + 1)\*(d + f\*x^2)^q\*Simp[2\*c\*(b^2\*d\*f + (c\*d - a\*f)^2)\*(p + 1) - (2\*c^2\*d + b^2\*f - c\*(2\*a\*f))\*(a\*f\*(p + 1) - c\*d\*(p + 2)) + (2\*f\*(b^3\*f + b\*c\*(c\*d - 3\*a\*f))\*(p + q + 2) - (2\*c^2\*d + b^2\*f - c\*(2\*a\*f))\*(b\*f\*(p + 1)))\*x + c\*f\*(2\*c^2\*d + b^2\*f - c\*(2\*a\*f))\*(2\*p + 2\*q + 5)\*x^2, x], x] /; FreeQ[{a, b, c, d, f, q}, x] && NeQ[b^2 - 4\*a\*c, 0] && LtQ[p, -1] && NeQ[b^2\*d\*f + (c\*d - a\*f)^2, 0] && !(IntegerQ[p] && ILtQ[q, -1]) && !IGtQ[q, 0]

### Rule 1034

Int[((g\_) + (h\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)\*Sqrt[(d\_) + (f\_)\*(x\_)^2], x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(2\*c\*g - h\*(b - q))/q, Int[1/((b - q + 2\*c\*x)\*Sqrt[d + f\*x^2]), x], x] - Dist[(2\*c\*g - h\*(b + q))/q, Int[1/((b + q + 2\*c\*x)\*Sqrt[d + f\*x^2]), x], x]] /; FreeQ[{a, b, c, d, f, g, h}, x] && NeQ[b^2 - 4\*a\*c, 0] && PosQ[b^2 - 4\*a\*c]

### Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{1-dx}\sqrt{1+dx}(a+bx+cx^2)^2} dx &= \int \frac{1}{(a+bx+cx^2)^2\sqrt{1-d^2x^2}} dx \\
&= -\frac{(b(b^2d^2 - c(c+3ad^2)) - c(2c^2 - b^2d^2 + 2acd^2)x)\sqrt{1-d^2x^2}}{(b^2-4ac)(b^2d^2 - (c+ad^2)^2)(a+bx+cx^2)} - \frac{\int -}{(b^2-4ac)(b^2d^2 - (c+ad^2)^2)(a+bx+cx^2)} \\
&= -\frac{(b(b^2d^2 - c(c+3ad^2)) - c(2c^2 - b^2d^2 + 2acd^2)x)\sqrt{1-d^2x^2}}{(b^2-4ac)(b^2d^2 - (c+ad^2)^2)(a+bx+cx^2)} + \frac{(c}{(b^2-4ac)(b^2d^2 - (c+ad^2)^2)(a+bx+cx^2)} \\
&= -\frac{(b(b^2d^2 - c(c+3ad^2)) - c(2c^2 - b^2d^2 + 2acd^2)x)\sqrt{1-d^2x^2}}{(b^2-4ac)(b^2d^2 - (c+ad^2)^2)(a+bx+cx^2)} - \frac{(c}{(b^2-4ac)(b^2d^2 - (c+ad^2)^2)(a+bx+cx^2)} \\
&= -\frac{(b(b^2d^2 - c(c+3ad^2)) - c(2c^2 - b^2d^2 + 2acd^2)x)\sqrt{1-d^2x^2}}{(b^2-4ac)(b^2d^2 - (c+ad^2)^2)(a+bx+cx^2)} - \frac{c(4}{(b^2-4ac)(b^2d^2 - (c+ad^2)^2)(a+bx+cx^2)}
\end{aligned}$$

**Mathematica [A]** time = 1.28, size = 508, normalized size = 0.89

$$\frac{c(c^2(8a^2d^2 + b\sqrt{b^2-4ac} - 5d^2) - ab^2(\sqrt{b^2-4ac} + b) + 12ac^2d^2 + 4c^3) \operatorname{tanh}^{-1}\left(\frac{d^2(b - \sqrt{b^2-4ac}) + 2c}{\sqrt{1-d^2x^2} \sqrt{2bd^2(\sqrt{b^2-4ac} + b) + 4ad^2 + 4c^2}}\right) + c(c^2(-8a^2d^2 + b\sqrt{b^2-4ac} + 5d^2) + ab^2(b - \sqrt{b^2-4ac}) - 12ac^2d^2 - 4c^3) \operatorname{tanh}^{-1}\left(\frac{d^2(\sqrt{b^2-4ac} + b) + 2c}{\sqrt{1-d^2x^2} \sqrt{-2bd^2(\sqrt{b^2-4ac} + b) + 4ad^2 + 4c^2}}\right) + \frac{\sqrt{1-d^2x^2}(-b(3ad^2 + c) - 2c^2x(ad^2 + c) + b^3d^2 + b^2cd^2x)}{d+1(b+cx)}}{\sqrt{2}\sqrt{b^2-4ac}\sqrt{bd^2(\sqrt{b^2-4ac} + b) + 2acd^2 + 2c^2}} + \frac{\sqrt{2}\sqrt{b^2-4ac}\sqrt{-bd^2(\sqrt{b^2-4ac} + b) + 2acd^2 + 2c^2}}{(b^2-4ac)((ad^2+c)^2 - b^2d^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[1 - d\*x]\*Sqrt[1 + d\*x]\*(a + b\*x + c\*x^2)^2), x]

[Out] (((b^3\*d^2 - b\*c\*(c + 3\*a\*d^2) + b^2\*c\*d^2\*x - 2\*c^2\*(c + a\*d^2)\*x)\*Sqrt[1 - d^2\*x^2])/(a + x\*(b + c\*x)) + (c\*(4\*c^3 + 12\*a\*c^2\*d^2 - a\*b\*(b + Sqrt[b^2 - 4\*a\*c]))\*d^4 + c\*d^2\*(-5\*b^2 + b\*Sqrt[b^2 - 4\*a\*c] + 8\*a^2\*d^2))\*ArcTanh[(2\*c + (b - Sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(Sqrt[4\*c^2 + 4\*a\*c\*d^2 + 2\*b\*(-b + Sqrt[b^2 - 4\*a\*c])\*d^2]\*Sqrt[1 - d^2\*x^2])]/(Sqrt[2]\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 + b\*(-b + Sqrt[b^2 - 4\*a\*c])\*d^2]) + (c\*(-4\*c^3 - 12\*a\*c^2\*d^2 + a\*b\*(b - Sqrt[b^2 - 4\*a\*c])\*d^4 + c\*d^2\*(5\*b^2 + b\*Sqrt[b^2 - 4\*a\*c] - 8\*a^2\*d^2))\*ArcTanh[(2\*c + (b + Sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(Sqrt[4\*c^2 + 4\*a\*c\*d^2 - 2\*b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2]\*Sqrt[1 - d^2\*x^2])]/(Sqrt[

2]\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2  
 ])/((b^2 - 4\*a\*c)\*(-(b^2\*d^2) + (c + a\*d^2)^2))

**IntegrateAlgebraic [A]** time = 50.06, size = 1064, normalized size = 1.86

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[1/(Sqrt[1 - d*x]*Sqrt[1 + d*x]*(a + b*x + c*x^2)^2),x]
[Out] (2*d*Sqrt[1 - d*x]*(-2*c^3 - b*c^2*d + b^2*c*d^2 - 2*a*c^2*d^2 + b^3*d^3 -
3*a*b*c*d^3 + (2*c^3*(1 - d*x))/(1 + d*x) - (b*c^2*d*(1 - d*x))/(1 + d*x) -
(b^2*c*d^2*(1 - d*x))/(1 + d*x) + (2*a*c^2*d^2*(1 - d*x))/(1 + d*x) + (b^3
*d^3*(1 - d*x))/(1 + d*x) - (3*a*b*c*d^3*(1 - d*x))/(1 + d*x)))/((b^2 - 4*a
*c)*(-c + b*d - a*d^2)*(c + b*d + a*d^2)*Sqrt[1 + d*x]*(-c - b*d - a*d^2 -
(c*(1 - d*x)^2)/(1 + d*x)^2 + (b*d*(1 - d*x)^2)/(1 + d*x)^2 - (a*d^2*(1 - d
*x)^2)/(1 + d*x)^2 + (2*c*(1 - d*x))/(1 + d*x) - (2*a*d^2*(1 - d*x))/(1 + d
*x))) + ((4*c^4 - 2*b*c^3*d + 2*c^3*Sqrt[b^2 - 4*a*c]*d - 5*b^2*c^2*d^2 + 1
2*a*c^3*d^2 - b*c^2*Sqrt[b^2 - 4*a*c]*d^2 + 2*b^3*c*d^3 - 4*a*b*c^2*d^3 - 2
*b^2*c*Sqrt[b^2 - 4*a*c]*d^3 + 6*a*c^2*Sqrt[b^2 - 4*a*c]*d^3 - a*b^2*c*d^4
+ 8*a^2*c^2*d^4 + a*b*c*Sqrt[b^2 - 4*a*c]*d^4 + a*b^3*d^5 - 6*a^2*b*c*d^5 -
a*b^2*Sqrt[b^2 - 4*a*c]*d^5 + 4*a^2*c*Sqrt[b^2 - 4*a*c]*d^5)*ArcTan[(Sqrt[
c - b*d + a*d^2]*Sqrt[1 - d*x])/(Sqrt[-c - Sqrt[b^2 - 4*a*c]*d + a*d^2]*Sqr
t[1 + d*x])])/((b^2 - 4*a*c)^(3/2)*(c - b*d + a*d^2)^(3/2)*(c + b*d + a*d^2
)*Sqrt[-c - Sqrt[b^2 - 4*a*c]*d + a*d^2]) + ((-4*c^4 + 2*b*c^3*d + 2*c^3*Sq
rt[b^2 - 4*a*c]*d + 5*b^2*c^2*d^2 - 12*a*c^3*d^2 - b*c^2*Sqrt[b^2 - 4*a*c]*
d^2 - 2*b^3*c*d^3 + 4*a*b*c^2*d^3 - 2*b^2*c*Sqrt[b^2 - 4*a*c]*d^3 + 6*a*c^2
*Sqrt[b^2 - 4*a*c]*d^3 + a*b^2*c*d^4 - 8*a^2*c^2*d^4 + a*b*c*Sqrt[b^2 - 4*a
*c]*d^4 - a*b^3*d^5 + 6*a^2*b*c*d^5 - a*b^2*Sqrt[b^2 - 4*a*c]*d^5 + 4*a^2*c
*Sqrt[b^2 - 4*a*c]*d^5)*ArcTan[(Sqrt[c - b*d + a*d^2]*Sqrt[1 - d*x])/(Sqrt[
-c + Sqrt[b^2 - 4*a*c]*d + a*d^2]*Sqrt[1 + d*x])])/((b^2 - 4*a*c)^(3/2)*(c
- b*d + a*d^2)^(3/2)*(c + b*d + a*d^2)*Sqrt[-c + Sqrt[b^2 - 4*a*c]*d + a*d^
2])
```

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(c*x^2+b*x+a)^2/(-d*x+1)^(1/2)/(d*x+1)^(1/2),x, algorithm="fric
as")
```

```
[Out] Timed out
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c\*x^2+b\*x+a)^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [C] time = 0.81, size = 41837, normalized size = 73.27

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(c\*x^2+b\*x+a)^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + bx + a)^2 \sqrt{dx + 1} \sqrt{-dx + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c\*x^2+b\*x+a)^2/(-d\*x+1)^(1/2)/(d\*x+1)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((c\*x^2 + b\*x + a)^2\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1)), x)

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1 - d\*x)^(1/2)\*(d\*x + 1)^(1/2)\*(a + b\*x + c\*x^2)^2),x)

[Out] \text{Hanged}

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c\*x\*\*2+b\*x+a)\*\*2/(-d\*x+1)\*\*(1/2)/(d\*x+1)\*\*(1/2),x)

[Out] Timed out



$$3.548 \quad \int \frac{(a+bx+cx^2)^3}{(1-dx)^{3/2}(1+dx)^{3/2}} dx$$

**Optimal.** Leaf size=276

$$\frac{x(ad^2 + c)(a^2d^4 + 2acd^2 + 3b^2d^2 + c^2) + bd^4\left(3a^2 + \frac{6ac}{d^2} + \frac{b^2}{d^2} + \frac{3c^2}{d^4}\right)}{d^6\sqrt{1-d^2x^2}} - \frac{3\sin^{-1}(dx)(8a^2cd^4 + 8ab^2d^4 + 12ac^2d^2)}{8d^7}$$

**Rubi [A]** time = 0.60, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$ , Rules used = {899, 1814, 1815, 641, 216}

$$\frac{x(ad^2 + c)(a^2d^4 + 2acd^2 + 3b^2d^2 + c^2) + bd^4\left(3a^2 + \frac{6ac}{d^2} + \frac{b^2}{d^2} + \frac{3c^2}{d^4}\right)}{d^6\sqrt{1-d^2x^2}} - \frac{3\sin^{-1}(dx)(8a^2cd^4 + 8ab^2d^4 + 12ac^2d^2 + 5c^3)}{8d^7} + \frac{cx\sqrt{1-d^2x^2}(12acd^2 + 12b^2d^2 + 7c^2)}{8d^6} + \frac{b\sqrt{1-d^2x^2}(6acd^2 + b^2d^2 + 5c^2)}{d^6} + \frac{bc^2x^2\sqrt{1-d^2x^2}}{d^4} + \frac{c^3x^3\sqrt{1-d^2x^2}}{4d^4}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)^3/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)), x]

[Out] (b\*(3\*a^2 + (3\*c^2)/d^4 + b^2/d^2 + (6\*a\*c)/d^2)\*d^4 + (c + a\*d^2)\*(c^2 + 3\*b^2\*d^2 + 2\*a\*c\*d^2 + a^2\*d^4)\*x)/(d^6\*sqrt[1 - d^2\*x^2]) + (b\*(5\*c^2 + b^2\*d^2 + 6\*a\*c\*d^2)\*sqrt[1 - d^2\*x^2])/d^6 + (c\*(7\*c^2 + 12\*b^2\*d^2 + 12\*a\*c\*d^2)\*x\*sqrt[1 - d^2\*x^2])/(8\*d^6) + (b\*c^2\*x^2\*sqrt[1 - d^2\*x^2])/d^4 + (c^3\*x^3\*sqrt[1 - d^2\*x^2])/(4\*d^4) - (3\*(5\*c^3 + 12\*b^2\*c\*d^2 + 12\*a\*c^2\*d^2 + 8\*a\*b^2\*d^4 + 8\*a^2\*c\*d^4)\*ArcSin[d\*x])/(8\*d^7)

**Rule 216**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

**Rule 641**

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

**Rule 899**

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

**Rule 1814**

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(a + b*x^2)^(p + 1)*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]
```

### Rule 1815

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSum[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2)^3}{(1 - dx)^{3/2}(1 + dx)^{3/2}} dx &= \int \frac{(a + bx + cx^2)^3}{(1 - d^2x^2)^{3/2}} dx \\
&= \frac{b \left( 3a^2 + \frac{3c^2}{d^4} + \frac{b^2}{d^2} + \frac{6ac}{d^2} \right) d^4 + (c + ad^2) (c^2 + 3b^2d^2 + 2acd^2 + a^2d^4) x}{d^6 \sqrt{1 - d^2x^2}} - \int \frac{c^3 + 3ac^2d^2}{\sqrt{1 - d^2x^2}} dx \\
&= \frac{b \left( 3a^2 + \frac{3c^2}{d^4} + \frac{b^2}{d^2} + \frac{6ac}{d^2} \right) d^4 + (c + ad^2) (c^2 + 3b^2d^2 + 2acd^2 + a^2d^4) x}{d^6 \sqrt{1 - d^2x^2}} + \frac{c^3 x^3 \sqrt{1 - d^2x^2}}{4d^4} \\
&= \frac{b \left( 3a^2 + \frac{3c^2}{d^4} + \frac{b^2}{d^2} + \frac{6ac}{d^2} \right) d^4 + (c + ad^2) (c^2 + 3b^2d^2 + 2acd^2 + a^2d^4) x}{d^6 \sqrt{1 - d^2x^2}} + \frac{bc^2 x^2 \sqrt{1 - d^2x^2}}{d^4} \\
&= \frac{b \left( 3a^2 + \frac{3c^2}{d^4} + \frac{b^2}{d^2} + \frac{6ac}{d^2} \right) d^4 + (c + ad^2) (c^2 + 3b^2d^2 + 2acd^2 + a^2d^4) x}{d^6 \sqrt{1 - d^2x^2}} + \frac{c(7c^2 + 12cd^2 + 3d^4)}{4d^4} \\
&= \frac{b \left( 3a^2 + \frac{3c^2}{d^4} + \frac{b^2}{d^2} + \frac{6ac}{d^2} \right) d^4 + (c + ad^2) (c^2 + 3b^2d^2 + 2acd^2 + a^2d^4) x}{d^6 \sqrt{1 - d^2x^2}} + \frac{b(5c^2 + b^2)}{4d^4} \\
&= \frac{b \left( 3a^2 + \frac{3c^2}{d^4} + \frac{b^2}{d^2} + \frac{6ac}{d^2} \right) d^4 + (c + ad^2) (c^2 + 3b^2d^2 + 2acd^2 + a^2d^4) x}{d^6 \sqrt{1 - d^2x^2}} + \frac{b(5c^2 + b^2)}{4d^4}
\end{aligned}$$

**Mathematica [A]** time = 0.24, size = 239, normalized size = 0.87

$$\frac{-3\sqrt{1-d^2x^2}\sin^{-1}(dx)(8a^2cd^4+8ab^2d^4+12ac^2d^2+12b^2cd^2+5c^3)-8b(-3a^2d^6+6acd^3(d^2x^2-2)+c^2d(d^4x^4+4d^2x^2-8))+dx(8a^3d^6+24a^2cd^4-12ac^2d^2(d^2x^2-3)+c^3(-2d^4x^4-5d^2x^2+15))-12b^2d^3x(c(d^2x^2-3)-2ad^2)-8b^3d^3(d^2x^2-2)}{8d^7\sqrt{1-d^2x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)^3/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)),x]

[Out]  $(-8*b^3*d^3*(-2 + d^2*x^2) - 12*b^2*d^3*x*(-2*a*d^2 + c*(-3 + d^2*x^2)) + d*x*(24*a^2*c*d^4 + 8*a^3*d^6 - 12*a*c^2*d^2*(-3 + d^2*x^2) + c^3*(15 - 5*d^2*x^2 - 2*d^4*x^4)) - 8*b*(-3*a^2*d^5 + 6*a*c*d^3*(-2 + d^2*x^2) + c^2*d*(-8 + 4*d^2*x^2 + d^4*x^4)) - 3*(5*c^3 + 12*b^2*c*d^2 + 12*a*c^2*d^2 + 8*a*b^2*d^4 + 8*a^2*c*d^4)*\text{Sqrt}[1 - d^2*x^2]*\text{ArcSin}[d*x])/(8*d^7*\text{Sqrt}[1 - d^2*x^2])$

**IntegrateAlgebraic [B]** time = 0.60, size = 1332, normalized size = 4.83

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)^3/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)),x]

[Out]  $(\text{Sqrt}[1 + d*x]*(2*c^3 + 6*b*c^2*d + 6*b^2*c*d^2 + 6*a*c^2*d^2 + 2*b^3*d^3 + 12*a*b*c*d^3 + 6*a*b^2*d^4 + 6*a^2*c*d^4 + 6*a^2*b*d^5 + 2*a^3*d^6 - (2*c^3*(1 - d*x)^5)/(1 + d*x)^5 + (6*b*c^2*d*(1 - d*x)^5)/(1 + d*x)^5 - (6*b^2*c*d^2*(1 - d*x)^5)/(1 + d*x)^5 - (6*a*c^2*d^2*(1 - d*x)^5)/(1 + d*x)^5 + (2*b^3*d^3*(1 - d*x)^5)/(1 + d*x)^5 + (12*a*b*c*d^3*(1 - d*x)^5)/(1 + d*x)^5 - (6*a*b^2*d^4*(1 - d*x)^5)/(1 + d*x)^5 - (6*a^2*c*d^4*(1 - d*x)^5)/(1 + d*x)^5 + (6*a^2*b*d^5*(1 - d*x)^5)/(1 + d*x)^5 - (2*a^3*d^6*(1 - d*x)^5)/(1 + d*x)^5 - (15*c^3*(1 - d*x)^4)/(1 + d*x)^4 + (78*b*c^2*d*(1 - d*x)^4)/(1 + d*x)^4 - (30*b^2*c*d^2*(1 - d*x)^4)/(1 + d*x)^4 - (30*a*c^2*d^2*(1 - d*x)^4)/(1 + d*x)^4 + (18*b^3*d^3*(1 - d*x)^4)/(1 + d*x)^4 + (108*a*b*c*d^3*(1 - d*x)^4)/(1 + d*x)^4 - (18*a*b^2*d^4*(1 - d*x)^4)/(1 + d*x)^4 - (18*a^2*c*d^4*(1 - d*x)^4)/(1 + d*x)^4 + (30*a^2*b*d^5*(1 - d*x)^4)/(1 + d*x)^4 - (6*a^3*d^6*(1 - d*x)^4)/(1 + d*x)^4 - (5*c^3*(1 - d*x)^3)/(1 + d*x)^3 + (172*b*c^2*d*(1 - d*x)^3)/(1 + d*x)^3 - (24*b^2*c*d^2*(1 - d*x)^3)/(1 + d*x)^3 - (24*a*c^2*d^2*(1 - d*x)^3)/(1 + d*x)^3 + (44*b^3*d^3*(1 - d*x)^3)/(1 + d*x)^3 + (264*a*b*c*d^3*(1 - d*x)^3)/(1 + d*x)^3 - (12*a*b^2*d^4*(1 - d*x)^3)/(1 + d*x)^3 - (12*a^2*c*d^4*(1 - d*x)^3)/(1 + d*x)^3 + (60*a^2*b*d^5*(1 - d*x)^3)/(1 + d*x)^3 - (4*a^3*d^6*(1 - d*x)^3)/(1 + d*x)^3 + (5*c^3*(1 - d*x)^2)/(1 + d*x)^2 + (172*b*c^2*d*(1 - d*x)^2)/(1 + d*x)^2 + (24*b^2*c*d^2*(1 - d*x)^2)/(1 + d*x)^2 + (24*a*c^2*d^2*(1 - d*x)^2)/(1 + d*x)^2 + (44*b^3*d^3*(1 - d*x)^2)/(1 + d*x)^2 + (264*a*b*c*d^3*(1 - d*x)^2)/(1 + d*x)^2 + (12*a*b^2*d^4*(1 - d*x)^2)/(1 + d*x)^2 + (12*a^2*c*d^4*(1 - d*x)^2)/(1 + d*x)^2 + (60*a^2*b*d^5*(1 - d*x)^2)/(1 + d*x)^2 + (4*a^3*d^6*(1 - d*x)^2)/(1 + d*x)^2$

$$\begin{aligned}
& + (15*c^3*(1 - d*x))/(1 + d*x) + (78*b*c^2*d*(1 - d*x))/(1 + d*x) + (30*b^2*c*d^2*(1 - d*x))/(1 + d*x) + (30*a*c^2*d^2*(1 - d*x))/(1 + d*x) + (18*b^3*d^3*(1 - d*x))/(1 + d*x) + (108*a*b*c*d^3*(1 - d*x))/(1 + d*x) + (18*a*b^2*d^4*(1 - d*x))/(1 + d*x) + (18*a^2*c*d^4*(1 - d*x))/(1 + d*x) + (30*a^2*b*d^5*(1 - d*x))/(1 + d*x) + (6*a^3*d^6*(1 - d*x))/(1 + d*x) \\
& )/(4*d^7*sqrt[1 - d*x]*(1 + (1 - d*x)/(1 + d*x))^4) + (3*(5*c^3 + 12*b^2*c*d^2 + 12*a*c^2*d^2 + 8*a*b^2*d^4 + 8*a^2*c*d^4)*ArcTan[Sqrt[1 - d*x]/Sqrt[1 + d*x]])/(4*d^7)
\end{aligned}$$

**fricas [A]** time = 0.42, size = 376, normalized size = 1.36

$$\frac{24d^7b^5 + 64b^4cd + 16(b^3 + 6abc)d^2 - 8(5d^2b^2 + 8b^2cd + 2(b^3 + 6abc)d^2 - (2d^2b^2 + 8b^2cd^2 - 24d^2b^2 - 64b^2cd - 16(b^3 + 6abc)d^2 + (b^3d^2 + 12(b^2c + ac^2)d^2 + 8(4b^2d^2 + (b^3 + 6abc)d^2) - (b^3d^2 + 24(b^2 + d^2)d^2 + 12cd + 36(b^2c + ac^2)d^2))\sqrt{d^2 + 1}\sqrt{-d^2 - 1} + 6(b^3d^2 + d^2c^2 + 5c^2 + 12(b^2c + ac^2)d^2 - (b^3d^2 + d^2c^2 + 5c^2d^2 + 12(b^2c + ac^2)d^2))\arctan\left(\frac{\sqrt{d^2 + 1}\sqrt{-d^2 - 1}}{d}\right)}{8(d^2 - d^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^3/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2),x, algorithm="fricas")

[Out]  $-1/8*(24*a^2*b*d^5 + 64*b*c^2*d + 16*(b^3 + 6*a*b*c)*d^3 - 8*(3*a^2*b*d^7 + 8*b*c^2*d^3 + 2*(b^3 + 6*a*b*c)*d^5)*x^2 - (2*c^3*d^5*x^5 + 8*b*c^2*d^5*x^4 - 24*a^2*b*d^5 - 64*b*c^2*d - 16*(b^3 + 6*a*b*c)*d^3 + (5*c^3*d^3 + 12*(b^2*c + a*c^2)*d^5)*x^3 + 8*(4*b*c^2*d^3 + (b^3 + 6*a*b*c)*d^5)*x^2 - (8*a^3*d^7 + 24*(a*b^2 + a^2*c)*d^5 + 15*c^3*d + 36*(b^2*c + a*c^2)*d^3)*x*\sqrt{d*x + 1}*\sqrt{-d*x + 1} + 6*(8*(a*b^2 + a^2*c)*d^4 + 5*c^3 + 12*(b^2*c + a*c^2)*d^2 - (8*(a*b^2 + a^2*c)*d^6 + 5*c^3*d^2 + 12*(b^2*c + a*c^2)*d^4)*x^2)*\arctan((\sqrt{d*x + 1}*\sqrt{-d*x + 1} - 1)/(d*x)))/(d^9*x^2 - d^7)$

**giac [B]** time = 0.61, size = 732, normalized size = 2.65

$$\frac{1}{8} \left( (d^2 + 1) \left( 2(d^2 + 1) \left( (d^2 + 1) \frac{c^3}{d^7} + (4b^2c^2d^{36} - 5c^3d^{35})/d^{42} + (12b^2cd^{37} + 12ac^2d^{37} - 32b^2cd^{36} + 25c^3d^{35})/d^{42} + (8b^3d^{38} + 48abc^2d^{38} - 36b^2cd^{37} - 36ac^2d^{37} + 80b^2cd^{36} - 35c^3d^{35})/d^{42} \right) (d^2 + 1) - 2(2a^3d^{41} + 6a^2bd^{40} + 6a^2b^2d^{39} + 6a^2cd^{39} + 10b^3d^{38} + 60abc^2d^{38} - 6b^2cd^{37} - 6ac^2d^{37} + 54b^2cd^{36} - 7c^3d^{35})/d^{42} \right) \sqrt{d^2 + 1} \sqrt{-d^2 + 1} / (d^2 - 1) - 3/4(8a^2bd^4 + 8a^2cd^4 + 12b^2cd^2 + 12ac^2d^2 + 5c^3) \arcsin(1/2\sqrt{2}\sqrt{d^2 + 1})/d^7 + 1/4(a^3d^6(\sqrt{2} - \sqrt{-d^2 + 1})/\sqrt{d^2 + 1} - 3a^2bd^5(\sqrt{2} - \sqrt{-d^2 + 1})/\sqrt{d^2 + 1} + 3a^2cd^4(\sqrt{2} - \sqrt{-d^2 + 1})/\sqrt{d^2 + 1} + 3a^2b^2d^4(\sqrt{2} - \sqrt{-d^2 + 1})/\sqrt{d^2 + 1} + 3a^2c^2d^4(\sqrt{2} - \sqrt{-d^2 + 1})/\sqrt{d^2 + 1} - b^3d^3(\sqrt{2} - \sqrt{-d^2 + 1})/\sqrt{d^2 + 1} - 6abc^2d^3(\sqrt{2} - \sqrt{-d^2 + 1})/\sqrt{d^2 + 1} + 3c^3) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^3/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2),x, algorithm="giac")

[Out]  $1/8*((d^2 + 1)*(2*(d^2 + 1)*((d^2 + 1)*c^3/d^7 + (4*b^2*c^2*d^36 - 5*c^3*d^35)/d^42) + (12*b^2*c*d^37 + 12*a*c^2*d^37 - 32*b^2*c*d^36 + 25*c^3*d^35)/d^42) + (8*b^3*d^38 + 48*a*b*c*d^38 - 36*b^2*c*d^37 - 36*a*c^2*d^37 + 80*b^2*c^2*d^36 - 35*c^3*d^35)/d^42)*(d^2 + 1) - 2*(2*a^3*d^41 + 6*a^2*b*d^40 + 6*a^2*b^2*d^39 + 6*a^2*c*d^39 + 10*b^3*d^38 + 60*a*b*c*d^38 - 6*b^2*c*d^37 - 6*a*c^2*d^37 + 54*b^2*c^2*d^36 - 7*c^3*d^35)/d^42)*sqrt(d^2 + 1)*sqrt(-d^2 + 1)/(d^2 - 1) - 3/4*(8*a*b^2*d^4 + 8*a^2*c*d^4 + 12*b^2*c*d^2 + 12*a*c^2*d^2 + 5*c^3)*arcsin(1/2*sqrt(2)*sqrt(d^2 + 1))/d^7 + 1/4*(a^3*d^6*(sqrt(2) - sqrt(-d^2 + 1))/sqrt(d^2 + 1) - 3*a^2*b*d^5*(sqrt(2) - sqrt(-d^2 + 1))/sqrt(d^2 + 1) + 3*a^2*c*d^4*(sqrt(2) - sqrt(-d^2 + 1))/sqrt(d^2 + 1) + 3*a^2*b^2*d^4*(sqrt(2) - sqrt(-d^2 + 1))/sqrt(d^2 + 1) + 3*a^2*c^2*d^4*(sqrt(2) - sqrt(-d^2 + 1))/sqrt(d^2 + 1) - b^3*d^3*(sqrt(2) - sqrt(-d^2 + 1))/sqrt(d^2 + 1) - 6*a*b*c*d^3*(sqrt(2) - sqrt(-d^2 + 1))/sqrt(d^2 + 1) + 3*c^3)$

$$b^2*c*d^2*(\sqrt{2} - \sqrt{-d*x + 1})/\sqrt{d*x + 1} + 3*a*c^2*d^2*(\sqrt{2} - \sqrt{-d*x + 1})/\sqrt{d*x + 1} - 3*b*c^2*d*(\sqrt{2} - \sqrt{-d*x + 1})/\sqrt{d*x + 1} + c^3*(\sqrt{2} - \sqrt{-d*x + 1})/\sqrt{d*x + 1})/d^7 - 1/4*(a^3*d^6 - 3*a^2*b*d^5 + 3*a*b^2*d^4 + 3*a^2*c*d^4 - b^3*d^3 - 6*a*b*c*d^3 + 3*b^2*c*d^2 + 3*a*c^2*d^2 - 3*b*c^2*d + c^3)*\sqrt{d*x + 1}/(d^7*(\sqrt{2} - \sqrt{-d*x + 1}))$$

**maple [C]** time = 0.04, size = 755, normalized size = 2.74

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)^3/(-d*x+1)^(3/2)/(d*x+1)^(3/2),x)`

[Out]  $1/8*(-d*x+1)^{(1/2)}*(-16*(-d^2*x^2+1)^{(1/2)}*b^3*d^3*c*\text{sgn}(d)+24*a^2*c*d^4*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c*\text{sgn}(d))+24*a*b^2*d^4*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c*\text{sgn}(d))+36*a*c^2*d^2*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c*\text{sgn}(d))+36*b^2*c*d^2*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c*\text{sgn}(d))+15*c^3*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c*\text{sgn}(d))-15*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c*\text{sgn}(d))*x^2*c^3*d^2+2*(-d^2*x^2+1)^{(1/2)}*c^3*d^5*x^5*c*\text{sgn}(d)-36*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c*\text{sgn}(d))*x^2*a*c^2*d^4-36*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c*\text{sgn}(d))*x^2*b^2*c*d^4-24*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c*\text{sgn}(d))*x^2*a^2*c*d^6-24*\arctan(1/(-d^2*x^2+1)^{(1/2)}*d*x*c*\text{sgn}(d))*x^2*a*b^2*d^6-8*c*\text{sgn}(d)*d^7*(-d^2*x^2+1)^{(1/2)}*x*a^3-15*(-d^2*x^2+1)^{(1/2)}*c^3*d*x*c*\text{sgn}(d)-64*(-d^2*x^2+1)^{(1/2)}*b*c^2*d*c*\text{sgn}(d)+8*(-d^2*x^2+1)^{(1/2)}*b^3*d^5*x^2*c*\text{sgn}(d)+5*(-d^2*x^2+1)^{(1/2)}*c^3*d^3*x^3*c*\text{sgn}(d)-24*(-d^2*x^2+1)^{(1/2)}*a^2*b*d^5*c*\text{sgn}(d)+8*(-d^2*x^2+1)^{(1/2)}*b*c^2*d^5*x^4*c*\text{sgn}(d)+12*(-d^2*x^2+1)^{(1/2)}*a*c^2*d^5*x^3*c*\text{sgn}(d)+12*(-d^2*x^2+1)^{(1/2)}*b^2*c*d^5*x^3*c*\text{sgn}(d)-24*(-d^2*x^2+1)^{(1/2)}*a^2*c*d^5*x*c*\text{sgn}(d)-24*(-d^2*x^2+1)^{(1/2)}*a*b^2*d^5*x*c*\text{sgn}(d)+32*(-d^2*x^2+1)^{(1/2)}*b*c^2*d^3*x^2*c*\text{sgn}(d)-36*(-d^2*x^2+1)^{(1/2)}*a*c^2*d^3*x*c*\text{sgn}(d)-36*(-d^2*x^2+1)^{(1/2)}*b^2*c*d^3*x*c*\text{sgn}(d)-96*(-d^2*x^2+1)^{(1/2)}*a*b*c*d^3*c*\text{sgn}(d)+48*(-d^2*x^2+1)^{(1/2)}*a*b*c*d^5*x^2*c*\text{sgn}(d))*c*\text{sgn}(d)/(d*x-1)/(-d^2*x^2+1)^{(1/2)}/d^7/(d*x+1)^{(1/2)}$

**maxima [A]** time = 0.98, size = 371, normalized size = 1.34

$$\frac{c^3x^5}{4\sqrt{-d^2x^2+1d^6}} - \frac{bc^2x^4}{\sqrt{-d^2x^2+1d^6}} + \frac{a^2x^3}{\sqrt{-d^2x^2+1d^6}} - \frac{5c^3x^3}{8\sqrt{-d^2x^2+1d^6}} + \frac{3(b^2c+ac^2)x^2}{2\sqrt{-d^2x^2+1d^6}} + \frac{3a^2b}{\sqrt{-d^2x^2+1d^6}} - \frac{4bc^2x^2}{\sqrt{-d^2x^2+1d^6}} - \frac{(b^3+6abc)x^2}{\sqrt{-d^2x^2+1d^6}} - \frac{3(ab^2+a^2c)x}{\sqrt{-d^2x^2+1d^6}} + \frac{3(ab^2+a^2c)\arcsin(dx)}{d^3} + \frac{15c^3x}{8\sqrt{-d^2x^2+1d^6}} + \frac{9(b^2c+ac^2)x}{2\sqrt{-d^2x^2+1d^6}} - \frac{15c^3\arcsin(dx)}{8d^3} - \frac{9(b^2c+ac^2)\arcsin(dx)}{2d^3} + \frac{8bc^2}{\sqrt{-d^2x^2+1d^6}} + \frac{2(b^3+6abc)}{\sqrt{-d^2x^2+1d^6}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)^3/(-d*x+1)^(3/2)/(d*x+1)^(3/2),x, algorithm="maxima")`

[Out]  $-1/4*c^3*x^5/(\sqrt{-d^2*x^2 + 1}*d^2) - b*c^2*x^4/(\sqrt{-d^2*x^2 + 1}*d^2) + a^3*x/\sqrt{-d^2*x^2 + 1} - 5/8*c^3*x^3/(\sqrt{-d^2*x^2 + 1}*d^4) - 3/2*(b^2*c + a*c^2)*x^3/(\sqrt{-d^2*x^2 + 1}*d^2) + 3*a^2*b/(\sqrt{-d^2*x^2 + 1}*d^2)$

) - 4\*b\*c^2\*x^2/(sqrt(-d^2\*x^2 + 1)\*d^4) - (b^3 + 6\*a\*b\*c)\*x^2/(sqrt(-d^2\*x^2 + 1)\*d^2) + 3\*(a\*b^2 + a^2\*c)\*x/(sqrt(-d^2\*x^2 + 1)\*d^2) - 3\*(a\*b^2 + a^2\*c)\*arcsin(d\*x)/d^3 + 15/8\*c^3\*x/(sqrt(-d^2\*x^2 + 1)\*d^6) + 9/2\*(b^2\*c + a\*c^2)\*x/(sqrt(-d^2\*x^2 + 1)\*d^4) - 15/8\*c^3\*arcsin(d\*x)/d^7 - 9/2\*(b^2\*c + a\*c^2)\*arcsin(d\*x)/d^5 + 8\*b\*c^2/(sqrt(-d^2\*x^2 + 1)\*d^6) + 2\*(b^3 + 6\*a\*b\*c)/(sqrt(-d^2\*x^2 + 1)\*d^4)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cx^2 + bx + a)^3}{(1 - dx)^{3/2} (dx + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)^3/((1 - d\*x)^(3/2)\*(d\*x + 1)^(3/2)),x)

[Out] int((a + b\*x + c\*x^2)^3/((1 - d\*x)^(3/2)\*(d\*x + 1)^(3/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*\*3/(-d\*x+1)\*\*(3/2)/(d\*x+1)\*\*(3/2),x)

[Out] Timed out

$$3.549 \quad \int \frac{(a+bx+cx^2)^2}{(1-dx)^{3/2}(1+dx)^{3/2}} dx$$

**Optimal.** Leaf size=135

$$\frac{x(a^2d^4 + 2acd^2 + b^2d^2 + c^2) + 2bd^2\left(a + \frac{c}{d^2}\right) \sin^{-1}(dx) \left(c\left(4a + \frac{3c}{d^2}\right) + 2b^2\right)}{d^4\sqrt{1-d^2x^2}} + \frac{2bc\sqrt{1-d^2x^2}}{d^4} + \frac{c^2x\sqrt{1-d^2x^2}}{2d^4}$$

**Rubi [A]** time = 0.19, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$ , Rules used = {899, 1814, 1815, 641, 216}

$$\frac{x(a^2d^4 + 2acd^2 + b^2d^2 + c^2) + 2bd^2\left(a + \frac{c}{d^2}\right) \sin^{-1}(dx) \left(c\left(4a + \frac{3c}{d^2}\right) + 2b^2\right)}{d^4\sqrt{1-d^2x^2}} + \frac{2bc\sqrt{1-d^2x^2}}{d^4} + \frac{c^2x\sqrt{1-d^2x^2}}{2d^4}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)^2/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)),x]

[Out] (2\*b\*(a + c/d^2)\*d^2 + (c^2 + b^2\*d^2 + 2\*a\*c\*d^2 + a^2\*d^4)\*x)/(d^4\*Sqrt[1 - d^2\*x^2]) + (2\*b\*c\*Sqrt[1 - d^2\*x^2])/d^4 + (c^2\*x\*Sqrt[1 - d^2\*x^2])/(2\*d^4) - ((2\*b^2 + c\*(4\*a + (3\*c)/d^2))\*ArcSin[d\*x])/(2\*d^3)

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 641

Int[((d\_) + (e\_.)\*(x\_))\*((a\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(a + c\*x^2)^(p + 1))/(2\*c\*(p + 1)), x] + Dist[d, Int[(a + c\*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

#### Rule 899

Int[((d\_) + (e\_.)\*(x\_))^(m\_)\*((f\_) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

#### Rule 1814

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b\*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b\*x^2, x], x,

```

0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((a*g -
b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int
[(a + b*x^2)^(p + 1)*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x]] /
; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]

```

### Rule 1815

```

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x],
e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(e*x^(q - 1)*(a + b*x^2)^(p + 1))/(b*
(q + 2*p + 1)), x] + Dist[1/(b*(q + 2*p + 1)), Int[(a + b*x^2)^p*ExpandToSu
m[b*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + 2*p + 1)*x^q, x], x
], x]] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && !LeQ[p, -1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2)^2}{(1 - dx)^{3/2}(1 + dx)^{3/2}} dx &= \int \frac{(a + bx + cx^2)^2}{(1 - d^2x^2)^{3/2}} dx \\
&= \frac{2b\left(a + \frac{c}{d^2}\right)d^2 + (c^2 + b^2d^2 + 2acd^2 + a^2d^4)x}{d^4\sqrt{1 - d^2x^2}} - \int \frac{\frac{c^2 + b^2d^2 + 2acd^2}{d^4} + \frac{2bcx}{d^2} + \frac{c^2x^2}{d^2}}{\sqrt{1 - d^2x^2}} dx \\
&= \frac{2b\left(a + \frac{c}{d^2}\right)d^2 + (c^2 + b^2d^2 + 2acd^2 + a^2d^4)x}{d^4\sqrt{1 - d^2x^2}} + \frac{c^2x\sqrt{1 - d^2x^2}}{2d^4} + \frac{\int \frac{-2b^2 - c\left(4a + \frac{3c}{d^2}\right) - 4c^2}{\sqrt{1 - d^2x^2}} dx}{2d^2} \\
&= \frac{2b\left(a + \frac{c}{d^2}\right)d^2 + (c^2 + b^2d^2 + 2acd^2 + a^2d^4)x}{d^4\sqrt{1 - d^2x^2}} + \frac{2bc\sqrt{1 - d^2x^2}}{d^4} + \frac{c^2x\sqrt{1 - d^2x^2}}{2d^4} - \\
&= \frac{2b\left(a + \frac{c}{d^2}\right)d^2 + (c^2 + b^2d^2 + 2acd^2 + a^2d^4)x}{d^4\sqrt{1 - d^2x^2}} + \frac{2bc\sqrt{1 - d^2x^2}}{d^4} + \frac{c^2x\sqrt{1 - d^2x^2}}{2d^4}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 127, normalized size = 0.94

$$\frac{dx(2a^2d^4 + 4acd^2 + c^2(3 - d^2x^2)) - \sqrt{1 - d^2x^2} \sin^{-1}(dx)(4acd^2 + 2b^2d^2 + 3c^2) + 4bd(ad^2 + c(2 - d^2x^2)) + 2b^2d^3x}{2d^5\sqrt{1 - d^2x^2}}$$

Antiderivative was successfully verified.

```

[In] Integrate[(a + b*x + c*x^2)^2/((1 - d*x)^(3/2)*(1 + d*x)^(3/2)), x]

```



[Out]  $(2*b^2*d^3*x + 4*b*d*(a*d^2 + c*(2 - d^2*x^2)) + d*x*(4*a*c*d^2 + 2*a^2*d^4 + c^2*(3 - d^2*x^2)) - (3*c^2 + 2*b^2*d^2 + 4*a*c*d^2)*\text{Sqrt}[1 - d^2*x^2]*\text{ArcSin}[d*x])/(2*d^5*\text{Sqrt}[1 - d^2*x^2])$

**IntegrateAlgebraic [B]** time = 0.29, size = 504, normalized size = 3.73

$$\frac{\sqrt{dx+1} \left( \frac{2^2 d^2 (1-d)}{d^2 x^2} - \frac{2^2 d^2 (1-d)}{d^2 x^2} - \frac{2^2 d^2 (1-d)}{d^2 x^2} + a^2 d^4 + \frac{4 a b d^3 (1-d)}{d^2 x^2} + \frac{4 a b d^3 (1-d)}{d^2 x^2} + \frac{2 a b d^3 (1-d)}{d^2 x^2} + 2 a b d^3 + \frac{2 a c d^2 (1-d)}{d^2 x^2} - \frac{2 a c d^2 (1-d)}{d^2 x^2} + 2 a c d^2 + \frac{2^2 d^2 (1-d)}{d^2 x^2} - \frac{2^2 d^2 (1-d)}{d^2 x^2} + \frac{2^2 d^2 (1-d)}{d^2 x^2} + b^2 d^2 + \frac{4 b c d (1-d)}{d^2 x^2} + \frac{4 b c d (1-d)}{d^2 x^2} + \frac{2 b c d (1-d)}{d^2 x^2} + 2 b c d + \frac{3^2 (1-d)}{d^2 x^2} - \frac{3^2 (1-d)}{d^2 x^2} + c^2 \right)}{2 d^5 \sqrt{1-dx} \left( \frac{1-dx}{dx} + 1 \right)^2} + \frac{\tan^{-1} \left( \frac{\sqrt{1-dx}}{\sqrt{dx+1}} \right) (4 a c d^2 + 2 b^2 d^2 + 3 c^2)}{d^5}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)^2/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)),x]

[Out]  $(\text{Sqrt}[1 + d*x]*(c^2 + 2*b*c*d + b^2*d^2 + 2*a*c*d^2 + 2*a*b*d^3 + a^2*d^4 - (c^2*(1 - d*x)^3)/(1 + d*x)^3 + (2*b*c*d*(1 - d*x)^3)/(1 + d*x)^3 - (b^2*d^2*(1 - d*x)^3)/(1 + d*x)^3 - (2*a*c*d^2*(1 - d*x)^3)/(1 + d*x)^3 + (2*a*b*d^3*(1 - d*x)^3)/(1 + d*x)^3 - (a^2*d^4*(1 - d*x)^3)/(1 + d*x)^3 - (3*c^2*(1 - d*x)^2)/(1 + d*x)^2 + (14*b*c*d*(1 - d*x)^2)/(1 + d*x)^2 - (b^2*d^2*(1 - d*x)^2)/(1 + d*x)^2 - (2*a*c*d^2*(1 - d*x)^2)/(1 + d*x)^2 + (6*a*b*d^3*(1 - d*x)^2)/(1 + d*x)^2 - (a^2*d^4*(1 - d*x)^2)/(1 + d*x)^2 + (3*c^2*(1 - d*x)))/(1 + d*x) + (14*b*c*d*(1 - d*x))/(1 + d*x) + (b^2*d^2*(1 - d*x))/(1 + d*x) + (2*a*c*d^2*(1 - d*x))/(1 + d*x) + (6*a*b*d^3*(1 - d*x))/(1 + d*x) + (a^2*d^4*(1 - d*x))/(1 + d*x))/((2*d^5*\text{Sqrt}[1 - d*x]*(1 + (1 - d*x)/(1 + d*x))^2) + ((3*c^2 + 2*b^2*d^2 + 4*a*c*d^2)*\text{ArcTan}[\text{Sqrt}[1 - d*x]/\text{Sqrt}[1 + d*x]])/d^5$

**fricas [A]** time = 0.41, size = 204, normalized size = 1.51

$$\frac{4 a b d^3 + 8 b c d - 4 (a b d^3 + 2 b c d^3) x^2 - (c^2 d^3 x^3 + 4 b c d^3 x^2 - 4 a b d^3 - 8 b c d - (2 a^2 d^5 + 2 (b^2 + 2 a c) d^3 + 3 c^2 d) x) \sqrt{d x + 1} \sqrt{-d x + 1} + 2 (2 (b^2 + 2 a c) d^2 - (2 (b^2 + 2 a c) d^4 + 3 c^2 d^2) x^2 + 3 c^2) \arctan \left( \frac{\sqrt{d x + 1} \sqrt{-d x + 1}}{d x} \right)}{2 (d^7 x^2 - d^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^2/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2),x, algorithm="fricas")

[Out]  $-1/2*(4*a*b*d^3 + 8*b*c*d - 4*(a*b*d^5 + 2*b*c*d^3)*x^2 - (c^2*d^3*x^3 + 4*b*c*d^3*x^2 - 4*a*b*d^3 - 8*b*c*d - (2*a^2*d^5 + 2*(b^2 + 2*a*c)*d^3 + 3*c^2*d)*x)*\text{sqrt}(d*x + 1)*\text{sqrt}(-d*x + 1) + 2*(2*(b^2 + 2*a*c)*d^2 - (2*(b^2 + 2*a*c)*d^4 + 3*c^2*d^2)*x^2 + 3*c^2)*\text{arctan}((\text{sqrt}(d*x + 1)*\text{sqrt}(-d*x + 1) - 1)/(d*x)))/(d^7*x^2 - d^5)$

**giac [B]** time = 0.39, size = 387, normalized size = 2.87

$$\frac{\sqrt{dx+1} \sqrt{-dx+1} \left( (dx+1) \left( \frac{4 a b d^3 x^2 + 4 b c d^3 x^2}{d^5} - \frac{2^2 d^3 (2 a b d^3 x^2 d^2 + 2 a c d^2 + 3 b c d^3 x^2 d^2)}{d^5} \right) - \frac{(2 b^2 d^2 + 4 a c d^2 + 3 c^2) \arcsin \left( \frac{1}{2} \sqrt{2} \sqrt{dx+1} \right)}{d^5} + \frac{2^2 d^3 (\sqrt{2} \sqrt{dx+1})}{\sqrt{dx+1}} - \frac{2 a b d^3 (\sqrt{2} \sqrt{dx+1})}{\sqrt{dx+1}} + \frac{2^2 d^3 (\sqrt{2} \sqrt{dx+1})}{\sqrt{dx+1}} + \frac{2 a c d^2 (\sqrt{2} \sqrt{dx+1})}{\sqrt{dx+1}} - \frac{2 b c d^2 (\sqrt{2} \sqrt{dx+1})}{\sqrt{dx+1}} + \frac{2^2 (\sqrt{2} \sqrt{dx+1})}{\sqrt{dx+1}} - \frac{(d^4 - 2 a b d^3 + b^2 d^2 + 2 a c d^2 - 2 b c d + c^2) \sqrt{dx+1}}{4 d^5 (\sqrt{2} \sqrt{-dx+1})} \right)}{4 d^5 (\sqrt{2} \sqrt{-dx+1})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^2/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2),x, algorithm="giac")

[Out]  $\frac{1}{2}\sqrt{d x + 1}\sqrt{-d x + 1}((d x + 1)((d x + 1)c^2/d^5 + (4 b^2 c d^6 - 3 c^2 d^{15})/d^{20}) - (a^2 d^{19} + 2 a^2 b d^{18} + b^2 d^{17} + 2 a^2 c d^{17} + 10 b^2 c d^{16} - c^2 d^{15})/d^{20})/(d x - 1) - (2 b^2 d^2 + 4 a^2 c d^2 + 3 c^2) \arcsin(1/2\sqrt{2}\sqrt{d x + 1})/d^5 + 1/4(a^2 d^4(\sqrt{2} - \sqrt{-d x + 1})/\sqrt{d x + 1} - 2 a^2 b d^3(\sqrt{2} - \sqrt{-d x + 1})/\sqrt{d x + 1} + b^2 d^2(\sqrt{2} - \sqrt{-d x + 1})/\sqrt{d x + 1} + 2 a^2 c d^2(\sqrt{2} - \sqrt{-d x + 1})/\sqrt{d x + 1} - 2 b^2 c d(\sqrt{2} - \sqrt{-d x + 1})/\sqrt{d x + 1} + c^2(\sqrt{2} - \sqrt{-d x + 1})/\sqrt{d x + 1})/d^5 - 1/4(a^2 d^4 - 2 a^2 b d^3 + b^2 d^2 + 2 a^2 c d^2 - 2 b^2 c d + c^2)\sqrt{d x + 1}/(d^5(\sqrt{2} - \sqrt{-d x + 1}))$

**maple** [C] time = 0.03, size = 380, normalized size = 2.81

$\frac{\sqrt{-dx+1} \left( 2\sqrt{-d^2+1} d^2 \operatorname{arcsin}\left(\frac{dx}{\sqrt{-d^2+1}}\right) - 4a d^2 \operatorname{arctan}\left(\frac{dx}{\sqrt{-d^2+1}}\right) - 2b d^2 \operatorname{arctan}\left(\frac{dx}{\sqrt{-d^2+1}}\right) + \sqrt{-d^2+1} d^2 \operatorname{arcsin}(d) + 4\sqrt{-d^2+1} b d^2 \operatorname{arcsin}(d) - 4\sqrt{-d^2+1} a d^2 \operatorname{arcsin}(d) - 2\sqrt{-d^2+1} b^2 d^2 \operatorname{arctan}\left(\frac{dx}{\sqrt{-d^2+1}}\right) - 4\sqrt{-d^2+1} a b d^2 \operatorname{arctan}\left(\frac{dx}{\sqrt{-d^2+1}}\right) + 2b^2 d^2 \operatorname{arctan}\left(\frac{dx}{\sqrt{-d^2+1}}\right) - 2\sqrt{-d^2+1} d^2 \operatorname{arcsin}(d) - 8\sqrt{-d^2+1} b d^2 \operatorname{arcsin}(d) + 3d^2 \operatorname{arctan}\left(\frac{dx}{\sqrt{-d^2+1}}\right) \operatorname{arcsin}(d) \right)}{2(d^5 - 1)\sqrt{-d^2+1}\sqrt{d x + 1}}$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)^2/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2),x)

[Out]  $\frac{1}{2}(-d x + 1)^{1/2}((-d^2 x^2 + 1)^{1/2} c^2 d^3 x^3 \operatorname{csign}(d) - 2 c \operatorname{csign}(d) d^5 (-d^2 x^2 + 1)^{1/2} x a^2 + 4 (-d^2 x^2 + 1)^{1/2} b^2 c d^3 x^2 \operatorname{csign}(d) - 4 \operatorname{arctan}(1/(-d^2 x^2 + 1)^{1/2} d x \operatorname{csign}(d)) x^2 a^2 c d^4 - 2 \operatorname{arctan}(1/(-d^2 x^2 + 1)^{1/2} d x \operatorname{csign}(d)) x^2 b^2 d^4 - 4 (-d^2 x^2 + 1)^{1/2} a^2 c d^3 x \operatorname{csign}(d) - 2 (-d^2 x^2 + 1)^{1/2} b^2 d^3 x \operatorname{csign}(d) - 4 (-d^2 x^2 + 1)^{1/2} a b d^3 \operatorname{csign}(d) - 3 \operatorname{arctan}(1/(-d^2 x^2 + 1)^{1/2} d x \operatorname{csign}(d)) x^2 c^2 d^2 - 3 (-d^2 x^2 + 1)^{1/2} c^2 d x \operatorname{csign}(d) - 8 (-d^2 x^2 + 1)^{1/2} b^2 c d \operatorname{csign}(d) + 4 a^2 c d^2 \operatorname{arctan}(1/(-d^2 x^2 + 1)^{1/2} d x \operatorname{csign}(d)) + 2 b^2 d^2 \operatorname{arctan}(1/(-d^2 x^2 + 1)^{1/2} d x \operatorname{csign}(d)) + 3 c^2 \operatorname{arctan}(1/(-d^2 x^2 + 1)^{1/2} d x \operatorname{csign}(d)) \operatorname{csign}(d) / (d x - 1) / (-d^2 x^2 + 1)^{1/2} / d^5 / (d x + 1)^{1/2}$

**maxima** [A] time = 0.97, size = 176, normalized size = 1.30

$$\frac{a^2 x}{\sqrt{-d^2 x^2 + 1}} - \frac{c^2 x^3}{2\sqrt{-d^2 x^2 + 1} d^2} - \frac{2 b c x^2}{\sqrt{-d^2 x^2 + 1} d^2} + \frac{2 a b}{\sqrt{-d^2 x^2 + 1} d^2} + \frac{(b^2 + 2 a c) x}{\sqrt{-d^2 x^2 + 1} d^2} - \frac{(b^2 + 2 a c) \operatorname{arcsin}(d x)}{d^3} + \frac{3 c^2 x}{2\sqrt{-d^2 x^2 + 1} d^4} - \frac{3 c^2 \operatorname{arcsin}(d x)}{2 d^5} + \frac{4 b c}{\sqrt{-d^2 x^2 + 1} d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^2/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2),x, algorithm="maxima")

[Out]  $a^2 x / \sqrt{-d^2 x^2 + 1} - 1/2 c^2 x^3 / (\sqrt{-d^2 x^2 + 1} d^2) - 2 b^2 c x^2 / (\sqrt{-d^2 x^2 + 1} d^2) + 2 a b / (\sqrt{-d^2 x^2 + 1} d^2) + (b^2 + 2 a^2 c) x / (\sqrt{-d^2 x^2 + 1} d^2) - (b^2 + 2 a^2 c) \operatorname{arcsin}(d x) / d^3 + 3/2 c^2 x / (\sqrt{-d^2 x^2 + 1} d^4) - 3/2 c^2 \operatorname{arcsin}(d x) / d^5 + 4 b^2 c / (\sqrt{-d^2 x^2 + 1} d^4)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(cx^2 + bx + a)^2}{(1 - dx)^{3/2} (dx + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)^2/((1 - d\*x)^(3/2)\*(d\*x + 1)^(3/2)), x)

[Out] int((a + b\*x + c\*x^2)^2/((1 - d\*x)^(3/2)\*(d\*x + 1)^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*\*2/(-d\*x+1)\*\*(3/2)/(d\*x+1)\*\*(3/2), x)

[Out] Timed out

$$3.550 \quad \int \frac{a+bx+cx^2}{(1-dx)^{3/2}(1+dx)^{3/2}} dx$$

Optimal. Leaf size=40

$$\frac{x(ad^2 + c) + b}{d^2\sqrt{1 - d^2x^2}} - \frac{c \sin^{-1}(dx)}{d^3}$$

**Rubi [A]** time = 0.05, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {899, 1814, 12, 216}

$$\frac{x(ad^2 + c) + b}{d^2\sqrt{1 - d^2x^2}} - \frac{c \sin^{-1}(dx)}{d^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)),x]

[Out] (b + (c + a\*d^2)\*x)/(d^2\*Sqrt[1 - d^2\*x^2]) - (c\*ArcSin[d\*x])/d^3

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 899

Int[((d\_) + (e\_.)\*(x\_)^(m\_))\*((f\_) + (g\_.)\*(x\_)^(n\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e\*f + d\*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

Rule 1814

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b\*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b\*x^2, x], x, 1]}, Simp[((a\*g - b\*f\*x)\*(a + b\*x^2)^(p + 1))/(2\*a\*b\*(p + 1)), x] + Dist[1/(2\*a\*(p + 1)), Int[(a + b\*x^2)^(p + 1)\*ExpandToSum[2\*a\*(p + 1)\*Q + f\*(2\*p + 3), x], x], x] /

; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{a + bx + cx^2}{(1 - dx)^{3/2}(1 + dx)^{3/2}} dx &= \int \frac{a + bx + cx^2}{(1 - d^2x^2)^{3/2}} dx \\
 &= \frac{b + (c + ad^2)x}{d^2\sqrt{1 - d^2x^2}} - \int \frac{c}{d^2\sqrt{1 - d^2x^2}} dx \\
 &= \frac{b + (c + ad^2)x}{d^2\sqrt{1 - d^2x^2}} - \frac{c \int \frac{1}{\sqrt{1 - d^2x^2}} dx}{d^2} \\
 &= \frac{b + (c + ad^2)x}{d^2\sqrt{1 - d^2x^2}} - \frac{c \sin^{-1}(dx)}{d^3}
 \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 39, normalized size = 0.98

$$\frac{\frac{d(x(ad^2+c)+b)}{\sqrt{1-d^2x^2}} - c \sin^{-1}(dx)}{d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)), x]

[Out] ((d\*(b + (c + a\*d^2)\*x))/Sqrt[1 - d^2\*x^2] - c\*ArcSin[d\*x])/d^3

**IntegrateAlgebraic [B]** time = 0.13, size = 115, normalized size = 2.88

$$\frac{\sqrt{dx+1} \left( -\frac{ad^2(1-dx)}{dx+1} + ad^2 + \frac{bd(1-dx)}{dx+1} + bd - \frac{c(1-dx)}{dx+1} + c \right)}{2d^3\sqrt{1-dx}} + \frac{2c \tan^{-1} \left( \frac{\sqrt{1-dx}}{\sqrt{dx+1}} \right)}{d^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)), x]

[Out] (Sqrt[1 + d\*x]\*(c + b\*d + a\*d^2 - (c\*(1 - d\*x))/(1 + d\*x) + (b\*d\*(1 - d\*x))/(1 + d\*x) - (a\*d^2\*(1 - d\*x))/(1 + d\*x)))/(2\*d^3\*Sqrt[1 - d\*x]) + (2\*c\*ArcTan[Sqrt[1 - d\*x]/Sqrt[1 + d\*x]])/d^3

**fricas** [B] time = 0.42, size = 101, normalized size = 2.52

$$\frac{bd^3x^2 - (bd + (ad^3 + cd)x)\sqrt{dx+1}\sqrt{-dx+1} - bd + 2(cd^2x^2 - c)\arctan\left(\frac{\sqrt{dx+1}\sqrt{-dx+1}-1}{dx}\right)}{d^5x^2 - d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2),x, algorithm="fricas")

[Out] (b\*d^3\*x^2 - (b\*d + (a\*d^3 + c\*d)\*x)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - b\*d + 2\*(c\*d^2\*x^2 - c)\*arctan((sqrt(d\*x + 1)\*sqrt(-d\*x + 1) - 1)/(d\*x)))/(d^5\*x^2 - d^3)

**giac** [B] time = 0.30, size = 182, normalized size = 4.55

$$-\frac{2c\arcsin\left(\frac{1}{2}\sqrt{2}\sqrt{dx+1}\right)}{d^3} + \frac{ad^2(\sqrt{2}-\sqrt{-dx+1})}{\sqrt{dx+1}} - \frac{bd(\sqrt{2}-\sqrt{-dx+1})}{4d^3} + \frac{c(\sqrt{2}-\sqrt{-dx+1})}{\sqrt{dx+1}} - \frac{(ad^2 - bd + c)\sqrt{dx+1}}{4d^3(\sqrt{2}-\sqrt{-dx+1})} - \frac{(ad^5 + bd^4 + cd^3)\sqrt{dx+1}\sqrt{-dx+1}}{2(dx-1)d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2),x, algorithm="giac")

[Out] -2\*c\*arcsin(1/2\*sqrt(2)\*sqrt(d\*x + 1))/d^3 + 1/4\*(a\*d^2\*(sqrt(2) - sqrt(-d\*x + 1))/sqrt(d\*x + 1) - b\*d\*(sqrt(2) - sqrt(-d\*x + 1))/sqrt(d\*x + 1) + c\*(sqrt(2) - sqrt(-d\*x + 1))/sqrt(d\*x + 1))/d^3 - 1/4\*(a\*d^2 - b\*d + c)\*sqrt(d\*x + 1)/(d^3\*(sqrt(2) - sqrt(-d\*x + 1))) - 1/2\*(a\*d^5 + b\*d^4 + c\*d^3)\*sqrt(d\*x + 1)\*sqrt(-d\*x + 1)/((d\*x - 1)\*d^6)

**maple** [C] time = 0.03, size = 151, normalized size = 3.78

$$\frac{(-\sqrt{-d^2x^2+1}ad^3x\operatorname{csgn}(d) - cd^2x^2\arctan\left(\frac{dx\operatorname{csgn}(d)}{\sqrt{-(dx-1)(dx+1)}}\right) - \sqrt{-d^2x^2+1}cdx\operatorname{csgn}(d) - \sqrt{-d^2x^2+1}bd\operatorname{csgn}(d) + c\arctan\left(\frac{dx\operatorname{csgn}(d)}{\sqrt{-(dx-1)(dx+1)}}\right))\sqrt{-dx+1}\operatorname{csgn}(d)}{(dx-1)\sqrt{-d^2x^2+1}\sqrt{dx+1}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2),x)

[Out] (-(-d^2\*x^2+1)^(1/2)\*csgn(d)\*d^3\*x\*a-arctan(csgn(d)\*d\*x/(-(d\*x-1)\*(d\*x+1)))^(1/2))\*x^2\*c\*d^2-(-d^2\*x^2+1)^(1/2)\*c\*d\*x\*csgn(d)-(-d^2\*x^2+1)^(1/2)\*b\*d\*csgn(d)+arctan(csgn(d)\*d\*x/(-(d\*x-1)\*(d\*x+1)))^(1/2)\*c\*(-d\*x+1)^(1/2)\*csgn(d)/(d\*x-1)/(-d^2\*x^2+1)^(1/2)/d^3/(d\*x+1)^(1/2)

**maxima** [A] time = 0.97, size = 61, normalized size = 1.52

$$\frac{ax}{\sqrt{-d^2x^2+1}} + \frac{cx}{\sqrt{-d^2x^2+1}d^2} - \frac{c\arcsin(dx)}{d^3} + \frac{b}{\sqrt{-d^2x^2+1}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/(-d*x+1)^(3/2)/(d*x+1)^(3/2),x, algorithm="maxima")
```

```
[Out] a*x/sqrt(-d^2*x^2 + 1) + c*x/(sqrt(-d^2*x^2 + 1)*d^2) - c*arcsin(d*x)/d^3 +
b/(sqrt(-d^2*x^2 + 1)*d^2)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{cx^2 + bx + a}{(1 - dx)^{3/2} (dx + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x + c*x^2)/((1 - d*x)^(3/2)*(d*x + 1)^(3/2)),x)
```

```
[Out] int((a + b*x + c*x^2)/((1 - d*x)^(3/2)*(d*x + 1)^(3/2)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+b*x+a)/(-d*x+1)**(3/2)/(d*x+1)**(3/2),x)
```

```
[Out] Timed out
```

$$3.551 \quad \int \frac{1}{(1-dx)^{3/2}(1+dx)^{3/2}(a+bx+cx^2)} dx$$

**Optimal.** Leaf size=443

$$\frac{c \left( -bd^2 \left( \sqrt{b^2 - 4ac} + b \right) + 2acd^2 + 2c^2 \right) \tanh^{-1} \left( \frac{d^2 x (b - \sqrt{b^2 - 4ac}) + 2c}{\sqrt{2} \sqrt{1 - d^2 x^2} \sqrt{-bd^2 (b - \sqrt{b^2 - 4ac}) + 2acd^2 + 2c^2}} \right)}{\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bd^2 (b - \sqrt{b^2 - 4ac}) + 2acd^2 + 2c^2} (b^2 d^2 - (ad^2 + c)^2)} - \frac{c \left( -bd^2 (b - \sqrt{b^2 - 4ac}) \right)}{\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bd^2 (b - \sqrt{b^2 - 4ac}) + 2acd^2 + 2c^2} (b^2 d^2 - (ad^2 + c)^2)}$$

**Rubi [A]** time = 1.44, antiderivative size = 443, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$ , Rules used = {899, 976, 1034, 725, 206}

$$\frac{c \left( -bd^2 \left( \sqrt{b^2 - 4ac} + b \right) + 2acd^2 + 2c^2 \right) \tanh^{-1} \left( \frac{d^2 x (b - \sqrt{b^2 - 4ac}) + 2c}{\sqrt{2} \sqrt{1 - d^2 x^2} \sqrt{-bd^2 (b - \sqrt{b^2 - 4ac}) + 2acd^2 + 2c^2}} \right)}{\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bd^2 (b - \sqrt{b^2 - 4ac}) + 2acd^2 + 2c^2} (b^2 d^2 - (ad^2 + c)^2)} - \frac{c \left( -bd^2 (b - \sqrt{b^2 - 4ac}) + 2acd^2 + 2c^2 \right) \tanh^{-1} \left( \frac{d^2 x (\sqrt{b^2 - 4ac} + b) + 2c}{\sqrt{2} \sqrt{1 - d^2 x^2} \sqrt{-bd^2 (\sqrt{b^2 - 4ac} + b) + 2acd^2 + 2c^2}} \right)}{\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bd^2 (\sqrt{b^2 - 4ac} + b) + 2acd^2 + 2c^2} (b^2 d^2 - (ad^2 + c)^2)} + \frac{d^2 (b - x (ad^2 + c))}{\sqrt{1 - d^2 x^2} (b^2 d^2 - (ad^2 + c)^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)\*(a + b\*x + c\*x^2)), x]

[Out] (d^2\*(b - (c + a\*d^2)\*x))/((b^2\*d^2 - (c + a\*d^2)^2)\*Sqrt[1 - d^2\*x^2]) + (c\*(2\*c^2 + 2\*a\*c\*d^2 - b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2)\*ArcTanh[(2\*c + (b - Sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(Sqrt[2]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b - Sqrt[b^2 - 4\*a\*c])\*d^2])\*Sqrt[1 - d^2\*x^2]])/(Sqrt[2]\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b - Sqrt[b^2 - 4\*a\*c])\*d^2]\*(b^2\*d^2 - (c + a\*d^2)^2)) - (c\*(2\*c^2 + 2\*a\*c\*d^2 - b\*(b - Sqrt[b^2 - 4\*a\*c])\*d^2)\*ArcTanh[(2\*c + (b + Sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(Sqrt[2]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2])\*Sqrt[1 - d^2\*x^2]])/(Sqrt[2]\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2]\*(b^2\*d^2 - (c + a\*d^2)^2))

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 725**

Int[1/(((d\_) + (e\_.)\*(x\_))\*Sqrt[(a\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := -Subst[Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ[{a, c, d, e}, x]



Rule 899

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) +
(c_)*(x_)^2)^(p_), x_Symbol] := Int[(d*f + e*g*x^2)^m*(a + b*x + c*x^2)^
p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e
*f + d*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))
```

Rule 976

```
Int[((a_) + (c_)*(x_)^2)^(p_)*((d_) + (e_)*(x_) + (f_)*(x_)^2)^(q_), x
_Symbol] := Simp[((2*a*c^2*e + c*(2*c^2*d - c*(2*a*f))*x)*(a + c*x^2)^(p +
1)*(d + e*x + f*x^2)^(q + 1))/((-4*a*c)*(a*c*e^2 + (c*d - a*f)^2)*(p + 1)),
x] - Dist[1/((-4*a*c)*(a*c*e^2 + (c*d - a*f)^2)*(p + 1)), Int[(a + c*x^2)^(
p + 1)*(d + e*x + f*x^2)^q*Simp[2*c*((c*d - a*f)^2 - (-(a*e))*(c*e))*(p +
1) - (2*c^2*d - c*(2*a*f))*(a*f*(p + 1) - c*d*(p + 2)) - e*(-2*a*c^2*e)*(p
+ q + 2) + (2*f*(2*a*c^2*e)*(p + q + 2) - (2*c^2*d - c*(2*a*f))*(-(c*e*(2*p
+ q + 4)))]*x + c*f*(2*c^2*d - c*(2*a*f))*(2*p + 2*q + 5)*x^2, x], x], x]
/; FreeQ[{a, c, d, e, f, q}, x] && NeQ[e^2 - 4*d*f, 0] && LtQ[p, -1] && NeQ
[a*c*e^2 + (c*d - a*f)^2, 0] && !(IntegerQ[p] && ILtQ[q, -1]) && !IGtQ[
q, 0]
```

Rule 1034

```
Int[((g_) + (h_)*(x_))/(((a_) + (b_)*(x_) + (c_)*(x_)^2)*Sqrt[(d_) + (f
_)*(x_)^2]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c*g - h*(
b - q))/q, Int[1/((b - q + 2*c*x)*Sqrt[d + f*x^2]), x], x] - Dist[(2*c*g -
h*(b + q))/q, Int[1/((b + q + 2*c*x)*Sqrt[d + f*x^2]), x], x]] /; FreeQ[{a,
b, c, d, f, g, h}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(1-dx)^{3/2}(1+dx)^{3/2}(a+bx+cx^2)} dx &= \int \frac{1}{(a+bx+cx^2)(1-d^2x^2)^{3/2}} dx \\
&= \frac{d^2(b-(c+ad^2)x)}{(b^2d^2-(c+ad^2)^2)\sqrt{1-d^2x^2}} - \frac{\int \frac{2d^2(c^2-b^2d^2+acd^2)-2bcd^4x}{(a+bx+cx^2)\sqrt{1-d^2x^2}} dx}{2d^2(b^2d^2-(c+ad^2)^2)} \\
&= \frac{d^2(b-(c+ad^2)x)}{(b^2d^2-(c+ad^2)^2)\sqrt{1-d^2x^2}} + \frac{c(2c^2+2acd^2-b(b-\sqrt{b^2-4ac}))}{\sqrt{b^2-4ac}(b^2d^2-(c+ad^2)^2)} \\
&= \frac{d^2(b-(c+ad^2)x)}{(b^2d^2-(c+ad^2)^2)\sqrt{1-d^2x^2}} - \frac{c(2c^2+2acd^2-b(b-\sqrt{b^2-4ac}))}{\sqrt{b^2-4ac}(b^2d^2-(c+ad^2)^2)} \\
&= \frac{d^2(b-(c+ad^2)x)}{(b^2d^2-(c+ad^2)^2)\sqrt{1-d^2x^2}} + \frac{c(2c^2+2acd^2-b(b+\sqrt{b^2-4ac}))}{\sqrt{2}\sqrt{b^2-4ac}\sqrt{2c^2+2acd^2}}
\end{aligned}$$

**Mathematica [A]** time = 2.39, size = 335, normalized size = 0.76

$$\frac{d^2(x(ad^2+c)-b)}{\sqrt{1-d^2x^2}(a^2d^4+2acd^2-b^2d^2+c^2)} - \frac{2\sqrt{2}c^3 \tanh^{-1}\left(\frac{d^2x(b-\sqrt{b^2-4ac})+2c}{\sqrt{1-d^2x^2}\sqrt{2bd^2(\sqrt{b^2-4ac}-b)+4acd^2+4c^2}}\right)}{\sqrt{b^2-4ac}(bd^2(\sqrt{b^2-4ac}-b)+2acd^2+2c^2)^{3/2}} + \frac{2\sqrt{2}c^3 \tanh^{-1}\left(\frac{d^2x(\sqrt{b^2-4ac}+b)+2c}{\sqrt{1-d^2x^2}\sqrt{-2bd^2(\sqrt{b^2-4ac}+b)+4acd^2+4c^2}}\right)}{\sqrt{b^2-4ac}(-bd^2(\sqrt{b^2-4ac}+b)+2acd^2+2c^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)\*(a + b\*x + c\*x^2)), x]

[Out] (d^2\*(-b + (c + a\*d^2)\*x))/((c^2 - b^2\*d^2 + 2\*a\*c\*d^2 + a^2\*d^4)\*Sqrt[1 - d^2\*x^2]) - (2\*Sqrt[2]\*c^3\*ArcTanh[(2\*c + (b - Sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(Sqrt[4\*c^2 + 4\*a\*c\*d^2 + 2\*b\*(-b + Sqrt[b^2 - 4\*a\*c])\*d^2]\*Sqrt[1 - d^2\*x^2])])/(Sqrt[b^2 - 4\*a\*c]\*(2\*c^2 + 2\*a\*c\*d^2 + b\*(-b + Sqrt[b^2 - 4\*a\*c])\*d^2)^(3/2)) + (2\*Sqrt[2]\*c^3\*ArcTanh[(2\*c + (b + Sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(Sqrt[4\*c^2 + 4\*a\*c\*d^2 - 2\*b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2]\*Sqrt[1 - d^2\*x^2])])/(Sqrt[b^2 - 4\*a\*c]\*(2\*c^2 + 2\*a\*c\*d^2 - b\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2)^(3/2))

**IntegrateAlgebraic [A]** time = 9.49, size = 615, normalized size = 1.39

$$\frac{(-2d\sqrt{b^2-4ac} - ad^2\sqrt{b^2-4ac} + b^2d^2\sqrt{b^2-4ac} - bd^2\sqrt{b^2-4ac} + 3abcd^2 - 2a^2d^2 - b^3d^2 + b^2cd^2 - 2c^2)\tan^{-1}\left(\frac{\sqrt{b^2-4ac}\sqrt{d^2+ad^2}}{\sqrt{d^2+ad^2+ad^2}}\right) + (-2d\sqrt{b^2-4ac} - ad^2\sqrt{b^2-4ac} + b^2d^2\sqrt{b^2-4ac} - bd^2\sqrt{b^2-4ac} - 3abcd^2 + 2a^2d^2 + b^3d^2 - b^2cd^2 - b^2d^2 + 2c^2)\tan^{-1}\left(\frac{\sqrt{b^2-4ac}\sqrt{d^2+ad^2}}{\sqrt{d^2+ad^2+ad^2}}\right) + \frac{d\sqrt{d^2+1}\left(\frac{d^2(1-d^2)}{2d^2+1} - ad^2 + \frac{bd(1-d^2)}{2d^2+1} + bd + \frac{cd(1-d^2)}{2d^2+1} - c\right)}{2\sqrt{1-d^2}(ad^2-bd+c)(ad^2+bd+c)}\sqrt{d\sqrt{b^2-4ac}+ad^2-c}}{\sqrt{b^2-4ac}(ad^2-bd+c)^2(ad^2+bd+c)\sqrt{-d\sqrt{b^2-4ac}+ad^2-c}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)\*(a + b\*x + c\*x^2)),x]

[Out] 
$$-1/2*(d*\text{Sqrt}[1 + d*x]*(-c + b*d - a*d^2 + (c*(1 - d*x))/(1 + d*x) + (b*d*(1 - d*x))/(1 + d*x) + (a*d^2*(1 - d*x))/(1 + d*x)))/((c - b*d + a*d^2)*(c + b*d + a*d^2)*\text{Sqrt}[1 - d*x]) + ((-2*c^3 + b*c^2*d - c^2*\text{Sqrt}[b^2 - 4*a*c]*d + b^2*c*d^2 - 2*a*c^2*d^2 - b*c*\text{Sqrt}[b^2 - 4*a*c]*d^2 - b^3*d^3 + 3*a*b*c*d^3 + b^2*\text{Sqrt}[b^2 - 4*a*c]*d^3 - a*c*\text{Sqrt}[b^2 - 4*a*c]*d^3)*\text{ArcTan}[(\text{Sqrt}[c - b*d + a*d^2]*\text{Sqrt}[1 - d*x])/(\text{Sqrt}[-c - \text{Sqrt}[b^2 - 4*a*c]*d + a*d^2]*\text{Sqrt}[1 + d*x])])/(\text{Sqrt}[b^2 - 4*a*c]*(c - b*d + a*d^2)^(3/2)*(c + b*d + a*d^2)*\text{Sqrt}[-c - \text{Sqrt}[b^2 - 4*a*c]*d + a*d^2]) + ((2*c^3 - b*c^2*d - c^2*\text{Sqrt}[b^2 - 4*a*c]*d - b^2*c*d^2 + 2*a*c^2*d^2 - b*c*\text{Sqrt}[b^2 - 4*a*c]*d^2 + b^3*d^3 - 3*a*b*c*d^3 + b^2*\text{Sqrt}[b^2 - 4*a*c]*d^3 - a*c*\text{Sqrt}[b^2 - 4*a*c]*d^3)*\text{ArcTan}[(\text{Sqrt}[c - b*d + a*d^2]*\text{Sqrt}[1 - d*x])/(\text{Sqrt}[-c + \text{Sqrt}[b^2 - 4*a*c]*d + a*d^2]*\text{Sqrt}[1 + d*x])])/(\text{Sqrt}[b^2 - 4*a*c]*(c - b*d + a*d^2)^(3/2)*(c + b*d + a*d^2)*\text{Sqrt}[-c + \text{Sqrt}[b^2 - 4*a*c]*d + a*d^2])$$

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="fricas")

[Out] Timed out

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2)/(c\*x^2+b\*x+a),x, algorithm="giac")

[Out] Timed out

**maple [C]** time = 0.12, size = 11141, normalized size = 25.15

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(-d*x+1)^(3/2)/(d*x+1)^(3/2)/(c*x^2+b*x+a),x)`

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + bx + a)(dx + 1)^{\frac{3}{2}}(-dx + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-d*x+1)^(3/2)/(d*x+1)^(3/2)/(c*x^2+b*x+a),x, algorithm="maxima")`

[Out] `integrate(1/((c*x^2 + b*x + a)*(d*x + 1)^(3/2)*(-d*x + 1)^(3/2)), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(1 - dx)^{3/2} (dx + 1)^{3/2} (cx^2 + bx + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((1 - d*x)^(3/2)*(d*x + 1)^(3/2)*(a + b*x + c*x^2)),x)`

[Out] `int(1/((1 - d*x)^(3/2)*(d*x + 1)^(3/2)*(a + b*x + c*x^2)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-d*x+1)**(3/2)/(d*x+1)**(3/2)/(c*x**2+b*x+a),x)`

[Out] Timed out

$$3.552 \quad \int \frac{1}{(1-dx)^{3/2}(1+dx)^{3/2}(a+bx+cx^2)^2} dx$$

Optimal. Leaf size=939

$$\frac{(b(3ab^2d^4 - 11a^2cd^4 - 10ac^2d^2 + 2b^2cd^2 + c^3) - (2c^4 - d^2(b^2 + 6a^2d^2))c^2 - (4a^3d^6 + 6ab^2d^4)c + b^2d^4(2b^2 + (b^2 - 4ac)(ad^2 - bd + c)^2(ad^2 + bd + c)^2\sqrt{1-d^2x^2})}{(b^2 - 4ac)(ad^2 - bd + c)^2(ad^2 + bd + c)^2\sqrt{1-d^2x^2}}$$

**Rubi [A]** time = 11.84, antiderivative size = 938, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {899, 975, 1062, 1034, 725, 206}

Antiderivative was successfully verified.

[In] Int[1/((1 - d\*x)^(3/2)\*(1 + d\*x)^(3/2)\*(a + b\*x + c\*x^2)^2), x]

[Out] -((d^2\*(b\*(c^3 + 2\*b^2\*c\*d^2 - 10\*a\*c^2\*d^2 + 3\*a\*b^2\*d^4 - 11\*a^2\*c\*d^4) - (2\*c^4 + b^2\*d^4\*(2\*b^2 + a^2\*d^2) - c^2\*d^2\*(b^2 + 6\*a^2\*d^2) - c\*(6\*a\*b^2\*d^4 + 4\*a^3\*d^6))\*x)/((b^2 - 4\*a\*c)\*(c - b\*d + a\*d^2)^2\*(c + b\*d + a\*d^2)^2\*sqrt[1 - d^2\*x^2])) - (b\*(b^2\*d^2 - c\*(c + 3\*a\*d^2)) - c\*(2\*c^2 - b^2\*d^2 + 2\*a\*c\*d^2)\*x)/((b^2 - 4\*a\*c)\*(b^2\*d^2 - (c + a\*d^2)^2)\*(a + b\*x + c\*x^2)\*sqrt[1 - d^2\*x^2]) + (c\*(4\*c^5 + 24\*a\*c^4\*d^2 + 3\*a\*b^3\*(b + sqrt[b^2 - 4\*a\*c])\*d^6 - c^3\*d^2\*(9\*b^2 - b\*sqrt[b^2 - 4\*a\*c] - 36\*a^2\*d^2) - 2\*a\*c^2\*d^4\*(7\*b^2 + 5\*b\*sqrt[b^2 - 4\*a\*c] - 8\*a^2\*d^2) + b\*c\*d^4\*(2\*b^3 + 2\*b^2\*sqrt[b^2 - 4\*a\*c] - 17\*a^2\*b\*d^2 - 11\*a^2\*sqrt[b^2 - 4\*a\*c]\*d^2))\*ArcTanh[(2\*c + (b - sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(sqrt[2]\*sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b - sqrt[b^2 - 4\*a\*c])\*d^2]\*sqrt[1 - d^2\*x^2])])/(sqrt[2]\*(b^2 - 4\*a\*c)^(3/2)\*sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b - sqrt[b^2 - 4\*a\*c])\*d^2]\*(c^2 - b^2\*d^2 + 2\*a\*c\*d^2 + a^2\*d^4)^2) - (c\*(4\*c^5\*d^2 + 24\*a\*c^4\*d^4 + 6\*a\*b^4\*d^8 + 4\*b^2\*c\*d^6\*(b^2 - 7\*a^2\*d^2) - b\*(b + sqrt[b^2 - 4\*a\*c])\*d^4\*(c^3 + 2\*b^2\*c\*d^2 - 10\*a\*c^2\*d^2 + 3\*a\*b^2\*d^4 - 11\*a^2\*c\*d^4) - 4\*c^3\*(2\*b^2\*d^4 - 9\*a^2\*d^6) - 8\*c^2\*(3\*a\*b^2\*d^6 - 2\*a^3\*d^8))\*ArcTanh[(2\*c + (b + sqrt[b^2 - 4\*a\*c])\*d^2\*x)/(sqrt[2]\*sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b + sqrt[b^2 - 4\*a\*c])\*d^2]\*sqrt[1 - d^2\*x^2])])/(sqrt[2]\*(b^2 - 4\*a\*c)^(3/2)\*d^2\*sqrt[2\*c^2 + 2\*a\*c\*d^2 - b\*(b + sqrt[b^2 - 4\*a\*c])\*d^2]\*(c^2 - b^2\*d^2 + 2\*a\*c\*d^2 + a^2\*d^4)^2)

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

Q[a, 0] || LtQ[b, 0])

### Rule 725

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (c\_)\*(x\_)^2]), x\_Symbol] := -Subst[  
Int[1/(c\*d^2 + a\*e^2 - x^2), x], x, (a\*e - c\*d\*x)/Sqrt[a + c\*x^2]] /; FreeQ  
[{a, c, d, e}, x]

### Rule 899

Int[(((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) +  
(c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[(d\*f + e\*g\*x^2)^m\*(a + b\*x + c\*x^2)^  
p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0] && EqQ[e  
\*f + d\*g, 0] && (IntegerQ[m] || (GtQ[d, 0] && GtQ[f, 0]))

### Rule 975

Int[(((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_)\*((d\_) + (f\_)\*(x\_)^2)^(q\_), x  
\_Symbol] := Simp[((b^3\*f + b\*c\*(c\*d - 3\*a\*f) + c\*(2\*c^2\*d + b^2\*f - c\*(2\*a\*f  
f))\*x)\*(a + b\*x + c\*x^2)^(p + 1)\*(d + f\*x^2)^(q + 1))/((b^2 - 4\*a\*c)\*(b^2\*d  
\*f + (c\*d - a\*f)^2)\*(p + 1)), x] - Dist[1/((b^2 - 4\*a\*c)\*(b^2\*d\*f + (c\*d -  
a\*f)^2)\*(p + 1)), Int[(a + b\*x + c\*x^2)^(p + 1)\*(d + f\*x^2)^q\*Simp[2\*c\*(b^2  
\*d\*f + (c\*d - a\*f)^2)\*(p + 1) - (2\*c^2\*d + b^2\*f - c\*(2\*a\*f))\*(a\*f\*(p + 1)  
- c\*d\*(p + 2)) + (2\*f\*(b^3\*f + b\*c\*(c\*d - 3\*a\*f))\*(p + q + 2) - (2\*c^2\*d +  
b^2\*f - c\*(2\*a\*f))\*(b\*f\*(p + 1)))\*x + c\*f\*(2\*c^2\*d + b^2\*f - c\*(2\*a\*f))\*(2\*  
p + 2\*q + 5)\*x^2, x], x] /; FreeQ[{a, b, c, d, f, q}, x] && NeQ[b^2 - 4  
\*a\*c, 0] && LtQ[p, -1] && NeQ[b^2\*d\*f + (c\*d - a\*f)^2, 0] && !(IntegerQ[  
p] && ILtQ[q, -1]) && !IGtQ[q, 0]

### Rule 1034

Int[(((g\_) + (h\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)\*Sqrt[(d\_) + (f  
\_)\*(x\_)^2]), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(2\*c\*g - h\*(  
b - q))/q, Int[1/((b - q + 2\*c\*x)\*Sqrt[d + f\*x^2]), x], x] - Dist[(2\*c\*g -  
h\*(b + q))/q, Int[1/((b + q + 2\*c\*x)\*Sqrt[d + f\*x^2]), x], x]] /; FreeQ[{a,  
b, c, d, f, g, h}, x] && NeQ[b^2 - 4\*a\*c, 0] && PosQ[b^2 - 4\*a\*c]

### Rule 1062

Int[(((a\_) + (c\_)\*(x\_)^2)^(p\_)\*((A\_) + (B\_)\*(x\_) + (C\_)\*(x\_)^2)\*((d\_) +  
(e\_)\*(x\_) + (f\_)\*(x\_)^2)^(q\_), x\_Symbol] := Simp[((a + c\*x^2)^(p + 1)\*(d  
+ e\*x + f\*x^2)^(q + 1)\*((A\*c - a\*C)\*(2\*a\*c\*e) + (-a\*B))\*(2\*c^2\*d - c\*(2\*a\*f  
f) + c\*(A\*(2\*c^2\*d - c\*(2\*a\*f)) - B\*(-2\*a\*c\*e) + C\*(-2\*a\*(c\*d - a\*f)))\*x)  
/((-4\*a\*c)\*(a\*c\*e^2 + (c\*d - a\*f)^2)\*(p + 1)), x] + Dist[1/((-4\*a\*c)\*(a\*c\*e  
^2 + (c\*d - a\*f)^2)\*(p + 1)), Int[(a + c\*x^2)^(p + 1)\*(d + e\*x + f\*x^2)^q\*S

```

imp[(-2*A*c - 2*a*C)*((c*d - a*f)^2 - (-(a*e))*(c*e))*(p + 1) + (2*(A*c*(c*
d - a*f) - a*(c*C*d - B*c*e - a*C*f)))*(a*f*(p + 1) - c*d*(p + 2)) - e*((A*
c - a*C)*(2*a*c*e) + (-(a*B))*(2*c^2*d - c*((Plus[2])*a*f)))*(p + q + 2) -
(2*f*((A*c - a*C)*(2*a*c*e) + (-(a*B))*(2*c^2*d - c*((Plus[2])*a*f)))*(p +
q + 2) - (2*(A*c*(c*d - a*f) - a*(c*C*d - B*c*e - a*C*f)))*(-(c*e*(2*p + q
+ 4)))*x - c*f*(2*(A*c*(c*d - a*f) - a*(c*C*d - B*c*e - a*C*f)))*(2*p + 2*
q + 5)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, A, B, C, q}, x] && NeQ[e^2
- 4*d*f, 0] && LtQ[p, -1] && NeQ[a*c*e^2 + (c*d - a*f)^2, 0] && !( !Intege
rQ[p] && ILtQ[q, -1]) && !IGtQ[q, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(1-dx)^{3/2}(1+dx)^{3/2}(a+bx+cx^2)^2} dx &= \int \frac{1}{(a+bx+cx^2)^2(1-d^2x^2)^{3/2}} dx \\
&= -\frac{b(b^2d^2 - c(c+3ad^2)) - c(2c^2 - b^2d^2 + 2acd^2)x}{(b^2 - 4ac)(b^2d^2 - (c+ad^2)^2)(a+bx+cx^2)\sqrt{1-d^2x^2}} - \int \frac{-2}{\dots} \\
&= -\frac{d^2(b(c^3 + 2b^2cd^2 - 10ac^2d^2 + 3ab^2d^4 - 11a^2cd^4) - (2c^4 + b^2d^4))}{(b^2 - 4ac)(b^2d^2 - (c+ad^2)^2)} \\
&= -\frac{d^2(b(c^3 + 2b^2cd^2 - 10ac^2d^2 + 3ab^2d^4 - 11a^2cd^4) - (2c^4 + b^2d^4))}{(b^2 - 4ac)(b^2d^2 - (c+ad^2)^2)} \\
&= -\frac{d^2(b(c^3 + 2b^2cd^2 - 10ac^2d^2 + 3ab^2d^4 - 11a^2cd^4) - (2c^4 + b^2d^4))}{(b^2 - 4ac)(b^2d^2 - (c+ad^2)^2)} \\
&= -\frac{d^2(b(c^3 + 2b^2cd^2 - 10ac^2d^2 + 3ab^2d^4 - 11a^2cd^4) - (2c^4 + b^2d^4))}{(b^2 - 4ac)(b^2d^2 - (c+ad^2)^2)}
\end{aligned}$$





[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2)/(c\*x^2+b\*x+a)^2,x, algorithm="giac")

[Out] Timed out

**maple** [C] time = 4.14, size = 108974, normalized size = 116.05

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2)/(c\*x^2+b\*x+a)^2,x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + bx + a)^2 (dx + 1)^{\frac{3}{2}} (-dx + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-d\*x+1)^(3/2)/(d\*x+1)^(3/2)/(c\*x^2+b\*x+a)^2,x, algorithm="maxima")

[Out] integrate(1/((c\*x^2 + b\*x + a)^2\*(d\*x + 1)^(3/2)\*(-d\*x + 1)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(1 - dx)^{3/2} (dx + 1)^{3/2} (cx^2 + bx + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1 - d\*x)^(3/2)\*(d\*x + 1)^(3/2)\*(a + b\*x + c\*x^2)^2),x)

[Out] int(1/((1 - d\*x)^(3/2)\*(d\*x + 1)^(3/2)\*(a + b\*x + c\*x^2)^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-d\*x+1)\*\*(3/2)/(d\*x+1)\*\*(3/2)/(c\*x\*\*2+b\*x+a)\*\*2,x)

[Out] Timed out

$$3.553 \quad \int (d + ex)^3 (f + gx)^n (a + 2cdx + cex^2) dx$$

**Optimal.** Leaf size=275

$$\frac{(ef - dg)^2 (f + gx)^{n+2} (3aeg^2 + c(2d^2g^2 - 10defg + 5e^2f^2))}{g^6(n+2)} - \frac{e(ef - dg)(f + gx)^{n+3} (3aeg^2 + c(7d^2g^2 - 20defg + 5e^2f^2))}{g^6(n+3)}$$

**Rubi [A]** time = 0.26, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$ , Rules used = {947}

$$\frac{(ef - dg)^2 (f + gx)^{n+2} (3aeg^2 + c(2d^2g^2 - 10defg + 5e^2f^2))}{g^6(n+2)} - \frac{e(ef - dg)(f + gx)^{n+3} (3aeg^2 + c(7d^2g^2 - 20defg + 10e^2f^2))}{g^6(n+3)} + \frac{e^2(f + gx)^{n+4} (ag^2 + c(9d^2g^2 - 20defg + 10e^2f^2))}{g^6(n+4)} - \frac{(ef - dg)^3 (f + gx)^{n+1} (ag^2 + cf(ef - 2dg))}{g^6(n+1)} - \frac{5ce^3(ef - dg)(f + gx)^{n+5}}{g^6(n+5)} + \frac{ce^4(f + gx)^{n+6}}{g^6(n+6)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^3\*(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2), x]

[Out] -(((e\*f - d\*g)^3\*(a\*g^2 + c\*f\*(e\*f - 2\*d\*g))\*(f + g\*x)^(1 + n))/(g^6\*(1 + n))) + ((e\*f - d\*g)^2\*(3\*a\*e\*g^2 + c\*(5\*e^2\*f^2 - 10\*d\*e\*f\*g + 2\*d^2\*g^2))\*(f + g\*x)^(2 + n))/(g^6\*(2 + n)) - (e\*(e\*f - d\*g)\*(3\*a\*e\*g^2 + c\*(10\*e^2\*f^2 - 20\*d\*e\*f\*g + 7\*d^2\*g^2))\*(f + g\*x)^(3 + n))/(g^6\*(3 + n)) + (e^2\*(a\*e\*g^2 + c\*(10\*e^2\*f^2 - 20\*d\*e\*f\*g + 9\*d^2\*g^2))\*(f + g\*x)^(4 + n))/(g^6\*(4 + n)) - (5\*c\*e^3\*(e\*f - d\*g)\*(f + g\*x)^(5 + n))/(g^6\*(5 + n)) + (c\*e^4\*(f + g\*x)^(6 + n))/(g^6\*(6 + n))

### Rule 947

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && (IGtQ[m, 0] || (EqQ[m, -2] && EqQ[p, 1] && EqQ[2\*c\*d - b\*e, 0]))

### Rubi steps

$$\begin{aligned} \int (d + ex)^3 (f + gx)^n (a + 2cdx + cex^2) dx &= \int \left( \frac{(ef - dg)^3 (-ag^2 - cf(ef - 2dg)) (f + gx)^n}{g^5} + \frac{(ef - dg)^2 (3aeg^2 + c(2d^2g^2 - 10defg + 5e^2f^2)) (f + gx)^{n+1}}{g^6} \right) dx \\ &= -\frac{(ef - dg)^3 (ag^2 + cf(ef - 2dg)) (f + gx)^{1+n}}{g^6(1+n)} + \frac{(ef - dg)^2 (3aeg^2 + c(2d^2g^2 - 10defg + 5e^2f^2)) (f + gx)^{n+2}}{g^6(n+2)} - \frac{e(ef - dg)(f + gx)^{n+3} (3aeg^2 + c(7d^2g^2 - 20defg + 5e^2f^2))}{g^6(n+3)} \end{aligned}$$

**Mathematica [A]** time = 0.31, size = 249, normalized size = 0.91

$$\frac{(f+gx)^{n+1} \left( \frac{c^2(f+gx)^3(ag^2+c(9d^2g^2-20defg+10e^2f^2))}{n+4} - \frac{c(f+gx)^2(cf-dg)(3acg^2+c(7d^2g^2-20defg+10e^2f^2))}{n+3} + \frac{(f+gx)(cf-dg)^2(3acg^2+c(2d^2g^2-10defg+5e^2f^2))}{n+2} - \frac{(cf-dg)^3(ag^2+c(f-dg))}{n+1} - \frac{5cc^3(f+gx)^4(cf-dg)}{n+5} + \frac{c^4(f+gx)^5}{n+6} \right)}{g^6}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^3\*(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2), x]

[Out] ((f + g\*x)^(1 + n)\*(-(((e\*f - d\*g)^3\*(a\*g^2 + c\*f\*(e\*f - 2\*d\*g)))/(1 + n)) + ((e\*f - d\*g)^2\*(3\*a\*e\*g^2 + c\*(5\*e^2\*f^2 - 10\*d\*e\*f\*g + 2\*d^2\*g^2))\*(f + g\*x))/(2 + n) - (e\*(e\*f - d\*g)\*(3\*a\*e\*g^2 + c\*(10\*e^2\*f^2 - 20\*d\*e\*f\*g + 7\*d^2\*g^2))\*(f + g\*x)^2)/(3 + n) + (e^2\*(a\*e\*g^2 + c\*(10\*e^2\*f^2 - 20\*d\*e\*f\*g + 9\*d^2\*g^2))\*(f + g\*x)^3)/(4 + n) - (5\*c\*e^3\*(e\*f - d\*g)\*(f + g\*x)^4)/(5 + n) + (c\*e^4\*(f + g\*x)^5)/(6 + n))/g^6

**IntegrateAlgebraic [F]** time = 0.16, size = 0, normalized size = 0.00

$$\int (d + ex)^3 (f + gx)^n (a + 2cdx + cex^2) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^3\*(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2), x]

[Out] Defer[IntegrateAlgebraic] [(d + e\*x)^3\*(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2), x]

**fricas [B]** time = 0.48, size = 2032, normalized size = 7.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^n\*(c\*e\*x^2+2\*c\*d\*x+a), x, algorithm="fricas")

[Out] (a\*d^3\*f\*g^5\*n^5 - 120\*c\*e^4\*f^6 + 720\*c\*d\*e^3\*f^5\*g + 720\*a\*d^3\*f\*g^5 - 180\*(9\*c\*d^2\*e^2 + a\*e^3)\*f^4\*g^2 + 240\*(7\*c\*d^3\*e + 3\*a\*d\*e^2)\*f^3\*g^3 - 360\*(2\*c\*d^4 + 3\*a\*d^2\*e)\*f^2\*g^4 + (c\*e^4\*g^6\*n^5 + 15\*c\*e^4\*g^6\*n^4 + 85\*c\*e^4\*g^6\*n^3 + 225\*c\*e^4\*g^6\*n^2 + 274\*c\*e^4\*g^6\*n + 120\*c\*e^4\*g^6)\*x^6 + (720\*c\*d\*e^3\*g^6 + (c\*e^4\*f\*g^5 + 5\*c\*d\*e^3\*g^6)\*n^5 + 10\*(c\*e^4\*f\*g^5 + 8\*c\*d\*e^3\*g^6)\*n^4 + 5\*(7\*c\*e^4\*f\*g^5 + 95\*c\*d\*e^3\*g^6)\*n^3 + 50\*(c\*e^4\*f\*g^5 + 26\*c\*d\*e^3\*g^6)\*n^2 + 12\*(2\*c\*e^4\*f\*g^5 + 135\*c\*d\*e^3\*g^6)\*n)\*x^5 + (20\*a\*d^3\*f\*g^5 - (2\*c\*d^4 + 3\*a\*d^2\*e)\*f^2\*g^4)\*n^4 + (180\*(9\*c\*d^2\*e^2 + a\*e^3)\*g^6 + (5\*c\*d\*e^3\*f\*g^5 + (9\*c\*d^2\*e^2 + a\*e^3)\*g^6)\*n^5 - (5\*c\*e^4\*f^2\*g^4 - 60\*c\*d\*e^3\*f\*g^5 - 17\*(9\*c\*d^2\*e^2 + a\*e^3)\*g^6)\*n^4 - (30\*c\*e^4\*f^2\*g^4 - 235\*c\*d\*e^3\*f\*g^5 - 107\*(9\*c\*d^2\*e^2 + a\*e^3)\*g^6)\*n^3 - (55\*c\*e^4\*f^2\*g^4 - 360\*c\*d\*e^3\*f\*g^5 - 307\*(9\*c\*d^2\*e^2 + a\*e^3)\*g^6)\*n^2 - 6\*(5\*c\*e^4\*f^2\*g^4 - 30\*c\*d\*e^3\*f\*g^5 - 66\*(9\*c\*d^2\*e^2 + a\*e^3)\*g^6)\*n)\*x^4 + (155\*a\*d^3

$$\begin{aligned}
& *f*g^5 + 2*(7*c*d^3*e + 3*a*d*e^2)*f^3*g^3 - 18*(2*c*d^4 + 3*a*d^2*e)*f^2*g \\
& ^4)*n^3 + (240*(7*c*d^3*e + 3*a*d*e^2)*g^6 + ((9*c*d^2*e^2 + a*e^3)*f*g^5 + \\
& (7*c*d^3*e + 3*a*d*e^2)*g^6)*n^5 - 2*(10*c*d*e^3*f^2*g^4 - 7*(9*c*d^2*e^2 \\
& + a*e^3)*f*g^5 - 9*(7*c*d^3*e + 3*a*d*e^2)*g^6)*n^4 + (20*c*e^4*f^3*g^3 - 1 \\
& 80*c*d*e^3*f^2*g^4 + 65*(9*c*d^2*e^2 + a*e^3)*f*g^5 + 121*(7*c*d^3*e + 3*a* \\
& d*e^2)*g^6)*n^3 + 4*(15*c*e^4*f^3*g^3 - 100*c*d*e^3*f^2*g^4 + 28*(9*c*d^2*e \\
& ^2 + a*e^3)*f*g^5 + 93*(7*c*d^3*e + 3*a*d*e^2)*g^6)*n^2 + 4*(10*c*e^4*f^3*g \\
& ^3 - 60*c*d*e^3*f^2*g^4 + 15*(9*c*d^2*e^2 + a*e^3)*f*g^5 + 127*(7*c*d^3*e + \\
& 3*a*d*e^2)*g^6)*n)*x^3 + (580*a*d^3*f*g^5 - 6*(9*c*d^2*e^2 + a*e^3)*f^4*g^ \\
& 2 + 30*(7*c*d^3*e + 3*a*d*e^2)*f^3*g^3 - 119*(2*c*d^4 + 3*a*d^2*e)*f^2*g^4) \\
& *n^2 + (360*(2*c*d^4 + 3*a*d^2*e)*g^6 + ((7*c*d^3*e + 3*a*d*e^2)*f*g^5 + (2 \\
& *c*d^4 + 3*a*d^2*e)*g^6)*n^5 - (3*(9*c*d^2*e^2 + a*e^3)*f^2*g^4 - 16*(7*c*d \\
& ^3*e + 3*a*d*e^2)*f*g^5 - 19*(2*c*d^4 + 3*a*d^2*e)*g^6)*n^4 + (60*c*d*e^3*f \\
& ^3*g^3 - 36*(9*c*d^2*e^2 + a*e^3)*f^2*g^4 + 89*(7*c*d^3*e + 3*a*d*e^2)*f*g^ \\
& 5 + 137*(2*c*d^4 + 3*a*d^2*e)*g^6)*n^3 - (60*c*e^4*f^4*g^2 - 420*c*d*e^3*f^ \\
& 3*g^3 + 123*(9*c*d^2*e^2 + a*e^3)*f^2*g^4 - 194*(7*c*d^3*e + 3*a*d*e^2)*f*g \\
& ^5 - 461*(2*c*d^4 + 3*a*d^2*e)*g^6)*n^2 - 6*(10*c*e^4*f^4*g^2 - 60*c*d*e^3* \\
& f^3*g^3 + 15*(9*c*d^2*e^2 + a*e^3)*f^2*g^4 - 20*(7*c*d^3*e + 3*a*d*e^2)*f*g \\
& ^5 - 117*(2*c*d^4 + 3*a*d^2*e)*g^6)*n)*x^2 + 2*(60*c*d*e^3*f^5*g + 522*a*d^ \\
& 3*f*g^5 - 33*(9*c*d^2*e^2 + a*e^3)*f^4*g^2 + 74*(7*c*d^3*e + 3*a*d*e^2)*f^3 \\
& *g^3 - 171*(2*c*d^4 + 3*a*d^2*e)*f^2*g^4)*n + (720*a*d^3*g^6 + (a*d^3*g^6 + \\
& (2*c*d^4 + 3*a*d^2*e)*f*g^5)*n^5 + 2*(10*a*d^3*g^6 - (7*c*d^3*e + 3*a*d*e^ \\
& 2)*f^2*g^4 + 9*(2*c*d^4 + 3*a*d^2*e)*f*g^5)*n^4 + (155*a*d^3*g^6 + 6*(9*c*d \\
& ^2*e^2 + a*e^3)*f^3*g^3 - 30*(7*c*d^3*e + 3*a*d*e^2)*f^2*g^4 + 119*(2*c*d^4 \\
& + 3*a*d^2*e)*f*g^5)*n^3 - 2*(60*c*d*e^3*f^4*g^2 - 290*a*d^3*g^6 - 33*(9*c* \\
& d^2*e^2 + a*e^3)*f^3*g^3 + 74*(7*c*d^3*e + 3*a*d*e^2)*f^2*g^4 - 171*(2*c*d^ \\
& 4 + 3*a*d^2*e)*f*g^5)*n^2 + 12*(10*c*e^4*f^5*g - 60*c*d*e^3*f^4*g^2 + 87*a* \\
& d^3*g^6 + 15*(9*c*d^2*e^2 + a*e^3)*f^3*g^3 - 20*(7*c*d^3*e + 3*a*d*e^2)*f^2 \\
& *g^4 + 30*(2*c*d^4 + 3*a*d^2*e)*f*g^5)*n)*x*(g*x + f)^n/(g^6*n^6 + 21*g^6*n \\
& ^5 + 175*g^6*n^4 + 735*g^6*n^3 + 1624*g^6*n^2 + 1764*g^6*n + 720*g^6)
\end{aligned}$$

**giac [B]** time = 0.59, size = 3760, normalized size = 13.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^n\*(c\*e\*x^2+2\*c\*d\*x+a),x, algorithm="giac")

[Out] ((g\*x + f)^n\*c\*g^6\*n^5\*x^6\*e^4 + 5\*(g\*x + f)^n\*c\*d\*g^6\*n^5\*x^5\*e^3 + 9\*(g\*x + f)^n\*c\*d^2\*g^6\*n^5\*x^4\*e^2 + 7\*(g\*x + f)^n\*c\*d^3\*g^6\*n^5\*x^3\*e + 2\*(g\*x + f)^n\*c\*d^4\*g^6\*n^5\*x^2 + (g\*x + f)^n\*c\*f\*g^5\*n^5\*x^5\*e^4 + 15\*(g\*x + f)^n\*c\*g^6\*n^4\*x^6\*e^4 + 5\*(g\*x + f)^n\*c\*d\*f\*g^5\*n^5\*x^4\*e^3 + 80\*(g\*x + f)^n\*c\*d\*g^6\*n^4\*x^5\*e^3 + 9\*(g\*x + f)^n\*c\*d^2\*f\*g^5\*n^5\*x^3\*e^2 + 153\*(g\*x + f)^n\*c\*d^2\*g^6\*n^4\*x^4\*e^2 + 7\*(g\*x + f)^n\*c\*d^3\*f\*g^5\*n^5\*x^2\*e + 126\*(g\*x + f)^n\*c\*d^3\*g^6\*n^4\*x^3\*e + 2\*(g\*x + f)^n\*c\*d^4\*f\*g^5\*n^5\*x + 38\*(g\*x + f)^n

$$\begin{aligned}
& *c*d^4*g^6*n^4*x^2 + 10*(g*x + f)^n*c*f*g^5*n^4*x^5*e^4 + 85*(g*x + f)^n*c* \\
& g^6*n^3*x^6*e^4 + 60*(g*x + f)^n*c*d*f*g^5*n^4*x^4*e^3 + (g*x + f)^n*a*g^6* \\
& n^5*x^4*e^3 + 475*(g*x + f)^n*c*d*g^6*n^3*x^5*e^3 + 126*(g*x + f)^n*c*d^2*f \\
& *g^5*n^4*x^3*e^2 + 3*(g*x + f)^n*a*d*g^6*n^5*x^3*e^2 + 963*(g*x + f)^n*c*d^ \\
& 2*g^6*n^3*x^4*e^2 + 112*(g*x + f)^n*c*d^3*f*g^5*n^4*x^2*e + 3*(g*x + f)^n*a \\
& *d^2*g^6*n^5*x^2*e + 847*(g*x + f)^n*c*d^3*g^6*n^3*x^3*e + 36*(g*x + f)^n*c \\
& *d^4*f*g^5*n^4*x + (g*x + f)^n*a*d^3*g^6*n^5*x + 274*(g*x + f)^n*c*d^4*g^6* \\
& n^3*x^2 - 5*(g*x + f)^n*c*f^2*g^4*n^4*x^4*e^4 + 35*(g*x + f)^n*c*f*g^5*n^3* \\
& x^5*e^4 + 225*(g*x + f)^n*c*g^6*n^2*x^6*e^4 - 20*(g*x + f)^n*c*d*f^2*g^4*n^ \\
& 4*x^3*e^3 + (g*x + f)^n*a*f*g^5*n^5*x^3*e^3 + 235*(g*x + f)^n*c*d*f*g^5*n^3 \\
& *x^4*e^3 + 17*(g*x + f)^n*a*g^6*n^4*x^4*e^3 + 1300*(g*x + f)^n*c*d*g^6*n^2* \\
& x^5*e^3 - 27*(g*x + f)^n*c*d^2*f^2*g^4*n^4*x^2*e^2 + 3*(g*x + f)^n*a*d*f*g^ \\
& 5*n^5*x^2*e^2 + 585*(g*x + f)^n*c*d^2*f*g^5*n^3*x^3*e^2 + 54*(g*x + f)^n*a \\
& *d*g^6*n^4*x^3*e^2 + 2763*(g*x + f)^n*c*d^2*g^6*n^2*x^4*e^2 - 14*(g*x + f)^n \\
& *c*d^3*f^2*g^4*n^4*x*e + 3*(g*x + f)^n*a*d^2*f*g^5*n^5*x*e + 623*(g*x + f)^ \\
& n*c*d^3*f*g^5*n^3*x^2*e + 57*(g*x + f)^n*a*d^2*g^6*n^4*x^2*e + 2604*(g*x + \\
& f)^n*c*d^3*g^6*n^2*x^3*e - 2*(g*x + f)^n*c*d^4*f^2*g^4*n^4 + (g*x + f)^n*a \\
& d^3*f*g^5*n^5 + 238*(g*x + f)^n*c*d^4*f*g^5*n^3*x + 20*(g*x + f)^n*a*d^3*g^ \\
& 6*n^4*x + 922*(g*x + f)^n*c*d^4*g^6*n^2*x^2 - 30*(g*x + f)^n*c*f^2*g^4*n^3* \\
& x^4*e^4 + 50*(g*x + f)^n*c*f*g^5*n^2*x^5*e^4 + 274*(g*x + f)^n*c*g^6*n*x^6* \\
& e^4 - 180*(g*x + f)^n*c*d*f^2*g^4*n^3*x^3*e^3 + 14*(g*x + f)^n*a*f*g^5*n^4* \\
& x^3*e^3 + 360*(g*x + f)^n*c*d*f*g^5*n^2*x^4*e^3 + 107*(g*x + f)^n*a*g^6*n^3 \\
& *x^4*e^3 + 1620*(g*x + f)^n*c*d*g^6*n*x^5*e^3 - 324*(g*x + f)^n*c*d^2*f^2*g \\
& ^4*n^3*x^2*e^2 + 48*(g*x + f)^n*a*d*f*g^5*n^4*x^2*e^2 + 1008*(g*x + f)^n*c* \\
& d^2*f*g^5*n^2*x^3*e^2 + 363*(g*x + f)^n*a*d*g^6*n^3*x^3*e^2 + 3564*(g*x + f \\
& )^n*c*d^2*g^6*n*x^4*e^2 - 210*(g*x + f)^n*c*d^3*f^2*g^4*n^3*x*e + 54*(g*x + \\
& f)^n*a*d^2*f*g^5*n^4*x*e + 1358*(g*x + f)^n*c*d^3*f*g^5*n^2*x^2*e + 411*(g \\
& *x + f)^n*a*d^2*g^6*n^3*x^2*e + 3556*(g*x + f)^n*c*d^3*g^6*n*x^3*e - 36*(g* \\
& x + f)^n*c*d^4*f^2*g^4*n^3 + 20*(g*x + f)^n*a*d^3*f*g^5*n^4 + 684*(g*x + f) \\
& ^n*c*d^4*f*g^5*n^2*x + 155*(g*x + f)^n*a*d^3*g^6*n^3*x + 1404*(g*x + f)^n*c \\
& *d^4*g^6*n*x^2 + 20*(g*x + f)^n*c*f^3*g^3*n^3*x^3*e^4 - 55*(g*x + f)^n*c*f^ \\
& 2*g^4*n^2*x^4*e^4 + 24*(g*x + f)^n*c*f*g^5*n*x^5*e^4 + 120*(g*x + f)^n*c*g^ \\
& 6*x^6*e^4 + 60*(g*x + f)^n*c*d*f^3*g^3*n^3*x^2*e^3 - 3*(g*x + f)^n*a*f^2*g^ \\
& 4*n^4*x^2*e^3 - 400*(g*x + f)^n*c*d*f^2*g^4*n^2*x^3*e^3 + 65*(g*x + f)^n*a \\
& *f*g^5*n^3*x^3*e^3 + 180*(g*x + f)^n*c*d*f*g^5*n*x^4*e^3 + 307*(g*x + f)^n*a \\
& *g^6*n^2*x^4*e^3 + 720*(g*x + f)^n*c*d*g^6*x^5*e^3 + 54*(g*x + f)^n*c*d^2*f \\
& ^3*g^3*n^3*x*e^2 - 6*(g*x + f)^n*a*d*f^2*g^4*n^4*x*e^2 - 1107*(g*x + f)^n*c \\
& *d^2*f^2*g^4*n^2*x^2*e^2 + 267*(g*x + f)^n*a*d*f*g^5*n^3*x^2*e^2 + 540*(g*x \\
& + f)^n*c*d^2*f*g^5*n*x^3*e^2 + 1116*(g*x + f)^n*a*d*g^6*n^2*x^3*e^2 + 1620 \\
& *(g*x + f)^n*c*d^2*g^6*x^4*e^2 + 14*(g*x + f)^n*c*d^3*f^3*g^3*n^3*e - 3*(g* \\
& x + f)^n*a*d^2*f^2*g^4*n^4*e - 1036*(g*x + f)^n*c*d^3*f^2*g^4*n^2*x*e + 357 \\
& *(g*x + f)^n*a*d^2*f*g^5*n^3*x*e + 840*(g*x + f)^n*c*d^3*f*g^5*n*x^2*e + 13 \\
& 83*(g*x + f)^n*a*d^2*g^6*n^2*x^2*e + 1680*(g*x + f)^n*c*d^3*g^6*x^3*e - 238 \\
& *(g*x + f)^n*c*d^4*f^2*g^4*n^2 + 155*(g*x + f)^n*a*d^3*f*g^5*n^3 + 720*(g*x \\
& + f)^n*c*d^4*f*g^5*n*x + 580*(g*x + f)^n*a*d^3*g^6*n^2*x + 720*(g*x + f)^n
\end{aligned}$$

$$\begin{aligned}
& *c*d^4*g^6*x^2 + 60*(g*x + f)^n*c*f^3*g^3*n^2*x^3*e^4 - 30*(g*x + f)^n*c*f^2*g^4*n*x^4*e^4 + 420*(g*x + f)^n*c*d*f^3*g^3*n^2*x^2*e^3 - 36*(g*x + f)^n*a*f^2*g^4*n^3*x^2*e^3 - 240*(g*x + f)^n*c*d*f^2*g^4*n*x^3*e^3 + 112*(g*x + f)^n*a*f*g^5*n^2*x^3*e^3 + 396*(g*x + f)^n*a*g^6*n*x^4*e^3 + 594*(g*x + f)^n*c*d^2*f^3*g^3*n^2*x*e^2 - 90*(g*x + f)^n*a*d*f^2*g^4*n^3*x*e^2 - 810*(g*x + f)^n*c*d^2*f^2*g^4*n*x^2*e^2 + 582*(g*x + f)^n*a*d*f*g^5*n^2*x^2*e^2 + 1524*(g*x + f)^n*a*d*g^6*n*x^3*e^2 + 210*(g*x + f)^n*c*d^3*f^3*g^3*n^2*e - 54*(g*x + f)^n*a*d^2*f^2*g^4*n^3*e - 1680*(g*x + f)^n*c*d^3*f^2*g^4*n*x*e + 1026*(g*x + f)^n*a*d^2*f*g^5*n^2*x*e + 2106*(g*x + f)^n*a*d^2*g^6*n*x^2*e - 684*(g*x + f)^n*c*d^4*f^2*g^4*n + 580*(g*x + f)^n*a*d^3*f*g^5*n^2 + 1044*(g*x + f)^n*a*d^3*g^6*n*x - 60*(g*x + f)^n*c*f^4*g^2*n^2*x^2*e^4 + 40*(g*x + f)^n*c*f^3*g^3*n*x^3*e^4 - 120*(g*x + f)^n*c*d*f^4*g^2*n^2*x*e^3 + 6*(g*x + f)^n*a*f^3*g^3*n^3*x*e^3 + 360*(g*x + f)^n*c*d*f^3*g^3*n*x^2*e^3 - 123*(g*x + f)^n*a*f^2*g^4*n^2*x^2*e^3 + 60*(g*x + f)^n*a*f*g^5*n*x^3*e^3 + 180*(g*x + f)^n*a*g^6*x^4*e^3 - 54*(g*x + f)^n*c*d^2*f^4*g^2*n^2*e^2 + 6*(g*x + f)^n*a*d*f^3*g^3*n^3*e^2 + 1620*(g*x + f)^n*c*d^2*f^3*g^3*n*x*e^2 - 444*(g*x + f)^n*a*d*f^2*g^4*n^2*x*e^2 + 360*(g*x + f)^n*a*d*f*g^5*n*x^2*e^2 + 720*(g*x + f)^n*a*d*g^6*x^3*e^2 + 1036*(g*x + f)^n*c*d^3*f^3*g^3*n*e - 357*(g*x + f)^n*a*d^2*f^2*g^4*n^2*e + 1080*(g*x + f)^n*a*d^2*f*g^5*n*x*e + 1080*(g*x + f)^n*a*d^2*g^6*x^2*e - 720*(g*x + f)^n*c*d^4*f^2*g^4 + 1044*(g*x + f)^n*a*d^3*f*g^5*n + 720*(g*x + f)^n*a*d^3*g^6*x - 60*(g*x + f)^n*c*f^4*g^2*n*x^2*e^4 - 720*(g*x + f)^n*c*d*f^4*g^2*n*x*e^3 + 66*(g*x + f)^n*a*f^3*g^3*n^2*x*e^3 - 90*(g*x + f)^n*a*f^2*g^4*n*x^2*e^3 - 594*(g*x + f)^n*c*d^2*f^4*g^2*n*e^2 + 90*(g*x + f)^n*a*d*f^3*g^3*n^2*e^2 - 720*(g*x + f)^n*a*d*f^2*g^4*n*x*e^2 + 1680*(g*x + f)^n*c*d^3*f^3*g^3*e - 1026*(g*x + f)^n*a*d^2*f^2*g^4*n*e + 720*(g*x + f)^n*a*d^3*f*g^5 + 120*(g*x + f)^n*c*f^5*g*n*x*e^4 + 120*(g*x + f)^n*c*d*f^5*g*n*e^3 - 6*(g*x + f)^n*a*f^4*g^2*n^2*e^3 + 180*(g*x + f)^n*a*f^3*g^3*n*x*e^3 - 1620*(g*x + f)^n*c*d^2*f^4*g^2*e^2 + 444*(g*x + f)^n*a*d*f^3*g^3*n*e^2 - 1080*(g*x + f)^n*a*d^2*f^2*g^4*e + 720*(g*x + f)^n*c*d*f^5*g*e^3 - 66*(g*x + f)^n*a*f^4*g^2*n*e^3 + 720*(g*x + f)^n*a*d*f^3*g^3*e^2 - 120*(g*x + f)^n*c*f^6*e^4 - 180*(g*x + f)^n*a*f^4*g^2*e^3)/(g^6*n^6 + 21*g^6*n^5 + 175*g^6*n^4 + 735*g^6*n^3 + 1624*g^6*n^2 + 1764*g^6*n + 720*g^6)
\end{aligned}$$

**maple [B]** time = 0.02, size = 2017, normalized size = 7.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^3*(g*x+f)^n*(c*e*x^2+2*c*d*x+a), x)$

[Out]  $(g*x+f)^{(n+1)}*(c*e^4*g^5*n^5*x^5+5*c*d*e^3*g^5*n^5*x^4+15*c*e^4*g^5*n^4*x^5+9*c*d^2*e^2*g^5*n^5*x^3+80*c*d*e^3*g^5*n^4*x^4-5*c*e^4*f*g^4*n^4*x^4+85*c*e^4*g^5*n^3*x^5+a*e^3*g^5*n^5*x^3+7*c*d^3*e*g^5*n^5*x^2+153*c*d^2*e^2*g^5*n^4*x^3-20*c*d*e^3*f*g^4*n^4*x^3+475*c*d*e^3*g^5*n^3*x^4-50*c*e^4*f*g^4*n^3$

$$\begin{aligned} & x^4+225*c*e^4*g^5*n^2*x^5+3*a*d*e^2*g^5*n^5*x^2+17*a*e^3*g^5*n^4*x^3+2*c*d^4*g^5*n^5*x+126*c*d^3*e*g^5*n^4*x^2-27*c*d^2*e^2*f*g^4*n^4*x^2+963*c*d^2*e^2*g^5*n^3*x^3-240*c*d*e^3*f*g^4*n^3*x^3+1300*c*d*e^3*g^5*n^2*x^4+20*c*e^4*f^2*g^3*n^3*x^3-175*c*e^4*f*g^4*n^2*x^4+274*c*e^4*g^5*n*x^5+3*a*d^2*e*g^5*n^5*x+54*a*d*e^2*g^5*n^4*x^2-3*a*e^3*f*g^4*n^4*x^2+107*a*e^3*g^5*n^3*x^3+38*c*d^4*g^5*n^4*x-14*c*d^3*e*f*g^4*n^4*x+847*c*d^3*e*g^5*n^3*x^2-378*c*d^2*e^2*f*g^4*n^3*x^2+2763*c*d^2*e^2*g^5*n^2*x^3+60*c*d*e^3*f^2*g^3*n^3*x^2-940*c*d*e^3*f*g^4*n^2*x^3+1620*c*d*e^3*g^5*n*x^4+120*c*e^4*f^2*g^3*n^2*x^3-250*c*e^4*f*g^4*n*x^4+120*c*e^4*g^5*x^5+a*d^3*g^5*n^5+57*a*d^2*e*g^5*n^4*x-6*a*d*e^2*f*g^4*n^4*x+363*a*d*e^2*g^5*n^3*x^2-42*a*e^3*f*g^4*n^3*x^2+307*a*e^3*g^5*n^2*x^3-2*c*d^4*f*g^4*n^4+274*c*d^4*g^5*n^3*x-224*c*d^3*e*f*g^4*n^3*x+260*4*c*d^3*e*g^5*n^2*x^2+54*c*d^2*e^2*f^2*g^3*n^3*x-1755*c*d^2*e^2*f*g^4*n^2*x^2+3564*c*d^2*e^2*g^5*n*x^3+540*c*d*e^3*f^2*g^3*n^2*x^2-1440*c*d*e^3*f*g^4*n*x^3+720*c*d*e^3*g^5*x^4-60*c*e^4*f^3*g^2*n^2*x^2+220*c*e^4*f^2*g^3*n*x^3-120*c*e^4*f*g^4*x^4+20*a*d^3*g^5*n^4-3*a*d^2*e*f*g^4*n^4+411*a*d^2*e*g^5*n^3*x-96*a*d*e^2*f*g^4*n^3*x+1116*a*d*e^2*g^5*n^2*x^2+6*a*e^3*f^2*g^3*n^3*x-195*a*e^3*f*g^4*n^2*x^2+396*a*e^3*g^5*n*x^3-36*c*d^4*f*g^4*n^3+922*c*d^4*g^5*n^2*x+14*c*d^3*e*f^2*g^3*n^3-1246*c*d^3*e*f*g^4*n^2*x+3556*c*d^3*e*g^5*n*x^2+648*c*d^2*e^2*f^2*g^3*n^2*x-3024*c*d^2*e^2*f*g^4*n*x^2+1620*c*d^2*e^2*g^5*x^3-120*c*d*e^3*f^3*g^2*n^2*x+1200*c*d*e^3*f^2*g^3*n*x^2-720*c*d*e^3*f*g^4*x^3-180*c*e^4*f^3*g^2*n*x^2+120*c*e^4*f^2*g^3*x^3+155*a*d^3*g^5*n^3-54*a*d^2*e*f*g^4*n^3+1383*a*d^2*e*g^5*n^2*x+6*a*d*e^2*f^2*g^3*n^3-534*a*d*e^2*f*g^4*n^2*x+1524*a*d*e^2*g^5*n*x^2+72*a*e^3*f^2*g^3*n^2*x-336*a*e^3*f*g^4*n*x^2+180*a*e^3*g^5*x^3-238*c*d^4*f*g^4*n^2+1404*c*d^4*g^5*n*x+210*c*d^3*e*f^2*g^3*n^2-2716*c*d^3*e*f*g^4*n*x+1680*c*d^3*e*g^5*x^2-54*c*d^2*e^2*f^3*g^2*n^2+2214*c*d^2*e^2*f^2*g^3*n*x-1620*c*d^2*e^2*f*g^4*x^2-840*c*d*e^3*f^3*g^2*n*x+720*c*d*e^3*f^2*g^3*x^2+120*c*e^4*f^4*g*n*x-120*c*e^4*f^3*g^2*x^2+580*a*d^3*g^5*n^2-357*a*d^2*e*f*g^4*n^2+2106*a*d^2*e*g^5*n*x+90*a*d*e^2*f^2*g^3*n^2-1164*a*d*e^2*f*g^4*n*x+720*a*d*e^2*g^5*x^2-6*a*e^3*f^3*g^2*n^2+246*a*e^3*f^2*g^3*n*x-180*a*e^3*f*g^4*x^2-684*c*d^4*f*g^4*n+720*c*d^4*g^5*x+1036*c*d^3*e*f^2*g^3*n-1680*c*d^3*e*f*g^4*x-594*c*d^2*e^2*f^3*g^2*n+1620*c*d^2*e^2*f^2*g^3*x+120*c*d*e^3*f^4*g*n-720*c*d*e^3*f^3*g^2*x+120*c*e^4*f^4*g*x+1044*a*d^3*g^5*n-1026*a*d^2*e*f*g^4*n+1080*a*d^2*e*g^5*x+444*a*d*e^2*f^2*g^3*n-720*a*d*e^2*f*g^4*x-66*a*e^3*f^3*g^2*n+180*a*e^3*f^2*g^3*x-720*c*d^4*f*g^4+1680*c*d^3*e*f^2*g^3-1620*c*d^2*e^2*f^3*g^2+720*c*d*e^3*f^4*g-120*c*e^4*f^5+720*a*d^3*g^5-1080*a*d^2*e*f*g^4+720*a*d*e^2*f^2*g^3-180*a*e^3*f^3*g^2)/g^6/(n^6+21*n^5+175*n^4+735*n^3+1624*n^2+1764*n+720) \end{aligned}$$

**maxima** [B] time = 0.60, size = 811, normalized size = 2.95

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(g\*x+f)^n\*(c\*e\*x^2+2\*c\*d\*x+a),x, algorithm="maxima")



```
[Out] 2*(g^2*(n + 1)*x^2 + f*g*n*x - f^2)*(g*x + f)^n*c*d^4/((n^2 + 3*n + 2)*g^2)
+ 7*((n^2 + 3*n + 2)*g^3*x^3 + (n^2 + n)*f*g^2*x^2 - 2*f^2*g*n*x + 2*f^3)*
(g*x + f)^n*c*d^3*e/((n^3 + 6*n^2 + 11*n + 6)*g^3) + 3*(g^2*(n + 1)*x^2 + f
*g*n*x - f^2)*(g*x + f)^n*a*d^2*e/((n^2 + 3*n + 2)*g^2) + (g*x + f)^(n + 1)
*a*d^3/(g*(n + 1)) + 9*((n^3 + 6*n^2 + 11*n + 6)*g^4*x^4 + (n^3 + 3*n^2 + 2
*n)*f*g^3*x^3 - 3*(n^2 + n)*f^2*g^2*x^2 + 6*f^3*g*n*x - 6*f^4)*(g*x + f)^n*
c*d^2*e^2/((n^4 + 10*n^3 + 35*n^2 + 50*n + 24)*g^4) + 3*((n^2 + 3*n + 2)*g^
3*x^3 + (n^2 + n)*f*g^2*x^2 - 2*f^2*g*n*x + 2*f^3)*(g*x + f)^n*a*d*e^2/((n^
3 + 6*n^2 + 11*n + 6)*g^3) + 5*((n^4 + 10*n^3 + 35*n^2 + 50*n + 24)*g^5*x^5
+ (n^4 + 6*n^3 + 11*n^2 + 6*n)*f*g^4*x^4 - 4*(n^3 + 3*n^2 + 2*n)*f^2*g^3*x
^3 + 12*(n^2 + n)*f^3*g^2*x^2 - 24*f^4*g*n*x + 24*f^5)*(g*x + f)^n*c*d*e^3/
((n^5 + 15*n^4 + 85*n^3 + 225*n^2 + 274*n + 120)*g^5) + ((n^3 + 6*n^2 + 11*
n + 6)*g^4*x^4 + (n^3 + 3*n^2 + 2*n)*f*g^3*x^3 - 3*(n^2 + n)*f^2*g^2*x^2 +
6*f^3*g*n*x - 6*f^4)*(g*x + f)^n*a*e^3/((n^4 + 10*n^3 + 35*n^2 + 50*n + 24)
*g^4) + ((n^5 + 15*n^4 + 85*n^3 + 225*n^2 + 274*n + 120)*g^6*x^6 + (n^5 + 1
0*n^4 + 35*n^3 + 50*n^2 + 24*n)*f*g^5*x^5 - 5*(n^4 + 6*n^3 + 11*n^2 + 6*n)*
f^2*g^4*x^4 + 20*(n^3 + 3*n^2 + 2*n)*f^3*g^3*x^3 - 60*(n^2 + n)*f^4*g^2*x^2
+ 120*f^5*g*n*x - 120*f^6)*(g*x + f)^n*c*e^4/((n^6 + 21*n^5 + 175*n^4 + 73
5*n^3 + 1624*n^2 + 1764*n + 720)*g^6)
```

**mupad [B]** time = 3.90, size = 1943, normalized size = 7.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f + g*x)^n*(d + e*x)^3*(a + 2*c*d*x + c*e*x^2), x)
```

```
[Out] (x*(f + g*x)^n*(720*a*d^3*g^6 + 580*a*d^3*g^6*n^2 + 155*a*d^3*g^6*n^3 + 20*
a*d^3*g^6*n^4 + a*d^3*g^6*n^5 + 1044*a*d^3*g^6*n + 720*c*d^4*f*g^5*n + 120*
c*e^4*f^5*g*n + 180*a*e^3*f^3*g^3*n + 684*c*d^4*f*g^5*n^2 + 238*c*d^4*f*g^5
*n^3 + 36*c*d^4*f*g^5*n^4 + 2*c*d^4*f*g^5*n^5 + 66*a*e^3*f^3*g^3*n^2 + 6*a*
e^3*f^3*g^3*n^3 - 444*a*d*e^2*f^2*g^4*n^2 - 90*a*d*e^2*f^2*g^4*n^3 - 6*a*d*
e^2*f^2*g^4*n^4 + 1620*c*d^2*e^2*f^3*g^3*n - 120*c*d*e^3*f^4*g^2*n^2 - 1036
*c*d^3*e*f^2*g^4*n^2 - 210*c*d^3*e*f^2*g^4*n^3 - 14*c*d^3*e*f^2*g^4*n^4 + 1
080*a*d^2*e*f*g^5*n + 594*c*d^2*e^2*f^3*g^3*n^2 + 54*c*d^2*e^2*f^3*g^3*n^3
- 720*a*d*e^2*f^2*g^4*n + 1026*a*d^2*e*f*g^5*n^2 + 357*a*d^2*e*f*g^5*n^3 +
54*a*d^2*e*f*g^5*n^4 + 3*a*d^2*e*f*g^5*n^5 - 720*c*d*e^3*f^4*g^2*n - 1680*c
*d^3*e*f^2*g^4*n))/(g^6*(1764*n + 1624*n^2 + 735*n^3 + 175*n^4 + 21*n^5 + n
^6 + 720)) - ((f + g*x)^n*(120*c*e^4*f^6 + 180*a*e^3*f^4*g^2 + 720*c*d^4*f^
2*g^4 - 720*a*d^3*f*g^5 - 720*c*d*e^3*f^5*g - 1044*a*d^3*f*g^5*n - 720*a*d*
e^2*f^3*g^3 + 1080*a*d^2*e*f^2*g^4 - 1680*c*d^3*e*f^3*g^3 - 580*a*d^3*f*g^5
*n^2 - 155*a*d^3*f*g^5*n^3 - 20*a*d^3*f*g^5*n^4 - a*d^3*f*g^5*n^5 + 66*a*e^
3*f^4*g^2*n + 684*c*d^4*f^2*g^4*n + 1620*c*d^2*e^2*f^4*g^2 + 6*a*e^3*f^4*g^
2*n^2 + 238*c*d^4*f^2*g^4*n^2 + 36*c*d^4*f^2*g^4*n^3 + 2*c*d^4*f^2*g^4*n^4
- 90*a*d*e^2*f^3*g^3*n^2 + 357*a*d^2*e*f^2*g^4*n^2 - 6*a*d*e^2*f^3*g^3*n^3
```

$$\begin{aligned}
& + 54*a*d^2*e*f^2*g^4*n^3 + 3*a*d^2*e*f^2*g^4*n^4 + 594*c*d^2*e^2*f^4*g^2*n \\
& - 210*c*d^3*e*f^3*g^3*n^2 - 14*c*d^3*e*f^3*g^3*n^3 - 120*c*d*e^3*f^5*g*n + \\
& 54*c*d^2*e^2*f^4*g^2*n^2 - 444*a*d*e^2*f^3*g^3*n + 1026*a*d^2*e*f^2*g^4*n - \\
& 1036*c*d^3*e*f^3*g^3*n) / (g^6*(1764*n + 1624*n^2 + 735*n^3 + 175*n^4 + 21* \\
& n^5 + n^6 + 720)) + (c*e^4*x^6*(f + g*x)^n*(274*n + 225*n^2 + 85*n^3 + 15*n \\
& ^4 + n^5 + 120)) / ((1764*n + 1624*n^2 + 735*n^3 + 175*n^4 + 21*n^5 + n^6 + 72 \\
& 0) + (x^2*(f + g*x)^n*(n + 1)*(720*c*d^4*g^4 + 238*c*d^4*g^4*n^2 + 36*c*d^4 \\
& *g^4*n^3 + 2*c*d^4*g^4*n^4 + 1080*a*d^2*e*g^4 + 684*c*d^4*g^4*n - 60*c*e^4* \\
& f^4*n + 1026*a*d^2*e*g^4*n + 357*a*d^2*e*g^4*n^2 + 54*a*d^2*e*g^4*n^3 + 3*a \\
& *d^2*e*g^4*n^4 - 90*a*e^3*f^2*g^2*n - 33*a*e^3*f^2*g^2*n^2 - 3*a*e^3*f^2*g^ \\
& 2*n^3 - 810*c*d^2*e^2*f^2*g^2*n + 360*a*d*e^2*f*g^3*n + 360*c*d*e^3*f^3*g*n \\
& + 840*c*d^3*e*f*g^3*n - 297*c*d^2*e^2*f^2*g^2*n^2 - 27*c*d^2*e^2*f^2*g^2*n \\
& ^3 + 222*a*d*e^2*f*g^3*n^2 + 45*a*d*e^2*f*g^3*n^3 + 3*a*d*e^2*f*g^3*n^4 + 6 \\
& 0*c*d*e^3*f^3*g*n^2 + 518*c*d^3*e*f*g^3*n^2 + 105*c*d^3*e*f*g^3*n^3 + 7*c*d \\
& ^3*e*f*g^3*n^4)) / (g^4*(1764*n + 1624*n^2 + 735*n^3 + 175*n^4 + 21*n^5 + n^6 \\
& + 720)) + (e*x^3*(f + g*x)^n*(3*n + n^2 + 2)*(840*c*d^3*g^3 + 105*c*d^3*g^ \\
& 3*n^2 + 7*c*d^3*g^3*n^3 + 360*a*d*e*g^3 + 518*c*d^3*g^3*n + 20*c*e^3*f^3*n \\
& + 45*a*d*e*g^3*n^2 + 3*a*d*e*g^3*n^3 + 30*a*e^2*f*g^2*n + 11*a*e^2*f*g^2*n^ \\
& 2 + a*e^2*f*g^2*n^3 + 222*a*d*e*g^3*n - 120*c*d*e^2*f^2*g*n + 270*c*d^2*e*f \\
& *g^2*n - 20*c*d*e^2*f^2*g*n^2 + 99*c*d^2*e*f*g^2*n^2 + 9*c*d^2*e*f*g^2*n^3) \\
& ) / (g^3*(1764*n + 1624*n^2 + 735*n^3 + 175*n^4 + 21*n^5 + n^6 + 720)) + (e^2 \\
& *x^4*(f + g*x)^n*(11*n + 6*n^2 + n^3 + 6)*(270*c*d^2*g^2 + 30*a*e*g^2 + 9*c \\
& *d^2*g^2*n^2 + 11*a*e*g^2*n + a*e*g^2*n^2 + 99*c*d^2*g^2*n - 5*c*e^2*f^2*n \\
& + 5*c*d*e*f*g*n^2 + 30*c*d*e*f*g*n)) / (g^2*(1764*n + 1624*n^2 + 735*n^3 + 17 \\
& 5*n^4 + 21*n^5 + n^6 + 720)) + (c*e^3*x^5*(f + g*x)^n*(30*d*g + 5*d*g*n + e \\
& *f*n)*(50*n + 35*n^2 + 10*n^3 + n^4 + 24)) / (g*(1764*n + 1624*n^2 + 735*n^3 \\
& + 175*n^4 + 21*n^5 + n^6 + 720))
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3\*(g\*x+f)\*\*n\*(c\*e\*x\*\*2+2\*c\*d\*x+a),x)

[Out] Timed out

$$3.554 \quad \int (d + ex)^2 (f + gx)^n (a + 2cdx + cex^2) dx$$

**Optimal.** Leaf size=208

$$\frac{2(e f - d g)(f + g x)^{n+2} (a e g^2 + c (d^2 g^2 - 4 d e f g + 2 e^2 f^2))}{g^5 (n+2)} + \frac{e (f + g x)^{n+3} (a e g^2 + c (5 d^2 g^2 - 12 d e f g + 6 e^2 f^2))}{g^5 (n+3)}$$

**Rubi [A]** time = 0.19, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$ , Rules used = {947}

$$\frac{2(e f - d g)(f + g x)^{n+2} (a e g^2 + c (d^2 g^2 - 4 d e f g + 2 e^2 f^2))}{g^5 (n+2)} + \frac{e (f + g x)^{n+3} (a e g^2 + c (5 d^2 g^2 - 12 d e f g + 6 e^2 f^2))}{g^5 (n+3)} + \frac{(e f - d g)^2 (f + g x)^{n+1} (a g^2 + c f (e f - 2 d g))}{g^5 (n+1)} - \frac{4 c e^2 (e f - d g)(f + g x)^{n+4}}{g^5 (n+4)} + \frac{c e^3 (f + g x)^{n+5}}{g^5 (n+5)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^2\*(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2), x]

[Out] ((e\*f - d\*g)^2\*(a\*g^2 + c\*f\*(e\*f - 2\*d\*g))\*(f + g\*x)^(1 + n))/(g^5\*(1 + n)) - (2\*(e\*f - d\*g)\*(a\*e\*g^2 + c\*(2\*e^2\*f^2 - 4\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^(2 + n))/(g^5\*(2 + n)) + (e\*(a\*e\*g^2 + c\*(6\*e^2\*f^2 - 12\*d\*e\*f\*g + 5\*d^2\*g^2))\*(f + g\*x)^(3 + n))/(g^5\*(3 + n)) - (4\*c\*e^2\*(e\*f - d\*g)\*(f + g\*x)^(4 + n))/(g^5\*(4 + n)) + (c\*e^3\*(f + g\*x)^(5 + n))/(g^5\*(5 + n))

**Rule 947**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && (IGtQ[m, 0] || (EqQ[m, -2] && EqQ[p, 1] && EqQ[2\*c\*d - b\*e, 0]))

**Rubi steps**

$$\int (d + ex)^2 (f + gx)^n (a + 2cdx + cex^2) dx = \int \left( \frac{(ef - dg)^2 (ag^2 + cf(ef - 2dg)) (f + gx)^n}{g^4} + \frac{2(ef - dg)(-aeg^2 + c(d^2g^2 - 4defg + 2e^2f^2)) (f + gx)^{n+1}}{g^5} \right) dx$$

$$= \frac{(ef - dg)^2 (ag^2 + cf(ef - 2dg)) (f + gx)^{1+n}}{g^5(1+n)} - \frac{2(ef - dg)(aeg^2 + c(d^2g^2 - 4defg + 2e^2f^2)) (f + gx)^{n+2}}{g^5(n+2)}$$

**Mathematica [A]** time = 0.20, size = 187, normalized size = 0.90

$$\frac{(f + gx)^{n+1} \left( \frac{e(f+gx)^2(aeg^2+c(5d^2g^2-12defg+6e^2f^2))}{n+3} - \frac{2(f+gx)(ef-dg)(aeg^2+c(d^2g^2-4defg+2e^2f^2))}{n+2} + \frac{(ef-dg)^2(ag^2+cf(ef-2dg))}{n+1} - \frac{4ce^2(f+gx)^3(ef-dg)}{n+4} + \frac{ce^3(f+gx)^4}{n+5} \right)}{g^5}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^2\*(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2),x]

[Out] ((f + g\*x)^(1 + n)\*(((e\*f - d\*g)^2\*(a\*g^2 + c\*f\*(e\*f - 2\*d\*g)))/(1 + n) - (2\*(e\*f - d\*g)\*(a\*e\*g^2 + c\*(2\*e^2\*f^2 - 4\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x))/(2 + n) + (e\*(a\*e\*g^2 + c\*(6\*e^2\*f^2 - 12\*d\*e\*f\*g + 5\*d^2\*g^2))\*(f + g\*x)^2)/(3 + n) - (4\*c\*e^2\*(e\*f - d\*g)\*(f + g\*x)^3)/(4 + n) + (c\*e^3\*(f + g\*x)^4)/(5 + n))/g^5

IntegrateAlgebraic [F] time = 0.11, size = 0, normalized size = 0.00

$$\int (d + ex)^2 (f + gx)^n (a + 2cdx + cex^2) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^2\*(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2),x]

[Out] Defer[IntegrateAlgebraic] [(d + e\*x)^2\*(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2), x]

fricas [B] time = 0.44, size = 1122, normalized size = 5.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(g\*x+f)^n\*(c\*e\*x^2+2\*c\*d\*x+a),x, algorithm="fricas")

[Out] (a\*d^2\*f\*g^4\*n^4 + 24\*c\*e^3\*f^5 - 120\*c\*d\*e^2\*f^4\*g + 120\*a\*d^2\*f\*g^4 + 40\*(5\*c\*d^2\*e + a\*e^2)\*f^3\*g^2 - 120\*(c\*d^3 + a\*d\*e)\*f^2\*g^3 + (c\*e^3\*g^5\*n^4 + 10\*c\*e^3\*g^5\*n^3 + 35\*c\*e^3\*g^5\*n^2 + 50\*c\*e^3\*g^5\*n + 24\*c\*e^3\*g^5)\*x^5 + (120\*c\*d\*e^2\*g^5 + (c\*e^3\*f\*g^4 + 4\*c\*d\*e^2\*g^5)\*n^4 + 2\*(3\*c\*e^3\*f\*g^4 + 22\*c\*d\*e^2\*g^5)\*n^3 + (11\*c\*e^3\*f\*g^4 + 164\*c\*d\*e^2\*g^5)\*n^2 + 2\*(3\*c\*e^3\*f\*g^4 + 122\*c\*d\*e^2\*g^5)\*n)\*x^4 + 2\*(7\*a\*d^2\*f\*g^4 - (c\*d^3 + a\*d\*e)\*f^2\*g^3)\*n^3 + (40\*(5\*c\*d^2\*e + a\*e^2)\*g^5 + (4\*c\*d\*e^2\*f\*g^4 + (5\*c\*d^2\*e + a\*e^2)\*g^5)\*n^4 - 4\*(c\*e^3\*f^2\*g^3 - 8\*c\*d\*e^2\*f\*g^4 - 3\*(5\*c\*d^2\*e + a\*e^2)\*g^5)\*n^3 - (12\*c\*e^3\*f^2\*g^3 - 68\*c\*d\*e^2\*f\*g^4 - 49\*(5\*c\*d^2\*e + a\*e^2)\*g^5)\*n^2 - 2\*(4\*c\*e^3\*f^2\*g^3 - 20\*c\*d\*e^2\*f\*g^4 - 39\*(5\*c\*d^2\*e + a\*e^2)\*g^5)\*n)\*x^3 + (71\*a\*d^2\*f\*g^4 + 2\*(5\*c\*d^2\*e + a\*e^2)\*f^3\*g^2 - 24\*(c\*d^3 + a\*d\*e)\*f^2\*g^3)\*n^2 + (120\*(c\*d^3 + a\*d\*e)\*g^5 + ((5\*c\*d^2\*e + a\*e^2)\*f\*g^4 + 2\*(c\*d^3 + a\*d\*e)\*g^5)\*n^4 - 2\*(6\*c\*d\*e^2\*f^2\*g^3 - 5\*(5\*c\*d^2\*e + a\*e^2)\*f\*g^4 - 13\*(c\*d^3 + a\*d\*e)\*g^5)\*n^3 + (12\*c\*e^3\*f^3\*g^2 - 72\*c\*d\*e^2\*f^2\*g^3 + 29\*(5\*c\*d^2\*e + a\*e^2)\*f\*g^4 + 118\*(c\*d^3 + a\*d\*e)\*g^5)\*n^2 + 2\*(6\*c\*e^3\*f^3\*g^2 - 30\*c\*d\*e^2\*f^2\*g^3 + 10\*(5\*c\*d^2\*e + a\*e^2)\*f\*g^4 + 107\*(c\*d^3 + a\*d\*e)\*g^5)\*n)\*x^2 - 2\*(12\*c\*d\*e^2\*f^4\*g - 77\*a\*d^2\*f\*g^4 - 9\*(5\*c\*d^2\*e + a\*e^2)\*f^3\*g^2 + 47\*(c\*d^3 + a\*d\*e)\*f^2\*g^3)\*n + (120\*a\*d^2\*g^5 + (a\*d^2\*g^5

$$5 + 2*(c*d^3 + a*d*e)*f*g^4)*n^4 + 2*(7*a*d^2*g^5 - (5*c*d^2*e + a*e^2)*f^2*g^3 + 12*(c*d^3 + a*d*e)*f*g^4)*n^3 + (24*c*d*e^2*f^3*g^2 + 71*a*d^2*g^5 - 18*(5*c*d^2*e + a*e^2)*f^2*g^3 + 94*(c*d^3 + a*d*e)*f*g^4)*n^2 - 2*(12*c*e^3*f^4*g - 60*c*d*e^2*f^3*g^2 - 77*a*d^2*g^5 + 20*(5*c*d^2*e + a*e^2)*f^2*g^3 - 60*(c*d^3 + a*d*e)*f*g^4)*n)*x)*(g*x + f)^n/(g^5*n^5 + 15*g^5*n^4 + 85*g^5*n^3 + 225*g^5*n^2 + 274*g^5*n + 120*g^5)$$

**giac [B]** time = 0.23, size = 2114, normalized size = 10.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(g\*x+f)^n\*(c\*e\*x^2+2\*c\*d\*x+a),x, algorithm="giac")

[Out] ((g\*x + f)^n\*c\*g^5\*n^4\*x^5\*e^3 + 4\*(g\*x + f)^n\*c\*d\*g^5\*n^4\*x^4\*e^2 + 5\*(g\*x + f)^n\*c\*d^2\*g^5\*n^4\*x^3\*e + 2\*(g\*x + f)^n\*c\*d^3\*g^5\*n^4\*x^2 + (g\*x + f)^n\*c\*f\*g^4\*n^4\*x^4\*e^3 + 10\*(g\*x + f)^n\*c\*g^5\*n^3\*x^5\*e^3 + 4\*(g\*x + f)^n\*c\*d\*f\*g^4\*n^4\*x^3\*e^2 + 44\*(g\*x + f)^n\*c\*d\*g^5\*n^3\*x^4\*e^2 + 5\*(g\*x + f)^n\*c\*d^2\*f\*g^4\*n^4\*x^2\*e + 60\*(g\*x + f)^n\*c\*d^2\*g^5\*n^3\*x^3\*e + 2\*(g\*x + f)^n\*c\*d^3\*f\*g^4\*n^4\*x + 26\*(g\*x + f)^n\*c\*d^3\*g^5\*n^3\*x^2 + 6\*(g\*x + f)^n\*c\*f\*g^4\*n^3\*x^4\*e^3 + 35\*(g\*x + f)^n\*c\*g^5\*n^2\*x^5\*e^3 + 32\*(g\*x + f)^n\*c\*d\*f\*g^4\*n^3\*x^3\*e^2 + (g\*x + f)^n\*a\*g^5\*n^4\*x^3\*e^2 + 164\*(g\*x + f)^n\*c\*d\*g^5\*n^2\*x^4\*e^2 + 50\*(g\*x + f)^n\*c\*d^2\*f\*g^4\*n^3\*x^2\*e + 2\*(g\*x + f)^n\*a\*d\*g^5\*n^4\*x^2\*e + 245\*(g\*x + f)^n\*c\*d^2\*g^5\*n^2\*x^3\*e + 24\*(g\*x + f)^n\*c\*d^3\*f\*g^4\*n^3\*x + (g\*x + f)^n\*a\*d^2\*g^5\*n^4\*x + 118\*(g\*x + f)^n\*c\*d^3\*g^5\*n^2\*x^2 - 4\*(g\*x + f)^n\*c\*f^2\*g^3\*n^3\*x^3\*e^3 + 11\*(g\*x + f)^n\*c\*f\*g^4\*n^2\*x^4\*e^3 + 50\*(g\*x + f)^n\*c\*g^5\*n\*x^5\*e^3 - 12\*(g\*x + f)^n\*c\*d\*f^2\*g^3\*n^3\*x^2\*e^2 + (g\*x + f)^n\*a\*f\*g^4\*n^4\*x^2\*e^2 + 68\*(g\*x + f)^n\*c\*d\*f\*g^4\*n^2\*x^3\*e^2 + 12\*(g\*x + f)^n\*a\*g^5\*n^3\*x^3\*e^2 + 244\*(g\*x + f)^n\*c\*d\*g^5\*n\*x^4\*e^2 - 10\*(g\*x + f)^n\*c\*d^2\*f^2\*g^3\*n^3\*x\*e + 2\*(g\*x + f)^n\*a\*d\*f\*g^4\*n^4\*x\*e + 145\*(g\*x + f)^n\*c\*d^2\*f\*g^4\*n^2\*x^2\*e + 26\*(g\*x + f)^n\*a\*d\*g^5\*n^3\*x^2\*e + 390\*(g\*x + f)^n\*c\*d^2\*g^5\*n\*x^3\*e - 2\*(g\*x + f)^n\*c\*d^3\*f^2\*g^3\*n^3 + (g\*x + f)^n\*a\*d^2\*f\*g^4\*n^4 + 94\*(g\*x + f)^n\*c\*d^3\*f\*g^4\*n^2\*x + 14\*(g\*x + f)^n\*a\*d^2\*g^5\*n^3\*x + 214\*(g\*x + f)^n\*c\*d^3\*g^5\*n\*x^2 - 12\*(g\*x + f)^n\*c\*f^2\*g^3\*n^2\*x^3\*e^3 + 6\*(g\*x + f)^n\*c\*f\*g^4\*n\*x^4\*e^3 + 24\*(g\*x + f)^n\*c\*g^5\*x^5\*e^3 - 72\*(g\*x + f)^n\*c\*d\*f^2\*g^3\*n^2\*x^2\*e^2 + 10\*(g\*x + f)^n\*a\*f\*g^4\*n^3\*x^2\*e^2 + 40\*(g\*x + f)^n\*c\*d\*f\*g^4\*n\*x^3\*e^2 + 49\*(g\*x + f)^n\*a\*g^5\*n^2\*x^3\*e^2 + 120\*(g\*x + f)^n\*c\*d\*g^5\*x^4\*e^2 - 90\*(g\*x + f)^n\*c\*d^2\*f^2\*g^3\*n^2\*x\*e + 24\*(g\*x + f)^n\*a\*d\*f\*g^4\*n^3\*x\*e + 100\*(g\*x + f)^n\*c\*d^2\*f\*g^4\*n\*x^2\*e + 118\*(g\*x + f)^n\*a\*d\*g^5\*n^2\*x^2\*e + 200\*(g\*x + f)^n\*c\*d^2\*g^5\*x^3\*e - 24\*(g\*x + f)^n\*c\*d^3\*f^2\*g^3\*n^2 + 14\*(g\*x + f)^n\*a\*d^2\*f\*g^4\*n^3 + 120\*(g\*x + f)^n\*c\*d^3\*f\*g^4\*n\*x + 71\*(g\*x + f)^n\*a\*d^2\*g^5\*n^2\*x + 120\*(g\*x + f)^n\*c\*d^3\*g^5\*x^2 + 12\*(g\*x + f)^n\*c\*f^3\*g^2\*n^2\*x^2\*e^3 - 8\*(g\*x + f)^n\*c\*f^2\*g^3\*n\*x^3\*e^3 + 24\*(g\*x + f)^n\*c\*d\*f^3\*g^2\*n^2\*x\*e^2 - 2\*(g\*x + f)^n\*a\*f^2\*g^3\*n^3\*x\*e^2 - 60\*(g\*x + f)^n\*c\*d\*f^2\*g^3\*n\*x^2\*e^2 + 29\*(g\*x + f)^n\*a\*f\*g^4\*n^2\*x^2\*e^2 +

$$78*(g*x + f)^n*a*g^5*n*x^3*e^2 + 10*(g*x + f)^n*c*d^2*f^3*g^2*n^2*e - 2*(g*x + f)^n*a*d*f^2*g^3*n^3*e - 200*(g*x + f)^n*c*d^2*f^2*g^3*n*x*e + 94*(g*x + f)^n*a*d*f*g^4*n^2*x*e + 214*(g*x + f)^n*a*d*g^5*n*x^2*e - 94*(g*x + f)^n*c*d^3*f^2*g^3*n + 71*(g*x + f)^n*a*d^2*f*g^4*n^2 + 154*(g*x + f)^n*a*d^2*g^5*n*x + 12*(g*x + f)^n*c*f^3*g^2*n*x^2*e^3 + 120*(g*x + f)^n*c*d*f^3*g^2*n*x*e^2 - 18*(g*x + f)^n*a*f^2*g^3*n^2*x*e^2 + 20*(g*x + f)^n*a*f*g^4*n*x^2*e^2 + 40*(g*x + f)^n*a*g^5*x^3*e^2 + 90*(g*x + f)^n*c*d^2*f^3*g^2*n*e - 24*(g*x + f)^n*a*d*f^2*g^3*n^2*e + 120*(g*x + f)^n*a*d*f*g^4*n*x*e + 120*(g*x + f)^n*a*d*g^5*x^2*e - 120*(g*x + f)^n*c*d^3*f^2*g^3 + 154*(g*x + f)^n*a*d^2*f*g^4*n + 120*(g*x + f)^n*a*d^2*g^5*x - 24*(g*x + f)^n*c*f^4*g*n*x*e^3 - 24*(g*x + f)^n*c*d*f^4*g*n*e^2 + 2*(g*x + f)^n*a*f^3*g^2*n^2*e^2 - 40*(g*x + f)^n*a*f^2*g^3*n*x*e^2 + 200*(g*x + f)^n*c*d^2*f^3*g^2*e - 94*(g*x + f)^n*a*d*f^2*g^3*n*e + 120*(g*x + f)^n*a*d^2*f*g^4 - 120*(g*x + f)^n*c*d*f^4*g*e^2 + 18*(g*x + f)^n*a*f^3*g^2*n*e^2 - 120*(g*x + f)^n*a*d*f^2*g^3*e + 24*(g*x + f)^n*c*f^5*e^3 + 40*(g*x + f)^n*a*f^3*g^2*e^2)/(g^5*n^5 + 15*g^5*n^4 + 85*g^5*n^3 + 225*g^5*n^2 + 274*g^5*n + 120*g^5)$$

**maple [B]** time = 0.01, size = 1048, normalized size = 5.04

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^2*(g*x+f)^n*(c*e*x^2+2*c*d*x+a), x)$

[Out]  $(g*x+f)^{(n+1)}*(c*e^3*g^4*n^4*x^4+4*c*d*e^2*g^4*n^4*x^3+10*c*e^3*g^4*n^3*x^4+5*c*d^2*e*g^4*n^4*x^2+44*c*d*e^2*g^4*n^3*x^3-4*c*e^3*f*g^3*n^3*x^3+35*c*e^3*g^4*n^2*x^4+a*e^2*g^4*n^4*x^2+2*c*d^3*g^4*n^4*x+60*c*d^2*e*g^4*n^3*x^2-12*c*d*e^2*f*g^3*n^3*x^2+164*c*d*e^2*g^4*n^2*x^3-24*c*e^3*f*g^3*n^2*x^3+50*c*e^3*g^4*n*x^4+2*a*d*e*g^4*n^4*x+12*a*e^2*g^4*n^3*x^2+26*c*d^3*g^4*n^3*x-10*c*d^2*e*f*g^3*n^3*x+245*c*d^2*e*g^4*n^2*x^2-96*c*d*e^2*f*g^3*n^2*x^2+244*c*d*e^2*g^4*n*x^3+12*c*e^3*f^2*g^2*n^2*x^2-44*c*e^3*f*g^3*n*x^3+24*c*e^3*g^4*x^4+a*d^2*g^4*n^4+26*a*d*e*g^4*n^3*x-2*a*e^2*f*g^3*n^3*x+49*a*e^2*g^4*n^2*x^2-2*c*d^3*f*g^3*n^3+118*c*d^3*g^4*n^2*x-100*c*d^2*e*f*g^3*n^2*x+390*c*d^2*e*g^4*n*x^2+24*c*d*e^2*f^2*g^2*n^2*x-204*c*d*e^2*f*g^3*n*x^2+120*c*d*e^2*g^4*x^3+36*c*e^3*f^2*g^2*n*x^2-24*c*e^3*f*g^3*x^3+14*a*d^2*g^4*n^3-2*a*d*e*f*g^3*n^3+118*a*d*e*g^4*n^2*x-20*a*e^2*f*g^3*n^2*x+78*a*e^2*g^4*n*x^2-24*c*d^3*f*g^3*n^2+214*c*d^3*g^4*n*x+10*c*d^2*e*f^2*g^2*n^2-290*c*d^2*e*f*g^3*n*x+200*c*d^2*e*g^4*x^2+144*c*d*e^2*f^2*g^2*n*x-120*c*d*e^2*f*g^3*x^2-24*c*e^3*f^3*g*n*x+24*c*e^3*f^2*g^2*x^2+71*a*d^2*g^4*n^2-24*a*d*e*f*g^3*n^2+214*a*d*e*g^4*n*x+2*a*e^2*f^2*g^2*n^2-58*a*e^2*f*g^3*n*x+40*a*e^2*g^4*x^2-94*c*d^3*f*g^3*n+120*c*d^3*g^4*x+90*c*d^2*e*f^2*g^2*n-200*c*d^2*e*f*g^3*x-24*c*d*e^2*f^3*g*n+120*c*d*e^2*f^2*g^2*x-24*c*e^3*f^3*g*x+154*a*d^2*g^4*n-94*a*d*e*f*g^3*n+120*a*d*e*g^4*x+18*a*e^2*f^2*g^2*n-40*a*e^2*f*g^3*x-120*c*d^3*f*g^3+200*c*d^2*e*f^2*g^2-120*c*d*e^2*f^3*g+24*c*e^3*f^4+120*a*d^2*g^4-120*a*d*e*f*g^3+40*a*e^2*f^2*g^2)/g^5/(n^5+15*n^4+85*n^3+225*n^2+274*n+120)$

**maxima [B]** time = 0.54, size = 512, normalized size = 2.46

$\frac{2(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}{(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}$ ,  $\frac{2(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}{(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}$ ,  $\frac{2(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}{(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}$ ,  $\frac{2(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}{(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}$ ,  $\frac{2(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}{(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}$ ,  $\frac{2(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}{(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}$ ,  $\frac{2(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}{(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}$ ,  $\frac{2(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}{(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}$ ,  $\frac{2(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}{(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}$ ,  $\frac{2(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}{(f^2x^{2n+2} - f^2x^{2n+1} - f^2x^{2n})}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(g\*x+f)^n\*(c\*e\*x^2+2\*c\*d\*x+a),x, algorithm="maxima")

[Out]  $2*(g^2*(n + 1)*x^2 + f*g*n*x - f^2)*(g*x + f)^n*c*d^3/((n^2 + 3*n + 2)*g^2) + 5*((n^2 + 3*n + 2)*g^3*x^3 + (n^2 + n)*f*g^2*x^2 - 2*f^2*g*n*x + 2*f^3)*(g*x + f)^n*c*d^2*e/((n^3 + 6*n^2 + 11*n + 6)*g^3) + 2*(g^2*(n + 1)*x^2 + f*g*n*x - f^2)*(g*x + f)^n*a*d*e/((n^2 + 3*n + 2)*g^2) + (g*x + f)^{(n + 1)}*a*d^2/(g*(n + 1)) + 4*((n^3 + 6*n^2 + 11*n + 6)*g^4*x^4 + (n^3 + 3*n^2 + 2*n)*f*g^3*x^3 - 3*(n^2 + n)*f^2*g^2*x^2 + 6*f^3*g*n*x - 6*f^4)*(g*x + f)^n*c*d*e^2/((n^4 + 10*n^3 + 35*n^2 + 50*n + 24)*g^4) + ((n^2 + 3*n + 2)*g^3*x^3 + (n^2 + n)*f*g^2*x^2 - 2*f^2*g*n*x + 2*f^3)*(g*x + f)^n*a*e^2/((n^3 + 6*n^2 + 11*n + 6)*g^3) + ((n^4 + 10*n^3 + 35*n^2 + 50*n + 24)*g^5*x^5 + (n^4 + 6*n^3 + 11*n^2 + 6*n)*f*g^4*x^4 - 4*(n^3 + 3*n^2 + 2*n)*f^2*g^3*x^3 + 12*(n^2 + n)*f^3*g^2*x^2 - 24*f^4*g*n*x + 24*f^5)*(g*x + f)^n*c*e^3/((n^5 + 15*n^4 + 85*n^3 + 225*n^2 + 274*n + 120)*g^5)$

**mupad [B]** time = 3.52, size = 1133, normalized size = 5.45

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)^n\*(d + e\*x)^2\*(a + 2\*c\*d\*x + c\*e\*x^2),x)

[Out]  $((f + g*x)^n*(24*c*e^3*f^5 + 40*a*e^2*f^3*g^2 - 120*c*d^3*f^2*g^3 + 120*a*d^2*f*g^4 - 120*a*d*e*f^2*g^3 - 120*c*d*e^2*f^4*g + 154*a*d^2*f*g^4*n + 200*c*d^2*e*f^3*g^2 + 71*a*d^2*f*g^4*n^2 + 14*a*d^2*f*g^4*n^3 + a*d^2*f*g^4*n^4 + 18*a*e^2*f^3*g^2*n - 94*c*d^3*f^2*g^3*n + 2*a*e^2*f^3*g^2*n^2 - 24*c*d^3*f^2*g^3*n^2 - 2*c*d^3*f^2*g^3*n^3 + 10*c*d^2*e*f^3*g^2*n^2 - 94*a*d*e*f^2*g^3*n - 24*c*d*e^2*f^4*g*n - 24*a*d*e*f^2*g^3*n^2 - 2*a*d*e*f^2*g^3*n^3 + 90*c*d^2*e*f^3*g^2*n)/(g^5*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)) + (x*(f + g*x)^n*(120*a*d^2*g^5 + 71*a*d^2*g^5*n^2 + 14*a*d^2*g^5*n^3 + a*d^2*g^5*n^4 + 154*a*d^2*g^5*n + 120*c*d^3*f*g^4*n - 24*c*e^3*f^4*g*n - 40*a*e^2*f^2*g^3*n + 94*c*d^3*f*g^4*n^2 + 24*c*d^3*f*g^4*n^3 + 2*c*d^3*f*g^4*n^4 - 18*a*e^2*f^2*g^3*n^2 - 2*a*e^2*f^2*g^3*n^3 + 120*a*d*e*f*g^4*n + 24*c*d*e^2*f^3*g^2*n^2 - 90*c*d^2*e*f^2*g^3*n^2 - 10*c*d^2*e*f^2*g^3*n^3 + 94*a*d*e*f*g^4*n^2 + 24*a*d*e*f*g^4*n^3 + 2*a*d*e*f*g^4*n^4 + 120*c*d*e^2*f^3*g^2*n - 200*c*d^2*e*f^2*g^3*n)/(g^5*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)) + (c*e^3*x^5*(f + g*x)^n*(50*n + 35*n^2 + 10*n^3 + n^4 + 24))/(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120) + (x^2*(f + g*x)^n*(n + 1)*(120*c*d^3*g^3 + 24*c*d^3*g^3*n^2 + 2*c*d^3*g^3*n^3 + 120*a*d*e*g^3 + 94*c*d^3*g$

$$\begin{aligned} & ^3*n + 12*c*e^3*f^3*n + 24*a*d*e*g^3*n^2 + 2*a*d*e*g^3*n^3 + 20*a*e^2*f*g^2 \\ & *n + 9*a*e^2*f*g^2*n^2 + a*e^2*f*g^2*n^3 + 94*a*d*e*g^3*n - 60*c*d*e^2*f^2* \\ & g*n + 100*c*d^2*e*f*g^2*n - 12*c*d*e^2*f^2*g*n^2 + 45*c*d^2*e*f*g^2*n^2 + 5 \\ & *c*d^2*e*f*g^2*n^3)/(g^3*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)) \\ & + (e*x^3*(f + g*x)^n*(3*n + n^2 + 2)*(100*c*d^2*g^2 + 20*a*e*g^2 + 5*c*d^2* \\ & g^2*n^2 + 9*a*e*g^2*n + a*e*g^2*n^2 + 45*c*d^2*g^2*n - 4*c*e^2*f^2*n + 4*c* \\ & d*e*f*g*n^2 + 20*c*d*e*f*g*n))/(g^2*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^ \\ & 5 + 120)) + (c*e^2*x^4*(f + g*x)^n*(20*d*g + 4*d*g*n + e*f*n)*(11*n + 6*n^2 \\ & + n^3 + 6))/(g*(274*n + 225*n^2 + 85*n^3 + 15*n^4 + n^5 + 120)) \end{aligned}$$

**sympy [A]** time = 11.82, size = 11946, normalized size = 57.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*2\*(g\*x+f)\*\*n\*(c\*e\*x\*\*2+2\*c\*d\*x+a),x)

[Out] Piecewise((f\*\*n\*(a\*d\*\*2\*x + a\*d\*e\*x\*\*2 + a\*e\*\*2\*x\*\*3/3 + c\*d\*\*3\*x\*\*2 + 5\*c\*  
d\*\*2\*e\*x\*\*3/3 + c\*d\*e\*\*2\*x\*\*4 + c\*e\*\*3\*x\*\*5/5), Eq(g, 0)), (-3\*a\*d\*\*2\*g\*\*4/  
(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*  
\*9\*x\*\*4) - 2\*a\*d\*e\*f\*g\*\*3/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*  
2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) - 8\*a\*d\*e\*g\*\*4\*x/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3  
\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) - a\*e\*\*2\*f\*\*2\*  
g\*\*2/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 +  
12\*g\*\*9\*x\*\*4) - 4\*a\*e\*\*2\*f\*g\*\*3\*x/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*  
g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) - 6\*a\*e\*\*2\*g\*\*4\*x\*\*2/(12\*f\*\*4\*g\*  
\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) -  
2\*c\*d\*\*3\*f\*g\*\*3/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g  
\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) - 8\*c\*d\*\*3\*g\*\*4\*x/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x +  
72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) - 5\*c\*d\*\*2\*e\*f\*\*2\*g\*\*2/  
(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*  
\*9\*x\*\*4) - 20\*c\*d\*\*2\*e\*f\*g\*\*3\*x/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*  
\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) - 30\*c\*d\*\*2\*e\*g\*\*4\*x\*\*2/(12\*f\*\*4\*g  
\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) -  
12\*c\*d\*e\*\*2\*f\*\*3\*g/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48  
\*f\*g\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) - 48\*c\*d\*e\*\*2\*f\*\*2\*g\*\*2\*x/(12\*f\*\*4\*g\*\*5 + 48\*f  
\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) - 72\*c\*d\*e\*  
\*2\*f\*g\*\*3\*x\*\*2/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*  
\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) - 48\*c\*d\*e\*\*2\*g\*\*4\*x\*\*3/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*  
6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) + 12\*c\*e\*\*3\*f\*\*4\*  
log(f/g + x)/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*  
x\*\*3 + 12\*g\*\*9\*x\*\*4) + 25\*c\*e\*\*3\*f\*\*4/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f  
\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 + 12\*g\*\*9\*x\*\*4) + 48\*c\*e\*\*3\*f\*\*3\*g\*x\*log(f/g  
+ x)/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*2\*g\*\*7\*x\*\*2 + 48\*f\*g\*\*8\*x\*\*3 +  
12\*g\*\*9\*x\*\*4) + 88\*c\*e\*\*3\*f\*\*3\*g\*x/(12\*f\*\*4\*g\*\*5 + 48\*f\*\*3\*g\*\*6\*x + 72\*f\*\*



$$\begin{aligned}
& 2g^{7x^2} + 48fg^{8x^3} + 12g^{9x^4}) + 72c^{e^{3f^{2g^{2x^2}}}} \log \\
& (f/g + x)/(12f^{4g^5} + 48f^{3g^6x} + 72f^{2g^7x^2} + 48fg^{8x^3} \\
& * 3 + 12g^{9x^4}) + 108c^{e^{3f^{2g^{2x^2}}}}/(12f^{4g^5} + 48f^{3g^6x} \\
& * x + 72f^{2g^7x^2} + 48fg^{8x^3} + 12g^{9x^4}) + 48c^{e^{3fg^{3x^3}}} \\
& * 3 \log(f/g + x)/(12f^{4g^5} + 48f^{3g^6x} + 72f^{2g^7x^2} + 48fg^{8x^3} \\
& + 12g^{9x^4}) + 48c^{e^{3fg^{3x^3}}}/(12f^{4g^5} + 48f^{3g^6x} \\
& + 72f^{2g^7x^2} + 48fg^{8x^3} + 12g^{9x^4}) + 12c^{e^{3g^{4x^4}}} \log(f/g + x)/(12f^{4g^5} + 48f^{3g^6x} + 72f^{2g^7x^2} + 48fg^{8x^3} + 12g^{9x^4}), \text{Eq}(n, -5), (-ad^{2g^4}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - adefg^3/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 3ade^g^4x/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - ae^{2f^{2g^2}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 3ae^{2fg^{3x}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 3ae^{2g^{4x^2}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - c^{d^{3fg^3}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 3c^{d^{3g^4x}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 5c^{d^{2ef^{2g^2}}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 15c^{d^{2efg^3x}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 15c^{d^{2efg^4x^2}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) + 12c^{d^{e^{2f^{3g}}}} \log(f/g + x)/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) + 22c^{d^{e^{2f^{3g}}}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) + 36c^{d^{e^{2f^{2g^{2x}}}}} \log(f/g + x)/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) + 54c^{d^{e^{2f^{2g^{2x}}}}} f^{2g^{2x}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) + 36c^{d^{e^{2fg^{3x^2}}}} \log(f/g + x)/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) + 36c^{d^{e^{2fg^{3x^2}}}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) + 12c^{d^{e^{2g^{4x^3}}}} \log(f/g + x)/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 12c^{e^{3f^{4g}}}} \log(f/g + x)/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 22c^{e^{3f^{4g}}}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 36c^{e^{3fg^{3x}}}} \log(f/g + x)/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 54c^{e^{3fg^{3x}}}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 36c^{e^{3fg^{2x^2}}}} \log(f/g + x)/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 36c^{e^{3fg^{2x^2}}}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) - 12c^{e^{3fg^{3x^3}}}} \log(f/g + x)/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}) + 3c^{e^{3g^{4x^4}}}}/(3f^{3g^5} + 9f^{2g^6x} + 9fg^{7x^2} + 3g^{8x^3}), \text{Eq}(n, -4), (-ad^{2g^4}/(2f^{2g^5} + 4fg^{6x} + 2g^{7x^2}) - 2ade^f^g^3/(2f^{2g^5} + 4fg^{6x} + 2g^{7x^2}) - 4ade^g^4x/(2f^{2g^5} + 4fg^{6x} + 2g^{7x^2}) + 2ae^{2f^{2g^2}} \log(f/g + x)/(2f^{2g^5} + 4fg^{6x} + 2g^{7x^2}) + 3ae^{2fg^{3x}}/(2f^{2g^5} + 4fg^{6x} + 2g^{7x^2}) + 4ae^{2fg^{3x}} \log(f/g + x)/(2f^{2g^5} + 4fg^{6x} + 2g^{7x^2}) + 4ae^{2fg^{3x}}/(2f^{2g^5} + 4fg^{6x} + 2g^{7x^2}) + 2ae^{2g^{4x^2}} \log(f/g + x)/(2f^{2g^5} + 4fg^{6x} + 2g^{7x^2}) + 2ae^{2g^{4x^2}} \log(f/g + x)/(2f^{2g^5} + 4fg^{6x} + 2g^{7x^2})
\end{aligned}$$

$$\begin{aligned}
& x + 2g^{*7}x^{*2}) - 2c^{*d}3f^{*g}3/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) \\
& - 4c^{*d}3g^{*4}x/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) + 10c^{*d}2e^{*f} \\
& **2g^{*2}*\log(f/g + x)/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) + 15c^{*d}2e^{*f} \\
& **2g^{*2}*/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) + 20c^{*d}2e^{*f}g^{*3}x \\
& *\log(f/g + x)/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) + 20c^{*d}2e^{*f}g^{*3} \\
& **x/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) + 10c^{*d}2e^{*g}4x^{*2}*\log(f/g \\
& + x)/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) - 24c^{*d}e^{*2}f^{*3}g*\log(f/g \\
& + x)/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) - 36c^{*d}e^{*2}f^{*3}g/(2f^{*2} \\
& *g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) - 48c^{*d}e^{*2}f^{*2}g^{*2}x*\log(f/g + x)/(2 \\
& *f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) - 48c^{*d}e^{*2}f^{*2}g^{*2}x/(2f^{*2}g^{*5} \\
& + 4f^{*g}6x + 2g^{*7}x^{*2}) - 24c^{*d}e^{*2}f^{*g}3x^{*2}*\log(f/g + x)/(2f^{*2} \\
& *g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) + 8c^{*d}e^{*2}g^{*4}x^{*3}/(2f^{*2}g^{*5} + 4 \\
& *f^{*g}6x + 2g^{*7}x^{*2}) + 12c^{*e}3f^{*4}*\log(f/g + x)/(2f^{*2}g^{*5} + 4f^{*g} \\
& **6x + 2g^{*7}x^{*2}) + 18c^{*e}3f^{*4}/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2} \\
& *) + 24c^{*e}3f^{*3}g*x*\log(f/g + x)/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2} \\
& *) + 24c^{*e}3f^{*3}g*x/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) + 12c^{*e} \\
& *3f^{*2}g^{*2}x^{*2}*\log(f/g + x)/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) - 4 \\
& *c^{*e}3f^{*g}3x^{*3}/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}) + c^{*e}3g^{*4}x \\
& **4/(2f^{*2}g^{*5} + 4f^{*g}6x + 2g^{*7}x^{*2}), \text{Eq}(n, -3), (-3a^{*d}2g^{*4}/ \\
& (3f^{*g}5 + 3g^{*6}x) + 6a^{*d}e^{*f}g^{*3}*\log(f/g + x)/(3f^{*g}5 + 3g^{*6}x) + \\
& 6a^{*d}e^{*f}g^{*3}/(3f^{*g}5 + 3g^{*6}x) + 6a^{*d}e^{*g}4x*\log(f/g + x)/(3f^{*g} \\
& *5 + 3g^{*6}x) - 6a^{*e}2f^{*2}g^{*2}*\log(f/g + x)/(3f^{*g}5 + 3g^{*6}x) - 6a \\
& *e^{*2}f^{*2}g^{*2}/(3f^{*g}5 + 3g^{*6}x) - 6a^{*e}2f^{*g}3x*\log(f/g + x)/(3f \\
& *g5 + 3g^{*6}x) + 3a^{*e}2g^{*4}x^{*2}/(3f^{*g}5 + 3g^{*6}x) + 6c^{*d}3f^{* \\
& g^{*3}*\log(f/g + x)/(3f^{*g}5 + 3g^{*6}x) + 6c^{*d}3f^{*g}3/(3f^{*g}5 + 3g^{*6} \\
& *x) + 6c^{*d}3g^{*4}x*\log(f/g + x)/(3f^{*g}5 + 3g^{*6}x) - 30c^{*d}2e^{*f} \\
& **2g^{*2}*\log(f/g + x)/(3f^{*g}5 + 3g^{*6}x) - 30c^{*d}2e^{*f}2g^{*2}/(3f^{*g}5 \\
& + 3g^{*6}x) - 30c^{*d}2e^{*f}g^{*3}x*\log(f/g + x)/(3f^{*g}5 + 3g^{*6}x) + 15 \\
& *c^{*d}2e^{*g}4x^{*2}/(3f^{*g}5 + 3g^{*6}x) + 36c^{*d}e^{*2}f^{*3}g*\log(f/g + x) \\
& /(3f^{*g}5 + 3g^{*6}x) + 36c^{*d}e^{*2}f^{*3}g/(3f^{*g}5 + 3g^{*6}x) + 36c^{*d}e \\
& **2f^{*2}g^{*2}x*\log(f/g + x)/(3f^{*g}5 + 3g^{*6}x) - 18c^{*d}e^{*2}f^{*g}3x^{* \\
& *2}/(3f^{*g}5 + 3g^{*6}x) + 6c^{*d}e^{*2}g^{*4}x^{*3}/(3f^{*g}5 + 3g^{*6}x) - 12c \\
& *e^{*3}f^{*4}*\log(f/g + x)/(3f^{*g}5 + 3g^{*6}x) - 12c^{*e}3f^{*4}/(3f^{*g}5 + \\
& 3g^{*6}x) - 12c^{*e}3f^{*3}g*x*\log(f/g + x)/(3f^{*g}5 + 3g^{*6}x) + 6c^{*e} \\
& *3f^{*2}g^{*2}x^{*2}/(3f^{*g}5 + 3g^{*6}x) - 2c^{*e}3f^{*g}3x^{*3}/(3f^{*g}5 + \\
& 3g^{*6}x) + c^{*e}3g^{*4}x^{*4}/(3f^{*g}5 + 3g^{*6}x), \text{Eq}(n, -2), (a^{*d}2*\log \\
& (f/g + x)/g - 2a^{*d}e^{*f}*\log(f/g + x)/g^{*2} + 2a^{*d}e^{*x}/g + a^{*e}2f^{*2}*\log(f \\
& /g + x)/g^{*3} - a^{*e}2f^{*x}/g^{*2} + a^{*e}2x^{*2}/(2g) - 2c^{*d}3f^{*}\log(f/g + x \\
& )/g^{*2} + 2c^{*d}3x/g + 5c^{*d}2e^{*f}2*\log(f/g + x)/g^{*3} - 5c^{*d}2e^{*f}x/g \\
& **2 + 5c^{*d}2e^{*x}2/(2g) - 4c^{*d}e^{*2}f^{*3}*\log(f/g + x)/g^{*4} + 4c^{*d}e \\
& **2f^{*2}x/g^{*3} - 2c^{*d}e^{*2}f^{*x}2/g^{*2} + 4c^{*d}e^{*2}x^{*3}/(3g) + c^{*e}3f^{* \\
& *4}*\log(f/g + x)/g^{*5} - c^{*e}3f^{*3}x/g^{*4} + c^{*e}3f^{*2}x^{*2}/(2g^{*3}) - c^{*e} \\
& **3f^{*x}3/(3g^{*2}) + c^{*e}3x^{*4}/(4g), \text{Eq}(n, -1), (a^{*d}2f^{*g}4n^{*4}*(f \\
& + g*x)**n/(g^{*5}n^{*5} + 15g^{*5}n^{*4} + 85g^{*5}n^{*3} + 225g^{*5}n^{*2} + 274g \\
& **5n + 120g^{*5}) + 14a^{*d}2f^{*g}4n^{*3}*(f + g*x)**n/(g^{*5}n^{*5} + 15g^{*5}
\end{aligned}$$



$$\begin{aligned}
& 74*g^{5n} + 120*g^5) + 10*a^{e2}*f*g^{4n}x^{2*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 29 \\
& *a^{e2}*f*g^{4n}x^{2*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 20*a^{e2}*f*g^{4n}x^{2*(f+ \\
& gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + a^{e2}*g^{5n}x^3*(f+gx)^n/(g^{5n} + 15*g^{5n} \\
& + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 12*a^{e2}*g^{5n}x^3*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} \\
& + 274*g^5 + 120*g^5) + 49*a^{e2}*g^{5n}x^3*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) \\
& + 78*a^{e2}*g^{5n}x^3*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 40*a^{e2}*g^{5n}x^3*(f+ \\
& gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) - 2*c^{d3}*f^{2g^{3n}}*(f+gx)^n/(g^{5n} + 15*g^{5n} \\
& + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) - 24*c^{d3}*f^{2g^{3n}}*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} \\
& + 274*g^5 + 120*g^5) - 94*c^{d3}*f^{2g^{3n}}*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) \\
& ) - 120*c^{d3}*f^{2g^{3n}}*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 2*c^{d3}*f*g^{4n}x^4*(f+ \\
& gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 24*c^{d3}*f*g^{4n}x^3*(f+gx)^n/(g^{5n} + 15*g^{5n} \\
& + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 94*c^{d3}*f*g^{4n}x^2*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} \\
& + 274*g^5 + 120*g^5) + 120*c^{d3}*f*g^{4n}x*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) \\
& + 2*c^{d3}*g^{5n}x^4*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 26*c^{d3}*g^{5n}x^3*(f+ \\
& gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 118*c^{d3}*g^{5n}x^2*(f+gx)^n/(g^{5n} + 15 \\
& *g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 214*c^{d3}*g^{5n}x^2*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} \\
& + 274*g^5 + 120*g^5) + 120*c^{d3}*g^{5n}x^2*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) \\
& + 10*c^{d2}*e^{f3g^{2n}}*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 90*c^{d2}*e^{f3g^{2n}}*(f+ \\
& gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 200*c^{d2}*e^{f3g^{2n}}*(f+gx)^n/(g^{5n} + 15 \\
& *g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) - 10*c^{d2}*e^{f2g^{3n}}*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} \\
& + 225*g^{5n} + 274*g^5 + 120*g^5) - 90*c^{d2}*e^{f2g^{3n}}*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274 \\
& *g^5 + 120*g^5) - 200*c^{d2}*e^{f2g^{3n}}*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5) + 5* \\
& c^{d2}*e^{fg^{4n}}x^2*(f+gx)^n/(g^{5n} + 15*g^{5n} + 85*g^{5n} + 225*g^{5n} + 274*g^5 + 120*g^5)
\end{aligned}$$

$$\begin{aligned}
& n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) + 50*c*d^{**2}*e*f*g^{**4}*n^{**3}*x^{**2} \\
& * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 2 \\
& 74*g^{**5}*n + 120*g^{**5}) + 145*c*d^{**2}*e*f*g^{**4}*n^{**2}*x^{**2} * (f + g*x)^{**n} / (g^{**5}*n^{**5} \\
& + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) + \\
& 100*c*d^{**2}*e*f*g^{**4}*n*x^{**2} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} \\
& + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) + 5*c*d^{**2}*e*g^{**5}*n^{**4}*x^{**3} \\
& * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 27 \\
& 4*g^{**5}*n + 120*g^{**5}) + 60*c*d^{**2}*e*g^{**5}*n^{**3}*x^{**3} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + \\
& 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) + 245 \\
& *c*d^{**2}*e*g^{**5}*n^{**2}*x^{**3} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} \\
& + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) + 390*c*d^{**2}*e*g^{**5}*n*x^{**3} * (f \\
& + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n \\
& + 120*g^{**5}) + 200*c*d^{**2}*e*g^{**5}*x^{**3} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} \\
& + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) - 24*c*d*e^{**2} \\
& *f^{**4}*g*n * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} \\
& + 274*g^{**5}*n + 120*g^{**5}) - 120*c*d*e^{**2}*f^{**4}*g * (f + g*x)^{**n} / (g^{**5}*n^{**5} \\
& + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) + 2 \\
& 4*c*d*e^{**2}*f^{**3}*g^{**2}*n^{**2}*x * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} \\
& + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) + 120*c*d*e^{**2}*f^{**3}*g^{**2}*n \\
& *x * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 2 \\
& 74*g^{**5}*n + 120*g^{**5}) - 12*c*d*e^{**2}*f^{**2}*g^{**3}*n^{**3}*x^{**2} * (f + g*x)^{**n} / (g^{**5}*n^{**5} \\
& + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) \\
& - 72*c*d*e^{**2}*f^{**2}*g^{**3}*n^{**2}*x^{**2} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + \\
& 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) - 60*c*d*e^{**2}*f^{**2}*g^{**3} \\
& *n*x^{**2} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} \\
& + 274*g^{**5}*n + 120*g^{**5}) + 4*c*d*e^{**2}*f*g^{**4}*n^{**4}*x^{**3} * (f + g*x)^{**n} / ( \\
& g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120* \\
& g^{**5}) + 32*c*d*e^{**2}*f*g^{**4}*n^{**3}*x^{**3} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} \\
& + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) + 68*c*d*e^{**2}*f*g^{**4} \\
& *n^{**2}*x^{**3} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} \\
& + 274*g^{**5}*n + 120*g^{**5}) + 40*c*d*e^{**2}*f*g^{**4}*n*x^{**3} * (f + g*x)^{**n} / ( \\
& g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120* \\
& g^{**5}) + 4*c*d*e^{**2}*g^{**5}*n^{**4}*x^{**4} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + \\
& 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) + 44*c*d*e^{**2}*g^{**5}*n^{**3} \\
& *x^{**4} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} \\
& + 274*g^{**5}*n + 120*g^{**5}) + 164*c*d*e^{**2}*g^{**5}*n^{**2}*x^{**4} * (f + g*x)^{**n} / (g^{**5} \\
& *n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5} \\
& + 244*c*d*e^{**2}*g^{**5}*n*x^{**4} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5} \\
& *n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) + 120*c*d*e^{**2}*g^{**5}*x^{**4} * \\
& (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274 \\
& *g^{**5}*n + 120*g^{**5}) + 24*c*e^{**3}*f^{**5} * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} \\
& + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}) - 24*c*e^{**3}*f^{**4}*g \\
& *n*x * (f + g*x)^{**n} / (g^{**5}*n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} \\
& + 274*g^{**5}*n + 120*g^{**5}) + 12*c*e^{**3}*f^{**3}*g^{**2}*n^{**2}*x^{**2} * (f + g*x)^{**n} / (g^{**5} \\
& *n^{**5} + 15*g^{**5}*n^{**4} + 85*g^{**5}*n^{**3} + 225*g^{**5}*n^{**2} + 274*g^{**5}*n + 120*g^{**5}
\end{aligned}$$

```

) + 12*c**3*f**3*g**2*n*x**2*(f + g*x)**n/(g**5*n**5 + 15*g**5*n**4 + 85*
g**5*n**3 + 225*g**5*n**2 + 274*g**5*n + 120*g**5) - 4*c**3*f**2*g**3*n**
3*x**3*(f + g*x)**n/(g**5*n**5 + 15*g**5*n**4 + 85*g**5*n**3 + 225*g**5*n**
2 + 274*g**5*n + 120*g**5) - 12*c**3*f**2*g**3*n**2*x**3*(f + g*x)**n/(g*
**5*n**5 + 15*g**5*n**4 + 85*g**5*n**3 + 225*g**5*n**2 + 274*g**5*n + 120*g*
**5) - 8*c**3*f**2*g**3*n*x**3*(f + g*x)**n/(g**5*n**5 + 15*g**5*n**4 + 85
*g**5*n**3 + 225*g**5*n**2 + 274*g**5*n + 120*g**5) + c**3*f*g**4*n**4*x*
**4*(f + g*x)**n/(g**5*n**5 + 15*g**5*n**4 + 85*g**5*n**3 + 225*g**5*n**2 +
274*g**5*n + 120*g**5) + 6*c**3*f*g**4*n**3*x**4*(f + g*x)**n/(g**5*n**5
+ 15*g**5*n**4 + 85*g**5*n**3 + 225*g**5*n**2 + 274*g**5*n + 120*g**5) + 11
*c**3*f*g**4*n**2*x**4*(f + g*x)**n/(g**5*n**5 + 15*g**5*n**4 + 85*g**5*n
**3 + 225*g**5*n**2 + 274*g**5*n + 120*g**5) + 6*c**3*f*g**4*n*x**4*(f +
g*x)**n/(g**5*n**5 + 15*g**5*n**4 + 85*g**5*n**3 + 225*g**5*n**2 + 274*g**5
*n + 120*g**5) + c**3*g**5*n**4*x**5*(f + g*x)**n/(g**5*n**5 + 15*g**5*n*
**4 + 85*g**5*n**3 + 225*g**5*n**2 + 274*g**5*n + 120*g**5) + 10*c**3*g**5
*n**3*x**5*(f + g*x)**n/(g**5*n**5 + 15*g**5*n**4 + 85*g**5*n**3 + 225*g**5
*n**2 + 274*g**5*n + 120*g**5) + 35*c**3*g**5*n**2*x**5*(f + g*x)**n/(g**
5*n**5 + 15*g**5*n**4 + 85*g**5*n**3 + 225*g**5*n**2 + 274*g**5*n + 120*g**
5) + 50*c**3*g**5*n*x**5*(f + g*x)**n/(g**5*n**5 + 15*g**5*n**4 + 85*g**5
*n**3 + 225*g**5*n**2 + 274*g**5*n + 120*g**5) + 24*c**3*g**5*x**5*(f + g
*x)**n/(g**5*n**5 + 15*g**5*n**4 + 85*g**5*n**3 + 225*g**5*n**2 + 274*g**5*
n + 120*g**5), True))

```

$$3.555 \quad \int (d + ex)(f + gx)^n (a + 2cdx + cex^2) dx$$

**Optimal.** Leaf size=146

$$\frac{(f + gx)^{n+2} (aeg^2 + c(2d^2g^2 - 6defg + 3e^2f^2))}{g^4(n+2)} - \frac{(ef - dg)(f + gx)^{n+1} (ag^2 + cf(ef - 2dg))}{g^4(n+1)} - \frac{3ce(ef - dg)(f + gx)^n}{g^4(n+3)}$$

**Rubi [A]** time = 0.11, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {771}

$$\frac{(f + gx)^{n+2} (aeg^2 + c(2d^2g^2 - 6defg + 3e^2f^2))}{g^4(n+2)} - \frac{(ef - dg)(f + gx)^{n+1} (ag^2 + cf(ef - 2dg))}{g^4(n+1)} - \frac{3ce(ef - dg)(f + gx)^{n+3}}{g^4(n+3)} + \frac{ce^2(f + gx)^{n+4}}{g^4(n+4)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)\*(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2), x]

[Out] -(((e\*f - d\*g)\*(a\*g^2 + c\*f\*(e\*f - 2\*d\*g))\*(f + g\*x)^(1 + n))/(g^4\*(1 + n)) + ((a\*e\*g^2 + c\*(3\*e^2\*f^2 - 6\*d\*e\*f\*g + 2\*d^2\*g^2))\*(f + g\*x)^(2 + n))/(g^4\*(2 + n)) - (3\*c\*e\*(e\*f - d\*g)\*(f + g\*x)^(3 + n))/(g^4\*(3 + n)) + (c\*e^2\*(f + g\*x)^(4 + n))/(g^4\*(4 + n)))

Rule 771

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\begin{aligned} \int (d + ex)(f + gx)^n (a + 2cdx + cex^2) dx &= \int \left( \frac{(ef - dg)(-ag^2 - cf(ef - 2dg))(f + gx)^n}{g^3} + \frac{(aeg^2 + c(3e^2f^2 - 6defg + 2d^2g^2))(f + gx)^{n+1}}{g^4} \right) dx \\ &= -\frac{(ef - dg)(ag^2 + cf(ef - 2dg))(f + gx)^{1+n}}{g^4(1+n)} + \frac{(aeg^2 + c(3e^2f^2 - 6defg + 2d^2g^2))(f + gx)^{n+2}}{g^4(n+2)} \end{aligned}$$

**Mathematica [A]** time = 0.28, size = 141, normalized size = 0.97

$$\frac{(f + gx)^{n+1} \left( \frac{2(f+gx)(aeg^2(n+3)+c(-d^2g^2n-6defg+3e^2f^2))}{g^2(n+2)} + \frac{6(dg-ef)(ag^2+cf(ef-2dg))}{g^2(n+1)} + (a+cx(2d+ex))(dg(n+6)-3ef+eg(n+3)x) \right)}{g^2(n+3)(n+4)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x)*(f + g*x)^n*(a + 2*c*d*x + c*e*x^2),x]
```

```
[Out] ((f + g*x)^(1 + n)*((6*(-(e*f) + d*g)*(a*g^2 + c*f*(e*f - 2*d*g)))/(g^2*(1 + n)) + (2*(a*e*g^2*(3 + n) + c*(3*e^2*f^2 - 6*d*e*f*g - d^2*g^2*n))*(f + g*x))/(g^2*(2 + n)) + (-3*e*f + d*g*(6 + n) + e*g*(3 + n)*x)*(a + c*x*(2*d + e*x)))/(g^2*(3 + n)*(4 + n))
```

**IntegrateAlgebraic [F]** time = 0.08, size = 0, normalized size = 0.00

$$\int (d + ex)(f + gx)^n (a + 2cdx + cex^2) dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(d + e*x)*(f + g*x)^n*(a + 2*c*d*x + c*e*x^2),x]
```

```
[Out] Defer[IntegrateAlgebraic] [(d + e*x)*(f + g*x)^n*(a + 2*c*d*x + c*e*x^2), x]
```

**fricas [B]** time = 0.43, size = 549, normalized size = 3.76

---

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(g*x+f)^n*(c*e*x^2+2*c*d*x+a),x, algorithm="fricas")
```

```
[Out] (a*d*f*g^3*n^3 - 6*c*e^2*f^4 + 24*c*d*e*f^3*g + 24*a*d*f*g^3 - 12*(2*c*d^2 + a*e)*f^2*g^2 + (c*e^2*g^4*n^3 + 6*c*e^2*g^4*n^2 + 11*c*e^2*g^4*n + 6*c*e^2*g^4)*x^4 + (24*c*d*e*g^4 + (c*e^2*f*g^3 + 3*c*d*e*g^4)*n^3 + 3*(c*e^2*f*g^3 + 7*c*d*e*g^4)*n^2 + 2*(c*e^2*f*g^3 + 21*c*d*e*g^4)*n)*x^3 + (9*a*d*f*g^3 - (2*c*d^2 + a*e)*f^2*g^2)*n^2 + (12*(2*c*d^2 + a*e)*g^4 + (3*c*d*e*f*g^3 + (2*c*d^2 + a*e)*g^4)*n^3 - (3*c*e^2*f^2*g^2 - 15*c*d*e*f*g^3 - 8*(2*c*d^2 + a*e)*g^4)*n^2 - (3*c*e^2*f^2*g^2 - 12*c*d*e*f*g^3 - 19*(2*c*d^2 + a*e)*g^4)*n)*x^2 + (6*c*d*e*f^3*g + 26*a*d*f*g^3 - 7*(2*c*d^2 + a*e)*f^2*g^2)*n + (24*a*d*g^4 + (a*d*g^4 + (2*c*d^2 + a*e)*f*g^3)*n^3 - (6*c*d*e*f^2*g^2 - 9*a*d*g^4 - 7*(2*c*d^2 + a*e)*f*g^3)*n^2 + 2*(3*c*e^2*f^3*g - 12*c*d*e*f^2*g^2 + 13*a*d*g^4 + 6*(2*c*d^2 + a*e)*f*g^3)*n)*x*(g*x + f)^n/(g^4*n^4 + 10*g^4*n^3 + 35*g^4*n^2 + 50*g^4*n + 24*g^4)
```

**giac [B]** time = 0.39, size = 1018, normalized size = 6.97

---

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(g*x+f)^n*(c*e*x^2+2*c*d*x+a),x, algorithm="giac")
```



[Out]  $((g*x + f)^n * c * g^4 * n^3 * x^4 * e^2 + 3 * (g*x + f)^n * c * d * g^4 * n^3 * x^3 * e + 2 * (g*x + f)^n * c * d^2 * g^4 * n^3 * x^2 + (g*x + f)^n * c * f * g^3 * n^3 * x^3 * e^2 + 6 * (g*x + f)^n * c * g^4 * n^2 * x^4 * e^2 + 3 * (g*x + f)^n * c * d * f * g^3 * n^3 * x^2 * e + 21 * (g*x + f)^n * c * d * g^4 * n^2 * x^3 * e + 2 * (g*x + f)^n * c * d^2 * f * g^3 * n^3 * x + 16 * (g*x + f)^n * c * d^2 * g^4 * n^2 * x^2 + 3 * (g*x + f)^n * c * f * g^3 * n^2 * x^3 * e^2 + 11 * (g*x + f)^n * c * g^4 * n * x^4 * e^2 + 15 * (g*x + f)^n * c * d * f * g^3 * n^2 * x^2 * e + (g*x + f)^n * a * g^4 * n^3 * x^2 * e + 42 * (g*x + f)^n * c * d * g^4 * n * x^3 * e + 14 * (g*x + f)^n * c * d^2 * f * g^3 * n^2 * x + (g*x + f)^n * a * d * g^4 * n^3 * x + 38 * (g*x + f)^n * c * d^2 * g^4 * n * x^2 - 3 * (g*x + f)^n * c * f^2 * g^2 * n^2 * x^2 * e^2 + 2 * (g*x + f)^n * c * f * g^3 * n * x^3 * e^2 + 6 * (g*x + f)^n * c * g^4 * x^4 * e^2 - 6 * (g*x + f)^n * c * d * f^2 * g^2 * n^2 * x * e + (g*x + f)^n * a * f * g^3 * n^3 * x * e + 12 * (g*x + f)^n * c * d * f * g^3 * n * x^2 * e + 8 * (g*x + f)^n * a * g^4 * n^2 * x^2 * e + 24 * (g*x + f)^n * c * d * g^4 * x^3 * e - 2 * (g*x + f)^n * c * d^2 * f^2 * g^2 * n^2 + (g*x + f)^n * a * d * f * g^3 * n^3 + 24 * (g*x + f)^n * c * d^2 * f * g^3 * n * x + 9 * (g*x + f)^n * a * d * g^4 * n^2 * x + 24 * (g*x + f)^n * c * d^2 * g^4 * x^2 - 3 * (g*x + f)^n * c * f^2 * g^2 * n * x^2 * e^2 - 24 * (g*x + f)^n * c * d * f^2 * g^2 * n * x * e + 7 * (g*x + f)^n * a * f * g^3 * n^2 * x * e + 19 * (g*x + f)^n * a * g^4 * n * x^2 * e - 14 * (g*x + f)^n * c * d^2 * f^2 * g^2 * n + 9 * (g*x + f)^n * a * d * f * g^3 * n^2 + 26 * (g*x + f)^n * a * d * g^4 * n * x + 6 * (g*x + f)^n * c * f^3 * g * n * x * e^2 + 6 * (g*x + f)^n * c * d * f^3 * g * n * e - (g*x + f)^n * a * f^2 * g^2 * n^2 * e + 12 * (g*x + f)^n * a * f * g^3 * n * x * e + 12 * (g*x + f)^n * a * g^4 * x^2 * e - 24 * (g*x + f)^n * c * d^2 * f^2 * g^2 + 26 * (g*x + f)^n * a * d * f * g^3 * n + 24 * (g*x + f)^n * a * d * g^4 * x + 24 * (g*x + f)^n * c * d * f^3 * g * e - 7 * (g*x + f)^n * a * f^2 * g^2 * n * e + 24 * (g*x + f)^n * a * d * f * g^3 - 6 * (g*x + f)^n * c * f^4 * e^2 - 12 * (g*x + f)^n * a * f^2 * g^2 * e) / (g^4 * n^4 + 10 * g^4 * n^3 + 35 * g^4 * n^2 + 50 * g^4 * n + 24 * g^4)$

**maple [B]** time = 0.01, size = 449, normalized size = 3.08

$(f^2 g^4 n^4 + 4 f^2 g^4 n^3 + 6 f^2 g^4 n^2 + 4 f^2 g^4 n + 2 f^2 g^4) x^4 + 3 f^2 g^4 n^3 x^3 + 6 f^2 g^4 n^2 x^2 + 3 f^2 g^4 n x + f^2 g^4$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)*(g*x+f)^n*(c*e*x^2+2*c*d*x+a), x)$

[Out]  $(g*x+f)^{(n+1)} * (c * e^2 * g^3 * n^3 * x^3 + 3 * c * d * e * g^3 * n^3 * x^2 + 6 * c * e^2 * g^3 * n^2 * x^3 + 2 * c * d^2 * g^3 * n^3 * x + 21 * c * d * e * g^3 * n^2 * x^2 - 3 * c * e^2 * f * g^2 * n^2 * x^2 + 11 * c * e^2 * g^3 * n * x^3 + a * e * g^3 * n^3 * x + 16 * c * d^2 * g^3 * n^2 * x - 6 * c * d * e * f * g^2 * n^2 * x + 42 * c * d * e * g^3 * n * x^2 - 9 * c * e^2 * f * g^2 * n * x^2 + 6 * c * e^2 * g^3 * x^3 + a * d * g^3 * n^3 + 8 * a * e * g^3 * n^2 * x - 2 * c * d^2 * f * g^2 * n^2 + 38 * c * d^2 * g^3 * n * x - 30 * c * d * e * f * g^2 * n * x + 24 * c * d * e * g^3 * x^2 + 6 * c * e^2 * f^2 * g * n * x - 6 * c * e^2 * f * g^2 * x^2 + 9 * a * d * g^3 * n^2 - a * e * f * g^2 * n^2 + 19 * a * e * g^3 * n * x - 14 * c * d^2 * f * g^2 * n + 24 * c * d^2 * g^3 * x + 6 * c * d * e * f^2 * g * n - 24 * c * d * e * f * g^2 * x + 6 * c * e^2 * f^2 * g * x + 26 * a * d * g^3 * n - 7 * a * e * f * g^2 * n + 12 * a * e * g^3 * x - 24 * c * d^2 * f * g^2 + 24 * c * d * e * f^2 * g - 6 * c * e^2 * f^3 + 24 * a * d * g^3 - 12 * a * e * f * g^2) / g^4 / (n^4 + 10 * n^3 + 35 * n^2 + 50 * n + 24)$

**maxima [A]** time = 0.51, size = 289, normalized size = 1.98

$\frac{2(g^2(n+1)x^2 + fgx - f^2)(gx + f)^n cd^2}{(n^2 + 3n + 2)g^2} + \frac{3((n^2 + 3n + 2)g^2 x^3 + (n^2 + n)f^2 x^2 - 2fgx + 2f^2)(gx + f)^n cde}{(n^3 + 6n^2 + 11n + 6)g^3} + \frac{(g^2(n+1)x^2 + fgx - f^2)(gx + f)^n ac}{(n^2 + 3n + 2)g^2} + \frac{(gx + f)^{n+1} ad}{g(n+1)} + \frac{((n^3 + 6n^2 + 11n + 6)g^4 x^4 + (n^3 + 3n^2 + 2n)f^2 x^3 - 3(n^2 + n)f^2 g^2 x^2 + 6f^3 gx - 6f^4)(gx + f)^n c^2}{(n^4 + 10n^3 + 35n^2 + 50n + 24)g^4}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)^n\*(c\*e\*x^2+2\*c\*d\*x+a),x, algorithm="maxima")

[Out]  $2*(g^2*(n+1)*x^2 + f*g*n*x - f^2)*(g*x+f)^n*c*d^2/((n^2+3*n+2)*g^2) + 3*((n^2+3*n+2)*g^3*x^3 + (n^2+n)*f*g^2*x^2 - 2*f^2*g*n*x + 2*f^3)*(g*x+f)^n*c*d*e/((n^3+6*n^2+11*n+6)*g^3) + (g^2*(n+1)*x^2 + f*g*n*x - f^2)*(g*x+f)^n*a*e/((n^2+3*n+2)*g^2) + (g*x+f)^{(n+1)}*a*d/(g*(n+1)) + ((n^3+6*n^2+11*n+6)*g^4*x^4 + (n^3+3*n^2+2*n)*f*g^3*x^3 - 3*(n^2+n)*f^2*g^2*x^2 + 6*f^3*g*n*x - 6*f^4)*(g*x+f)^n*c*e^2/((n^4+10*n^3+35*n^2+50*n+24)*g^4)$

**mupad [B]** time = 3.29, size = 572, normalized size = 3.92

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)^n\*(d + e\*x)\*(a + 2\*c\*d\*x + c\*e\*x^2),x)

[Out]  $(x*(f + g*x)^n*(24*a*d*g^4 + 26*a*d*g^4*n + 9*a*d*g^4*n^2 + a*d*g^4*n^3 + 7*a*e*f*g^3*n^2 + a*e*f*g^3*n^3 + 24*c*d^2*f*g^3*n + 6*c*e^2*f^3*g*n + 14*c*d^2*f*g^3*n^2 + 2*c*d^2*f*g^3*n^3 + 12*a*e*f*g^3*n - 24*c*d*e*f^2*g^2*n - 6*c*d*e*f^2*g^2*n^2))/(g^4*(50*n + 35*n^2 + 10*n^3 + n^4 + 24)) - ((f + g*x)^n*(6*c*e^2*f^4 + 24*c*d^2*f^2*g^2 - 24*a*d*f*g^3 + 12*a*e*f^2*g^2 - 9*a*d*f*g^3*n^2 - a*d*f*g^3*n^3 + 7*a*e*f^2*g^2*n + a*e*f^2*g^2*n^2 + 14*c*d^2*f^2*g^2*n - 24*c*d*e*f^3*g - 26*a*d*f*g^3*n + 2*c*d^2*f^2*g^2*n^2 - 6*c*d*e*f^3*g*n))/(g^4*(50*n + 35*n^2 + 10*n^3 + n^4 + 24)) + (c*e^2*x^4*(f + g*x)^n*(11*n + 6*n^2 + n^3 + 6))/(50*n + 35*n^2 + 10*n^3 + n^4 + 24) + (x^2*(f + g*x)^n*(n + 1)*(24*c*d^2*g^2 + 12*a*e*g^2 + 2*c*d^2*g^2*n^2 + 7*a*e*g^2*n + a*e*g^2*n^2 + 14*c*d^2*g^2*n - 3*c*e^2*f^2*n + 3*c*d*e*f*g*n^2 + 12*c*d*e*f*g*n))/(g^2*(50*n + 35*n^2 + 10*n^3 + n^4 + 24)) + (c*e*x^3*(f + g*x)^n*(12*d*g + 3*d*g*n + e*f*n)*(3*n + n^2 + 2))/(g*(50*n + 35*n^2 + 10*n^3 + n^4 + 24))$

**sympy [A]** time = 5.27, size = 4952, normalized size = 33.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(g\*x+f)\*\*n\*(c\*e\*x\*\*2+2\*c\*d\*x+a),x)

[Out]  $\text{Piecewise}((f**n*(a*d*x + a*e*x**2/2 + c*d**2*x**2 + c*d*e*x**3 + c*e**2*x**4/4), \text{Eq}(g, 0)), (-2*a*d*g**3/(6*f**3*g**4 + 18*f**2*g**5*x + 18*f*g**6*x**2 + 6*g**7*x**3) - a*e*f*g**2/(6*f**3*g**4 + 18*f**2*g**5*x + 18*f*g**6*x**2 + 6*g**7*x**3) - 3*a*e*g**3*x/(6*f**3*g**4 + 18*f**2*g**5*x + 18*f*g**6*x**2 + 6*g**7*x**3) - 2*c*d**2*f*g**2/(6*f**3*g**4 + 18*f**2*g**5*x + 18*f*g**6*x**2 + 6*g**7*x**3) - 6*c*d**2*g**3*x/(6*f**3*g**4 + 18*f**2*g**5*x + 18*f*g**6*x**2 + 6*g**7*x**3) - 6*c*d*e*f**2*g/(6*f**3*g**4 + 18*f**2*g**5*x$

$$\begin{aligned}
& + 18f^6g^2x^2 + 6g^7x^3) - 18cde^fg^2x/(6f^3g^4 + 18f^2g^5x + 18f^6g^2x^2 + 6g^7x^3) - 18cde^g^3x^2/(6f^3g^4 + 18f^2g^5x + 18f^6g^2x^2 + 6g^7x^3) + 6c^e^2f^3\log(f/g + x) \\
& )/(6f^3g^4 + 18f^2g^5x + 18f^6g^2x^2 + 6g^7x^3) + 11c^e^2f^3/(6f^3g^4 + 18f^2g^5x + 18f^6g^2x^2 + 6g^7x^3) + 18c^e^2f^2g^x\log(f/g + x)/(6f^3g^4 + 18f^2g^5x + 18f^6g^2x^2 + 6g^7x^3) \\
& + 27c^e^2f^2g^x/(6f^3g^4 + 18f^2g^5x + 18f^6g^2x^2 + 6g^7x^3) + 18c^e^2f^g^2x^2\log(f/g + x)/(6f^3g^4 + 18f^2g^5x + 18f^6g^2x^2 + 6g^7x^3) + 18c^e^2f^g^2x^2/(6f^3g^4 + 18f^2g^5x + 18f^6g^2x^2 + 6g^7x^3) \\
& + 6c^e^2g^3x^3\log(f/g + x)/(6f^3g^4 + 18f^2g^5x + 18f^6g^2x^2 + 6g^7x^3), \text{Eq}(n, -4), (-ad^g^3/(2f^2g^4 + 4f^g^5x + 2g^6x^2) - a^ef^g^2/(2f^2g^4 + 4f^g^5x + 2g^6x^2) - 2a^e^g^3x/(2f^2g^4 + 4f^g^5x + 2g^6x^2) - 2c^d^2f^g^2/(2f^2g^4 + 4f^g^5x + 2g^6x^2) - 4c^d^2g^3x/(2f^2g^4 + 4f^g^5x + 2g^6x^2) + 6c^d^ef^2g\log(f/g + x)/(2f^2g^4 + 4f^g^5x + 2g^6x^2) + 9c^d^ef^2g/(2f^2g^4 + 4f^g^5x + 2g^6x^2) + 12c^d^ef^g^2x\log(f/g + x)/(2f^2g^4 + 4f^g^5x + 2g^6x^2) + 12c^d^ef^g^2x/(2f^2g^4 + 4f^g^5x + 2g^6x^2) + 6c^d^e^g^3x^2\log(f/g + x)/(2f^2g^4 + 4f^g^5x + 2g^6x^2) - 6c^e^2f^3\log(f/g + x)/(2f^2g^4 + 4f^g^5x + 2g^6x^2) - 9c^e^2f^3/(2f^2g^4 + 4f^g^5x + 2g^6x^2) - 12c^e^2f^2g^x\log(f/g + x)/(2f^2g^4 + 4f^g^5x + 2g^6x^2) - 12c^e^2f^2g^x/(2f^2g^4 + 4f^g^5x + 2g^6x^2) - 6c^e^2f^g^2x^2\log(f/g + x)/(2f^2g^4 + 4f^g^5x + 2g^6x^2) + 2c^e^2g^3x^3/(2f^2g^4 + 4f^g^5x + 2g^6x^2), \text{Eq}(n, -3), (-2a^d^g^3/(2f^g^4 + 2g^5x) + 2a^ef^g^2\log(f/g + x)/(2f^g^4 + 2g^5x) + 2a^ef^g^2/(2f^g^4 + 2g^5x) + 2a^e^g^3x\log(f/g + x)/(2f^g^4 + 2g^5x) + 4c^d^2f^g^2\log(f/g + x)/(2f^g^4 + 2g^5x) + 4c^d^2f^g^2/(2f^g^4 + 2g^5x) + 4c^d^2g^3x\log(f/g + x)/(2f^g^4 + 2g^5x) - 12c^d^ef^2g\log(f/g + x)/(2f^g^4 + 2g^5x) - 12c^d^ef^2g/(2f^g^4 + 2g^5x) - 12c^d^ef^g^2x\log(f/g + x)/(2f^g^4 + 2g^5x) + 6c^d^e^g^3x^2/(2f^g^4 + 2g^5x) + 6c^e^2f^3\log(f/g + x)/(2f^g^4 + 2g^5x) + 6c^e^2f^3/(2f^g^4 + 2g^5x) + 6c^e^2f^2g^x\log(f/g + x)/(2f^g^4 + 2g^5x) - 3c^e^2f^g^2x^2/(2f^g^4 + 2g^5x) + c^e^2g^3x^3/(2f^g^4 + 2g^5x), \text{Eq}(n, -2), (a^d\log(f/g + x)/g - a^ef\log(f/g + x)/g^2 + a^ex/g - 2c^d^2f\log(f/g + x)/g^2 + 2c^d^2x/g + 3c^d^ef^2\log(f/g + x)/g^3 - 3c^d^ef^x/g^2 + 3c^d^ex^2/(2g) - c^e^2f^3\log(f/g + x)/g^4 + c^e^2f^2x/g^3 - c^e^2f^x^2/(2g^2) + c^e^2x^3/(3g), \text{Eq}(n, -1), (a^df^g^3n^3*(f + gx)**n/(g^4n^4 + 10g^4n^3 + 35g^4n^2 + 50g^4n + 24g^4) + 9a^df^g^3n^2*(f + gx)**n/(g^4n^4 + 10g^4n^3 + 35g^4n^2 + 50g^4n + 24g^4) + 26a^df^g^3n*(f + gx)**n/(g^4n^4 + 10g^4n^3 + 35g^4n^2 + 50g^4n + 24g^4) + 24a^df^g^3*(f + gx)**n/(g^4n^4 + 10g^4n^3 + 35g^4n^2 + 50g^4n + 24g^4) + a^d^g^4n^3x*(f + gx)**n/(g^4n^4 + 10g^4n^3 + 35g^4n^2 + 50g^4n
\end{aligned}$$



```

+ 50*g**4*n + 24*g**4) - 6*c**2*f**4*(f + g*x)**n/(g**4*n**4 + 10*g**4*n*
*3 + 35*g**4*n**2 + 50*g**4*n + 24*g**4) + 6*c**2*f**3*g*n*x*(f + g*x)**n
/(g**4*n**4 + 10*g**4*n**3 + 35*g**4*n**2 + 50*g**4*n + 24*g**4) - 3*c**2
*f**2*g**2*n**2*x**2*(f + g*x)**n/(g**4*n**4 + 10*g**4*n**3 + 35*g**4*n**2
+ 50*g**4*n + 24*g**4) - 3*c**2*f**2*g**2*n*x**2*(f + g*x)**n/(g**4*n**4
+ 10*g**4*n**3 + 35*g**4*n**2 + 50*g**4*n + 24*g**4) + c**2*f*g**3*n**3*x
**3*(f + g*x)**n/(g**4*n**4 + 10*g**4*n**3 + 35*g**4*n**2 + 50*g**4*n + 24*
g**4) + 3*c**2*f*g**3*n**2*x**3*(f + g*x)**n/(g**4*n**4 + 10*g**4*n**3 +
35*g**4*n**2 + 50*g**4*n + 24*g**4) + 2*c**2*f*g**3*n*x**3*(f + g*x)**n/(
g**4*n**4 + 10*g**4*n**3 + 35*g**4*n**2 + 50*g**4*n + 24*g**4) + c**2*g**
4*n**3*x**4*(f + g*x)**n/(g**4*n**4 + 10*g**4*n**3 + 35*g**4*n**2 + 50*g**4
*n + 24*g**4) + 6*c**2*g**4*n**2*x**4*(f + g*x)**n/(g**4*n**4 + 10*g**4*n
**3 + 35*g**4*n**2 + 50*g**4*n + 24*g**4) + 11*c**2*g**4*n*x**4*(f + g*x)
**n/(g**4*n**4 + 10*g**4*n**3 + 35*g**4*n**2 + 50*g**4*n + 24*g**4) + 6*c**
e**2*g**4*x**4*(f + g*x)**n/(g**4*n**4 + 10*g**4*n**3 + 35*g**4*n**2 + 50*g*
*4*n + 24*g**4), True))

```

$$3.556 \quad \int (f + gx)^n (a + 2cdx + cex^2) dx$$

**Optimal.** Leaf size=84

$$\frac{(f + gx)^{n+1} (ag^2 + cf(ef - 2dg))}{g^3(n+1)} - \frac{2c(ef - dg)(f + gx)^{n+2}}{g^3(n+2)} + \frac{ce(f + gx)^{n+3}}{g^3(n+3)}$$

**Rubi [A]** time = 0.06, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {698}

$$\frac{(f + gx)^{n+1} (ag^2 + cf(ef - 2dg))}{g^3(n+1)} - \frac{2c(ef - dg)(f + gx)^{n+2}}{g^3(n+2)} + \frac{ce(f + gx)^{n+3}}{g^3(n+3)}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2), x]

[Out] ((a\*g^2 + c\*f\*(e\*f - 2\*d\*g))\*(f + g\*x)^(1 + n))/(g^3\*(1 + n)) - (2\*c\*(e\*f - d\*g)\*(f + g\*x)^(2 + n))/(g^3\*(2 + n)) + (c\*e\*(f + g\*x)^(3 + n))/(g^3\*(3 + n))

**Rule 698**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

**Rubi steps**

$$\begin{aligned} \int (f + gx)^n (a + 2cdx + cex^2) dx &= \int \left( \frac{(ag^2 + cf(ef - 2dg))(f + gx)^n}{g^2} + \frac{2c(-ef + dg)(f + gx)^{1+n}}{g^2} + \frac{ce(f + gx)^2}{g^2} \right) dx \\ &= \frac{(ag^2 + cf(ef - 2dg))(f + gx)^{1+n}}{g^3(1+n)} - \frac{2c(ef - dg)(f + gx)^{2+n}}{g^3(2+n)} + \frac{ce(f + gx)^{3+n}}{g^3(3+n)} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 73, normalized size = 0.87

$$\frac{(f + gx)^{n+1} \left( \frac{ag^2 + cf(ef - 2dg)}{n+1} - \frac{2c(f + gx)(ef - dg)}{n+2} + \frac{ce(f + gx)^2}{n+3} \right)}{g^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2),x]

[Out] ((f + g\*x)^(1 + n)\*((a\*g^2 + c\*f\*(e\*f - 2\*d\*g))/(1 + n) - (2\*c\*(e\*f - d\*g)\*(f + g\*x))/(2 + n) + (c\*e\*(f + g\*x)^2)/(3 + n))/g^3

IntegrateAlgebraic [F] time = 0.06, size = 0, normalized size = 0.00

$$\int (f + gx)^n (a + 2cdx + cex^2) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2),x]

[Out] Defer[IntegrateAlgebraic] [(f + g\*x)^n\*(a + 2\*c\*d\*x + c\*e\*x^2), x]

fricas [B] time = 0.41, size = 218, normalized size = 2.60

$$\frac{(afg^2n^2 + 2cef^3 - 6cdf^2g + 6afg^2 + (ceg^3n^2 + 3ceg^3n + 2ceg^3)x^3 + (6cdg^3 + (cef^2 + 2cdg^3)n^2 + (cef^2 + 8cdg^3)n)x^2 - (2cdf^2g - 5afg^2)n + (6ag^3 + (2cdfg^2 + ag^3)n^2 - (2cdf^2g - 6cdfg^2 - 5ag^3)n)x)(gx + f)^n}{g^3n^3 + 6g^3n^2 + 11g^3n + 6g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^n\*(c\*e\*x^2+2\*c\*d\*x+a),x, algorithm="fricas")

[Out] (a\*f\*g^2\*n^2 + 2\*c\*e\*f^3 - 6\*c\*d\*f^2\*g + 6\*a\*f\*g^2 + (c\*e\*g^3\*n^2 + 3\*c\*e\*g^3\*n + 2\*c\*e\*g^3)\*x^3 + (6\*c\*d\*g^3 + (c\*e\*f\*g^2 + 2\*c\*d\*g^3)\*n^2 + (c\*e\*f\*g^2 + 8\*c\*d\*g^3)\*n)\*x^2 - (2\*c\*d\*f^2\*g - 5\*a\*f\*g^2)\*n + (6\*a\*g^3 + (2\*c\*d\*f\*g^2 + a\*g^3)\*n^2 - (2\*c\*e\*f^2\*g - 6\*c\*d\*f\*g^2 - 5\*a\*g^3)\*n)\*x\*(g\*x + f)^n/(g^3\*n^3 + 6\*g^3\*n^2 + 11\*g^3\*n + 6\*g^3)

giac [B] time = 0.19, size = 373, normalized size = 4.44

$$\frac{(gx + f)^n \int (cex^2 + 2cdx + a) dx}{g^3n^3 + 6g^3n^2 + 11g^3n + 6g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^n\*(c\*e\*x^2+2\*c\*d\*x+a),x, algorithm="giac")

[Out] ((g\*x + f)^n\*c\*g^3\*n^2\*x^3\*e + 2\*(g\*x + f)^n\*c\*d\*g^3\*n^2\*x^2 + (g\*x + f)^n\*c\*f\*g^2\*n^2\*x^2\*e + 3\*(g\*x + f)^n\*c\*g^3\*n\*x^3\*e + 2\*(g\*x + f)^n\*c\*d\*f\*g^2\*n^2\*x + 8\*(g\*x + f)^n\*c\*d\*g^3\*n\*x^2 + (g\*x + f)^n\*c\*f\*g^2\*n\*x^2\*e + 2\*(g\*x + f)^n\*c\*g^3\*x^3\*e + 6\*(g\*x + f)^n\*c\*d\*f\*g^2\*n\*x + (g\*x + f)^n\*a\*g^3\*n^2\*x + 6\*(g\*x + f)^n\*c\*d\*g^3\*x^2 - 2\*(g\*x + f)^n\*c\*f^2\*g\*n\*x\*e - 2\*(g\*x + f)^n\*c\*d\*f^2\*g\*n + (g\*x + f)^n\*a\*f\*g^2\*n^2 + 5\*(g\*x + f)^n\*a\*g^3\*n\*x - 6\*(g\*x + f)^n\*c\*d\*f^2\*g + 5\*(g\*x + f)^n\*a\*f\*g^2\*n + 6\*(g\*x + f)^n\*a\*g^3\*x + 2\*(g\*x + f)

)<sup>n</sup>\*c\*f<sup>3</sup>\*e + 6\*(g\*x + f)<sup>n</sup>\*a\*f\*g<sup>2</sup>)/(g<sup>3</sup>\*n<sup>3</sup> + 6\*g<sup>3</sup>\*n<sup>2</sup> + 11\*g<sup>3</sup>\*n + 6\*g<sup>3</sup>)

**maple [A]** time = 0.00, size = 147, normalized size = 1.75

$$\frac{(ce g^2 n^2 x^2 + 2cd g^2 n^2 x + 3ce g^2 n x^2 + 8cd g^2 n x - 2cefgnx + 2ce x^2 g^2 + a g^2 n^2 - 2cdfgn + 6cd g^2 x - 2cefgx + 5a g^2 n - 6cdfg + 2ce f^2 + 6a g^2)(gx + f)^{n+1}}{(n^3 + 6n^2 + 11n + 6)g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)<sup>n</sup>\*(c\*e\*x<sup>2</sup>+2\*c\*d\*x+a), x)

[Out] (g\*x+f)<sup>(n+1)</sup>\*(c\*e\*g<sup>2</sup>\*n<sup>2</sup>\*x<sup>2</sup>+2\*c\*d\*g<sup>2</sup>\*n<sup>2</sup>\*x+3\*c\*e\*g<sup>2</sup>\*n\*x<sup>2</sup>+8\*c\*d\*g<sup>2</sup>\*n\*x-2\*c\*e\*f\*g\*n\*x+2\*c\*e\*g<sup>2</sup>\*x<sup>2</sup>+a\*g<sup>2</sup>\*n<sup>2</sup>-2\*c\*d\*f\*g\*n+6\*c\*d\*g<sup>2</sup>\*x-2\*c\*e\*f\*g\*x+5\*a\*g<sup>2</sup>\*n-6\*c\*d\*f\*g+2\*c\*e\*f<sup>2</sup>+6\*a\*g<sup>2</sup>)/g<sup>3</sup>/(n<sup>3</sup>+6\*n<sup>2</sup>+11\*n+6)

**maxima [A]** time = 0.47, size = 135, normalized size = 1.61

$$\frac{2(g^2(n+1)x^2 + fgnx - f^2)(gx + f)^n cd}{(n^2 + 3n + 2)g^2} + \frac{((n^2 + 3n + 2)g^3 x^3 + (n^2 + n)fg^2 x^2 - 2f^2 gnx + 2f^3)(gx + f)^n ce}{(n^3 + 6n^2 + 11n + 6)g^3} + \frac{(gx + f)^{n+1} a}{g(n+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)<sup>n</sup>\*(c\*e\*x<sup>2</sup>+2\*c\*d\*x+a), x, algorithm="maxima")

[Out] 2\*(g<sup>2</sup>\*(n + 1)\*x<sup>2</sup> + f\*g\*n\*x - f<sup>2</sup>)\*(g\*x + f)<sup>n</sup>\*c\*d/((n<sup>2</sup> + 3\*n + 2)\*g<sup>2</sup>) + ((n<sup>2</sup> + 3\*n + 2)\*g<sup>3</sup>\*x<sup>3</sup> + (n<sup>2</sup> + n)\*f\*g<sup>2</sup>\*x<sup>2</sup> - 2\*f<sup>2</sup>\*g\*n\*x + 2\*f<sup>3</sup>)\*(g\*x + f)<sup>n</sup>\*c\*e/((n<sup>3</sup> + 6\*n<sup>2</sup> + 11\*n + 6)\*g<sup>3</sup>) + (g\*x + f)<sup>(n + 1)</sup>\*a/(g\*(n + 1))

**mupad [B]** time = 3.07, size = 211, normalized size = 2.51

$$(f+gx)^n \left( \frac{f(2cef^2 - 2cdfgn - 6cdfg + ag^2n^2 + 5ag^2n + 6ag^2)}{g^3(n^3 + 6n^2 + 11n + 6)} + \frac{x(-2cef^2gn + 2cdfg^2n^2 + 6cdfg^2n + ag^3n^2 + 5ag^3n + 6ag^3)}{g^3(n^3 + 6n^2 + 11n + 6)} + \frac{ce x^3(n^2 + 3n + 2)}{n^3 + 6n^2 + 11n + 6} + \frac{cx^2(n+1)(6dg + 2dgn + efn)}{g(n^3 + 6n^2 + 11n + 6)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)<sup>n</sup>\*(a + 2\*c\*d\*x + c\*e\*x<sup>2</sup>), x)

[Out] (f + g\*x)<sup>n</sup>\*((f\*(6\*a\*g<sup>2</sup> + a\*g<sup>2</sup>\*n<sup>2</sup> + 2\*c\*e\*f<sup>2</sup> + 5\*a\*g<sup>2</sup>\*n - 6\*c\*d\*f\*g - 2\*c\*d\*f\*g\*n))/(g<sup>3</sup>\*(11\*n + 6\*n<sup>2</sup> + n<sup>3</sup> + 6)) + (x\*(6\*a\*g<sup>3</sup> + a\*g<sup>3</sup>\*n<sup>2</sup> + 5\*a\*g<sup>3</sup>\*n + 2\*c\*d\*f\*g<sup>2</sup>\*n<sup>2</sup> + 6\*c\*d\*f\*g<sup>2</sup>\*n - 2\*c\*e\*f<sup>2</sup>\*g\*n))/(g<sup>3</sup>\*(11\*n + 6\*n<sup>2</sup> + n<sup>3</sup> + 6)) + (c\*e\*x<sup>3</sup>\*(3\*n + n<sup>2</sup> + 2))/(11\*n + 6\*n<sup>2</sup> + n<sup>3</sup> + 6) + (c\*x<sup>2</sup>\*(n + 1)\*(6\*d\*g + 2\*d\*g\*n + e\*f\*n))/(g\*(11\*n + 6\*n<sup>2</sup> + n<sup>3</sup> + 6))

**sympy [A]** time = 2.21, size = 1489, normalized size = 17.73

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*n\*(c\*e\*x\*\*2+2\*c\*d\*x+a),x)

[Out] Piecewise((f\*\*n\*(a\*x + c\*d\*x\*\*2 + c\*e\*x\*\*3/3), Eq(g, 0)), (-a\*g\*\*2/(2\*f\*\*2\*g\*\*3 + 4\*f\*g\*\*4\*x + 2\*g\*\*5\*x\*\*2) - 2\*c\*d\*f\*g/(2\*f\*\*2\*g\*\*3 + 4\*f\*g\*\*4\*x + 2\*g\*\*5\*x\*\*2) - 4\*c\*d\*g\*\*2\*x/(2\*f\*\*2\*g\*\*3 + 4\*f\*g\*\*4\*x + 2\*g\*\*5\*x\*\*2) + 2\*c\*e\*f\*\*2\*log(f/g + x)/(2\*f\*\*2\*g\*\*3 + 4\*f\*g\*\*4\*x + 2\*g\*\*5\*x\*\*2) + 3\*c\*e\*f\*\*2/(2\*f\*\*2\*g\*\*3 + 4\*f\*g\*\*4\*x + 2\*g\*\*5\*x\*\*2) + 4\*c\*e\*f\*g\*x\*log(f/g + x)/(2\*f\*\*2\*g\*\*3 + 4\*f\*g\*\*4\*x + 2\*g\*\*5\*x\*\*2) + 4\*c\*e\*f\*g\*x/(2\*f\*\*2\*g\*\*3 + 4\*f\*g\*\*4\*x + 2\*g\*\*5\*x\*\*2) + 2\*c\*e\*g\*\*2\*x\*\*2\*log(f/g + x)/(2\*f\*\*2\*g\*\*3 + 4\*f\*g\*\*4\*x + 2\*g\*\*5\*x\*\*2), Eq(n, -3)), (-a\*g\*\*2/(f\*g\*\*3 + g\*\*4\*x) + 2\*c\*d\*f\*g\*log(f/g + x)/(f\*g\*\*3 + g\*\*4\*x) + 2\*c\*d\*f\*g/(f\*g\*\*3 + g\*\*4\*x) + 2\*c\*d\*g\*\*2\*x\*log(f/g + x)/(f\*g\*\*3 + g\*\*4\*x) - 2\*c\*e\*f\*\*2\*log(f/g + x)/(f\*g\*\*3 + g\*\*4\*x) - 2\*c\*e\*f\*\*2/(f\*g\*\*3 + g\*\*4\*x) - 2\*c\*e\*f\*g\*x\*log(f/g + x)/(f\*g\*\*3 + g\*\*4\*x) + c\*e\*g\*\*2\*x\*\*2/(f\*g\*\*3 + g\*\*4\*x), Eq(n, -2)), (a\*log(f/g + x)/g - 2\*c\*d\*f\*log(f/g + x)/g\*\*2 + 2\*c\*d\*x/g + c\*e\*f\*\*2\*log(f/g + x)/g\*\*3 - c\*e\*f\*x/g\*\*2 + c\*e\*x\*\*2/(2\*g), Eq(n, -1)), (a\*f\*g\*\*2\*n\*\*2\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 5\*a\*f\*g\*\*2\*n\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 6\*a\*f\*g\*\*2\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + a\*g\*\*3\*n\*\*2\*x\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 5\*a\*g\*\*3\*n\*x\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 6\*a\*g\*\*3\*x\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) - 2\*c\*d\*f\*\*2\*g\*n\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) - 6\*c\*d\*f\*\*2\*g\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 2\*c\*d\*f\*g\*\*2\*n\*\*2\*x\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 6\*c\*d\*f\*g\*\*2\*n\*x\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 2\*c\*d\*g\*\*3\*n\*\*2\*x\*\*2\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 8\*c\*d\*g\*\*3\*n\*x\*\*2\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 6\*c\*d\*g\*\*3\*x\*\*2\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 2\*c\*e\*f\*\*3\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) - 2\*c\*e\*f\*\*2\*g\*n\*x\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + c\*e\*f\*g\*\*2\*n\*\*2\*x\*\*2\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + c\*e\*f\*g\*\*2\*n\*x\*\*2\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + c\*e\*g\*\*3\*n\*\*2\*x\*\*3\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 3\*c\*e\*g\*\*3\*n\*x\*\*3\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3) + 2\*c\*e\*g\*\*3\*x\*\*3\*(f + g\*x)\*\*n/(g\*\*3\*n\*\*3 + 6\*g\*\*3\*n\*\*2 + 11\*g\*\*3\*n + 6\*g\*\*3), True))

$$3.557 \quad \int \frac{a+bx+cx^2}{(d+ex)(f+gx)} dx$$

**Optimal.** Leaf size=83

$$\frac{\log(d+ex)(ae^2 - bde + cd^2)}{e^2(ef - dg)} - \frac{\log(f+gx)(ag^2 - bfg + cf^2)}{g^2(ef - dg)} + \frac{cx}{eg}$$

**Rubi [A]** time = 0.10, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {893}

$$\frac{\log(d+ex)(ae^2 - bde + cd^2)}{e^2(ef - dg)} - \frac{\log(f+gx)(ag^2 - bfg + cf^2)}{g^2(ef - dg)} + \frac{cx}{eg}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((d + e\*x)\*(f + g\*x)),x]

[Out] (c\*x)/(e\*g) + ((c\*d^2 - b\*d\*e + a\*e^2)\*Log[d + e\*x])/(e^2\*(e\*f - d\*g)) - ((c\*f^2 - b\*f\*g + a\*g^2)\*Log[f + g\*x])/(g^2\*(e\*f - d\*g))

**Rule 893**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegerQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))

**Rubi steps**

$$\int \frac{a+bx+cx^2}{(d+ex)(f+gx)} dx = \int \left( \frac{c}{eg} + \frac{cd^2 - bde + ae^2}{e(ef - dg)(d + ex)} + \frac{cf^2 - bfg + ag^2}{g(-ef + dg)(f + gx)} \right) dx$$

$$= \frac{cx}{eg} + \frac{(cd^2 - bde + ae^2) \log(d + ex)}{e^2(ef - dg)} - \frac{(cf^2 - bfg + ag^2) \log(f + gx)}{g^2(ef - dg)}$$

**Mathematica [A]** time = 0.05, size = 85, normalized size = 1.02

$$-\frac{\log(d+ex)(-ae^2 + bde - cd^2)}{e^2(ef - dg)} - \frac{\log(f+gx)(ag^2 - bfg + cf^2)}{g^2(ef - dg)} + \frac{cx}{eg}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/((d + e\*x)\*(f + g\*x)),x]

[Out] (c\*x)/(e\*g) - ((- (c\*d^2) + b\*d\*e - a\*e^2)\*Log[d + e\*x])/(e^2\*(e\*f - d\*g)) - ((c\*f^2 - b\*f\*g + a\*g^2)\*Log[f + g\*x])/(g^2\*(e\*f - d\*g))

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx + cx^2}{(d + ex)(f + gx)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/((d + e\*x)\*(f + g\*x)),x]

[Out] IntegrateAlgebraic[(a + b\*x + c\*x^2)/((d + e\*x)\*(f + g\*x)), x]

**fricas [A]** time = 0.40, size = 99, normalized size = 1.19

$$\frac{(cd^2 - bde + ae^2)g^2 \log(ex + d) + (ce^2fg - cdeg^2)x - (ce^2f^2 - be^2fg + ae^2g^2) \log(gx + f)}{e^3fg^2 - de^2g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)/(g\*x+f),x, algorithm="fricas")

[Out] ((c\*d^2 - b\*d\*e + a\*e^2)\*g^2\*log(e\*x + d) + (c\*e^2\*f\*g - c\*d\*e\*g^2)\*x - (c\*e^2\*f^2 - b\*e^2\*f\*g + a\*e^2\*g^2)\*log(g\*x + f))/(e^3\*f\*g^2 - d\*e^2\*g^3)

**giac [A]** time = 0.18, size = 88, normalized size = 1.06

$$\frac{cxe^{(-1)}}{g} + \frac{(cf^2 - bfg + ag^2) \log(|gx + f|)}{dg^3 - fg^2e} - \frac{(cd^2 - bde + ae^2) \log(|xe + d|)}{dge^2 - fe^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)/(g\*x+f),x, algorithm="giac")

[Out] c\*x\*e^(-1)/g + (c\*f^2 - b\*f\*g + a\*g^2)\*log(abs(g\*x + f))/(d\*g^3 - f\*g^2\*e) - (c\*d^2 - b\*d\*e + a\*e^2)\*log(abs(x\*e + d))/(d\*g\*e^2 - f\*e^3)

**maple [A]** time = 0.01, size = 142, normalized size = 1.71

$$-\frac{a \ln(ex + d)}{dg - ef} + \frac{a \ln(gx + f)}{dg - ef} + \frac{bd \ln(ex + d)}{(dg - ef)e} - \frac{bf \ln(gx + f)}{(dg - ef)g} - \frac{cd^2 \ln(ex + d)}{(dg - ef)e^2} + \frac{cf^2 \ln(gx + f)}{(dg - ef)g^2} + \frac{cx}{eg}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/(e*x+d)/(g*x+f),x)`

[Out]  $c*x/e/g+1/(d*g-e*f)*\ln(g*x+f)*a-1/g/(d*g-e*f)*\ln(g*x+f)*b*f+1/g^2/(d*g-e*f)*\ln(g*x+f)*c*f^2-1/(d*g-e*f)*\ln(e*x+d)*a+1/(d*g-e*f)/e*\ln(e*x+d)*b*d-1/(d*g-e*f)/e^2*\ln(e*x+d)*c*d^2$

**maxima** [A] time = 0.44, size = 87, normalized size = 1.05

$$\frac{(cd^2 - bde + ae^2) \log(ex + d)}{e^3 f - de^2 g} - \frac{(cf^2 - bfg + ag^2) \log(gx + f)}{efg^2 - dg^3} + \frac{cx}{eg}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(e*x+d)/(g*x+f),x, algorithm="maxima")`

[Out]  $(c*d^2 - b*d*e + a*e^2)*\log(e*x + d)/(e^3*f - d*e^2*g) - (c*f^2 - b*f*g + a*g^2)*\log(g*x + f)/(e*f*g^2 - d*g^3) + c*x/(e*g)$

**mupad** [B] time = 3.42, size = 84, normalized size = 1.01

$$\frac{\ln(d + ex) (cd^2 - bde + ae^2)}{e^3 f - de^2 g} + \frac{\ln(f + gx) (cf^2 - bfg + ag^2)}{g^2 (dg - ef)} + \frac{cx}{eg}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/((f + g*x)*(d + e*x)),x)`

[Out]  $(\log(d + e*x)*(a*e^2 + c*d^2 - b*d*e))/(e^3*f - d*e^2*g) + (\log(f + g*x)*(a*g^2 + c*f^2 - b*f*g))/(g^2*(d*g - e*f)) + (c*x)/(e*g)$

**sympy** [B] time = 9.52, size = 420, normalized size = 5.06

$$\frac{cx}{eg} + \frac{(ag^2 - bfg + cf^2) \log\left(x + \frac{adeg^2 + a^2fg - 2bdefg + c^2fg + cde f^2 - \frac{d^2eg^2 - bfg + cf^2}{dg - ef} + \frac{2de^2(fg^2 - bfg + cf^2) - e^3f^2(bg^2 - bfg + cf^2)}{g(dg - ef)}}{2a^2g^2 - bde g^2 - b^2fg + c^2fg^2 + c^2f^2}\right)}{g^2(dg - ef)} - \frac{(ae^2 - bde + cd^2) \log\left(x + \frac{ade g^2 + a^2fg - 2bdefg + c^2fg + cde f^2 + \frac{d^2eg^2(a^2 - bde + cf^2)}{dg - ef} + \frac{2dfg^2(a^2 - bde + cf^2) - e^2g(a^2 - bde + cf^2)}{dg - ef}}{2a^2g^2 - bde g^2 - b^2fg + c^2fg^2 + c^2f^2}\right)}{e^2(dg - ef)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/(e*x+d)/(g*x+f),x)`

[Out]  $c*x/(e*g) + (a*g**2 - b*f*g + c*f**2)*\log(x + (a*d*e*g**2 + a*e**2*f*g - 2*b*d*e*f*g + c*d**2*f*g + c*d*e*f**2 - d**2*e*g*(a*g**2 - b*f*g + c*f**2))/(d*g - e*f) + 2*d*e**2*f*(a*g**2 - b*f*g + c*f**2)/(d*g - e*f) - e**3*f**2*(a*g**2 - b*f*g + c*f**2)/(g*(d*g - e*f)))/(2*a*e**2*g**2 - b*d*e*g**2 - b*e**2*f*g + c*d**2*g**2 + c*e**2*f**2))/(g**2*(d*g - e*f)) - (a*e**2 - b*d*e +$

$$\begin{aligned}
& c*d^{**2})*\log(x + (a*d*e*g^{**2} + a*e^{**2}*f*g - 2*b*d*e*f*g + c*d^{**2}*f*g + c*d* \\
& e*f^{**2} + d^{**2}*g^{**3}*(a*e^{**2} - b*d*e + c*d^{**2})/(e*(d*g - e*f)) - 2*d*f*g^{**2}*( \\
& a*e^{**2} - b*d*e + c*d^{**2})/(d*g - e*f) + e*f^{**2}*g*(a*e^{**2} - b*d*e + c*d^{**2})/( \\
& d*g - e*f))/(2*a*e^{**2}*g^{**2} - b*d*e*g^{**2} - b*e^{**2}*f*g + c*d^{**2}*g^{**2} + c*e^{**2} \\
& *f^{**2}))/ (e^{**2}*(d*g - e*f))
\end{aligned}$$

$$3.558 \quad \int \frac{(a+bx+cx^2)^2}{(d+ex)(f+gx)} dx$$

**Optimal.** Leaf size=184

$$\frac{x(-2ceg(-aeg + bdg + bef) + b^2e^2g^2 + c^2(d^2g^2 + defg + e^2f^2))}{e^3g^3} + \frac{\log(d+ex)(ae^2 - bde + cd^2)^2}{e^4(ef - dg)} - \frac{\log(f+gx)(ae^2 - bde + cd^2)^2}{g^4(ef - dg)}$$

**Rubi [A]** time = 0.31, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {893}

$$\frac{x(-2ceg(-aeg + bdg + bef) + b^2e^2g^2 + c^2(d^2g^2 + defg + e^2f^2))}{e^3g^3} + \frac{\log(d+ex)(ae^2 - bde + cd^2)^2}{e^4(ef - dg)} - \frac{\log(f+gx)(ae^2 - bde + cd^2)^2}{g^4(ef - dg)} - \frac{cx^2(-2beg + cdg + cef)}{2e^2g^2} + \frac{c^2x^3}{3eg}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)^2/((d + e\*x)\*(f + g\*x)), x]

[Out] ((b^2\*e^2\*g^2 - 2\*c\*e\*g\*(b\*e\*f + b\*d\*g - a\*e\*g) + c^2\*(e^2\*f^2 + d\*e\*f\*g + d^2\*g^2))\*x)/(e^3\*g^3) - (c\*(c\*e\*f + c\*d\*g - 2\*b\*e\*g)\*x^2)/(2\*e^2\*g^2) + (c^2\*x^3)/(3\*e\*g) + ((c\*d^2 - b\*d\*e + a\*e^2)^2\*Log[d + e\*x])/(e^4\*(e\*f - d\*g)) - ((c\*f^2 - b\*f\*g + a\*g^2)^2\*Log[f + g\*x])/(g^4\*(e\*f - d\*g))

**Rule 893**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))

**Rubi steps**

$$\int \frac{(a+bx+cx^2)^2}{(d+ex)(f+gx)} dx = \int \left( \frac{b^2e^2g^2 - 2ceg(bef + bdg - aeg) + c^2(e^2f^2 + defg + d^2g^2)}{e^3g^3} - \frac{c(cef + cdg - 2beg)x}{e^2g^2} \right) dx = \frac{(b^2e^2g^2 - 2ceg(bef + bdg - aeg) + c^2(e^2f^2 + defg + d^2g^2))x}{e^3g^3} - \frac{c(cef + cdg - 2beg)x^2}{2e^2g^2}$$

**Mathematica [A]** time = 0.15, size = 177, normalized size = 0.96

$$\frac{egx(dg - ef)(6ceg(2aeg + b(-2dg - 2ef + egx)) + 6b^2e^2g^2 + c^2(6d^2g^2 - 3deg(gx - 2f) + e^2(6f^2 - 3fgx + 2g^2x^2))) - 6g^4 \log(d + ex)(e(ae - bd) + cd^2)^2 + 6e^4 \log(f + gx)(g(ag - bf) + cf^2)^2}{6e^4g^4(ef - dg)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)^2/((d + e\*x)\*(f + g\*x)), x]

[Out] 
$$-1/6*(e*g*(-(e*f) + d*g))*x*(6*b^2*e^2*g^2 + 6*c*e*g*(2*a*e*g + b*(-2*e*f - 2*d*g + e*g*x)) + c^2*(6*d^2*g^2 - 3*d*e*g*(-2*f + g*x) + e^2*(6*f^2 - 3*f*g*x + 2*g^2*x^2))) - 6*(c*d^2 + e*(-(b*d) + a*e))^2*g^4*\text{Log}[d + e*x] + 6*e^4*(c*f^2 + g*(-(b*f) + a*g))^2*\text{Log}[f + g*x])/(e^4*g^4*(e*f - d*g))$$

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2)^2}{(d + ex)(f + gx)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)^2/((d + e\*x)\*(f + g\*x)), x]

[Out] IntegrateAlgebraic[(a + b\*x + c\*x^2)^2/((d + e\*x)\*(f + g\*x)), x]

**fricas [A]** time = 0.71, size = 313, normalized size = 1.70

$$\frac{6(c^2d^4 - 2bcd^3e - 2abd^2e^2 + a^2e^4 + (b^2 + 2ac)d^2e^2)g^4 \log(ex + d) + 2(c^2d^3fg^2 - c^2d^2g^3)g^3 - 3(c^2d^2f^2g^2 - 2bcd^2fg^2 - (c^2d^2 - 2bcd^2)g^2)g^2 + 6(c^2d^2fg^2 - 2bcd^2fg^2 + (b^2 + 2ac)d^2fg^2 - (c^2d^2e - 2bcd^2e + (b^2 + 2ac)d^2)g^2)x - 6(c^2d^4f^4 - 2bcd^4f^3g - 2abd^4f^2g^2 + a^2e^4g^4 + (b^2 + 2ac)d^4f^2g^2) \log(gx + f)}{6(e^4fg^4 - de^4g^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^2/(e\*x+d)/(g\*x+f), x, algorithm="fricas")

[Out] 
$$1/6*(6*(c^2*d^4 - 2*b*c*d^3*e - 2*a*b*d^2*e^3 + a^2*e^4 + (b^2 + 2*a*c)*d^2*e^2)*g^4*\log(e*x + d) + 2*(c^2*e^4*f*g^3 - c^2*d*e^3*g^4)*x^3 - 3*(c^2*e^4*f^2*g^2 - 2*b*c*e^4*f*g^3 - (c^2*d^2*e^2 - 2*b*c*d*e^3)*g^4)*x^2 + 6*(c^2*e^4*f^3*g - 2*b*c*e^4*f^2*g^2 + (b^2 + 2*a*c)*e^4*f*g^3 - (c^2*d^3*e - 2*b*c*d^2*e^2 + (b^2 + 2*a*c)*d*e^3)*g^4)*x - 6*(c^2*e^4*f^4 - 2*b*c*e^4*f^3*g - 2*a*b*e^4*f^2*g^3 + a^2*e^4*g^4 + (b^2 + 2*a*c)*e^4*f^2*g^2)*\log(g*x + f))/(e^5*f*g^4 - d*e^4*g^5)$$

**giac [A]** time = 0.17, size = 281, normalized size = 1.53

$$\frac{(c^2f^4 - 2bcf^3g + b^2f^2g^2 + 2ac^2f^2g^2 - 2abfg^3 + a^2g^4) \log(|gx + f|)}{dg^4 - fg^4} \cdot \frac{(c^2d^4 - 2bcd^3e + b^2d^2e^2 + 2acd^2e^2 - 2abd^2e + a^2e^4) \log(|ex + d|)}{deg^4 - fe^4} + \frac{(2c^2g^2x^3e^2 - 3c^2dg^2x^2e + 6c^2d^2g^2x - 3c^2fg^2e^2 + 6bcg^2x^2e^2 + 6c^2dfg^2e - 12bcdg^2xe + 6c^2f^2ax^2 - 12bcfg^2x^2 + 6b^2g^2x^2 + 12acg^2x^2)e^{(-3)}}{6g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^2/(e\*x+d)/(g\*x+f), x, algorithm="giac")

[Out]  $(c^2 f^4 - 2 b c f^3 g + b^2 f^2 g^2 + 2 a c f^2 g^2 - 2 a b f g^3 + a^2 g^4) \log(\text{abs}(g x + f)) / (d g^5 - f g^4 e) - (c^2 d^4 - 2 b c d^3 e + b^2 d^2 e^2 + 2 a c d^2 e^2 - 2 a b d e^3 + a^2 e^4) \log(\text{abs}(x e + d)) / (d g e^4 - f e^5) + 1/6 (2 c^2 g^2 x^3 e^2 - 3 c^2 d g^2 x^2 e + 6 c^2 d^2 g^2 x - 3 c^2 f g x^2 e^2 + 6 b c g^2 x^2 e^2 + 6 c^2 d f g x e - 12 b c d g^2 x e + 6 c^2 f^2 x e^2 - 12 b c f g x e^2 + 6 b^2 g^2 x e^2 + 12 a c g^2 x e^2) e^{-3} / g^3$

**maple [B]** time = 0.01, size = 444, normalized size = 2.41

$$\frac{c^2 \ln(x+d)}{dg-ef} + \frac{a^2 \ln(gx+f)}{dg-ef} + \frac{2abd \ln(x+d)}{(dg-ef)e} - \frac{2abf \ln(gx+f)}{(dg-ef)g} + \frac{2ac d^2 \ln(x+d)}{(dg-ef)e^2} + \frac{2ac f^2 \ln(gx+f)}{(dg-ef)g^2} + \frac{b^2 d^2 \ln(x+d)}{(dg-ef)e^2} + \frac{b^2 f^2 \ln(gx+f)}{(dg-ef)g^2} + \frac{2bc d^3 \ln(x+d)}{(dg-ef)e^3} + \frac{2bc f^3 \ln(gx+f)}{(dg-ef)g^3} + \frac{c^2 d^4 \ln(x+d)}{(dg-ef)e^4} + \frac{c^2 x^3}{3eg} + \frac{c^2 f^4 \ln(gx+f)}{(dg-ef)g^4} + \frac{bcx^2}{eg} - \frac{c^2 dx^2}{2e^2g} - \frac{c^2 fx^2}{2e^2g} + \frac{2acx}{eg} + \frac{b^2 x}{e^2g} - \frac{2bc dx}{e^2g} - \frac{2bc fx}{e^2g} + \frac{c^2 dx}{e^2g} + \frac{c^2 fx}{e^2g} + \frac{c^2 x^3}{eg^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c x^2 + b x + a)^2 / (e x + d) / (g x + f), x)$

[Out]  $1/3 c^2 x^3 / e / g + 1/e / g x^2 b c - 1/2 / e^2 / g x^2 c^2 d - 1/2 / e / g^2 x^2 c^2 f + 2/e / g a c x + 1/e / g b^2 x - 2/e^2 / g b c d x - 2/e / g^2 b c f x + 1/e^3 / g c^2 d^2 x + 1/e^2 / g^2 c^2 d f x + 1/e / g^3 c^2 f^2 x + 1/(d g - e f) \ln(g x + f) a^2 - 2/g / (d g - e f) \ln(g x + f) a b f + 2/g^2 / (d g - e f) \ln(g x + f) a c f^2 + 1/g^2 / (d g - e f) \ln(g x + f) b^2 f^2 - 2/g^3 / (d g - e f) \ln(g x + f) b c f^3 + 1/g^4 / (d g - e f) \ln(g x + f) c^2 f^4 - 1/(d g - e f) \ln(e x + d) a^2 + 2/e / (d g - e f) \ln(e x + d) a b d - 2/e^2 / (d g - e f) \ln(e x + d) a c d^2 - 1/e^2 / (d g - e f) \ln(e x + d) b^2 d^2 + 2/e^3 / (d g - e f) \ln(e x + d) b c d^3 - 1/e^4 / (d g - e f) \ln(e x + d) c^2 d^4$

**maxima [A]** time = 0.45, size = 255, normalized size = 1.39

$$\frac{(c^2 d^4 - 2 b c d^3 e - 2 a b d^2 e^2 + a^2 e^4 + (b^2 + 2 a c) d^2 e^2) \log(x e + d)}{e^5 f - d e^4 g} + \frac{(c^2 f^4 - 2 b c f^3 g - 2 a b f^2 g^2 + a^2 g^4 + (b^2 + 2 a c) f^2 g^2) \log(g x + f)}{e f g^4 - d e^4 g} + \frac{2 c^2 e^2 g^2 x^3 - 3 (c^2 f g + (c^2 d e - 2 b c^2) g^2) x^2 + 6 (c^2 f^2 + (c^2 d e - 2 b c^2) f g + (c^2 d^2 - 2 b c d e + (b^2 + 2 a c) e^2) g^2) x}{6 e^3 g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((c x^2 + b x + a)^2 / (e x + d) / (g x + f), x, \text{algorithm}="maxima")$

[Out]  $(c^2 d^4 - 2 b c d^3 e - 2 a b d^2 e^2 + a^2 e^4 + (b^2 + 2 a c) d^2 e^2) \log(e x + d) / (e^5 f - d e^4 g) - (c^2 f^4 - 2 b c f^3 g - 2 a b f^2 g^2 + a^2 g^4 + (b^2 + 2 a c) f^2 g^2) \log(g x + f) / (e f g^4 - d g^5) + 1/6 (2 c^2 e^2 g^2 x^3 - 3 (c^2 e^2 f g + (c^2 d e - 2 b c^2) g^2) x^2 + 6 (c^2 e^2 f^2 + (c^2 d e - 2 b c^2) f g + (c^2 d^2 - 2 b c d e + (b^2 + 2 a c) e^2) g^2) x) / (e^3 g^3)$

**mupad [B]** time = 3.51, size = 266, normalized size = 1.45

$$x \left( \frac{b^2 + 2 a c}{e g} + \frac{\left( \frac{c^2 (d g + e f)}{e^2 g^2} - \frac{2 b c}{e g} \right) (d g + e f)}{e g} - \frac{c^2 d f}{e^2 g^2} \right) - x^2 \left( \frac{c^2 (d g + e f)}{2 e^2 g^2} - \frac{b c}{e g} \right) + \frac{\ln(d + e x) (c^2 (b^2 d^2 + 2 a c d^2) + a^2 e^4 + c^2 d^4 - 2 a b d^3 - 2 b c d^2 e)}{e^5 f - d e^4 g} + \frac{\ln(f + g x) (g^2 (b^2 f^2 + 2 a c f^2) + a^2 g^4 + c^2 f^4 - 2 a b f g^3 - 2 b c f^2 g)}{d g^5 - e f g^4} + \frac{c^2 x^3}{3 e g}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((a + b*x + c*x^2)^2/((f + g*x)*(d + e*x)),x)`

[Out]  $x \cdot \left( \frac{2ac + b^2}{eg} + \left( \frac{c^2(dg + ef)}{e^2g^2} - \frac{2bc}{eg} \right) (dg + ef) \right) / eg - \frac{c^2df}{e^2g^2} - x^2 \cdot \left( \frac{c^2(dg + ef)}{2e^2g^2} - \frac{bc}{eg} \right) + \frac{\log(d + ex)(e^2(b^2d^2 + 2acd^2) + a^2e^4 + c^2d^4 - 2abd^3e - 2bcd^3e)}{e^5f - d^4eg} + \frac{\log(f + gx)(g^2(b^2f^2 + 2acf^2) + a^2g^4 + c^2f^4 - 2abfg^3 - 2bcf^3g)}{d^5g^5 - efg^4} + \frac{c^2x^3}{3eg}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)**2/(e*x+d)/(g*x+f),x)`

[Out] Timed out

$$3.559 \quad \int \frac{(a+bx+cx^2)^3}{(d+ex)(f+gx)} dx$$

**Optimal.** Leaf size=531

$$\frac{x(-3ce^2g^2(a^2e^2g^2 - 2abeg(dg + ef) + b^2(d^2g^2 + defg + e^2f^2)) + b^2e^3g^3(-3aeg + bdg + bef) - 3c^2eg(aeg(d^2g^2 + defg + e^2f^2) - b^2e^2g^2))}{e^5g^5}$$

**Rubi [A]** time = 0.99, antiderivative size = 531, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {893}

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)^3/((d + e\*x)\*(f + g\*x)), x]

[Out] -(((b^2\*e^3\*g^3\*(b\*e\*f + b\*d\*g - 3\*a\*e\*g) - c^3\*(e^4\*f^4 + d\*e^3\*f^3\*g + d^2\*e^2\*f^2\*g^2 + d^3\*e\*f\*g^3 + d^4\*g^4) - 3\*c\*e^2\*g^2\*(a^2\*e^2\*g^2 - 2\*a\*b\*e\*g\*(e\*f + d\*g) + b^2\*(e^2\*f^2 + d\*e\*f\*g + d^2\*g^2)) - 3\*c^2\*e\*g\*(a\*e\*g\*(e^2\*f^2 + d\*e\*f\*g + d^2\*g^2) - b\*(e^3\*f^3 + d\*e^2\*f^2\*g + d^2\*e\*f\*g^2 + d^3\*g^3)))\*x)/(e^5\*g^5) + ((b^3\*e^3\*g^3 - 3\*b\*c\*e^2\*g^2\*(b\*e\*f + b\*d\*g - 2\*a\*e\*g) - c^3\*(e^3\*f^3 + d\*e^2\*f^2\*g + d^2\*e\*f\*g^2 + d^3\*g^3) - 3\*c^2\*e\*g\*(a\*e\*g\*(e\*f + d\*g) - b\*(e^2\*f^2 + d\*e\*f\*g + d^2\*g^2)))\*x^2)/(2\*e^4\*g^4) + (c\*(3\*b^2\*e^2\*g^2 - 3\*c\*e\*g\*(b\*e\*f + b\*d\*g - a\*e\*g) + c^2\*(e^2\*f^2 + d\*e\*f\*g + d^2\*g^2))\*x^3)/(3\*e^3\*g^3) - (c^2\*(c\*e\*f + c\*d\*g - 3\*b\*e\*g)\*x^4)/(4\*e^2\*g^2) + (c^3\*x^5)/(5\*e\*g) + ((c\*d^2 - b\*d\*e + a\*e^2)^3\*Log[d + e\*x])/(e^6\*(e\*f - d\*g)) - ((c\*f^2 - b\*f\*g + a\*g^2)^3\*Log[f + g\*x])/(g^6\*(e\*f - d\*g))

**Rule 893**

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g
*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ
[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && I
ntegerQ[p] && ((EqQ[p, 1] && IntegerQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0])
)
```

Rubi steps

$$\int \frac{(a + bx + cx^2)^3}{(d + ex)(f + gx)} dx = \int \left( \frac{-b^2e^3g^3(bef + bdg - 3aeg) + c^3(e^4f^4 + de^3f^3g + d^2e^2f^2g^2 + d^3efg^3 + d^4g^4) + 3c^2e^2g^2(a + bx + cx^2)}{(d + ex)(f + gx)} \right) dx$$

$$= - \frac{(b^2e^3g^3(bef + bdg - 3aeg) - c^3(e^4f^4 + de^3f^3g + d^2e^2f^2g^2 + d^3efg^3 + d^4g^4) - 3ce^2g^2(a + bx + cx^2))}{(d + ex)(f + gx)}$$

**Mathematica [A]** time = 0.42, size = 476, normalized size = 0.90

Integrate[(a + b\*x + c\*x^2)^3/((d + e\*x)\*(f + g\*x)), x]

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)^3/((d + e\*x)\*(f + g\*x)), x]

[Out] 
$$\begin{aligned} & -1/60*(e*g*x*(-30*b^2*e^3*g^3*(e*f - d*g)*(6*a*e*g + b*(-2*e*f - 2*d*g + e*g*x)) + c^3*(60*d^5*g^5 - 30*d^4*e*g^5*x + 20*d^3*e^2*g^5*x^2 - 15*d^2*e^3*g^5*x^3 + 12*d*e^4*g^5*x^4 + e^5*f*(-60*f^4 + 30*f^3*g*x - 20*f^2*g^2*x^2 + 15*f*g^3*x^3 - 12*g^4*x^4)) - 30*c*e^2*g^2*(e*f - d*g)*(6*a^2*e^2*g^2 + 6*a*b*e*g*(-2*e*f - 2*d*g + e*g*x) + b^2*(6*d^2*g^2 - 3*d*e*g*(-2*f + g*x) + e^2*(6*f^2 - 3*f*g*x + 2*g^2*x^2))) + 15*c^2*e*g*(-2*a*e*g*(e*f - d*g)*(6*d^2*g^2 - 3*d*e*g*(-2*f + g*x) + e^2*(6*f^2 - 3*f*g*x + 2*g^2*x^2)) + b*(-12*d^4*g^4 + 6*d^3*e*g^4*x - 4*d^2*e^2*g^4*x^2 + 3*d*e^3*g^4*x^3 + e^4*f*(12*f^3 - 6*f^2*g*x + 4*f*g^2*x^2 - 3*g^3*x^3))) - 60*(c*d^2 + e*(-(b*d) + a*e))^3*g^6*\text{Log}[d + e*x] + 60*e^6*(c*f^2 + g*(-(b*f) + a*g))^3*\text{Log}[f + g*x])/(e^6*g^6*(e*f - d*g)) \end{aligned}$$

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2)^3}{(d + ex)(f + gx)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)^3/((d + e\*x)\*(f + g\*x)), x]

[Out] IntegrateAlgebraic[(a + b\*x + c\*x^2)^3/((d + e\*x)\*(f + g\*x)), x]

**fricas [A]** time = 3.90, size = 736, normalized size = 1.39

IntegrateAlgebraic[(a + b\*x + c\*x^2)^3/((d + e\*x)\*(f + g\*x)), x]

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^3/(e\*x+d)/(g\*x+f),x, algorithm="fricas")

[Out]  $\frac{1}{60} \cdot (60 \cdot (c^3 d^6 - 3 b^2 c^2 d^5 e - 3 a^2 b d^4 e^2 + a^3 e^6 + 3 (b^2 c + a c^2) d^4 e^2 - (b^3 + 6 a b c) d^3 e^3 + 3 (a b^2 + a^2 c) d^2 e^4) g^6 \log(e x + d) + 12 (c^3 e^6 f g^5 - c^3 d e^5 g^6) x^5 - 15 (c^3 e^6 f^2 g^4 - 3 b^2 c^2 e^6 f g^5 - (c^3 d^2 e^4 - 3 b^2 c^2 d e^5) g^6) x^4 + 20 (c^3 e^6 f^3 g^3 - 3 b^2 c^2 e^6 f^2 g^4 + 3 (b^2 c + a c^2) e^6 f g^5 - (c^3 d^3 e^3 - 3 b^2 c^2 d^2 e^4 + 3 (b^2 c + a c^2) d e^5) g^6) x^3 - 30 (c^3 e^6 f^4 g^2 - 3 b^2 c^2 e^6 f^3 g^3 + 3 (b^2 c + a c^2) e^6 f^2 g^4 - (b^3 + 6 a b c) e^6 f g^5 - (c^3 d^4 e^2 - 3 b^2 c^2 d^3 e^3 + 3 (b^2 c + a c^2) d^2 e^4 - (b^3 + 6 a b c) d e^5) g^6) x^2 + 60 (c^3 e^6 f^5 g - 3 b^2 c^2 e^6 f^4 g^2 + 3 (b^2 c + a c^2) e^6 f^3 g^3 - (b^3 + 6 a b c) e^6 f^2 g^4 + 3 (a b^2 + a^2 c) e^6 f g^5 - (c^3 d^5 e - 3 b^2 c^2 d^4 e^2 + 3 (b^2 c + a c^2) d^3 e^3 - (b^3 + 6 a b c) d^2 e^4 + 3 (a b^2 + a^2 c) d e^5) g^6) x - 60 (c^3 e^6 f^6 - 3 b^2 c^2 e^6 f^5 g - 3 a^2 b e^6 f^4 g^2 + a^3 e^6 g^3 + 3 (b^2 c + a c^2) e^6 f^3 g^3 - (b^3 + 6 a b c) e^6 f^2 g^4 + 3 (a b^2 + a^2 c) e^6 f g^5 - (c^3 d^6 - 3 b^2 c^2 d^5 e + 3 b^2 c^2 d^4 e^2 + 3 a c^2 d^4 e^2 - b^3 d^3 e^3 - 6 a b c d^3 e^3 + 3 a b^2 d^2 e^4 + 3 a^2 c d^2 e^4 - 3 a^2 b d e^5 + a^3 e^6) \log(\operatorname{abs}(x e + d)) / (d g e^6 - f e^7) + 1/60 (12 c^3 g^4 x^5 e^4 - 15 c^3 d g^4 x^4 e^3 + 20 c^3 d^2 g^4 x^3 e^2 - 30 c^3 d^3 g^4 x^2 e + 60 c^3 d^4 g^4 x - 15 c^3 f g^3 x^4 e^4 + 45 b^2 c^2 g^4 x^4 e^4 + 20 c^3 d f g^3 x^3 e^3 - 60 b^2 c^2 d g^4 x^3 e^3 - 30 c^3 d^2 f g^3 x^2 e^2 + 90 b^2 c^2 d^2 g^4 x^2 e^2 + 60 c^3 d^3 f g^3 x e - 180 b^2 c^2 d^3 g^4 x e + 20 c^3 f^2 g^2 x^3 e^4 - 60 b^2 c^2 f g^3 x^3 e^4 + 60 b^2 c^2 g^4 x^3 e^4 + 60 a c^2 g^4 x^3 e^4 - 30 c^3 d f^2 g^2 x^2 e^3 + 90 b^2 c^2 d f g^3 x^2 e^3 - 90 b^2 c^2 d g^4 x^2 e^3 - 90 a c^2 d g^4 x^2 e^3 + 60 c^3 d^2 f^2 g^2 x e^2 - 180 b^2 c^2 d^2 f g^3 x e^2 + 180 b^2 c^2 d^2 g^4 x e^2 + 180 a c^2 d^2 g^4 x e^2 - 30 c^3 f^3 g^3 x^2 e^4 + 90 b^2 c^2 f^2 g^2 x^2 e^4 - 90 b^2 c^2 f g^3 x^2 e^4 - 90 a c^2 f g^3 x^2 e^4 + 30 b^3 g^4 x^2 e^4 + 180 a b c g^4 x^2 e^4 + 60 c^3 d f^3 g^3 x e^3 - 180 b^2 c^2 d f^2 g^2 x e^3 + 180 b^2 c^2 d f g^3 x e^3 + 180 a c^2 d f g^3 x e^3 - 60 b^3 d g^4 x e^3 - 360 a b c d g^4 x e^3 + 60 c^3 f^4 x e^4 - 180 b^2 c^2 f^3 g^3 x e^4 + 180 b^2 c^2 f^2 g^2 x e^4 + 180 a c^2 f^2 g^2 x e^4 - 60 b^3 f g^3 x e^4 - 360 a b c f g^3 x e^4 + 180 a b^2 g^4 x e^4 + 180 a^2 c g^4 x e^4) e^{-5} / g^5$

**giac** [A] time = 0.17, size = 907, normalized size = 1.71

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^3/(e\*x+d)/(g\*x+f),x, algorithm="giac")

[Out]  $(c^3 f^6 - 3 b^2 c^2 f^5 g + 3 b^2 c^2 f^4 g^2 + 3 a c^2 f^4 g^2 - b^3 f^3 g^3 - 6 a b c^2 f^3 g^3 + 3 a b^2 f^2 g^4 + 3 a^2 c^2 f^2 g^4 - 3 a^2 b f g^5 + a^3 g^6) \log(\operatorname{abs}(g x + f)) / (d g^7 - f g^6 e) - (c^3 d^6 - 3 b^2 c^2 d^5 e + 3 b^2 c^2 d^4 e^2 + 3 a c^2 d^4 e^2 - b^3 d^3 e^3 - 6 a b c d^3 e^3 + 3 a b^2 d^2 e^4 + 3 a^2 c d^2 e^4 - 3 a^2 b d e^5 + a^3 e^6) \log(\operatorname{abs}(x e + d)) / (d g e^6 - f e^7) + 1/60 (12 c^3 g^4 x^5 e^4 - 15 c^3 d g^4 x^4 e^3 + 20 c^3 d^2 g^4 x^3 e^2 - 30 c^3 d^3 g^4 x^2 e + 60 c^3 d^4 g^4 x - 15 c^3 f g^3 x^4 e^4 + 45 b^2 c^2 g^4 x^4 e^4 + 20 c^3 d f g^3 x^3 e^3 - 60 b^2 c^2 d g^4 x^3 e^3 - 30 c^3 d^2 f g^3 x^2 e^2 + 90 b^2 c^2 d^2 g^4 x^2 e^2 + 60 c^3 d^3 f g^3 x e - 180 b^2 c^2 d^3 g^4 x e + 20 c^3 f^2 g^2 x^3 e^4 - 60 b^2 c^2 f g^3 x^3 e^4 + 60 b^2 c^2 g^4 x^3 e^4 + 60 a c^2 g^4 x^3 e^4 - 30 c^3 d f^2 g^2 x^2 e^3 + 90 b^2 c^2 d f g^3 x^2 e^3 - 90 b^2 c^2 d g^4 x^2 e^3 - 90 a c^2 d g^4 x^2 e^3 + 60 c^3 d^2 f^2 g^2 x e^2 - 180 b^2 c^2 d^2 f g^3 x e^2 + 180 b^2 c^2 d^2 g^4 x e^2 + 180 a c^2 d^2 g^4 x e^2 - 30 c^3 f^3 g^3 x^2 e^4 + 90 b^2 c^2 f^2 g^2 x^2 e^4 - 90 b^2 c^2 f g^3 x^2 e^4 - 90 a c^2 f g^3 x^2 e^4 + 30 b^3 g^4 x^2 e^4 + 180 a b c g^4 x^2 e^4 + 60 c^3 d f^3 g^3 x e^3 - 180 b^2 c^2 d f^2 g^2 x e^3 + 180 b^2 c^2 d f g^3 x e^3 + 180 a c^2 d f g^3 x e^3 - 60 b^3 d g^4 x e^3 - 360 a b c d g^4 x e^3 + 60 c^3 f^4 x e^4 - 180 b^2 c^2 f^3 g^3 x e^4 + 180 b^2 c^2 f^2 g^2 x e^4 + 180 a c^2 f^2 g^2 x e^4 - 60 b^3 f g^3 x e^4 - 360 a b c f g^3 x e^4 + 180 a b^2 g^4 x e^4 + 180 a^2 c g^4 x e^4) e^{-5} / g^5$

**maple [B]** time = 0.02, size = 1232, normalized size = 2.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c*x^2+b*x+a)^3/(e*x+d)/(g*x+f), x)$

[Out]  $\frac{1}{5}c^3x^5/e/g+1/2/g/e*x^2*b^3-6/g/e^2*a*b*c*d*x-6/g^2/e*a*b*c*f*x+3/g^2/e^2*a*c^2*d*f*x+3/g^2/e^2*b^2*c*d*f*x-3/g^2/e^3*b*c^2*d^2*f*x-6/g^3/(d*g-e*f)*\ln(g*x+f)*a*b*c*f^3+6/e^3/(d*g-e*f)*\ln(e*x+d)*a*b*c*d^3+1/(d*g-e*f)*\ln(g*x+f)*a^3-1/(d*g-e*f)*\ln(e*x+d)*a^3-3/g/(d*g-e*f)*\ln(g*x+f)*a^2*b*f+3/e/(d*g-e*f)*\ln(e*x+d)*a^2*b*d-3/e^2/(d*g-e*f)*\ln(e*x+d)*a^2*c*d^2-3/e^2/(d*g-e*f)*\ln(e*x+d)*a*b^2*d^2-3/e^4/(d*g-e*f)*\ln(e*x+d)*a*c^2*d^4-3/e^4/(d*g-e*f)*\ln(e*x+d)*b^2*c*d^4+3/e^5/(d*g-e*f)*\ln(e*x+d)*b*c^2*d^5+3/2/g^3/e*x^2*b*c^2*f^2-1/2/g^2/e^3*x^2*c^3*d^2*f-1/2/g^3/e^2*x^2*c^3*d*f^2+3/g/e^3*a*c^2*d^2*x+3/g^3/e*a*c^2*f^2*x+3/g/e^3*b^2*c*d^2*x+3/g^3/e*b^2*c*f^2*x+3/g^2/(d*g-e*f)*\ln(g*x+f)*a^2*c*f^2+3/g^2/(d*g-e*f)*\ln(g*x+f)*a*b^2*f^2+3/g^4/(d*g-e*f)*\ln(g*x+f)*a*c^2*f^4+3/g^4/(d*g-e*f)*\ln(g*x+f)*b^2*c*f^4-3/g^5/(d*g-e*f)*\ln(g*x+f)*b*c^2*f^5-1/g/e^2*x^3*b*c^2*d-1/g^2/e*x^3*b*c^2*f+1/3/g^2/e^2*x^3*c^3*d*f+1/g/e*x^3*a*c^2+1/g^5/e*c^3*f^4*x-3/g/e^4*b*c^2*d^3*x-3/g^4/e*b*c^2*f^3*x+1/g^2/e^4*c^3*d^3*f*x+1/g^3/e^3*c^3*d^2*f^2*x+1/g^4/e^2*c^3*d*f^3*x+1/g/e^5*c^3*d^4*x+3/4/g/e*x^4*b*c^2-1/4/g/e^2*x^4*c^3*d-1/4/g^2/e*x^4*c^3*f+1/3/g/e^3*x^3*c^3*d^2+1/3/g^3/e*x^3*c^3*f^2-1/2/g/e^4*x^2*c^3*d^3-1/2/g^4/e*x^2*c^3*f^3+3/g/e*a^2*c*x+3/g/e*a*b^2*x-1/g/e^2*b^3*d*x-1/g^2/e*b^3*f*x+1/g/e*x^3*b^2*c-1/g^3/(d*g-e*f)*\ln(g*x+f)*b^3*f^3+1/g^6/(d*g-e*f)*\ln(g*x+f)*c^3*f^6+1/e^3/(d*g-e*f)*\ln(e*x+d)*b^3*d^3-1/e^6/(d*g-e*f)*\ln(e*x+d)*c^3*d^6+3/g/e*x^2*a*b*c-3/2/g/e^2*x^2*a*c^2*d-3/2/g^2/e*x^2*a*c^2*f-3/2/g/e^2*x^2*b^2*c*d-3/2/g^2/e*x^2*b^2*c*f+3/2/g/e^3*x^2*b*c^2*d^2-3/g^3/e^2*b*c^2*d*f^2*x+3/2/g^2/e^2*x^2*b*c^2*d*f$

**maxima [A]** time = 0.49, size = 721, normalized size = 1.36


Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((c*x^2+b*x+a)^3/(e*x+d)/(g*x+f), x, \text{algorithm}=\text{"maxima"})$

[Out]  $(c^3*d^6 - 3*b*c^2*d^5*e - 3*a^2*b*d*e^5 + a^3*e^6 + 3*(b^2*c + a*c^2)*d^4*e^2 - (b^3 + 6*a*b*c)*d^3*e^3 + 3*(a*b^2 + a^2*c)*d^2*e^4)*\log(e*x + d)/(e^7*f - d*e^6*g) - (c^3*f^6 - 3*b*c^2*f^5*g - 3*a^2*b*f*g^5 + a^3*g^6 + 3*(b^2*c + a*c^2)*f^4*g^2 - (b^3 + 6*a*b*c)*f^3*g^3 + 3*(a*b^2 + a^2*c)*f^2*g^4)*\log(g*x + f)/(e*f*g^6 - d*g^7) + 1/60*(12*c^3*e^4*g^4*x^5 - 15*(c^3*e^4*f*g^3 + (c^3*d*e^3 - 3*b*c^2*e^4)*g^4)*x^4 + 20*(c^3*e^4*f^2*g^2 + (c^3*d*e^3 - 3*b*c^2*e^4)*f*g^3 + (c^3*d^2*e^2 - 3*b*c^2*d*e^3 + 3*(b^2*c + a*c^2)*e^4)*g^4)*x^3 - 30*(c^3*e^4*f^3*g + (c^3*d*e^3 - 3*b*c^2*e^4)*f^2*g^2 + (c^3*$

$$\begin{aligned} & d^2e^2 - 3b^2c^2d^2e^3 + 3(b^2c + a^2c^2)e^4 * f * g^3 + (c^3d^3e - 3b^2c^2d^2e^2 + 3(b^2c + a^2c^2)d^2e^3 - (b^3 + 6a^2bc)e^4) * g^4 * x^2 + 60 * ( \\ & c^3e^4f^4 + (c^3d^2e^3 - 3b^2c^2d^2e^4) * f^3 * g + (c^3d^2e^2 - 3b^2c^2d^2e^3 + 3(b^2c + a^2c^2)e^4) * f^2 * g^2 + (c^3d^3e - 3b^2c^2d^2e^2 + 3(b^2c \\ & c + a^2c^2)d^2e^3 - (b^3 + 6a^2bc)e^4) * f * g^3 + (c^3d^4 - 3b^2c^2d^3e + 3(b^2c + a^2c^2)d^2e^2 - (b^3 + 6a^2bc)d^2e^3 + 3(a^2b^2 + a^2c^2)e^4) * \\ & g^4 * x) / (e^5 * g^5) \end{aligned}$$

**mupad [B]** time = 4.20, size = 794, normalized size = 1.50



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)^3/((f + g*x)*(d + e*x)),x)`

[Out] `x^4*((3*b*c^2)/(4*e*g) - (c^3*(d*g + e*f))/(4*e^2*g^2)) - x^3(((d*g + e*f) * ((3*b*c^2)/(e*g) - (c^3*(d*g + e*f))/(e^2*g^2)))/(3*e*g) - (c*(a*c + b^2))/(e*g) + (c^3*d*f)/(3*e^2*g^2)) + x^2*((b^3 + 6*a*b*c)/(2*e*g) + ((d*g + e*f)*((d*g + e*f)*((3*b*c^2)/(e*g) - (c^3*(d*g + e*f))/(e^2*g^2)))/(e*g) - (3*c*(a*c + b^2))/(e*g) + (c^3*d*f)/(e^2*g^2)))/(2*e*g) - (d*f*((3*b*c^2)/(e*g) - (c^3*(d*g + e*f))/(e^2*g^2)))/(2*e*g)) + x*((3*a*(a*c + b^2))/(e*g) - ((d*g + e*f)*((b^3 + 6*a*b*c)/(e*g) + ((d*g + e*f)*((d*g + e*f)*((3*b*c^2)/(e*g) - (c^3*(d*g + e*f))/(e^2*g^2)))/(e*g) - (3*c*(a*c + b^2))/(e*g) + (c^3*d*f)/(e^2*g^2)))/(e*g) - (d*f*((3*b*c^2)/(e*g) - (c^3*(d*g + e*f))/(e^2*g^2)))/(e*g)))/(e*g) + (d*f*((d*g + e*f)*((3*b*c^2)/(e*g) - (c^3*(d*g + e*f))/(e^2*g^2)))/(e*g) - (3*c*(a*c + b^2))/(e*g) + (c^3*d*f)/(e^2*g^2)))/(e*g)) + (log(d + e*x)*(e^4*(3*a*b^2*d^2 + 3*a^2*c*d^2) + e^2*(3*a*c^2*d^4 + 3*b^2*c*d^4) - e^3*(b^3*d^3 + 6*a*b*c*d^3) + a^3*e^6 + c^3*d^6 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e))/(e^7*f - d*e^6*g) + (log(f + g*x)*(g^4*(3*a*b^2*f^2 + 3*a^2*c*f^2) + g^2*(3*a*c^2*f^4 + 3*b^2*c*f^4) - g^3*(b^3*f^3 + 6*a*b*c*f^3) + a^3*g^6 + c^3*f^6 - 3*a^2*b*f*g^5 - 3*b*c^2*f^5*g))/(d*g^7 - e*f*g^6) + (c^3*x^5)/(5*e*g)`

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)**3/(e*x+d)/(g*x+f),x)`

[Out] Timed out

$$3.560 \quad \int \frac{1}{(d+ex)(f+gx)(a+bx+cx^2)} dx$$

**Optimal.** Leaf size=246

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)\left(-c(2aeg+bdg+bef)+b^2eg+2c^2df\right)}{\sqrt{b^2-4ac}\left(ae^2-bde+cd^2\right)\left(cf^2-g(bf-ag)\right)} - \frac{\log(a+bx+cx^2)\left(-beg+cdg+cef\right)}{2\left(ae^2-bde+cd^2\right)\left(cf^2-g(bf-ag)\right)} + \frac{e^2 \log(d+ex)}{(ef-dg)\left(ae^2-bde+cd^2\right)} - \frac{g^2 \log(f+gx)}{(ef-dg)\left(ag^2-bfg+cf^2\right)}$$

**Rubi [A]** time = 0.47, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {893, 634, 618, 206, 628}

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)\left(-c(2aeg+bdg+bef)+b^2eg+2c^2df\right)}{\sqrt{b^2-4ac}\left(ae^2-bde+cd^2\right)\left(cf^2-g(bf-ag)\right)} - \frac{\log(a+bx+cx^2)\left(-beg+cdg+cef\right)}{2\left(ae^2-bde+cd^2\right)\left(cf^2-g(bf-ag)\right)} + \frac{e^2 \log(d+ex)}{(ef-dg)\left(ae^2-bde+cd^2\right)} - \frac{g^2 \log(f+gx)}{(ef-dg)\left(ag^2-bfg+cf^2\right)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x^2)),x]

[Out] -(((2\*c^2\*d\*f + b^2\*e\*g - c\*(b\*e\*f + b\*d\*g + 2\*a\*e\*g))\*ArcTanh[(b + 2\*c\*x)/Sqrt[b^2 - 4\*a\*c]])/(Sqrt[b^2 - 4\*a\*c]\*(c\*d^2 - b\*d\*e + a\*e^2)\*(c\*f^2 - g\*(b\*f - a\*g))) + (e^2\*Log[d + e\*x])/((c\*d^2 - b\*d\*e + a\*e^2)\*(e\*f - d\*g)) - (g^2\*Log[f + g\*x])/((e\*f - d\*g)\*(c\*f^2 - b\*f\*g + a\*g^2)) - ((c\*e\*f + c\*d\*g - b\*e\*g)\*Log[a + b\*x + c\*x^2])/(2\*(c\*d^2 - b\*d\*e + a\*e^2)\*(c\*f^2 - g\*(b\*f - a\*g)))

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 618**

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

**Rule 628**

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 893

```
Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_)^(n_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegerQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(d+ex)(f+gx)(a+bx+cx^2)} dx &= \int \left( -\frac{e^3}{(cd^2 - bde + ae^2)(-ef + dg)(d+ex)} - \frac{g^3}{(ef - dg)(cf^2 - bfg + ag^2)} \right. \\ &= \frac{e^2 \log(d+ex)}{(cd^2 - bde + ae^2)(ef - dg)} - \frac{g^2 \log(f+gx)}{(ef - dg)(cf^2 - bfg + ag^2)} + \frac{\int \frac{c^2df + b^2eg - c^2d^2}{(cd^2 - bde + ae^2)(cf^2 - bfg + ag^2)} dx}{(cd^2 - bde + ae^2)(ef - dg)} \\ &= \frac{e^2 \log(d+ex)}{(cd^2 - bde + ae^2)(ef - dg)} - \frac{g^2 \log(f+gx)}{(ef - dg)(cf^2 - bfg + ag^2)} + \frac{(-cef - cdg)}{2(cd^2 - bde + ae^2)(ef - dg)} \\ &= \frac{e^2 \log(d+ex)}{(cd^2 - bde + ae^2)(ef - dg)} - \frac{g^2 \log(f+gx)}{(ef - dg)(cf^2 - bfg + ag^2)} - \frac{(cef + cdg)}{2(cd^2 - bde + ae^2)(ef - dg)} \\ &= -\frac{(2c^2df + b^2eg - c(bef + bdg + 2aeg)) \tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{\sqrt{b^2-4ac}(cd^2 - bde + ae^2)(cf^2 - g(bf - ag))} + \frac{e^2 \log(d+ex)}{(cd^2 - bde + ae^2)(ef - dg)} \end{aligned}$$

**Mathematica [A]** time = 0.32, size = 246, normalized size = 1.00

$$\frac{\tan^{-1}\left(\frac{b+2cx}{\sqrt{4ac-b^2}}\right)(-c(2aeg+bdg+bef)+b^2eg+2c^2df)}{\sqrt{4ac-b^2}(e(ae-bd)+cd^2)(g(ag-bf)+cf^2)} + \frac{e^2 \log(d+ex)}{(ef-dg)(e(ae-bd)+cd^2)} - \frac{\log(a+x(b+cx))(-beg+cdg+cef)}{2(e(ae-bd)+cd^2)(g(ag-bf)+cf^2)} - \frac{g^2 \log(f+gx)}{(ef-dg)(g(ag-bf)+cf^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x^2)), x]



[Out]  $((2*c^2*d*f + b^2*e*g - c*(b*e*f + b*d*g + 2*a*e*g))*ArcTan[(b + 2*c*x)/\sqrt{-b^2 + 4*a*c}]) / (\sqrt{-b^2 + 4*a*c} * (c*d^2 + e*(-(b*d) + a*e)) * (c*f^2 + g*(-(b*f) + a*g))) + (e^2*Log[d + e*x]) / ((c*d^2 + e*(-(b*d) + a*e)) * (e*f - d*g)) - (g^2*Log[f + g*x]) / ((e*f - d*g) * (c*f^2 + g*(-(b*f) + a*g))) - ((c*e*f + c*d*g - b*e*g)*Log[a + x*(b + c*x)]) / (2*(c*d^2 + e*(-(b*d) + a*e)) * (c*f^2 + g*(-(b*f) + a*g)))$

**IntegrateAlgebraic [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex)(f + gx)(a + bx + cx^2)} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x^2)), x]

[Out] IntegrateAlgebraic[1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x^2)), x]

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a), x, algorithm="fricas")

[Out] Timed out

**giac [A]** time = 0.18, size = 392, normalized size = 1.59

$$\frac{g^3 \log(|gx + f|)}{cd^2g^3 - bdfg^2 + adg^3 - cf^2ge + bf^2g^2e - af^2g^2e} - \frac{(cdg + cfe - bge) \log(cx^2 + bx + a)}{2(c^2d^2f^2 - bcd^2fg + acd^2g^2 - bcd^2fe + b^2dfge - abd^2ge + acf^2e^2 - abfge^2 + a^2g^2e^2)} - \frac{e^3 \log(|xe + d|)}{cd^3ge - cd^2f^2 - bdfg^2 + bdf^2e + adg^3 - af^2e} + \frac{(2c^2df - bcdg - bcf^2 + b^2ge - 2acge) \arctan\left(\frac{2cx + b}{\sqrt{-b^2 + 4ac}}\right)}{(c^2d^2f^2 - bcd^2fg + acd^2g^2 - bcd^2fe + b^2dfge - abd^2ge + acf^2e^2 - abfge^2 + a^2g^2e^2) \sqrt{-b^2 + 4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a), x, algorithm="giac")

[Out]  $g^3 \log(\text{abs}(g*x + f)) / (c*d*f^2*g^2 - b*d*f*g^3 + a*d*g^4 - c*f^3*g*e + b*f^2*g^2*e - a*f*g^3*e) - 1/2*(c*d*g + c*f*e - b*g*e) * \log(c*x^2 + b*x + a) / (c^2*d^2*f^2 - b*c*d^2*f*g + a*c*d^2*g^2 - b*c*d*f^2*e + b^2*d*f*g*e - a*b*d*g^2*e + a*c*f^2*e^2 - a*b*f*g*e^2 + a^2*g^2*e^2) - e^3 * \log(\text{abs}(x*e + d)) / (c*d^3*g*e - c*d^2*f*e^2 - b*d^2*g*e^2 + b*d*f*e^3 + a*d*g*e^3 - a*f*e^4) + (2*c^2*d*f - b*c*d*g - b*c*f*e + b^2*g*e - 2*a*c*g*e) * \arctan((2*c*x + b) / \sqrt{-b^2 + 4*a*c}) / ((c^2*d^2*f^2 - b*c*d^2*f*g + a*c*d^2*g^2 - b*c*d*f^2*e + b^2*d*f*g*e - a*b*d*g^2*e + a*c*f^2*e^2 - a*b*f*g*e^2 + a^2*g^2*e^2) * \sqrt{-b^2 + 4*a*c})$

**maple [B]** time = 0.01, size = 606, normalized size = 2.46

$$\frac{2acg \arctan\left(\frac{2cx+b}{\sqrt{-b^2+4ac}}\right)}{(c^2-bd+cd)(e^2-bfg+cf)\sqrt{4ac-d^2}} - \frac{feg \arctan\left(\frac{2cx+b}{\sqrt{-b^2+4ac}}\right)}{(c^2-bd+cd)(e^2-bfg+cf)\sqrt{4ac-d^2}} - \frac{bdg \arctan\left(\frac{2cx+b}{\sqrt{-b^2+4ac}}\right)}{(c^2-bd+cd)(e^2-bfg+cf)\sqrt{4ac-d^2}} - \frac{bdf \arctan\left(\frac{2cx+b}{\sqrt{-b^2+4ac}}\right)}{(c^2-bd+cd)(e^2-bfg+cf)\sqrt{4ac-d^2}} + \frac{2c^2f \arctan\left(\frac{2cx+b}{\sqrt{-b^2+4ac}}\right)}{(c^2-bd+cd)(e^2-bfg+cf)\sqrt{4ac-d^2}} + \frac{bge \ln(cx^2+bx+a)}{2(c^2-bd+cd)(e^2-bfg+cf)^2} - \frac{cdg \ln(cx^2+bx+a)}{2(c^2-bd+cd)(e^2-bfg+cf)^2} - \frac{af \ln(cx^2+bx+a)}{2(c^2-bd+cd)(e^2-bfg+cf)^2} - \frac{e^2 \ln(cx+d)}{(c^2-bd+cd)(e^2-bfg+cf)} - \frac{g^2 \ln(gx+f)}{(fg+cf)(e^2-bfg+cf)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(e*x+d)/(g*x+f)/(c*x^2+b*x+a),x)
```

```
[Out] 1/2/(a*e^2-b*d*e+c*d^2)/(a*g^2-b*f*g+c*f^2)*ln(c*x^2+b*x+a)*g*e*b-1/2/(a*e^2-b*d*e+c*d^2)/(a*g^2-b*f*g+c*f^2)*c*ln(c*x^2+b*x+a)*g*d-1/2/(a*e^2-b*d*e+c*d^2)/(a*g^2-b*f*g+c*f^2)*c*ln(c*x^2+b*x+a)*f*e-2/(a*e^2-b*d*e+c*d^2)/(a*g^2-b*f*g+c*f^2)/(4*a*c-b^2)^(1/2)*arctan((2*c*x+b)/(4*a*c-b^2)^(1/2))*a*c*e*g+1/(a*e^2-b*d*e+c*d^2)/(a*g^2-b*f*g+c*f^2)/(4*a*c-b^2)^(1/2)*arctan((2*c*x+b)/(4*a*c-b^2)^(1/2))*b^2*e*g-1/(a*e^2-b*d*e+c*d^2)/(a*g^2-b*f*g+c*f^2)/(4*a*c-b^2)^(1/2)*arctan((2*c*x+b)/(4*a*c-b^2)^(1/2))*b*c*d*g-1/(a*e^2-b*d*e+c*d^2)/(a*g^2-b*f*g+c*f^2)/(4*a*c-b^2)^(1/2)*arctan((2*c*x+b)/(4*a*c-b^2)^(1/2))*b*c*e*f+2/(a*e^2-b*d*e+c*d^2)/(a*g^2-b*f*g+c*f^2)/(4*a*c-b^2)^(1/2)*arctan((2*c*x+b)/(4*a*c-b^2)^(1/2))*c^2*d*f+g^2/(d*g-e*f)/(a*g^2-b*f*g+c*f^2)*ln(g*x+f)-e^2/(a*e^2-b*d*e+c*d^2)/(d*g-e*f)*ln(e*x+d)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x+d)/(g*x+f)/(c*x^2+b*x+a),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?
```

**mupad** [B] time = 19.25, size = 12173, normalized size = 49.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((f + g*x)*(d + e*x)*(a + b*x + c*x^2)),x)
```

```
[Out] (log(6*a^2*c^4*d^5*g^5 + 6*a^2*c^4*e^5*f^5 - a^3*b^3*e^5*g^5 - a^3*b^2*e^5*g^5*(b^2 - 4*a*c)^(1/2) - c^5*d^3*e^2*f^5*(b^2 - 4*a*c)^(1/2) - c^5*d^5*f^3*g^2*(b^2 - 4*a*c)^(1/2) - 18*a^3*c^3*d^3*e^2*g^5 + b^2*c^4*d^2*e^3*f^5 - 18*a^3*c^3*e^5*f^3*g^2 + b^2*c^4*d^5*f^2*g^3 + 4*a^4*b*c*e^5*g^5 + 4*a^4*c*e^5*g^5*(b^2 - 4*a*c)^(1/2) - 2*a*b^2*c^3*d^5*g^5 - 2*a*b^2*c^3*e^5*f^5 + 2*a*b^5*d^2*e^3*g^5 - 10*a*c^5*d^2*e^3*f^5 + a^2*b^4*d*e^4*g^5 + b*c^5*d^3*e^2*f^5 - 8*a^4*c^2*d*e^4*g^5 + 2*a*b^5*e^5*f^2*g^3 - 10*a*c^5*d^5*f^2*g^3 + a^2*b^4*e^5*f*g^4 + b*c^5*d^5*f^3*g^2 - 8*a^4*c^2*e^5*f*g^4 - a^2*b^4*e^5*g^5*x - 8*a^4*c^2*e^5*g^5*x - 2*b^3*c^3*d^5*g^5*x - 2*b^3*c^3*e^5*f^5*x + 2*b^6*d^2*e^3*g^5*x + 2*c^6*d^3*e^2*f^5*x + 2*b^6*e^5*f^2*g^3*x + 2*c^6*d^5*f^3*g^2*x - 2*a*b*c^3*d^5*g^5*(b^2 - 4*a*c)^(1/2) - 2*a*b*c^3*e^5*f^5*(b^2 -
```

$$\begin{aligned}
& 4*a*c)^{(1/2)} + 7*a*c^4*d*e^4*f^5*(b^2 - 4*a*c)^{(1/2)} + 7*a*c^4*d^5*f*g^4*( \\
& b^2 - 4*a*c)^{(1/2)} + 2*c^5*d^4*e*f^4*g*(b^2 - 4*a*c)^{(1/2)} + 3*a*c^4*d^5*g^ \\
& 5*x*(b^2 - 4*a*c)^{(1/2)} + 3*a*c^4*e^5*f^5*x*(b^2 - 4*a*c)^{(1/2)} + 6*a*b^3*c \\
& ^2*d^4*e*g^5 - 6*a*b^4*c*d^3*e^2*g^5 - 21*a^2*b*c^3*d^4*e*g^5 - 2*a^3*b^2*c \\
& *d*e^4*g^5 + 6*a*b^3*c^2*e^5*f^4*g - 6*a*b^4*c*e^5*f^3*g^2 - 21*a^2*b*c^3*e \\
& ^5*f^4*g - 2*a^3*b^2*c*e^5*f*g^4 + 10*a*c^5*d^3*e^2*f^4*g + 10*a*c^5*d^4*e* \\
& f^3*g^2 + 26*a^2*c^4*d*e^4*f^4*g + 26*a^2*c^4*d^4*e*f*g^4 + 6*a^3*b^2*c*e^5 \\
& *g^5*x - 3*b*c^5*d^2*e^3*f^5*x + 14*a^2*c^4*d^4*e*g^5*x + 5*b^2*c^4*d*e^4*f \\
& ^5*x + 6*b^4*c^2*d^4*e*g^5*x - 6*b^5*c*d^3*e^2*g^5*x - 3*b*c^5*d^5*f^2*g^3* \\
& x + 14*a^2*c^4*e^5*f^4*g*x + 5*b^2*c^4*d^5*f*g^4*x + 6*b^4*c^2*e^5*f^4*g*x \\
& - 6*b^5*c*e^5*f^3*g^2*x + 2*a*b^4*d^2*e^3*g^5*(b^2 - 4*a*c)^{(1/2)} + a^2*b^3 \\
& *d*e^4*g^5*(b^2 - 4*a*c)^{(1/2)} - b*c^4*d^2*e^3*f^5*(b^2 - 4*a*c)^{(1/2)} - 7* \\
& a^2*c^3*d^4*e*g^5*(b^2 - 4*a*c)^{(1/2)} + 2*a*b^4*e^5*f^2*g^3*(b^2 - 4*a*c)^{( \\
& 1/2)} + a^2*b^3*e^5*f*g^4*(b^2 - 4*a*c)^{(1/2)} - b*c^4*d^5*f^2*g^3*(b^2 - 4*a \\
& *c)^{(1/2)} - 7*a^2*c^3*e^5*f^4*g*(b^2 - 4*a*c)^{(1/2)} - a^2*b^3*e^5*g^5*x*(b^ \\
& 2 - 4*a*c)^{(1/2)} - 2*b^2*c^3*d^5*g^5*x*(b^2 - 4*a*c)^{(1/2)} - 2*b^2*c^3*e^5* \\
& f^5*x*(b^2 - 4*a*c)^{(1/2)} + 2*b^5*d^2*e^3*g^5*x*(b^2 - 4*a*c)^{(1/2)} - 5*c^5 \\
& *d^2*e^3*f^5*x*(b^2 - 4*a*c)^{(1/2)} + 2*b^5*e^5*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2 \\
& )} - 5*c^5*d^5*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} - 13*a^2*b^3*c*d^2*e^3*g^5 + 21 \\
& *a^3*b*c^2*d^2*e^3*g^5 - 13*a^2*b^3*c*e^5*f^2*g^3 + 21*a^3*b*c^2*e^5*f^2*g^ \\
& 3 + 2*a^3*c^3*d*e^4*f^2*g^3 + 2*a^3*c^3*d^2*e^3*f*g^4 - b^2*c^4*d^3*e^2*f^4 \\
& *g - b^2*c^4*d^4*e*f^3*g^2 - b^3*c^3*d^2*e^3*f^4*g - b^3*c^3*d^4*e*f^2*g^3 \\
& - b^5*c*d^2*e^3*f^2*g^3 - 10*a^3*c^3*d^2*e^3*g^5*x - 10*a^3*c^3*e^5*f^2*g^3 \\
& *x + 3*a*b*c^4*d*e^4*f^5 + 5*a^3*c^2*d^2*e^3*g^5*(b^2 - 4*a*c)^{(1/2)} + 3*a* \\
& b*c^4*d^5*f*g^4 + 5*a^3*c^2*e^5*f^2*g^3*(b^2 - 4*a*c)^{(1/2)} - 5*a*b^5*d*e^4 \\
& *f*g^4 - 2*b*c^5*d^4*e*f^4*g + 7*a*b*c^4*d^5*g^5*x + 7*a*b*c^4*e^5*f^5*x + \\
& a*b^5*d*e^4*g^5*x - 14*a*c^5*d*e^4*f^5*x + a*b^5*e^5*f*g^4*x - 14*a*c^5*d^5 \\
& *f*g^4*x - 5*b^6*d*e^4*f*g^4*x - 4*c^6*d^4*e*f^4*g*x + 27*a^2*b^2*c^2*d^3*e \\
& ^2*g^5 + 27*a^2*b^2*c^2*e^5*f^3*g^2 - 40*a^2*c^4*d^2*e^3*f^3*g^2 - 40*a^2*c \\
& ^4*d^3*e^2*f^2*g^3 + b^3*c^3*d^3*e^2*f^3*g^2 + b^4*c^2*d^2*e^3*f^3*g^2 + b^ \\
& 4*c^2*d^3*e^2*f^2*g^3 + 32*a*b^3*c^2*d^3*e^2*g^5*x - 35*a^2*b*c^3*d^3*e^2*g \\
& ^5*x + 32*a*b^3*c^2*e^5*f^3*g^2*x - 35*a^2*b*c^3*e^5*f^3*g^2*x + 48*a*c^5*d \\
& ^3*e^2*f^3*g^2*x + 14*a^2*c^4*d*e^4*f^3*g^2*x + 14*a^2*c^4*d^3*e^2*f*g^4*x \\
& + 3*b^2*c^4*d^2*e^3*f^4*g*x + 3*b^2*c^4*d^4*e*f^2*g^3*x + 4*b^4*c^2*d*e^4*f \\
& ^3*g^2*x + 4*b^4*c^2*d^3*e^2*f*g^4*x + 13*a^2*b*c^2*d^3*e^2*g^5*(b^2 - 4*a* \\
& c)^{(1/2)} - 7*a^2*b^2*c*d^2*e^3*g^5*(b^2 - 4*a*c)^{(1/2)} + 13*a^2*b*c^2*e^5*f \\
& ^3*g^2*(b^2 - 4*a*c)^{(1/2)} - 7*a^2*b^2*c*e^5*f^2*g^3*(b^2 - 4*a*c)^{(1/2)} - \\
& 24*a*c^4*d^3*e^2*f^3*g^2*(b^2 - 4*a*c)^{(1/2)} - 7*a^2*c^3*d*e^4*f^3*g^2*(b^2 \\
& - 4*a*c)^{(1/2)} - 7*a^2*c^3*d^3*e^2*f*g^4*(b^2 - 4*a*c)^{(1/2)} + b^2*c^3*d^2 \\
& *e^3*f^4*g*(b^2 - 4*a*c)^{(1/2)} + b^2*c^3*d^4*e*f^2*g^3*(b^2 - 4*a*c)^{(1/2)} \\
& + b^4*c*d^2*e^3*f^2*g^3*(b^2 - 4*a*c)^{(1/2)} - 9*a^2*c^3*d^3*e^2*g^5*x*(b^2 \\
& - 4*a*c)^{(1/2)} - 9*a^2*c^3*e^5*f^3*g^2*x*(b^2 - 4*a*c)^{(1/2)} + 10*a*b^2*c^3 \\
& *d^2*e^3*f^3*g^2 + 10*a*b^2*c^3*d^3*e^2*f^2*g^3 - 23*a*b^3*c^2*d^2*e^3*f^2* \\
& g^3 + 96*a^2*b*c^3*d^2*e^3*f^2*g^3 - 39*a^2*b^2*c^2*d*e^4*f^2*g^3 - 39*a^2* \\
& b^2*c^2*d^2*e^3*f*g^4 + 27*a^2*b^2*c^2*d^2*e^3*g^5*x + 27*a^2*b^2*c^2*e^5*f
\end{aligned}$$

$$\begin{aligned}
& ^2g^3x - 48a^2c^4d^2e^3f^2g^3x - 18b^2c^4d^3e^2f^3g^2x + 17 \\
& *b^3c^3d^2e^3f^3g^2x + 17*b^3c^3d^3e^2f^2g^3x - 27*b^4c^2d^2* \\
& e^3f^2g^3x - 4*a^3b*c*d*e^4g^5*(b^2 - 4*a*c)^{(1/2)} - 4*a^3b*c*e^5f*g \\
& ^4*(b^2 - 4*a*c)^{(1/2)} - 5*a*b^4*d*e^4f*g^4*(b^2 - 4*a*c)^{(1/2)} + 4*a^3b* \\
& c*e^5g^5*x*(b^2 - 4*a*c)^{(1/2)} + a*b^4*d*e^4g^5*x*(b^2 - 4*a*c)^{(1/2)} + 5 \\
& *b*c^4*d*e^4f^5*x*(b^2 - 4*a*c)^{(1/2)} + a*b^4*e^5f*g^4*x*(b^2 - 4*a*c)^{(1 \\
& /2)} + 5*b*c^4*d^5*f*g^4*x*(b^2 - 4*a*c)^{(1/2)} - 5*b^5*d*e^4f*g^4*x*(b^2 - \\
& 4*a*c)^{(1/2)} + 7*a*b*c^4*d^2e^3f^4g + 7*a*b*c^4*d^4e*f^2g^3 - 10*a*b^2 \\
& *c^3*d*e^4f^4g - 10*a*b^2*c^3*d^4e*f*g^4 + 10*a*b^4*c*d*e^4f^2g^3 + 10 \\
& *a*b^4*c*d^2e^3f*g^4 + 19*a^2*b^3*c*d*e^4f*g^4 + 2*a^3*b*c^2*d*e^4f*g^4 \\
& + 24*a^2*c^3*d^2e^3f^2g^3*(b^2 - 4*a*c)^{(1/2)} - b^2*c^3*d^3e^2f^3g^2 \\
& *(b^2 - 4*a*c)^{(1/2)} - b^3*c^2*d^2e^3f^3g^2*(b^2 - 4*a*c)^{(1/2)} - b^3*c^ \\
& 2*d^3e^2f^2g^3*(b^2 - 4*a*c)^{(1/2)} - 26*a*b^2*c^3*d^4e*g^5*x - 14*a*b^4 \\
& *c*d^2e^3g^5*x - 5*a^2*b^3*c*d*e^4g^5*x + 4*a^3*b*c^2*d*e^4g^5*x - 26*a \\
& *b^2*c^3e^5f^4g*x - 14*a*b^4*c*e^5f^2g^3*x - 5*a^2*b^3*c*e^5f*g^4*x + \\
& 4*a^3*b*c^2e^5f*g^4*x - 6*a*c^5*d^2e^3f^4g*x - 6*a*c^5*d^4e*f^2g^3* \\
& x + 12*a^3*c^3*d*e^4f*g^4*x + 3*b*c^5*d^3e^2f^4g*x + 3*b*c^5*d^4e*f^3* \\
& g^2*x - 12*b^3*c^3*d*e^4f^4g*x - 12*b^3*c^3*d^4e*f*g^4*x + 8*b^5*c*d*e^4 \\
& *f^2g^3*x + 8*b^5*c*d^2e^3f*g^4*x + 6*a*b^2*c^2*d^4e*g^5*(b^2 - 4*a*c)^ \\
& (1/2) - 6*a*b^3*c*d^3e^2g^5*(b^2 - 4*a*c)^{(1/2)} + 6*a*b^2*c^2e^5f^4g*( \\
& b^2 - 4*a*c)^{(1/2)} - 6*a*b^3*c*e^5f^3g^2*(b^2 - 4*a*c)^{(1/2)} + 3*a*c^4*d^ \\
& 2e^3f^4g*(b^2 - 4*a*c)^{(1/2)} + 3*a*c^4*d^4e*f^2g^3*(b^2 - 4*a*c)^{(1/2)} \\
& - 6*a^3*c^2*d*e^4f*g^4*(b^2 - 4*a*c)^{(1/2)} + b*c^4*d^3e^2f^4g*(b^2 - 4 \\
& *a*c)^{(1/2)} + b*c^4*d^4e*f^3g^2*(b^2 - 4*a*c)^{(1/2)} - 4*a^3*c^2*d*e^4g^5 \\
& *x*(b^2 - 4*a*c)^{(1/2)} + 6*b^3*c^2*d^4e*g^5*x*(b^2 - 4*a*c)^{(1/2)} - 6*b^4* \\
& c*d^3e^2g^5*x*(b^2 - 4*a*c)^{(1/2)} - 4*a^3*c^2e^5f*g^4*x*(b^2 - 4*a*c)^{( \\
& 1/2)} + 6*b^3*c^2e^5f^4g*x*(b^2 - 4*a*c)^{(1/2)} - 6*b^4*c*e^5f^3g^2*x*(b \\
& ^2 - 4*a*c)^{(1/2)} + 5*c^5*d^3e^2f^4g*x*(b^2 - 4*a*c)^{(1/2)} + 5*c^5*d^4e \\
& *f^3g^2*x*(b^2 - 4*a*c)^{(1/2)} - 16*a*b*c^4*d^3e^2f^3g^2 + 2*a*b^3*c^2*d \\
& *e^4f^3g^2 + 2*a*b^3*c^2*d^3e^2f*g^4 - 5*a^2*b*c^3*d*e^4f^3g^2 - 5*a^ \\
& 2*b*c^3*d^3e^2f*g^4 + 15*b^2*c^3*d^2e^3f^3g^2*x*(b^2 - 4*a*c)^{(1/2)} + \\
& 15*b^2*c^3*d^3e^2f^2g^3*x*(b^2 - 4*a*c)^{(1/2)} - 25*b^3*c^2*d^2e^3f^2g \\
& ^3*x*(b^2 - 4*a*c)^{(1/2)} + 6*a*b^3*c*d*e^4f^2g^3*(b^2 - 4*a*c)^{(1/2)} + 6* \\
& a*b^3*c*d^2e^3f*g^4*(b^2 - 4*a*c)^{(1/2)} + 17*a^2*b^2*c*d*e^4f*g^4*(b^2 - \\
& 4*a*c)^{(1/2)} - 10*a*b^3*c*d^2e^3g^5*x*(b^2 - 4*a*c)^{(1/2)} - 3*a^2*b^2*c* \\
& d*e^4g^5*x*(b^2 - 4*a*c)^{(1/2)} - 10*a*b^3*c*e^5f^2g^3*x*(b^2 - 4*a*c)^{(1 \\
& /2)} - 3*a^2*b^2*c*e^5f*g^4*x*(b^2 - 4*a*c)^{(1/2)} + 5*b*c^4*d^2e^3f^4g*x \\
& *(b^2 - 4*a*c)^{(1/2)} + 5*b*c^4*d^4e*f^2g^3*x*(b^2 - 4*a*c)^{(1/2)} - 12*b^2 \\
& *c^3*d*e^4f^4g*x*(b^2 - 4*a*c)^{(1/2)} - 12*b^2*c^3*d^4e*f*g^4*x*(b^2 - 4* \\
& a*c)^{(1/2)} + 8*b^4*c*d*e^4f^2g^3*x*(b^2 - 4*a*c)^{(1/2)} + 8*b^4*c*d^2e^3* \\
& f*g^4*x*(b^2 - 4*a*c)^{(1/2)} - 60*a*b*c^4*d^2e^3f^3g^2*x - 60*a*b*c^4*d^3 \\
& *e^2f^2g^3*x - 18*a*b^2*c^3*d*e^4f^3g^2*x - 18*a*b^2*c^3*d^3e^2f*g^4* \\
& x - 38*a*b^3*c^2*d*e^4f^2g^3*x - 38*a*b^3*c^2*d^2e^3f*g^4*x + 27*a^2*b* \\
& c^3*d*e^4f^2g^3*x + 27*a^2*b*c^3*d^2e^3f*g^4*x - 36*a^2*b^2*c^2*d*e^4f \\
& *g^4*x + 20*a*b*c^3*d^2e^3f^3g^2*(b^2 - 4*a*c)^{(1/2)} + 20*a*b*c^3*d^3e^
\end{aligned}$$

$$\begin{aligned} & 2*f^2*g^3*(b^2 - 4*a*c)^{(1/2)} + 6*a*b^2*c^2*d*e^4*f^3*g^2*(b^2 - 4*a*c)^{(1/2)} \\ & + 6*a*b^2*c^2*d^3*e^2*f*g^4*(b^2 - 4*a*c)^{(1/2)} - 13*a^2*b*c^2*d*e^4*f^2 \\ & *g^3*(b^2 - 4*a*c)^{(1/2)} - 13*a^2*b*c^2*d^2*e^3*f*g^4*(b^2 - 4*a*c)^{(1/2)} + \\ & 20*a*b^2*c^2*d^3*e^2*g^5*x*(b^2 - 4*a*c)^{(1/2)} + 13*a^2*b*c^2*d^2*e^3*g^5 \\ & x*(b^2 - 4*a*c)^{(1/2)} + 20*a*b^2*c^2*e^5*f^3*g^2*x*(b^2 - 4*a*c)^{(1/2)} + 13 \\ & *a^2*b*c^2*e^5*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} + 41*a*b*c^4*d*e^4*f^4*g*x + 4 \\ & 1*a*b*c^4*d^4*e*f*g^4*x + 28*a*b^4*c*d*e^4*f*g^4*x - 20*a*c^4*d^2*e^3*f^3*g \\ & ^2*x*(b^2 - 4*a*c)^{(1/2)} - 20*a*c^4*d^3*e^2*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} + \\ & a^2*c^3*d*e^4*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} + a^2*c^3*d^2*e^3*f*g^4*x*(b^2 \\ & - 4*a*c)^{(1/2)} - 20*b*c^4*d^3*e^2*f^3*g^2*x*(b^2 - 4*a*c)^{(1/2)} + 4*b^3*c^ \\ & 2*d*e^4*f^3*g^2*x*(b^2 - 4*a*c)^{(1/2)} + 4*b^3*c^2*d^3*e^2*f*g^4*x*(b^2 - 4* \\ & a*c)^{(1/2)} + 114*a*b^2*c^3*d^2*e^3*f^2*g^3*x - 14*a*b*c^3*d*e^4*f^4*g*(b^2 \\ & - 4*a*c)^{(1/2)} - 14*a*b*c^3*d^4*e*f*g^4*(b^2 - 4*a*c)^{(1/2)} - 14*a*b*c^3*d^ \\ & 4*e*g^5*x*(b^2 - 4*a*c)^{(1/2)} - 14*a*b*c^3*e^5*f^4*g*x*(b^2 - 4*a*c)^{(1/2)} \\ & + 13*a*c^4*d*e^4*f^4*g*x*(b^2 - 4*a*c)^{(1/2)} + 13*a*c^4*d^4*e*f*g^4*x*(b^2 \\ & - 4*a*c)^{(1/2)} - 27*a*b^2*c^2*d^2*e^3*f^2*g^3*(b^2 - 4*a*c)^{(1/2)} + 60*a*b \\ & c^3*d^2*e^3*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} - 26*a*b^2*c^2*d*e^4*f^2*g^3*x*(b \\ & ^2 - 4*a*c)^{(1/2)} - 26*a*b^2*c^2*d^2*e^3*f*g^4*x*(b^2 - 4*a*c)^{(1/2)} + 18*a \\ & *b^3*c*d*e^4*f*g^4*x*(b^2 - 4*a*c)^{(1/2)} - 6*a*b*c^3*d*e^4*f^3*g^2*x*(b^2 - \\ & 4*a*c)^{(1/2)} - 6*a*b*c^3*d^3*e^2*f*g^4*x*(b^2 - 4*a*c)^{(1/2)} - 2*a^2*b*c^2 \\ & *d*e^4*f*g^4*x*(b^2 - 4*a*c)^{(1/2))* (b^2*c*d*g - 4*a*c^2*d*g - 4*a*c^2*e*f \\ & - b^3*e*g + b^2*c*e*f - 2*c^2*d*f*(b^2 - 4*a*c)^{(1/2)} - b^2*e*g*(b^2 - 4*a* \\ & c)^{(1/2)} + 4*a*b*c*e*g + 2*a*c*e*g*(b^2 - 4*a*c)^{(1/2)} + b*c*d*g*(b^2 - 4*a \\ & *c)^{(1/2)} + b*c*e*f*(b^2 - 4*a*c)^{(1/2)))/(2*(4*a*c^3*d^2*f^2 + 4*a^3*c*e^2 \\ & *g^2 - a^2*b^2*e^2*g^2 + 4*a^2*c^2*d^2*g^2 + 4*a^2*c^2*e^2*f^2 - b^2*c^2*d^ \\ & 2*f^2 + a*b^3*d*e*g^2 + b^3*c*d*e*f^2 + a*b^3*e^2*f*g + b^3*c*d^2*f*g - a*b \\ & ^2*c*d^2*g^2 - a*b^2*c*e^2*f^2 - b^4*d*e*f*g - 4*a*b*c^2*d*e*f^2 - 4*a^2*b* \\ & c*d*e*g^2 - 4*a*b*c^2*d^2*f*g - 4*a^2*b*c*e^2*f*g + 4*a*b^2*c*d*e*f*g)) - ( \\ & \log(6*a^2*c^4*d^5*g^5 + 6*a^2*c^4*e^5*f^5 - a^3*b^3*e^5*g^5 + a^3*b^2*e^5*g \\ & ^5*(b^2 - 4*a*c)^{(1/2)} + c^5*d^3*e^2*f^5*(b^2 - 4*a*c)^{(1/2)} + c^5*d^5*f^3* \\ & g^2*(b^2 - 4*a*c)^{(1/2)} - 18*a^3*c^3*d^3*e^2*g^5 + b^2*c^4*d^2*e^3*f^5 - 18 \\ & *a^3*c^3*e^5*f^3*g^2 + b^2*c^4*d^5*f^2*g^3 + 4*a^4*b*c*e^5*g^5 - 4*a^4*c*e^ \\ & 5*g^5*(b^2 - 4*a*c)^{(1/2)} - 2*a*b^2*c^3*d^5*g^5 - 2*a*b^2*c^3*e^5*f^5 + 2*a \\ & *b^5*d^2*e^3*g^5 - 10*a*c^5*d^2*e^3*f^5 + a^2*b^4*d*e^4*g^5 + b*c^5*d^3*e^2 \\ & *f^5 - 8*a^4*c^2*d*e^4*g^5 + 2*a*b^5*e^5*f^2*g^3 - 10*a*c^5*d^5*f^2*g^3 + a \\ & ^2*b^4*e^5*f*g^4 + b*c^5*d^5*f^3*g^2 - 8*a^4*c^2*e^5*f*g^4 - a^2*b^4*e^5*g^ \\ & 5*x - 8*a^4*c^2*e^5*g^5*x - 2*b^3*c^3*d^5*g^5*x - 2*b^3*c^3*e^5*f^5*x + 2*b \\ & ^6*d^2*e^3*g^5*x + 2*c^6*d^3*e^2*f^5*x + 2*b^6*e^5*f^2*g^3*x + 2*c^6*d^5*f^ \\ & 3*g^2*x + 2*a*b*c^3*d^5*g^5*(b^2 - 4*a*c)^{(1/2)} + 2*a*b*c^3*e^5*f^5*(b^2 - \\ & 4*a*c)^{(1/2)} - 7*a*c^4*d*e^4*f^5*(b^2 - 4*a*c)^{(1/2)} - 7*a*c^4*d^5*f*g^4*(b \\ & ^2 - 4*a*c)^{(1/2)} - 2*c^5*d^4*e*f^4*g*(b^2 - 4*a*c)^{(1/2)} - 3*a*c^4*d^5*g^5 \\ & *x*(b^2 - 4*a*c)^{(1/2)} - 3*a*c^4*e^5*f^5*x*(b^2 - 4*a*c)^{(1/2)} + 6*a*b^3*c^ \\ & 2*d^4*e*g^5 - 6*a*b^4*c*d^3*e^2*g^5 - 21*a^2*b*c^3*d^4*e*g^5 - 2*a^3*b^2*c \\ & d*e^4*g^5 + 6*a*b^3*c^2*e^5*f^4*g - 6*a*b^4*c*e^5*f^3*g^2 - 21*a^2*b*c^3*e^ \\ & 5*f^4*g - 2*a^3*b^2*c*e^5*f*g^4 + 10*a*c^5*d^3*e^2*f^4*g + 10*a*c^5*d^4*e*f \end{aligned}$$

$$\begin{aligned}
& ^3g^2 + 26a^2c^4d^4e^4f^4g + 26a^2c^4d^4e^4f^4g + 6a^3b^2c^4e^5g^5x - 3b^5c^5d^2e^3f^5x + 14a^2c^4d^4e^4g^5x + 5b^2c^4d^4e^4f^5x \\
& + 6b^4c^2d^4e^4g^5x - 6b^5c^4d^3e^2g^5x - 3b^5c^5d^5f^2g^3x + 14a^2c^4e^5f^4g^5x + 5b^2c^4d^5f^4g^5x + 6b^4c^2e^5f^4g^5x - \\
& 6b^5c^4e^5f^3g^2x - 2a^2b^4d^2e^3g^5(b^2 - 4ac)^{(1/2)} - a^2b^3d^4e^4g^5(b^2 - 4ac)^{(1/2)} + b^5c^4d^2e^3f^5(b^2 - 4ac)^{(1/2)} + 7a^2c^3d^4e^4g^5(b^2 - 4ac)^{(1/2)} \\
& - 2a^2b^4e^5f^2g^3(b^2 - 4ac)^{(1/2)} - a^2b^3e^5f^4g^4(b^2 - 4ac)^{(1/2)} + b^5c^4d^5f^2g^3(b^2 - 4ac)^{(1/2)} + 7a^2c^3e^5f^4g^5(b^2 - 4ac)^{(1/2)} + a^2b^3e^5g^5x(b^2 - 4ac)^{(1/2)} \\
& + 2b^2c^3d^5g^5x(b^2 - 4ac)^{(1/2)} + 2b^2c^3e^5f^5x(b^2 - 4ac)^{(1/2)} - 2b^5d^2e^3g^5x(b^2 - 4ac)^{(1/2)} + 5c^5d^2e^3f^5x(b^2 - 4ac)^{(1/2)} - 2b^5e^5f^2g^3x(b^2 - 4ac)^{(1/2)} \\
& + 5c^5d^5f^2g^3x(b^2 - 4ac)^{(1/2)} - 13a^2b^3c^4d^2e^3g^5 + 21a^3b^2c^4d^2e^3g^5 - 13a^2b^3c^4e^5f^2g^3 + 21a^3b^2c^4e^5f^2g^3 + 2a^3c^3d^4e^4f^2g^3 + 2a^3c^3d^2e^3f^4g^4 - b^2c^4d^3e^2f^4g \\
& - b^2c^4d^4e^4f^3g^2 - b^3c^3d^2e^3f^4g - b^3c^3d^4e^4f^2g^3 - b^5c^4d^2e^3f^2g^3 - 10a^3c^3d^2e^3g^5x - 10a^3c^3e^5f^2g^3x + 3a^2b^3c^4d^4e^4f^5 - 5a^3c^2d^2e^3g^5(b^2 - 4ac)^{(1/2)} + 3a^2b^3c^4d^5f^4g^4 - 5a^3c^2e^5f^2g^3(b^2 - 4ac)^{(1/2)} - 5a^2b^5d^4e^4f^4g^4 - 2b^5c^5d^4e^4f^4g + 7a^2b^3c^4d^5g^5x + 7a^2b^3c^4e^5f^5x + a^2b^5d^4e^4g^5x - 14a^2c^5d^4e^4f^5x + a^2b^5e^5f^4g^4x - 14a^2c^5d^5f^4g^4x - 5b^6d^4e^4f^4g^4x - 4c^6d^4e^4f^4g^4x + 27a^2b^2c^2d^3e^2g^5 + 27a^2b^2c^2e^5f^3g^2 - 40a^2c^4d^2e^3f^3g^2 - 40a^2c^4d^3e^2f^2g^3 + b^3c^3d^3e^2f^3g^2 + b^4c^2d^2e^3f^3g^2 + b^4c^2d^3e^2f^2g^3 + 32a^2b^3c^2d^3e^2g^5x - 35a^2b^3c^3d^3e^2g^5x + 32a^2b^3c^2e^5f^3g^2x - 35a^2b^3c^3e^5f^3g^2x + 48a^2c^5d^3e^2f^3g^2x + 14a^2c^4d^4e^4f^3g^2x + 14a^2c^4d^3e^2f^4g^4x + 3b^2c^4d^2e^3f^4g^5x + 3b^2c^4d^4e^4f^2g^3x + 4b^4c^2d^4e^4f^3g^2x + 4b^4c^2d^3e^2f^4g^4x - 13a^2b^3c^2d^3e^2g^5(b^2 - 4ac)^{(1/2)} + 7a^2b^2c^4d^2e^3g^5(b^2 - 4ac)^{(1/2)} - 13a^2b^3c^2e^5f^3g^2(b^2 - 4ac)^{(1/2)} + 7a^2b^2c^4e^5f^2g^3(b^2 - 4ac)^{(1/2)} + 24a^2c^4d^3e^2f^3g^2(b^2 - 4ac)^{(1/2)} + 7a^2c^3d^4e^4f^3g^2(b^2 - 4ac)^{(1/2)} + 7a^2c^3d^3e^2f^4g^4(b^2 - 4ac)^{(1/2)} - b^2c^3d^2e^3f^4g^5(b^2 - 4ac)^{(1/2)} - b^2c^3d^4e^4f^2g^3(b^2 - 4ac)^{(1/2)} + 9a^2c^3d^3e^2g^5x(b^2 - 4ac)^{(1/2)} + 9a^2c^3e^5f^3g^2x(b^2 - 4ac)^{(1/2)} + 10a^2b^2c^3d^2e^3f^3g^2 + 10a^2b^2c^3d^3e^2f^2g^3 - 23a^2b^3c^2d^2e^3f^2g^3 + 96a^2b^3c^3d^2e^3f^2g^3 - 39a^2b^2c^2d^2e^4f^2g^3 - 39a^2b^2c^2d^2e^3f^4g^4 + 27a^2b^2c^2d^2e^3g^5x + 27a^2b^2c^2e^5f^2g^3x - 48a^2c^4d^2e^3f^2g^3x - 18b^2c^4d^3e^2f^3g^2x + 17b^3c^3d^2e^3f^3g^2x + 17b^3c^3d^3e^2f^2g^3x - 27b^4c^2d^2e^3f^2g^3x + 4a^3b^3c^4d^4e^4g^5(b^2 - 4ac)^{(1/2)} + 4a^3b^3c^4e^5f^4g^4(b^2 - 4ac)^{(1/2)} + 5a^2b^4d^4e^4f^4g^4(b^2 - 4ac)^{(1/2)} - 4a^3b^3c^4e^5g^5x(b^2 - 4ac)^{(1/2)} - a^2b^4d^4e^4g^5x(b^2 - 4ac)^{(1/2)} - 5b^5c^4d^4e^4f^5x(b^2 - 4ac)^{(1/2)} - a^2b^4e^5f^4g^4x(b^2 - 4ac)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& 2) - 5*b*c^4*d^5*f*g^4*x*(b^2 - 4*a*c)^{(1/2)} + 5*b^5*d*e^4*f*g^4*x*(b^2 - 4 \\
& *a*c)^{(1/2)} + 7*a*b*c^4*d^2*e^3*f^4*g + 7*a*b*c^4*d^4*e*f^2*g^3 - 10*a*b^2* \\
& c^3*d*e^4*f^4*g - 10*a*b^2*c^3*d^4*e*f*g^4 + 10*a*b^4*c*d*e^4*f^2*g^3 + 10* \\
& a*b^4*c*d^2*e^3*f*g^4 + 19*a^2*b^3*c*d*e^4*f*g^4 + 2*a^3*b*c^2*d*e^4*f*g^4 \\
& - 24*a^2*c^3*d^2*e^3*f^2*g^3*(b^2 - 4*a*c)^{(1/2)} + b^2*c^3*d^3*e^2*f^3*g^2* \\
& (b^2 - 4*a*c)^{(1/2)} + b^3*c^2*d^2*e^3*f^3*g^2*(b^2 - 4*a*c)^{(1/2)} + b^3*c^2 \\
& *d^3*e^2*f^2*g^3*(b^2 - 4*a*c)^{(1/2)} - 26*a*b^2*c^3*d^4*e*g^5*x - 14*a*b^4* \\
& c*d^2*e^3*g^5*x - 5*a^2*b^3*c*d*e^4*g^5*x + 4*a^3*b*c^2*d*e^4*g^5*x - 26*a* \\
& b^2*c^3*e^5*f^4*g*x - 14*a*b^4*c*e^5*f^2*g^3*x - 5*a^2*b^3*c*e^5*f*g^4*x + \\
& 4*a^3*b*c^2*e^5*f*g^4*x - 6*a*c^5*d^2*e^3*f^4*g*x - 6*a*c^5*d^4*e*f^2*g^3*x \\
& + 12*a^3*c^3*d*e^4*f*g^4*x + 3*b*c^5*d^3*e^2*f^4*g*x + 3*b*c^5*d^4*e*f^3*g \\
& ^2*x - 12*b^3*c^3*d*e^4*f^4*g*x - 12*b^3*c^3*d^4*e*f*g^4*x + 8*b^5*c*d*e^4* \\
& f^2*g^3*x + 8*b^5*c*d^2*e^3*f*g^4*x - 6*a*b^2*c^2*d^4*e*g^5*(b^2 - 4*a*c)^{(1/2)} \\
& + 6*a*b^3*c*d^3*e^2*g^5*(b^2 - 4*a*c)^{(1/2)} - 6*a*b^2*c^2*e^5*f^4*g*(b \\
& ^2 - 4*a*c)^{(1/2)} + 6*a*b^3*c*e^5*f^3*g^2*(b^2 - 4*a*c)^{(1/2)} - 3*a*c^4*d^2 \\
& *e^3*f^4*g*(b^2 - 4*a*c)^{(1/2)} - 3*a*c^4*d^4*e*f^2*g^3*(b^2 - 4*a*c)^{(1/2)} \\
& + 6*a^3*c^2*d*e^4*f*g^4*(b^2 - 4*a*c)^{(1/2)} - b*c^4*d^3*e^2*f^4*g*(b^2 - 4* \\
& a*c)^{(1/2)} - b*c^4*d^4*e*f^3*g^2*(b^2 - 4*a*c)^{(1/2)} + 4*a^3*c^2*d*e^4*g^5* \\
& x*(b^2 - 4*a*c)^{(1/2)} - 6*b^3*c^2*d^4*e*g^5*x*(b^2 - 4*a*c)^{(1/2)} + 6*b^4*c \\
& *d^3*e^2*g^5*x*(b^2 - 4*a*c)^{(1/2)} + 4*a^3*c^2*e^5*f*g^4*x*(b^2 - 4*a*c)^{(1/2)} \\
& - 6*b^3*c^2*e^5*f^4*g*x*(b^2 - 4*a*c)^{(1/2)} + 6*b^4*c*e^5*f^3*g^2*x*(b^2 \\
& - 4*a*c)^{(1/2)} - 5*c^5*d^3*e^2*f^4*g*x*(b^2 - 4*a*c)^{(1/2)} - 5*c^5*d^4*e* \\
& f^3*g^2*x*(b^2 - 4*a*c)^{(1/2)} - 16*a*b*c^4*d^3*e^2*f^3*g^2 + 2*a*b^3*c^2*d* \\
& e^4*f^3*g^2 + 2*a*b^3*c^2*d^3*e^2*f*g^4 - 5*a^2*b*c^3*d*e^4*f^3*g^2 - 5*a^2 \\
& *b*c^3*d^3*e^2*f*g^4 - 15*b^2*c^3*d^2*e^3*f^3*g^2*x*(b^2 - 4*a*c)^{(1/2)} - 1 \\
& 5*b^2*c^3*d^3*e^2*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} + 25*b^3*c^2*d^2*e^3*f^2*g^ \\
& 3*x*(b^2 - 4*a*c)^{(1/2)} - 6*a*b^3*c*d*e^4*f^2*g^3*(b^2 - 4*a*c)^{(1/2)} - 6*a \\
& *b^3*c*d^2*e^3*f*g^4*(b^2 - 4*a*c)^{(1/2)} - 17*a^2*b^2*c*d*e^4*f*g^4*(b^2 - \\
& 4*a*c)^{(1/2)} + 10*a*b^3*c*d^2*e^3*g^5*x*(b^2 - 4*a*c)^{(1/2)} + 3*a^2*b^2*c*d \\
& *e^4*g^5*x*(b^2 - 4*a*c)^{(1/2)} + 10*a*b^3*c*e^5*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} \\
& + 3*a^2*b^2*c*e^5*f*g^4*x*(b^2 - 4*a*c)^{(1/2)} - 5*b*c^4*d^2*e^3*f^4*g*x* \\
& (b^2 - 4*a*c)^{(1/2)} - 5*b*c^4*d^4*e*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} + 12*b^2*c \\
& ^3*d*e^4*f^4*g*x*(b^2 - 4*a*c)^{(1/2)} + 12*b^2*c^3*d^4*e*f*g^4*x*(b^2 - 4*a \\
& *c)^{(1/2)} - 8*b^4*c*d*e^4*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} - 8*b^4*c*d^2*e^3*f \\
& *g^4*x*(b^2 - 4*a*c)^{(1/2)} - 60*a*b*c^4*d^2*e^3*f^3*g^2*x - 60*a*b*c^4*d^3* \\
& e^2*f^2*g^3*x - 18*a*b^2*c^3*d*e^4*f^3*g^2*x - 18*a*b^2*c^3*d^3*e^2*f*g^4*x \\
& - 38*a*b^3*c^2*d*e^4*f^2*g^3*x - 38*a*b^3*c^2*d^2*e^3*f*g^4*x + 27*a^2*b*c \\
& ^3*d*e^4*f^2*g^3*x + 27*a^2*b*c^3*d^2*e^3*f*g^4*x - 36*a^2*b^2*c^2*d*e^4*f*f \\
& g^4*x - 20*a*b*c^3*d^2*e^3*f^3*g^2*(b^2 - 4*a*c)^{(1/2)} - 20*a*b*c^3*d^3*e^2 \\
& *f^2*g^3*(b^2 - 4*a*c)^{(1/2)} - 6*a*b^2*c^2*d*e^4*f^3*g^2*(b^2 - 4*a*c)^{(1/2)} \\
& ) - 6*a*b^2*c^2*d^3*e^2*f*g^4*(b^2 - 4*a*c)^{(1/2)} + 13*a^2*b*c^2*d*e^4*f^2* \\
& g^3*(b^2 - 4*a*c)^{(1/2)} + 13*a^2*b*c^2*d^2*e^3*f*g^4*(b^2 - 4*a*c)^{(1/2)} - \\
& 20*a*b^2*c^2*d^3*e^2*g^5*x*(b^2 - 4*a*c)^{(1/2)} - 13*a^2*b*c^2*d^2*e^3*g^5*x \\
& *(b^2 - 4*a*c)^{(1/2)} - 20*a*b^2*c^2*e^5*f^3*g^2*x*(b^2 - 4*a*c)^{(1/2)} - 13* \\
& a^2*b*c^2*e^5*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} + 41*a*b*c^4*d*e^4*f^4*g*x + 41
\end{aligned}$$

$$\begin{aligned}
& *a*b*c^4*d^4*e*f*g^4*x + 28*a*b^4*c*d*e^4*f*g^4*x + 20*a*c^4*d^2*e^3*f^3*g^4 \\
& 2*x*(b^2 - 4*a*c)^{(1/2)} + 20*a*c^4*d^3*e^2*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} - a^2*c^3*d^2*e^3*f*g^4*x*(b^2 \\
& - 4*a*c)^{(1/2)} + 20*b*c^4*d^3*e^2*f^3*g^2*x*(b^2 - 4*a*c)^{(1/2)} - 4*b^3*c^2 \\
& *d*e^4*f^3*g^2*x*(b^2 - 4*a*c)^{(1/2)} - 4*b^3*c^2*d^3*e^2*f*g^4*x*(b^2 - 4*a \\
& *c)^{(1/2)} + 114*a*b^2*c^3*d^2*e^3*f^2*g^3*x + 14*a*b*c^3*d*e^4*f^4*g*(b^2 - \\
& 4*a*c)^{(1/2)} + 14*a*b*c^3*d^4*e*f*g^4*(b^2 - 4*a*c)^{(1/2)} + 14*a*b*c^3*d^4 \\
& *e*g^5*x*(b^2 - 4*a*c)^{(1/2)} + 14*a*b*c^3*e^5*f^4*g*x*(b^2 - 4*a*c)^{(1/2)} - \\
& 13*a*c^4*d*e^4*f^4*g*x*(b^2 - 4*a*c)^{(1/2)} - 13*a*c^4*d^4*e*f*g^4*x*(b^2 - \\
& 4*a*c)^{(1/2)} + 27*a*b^2*c^2*d^2*e^3*f^2*g^3*(b^2 - 4*a*c)^{(1/2)} - 60*a*b*c \\
& ^3*d^2*e^3*f^2*g^3*x*(b^2 - 4*a*c)^{(1/2)} + 26*a*b^2*c^2*d*e^4*f^2*g^3*x*(b^2 \\
& - 4*a*c)^{(1/2)} + 26*a*b^2*c^2*d^2*e^3*f*g^4*x*(b^2 - 4*a*c)^{(1/2)} - 18*a* \\
& b^3*c*d*e^4*f*g^4*x*(b^2 - 4*a*c)^{(1/2)} + 6*a*b*c^3*d*e^4*f^3*g^2*x*(b^2 - \\
& 4*a*c)^{(1/2)} + 6*a*b*c^3*d^3*e^2*f*g^4*x*(b^2 - 4*a*c)^{(1/2)} + 2*a^2*b*c^2* \\
& d*e^4*f*g^4*x*(b^2 - 4*a*c)^{(1/2)}*(b^3*e*g + 4*a*c^2*d*g + 4*a*c^2*e*f - b \\
& ^2*c*d*g - b^2*c*e*f - 2*c^2*d*f*(b^2 - 4*a*c)^{(1/2)} - b^2*e*g*(b^2 - 4*a*c \\
& )^{(1/2)} - 4*a*b*c*e*g + 2*a*c*e*g*(b^2 - 4*a*c)^{(1/2)} + b*c*d*g*(b^2 - 4*a* \\
& c)^{(1/2)} + b*c*e*f*(b^2 - 4*a*c)^{(1/2)))/(2*(4*a*c^3*d^2*f^2 + 4*a^3*c*e^2* \\
& g^2 - a^2*b^2*e^2*g^2 + 4*a^2*c^2*d^2*g^2 + 4*a^2*c^2*e^2*f^2 - b^2*c^2*d^2 \\
& *f^2 + a*b^3*d*e*g^2 + b^3*c*d*e*f^2 + a*b^3*e^2*f*g + b^3*c*d^2*f*g - a*b^ \\
& 2*c*d^2*g^2 - a*b^2*c*e^2*f^2 - b^4*d*e*f*g - 4*a*b*c^2*d*e*f^2 - 4*a^2*b*c \\
& *d*e*g^2 - 4*a*b*c^2*d^2*f*g - 4*a^2*b*c*e^2*f*g + 4*a*b^2*c*d*e*f*g)) + (e \\
& ^2*log(d + e*x))/(a*e^3*f - c*d^3*g - a*d*e^2*g - b*d*e^2*f + b*d^2*e*g + c \\
& *d^2*e*f) + (g^2*log(f + g*x))/(a*d*g^3 - c*e*f^3 - a*e*f*g^2 - b*d*f*g^2 + \\
& b*e*f^2*g + c*d*f^2*g)
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x\*\*2+b\*x+a),x)

[Out] Timed out



$$3.561 \quad \int \frac{1}{(d+ex)(f+gx)(a+bx+cx^2)^2} dx$$

**Optimal.** Leaf size=644

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right) \left(2ceg(a^2e^2g^2 + abeg(dg+ef) - b^2(dg+ef)^2) + b^2e^2g^2(-2aeg + bdg + bef) - c^2(4ade^2fg^2 - \sqrt{b^2-4ac}(ae^2 - bde + cd^2)^2(cf^2 - g(bf - a$$

**Rubi [A]** time = 2.05, antiderivative size = 644, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {893, 638, 618, 206, 634, 628}

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right) \left(2ceg(a^2e^2g^2 + abeg(dg+ef) - b^2(dg+ef)^2) + b^2e^2g^2(-2aeg + bdg + bef) - c^2(4ade^2fg^2 - \sqrt{b^2-4ac}(ae^2 - bde + cd^2)^2(cf^2 - g(bf - a$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x^2)^2), x]

[Out] -((b^3\*e\*g - b^2\*c\*(e\*f + d\*g) + 2\*a\*c^2\*(e\*f + d\*g) + b\*c\*(c\*d\*f - 3\*a\*e\*g) + c\*(2\*c^2\*d\*f + b^2\*e\*g - c\*(b\*e\*f + b\*d\*g + 2\*a\*e\*g))\*x)/((b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)\*(c\*f^2 - g\*(b\*f - a\*g))\*(a + b\*x + c\*x^2)) + (2\*c\*(2\*c^2\*d\*f + b^2\*e\*g - c\*(b\*e\*f + b\*d\*g + 2\*a\*e\*g))\*ArcTanh[(b + 2\*c\*x)/Sqrt[b^2 - 4\*a\*c]])/((b^2 - 4\*a\*c)^(3/2)\*(c\*d^2 - b\*d\*e + a\*e^2)\*(c\*f^2 - g\*(b\*f - a\*g))) + ((b^2\*e^2\*g^2\*(b\*e\*f + b\*d\*g - 2\*a\*e\*g) - 2\*c^3\*d\*f\*(e^2\*f^2 + d\*e\*f\*g + d^2\*g^2) + 2\*c\*e\*g\*(a^2\*e^2\*g^2 + a\*b\*e\*g\*(e\*f + d\*g) - b^2\*(e\*f + d\*g)^2) - c^2\*(4\*a\*d\*e^2\*f\*g^2 - b\*(e^3\*f^3 + 5\*d\*e^2\*f^2\*g + 5\*d^2\*e\*f\*g^2 + d^3\*g^3)))\*ArcTanh[(b + 2\*c\*x)/Sqrt[b^2 - 4\*a\*c]])/(Sqrt[b^2 - 4\*a\*c]\*(c\*d^2 - b\*d\*e + a\*e^2)^2\*(c\*f^2 - g\*(b\*f - a\*g))^2) + (e^4\*Log[d + e\*x])/((c\*d^2 - b\*d\*e + a\*e^2)^2\*(e\*f - d\*g)) - (g^4\*Log[f + g\*x])/((e\*f - d\*g)\*(c\*f^2 - b\*f\*g + a\*g^2)^2) - ((c\*e\*f + c\*d\*g - b\*e\*g)\*(c\*(e^2\*f^2 + d^2\*g^2) + e\*g\*(2\*a\*e\*g - b\*(e\*f + d\*g)))\*Log[a + b\*x + c\*x^2])/(2\*(c\*d^2 - b\*d\*e + a\*e^2)^2\*(c\*f^2 - g\*(b\*f - a\*g))^2)

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 638

```
Int[((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol
] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p +
1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a
*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 893

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g
*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ
[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && I
ntegerQ[p] && ((EqQ[p, 1] && IntegerQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0])
)
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex)(f+gx)(a+bx+cx^2)^2} dx &= \int \left( -\frac{e^5}{(cd^2 - bde + ae^2)^2 (-ef + dg)(d+ex)} - \frac{g^5}{(ef - dg)(cf^2 - bfg + ag^2)} \right) dx \\
&= \frac{e^4 \log(d+ex)}{(cd^2 - bde + ae^2)^2 (ef - dg)} - \frac{g^4 \log(f+gx)}{(ef - dg)(cf^2 - bfg + ag^2)^2} + \int \frac{-b^2 e^2}{(cd^2 - bde + ae^2)^2} dx \\
&= -\frac{b^3 eg - b^2 c(ef + dg) + 2ac^2(ef + dg) + bc(cdf - 3aeg) + c(2c^2 df + b^2 eg)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(cf^2 - g(bf - ag))} \left( a + x(b + cx) \right) \\
&= -\frac{b^3 eg - b^2 c(ef + dg) + 2ac^2(ef + dg) + bc(cdf - 3aeg) + c(2c^2 df + b^2 eg)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(cf^2 - g(bf - ag))} \left( a + x(b + cx) \right) \\
&= -\frac{b^3 eg - b^2 c(ef + dg) + 2ac^2(ef + dg) + bc(cdf - 3aeg) + c(2c^2 df + b^2 eg)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(cf^2 - g(bf - ag))} \left( a + x(b + cx) \right)
\end{aligned}$$

**Mathematica [A]** time = 2.63, size = 710, normalized size = 1.10

Integrate[1/((d+e\*x)\*(f+g\*x)\*(a+b\*x+c\*x^2)^2),x]

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x^2)^2),x]

[Out]  $(-b^3 e g + b^2 c (d g + e (f - g x)) - 2 c^2 (a d g + c d f x + a e (f - g x)) + b c (3 a e g + c (-d f) + e f x + d g x)) / ((b^2 - 4 a c) (-c d^2 + e (b d - a e)) (-c f^2 + g (b f - a g)) (a + x (b + c x))) + ((4 c^5 d^3 f^3 + b^4 e^2 g^2 (b e f + b d g - 2 a e g) - 2 b^2 c e g (-6 a^2 e^2 g^2 + 2 a b e g (e f + d g) + b^2 (e^2 f^2 + d e f g + d^2 g^2)) + 2 c^4 d f (-3 b d f (e f + d g) + 2 a (3 e^2 f^2 + d e f g + 3 d^2 g^2)) + c^2 (-12 a^3 e^3 g^3 - 6 a^2 b e^2 g^2 (e f + d g) + 12 a b^2 e g (e^2 f^2 + d e f g + d^2 g^2) + b^3 (e^3 f^3 + d e^2 f^2 g + d^2 e f g^2 + d^3 g^3)) - 2 c^3 (-4 b^2 d^2 e f^2 g + 2 a^2 e g (e^2 f^2 - 5 d e f g + d^2 g^2) + a b (3 e^3 f^3 + 11 d e^2 f^2 g + 11 d^2 e f g^2 + 3 d^3 g^3))) \operatorname{ArcTan}[b + 2 c x / \operatorname{Sqrt}[-b^2 + 4 a c]] / ((-b^2 + 4 a c)^{3/2} (c d^2 + e (-b d) + a e))^{2 (c f^2 + g (-b f) + a g)^2} + (e^4 \operatorname{Log}[d + e x]) / ((c d^2 + e (-b d) + a e))^{2 (e f - d g)} - (g^4 \operatorname{Log}[f + g x]) / ((e f - d g) (c f^2 + g (-b f) + a g))^2 - ((c e f + c d g - b e g) (c (e^2 f^2 + d^2 g^2) + e g (2 a e g - b (e f + d g))) \operatorname{Log}[a + x (b + c x)]) / (2 (c d^2 + e (-b d) + a e))^{2 (c f^2 + g (-b f) + a g)^2}$

IntegrateAlgebraic [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex)(f + gx)(a + bx + cx^2)^2} dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x^2)^2), x]

[Out] IntegrateAlgebraic[1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x^2)^2), x]

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.28, size = 3315, normalized size = 5.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a)^2,x, algorithm="giac")

[Out] 
$$g^5 \log(\text{abs}(g*x + f)) / (c^2*d*f^4*g^2 - 2*b*c*d*f^3*g^3 + b^2*d*f^2*g^4 + 2*a*c*d*f^2*g^4 - 2*a*b*d*f*g^5 + a^2*d*g^6 - c^2*f^5*g*e + 2*b*c*f^4*g^2*e - b^2*f^3*g^3*e - 2*a*c*f^3*g^3*e + 2*a*b*f^2*g^4*e - a^2*f*g^5*e) - 1/2*(c^2*d^3*g^3 + c^2*d^2*f*g^2*e - 2*b*c*d^2*g^3*e + c^2*d*f^2*g*e^2 - 2*b*c*d*f*g^2*e^2 + b^2*d*g^3*e^2 + 2*a*c*d*g^3*e^2 + c^2*f^3*e^3 - 2*b*c*f^2*g*e^3 + b^2*f*g^2*e^3 + 2*a*c*f*g^2*e^3 - 2*a*b*g^3*e^3) * \log(c*x^2 + b*x + a) / (c^4*d^4*f^4 - 2*b*c^3*d^4*f^3*g + b^2*c^2*d^4*f^2*g^2 + 2*a*c^3*d^4*f^2*g^2 - 2*a*b*c^2*d^4*f*g^3 + a^2*c^2*d^4*g^4 - 2*b*c^3*d^3*f^4*e + 4*b^2*c^2*d^3*f^3*g*e - 2*b^3*c*d^3*f^2*g^2*e - 4*a*b*c^2*d^3*f^2*g^2*e + 4*a*b^2*c*d^3*f*g^3*e - 2*a^2*b*c*d^3*g^4*e + b^2*c^2*d^2*f^4*e^2 + 2*a*c^3*d^2*f^4*e^2 - 2*b^3*c*d^2*f^3*g*e^2 - 4*a*b*c^2*d^2*f^3*g*e^2 + b^4*d^2*f^2*g^2*e^2 + 4*a*b^2*c*d^2*f^2*g^2*e^2 + 4*a^2*c^2*d^2*f^2*g^2*e^2 - 2*a*b^3*d^2*f*g^3*e^2 - 4*a^2*b*c*d^2*f*g^3*e^2 + a^2*b^2*d^2*g^4*e^2 + 2*a^3*c*d^2*g^4*e^2 - 2*a*b*c^2*d*f^4*e^3 + 4*a*b^2*c*d*f^3*g*e^3 - 2*a*b^3*d*f^2*g^2*e^3 - 4*a^2*b*c*d*f^2*g^2*e^3 + 4*a^2*b^2*d*f*g^3*e^3 - 2*a^3*b*d*g^4*e^3 + a^2*c^2*f^4*e^4 - 2*a^2*b*c*f^3*g*e^4 + a^2*b^2*f^2*g^2*e^4 + 2*a^3*c*f^2*g^2*e^4 - 2*a^3*b*f*g^3*e^4 + a^4*g^4*e^4) - e^5 * \log(\text{abs}(x*e + d)) / (c^2*d^5*g*e - c^2*d^4*f*e^2 - 2*b*c*d^4*g*e^2 + 2*b*c*d^3*f*e^3 + b^2*d^3*g*e^3 + 2*a*c*d^3*g*e^3$$

$$\begin{aligned}
& 3 - b^2 d^2 f^4 e^4 - 2 a^2 c^2 d^2 f^4 e^4 - 2 a^2 b^2 d^2 g^4 e^4 + 2 a^2 b^2 d^2 f^4 e^5 + a^2 \\
& * d^2 g^4 e^5 - a^2 f^4 e^6) - (4 c^5 d^3 f^3 - 6 b^2 c^4 d^3 f^2 g + 12 a^2 c^4 d^3 f \\
& * g^2 + b^3 c^2 d^3 g^3 - 6 a^2 b^2 c^3 d^3 g^3 - 6 b^2 c^4 d^2 f^3 e + 8 b^2 c^3 d^2 f^2 g^2 e + 4 a^2 c^4 d^2 f^2 g^2 e \\
& + b^3 c^2 d^2 f^2 g^2 e - 22 a^2 b^2 c^3 d^2 f^2 g^2 e - 2 b^4 c^2 d^2 f^2 g^2 e - 2 b^4 c^2 d^2 f^2 g^2 e^2 + 12 a^2 b^2 c^2 d^2 f^2 g^2 e^2 \\
& + 20 a^2 c^3 d^2 f^2 g^2 e^2 + b^5 d^2 g^2 e^2 - 4 a^2 b^3 c^2 d^2 g^3 e^2 - 6 a^2 b^2 c^2 d^2 g^3 e^2 + b^3 c^2 f^3 e^3 - 6 a^2 \\
& * b^2 c^3 f^3 e^3 - 2 b^4 c^2 f^2 g^3 e^3 + 12 a^2 b^2 c^2 f^2 g^3 e^3 - 4 a^2 c^3 f^2 g^3 e^3 + b^5 f^2 g^2 e^3 - 4 a^2 b^3 c^2 f^2 g^2 e^3 \\
& - 6 a^2 b^2 c^2 f^2 g^2 e^3 - 2 a^2 b^4 c^2 g^3 e^3 + 12 a^2 b^2 c^2 g^3 e^3 - 12 a^3 c^2 g^3 e^3) * \arctan((2 c x + b) / \sqrt{-b^2 + 4 a c}) / ((b^2 c^4 d^4 f^4 - 4 a^2 c^5 d^4 f^4 - 2 b^3 c^3 d^4 f^3 g + 8 a^2 b^2 c^4 d^4 f^3 g + b^4 c^2 d^4 f^2 g^2 - 2 a^2 b^2 c^3 d^4 f^2 g^2 - 8 a^2 c^4 d^4 f^2 g^2 - 2 a^2 b^3 c^2 d^4 f^2 g^3 + 8 a^2 b^2 c^3 d^4 f^2 g^3 + a^2 b^2 c^2 d^4 g^4 - 4 a^3 c^3 d^4 g^4 - 2 b^3 c^3 d^3 f^4 e + 8 a^2 b^2 c^4 d^3 f^4 e + 4 b^4 c^2 d^3 f^3 g^2 e - 16 a^2 b^2 c^3 d^3 f^3 g^2 e - 2 b^5 c^2 d^3 f^2 g^2 e + 4 a^2 b^3 c^2 d^3 f^2 g^2 e + 16 a^2 b^2 c^3 d^3 f^2 g^2 e + 4 a^2 b^4 c^2 d^3 f^2 g^3 e - 16 a^2 b^2 c^2 d^3 f^2 g^3 e - 2 a^2 b^3 c^2 d^3 g^4 e + 8 a^3 b^2 c^2 d^3 g^4 e + b^4 c^2 d^2 f^4 e^2 - 2 a^2 b^2 c^3 d^2 f^4 e^2 - 8 a^2 c^4 d^2 f^4 e^2 - 2 b^5 c^2 d^2 f^3 g^2 e + 4 a^2 b^3 c^2 d^2 f^3 g^2 e + 16 a^2 b^2 c^3 d^2 f^3 g^2 e + b^6 d^2 f^2 g^2 e^2 - 12 a^2 b^2 c^2 d^2 f^2 g^2 e^2 - 16 a^3 c^3 d^2 f^2 g^2 e^2 - 2 a^2 b^5 d^2 f^2 g^3 e^2 + 4 a^2 b^3 c^2 d^2 f^2 g^3 e^2 + 16 a^3 b^2 c^2 d^2 f^2 g^3 e^2 + a^2 b^4 d^2 g^4 e^2 - 2 a^3 b^2 c^2 d^2 g^4 e^2 - 8 a^4 c^2 d^2 g^4 e^2 - 2 a^2 b^3 c^2 d^2 f^4 e^3 + 8 a^2 b^2 c^3 d^2 f^4 e^3 + 4 a^2 b^4 c^2 d^2 f^3 g^2 e^3 - 16 a^2 b^2 c^2 d^2 f^3 g^2 e^3 - 2 a^2 b^5 d^2 f^2 g^2 e^3 + 4 a^2 b^3 c^2 d^2 f^2 g^2 e^3 + 16 a^3 b^2 c^2 d^2 f^2 g^2 e^3 + 4 a^2 b^4 c^2 d^2 f^2 g^3 e^3 - 16 a^3 b^2 c^2 d^2 f^2 g^3 e^3 - 2 a^3 b^3 d^2 g^4 e^3 + 8 a^4 b^2 c^2 d^2 g^4 e^3 + a^2 b^2 c^2 f^4 e^4 - 4 a^3 c^3 f^4 e^4 - 2 a^2 b^3 c^2 f^3 g^4 e^4 + 8 a^3 b^2 c^2 f^3 g^4 e^4 + a^2 b^4 c^2 f^2 g^4 e^4 - 2 a^3 b^2 c^2 f^2 g^4 e^4 - 8 a^4 c^2 f^2 g^4 e^4 - 2 a^3 b^3 f^2 g^4 e^4 + 8 a^4 b^2 c^2 f^2 g^4 e^4 + a^4 b^2 g^4 e^4 - 4 a^5 c^2 g^4 e^4) * \sqrt{-b^2 + 4 a c}) - (b^2 c^4 d^3 f^3 - 2 b^2 c^3 d^3 f^2 g + 2 a^2 c^4 d^3 f^2 g + b^3 c^2 d^3 f^2 g^2 - a^2 b^2 c^3 d^3 f^2 g^2 - a^2 b^2 c^2 d^3 g^3 + 2 a^2 c^3 d^3 f^3 e + 2 a^2 c^4 d^2 f^3 e + 4 b^3 c^2 d^2 f^2 g^2 e - 7 a^2 b^2 c^3 d^2 f^2 g^2 e - 2 b^4 c^2 d^2 f^2 g^2 e + 3 a^2 b^2 c^2 d^2 f^2 g^2 e + 2 a^2 c^3 d^2 f^2 g^2 e + 2 a^2 b^3 c^2 d^2 g^3 e - 5 a^2 b^2 c^2 d^2 g^3 e + b^3 c^2 d^2 f^3 e^2 - a^2 b^2 c^3 d^2 f^3 e^2 - 2 b^4 c^2 d^2 f^2 g^2 e^2 + 3 a^2 b^2 c^2 d^2 f^2 g^2 e^2 + 2 a^2 c^3 d^2 f^2 g^2 e^2 + b^5 d^2 f^2 g^2 e^2 - a^2 b^3 c^2 d^2 f^2 g^2 e^2 - 3 a^2 b^2 c^2 d^2 f^2 g^2 e^2 - a^2 b^4 d^2 g^3 e^2 + 2 a^2 b^2 c^2 d^2 g^3 e^2 + 2 a^3 c^2 d^2 g^3 e^2 - a^2 b^2 c^2 f^3 e^3 + 2 a^2 c^3 f^3 e^3 + 2 a^2 b^3 c^2 f^2 g^2 e^3 - 5 a^2 b^2 c^2 f^2 g^2 e^3 - a^2 b^4 f^2 g^2 e^3 + 2 a^2 b^2 c^2 c^2 f^2 g^2 e^3 + 2 a^3 c^2 f^2 g^2 e^3 + a^2 b^3 g^3 e^3 - 3 a^3 b^2 c^2 g^3 e^3 + (2 c^5 d^3 f^3 - 3 b^2 c^4 d^3 f^2 g + b^2 c^3 d^3 f^2 g^2 + 2 a^2 c^4 d^3 f^2 g^2 - a^2 b^2 c^3 d^3 g^3 - 3 b^2 c^4 d^2 f^3 e + 5 b^2 c^3 d^2 f^2 g^2 e - 2 a^2 c^4 d^2 f^2 g^2 e - 2 b^3 c^2 d^2 f^2 g^2 e - a^2 b^2 c^3 d^2 f^2 g^2 e + 2 a^2 b^2 c^2 d^2 g^3 e - 2 a^2 c^3 d^2 g^3 e + b^2 c^3 d^2 f^3 e^2 + 2 a^2 c^4 d^2 f^3 e^2 - 2 b^3 c^2
\end{aligned}$$

$$2*d*f^2*g*e^2 - a*b*c^3*d*f^2*g*e^2 + b^4*c*d*f*g^2*e^2 + 2*a^2*c^3*d*f*g^2*e^2 - a*b^3*c*d*g^3*e^2 + a^2*b*c^2*d*g^3*e^2 - a*b*c^3*f^3*e^3 + 2*a*b^2*c^2*f^2*g*e^3 - 2*a^2*c^3*f^2*g*e^3 - a*b^3*c*f*g^2*e^3 + a^2*b*c^2*f*g^2*e^3 + a^2*b^2*c*g^3*e^3 - 2*a^3*c^2*g^3*e^3)*x)/((c*d^2 - b*d*e + a*e^2)^2*(c*f^2 - b*f*g + a*g^2)^2*(c*x^2 + b*x + a)*(b^2 - 4*a*c))$$

**maple [B]** time = 0.05, size = 9103, normalized size = 14.14

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a)^2,x)

[Out] result too large to display

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*a\*c-b^2>0)', see `assume?` for more details)Is 4\*a\*c-b^2 positive or negative?

**mupad [B]** time = 32.63, size = 130035, normalized size = 201.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((f + g\*x)\*(d + e\*x)\*(a + b\*x + c\*x^2)^2),x)

[Out] 
$$\frac{(b^3*e*g + 2*a*c^2*d*g + 2*a*c^2*e*f + b*c^2*d*f - b^2*c*d*g - b^2*c*e*f - 3*a*b*c*e*g)/(4*a*c^3*d^2*f^2 + 4*a^3*c*e^2*g^2 - a^2*b^2*e^2*g^2 + 4*a^2*c^2*d^2*g^2 + 4*a^2*c^2*e^2*f^2 - b^2*c^2*d^2*f^2 + a*b^3*d*e*g^2 + b^3*c*d*e*f^2 + a*b^3*e^2*f*g + b^3*c*d^2*f*g - a*b^2*c*d^2*g^2 - a*b^2*c*e^2*f^2 - b^4*d*e*f*g - 4*a*b*c^2*d*e*f^2 - 4*a^2*b*c*d*e*g^2 - 4*a*b*c^2*d^2*f*g - 4*a^2*b*c*e^2*f*g + 4*a*b^2*c*d*e*f*g) - (x*(2*a*c^2*e*g - 2*c^3*d*f + b*c^2*d*g + b*c^2*e*f - b^2*c*e*g))/(4*a*c^3*d^2*f^2 + 4*a^3*c*e^2*g^2 - a^2*b^2*e^2*g^2 + 4*a^2*c^2*d^2*g^2 + 4*a^2*c^2*e^2*f^2 - b^2*c^2*d^2*f^2 + a*b^3*d*e*g^2 + b^3*c*d*e*f^2 + a*b^3*e^2*f*g + b^3*c*d^2*f*g - a*b^2*c*d^2*g^2 - a*b^2*c*e^2*f^2 - b^4*d*e*f*g - 4*a*b*c^2*d*e*f^2 - 4*a^2*b*c*d*e*g^2 - 4*a*b*c^2*d^2*f*g - 4*a^2*b*c*e^2*f*g + 4*a*b^2*c*d*e*f*g))/(a + b*x + c*x^2)$$

$$\begin{aligned}
& 2) + \text{symsum}(\log((12*a^2*c^5*e^6*g^6 - 3*b^2*c^5*d^2*e^4*g^6 - 3*b^2*c^5*e^6 \\
& *f^2*g^4 + 4*c^7*d^2*e^4*f^2*g^4 - 2*a*b^2*c^4*e^6*g^6 + 16*a*c^6*d^2*e^4*g \\
& ^6 + 3*b^3*c^4*d*e^5*g^6 + 16*a*c^6*d^2*e^4*g^6 + 3*b^3*c^4*e^6*f*g^5 - 4*b \\
& *c^6*d*e^5*f^2*g^4 - 4*b*c^6*d^2*e^4*f*g^5 - 16*a*b*c^5*d*e^5*g^6 - 16*a*b* \\
& c^5*e^6*f*g^5 + 16*a*c^6*d*e^5*f*g^5)/(16*a^2*c^6*d^4*f^4 + a^4*b^4*e^4*g^4 \\
& + 16*a^4*c^4*d^4*g^4 + 16*a^4*c^4*e^4*f^4 + b^4*c^4*d^4*f^4 + 16*a^6*c^2*e \\
& ^4*g^4 + a^2*b^4*c^2*d^4*g^4 + a^2*b^4*c^2*e^4*f^4 - 8*a^3*b^2*c^3*d^4*g^4 \\
& - 8*a^3*b^2*c^3*e^4*f^4 + a^2*b^6*d^2*e^2*g^4 + 32*a^3*c^5*d^2*e^2*f^4 + 32 \\
& *a^5*c^3*d^2*e^2*g^4 + b^6*c^2*d^2*e^2*f^4 + a^2*b^6*e^4*f^2*g^2 + 32*a^3*c \\
& ^5*d^4*f^2*g^2 + 32*a^5*c^3*e^4*f^2*g^2 + b^6*c^2*d^4*f^2*g^2 + b^8*d^2*e^2 \\
& *f^2*g^2 - 8*a*b^2*c^5*d^4*f^4 - 8*a^5*b^2*c*e^4*g^4 - 2*a^3*b^5*d*e^3*g^4 \\
& - 2*b^5*c^3*d^3*e*f^4 - 2*a^3*b^5*e^4*f*g^3 - 2*b^5*c^3*d^4*f^3*g + 16*a*b^ \\
& 3*c^4*d^3*e*f^4 - 2*a*b^5*c^2*d*e^3*f^4 - 32*a^2*b*c^5*d^3*e*f^4 - 32*a^3*b \\
& *c^4*d*e^3*f^4 - 2*a^2*b^5*c*d^3*e*g^4 - 32*a^4*b*c^3*d^3*e*g^4 + 16*a^4*b^ \\
& 3*c*d*e^3*g^4 - 32*a^5*b*c^2*d*e^3*g^4 + 16*a*b^3*c^4*d^4*f^3*g - 2*a*b^5*c \\
& ^2*d^4*f*g^3 - 32*a^2*b*c^5*d^4*f^3*g - 32*a^3*b*c^4*d^4*f*g^3 - 2*a^2*b^5* \\
& c*e^4*f^3*g - 32*a^4*b*c^3*e^4*f^3*g + 16*a^4*b^3*c*e^4*f*g^3 - 32*a^5*b*c^ \\
& 2*e^4*f*g^3 - 2*a*b^7*d*e^3*f^2*g^2 - 2*a*b^7*d^2*e^2*f*g^3 + 4*a^2*b^6*d*e \\
& ^3*f*g^3 + 4*b^6*c^2*d^3*e*f^3*g - 2*b^7*c*d^2*e^2*f^3*g - 2*b^7*c*d^3*e*f^ \\
& 2*g^2 - 6*a*b^4*c^3*d^2*e^2*f^4 + 16*a^2*b^3*c^3*d*e^3*f^4 + 16*a^3*b^3*c^2 \\
& *d^3*e*g^4 - 6*a^3*b^4*c*d^2*e^2*g^4 - 6*a*b^4*c^3*d^4*f^2*g^2 + 16*a^2*b^3 \\
& *c^3*d^4*f*g^3 + 16*a^3*b^3*c^2*e^4*f^3*g - 6*a^3*b^4*c*e^4*f^2*g^2 + 64*a^ \\
& 4*c^4*d^2*e^2*f^2*g^2 + 4*a*b^6*c*d*e^3*f^3*g + 4*a*b^6*c*d^3*e*f*g^3 - 32* \\
& a*b^4*c^3*d^3*e*f^3*g - 32*a^3*b^4*c*d*e^3*f*g^3 - 12*a^2*b^4*c^2*d^2*e^2*f \\
& ^2*g^2 + 32*a^3*b^2*c^3*d^2*e^2*f^2*g^2 + 12*a*b^5*c^2*d^2*e^2*f^3*g + 12*a \\
& *b^5*c^2*d^3*e*f^2*g^2 - 4*a*b^6*c*d^2*e^2*f^2*g^2 + 64*a^2*b^2*c^4*d^3*e*f \\
& ^3*g - 32*a^2*b^4*c^2*d*e^3*f^3*g - 32*a^2*b^4*c^2*d^3*e*f*g^3 + 12*a^2*b^5 \\
& *c*d*e^3*f^2*g^2 + 12*a^2*b^5*c*d^2*e^2*f*g^3 - 64*a^3*b*c^4*d^2*e^2*f^3*g \\
& - 64*a^3*b*c^4*d^3*e*f^2*g^2 + 64*a^3*b^2*c^3*d*e^3*f^3*g + 64*a^3*b^2*c^3* \\
& d^3*e*f*g^3 - 64*a^4*b*c^3*d*e^3*f^2*g^2 - 64*a^4*b*c^3*d^2*e^2*f*g^3 + 64* \\
& a^4*b^2*c^2*d*e^3*f*g^3) - \text{root}(1120*a^6*b^2*c^6*d^9*e*f*g^9*z^4 + 1120*a^6 \\
& *b^2*c^6*d^9*f^9*g*z^4 - 792*a^5*b^4*c^5*d^9*e*f*g^9*z^4 - 792*a^5*b^4*c^ \\
& 5*d^9*f^9*g*z^4 + 512*a^9*b*c^4*d^4*e^6*f*g^9*z^4 + 512*a^9*b*c^4*d^9*f \\
& ^4*g^6*z^4 - 512*a^7*b*c^6*d^8*e^2*f*g^9*z^4 - 512*a^7*b*c^6*d^9*f^8*g^2* \\
& z^4 - 512*a^6*b*c^7*d^9*e*f^2*g^8*z^4 - 512*a^6*b*c^7*d^2*e^8*f^9*g*z^4 + 5 \\
& 12*a^4*b*c^9*d^9*e*f^6*g^4*z^4 + 512*a^4*b*c^9*d^6*e^4*f^9*g*z^4 + 256*a^10 \\
& *b*c^3*d^2*e^8*f*g^9*z^4 + 256*a^10*b*c^3*d^9*f^2*g^8*z^4 + 256*a^3*b*c^1 \\
& 0*d^9*e*f^8*g^2*z^4 + 256*a^3*b*c^10*d^8*e^2*f^9*g*z^4 - 200*a^6*b^7*c*d^4* \\
& e^6*f*g^9*z^4 - 200*a^6*b^7*c*d^9*f^4*g^6*z^4 - 200*a*b^7*c^6*d^9*e*f^6*g \\
& ^4*z^4 - 200*a*b^7*c^6*d^6*e^4*f^9*g*z^4 + 194*a^4*b^6*c^4*d^9*e*f*g^9*z^4 \\
& + 194*a^4*b^6*c^4*d^9*f^9*g*z^4 + 144*a^5*b^8*c*d^5*e^5*f*g^9*z^4 + 144*a \\
& ^5*b^8*c*d^9*f^5*g^5*z^4 + 144*a*b^8*c^5*d^9*e*f^5*g^5*z^4 + 144*a*b^8*c^ \\
& 5*d^5*e^5*f^9*g*z^4 + 96*a^10*b^2*c^2*d^9*f*g^9*z^4 + 96*a^2*b^2*c^10*d^9 \\
& *e*f^9*g*z^4 + 56*a^7*b^6*c*d^3*e^7*f*g^9*z^4 + 56*a^7*b^6*c*d^9*f^3*g^7* \\
& z^4 + 56*a*b^6*c^7*d^9*e*f^7*g^3*z^4 + 56*a*b^6*c^7*d^7*e^3*f^9*g*z^4 + 48*
\end{aligned}$$





$$\begin{aligned}
& d^3e^7f^4g^6z^4 - 1408a^6b^3c^5d^6e^4f^3g^7z^4 - 1408a^6b^3c^5d^3e^7f^6g^4z^4 - 1408a^5b^3c^6d^7e^3f^4g^6z^4 - 1408a^5b^3c^6d^4e^6f^7g^3z^4 + 1408a^4b^3c^7d^7e^3f^6g^4z^4 + 1408a^4b^3c^7d^6e^4f^7g^3z^4 - 1360a^6b^5c^3d^5e^5f^2g^8z^4 - 1360a^6b^5c^3d^2e^8f^5g^5z^4 - 1360a^3b^5c^6d^8e^2f^5g^5z^4 - 1360a^3b^5c^6d^5e^5f^8g^2z^4 - 1248a^5b^5c^4d^5e^5f^4g^6z^4 - 1248a^5b^5c^4d^4e^6f^5g^5z^4 - 1248a^4b^5c^5d^6e^4f^5g^5z^4 - 1248a^4b^5c^5d^5e^5f^6g^4z^4 + 1088a^8b^3c^3d^3e^7f^2g^8z^4 + 1088a^8b^3c^3d^2e^8f^3g^7z^4 + 1088a^3b^3c^8d^8e^2f^7g^3z^4 + 1088a^3b^3c^8d^7e^3f^8g^2z^4 + 1056a^8b^4c^2d^2e^8f^2g^8z^4 + 1056a^2b^4c^8d^8e^2f^8g^2z^4 - 912a^7b^5c^2d^3e^7f^2g^8z^4 - 912a^7b^5c^2d^2e^8f^3g^7z^4 - 912a^2b^5c^7d^8e^2f^7g^3z^4 - 912a^2b^5c^7d^7e^3f^8g^2z^4 - 848a^5b^6c^3d^4e^6f^4g^6z^4 - 848a^3b^6c^5d^6e^4f^6g^4z^4 + 832a^7b^3c^4d^5e^5f^2g^8z^4 + 832a^7b^3c^4d^2e^8f^5g^5z^4 + 832a^4b^3c^7d^8e^2f^5g^5z^4 + 832a^4b^3c^7d^5e^5f^8g^2z^4 + 828a^5b^7c^2d^5e^5f^2g^8z^4 + 828a^5b^7c^2d^2e^8f^5g^5z^4 + 828a^2b^7c^5d^8e^2f^5g^5z^4 + 828a^2b^7c^5d^5e^5f^8g^2z^4 - 800a^3b^8c^3d^5e^5f^5g^5z^4 - 696a^4b^8c^2d^5e^5f^3g^7z^4 - 696a^4b^8c^2d^3e^7f^5g^5z^4 - 696a^2b^8c^4d^7e^3f^5g^5z^4 - 696a^2b^8c^4d^5e^5f^7g^3z^4 - 694a^6b^6c^2d^4e^6f^2g^8z^4 - 694a^6b^6c^2d^2e^8f^4g^6z^4 - 694a^2b^6c^6d^8e^2f^6g^4z^4 - 694a^2b^6c^6d^6e^4f^8g^2z^4 + 692a^4b^7c^3d^7e^3f^2g^8z^4 + 692a^4b^7c^3d^2e^8f^7g^3z^4 + 692a^3b^7c^4d^8e^2f^3g^7z^4 + 692a^3b^7c^4d^3e^7f^8g^2z^4 + 672a^4b^6c^4d^7e^3f^3g^7z^4 + 672a^4b^6c^4d^3e^7f^7g^3z^4 + 600a^4b^8c^2d^4e^6f^4g^6z^4 + 600a^2b^8c^4d^6e^4f^6g^4z^4 - 544a^3b^8c^3d^7e^3f^3g^7z^4 + 544a^3b^8c^3d^6e^4f^4g^6z^4 + 544a^3b^8c^3d^4e^6f^6g^4z^4 - 544a^3b^8c^3d^3e^7f^7g^3z^4 - 536a^4b^7c^3d^5e^5f^4g^6z^4 - 536a^4b^7c^3d^4e^6f^5g^5z^4 - 536a^3b^7c^4d^6e^4f^5g^5z^4 - 536a^3b^7c^4d^5e^5f^6g^4z^4 - 504a^5b^7c^2d^4e^6f^3g^7z^4 - 504a^5b^7c^2d^3e^7f^4g^6z^4 - 504a^2b^7c^5d^7e^3f^6g^4z^4 - 504a^2b^7c^5d^6e^4f^7g^3z^4 + 416a^3b^8c^3d^8e^2f^2g^8z^4 + 416a^3b^8c^3d^2e^8f^8g^2z^4 - 352a^6b^5c^3d^4e^6f^3g^7z^4 - 352a^6b^5c^3d^3e^7f^4g^6z^4 - 352a^3b^5c^6d^7e^3f^6g^4z^4 - 352a^3b^5c^6d^6e^4f^7g^3z^4 - 248a^3b^9c^2d^7e^3f^2g^8z^4 - 248a^3b^9c^2d^2e^8f^7g^3z^4 - 248a^2b^9c^3d^8e^2f^3g^7z^4 - 248a^2b^9c^3d^3e^7f^8g^2z^4 + 246a^4b^8c^2d^6e^4f^2g^8z^4 + 246a^4b^8c^2d^2e^8f^6g^4z^4 + 246a^2b^8c^4d^8e^2f^4g^6z^4 + 246a^2b^8c^4d^4e^6f^8g^2z^4 + 208a^6b^2c^6d^8e^2f^2g^8z^4 + 208a^6b^2c^6d^2e^8f^8g^2z^4 + 168a^2b^10c^2d^7e^3f^3g^7z^4 + 168a^2b^10c^2d^3e^7f^7g^3z^4 + 160a^3b^9c^2d^5e^5f^4g^6z^4 + 160a^3b^9c^2d^4e^6f^5g^5z^4 + 160a^2b^9c^3d^6e^4f^5g^5z^4 + 160a^2b^9c^3d^5e^5f^6g^4z^4 + 144a^5b^5c^4d^7e^3f^2g^8z^4 + 144a^5b^5c^4d^2e^8f^7g^3z^4 + 144a^4b^5c^5d^8e^2f
\end{aligned}$$

$$\begin{aligned}
& ^3g^7z^4 + 144a^4b^5c^5d^3e^7f^8g^2z^4 - 144a^2b^{10}c^2d^6e^4 \\
& *f^4g^6z^4 - 144a^2b^{10}c^2d^4e^6f^6g^4z^4 + 120a^4b^7c^3d^6e \\
& ^4f^3g^7z^4 + 120a^4b^7c^3d^3e^7f^6g^4z^4 + 120a^3b^7c^4d^7* \\
& e^3f^4g^6z^4 + 120a^3b^7c^4d^4e^6f^7g^3z^4 + 96a^5b^5c^4d^6* \\
& e^4f^3g^7z^4 + 96a^5b^5c^4d^3e^7f^6g^4z^4 + 96a^4b^5c^5d^7e \\
& ^3f^4g^6z^4 + 96a^4b^5c^5d^4e^6f^7g^3z^4 + 64a^3b^9c^2d^6e^ \\
& 4f^3g^7z^4 + 64a^3b^9c^2d^3e^7f^6g^4z^4 + 64a^2b^9c^3d^7e^3 \\
& *f^4g^6z^4 + 64a^2b^9c^3d^4e^6f^7g^3z^4 - 36a^2b^{10}c^2d^8e^2 \\
& *f^2g^8z^4 - 36a^2b^{10}c^2d^2e^8f^8g^2z^4 + 24a^2b^{10}c^2d^5e^ \\
& 5f^5g^5z^4 - 24a^9b^4c^4d^9e^9f^9g^9z^4 - 24a^8b^4c^9d^9e^9f^9g^9z^4 \\
& + 2688a^7b^2c^5d^7e^3f^9g^9z^4 + 2688a^7b^2c^5d^9e^9f^7g^3z^4 \\
& + 2688a^5b^2c^7d^9e^9f^3g^7z^4 + 2688a^5b^2c^7d^3e^7f^9g^9z^4 - \\
& 2560a^7b^3c^4d^6e^4f^9g^9z^4 - 2560a^7b^3c^4d^9e^9f^6g^4z^4 - \\
& 2560a^4b^3c^7d^9e^9f^4g^6z^4 - 2560a^4b^3c^7d^4e^6f^9g^9z^4 + 2 \\
& 112a^8b^2c^4d^5e^5f^9g^9z^4 + 2112a^8b^2c^4d^9e^9f^5g^5z^4 + 21 \\
& 12a^4b^2c^8d^9e^9f^5g^5z^4 + 2112a^4b^2c^8d^5e^5f^9g^9z^4 + 166 \\
& 4a^6b^5c^3d^6e^4f^9g^9z^4 + 1664a^6b^5c^3d^9e^9f^6g^4z^4 + 1664 \\
& *a^3b^5c^6d^9e^9f^4g^6z^4 + 1664a^3b^5c^6d^4e^6f^9g^9z^4 + 1536* \\
& a^8b^3c^5d^4e^6f^3g^7z^4 + 1536a^8b^3c^5d^3e^7f^4g^6z^4 + 1536a \\
& ^7b^3c^6d^5e^5f^4g^6z^4 + 1536a^7b^3c^6d^4e^6f^5g^5z^4 + 1536a^ \\
& 6b^3c^7d^6e^4f^5g^5z^4 + 1536a^6b^3c^7d^5e^5f^6g^4z^4 + 1536a^5 \\
& *b^3c^8d^7e^3f^6g^4z^4 + 1536a^5b^3c^8d^6e^4f^7g^3z^4 - 1408a^8* \\
& b^3c^3d^4e^6f^9g^9z^4 - 1408a^8b^3c^3d^9e^9f^4g^6z^4 - 1408a^3b \\
& ^3c^8d^9e^9f^6g^4z^4 - 1408a^3b^3c^8d^6e^4f^9g^9z^4 - 1280a^7b* \\
& c^6d^7e^3f^2g^8z^4 - 1280a^7b^3c^6d^2e^8f^7g^3z^4 - 1280a^6b^3c \\
& ^7d^8e^2f^3g^7z^4 - 1280a^6b^3c^7d^3e^7f^8g^2z^4 - 1152a^6b^3* \\
& c^5d^8e^2f^9g^9z^4 - 1152a^6b^3c^5d^9e^9f^8g^2z^4 - 1152a^5b^3c \\
& ^6d^9e^9f^2g^8z^4 - 1152a^5b^3c^6d^2e^8f^9g^9z^4 + 1056a^5b^5c^ \\
& 4d^8e^2f^9g^9z^4 + 1056a^5b^5c^4d^9e^9f^8g^2z^4 + 1056a^4b^5c^5 \\
& *d^9e^9f^2g^8z^4 + 1056a^4b^5c^5d^2e^8f^9g^9z^4 + 864a^7b^5c^2d \\
& ^4e^6f^9g^9z^4 + 864a^7b^5c^2d^9e^9f^4g^6z^4 + 864a^2b^5c^7d^9* \\
& e^9f^6g^4z^4 + 864a^2b^5c^7d^6e^4f^9g^9z^4 - 800a^6b^4c^4d^7e^3 \\
& *f^9g^9z^4 - 800a^6b^4c^4d^9e^9f^7g^3z^4 - 800a^4b^4c^6d^9e^9f^3* \\
& g^7z^4 - 800a^4b^4c^6d^3e^7f^9g^9z^4 - 768a^8b^3c^5d^5e^5f^2g^8 \\
& *z^4 - 768a^8b^3c^5d^2e^8f^5g^5z^4 - 768a^5b^3c^8d^8e^2f^5g^5z^ \\
& 4 - 768a^5b^3c^8d^5e^5f^8g^2z^4 + 640a^9b^2c^3d^3e^7f^9g^9z^4 + \\
& 640a^9b^2c^3d^9e^9f^3g^7z^4 + 640a^3b^2c^9d^9e^9f^7g^3z^4 + 64 \\
& 0a^3b^2c^9d^7e^3f^9g^9z^4 + 512a^7b^3c^6d^6e^4f^3g^7z^4 + 512a \\
& ^7b^3c^6d^3e^7f^6g^4z^4 + 512a^6b^3c^7d^7e^3f^4g^6z^4 + 512a^6* \\
& b^3c^7d^4e^6f^7g^3z^4 - 480a^5b^8c^3d^3e^7f^3g^7z^4 - 480a^8b^8c \\
& ^5d^7e^3f^7g^3z^4 - 400a^7b^4c^3d^5e^5f^9g^9z^4 - 400a^7b^4c^ \\
& 3d^9e^9f^5g^5z^4 - 400a^3b^4c^7d^9e^9f^5g^5z^4 - 400a^3b^4c^7d \\
& ^5e^5f^9g^9z^4 - 372a^6b^6c^2d^5e^5f^9g^9z^4 - 372a^6b^6c^2d^9e \\
& ^9f^5g^5z^4 - 372a^2b^6c^6d^9e^9f^5g^5z^4 - 372a^2b^6c^6d^5e^5 \\
& *f^9g^9z^4 - 328a^5b^6c^3d^7e^3f^9g^9z^4 - 328a^5b^6c^3d^9e^9f^7*
\end{aligned}$$

$$\begin{aligned}
&g^3z^4 - 328a^3b^6c^5d^9e^f^3g^7z^4 - 328a^3b^6c^5d^3e^7f^9g^*z^4 - 288a^8b^4c^2d^3e^7f^*g^9z^4 - 288a^8b^4c^2d^*e^9f^3g^7z^4 \\
&4 - 288a^5b^7c^2d^6e^4f^*g^9z^4 - 288a^5b^7c^2d^*e^9f^6g^4z^4 - 288a^2b^7c^5d^9e^f^4g^6z^4 - 288a^2b^7c^5d^4e^6f^9g^*z^4 - 28 \\
&8a^2b^4c^8d^9e^f^7g^3z^4 - 288a^2b^4c^8d^7e^3f^9g^*z^4 - 280a^4b^7c^3d^8e^2f^*g^9z^4 - 280a^4b^7c^3d^*e^9f^8g^2z^4 - 280a^3b^7c^4d^9e^f^2g^8z^4 - 280a^3b^7c^4d^2e^8f^9g^*z^4 + 256a^9b^*c^4d^3e^7f^2g^8z^4 + 256a^9b^*c^4d^2e^8f^3g^7z^4 + 256a^4b^*c^9d^8e^2f^7g^3z^4 + 256a^4b^*c^9d^7e^3f^8g^2z^4 - 248a^7b^6c^*d^2e^8f^2g^8z^4 - 248a^*b^6c^7d^8e^2f^8g^2z^4 + 236a^6b^7c^*d^3e^7f^2g^8z^4 + 236a^6b^7c^*d^2e^8f^3g^7z^4 + 236a^*b^7c^6d^8e^2f^7g^3z^4 + 236a^*b^7c^6d^7e^3f^8g^2z^4 + 200a^4b^9c^*d^4e^6f^3g^7z^4 + 200a^4b^9c^*d^3e^7f^4g^6z^4 - 200a^3b^10c^*d^4e^6f^4g^6z^4 - 200a^*b^10c^3d^6e^4f^6g^4z^4 + 200a^*b^9c^4d^7e^3f^6g^4z^4 + 200a^*b^9c^4d^6e^4f^7g^3z^4 - 196a^4b^9c^*d^5e^5f^2g^8z^4 - 196a^4b^9c^*d^2e^8f^5g^5z^4 - 196a^*b^9c^4d^8e^2f^5g^5z^4 - 196a^*b^9c^4d^5e^5f^8g^2z^4 - 192a^9b^3c^2d^2e^8f^*g^9z^4 - 192a^9b^3c^2d^*e^9f^2g^8z^4 - 192a^2b^3c^9d^8e^2f^9g^*z^4 + 156a^4b^8c^2d^7e^3f^*g^9z^4 + 156a^4b^8c^2d^*e^9f^7g^3z^4 + 156a^2b^8c^4d^9e^f^3g^7z^4 + 156a^2b^8c^4d^3e^7f^9g^*z^4 + 96a^5b^8c^*d^4e^6f^2g^8z^4 + 96a^5b^8c^*d^2e^8f^4g^6z^4 + 96a^*b^8c^5d^8e^2f^6g^4z^4 + 96a^*b^8c^5d^6e^4f^8g^2z^4 + 88a^3b^10c^*d^5e^5f^3g^7z^4 + 88a^3b^10c^*d^3e^7f^5g^5z^4 + 88a^*b^10c^3d^7e^3f^5g^5z^4 + 88a^*b^10c^3d^5e^5f^7g^3z^4 - 36a^2b^11c^*d^6e^4f^3g^7z^4 - 36a^2b^11c^*d^3e^7f^6g^4z^4 - 36a^*b^11c^2d^7e^3f^4g^6z^4 - 36a^*b^11c^2d^4e^6f^7g^3z^4 + 28a^3b^10c^*d^6e^4f^2g^8z^4 + 28a^3b^10c^*d^2e^8f^6g^4z^4 + 28a^*b^10c^3d^8e^2f^4g^6z^4 + 28a^*b^10c^3d^4e^6f^8g^2z^4 + 24a^3b^9c^2d^8e^2f^*g^9z^4 + 24a^3b^9c^2d^*e^9f^8g^2z^4 + 24a^2b^11c^*d^7e^3f^2g^8z^4 + 24a^2b^11c^*d^2e^8f^7g^3z^4 + 24a^2b^9c^3d^9e^f^2g^8z^4 + 24a^2b^9c^3d^2e^8f^9g^*z^4 + 24a^*b^11c^2d^8e^2f^3g^7z^4 + 24a^*b^11c^2d^3e^7f^8g^2z^4 + 12a^2b^11c^*d^5e^5f^4g^6z^4 + 12a^2b^11c^*d^4e^6f^5g^5z^4 + 12a^*b^11c^2d^6e^4f^5g^5z^4 + 12a^*b^11c^2d^5e^5f^6g^4z^4 + 40b^10c^4d^7e^3f^7g^3z^4 + 20b^12c^2d^6e^4f^6g^4z^4 - 20b^11c^3d^7e^3f^6g^4z^4 - 20b^11c^3d^6e^4f^7g^3z^4 - 20b^9c^5d^8e^2f^7g^3z^4 - 20b^9c^5d^7e^3f^8g^2z^4 + 20b^8c^6d^8e^2f^8g^2z^4 + 16b^11c^3d^8e^2f^5g^5z^4 + 16b^11c^3d^5e^5f^8g^2z^4 - 6b^12c^2d^8e^2f^4g^6z^4 - 6b^12c^2d^4e^6f^8g^2z^4 - 5b^10c^4d^8e^2f^6g^4z^4 - 5b^10c^4d^6e^4f^8g^2z^4 - 4b^12c^2d^7e^3f^5g^5z^4 - 4b^12c^2d^5e^5f^7g^3z^4 - 4608a^7c^7d^5e^5f^5g^5z^4 + 3328a^7c^7d^6e^4f^4g^6z^4 + 3328a^7c^7d^4e^6f^6g^4z^4 - 3072a^8c^6d^5e^5f^3g^7z^4 + 3072a^8c^6d^4e^6f^4g^6z^4 - 3072a^8c^6d^3e^7f^5g^5z^4 - 3072a^6c^8d^7e^3f^5g^5z^4 + 3072a^6c^8d^6e^4f^6g^4z^4 - 3072a^6c^8d^5e^5f^7g^3z^4 - 2048a^9c^5d^3e^7f^3g^7z^4 -
\end{aligned}$$

$$\begin{aligned}
& 2048*a^7*c^7*d^7*e^3*f^3*g^7*z^4 - 2048*a^7*c^7*d^3*e^7*f^7*g^3*z^4 - 2048* \\
& a^5*c^9*d^7*e^3*f^7*g^3*z^4 + 1792*a^8*c^6*d^6*e^4*f^2*g^8*z^4 + 1792*a^8*c \\
& ^6*d^2*e^8*f^6*g^4*z^4 + 1792*a^6*c^8*d^8*e^2*f^4*g^6*z^4 + 1792*a^6*c^8*d^ \\
& 4*e^6*f^8*g^2*z^4 + 1408*a^9*c^5*d^4*e^6*f^2*g^8*z^4 + 1408*a^9*c^5*d^2*e^8 \\
& *f^4*g^6*z^4 + 1408*a^5*c^9*d^8*e^2*f^6*g^4*z^4 + 1408*a^5*c^9*d^6*e^4*f^8* \\
& g^2*z^4 + 1088*a^7*c^7*d^8*e^2*f^2*g^8*z^4 + 1088*a^7*c^7*d^2*e^8*f^8*g^2*z \\
& ^4 + 512*a^10*c^4*d^2*e^8*f^2*g^8*z^4 + 512*a^4*c^10*d^8*e^2*f^8*g^2*z^4 + \\
& 40*a^4*b^10*d^3*e^7*f^3*g^7*z^4 + 20*a^6*b^8*d^2*e^8*f^2*g^8*z^4 - 20*a^5*b \\
& ^9*d^3*e^7*f^2*g^8*z^4 - 20*a^5*b^9*d^2*e^8*f^3*g^7*z^4 - 20*a^3*b^11*d^4*e \\
& ^6*f^3*g^7*z^4 - 20*a^3*b^11*d^3*e^7*f^4*g^6*z^4 + 20*a^2*b^12*d^4*e^6*f^4* \\
& g^6*z^4 + 16*a^3*b^11*d^5*e^5*f^2*g^8*z^4 + 16*a^3*b^11*d^2*e^8*f^5*g^5*z^4 \\
& - 6*a^2*b^12*d^6*e^4*f^2*g^8*z^4 - 6*a^2*b^12*d^2*e^8*f^6*g^4*z^4 - 5*a^4* \\
& b^10*d^4*e^6*f^2*g^8*z^4 - 5*a^4*b^10*d^2*e^8*f^4*g^6*z^4 - 4*a^2*b^12*d^5* \\
& e^5*f^3*g^7*z^4 - 4*a^2*b^12*d^3*e^7*f^5*g^5*z^4 + 480*a^8*b^2*c^4*e^10*f^6 \\
& *g^4*z^4 - 440*a^7*b^4*c^3*e^10*f^6*g^4*z^4 + 320*a^8*b^3*c^3*e^10*f^5*g^5* \\
& z^4 + 320*a^7*b^3*c^4*e^10*f^7*g^3*z^4 - 240*a^8*b^4*c^2*e^10*f^4*g^6*z^4 - \\
& 240*a^6*b^4*c^4*e^10*f^8*g^2*z^4 + 192*a^9*b^3*c^2*e^10*f^3*g^7*z^4 + 192* \\
& a^9*b^2*c^3*e^10*f^4*g^6*z^4 + 192*a^7*b^2*c^5*e^10*f^8*g^2*z^4 + 90*a^6*b^ \\
& 6*c^2*e^10*f^6*g^4*z^4 + 68*a^5*b^6*c^3*e^10*f^8*g^2*z^4 - 48*a^10*b^2*c^2* \\
& e^10*f^2*g^8*z^4 + 48*a^7*b^5*c^2*e^10*f^5*g^5*z^4 + 48*a^6*b^5*c^3*e^10*f^ \\
& 7*g^3*z^4 - 36*a^5*b^7*c^2*e^10*f^7*g^3*z^4 - 6*a^4*b^8*c^2*e^10*f^8*g^2*z^ \\
& 4 + 480*a^4*b^2*c^8*d^10*f^4*g^6*z^4 - 440*a^3*b^4*c^7*d^10*f^4*g^6*z^4 + 3 \\
& 20*a^4*b^3*c^7*d^10*f^3*g^7*z^4 + 320*a^3*b^3*c^8*d^10*f^5*g^5*z^4 - 240*a^ \\
& 4*b^4*c^6*d^10*f^2*g^8*z^4 - 240*a^2*b^4*c^8*d^10*f^6*g^4*z^4 + 192*a^5*b^2 \\
& *c^7*d^10*f^2*g^8*z^4 + 192*a^3*b^2*c^9*d^10*f^6*g^4*z^4 + 192*a^2*b^3*c^9* \\
& d^10*f^7*g^3*z^4 + 90*a^2*b^6*c^6*d^10*f^4*g^6*z^4 + 68*a^3*b^6*c^5*d^10*f^ \\
& 2*g^8*z^4 + 48*a^3*b^5*c^6*d^10*f^3*g^7*z^4 + 48*a^2*b^5*c^7*d^10*f^5*g^5*z \\
& ^4 - 48*a^2*b^2*c^10*d^10*f^8*g^2*z^4 - 36*a^2*b^7*c^5*d^10*f^3*g^7*z^4 - 6 \\
& *a^2*b^8*c^4*d^10*f^2*g^8*z^4 + 480*a^8*b^2*c^4*d^6*e^4*g^10*z^4 - 440*a^7* \\
& b^4*c^3*d^6*e^4*g^10*z^4 + 320*a^8*b^3*c^3*d^5*e^5*g^10*z^4 + 320*a^7*b^3*c \\
& ^4*d^7*e^3*g^10*z^4 - 240*a^8*b^4*c^2*d^4*e^6*g^10*z^4 - 240*a^6*b^4*c^4*d^ \\
& 8*e^2*g^10*z^4 + 192*a^9*b^3*c^2*d^3*e^7*g^10*z^4 + 192*a^9*b^2*c^3*d^4*e^6 \\
& *g^10*z^4 + 192*a^7*b^2*c^5*d^8*e^2*g^10*z^4 + 90*a^6*b^6*c^2*d^6*e^4*g^10* \\
& z^4 + 68*a^5*b^6*c^3*d^8*e^2*g^10*z^4 - 48*a^10*b^2*c^2*d^2*e^8*g^10*z^4 + \\
& 48*a^7*b^5*c^2*d^5*e^5*g^10*z^4 + 48*a^6*b^5*c^3*d^7*e^3*g^10*z^4 - 36*a^5* \\
& b^7*c^2*d^7*e^3*g^10*z^4 - 6*a^4*b^8*c^2*d^8*e^2*g^10*z^4 + 480*a^4*b^2*c^8 \\
& *d^4*e^6*f^10*z^4 - 440*a^3*b^4*c^7*d^4*e^6*f^10*z^4 + 320*a^4*b^3*c^7*d^3* \\
& e^7*f^10*z^4 + 320*a^3*b^3*c^8*d^5*e^5*f^10*z^4 - 240*a^4*b^4*c^6*d^2*e^8*f \\
& ^10*z^4 - 240*a^2*b^4*c^8*d^6*e^4*f^10*z^4 + 192*a^5*b^2*c^7*d^2*e^8*f^10*z \\
& ^4 + 192*a^3*b^2*c^9*d^6*e^4*f^10*z^4 + 192*a^2*b^3*c^9*d^7*e^3*f^10*z^4 + \\
& 90*a^2*b^6*c^6*d^4*e^6*f^10*z^4 + 68*a^3*b^6*c^5*d^2*e^8*f^10*z^4 + 48*a^3* \\
& b^5*c^6*d^3*e^7*f^10*z^4 + 48*a^2*b^5*c^7*d^5*e^5*f^10*z^4 - 48*a^2*b^2*c^1 \\
& 0*d^8*e^2*f^10*z^4 - 36*a^2*b^7*c^5*d^3*e^7*f^10*z^4 - 6*a^2*b^8*c^4*d^2*e^ \\
& 8*f^10*z^4 + 16*b^9*c^5*d^9*e*f^6*g^4*z^4 + 16*b^9*c^5*d^6*e^4*f^9*g*z^4 - \\
& 14*b^10*c^4*d^9*e*f^5*g^5*z^4 - 14*b^10*c^4*d^5*e^5*f^9*g*z^4 + 4*b^13*c*d^
\end{aligned}$$

$$\begin{aligned}
& 7e^3f^4g^6z^4 - 4b^{13}c^6d^6e^4f^5g^5z^4 - 4b^{13}c^6d^5e^5f^6g^4 \\
& *z^4 + 4b^{13}c^6d^4e^6f^7g^3z^4 + 4b^{11}c^3d^9e^6f^4g^6z^4 + 4b^{11} \\
& *c^3d^4e^6f^9g^3z^4 - 4b^8c^6d^9e^6f^7g^3z^4 - 4b^8c^6d^7e^3f^ \\
& 9g^3z^4 - 4b^7c^7d^9e^6f^8g^2z^4 - 4b^7c^7d^8e^2f^9g^3z^4 - 768a \\
& ^9c^5d^5e^5f^9g^3z^4 - 768a^9c^5d^4e^9f^5g^5z^4 - 768a^5c^9d^9e \\
& *f^5g^5z^4 - 768a^5c^9d^5e^5f^9g^3z^4 - 512a^{10}c^4d^3e^7f^9g^3 \\
& z^4 - 512a^{10}c^4d^4e^9f^3g^7z^4 - 512a^8c^6d^7e^3f^9g^3z^4 - 512a \\
& ^8c^6d^4e^9f^7g^3z^4 - 512a^6c^8d^9e^6f^3g^7z^4 - 512a^6c^8d^3 \\
& *e^7f^9g^3z^4 - 512a^4c^10d^9e^6f^7g^3z^4 - 512a^4c^10d^7e^3f^9g \\
& *z^4 + 16a^5b^9d^4e^6f^9g^3z^4 + 16a^5b^9d^4e^9f^4g^6z^4 - 14a^ \\
& 4b^{10}d^5e^5f^9g^3z^4 - 14a^4b^{10}d^5e^9f^5g^5z^4 - 4a^7b^7d^2e^ \\
& 8f^9g^3z^4 - 4a^7b^7d^4e^9f^2g^8z^4 - 4a^6b^8d^3e^7f^9g^3z^4 - 4 \\
& *a^6b^8d^4e^9f^3g^7z^4 + 4a^3b^{11}d^6e^4f^9g^3z^4 + 4a^3b^{11}d^6e^ \\
& 9f^6g^4z^4 + 4a^3b^{13}d^6e^4f^3g^7z^4 - 4a^3b^{13}d^5e^5f^4g^6z^4 \\
& - 4a^3b^{13}d^4e^6f^5g^5z^4 + 4a^3b^{13}d^3e^7f^6g^4z^4 - 768a^9b^ \\
& c^4e^{10}f^5g^5z^4 - 768a^8b^3c^5e^{10}f^7g^3z^4 - 256a^{10}b^3c^3e^{10} \\
& *f^3g^7z^4 + 192a^6b^3c^5e^{10}f^9g^3z^4 + 68a^7b^6c^3e^{10}f^4g^6z \\
& ^4 - 48a^8b^5c^3e^{10}f^3g^7z^4 - 48a^5b^5c^4e^{10}f^9g^3z^4 - 36a^6 \\
& *b^7c^3e^{10}f^5g^5z^4 + 12a^9b^4c^3e^{10}f^2g^8z^4 + 4a^4b^9c^3e^{10} \\
& f^7g^3z^4 + 4a^4b^7c^3e^{10}f^9g^3z^4 - 768a^5b^3c^8d^{10}f^3g^7z^4 \\
& - 768a^4b^3c^9d^{10}f^5g^5z^4 - 256a^3b^3c^{10}d^{10}f^7g^3z^4 + 192a \\
& ^5b^3c^6d^{10}f^9g^3z^4 + 68a^3b^6c^7d^{10}f^6g^4z^4 - 48a^4b^5c^5d \\
& ^{10}f^9g^3z^4 - 48a^4b^5c^8d^{10}f^7g^3z^4 - 36a^3b^7c^6d^{10}f^5g^5 \\
& z^4 + 12a^3b^4c^9d^{10}f^8g^2z^4 + 4a^3b^7c^4d^{10}f^9g^3z^4 + 4a^3b^ \\
& 9c^4d^{10}f^3g^7z^4 - 768a^9b^3c^4d^5e^5g^{10}z^4 - 768a^8b^3c^5d^7 \\
& *e^3g^{10}z^4 - 256a^{10}b^3c^3d^3e^7g^{10}z^4 + 192a^6b^3c^5d^9e^6g^1 \\
& 0z^4 + 68a^7b^6c^3d^4e^6g^{10}z^4 - 48a^8b^5c^3d^3e^7g^{10}z^4 - 48a \\
& ^5b^5c^4d^9e^6g^{10}z^4 - 36a^6b^7c^3d^5e^5g^{10}z^4 + 12a^9b^4c^3d \\
& ^2e^8g^{10}z^4 + 4a^4b^9c^3d^7e^3g^{10}z^4 + 4a^4b^7c^3d^9e^6g^{10}z \\
& ^4 - 768a^5b^3c^8d^3e^7f^{10}z^4 - 768a^4b^3c^9d^5e^5f^{10}z^4 - 256a \\
& ^3b^3c^{10}d^7e^3f^{10}z^4 + 192a^5b^3c^6d^4e^9f^{10}z^4 + 68a^3b^6c^7 \\
& *d^6e^4f^{10}z^4 - 48a^4b^5c^5d^4e^9f^{10}z^4 - 48a^3b^5c^8d^7e^3f^ \\
& 10z^4 - 36a^3b^7c^6d^5e^5f^{10}z^4 + 12a^3b^4c^9d^8e^2f^{10}z^4 + 4a \\
& ^3b^7c^4d^4e^9f^{10}z^4 + 4a^3b^9c^4d^3e^7f^{10}z^4 + 2b^6c^8d^9e^ \\
& *f^9g^3z^4 - 128a^{11}c^3d^4e^9f^9g^3z^4 - 128a^7c^7d^9e^6f^9g^3z^4 - 1 \\
& 28a^7c^7d^4e^9f^9g^3z^4 - 128a^3c^{11}d^9e^6f^9g^3z^4 + 2a^8b^6d^4e^9 \\
& *f^9g^3z^4 - 256a^7b^3c^6e^{10}f^9g^3z^4 - 256a^6b^3c^7d^{10}f^9g^3z^4 - \\
& 256a^7b^3c^6d^9e^6g^{10}z^4 - 256a^6b^3c^7d^4e^9f^{10}z^4 + 2b^{14}d^5e^ \\
& 5f^5g^5z^4 + 384a^9c^5e^{10}f^6g^4z^4 + 256a^{10}c^4e^{10}f^4g^6z^4 \\
& + 256a^8c^6e^{10}f^8g^2z^4 + 64a^{11}c^3e^{10}f^2g^8z^4 - 6b^8c^6 \\
& *d^{10}f^6g^4z^4 + 4b^9c^5d^{10}f^5g^5z^4 + 4b^7c^7d^{10}f^7g^3z^4 \\
& + 384a^5c^9d^{10}f^4g^6z^4 + 256a^6c^8d^{10}f^2g^8z^4 + 256a^4c^ \\
& 10d^{10}f^6g^4z^4 + 64a^3c^{11}d^{10}f^8g^2z^4 - 6a^6b^8e^{10}f^4g^6 \\
& *z^4 + 4a^7b^7e^{10}f^3g^7z^4 + 4a^5b^9e^{10}f^5g^5z^4 + 384a^9c^ \\
& 5d^6e^4g^{10}z^4 + 256a^{10}c^4d^4e^6g^{10}z^4 + 256a^8c^6d^8e^2g^
\end{aligned}$$



$$\begin{aligned}
& f^3 g^5 z^2 + 68 a^3 b^4 c^5 d^6 e^2 f^2 g^6 z^2 + 68 a^3 b^4 c^5 d^2 e^6 f^6 g^2 z^2 - 60 a^3 b^3 c^6 d^5 e^3 f^2 g^6 z^2 + 60 a^3 b^3 c^6 d^4 e^4 f^3 g^5 z^2 \\
& \quad - 60 a^3 b^3 c^6 d^3 e^5 f^4 g^4 z^2 - 60 a^3 b^3 c^6 d^2 e^6 f^5 g^3 z^2 - 54 a^3 b^3 c^4 d^4 e^4 f^3 g^7 z^2 - 54 a^3 b^3 c^4 d^3 e^7 f^4 g^4 z^2 - 52 a^3 b^4 c^5 d^5 e^3 f^3 g^5 z^2 \\
& \quad - 52 a^3 b^4 c^5 d^3 e^5 f^5 g^3 z^2 + 48 a^3 b^5 c^2 d^2 e^6 f^3 g^7 z^2 + 48 a^3 b^5 c^2 d^2 e^7 f^2 g^6 z^2 + 48 a^2 b^6 c^2 d^3 e^5 f^3 g^7 z^2 \\
& \quad + 48 a^2 b^6 c^2 d^2 e^7 f^3 g^5 z^2 + 44 a^4 b^3 c^3 d^2 e^6 f^3 g^7 z^2 + 44 a^4 b^3 c^3 d^2 e^6 f^3 g^7 z^2 + 44 a^4 b^3 c^3 d^2 e^6 f^3 g^7 z^2 \\
& \quad + 44 a^4 b^3 c^3 d^2 e^6 f^3 g^7 z^2 - 44 a^2 b^3 c^7 d^3 e^5 f^6 g^2 z^2 - 44 a^2 b^3 c^6 d^6 e^2 f^3 g^5 z^2 - 44 a^2 b^3 c^6 d^6 e^2 f^3 g^5 z^2 \\
& \quad - 44 a^2 b^3 c^6 d^3 e^5 f^6 g^2 z^2 - 32 a^2 b^5 c^4 d^4 e^4 f^3 g^5 z^2 - 32 a^2 b^5 c^4 d^3 e^5 f^4 g^4 z^2 - 32 a^2 b^5 c^4 d^3 e^5 f^4 g^4 z^2 \\
& \quad - 32 a^2 b^5 c^4 d^3 e^5 f^4 g^4 z^2 - 32 a^2 b^5 c^4 d^3 e^5 f^4 g^4 z^2 - 20 a^2 b^7 c^2 d^3 e^5 f^2 g^6 z^2 - 20 a^2 b^7 c^2 d^2 e^6 f^3 g^5 z^2 + 20 a^2 b^4 c^5 d^4 e^4 f^4 g^4 z^2 \\
& \quad - 14 a^2 b^5 c^4 d^5 e^3 f^2 g^6 z^2 - 14 a^2 b^5 c^4 d^2 e^6 f^5 g^3 z^2 + 4 a^2 b^5 c^3 d^4 e^4 f^3 g^7 z^2 + 4 a^2 b^5 c^3 d^4 e^4 f^3 g^7 z^2 + 4 a^2 b^5 c^3 d^4 e^4 f^3 g^7 z^2 \\
& \quad - 4 a^2 b^4 c^4 d^5 e^3 f^3 g^7 z^2 - 4 a^2 b^4 c^4 d^5 e^3 f^3 g^7 z^2 - 4 a^2 b^4 c^4 d^5 e^3 f^3 g^7 z^2 - 4 a^2 b^4 c^4 d^5 e^3 f^3 g^7 z^2 + 2 a^2 b^6 c^3 d^4 e^4 f^2 g^6 z^2 \\
& \quad + 2 a^2 b^6 c^3 d^4 e^4 f^2 g^6 z^2 + 2 a^2 b^6 c^3 d^2 e^6 f^4 g^4 z^2 - 50 b^2 c^8 d^6 e^2 f^6 g^2 z^2 - 32 b^4 c^6 d^5 e^3 f^5 g^3 z^2 + 24 b^3 c^7 d^6 e^2 f^5 g^3 z^2 \\
& \quad + 24 b^3 c^7 d^6 e^2 f^5 g^3 z^2 + 24 b^3 c^7 d^6 e^2 f^5 g^3 z^2 + 23 b^4 c^6 d^6 e^2 f^4 g^4 z^2 + 23 b^4 c^6 d^4 e^4 f^6 g^2 z^2 - 11 b^6 c^4 d^6 e^2 f^2 g^6 z^2 \\
& \quad - 11 b^6 c^4 d^2 e^6 f^6 g^2 z^2 + 8 b^6 c^4 d^5 e^3 f^3 g^5 z^2 + 8 b^6 c^4 d^3 e^5 f^5 g^3 z^2 - 8 b^5 c^5 d^5 e^3 f^4 g^4 z^2 - 8 b^5 c^5 d^4 e^4 f^5 g^3 z^2 \\
& \quad + 5 b^6 c^4 d^4 e^4 f^4 g^4 z^2 - 4 b^8 c^2 d^3 e^5 f^3 g^5 z^2 + 4 b^7 c^3 d^5 e^3 f^2 g^6 z^2 + 4 b^7 c^3 d^2 e^6 f^5 g^3 z^2 - 2 b^7 c^3 d^4 e^4 f^3 g^5 z^2 \\
& \quad - 2 b^7 c^3 d^3 e^5 f^4 g^4 z^2 - 2 b^5 c^5 d^6 e^2 f^3 g^5 z^2 - 2 b^5 c^5 d^3 e^5 f^6 g^2 z^2 + 416 a^5 c^5 d^2 e^6 f^2 g^6 z^2 - 392 a^4 c^6 d^3 e^5 f^3 g^5 z^2 \\
& \quad + 376 a^4 c^6 d^4 e^4 f^2 g^6 z^2 + 376 a^4 c^6 d^2 e^6 f^4 g^4 z^2 + 320 a^3 c^7 d^4 e^4 f^4 g^4 z^2 - 280 a^3 c^7 d^5 e^3 f^3 g^5 z^2 - 280 a^3 c^7 d^3 e^5 f^5 g^3 z^2 \\
& \quad - 200 a^2 c^8 d^5 e^3 f^5 g^3 z^2 + 160 a^3 c^7 d^6 e^2 f^2 g^6 z^2 + 160 a^3 c^7 d^2 e^6 f^6 g^2 z^2 + 120 a^2 c^8 d^6 e^2 f^4 g^4 z^2 + 120 a^2 c^8 d^4 e^4 f^6 g^2 z^2 \\
& \quad - 471 a^4 b^2 c^4 e^8 f^4 g^4 z^2 + 436 a^3 b^4 c^3 e^8 f^4 g^4 z^2 - 310 a^3 b^3 c^4 e^8 f^5 g^3 z^2 - 232 a^5 b^2 c^3 e^8 f^2 g^6 z^2 + 229 a^2 b^4 c^4 e^8 f^6 g^2 z^2 \\
& \quad + 216 a^4 b^4 c^2 e^8 f^2 g^6 z^2 - 204 a^4 b^3 c^3 e^8 f^3 g^5 z^2 - 150 a^3 b^2 c^5 e^8 f^6 g^2 z^2 - 91 a^2 b^6 c^2 e^8 f^4 g^4 z^2 - 72 a^3 b^5 c^2 e^8 f^3 g^5 z^2 \\
& \quad - 44 a^2 b^5 c^3 e^8 f^5 g^3 z^2 - 471 a^4 b^2 c^4 d^4 e^4 g^8 z^2 + 436 a^3 b^4 c^3 d^4 e^4 g^8 z^2 - 310 a^3 b^3 c^4 d^5 e^3 g^8 z^2 - 232 a^5 b^2 c^3 d^2 e^6 g^8 z^2 \\
& \quad + 229 a^2 b^4 c^4 d^6 e^2 g^8 z^2 + 216 a^4 b^4 c^2 d^2 e^6 g^8 z^2 - 204 a^4 b^3 c^3 d^3 e^5 g^8 z^2 - 150 a^3 b^2 c^5 d^6 e^2 g^8 z^2 - 91 a^2 b^6 c^2 d^4 e^4 g^8 z^2 \\
& \quad - 72 a^3 b^5 c^2 d^3 e^5 g^8 z^2 - 44 a^2 b^5 c^3 d^5 e^3 g^8 z^2 - 26 b^3 c^7 d^7 e^4 f^4 g^4 z^2 - 26 b^3 c^7 d^4 e^4 f^7 g^4 z^2 + 16 b^2 c^8 d^7 e^4 f^5 g^3 z^2 \\
& \quad + 16 b^2 c^8 d^5 e^3 f^7 g^4 z^2 + 10 b^5 c^5 d^7 e^4 f^2 g^6 z^2 + 10 b^5 c^5 d^2 e^6 f^7 g^4 z^2 - 4 b^4 c^6 d^7 e^4 f^3 g^5 z^2 - 4 b^4 c^6 d^3 e^5 f^7 g^4 z^2 \\
& \quad + 2 b^9 c^4 d^3 e^5 f^2 g^6 z^2 + 2 b^9 c^4 d^2 e^6 f^3 g^5 z^2 - 168 a^5 c^5 d^3 e^5 f^3 g^5 z^2 - 168 a^5 c^5 d^2 e^7 f^3 g^5 z^2 - 120 a^4 c^5 d^3 e^5 f^3 g^5 z^2
\end{aligned}$$

$$\begin{aligned}
& c^6 d^5 e^3 f^7 g^7 z^2 - 120 a^4 c^6 d^5 e^7 f^5 g^3 z^2 - 56 a^2 c^8 d^7 e^5 f^3 g^5 z^2 - 56 a^2 c^8 d^3 e^5 f^7 g^5 z^2 + 32 a^2 c^9 d^6 e^2 f^6 g^2 z^2 + 6 \\
& 24 a^4 b^3 c^5 e^8 f^5 g^3 z^2 + 548 a^5 b^3 c^4 e^8 f^3 g^5 z^2 - 182 a^2 b^3 c^5 e^8 f^7 g^5 z^2 - 96 a^5 b^3 c^2 e^8 f^6 g^2 z^2 - 68 a^2 b^6 c^3 e^8 f^6 g^2 \\
& z^2 - 58 a^3 b^6 c^2 e^8 f^2 g^6 z^2 + 38 a^2 b^7 c^2 e^8 f^3 g^5 z^2 + 36 a^2 b^7 c^2 e^8 f^5 g^3 z^2 + 18 a^2 b^2 c^7 d^8 f^2 g^6 z^2 + 624 a^4 b^3 c^5 d^5 e \\
& ^3 g^8 z^2 + 548 a^5 b^3 c^4 d^3 e^5 g^8 z^2 - 182 a^2 b^3 c^5 d^7 e^5 g^8 z^2 - 96 a^5 b^3 c^2 d^2 e^7 g^8 z^2 - 68 a^2 b^6 c^3 d^6 e^2 g^8 z^2 - 58 a^3 b^6 c \\
& d^2 e^6 g^8 z^2 + 38 a^2 b^7 c^4 d^3 e^5 g^8 z^2 + 36 a^2 b^7 c^2 d^5 e^3 g^8 z^2 + 18 a^2 b^2 c^7 d^2 e^6 f^8 z^2 + 12 b^3 c^9 d^7 e^5 f^6 g^2 z^2 + 12 b^3 c^9 \\
& d^6 e^2 f^7 g^5 z^2 - 72 a^6 c^4 d^2 e^7 f^5 g^7 z^2 - 40 a^2 c^9 d^7 e^5 f^5 g^3 z^2 - 40 a^2 c^9 d^5 e^3 f^7 g^5 z^2 - 24 a^3 c^7 d^7 e^5 f^5 g^7 z^2 - 24 a^3 c^7 d^7 e^7 f^7 g^5 z^2 \\
& - 4 a^2 b^8 d^2 e^7 f^5 g^7 z^2 + 2 a^2 b^9 d^2 e^6 f^5 g^7 z^2 + 2 a^2 b^9 d^2 e^7 f^2 g^6 z^2 + 204 a^3 b^3 c^6 e^8 f^7 g^5 z^2 + 128 a^6 b^3 c^3 e^8 f^5 g^7 z^2 \\
& + 48 a^2 b^5 c^4 e^8 f^7 g^5 z^2 + 24 a^4 b^5 c^2 e^8 f^5 g^7 z^2 - 48 a^2 b^3 c^8 d^8 f^3 g^5 z^2 - 36 a^2 b^3 c^7 d^8 f^5 g^7 z^2 + 6 a^2 b^3 c^6 d^8 f^5 g^7 z^2 \\
& + 204 a^3 b^3 c^6 d^7 e^5 g^8 z^2 + 128 a^6 b^3 c^3 d^2 e^7 g^8 z^2 + 48 a^2 b^5 c^4 d^7 e^5 g^8 z^2 + 24 a^4 b^5 c^2 d^2 e^7 g^8 z^2 - 48 a^2 b^3 c^8 d^3 e^5 f^8 z^2 - \\
& 36 a^2 b^3 c^7 d^2 e^7 f^8 z^2 + 6 a^2 b^3 c^6 d^2 e^7 f^8 z^2 - b^8 c^2 d^4 e^4 f^2 g^6 z^2 - b^8 c^2 d^2 e^6 f^4 g^4 z^2 - 4 b^9 c^2 e^8 f^5 g^3 z^2 - 4 b^7 c^3 e^8 f^7 g^5 z^2 \\
& - 12 b^3 c^9 d^8 f^5 g^3 z^2 + 24 a^2 c^9 d^8 f^4 g^4 z^2 - 4 b^9 c^2 d^5 e^3 g^8 z^2 - 4 b^7 c^3 d^7 e^5 g^8 z^2 - 4 a^2 b^9 e^8 f^3 g^5 z^2 - 2 a^3 b^7 e^8 f^5 g^7 z^2 \\
& - 12 b^3 c^9 d^5 e^3 f^8 z^2 + 24 a^2 c^9 d^4 e^4 f^8 z^2 - 4 a^2 b^9 d^3 e^5 g^8 z^2 - 2 a^3 b^7 d^2 e^7 g^8 z^2 - 12 a^5 b^4 c^2 e^8 g^8 z^2 - 12 a^2 b^4 c^5 e^8 f^8 z^2 \\
& - 12 a^2 b^4 c^5 d^8 g^8 z^2 - 8 c^10 d^7 e^5 f^7 g^5 z^2 + 6 b^8 c^2 e^8 f^6 g^2 z^2 - 232 a^5 c^5 e^8 f^4 g^4 z^2 - 188 a^4 c^6 e^8 f^6 g^2 z^2 - 92 a^6 c^4 e^8 f^2 g^6 z^2 + 9 b^2 c^8 d^8 f^4 g^4 z^2 \\
& - 3 b^4 c^6 d^8 f^2 g^6 z^2 + 2 b^3 c^7 d^8 f^3 g^5 z^2 + 36 a^2 c^8 d^8 f^2 g^6 z^2 + 6 b^8 c^2 d^6 e^2 g^8 z^2 + 5 a^2 b^8 e^8 f^2 g^6 z^2 - 232 a^5 c^5 d^4 e^4 g^8 z^2 \\
& - 188 a^4 c^6 d^6 e^2 g^8 z^2 - 92 a^6 c^4 d^2 e^6 g^8 z^2 + 9 b^2 c^8 d^4 e^4 f^8 z^2 - 3 b^4 c^6 d^2 e^6 f^8 z^2 + 2 b^3 c^7 d^3 e^5 f^8 z^2 + 36 a^2 c^8 d^2 e^6 f^8 z^2 \\
& + 5 a^2 b^8 d^2 e^6 g^8 z^2 + 48 a^6 b^2 c^2 e^8 g^8 z^2 + 45 a^2 b^2 c^6 e^8 f^8 z^2 + 45 a^2 b^2 c^6 d^8 g^8 z^2 + 4 c^10 d^8 f^6 g^2 z^2 + b^10 e^8 f^4 g^4 z^2 + 4 c^10 d^6 e^2 f^8 z^2 \\
& + b^10 d^4 e^4 g^8 z^2 - 64 a^7 c^3 e^8 g^8 z^2 + b^6 c^4 e^8 f^8 z^2 + b^6 c^4 d^8 g^8 z^2 - 48 a^3 c^7 e^8 f^8 z^2 - 48 a^3 c^7 d^8 g^8 z^2 + a^4 b^6 e^8 g^8 z^2 - b^10 d^2 e^6 f^2 g^6 z^2 \\
& + 108 a^2 b^2 c^4 d^2 e^5 f^5 g^6 z + 108 a^2 b^2 c^4 d^2 e^6 f^2 g^5 z + 60 a^2 b^2 c^5 d^3 e^4 f^2 g^5 z + 60 a^2 b^2 c^5 d^2 e^5 f^3 g^4 z - 48 a^2 b^3 c^5 d^2 e^5 f^2 g^5 z - 4 \\
& 4 a^2 b^3 c^4 d^2 e^5 f^2 g^5 z - 120 a^2 b^3 c^5 d^3 e^4 f^3 g^4 z - 120 a^2 b^3 c^5 d^2 e^6 f^3 g^4 z - 96 a^2 b^3 c^6 d^3 e^4 f^3 g^4 z - 64 a^2 b^3 c^3 d^2 e^6 f^3 g^6 z \\
& + 32 a^2 b^3 c^4 d^3 e^4 f^3 g^6 z + 32 a^2 b^3 c^4 d^2 e^6 f^3 g^4 z - 28 a^2 b^4 c^3 d^2 e^5 f^3 g^6 z - 28 a^2 b^4 c^3 d^2 e^6 f^2 g^5 z - 18 a^2 b^2 c^5 d^4 e^3 f^3 g^6 z \\
& - 18 a^2 b^2 c^5 d^2 e^6 f^4 g^3 z + 4 a^2 b^3 c^6 d^4 e^3 f^2 g^5 z + 4 a^2 b^3 c^6 d^2 e^5 f^4 g^3 z + 24 a^2 b^5 c^2 d^2 e^6 f^3 g^6 z - 16 a^3 b^3 c^4 d^2 e^6 f^3 g^6 z
\end{aligned}$$



$$\begin{aligned}
& 6*f*g^6*z - 8*a*b*c^6*d^5*e^2*f*g^6*z - 8*a*b*c^6*d*e^6*f^5*g^2*z - 13*b^2*c^6*d^6*e*f*g^6*z - 13*b^2*c^6*d^6*e^6*f^6*g*z + 8*b*c^7*d^6*e*f^2*g^5*z + 8*b*c^7*d^2*e^5*f^6*g*z + 9*b^2*c^6*d^4*e^3*f^3*g^4*z + 9*b^2*c^6*d^3*e^4*f^4*g^3*z + 8*b^5*c^3*d^2*e^5*f^2*g^5*z - 6*b^4*c^4*d^3*e^4*f^2*g^5*z - 6*b^4*c^4*d^2*e^5*f^3*g^4*z - 6*b^3*c^5*d^4*e^3*f^2*g^5*z - 6*b^3*c^5*d^2*e^5*f^4*g^3*z + 4*b^3*c^5*d^3*e^4*f^3*g^4*z + b^2*c^6*d^5*e^2*f^2*g^5*z + b^2*c^6*d^2*e^5*f^5*g^2*z + 16*a^2*c^6*d^3*e^4*f^2*g^5*z + 16*a^2*c^6*d^2*e^5*f^3*g^4*z - 112*a^2*b^3*c^3*e^7*f^2*g^5*z - 12*a^2*b^2*c^4*e^7*f^3*g^4*z - 112*a^2*b^3*c^3*d^2*e^5*g^7*z - 12*a^2*b^2*c^4*d^3*e^4*g^7*z - 2*b^7*c*d*e^6*f*g^6*z + 8*a*c^7*d^6*e*f*g^6*z + 8*a*c^7*d*e^6*f^6*g*z + 52*a*b*c^6*e^7*f^6*g*z - 10*a*b^6*c*e^7*f*g^6*z + 52*a*b*c^6*d^6*e*g^7*z - 10*a*b^6*c*d*e^6*g^7*z + 14*b^3*c^5*d^5*e^2*f*g^6*z + 14*b^3*c^5*d*e^6*f^5*g^2*z - 12*b*c^7*d^5*e^2*f^3*g^4*z - 12*b*c^7*d^3*e^4*f^5*g^2*z - 5*b^4*c^4*d^4*e^3*f*g^6*z - 5*b^4*c^4*d^4*e^6*f^4*g^3*z + b^6*c^2*d^2*e^5*f*g^6*z + b^6*c^2*d*e^6*f^2*g^5*z + 52*a^2*c^6*d^4*e^3*f*g^6*z + 52*a^2*c^6*d*e^6*f^4*g^3*z + 24*a*c^7*d^4*e^3*f^3*g^4*z + 24*a*c^7*d^3*e^4*f^4*g^3*z - 16*a*c^7*d^5*e^2*f^2*g^5*z - 16*a*c^7*d^2*e^5*f^5*g^2*z + 8*a^3*c^5*d^2*e^5*f*g^6*z + 8*a^3*c^5*d*e^6*f^2*g^5*z + 200*a^3*b*c^4*e^7*f^2*g^5*z + 144*a^2*b*c^5*e^7*f^4*g^3*z - 42*a*b^2*c^5*e^7*f^5*g^2*z + 32*a^3*b^2*c^3*e^7*f*g^6*z + 24*a^2*b^4*c^2*e^7*f*g^6*z + 24*a*b^5*c^2*e^7*f^2*g^5*z - 10*a*b^3*c^4*e^7*f^4*g^3*z + 4*a*b^4*c^3*e^7*f^3*g^4*z + 200*a^3*b*c^4*d^2*e^5*g^7*z + 144*a^2*b*c^5*d^4*e^3*g^7*z - 42*a*b^2*c^5*d^5*e^2*g^7*z + 32*a^3*b^2*c^3*d*e^6*g^7*z + 24*a^2*b^4*c^2*d*e^6*g^7*z + 24*a*b^5*c^2*d^2*e^5*g^7*z - 10*a*b^3*c^4*d^4*e^3*g^7*z + 4*a*b^4*c^3*d^3*e^4*g^7*z + 4*b*c^7*d^7*f*g^6*z + 4*b*c^7*d*e^6*f^7*z + 11*b^4*c^4*e^7*f^5*g^2*z - 4*b^5*c^3*e^7*f^4*g^3*z + b^6*c^2*e^7*f^3*g^4*z - 136*a^3*c^5*e^7*f^3*g^4*z - 68*a^2*c^6*e^7*f^5*g^2*z + 11*b^4*c^4*d^5*e^2*g^7*z - 4*b^5*c^3*d^4*e^3*g^7*z + b^6*c^2*d^3*e^4*g^7*z - 136*a^3*c^5*d^3*e^4*g^7*z - 68*a^2*c^6*d^5*e^2*g^7*z - 96*a^3*b^3*c^2*e^7*g^7*z + 4*c^8*d^6*e*f^3*g^4*z + 4*c^8*d^3*e^4*f^6*g*z - 10*b^3*c^5*e^7*f^6*g*z - 2*b^7*c*e^7*f^2*g^5*z - 128*a^4*c^4*e^7*f*g^6*z - 10*b^3*c^5*d^6*e*g^7*z - 2*b^7*c*d^2*e^5*g^7*z - 128*a^4*c^4*d*e^6*g^7*z + 128*a^4*b*c^3*e^7*g^7*z + 24*a^2*b^5*c*e^7*g^7*z - 4*c^8*d^7*f^2*g^5*z - 4*c^8*d^2*e^5*f^7*z + 3*b^2*c^6*e^7*f^7*z + 3*b^2*c^6*d^7*g^7*z + b^8*e^7*f*g^6*z + b^8*d*e^6*g^7*z - 16*a*c^7*e^7*f^7*z - 16*a*c^7*d^7*g^7*z - 2*a*b^7*e^7*g^7*z - 8*a*c^5*d*e^5*f*g^5 + 20*a*b*c^4*e^6*f*g^5 + 20*a*b*c^4*d*e^5*g^6 + 4*b*c^5*d^2*e^4*f*g^5 + 4*b*c^5*d*e^5*f^2*g^4 - 2*b^2*c^4*d*e^5*f*g^5 - 4*b^3*c^3*e^6*f*g^5 - 16*a*c^5*e^6*f^2*g^4 - 4*b^3*c^3*d*e^5*g^6 - 16*a*c^5*d^2*e^4*g^6 + 8*a*b^2*c^3*e^6*g^6 - 4*c^6*d^2*e^4*f^2*g^4 + 3*b^2*c^4*e^6*f^2*g^4 + 3*b^2*c^4*d^2*e^4*g^6 - 36*a^2*c^4*e^6*g^6, z, k) * ((13*a^2*b^5*c^2*e^7*g^7 - 56*a^3*b^3*c^3*e^7*g^7 + 24*a^2*c^7*d^5*e^2*g^7 - 2*b^4*c^5*d^5*e^2*g^7 + b^5*c^4*d^4*e^3*g^7 + b^6*c^3*d^3*e^4*g^7 - 2*b^7*c^2*d^2*e^5*g^7 + 24*a^2*c^7*e^7*f^5*g^2 - 2*b^4*c^5*e^7*f^5*g^2 + b^5*c^4*e^7*f^4*g^3 + b^6*c^3*e^7*f^3*g^4 - 2*b^7*c^2*e^7*f^2*g^5 - a*b^7*c*e^7*g^7 + b^8*c*d*e^6*g^7 + b^8*c*e^7*f*g^6 + 80*a^4*b*c^4*e^7*g^7 - 28*a^4*c^5*d*e^6*g^7 + b^3*c^6*d^6*e*g^7 - 28*a^4*c^5*e^7*f*g^6 + b^3*c^6*e^7*f^6*g + 4*c^9*d^3*e^4*f^6*g + 4*c^9*d^6*e*f^3*g^4 - 12*a*b^6*c^2
\end{aligned}$$

$$\begin{aligned}
& *d^6g^7 - 12a^6b^6c^2e^7f^6g^6 - 4b^6c^8d^2e^5f^6g - 4b^6c^8d^6e \\
& *f^2g^5 - b^2c^7d^6e^6f^6g - b^2c^7d^6e^6f^6g^6 - 2b^7c^2d^6e^6f^6g^6 \\
& + 2a^6b^2c^6d^5e^2g^7 + 10a^6b^3c^5d^4e^3g^7 - 20a^6b^4c^4d^3e^4g^7 \\
& + 25a^6b^5c^3d^2e^5g^7 - 56a^2b^6c^6d^4e^3g^7 + 44a^2b^4c^3d^3e^6g^7 \\
& + 76a^3b^6c^5d^2e^5g^7 - 40a^3b^2c^4d^6e^6g^7 + 2a^6b^2c^6e^7f^5g^2 \\
& + 10a^6b^3c^5e^7f^4g^3 - 20a^6b^4c^4e^7f^3g^4 + 25a^6b^5c^3e^7f^2g^5 \\
& - 56a^2b^6c^6e^7f^4g^3 + 44a^2b^4c^3e^7f^6g^6 + 76a^3b^6c^5e^7f^2g^5 \\
& - 40a^3b^2c^4e^7f^6g^6 + 16a^6c^8d^2e^5f^5g^2 + 24a^6c^8d^3e^4f^4g^3 \\
& + 24a^6c^8d^4e^3f^3g^4 + 16a^6c^8d^5e^2f^2g^5 + 28a^2c^7d^6e^6f^4g^3 \\
& + 28a^2c^7d^4e^3f^6g^6 - 80a^3c^6d^6e^6f^2g^5 - 80a^3c^6d^2e^5f^6g^6 \\
& - 12b^6c^8d^3e^4f^5g^2 - 12b^6c^8d^5e^2f^3g^4 + 6b^3c^6d^6e^6f^5g^2 + 6b^3c^6d^5e^2f^6g^6 \\
& - 9b^4c^5d^6e^6f^4g^3 - 9b^4c^5d^4e^3f^6g^6 + 4b^5c^4d^6e^6f^3g^4 \\
& + 4b^5c^4d^3e^4f^6g^6 + b^6c^3d^6e^6f^2g^5 + b^6c^3d^2e^5f^6g^6 - 4a^6b^6c^7d^6e^6g^7 \\
& - 4a^6b^6c^7e^7f^6g^6 + 8a^6c^8d^6e^6f^6g^6 + 8a^6c^8d^6e^6f^6g^6 + 65a^2b^2c^5d^3e^4g^7 \\
& - 88a^2b^3c^4d^2e^5g^7 + 65a^2b^2c^5e^7f^3g^4 - 88a^2b^3c^4e^7f^2g^5 + 68a^2c^7d^2e^5f^3g^4 \\
& + 68a^2c^7d^3e^4f^2g^5 + 8b^2c^7d^2e^5f^5g^2 + 9b^2c^7d^3e^4f^4g^3 \\
& + 9b^2c^7d^4e^3f^3g^4 + 8b^2c^7d^5e^2f^2g^5 - b^3c^6d^2e^5f^4g^3 + 4b^3c^6d^3e^4f^3g^4 \\
& - b^3c^6d^4e^3f^2g^5 - 9b^4c^5d^2e^5f^3g^4 - 9b^4c^5d^3e^4f^2g^5 + 7b^5c^4d^2e^5f^2g^5 \\
& + 74a^6b^2c^6d^2e^5f^3g^4 + 74a^6b^2c^6d^3e^4f^2g^5 - 28a^6b^3c^5d^2e^5f^2g^5 \\
& - 120a^2b^6c^6d^2e^5f^2g^5 + 159a^2b^2c^5d^6e^6f^2g^5 + 159a^2b^2c^5d^2e^5f^6g^6 \\
& - 36a^6b^6c^7d^6e^6f^5g^2 - 36a^6b^6c^7d^5e^2f^6g^6 + 28a^6b^5c^3d^6e^6f^6g^6 \\
& + 104a^3b^6c^5d^6e^6f^6g^6 - 56a^6b^6c^7d^2e^5f^4g^3 - 96a^6b^6c^7d^3e^4f^3g^4 \\
& - 56a^6b^6c^7d^4e^3f^2g^5 + 44a^6b^2c^6d^6e^6f^4g^3 + 44a^6b^2c^6d^4e^3f^6g^6 \\
& - 32a^6b^4c^4d^6e^6f^2g^5 - 32a^6b^4c^4d^2e^5f^6g^6 - 116a^2b^6c^6d^6e^6f^3g^4 \\
& - 116a^2b^6c^6d^3e^4f^6g^6 - 112a^2b^3c^4d^6e^6f^6g^6)/(16a^2c^6d^4f^4 + a^4b^4e^4g^4 \\
& + 16a^4c^4d^4g^4 + 16a^4c^4e^4f^4 + b^4c^4d^4f^4 + 16a^6c^2e^4g^4 + a^2b^4c^2d^4g^4 \\
& + a^2b^4c^2e^4f^4 - 8a^3b^2c^3d^4g^4 - 8a^3b^2c^3e^4f^4 + a^2b^6d^2e^2g^4 \\
& + 32a^3c^5d^2e^2f^4 + 32a^5c^3d^2e^2g^4 + b^6c^2d^2e^2f^4 + a^2b^6e^4f^2g^2 \\
& + 32a^3c^5d^4f^2g^2 + 32a^5c^3e^4f^2g^2 + b^6c^2d^4f^2g^2 + b^8d^2e^2f^2g^2 \\
& - 8a^6b^2c^5d^4f^4 - 8a^5b^2c^5e^4g^4 - 2a^3b^5d^6e^3g^4 - 2b^5c^3d^3e^6f^4 \\
& - 2a^3b^5e^4f^6g^3 - 2b^5c^3d^4f^3g^6 + 16a^6b^3c^4d^3e^6f^4 - 2a^6b^5c^2d^6e^3f^4 \\
& - 32a^2b^6c^5d^3e^6f^4 - 32a^3b^6c^4d^6e^3f^4 - 2a^2b^5c^6d^3e^6g^4 \\
& - 32a^4b^6c^3d^3e^6g^4 + 16a^4b^3c^6d^6e^3g^4 - 32a^5b^6c^2d^6e^3g^4 \\
& + 16a^6b^3c^4d^4f^3g^6 - 2a^6b^5c^2d^4f^6g^3 - 32a^2b^6c^5d^4f^3g^6 \\
& - 32a^3b^6c^4d^4f^6g^3 - 2a^2b^5c^6e^4f^3g^6 - 32a^4b^6c^3e^4f^3g^6 \\
& + 16a^4b^3c^6e^4f^6g^3 - 32a^5b^6c^2e^4f^6g^3 - 2a^6b^7d^6e^3f^2g^2 \\
& - 2a^6b^7d^2e^2f^6g^3 + 4a^2b^6d^6e^3f^6g^3 + 4b^6c^2d^3e^6f^3g^6 \\
& - 2b^7c^6d^2e^2f^3g^6 - 2b^7c^6d^3e^6f^2g^2 - 6a^6b^4c^3d^2e^2f^4 \\
& + 16a^2b^3c^3d^6e^3f^4 + 16a^3b^3c^2d^3e^6g^4 - 6a^3b^4c^6d^
\end{aligned}$$

$$\begin{aligned}
& 2e^2g^4 - 6a^2b^4c^3d^4f^2g^2 + 16a^2b^3c^3d^4f^3g^3 + 16a^3b^3c^2e^4f^3g - 6a^3b^4c^3e^4f^2g^2 + 64a^4c^4d^2e^2f^2g^2 + 4a^2b^6c^3d^2e^3f^3g + 4a^2b^6c^3d^3e^2f^3g^3 - 32a^2b^4c^3d^3e^2f^3g - 32a^3b^4c^3d^3e^2f^3g^3 - 12a^2b^4c^2d^2e^2f^2g^2 + 32a^3b^2c^3d^2e^2f^2g^2 + 12a^2b^5c^2d^2e^2f^3g + 12a^2b^5c^2d^3e^2f^2g^2 - 4a^2b^6c^2d^2e^2f^2g^2 + 64a^2b^2c^4d^3e^2f^3g - 32a^2b^4c^2d^2e^3f^3g - 32a^2b^4c^2d^3e^2f^3g^3 + 12a^2b^5c^2d^2e^3f^2g^2 + 12a^2b^5c^2d^2e^2f^3g^3 - 64a^3b^3c^4d^2e^2f^3g - 64a^3b^3c^4d^3e^2f^2g^2 + 64a^3b^2c^3d^2e^3f^3g + 64a^3b^2c^3d^3e^2f^3g^3 - 64a^4b^3c^3d^2e^3f^2g^2 - 64a^4b^3c^3d^2e^2f^3g^3 + 64a^4b^2c^2d^2e^3f^3g^3) - \\
& \text{root}(1120a^6b^2c^6d^9e^9f^9g^9z^4 + 1120a^6b^2c^6d^9e^9f^9g^9z^4 - 792a^5b^4c^5d^9e^9f^9g^9z^4 - 792a^5b^4c^5d^9e^9f^9g^9z^4 + 512a^9b^3c^4d^4e^6f^9g^9z^4 + 512a^9b^3c^4d^4e^9f^4g^6z^4 - 512a^7b^3c^6d^8e^2f^9g^9z^4 - 512a^7b^3c^6d^8e^9f^8g^2z^4 - 512a^6b^3c^7d^9e^2f^8g^8z^4 - 512a^6b^3c^7d^2e^8f^9g^9z^4 + 512a^4b^3c^9d^9e^2f^6g^4z^4 + 512a^4b^3c^9d^6e^4f^9g^9z^4 + 256a^10b^3c^3d^2e^8f^9g^9z^4 + 256a^10b^3c^3d^2e^9f^2g^8z^4 + 256a^3b^3c^10d^9e^2f^8g^2z^4 + 256a^3b^3c^10d^8e^2f^9g^9z^4 - 200a^6b^7c^6d^4e^6f^9g^9z^4 - 200a^6b^7c^6d^4e^9f^4g^6z^4 - 200a^6b^7c^6d^6e^4f^9g^9z^4 + 194a^4b^6c^4d^9e^2f^9g^9z^4 + 194a^4b^6c^4d^9e^9f^9g^9z^4 + 144a^5b^8c^5d^9e^2f^5g^5z^4 + 144a^5b^8c^5d^9e^5f^9g^9z^4 + 144a^5b^8c^5d^5e^5f^9g^9z^4 + 96a^10b^2c^2d^2e^9f^9g^9z^4 + 96a^2b^2c^10d^9e^2f^9g^9z^4 + 56a^7b^6c^3d^3e^7f^9g^9z^4 + 56a^7b^6c^3d^3e^9f^3g^7z^4 + 56a^6b^6c^7d^9e^2f^7g^3z^4 + 56a^6b^6c^7d^7e^3f^9g^9z^4 + 48a^8b^5c^4d^2e^8f^9g^9z^4 + 48a^8b^5c^4d^2e^9f^2g^8z^4 + 48a^8b^5c^4d^2e^8f^9g^9z^4 + 48a^8b^5c^4d^2e^9f^8g^2z^4 + 48a^8b^5c^4d^2e^8f^9g^9z^4 + 20a^6b^12c^6d^6e^4f^4g^6z^4 + 20a^6b^12c^6d^4e^6f^6g^4z^4 - 16a^3b^10c^3d^7e^3f^9g^9z^4 - 16a^3b^10c^3d^7e^9f^7g^3z^4 - 16a^3b^8c^3d^9e^2f^9g^9z^4 - 16a^3b^8c^3d^9e^9f^9g^9z^4 - 16a^3b^12c^3d^7e^3f^3g^7z^4 - 16a^3b^12c^3d^3e^7f^7g^3z^4 - 16a^3b^10c^3d^9e^2f^3g^7z^4 - 16a^3b^10c^3d^3e^7f^9g^9z^4 - 8a^4b^9c^6d^6e^4f^9g^9z^4 - 8a^4b^9c^6d^6e^9f^6g^4z^4 - 8a^4b^9c^6d^5e^5f^5g^5z^4 - 8a^4b^9c^4d^4e^6f^9g^9z^4 - 9984a^7b^2c^5d^4e^6f^4g^6z^4 - 9984a^5b^2c^7d^6e^4f^6g^4z^4 - 8640a^6b^2c^6d^6e^4f^4g^6z^4 - 8640a^6b^2c^6d^4e^6f^6g^4z^4 - 8544a^5b^4c^5d^5e^5f^5g^5z^4 + 5632a^6b^2c^6d^7e^3f^3g^7z^4 + 5632a^6b^2c^6d^3e^7f^7g^3z^4 + 5232a^5b^4c^5d^6e^4f^4g^6z^4 + 5232a^5b^4c^5d^4e^6f^6g^4z^4 + 4808a^4b^6c^4d^5e^5f^5g^5z^4 - 4288a^6b^4c^4d^5e^5f^3g^7z^4 - 4288a^6b^4c^4d^3e^7f^5g^5z^4 - 4288a^4b^4c^6d^7e^3f^5g^5z^4 - 4288a^4b^4c^6d^5e^5f^7g^3z^4 + 3968a^6b^3c^5d^5e^5f^4g^6z^4 + 3968a^6b^3c^5d^4e^6f^5g^5z^4 + 3968a^5b^3c^6d^6e^4f^5g^5z^4 + 3968a^5b^3c^6d^5e^5f^6g^4z^4 + 3840a^7b^2c^5d^5e^5f^3g^7z^4 + 3840a^7b^2c^5d^3e^7f^5g^5z^4 + 3840a^5b^2c^7d^7e^3f^5g^5z^4 + 3840a^5b^2c^7d^5e^5f^7g^3z^4 + 3776a^6b^4c^4d^4e^6f^4g^6z^4 + 37
\end{aligned}$$

$$\begin{aligned}
& 76*a^4*b^4*c^6*d^6*e^4*f^6*g^4*z^4 + 3456*a^6*b^2*c^6*d^5*e^5*f^5*g^5*z^4 + \\
& 3440*a^6*b^4*c^4*d^6*e^4*f^2*g^8*z^4 + 3440*a^6*b^4*c^4*d^2*e^8*f^6*g^4*z^4 + 3440*a^4*b^4*c^6*d^8*e^2*f^4*g^6*z^4 + 3440*a^4*b^4*c^6*d^4*e^6*f^8*g^2 \\
& *z^4 - 3360*a^8*b^2*c^4*d^4*e^6*f^2*g^8*z^4 - 3360*a^8*b^2*c^4*d^2*e^8*f^4* \\
& g^6*z^4 - 3360*a^4*b^2*c^8*d^8*e^2*f^6*g^4*z^4 - 3360*a^4*b^2*c^8*d^6*e^4*f \\
& ^8*g^2*z^4 - 2944*a^7*b^4*c^3*d^3*e^7*f^3*g^7*z^4 - 2944*a^3*b^4*c^7*d^7*e^ \\
& 3*f^7*g^3*z^4 + 2512*a^5*b^6*c^3*d^5*e^5*f^3*g^7*z^4 + 2512*a^5*b^6*c^3*d^3 \\
& *e^7*f^5*g^5*z^4 + 2512*a^3*b^6*c^5*d^7*e^3*f^5*g^5*z^4 + 2512*a^3*b^6*c^5* \\
& d^5*e^5*f^7*g^3*z^4 + 2312*a^7*b^4*c^3*d^4*e^6*f^2*g^8*z^4 + 2312*a^7*b^4*c \\
& ^3*d^2*e^8*f^4*g^6*z^4 + 2312*a^3*b^4*c^7*d^8*e^2*f^6*g^4*z^4 + 2312*a^3*b^ \\
& 4*c^7*d^6*e^4*f^8*g^2*z^4 + 1952*a^6*b^6*c^2*d^3*e^7*f^3*g^7*z^4 + 1952*a^2 \\
& *b^6*c^6*d^7*e^3*f^7*g^3*z^4 - 1920*a^5*b^4*c^5*d^7*e^3*f^3*g^7*z^4 - 1920* \\
& a^5*b^4*c^5*d^3*e^7*f^7*g^3*z^4 - 1828*a^5*b^6*c^3*d^6*e^4*f^2*g^8*z^4 - 18 \\
& 28*a^5*b^6*c^3*d^2*e^8*f^6*g^4*z^4 - 1828*a^3*b^6*c^5*d^8*e^2*f^4*g^6*z^4 - \\
& 1828*a^3*b^6*c^5*d^4*e^6*f^8*g^2*z^4 + 1740*a^5*b^4*c^5*d^8*e^2*f^2*g^8*z^ \\
& 4 + 1740*a^5*b^4*c^5*d^2*e^8*f^8*g^2*z^4 - 1728*a^7*b^2*c^5*d^6*e^4*f^2*g^8 \\
& *z^4 - 1728*a^7*b^2*c^5*d^2*e^8*f^6*g^4*z^4 - 1728*a^5*b^2*c^7*d^8*e^2*f^4* \\
& g^6*z^4 - 1728*a^5*b^2*c^7*d^4*e^6*f^8*g^2*z^4 - 1716*a^4*b^6*c^4*d^6*e^4*f \\
& ^4*g^6*z^4 - 1716*a^4*b^6*c^4*d^4*e^6*f^6*g^4*z^4 - 1664*a^9*b^2*c^3*d^2*e^ \\
& 8*f^2*g^8*z^4 - 1664*a^3*b^2*c^9*d^8*e^2*f^8*g^2*z^4 - 1600*a^6*b^3*c^5*d^7 \\
& *e^3*f^2*g^8*z^4 - 1600*a^6*b^3*c^5*d^2*e^8*f^7*g^3*z^4 - 1600*a^5*b^3*c^6* \\
& d^8*e^2*f^3*g^7*z^4 - 1600*a^5*b^3*c^6*d^3*e^7*f^8*g^2*z^4 - 1553*a^4*b^6*c \\
& ^4*d^8*e^2*f^2*g^8*z^4 - 1553*a^4*b^6*c^4*d^2*e^8*f^8*g^2*z^4 + 1536*a^8*b^ \\
& 2*c^4*d^3*e^7*f^3*g^7*z^4 + 1536*a^4*b^2*c^8*d^7*e^3*f^7*g^3*z^4 + 1408*a^7 \\
& *b^3*c^4*d^4*e^6*f^3*g^7*z^4 + 1408*a^7*b^3*c^4*d^3*e^7*f^4*g^6*z^4 - 1408* \\
& a^6*b^3*c^5*d^6*e^4*f^3*g^7*z^4 - 1408*a^6*b^3*c^5*d^3*e^7*f^6*g^4*z^4 - 14 \\
& 08*a^5*b^3*c^6*d^7*e^3*f^4*g^6*z^4 - 1408*a^5*b^3*c^6*d^4*e^6*f^7*g^3*z^4 + \\
& 1408*a^4*b^3*c^7*d^7*e^3*f^6*g^4*z^4 + 1408*a^4*b^3*c^7*d^6*e^4*f^7*g^3*z^ \\
& 4 - 1360*a^6*b^5*c^3*d^5*e^5*f^2*g^8*z^4 - 1360*a^6*b^5*c^3*d^2*e^8*f^5*g^5 \\
& *z^4 - 1360*a^3*b^5*c^6*d^8*e^2*f^5*g^5*z^4 - 1360*a^3*b^5*c^6*d^5*e^5*f^8* \\
& g^2*z^4 - 1248*a^5*b^5*c^4*d^5*e^5*f^4*g^6*z^4 - 1248*a^5*b^5*c^4*d^4*e^6*f \\
& ^5*g^5*z^4 - 1248*a^4*b^5*c^5*d^6*e^4*f^5*g^5*z^4 - 1248*a^4*b^5*c^5*d^5*e^ \\
& 5*f^6*g^4*z^4 + 1088*a^8*b^3*c^3*d^3*e^7*f^2*g^8*z^4 + 1088*a^8*b^3*c^3*d^2 \\
& *e^8*f^3*g^7*z^4 + 1088*a^3*b^3*c^8*d^8*e^2*f^7*g^3*z^4 + 1088*a^3*b^3*c^8* \\
& d^7*e^3*f^8*g^2*z^4 + 1056*a^8*b^4*c^2*d^2*e^8*f^2*g^8*z^4 + 1056*a^2*b^4*c \\
& ^8*d^8*e^2*f^8*g^2*z^4 - 912*a^7*b^5*c^2*d^3*e^7*f^2*g^8*z^4 - 912*a^7*b^5* \\
& c^2*d^2*e^8*f^3*g^7*z^4 - 912*a^2*b^5*c^7*d^8*e^2*f^7*g^3*z^4 - 912*a^2*b^5 \\
& *c^7*d^7*e^3*f^8*g^2*z^4 - 848*a^5*b^6*c^3*d^4*e^6*f^4*g^6*z^4 - 848*a^3*b^ \\
& 6*c^5*d^6*e^4*f^6*g^4*z^4 + 832*a^7*b^3*c^4*d^5*e^5*f^2*g^8*z^4 + 832*a^7*b \\
& ^3*c^4*d^2*e^8*f^5*g^5*z^4 + 832*a^4*b^3*c^7*d^8*e^2*f^5*g^5*z^4 + 832*a^4* \\
& b^3*c^7*d^5*e^5*f^8*g^2*z^4 + 828*a^5*b^7*c^2*d^5*e^5*f^2*g^8*z^4 + 828*a^5 \\
& *b^7*c^2*d^2*e^8*f^5*g^5*z^4 + 828*a^2*b^7*c^5*d^8*e^2*f^5*g^5*z^4 + 828*a^ \\
& 2*b^7*c^5*d^5*e^5*f^8*g^2*z^4 - 800*a^3*b^8*c^3*d^5*e^5*f^5*g^5*z^4 - 696*a \\
& ^4*b^8*c^2*d^5*e^5*f^3*g^7*z^4 - 696*a^4*b^8*c^2*d^3*e^7*f^5*g^5*z^4 - 696* \\
& a^2*b^8*c^4*d^7*e^3*f^5*g^5*z^4 - 696*a^2*b^8*c^4*d^5*e^5*f^7*g^3*z^4 - 694
\end{aligned}$$

$$\begin{aligned}
& a^6 b^6 c^2 d^4 e^6 f^2 g^8 z^4 - 694 a^6 b^6 c^2 d^2 e^8 f^4 g^6 z^4 - 69 \\
& 4 a^2 b^6 c^6 d^8 e^2 f^6 g^4 z^4 - 694 a^2 b^6 c^6 d^6 e^4 f^8 g^2 z^4 + 6 \\
& 92 a^4 b^7 c^3 d^7 e^3 f^2 g^8 z^4 + 692 a^4 b^7 c^3 d^2 e^8 f^7 g^3 z^4 + \\
& 692 a^3 b^7 c^4 d^8 e^2 f^3 g^7 z^4 + 692 a^3 b^7 c^4 d^3 e^7 f^8 g^2 z^4 + \\
& 672 a^4 b^6 c^4 d^7 e^3 f^3 g^7 z^4 + 672 a^4 b^6 c^4 d^3 e^7 f^7 g^3 z^4 \\
& + 600 a^4 b^8 c^2 d^4 e^6 f^4 g^6 z^4 + 600 a^2 b^8 c^4 d^6 e^4 f^6 g^4 z^4 \\
& - 544 a^3 b^8 c^3 d^7 e^3 f^3 g^7 z^4 + 544 a^3 b^8 c^3 d^6 e^4 f^4 g^6 z^4 \\
& 4 + 544 a^3 b^8 c^3 d^4 e^6 f^6 g^4 z^4 - 544 a^3 b^8 c^3 d^3 e^7 f^7 g^3 z^4 \\
& - 536 a^4 b^7 c^3 d^5 e^5 f^4 g^6 z^4 - 536 a^4 b^7 c^3 d^4 e^6 f^5 g^5 z^4 \\
& - 536 a^3 b^7 c^4 d^6 e^4 f^5 g^5 z^4 - 536 a^3 b^7 c^4 d^5 e^5 f^6 g^4 z^4 \\
& - 504 a^5 b^7 c^2 d^4 e^6 f^3 g^7 z^4 - 504 a^5 b^7 c^2 d^3 e^7 f^4 g^6 z^4 \\
& - 504 a^2 b^7 c^5 d^7 e^3 f^6 g^4 z^4 - 504 a^2 b^7 c^5 d^6 e^4 f^7 g^3 z^4 \\
& + 416 a^3 b^8 c^3 d^8 e^2 f^2 g^8 z^4 + 416 a^3 b^8 c^3 d^2 e^8 f^8 g^2 z^4 - \\
& 352 a^6 b^5 c^3 d^4 e^6 f^3 g^7 z^4 - 352 a^6 b^5 c^3 d^3 e^7 f^4 g^6 z^4 - \\
& 352 a^3 b^5 c^6 d^7 e^3 f^6 g^4 z^4 - 352 a^3 b^5 c^6 d^6 e^4 f^7 g^3 z^4 - \\
& 248 a^3 b^9 c^2 d^7 e^3 f^2 g^8 z^4 - 248 a^3 b^9 c^2 d^2 e^8 f^7 g^3 z^4 - \\
& 248 a^2 b^9 c^3 d^8 e^2 f^3 g^7 z^4 - 248 a^2 b^9 c^3 d^3 e^7 f^8 g^2 z^4 + \\
& 246 a^4 b^8 c^2 d^6 e^4 f^2 g^8 z^4 + 246 a^4 b^8 c^2 d^2 e^8 f^6 g^4 z^4 + \\
& 246 a^2 b^8 c^4 d^8 e^2 f^4 g^6 z^4 + 246 a^2 b^8 c^4 d^4 e^6 f^8 g^2 z^4 + \\
& 208 a^6 b^2 c^6 d^8 e^2 f^2 g^8 z^4 + 208 a^6 b^2 c^6 d^2 e^8 f^8 g^2 z^4 + \\
& 168 a^2 b^10 c^2 d^7 e^3 f^3 g^7 z^4 + 168 a^2 b^10 c^2 d^3 e^7 f^7 g^3 z^4 + \\
& 160 a^3 b^9 c^2 d^5 e^5 f^4 g^6 z^4 + 160 a^3 b^9 c^2 d^4 e^6 f^5 g^5 z^4 + \\
& 160 a^2 b^9 c^3 d^6 e^4 f^5 g^5 z^4 + 160 a^2 b^9 c^3 d^5 e^5 f^6 g^4 z^4 + \\
& 144 a^5 b^5 c^4 d^7 e^3 f^2 g^8 z^4 + 144 a^5 b^5 c^4 d^2 e^8 f^7 g^3 z^4 + \\
& 144 a^4 b^5 c^5 d^8 e^2 f^3 g^7 z^4 + 144 a^4 b^5 c^5 d^3 e^7 f^8 g^2 z^4 - \\
& 144 a^2 b^10 c^2 d^6 e^4 f^4 g^6 z^4 - 144 a^2 b^10 c^2 d^4 e^6 f^6 g^4 z^4 + \\
& 120 a^4 b^7 c^3 d^6 e^4 f^3 g^7 z^4 + 120 a^4 b^7 c^3 d^3 e^7 f^6 g^4 z^4 + \\
& 120 a^4 b^7 c^4 d^4 e^6 f^7 g^3 z^4 + 96 a^5 b^5 c^4 d^6 e^4 f^3 g^7 z^4 + 96 a^5 b^5 \\
& c^4 d^3 e^7 f^6 g^4 z^4 + 96 a^4 b^5 c^5 d^7 e^3 f^4 g^6 z^4 + 96 a^4 b^5 c^5 \\
& d^4 e^6 f^7 g^3 z^4 + 64 a^3 b^9 c^2 d^6 e^4 f^3 g^7 z^4 + 64 a^3 b^9 c^2 d^3 e^7 \\
& f^6 g^4 z^4 + 64 a^2 b^9 c^3 d^7 e^3 f^4 g^6 z^4 + 64 a^2 b^9 c^3 d^4 e^6 f^7 g^3 z^4 - \\
& 36 a^2 b^10 c^2 d^8 e^2 f^2 g^8 z^4 - 36 a^2 b^10 c^2 d^2 e^8 f^8 g^2 z^4 + \\
& 24 a^2 b^10 c^2 d^5 e^5 f^5 g^5 z^4 - 24 a^9 b^4 c^4 d^9 e^9 f^9 g^9 z^4 - \\
& 24 a^9 b^4 c^4 d^9 e^9 f^9 g^9 z^4 + 2688 a^7 b^2 c^5 d^7 e^3 f^9 g^9 z^4 + \\
& 2688 a^7 b^2 c^5 d^7 e^3 f^9 g^9 z^4 + 2688 a^5 b^2 c^7 d^9 e^9 f^9 g^9 z^4 - \\
& 2560 a^7 b^3 c^4 d^6 e^4 f^9 g^9 z^4 - 2560 a^7 b^3 c^4 d^6 e^4 f^9 g^9 z^4 - \\
& 2560 a^4 b^3 c^7 d^4 e^6 f^9 g^9 z^4 + 2112 a^8 b^2 c^4 d^5 e^5 f^9 g^9 z^4 + \\
& 2112 a^8 b^2 c^4 d^5 e^5 f^9 g^9 z^4 + 2112 a^4 b^2 c^8 d^9 e^9 f^5 g^5 z^4 + \\
& 2112 a^4 b^2 c^8 d^9 e^9 f^5 g^5 z^4 + 1664 a^6 b^5 c^3 d^6 e^4 f^9 g^9 z^4 + \\
& 1664 a^6 b^5 c^3 d^6 e^4 f^9 g^9 z^4 + 1664 a^3 b^5 c^6 d^9 e^9 f^4 g^6 z^4 + \\
& 1664 a^3 b^5 c^6 d^4 e^6 f^9 g^9 z^4 + 1536 a^8 b^3 c^5 d^4 e^6 f^3 g^7 z^4 + \\
& 1536 a^8 b^3 c^5 d^3 e^7 f^4 g^6 z^4 + 1536 a^7 b^3 c^6 d^5 e^5 f^4 g^6 z^4 + \\
& 1536 a^7 b^3 c^6 d^4 e^6 f^5 g^5 z^4 + 1536 a^6 b^3 c^7 d^6 e^4 f^5 g^5 z^4
\end{aligned}$$

$$\begin{aligned}
& + 1536a^6b^3c^7d^5e^5f^6g^4z^4 + 1536a^5b^3c^8d^7e^3f^6g^4z^4 \\
& + 1536a^5b^3c^8d^6e^4f^7g^3z^4 - 1408a^8b^3c^3d^4e^6f^6g^9z^4 - \\
& 1408a^8b^3c^3d^4e^9f^4g^6z^4 - 1408a^3b^3c^8d^9e^6f^6g^4z^4 - \\
& 1408a^3b^3c^8d^6e^4f^9g^3z^4 - 1280a^7b^3c^6d^7e^3f^2g^8z^4 - 1 \\
& 280a^7b^3c^6d^2e^8f^7g^3z^4 - 1280a^6b^3c^7d^8e^2f^3g^7z^4 - 12 \\
& 80a^6b^3c^7d^3e^7f^8g^2z^4 - 1152a^6b^3c^5d^8e^2f^6g^9z^4 - 115 \\
& 2a^6b^3c^5d^9e^9f^8g^2z^4 - 1152a^5b^3c^6d^9e^6f^2g^8z^4 - 1152 \\
& a^5b^3c^6d^2e^8f^9g^3z^4 + 1056a^5b^5c^4d^8e^2f^6g^9z^4 + 1056a \\
& a^5b^5c^4d^9e^9f^8g^2z^4 + 1056a^4b^5c^5d^9e^6f^2g^8z^4 + 1056a \\
& ^4b^5c^5d^2e^8f^9g^3z^4 + 864a^7b^5c^2d^4e^6f^6g^9z^4 + 864a^7b \\
& b^5c^2d^9e^9f^4g^6z^4 + 864a^2b^5c^7d^9e^6f^6g^4z^4 + 864a^2b^5 \\
& c^7d^6e^4f^9g^3z^4 - 800a^6b^4c^4d^7e^3f^6g^9z^4 - 800a^6b^4c^4 \\
& 4d^9e^9f^7g^3z^4 - 800a^4b^4c^6d^9e^6f^3g^7z^4 - 800a^4b^4c^6d \\
& ^3e^7f^9g^3z^4 - 768a^8b^3c^5d^5e^5f^2g^8z^4 - 768a^8b^3c^5d^2e^ \\
& 8f^5g^5z^4 - 768a^5b^3c^8d^8e^2f^5g^5z^4 - 768a^5b^3c^8d^5e^5f \\
& ^8g^2z^4 + 640a^9b^2c^3d^3e^7f^6g^9z^4 + 640a^9b^2c^3d^9e^9f^3g \\
& ^7z^4 + 640a^3b^2c^9d^9e^6f^7g^3z^4 + 640a^3b^2c^9d^7e^3f^9g \\
& z^4 + 512a^7b^3c^6d^6e^4f^3g^7z^4 + 512a^7b^3c^6d^3e^7f^6g^4z^ \\
& 4 + 512a^6b^3c^7d^7e^3f^4g^6z^4 + 512a^6b^3c^7d^4e^6f^7g^3z^4 - \\
& 480a^5b^8c^3d^3e^7f^3g^7z^4 - 480a^5b^8c^5d^7e^3f^7g^3z^4 - 40 \\
& 0a^7b^4c^3d^5e^5f^6g^9z^4 - 400a^7b^4c^3d^9e^9f^5g^5z^4 - 400a \\
& ^3b^4c^7d^9e^6f^5g^5z^4 - 400a^3b^4c^7d^5e^5f^9g^3z^4 - 372a^6b \\
& b^6c^2d^5e^5f^6g^9z^4 - 372a^6b^6c^2d^9e^9f^5g^5z^4 - 372a^2b^6 \\
& c^6d^9e^6f^5g^5z^4 - 372a^2b^6c^6d^5e^5f^9g^3z^4 - 328a^5b^6c^ \\
& 3d^7e^3f^6g^9z^4 - 328a^5b^6c^3d^9e^9f^7g^3z^4 - 328a^3b^6c^5d \\
& ^9e^6f^3g^7z^4 - 328a^3b^6c^5d^3e^7f^9g^3z^4 - 288a^8b^4c^2d^3e \\
& ^7f^6g^9z^4 - 288a^8b^4c^2d^9e^9f^3g^7z^4 - 288a^5b^7c^2d^6e^4 \\
& f^6g^9z^4 - 288a^5b^7c^2d^9e^9f^6g^4z^4 - 288a^2b^7c^5d^9e^6f^4g \\
& ^6z^4 - 288a^2b^7c^5d^4e^6f^9g^3z^4 - 288a^2b^4c^8d^9e^6f^7g^3 \\
& z^4 - 288a^2b^4c^8d^7e^3f^9g^3z^4 - 280a^4b^7c^3d^8e^2f^6g^9z^ \\
& 4 - 280a^4b^7c^3d^9e^9f^8g^2z^4 - 280a^3b^7c^4d^9e^6f^2g^8z^4 - \\
& 280a^3b^7c^4d^2e^8f^9g^3z^4 + 256a^9b^3c^4d^3e^7f^2g^8z^4 + 25 \\
& 6a^9b^3c^4d^2e^8f^3g^7z^4 + 256a^4b^3c^9d^8e^2f^7g^3z^4 + 256a \\
& ^4b^3c^9d^7e^3f^8g^2z^4 - 248a^7b^6c^3d^2e^8f^2g^8z^4 - 248a^7b \\
& 6c^3d^7e^8e^2f^8g^2z^4 + 236a^6b^7c^3d^8e^2f^7g^3z^4 + 236a^6b^7 \\
& c^3d^2e^8f^3g^7z^4 + 236a^6b^7c^6d^8e^2f^7g^3z^4 + 236a^6b^7c^6 \\
& d^7e^3f^8g^2z^4 + 200a^4b^9c^3d^4e^6f^3g^7z^4 + 200a^4b^9c^3d^3 \\
& e^7f^4g^6z^4 - 200a^3b^10c^3d^4e^6f^4g^6z^4 - 200a^3b^10c^3d^6e \\
& ^4f^6g^4z^4 + 200a^3b^9c^4d^7e^3f^6g^4z^4 + 200a^3b^9c^4d^6e^4 \\
& f^7g^3z^4 - 196a^4b^9c^3d^5e^5f^2g^8z^4 - 196a^4b^9c^3d^2e^8f^ \\
& 5g^5z^4 - 196a^3b^9c^4d^8e^2f^5g^5z^4 - 196a^3b^9c^4d^5e^5f^8g \\
& ^2z^4 - 192a^9b^3c^2d^2e^8f^6g^9z^4 - 192a^9b^3c^2d^9e^9f^2g^8 \\
& z^4 - 192a^2b^3c^9d^9e^6f^8g^2z^4 - 192a^2b^3c^9d^8e^2f^9g^3z^4 \\
& + 156a^4b^8c^2d^7e^3f^6g^9z^4 + 156a^4b^8c^2d^9e^9f^7g^3z^4 + \\
& 156a^2b^8c^4d^9e^6f^3g^7z^4 + 156a^2b^8c^4d^3e^7f^9g^3z^4 + 96*
\end{aligned}$$

$$\begin{aligned}
& a^5 b^8 c^4 d^4 e^6 f^2 g^8 z^4 + 96 a^5 b^8 c^4 d^2 e^8 f^4 g^6 z^4 + 96 a^5 b^8 c^5 d^8 e^2 f^6 g^4 z^4 + 96 a^5 b^8 c^5 d^6 e^4 f^8 g^2 z^4 + 88 a^3 b^{10} c^4 d^5 e^5 f^3 g^7 z^4 + 88 a^3 b^{10} c^4 d^3 e^7 f^5 g^5 z^4 + 88 a^3 b^{10} c^3 d^7 e^3 f^5 g^5 z^4 + 88 a^3 b^{10} c^3 d^5 e^5 f^7 g^3 z^4 - 36 a^2 b^{11} c^4 d^6 e^4 f^3 g^7 z^4 - 36 a^2 b^{11} c^4 d^3 e^7 f^6 g^4 z^4 - 36 a^2 b^{11} c^2 d^7 e^3 f^4 g^6 z^4 - 36 a^2 b^{11} c^2 d^4 e^6 f^7 g^3 z^4 + 28 a^3 b^{10} c^4 d^6 e^4 f^2 g^8 z^4 + 28 a^3 b^{10} c^4 d^2 e^8 f^6 g^4 z^4 + 28 a^3 b^{10} c^3 d^8 e^2 f^4 g^6 z^4 + 28 a^3 b^{10} c^3 d^4 e^6 f^8 g^2 z^4 + 24 a^3 b^9 c^2 d^8 e^2 f^6 g^9 z^4 + 24 a^3 b^9 c^2 d^6 e^9 f^8 g^2 z^4 + 24 a^2 b^{11} c^4 d^7 e^3 f^2 g^8 z^4 + 24 a^2 b^{11} c^4 d^2 e^8 f^9 g^3 z^4 + 24 a^2 b^9 c^3 d^9 e^2 f^7 g^8 z^4 + 24 a^2 b^9 c^3 d^2 e^8 f^9 g^3 z^4 + 24 a^2 b^9 c^3 d^2 e^8 f^9 g^3 z^4 + 24 a^2 b^{11} c^2 d^8 e^2 f^3 g^7 z^4 + 24 a^2 b^{11} c^2 d^3 e^7 f^8 g^2 z^4 + 12 a^2 b^{11} c^4 d^5 e^5 f^4 g^6 z^4 + 12 a^2 b^{11} c^4 d^4 e^6 f^5 g^5 z^4 + 12 a^2 b^{11} c^2 d^6 e^4 f^5 g^5 z^4 + 12 a^2 b^{11} c^2 d^5 e^5 f^6 g^4 z^4 + 40 b^{10} c^4 d^7 e^3 f^7 g^3 z^4 + 20 b^{12} c^2 d^6 e^4 f^6 g^4 z^4 - 20 b^{11} c^3 d^7 e^3 f^6 g^4 z^4 - 20 b^{11} c^3 d^6 e^4 f^7 g^3 z^4 - 20 b^9 c^5 d^8 e^2 f^7 g^3 z^4 - 20 b^9 c^5 d^7 e^3 f^8 g^2 z^4 + 20 b^8 c^6 d^8 e^2 f^8 g^2 z^4 + 16 b^{11} c^3 d^8 e^2 f^5 g^5 z^4 + 16 b^{11} c^3 d^5 e^5 f^8 g^2 z^4 - 6 b^{12} c^2 d^8 e^2 f^4 g^6 z^4 - 6 b^{12} c^2 d^4 e^6 f^8 g^2 z^4 - 5 b^{10} c^4 d^8 e^2 f^6 g^4 z^4 - 5 b^{10} c^4 d^6 e^4 f^8 g^2 z^4 - 4 b^{12} c^2 d^7 e^3 f^5 g^5 z^4 - 4 b^{12} c^2 d^5 e^5 f^7 g^3 z^4 - 4608 a^7 c^7 d^5 e^5 f^5 g^5 z^4 + 3328 a^7 c^7 d^6 e^4 f^4 g^6 z^4 + 3328 a^7 c^7 d^4 e^6 f^6 g^4 z^4 - 3072 a^8 c^6 d^5 e^5 f^3 g^7 z^4 + 3072 a^8 c^6 d^4 e^6 f^4 g^6 z^4 - 3072 a^8 c^6 d^3 e^7 f^5 g^5 z^4 - 3072 a^6 c^8 d^7 e^3 f^5 g^5 z^4 + 3072 a^6 c^8 d^6 e^4 f^6 g^4 z^4 - 3072 a^6 c^8 d^5 e^5 f^7 g^3 z^4 - 2048 a^9 c^5 d^3 e^7 f^3 g^7 z^4 - 2048 a^7 c^7 d^7 e^3 f^3 g^7 z^4 - 2048 a^7 c^7 d^3 e^7 f^7 g^3 z^4 - 2048 a^5 c^9 d^7 e^3 f^7 g^3 z^4 + 1792 a^8 c^6 d^6 e^4 f^2 g^8 z^4 + 1792 a^8 c^6 d^2 e^8 f^6 g^4 z^4 + 1792 a^6 c^8 d^8 e^2 f^4 g^6 z^4 + 1792 a^6 c^8 d^4 e^6 f^8 g^2 z^4 + 1408 a^9 c^5 d^4 e^6 f^2 g^8 z^4 + 1408 a^9 c^5 d^2 e^8 f^4 g^6 z^4 + 1408 a^5 c^9 d^8 e^2 f^6 g^4 z^4 + 1408 a^5 c^9 d^6 e^4 f^8 g^2 z^4 + 1088 a^7 c^7 d^8 e^2 f^2 g^8 z^4 + 1088 a^7 c^7 d^2 e^8 f^8 g^2 z^4 + 512 a^{10} c^4 d^2 e^8 f^2 g^8 z^4 + 512 a^4 c^{10} d^8 e^2 f^8 g^2 z^4 + 40 a^4 b^{10} d^3 e^7 f^3 g^7 z^4 + 20 a^6 b^8 d^2 e^8 f^2 g^8 z^4 - 20 a^5 b^9 d^3 e^7 f^2 g^8 z^4 - 20 a^5 b^9 d^2 e^8 f^3 g^7 z^4 - 20 a^3 b^{11} d^4 e^6 f^3 g^7 z^4 - 20 a^3 b^{11} d^3 e^7 f^4 g^6 z^4 + 20 a^2 b^{12} d^4 e^6 f^4 g^6 z^4 + 16 a^3 b^{11} d^5 e^5 f^2 g^8 z^4 + 16 a^3 b^{11} d^2 e^8 f^5 g^5 z^4 - 6 a^2 b^{12} d^6 e^4 f^2 g^8 z^4 - 6 a^2 b^{12} d^2 e^8 f^6 g^4 z^4 - 5 a^4 b^{10} d^4 e^6 f^2 g^8 z^4 - 5 a^4 b^{10} d^2 e^8 f^4 g^6 z^4 - 4 a^2 b^{12} d^5 e^5 f^3 g^7 z^4 - 4 a^2 b^{12} d^3 e^7 f^5 g^5 z^4 + 480 a^8 b^2 c^4 e^{10} f^6 g^4 z^4 - 440 a^7 b^4 c^3 e^{10} f^6 g^4 z^4 + 320 a^8 b^3 c^3 e^{10} f^5 g^5 z^4 + 320 a^7 b^3 c^4 e^{10} f^7 g^3 z^4 - 240 a^8 b^4 c^2 e^{10} f^4 g^6 z^4 - 240 a^6 b^4 c^4 e^{10} f^8 g^2 z^4 + 192 a^9 b^3 c^2 e^{10} f^3 g^7 z^4 + 192 a^9 b^2 c^3 e^{10} f^4 g^6 z^4 + 192 a^7 b^2 c^5 e^{10} f^8 g^2 z^4 + 90 a^6 b^6 c^2 e^{10} f^6 g^4 z^4 + 68 a^5 b^6 c^3 e^{10} f^8 g^2 z^4 - 48 a^{10} b^2 c^2 e^{10} f^2 g^8 z^4 + 48 a^7 b^5 c^2 e^{10} f^5 g^5 z^4 + 48 a^6 b^5 c^3 e^{10} f^7 g^3 z^4 - 36 a^5 b^7 c^2 e^{10} f^5 g^5 z^4 + 48 a^6 b^5 c^3 e^{10} f^7 g^3 z^4 - 36 a^5 b^7 c^2 e^{10} f^5 g^5 z^4
\end{aligned}$$

$$\begin{aligned}
& e^{10}f^7g^3z^4 - 6a^4b^8c^2e^{10}f^8g^2z^4 + 480a^4b^2c^8d^{10}f^4g^6z^4 - 440a^3b^4c^7d^{10}f^4g^6z^4 + 320a^4b^3c^7d^{10}f^3g^7z^4 \\
& + 320a^3b^3c^8d^{10}f^5g^5z^4 - 240a^4b^4c^6d^{10}f^2g^8z^4 - 240a^2b^4c^8d^{10}f^6g^4z^4 + 192a^5b^2c^7d^{10}f^2g^8z^4 + 192 \\
& a^3b^2c^9d^{10}f^6g^4z^4 + 192a^2b^3c^9d^{10}f^7g^3z^4 + 90a^2b^6c^6d^{10}f^4g^6z^4 + 68a^3b^6c^5d^{10}f^2g^8z^4 + 48a^3b^5c^6d \\
& d^{10}f^3g^7z^4 + 48a^2b^5c^7d^{10}f^5g^5z^4 - 48a^2b^2c^{10}d^{10}f^8g^2z^4 - 36a^2b^7c^5d^{10}f^3g^7z^4 - 6a^2b^8c^4d^{10}f^2g^8z \\
& ^4 + 480a^8b^2c^4d^6e^4g^{10}z^4 - 440a^7b^4c^3d^6e^4g^{10}z^4 + 320a^8b^3c^3d^5e^5g^{10}z^4 + 320a^7b^3c^4d^7e^3g^{10}z^4 - 240a \\
& ^8b^4c^2d^4e^6g^{10}z^4 - 240a^6b^4c^4d^8e^2g^{10}z^4 + 192a^9b^3c^2d^3e^7g^{10}z^4 + 192a^9b^2c^3d^4e^6g^{10}z^4 + 192a^7b^2c^5 \\
& d^8e^2g^{10}z^4 + 90a^6b^6c^2d^6e^4g^{10}z^4 + 68a^5b^6c^3d^8e^2g^{10}z^4 - 48a^10b^2c^2d^2e^8g^{10}z^4 + 48a^7b^5c^2d^5e^5g^{10} \\
& z^4 + 48a^6b^5c^3d^7e^3g^{10}z^4 - 36a^5b^7c^2d^7e^3g^{10}z^4 - 6a^4b^8c^2d^8e^2g^{10}z^4 + 480a^4b^2c^8d^4e^6f^{10}z^4 - 440a^3 \\
& b^4c^7d^4e^6f^{10}z^4 + 320a^4b^3c^7d^3e^7f^{10}z^4 + 320a^3b^3c^8d^5e^5f^{10}z^4 - 240a^4b^4c^6d^2e^8f^{10}z^4 - 240a^2b^4c^8d \\
& ^6e^4f^{10}z^4 + 192a^5b^2c^7d^2e^8f^{10}z^4 + 192a^3b^2c^9d^6e^4f^{10}z^4 + 192a^2b^3c^9d^7e^3f^{10}z^4 + 90a^2b^6c^6d^4e^6f^{10} \\
& z^4 + 68a^3b^6c^5d^2e^8f^{10}z^4 + 48a^3b^5c^6d^3e^7f^{10}z^4 + 48a^2b^5c^7d^5e^5f^{10}z^4 - 48a^2b^2c^{10}d^8e^2f^{10}z^4 - 36a^2 \\
& b^7c^5d^3e^7f^{10}z^4 - 6a^2b^8c^4d^2e^8f^{10}z^4 + 16b^9c^5d^9e^6f^4g^6z^4 + 16b^9c^5d^6e^4f^9g^6z^4 - 14b^{10}c^4d^9e^5f^5g^5z \\
& ^4 - 14b^{10}c^4d^5e^5f^9g^6z^4 + 4b^{13}c^4d^7e^3f^4g^6z^4 - 4b^{13}c^4d^6e^4f^5g^5z^4 - 4b^{13}c^4d^5e^5f^6g^4z^4 + 4b^{13}c^4d^4e^6f^7 \\
& g^3z^4 + 4b^{11}c^3d^9e^6f^4g^6z^4 + 4b^{11}c^3d^4e^6f^9g^6z^4 - 4b^8c^6d^9e^6f^7g^3z^4 - 4b^8c^6d^7e^3f^9g^6z^4 - 4b^7c^7d^9e^6f \\
& ^8g^2z^4 - 4b^7c^7d^8e^2f^9g^6z^4 - 768a^9c^5d^5e^5f^9g^9z^4 - 768a^9c^5d^5e^5f^9g^9z^4 - 768a^5c^9d^9e^6f^5g^5z^4 - 768a^5c^9 \\
& d^5e^5f^9g^6z^4 - 512a^{10}c^4d^3e^7f^9g^9z^4 - 512a^{10}c^4d^5e^9f^3g^7z^4 - 512a^8c^6d^7e^3f^9g^9z^4 - 512a^8c^6d^7e^9f^7g^3z^4 - \\
& 512a^6c^8d^9e^6f^3g^7z^4 - 512a^6c^8d^3e^7f^9g^6z^4 - 512a^4c^10d^9e^6f^7g^3z^4 - 512a^4c^10d^7e^3f^9g^6z^4 + 16a^5b^9d^4e^6f \\
& f^9g^9z^4 + 16a^5b^9d^4e^9f^4g^6z^4 - 14a^4b^10d^5e^5f^9g^9z^4 - 14a^4b^10d^5e^5f^9g^9z^4 - 4a^7b^7d^2e^8f^9g^9z^4 - 4a^7b^7d^2e \\
& ^8f^9g^9z^4 - 4a^6b^8d^3e^7f^9g^9z^4 - 4a^6b^8d^3e^9f^3g^7z^4 + 4a^3b^11d^6e^4f^9g^9z^4 + 4a^3b^11d^6e^9f^6g^4z^4 + 4a^3b^13d^6 \\
& e^4f^3g^7z^4 - 4a^3b^13d^5e^5f^4g^6z^4 - 4a^3b^13d^4e^6f^5g^5z^4 + 4a^3b^13d^3e^7f^6g^4z^4 - 768a^9b^6c^4e^{10}f^5g^5z^4 - 768 \\
& a^8b^6c^5e^{10}f^7g^3z^4 - 256a^{10}b^6c^3e^{10}f^3g^7z^4 + 192a^6b^3c^5e^{10}f^9g^6z^4 + 68a^7b^6c^6e^{10}f^4g^6z^4 - 48a^8b^5c^6e^{10}f^3 \\
& g^7z^4 - 48a^5b^5c^4e^{10}f^9g^6z^4 - 36a^6b^7c^6e^{10}f^5g^5z^4 + 12a^9b^4c^6e^{10}f^2g^8z^4 + 4a^4b^9c^6e^{10}f^7g^3z^4 + 4a^4b^7c^3 \\
& e^{10}f^9g^6z^4 - 768a^5b^6c^8d^{10}f^3g^7z^4 - 768a^4b^6c^9d^{10}f^5g^
\end{aligned}$$



$$\begin{aligned}
&^5z^4 - 256a^3b^3c^{10}d^{10}f^7g^3z^4 + 192a^5b^3c^6d^{10}f^9g^9z^4 + \\
&68a^6b^6c^7d^{10}f^6g^4z^4 - 48a^4b^5c^5d^{10}f^9g^9z^4 - 48a^6b^5c^8d^{10}f^7g^3z^4 - 36a^6b^7c^6d^{10}f^5g^5z^4 + 12a^6b^4c^9d^{10}f^8 \\
&g^2z^4 + 4a^3b^7c^4d^{10}f^9g^9z^4 + 4a^6b^9c^4d^{10}f^3g^7z^4 - 76 \\
&8a^9b^3c^4d^5e^5g^{10}z^4 - 768a^8b^3c^5d^7e^3g^{10}z^4 - 256a^{10}b^3c^3d^3e^7g^{10}z^4 + 192a^6b^3c^5d^9e^9g^{10}z^4 + 68a^7b^6c^4d^4e^6 \\
&g^{10}z^4 - 48a^8b^5c^4d^3e^7g^{10}z^4 - 48a^5b^5c^4d^9e^9g^{10}z^4 - 36a^6b^7c^4d^5e^5g^{10}z^4 + 12a^9b^4c^2d^8e^8g^{10}z^4 + 4a^4b^9 \\
&c^4d^7e^3g^{10}z^4 + 4a^4b^7c^3d^9e^9g^{10}z^4 - 768a^5b^3c^8d^3e^7f^{10}z^4 - 768a^4b^3c^9d^5e^5f^{10}z^4 - 256a^3b^3c^{10}d^7e^3f^{10}z^4 \\
&+ 192a^5b^3c^6d^9e^9f^{10}z^4 + 68a^6b^6c^7d^6e^4f^{10}z^4 - 48a^4b^5c^5d^9e^9f^{10}z^4 - 48a^6b^5c^8d^7e^3f^{10}z^4 - 36a^6b^7c^6d^5e^5 \\
&f^{10}z^4 + 12a^6b^4c^9d^8e^2f^{10}z^4 + 4a^3b^7c^4d^9e^9f^{10}z^4 + 4a^6b^9c^4d^3e^7f^{10}z^4 + 2b^6c^8d^9e^9f^9g^9z^4 - 128a^{11}c^3d \\
&e^9f^9g^9z^4 - 128a^7c^7d^9e^9f^9g^9z^4 - 128a^7c^7d^9e^9f^9g^9z^4 - 128a^3c^{11}d^9e^9f^9g^9z^4 + 2a^8b^6d^9e^9f^9g^9z^4 - 256a^7b^3c^6 \\
&e^{10}f^9g^9z^4 - 256a^6b^3c^7d^{10}f^9g^9z^4 - 256a^7b^3c^6d^9e^9g^{10}z^4 - 256a^6b^3c^7d^9e^9f^{10}z^4 + 2b^{14}d^5e^5f^5g^5z^4 + 384a^9c^5 \\
&e^{10}f^6g^4z^4 + 256a^{10}c^4e^{10}f^4g^6z^4 + 256a^8c^6e^{10}f^8g^2z^4 + 64a^{11}c^3e^{10}f^2g^8z^4 - 6b^8c^6d^{10}f^6g^4z^4 + 4b^9c^5 \\
&d^{10}f^5g^5z^4 + 4b^7c^7d^{10}f^7g^3z^4 + 384a^5c^9d^{10}f^4g^6z^4 + 256a^6c^8d^{10}f^2g^8z^4 + 256a^4c^{10}d^{10}f^6g^4z^4 + 64a^3 \\
&c^{11}d^{10}f^8g^2z^4 - 6a^6b^8e^{10}f^4g^6z^4 + 4a^7b^7e^{10}f^3g^7z^4 + 4a^5b^9e^{10}f^5g^5z^4 + 384a^9c^5d^6e^4g^{10}z^4 + 256a^{10}c^4 \\
&d^4e^6g^{10}z^4 + 256a^8c^6d^8e^2g^{10}z^4 + 64a^{11}c^3d^2e^8g^{10}z^4 - 6b^8c^6d^6e^4f^{10}z^4 + 4b^9c^5d^5e^5f^{10}z^4 + 4b^7c^7d^7e^3 \\
&f^{10}z^4 + 384a^5c^9d^4e^6f^{10}z^4 + 256a^6c^8d^2e^8f^{10}z^4 + 256a^4c^{10}d^6e^4f^{10}z^4 + 64a^3c^{11}d^8e^2f^{10}z^4 - 6a^6b^8d^4e^6 \\
&g^{10}z^4 + 4a^7b^7d^3e^7g^{10}z^4 + 4a^5b^9d^5e^5g^{10}z^4 - 48a^6b^2c^6e^{10}f^{10}z^4 - 48a^6b^2c^6d^{10}g^{10}z^4 + 12a^5b^4c^5e^{10}f^{10}z^4 \\
&+ 12a^5b^4c^5d^{10}g^{10}z^4 + 64a^7c^7e^{10}f^{10}z^4 + 64a^7c^7d^{10}g^{10}z^4 - b^{14}d^6e^4f^4g^6z^4 - b^{14}d^4e^6f^6g^4z^4 - b^{10}c^4d^{10}f^4 \\
&g^6z^4 - b^6c^8d^{10}f^8g^2z^4 - a^8b^6e^{10}f^2g^8z^4 - a^4b^{10}e^{10}f^6g^4z^4 - b^{10}c^4d^4e^6f^{10}z^4 - b^6c^8d^8e^2f^{10}z^4 - a^8b^6d^2e^8 \\
&g^{10}z^4 - a^4b^{10}d^6e^4g^{10}z^4 - a^4b^6c^4d^{10}g^{10}z^4 + 272a^5b^2c^3d^2e^7f^7g^7z^2 - 192a^4b^4c^2d^2e^7f^7g^7z^2 - 164a^5b^3c^4d^2 \\
&e^6f^7g^7z^2 - 164a^5b^3c^4d^2e^7f^2g^6z^2 + 120a^2b^2c^6d^7e^7f^7g^7z^2 + 120a^2b^2c^6d^7e^7f^7g^7z^2 + 120a^2b^2c^7d^7e^7f^3g^5 \\
&z^2 + 120a^2b^2c^7d^3e^5f^7g^7z^2 - 76a^4b^3c^5d^4e^4f^7g^7z^2 - 76a^4b^3c^5d^4e^4f^7g^7z^2 - 76a^3b^3c^6d^6e^2f^7g^7z^2 - 76a^3b^3 \\
&c^6d^6e^7f^6g^2z^2 - 64a^6b^3c^6d^7e^7f^2g^6z^2 - 64a^6b^3c^6d^2e^6f^7g^7z^2 - 60a^2b^3c^7d^7e^7f^2g^6z^2 - 60a^2b^3c^7d^2e^6f^7g^7z^2 \\
&+ 44a^6b^3c^8d^6e^2f^5g^3z^2 + 44a^6b^3c^8d^5e^3f^6g^2z^2 + 22a^6b^5c^4d^6e^2f^6g^2z^2 + 22a^6b^5c^4d^6e^2f^6g^2z^2 - 20a^2b^7c^
\end{aligned}$$

$$\begin{aligned}
& *d^2*e^6*f*g^7*z^2 - 20*a^2*b^7*c*d*e^7*f^2*g^6*z^2 + 8*a*b^8*c*d^2*e^6*f^2 \\
& *g^6*z^2 - 8*a*b^6*c^3*d^5*e^3*f*g^7*z^2 - 8*a*b^6*c^3*d*e^7*f^5*g^3*z^2 + \\
& 2*a*b^7*c^2*d^4*e^4*f*g^7*z^2 + 2*a*b^7*c^2*d*e^7*f^4*g^4*z^2 - 590*a^2*b^2 \\
& *c^6*d^4*e^4*f^4*g^4*z^2 - 352*a^2*b^4*c^4*d^3*e^5*f^3*g^5*z^2 - 346*a^3*b^ \\
& 2*c^5*d^4*e^4*f^2*g^6*z^2 - 346*a^3*b^2*c^5*d^2*e^6*f^4*g^4*z^2 - 274*a^4*b \\
& ^2*c^4*d^2*e^6*f^2*g^6*z^2 + 272*a^3*b^2*c^5*d^3*e^5*f^3*g^5*z^2 + 250*a^2* \\
& b^3*c^5*d^4*e^4*f^3*g^5*z^2 + 250*a^2*b^3*c^5*d^3*e^5*f^4*g^4*z^2 + 204*a^3 \\
& *b^3*c^4*d^3*e^5*f^2*g^6*z^2 + 204*a^3*b^3*c^4*d^2*e^6*f^3*g^5*z^2 + 136*a^ \\
& 2*b^2*c^6*d^5*e^3*f^3*g^5*z^2 + 136*a^2*b^2*c^6*d^3*e^5*f^5*g^3*z^2 + 71*a^ \\
& 2*b^4*c^4*d^4*e^4*f^2*g^6*z^2 + 71*a^2*b^4*c^4*d^2*e^6*f^4*g^4*z^2 - 56*a^2 \\
& *b^3*c^5*d^5*e^3*f^2*g^6*z^2 - 56*a^2*b^3*c^5*d^2*e^6*f^5*g^3*z^2 + 18*a^2* \\
& b^2*c^6*d^6*e^2*f^2*g^6*z^2 + 18*a^2*b^2*c^6*d^2*e^6*f^6*g^2*z^2 - 16*a^3*b \\
& ^4*c^3*d^2*e^6*f^2*g^6*z^2 + 16*a^2*b^5*c^3*d^3*e^5*f^2*g^6*z^2 + 16*a^2*b^ \\
& 5*c^3*d^2*e^6*f^3*g^5*z^2 - 4*a^2*b^6*c^2*d^2*e^6*f^2*g^6*z^2 + 48*a^3*b^6* \\
& c*d*e^7*f*g^7*z^2 - 20*a*b^4*c^5*d^7*e*f*g^7*z^2 - 20*a*b^4*c^5*d*e^7*f^7*g \\
& *z^2 - 4*a*b^8*c*d^3*e^5*f*g^7*z^2 - 4*a*b^8*c*d*e^7*f^3*g^5*z^2 + 4*a*b*c^ \\
& 8*d^7*e*f^4*g^4*z^2 + 4*a*b*c^8*d^4*e^4*f^7*g*z^2 + 368*a^4*b^2*c^4*d^3*e^5 \\
& *f*g^7*z^2 + 368*a^4*b^2*c^4*d*e^7*f^3*g^5*z^2 + 264*a^3*b^2*c^5*d^5*e^3*f* \\
& g^7*z^2 + 264*a^3*b^2*c^5*d*e^7*f^5*g^3*z^2 - 208*a^3*b^4*c^3*d^3*e^5*f*g^7 \\
& *z^2 - 208*a^3*b^4*c^3*d*e^7*f^3*g^5*z^2 - 164*a^4*b*c^5*d^3*e^5*f^2*g^6*z^ \\
& 2 - 164*a^4*b*c^5*d^2*e^6*f^3*g^5*z^2 + 140*a^2*b*c^7*d^5*e^3*f^4*g^4*z^2 + \\
& 140*a^2*b*c^7*d^4*e^4*f^5*g^3*z^2 - 122*a*b^2*c^7*d^6*e^2*f^4*g^4*z^2 - 12 \\
& 2*a*b^2*c^7*d^4*e^4*f^6*g^2*z^2 - 108*a^2*b^3*c^5*d^6*e^2*f*g^7*z^2 - 108*a \\
& ^2*b^3*c^5*d*e^7*f^6*g^2*z^2 + 102*a*b^3*c^6*d^5*e^3*f^4*g^4*z^2 + 102*a*b^ \\
& 3*c^6*d^4*e^4*f^5*g^3*z^2 + 80*a*b^6*c^3*d^3*e^5*f^3*g^5*z^2 + 68*a*b^4*c^5 \\
& *d^6*e^2*f^2*g^6*z^2 + 68*a*b^4*c^5*d^2*e^6*f^6*g^2*z^2 - 60*a^3*b*c^6*d^5* \\
& e^3*f^2*g^6*z^2 + 60*a^3*b*c^6*d^4*e^4*f^3*g^5*z^2 + 60*a^3*b*c^6*d^3*e^5*f \\
& ^4*g^4*z^2 - 60*a^3*b*c^6*d^2*e^6*f^5*g^3*z^2 - 54*a^3*b^3*c^4*d^4*e^4*f*g^ \\
& 7*z^2 - 54*a^3*b^3*c^4*d*e^7*f^4*g^4*z^2 - 52*a*b^4*c^5*d^5*e^3*f^3*g^5*z^2 \\
& - 52*a*b^4*c^5*d^3*e^5*f^5*g^3*z^2 + 48*a^3*b^5*c^2*d^2*e^6*f*g^7*z^2 + 48 \\
& *a^3*b^5*c^2*d*e^7*f^2*g^6*z^2 + 48*a^2*b^6*c^2*d^3*e^5*f*g^7*z^2 + 48*a^2* \\
& b^6*c^2*d*e^7*f^3*g^5*z^2 + 44*a^4*b^3*c^3*d^2*e^6*f*g^7*z^2 + 44*a^4*b^3*c \\
& ^3*d*e^7*f^2*g^6*z^2 - 44*a^2*b*c^7*d^6*e^2*f^3*g^5*z^2 - 44*a^2*b*c^7*d^3* \\
& e^5*f^6*g^2*z^2 - 44*a*b^3*c^6*d^6*e^2*f^3*g^5*z^2 - 44*a*b^3*c^6*d^3*e^5*f \\
& ^6*g^2*z^2 - 32*a*b^5*c^4*d^4*e^4*f^3*g^5*z^2 - 32*a*b^5*c^4*d^3*e^5*f^4*g^ \\
& 4*z^2 - 32*a*b^2*c^7*d^5*e^3*f^5*g^3*z^2 - 20*a*b^7*c^2*d^3*e^5*f^2*g^6*z^2 \\
& - 20*a*b^7*c^2*d^2*e^6*f^3*g^5*z^2 + 20*a*b^4*c^5*d^4*e^4*f^4*g^4*z^2 - 14 \\
& *a*b^5*c^4*d^5*e^3*f^2*g^6*z^2 - 14*a*b^5*c^4*d^2*e^6*f^5*g^3*z^2 + 4*a^2*b \\
& ^5*c^3*d^4*e^4*f*g^7*z^2 + 4*a^2*b^5*c^3*d*e^7*f^4*g^4*z^2 - 4*a^2*b^4*c^4* \\
& d^5*e^3*f*g^7*z^2 - 4*a^2*b^4*c^4*d*e^7*f^5*g^3*z^2 + 2*a*b^6*c^3*d^4*e^4*f \\
& ^2*g^6*z^2 + 2*a*b^6*c^3*d^2*e^6*f^4*g^4*z^2 - 50*b^2*c^8*d^6*e^2*f^6*g^2*z \\
& ^2 - 32*b^4*c^6*d^5*e^3*f^5*g^3*z^2 + 24*b^3*c^7*d^6*e^2*f^5*g^3*z^2 + 24*b \\
& ^3*c^7*d^5*e^3*f^6*g^2*z^2 + 23*b^4*c^6*d^6*e^2*f^4*g^4*z^2 + 23*b^4*c^6*d^ \\
& 4*e^4*f^6*g^2*z^2 - 11*b^6*c^4*d^6*e^2*f^2*g^6*z^2 - 11*b^6*c^4*d^2*e^6*f^6 \\
& *g^2*z^2 + 8*b^6*c^4*d^5*e^3*f^3*g^5*z^2 + 8*b^6*c^4*d^3*e^5*f^5*g^3*z^2 -
\end{aligned}$$

$$\begin{aligned}
& 8*b^5*c^5*d^5*e^3*f^4*g^4*z^2 - 8*b^5*c^5*d^4*e^4*f^5*g^3*z^2 + 5*b^6*c^4*d^4*e^4*f^4*g^4*z^2 - 4*b^8*c^2*d^3*e^5*f^3*g^5*z^2 + 4*b^7*c^3*d^5*e^3*f^2*g^6*z^2 + 4*b^7*c^3*d^2*e^6*f^5*g^3*z^2 - 2*b^7*c^3*d^4*e^4*f^3*g^5*z^2 - 2*b^7*c^3*d^3*e^5*f^4*g^4*z^2 - 2*b^5*c^5*d^6*e^2*f^3*g^5*z^2 - 2*b^5*c^5*d^3*e^5*f^6*g^2*z^2 + 416*a^5*c^5*d^2*e^6*f^2*g^6*z^2 - 392*a^4*c^6*d^3*e^5*f^3*g^5*z^2 + 376*a^4*c^6*d^4*e^4*f^2*g^6*z^2 + 376*a^4*c^6*d^2*e^6*f^4*g^4*z^2 + 320*a^3*c^7*d^4*e^4*f^4*g^4*z^2 - 280*a^3*c^7*d^5*e^3*f^3*g^5*z^2 - 280*a^3*c^7*d^3*e^5*f^5*g^3*z^2 - 200*a^2*c^8*d^5*e^3*f^5*g^3*z^2 + 160*a^3*c^7*d^6*e^2*f^2*g^6*z^2 + 160*a^3*c^7*d^2*e^6*f^6*g^2*z^2 + 120*a^2*c^8*d^6*e^2*f^4*g^4*z^2 + 120*a^2*c^8*d^4*e^4*f^6*g^2*z^2 - 471*a^4*b^2*c^4*e^8*f^4*g^4*z^2 + 436*a^3*b^4*c^3*e^8*f^4*g^4*z^2 - 310*a^3*b^3*c^4*e^8*f^5*g^3*z^2 - 232*a^5*b^2*c^3*e^8*f^2*g^6*z^2 + 229*a^2*b^4*c^4*e^8*f^6*g^2*z^2 + 216*a^4*b^4*c^2*e^8*f^2*g^6*z^2 - 204*a^4*b^3*c^3*e^8*f^3*g^5*z^2 - 150*a^3*b^2*c^5*e^8*f^6*g^2*z^2 - 91*a^2*b^6*c^2*e^8*f^4*g^4*z^2 - 72*a^3*b^5*c^2*e^8*f^3*g^5*z^2 - 44*a^2*b^5*c^3*e^8*f^5*g^3*z^2 - 471*a^4*b^2*c^4*d^4*e^4*g^8*z^2 + 436*a^3*b^4*c^3*d^4*e^4*g^8*z^2 - 310*a^3*b^3*c^4*d^5*e^3*g^8*z^2 - 232*a^5*b^2*c^3*d^2*e^6*g^8*z^2 + 229*a^2*b^4*c^4*d^6*e^2*g^8*z^2 + 216*a^4*b^4*c^2*d^2*e^6*g^8*z^2 - 204*a^4*b^3*c^3*d^3*e^5*g^8*z^2 - 150*a^3*b^2*c^5*d^6*e^2*g^8*z^2 - 91*a^2*b^6*c^2*d^4*e^4*g^8*z^2 - 72*a^3*b^5*c^2*d^3*e^5*g^8*z^2 - 44*a^2*b^5*c^3*d^5*e^3*g^8*z^2 - 26*b^3*c^7*d^7*e*f^4*g^4*z^2 - 26*b^3*c^7*d^4*e^4*f^7*g*z^2 + 16*b^2*c^8*d^7*e*f^5*g^3*z^2 + 16*b^2*c^8*d^5*e^3*f^7*g*z^2 + 10*b^5*c^5*d^7*e*f^2*g^6*z^2 + 10*b^5*c^5*d^2*e^6*f^7*g*z^2 - 4*b^4*c^6*d^7*e*f^3*g^5*z^2 - 4*b^4*c^6*d^3*e^5*f^7*g*z^2 + 2*b^9*c*d^3*e^5*f^2*g^6*z^2 + 2*b^9*c*d^2*e^6*f^3*g^5*z^2 - 168*a^5*c^5*d^3*e^5*f*g^7*z^2 - 168*a^5*c^5*d*e^7*f^3*g^5*z^2 - 120*a^4*c^6*d^5*e^3*f*g^7*z^2 - 120*a^4*c^6*d*e^7*f^5*g^3*z^2 - 56*a^2*c^8*d^7*e*f^3*g^5*z^2 - 56*a^2*c^8*d^3*e^5*f^7*g*z^2 + 32*a*c^9*d^6*e^2*f^6*g^2*z^2 + 624*a^4*b*c^5*e^8*f^5*g^3*z^2 + 548*a^5*b*c^4*e^8*f^3*g^5*z^2 - 182*a^2*b^3*c^5*e^8*f^7*g*z^2 - 96*a^5*b^3*c^2*e^8*f*g^7*z^2 - 68*a*b^6*c^3*e^8*f^6*g^2*z^2 - 58*a^3*b^6*c*e^8*f^2*g^6*z^2 + 38*a^2*b^7*c*e^8*f^3*g^5*z^2 + 36*a*b^7*c^2*e^8*f^5*g^3*z^2 + 18*a*b^2*c^7*d^8*f^2*g^6*z^2 + 624*a^4*b*c^5*d^5*e^3*g^8*z^2 + 548*a^5*b*c^4*d^3*e^5*g^8*z^2 - 182*a^2*b^3*c^5*d^7*e*g^8*z^2 - 96*a^5*b^3*c^2*d*e^7*g^8*z^2 - 68*a*b^6*c^3*d^6*e^2*g^8*z^2 - 58*a^3*b^6*c*d^2*e^6*g^8*z^2 + 38*a^2*b^7*c*d^3*e^5*g^8*z^2 + 36*a*b^7*c^2*d^5*e^3*g^8*z^2 + 18*a*b^2*c^7*d^2*e^6*f^8*z^2 + 12*b*c^9*d^7*e*f^6*g^2*z^2 + 12*b*c^9*d^6*e^2*f^7*g*z^2 - 72*a^6*c^4*d*e^7*f*g^7*z^2 - 40*a*c^9*d^7*e*f^5*g^3*z^2 - 40*a*c^9*d^5*e^3*f^7*g*z^2 - 24*a^3*c^7*d^7*e*f*g^7*z^2 - 24*a^3*c^7*d*e^7*f^7*g*z^2 - 4*a^2*b^8*d*e^7*f*g^7*z^2 + 2*a*b^9*d^2*e^6*f*g^7*z^2 + 2*a*b^9*d*e^7*f^2*g^6*z^2 + 204*a^3*b*c^6*e^8*f^7*g*z^2 + 128*a^6*b*c^3*e^8*f*g^7*z^2 + 48*a*b^5*c^4*e^8*f^7*g*z^2 + 24*a^4*b^5*c*e^8*f*g^7*z^2 - 48*a*b*c^8*d^8*f^3*g^5*z^2 - 36*a^2*b*c^7*d^8*f*g^7*z^2 + 6*a*b^3*c^6*d^8*f*g^7*z^2 + 204*a^3*b*c^6*d^7*e*g^8*z^2 + 128*a^6*b*c^3*d*e^7*g^8*z^2 + 48*a*b^5*c^4*d^7*e*g^8*z^2 + 24*a^4*b^5*c*d*e^7*g^8*z^2 - 48*a*b*c^8*d^3*e^5*f^8*z^2 - 36*a^2*b*c^7*d*e^7*f^8*z^2 + 6*a*b^3*c^6*d*e^7*f^8*z^2 - b^8*c^2*d^4*e^4*f^2*g^6*z^2 - b^8*c^2*d^2*e^6*f^4*g^4*z^2 - 4*b^9*c*e^8*f^5*g^3*z^2 - 4*b^7*c^3*e^8*f^7*g*z^2 - 12*b*c^
\end{aligned}$$

$$\begin{aligned}
& 9*d^8*f^5*g^3*z^2 + 24*a*c^9*d^8*f^4*g^4*z^2 - 4*b^9*c*d^5*e^3*g^8*z^2 - 4* \\
& b^7*c^3*d^7*e*g^8*z^2 - 4*a*b^9*e^8*f^3*g^5*z^2 - 2*a^3*b^7*e^8*f*g^7*z^2 - \\
& 12*b*c^9*d^5*e^3*f^8*z^2 + 24*a*c^9*d^4*e^4*f^8*z^2 - 4*a*b^9*d^3*e^5*g^8* \\
& z^2 - 2*a^3*b^7*d*e^7*g^8*z^2 - 12*a^5*b^4*c*e^8*g^8*z^2 - 12*a*b^4*c^5*e^8* \\
& f^8*z^2 - 12*a*b^4*c^5*d^8*g^8*z^2 - 8*c^10*d^7*e*f^7*g*z^2 + 6*b^8*c^2*e^8* \\
& f^6*g^2*z^2 - 232*a^5*c^5*e^8*f^4*g^4*z^2 - 188*a^4*c^6*e^8*f^6*g^2*z^2 - \\
& 92*a^6*c^4*e^8*f^2*g^6*z^2 + 9*b^2*c^8*d^8*f^4*g^4*z^2 - 3*b^4*c^6*d^8*f^2* \\
& g^6*z^2 + 2*b^3*c^7*d^8*f^3*g^5*z^2 + 36*a^2*c^8*d^8*f^2*g^6*z^2 + 6*b^8*c^ \\
& ^2*d^6*e^2*g^8*z^2 + 5*a^2*b^8*e^8*f^2*g^6*z^2 - 232*a^5*c^5*d^4*e^4*g^8*z^ \\
& 2 - 188*a^4*c^6*d^6*e^2*g^8*z^2 - 92*a^6*c^4*d^2*e^6*g^8*z^2 + 9*b^2*c^8*d^ \\
& 4*e^4*f^8*z^2 - 3*b^4*c^6*d^2*e^6*f^8*z^2 + 2*b^3*c^7*d^3*e^5*f^8*z^2 + 36* \\
& a^2*c^8*d^2*e^6*f^8*z^2 + 5*a^2*b^8*d^2*e^6*g^8*z^2 + 48*a^6*b^2*c^2*e^8*g^ \\
& 8*z^2 + 45*a^2*b^2*c^6*e^8*f^8*z^2 + 45*a^2*b^2*c^6*d^8*g^8*z^2 + 4*c^10*d^ \\
& 8*f^6*g^2*z^2 + b^10*e^8*f^4*g^4*z^2 + 4*c^10*d^6*e^2*f^8*z^2 + b^10*d^4*e^ \\
& 4*g^8*z^2 - 64*a^7*c^3*e^8*g^8*z^2 + b^6*c^4*e^8*f^8*z^2 + b^6*c^4*d^8*g^8* \\
& z^2 - 48*a^3*c^7*e^8*f^8*z^2 - 48*a^3*c^7*d^8*g^8*z^2 + a^4*b^6*e^8*g^8*z^2 \\
& - b^10*d^2*e^6*f^2*g^6*z^2 + 108*a^2*b^2*c^4*d^2*e^5*f*g^6*z + 108*a^2*b^2* \\
& c^4*d*e^6*f^2*g^5*z + 60*a*b^2*c^5*d^3*e^4*f^2*g^5*z + 60*a*b^2*c^5*d^2*e^ \\
& 5*f^3*g^4*z - 48*a^2*b*c^5*d^2*e^5*f^2*g^5*z - 44*a*b^3*c^4*d^2*e^5*f^2*g^5* \\
& z - 120*a^2*b*c^5*d^3*e^4*f*g^6*z - 120*a^2*b*c^5*d*e^6*f^3*g^4*z - 96*a*b \\
& *c^6*d^3*e^4*f^3*g^4*z - 64*a^2*b^3*c^3*d*e^6*f*g^6*z + 32*a*b^3*c^4*d^3*e^ \\
& 4*f*g^6*z + 32*a*b^3*c^4*d*e^6*f^3*g^4*z - 28*a*b^4*c^3*d^2*e^5*f*g^6*z - 2 \\
& 8*a*b^4*c^3*d*e^6*f^2*g^5*z - 18*a*b^2*c^5*d^4*e^3*f*g^6*z - 18*a*b^2*c^5*d \\
& *e^6*f^4*g^3*z + 4*a*b*c^6*d^4*e^3*f^2*g^5*z + 4*a*b*c^6*d^2*e^5*f^4*g^3*z \\
& + 24*a*b^5*c^2*d*e^6*f*g^6*z - 16*a^3*b*c^4*d*e^6*f*g^6*z - 8*a*b*c^6*d^5*e \\
& ^2*f*g^6*z - 8*a*b*c^6*d*e^6*f^5*g^2*z - 13*b^2*c^6*d^6*e*f*g^6*z - 13*b^2* \\
& c^6*d*e^6*f^6*g*z + 8*b*c^7*d^6*e*f^2*g^5*z + 8*b*c^7*d^2*e^5*f^6*g*z + 9*b \\
& ^2*c^6*d^4*e^3*f^3*g^4*z + 9*b^2*c^6*d^3*e^4*f^4*g^3*z + 8*b^5*c^3*d^2*e^5* \\
& f^2*g^5*z - 6*b^4*c^4*d^3*e^4*f^2*g^5*z - 6*b^4*c^4*d^2*e^5*f^3*g^4*z - 6*b \\
& ^3*c^5*d^4*e^3*f^2*g^5*z - 6*b^3*c^5*d^2*e^5*f^4*g^3*z + 4*b^3*c^5*d^3*e^4* \\
& f^3*g^4*z + b^2*c^6*d^5*e^2*f^2*g^5*z + b^2*c^6*d^2*e^5*f^5*g^2*z + 16*a^2*c \\
& ^6*d^3*e^4*f^2*g^5*z + 16*a^2*c^6*d^2*e^5*f^3*g^4*z - 112*a^2*b^3*c^3*e^7* \\
& f^2*g^5*z - 12*a^2*b^2*c^4*d^3*e^4*g^7*z - 2*b^7*c*d*e^6*f*g^6*z + 8*a*c^7*d^6* \\
& e*f*g^6*z + 8*a*c^7*d*e^6*f^6*g*z + 52*a*b*c^6*e^7*f^6*g*z - 10*a*b^6*c*e^7* \\
& f*g^6*z + 52*a*b*c^6*d^6*e*g^7*z - 10*a*b^6*c*d*e^6*g^7*z + 14*b^3*c^5*d^5* \\
& e^2*f*g^6*z + 14*b^3*c^5*d*e^6*f^5*g^2*z - 12*b*c^7*d^5*e^2*f^3*g^4*z - 12* \\
& b*c^7*d^3*e^4*f^5*g^2*z - 5*b^4*c^4*d^4*e^3*f*g^6*z - 5*b^4*c^4*d*e^6*f^4*g^3* \\
& z + b^6*c^2*d^2*e^5*f*g^6*z + b^6*c^2*d*e^6*f^2*g^5*z + 52*a^2*c^6*d^4*e^3* \\
& f*g^6*z + 52*a^2*c^6*d*e^6*f^4*g^3*z + 24*a*c^7*d^4*e^3*f^3*g^4*z + 24*a*c^7* \\
& d^3*e^4*f^4*g^3*z - 16*a*c^7*d^5*e^2*f^2*g^5*z - 16*a*c^7*d^2*e^5*f^5*g^2*z + \\
& 8*a^3*c^5*d^2*e^5*f*g^6*z + 8*a^3*c^5*d*e^6*f^2*g^5*z + 200*a^3*b*c^4*e^7* \\
& f^2*g^5*z + 144*a^2*b*c^5*e^7*f^4*g^3*z - 42*a*b^2*c^5*e^7*f^5*g^2*z + 32*a \\
& ^3*b^2*c^3*e^7*f*g^6*z + 24*a^2*b^4*c^2*e^7*f*g^6*z + 24*a*b^5*c^2*e^7*f^2* \\
& g^5*z - 10*a*b^3*c^4*e^7*f^4*g^3*z + 4*a*b^4*c^3*e^7*f^3*g^4*z + 200*a^3*b*
\end{aligned}$$

$$\begin{aligned}
& c^4 d^2 e^5 g^7 z + 144 a^2 b^2 c^5 d^4 e^3 g^7 z - 42 a^2 b^2 c^5 d^5 e^2 g^7 z + 32 a^3 b^2 c^3 d^2 e^6 g^7 z + 24 a^2 b^4 c^2 d^2 e^6 g^7 z + 24 a^2 b^5 c^2 d^2 e^5 g^7 z - 10 a^2 b^3 c^4 d^4 e^3 g^7 z + 4 a^2 b^4 c^3 d^3 e^4 g^7 z + 4 b^2 c^7 d^7 f^6 g^6 z + 4 b^2 c^7 d^7 e^6 f^7 z + 11 b^4 c^4 e^7 f^5 g^2 z - 4 b^5 c^3 e^7 f^4 g^3 z + b^6 c^2 e^7 f^3 g^4 z - 136 a^3 c^5 e^7 f^3 g^4 z - 68 a^2 c^6 e^7 f^5 g^2 z + 11 b^4 c^4 d^5 e^2 g^7 z - 4 b^5 c^3 d^4 e^3 g^7 z + b^6 c^2 d^3 e^4 g^7 z - 136 a^3 c^5 d^3 e^4 g^7 z - 68 a^2 c^6 d^5 e^2 g^7 z - 96 a^3 b^3 c^2 e^7 g^7 z + 4 c^8 d^6 e^6 f^3 g^4 z + 4 c^8 d^3 e^4 f^6 g^6 z - 10 b^3 c^5 e^7 f^6 g^6 z - 2 b^7 c^2 e^7 f^2 g^5 z - 128 a^4 c^4 e^7 f^6 g^6 z - 10 b^3 c^5 d^6 e^6 g^7 z - 2 b^7 c^2 d^2 e^5 g^7 z - 128 a^4 c^4 d^4 e^6 g^7 z + 128 a^4 b^2 c^3 e^7 g^7 z + 24 a^2 b^5 c^2 e^7 g^7 z - 4 c^8 d^7 f^2 g^5 z - 4 c^8 d^2 e^5 f^7 z + 3 b^2 c^6 e^7 f^7 z + 3 b^2 c^6 d^7 g^7 z + b^8 e^7 f^6 g^6 z + b^8 d^6 e^6 g^7 z - 16 a^2 c^7 e^7 f^7 z - 16 a^2 c^7 d^7 g^7 z - 2 a^2 b^7 e^7 g^7 z - 8 a^2 c^5 d^5 e^5 f^6 g^5 + 20 a^2 b^2 c^4 e^6 f^6 g^5 + 20 a^2 b^2 c^4 d^5 e^5 g^6 + 4 b^2 c^5 d^2 e^4 f^6 g^5 + 4 b^2 c^5 d^2 e^5 f^2 g^4 - 2 b^2 c^4 d^4 e^5 f^6 g^5 - 4 b^3 c^3 e^6 f^6 g^5 - 16 a^2 c^5 e^6 f^2 g^4 - 4 b^3 c^3 d^4 e^5 g^6 - 16 a^2 c^5 d^2 e^4 g^6 + 8 a^2 b^2 c^3 e^6 g^6 - 4 c^6 d^2 e^4 f^2 g^4 + 3 b^2 c^4 e^6 f^2 g^4 + 3 b^2 c^4 d^2 e^4 g^6 - 36 a^2 c^4 e^6 g^6, z, k) * (\text{root}(1120 a^6 b^2 c^6 d^9 e^6 f^9 g^9 z^4 + 1120 a^6 b^2 c^6 d^9 e^9 f^9 g^9 z^4 - 792 a^5 b^4 c^5 d^9 e^6 f^9 g^9 z^4 - 792 a^5 b^4 c^5 d^9 e^9 f^9 g^9 z^4 + 512 a^9 b^2 c^4 d^4 e^6 f^9 g^9 z^4 + 512 a^9 b^2 c^4 d^4 e^9 f^4 g^6 z^4 - 512 a^7 b^2 c^6 d^8 e^2 f^9 g^9 z^4 - 512 a^6 b^2 c^7 d^9 e^2 f^8 g^8 z^4 - 512 a^6 b^2 c^7 d^9 e^2 f^8 g^8 z^4 - 512 a^6 b^2 c^7 d^9 e^8 f^9 g^9 z^4 + 512 a^4 b^2 c^9 d^9 e^6 f^9 g^9 z^4 + 512 a^4 b^2 c^9 d^9 e^6 f^9 g^9 z^4 + 256 a^10 b^2 c^3 d^2 e^8 f^9 g^9 z^4 + 256 a^10 b^2 c^3 d^2 e^9 f^2 g^8 z^4 + 256 a^10 b^2 c^3 d^2 e^9 f^2 g^8 z^4 + 256 a^10 b^2 c^3 d^2 e^9 f^8 g^2 z^4 + 256 a^10 b^2 c^3 d^2 e^9 f^8 g^2 z^4 - 200 a^6 b^7 c^2 d^4 e^6 f^9 g^9 z^4 - 200 a^6 b^7 c^2 d^4 e^9 f^4 g^6 z^4 - 200 a^6 b^7 c^2 d^4 e^9 f^4 g^6 z^4 - 200 a^6 b^7 c^2 d^4 e^9 f^6 g^4 z^4 - 200 a^6 b^7 c^2 d^4 e^9 f^6 g^4 z^4 + 194 a^4 b^6 c^4 d^9 e^6 f^9 g^9 z^4 + 194 a^4 b^6 c^4 d^9 e^6 f^9 g^9 z^4 + 144 a^5 b^8 c^2 d^5 e^5 f^9 g^9 z^4 + 144 a^5 b^8 c^2 d^5 e^9 f^5 g^5 z^4 + 144 a^5 b^8 c^2 d^5 e^9 f^5 g^5 z^4 + 144 a^5 b^8 c^2 d^5 e^5 f^9 g^9 z^4 + 96 a^10 b^2 c^2 d^2 e^9 f^9 g^9 z^4 + 96 a^2 b^2 c^10 d^9 e^9 f^9 g^9 z^4 + 56 a^7 b^6 c^3 d^3 e^7 f^9 g^9 z^4 + 56 a^7 b^6 c^3 d^3 e^7 f^9 g^9 z^4 + 56 a^7 b^6 c^3 d^3 e^7 f^9 g^9 z^4 + 56 a^7 b^6 c^3 d^3 e^7 f^9 g^9 z^4 + 48 a^8 b^5 c^4 d^2 e^8 f^9 g^9 z^4 + 48 a^8 b^5 c^4 d^2 e^8 f^9 g^9 z^4 + 48 a^8 b^5 c^4 d^2 e^8 f^9 g^9 z^4 + 48 a^8 b^5 c^4 d^2 e^8 f^9 g^9 z^4 + 20 a^2 b^12 c^2 d^6 e^4 f^4 g^6 z^4 + 20 a^2 b^12 c^2 d^6 e^4 f^4 g^6 z^4 + 20 a^2 b^12 c^2 d^6 e^4 f^4 g^6 z^4 + 20 a^2 b^12 c^2 d^6 e^4 f^4 g^6 z^4 - 16 a^3 b^10 c^3 d^7 e^3 f^9 g^9 z^4 - 16 a^3 b^10 c^3 d^7 e^3 f^9 g^9 z^4 - 16 a^3 b^10 c^3 d^7 e^3 f^9 g^9 z^4 - 16 a^3 b^10 c^3 d^7 e^3 f^9 g^9 z^4 - 16 a^3 b^8 c^3 d^9 e^6 f^9 g^9 z^4 - 16 a^3 b^8 c^3 d^9 e^6 f^9 g^9 z^4 - 16 a^3 b^8 c^3 d^9 e^6 f^9 g^9 z^4 - 16 a^3 b^8 c^3 d^9 e^6 f^9 g^9 z^4 - 16 a^3 b^12 c^2 d^7 e^3 f^3 g^7 z^4 - 16 a^3 b^12 c^2 d^7 e^3 f^3 g^7 z^4 - 16 a^3 b^12 c^2 d^7 e^3 f^3 g^7 z^4 - 16 a^3 b^12 c^2 d^7 e^3 f^3 g^7 z^4 - 16 a^3 b^10 c^3 d^9 e^6 f^3 g^7 z^4 - 16 a^3 b^10 c^3 d^9 e^6 f^3 g^7 z^4 - 8 a^4 b^9 c^4 d^6 e^4 f^6 g^4 z^4 - 8 a^4 b^9 c^4 d^6 e^4 f^6 g^4 z^4 - 8 a^4 b^9 c^4 d^6 e^4 f^6 g^4 z^4 - 8 a^4 b^9 c^4 d^6 e^4 f^6 g^4 z^4 - 8 a^4 b^9 c^4 d^6 e^4 f^6 g^4 z^4 - 9984 a^7 b^2 c^5 d^4 e^6 f^4 g^6 z^4 - 9984 a^7 b^2 c^5 d^4 e^6 f^4 g^6 z^4 - 8640 a^6 b^2 c^6 d^6 e^4 f^4 g^6 z^4 - 8640 a^6 b^2 c^6 d^6 e^4 f^4 g^6 z^4 - 8544 a^5 b^4 c^5 d^5 e^5 f^5 g^5 z^4 + 5632 a^6 b^2 c^6 d^7 e^3 f^3 g^7 z^4 + 5632 a^6 b^2 c^6 d^7 e^3 f^3 g^7 z^4 + 5232 a^5 b^4 c^5 d^6 e^4 f^4 g^6 z^4 + 5232 a^5 b^4 c^5 d^6 e^4 f^4 g^6 z^4
\end{aligned}$$

$$\begin{aligned}
& *z^4 + 5232*a^5*b^4*c^5*d^4*e^6*f^6*g^4*z^4 + 4808*a^4*b^6*c^4*d^5*e^5*f^5* \\
& g^5*z^4 - 4288*a^6*b^4*c^4*d^5*e^5*f^3*g^7*z^4 - 4288*a^6*b^4*c^4*d^3*e^7*f \\
& ^5*g^5*z^4 - 4288*a^4*b^4*c^6*d^7*e^3*f^5*g^5*z^4 - 4288*a^4*b^4*c^6*d^5*e^ \\
& 5*f^7*g^3*z^4 + 3968*a^6*b^3*c^5*d^5*e^5*f^4*g^6*z^4 + 3968*a^6*b^3*c^5*d^4 \\
& *e^6*f^5*g^5*z^4 + 3968*a^5*b^3*c^6*d^6*e^4*f^5*g^5*z^4 + 3968*a^5*b^3*c^6* \\
& d^5*e^5*f^6*g^4*z^4 + 3840*a^7*b^2*c^5*d^5*e^5*f^3*g^7*z^4 + 3840*a^7*b^2*c \\
& ^5*d^3*e^7*f^5*g^5*z^4 + 3840*a^5*b^2*c^7*d^7*e^3*f^5*g^5*z^4 + 3840*a^5*b^ \\
& 2*c^7*d^5*e^5*f^7*g^3*z^4 + 3776*a^6*b^4*c^4*d^4*e^6*f^4*g^6*z^4 + 3776*a^4 \\
& *b^4*c^6*d^6*e^4*f^6*g^4*z^4 + 3456*a^6*b^2*c^6*d^5*e^5*f^5*g^5*z^4 + 3440* \\
& a^6*b^4*c^4*d^6*e^4*f^2*g^8*z^4 + 3440*a^6*b^4*c^4*d^2*e^8*f^6*g^4*z^4 + 34 \\
& 40*a^4*b^4*c^6*d^8*e^2*f^4*g^6*z^4 + 3440*a^4*b^4*c^6*d^4*e^6*f^8*g^2*z^4 - \\
& 3360*a^8*b^2*c^4*d^4*e^6*f^2*g^8*z^4 - 3360*a^8*b^2*c^4*d^2*e^8*f^4*g^6*z^ \\
& 4 - 3360*a^4*b^2*c^8*d^8*e^2*f^6*g^4*z^4 - 3360*a^4*b^2*c^8*d^6*e^4*f^8*g^2 \\
& *z^4 - 2944*a^7*b^4*c^3*d^3*e^7*f^3*g^7*z^4 - 2944*a^3*b^4*c^7*d^7*e^3*f^7* \\
& g^3*z^4 + 2512*a^5*b^6*c^3*d^5*e^5*f^3*g^7*z^4 + 2512*a^5*b^6*c^3*d^3*e^7*f \\
& ^5*g^5*z^4 + 2512*a^3*b^6*c^5*d^7*e^3*f^5*g^5*z^4 + 2512*a^3*b^6*c^5*d^5*e^ \\
& 5*f^7*g^3*z^4 + 2312*a^7*b^4*c^3*d^4*e^6*f^2*g^8*z^4 + 2312*a^7*b^4*c^3*d^2 \\
& *e^8*f^4*g^6*z^4 + 2312*a^3*b^4*c^7*d^8*e^2*f^6*g^4*z^4 + 2312*a^3*b^4*c^7* \\
& d^6*e^4*f^8*g^2*z^4 + 1952*a^6*b^6*c^2*d^3*e^7*f^3*g^7*z^4 + 1952*a^2*b^6*c \\
& ^6*d^7*e^3*f^7*g^3*z^4 - 1920*a^5*b^4*c^5*d^7*e^3*f^3*g^7*z^4 - 1920*a^5*b^ \\
& 4*c^5*d^3*e^7*f^7*g^3*z^4 - 1828*a^5*b^6*c^3*d^6*e^4*f^2*g^8*z^4 - 1828*a^5 \\
& *b^6*c^3*d^2*e^8*f^6*g^4*z^4 - 1828*a^3*b^6*c^5*d^8*e^2*f^4*g^6*z^4 - 1828* \\
& a^3*b^6*c^5*d^4*e^6*f^8*g^2*z^4 + 1740*a^5*b^4*c^5*d^8*e^2*f^2*g^8*z^4 + 17 \\
& 40*a^5*b^4*c^5*d^2*e^8*f^8*g^2*z^4 - 1728*a^7*b^2*c^5*d^6*e^4*f^2*g^8*z^4 - \\
& 1728*a^7*b^2*c^5*d^2*e^8*f^6*g^4*z^4 - 1728*a^5*b^2*c^7*d^8*e^2*f^4*g^6*z^ \\
& 4 - 1728*a^5*b^2*c^7*d^4*e^6*f^8*g^2*z^4 - 1716*a^4*b^6*c^4*d^6*e^4*f^4*g^6 \\
& *z^4 - 1716*a^4*b^6*c^4*d^4*e^6*f^6*g^4*z^4 - 1664*a^9*b^2*c^3*d^2*e^8*f^2* \\
& g^8*z^4 - 1664*a^3*b^2*c^9*d^8*e^2*f^8*g^2*z^4 - 1600*a^6*b^3*c^5*d^7*e^3*f \\
& ^2*g^8*z^4 - 1600*a^6*b^3*c^5*d^2*e^8*f^7*g^3*z^4 - 1600*a^5*b^3*c^6*d^8*e^ \\
& 2*f^3*g^7*z^4 - 1600*a^5*b^3*c^6*d^3*e^7*f^8*g^2*z^4 - 1553*a^4*b^6*c^4*d^8 \\
& *e^2*f^2*g^8*z^4 - 1553*a^4*b^6*c^4*d^2*e^8*f^8*g^2*z^4 + 1536*a^8*b^2*c^4* \\
& d^3*e^7*f^3*g^7*z^4 + 1536*a^4*b^2*c^8*d^7*e^3*f^7*g^3*z^4 + 1408*a^7*b^3*c \\
& ^4*d^4*e^6*f^3*g^7*z^4 + 1408*a^7*b^3*c^4*d^3*e^7*f^4*g^6*z^4 - 1408*a^6*b^ \\
& 3*c^5*d^6*e^4*f^3*g^7*z^4 - 1408*a^6*b^3*c^5*d^3*e^7*f^6*g^4*z^4 - 1408*a^5 \\
& *b^3*c^6*d^7*e^3*f^4*g^6*z^4 - 1408*a^5*b^3*c^6*d^4*e^6*f^7*g^3*z^4 + 1408* \\
& a^4*b^3*c^7*d^7*e^3*f^6*g^4*z^4 + 1408*a^4*b^3*c^7*d^6*e^4*f^7*g^3*z^4 - 13 \\
& 60*a^6*b^5*c^3*d^5*e^5*f^2*g^8*z^4 - 1360*a^6*b^5*c^3*d^2*e^8*f^5*g^5*z^4 - \\
& 1360*a^3*b^5*c^6*d^8*e^2*f^5*g^5*z^4 - 1360*a^3*b^5*c^6*d^5*e^5*f^8*g^2*z^ \\
& 4 - 1248*a^5*b^5*c^4*d^5*e^5*f^4*g^6*z^4 - 1248*a^5*b^5*c^4*d^4*e^6*f^5*g^5 \\
& *z^4 - 1248*a^4*b^5*c^5*d^6*e^4*f^5*g^5*z^4 - 1248*a^4*b^5*c^5*d^5*e^5*f^6* \\
& g^4*z^4 + 1088*a^8*b^3*c^3*d^3*e^7*f^2*g^8*z^4 + 1088*a^8*b^3*c^3*d^2*e^8*f \\
& ^3*g^7*z^4 + 1088*a^3*b^3*c^8*d^8*e^2*f^7*g^3*z^4 + 1088*a^3*b^3*c^8*d^7*e^ \\
& 3*f^8*g^2*z^4 + 1056*a^8*b^4*c^2*d^2*e^8*f^2*g^8*z^4 + 1056*a^2*b^4*c^8*d^8 \\
& *e^2*f^8*g^2*z^4 - 912*a^7*b^5*c^2*d^3*e^7*f^2*g^8*z^4 - 912*a^7*b^5*c^2*d^ \\
& 2*e^8*f^3*g^7*z^4 - 912*a^2*b^5*c^7*d^8*e^2*f^7*g^3*z^4 - 912*a^2*b^5*c^7*d
\end{aligned}$$

$$\begin{aligned}
& 7e^3f^8g^2z^4 - 848a^5b^6c^3d^4e^6f^4g^6z^4 - 848a^3b^6c^5d^6e^4f^6g^4z^4 + 832a^7b^3c^4d^5e^5f^2g^8z^4 + 832a^7b^3c^4d^2e^8f^5g^5z^4 + 832a^4b^3c^7d^8e^2f^5g^5z^4 + 832a^4b^3c^7d^5e^5f^8g^2z^4 + 828a^5b^7c^2d^5e^5f^2g^8z^4 + 828a^5b^7c^2d^2e^8f^5g^5z^4 + 828a^2b^7c^5d^8e^2f^5g^5z^4 + 828a^2b^7c^5d^5e^5f^8g^2z^4 - 800a^3b^8c^3d^5e^5f^5g^5z^4 - 696a^4b^8c^2d^5e^5f^3g^7z^4 - 696a^4b^8c^2d^3e^7f^5g^5z^4 - 696a^2b^8c^4d^7e^3f^5g^5z^4 - 696a^2b^8c^4d^5e^5f^7g^3z^4 - 694a^6b^6c^2d^4e^6f^2g^8z^4 - 694a^6b^6c^2d^2e^8f^4g^6z^4 - 694a^2b^6c^6d^8e^2f^6g^4z^4 - 694a^2b^6c^6d^6e^4f^8g^2z^4 + 692a^4b^7c^3d^7e^3f^2g^8z^4 + 692a^4b^7c^3d^2e^8f^7g^3z^4 + 692a^3b^7c^4d^8e^2f^3g^7z^4 + 692a^3b^7c^4d^3e^7f^8g^2z^4 + 672a^4b^6c^4d^7e^3f^3g^7z^4 + 672a^4b^6c^4d^3e^7f^7g^3z^4 + 600a^4b^8c^2d^4e^6f^4g^6z^4 + 600a^2b^8c^4d^6e^4f^6g^4z^4 - 544a^3b^8c^3d^7e^3f^3g^7z^4 + 544a^3b^8c^3d^6e^4f^4g^6z^4 + 544a^3b^8c^3d^4e^6f^6g^4z^4 - 544a^3b^8c^3d^3e^7f^7g^3z^4 - 536a^4b^7c^3d^5e^5f^4g^6z^4 - 536a^4b^7c^3d^4e^6f^5g^5z^4 - 536a^3b^7c^4d^6e^4f^5g^5z^4 - 536a^3b^7c^4d^5e^5f^6g^4z^4 - 504a^5b^7c^2d^4e^6f^3g^7z^4 - 504a^5b^7c^2d^3e^7f^4g^6z^4 - 504a^2b^7c^5d^7e^3f^6g^4z^4 - 504a^2b^7c^5d^6e^4f^7g^3z^4 + 416a^3b^8c^3d^8e^2f^2g^8z^4 + 416a^3b^8c^3d^2e^8f^8g^2z^4 - 352a^6b^5c^3d^4e^6f^3g^7z^4 - 352a^6b^5c^3d^3e^7f^4g^6z^4 - 352a^3b^5c^6d^7e^3f^6g^4z^4 - 352a^3b^5c^6d^6e^4f^7g^3z^4 - 248a^3b^9c^2d^7e^3f^2g^8z^4 - 248a^3b^9c^2d^2e^8f^7g^3z^4 - 248a^2b^9c^3d^8e^2f^3g^7z^4 - 248a^2b^9c^3d^3e^7f^8g^2z^4 + 246a^4b^8c^2d^6e^4f^2g^8z^4 + 246a^4b^8c^2d^2e^8f^6g^4z^4 + 246a^2b^8c^4d^8e^2f^4g^6z^4 + 246a^2b^8c^4d^4e^6f^8g^2z^4 + 208a^6b^2c^6d^8e^2f^2g^8z^4 + 208a^6b^2c^6d^2e^8f^8g^2z^4 + 168a^2b^10c^2d^7e^3f^3g^7z^4 + 168a^2b^10c^2d^3e^7f^7g^3z^4 + 160a^3b^9c^2d^5e^5f^4g^6z^4 + 160a^3b^9c^2d^4e^6f^5g^5z^4 + 160a^2b^9c^3d^6e^4f^5g^5z^4 + 160a^2b^9c^3d^5e^5f^6g^4z^4 + 144a^5b^5c^4d^7e^3f^2g^8z^4 + 144a^5b^5c^4d^2e^8f^7g^3z^4 + 144a^4b^5c^5d^8e^2f^3g^7z^4 + 144a^4b^5c^5d^3e^7f^8g^2z^4 - 144a^2b^10c^2d^6e^4f^4g^6z^4 - 144a^2b^10c^2d^4e^6f^6g^4z^4 + 120a^4b^7c^3d^6e^4f^3g^7z^4 + 120a^4b^7c^3d^3e^7f^6g^4z^4 + 120a^3b^7c^4d^7e^3f^4g^6z^4 + 120a^3b^7c^4d^4e^6f^7g^3z^4 + 96a^5b^5c^4d^6e^4f^3g^7z^4 + 96a^5b^5c^4d^3e^7f^6g^4z^4 + 96a^4b^5c^5d^7e^3f^4g^6z^4 + 96a^4b^5c^5d^4e^6f^7g^3z^4 + 64a^3b^9c^2d^6e^4f^3g^7z^4 + 64a^3b^9c^2d^3e^7f^6g^4z^4 + 64a^2b^9c^3d^7e^3f^4g^6z^4 + 64a^2b^9c^3d^4e^6f^7g^3z^4 - 36a^2b^10c^2d^8e^2f^2g^8z^4 - 36a^2b^10c^2d^2e^8f^8g^2z^4 + 24a^2b^10c^2d^5e^5f^5g^5z^4 - 24a^9b^4c^d^e^9f^g^9z^4 - 24a^8b^4c^9d^9e^f^9g^9z^4 + 2688a^7b^2c^5d^7e^3f^g^9z^4 + 2688a^7b^2c^5d^7e^3f^g^9z^4 + 2688a^5b^2c^7d^9e^f^3g^7z^4 + 2688a^5b^2c^7d^3e^7f^9g^9z^4 - 2560a^7b^3c^4d^6e^4f^g^9z^4
\end{aligned}$$

$$\begin{aligned}
&^4 - 2560*a^7*b^3*c^4*d*e^9*f^6*g^4*z^4 - 2560*a^4*b^3*c^7*d^9*e*f^4*g^6*z^4 \\
& - 2560*a^4*b^3*c^7*d^4*e^6*f^9*g*z^4 + 2112*a^8*b^2*c^4*d^5*e^5*f*g^9*z^4 \\
& + 2112*a^8*b^2*c^4*d*e^9*f^5*g^5*z^4 + 2112*a^4*b^2*c^8*d^9*e*f^5*g^5*z^4 \\
& + 2112*a^4*b^2*c^8*d^5*e^5*f^9*g*z^4 + 1664*a^6*b^5*c^3*d^6*e^4*f*g^9*z^4 + \\
& 1664*a^6*b^5*c^3*d*e^9*f^6*g^4*z^4 + 1664*a^3*b^5*c^6*d^9*e*f^4*g^6*z^4 + \\
& 1664*a^3*b^5*c^6*d^4*e^6*f^9*g*z^4 + 1536*a^8*b*c^5*d^4*e^6*f^3*g^7*z^4 + 1 \\
& 536*a^8*b*c^5*d^3*e^7*f^4*g^6*z^4 + 1536*a^7*b*c^6*d^5*e^5*f^4*g^6*z^4 + 15 \\
& 36*a^7*b*c^6*d^4*e^6*f^5*g^5*z^4 + 1536*a^6*b*c^7*d^6*e^4*f^5*g^5*z^4 + 153 \\
& 6*a^6*b*c^7*d^5*e^5*f^6*g^4*z^4 + 1536*a^5*b*c^8*d^7*e^3*f^6*g^4*z^4 + 1536 \\
& *a^5*b*c^8*d^6*e^4*f^7*g^3*z^4 - 1408*a^8*b^3*c^3*d^4*e^6*f*g^9*z^4 - 1408* \\
& a^8*b^3*c^3*d*e^9*f^4*g^6*z^4 - 1408*a^3*b^3*c^8*d^9*e*f^6*g^4*z^4 - 1408*a \\
& ^3*b^3*c^8*d^6*e^4*f^9*g*z^4 - 1280*a^7*b*c^6*d^7*e^3*f^2*g^8*z^4 - 1280*a^ \\
& 7*b*c^6*d^2*e^8*f^7*g^3*z^4 - 1280*a^6*b*c^7*d^8*e^2*f^3*g^7*z^4 - 1280*a^6 \\
& *b*c^7*d^3*e^7*f^8*g^2*z^4 - 1152*a^6*b^3*c^5*d^8*e^2*f*g^9*z^4 - 1152*a^6* \\
& b^3*c^5*d*e^9*f^8*g^2*z^4 - 1152*a^5*b^3*c^6*d^9*e*f^2*g^8*z^4 - 1152*a^5*b \\
& ^3*c^6*d^2*e^8*f^9*g*z^4 + 1056*a^5*b^5*c^4*d^8*e^2*f*g^9*z^4 + 1056*a^5*b^ \\
& 5*c^4*d*e^9*f^8*g^2*z^4 + 1056*a^4*b^5*c^5*d^9*e*f^2*g^8*z^4 + 1056*a^4*b^5 \\
& *c^5*d^2*e^8*f^9*g*z^4 + 864*a^7*b^5*c^2*d^4*e^6*f*g^9*z^4 + 864*a^7*b^5*c^ \\
& 2*d*e^9*f^4*g^6*z^4 + 864*a^2*b^5*c^7*d^9*e*f^6*g^4*z^4 + 864*a^2*b^5*c^7*d \\
& ^6*e^4*f^9*g*z^4 - 800*a^6*b^4*c^4*d^7*e^3*f*g^9*z^4 - 800*a^6*b^4*c^4*d*e^ \\
& 9*f^7*g^3*z^4 - 800*a^4*b^4*c^6*d^9*e*f^3*g^7*z^4 - 800*a^4*b^4*c^6*d^3*e^7 \\
& *f^9*g*z^4 - 768*a^8*b*c^5*d^5*e^5*f^2*g^8*z^4 - 768*a^8*b*c^5*d^2*e^8*f^5* \\
& g^5*z^4 - 768*a^5*b*c^8*d^8*e^2*f^5*g^5*z^4 - 768*a^5*b*c^8*d^5*e^5*f^8*g^2 \\
& *z^4 + 640*a^9*b^2*c^3*d^3*e^7*f*g^9*z^4 + 640*a^9*b^2*c^3*d*e^9*f^3*g^7*z^ \\
& 4 + 640*a^3*b^2*c^9*d^9*e*f^7*g^3*z^4 + 640*a^3*b^2*c^9*d^7*e^3*f^9*g*z^4 + \\
& 512*a^7*b*c^6*d^6*e^4*f^3*g^7*z^4 + 512*a^7*b*c^6*d^3*e^7*f^6*g^4*z^4 + 51 \\
& 2*a^6*b*c^7*d^7*e^3*f^4*g^6*z^4 + 512*a^6*b*c^7*d^4*e^6*f^7*g^3*z^4 - 480*a \\
& ^5*b^8*c*d^3*e^7*f^3*g^7*z^4 - 480*a*b^8*c^5*d^7*e^3*f^7*g^3*z^4 - 400*a^7* \\
& b^4*c^3*d^5*e^5*f*g^9*z^4 - 400*a^7*b^4*c^3*d*e^9*f^5*g^5*z^4 - 400*a^3*b^4 \\
& *c^7*d^9*e*f^5*g^5*z^4 - 400*a^3*b^4*c^7*d^5*e^5*f^9*g*z^4 - 372*a^6*b^6*c^ \\
& 2*d^5*e^5*f*g^9*z^4 - 372*a^6*b^6*c^2*d*e^9*f^5*g^5*z^4 - 372*a^2*b^6*c^6*d \\
& ^9*e*f^5*g^5*z^4 - 372*a^2*b^6*c^6*d^5*e^5*f^9*g*z^4 - 328*a^5*b^6*c^3*d^7* \\
& e^3*f*g^9*z^4 - 328*a^5*b^6*c^3*d*e^9*f^7*g^3*z^4 - 328*a^3*b^6*c^5*d^9*e*f \\
& ^3*g^7*z^4 - 328*a^3*b^6*c^5*d^3*e^7*f^9*g*z^4 - 288*a^8*b^4*c^2*d^3*e^7*f* \\
& g^9*z^4 - 288*a^8*b^4*c^2*d*e^9*f^3*g^7*z^4 - 288*a^5*b^7*c^2*d^6*e^4*f*g^9 \\
& *z^4 - 288*a^5*b^7*c^2*d*e^9*f^6*g^4*z^4 - 288*a^2*b^7*c^5*d^9*e*f^4*g^6*z^ \\
& 4 - 288*a^2*b^7*c^5*d^4*e^6*f^9*g*z^4 - 288*a^2*b^4*c^8*d^9*e*f^7*g^3*z^4 - \\
& 288*a^2*b^4*c^8*d^7*e^3*f^9*g*z^4 - 280*a^4*b^7*c^3*d^8*e^2*f*g^9*z^4 - 28 \\
& 0*a^4*b^7*c^3*d*e^9*f^8*g^2*z^4 - 280*a^3*b^7*c^4*d^9*e*f^2*g^8*z^4 - 280*a \\
& ^3*b^7*c^4*d^2*e^8*f^9*g*z^4 + 256*a^9*b*c^4*d^3*e^7*f^2*g^8*z^4 + 256*a^9* \\
& b*c^4*d^2*e^8*f^3*g^7*z^4 + 256*a^4*b*c^9*d^8*e^2*f^7*g^3*z^4 + 256*a^4*b*c \\
& ^9*d^7*e^3*f^8*g^2*z^4 - 248*a^7*b^6*c*d^2*e^8*f^2*g^8*z^4 - 248*a*b^6*c^7* \\
& d^8*e^2*f^8*g^2*z^4 + 236*a^6*b^7*c*d^3*e^7*f^2*g^8*z^4 + 236*a^6*b^7*c*d^2 \\
& *e^8*f^3*g^7*z^4 + 236*a*b^7*c^6*d^8*e^2*f^7*g^3*z^4 + 236*a*b^7*c^6*d^7*e^ \\
& 3*f^8*g^2*z^4 + 200*a^4*b^9*c*d^4*e^6*f^3*g^7*z^4 + 200*a^4*b^9*c*d^3*e^7*f
\end{aligned}$$



$$\begin{aligned}
&^4g^6z^4 - 200a^3b^{10}c^4d^4e^6f^4g^6z^4 - 200a^2b^{10}c^3d^6e^4f^6g^4z^4 + 200a^2b^9c^4d^7e^3f^6g^4z^4 + 200a^2b^9c^4d^6e^4f^7g^3z^4 \\
&- 196a^4b^9c^4d^5e^5f^2g^8z^4 - 196a^4b^9c^4d^2e^8f^5g^5z^4 - 196a^2b^9c^4d^8e^2f^5g^5z^4 - 196a^2b^9c^4d^5e^5f^8g^2z^4 \\
&- 192a^9b^3c^2d^2e^8f^9g^2z^4 - 192a^9b^3c^2d^2e^9f^2g^8z^4 - 192a^2b^3c^9d^9e^8f^9g^2z^4 - 192a^2b^3c^9d^8e^2f^9g^2z^4 + 156 \\
&a^4b^8c^2d^7e^3f^9g^3z^4 + 156a^4b^8c^2d^7e^9f^7g^3z^4 + 156a^2b^8c^4d^9e^3f^7g^7z^4 + 156a^2b^8c^4d^3e^7f^9g^7z^4 + 96a^5b^8c^5d^8e^2f^6g^4z^4 \\
&+ 96a^5b^8c^5d^6e^4f^8g^2z^4 + 88a^3b^10c^3d^5e^5f^7g^3z^4 + 88a^3b^10c^3d^7e^3f^5g^5z^4 + 88a^2b^10c^3d^5e^5f^7g^3z^4 - 36a^2b^{11}c^3d^6e^4f^3g^7z^4 \\
&- 36a^2b^{11}c^3d^3e^7f^6g^4z^4 - 36a^2b^{11}c^2d^7e^3f^4g^6z^4 - 36a^2b^{11}c^2d^4e^6f^7g^3z^4 + 28a^3b^{10}c^3d^6e^4f^2g^8z^4 + 28a^3b^{10}c^3d^2e^8f^6g^4z^4 \\
&+ 28a^2b^{10}c^3d^8e^2f^4g^6z^4 + 28a^2b^{10}c^3d^4e^6f^8g^2z^4 + 24a^3b^9c^2d^8e^2f^9g^9z^4 + 24a^3b^9c^2d^8e^2f^9g^9z^4 + 24a^2b^{11}c^3d^9e^3f^2g^8z^4 \\
&+ 24a^2b^{11}c^2d^8e^2f^3g^7z^4 + 24a^2b^9c^3d^9e^3f^2g^8z^4 + 24a^2b^9c^3d^2e^8f^9g^9z^4 + 24a^2b^9c^3d^2e^8f^9g^9z^4 + 24a^2b^9c^3d^2e^8f^9g^9z^4 \\
&+ 24a^2b^9c^3d^2e^8f^9g^9z^4 + 24a^2b^9c^3d^2e^8f^9g^9z^4 + 24a^2b^9c^3d^2e^8f^9g^9z^4 + 24a^2b^9c^3d^2e^8f^9g^9z^4 + 24a^2b^9c^3d^2e^8f^9g^9z^4 \\
&+ 12a^2b^{11}c^3d^5e^5f^4g^6z^4 + 12a^2b^{11}c^3d^4e^6f^5g^5z^4 + 12a^2b^{11}c^2d^6e^4f^5g^5z^4 + 12a^2b^{11}c^2d^5e^5f^6g^4z^4 + 40b^{10}c^4d^7e^3f^7g^3z^4 \\
&+ 20b^{12}c^2d^6e^4f^6g^4z^4 - 20b^{11}c^3d^7e^3f^6g^4z^4 - 20b^{11}c^3d^6e^4f^7g^3z^4 - 20b^9c^5d^8e^2f^7g^3z^4 - 20b^9c^5d^7e^3f^8g^2z^4 + 20b^8c^6d^8e^2f^8g^2z^4 \\
&+ 16b^{11}c^3d^8e^2f^5g^5z^4 + 16b^{11}c^3d^5e^5f^8g^2z^4 - 6b^{12}c^2d^8e^2f^4g^6z^4 - 6b^{12}c^2d^4e^6f^8g^2z^4 - 5b^{10}c^4d^8e^2f^6g^4z^4 - 5b^{10}c^4d^6e^4f^8g^2z^4 - 4b^{12}c^2d^7e^3f^5g^5z^4 \\
&- 4b^{12}c^2d^5e^5f^7g^3z^4 - 4608a^7c^7d^5e^5f^5g^5z^4 + 3328a^7c^7d^6e^4f^4g^6z^4 + 3328a^7c^7d^4e^6f^6g^4z^4 - 3072a^8c^6d^5e^5f^3g^7z^4 + 3072a^8c^6d^4e^6f^4g^6z^4 \\
&- 3072a^8c^6d^3e^7f^5g^5z^4 - 3072a^6c^8d^7e^3f^5g^5z^4 + 3072a^6c^8d^6e^4f^6g^4z^4 - 3072a^6c^8d^5e^5f^7g^3z^4 - 2048a^9c^5d^3e^7f^3g^7z^4 - 2048a^7c^7d^7e^3f^3g^7z^4 \\
&- 2048a^7c^7d^3e^7f^7g^3z^4 - 2048a^5c^9d^7e^3f^7g^3z^4 + 1792a^8c^6d^6e^4f^2g^8z^4 + 1792a^8c^6d^2e^8f^6g^4z^4 + 1792a^6c^8d^8e^2f^4g^6z^4 + 1792a^6c^8d^4e^6f^8g^2z^4 + 1408a^9c^5d^4e^6f^2g^8z^4 \\
&+ 1408a^9c^5d^2e^8f^4g^6z^4 + 1408a^5c^9d^8e^2f^6g^4z^4 + 1408a^5c^9d^6e^4f^8g^2z^4 + 1088a^7c^7d^8e^2f^2g^8z^4 + 1088a^7c^7d^2e^8f^8g^2z^4 + 512a^10c^4d^2e^8f^2g^8z^4 \\
&+ 512a^4c^10d^8e^2f^8g^2z^4 + 40a^4b^{10}d^3e^7f^3g^7z^4 + 20a^6b^8d^2e^8f^2g^8z^4 - 20a^5b^9d^3e^7f^2g^8z^4 - 20a^5b^9d^2e^8f^3g^7z^4 - 20a^3b^{11}d^4e^6f^3g^7z^4 - 20a^3b^{11}d^3e^7f^4g^6z^4 \\
&+ 20a^2b^{12}d^4e^6f^4g^6z^4 + 16a^3b^{11}d^5e^5f^2g^8z^4 + 16a^3b^{11}d^2e^8f^5g^5z^4 - 6a^2b^{12}d^6e^4f^2g^8z^4 - 6a^2b^{12}d^2e^8f^6g^4z^4 - 5a^4b^{10}d^4e^6f^2g^8z^4 - 5a^4b^{10}d^4e^6f^2g^8z^4
\end{aligned}$$

$$\begin{aligned}
& b^{10}d^2e^8f^4g^6z^4 - 4a^2b^{12}d^5e^5f^3g^7z^4 - 4a^2b^{12}d^3e^7f^5g^5z^4 + 480a^8b^2c^4e^{10}f^6g^4z^4 - 440a^7b^4c^3e^{10}f^6g^4z^4 + 320a^8b^3c^3e^{10}f^5g^5z^4 + 320a^7b^3c^4e^{10}f^7g^3z^4 - 240a^8b^4c^2e^{10}f^4g^6z^4 - 240a^6b^4c^4e^{10}f^8g^2z^4 + 192a^9b^3c^2e^{10}f^3g^7z^4 + 192a^9b^2c^3e^{10}f^4g^6z^4 + 192a^7b^2c^5e^{10}f^8g^2z^4 + 90a^6b^6c^2e^{10}f^6g^4z^4 + 68a^5b^6c^3e^{10}f^8g^2z^4 - 48a^{10}b^2c^2e^{10}f^2g^8z^4 + 48a^7b^5c^2e^{10}f^5g^5z^4 + 48a^6b^5c^3e^{10}f^7g^3z^4 - 36a^5b^7c^2e^{10}f^7g^3z^4 - 6a^4b^8c^2e^{10}f^8g^2z^4 + 480a^4b^2c^8d^{10}f^4g^6z^4 - 440a^3b^4c^7d^{10}f^4g^6z^4 + 320a^4b^3c^7d^{10}f^3g^7z^4 + 320a^3b^3c^8d^{10}f^5g^5z^4 - 240a^4b^4c^6d^{10}f^2g^8z^4 - 240a^2b^4c^8d^{10}f^6g^4z^4 + 192a^5b^2c^7d^{10}f^2g^8z^4 + 192a^3b^2c^9d^{10}f^6g^4z^4 + 192a^2b^3c^9d^{10}f^7g^3z^4 + 90a^2b^6c^6d^{10}f^4g^6z^4 + 68a^3b^6c^5d^{10}f^2g^8z^4 + 48a^3b^5c^6d^{10}f^3g^7z^4 + 48a^2b^5c^7d^{10}f^5g^5z^4 - 48a^2b^2c^{10}d^{10}f^8g^2z^4 - 36a^2b^7c^5d^{10}f^3g^7z^4 - 6a^2b^8c^4d^{10}f^2g^8z^4 + 480a^8b^2c^4d^6e^4g^{10}z^4 - 440a^7b^4c^3d^6e^4g^{10}z^4 + 320a^8b^3c^3d^5e^5g^{10}z^4 + 320a^7b^3c^4d^7e^3g^{10}z^4 - 240a^8b^4c^2d^4e^6g^{10}z^4 - 240a^6b^4c^4d^8e^2g^{10}z^4 + 192a^9b^3c^2d^3e^7g^{10}z^4 + 192a^9b^2c^3d^4e^6g^{10}z^4 + 192a^7b^2c^5d^8e^2g^{10}z^4 + 90a^6b^6c^2d^6e^4g^{10}z^4 + 68a^5b^6c^3d^8e^2g^{10}z^4 - 48a^{10}b^2c^2d^2e^8g^{10}z^4 + 48a^7b^5c^2d^5e^5g^{10}z^4 + 48a^6b^5c^3d^7e^3g^{10}z^4 - 36a^5b^7c^2d^7e^3g^{10}z^4 - 6a^4b^8c^2d^8e^2g^{10}z^4 + 480a^4b^2c^8d^4e^6f^{10}z^4 - 440a^3b^4c^7d^4e^6f^{10}z^4 + 320a^4b^3c^7d^3e^7f^{10}z^4 + 320a^3b^3c^8d^5e^5f^{10}z^4 - 240a^4b^4c^6d^2e^8f^{10}z^4 - 240a^2b^4c^8d^6e^4f^{10}z^4 + 192a^5b^2c^7d^2e^8f^{10}z^4 + 192a^3b^2c^9d^6e^4f^{10}z^4 + 192a^2b^3c^9d^7e^3f^{10}z^4 + 90a^2b^6c^6d^4e^6f^{10}z^4 + 68a^3b^6c^5d^2e^8f^{10}z^4 + 48a^3b^5c^6d^3e^7f^{10}z^4 + 48a^2b^5c^7d^5e^5f^{10}z^4 - 48a^2b^2c^{10}d^8e^2f^{10}z^4 - 36a^2b^7c^5d^3e^7f^{10}z^4 - 6a^2b^8c^4d^2e^8f^{10}z^4 + 16b^9c^5d^9e^6f^6g^4z^4 + 16b^9c^5d^6e^4f^9g^4z^4 - 14b^{10}c^4d^9e^6f^5g^5z^4 - 14b^{10}c^4d^5e^5f^9g^4z^4 + 4b^{13}c^4d^7e^3f^4g^6z^4 - 4b^{13}c^4d^6e^4f^5g^5z^4 - 4b^{13}c^4d^5e^5f^6g^4z^4 + 4b^{13}c^4d^4e^6f^7g^3z^4 + 4b^{11}c^3d^9e^6f^4g^6z^4 + 4b^{11}c^3d^4e^6f^9g^4z^4 - 4b^8c^6d^9e^6f^7g^3z^4 - 4b^8c^6d^7e^3f^9g^4z^4 - 4b^7c^7d^9e^6f^8g^2z^4 - 4b^7c^7d^8e^2f^9g^4z^4 - 768a^9c^5d^5e^5f^9g^4z^4 - 768a^9c^5d^5e^5f^9g^4z^4 - 768a^5c^9d^9e^6f^5g^5z^4 - 768a^5c^9d^5e^5f^9g^4z^4 - 512a^{10}c^4d^3e^7f^9g^4z^4 - 512a^{10}c^4d^3e^7f^9g^4z^4 - 512a^8c^6d^7e^3f^9g^4z^4 - 512a^8c^6d^7e^3f^9g^4z^4 - 512a^6c^8d^9e^6f^3g^7z^4 - 512a^6c^8d^3e^7f^9g^4z^4 - 512a^4c^{10}d^9e^6f^7g^3z^4 - 512a^4c^{10}d^7e^3f^9g^4z^4 + 16a^5b^9d^4e^6f^9g^4z^4 + 16a^5b^9d^4e^6f^9g^4z^4 - 14a^4b^{10}d^5e^5f^9g^4z^4 - 14a^4b^{10}d^5e^5f^9g^4z^4 - 4a^7b^7d^2e^8f^9g^4z^4 - 4a^7b^7d^2e^8f^9g^4z^4 - 4a^6b^8d^3e^7f^9g^4z^4 + 4a^
\end{aligned}$$

$$\begin{aligned}
& 3b^{11}d^6e^4fg^9z^4 + 4a^3b^{11}d^6e^9f^6g^4z^4 + 4ab^{13}d^6e^4f^3g^7z^4 - 4ab^{13}d^5e^5f^4g^6z^4 - 4ab^{13}d^4e^6f^5g^5z^4 + \\
& 4ab^{13}d^3e^7f^6g^4z^4 - 768a^9b^3c^4e^{10}f^5g^5z^4 - 768a^8b^3c^5e^{10}f^7g^3z^4 - 256a^{10}b^3c^3e^{10}f^3g^7z^4 + 192a^6b^3c^5e^{10}f^9g^z^4 + 68a^7b^6c^3e^{10}f^4g^6z^4 - 48a^8b^5c^3e^{10}f^3g^7z^4 - 48a^5b^5c^4e^{10}f^9g^z^4 - 36a^6b^7c^3e^{10}f^5g^5z^4 + 12a^9b^4c^3e^{10}f^2g^8z^4 + 4a^4b^9c^3e^{10}f^7g^3z^4 + 4a^4b^7c^3e^{10}f^9g^z^4 - 768a^5b^3c^8d^{10}f^3g^7z^4 - 768a^4b^3c^9d^{10}f^5g^5z^4 - 256a^3b^3c^{10}d^{10}f^7g^3z^4 + 192a^5b^3c^6d^{10}f^9g^z^4 + 68a^6b^3c^7d^{10}f^6g^4z^4 - 48a^4b^5c^5d^{10}f^9g^z^4 - 48a^5b^5c^8d^{10}f^7g^3z^4 - 36a^6b^7c^6d^{10}f^5g^5z^4 + 12a^6b^4c^9d^{10}f^8g^2z^4 + 4a^3b^7c^4d^{10}f^9g^z^4 + 4ab^9c^4d^{10}f^3g^7z^4 - 768a^9b^3c^4d^5e^5g^{10}z^4 - 768a^8b^3c^5d^7e^3g^{10}z^4 - 256a^{10}b^3c^3d^3e^7g^{10}z^4 + 192a^6b^3c^5d^9e^8g^{10}z^4 + 68a^7b^6c^4d^4e^6g^{10}z^4 - 48a^8b^5c^4d^3e^7g^{10}z^4 - 48a^5b^5c^4d^9e^8g^{10}z^4 - 36a^6b^7c^4d^5e^5g^{10}z^4 + 12a^9b^4c^2d^8e^8g^{10}z^4 + 4a^4b^9c^2d^7e^3g^{10}z^4 + 4a^4b^7c^3d^9e^8g^{10}z^4 - 768a^5b^3c^8d^3e^7f^{10}z^4 - 768a^4b^3c^9d^5e^5f^{10}z^4 - 256a^3b^3c^{10}d^7e^3f^{10}z^4 + 192a^5b^3c^6d^9e^9f^{10}z^4 + 68a^6b^3c^7d^6e^4f^{10}z^4 - 48a^4b^5c^5d^9e^9f^{10}z^4 - 48a^5b^5c^8d^7e^3f^{10}z^4 - 36a^6b^7c^6d^5e^5f^{10}z^4 + 12a^6b^4c^9d^8e^2f^{10}z^4 + 4a^3b^7c^4d^9e^9f^{10}z^4 + 4ab^9c^4d^3e^7f^{10}z^4 + 2b^6c^8d^9e^9f^9g^z^4 - 128a^{11}c^3d^9e^9f^9g^z^4 - 128a^7c^7d^9e^9f^9g^z^4 - 128a^7c^7d^9e^9f^9g^z^4 - 128a^3c^{11}d^9e^9f^9g^z^4 + 2a^8b^6d^9e^9f^9g^z^4 - 256a^7b^3c^6e^{10}f^9g^z^4 - 256a^6b^3c^7d^{10}f^9g^z^4 - 256a^7b^3c^6d^9e^9g^{10}z^4 - 256a^6b^3c^7d^9e^9f^{10}z^4 + 2b^{14}d^5e^5f^5g^5z^4 + 384a^9c^5e^{10}f^6g^4z^4 + 256a^{10}c^4e^{10}f^4g^6z^4 + 256a^8c^6e^{10}f^8g^2z^4 + 64a^{11}c^3e^{10}f^2g^8z^4 - 6b^8c^6d^{10}f^6g^4z^4 + 4b^9c^5d^{10}f^5g^5z^4 + 4b^7c^7d^{10}f^7g^3z^4 + 384a^5c^9d^{10}f^4g^6z^4 + 256a^6c^8d^{10}f^2g^8z^4 + 256a^4c^{10}d^{10}f^6g^4z^4 + 64a^3c^{11}d^{10}f^8g^2z^4 - 6a^6b^8e^{10}f^4g^6z^4 + 4a^7b^7e^{10}f^3g^7z^4 + 4a^5b^9e^{10}f^5g^5z^4 + 384a^9c^5d^6e^4g^{10}z^4 + 256a^{10}c^4d^4e^6g^{10}z^4 + 256a^8c^6d^8e^2g^{10}z^4 + 64a^{11}c^3d^2e^8g^{10}z^4 - 6b^8c^6d^6e^4f^{10}z^4 + 4b^9c^5d^5e^5f^{10}z^4 + 4b^7c^7d^7e^3f^{10}z^4 + 384a^5c^9d^4e^6f^{10}z^4 + 256a^6c^8d^2e^8f^{10}z^4 + 256a^4c^{10}d^6e^4f^{10}z^4 + 64a^3c^{11}d^8e^2f^{10}z^4 - 6a^6b^8d^4e^6g^{10}z^4 + 4a^7b^7d^3e^7g^{10}z^4 + 4a^5b^9d^5e^5g^{10}z^4 - 48a^6b^2c^6e^{10}f^{10}z^4 - 48a^6b^2c^6d^{10}g^{10}z^4 + 12a^5b^4c^5e^{10}f^{10}z^4 + 12a^5b^4c^5d^{10}g^{10}z^4 + 64a^7c^7e^{10}f^{10}z^4 + 64a^7c^7d^{10}g^{10}z^4 - b^{14}d^6e^4f^4g^6z^4 - b^{14}d^4e^6f^6g^4z^4 - b^{10}c^4d^{10}f^4g^6z^4 - b^6c^8d^{10}f^8g^2z^4 - a^8b^6e^{10}f^2g^8z^4 - a^4b^{10}e^{10}f^6g^4z^4 - b^{10}c^4d^4e^6f^{10}z^4 - b^6c^8d^8e^2f^{10}z^4 - a^8b^6d^2e^8g^{10}z^4 - a^4b^{10}d^6e^4g^{10}z^4 - a^4b^6c^4e^{10}f^{10}z^4 - a^4b^6c^4d^{10}g^{10}z^4 + 272a^5b^2c^3d^9e^7f^9g^z^2 - 192a^4b^4c^2d^9e^7f^9g^z^2 - 164a^5b^3c^4d^2e^7f^9g^z^2
\end{aligned}$$



$$\begin{aligned}
& c^4 d^5 e^3 f^2 g^6 z^2 - 14 a^2 b^5 c^4 d^2 e^6 f^5 g^3 z^2 + 4 a^2 b^5 c^3 d^4 e^4 f^5 g^7 z^2 + 4 a^2 b^5 c^3 d^4 e^7 f^4 g^4 z^2 - 4 a^2 b^4 c^4 d^5 e^3 f^5 g^7 z^2 - 4 a^2 b^4 c^4 d^5 e^6 f^5 g^3 z^2 + 2 a^2 b^6 c^3 d^4 e^4 f^2 g^6 z^2 + 2 a^2 b^6 c^3 d^2 e^6 f^4 g^4 z^2 - 50 b^2 c^8 d^6 e^2 f^6 g^2 z^2 - 32 b^4 c^6 d^5 e^3 f^5 g^3 z^2 + 24 b^3 c^7 d^6 e^2 f^5 g^3 z^2 + 24 b^3 c^7 d^5 e^3 f^6 g^2 z^2 + 23 b^4 c^6 d^6 e^2 f^4 g^4 z^2 + 23 b^4 c^6 d^4 e^4 f^6 g^2 z^2 - 11 b^6 c^4 d^6 e^2 f^2 g^6 z^2 - 11 b^6 c^4 d^2 e^6 f^6 g^2 z^2 + 8 b^6 c^4 d^5 e^3 f^3 g^5 z^2 + 8 b^6 c^4 d^3 e^5 f^5 g^3 z^2 - 8 b^5 c^5 d^5 e^3 f^4 g^4 z^2 - 8 b^5 c^5 d^4 e^4 f^5 g^3 z^2 + 5 b^6 c^4 d^4 e^4 f^4 g^4 z^2 - 4 b^8 c^2 d^3 e^5 f^3 g^5 z^2 + 4 b^7 c^3 d^5 e^3 f^2 g^6 z^2 + 4 b^7 c^3 d^2 e^6 f^5 g^3 z^2 - 2 b^7 c^3 d^4 e^4 f^3 g^5 z^2 - 2 b^7 c^3 d^3 e^5 f^4 g^4 z^2 - 2 b^5 c^5 d^6 e^2 f^3 g^5 z^2 - 2 b^5 c^5 d^3 e^5 f^6 g^2 z^2 + 416 a^5 c^5 d^2 e^6 f^2 g^6 z^2 - 392 a^4 c^6 d^3 e^5 f^3 g^5 z^2 + 376 a^4 c^6 d^4 e^4 f^2 g^6 z^2 + 376 a^4 c^6 d^2 e^6 f^4 g^4 z^2 + 320 a^3 c^7 d^4 e^4 f^4 g^4 z^2 - 280 a^3 c^7 d^5 e^3 f^3 g^5 z^2 - 280 a^3 c^7 d^3 e^5 f^5 g^3 z^2 - 200 a^2 c^8 d^5 e^3 f^5 g^3 z^2 + 160 a^3 c^7 d^6 e^2 f^2 g^6 z^2 + 160 a^3 c^7 d^2 e^6 f^6 g^2 z^2 + 120 a^2 c^8 d^6 e^2 f^4 g^4 z^2 + 120 a^2 c^8 d^4 e^4 f^6 g^2 z^2 - 471 a^4 b^2 c^4 e^8 f^4 g^4 z^2 + 436 a^3 b^4 c^3 e^8 f^4 g^4 z^2 - 310 a^3 b^3 c^4 e^8 f^5 g^3 z^2 - 232 a^5 b^2 c^3 d^2 e^6 g^8 z^2 + 229 a^2 b^4 c^4 e^8 f^6 g^2 z^2 + 216 a^4 b^4 c^2 e^8 f^2 g^6 z^2 - 204 a^4 b^3 c^3 e^8 f^3 g^5 z^2 - 150 a^3 b^2 c^5 e^8 f^6 g^2 z^2 - 91 a^2 b^6 c^2 e^8 f^4 g^4 z^2 - 72 a^3 b^5 c^2 e^8 f^3 g^5 z^2 - 44 a^2 b^5 c^3 e^8 f^5 g^3 z^2 - 471 a^4 b^2 c^4 d^4 e^4 g^8 z^2 + 436 a^3 b^4 c^3 d^4 e^4 g^8 z^2 - 310 a^3 b^3 c^4 d^5 e^3 g^8 z^2 - 232 a^5 b^2 c^3 d^2 e^6 g^8 z^2 + 229 a^2 b^4 c^4 d^6 e^2 g^8 z^2 + 216 a^4 b^4 c^2 d^2 e^6 g^8 z^2 - 204 a^4 b^3 c^3 d^3 e^5 g^8 z^2 - 150 a^3 b^2 c^5 d^6 e^2 g^8 z^2 - 91 a^2 b^6 c^2 d^4 e^4 g^8 z^2 - 72 a^3 b^5 c^2 d^3 e^5 g^8 z^2 - 44 a^2 b^5 c^3 d^5 e^3 g^8 z^2 - 26 b^3 c^7 d^7 e f^4 g^4 z^2 - 26 b^3 c^7 d^4 e^4 f^7 g z^2 + 16 b^2 c^8 d^7 e f^5 g^3 z^2 + 16 b^2 c^8 d^5 e^3 f^7 g z^2 + 10 b^5 c^5 d^7 e f^2 g^6 z^2 + 10 b^5 c^5 d^2 e^6 f^7 g z^2 - 4 b^4 c^6 d^7 e f^3 g^5 z^2 - 4 b^4 c^6 d^3 e^5 f^7 g z^2 + 2 b^9 c^4 d^3 e^5 f^2 g^6 z^2 + 2 b^9 c^4 d^2 e^6 f^3 g^5 z^2 - 168 a^5 c^5 d^3 e^5 f^7 g^2 z^2 - 168 a^5 c^5 d^5 e^3 f^7 g z^2 - 120 a^4 c^6 d^5 e^3 f^7 g z^2 - 120 a^4 c^6 d^4 e^7 f^5 g^3 z^2 - 56 a^2 c^8 d^7 e f^3 g^5 z^2 - 56 a^2 c^8 d^3 e^5 f^7 g z^2 + 32 a^9 c^9 d^6 e^2 f^6 g^2 z^2 + 624 a^4 b^3 c^5 e^8 f^5 g^3 z^2 + 548 a^5 b^3 c^4 e^8 f^3 g^5 z^2 - 182 a^2 b^3 c^5 e^8 f^7 g z^2 - 96 a^5 b^3 c^2 e^8 f^6 g^2 z^2 - 68 a^2 b^6 c^3 e^8 f^6 g^2 z^2 - 58 a^3 b^6 c^3 e^8 f^2 g^6 z^2 + 38 a^2 b^7 c^3 e^8 f^3 g^5 z^2 + 36 a^2 b^7 c^2 e^8 f^5 g^3 z^2 + 18 a^2 b^7 c^7 d^8 f^2 g^6 z^2 + 624 a^4 b^3 c^5 d^5 e^3 g^8 z^2 + 548 a^5 b^3 c^4 d^3 e^5 g^8 z^2 - 182 a^2 b^3 c^5 d^7 e g^8 z^2 - 96 a^5 b^3 c^2 d^6 e^7 g^8 z^2 - 68 a^2 b^6 c^3 d^6 e^2 g^8 z^2 - 58 a^3 b^6 c^3 d^2 e^6 g^8 z^2 + 38 a^2 b^7 c^3 d^3 e^5 g^8 z^2 + 36 a^2 b^7 c^2 d^5 e^3 g^8 z^2 + 18 a^2 b^2 c^7 d^2 e^6 f^8 z^2 + 12 b^9 c^9 d^7 e f^6 g^2 z^2 + 12 b^9 c^9 d^6 e^2 f^7 g z^2 - 72 a^6 c^4 d^7 e^7 f^7 g z^2 - 40 a^9 c^9 d^7 e f^5 g^3 z^2 - 40 a^9 c^9 d^5 e^3 f^7 g z^2 - 24 a^3 c^7 d^7 e f^7 g z^2 - 24 a^3 c^7 d^5 e^7 f^7 g z^2 - 4 a^2 b^8 d^7 e^7 f^7 g z^2
\end{aligned}$$

$$\begin{aligned}
& *g^7z^2 + 2*a*b^9*d^2*e^6*f*g^7z^2 + 2*a*b^9*d*e^7*f^2*g^6z^2 + 204*a^3* \\
& b*c^6*e^8*f^7*g*z^2 + 128*a^6*b*c^3*e^8*f*g^7z^2 + 48*a*b^5*c^4*e^8*f^7*g* \\
& z^2 + 24*a^4*b^5*c*e^8*f*g^7z^2 - 48*a*b*c^8*d^8*f^3*g^5z^2 - 36*a^2*b*c^ \\
& 7*d^8*f*g^7z^2 + 6*a*b^3*c^6*d^8*f*g^7z^2 + 204*a^3*b*c^6*d^7*e*g^8z^2 + \\
& 128*a^6*b*c^3*d*e^7*g^8z^2 + 48*a*b^5*c^4*d^7*e*g^8z^2 + 24*a^4*b^5*c*d* \\
& e^7*g^8z^2 - 48*a*b*c^8*d^3*e^5*f^8z^2 - 36*a^2*b*c^7*d*e^7*f^8z^2 + 6*a \\
& *b^3*c^6*d*e^7*f^8z^2 - b^8*c^2*d^4*e^4*f^2*g^6z^2 - b^8*c^2*d^2*e^6*f^4* \\
& g^4z^2 - 4*b^9*c*e^8*f^5*g^3z^2 - 4*b^7*c^3*e^8*f^7*g*z^2 - 12*b*c^9*d^8* \\
& f^5*g^3z^2 + 24*a*c^9*d^8*f^4*g^4z^2 - 4*b^9*c*d^5*e^3*g^8z^2 - 4*b^7*c^ \\
& 3*d^7*e*g^8z^2 - 4*a*b^9*e^8*f^3*g^5z^2 - 2*a^3*b^7*e^8*f*g^7z^2 - 12*b* \\
& c^9*d^5*e^3*f^8z^2 + 24*a*c^9*d^4*e^4*f^8z^2 - 4*a*b^9*d^3*e^5*g^8z^2 - \\
& 2*a^3*b^7*d*e^7*g^8z^2 - 12*a^5*b^4*c*e^8*g^8z^2 - 12*a*b^4*c^5*e^8*f^8z \\
& ^2 - 12*a*b^4*c^5*d^8*g^8z^2 - 8*c^10*d^7*e*f^7*g*z^2 + 6*b^8*c^2*e^8*f^6* \\
& g^2z^2 - 232*a^5*c^5*e^8*f^4*g^4z^2 - 188*a^4*c^6*e^8*f^6*g^2z^2 - 92*a^ \\
& 6*c^4*e^8*f^2*g^6z^2 + 9*b^2*c^8*d^8*f^4*g^4z^2 - 3*b^4*c^6*d^8*f^2*g^6z \\
& ^2 + 2*b^3*c^7*d^8*f^3*g^5z^2 + 36*a^2*c^8*d^8*f^2*g^6z^2 + 6*b^8*c^2*d^6 \\
& *e^2*g^8z^2 + 5*a^2*b^8*e^8*f^2*g^6z^2 - 232*a^5*c^5*d^4*e^4*g^8z^2 - 18 \\
& 8*a^4*c^6*d^6*e^2*g^8z^2 - 92*a^6*c^4*d^2*e^6*g^8z^2 + 9*b^2*c^8*d^4*e^4* \\
& f^8z^2 - 3*b^4*c^6*d^2*e^6*f^8z^2 + 2*b^3*c^7*d^3*e^5*f^8z^2 + 36*a^2*c^ \\
& 8*d^2*e^6*f^8z^2 + 5*a^2*b^8*d^2*e^6*g^8z^2 + 48*a^6*b^2*c^2*e^8*g^8z^2 \\
& + 45*a^2*b^2*c^6*e^8*f^8z^2 + 45*a^2*b^2*c^6*d^8*g^8z^2 + 4*c^10*d^8*f^6* \\
& g^2z^2 + b^10*e^8*f^4*g^4z^2 + 4*c^10*d^6*e^2*f^8z^2 + b^10*d^4*e^4*g^8* \\
& z^2 - 64*a^7*c^3*e^8*g^8z^2 + b^6*c^4*e^8*f^8z^2 + b^6*c^4*d^8*g^8z^2 - \\
& 48*a^3*c^7*e^8*f^8z^2 - 48*a^3*c^7*d^8*g^8z^2 + a^4*b^6*e^8*g^8z^2 - b^1 \\
& 0*d^2*e^6*f^2*g^6z^2 + 108*a^2*b^2*c^4*d^2*e^5*f*g^6z + 108*a^2*b^2*c^4*d \\
& *e^6*f^2*g^5z + 60*a*b^2*c^5*d^3*e^4*f^2*g^5z + 60*a*b^2*c^5*d^2*e^5*f^3* \\
& g^4z - 48*a^2*b*c^5*d^2*e^5*f^2*g^5z - 44*a*b^3*c^4*d^2*e^5*f^2*g^5z - 1 \\
& 20*a^2*b*c^5*d^3*e^4*f*g^6z - 120*a^2*b*c^5*d*e^6*f^3*g^4z - 96*a*b*c^6*d \\
& ^3*e^4*f^3*g^4z - 64*a^2*b^3*c^3*d*e^6*f*g^6z + 32*a*b^3*c^4*d^3*e^4*f*g^ \\
& 6z + 32*a*b^3*c^4*d*e^6*f^3*g^4z - 28*a*b^4*c^3*d^2*e^5*f*g^6z - 28*a*b^ \\
& 4*c^3*d*e^6*f^2*g^5z - 18*a*b^2*c^5*d^4*e^3*f*g^6z - 18*a*b^2*c^5*d*e^6*f \\
& ^4*g^3z + 4*a*b*c^6*d^4*e^3*f^2*g^5z + 4*a*b*c^6*d^2*e^5*f^4*g^3z + 24*a \\
& *b^5*c^2*d*e^6*f*g^6z - 16*a^3*b*c^4*d*e^6*f*g^6z - 8*a*b*c^6*d^5*e^2*f*g \\
& ^6z - 8*a*b*c^6*d*e^6*f^5*g^2z - 13*b^2*c^6*d^6*e*f*g^6z - 13*b^2*c^6*d* \\
& e^6*f^6*g*z + 8*b*c^7*d^6*e*f^2*g^5z + 8*b*c^7*d^2*e^5*f^6*g*z + 9*b^2*c^6 \\
& *d^4*e^3*f^3*g^4z + 9*b^2*c^6*d^3*e^4*f^4*g^3z + 8*b^5*c^3*d^2*e^5*f^2*g^ \\
& 5z - 6*b^4*c^4*d^3*e^4*f^2*g^5z - 6*b^4*c^4*d^2*e^5*f^3*g^4z - 6*b^3*c^5 \\
& *d^4*e^3*f^2*g^5z - 6*b^3*c^5*d^2*e^5*f^4*g^3z + 4*b^3*c^5*d^3*e^4*f^3*g^ \\
& 4z + b^2*c^6*d^5*e^2*f^2*g^5z + b^2*c^6*d^2*e^5*f^5*g^2z + 16*a^2*c^6*d^ \\
& 3*e^4*f^2*g^5z + 16*a^2*c^6*d^2*e^5*f^3*g^4z - 112*a^2*b^3*c^3*e^7*f^2*g^ \\
& 5z - 12*a^2*b^2*c^4*e^7*f^3*g^4z - 112*a^2*b^3*c^3*d^2*e^5*g^7z - 12*a^2 \\
& *b^2*c^4*d^3*e^4*g^7z - 2*b^7*c*d*e^6*f*g^6z + 8*a*c^7*d^6*e*f*g^6z + 8* \\
& a*c^7*d*e^6*f^6*g*z + 52*a*b*c^6*e^7*f^6*g*z - 10*a*b^6*c*e^7*f*g^6z + 52* \\
& a*b*c^6*d^6*e*g^7z - 10*a*b^6*c*d*e^6*g^7z + 14*b^3*c^5*d^5*e^2*f*g^6z + \\
& 14*b^3*c^5*d*e^6*f^5*g^2z - 12*b*c^7*d^5*e^2*f^3*g^4z - 12*b*c^7*d^3*e^4
\end{aligned}$$

$$\begin{aligned}
& f^5 g^2 z - 5 b^4 c^4 d^4 e^3 f^6 g^6 z - 5 b^4 c^4 d^4 e^6 f^4 g^3 z + b^6 c^2 d^2 e^5 f^6 g^6 z + b^6 c^2 d^2 e^6 f^2 g^5 z + 52 a^2 c^6 d^4 e^3 f^6 g^6 z + \\
& 52 a^2 c^6 d^4 e^6 f^4 g^3 z + 24 a^3 c^7 d^4 e^3 f^3 g^4 z + 24 a^3 c^7 d^3 e^4 f^4 g^3 z - 16 a^3 c^7 d^5 e^2 f^2 g^5 z - 16 a^3 c^7 d^2 e^5 f^5 g^2 z + 8 a^3 c^5 d^2 e^5 f^6 g^6 z + \\
& 8 a^3 c^5 d^2 e^6 f^2 g^5 z + 200 a^3 b^3 c^4 e^7 f^2 g^5 z + 144 a^2 b^3 c^5 e^7 f^4 g^3 z - 42 a^2 b^2 c^5 e^7 f^5 g^2 z + 32 a^3 b^2 c^3 e^7 f^6 g^6 z + \\
& 24 a^2 b^4 c^2 e^7 f^6 g^6 z + 24 a^2 b^5 c^2 e^7 f^2 g^5 z - 10 a^2 b^3 c^4 e^7 f^4 g^3 z + 4 a^2 b^4 c^3 e^7 f^3 g^4 z + 200 a^3 b^3 c^4 d^2 e^5 g^7 z + \\
& 144 a^2 b^3 c^5 d^4 e^3 g^7 z - 42 a^2 b^2 c^5 d^5 e^2 g^7 z + 32 a^3 b^2 c^3 d^3 e^6 g^7 z + 24 a^2 b^4 c^2 d^2 e^6 g^7 z + 24 a^2 b^5 c^2 d^2 e^5 g^7 z - \\
& 10 a^2 b^3 c^4 d^4 e^3 g^7 z + 4 a^2 b^4 c^3 d^3 e^4 g^7 z + 4 b^3 c^7 d^7 f^6 g^6 z + 4 b^3 c^7 d^7 e^6 f^7 z + 11 b^4 c^4 e^7 f^5 g^2 z - 4 b^5 c^3 e^7 f^4 g^3 z + \\
& b^6 c^2 e^7 f^3 g^4 z - 136 a^3 c^5 e^7 f^3 g^4 z - 68 a^2 c^6 e^7 f^5 g^2 z + 11 b^4 c^4 d^5 e^2 g^7 z - 4 b^5 c^3 d^4 e^3 g^7 z + b^6 c^2 d^3 e^4 g^7 z - \\
& 136 a^3 c^5 d^3 e^4 g^7 z - 68 a^2 c^6 d^5 e^2 g^7 z - 96 a^3 b^3 c^2 e^7 g^7 z + 4 c^8 d^6 e^6 f^3 g^4 z + 4 c^8 d^3 e^4 f^6 g^6 z - 10 b^3 c^5 e^7 f^6 g^6 z - \\
& 2 b^7 c^5 e^7 f^2 g^5 z - 128 a^4 c^4 e^7 f^6 g^6 z - 10 b^3 c^5 d^6 e^6 g^7 z - 2 b^7 c^5 d^2 e^5 g^7 z - 128 a^4 c^4 d^4 e^6 g^7 z + 128 a^4 b^3 c^3 e^7 g^7 z + \\
& 24 a^2 b^5 c^3 e^7 g^7 z - 4 c^8 d^7 f^2 g^5 z - 4 c^8 d^2 e^5 f^7 z + 3 b^2 c^6 e^7 f^7 z + 3 b^2 c^6 d^7 g^7 z + b^8 e^7 f^6 g^6 z + b^8 d^6 e^6 g^7 z - \\
& 16 a^3 c^7 e^7 f^7 z - 16 a^3 c^7 d^7 g^7 z - 2 a^2 b^7 e^7 g^7 z - 8 a^3 c^5 d^5 e^5 f^6 g^5 + 20 a^2 b^3 c^4 e^6 f^6 g^5 + 20 a^2 b^3 c^4 d^5 e^5 g^6 + \\
& 4 b^3 c^5 d^2 e^4 f^6 g^5 + 4 b^3 c^5 d^2 e^5 f^2 g^4 - 2 b^2 c^4 d^4 e^5 f^6 g^5 - 4 b^3 c^3 e^6 f^6 g^5 - 16 a^3 c^5 e^6 f^2 g^4 - 4 b^3 c^3 d^3 e^5 g^6 - 16 a^3 c^5 d^2 e^4 g^6 + \\
& 8 a^2 b^2 c^3 e^6 g^6 - 4 c^6 d^2 e^4 f^2 g^4 + 3 b^2 c^4 e^6 f^2 g^4 + 3 b^2 c^4 d^2 e^4 g^6 - 36 a^2 c^4 e^6 g^6, z, k) * ((64 a^6 c^7 d^7 e^2 g^9 + 64 a^7 c^6 d^5 e^4 g^9 - 64 a^8 c^5 d^3 e^6 g^9 + 64 a^6 c^7 e^9 f^7 g^2 + 64 a^7 c^6 e^9 f^5 g^4 - 64 a^8 c^5 e^9 f^3 g^6 - 64 a^9 c^4 d^8 e^8 g^9 - 64 a^9 c^4 e^9 f^8 g^8 + 16 a^5 b^3 c^7 d^8 e^8 g^9 + a^6 b^6 c^3 d^8 e^8 g^9 + 16 a^5 b^3 c^7 e^9 f^8 g^8 + a^6 b^6 c^3 e^9 f^8 g^8 - 128 a^5 c^8 d^8 e^8 f^8 g^8 - 128 a^5 c^8 d^8 e^8 f^8 g^8 + a^3 b^5 c^5 d^8 e^8 g^9 + a^3 b^9 c^4 d^4 e^5 g^9 - 8 a^4 b^3 c^6 d^8 e^8 g^9 - a^4 b^8 c^3 d^3 e^6 g^9 - a^5 b^7 c^3 d^2 e^7 g^9 - 144 a^6 b^3 c^6 d^6 e^3 g^9 - 80 a^7 b^3 c^5 d^4 e^5 g^9 - 12 a^7 b^4 c^2 d^2 e^8 g^9 + 80 a^8 b^3 c^4 d^2 e^7 g^9 + 48 a^8 b^2 c^3 d^3 e^8 g^9 + a^3 b^5 c^5 e^9 f^8 g^8 + a^3 b^9 c^3 e^9 f^4 g^5 - 8 a^4 b^3 c^6 e^9 f^8 g^8 - a^4 b^8 c^3 e^9 f^3 g^6 - a^5 b^7 c^3 e^9 f^2 g^7 - 144 a^6 b^3 c^6 e^9 f^6 g^3 - 80 a^7 b^3 c^5 e^9 f^4 g^5 - 12 a^7 b^4 c^2 e^9 f^8 g^8 + 80 a^8 b^3 c^4 e^9 f^2 g^7 + 48 a^8 b^2 c^3 e^9 f^8 g^8 - 128 a^3 c^10 d^5 e^4 f^8 g^8 - 128 a^3 c^10 d^8 e^6 f^5 g^4 - 256 a^4 c^9 d^3 e^6 f^8 g^8 - 256 a^4 c^9 d^8 e^6 f^3 g^6 - 448 a^6 c^7 d^8 e^8 f^6 g^3 - 448 a^6 c^7 d^6 e^3 f^8 g^8 - 576 a^7 c^6 d^6 e^8 f^4 g^5 - 576 a^7 c^6 d^4 e^5 f^8 g^8 - 320 a^8 c^5 d^2 e^8 f^2 g^7 - 320 a^8 c^5 d^2 e^7 f^6 g^8 + b^5 c^8 d^6 e^3 f^8 g^8 + b^5 c^8 d^8 e^6 f^6 g^3 - b^6 c^7 d^5 e^4 f^8 g^8 - b^6 c^7 d^8 e^6 f^5 g^4 - b^7 c^6 d^4 e^5 f^8 g^8 - b^7 c^6 d^8 e^6 f^4 g^5 + b^8 c^5 d^3 e^6 f^8 g^8 + b^8 c^5 d^8 e^6 f^3 g^6 + b^12 c^3 d^3 e^6 f^4 g^5 + b^12 c^3 d^4 e^5 f^3 g^6 - 4 a^3 b^6 c^4 d^7 e^2 g^9 + 6 a^3 b^7 c^3 d^6 e^3 g^9
\end{aligned}$$

$$\begin{aligned}
& - 4*a^3*b^8*c^2*d^5*e^4*g^9 + 36*a^4*b^4*c^5*d^7*e^2*g^9 - 57*a^4*b^5*c^4*d^6*e^3*g^9 + 37*a^4*b^6*c^3*d^5*e^4*g^9 - 7*a^4*b^7*c^2*d^4*e^5*g^9 - 96*a^5*b^2*c^6*d^7*e^2*g^9 + 168*a^5*b^3*c^5*d^6*e^3*g^9 - 100*a^5*b^4*c^4*d^5*e^4*g^9 + 3*a^5*b^5*c^3*d^4*e^5*g^9 + 10*a^5*b^6*c^2*d^3*e^6*g^9 + 48*a^6*b^2*c^5*d^5*e^4*g^9 + 56*a^6*b^3*c^4*d^4*e^5*g^9 - 36*a^6*b^4*c^3*d^3*e^6*g^9 + 13*a^6*b^5*c^2*d^2*e^7*g^9 + 64*a^7*b^2*c^4*d^3*e^6*g^9 - 56*a^7*b^3*c^3*d^2*e^7*g^9 - 4*a^3*b^6*c^4*e^9*f^7*g^2 + 6*a^3*b^7*c^3*e^9*f^6*g^3 - 4*a^3*b^8*c^2*e^9*f^5*g^4 + 36*a^4*b^4*c^5*e^9*f^7*g^2 - 57*a^4*b^5*c^4*e^9*f^6*g^3 + 37*a^4*b^6*c^3*e^9*f^5*g^4 - 7*a^4*b^7*c^2*e^9*f^4*g^5 - 96*a^5*b^2*c^6*e^9*f^7*g^2 + 168*a^5*b^3*c^5*e^9*f^6*g^3 - 100*a^5*b^4*c^4*e^9*f^5*g^4 + 3*a^5*b^5*c^3*e^9*f^4*g^5 + 10*a^5*b^6*c^2*e^9*f^3*g^6 + 48*a^6*b^2*c^5*e^9*f^5*g^4 + 56*a^6*b^3*c^4*e^9*f^4*g^5 - 36*a^6*b^4*c^3*e^9*f^3*g^6 + 13*a^6*b^5*c^2*e^9*f^2*g^7 + 64*a^7*b^2*c^4*e^9*f^3*g^6 - 56*a^7*b^3*c^3*e^9*f^2*g^7 + 64*a^3*c^10*d^6*e^3*f^7*g^2 + 64*a^3*c^10*d^7*e^2*f^6*g^3 + 192*a^4*c^9*d^4*e^5*f^7*g^2 - 320*a^4*c^9*d^5*e^4*f^6*g^3 - 320*a^4*c^9*d^6*e^3*f^5*g^4 + 192*a^4*c^9*d^7*e^2*f^4*g^5 + 192*a^5*c^8*d^2*e^7*f^7*g^2 - 832*a^5*c^8*d^3*e^6*f^6*g^3 - 192*a^5*c^8*d^4*e^5*f^5*g^4 - 192*a^5*c^8*d^5*e^4*f^4*g^5 - 832*a^5*c^8*d^6*e^3*f^3*g^6 + 192*a^5*c^8*d^7*e^2*f^2*g^7 + 64*a^6*c^7*d^2*e^7*f^5*g^4 - 960*a^6*c^7*d^3*e^6*f^4*g^5 - 960*a^6*c^7*d^4*e^5*f^3*g^6 + 64*a^6*c^7*d^5*e^4*f^2*g^7 - 448*a^7*c^6*d^2*e^7*f^3*g^6 - 448*a^7*c^6*d^3*e^6*f^2*g^7 - 2*b^5*c^8*d^7*e^2*f^7*g^2 + 2*b^6*c^7*d^6*e^3*f^7*g^2 + 2*b^6*c^7*d^7*e^2*f^6*g^3 - 2*b^7*c^6*d^5*e^4*f^7*g^2 - 6*b^7*c^6*d^6*e^3*f^6*g^3 - 2*b^7*c^6*d^7*e^2*f^5*g^4 + 6*b^8*c^5*d^4*e^5*f^7*g^2 + 8*b^8*c^5*d^5*e^4*f^6*g^3 + 8*b^8*c^5*d^6*e^3*f^5*g^4 + 6*b^8*c^5*d^7*e^2*f^4*g^5 - 4*b^9*c^4*d^3*e^6*f^7*g^2 - 11*b^9*c^4*d^4*e^5*f^6*g^3 - 10*b^9*c^4*d^5*e^4*f^5*g^4 - 11*b^9*c^4*d^6*e^3*f^4*g^5 - 4*b^9*c^4*d^7*e^2*f^3*g^6 + 6*b^10*c^3*d^3*e^6*f^6*g^3 + 9*b^10*c^3*d^4*e^5*f^5*g^4 + 9*b^10*c^3*d^5*e^4*f^4*g^5 + 6*b^10*c^3*d^6*e^3*f^3*g^6 - 4*b^11*c^2*d^3*e^6*f^5*g^4 - 4*b^11*c^2*d^4*e^5*f^4*g^5 - 4*b^11*c^2*d^5*e^4*f^3*g^6 + 16*a*b^3*c^9*d^7*e^2*f^7*g^2 - 12*a*b^4*c^8*d^6*e^3*f^7*g^2 - 12*a*b^4*c^8*d^7*e^2*f^6*g^3 + 30*a*b^5*c^7*d^5*e^4*f^7*g^2 + 30*a*b^5*c^7*d^6*e^3*f^6*g^3 + 30*a*b^5*c^7*d^7*e^2*f^5*g^4 - 100*a*b^6*c^6*d^4*e^5*f^7*g^2 - 56*a*b^6*c^6*d^5*e^4*f^6*g^3 - 56*a*b^6*c^6*d^6*e^3*f^5*g^4 - 100*a*b^6*c^6*d^7*e^2*f^4*g^5 + 62*a*b^7*c^5*d^3*e^6*f^7*g^2 + 128*a*b^7*c^5*d^4*e^5*f^6*g^3 + 42*a*b^7*c^5*d^5*e^4*f^5*g^4 + 128*a*b^7*c^5*d^6*e^3*f^4*g^5 + 62*a*b^7*c^5*d^7*e^2*f^3*g^6 + 4*a*b^8*c^4*d^2*e^7*f^7*g^2 - 76*a*b^8*c^4*d^3*e^6*f^6*g^3 - 48*a*b^8*c^4*d^4*e^5*f^5*g^4 - 48*a*b^8*c^4*d^5*e^4*f^4*g^5 - 76*a*b^8*c^4*d^6*e^3*f^3*g^6 + 4*a*b^8*c^4*d^7*e^2*f^2*g^7 - 6*a*b^9*c^3*d^2*e^7*f^6*g^3 + 28*a*b^9*c^3*d^3*e^6*f^5*g^4 - 20*a*b^9*c^3*d^4*e^5*f^4*g^5 + 28*a*b^9*c^3*d^5*e^4*f^3*g^6 - 6*a*b^9*c^3*d^6*e^3*f^2*g^7 + 4*a*b^10*c^2*d^2*e^7*f^5*g^4 + 14*a*b^10*c^2*d^3*e^6*f^4*g^5 + 14*a*b^10*c^2*d^4*e^5*f^3*g^6 + 4*a*b^10*c^2*d^5*e^4*f^2*g^7 - 32*a^2*b^c^10*d^7*e^2*f^7*g^2 + 48*a^2*b^2*c^9*d^5*e^4*f^8*g + 48*a^2*b^2*c^9*d^8*e^3*f^7*g^2 - 168*a^2*b^3*c^8*d^4*e^5*f^8*g - 168*a^2*b^3*c^8*d^8*e^4*f^7*g^2 + 80*a^2*b^4*c^7*d^3*e^6*f^8*g + 80*a^2*b^4*c^7*d^8*e^4*f^6*g^2 + 27*a^2*b^5*c^6*d^2*e^7*f^8*g + 27*a^2*b^5*c^6*d^8*e^4*f^6*g^2 + 4*a^2*b^7*c^4
\end{aligned}$$



$$\begin{aligned}
& *d^8e^8f^7g^2 + 4a^2b^7c^4d^7e^2f^8g^8 - 6a^2b^8c^3d^6e^8f^6g^3 \\
& - 6a^2b^8c^3d^6e^3f^8g^8 + 4a^2b^9c^2d^6e^8f^5g^4 + 4a^2b^9c^2 \\
& *d^5e^4f^8g^8 + 16a^2b^10c^d^2e^7f^3g^6 + 16a^2b^10c^d^3e^6f^2 \\
& g^7 + 224a^3b^c^9d^5e^4f^7g^2 - 288a^3b^c^9d^6e^3f^6g^3 + 224a \\
& ^3b^c^9d^7e^2f^5g^4 - 32a^3b^2c^8d^3e^6f^8g - 32a^3b^2c^8d^ \\
& 8e^f^3g^6 - 168a^3b^3c^7d^2e^7f^8g - 168a^3b^3c^7d^8e^f^2g^7 \\
& - 14a^3b^5c^5d^7e^2f^8g^8 + 40a^3b^6c^4d^6e^3f^8g^8 - 44a^3b^7c^3d^5e^4f^8g^8 \\
& + 40a^3b^6c^4d^6e^3f^8g^8 - 44a^3b^7c^3d^5e^4f^8g^8 + 24a^3b^8c^2d^4e^5f^8g^8 \\
& - 30a^3b^9c^d^2e^7f^2g^7 + 544a^4b^c^8d^3e^6f^7g^2 + 256a^4b^c^8d^4e^5f^6g^3 \\
& + 1632a^4b^c^8d^5e^4f^5g^4 + 256a^4b^c^8d^6e^3f^4g^5 + 544a^4b^c^8d^7e^2f^3g^6 \\
& - 80a^4b^3c^6d^7e^2f^8g^8 - 60a^4b^4c^5d^6e^8f^6g^3 - 60a^4b^4c^5d^6e^3f^8g^8 \\
& + 234a^4b^5c^4d^5e^4f^8g^8 - 208a^4b^6c^3d^6e^8f^4g^5 - 208a^4b^6c^3d^4e^5f^8g^8 \\
& + 50a^4b^7c^2d^3e^6f^8g^8 + 416a^5b^c^7d^2e^7f^6g^3 + 2592a^5b^c^7d^3e^6f^5g^4 \\
& + 1056a^5b^c^7d^4e^5f^4g^5 + 2592a^5b^c^7d^5e^4f^3g^6 + 416a^5b^c^7d^6e^3f^2g^7 \\
& + 96a^5b^2c^6d^6e^8f^6g^3 + 96a^5b^2c^6d^6e^3f^8g^8 - 784a^5b^3c^5d^5e^4f^8g^8 \\
& + 732a^5b^4c^4d^4e^5f^8g^8 - 18a^5b^5c^3d^3e^6f^8g^8 - 184a^5b^6c^2d^2e^7f^8g^8 \\
& + 1024a^6b^c^6d^2e^7f^4g^5 + 3552a^6b^c^6d^3e^6f^3g^6 + 1024a^6b^c^6d^4e^5f^2g^7 \\
& - 736a^6b^2c^5d^6e^8f^4g^5 - 736a^6b^2c^5d^4e^5f^8g^8 - 720a^6b^3c^4d^6e^8f^3g^6 \\
& - 720a^6b^3c^4d^3e^6f^8g^8 + 684a^6b^4c^3d^6e^8f^2g^7 + 684a^6b^4c^3d^2e^7f^8g^8 \\
& + 992a^7b^c^5d^2e^7f^2g^7 - 736a^7b^2c^4d^6e^8f^2g^7 - 736a^7b^2c^4d^2e^7f^8g^8 \\
& - 10a^5b^7c^d^6e^8f^8g^8 + 608a^8b^c^4d^6e^8f^8g^8 - 144a^2b^3c^8d^5e^4f^7g^2 \\
& + 48a^2b^3c^8d^6e^3f^6g^3 - 144a^2b^3c^8d^7e^2f^5g^4 + 524a^2b^4c^7d^4e^5f^7g^2 \\
& + 44a^2b^4c^7d^5e^4f^6g^3 + 44a^2b^4c^7d^6e^3f^5g^4 + 524a^2b^4c^7d^7e^2f^4g^5 \\
& - 270a^2b^5c^6d^3e^6f^7g^2 - 480a^2b^5c^6d^4e^5f^6g^3 + 246a^2b^5c^6d^5e^4f^5g^4 \\
& - 480a^2b^5c^6d^6e^3f^4g^5 - 270a^2b^5c^6d^7e^2f^3g^6 - 90a^2b^6c^5d^2e^7f^7g^2 \\
& + 286a^2b^6c^5d^3e^6f^6g^3 - 180a^2b^6c^5d^4e^5f^5g^4 - 180a^2b^6c^5d^5e^4f^4g^5 \\
& + 286a^2b^6c^5d^6e^3f^3g^6 - 90a^2b^6c^5d^7e^2f^2g^7 + 104a^2b^7c^4d^2e^7f^6g^3 \\
& + 4a^2b^7c^4d^3e^6f^5g^4 + 520a^2b^7c^4d^4e^5f^4g^5 + 4a^2b^7c^4d^5e^4f^3g^6 \\
& + 104a^2b^7c^4d^6e^3f^2g^7 - 30a^2b^8c^3d^2e^7f^5g^4 - 186a^2b^8c^3d^3e^6f^4g^5 \\
& - 186a^2b^8c^3d^4e^5f^3g^6 - 30a^2b^8c^3d^5e^4f^2g^7 - 27a^2b^9c^2d^2e^7f^4g^5 \\
& + 70a^2b^9c^2d^3e^6f^3g^6 - 27a^2b^9c^2d^4e^5f^2g^7 - 928a^3b^2c^8d^4e^5f^7g^2 \\
& + 288a^3b^2c^8d^5e^4f^6g^3 + 288a^3b^2c^8d^6e^3f^5g^4 - 928a^3b^2c^8d^7e^2f^4g^5 \\
& + 208a^3b^3c^7d^3e^6f^7g^2 + 512a^3b^3c^7d^4e^5f^6g^3 - 1424a^3b^3c^7d^5e^4f^5g^4 + 51
\end{aligned}$$

$$\begin{aligned}
& 2*a^3*b^3*c^7*d^6*e^3*f^4*g^5 + 208*a^3*b^3*c^7*d^7*e^2*f^3*g^6 + 540*a^3*b^4*c^6*d^2*e^7*f^7*g^2 - 228*a^3*b^4*c^6*d^3*e^6*f^6*g^3 + 1428*a^3*b^4*c^6*d^4*e^5*f^5*g^4 + 1428*a^3*b^4*c^6*d^5*e^4*f^4*g^5 - 228*a^3*b^4*c^6*d^6*e^3*f^3*g^6 + 540*a^3*b^4*c^6*d^7*e^2*f^2*g^7 - 518*a^3*b^5*c^5*d^2*e^7*f^6*g^3 - 190*a^3*b^5*c^5*d^3*e^6*f^5*g^4 - 2110*a^3*b^5*c^5*d^4*e^5*f^4*g^5 - 190*a^3*b^5*c^5*d^5*e^4*f^3*g^6 - 518*a^3*b^5*c^5*d^6*e^3*f^2*g^7 - 88*a^3*b^6*c^4*d^2*e^7*f^5*g^4 + 368*a^3*b^6*c^4*d^3*e^6*f^4*g^5 + 368*a^3*b^6*c^4*d^4*e^5*f^3*g^6 - 88*a^3*b^6*c^4*d^5*e^4*f^2*g^7 + 404*a^3*b^7*c^3*d^2*e^7*f^4*g^5 + 12*a^3*b^7*c^3*d^3*e^6*f^3*g^6 + 404*a^3*b^7*c^3*d^4*e^5*f^2*g^7 - 140*a^3*b^8*c^2*d^2*e^7*f^3*g^6 - 140*a^3*b^8*c^2*d^3*e^6*f^2*g^7 - 1024*a^4*b^2*c^7*d^2*e^7*f^7*g^2 - 128*a^4*b^2*c^7*d^3*e^6*f^6*g^3 - 2016*a^4*b^2*c^7*d^4*e^5*f^5*g^4 - 2016*a^4*b^2*c^7*d^5*e^4*f^4*g^5 - 128*a^4*b^2*c^7*d^6*e^3*f^3*g^6 - 1024*a^4*b^2*c^7*d^7*e^2*f^2*g^7 + 688*a^4*b^3*c^6*d^2*e^7*f^6*g^3 - 720*a^4*b^3*c^6*d^3*e^6*f^5*g^4 + 2160*a^4*b^3*c^6*d^4*e^5*f^4*g^5 - 720*a^4*b^3*c^6*d^5*e^4*f^3*g^6 + 688*a^4*b^3*c^6*d^6*e^3*f^2*g^7 + 1124*a^4*b^4*c^5*d^2*e^7*f^5*g^4 + 1060*a^4*b^4*c^5*d^3*e^6*f^4*g^5 + 1060*a^4*b^4*c^5*d^4*e^5*f^3*g^6 + 1124*a^4*b^4*c^5*d^5*e^4*f^2*g^7 - 1616*a^4*b^5*c^4*d^2*e^7*f^4*g^5 - 674*a^4*b^5*c^4*d^3*e^6*f^3*g^6 - 1616*a^4*b^5*c^4*d^4*e^5*f^2*g^7 + 186*a^4*b^6*c^3*d^2*e^7*f^3*g^6 + 186*a^4*b^6*c^3*d^3*e^6*f^2*g^7 + 334*a^4*b^7*c^2*d^2*e^7*f^2*g^7 - 2208*a^5*b^2*c^6*d^2*e^7*f^5*g^4 - 2592*a^5*b^2*c^6*d^3*e^6*f^4*g^5 - 2592*a^5*b^2*c^6*d^4*e^5*f^3*g^6 - 2208*a^5*b^2*c^6*d^5*e^4*f^2*g^7 + 1728*a^5*b^3*c^5*d^2*e^7*f^4*g^5 - 304*a^5*b^3*c^5*d^3*e^6*f^3*g^6 + 1728*a^5*b^3*c^5*d^4*e^5*f^2*g^7 + 1108*a^5*b^4*c^4*d^2*e^7*f^3*g^6 + 1108*a^5*b^4*c^4*d^3*e^6*f^2*g^7 - 1170*a^5*b^5*c^3*d^2*e^7*f^2*g^7 - 2432*a^6*b^2*c^5*d^2*e^7*f^3*g^6 - 2432*a^6*b^2*c^5*d^3*e^6*f^2*g^7 + 1008*a^6*b^3*c^4*d^2*e^7*f^2*g^7 - 8*a*b^3*c^9*d^6*e^3*f^8*g - 8*a*b^3*c^9*d^8*e*f^6*g^3 + 27*a*b^5*c^7*d^4*e^5*f^8*g + 27*a*b^5*c^7*d^8*e*f^4*g^5 - 18*a*b^6*c^6*d^3*e^6*f^8*g - 18*a*b^6*c^6*d^8*e*f^3*g^6 - a*b^7*c^5*d^2*e^7*f^8*g - a*b^7*c^5*d^8*e*f^2*g^7 - a*b^11*c*d^2*e^7*f^4*g^5 - 10*a*b^11*c*d^3*e^6*f^3*g^6 - a*b^11*c*d^4*e^5*f^2*g^7 + 16*a^2*b*c^10*d^6*e^3*f^8*g + 16*a^2*b*c^10*d^8*e*f^6*g^3 - a^2*b^6*c^5*d*e^8*f^8*g - a^2*b^6*c^5*d^8*e*f^6*g^3 - a^2*b^10*c*d*e^8*f^4*g^5 - a^2*b^10*c*d^4*e^5*f^8*g + 304*a^3*b*c^9*d^4*e^5*f^8*g + 304*a^3*b*c^9*d^8*e*f^4*g^5 - 6*a^3*b^9*c*d*e^8*f^3*g^6 - 6*a^3*b^9*c*d^3*e^6*f^8*g + 304*a^4*b*c^8*d^2*e^7*f^8*g + 304*a^4*b*c^8*d^8*e*f^2*g^7 + 48*a^4*b^2*c^7*d*e^8*f^8*g + 48*a^4*b^2*c^7*d^8*e*f^8*g + 16*a^4*b^8*c*d^2*e^7*f^8*g + 288*a^5*b*c^7*d*e^8*f^7*g^2 + 288*a^5*b*c^7*d^7*e^2*f^8*g + 1184*a^6*b*c^6*d*e^8*f^5*g^4 + 1184*a^6*b*c^6*d^5*e^4*f^8*g + 118*a^6*b^5*c^2*d*e^8*f^8*g + 1504*a^7*b*c^5*d*e^8*f^3*g^6 + 1504*a^7*b*c^5*d^3*e^6*f^8*g - 464*a^7*b^3*c^3*d*e^8*f^8*g)/(16*a^2*c^6*d^4*f^4 + a^4*b^4*e^4*g^4 + 16*a^4*c^4*d^4*g^4 + 16*a^4*c^4*e^4*f^4 + b^4*c^4*d^4*f^4 + 16*a^6*c^2*e^4*g^4 + a^2*b^4*c^2*d^4*g^4 + a^2*b^4*c^2*e^4*f^4 - 8*a^3*b^2*c^3*d^4*g^4 - 8*a^3*b^2*c^3*e^4*f^4 + a^2*b^6*d^2*e^2*g^4 + 32*a^3*c^5*d^2*e^2*f^4 + 32*a^5*c^3*d^2*e^2*g^4 + b^6*c^2*d^2*e^2*f^4 + a^2*b^6*e^4*f^2*g^2 + 32*a^3*c^5*d^4*f^2*g^2 + 32*a^5*c^3*e^4*f^2*g^2 + b^6*c^2*d^4*f^2*g^2 + b^8*d^2*e^2*f^2*g^2 - 8*a*b^2*c^5*d^4*f^
\end{aligned}$$

$$\begin{aligned}
& 4 - 8a^5b^2c^4e^4g^4 - 2a^3b^5d^3e^3g^4 - 2b^5c^3d^3e^3f^4 - 2a^3b^5e^4f^3g^3 - 2b^5c^3d^4f^3g^3 + 16a^3b^3c^4d^3e^3f^4 - 2a^3b^5c^2d^3e^3f^4 - 32a^2b^3c^5d^3e^3f^4 - 32a^3b^3c^4d^3e^3f^4 - 2a^2b^5c^2d^3e^3g^4 - 32a^4b^3c^3d^3e^3g^4 + 16a^4b^3c^3d^3e^3g^4 - 32a^5b^3c^2d^3e^3g^4 + 16a^3b^3c^4d^4f^3g^3 - 2a^3b^5c^2d^4f^3g^3 - 32a^2b^3c^5d^4f^3g^3 - 32a^3b^3c^4d^4f^3g^3 - 2a^2b^5c^4f^3g^3 - 32a^4b^3c^3e^4f^3g^3 + 16a^4b^3c^3e^4f^3g^3 - 32a^5b^3c^2e^4f^3g^3 - 2a^3b^7d^2e^2f^3g^3 + 4a^2b^6d^2e^2f^3g^3 + 4b^6c^2d^3e^2f^3g^3 - 2b^7c^2d^2e^2f^3g^3 - 2b^7c^2d^3e^2f^3g^3 - 6a^3b^4c^3d^2e^2f^3g^3 - 2b^7c^2d^2e^2f^3g^3 - 2b^7c^2d^3e^2f^3g^3 - 6a^3b^4c^3d^2e^2f^3g^3 + 16a^2b^3c^3d^2e^2f^3g^3 + 16a^3b^3c^2d^3e^2f^3g^3 - 6a^3b^4c^3d^2e^2f^3g^3 - 6a^3b^4c^3d^2e^2f^3g^3 - 6a^3b^4c^3d^2e^2f^3g^3 + 64a^4c^4d^2e^2f^2g^2 + 4a^3b^6c^2d^3e^2f^3g^3 + 4a^3b^6c^2d^3e^2f^3g^3 - 32a^3b^4c^3d^3e^2f^3g^3 - 32a^3b^4c^3d^3e^2f^3g^3 - 12a^2b^4c^2d^2e^2f^2g^2 + 32a^3b^2c^3d^2e^2f^2g^2 + 12a^3b^2c^3d^2e^2f^2g^2 + 12a^3b^2c^3d^2e^2f^2g^2 + 12a^3b^2c^3d^2e^2f^2g^2 + 12a^3b^2c^3d^2e^2f^2g^2 - 4a^3b^6c^2d^3e^2f^3g^3 + 64a^2b^2c^4d^3e^2f^3g^3 - 32a^2b^4c^2d^3e^2f^3g^3 - 32a^2b^4c^2d^3e^2f^3g^3 - 32a^2b^4c^2d^3e^2f^3g^3 + 12a^2b^5c^3d^3e^2f^3g^3 + 12a^2b^5c^3d^3e^2f^3g^3 + 12a^2b^5c^3d^3e^2f^3g^3 - 64a^3b^3c^4d^2e^2f^3g^3 - 64a^3b^3c^4d^2e^2f^3g^3 - 64a^3b^3c^4d^2e^2f^3g^3 + 64a^3b^2c^3d^3e^2f^3g^3 - 64a^4b^2c^2d^3e^2f^3g^3 - 64a^4b^2c^2d^3e^2f^3g^3) - (x \\
& * (128a^9c^4e^9g^9 + 24a^7b^4c^2e^9g^9 - 96a^8b^2c^3e^9g^9 + 288a^6c^7d^6e^3g^9 + 416a^7c^6d^4e^5g^9 + 352a^8c^5d^2e^7g^9 + 288a^6c^7e^9f^6g^3 + 416a^7c^6e^9f^4g^5 + 352a^8c^5e^9f^2g^7 - 2a^6b^6c^3e^9g^9 + 96a^5c^8d^8e^8g^9 + 96a^5c^8e^9f^8g^9 + 6a^5b^7c^3d^3e^8g^9 - 384a^8b^3c^4d^3e^8g^9 + 6a^5b^7c^3e^9f^8g^8 - 384a^8b^3c^4e^9f^8g^8 + 64a^8c^5d^8e^8f^8g^8 - 2a^2b^6c^5d^8e^8g^9 - 2a^2b^10c^4e^5g^9 + 22a^3b^4c^6d^8e^8g^9 + 6a^3b^9c^3d^3e^6g^9 - 80a^4b^2c^7d^8e^8g^9 - 8a^4b^8c^3d^2e^7g^9 - 416a^5b^3c^7d^7e^2g^9 - 960a^6b^3c^6d^5e^4g^9 - 72a^6b^5c^2d^3e^8g^9 - 928a^7b^3c^5d^3e^6g^9 + 288a^7b^3c^3d^3e^8g^9 - 2a^2b^6c^5e^9f^8g^8 - 2a^2b^10c^3e^9f^4g^5 + 22a^3b^4c^6e^9f^8g^8 + 6a^3b^9c^3e^9f^3g^6 - 80a^4b^2c^7e^9f^8g^8 - 8a^4b^8c^3e^9f^2g^7 - 416a^5b^3c^7e^9f^7g^2 - 960a^6b^3c^6e^9f^5g^4 - 72a^6b^5c^2e^9f^8g^8 - 928a^7b^3c^5e^9f^3g^6 + 288a^7b^3c^3e^9f^8g^8 - 32a^2c^11d^6e^3f^8g^8 - 32a^2c^11d^8e^3f^6g^3 + 32a^3c^10d^4e^5f^8g^8 + 32a^3c^10d^8e^3f^4g^5 + 160a^4c^9d^2e^7f^8g^8 + 160a^4c^9d^8e^3f^2g^7 + 64a^5c^8d^8e^8f^7g^2 + 64a^5c^8d^7e^2f^8g^8 + 192a^6c^7d^8e^8f^5g^4 + 192a^6c^7d^5e^4f^8g^8 + 192a^7c^6d^3e^6f^8g^8 + 192a^7c^6d^3e^6f^8g^8 - 2b^4c^9d^6e^3f^8g^8 - 2b^4c^9d^8e^3f^6g^3 + 6b^5c^8d^5e^4f^8g^8 + 6b^5c^8d^8e^3f^5g^4 - 8b^6c^7d^4e^5f^8g^8 - 8b^6c^7d^8e^3f^4g^5 + 6b^7c^6d^3e^6f^8g^8 + 6b^7c^6d^8e^3f^3g^6 - 2b^8c^5d^2e^7f^8g^8 - 2b^8c^5d^8e^3f^2g^7 - 2b^12c^3d^2e^7f^4g^5 + 2b^12c^3d^3e^6f^3g^6 - 2b^12c^3d^4e^5f^2g^7 + 8a^2b^7c^4d^7e^2g^9 - 12a^2b^8c^3d^6e^3g^9 + 8a^2b^9c^2d^5e^4g^9 - 90a^3b^5c^5d^7e^2g^9 + 132a^3b^6c^4d^6e^3g^9 - 76a^3b^7c^3d^5e^4g^9 + 6a^3b^
\end{aligned}$$

$$\begin{aligned}
& 8*c^2*d^4*e^5*g^9 + 336*a^4*b^3*c^6*d^7*e^2*g^9 - 462*a^4*b^4*c^5*d^6*e^3*g^9 + 164*a^4*b^5*c^4*d^5*e^4*g^9 + 106*a^4*b^6*c^3*d^4*e^5*g^9 - 56*a^4*b^7*c^2*d^3*e^6*g^9 + 432*a^5*b^2*c^6*d^6*e^3*g^9 + 288*a^5*b^3*c^5*d^5*e^4*g^9 - 598*a^5*b^4*c^4*d^4*e^5*g^9 + 102*a^5*b^5*c^3*d^3*e^6*g^9 + 90*a^5*b^6*c^2*d^2*e^7*g^9 + 720*a^6*b^2*c^5*d^4*e^5*g^9 + 336*a^6*b^3*c^4*d^3*e^6*g^9 - 314*a^6*b^4*c^3*d^2*e^7*g^9 + 240*a^7*b^2*c^4*d^2*e^7*g^9 + 8*a^2*b^7*c^4*e^9*f^7*g^2 - 12*a^2*b^8*c^3*e^9*f^6*g^3 + 8*a^2*b^9*c^2*e^9*f^5*g^4 - 90*a^3*b^5*c^5*e^9*f^7*g^2 + 132*a^3*b^6*c^4*e^9*f^6*g^3 - 76*a^3*b^7*c^3*e^9*f^5*g^4 + 6*a^3*b^8*c^2*e^9*f^4*g^5 + 336*a^4*b^3*c^6*e^9*f^7*g^2 - 462*a^4*b^4*c^5*e^9*f^6*g^3 + 164*a^4*b^5*c^4*e^9*f^5*g^4 + 106*a^4*b^6*c^3*e^9*f^4*g^5 - 56*a^4*b^7*c^2*e^9*f^3*g^6 + 432*a^5*b^2*c^6*e^9*f^6*g^3 + 288*a^5*b^3*c^5*e^9*f^5*g^4 - 598*a^5*b^4*c^4*e^9*f^4*g^5 + 102*a^5*b^5*c^3*e^9*f^3*g^6 + 90*a^5*b^6*c^2*e^9*f^2*g^7 + 720*a^6*b^2*c^5*e^9*f^4*g^5 + 336*a^6*b^3*c^4*e^9*f^3*g^6 - 314*a^6*b^4*c^3*e^9*f^2*g^7 + 240*a^7*b^2*c^4*e^9*f^2*g^7 + 64*a^2*c^11*d^7*e^2*f^7*g^2 + 192*a^3*c^10*d^5*e^4*f^7*g^2 - 320*a^3*c^10*d^6*e^3*f^6*g^3 + 192*a^3*c^10*d^7*e^2*f^5*g^4 + 192*a^4*c^9*d^3*e^6*f^7*g^2 - 256*a^4*c^9*d^4*e^5*f^6*g^3 + 576*a^4*c^9*d^5*e^4*f^5*g^4 - 256*a^4*c^9*d^6*e^3*f^4*g^5 + 192*a^4*c^9*d^7*e^2*f^3*g^6 + 320*a^5*c^8*d^2*e^7*f^6*g^3 + 576*a^5*c^8*d^3*e^6*f^5*g^4 - 192*a^5*c^8*d^4*e^5*f^4*g^5 + 576*a^5*c^8*d^5*e^4*f^3*g^6 + 320*a^5*c^8*d^6*e^3*f^2*g^7 + 512*a^6*c^7*d^2*e^7*f^4*g^5 + 576*a^6*c^7*d^3*e^6*f^3*g^6 + 512*a^6*c^7*d^4*e^5*f^2*g^7 + 704*a^7*c^6*d^2*e^7*f^2*g^7 + 4*b^4*c^9*d^7*e^2*f^7*g^2 - 6*b^5*c^8*d^6*e^3*f^7*g^2 - 6*b^5*c^8*d^7*e^2*f^6*g^3 - 6*b^6*c^7*d^5*e^4*f^7*g^2 + 26*b^6*c^7*d^6*e^3*f^6*g^3 - 6*b^6*c^7*d^7*e^2*f^5*g^4 + 22*b^7*c^6*d^4*e^5*f^7*g^2 - 22*b^7*c^6*d^5*e^4*f^6*g^3 - 22*b^7*c^6*d^6*e^3*f^5*g^4 + 22*b^7*c^6*d^7*e^2*f^4*g^5 - 22*b^8*c^5*d^3*e^6*f^7*g^2 - 12*b^8*c^5*d^4*e^5*f^6*g^3 + 42*b^8*c^5*d^5*e^4*f^5*g^4 - 12*b^8*c^5*d^6*e^3*f^4*g^5 - 22*b^8*c^5*d^7*e^2*f^3*g^6 + 8*b^9*c^4*d^2*e^7*f^7*g^2 + 28*b^9*c^4*d^3*e^6*f^6*g^3 - 16*b^9*c^4*d^4*e^5*f^5*g^4 - 16*b^9*c^4*d^5*e^4*f^4*g^5 + 28*b^9*c^4*d^6*e^3*f^3*g^6 + 8*b^9*c^4*d^7*e^2*f^2*g^7 - 12*b^10*c^3*d^2*e^7*f^6*g^3 - 12*b^10*c^3*d^3*e^6*f^5*g^4 + 18*b^10*c^3*d^4*e^5*f^4*g^5 - 12*b^10*c^3*d^5*e^4*f^3*g^6 - 12*b^10*c^3*d^6*e^3*f^2*g^7 + 8*b^11*c^2*d^2*e^7*f^5*g^4 - 2*b^11*c^2*d^3*e^6*f^4*g^5 - 2*b^11*c^2*d^4*e^5*f^3*g^6 + 8*b^11*c^2*d^5*e^4*f^2*g^7 - 32*a*b^2*c^10*d^7*e^2*f^7*g^2 + 48*a*b^3*c^9*d^6*e^3*f^7*g^2 + 48*a*b^3*c^9*d^7*e^2*f^6*g^3 + 60*a*b^4*c^8*d^5*e^4*f^7*g^2 - 228*a*b^4*c^8*d^6*e^3*f^6*g^3 + 60*a*b^4*c^8*d^7*e^2*f^5*g^4 - 214*a*b^5*c^7*d^4*e^5*f^7*g^2 + 194*a*b^5*c^7*d^5*e^4*f^6*g^3 + 194*a*b^5*c^7*d^6*e^3*f^5*g^4 - 214*a*b^5*c^7*d^7*e^2*f^4*g^5 + 216*a*b^6*c^6*d^3*e^6*f^7*g^2 + 148*a*b^6*c^6*d^4*e^5*f^6*g^3 - 40*8*a*b^6*c^6*d^5*e^4*f^5*g^4 + 148*a*b^6*c^6*d^6*e^3*f^4*g^5 + 216*a*b^6*c^6*d^7*e^2*f^3*g^6 - 62*a*b^7*c^5*d^2*e^7*f^7*g^2 - 302*a*b^7*c^5*d^3*e^6*f^6*g^3 + 150*a*b^7*c^5*d^4*e^5*f^5*g^4 + 150*a*b^7*c^5*d^5*e^4*f^4*g^5 - 302*a*b^7*c^5*d^6*e^3*f^3*g^6 - 62*a*b^7*c^5*d^7*e^2*f^2*g^7 + 100*a*b^8*c^4*d^2*e^7*f^6*g^3 + 136*a*b^8*c^4*d^3*e^6*f^5*g^4 - 200*a*b^8*c^4*d^4*e^5*f^4*g^5 + 136*a*b^8*c^4*d^5*e^4*f^3*g^6 + 100*a*b^8*c^4*d^6*e^3*f^2*g^7 - 68*a*b^9*c^3*d^2*e^7*f^5*g^4 + 32*a*b^9*c^3*d^3*e^6*f^4*g^5 + 32*a*b^9*c^3*d^4*e^
\end{aligned}$$

$$\begin{aligned}
&5f^3g^6 - 68a^9b^9c^3d^5e^4f^2g^7 + 14a^10b^10c^2d^2e^7f^4g^5 - \\
&32a^10b^10c^2d^3e^6f^3g^6 + 14a^10b^10c^2d^4e^5f^2g^7 - 96a^2b^2c^10d^6e^3f^7g^2 - 96a^2b^2c^10d^7e^2f^6g^3 - 144a^2b^2c^9d^4e^5f^8g - \\
&144a^2b^2c^9d^8e^6f^4g^5 + 128a^2b^3c^8d^3e^6f^8g + 128a^2b^3c^8d^8e^6f^3g^6 - 6a^2b^4c^7d^2e^7f^8g - 6a^2b^4c^7d^8e^6f^2g^7 + 174a^2b^6c^5d^7e^2f^8g^8 - \\
&260a^2b^7c^4d^6e^8f^6g^3 - 260a^2b^7c^4d^6e^3f^8g^8 + 156a^2b^8c^3d^5e^4f^8g^8 - 18a^2b^9c^2d^8e^8f^4g^5 - 18a^2b^9c^2d^4e^5f^8g^8 - 6a^2b^10c^d^2e^7f^2g^7 - \\
&608a^3b^9c^9d^4e^5f^7g^2 + 288a^3b^9c^9d^5e^4f^6g^3 + 288a^3b^9c^9d^6e^3f^5g^4 - 608a^3b^9c^9d^7e^2f^4g^5 - 112a^3b^2c^8d^2e^7f^8g - \\
&112a^3b^2c^8d^8e^6f^2g^7 - 620a^3b^4c^6d^7e^8f^7g^2 - 620a^3b^4c^6d^7e^2f^8g^8 + 894a^3b^5c^5d^6e^8f^6g^3 + 894a^3b^5c^5d^6e^3f^8g^8 - \\
&384a^3b^6c^4d^5e^8f^5g^4 - 384a^3b^6c^4d^5e^4f^8g^8 - 140a^3b^7c^3d^4e^5f^8g^8 + 92a^3b^8c^2d^3e^6f^8g^8 - 928a^4b^8c^8d^2e^7f^7g^2 - \\
&160a^4b^8c^8d^3e^6f^6g^3 - 672a^4b^8c^8d^4e^5f^5g^4 - 672a^4b^8c^8d^5e^4f^4g^5 - 160a^4b^8c^8d^6e^3f^3g^6 - 928a^4b^8c^8d^7e^2f^2g^7 + \\
&704a^4b^2c^7d^7e^8f^7g^2 + 704a^4b^2c^7d^7e^2f^8g^8 - 816a^4b^3c^6d^6e^8f^6g^3 - 816a^4b^3c^6d^6e^3f^8g^8 - 308a^4b^4c^5d^5e^4f^8g^8 + 898a^4b^5c^4d^4e^5f^8g^8 - \\
&150a^4b^6c^3d^3e^6f^8g^8 - 154a^4b^7c^2d^2e^8f^2g^7 - 154a^4b^7c^2d^2e^7f^8g^8 - 1824a^5b^7c^7d^2e^7f^5g^4 - 1056a^5b^7c^7d^3e^6f^4g^5 - \\
&1056a^5b^7c^7d^4e^5f^3g^6 - 1824a^5b^7c^7d^5e^4f^2g^7 + 1440a^5b^2c^6d^5e^8f^5g^4 + 1440a^5b^2c^6d^5e^4f^8g^8 - 976a^5b^3c^5d^4e^5f^8g^8 - \\
&644a^5b^4c^4d^4e^8f^3g^6 - 644a^5b^4c^4d^3e^6f^8g^8 + 498a^5b^5c^3d^2e^7f^8g^8 - 1888a^6b^6c^6d^2e^7f^3g^6 - 1888a^6b^6c^6d^3e^6f^2g^7 + \\
&1600a^6b^2c^5d^3e^6f^8g^8 - 176a^6b^3c^4d^2e^8f^2g^7 - 176a^6b^3c^4d^2e^7f^8g^8 + 4a^7b^7c^5d^8e^8f^8g^8 + 4a^7b^7c^5d^8e^6f^8g^8 + \\
&4a^7b^11c^d^4e^5f^8g^8 - 160a^4b^8c^8d^8e^8f^8g^8 - 160a^4b^8c^8d^8e^6f^8g^8 - 14a^4b^8c^8d^8e^8f^8g^8 - 192a^2b^2c^9d^5e^4f^7g^2 + \\
&576a^2b^2c^9d^6e^3f^6g^3 - 192a^2b^2c^9d^7e^2f^5g^4 + 656a^2b^3c^8d^4e^5f^7g^2 - 496a^2b^3c^8d^5e^4f^6g^3 - 496a^2b^3c^8d^7e^2f^4g^5 - \\
&660a^2b^4c^7d^3e^6f^7g^2 - 624a^2b^4c^7d^4e^5f^6g^3 + 1284a^2b^4c^7d^5e^4f^5g^4 - 624a^2b^4c^7d^6e^3f^4g^5 - 660a^2b^4c^7d^7e^2f^3g^6 + \\
&54a^2b^5c^6d^2e^7f^7g^2 + 1062a^2b^5c^6d^3e^6f^6g^3 - 474a^2b^5c^6d^4e^5f^5g^4 - 474a^2b^5c^6d^5e^4f^4g^5 + 1062a^2b^5c^6d^6e^3f^3g^6 + \\
&54a^2b^5c^6d^7e^2f^2g^7 - 130a^2b^6c^5d^2e^7f^6g^3 - 482a^2b^6c^5d^3e^6f^5g^4 + 850a^2b^6c^5d^4e^5f^4g^5 - 482a^2b^6c^5d^5e^4f^3g^6 - \\
&130a^2b^6c^5d^6e^3f^2g^7 + 108a^2b^7c^4d^2e^7f^5g^4 - 228a^2b^7c^4d^3e^6f^4g^5 - 228a^2b^7c^4d^4e^5f^3g^6 - 108a^2b^7c^4d^5e^4f^2g^7 + \\
&108a^2b^7c^4d^6e^3f^1g^8 - 228a^2b^7c^4d^7e^2f^0g^9 + 108a^2b^7c^4d^8e^1f^0g^9
\end{aligned}$$

$$\begin{aligned}
& ^6f^4g^5 - 228a^2b^7c^4d^4e^5f^3g^6 + 108a^2b^7c^4d^5e^4f^2g^7 - 18a^2b^8c^3d^2e^7f^4g^5 + 192a^2b^8c^3d^3e^6f^3g^6 - 18 \\
& *a^2b^8c^3d^4e^5f^2g^7 - 2a^2b^9c^2d^2e^7f^3g^6 - 2a^2b^9c^2d^3e^6f^2g^7 + 544a^3b^2c^8d^3e^6f^7g^2 + 960a^3b^2c^8d^4e^5f^6g^3 - 1440a^3b^2c^8d^5e^4f^5g^4 + 960a^3b^2c^8d^6e^3f^4 \\
& *g^5 + 544a^3b^2c^8d^7e^2f^3g^6 + 496a^3b^3c^7d^2e^7f^7g^2 - 1168a^3b^3c^7d^3e^6f^6g^3 + 688a^3b^3c^7d^4e^5f^5g^4 + 688a^3b^3c^7d^5e^4f^4g^5 - 1168a^3b^3c^7d^6e^3f^3g^6 + 496a^3b^3c^7d^7e^2f^2g^7 - 668a^3b^4c^6d^2e^7f^6g^3 + 436a^3b^4c^6d^3 \\
& *e^6f^5g^4 - 1820a^3b^4c^6d^4e^5f^4g^5 + 436a^3b^4c^6d^5e^4f^3g^6 - 668a^3b^4c^6d^6e^3f^2g^7 + 238a^3b^5c^5d^2e^7f^5g^4 + 734a^3b^5c^5d^3e^6f^4g^5 + 734a^3b^5c^5d^4e^5f^3g^6 + 238a^3b^5c^5d^5e^4f^2g^7 + 144a^3b^6c^4d^4e^5f^2g^7 - 156a^3b^7c^3d^2 \\
& *e^7f^3g^6 - 156a^3b^7c^3d^3e^6f^2g^7 + 44a^3b^8c^2d^2e^7f^2g^7 + 1344a^4b^2c^7d^2e^7f^6g^3 + 192a^4b^2c^7d^3e^6f^5g^4 + 1920a^4b^2c^7d^4e^5f^4g^5 + 192a^4b^2c^7d^5e^4f^3g^6 + 1344a^4b^2c^7d^6e^3f^2g^7 + 80a^4b^3c^6d^2e^7f^5g^4 - 560a^4b^3c^6d^3e^6f^4g^5 - 560a^4b^3c^6d^4e^5f^3g^6 + 80a^4b^3c^6d^5e^4f^2g^7 - 1280a^4b^4c^5d^2e^7f^4g^5 - 220a^4b^4c^5d^3e^6f^3g^6 - 1280a^4b^4c^5d^4e^5f^2g^7 + 714a^4b^5c^4d^2e^7f^3g^6 + 714a^4b^5c^4d^3e^6f^2g^7 + 58a^4b^6c^3d^2e^7f^2g^7 + 2304a^5b^2c^6d^2e^7f^4g^5 + 1248a^5b^2c^6d^3e^6f^3g^6 + 2304a^5b^2c^6d^4e^5f^2g^7 - 272a^5b^3c^5d^2e^7f^3g^6 - 272a^5b^3c^5d^3e^6f^2g^7 - 996a^5b^4c^4d^2e^7f^2g^7 + 1600a^6b^2c^5d^2e^7f^2g^7 + 16a*b^2c^10d^6e^3f^8g + 16a*b^2c^10d^8e*f^6g^3 - 48a*b^3c^9d^5e^4f^8g - 48a*b^3c^9d^8e*f^5g^4 + 66a*b^4c^8d^4e^5f^8g + 66a*b^4c^8d^8e*f^4g^5 - 52a*b^5c^7d^3e^6f^8g - 52a*b^5c^7d^8e*f^3g^6 + 14a*b^6c^6d^2e^7f^8g + 14a*b^6c^6d^8e*f^2g^7 - 16a*b^8c^4d^4e^8f^7g^2 - 16a*b^8c^4d^7e^2f^8g + 24a*b^9c^3d^2e^8f^6g^3 + 24a*b^9c^3d^6e^3f^8g - 16a*b^10c^2d^2e^8f^5g^4 - 16a*b^10c^2d^5e^4f^8g + 2a*b^11c^d^2e^7f^3g^6 + 2a*b^11c^d^3e^6f^2g^7 + 96a^2b*c^10d^5e^4f^8g + 96a^2b*c^10d^8e*f^5g^4 - 42a^2b^5c^6d^4e^8f^8g - 42a^2b^5c^6d^8e*f^8g - 10a^2b^10c^d^2e^8f^3g^6 - 10a^2b^10c^d^3e^6f^8g - 64a^3b*c^9d^3e^6f^8g - 64a^3b*c^9d^8e*f^3g^6 + 144a^3b^3c^7d^8e*f^8g + 144a^3b^3c^7d^8e*f^8g + 14a^3b^9c^d^2e^7f^8g - 544a^5b*c^7d^8e^8f^6g^3 - 544a^5b*c^7d^6e^3f^8g + 168a^5b^6c^2d^8e^8f^8g - 992a^6b*c^6d^4e^5f^8g - 992a^6b*c^6d^4e^5f^8g - 668a^6b^4c^3d^2e^8f^8g - 992a^7b*c^5d^2e^7f^8g + 864a^7b^2c^4d^8e^8f^8g)/(16a^2c^6d^4f^4 + a^4b^4e^4g^4 + 16a^4c^4d^4g^4 + 16a^4c^4e^4f^4 + b^4c^4d^4f^4 + 16a^6c^2e^4g^4 + a^2b^4c^2d^4g^4 + a^2b^4c^2e^4f^4 - 8a^3b^2c^3d^4g^4 - 8a^3b^2c^3e^4f^4 + a^2b^6d^2e^2g^4 + 32a^3c^5d^2e^2f^4 + 32a^5c^3d^2e^2g^4 + b^6c^2d^2e^2f^4 + a^2b^6e^4f^2g^2 + 32a^3c^5
\end{aligned}$$



$$\begin{aligned}
& c^3d^2e^6g^8 + 102a^5b^2c^4d^2e^6g^8 + 38a^2b^4c^5e^8f^6g^2 \\
& - 58a^2b^5c^4e^8f^5g^3 + 36a^2b^6c^3e^8f^4g^4 - 5a^2b^7c^2e^8f^3g^5 - 98a^3b^2c^6e^8f^6g^2 + 158a^3b^3c^5e^8f^5g^3 - 80a^3b^4c^4e^8f^4g^4 - 22a^3b^5c^3e^8f^3g^5 + 22a^3b^6c^2e^8f^2g^6 - 20a^4b^2c^5e^8f^4g^4 + 147a^4b^3c^4e^8f^3g^5 - 80a^4b^4c^3e^8f^2g^6 + 102a^5b^2c^4e^8f^2g^6 - 56a^2c^9d^4e^4f^6g^2 + 80a^2c^9d^5e^3f^5g^3 - 56a^2c^9d^6e^2f^4g^4 + 264a^3c^8d^3e^5f^5g^3 - 96a^3c^8d^4e^4f^4g^4 + 264a^3c^8d^5e^3f^3g^5 + 40a^4c^7d^2e^6f^4g^4 + 736a^4c^7d^3e^5f^3g^5 + 40a^4c^7d^4e^4f^2g^6 + 16a^5c^6d^2e^6f^2g^6 + 4b^2c^9d^6e^2f^6g^2 - 3b^3c^8d^5e^3f^6g^2 - 3b^3c^8d^6e^2f^5g^3 - 4b^4c^7d^4e^4f^6g^2 + 8b^4c^7d^5e^3f^5g^3 - 4b^4c^7d^6e^2f^4g^4 - b^6c^5d^2e^6f^6g^2 - b^6c^5d^3e^5f^5g^3 - b^6c^5d^4e^4f^4g^4 - b^6c^5d^5e^3f^3g^5 - b^6c^5d^6e^2f^2g^6 + 4b^7c^4d^2e^6f^5g^3 + 4b^7c^4d^3e^5f^4g^4 + 4b^7c^4d^4e^4f^3g^5 + 4b^7c^4d^5e^3f^2g^6 - 6b^8c^3d^2e^6f^4g^4 - 6b^8c^3d^3e^5f^3g^5 - 6b^8c^3d^4e^4f^2g^6 + 4b^9c^2d^2e^6f^3g^5 + 4b^9c^2d^3e^5f^2g^6 + 30ab^2c^8d^4e^4f^6g^2 - 52ab^2c^8d^5e^3f^5g^3 + 30ab^2c^8d^6e^2f^4g^4 - 6ab^3c^7d^3e^5f^6g^2 + 8ab^3c^7d^4e^4f^5g^3 + 8ab^3c^7d^5e^3f^4g^4 - 6ab^3c^7d^6e^2f^3g^5 + 20ab^4c^6d^2e^6f^6g^2 + 26ab^4c^6d^3e^5f^5g^3 - 28ab^4c^6d^4e^4f^4g^4 + 26ab^4c^6d^5e^3f^3g^5 + 20ab^4c^6d^6e^2f^2g^6 - 61ab^5c^5d^2e^6f^5g^3 - 43ab^5c^5d^3e^5f^4g^4 - 43ab^5c^5d^4e^4f^3g^5 - 61ab^5c^5d^5e^3f^2g^6 + 80ab^6c^4d^2e^6f^4g^4 + 68ab^6c^4d^3e^5f^3g^5 + 80ab^6c^4d^4e^4f^2g^6 - 44ab^7c^3d^2e^6f^3g^5 - 44ab^7c^3d^3e^5f^2g^6 + 4ab^8c^2d^2e^6f^2g^6 + 24a^2b^c^8d^3e^5f^6g^2 - 32a^2b^c^8d^4e^4f^5g^3 - 32a^2b^c^8d^5e^3f^4g^4 + 24a^2b^c^8d^6e^2f^3g^5 + 113a^2b^3c^6d^5e^7f^6g^2 + 113a^2b^3c^6d^6e^2f^5g^7 - 152a^2b^4c^5d^5e^7f^5g^3 - 152a^2b^4c^5d^5e^3f^4g^7 + 34a^2b^5c^4d^5e^7f^4g^4 + 34a^2b^5c^4d^4e^4f^3g^7 + 64a^2b^6c^3d^5e^7f^3g^5 + 64a^2b^6c^3d^3e^5f^2g^7 - 31a^2b^7c^2d^5e^7f^2g^6 - 31a^2b^7c^2d^2e^6f^1g^7 - 260a^3b^c^7d^2e^6f^5g^3 - 476a^3b^c^7d^3e^5f^4g^4 - 476a^3b^c^7d^4e^4f^3g^5 - 260a^3b^c^7d^5e^3f^2g^6 - 16a^3b^2c^6d^5e^7f^5g^3 - 16a^3b^2c^6d^5e^3f^4g^7 + 282a^3b^3c^5d^5e^7f^4g^4 + 282a^3b^3c^5d^4e^4f^3g^7 - 316a^3b^4c^4d^5e^7f^3g^5 - 316a^3b^4c^4d^3e^5f^2g^7 + 70a^3b^5c^3d^5e^7f^2g^6 + 70a^3b^5c^3d^2e^6f^1g^7 - 928a^4b^c^6d^2e^6f^3g^5 - 928a^4b^c^6d^3e^5f^2g^6 + 246a^4b^2c^5d^5e^7f^3g^5 + 246a^4b^2c^5d^3e^5f^2g^7 + 173a^4b^3c^4d^5e^7f^2g^6 + 173a^4b^3c^4d^2e^6f^1g^7 - 12ab^c^9d^4e^4f^7g - 12ab^c^9d^7e^4f^4g^4 + 10ab^4c^6d^7e^7f^7g + 10ab^4c^6d^7e^6f^6g^7 + 3ab^9c^d^7e^7f^2g^6 + 3ab^9c^d^2e^6f^1g^7 - 2a^2b^8c^d^7e^7f^7g - 64a^2b^2c^7d^2e^6f^6g^2 - 154a^2b^2c^7d^3e^5f^5g^3 + 152a^2b^2c^7d^4e^4f^4g^4 - 154a^2b^2c^7d^5e^3f^3g^5 - 64a^2b^2c^7d^6e^2f^2g^6 + 245a^2b^3c^6d^2e^6f^5g^3 + 227a^2b^3c^6d^3e^5f^4g^4
\end{aligned}$$



$$\begin{aligned}
& 4 + 227*a^2*b^3*c^6*d^4*e^4*f^3*g^5 + 245*a^2*b^3*c^6*d^5*e^3*f^2*g^6 - 346 \\
& *a^2*b^4*c^5*d^2*e^6*f^4*g^4 - 280*a^2*b^4*c^5*d^3*e^5*f^3*g^5 - 346*a^2*b^ \\
& 4*c^5*d^4*e^4*f^2*g^6 + 120*a^2*b^5*c^4*d^2*e^6*f^3*g^5 + 120*a^2*b^5*c^4*d \\
& ^3*e^5*f^2*g^6 + 70*a^2*b^6*c^3*d^2*e^6*f^2*g^6 + 478*a^3*b^2*c^6*d^2*e^6*f \\
& ^4*g^4 + 232*a^3*b^2*c^6*d^3*e^5*f^3*g^5 + 478*a^3*b^2*c^6*d^4*e^4*f^2*g^6 \\
& + 200*a^3*b^3*c^5*d^2*e^6*f^3*g^5 + 200*a^3*b^3*c^5*d^3*e^5*f^2*g^6 - 528*a \\
& ^3*b^4*c^4*d^2*e^6*f^2*g^6 + 988*a^4*b^2*c^5*d^2*e^6*f^2*g^6 + 12*a*b*c^9*d \\
& ^5*e^3*f^6*g^2 + 12*a*b*c^9*d^6*e^2*f^5*g^3 - 4*a*b^2*c^8*d^3*e^5*f^7*g - 4 \\
& *a*b^2*c^8*d^7*e*f^3*g^5 - 2*a*b^3*c^7*d^2*e^6*f^7*g - 2*a*b^3*c^7*d^7*e*f^ \\
& 2*g^6 - 41*a*b^5*c^5*d*e^7*f^6*g^2 - 41*a*b^5*c^5*d^6*e^2*f*g^7 + 60*a*b^6*c \\
& ^4*d*e^7*f^5*g^3 + 60*a*b^6*c^4*d^5*e^3*f*g^7 - 34*a*b^7*c^3*d*e^7*f^4*g^4 \\
& - 34*a*b^7*c^3*d^4*e^4*f*g^7 + 2*a*b^8*c^2*d*e^7*f^3*g^5 + 2*a*b^8*c^2*d^3 \\
& *e^5*f*g^7 + 8*a^2*b*c^8*d^2*e^6*f^7*g + 8*a^2*b*c^8*d^7*e*f^2*g^6 - 26*a^2 \\
& *b^2*c^7*d*e^7*f^7*g - 26*a^2*b^2*c^7*d^7*e*f*g^7 - 52*a^3*b*c^7*d*e^7*f^6* \\
& g^2 - 52*a^3*b*c^7*d^6*e^2*f*g^7 + 24*a^3*b^6*c^2*d*e^7*f*g^7 - 520*a^4*b*c \\
& ^6*d*e^7*f^4*g^4 - 520*a^4*b*c^6*d^4*e^4*f*g^7 - 80*a^4*b^4*c^3*d*e^7*f*g^7 \\
& - 596*a^5*b*c^5*d*e^7*f^2*g^6 - 596*a^5*b*c^5*d^2*e^6*f*g^7 - 12*a^5*b^2*c \\
& ^4*d*e^7*f*g^7)/(16*a^2*c^6*d^4*f^4 + a^4*b^4*e^4*g^4 + 16*a^4*c^4*d^4*g^4 \\
& + 16*a^4*c^4*e^4*f^4 + b^4*c^4*d^4*f^4 + 16*a^6*c^2*e^4*g^4 + a^2*b^4*c^2*d \\
& ^4*g^4 + a^2*b^4*c^2*e^4*f^4 - 8*a^3*b^2*c^3*d^4*g^4 - 8*a^3*b^2*c^3*e^4*f^ \\
& 4 + a^2*b^6*d^2*e^2*g^4 + 32*a^3*c^5*d^2*e^2*f^4 + 32*a^5*c^3*d^2*e^2*g^4 + \\
& b^6*c^2*d^2*e^2*f^4 + a^2*b^6*e^4*f^2*g^2 + 32*a^3*c^5*d^4*f^2*g^2 + 32*a^ \\
& 5*c^3*e^4*f^2*g^2 + b^6*c^2*d^4*f^2*g^2 + b^8*d^2*e^2*f^2*g^2 - 8*a*b^2*c^5 \\
& *d^4*f^4 - 8*a^5*b^2*c*e^4*g^4 - 2*a^3*b^5*d*e^3*g^4 - 2*b^5*c^3*d^3*e*f^4 \\
& - 2*a^3*b^5*e^4*f*g^3 - 2*b^5*c^3*d^4*f^3*g + 16*a*b^3*c^4*d^3*e*f^4 - 2*a* \\
& b^5*c^2*d*e^3*f^4 - 32*a^2*b*c^5*d^3*e*f^4 - 32*a^3*b*c^4*d*e^3*f^4 - 2*a^2 \\
& *b^5*c^d^3*e*g^4 - 32*a^4*b*c^3*d^3*e*g^4 + 16*a^4*b^3*c*d*e^3*g^4 - 32*a^5 \\
& *b*c^2*d*e^3*g^4 + 16*a*b^3*c^4*d^4*f^3*g - 2*a*b^5*c^2*d^4*f*g^3 - 32*a^2* \\
& b*c^5*d^4*f^3*g - 32*a^3*b*c^4*d^4*f*g^3 - 2*a^2*b^5*c*e^4*f^3*g - 32*a^4*b \\
& *c^3*e^4*f^3*g + 16*a^4*b^3*c*e^4*f*g^3 - 32*a^5*b*c^2*e^4*f*g^3 - 2*a*b^7* \\
& d*e^3*f^2*g^2 - 2*a*b^7*d^2*e^2*f*g^3 + 4*a^2*b^6*d*e^3*f*g^3 + 4*b^6*c^2*d \\
& ^3*e*f^3*g - 2*b^7*c*d^2*e^2*f^3*g - 2*b^7*c*d^3*e*f^2*g^2 - 6*a*b^4*c^3*d^ \\
& 2*e^2*f^4 + 16*a^2*b^3*c^3*d*e^3*f^4 + 16*a^3*b^3*c^2*d^3*e*g^4 - 6*a^3*b^4 \\
& *c*d^2*e^2*g^4 - 6*a*b^4*c^3*d^4*f^2*g^2 + 16*a^2*b^3*c^3*d^4*f*g^3 + 16*a^ \\
& 3*b^3*c^2*e^4*f^3*g - 6*a^3*b^4*c*e^4*f^2*g^2 + 64*a^4*c^4*d^2*e^2*f^2*g^2 \\
& + 4*a*b^6*c*d*e^3*f^3*g + 4*a*b^6*c*d^3*e*f*g^3 - 32*a*b^4*c^3*d^3*e*f^3*g \\
& - 32*a^3*b^4*c*d*e^3*f*g^3 - 12*a^2*b^4*c^2*d^2*e^2*f^2*g^2 + 32*a^3*b^2*c^ \\
& 3*d^2*e^2*f^2*g^2 + 12*a*b^5*c^2*d^2*e^2*f^3*g + 12*a*b^5*c^2*d^3*e*f^2*g^2 \\
& - 4*a*b^6*c*d^2*e^2*f^2*g^2 + 64*a^2*b^2*c^4*d^3*e*f^3*g - 32*a^2*b^4*c^2* \\
& d*e^3*f^3*g - 32*a^2*b^4*c^2*d^3*e*f*g^3 + 12*a^2*b^5*c*d*e^3*f^2*g^2 + 12* \\
& a^2*b^5*c*d^2*e^2*f*g^3 - 64*a^3*b*c^4*d^2*e^2*f^3*g - 64*a^3*b*c^4*d^3*e*f \\
& ^2*g^2 + 64*a^3*b^2*c^3*d^3*e*f*g^3 - 64*a^4*b \\
& *c^3*d*e^3*f^2*g^2 - 64*a^4*b*c^3*d^2*e^2*f*g^3 + 64*a^4*b^2*c^2*d*e^3*f*g^ \\
& 3) + (x*(48*a^4*b^5*c^2*e^8*g^8 - 192*a^5*b^3*c^3*e^8*g^8 - 256*a^4*c^7*d^5 \\
& *e^3*g^8 - 464*a^5*c^6*d^3*e^5*g^8 - 256*a^4*c^7*e^8*f^5*g^3 - 464*a^5*c^6*
\end{aligned}$$

$$\begin{aligned}
& e^8 f^3 g^5 - 4 a^3 b^7 c^2 e^8 g^8 + 256 a^6 b^2 c^4 e^8 g^8 - 48 a^3 c^8 d^7 e^8 g^8 - 256 a^6 c^5 d^2 e^7 g^8 - 48 a^3 c^8 e^8 f^7 g - 256 a^6 c^5 e^8 f^7 g^7 \\
& - 2 a^2 b^4 c^6 d^7 e^8 g^8 - 2 a^2 b^9 c^2 d^2 e^6 g^8 + 6 a^2 b^8 c^2 d^2 e^7 g^8 - 2 a^2 b^4 c^6 e^8 f^7 g - 2 a^2 b^9 c^2 e^8 f^2 g^6 + 6 a^2 b^8 c^2 e^8 f^7 g^7 - 16 \\
& a^2 c^10 d^4 e^4 f^7 g - 16 a^2 c^10 d^7 e^2 f^4 g^4 + 2 b^5 c^6 d^2 e^7 f^7 g + 2 b^5 c^6 d^7 e^2 f^7 g^7 + 2 b^10 c^2 d^2 e^6 f^7 g^7 + 6 a^2 b^5 c^5 d^6 e^2 g^8 \\
& - 4 a^2 b^6 c^4 d^5 e^3 g^8 - 4 a^2 b^7 c^3 d^4 e^4 g^8 + 6 a^2 b^8 c^2 d^3 e^5 g^8 + 20 a^2 b^2 c^7 d^7 e^8 g^8 + 144 a^3 b^2 c^7 d^6 e^2 g^8 - 68 a^3 b^6 c^2 d^2 e^7 g^8 \\
& + 640 a^4 b^2 c^6 d^4 e^4 g^8 + 240 a^4 b^4 c^3 d^2 e^7 g^8 + 848 a^5 b^2 c^5 d^2 e^6 g^8 - 192 a^5 b^2 c^4 d^2 e^7 g^8 + 6 a^2 b^5 c^5 e^8 f^6 g^2 - 4 a^2 b^6 c^4 e^8 f^5 g^3 \\
& - 4 a^2 b^7 c^3 e^8 f^4 g^4 + 6 a^2 b^8 c^2 e^8 f^3 g^5 + 20 a^2 b^2 c^7 e^8 f^7 g + 144 a^3 b^2 c^7 e^8 f^6 g^2 - 68 a^3 b^6 c^2 e^8 f^7 g^7 + 640 a^4 b^2 c^6 e^8 f^4 g^4 \\
& + 240 a^4 b^4 c^3 e^8 f^7 g^7 + 848 a^5 b^2 c^5 e^8 f^2 g^6 - 192 a^5 b^2 c^4 e^8 f^7 g^7 + 16 a^2 c^10 d^5 e^3 f^6 g^2 + 16 a^2 c^10 d^6 e^2 f^5 g^3 - 64 a^2 c^9 d^2 e^6 f^7 g \\
& - 64 a^2 c^9 d^7 e^2 f^2 g^6 + 48 a^3 c^8 d^2 e^7 f^6 g^2 + 48 a^3 c^8 d^6 e^2 f^7 g^7 - 304 a^5 c^6 d^2 e^7 f^2 g^6 - 304 a^5 c^6 d^2 e^6 f^7 g^7 + 4 b^2 c^9 d^4 e^4 f^7 g \\
& + 4 b^2 c^9 d^7 e^2 f^4 g^4 - 8 b^3 c^8 d^3 e^5 f^7 g - 8 b^3 c^8 d^7 e^2 f^3 g^5 + 2 b^4 c^7 d^2 e^6 f^7 g + 2 b^4 c^7 d^7 e^2 f^2 g^6 - 6 b^6 c^5 d^2 e^7 f^6 g^2 \\
& - 6 b^6 c^5 d^6 e^2 f^7 g^7 + 4 b^7 c^4 d^2 e^7 f^5 g^3 + 4 b^7 c^4 d^5 e^3 f^7 g^7 + 4 b^8 c^3 d^2 e^7 f^4 g^4 + 4 b^8 c^3 d^4 e^4 f^7 g^7 - 6 b^9 c^2 d^2 e^7 f^3 g^5 \\
& - 6 b^9 c^2 d^3 e^5 f^7 g^7 - 60 a^2 b^3 c^6 d^6 e^2 g^8 + 30 a^2 b^4 c^5 d^5 e^3 g^8 + 64 a^2 b^5 c^4 d^4 e^4 g^8 - 72 a^2 b^6 c^3 d^3 e^5 g^8 + 12 a^2 b^7 c^2 d^2 e^6 g^8 \\
& + 8 a^3 b^2 c^6 d^5 e^3 g^8 - 352 a^3 b^3 c^5 d^4 e^4 g^8 + 268 a^3 b^4 c^4 d^3 e^5 g^8 + 52 a^3 b^5 c^3 d^2 e^6 g^8 - 188 a^4 b^2 c^5 d^3 e^5 g^8 - 484 a^4 b^3 c^4 d^2 e^6 g^8 \\
& - 60 a^2 b^3 c^6 e^8 f^6 g^2 + 30 a^2 b^4 c^5 e^8 f^5 g^3 + 64 a^2 b^5 c^4 e^8 f^4 g^4 - 72 a^2 b^6 c^3 e^8 f^3 g^5 + 12 a^2 b^7 c^2 e^8 f^2 g^6 + 8 a^3 b^2 c^6 e^8 f^5 g^3 \\
& - 352 a^3 b^3 c^5 e^8 f^4 g^4 + 268 a^3 b^4 c^4 e^8 f^3 g^5 + 52 a^3 b^5 c^3 e^8 f^2 g^6 - 188 a^4 b^2 c^5 e^8 f^3 g^5 - 484 a^4 b^3 c^4 e^8 f^2 g^6 \\
& + 64 a^2 c^9 d^3 e^5 f^6 g^2 + 64 a^2 c^9 d^6 e^2 f^3 g^5 - 272 a^3 c^8 d^2 e^6 f^5 g^3 + 16 a^3 c^8 d^3 e^5 f^4 g^4 + 16 a^3 c^8 d^4 e^4 f^3 g^5 - 272 a^3 c^8 d^5 e^3 f^2 g^6 \\
& - 512 a^4 c^7 d^2 e^6 f^3 g^5 - 512 a^4 c^7 d^3 e^5 f^2 g^6 - 4 b^2 c^9 d^5 e^3 f^6 g^2 - 4 b^2 c^9 d^6 e^2 f^5 g^3 - 4 b^3 c^8 d^4 e^4 f^6 g^2 + 24 b^3 c^8 d^5 e^3 f^5 g^3 \\
& - 4 b^3 c^8 d^6 e^2 f^4 g^4 + 22 b^4 c^7 d^3 e^5 f^6 g^2 - 24 b^4 c^7 d^4 e^4 f^5 g^3 - 24 b^4 c^7 d^5 e^3 f^4 g^4 + 22 b^4 c^7 d^6 e^2 f^3 g^5 - 8 b^5 c^6 d^2 e^6 f^6 g^2 \\
& - 14 b^5 c^6 d^3 e^5 f^5 g^3 + 40 b^5 c^6 d^4 e^4 f^4 g^4 - 14 b^5 c^6 d^5 e^3 f^3 g^5 - 8 b^5 c^6 d^6 e^2 f^2 g^6 + 14 b^6 c^5 d^2 e^6 f^5 g^3 - 4 b^6 c^5 d^3 e^5 f^4 g^4 \\
& - 4 b^6 c^5 d^4 e^4 f^3 g^5 + 14 b^6 c^5 d^5 e^3 f^2 g^6 - 16 b^7 c^4 d^2 e^6 f^4 g^4 - 4 b^7 c^4 d^3 e^5 f^3 g^5 - 16 b^7 c^4 d^4 e^4 f^2 g^6 + 14 b^8 c^3 d^2 e^6 f^3 g^5 \\
& + 14 b^8 c^3 d^3 e^5 f^2 g^6 - 8 b^9 c^2 d^2 e^6 f^2 g^6 - 8 a^2 b^9 c^2 d^2 e^7 f^7 g^7 - 104 a^2 b^2 c^8 d^3 e^5 f^6 g^2 + 96 a^2 b^2 c^8 d^4 e^4 f^5 g^3 + 96 a^2 b^2 c^8 d^5 e^3 f^4 g^4 \\
& - 104 a^2 b^2 c^8 d^6 e^2 f^3 g^5 + 104 a^2 b^3 c^7 d^3 e^5 f^5 g^3 -
\end{aligned}$$

$$\begin{aligned}
& 160*a*b^3*c^7*d^4*e^4*f^4*g^4 + 104*a*b^3*c^7*d^5*e^3*f^3*g^5 - 78*a*b^4*c^6*d^2*e^6*f^5*g^3 - 42*a*b^4*c^6*d^3*e^5*f^4*g^4 - 42*a*b^4*c^6*d^4*e^4*f^3*g^5 - 78*a*b^4*c^6*d^5*e^3*f^2*g^6 + 166*a*b^5*c^5*d^2*e^6*f^4*g^4 + 88*a*b^5*c^5*d^3*e^5*f^3*g^5 + 166*a*b^5*c^5*d^4*e^4*f^2*g^6 - 148*a*b^6*c^4*d^2*e^6*f^3*g^5 - 148*a*b^6*c^4*d^3*e^5*f^2*g^6 + 60*a*b^7*c^3*d^2*e^6*f^2*g^6 + 128*a^2*b*c^8*d^2*e^6*f^6*g^2 - 192*a^2*b*c^8*d^3*e^5*f^5*g^3 - 192*a^2*b*c^8*d^5*e^3*f^3*g^5 + 128*a^2*b*c^8*d^6*e^2*f^2*g^6 - 212*a^2*b^2*c^7*d*e^7*f^6*g^2 - 212*a^2*b^2*c^7*d^6*e^2*f*g^7 + 96*a^2*b^3*c^6*d*e^7*f^5*g^3 + 96*a^2*b^3*c^6*d^5*e^3*f*g^7 + 266*a^2*b^4*c^5*d*e^7*f^4*g^4 + 266*a^2*b^4*c^5*d^4*e^4*f*g^7 - 196*a^2*b^5*c^4*d*e^7*f^3*g^5 - 196*a^2*b^5*c^4*d^3*e^5*f*g^7 - 108*a^2*b^6*c^3*d*e^7*f^2*g^6 - 108*a^2*b^6*c^3*d^2*e^6*f*g^7 + 656*a^3*b*c^7*d^2*e^6*f^4*g^4 - 64*a^3*b*c^7*d^3*e^5*f^3*g^5 + 656*a^3*b*c^7*d^4*e^4*f^2*g^6 - 488*a^3*b^2*c^6*d^4*e^4*f*g^7 + 16*a^3*b^3*c^5*d*e^7*f^3*g^5 + 16*a^3*b^3*c^5*d^3*e^5*f*g^7 + 612*a^3*b^4*c^4*d*e^7*f^2*g^6 + 612*a^3*b^4*c^4*d^2*e^6*f*g^7 + 1536*a^4*b*c^6*d^2*e^6*f^2*g^6 - 772*a^4*b^2*c^5*d*e^7*f^2*g^6 - 772*a^4*b^2*c^5*d^2*e^6*f*g^7 + 32*a*b*c^9*d^3*e^5*f^7*g + 32*a*b*c^9*d^7*e*f^3*g^5 - 24*a*b^3*c^7*d*e^7*f^7*g - 24*a*b^3*c^7*d^7*e*f*g^7 + 64*a^2*b*c^8*d*e^7*f^7*g + 64*a^2*b*c^8*d^7*e*f*g^7 + 608*a^5*b*c^5*d*e^7*f*g^7 + 156*a^2*b^2*c^7*d^2*e^6*f^5*g^3 + 228*a^2*b^2*c^7*d^3*e^5*f^4*g^4 + 228*a^2*b^2*c^7*d^4*e^4*f^3*g^5 + 156*a^2*b^2*c^7*d^5*e^3*f^2*g^6 - 572*a^2*b^3*c^6*d^2*e^6*f^4*g^4 - 272*a^2*b^3*c^6*d^3*e^5*f^3*g^5 - 572*a^2*b^3*c^6*d^4*e^4*f^2*g^6 + 424*a^2*b^4*c^5*d^2*e^6*f^3*g^5 + 424*a^2*b^4*c^5*d^3*e^5*f^2*g^6 + 24*a^2*b^5*c^4*d^2*e^6*f^2*g^6 - 96*a^3*b^2*c^6*d^2*e^6*f^3*g^5 - 96*a^3*b^2*c^6*d^3*e^5*f^2*g^6 - 928*a^3*b^3*c^5*d^2*e^6*f^2*g^6 + 16*a*b*c^9*d^4*e^4*f^6*g^2 - 96*a*b*c^9*d^5*e^3*f^5*g^3 + 16*a*b*c^9*d^6*e^2*f^4*g^4 + 8*a*b^2*c^8*d^2*e^6*f^7*g + 8*a*b^2*c^8*d^7*e*f^2*g^6 + 74*a*b^4*c^6*d*e^7*f^6*g^2 + 74*a*b^4*c^6*d^6*e^2*f*g^7 - 48*a*b^5*c^5*d*e^7*f^5*g^3 - 48*a*b^5*c^5*d^5*e^3*f*g^7 - 52*a*b^6*c^4*d*e^7*f^4*g^4 - 52*a*b^6*c^4*d^4*e^4*f*g^7 + 64*a*b^7*c^3*d*e^7*f^3*g^5 + 64*a*b^7*c^3*d^3*e^5*f*g^7 - 6*a*b^8*c^2*d*e^7*f^2*g^6 - 6*a*b^8*c^2*d^2*e^6*f*g^7 + 84*a^2*b^7*c^2*d*e^7*f*g^7 + 128*a^3*b*c^7*d*e^7*f^5*g^3 + 128*a^3*b*c^7*d^5*e^3*f*g^7 - 248*a^3*b^5*c^3*d*e^7*f*g^7 + 512*a^4*b*c^6*d*e^7*f^3*g^5 + 512*a^4*b*c^6*d^3*e^5*f*g^7 + 8*a^4*b^3*c^4*d*e^7*f*g^7)) / (16*a^2*c^6*d^4*f^4 + a^4*b^4*e^4*g^4 + 16*a^4*c^4*d^4*g^4 + 16*a^4*c^4*e^4*f^4 + b^4*c^4*d^4*f^4 + 16*a^6*c^2*e^4*g^4 + a^2*b^4*c^2*d^4*g^4 + a^2*b^4*c^2*e^4*f^4 - 8*a^3*b^2*c^3*d^4*g^4 - 8*a^3*b^2*c^3*e^4*f^4 + a^2*b^6*d^2*e^2*g^4 + 32*a^3*c^5*d^2*e^2*f^4 + 32*a^5*c^3*d^2*e^2*g^4 + b^6*c^2*d^2*e^2*f^4 + a^2*b^6*e^4*f^2*g^2 + 32*a^3*c^5*d^4*f^2*g^2 + 32*a^5*c^3*e^4*f^2*g^2 + b^6*c^2*d^4*f^2*g^2 + b^8*d^2*e^2*f^2*g^2 - 8*a*b^2*c^5*d^4*f^4 - 8*a^5*b^2*c^5*d^4*f^4 - 2*a^3*b^5*d^3*e*f^4 - 2*a^3*b^5*e^4*f^3*g^3 - 2*b^5*c^3*d^4*f^3*g + 16*a*b^3*c^4*d^3*e*f^4 - 2*a*b^5*c^2*d*e^3*f^4 - 32*a^2*b*c^5*d^3*e*f^4 - 32*a^3*b*c^4*d*e^3*f^4 - 2*a^2*b^5*c^4*d^3*e*g^4 - 32*a^4*b*c^3*d^3*e*g^4 + 16*a^4*b^3*c^3*d*e^3*g^4 - 32*a^5*b*c^2*d*e^3*g^4 + 16*a*b^3*c^4*d^4*f^3*g - 2*a*b^5*c^2*d^4*f^3*g^3 - 32*a^2*b*c^5*d^4*f^3*g - 32*a^3*b*c^4*d^4*f^3*g^3 - 2*a^2*b^5*c^4*f^3*g - 32*a^4*b*c^3*e^4*f^3*g +
\end{aligned}$$

$$\begin{aligned}
& 16a^4b^3c^3e^4f^3g^3 - 32a^5b^3c^2e^4f^3g^3 - 2a^7b^3d^2e^3f^2g^2 - 2 \\
& a^7b^3d^2e^2f^3g^3 + 4a^2b^6d^3e^3f^3g^3 + 4b^6c^2d^3e^3f^3g^3 - 2b^7 \\
& c^2d^2e^2f^3g^3 - 2b^7c^2d^3e^3f^2g^2 - 6a^2b^4c^3d^2e^2f^4 + 16a^2 \\
& b^3c^3d^3e^3f^4 + 16a^3b^3c^2d^3e^3g^4 - 6a^3b^4c^3d^2e^2g^4 - \\
& 6a^2b^4c^3d^4f^2g^2 + 16a^2b^3c^3d^4f^3g^3 + 16a^3b^3c^2e^4f^3 \\
& g^3 - 6a^3b^4c^3e^4f^2g^2 + 64a^4c^4d^2e^2f^2g^2 + 4a^2b^6c^3d^3e^3 \\
& f^3g^3 + 4a^2b^6c^3d^3e^3f^3g^3 - 32a^2b^4c^3d^3e^3f^3g^3 - 32a^3b^4c^3d^3 \\
& e^3f^3g^3 - 12a^2b^4c^2d^2e^2f^2g^2 + 32a^3b^2c^3d^2e^2f^2g^2 \\
& + 12a^2b^5c^2d^2e^2f^3g^3 + 12a^2b^5c^2d^3e^3f^2g^2 - 4a^2b^6c^3d^2e^2 \\
& f^2g^2 + 64a^2b^2c^4d^3e^3f^3g^3 - 32a^2b^4c^2d^3e^3f^3g^3 - 32a^2 \\
& b^4c^2d^3e^3f^3g^3 + 12a^2b^5c^3d^3e^3f^2g^2 + 12a^2b^5c^3d^2e^2 \\
& f^3g^3 - 64a^3b^3c^4d^2e^2f^3g^3 - 64a^3b^3c^4d^3e^3f^2g^2 + 64a^3b^2 \\
& c^3d^3e^3f^3g^3 + 64a^3b^2c^3d^3e^3f^3g^3 - 64a^4b^3c^3d^3e^3f^2g^2 - \\
& 64a^4b^3c^3d^2e^2f^3g^3 + 64a^4b^2c^2d^3e^3f^3g^3) + (x(b^8c^3e^7 \\
& g^7 + 104a^4c^5e^7g^7 + 50a^2b^4c^3e^7g^7 - 96a^3b^2c^4e^7g^7 + 36a^2 \\
& c^7d^4e^3g^7 + 72a^3c^6d^2e^5g^7 - 2b^3c^6d^5e^2g^7 + b^4c^5d^4e^3g^7 + \\
& b^6c^3d^2e^5g^7 + 36a^2c^7e^7f^4g^3 + 72a^3c^6e^7f^2g^5 - 2b^3c^6e^7f^5g^2 + \\
& b^4c^5e^7f^4g^3 + b^6c^3e^7f^2g^5 - 12a^2b^6c^2e^7g^7 + b^2c^7d^6e^6g^7 - \\
& 2b^7c^2d^6e^6g^7 + b^2c^7e^7f^6g - 2b^7c^2e^7f^6g^6 + 4c^9d^2e^5f^6g + 4c^9 \\
& d^6e^6f^2g^5 - 4a^2b^6c^7d^5e^2g^7 + 22a^2b^5c^3d^6e^6g^7 - 16a^3b^5 \\
& c^5d^6e^6g^7 - 4a^2b^6c^7e^7f^5g^2 + 22a^2b^5c^3e^7f^6g^6 - 16a^3b^5 \\
& c^5e^7f^6g^6 + 8a^2c^8d^6e^6f^5g^2 + 8a^2c^8d^5e^2f^6g^6 - 112a^3c^6 \\
& d^6e^6f^6g^6 + 4b^6c^3d^6e^6f^6g^6 + 2a^2b^2c^6d^4e^3g^7 + 10a^2b^3c^5 \\
& d^3e^4g^7 - 18a^2b^4c^4d^2e^5g^7 - 80a^2b^3c^6d^3e^4g^7 - 56a^2 \\
& b^3c^4d^4e^6g^7 + 2a^2b^2c^6e^7f^4g^3 + 10a^2b^3c^5e^7f^3g^4 - 18a^2 \\
& b^4c^4e^7f^2g^5 - 80a^2b^3c^6e^7f^3g^4 - 56a^2b^3c^4e^7f^3 \\
& g^6 + 40a^2c^8d^2e^5f^4g^3 + 40a^2c^8d^4e^3f^2g^5 + 16a^2c^7d^2e^5 \\
& f^3g^4 + 16a^2c^7d^3e^4f^3g^6 - 12b^3c^8d^2e^5f^5g^2 - 12b^3c^8 \\
& d^5e^2f^2g^5 + 10b^2c^7d^6e^6f^5g^2 + 10b^2c^7d^5e^2f^6g^6 - 14 \\
& b^4c^5d^6e^6f^3g^4 - 14b^4c^5d^3e^4f^6g^6 + 6b^5c^4d^6e^6f^2g^5 + 6b^5 \\
& c^4d^2e^5f^6g^6 - 4b^3c^8d^6e^6f^6g^6 - 4b^3c^8d^6e^6f^6g^6 + 54 \\
& a^2b^2c^5d^2e^5g^7 + 54a^2b^2c^5e^7f^2g^5 + 168a^2c^7d^2e^5 \\
& f^2g^5 + 5b^2c^7d^2e^5f^4g^3 + 5b^2c^7d^4e^3f^2g^5 + 10b^3c^6 \\
& d^2e^5f^3g^4 + 10b^3c^6d^3e^4f^2g^5 - 12b^4c^5d^2e^5f^2g^5 + 36a^2 \\
& b^2c^6d^2e^5f^2g^5 - 60a^2b^3c^7d^4e^3f^4g^3 - 60a^2b^3c^7d^4 \\
& e^3f^4g^6 - 72a^2b^4c^4d^6e^6f^6g^6 - 80a^2b^3c^7d^2e^5f^3g^4 - 80a^2 \\
& b^3c^7d^3e^4f^2g^5 + 92a^2b^2c^6d^6e^6f^3g^4 + 92a^2b^2c^6d^3e^4f^3 \\
& g^6 + 6a^2b^3c^5d^6e^6f^2g^5 + 6a^2b^3c^5d^2e^5f^6g^6 - 192a^2b^3c^6 \\
& d^6e^6f^2g^5 - 192a^2b^3c^6d^2e^5f^6g^6 + 276a^2b^2c^5d^6e^6f^6g^6) \\
& ) / (16a^2c^6d^4f^4 + a^4b^4e^4g^4 + 16a^4c^4d^4g^4 + 16a^4c^4e^4 \\
& f^4 + b^4c^4d^4f^4 + 16a^6c^2e^4g^4 + a^2b^4c^2d^4g^4 + a^2b^4 \\
& c^2e^4f^4 - 8a^3b^2c^3d^4g^4 - 8a^3b^2c^3e^4f^4 + a^2b^6d^2 \\
& e^2g^4 + 32a^3c^5d^2e^2f^4 + 32a^5c^3d^2e^2g^4 + b^6c^2d^2e^2 \\
& f^4 + a^2b^6e^4f^2g^2 + 32a^3c^5d^4f^2g^2 + 32a^5c^3e^4f^2
\end{aligned}$$

$$\begin{aligned}
& *g^2 + b^6*c^2*d^4*f^2*g^2 + b^8*d^2*e^2*f^2*g^2 - 8*a*b^2*c^5*d^4*f^4 - 8* \\
& a^5*b^2*c*e^4*g^4 - 2*a^3*b^5*d*e^3*g^4 - 2*b^5*c^3*d^3*e*f^4 - 2*a^3*b^5*e \\
& ^4*f*g^3 - 2*b^5*c^3*d^4*f^3*g + 16*a*b^3*c^4*d^3*e*f^4 - 2*a*b^5*c^2*d*e^3 \\
& *f^4 - 32*a^2*b*c^5*d^3*e*f^4 - 32*a^3*b*c^4*d*e^3*f^4 - 2*a^2*b^5*c*d^3*e* \\
& g^4 - 32*a^4*b*c^3*d^3*e*g^4 + 16*a^4*b^3*c*d*e^3*g^4 - 32*a^5*b*c^2*d*e^3* \\
& g^4 + 16*a*b^3*c^4*d^4*f^3*g - 2*a*b^5*c^2*d^4*f*g^3 - 32*a^2*b*c^5*d^4*f^3 \\
& *g - 32*a^3*b*c^4*d^4*f*g^3 - 2*a^2*b^5*c*e^4*f^3*g - 32*a^4*b*c^3*e^4*f^3* \\
& g + 16*a^4*b^3*c*e^4*f*g^3 - 32*a^5*b*c^2*e^4*f*g^3 - 2*a*b^7*d*e^3*f^2*g^2 \\
& - 2*a*b^7*d^2*e^2*f*g^3 + 4*a^2*b^6*d*e^3*f*g^3 + 4*b^6*c^2*d^3*e*f^3*g - \\
& 2*b^7*c*d^2*e^2*f^3*g - 2*b^7*c*d^3*e*f^2*g^2 - 6*a*b^4*c^3*d^2*e^2*f^4 + 1 \\
& 6*a^2*b^3*c^3*d*e^3*f^4 + 16*a^3*b^3*c^2*d^3*e*g^4 - 6*a^3*b^4*c*d^2*e^2*g^ \\
& 4 - 6*a*b^4*c^3*d^4*f^2*g^2 + 16*a^2*b^3*c^3*d^4*f*g^3 + 16*a^3*b^3*c^2*e^4 \\
& *f^3*g - 6*a^3*b^4*c*e^4*f^2*g^2 + 64*a^4*c^4*d^2*e^2*f^2*g^2 + 4*a*b^6*c*d \\
& *e^3*f^3*g + 4*a*b^6*c*d^3*e*f*g^3 - 32*a*b^4*c^3*d^3*e*f^3*g - 32*a^3*b^4* \\
& c*d*e^3*f*g^3 - 12*a^2*b^4*c^2*d^2*e^2*f^2*g^2 + 32*a^3*b^2*c^3*d^2*e^2*f^2 \\
& *g^2 + 12*a*b^5*c^2*d^2*e^2*f^3*g + 12*a*b^5*c^2*d^3*e*f^2*g^2 - 4*a*b^6*c* \\
& d^2*e^2*f^2*g^2 + 64*a^2*b^2*c^4*d^3*e*f^3*g - 32*a^2*b^4*c^2*d*e^3*f^3*g - \\
& 32*a^2*b^4*c^2*d^3*e*f*g^3 + 12*a^2*b^5*c*d*e^3*f^2*g^2 + 12*a^2*b^5*c*d^2 \\
& *e^2*f*g^3 - 64*a^3*b*c^4*d^2*e^2*f^3*g - 64*a^3*b*c^4*d^3*e*f^2*g^2 + 64*a \\
& ^3*b^2*c^3*d*e^3*f^3*g + 64*a^3*b^2*c^3*d^3*e*f*g^3 - 64*a^4*b*c^3*d*e^3*f^ \\
& 2*g^2 - 64*a^4*b*c^3*d^2*e^2*f*g^3 + 64*a^4*b^2*c^2*d*e^3*f*g^3)) + (x*(4*b \\
& ^3*c^4*e^6*g^6 - 16*a*b*c^5*e^6*g^6 + 16*a*c^6*d*e^5*g^6 + 16*a*c^6*e^6*f*g \\
& ^5 - 4*b^2*c^5*d*e^5*g^6 - 4*b^2*c^5*e^6*f*g^5))/(16*a^2*c^6*d^4*f^4 + a^4* \\
& b^4*e^4*g^4 + 16*a^4*c^4*d^4*g^4 + 16*a^4*c^4*e^4*f^4 + b^4*c^4*d^4*f^4 + 1 \\
& 6*a^6*c^2*e^4*g^4 + a^2*b^4*c^2*d^4*g^4 + a^2*b^4*c^2*e^4*f^4 - 8*a^3*b^2*c \\
& ^3*d^4*g^4 - 8*a^3*b^2*c^3*e^4*f^4 + a^2*b^6*d^2*e^2*g^4 + 32*a^3*c^5*d^2*e \\
& ^2*f^4 + 32*a^5*c^3*d^2*e^2*g^4 + b^6*c^2*d^2*e^2*f^4 + a^2*b^6*e^4*f^2*g^2 \\
& + 32*a^3*c^5*d^4*f^2*g^2 + 32*a^5*c^3*e^4*f^2*g^2 + b^6*c^2*d^4*f^2*g^2 + \\
& b^8*d^2*e^2*f^2*g^2 - 8*a*b^2*c^5*d^4*f^4 - 8*a^5*b^2*c*e^4*g^4 - 2*a^3*b^5 \\
& *d*e^3*g^4 - 2*b^5*c^3*d^3*e*f^4 - 2*a^3*b^5*e^4*f*g^3 - 2*b^5*c^3*d^4*f^3* \\
& g + 16*a*b^3*c^4*d^3*e*f^4 - 2*a*b^5*c^2*d*e^3*f^4 - 32*a^2*b*c^5*d^3*e*f^4 \\
& - 32*a^3*b*c^4*d*e^3*f^4 - 2*a^2*b^5*c*d^3*e*g^4 - 32*a^4*b*c^3*d^3*e*g^4 \\
& + 16*a^4*b^3*c*d*e^3*g^4 - 32*a^5*b*c^2*d*e^3*g^4 + 16*a*b^3*c^4*d^4*f^3*g \\
& - 2*a*b^5*c^2*d^4*f*g^3 - 32*a^2*b*c^5*d^4*f^3*g - 32*a^3*b*c^4*d^4*f*g^3 - \\
& 2*a^2*b^5*c*e^4*f^3*g - 32*a^4*b*c^3*e^4*f^3*g + 16*a^4*b^3*c*e^4*f*g^3 - \\
& 32*a^5*b*c^2*e^4*f*g^3 - 2*a*b^7*d*e^3*f^2*g^2 - 2*a*b^7*d^2*e^2*f*g^3 + 4* \\
& a^2*b^6*d*e^3*f*g^3 + 4*b^6*c^2*d^3*e*f^3*g - 2*b^7*c*d^2*e^2*f^3*g - 2*b^7 \\
& *c*d^3*e*f^2*g^2 - 6*a*b^4*c^3*d^2*e^2*f^4 + 16*a^2*b^3*c^3*d*e^3*f^4 + 16* \\
& a^3*b^3*c^2*d^3*e*g^4 - 6*a^3*b^4*c*d^2*e^2*g^4 - 6*a*b^4*c^3*d^4*f^2*g^2 + \\
& 16*a^2*b^3*c^3*d^4*f*g^3 + 16*a^3*b^3*c^2*e^4*f^3*g - 6*a^3*b^4*c*e^4*f^2* \\
& g^2 + 64*a^4*c^4*d^2*e^2*f^2*g^2 + 4*a*b^6*c*d*e^3*f^3*g + 4*a*b^6*c*d^3*e* \\
& f*g^3 - 32*a*b^4*c^3*d^3*e*f^3*g - 32*a^3*b^4*c*d*e^3*f*g^3 - 12*a^2*b^4*c^ \\
& 2*d^2*e^2*f^2*g^2 + 32*a^3*b^2*c^3*d^2*e^2*f^2*g^2 + 12*a*b^5*c^2*d^2*e^2*f \\
& ^3*g + 12*a*b^5*c^2*d^3*e*f^2*g^2 - 4*a*b^6*c*d^2*e^2*f^2*g^2 + 64*a^2*b^2* \\
& c^4*d^3*e*f^3*g - 32*a^2*b^4*c^2*d*e^3*f^3*g - 32*a^2*b^4*c^2*d^3*e*f*g^3 +
\end{aligned}$$

$$\begin{aligned}
& 12*a^2*b^5*c*d*e^3*f^2*g^2 + 12*a^2*b^5*c*d^2*e^2*f*g^3 - 64*a^3*b*c^4*d^2* \\
& e^2*f^3*g - 64*a^3*b*c^4*d^3*e*f^2*g^2 + 64*a^3*b^2*c^3*d*e^3*f^3*g + 64*a \\
& ^3*b^2*c^3*d^3*e*f*g^3 - 64*a^4*b*c^3*d*e^3*f^2*g^2 - 64*a^4*b*c^3*d^2*e^2* \\
& f*g^3 + 64*a^4*b^2*c^2*d*e^3*f*g^3) * \text{root}(1120*a^6*b^2*c^6*d^9*e*f*g^9*z^4 \\
& + 1120*a^6*b^2*c^6*d*e^9*f^9*g*z^4 - 792*a^5*b^4*c^5*d^9*e*f*g^9*z^4 - 792* \\
& a^5*b^4*c^5*d*e^9*f^9*g*z^4 + 512*a^9*b*c^4*d^4*e^6*f*g^9*z^4 + 512*a^9*b*c \\
& ^4*d*e^9*f^4*g^6*z^4 - 512*a^7*b*c^6*d^8*e^2*f*g^9*z^4 - 512*a^7*b*c^6*d*e^ \\
& 9*f^8*g^2*z^4 - 512*a^6*b*c^7*d^9*e*f^2*g^8*z^4 - 512*a^6*b*c^7*d^2*e^8*f^9 \\
& *g*z^4 + 512*a^4*b*c^9*d^6*e^4*f^9*g*z^4 + 512*a^4*b*c^9*d^6*e^4*f^9*g*z^4 \\
& + 256*a^10*b*c^3*d^2*e^8*f*g^9*z^4 + 256*a^10*b*c^3*d*e^9*f^2*g^8*z^4 + 256 \\
& *a^3*b*c^10*d^9*e*f^8*g^2*z^4 + 256*a^3*b*c^10*d^8*e^2*f^9*g*z^4 - 200*a^6* \\
& b^7*c*d^4*e^6*f*g^9*z^4 - 200*a^6*b^7*c*d*e^9*f^4*g^6*z^4 - 200*a*b^7*c^6*d \\
& ^9*e*f^6*g^4*z^4 - 200*a*b^7*c^6*d^6*e^4*f^9*g*z^4 + 194*a^4*b^6*c^4*d^9*e* \\
& f*g^9*z^4 + 194*a^4*b^6*c^4*d*e^9*f^9*g*z^4 + 144*a^5*b^8*c*d^5*e^5*f*g^9*z \\
& ^4 + 144*a^5*b^8*c*d*e^9*f^5*g^5*z^4 + 144*a*b^8*c^5*d^9*e*f^5*g^5*z^4 + 14 \\
& 4*a*b^8*c^5*d^5*e^5*f^9*g*z^4 + 96*a^10*b^2*c^2*d*e^9*f*g^9*z^4 + 96*a^2*b^ \\
& 2*c^10*d^9*e*f^9*g*z^4 + 56*a^7*b^6*c*d^3*e^7*f*g^9*z^4 + 56*a^7*b^6*c*d*e^ \\
& 9*f^3*g^7*z^4 + 56*a*b^6*c^7*d^9*e*f^7*g^3*z^4 + 56*a*b^6*c^7*d^7*e^3*f^9*g \\
& *z^4 + 48*a^8*b^5*c*d^2*e^8*f*g^9*z^4 + 48*a^8*b^5*c*d*e^9*f^2*g^8*z^4 + 48 \\
& *a*b^5*c^8*d^9*e*f^8*g^2*z^4 + 48*a*b^5*c^8*d^8*e^2*f^9*g*z^4 + 20*a*b^12*c \\
& *d^6*e^4*f^4*g^6*z^4 + 20*a*b^12*c*d^4*e^6*f^6*g^4*z^4 - 16*a^3*b^10*c*d^7* \\
& e^3*f*g^9*z^4 - 16*a^3*b^10*c*d*e^9*f^7*g^3*z^4 - 16*a^3*b^8*c^3*d^9*e*f*g^ \\
& 9*z^4 - 16*a^3*b^8*c^3*d*e^9*f^9*g*z^4 - 16*a*b^12*c*d^7*e^3*f^3*g^7*z^4 - \\
& 16*a*b^12*c*d^3*e^7*f^7*g^3*z^4 - 16*a*b^10*c^3*d^9*e*f^3*g^7*z^4 - 16*a*b^ \\
& 10*c^3*d^3*e^7*f^9*g*z^4 - 8*a^4*b^9*c*d^6*e^4*f*g^9*z^4 - 8*a^4*b^9*c*d*e^ \\
& 9*f^6*g^4*z^4 - 8*a*b^12*c*d^5*e^5*f^5*g^5*z^4 - 8*a*b^9*c^4*d^9*e*f^4*g^6* \\
& z^4 - 8*a*b^9*c^4*d^4*e^6*f^9*g*z^4 - 9984*a^7*b^2*c^5*d^4*e^6*f^4*g^6*z^4 \\
& - 9984*a^5*b^2*c^7*d^6*e^4*f^6*g^4*z^4 - 8640*a^6*b^2*c^6*d^6*e^4*f^4*g^6*z \\
& ^4 - 8640*a^6*b^2*c^6*d^4*e^6*f^6*g^4*z^4 - 8544*a^5*b^4*c^5*d^5*e^5*f^5*g^ \\
& 5*z^4 + 5632*a^6*b^2*c^6*d^7*e^3*f^3*g^7*z^4 + 5632*a^6*b^2*c^6*d^3*e^7*f^7 \\
& *g^3*z^4 + 5232*a^5*b^4*c^5*d^6*e^4*f^4*g^6*z^4 + 5232*a^5*b^4*c^5*d^4*e^6* \\
& f^6*g^4*z^4 + 4808*a^4*b^6*c^4*d^5*e^5*f^5*g^5*z^4 - 4288*a^6*b^4*c^4*d^5*e \\
& ^5*f^3*g^7*z^4 - 4288*a^6*b^4*c^4*d^3*e^7*f^5*g^5*z^4 - 4288*a^4*b^4*c^6*d^ \\
& 7*e^3*f^5*g^5*z^4 - 4288*a^4*b^4*c^6*d^5*e^5*f^7*g^3*z^4 + 3968*a^6*b^3*c^5 \\
& *d^5*e^5*f^4*g^6*z^4 + 3968*a^6*b^3*c^5*d^4*e^6*f^5*g^5*z^4 + 3968*a^5*b^3* \\
& c^6*d^6*e^4*f^5*g^5*z^4 + 3968*a^5*b^3*c^6*d^5*e^5*f^6*g^4*z^4 + 3840*a^7*b \\
& ^2*c^5*d^5*e^5*f^3*g^7*z^4 + 3840*a^7*b^2*c^5*d^3*e^7*f^5*g^5*z^4 + 3840*a^ \\
& 5*b^2*c^7*d^7*e^3*f^5*g^5*z^4 + 3840*a^5*b^2*c^7*d^5*e^5*f^7*g^3*z^4 + 3776 \\
& *a^6*b^4*c^4*d^4*e^6*f^4*g^6*z^4 + 3776*a^4*b^4*c^6*d^6*e^4*f^6*g^4*z^4 + 3 \\
& 456*a^6*b^2*c^6*d^5*e^5*f^5*g^5*z^4 + 3440*a^6*b^4*c^4*d^6*e^4*f^2*g^8*z^4 \\
& + 3440*a^6*b^4*c^4*d^2*e^8*f^6*g^4*z^4 + 3440*a^4*b^4*c^6*d^8*e^2*f^4*g^6*z \\
& ^4 + 3440*a^4*b^4*c^6*d^4*e^6*f^8*g^2*z^4 - 3360*a^8*b^2*c^4*d^4*e^6*f^2*g^ \\
& 8*z^4 - 3360*a^8*b^2*c^4*d^2*e^8*f^4*g^6*z^4 - 3360*a^4*b^2*c^8*d^8*e^2*f^6 \\
& *g^4*z^4 - 3360*a^4*b^2*c^8*d^6*e^4*f^8*g^2*z^4 - 2944*a^7*b^4*c^3*d^3*e^7* \\
& f^3*g^7*z^4 - 2944*a^3*b^4*c^7*d^7*e^3*f^7*g^3*z^4 + 2512*a^5*b^6*c^3*d^5*e
\end{aligned}$$

$$\begin{aligned}
& ^5f^3g^7z^4 + 2512a^5b^6c^3d^3e^7f^5g^5z^4 + 2512a^3b^6c^5d^7e^3f^5g^5z^4 + 2512a^3b^6c^5d^7e^3f^5g^5z^4 + 2512a^3b^6c^5d^7e^3f^5g^5z^4 + 2312a^7b^4c^3 \\
& *d^4e^6f^2g^8z^4 + 2312a^7b^4c^3d^2e^8f^4g^6z^4 + 2312a^3b^4c^7d^8e^2f^6g^4z^4 + 2312a^3b^4c^7d^6e^4f^8g^2z^4 + 1952a^6b \\
& ^6c^2d^3e^7f^3g^7z^4 + 1952a^2b^6c^6d^7e^3f^7g^3z^4 - 1920a^5 \\
& b^4c^5d^7e^3f^3g^7z^4 - 1920a^5b^4c^5d^3e^7f^7g^3z^4 - 1828 \\
& *a^5b^6c^3d^6e^4f^2g^8z^4 - 1828a^5b^6c^3d^2e^8f^6g^4z^4 - 1 \\
& 828a^3b^6c^5d^8e^2f^4g^6z^4 - 1828a^3b^6c^5d^4e^6f^8g^2z^4 \\
& + 1740a^5b^4c^5d^8e^2f^2g^8z^4 + 1740a^5b^4c^5d^2e^8f^8g^2z \\
& ^4 - 1728a^7b^2c^5d^6e^4f^2g^8z^4 - 1728a^7b^2c^5d^2e^8f^6g^ \\
& 4z^4 - 1728a^5b^2c^7d^8e^2f^4g^6z^4 - 1728a^5b^2c^7d^4e^6f^8 \\
& *g^2z^4 - 1716a^4b^6c^4d^6e^4f^4g^6z^4 - 1716a^4b^6c^4d^4e^6f \\
& ^6g^4z^4 - 1664a^9b^2c^3d^2e^8f^2g^8z^4 - 1664a^3b^2c^9d^8e \\
& ^2f^8g^2z^4 - 1600a^6b^3c^5d^7e^3f^2g^8z^4 - 1600a^6b^3c^5d^ \\
& 2e^8f^7g^3z^4 - 1600a^5b^3c^6d^8e^2f^3g^7z^4 - 1600a^5b^3c^6 \\
& *d^3e^7f^8g^2z^4 - 1553a^4b^6c^4d^8e^2f^2g^8z^4 - 1553a^4b^6 \\
& c^4d^2e^8f^8g^2z^4 + 1536a^8b^2c^4d^3e^7f^3g^7z^4 + 1536a^4b \\
& ^2c^8d^7e^3f^7g^3z^4 + 1408a^7b^3c^4d^4e^6f^3g^7z^4 + 1408a^ \\
& 7b^3c^4d^3e^7f^4g^6z^4 - 1408a^6b^3c^5d^6e^4f^3g^7z^4 - 1408 \\
& *a^6b^3c^5d^3e^7f^6g^4z^4 - 1408a^5b^3c^6d^7e^3f^4g^6z^4 - 1 \\
& 408a^5b^3c^6d^4e^6f^7g^3z^4 + 1408a^4b^3c^7d^7e^3f^6g^4z^4 \\
& + 1408a^4b^3c^7d^6e^4f^7g^3z^4 - 1360a^6b^5c^3d^5e^5f^2g^8z \\
& ^4 - 1360a^6b^5c^3d^2e^8f^5g^5z^4 - 1360a^3b^5c^6d^8e^2f^5g^ \\
& 5z^4 - 1360a^3b^5c^6d^5e^5f^8g^2z^4 - 1248a^5b^5c^4d^5e^5f^4 \\
& *g^6z^4 - 1248a^5b^5c^4d^4e^6f^5g^5z^4 - 1248a^4b^5c^5d^6e^4 \\
& f^5g^5z^4 - 1248a^4b^5c^5d^5e^5f^6g^4z^4 + 1088a^8b^3c^3d^3e \\
& ^7f^2g^8z^4 + 1088a^8b^3c^3d^2e^8f^3g^7z^4 + 1088a^3b^3c^8d^ \\
& 8e^2f^7g^3z^4 + 1088a^3b^3c^8d^7e^3f^8g^2z^4 + 1056a^8b^4c^2 \\
& *d^2e^8f^2g^8z^4 + 1056a^2b^4c^8d^8e^2f^8g^2z^4 - 912a^7b^5c \\
& ^2d^3e^7f^2g^8z^4 - 912a^7b^5c^2d^2e^8f^3g^7z^4 - 912a^2b^5 \\
& c^7d^8e^2f^7g^3z^4 - 912a^2b^5c^7d^7e^3f^8g^2z^4 - 848a^5b^6 \\
& *c^3d^4e^6f^4g^6z^4 - 848a^3b^6c^5d^6e^4f^6g^4z^4 + 832a^7b^ \\
& 3c^4d^5e^5f^2g^8z^4 + 832a^7b^3c^4d^2e^8f^5g^5z^4 + 832a^4b \\
& ^3c^7d^8e^2f^5g^5z^4 + 832a^4b^3c^7d^5e^5f^8g^2z^4 + 828a^5 \\
& b^7c^2d^5e^5f^2g^8z^4 + 828a^5b^7c^2d^2e^8f^5g^5z^4 + 828a^2 \\
& *b^7c^5d^8e^2f^5g^5z^4 + 828a^2b^7c^5d^5e^5f^8g^2z^4 - 800a^ \\
& 3b^8c^3d^5e^5f^5g^5z^4 - 696a^4b^8c^2d^5e^5f^3g^7z^4 - 696a \\
& ^4b^8c^2d^3e^7f^5g^5z^4 - 696a^2b^8c^4d^7e^3f^5g^5z^4 - 696 \\
& *a^2b^8c^4d^5e^5f^7g^3z^4 - 694a^6b^6c^2d^4e^6f^2g^8z^4 - 694 \\
& *a^6b^6c^2d^2e^8f^4g^6z^4 - 694a^2b^6c^6d^8e^2f^6g^4z^4 - 69 \\
& 4a^2b^6c^6d^6e^4f^8g^2z^4 + 692a^4b^7c^3d^7e^3f^2g^8z^4 + 6 \\
& 92a^4b^7c^3d^2e^8f^7g^3z^4 + 692a^3b^7c^4d^8e^2f^3g^7z^4 + \\
& 692a^3b^7c^4d^3e^7f^8g^2z^4 + 672a^4b^6c^4d^7e^3f^3g^7z^4 + \\
& 672a^4b^6c^4d^3e^7f^7g^3z^4 + 600a^4b^8c^2d^4e^6f^4g^6z^4 \\
& + 600a^2b^8c^4d^6e^4f^6g^4z^4 - 544a^3b^8c^3d^7e^3f^3g^7z^4
\end{aligned}$$

$$\begin{aligned}
& + 544*a^3*b^8*c^3*d^6*e^4*f^4*g^6*z^4 + 544*a^3*b^8*c^3*d^4*e^6*f^6*g^4*z^4 \\
& - 544*a^3*b^8*c^3*d^3*e^7*f^7*g^3*z^4 - 536*a^4*b^7*c^3*d^5*e^5*f^4*g^6*z^4 \\
& - 536*a^4*b^7*c^3*d^4*e^6*f^5*g^5*z^4 - 536*a^3*b^7*c^4*d^6*e^4*f^5*g^5*z^4 \\
& - 536*a^3*b^7*c^4*d^5*e^5*f^6*g^4*z^4 - 504*a^5*b^7*c^2*d^4*e^6*f^3*g^7*z^4 \\
& - 504*a^5*b^7*c^2*d^3*e^7*f^4*g^6*z^4 - 504*a^2*b^7*c^5*d^7*e^3*f^6*g^4*z^4 \\
& - 504*a^2*b^7*c^5*d^6*e^4*f^7*g^3*z^4 + 416*a^3*b^8*c^3*d^8*e^2*f^2*g^8*z^4 \\
& + 416*a^3*b^8*c^3*d^2*e^8*f^8*g^2*z^4 - 352*a^6*b^5*c^3*d^4*e^6*f^3*g^7*z^4 \\
& - 352*a^6*b^5*c^3*d^3*e^7*f^4*g^6*z^4 - 352*a^3*b^5*c^6*d^7*e^3*f^6*g^4*z^4 \\
& - 352*a^3*b^5*c^6*d^6*e^4*f^7*g^3*z^4 - 248*a^3*b^9*c^2*d^7*e^3*f^2*g^8*z^4 \\
& - 248*a^3*b^9*c^2*d^2*e^8*f^7*g^3*z^4 - 248*a^2*b^9*c^3*d^8*e^2*f^3*g^7*z^4 \\
& - 248*a^2*b^9*c^3*d^3*e^7*f^8*g^2*z^4 + 246*a^4*b^8*c^2*d^6*e^4*f^2*g^8*z^4 \\
& + 246*a^4*b^8*c^2*d^2*e^8*f^6*g^4*z^4 + 246*a^2*b^8*c^4*d^8*e^2*f^4*g^6*z^4 \\
& + 246*a^2*b^8*c^4*d^4*e^6*f^8*g^2*z^4 + 208*a^6*b^2*c^6*d^8*e^2*f^2*g^8*z^4 \\
& + 208*a^6*b^2*c^6*d^2*e^8*f^8*g^2*z^4 + 168*a^2*b^10*c^2*d^7*e^3*f^3*g^7*z^4 \\
& + 168*a^2*b^10*c^2*d^3*e^7*f^7*g^3*z^4 + 160*a^3*b^9*c^2*d^5*e^5*f^4*g^6*z^4 \\
& + 160*a^3*b^9*c^2*d^4*e^6*f^5*g^5*z^4 + 160*a^2*b^9*c^3*d^6*e^4*f^5*g^5*z^4 \\
& + 160*a^2*b^9*c^3*d^5*e^5*f^6*g^4*z^4 + 144*a^5*b^5*c^4*d^7*e^3*f^2*g^8*z^4 \\
& + 144*a^5*b^5*c^4*d^2*e^8*f^7*g^3*z^4 + 144*a^4*b^5*c^5*d^8*e^2*f^3*g^7*z^4 \\
& + 144*a^4*b^5*c^5*d^3*e^7*f^8*g^2*z^4 - 144*a^2*b^10*c^2*d^6*e^4*f^4*g^6*z^4 \\
& - 144*a^2*b^10*c^2*d^4*e^6*f^6*g^4*z^4 + 120*a^4*b^7*c^3*d^6*e^4*f^3*g^7*z^4 \\
& + 120*a^4*b^7*c^3*d^3*e^7*f^6*g^4*z^4 + 120*a^3*b^7*c^4*d^7*e^3*f^4*g^6*z^4 \\
& + 120*a^3*b^7*c^4*d^4*e^6*f^7*g^3*z^4 + 96*a^5*b^5*c^4*d^6*e^4*f^3*g^7*z^4 \\
& + 96*a^5*b^5*c^4*d^3*e^7*f^6*g^4*z^4 + 96*a^4*b^5*c^5*d^7*e^3*f^4*g^6*z^4 \\
& + 96*a^4*b^5*c^5*d^4*e^6*f^7*g^3*z^4 + 64*a^3*b^9*c^2*d^6*e^4*f^3*g^7*z^4 \\
& + 64*a^3*b^9*c^2*d^3*e^7*f^6*g^4*z^4 + 64*a^2*b^9*c^3*d^7*e^3*f^4*g^6*z^4 \\
& + 64*a^2*b^9*c^3*d^4*e^6*f^7*g^3*z^4 - 36*a^2*b^10*c^2*d^8*e^2*f^2*g^8*z^4 \\
& - 36*a^2*b^10*c^2*d^2*e^8*f^8*g^2*z^4 + 24*a^2*b^10*c^2*d^5*e^5*f^5*g^5*z^4 \\
& - 24*a^9*b^4*c*d*e^9*f*g^9*z^4 - 24*a*b^4*c^9*d^9*e^9*f^9*g^9*z^4 \\
& + 2688*a^7*b^2*c^5*d^7*e^3*f*g^9*z^4 + 2688*a^7*b^2*c^5*d*e^9*f^7*g^3*z^4 \\
& + 2688*a^5*b^2*c^7*d^9*e*f^3*g^7*z^4 + 2688*a^5*b^2*c^7*d^3*e^7*f^9*g*z^4 \\
& - 2560*a^7*b^3*c^4*d^6*e^4*f*g^9*z^4 - 2560*a^7*b^3*c^4*d*e^9*f^6*g^4*z^4 \\
& - 2560*a^4*b^3*c^7*d^9*e*f^4*g^6*z^4 - 2560*a^4*b^3*c^7*d^4*e^6*f^9*g*z^4 \\
& + 2112*a^8*b^2*c^4*d^5*e^5*f*g^9*z^4 + 2112*a^8*b^2*c^4*d*e^9*f^5*g^5*z^4 \\
& + 2112*a^4*b^2*c^8*d^9*e*f^5*g^5*z^4 + 2112*a^4*b^2*c^8*d^5*e^5*f^9*g*z^4 \\
& + 1664*a^6*b^5*c^3*d^6*e^4*f*g^9*z^4 + 1664*a^6*b^5*c^3*d*e^9*f^6*g^4*z^4 \\
& + 1664*a^3*b^5*c^6*d^9*e*f^4*g^6*z^4 + 1664*a^3*b^5*c^6*d^4*e^6*f^9*g*z^4 \\
& + 1536*a^8*b*c^5*d^4*e^6*f^3*g^7*z^4 + 1536*a^8*b*c^5*d^3*e^7*f^4*g^6*z^4 \\
& + 1536*a^7*b*c^6*d^5*e^5*f^4*g^6*z^4 + 1536*a^7*b*c^6*d^4*e^6*f^5*g^5*z^4 \\
& + 1536*a^6*b*c^7*d^6*e^4*f^5*g^5*z^4 + 1536*a^6*b*c^7*d^5*e^5*f^6*g^4*z^4 \\
& + 1536*a^5*b*c^8*d^7*e^3*f^6*g^4*z^4 + 1536*a^5*b*c^8*d^6*e^4*f^7*g^3*z^4 - \\
& 1408*a^8*b^3*c^3*d^4*e^6*f*g^9*z^4 - 1408*a^8*b^3*c^3*d*e^9*f^4*g^6*z^4 - \\
& 1408*a^3*b^3*c^8*d^9*e*f^6*g^4*z^4 - 1408*a^3*b^3*c^8*d^6*e^4*f^9*g*z^4 - 1 \\
& 280*a^7*b*c^6*d^7*e^3*f^2*g^8*z^4 - 1280*a^7*b*c^6*d^2*e^8*f^7*g^3*z^4 - 12 \\
& 80*a^6*b*c^7*d^8*e^2*f^3*g^7*z^4 - 1280*a^6*b*c^7*d^3*e^7*f^8*g^2*z^4 - 115 \\
& 2*a^6*b^3*c^5*d^8*e^2*f*g^9*z^4 - 1152*a^6*b^3*c^5*d*e^9*f^8*g^2*z^4 - 1152
\end{aligned}$$



$$\begin{aligned}
& a^5 b^3 c^6 d^9 e f^2 g^8 z^4 - 1152 a^5 b^3 c^6 d^2 e^8 f^9 g z^4 + 1056 a^5 b^5 c^4 d^8 e^2 f g^9 z^4 + 1056 a^5 b^5 c^4 d e^9 f^8 g^2 z^4 + 1056 a^4 b^5 c^5 d^9 e f^2 g^8 z^4 + 1056 a^4 b^5 c^5 d^2 e^8 f^9 g z^4 + 864 a^7 b^5 c^2 d^4 e^6 f g^9 z^4 + 864 a^7 b^5 c^2 d e^9 f^4 g^6 z^4 + 864 a^2 b^5 c^7 d^9 e f^6 g^4 z^4 + 864 a^2 b^5 c^7 d^6 e^4 f^9 g z^4 - 800 a^6 b^4 c^4 d^7 e^3 f g^9 z^4 - 800 a^6 b^4 c^4 d e^9 f^7 g^3 z^4 - 800 a^4 b^4 c^6 d^9 e f^3 g^7 z^4 - 800 a^4 b^4 c^6 d^3 e^7 f^9 g z^4 - 768 a^8 b^3 c^5 d^5 e^5 f^2 g^8 z^4 - 768 a^8 b^3 c^5 d^2 e^8 f^5 g^5 z^4 - 768 a^5 b^3 c^8 d^8 e^2 f^5 g^5 z^4 - 768 a^5 b^3 c^8 d^5 e^5 f^8 g^2 z^4 + 640 a^9 b^2 c^3 d^3 e^7 f g^9 z^4 + 640 a^9 b^2 c^3 d e^9 f^3 g^7 z^4 + 640 a^3 b^2 c^9 d^9 e f^7 g^3 z^4 + 640 a^3 b^2 c^9 d^7 e^3 f^9 g z^4 + 512 a^7 b^3 c^6 d^6 e^4 f^3 g^7 z^4 + 512 a^7 b^3 c^6 d^3 e^7 f^6 g^4 z^4 + 512 a^6 b^3 c^7 d^7 e^3 f^4 g^6 z^4 + 512 a^6 b^3 c^7 d^4 e^6 f^7 g^3 z^4 - 480 a^5 b^8 c^3 d^3 e^7 f^3 g^7 z^4 - 480 a^5 b^8 c^3 d^7 e^3 f^7 g^3 z^4 - 400 a^7 b^4 c^3 d^5 e^5 f g^9 z^4 - 400 a^7 b^4 c^3 d^5 e^5 f g^9 z^4 - 400 a^7 b^4 c^3 d e^9 f^5 g^5 z^4 - 400 a^3 b^4 c^7 d^9 e f^5 g^5 z^4 - 400 a^3 b^4 c^7 d^5 e^5 f^9 g z^4 - 372 a^6 b^6 c^2 d^5 e^5 f g^9 z^4 - 372 a^6 b^6 c^2 d e^9 f^5 g^5 z^4 - 372 a^2 b^6 c^6 d^9 e f^5 g^5 z^4 - 372 a^2 b^6 c^6 d^5 e^5 f^9 g z^4 - 328 a^5 b^6 c^3 d^7 e^3 f g^9 z^4 - 328 a^5 b^6 c^3 d e^9 f^7 g^3 z^4 - 328 a^3 b^6 c^5 d^9 e f^3 g^7 z^4 - 328 a^3 b^6 c^5 d^3 e^7 f^9 g z^4 - 288 a^8 b^4 c^2 d^3 e^7 f g^9 z^4 - 288 a^8 b^4 c^2 d e^9 f^3 g^7 z^4 - 288 a^5 b^7 c^2 d^6 e^4 f g^9 z^4 - 288 a^5 b^7 c^2 d e^9 f^6 g^4 z^4 - 288 a^2 b^7 c^5 d^9 e f^4 g^6 z^4 - 288 a^2 b^7 c^5 d^4 e^6 f^9 g z^4 - 288 a^2 b^4 c^8 d^9 e f^7 g^3 z^4 - 288 a^2 b^4 c^8 d^7 e^3 f^9 g z^4 - 280 a^4 b^7 c^3 d^8 e^2 f g^9 z^4 - 280 a^4 b^7 c^3 d e^9 f^8 g^2 z^4 - 280 a^3 b^7 c^4 d^9 e f^2 g^8 z^4 - 280 a^3 b^7 c^4 d^2 e^8 f^9 g z^4 + 256 a^9 b^3 c^4 d^3 e^7 f^2 g^8 z^4 + 256 a^9 b^3 c^4 d^2 e^8 f^3 g^7 z^4 + 256 a^4 b^3 c^9 d^8 e^2 f^7 g^3 z^4 + 256 a^4 b^3 c^9 d^7 e^3 f^8 g^2 z^4 - 248 a^7 b^6 c^3 d^2 e^8 f^2 g^8 z^4 - 248 a^7 b^6 c^3 d^2 e^8 f^2 g^8 z^4 + 236 a^6 b^7 c^3 d^3 e^7 f^2 g^8 z^4 + 236 a^6 b^7 c^3 d^2 e^8 f^3 g^7 z^4 + 236 a^3 b^7 c^6 d^8 e^2 f^7 g^3 z^4 + 236 a^3 b^7 c^6 d^7 e^3 f^8 g^2 z^4 + 200 a^4 b^9 c^4 d^4 e^6 f^3 g^7 z^4 + 200 a^4 b^9 c^4 d^3 e^7 f^4 g^6 z^4 - 200 a^3 b^10 c^4 d^4 e^6 f^4 g^6 z^4 - 200 a^3 b^10 c^3 d^6 e^4 f^6 g^4 z^4 + 200 a^3 b^9 c^4 d^7 e^3 f^6 g^4 z^4 + 200 a^3 b^9 c^4 d^6 e^4 f^7 g^3 z^4 - 196 a^4 b^9 c^4 d^5 e^5 f^2 g^8 z^4 - 196 a^4 b^9 c^4 d^2 e^8 f^5 g^5 z^4 - 196 a^3 b^9 c^4 d^8 e^2 f^5 g^5 z^4 - 196 a^3 b^9 c^4 d^5 e^5 f^8 g^2 z^4 - 192 a^9 b^3 c^2 d^2 e^8 f^9 g z^4 - 192 a^9 b^3 c^2 d e^9 f^2 g^8 z^4 - 192 a^2 b^3 c^9 d^9 e f^8 g^2 z^4 - 192 a^2 b^3 c^9 d^8 e^2 f^9 g z^4 + 156 a^4 b^8 c^2 d^7 e^3 f g^9 z^4 + 156 a^4 b^8 c^2 d e^9 f^7 g^3 z^4 + 156 a^2 b^8 c^4 d^9 e f^3 g^7 z^4 + 156 a^2 b^8 c^4 d^3 e^7 f^9 g z^4 + 96 a^5 b^8 c^4 d^4 e^6 f^2 g^8 z^4 + 96 a^5 b^8 c^4 d^2 e^8 f^4 g^6 z^4 + 96 a^5 b^8 c^5 d^8 e^2 f^6 g^4 z^4 + 96 a^5 b^8 c^5 d^6 e^4 f^8 g^2 z^4 + 88 a^3 b^10 c^4 d^5 e^5 f^3 g^7 z^4 + 88 a^3 b^10 c^4 d^3 e^7 f^5 g^5 z^4 + 88 a^3 b^10 c^3 d^7 e^3 f^5 g^5 z^4 + 88 a^3 b^10 c^3 d^5 e^5 f^7 g^3 z^4 - 36 a^2 b^11 c^4 d^6 e^4 f^3 g^7 z^4 - 36 a^2 b^11 c^4 d^3 e^7 f^6 g^4 z^4 - 36 a^2 b^11 c^2 d^7 e^3 f^4 g^6 z^4 - 36 a^2 b^11 c^2 d^4 e^6 f^7 g^3 z^4 + 28 a^3 b^10 c^4 d^6 e^4 f^2 g^8 z^4 + 28 a^3 b^10 c^4 d^2 e^8 f^6 g
\end{aligned}$$

$$\begin{aligned}
&^4z^4 + 28*a*b^{10}*c^3*d^8*e^2*f^4*g^6*z^4 + 28*a*b^{10}*c^3*d^4*e^6*f^8*g^2* \\
&z^4 + 24*a^3*b^9*c^2*d^8*e^2*f*g^9*z^4 + 24*a^3*b^9*c^2*d*e^9*f^8*g^2*z^4 + \\
&24*a^2*b^{11}*c*d^7*e^3*f^2*g^8*z^4 + 24*a^2*b^{11}*c*d^2*e^8*f^7*g^3*z^4 + 24 \\
&a^2*b^9*c^3*d^9*e*f^2*g^8*z^4 + 24*a^2*b^9*c^3*d^2*e^8*f^9*g*z^4 + 24*a*b^ \\
&11*c^2*d^8*e^2*f^3*g^7*z^4 + 24*a*b^{11}*c^2*d^3*e^7*f^8*g^2*z^4 + 12*a^2*b^1 \\
&1*c*d^5*e^5*f^4*g^6*z^4 + 12*a^2*b^{11}*c*d^4*e^6*f^5*g^5*z^4 + 12*a*b^{11}*c^2 \\
&d^6*e^4*f^5*g^5*z^4 + 12*a*b^{11}*c^2*d^5*e^5*f^6*g^4*z^4 + 40*b^{10}*c^4*d^7* \\
&e^3*f^7*g^3*z^4 + 20*b^{12}*c^2*d^6*e^4*f^6*g^4*z^4 - 20*b^{11}*c^3*d^7*e^3*f^6 \\
&*g^4*z^4 - 20*b^{11}*c^3*d^6*e^4*f^7*g^3*z^4 - 20*b^9*c^5*d^8*e^2*f^7*g^3*z^4 \\
&- 20*b^9*c^5*d^7*e^3*f^8*g^2*z^4 + 20*b^8*c^6*d^8*e^2*f^8*g^2*z^4 + 16*b^1 \\
&1*c^3*d^8*e^2*f^5*g^5*z^4 + 16*b^{11}*c^3*d^5*e^5*f^8*g^2*z^4 - 6*b^{12}*c^2*d^ \\
&8*e^2*f^4*g^6*z^4 - 6*b^{12}*c^2*d^4*e^6*f^8*g^2*z^4 - 5*b^{10}*c^4*d^8*e^2*f^6 \\
&*g^4*z^4 - 5*b^{10}*c^4*d^6*e^4*f^8*g^2*z^4 - 4*b^{12}*c^2*d^7*e^3*f^5*g^5*z^4 \\
&- 4*b^{12}*c^2*d^5*e^5*f^7*g^3*z^4 - 4608*a^7*c^7*d^5*e^5*f^5*g^5*z^4 + 3328* \\
&a^7*c^7*d^6*e^4*f^4*g^6*z^4 + 3328*a^7*c^7*d^4*e^6*f^6*g^4*z^4 - 3072*a^8*c \\
&>6*d^5*e^5*f^3*g^7*z^4 + 3072*a^8*c^6*d^4*e^6*f^4*g^6*z^4 - 3072*a^8*c^6*d^ \\
&3*e^7*f^5*g^5*z^4 - 3072*a^6*c^8*d^7*e^3*f^5*g^5*z^4 + 3072*a^6*c^8*d^6*e^4 \\
&>*f^6*g^4*z^4 - 3072*a^6*c^8*d^5*e^5*f^7*g^3*z^4 - 2048*a^9*c^5*d^3*e^7*f^3* \\
&g^7*z^4 - 2048*a^7*c^7*d^7*e^3*f^3*g^7*z^4 - 2048*a^7*c^7*d^3*e^7*f^7*g^3*z \\
&>4 - 2048*a^5*c^9*d^7*e^3*f^7*g^3*z^4 + 1792*a^8*c^6*d^6*e^4*f^2*g^8*z^4 + \\
&1792*a^8*c^6*d^2*e^8*f^6*g^4*z^4 + 1792*a^6*c^8*d^8*e^2*f^4*g^6*z^4 + 1792* \\
&a^6*c^8*d^4*e^6*f^8*g^2*z^4 + 1408*a^9*c^5*d^4*e^6*f^2*g^8*z^4 + 1408*a^9*c \\
&>5*d^2*e^8*f^4*g^6*z^4 + 1408*a^5*c^9*d^8*e^2*f^6*g^4*z^4 + 1408*a^5*c^9*d^ \\
&6*e^4*f^8*g^2*z^4 + 1088*a^7*c^7*d^8*e^2*f^2*g^8*z^4 + 1088*a^7*c^7*d^2*e^8 \\
&>*f^8*g^2*z^4 + 512*a^{10}*c^4*d^2*e^8*f^2*g^8*z^4 + 512*a^4*c^{10}*d^8*e^2*f^8* \\
&g^2*z^4 + 40*a^4*b^{10}*d^3*e^7*f^3*g^7*z^4 + 20*a^6*b^8*d^2*e^8*f^2*g^8*z^4 \\
&- 20*a^5*b^9*d^3*e^7*f^2*g^8*z^4 - 20*a^5*b^9*d^2*e^8*f^3*g^7*z^4 - 20*a^3* \\
&b^{11}*d^4*e^6*f^3*g^7*z^4 - 20*a^3*b^{11}*d^3*e^7*f^4*g^6*z^4 + 20*a^2*b^{12}*d^ \\
&4*e^6*f^4*g^6*z^4 + 16*a^3*b^{11}*d^5*e^5*f^2*g^8*z^4 + 16*a^3*b^{11}*d^2*e^8*f \\
&>5*g^5*z^4 - 6*a^2*b^{12}*d^6*e^4*f^2*g^8*z^4 - 6*a^2*b^{12}*d^2*e^8*f^6*g^4*z^ \\
&4 - 5*a^4*b^{10}*d^4*e^6*f^2*g^8*z^4 - 5*a^4*b^{10}*d^2*e^8*f^4*g^6*z^4 - 4*a^2 \\
&>*b^{12}*d^5*e^5*f^3*g^7*z^4 - 4*a^2*b^{12}*d^3*e^7*f^5*g^5*z^4 + 480*a^8*b^2*c^ \\
&4*e^{10}*f^6*g^4*z^4 - 440*a^7*b^4*c^3*e^{10}*f^6*g^4*z^4 + 320*a^8*b^3*c^3*e^1 \\
&0*f^5*g^5*z^4 + 320*a^7*b^3*c^4*e^{10}*f^7*g^3*z^4 - 240*a^8*b^4*c^2*e^{10}*f^4 \\
&>*g^6*z^4 - 240*a^6*b^4*c^4*e^{10}*f^8*g^2*z^4 + 192*a^9*b^3*c^2*e^{10}*f^3*g^7* \\
&z^4 + 192*a^9*b^2*c^3*e^{10}*f^4*g^6*z^4 + 192*a^7*b^2*c^5*e^{10}*f^8*g^2*z^4 + \\
&90*a^6*b^6*c^2*e^{10}*f^6*g^4*z^4 + 68*a^5*b^6*c^3*e^{10}*f^8*g^2*z^4 - 48*a^1 \\
&0*b^2*c^2*e^{10}*f^2*g^8*z^4 + 48*a^7*b^5*c^2*e^{10}*f^5*g^5*z^4 + 48*a^6*b^5*c \\
&>3*e^{10}*f^7*g^3*z^4 - 36*a^5*b^7*c^2*e^{10}*f^7*g^3*z^4 - 6*a^4*b^8*c^2*e^{10}* \\
&f^8*g^2*z^4 + 480*a^4*b^2*c^8*d^{10}*f^4*g^6*z^4 - 440*a^3*b^4*c^7*d^{10}*f^4*g \\
&>6*z^4 + 320*a^4*b^3*c^7*d^{10}*f^3*g^7*z^4 + 320*a^3*b^3*c^8*d^{10}*f^5*g^5*z^ \\
&4 - 240*a^4*b^4*c^6*d^{10}*f^2*g^8*z^4 - 240*a^2*b^4*c^8*d^{10}*f^6*g^4*z^4 + 1 \\
&92*a^5*b^2*c^7*d^{10}*f^2*g^8*z^4 + 192*a^3*b^2*c^9*d^{10}*f^6*g^4*z^4 + 192*a^ \\
&2*b^3*c^9*d^{10}*f^7*g^3*z^4 + 90*a^2*b^6*c^6*d^{10}*f^4*g^6*z^4 + 68*a^3*b^6*c \\
&>5*d^{10}*f^2*g^8*z^4 + 48*a^3*b^5*c^6*d^{10}*f^3*g^7*z^4 + 48*a^2*b^5*c^7*d^{10}
\end{aligned}$$

$$\begin{aligned}
& *f^5g^5z^4 - 48a^2b^2c^{10}d^{10}f^8g^2z^4 - 36a^2b^7c^5d^{10}f^3g^7z^4 - 6a^2b^8c^4d^{10}f^2g^8z^4 + 480a^8b^2c^4d^6e^4g^{10}z^4 \\
& - 440a^7b^4c^3d^6e^4g^{10}z^4 + 320a^8b^3c^3d^5e^5g^{10}z^4 + 320a^7b^3c^4d^7e^3g^{10}z^4 - 240a^8b^4c^2d^4e^6g^{10}z^4 - 240a^6b^4c^4d^8e^2g^{10}z^4 \\
& + 192a^9b^3c^2d^3e^7g^{10}z^4 + 192a^9b^2c^3d^4e^6g^{10}z^4 + 192a^7b^2c^5d^8e^2g^{10}z^4 + 90a^6b^6c^2d^6e^4g^{10}z^4 \\
& + 68a^5b^6c^3d^8e^2g^{10}z^4 - 48a^{10}b^2c^2d^2e^8g^{10}z^4 + 48a^7b^5c^2d^5e^5g^{10}z^4 + 48a^6b^5c^3d^7e^3g^{10}z^4 \\
& - 36a^5b^7c^2d^7e^3g^{10}z^4 - 6a^4b^8c^2d^8e^2g^{10}z^4 + 480a^4b^2c^8d^4e^6f^{10}z^4 - 440a^3b^4c^7d^4e^6f^{10}z^4 + 320a^4b^3c^7d^3e^7f^{10}z^4 \\
& + 320a^3b^3c^8d^5e^5f^{10}z^4 - 240a^4b^4c^6d^2e^8f^{10}z^4 - 240a^2b^4c^8d^6e^4f^{10}z^4 + 192a^5b^2c^7d^2e^8f^{10}z^4 + 192a^3b^2c^9d^6e^4f^{10}z^4 \\
& + 192a^2b^3c^9d^7e^3f^{10}z^4 + 90a^2b^6c^6d^4e^6f^{10}z^4 + 68a^3b^6c^5d^2e^8f^{10}z^4 + 48a^3b^5c^6d^3e^7f^{10}z^4 + 48a^2b^5c^7d^5e^5f^{10}z^4 \\
& - 48a^2b^2c^{10}d^8e^2f^{10}z^4 - 36a^2b^7c^5d^3e^7f^{10}z^4 - 6a^2b^8c^4d^2e^8f^{10}z^4 + 16b^9c^5d^9e^6f^6g^4z^4 + 16b^9c^5d^6e^4f^9g^2z^4 \\
& - 14b^{10}c^4d^9e^6f^5g^5z^4 - 14b^{10}c^4d^5e^5f^9g^2z^4 + 4b^{13}c^d^7e^3f^4g^6z^4 - 4b^{13}c^d^6e^4f^5g^5z^4 - 4b^{13}c^d^5e^5f^6g^4z^4 \\
& + 4b^{13}c^d^4e^6f^7g^3z^4 + 4b^{11}c^3d^9e^6f^4g^6z^4 + 4b^{11}c^3d^4e^6f^9g^2z^4 - 4b^8c^6d^9e^6f^7g^3z^4 - 4b^8c^6d^7e^3f^9g^2z^4 \\
& - 4b^7c^7d^9e^6f^8g^2z^4 - 4b^7c^7d^8e^2f^9g^2z^4 - 768a^9c^5d^5e^5f^9g^5z^4 - 768a^9c^5d^9e^6f^5g^5z^4 - 768a^5c^9d^9e^6f^5g^5z^4 \\
& - 768a^5c^9d^5e^5f^9g^2z^4 - 512a^{10}c^4d^3e^7f^9g^5z^4 - 512a^{10}c^4d^9e^6f^3g^7z^4 - 512a^8c^6d^7e^3f^9g^5z^4 - 512a^8c^6d^9e^6f^7g^3z^4 \\
& - 512a^6c^8d^9e^6f^3g^7z^4 - 512a^6c^8d^3e^7f^9g^2z^4 - 512a^4c^{10}d^9e^6f^7g^3z^4 - 512a^4c^{10}d^7e^3f^9g^2z^4 + 16a^5b^9d^4e^6f^9g^5z^4 \\
& + 16a^5b^9d^9e^6f^4g^6z^4 - 14a^4b^{10}d^5e^5f^9g^5z^4 - 14a^4b^{10}d^9e^6f^5g^5z^4 - 4a^7b^7d^2e^8f^9g^5z^4 - 4a^7b^7d^7e^9f^2g^8z^4 \\
& - 4a^6b^8d^3e^7f^9g^5z^4 - 4a^6b^8d^9e^6f^3g^7z^4 + 4a^3b^{11}d^6e^4f^9g^5z^4 + 4a^3b^{11}d^9e^6f^6g^4z^4 + 4a^3b^{13}d^6e^4f^3g^7z^4 \\
& - 4a^3b^{13}d^5e^5f^4g^6z^4 - 4a^3b^{13}d^4e^6f^5g^5z^4 + 4a^3b^{13}d^3e^7f^6g^4z^4 - 768a^9b^3c^4e^{10}f^5g^5z^4 - 768a^8b^3c^5e^{10}f^7g^3z^4 \\
& - 256a^{10}b^3c^3e^{10}f^3g^7z^4 + 192a^6b^3c^5e^{10}f^9g^2z^4 + 68a^7b^6c^6e^{10}f^4g^6z^4 - 48a^8b^5c^6e^{10}f^3g^7z^4 - 48a^5b^5c^4e^{10}f^9g^2z^4 \\
& - 36a^6b^7c^6e^{10}f^5g^5z^4 + 12a^9b^4c^6e^{10}f^2g^8z^4 + 4a^4b^9c^6e^{10}f^7g^3z^4 + 4a^4b^7c^3e^{10}f^9g^2z^4 - 768a^5b^3c^8d^{10}f^3g^7z^4 \\
& - 768a^4b^3c^9d^{10}f^5g^5z^4 - 256a^3b^3c^{10}d^{10}f^7g^3z^4 + 192a^5b^3c^6d^{10}f^6g^4z^4 + 68a^6b^6c^7d^{10}f^6g^4z^4 - 48a^4b^5c^5d^{10}f^9g^2z^4 \\
& - 48a^4b^5c^8d^{10}f^7g^3z^4 - 36a^4b^7c^6d^{10}f^5g^5z^4 + 12a^4b^4c^9d^{10}f^8g^2z^4 + 4a^3b^7c^4d^{10}f^6g^4z^4 + 4a^3b^9c^4d^{10}f^3g^7z^4 \\
& - 768a^9b^3c^4d^5e^5g^{10}z^4 - 768a^8b^3c^5d^7e^3g^{10}z^4 - 256a^{10}b^3c^3d^3e^7g^{10}z^4 + 192a^6b^3c^5d^9e^6g^{10}z^4 + 68a^7b^6c^6d^4e^6g^{10}z^4 \\
& - 48a^8b^5c^6d^3e^7g^{10}z^4
\end{aligned}$$

$$\begin{aligned}
& *z^4 - 48*a^5*b^5*c^4*d^9*e*g^10*z^4 - 36*a^6*b^7*c*d^5*e^5*g^10*z^4 + 12*a \\
& ^9*b^4*c*d^2*e^8*g^10*z^4 + 4*a^4*b^9*c*d^7*e^3*g^10*z^4 + 4*a^4*b^7*c^3*d^ \\
& 9*e*g^10*z^4 - 768*a^5*b*c^8*d^3*e^7*f^10*z^4 - 768*a^4*b*c^9*d^5*e^5*f^10* \\
& z^4 - 256*a^3*b*c^10*d^7*e^3*f^10*z^4 + 192*a^5*b^3*c^6*d*e^9*f^10*z^4 + 68 \\
& *a*b^6*c^7*d^6*e^4*f^10*z^4 - 48*a^4*b^5*c^5*d*e^9*f^10*z^4 - 48*a*b^5*c^8* \\
& d^7*e^3*f^10*z^4 - 36*a*b^7*c^6*d^5*e^5*f^10*z^4 + 12*a*b^4*c^9*d^8*e^2*f^1 \\
& 0*z^4 + 4*a^3*b^7*c^4*d*e^9*f^10*z^4 + 4*a*b^9*c^4*d^3*e^7*f^10*z^4 + 2*b^6 \\
& *c^8*d^9*e*f^9*g*z^4 - 128*a^11*c^3*d*e^9*f*g^9*z^4 - 128*a^7*c^7*d^9*e*f*g \\
& ^9*z^4 - 128*a^7*c^7*d*e^9*f^9*g*z^4 - 128*a^3*c^11*d^9*e*f^9*g*z^4 + 2*a^8 \\
& *b^6*d*e^9*f*g^9*z^4 - 256*a^7*b*c^6*e^10*f^9*g*z^4 - 256*a^6*b*c^7*d^10*f* \\
& g^9*z^4 - 256*a^7*b*c^6*d^9*e*g^10*z^4 - 256*a^6*b*c^7*d*e^9*f^10*z^4 + 2*b \\
& ^14*d^5*e^5*f^5*g^5*z^4 + 384*a^9*c^5*e^10*f^6*g^4*z^4 + 256*a^10*c^4*e^10* \\
& f^4*g^6*z^4 + 256*a^8*c^6*e^10*f^8*g^2*z^4 + 64*a^11*c^3*e^10*f^2*g^8*z^4 - \\
& 6*b^8*c^6*d^10*f^6*g^4*z^4 + 4*b^9*c^5*d^10*f^5*g^5*z^4 + 4*b^7*c^7*d^10*f \\
& ^7*g^3*z^4 + 384*a^5*c^9*d^10*f^4*g^6*z^4 + 256*a^6*c^8*d^10*f^2*g^8*z^4 + \\
& 256*a^4*c^10*d^10*f^6*g^4*z^4 + 64*a^3*c^11*d^10*f^8*g^2*z^4 - 6*a^6*b^8*e^ \\
& 10*f^4*g^6*z^4 + 4*a^7*b^7*e^10*f^3*g^7*z^4 + 4*a^5*b^9*e^10*f^5*g^5*z^4 + \\
& 384*a^9*c^5*d^6*e^4*g^10*z^4 + 256*a^10*c^4*d^4*e^6*g^10*z^4 + 256*a^8*c^6* \\
& d^8*e^2*g^10*z^4 + 64*a^11*c^3*d^2*e^8*g^10*z^4 - 6*b^8*c^6*d^6*e^4*f^10*z^ \\
& 4 + 4*b^9*c^5*d^5*e^5*f^10*z^4 + 4*b^7*c^7*d^7*e^3*f^10*z^4 + 384*a^5*c^9*d \\
& ^4*e^6*f^10*z^4 + 256*a^6*c^8*d^2*e^8*f^10*z^4 + 256*a^4*c^10*d^6*e^4*f^10* \\
& z^4 + 64*a^3*c^11*d^8*e^2*f^10*z^4 - 6*a^6*b^8*d^4*e^6*g^10*z^4 + 4*a^7*b^7 \\
& *d^3*e^7*g^10*z^4 + 4*a^5*b^9*d^5*e^5*g^10*z^4 - 48*a^6*b^2*c^6*e^10*f^10*z \\
& ^4 - 48*a^6*b^2*c^6*d^10*g^10*z^4 + 12*a^5*b^4*c^5*e^10*f^10*z^4 + 12*a^5*b \\
& ^4*c^5*d^10*g^10*z^4 + 64*a^7*c^7*e^10*f^10*z^4 + 64*a^7*c^7*d^10*g^10*z^4 \\
& - b^14*d^6*e^4*f^4*g^6*z^4 - b^14*d^4*e^6*f^6*g^4*z^4 - b^10*c^4*d^10*f^4*g \\
& ^6*z^4 - b^6*c^8*d^10*f^8*g^2*z^4 - a^8*b^6*e^10*f^2*g^8*z^4 - a^4*b^10*e^1 \\
& 0*f^6*g^4*z^4 - b^10*c^4*d^4*e^6*f^10*z^4 - b^6*c^8*d^8*e^2*f^10*z^4 - a^8* \\
& b^6*d^2*e^8*g^10*z^4 - a^4*b^10*d^6*e^4*g^10*z^4 - a^4*b^6*c^4*e^10*f^10*z^ \\
& 4 - a^4*b^6*c^4*d^10*g^10*z^4 + 272*a^5*b^2*c^3*d*e^7*f*g^7*z^2 - 192*a^4*b \\
& ^4*c^2*d*e^7*f*g^7*z^2 - 164*a^5*b*c^4*d^2*e^6*f*g^7*z^2 - 164*a^5*b*c^4*d* \\
& e^7*f^2*g^6*z^2 + 120*a^2*b^2*c^6*d^7*e*f*g^7*z^2 + 120*a^2*b^2*c^6*d*e^7*f \\
& ^7*g*z^2 + 120*a*b^2*c^7*d^7*e*f^3*g^5*z^2 + 120*a*b^2*c^7*d^3*e^5*f^7*g*z^ \\
& 2 - 76*a^4*b*c^5*d^4*e^4*f*g^7*z^2 - 76*a^4*b*c^5*d*e^7*f^4*g^4*z^2 - 76*a^ \\
& 3*b*c^6*d^6*e^2*f*g^7*z^2 - 76*a^3*b*c^6*d*e^7*f^6*g^2*z^2 - 64*a*b^3*c^6*d \\
& ^7*e*f^2*g^6*z^2 - 64*a*b^3*c^6*d^2*e^6*f^7*g*z^2 - 60*a^2*b*c^7*d^7*e*f^2* \\
& g^6*z^2 - 60*a^2*b*c^7*d^2*e^6*f^7*g*z^2 + 44*a*b*c^8*d^6*e^2*f^5*g^3*z^2 + \\
& 44*a*b*c^8*d^5*e^3*f^6*g^2*z^2 + 22*a*b^5*c^4*d^6*e^2*f*g^7*z^2 + 22*a*b^5 \\
& *c^4*d*e^7*f^6*g^2*z^2 - 20*a^2*b^7*c*d^2*e^6*f*g^7*z^2 - 20*a^2*b^7*c*d*e^ \\
& 7*f^2*g^6*z^2 + 8*a*b^8*c*d^2*e^6*f^2*g^6*z^2 - 8*a*b^6*c^3*d^5*e^3*f*g^7*z \\
& ^2 - 8*a*b^6*c^3*d*e^7*f^5*g^3*z^2 + 2*a*b^7*c^2*d^4*e^4*f*g^7*z^2 + 2*a*b^ \\
& 7*c^2*d*e^7*f^4*g^4*z^2 - 590*a^2*b^2*c^6*d^4*e^4*f^4*g^4*z^2 - 352*a^2*b^4 \\
& *c^4*d^3*e^5*f^3*g^5*z^2 - 346*a^3*b^2*c^5*d^4*e^4*f^2*g^6*z^2 - 346*a^3*b^ \\
& 2*c^5*d^2*e^6*f^4*g^4*z^2 - 274*a^4*b^2*c^4*d^2*e^6*f^2*g^6*z^2 + 272*a^3*b \\
& ^2*c^5*d^3*e^5*f^3*g^5*z^2 + 250*a^2*b^3*c^5*d^4*e^4*f^3*g^5*z^2 + 250*a^2*
\end{aligned}$$

$$\begin{aligned}
& b^3c^5d^3e^5f^4g^4z^2 + 204a^3b^3c^4d^3e^5f^2g^6z^2 + 204a^3 \\
& *b^3c^4d^2e^6f^3g^5z^2 + 136a^2b^2c^6d^5e^3f^3g^5z^2 + 136a^2 \\
& *b^2c^6d^3e^5f^5g^3z^2 + 71a^2b^4c^4d^4e^4f^2g^6z^2 + 71a^2 \\
& *b^4c^4d^2e^6f^4g^4z^2 - 56a^2b^3c^5d^5e^3f^2g^6z^2 - 56a^2* \\
& b^3c^5d^2e^6f^5g^3z^2 + 18a^2b^2c^6d^6e^2f^2g^6z^2 + 18a^2b \\
& ^2c^6d^2e^6f^6g^2z^2 - 16a^3b^4c^3d^2e^6f^2g^6z^2 + 16a^2b^ \\
& 5c^3d^3e^5f^2g^6z^2 + 16a^2b^5c^3d^2e^6f^3g^5z^2 - 4a^2b^6c \\
& ^2d^2e^6f^2g^6z^2 + 48a^3b^6c^2d^2e^7f^2g^7z^2 - 20a^2b^4c^5d^7e \\
& *f^2g^7z^2 - 20a^2b^4c^5d^7e^7f^2g^7z^2 - 4a^2b^8c^2d^3e^5f^2g^7z^2 - 4 \\
& *a^2b^8c^2d^3e^7f^3g^5z^2 + 4a^2b^8c^2d^7e^4f^4g^4z^2 + 4a^2b^8c^2d^4e^ \\
& 4f^7g^4z^2 + 368a^4b^2c^4d^3e^5f^2g^7z^2 + 368a^4b^2c^4d^3e^7f^3 \\
& *g^5z^2 + 264a^3b^2c^5d^5e^3f^2g^7z^2 + 264a^3b^2c^5d^5e^7f^5g^ \\
& 3z^2 - 208a^3b^4c^3d^3e^5f^2g^7z^2 - 208a^3b^4c^3d^3e^7f^3g^5z \\
& ^2 - 164a^4b^2c^5d^3e^5f^2g^6z^2 - 164a^4b^2c^5d^3e^6f^3g^5z^2 \\
& + 140a^2b^2c^7d^5e^3f^4g^4z^2 + 140a^2b^2c^7d^4e^4f^5g^3z^2 - 1 \\
& 22a^2b^2c^7d^6e^2f^4g^4z^2 - 122a^2b^2c^7d^4e^4f^6g^2z^2 - 108* \\
& a^2b^3c^5d^6e^2f^2g^7z^2 - 108a^2b^3c^5d^6e^7f^6g^2z^2 + 102a^2b \\
& ^3c^6d^5e^3f^4g^4z^2 + 102a^2b^3c^6d^4e^4f^5g^3z^2 + 80a^2b^6c \\
& ^3d^3e^5f^3g^5z^2 + 68a^2b^4c^5d^6e^2f^2g^6z^2 + 68a^2b^4c^5d^ \\
& 2e^6f^6g^2z^2 - 60a^3b^2c^6d^5e^3f^2g^6z^2 + 60a^3b^2c^6d^4e^4 \\
& *f^3g^5z^2 + 60a^3b^2c^6d^3e^5f^4g^4z^2 - 60a^3b^2c^6d^2e^6f^5* \\
& g^3z^2 - 54a^3b^3c^4d^4e^4f^2g^7z^2 - 54a^3b^3c^4d^4e^7f^4g^4z \\
& ^2 - 52a^2b^4c^5d^5e^3f^3g^5z^2 - 52a^2b^4c^5d^3e^5f^5g^3z^2 + \\
& 48a^3b^5c^2d^2e^6f^2g^7z^2 + 48a^3b^5c^2d^2e^7f^2g^6z^2 + 48a^ \\
& 2b^6c^2d^3e^5f^2g^7z^2 + 48a^2b^6c^2d^3e^7f^3g^5z^2 + 44a^4b^3 \\
& *c^3d^2e^6f^2g^7z^2 + 44a^4b^3c^3d^2e^7f^2g^6z^2 - 44a^2b^3c^7d^ \\
& 6e^2f^3g^5z^2 - 44a^2b^3c^7d^3e^5f^6g^2z^2 - 44a^2b^3c^6d^6e^2 \\
& *f^3g^5z^2 - 44a^2b^3c^6d^3e^5f^6g^2z^2 - 32a^2b^5c^4d^4e^4f^3* \\
& g^5z^2 - 32a^2b^5c^4d^3e^5f^4g^4z^2 - 32a^2b^2c^7d^5e^3f^5g^3z \\
& ^2 - 20a^2b^7c^2d^3e^5f^2g^6z^2 - 20a^2b^7c^2d^2e^6f^3g^5z^2 + \\
& 20a^2b^4c^5d^4e^4f^4g^4z^2 - 14a^2b^5c^4d^5e^3f^2g^6z^2 - 14a^2 \\
& b^5c^4d^2e^6f^5g^3z^2 + 4a^2b^5c^3d^4e^4f^2g^7z^2 + 4a^2b^5c^ \\
& ^3d^2e^7f^4g^4z^2 - 4a^2b^4c^4d^5e^3f^2g^7z^2 - 4a^2b^4c^4d^2e^ \\
& 7f^5g^3z^2 + 2a^2b^6c^3d^4e^4f^2g^6z^2 + 2a^2b^6c^3d^2e^6f^4g^ \\
& ^4z^2 - 50a^2b^2c^8d^6e^2f^6g^2z^2 - 32a^2b^4c^6d^5e^3f^5g^3z^2 + \\
& 24a^2b^3c^7d^6e^2f^5g^3z^2 + 24a^2b^3c^7d^5e^3f^6g^2z^2 + 23a^2b^4c^ \\
& 6d^6e^2f^4g^4z^2 + 23a^2b^4c^6d^4e^4f^6g^2z^2 - 11a^2b^6c^4d^6e^2 \\
& *f^2g^6z^2 - 11a^2b^6c^4d^2e^6f^6g^2z^2 + 8a^2b^6c^4d^5e^3f^3g^5z \\
& ^2 + 8a^2b^6c^4d^3e^5f^5g^3z^2 - 8a^2b^5c^5d^5e^3f^4g^4z^2 - 8a^2b^5 \\
& c^5d^4e^4f^5g^3z^2 + 5a^2b^6c^4d^4e^4f^4g^4z^2 - 4a^2b^8c^2d^3e^5 \\
& *f^3g^5z^2 + 4a^2b^7c^3d^5e^3f^2g^6z^2 + 4a^2b^7c^3d^2e^6f^5g^3z^ \\
& 2 - 2a^2b^7c^3d^4e^4f^3g^5z^2 - 2a^2b^7c^3d^3e^5f^4g^4z^2 - 2a^2b^5c \\
& ^5d^6e^2f^3g^5z^2 - 2a^2b^5c^5d^3e^5f^6g^2z^2 + 416a^5c^5d^2e^ \\
& 6f^2g^6z^2 - 392a^4c^6d^3e^5f^3g^5z^2 + 376a^4c^6d^4e^4f^2g^ \\
& ^6z^2 + 376a^4c^6d^2e^6f^4g^4z^2 + 320a^3c^7d^4e^4f^4g^4z^2
\end{aligned}$$

$$\begin{aligned}
& - 280*a^3*c^7*d^5*e^3*f^3*g^5*z^2 - 280*a^3*c^7*d^3*e^5*f^5*g^3*z^2 - 200*a^2*c^8*d^5*e^3*f^5*g^3*z^2 + 160*a^3*c^7*d^6*e^2*f^2*g^6*z^2 + 160*a^3*c^7*d^2*e^6*f^6*g^2*z^2 + 120*a^2*c^8*d^6*e^2*f^4*g^4*z^2 + 120*a^2*c^8*d^4*e^4*f^6*g^2*z^2 - 471*a^4*b^2*c^4*e^8*f^4*g^4*z^2 + 436*a^3*b^4*c^3*e^8*f^4*g^4*z^2 - 310*a^3*b^3*c^4*e^8*f^5*g^3*z^2 - 232*a^5*b^2*c^3*e^8*f^2*g^6*z^2 + 229*a^2*b^4*c^4*e^8*f^6*g^2*z^2 + 216*a^4*b^4*c^2*e^8*f^2*g^6*z^2 - 204*a^4*b^3*c^3*e^8*f^3*g^5*z^2 - 150*a^3*b^2*c^5*e^8*f^6*g^2*z^2 - 91*a^2*b^6*c^2*e^8*f^4*g^4*z^2 - 72*a^3*b^5*c^2*e^8*f^3*g^5*z^2 - 44*a^2*b^5*c^3*e^8*f^5*g^3*z^2 - 471*a^4*b^2*c^4*d^4*e^4*g^8*z^2 + 436*a^3*b^4*c^3*d^4*e^4*g^8*z^2 - 310*a^3*b^3*c^4*d^5*e^3*g^8*z^2 - 232*a^5*b^2*c^3*d^2*e^6*g^8*z^2 + 229*a^2*b^4*c^4*d^6*e^2*g^8*z^2 + 216*a^4*b^4*c^2*d^2*e^6*g^8*z^2 - 204*a^4*b^3*c^3*d^3*e^5*g^8*z^2 - 150*a^3*b^2*c^5*d^6*e^2*g^8*z^2 - 91*a^2*b^6*c^2*d^4*e^4*g^8*z^2 - 72*a^3*b^5*c^2*d^3*e^5*g^8*z^2 - 44*a^2*b^5*c^3*d^5*e^3*g^8*z^2 - 26*b^3*c^7*d^7*e*f^4*g^4*z^2 - 26*b^3*c^7*d^4*e^4*f^7*g*z^2 + 16*b^2*c^8*d^7*e*f^5*g^3*z^2 + 16*b^2*c^8*d^5*e^3*f^7*g*z^2 + 10*b^5*c^5*d^7*e*f^2*g^6*z^2 + 10*b^5*c^5*d^2*e^6*f^7*g*z^2 - 4*b^4*c^6*d^7*e*f^3*g^5*z^2 - 4*b^4*c^6*d^3*e^5*f^7*g*z^2 + 2*b^9*c*d^3*e^5*f^2*g^6*z^2 + 2*b^9*c*d^2*e^6*f^3*g^5*z^2 - 168*a^5*c^5*d^3*e^5*f*g^7*z^2 - 168*a^5*c^5*d*e^7*f^3*g^5*z^2 - 120*a^4*c^6*d^5*e^3*f*g^7*z^2 - 120*a^4*c^6*d*e^7*f^5*g^3*z^2 - 56*a^2*c^8*d^7*e*f^3*g^5*z^2 - 56*a^2*c^8*d^3*e^5*f^7*g*z^2 + 32*a*c^9*d^6*e^2*f^6*g^2*z^2 + 624*a^4*b*c^5*e^8*f^5*g^3*z^2 + 548*a^5*b*c^4*e^8*f^3*g^5*z^2 - 182*a^2*b^3*c^5*e^8*f^7*g*z^2 - 96*a^5*b^3*c^2*e^8*f*g^7*z^2 - 68*a*b^6*c^3*e^8*f^6*g^2*z^2 - 58*a^3*b^6*c*e^8*f^2*g^6*z^2 + 38*a^2*b^7*c*e^8*f^3*g^5*z^2 + 36*a*b^7*c^2*e^8*f^5*g^3*z^2 + 18*a*b^2*c^7*d^8*f^2*g^6*z^2 + 624*a^4*b*c^5*d^5*e^3*g^8*z^2 + 548*a^5*b*c^4*d^3*e^5*g^8*z^2 - 182*a^2*b^3*c^5*d^7*e*g^8*z^2 - 96*a^5*b^3*c^2*d*e^7*g^8*z^2 - 68*a*b^6*c^3*d^6*e^2*g^8*z^2 - 58*a^3*b^6*c*d^2*e^6*g^8*z^2 + 38*a^2*b^7*c*d^3*e^5*g^8*z^2 + 36*a*b^7*c^2*d^5*e^3*g^8*z^2 + 18*a*b^2*c^7*d^2*e^6*f^8*z^2 + 12*b*c^9*d^7*e*f^6*g^2*z^2 + 12*b*c^9*d^6*e^2*f^7*g*z^2 - 72*a^6*c^4*d*e^7*f*g^7*z^2 - 40*a*c^9*d^7*e*f^5*g^3*z^2 - 40*a*c^9*d^5*e^3*f^7*g*z^2 - 24*a^3*c^7*d^7*e*f*g^7*z^2 - 24*a^3*c^7*d*e^7*f^7*g*z^2 - 4*a^2*b^8*d*e^7*f*g^7*z^2 + 2*a*b^9*d^2*e^6*f*g^7*z^2 + 2*a*b^9*d*e^7*f^2*g^6*z^2 + 204*a^3*b*c^6*e^8*f^7*g*z^2 + 128*a^6*b*c^3*e^8*f*g^7*z^2 + 48*a*b^5*c^4*e^8*f^7*g*z^2 + 24*a^4*b^5*c*e^8*f*g^7*z^2 - 48*a*b*c^8*d^8*f^3*g^5*z^2 - 36*a^2*b*c^7*d^8*f*g^7*z^2 + 6*a*b^3*c^6*d^8*f*g^7*z^2 + 204*a^3*b*c^6*d^7*e*g^8*z^2 + 128*a^6*b*c^3*d*e^7*g^8*z^2 + 48*a*b^5*c^4*d^7*e*g^8*z^2 + 24*a^4*b^5*c*d*e^7*g^8*z^2 - 48*a*b*c^8*d^3*e^5*f^8*z^2 - 36*a^2*b*c^7*d*e^7*f^8*z^2 + 6*a*b^3*c^6*d*e^7*f^8*z^2 - b^8*c^2*d^4*e^4*f^2*g^6*z^2 - b^8*c^2*d^2*e^6*f^4*g^4*z^2 - 4*b^9*c*e^8*f^5*g^3*z^2 - 4*b^7*c^3*e^8*f^7*g*z^2 - 12*b*c^9*d^8*f^5*g^3*z^2 + 24*a*c^9*d^8*f^4*g^4*z^2 - 4*b^9*c*d^5*e^3*g^8*z^2 - 4*b^7*c^3*d^7*e*g^8*z^2 - 4*a*b^9*e^8*f^3*g^5*z^2 - 2*a^3*b^7*e^8*f*g^7*z^2 - 12*b*c^9*d^5*e^3*f^8*z^2 + 24*a*c^9*d^4*e^4*f^8*z^2 - 4*a*b^9*d^3*e^5*g^8*z^2 - 2*a^3*b^7*d*e^7*g^8*z^2 - 12*a^5*b^4*c*e^8*g^8*z^2 - 12*a*b^4*c^5*d^8*g^8*z^2 - 8*c^10*d^7*e*f^7*g*z^2 + 6*b^8*c^2*e^8*f^6*g^2*z^2 - 232*a^5*c^5*e^8*f^4*g^4*z^2 - 188*a^4*c^6*e^8*f^6*g^2*z^2 - 92*a^6*c^4*e^8*f^2*g^6*z^2 + 9*b^2*c^
\end{aligned}$$

$$\begin{aligned}
& 8*d^8*f^4*g^4*z^2 - 3*b^4*c^6*d^8*f^2*g^6*z^2 + 2*b^3*c^7*d^8*f^3*g^5*z^2 + \\
& 36*a^2*c^8*d^8*f^2*g^6*z^2 + 6*b^8*c^2*d^6*e^2*g^8*z^2 + 5*a^2*b^8*e^8*f^2 \\
& *g^6*z^2 - 232*a^5*c^5*d^4*e^4*g^8*z^2 - 188*a^4*c^6*d^6*e^2*g^8*z^2 - 92*a \\
& ^6*c^4*d^2*e^6*g^8*z^2 + 9*b^2*c^8*d^4*e^4*f^8*z^2 - 3*b^4*c^6*d^2*e^6*f^8* \\
& z^2 + 2*b^3*c^7*d^3*e^5*f^8*z^2 + 36*a^2*c^8*d^2*e^6*f^8*z^2 + 5*a^2*b^8*d^ \\
& 2*e^6*g^8*z^2 + 48*a^6*b^2*c^2*e^8*g^8*z^2 + 45*a^2*b^2*c^6*e^8*f^8*z^2 + 4 \\
& 5*a^2*b^2*c^6*d^8*g^8*z^2 + 4*c^10*d^8*f^6*g^2*z^2 + b^10*e^8*f^4*g^4*z^2 + \\
& 4*c^10*d^6*e^2*f^8*z^2 + b^10*d^4*e^4*g^8*z^2 - 64*a^7*c^3*e^8*g^8*z^2 + b \\
& ^6*c^4*e^8*f^8*z^2 + b^6*c^4*d^8*g^8*z^2 - 48*a^3*c^7*e^8*f^8*z^2 - 48*a^3*c \\
& ^7*d^8*g^8*z^2 + a^4*b^6*e^8*g^8*z^2 - b^10*d^2*e^6*f^2*g^6*z^2 + 108*a^2*b \\
& ^2*c^4*d^2*e^5*f*g^6*z + 108*a^2*b^2*c^4*d*e^6*f^2*g^5*z + 60*a*b^2*c^5*d^ \\
& 3*e^4*f^2*g^5*z + 60*a*b^2*c^5*d^2*e^5*f^3*g^4*z - 48*a^2*b*c^5*d^2*e^5*f^2 \\
& *g^5*z - 44*a*b^3*c^4*d^2*e^5*f^2*g^5*z - 120*a^2*b*c^5*d^3*e^4*f*g^6*z - 1 \\
& 20*a^2*b*c^5*d*e^6*f^3*g^4*z - 96*a*b*c^6*d^3*e^4*f^3*g^4*z - 64*a^2*b^3*c^ \\
& 3*d*e^6*f*g^6*z + 32*a*b^3*c^4*d^3*e^4*f*g^6*z + 32*a*b^3*c^4*d*e^6*f^3*g^4 \\
& *z - 28*a*b^4*c^3*d^2*e^5*f*g^6*z - 28*a*b^4*c^3*d*e^6*f^2*g^5*z - 18*a*b^2 \\
& *c^5*d^4*e^3*f*g^6*z - 18*a*b^2*c^5*d*e^6*f^4*g^3*z + 4*a*b*c^6*d^4*e^3*f^2 \\
& *g^5*z + 4*a*b*c^6*d^2*e^5*f^4*g^3*z + 24*a*b^5*c^2*d*e^6*f*g^6*z - 16*a^3*b \\
& *c^4*d*e^6*f*g^6*z - 8*a*b*c^6*d^5*e^2*f*g^6*z - 8*a*b*c^6*d*e^6*f^5*g^2*z \\
& - 13*b^2*c^6*d^6*e*f*g^6*z - 13*b^2*c^6*d*e^6*f^6*g*z + 8*b*c^7*d^6*e*f^2* \\
& g^5*z + 8*b*c^7*d^2*e^5*f^6*g*z + 9*b^2*c^6*d^4*e^3*f^3*g^4*z + 9*b^2*c^6*d \\
& ^3*e^4*f^4*g^3*z + 8*b^5*c^3*d^2*e^5*f^2*g^5*z - 6*b^4*c^4*d^3*e^4*f^2*g^5* \\
& z - 6*b^4*c^4*d^2*e^5*f^3*g^4*z - 6*b^3*c^5*d^4*e^3*f^2*g^5*z - 6*b^3*c^5*d \\
& ^2*e^5*f^4*g^3*z + 4*b^3*c^5*d^3*e^4*f^3*g^4*z + b^2*c^6*d^5*e^2*f^2*g^5*z \\
& + b^2*c^6*d^2*e^5*f^5*g^2*z + 16*a^2*c^6*d^3*e^4*f^2*g^5*z + 16*a^2*c^6*d^2 \\
& *e^5*f^3*g^4*z - 112*a^2*b^3*c^3*e^7*f^2*g^5*z - 12*a^2*b^2*c^4*e^7*f^3*g^4 \\
& *z - 112*a^2*b^3*c^3*d^2*e^5*g^7*z - 12*a^2*b^2*c^4*d^3*e^4*g^7*z - 2*b^7*c \\
& *d*e^6*f*g^6*z + 8*a*c^7*d^6*e*f*g^6*z + 8*a*c^7*d*e^6*f^6*g*z + 52*a*b*c^6 \\
& *e^7*f^6*g*z - 10*a*b^6*c*e^7*f*g^6*z + 52*a*b*c^6*d^6*e*g^7*z - 10*a*b^6*c \\
& *d*e^6*g^7*z + 14*b^3*c^5*d^5*e^2*f*g^6*z + 14*b^3*c^5*d*e^6*f^5*g^2*z - 12 \\
& *b*c^7*d^5*e^2*f^3*g^4*z - 12*b*c^7*d^3*e^4*f^5*g^2*z - 5*b^4*c^4*d^4*e^3*f \\
& *g^6*z - 5*b^4*c^4*d*e^6*f^4*g^3*z + b^6*c^2*d^2*e^5*f*g^6*z + b^6*c^2*d*e^ \\
& 6*f^2*g^5*z + 52*a^2*c^6*d^4*e^3*f*g^6*z + 52*a^2*c^6*d*e^6*f^4*g^3*z + 24* \\
& a*c^7*d^4*e^3*f^3*g^4*z + 24*a*c^7*d^3*e^4*f^4*g^3*z - 16*a*c^7*d^5*e^2*f^2 \\
& *g^5*z - 16*a*c^7*d^2*e^5*f^5*g^2*z + 8*a^3*c^5*d^2*e^5*f*g^6*z + 8*a^3*c^5 \\
& *d*e^6*f^2*g^5*z + 200*a^3*b*c^4*e^7*f^2*g^5*z + 144*a^2*b*c^5*e^7*f^4*g^3* \\
& z - 42*a*b^2*c^5*e^7*f^5*g^2*z + 32*a^3*b^2*c^3*e^7*f*g^6*z + 24*a^2*b^4*c^ \\
& 2*e^7*f*g^6*z + 24*a*b^5*c^2*e^7*f^2*g^5*z - 10*a*b^3*c^4*e^7*f^4*g^3*z + 4 \\
& *a*b^4*c^3*e^7*f^3*g^4*z + 200*a^3*b*c^4*d^2*e^5*g^7*z + 144*a^2*b*c^5*d^4* \\
& e^3*g^7*z - 42*a*b^2*c^5*d^5*e^2*g^7*z + 32*a^3*b^2*c^3*d*e^6*g^7*z + 24*a^ \\
& 2*b^4*c^2*d*e^6*g^7*z + 24*a*b^5*c^2*d^2*e^5*g^7*z - 10*a*b^3*c^4*d^4*e^3*g \\
& ^7*z + 4*a*b^4*c^3*d^3*e^4*g^7*z + 4*b*c^7*d^7*f*g^6*z + 4*b*c^7*d*e^6*f^7* \\
& z + 11*b^4*c^4*e^7*f^5*g^2*z - 4*b^5*c^3*e^7*f^4*g^3*z + b^6*c^2*e^7*f^3*g^ \\
& 4*z - 136*a^3*c^5*e^7*f^3*g^4*z - 68*a^2*c^6*e^7*f^5*g^2*z + 11*b^4*c^4*d^5 \\
& *e^2*g^7*z - 4*b^5*c^3*d^4*e^3*g^7*z + b^6*c^2*d^3*e^4*g^7*z - 136*a^3*c^5*
\end{aligned}$$

$$\begin{aligned}
& d^3 e^4 g^7 z - 68 a^2 c^6 d^5 e^2 g^7 z - 96 a^3 b^3 c^2 e^7 g^7 z + 4 c^8 \\
& * d^6 e f^3 g^4 z + 4 c^8 d^3 e^4 f^6 g z - 10 b^3 c^5 e^7 f^6 g z - 2 b^7 c \\
& * e^7 f^2 g^5 z - 128 a^4 c^4 e^7 f g^6 z - 10 b^3 c^5 d^6 e g^7 z - 2 b^7 c \\
& * d^2 e^5 g^7 z - 128 a^4 c^4 d e^6 g^7 z + 128 a^4 b c^3 e^7 g^7 z + 24 a^2 \\
& * b^5 c e^7 g^7 z - 4 c^8 d^7 f^2 g^5 z - 4 c^8 d^2 e^5 f^7 z + 3 b^2 c^6 e^7 \\
& * f^7 z + 3 b^2 c^6 d^7 g^7 z + b^8 e^7 f g^6 z + b^8 d e^6 g^7 z - 16 a c^7 \\
& * e^7 f^7 z - 16 a c^7 d^7 g^7 z - 2 a b^7 e^7 g^7 z - 8 a c^5 d e^5 f g^5 \\
& + 20 a b c^4 e^6 f g^5 + 20 a b c^4 d e^5 g^6 + 4 b c^5 d^2 e^4 f g^5 + 4 b \\
& * c^5 d e^5 f^2 g^4 - 2 b^2 c^4 d e^5 f g^5 - 4 b^3 c^3 e^6 f g^5 - 16 a c^5 \\
& * e^6 f^2 g^4 - 4 b^3 c^3 d e^5 g^6 - 16 a c^5 d^2 e^4 g^6 + 8 a b^2 c^3 e^6 \\
& * g^6 - 4 c^6 d^2 e^4 f^2 g^4 + 3 b^2 c^4 e^6 f^2 g^4 + 3 b^2 c^4 d^2 e^4 g^6 \\
& - 36 a^2 c^4 e^6 g^6, z, k), k, 1, 4)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x\*\*2+b\*x+a)\*\*2,x)

[Out] Timed out



$$3.562 \quad \int \frac{(d+ex)^3(a+bx+cx^2)}{\sqrt{f+gx}} dx$$

**Optimal.** Leaf size=287

$$\frac{2e(f+gx)^{7/2}(eg(-aeg-3bdg+4bef)-c(3d^2g^2-12defg+10e^2f^2))}{7g^6} + \frac{2(f+gx)^{5/2}(ef-dg)(3eg(-aeg-bd$$

**Rubi [A]** time = 0.50, antiderivative size = 287, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {897, 1153}

$$\frac{2e(f+gx)^{7/2}(eg(-aeg-3bdg+4bef)-c(3d^2g^2-12defg+10e^2f^2))}{7g^6}, \frac{2(f+gx)^{5/2}(ef-dg)(3eg(-aeg-bdg+2bef)-c(d^2g^2-8defg+10e^2f^2))}{5g^6}, \frac{2\sqrt{f+gx}(ef-dg)(eg^2-bfg+cf^2)}{g^6}, \frac{2(f+gx)^{3/2}(ef-dg)(cf(5cf-2dg)-g(-3aeg-bdg+4bef))}{3g^6}, \frac{2e^2(f+gx)^{9/2}(-3bdg+5cf)}{9g^6}, \frac{2e^2(f+gx)^{11/2}}{11g^6}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (-2\*(e\*f - d\*g)^3\*(c\*f^2 - b\*f\*g + a\*g^2)\*Sqrt[f + g\*x])/g^6 + (2\*(e\*f - d\*g)^2\*(c\*f\*(5\*e\*f - 2\*d\*g) - g\*(4\*b\*e\*f - b\*d\*g - 3\*a\*e\*g))\*(f + g\*x)^(3/2))/(3\*g^6) + (2\*(e\*f - d\*g)\*(3\*e\*g\*(2\*b\*e\*f - b\*d\*g - a\*e\*g) - c\*(10\*e^2\*f^2 - 8\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^(5/2))/(5\*g^6) - (2\*e\*(e\*g\*(4\*b\*e\*f - 3\*b\*d\*g - a\*e\*g) - c\*(10\*e^2\*f^2 - 12\*d\*e\*f\*g + 3\*d^2\*g^2))\*(f + g\*x)^(7/2))/(7\*g^6) - (2\*e^2\*(5\*c\*e\*f - 3\*c\*d\*g - b\*e\*g)\*(f + g\*x)^(9/2))/(9\*g^6) + (2\*c\*e^3\*(f + g\*x)^(11/2))/(11\*g^6)

### Rule 897

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1153

Int[((d\_.) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_.) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\int \frac{(d+ex)^3(a+bx+cx^2)}{\sqrt{f+gx}} dx = \frac{2 \operatorname{Subst}\left(\int \left(\frac{-ef+dg}{g} + \frac{ex^2}{g}\right)^3 \left(\frac{cf^2-bfg+ag^2}{g^2} - \frac{(2cf-bg)x^2}{g^2} + \frac{cx^4}{g^2}\right) dx, x, \sqrt{f+gx}\right)}{g}$$

$$= \frac{2 \operatorname{Subst}\left(\int \left(\frac{(-ef+dg)^3(cf^2-bfg+ag^2)}{g^5} + \frac{(ef-dg)^2(cf(5ef-2dg)-g(4bef-bdg-3aeg))x^2}{g^5} + \frac{(ef-dg)(cf^2-bfg+ag^2)x^4}{g^5}\right) dx, x, \sqrt{f+gx}\right)}{g^5}$$

$$= -\frac{2(ef-dg)^3(cf^2-bfg+ag^2)\sqrt{f+gx}}{g^6} + \frac{2(ef-dg)^2(cf(5ef-2dg)-g(4bef-bdg-3aeg))x^2}{3g^6} + \frac{(ef-dg)(cf^2-bfg+ag^2)x^4}{3g^6}$$

**Mathematica [A]** time = 0.41, size = 249, normalized size = 0.87

$$\frac{2\sqrt{f+gx}(-495e(f+gx)^3(-3af^2c^2+12dfg-10d^2f^2)-eg(aeg+3bdg-4bef))+693(f+gx)^2(cf-dg)(-3eg(aeg+bdg-2bf)-c(d^2c^2-8dfg+10d^2f^2))-3465(ef-dg)^3(g(aeg-bf)+cf^2)+1155(f+gx)(ef-dg)^2(g(3aeg+bdg-4bf)+cf(5ef-2dg))-385d^2(f+gx)(-bfg-3adg+5ef)+315c^2(f+gx)^2)}{3465g^6}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(-3465\*(e\*f - d\*g)^3\*(c\*f^2 + g\*(-(b\*f) + a\*g)) + 1155\*(e\*f - d\*g)^2\*(c\*f\*(5\*e\*f - 2\*d\*g) + g\*(-4\*b\*e\*f + b\*d\*g + 3\*a\*e\*g))\*(f + g\*x) + 693\*(e\*f - d\*g)\*(-3\*e\*g\*(-2\*b\*e\*f + b\*d\*g + a\*e\*g) - c\*(10\*e^2\*f^2 - 8\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^2 - 495\*e\*(-(e\*g\*(-4\*b\*e\*f + 3\*b\*d\*g + a\*e\*g)) + c\*(-10\*e^2\*f^2 + 12\*d\*e\*f\*g - 3\*d^2\*g^2))\*(f + g\*x)^3 - 385\*e^2\*(5\*c\*e\*f - 3\*c\*d\*g - b\*e\*g)\*(f + g\*x)^4 + 315\*c\*e^3\*(f + g\*x)^5)/(3465\*g^6)

**IntegrateAlgebraic [B]** time = 0.35, size = 634, normalized size = 2.21

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(-3465\*c\*e^3\*f^5 + 10395\*c\*d\*e^2\*f^4\*g + 3465\*b\*e^3\*f^4\*g - 10395\*c\*d^2\*e\*f^3\*g^2 - 10395\*b\*d\*e^2\*f^3\*g^2 - 3465\*a\*e^3\*f^3\*g^2 + 3465\*c\*d^3\*f^2\*g^3 + 10395\*b\*d^2\*e\*f^2\*g^3 + 10395\*a\*d\*e^2\*f^2\*g^3 - 3465\*b\*d^3\*f\*g^4 - 10395\*a\*d^2\*e\*f\*g^4 + 3465\*a\*d^3\*g^5 + 5775\*c\*e^3\*f^4\*(f + g\*x) - 13860\*c\*d\*e^2\*f^3\*g\*(f + g\*x) - 4620\*b\*e^3\*f^3\*g\*(f + g\*x) + 10395\*c\*d^2\*e\*f^2\*g^2\*(f + g\*x) + 10395\*b\*d\*e^2\*f^2\*g^2\*(f + g\*x) + 3465\*a\*e^3\*f^2\*g^2\*(f + g\*x) - 2310\*c\*d^3\*f\*g^3\*(f + g\*x) - 6930\*b\*d^2\*e\*f\*g^3\*(f + g\*x) - 6930\*a\*d\*e^2\*f\*g^3\*(f + g\*x) + 1155\*b\*d^3\*g^4\*(f + g\*x) + 3465\*a\*d^2\*e\*g^4\*(f + g\*x) - 6930\*c\*e^3\*f^3\*(f + g\*x)^2 + 12474\*c\*d\*e^2\*f^2\*g\*(f + g\*x)^2 + 4158\*c\*d^2\*e\*f^2\*(f + g\*x)^3 + 1155\*c\*d^3\*f\*(f + g\*x)^4 + 315\*c\*d^4\*(f + g\*x)^5)/(3465\*g^6)



$$f + 378*(g*x + f)^{(5/2)}*f^2 - 420*(g*x + f)^{(3/2)}*f^3 + 315*\sqrt{g*x + f}*f^4*b*e^3/g^4 + 5*(63*(g*x + f)^{(11/2)} - 385*(g*x + f)^{(9/2)}*f + 990*(g*x + f)^{(7/2)}*f^2 - 1386*(g*x + f)^{(5/2)}*f^3 + 1155*(g*x + f)^{(3/2)}*f^4 - 693*\sqrt{g*x + f}*f^5)*c*e^3/g^5/g$$

**maple [B]** time = 0.01, size = 540, normalized size = 1.88

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^3*(c*x^2+b*x+a)/(g*x+f)^{(1/2)}, x)$

[Out]  $2/3465*(g*x+f)^{(1/2)}*(315*c*e^3*g^5*x^5+385*b*e^3*g^5*x^4+1155*c*d*e^2*g^5*x^4-350*c*e^3*f*g^4*x^4+495*a*e^3*g^5*x^3+1485*b*d*e^2*g^5*x^3-440*b*e^3*f*g^4*x^3+1485*c*d^2*e*g^5*x^3-1320*c*d*e^2*f*g^4*x^3+400*c*e^3*f^2*g^3*x^3+2079*a*d*e^2*g^5*x^2-594*a*e^3*f*g^4*x^2+2079*b*d^2*e*g^5*x^2-1782*b*d*e^2*f*g^4*x^2+528*b*e^3*f^2*g^3*x^2+693*c*d^3*g^5*x^2-1782*c*d^2*e*f*g^4*x^2+1584*c*d*e^2*f^2*g^3*x^2-480*c*e^3*f^3*g^2*x^2+3465*a*d^2*e*g^5*x-2772*a*d*e^2*f*g^4*x+792*a*e^3*f^2*g^3*x+1155*b*d^3*g^5*x-2772*b*d^2*e*f*g^4*x+2376*b*d*e^2*f^2*g^3*x-704*b*e^3*f^3*g^2*x-924*c*d^3*f*g^4*x+2376*c*d^2*e*f^2*g^3*x-2112*c*d*e^2*f^3*g^2*x+640*c*e^3*f^4*g*x+3465*a*d^3*g^5-6930*a*d^2*e*f*g^4+5544*a*d*e^2*f^2*g^3-1584*a*e^3*f^3*g^2-2310*b*d^3*f*g^4+5544*b*d^2*e*f^2*g^3-4752*b*d*e^2*f^3*g^2+1408*b*e^3*f^4*g+1848*c*d^3*f^2*g^3-4752*c*d^2*e*f^3*g^2+4224*c*d*e^2*f^4*g-1280*c*e^3*f^5)/g^6$

**maxima [A]** time = 0.46, size = 429, normalized size = 1.49

$$\frac{2(3465(f+d)^3(e^3c^2+e^3b^2+e^3a^2)(g^5x^5+g^5x^4+g^5x^3+g^5x^2+g^5x+g^5)-350c^2e^3fg^4x^4+495a^2e^3g^5x^3+1485bd^2e^2g^5x^3-440b^2e^3fg^4x^3+1485cd^2e^2g^5x^3-1320cd^2e^2fg^4x^3+400c^2e^3f^2g^3x^3+2079ad^2e^2g^5x^2-594a^2e^3fg^4x^2+2079bd^2e^2g^5x^2-1782bd^2e^2fg^4x^2+528b^2e^3f^2g^3x^2+693c^2d^3g^5x^2-1782c^2d^2e^2fg^4x^2+1584cd^2e^2f^2g^3x^2-480c^2e^3f^3g^2x^2+3465ad^2e^2g^5x-2772ad^2e^2fg^4x+792a^2e^3f^2g^3x+1155bd^3g^5x-2772bd^2e^2fg^4x+2376bd^2e^2f^2g^3x-704b^2e^3f^3g^2x-924cd^3fg^4x+2376cd^2e^2f^2g^3x-2112cd^2e^2f^3g^2x+640c^2e^3f^4g+1848cd^3f^2g^3-4752cd^2e^2f^3g^2+4224cd^2e^2f^4g-1280c^2e^3f^5)}{g^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)^3*(c*x^2+b*x+a)/(g*x+f)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out]  $2/3465*(315*(g*x + f)^{(11/2)}*c*e^3 - 385*(5*c*e^3*f - (3*c*d*e^2 + b*e^3)*g)*(g*x + f)^{(9/2)} + 495*(10*c*e^3*f^2 - 4*(3*c*d*e^2 + b*e^3)*f*g + (3*c*d^2*e + 3*b*d*e^2 + a*e^3)*g^2)*(g*x + f)^{(7/2)} - 693*(10*c*e^3*f^3 - 6*(3*c*d*e^2 + b*e^3)*f^2*g + 3*(3*c*d^2*e + 3*b*d*e^2 + a*e^3)*f*g^2 - (c*d^3 + 3*b*d^2*e + 3*a*d*e^2)*g^3)*(g*x + f)^{(5/2)} + 1155*(5*c*e^3*f^4 - 4*(3*c*d*e^2 + b*e^3)*f^3*g + 3*(3*c*d^2*e + 3*b*d*e^2 + a*e^3)*f^2*g^2 - 2*(c*d^3 + 3*b*d^2*e + 3*a*d*e^2)*f*g^3 + (b*d^3 + 3*a*d^2*e)*g^4)*(g*x + f)^{(3/2)} - 3465*(c*e^3*f^5 - a*d^3*g^5 - (3*c*d*e^2 + b*e^3)*f^4*g + (3*c*d^2*e + 3*b*d*e^2 + a*e^3)*f^3*g^2 - (c*d^3 + 3*b*d^2*e + 3*a*d*e^2)*f^2*g^3 + (b*d^3 + 3*a*d^2*e)*f*g^4)*\sqrt{g*x + f})/g^6$

**mupad [B]** time = 0.15, size = 283, normalized size = 0.99

$$\frac{(f+g)^{11/2}(2b^2g-10c^2f+6cd^2g)}{9g^6} + \frac{(f+g)^{9/2}(6cd^2fg+6bd^2g^2+20c^2f^2-8bd^2fg+2a^2g^2)}{7g^6} + \frac{2(f+g)^{7/2}(dg-cf)(cd^2g-8cd^2fg+3bd^2g^2+10c^2f^2-6bd^2fg+3a^2g^2)}{5g^6} + \frac{2\sqrt{f+g}(dg-cf)(f^2-bfg+ag^2)}{g^6} + \frac{2(f+g)^{5/2}(dg-cf)(3ag^2+bdg^2+5cf^2-4bfg-2cdfg)}{3g^6} + \frac{2c^2(f+g)^{3/2}}{11g^6}$$



```

g*x)**(7/2)/7)/g**4 - 6*c*d*e**2*(-f**5/sqrt(f + g*x) - 5*f**4*sqrt(f + g*
x) + 10*f**3*(f + g*x)**(3/2)/3 - 2*f**2*(f + g*x)**(5/2) + 5*f*(f + g*x)**
(7/2)/7 - (f + g*x)**(9/2)/9)/g**4 - 2*c*e**3*f*(-f**5/sqrt(f + g*x) - 5*f*
*4*sqrt(f + g*x) + 10*f**3*(f + g*x)**(3/2)/3 - 2*f**2*(f + g*x)**(5/2) + 5
*f*(f + g*x)**(7/2)/7 - (f + g*x)**(9/2)/9)/g**5 - 2*c*e**3*(f**6/sqrt(f +
g*x) + 6*f**5*sqrt(f + g*x) - 5*f**4*(f + g*x)**(3/2) + 4*f**3*(f + g*x)**(
5/2) - 15*f**2*(f + g*x)**(7/2)/7 + 2*f*(f + g*x)**(9/2)/3 - (f + g*x)**(11
/2)/11)/g**5)/g, Ne(g, 0)), ((a*d**3*x + c*e**3*x**6/6 + x**5*(b*e**3 + 3*c
*d*e**2)/5 + x**4*(a*e**3 + 3*b*d*e**2 + 3*c*d**2*e)/4 + x**3*(3*a*d*e**2 +
3*b*d**2*e + c*d**3)/3 + x**2*(3*a*d**2*e + b*d**3)/2)/sqrt(f), True))

```

$$3.563 \quad \int \frac{(d+ex)^2(a+bx+cx^2)}{\sqrt{f+gx}} dx$$

**Optimal.** Leaf size=212

$$\frac{2(f+gx)^{5/2}(eg(-aeg-2bdg+3bef)-c(d^2g^2-6defg+6e^2f^2))}{5g^5} + \frac{2\sqrt{f+gx}(ef-dg)^2(ag^2-bfg+cf^2)}{g^5}$$

**Rubi [A]** time = 0.34, antiderivative size = 212, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {897, 1153}

$$\frac{2(f+gx)^{5/2}(eg(-aeg-2bdg+3bef)-c(d^2g^2-6defg+6e^2f^2))}{5g^5} + \frac{2\sqrt{f+gx}(ef-dg)^2(ag^2-bfg+cf^2)}{g^5} - \frac{2(f+gx)^{3/2}(ef-dg)(2cf(2ef-dg)-g(-2aeg-bdg+3bef))}{3g^5} - \frac{2(f+gx)^{7/2}(-beg-2cdg+4cef)}{7g^5} + \frac{2ce^2(f+gx)^{9/2}}{9g^5}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^2\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*(e\*f - d\*g)^2\*(c\*f^2 - b\*f\*g + a\*g^2)\*Sqrt[f + g\*x])/g^5 - (2\*(e\*f - d\*g)\*(2\*c\*f\*(2\*e\*f - d\*g) - g\*(3\*b\*e\*f - b\*d\*g - 2\*a\*e\*g))\*(f + g\*x)^(3/2))/(3\*g^5) - (2\*(e\*g\*(3\*b\*e\*f - 2\*b\*d\*g - a\*e\*g) - c\*(6\*e^2\*f^2 - 6\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^(5/2))/(5\*g^5) - (2\*e\*(4\*c\*e\*f - 2\*c\*d\*g - b\*e\*g)\*(f + g\*x)^(7/2))/(7\*g^5) + (2\*c\*e^2\*(f + g\*x)^(9/2))/(9\*g^5)

**Rule 897**

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

**Rule 1153**

Int[((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

**Rubi steps**

$$\int \frac{(d+ex)^2(a+bx+cx^2)}{\sqrt{f+gx}} dx = \frac{2 \operatorname{Subst}\left(\int \left(\frac{-ef+dg}{g} + \frac{ex^2}{g}\right)^2 \left(\frac{cf^2-bfg+ag^2}{g^2} - \frac{(2cf-bg)x^2}{g^2} + \frac{cx^4}{g^2}\right) dx, x, \sqrt{f+gx}\right)}{g}$$

$$= \frac{2 \operatorname{Subst}\left(\int \left(\frac{(-ef+dg)^2(cf^2-bfg+ag^2)}{g^4} + \frac{(ef-dg)(-2cf(2ef-dg)+g(3bef-bdg-2aeg))x^2}{g^4} + \frac{(-eg(3bef-bdg)+g^2c^2)x^4}{g^4}\right) dx, x, \sqrt{f+gx}\right)}{g}$$

$$= \frac{2(ef-dg)^2(cf^2-bfg+ag^2)\sqrt{f+gx}}{g^5} - \frac{2(ef-dg)(2cf(2ef-dg)-g(3bef-bdg)+g^2c^2)(f+gx)^{3/2}}{3g^5}$$

**Mathematica [A]** time = 0.34, size = 184, normalized size = 0.87

$$\frac{2\sqrt{f+gx}(-63(f+gx)^2(-eg(aeg+2bdg-3bef)-c(d^2g^2-6defg+6e^2f^2))+315(ef-dg)^2(g(ag-bf)+cf^2)-105(f+gx)(ef-dg)(g(2aeg+bdg-3bef)+2cf(2ef-dg))-45e(f+gx)^3(-beg-2cdg+4cef)+35ce^2(f+gx)^4)}{315g^5}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^2\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(315\*(e\*f - d\*g)^2\*(c\*f^2 + g\*(-(b\*f) + a\*g)) - 105\*(e\*f - d\*g)\*(2\*c\*f\*(2\*e\*f - d\*g) + g\*(-3\*b\*e\*f + b\*d\*g + 2\*a\*e\*g))\*(f + g\*x) - 63\*(-(e\*g\*(-3\*b\*e\*f + 2\*b\*d\*g + a\*e\*g)) - c\*(6\*e^2\*f^2 - 6\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^2 - 45\*e\*(4\*c\*e\*f - 2\*c\*d\*g - b\*e\*g)\*(f + g\*x)^3 + 35\*c\*e^2\*(f + g\*x)^4))/(315\*g^5)

**IntegrateAlgebraic [A]** time = 0.21, size = 368, normalized size = 1.74

$$\frac{2\sqrt{f+gx}(315a^2e^2f^4+630abcd^2ef^3+315b^2e^2f^3g+315c^2d^2ef^2g^2+630b^2d^2ef^2g^2+315a^2e^2f^2g^2-315b^2d^2efg^3-630a^2d^2efg^3+315a^2d^2g^4-420c^2e^2f^3(f+gx)+630c^2d^2ef^2g*(f+gx)+315b^2e^2f^2g*(f+gx)-210c^2d^2efg^2*(f+gx)-420b^2d^2efg^2*(f+gx)-210a^2e^2f^2g^2*(f+gx)+105b^2d^2g^3*(f+gx)+210a^2d^2eg^3*(f+gx)+378c^2e^2f^2*(f+gx)^2-378c^2d^2efg*(f+gx)^2-189b^2e^2f^2g*(f+gx)^2+63c^2d^2g^2*(f+gx)^2+126b^2d^2eg^2*(f+gx)^2+63a^2e^2g^2*(f+gx)^2-180c^2e^2f*(f+gx)^3+90c^2d^2eg*(f+gx)^3+45b^2e^2g*(f+gx)^3+35c^2e^2*(f+gx)^4))/(315g^5)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^2\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(315\*c\*e^2\*f^4 - 630\*c\*d\*e\*f^3\*g - 315\*b\*e^2\*f^3\*g + 315\*c\*d^2\*f^2\*g^2 + 630\*b\*d\*e\*f^2\*g^2 + 315\*a\*e^2\*f^2\*g^2 - 315\*b\*d^2\*f\*g^3 - 630\*a\*d^2\*f\*g^3 + 315\*a\*d^2\*g^4 - 420\*c\*e^2\*f^3\*(f + g\*x) + 630\*c\*d^2\*ef^2\*g\*(f + g\*x) + 315\*b^2\*e^2\*f^2\*g\*(f + g\*x) - 210\*c^2\*d^2\*efg^2\*(f + g\*x) - 420\*b^2\*d^2\*efg^2\*(f + g\*x) - 210\*a^2\*e^2\*f^2\*g^2\*(f + g\*x) + 105\*b^2\*d^2\*g^3\*(f + g\*x) + 210\*a^2\*d^2\*eg^3\*(f + g\*x) + 378\*c^2\*e^2\*f^2\*(f + g\*x)^2 - 378\*c^2\*d^2\*efg\*(f + g\*x)^2 - 189\*b^2\*e^2\*f^2\*g\*(f + g\*x)^2 + 63\*c^2\*d^2\*g^2\*(f + g\*x)^2 + 126\*b^2\*d^2\*eg^2\*(f + g\*x)^2 + 63\*a^2\*e^2\*g^2\*(f + g\*x)^2 - 180\*c^2\*e^2\*f\*(f + g\*x)^3 + 90\*c^2\*d^2\*eg\*(f + g\*x)^3 + 45\*b^2\*e^2\*g\*(f + g\*x)^3 + 35\*c^2\*e^2\*(f + g\*x)^4))/(315\*g^5)



**fricas** [A] time = 0.54, size = 260, normalized size = 1.23

$$\frac{2(35c^2d^2e^4 + 128c^2d^2e^3 + 315ad^2e^4 - 144(2cde + b^2e^2)f^2g + 168(a^2 + 2bde + ad^2)f^2g^2 - 210(bd^2 + 2ade)f^2g^3 - 5(8c^2d^2e^3 - 9(2cde + b^2e^2)g^2) + 3(16c^2d^2e^2 - 18(2cde + b^2e^2)f^2g + 21(a^2 + 2bde + ad^2)g^2) - (64c^2d^2e^2 - 72(2cde + b^2e^2)f^2g + 84(a^2 + 2bde + ad^2)f^2g^2 - 105(bd^2 + 2ade)g^2) \sqrt{gx+f}}{315g^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] 2/315\*(35\*c\*e^2\*g^4\*x^4 + 128\*c\*e^2\*f^4 + 315\*a\*d^2\*g^4 - 144\*(2\*c\*d\*e + b\*e^2)\*f^3\*g + 168\*(c\*d^2 + 2\*b\*d\*e + a\*e^2)\*f^2\*g^2 - 210\*(b\*d^2 + 2\*a\*d\*e)\*f\*g^3 - 5\*(8\*c\*e^2\*f\*g^3 - 9\*(2\*c\*d\*e + b\*e^2)\*g^4)\*x^3 + 3\*(16\*c\*e^2\*f^2\*g^2 - 18\*(2\*c\*d\*e + b\*e^2)\*f\*g^3 + 21\*(c\*d^2 + 2\*b\*d\*e + a\*e^2)\*g^4)\*x^2 - (64\*c\*e^2\*f^3\*g - 72\*(2\*c\*d\*e + b\*e^2)\*f^2\*g^2 + 84\*(c\*d^2 + 2\*b\*d\*e + a\*e^2)\*f\*g^3 - 105\*(b\*d^2 + 2\*a\*d\*e)\*g^4)\*x)\*sqrt(g\*x + f)/g^5

**giac** [A] time = 0.23, size = 363, normalized size = 1.71

$$\frac{2 \left( \frac{315 \sqrt{gx+f}}{g^5} + \frac{20 \sqrt{(gx+f)^2 + 4 \sqrt{77} f}}{g^4} + \frac{20 \sqrt{(gx+f)^2 + 4 \sqrt{77} f}}{g^4} + \frac{2 \sqrt{(gx+f)^2 + 20 \sqrt{(gx+f)^2 + 4 \sqrt{77} f}}}{g^4} + \frac{4 \sqrt{(gx+f)^2 + 20 \sqrt{(gx+f)^2 + 4 \sqrt{77} f}}}{g^4} + \frac{2 \sqrt{(gx+f)^2 + 20 \sqrt{(gx+f)^2 + 4 \sqrt{77} f}}}{g^4} + \frac{4 \sqrt{(gx+f)^2 + 20 \sqrt{(gx+f)^2 + 4 \sqrt{77} f}}}{g^4} + \frac{2 \sqrt{(gx+f)^2 + 20 \sqrt{(gx+f)^2 + 4 \sqrt{77} f}}}{g^4} + \frac{4 \sqrt{(gx+f)^2 + 20 \sqrt{(gx+f)^2 + 4 \sqrt{77} f}}}{g^4} + \frac{2 \sqrt{(gx+f)^2 + 20 \sqrt{(gx+f)^2 + 4 \sqrt{77} f}}}{g^4} \right)}{315g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] 2/315\*(315\*sqrt(g\*x + f)\*a\*d^2 + 105\*((g\*x + f)^(3/2) - 3\*sqrt(g\*x + f))\*b\*d^2/g + 210\*((g\*x + f)^(3/2) - 3\*sqrt(g\*x + f))\*f)\*a\*d\*e/g + 21\*(3\*(g\*x + f)^(5/2) - 10\*(g\*x + f)^(3/2)\*f + 15\*sqrt(g\*x + f)\*f^2)\*c\*d^2/g^2 + 42\*(3\*(g\*x + f)^(5/2) - 10\*(g\*x + f)^(3/2)\*f + 15\*sqrt(g\*x + f)\*f^2)\*b\*d\*e/g^2 + 21\*(3\*(g\*x + f)^(5/2) - 10\*(g\*x + f)^(3/2)\*f + 15\*sqrt(g\*x + f)\*f^2)\*a\*e^2/g^2 + 18\*(5\*(g\*x + f)^(7/2) - 21\*(g\*x + f)^(5/2)\*f + 35\*(g\*x + f)^(3/2)\*f^2 - 35\*sqrt(g\*x + f)\*f^3)\*c\*d\*e/g^3 + 9\*(5\*(g\*x + f)^(7/2) - 21\*(g\*x + f)^(5/2)\*f + 35\*(g\*x + f)^(3/2)\*f^2 - 35\*sqrt(g\*x + f)\*f^3)\*b\*e^2/g^3 + (35\*(g\*x + f)^(9/2) - 180\*(g\*x + f)^(7/2)\*f + 378\*(g\*x + f)^(5/2)\*f^2 - 420\*(g\*x + f)^(3/2)\*f^3 + 315\*sqrt(g\*x + f)\*f^4)\*c\*e^2/g^4)/g

**maple** [A] time = 0.01, size = 315, normalized size = 1.49

$$\frac{2 \sqrt{gx+f} (35c^2d^2e^4 + 45c^2d^2e^3 + 90ade^4e^2 - 40c^2d^2e^2 + 63a^2d^2e^2 + 126ade^2e^2 - 54d^2f^2e^2 + 63a^2d^2e^2 - 108d^2f^2e^2 + 48c^2d^2e^2 + 210ade^2e^2 - 84a^2d^2e^2 + 105d^2f^2e^2 - 168d^2f^2e^2 + 72d^2f^2e^2 - 84d^2f^2e^2 + 144ade^2f^2e^2 + 64c^2d^2f^2e^2 + 315d^2f^2e^2 - 420ade^2f^2e^2 + 168a^2d^2f^2e^2 - 210d^2f^2e^2 + 336ade^2f^2e^2 - 144d^2f^2e^2 + 168a^2d^2f^2e^2 - 288ade^2f^2e^2 + 128c^2d^2f^2e^2)}{315g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^2\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x)

[Out] 2/315\*(g\*x+f)^(1/2)\*(35\*c\*e^2\*g^4\*x^4+45\*b\*e^2\*g^4\*x^3+90\*c\*d\*e\*g^4\*x^3-40\*c\*e^2\*f\*g^3\*x^3+63\*a\*e^2\*g^4\*x^2+126\*b\*d\*e\*g^4\*x^2-54\*b\*e^2\*f\*g^3\*x^2+63\*c\*d^2\*g^4\*x^2-108\*c\*d\*e\*f\*g^3\*x^2+48\*c\*e^2\*f^2\*g^2\*x^2+210\*a\*d\*e\*g^4\*x-84\*a\*e^2\*f\*g^3\*x+105\*b\*d^2\*g^4\*x-168\*b\*d\*e\*f\*g^3\*x+72\*b\*e^2\*f^2\*g^2\*x-84\*c\*d^2\*f\*f

$$g^3*x+144*c*d*e*f^2*g^2*x-64*c*e^2*f^3*g*x+315*a*d^2*g^4-420*a*d*e*f*g^3+168*a*e^2*f^2*g^2-210*b*d^2*f*g^3+336*b*d*e*f^2*g^2-144*b*e^2*f^3*g+168*c*d^2*f^2*g^2-288*c*d*e*f^3*g+128*c*e^2*f^4)/g^5$$

**maxima [A]** time = 0.45, size = 261, normalized size = 1.23

$$\frac{2(35(gx+f)^2e^2-45(4ce^2f-(2cde+be^2)g)(gx+f)^2+63(6a^2f^2-3(2cde+be^2)fg+(ad^2+2bde+ae^2)g^2)(gx+f)^2-105(4ce^2f^2-3(2cde+be^2)fg+2(ad^2+2bde+ae^2)fg^2-(bd^2+2ade)g^2)(gx+f)^2+315(ce^2f^2+ae^2g^2-(2cde+be^2)fg+(ad^2+2bde+ae^2)fg^2-(bd^2+2ade)g^2)\sqrt{gx+f}}{315g^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out]  $\frac{2}{315}*(35*(g*x + f)^{(9/2)}*c*e^2 - 45*(4*c*e^2*f - (2*c*d*e + b*e^2)*g)*(g*x + f)^{(7/2)} + 63*(6*c*e^2*f^2 - 3*(2*c*d*e + b*e^2)*f*g + (c*d^2 + 2*b*d*e + a*e^2)*g^2)*(g*x + f)^{(5/2)} - 105*(4*c*e^2*f^3 - 3*(2*c*d*e + b*e^2)*f^2*g + 2*(c*d^2 + 2*b*d*e + a*e^2)*f*g^2 - (b*d^2 + 2*a*d*e)*g^3)*(g*x + f)^{(3/2)} + 315*(c*e^2*f^4 + a*d^2*g^4 - (2*c*d*e + b*e^2)*f^3*g + (c*d^2 + 2*b*d*e + a*e^2)*f^2*g^2 - (b*d^2 + 2*a*d*e)*f*g^3)*\text{sqrt}(g*x + f))/g^5$

**mupad [B]** time = 3.17, size = 204, normalized size = 0.96

$$\frac{(f+gx)^{7/2}(2b^2g-8c^2f+4cdeg)}{7g^5} + \frac{(f+gx)^{5/2}(2cd^2g^2-12cdefg+4bdeg^2+12c^2f^2-6b^2fg+2a^2g^2)}{5g^5} + \frac{2(f+gx)^{3/2}(dg-cf)(2aeg^2+bdg^2+4cef^2-3befg-2cdfg)}{3g^5} + \frac{2\sqrt{f+gx}(dg-cf)^2(cf^2-bfg+ag^2)}{g^5} + \frac{2c^2(f+gx)^{9/2}}{9g^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e\*x)^2\*(a + b\*x + c\*x^2))/(f + g\*x)^(1/2),x)

[Out]  $((f + g*x)^{(7/2)}*(2*b*e^2*g - 8*c*e^2*f + 4*c*d*e*g))/(7*g^5) + ((f + g*x)^{(5/2)}*(2*a*e^2*g^2 + 2*c*d^2*g^2 + 12*c*e^2*f^2 + 4*b*d*e*g^2 - 6*b*e^2*f*g - 12*c*d*e*f*g))/(5*g^5) + (2*(f + g*x)^{(3/2)}*(d*g - e*f)*(2*a*e*g^2 + b*d*g^2 + 4*c*e*f^2 - 3*b*e*f*g - 2*c*d*f*g))/(3*g^5) + (2*(f + g*x)^{(1/2)}*(d*g - e*f)^2*(a*g^2 + c*f^2 - b*f*g))/g^5 + (2*c*e^2*(f + g*x)^{(9/2)})/(9*g^5)$

**sympy [A]** time = 105.54, size = 1001, normalized size = 4.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*2\*(c\*x\*\*2+b\*x+a)/(g\*x+f)\*\*(1/2),x)

[Out] Piecewise(((((-2\*a\*d\*\*2\*f/sqrt(f + g\*x) - 2\*a\*d\*\*2\*(-f/sqrt(f + g\*x) - sqrt(f + g\*x)) - 4\*a\*d\*e\*f\*(-f/sqrt(f + g\*x) - sqrt(f + g\*x))/g - 4\*a\*d\*e\*(f\*\*2/sqrt(f + g\*x) + 2\*f\*sqrt(f + g\*x) - (f + g\*x)\*\*(3/2)/3)/g - 2\*a\*e\*\*2\*f\*(f\*\*2/sqrt(f + g\*x) + 2\*f\*sqrt(f + g\*x) - (f + g\*x)\*\*(3/2)/3)/g\*\*2 - 2\*a\*e\*\*2\*(-f\*\*3/sqrt(f + g\*x) - 3\*f\*\*2\*sqrt(f + g\*x) + f\*(f + g\*x)\*\*(3/2) - (f + g\*x)\*(5/2)/5)/g\*\*2 - 2\*b\*d\*\*2\*f\*(-f/sqrt(f + g\*x) - sqrt(f + g\*x))/g - 2\*b\*d\*\*2\*(f\*\*2/sqrt(f + g\*x) + 2\*f\*sqrt(f + g\*x) - (f + g\*x)\*\*(3/2)/3)/g - 4\*b\*d\*e

```

f*(f**2/sqrt(f + g*x) + 2*f*sqrt(f + g*x) - (f + g*x)**(3/2)/3)/g**2 - 4*b*
d*e*(-f**3/sqrt(f + g*x) - 3*f**2*sqrt(f + g*x) + f*(f + g*x)**(3/2) - (f +
g*x)**(5/2)/5)/g**2 - 2*b*e**2*f*(-f**3/sqrt(f + g*x) - 3*f**2*sqrt(f + g*
x) + f*(f + g*x)**(3/2) - (f + g*x)**(5/2)/5)/g**3 - 2*b*e**2*(f**4/sqrt(f
+ g*x) + 4*f**3*sqrt(f + g*x) - 2*f**2*(f + g*x)**(3/2) + 4*f*(f + g*x)**(5
/2)/5 - (f + g*x)**(7/2)/7)/g**3 - 2*c*d**2*f*(f**2/sqrt(f + g*x) + 2*f*sqr
t(f + g*x) - (f + g*x)**(3/2)/3)/g**2 - 2*c*d**2*(-f**3/sqrt(f + g*x) - 3*f
**2*sqrt(f + g*x) + f*(f + g*x)**(3/2) - (f + g*x)**(5/2)/5)/g**2 - 4*c*d*e
*f*(-f**3/sqrt(f + g*x) - 3*f**2*sqrt(f + g*x) + f*(f + g*x)**(3/2) - (f +
g*x)**(5/2)/5)/g**3 - 4*c*d*e*(f**4/sqrt(f + g*x) + 4*f**3*sqrt(f + g*x) -
2*f**2*(f + g*x)**(3/2) + 4*f*(f + g*x)**(5/2)/5 - (f + g*x)**(7/2)/7)/g**3
- 2*c*e**2*f*(f**4/sqrt(f + g*x) + 4*f**3*sqrt(f + g*x) - 2*f**2*(f + g*x)
**3/2) + 4*f*(f + g*x)**(5/2)/5 - (f + g*x)**(7/2)/7)/g**4 - 2*c*e**2*(-f*
*5/sqrt(f + g*x) - 5*f**4*sqrt(f + g*x) + 10*f**3*(f + g*x)**(3/2)/3 - 2*f*
*2*(f + g*x)**(5/2) + 5*f*(f + g*x)**(7/2)/7 - (f + g*x)**(9/2)/9)/g**4)/g,
Ne(g, 0)), ((a*d**2*x + c*e**2*x**5/5 + x**4*(b*e**2 + 2*c*d*e)/4 + x**3*(
a*e**2 + 2*b*d*e + c*d**2)/3 + x**2*(2*a*d*e + b*d**2)/2)/sqrt(f), True))

```

$$3.564 \quad \int \frac{(d+ex)(a+bx+cx^2)}{\sqrt{f+gx}} dx$$

**Optimal.** Leaf size=137

$$-\frac{2\sqrt{f+gx}(ef-dg)(ag^2-bfg+cf^2)}{g^4} + \frac{2(f+gx)^{3/2}(cf(3ef-2dg)-g(-aeg-bdg+2bef))}{3g^4} - \frac{2(f+gx)^{5/2}(-beg-cdg+3cef)}{5g^4} + \frac{2ce(f+gx)^{7/2}}{7g^4}$$

**Rubi [A]** time = 0.11, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {771}

$$-\frac{2\sqrt{f+gx}(ef-dg)(ag^2-bfg+cf^2)}{g^4} + \frac{2(f+gx)^{3/2}(cf(3ef-2dg)-g(-aeg-bdg+2bef))}{3g^4} - \frac{2(f+gx)^{5/2}(-beg-cdg+3cef)}{5g^4} + \frac{2ce(f+gx)^{7/2}}{7g^4}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x], x]

[Out] (-2\*(e\*f - d\*g)\*(c\*f^2 - b\*f\*g + a\*g^2)\*Sqrt[f + g\*x])/g^4 + (2\*(c\*f\*(3\*e\*f - 2\*d\*g) - g\*(2\*b\*e\*f - b\*d\*g - a\*e\*g))\*(f + g\*x)^(3/2))/(3\*g^4) - (2\*(3\*c\*e\*f - c\*d\*g - b\*e\*g)\*(f + g\*x)^(5/2))/(5\*g^4) + (2\*c\*e\*(f + g\*x)^(7/2))/(7\*g^4)

**Rule 771**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

**Rubi steps**

$$\int \frac{(d+ex)(a+bx+cx^2)}{\sqrt{f+gx}} dx = \int \left( \frac{(-ef+dg)(cf^2-bfg+ag^2)}{g^3\sqrt{f+gx}} + \frac{(cf(3ef-2dg)-g(2bef-bdg-aeg))\sqrt{f+gx}}{g^3} \right) dx$$

$$= -\frac{2(ef-dg)(cf^2-bfg+ag^2)\sqrt{f+gx}}{g^4} + \frac{2(cf(3ef-2dg)-g(2bef-bdg-aeg))\sqrt{f+gx}}{3g^4}$$

**Mathematica [A]** time = 0.19, size = 131, normalized size = 0.96

$$\frac{2\sqrt{f+gx}(7g(5ag(3dg-2ef+egx)+5bdg(gx-2f)+be(8f^2-4fgx+3g^2x^2))+c(7dg(8f^2-4fgx+3g^2x^2)-3e(16f^3-8f^2gx+6fg^2x^2-5g^3x^3)))}{105g^4}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x],x]

[Out] (2\*Sqrt[f + g\*x]\*(7\*g\*(5\*b\*d\*g\*(-2\*f + g\*x) + 5\*a\*g\*(-2\*e\*f + 3\*d\*g + e\*g\*x) + b\*e\*(8\*f^2 - 4\*f\*g\*x + 3\*g^2\*x^2)) + c\*(7\*d\*g\*(8\*f^2 - 4\*f\*g\*x + 3\*g^2\*x^2) - 3\*e\*(16\*f^3 - 8\*f^2\*g\*x + 6\*f\*g^2\*x^2 - 5\*g^3\*x^3)))/(105\*g^4)

**IntegrateAlgebraic [A]** time = 0.13, size = 168, normalized size = 1.23

$$\frac{2\sqrt{f+gx}(105adg^3+35aeg^2(f+gx)-105aefg^2+35bdg^2(f+gx)-105bdfg^2+105bef^2g-70befg(f+gx)+21beg(f+gx)^2+105cdf^2g-70cdfg(f+gx)+21cdg(f+gx)^2-105cef^3+105cef^2(f+gx)-63cef(f+gx)^2+15ce(f+gx)^3)}{105g^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x],x]

[Out] (2\*Sqrt[f + g\*x]\*(-105\*c\*e\*f^3 + 105\*c\*d\*f^2\*g + 105\*b\*e\*f^2\*g - 105\*b\*d\*f\*g^2 - 105\*a\*e\*f\*g^2 + 105\*a\*d\*g^3 + 105\*c\*e\*f^2\*(f + g\*x) - 70\*c\*d\*f\*g\*(f + g\*x) - 70\*b\*e\*f\*g\*(f + g\*x) + 35\*b\*d\*g^2\*(f + g\*x) + 35\*a\*e\*g^2\*(f + g\*x) - 63\*c\*e\*f\*(f + g\*x)^2 + 21\*c\*d\*g\*(f + g\*x)^2 + 21\*b\*e\*g\*(f + g\*x)^2 + 15\*c\*e\*(f + g\*x)^3))/(105\*g^4)

**fricas [A]** time = 0.56, size = 125, normalized size = 0.91

$$\frac{2(15ceg^3x^3 - 48cef^3 + 105adg^3 + 56(cd+be)f^2g - 70(bd+ae)fg^2 - 3(6cef^2g^2 - 7(cd+be)g^3)x^2 + (24cef^2g - 28(cd+be)fg^2 + 35(bd+ae)g^3)x)\sqrt{gx+f}}{105g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] 2/105\*(15\*c\*e\*g^3\*x^3 - 48\*c\*e\*f^3 + 105\*a\*d\*g^3 + 56\*(c\*d + b\*e)\*f^2\*g - 70\*(b\*d + a\*e)\*f\*g^2 - 3\*(6\*c\*e\*f\*g^2 - 7\*(c\*d + b\*e)\*g^3)\*x^2 + (24\*c\*e\*f^2\*g - 28\*(c\*d + b\*e)\*f\*g^2 + 35\*(b\*d + a\*e)\*g^3)\*x)\*sqrt(g\*x + f)/g^4

**giac [A]** time = 0.19, size = 199, normalized size = 1.45

$$2\left(\frac{105\sqrt{gx+f}ad}{g} + \frac{35\left((gx+f)^{\frac{3}{2}}-3\sqrt{gx+f}\right)bd}{g} + \frac{35\left((gx+f)^{\frac{3}{2}}-3\sqrt{gx+f}\right)ac}{g} + \frac{7\left(3(gx+f)^{\frac{5}{2}}-10(gx+f)^{\frac{3}{2}}f+15\sqrt{gx+f}f^2\right)cd}{g^2} + \frac{7\left(3(gx+f)^{\frac{5}{2}}-10(gx+f)^{\frac{3}{2}}f+15\sqrt{gx+f}f^2\right)bc}{g^2} + \frac{3\left(5(gx+f)^{\frac{7}{2}}-21(gx+f)^{\frac{5}{2}}f+35(gx+f)^{\frac{3}{2}}f^2-35\sqrt{gx+f}f^3\right)ca}{g^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] 2/105\*(105\*sqrt(g\*x + f)\*a\*d + 35\*((g\*x + f)^(3/2) - 3\*sqrt(g\*x + f)\*f)\*b\*d/g + 35\*((g\*x + f)^(3/2) - 3\*sqrt(g\*x + f)\*f)\*a\*e/g + 7\*(3\*(g\*x + f)^(5/2) - 10\*(g\*x + f)^(3/2)\*f + 15\*sqrt(g\*x + f)\*f^2)\*c\*d/g^2 + 7\*(3\*(g\*x + f)^(5/2) - 10\*(g\*x + f)^(3/2)\*f + 15\*sqrt(g\*x + f)\*f^2)\*b\*e/g^2 + 3\*(5\*(g\*x + f)^(7/2) - 21\*(g\*x + f)^(5/2)\*f + 35\*(g\*x + f)^(3/2)\*f^2 - 35\*sqrt(g\*x + f)\*f^3)\*c\*a/g^3)

$$\frac{(7/2) - 21*(g*x + f)^{(5/2)}*f + 35*(g*x + f)^{(3/2)}*f^2 - 35*\sqrt{g*x + f}*f^3}{3*c*e/g^3}/g$$

**maple [A]** time = 0.01, size = 144, normalized size = 1.05

$$\frac{2\sqrt{gx+f}(15cx^3g^3+21beg^3x^2+21cdg^3x^2-18cef g^2x^2+35aeg^3x+35bdg^3x-28bef g^2x-28cdf g^2x+24cef^2gx+105adg^3-70aef g^2-70bdf g^2+56bef^2g+56cdf^2g-48cef^3)}{105g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x)

[Out]  $\frac{2}{105}*(g*x+f)^{(1/2)}*(15*c*e*g^3*x^3+21*b*e*g^3*x^2+21*c*d*g^3*x^2-18*c*e*f*g^2*x^2+35*a*e*g^3*x+35*b*d*g^3*x-28*b*e*f*g^2*x-28*c*d*f*g^2*x+24*c*e*f^2*g*x+105*a*d*g^3-70*a*e*f*g^2-70*b*d*f*g^2+56*b*e*f^2*g+56*c*d*f^2*g-48*c*e*f^3)/g^4$

**maxima [A]** time = 0.46, size = 129, normalized size = 0.94

$$\frac{2\left(15(gx+f)^{7/2}ce-21(3cef-(cd+be)g)(gx+f)^{5/2}+35(3cef^2-2(cd+be)fg+(bd+ae)g^2)(gx+f)^{3/2}-105(cef^3-adg^3-(cd+be)f^2g+(bd+ae)fg^2)\sqrt{gx+f}\right)}{105g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out]  $\frac{2}{105}*(15*(g*x + f)^{(7/2)}*c*e - 21*(3*c*e*f - (c*d + b*e)*g)*(g*x + f)^{(5/2)} + 35*(3*c*e*f^2 - 2*(c*d + b*e)*f*g + (b*d + a*e)*g^2)*(g*x + f)^{(3/2)} - 105*(c*e*f^3 - a*d*g^3 - (c*d + b*e)*f^2*g + (b*d + a*e)*f*g^2)*\sqrt{g*x + f})/g^4$

**mupad [B]** time = 0.08, size = 125, normalized size = 0.91

$$\frac{(f+gx)^{5/2}(2beg+2cdg-6cef)}{5g^4} + \frac{(f+gx)^{3/2}(2aeg^2+2bdg^2+6cef^2-4befg-4cdfg)}{3g^4} + \frac{2\sqrt{f+gx}(dg-ef)(cf^2-bfg+ag^2)}{g^4} + \frac{2ce(f+gx)^{7/2}}{7g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e\*x)\*(a + b\*x + c\*x^2))/(f + g\*x)^(1/2),x)

[Out]  $\frac{((f + g*x)^{(5/2)}*(2*b*e*g + 2*c*d*g - 6*c*e*f))/(5*g^4) + ((f + g*x)^{(3/2)}*(2*a*e*g^2 + 2*b*d*g^2 + 6*c*e*f^2 - 4*b*e*f*g - 4*c*d*f*g))/(3*g^4) + (2*(f + g*x)^{(1/2)}*(d*g - e*f)*(a*g^2 + c*f^2 - b*f*g))/g^4 + (2*c*e*(f + g*x)^{(7/2)))/(7*g^4}$

**sympy [A]** time = 55.83, size = 549, normalized size = 4.01

$$\frac{\frac{2\sqrt{f+gx}(dg-ef)(cf^2-bfg+ag^2)}{g^4} + \frac{2ce(f+gx)^{7/2}}{7g^4} + \frac{(f+gx)^{3/2}(2aeg^2+2bdg^2+6cef^2-4befg-4cdfg)}{3g^4} + \frac{(f+gx)^{5/2}(2beg+2cdg-6cef)}{5g^4}}{\sqrt{f+gx}}$$

for g ≠ 0  
otherwise

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(c*x**2+b*x+a)/(g*x+f)**(1/2),x)
```

```
[Out] Piecewise((( -2*a*d*f/sqrt(f + g*x) - 2*a*d*(-f/sqrt(f + g*x) - sqrt(f + g*x)) - 2*a*e*f*(-f/sqrt(f + g*x) - sqrt(f + g*x))/g - 2*a*e*(f**2/sqrt(f + g*x) + 2*f*sqrt(f + g*x) - (f + g*x)**(3/2)/3)/g - 2*b*d*f*(-f/sqrt(f + g*x) - sqrt(f + g*x))/g - 2*b*d*(f**2/sqrt(f + g*x) + 2*f*sqrt(f + g*x) - (f + g*x)**(3/2)/3)/g - 2*b*e*f*(f**2/sqrt(f + g*x) + 2*f*sqrt(f + g*x) - (f + g*x)**(3/2)/3)/g**2 - 2*b*e*(-f**3/sqrt(f + g*x) - 3*f**2*sqrt(f + g*x) + f*(f + g*x)**(3/2) - (f + g*x)**(5/2)/5)/g**2 - 2*c*d*f*(f**2/sqrt(f + g*x) + 2*f*sqrt(f + g*x) - (f + g*x)**(3/2)/3)/g**2 - 2*c*d*(-f**3/sqrt(f + g*x) - 3*f**2*sqrt(f + g*x) + f*(f + g*x)**(3/2) - (f + g*x)**(5/2)/5)/g**2 - 2*c*e*f*(-f**3/sqrt(f + g*x) - 3*f**2*sqrt(f + g*x) + f*(f + g*x)**(3/2) - (f + g*x)**(5/2)/5)/g**3 - 2*c*e*(f**4/sqrt(f + g*x) + 4*f**3*sqrt(f + g*x) - 2*f**2*(f + g*x)**(3/2) + 4*f*(f + g*x)**(5/2)/5 - (f + g*x)**(7/2)/7)/g**3)/g, Ne(g, 0)), ((a*d*x + c*e*x**4/4 + x**3*(b*e + c*d)/3 + x**2*(a*e + b*d)/2)/sqrt(f), True))
```

$$3.565 \quad \int \frac{a+bx+cx^2}{\sqrt{f+gx}} dx$$

**Optimal.** Leaf size=73

$$\frac{2\sqrt{f+gx}(ag^2 - bfg + cf^2)}{g^3} - \frac{2(f+gx)^{3/2}(2cf - bg)}{3g^3} + \frac{2c(f+gx)^{5/2}}{5g^3}$$

**Rubi [A]** time = 0.04, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$ , Rules used = {698}

$$\frac{2\sqrt{f+gx}(ag^2 - bfg + cf^2)}{g^3} - \frac{2(f+gx)^{3/2}(2cf - bg)}{3g^3} + \frac{2c(f+gx)^{5/2}}{5g^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/Sqrt[f + g\*x], x]

[Out] (2\*(c\*f^2 - b\*f\*g + a\*g^2)\*Sqrt[f + g\*x])/g^3 - (2\*(2\*c\*f - b\*g)\*(f + g\*x)^(3/2))/(3\*g^3) + (2\*c\*(f + g\*x)^(5/2))/(5\*g^3)

**Rule 698**

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_ Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

**Rubi steps**

$$\begin{aligned} \int \frac{a+bx+cx^2}{\sqrt{f+gx}} dx &= \int \left( \frac{cf^2 - bfg + ag^2}{g^2\sqrt{f+gx}} + \frac{(-2cf + bg)\sqrt{f+gx}}{g^2} + \frac{c(f+gx)^{3/2}}{g^2} \right) dx \\ &= \frac{2(cf^2 - bfg + ag^2)\sqrt{f+gx}}{g^3} - \frac{2(2cf - bg)(f+gx)^{3/2}}{3g^3} + \frac{2c(f+gx)^{5/2}}{5g^3} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 54, normalized size = 0.74

$$\frac{2\sqrt{f+gx}(5g(3ag - 2bf + bgx) + c(8f^2 - 4fgx + 3g^2x^2))}{15g^3}$$



Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(5\*g\*(-2\*b\*f + 3\*a\*g + b\*g\*x) + c\*(8\*f^2 - 4\*f\*g\*x + 3\*g^2\*x^2)))/(15\*g^3)

**IntegrateAlgebraic [A]** time = 0.04, size = 62, normalized size = 0.85

$$\frac{2\sqrt{f + gx} (15ag^2 + 5bg(f + gx) - 15bfg + 15cf^2 - 10cf(f + gx) + 3c(f + gx)^2)}{15g^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/Sqrt[f + g\*x], x]

[Out] (2\*Sqrt[f + g\*x]\*(15\*c\*f^2 - 15\*b\*f\*g + 15\*a\*g^2 - 10\*c\*f\*(f + g\*x) + 5\*b\*g\*(f + g\*x) + 3\*c\*(f + g\*x)^2))/(15\*g^3)

**fricas [A]** time = 0.72, size = 54, normalized size = 0.74

$$\frac{2(3cg^2x^2 + 8cf^2 - 10bfg + 15ag^2 - (4cfg - 5bg^2)x)\sqrt{gx + f}}{15g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(g\*x+f)^(1/2), x, algorithm="fricas")

[Out] 2/15\*(3\*c\*g^2\*x^2 + 8\*c\*f^2 - 10\*b\*f\*g + 15\*a\*g^2 - (4\*c\*f\*g - 5\*b\*g^2)\*x)\*sqrt(g\*x + f)/g^3

**giac [A]** time = 0.17, size = 77, normalized size = 1.05

$$\frac{2 \left( 15 \sqrt{gx + f} a + \frac{5 \left( (gx+f)^{\frac{3}{2}} - 3 \sqrt{gx+f} f \right) b}{g} + \frac{\left( 3 (gx+f)^{\frac{5}{2}} - 10 (gx+f)^{\frac{3}{2}} f + 15 \sqrt{gx+f} f^2 \right) c}{g^2} \right)}{15g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(g\*x+f)^(1/2), x, algorithm="giac")

[Out] 2/15\*(15\*sqrt(g\*x + f)\*a + 5\*((g\*x + f)^(3/2) - 3\*sqrt(g\*x + f)\*f)\*b/g + (3\*(g\*x + f)^(5/2) - 10\*(g\*x + f)^(3/2)\*f + 15\*sqrt(g\*x + f)\*f^2)\*c/g^2)/g

**maple [A]** time = 0.00, size = 53, normalized size = 0.73

$$\frac{2\sqrt{gx+f} (3cx^2g^2 + 5bg^2x - 4cfgx + 15ag^2 - 10bfg + 8cf^2)}{15g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/(g*x+f)^(1/2),x)`

[Out]  $2/15*(g*x+f)^{(1/2)}*(3*c*g^2*x^2+5*b*g^2*x-4*c*f*g*x+15*a*g^2-10*b*f*g+8*c*f^2)/g^3$

**maxima [A]** time = 0.44, size = 77, normalized size = 1.05

$$\frac{2 \left( 15 \sqrt{gx+f} a + \frac{5 \left( (gx+f)^{\frac{3}{2}} - 3 \sqrt{gx+f} f \right) b}{g} + \frac{\left( 3 (gx+f)^{\frac{5}{2}} - 10 (gx+f)^{\frac{3}{2}} f + 15 \sqrt{gx+f} f^2 \right) c}{g^2} \right)}{15g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(g*x+f)^(1/2),x, algorithm="maxima")`

[Out]  $2/15*(15*\text{sqrt}(g*x + f)*a + 5*((g*x + f)^{(3/2)} - 3*\text{sqrt}(g*x + f)*f)*b/g + (3*(g*x + f)^{(5/2)} - 10*(g*x + f)^{(3/2)}*f + 15*\text{sqrt}(g*x + f)*f^2)*c/g^2)/g$

**mupad [B]** time = 3.12, size = 58, normalized size = 0.79

$$\frac{2\sqrt{f+gx} \left( 3c(f+gx)^2 + 15ag^2 + 15cf^2 + 5bg(f+gx) - 10cf(f+gx) - 15bfg \right)}{15g^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(f + g*x)^(1/2),x)`

[Out]  $(2*(f + g*x)^{(1/2)}*(3*c*(f + g*x)^2 + 15*a*g^2 + 15*c*f^2 + 5*b*g*(f + g*x) - 10*c*f*(f + g*x) - 15*b*f*g))/(15*g^3)$

**sympy [A]** time = 10.87, size = 223, normalized size = 3.05

$$\left\{ \begin{array}{ll} \frac{-\frac{2af}{\sqrt{f+gx}} - 2a\left(-\frac{f}{\sqrt{f+gx}} - \sqrt{f+gx}\right) - \frac{2bf\left(-\frac{f}{\sqrt{f+gx}} - \sqrt{f+gx}\right)}{g} - \frac{2b\left(\frac{f^2}{\sqrt{f+gx}} + 2f\sqrt{f+gx} - \frac{(f+gx)^{\frac{3}{2}}}{3}\right)}{g} - \frac{2cf\left(\frac{f^2}{\sqrt{f+gx}} + 2f\sqrt{f+gx} - \frac{(f+gx)^{\frac{3}{2}}}{3}\right)}{g^2} - \frac{2c\left(-\frac{f^3}{\sqrt{f+gx}} - 3f^2\sqrt{f+gx} + f(f+gx)^{\frac{3}{2}} - \frac{(f+gx)^{\frac{5}{2}}}{5}\right)}{g^2}}{g} & \text{for } g \neq 0 \\ \frac{ax + \frac{bx^2}{2} + \frac{cx^3}{3}}{\sqrt{f}} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+b*x+a)/(g*x+f)**(1/2),x)
```

```
[Out] Piecewise((( -2*a*f/sqrt(f + g*x) - 2*a*(-f/sqrt(f + g*x) - sqrt(f + g*x)) -
  2*b*f*(-f/sqrt(f + g*x) - sqrt(f + g*x))/g - 2*b*(f**2/sqrt(f + g*x) + 2*f
  *sqrt(f + g*x) - (f + g*x)**(3/2)/3)/g - 2*c*f*(f**2/sqrt(f + g*x) + 2*f*sq
  rt(f + g*x) - (f + g*x)**(3/2)/3)/g**2 - 2*c*(-f**3/sqrt(f + g*x) - 3*f**2*
  sqrt(f + g*x) + f*(f + g*x)**(3/2) - (f + g*x)**(5/2)/5)/g**2)/g, Ne(g, 0))
, ((a*x + b*x**2/2 + c*x**3/3)/sqrt(f), True))
```

$$3.566 \quad \int \frac{a+bx+cx^2}{(d+ex)\sqrt{f+gx}} dx$$

**Optimal.** Leaf size=116

$$-\frac{2(ae^2 - bde + cd^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{e^{5/2}\sqrt{ef-dg}} + \frac{2\sqrt{f+gx}(beg - c(dg + ef))}{e^2g^2} + \frac{2c(f+gx)^{3/2}}{3eg^2}$$

**Rubi [A]** time = 0.17, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {897, 1153, 208}

$$-\frac{2(ae^2 - bde + cd^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{e^{5/2}\sqrt{ef-dg}} + \frac{2\sqrt{f+gx}(beg - c(dg + ef))}{e^2g^2} + \frac{2c(f+gx)^{3/2}}{3eg^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((d + e\*x)\*Sqrt[f + g\*x]), x]

[Out] (2\*(b\*e\*g - c\*(e\*f + d\*g))\*Sqrt[f + g\*x])/(e^2\*g^2) + (2\*c\*(f + g\*x)^(3/2))/(3\*e\*g^2) - (2\*(c\*d^2 - b\*d\*e + a\*e^2)\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(e^(5/2)\*Sqrt[e\*f - d\*g])

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 897

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1153

Int[((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e

+ a\*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

### Rubi steps

$$\begin{aligned}
 \int \frac{a + bx + cx^2}{(d + ex)\sqrt{f + gx}} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{\frac{cf^2 - bfg + ag^2}{g^2} - \frac{(2cf - bg)x^2}{g^2} + \frac{cx^4}{g^2}}{\frac{-ef + dg}{g} + \frac{ex^2}{g}} dx, x, \sqrt{f + gx} \right)}{g} \\
 &= \frac{2 \operatorname{Subst} \left( \int \left( \frac{beg - c(ef + dg)}{e^2g} + \frac{cx^2}{eg} + \frac{cd^2 - bde + ae^2}{e^2 \left( d - \frac{ef}{g} + \frac{ex^2}{g} \right)} \right) dx, x, \sqrt{f + gx} \right)}{g} \\
 &= \frac{2(beg - c(ef + dg))\sqrt{f + gx}}{e^2g^2} + \frac{2c(f + gx)^{3/2}}{3eg^2} + \frac{(2(cd^2 - bde + ae^2)) \operatorname{Subst} \left( \int \frac{1}{d - \frac{ef}{g} + \frac{ex^2}{g}} \right)}{e^2g} \\
 &= \frac{2(beg - c(ef + dg))\sqrt{f + gx}}{e^2g^2} + \frac{2c(f + gx)^{3/2}}{3eg^2} - \frac{2(cd^2 - bde + ae^2) \tanh^{-1} \left( \frac{\sqrt{e}\sqrt{f + gx}}{\sqrt{ef - dg}} \right)}{e^{5/2}\sqrt{ef - dg}}
 \end{aligned}$$

**Mathematica [A]** time = 0.19, size = 118, normalized size = 1.02

$$\frac{2 \left( -\frac{g^2(cd^2 - e(bd - ae)) \tanh^{-1} \left( \frac{\sqrt{e}\sqrt{f + gx}}{\sqrt{ef - dg}} \right)}{e^{5/2}\sqrt{ef - dg}} + \frac{\sqrt{f + gx}(beg - c(dg + ef))}{e^2} + \frac{c(f + gx)^{3/2}}{3e} \right)}{g^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/((d + e\*x)\*Sqrt[f + g\*x]),x]

[Out] (2\*(((b\*e\*g - c\*(e\*f + d\*g))\*Sqrt[f + g\*x])/e^2 + (c\*(f + g\*x)^(3/2))/(3\*e) - ((c\*d^2 - e\*(b\*d - a\*e))\*g^2\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(e^(5/2)\*Sqrt[e\*f - d\*g]))/g^2

**IntegrateAlgebraic [A]** time = 0.17, size = 117, normalized size = 1.01

$$\frac{2\sqrt{f + gx}(3beg - 3cdg + ce(f + gx) - 3cef)}{3e^2g^2} - \frac{2(ae^2 - bde + cd^2) \tan^{-1} \left( \frac{\sqrt{e}\sqrt{f + gx}\sqrt{dg - ef}}{ef - dg} \right)}{e^{5/2}\sqrt{dg - ef}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/((d + e\*x)\*Sqrt[f + g\*x]),x]

[Out] (2\*Sqrt[f + g\*x]\*(-3\*c\*e\*f - 3\*c\*d\*g + 3\*b\*e\*g + c\*e\*(f + g\*x)))/(3\*e^2\*g^2) - (2\*(c\*d^2 - b\*d\*e + a\*e^2)\*ArcTan[(Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[f + g\*x])/(e\*f - d\*g)])/(e^(5/2)\*Sqrt[-(e\*f) + d\*g])

**fricas** [A] time = 0.57, size = 341, normalized size = 2.94

$$\frac{3(ad^2 - bde + ae^2)\sqrt{ef - dge} \log\left(\frac{gx+2f-dg-2\sqrt{ef-dge}\sqrt{g^2x+e^2}}{ax+d}\right) - 2(2ce^2f^2 + (cd^2 - 3be^3)fg - 3(ad^2e - bde^2)g^2 - (ce^2fg - cd^2g^2)x)\sqrt{gx+f} - 2\left(3(ad^2 - bde + ae^2)\sqrt{-ef + dge} \arctan\left(\frac{\sqrt{ef-dge}\sqrt{g^2x+e^2}}{g^2x+e^2}\right) - (2ce^2f^2 + (cd^2 - 3be^3)fg - 3(ad^2e - bde^2)g^2 - (ce^2fg - cd^2g^2)x)\sqrt{gx+f}\right)}{3(e^2fg^2 - d^2g^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] [1/3\*(3\*(c\*d^2 - b\*d\*e + a\*e^2)\*sqrt(e^2\*f - d\*e\*g)\*g^2\*log((e\*g\*x + 2\*e\*f - d\*g - 2\*sqrt(e^2\*f - d\*e\*g)\*sqrt(g\*x + f))/(e\*x + d)) - 2\*(2\*c\*e^3\*f^2 + (c\*d\*e^2 - 3\*b\*e^3)\*f\*g - 3\*(c\*d^2\*e - b\*d\*e^2)\*g^2 - (c\*e^3\*f\*g - c\*d\*e^2\*g^2)\*x)\*sqrt(g\*x + f))/(e^4\*f\*g^2 - d\*e^3\*g^3), 2/3\*(3\*(c\*d^2 - b\*d\*e + a\*e^2)\*sqrt(-e^2\*f + d\*e\*g)\*g^2\*arctan(sqrt(-e^2\*f + d\*e\*g)\*sqrt(g\*x + f)/(e\*g\*x + e\*f)) - (2\*c\*e^3\*f^2 + (c\*d\*e^2 - 3\*b\*e^3)\*f\*g - 3\*(c\*d^2\*e - b\*d\*e^2)\*g^2 - (c\*e^3\*f\*g - c\*d\*e^2\*g^2)\*x)\*sqrt(g\*x + f))/(e^4\*f\*g^2 - d\*e^3\*g^3)]

**giac** [A] time = 0.17, size = 128, normalized size = 1.10

$$\frac{2(cd^2 - bde + ae^2) \arctan\left(\frac{\sqrt{gx+fe}}{\sqrt{dge-fe^2}}\right) e^{-2}}{\sqrt{dge-fe^2}} - \frac{2\left(3\sqrt{gx+f}cdg^5e - (gx+f)^{\frac{3}{2}}cg^4e^2 + 3\sqrt{gx+f}cfdg^4e^2 - 3\sqrt{gx+f}bg^5e^2\right) e^{-3}}{3g^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] 2\*(c\*d^2 - b\*d\*e + a\*e^2)\*arctan(sqrt(g\*x + f)\*e/sqrt(d\*g\*e - f\*e^2))\*e^(-2)/sqrt(d\*g\*e - f\*e^2) - 2/3\*(3\*sqrt(g\*x + f)\*c\*d\*g^5\*e - (g\*x + f)^(3/2)\*c\*g^4\*e^2 + 3\*sqrt(g\*x + f)\*c\*f\*g^4\*e^2 - 3\*sqrt(g\*x + f)\*b\*g^5\*e^2)\*e^(-3)/g^6

**maple** [A] time = 0.01, size = 189, normalized size = 1.63

$$\frac{2a \arctan\left(\frac{\sqrt{gx+fe}}{\sqrt{(dg-ef)e}}\right)}{\sqrt{(dg-ef)e}} - \frac{2bd \arctan\left(\frac{\sqrt{gx+fe}}{\sqrt{(dg-ef)e}}\right)}{\sqrt{(dg-ef)e}} + \frac{2cd^2 \arctan\left(\frac{\sqrt{gx+fe}}{\sqrt{(dg-ef)e}}\right)}{\sqrt{(dg-ef)e^2}} + \frac{2\sqrt{gx+f}b}{eg} - \frac{2\sqrt{gx+f}cd}{e^2g} - \frac{2\sqrt{gx+f}cf}{eg^2} + \frac{2(gx+f)^{\frac{3}{2}}c}{3eg^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/(e*x+d)/(g*x+f)^(1/2),x)`

[Out]  $2/3*(g*x+f)^{(3/2)}*c/e/g^2+2/g/e*b*(g*x+f)^{(1/2)}-2*(g*x+f)^{(1/2)}*c*d/e^2/g-2*(g*x+f)^{(1/2)}*c/e*f/g^2+2/((d*g-e*f)*e)^{(1/2)}*a*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)-2/e/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*b*d+2/((d*g-e*f)*e)^{(1/2)}*c*d^2/e^2*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(e*x+d)/(g*x+f)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f positive or negative?

**mupad** [B] time = 0.14, size = 117, normalized size = 1.01

$$\sqrt{f+gx} \left( \frac{2bg-4cf}{e^2g^2} - \frac{2c(dg^3-efg^2)}{e^2g^4} \right) + \frac{2\operatorname{atan}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{dg-ef}}\right)(cd^2-bde+ae^2)}{e^{5/2}\sqrt{dg-ef}} + \frac{2c(f+gx)^{3/2}}{3e^2g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/((f + g*x)^(1/2)*(d + e*x)),x)`

[Out]  $(f+g*x)^{(1/2)}*((2*b*g-4*c*f)/(e*g^2)-(2*c*(d*g^3-e*f*g^2))/(e^2*g^4))+(2*\operatorname{atan}((e^{(1/2)}*(f+g*x)^{(1/2)})/(d*g-e*f)^{(1/2)})*(a*e^2+c*d^2-b*d*e))/(e^{(5/2)}*(d*g-e*f)^{(1/2)})+(2*c*(f+g*x)^{(3/2)})/(3*e*g^2)$

**sympy** [A] time = 37.63, size = 112, normalized size = 0.97

$$\frac{2c(f+gx)^{3/2}}{3eg^2} - \frac{2(ae^2-bde+cd^2)\operatorname{atan}\left(\frac{1}{\sqrt{\frac{e}{dg-ef}}\sqrt{f+gx}}\right)}{e^2\sqrt{\frac{e}{dg-ef}}(dg-ef)} + \frac{2\sqrt{f+gx}(beg-cdg-cef)}{e^2g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/(e*x+d)/(g*x+f)**(1/2),x)`

[Out]  $2*c*(f+g*x)**(3/2)/(3*e*g**2)-2*(a*e**2-b*d*e+c*d**2)*\operatorname{atan}(1/(\operatorname{sqrt}(e/(d*g-e*f))*\operatorname{sqrt}(f+g*x)))/(e**2*\operatorname{sqrt}(e/(d*g-e*f))*(d*g-e*f))+2*\operatorname{sqrt}(f+g*x)*(b*e*g-c*d*g-c*e*f)/(e**2*g**2)$

$$3.567 \quad \int \frac{a+bx+cx^2}{(d+ex)^2 \sqrt{f+gx}} dx$$

**Optimal.** Leaf size=140

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)(cd(4ef-3dg)-e(-aeg-bdg+2bef))}{e^{5/2}(ef-dg)^{3/2}} - \frac{\sqrt{f+gx}\left(a+\frac{d(cd-be)}{e^2}\right)}{(d+ex)(ef-dg)} + \frac{2c\sqrt{f+gx}}{e^2g}$$

**Rubi [A]** time = 0.29, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {897, 1157, 388, 208}

$$-\frac{\sqrt{f+gx}\left(a+\frac{d(cd-be)}{e^2}\right)}{(d+ex)(ef-dg)} + \frac{\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)(cd(4ef-3dg)-e(-aeg-bdg+2bef))}{e^{5/2}(ef-dg)^{3/2}} + \frac{2c\sqrt{f+gx}}{e^2g}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((d + e\*x)^2\*Sqrt[f + g\*x]), x]

[Out] (2\*c\*Sqrt[f + g\*x])/(e^2\*g) - ((a + (d\*(c\*d - b\*e))/e^2)\*Sqrt[f + g\*x])/((e\*f - d\*g)\*(d + e\*x)) + ((c\*d\*(4\*e\*f - 3\*d\*g) - e\*(2\*b\*e\*f - b\*d\*g - a\*e\*g))\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(e^(5/2)\*(e\*f - d\*g)^(3/2))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p+1)/(b\*(n\*(p+1)+1)), x] - Dist[(a\*d - b\*c\*(n\*(p+1)+1))/(b\*(n\*(p+1)+1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p+1)+1, 0]

### Rule 897

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_)^(n\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m+1)-1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*(c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && Fra



ctionQ[m]

Rule 1157

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2,
x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x,
0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rubi steps

$$\int \frac{a + bx + cx^2}{(d + ex)^2 \sqrt{f + gx}} dx = \frac{2 \operatorname{Subst} \left( \int \frac{\frac{cf^2 - bfg + ag^2}{g^2} - \frac{(2cf - bg)x^2}{g^2} + \frac{cx^4}{g^2}}{\left(\frac{-ef + dg}{g} + \frac{ex^2}{g}\right)^2} dx, x, \sqrt{f + gx} \right)}{g}$$

$$= -\frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{e^2 (ef - dg)(d + ex)} + \frac{\operatorname{Subst} \left( \int \frac{-a + \frac{cd^2}{e^2} - \frac{bd}{e} - \frac{2cf^2}{g^2} + \frac{2bf}{g} + \frac{2c(ef - dg)x^2}{eg^2}}{\frac{-ef + dg}{g} + \frac{ex^2}{g}} dx, x, \sqrt{f + gx} \right)}{ef - dg}$$

$$= \frac{2c\sqrt{f + gx}}{e^2 g} - \frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{e^2 (ef - dg)(d + ex)} - \frac{(cd(4ef - 3dg) - e(2bef - bdg - aeg)) \sqrt{f + gx}}{e^2 g (ef - dg)}$$

$$= \frac{2c\sqrt{f + gx}}{e^2 g} - \frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{e^2 (ef - dg)(d + ex)} + \frac{(cd(4ef - 3dg) - e(2bef - bdg - aeg)) \sqrt{f + gx}}{e^{5/2} (ef - dg)^{3/2}}$$

**Mathematica [A]** time = 0.56, size = 150, normalized size = 1.07

$$\frac{\sqrt{f + gx} (eg(bd - ae) + c(-3d^2g + 2de(f - gx) + 2e^2fx))}{e^2g(d + ex)(ef - dg)} - \frac{\tanh^{-1} \left( \frac{\sqrt{e} \sqrt{f + gx}}{\sqrt{ef - dg}} \right) (e(-aeg - bdg + 2bef) + cd(3dg - 4ef))}{e^{5/2}(ef - dg)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/((d + e\*x)^2\*sqrt[f + g\*x]), x]

```
[Out] (sqrt[f + g*x]*(e*(b*d - a*e)*g + c*(-3*d^2*g + 2*e^2*f*x + 2*d*e*(f - g*x)
)))/(e^2*g*(e*f - d*g)*(d + e*x)) - ((c*d*(-4*e*f + 3*d*g) + e*(2*b*e*f - b
```

$d*x - a*e*g$ ))\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]]/(e^(5/2)\*(e\*f - d\*g)^(3/2))

**IntegrateAlgebraic [A]** time = 0.55, size = 200, normalized size = 1.43

$$\frac{\sqrt{f+gx} (ae^2g^2 - bdeg^2 + 3cd^2g^2 + 2cdeg(f+gx) - 4cdefg + 2ce^2f^2 - 2ce^2f(f+gx))}{e^2g(ef-dg)(-dg-e(f+gx)+ef)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}\sqrt{dg-ef}}{ef-dg}\right) (-ae^2g - bdeg + 2be^2f + 3cd^2g - 4cdef)}{e^{5/2}(dg-ef)^{3/2}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/((d + e\*x)^2\*Sqrt[f + g\*x]),x]

[Out] (Sqrt[f + g\*x]\*(2\*c\*e^2\*f^2 - 4\*c\*d\*e\*f\*g + 3\*c\*d^2\*g^2 - b\*d\*e\*g^2 + a\*e^2\*g^2 - 2\*c\*e^2\*f\*(f + g\*x) + 2\*c\*d\*e\*g\*(f + g\*x)))/(e^2\*g\*(e\*f - d\*g)\*(e\*f - d\*g - e\*(f + g\*x))) + ((-4\*c\*d\*e\*f + 2\*b\*e^2\*f + 3\*c\*d^2\*g - b\*d\*e\*g - a\*e^2\*g)\*ArcTan[(Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[f + g\*x])/(e\*f - d\*g)])/(e^(5/2)\*(-(e\*f) + d\*g)^(3/2))

**fricas [B]** time = 0.65, size = 637, normalized size = 4.55

$$\frac{\sqrt{f+gx} (ae^2g^2 - bdeg^2 + 3cd^2g^2 + 2cdeg(f+gx) - 4cdefg + 2ce^2f^2 - 2ce^2f(f+gx))}{e^2g(ef-dg)(-dg-e(f+gx)+ef)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}\sqrt{dg-ef}}{ef-dg}\right) (-ae^2g - bdeg + 2be^2f + 3cd^2g - 4cdef)}{e^{5/2}(dg-ef)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^2/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] [-1/2\*(sqrt(e^2\*f - d\*e\*g)\*(2\*(2\*c\*d^2\*e - b\*d\*e^2)\*f\*g - (3\*c\*d^3 - b\*d^2\*e - a\*d\*e^2)\*g^2 + (2\*(2\*c\*d\*e^2 - b\*e^3)\*f\*g - (3\*c\*d^2\*e - b\*d\*e^2 - a\*e^3)\*g^2)\*x)\*log((e\*g\*x + 2\*e\*f - d\*g - 2\*sqrt(e^2\*f - d\*e\*g)\*sqrt(g\*x + f))/(e\*x + d)) - 2\*(2\*c\*d\*e^3\*f^2 - (5\*c\*d^2\*e^2 - b\*d\*e^3 + a\*e^4)\*f\*g + (3\*c\*d^3\*e - b\*d^2\*e^2 + a\*d\*e^3)\*g^2 + 2\*(c\*e^4\*f^2 - 2\*c\*d\*e^3\*f\*g + c\*d^2\*e^2\*g^2)\*x)\*sqrt(g\*x + f)/(d\*e^5\*f^2\*g - 2\*d^2\*e^4\*f\*g^2 + d^3\*e^3\*g^3 + (e^6\*f^2\*g - 2\*d\*e^5\*f\*g^2 + d^2\*e^4\*g^3)\*x), -(sqrt(-e^2\*f + d\*e\*g)\*(2\*(2\*c\*d^2\*e - b\*d\*e^2)\*f\*g - (3\*c\*d^3 - b\*d^2\*e - a\*d\*e^2)\*g^2 + (2\*(2\*c\*d\*e^2 - b\*e^3)\*f\*g - (3\*c\*d^2\*e - b\*d\*e^2 - a\*e^3)\*g^2)\*x)\*arctan(sqrt(-e^2\*f + d\*e\*g)\*sqrt(g\*x + f)/(e\*g\*x + e\*f)) - (2\*c\*d\*e^3\*f^2 - (5\*c\*d^2\*e^2 - b\*d\*e^3 + a\*e^4)\*f\*g + (3\*c\*d^3\*e - b\*d^2\*e^2 + a\*d\*e^3)\*g^2 + 2\*(c\*e^4\*f^2 - 2\*c\*d\*e^3\*f\*g + c\*d^2\*e^2\*g^2)\*x)\*sqrt(g\*x + f)/(d\*e^5\*f^2\*g - 2\*d^2\*e^4\*f\*g^2 + d^3\*e^3\*g^3 + (e^6\*f^2\*g - 2\*d\*e^5\*f\*g^2 + d^2\*e^4\*g^3)\*x)]

**giac [A]** time = 0.18, size = 175, normalized size = 1.25

$$\frac{2\sqrt{gx+f}ce^{(-2)}}{g} - \frac{(3cd^2g - 4cdf e - bdge + 2bfe^2 - age^2) \arctan\left(\frac{\sqrt{gx+fe}}{\sqrt{dge-fe^2}}\right)}{(dge^2 - fe^3)\sqrt{dge - fe^2}} + \frac{\sqrt{gx+f}cd^2g - \sqrt{gx+f}bdge + \sqrt{gx+f}age^2}{(dge^2 - fe^3)(dg + (gx+f)e - fe)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^2/(g\*x+f)^(1/2),x, algorithm="giac")

[Out]  $2\sqrt{g*x+f}*c*e^{-2}/g - (3*c*d^2*g - 4*c*d*f*e - b*d*g*e + 2*b*f*e^2 - a*g*e^2)*\arctan(\sqrt{g*x+f}*e/\sqrt{d*g*e - f*e^2})/((d*g*e^2 - f*e^3)*\sqrt{d*g*e - f*e^2}) + (\sqrt{g*x+f}*c*d^2*g - \sqrt{g*x+f}*b*d*g*e + \sqrt{g*x+f}*a*g*e^2)/((d*g*e^2 - f*e^3)*(d*g + (g*x+f)*e - f*e))$

**maple [B]** time = 0.02, size = 371, normalized size = 2.65

$$\frac{ag \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{dg-ef}e}\right)}{(dg-ef)\sqrt{dg-ef}e} + \frac{bdg \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{dg-ef}e}\right)}{(dg-ef)\sqrt{dg-ef}e} - \frac{2bf \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{dg-ef}e}\right)}{(dg-ef)\sqrt{dg-ef}e} - \frac{3cd^2g \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{dg-ef}e}\right)}{(dg-ef)\sqrt{dg-ef}e^2} + \frac{4cdf \arctan\left(\frac{\sqrt{gx+f}e}{\sqrt{dg-ef}e}\right)}{(dg-ef)\sqrt{dg-ef}e} + \frac{\sqrt{gx+f}dg}{(dg-ef)(egx+dg)} - \frac{\sqrt{gx+f}bdg}{(dg-ef)(egx+dg)e} + \frac{\sqrt{gx+f}cd^2g}{(dg-ef)(egx+dg)e^2} + \frac{2\sqrt{gx+f}c}{e^2g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(e\*x+d)^2/(g\*x+f)^(1/2),x)

[Out]  $2*(g*x+f)^{(1/2)}*c/e^2/g+g/(d*g-e*f)*(g*x+f)^{(1/2)}/(e*g*x+d*g)*a-g/e/(d*g-e*f)*(g*x+f)^{(1/2)}/(e*g*x+d*g)*b*d+g/e^2/(d*g-e*f)*(g*x+f)^{(1/2)}/(e*g*x+d*g)*c*d^2+g/(d*g-e*f)/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*a+g/e/(d*g-e*f)/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*b*d-2/(d*g-e*f)/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*b*f-3*g/e^2/(d*g-e*f)/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*c*d^2+4/e/(d*g-e*f)/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*d*c*f$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^2/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f positive or negative?

**mupad [B]** time = 0.23, size = 146, normalized size = 1.04

$$\frac{\operatorname{atan}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{dg-ef}}\right)(ae^2g-2be^2f-3cd^2g+bdeg+4cdf)}{e^{5/2}(dg-ef)^{3/2}} + \frac{\sqrt{f+gx}(cgd^2-bgde+age^2)}{(dg-ef)(e^3(f+gx)-e^3f+de^2g)} + \frac{2c\sqrt{f+gx}}{e^2g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/((f + g\*x)^(1/2)\*(d + e\*x)^2),x)

```
[Out] (atan((e^(1/2)*(f + g*x)^(1/2))/(d*g - e*f)^(1/2))*(a*e^2*g - 2*b*e^2*f - 3
*c*d^2*g + b*d*e*g + 4*c*d*e*f))/(e^(5/2)*(d*g - e*f)^(3/2)) + ((f + g*x)^(
1/2)*(a*e^2*g + c*d^2*g - b*d*e*g))/((d*g - e*f)*(e^3*(f + g*x) - e^3*f + d
*e^2*g)) + (2*c*(f + g*x)^(1/2))/(e^2*g)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+b*x+a)/(e*x+d)**2/(g*x+f)**(1/2),x)
```

```
[Out] Timed out
```

$$3.568 \quad \int \frac{a+bx+cx^2}{(d+ex)^3 \sqrt{f+gx}} dx$$

**Optimal.** Leaf size=206

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)\left(eg(-3aeg-bdg+4bef)-c(3d^2g^2-8defg+8e^2f^2)\right)}{4e^{5/2}(ef-dg)^{5/2}} - \frac{\sqrt{f+gx}\left(a+\frac{d(cd-be)}{e^2}\right)}{2(d+ex)^2(ef-dg)} + \frac{\sqrt{f+gx}}{2(d+ex)^2(ef-dg)}$$

**Rubi [A]** time = 0.39, antiderivative size = 206, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {897, 1157, 385, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)\left(eg(-3aeg-bdg+4bef)-c(3d^2g^2-8defg+8e^2f^2)\right)}{4e^{5/2}(ef-dg)^{5/2}} - \frac{\sqrt{f+gx}\left(a+\frac{d(cd-be)}{e^2}\right)}{2(d+ex)^2(ef-dg)} + \frac{\sqrt{f+gx}(cd(8ef-5dg)-e(-3aeg-bdg+4bef))}{4e^2(d+ex)(ef-dg)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((d + e\*x)^3\*Sqrt[f + g\*x]), x]

[Out] -((a + (d\*(c\*d - b\*e))/e^2)\*Sqrt[f + g\*x])/(2\*(e\*f - d\*g)\*(d + e\*x)^2) + ((c\*d\*(8\*e\*f - 5\*d\*g) - e\*(4\*b\*e\*f - b\*d\*g - 3\*a\*e\*g))\*Sqrt[f + g\*x])/(4\*e^2\*(e\*f - d\*g)^2\*(d + e\*x)) + ((e\*g\*(4\*b\*e\*f - b\*d\*g - 3\*a\*e\*g) - c\*(8\*e^2\*f^2 - 8\*d\*e\*f\*g + 3\*d^2\*g^2))\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(4\*e^(5/2)\*(e\*f - d\*g)^(5/2))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p+1))/(a\*b\*n\*(p+1)), x] - Dist[(a\*d - b\*c\*(n\*(p+1) + 1))/(a\*b\*n\*(p+1)), Int[(a + b\*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

### Rule 897

Int[((d\_.) + (e\_.)\*(x\_)^(m\_))\*((f\_.) + (g\_.)\*(x\_)^(n\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m+1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ

$[b^2 - 4ac, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IntegersQ}[n, p] \ \&\& \ \text{FractionQ}[m]$

### Rule 1157

$\text{Int}[\text{((d\_)} + \text{(e\_)}*(x\_)^2)^{\text{(q\_)}}*\text{((a\_)} + \text{(b\_)}*(x\_)^2 + \text{(c\_)}*(x\_)^4)^{\text{(p\_)}}, x\_Symbol] \text{:> With}[\{Qx = \text{PolynomialQuotient}[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], R = \text{Coeff}[\text{PolynomialRemainder}[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], 0]\}, -\text{Simp}[(R*x*(d + e*x^2)^{(q + 1)})/(2*d*(q + 1)), x] + \text{Dist}[1/(2*d*(q + 1)), \text{Int}[(d + e*x^2)^{(q + 1)}*\text{ExpandToSum}[2*d*(q + 1)*Qx + R*(2*q + 3), x], x]] \text{/; FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{LtQ}[q, -1]$

### Rubi steps

$$\int \frac{a + bx + cx^2}{(d + ex)^3 \sqrt{f + gx}} dx = \frac{2 \text{Subst} \left( \int \frac{\frac{cf^2 - bfg + ag^2}{g^2} - \frac{(2cf - bg)x^2}{g^2} + \frac{cx^4}{g^2}}{\left(\frac{-ef + dg}{g} + \frac{ex^2}{g}\right)^3} dx, x, \sqrt{f + gx} \right)}{g}$$

$$= -\frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{2e^2(ef - dg)(d + ex)^2} + \frac{\text{Subst} \left( \int \frac{-3a + \frac{cd^2}{e^2} - \frac{bd}{e} - \frac{4cf^2}{g^2} + \frac{4bf}{g} + \frac{4c(ef - dg)x^2}{eg^2}}{\left(\frac{-ef + dg}{g} + \frac{ex^2}{g}\right)^2} dx, x, \sqrt{f + gx} \right)}{2(ef - dg)}$$

$$= -\frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{2e^2(ef - dg)(d + ex)^2} + \frac{(cd(8ef - 5dg) - e(4bef - bdg - 3aeg)) \sqrt{f + gx}}{4e^2(ef - dg)^2(d + ex)} - \frac{(e^2(ef - dg) - cd^2) \sqrt{f + gx}}{4e^2(ef - dg)^2(d + ex)}$$

$$= -\frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{2e^2(ef - dg)(d + ex)^2} + \frac{(cd(8ef - 5dg) - e(4bef - bdg - 3aeg)) \sqrt{f + gx}}{4e^2(ef - dg)^2(d + ex)} + \frac{(e^2(ef - dg) - cd^2) \sqrt{f + gx}}{4e^2(ef - dg)^2(d + ex)}$$

**Mathematica [A]** time = 0.65, size = 297, normalized size = 1.44

$$\frac{-\frac{2\sqrt{e}\sqrt{f+gx}(e(ae-bd)+cd^2)}{(d+ex)^2(ef-dg)} - \frac{3g(e(ae-bd)+cd^2)\left(g(d+ex)\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right) - \sqrt{e}\sqrt{f+gx}\sqrt{ef-dg}\right)}{(d+ex)(ef-dg)^{5/2}} - \frac{4\sqrt{e}\sqrt{f+gx}(be-2cd)}{(d+ex)(ef-dg)} - \frac{4g(2cd-be)\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{(ef-dg)^{3/2}} - \frac{8c\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{\sqrt{ef-dg}}}{4e^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/((d + e\*x)^3\*Sqrt[f + g\*x]),x]

```
[Out] ((-2*sqrt[e]*(c*d^2 + e*(-(b*d) + a*e))*sqrt[f + g*x])/((e*f - d*g)*(d + e*x)^2) - (4*sqrt[e]*(-2*c*d + b*e)*sqrt[f + g*x])/((e*f - d*g)*(d + e*x)) - (4*(2*c*d - b*e)*g*ArcTanh[(sqrt[e]*sqrt[f + g*x])/sqrt[e*f - d*g]])/(e*f - d*g)^(3/2) - (8*c*ArcTanh[(sqrt[e]*sqrt[f + g*x])/sqrt[e*f - d*g]])/sqrt[e*f - d*g] - (3*(c*d^2 + e*(-(b*d) + a*e))*g*(-(sqrt[e]*sqrt[e*f - d*g]*sqrt[f + g*x]) + g*(d + e*x)*ArcTanh[(sqrt[e]*sqrt[f + g*x])/sqrt[e*f - d*g]])))/((e*f - d*g)^(5/2)*(d + e*x))/(4*e^(5/2))
```

**IntegrateAlgebraic [A]** time = 0.90, size = 293, normalized size = 1.42

$$\frac{\tan^{-1}\left(\frac{\sqrt{e}\sqrt{fg+dx}}{f-dg}\right)(-3ae^2g^2 - bdeg^2 + 4be^2fg - 3cd^2g^2 + 8cd^2efg - 8ce^2f^2)}{4e^{5/2}(dg - ef)^{5/2}} \cdot \frac{g\sqrt{f+gx}(-5ade^2g^2 - 3ae^2g(f+gx) + 5ae^2fg + bd^2eg^2 - bde^2g(f+gx) + 3bde^2fg - 4be^2f^2 + 4be^2f(f+gx) + 3cd^2g^2 + 5cd^2eg(f+gx) - 11cd^2efg + 8cd^2f^2 - 8cd^2f(f+gx))}{4e^2(ef - dg)^2(-dg - e(f+gx) + ef)^2}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[(a + b*x + c*x^2)/((d + e*x)^3*sqrt[f + g*x]),x]
```

```
[Out] -1/4*(g*sqrt[f + g*x]*(8*c*d*e^2*f^2 - 4*b*e^3*f^2 - 11*c*d^2*e*f*g + 3*b*d*e^2*f*g + 5*a*e^3*f*g + 3*c*d^3*g^2 + b*d^2*e*g^2 - 5*a*d*e^2*g^2 - 8*c*d*e^2*f*(f + g*x) + 4*b*e^3*f*(f + g*x) + 5*c*d^2*e*g*(f + g*x) - b*d*e^2*g*(f + g*x) - 3*a*e^3*g*(f + g*x)))/(e^2*(e*f - d*g)^2*(e*f - d*g - e*(f + g*x))^2) + ((-8*c*e^2*f^2 + 8*c*d*e*f*g + 4*b*e^2*f*g - 3*c*d^2*g^2 - b*d*e*g^2 - 3*a*e^2*g^2)*ArcTan[(sqrt[e]*sqrt[-(e*f) + d*g]*sqrt[f + g*x])/(e*f - d*g)])/(4*e^(5/2)*(-(e*f) + d*g)^(5/2))
```

**fricas [B]** time = 0.66, size = 1096, normalized size = 5.32

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/(e*x+d)^3/(g*x+f)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/8*((8*c*d^2*e^2*f^2 - 4*(2*c*d^3*e + b*d^2*e^2)*f*g + (3*c*d^4 + b*d^3*e + 3*a*d^2*e^2)*g^2 + (8*c*e^4*f^2 - 4*(2*c*d*e^3 + b*e^4)*f*g + (3*c*d^2*e^2 + b*d*e^3 + 3*a*e^4)*g^2)*x^2 + 2*(8*c*d*e^3*f^2 - 4*(2*c*d^2*e^2 + b*d*e^3)*f*g + (3*c*d^3*e + b*d^2*e^2 + 3*a*d*e^3)*g^2)*x)*sqrt(e^2*f - d*e*g)*log((e*g*x + 2*e*f - d*g - 2*sqrt(e^2*f - d*e*g)*sqrt(g*x + f))/(e*x + d)) + 2*(2*(3*c*d^2*e^3 - b*d*e^4 - a*e^5)*f^2 - (9*c*d^3*e^2 - b*d^2*e^3 - 7*a*d*e^4)*f*g + (3*c*d^4*e + b*d^3*e^2 - 5*a*d^2*e^3)*g^2 + (4*(2*c*d*e^4 - b*e^5)*f^2 - (13*c*d^2*e^3 - 5*b*d*e^4 - 3*a*e^5)*f*g + (5*c*d^3*e^2 - b*d^2*e^3 - 3*a*d*e^4)*g^2)*x)*sqrt(g*x + f))/(d^2*e^6*f^3 - 3*d^3*e^5*f^2*g + 3*d^4*e^4*f*g^2 - d^5*e^3*g^3 + (e^8*f^3 - 3*d*e^7*f^2*g + 3*d^2*e^6*f*g^2 - d^3*e^5*g^3)*x^2 + 2*(d*e^7*f^3 - 3*d^2*e^6*f^2*g + 3*d^3*e^5*f*g^2 - d^4*e^4*g^3)*x), 1/4*((8*c*d^2*e^2*f^2 - 4*(2*c*d^3*e + b*d^2*e^2)*f*g + (3*c*d^4 + b*d^3*e + 3*a*d^2*e^2)*g^2 + (8*c*e^4*f^2 - 4*(2*c*d*e^3 + b*e^4)*f*g + (3*c*d^2*e^2 + b*d*e^3 + 3*a*e^4)*g^2)*x^2 + 2*(8*c*d*e^3*f^2 - 4*(2*c*d^2
```

$$2e^2 + bde^3)fg + (3cd^3e + bd^2e^2 + 3ade^3)g^2)x \sqrt{-e^2f + d*eg} \arctan(\sqrt{-e^2f + d*eg} \sqrt{gx + f} / (e*gx + e*f)) + (2(3cd^2e^3 - bde^4 - ae^5) f^2 - (9cd^3e^2 - bd^2e^3 - 7ade^4) fg + (3cd^4e + bd^3e^2 - 5ad^2e^3) g^2 + (4(2cd^4e - be^5) f^2 - (13cd^2e^3 - 5bde^4 - 3ae^5) fg + (5cd^3e^2 - bd^2e^3 - 3ade^4) g^2) x) \sqrt{gx + f}) / (d^2e^6 f^3 - 3d^3e^5 f^2 g + 3d^4e^4 f g^2 - d^5e^3 g^3 + (e^8 f^3 - 3d^2e^7 f^2 g + 3d^2e^6 f g^2 - d^3e^5 g^3) x^2 + 2(d^2e^7 f^3 - 3d^2e^6 f^2 g + 3d^3e^5 f g^2 - d^4e^4 g^3) x)$$

**giac [B]** time = 0.20, size = 373, normalized size = 1.81

$$\frac{(3a^2g^2 - 8dfg + bd^2e + 8cf^2 - 4bf^2g + 3ag^2) \arctan\left(\frac{\sqrt{-e^2f + d*eg}}{\sqrt{d*eg - f*e^2}}\right) - 3\sqrt{gx + f} ad^2g^2 + 5(gx + f)^3 ad^2g^2 - 11\sqrt{gx + f} ad^2fg^2 + \sqrt{gx + f} bd^2g^2e - 8(gx + f)^3 adfg^2 + 8\sqrt{gx + f} ad^2g^2 - (gx + f)^3 bd^2g^2 + 3\sqrt{gx + f} bd^2fg^2 - 5\sqrt{gx + f} ad^2g^2 + 4(gx + f)^3 bfg^2 - 4\sqrt{gx + f} bfg^2 - 3(gx + f)^3 ag^2 + 5\sqrt{gx + f} ag^2}{4(d^2g^2 - 2dfg + f^2)\sqrt{d*eg - f*e^2}} - \frac{3\sqrt{gx + f} ad^2g^2 + 5(gx + f)^3 ad^2g^2 - 11\sqrt{gx + f} ad^2fg^2 + \sqrt{gx + f} bd^2g^2e - 8(gx + f)^3 adfg^2 + 8\sqrt{gx + f} ad^2g^2 - (gx + f)^3 bd^2g^2 + 3\sqrt{gx + f} bd^2fg^2 - 5\sqrt{gx + f} ad^2g^2 + 4(gx + f)^3 bfg^2 - 4\sqrt{gx + f} bfg^2 - 3(gx + f)^3 ag^2 + 5\sqrt{gx + f} ag^2}{4(d^2g^2 - 2dfg + f^2)(d*eg + (gx + f)e - f^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^3/(g\*x+f)^(1/2),x, algorithm="giac")

$$[Out] \frac{1}{4} (3cd^2g^2 - 8cd*dfg*eg + bd*g^2e + 8cf^2e^2 - 4b*dfg*eg^2 + 3a*g^2e^2) \arctan(\sqrt{gx + f} e / \sqrt{d*ge - f*e^2}) / ((d^2g^2e^2 - 2d*dfg*ge^3 + f^2e^4) \sqrt{d*ge - f*e^2}) - \frac{1}{4} (3\sqrt{gx + f} cd^3g^3 + 5(gx + f)^{3/2} cd^2g^2e - 11\sqrt{gx + f} cd^2dfg^2e + \sqrt{gx + f} bd^2g^3e - 8(gx + f)^{3/2} cd*dfg*ge^2 + 8\sqrt{gx + f} cd*df^2ge^2 - (gx + f)^{3/2} bd*g^2e^2 + 3\sqrt{gx + f} bd*dfg^2e^2 - 5\sqrt{gx + f} a*dg^3e^2 + 4(gx + f)^{3/2} b*dfg*ge^3 - 4\sqrt{gx + f} b*df^2ge^3 - 3(gx + f)^{3/2} a*g^2e^3 + 5\sqrt{gx + f} a*dfg^2e^3) / ((d^2g^2e^2 - 2d*dfg*ge^3 + f^2e^4) (d*ge + (gx + f)e - f^2)^2)$$

**maple [B]** time = 0.02, size = 538, normalized size = 2.61

$$\frac{3a^2 \arctan\left(\frac{\sqrt{-e^2f + d*eg}}{\sqrt{d*eg - f*e^2}}\right)}{4(d^2g^2 - 2dfg + f^2)\sqrt{d*eg - f*e^2}} + \frac{bd^2 \arctan\left(\frac{\sqrt{-e^2f + d*eg}}{\sqrt{d*eg - f*e^2}}\right)}{4(d^2g^2 - 2dfg + f^2)\sqrt{d*eg - f*e^2}} - \frac{bfg \arctan\left(\frac{\sqrt{-e^2f + d*eg}}{\sqrt{d*eg - f*e^2}}\right)}{(d^2g^2 - 2dfg + f^2)\sqrt{d*eg - f*e^2}} + \frac{3c d^2 g^2 \arctan\left(\frac{\sqrt{-e^2f + d*eg}}{\sqrt{d*eg - f*e^2}}\right)}{4(d^2g^2 - 2dfg + f^2)\sqrt{d*eg - f*e^2}} - \frac{2cdfg \arctan\left(\frac{\sqrt{-e^2f + d*eg}}{\sqrt{d*eg - f*e^2}}\right)}{(d^2g^2 - 2dfg + f^2)\sqrt{d*eg - f*e^2}} + \frac{2cf^2 \arctan\left(\frac{\sqrt{-e^2f + d*eg}}{\sqrt{d*eg - f*e^2}}\right)}{(d^2g^2 - 2dfg + f^2)\sqrt{d*eg - f*e^2}} + \frac{(3a^2g^2bdg - 4c^2f - 3c^2f^2bdg)/g + f^3g^2}{4(d^2g^2 - 2dfg + f^2)\sqrt{d*eg - f*e^2}} + \frac{(3a^2g^2bdg - 4c^2f - 3c^2f^2bdg)/g + f^3g^2}{4(d^2g^2 - 2dfg + f^2)\sqrt{d*eg - f*e^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(e\*x+d)^3/(g\*x+f)^(1/2),x)

$$[Out] \frac{2(1/8g(3ae^2g + bde*eg - 4be^2f - 5cd^2g + 8cde*f)/e / (d^2g^2 - 2d*dfg*ge^3 + f^2e^4) * (gx + f)^{3/2} + 1/8(5ae^2g - bde*eg - 4be^2f - 3cd^2g + 8cde*f)/e^2g / (d*ge - f*e^2) * (gx + f)^{1/2}) / (d*ge - f*e^2 + (gx + f)e)^2 + 3/4 / (d^2g^2 - 2d*dfg*ge^3 + f^2e^4) / ((d*ge - f*e^2) * e)^{1/2} * ag^2 \arctan((gx + f)^{1/2} / ((d*ge - f*e^2) * e)^{1/2}) + 1/4 / (d^2g^2 - 2d*dfg*ge^3 + f^2e^4) / e / ((d*ge - f*e^2) * e)^{1/2} \arctan((gx + f)^{1/2} / ((d*ge - f*e^2) * e)^{1/2}) + 1 / (d^2g^2 - 2d*dfg*ge^3 + f^2e^4) / ((d*ge - f*e^2) * e)^{1/2} * bd*g^2 - 1 / (d^2g^2 - 2d*dfg*ge^3 + f^2e^4) / ((d*ge - f*e^2) * e)^{1/2} \arctan((gx + f)^{1/2} / ((d*ge - f*e^2) * e)^{1/2}) + 3/4 / (d^2g^2 - 2d*dfg*ge^3 + f^2e^4) / ((d*ge - f*e^2) * e)^{1/2} * cd^2/e^2g^2 \arctan((gx + f)^{1/2} / ((d*ge - f*e^2) * e)^{1/2}) - 2 / (d^2g^2 - 2d*dfg*ge^3 + f^2e^4) / ((d*ge - f*e^2) * e)^{1/2} * cd / e * f * g \arctan((gx + f)^{1/2} / ((d*ge - f*e^2) * e)^{1/2}) + 2 / (d^2g^2 - 2d*dfg*ge^3 + f^2e^4) / ((d*ge - f*e^2) * e)^{1/2} * cd / e * f * g \arctan((gx + f)^{1/2} / ((d*ge - f*e^2) * e)^{1/2}) + 2 / (d^2g^2 - 2d*dfg*ge^3 + f^2e^4) / ((d*ge - f*e^2) * e)^{1/2} * cd / e * f * g \arctan((gx + f)^{1/2} / ((d*ge - f*e^2) * e)^{1/2})$$



$*g+e^2*f^2)/((d*g-e*f)*e)^{(1/2)}*c*f^2*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^3/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f positive or negative?

**mupad** [B] time = 0.28, size = 270, normalized size = 1.31

$$\frac{\operatorname{atan}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{d-g-e}}\right)(3cd^2g^2-8cdefg+bdeg^2+8ce^2f^2-4be^2fg+3ae^2g^2)}{4e^{5/2}(d-g-e)^{5/2}} - \frac{\frac{\sqrt{f+gx}(3cd^2g^2+bdeg^2-8cfd eg-5ae^2g^2+4bf^2g)}{4e^2(d-g-e)} - \frac{(f+gx)^{3/2}(-5cd^2g^2+bdeg^2+8cfd eg+3ae^2g^2-4bf^2g)}{4e(d-g-e)^2}}{e^2(f+gx)^2 - (f+gx)(2e^2f-2d*eg) + d^2g^2 + e^2f^2 - 2defg}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/((f + g\*x)^(1/2)\*(d + e\*x)^3),x)

[Out]  $(\operatorname{atan}((e^{1/2}*(f + g*x)^{(1/2)})/(d*g - e*f)^{(1/2)})*(3*a*e^2*g^2 + 3*c*d^2*g^2 + 8*c*e^2*f^2 + b*d*e*g^2 - 4*b*e^2*f*g - 8*c*d*e*f*g))/(4*e^{(5/2)}*(d*g - e*f)^{(5/2)}) - (((f + g*x)^{(1/2)}*(3*c*d^2*g^2 - 5*a*e^2*g^2 + b*d*e*g^2 + 4*b*e^2*f*g - 8*c*d*e*f*g))/(4*e^2*(d*g - e*f)) - ((f + g*x)^{(3/2)}*(3*a*e^2*g^2 - 5*c*d^2*g^2 + b*d*e*g^2 - 4*b*e^2*f*g + 8*c*d*e*f*g))/(4*e*(d*g - e*f)^2))/(e^2*(f + g*x)^2 - (f + g*x)*(2*e^2*f - 2*d*e*g) + d^2*g^2 + e^2*f^2 - 2*d*e*f*g)$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/(e\*x+d)\*\*3/(g\*x+f)\*\*(1/2),x)

[Out] Timed out

$$3.569 \quad \int \frac{(d+ex)^3(a+bx+cx^2)}{(f+gx)^{3/2}} dx$$

**Optimal.** Leaf size=285

$$\frac{2e(f+gx)^{5/2}(eg(-aeg-3bdg+4bef)-c(3d^2g^2-12defg+10e^2f^2))}{5g^6} + \frac{2(f+gx)^{3/2}(ef-dg)(3eg(-aeg-bdg+4bef)-c(3d^2g^2-12defg+10e^2f^2))}{7g^6} + \frac{2e^2(f+gx)^{1/2}(ef-dg)(3eg(-aeg-bdg+4bef)-c(3d^2g^2-12defg+10e^2f^2))}{9g^6}$$

**Rubi [A]** time = 0.41, antiderivative size = 285, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {897, 1261}

$$\frac{2e(f+gx)^{5/2}(eg(-aeg-3bdg+4bef)-c(3d^2g^2-12defg+10e^2f^2))}{5g^6} + \frac{2(f+gx)^{3/2}(ef-dg)(3eg(-aeg-bdg+4bef)-c(3d^2g^2-12defg+10e^2f^2))}{7g^6} + \frac{2e^2(f+gx)^{1/2}(ef-dg)(3eg(-aeg-bdg+4bef)-c(3d^2g^2-12defg+10e^2f^2))}{9g^6}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^3\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(e\*f - d\*g)^3\*(c\*f^2 - b\*f\*g + a\*g^2))/(g^6\*Sqrt[f + g\*x]) + (2\*(e\*f - d\*g)^2\*(c\*f\*(5\*e\*f - 2\*d\*g) - g\*(4\*b\*e\*f - b\*d\*g - 3\*a\*e\*g))\*Sqrt[f + g\*x])/g^6 + (2\*(e\*f - d\*g)\*(3\*e\*g\*(2\*b\*e\*f - b\*d\*g - a\*e\*g) - c\*(10\*e^2\*f^2 - 8\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^(3/2))/(3\*g^6) - (2\*e\*(e\*g\*(4\*b\*e\*f - 3\*b\*d\*g - a\*e\*g) - c\*(10\*e^2\*f^2 - 12\*d\*e\*f\*g + 3\*d^2\*g^2))\*(f + g\*x)^(5/2))/(5\*g^6) - (2\*e^2\*(5\*c\*e\*f - 3\*c\*d\*g - b\*e\*g)\*(f + g\*x)^(7/2))/(7\*g^6) + (2\*c\*e^3\*(f + g\*x)^(9/2))/(9\*g^6)

### Rule 897

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1261

Int[((f\_.)\*(x\_))^(m\_.)\*((d\_.) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_.) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(f\*x)^m\*(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^3(a+bx+cx^2)}{(f+gx)^{3/2}} dx &= \frac{2 \operatorname{Subst} \left( \int \frac{\left(\frac{-ef+dg}{g} + \frac{ex^2}{g}\right)^3 \left(\frac{cf^2-bfg+ag^2}{g^2} - \frac{(2cf-bg)x^2}{g^2} + \frac{cx^4}{g^2}\right)}{x^2} dx, x, \sqrt{f+gx} \right)}{g} \\
&= \frac{2 \operatorname{Subst} \left( \int \left( \frac{(ef-dg)^2(cf(5ef-2dg)-g(4bef-bdg-3aeg))}{g^5} + \frac{(-ef+dg)^3(cf^2-bfg+ag^2)}{g^5x^2} + \frac{(ef-dg)(cf^2-bfg+ag^2)}{g^5x} \right) dx, x, \sqrt{f+gx} \right)}{g^5} \\
&= \frac{2(ef-dg)^3(cf^2-bfg+ag^2)}{g^6\sqrt{f+gx}} + \frac{2(ef-dg)^2(cf(5ef-2dg)-g(4bef-bdg-3aeg))}{g^6}
\end{aligned}$$

**Mathematica [A]** time = 0.73, size = 249, normalized size = 0.87

$$\frac{2(-63(f+gx)^3(c(-3d^2g^2+12dfg-10d^2f^2)-cg(aeg+3bdg-4bef))+105(f+gx)^2(cf-dg)(-3g(aeg+bdg-2bef)-c(d^2g^2-8dfg+10d^2f^2))+315(ef-dg)^3(g(ag-bf)+cf^2)+315(f+gx)(ef-dg)^2(g(3aeg+bdg-4bef)+cf(5ef-2dg))-45d^2(f+gx)^3(-bfg-3cdg+5ef)+35c^2(f+gx)^2)}{315g^6\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^3\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(315\*(e\*f - d\*g)^3\*(c\*f^2 + g\*(-(b\*f) + a\*g)) + 315\*(e\*f - d\*g)^2\*(c\*f\*(5\*e\*f - 2\*d\*g) + g\*(-4\*b\*e\*f + b\*d\*g + 3\*a\*e\*g))\*(f + g\*x) + 105\*(e\*f - d\*g)\*(-3\*e\*g\*(-2\*b\*e\*f + b\*d\*g + a\*e\*g) - c\*(10\*e^2\*f^2 - 8\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^2 - 63\*e\*(-(e\*g\*(-4\*b\*e\*f + 3\*b\*d\*g + a\*e\*g)) + c\*(-10\*e^2\*f^2 + 12\*d\*e\*f\*g - 3\*d^2\*g^2))\*(f + g\*x)^3 - 45\*e^2\*(5\*c\*e\*f - 3\*c\*d\*g - b\*e\*g)\*(f + g\*x)^4 + 35\*c\*e^3\*(f + g\*x)^5)/(315\*g^6\*sqrt[f + g\*x])

**IntegrateAlgebraic [B]** time = 0.30, size = 634, normalized size = 2.22

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^3\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(315\*c\*e^3\*f^5 - 945\*c\*d\*e^2\*f^4\*g - 315\*b\*e^3\*f^4\*g + 945\*c\*d^2\*e\*f^3\*g^2 + 945\*b\*d\*e^2\*f^3\*g^2 + 315\*a\*e^3\*f^3\*g^2 - 315\*c\*d^3\*f^2\*g^3 - 945\*b\*d^2\*e\*f^2\*g^3 - 945\*a\*d\*e^2\*f^2\*g^3 + 315\*b\*d^3\*f\*g^4 + 945\*a\*d^2\*e\*f\*g^4 - 315\*a\*d^3\*g^5 + 1575\*c\*e^3\*f^4\*(f + g\*x) - 3780\*c\*d\*e^2\*f^3\*g\*(f + g\*x) - 1260\*b\*e^3\*f^3\*g\*(f + g\*x) + 2835\*c\*d^2\*e\*f^2\*g^2\*(f + g\*x) + 2835\*b\*d\*e^2\*f^2\*g^2\*(f + g\*x) + 945\*a\*e^3\*f^2\*g^2\*(f + g\*x) - 630\*c\*d^3\*f\*g^3\*(f + g\*x) - 1890\*b\*d^2\*e\*f\*g^3\*(f + g\*x) - 1890\*a\*d\*e^2\*f\*g^3\*(f + g\*x) + 315\*b\*d^3\*g^4\*(f + g\*x) + 945\*a\*d^2\*e\*g^4\*(f + g\*x) - 1050\*c\*e^3\*f^3\*(f + g\*x)^2 + 1890

$$\begin{aligned} & *c*d*e^2*f^2*g*(f + g*x)^2 + 630*b*e^3*f^2*g*(f + g*x)^2 - 945*c*d^2*e*f*g^2 \\ & * (f + g*x)^2 - 945*b*d*e^2*f*g^2*(f + g*x)^2 - 315*a*e^3*f*g^2*(f + g*x)^2 \\ & + 105*c*d^3*g^3*(f + g*x)^2 + 315*b*d^2*e*g^3*(f + g*x)^2 + 315*a*d*e^2*g^3 \\ & *(f + g*x)^2 + 630*c*e^3*f^2*(f + g*x)^3 - 756*c*d*e^2*f*g*(f + g*x)^3 - 2 \\ & 52*b*e^3*f*g*(f + g*x)^3 + 189*c*d^2*e*g^2*(f + g*x)^3 + 189*b*d*e^2*g^2*(f \\ & + g*x)^3 + 63*a*e^3*g^2*(f + g*x)^3 - 225*c*e^3*f*(f + g*x)^4 + 135*c*d*e^2 \\ & *g*(f + g*x)^4 + 45*b*e^3*g*(f + g*x)^4 + 35*c*e^3*(f + g*x)^5) / (315*g^6* \\ & \text{Sqrt}[f + g*x]) \end{aligned}$$

**fricas** [A] time = 0.62, size = 438, normalized size = 1.54

[[[...]]]]

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(c\*x^2+b\*x+a)/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & 2/315*(35*c*e^3*g^5*x^5 + 1280*c*e^3*f^5 - 315*a*d^3*g^5 - 1152*(3*c*d*e^2 \\ & + b*e^3)*f^4*g + 1008*(3*c*d^2*e + 3*b*d*e^2 + a*e^3)*f^3*g^2 - 840*(c*d^3 \\ & + 3*b*d^2*e + 3*a*d*e^2)*f^2*g^3 + 630*(b*d^3 + 3*a*d^2*e)*f*g^4 - 5*(10*c* \\ & e^3*f*g^4 - 9*(3*c*d*e^2 + b*e^3)*g^5)*x^4 + (80*c*e^3*f^2*g^3 - 72*(3*c*d* \\ & e^2 + b*e^3)*f*g^4 + 63*(3*c*d^2*e + 3*b*d*e^2 + a*e^3)*g^5)*x^3 - (160*c*e \\ & ^3*f^3*g^2 - 144*(3*c*d*e^2 + b*e^3)*f^2*g^3 + 126*(3*c*d^2*e + 3*b*d*e^2 + \\ & a*e^3)*f*g^4 - 105*(c*d^3 + 3*b*d^2*e + 3*a*d*e^2)*g^5)*x^2 + (640*c*e^3*f \\ & ^4*g - 576*(3*c*d*e^2 + b*e^3)*f^3*g^2 + 504*(3*c*d^2*e + 3*b*d*e^2 + a*e^3 \\ & )*f^2*g^3 - 420*(c*d^3 + 3*b*d^2*e + 3*a*d*e^2)*f*g^4 + 315*(b*d^3 + 3*a*d^2 \\ & *e)*g^5)*x)*\text{sqrt}(g*x + f)/(g^7*x + f*g^6) \end{aligned}$$

**giac** [B] time = 0.24, size = 669, normalized size = 2.35

[[[...]]]]

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^3\*(c\*x^2+b\*x+a)/(g\*x+f)^(3/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -2*(c*d^3*f^2*g^3 - b*d^3*f*g^4 + a*d^3*g^5 - 3*c*d^2*f^3*g^2*e + 3*b*d^2*f \\ & ^2*g^3*e - 3*a*d^2*f*g^4*e + 3*c*d*f^4*g*e^2 - 3*b*d*f^3*g^2*e^2 + 3*a*d*f^2 \\ & *g^3*e^2 - c*f^5*e^3 + b*f^4*g*e^3 - a*f^3*g^2*e^3)/(\text{sqrt}(g*x + f)*g^6) + \\ & 2/315*(105*(g*x + f)^(3/2)*c*d^3*g^51 - 630*\text{sqrt}(g*x + f)*c*d^3*f*g^51 + 31 \\ & 5*\text{sqrt}(g*x + f)*b*d^3*g^52 + 189*(g*x + f)^(5/2)*c*d^2*g^50*e - 945*(g*x + \\ & f)^(3/2)*c*d^2*f*g^50*e + 2835*\text{sqrt}(g*x + f)*c*d^2*f^2*g^50*e + 315*(g*x + \\ & f)^(3/2)*b*d^2*g^51*e - 1890*\text{sqrt}(g*x + f)*b*d^2*f*g^51*e + 945*\text{sqrt}(g*x + \\ & f)*a*d^2*g^52*e + 135*(g*x + f)^(7/2)*c*d*g^49*e^2 - 756*(g*x + f)^(5/2)*c* \\ & d*f*g^49*e^2 + 1890*(g*x + f)^(3/2)*c*d*f^2*g^49*e^2 - 3780*\text{sqrt}(g*x + f)*c \\ & *d*f^3*g^49*e^2 + 189*(g*x + f)^(5/2)*b*d*g^50*e^2 - 945*(g*x + f)^(3/2)*b* \\ & d*f*g^50*e^2 + 2835*\text{sqrt}(g*x + f)*b*d*f^2*g^50*e^2 + 315*(g*x + f)^(3/2)*a* \end{aligned}$$

$$d * g^{51} e^2 - 1890 * \sqrt{g * x + f} * a * d * f * g^{51} e^2 + 35 * (g * x + f)^{(9/2)} * c * g^{48} e^3 - 225 * (g * x + f)^{(7/2)} * c * f * g^{48} e^3 + 630 * (g * x + f)^{(5/2)} * c * f^2 * g^{48} e^3 - 1050 * (g * x + f)^{(3/2)} * c * f^3 * g^{48} e^3 + 1575 * \sqrt{g * x + f} * c * f^4 * g^{48} e^3 + 45 * (g * x + f)^{(7/2)} * b * g^{49} e^3 - 252 * (g * x + f)^{(5/2)} * b * f * g^{49} e^3 + 630 * (g * x + f)^{(3/2)} * b * f^2 * g^{49} e^3 - 1260 * \sqrt{g * x + f} * b * f^3 * g^{49} e^3 + 63 * (g * x + f)^{(5/2)} * a * g^{50} e^3 - 315 * (g * x + f)^{(3/2)} * a * f * g^{50} e^3 + 945 * \sqrt{g * x + f} * a * f^2 * g^{50} e^3 / g^{54}$$

**maple [B]** time = 0.01, size = 540, normalized size = 1.89

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^3*(c*x^2+b*x+a)/(g*x+f)^{(3/2)}, x)$

[Out]  $-2/315/(g*x+f)^{(1/2)} * (-35*c*e^3*g^5*x^5 - 45*b*e^3*g^5*x^4 - 135*c*d*e^2*g^5*x^4 + 50*c*e^3*f*g^4*x^4 - 63*a*e^3*g^5*x^3 - 189*b*d*e^2*g^5*x^3 + 72*b*e^3*f*g^4*x^3 - 189*c*d^2*e*g^5*x^3 + 216*c*d*e^2*f*g^4*x^3 - 80*c*e^3*f^2*g^3*x^3 - 315*a*d*e^2*g^5*x^2 + 126*a*e^3*f*g^4*x^2 - 315*b*d^2*e*g^5*x^2 + 378*b*d*e^2*f*g^4*x^2 - 144*b*e^3*f^2*g^3*x^2 - 105*c*d^3*g^5*x^2 + 378*c*d^2*e*f*g^4*x^2 - 432*c*d*e^2*f^2*g^3*x^2 + 160*c*e^3*f^3*g^2*x^2 - 945*a*d^2*e*g^5*x + 1260*a*d*e^2*f*g^4*x - 504*a*e^3*f^2*g^3*x - 315*b*d^3*g^5*x + 1260*b*d^2*e*f*g^4*x - 1512*b*d*e^2*f^2*g^3*x + 576*b*e^3*f^3*g^2*x + 420*c*d^3*f*g^4*x - 1512*c*d^2*e*f^2*g^3*x + 1728*c*d*e^2*f^3*g^2*x - 640*c*e^3*f^4*g*x + 315*a*d^3*g^5 - 1890*a*d^2*e*f*g^4 + 2520*a*d*e^2*f^2*g^3 - 1008*a*e^3*f^3*g^2 - 630*b*d^3*f*g^4 + 2520*b*d^2*e*f^2*g^3 - 3024*b*d*e^2*f^3*g^2 + 1152*b*e^3*f^4*g + 840*c*d^3*f^2*g^3 - 3024*c*d^2*e*f^3*g^2 + 3456*c*d*e^2*f^4*g - 1280*c*e^3*f^5) / g^6$

**maxima [A]** time = 0.46, size = 437, normalized size = 1.53

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((e*x+d)^3*(c*x^2+b*x+a)/(g*x+f)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out]  $2/315 * ((35 * (g * x + f)^{(9/2)} * c * e^3 - 45 * (5 * c * e^3 * f - (3 * c * d * e^2 + b * e^3) * g) * (g * x + f)^{(7/2)} + 63 * (10 * c * e^3 * f^2 - 4 * (3 * c * d * e^2 + b * e^3) * f * g + (3 * c * d^2 * e + 3 * b * d * e^2 + a * e^3) * g^2) * (g * x + f)^{(5/2)} - 105 * (10 * c * e^3 * f^3 - 6 * (3 * c * d * e^2 + b * e^3) * f^2 * g + 3 * (3 * c * d^2 * e + 3 * b * d * e^2 + a * e^3) * f * g^2 - (c * d^3 + 3 * b * d^2 * e + 3 * a * d * e^2) * g^3) * (g * x + f)^{(3/2)} + 315 * (5 * c * e^3 * f^4 - 4 * (3 * c * d * e^2 + b * e^3) * f^3 * g + 3 * (3 * c * d^2 * e + 3 * b * d * e^2 + a * e^3) * f^2 * g^2 - 2 * (c * d^3 + 3 * b * d^2 * e + 3 * a * d * e^2) * f * g^3 + (b * d^3 + 3 * a * d^2 * e) * g^4) * \sqrt{g * x + f}) / g^5 + 315 * (c * e^3 * f^5 - a * d^3 * g^5 - (3 * c * d * e^2 + b * e^3) * f^4 * g + (3 * c * d^2 * e + 3 * b * d * e^2 + a * e^3) * f^3 * g^2 - (c * d^3 + 3 * b * d^2 * e + 3 * a * d * e^2) * f^2 * g^3 + (b * d^3 + 3 * a * d^2 * e) * f * g^4) / (\sqrt{g * x + f} * g^5) / g$

mupad [B] time = 0.12, size = 394, normalized size = 1.38

$$\frac{(f+g)^{10} (2b^2g-10c^2f+4cd^2)}{7g^6} - \frac{2cd^2f^2-2bd^2f^2-2ad^2f^2-4cd^2f^2+4bd^2f^2+4ad^2f^2-4bd^2f^2-4ad^2f^2-2cd^2f^2+2bd^2f^2-2ad^2f^2}{g^4\sqrt{g^2+4}} - \frac{(f+g)^{10} (6cd^2g^2-24cd^2fg+48cd^2f^2-20c^2f^3-8b^2fg+2ad^2f^2)}{5g^6} - \frac{2(f+g)^{10} (fg-ef) (cd^2g+3bd^2f+3ad^2f^2-4bd^2fg-2ad^2f^2)}{3g^6} - \frac{2\sqrt{f+g} (fg-ef) (3ad^2g+3bd^2f+3cd^2f^2-2ad^2fg-2ad^2f^2)}{g^6} - \frac{2cd^2(f+g)^{10}}{9g^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e\*x)^3\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2), x)

[Out] ((f + g\*x)^(7/2)\*(2\*b\*e^3\*g - 10\*c\*e^3\*f + 6\*c\*d\*e^2\*g))/(7\*g^6) - (2\*a\*d^3\*g^5 - 2\*c\*e^3\*f^5 - 2\*a\*e^3\*f^3\*g^2 + 2\*c\*d^3\*f^2\*g^3 - 2\*b\*d^3\*f\*g^4 + 2\*b\*e^3\*f^4\*g - 6\*a\*d^2\*e\*f\*g^4 + 6\*c\*d\*e^2\*f^4\*g + 6\*a\*d\*e^2\*f^2\*g^3 - 6\*b\*d\*e^2\*f^3\*g^2 + 6\*b\*d^2\*e\*f^2\*g^3 - 6\*c\*d^2\*e\*f^3\*g^2)/(g^6\*(f + g\*x)^(1/2)) + ((f + g\*x)^(5/2)\*(2\*a\*e^3\*g^2 + 20\*c\*e^3\*f^2 - 8\*b\*e^3\*f\*g + 6\*b\*d\*e^2\*g^2 + 6\*c\*d^2\*e\*g^2 - 24\*c\*d\*e^2\*f\*g))/(5\*g^6) + (2\*(f + g\*x)^(3/2)\*(d\*g - e\*f)\*(3\*a\*e^2\*g^2 + c\*d^2\*g^2 + 10\*c\*e^2\*f^2 + 3\*b\*d\*e\*g^2 - 6\*b\*e^2\*f\*g - 8\*c\*d\*e\*f\*g))/(3\*g^6) + (2\*(f + g\*x)^(1/2)\*(d\*g - e\*f)^2\*(3\*a\*e\*g^2 + b\*d\*g^2 + 5\*c\*e\*f^2 - 4\*b\*e\*f\*g - 2\*c\*d\*f\*g))/g^6 + (2\*c\*e^3\*(f + g\*x)^(9/2))/(9\*g^6)

sympy [A] time = 158.56, size = 452, normalized size = 1.59

$$\frac{2cd^2(f+g)^2}{9g^6} - \frac{(f+g)^2(2bd^2g+4cd^2f-10c^2f)}{7g^6} - \frac{(f+g)^2(2bd^2g+4cd^2f-10c^2f)}{5g^6} - \frac{(f+g)^2(6cd^2g^2-6cd^2fg+48cd^2f^2-20c^2f^2+12bd^2fg+2cd^2f^2-16bd^2fg-20cd^2f^2)}{3g^6} - \frac{\sqrt{f+g}(6cd^2g^2-12ad^2f^2+6cd^2f^2+20d^2g^2-12bd^2fg-18bd^2f^2-24cd^2fg+20cd^2f^2)}{g^6} - \frac{2(fg-ef)(g^2-3fg+cf)}{g^4\sqrt{f+g}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*3\*(c\*x\*\*2+b\*x+a)/(g\*x+f)\*\*(3/2), x)

[Out] 2\*c\*e\*\*3\*(f + g\*x)\*\*(9/2)/(9\*g\*\*6) + (f + g\*x)\*\*(7/2)\*(2\*b\*e\*\*3\*g + 6\*c\*d\*e\*\*2\*g - 10\*c\*e\*\*3\*f)/(7\*g\*\*6) + (f + g\*x)\*\*(5/2)\*(2\*a\*e\*\*3\*g\*\*2 + 6\*b\*d\*e\*\*2\*g\*\*2 - 8\*b\*e\*\*3\*f\*g + 6\*c\*d\*\*2\*e\*g\*\*2 - 24\*c\*d\*e\*\*2\*f\*g + 20\*c\*e\*\*3\*f\*\*2)/(5\*g\*\*6) + (f + g\*x)\*\*(3/2)\*(6\*a\*d\*e\*\*2\*g\*\*3 - 6\*a\*e\*\*3\*f\*g\*\*2 + 6\*b\*d\*\*2\*e\*g\*\*3 - 18\*b\*d\*e\*\*2\*f\*g\*\*2 + 12\*b\*e\*\*3\*f\*\*2\*g + 2\*c\*d\*\*3\*g\*\*3 - 18\*c\*d\*\*2\*e\*f\*g\*\*2 + 36\*c\*d\*e\*\*2\*f\*\*2\*g - 20\*c\*e\*\*3\*f\*\*3)/(3\*g\*\*6) + sqrt(f + g\*x)\*(6\*a\*d\*\*2\*e\*g\*\*4 - 12\*a\*d\*e\*\*2\*f\*g\*\*3 + 6\*a\*e\*\*3\*f\*\*2\*g\*\*2 + 2\*b\*d\*\*3\*g\*\*4 - 12\*b\*d\*\*2\*e\*f\*g\*\*3 + 18\*b\*d\*e\*\*2\*f\*\*2\*g\*\*2 - 8\*b\*e\*\*3\*f\*\*3\*g - 4\*c\*d\*\*3\*f\*g\*\*3 + 18\*c\*d\*\*2\*e\*f\*\*2\*g\*\*2 - 24\*c\*d\*e\*\*2\*f\*\*3\*g + 10\*c\*e\*\*3\*f\*\*4)/g\*\*6 - 2\*(d\*g - e\*f)\*\*3\*(a\*g\*\*2 - b\*f\*g + c\*f\*\*2)/(g\*\*6\*sqrt(f + g\*x))

$$3.570 \quad \int \frac{(d+ex)^2(a+bx+cx^2)}{(f+gx)^{3/2}} dx$$

**Optimal.** Leaf size=210

$$\frac{2(f+gx)^{3/2}(eg(-aeg-2bdg+3bef)-c(d^2g^2-6defg+6e^2f^2))}{3g^5} - \frac{2(ef-dg)^2(ag^2-bfg+cf^2)}{g^5\sqrt{f+gx}} - \frac{2\sqrt{f+gx}}{g^5}$$

**Rubi [A]** time = 0.29, antiderivative size = 210, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {897, 1261}

$$\frac{2(f+gx)^{3/2}(eg(-aeg-2bdg+3bef)-c(d^2g^2-6defg+6e^2f^2))}{3g^5} - \frac{2(ef-dg)^2(ag^2-bfg+cf^2)}{g^5\sqrt{f+gx}} - \frac{2\sqrt{f+gx}(ef-dg)(2ef-dg-g(-2aeg-bdg+3bef))}{g^5} - \frac{2e(f+gx)^{5/2}(-beg-2cdg+4cef)}{5g^5} + \frac{2ce^2(f+gx)^{7/2}}{7g^5}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^2\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (-2\*(e\*f - d\*g)^2\*(c\*f^2 - b\*f\*g + a\*g^2))/(g^5\*sqrt[f + g\*x]) - (2\*(e\*f - d\*g)\*(2\*c\*f\*(2\*e\*f - d\*g) - g\*(3\*b\*e\*f - b\*d\*g - 2\*a\*e\*g))\*sqrt[f + g\*x])/g^5 - (2\*(e\*g\*(3\*b\*e\*f - 2\*b\*d\*g - a\*e\*g) - c\*(6\*e^2\*f^2 - 6\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^(3/2))/(3\*g^5) - (2\*e\*(4\*c\*e\*f - 2\*c\*d\*g - b\*e\*g)\*(f + g\*x)^(5/2))/(5\*g^5) + (2\*c\*e^2\*(f + g\*x)^(7/2))/(7\*g^5)

**Rule 897**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

**Rule 1261**

Int[((f\_.)\*(x\_))^(m\_.)\*((d\_) + (e\_.)\*(x\_)^2)^(q\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(f\*x)^m\*(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

**Rubi steps**

$$\int \frac{(d + ex)^2 (a + bx + cx^2)}{(f + gx)^{3/2}} dx = \frac{2 \operatorname{Subst} \left( \int \frac{\left( \frac{-ef+dg}{g} + \frac{ex^2}{g} \right)^2 \left( \frac{cf^2-bfg+ag^2}{g^2} - \frac{(2cf-bg)x^2}{g^2} + \frac{cx^4}{g^2} \right)}{x^2} dx, x, \sqrt{f + gx} \right)}{g}$$

$$= \frac{2 \operatorname{Subst} \left( \int \left( \frac{(ef-dg)(-2cf(2ef-dg)+g(3bef-bdg-2aeg))}{g^4} + \frac{(-ef+dg)^2(cf^2-bfg+ag^2)}{g^4x^2} + \frac{(-eg(3bef-dg)-2c^2f^2)}{g^4} \right) dx, x, \sqrt{f + gx} \right)}{g}$$

$$= -\frac{2(ef - dg)^2 (cf^2 - bfg + ag^2)}{g^5 \sqrt{f + gx}} - \frac{2(ef - dg)(2cf(2ef - dg) - g(3bef - bdg - 2aeg))}{g^5}$$

**Mathematica [A]** time = 0.36, size = 184, normalized size = 0.88

$$\frac{2(-35(f + gx)^2(-eg(aeg + 2bdg - 3bef) - c(d^2g^2 - 6defg + 6e^2f^2)) - 105(ef - dg)^2(g(ag - bf) + cf^2) - 105(f + gx)(ef - dg)(g(2aeg + bdg - 3bef) + 2cf(2ef - dg)) - 21e(f + gx)^3(-beg - 2cdg + 4cef) + 15ce^2(f + gx)^4)}{105g^5\sqrt{f + gx}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^2\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(-105\*(e\*f - d\*g)^2\*(c\*f^2 + g\*(-(b\*f) + a\*g)) - 105\*(e\*f - d\*g)\*(2\*c\*f\*(2\*e\*f - d\*g) + g\*(-3\*b\*e\*f + b\*d\*g + 2\*a\*e\*g))\*(f + g\*x) - 35\*(-(e\*g\*(-3\*b\*e\*f + 2\*b\*d\*g + a\*e\*g)) - c\*(6\*e^2\*f^2 - 6\*d\*e\*f\*g + d^2\*g^2))\*(f + g\*x)^2 - 21\*e\*(4\*c\*e\*f - 2\*c\*d\*g - b\*e\*g)\*(f + g\*x)^3 + 15\*c\*e^2\*(f + g\*x)^4)/(105\*g^5\*sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.20, size = 368, normalized size = 1.75

$$\frac{2(-105c^2e^2f^4 + 210c^2d^2ef^3g + 105b^2e^2f^3g - 105c^2d^2f^2g^2 - 210b^2d^2ef^2g^2 - 105a^2e^2f^2g^2 + 105b^2d^2f^2g^3 + 210a^2d^2ef^2g^3 - 105a^2d^2g^4 - 420c^2e^2f^3(f + gx) + 630c^2d^2ef^2g(f + gx) + 315b^2e^2f^2g^2(f + gx) - 210c^2d^2f^2g^2(f + gx) - 420b^2d^2ef^2g^2(f + gx) - 210a^2e^2f^2g^2(f + gx) + 105b^2d^2g^3(f + gx) + 210a^2d^2efg^3(f + gx) + 210c^2e^2f^2(f + gx)^2 - 210c^2d^2efg(f + gx)^2 - 105b^2e^2f^2g^2(f + gx)^2 + 35c^2d^2g^2(f + gx)^2 + 70b^2d^2efg^2(f + gx)^2 + 35a^2e^2g^2(f + gx)^2 - 84c^2e^2f(f + gx)^3 + 42c^2d^2efg(f + gx)^3 + 21b^2e^2g^2(f + gx)^3 + 15c^2e^2(f + gx)^4)/(105g^5\sqrt{f + gx})$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^2\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(-105\*c^2\*e^2\*f^4 + 210\*c^2\*d^2\*ef^3\*g + 105\*b^2\*e^2\*f^3\*g - 105\*c^2\*d^2\*f^2\*g^2 - 210\*b^2\*d^2\*ef^2\*g^2 - 105\*a^2\*e^2\*f^2\*g^2 + 105\*b^2\*d^2\*f^2\*g^3 + 210\*a^2\*d^2\*ef^2\*g^3 - 105\*a^2\*d^2\*g^4 - 420\*c^2\*e^2\*f^3\*(f + g\*x) + 630\*c^2\*d^2\*ef^2\*g\*(f + g\*x) + 315\*b^2\*e^2\*f^2\*g^2\*(f + g\*x) - 210\*c^2\*d^2\*f^2\*g^2\*(f + g\*x) - 420\*b^2\*d^2\*ef^2\*g^2\*(f + g\*x) - 210\*a^2\*e^2\*f^2\*g^2\*(f + g\*x) + 105\*b^2\*d^2\*g^3\*(f + g\*x) + 210\*a^2\*d^2\*efg^3\*(f + g\*x) + 210\*c^2\*e^2\*f^2\*(f + g\*x)^2 - 210\*c^2\*d^2\*efg\*(f + g\*x)^2 - 105\*b^2\*e^2\*f^2\*g^2\*(f + g\*x)^2 + 35\*c^2\*d^2\*g^2\*(f + g\*x)^2 + 70\*b^2\*d^2\*efg^2\*(f + g\*x)^2 + 35\*a^2\*e^2\*g^2\*(f + g\*x)^2 - 84\*c^2\*e^2\*f\*(f + g\*x)^3 + 42\*c^2\*d^2\*efg\*(f + g\*x)^3 + 21\*b^2\*e^2\*g^2\*(f + g\*x)^3 + 15\*c^2\*e^2\*(f + g\*x)^4)/(105\*g^5\*sqrt[f + g\*x])



**fricas [A]** time = 0.61, size = 269, normalized size = 1.28

$$\frac{2(15c^2d^3x^4 - 384c^2d^3 - 105ad^2d^3 + 336(2cde + b^2)f^2g - 280(c^2d + 2bde + a^2)f^2g^2 + 210(bd^2 + 2ade)f^2g^3 - 3(8c^2d^2f^2g^3 - 7(2cde + b^2)f^2g^3 + (48c^2d^2f^2g^3 - 42(2cde + b^2)f^2g^3 + 35(c^2d + 2bde + a^2)f^2g^3 - (192c^2d^2f^2g^3 - 168(2cde + b^2)f^2g^3 + 140(c^2d + 2bde + a^2)f^2g^3 - 105(bd^2 + 2ade)f^2g^3))\sqrt{gx + f}}{105(g^2x + fg^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+b\*x+a)/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out]  $\frac{2}{105} * (15 * c * e^2 * g^4 * x^4 - 384 * c * e^2 * f^4 - 105 * a * d^2 * g^4 + 336 * (2 * c * d * e + b * e^2) * f^3 * g - 280 * (c * d^2 + 2 * b * d * e + a * e^2) * f^2 * g^2 + 210 * (b * d^2 + 2 * a * d * e) * f * g^3 - 3 * (8 * c * e^2 * f * g^3 - 7 * (2 * c * d * e + b * e^2) * g^4) * x^3 + (48 * c * e^2 * f^2 * g^2 - 42 * (2 * c * d * e + b * e^2) * f * g^3 + 35 * (c * d^2 + 2 * b * d * e + a * e^2) * g^4) * x^2 - (192 * c * e^2 * f^3 * g - 168 * (2 * c * d * e + b * e^2) * f^2 * g^2 + 140 * (c * d^2 + 2 * b * d * e + a * e^2) * f * g^3 - 105 * (b * d^2 + 2 * a * d * e) * g^4) * x) * \text{sqrt}(g * x + f) / (g^6 * x + f * g^5)$

**giac [B]** time = 0.23, size = 404, normalized size = 1.92

$$\frac{2(-15c^2d^3x^4 - 384c^2d^3 - 105ad^2d^3 + 336(2cde + b^2)f^2g - 280(c^2d + 2bde + a^2)f^2g^2 + 210(bd^2 + 2ade)f^2g^3 - 3(8c^2d^2f^2g^3 - 7(2cde + b^2)f^2g^3 + (48c^2d^2f^2g^3 - 42(2cde + b^2)f^2g^3 + 35(c^2d + 2bde + a^2)f^2g^3 - (192c^2d^2f^2g^3 - 168(2cde + b^2)f^2g^3 + 140(c^2d + 2bde + a^2)f^2g^3 - 105(bd^2 + 2ade)f^2g^3))\sqrt{gx + f}}{105(g^2x + fg^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+b\*x+a)/(g\*x+f)^(3/2),x, algorithm="giac")

[Out]  $-2 * (c * d^2 * f^2 * g^2 - b * d^2 * f * g^3 + a * d^2 * g^4 - 2 * c * d * f^3 * g * e + 2 * b * d * f^2 * g^2 * e - 2 * a * d * f * g^3 * e + c * f^4 * e^2 - b * f^3 * g * e^2 + a * f^2 * g^2 * e^2) / (\text{sqrt}(g * x + f) * g^5) + \frac{2}{105} * (35 * (g * x + f)^{(3/2)} * c * d^2 * g^32 - 210 * \text{sqrt}(g * x + f) * c * d^2 * f * g^32 + 105 * \text{sqrt}(g * x + f) * b * d^2 * g^33 + 42 * (g * x + f)^{(5/2)} * c * d * g^31 * e - 210 * (g * x + f)^{(3/2)} * c * d * f * g^31 * e + 630 * \text{sqrt}(g * x + f) * c * d * f^2 * g^31 * e + 70 * (g * x + f)^{(3/2)} * b * d * g^32 * e - 420 * \text{sqrt}(g * x + f) * b * d * f * g^32 * e + 210 * \text{sqrt}(g * x + f) * a * d * g^33 * e + 15 * (g * x + f)^{(7/2)} * c * g^30 * e^2 - 84 * (g * x + f)^{(5/2)} * c * f * g^30 * e^2 + 210 * (g * x + f)^{(3/2)} * c * f^2 * g^30 * e^2 - 420 * \text{sqrt}(g * x + f) * c * f^3 * g^30 * e^2 + 21 * (g * x + f)^{(5/2)} * b * g^31 * e^2 - 105 * (g * x + f)^{(3/2)} * b * f * g^31 * e^2 + 315 * \text{sqrt}(g * x + f) * b * f^2 * g^31 * e^2 + 35 * (g * x + f)^{(3/2)} * a * g^32 * e^2 - 210 * \text{sqrt}(g * x + f) * a * f * g^32 * e^2) / g^35$

**maple [A]** time = 0.01, size = 315, normalized size = 1.50

$$\frac{2(-15c^2d^3x^4 - 384c^2d^3 - 105ad^2d^3 + 336(2cde + b^2)f^2g - 280(c^2d + 2bde + a^2)f^2g^2 + 210(bd^2 + 2ade)f^2g^3 - 3(8c^2d^2f^2g^3 - 7(2cde + b^2)f^2g^3 + (48c^2d^2f^2g^3 - 42(2cde + b^2)f^2g^3 + 35(c^2d + 2bde + a^2)f^2g^3 - (192c^2d^2f^2g^3 - 168(2cde + b^2)f^2g^3 + 140(c^2d + 2bde + a^2)f^2g^3 - 105(bd^2 + 2ade)f^2g^3))\sqrt{gx + f}}{105(g^2x + fg^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^2\*(c\*x^2+b\*x+a)/(g\*x+f)^(3/2),x)

[Out]  $-2/105 * (g * x + f)^{(1/2)} * (-15 * c * e^2 * g^4 * x^4 - 21 * b * e^2 * g^4 * x^3 - 42 * c * d * e * g^4 * x^3 + 24 * c * e^2 * f * g^3 * x^3 - 35 * a * e^2 * g^4 * x^2 - 70 * b * d * e * g^4 * x^2 + 42 * b * e^2 * f * g^3 * x^2 - 35 * c * d^2 * g^4 * x^2 + 84 * c * d * e * f * g^3 * x^2 - 48 * c * e^2 * f^2 * g^2 * x^2 - 210 * a * d * e * g^4 * x + 140 * a * e^2 * f * g^3 * x - 105 * b * d^2 * g^4 * x + 280 * b * d * e * f * g^3 * x - 168 * b * e^2 * f^2 * g^2 * x + 140 * c * d^2$

$*f*g^3*x-336*c*d*e*f^2*g^2*x+192*c*e^2*f^3*g*x+105*a*d^2*g^4-420*a*d*e*f*g^3+280*a*e^2*f^2*g^2-210*b*d^2*f*g^3+560*b*d*e*f^2*g^2-336*b*e^2*f^3*g+280*c*d^2*f^2*g^2-672*c*d*e*f^3*g+384*c*e^2*f^4)/g^5$

**maxima [A]** time = 0.45, size = 269, normalized size = 1.28

$$\frac{2 \left( \frac{15(gx+f)^2 c^2 - 21(4c^2 f - 2cde + b^2 g)(gx+f)^3 + 35(6c^2 f^2 - 3(2cde + b^2)fg + (a^2 + 2bde + a^2)g^2)(gx+f)^3 - 105(4c^2 f^3 - 3(2cde + b^2)f^2 g + 2(c^2 + 2bde + a^2)fg^2 - (bd^2 + 2ade)g^3)\sqrt{gx+f}}{g^4} - \frac{105(c^2 f^4 + a^2 g^4 - (2cde + b^2)f^3 g + (c^2 + 2bde + a^2)f^2 g^2 - (bd^2 + 2ade)fg^3)}{\sqrt{gx+f}g^4} \right)}{105g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^2\*(c\*x^2+b\*x+a)/(g\*x+f)^(3/2),x, algorithm="maxima")

[Out]  $\frac{2}{105} * ((15 * (g*x + f)^{(7/2)} * c * e^2 - 21 * (4 * c * e^2 * f - (2 * c * d * e + b * e^2) * g) * (g*x + f)^{(5/2)} + 35 * (6 * c * e^2 * f^2 - 3 * (2 * c * d * e + b * e^2) * f * g + (c * d^2 + 2 * b * d * e + a * e^2) * g^2) * (g*x + f)^{(3/2)} - 105 * (4 * c * e^2 * f^3 - 3 * (2 * c * d * e + b * e^2) * f^2 * g + 2 * (c * d^2 + 2 * b * d * e + a * e^2) * f * g^2 - (b * d^2 + 2 * a * d * e) * g^3) * \text{sqrt}(g*x + f)) / g^4 - 105 * (c * e^2 * f^4 + a * d^2 * g^4 - (2 * c * d * e + b * e^2) * f^3 * g + (c * d^2 + 2 * b * d * e + a * e^2) * f^2 * g^2 - (b * d^2 + 2 * a * d * e) * f * g^3) / (\text{sqrt}(g*x + f) * g^4)) / g$

**mupad [B]** time = 3.13, size = 270, normalized size = 1.29

$$\frac{(f+gx)^{10} (2b^2g-8c^2f+4cdex)}{5g^5} - \frac{2c^2f^2g^2-2bd^2fg^2+2ad^2g^4-4cdefg^2+4bdefg^2-4adefg^2+2c^2f^3-2bd^2fg^2+2a^2f^2g^2}{g^5\sqrt{f+gx}} + \frac{(f+gx)^{10} (2cd^2g^2-12cdefg+4bd^2g^2+12c^2f^2-6bd^2fg+2a^2g^2)}{3g^5} + \frac{2\sqrt{f+gx}(dg-ef)(2ae^2+bd^2+4cef^2-3befg-2cdfg)}{g^5} + \frac{2c^2(f+gx)^{10}}{7g^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e\*x)^2\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2),x)

[Out]  $((f + g*x)^{(5/2)} * (2 * b * e^2 * g - 8 * c * e^2 * f + 4 * c * d * e * g)) / (5 * g^5) - (2 * a * d^2 * g^4 + 2 * c * e^2 * f^4 + 2 * a * e^2 * f^2 * g^2 + 2 * c * d^2 * f^2 * g^2 - 2 * b * d^2 * f * g^3 - 2 * b * e^2 * f^3 * g + 4 * b * d * e * f^2 * g^2 - 4 * a * d * e * f * g^3 - 4 * c * d * e * f^3 * g) / (g^5 * (f + g*x)^{(1/2)}) + ((f + g*x)^{(3/2)} * (2 * a * e^2 * g^2 + 2 * c * d^2 * g^2 + 12 * c * e^2 * f^2 + 4 * b * d * e * g^2 - 6 * b * e^2 * f * g - 12 * c * d * e * f * g)) / (3 * g^5) + (2 * (f + g*x)^{(1/2)} * (d * g - e * f) * (2 * a * e * g^2 + b * d * g^2 + 4 * c * e * f^2 - 3 * b * e * f * g - 2 * c * d * f * g)) / g^5 + (2 * c * e^2 * (f + g*x)^{(7/2)}) / (7 * g^5)$

**sympy [A]** time = 79.49, size = 272, normalized size = 1.30

$$\frac{2c^2(f+gx)^2}{7g^5} + \frac{(f+gx)^5(2b^2g+4cdex-8c^2f)}{5g^5} + \frac{(f+gx)^3(2ac^2g^2+4bdeg^2-6bd^2fg+2cd^2g^2-12cdefg+12c^2f^2)}{3g^5} + \frac{\sqrt{f+gx}(4adeg^3-4a^2fg^2+2bd^2g^3-8bdefg^2+6bd^2fg-4cd^2fg^2+12cdefg-8c^2f^2)}{g^5} + \frac{2(dg-ef)^2(ag^2-bfg+cf^2)}{g^5\sqrt{f+gx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*2\*(c\*x\*\*2+b\*x+a)/(g\*x+f)\*\*(3/2),x)

[Out]  $2 * c * e ** 2 * (f + g * x) ** (7 / 2) / (7 * g ** 5) + (f + g * x) ** (5 / 2) * (2 * b * e ** 2 * g + 4 * c * d * e * g - 8 * c * e ** 2 * f) / (5 * g ** 5) + (f + g * x) ** (3 / 2) * (2 * a * e ** 2 * g ** 2 + 4 * b * d * e * g ** 2 - 6 * b * e ** 2 * f * g + 2 * c * d ** 2 * g ** 2 - 12 * c * d * e * f * g + 12 * c * e ** 2 * f ** 2) / (3 * g ** 5) + \text{sqrt}(f + g * x) * (4 * a * d * e * g ** 3 - 4 * a * e ** 2 * f * g ** 2 + 2 * b * d ** 2 * g ** 3 - 8 * b * d * e * f * g ** 2 + 6 * b * e ** 2 * f ** 2 * g - 4 * c * d ** 2 * f * g ** 2 + 12 * c * d * e * f ** 2 * g - 8 * c * e ** 2 * f ** 3) / g ** 5 - 2 * (d * g - e * f) ** 2 * (a * g ** 2 - b * f * g + c * f ** 2) / (g ** 5 * \text{sqrt}(f + g * x))$

$$3.571 \quad \int \frac{(d+ex)(a+bx+cx^2)}{(f+gx)^{3/2}} dx$$

**Optimal.** Leaf size=135

$$\frac{2(ef-dg)(ag^2-bfg+cf^2)}{g^4\sqrt{f+gx}} + \frac{2\sqrt{f+gx}(cf(3ef-2dg)-g(-aeg-bdg+2bef))}{g^4} - \frac{2(f+gx)^{3/2}(-beg-cdg+3cef)}{3g^4}$$

**Rubi [A]** time = 0.10, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {771}

$$\frac{2(ef-dg)(ag^2-bfg+cf^2)}{g^4\sqrt{f+gx}} + \frac{2\sqrt{f+gx}(cf(3ef-2dg)-g(-aeg-bdg+2bef))}{g^4} - \frac{2(f+gx)^{3/2}(-beg-cdg+3cef)}{3g^4} + \frac{2ce(f+gx)^{5/2}}{5g^4}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(e\*f - d\*g)\*(c\*f^2 - b\*f\*g + a\*g^2))/(g^4\*Sqrt[f + g\*x]) + (2\*(c\*f\*(3\*e\*f - 2\*d\*g) - g\*(2\*b\*e\*f - b\*d\*g - a\*e\*g))\*Sqrt[f + g\*x])/g^4 - (2\*(3\*c\*e\*f - c\*d\*g - b\*e\*g)\*(f + g\*x)^(3/2))/(3\*g^4) + (2\*c\*e\*(f + g\*x)^(5/2))/(5\*g^4)

Rule 771

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\begin{aligned} \int \frac{(d+ex)(a+bx+cx^2)}{(f+gx)^{3/2}} dx &= \int \left( \frac{(-ef+dg)(cf^2-bfg+ag^2)}{g^3(f+gx)^{3/2}} + \frac{cf(3ef-2dg)-g(2bef-bdg-aeg)}{g^3\sqrt{f+gx}} + \frac{(-beg-cdg+3cef)}{3g^4} \right) dx \\ &= \frac{2(ef-dg)(cf^2-bfg+ag^2)}{g^4\sqrt{f+gx}} + \frac{2(cf(3ef-2dg)-g(2bef-bdg-aeg))\sqrt{f+gx}}{g^4} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 128, normalized size = 0.95

$$\frac{2(5g(3ag(-dg+2ef+egx)+3bdg(2f+gx)+be(-8f^2-4fgx+g^2x^2))+c(5dg(-8f^2-4fgx+g^2x^2)+3e(16f^3+8f^2gx-2fg^2x^2+g^3x^3)))}{15g^4\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(5\*g\*(3\*b\*d\*g\*(2\*f + g\*x) + 3\*a\*g\*(2\*e\*f - d\*g + e\*g\*x) + b\*e\*(-8\*f^2 - 4\*f\*g\*x + g^2\*x^2)) + c\*(5\*d\*g\*(-8\*f^2 - 4\*f\*g\*x + g^2\*x^2) + 3\*e\*(16\*f^3 + 8\*f^2\*g\*x - 2\*f\*g^2\*x^2 + g^3\*x^3)))/(15\*g^4\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.11, size = 168, normalized size = 1.24

$$\frac{2(-15adg^3 + 15aeg^2(f + gx) + 15aefg^2 + 15bdg^2(f + gx) + 15bdfg^2 - 15bef^2g - 30befg(f + gx) + 5beg(f + gx)^2 - 15cdf^2g - 30cdfg(f + gx) + 5cdg(f + gx)^2 + 15cef^3 + 45cef^2(f + gx) - 15cef(f + gx)^2 + 3ce(f + gx)^3)}{15g^4\sqrt{f + gx}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2), x]

[Out] (2\*(15\*c\*e\*f^3 - 15\*c\*d\*f^2\*g - 15\*b\*e\*f^2\*g + 15\*b\*d\*f\*g^2 + 15\*a\*e\*f\*g^2 - 15\*a\*d\*g^3 + 45\*c\*e\*f^2\*(f + g\*x) - 30\*c\*d\*f\*g\*(f + g\*x) - 30\*b\*e\*f\*g\*(f + g\*x) + 15\*b\*d\*g^2\*(f + g\*x) + 15\*a\*e\*g^2\*(f + g\*x) - 15\*c\*e\*f\*(f + g\*x)^2 + 5\*c\*d\*g\*(f + g\*x)^2 + 5\*b\*e\*g\*(f + g\*x)^2 + 3\*c\*e\*(f + g\*x)^3))/(15\*g^4\*Sqrt[f + g\*x])

**fricas [A]** time = 0.39, size = 135, normalized size = 1.00

$$\frac{2(3ceg^3x^3 + 48cef^3 - 15adg^3 - 40(cd + be)f^2g + 30(bd + ae)fg^2 - (6cef^2g - 5(cd + be)g^3)x^2 + (24cef^2g - 20(cd + be)fg^2 + 15(bd + ae)g^3)x)\sqrt{gx + f}}{15(g^5x + fg^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+b\*x+a)/(g\*x+f)^(3/2), x, algorithm="fricas")

[Out] 2/15\*(3\*c\*e\*g^3\*x^3 + 48\*c\*e\*f^3 - 15\*a\*d\*g^3 - 40\*(c\*d + b\*e)\*f^2\*g + 30\*(b\*d + a\*e)\*f\*g^2 - (6\*c\*e\*f\*g^2 - 5\*(c\*d + b\*e)\*g^3)\*x^2 + (24\*c\*e\*f^2\*g - 20\*(c\*d + b\*e)\*f\*g^2 + 15\*(b\*d + a\*e)\*g^3)\*x)\*sqrt(g\*x + f)/(g^5\*x + f\*g^4)

**giac [A]** time = 0.18, size = 204, normalized size = 1.51

$$\frac{2(cdf^2g - bdfg^2 + adg^3 - cf^3e + bf^2ge - afg^2e)}{\sqrt{gx + fg^4}} + \frac{2(5(gx + f)^{\frac{3}{2}}cdg^{17} - 30\sqrt{gx + f}cdfg^{17} + 15\sqrt{gx + f}bdg^{18} + 3(gx + f)^{\frac{3}{2}}cg^{16}e - 15(gx + f)^{\frac{3}{2}}efg^{16}e + 45\sqrt{gx + f}cf^2g^{16}e + 5(gx + f)^{\frac{3}{2}}bg^{17}e - 30\sqrt{gx + f}bfg^{17}e + 15\sqrt{gx + f}ag^{18}e)}{15g^{20}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+b\*x+a)/(g\*x+f)^(3/2), x, algorithm="giac")

[Out] -2\*(c\*d\*f^2\*g - b\*d\*f\*g^2 + a\*d\*g^3 - c\*f^3\*e + b\*f^2\*g\*e - a\*f\*g^2\*e)/(sqrt(g\*x + f)\*g^4) + 2/15\*(5\*(g\*x + f)^(3/2)\*c\*d\*g^17 - 30\*sqrt(g\*x + f)\*c\*d\*f\*g^17 + 15\*sqrt(g\*x + f)\*b\*d\*g^18 + 3\*(g\*x + f)^(5/2)\*c\*g^16\*e - 15\*(g\*x + f)^(3/2)\*c\*f\*g^16\*e + 45\*sqrt(g\*x + f)\*c\*f^2\*g^16\*e + 5\*(g\*x + f)^(3/2)\*b\*g^17\*e - 30\*sqrt(g\*x + f)\*b\*f\*g^17\*e + 15\*sqrt(g\*x + f)\*a\*g^18\*e)/g^20

**maple [A]** time = 0.00, size = 144, normalized size = 1.07

$$\frac{2(-3ce x^3 g^3 - 5be g^3 x^2 - 5cd g^3 x^2 + 6cef g^2 x^2 - 15ae g^3 x - 15bd g^3 x + 20bef g^2 x + 20cdf g^2 x - 24ce f^2 g x + 15ad g^3 - 30aef g^2 - 30bdf g^2 + 40be f^2 g + 40cd f^2 g - 48ce f^3)}{15\sqrt{gx+f} g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)\*(c\*x^2+b\*x+a)/(g\*x+f)^(3/2), x)

[Out] 
$$\frac{-2/15/(g*x+f)^{(1/2)}*(-3*c*e*g^3*x^3-5*b*e*g^3*x^2-5*c*d*g^3*x^2+6*c*e*f*g^2*x^2-15*a*e*g^3*x-15*b*d*g^3*x+20*b*e*f*g^2*x+20*c*d*f*g^2*x-24*c*e*f^2*g*x+15*a*d*g^3-30*a*e*f*g^2-30*b*d*f*g^2+40*b*e*f^2*g+40*c*d*f^2*g-48*c*e*f^3)}{g^4}$$

**maxima [A]** time = 0.44, size = 137, normalized size = 1.01

$$\frac{2\left(\frac{3(gx+f)^{\frac{5}{2}}ce-5(3cef-(cd+be)g)(gx+f)^{\frac{3}{2}}+15(3cef^2-2(cd+be)fg+(bd+ae)g^2)\sqrt{gx+f}}{g^3} + \frac{15(cef^3-adg^3-(cd+be)f^2g+(bd+ae)fg^2)}{\sqrt{gx+f}g^3}\right)}{15g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*(c\*x^2+b\*x+a)/(g\*x+f)^(3/2), x, algorithm="maxima")

[Out] 
$$\frac{2/15*((3*(g*x + f)^{(5/2)}*c*e - 5*(3*c*e*f - (c*d + b*e)*g)*(g*x + f)^{(3/2)} + 15*(3*c*e*f^2 - 2*(c*d + b*e)*f*g + (b*d + a*e)*g^2)*\text{sqrt}(g*x + f))/g^3 + 15*(c*e*f^3 - a*d*g^3 - (c*d + b*e)*f^2*g + (b*d + a*e)*f*g^2)/(\text{sqrt}(g*x + f)*g^3))/g}$$

**mupad [B]** time = 3.13, size = 147, normalized size = 1.09

$$\frac{(f+gx)^{3/2}(2beg+2cdg-6cef)}{3g^4} - \frac{2adg^3-2cef^3-2aefg^2-2bdfg^2+2bef^2g+2cdf^2g}{g^4\sqrt{f+gx}} + \frac{\sqrt{f+gx}(2aeg^2+2bdg^2+6cef^2-4befg-4cdfg)}{g^4} + \frac{2ce(f+gx)^{5/2}}{5g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e\*x)\*(a + b\*x + c\*x^2))/(f + g\*x)^(3/2), x)

[Out] 
$$\frac{((f + g*x)^{(3/2)}*(2*b*e*g + 2*c*d*g - 6*c*e*f))/(3*g^4) - (2*a*d*g^3 - 2*c*e*f^3 - 2*a*e*f*g^2 - 2*b*d*f*g^2 + 2*b*e*f^2*g + 2*c*d*f^2*g)/(g^4*(f + g*x)^{(1/2)}) + ((f + g*x)^{(1/2)}*(2*a*e*g^2 + 2*b*d*g^2 + 6*c*e*f^2 - 4*b*e*f*g - 4*c*d*f*g))/g^4 + (2*c*e*(f + g*x)^{(5/2)})/(5*g^4)}$$

**sympy [A]** time = 34.53, size = 141, normalized size = 1.04

$$\frac{2ce(f+gx)^{\frac{5}{2}}}{5g^4} + \frac{(f+gx)^{\frac{3}{2}}(2beg+2cdg-6cef)}{3g^4} + \frac{\sqrt{f+gx}(2aeg^2+2bdg^2-4befg-4cdfg+6cef^2)}{g^4} - \frac{2(dg-ef)(ag^2-bfg+cf^2)}{g^4\sqrt{f+gx}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)*(c*x**2+b*x+a)/(g*x+f)**(3/2),x)
```

```
[Out] 2*c*e*(f + g*x)**(5/2)/(5*g**4) + (f + g*x)**(3/2)*(2*b*e*g + 2*c*d*g - 6*c
*e*f)/(3*g**4) + sqrt(f + g*x)*(2*a*e*g**2 + 2*b*d*g**2 - 4*b*e*f*g - 4*c*d
*f*g + 6*c*e*f**2)/g**4 - 2*(d*g - e*f)*(a*g**2 - b*f*g + c*f**2)/(g**4*sqrt(f + g*x))
```

$$3.572 \quad \int \frac{a+bx+cx^2}{(f+gx)^{3/2}} dx$$

Optimal. Leaf size=71

$$-\frac{2(ag^2 - bfg + cf^2)}{g^3\sqrt{f+gx}} - \frac{2\sqrt{f+gx}(2cf - bg)}{g^3} + \frac{2c(f+gx)^{3/2}}{3g^3}$$

**Rubi [A]** time = 0.04, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$ , Rules used = {698}

$$-\frac{2(ag^2 - bfg + cf^2)}{g^3\sqrt{f+gx}} - \frac{2\sqrt{f+gx}(2cf - bg)}{g^3} + \frac{2c(f+gx)^{3/2}}{3g^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(f + g\*x)^(3/2), x]

[Out] (-2\*(c\*f^2 - b\*f\*g + a\*g^2))/(g^3\*Sqrt[f + g\*x]) - (2\*(2\*c\*f - b\*g)\*Sqrt[f + g\*x])/g^3 + (2\*c\*(f + g\*x)^(3/2))/(3\*g^3)

Rule 698

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_ Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rubi steps

$$\begin{aligned} \int \frac{a+bx+cx^2}{(f+gx)^{3/2}} dx &= \int \left( \frac{cf^2 - bfg + ag^2}{g^2(f+gx)^{3/2}} + \frac{-2cf + bg}{g^2\sqrt{f+gx}} + \frac{c\sqrt{f+gx}}{g^2} \right) dx \\ &= -\frac{2(cf^2 - bfg + ag^2)}{g^3\sqrt{f+gx}} - \frac{2(2cf - bg)\sqrt{f+gx}}{g^3} + \frac{2c(f+gx)^{3/2}}{3g^3} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 54, normalized size = 0.76

$$\frac{6g(-ag + 2bf + bgx) + 2c(-8f^2 - 4fgx + g^2x^2)}{3g^3\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/(f + g\*x)^(3/2), x]

[Out] (6\*g\*(2\*b\*f - a\*g + b\*g\*x) + 2\*c\*(-8\*f^2 - 4\*f\*g\*x + g^2\*x^2))/(3\*g^3\*Sqrt[f + g\*x])

**IntegrateAlgebraic** [A] time = 0.04, size = 61, normalized size = 0.86

$$\frac{2(-3ag^2 + 3bg(f + gx) + 3bfg - 3cf^2 - 6cf(f + gx) + c(f + gx)^2)}{3g^3\sqrt{f + gx}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/(f + g\*x)^(3/2), x]

[Out] (2\*(-3\*c\*f^2 + 3\*b\*f\*g - 3\*a\*g^2 - 6\*c\*f\*(f + g\*x) + 3\*b\*g\*(f + g\*x) + c\*(f + g\*x)^2))/(3\*g^3\*Sqrt[f + g\*x])

**fricas** [A] time = 0.40, size = 63, normalized size = 0.89

$$\frac{2(cg^2x^2 - 8cf^2 + 6bfg - 3ag^2 - (4cfg - 3bg^2)x)\sqrt{gx + f}}{3(g^4x + fg^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(g\*x+f)^(3/2), x, algorithm="fricas")

[Out] 2/3\*(c\*g^2\*x^2 - 8\*c\*f^2 + 6\*b\*f\*g - 3\*a\*g^2 - (4\*c\*f\*g - 3\*b\*g^2)\*x)\*sqrt(g\*x + f)/(g^4\*x + f\*g^3)

**giac** [A] time = 0.15, size = 74, normalized size = 1.04

$$-\frac{2(cf^2 - bfg + ag^2)}{\sqrt{gx + f}g^3} + \frac{2\left((gx + f)^{\frac{3}{2}}cg^6 - 6\sqrt{gx + f}cfg^6 + 3\sqrt{gx + f}bg^7\right)}{3g^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(g\*x+f)^(3/2), x, algorithm="giac")

[Out] -2\*(c\*f^2 - b\*f\*g + a\*g^2)/(sqrt(g\*x + f)\*g^3) + 2/3\*((g\*x + f)^(3/2)\*c\*g^6 - 6\*sqrt(g\*x + f)\*c\*f\*g^6 + 3\*sqrt(g\*x + f)\*b\*g^7)/g^9

**maple** [A] time = 0.00, size = 53, normalized size = 0.75

$$\frac{2(-cx^2g^2 - 3bg^2x + 4cfgx + 3ag^2 - 6bfg + 8cf^2)}{3\sqrt{gx + f}g^3}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/(g*x+f)^(3/2),x)`

[Out]  $-2/3/(g*x+f)^{(1/2)}*(-c*g^2*x^2-3*b*g^2*x+4*c*f*g*x+3*a*g^2-6*b*f*g+8*c*f^2)/g^3$

**maxima** [A] time = 0.44, size = 66, normalized size = 0.93

$$\frac{2 \left( \frac{(gx+f)^3 c - 3(2cf - bg)\sqrt{gx+f}}{g^2} - \frac{3(cf^2 - bfg + ag^2)}{\sqrt{gx+f}g^2} \right)}{3g}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(g*x+f)^(3/2),x, algorithm="maxima")`

[Out]  $2/3*((g*x + f)^{(3/2)}*c - 3*(2*c*f - b*g)*\text{sqrt}(g*x + f))/g^2 - 3*(c*f^2 - b*f*g + a*g^2)/(\text{sqrt}(g*x + f)*g^2))/g$

**mupad** [B] time = 0.06, size = 58, normalized size = 0.82

$$\frac{2c(f+gx)^2 - 6ag^2 - 6cf^2 + 6bg(f+gx) - 12cf(f+gx) + 6bfg}{3g^3\sqrt{f+gx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/(f + g*x)^(3/2),x)`

[Out]  $(2*c*(f + g*x)^2 - 6*a*g^2 - 6*c*f^2 + 6*b*g*(f + g*x) - 12*c*f*(f + g*x) + 6*b*f*g)/(3*g^3*(f + g*x)^{(1/2)})$

**sympy** [A] time = 13.12, size = 70, normalized size = 0.99

$$\frac{2c(f+gx)^{\frac{3}{2}}}{3g^3} + \frac{\sqrt{f+gx}(2bg-4cf)}{g^3} - \frac{2(ag^2-bfg+cf^2)}{g^3\sqrt{f+gx}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/(g*x+f)**(3/2),x)`

[Out]  $2*c*(f + g*x)**(3/2)/(3*g**3) + \text{sqrt}(f + g*x)*(2*b*g - 4*c*f)/g**3 - 2*(a*g**2 - b*f*g + c*f**2)/(g**3*\text{sqrt}(f + g*x))$

$$3.573 \quad \int \frac{a+bx+cx^2}{(d+ex)(f+gx)^{3/2}} dx$$

**Optimal.** Leaf size=122

$$\frac{2(ae^2 - bde + cd^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{e^{3/2}(ef-dg)^{3/2}} + \frac{2(ag^2 - bfg + cf^2)}{g^2\sqrt{f+gx}(ef-dg)} + \frac{2c\sqrt{f+gx}}{eg^2}$$

**Rubi [A]** time = 0.22, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {897, 1261, 208}

$$\frac{2(ae^2 - bde + cd^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{e^{3/2}(ef-dg)^{3/2}} + \frac{2(ag^2 - bfg + cf^2)}{g^2\sqrt{f+gx}(ef-dg)} + \frac{2c\sqrt{f+gx}}{eg^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((d + e\*x)\*(f + g\*x)^(3/2)), x]

[Out] (2\*(c\*f^2 - b\*f\*g + a\*g^2))/(g^2\*(e\*f - d\*g)\*Sqrt[f + g\*x]) + (2\*c\*Sqrt[f + g\*x])/(e\*g^2) - (2\*(c\*d^2 - b\*d\*e + a\*e^2)\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(e^(3/2)\*(e\*f - d\*g)^(3/2))

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 897

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1261

Int[((f\_)\*(x\_)^(m\_))\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(f\*x)^m\*(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[

$b^2 - 4ac, 0] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IGtQ}[q, -2]$

### Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{(d + ex)(f + gx)^{3/2}} dx &= \frac{2 \text{Subst} \left( \int \frac{\frac{cf^2 - bfg + ag^2}{g^2} - \frac{(2cf - bg)x^2}{g^2} + \frac{cx^4}{g^2}}{x^2 \left( \frac{-ef + dg}{g} + \frac{ex^2}{g} \right)} dx, x, \sqrt{f + gx} \right)}{g} \\ &= \frac{2 \text{Subst} \left( \int \left( \frac{c}{eg} + \frac{cf^2 - bfg + ag^2}{g(-ef + dg)x^2} - \frac{(cd^2 - bde + ae^2)g}{e(ef - dg)(ef - dg - ex^2)} \right) dx, x, \sqrt{f + gx} \right)}{g} \\ &= \frac{2(cf^2 - bfg + ag^2)}{g^2(ef - dg)\sqrt{f + gx}} + \frac{2c\sqrt{f + gx}}{eg^2} - \frac{(2(cd^2 - bde + ae^2)) \text{Subst} \left( \int \frac{1}{ef - dg - ex^2} dx, x \right)}{e(ef - dg)} \\ &= \frac{2(cf^2 - bfg + ag^2)}{g^2(ef - dg)\sqrt{f + gx}} + \frac{2c\sqrt{f + gx}}{eg^2} - \frac{2(cd^2 - bde + ae^2) \tanh^{-1} \left( \frac{\sqrt{e}\sqrt{f + gx}}{\sqrt{ef - dg}} \right)}{e^{3/2}(ef - dg)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.29, size = 124, normalized size = 1.02

$$\frac{2 \left( -\frac{g^2(cd^2 - e(bd - ae)) \tanh^{-1} \left( \frac{\sqrt{e}\sqrt{f + gx}}{\sqrt{ef - dg}} \right)}{e^{3/2}(ef - dg)^{3/2}} + \frac{cf^2 - g(bf - ag)}{\sqrt{f + gx}(ef - dg)} + \frac{c\sqrt{f + gx}}{e} \right)}{g^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/((d + e\*x)\*(f + g\*x)^(3/2)), x]

[Out] (2\*((c\*f^2 - g\*(b\*f - a\*g))/((e\*f - d\*g)\*Sqrt[f + g\*x]) + (c\*Sqrt[f + g\*x])/e - ((c\*d^2 - e\*(b\*d - a\*e))\*g^2\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(e^(3/2)\*(e\*f - d\*g)^(3/2))))/g^2

**IntegrateAlgebraic [A]** time = 0.19, size = 139, normalized size = 1.14

$$\frac{2(ae^2 - bde + cd^2) \tan^{-1} \left( \frac{\sqrt{e}\sqrt{f + gx}\sqrt{dg - ef}}{ef - dg} \right)}{e^{3/2}(dg - ef)^{3/2}} + \frac{2(aeg^2 - befg - cdg(f + gx) + cf^2 + cef(f + gx))}{eg^2\sqrt{f + gx}(ef - dg)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/((d + e\*x)\*(f + g\*x)^(3/2)),x]

[Out] (2\*(c\*e\*f^2 - b\*e\*f\*g + a\*e\*g^2 + c\*e\*f\*(f + g\*x) - c\*d\*g\*(f + g\*x))/(e\*g^2\*(e\*f - d\*g)\*Sqrt[f + g\*x]) + (2\*(c\*d^2 - b\*d\*e + a\*e^2)\*ArcTan[(Sqrt[e]\*Sqrt[-(e\*f) + d\*g]\*Sqrt[f + g\*x])/(e\*f - d\*g)])/(e^(3/2)\*(-(e\*f) + d\*g)^(3/2))

**fricas** [B] time = 0.44, size = 540, normalized size = 4.43

$$\frac{\left( (a^2 - bde + ae^2) \sqrt{e} \operatorname{arctan} \left( \frac{\sqrt{gx+fe}}{\sqrt{dge-fe^2}} \right) + 2 \left( (2a^2 f^2 - bd^2 e^2 - (3bd^2 + b^2) f^2 + (af^2 + bd^2 + ae^2) f^2 + (af^2 g^2 - 2bd^2 f^2 + ad^2 g^2) \sqrt{gx+fe} \right) \sqrt{gx+fe} \right)}{e^2 f g^2 - 2bd^2 f^2 + b^2 e^2 f + (af^2 g^2 - 2bd^2 f^2 + ad^2 g^2) \sqrt{gx+fe}} + \frac{2 \left( (a^2 - bde + ae^2) \sqrt{e} \operatorname{arctan} \left( \frac{\sqrt{gx+fe}}{\sqrt{dge-fe^2}} \right) + (2a^2 f^2 - bd^2 e^2 - (3bd^2 + b^2) f^2 + (af^2 + bd^2 + ae^2) f^2 + (af^2 g^2 - 2bd^2 f^2 + ad^2 g^2) \sqrt{gx+fe} \right) \sqrt{gx+fe}}{e^2 f g^2 - 2bd^2 f^2 + b^2 e^2 f + (af^2 g^2 - 2bd^2 f^2 + ad^2 g^2) \sqrt{gx+fe}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out] [ -(((c\*d^2 - b\*d\*e + a\*e^2)\*g^3\*x + (c\*d^2 - b\*d\*e + a\*e^2)\*f\*g^2)\*sqrt(e^2\*f - d\*e\*g)\*log((e\*g\*x + 2\*e\*f - d\*g + 2\*sqrt(e^2\*f - d\*e\*g)\*sqrt(g\*x + f))/(e\*x + d)) - 2\*(2\*c\*e^3\*f^3 - a\*d\*e^2\*g^3 - (3\*c\*d\*e^2 + b\*e^3)\*f^2\*g + (c\*d^2\*e + b\*d\*e^2 + a\*e^3)\*f\*g^2 + (c\*e^3\*f^2\*g - 2\*c\*d\*e^2\*f\*g^2 + c\*d^2\*e\*g^3)\*x)\*sqrt(g\*x + f)/(e^4\*f^3\*g^2 - 2\*d\*e^3\*f^2\*g^3 + d^2\*e^2\*f\*g^4 + (e^4\*f^2\*g^3 - 2\*d\*e^3\*f\*g^4 + d^2\*e^2\*g^5)\*x), 2\*(((c\*d^2 - b\*d\*e + a\*e^2)\*g^3\*x + (c\*d^2 - b\*d\*e + a\*e^2)\*f\*g^2)\*sqrt(-e^2\*f + d\*e\*g)\*arctan(sqrt(-e^2\*f + d\*e\*g)\*sqrt(g\*x + f)/(e\*g\*x + e\*f)) + (2\*c\*e^3\*f^3 - a\*d\*e^2\*g^3 - (3\*c\*d\*e^2 + b\*e^3)\*f^2\*g + (c\*d^2\*e + b\*d\*e^2 + a\*e^3)\*f\*g^2 + (c\*e^3\*f^2\*g - 2\*c\*d\*e^2\*f\*g^2 + c\*d^2\*e\*g^3)\*x)\*sqrt(g\*x + f)/(e^4\*f^3\*g^2 - 2\*d\*e^3\*f^2\*g^3 + d^2\*e^2\*f\*g^4 + (e^4\*f^2\*g^3 - 2\*d\*e^3\*f\*g^4 + d^2\*e^2\*g^5)\*x) ]

**giac** [A] time = 0.25, size = 112, normalized size = 0.92

$$\frac{2 \left( cd^2 - bde + ae^2 \right) \operatorname{arctan} \left( \frac{\sqrt{gx+fe}}{\sqrt{dge-fe^2}} \right)}{\left( dge - fe^2 \right)^{\frac{3}{2}}} + \frac{2 \sqrt{gx+fe} ce^{(-1)}}{g^2} - \frac{2 \left( cf^2 - bfg + ag^2 \right)}{\left( dg^3 - fg^2e \right) \sqrt{gx+fe}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)/(g\*x+f)^(3/2),x, algorithm="giac")

[Out] -2\*(c\*d^2 - b\*d\*e + a\*e^2)\*arctan(sqrt(g\*x + f)\*e/sqrt(d\*g\*e - f\*e^2))/(d\*g\*e - f\*e^2)^(3/2) + 2\*sqrt(g\*x + f)\*c\*e^(-1)/g^2 - 2\*(c\*f^2 - b\*f\*g + a\*g^2)/((d\*g^3 - f\*g^2\*e)\*sqrt(g\*x + f))

**maple** [B] time = 0.01, size = 237, normalized size = 1.94

$$\frac{2ae \operatorname{arctan} \left( \frac{\sqrt{gx+fe}}{\sqrt{(dg-ef)e}} \right)}{(dg-ef) \sqrt{(dg-ef)e}} + \frac{2bd \operatorname{arctan} \left( \frac{\sqrt{gx+fe}}{\sqrt{(dg-ef)e}} \right)}{(dg-ef) \sqrt{(dg-ef)e}} - \frac{2c d^2 \operatorname{arctan} \left( \frac{\sqrt{gx+fe}}{\sqrt{(dg-ef)e}} \right)}{(dg-ef) \sqrt{(dg-ef)e}} - \frac{2a}{(dg-ef) \sqrt{gx+fe}} + \frac{2bf}{(dg-ef) \sqrt{gx+fe} g} - \frac{2c f^2}{(dg-ef) \sqrt{gx+fe} g^2} + \frac{2 \sqrt{gx+fe} c}{e g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/(e*x+d)/(g*x+f)^(3/2),x)`

[Out]  $2*(g*x+f)^{(1/2)}*c/e/g^2-2/(d*g-e*f)*e/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*a+2/(d*g-e*f)/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*b*d-2/(d*g-e*f)/e/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*c*d^2-2/(d*g-e*f)/(g*x+f)^{(1/2)}*a+2/g/(d*g-e*f)/(g*x+f)^{(1/2)}*b*f-2/g^2/(d*g-e*f)/(g*x+f)^{(1/2)}*c*f^2$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(e*x+d)/(g*x+f)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f positive or negative?

**mupad** [B] time = 3.21, size = 162, normalized size = 1.33

$$\frac{2c\sqrt{f+gx}}{eg^2} + \frac{2\operatorname{atan}\left(\frac{2\sqrt{f+gx}(e^2f-d eg)(cd^2-bde+ae^2)}{\sqrt{e}(dg-ef)^{3/2}(2cd^2-2bde+2ae^2)}\right)(cd^2-bde+ae^2)}{e^{3/2}(dg-ef)^{3/2}} - \frac{2(cef^2-befg+ae g^2)}{eg^2\sqrt{f+gx}(dg-ef)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/((f + g*x)^(3/2)*(d + e*x)),x)`

[Out]  $(2*c*(f + g*x)^{(1/2)})/(e*g^2) + (2*\operatorname{atan}((2*(f + g*x)^{(1/2)}*(e^2*f - d*e*g)*(a*e^2 + c*d^2 - b*d*e))/(e^{(1/2)}*(d*g - e*f)^{(3/2)}*(2*a*e^2 + 2*c*d^2 - 2*b*d*e)))*(a*e^2 + c*d^2 - b*d*e)/(e^{(3/2)}*(d*g - e*f)^{(3/2)}) - (2*(a*e*g^2 + c*e*f^2 - b*e*f*g))/(e*g^2*(f + g*x)^{(1/2)}*(d*g - e*f))$

**sympy** [A] time = 52.23, size = 116, normalized size = 0.95

$$\frac{2c\sqrt{f+gx}}{eg^2} - \frac{2(ag^2 - bfg + cf^2)}{g^2\sqrt{f+gx}(dg-ef)} - \frac{2(ae^2 - bde + cd^2)\operatorname{atan}\left(\frac{\sqrt{f+gx}}{\sqrt{\frac{dg-ef}{e}}}\right)}{e^2\sqrt{\frac{dg-ef}{e}}(dg-ef)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+b*x+a)/(e*x+d)/(g*x+f)**(3/2),x)
```

```
[Out] 2*c*sqrt(f + g*x)/(e*g**2) - 2*(a*g**2 - b*f*g + c*f**2)/(g**2*sqrt(f + g*x)
)*(d*g - e*f)) - 2*(a*e**2 - b*d*e + c*d**2)*atan(sqrt(f + g*x)/sqrt((d*g -
e*f)/e))/(e**2*sqrt((d*g - e*f)/e)*(d*g - e*f))
```

$$3.574 \quad \int \frac{a+bx+cx^2}{(d+ex)^2(f+gx)^{3/2}} dx$$

**Optimal.** Leaf size=165

$$\frac{\sqrt{f+gx} (ae^2 - bde + cd^2)}{e(d+ex)(ef-dg)^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right) (cd(4ef-dg) - e(-3aeg + bdg + 2bef))}{e^{3/2}(ef-dg)^{5/2}} - \frac{2(ag^2 - bfg + cf^2)}{g\sqrt{f+gx}(ef-dg)^2}$$

**Rubi [A]** time = 0.37, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {897, 1259, 453, 208}

$$\frac{\sqrt{f+gx} (ae^2 - bde + cd^2)}{e(d+ex)(ef-dg)^2} + \frac{\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right) (cd(4ef-dg) - e(-3aeg + bdg + 2bef))}{e^{3/2}(ef-dg)^{5/2}} - \frac{2(ag^2 - bfg + cf^2)}{g\sqrt{f+gx}(ef-dg)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((d + e\*x)^2\*(f + g\*x)^(3/2)), x]

[Out] (-2\*(c\*f^2 - b\*f\*g + a\*g^2))/(g\*(e\*f - d\*g)^2\*sqrt[f + g\*x]) - ((c\*d^2 - b\*d\*e + a\*e^2)\*sqrt[f + g\*x])/(e\*(e\*f - d\*g)^2\*(d + e\*x)) + ((c\*d\*(4\*e\*f - d\*g) - e\*(2\*b\*e\*f + b\*d\*g - 3\*a\*e\*g))\*ArcTanh[(sqrt[e]\*sqrt[f + g\*x])/sqrt[e\*f - d\*g]])/(e^(3/2)\*(e\*f - d\*g)^(5/2))

### Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 453

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[(c\*(e\*x)^(m+1)\*(a + b\*x^n)^(p+1)/(a\*e\*(m+1)), x] + Dist[(a\*d\*(m+1) - b\*c\*(m+n\*(p+1)+1)/(a\*e^n\*(m+1)), Int[(e\*x)^(m+n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b\*c - a\*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m+n, -1])) && !ILtQ[p, -1]

### Rule 897

Int[((d\_.) + (e\_)\*(x\_))^(m\_)\*((f\_.) + (g\_)\*(x\_))^(n\_)\*((a\_.) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m+1)-1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2]^p, x], x, (d + e\*x)

$^{(1/q)}, x]] /;$  FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1259

Int[(x\_)^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Simp[((-d)^(m/2 - 1)\*(c\*d^2 - b\*d\*e + a\*e^2)^p\*x\*(d + e\*x^2)^(q + 1)/(2\*e^(2\*p + m/2)\*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2\*e^(2\*p)\*(q + 1)), Int[x^m\*(d + e\*x^2)^(q + 1)\*ExpandToSum[Together[(1\*(2\*(-d)^(-(m/2) + 1)\*e^(2\*p)\*(q + 1)\*(a + b\*x^2 + c\*x^4))^p - ((c\*d^2 - b\*d\*e + a\*e^2)^p/(e^(m/2)\*x^m))\*(d + e\*(2\*q + 3)\*x^2))]/(d + e\*x^2)], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m/2, 0]

### Rubi steps

$$\int \frac{a + bx + cx^2}{(d + ex)^2(f + gx)^{3/2}} dx = \frac{2 \operatorname{Subst} \left( \int \frac{\frac{cf^2 - bfg + ag^2}{g^2} - \frac{(2cf - bg)x^2}{g^2} + \frac{cx^4}{g^2}}{x^2 \left( \frac{-ef + dg}{g} + \frac{ex^2}{g} \right)^2} dx, x, \sqrt{f + gx} \right)}{g}$$

$$= -\frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{e(ef - dg)^2(d + ex)} - \frac{g^3 \operatorname{Subst} \left( \int \frac{\frac{2e^2(ef - dg)(cf^2 - bfg + ag^2)}{g^5} - \frac{e(e(bd - ae)g^2 + c(2e^2f^2 - 4defg + d^2e^2))}{g^5}}{x^2 \left( \frac{-ef + dg}{g} + \frac{ex^2}{g} \right)} dx, x, \sqrt{f + gx} \right)}{e^2(ef - dg)^2}$$

$$= -\frac{2(cf^2 - bfg + ag^2)}{g(ef - dg)^2 \sqrt{f + gx}} - \frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{e(ef - dg)^2(d + ex)} - \frac{(cd(4ef - dg) - e(2bef + bdg))}{e^2(ef - dg)^2}$$

$$= -\frac{2(cf^2 - bfg + ag^2)}{g(ef - dg)^2 \sqrt{f + gx}} - \frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{e(ef - dg)^2(d + ex)} + \frac{(cd(4ef - dg) - e(2bef + bdg))}{e^{3/2}(ef - dg)^{5/2}}$$

**Mathematica** [A] time = 0.41, size = 176, normalized size = 1.07

$$\frac{eg(2adg + ae(f + 3gx) - b(3df + dgx + 2efx)) + c(d^2g(f + gx) + 2def^2 + 2e^2f^2x)}{eg(d + ex)\sqrt{f + gx}(ef - dg)^2} - \frac{\tanh^{-1} \left( \frac{\sqrt{e}\sqrt{f + gx}}{\sqrt{ef - dg}} \right) (e(-3aeg + bdg + 2bef) + cd(dg - 4ef))}{e^{3/2}(ef - dg)^{5/2}}$$

Antiderivative was successfully verified.



[In] Integrate[(a + b\*x + c\*x^2)/((d + e\*x)^2\*(f + g\*x)^(3/2)),x]

[Out]  $-\left(\frac{c(2d*ef^2 + 2e^2*f^2*x + d^2*g*(f + g*x)) + e*g*(2a*d*g + a*e*(f + 3*g*x) - b*(3*d*f + 2*e*f*x + d*g*x))}{e*g*(ef - d*g)^2*(d + e*x)*\sqrt{f + g*x}}\right) - \left(\frac{c*d*(-4*e*f + d*g) + e*(2*b*e*f + b*d*g - 3*a*e*g)}{e^2*g^2*(ef - d*g)^2}\right)*\text{ArcTanh}\left[\frac{\sqrt{e}\sqrt{f + g*x}}{\sqrt{ef - d*g}}\right]/(e^{3/2}*(ef - d*g)^{5/2})$

**IntegrateAlgebraic [A]** time = 0.69, size = 268, normalized size = 1.62

$$\frac{2ade^3 + 3ae^2g^2(f + gx) - 2ae^2fg^2 - bdeg^2(f + gx) - 2bdefg^2 + 2be^2f^2g - 2be^2fg(f + gx) + cd^2g^2(f + gx) + 2cdef^2g - 2ce^2f^3 + 2ce^2f^2(f + gx)}{eg\sqrt{f + gx}(ef - dg)^2(-dg - e(f + gx) + ef)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}\sqrt{f + gx}\sqrt{dg - ef}}{ef - dg}\right)(3ae^2g - bdeg - 2be^2f - cd^2g + 4cdef)}{e^{3/2}(ef - dg)^2\sqrt{dg - ef}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/((d + e\*x)^2\*(f + g\*x)^(3/2)),x]

[Out]  $(-2*c*e^2*f^3 + 2*c*d*e*f^2*g + 2*b*e^2*f^2*g - 2*b*d*e*f*g^2 - 2*a*e^2*f*g^2 + 2*a*d*e*g^3 + 2*c*e^2*f^2*(f + g*x) - 2*b*e^2*f*g*(f + g*x) + c*d^2*g^2*(f + g*x) - b*d*e*g^2*(f + g*x) + 3*a*e^2*g^2*(f + g*x))/(e*g*(ef - d*g)^2*\sqrt{f + g*x}*(ef - d*g - e*(f + g*x))) + ((4*c*d*e*f - 2*b*e^2*f - c*d^2*g - b*d*e*g + 3*a*e^2*g)*\text{ArcTan}[(\sqrt{e}\sqrt{-ef} + d*g)*\sqrt{f + g*x}])/((ef - d*g)^2*(e^{3/2}*(ef - d*g)^2*\sqrt{-ef} + d*g))$

**fricas [B]** time = 0.46, size = 1088, normalized size = 6.59

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^2/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out]  $[1/2*((2*(2*c*d^2*e - b*d*e^2)*f^2*g - (c*d^3 + b*d^2*e - 3*a*d*e^2)*f*g^2 + (2*(2*c*d*e^2 - b*e^3)*f*g^2 - (c*d^2*e + b*d*e^2 - 3*a*e^3)*g^3)*x^2 + (2*(2*c*d*e^2 - b*e^3)*f^2*g + 3*(c*d^2*e - b*d*e^2 + a*e^3)*f*g^2 - (c*d^3 + b*d^2*e - 3*a*d*e^2)*g^3)*x)*\sqrt{e^2*f - d*e*g}*\log((e*g*x + 2*e*f - d*g + 2*\sqrt{e^2*f - d*e*g})*\sqrt{g*x + f})/(e*x + d) - 2*(2*c*d*e^3*f^3 - 2*a*d^2*e^2*g^3 - (c*d^2*e^2 + 3*b*d*e^3 - a*e^4)*f^2*g - (c*d^3*e - 3*b*d^2*e^2 - a*d*e^3)*f*g^2 + (2*c*e^4*f^3 - 2*(c*d*e^3 + b*e^4)*f^2*g + (c*d^2*e^2 + b*d*e^3 + 3*a*e^4)*f*g^2 - (c*d^3*e - b*d^2*e^2 + 3*a*d*e^3)*g^3)*x)*\sqrt{g*x + f})/(d*e^5*f^4*g - 3*d^2*e^4*f^3*g^2 + 3*d^3*e^3*f^2*g^3 - d^4*e^2*f*g^4 + (e^6*f^3*g^2 - 3*d*e^5*f^2*g^3 + 3*d^2*e^4*f*g^4 - d^3*e^3*g^5)*x^2 + (e^6*f^4*g - 2*d*e^5*f^3*g^2 + 2*d^3*e^3*f*g^4 - d^4*e^2*g^5)*x), -((2*(2*c*d^2*e - b*d*e^2)*f^2*g - (c*d^3 + b*d^2*e - 3*a*d*e^2)*f*g^2 + (2*(2*c*d*e^2 - b*e^3)*f*g^2 - (c*d^2*e + b*d*e^2 - 3*a*e^3)*g^3)*x^2 + (2*(2*c*d*e^2 - b*e^3)*f^2*g + 3*(c*d^2*e - b*d*e^2 + a*e^3)*f*g^2 - (c*d^3 + b*d^2*e - 3*a*d*e^2)*g^3)*x)*\sqrt{-e^2*f + d*e*g}*\arctan(\sqrt{-e^2*f + d*e*g}*\sqrt{g*x + f})/(e*g*x + e*f) + (2*c*d*e^3*f^3 - 2*a*d^2*e^2*g^3 - (c*d^2*e^2 + 3*b*d*e^3 - a*e^4)*f^2*g - (c*d^3*e - 3*b*d^2*e^2 - a*d*e^3)*f*g^2 + (2*c*e^4*f^3 - 2*(c*d*e^3 + b*e^4)*f^2*g + (c*d^2*e^2 + b*d*e^3 + 3*a*e^4)*f*g^2 - (c*d^3*e - b*d^2*e^2 + 3*a*d*e^3)*g^3)*x)*\sqrt{-e^2*f + d*e*g}*\arctan(\sqrt{-e^2*f + d*e*g}*\sqrt{g*x + f})/(e*g*x + e*f) + (2*c*d*e^3*f^3 - 2*a*d^2*e^2*g^3 - (c*d^2*e^2 + 3*b*d*e^3 - a*e^4)*f^2*g - (c*d^3*e - 3*b*d^2*e^2 - a*d*e^3)*f*g^2 + (2*c*e^4*f^3 - 2*(c*d*e^3 + b*e^4)*f^2*g + (c*d^2*e^2 + b*d*e^3 + 3*a*e^4)*f*g^2 - (c*d^3*e - b*d^2*e^2 + 3*a*d*e^3)*g^3)*x)*\sqrt{-e^2*f + d*e*g}*\arctan(\sqrt{-e^2*f + d*e*g}*\sqrt{g*x + f})/(e*g*x + e*f)$

$$4*f^3 - 2*(c*d*e^3 + b*e^4)*f^2*g + (c*d^2*e^2 + b*d*e^3 + 3*a*e^4)*f*g^2 - (c*d^3*e - b*d^2*e^2 + 3*a*d*e^3)*g^3*x)*sqrt(g*x + f)/(d*e^5*f^4*g - 3*d^2*e^4*f^3*g^2 + 3*d^3*e^3*f^2*g^3 - d^4*e^2*f*g^4 + (e^6*f^3*g^2 - 3*d*e^5*f^2*g^3 + 3*d^2*e^4*f*g^4 - d^3*e^3*g^5)*x^2 + (e^6*f^4*g - 2*d*e^5*f^3*g^2 + 2*d^3*e^3*f*g^4 - d^4*e^2*g^5)*x]$$

**giac [A]** time = 0.23, size = 282, normalized size = 1.71

$$\frac{(cd^2g - 4cdf e + bdge + 2bf e^2 - 3age^2) \arctan\left(\frac{\sqrt{gx+f} e}{\sqrt{dge-f e^2}}\right) - (gx+f)cd^2g^2 + 2cdf^2ge - (gx+f)bdg^2e - 2bdfg^2e + 2adg^3e + 2(gx+f)cf^2e^2 - 2cf^3e^2 - 2(gx+f)bfg^2e + 2bf^2ge^2 + 3(gx+f)dg^2e^2 - 2afg^2e^2}{(d^2g^3e - 2dfg^2e^2 + f^2ge^3)\sqrt{dge-f e^2}} - \frac{(gx+f)cd^2g^2 + 2cdf^2ge - (gx+f)bdg^2e - 2bdfg^2e + 2adg^3e + 2(gx+f)cf^2e^2 - 2cf^3e^2 - 2(gx+f)bfg^2e + 2bf^2ge^2 + 3(gx+f)dg^2e^2 - 2afg^2e^2}{(d^2g^3e - 2dfg^2e^2 + f^2ge^3)\left(\sqrt{gx+f} dg + (gx+f)^{\frac{3}{2}}e - \sqrt{gx+f} fe\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^2/(g\*x+f)^(3/2),x, algorithm="giac")

[Out] (c\*d^2\*g - 4\*c\*d\*f\*e + b\*d\*g\*e + 2\*b\*f\*e^2 - 3\*a\*g\*e^2)\*arctan(sqrt(g\*x + f)\*e/sqrt(d\*g\*e - f\*e^2))/((d^2\*g^2\*e - 2\*d\*f\*g\*e^2 + f^2\*e^3)\*sqrt(d\*g\*e - f\*e^2)) - ((g\*x + f)\*c\*d^2\*g^2 + 2\*c\*d\*f^2\*g\*e - (g\*x + f)\*b\*d\*g^2\*e - 2\*b\*d\*f\*g^2\*e + 2\*a\*d\*g^3\*e + 2\*(g\*x + f)\*c\*f^2\*e^2 - 2\*c\*f^3\*e^2 - 2\*(g\*x + f)\*b\*f\*g\*e^2 + 2\*b\*f^2\*g\*e^2 + 3\*(g\*x + f)\*a\*g^2\*e^2 - 2\*a\*f\*g^2\*e^2)/((d^2\*g^3\*e - 2\*d\*f\*g^2\*e^2 + f^2\*g\*e^3)\*(sqrt(g\*x + f)\*d\*g + (g\*x + f)^(3/2)\*e - sqrt(g\*x + f)\*f\*e))

**maple [B]** time = 0.02, size = 418, normalized size = 2.53

$$\frac{3ag \arctan\left(\frac{\sqrt{gx+f} e}{\sqrt{dge-f e^2}}\right) + bfg \arctan\left(\frac{\sqrt{gx+f} e}{\sqrt{dge-f e^2}}\right) + 2bef \arctan\left(\frac{\sqrt{gx+f} e}{\sqrt{dge-f e^2}}\right) + cd^2g \arctan\left(\frac{\sqrt{gx+f} e}{\sqrt{dge-f e^2}}\right) - 4cdf \arctan\left(\frac{\sqrt{gx+f} e}{\sqrt{dge-f e^2}}\right)}{(dg-ef)^2 \sqrt{dge-f e^2}} + \frac{bdg \arctan\left(\frac{\sqrt{gx+f} e}{\sqrt{dge-f e^2}}\right)}{(dg-ef) \sqrt{dge-f e^2}} + \frac{2bef \arctan\left(\frac{\sqrt{gx+f} e}{\sqrt{dge-f e^2}}\right)}{(dg-ef)^2 \sqrt{dge-f e^2}} + \frac{cd^2g \arctan\left(\frac{\sqrt{gx+f} e}{\sqrt{dge-f e^2}}\right)}{(dg-ef)^2 \sqrt{dge-f e^2}} - \frac{4cdf \arctan\left(\frac{\sqrt{gx+f} e}{\sqrt{dge-f e^2}}\right)}{(dg-ef)^2 \sqrt{dge-f e^2}} + \frac{\sqrt{gx+f} deg}{(dg-ef)^2 (gx+dg)} + \frac{\sqrt{gx+f} bdg}{(dg-ef)^2 (gx+dg)} - \frac{\sqrt{gx+f} cd^2g}{(dg-ef)^2 (gx+dg)e} - \frac{2ag}{(dg-ef)^2 \sqrt{gx+f}} + \frac{2bf}{(dg-ef)^2 \sqrt{gx+f}} - \frac{2cf^2}{(dg-ef)^2 \sqrt{gx+f}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(e\*x+d)^2/(g\*x+f)^(3/2),x)

[Out] -1/(d\*g-e\*f)^2\*(g\*x+f)^(1/2)/(e\*g\*x+d\*g)\*a\*e\*g/g/(d\*g-e\*f)^2\*(g\*x+f)^(1/2)/(e\*g\*x+d\*g)\*b\*d-1/(d\*g-e\*f)^2\*(g\*x+f)^(1/2)/(e\*g\*x+d\*g)\*c\*d^2/e\*g-3/(d\*g-e\*f)^2/((d\*g-e\*f)\*e)^(1/2)\*a\*e\*g\*arctan((g\*x+f)^(1/2)/((d\*g-e\*f)\*e)^(1/2)\*e)+g/(d\*g-e\*f)^2/((d\*g-e\*f)\*e)^(1/2)\*arctan((g\*x+f)^(1/2)/((d\*g-e\*f)\*e)^(1/2)\*e)\*b\*d+2/(d\*g-e\*f)^2\*e/((d\*g-e\*f)\*e)^(1/2)\*arctan((g\*x+f)^(1/2)/((d\*g-e\*f)\*e)^(1/2)\*e)\*b\*f+1/(d\*g-e\*f)^2/((d\*g-e\*f)\*e)^(1/2)\*c\*d^2/e\*g\*arctan((g\*x+f)^(1/2)/((d\*g-e\*f)\*e)^(1/2)\*e)-4/(d\*g-e\*f)^2/((d\*g-e\*f)\*e)^(1/2)\*c\*d\*f\*arctan((g\*x+f)^(1/2)/((d\*g-e\*f)\*e)^(1/2)\*e)-2/(d\*g-e\*f)^2/(g\*x+f)^(1/2)\*a\*g+2/(d\*g-e\*f)^2/(g\*x+f)^(1/2)\*b\*f-2/(d\*g-e\*f)^2/(g\*x+f)^(1/2)\*c\*f^2/g

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^2/(g\*x+f)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f positive or negative?

**mupad [B]** time = 0.30, size = 218, normalized size = 1.32

$$\frac{\operatorname{atan}\left(\frac{\sqrt{f+gx}(d^2eg^2-2d^2fg+e^3f^2)}{\sqrt{e}(dg-ef)^{5/2}}\right)(2be^2f-3ae^2g+cd^2g+bdeg-4cdef)}{e^{3/2}(dg-ef)^{5/2}} - \frac{\frac{2(cf^2-bfg+ag^2)}{dg-ef} + \frac{(f+gx)(cd^2g^2-bdeg^2+2ce^2f^2-2b^2fg+3ae^2g^2)}{e(dg-ef)^2}}{\sqrt{f+gx}(dg^2-efg)+eg(f+gx)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/((f + g\*x)^(3/2)\*(d + e\*x)^2),x)

[Out] (atan(((f + g\*x)^(1/2)\*(e^3\*f^2 + d^2\*e\*g^2 - 2\*d\*e^2\*f\*g))/(e^(1/2)\*(d\*g - e\*f)^(5/2))))\*(2\*b\*e^2\*f - 3\*a\*e^2\*g + c\*d^2\*g + b\*d\*e\*g - 4\*c\*d\*e\*f)/(e^(3/2)\*(d\*g - e\*f)^(5/2)) - ((2\*(a\*g^2 + c\*f^2 - b\*f\*g))/(d\*g - e\*f) + ((f + g\*x)\*(3\*a\*e^2\*g^2 + c\*d^2\*g^2 + 2\*c\*e^2\*f^2 - b\*d\*e\*g^2 - 2\*b\*e^2\*f\*g))/(e\*(d\*g - e\*f)^2))/((f + g\*x)^(1/2)\*(d\*g^2 - e\*f\*g) + e\*g\*(f + g\*x)^(3/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/(e\*x+d)\*\*2/(g\*x+f)\*\*(3/2),x)

[Out] Timed out

$$3.575 \quad \int \frac{a+bx+cx^2}{(d+ex)^3(f+gx)^{3/2}} dx$$

**Optimal.** Leaf size=248

$$\frac{\sqrt{f+gx} (ae^2 - bde + cd^2)}{2e(d+ex)^2(ef-dg)^2} \frac{\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right) (3eg(5aeg - b(dg+4ef)) + c(-d^2g^2 + 8defg + 8e^2f^2))}{4e^{3/2}(ef-dg)^{7/2}} + \frac{2(ag^2)}{\sqrt{f+gx}}$$

**Rubi [A]** time = 0.63, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {897, 1259, 456, 453, 208}

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right) (3eg(5aeg - b(dg+4ef)) + c(-d^2g^2 + 8defg + 8e^2f^2))}{4e^{3/2}(ef-dg)^{7/2}} - \frac{\sqrt{f+gx} (ae^2 - bde + cd^2)}{2e(d+ex)^2(ef-dg)^2} + \frac{2(ag^2 - bfg + cf^2)}{\sqrt{f+gx}(ef-dg)^3} + \frac{\sqrt{f+gx} (cd(8ef-dg) - e(-7aeg + 3bdg + 4bef))}{4e(d+ex)(ef-dg)^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((d + e\*x)^3\*(f + g\*x)^(3/2)), x]

[Out] (2\*(c\*f^2 - b\*f\*g + a\*g^2))/((e\*f - d\*g)^3\*Sqrt[f + g\*x]) - ((c\*d^2 - b\*d\*e + a\*e^2)\*Sqrt[f + g\*x])/(2\*e\*(e\*f - d\*g)^2\*(d + e\*x)^2) + ((c\*d\*(8\*e\*f - d\*g) - e\*(4\*b\*e\*f + 3\*b\*d\*g - 7\*a\*e\*g))\*Sqrt[f + g\*x])/(4\*e\*(e\*f - d\*g)^3\*(d + e\*x)) - (((c\*(8\*e^2\*f^2 + 8\*d\*e\*f\*g - d^2\*g^2) + 3\*e\*g\*(5\*a\*e\*g - b\*(4\*e\*f + d\*g)))\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(4\*e^(3/2)\*(e\*f - d\*g)^(7/2))

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rule 453

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(c\*(e\*x)^(m+1)\*(a + b\*x^n)^(p+1))/(a\*e^(m+1)), x] + Dist[(a\*d\*(m+1) - b\*c\*(m+n\*(p+1) + 1))/(a\*e^n\*(m+1)), Int[(e\*x)^(m+n)\*(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b\*c - a\*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m+n, -1])) && !ILtQ[p, -1]

### Rule 456

Int[(x\_)^(m)\*((a\_) + (b\_.)\*(x\_)^2)^(p)\*((c\_) + (d\_.)\*(x\_)^2), x\_Symbol] := Simp[((-a)^(m/2 - 1)\*(b\*c - a\*d)\*x\*(a + b\*x^2)^(p+1))/(2\*b^(m/2 + 1)\*(p+1)), x] + Dist[1/(2\*b^(m/2 + 1)\*(p+1)), Int[x^m\*(a + b\*x^2)^(p+1)\*Ex

```
pandToSum[2*b*(p + 1)*Together[(b^(m/2)*(c + d*x^2) - (-a)^(m/2 - 1)*(b*c -
a*d)*x^(-m + 2))/(a + b*x^2)] - ((-a)^(m/2 - 1)*(b*c - a*d))/x^m, x], x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && ILtQ[m/2
, 0] && (IntegerQ[p] || EqQ[m + 2*p + 1, 0])
```

### Rule 897

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)
^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]
```

### Rule 1259

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^
4)^(p_.), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d
+ e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^
(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)
^(-(m/2) + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4)^p - ((c*d^2 - b*d*e + a*e
^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; Fr
eeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1]
&& ILtQ[m/2, 0]
```

### Rubi steps

$$\int \frac{a + bx + cx^2}{(d + ex)^3(f + gx)^{3/2}} dx = \frac{2 \operatorname{Subst} \left( \int \frac{\frac{cf^2 - bfg + ag^2}{g^2} - \frac{(2cf - bg)x^2}{g^2} + \frac{cx^4}{g^2}}{x^2 \left( \frac{-ef + dg}{g} + \frac{ex^2}{g} \right)^3} dx, x, \sqrt{f + gx} \right)}{g}$$

$$= -\frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{2e(ef - dg)^2(d + ex)^2} - \frac{g^3 \operatorname{Subst} \left( \int \frac{\frac{4e^2(ef - dg)(cf^2 - bfg + ag^2)}{g^5} - \frac{e(3e(bd - ae)g^2 + c(4e^2f^2 - 8defg + 3d^2e^2))}{g^5}}{x^2 \left( \frac{-ef + dg}{g} + \frac{ex^2}{g} \right)^2} dx, x, \sqrt{f + gx} \right)}{2e^2(ef - dg)^2}$$

$$= -\frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{2e(ef - dg)^2(d + ex)^2} + \frac{(cd(8ef - dg) - e(4bef + 3bdg - 7aeg)) \sqrt{f + gx}}{4e(ef - dg)^3(d + ex)} + \dots$$

$$= \frac{2(cf^2 - bfg + ag^2)}{(ef - dg)^3 \sqrt{f + gx}} - \frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{2e(ef - dg)^2(d + ex)^2} + \frac{(cd(8ef - dg) - e(4bef + 3bdg - 7aeg)) \sqrt{f + gx}}{4e(ef - dg)^3(d + ex)}$$

$$= \frac{2(cf^2 - bfg + ag^2)}{(ef - dg)^3 \sqrt{f + gx}} - \frac{(cd^2 - bde + ae^2) \sqrt{f + gx}}{2e(ef - dg)^2(d + ex)^2} + \frac{(cd(8ef - dg) - e(4bef + 3bdg - 7aeg)) \sqrt{f + gx}}{4e(ef - dg)^3(d + ex)}$$

**Mathematica [A]** time = 1.10, size = 290, normalized size = 1.17

$$\frac{1}{4} \left( \frac{2\sqrt{f+gx}(e(ae-bd)+cd^2)}{e(d+ex)^2(ef-dg)^2} + \frac{g \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)(e(-7aeg+3bdg+4bef)+cd(dg-8ef))}{e^{3/2}(ef-dg)^{7/2}} + \frac{8(g(ag-bf)+cf^2)}{\sqrt{f+gx}(ef-dg)^3} - \frac{8\sqrt{e}(g(ag-bf)+cf^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)}{(ef-dg)^{7/2}} - \frac{\sqrt{f+gx}(e(-7aeg+3bdg+4bef)+cd(dg-8ef))}{e(d+ex)(ef-dg)^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/((d + e\*x)^3\*(f + g\*x)^(3/2)), x]

[Out] ((8\*(c\*f^2 + g\*(-b\*f) + a\*g))/((e\*f - d\*g)^3\*Sqrt[f + g\*x]) - (2\*(c\*d^2 + e\*(-b\*d) + a\*e))\*Sqrt[f + g\*x])/(e\*(e\*f - d\*g)^2\*(d + e\*x)^2) - ((c\*d\*(-8\*e\*f + d\*g) + e\*(4\*b\*e\*f + 3\*b\*d\*g - 7\*a\*e\*g))\*Sqrt[f + g\*x])/(e\*(e\*f - d\*g)^3\*(d + e\*x)) - (8\*Sqrt[e]\*(c\*f^2 + g\*(-b\*f) + a\*g))\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]]/(e\*f - d\*g)^(7/2) + (g\*(c\*d\*(-8\*e\*f + d\*g) + e\*(4\*b\*e\*f + 3\*b\*d\*g - 7\*a\*e\*g))\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[e\*f - d\*g]])/(e^(3/2)\*(e\*f - d\*g)^(7/2))/4

**IntegrateAlgebraic [B]** time = 1.20, size = 497, normalized size = 2.00

tan^-1\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{ef-dg}}\right) = \frac{1}{2} \ln \left| \frac{\sqrt{e}\sqrt{f+gx} + \sqrt{ef-dg}}{\sqrt{e}\sqrt{f+gx} - \sqrt{ef-dg}} \right|

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/((d + e\*x)^3\*(f + g\*x)^(3/2)),x]

[Out]  $(8*c*e^3*f^4 - 16*c*d*e^2*f^3*g - 8*b*e^3*f^3*g + 8*c*d^2*e*f^2*g^2 + 16*b*d*e^2*f^2*g^2 + 8*a*e^3*f^2*g^2 - 8*b*d^2*e*f*g^3 - 16*a*d*e^2*f*g^3 + 8*a*d^2*e*g^4 - 16*c*e^3*f^3*(f + g*x) + 8*c*d*e^2*f^2*g*(f + g*x) + 20*b*e^3*f^2*g*(f + g*x) + 7*c*d^2*e*f*g^2*(f + g*x) - 15*b*d*e^2*f*g^2*(f + g*x) - 25*a*e^3*f*g^2*(f + g*x) + c*d^3*g^3*(f + g*x) - 5*b*d^2*e*g^3*(f + g*x) + 25*a*d*e^2*g^3*(f + g*x) + 8*c*e^3*f^2*(f + g*x)^2 + 8*c*d*e^2*f*g*(f + g*x)^2 - 12*b*e^3*f*g*(f + g*x)^2 - c*d^2*e*g^2*(f + g*x)^2 - 3*b*d*e^2*g^2*(f + g*x)^2 + 15*a*e^3*g^2*(f + g*x)^2)/(4*e*(e*f - d*g)^3*sqrt[f + g*x]*(e*f - d*g - e*(f + g*x))^2) + ((-8*c*e^2*f^2 - 8*c*d*e*f*g + 12*b*e^2*f*g + c*d^2*g^2 + 3*b*d*e*g^2 - 15*a*e^2*g^2)*ArcTan[(sqrt[e]*sqrt[-(e*f) + d*g])*sqrt[f + g*x]]/(e*f - d*g))/(4*e^(3/2)*(e*f - d*g)^3*sqrt[-(e*f) + d*g])$

**fricas** [B] time = 0.50, size = 1883, normalized size = 7.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^3/(g\*x+f)^(3/2),x, algorithm="fricas")

[Out]  $[-1/8*((8*c*d^2*e^2*f^3 + 4*(2*c*d^3*e - 3*b*d^2*e^2)*f^2*g - (c*d^4 + 3*b*d^3*e - 15*a*d^2*e^2)*f*g^2 + (8*c*e^4*f^2*g + 4*(2*c*d*e^3 - 3*b*e^4)*f*g^2 - (c*d^2*e^2 + 3*b*d*e^3 - 15*a*e^4)*g^3)*x^3 + (8*c*e^4*f^3 + 12*(2*c*d*e^3 - b*e^4)*f^2*g + 3*(5*c*d^2*e^2 - 9*b*d*e^3 + 5*a*e^4)*f*g^2 - 2*(c*d^3*e + 3*b*d^2*e^2 - 15*a*d*e^3)*g^3)*x^2 + (16*c*d*e^3*f^3 + 24*(c*d^2*e^2 - b*d*e^3)*f^2*g + 6*(c*d^3*e - 3*b*d^2*e^2 + 5*a*d*e^3)*f*g^2 - (c*d^4 + 3*b*d^3*e - 15*a*d^2*e^2)*g^3)*x)*sqrt(e^2*f - d*e*g)*log((e*g*x + 2*e*f - d*g + 2*sqrt(e^2*f - d*e*g)*sqrt(g*x + f))/(e*x + d)) + 2*(8*a*d^3*e^2*g^3 - 2*(7*c*d^2*e^3 - b*d*e^4 - a*e^5)*f^3 + (13*c*d^3*e^2 + 11*b*d^2*e^3 - 11*a*d*e^4)*f^2*g + (c*d^4*e - 13*b*d^3*e^2 + a*d^2*e^3)*f*g^2 - (8*c*e^5*f^3 - 12*b*e^5*f^2*g - 3*(3*c*d^2*e^3 - 3*b*d*e^4 - 5*a*e^5)*f*g^2 + (c*d^3*e^2 + 3*b*d^2*e^3 - 15*a*d*e^4)*g^3)*x^2 - (4*(6*c*d*e^4 - b*e^5)*f^3 - (19*c*d^2*e^3 + 17*b*d*e^4 - 5*a*e^5)*f^2*g - 4*(c*d^3*e^2 - 4*b*d^2*e^3 - 5*a*d*e^4)*f*g^2 - (c*d^4*e - 5*b*d^3*e^2 + 25*a*d^2*e^3)*g^3)*x)*sqrt(g*x + f))/(d^2*e^6*f^5 - 4*d^3*e^5*f^4*g + 6*d^4*e^4*f^3*g^2 - 4*d^5*e^3*f^2*g^3 + d^6*e^2*f*g^4 + (e^8*f^4*g - 4*d*e^7*f^3*g^2 + 6*d^2*e^6*f^2*g^3 - 4*d^3*e^5*f*g^4 + d^4*e^4*g^5)*x^3 + (e^8*f^5 - 2*d*e^7*f^4*g - 2*d^2*e^6*f^3*g^2 + 8*d^3*e^5*f^2*g^3 - 7*d^4*e^4*f*g^4 + 2*d^5*e^3*g^5)*x^2 + (2*d*e^7*f^5 - 7*d^2*e^6*f^4*g + 8*d^3*e^5*f^3*g^2 - 2*d^4*e^4*f^2*g^3 - 2*d^5*e^3*f*g^4 + d^6*e^2*g^5)*x), 1/4*((8*c*d^2*e^2*f^3 + 4*(2*c*d^3*e - 3*b*d^2*e^2)*f^2*g - (c*d^4 + 3*b*d^3*e - 15*a*d^2*e^2)*f*g^2 + (8*c*e^4*f^2*g + 4*(2*c*d*e^3 - 3*b*e^4)*f*g^2 - (c*d^2*e^2 + 3*b*d*e^3 - 15*a*e^4)*g^3)*x^3 + (8*c*e^4*f^3 + 12*(2*c*d*e^3 - b*e^4)*f^2*g + 3*(5*c*d^2*e^2 - 9*b*d*e^3 + 5*a*e^4)*f*g$

$$\begin{aligned} &^2 - 2*(c*d^3*e + 3*b*d^2*e^2 - 15*a*d*e^3)*g^3)*x^2 + (16*c*d*e^3*f^3 + 24 \\ &*(c*d^2*e^2 - b*d*e^3)*f^2*g + 6*(c*d^3*e - 3*b*d^2*e^2 + 5*a*d*e^3)*f*g^2 \\ &- (c*d^4 + 3*b*d^3*e - 15*a*d^2*e^2)*g^3)*x)*\text{sqrt}(-e^2*f + d*e*g)*\text{arctan}(\text{sq} \\ &\text{rt}(-e^2*f + d*e*g)*\text{sqrt}(g*x + f)/(e*g*x + e*f)) - (8*a*d^3*e^2*g^3 - 2*(7*c \\ &*d^2*e^3 - b*d*e^4 - a*e^5)*f^3 + (13*c*d^3*e^2 + 11*b*d^2*e^3 - 11*a*d*e^4 \\ &)*f^2*g + (c*d^4*e - 13*b*d^3*e^2 + a*d^2*e^3)*f*g^2 - (8*c*e^5*f^3 - 12*b* \\ &e^5*f^2*g - 3*(3*c*d^2*e^3 - 3*b*d*e^4 - 5*a*e^5)*f*g^2 + (c*d^3*e^2 + 3*b* \\ &d^2*e^3 - 15*a*d*e^4)*g^3)*x^2 - (4*(6*c*d*e^4 - b*e^5)*f^3 - (19*c*d^2*e^3 \\ &+ 17*b*d*e^4 - 5*a*e^5)*f^2*g - 4*(c*d^3*e^2 - 4*b*d^2*e^3 - 5*a*d*e^4)*f* \\ &g^2 - (c*d^4*e - 5*b*d^3*e^2 + 25*a*d^2*e^3)*g^3)*x)*\text{sqrt}(g*x + f))/(d^2*e^ \\ &6*f^5 - 4*d^3*e^5*f^4*g + 6*d^4*e^4*f^3*g^2 - 4*d^5*e^3*f^2*g^3 + d^6*e^2*f \\ &*g^4 + (e^8*f^4*g - 4*d*e^7*f^3*g^2 + 6*d^2*e^6*f^2*g^3 - 4*d^3*e^5*f*g^4 + \\ &d^4*e^4*g^5)*x^3 + (e^8*f^5 - 2*d*e^7*f^4*g - 2*d^2*e^6*f^3*g^2 + 8*d^3*e^ \\ &5*f^2*g^3 - 7*d^4*e^4*f*g^4 + 2*d^5*e^3*g^5)*x^2 + (2*d*e^7*f^5 - 7*d^2*e^6 \\ &*f^4*g + 8*d^3*e^5*f^3*g^2 - 2*d^4*e^4*f^2*g^3 - 2*d^5*e^3*f*g^4 + d^6*e^2* \\ &g^5)*x) \end{aligned}$$

**giac [B]** time = 0.26, size = 462, normalized size = 1.86

$$\frac{(af^2 - 8dfg + 3bd^2e - 8f^2d + 12bf^2e - 15af^2e)\text{arctan}\left(\frac{\sqrt{d^2e^2 - f^2}}{\sqrt{d^2e^2 - f^2}}\right) + \frac{2(f^2 - bfg + ag^2)}{(d^2e^2 - f^2)\sqrt{d^2e^2 - f^2}} + \frac{\sqrt{d^2e^2 - f^2}af^2 - (gx + f)^2af^2e + 7\sqrt{d^2e^2 - f^2}af^2e - 5\sqrt{d^2e^2 - f^2}bdf^2e + 8(gx + f)^2af^2e - 8\sqrt{d^2e^2 - f^2}af^2e - 3(gx + f)^2bdf^2e + \sqrt{d^2e^2 - f^2}bdf^2e + 9\sqrt{d^2e^2 - f^2}af^2e - 4(gx + f)^2bfg^2 + 4\sqrt{d^2e^2 - f^2}bfg^2 + 7(gx + f)^2af^2e - 9\sqrt{d^2e^2 - f^2}af^2e}{4(d^2e^2 - f^2)\sqrt{d^2e^2 - f^2}}}{4(d^2e^2 - f^2)\sqrt{d^2e^2 - f^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^3/(g\*x+f)^(3/2),x, algorithm="giac")

[Out]  $\frac{1}{4}*(c*d^2*g^2 - 8*c*d*f*g*e + 3*b*d*g^2*e - 8*c*f^2*e^2 + 12*b*f*g*e^2 - 15*a*g^2*e^2)*\text{arctan}(\text{sqrt}(g*x + f)*e/\text{sqrt}(d*g*e - f*e^2))/((d^3*g^3*e - 3*d^2*f*g^2*e^2 + 3*d*f^2*g*e^3 - f^3*e^4)*\text{sqrt}(d*g*e - f*e^2)) - 2*(c*f^2 - b*f*g + a*g^2)/((d^3*g^3 - 3*d^2*f*g^2*e + 3*d*f^2*g*e^2 - f^3*e^3)*\text{sqrt}(g*x + f)) - 1/4*(\text{sqrt}(g*x + f)*c*d^3*g^3 - (g*x + f)^{(3/2)}*c*d^2*g^2*e + 7*\text{sqrt}(g*x + f)*c*d^2*f*g^2*e - 5*\text{sqrt}(g*x + f)*b*d^2*g^3*e + 8*(g*x + f)^{(3/2)}*c*d*f*g*e^2 - 8*\text{sqrt}(g*x + f)*c*d*f^2*g*e^2 - 3*(g*x + f)^{(3/2)}*b*d*g^2*e^2 + \text{sqrt}(g*x + f)*b*d*f*g^2*e^2 + 9*\text{sqrt}(g*x + f)*a*d*g^3*e^2 - 4*(g*x + f)^{(3/2)}*b*f*g*e^3 + 4*\text{sqrt}(g*x + f)*b*f^2*g*e^3 + 7*(g*x + f)^{(3/2)}*a*g^2*e^3 - 9*\text{sqrt}(g*x + f)*a*f*g^2*e^3)/(d^3*g^3*e - 3*d^2*f*g^2*e^2 + 3*d*f^2*g*e^3 - f^3*e^4)*(d*g + (g*x + f)*e - f*e)^2)$

**maple [B]** time = 0.03, size = 847, normalized size = 3.42

$$\frac{\frac{\sqrt{d^2e^2 - f^2}}{4(d^2e^2 - f^2)\sqrt{d^2e^2 - f^2}} + \frac{2(f^2 - bfg + ag^2)}{(d^2e^2 - f^2)\sqrt{d^2e^2 - f^2}} + \frac{\sqrt{d^2e^2 - f^2}af^2 - (gx + f)^2af^2e + 7\sqrt{d^2e^2 - f^2}af^2e - 5\sqrt{d^2e^2 - f^2}bdf^2e + 8(gx + f)^2af^2e - 8\sqrt{d^2e^2 - f^2}af^2e - 3(gx + f)^2bdf^2e + \sqrt{d^2e^2 - f^2}bdf^2e + 9\sqrt{d^2e^2 - f^2}af^2e - 4(gx + f)^2bfg^2 + 4\sqrt{d^2e^2 - f^2}bfg^2 + 7(gx + f)^2af^2e - 9\sqrt{d^2e^2 - f^2}af^2e}{4(d^2e^2 - f^2)\sqrt{d^2e^2 - f^2}}}{4(d^2e^2 - f^2)\sqrt{d^2e^2 - f^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(e\*x+d)^3/(g\*x+f)^(3/2),x)

[Out]  $-\frac{7}{4}*(d*g - e*f)^3/(e*g*x + d*g)^2*(g*x + f)^{(3/2)}*a*e^2*g^2 + 3/4*(d*g - e*f)^3/(e*g*x + d*g)^2*(g*x + f)^{(3/2)}*b*d*e*g^2 + 1/(d*g - e*f)^3/(e*g*x + d*g)^2*(g*x + f)^{(3/2)}$



$$\begin{aligned}
& *b*e^{2f}g+1/4/(d*g-e*f)^3/(e*g*x+d*g)^2*(g*x+f)^{(3/2)}*c*d^2*g^2-2/(d*g-e*f) \\
& )^3/(e*g*x+d*g)^2*(g*x+f)^{(3/2)}*c*d*e*f*g-9/4/(d*g-e*f)^3/(e*g*x+d*g)^2*g^3 \\
& *e*(g*x+f)^{(1/2)}*a*d+9/4/(d*g-e*f)^3/(e*g*x+d*g)^2*g^2*e^2*(g*x+f)^{(1/2)}*a* \\
& f+5/4/(d*g-e*f)^3/(e*g*x+d*g)^2*g^3*(g*x+f)^{(1/2)}*b*d^2-1/4/(d*g-e*f)^3/(e* \\
& g*x+d*g)^2*g^2*e*(g*x+f)^{(1/2)}*f*d*b-1/(d*g-e*f)^3/(e*g*x+d*g)^2*g*e^2*(g*x \\
& +f)^{(1/2)}*b*f^2-1/4/(d*g-e*f)^3/(e*g*x+d*g)^2*g^3/e*(g*x+f)^{(1/2)}*c*d^3-7/4 \\
& /(d*g-e*f)^3/(e*g*x+d*g)^2*g^2*(g*x+f)^{(1/2)}*c*d^2*f+2/(d*g-e*f)^3/(e*g*x+d \\
& *g)^2*g*e*(g*x+f)^{(1/2)}*c*d*f^2-15/4/(d*g-e*f)^3*e/((d*g-e*f)*e)^{(1/2)}*\arct \\
& an((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*a*g^2+3/4/(d*g-e*f)^3/((d*g-e*f)*e) \\
& ^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*b*d*g^2+3/(d*g-e*f)^3*e/ \\
& ((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*b*f*g+1/4/( \\
& d*g-e*f)^3/e/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e*f)*e)^{(1/2)}*e \\
& )*c*d^2*g^2-2/(d*g-e*f)^3/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{(1/2)}/((d*g-e* \\
& f)*e)^{(1/2)}*e)*c*d*f*g-2/(d*g-e*f)^3*e/((d*g-e*f)*e)^{(1/2)}*\arctan((g*x+f)^{( \\
& 1/2)}/((d*g-e*f)*e)^{(1/2)}*e)*c*f^2-2/(d*g-e*f)^3/(g*x+f)^{(1/2)}*a*g^2+2/(d*g- \\
& e*f)^3/(g*x+f)^{(1/2)}*b*f*g-2/(d*g-e*f)^3/(g*x+f)^{(1/2)}*c*f^2
\end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^3/(g\*x+f)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f positive or negative?

**mupad** [B] time = 3.41, size = 363, normalized size = 1.46

$$\frac{\operatorname{atan}\left(\frac{\sqrt{f+gx}(-d^3e^2+3d^2e^2f-3d^2f^2g+a^2f)}{\sqrt{e(dg-ef)^2}}\right)(-cd^2g^2+8cdefg-3bde^2+8ce^2f^2-12b^2fg+15ae^2g^2)}{4e^{3/2}(dg-ef)^{7/2}} - \frac{2(c^2-f^2+fg+ag^2)}{dg-ef} + \frac{(f+gx)^3(-cd^2g^2+8cdefg-3bde^2+8ce^2f^2-12b^2fg+15ae^2g^2)}{4(dg-ef)^3} + \frac{(f+gx)(cd^2g^2+8cdefg-5bde^2+16ce^2f^2-20b^2fg+25ae^2g^2)}{4e(dg-ef)^2}}{e^2(f+gx)^{5/2} - (f+gx)^{3/2}(2e^2f-2deg) + \sqrt{f+gx}(d^2g^2-2defg+e^2f^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/((f + g\*x)^(3/2)\*(d + e\*x)^3),x)

[Out] (atan(((f + g\*x)^(1/2)\*(e^4\*f^3 - d^3\*e\*g^3 + 3\*d^2\*e^2\*f\*g^2 - 3\*d\*e^3\*f^2 \*g)))/(e^(1/2)\*(d\*g - e\*f)^(7/2)))\*(15\*a\*e^2\*g^2 - c\*d^2\*g^2 + 8\*c\*e^2\*f^2 - 3\*b\*d\*e\*g^2 - 12\*b\*e^2\*f\*g + 8\*c\*d\*e\*f\*g))/(4\*e^(3/2)\*(d\*g - e\*f)^(7/2)) - ((2\*(a\*g^2 + c\*f^2 - b\*f\*g))/(d\*g - e\*f) + ((f + g\*x)^2\*(15\*a\*e^2\*g^2 - c\*d^2\*g^2 + 8\*c\*e^2\*f^2 - 3\*b\*d\*e\*g^2 - 12\*b\*e^2\*f\*g + 8\*c\*d\*e\*f\*g))/(4\*(d\*g - e\*f)^3) + ((f + g\*x)\*(25\*a\*e^2\*g^2 + c\*d^2\*g^2 + 16\*c\*e^2\*f^2 - 5\*b\*d\*e\*g^2 - 20\*b\*e^2\*f\*g + 8\*c\*d\*e\*f\*g))/(4\*e\*(d\*g - e\*f)^2))/(e^2\*(f + g\*x)^(5/2))

-  $(f + g*x)^{3/2}*(2*e^{2*f} - 2*d*e*g) + (f + g*x)^{1/2}*(d^2*g^2 + e^2*f^2 - 2*d*e*f*g)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/(e\*x+d)\*\*3/(g\*x+f)\*\*(3/2),x)

[Out] Timed out

$$3.576 \quad \int \frac{\sqrt{-1+x} \sqrt{1+x}}{1+x-x^2} dx$$

Optimal. Leaf size=91

$$\sqrt{\frac{2}{5}}(\sqrt{5}-1) \tan^{-1}\left(\frac{\sqrt{x+1}}{\sqrt{\sqrt{5}-2}\sqrt{x-1}}\right) - \cosh^{-1}(x) + \sqrt{\frac{2}{5}}(1+\sqrt{5}) \tanh^{-1}\left(\frac{\sqrt{x+1}}{\sqrt{2+\sqrt{5}}\sqrt{x-1}}\right)$$

**Rubi [B]** time = 0.14, antiderivative size = 191, normalized size of antiderivative = 2.10, number of steps used = 9, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {901, 991, 217, 206, 1034, 725, 204}

$$\frac{\sqrt{\frac{1}{10}}(\sqrt{5}-1)\sqrt{x-1}\sqrt{x+1} \tan^{-1}\left(\frac{2-(1-\sqrt{5})x}{\sqrt{2(\sqrt{5}-1)}\sqrt{x^2-1}}\right)}{\sqrt{x^2-1}} - \frac{\sqrt{x-1}\sqrt{x+1} \tanh^{-1}\left(\frac{x}{\sqrt{x^2-1}}\right)}{\sqrt{x^2-1}} - \frac{\sqrt{\frac{1}{10}}(1+\sqrt{5})\sqrt{x-1}\sqrt{x+1} \tanh^{-1}\left(\frac{2-(1+\sqrt{5})x}{\sqrt{2(1+\sqrt{5})}\sqrt{x^2-1}}\right)}{\sqrt{x^2-1}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[-1 + x]\*Sqrt[1 + x])/(1 + x - x^2), x]

[Out] (Sqrt[(-1 + Sqrt[5])/10]\*Sqrt[-1 + x]\*Sqrt[1 + x]\*ArcTan[(2 - (1 - Sqrt[5]) \* x)/(Sqrt[2\*(-1 + Sqrt[5])]\*Sqrt[-1 + x^2])])/Sqrt[-1 + x^2] - (Sqrt[-1 + x] \* Sqrt[1 + x]\*ArcTanh[x/Sqrt[-1 + x^2]])/Sqrt[-1 + x^2] - (Sqrt[(1 + Sqrt[5])/10]\*Sqrt[-1 + x]\*Sqrt[1 + x]\*ArcTanh[(2 - (1 + Sqrt[5])\*x)/(Sqrt[2\*(1 + Sqrt[5])]\*Sqrt[-1 + x^2])])/Sqrt[-1 + x^2]

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

#### Rule 725

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^2]), x_Symbol] := -Subst[
Int[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/Sqrt[a + c*x^2]] /; FreeQ
[{a, c, d, e}, x]
```

### Rule 901

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) +
(c_)*(x_)^2)^(p_), x_Symbol] := Dist[((d + e*x)^FracPart[m]*(f + g*x)^Fr
acPart[m])/(d*f + e*g*x^2)^FracPart[m], Int[(d*f + e*g*x^2)^m*(a + b*x + c*
x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && EqQ[m - n, 0]
&& EqQ[e*f + d*g, 0]
```

### Rule 991

```
Int[Sqrt[(a_) + (c_)*(x_)^2]/((d_) + (e_)*(x_) + (f_)*(x_)^2), x_Symbol]
:= Dist[c/f, Int[1/Sqrt[a + c*x^2], x], x] - Dist[1/f, Int[(c*d - a*f + c*
e*x)/(Sqrt[a + c*x^2]*(d + e*x + f*x^2)), x], x] /; FreeQ[{a, c, d, e, f},
x] && NeQ[e^2 - 4*d*f, 0]
```

### Rule 1034

```
Int[((g_) + (h_)*(x_))/(((a_) + (b_)*(x_) + (c_)*(x_)^2)*Sqrt[(d_) + (f
_)*(x_)^2]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c*g - h*(
b - q))/q, Int[1/((b - q + 2*c*x)*Sqrt[d + f*x^2]), x], x] - Dist[(2*c*g -
h*(b + q))/q, Int[1/((b + q + 2*c*x)*Sqrt[d + f*x^2]), x], x]] /; FreeQ[{a,
b, c, d, f, g, h}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{-1+x}\sqrt{1+x}}{1+x-x^2} dx &= \frac{(\sqrt{-1+x}\sqrt{1+x}) \int \frac{\sqrt{-1+x^2}}{1+x-x^2} dx}{\sqrt{-1+x^2}} \\
&= -\frac{(\sqrt{-1+x}\sqrt{1+x}) \int \frac{1}{\sqrt{-1+x^2}} dx}{\sqrt{-1+x^2}} + \frac{(\sqrt{-1+x}\sqrt{1+x}) \int \frac{x}{(1+x-x^2)\sqrt{-1+x^2}} dx}{\sqrt{-1+x^2}} \\
&= -\frac{(\sqrt{-1+x}\sqrt{1+x}) \operatorname{Subst}\left(\int \frac{1}{1-x^2} dx, x, \frac{x}{\sqrt{-1+x^2}}\right)}{\sqrt{-1+x^2}} + \frac{((5-\sqrt{5})\sqrt{-1+x}\sqrt{1+x}) \int \frac{1}{(1-x-x^2)\sqrt{-1+x^2}} dx}{5\sqrt{-1+x^2}} \\
&= -\frac{\sqrt{-1+x}\sqrt{1+x} \tanh^{-1}\left(\frac{x}{\sqrt{-1+x^2}}\right)}{\sqrt{-1+x^2}} - \frac{((5-\sqrt{5})\sqrt{-1+x}\sqrt{1+x}) \operatorname{Subst}\left(\int \frac{1}{-4+(1-\sqrt{5})x^2} dx, x, \frac{x}{\sqrt{-1+x^2}}\right)}{5\sqrt{-1+x^2}} \\
&= \frac{\sqrt{\frac{1}{10}(-1+\sqrt{5})}\sqrt{-1+x}\sqrt{1+x} \tan^{-1}\left(\frac{2-(1-\sqrt{5})x}{\sqrt{2(-1+\sqrt{5})}\sqrt{-1+x^2}}\right)}{\sqrt{-1+x^2}} - \frac{\sqrt{-1+x}\sqrt{1+x} \tanh^{-1}\left(\frac{x}{\sqrt{-1+x^2}}\right)}{\sqrt{-1+x^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 113, normalized size = 1.24

$$-\frac{1}{5}\sqrt{\sqrt{5}-2}(5+\sqrt{5})\tan^{-1}\left(\sqrt{\sqrt{5}-2}\sqrt{\frac{x-1}{x+1}}\right)-2\tanh^{-1}\left(\sqrt{\frac{x-1}{x+1}}\right)-\frac{1}{5}(\sqrt{5}-5)\sqrt{2+\sqrt{5}}\tanh^{-1}\left(\sqrt{2+\sqrt{5}}\sqrt{\frac{x-1}{x+1}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[-1 + x]\*Sqrt[1 + x])/(1 + x - x^2), x]

[Out] -1/5\*(Sqrt[-2 + Sqrt[5]]\*(5 + Sqrt[5])\*ArcTan[Sqrt[-2 + Sqrt[5]]\*Sqrt[(-1 + x)/(1 + x)]] - 2\*ArcTanh[Sqrt[(-1 + x)/(1 + x)]] - ((-5 + Sqrt[5])\*Sqrt[2 + Sqrt[5]]\*ArcTanh[Sqrt[2 + Sqrt[5]]\*Sqrt[(-1 + x)/(1 + x)]]))/5

**IntegrateAlgebraic [A]** time = 0.31, size = 110, normalized size = 1.21

$$-\sqrt{\frac{1}{5}}(2\sqrt{5}-2)\tan^{-1}\left(\frac{\sqrt{\sqrt{5}-2}\sqrt{x-1}}{\sqrt{x+1}}\right)-2\tanh^{-1}\left(\sqrt{\frac{x-1}{x+1}}\right)+\sqrt{\frac{1}{5}}(2+2\sqrt{5})\tanh^{-1}\left(\frac{\sqrt{2+\sqrt{5}}\sqrt{x-1}}{\sqrt{x+1}}\right)$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[-1 + x]\*Sqrt[1 + x])/(1 + x - x^2), x]

[Out] -(Sqrt[(-2 + 2\*Sqrt[5])/5]\*ArcTan[(Sqrt[-2 + Sqrt[5]]\*Sqrt[-1 + x])/Sqrt[1 + x]]) - 2\*ArcTanh[Sqrt[-1 + x]/Sqrt[1 + x]] + Sqrt[(2 + 2\*Sqrt[5])/5]\*ArcTanh[(Sqrt[2 + Sqrt[5]]\*Sqrt[-1 + x])/Sqrt[1 + x]]

**fricas** [B] time = 0.43, size = 214, normalized size = 2.35

$$\frac{2}{5}\sqrt{5}\sqrt{2\sqrt{5}-2}\arctan\left(\frac{1}{8}\sqrt{-4(2x+\sqrt{5}-1)\sqrt{x+1}\sqrt{x-1}+8x^2+4\sqrt{5}x-4}\sqrt{2\sqrt{5}-2}(\sqrt{5}+1)}{\sqrt{x+1}\sqrt{x-1}(\sqrt{5}+1)-\sqrt{5}x-2}\sqrt{2\sqrt{5}-2}\right)+\frac{1}{10}\sqrt{5}\sqrt{2\sqrt{5}+2}\log\left(\frac{2\sqrt{x+1}\sqrt{x-1}-2x+\sqrt{5}+\sqrt{2\sqrt{5}+2}}{1}\right)-\frac{1}{10}\sqrt{5}\sqrt{2\sqrt{5}+2}\log\left(\frac{2\sqrt{x+1}\sqrt{x-1}-2x+\sqrt{5}-\sqrt{2\sqrt{5}+2}}{1}\right)+\log(\sqrt{x+1}\sqrt{x-1}-x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x)^(1/2)\*(1+x)^(1/2)/(-x^2+x+1),x, algorithm="fricas")

[Out] 2/5\*sqrt(5)\*sqrt(2\*sqrt(5) - 2)\*arctan(1/8\*sqrt(-4\*(2\*x + sqrt(5) - 1)\*sqrt(x + 1)\*sqrt(x - 1) + 8\*x^2 + 4\*sqrt(5)\*x - 4\*x)\*sqrt(2\*sqrt(5) - 2)\*(sqrt(5) + 1) - 1/4\*(sqrt(x + 1)\*sqrt(x - 1)\*(sqrt(5) + 1) - sqrt(5)\*x - x - 2)\*sqrt(2\*sqrt(5) - 2)) + 1/10\*sqrt(5)\*sqrt(2\*sqrt(5) + 2)\*log(2\*sqrt(x + 1)\*sqrt(x - 1) - 2\*x + sqrt(5) + sqrt(2\*sqrt(5) + 2) + 1) - 1/10\*sqrt(5)\*sqrt(2\*sqrt(5) + 2)\*log(2\*sqrt(x + 1)\*sqrt(x - 1) - 2\*x + sqrt(5) - sqrt(2\*sqrt(5) + 2) + 1) + log(sqrt(x + 1)\*sqrt(x - 1) - x)

**giac** [A] time = 0.20, size = 16, normalized size = 0.18

$$\log\left(\left(\sqrt{x+1} - \sqrt{x-1}\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x)^(1/2)\*(1+x)^(1/2)/(-x^2+x+1),x, algorithm="giac")

[Out] log((sqrt(x + 1) - sqrt(x - 1))^2)

**maple** [B] time = 0.09, size = 231, normalized size = 2.54

$$\frac{\sqrt{x-1}\sqrt{x+1}\sqrt{5}\left(-\sqrt{5}\sqrt{-2+2\sqrt{5}}\operatorname{arctanh}\left(\frac{\sqrt{5}x+2}{\sqrt{2\sqrt{5}+2}\sqrt{x^2-1}}\right)-\sqrt{-2+2\sqrt{5}}\operatorname{arctanh}\left(\frac{\sqrt{5}x-2}{\sqrt{2\sqrt{5}+2}\sqrt{x^2-1}}\right)-\sqrt{5}\sqrt{2\sqrt{5}+2}\operatorname{arctan}\left(\frac{\sqrt{5}x+2}{\sqrt{-2+2\sqrt{5}}\sqrt{x^2-1}}\right)+\sqrt{2\sqrt{5}+2}\operatorname{arctan}\left(\frac{\sqrt{5}x-2}{\sqrt{-2+2\sqrt{5}}\sqrt{x^2-1}}\right)+\sqrt{5}\sqrt{2\sqrt{5}+2}\sqrt{-2+2\sqrt{5}}\ln(x+\sqrt{x^2-1})\right)}{5\sqrt{x^2-1}\sqrt{2\sqrt{5}+2}\sqrt{-2+2\sqrt{5}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x-1)^(1/2)\*(x+1)^(1/2)/(-x^2+x+1),x)

[Out] -1/5\*(x-1)^(1/2)\*(x+1)^(1/2)\*5^(1/2)\*(5^(1/2)\*ln(x+(x^2-1)^(1/2))\*(2\*5^(1/2)+2)^(1/2)\*(-2+2\*5^(1/2))^(1/2)-5^(1/2)\*arctan((x\*5^(1/2)-x+2)/(-2+2\*5^(1/2)))^(1/2)/(x^2-1)^(1/2))\*(2\*5^(1/2)+2)^(1/2)-5^(1/2)\*arctanh((x\*5^(1/2)+x-2)/(2\*5^(1/2)+2)^(1/2)/(x^2-1)^(1/2))\*(-2+2\*5^(1/2))^(1/2)+arctan((x\*5^(1/2)-x+2)/(-2+2\*5^(1/2))^(1/2)/(x^2-1)^(1/2))\*(2\*5^(1/2)+2)^(1/2)-arctanh((x\*5^(1/2)+x-2)/(2\*5^(1/2)+2)^(1/2)/(x^2-1)^(1/2))\*(-2+2\*5^(1/2))^(1/2))/(x^2-1)^(1/2)/(2\*5^(1/2)+2)^(1/2)/(-2+2\*5^(1/2))^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{\sqrt{x+1}\sqrt{x-1}}{x^2-x-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x)^(1/2)\*(1+x)^(1/2)/(-x^2+x+1),x, algorithm="maxima")

[Out] -integrate(sqrt(x + 1)\*sqrt(x - 1)/(x^2 - x - 1), x)

**mupad [B]** time = 5.02, size = 916, normalized size = 10.07

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((x - 1)^(1/2)\*(x + 1)^(1/2))/(x - x^2 + 1),x)

[Out] - 4\*atanh(((x - 1)^(1/2) - 1i)/((x + 1)^(1/2) - 1)) - (10^(1/2)\*atan((3408370\*10^(1/2)\*(5^(1/2) + 1)^(1/2) - 10^(1/2)\*(5^(1/2) + 1)^(1/2)\*(x - 1)^(1/2) + 300730i - 3408370\*10^(1/2)\*(5^(1/2) + 1)^(1/2)\*(x + 1)^(1/2) - 1771398\*5^(1/2)\*10^(1/2)\*(5^(1/2) + 1)^(1/2) + 7836865\*10^(1/2)\*x\*(5^(1/2) + 1)^(1/2) + 3066340\*10^(1/2)\*x^2\*(5^(1/2) + 1)^(1/2) - 1294942\*5^(1/2)\*10^(1/2)\*x^2\*(5^(1/2) + 1)^(1/2) + 10^(1/2)\*(5^(1/2) + 1)^(1/2)\*(x - 1)^(1/2)\*(x + 1)^(1/2)\*300730i - 5^(1/2)\*10^(1/2)\*(5^(1/2) + 1)^(1/2)\*(x - 1)^(1/2)\*134482i + 1771398\*5^(1/2)\*10^(1/2)\*(5^(1/2) + 1)^(1/2)\*(x + 1)^(1/2) - 10^(1/2)\*x\*(5^(1/2) + 1)^(1/2)\*(x - 1)^(1/2)\*300730i - 6132680\*10^(1/2)\*x\*(5^(1/2) + 1)^(1/2)\*(x + 1)^(1/2) - 3475583\*5^(1/2)\*10^(1/2)\*x\*(5^(1/2) + 1)^(1/2) + 5^(1/2)\*10^(1/2)\*(5^(1/2) + 1)^(1/2)\*(x - 1)^(1/2)\*(x + 1)^(1/2)\*134482i + 10^(1/2)\*x\*(5^(1/2) + 1)^(1/2)\*(x - 1)^(1/2)\*(x + 1)^(1/2)\*150365i - 5^(1/2)\*10^(1/2)\*x\*(5^(1/2) + 1)^(1/2)\*(x - 1)^(1/2)\*134482i + 2589884\*5^(1/2)\*10^(1/2)\*x\*(5^(1/2) + 1)^(1/2)\*(x + 1)^(1/2) + 5^(1/2)\*10^(1/2)\*x\*(5^(1/2) + 1)^(1/2)\*(x - 1)^(1/2)\*(x + 1)^(1/2)\*67241i)/(29119280\*x - 24066900\*x\*(x + 1)^(1/2) - 11518800\*5^(1/2)\*x - 10104760\*(x + 1)^(1/2) - 7067880\*5^(1/2) - 3992430\*5^(1/2)\*x^2 + 12033450\*x^2 + 7067880\*5^(1/2)\*(x + 1)^(1/2) + 7984860\*5^(1/2)\*x\*(x + 1)^(1/2) + 10104760)\*(5^(1/2) + 1)^(1/2)\*1i)/5 - (10^(1/2)\*atan((3408370\*10^(1/2)\*(1 - 5^(1/2))^(1/2) + 3066340\*10^(1/2)\*x^2\*(1 - 5^(1/2))^(1/2) - 10^(1/2)\*(1 - 5^(1/2))^(1/2)\*(x - 1)^(1/2)\*300730i - 3408370\*10^(1/2)\*(1 - 5^(1/2))^(1/2)\*(x + 1)^(1/2) + 1771398\*5^(1/2)\*10^(1/2)\*(1 - 5^(1/2))^(1/2) + 7836865\*10^(1/2)\*x\*(1 - 5^(1/2))^(1/2) + 3475583\*5^(1/2)\*10^(1/2)\*x\*(1 - 5^(1/2))^(1/2) + 1294942\*5^(1/2)\*10^(1/2)\*x^2\*(1 - 5^(1/2))^(1/2) + 10^(1/2)\*(1 - 5^(1/2))^(1/2)\*(x - 1)^(1/2)\*(x + 1)^(1/2)\*300730i + 5^(1/2)\*10^(1/2)\*(1 - 5^(1/2))^(1/2)\*(x - 1)^(1/2)\*134482i - 1771398\*5^(1/2)\*10^(1/2)\*(1 - 5^(1/2))^(1/2)\*(x + 1)^(1/2) - 10^(1/2)\*x\*(1 - 5^(1/2))^(1/2)\*(x - 1)^(1/2)\*300730i - 6132680\*10^(1/2)\*x\*(1 - 5^(1/2))^(1/2)\*(x + 1)^(1/2) - 5^(1/2)\*10^(1/2)\*(1 - 5^(1/2))^(1/2)\*(x - 1)^(1/2)\*(x + 1)^(1/2)\*134482i + 10^(1/2)\*x\*(1 - 5^(1/2))^(1/2)\*(x - 1)^(1/2)\*(x + 1)^(1/2)\*150365i + 5^(1/2)\*10^(1/2)\*x\*(1 - 5^(1/2))^(1/2)\*(x - 1)^(1/2)\*134482i - 2589884\*5^(1/2)\*10^(1/2)\*x\*(1 - 5^(1/2))^(1/2)\*(x + 1)^(1/2) - 5^(1/2)\*10^(1/2)\*x\*(1 - 5^(1/2))^(1/2)\*(x - 1)^(1/2)\*(x + 1)^(1/2)\*67241i)/(29119280\*x - 24066900\*x\*(x

+ 1)^(1/2) + 11518800\*5^(1/2)\*x - 10104760\*(x + 1)^(1/2) + 7067880\*5^(1/2)  
 + 3992430\*5^(1/2)\*x^2 + 12033450\*x^2 - 7067880\*5^(1/2)\*(x + 1)^(1/2) - 798  
 4860\*5^(1/2)\*x\*(x + 1)^(1/2) + 10104760))\*(1 - 5^(1/2))^(1/2)\*1i)/5

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{\sqrt{x-1} \sqrt{x+1}}{x^2 - x - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+x)\*\*(1/2)\*(1+x)\*\*(1/2)/(-x\*\*2+x+1), x)

[Out] -Integral(sqrt(x - 1)\*sqrt(x + 1)/(x\*\*2 - x - 1), x)



$$3.577 \quad \int \frac{a+bx+cx^2}{\sqrt{d+ex} \sqrt{f+gx}} dx$$

Optimal. Leaf size=164

$$\frac{\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)\left(4eg(2aeg-b(dg+ef))+c(3d^2g^2+2defg+3e^2f^2)\right)}{4e^{5/2}g^{5/2}} - \frac{\sqrt{d+ex}\sqrt{f+gx}(-4beg+5cdg+3cef)}{4e^2g^2}$$

**Rubi [A]** time = 0.18, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {951, 80, 63, 217, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)\left(4eg(2aeg-b(dg+ef))+c(3d^2g^2+2defg+3e^2f^2)\right)}{4e^{5/2}g^{5/2}} - \frac{\sqrt{d+ex}\sqrt{f+gx}(-4beg+5cdg+3cef)}{4e^2g^2} + \frac{c(d+ex)^{3/2}\sqrt{f+gx}}{2e^2g}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), x]

[Out] -((3\*c\*e\*f + 5\*c\*d\*g - 4\*b\*e\*g)\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])/(4\*e^2\*g^2) + (c\*(d + e\*x)^(3/2)\*Sqrt[f + g\*x])/(2\*e^2\*g) + ((c\*(3\*e^2\*f^2 + 2\*d\*e\*f\*g + 3\*d^2\*g^2) + 4\*e\*g\*(2\*a\*e\*g - b\*(e\*f + d\*g)))\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(4\*e^(5/2)\*g^(5/2))

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^(n)\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

Q[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 951

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_)  
+ (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(c^p\*(d + e\*x)^(m + 2\*p)\*(f + g\*x)  
^(n + 1))/(g\*e^(2\*p)\*(m + n + 2\*p + 1)), x] + Dist[1/(g\*e^(2\*p)\*(m + n + 2  
\*p + 1)), Int[(d + e\*x)^m\*(f + g\*x)^n\*ExpandToSum[g\*(m + n + 2\*p + 1)\*(e^(2  
\*p)\*(a + b\*x + c\*x^2)^p - c^p\*(d + e\*x)^(2\*p)) - c^p\*(e\*f - d\*g)\*(m + 2\*p)\*  
(d + e\*x)^(2\*p - 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e  
\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGt  
Q[p, 0] && NeQ[m + n + 2\*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])

### Rubi steps

$$\int \frac{a + bx + cx^2}{\sqrt{d + ex} \sqrt{f + gx}} dx = \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{\int \frac{\frac{1}{2}(4ae^2g - cd(3ef + dg)) - \frac{1}{2}e(3cef + 5cdg - 4beg)x}{\sqrt{d + ex} \sqrt{f + gx}} dx}{2e^2g}$$

$$= -\frac{(3cef + 5cdg - 4beg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{(c(3e^2f^2 + 2defg))}{(c(3e^2f^2 + 2defg))}$$

$$= -\frac{(3cef + 5cdg - 4beg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{(c(3e^2f^2 + 2defg))}{(c(3e^2f^2 + 2defg))}$$

$$= -\frac{(3cef + 5cdg - 4beg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{(c(3e^2f^2 + 2defg))}{(c(3e^2f^2 + 2defg))}$$

$$= -\frac{(3cef + 5cdg - 4beg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{(c(3e^2f^2 + 2defg))}{(c(3e^2f^2 + 2defg))}$$

**Mathematica [A]** time = 0.77, size = 173, normalized size = 1.05

$$\frac{\sqrt{ef-dg} \sqrt{\frac{e(f+gx)}{ef-dg}} \sinh^{-1}\left(\frac{\sqrt{g} \sqrt{d+ex}}{\sqrt{ef-dg}}\right) (4eg(2aeg - b(dg + ef)) + c(3d^2g^2 + 2defg + 3e^2f^2)) + e\sqrt{g} \sqrt{d+ex} (f + gx)(4beg + c(-3dg - 3ef + 2egx))}{4e^3g^{5/2}\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), x]

[Out] (e\*Sqrt[g]\*Sqrt[d + e\*x]\*(f + g\*x)\*(4\*b\*e\*g + c\*(-3\*e\*f - 3\*d\*g + 2\*e\*g\*x)) + Sqrt[e\*f - d\*g]\*(c\*(3\*e^2\*f^2 + 2\*d\*e\*f\*g + 3\*d^2\*g^2) + 4\*e\*g\*(2\*a\*e\*g - b\*(e\*f + d\*g)))\*Sqrt[(e\*(f + g\*x))/(e\*f - d\*g)]\*ArcSinh[(Sqrt[g]\*Sqrt[d + e\*x])/Sqrt[e\*f - d\*g]])/(4\*e^3\*g^(5/2)\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.39, size = 229, normalized size = 1.40

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e} \sqrt{f+gx}}{\sqrt{g} \sqrt{d+ex}}\right) (8ae^2g^2 - 4bdeg^2 - 4be^2fg + 3cd^2g^2 + 2cdfg + 3ce^2f^2)}{4e^5/2g^{5/2}} + \frac{\sqrt{f+gx} (ef - dg) \left(\frac{4be^2g(f+gx)}{d+ex} - 4beg^2 - \frac{3ce^2f(f+gx)}{d+ex} - \frac{5cdg(f+gx)}{d+ex} + 3cdg^2 + 5cef g\right)}{4e^2g^2\sqrt{d+ex} \left(\frac{e(f+gx)}{d+ex} - g\right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), x]

[Out] (((e\*f - d\*g)\*Sqrt[f + g\*x]\*(5\*c\*e\*f\*g + 3\*c\*d\*g^2 - 4\*b\*e\*g^2 - (3\*c\*e^2\*f\*(f + g\*x))/(d + e\*x) - (5\*c\*d\*e\*g\*(f + g\*x))/(d + e\*x) + (4\*b\*e^2\*g\*(f + g\*x))/(d + e\*x)))/(4\*e^2\*g^2\*Sqrt[d + e\*x]\*(-g + (e\*(f + g\*x))/(d + e\*x))^2) + (((3\*c\*e^2\*f^2 + 2\*c\*d\*e\*f\*g - 4\*b\*e^2\*f\*g + 3\*c\*d^2\*g^2 - 4\*b\*d\*e\*g^2 + 8\*a\*e^2\*g^2)\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[g]\*Sqrt[d + e\*x]])/(4\*e^(5/2)\*g^(5/2)))

**fricas [A]** time = 0.50, size = 380, normalized size = 2.32

$$\frac{(3ae^2f^2 + 2(cde - 2be^2)fg + (3ce^2 - 4bde + 8ae^2)g^2) \sqrt{g} \log(8e^2g^2x^2 + e^2f^2 + 6d*efg + d^2g^2 + 4(2*egx + ef + dg)\sqrt{g}\sqrt{d+ex}\sqrt{g^2+7}) + 8(e^2fg + dg^2) + 4(2ce^2g^2 - 3ae^2fg - (3cde - 4be^2)g)\sqrt{d+ex}\sqrt{g^2+7}}{16e^5g^2} - \frac{(3ae^2f^2 + 2(cde - 2be^2)fg + (3ce^2 - 4bde + 8ae^2)g^2) \sqrt{g} \operatorname{arctan}\left(\frac{(2ce^2f + d)\sqrt{g}\sqrt{d+ex}\sqrt{g^2+7}}{2(e^2fg + dg^2)\sqrt{d+ex}\sqrt{g^2+7}}\right) - 2(2ce^2g^2 - 3ae^2fg - (3cde - 4be^2)g)\sqrt{d+ex}\sqrt{g^2+7}}{8e^5g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2), x, algorithm="fricas")

[Out] [1/16\*((3\*c\*e^2\*f^2 + 2\*(c\*d\*e - 2\*b\*e^2)\*f\*g + (3\*c\*d^2 - 4\*b\*d\*e + 8\*a\*e^2)\*g^2)\*sqrt(e\*g)\*log(8\*e^2\*g^2\*x^2 + e^2\*f^2 + 6\*d\*e\*f\*g + d^2\*g^2 + 4\*(2\*e\*g\*x + e\*f + d\*g)\*sqrt(e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(e^2\*f\*g + d\*e\*g^2)\*x) + 4\*(2\*c\*e^2\*g^2\*x - 3\*c\*e^2\*f\*g - (3\*c\*d\*e - 4\*b\*e^2)\*g^2)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(e^3\*g^3), -1/8\*((3\*c\*e^2\*f^2 + 2\*(c\*d\*e - 2\*b\*e^2)\*f\*g + (3\*c\*d^2 - 4\*b\*d\*e + 8\*a\*e^2)\*g^2)\*sqrt(-e\*g)\*arctan(1/2\*(2\*e\*g\*x + e\*f + d\*g)\*sqrt(-e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(e^2\*g^2\*x^2 + d\*e\*f\*g + (

$$e^{2* f * g + d * e * g^2} * x) - 2 * (2 * c * e^{2 * g^2 * x} - 3 * c * e^{2 * f * g} - (3 * c * d * e - 4 * b * e^2) * g^2) * \sqrt{e * x + d} * \sqrt{g * x + f} / (e^3 * g^3]$$

**giac** [A] time = 0.26, size = 179, normalized size = 1.09

$$\frac{1}{4} \sqrt{(x e + d) g e - d g e + f e^2} \sqrt{x e + d} \left( \frac{2(x e + d) c e^{(-3)}}{g} - \frac{(5 c d g^2 e^5 + 3 c f g e^6 - 4 b g^2 e^6) e^{(-8)}}{g^3} \right) - \frac{(3 c d^2 g^2 + 2 c d f g e - 4 b d g^2 e + 3 c f^2 e^2 - 4 b f g e^2 + 8 a g^2 e^2) e^{(-\frac{3}{2})} \log \left( \left| -\sqrt{x e + d} \sqrt{g} e^{\frac{1}{2}} + \sqrt{(x e + d) g e - d g e + f e^2} \right| \right)}{4 g^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] 1/4\*sqrt((x\*e + d)\*g\*e - d\*g\*e + f\*e^2)\*sqrt(x\*e + d)\*(2\*(x\*e + d)\*c\*e^(-3)/g - (5\*c\*d\*g^2\*e^5 + 3\*c\*f\*g\*e^6 - 4\*b\*g^2\*e^6)\*e^(-8)/g^3) - 1/4\*(3\*c\*d^2\*g^2 + 2\*c\*d\*f\*g\*e - 4\*b\*d\*g^2\*e + 3\*c\*f^2\*e^2 - 4\*b\*f\*g\*e^2 + 8\*a\*g^2\*e^2)\*e^(-5/2)\*log(abs(-sqrt(x\*e + d)\*sqrt(g)\*e^(1/2) + sqrt((x\*e + d)\*g\*e - d\*g\*e + f\*e^2)))/g^(5/2)

**maple** [B] time = 0.03, size = 425, normalized size = 2.59

$$\left( \frac{8 a^2 e^2 \ln \left( \frac{2 a x + e^2 + \sqrt{(a x + d)(g x + f)}}{2 \sqrt{e}} \right)}{2 \sqrt{e}} - 4 b d e^2 \ln \left( \frac{2 a x + e^2 + \sqrt{(a x + d)(g x + f)}}{2 \sqrt{e}} \right) - 4 b^2 f g \ln \left( \frac{2 a x + e^2 + \sqrt{(a x + d)(g x + f)}}{2 \sqrt{e}} \right) + 3 a c^2 e^2 \ln \left( \frac{2 a x + e^2 + \sqrt{(a x + d)(g x + f)}}{2 \sqrt{e}} \right) + 2 a d f g \ln \left( \frac{2 a x + e^2 + \sqrt{(a x + d)(g x + f)}}{2 \sqrt{e}} \right) + 3 c^2 f^2 \ln \left( \frac{2 a x + e^2 + \sqrt{(a x + d)(g x + f)}}{2 \sqrt{e}} \right) + 4 \sqrt{e} \sqrt{(a x + d)(g x + f)} \operatorname{arctanh} \left( \frac{\sqrt{(a x + d)(g x + f)}}{\sqrt{e}} \right) + 4 \sqrt{e} \sqrt{(a x + d)(g x + f)} \operatorname{arctanh} \left( \frac{\sqrt{(a x + d)(g x + f)}}{\sqrt{e}} \right) \right) \sqrt{a x + d} \sqrt{g x + f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2),x)

[Out] 1/8\*(8\*a\*e^2\*g^2\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2)))/(e\*g)^(1/2))-4\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2)))/(e\*g)^(1/2))\*b\*d\*e\*g^2-4\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2)))/(e\*g)^(1/2))\*b\*e^2\*f\*g+3\*c\*d^2\*g^2\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2)))/(e\*g)^(1/2))+2\*c\*d\*e\*f\*g\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2)))/(e\*g)^(1/2))+3\*c\*e^2\*f^2\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2)))/(e\*g)^(1/2))+4\*(e\*g)^(1/2)\*((e\*x+d)\*(g\*x+f))^(1/2)\*c\*e\*g\*x+8\*(e\*g)^(1/2)\*((e\*x+d)\*(g\*x+f))^(1/2)\*b\*e\*g-6\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2)\*c\*d\*g-6\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2)\*c\*e\*f\*(e\*x+d)^(1/2)\*(g\*x+f)^(1/2)/(e\*g)^(1/2)/g^2/e^2/((e\*x+d)\*(g\*x+f))^(1/2)

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* h



$$3.578 \quad \int \frac{(d+ex)^{3/2}(a+bx+cx^2)}{\sqrt{f+gx}} dx$$

**Optimal.** Leaf size=333

$$\frac{\sqrt{d+ex}\sqrt{f+gx}(ef-dg)(8eg(6aeg-b(dg+5ef))+c(3d^2g^2+10defg+35e^2f^2))}{64e^2g^4} + \frac{(d+ex)^{3/2}\sqrt{f+gx}(8eg(6aeg-b(dg+5ef))+c(3d^2g^2+10defg+35e^2f^2))}{64e^2g^4}$$

**Rubi [A]** time = 0.35, antiderivative size = 333, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {951, 80, 50, 63, 217, 206}

$$\frac{(d+ex)^{3/2}\sqrt{f+gx}(8eg(6aeg-b(dg+5ef))+c(3d^2g^2+10defg+35e^2f^2))}{96e^2g^3} - \frac{\sqrt{d+ex}\sqrt{f+gx}(ef-dg)(8eg(6aeg-b(dg+5ef))+c(3d^2g^2+10defg+35e^2f^2))}{64e^2g^4} + \frac{(ef-dg)^2 \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{f+gx}}{\sqrt{ef-dg}}\right)(8eg(6aeg-b(dg+5ef))+c(3d^2g^2+10defg+35e^2f^2))}{64e^{5/2}g^{9/2}} - \frac{(d+ex)^{3/2}\sqrt{f+gx}(-8eg+9cdg+7ef)}{24e^2g^3} + \frac{c(d+ex)^{7/2}\sqrt{f+gx}}{4e^2g}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x], x]

[Out] -((e\*f - d\*g)\*(c\*(35\*e^2\*f^2 + 10\*d\*e\*f\*g + 3\*d^2\*g^2) + 8\*e\*g\*(6\*a\*e\*g - b\*(5\*e\*f + d\*g)))\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])/(64\*e^2\*g^4) + ((c\*(35\*e^2\*f^2 + 10\*d\*e\*f\*g + 3\*d^2\*g^2) + 8\*e\*g\*(6\*a\*e\*g - b\*(5\*e\*f + d\*g)))\*(d + e\*x)^(3/2)\*Sqrt[f + g\*x])/(96\*e^2\*g^3) - ((7\*c\*e\*f + 9\*c\*d\*g - 8\*b\*e\*g)\*(d + e\*x)^(5/2)\*Sqrt[f + g\*x])/(24\*e^2\*g^2) + (c\*(d + e\*x)^(7/2)\*Sqrt[f + g\*x])/(4\*e^2\*g) + ((e\*f - d\*g)^2\*(c\*(35\*e^2\*f^2 + 10\*d\*e\*f\*g + 3\*d^2\*g^2) + 8\*e\*g\*(6\*a\*e\*g - b\*(5\*e\*f + d\*g)))\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(64\*e^(5/2)\*g^(9/2))

**Rule 50**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

**Rule 63**

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p
+ 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(
n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f
, n, p}, x] && NeQ[n + p + 2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 951

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(c^p*(d + e*x)^(m + 2*p)*(f + g*x
)^(n + 1))/(g*e^(2*p)*(m + n + 2*p + 1)), x] + Dist[1/(g*e^(2*p)*(m + n + 2
*p + 1)), Int[(d + e*x)^m*(f + g*x)^n*ExpandToSum[g*(m + n + 2*p + 1)*(e^(2
*p)*(a + b*x + c*x^2)^p - c^p*(d + e*x)^(2*p)) - c^p*(e*f - d*g)*(m + 2*p)*
(d + e*x)^(2*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e
*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGt
Q[p, 0] && NeQ[m + n + 2*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{3/2}(a+bx+cx^2)}{\sqrt{f+gx}} dx &= \frac{c(d+ex)^{7/2}\sqrt{f+gx}}{4e^2g} + \frac{\int \frac{(d+ex)^{3/2}\left(\frac{1}{2}(8ae^2g-cd(7ef+dg))-\frac{1}{2}e(7cef+9cdg-8beg)x\right)}{\sqrt{f+gx}} dx}{4e^2g} \\
&= -\frac{(7cef+9cdg-8beg)(d+ex)^{5/2}\sqrt{f+gx}}{24e^2g^2} + \frac{c(d+ex)^{7/2}\sqrt{f+gx}}{4e^2g} + \frac{(c(35e^2f^2+10defg+3d^2g^2)+8eg(6aeg-b(5ef+dg)))(d+ex)^{3/2}\sqrt{f+gx}}{96e^2g^3} \\
&= -\frac{(ef-dg)\left(c(35e^2f^2+10defg+3d^2g^2)+8eg(6aeg-b(5ef+dg))\right)\sqrt{d+ex}}{64e^2g^4} \\
&= -\frac{(ef-dg)\left(c(35e^2f^2+10defg+3d^2g^2)+8eg(6aeg-b(5ef+dg))\right)\sqrt{d+ex}}{64e^2g^4} \\
&= -\frac{(ef-dg)\left(c(35e^2f^2+10defg+3d^2g^2)+8eg(6aeg-b(5ef+dg))\right)\sqrt{d+ex}}{64e^2g^4} \\
&= -\frac{(ef-dg)\left(c(35e^2f^2+10defg+3d^2g^2)+8eg(6aeg-b(5ef+dg))\right)\sqrt{d+ex}}{64e^2g^4}
\end{aligned}$$

**Mathematica [A]** time = 1.54, size = 313, normalized size = 0.94

$$\frac{3(ef-dg)^{5/2}\sqrt{\frac{d+ex}{f+gx}}\operatorname{sinh}^{-1}\left(\frac{\sqrt{d+ex}}{\sqrt{f+gx}}\right)(8eg(6aeg-b(5ef+dg))+c(3d^2g^2+10defg+35e^2f^2))-c\sqrt{d+ex}(f+gx)(c(9d^2g^2+3d^2eg(5f-2gx))+d^2g(-145f^2+92fgx-72g^2x^2))+e^2(105f^3-70f^2gx+56fg^2x^2-48g^3x^3))-8eg(6aeg(5dg-3ef+2gx)+b(3d^2g^2+2deg(7gx-11f))+e^2(15f^2-10fgx+8g^2x^2))}{192e^3g^2\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(3/2)\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x], x]

[Out]  $(-(e*\sqrt{g})*\sqrt{d+e*x}*(f+g*x)*(c*(9*d^3*g^3+3*d^2*e*g^2*(5*f-2*g*x)+d*e^2*g*(-145*f^2+92*f*g*x-72*g^2*x^2))+e^3*(105*f^3-70*f^2*g*x+56*f*g^2*x^2-48*g^3*x^3))-8*e*g*(6*a*e*g*(-3*e*f+5*d*g+2*e*g*x)+b*(3*d^2*g^2+2*d*e*g*(-11*f+7*g*x))+e^2*(15*f^2-10*f*g*x+8*g^2*x^2))))+3*(e*f-d*g)^(5/2)*(c*(35*e^2*f^2+10*d*e*f*g+3*d^2*g^2)+8*e*g*(6*a*e*g-b*(5*e*f+d*g)))*\sqrt{(e*(f+g*x))/(e*f-d*g)}*\operatorname{ArcSinh}[\sqrt{g}*\sqrt{d+e*x}]/\sqrt{e*f-d*g}]/(192*e^3*g^2*\sqrt{f+g*x})$



**IntegrateAlgebraic [A]** time = 0.73, size = 643, normalized size = 1.93

---

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((d + e\*x)^(3/2)\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x], x]

[Out] 
$$\begin{aligned} & -1/192*((e*f - d*g)^2*\text{Sqrt}[f + g*x]*(-279*c*e^2*f^2*g^3 + 30*c*d*e*f*g^4 + \\ & 264*b*e^2*f*g^4 + 9*c*d^2*g^5 - 24*b*d*e*g^5 - 240*a*e^2*g^5 + (511*c*e^3*f \\ & ^2*g^2*(f + g*x))/(d + e*x) + (146*c*d*e^2*f*g^3*(f + g*x))/(d + e*x) - (58 \\ & 4*b*e^3*f*g^3*(f + g*x))/(d + e*x) - (33*c*d^2*e*g^4*(f + g*x))/(d + e*x) - \\ & (40*b*d*e^2*g^4*(f + g*x))/(d + e*x) + (624*a*e^3*g^4*(f + g*x))/(d + e*x) \\ & - (385*c*e^4*f^2*g*(f + g*x)^2)/(d + e*x)^2 - (110*c*d*e^3*f*g^2*(f + g*x) \\ & ^2)/(d + e*x)^2 + (440*b*e^4*f*g^2*(f + g*x)^2)/(d + e*x)^2 - (33*c*d^2*e^2 \\ & *g^3*(f + g*x)^2)/(d + e*x)^2 + (88*b*d*e^3*g^3*(f + g*x)^2)/(d + e*x)^2 - \\ & (528*a*e^4*g^3*(f + g*x)^2)/(d + e*x)^2 + (105*c*e^5*f^2*(f + g*x)^3)/(d + \\ & e*x)^3 + (30*c*d*e^4*f*g*(f + g*x)^3)/(d + e*x)^3 - (120*b*e^5*f*g*(f + g*x) \\ & ^3)/(d + e*x)^3 + (9*c*d^2*e^3*g^2*(f + g*x)^3)/(d + e*x)^3 - (24*b*d*e^4* \\ & g^2*(f + g*x)^3)/(d + e*x)^3 + (144*a*e^5*g^2*(f + g*x)^3)/(d + e*x)^3)/(e \\ & ^2*g^4*\text{Sqrt}[d + e*x]*(-g + (e*(f + g*x))/(d + e*x))^4) + ((e*f - d*g)^2*(35 \\ & *c*e^2*f^2 + 10*c*d*e*f*g - 40*b*e^2*f*g + 3*c*d^2*g^2 - 8*b*d*e*g^2 + 48*a \\ & *e^2*g^2)*\text{ArcTanh}[(\text{Sqrt}[e]*\text{Sqrt}[f + g*x])/(\text{Sqrt}[g]*\text{Sqrt}[d + e*x])])/(64*e^( \\ & 5/2)*g^(9/2)) \end{aligned}$$

**fricas [A]** time = 0.66, size = 852, normalized size = 2.56

---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2), x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/768*(3*(35*c*e^4*f^4 - 20*(3*c*d*e^3 + 2*b*e^4)*f^3*g + 6*(3*c*d^2*e^2 + \\ & 12*b*d*e^3 + 8*a*e^4)*f^2*g^2 + 4*(c*d^3*e - 6*b*d^2*e^2 - 24*a*d*e^3)*f*g \\ & ^3 + (3*c*d^4 - 8*b*d^3*e + 48*a*d^2*e^2)*g^4)*\text{sqrt}(e*g)*\log(8*e^2*g^2*x^2 \\ & + e^2*f^2 + 6*d*e*f*g + d^2*g^2 + 4*(2*e*g*x + e*f + d*g)*\text{sqrt}(e*g)*\text{sqrt}(e* \\ & x + d)*\text{sqrt}(g*x + f) + 8*(e^2*f*g + d*e*g^2)*x) + 4*(48*c*e^4*g^4*x^3 - 105 \\ & *c*e^4*f^3*g + 5*(29*c*d*e^3 + 24*b*e^4)*f^2*g^2 - (15*c*d^2*e^2 + 176*b*d* \\ & e^3 + 144*a*e^4)*f*g^3 - 3*(3*c*d^3*e - 8*b*d^2*e^2 - 80*a*d*e^3)*g^4 - 8*( \\ & 7*c*e^4*f*g^3 - (9*c*d*e^3 + 8*b*e^4)*g^4)*x^2 + 2*(35*c*e^4*f^2*g^2 - 2*(2 \\ & 3*c*d*e^3 + 20*b*e^4)*f*g^3 + (3*c*d^2*e^2 + 56*b*d*e^3 + 48*a*e^4)*g^4)*x) \\ & *\text{sqrt}(e*x + d)*\text{sqrt}(g*x + f))/(e^3*g^5), -1/384*(3*(35*c*e^4*f^4 - 20*(3*c* \\ & d*e^3 + 2*b*e^4)*f^3*g + 6*(3*c*d^2*e^2 + 12*b*d*e^3 + 8*a*e^4)*f^2*g^2 + 4 \\ & *(c*d^3*e - 6*b*d^2*e^2 - 24*a*d*e^3)*f*g^3 + (3*c*d^4 - 8*b*d^3*e + 48*a*d \\ & ^2*e^2)*g^4)*\text{sqrt}(-e*g)*\arctan(1/2*(2*e*g*x + e*f + d*g)*\text{sqrt}(-e*g)*\text{sqrt}(e* \end{aligned}$$

$$x + d) \sqrt{g x + f} / (e^{2 g x^2 + d e f g + (e^2 f g + d e g^2) x}) - 2 (48 c e^4 g^4 x^3 - 105 c e^4 f^3 g + 5 (29 c d e^3 + 24 b e^4) f^2 g^2 - (15 c d^2 e^2 + 176 b d e^3 + 144 a e^4) f g^3 - 3 (3 c d^3 e - 8 b d^2 e^2 - 80 a d e^3) g^4 - 8 (7 c e^4 f g^3 - (9 c d e^3 + 8 b e^4) g^4) x^2 + 2 (35 c e^4 f^2 g^2 - 2 (23 c d e^3 + 20 b e^4) f g^3 + (3 c d^2 e^2 + 56 b d e^3 + 48 a e^4) g^4) x) \sqrt{e x + d} \sqrt{g x + f} / (e^3 g^5)$$

**giac [A]** time = 0.42, size = 448, normalized size = 1.35

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out]  $\frac{1}{192} \sqrt{(x e + d) g e - d g e + f e^2} (2 (4 (x e + d) (6 (x e + d) c e^{-3} / g - (9 c d g^6 e^6 + 7 c f g^5 e^7 - 8 b g^6 e^7) e^{-9} / g^7) + (3 c d^2 g^6 e^6 + 10 c d f g^5 e^7 - 8 b d g^6 e^7 + 35 c f^2 g^4 e^8 - 40 b f g^5 e^8 + 48 a g^6 e^8) e^{-9} / g^7) (x e + d) + 3 (3 c d^3 g^6 e^6 + 7 c d^2 f g^5 e^7 - 8 b d^2 g^6 e^7 + 25 c d f^2 g^4 e^8 - 32 b d f g^5 e^8 + 48 a d g^6 e^8 - 35 c f^3 g^3 e^9 + 40 b f^2 g^4 e^9 - 48 a f g^5 e^9) e^{-9} / g^7) \sqrt{x e + d} - \frac{1}{64} (3 c d^4 g^4 + 4 c d^3 f g^3 e - 8 b d^3 g^4 e + 18 c d^2 f^2 g^2 e^2 - 24 b d^2 f g^3 e^2 + 48 a d^2 g^4 e^2 - 60 c d f^3 g e^3 + 72 b d f^2 g^2 e^3 - 96 a d f g^3 e^3 + 35 c f^4 e^4 - 40 b f^3 g e^4 + 48 a f^2 g^2 e^4) e^{-5/2} \log(\text{abs}(-\sqrt{x e + d} \sqrt{g} e^{1/2} + \sqrt{(x e + d) g e - d g e + f e^2})) / g^{9/2}$

**maple [B]** time = 0.03, size = 1207, normalized size = 3.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(3/2)\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x)

[Out]  $\frac{1}{384} (e x + d)^{1/2} (g x + f)^{1/2} (9 \ln(1/2 (2 e g x + d g + e f + 2 ((e x + d) (g x + f))^{1/2} (e g)^{1/2})) / (e g)^{1/2}) c d^4 g^4 + 105 \ln(1/2 (2 e g x + d g + e f + 2 ((e x + d) (g x + f))^{1/2} (e g)^{1/2})) / (e g)^{1/2} c e^4 f^4 - 72 \ln(1/2 (2 e g x + d g + e f + 2 ((e x + d) (g x + f))^{1/2} (e g)^{1/2})) / (e g)^{1/2} b d^2 e^2 f g^3 - 30 (e g)^{1/2} ((e x + d) (g x + f))^{1/2} c d^2 e f g^2 + 224 (e g)^{1/2} ((e x + d) (g x + f))^{1/2} x b d e^2 g^3 - 160 (e g)^{1/2} ((e x + d) (g x + f))^{1/2} x b e^3 f g^2 + 12 (e g)^{1/2} ((e x + d) (g x + f))^{1/2} x c d^2 e g^3 + 140 (e g)^{1/2} ((e x + d) (g x + f))^{1/2} x c e^3 f^2 g - 112 x^2 c e^3 f g^2 ((e x + d) (g x + f))^{1/2} (e g)^{1/2} - 352 (e g)^{1/2} ((e x + d) (g x + f))^{1/2} b d e^2 f g^2 + 290 (e g)^{1/2} ((e x + d) (g x + f))^{1/2} c d e^2 f^2 g + 144 x^2 c d e^2 g^3 ((e x + d) (g x + f))^{1/2} (e g)^{1/2} + 144 \ln(1/2 (2 e g x + d g + e f + 2 ((e x + d) (g x + f))^{1/2} (e g)^{1/2})) / (e g)^{1/2} a d^2 e^2 g^4 - 184 (e g)^{1/2}$

```
(1/2)*((e*x+d)*(g*x+f))^(1/2)*x*c*d*e^2*f*g^2+144*ln(1/2*(2*e*g*x+d*g+e*f+2
*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2))/(e*g)^(1/2))*a*e^4*f^2*g^2-120*ln(1/2
*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2))/(e*g)^(1/2))*b*e^4
*f^3*g-210*(e*g)^(1/2)*((e*x+d)*(g*x+f))^(1/2)*c*e^3*f^3-24*ln(1/2*(2*e*g*x
+d*g+e*f+2*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2))/(e*g)^(1/2))*b*d^3*e*g^4-18
*(e*g)^(1/2)*((e*x+d)*(g*x+f))^(1/2)*c*d^3*g^3+216*ln(1/2*(2*e*g*x+d*g+e*f+
2*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2))/(e*g)^(1/2))*b*d*e^3*f^2*g^2+54*ln(1
/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2))/(e*g)^(1/2))*c*d
^2*e^2*f^2*g^2-180*ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(
1/2))/(e*g)^(1/2))*c*d*e^3*f^3*g+480*(e*g)^(1/2)*((e*x+d)*(g*x+f))^(1/2)*a
*d*e^2*g^3-288*(e*g)^(1/2)*((e*x+d)*(g*x+f))^(1/2)*a*e^3*f*g^2+240*(e*g)^(1
/2)*((e*x+d)*(g*x+f))^(1/2)*b*e^3*f^2*g-288*ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x
+d)*(g*x+f))^(1/2)*(e*g)^(1/2))/(e*g)^(1/2))*a*d*e^3*f*g^3+48*(e*g)^(1/2)*
((e*x+d)*(g*x+f))^(1/2)*b*d^2*e*g^3+192*(e*g)^(1/2)*((e*x+d)*(g*x+f))^(1/2)*
x*a*e^3*g^3+96*x^3*c*e^3*g^3*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2)+128*x^2*b*
e^3*g^3*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2)+12*ln(1/2*(2*e*g*x+d*g+e*f+2*((
e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2))/(e*g)^(1/2))*c*d^3*e*f*g^3)/e^2/g^4/((e
*x+d)*(g*x+f))^(1/2)/(e*g)^(1/2)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(c*x^2+b*x+a)/(g*x+f)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(d*g-e*f>0)', see `assume?` for more
details)Is d*g-e*f zero or nonzero?
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d+ex)^{3/2} (cx^2+bx+a)}{\sqrt{f+gx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((d + e*x)^(3/2)*(a + b*x + c*x^2))/(f + g*x)^(1/2),x)
```

```
[Out] int(((d + e*x)^(3/2)*(a + b*x + c*x^2))/(f + g*x)^(1/2), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)**(3/2)*(c*x**2+b*x+a)/(g*x+f)**(1/2),x)
```

```
[Out] Timed out
```

$$3.579 \quad \int \frac{\sqrt{d+ex}(a+bx+cx^2)}{\sqrt{f+gx}} dx$$

Optimal. Leaf size=246

$$\frac{\sqrt{d+ex}\sqrt{f+gx}(2eg(4aeg-b(dg+3ef))+c(d^2g^2+2defg+5e^2f^2))}{8e^2g^3} - \frac{(ef-dg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)(2eg(4aeg-b(dg+3ef))+c(d^2g^2+2defg+5e^2f^2))}{12e^2g^2} + \frac{c(d+ex)^{3/2}\sqrt{f+gx}(-6beg+7cdg+5cef)}{3e^2g}$$

**Rubi [A]** time = 0.26, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {951, 80, 50, 63, 217, 206}

$$\frac{\sqrt{d+ex}\sqrt{f+gx}(2eg(4aeg-b(dg+3ef))+c(d^2g^2+2defg+5e^2f^2))}{8e^2g^3} - \frac{(ef-dg)\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)(2eg(4aeg-b(dg+3ef))+c(d^2g^2+2defg+5e^2f^2))}{8e^{5/2}g^{7/2}} - \frac{(d+ex)^{3/2}\sqrt{f+gx}(-6beg+7cdg+5cef)}{12e^2g^2} + \frac{c(d+ex)^{3/2}\sqrt{f+gx}}{3e^2g}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e\*x]\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x], x]

[Out] ((c\*(5\*e^2\*f^2 + 2\*d\*e\*f\*g + d^2\*g^2) + 2\*e\*g\*(4\*a\*e\*g - b\*(3\*e\*f + d\*g)))\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])/(8\*e^2\*g^3) - ((5\*c\*e\*f + 7\*c\*d\*g - 6\*b\*e\*g)\*(d + e\*x)^(3/2)\*Sqrt[f + g\*x])/(12\*e^2\*g^2) + (c\*(d + e\*x)^(5/2)\*Sqrt[f + g\*x])/(3\*e^2\*g) - ((e\*f - d\*g)\*(c\*(5\*e^2\*f^2 + 2\*d\*e\*f\*g + d^2\*g^2) + 2\*e\*g\*(4\*a\*e\*g - b\*(3\*e\*f + d\*g)))\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(8\*e^(5/2)\*g^(7/2))

Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p
+ 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(
n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f
, n, p}, x] && NeQ[n + p + 2, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 951

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(c^p*(d + e*x)^(m + 2*p)*(f + g*x
)^(n + 1))/(g*e^(2*p)*(m + n + 2*p + 1)), x] + Dist[1/(g*e^(2*p)*(m + n + 2
*p + 1)), Int[(d + e*x)^m*(f + g*x)^n*ExpandToSum[g*(m + n + 2*p + 1)*(e^(2
*p)*(a + b*x + c*x^2)^p - c^p*(d + e*x)^(2*p)) - c^p*(e*f - d*g)*(m + 2*p)*
(d + e*x)^(2*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e
*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGt
Q[p, 0] && NeQ[m + n + 2*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex}(a+bx+cx^2)}{\sqrt{f+gx}} dx &= \frac{c(d+ex)^{5/2}\sqrt{f+gx}}{3e^2g} + \frac{\int \frac{\sqrt{d+ex}\left(\frac{1}{2}(6ae^2g-cd(5ef+dg))-\frac{1}{2}e(5cef+7cdg-6beg)x\right)}{\sqrt{f+gx}} dx}{3e^2g} \\
&= -\frac{(5cef+7cdg-6beg)(d+ex)^{3/2}\sqrt{f+gx}}{12e^2g^2} + \frac{c(d+ex)^{5/2}\sqrt{f+gx}}{3e^2g} + \frac{c(5e^2f^2}{8e^2g^3} \\
&= \frac{(c(5e^2f^2+2defg+d^2g^2)+2eg(4aeg-b(3ef+dg)))\sqrt{d+ex}\sqrt{f+gx}}{8e^2g^3} - \frac{c(5e^2f^2}{8e^2g^3} \\
&= \frac{(c(5e^2f^2+2defg+d^2g^2)+2eg(4aeg-b(3ef+dg)))\sqrt{d+ex}\sqrt{f+gx}}{8e^2g^3} - \frac{c(5e^2f^2}{8e^2g^3} \\
&= \frac{(c(5e^2f^2+2defg+d^2g^2)+2eg(4aeg-b(3ef+dg)))\sqrt{d+ex}\sqrt{f+gx}}{8e^2g^3} - \frac{c(5e^2f^2}{8e^2g^3}
\end{aligned}$$

**Mathematica [A]** time = 1.01, size = 225, normalized size = 0.91

$$\frac{-e\sqrt{g}\sqrt{d+ex}(f+gx)(c(3d^2g^2-2deg(gx-2f)+e^2(-15f^2+10fgx-8g^2x^2))-6eg(4aeg+b(dg-3ef+2egx)))-3(ef-dg)^{3/2}\sqrt{\frac{e(f+gx)}{ef-dg}}\sinh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{ef-dg}}\right)(2eg(4aeg-b(dg+3ef))+c(d^2g^2+2defg+5e^2f^2))}{24e^3g^{7/2}\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e\*x]\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x],x]

[Out]  $(-(e*\text{Sqrt}[g]*\text{Sqrt}[d + e*x]*(f + g*x)*(-6*e*g*(4*a*e*g + b*(-3*e*f + d*g + 2*e*g*x)) + c*(3*d^2*g^2 - 2*d*e*g*(-2*f + g*x) + e^2*(-15*f^2 + 10*f*g*x - 8*g^2*x^2)))) - 3*(e*f - d*g)^{(3/2)}*(c*(5*e^2*f^2 + 2*d*e*f*g + d^2*g^2) + 2*e*g*(4*a*e*g - b*(3*e*f + d*g)))*\text{Sqrt}[(e*(f + g*x))/(e*f - d*g)]*\text{ArcSinh}[(\text{Sqrt}[g]*\text{Sqrt}[d + e*x])/(\text{Sqrt}[e*f - d*g])]/(24*e^3*g^{(7/2)}*\text{Sqrt}[f + g*x])$

**IntegrateAlgebraic [A]** time = 1.09, size = 357, normalized size = 1.45

$$\frac{\sqrt{d+\frac{d+ex}{g}}-\frac{d}{g}(23ae^2g^2\sqrt{f+gx}+6bde^2g\sqrt{f+gx}+12bd^2g(f+gx)^{3/2}-30bd^2fg\sqrt{f+gx}-3cd^2g^2\sqrt{f+gx}+2cdg(f+gx)^{3/2}-6cdefg\sqrt{f+gx}+33cd^2f^2\sqrt{f+gx}+8cd^2(f+gx)^{3/2}-26cd^2f(f+gx)^{3/2})}{24e^3g^3}+\sqrt{\frac{d}{g}}\log\left(\sqrt{d+\frac{d+ex}{g}}-\frac{d}{g}-\sqrt{\frac{d}{g}}\sqrt{f+gx}\right)\frac{(-8abd^2g^2+8ae^2fg^2+2bd^2eg^2+4bd^2fg^2-6bd^2fg^2-cd^2g^2-cd^2fg^2-3cd^2f^2g+5cd^2f^2)}{8e^2g^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[d + e\*x]\*(a + b\*x + c\*x^2))/Sqrt[f + g\*x],x]

[Out] (Sqrt[d - (e\*f)/g + (e\*(f + g\*x))/g]\*(33\*c\*e^2\*f^2\*Sqrt[f + g\*x] - 6\*c\*d\*e\*f\*g\*Sqrt[f + g\*x] - 30\*b\*e^2\*f\*g\*Sqrt[f + g\*x] - 3\*c\*d^2\*g^2\*Sqrt[f + g\*x] + 6\*b\*d\*e\*g^2\*Sqrt[f + g\*x] + 24\*a\*e^2\*g^2\*Sqrt[f + g\*x] - 26\*c\*e^2\*f\*(f + g\*x)^(3/2) + 2\*c\*d\*e\*g\*(f + g\*x)^(3/2) + 12\*b\*e^2\*g\*(f + g\*x)^(3/2) + 8\*c\*e^2\*(f + g\*x)^(5/2)))/(24\*e^2\*g^3) + (Sqrt[e/g]\*(5\*c\*e^3\*f^3 - 3\*c\*d\*e^2\*f^2\*g - 6\*b\*e^3\*f^2\*g - c\*d^2\*e\*f\*g^2 + 4\*b\*d\*e^2\*f\*g^2 + 8\*a\*e^3\*f\*g^2 - c\*d^3\*g^3 + 2\*b\*d^2\*e\*g^3 - 8\*a\*d\*e^2\*g^3)\*Log[-(Sqrt[e/g]\*Sqrt[f + g\*x]) + Sqrt[d - (e\*f)/g + (e\*(f + g\*x))/g]])/(8\*e^3\*g^3)

**fricas** [A] time = 0.52, size = 576, normalized size = 2.34

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] [-1/96\*(3\*(5\*c\*e^3\*f^3 - 3\*(c\*d\*e^2 + 2\*b\*e^3)\*f^2\*g - (c\*d^2\*e - 4\*b\*d\*e^2 - 8\*a\*e^3)\*f\*g^2 - (c\*d^3 - 2\*b\*d^2\*e + 8\*a\*d\*e^2)\*g^3)\*sqrt(e\*g)\*log(8\*e^2\*g^2\*x^2 + e^2\*f^2 + 6\*d\*e\*f\*g + d^2\*g^2 + 4\*(2\*e\*g\*x + e\*f + d\*g)\*sqrt(e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(e^2\*f\*g + d\*e\*g^2)\*x) - 4\*(8\*c\*e^3\*g^3\*x^2 + 15\*c\*e^3\*f^2\*g - 2\*(2\*c\*d\*e^2 + 9\*b\*e^3)\*f\*g^2 - 3\*(c\*d^2\*e - 2\*b\*d\*e^2 - 8\*a\*e^3)\*g^3 - 2\*(5\*c\*e^3\*f\*g^2 - (c\*d\*e^2 + 6\*b\*e^3)\*g^3)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(e^3\*g^4), 1/48\*(3\*(5\*c\*e^3\*f^3 - 3\*(c\*d\*e^2 + 2\*b\*e^3)\*f^2\*g - (c\*d^2\*e - 4\*b\*d\*e^2 - 8\*a\*e^3)\*f\*g^2 - (c\*d^3 - 2\*b\*d^2\*e + 8\*a\*d\*e^2)\*g^3)\*sqrt(-e\*g)\*arctan(1/2\*(2\*e\*g\*x + e\*f + d\*g)\*sqrt(-e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f)/(e^2\*g^2\*x^2 + d\*e\*f\*g + (e^2\*f\*g + d\*e\*g^2)\*x)) + 2\*(8\*c\*e^3\*g^3\*x^2 + 15\*c\*e^3\*f^2\*g - 2\*(2\*c\*d\*e^2 + 9\*b\*e^3)\*f\*g^2 - 3\*(c\*d^2\*e - 2\*b\*d\*e^2 - 8\*a\*e^3)\*g^3 - 2\*(5\*c\*e^3\*f\*g^2 - (c\*d\*e^2 + 6\*b\*e^3)\*g^3)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(e^3\*g^4)]

**giac** [A] time = 0.35, size = 291, normalized size = 1.18

$$\frac{1}{24} \sqrt{(a+dgx-dgx+f^2) \left( 2(ax+d) \left( \frac{4(ax+d)ce^{-3}}{g} - \frac{(7cdg^2d^2+5cf^2g^2-6bg^2d^2)e^{-3}}{g^2} \right) - \frac{3(cd^2g^2d+2cdfg^2-2bdg^2d+5cf^2g^2-6bf^2d^2+8ag^2d^2)e^{-3}}{g^2} \right) \sqrt{ax+d}} - \frac{(cd^2g^2+cd^2fg^2-2bd^2g^2+3cd^2g^2-4bdfg^2+8adg^2-5cf^2d+6bf^2g^2-8af^2d^2)^{1/2} \log \left( \left| \sqrt{ax+d} \sqrt{g^2d^2+e^2} + \sqrt{(ax+d)gx-dgx+f^2} \right| \right)}{8g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)\*(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] 1/24\*sqrt((x\*e + d)\*g\*e - d\*g\*e + f\*e^2)\*(2\*(x\*e + d)\*(4\*(x\*e + d)\*c\*e^(-3)/g - (7\*c\*d\*g^4\*e^6 + 5\*c\*f\*g^3\*e^7 - 6\*b\*g^4\*e^7)\*e^(-9)/g^5) + 3\*(c\*d^2\*g^4\*e^6 + 2\*c\*d\*f\*g^3\*e^7 - 2\*b\*d\*g^4\*e^7 + 5\*c\*f^2\*g^2\*e^8 - 6\*b\*f\*g^3\*e^8 + 8\*a\*g^4\*e^8)\*e^(-9)/g^5)\*sqrt(x\*e + d) - 1/8\*(c\*d^3\*g^3 + c\*d^2\*f\*g^2\*e - 2\*b\*d^2\*g^3\*e + 3\*c\*d\*f^2\*g\*e^2 - 4\*b\*d\*f\*g^2\*e^2 + 8\*a\*d\*g^3\*e^2 - 5\*c\*f^2



$$3e^3 + 6bf^2ge^3 - 8afg^2e^3)e^{-5/2} \log(\text{abs}(-\sqrt{xe+d})\sqrt{g})e^{1/2} + \sqrt{(xe+d)ge - dge + fe^2)})/g^{7/2}$$

**maple [B]** time = 0.02, size = 763, normalized size = 3.10

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(1/2)*(c*x^2+b*x+a)/(g*x+f)^(1/2),x)`

[Out] 
$$\frac{1}{48}(e*x+d)^{1/2}(g*x+f)^{1/2}(16*x^2*c*e^2*g^2((e*x+d)(g*x+f))^{1/2}*(e*g)^{1/2}+24*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)(g*x+f))^{1/2}*(e*g)^{1/2}))/((e*g)^{1/2})*a*d*e^2*g^3-24*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)(g*x+f))^{1/2}*(e*g)^{1/2}))/((e*g)^{1/2})*a*e^3*f*g^2-6*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)(g*x+f))^{1/2}*(e*g)^{1/2}))/((e*g)^{1/2})*b*d^2*e*g^3-12*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)(g*x+f))^{1/2}*(e*g)^{1/2}))/((e*g)^{1/2})*b*d*e^2*f*g^2+18*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)(g*x+f))^{1/2}*(e*g)^{1/2}))/((e*g)^{1/2})*b*e^3*f^2*g+3*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)(g*x+f))^{1/2}*(e*g)^{1/2}))/((e*g)^{1/2})*c*d^3*g^3+3*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)(g*x+f))^{1/2}*(e*g)^{1/2}))/((e*g)^{1/2})*c*d^2*e*f*g^2+9*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)(g*x+f))^{1/2}*(e*g)^{1/2}))/((e*g)^{1/2})*c*d*e^2*f^2*g-15*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)(g*x+f))^{1/2}*(e*g)^{1/2}))/((e*g)^{1/2})*c*e^3*f^3+24*(e*g)^{1/2}*((e*x+d)(g*x+f))^{1/2}*x*b*e^2*g^2+4*(e*g)^{1/2}*((e*x+d)(g*x+f))^{1/2}*x*c*d*e*g^2-20*(e*g)^{1/2}*((e*x+d)(g*x+f))^{1/2}*x*c*e^2*f*g+48*(e*g)^{1/2}*((e*x+d)(g*x+f))^{1/2}*a*e^2*g^2+12*(e*g)^{1/2}*((e*x+d)(g*x+f))^{1/2}*b*d*e*g^2-36*(e*g)^{1/2}*((e*x+d)(g*x+f))^{1/2}*b*e^2*f*g-6*(e*g)^{1/2}*((e*x+d)(g*x+f))^{1/2}*c*d^2*g^2-8*(e*g)^{1/2}*((e*x+d)(g*x+f))^{1/2}*c*d*e*f*g+30*(e*g)^{1/2}*((e*x+d)(g*x+f))^{1/2}*c*e^2*f^2)/g^3/((e*x+d)(g*x+f))^{1/2}/e^2/(e*g)^{1/2}$$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(1/2)*(c*x^2+b*x+a)/(g*x+f)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(g>0)', see `assume?` for more details)Is g positive, negative or zero?

**mupad [B]** time = 74.34, size = 1832, normalized size = 7.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(((d + e*x)^{(1/2)}*(a + b*x + c*x^2))/(f + g*x)^{(1/2)}, x)$

[Out] 
$$\begin{aligned} &(((2*a*d*g + 2*a*e*f)*((d + e*x)^{(1/2)} - d^{(1/2)})^3)/(g^2*((f + g*x)^{(1/2)} - f^{(1/2)})^3) + ((2*a*e^2*f + 2*a*d*e*g)*((d + e*x)^{(1/2)} - d^{(1/2)}))/((g^3*((f + g*x)^{(1/2)} - f^{(1/2)})^3) - (8*a*d^{(1/2)}*e*f^{(1/2)}*((d + e*x)^{(1/2)} - d^{(1/2)})^2)/(g^2*((f + g*x)^{(1/2)} - f^{(1/2)})^2))/(((d + e*x)^{(1/2)} - d^{(1/2)})^4/((f + g*x)^{(1/2)} - f^{(1/2)})^4 + e^2/g^2 - (2*e*((d + e*x)^{(1/2)} - d^{(1/2)})^2)/(g*((f + g*x)^{(1/2)} - f^{(1/2)})^2)) - (((d + e*x)^{(1/2)} - d^{(1/2)})*(c*d^3*e^3*g^3)/4 - (5*c*e^6*f^3)/4 + (3*c*d*e^5*f^2*g)/4 + (c*d^2*e^4*f*g^2)/4))/((g^9*((f + g*x)^{(1/2)} - f^{(1/2)})^9) - (((d + e*x)^{(1/2)} - d^{(1/2)})^5*((33*c*e^4*f^3)/2 + (19*c*d^3*e*g^3)/2 + (313*c*d*e^3*f^2*g)/2 + (275*c*d^2*e^2*f*g^2)/2))/((g^7*((f + g*x)^{(1/2)} - f^{(1/2)})^7) - (((d + e*x)^{(1/2)} - d^{(1/2)})^3*((17*c*d^3*e^2*g^3)/12 - (85*c*e^5*f^3)/12 + (17*c*d*e^4*f^2*g)/4 + (91*c*d^2*e^3*f*g^2)/4))/((g^8*((f + g*x)^{(1/2)} - f^{(1/2)})^8) + (((d + e*x)^{(1/2)} - d^{(1/2)})^11*((c*d^3*g^3)/4 - (5*c*e^3*f^3)/4 + (3*c*d*e^2*f^2*g)/4 + (c*d^2*e*f*g^2)/4))/((e^2*g^4*((f + g*x)^{(1/2)} - f^{(1/2)})^11) - (((d + e*x)^{(1/2)} - d^{(1/2)})^9*((17*c*d^3*g^3)/12 - (85*c*e^3*f^3)/12 + (17*c*d*e^2*f^2*g)/4 + (91*c*d^2*e*f*g^2)/4))/((e*g^5*((f + g*x)^{(1/2)} - f^{(1/2)})^9) + (d^{(1/2)}*f^{(1/2)}*((d + e*x)^{(1/2)} - d^{(1/2)})^6*(128*c*e^3*f^2 + 64*c*d^2*e*g^2 + (704*c*d*e^2*f*g)/3))/((g^6*((f + g*x)^{(1/2)} - f^{(1/2)})^6) + (d^{(1/2)}*f^{(1/2)}*(32*c*d^2*g + 96*c*d*e*f)*((d + e*x)^{(1/2)} - d^{(1/2)})^8)/(g^4*((f + g*x)^{(1/2)} - f^{(1/2)})^8) + (d^{(1/2)}*f^{(1/2)}*(96*c*d*e^3*f + 32*c*d^2*e^2*g)*((d + e*x)^{(1/2)} - d^{(1/2)})^4)/(g^6*((f + g*x)^{(1/2)} - f^{(1/2)})^4))/(((d + e*x)^{(1/2)} - d^{(1/2)})^12/((f + g*x)^{(1/2)} - f^{(1/2)})^12 + e^6/g^6 - (6*e*((d + e*x)^{(1/2)} - d^{(1/2)})^10)/(g*((f + g*x)^{(1/2)} - f^{(1/2)})^10) - (6*e^5*((d + e*x)^{(1/2)} - d^{(1/2)})^2)/(g^5*((f + g*x)^{(1/2)} - f^{(1/2)})^2) + (15*e^4*((d + e*x)^{(1/2)} - d^{(1/2)})^4)/(g^4*((f + g*x)^{(1/2)} - f^{(1/2)})^4) - (20*e^3*((d + e*x)^{(1/2)} - d^{(1/2)})^6)/(g^3*((f + g*x)^{(1/2)} - f^{(1/2)})^6) + (15*e^2*((d + e*x)^{(1/2)} - d^{(1/2)})^8)/(g^2*((f + g*x)^{(1/2)} - f^{(1/2)})^8) + (((d + e*x)^{(1/2)} - d^{(1/2)})*(b*d^2*e^2*g^2)/2 - (3*b*e^4*f^2)/2 + b*d*e^3*f*g))/((g^6*((f + g*x)^{(1/2)} - f^{(1/2)})^6) + (((d + e*x)^{(1/2)} - d^{(1/2)})^3*((11*b*e^3*f^2)/2 + (7*b*d^2*e*g^2)/2 + 23*b*d*e^2*f*g))/((g^5*((f + g*x)^{(1/2)} - f^{(1/2)})^5) + (((d + e*x)^{(1/2)} - d^{(1/2)})^5*((7*b*d^2*g^2)/2 + (11*b*e^2*f^2)/2 + 23*b*d*e*f*g))/((g^4*((f + g*x)^{(1/2)} - f^{(1/2)})^4) + (((d + e*x)^{(1/2)} - d^{(1/2)})^7*((b*d^2*g^2)/2 - (3*b*e^2*f^2)/2 + b*d*e*f*g))/((e*g^3*((f + g*x)^{(1/2)} - f^{(1/2)})^7) - (d^{(1/2)}*f^{(1/2)}*(32*b*e^2*f + 16*b*d*e*g)*((d + e*x)^{(1/2)} - d^{(1/2)})^4)/(g^4*((f + g*x)^{(1/2)} - f^{(1/2)})^4) - (8*b*d^{(3/2)}*f^{(1/2)}*((d + e*x)^{(1/2)} - d^{(1/2)})^6)/(g^2*((f + g*x)^{(1/2)} - f^{(1/2)})^6) - (8*b*d^{(3/2)}*e^2*f^{(1/2)}*((d + e*x)^{(1/2)} - d^{(1/2)})^2)/(g^4*((f + g*x)^{(1/2)} - f^{(1/2)})^2))/(((d + e*x)^{(1/2)} - d^{(1/2)})^8/((f + g*x)^{(1/2)} - f^{(1/2)})^8 + e^4/g^4 - (4*e*((d + e*x)^{(1/2)} - d^{(1/2)})^6)/(g*($$

$$\begin{aligned} & (f + g*x)^{(1/2)} - f^{(1/2)})^6 - (4*e^3*((d + e*x)^{(1/2)} - d^{(1/2)})^2)/(g^3* \\ & ((f + g*x)^{(1/2)} - f^{(1/2)})^2) + (6*e^2*((d + e*x)^{(1/2)} - d^{(1/2)})^4)/(g^2 \\ & *((f + g*x)^{(1/2)} - f^{(1/2)})^4) + (2*a*atanh((g^{(1/2)}*((d + e*x)^{(1/2)} - d \\ & ^{(1/2)})))/(e^{(1/2)}*((f + g*x)^{(1/2)} - f^{(1/2)})))*(d*g - e*f)/(e^{(1/2)}*g^{(3/ \\ & 2))} - (b*atanh((g^{(1/2)}*((d + e*x)^{(1/2)} - d^{(1/2)})))/(e^{(1/2)}*((f + g*x)^{(1 \\ & /2)} - f^{(1/2)})))*(d*g - e*f)*(d*g + 3*e*f)/(2*e^{(3/2)}*g^{(5/2)}) + (c*atanh( \\ & (g^{(1/2)}*((d + e*x)^{(1/2)} - d^{(1/2)})))/(e^{(1/2)}*((f + g*x)^{(1/2)} - f^{(1/2)})) \\ & )*(d*g - e*f)*(d^2*g^2 + 5*e^2*f^2 + 2*d*e*f*g)/(4*e^{(5/2)}*g^{(7/2)}) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)\*(c\*x\*\*2+b\*x+a)/(g\*x+f)\*\*(1/2),x)

[Out] Timed out

$$3.580 \quad \int \frac{a+bx+cx^2}{\sqrt{d+ex}\sqrt{f+gx}} dx$$

**Optimal.** Leaf size=164

$$\frac{\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)\left(4eg(2aeg-b(dg+ef))+c(3d^2g^2+2defg+3e^2f^2)\right)}{4e^{5/2}g^{5/2}} - \frac{\sqrt{d+ex}\sqrt{f+gx}(-4beg+5cdg+3cef)}{4e^2g^2}$$

**Rubi [A]** time = 0.14, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {951, 80, 63, 217, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}}\right)\left(4eg(2aeg-b(dg+ef))+c(3d^2g^2+2defg+3e^2f^2)\right)}{4e^{5/2}g^{5/2}} - \frac{\sqrt{d+ex}\sqrt{f+gx}(-4beg+5cdg+3cef)}{4e^2g^2} + \frac{c(d+ex)^{3/2}\sqrt{f+gx}}{2e^2g}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), x]

[Out] -((3\*c\*e\*f + 5\*c\*d\*g - 4\*b\*e\*g)\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])/(4\*e^2\*g^2) + (c\*(d + e\*x)^(3/2)\*Sqrt[f + g\*x])/(2\*e^2\*g) + ((c\*(3\*e^2\*f^2 + 2\*d\*e\*f\*g + 3\*d^2\*g^2) + 4\*e\*g\*(2\*a\*e\*g - b\*(e\*f + d\*g)))\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(4\*e^(5/2)\*g^(5/2))

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

Q[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 951

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[(c^p\*(d + e\*x)^(m + 2\*p)\*(f + g\*x)^(n + 1))/(g\*e^(2\*p)\*(m + n + 2\*p + 1)), x] + Dist[1/(g\*e^(2\*p)\*(m + n + 2\*p + 1)), Int[(d + e\*x)^m\*(f + g\*x)^n\*ExpandToSum[g\*(m + n + 2\*p + 1)\*(e^(2\*p)\*(a + b\*x + c\*x^2)^p - c^p\*(d + e\*x)^(2\*p)) - c^p\*(e\*f - d\*g)\*(m + 2\*p)\*(d + e\*x)^(2\*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && NeQ[m + n + 2\*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])

### Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{\sqrt{d + ex} \sqrt{f + gx}} dx &= \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{\int \frac{\frac{1}{2}(4ae^2g - cd(3ef + dg)) - \frac{1}{2}e(3cef + 5cdg - 4beg)x}{\sqrt{d + ex} \sqrt{f + gx}} dx}{2e^2g} \\ &= -\frac{(3cef + 5cdg - 4beg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{(c(3e^2f^2 + 2def))}{(c(3e^2f^2 + 2def))} \\ &= -\frac{(3cef + 5cdg - 4beg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{(c(3e^2f^2 + 2def))}{(c(3e^2f^2 + 2def))} \\ &= -\frac{(3cef + 5cdg - 4beg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{(c(3e^2f^2 + 2def))}{(c(3e^2f^2 + 2def))} \\ &= -\frac{(3cef + 5cdg - 4beg)\sqrt{d + ex} \sqrt{f + gx}}{4e^2g^2} + \frac{c(d + ex)^{3/2} \sqrt{f + gx}}{2e^2g} + \frac{(c(3e^2f^2 + 2def))}{(c(3e^2f^2 + 2def))} \end{aligned}$$

**Mathematica [A]** time = 0.62, size = 173, normalized size = 1.05

$$\frac{\sqrt{ef-dg} \sqrt{\frac{e(f+gx)}{ef-dg}} \sinh^{-1}\left(\frac{\sqrt{8}\sqrt{d+ex}}{\sqrt{ef-dg}}\right) (4eg(2aeg-b(dg+ef))+c(3d^2g^2+2defg+3e^2f^2))+e\sqrt{g}\sqrt{d+ex}(f+gx)(4beg+c(-3dg-3ef+2egx))}{4e^3g^{5/2}\sqrt{f+gx}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), x]

[Out] (e\*Sqrt[g]\*Sqrt[d + e\*x]\*(f + g\*x)\*(4\*b\*e\*g + c\*(-3\*e\*f - 3\*d\*g + 2\*e\*g\*x)) + Sqrt[e\*f - d\*g]\*(c\*(3\*e^2\*f^2 + 2\*d\*e\*f\*g + 3\*d^2\*g^2) + 4\*e\*g\*(2\*a\*e\*g - b\*(e\*f + d\*g)))\*Sqrt[(e\*(f + g\*x))/(e\*f - d\*g)]\*ArcSinh[(Sqrt[g]\*Sqrt[d + e\*x])/Sqrt[e\*f - d\*g]])/(4\*e^3\*g^(5/2)\*Sqrt[f + g\*x])

**IntegrateAlgebraic [A]** time = 0.00, size = 229, normalized size = 1.40

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{g}\sqrt{d+ex}}\right) (8ae^2g^2 - 4bdeg^2 - 4be^2fg + 3cd^2g^2 + 2cdefg + 3ce^2f^2)}{4e^5/2g^{5/2}} + \frac{\sqrt{f+gx}(ef-dg)\left(\frac{4be^2g(f+gx)}{d+ex} - 4beg^2 - \frac{3ce^2f(f+gx)}{d+ex} - \frac{5cdg(f+gx)}{d+ex} + 3cdg^2 + 5cefg\right)}{4e^2g^2\sqrt{d+ex}\left(\frac{e(f+gx)}{d+ex} - g\right)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), x]

[Out] ((e\*f - d\*g)\*Sqrt[f + g\*x]\*(5\*c\*e\*f\*g + 3\*c\*d\*g^2 - 4\*b\*e\*g^2 - (3\*c\*e^2\*f\*(f + g\*x))/(d + e\*x) - (5\*c\*d\*e\*g\*(f + g\*x))/(d + e\*x) + (4\*b\*e^2\*g\*(f + g\*x))/(d + e\*x))/(4\*e^2\*g^2\*Sqrt[d + e\*x]\*(-g + (e\*(f + g\*x))/(d + e\*x))^2) + ((3\*c\*e^2\*f^2 + 2\*c\*d\*e\*f\*g - 4\*b\*e^2\*f\*g + 3\*c\*d^2\*g^2 - 4\*b\*d\*e\*g^2 + 8\*a\*e^2\*g^2)\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/(Sqrt[g]\*Sqrt[d + e\*x])])/(4\*e^(5/2)\*g^(5/2))

**fricas [A]** time = 0.51, size = 380, normalized size = 2.32

$$\frac{\left(\frac{(3c^2f^2 + 2(cde - 2be^2)fg + (3ae^2 - 4bde + 8ae^2)c^2)\sqrt{eg} \log(8e^2g^2x^2 + e^2f^2 + 6d*e*f*g + d^2g^2 + 4(2e*g*x + e*f + d*g)*\sqrt{e*g})\sqrt{e*x + d}\sqrt{g*x + f} + 8(c^2fg + dg^2)e) + 4(2c^2g^2 - 3c^2fg - (3ade - 4be^2)c^2)\sqrt{e*x + d}\sqrt{g*x + f}}{16e^3g^3} \cdot \frac{(3c^2f^2 + 2(cde - 2be^2)fg + (3ae^2 - 4bde + 8ae^2)c^2)\sqrt{eg} \arctan\left(\frac{2(e^2g^2x^2 + e^2f^2 + 6d*e*f*g + d^2g^2 + 4(2e*g*x + e*f + d*g)*\sqrt{e*g})\sqrt{e*x + d}\sqrt{g*x + f}}{2(c^2g^2x^2 + c^2fg + dg^2)e}\right) - 2(2c^2g^2x^2 - 3c^2fg - (3ade - 4be^2)c^2)\sqrt{e*x + d}\sqrt{g*x + f}}{8e^3g^3}\right)}{4e^2g^2\sqrt{d+ex}\left(\frac{e(f+gx)}{d+ex} - g\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2), x, algorithm="fricas")

[Out] [1/16\*((3\*c\*e^2\*f^2 + 2\*(c\*d\*e - 2\*b\*e^2)\*f\*g + (3\*c\*d^2 - 4\*b\*d\*e + 8\*a\*e^2)\*g^2)\*sqrt(e\*g)\*log(8\*e^2\*g^2\*x^2 + e^2\*f^2 + 6\*d\*e\*f\*g + d^2\*g^2 + 4\*(2\*e\*g\*x + e\*f + d\*g)\*sqrt(e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(e^2\*f\*g + d\*e\*g^2)\*x) + 4\*(2\*c\*e^2\*g^2\*x - 3\*c\*e^2\*f\*g - (3\*c\*d\*e - 4\*b\*e^2)\*g^2)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(e^3\*g^3), -1/8\*((3\*c\*e^2\*f^2 + 2\*(c\*d\*e - 2\*b\*e^2)\*f\*g + (3\*c\*d^2 - 4\*b\*d\*e + 8\*a\*e^2)\*g^2)\*sqrt(-e\*g)\*arctan(1/2\*(2\*e\*g\*x + e\*f + d\*g)\*sqrt(-e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(e^2\*g^2\*x^2 + d\*e\*f\*g + (

$e^{2*f*g + d*e*g^2}*x) - 2*(2*c*e^{2*g^2*x} - 3*c*e^{2*f*g} - (3*c*d*e - 4*b*e^{2*g^2})*sqrt(e*x + d)*sqrt(g*x + f))/(e^{3*g^3}]$

**giac [A]** time = 0.25, size = 179, normalized size = 1.09

$$\frac{1}{4} \sqrt{(x+d)ge-dge+f e^2} \sqrt{xe+d} \left( \frac{2(xe+d)ce^{(-3)}}{g} - \frac{(5cdg^2e^5+3c f g e^6-4bg^2e^6)e^{(-8)}}{g^3} \right) - \frac{(3cd^2g^2+2cdfge-4bdg^2e+3cf^2e^2-4bfg e^2+8dg^2e^2)e^{(-\frac{5}{2})} \log\left(-\sqrt{xe+d}\sqrt{ge^2}+\sqrt{(xe+d)ge-dge+f e^2}\right)}{4g^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] 1/4\*sqrt((x\*e + d)\*g\*e - d\*g\*e + f\*e^2)\*sqrt(x\*e + d)\*(2\*(x\*e + d)\*c\*e^(-3)/g - (5\*c\*d\*g^2\*e^5 + 3\*c\*f\*g\*e^6 - 4\*b\*g^2\*e^6)\*e^(-8)/g^3) - 1/4\*(3\*c\*d^2\*g^2 + 2\*c\*d\*f\*g\*e - 4\*b\*d\*g^2\*e + 3\*c\*f^2\*e^2 - 4\*b\*f\*g\*e^2 + 8\*a\*g^2\*e^2)\*e^(-5/2)\*log(abs(-sqrt(x\*e + d)\*sqrt(g)\*e^(1/2) + sqrt((x\*e + d)\*g\*e - d\*g\*e + f\*e^2)))/g^(5/2)

**maple [B]** time = 0.00, size = 425, normalized size = 2.59

$$\left( \frac{8a^2c^2 \ln\left(\frac{2ax+bx+a}{2g}\right) - 4bdg^2 \ln\left(\frac{2ax+bx+a}{2g}\right) \sqrt{\frac{ax+d}{g}} - 4b^2fg \ln\left(\frac{2ax+bx+a}{2g}\right) \sqrt{\frac{ax+d}{g}} + 3c^2e^2 \ln\left(\frac{2ax+bx+a}{2g}\right) \sqrt{\frac{ax+d}{g}} + 2abfg \ln\left(\frac{2ax+bx+a}{2g}\right) \sqrt{\frac{ax+d}{g}} + 3c^2f \ln\left(\frac{2ax+bx+a}{2g}\right) \sqrt{\frac{ax+d}{g}} \right) + 4\sqrt{g} \sqrt{ax+d} \sqrt{ax+f} \operatorname{arctanh}\left(\frac{\sqrt{ax+d}\sqrt{ax+f}}{\sqrt{ax+d}\sqrt{ax+f}}\right) \sqrt{ax+d} \sqrt{ax+f}}{8\sqrt{g} \sqrt{ax+d} (gx+f)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2),x)

[Out] 1/8\*(8\*a\*e^2\*g^2\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2))/(e\*g)^(1/2))-4\*b\*d\*e\*g^2\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2))/(e\*g)^(1/2))-4\*b\*e^2\*f\*g\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2))/(e\*g)^(1/2))+3\*c\*d^2\*g^2\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2))/(e\*g)^(1/2))+2\*c\*d\*e\*f\*g\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2))/(e\*g)^(1/2))+3\*c\*e^2\*f^2\*ln(1/2\*(2\*e\*g\*x+d\*g+e\*f+2\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2))/(e\*g)^(1/2))+4\*(e\*g)^(1/2)\*((e\*x+d)\*(g\*x+f))^(1/2)\*c\*e\*g\*x+8\*(e\*g)^(1/2)\*((e\*x+d)\*(g\*x+f))^(1/2)\*b\*e\*g-6\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2)\*c\*d\*g-6\*((e\*x+d)\*(g\*x+f))^(1/2)\*(e\*g)^(1/2)\*c\*e\*f\*(e\*x+d)^(1/2)\*(g\*x+f)^(1/2)/(e\*g)^(1/2))/(e\*x+d)\*(g\*x+f)^(1/2)/e^2/g^2

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^(1/2)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* h





$$3.581 \quad \int \frac{a+bx+cx^2}{(d+ex)^{3/2} \sqrt{f+gx}} dx$$

**Optimal.** Leaf size=129

$$\frac{2\sqrt{f+gx} \left( a + \frac{d(cd-be)}{e^2} \right)}{\sqrt{d+ex} (ef-dg)} - \frac{(-2beg + 3cdg + cef) \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{d+ex}}{\sqrt{e} \sqrt{f+gx}} \right)}{e^{5/2} g^{3/2}} + \frac{c\sqrt{d+ex} \sqrt{f+gx}}{e^2 g}$$

**Rubi [A]** time = 0.13, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {949, 80, 63, 217, 206}

$$\frac{2\sqrt{f+gx} \left( a + \frac{d(cd-be)}{e^2} \right)}{\sqrt{d+ex} (ef-dg)} - \frac{(-2beg + 3cdg + cef) \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{d+ex}}{\sqrt{e} \sqrt{f+gx}} \right)}{e^{5/2} g^{3/2}} + \frac{c\sqrt{d+ex} \sqrt{f+gx}}{e^2 g}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((d + e\*x)^(3/2)\*Sqrt[f + g\*x]),x]

[Out] (-2\*(a + (d\*(c\*d - b\*e))/e^2)\*Sqrt[f + g\*x])/((e\*f - d\*g)\*Sqrt[d + e\*x]) + (c\*Sqrt[d + e\*x]\*Sqrt[f + g\*x])/(e^2\*g) - ((c\*e\*f + 3\*c\*d\*g - 2\*b\*e\*g)\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(e^(5/2)\*g^(3/2))

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

Q[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x],  
x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 949

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_)  
+ (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Qx = PolynomialQuotient[(a + b\*x  
+ c\*x^2)^p, d + e\*x, x], R = PolynomialRemainder[(a + b\*x + c\*x^2)^p, d +  
e\*x, x]}, Simp[(R\*(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1))/((m + 1)\*(e\*f - d\*g)  
, x] + Dist[1/((m + 1)\*(e\*f - d\*g)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^n\*Exp  
andToSum[(m + 1)\*(e\*f - d\*g)\*Qx - g\*R\*(m + n + 2), x], x]] /; FreeQ[{a,  
b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c  
\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{(d + ex)^{3/2} \sqrt{f + gx}} dx &= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{(ef - dg) \sqrt{d + ex}} - \frac{2 \int \frac{\frac{(cd-be)(ef-dg)}{2e^2} - \frac{c(ef-dg)x}{2e}}{\sqrt{d+ex} \sqrt{f+gx}} dx}{ef - dg} \\ &= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{(ef - dg) \sqrt{d + ex}} + \frac{c \sqrt{d + ex} \sqrt{f + gx}}{e^2 g} - \frac{(cef + 3cdg - 2beg) \int \frac{1}{\sqrt{d+ex} \sqrt{f+gx}}}{2e^2 g} \\ &= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{(ef - dg) \sqrt{d + ex}} + \frac{c \sqrt{d + ex} \sqrt{f + gx}}{e^2 g} - \frac{(cef + 3cdg - 2beg) \operatorname{Subst} \left( \int \frac{1}{\sqrt{f}} \right)}{e^3 g} \\ &= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{(ef - dg) \sqrt{d + ex}} + \frac{c \sqrt{d + ex} \sqrt{f + gx}}{e^2 g} - \frac{(cef + 3cdg - 2beg) \operatorname{Subst} \left( \int \frac{1}{1-\frac{\sqrt{g}}{\sqrt{f}}} \right)}{e^3 g} \\ &= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{(ef - dg) \sqrt{d + ex}} + \frac{c \sqrt{d + ex} \sqrt{f + gx}}{e^2 g} - \frac{(cef + 3cdg - 2beg) \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{d+ex}}{\sqrt{e} \sqrt{f+gx}} \right)}{e^{5/2} g^{3/2}} \end{aligned}$$

**Mathematica [C]** time = 0.59, size = 222, normalized size = 1.72

$$\frac{2\sqrt{f+gx} \left( e\sqrt{ef-dg} \sqrt{\frac{e(f+gx)}{ef-dg}} (g^2(ae-bd) + cf(2dg-ef)) + e\sqrt{g}\sqrt{d+ex} (2cf-bg)(ef-dg) \sinh^{-1}\left(\frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{ef-dg}}\right) + c(ef-dg)^{5/2} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; \frac{g(d+ex)}{dg-ef}\right) \right)}{e^2 g^2 \sqrt{d+ex} (ef-dg)^{3/2} \sqrt{\frac{e(f+gx)}{ef-dg}}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/((d + e\*x)^(3/2)\*Sqrt[f + g\*x]),x]

[Out] (-2\*Sqrt[f + g\*x]\*(e\*Sqrt[ef - d\*g]\*((-b\*d) + a\*e)\*g^2 + c\*f\*(-(e\*f) + 2\*d\*g))\*Sqrt[(e\*(f + g\*x))/(e\*f - d\*g)] + e\*Sqrt[g]\*(2\*c\*f - b\*g)\*(e\*f - d\*g)\*Sqrt[d + e\*x]\*ArcSinh[(Sqrt[g]\*Sqrt[d + e\*x])/Sqrt[e\*f - d\*g]] + c\*(e\*f - d\*g)^(5/2)\*Hypergeometric2F1[-3/2, -1/2, 1/2, (g\*(d + e\*x))/(-(e\*f) + d\*g)]/(e^2\*g^2\*(e\*f - d\*g)^(3/2)\*Sqrt[d + e\*x]\*Sqrt[(e\*(f + g\*x))/(e\*f - d\*g)])

**IntegrateAlgebraic [A]** time = 0.34, size = 216, normalized size = 1.67

$$\frac{(2beg - 3cdg - cef) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{f+gx}}{\sqrt{g}\sqrt{d+ex}}\right) - \sqrt{f+gx} \left( \frac{2ae^3g(f+gx)}{d+ex} - 2ae^2g^2 - \frac{2bde^2g(f+gx)}{d+ex} + 2bdeg^2 + \frac{2cd^2eg(f+gx)}{d+ex} - 3cd^2g^2 + 2cdefg - ce^2f^2 \right)}{e^{5/2}g^{3/2} e^2g\sqrt{d+ex}(ef-dg)\left(\frac{e(f+gx)}{d+ex} - g\right)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/((d + e\*x)^(3/2)\*Sqrt[f + g\*x]),x]

[Out] -((Sqrt[f + g\*x]\*(-(c\*e^2\*f^2) + 2\*c\*d\*e\*f\*g - 3\*c\*d^2\*g^2 + 2\*b\*d\*e\*g^2 - 2\*a\*e^2\*g^2 + (2\*c\*d^2\*e\*g\*(f + g\*x))/(d + e\*x) - (2\*b\*d\*e^2\*g\*(f + g\*x))/(d + e\*x) + (2\*a\*e^3\*g\*(f + g\*x))/(d + e\*x)))/(e^2\*g\*(e\*f - d\*g)\*Sqrt[d + e\*x]\*(-g + (e\*(f + g\*x))/(d + e\*x))) + ((-(c\*e\*f) - 3\*c\*d\*g + 2\*b\*e\*g)\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/Sqrt[g]\*Sqrt[d + e\*x]])/(e^(5/2)\*g^(3/2))

**fricas [B]** time = 1.44, size = 588, normalized size = 4.56

$$\frac{(2af^2 + 2[af^2 - 2bd]g - [2af^2 - 2bd]g^2 + [af^2 - 2bd]g^3 - [2af^2 - 2bd]g^4) \sqrt{e} \sqrt{f+gx} \sqrt{d+ex} + (2af^2 + 2[af^2 - 2bd]g - [2af^2 - 2bd]g^2 + [af^2 - 2bd]g^3 - [2af^2 - 2bd]g^4) \sqrt{e} \sqrt{f+gx} \sqrt{d+ex} + (2af^2 + 2[af^2 - 2bd]g - [2af^2 - 2bd]g^2 + [af^2 - 2bd]g^3 - [2af^2 - 2bd]g^4) \sqrt{e} \sqrt{f+gx} \sqrt{d+ex}}{2[af^2 - 2bd]g^2 + [af^2 - 2bd]g^3 + [af^2 - 2bd]g^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^(3/2)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] [-1/4\*((c\*d\*e^2\*f^2 + 2\*(c\*d^2\*e - b\*d\*e^2)\*f\*g - (3\*c\*d^3 - 2\*b\*d^2\*e)\*g^2 + (c\*e^3\*f^2 + 2\*(c\*d\*e^2 - b\*e^3)\*f\*g - (3\*c\*d^2\*e - 2\*b\*d\*e^2)\*g^2)\*x)\*sqrt(e\*g)\*log(8\*e^2\*g^2\*x^2 + e^2\*f^2 + 6\*d\*e\*f\*g + d^2\*g^2 + 4\*(2\*e\*g\*x + e\*f + d\*g)\*sqrt(e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(e^2\*f\*g + d\*e\*g^2)\*x) - 4\*(c\*d\*e^2\*f\*g - (3\*c\*d^2\*e - 2\*b\*d\*e^2 + 2\*a\*e^3)\*g^2 + (c\*e^3\*f\*g - c\*d\*e^2\*g^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f)]/(d\*e^4\*f\*g^2 - d^2\*e^3\*g^3 + (e^5

$*f*g^2 - d*e^4*g^3)*x$ ,  $1/2*((c*d*e^2*f^2 + 2*(c*d^2*e - b*d*e^2)*f*g - (3*c*d^3 - 2*b*d^2*e)*g^2 + (c*e^3*f^2 + 2*(c*d*e^2 - b*e^3)*f*g - (3*c*d^2*e - 2*b*d*e^2)*g^2)*x)*\sqrt{-e*g}*\arctan(1/2*(2*e*g*x + e*f + d*g)*\sqrt{-e*g})*\sqrt{e*x + d}*\sqrt{g*x + f}/(e^2*g^2*x^2 + d*e*f*g + (e^2*f*g + d*e*g^2)*x)) + 2*(c*d*e^2*f*g - (3*c*d^2*e - 2*b*d*e^2 + 2*a*e^3)*g^2 + (c*e^3*f*g - c*d*e^2*g^2)*x)*\sqrt{e*x + d}*\sqrt{g*x + f}/(d*e^4*f*g^2 - d^2*e^3*g^3 + (e^5*f*g^2 - d*e^4*g^3)*x]$

**giac [A]** time = 0.39, size = 201, normalized size = 1.56

$$\frac{\sqrt{(x+d)ge-dge+fe^2}\sqrt{xe+d}ce^{(-3)}}{g} + \frac{4\left(cd^2\sqrt{g}e^{\frac{1}{2}}-bd\sqrt{g}e^{\frac{3}{2}}+a\sqrt{g}e^{\frac{5}{2}}\right)e^{(-2)}}{dge+\left(\sqrt{xe+d}\sqrt{g}e^{\frac{1}{2}}-\sqrt{(x+d)ge-dge+fe^2}\right)^2-fe^2} + \frac{\left(3cdg^{\frac{3}{2}}e^{\frac{1}{2}}+cf\sqrt{g}e^{\frac{3}{2}}-2bg^{\frac{3}{2}}e^{\frac{3}{2}}\right)e^{(-3)}\log\left(\left(\sqrt{xe+d}\sqrt{g}e^{\frac{1}{2}}-\sqrt{(x+d)ge-dge+fe^2}\right)^2\right)}{2g^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^(3/2)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out]  $\sqrt{(x*e + d)*g*e - d*g*e + f*e^2}*\sqrt{(x*e + d)*c*e^{(-3)}/g + 4*(c*d^2*\sqrt{g})*e^{(1/2)} - b*d*\sqrt{g}*e^{(3/2)} + a*\sqrt{g}*e^{(5/2)})*e^{(-2)}/(d*g*e + (\sqrt{(x*e + d)*g*e - d*g*e + f*e^2})^2 - f*e^2) + 1/2*(3*c*d*g^{(3/2)}*e^{(1/2)} + c*f*\sqrt{g}*e^{(3/2)} - 2*b*g^{(3/2)}*e^{(3/2)})*e^{(-3)}*\log((\sqrt{(x*e + d)*g*e - d*g*e + f*e^2})^2)/g^2$

**maple [B]** time = 0.03, size = 697, normalized size = 5.40



Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)/(e\*x+d)^(3/2)/(g\*x+f)^(1/2),x)

[Out]  $1/2*(g*x+f)^{(1/2)}*(2*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}))/(e*g)^{(1/2)}*x*b*d*e^2*g^2-2*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}))/(e*g)^{(1/2)}*x*b*e^3*f*g-3*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}))/(e*g)^{(1/2)}*x*c*d^2*e*g^2+2*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}))/(e*g)^{(1/2)}*x*c*d*e^2*f*g+\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}))/(e*g)^{(1/2)}*x*c*e^3*f^2+2*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}))/(e*g)^{(1/2)}*(e*g)^{(1/2)}/(e*g)^{(1/2)}*b*d^2*e*g^2-2*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}))/(e*g)^{(1/2)}*b*d*e^2*f*g-3*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}))/(e*g)^{(1/2)}*c*d^3*g^2+2*\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}))/(e*g)^{(1/2)}*c*d^2*e*f*g+\ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}))/(e*g)^{(1/2)}*c*d*e^2*f^2+2*x*c*d*e*g*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}-2*x*c*e^2*f*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}+4*a*e^2*g*((e*x+d)*(g*x+f))^{(1/2)}*($

$$e*g)^{(1/2)}-4*b*d*e*g*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}+6*c*d^2*g*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)}-2*c*d*e*f*((e*x+d)*(g*x+f))^{(1/2)}*(e*g)^{(1/2)})/(e*g)^{(1/2)}/g/(d*g-e*f)/((e*x+d)*(g*x+f))^{(1/2)}/e^2/(e*x+d)^{(1/2)}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^(3/2)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(g>0)', see `assume?` for more details) Is g positive or negative?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{cx^2 + bx + a}{\sqrt{f + gx} (d + ex)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/((f + g\*x)^(1/2)\*(d + e\*x)^(3/2)),x)

[Out] int((a + b\*x + c\*x^2)/((f + g\*x)^(1/2)\*(d + e\*x)^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + bx + cx^2}{(d + ex)^{\frac{3}{2}} \sqrt{f + gx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/(e\*x+d)\*\*(3/2)/(g\*x+f)\*\*(1/2),x)

[Out] Integral((a + b\*x + c\*x\*\*2)/((d + e\*x)\*\*(3/2)\*sqrt(f + g\*x)), x)

$$3.582 \quad \int \frac{a+bx+cx^2}{(d+ex)^{5/2} \sqrt{f+gx}} dx$$

**Optimal.** Leaf size=160

$$\frac{2\sqrt{f+gx} \left( c(6def - 4d^2g) - e(-2aeg - bdg + 3bef) \right)}{3e^2\sqrt{d+ex}(ef-dg)^2} - \frac{2\sqrt{f+gx} \left( a + \frac{d(cd-be)}{e^2} \right)}{3(d+ex)^{3/2}(ef-dg)} + \frac{2c \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}} \right)}{e^{5/2}\sqrt{g}}$$

**Rubi [A]** time = 0.18, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {949, 78, 63, 217, 206}

$$\frac{2\sqrt{f+gx} \left( c(6def - 4d^2g) - e(-2aeg - bdg + 3bef) \right)}{3e^2\sqrt{d+ex}(ef-dg)^2} - \frac{2\sqrt{f+gx} \left( a + \frac{d(cd-be)}{e^2} \right)}{3(d+ex)^{3/2}(ef-dg)} + \frac{2c \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}} \right)}{e^{5/2}\sqrt{g}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((d + e\*x)^(5/2)\*Sqrt[f + g\*x]),x]

[Out] (-2\*(a + (d\*(c\*d - b\*e))/e^2)\*Sqrt[f + g\*x])/(3\*(e\*f - d\*g)\*(d + e\*x)^(3/2)) + (2\*(c\*(6\*d\*e\*f - 4\*d^2\*g) - e\*(3\*b\*e\*f - b\*d\*g - 2\*a\*e\*g))\*Sqrt[f + g\*x])/(3\*e^2\*(e\*f - d\*g)^2\*Sqrt[d + e\*x]) + (2\*c\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(e^(5/2)\*Sqrt[g])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 78

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> -Simp[((b\*e - a\*f)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(f\*(p + 1)\*(c\*f - d\*e)), x] - Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(f\*(p + 1)\*(c\*f - d\*e), Int[(c + d\*x)^n\*(e + f\*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 949

Int[((d\_) + (e\_)\*(x\_)^(m\_))\*((f\_) + (g\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Qx = PolynomialQuotient[(a + b\*x + c\*x^2)^p, d + e\*x, x], R = PolynomialRemainder[(a + b\*x + c\*x^2)^p, d + e\*x, x]}, Simp[(R\*(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1))/((m + 1)\*(e\*f - d\*g)), x] + Dist[1/((m + 1)\*(e\*f - d\*g)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^n\*ExpandToSum[(m + 1)\*(e\*f - d\*g)\*Qx - g\*R\*(m + n + 2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{(d + ex)^{5/2} \sqrt{f + gx}} dx &= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{3(e f - dg)(d + ex)^{3/2}} - \frac{2 \int \frac{\frac{cd(3ef-dg)-e(3bef-bdg-2aeg)}{2e^2} - \frac{3}{2}c \left( f - \frac{dg}{e} \right) x}{(d+ex)^{3/2} \sqrt{f+gx}} dx}{3(e f - dg)} \\ &= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{3(e f - dg)(d + ex)^{3/2}} + \frac{2 \left( c(6def - 4d^2g) - e(3bef - bdg - 2aeg) \right) \sqrt{f + gx}}{3e^2(e f - dg)^2 \sqrt{d + ex}} \\ &= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{3(e f - dg)(d + ex)^{3/2}} + \frac{2 \left( c(6def - 4d^2g) - e(3bef - bdg - 2aeg) \right) \sqrt{f + gx}}{3e^2(e f - dg)^2 \sqrt{d + ex}} \\ &= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{3(e f - dg)(d + ex)^{3/2}} + \frac{2 \left( c(6def - 4d^2g) - e(3bef - bdg - 2aeg) \right) \sqrt{f + gx}}{3e^2(e f - dg)^2 \sqrt{d + ex}} \\ &= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{3(e f - dg)(d + ex)^{3/2}} + \frac{2 \left( c(6def - 4d^2g) - e(3bef - bdg - 2aeg) \right) \sqrt{f + gx}}{3e^2(e f - dg)^2 \sqrt{d + ex}} \end{aligned}$$

**Mathematica [C]** time = 0.23, size = 173, normalized size = 1.08

$$\frac{2\sqrt{f+gx} \left( 2g(d+ex)(g(ag-bf)+cf^2) - (ef-dg)(g(ag-bf)+cf^2) + (f+gx)(2cf-bg)(ef-dg) - \frac{c(ef-dg)^3 {}_2F_1\left(-\frac{3}{2}, -\frac{3}{2}, -\frac{1}{2}, \frac{g(d+ex)}{d g - e f}\right)}{e^2 \sqrt{\frac{e(f+gx)}{ef-dg}}}\right)}{3g^2(d+ex)^{3/2}(ef-dg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/((d + e\*x)^(5/2)\*Sqrt[f + g\*x]),x]

[Out] (2\*Sqrt[f + g\*x]\*(-(e\*f - d\*g)\*(c\*f^2 + g\*(-b\*f) + a\*g)) + 2\*g\*(c\*f^2 + g\*(-b\*f) + a\*g)\*(d + e\*x) + (2\*c\*f - b\*g)\*(e\*f - d\*g)\*(f + g\*x) - (c\*(e\*f - d\*g)^3\*Hypergeometric2F1[-3/2, -3/2, -1/2, (g\*(d + e\*x))/(-e\*f) + d\*g]))/(e^2\*Sqrt[(e\*(f + g\*x))/(e\*f - d\*g)])/(3\*g^2\*(e\*f - d\*g)^2\*(d + e\*x)^(3/2))

**IntegrateAlgebraic [A]** time = 0.23, size = 161, normalized size = 1.01

$$\frac{2c \tanh^{-1}\left(\frac{\sqrt{e} \sqrt{f+gx}}{\sqrt{g} \sqrt{d+ex}}\right)}{e^{5/2} \sqrt{g}} - \frac{2\sqrt{f+gx} \left( \frac{ae^3(f+gx)}{d+ex} - 3ae^2g - \frac{bde^2(f+gx)}{d+ex} + 3be^2f + \frac{cd^2e(f+gx)}{d+ex} + 3cd^2g - 6cdef \right)}{3e^2 \sqrt{d+ex} (ef-dg)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/((d + e\*x)^(5/2)\*Sqrt[f + g\*x]),x]

[Out] (-2\*Sqrt[f + g\*x]\*(-6\*c\*d\*e\*f + 3\*b\*e^2\*f + 3\*c\*d^2\*g - 3\*a\*e^2\*g + (c\*d^2\*e\*(f + g\*x))/(d + e\*x) - (b\*d\*e^2\*(f + g\*x))/(d + e\*x) + (a\*e^3\*(f + g\*x))/(d + e\*x))/(3\*e^2\*(e\*f - d\*g)^2\*Sqrt[d + e\*x]) + (2\*c\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/(Sqrt[g]\*Sqrt[d + e\*x])])/(e^(5/2)\*Sqrt[g])

**fricas [B]** time = 3.55, size = 792, normalized size = 4.95

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)/(e\*x+d)^(5/2)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] [1/6\*(3\*(c\*d^2\*e^2\*f^2 - 2\*c\*d^3\*e\*f\*g + c\*d^4\*g^2 + (c\*e^4\*f^2 - 2\*c\*d\*e^3\*f\*g + c\*d^2\*e^2\*g^2)\*x^2 + 2\*(c\*d\*e^3\*f^2 - 2\*c\*d^2\*e^2\*f\*g + c\*d^3\*e\*g^2)\*x)\*sqrt(e\*g)\*log(8\*e^2\*g^2\*x^2 + e^2\*f^2 + 6\*d\*e\*f\*g + d^2\*g^2 + 4\*(2\*e\*g\*x + e\*f + d\*g)\*sqrt(e\*g)\*sqrt(e\*x + d)\*sqrt(g\*x + f) + 8\*(e^2\*f\*g + d\*e\*g^2)\*x) + 4\*((5\*c\*d^2\*e^2 - 2\*b\*d\*e^3 - a\*e^4)\*f\*g - 3\*(c\*d^3\*e - a\*d\*e^3)\*g^2 + (3\*(2\*c\*d\*e^3 - b\*e^4)\*f\*g - (4\*c\*d^2\*e^2 - b\*d\*e^3 - 2\*a\*e^4)\*g^2)\*x)\*sqrt(e\*x + d)\*sqrt(g\*x + f))/(d^2\*e^5\*f^2\*g - 2\*d^3\*e^4\*f\*g^2 + d^4\*e^3\*g^3





```
+6*ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2))/(e*g)^(1/2))
*x*c*d^3*e*g^2-12*ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2))
)/(e*g)^(1/2))*x*c*d^2*e^2*f*g+6*ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^(1/2)
*(e*g)^(1/2))/(e*g)^(1/2))*x*c*d*e^3*f^2+3*ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^(1/2)
*(e*g)^(1/2))/(e*g)^(1/2))*c*d^4*g^2-6*ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^(1/2)
*(e*g)^(1/2))/(e*g)^(1/2))*c*d^3*e*f*g+3*ln(1/2*(2*e*g*x+d*g+e*f+2*((e*x+d)*(g*x+f))^(1/2)
*(e*g)^(1/2))/(e*g)^(1/2))*c*d^2*e^2*f^2+4*x*a*e^3*g*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2)+2*
x*b*d*e^2*g*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2)-6*x*b*e^3*f*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2)-8*x*c*d^2*e*g*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2)+12*x*c*d*e^2*f*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2)+6*a*d*e^2*g*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2)-2*a*e^3*f*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2)-4*b*d*e^2*f*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2)-6*c*d^3*g*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2)+10*c*d^2*e*f*((e*x+d)*(g*x+f))^(1/2)*(e*g)^(1/2))/(e*g)^(1/2)/(d*g-e*f)^2/((e*x+d)*(g*x+f))^(1/2)/e^2/(e*x+d)^(3/2)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/(e*x+d)^(5/2)/(g*x+f)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(g>0)', see `assume?` for more details)Is g positive or negative?
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{cx^2 + bx + a}{\sqrt{f + gx} (d + ex)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x + c*x^2)/((f + g*x)^(1/2)*(d + e*x)^(5/2)),x)
```

```
[Out] int((a + b*x + c*x^2)/((f + g*x)^(1/2)*(d + e*x)^(5/2)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**2+b*x+a)/(e*x+d)**(5/2)/(g*x+f)**(1/2),x)
```

```
[Out] Timed out
```

$$3.583 \quad \int \frac{a+bx+cx^2}{(d+ex)^{7/2} \sqrt{f+gx}} dx$$

**Optimal.** Leaf size=198

$$\frac{2\sqrt{f+gx} \left( 2eg(-4aeg - bdg + 5bef) - c(3d^2g^2 - 10defg + 15e^2f^2) \right)}{15e^2\sqrt{d+ex}(ef-dg)^3} - \frac{2\sqrt{f+gx} \left( a + \frac{d(cd-be)}{e^2} \right)}{5(d+ex)^{5/2}(ef-dg)} + \frac{2\sqrt{f+gx} (2cd(5ef-3dg) - e(-4aeg - bdg + 5bef))}{15e^2(d+ex)^{3/2}(ef-dg)^2}$$

**Rubi [A]** time = 0.21, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {949, 78, 37}

$$\frac{2\sqrt{f+gx} \left( 2eg(-4aeg - bdg + 5bef) - c(3d^2g^2 - 10defg + 15e^2f^2) \right)}{15e^2\sqrt{d+ex}(ef-dg)^3} - \frac{2\sqrt{f+gx} \left( a + \frac{d(cd-be)}{e^2} \right)}{5(d+ex)^{5/2}(ef-dg)} + \frac{2\sqrt{f+gx} (2cd(5ef-3dg) - e(-4aeg - bdg + 5bef))}{15e^2(d+ex)^{3/2}(ef-dg)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((d + e\*x)^(7/2)\*Sqrt[f + g\*x]),x]

[Out] (-2\*(a + (d\*(c\*d - b\*e))/e^2)\*Sqrt[f + g\*x])/(5\*(e\*f - d\*g)\*(d + e\*x)^(5/2)) + (2\*(2\*c\*d\*(5\*e\*f - 3\*d\*g) - e\*(5\*b\*e\*f - b\*d\*g - 4\*a\*e\*g))\*Sqrt[f + g\*x])/((15\*e^2\*(e\*f - d\*g)^2\*(d + e\*x)^(3/2)) + (2\*(2\*e\*g\*(5\*b\*e\*f - b\*d\*g - 4\*a\*e\*g) - c\*(15\*e^2\*f^2 - 10\*d\*e\*f\*g + 3\*d^2\*g^2))\*Sqrt[f + g\*x])/(15\*e^2\*(e\*f - d\*g)^3\*Sqrt[d + e\*x])

### Rule 37

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

### Rule 78

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> -Simp[((b\*e - a\*f)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(f\*(p + 1)\*(c\*f - d\*e)), x] - Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(f\*(p + 1)\*(c\*f - d\*e)), Int[(c + d\*x)^n\*(e + f\*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

### Rule 949

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> With[{Qx = PolynomialQuotient[(a + b\*x

+ c\*x^2)^p, d + e\*x, x], R = PolynomialRemainder[(a + b\*x + c\*x^2)^p, d + e\*x, x], Simp[(R\*(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1))/((m + 1)\*(e\*f - d\*g)), x] + Dist[1/((m + 1)\*(e\*f - d\*g)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^n\*ExpandToSum[(m + 1)\*(e\*f - d\*g)\*Qx - g\*R\*(m + n + 2), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{a + bx + cx^2}{(d + ex)^{7/2} \sqrt{f + gx}} dx &= -\frac{2\left(a + \frac{d(cd-be)}{e^2}\right) \sqrt{f + gx}}{5(ef - dg)(d + ex)^{5/2}} - \frac{2 \int \frac{\frac{cd(5ef-dg) - e(5bef-bdg-4aeg)}{2e^2} - \frac{5}{2}c\left(f - \frac{dg}{e}\right)x}{(d+ex)^{5/2} \sqrt{f+gx}} dx}{5(ef - dg)} \\ &= -\frac{2\left(a + \frac{d(cd-be)}{e^2}\right) \sqrt{f + gx}}{5(ef - dg)(d + ex)^{5/2}} + \frac{2(2cd(5ef - 3dg) - e(5bef - bdg - 4aeg)) \sqrt{f + gx}}{15e^2(ef - dg)^2(d + ex)^{3/2}} - \frac{2}{15e^2(ef - dg)^2(d + ex)^{3/2}} \\ &= -\frac{2\left(a + \frac{d(cd-be)}{e^2}\right) \sqrt{f + gx}}{5(ef - dg)(d + ex)^{5/2}} + \frac{2(2cd(5ef - 3dg) - e(5bef - bdg - 4aeg)) \sqrt{f + gx}}{15e^2(ef - dg)^2(d + ex)^{3/2}} + \frac{2}{15e^2(ef - dg)^2(d + ex)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.23, size = 178, normalized size = 0.90

$$\frac{2\sqrt{f+gx} \left( a(15d^2g^2 - 10deg(f-2gx) + e^2(3f^2 - 4fgx + 8g^2x^2)) + b(5d^2g(gx-2f) + 2de(f^2 - 13fgx + g^2x^2) + 5e^2fx(f-2gx)) + c(d^2(8f^2 - 4fgx + 3g^2x^2) + 10defx(2f-gx) + 15e^2f^2x^2) \right)}{15(d+ex)^{5/2}(ef-dg)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/((d + e\*x)^(7/2)\*Sqrt[f + g\*x]), x]

[Out] (-2\*Sqrt[f + g\*x]\*(b\*(5\*e^2\*f\*x\*(f - 2\*g\*x) + 5\*d^2\*g\*(-2\*f + g\*x) + 2\*d\*e\*(f^2 - 13\*f\*g\*x + g^2\*x^2)) + c\*(15\*e^2\*f^2\*x^2 + 10\*d\*e\*f\*x\*(2\*f - g\*x) + d^2\*(8\*f^2 - 4\*f\*g\*x + 3\*g^2\*x^2)) + a\*(15\*d^2\*g^2 - 10\*d\*e\*g\*(f - 2\*g\*x) + e^2\*(3\*f^2 - 4\*f\*g\*x + 8\*g^2\*x^2)))/(15\*(e\*f - d\*g)^3\*(d + e\*x)^(5/2))

**IntegrateAlgebraic [A]** time = 0.17, size = 177, normalized size = 0.89

$$\frac{2\sqrt{f+gx} \left( \frac{3ae^2(f+gx)^2}{(d+ex)^2} - \frac{10aeg(f+gx)}{d+ex} + 15ag^2 + \frac{5bef(f+gx)}{d+ex} - \frac{3bde(f+gx)^2}{(d+ex)^2} + \frac{5bdg(f+gx)}{d+ex} - 15bfg + \frac{3cd^2(f+gx)^2}{(d+ex)^2} - \frac{10cdf(f+gx)}{d+ex} + 15cf^2 \right)}{15\sqrt{d+ex}(ef-dg)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)/((d + e\*x)^(7/2)\*Sqrt[f + g\*x]), x]



$$\begin{aligned} & \text{rt}((x*e + d)*g*e - d*g*e + f*e^2)^2*a*d*g^{(7/2)}*e^{(11/2)} + 90*(\text{sqrt}(x*e + \\ & d)*\text{sqrt}(g)*e^{(1/2)} - \text{sqrt}((x*e + d)*g*e - d*g*e + f*e^2))^4*c*f^2*\text{sqrt}(g)*e \\ & ^{(9/2)} - 70*(\text{sqrt}(x*e + d)*\text{sqrt}(g)*e^{(1/2)} - \text{sqrt}((x*e + d)*g*e - d*g*e + f \\ & *e^2))^4*b*f*g^{(3/2)}*e^{(9/2)} + 80*(\text{sqrt}(x*e + d)*\text{sqrt}(g)*e^{(1/2)} - \text{sqrt}((x* \\ & e + d)*g*e - d*g*e + f*e^2))^4*a*g^{(5/2)}*e^{(9/2)} - 40*c*d*f^3*g^{(3/2)}*e^{(15 \\ & /2)} + 22*b*d*f^2*g^{(5/2)}*e^{(15/2)} - 16*a*d*f*g^{(7/2)}*e^{(15/2)} - 60*(\text{sqrt}(x* \\ & e + d)*\text{sqrt}(g)*e^{(1/2)} - \text{sqrt}((x*e + d)*g*e - d*g*e + f*e^2))^2*c*f^3*\text{sqrt}( \\ & g)*e^{(13/2)} + 50*(\text{sqrt}(x*e + d)*\text{sqrt}(g)*e^{(1/2)} - \text{sqrt}((x*e + d)*g*e - d*g* \\ & e + f*e^2))^2*b*f^2*g^{(3/2)}*e^{(13/2)} - 40*(\text{sqrt}(x*e + d)*\text{sqrt}(g)*e^{(1/2)} - \\ & \text{sqrt}((x*e + d)*g*e - d*g*e + f*e^2))^2*a*f*g^{(5/2)}*e^{(13/2)} + 15*c*f^4*\text{sqrt} \\ & (g)*e^{(17/2)} - 10*b*f^3*g^{(3/2)}*e^{(17/2)} + 8*a*f^2*g^{(5/2)}*e^{(17/2)})*e^{(-2)} \\ & /((d*g*e + (\text{sqrt}(x*e + d)*\text{sqrt}(g)*e^{(1/2)} - \text{sqrt}((x*e + d)*g*e - d*g*e + f*e \\ & ^2)))^2 - f*e^2)^5 \end{aligned}$$

**maple [A]** time = 0.01, size = 238, normalized size = 1.20

$$\frac{2\sqrt{gx+f} (8a^2g^2x^2 + 2bde g^2x^2 - 10b^2fgx^2 + 3c d^2g^2x^2 - 10cde fgx^2 + 15c^2f^2x^2 + 20ade g^2x - 4a^2fgx + 5b d^2g^2x - 26bde fgx + 5b^2f^2x - 4c d^2fgx + 20cde f^2x + 15a d^2g^2 - 10adefg + 3a^2f^2 - 10b d^2fg + 2bde f^2 + 8c d^2f^2)}{15(ex+d)^{\frac{5}{2}}(g^3d^3 - 3d^2efg^2 + 3d^2f^2g - e^3f^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c*x^2+b*x+a)/(e*x+d)^{(7/2)}/(g*x+f)^{(1/2)}, x)$

[Out]  $\frac{2/15*(g*x+f)^{(1/2)}*(8*a*e^2*g^2*x^2+2*b*d*e*g^2*x^2-10*b*e^2*f*g*x^2+3*c*d^2*g^2*x^2-10*c*d*e*f*g*x^2+15*c*e^2*f^2*x^2+20*a*d*e*g^2*x-4*a*e^2*f*g*x+5*b*d^2*g^2*x-26*b*d*e*f*g*x+5*b*e^2*f^2*x-4*c*d^2*f*g*x+20*c*d*e*f^2*x+15*a*d^2*g^2-10*a*d*e*f*g+3*a*e^2*f^2-10*b*d^2*f*g+2*b*d*e*f^2+8*c*d^2*f^2)/(e*x+d)^{(5/2)}/(d^3*g^3-3*d^2*e*f*g^2+3*d*e^2*f^2*g-e^3*f^3)}$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((c*x^2+b*x+a)/(e*x+d)^{(7/2)}/(g*x+f)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f zero or nonzero?

**mupad [B]** time = 4.30, size = 260, normalized size = 1.31

$$\frac{\sqrt{f+gx} \left( \frac{16cd^2f^2-20bd^2fg+30ad^2g^2+4bde f^2-20adefg+6ae^2f^2}{15e^2(dg-ef)^3} + \frac{x(-8cd^2fg+10bd^2g^2+40cde f^2-52bde fg+40adeg^2+10be^2f^2-8ae^2fg)}{15e^2(dg-ef)^3} + \frac{x^2(6cd^2g^2-20cde fg+4bde g^2+30ce^2f^2-20be^2fg+16ae^2g^2)}{15e^2(dg-ef)^3} \right)}{x^2\sqrt{d+ex} + \frac{d^2\sqrt{d+ex}}{e^2} + \frac{2dx\sqrt{d+ex}}{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)/((f + g*x)^(1/2)*(d + e*x)^(7/2)),x)`

[Out] 
$$\frac{\begin{aligned} & (f + g*x)^{1/2} * ((30*a*d^2*g^2 + 6*a*e^2*f^2 + 16*c*d^2*f^2 + 4*b*d*e*f^2 \\ & - 20*b*d^2*f*g - 20*a*d*e*f*g) / (15*e^2*(d*g - e*f)^3) + (x*(10*b*d^2*g^2 + \\ & 10*b*e^2*f^2 + 40*a*d*e*g^2 + 40*c*d*e*f^2 - 8*a*e^2*f*g - 8*c*d^2*f*g - 52 \\ & *b*d*e*f*g)) / (15*e^2*(d*g - e*f)^3) + (x^2*(16*a*e^2*g^2 + 6*c*d^2*g^2 + 30 \\ & *c*e^2*f^2 + 4*b*d*e*g^2 - 20*b*e^2*f*g - 20*c*d*e*f*g)) / (15*e^2*(d*g - e*f \\ & )^3) \end{aligned}}{(x^2*(d + e*x)^{1/2} + (d^2*(d + e*x)^{1/2})/e^2 + (2*d*x*(d + e*x)^{1/2})/e)}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)/(e*x+d)**(7/2)/(g*x+f)**(1/2),x)`

[Out] Timed out

$$3.584 \quad \int \frac{a+bx+cx^2}{(d+ex)^{9/2} \sqrt{f+gx}} dx$$

**Optimal.** Leaf size=281

$$\frac{4g\sqrt{f+gx} \left(4eg(-6aeg - bdg + 7bef) - c(3d^2g^2 - 14defg + 35e^2f^2)\right)}{105e^2\sqrt{d+ex}(ef-dg)^4} + \frac{2\sqrt{f+gx} \left(4eg(-6aeg - bdg + 7bef) - c(3d^2g^2 - 14defg + 35e^2f^2)\right)}{105e^2(d+ex)^{3/2}(ef-dg)^4}$$

**Rubi [A]** time = 0.29, antiderivative size = 281, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {949, 78, 45, 37}

$$\frac{4g\sqrt{f+gx} \left(4eg(-6aeg - bdg + 7bef) - c(3d^2g^2 - 14defg + 35e^2f^2)\right)}{105e^2\sqrt{d+ex}(ef-dg)^4} + \frac{2\sqrt{f+gx} \left(4eg(-6aeg - bdg + 7bef) - c(3d^2g^2 - 14defg + 35e^2f^2)\right)}{105e^2(d+ex)^{3/2}(ef-dg)^4} - \frac{2\sqrt{f+gx} \left(a + \frac{d(cd-be)}{e}\right)}{7(d+ex)^{7/2}(ef-dg)} + \frac{2\sqrt{f+gx} (2cd(7ef-4dg) - c(-6aeg - bdg + 7bef))}{35e^2(d+ex)^{3/2}(ef-dg)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)/((d + e\*x)^(9/2)\*Sqrt[f + g\*x]),x]

[Out] (-2\*(a + (d\*(c\*d - b\*e))/e^2)\*Sqrt[f + g\*x])/(7\*(e\*f - d\*g)\*(d + e\*x)^(7/2)) + (2\*(2\*c\*d\*(7\*e\*f - 4\*d\*g) - e\*(7\*b\*e\*f - b\*d\*g - 6\*a\*e\*g))\*Sqrt[f + g\*x])/(35\*e^2\*(e\*f - d\*g)^2\*(d + e\*x)^(5/2)) + (2\*(4\*e\*g\*(7\*b\*e\*f - b\*d\*g - 6\*a\*e\*g) - c\*(35\*e^2\*f^2 - 14\*d\*e\*f\*g + 3\*d^2\*g^2))\*Sqrt[f + g\*x])/(105\*e^2\*(e\*f - d\*g)^3\*(d + e\*x)^(3/2)) - (4\*g\*(4\*e\*g\*(7\*b\*e\*f - b\*d\*g - 6\*a\*e\*g) - c\*(35\*e^2\*f^2 - 14\*d\*e\*f\*g + 3\*d^2\*g^2))\*Sqrt[f + g\*x])/(105\*e^2\*(e\*f - d\*g)^4\*Sqrt[d + e\*x])

### Rule 37

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

### Rule 45

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_.), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*Simplify[m + n + 2])/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^Simplify[m + 1]\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b\*c - a\*d, 0] && !LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimplerQ[m, 1] || !SumSimplerQ[n, 1])

### Rule 78



```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))
```

### Rule 949

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x + c*x^2)^p, d + e*x, x], R = PolynomialRemainder[(a + b*x + c*x^2)^p, d + e*x, x]}, Simp[(R*(d + e*x)^(m + 1)*(f + g*x)^(n + 1))/((m + 1)*(e*f - d*g)), x] + Dist[1/((m + 1)*(e*f - d*g)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*ExpandToSum[(m + 1)*(e*f - d*g)*Qx - g*R*(m + n + 2), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

### Rubi steps

$$\int \frac{a + bx + cx^2}{(d + ex)^{9/2} \sqrt{f + gx}} dx = -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{7(e f - dg)(d + ex)^{7/2}} - \frac{2 \int \frac{\frac{cd(7ef-dg) - e(7bef-bdg-6aeg)}{2e^2} - \frac{7}{2}c \left( f - \frac{dg}{e} \right) x}{(d+ex)^{7/2} \sqrt{f+gx}} dx}{7(e f - dg)}$$

$$= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{7(e f - dg)(d + ex)^{7/2}} + \frac{2(2cd(7ef - 4dg) - e(7bef - bdg - 6aeg)) \sqrt{f + gx}}{35e^2(e f - dg)^2(d + ex)^{5/2}}$$

$$= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{7(e f - dg)(d + ex)^{7/2}} + \frac{2(2cd(7ef - 4dg) - e(7bef - bdg - 6aeg)) \sqrt{f + gx}}{35e^2(e f - dg)^2(d + ex)^{5/2}}$$

$$= -\frac{2 \left( a + \frac{d(cd-be)}{e^2} \right) \sqrt{f + gx}}{7(e f - dg)(d + ex)^{7/2}} + \frac{2(2cd(7ef - 4dg) - e(7bef - bdg - 6aeg)) \sqrt{f + gx}}{35e^2(e f - dg)^2(d + ex)^{5/2}}$$

**Mathematica [A]** time = 0.35, size = 332, normalized size = 1.18

$\frac{2\sqrt{f+gx} (5e(35d^2g^2 - 35d^2eg^2(f-2gx) + 7d^2g^2(4f^2 - 4fgx + 9g^2x^2) + e^2(-5f^2 + 6f^2gx - 9fg^2x^2 + 16g^2x^3)) + 5(35d^2g^2(gx-2f) + 7d^2g^2(4f^2 - 37fgx + 9g^2x^2) + 4e^2(-4f^2 + 10f^2gx - 20fg^2x^2 + 9g^2x^3) - 7e^2f^2(3f^2 - 4fgx + 9g^2x^2) + c(7d^2g^2(8f^2 - 4fgx + 3g^2x^2) + e^2(-8f^2 + 20f^2gx - 10fg^2x^2 + 9g^2x^3) - 7d^2f^2(4f^2 - 37fgx + 9g^2x^2) - 35e^2f^2(f-2gx))}{105d + 5e^2(9ef - 4d^2g)}$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)/((d + e\*x)^(9/2)\*Sqrt[f + g\*x]),x]



$\wedge 4) * x^2 + 4 * (d^3 * e^5 * f^4 - 4 * d^4 * e^4 * f^3 * g + 6 * d^5 * e^3 * f^2 * g^2 - 4 * d^6 * e^2 * f * g^3 + d^7 * e * g^4) * x)$

**giac [B]** time = 1.27, size = 1868, normalized size = 6.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)/(e*x+d)^(9/2)/(g*x+f)^(1/2),x, algorithm="giac")
[Out] 8/105*(3*c*d^5*g^(13/2)*e^(11/2) + 21*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt
((x*e + d)*g*e - d*g*e + f*e^2))^2*c*d^4*g^(11/2)*e^(9/2) - 42*(sqrt(x*e +
d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*e + f*e^2))^4*c*d^3*g^(9/2)*e
^(7/2) + 210*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*e +
f*e^2))^6*c*d^2*g^(7/2)*e^(5/2) - 105*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt
((x*e + d)*g*e - d*g*e + f*e^2))^8*c*d*g^(5/2)*e^(3/2) + 105*(sqrt(x*e + d)
*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*e + f*e^2))^10*c*g^(3/2)*e^(1/2
) - 23*c*d^4*f*g^(11/2)*e^(13/2) + 4*b*d^4*g^(13/2)*e^(13/2) - 140*(sqrt(x*
e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*e + f*e^2))^2*c*d^3*f*g^(
9/2)*e^(11/2) + 28*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*
g*e + f*e^2))^2*b*d^3*g^(11/2)*e^(11/2) - 42*(sqrt(x*e + d)*sqrt(g)*e^(1/2)
- sqrt((x*e + d)*g*e - d*g*e + f*e^2))^4*c*d^2*f*g^(7/2)*e^(9/2) + 84*(sqr
t(x*e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*e + f*e^2))^4*b*d^2*g
^(9/2)*e^(9/2) - 140*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e -
d*g*e + f*e^2))^6*c*d*f*g^(5/2)*e^(7/2) - 140*(sqrt(x*e + d)*sqrt(g)*e^(1/2
) - sqrt((x*e + d)*g*e - d*g*e + f*e^2))^6*b*d*g^(7/2)*e^(7/2) - 455*(sqrt(
x*e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*e + f*e^2))^8*c*f*g^(3/
2)*e^(5/2) + 280*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*
e + f*e^2))^8*b*g^(5/2)*e^(5/2) + 86*c*d^3*f^2*g^(9/2)*e^(15/2) - 40*b*d^3*
f*g^(11/2)*e^(15/2) + 24*a*d^3*g^(13/2)*e^(15/2) + 462*(sqrt(x*e + d)*sqrt(
g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*e + f*e^2))^2*c*d^2*f^2*g^(7/2)*e^(13
/2) - 252*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*e + f*e
^2))^2*b*d^2*f*g^(9/2)*e^(13/2) + 168*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt
((x*e + d)*g*e - d*g*e + f*e^2))^2*a*d^2*g^(11/2)*e^(13/2) + 714*(sqrt(x*e
+ d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*e + f*e^2))^4*c*d*f^2*g^(5/
2)*e^(11/2) - 672*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g
*e + f*e^2))^4*b*d*f*g^(7/2)*e^(11/2) + 504*(sqrt(x*e + d)*sqrt(g)*e^(1/2)
- sqrt((x*e + d)*g*e - d*g*e + f*e^2))^4*a*d*g^(9/2)*e^(11/2) + 770*(sqrt(x
*e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*e + f*e^2))^6*c*f^2*g^(3
/2)*e^(9/2) - 700*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g
*e + f*e^2))^6*b*f*g^(5/2)*e^(9/2) + 840*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - s
qrt((x*e + d)*g*e - d*g*e + f*e^2))^6*a*g^(7/2)*e^(9/2) - 150*c*d^2*f^3*g^(
7/2)*e^(17/2) + 96*b*d^2*f^2*g^(9/2)*e^(17/2) - 72*a*d^2*f*g^(11/2)*e^(17/2
) - 588*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt((x*e + d)*g*e - d*g*e + f*e^2
))^2*c*d*f^3*g^(5/2)*e^(15/2) + 420*(sqrt(x*e + d)*sqrt(g)*e^(1/2) - sqrt((
```

$$\begin{aligned} & (x^2e + d)g^2e - d^2g^2e + f^2e^2)^2 * b * d * f^2 * g^{7/2} * e^{15/2} - 336 * (\sqrt{x^2e + d} * \sqrt{g} * e^{1/2} - \sqrt{(x^2e + d)g^2e - d^2g^2e + f^2e^2})^2 * a * d * f * g^{9/2} * e^{15/2} \\ & - 630 * (\sqrt{x^2e + d} * \sqrt{g} * e^{1/2} - \sqrt{(x^2e + d)g^2e - d^2g^2e + f^2e^2})^4 * c * f^3 * g^{3/2} * e^{13/2} + 588 * (\sqrt{x^2e + d} * \sqrt{g} * e^{1/2} - \sqrt{(x^2e + d)g^2e - d^2g^2e + f^2e^2})^4 * b * f^2 * g^{5/2} * e^{13/2} \\ & - 504 * (\sqrt{x^2e + d} * \sqrt{g} * e^{1/2} - \sqrt{(x^2e + d)g^2e - d^2g^2e + f^2e^2})^4 * a * f * g^{7/2} * e^{13/2} + 119 * c * d * f^4 * g^{5/2} * e^{19/2} - 88 * b * d * f^3 * g^{7/2} * e^{19/2} + 72 * a * d * f^2 * g^{9/2} * e^{19/2} \\ & + 245 * (\sqrt{x^2e + d} * \sqrt{g} * e^{1/2} - \sqrt{(x^2e + d)g^2e - d^2g^2e + f^2e^2})^2 * c * f^4 * g^{3/2} * e^{17/2} - 196 * (\sqrt{x^2e + d} * \sqrt{g} * e^{1/2} - \sqrt{(x^2e + d)g^2e - d^2g^2e + f^2e^2})^2 * b * f^3 * g^{5/2} * e^{17/2} \\ & + 168 * (\sqrt{x^2e + d} * \sqrt{g} * e^{1/2} - \sqrt{(x^2e + d)g^2e - d^2g^2e + f^2e^2})^2 * a * f^2 * g^{7/2} * e^{17/2} - 35 * c * f^5 * g^{3/2} * e^{21/2} + 28 * b * f^4 * g^{5/2} * e^{21/2} - 24 * a * f^3 * g^{7/2} * e^{21/2} * e^{-1} / (d * g^2e + (\sqrt{x^2e + d} * \sqrt{g} * e^{1/2} - \sqrt{(x^2e + d)g^2e - d^2g^2e + f^2e^2})^2 - f^2e^2)^7 \end{aligned}$$

**maple [A]** time = 0.01, size = 468, normalized size = 1.67

2/105\*(g\*x+f)^(1/2)\*(48\*a\*e^3\*g^3\*x^3+8\*b\*d\*e^2\*g^3\*x^3-56\*b\*e^3\*f\*g^2\*x^3+6\*c\*d^2\*e\*g^3\*x^3-28\*c\*d\*e^2\*f\*g^2\*x^3+70\*c\*e^3\*f^2\*g\*x^3+168\*a\*d\*e^2\*g^3\*x^2-24\*a\*e^3\*f\*g^2\*x^2+28\*b\*d^2\*e\*g^3\*x^2-200\*b\*d\*e^2\*f\*g^2\*x^2+28\*b\*e^3\*f^2\*g\*x^2+21\*c\*d^3\*g^3\*x^2-101\*c\*d^2\*e\*f\*g^2\*x^2+259\*c\*d\*e^2\*f^2\*g\*x^2-35\*c\*e^3\*f^3\*x^2+210\*a\*d^2\*e\*g^3\*x-84\*a\*d\*e^2\*f\*g^2\*x+18\*a\*e^3\*f^2\*g\*x+35\*b\*d^3\*g^3\*x-259\*b\*d^2\*e\*f\*g^2\*x+101\*b\*d\*e^2\*f^2\*g\*x-21\*b\*e^3\*f^3\*x-28\*c\*d^3\*f\*g^2\*x+200\*c\*d^2\*e\*f^2\*g\*x-28\*c\*d\*e^2\*f^3\*x+105\*a\*d^3\*g^3-105\*a\*d^2\*e\*f\*g^2+63\*a\*d\*e^2\*f^2\*g-15\*a\*e^3\*f^3-70\*b\*d^3\*f\*g^2+28\*b\*d^2\*e\*f^2\*g-6\*b\*d\*e^2\*f^3+56\*c\*d^3\*f^2\*g-8\*c\*d^2\*e\*f^3)/(e\*x+d)^(7/2)/(d^4\*g^4-4\*d^3\*e\*f\*g^3+6\*d^2\*e^2\*f^2\*g^2-4\*d\*e^3\*f^3\*g+e^4\*f^4)

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)/(e*x+d)^(9/2)/(g*x+f)^(1/2),x)`

[Out]  $2/105 * (g*x+f)^{1/2} * (48*a*e^3*g^3*x^3 + 8*b*d*e^2*g^3*x^3 - 56*b*e^3*f*g^2*x^3 + 6*c*d^2*e*g^3*x^3 - 28*c*d*e^2*f*g^2*x^3 + 70*c*e^3*f^2*g*x^3 + 168*a*d*e^2*g^3*x^2 - 24*a*e^3*f*g^2*x^2 + 28*b*d^2*e*g^3*x^2 - 200*b*d*e^2*f*g^2*x^2 + 28*b*e^3*f^2*g*x^2 + 21*c*d^3*g^3*x^2 - 101*c*d^2*e*f*g^2*x^2 + 259*c*d*e^2*f^2*g*x^2 - 35*c*e^3*f^3*x^2 + 210*a*d^2*e*g^3*x - 84*a*d*e^2*f*g^2*x + 18*a*e^3*f^2*g*x + 35*b*d^3*g^3*x - 259*b*d^2*e*f*g^2*x + 101*b*d*e^2*f^2*g*x - 21*b*e^3*f^3*x - 28*c*d^3*f*g^2*x + 200*c*d^2*e*f^2*g*x - 28*c*d*e^2*f^3*x + 105*a*d^3*g^3 - 105*a*d^2*e*f*g^2 + 63*a*d*e^2*f^2*g - 15*a*e^3*f^3 - 70*b*d^3*f*g^2 + 28*b*d^2*e*f^2*g - 6*b*d*e^2*f^3 + 56*c*d^3*f^2*g - 8*c*d^2*e*f^3) / (e*x+d)^{7/2} / (d^4*g^4 - 4*d^3*e*f*g^3 + 6*d^2*e^2*f^2*g^2 - 4*d*e^3*f^3*g + e^4*f^4)$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)/(e*x+d)^(9/2)/(g*x+f)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f zero or nonzero?

**mupad [B]** time = 4.65, size = 452, normalized size = 1.61

$$\frac{\sqrt{g x} \left( \frac{d^2 (121 d^2 e^2 - 56 c d^2 f^2 + 140 d^2 e^2 - 140 c d^2 f^2 - 112 b^2 f^2 + 96 a d^2 e^2)}{105 d^2 (d g - e f)} - \frac{-112 c d^2 e^2 + 140 d^2 e^2 - 210 a d^2 e^2 + 16 c d^2 e^2 - 56 b^2 d^2 e^2 + 210 a d^2 e^2 f^2 - 112 b^2 d^2 e^2 f^2 - 126 a d^2 d^2 e^2 + 30 a d^2 f^2}{105 d^2 (d g - e f)} + \frac{x(-56 c d^2 f^2 - 70 b^2 d^2 e^2 + 400 c d^2 e^2 f^2 - 518 b^2 d^2 e^2 f^2 + 420 a d^2 e^2 f^2 - 56 c d^2 e^2 f^2 + 202 b^2 d^2 e^2 f^2 - 140 a d^2 e^2 f^2 - 42 b^2 d^2 e^2 f^2 + 36 a d^2 e^2 f^2)}{105 d^2 (d g - e f)} + \frac{3 d^2 (d g - e f) (10 c d^2 e^2 - 14 a d^2 e^2 f^2 + 43 d^2 e^2 f^2 - 28 b^2 d^2 e^2 f^2)}{105 d^2 (d g - e f)} \right)}{x^3 \sqrt{d + e x} + \frac{d^2 \sqrt{d + e x}}{e} + \frac{11 d^2 \sqrt{d + e x}}{e^2} + \frac{1 d^2 \sqrt{d + e x}}{e^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)/((f + g\*x)^(1/2)\*(d + e\*x)^(9/2)),x)

[Out] ((f + g\*x)^(1/2)\*((x^3\*(96\*a\*e^3\*g^3 + 16\*b\*d\*e^2\*g^3 + 12\*c\*d^2\*e\*g^3 - 112\*b\*e^3\*f\*g^2 + 140\*c\*e^3\*f^2\*g - 56\*c\*d\*e^2\*f\*g^2))/(105\*e^3\*(d\*g - e\*f)^4) - (30\*a\*e^3\*f^3 - 210\*a\*d^3\*g^3 + 12\*b\*d\*e^2\*f^3 + 16\*c\*d^2\*e\*f^3 + 140\*b\*d^3\*f\*g^2 - 112\*c\*d^3\*f^2\*g - 126\*a\*d\*e^2\*f^2\*g + 210\*a\*d^2\*e\*f\*g^2 - 56\*b\*d^2\*e\*f^2\*g)/(105\*e^3\*(d\*g - e\*f)^4) + (x\*(70\*b\*d^3\*g^3 - 42\*b\*e^3\*f^3 + 420\*a\*d^2\*e\*g^3 - 56\*c\*d\*e^2\*f^3 + 36\*a\*e^3\*f^2\*g - 56\*c\*d^3\*f\*g^2 - 168\*a\*d\*e^2\*f\*g^2 + 202\*b\*d\*e^2\*f^2\*g - 518\*b\*d^2\*e\*f\*g^2 + 400\*c\*d^2\*e\*f^2\*g))/(105\*e^3\*(d\*g - e\*f)^4) + (2\*x^2\*(7\*d\*g - e\*f)\*(24\*a\*e^2\*g^2 + 3\*c\*d^2\*g^2 + 35\*c\*e^2\*f^2 + 4\*b\*d\*e\*g^2 - 28\*b\*e^2\*f\*g - 14\*c\*d\*e\*f\*g))/(105\*e^3\*(d\*g - e\*f)^4)))/(x^3\*(d + e\*x)^(1/2) + (d^3\*(d + e\*x)^(1/2))/e^3 + (3\*d\*x^2\*(d + e\*x)^(1/2))/e + (3\*d^2\*x\*(d + e\*x)^(1/2))/e^2)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)/(e\*x+d)\*\*(9/2)/(g\*x+f)\*\*(1/2),x)

[Out] Timed out

$$3.585 \quad \int \frac{\sqrt{d+ex}(a+bx+cx^2)}{(e+fx)^{3/2}} dx$$

**Optimal.** Leaf size=249

$$\frac{\sqrt{d+ex}\sqrt{e+fx}\left(4ef(-2aef-bdf+3be^2)-c(-d^2f^2-6de^2f+15e^4)\right)\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{d+ex}}{\sqrt{e}\sqrt{e+fx}}\right)\left(4ef(-2aef-bd\right)}{4ef^3(e^2-df)} \quad 4e^{3/2}$$

**Rubi [A]** time = 0.28, antiderivative size = 249, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {949, 80, 50, 63, 217, 206}

$$\frac{\sqrt{d+ex}\sqrt{e+fx}\left(4ef(-2aef-bdf+3be^2)-c(-d^2f^2-6de^2f+15e^4)\right)\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{d+ex}}{\sqrt{e}\sqrt{e+fx}}\right)\left(4ef(-2aef-bd\right)}{4ef^3(e^2-df)} - \frac{\tanh^{-1}\left(\frac{\sqrt{f}\sqrt{d+ex}}{\sqrt{e}\sqrt{e+fx}}\right)\left(4ef(-2aef-bdf+3be^2)-c(-d^2f^2-6de^2f+15e^4)\right)}{4e^{3/2}f^{7/2}} + \frac{2(d+ex)^{3/2}\left(a+\frac{c(c-bf)}{f^2}\right)}{(e^2-df)\sqrt{e+fx}} + \frac{c(d+ex)^{3/2}\sqrt{e+fx}}{2ef^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e\*x]\*(a + b\*x + c\*x^2))/(e + f\*x)^(3/2), x]

[Out] (2\*(a + (e\*(c\*e - b\*f))/f^2)\*(d + e\*x)^(3/2))/((e^2 - d\*f)\*Sqrt[e + f\*x]) + ((4\*e\*f\*(3\*b\*e^2 - b\*d\*f - 2\*a\*e\*f) - c\*(15\*e^4 - 6\*d\*e^2\*f - d^2\*f^2))\*Sqrt[d + e\*x]\*Sqrt[e + f\*x])/(4\*e\*f^3\*(e^2 - d\*f)) + (c\*(d + e\*x)^(3/2)\*Sqrt[e + f\*x])/(2\*e\*f^2) - ((4\*e\*f\*(3\*b\*e^2 - b\*d\*f - 2\*a\*e\*f) - c\*(15\*e^4 - 6\*d\*e^2\*f - d^2\*f^2))\*ArcTanh[(Sqrt[f]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[e + f\*x])])/(4\*e^(3/2)\*f^(7/2))

### Rule 50

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^n)/(b\*(m + n + 1)), x] + Dist[(n\*(b\*c - a\*d))/(b\*(m + n + 1)), Int[(a + b\*x)^m\*(c + d\*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1)/(d*f*(n + p
+ 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(
n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f
, n, p}, x] && NeQ[n + p + 2, 0]
```

### Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 949

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x
+ c*x^2)^p, d + e*x, x], R = PolynomialRemainder[(a + b*x + c*x^2)^p, d +
e*x, x]}, Simp[(R*(d + e*x)^(m + 1)*(f + g*x)^(n + 1))/((m + 1)*(e*f - d*g)
), x] + Dist[1/((m + 1)*(e*f - d*g)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*Exp
andToSum[(m + 1)*(e*f - d*g)*Qx - g*R*(m + n + 2), x], x], x] /; FreeQ[{a,
b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c
*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex} (a+bx+cx^2)}{(e+fx)^{3/2}} dx &= \frac{2\left(a + \frac{e(ce-bf)}{f^2}\right)(d+ex)^{3/2}}{(e^2-df)\sqrt{e+fx}} + \frac{2\int \frac{\sqrt{d+ex} \left(\frac{f(3be^2-bdf-2aef)-c(3e^3-def)}{2f^2} - \frac{1}{2}c\left(d-\frac{e^2}{f}\right)x\right)}{\sqrt{e+fx}} dx}{e^2-df} \\
&= \frac{2\left(a + \frac{e(ce-bf)}{f^2}\right)(d+ex)^{3/2}}{(e^2-df)\sqrt{e+fx}} + \frac{c(d+ex)^{3/2}\sqrt{e+fx}}{2ef^2} + \frac{(4ef(3be^2-bdf-2aef) - 4e^4c)}{4ef^3(e^2-df)} \\
&= \frac{2\left(a + \frac{e(ce-bf)}{f^2}\right)(d+ex)^{3/2}}{(e^2-df)\sqrt{e+fx}} + \frac{(4ef(3be^2-bdf-2aef) - c(15e^4 - 6de^2f - d^2f^2))}{4ef^3(e^2-df)} \\
&= \frac{2\left(a + \frac{e(ce-bf)}{f^2}\right)(d+ex)^{3/2}}{(e^2-df)\sqrt{e+fx}} + \frac{(4ef(3be^2-bdf-2aef) - c(15e^4 - 6de^2f - d^2f^2))}{4ef^3(e^2-df)} \\
&= \frac{2\left(a + \frac{e(ce-bf)}{f^2}\right)(d+ex)^{3/2}}{(e^2-df)\sqrt{e+fx}} + \frac{(4ef(3be^2-bdf-2aef) - c(15e^4 - 6de^2f - d^2f^2))}{4ef^3(e^2-df)} \\
&= \frac{2\left(a + \frac{e(ce-bf)}{f^2}\right)(d+ex)^{3/2}}{(e^2-df)\sqrt{e+fx}} + \frac{(4ef(3be^2-bdf-2aef) - c(15e^4 - 6de^2f - d^2f^2))}{4ef^3(e^2-df)}
\end{aligned}$$

**Mathematica [A]** time = 1.09, size = 196, normalized size = 0.79

$$\frac{\sqrt{e^2-df} \sqrt{\frac{e(e+fx)}{e^2-df}} \sinh^{-1}\left(\frac{\sqrt{f} \sqrt{d+ex}}{\sqrt{e^2-df}}\right) (4ef(2aef+bd^2-3be^2)+c(-d^2f^2-6de^2f+15e^4))}{e} + \frac{\sqrt{f} \sqrt{d+ex} (4ef(-2af+3be+bf^2)+c(ef(d+2fx^2)+df^2x-15e^3-5e^2fx))}{4ef^{7/2}\sqrt{e+fx}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e\*x]\*(a + b\*x + c\*x^2))/(e + f\*x)^(3/2), x]

[Out] (Sqrt[f]\*Sqrt[d + e\*x]\*(4\*e\*f\*(3\*b\*e - 2\*a\*f + b\*f\*x) + c\*(-15\*e^3 - 5\*e^2\*f\*x + d\*f^2\*x + e\*f\*(d + 2\*f\*x^2))) + (Sqrt[e^2 - d\*f]\*(4\*e\*f\*(-3\*b\*e^2 + b\*d\*f + 2\*a\*e\*f) + c\*(15\*e^4 - 6\*d\*e^2\*f - d^2\*f^2))\*Sqrt[(e\*(e + f\*x))/(e^2 - d\*f)]\*ArcSinh[(Sqrt[f]\*Sqrt[d + e\*x])/Sqrt[e^2 - d\*f]])/e)/(4\*e\*f^(7/2)\*Sqrt[e + f\*x])

**IntegrateAlgebraic [A]** time = 0.50, size = 382, normalized size = 1.53

$$\frac{\tanh^{-1}\left(\frac{\sqrt{f} \sqrt{d+ex}}{\sqrt{e+fx}}\right) (8a^2f^2 + 4bd^2f^2 - 12be^2f - ad^2f^2 - 6cd^2f + 15ce^4)}{4e^{3/2}f^{7/2}} - \frac{\sqrt{d+ex} \left(-\frac{16a^2f^2(d+ex)}{efx} + \frac{8af^4d+ex^2}{(e+fx)^2} + 8ae^3f^2 + \frac{20bd^2f^2(d+ex)}{efx} - \frac{8a^2f^2(d+ex)^2}{(e+fx)^2} + 4bd^2f^2 - \frac{4bd^2f^2(d+ex)}{efx} - 12be^4f - \frac{ce^2f^2(d+ex)}{efx} - ce^2ef^2 - \frac{25ce^4(d+ex)}{efx} + \frac{8c^3f^2(d+ex)^2}{(e+fx)^2} - 6cd^3f + \frac{10ad^2f^2(d+ex)}{efx} + 15ce^4\right)}{4ef^3\sqrt{e+fx} \left(e - \frac{f(d+ex)}{efx}\right)^2}$$



Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[d + e\*x]\*(a + b\*x + c\*x^2))/(e + f\*x)^(3/2),x]

[Out] 
$$-1/4*(\text{Sqrt}[d + e*x]*(15*c*e^5 - 6*c*d*e^3*f - 12*b*e^4*f - c*d^2*e*f^2 + 4*b*d*e^2*f^2 + 8*a*e^3*f^2 + (8*c*e^3*f^2*(d + e*x)^2)/(e + f*x)^2 - (8*b*e^2*f^3*(d + e*x)^2)/(e + f*x)^2 + (8*a*e*f^4*(d + e*x)^2)/(e + f*x)^2 - (25*c*e^4*f*(d + e*x))/(e + f*x) + (10*c*d*e^2*f^2*(d + e*x))/(e + f*x) + (20*b*e^3*f^2*(d + e*x))/(e + f*x) - (c*d^2*f^3*(d + e*x))/(e + f*x) - (4*b*d*e*f^3*(d + e*x))/(e + f*x) - (16*a*e^2*f^3*(d + e*x))/(e + f*x))/(e*f^3*\text{Sqrt}[e + f*x]*(e - (f*(d + e*x))/(e + f*x))^2) + ((15*c*e^4 - 6*c*d*e^2*f - 12*b*e^3*f - c*d^2*f^2 + 4*b*d*e*f^2 + 8*a*e^2*f^2)*\text{ArcTanh}[(\text{Sqrt}[f]*\text{Sqrt}[d + e*x])/(\text{Sqrt}[e]*\text{Sqrt}[e + f*x])])/(4*e^(3/2)*f^(7/2))$$

**fricas** [A] time = 0.98, size = 580, normalized size = 2.33

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)\*(c\*x^2+b\*x+a)/(f\*x+e)^(3/2),x, algorithm="fricas")

[Out] 
$$[1/16*((15*c*e^5 - (c*d^2*e - 4*b*d*e^2 - 8*a*e^3)*f^2 - 6*(c*d*e^3 + 2*b*e^4)*f + (15*c*e^4*f - (c*d^2 - 4*b*d*e - 8*a*e^2)*f^3 - 6*(c*d*e^2 + 2*b*e^3)*f^2)*x)*\text{sqrt}(e*f)*\log(8*e^2*f^2*x^2 + e^4 + 6*d*e^2*f + d^2*f^2 + 4*(2*e*f*x + e^2 + d*f)*\text{sqrt}(e*f)*\text{sqrt}(e*x + d)*\text{sqrt}(f*x + e) + 8*(e^3*f + d*e*f^2)*x) + 4*(2*c*e^2*f^3*x^2 - 15*c*e^4*f - 8*a*e^2*f^3 + (c*d*e^2 + 12*b*e^3)*f^2 - (5*c*e^3*f^2 - (c*d*e + 4*b*e^2)*f^3)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(f*x + e))/(e^2*f^5*x + e^3*f^4), -1/8*((15*c*e^5 - (c*d^2*e - 4*b*d*e^2 - 8*a*e^3)*f^2 - 6*(c*d*e^3 + 2*b*e^4)*f + (15*c*e^4*f - (c*d^2 - 4*b*d*e - 8*a*e^2)*f^3 - 6*(c*d*e^2 + 2*b*e^3)*f^2)*x)*\text{sqrt}(-e*f)*\arctan(1/2*(2*e*f*x + e^2 + d*f)*\text{sqrt}(-e*f)*\text{sqrt}(e*x + d)*\text{sqrt}(f*x + e)/(e^2*f^2*x^2 + d*e^2*f + (e^3*f + d*e*f^2)*x)) - 2*(2*c*e^2*f^3*x^2 - 15*c*e^4*f - 8*a*e^2*f^3 + (c*d*e^2 + 12*b*e^3)*f^2 - (5*c*e^3*f^2 - (c*d*e + 4*b*e^2)*f^3)*x)*\text{sqrt}(e*x + d)*\text{sqrt}(f*x + e)/(e^2*f^5*x + e^3*f^4)]$$

**giac** [A] time = 0.44, size = 237, normalized size = 0.95

$$\frac{(xe + d)\left(\frac{2(xe + d)ce^{23}}{f} - \frac{(3cd^2f^2 - 4bf^4e^2 + 5c^2f^4)e^{23}}{f^3}\right) + \left(\frac{cd^2f^2 - 4bd^2f^2 + 6cd^2f^2e^4 - 8af^4e^4 + 12bf^2e^2 - 15c^2f^2e^{23}}{f^3}\right)\sqrt{xe + d}}{4\sqrt{(xe + d)fe - dfe + e^3}} + \frac{(cd^2f^2 - 4bd^2f^2e + 6cdf^2e^2 - 8af^2e^2 + 12bf^2e^3 - 15ce^4)e^{\left(\frac{3}{2}\right)}\log\left(\left|-\sqrt{xe + d}\sqrt{f}e^{\frac{1}{2}} + \sqrt{(xe + d)fe - dfe + e^3}\right|\right)}{4f^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)\*(c\*x^2+b\*x+a)/(f\*x+e)^(3/2),x, algorithm="giac")

[Out] 
$$1/4*((x*e + d)*(2*(x*e + d)*c*e^{(-1)}/f - (3*c*d*f^4*e^2 - 4*b*f^4*e^3 + 5*c*f^3*e^4)*e^{(-3)}/f^5) + (c*d^2*f^4*e^2 - 4*b*d*f^4*e^3 + 6*c*d*f^3*e^4 - 8*$$

$$a*f^4*e^4 + 12*b*f^3*e^5 - 15*c*f^2*e^6)*e^{(-3)/f^5}*sqrt(x*e + d)/sqrt((x*e + d)*f*e - d*f*e + e^3) + 1/4*(c*d^2*f^2 - 4*b*d*f^2*e + 6*c*d*f*e^2 - 8*a*f^2*e^2 + 12*b*f*e^3 - 15*c*e^4)*e^{(-3/2)*log(abs(-sqrt(x*e + d)*sqrt(f)*e^{(1/2)} + sqrt((x*e + d)*f*e - d*f*e + e^3)))/f^{(7/2)}}$$

**maple [B]** time = 0.04, size = 834, normalized size = 3.35

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(1/2)*(c*x^2+b*x+a)/(f*x+e)^(3/2),x)`

[Out]  $1/8*(e*x+d)^{(1/2)}*(8*\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*x*a*e^2*f^3+4*\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*x*b*d*e*f^3-12*\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*x*b*e^3*f^2-\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*x*c*d^2*f^3-6*\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*x*c*d*e^2*f^2+15*\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*x*c*e^4*f+4*x^2*c*e*f^2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+8*\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*a*e^3*f^2+4*\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*b*d*e^2*f^2-12*\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*b*e^4*f-\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*c*d^2*e*f^2-6*\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*c*d*e^3*f+15*\ln(1/2*(2*e*f*x+2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+d*f+e^2)/(e*f)^{(1/2)})*c*e^5+8*x*b*e*f^2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+2*x*c*d*f^2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}-10*x*c*e^2*f*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}-16*a*e*f^2*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+24*b*e^2*f*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}+2*c*d*e*f*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)}-30*c*e^3*((e*x+d)*(f*x+e))^{(1/2)}*(e*f)^{(1/2)})/(e*f)^{(1/2)}/e/((e*x+d)*(f*x+e))^{(1/2)}/f^3/(f*x+e)^{(1/2)}$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(1/2)*(c*x^2+b*x+a)/(f*x+e)^(3/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*f-e^2>0)', see `assume?` for more details)Is d\*f-e^2 zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{d+ex} (cx^2 + bx + a)}{(e+fx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e\*x)^(1/2)\*(a + b\*x + c\*x^2))/(e + f\*x)^(3/2), x)

[Out] int(((d + e\*x)^(1/2)\*(a + b\*x + c\*x^2))/(e + f\*x)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex} (a + bx + cx^2)}{(e+fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)\*(c\*x\*\*2+b\*x+a)/(f\*x+e)\*\*(3/2), x)

[Out] Integral(sqrt(d + e\*x)\*(a + b\*x + c\*x\*\*2)/(e + f\*x)\*\*(3/2), x)

$$3.586 \quad \int \frac{(d+ex)^{3/2}(15d^2+20dex+8e^2x^2)}{\sqrt{a+bx}} dx$$

**Optimal.** Leaf size=240

$$\frac{(bd - ae)^2 (35a^2e^2 - 90abde + 73b^2d^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{b}\sqrt{d+ex}}\right)}{8b^{9/2}\sqrt{e}} + \frac{\sqrt{a+bx}\sqrt{d+ex}(bd - ae)(35a^2e^2 - 90abde + 73b^2d^2)}{8b^4}$$

**Rubi [A]** time = 0.23, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {951, 80, 50, 63, 217, 206}

$$\frac{\sqrt{a+bx}(d+ex)^{3/2}(35a^2e^2 - 90abde + 73b^2d^2)}{12b^3} + \frac{\sqrt{a+bx}\sqrt{d+ex}(bd - ae)(35a^2e^2 - 90abde + 73b^2d^2)}{8b^4} + \frac{(bd - ae)^2(35a^2e^2 - 90abde + 73b^2d^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{b}\sqrt{d+ex}}\right)}{8b^{9/2}\sqrt{e}} + \frac{2e(a+bx)^{3/2}(d+ex)^{5/2}}{b^2} + \frac{\sqrt{a+bx}(d+ex)^{5/2}(17bd - 13ae)}{3b^2}$$

Antiderivative was successfully verified.

[In] Int[((d + e\*x)^(3/2)\*(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2))/Sqrt[a + b\*x], x]

[Out] ((b\*d - a\*e)\*(73\*b^2\*d^2 - 90\*a\*b\*d\*e + 35\*a^2\*e^2)\*Sqrt[a + b\*x]\*Sqrt[d + e\*x])/(8\*b^4) + ((73\*b^2\*d^2 - 90\*a\*b\*d\*e + 35\*a^2\*e^2)\*Sqrt[a + b\*x]\*(d + e\*x)^(3/2))/(12\*b^3) + ((17\*b\*d - 13\*a\*e)\*Sqrt[a + b\*x]\*(d + e\*x)^(5/2))/(3\*b^2) + (2\*e\*(a + b\*x)^(3/2)\*(d + e\*x)^(5/2))/b^2 + (((b\*d - a\*e)^2\*(73\*b^2\*d^2 - 90\*a\*b\*d\*e + 35\*a^2\*e^2)\*ArcTanh[(Sqrt[e]\*Sqrt[a + b\*x])/(Sqrt[b]\*Sqrt[d + e\*x])])/(8\*b^(9/2)\*Sqrt[e])

### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p
+ 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(
n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f
, n, p}, x] && NeQ[n + p + 2, 0]
```

### Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 951

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(c^p*(d + e*x)^(m + 2*p)*(f + g*x
)^(n + 1))/(g*e^(2*p)*(m + n + 2*p + 1)), x] + Dist[1/(g*e^(2*p)*(m + n + 2
*p + 1)), Int[(d + e*x)^m*(f + g*x)^n*ExpandToSum[g*(m + n + 2*p + 1)*(e^(2
*p)*(a + b*x + c*x^2)^p - c^p*(d + e*x)^(2*p)) - c^p*(e*f - d*g)*(m + 2*p)*
(d + e*x)^(2*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e
*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGt
Q[p, 0] && NeQ[m + n + 2*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{3/2} (15d^2 + 20dex + 8e^2x^2)}{\sqrt{a+bx}} dx &= \frac{2e(a+bx)^{3/2}(d+ex)^{5/2}}{b^2} + \frac{\int \frac{(d+ex)^{3/2} (4e(15b^2d^2 - 3abde - 5a^2e^2) + 4be^2(17bd - 13ae))}{\sqrt{a+bx}}}{4b^2e} \\
&= \frac{(17bd - 13ae)\sqrt{a+bx}(d+ex)^{5/2}}{3b^2} + \frac{2e(a+bx)^{3/2}(d+ex)^{5/2}}{b^2} + \frac{(73b^2d^2 - 90abde + 35a^2e^2)\sqrt{a+bx}(d+ex)^{3/2}}{12b^3} + \frac{(17bd - 13ae)\sqrt{a+bx}}{3b^2} \\
&= \frac{(bd - ae)(73b^2d^2 - 90abde + 35a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{8b^4} + \frac{(73b^2d^2 - 90abde + 35a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{8b^4} + \frac{(73b^2d^2 - 90abde + 35a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{8b^4} + \frac{(73b^2d^2 - 90abde + 35a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{8b^4} \\
&= \frac{(bd - ae)(73b^2d^2 - 90abde + 35a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{8b^4} + \frac{(73b^2d^2 - 90abde + 35a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{8b^4} + \frac{(73b^2d^2 - 90abde + 35a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{8b^4} + \frac{(73b^2d^2 - 90abde + 35a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{8b^4}
\end{aligned}$$

**Mathematica [A]** time = 0.85, size = 204, normalized size = 0.85

$$\frac{\sqrt{d+ex} \left( \frac{3(35a^2e^2 - 90abde + 73b^2d^2)(bd - ae)^{3/2} \sinh^{-1}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{bd - ae}}\right) + \sqrt{a+bx}(-105a^3e^3 + 5a^2b^2(89d + 14ex) - ab^2e(725d^2 + 292dex + 56e^2x^2) + b^3(501d^3 + 466d^2ex + 232de^2x^2 + 48e^3x^3))}{\sqrt{e}\sqrt{\frac{bd+ex}{bd-ae}}} \right)}{24b^4}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e\*x)^(3/2)\*(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2))/Sqrt[a + b\*x], x]

[Out] (Sqrt[d + e\*x]\*(Sqrt[a + b\*x]\*(-105\*a^3\*e^3 + 5\*a^2\*b\*e^2\*(89\*d + 14\*e\*x) - a\*b^2\*e\*(725\*d^2 + 292\*d\*e\*x + 56\*e^2\*x^2) + b^3\*(501\*d^3 + 466\*d^2\*e\*x + 232\*d\*e^2\*x^2 + 48\*e^3\*x^3)) + (3\*(b\*d - a\*e)^(3/2)\*(73\*b^2\*d^2 - 90\*a\*b\*d\*e + 35\*a^2\*e^2)\*ArcSinh[(Sqrt[e]\*Sqrt[a + b\*x])/Sqrt[b\*d - a\*e]])/(Sqrt[e]\*Sqrt[(b\*(d + e\*x))/(b\*d - a\*e)]))/(24\*b^4)

**IntegrateAlgebraic [A]** time = 0.46, size = 367, normalized size = 1.53

$$\frac{(35a^2e^2 - 90abde + 73b^2d^2)(bd - ae)^2 \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{bd - ae}}\right) + \sqrt{a+bx}(bd - ae)^2 \left(279a^2b^3e^2 - \frac{511a^2b^2e^2(e+bx)}{d+ex} - \frac{105a^2b^2(e+bx)^3}{(d+ex)^3} + \frac{385a^2b^4(e+bx)^2}{(d+ex)^2} - \frac{1037a^4d^2(e+bx)}{d+ex} - 690ab^4de + \frac{803b^4d^2(e+bx)^2}{(d+ex)^2} + \frac{1314ab^3d^2(e+bx)}{d+ex} - \frac{219a^2d^2e^2(e+bx)^3}{(d+ex)^3} - \frac{990a^2d^2e^2(e+bx)^2}{(d+ex)^2} + \frac{270abd^4(e+bx)^3}{(d+ex)^3} + 501b^5d^2\right)}{24b^4\sqrt{d+ex}\left(b - \frac{e+bx}{d+ex}\right)^4}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[((d + e*x)^(3/2)*(15*d^2 + 20*d*e*x + 8*e^2*x^2))/Sqrt[a + b*x], x]
```

```
[Out] ((b*d - a*e)^2*Sqrt[a + b*x]*(501*b^5*d^2 - 690*a*b^4*d*e + 279*a^2*b^3*e^2 - (219*b^2*d^2*e^3*(a + b*x)^3)/(d + e*x)^3 + (270*a*b*d*e^4*(a + b*x)^3)/(d + e*x)^3 - (105*a^2*e^5*(a + b*x)^3)/(d + e*x)^3 + (803*b^3*d^2*e^2*(a + b*x)^2)/(d + e*x)^2 - (990*a*b^2*d*e^3*(a + b*x)^2)/(d + e*x)^2 + (385*a^2*b*e^4*(a + b*x)^2)/(d + e*x)^2 - (1037*b^4*d^2*e*(a + b*x))/(d + e*x) + (1314*a*b^3*d*e^2*(a + b*x))/(d + e*x) - (511*a^2*b^2*e^3*(a + b*x))/(d + e*x)))/(24*b^4*Sqrt[d + e*x]*(b - (e*(a + b*x))/(d + e*x))^4) + ((b*d - a*e)^2*(73*b^2*d^2 - 90*a*b*d*e + 35*a^2*e^2)*ArcTanh[(Sqrt[e]*Sqrt[a + b*x])/(Sqrt[b]*Sqrt[d + e*x])])/(8*b^(9/2)*Sqrt[e])
```

**fricas [A]** time = 0.46, size = 546, normalized size = 2.28

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(8*e^2*x^2+20*d*e*x+15*d^2)/(b*x+a)^(1/2), x, algorithm="fricas")
```

```
[Out] [1/96*(3*(73*b^4*d^4 - 236*a*b^3*d^3*e + 288*a^2*b^2*d^2*e^2 - 160*a^3*b*d*e^3 + 35*a^4*e^4)*sqrt(b*e)*log(8*b^2*e^2*x^2 + b^2*d^2 + 6*a*b*d*e + a^2*e^2 + 4*(2*b*e*x + b*d + a*e)*sqrt(b*e)*sqrt(b*x + a)*sqrt(e*x + d) + 8*(b^2*d*e + a*b*e^2)*x) + 4*(48*b^4*e^4*x^3 + 501*b^4*d^3*e - 725*a*b^3*d^2*e^2 + 445*a^2*b^2*d*e^3 - 105*a^3*b*e^4 + 8*(29*b^4*d*e^3 - 7*a*b^3*e^4)*x^2 + 2*(233*b^4*d^2*e^2 - 146*a*b^3*d*e^3 + 35*a^2*b^2*e^4)*x)*sqrt(b*x + a)*sqrt(e*x + d))/(b^5*e), -1/48*(3*(73*b^4*d^4 - 236*a*b^3*d^3*e + 288*a^2*b^2*d^2*e^2 - 160*a^3*b*d*e^3 + 35*a^4*e^4)*sqrt(-b*e)*arctan(1/2*(2*b*e*x + b*d + a*e)*sqrt(-b*e)*sqrt(b*x + a)*sqrt(e*x + d)/(b^2*e^2*x^2 + a*b*d*e + (b^2*d*e + a*b*e^2)*x)) - 2*(48*b^4*e^4*x^3 + 501*b^4*d^3*e - 725*a*b^3*d^2*e^2 + 445*a^2*b^2*d*e^3 - 105*a^3*b*e^4 + 8*(29*b^4*d*e^3 - 7*a*b^3*e^4)*x^2 + 2*(233*b^4*d^2*e^2 - 146*a*b^3*d*e^3 + 35*a^2*b^2*e^4)*x)*sqrt(b*x + a)*sqrt(e*x + d))/(b^5*e)]
```

**giac [B]** time = 0.52, size = 717, normalized size = 2.99

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^(3/2)*(8*e^2*x^2+20*d*e*x+15*d^2)/(b*x+a)^(1/2), x, algorithm="giac")
```

```
[Out] -1/24*(360*((b^2*d - a*b*e)*e^(-1/2)*log(abs(-sqrt(b*x + a)*sqrt(b)*e^(1/2)
+ sqrt(b^2*d + (b*x + a)*b*e - a*b*e))/sqrt(b) - sqrt(b^2*d + (b*x + a)*b
*e - a*b*e)*sqrt(b*x + a))*d^3*abs(b)/b^2 - 28*(sqrt(b^2*d + (b*x + a)*b*e
- a*b*e)*sqrt(b*x + a)*(2*(b*x + a)*(4*(b*x + a)/b^2 + (b^6*d*e^3 - 13*a*b^
5*e^4)*e^(-4)/b^7) - 3*(b^7*d^2*e^2 + 2*a*b^6*d*e^3 - 11*a^2*b^5*e^4)*e^(-4
)/b^7) - 3*(b^3*d^3 + a*b^2*d^2*e + 3*a^2*b*d*e^2 - 5*a^3*e^3)*e^(-5/2)*log
(abs(-sqrt(b*x + a)*sqrt(b)*e^(1/2) + sqrt(b^2*d + (b*x + a)*b*e - a*b*e))
/b^(3/2))*d*abs(b)*e^2/b^2 - 210*((b^3*d^2 + 2*a*b^2*d*e - 3*a^2*b*e^2)*e^(-
3/2)*log(abs(-sqrt(b*x + a)*sqrt(b)*e^(1/2) + sqrt(b^2*d + (b*x + a)*b*e -
a*b*e))/sqrt(b) + sqrt(b^2*d + (b*x + a)*b*e - a*b*e)*(2*b*x + (b*d*e - 5
*a*e^2)*e^(-2) + 2*a)*sqrt(b*x + a))*d^2*abs(b)*e/b^3 - (sqrt(b^2*d + (b*x
+ a)*b*e - a*b*e)*(2*(b*x + a)*(4*(b*x + a)*(6*(b*x + a)/b^3 + (b^12*d*e^5
- 25*a*b^11*e^6)*e^(-6)/b^14) - (5*b^13*d^2*e^4 + 14*a*b^12*d*e^5 - 163*a^2
*b^11*e^6)*e^(-6)/b^14) + 3*(5*b^14*d^3*e^3 + 9*a*b^13*d^2*e^4 + 15*a^2*b^1
2*d*e^5 - 93*a^3*b^11*e^6)*e^(-6)/b^14)*sqrt(b*x + a) + 3*(5*b^4*d^4 + 4*a*
b^3*d^3*e + 6*a^2*b^2*d^2*e^2 + 20*a^3*b*d*e^3 - 35*a^4*e^4)*e^(-7/2)*log(a
bs(-sqrt(b*x + a)*sqrt(b)*e^(1/2) + sqrt(b^2*d + (b*x + a)*b*e - a*b*e)))/b
^(5/2))*abs(b)*e^3/b^2)/b
```

**maple [B]** time = 0.04, size = 571, normalized size = 2.38

---

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x+d)^(3/2)*(8*e^2*x^2+20*d*e*x+15*d^2)/(b*x+a)^(1/2), x)
```

```
[Out] 1/48*(e*x+d)^(1/2)*(b*x+a)^(1/2)*(96*x^3*b^3*e^3*((b*x+a)*(e*x+d))^(1/2)*(b
*e)^(1/2)-112*x^2*a*b^2*e^3*((b*x+a)*(e*x+d))^(1/2)*(b*e)^(1/2)+464*x^2*b^3
*d*e^2*((b*x+a)*(e*x+d))^(1/2)*(b*e)^(1/2)+105*ln(1/2*(2*b*e*x+2*((b*x+a)*(
e*x+d))^(1/2)*(b*e)^(1/2)+a*e+b*d)/(b*e)^(1/2))*a^4*e^4-480*ln(1/2*(2*b*e*x
+2*((b*x+a)*(e*x+d))^(1/2)*(b*e)^(1/2)+a*e+b*d)/(b*e)^(1/2))*a^3*b*d*e^3+86
4*ln(1/2*(2*b*e*x+2*((b*x+a)*(e*x+d))^(1/2)*(b*e)^(1/2)+a*e+b*d)/(b*e)^(1/2
))*a^2*b^2*d^2*e^2-708*ln(1/2*(2*b*e*x+2*((b*x+a)*(e*x+d))^(1/2)*(b*e)^(1/2
)+a*e+b*d)/(b*e)^(1/2))*a*b^3*d^3*e+219*ln(1/2*(2*b*e*x+2*((b*x+a)*(e*x+d))
^(1/2)*(b*e)^(1/2)+a*e+b*d)/(b*e)^(1/2))*b^4*d^4+140*(b*e)^(1/2)*((b*x+a)*(
e*x+d))^(1/2)*x*a^2*b*e^3-584*(b*e)^(1/2)*((b*x+a)*(e*x+d))^(1/2)*x*a*b^2*d
*e^2+932*(b*e)^(1/2)*((b*x+a)*(e*x+d))^(1/2)*x*b^3*d^2*e-210*((b*x+a)*(e*x+
d))^(1/2)*(b*e)^(1/2)*a^3*e^3+890*((b*x+a)*(e*x+d))^(1/2)*(b*e)^(1/2)*a^2*b
*d*e^2-1450*((b*x+a)*(e*x+d))^(1/2)*(b*e)^(1/2)*a*b^2*d^2*e+1002*((b*x+a)*(
e*x+d))^(1/2)*(b*e)^(1/2)*b^3*d^3)/b^4/((b*x+a)*(e*x+d))^(1/2)/(b*e)^(1/2)
```

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((e\*x+d)^(3/2)\*(8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(b\*x+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e-b\*d>0)', see `assume?` for more details)Is a\*e-b\*d zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d+ex)^{3/2} (15d^2 + 20dex + 8e^2x^2)}{\sqrt{a+bx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e\*x)^(3/2)\*(15\*d^2 + 8\*e^2\*x^2 + 20\*d\*e\*x))/(a + b\*x)^(1/2),x)

[Out] int(((d + e\*x)^(3/2)\*(15\*d^2 + 8\*e^2\*x^2 + 20\*d\*e\*x))/(a + b\*x)^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(3/2)\*(8\*e\*\*2\*x\*\*2+20\*d\*e\*x+15\*d\*\*2)/(b\*x+a)\*\*(1/2),x)

[Out] Timed out

$$3.587 \quad \int \frac{\sqrt{d+ex}(15d^2+20dex+8e^2x^2)}{\sqrt{a+bx}} dx$$

**Optimal.** Leaf size=176

$$\frac{(bd - ae)(5a^2e^2 - 13abde + 11b^2d^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{b}\sqrt{d+ex}}\right)}{b^{7/2}\sqrt{e}} + \frac{\sqrt{a+bx}\sqrt{d+ex}(5a^2e^2 - 13abde + 11b^2d^2)}{b^3} + \frac{8e(a+bx)}{b^2}$$

**Rubi [A]** time = 0.17, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {951, 80, 50, 63, 217, 206}

$$\frac{\sqrt{a+bx}\sqrt{d+ex}(5a^2e^2 - 13abde + 11b^2d^2)}{b^3} + \frac{(bd - ae)(5a^2e^2 - 13abde + 11b^2d^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{b}\sqrt{d+ex}}\right)}{b^{7/2}\sqrt{e}} + \frac{8e(a+bx)^{3/2}(d+ex)^{3/2}}{3b^2} + \frac{2\sqrt{a+bx}(d+ex)^{3/2}(4bd - 3ae)}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[d + e\*x]\*(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2))/Sqrt[a + b\*x], x]

[Out] ((11\*b^2\*d^2 - 13\*a\*b\*d\*e + 5\*a^2\*e^2)\*Sqrt[a + b\*x]\*Sqrt[d + e\*x])/b^3 + (2\*(4\*b\*d - 3\*a\*e)\*Sqrt[a + b\*x]\*(d + e\*x)^(3/2))/b^2 + (8\*e\*(a + b\*x)^(3/2)\*(d + e\*x)^(3/2))/(3\*b^2) + ((b\*d - a\*e)\*(11\*b^2\*d^2 - 13\*a\*b\*d\*e + 5\*a^2\*e^2)\*ArcTanh[(Sqrt[e]\*Sqrt[a + b\*x])/(Sqrt[b]\*Sqrt[d + e\*x])])/(b^(7/2)\*Sqrt[e])

### Rule 50

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/
(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b,
c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ
[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n
+ 2, 0] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

### Rule 80

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p
```

+ 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 951

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(c^p\*(d + e\*x)^(m + 2\*p)\*(f + g\*x)^(n + 1))/(g\*e^(2\*p)\*(m + n + 2\*p + 1)), x] + Dist[1/(g\*e^(2\*p)\*(m + n + 2\*p + 1)), Int[(d + e\*x)^m\*(f + g\*x)^n\*ExpandToSum[g\*(m + n + 2\*p + 1)\*(e^(2\*p)\*(a + b\*x + c\*x^2)^p - c^p\*(d + e\*x)^(2\*p)) - c^p\*(e\*f - d\*g)\*(m + 2\*p)\*(d + e\*x)^(2\*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && NeQ[m + n + 2\*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex} (15d^2 + 20dex + 8e^2x^2)}{\sqrt{a+bx}} dx &= \frac{8e(a+bx)^{3/2}(d+ex)^{3/2}}{3b^2} + \frac{\int \frac{\sqrt{d+ex} (3e(3bd-2ae)(5bd+2ae)+12be^2(4bd-3ae)x)}{\sqrt{a+bx}} dx}{3b^2e} \\
&= \frac{2(4bd-3ae)\sqrt{a+bx}(d+ex)^{3/2}}{b^2} + \frac{8e(a+bx)^{3/2}(d+ex)^{3/2}}{3b^2} + \frac{(11b^2d^2 - 13abde + 5a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{b^3} \\
&= \frac{(11b^2d^2 - 13abde + 5a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{b^3} + \frac{2(4bd-3ae)\sqrt{a+bx}(d+ex)^{3/2}}{b^2} \\
&= \frac{(11b^2d^2 - 13abde + 5a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{b^3} + \frac{2(4bd-3ae)\sqrt{a+bx}(d+ex)^{3/2}}{b^2} \\
&= \frac{(11b^2d^2 - 13abde + 5a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{b^3} + \frac{2(4bd-3ae)\sqrt{a+bx}(d+ex)^{3/2}}{b^2} \\
&= \frac{(11b^2d^2 - 13abde + 5a^2e^2)\sqrt{a+bx}\sqrt{d+ex}}{b^3} + \frac{2(4bd-3ae)\sqrt{a+bx}(d+ex)^{3/2}}{b^2}
\end{aligned}$$

**Mathematica [A]** time = 0.44, size = 163, normalized size = 0.93

$$\frac{\sqrt{d+ex} \left( \sqrt{a+bx} (15a^2e^2 - abe(49d + 10ex)) + b^2 (57d^2 + 32dex + 8e^2x^2) \right) + \frac{3\sqrt{bd-ae} (5a^2e^2 - 13abde + 11b^2d^2) \sinh^{-1} \left( \frac{\sqrt{e} \sqrt{a+bx}}{\sqrt{bd-ae}} \right)}{\sqrt{e} \sqrt{\frac{b(d+ex)}{bd-ae}}}}{3b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[d + e\*x]\*(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2))/Sqrt[a + b\*x], x]

[Out] (Sqrt[d + e\*x]\*(Sqrt[a + b\*x]\*(15\*a^2\*e^2 - a\*b\*e\*(49\*d + 10\*e\*x) + b^2\*(57\*d^2 + 32\*d\*e\*x + 8\*e^2\*x^2)) + (3\*Sqrt[b\*d - a\*e]\*(11\*b^2\*d^2 - 13\*a\*b\*d\*e + 5\*a^2\*e^2)\*ArcSinh[(Sqrt[e]\*Sqrt[a + b\*x])/Sqrt[b\*d - a\*e]])/(Sqrt[e]\*Sqrt[(b\*(d + e\*x))/(b\*d - a\*e)])))/(3\*b^3)

**IntegrateAlgebraic [A]** time = 0.67, size = 220, normalized size = 1.25

$$\frac{\sqrt{a + \frac{b(d+ex)}{e}} - \frac{bd}{e} (15a^2e^2\sqrt{d+ex} - 10abe(d+ex)^{3/2} - 39abde\sqrt{d+ex} + 33b^2d^2\sqrt{d+ex} + 8b^2(d+ex)^{5/2} + 16b^2d(d+ex)^{3/2})}{3b^3} - \frac{\sqrt{\frac{e}{e}} (-5a^2e^3 + 18a^2bde^2 - 24ab^2d^2e + 11b^3d^3) \log \left( \sqrt{a + \frac{b(d+ex)}{e}} - \frac{bd}{e} - \sqrt{\frac{e}{e}} \sqrt{d+ex} \right)}{b^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(Sqrt[d + e\*x]\*(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2))/Sqrt[a + b\*x], x]

[Out] (Sqrt[a - (b\*d)/e + (b\*(d + e\*x))/e]\*(33\*b^2\*d^2\*Sqrt[d + e\*x] - 39\*a\*b\*d\*e\*Sqrt[d + e\*x] + 15\*a^2\*e^2\*Sqrt[d + e\*x] + 16\*b^2\*d\*(d + e\*x)^(3/2) - 10\*a\*b\*e\*(d + e\*x)^(3/2) + 8\*b^2\*(d + e\*x)^(5/2)))/(3\*b^3) - (Sqrt[b/e]\*(11\*b^3\*d^3 - 24\*a\*b^2\*d^2\*e + 18\*a^2\*b\*d\*e^2 - 5\*a^3\*e^3)\*Log[-(Sqrt[b/e]\*Sqrt[d + e\*x]) + Sqrt[a - (b\*d)/e + (b\*(d + e\*x))/e]])/b^4

**fricas [A]** time = 0.46, size = 414, normalized size = 2.35

$$\frac{3(11b^3d^3 - 24ab^2d^2e + 18a^2bde^2 - 5a^3e^3)\sqrt{e}\log\left(\frac{\sqrt{d+ex}\sqrt{a-\frac{bd}{e}+\frac{b(d+ex)}{e}}}{\sqrt{d+ex}}\right) + 15a^2e^2\sqrt{d+ex} + 16b^2d(d+ex)^{3/2} - 10abe(d+ex)^{3/2} + 8b^2(d+ex)^{5/2}}{3b^3} - \frac{11b^3d^3 - 24ab^2d^2e + 18a^2bde^2 - 5a^3e^3}{b^4}\sqrt{\frac{b}{e}}\log\left(\frac{\sqrt{d+ex}\sqrt{a-\frac{bd}{e}+\frac{b(d+ex)}{e}}}{\sqrt{d+ex}}\right) + \sqrt{a-\frac{bd}{e}+\frac{b(d+ex)}{e}}}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)\*(8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(b\*x+a)^(1/2), x, algorithm="fricas")

[Out] [-1/12\*(3\*(11\*b^3\*d^3 - 24\*a\*b^2\*d^2\*e + 18\*a^2\*b\*d\*e^2 - 5\*a^3\*e^3)\*sqrt(b\*e)\*log(8\*b^2\*e^2\*x^2 + b^2\*d^2 + 6\*a\*b\*d\*e + a^2\*e^2 - 4\*(2\*b\*e\*x + b\*d + a\*e)\*sqrt(b\*e)\*sqrt(b\*x + a)\*sqrt(e\*x + d) + 8\*(b^2\*d\*e + a\*b\*e^2)\*x) - 4\*(8\*b^3\*e^3\*x^2 + 57\*b^3\*d^2\*e - 49\*a\*b^2\*d\*e^2 + 15\*a^2\*b\*e^3 + 2\*(16\*b^3\*d\*e^2 - 5\*a\*b^2\*e^3)\*x)\*sqrt(b\*x + a)\*sqrt(e\*x + d))/(b^4\*e), -1/6\*(3\*(11\*b^3\*d^3 - 24\*a\*b^2\*d^2\*e + 18\*a^2\*b\*d\*e^2 - 5\*a^3\*e^3)\*sqrt(-b\*e)\*arctan(1/2\*(2\*b\*e\*x + b\*d + a\*e)\*sqrt(-b\*e)\*sqrt(b\*x + a)\*sqrt(e\*x + d)/(b^2\*e^2\*x^2 + a\*b\*d\*e + (b^2\*d\*e + a\*b\*e^2)\*x)) - 2\*(8\*b^3\*e^3\*x^2 + 57\*b^3\*d^2\*e - 49\*a\*b^2\*d\*e^2 + 15\*a^2\*b\*e^3 + 2\*(16\*b^3\*d\*e^2 - 5\*a\*b^2\*e^3)\*x)\*sqrt(b\*x + a)\*sqrt(e\*x + d))/(b^4\*e)]

**giac [B]** time = 0.38, size = 441, normalized size = 2.51

$$\frac{4\left(\frac{(b^2d+bx+a)\sqrt{d+ex}\sqrt{a-\frac{bd}{e}+\frac{b(d+ex)}{e}}}{\sqrt{d+ex}}\right)}{b^2} - \frac{15\left(\frac{(b^2d+bx+a)\sqrt{d+ex}\sqrt{a-\frac{bd}{e}+\frac{b(d+ex)}{e}}}{\sqrt{d+ex}}\right)}{b^2} - \frac{15\left(\frac{(b^2d+bx+a)\sqrt{d+ex}\sqrt{a-\frac{bd}{e}+\frac{b(d+ex)}{e}}}{\sqrt{d+ex}}\right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)\*(8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(b\*x+a)^(1/2), x, algorithm="giac")

[Out] -1/3\*(45\*((b^2\*d - a\*b\*e)\*e^(-1/2)\*log(abs(-sqrt(b\*x + a)\*sqrt(b)\*e^(1/2) + sqrt(b^2\*d + (b\*x + a)\*b\*e - a\*b\*e)))/sqrt(b) - sqrt(b^2\*d + (b\*x + a)\*b\*e - a\*b\*e)\*sqrt(b\*x + a)\*d^2\*abs(b)/b^2 - (sqrt(b^2\*d + (b\*x + a)\*b\*e - a\*b\*e)\*sqrt(b\*x + a)\*(2\*(b\*x + a)\*(4\*(b\*x + a)/b^2 + (b^6\*d\*e^3 - 13\*a\*b^5\*e^4)\*e^(-4)/b^7) - 3\*(b^7\*d^2\*e^2 + 2\*a\*b^6\*d\*e^3 - 11\*a^2\*b^5\*e^4)\*e^(-4)/b^7) - 3\*(b^3\*d^3 + a\*b^2\*d^2\*e + 3\*a^2\*b\*d\*e^2 - 5\*a^3\*e^3)\*e^(-5/2)\*log(abs(-sqrt(b\*x + a)\*sqrt(b)\*e^(1/2) + sqrt(b^2\*d + (b\*x + a)\*b\*e - a\*b\*e)))/b^(3/2))\*abs(b)\*e^2/b^2 - 15\*((b^3\*d^2 + 2\*a\*b^2\*d\*e - 3\*a^2\*b\*e^2)\*e^(-3/2)\*lo

$$\frac{g(\text{abs}(-\sqrt{b*x + a})*\sqrt{b}*e^{1/2} + \sqrt{b^2*d + (b*x + a)*b*e - a*b*e})}{\sqrt{b}} + \sqrt{b^2*d + (b*x + a)*b*e - a*b*e}*(2*b*x + (b*d*e - 5*a*e^2)*e^{-2} + 2*a)*\sqrt{b*x + a})*d*\text{abs}(b)*e/b^3)/b$$

**maple [B]** time = 0.02, size = 392, normalized size = 2.23

$$\frac{\sqrt{a+d}\sqrt{b+d}\left(15a^2b^2\ln\left(\frac{2b\sqrt{a+d}\sqrt{b+d}+d\sqrt{a+d}}{2b\sqrt{a+d}\sqrt{b+d}}\right)-54a^2bd^2\ln\left(\frac{2b\sqrt{a+d}\sqrt{b+d}+d\sqrt{a+d}}{2b\sqrt{a+d}\sqrt{b+d}}\right)+72a^2b^2d^2\ln\left(\frac{2b\sqrt{a+d}\sqrt{b+d}+d\sqrt{a+d}}{2b\sqrt{a+d}\sqrt{b+d}}\right)-33b^2d^2\ln\left(\frac{2b\sqrt{a+d}\sqrt{b+d}+d\sqrt{a+d}}{2b\sqrt{a+d}\sqrt{b+d}}\right)\right)-16\sqrt{b(a+d)}\sqrt{d}\sqrt{b^2d^2+20bd^2e+20bd^2e+20bd^2e+20bd^2e}-64\sqrt{b(a+d)}\sqrt{d}\sqrt{b^2d^2+20bd^2e+20bd^2e+20bd^2e+20bd^2e}-30\sqrt{b(a+d)}\sqrt{d}\sqrt{b^2d^2+20bd^2e+20bd^2e+20bd^2e+20bd^2e}+98\sqrt{b(a+d)}\sqrt{d}\sqrt{b^2d^2+20bd^2e+20bd^2e+20bd^2e+20bd^2e}-114\sqrt{b(a+d)}\sqrt{d}\sqrt{b^2d^2+20bd^2e+20bd^2e+20bd^2e+20bd^2e}}{a\sqrt{b(a+d)}\sqrt{d}\sqrt{b^2d^2+20bd^2e+20bd^2e+20bd^2e+20bd^2e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(1/2)\*(8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(b\*x+a)^(1/2),x)

[Out] 
$$-1/6*(e*x+d)^{(1/2)}*(b*x+a)^{(1/2)}*(-16*x^2*b^2*e^2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}+15*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)})*a^3*e^3-54*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)})*a^2*b*d*e^2+72*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)})*a*b^2*d^2*e-33*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)})*b^3*d^3+20*(b*e)^{(1/2)}*((b*x+a)*(e*x+d))^{(1/2)}*x*a*b*e^2-64*(b*e)^{(1/2)}*((b*x+a)*(e*x+d))^{(1/2)}*x*b^2*d*e-30*(b*e)^{(1/2)}*((b*x+a)*(e*x+d))^{(1/2)}*a^2*e^2+98*(b*e)^{(1/2)}*((b*x+a)*(e*x+d))^{(1/2)}*a*b*d*e-114*(b*e)^{(1/2)}*((b*x+a)*(e*x+d))^{(1/2)}*b^2*d^2)/b^3/((b*x+a)*(e*x+d))^{(1/2)}/(b*e)^{(1/2)}$$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)\*(8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(b\*x+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e-b\*d>0)', see `assume?` for more details)Is a\*e-b\*d zero or nonzero?

**mupad [B]** time = 73.15, size = 1797, normalized size = 10.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e\*x)^(1/2)\*(15\*d^2 + 8\*e^2\*x^2 + 20\*d\*e\*x))/(a + b\*x)^(1/2),x)

[Out] 
$$\frac{(((a + b*x)^{(1/2)} - a^{(1/2)})^3*(70*b^2*d^3 + 110*a^2*d*e^2 + 460*a*b*d^2*e))/((e^3*((d + e*x)^{(1/2)} - d^{(1/2)})^3) + (((a + b*x)^{(1/2)} - a^{(1/2)})*(10*b^3*d^3 + 20*a*b^2*d^2*e - 30*a^2*b*d*e^2)))/((e^4*((d + e*x)^{(1/2)} - d^{(1/2)}))$$

$$\begin{aligned}
& ) - (160*a^{(1/2)}*d^{(5/2)}*((a + b*x)^{(1/2)} - a^{(1/2)})^6)/(e*((d + e*x)^{(1/2)} \\
& - d^{(1/2)})^6) + (((a + b*x)^{(1/2)} - a^{(1/2)})^7*(10*b^2*d^3 - 30*a^2*d*e^2 \\
& + 20*a*b*d^2*e))/(b^2*e*((d + e*x)^{(1/2)} - d^{(1/2)})^7) + (((a + b*x)^{(1/2)} \\
& - a^{(1/2)})^5*(70*b^2*d^3 + 110*a^2*d*e^2 + 460*a*b*d^2*e))/(b*e^2*((d + e*x) \\
& )^{(1/2)} - d^{(1/2)})^5) - (a^{(1/2)}*d^{(1/2)}*(320*b*d^2 + 640*a*d*e)*((a + b*x) \\
& )^{(1/2)} - a^{(1/2)})^4)/(e^2*((d + e*x)^{(1/2)} - d^{(1/2)})^4) - (160*a^{(1/2)}*b^2 \\
& *d^{(5/2)}*((a + b*x)^{(1/2)} - a^{(1/2)})^2)/(e^3*((d + e*x)^{(1/2)} - d^{(1/2)})^2) \\
& )/(((a + b*x)^{(1/2)} - a^{(1/2)})^8/((d + e*x)^{(1/2)} - d^{(1/2)})^8 + b^4/e^4 - \\
& (4*b^3*((a + b*x)^{(1/2)} - a^{(1/2)})^2)/(e^3*((d + e*x)^{(1/2)} - d^{(1/2)})^2) + \\
& (6*b^2*((a + b*x)^{(1/2)} - a^{(1/2)})^4)/(e^2*((d + e*x)^{(1/2)} - d^{(1/2)})^4) \\
& - (4*b*((a + b*x)^{(1/2)} - a^{(1/2)})^6)/(e*((d + e*x)^{(1/2)} - d^{(1/2)})^6)) - \\
& (((a + b*x)^{(1/2)} - a^{(1/2)})*(2*b^5*d^3 - 10*a^3*b^2*e^3 + 6*a^2*b^3*d*e^2 \\
& + 2*a*b^4*d^2*e))/(e^6*((d + e*x)^{(1/2)} - d^{(1/2)})) - (((a + b*x)^{(1/2)} - \\
& a^{(1/2)})^5*(132*a^3*e^3 + 76*b^3*d^3 + 1100*a*b^2*d^2*e + 1252*a^2*b*d*e^2) \\
& )/(e^4*((d + e*x)^{(1/2)} - d^{(1/2)})^5) - (((a + b*x)^{(1/2)} - a^{(1/2)})^3*((34 \\
& *b^4*d^3)/3 - (170*a^3*b*e^3)/3 + 34*a^2*b^2*d*e^2 + 182*a*b^3*d^2*e))/(e^5 \\
& *((d + e*x)^{(1/2)} - d^{(1/2)})^3) + (((a + b*x)^{(1/2)} - a^{(1/2)})^11*(2*b^3*d^3 \\
& - 10*a^3*e^3 + 2*a*b^2*d^2*e + 6*a^2*b*d*e^2))/(b^3*e*((d + e*x)^{(1/2)} - \\
& d^{(1/2)})^11) - (((a + b*x)^{(1/2)} - a^{(1/2)})^9*((34*b^3*d^3)/3 - (170*a^3*e^3 \\
& )/3 + 182*a*b^2*d^2*e + 34*a^2*b*d*e^2))/(b^2*e^2*((d + e*x)^{(1/2)} - d^{(1/2)})^9) - \\
& (((a + b*x)^{(1/2)} - a^{(1/2)})^7*(132*a^3*e^3 + 76*b^3*d^3 + 1100*a* \\
& b^2*d^2*e + 1252*a^2*b*d*e^2))/(b*e^3*((d + e*x)^{(1/2)} - d^{(1/2)})^7) + (a^{( \\
& 1/2)}*d^{(1/2)}*((a + b*x)^{(1/2)} - a^{(1/2)})^6*(1024*a^2*e^2 + 512*b^2*d^2 + (5 \\
& 632*a*b*d*e)/3))/(e^3*((d + e*x)^{(1/2)} - d^{(1/2)})^6) + (a^{(1/2)}*d^{(1/2)}*(25 \\
& 6*b*d^2 + 768*a*d*e)*((a + b*x)^{(1/2)} - a^{(1/2)})^8)/(e^2*((d + e*x)^{(1/2)} - \\
& d^{(1/2)})^8) + (a^{(1/2)}*d^{(1/2)}*(256*b^3*d^2 + 768*a*b^2*d*e)*((a + b*x)^{(1 \\
& /2)} - a^{(1/2)})^4)/(e^4*((d + e*x)^{(1/2)} - d^{(1/2)})^4))/(((a + b*x)^{(1/2)} - \\
& a^{(1/2)})^12/((d + e*x)^{(1/2)} - d^{(1/2)})^12 + b^6/e^6 - (6*b^5*((a + b*x)^{(1 \\
& /2)} - a^{(1/2)})^2)/(e^5*((d + e*x)^{(1/2)} - d^{(1/2)})^2) + (15*b^4*((a + b*x)^{( \\
& 1/2)} - a^{(1/2)})^4)/(e^4*((d + e*x)^{(1/2)} - d^{(1/2)})^4) - (20*b^3*((a + b*x) \\
& )^{(1/2)} - a^{(1/2)})^6)/(e^3*((d + e*x)^{(1/2)} - d^{(1/2)})^6) + (15*b^2*((a + b \\
& *x)^{(1/2)} - a^{(1/2)})^8)/(e^2*((d + e*x)^{(1/2)} - d^{(1/2)})^8) - (6*b*((a + b* \\
& x)^{(1/2)} - a^{(1/2)})^10)/(e*((d + e*x)^{(1/2)} - d^{(1/2)})^10)) + (((30*b*d^3 + \\
& 30*a*d^2*e)*((a + b*x)^{(1/2)} - a^{(1/2)}))/(e^2*((d + e*x)^{(1/2)} - d^{(1/2)})) \\
& - (120*a^{(1/2)}*d^{(5/2)}*((a + b*x)^{(1/2)} - a^{(1/2)})^2)/(e*((d + e*x)^{(1/2)} \\
& - d^{(1/2)})^2) + ((30*b*d^3 + 30*a*d^2*e)*((a + b*x)^{(1/2)} - a^{(1/2)})^3)/(b* \\
& e*((d + e*x)^{(1/2)} - d^{(1/2)})^3))/(((a + b*x)^{(1/2)} - a^{(1/2)})^4/((d + e*x) \\
& )^{(1/2)} - d^{(1/2)})^4 + b^2/e^2 - (2*b*((a + b*x)^{(1/2)} - a^{(1/2)})^2)/(e*((d \\
& + e*x)^{(1/2)} - d^{(1/2)})^2)) - (2*atanh((e^{(1/2)}*((a + b*x)^{(1/2)} - a^{(1/2)})) \\
& )/(b^{(1/2)}*((d + e*x)^{(1/2)} - d^{(1/2)})))*(a*e - b*d)*(5*a^2*e^2 + b^2*d^2 + \\
& 2*a*b*d*e))/(b^{(7/2)}*e^{(1/2)}) - (30*d^2*atanh((e^{(1/2)}*((a + b*x)^{(1/2)} - \\
& a^{(1/2)})))/(b^{(1/2)}*((d + e*x)^{(1/2)} - d^{(1/2)})))*(a*e - b*d))/(b^{(3/2)}*e^{(1 \\
& /2)}) + (10*d*atanh((e^{(1/2)}*((a + b*x)^{(1/2)} - a^{(1/2)})))/(b^{(1/2)}*((d + e*x) \\
& )^{(1/2)} - d^{(1/2)})))*(a*e - b*d)*(3*a*e + b*d))/(b^{(5/2)}*e^{(1/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)\*(8\*e\*\*2\*x\*\*2+20\*d\*e\*x+15\*d\*\*2)/(b\*x+a)\*\*(1/2),x)

[Out] Timed out



$$3.588 \quad \int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a+bx} \sqrt{d+ex}} dx$$

**Optimal.** Leaf size=122

$$\frac{2(3a^2e^2 - 8abde + 8b^2d^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{b}\sqrt{d+ex}}\right)}{b^{5/2}\sqrt{e}} + \frac{4e(a+bx)^{3/2}\sqrt{d+ex}}{b^2} + \frac{2\sqrt{a+bx}\sqrt{d+ex}(7bd-5ae)}{b^2}$$

**Rubi [A]** time = 0.12, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$ , Rules used = {951, 80, 63, 217, 206}

$$\frac{2(3a^2e^2 - 8abde + 8b^2d^2) \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{b}\sqrt{d+ex}}\right)}{b^{5/2}\sqrt{e}} + \frac{4e(a+bx)^{3/2}\sqrt{d+ex}}{b^2} + \frac{2\sqrt{a+bx}\sqrt{d+ex}(7bd-5ae)}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*Sqrt[d + e\*x]),x]

[Out] (2\*(7\*b\*d - 5\*a\*e)\*Sqrt[a + b\*x]\*Sqrt[d + e\*x])/b^2 + (4\*e\*(a + b\*x)^(3/2)\*Sqrt[d + e\*x])/b^2 + (2\*(8\*b^2\*d^2 - 8\*a\*b\*d\*e + 3\*a^2\*e^2)\*ArcTanh[(Sqrt[e]\*Sqrt[a + b\*x])/(Sqrt[b]\*Sqrt[d + e\*x])])/(b^(5/2)\*Sqrt[e])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

Rule 951

`Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(c^p*(d + e*x)^(m + 2*p)*(f + g*x)^(n + 1))/(g*e^(2*p)*(m + n + 2*p + 1)), x] + Dist[1/(g*e^(2*p)*(m + n + 2*p + 1)), Int[(d + e*x)^m*(f + g*x)^n*ExpandToSum[g*(m + n + 2*p + 1)*(e^(2*p)*(a + b*x + c*x^2)^p - c^p*(d + e*x)^(2*p)) - c^p*(e*f - d*g)*(m + 2*p)*(d + e*x)^(2*p - 1), x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && NeQ[m + n + 2*p + 1, 0] && (IntegerQ[n] || !IntegerQ[m])`

Rubi steps

$$\begin{aligned} \int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a + bx} \sqrt{d + ex}} dx &= \frac{4e(a + bx)^{3/2} \sqrt{d + ex}}{b^2} + \frac{\int \frac{2e(15b^2d^2 - 6abde - 2a^2e^2) + 4be^2(7bd - 5ae)x}{\sqrt{a + bx} \sqrt{d + ex}} dx}{2b^2e} \\ &= \frac{2(7bd - 5ae) \sqrt{a + bx} \sqrt{d + ex}}{b^2} + \frac{4e(a + bx)^{3/2} \sqrt{d + ex}}{b^2} + \frac{(8b^2d^2 - 8abde + 3a^2e^2)}{b^2} \\ &= \frac{2(7bd - 5ae) \sqrt{a + bx} \sqrt{d + ex}}{b^2} + \frac{4e(a + bx)^{3/2} \sqrt{d + ex}}{b^2} + \frac{2(8b^2d^2 - 8abde + 3a^2e^2)}{b^2} \\ &= \frac{2(7bd - 5ae) \sqrt{a + bx} \sqrt{d + ex}}{b^2} + \frac{4e(a + bx)^{3/2} \sqrt{d + ex}}{b^2} + \frac{2(8b^2d^2 - 8abde + 3a^2e^2)}{b^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.41, size = 135, normalized size = 1.11

$$\frac{2 \left( \frac{\sqrt{bd-ae} (3a^2e^2 - 8abde + 8b^2d^2) \sqrt{\frac{b(d+ex)}{bd-ae}} \sinh^{-1} \left( \frac{\sqrt{e} \sqrt{a+bx}}{\sqrt{bd-ae}} \right) + b \sqrt{a+bx} (d+ex) (-3ae + 7bd + 2bex)}{\sqrt{e}} \right)}{b^3 \sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Integrate[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*Sqrt[d + e\*x]),x]

[Out] (2\*(b\*Sqrt[a + b\*x]\*(d + e\*x)\*(7\*b\*d - 3\*a\*e + 2\*b\*e\*x) + (Sqrt[b\*d - a\*e]\*(8\*b^2\*d^2 - 8\*a\*b\*d\*e + 3\*a^2\*e^2)\*Sqrt[(b\*(d + e\*x))/(b\*d - a\*e)]\*ArcSinh[(Sqrt[e]\*Sqrt[a + b\*x])/Sqrt[b\*d - a\*e]]/Sqrt[e]))/(b^3\*Sqrt[d + e\*x])

**IntegrateAlgebraic [A]** time = 0.29, size = 196, normalized size = 1.61

$$\frac{2(3a^2e^2 - 8abde + 8b^2d^2) \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{d+ex}}{\sqrt{e}\sqrt{a+bx}}\right) + 2\sqrt{d+ex} \left(\frac{5a^2be^2(d+ex)}{a+bx} - 3a^2e^3 + \frac{7b^3d^2(d+ex)}{a+bx} - \frac{12ab^2de(d+ex)}{a+bx} + 8abde^2 - 5b^2d^2e\right)}{b^{5/2}\sqrt{e} \left(b^2\sqrt{a+bx} \left(\frac{b(d+ex)}{a+bx} - e\right)^2\right)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*Sqrt[d + e\*x]),x]

[Out] (2\*Sqrt[d + e\*x]\*(-5\*b^2\*d^2\*e + 8\*a\*b\*d\*e^2 - 3\*a^2\*e^3 + (7\*b^3\*d^2\*(d + e\*x))/(a + b\*x) - (12\*a\*b^2\*d\*e\*(d + e\*x))/(a + b\*x) + (5\*a^2\*b\*e^2\*(d + e\*x))/(a + b\*x)))/(b^2\*Sqrt[a + b\*x]\*(-e + (b\*(d + e\*x))/(a + b\*x))^2) + (2\*(8\*b^2\*d^2 - 8\*a\*b\*d\*e + 3\*a^2\*e^2)\*ArcTanh[(Sqrt[b]\*Sqrt[d + e\*x])/Sqrt[e]\*Sqrt[a + b\*x]])/(b^(5/2)\*Sqrt[e])

**fricas [A]** time = 0.55, size = 308, normalized size = 2.52

$$\frac{(8b^2d^2 - 8abde + 3a^2e^2)\sqrt{e} \log\left(\frac{8b^2d^2x^2 + 12b^2d^2x + 6abde + a^2e^2 + 4(2bex + bd + ae)\sqrt{e}\sqrt{bx+a}\sqrt{d+e} + 8(b^2de + abe^2)x}{2b^2e}\right) + 4(2b^2e^2x + 7b^2de - 3abe^2)\sqrt{e}\sqrt{bx+a}\sqrt{d+e} - (8b^2d^2 - 8abde + 3a^2e^2)\sqrt{-be} \arctan\left(\frac{2bex + bd + ae + \sqrt{e}\sqrt{bx+a}\sqrt{d+e}}{2(b^2d^2 + abe + a^2e^2)}\right) - 2(2b^2e^2x + 7b^2de - 3abe^2)\sqrt{e}\sqrt{bx+a}\sqrt{d+e}}{b^5e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(1/2)/(b\*x+a)^(1/2),x, algorithm="fricas")

[Out] [1/2\*((8\*b^2\*d^2 - 8\*a\*b\*d\*e + 3\*a^2\*e^2)\*sqrt(b\*e)\*log(8\*b^2\*e^2\*x^2 + b^2\*d^2 + 6\*a\*b\*d\*e + a^2\*e^2 + 4\*(2\*b\*e\*x + b\*d + a\*e)\*sqrt(b\*e)\*sqrt(b\*x + a)\*sqrt(e\*x + d) + 8\*(b^2\*d\*e + a\*b\*e^2)\*x) + 4\*(2\*b^2\*e^2\*x + 7\*b^2\*d\*e - 3\*a\*b\*e^2)\*sqrt(b\*x + a)\*sqrt(e\*x + d))/(b^3\*e), -((8\*b^2\*d^2 - 8\*a\*b\*d\*e + 3\*a^2\*e^2)\*sqrt(-b\*e)\*arctan(1/2\*(2\*b\*e\*x + b\*d + a\*e)\*sqrt(-b\*e)\*sqrt(b\*x + a)\*sqrt(e\*x + d)/(b^2\*e^2\*x^2 + a\*b\*d\*e + (b^2\*d\*e + a\*b\*e^2)\*x)) - 2\*(2\*b^2\*e^2\*x + 7\*b^2\*d\*e - 3\*a\*b\*e^2)\*sqrt(b\*x + a)\*sqrt(e\*x + d))/(b^3\*e)]

**giac [A]** time = 0.24, size = 145, normalized size = 1.19

$$\frac{2 \left( \sqrt{b^2d + (bx+a)be - abe} \sqrt{bx+a} \left( \frac{2(bx+a)e}{b^3} + \frac{(7b^6de^2 - 5ab^5e^3)e^{(-2)}}{b^8} \right) - \frac{(8b^2d^2 - 8abde + 3a^2e^2)e^{(-\frac{1}{2})} \log \left( \left| -\sqrt{bx+a} \sqrt{be^{\frac{1}{2}} + \sqrt{b^2d + (bx+a)be - abe}} \right| \right)}{b^{\frac{5}{2}}} \right)}{|b|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(1/2)/(b\*x+a)^(1/2),x, algorithm="giac")

[Out]  $2*(\sqrt{b^2*d + (b*x + a)*b*e - a*b*e}*\sqrt{b*x + a}*(2*(b*x + a)*e/b^3 + (7*b^6*d*e^2 - 5*a*b^5*e^3)*e^{-2}/b^8) - (8*b^2*d^2 - 8*a*b*d*e + 3*a^2*e^2)*e^{-1/2}*\log(\text{abs}(-\sqrt{b*x + a})*\sqrt{b}*e^{1/2} + \sqrt{b^2*d + (b*x + a)*b*e - a*b*e}))/b^{5/2})*b/\text{abs}(b)$

**maple [B]** time = 0.03, size = 247, normalized size = 2.02

$$\frac{(3d^2 \ln\left(\frac{2bex+ae+bd+2\sqrt{(bx+a)(ex+d)}\sqrt{bc}}{2\sqrt{bc}}\right) - 8abde \ln\left(\frac{2bex+ae+bd+2\sqrt{(bx+a)(ex+d)}\sqrt{bc}}{2\sqrt{bc}}\right) + 8b^2d^2 \ln\left(\frac{2bex+ae+bd+2\sqrt{(bx+a)(ex+d)}\sqrt{bc}}{2\sqrt{bc}}\right) + 4\sqrt{bc}\sqrt{(bx+a)(ex+d)}bex - 6\sqrt{bc}\sqrt{(bx+a)(ex+d)}ae + 14\sqrt{bc}\sqrt{(bx+a)(ex+d)}bd)\sqrt{ex+d}\sqrt{bx+a}}{\sqrt{bc}\sqrt{(bx+a)(ex+d)}b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(1/2)/(b\*x+a)^(1/2),x)

[Out]  $(3*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{1/2}*(b*e)^{1/2}))/((b*e)^{1/2}) + (3*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{1/2}*(b*e)^{1/2}))/((b*e)^{1/2}))*a^2*e^2 - 8*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{1/2}*(b*e)^{1/2}))/((b*e)^{1/2}))*a*b*d*e + 8*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{1/2}*(b*e)^{1/2}))/((b*e)^{1/2}))*b^2*d^2 + 4*((b*x+a)*(e*x+d))^{1/2}*(b*e)^{1/2}*x*b*e - 6*((b*x+a)*(e*x+d))^{1/2}*(b*e)^{1/2}*a*e + 14*((b*x+a)*(e*x+d))^{1/2}*(b*e)^{1/2}*a*b*d)/((b*x+a)*(e*x+d))^{1/2}/b^2$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(1/2)/(b\*x+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e-b\*d>0)', see `assume?` for more details)Is a\*e-b\*d zero or nonzero?

**mupad [B]** time = 20.64, size = 893, normalized size = 7.32

$$\frac{\frac{\sqrt{b^2 d + (b x + a) b e - a b e} \sqrt{b x + a} \left( 2 (b x + a) e / b^3 + (7 b^6 d e^2 - 5 a b^5 e^3) e^{-2} / b^8 \right) - (8 b^2 d^2 - 8 a b d e + 3 a^2 e^2) e^{-1/2} \log(\text{abs}(-\sqrt{b x + a}) \sqrt{b} e^{1/2} + \sqrt{b^2 d + (b x + a) b e - a b e})}{b^{5/2}} b}{\text{abs}(b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((15\*d^2 + 8\*e^2\*x^2 + 20\*d\*e\*x)/((a + b\*x)^(1/2)\*(d + e\*x)^(1/2)),x)

```
[Out] (((40*b*d^2 + 40*a*d*e)*((a + b*x)^(1/2) - a^(1/2)))/(e^2*((d + e*x)^(1/2) - d^(1/2))) - (160*a^(1/2)*d^(3/2)*((a + b*x)^(1/2) - a^(1/2))^2)/(e*((d + e*x)^(1/2) - d^(1/2))^2) + ((40*b*d^2 + 40*a*d*e)*((a + b*x)^(1/2) - a^(1/2))^3)/(b*e*((d + e*x)^(1/2) - d^(1/2))^3))/(((a + b*x)^(1/2) - a^(1/2))^4/((d + e*x)^(1/2) - d^(1/2))^4 + b^2/e^2 - (2*b*((a + b*x)^(1/2) - a^(1/2))^2)/(e*((d + e*x)^(1/2) - d^(1/2))^2)) - (((a + b*x)^(1/2) - a^(1/2))*(12*b^3*d^2 + 12*a^2*b*e^2 + 8*a*b^2*d*e))/(e^4*((d + e*x)^(1/2) - d^(1/2))) - (((a + b*x)^(1/2) - a^(1/2))^3*(44*a^2*e^2 + 44*b^2*d^2 + 200*a*b*d*e))/(e^3*((d + e*x)^(1/2) - d^(1/2))^3) + (((a + b*x)^(1/2) - a^(1/2))^7*(12*a^2*e^2 + 12*b^2*d^2 + 8*a*b*d*e))/(b^2*e*((d + e*x)^(1/2) - d^(1/2))^7) - (((a + b*x)^(1/2) - a^(1/2))^5*(44*a^2*e^2 + 44*b^2*d^2 + 200*a*b*d*e))/(b*e^2*((d + e*x)^(1/2) - d^(1/2))^5) + (a^(1/2)*d^(1/2)*(256*a*e + 256*b*d)*((a + b*x)^(1/2) - a^(1/2))^4)/(e^2*((d + e*x)^(1/2) - d^(1/2))^4))/(((a + b*x)^(1/2) - a^(1/2))^8/((d + e*x)^(1/2) - d^(1/2))^8 + b^4/e^4 - (4*b^3*((a + b*x)^(1/2) - a^(1/2))^2)/(e^3*((d + e*x)^(1/2) - d^(1/2))^2) + (6*b^2*((a + b*x)^(1/2) - a^(1/2))^4)/(e^2*((d + e*x)^(1/2) - d^(1/2))^4) - (4*b*((a + b*x)^(1/2) - a^(1/2))^6)/(e*((d + e*x)^(1/2) - d^(1/2))^6)) - (60*d^2*atan((b*((d + e*x)^(1/2) - d^(1/2)))/((-b*e)^(1/2)*((a + b*x)^(1/2) - a^(1/2)))))/((-b*e)^(1/2) - (2*log((e^(1/2)*((a + b*x)^(1/2) - a^(1/2)))/((d + e*x)^(1/2) - d^(1/2)) - b^(1/2))*((3*a^2*e^2 + 3*b^2*d^2 + 2*a*b*d*e))/(b^(5/2)*e^(1/2)) + (log(b^(1/2) + (e^(1/2)*((a + b*x)^(1/2) - a^(1/2)))/((d + e*x)^(1/2) - d^(1/2)))*(6*a^2*e^2 + 6*b^2*d^2 + 4*a*b*d*e))/(b^(5/2)*e^(1/2)) - (40*d*a*tanh((e^(1/2)*((a + b*x)^(1/2) - a^(1/2)))/((d + e*x)^(1/2) - d^(1/2))))*(a*e + b*d))/(b^(3/2)*e^(1/2))
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a + bx}\sqrt{d + ex}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((8*e**2*x**2+20*d*e*x+15*d**2)/(e*x+d)**(1/2)/(b*x+a)**(1/2),x)
```

```
[Out] Integral((15*d**2 + 20*d*e*x + 8*e**2*x**2)/(sqrt(a + b*x)*sqrt(d + e*x)), x)
```

$$3.589 \quad \int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a+bx}(d+ex)^{3/2}} dx$$

Optimal. Leaf size=108

$$\frac{8(2bd - ae) \tanh^{-1} \left( \frac{\sqrt{e} \sqrt{a+bx}}{\sqrt{b} \sqrt{d+ex}} \right)}{b^{3/2} \sqrt{e}} + \frac{6d^2 \sqrt{a+bx}}{\sqrt{d+ex}(bd - ae)} + \frac{8\sqrt{a+bx} \sqrt{d+ex}}{b}$$

**Rubi [A]** time = 0.12, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$ , Rules used = {949, 80, 63, 217, 206}

$$\frac{8(2bd - ae) \tanh^{-1} \left( \frac{\sqrt{e} \sqrt{a+bx}}{\sqrt{b} \sqrt{d+ex}} \right)}{b^{3/2} \sqrt{e}} + \frac{6d^2 \sqrt{a+bx}}{\sqrt{d+ex}(bd - ae)} + \frac{8\sqrt{a+bx} \sqrt{d+ex}}{b}$$

Antiderivative was successfully verified.

[In] Int[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(3/2)),x]

[Out] (6\*d^2\*Sqrt[a + b\*x])/((b\*d - a\*e)\*Sqrt[d + e\*x]) + (8\*Sqrt[a + b\*x]\*Sqrt[d + e\*x])/b + (8\*(2\*b\*d - a\*e)\*ArcTanh[(Sqrt[e]\*Sqrt[a + b\*x])/(Sqrt[b]\*Sqrt[d + e\*x])])/(b^(3/2)\*Sqrt[e])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 80

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] :> Simp[(b\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(d\*f\*(n + p + 2)), x] + Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(d\*f\*(n + p + 2)), Int[(c + d\*x)^n\*(e + f\*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

Q[a, 0] || LtQ[b, 0])

### Rule 217

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 949

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{Qx = PolynomialQuotient[(a + b\*x + c\*x^2)^p, d + e\*x, x], R = PolynomialRemainder[(a + b\*x + c\*x^2)^p, d + e\*x, x]}, Simp[(R\*(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1))/((m + 1)\*(e\*f - d\*g)), x] + Dist[1/((m + 1)\*(e\*f - d\*g)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^n\*ExpandToSum[(m + 1)\*(e\*f - d\*g)\*Qx - g\*R\*(m + n + 2), x], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && LtQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a+bx}(d+ex)^{3/2}} dx &= \frac{6d^2\sqrt{a+bx}}{(bd-ae)\sqrt{d+ex}} + \frac{2 \int \frac{6d(bd-ae)+4e(bd-ae)x}{\sqrt{a+bx}\sqrt{d+ex}} dx}{bd-ae} \\
 &= \frac{6d^2\sqrt{a+bx}}{(bd-ae)\sqrt{d+ex}} + \frac{8\sqrt{a+bx}\sqrt{d+ex}}{b} + \frac{(4(2bd-ae)) \int \frac{1}{\sqrt{a+bx}\sqrt{d+ex}} dx}{b} \\
 &= \frac{6d^2\sqrt{a+bx}}{(bd-ae)\sqrt{d+ex}} + \frac{8\sqrt{a+bx}\sqrt{d+ex}}{b} + \frac{(8(2bd-ae)) \operatorname{Subst} \left( \int \frac{1}{\sqrt{d-\frac{ae}{b}+\frac{ex^2}{b}}} dx, x, \frac{\sqrt{a+bx}}{\sqrt{d+ex}} \right)}{b^2} \\
 &= \frac{6d^2\sqrt{a+bx}}{(bd-ae)\sqrt{d+ex}} + \frac{8\sqrt{a+bx}\sqrt{d+ex}}{b} + \frac{(8(2bd-ae)) \operatorname{Subst} \left( \int \frac{1}{1-\frac{ex^2}{b}} dx, x, \frac{\sqrt{a+bx}}{\sqrt{d+ex}} \right)}{b^2} \\
 &= \frac{6d^2\sqrt{a+bx}}{(bd-ae)\sqrt{d+ex}} + \frac{8\sqrt{a+bx}\sqrt{d+ex}}{b} + \frac{8(2bd-ae) \tanh^{-1} \left( \frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{b}\sqrt{d+ex}} \right)}{b^{3/2}\sqrt{e}}
 \end{aligned}$$

**Mathematica [A]** time = 0.34, size = 134, normalized size = 1.24

$$2 \frac{\left( \frac{b\sqrt{a+bx}(bd(7d+4ex)-4ae(d+ex))}{bd-ae} + \frac{4\sqrt{bd-ae}(2bd-ae)\sqrt{\frac{b(d+ex)}{bd-ae}} \sinh^{-1}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{bd-ae}}\right)}{\sqrt{e}} \right)}{b^2\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Integrate[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(3/2)),x]

[Out] (2\*((b\*Sqrt[a + b\*x]\*(-4\*a\*e\*(d + e\*x) + b\*d\*(7\*d + 4\*e\*x)))/(b\*d - a\*e) + (4\*Sqrt[b\*d - a\*e]\*(2\*b\*d - a\*e)\*Sqrt[(b\*(d + e\*x))/(b\*d - a\*e])\*ArcSinh[(Sqrt[e]\*Sqrt[a + b\*x])/Sqrt[b\*d - a\*e]]/Sqrt[e]))/(b^2\*Sqrt[d + e\*x])

**IntegrateAlgebraic [A]** time = 0.24, size = 146, normalized size = 1.35

$$\frac{2\sqrt{a+bx} \left( 4a^2e^2 - \frac{3bd^2e(a+bx)}{d+ex} - 8abde + 7b^2d^2 \right)}{b\sqrt{d+ex}(bd-ae) \left( b - \frac{e(a+bx)}{d+ex} \right)} + \frac{8(2bd-ae) \tanh^{-1} \left( \frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{b}\sqrt{d+ex}} \right)}{b^{3/2}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(3/2)),x]

[Out] (2\*Sqrt[a + b\*x]\*(7\*b^2\*d^2 - 8\*a\*b\*d\*e + 4\*a^2\*e^2 - (3\*b\*d^2\*e\*(a + b\*x))/(d + e\*x)))/(b\*(b\*d - a\*e)\*Sqrt[d + e\*x]\*(b - (e\*(a + b\*x))/(d + e\*x))) + (8\*(2\*b\*d - a\*e)\*ArcTanh[(Sqrt[e]\*Sqrt[a + b\*x])/(Sqrt[b]\*Sqrt[d + e\*x])])/(b^(3/2)\*Sqrt[e])

**fricas [B]** time = 0.54, size = 463, normalized size = 4.29

$$\frac{2 \left( (2b^2d^2 - 3abd^2 + a^2d^2 + (2bd^2 - 3abd^2 + a^2d^2))\sqrt{e} \log(8b^2e^2x^2 + b^2d^2 + 6a*b*d*e + a^2e^2 - 4(2bd - a^2)\sqrt{e}\sqrt{d+ex} + 8(bd - ab^2)) - (7b^2d^2 - 4abd^2 + 4(bd^2 - ab^2))\sqrt{e}\sqrt{d+ex} \right)}{b^2d^2 - ab^2d^2 + (b^2d^2 - ab^2d^2)} - \frac{2 \left( (2b^2d^2 - 3abd^2 + a^2d^2 + (2bd^2 - 3abd^2 + a^2d^2))\sqrt{e} \operatorname{arctanh}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{b}\sqrt{d+ex}}\right) - (7b^2d^2 - 4abd^2 + 4(bd^2 - ab^2))\sqrt{e}\sqrt{d+ex} \right)}{b^2d^2 - ab^2d^2 + (b^2d^2 - ab^2d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(3/2)/(b\*x+a)^(1/2),x, algorithm="fricas")

[Out] [-2\*((2\*b^2\*d^3 - 3\*a\*b\*d^2\*e + a^2\*d\*e^2 + (2\*b^2\*d^2\*e - 3\*a\*b\*d\*e^2 + a^2\*e^3)\*x)\*sqrt(b\*e)\*log(8\*b^2\*e^2\*x^2 + b^2\*d^2 + 6\*a\*b\*d\*e + a^2\*e^2 - 4\*(2\*b\*e\*x + b\*d + a\*e)\*sqrt(b\*e)\*sqrt(b\*x + a)\*sqrt(e\*x + d) + 8\*(b^2\*d\*e + a\*b\*e^2)\*x) - (7\*b^2\*d^2\*e - 4\*a\*b\*d\*e^2 + 4\*(b^2\*d\*e^2 - a\*b\*e^3)\*x)\*sqrt(b\*x + a)\*sqrt(e\*x + d)]/(b^3\*d^2\*e - a\*b^2\*d\*e^2 + (b^3\*d\*e^2 - a\*b^2\*e^3)\*x



),  $-2*(2*(2*b^2*d^3 - 3*a*b*d^2*e + a^2*d*e^2 + (2*b^2*d^2*e - 3*a*b*d*e^2 + a^2*e^3)*x)*\sqrt{-b*e}*\arctan(1/2*(2*b*e*x + b*d + a*e)*\sqrt{-b*e}*\sqrt{b*x + a}*\sqrt{e*x + d}/(b^2*e^2*x^2 + a*b*d*e + (b^2*d*e + a*b*e^2)*x)) - (7*b^2*d^2*e - 4*a*b*d*e^2 + 4*(b^2*d*e^2 - a*b*e^3)*x)*\sqrt{b*x + a}*\sqrt{e*x + d})/(b^3*d^2*e - a*b^2*d*e^2 + (b^3*d*e^2 - a*b^2*e^3)*x)]$

**giac [B]** time = 0.36, size = 193, normalized size = 1.79

$$\frac{8(2bd - ae)e^{\left(-\frac{1}{2}\right)} \log\left(\left|-\sqrt{bx+a}\sqrt{b}e^{\frac{1}{2}} + \sqrt{b^2d + (bx+a)be - abe}\right|\right)}{\sqrt{b}|b|} + \frac{2\sqrt{bx+a}\left(\frac{4(b^3de^3 - ab^2e^4)(bx+a)}{b^3d|b|e^2 - ab^2|b|e^3} + \frac{7b^4d^2e^2 - 8ab^3de^3 + 4a^2b^2e^4}{b^3d|b|e^2 - ab^2|b|e^3}\right)}{\sqrt{b^2d + (bx+a)be - abe}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(3/2)/(b\*x+a)^(1/2),x, algorithm="giac")

[Out]  $-8*(2*b*d - a*e)*e^{(-1/2)}*\log(\text{abs}(-\sqrt{b*x + a})*\sqrt{b}*e^{(1/2)} + \sqrt{b^2*d + (b*x + a)*b*e - a*b*e}))/(\sqrt{b}*\text{abs}(b)) + 2*\sqrt{b*x + a}*(4*(b^3*d*e^3 - a*b^2*e^4)*(b*x + a)/(b^3*d*\text{abs}(b)*e^2 - a*b^2*\text{abs}(b)*e^3) + (7*b^4*d^2*e^2 - 8*a*b^3*d*e^3 + 4*a^2*b^2*e^4)/(b^3*d*\text{abs}(b)*e^2 - a*b^2*\text{abs}(b)*e^3)))/\sqrt{b^2*d + (b*x + a)*b*e - a*b*e}$

**maple [B]** time = 0.03, size = 438, normalized size = 4.06

$$\frac{2\sqrt{bx+a}\left(2a^2d^2\ln\left(\frac{2\sqrt{bx+a}\sqrt{b^2d+(bx+a)be-ab}}{2\sqrt{b}}\right) - 6abd^2\ln\left(\frac{2\sqrt{bx+a}\sqrt{b^2d+(bx+a)be-ab}}{2\sqrt{b}}\right) + 4d^2d^2\ln\left(\frac{2\sqrt{bx+a}\sqrt{b^2d+(bx+a)be-ab}}{2\sqrt{b}}\right) + 2a^2d^2\ln\left(\frac{2\sqrt{bx+a}\sqrt{b^2d+(bx+a)be-ab}}{2\sqrt{b}}\right) - 6abd^2\ln\left(\frac{2\sqrt{bx+a}\sqrt{b^2d+(bx+a)be-ab}}{2\sqrt{b}}\right) + 4d^2d^2\ln\left(\frac{2\sqrt{bx+a}\sqrt{b^2d+(bx+a)be-ab}}{2\sqrt{b}}\right) + 4d^2d^2\ln\left(\frac{2\sqrt{bx+a}\sqrt{b^2d+(bx+a)be-ab}}{2\sqrt{b}}\right) - 4\sqrt{(bx+a)(bx+d)}\sqrt{a^2d^2+4\sqrt{(bx+a)(bx+d)}\sqrt{b}bde-4\sqrt{(bx+a)(bx+d)}\sqrt{b}ade+7\sqrt{(bx+a)(bx+d)}\sqrt{b}b^2d^2}\right)}{\sqrt{b}(ae-b)\sqrt{(bx+a)(bx+d)}\sqrt{bx+d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(3/2)/(b\*x+a)^(1/2),x)

[Out]  $-2*(b*x+a)^{(1/2)}*(2*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*x*a^2*e^3-6*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*x*a*b*d*e^2+4*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*x*b^2*d^2*e+2*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*a^2*d*e^2-6*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*a*b*d^2*e+4*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*b^2*d^3-4*x*a*e^2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}+4*x*b*d*e*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}-4*a*d*e*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}+7*b*d^2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)})/b/(b*e)^{(1/2)}/(a*e-b*d)/((b*x+a)*(e*x+d))^{(1/2)}/(e*x+d)^{(1/2)}$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(3/2)/(b\*x+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e-b\*d>0)', see `assume?` for more details)Is a\*e-b\*d zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a+bx} (d+ex)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((15\*d^2 + 8\*e^2\*x^2 + 20\*d\*e\*x)/((a + b\*x)^(1/2)\*(d + e\*x)^(3/2)),x)

[Out] int((15\*d^2 + 8\*e^2\*x^2 + 20\*d\*e\*x)/((a + b\*x)^(1/2)\*(d + e\*x)^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a+bx} (d+ex)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e\*\*2\*x\*\*2+20\*d\*e\*x+15\*d\*\*2)/(e\*x+d)\*\*(3/2)/(b\*x+a)\*\*(1/2),x)

[Out] Integral((15\*d\*\*2 + 20\*d\*e\*x + 8\*e\*\*2\*x\*\*2)/(sqrt(a + b\*x)\*(d + e\*x)\*\*(3/2)), x)

$$3.590 \quad \int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a+bx}(d+ex)^{5/2}} dx$$

**Optimal.** Leaf size=116

$$\frac{2d^2\sqrt{a+bx}}{(d+ex)^{3/2}(bd-ae)} + \frac{4d\sqrt{a+bx}(3bd-2ae)}{\sqrt{d+ex}(bd-ae)^2} + \frac{16 \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{b}\sqrt{d+ex}}\right)}{\sqrt{b}\sqrt{e}}$$

**Rubi** [A] time = 0.12, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$ , Rules used = {949, 78, 63, 217, 206}

$$\frac{2d^2\sqrt{a+bx}}{(d+ex)^{3/2}(bd-ae)} + \frac{4d\sqrt{a+bx}(3bd-2ae)}{\sqrt{d+ex}(bd-ae)^2} + \frac{16 \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{a+bx}}{\sqrt{b}\sqrt{d+ex}}\right)}{\sqrt{b}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(5/2)),x]

[Out] (2\*d^2\*Sqrt[a + b\*x])/((b\*d - a\*e)\*(d + e\*x)^(3/2)) + (4\*d\*(3\*b\*d - 2\*a\*e)\*Sqrt[a + b\*x])/((b\*d - a\*e)^2\*Sqrt[d + e\*x]) + (16\*ArcTanh[(Sqrt[e]\*Sqrt[a + b\*x])/(Sqrt[b]\*Sqrt[d + e\*x])])/(Sqrt[b]\*Sqrt[e])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 78

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := -Simp[((b\*e - a\*f)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(f\*(p + 1)\*(c\*f - d\*e)), x] - Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(f\*(p + 1)\*(c\*f - d\*e)), Int[(c + d\*x)^n\*(e + f\*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

$Q[a, 0] \parallel LtQ[b, 0]$

### Rule 217

$Int[1/Sqrt[(a_) + (b_)*(x_)^2], x\_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] \&\& !GtQ[a, 0]$

### Rule 949

$Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x\_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x + c*x^2)^p, d + e*x, x], R = PolynomialRemainder[(a + b*x + c*x^2)^p, d + e*x, x]}, Simp[(R*(d + e*x)^(m + 1)*(f + g*x)^(n + 1))/((m + 1)*(e*f - d*g)), x] + Dist[1/((m + 1)*(e*f - d*g)), Int[(d + e*x)^(m + 1)*(f + g*x)^n*ExpandToSum[(m + 1)*(e*f - d*g)*Qx - g*R*(m + n + 2), x], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] \&\& NeQ[e*f - d*g, 0] \&\& NeQ[b^2 - 4*a*c, 0] \&\& NeQ[c*d^2 - b*d*e + a*e^2, 0] \&\& IGtQ[p, 0] \&\& LtQ[m, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a + bx}(d + ex)^{5/2}} dx &= \frac{2d^2\sqrt{a + bx}}{(bd - ae)(d + ex)^{3/2}} + \frac{2 \int \frac{3d(7bd - 6ae) + 12e(bd - ae)x}{\sqrt{a + bx}(d + ex)^{3/2}} dx}{3(bd - ae)} \\ &= \frac{2d^2\sqrt{a + bx}}{(bd - ae)(d + ex)^{3/2}} + \frac{4d(3bd - 2ae)\sqrt{a + bx}}{(bd - ae)^2\sqrt{d + ex}} + 8 \int \frac{1}{\sqrt{a + bx}\sqrt{d + ex}} dx \\ &= \frac{2d^2\sqrt{a + bx}}{(bd - ae)(d + ex)^{3/2}} + \frac{4d(3bd - 2ae)\sqrt{a + bx}}{(bd - ae)^2\sqrt{d + ex}} + \frac{16 \operatorname{Subst} \left( \int \frac{1}{\sqrt{d - \frac{ae}{b} + \frac{ex^2}{b}}} dx, x, \sqrt{a + bx} \right)}{b} \\ &= \frac{2d^2\sqrt{a + bx}}{(bd - ae)(d + ex)^{3/2}} + \frac{4d(3bd - 2ae)\sqrt{a + bx}}{(bd - ae)^2\sqrt{d + ex}} + \frac{16 \operatorname{Subst} \left( \int \frac{1}{1 - \frac{ex^2}{b}} dx, x, \frac{\sqrt{a + bx}}{\sqrt{d + ex}} \right)}{b} \\ &= \frac{2d^2\sqrt{a + bx}}{(bd - ae)(d + ex)^{3/2}} + \frac{4d(3bd - 2ae)\sqrt{a + bx}}{(bd - ae)^2\sqrt{d + ex}} + \frac{16 \tanh^{-1} \left( \frac{\sqrt{e}\sqrt{a + bx}}{\sqrt{b}\sqrt{d + ex}} \right)}{\sqrt{b}\sqrt{e}} \end{aligned}$$

**Mathematica [A]** time = 0.30, size = 128, normalized size = 1.10

$$2 \frac{\left( \frac{8(bd-ae)^{3/2} \left( \frac{b(d+ex)}{bd-ae} \right)^{3/2} \sinh^{-1} \left( \frac{\sqrt{e} \sqrt{a+bx}}{\sqrt{bd-ae}} \right)}{b^2 \sqrt{e}} + \frac{d \sqrt{a+bx} (bd(7d+6ex) - ae(5d+4ex))}{(bd-ae)^2} \right)}{(d+ex)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(5/2)),x]

[Out] (2\*((d\*Sqrt[a + b\*x]\*(-(a\*e\*(5\*d + 4\*e\*x)) + b\*d\*(7\*d + 6\*e\*x)))/(b\*d - a\*e)^2 + (8\*(b\*d - a\*e)^(3/2)\*((b\*(d + e\*x))/(b\*d - a\*e))^(3/2)\*ArcSinh[(Sqrt[e]\*Sqrt[a + b\*x])/Sqrt[b\*d - a\*e]])/(b^2\*Sqrt[e])))/(d + e\*x)^(3/2)

**IntegrateAlgebraic [A]** time = 0.17, size = 99, normalized size = 0.85

$$\frac{2d\sqrt{a+bx} \left( -\frac{de(a+bx)}{d+ex} - 4ae + 7bd \right)}{\sqrt{d+ex} (bd-ae)^2} + \frac{16 \tanh^{-1} \left( \frac{\sqrt{e} \sqrt{a+bx}}{\sqrt{b} \sqrt{d+ex}} \right)}{\sqrt{b} \sqrt{e}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(5/2)),x]

[Out] (2\*d\*Sqrt[a + b\*x]\*(7\*b\*d - 4\*a\*e - (d\*e\*(a + b\*x))/(d + e\*x)))/((b\*d - a\*e)^2\*Sqrt[d + e\*x]) + (16\*ArcTanh[(Sqrt[e]\*Sqrt[a + b\*x])/(Sqrt[b]\*Sqrt[d + e\*x])])/(Sqrt[b]\*Sqrt[e])

**fricas [B]** time = 0.60, size = 665, normalized size = 5.73

$$\frac{2 \left( (8d^2 - 2ade + a^2e + (bd^2 - 2ade + a^2e) \sqrt{e}) \log \left( \frac{8 \sqrt{bd-ae} \sqrt{a+bx} + 8 \sqrt{bd-ae} \sqrt{a+bx} + 8 \sqrt{bd-ae} \sqrt{a+bx}}{\sqrt{bd-ae} \sqrt{a+bx}} \right) + 8 \sqrt{bd-ae} \sqrt{a+bx} + 8 \sqrt{bd-ae} \sqrt{a+bx} + 8 \sqrt{bd-ae} \sqrt{a+bx} \right)}{8 \sqrt{bd-ae} \sqrt{a+bx} + 8 \sqrt{bd-ae} \sqrt{a+bx} + 8 \sqrt{bd-ae} \sqrt{a+bx}} + \frac{16 \operatorname{arctanh} \left( \frac{\sqrt{e} \sqrt{a+bx}}{\sqrt{b} \sqrt{d+ex}} \right)}{\sqrt{b} \sqrt{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(5/2)/(b\*x+a)^(1/2),x, algorithm="fricas")

[Out] [2\*(2\*(b^2\*d^4 - 2\*a\*b\*d^3\*e + a^2\*d^2\*e^2 + (b^2\*d^2\*e^2 - 2\*a\*b\*d\*e^3 + a^2\*e^4)\*x^2 + 2\*(b^2\*d^3\*e - 2\*a\*b\*d^2\*e^2 + a^2\*d\*e^3)\*x)\*sqrt(b\*e)\*log(8\*b^2\*e^2\*x^2 + b^2\*d^2 + 6\*a\*b\*d\*e + a^2\*e^2 + 4\*(2\*b\*e\*x + b\*d + a\*e)\*sqrt(b\*e)\*sqrt(b\*x + a)\*sqrt(e\*x + d) + 8\*(b^2\*d\*e + a\*b\*e^2)\*x) + (7\*b^2\*d^3\*e - 5\*a\*b\*d^2\*e^2 + 2\*(3\*b^2\*d^2\*e^2 - 2\*a\*b\*d\*e^3)\*x)\*sqrt(b\*x + a)\*sqrt(e\*x + d)]/(b^3\*d^4\*e - 2\*a\*b^2\*d^3\*e^2 + a^2\*b\*d^2\*e^3 + (b^3\*d^2\*e^3 - 2\*a\*b^2

$$2*d*e^4 + a^2*b*e^5)*x^2 + 2*(b^3*d^3*e^2 - 2*a*b^2*d^2*e^3 + a^2*b*d*e^4)*x), -2*(4*(b^2*d^4 - 2*a*b*d^3*e + a^2*d^2*e^2 + (b^2*d^2*e^2 - 2*a*b*d*e^3 + a^2*e^4)*x^2 + 2*(b^2*d^3*e - 2*a*b*d^2*e^2 + a^2*d*e^3)*x)*\sqrt{-b*e}*a \operatorname{rctan}(1/2*(2*b*e*x + b*d + a*e)*\sqrt{-b*e}*\sqrt{b*x + a}*\sqrt{e*x + d})/(b^2*e^2*x^2 + a*b*d*e + (b^2*d*e + a*b*e^2)*x)) - (7*b^2*d^3*e - 5*a*b*d^2*e^2 + 2*(3*b^2*d^2*e^2 - 2*a*b*d*e^3)*x)*\sqrt{b*x + a}*\sqrt{e*x + d})/(b^3*d^4*e - 2*a*b^2*d^3*e^2 + a^2*b*d^2*e^3 + (b^3*d^2*e^3 - 2*a*b^2*d*e^4 + a^2*b*e^5)*x^2 + 2*(b^3*d^3*e^2 - 2*a*b^2*d^2*e^3 + a^2*b*d*e^4)*x)]$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(5/2)/(b\*x+a)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.03, size = 601, normalized size = 5.18

---

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(5/2)/(b\*x+a)^(1/2),x)

[Out]  $2*(b*x+a)^{(1/2)}*(4*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*x^2*a^2*e^4-8*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*x^2*a*b*d*e^3+4*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*x^2*b^2*d^2*e^2+8*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*x*a^2*d*e^3-16*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*x*a*b*d^2*e^2+8*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*x*b^2*d^3*e+4*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*a^2*d^2*e^2-8*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*a*b*d^3*e+4*\ln(1/2*(2*b*e*x+a*e+b*d+2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}))/(b*e)^{(1/2)}*b^2*d^4-4*x*a*d*e^2*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}+6*x*b*d^2*e*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}-5*a*d^2*e*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)}+7*b*d^3*((b*x+a)*(e*x+d))^{(1/2)}*(b*e)^{(1/2)})/(b*e)^{(1/2)}/(a*e-b*d)^2/((b*x+a)*(e*x+d))^{(1/2)}/(e*x+d)^{(3/2)}$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((8*e^2*x^2+20*d*e*x+15*d^2)/(e*x+d)^(5/2)/(b*x+a)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a*e-b*d>0)', see `assume?` for more details)Is a*e-b*d zero or nonzero?
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a+bx}(d+ex)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((15*d^2 + 8*e^2*x^2 + 20*d*e*x)/((a + b*x)^(1/2)*(d + e*x)^(5/2)),x)
```

```
[Out] int((15*d^2 + 8*e^2*x^2 + 20*d*e*x)/((a + b*x)^(1/2)*(d + e*x)^(5/2)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((8*e**2*x**2+20*d*e*x+15*d**2)/(e*x+d)**(5/2)/(b*x+a)**(1/2),x)
```

```
[Out] Timed out
```

$$3.591 \quad \int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a+bx}(d+ex)^{7/2}} dx$$

**Optimal.** Leaf size=133

$$\frac{16\sqrt{a+bx}(15a^2e^2 - 35abde + 23b^2d^2)}{15\sqrt{d+ex}(bd-ae)^3} + \frac{6d^2\sqrt{a+bx}}{5(d+ex)^{5/2}(bd-ae)} + \frac{8d\sqrt{a+bx}(8bd-5ae)}{15(d+ex)^{3/2}(bd-ae)^2}$$

**Rubi [A]** time = 0.13, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$ , Rules used = {949, 78, 37}

$$\frac{16\sqrt{a+bx}(15a^2e^2 - 35abde + 23b^2d^2)}{15\sqrt{d+ex}(bd-ae)^3} + \frac{6d^2\sqrt{a+bx}}{5(d+ex)^{5/2}(bd-ae)} + \frac{8d\sqrt{a+bx}(8bd-5ae)}{15(d+ex)^{3/2}(bd-ae)^2}$$

Antiderivative was successfully verified.

[In] Int[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(7/2)), x]

[Out] (6\*d^2\*Sqrt[a + b\*x])/(5\*(b\*d - a\*e)\*(d + e\*x)^(5/2)) + (8\*d\*(8\*b\*d - 5\*a\*e)\*Sqrt[a + b\*x])/(15\*(b\*d - a\*e)^2\*(d + e\*x)^(3/2)) + (16\*(23\*b^2\*d^2 - 35\*a\*b\*d\*e + 15\*a^2\*e^2)\*Sqrt[a + b\*x])/(15\*(b\*d - a\*e)^3\*Sqrt[d + e\*x])

### Rule 37

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

### Rule 78

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := -Simp[((b\*e - a\*f)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/(f\*(p + 1)\*(c\*f - d\*e)), x] - Dist[(a\*d\*f\*(n + p + 2) - b\*(d\*e\*(n + 1) + c\*f\*(p + 1)))/(f\*(p + 1)\*(c\*f - d\*e)), Int[(c + d\*x)^n\*(e + f\*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n])))

### Rule 949

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))^(n\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{Qx = PolynomialQuotient[(a + b\*x + c\*x^2)^p, d + e\*x, x], R = PolynomialRemainder[(a + b\*x + c\*x^2)^p, d + e\*x, x]}, Simp[(R\*(d + e\*x)^(m + 1)\*(f + g\*x)^(n + 1))/((m + 1)\*(e\*f - d\*g)



), x] + Dist[1/((m + 1)\*(e\*f - d\*g)), Int[(d + e\*x)^(m + 1)\*(f + g\*x)^n\*Exp  
andToSum[(m + 1)\*(e\*f - d\*g)\*Qx - g\*R\*(m + n + 2), x], x], x]] /; FreeQ[{a,  
b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c  
\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a + bx}(d + ex)^{7/2}} dx &= \frac{6d^2\sqrt{a + bx}}{5(bd - ae)(d + ex)^{5/2}} + \frac{2 \int \frac{6d(6bd - 5ae) + 20e(bd - ae)x}{\sqrt{a + bx}(d + ex)^{5/2}} dx}{5(bd - ae)} \\ &= \frac{6d^2\sqrt{a + bx}}{5(bd - ae)(d + ex)^{5/2}} + \frac{8d(8bd - 5ae)\sqrt{a + bx}}{15(bd - ae)^2(d + ex)^{3/2}} + \frac{8(23b^2d^2 - 35abde + 15a^2e^2)}{15(bd - ae)^3\sqrt{d + ex}} \\ &= \frac{6d^2\sqrt{a + bx}}{5(bd - ae)(d + ex)^{5/2}} + \frac{8d(8bd - 5ae)\sqrt{a + bx}}{15(bd - ae)^2(d + ex)^{3/2}} + \frac{16(23b^2d^2 - 35abde + 15a^2e^2)}{15(bd - ae)^3\sqrt{d + ex}} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 110, normalized size = 0.83

$$\frac{2\sqrt{a + bx} (a^2e^2(149d^2 + 260dex + 120e^2x^2) - 2abde(175d^2 + 306dex + 140e^2x^2) + b^2d^2(225d^2 + 400dex + 184e^2x^2))}{15(d + ex)^{5/2}(bd - ae)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(7/2)), x]

[Out] (2\*Sqrt[a + b\*x]\*(a^2\*e^2\*(149\*d^2 + 260\*d\*e\*x + 120\*e^2\*x^2) - 2\*a\*b\*d\*e\*(175\*d^2 + 306\*d\*e\*x + 140\*e^2\*x^2) + b^2\*d^2\*(225\*d^2 + 400\*d\*e\*x + 184\*e^2\*x^2)))/(15\*(b\*d - a\*e)^3\*(d + e\*x)^(5/2))

**IntegrateAlgebraic [A]** time = 0.14, size = 115, normalized size = 0.86

$$\frac{2\sqrt{a + bx} \left( 120a^2e^2 + \frac{9d^2e^2(a+bx)^2}{(d+ex)^2} - \frac{50bd^2e(a+bx)}{d+ex} + \frac{20ade^2(a+bx)}{d+ex} - 300abde + 225b^2d^2 \right)}{15\sqrt{d + ex}(bd - ae)^3}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(7/2)), x]

[Out] (2\*Sqrt[a + b\*x]\*(225\*b^2\*d^2 - 300\*a\*b\*d\*e + 120\*a^2\*e^2 + (9\*d^2\*e^2\*(a + b\*x)^2)/(d + e\*x)^2 - (50\*b\*d^2\*e\*(a + b\*x))/(d + e\*x) + (20\*a\*d\*e^2\*(a + b\*x))/(d + e\*x)))/(15\*(b\*d - a\*e)^3\*Sqrt[d + e\*x])

**fricas** [B] time = 1.05, size = 293, normalized size = 2.20

$$\frac{2(225b^2d^4 - 350abd^3e + 149a^2d^2e^2 + 8(23b^2d^2e^2 - 35abde^3 + 15a^2e^4)x^2 + 4(100b^2d^3e - 153abd^2e^2 + 65a^2de^3)x)\sqrt{bx+a}\sqrt{ex+d}}{15(b^3d^6 - 3ab^2d^5e + 3a^2bd^4e^2 - a^3d^3e^3 + (b^3d^3e^3 - 3ab^2d^2e^4 + 3a^2bde^5 - a^3e^6)x^3 + 3(b^3d^4e^2 - 3ab^2d^3e^3 + 3a^2bd^2e^4 - a^3de^5)x^2 + 3(b^3d^5e - 3ab^2d^4e^2 + 3a^2bd^3e^3 - a^3d^2e^4)x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(7/2)/(b\*x+a)^(1/2),x, algorithm="fricas")

[Out]  $\frac{2}{15} * (225 * b^2 * d^4 - 350 * a * b * d^3 * e + 149 * a^2 * d^2 * e^2 + 8 * (23 * b^2 * d^2 * e^2 - 35 * a * b * d^2 * e^3 + 15 * a^2 * e^4) * x^2 + 4 * (100 * b^2 * d^3 * e - 153 * a * b * d^2 * e^2 + 65 * a^2 * d * e^3) * x) * \sqrt{b * x + a} * \sqrt{e * x + d} / (b^3 * d^6 - 3 * a * b^2 * d^5 * e + 3 * a^2 * b * d^4 * e^2 - a^3 * d^3 * e^3 + (b^3 * d^3 * e^3 - 3 * a * b^2 * d^2 * e^4 + 3 * a^2 * b * d * e^5 - a^3 * e^6) * x^3 + 3 * (b^3 * d^4 * e^2 - 3 * a * b^2 * d^3 * e^3 + 3 * a^2 * b * d^2 * e^4 - a^3 * d * e^5) * x^2 + 3 * (b^3 * d^5 * e - 3 * a * b^2 * d^4 * e^2 + 3 * a^2 * b * d^3 * e^3 - a^3 * d^2 * e^4) * x)$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(7/2)/(b\*x+a)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.01, size = 150, normalized size = 1.13

$$\frac{2\sqrt{bx+a}(120a^2e^4x^2 - 280abd^3e^3x^2 + 184b^2d^2e^2x^2 + 260a^2de^3x - 612abd^2e^2x + 400b^2d^3ex + 149a^2d^2e^2 - 350abd^3e + 225b^2d^4)}{15(ex+d)^{\frac{5}{2}}(a^3e^3 - 3a^2bd^2e^2 + 3ab^2d^2e - b^3d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(7/2)/(b\*x+a)^(1/2),x)

[Out]  $-2/15 * (b * x + a)^{1/2} * (120 * a^2 * e^4 * x^2 - 280 * a * b * d^3 * e^3 * x^2 + 184 * b^2 * d^2 * e^2 * x^2 + 260 * a^2 * d * e^3 * x - 612 * a * b * d^2 * e^2 * x + 400 * b^2 * d^3 * e * x + 149 * a^2 * d^2 * e^2 - 350 * a * b * d^3 * e + 225 * b^2 * d^4) / (e * x + d)^{5/2} / (a^3 * e^3 - 3 * a^2 * b * d^2 * e^2 + 3 * a * b^2 * d^2 * e - b^3 * d^3)$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(7/2)/(b\*x+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e-b\*d>0)', see `assume?` for more details)Is a\*e-b\*d zero or nonzero?

**mupad [B]** time = 4.30, size = 268, normalized size = 2.02

$$\frac{\sqrt{d+ex} \left( \frac{x^2(240a^3e^4-40a^2bd^3-856ab^2d^2e^2+800b^3d^3e)}{15e^3(ae-bd)^3} + \frac{x(520a^3d^3-926a^2bd^2e^2+100ab^2d^3e+450b^3d^4)}{15e^3(ae-bd)^3} + \frac{2ad^2(149a^2e^2-350abd^2+225b^2d^2)}{15e^3(ae-bd)^3} + \frac{16bx^3(15a^2e^2-35abd^2+23b^2d^2)}{15e(ae-bd)^3} \right)}{x^3\sqrt{a+bx} + \frac{d^3\sqrt{a+bx}}{e^3} + \frac{3dx^2\sqrt{a+bx}}{e} + \frac{3d^2x\sqrt{a+bx}}{e^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((15\*d^2 + 8\*e^2\*x^2 + 20\*d\*e\*x)/((a + b\*x)^(1/2)\*(d + e\*x)^(7/2)),x)

[Out] -((d + e\*x)^(1/2)\*((x^2\*(240\*a^3\*e^4 + 800\*b^3\*d^3\*e - 856\*a\*b^2\*d^2\*e^2 - 40\*a^2\*b\*d\*e^3))/(15\*e^3\*(a\*e - b\*d)^3) + (x\*(450\*b^3\*d^4 + 520\*a^3\*d\*e^3 - 926\*a^2\*b\*d^2\*e^2 + 100\*a\*b^2\*d^3\*e))/(15\*e^3\*(a\*e - b\*d)^3) + (2\*a\*d^2\*(149\*a^2\*e^2 + 225\*b^2\*d^2 - 350\*a\*b\*d\*e))/(15\*e^3\*(a\*e - b\*d)^3) + (16\*b\*x^3\*(15\*a^2\*e^2 + 23\*b^2\*d^2 - 35\*a\*b\*d\*e))/(15\*e\*(a\*e - b\*d)^3)))/(x^3\*(a + b\*x)^(1/2) + (d^3\*(a + b\*x)^(1/2))/e^3 + (3\*d\*x^2\*(a + b\*x)^(1/2))/e + (3\*d^2\*x\*(a + b\*x)^(1/2))/e^2)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e\*\*2\*x\*\*2+20\*d\*e\*x+15\*d\*\*2)/(e\*x+d)\*\*(7/2)/(b\*x+a)\*\*(1/2),x)

[Out] Timed out

$$3.592 \quad \int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a+bx}(d+ex)^{9/2}} dx$$

**Optimal.** Leaf size=189

$$\frac{32b\sqrt{a+bx}(35a^2e^2 - 84abde + 58b^2d^2)}{105\sqrt{d+ex}(bd - ae)^4} + \frac{16\sqrt{a+bx}(35a^2e^2 - 84abde + 58b^2d^2)}{105(d+ex)^{3/2}(bd - ae)^3} + \frac{6d^2\sqrt{a+bx}}{7(d+ex)^{7/2}(bd - ae)} + \frac{4d\sqrt{a+bx}}{35(d+ex)^{5/2}(bd - ae)}$$

**Rubi [A]** time = 0.19, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {949, 78, 45, 37}

$$\frac{32b\sqrt{a+bx}(35a^2e^2 - 84abde + 58b^2d^2)}{105\sqrt{d+ex}(bd - ae)^4} + \frac{16\sqrt{a+bx}(35a^2e^2 - 84abde + 58b^2d^2)}{105(d+ex)^{3/2}(bd - ae)^3} + \frac{6d^2\sqrt{a+bx}}{7(d+ex)^{7/2}(bd - ae)} + \frac{4d\sqrt{a+bx}(23bd - 14ae)}{35(d+ex)^{5/2}(bd - ae)^2}$$

Antiderivative was successfully verified.

[In] Int[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(9/2)), x]

[Out] (6\*d^2\*Sqrt[a + b\*x])/(7\*(b\*d - a\*e)\*(d + e\*x)^(7/2)) + (4\*d\*(23\*b\*d - 14\*a\*e)\*Sqrt[a + b\*x])/(35\*(b\*d - a\*e)^2\*(d + e\*x)^(5/2)) + (16\*(58\*b^2\*d^2 - 84\*a\*b\*d\*e + 35\*a^2\*e^2)\*Sqrt[a + b\*x])/(105\*(b\*d - a\*e)^3\*(d + e\*x)^(3/2)) + (32\*b\*(58\*b^2\*d^2 - 84\*a\*b\*d\*e + 35\*a^2\*e^2)\*Sqrt[a + b\*x])/(105\*(b\*d - a\*e)^4\*Sqrt[d + e\*x])

### Rule 37

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[m + n + 2, 0] && NeQ[m, -1]

### Rule 45

Int[((a\_.) + (b\_.)\*(x\_))^(m\_.)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := Simp[ ((a + b\*x)^(m + 1)\*(c + d\*x)^(n + 1))/((b\*c - a\*d)\*(m + 1)), x] - Dist[(d\*Simplify[m + n + 2])/((b\*c - a\*d)\*(m + 1)), Int[(a + b\*x)^Simplify[m + 1]\*(c + d\*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[b\*c - a\*d, 0] && !LtQ[Simplify[m + n + 2], 0] && NeQ[m, -1] && !(LtQ[m, -1] && LtQ[n, -1] && (EqQ[a, 0] || (NeQ[c, 0] && LtQ[m - n, 0] && IntegerQ[n]))) && (SumSimplerQ[m, 1] || !SumSimplerQ[n, 1])

### Rule 78

Int[((a\_.) + (b\_.)\*(x\_))\*((c\_.) + (d\_.)\*(x\_))^(n\_.)\*((e\_.) + (f\_.)\*(x\_))^(p\_.), x\_Symbol] := -Simp[((b\*e - a\*f)\*(c + d\*x)^(n + 1)\*(e + f\*x)^(p + 1))/

$f*(p + 1)*(c*f - d*e)), x] - \text{Dist}[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), \text{Int}[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /;$  FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

### Rule 949

$\text{Int}[(d + e*x)^m*(f + g*x)^n*((a + b*x + c*x^2)^p), x\_Symbol] := \text{With}[\{Qx = \text{PolynomialQuotient}[(a + b*x + c*x^2)^p, d + e*x, x], R = \text{PolynomialRemainder}[(a + b*x + c*x^2)^p, d + e*x, x]\}, \text{Simp}[(R*(d + e*x)^(m + 1)*(f + g*x)^(n + 1))/((m + 1)*(e*f - d*g)), x] + \text{Dist}[1/((m + 1)*(e*f - d*g)), \text{Int}[(d + e*x)^(m + 1)*(f + g*x)^n * \text{ExpandToSum}[(m + 1)*(e*f - d*g)*Qx - g*R*(m + n + 2), x], x]] /;$  FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{15d^2 + 20dex + 8e^2x^2}{\sqrt{a + bx}(d + ex)^{9/2}} dx &= \frac{6d^2\sqrt{a + bx}}{7(bd - ae)(d + ex)^{7/2}} + \frac{2 \int \frac{3d(17bd - 14ae) + 28e(bd - ae)x}{\sqrt{a + bx}(d + ex)^{7/2}} dx}{7(bd - ae)} \\ &= \frac{6d^2\sqrt{a + bx}}{7(bd - ae)(d + ex)^{7/2}} + \frac{4d(23bd - 14ae)\sqrt{a + bx}}{35(bd - ae)^2(d + ex)^{5/2}} + \frac{8(58b^2d^2 - 84abde + 35a^2e^2)}{35(bd - ae)^3(d + ex)^{3/2}} \\ &= \frac{6d^2\sqrt{a + bx}}{7(bd - ae)(d + ex)^{7/2}} + \frac{4d(23bd - 14ae)\sqrt{a + bx}}{35(bd - ae)^2(d + ex)^{5/2}} + \frac{16(58b^2d^2 - 84abde + 35a^2e^2)}{105(bd - ae)^3(d + ex)^{3/2}} \\ &= \frac{6d^2\sqrt{a + bx}}{7(bd - ae)(d + ex)^{7/2}} + \frac{4d(23bd - 14ae)\sqrt{a + bx}}{35(bd - ae)^2(d + ex)^{5/2}} + \frac{16(58b^2d^2 - 84abde + 35a^2e^2)}{105(bd - ae)^3(d + ex)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 173, normalized size = 0.92

$$\frac{2\sqrt{a + bx}(-a^3e^3(409d^2 + 644dex + 280e^2x^2) + a^2bc^2(1953d^3 + 3890d^2ex + 2632de^2x^2 + 560e^3x^3) - ab^2de(2975d^3 + 6664d^2ex + 5168de^2x^2 + 1344e^3x^3) + b^2d^2(1575d^3 + 3850d^2ex + 3248de^2x^2 + 928e^3x^3))}{105(d + ex)^{7/2}(bd - ae)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(9/2)), x]

[Out] (2\*Sqrt[a + b\*x]\*(-(a^3\*e^3\*(409\*d^2 + 644\*d\*e\*x + 280\*e^2\*x^2)) + a^2\*b\*e^2\*(1953\*d^3 + 3890\*d^2\*e\*x + 2632\*d\*e^2\*x^2 + 560\*e^3\*x^3) + b^3\*d^2\*(1575\*

$$d^3 + 3850*d^2*e*x + 3248*d*e^2*x^2 + 928*e^3*x^3) - a*b^2*d*e*(2975*d^3 + 6664*d^2*e*x + 5168*d*e^2*x^2 + 1344*e^3*x^3))/(105*(b*d - a*e)^4*(d + e*x)^{(7/2)})$$

**IntegrateAlgebraic [A]** time = 0.17, size = 185, normalized size = 0.98

$$\frac{2\sqrt{a+bx} \left( -\frac{280a^2e^3(a+bx)}{d+ex} + 840a^2be^2 - \frac{875b^2d^2e(a+bx)}{d+ex} - 2100abd^2e - \frac{45d^2e^3(a+bx)^3}{(d+ex)^3} + \frac{273bd^2e^2(a+bx)^2}{(d+ex)^2} - \frac{84ade^3(a+bx)^2}{(d+ex)^2} + \frac{840abde^2(a+bx)}{d+ex} + 1575b^3d^2 \right)}{105\sqrt{d+ex}(bd-ae)^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(15\*d^2 + 20\*d\*e\*x + 8\*e^2\*x^2)/(Sqrt[a + b\*x]\*(d + e\*x)^(9/2)), x]

[Out] (2\*Sqrt[a + b\*x]\*(1575\*b^3\*d^2 - 2100\*a\*b^2\*d\*e + 840\*a^2\*b\*e^2 - (45\*d^2\*e^3\*(a + b\*x)^3)/(d + e\*x)^3 + (273\*b\*d^2\*e^2\*(a + b\*x)^2)/(d + e\*x)^2 - (84\*a\*d\*e^3\*(a + b\*x)^2)/(d + e\*x)^2 - (875\*b^2\*d^2\*e\*(a + b\*x))/(d + e\*x) + (840\*a\*b\*d\*e^2\*(a + b\*x))/(d + e\*x) - (280\*a^2\*e^3\*(a + b\*x))/(d + e\*x))/(105\*(b\*d - a\*e)^4\*Sqrt[d + e\*x])

**fricas [B]** time = 2.23, size = 487, normalized size = 2.58

$$\frac{2(1575b^3d^2 - 2975ab^2d^2e + 1953a^2b^2d^2e^2 - 409a^3d^2e^3 + 16(58b^3d^2e^3 - 84a^2b^2d^2e^4 + 35a^3d^2e^5)x^3 + 8(406b^3d^3e^2 - 646a^2b^2d^3e^3 + 329a^3d^3e^4 - 35a^4d^3e^5)x^2 + 2(1925b^3d^4e - 3332a^2b^2d^4e^2 + 1945a^3d^4e^3 - 322a^4d^4e^4)x)*\sqrt{bx+a}\sqrt{d+ex}}{105(b^4d^8 - 4a^3b^3d^8 + 6a^2b^2d^8e - 4a^3bd^8e^2 + a^4d^8e^3 + (b^4d^7e - 4ab^3d^7e^2 + 6a^2b^2d^7e^3 - 4a^3bd^7e^4 + a^4d^7e^5)x^4 + 4(b^4d^6e^3 - 4ab^3d^6e^4 + 6a^2b^2d^6e^5 - 4a^3bd^6e^6 + a^4d^6e^7)x^3 + 6(b^4d^5e^2 - 4ab^3d^5e^3 + 6a^2b^2d^5e^4 - 4a^3bd^5e^5 + a^4d^5e^6)x^2 + 4(b^4d^4e - 4ab^3d^4e^2 + 6a^2b^2d^4e^3 - 4a^3bd^4e^4 + a^4d^4e^5)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(9/2)/(b\*x+a)^(1/2), x, algorithm="fricas")

[Out] 2/105\*(1575\*b^3\*d^5 - 2975\*a\*b^2\*d^4\*e + 1953\*a^2\*b\*d^3\*e^2 - 409\*a^3\*d^2\*e^3 + 16\*(58\*b^3\*d^2\*e^3 - 84\*a^2\*b^2\*d^2\*e^4 + 35\*a^3\*d^2\*e^5)\*x^3 + 8\*(406\*b^3\*d^3\*e^2 - 646\*a^2\*b^2\*d^3\*e^3 + 329\*a^3\*d^3\*e^4 - 35\*a^4\*d^3\*e^5)\*x^2 + 2\*(1925\*b^3\*d^4\*e - 3332\*a^2\*b^2\*d^4\*e^2 + 1945\*a^3\*d^4\*e^3 - 322\*a^4\*d^4\*e^4)\*x)\*sqrt(b\*x + a)\*sqrt(e\*x + d)/(b^4\*d^8 - 4\*a^3\*b^3\*d^7\*e + 6\*a^2\*b^2\*d^6\*e^2 - 4\*a^3\*b\*d^5\*e^3 + a^4\*d^4\*e^4 + (b^4\*d^4\*e^4 - 4\*a^3\*b^3\*d^3\*e^5 + 6\*a^2\*b^2\*d^2\*e^6 - 4\*a^3\*b\*d^1\*e^7 + a^4\*d^1\*e^8)\*x^4 + 4\*(b^4\*d^5\*e^3 - 4\*a^3\*b^3\*d^4\*e^4 + 6\*a^2\*b^2\*d^3\*e^5 - 4\*a^3\*b\*d^2\*e^6 + a^4\*d^1\*e^7)\*x^3 + 6\*(b^4\*d^6\*e^2 - 4\*a^3\*b^3\*d^5\*e^3 + 6\*a^2\*b^2\*d^4\*e^4 - 4\*a^3\*b\*d^3\*e^5 + a^4\*d^2\*e^6)\*x^2 + 4\*(b^4\*d^7\*e - 4\*a^3\*b^3\*d^6\*e^2 + 6\*a^2\*b^2\*d^5\*e^3 - 4\*a^3\*b\*d^4\*e^4 + a^4\*d^3\*e^5)\*x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(9/2)/(b\*x+a)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.01, size = 248, normalized size = 1.31

$$\frac{2\sqrt{bx+a}(-560a^2b^2e^3x^3+1344ab^2de^3x^3-928b^3d^2e^3x^3+280a^3e^3x^2-2632a^2bd^2e^3x^2+5168ab^2d^2e^3x^2-3248b^3d^2e^3x^2+644a^3de^4x-3890a^2bd^2e^4x+6664ab^2d^2e^4x-3850b^3de^4x+409a^3d^2e^3-1953a^2bd^2e^3+2975ab^2d^2e^3-1575b^3d^2)}{105(ex+d)^{\frac{7}{2}}(e^4a^4-4be^3da^3+6a^2b^2d^2e^2-4ab^3d^2e+bd^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(9/2)/(b\*x+a)^(1/2),x)

[Out] 
$$-2/105*(b*x+a)^{(1/2)}*(-560*a^2*b*e^5*x^3+1344*a*b^2*d*e^4*x^3-928*b^3*d^2*e^3*x^3+280*a^3*e^5*x^2-2632*a^2*b*d*e^4*x^2+5168*a*b^2*d^2*e^3*x^2-3248*b^3*d^2*e^3*x^2+644*a^3*d*e^4*x-3890*a^2*b*d^2*e^3*x+6664*a*b^2*d^2*e^3*x-3850*b^3*d^2*e^3*x+409*a^3*d^2*e^3-1953*a^2*b*d^2*e^3+2975*a*b^2*d^2*e^3-1575*b^3*d^2*e^3)/(e*x+d)^{(7/2)}/(a^4*e^4-4*a^3*b*d*e^3+6*a^2*b^2*d^2*e^2-4*a*b^3*d^2*e+b^4*d^4)$$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((8\*e^2\*x^2+20\*d\*e\*x+15\*d^2)/(e\*x+d)^(9/2)/(b\*x+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e-b\*d>0)', see `assume?` for more details)Is a\*e-b\*d zero or nonzero?

**mupad [B]** time = 4.51, size = 389, normalized size = 2.06

$$\frac{\sqrt{d+ex} \left( \frac{-818a^4d^2e^2+3906a^3b^2d^2e^2-5950a^2b^2d^2e^2+3150ab^3d^2e^2}{105e^4(e-bd)^4} + \frac{(-1288a^4d^4+6962a^3b^2d^4-9422a^2b^2d^4+1750ab^3d^4+3150b^4d^4)}{105e^4(e-bd)^4} - \frac{e^2(560a^4e^5-3976a^3b^2d^4e^5+2556a^2b^2d^4e^5+6832ab^3d^4e^5-7700b^4d^4e^5)}{105e^4(e-bd)^4} + \frac{32b^2e^4(35a^2e^2-84abd+58b^2d^2)}{105e^4(e-bd)^4} + \frac{16bd^2(35a^2e^2+161a^2bd^2-530abd^2e^2+406b^3d^2)}{105e^4(e-bd)^4} \right)}{x^4\sqrt{a+bx} + \frac{d^4\sqrt{a+bx}}{2x} + \frac{6d^2x^2\sqrt{a+bx}}{2x} + \frac{4dx^3\sqrt{a+bx}}{e} + \frac{4d^3x\sqrt{a+bx}}{2x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((15\*d^2 + 8\*e^2\*x^2 + 20\*d\*e\*x)/((a + b\*x)^(1/2)\*(d + e\*x)^(9/2)),x)

[Out] 
$$((d+ex)^{(1/2)}*((3150*a*b^3*d^5-818*a^4*d^2*e^3-5950*a^2*b^2*d^4*e+3906*a^3*b*d^3*e^2)/(105*e^4*(a*e-b*d)^4)+(x*(3150*b^4*d^5-1288*a^4*d^2*e^4+6962*a^3*b*d^2*e^3-9422*a^2*b^2*d^3*e^2+1750*a*b^3*d^4*e))/(105*e^4*(a*e-b*d)^4)-(x^2*(560*a^4*e^5-7700*b^4*d^4*e+6832*a*b^3*d^3*e^2+2556*a^2*b^2*d^2*e^3-3976*a^3*b*d*e^4))/(105*e^4*(a*e-b*d)^4)+(32$$

```
*b^2*x^4*(35*a^2*e^2 + 58*b^2*d^2 - 84*a*b*d*e))/(105*e*(a*e - b*d)^4) + (1
6*b*x^3*(35*a^3*e^3 + 406*b^3*d^3 - 530*a*b^2*d^2*e + 161*a^2*b*d*e^2))/(10
5*e^2*(a*e - b*d)^4)))/(x^4*(a + b*x)^(1/2) + (d^4*(a + b*x)^(1/2))/e^4 + (
6*d^2*x^2*(a + b*x)^(1/2))/e^2 + (4*d*x^3*(a + b*x)^(1/2))/e + (4*d^3*x*(a
+ b*x)^(1/2))/e^3)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((8*e**2*x**2+20*d*e*x+15*d**2)/(e*x+d)**(9/2)/(b*x+a)**(1/2),x)
```

```
[Out] Timed out
```



$$3.593 \quad \int \frac{(d+ex)^{3/2}}{\sqrt{f+gx}(a+bx+cx^2)} dx$$

**Optimal.** Leaf size=417

$$\frac{2 \left( \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} + e(2cd - be) \right) \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{2cf-g(b-\sqrt{b^2-4ac})}}{\sqrt{f+gx} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) + 2 \left( e(2cd - be) - \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} \right)}{c \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \sqrt{2cf - g(b - \sqrt{b^2 - 4ac})} + c \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}}$$

**Rubi [A]** time = 3.14, antiderivative size = 417, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 31, number of rules / integrand size = 0.226, Rules used = {909, 63, 217, 206, 6728, 93, 208}

$$\frac{2 \left( \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} + e(2cd - be) \right) \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{2cf-g(b-\sqrt{b^2-4ac})}}{\sqrt{f+gx} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) + 2 \left( e(2cd - be) - \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} \right) \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{2cf-g(\sqrt{b^2-4ac}+b)}}{\sqrt{f+gx} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \right) + \frac{2e^{3/2} \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{d+ex}}{\sqrt{e} \sqrt{f+gx}} \right)}{c\sqrt{g}}}{c \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \sqrt{2cf - g(b - \sqrt{b^2 - 4ac})} + c \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \sqrt{2cf - g(\sqrt{b^2 - 4ac} + b)}} + \frac{2e^{3/2} \tanh^{-1} \left( \frac{\sqrt{g} \sqrt{d+ex}}{\sqrt{e} \sqrt{f+gx}} \right)}{c\sqrt{g}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^(3/2)/(Sqrt[f + g\*x]\*(a + b\*x + c\*x^2)),x]

[Out] (2\*e^(3/2)\*ArcTanh[(Sqrt[g]\*Sqrt[d + e\*x])/(Sqrt[e]\*Sqrt[f + g\*x])])/(c\*Sqrt[g]) - (2\*(e\*(2\*c\*d - b\*e) + (2\*c^2\*d^2 + b^2\*e^2 - 2\*c\*e\*(b\*d + a\*e))/Sqrt[b^2 - 4\*a\*c])\*ArcTanh[(Sqrt[2\*c\*f - (b - Sqrt[b^2 - 4\*a\*c])\*g]\*Sqrt[d + e\*x])/(Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[f + g\*x])])/(c\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[2\*c\*f - (b - Sqrt[b^2 - 4\*a\*c])\*g]) - (2\*(e\*(2\*c\*d - b\*e) - (2\*c^2\*d^2 + b^2\*e^2 - 2\*c\*e\*(b\*d + a\*e))/Sqrt[b^2 - 4\*a\*c])\*ArcTanh[(Sqrt[2\*c\*f - (b + Sqrt[b^2 - 4\*a\*c])\*g]\*Sqrt[d + e\*x])/(Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[f + g\*x])])/(c\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[2\*c\*f - (b + Sqrt[b^2 - 4\*a\*c])\*g])

### Rule 63

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_), x\_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p\*(m + 1) - 1)\*(c - (a\*d)/b + (d\*x^p)/b)^n, x], x, (a + b\*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b\*c - a\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

### Rule 93

Int[((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] := With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)\*(c + d\*x^q)/(e + f\*x^q)^n, x], x, (a + b\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[e\*f - c\*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

```

- 1)/(b*e - a*f - (d*e - c*f)*x^q), x], x, (a + b*x)^(1/q)/(c + d*x)^(1/q)
], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n]
&& LtQ[-1, m, 0] && SimplerQ[a + b*x, c + d*x]

```

### Rule 206

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

### Rule 208

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

```

### Rule 217

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

```

### Rule 909

```

Int[((d_.) + (e_.)*(x_)^m)/(Sqrt[(f_.) + (g_.)*(x_)^2]*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)), x_Symbol] := Int[ExpandIntegrand[1/(Sqrt[d + e*x]*Sqrt[f
+ g*x]), (d + e*x)^(m + 1/2)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c,
d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
IGtQ[m + 1/2, 0]

```

### Rule 6728

```

Int[(u_)/((a_.) + (b_.)*(x_)^(n_.) + (c_.)*(x_)^(n2_.)), x_Symbol] := With[
{v = RationalFunctionExpand[u/(a + b*x^n + c*x^(2*n)), x]}, Int[v, x] /; Su
mQ[v]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(d+ex)^{3/2}}{\sqrt{f+gx}(a+bx+cx^2)} dx &= \int \left( \frac{e^2}{c\sqrt{d+ex}\sqrt{f+gx}} + \frac{cd^2 - ae^2 + e(2cd - be)x}{c\sqrt{d+ex}\sqrt{f+gx}(a+bx+cx^2)} \right) dx \\
&= \frac{\int \frac{cd^2 - ae^2 + e(2cd - be)x}{\sqrt{d+ex}\sqrt{f+gx}(a+bx+cx^2)} dx}{c} + \frac{e^2 \int \frac{1}{\sqrt{d+ex}\sqrt{f+gx}} dx}{c} \\
&= \frac{\int \left( \frac{e(2cd - be) + \frac{2c^2d^2 - 2bcde + b^2e^2 - 2ace^2}{\sqrt{b^2 - 4ac}}}{(b - \sqrt{b^2 - 4ac} + 2cx)\sqrt{d+ex}\sqrt{f+gx}} + \frac{e(2cd - be) - \frac{2c^2d^2 - 2bcde + b^2e^2 - 2ace^2}{\sqrt{b^2 - 4ac}}}{(b + \sqrt{b^2 - 4ac} + 2cx)\sqrt{d+ex}\sqrt{f+gx}} \right) dx}{c} \quad (2e) \text{ Subst} \\
&= \frac{(2e) \text{ Subst} \left( \int \frac{1}{1 - \frac{gx^2}{e}} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}} \right)}{c} + \frac{\left( e(2cd - be) - \frac{2c^2d^2 + b^2e^2 - 2ce(bd+ae)}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{(b + \sqrt{b^2 - 4ac} + 2cx)\sqrt{d+ex}\sqrt{f+gx}} dx}{c} \\
&= \frac{2e^{3/2} \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}} \right)}{c\sqrt{g}} + \frac{2 \left( e(2cd - be) - \frac{2c^2d^2 + b^2e^2 - 2ce(bd+ae)}{\sqrt{b^2 - 4ac}} \right) \text{Subst} \left( \int \frac{1}{(b + \sqrt{b^2 - 4ac} + 2cx)\sqrt{d+ex}\sqrt{f+gx}} dx \right)}{c} \\
&= \frac{2e^{3/2} \tanh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{e}\sqrt{f+gx}} \right)}{c\sqrt{g}} - \frac{2 \left( e(2cd - be) + \frac{2c^2d^2 + b^2e^2 - 2ce(bd+ae)}{\sqrt{b^2 - 4ac}} \right) \tanh^{-1} \left( \frac{\sqrt{2cf - (b - \sqrt{b^2 - 4ac})e}}{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}} \right)}{c\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e} \sqrt{2cf - (b - \sqrt{b^2 - 4ac})e}}
\end{aligned}$$

**Mathematica [A]** time = 1.79, size = 401, normalized size = 0.96

$$\frac{(e(b - \sqrt{b^2 - 4ac}) - 2cd)^{3/2} \sqrt{g(\sqrt{b^2 - 4ac} + b) - 2cf} \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{g(b - \sqrt{b^2 - 4ac}) - 2cf}}{\sqrt{f+gx} \sqrt{g(b - \sqrt{b^2 - 4ac}) - 2cd}} \right) - (e(\sqrt{b^2 - 4ac} + b) - 2cd)^{3/2} \sqrt{g(b - \sqrt{b^2 - 4ac}) - 2cf} \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{g(\sqrt{b^2 - 4ac} + b) - 2cf}}{\sqrt{f+gx} \sqrt{g(\sqrt{b^2 - 4ac} + b) - 2cd}} \right)}{c\sqrt{b^2 - 4ac} \sqrt{g(b - \sqrt{b^2 - 4ac}) - 2cf} \sqrt{g(\sqrt{b^2 - 4ac} + b) - 2cf}} + \frac{2(ef - dg)^{3/2} \left( \frac{ef+dg}{ef-dg} \right)^{3/2} \sinh^{-1} \left( \frac{\sqrt{g}\sqrt{d+ex}}{\sqrt{ef-dg}} \right)}{c\sqrt{g}(f+gx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^(3/2)/(Sqrt[f + g\*x]\*(a + b\*x + c\*x^2)),x]

[Out] (2\*(e\*f - d\*g)^(3/2)\*((e\*(f + g\*x))/(e\*f - d\*g))^(3/2)\*ArcSinh[(Sqrt[g]\*Sqrt[d + e\*x])/Sqrt[e\*f - d\*g]])/(c\*Sqrt[g]\*(f + g\*x)^(3/2)) + ((-2\*c\*d + (b - Sqrt[b^2 - 4\*a\*c])\*e)^(3/2)\*Sqrt[-2\*c\*f + (b + Sqrt[b^2 - 4\*a\*c])\*g]\*ArcTanh[(Sqrt[-2\*c\*f + (b - Sqrt[b^2 - 4\*a\*c])\*g]\*Sqrt[d + e\*x])/(Sqrt[-2\*c\*d + (b - Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[f + g\*x])] - (-2\*c\*d + (b + Sqrt[b^2 - 4\*a\*c])\*e)^(3/2)\*Sqrt[-2\*c\*f + (b - Sqrt[b^2 - 4\*a\*c])\*g]\*ArcTanh[(Sqrt[-2\*c\*f + (b + Sqrt[b^2 - 4\*a\*c])\*g]\*Sqrt[d + e\*x])/(Sqrt[-2\*c\*d + (b + Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[f + g\*x])])/(Sqrt[-2\*c\*d + (b + Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[f + g\*x])

$4*a*c)) * e) * \text{Sqrt}[f + g*x])) / (c * \text{Sqrt}[b^2 - 4*a*c] * \text{Sqrt}[-2*c*f + (b - \text{Sqrt}[b^2 - 4*a*c]) * g])$

**IntegrateAlgebraic [A]** time = 6.48, size = 479, normalized size = 1.15

$$\frac{\sqrt{2} \left( e\sqrt{b^2-4ac} - be + 2cd \right) \sqrt{ae^2 - bde + cd^2} \tan^{-1} \left( \frac{\sqrt{2} \sqrt{f+gx} \sqrt{ae^2 - bde + cd^2}}{\sqrt{d+ex} \sqrt{-dg\sqrt{b^2-4ac} + ef\sqrt{b^2-4ac} - 2aeg + bdg + bef - 2cdf}} \right)}{c\sqrt{b^2-4ac} \sqrt{-dg\sqrt{b^2-4ac} + ef\sqrt{b^2-4ac} - 2aeg + bdg + bef - 2cdf}} + \frac{\sqrt{2} \left( e\sqrt{b^2-4ac} + be - 2cd \right) \sqrt{ae^2 - bde + cd^2} \tan^{-1} \left( \frac{\sqrt{2} \sqrt{f+gx} \sqrt{ae^2 - bde + cd^2}}{\sqrt{d+ex} \sqrt{-dg\sqrt{b^2-4ac} - ef\sqrt{b^2-4ac} - 2aeg + bdg + bef - 2cdf}} \right)}{c\sqrt{b^2-4ac} \sqrt{-dg\sqrt{b^2-4ac} - ef\sqrt{b^2-4ac} - 2aeg + bdg + bef - 2cdf}} + \frac{2e^{3/2} \tanh^{-1} \left( \frac{\sqrt{f+gx}}{\sqrt{g}\sqrt{d+ex}} \right)}{c\sqrt{g}}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(d + e\*x)^(3/2)/(Sqrt[f + g\*x]\*(a + b\*x + c\*x^2)),x]

[Out] (Sqrt[2]\*(2\*c\*d - b\*e + Sqrt[b^2 - 4\*a\*c])\*e)\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*ArcTan[(Sqrt[2]\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[f + g\*x])/(Sqrt[-2\*c\*d\*f + b\*e\*f + Sqrt[b^2 - 4\*a\*c]\*e\*f + b\*d\*g - Sqrt[b^2 - 4\*a\*c]\*d\*g - 2\*a\*e\*g]\*Sqrt[d + e\*x]))]/(c\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[-2\*c\*d\*f + b\*e\*f + Sqrt[b^2 - 4\*a\*c]\*e\*f + b\*d\*g - Sqrt[b^2 - 4\*a\*c]\*d\*g - 2\*a\*e\*g]) + (Sqrt[2]\*(-2\*c\*d + b\*e + Sqrt[b^2 - 4\*a\*c])\*e)\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*ArcTan[(Sqrt[2]\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[f + g\*x])/(Sqrt[-2\*c\*d\*f + b\*e\*f - Sqrt[b^2 - 4\*a\*c]\*e\*f + b\*d\*g + Sqrt[b^2 - 4\*a\*c]\*d\*g - 2\*a\*e\*g]\*Sqrt[d + e\*x]))]/(c\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[-2\*c\*d\*f + b\*e\*f - Sqrt[b^2 - 4\*a\*c]\*e\*f + b\*d\*g + Sqrt[b^2 - 4\*a\*c]\*d\*g - 2\*a\*e\*g]) + (2\*e^(3/2)\*ArcTanh[(Sqrt[e]\*Sqrt[f + g\*x])/(Sqrt[g]\*Sqrt[d + e\*x]))]/(c\*Sqrt[g])

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(3/2)/(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.18, size = 11688, normalized size = 28.03

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x+d)^(3/2)/(c*x^2+b*x+a)/(g*x+f)^(1/2),x)`

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex + d)^{\frac{3}{2}}}{(cx^2 + bx + a)\sqrt{gx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^(3/2)/(c*x^2+b*x+a)/(g*x+f)^(1/2),x, algorithm="maxima")`

[Out] `integrate((e*x + d)^(3/2)/((c*x^2 + b*x + a)*sqrt(g*x + f)), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex)^{3/2}}{\sqrt{f + gx} (cx^2 + bx + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x)^(3/2)/((f + g*x)^(1/2)*(a + b*x + c*x^2)),x)`

[Out] `int((d + e*x)^(3/2)/((f + g*x)^(1/2)*(a + b*x + c*x^2)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)**(3/2)/(c*x**2+b*x+a)/(g*x+f)**(1/2),x)`

[Out] Timed out

$$3.594 \quad \int \frac{\sqrt{d+ex}}{\sqrt{f+gx}(a+bx+cx^2)} dx$$

**Optimal.** Leaf size=285

$$\frac{2\sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{2cf-g(\sqrt{b^2-4ac}+b)}}{\sqrt{f+gx} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}\right) - 2\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{2cf-g(b-\sqrt{b^2-4ac})}}{\sqrt{f+gx} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}\right)}{\sqrt{b^2 - 4ac} \sqrt{2cf - g(\sqrt{b^2 - 4ac} + b)} - \sqrt{b^2 - 4ac} \sqrt{2cf - g(b - \sqrt{b^2 - 4ac})}}$$

**Rubi [A]** time = 0.53, antiderivative size = 285, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {909, 93, 208}

$$\frac{2\sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{2cf-g(\sqrt{b^2-4ac}+b)}}{\sqrt{f+gx} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}\right) - 2\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \tanh^{-1}\left(\frac{\sqrt{d+ex} \sqrt{2cf-g(b-\sqrt{b^2-4ac})}}{\sqrt{f+gx} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}\right)}{\sqrt{b^2 - 4ac} \sqrt{2cf - g(\sqrt{b^2 - 4ac} + b)} - \sqrt{b^2 - 4ac} \sqrt{2cf - g(b - \sqrt{b^2 - 4ac})}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e\*x]/(Sqrt[f + g\*x]\*(a + b\*x + c\*x^2)),x]

[Out] (-2\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]\*ArcTanh[(Sqrt[2\*c\*f - (b - Sqrt[b^2 - 4\*a\*c])\*g]\*Sqrt[d + e\*x])/(Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[f + g\*x])])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*f - (b - Sqrt[b^2 - 4\*a\*c])\*g]) + (2\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]\*ArcTanh[(Sqrt[2\*c\*f - (b + Sqrt[b^2 - 4\*a\*c])\*g]\*Sqrt[d + e\*x])/(Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[f + g\*x])])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*f - (b + Sqrt[b^2 - 4\*a\*c])\*g])

**Rule 93**

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

**Rule 208**

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 909

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)/(Sqrt[(f\_.) + (g\_.)\*(x\_)]\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)), x\_Symbol] :> Int[ExpandIntegrand[1/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]), (d + e\*x)^(m + 1/2)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[m + 1/2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{d+ex}}{\sqrt{f+gx}(a+bx+cx^2)} dx &= \int \left( \frac{e + \frac{2cd-be}{\sqrt{b^2-4ac}}}{(b - \sqrt{b^2-4ac} + 2cx)\sqrt{d+ex}\sqrt{f+gx}} + \frac{e - \frac{2cd-be}{\sqrt{b^2-4ac}}}{(b + \sqrt{b^2-4ac} + 2cx)\sqrt{d+ex}\sqrt{f+gx}} \right) dx \\ &= \left( e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \int \frac{1}{(b + \sqrt{b^2-4ac} + 2cx)\sqrt{d+ex}\sqrt{f+gx}} dx + \left( e + \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \int \frac{1}{(b - \sqrt{b^2-4ac} + 2cx)\sqrt{d+ex}\sqrt{f+gx}} dx \\ &= \left( 2 \left( e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \right) \text{Subst} \left[ \int \frac{1}{-2cd + (b + \sqrt{b^2-4ac})e - (-2cf + (b + \sqrt{b^2-4ac})g)\sqrt{d+ex}} \right. \\ &\quad \left. 2\sqrt{2cd - (b - \sqrt{b^2-4ac})e} \tanh^{-1} \left( \frac{\sqrt{2cf - (b - \sqrt{b^2-4ac})g}\sqrt{d+ex}}{\sqrt{2cd - (b - \sqrt{b^2-4ac})e}\sqrt{f+gx}} \right) \right. \\ &= \left. - \frac{2\sqrt{2cd - (b - \sqrt{b^2-4ac})e} \tanh^{-1} \left( \frac{\sqrt{2cf - (b - \sqrt{b^2-4ac})g}\sqrt{d+ex}}{\sqrt{2cd - (b - \sqrt{b^2-4ac})e}\sqrt{f+gx}} \right)}{\sqrt{b^2-4ac}\sqrt{2cf - (b - \sqrt{b^2-4ac})g}} + \frac{2\sqrt{2cd - (b + \sqrt{b^2-4ac})e} \tanh^{-1} \left( \frac{\sqrt{2cf - (b + \sqrt{b^2-4ac})g}\sqrt{d+ex}}{\sqrt{2cd - (b + \sqrt{b^2-4ac})e}\sqrt{f+gx}} \right)}{\sqrt{b^2-4ac}\sqrt{2cf - (b + \sqrt{b^2-4ac})g}} \right) \end{aligned}$$

**Mathematica [A]** time = 0.87, size = 266, normalized size = 0.93

$$2 \left[ \frac{\sqrt{e(\sqrt{b^2-4ac}+b)-2cd} \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{g(\sqrt{b^2-4ac}+b)-2cf}}{\sqrt{f+gx} \sqrt{e(\sqrt{b^2-4ac}+b)-2cd}} \right)}{\sqrt{g(\sqrt{b^2-4ac}+b)-2cf}} - \frac{\sqrt{e(b-\sqrt{b^2-4ac})-2cd} \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{g(b-\sqrt{b^2-4ac})-2cf}}{\sqrt{f+gx} \sqrt{e(b-\sqrt{b^2-4ac})-2cd}} \right)}{\sqrt{g(b-\sqrt{b^2-4ac})-2cf}} \right] \sqrt{b^2-4ac}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e\*x]/(Sqrt[f + g\*x]\*(a + b\*x + c\*x^2)),x]

[Out] (2\*((Sqrt[-2\*c\*d + (b - Sqrt[b^2 - 4\*a\*c])\*e]\*ArcTanh[(Sqrt[-2\*c\*f + (b - Sqrt[b^2 - 4\*a\*c])\*g]\*Sqrt[d + e\*x])/(Sqrt[-2\*c\*d + (b - Sqrt[b^2 - 4\*a\*c])

$$\frac{) * e] * \text{Sqrt}[f + g * x])]}{\text{Sqrt}[-2 * c * f + (b - \text{Sqrt}[b^2 - 4 * a * c]) * g]} + (\text{Sqrt}[-2 * c * d + (b + \text{Sqrt}[b^2 - 4 * a * c]) * e] * \text{ArcTanh}[\frac{\text{Sqrt}[-2 * c * f + (b + \text{Sqrt}[b^2 - 4 * a * c]) * g]}{\text{Sqrt}[d + e * x]}] / (\text{Sqrt}[-2 * c * d + (b + \text{Sqrt}[b^2 - 4 * a * c]) * e] * \text{Sqrt}[f + g * x])])]}{\text{Sqrt}[-2 * c * f + (b + \text{Sqrt}[b^2 - 4 * a * c]) * g]})) / \text{Sqrt}[b^2 - 4 * a * c]$$

**IntegrateAlgebraic [F]** time = 180.36, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[Sqrt[d + e\*x]/(Sqrt[f + g\*x]\*(a + b\*x + c\*x^2)),x]

[Out] \$Aborted

**fricas [B]** time = 37.79, size = 4471, normalized size = 15.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out]  $\frac{1}{4} \sqrt{2} \sqrt{((2 * c * d - b * e) * f - (b * d - 2 * a * e) * g + ((b^2 * c - 4 * a * c^2) * f^2 - (b^3 - 4 * a * b * c) * f * g + (a * b^2 - 4 * a^2 * c) * g^2)) * \sqrt{((e^2 * f^2 - 2 * d * e * f * g + d^2 * g^2) / ((b^2 * c^2 - 4 * a * c^3) * f^4 - 2 * (b^3 * c - 4 * a * b * c^2) * f^3 * g + (b^4 - 2 * a * b^2 * c - 8 * a^2 * c^2) * f^2 * g^2 - 2 * (a * b^3 - 4 * a^2 * b * c) * f * g^3 + (a^2 * b^2 - 4 * a^3 * c) * g^4))} / ((b^2 * c - 4 * a * c^2) * f^2 - (b^3 - 4 * a * b * c) * f * g + (a * b^2 - 4 * a^2 * c) * g^2)) * \log(- (2 * b * d^2 * f * g - 2 * a * d^2 * g^2 - 2 * (b * d * e - a * e^2) * f^2 + \sqrt{2} * ((b^2 - 4 * a * c) * e * f^2 - (b^2 - 4 * a * c) * d * f * g + ((b^3 * c - 4 * a * b * c^2) * f^3 - (b^4 - 2 * a * b^2 * c - 8 * a^2 * c^2) * f^2 * g + 3 * (a * b^3 - 4 * a^2 * b * c) * f * g^2 - 2 * (a^2 * b^2 - 4 * a^3 * c) * g^3)) * \sqrt{((e^2 * f^2 - 2 * d * e * f * g + d^2 * g^2) / ((b^2 * c^2 - 4 * a * c^3) * f^4 - 2 * (b^3 * c - 4 * a * b * c^2) * f^3 * g + (b^4 - 2 * a * b^2 * c - 8 * a^2 * c^2) * f^2 * g^2 - 2 * (a * b^3 - 4 * a^2 * b * c) * f * g^3 + (a^2 * b^2 - 4 * a^3 * c) * g^4))} * \sqrt{e * x + d} * \sqrt{g * x + f} * \sqrt{((2 * c * d - b * e) * f - (b * d - 2 * a * e) * g + ((b^2 * c - 4 * a * c^2) * f^2 - (b^3 - 4 * a * b * c) * f * g + (a * b^2 - 4 * a^2 * c) * g^2)) * \sqrt{((e^2 * f^2 - 2 * d * e * f * g + d^2 * g^2) / ((b^2 * c^2 - 4 * a * c^3) * f^4 - 2 * (b^3 * c - 4 * a * b * c^2) * f^3 * g + (b^4 - 2 * a * b^2 * c - 8 * a^2 * c^2) * f^2 * g^2 - 2 * (a * b^3 - 4 * a^2 * b * c) * f * g^3 + (a^2 * b^2 - 4 * a^3 * c) * g^4))} / ((b^2 * c - 4 * a * c^2) * f^2 - (b^3 - 4 * a * b * c) * f * g + (a * b^2 - 4 * a^2 * c) * g^2)) - (b * e^2 * f^2 - 4 * a * e^2 * f * g - (b * d^2 - 4 * a * d * e) * g^2) * x - (2 * (b^2 * c - 4 * a * c^2) * d * f^3 - 2 * (b^3 - 4 * a * b * c) * d * f^2 * g + 2 * (a * b^2 - 4 * a^2 * c) * d * f * g^2 + ((b^2 * c - 4 * a * c^2) * e * f^3 + (a * b^2 - 4 * a^2 * c) * d * g^3 + ((b^2 * c - 4 * a * c^2) * d - (b^3 - 4 * a * b * c) * e) * f^2 * g - ((b^3 - 4 * a * b * c) * d - (a * b^2 - 4 * a^2 * c) * e) * f * g^2) * x) * \sqrt{((e^2 * f^2 - 2 * d * e * f * g + d^2 * g^2) / ((b^2 * c^2 - 4 * a * c^3) * f^4 - 2 * (b^3 * c - 4 * a * b * c^2) * f^3 * g + (b^4 - 2 * a * b^2 * c - 8 * a^2 * c^2) * f^2 * g^2 - 2 * (a * b^3 - 4 * a^2 * b * c) * f * g^3 + (a^2 * b^2 - 4 * a^3 * c) * g^4))} / x - 1/4 * \sqrt{2} * \sqrt{((2 * c * d - b * e) * f - (b * d - 2 * a * e) * g + ((b^2 * c - 4 * a * c^2) * f^2 - (b^3 - 4 * a * b * c) * f * g + (a * b^2 - 4 * a^2 * c) * g^2)) * \sqrt{((e^2 * f^2 - 2 * d * e * f * g + d^2 * g^2) / ((b^2 * c^2 - 4 * a * c^3) * f^4 - 2 * (b^3 * c - 4 * a * b * c^2) * f^3 * g + (b^4 - 2 * a * b^2 * c - 8 * a^2 * c^2) * f^2 * g^2 - 2 * (a * b^3 - 4 * a^2 * b * c) * f * g^3 + (a^2 * b^2 - 4 * a^3 * c) * g^4))} / x$





$$\frac{2f^2 - 2de*fg + d^2g^2}{(b^2c^2 - 4a^3c^3)f^4 - 2(b^3c - 4a*bc^2)f^3g + (b^4 - 2a*b^2c - 8a^2c^2)f^2g^2 - 2(ab^3 - 4a^2*bc)f^2g^3 + (a^2b^2 - 4a^3c)*g^4)}{(b^2c - 4a^2c^2)f^2 - (b^3 - 4a*bc)*fg + (ab^2 - 4a^2c)*g^2)} * \log(-2b*d^2*f*g - 2a*d^2*g^2 - 2(b*d*e - a*e^2)*f^2 - \sqrt{2}*((b^2 - 4a*c)*e*f^2 - (b^2 - 4a*c)*d*f*g - ((b^3*c - 4a*bc^2)*f^3 - (b^4 - 2a*b^2c - 8a^2c^2)*f^2g + 3*(ab^3 - 4a^2*bc)*fg^2 - 2*(a^2b^2 - 4a^3c)*g^3)*\sqrt{(e^2*f^2 - 2d*efg + d^2g^2)/(b^2c^2 - 4a^3c^3)f^4 - 2(b^3c - 4a*bc^2)f^3g + (b^4 - 2a*b^2c - 8a^2c^2)f^2g^2 - 2(ab^3 - 4a^2*bc)*fg^3 + (a^2b^2 - 4a^3c)*g^4)}) * \sqrt{e*x + d} * \sqrt{g*x + f} * \sqrt{((2*c*d - b*e)*f - (b*d - 2*a*e)*g - ((b^2*c - 4a^2c^2)*f^2 - (b^3 - 4a*bc)*fg + (ab^2 - 4a^2c)*g^2)*\sqrt{(e^2*f^2 - 2d*efg + d^2g^2)/(b^2c^2 - 4a^3c^3)f^4 - 2(b^3c - 4a*bc^2)f^3g + (b^4 - 2a*b^2c - 8a^2c^2)f^2g^2 - 2(ab^3 - 4a^2*bc)*fg^3 + (a^2b^2 - 4a^3c)*g^4)}}{(b^2c - 4a^2c^2)*f^2 - (b^3 - 4a*bc)*fg + (ab^2 - 4a^2c)*g^2)} * \sqrt{(e^2*f^2 - 2d*efg + d^2g^2)/(b^2c^2 - 4a^3c^3)f^4 - 2(b^3c - 4a*bc^2)f^3g + (b^4 - 2a*b^2c - 8a^2c^2)f^2g^2 - 2(ab^3 - 4a^2*bc)*fg^3 + (a^2b^2 - 4a^3c)*g^4)} / x$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.05, size = 5482, normalized size = 19.24

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^(1/2)/(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex+d}}{(cx^2+bx+a)\sqrt{gx+f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^(1/2)/(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(e\*x + d)/((c\*x^2 + b\*x + a)\*sqrt(g\*x + f)), x)

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x)^(1/2)/((f + g\*x)^(1/2)\*(a + b\*x + c\*x^2)),x)

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d+ex}}{\sqrt{f+gx}(a+bx+cx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*(1/2)/(c\*x\*\*2+b\*x+a)/(g\*x+f)\*\*(1/2),x)

[Out] Integral(sqrt(d + e\*x)/(sqrt(f + g\*x)\*(a + b\*x + c\*x\*\*2)), x)

$$3.595 \quad \int \frac{1}{\sqrt{d+ex} \sqrt{f+gx} (a+bx+cx^2)} dx$$

**Optimal.** Leaf size=287

$$\frac{4c \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{2cf-g(\sqrt{b^2-4ac}+b)}}{\sqrt{f+gx} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \right)}{\sqrt{b^2-4ac} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)} \sqrt{2cf-g(\sqrt{b^2-4ac}+b)}} - \frac{4c \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{2cf-g(b-\sqrt{b^2-4ac})}}{\sqrt{f+gx} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right)}{\sqrt{b^2-4ac} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} \sqrt{2cf-g(b-\sqrt{b^2-4ac})}}$$

**Rubi [A]** time = 0.41, antiderivative size = 287, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {911, 93, 208}

$$\frac{4c \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{2cf-g(\sqrt{b^2-4ac}+b)}}{\sqrt{f+gx} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \right)}{\sqrt{b^2-4ac} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)} \sqrt{2cf-g(\sqrt{b^2-4ac}+b)}} - \frac{4c \tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{2cf-g(b-\sqrt{b^2-4ac})}}{\sqrt{f+gx} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right)}{\sqrt{b^2-4ac} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} \sqrt{2cf-g(b-\sqrt{b^2-4ac})}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]\*(a + b\*x + c\*x^2)),x]

[Out] (-4\*c\*ArcTanh[(Sqrt[2\*c\*f - (b - Sqrt[b^2 - 4\*a\*c])\*g]\*Sqrt[d + e\*x])/(Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[f + g\*x])])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[2\*c\*f - (b - Sqrt[b^2 - 4\*a\*c])\*g]) + (4\*c\*ArcTanh[(Sqrt[2\*c\*f - (b + Sqrt[b^2 - 4\*a\*c])\*g]\*Sqrt[d + e\*x])/(Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[f + g\*x])])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[2\*c\*f - (b + Sqrt[b^2 - 4\*a\*c])\*g])

**Rule 93**

Int[(((a\_.) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_))/((e\_.) + (f\_.)\*(x\_)), x\_Symbol] :> With[{q = Denominator[m]}, Dist[q, Subst[Int[x^(q\*(m + 1) - 1)/(b\*e - a\*f - (d\*e - c\*f)\*x^q), x], x, (a + b\*x)^(1/q)/(c + d\*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[m + n + 1, 0] && RationalQ[n] && LtQ[-1, m, 0] && SimplerQ[a + b\*x, c + d\*x]

**Rule 208**

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 911

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_))/((a_.) + (b_.)*(x_) + (c_.)*(x_^2)), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n, 1/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[m] && !IntegerQ[n]
```

Rubi steps

$$\int \frac{1}{\sqrt{d+ex} \sqrt{f+gx} (a+bx+cx^2)} dx = \int \left( \frac{2c}{\sqrt{b^2-4ac} (b-\sqrt{b^2-4ac}+2cx) \sqrt{d+ex} \sqrt{f+gx}} - \frac{1}{\sqrt{b^2-4ac} (b+\sqrt{b^2-4ac}+2cx) \sqrt{d+ex} \sqrt{f+gx}} \right) dx$$

$$= \frac{(2c) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx) \sqrt{d+ex} \sqrt{f+gx}} dx}{\sqrt{b^2-4ac}} - \frac{(2c) \int \frac{1}{(b+\sqrt{b^2-4ac}+2cx) \sqrt{d+ex} \sqrt{f+gx}} dx}{\sqrt{b^2-4ac}}$$

$$(4c) \text{ Subst} \left( \int \frac{1}{-2cd+(b-\sqrt{b^2-4ac})e-(2cf+(b-\sqrt{b^2-4ac})g)x^2} dx, x, \frac{\sqrt{d+ex}}{\sqrt{f+gx}} \right)$$

$$= \frac{4c \tanh^{-1} \left( \frac{\sqrt{2cf-(b-\sqrt{b^2-4ac})g} \sqrt{d+ex}}{\sqrt{2cd-(b-\sqrt{b^2-4ac})e} \sqrt{f+gx}} \right)}{\sqrt{b^2-4ac} \sqrt{2cd-(b-\sqrt{b^2-4ac})e} \sqrt{2cf-(b-\sqrt{b^2-4ac})g}} +$$

**Mathematica [A]** time = 0.75, size = 267, normalized size = 0.93

$$4c \frac{\left( \frac{\tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{g(b-\sqrt{b^2-4ac})-2cf}}{\sqrt{f+gx} \sqrt{e(b-\sqrt{b^2-4ac})-2cd}} \right)}{\sqrt{e(b-\sqrt{b^2-4ac})-2cd} \sqrt{g(b-\sqrt{b^2-4ac})-2cf}} - \frac{\tanh^{-1} \left( \frac{\sqrt{d+ex} \sqrt{g(\sqrt{b^2-4ac}+b)-2cf}}{\sqrt{f+gx} \sqrt{e(\sqrt{b^2-4ac}+b)-2cd}} \right)}{\sqrt{e(\sqrt{b^2-4ac}+b)-2cd} \sqrt{g(\sqrt{b^2-4ac}+b)-2cf}} \right)}{\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[d + e\*x]\*Sqrt[f + g\*x]\*(a + b\*x + c\*x^2)),x]

```
[Out] (4*c*(ArcTanh[(Sqrt[-2*c*f + (b - Sqrt[b^2 - 4*a*c])]*g)*Sqrt[d + e*x])/(Sqrt[-2*c*d + (b - Sqrt[b^2 - 4*a*c])]*e)*Sqrt[f + g*x]))/(Sqrt[-2*c*d + (b - Sqrt[b^2 - 4*a*c])]*e)*Sqrt[-2*c*f + (b - Sqrt[b^2 - 4*a*c])]*g) - ArcTanh[(Sqrt[-2*c*f + (b + Sqrt[b^2 - 4*a*c])]*g)*Sqrt[d + e*x])/(Sqrt[-2*c*d + (b + Sqrt[b^2 - 4*a*c])]*e)*Sqrt[f + g*x]))/(Sqrt[-2*c*d + (b + Sqrt[b^2 - 4*a*c])]*e)*Sqrt[-2*c*f + (b + Sqrt[b^2 - 4*a*c])]*g)))/Sqrt[b^2 - 4*a*c]
```

**IntegrateAlgebraic [A]** time = 5.45, size = 566, normalized size = 1.97

$$\frac{(\sqrt{2}e\sqrt{b^2-4ac}\sqrt{a^2-bde+cd^2}-2\sqrt{2}cd\sqrt{a^2-bde+cd^2}+\sqrt{2}be\sqrt{a^2-bde+cd^2})\tan^{-1}\left(\frac{\sqrt{2}\sqrt{f+g}\sqrt{a^2-bde+cd^2}}{\sqrt{4c^2-dg}\sqrt{b^2-4ac}+ef\sqrt{b^2-4ac}-2ag+bdg+bef-2df}\right)+(\sqrt{2}e\sqrt{b^2-4ac}\sqrt{a^2-bde+cd^2}+2\sqrt{2}cd\sqrt{a^2-bde+cd^2}-\sqrt{2}be\sqrt{a^2-bde+cd^2})\tan^{-1}\left(\frac{\sqrt{2}\sqrt{f+g}\sqrt{a^2-bde+cd^2}}{\sqrt{4c^2-dg}\sqrt{b^2-4ac}-ef\sqrt{b^2-4ac}-2ag+bdg+bef-2df}\right)}{\sqrt{b^2-4ac}(-a^2+bde-cd^2)\sqrt{-dg}\sqrt{b^2-4ac}+ef\sqrt{b^2-4ac}-2ag+bdg+bef-2df} + \frac{(\sqrt{2}e\sqrt{b^2-4ac}\sqrt{a^2-bde+cd^2}+2\sqrt{2}cd\sqrt{a^2-bde+cd^2}-\sqrt{2}be\sqrt{a^2-bde+cd^2})\tan^{-1}\left(\frac{\sqrt{2}\sqrt{f+g}\sqrt{a^2-bde+cd^2}}{\sqrt{4c^2-dg}\sqrt{b^2-4ac}-ef\sqrt{b^2-4ac}-2ag+bdg+bef-2df}\right)+(\sqrt{2}e\sqrt{b^2-4ac}\sqrt{a^2-bde+cd^2}-2\sqrt{2}cd\sqrt{a^2-bde+cd^2}+\sqrt{2}be\sqrt{a^2-bde+cd^2})\tan^{-1}\left(\frac{\sqrt{2}\sqrt{f+g}\sqrt{a^2-bde+cd^2}}{\sqrt{4c^2-dg}\sqrt{b^2-4ac}+ef\sqrt{b^2-4ac}-2ag+bdg+bef-2df}\right)}{\sqrt{b^2-4ac}(-a^2+bde-cd^2)\sqrt{-dg}\sqrt{b^2-4ac}-ef\sqrt{b^2-4ac}-2ag+bdg+bef-2df}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[1/(Sqrt[d + e*x]*Sqrt[f + g*x]*(a + b*x + c*x^2)),x]
```

```
[Out] ((-2*Sqrt[2]*c*d*Sqrt[c*d^2 - b*d*e + a*e^2] + Sqrt[2]*b*e*Sqrt[c*d^2 - b*d*e + a*e^2] + Sqrt[2]*Sqrt[b^2 - 4*a*c]*e*Sqrt[c*d^2 - b*d*e + a*e^2])*ArcTan[(Sqrt[2]*Sqrt[c*d^2 - b*d*e + a*e^2]*Sqrt[f + g*x])/(Sqrt[-2*c*d*f + b*e*f + Sqrt[b^2 - 4*a*c]*e*f + b*d*g - Sqrt[b^2 - 4*a*c]*d*g - 2*a*e*g]*Sqrt[d + e*x]))/(Sqrt[b^2 - 4*a*c]*(-(c*d^2) + b*d*e - a*e^2)*Sqrt[-2*c*d*f + b*e*f + Sqrt[b^2 - 4*a*c]*e*f + b*d*g - Sqrt[b^2 - 4*a*c]*d*g - 2*a*e*g]) + ((2*Sqrt[2]*c*d*Sqrt[c*d^2 - b*d*e + a*e^2] - Sqrt[2]*b*e*Sqrt[c*d^2 - b*d*e + a*e^2] + Sqrt[2]*Sqrt[b^2 - 4*a*c]*e*Sqrt[c*d^2 - b*d*e + a*e^2])*ArcTan[(Sqrt[2]*Sqrt[c*d^2 - b*d*e + a*e^2]*Sqrt[f + g*x])/(Sqrt[-2*c*d*f + b*e*f - Sqrt[b^2 - 4*a*c]*e*f + b*d*g + Sqrt[b^2 - 4*a*c]*d*g - 2*a*e*g]*Sqrt[d + e*x]))/(Sqrt[b^2 - 4*a*c]*(-(c*d^2) + b*d*e - a*e^2)*Sqrt[-2*c*d*f + b*e*f - Sqrt[b^2 - 4*a*c]*e*f + b*d*g + Sqrt[b^2 - 4*a*c]*d*g - 2*a*e*g])
```

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x+d)^(1/2)/(c*x^2+b*x+a)/(g*x+f)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x+d)^(1/2)/(c*x^2+b*x+a)/(g*x+f)^(1/2),x, algorithm="giac")
```

[Out] Timed out

**maple** [B] time = 0.06, size = 5507, normalized size = 19.19

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x+d)^(1/2)/(c*x^2+b*x+a)/(g*x+f)^(1/2),x)`

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + bx + a)\sqrt{ex + d}\sqrt{gx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)^(1/2)/(c*x^2+b*x+a)/(g*x+f)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/((c*x^2 + b*x + a)*sqrt(e*x + d)*sqrt(g*x + f)), x)`

**mupad** [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((f + g*x)^(1/2)*(d + e*x)^(1/2)*(a + b*x + c*x^2)),x)`

[Out] `\text{Hanged}`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{d + ex}\sqrt{f + gx}(a + bx + cx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)**(1/2)/(c*x**2+b*x+a)/(g*x+f)**(1/2),x)`

[Out] `Integral(1/(sqrt(d + e*x)*sqrt(f + g*x)*(a + b*x + c*x**2)), x)`





```
c*f*(n + 1) + b*d*e*(p + 1))/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && (LtQ[m, -1] || SumSimplerQ[m, 1])
```

### Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rule 911

```
Int[(((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_)))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n, 1/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[m] && !IntegerQ[n]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(d+ex)^{3/2}\sqrt{f+gx}(a+bx+cx^2)} dx &= \int \left( \frac{2c}{\sqrt{b^2-4ac}(b-\sqrt{b^2-4ac}+2cx)(d+ex)^{3/2}\sqrt{f+gx}} - \frac{1}{\sqrt{b^2-4ac}(b+\sqrt{b^2-4ac}+2cx)(d+ex)^{3/2}\sqrt{f+gx}} \right) dx \\
 &= \frac{(2c) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx)(d+ex)^{3/2}\sqrt{f+gx}} dx}{\sqrt{b^2-4ac}} - \frac{(2c) \int \frac{1}{(b+\sqrt{b^2-4ac}+2cx)(d+ex)^{3/2}\sqrt{f+gx}} dx}{\sqrt{b^2-4ac}} \\
 &= \frac{4ce\sqrt{f+gx}}{\sqrt{b^2-4ac} \left( 2cd - (b-\sqrt{b^2-4ac})e \right) (ef-dg)\sqrt{d+ex}} - \frac{4ce\sqrt{f+gx}}{\sqrt{b^2-4ac} \left( 2cd - (b+\sqrt{b^2-4ac})e \right) (ef-dg)\sqrt{d+ex}} \\
 &= \frac{4ce\sqrt{f+gx}}{\sqrt{b^2-4ac} \left( 2cd - (b-\sqrt{b^2-4ac})e \right) (ef-dg)\sqrt{d+ex}} - \frac{4ce\sqrt{f+gx}}{\sqrt{b^2-4ac} \left( 2cd - (b+\sqrt{b^2-4ac})e \right) (ef-dg)\sqrt{d+ex}}
 \end{aligned}$$

**Mathematica [A]** time = 2.06, size = 334, normalized size = 0.78

$$\frac{8c^2 \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{g(b-\sqrt{b^2-4ac})-2cf}}{\sqrt{f+gx}\sqrt{g(b-\sqrt{b^2-4ac})-2cd}}\right)}{\sqrt{b^2-4ac}\left(e\left(b-\sqrt{b^2-4ac}\right)-2cd\right)^{3/2}\sqrt{g\left(b-\sqrt{b^2-4ac}\right)-2cf}} + \frac{8c^2 \tanh^{-1}\left(\frac{\sqrt{d+ex}\sqrt{g\left(\sqrt{b^2-4ac}+b\right)-2cf}}{\left(\sqrt{f+gx}\sqrt{g\left(\sqrt{b^2-4ac}+b\right)-2cd}\right)}\right)}{\sqrt{b^2-4ac}\left(e\left(\sqrt{b^2-4ac}+b\right)-2cd\right)^{3/2}\sqrt{g\left(\sqrt{b^2-4ac}+b\right)-2cf}} + \frac{2e^2\sqrt{f+gx}}{\sqrt{d+ex}(dg-ef)\left(e(ae-bd)+cd^2\right)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)^(3/2)\*Sqrt[f + g\*x]\*(a + b\*x + c\*x^2)), x]

[Out] (2\*e^2\*Sqrt[f + g\*x])/((c\*d^2 + e\*(-(b\*d) + a\*e))\*(-(e\*f) + d\*g)\*Sqrt[d + e\*x]) - (8\*c^2\*ArcTanh[(Sqrt[-2\*c\*f + (b - Sqrt[b^2 - 4\*a\*c])]\*g)\*Sqrt[d + e\*x])/(Sqrt[-2\*c\*d + (b - Sqrt[b^2 - 4\*a\*c])]\*e)\*Sqrt[f + g\*x])]/(Sqrt[b^2 - 4\*a\*c]\*(-2\*c\*d + (b - Sqrt[b^2 - 4\*a\*c])\*e)^(3/2)\*Sqrt[-2\*c\*f + (b - Sqrt[b^2 - 4\*a\*c])\*g]) + (8\*c^2\*ArcTanh[(Sqrt[-2\*c\*f + (b + Sqrt[b^2 - 4\*a\*c])]\*g)\*Sqrt[d + e\*x])/(Sqrt[-2\*c\*d + (b + Sqrt[b^2 - 4\*a\*c])\*e]\*Sqrt[f + g\*x])]/(Sqrt[b^2 - 4\*a\*c]\*(-2\*c\*d + (b + Sqrt[b^2 - 4\*a\*c])\*e)^(3/2)\*Sqrt[-2\*c\*f + (b + Sqrt[b^2 - 4\*a\*c])\*g])

**IntegrateAlgebraic [A]** time = 4.10, size = 651, normalized size = 1.52

$$\frac{(2\sqrt{2}\sqrt{cde}\sqrt{b^2-4ac}-\sqrt{2}b^2\sqrt{b^2-4ac}+2\sqrt{2}ace^2-\sqrt{2}b^2e^2+2\sqrt{2}bde-2\sqrt{2}c^2e^2)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{f+gx}\sqrt{g(b-\sqrt{b^2-4ac})}}{\sqrt{d+ex}\sqrt{g(b-\sqrt{b^2-4ac})-2cf}}\right)}{\sqrt{b^2-4ac}\left(-ae^2+bde-ae^2\right)\sqrt{ae^2-bde+ce^2}\sqrt{-dgy\sqrt{b^2-4ac}+ef\sqrt{b^2-4ac}-2aeg+bdg+bef-2cdf}} + \frac{(2\sqrt{2}\sqrt{cde}\sqrt{b^2-4ac}-\sqrt{2}b^2\sqrt{b^2-4ac}-2\sqrt{2}ace^2+\sqrt{2}b^2e^2-2\sqrt{2}bde+2\sqrt{2}c^2e^2)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{f+gx}\sqrt{g\left(\sqrt{b^2-4ac}+b\right)}}{\sqrt{d+ex}\sqrt{g\left(\sqrt{b^2-4ac}+b\right)-2cf}}\right)}{\sqrt{b^2-4ac}\left(-ae^2+bde+ae^2\right)\sqrt{ae^2-bde+ce^2}\sqrt{-dgy\sqrt{b^2-4ac}-ef\sqrt{b^2-4ac}-2aeg+bdg+bef-2cdf}} + \frac{2e^2\sqrt{f+gx}}{\sqrt{d+ex}(dg-ef)(ae^2-bde+ce^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)^(3/2)\*Sqrt[f + g\*x]\*(a + b\*x + c\*x^2)), x]

[Out] (2\*e^2\*Sqrt[f + g\*x])/((c\*d^2 - b\*d\*e + a\*e^2)\*(-(e\*f) + d\*g)\*Sqrt[d + e\*x]) + ((-2\*Sqrt[2]\*c^2\*d^2 + 2\*Sqrt[2]\*b\*c\*d\*e + 2\*Sqrt[2]\*c\*Sqrt[b^2 - 4\*a\*c]\*d\*e - Sqrt[2]\*b^2\*e^2 + 2\*Sqrt[2]\*a\*c\*e^2 - Sqrt[2]\*b\*Sqrt[b^2 - 4\*a\*c]\*e^2)\*ArcTan[(Sqrt[2]\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[f + g\*x])/(Sqrt[-2\*c\*d\*f + b\*e\*f + Sqrt[b^2 - 4\*a\*c]\*e\*f + b\*d\*g - Sqrt[b^2 - 4\*a\*c]\*d\*g - 2\*a\*e\*g]\*Sqrt[d + e\*x])]/(Sqrt[b^2 - 4\*a\*c]\*(-(c\*d^2) + b\*d\*e - a\*e^2)\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[-2\*c\*d\*f + b\*e\*f + Sqrt[b^2 - 4\*a\*c]\*e\*f + b\*d\*g - Sqrt[b^2 - 4\*a\*c]\*d\*g - 2\*a\*e\*g]) + ((2\*Sqrt[2]\*c^2\*d^2 - 2\*Sqrt[2]\*b\*c\*d\*e + 2\*Sqrt[2]\*c\*Sqrt[b^2 - 4\*a\*c]\*d\*e + Sqrt[2]\*b^2\*e^2 - 2\*Sqrt[2]\*a\*c\*e^2 - Sqrt[2]\*b\*Sqrt[b^2 - 4\*a\*c]\*e^2)\*ArcTan[(Sqrt[2]\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[f + g\*x])/(Sqrt[-2\*c\*d\*f + b\*e\*f - Sqrt[b^2 - 4\*a\*c]\*e\*f + b\*d\*g + Sqrt[b^2 - 4\*a\*c]\*d\*g - 2\*a\*e\*g]\*Sqrt[d + e\*x])]/(Sqrt[b^2 - 4\*a\*c]\*(-(c\*d^2) + b\*d\*e - a\*e^2)\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[-2\*c\*d\*f + b\*e\*f - Sqrt[b^2 - 4\*a\*c]\*e\*f + b\*d\*g + Sqrt[b^2 - 4\*a\*c]\*d\*g - 2\*a\*e\*g])

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(3/2)/(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(3/2)/(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.34, size = 47351, normalized size = 110.38

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)^(3/2)/(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + bx + a)(ex + d)^{\frac{3}{2}} \sqrt{gx + f}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)^(3/2)/(c\*x^2+b\*x+a)/(g\*x+f)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((c\*x^2 + b\*x + a)\*(e\*x + d)^(3/2)\*sqrt(g\*x + f)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{f + gx} (d + ex)^{3/2} (cx^2 + bx + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((f + g\*x)^(1/2)\*(d + e\*x)^(3/2)\*(a + b\*x + c\*x^2)),x)

[Out] int(1/((f + g\*x)^(1/2)\*(d + e\*x)^(3/2)\*(a + b\*x + c\*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex)^{\frac{3}{2}} \sqrt{f + gx} (a + bx + cx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)\*\*(3/2)/(c\*x\*\*2+b\*x+a)/(g\*x+f)\*\*(1/2),x)

[Out] Integral(1/((d + e\*x)\*\*(3/2)\*sqrt(f + g\*x)\*(a + b\*x + c\*x\*\*2)), x)



```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

### Rule 814

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1653

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + b*x + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + b*x + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(b*d*e*(p + 1) + a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - e*(2*c*d - b*e)*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !(IGtQ[m, 0] && RationalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

### Rubi steps



**IntegrateAlgebraic [A]** time = 4.59, size = 788, normalized size = 1.48

Antiderivative was successfully verified.

[In] IntegrateAlgebraic(((f + g\*x)^3\*Sqrt[a + b\*x + c\*x^2])/(d + e\*x),x)

[Out] (Sqrt[a + b\*x + c\*x^2]\*(192\*c^3\*e^3\*f^3 - 576\*c^3\*d\*e^2\*f^2\*g + 144\*b\*c^2\*e^3\*f^2\*g^2 + 576\*c^3\*d^2\*e\*f\*g^2 - 144\*b\*c^2\*d\*e^2\*f\*g^2 - 72\*b^2\*c\*e^3\*f\*g^2 + 192\*a\*c^2\*e^3\*f\*g^2 - 192\*c^3\*d^3\*g^3 + 48\*b\*c^2\*d^2\*e\*g^3 + 24\*b^2\*c\*d\*e^2\*g^3 - 64\*a\*c^2\*d\*e^2\*g^3 + 15\*b^3\*e^3\*g^3 - 52\*a\*b\*c\*e^3\*g^3 + 288\*c^3\*e^3\*f^2\*g\*x - 288\*c^3\*d\*e^2\*f\*g^2\*x + 48\*b\*c^2\*e^3\*f\*g^2\*x + 96\*c^3\*d^2\*e\*g^3\*x - 16\*b\*c^2\*d\*e^2\*g^3\*x - 10\*b^2\*c\*e^3\*g^3\*x + 24\*a\*c^2\*e^3\*g^3\*x + 192\*c^3\*e^3\*f\*g^2\*x^2 - 64\*c^3\*d\*e^2\*g^3\*x^2 + 8\*b\*c^2\*e^3\*g^3\*x^2 + 48\*c^3\*e^3\*g^3\*x^3))/(192\*c^3\*e^4) - (2\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*(-(e^3\*f^3) + 3\*d\*e^2\*f^2\*g - 3\*d^2\*e\*f\*g^2 + d^3\*g^3)\*ArcTan[(Sqrt[c]\*d + Sqrt[c]\*e\*x - e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]])/e^5 + ((128\*c^4\*d\*e^3\*f^3 - 64\*b\*c^3\*e^4\*f^3 - 384\*c^4\*d^2\*e^2\*f^2\*g + 192\*b\*c^3\*d\*e^3\*f^2\*g + 48\*b^2\*c^2\*e^4\*f^2\*g - 192\*a\*c^3\*e^4\*f^2\*g + 384\*c^4\*d^3\*e\*f\*g^2 - 192\*b\*c^3\*d^2\*e^2\*f\*g^2 - 48\*b^2\*c^2\*d\*e^3\*f\*g^2 + 192\*a\*c^3\*d\*e^3\*f\*g^2 - 24\*b^3\*c\*e^4\*f\*g^2 + 96\*a\*b\*c^2\*e^4\*f\*g^2 - 128\*c^4\*d^4\*g^3 + 64\*b\*c^3\*d^3\*e\*g^3 + 16\*b^2\*c^2\*d^2\*e^2\*g^3 - 64\*a\*c^3\*d^2\*e^2\*g^3 + 8\*b^3\*c\*d\*e^3\*g^3 - 32\*a\*b\*c^2\*d\*e^3\*g^3 + 5\*b^4\*e^4\*g^3 - 24\*a\*b^2\*c\*e^4\*g^3 + 16\*a^2\*c^2\*e^4\*g^3)\*Log[b + 2\*c\*x - 2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2]])/(128\*c^(7/2)\*e^5)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(c\*x^2+b\*x+a)^(1/2)/(e\*x+d),x, algorithm="fricas")

[Out] Timed out

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(c\*x^2+b\*x+a)^(1/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Error: Bad Argument Type



maple [B] time = 0.04, size = 3941, normalized size = 7.41

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((g*x+f)^3*(c*x^2+b*x+a)^{(1/2)}/(e*x+d), x)$

[Out] 
$$-1/e^4*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*g^3*d^3+1/e*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*f^3+3/e^3*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*d^2*f*g^2-1/16*g^3/e/c^2*a*(c*x^2+b*x+a)^{(1/2)}*b+1/8*g^3/e^2*b^2/c^2*(c*x^2+b*x+a)^{(1/2)}*d-3/8*g^2/e*b^2/c^2*(c*x^2+b*x+a)^{(1/2)}*f-3/8*g/e*f^2/c^{(3/2)}*\ln((1/2*b+c*x)/c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})*b^2-3/2/e^2*\ln((1/2*(b*e-2*c*d)/e+(x+d/e)*c)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/c^{(1/2)}*b*d*f^2*g-3/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*a*d^2*f*g^2+3/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*a*d*f^2*g+3/e^4/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*b*d^3*f*g^2-3/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*b*d^2*f^2*g-3/e^5/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*c*d^4*f*g^2+3/e^4/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*c*d^3*f^2*g-3/4*g^2/e^2*d*f/c*(c*x^2+b*x+a)^{(1/2)}*b-3/2*g^2/e^2*d*f/c^{(1/2)}*\ln((1/2*b+c*x)/c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})*a+3/8*g^2/e^2*d*f/c^{(3/2)}*\ln((1/2*b+c*x)/c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})*x*(c*x^2+b*x+a)^{(1/2)}*f+1/4*g^3/e^2*b/c^{(3/2)}*\ln((1/2*b+c*x)/c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})*a*d-1/2/e^4*\ln((1/2*(b*e-2*c*d)/e+(x+d/e)*c)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/c^{(1/2)}*b*g^3*d^3-3/e^4*\ln((1/2*(b*e-2*c*d)/e+(x+d/e)*c)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})*c^{(1/2)}*d^3*f*g^2+3/e^3*\ln((1/2*(b*e-2*c*d)/e+(x+d/e)*c)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})*c^{(1/2)}*d^2*f^2*g+1/e^4/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*a*g^3*d^3-1/e^5/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*$$

$$\begin{aligned}
& e^{-2-b*d*e+c*d^2}/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)} \\
& )*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)})/(x+d/e) \\
& ))*b*d^4*g^3+1/e^2/((a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)}*\ln((2*(a*e^{-2-b*d*e+c*d^2}) \\
& )/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)}*((x+d/e)^2*c+ \\
& (b*e-2*c*d)/e*(x+d/e)+(a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)})/(x+d/e))*b*d*f^3+1/e^ \\
& 6/((a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)}*\ln((2*(a*e^{-2-b*d*e+c*d^2})/e^2+(b*e-2*c*d) \\
& )/e*(x+d/e)+2*((a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+ \\
& d/e)+(a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)})/(x+d/e))*c*d^5*g^3-1/e^3/((a*e^{-2-b*d*e \\
& +c*d^2}/e^2)^{(1/2)}*\ln((2*(a*e^{-2-b*d*e+c*d^2})/e^2+(b*e-2*c*d)/e*(x+d/e)+2*(( \\
& a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^{-2-b*d \\
& *e+c*d^2}/e^2)^{(1/2)})/(x+d/e))*c*d^2*f^3+3/16*g^2/e*b^3/c^(5/2)*\ln((1/2*b+c \\
& *x)/c^(1/2)+(c*x^2+b*x+a)^(1/2))*f-3/2*g^2/e^2*d*f*x*(c*x^2+b*x+a)^(1/2)-1/ \\
& 8*g^3/e*c*a*x*(c*x^2+b*x+a)^(1/2)-3/e^2*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+ \\
& (a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)}*d*f^2*g+1/2/e*\ln((1/2*(b*e-2*c*d)/e+(x+d/e)* \\
& c)/c^(1/2)+((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)} \\
& ))/c^(1/2)*b*f^3+1/e^5*\ln((1/2*(b*e-2*c*d)/e+(x+d/e)*c)/c^(1/2)+((x+d/e)^2*c \\
& +c*(b*e-2*c*d)/e*(x+d/e)+(a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2))*c^(1/2)*d^4*g^3-1/e \\
& ^2*\ln((1/2*(b*e-2*c*d)/e+(x+d/e)*c)/c^(1/2)+((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d \\
& /e)+(a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2))*c^(1/2)*d*f^3-1/e/((a*e^{-2-b*d*e+c*d^2})/ \\
& e^2)^{(1/2)}*\ln((2*(a*e^{-2-b*d*e+c*d^2})/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^{-2-b* \\
& d*e+c*d^2}/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^{-2-b*d*e+c*d^2} \\
& )/e^2)^{(1/2)})/(x+d/e))*a*f^3+5/32*g^3/e*b^2/c^2*x*(c*x^2+b*x+a)^(1/2)+3/16* \\
& g^3/e*b^2/c^(5/2)*\ln((1/2*b+c*x)/c^(1/2)+(c*x^2+b*x+a)^(1/2))*a+1/4*g^3/e^3 \\
& *d^2/c*(c*x^2+b*x+a)^(1/2)*b+1/2*g^3/e^3*d^2/c^(1/2)*\ln((1/2*b+c*x)/c^(1/2) \\
& +(c*x^2+b*x+a)^(1/2))*a-1/8*g^3/e^3*d^2/c^(3/2)*\ln((1/2*b+c*x)/c^(1/2)+(c*x \\
& ^2+b*x+a)^(1/2))*b^2+3/4*g/e*f^2/c*(c*x^2+b*x+a)^(1/2)*b+3/2*g/e*f^2/c^(1/2) \\
& )*\ln((1/2*b+c*x)/c^(1/2)+(c*x^2+b*x+a)^(1/2))*a-1/16*g^3/e^2*b^3/c^(5/2)*\ln \\
& ((1/2*b+c*x)/c^(1/2)+(c*x^2+b*x+a)^(1/2))*d-3/4*g^2/e*b/c^(3/2)*\ln((1/2*b+c \\
& *x)/c^(1/2)+(c*x^2+b*x+a)^(1/2))*a*f+1/4*g^3/e^2*b/c*x*(c*x^2+b*x+a)^(1/2)* \\
& d+3/2/e^3*\ln((1/2*(b*e-2*c*d)/e+(x+d/e)*c)/c^(1/2)+((x+d/e)^2*c+(b*e-2*c*d) \\
& )/e*(x+d/e)+(a*e^{-2-b*d*e+c*d^2}/e^2)^{(1/2)})/c^(1/2)*b*d^2*f*g^2+3/2*g/e*f^2* \\
& x*(c*x^2+b*x+a)^(1/2)+1/2*g^3/e^3*d^2*x*(c*x^2+b*x+a)^(1/2)+1/4*g^3/e*x*(c* \\
& x^2+b*x+a)^(3/2)/c-5/24*g^3/e*b/c^2*(c*x^2+b*x+a)^(3/2)+5/64*g^3/e*b^3/c^3* \\
& (c*x^2+b*x+a)^(1/2)-5/128*g^3/e*b^4/c^(7/2)*\ln((1/2*b+c*x)/c^(1/2)+(c*x^2+b \\
& *x+a)^(1/2))-1/8*g^3/e/c^(3/2)*a^2*\ln((1/2*b+c*x)/c^(1/2)+(c*x^2+b*x+a)^(1/ \\
& 2))-1/3*g^3/e^2*(c*x^2+b*x+a)^(3/2)/c*d+g^2/e*(c*x^2+b*x+a)^(3/2)/c*f
\end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(c\*x^2+b\*x+a)^(1/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a

additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(b\*e-2\*c\*d>0)', see `assume?` for more details) Is b\*e-2\*c\*d zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^3 \sqrt{cx^2 + bx + a}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^3\*(a + b\*x + c\*x^2)^(1/2))/(d + e\*x), x)

[Out] int(((f + g\*x)^3\*(a + b\*x + c\*x^2)^(1/2))/(d + e\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^3 \sqrt{a + bx + cx^2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*3\*(c\*x\*\*2+b\*x+a)\*\*(1/2)/(e\*x+d), x)

[Out] Integral((f + g\*x)\*\*3\*sqrt(a + b\*x + c\*x\*\*2)/(d + e\*x), x)

$$3.598 \quad \int \frac{(f+gx)^2 \sqrt{a+bx+cx^2}}{d+ex} dx$$

**Optimal.** Leaf size=325

$$\frac{\sqrt{a+bx+cx^2} (b^2e^2g^2 - 2cegx(-beg - 2cdg + 4cef) - 2bceg(2ef - dg) - 8c^2(ef - dg)^2)}{8c^2e^3} + \frac{\tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{2\sqrt{c}}$$

**Rubi [A]** time = 0.71, antiderivative size = 325, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {1653, 814, 843, 621, 206, 724}

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right) (g(-4c(bd-ac) - b^2e^2 + 8c^2d^2)(-beg - 2cdg + 4cef) - 4c(2cd - bc)(2cef^2 - bdg^2))}{16c^2e^3} - \frac{\sqrt{a+bx+cx^2} (b^2e^2g^2 - 2cegx(-beg - 2cdg + 4cef) - 2bceg(2ef - dg) - 8c^2(ef - dg)^2)}{8c^2e^3} + \frac{(ef - dg)^2 \sqrt{a^2 - bd^2} \tanh^{-1}\left(\frac{-2ax+(2d-b)+bd}{2\sqrt{a+bx+cx^2}\sqrt{a^2-bd^2}}\right)}{c^2} + \frac{g^2(a+bx+cx^2)^{3/2}}{3ce}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^2\*sqrt[a + b\*x + c\*x^2])/(d + e\*x), x]

[Out] -((b^2\*e^2\*g^2 - 8\*c^2\*(e\*f - d\*g)^2 - 2\*b\*c\*e\*g\*(2\*e\*f - d\*g) - 2\*c\*e\*g\*(4\*c\*e\*f - 2\*c\*d\*g - b\*e\*g)\*x)\*sqrt[a + b\*x + c\*x^2])/(8\*c^2\*e^3) + (g^2\*(a + b\*x + c\*x^2)^(3/2))/(3\*c\*e) + (((8\*c^2\*d^2 - b^2\*e^2 - 4\*c\*e\*(b\*d - a\*e))\*g\*(4\*c\*e\*f - 2\*c\*d\*g - b\*e\*g) - 4\*c\*e\*(2\*c\*d - b\*e)\*(2\*c\*e\*f^2 - b\*d\*g^2))\*ArcTanh[(b + 2\*c\*x)/(2\*sqrt[c]\*sqrt[a + b\*x + c\*x^2])])/(16\*c^(5/2)\*e^4) + (sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*(e\*f - d\*g)^2\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*sqrt[a + b\*x + c\*x^2])])/e^4

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 814

```

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

```

Rule 843

```

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

```

Rule 1653

```

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + b*x + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + b*x + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(b*d*e*(p + 1) + a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - e*(2*c*d - b*e)*(m + q + p)*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !(IGtQ[m, 0] && RationalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

```

Rubi steps

$$\begin{aligned}
\int \frac{(f + gx)^2 \sqrt{a + bx + cx^2}}{d + ex} dx &= \frac{g^2 (a + bx + cx^2)^{3/2}}{3ce} + \frac{\int \left( \frac{3}{2} e (2cef^2 - bdg^2) + \frac{3}{2} eg(4cef - 2cdg - beg)x \right) \sqrt{a + bx + cx^2}}{3ce^2} dx \\
&= -\frac{(b^2 e^2 g^2 - 8c^2 (ef - dg)^2 - 2bceg(2ef - dg) - 2ceg(4cef - 2cdg - beg)x) \sqrt{a + bx + cx^2}}{8c^2 e^3} \\
&= -\frac{(b^2 e^2 g^2 - 8c^2 (ef - dg)^2 - 2bceg(2ef - dg) - 2ceg(4cef - 2cdg - beg)x) \sqrt{a + bx + cx^2}}{8c^2 e^3} \\
&= -\frac{(b^2 e^2 g^2 - 8c^2 (ef - dg)^2 - 2bceg(2ef - dg) - 2ceg(4cef - 2cdg - beg)x) \sqrt{a + bx + cx^2}}{8c^2 e^3} \\
&= -\frac{(b^2 e^2 g^2 - 8c^2 (ef - dg)^2 - 2bceg(2ef - dg) - 2ceg(4cef - 2cdg - beg)x) \sqrt{a + bx + cx^2}}{8c^2 e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.41, size = 372, normalized size = 1.14

$$\frac{6c\sqrt{b^2 - 4ac}(ef - dg) \operatorname{tanh}^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right) - 3g^2 g(bx - 2cf) \sqrt{2\sqrt{c}(b+2cx)\sqrt{a+bx+cx^2}} - (b^2 - 4ac) \operatorname{tanh}^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right) + \frac{24ef - dg^2 \left( 2\sqrt{c}\sqrt{a+bx+cx^2} \operatorname{tanh}^{-1}\left(\frac{-2ax + (b+cx) + 2dx}{2\sqrt{a+bx+cx}}\right) + (b-2d) \operatorname{tanh}^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right) \right)}{48c^3} + \frac{12cg(b+2cx)\sqrt{a+bx+cx^2}(ef - dg)}{c} + 48\sqrt{a+bx+cx^2}(ef - dg)^2 + \frac{16c^2 g^2 (a+bx+cx)^{3/2}}{c}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^2\*Sqrt[a + b\*x + c\*x^2])/(d + e\*x), x]

[Out] (48\*(e\*f - d\*g)^2\*Sqrt[a + x\*(b + c\*x)] + (12\*e\*g\*(e\*f - d\*g)\*(b + 2\*c\*x)\*Sqrt[a + x\*(b + c\*x)]/c + (16\*e^2\*g^2\*(a + x\*(b + c\*x))^(3/2))/c - (6\*(b^2 - 4\*a\*c)\*e\*g\*(e\*f - d\*g)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])])/c^(3/2) - (3\*e^2\*g\*(-2\*c\*f + b\*g)\*(2\*Sqrt[c]\*(b + 2\*c\*x)\*Sqrt[a + x\*(b + c\*x)] - (b^2 - 4\*a\*c)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])]))/c^(5/2) + (24\*(e\*f - d\*g)^2\*((-2\*c\*d + b\*e)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])] + 2\*Sqrt[c]\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*ArcTanh[(-2\*a\*e + 2\*c\*d\*x + b\*(d - e\*x))/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*Sqrt[a + x\*(b + c\*x)])))/(Sqrt[c]\*e)/(48\*e^3)

**IntegrateAlgebraic [A]** time = 2.03, size = 428, normalized size = 1.32

$$\frac{\sqrt{a+bx+cx^2} (8ac^2g^2 - 3b^2d^2g - 6bdg^2 + 12bc^2fg + 2b^2d^2g + 24c^2d^2g - 4b^2d^2fg - 12c^2d^2g + 24c^2d^2fg + 8c^2d^2g^2)}{24c^3} + \frac{\log\left(2\sqrt{c}\sqrt{a+bx+cx^2} + b + 2cx\right) \left(4ab^2d^2g^2 + 8ac^2d^2g^2 - 16ac^2d^2fg - b^3d^2g^2 - 2b^2d^2fg + 4b^2d^2fg - 8b^2d^2fg + 16b^2d^2fg - 8b^2d^2fg + 16c^2d^2fg - 32c^2d^2fg + 16c^2d^2fg\right)}{16c^3d^2} - \frac{2(b^2d^2 - 2bd^2fg + d^2fg)\sqrt{a^2 + b^2d^2} \operatorname{tanh}^{-1}\left(\frac{a+bx+cx^2}{c\sqrt{a+bx+cx^2}}\right)}{c^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)^2\*Sqrt[a + b\*x + c\*x^2])/(d + e\*x), x]

```
[Out] (Sqrt[a + b*x + c*x^2]*(24*c^2*e^2*f^2 - 48*c^2*d*e*f*g + 12*b*c*e^2*f*g +
24*c^2*d^2*g^2 - 6*b*c*d*e*g^2 - 3*b^2*e^2*g^2 + 8*a*c*e^2*g^2 + 24*c^2*e^2
*f*g*x - 12*c^2*d*e*g^2*x + 2*b*c*e^2*g^2*x + 8*c^2*e^2*g^2*x^2))/(24*c^2*e
^3) + (2*Sqrt[-(c*d^2) + b*d*e - a*e^2]*(e^2*f^2 - 2*d*e*f*g + d^2*g^2)*Arc
Tan[(Sqrt[c]*d + Sqrt[c]*e*x - e*Sqrt[a + b*x + c*x^2])/Sqrt[-(c*d^2) + b*d
*e - a*e^2]])/e^4 + ((16*c^3*d*e^2*f^2 - 8*b*c^2*e^3*f^2 - 32*c^3*d^2*e*f*g
+ 16*b*c^2*d*e^2*f*g + 4*b^2*c*e^3*f*g - 16*a*c^2*e^3*f*g + 16*c^3*d^3*g^2
- 8*b*c^2*d^2*e*g^2 - 2*b^2*c*d*e^2*g^2 + 8*a*c^2*d*e^2*g^2 - b^3*e^3*g^2
+ 4*a*b*c*e^3*g^2)*Log[b + 2*c*x - 2*Sqrt[c]*Sqrt[a + b*x + c*x^2]])/(16*c^
(5/2)*e^4)
```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^2*(c*x^2+b*x+a)^(1/2)/(e*x+d),x, algorithm="fricas")
```

```
[Out] Timed out
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^2*(c*x^2+b*x+a)^(1/2)/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Error: Bad Argument Type
```

**maple** [B] time = 0.02, size = 2602, normalized size = 8.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x+f)^2*(c*x^2+b*x+a)^(1/2)/(e*x+d),x)
```

```
[Out] 1/3*g^2*(c*x^2+b*x+a)^(3/2)/c/e+1/e^3*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a
*e^2-b*d*e+c*d^2)/e^2)^(1/2)*d^2*g^2+2/e^4/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*
ln(((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/
e^2)^(1/2)*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2
))/(x+d/e))*c*d^3*f*g+1/e*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c
*d^2)/e^2)^(1/2)*f^2-1/e^2*ln((1/2*(b*e-2*c*d)/e+(x+d/e)*c)/c^(1/2)+((x+d/e
)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/c^(1/2)*b*d*f*g
+2/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2
```

$$\begin{aligned}
& *c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/ \\
& e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*a*d*f*g-2/e^3/((a*e^2-b* \\
& d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2 \\
& *((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2- \\
& b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*b*d^2*f*g-2/e^2*((x+d/e)^2*c+(b*e-2*c*d)/ \\
& e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*d*f*g+1/2/e*\ln((1/2*(b*e-2*c*d)/e+ \\
& (x+d/e)*c)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e \\
& ^2)^{(1/2)})/c^{(1/2)}*b*f^2-1/e^4*\ln((1/2*(b*e-2*c*d)/e+(x+d/e)*c)/c^{(1/2)}+((x \\
& +d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})*c^{(1/2)}*d^3 \\
& *g^2-1/e^2*\ln((1/2*(b*e-2*c*d)/e+(x+d/e)*c)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d \\
& )/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})*c^{(1/2)}*d*f^2-1/e/((a*e^2-b*d*e \\
& +c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*(( \\
& a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d \\
& *e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*a*f^2-1/2*g^2/e^2*d*(c*x^2+b*x+a)^{(1/2)}*x-1/ \\
& 4*g^2/e*b/c*(c*x^2+b*x+a)^{(1/2)}*x-1/4*g^2/e*b/c^{(3/2)}*\ln((1/2*b+c*x)/c^{(1/2 \\
& )+(c*x^2+b*x+a)^{(1/2)})*a-1/4*g^2/e^2*d/c*(c*x^2+b*x+a)^{(1/2)}*b-1/2*g^2/e^2* \\
& d/c^{(1/2)}*\ln((1/2*b+c*x)/c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})*a+1/8*g^2/e^2*d/c^{(3/ \\
& 2)}*\ln((1/2*b+c*x)/c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})*b^2+1/2/e^3*\ln((1/2*(b*e-2*c \\
& *d)/e+(x+d/e)*c)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c* \\
& d^2)/e^2)^{(1/2)})/c^{(1/2)}*b*d^2*g^2+2/e^3*\ln((1/2*(b*e-2*c*d)/e+(x+d/e)*c)/c \\
& ^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})*c \\
& ^{(1/2)}*d^2*f*g-1/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d \\
& ^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2* \\
& c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*a*d^2*g^2+ \\
& 1/e^4/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2* \\
& c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e \\
& *(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*b*d^3*g^2+1/e^2/((a*e^2-b \\
& *d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+ \\
& 2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2 \\
& -b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*b*d*f^2-1/e^5/((a*e^2-b*d*e+c*d^2)/e^2)^{( \\
& 1/2)}*\ln((2*(a*e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c \\
& *d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2 \\
& )^{(1/2)})/(x+d/e))*c*d^4*g^2-1/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln((2*(a* \\
& e^2-b*d*e+c*d^2)/e^2+(b*e-2*c*d)/e*(x+d/e)+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2 \\
& )*((x+d/e)^2*c+(b*e-2*c*d)/e*(x+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e \\
& ))*c*d^2*f^2+1/2*g/e*f/c*(c*x^2+b*x+a)^{(1/2)}*b+g/e*f/c^{(1/2)}*\ln((1/2*b+c*x) \\
& /c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})*a-1/4*g/e*f/c^{(3/2)}*\ln((1/2*b+c*x)/c^{(1/2)}+(c \\
& *x^2+b*x+a)^{(1/2)})*b^2+g/e*f*(c*x^2+b*x+a)^{(1/2)}*x-1/8*g^2/e*b^2/c^2*(c*x^2 \\
& +b*x+a)^{(1/2)}+1/16*g^2/e*b^3/c^{(5/2)}*\ln((1/2*b+c*x)/c^{(1/2)}+(c*x^2+b*x+a)^{( \\
& 1/2)})
\end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((g\*x+f)^2\*(c\*x^2+b\*x+a)^(1/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(b\*e-2\*c\*d>0)', see `assume?` for more details)Is b\*e-2\*c\*d zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^2 \sqrt{cx^2 + bx + a}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(a + b\*x + c\*x^2)^(1/2))/(d + e\*x),x)

[Out] int(((f + g\*x)^2\*(a + b\*x + c\*x^2)^(1/2))/(d + e\*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^2 \sqrt{a + bx + cx^2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*2\*(c\*x\*\*2+b\*x+a)\*\*(1/2)/(e\*x+d),x)

[Out] Integral((f + g\*x)\*\*2\*sqrt(a + b\*x + c\*x\*\*2)/(d + e\*x), x)

$$3.599 \quad \int \frac{(f+gx)\sqrt{a+bx+cx^2}}{d+ex} dx$$

**Optimal.** Leaf size=219

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)(-4ce(aeg-bdg+bef)+b^2e^2g+8c^2d(ef-dg))}{8c^{3/2}e^3} + \frac{(ef-dg)\sqrt{ae^2-bde+cd^2}\tanh^{-1}\left(\frac{ef-dg}{\sqrt{ae^2-bde+cd^2}}\right)}{e^3}$$

**Rubi [A]** time = 0.32, antiderivative size = 219, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {814, 843, 621, 206, 724}

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)(-4ce(aeg-bdg+bef)+b^2e^2g+8c^2d(ef-dg))}{8c^{3/2}e^3} + \frac{(ef-dg)\sqrt{ae^2-bde+cd^2}\tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{e^3} + \frac{\sqrt{a+bx+cx^2}(beg-4cdg+4cef+2ceg)}{4ce^2}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)\*Sqrt[a + b\*x + c\*x^2])/(d + e\*x), x]

[Out] ((4\*c\*e\*f - 4\*c\*d\*g + b\*e\*g + 2\*c\*e\*g\*x)\*Sqrt[a + b\*x + c\*x^2])/(4\*c\*e^2) - ((b^2\*e^2\*g + 8\*c^2\*d\*(e\*f - d\*g) - 4\*c\*e\*(b\*e\*f - b\*d\*g + a\*e\*g))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(8\*c^(3/2)\*e^3) + (Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*(e\*f - d\*g)\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/e^3

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 814

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2
) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p
)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m +
2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a
*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c
*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^
2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x]
/; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2
- b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[
m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p]
|| IntegersQ[2*m, 2*p])

```

### Rule 843

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x +
c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p,
x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(f + gx)\sqrt{a + bx + cx^2}}{d + ex} dx &= \frac{(4cef - 4cdg + beg + 2ceg)x\sqrt{a + bx + cx^2}}{4ce^2} - \frac{\int \frac{\frac{1}{2}(4ce(bd - 2ae)f + 4acdeg - bd(4cd - be)g) + \dots}{(d + ex)} dx}{e^3} \\
&= \frac{(4cef - 4cdg + beg + 2ceg)x\sqrt{a + bx + cx^2}}{4ce^2} + \frac{\left((cd^2 - bde + ae^2)(ef - dg)\right) \int \frac{\dots}{e^3}}{e^3} \\
&= \frac{(4cef - 4cdg + beg + 2ceg)x\sqrt{a + bx + cx^2}}{4ce^2} - \frac{\left(2(cd^2 - bde + ae^2)(ef - dg)\right) S}{e^3} \\
&= \frac{(4cef - 4cdg + beg + 2ceg)x\sqrt{a + bx + cx^2}}{4ce^2} - \frac{\left(b^2e^2g + 8c^2d(ef - dg) - 4ce(be) \dots\right)}{e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.35, size = 216, normalized size = 0.99

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+x(b+cx)}}\right)(4ce(aeg - bdg + bef) - b^2e^2g + 8c^2d(dg - ef)) + 2\sqrt{c}\left(4c(dg - ef)\sqrt{e(ae - bd) + cd^2} \tanh^{-1}\left(\frac{2ae - bd + bex - 2cdx}{2\sqrt{a+x(b+cx)}\sqrt{e(ae - bd) + cd^2}}\right) + e\sqrt{a + x(b + cx)}(beg + 2c(-2dg + 2ef + egx))\right)}{8c^{3/2}e^3}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)\*Sqrt[a + b\*x + c\*x^2])/(d + e\*x),x]

[Out]  $((-(b^2e^2g) + 8c^2d*(-(ef) + dg) + 4c*e*(b*ef - b*d*g + a*e*g))*ArcTanh[(b + 2c*x)/(2*Sqrt[c]*Sqrt[a + x*(b + c*x)])] + 2*Sqrt[c]*(e*Sqrt[a + x*(b + c*x)]*(b*e*g + 2c*(2*ef - 2*d*g + e*g*x)) + 4c*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*(-(ef) + d*g)*ArcTanh[(-(b*d) + 2*a*e - 2c*d*x + b*e*x)/(2*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*Sqrt[a + x*(b + c*x)])]))/(8c^{3/2}*e^3)$

**IntegrateAlgebraic [A]** time = 1.00, size = 229, normalized size = 1.05

$$\frac{\log\left(-2c^{3/2}\sqrt{a+bx+cx^2}+bc+2c^2x\right)\left(-4ace^2g+b^2e^2g+4bcdeg-4bc^2f-8c^2d^2g+8c^2def\right)}{8c^{3/2}e^3}-\frac{2(dg-ef)\sqrt{-ae^2+bde-cd^2}\tan^{-1}\left(\frac{-c\sqrt{a+bx+cx^2}+\sqrt{c}d+\sqrt{ex}}{\sqrt{-ae^2+bde-cd^2}}\right)}{e^3}+\frac{\sqrt{a+bx+cx^2}(beg-4cdg+4cef+2ceg)}{4ce^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)\*Sqrt[a + b\*x + c\*x^2])/(d + e\*x),x]

[Out]  $((4c*e*f - 4c*d*g + b*e*g + 2c*e*g*x)*Sqrt[a + b*x + c*x^2])/(4c*e^2) - (2*Sqrt[-(c*d^2) + b*d*e - a*e^2]*(-(ef) + d*g)*ArcTan[(Sqrt[c]*d + Sqrt[c]*e*x - e*Sqrt[a + b*x + c*x^2])/Sqrt[-(c*d^2) + b*d*e - a*e^2]])/e^3 + ((8c^2*d*e*f - 4b*c*e^2*f - 8c^2*d^2*g + 4b*c*d*e*g + b^2*e^2*g - 4a*c*e^2*g)*Log[b*c + 2c^2*x - 2c^{3/2}*Sqrt[a + b*x + c*x^2]])/(8c^{3/2}*e^3)$

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(c\*x^2+b\*x+a)^(1/2)/(e\*x+d),x, algorithm="fricas")

[Out] Timed out

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(c\*x^2+b\*x+a)^(1/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Error: Bad Argument Type

**maple [B]** time = 0.01, size = 1559, normalized size = 7.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((g*x+f)*(c*x^2+b*x+a)^{(1/2)}/(e*x+d), x)$

[Out]  $\frac{1}{2} \frac{e*g*(c*x^2+b*x+a)^{(1/2)}*x+1/4/e*g/c*(c*x^2+b*x+a)^{(1/2)}*b+1/2/e*g/c^{(1/2)}*\ln((c*x+1/2*b)/c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})*a-1/8/e*g/c^{(3/2)}*\ln((c*x+1/2*b)/c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})*b^{-1}/e^2*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*d*g+1/e*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*f-1/2/e^2*\ln(((x+d/e)*c+1/2*(b*e-2*c*d)/e)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/c^{(1/2)}*b*d*g+1/2/e*\ln(((x+d/e)*c+1/2*(b*e-2*c*d)/e)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/c^{(1/2)}*b*f+1/e^3*\ln(((x+d/e)*c+1/2*(b*e-2*c*d)/e)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})*c^{(1/2)}*d^2*g-1/e^2*\ln(((x+d/e)*c+1/2*(b*e-2*c*d)/e)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})*c^{(1/2)}*d*f+1/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2))*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*a*d*g-1/e/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2))*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*a*f-1/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2))*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*b*d^2*g+1/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2))*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*c*d^3*g-1/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2))*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*c*d^2*f$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((g*x+f)*(c*x^2+b*x+a)^{(1/2)}/(e*x+d), x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(b\*e-2\*c\*d>0)', see `assume?` for more details)Is b\*e-2\*c\*d zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx) \sqrt{cx^2 + bx + a}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)\*(a + b\*x + c\*x^2)^(1/2))/(d + e\*x), x)

[Out] int(((f + g\*x)\*(a + b\*x + c\*x^2)^(1/2))/(d + e\*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx) \sqrt{a + bx + cx^2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(c\*x\*\*2+b\*x+a)\*\*(1/2)/(e\*x+d), x)

[Out] Integral((f + g\*x)\*sqrt(a + b\*x + c\*x\*\*2)/(d + e\*x), x)

$$3.600 \quad \int \frac{\sqrt{a+bx+cx^2}}{d+ex} dx$$

Optimal. Leaf size=152

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{e^2} - \frac{(2cd - be) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{2\sqrt{c}e^2} + \frac{\sqrt{a+bx+cx^2}}{e}$$

**Rubi [A]** time = 0.15, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$ , Rules used = {734, 843, 621, 206, 724}

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{e^2} - \frac{(2cd - be) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{2\sqrt{c}e^2} + \frac{\sqrt{a+bx+cx^2}}{e}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*x + c\*x^2]/(d + e\*x), x]

[Out] Sqrt[a + b\*x + c\*x^2]/e - ((2\*c\*d - b\*e)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(2\*Sqrt[c]\*e^2) + (Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/e^2

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 734

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[p/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0]
&& GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0]
&& IntQuadraticQ[a, b, c, d, e, m, p, x]
```

Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+bx+cx^2}}{d+ex} dx &= \frac{\sqrt{a+bx+cx^2}}{e} - \frac{\int \frac{bd-2ae+(2cd-be)x}{(d+ex)\sqrt{a+bx+cx^2}} dx}{2e} \\ &= \frac{\sqrt{a+bx+cx^2}}{e} - \frac{(2cd-be) \int \frac{1}{\sqrt{a+bx+cx^2}} dx}{2e^2} - \frac{(e(bd-2ae) - d(2cd-be)) \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx}{2e^2} \\ &= \frac{\sqrt{a+bx+cx^2}}{e} - \frac{(2cd-be) \operatorname{Subst}\left(\int \frac{1}{4c-x^2} dx, x, \frac{b+2cx}{\sqrt{a+bx+cx^2}}\right)}{e^2} - \frac{(2(cd^2 - bde + ae^2)) \operatorname{Subst}\left(\int \frac{1}{d+ex} dx, x, \frac{b+2cx}{\sqrt{a+bx+cx^2}}\right)}{2e^2} \\ &= \frac{\sqrt{a+bx+cx^2}}{e} - \frac{(2cd-be) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{2\sqrt{c}e^2} + \frac{\sqrt{cd^2 - bde + ae^2} \tanh^{-1}\left(\frac{bd-2ae+(2cd-be)x}{2\sqrt{cd^2 - bde + ae^2}}\right)}{e^2} \end{aligned}$$

Mathematica [A] time = 0.15, size = 145, normalized size = 0.95

$$\frac{-2\sqrt{e(ae-bd)+cd^2} \tanh^{-1}\left(\frac{2ae-bd+bex-2cdx}{2\sqrt{a+x(b+cx)}\sqrt{e(ae-bd)+cd^2}}\right) + \frac{(be-2cd) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+x(b+cx)}}\right)}{\sqrt{c}} + 2e\sqrt{a+x(b+cx)}}{2e^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*x + c\*x^2]/(d + e\*x), x]



```
[Out] (2*e*Sqrt[a + x*(b + c*x)] + ((-2*c*d + b*e)*ArcTanh[(b + 2*c*x)/(2*Sqrt[c]
*Sqrt[a + x*(b + c*x)])])/Sqrt[c] - 2*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*ArcTan
h[(-(b*d) + 2*a*e - 2*c*d*x + b*e*x)/(2*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*Sqrt
[a + x*(b + c*x)])])/(2*e^2)
```

**IntegrateAlgebraic [A]** time = 0.00, size = 191, normalized size = 1.26

$$\frac{2\sqrt{-ae^2 + bde - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+bx+cx^2}}{\sqrt{-ae^2+bde-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2+bde-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2+bde-cd^2}}\right)}{e^2} + \frac{(2cd - be) \log\left(-2\sqrt{c}\sqrt{a+bx+cx^2} + b + 2cx\right)}{2\sqrt{c}e^2} + \frac{\sqrt{a+bx+cx^2}}{e}$$

Antiderivative was successfully verified.

```
[In] IntegrateAlgebraic[Sqrt[a + b*x + c*x^2]/(d + e*x), x]
```

```
[Out] Sqrt[a + b*x + c*x^2]/e + (2*Sqrt[-(c*d^2) + b*d*e - a*e^2]*ArcTan[(Sqrt[c]
*d)/Sqrt[-(c*d^2) + b*d*e - a*e^2] + (Sqrt[c]*e*x)/Sqrt[-(c*d^2) + b*d*e -
a*e^2] - (e*Sqrt[a + b*x + c*x^2])/Sqrt[-(c*d^2) + b*d*e - a*e^2]])/e^2 + (
(2*c*d - b*e)*Log[b + 2*c*x - 2*Sqrt[c]*Sqrt[a + b*x + c*x^2]])/(2*Sqrt[c]*
e^2)
```

**fricas [A]** time = 1.98, size = 992, normalized size = 6.53

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)^(1/2)/(e*x+d), x, algorithm="fricas")
```

```
[Out] [1/4*(4*sqrt(c*x^2 + b*x + a)*c*e - (2*c*d - b*e)*sqrt(c)*log(-8*c^2*x^2 -
8*b*c*x - b^2 - 4*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(c) - 4*a*c) + 2*sq
rt(c*d^2 - b*d*e + a*e^2)*c*log((8*a*b*d*e - 8*a^2*e^2 - (b^2 + 4*a*c)*d^2
- (8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^2 - 4*sqrt(c*d^2 - b*d*e +
a*e^2)*sqrt(c*x^2 + b*x + a)*(b*d - 2*a*e + (2*c*d - b*e)*x) - 2*(4*b*c*d^2
+ 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x)/(e^2*x^2 + 2*d*e*x + d^2)))/(c*e^2),
1/2*(2*sqrt(c*x^2 + b*x + a)*c*e + (2*c*d - b*e)*sqrt(-c)*arctan(1/2*sqrt(
c*x^2 + b*x + a)*(2*c*x + b)*sqrt(-c)/(c^2*x^2 + b*c*x + a*c)) + sqrt(c*d^2
- b*d*e + a*e^2)*c*log((8*a*b*d*e - 8*a^2*e^2 - (b^2 + 4*a*c)*d^2 - (8*c^2
*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^2 - 4*sqrt(c*d^2 - b*d*e + a*e^2)*s
qrt(c*x^2 + b*x + a)*(b*d - 2*a*e + (2*c*d - b*e)*x) - 2*(4*b*c*d^2 + 4*a*b
*e^2 - (3*b^2 + 4*a*c)*d*e)*x)/(e^2*x^2 + 2*d*e*x + d^2)))/(c*e^2), 1/4*(4*
sqrt(c*x^2 + b*x + a)*c*e + 4*sqrt(-c*d^2 + b*d*e - a*e^2)*c*arctan(-1/2*sq
rt(-c*d^2 + b*d*e - a*e^2)*sqrt(c*x^2 + b*x + a)*(b*d - 2*a*e + (2*c*d - b*
e)*x)/(a*c*d^2 - a*b*d*e + a^2*e^2 + (c^2*d^2 - b*c*d*e + a*c*e^2)*x^2 + (b
*c*d^2 - b^2*d*e + a*b*e^2)*x)) - (2*c*d - b*e)*sqrt(c)*log(-8*c^2*x^2 - 8*
b*c*x - b^2 - 4*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(c) - 4*a*c))/(c*e^2)
, 1/2*(2*sqrt(c*x^2 + b*x + a)*c*e + 2*sqrt(-c*d^2 + b*d*e - a*e^2)*c*arcta
```

$$\frac{n(-1/2*\sqrt{-c*d^2 + b*d*e - a*e^2}*\sqrt{c*x^2 + b*x + a}*(b*d - 2*a*e + (2*c*d - b*e)*x)/(a*c*d^2 - a*b*d*e + a^2*e^2 + (c^2*d^2 - b*c*d*e + a*c*e^2)*x^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x) + (2*c*d - b*e)*\sqrt{-c}*\arctan(1/2*\sqrt{c*x^2 + b*x + a}*(2*c*x + b)*\sqrt{-c}/(c^2*x^2 + b*c*x + a*c)))/(c*e^2)}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(1/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x)::OUTPUT:Error: Bad Argument Type

**maple** [B] time = 0.01, size = 715, normalized size = 4.70

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)^(1/2)/(e\*x+d),x)

[Out]  $\frac{1}{e} * \left( \frac{(x+d/e)^2 * c + (b*e - 2*c*d) * (x+d/e)}{e + (a*e^2 - b*d*e + c*d^2)/e^2} \right)^{1/2} + \frac{1}{2} * \ln \left( \frac{(x+d/e) * c + 1/2 * (b*e - 2*c*d)}{e} / c^{1/2} + \frac{(x+d/e)^2 * c + (b*e - 2*c*d) * (x+d/e)}{e + (a*e^2 - b*d*e + c*d^2)/e^2} \right) / c^{1/2} * b - \frac{1}{e^2} * \ln \left( \frac{(x+d/e) * c + 1/2 * (b*e - 2*c*d)}{e} / c^{1/2} + \frac{(x+d/e)^2 * c + (b*e - 2*c*d) * (x+d/e)}{e + (a*e^2 - b*d*e + c*d^2)/e^2} \right) * c^{1/2} * d - \frac{1}{e} / \left( \frac{(a*e^2 - b*d*e + c*d^2)}{e^2} \right)^{1/2} * \ln \left( \frac{(b*e - 2*c*d) * (x+d/e)}{e} / e + 2 * \frac{(a*e^2 - b*d*e + c*d^2)}{e^2} + 2 * \left( \frac{(a*e^2 - b*d*e + c*d^2)}{e^2} \right)^{1/2} * \frac{(x+d/e)^2 * c + (b*e - 2*c*d) * (x+d/e)}{e + (a*e^2 - b*d*e + c*d^2)/e^2} \right) / (x+d/e) * a + \frac{1}{e^2} / \left( \frac{(a*e^2 - b*d*e + c*d^2)}{e^2} \right)^{1/2} * \ln \left( \frac{(b*e - 2*c*d) * (x+d/e)}{e} / e + 2 * \frac{(a*e^2 - b*d*e + c*d^2)}{e^2} + 2 * \left( \frac{(a*e^2 - b*d*e + c*d^2)}{e^2} \right)^{1/2} * \frac{(x+d/e)^2 * c + (b*e - 2*c*d) * (x+d/e)}{e + (a*e^2 - b*d*e + c*d^2)/e^2} \right) / (x+d/e) * b * d - \frac{1}{e^3} / \left( \frac{(a*e^2 - b*d*e + c*d^2)}{e^2} \right)^{1/2} * \ln \left( \frac{(b*e - 2*c*d) * (x+d/e)}{e} / e + 2 * \frac{(a*e^2 - b*d*e + c*d^2)}{e^2} + 2 * \left( \frac{(a*e^2 - b*d*e + c*d^2)}{e^2} \right)^{1/2} * \frac{(x+d/e)^2 * c + (b*e - 2*c*d) * (x+d/e)}{e + (a*e^2 - b*d*e + c*d^2)/e^2} \right) / (x+d/e) * c * d^2$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(1/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-b\*d\*e>0)', see `assume?` for more details) Is  $a*e^2-b*d*e$   $+c*d^2$  zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{cx^2 + bx + a}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)^(1/2)/(d + e\*x), x)

[Out] int((a + b\*x + c\*x^2)^(1/2)/(d + e\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + bx + cx^2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*\*(1/2)/(e\*x+d), x)

[Out] Integral(sqrt(a + b\*x + c\*x\*\*2)/(d + e\*x), x)

$$3.601 \quad \int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)} dx$$

**Optimal.** Leaf size=228

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{e(ef-dg)} - \frac{\sqrt{ag^2 - bfg + cf^2} \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right)}{g(ef-dg)} + \frac{\sqrt{c} \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{eg}$$

**Rubi [A]** time = 0.33, antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {895, 724, 206, 843, 621}

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{e(ef-dg)} - \frac{\sqrt{ag^2 - bfg + cf^2} \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right)}{g(ef-dg)} + \frac{\sqrt{c} \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{eg}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*x + c\*x^2]/((d + e\*x)\*(f + g\*x)), x]

[Out] (Sqrt[c]\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(e\*g) + (Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/(e\*(e\*f - d\*g)) - (Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(g\*(e\*f - d\*g))

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 895

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_)/(((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))), x_Symbol] := Dist[(c*d^2 - b*d*e + a*e^2)/(e*(e*f - d*g)), Int[(a + b*x + c*x^2)^(p - 1)/(d + e*x), x], x] - Dist[1/(e*(e*f - d*g)), Int[(Simp[c*d*f - b*e*f + a*e*g - c*(e*f - d*g)*x, x]*(a + b*x + c*x^2)^(p - 1))/(f + g*x), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && FractionQ[p] && GtQ[p, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)} dx &= -\frac{\int \frac{cdf-bef+aeg-c(ef-dg)x}{(f+gx)\sqrt{a+bx+cx^2}} dx}{e(ef-dg)} + \frac{(cd^2-bde+ae^2) \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx}{e(ef-dg)} \\ &= \frac{c \int \frac{1}{\sqrt{a+bx+cx^2}} dx}{eg} - \frac{(2(cd^2-bde+ae^2)) \operatorname{Subst}\left(\int \frac{1}{4cd^2-4bde+4ae^2-x^2} dx, x, \frac{-bd+2ae-(2cd-bd-2ae)}{\sqrt{a+bx+cx^2}}\right)}{e(ef-dg)} \\ &= \frac{\sqrt{cd^2-bde+ae^2} \tanh^{-1}\left(\frac{bd-2ae+(2cd-be)x}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx+cx^2}}\right)}{e(ef-dg)} + \frac{(2c) \operatorname{Subst}\left(\int \frac{1}{4c-x^2} dx, x, \frac{b+2cx}{\sqrt{a+bx+cx^2}}\right)}{eg} \\ &= \frac{\sqrt{c} \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{eg} + \frac{\sqrt{cd^2-bde+ae^2} \tanh^{-1}\left(\frac{bd-2ae+(2cd-be)x}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx+cx^2}}\right)}{e(ef-dg)} - \frac{\sqrt{c}}{eg} \end{aligned}$$

**Mathematica [A]** time = 0.34, size = 218, normalized size = 0.96

$$\frac{g\sqrt{ae^2-bde+cd^2} \tanh^{-1}\left(\frac{-2ae+bd-bex+2cdx}{2\sqrt{a+x(b+cx)}\sqrt{ae^2-bde+cd^2}}\right) + \sqrt{c}(ef-dg) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+x(b+cx)}}\right) - e\sqrt{ag^2-bfg+cf^2} \tanh^{-1}\left(\frac{-2ag+bf-bgx+2cfx}{2\sqrt{a+x(b+cx)}\sqrt{ag^2-bfg+cf^2}}\right)}{eg(ef-dg)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*x + c\*x^2]/((d + e\*x)\*(f + g\*x)),x]

[Out]  $(\sqrt{c}*(e*f - d*g)*\text{ArcTanh}[(b + 2*c*x)/(2*\sqrt{c}*\sqrt{a + x*(b + c*x)})]) + \sqrt{c*d^2 - b*d*e + a*e^2}*g*\text{ArcTanh}[(b*d - 2*a*e + 2*c*d*x - b*e*x)/(2*\sqrt{c*d^2 - b*d*e + a*e^2}*\sqrt{a + x*(b + c*x)})] - e*\sqrt{c*f^2 - b*f*g + a*g^2}*\text{ArcTanh}[(b*f - 2*a*g + 2*c*f*x - b*g*x)/(2*\sqrt{c*f^2 - b*f*g + a*g^2}*\sqrt{a + x*(b + c*x)})])/(e*g*(e*f - d*g))$

**IntegrateAlgebraic [A]** time = 0.70, size = 315, normalized size = 1.38

$$\frac{2\sqrt{-ae^2 + bde - cd^2} \tan^{-1}\left(\frac{e\sqrt{a+bx+cx^2}}{\sqrt{-a^2+bde-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-a^2+bde-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-a^2+bde-cd^2}}\right)}{e(ef-dg)} + \frac{2\sqrt{-ag^2 + bfg - cf^2} \tan^{-1}\left(\frac{g\sqrt{a+bx+cx^2}}{\sqrt{-ag^2+bfg-cf^2}} + \frac{\sqrt{c}gx}{\sqrt{-ag^2+bfg-cf^2}} + \frac{\sqrt{c}f}{\sqrt{-ag^2+bfg-cf^2}}\right)}{g(dg-ef)} - \frac{\sqrt{c} \log(-2\sqrt{c}eg\sqrt{a+bx+cx^2} + beg + 2ceg)}{eg}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b\*x + c\*x^2]/((d + e\*x)\*(f + g\*x)),x]

[Out]  $(2*\sqrt{-(c*d^2) + b*d*e - a*e^2}*\text{ArcTan}[(\sqrt{c}*d)/\sqrt{-(c*d^2) + b*d*e - a*e^2}] + (\sqrt{c}*e*x)/\sqrt{-(c*d^2) + b*d*e - a*e^2} - (e*\sqrt{a + b*x + c*x^2})/\sqrt{-(c*d^2) + b*d*e - a*e^2}]/(e*(e*f - d*g)) + (2*\sqrt{-(c*f^2) + b*f*g - a*g^2}*\text{ArcTan}[(\sqrt{c}*f)/\sqrt{-(c*f^2) + b*f*g - a*g^2}] + (\sqrt{c}*g*x)/\sqrt{-(c*f^2) + b*f*g - a*g^2} - (g*\sqrt{a + b*x + c*x^2})/\sqrt{-(c*f^2) + b*f*g - a*g^2}]/(g*(-(e*f) + d*g)) - (\sqrt{c}*Log[b*e*g + 2*c*e*g*x - 2*\sqrt{c}*e*g*\sqrt{a + b*x + c*x^2}])/ (e*g)$

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(1/2)/(e\*x+d)/(g\*x+f),x, algorithm="fricas")

[Out] Timed out

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(1/2)/(e\*x+d)/(g\*x+f),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [B]** time = 0.03, size = 1529, normalized size = 6.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((c*x^2+b*x+a)^{(1/2)}/(e*x+d)/(g*x+f), x)$

[Out]  $\frac{1}{(d*g-e*f)*((x+f/g)^2*c+(b*g-2*c*f)/g*(x+f/g)+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}+1/2/(d*g-e*f)*\ln((1/2*(b*g-2*c*f)/g+c*(x+f/g))/c^{(1/2)}+((x+f/g)^2*c+(b*g-2*c*f)/g*(x+f/g)+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}/c^{(1/2)}*b-1/(d*g-e*f)/g*\ln((1/2*(b*g-2*c*f)/g+c*(x+f/g))/c^{(1/2)}+((x+f/g)^2*c+(b*g-2*c*f)/g*(x+f/g)+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)})*c^{(1/2)}*f-1/(d*g-e*f)/((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*\ln((2*(a*g^2-b*f*g+c*f^2)/g^2+(b*g-2*c*f)/g*(x+f/g)+2*((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*((x+f/g)^2*c+(b*g-2*c*f)/g*(x+f/g)+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)})/(x+f/g))*a+1/(d*g-e*f)/g/((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*\ln((2*(a*g^2-b*f*g+c*f^2)/g^2+(b*g-2*c*f)/g*(x+f/g)+2*((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*((x+f/g)^2*c+(b*g-2*c*f)/g*(x+f/g)+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)})/(x+f/g))*b*f-1/(d*g-e*f)/g^2/((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*\ln((2*(a*g^2-b*f*g+c*f^2)/g^2+(b*g-2*c*f)/g*(x+f/g)+2*((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*((x+f/g)^2*c+(b*g-2*c*f)/g*(x+f/g)+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)})/(x+f/g))*c*f^2-1/(d*g-e*f)*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}-1/2/(d*g-e*f)*\ln(((x+d/e)*c+1/2*(b*e-2*c*d)/e)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/c^{(1/2)}*b+1/(d*g-e*f)/e*\ln(((x+d/e)*c+1/2*(b*e-2*c*d)/e)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})*c^{(1/2)}*d+1/(d*g-e*f)/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*a-1/(d*g-e*f)/e/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*b*d+1/(d*g-e*f)/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*c*d^2$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((c*x^2+b*x+a)^{(1/2)}/(e*x+d)/(g*x+f), x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{cx^2 + bx + a}}{(f + gx)(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)^(1/2)/((f + g\*x)\*(d + e\*x)), x)

[Out] int((a + b\*x + c\*x^2)^(1/2)/((f + g\*x)\*(d + e\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + bx + cx^2}}{(d + ex)(f + gx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*\*(1/2)/(e\*x+d)/(g\*x+f), x)

[Out] Integral(sqrt(a + b\*x + c\*x\*\*2)/((d + e\*x)\*(f + g\*x)), x)



$$3.602 \quad \int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)^2} dx$$

**Optimal.** Leaf size=490

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right) e\sqrt{ag^2 - bfg + cf^2} \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right)}{(ef - dg)^2} + \frac{(2cf - bg) \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right)}{g(ef - dg)^2}$$

**Rubi [A]** time = 0.70, antiderivative size = 490, normalized size of antiderivative = 1.00, number of steps used = 20, number of rules used = 7, integrand size = 29, number of rules / integrand size = 0.241, Rules used = {960, 734, 843, 621, 206, 724, 732}

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{(ef - dg)^2} - \frac{e\sqrt{ag^2 - bfg + cf^2} \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right)}{g(ef - dg)^2} + \frac{(2cf - bg) \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right)}{2g(ef - dg)\sqrt{ag^2 - bfg + cf^2}} + \frac{\sqrt{a + bx + cx^2}}{(f + gx)(ef - dg)} - \frac{\sqrt{c} \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{a+bx+cx^2}}\right)}{g(ef - dg)} - \frac{(2cd - be) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{a+bx+cx^2}}\right)}{2\sqrt{c}(ef - dg)^2} + \frac{c(2cf - bg) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{a+bx+cx^2}}\right)}{2\sqrt{c}g(ef - dg)^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*x + c\*x^2]/((d + e\*x)\*(f + g\*x)^2), x]

[Out] Sqrt[a + b\*x + c\*x^2]/((e\*f - d\*g)\*(f + g\*x)) - ((2\*c\*d - b\*e)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])]/(2\*Sqrt[c]\*(e\*f - d\*g)^2) + (e\*(2\*c\*f - b\*g)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])]/(2\*Sqrt[c]\*g\*(e\*f - d\*g)^2) - (Sqrt[c]\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])]/(g\*(e\*f - d\*g)) + (Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])]/(e\*f - d\*g)^2 + ((2\*c\*f - b\*g)\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])]/(2\*g\*(e\*f - d\*g)\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]) - (e\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])]/(g\*(e\*f - d\*g)^2)

**Rule 206**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 621**

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

**Rule 724**

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

### Rule 732

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 1)), x] - Dist[p/(e*(m + 1)),
Int[(d + e*x)^(m + 1)*(b + 2*c*x)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[p, 0]
&& (IntegerQ[p] || LtQ[m, -1]) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

### Rule 734

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[p/(e*(m + 2*p + 1)),
Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0]
&& GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0]
&& IntQuadraticQ[a, b, c, d, e, m, p, x]
```

### Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e,
Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 960

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x]
&& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0]))
&& !(IGtQ[m, 0] || IGtQ[n, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)^2} dx &= \int \left( \frac{e^2 \sqrt{a+bx+cx^2}}{(ef-dg)^2(d+ex)} - \frac{g \sqrt{a+bx+cx^2}}{(ef-dg)(f+gx)^2} - \frac{eg \sqrt{a+bx+cx^2}}{(ef-dg)^2(f+gx)} \right) dx \\
&= \frac{e^2 \int \frac{\sqrt{a+bx+cx^2}}{d+ex} dx}{(ef-dg)^2} - \frac{(eg) \int \frac{\sqrt{a+bx+cx^2}}{f+gx} dx}{(ef-dg)^2} - \frac{g \int \frac{\sqrt{a+bx+cx^2}}{(f+gx)^2} dx}{ef-dg} \\
&= \frac{\sqrt{a+bx+cx^2}}{(ef-dg)(f+gx)} - \frac{e \int \frac{bd-2ae+(2cd-be)x}{(d+ex)\sqrt{a+bx+cx^2}} dx}{2(ef-dg)^2} + \frac{e \int \frac{bf-2ag+(2cf-bg)x}{(f+gx)\sqrt{a+bx+cx^2}} dx}{2(ef-dg)^2} - \frac{\int \frac{b+2cx}{(f+gx)\sqrt{a+bx+cx^2}} dx}{2(ef-dg)^2} \\
&= \frac{\sqrt{a+bx+cx^2}}{(ef-dg)(f+gx)} - \frac{(2cd-be) \int \frac{1}{\sqrt{a+bx+cx^2}} dx}{2(ef-dg)^2} + \frac{(cd^2-bde+ae^2) \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx}{(ef-dg)^2} \\
&= \frac{\sqrt{a+bx+cx^2}}{(ef-dg)(f+gx)} - \frac{(2cd-be) \operatorname{Subst} \left( \int \frac{1}{4c-x^2} dx, x, \frac{b+2cx}{\sqrt{a+bx+cx^2}} \right)}{(ef-dg)^2} - \frac{(2(cd^2-bde+ae^2) \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx)}{(ef-dg)^2} \\
&= \frac{\sqrt{a+bx+cx^2}}{(ef-dg)(f+gx)} - \frac{(2cd-be) \tanh^{-1} \left( \frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}} \right)}{2\sqrt{c}(ef-dg)^2} + \frac{e(2cf-bg) \tanh^{-1} \left( \frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}} \right)}{2\sqrt{c}g(ef-dg)^2}
\end{aligned}$$

**Mathematica [A]** time = 0.52, size = 222, normalized size = 0.45

$$\frac{2\sqrt{e(ae-bd)+cd^2} \tanh^{-1} \left( \frac{-2ae+b(d-ex)+2cdx}{2\sqrt{a+x(b+cx)} \sqrt{e(ae-bd)+cd^2}} \right) - \frac{(2aeg-b(dg+ef)+2cdf) \tanh^{-1} \left( \frac{-2ag+b(f-gx)+2cfx}{2\sqrt{a+x(b+cx)} \sqrt{g(ag-bf)+cf^2}} \right)}{\sqrt{g(ag-bf)+cf^2}} + \frac{2\sqrt{a+x(b+cx)}(ef-dg)}{f+gx}}{2(ef-dg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*x + c\*x^2]/((d + e\*x)\*(f + g\*x)^2), x]

[Out] ((2\*(e\*f - d\*g)\*Sqrt[a + x\*(b + c\*x)])/(f + g\*x) + 2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*ArcTanh[(-2\*a\*e + 2\*c\*d\*x + b\*(d - e\*x))/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*Sqrt[a + x\*(b + c\*x)])] - ((2\*c\*d\*f + 2\*a\*e\*g - b\*(e\*f + d\*g))\*ArcTanh[(-2\*a\*g + 2\*c\*f\*x + b\*(f - g\*x))/(2\*Sqrt[c\*f^2 + g\*(-(b\*f) + a\*g)]\*Sqrt[a + x\*(b + c\*x)])])/Sqrt[c\*f^2 + g\*(-(b\*f) + a\*g)]/(2\*(e\*f - d\*g)^2)

**IntegrateAlgebraic [A]** time = 1.26, size = 351, normalized size = 0.72

$$\frac{2\sqrt{-ae^2 + bde - cd^2} \tan^{-1} \left( \frac{-e\sqrt{a+bx+cx^2}}{\sqrt{-ae^2 + bde - cd^2}} + \frac{\sqrt{c}x}{\sqrt{-ae^2 + bde - cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2 + bde - cd^2}} \right) + \frac{(-2cdf\sqrt{-ag^2 + bfg - cf^2} + bdg\sqrt{-ag^2 + bfg - cf^2} + bef\sqrt{-ag^2 + bfg - cf^2} - 2aeg\sqrt{-ag^2 + bfg - cf^2}) \tan^{-1} \left( \frac{-2x\sqrt{a+bx+cx^2} + \sqrt{c}f + \sqrt{c}g}{\sqrt{-ag^2 + bfg - cf^2}} \right) + \frac{\sqrt{a+bx+cx^2}}{(f+gx)(ef-dg)}}{(ef-dg)^2(ag^2 - bfg + cf^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[Sqrt[a + b\*x + c\*x^2]/((d + e\*x)\*(f + g\*x)^2),x]

[Out]  $\frac{\sqrt{a + b x + c x^2} / ((e f - d g) (f + g x)) + (2 \sqrt{-c d^2} + b d e - a e^2) \operatorname{ArcTan}\left[\frac{\sqrt{c} d}{\sqrt{-c d^2} + b d e - a e^2}\right] + (\sqrt{c} e x) / \sqrt{-c d^2} + b d e - a e^2 - (e \sqrt{a + b x + c x^2}) / \sqrt{-c d^2} + b d e - a e^2}}{(e f - d g)^2 + ((-2 c d f \sqrt{-c f^2} + b f g - a g^2) + b e f \sqrt{-c f^2} + b f g - a g^2) + b d g \sqrt{-c f^2} + b f g - a g^2} - 2 a e g \sqrt{-c f^2} + b f g - a g^2} \operatorname{ArcTan}\left[\frac{\sqrt{c} f + \sqrt{c} g x - g \sqrt{a + b x + c x^2}}{\sqrt{-c f^2} + b f g - a g^2}\right] / ((e f - d g)^2 (c f^2 - b f g + a g^2))$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(1/2)/(e\*x+d)/(g\*x+f)^2,x, algorithm="fricas")

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(1/2)/(e\*x+d)/(g\*x+f)^2,x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.02, size = 3162, normalized size = 6.45

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)^(1/2)/(e\*x+d)/(g\*x+f)^2,x)

[Out] 
$$-\frac{g}{(d g - e f) (a g^2 - b f g + c f^2)} \frac{1}{(x + f/g)} * \left( \frac{(x + f/g)^2 c + (b g - 2 c f) (x + f/g)}{g} + \frac{(a g^2 - b f g + c f^2)}{g^2} \right)^{3/2} + \frac{g}{(d g - e f) (a g^2 - b f g + c f^2)} \frac{1}{(x + f/g)^2} * \left( \frac{(x + f/g)^2 c + (b g - 2 c f) (x + f/g)}{g} + \frac{(a g^2 - b f g + c f^2)}{g^2} \right)^{1/2} * \frac{b - 1}{(d g - e f) (a g^2 - b f g + c f^2)} * \left( \frac{(x + f/g)^2 c + (b g - 2 c f) (x + f/g)}{g} + \frac{(a g^2 - b f g + c f^2)}{g^2} \right)^{1/2} * c f - \frac{1}{(d g - e f) (a g^2 - b f g + c f^2)} * \ln\left(\frac{(x + f/g) c + 1/2 (b g - 2 c f)}{g}\right) / c^{1/2} + \left( \frac{(x + f/g)^2 c + (b g - 2 c f) (x + f/g)}{g} + \frac{(a g^2 - b f g + c f^2)}{g^2} \right)^{1/2} * c^{1/2} * f * b + \frac{1}{g} / (d g - e f) / (a g^2 - b f g + c f^2) * \ln\left(\frac{(x + f/g) c + 1/2 (b g - 2 c f)}{g}\right) / c^{1/2} + \left( \frac{(x + f/g)^2 c + (b g - 2 c f) (x + f/g)}{g} + \frac{(a g^2 - b f g + c f^2)}{g^2} \right)^{1/2} * c^{3/2} * f^{-1/2} * g / (d g - e f) / (a g^2 - b f g + c f^2) / \left( \frac{(a g^2 - b f g + c f^2)}{g^2} \right)$$



**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^2 + bx + a}}{(ex + d)(gx + f)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(1/2)/(e\*x+d)/(g\*x+f)^2,x, algorithm="maxima")

[Out] integrate(sqrt(c\*x^2 + b\*x + a)/((e\*x + d)\*(g\*x + f)^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{cx^2 + bx + a}}{(f + gx)^2 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)^(1/2)/((f + g\*x)^2\*(d + e\*x)),x)

[Out] int((a + b\*x + c\*x^2)^(1/2)/((f + g\*x)^2\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + bx + cx^2}}{(d + ex)(f + gx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*\*(1/2)/(e\*x+d)/(g\*x+f)\*\*2,x)

[Out] Integral(sqrt(a + b\*x + c\*x\*\*2)/((d + e\*x)\*(f + g\*x)\*\*2), x)

$$3.603 \quad \int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)^3} dx$$

**Optimal.** Leaf size=673

$$\frac{g(b^2 - 4ac) \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right)}{8(ef-dg)(ag^2-bfg+cf^2)^{3/2}} + \frac{e\sqrt{ae^2-bde+cd^2} \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{(ef-dg)^3} - \frac{e^2\sqrt{ag^2-bfg+cf^2}}{(ef-dg)^3}$$

**Rubi [A]** time = 0.86, antiderivative size = 673, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 8, integrand size = 29, number of rules / integrand size = 0.276, Rules used = {960, 734, 843, 621, 206, 724, 720, 732}

$$\frac{g(b^2-4ac)\tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right)}{8(ef-dg)(ag^2-bfg+cf^2)^{3/2}} + \frac{e\sqrt{ae^2-bde+cd^2}\tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{(ef-dg)^3} - \frac{e^2\sqrt{ag^2-bfg+cf^2}}{(ef-dg)^3}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*x + c\*x^2]/((d + e\*x)\*(f + g\*x)^3), x]

[Out] (e\*Sqrt[a + b\*x + c\*x^2])/((e\*f - d\*g)^2\*(f + g\*x)) - (g\*(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)\*Sqrt[a + b\*x + c\*x^2])/(4\*(e\*f - d\*g)\*(c\*f^2 - b\*f\*g + a\*g^2)\*(f + g\*x)^2) - (e\*(2\*c\*d - b\*e)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(2\*Sqrt[c]\*(e\*f - d\*g)^3) + (e^2\*(2\*c\*f - b\*g)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(2\*Sqrt[c]\*g\*(e\*f - d\*g)^3) - (Sqrt[c]\*e\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(g\*(e\*f - d\*g)^2) + (e\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/(e\*f - d\*g)^3 + ((b^2 - 4\*a\*c)\*g\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(8\*(e\*f - d\*g)\*(c\*f^2 - b\*f\*g + a\*g^2)^(3/2)) + (e\*(2\*c\*f - b\*g)\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(2\*g\*(e\*f - d\*g)^2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]) - (e^2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(g\*(e\*f - d\*g)^3)

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 621**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a,

b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 720

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((d + e\*x)^(m + 1)\*(d\*b - 2\*a\*e + (2\*c\*d - b\*e)\*x)\*(a + b\*x + c\*x^2)^p)/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[(p\*(b^2 - 4\*a\*c))/(2\*(m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 2)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && EqQ[m + 2\*p + 2, 0] && GtQ[p, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 732

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p)/(e\*(m + 1)), x] - Dist[p/(e\*(m + 1)), Int[(d + e\*x)^(m + 1)\*(b + 2\*c\*x)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && GtQ[p, 0] && (IntegerQ[p] || LtQ[m, -1]) && NeQ[m, -1] && !ILtQ[m + 2\*p + 1, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]

### Rule 734

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p)/(e\*(m + 2\*p + 1)), x] - Dist[p/(e\*(m + 2\*p + 1)), Int[(d + e\*x)^m\*Simp[b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x, x]\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && GtQ[p, 0] && NeQ[m + 2\*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2\*p, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]

### Rule 843

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] &&



NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 960

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)^3} dx &= \int \left( \frac{e^3 \sqrt{a+bx+cx^2}}{(ef-dg)^3(d+ex)} - \frac{g \sqrt{a+bx+cx^2}}{(ef-dg)(f+gx)^3} - \frac{eg \sqrt{a+bx+cx^2}}{(ef-dg)^2(f+gx)^2} - \frac{e^2 g \sqrt{a+bx+cx^2}}{(ef-dg)^3(f+gx)} \right) dx \\
 &= \frac{e^3 \int \frac{\sqrt{a+bx+cx^2}}{d+ex} dx}{(ef-dg)^3} - \frac{(e^2 g) \int \frac{\sqrt{a+bx+cx^2}}{f+gx} dx}{(ef-dg)^3} - \frac{(eg) \int \frac{\sqrt{a+bx+cx^2}}{(f+gx)^2} dx}{(ef-dg)^2} - \frac{g \int \frac{\sqrt{a+bx+cx^2}}{(f+gx)^3} dx}{ef-dg} \\
 &= \frac{e \sqrt{a+bx+cx^2}}{(ef-dg)^2(f+gx)} - \frac{g(bf-2ag+(2cf-bg)x) \sqrt{a+bx+cx^2}}{4(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2} - \frac{e^2 \int \frac{bd-2ae+(2cd-be)x}{(d+ex)\sqrt{a+bx+cx^2}} dx}{2(ef-dg)^3} \\
 &= \frac{e \sqrt{a+bx+cx^2}}{(ef-dg)^2(f+gx)} - \frac{g(bf-2ag+(2cf-bg)x) \sqrt{a+bx+cx^2}}{4(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2} - \frac{(e(2cd-be)) \int \frac{1}{\sqrt{a+bx+cx^2}} dx}{2(ef-dg)} \\
 &= \frac{e \sqrt{a+bx+cx^2}}{(ef-dg)^2(f+gx)} - \frac{g(bf-2ag+(2cf-bg)x) \sqrt{a+bx+cx^2}}{4(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2} + \frac{(b^2-4ac)g \tanh^{-1}\left(\frac{2cx+b}{\sqrt{a+bx+cx^2}}\right)}{8(ef-dg)} \\
 &= \frac{e \sqrt{a+bx+cx^2}}{(ef-dg)^2(f+gx)} - \frac{g(bf-2ag+(2cf-bg)x) \sqrt{a+bx+cx^2}}{4(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2} - \frac{e(2cd-be) \tanh^{-1}\left(\frac{2cx+b}{\sqrt{a+bx+cx^2}}\right)}{2\sqrt{c}(ef-dg)}
 \end{aligned}$$

**Mathematica [A]** time = 1.37, size = 609, normalized size = 0.90

$$\frac{\frac{(b^2-4ac)g \tanh^{-1}\left(\frac{2cx+b}{\sqrt{a+bx+cx^2}}\right)}{(ef-dg)^2} + 8e\sqrt{(af-bd)+cd^2} \tanh^{-1}\left(\frac{2cx+b}{\sqrt{a+bx+cx^2}}\right) + \frac{2e\sqrt{(af-bd)+cd^2} \tanh^{-1}\left(\frac{2cx+b}{\sqrt{a+bx+cx^2}}\right)}{(f+gx)\sqrt{(ef-dg)^2}} - \frac{4ef-dg^2 \sqrt{a+bx+cx^2} \tanh^{-1}\left(\frac{2cx+b}{\sqrt{a+bx+cx^2}}\right)}{4(ef-dg)^3} + \frac{4ef-dg^2 \sqrt{a+bx+cx^2} \tanh^{-1}\left(\frac{2cx+b}{\sqrt{a+bx+cx^2}}\right)}{4(ef-dg)^3} + \frac{4ef-dg^2 \sqrt{a+bx+cx^2} \tanh^{-1}\left(\frac{2cx+b}{\sqrt{a+bx+cx^2}}\right)}{4(ef-dg)^3} + \frac{4ef-dg^2 \sqrt{a+bx+cx^2} \tanh^{-1}\left(\frac{2cx+b}{\sqrt{a+bx+cx^2}}\right)}{4(ef-dg)^3}}{8(ef-dg)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*x + c\*x^2]/((d + e\*x)\*(f + g\*x)^3), x]

```
[Out] ((8*e*(e*f - d*g)*Sqrt[a + x*(b + c*x)])/(f + g*x) + (2*g*(e*f - d*g)^2*(-(b*f) + 2*a*g - 2*c*f*x + b*g*x)*Sqrt[a + x*(b + c*x)]/((c*f^2 + g*(-(b*f) + a*g))*(f + g*x)^2) + (4*e*(-2*c*d + b*e)*ArcTanh[(b + 2*c*x)/(2*Sqrt[c]*Sqrt[a + x*(b + c*x)])])/Sqrt[c] + 8*e*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*ArcTanh[(-2*a*e + 2*c*d*x + b*(d - e*x))/(2*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*Sqrt[a + x*(b + c*x)])] + ((b^2 - 4*a*c)*g*(e*f - d*g)^2*ArcTanh[(-2*a*g + 2*c*f*x + b*(f - g*x))/(2*Sqrt[c*f^2 + g*(-(b*f) + a*g)]*Sqrt[a + x*(b + c*x)])])/(c*f^2 + g*(-(b*f) + a*g))^(3/2) - (4*e*(e*f - d*g)*(2*Sqrt[c]*ArcTanh[(b + 2*c*x)/(2*Sqrt[c]*Sqrt[a + x*(b + c*x)])]) - ((2*c*f - b*g)*ArcTanh[(-2*a*g + 2*c*f*x + b*(f - g*x))/(2*Sqrt[c*f^2 + g*(-(b*f) + a*g)]*Sqrt[a + x*(b + c*x)])])/Sqrt[c*f^2 + g*(-(b*f) + a*g)]))/g + (4*e^2*((2*c*f - b*g)*ArcTanh[(b + 2*c*x)/(2*Sqrt[c]*Sqrt[a + x*(b + c*x)])]) - 2*Sqrt[c]*Sqrt[c*f^2 + g*(-(b*f) + a*g)]*ArcTanh[(-2*a*g + 2*c*f*x + b*(f - g*x))/(2*Sqrt[c*f^2 + g*(-(b*f) + a*g)]*Sqrt[a + x*(b + c*x)])]))/(Sqrt[c]*g))/(8*(e*f - d*g)^3)
```

**IntegrateAlgebraic [F]** time = 180.49, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[Sqrt[a + b*x + c*x^2]/((d + e*x)*(f + g*x)^3), x]
```

```
[Out] $Aborted
```

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)^(1/2)/(e*x+d)/(g*x+f)^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

**giac [B]** time = 4.64, size = 1844, normalized size = 2.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)^(1/2)/(e*x+d)/(g*x+f)^3,x, algorithm="giac")
```

```
[Out] -1/4*(b^2*d^2*g^3 - 4*a*c*d^2*g^3 - 8*c^2*d*f^3*e + 12*b*c*d*f^2*g*e - 6*b^2*d*f*g^2*e + 4*a*b*d*g^3*e + 4*b*c*f^3*e^2 - 3*b^2*f^2*g*e^2 - 12*a*c*f^2*g*e^2 + 12*a*b*f*g^2*e^2 - 8*a^2*g^3*e^2)*arctan(-((sqrt(c)*x - sqrt(c*x^2 + b*x + a))*g + sqrt(c)*f)/sqrt(-c*f^2 + b*f*g - a*g^2))/((c*d^3*f^2*g^3 - b*d^3*f*g^4 + a*d^3*g^5 - 3*c*d^2*f^3*g^2*e + 3*b*d^2*f^2*g^3*e - 3*a*d^2*f
```

$$\begin{aligned}
& g^4 e + 3 c d f^4 g e^2 - 3 b d f^3 g^2 e^2 + 3 a d f^2 g^3 e^2 - c f^5 e^3 \\
& + b f^4 g e^3 - a f^3 g^2 e^3) \sqrt{-c f^2 + b f g - a g^2}) - 2 (c d^2 e \\
& - b d e^2 + a e^3) \arctan(-(\sqrt{c} x - \sqrt{c x^2 + b x + a}) e + \sqrt{c} \\
& ) d / \sqrt{-c d^2 + b d e - a e^2}) / ((d^3 g^3 - 3 d^2 f g^2 e + 3 d f^2 g e^2 \\
& - f^3 e^3) \sqrt{-c d^2 + b d e - a e^2}) + 1/4 (8 (\sqrt{c} x - \sqrt{c x^2 \\
& + b x + a})^3 c^2 d f^2 g^2 - 8 (\sqrt{c} x - \sqrt{c x^2 + b x + a})^3 b c \\
& d f g^3 + (\sqrt{c} x - \sqrt{c x^2 + b x + a})^3 b^2 d g^4 + 4 (\sqrt{c} x - \\
& \sqrt{c x^2 + b x + a})^3 a c d g^4 - 4 (\sqrt{c} x - \sqrt{c x^2 + b x + a})^3 \\
& b c f^2 g^2 e + 3 (\sqrt{c} x - \sqrt{c x^2 + b x + a})^3 b^2 f g^3 e + 4 ( \\
& \sqrt{c} x - \sqrt{c x^2 + b x + a})^3 a c f g^3 e - 4 (\sqrt{c} x - \sqrt{c x^2 \\
& + b x + a})^3 a b g^4 e + 8 (\sqrt{c} x - \sqrt{c x^2 + b x + a})^2 c^{(5/2)} \\
& * d f^3 g - 5 (\sqrt{c} x - \sqrt{c x^2 + b x + a})^2 b^2 \sqrt{c} d f g^3 - 4 ( \\
& \sqrt{c} x - \sqrt{c x^2 + b x + a})^2 a c^{(3/2)} d f g^3 + 8 (\sqrt{c} x - \sqrt{c} \\
& \sqrt{c x^2 + b x + a})^2 a b \sqrt{c} d g^4 + 8 (\sqrt{c} x - \sqrt{c x^2 + b x \\
& + a})^2 c^{(5/2)} f^4 e - 20 (\sqrt{c} x - \sqrt{c x^2 + b x + a})^2 b c^{(3/2)} \\
& f^3 g e + 9 (\sqrt{c} x - \sqrt{c x^2 + b x + a})^2 b^2 \sqrt{c} f^2 g^2 e + 1 \\
& 2 (\sqrt{c} x - \sqrt{c x^2 + b x + a})^2 a c^{(3/2)} f^2 g^2 e - 4 (\sqrt{c} x \\
& - \sqrt{c x^2 + b x + a})^2 a b \sqrt{c} f g^3 e - 8 (\sqrt{c} x - \sqrt{c x^2 \\
& + b x + a})^2 a^2 \sqrt{c} g^4 e + 8 (\sqrt{c} x - \sqrt{c x^2 + b x + a}) b c \\
& ^2 d f^3 g - 4 (\sqrt{c} x - \sqrt{c x^2 + b x + a}) b^2 c d f^2 g^2 - 8 (\sqrt{c} \\
& \sqrt{c} x - \sqrt{c x^2 + b x + a}) a c^2 d f^2 g^2 - (\sqrt{c} x - \sqrt{c x^2 + \\
& b x + a}) b^3 d f g^3 + 4 (\sqrt{c} x - \sqrt{c x^2 + b x + a}) a b c d f g^ \\
& 3 + (\sqrt{c} x - \sqrt{c x^2 + b x + a}) a b^2 d g^4 + 4 (\sqrt{c} x - \sqrt{c} \\
& \sqrt{c x^2 + b x + a}) a^2 c d g^4 + 8 (\sqrt{c} x - \sqrt{c x^2 + b x + a}) b c^2 \\
& f^4 e - 16 (\sqrt{c} x - \sqrt{c x^2 + b x + a}) b^2 c f^3 g e - 16 (\sqrt{c} \\
& \sqrt{c} x - \sqrt{c x^2 + b x + a}) a c^2 f^3 g e + 5 (\sqrt{c} x - \sqrt{c x^2 + b x \\
& + a}) b^3 f^2 g^2 e + 40 (\sqrt{c} x - \sqrt{c x^2 + b x + a}) a b c f^2 g^2 \\
& e - 9 (\sqrt{c} x - \sqrt{c x^2 + b x + a}) a b^2 f g^3 e - 28 (\sqrt{c} x - \sqrt{c} \\
& \sqrt{c x^2 + b x + a}) a^2 c f g^3 e + 4 (\sqrt{c} x - \sqrt{c x^2 + b x + a}) \\
& a^2 b g^4 e + 2 b^2 c^{(3/2)} d f^3 g - b^3 \sqrt{c} d f^2 g^2 - 4 a b c^{(3/2)} \\
& ) d f^2 g^2 + a b^2 \sqrt{c} d f g^3 + 4 a^2 c^{(3/2)} d f g^3 + 2 b^2 c^{(3/2)} \\
& f^4 e - 3 b^3 \sqrt{c} f^3 g e - 8 a b c^{(3/2)} f^3 g e + 15 a b^2 \sqrt{c} f \\
& ^2 g^2 e + 4 a^2 c^{(3/2)} f^2 g^2 e - 20 a^2 b \sqrt{c} f g^3 e + 8 a^3 \sqrt{c} \\
& (c) g^4 e) / ((c d^2 f^2 g^3 - b d^2 f g^4 + a d^2 g^5 - 2 c d f^3 g^2 e + 2 b \\
& * d f^2 g^3 e - 2 a d f g^4 e + c f^4 g e^2 - b f^3 g^2 e^2 + a f^2 g^3 e^2) \\
& * ((\sqrt{c} x - \sqrt{c x^2 + b x + a})^2 g + 2 (\sqrt{c} x - \sqrt{c x^2 + b x \\
& + a}) \sqrt{c} f + b f - a g)^2)
\end{aligned}$$

**maple [B]** time = 0.02, size = 6714, normalized size = 9.98

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int ((c x^2 + b x + a)^{(1/2)} / (e x + d) / (g x + f)^3, x)$

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^2 + bx + a}}{(ex + d)(gx + f)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(1/2)/(e\*x+d)/(g\*x+f)^3,x, algorithm="maxima")

[Out] integrate(sqrt(c\*x^2 + b\*x + a)/((e\*x + d)\*(g\*x + f)^3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{cx^2 + bx + a}}{(f + gx)^3 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)^(1/2)/((f + g\*x)^3\*(d + e\*x)),x)

[Out] int((a + b\*x + c\*x^2)^(1/2)/((f + g\*x)^3\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + bx + cx^2}}{(d + ex)(f + gx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*\*(1/2)/(e\*x+d)/(g\*x+f)\*\*3,x)

[Out] Integral(sqrt(a + b\*x + c\*x\*\*2)/((d + e\*x)\*(f + g\*x)\*\*3), x)

$$3.604 \quad \int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)^4} dx$$

**Optimal.** Leaf size=933

$$\frac{(2cf - bg) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{cx^2+bx+a}}\right) e^3 \sqrt{cf^2 - bgf + ag^2} \tanh^{-1}\left(\frac{bf-2ag+(2cf-bg)x}{2\sqrt{cf^2-bgf+ag^2}\sqrt{cx^2+bx+a}}\right) e^3 \sqrt{c} \tanh^{-1}\left(\frac{b}{2\sqrt{c}\sqrt{cx^2+bx+a}}\right)}{2\sqrt{c}g(ef - dg)^4 - g(ef - dg)^4 g(ef - dg)^4}$$

**Rubi [A]** time = 1.22, antiderivative size = 933, normalized size of antiderivative = 1.00, number of steps used = 27, number of rules used = 9, integrand size = 29, number of rules / integrand size = 0.310, Rules used = {960, 734, 843, 621, 206, 724, 730, 720, 732}

$\frac{d}{dx} \left[ \frac{(2cf - bg) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{cx^2+bx+a}}\right) e^3 \sqrt{cf^2 - bgf + ag^2} \tanh^{-1}\left(\frac{bf-2ag+(2cf-bg)x}{2\sqrt{cf^2-bgf+ag^2}\sqrt{cx^2+bx+a}}\right) e^3 \sqrt{c} \tanh^{-1}\left(\frac{b}{2\sqrt{c}\sqrt{cx^2+bx+a}}\right)}{2\sqrt{c}g(ef - dg)^4 - g(ef - dg)^4 g(ef - dg)^4} \right] = \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)^4}$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*x + c\*x^2]/((d + e\*x)\*(f + g\*x)^4), x]

[Out]  $(e^2 \sqrt{a + b*x + c*x^2}) / ((e*f - d*g)^3 * (f + g*x)) - (g * (2*c*f - b*g) * (b*f - 2*a*g + (2*c*f - b*g)*x) * \sqrt{a + b*x + c*x^2}) / (8 * (e*f - d*g) * (c*f^2 - b*f*g + a*g^2)^2 * (f + g*x)^2) - (e*g * (b*f - 2*a*g + (2*c*f - b*g)*x) * \sqrt{a + b*x + c*x^2}) / (4 * (e*f - d*g)^2 * (c*f^2 - b*f*g + a*g^2) * (f + g*x)^2) + (g^2 * (a + b*x + c*x^2)^{(3/2)}) / (3 * (e*f - d*g) * (c*f^2 - b*f*g + a*g^2) * (f + g*x)^3) - (e^2 * (2*c*d - b*e) * \text{ArcTanh}[(b + 2*c*x) / (2 * \sqrt{c} * \sqrt{a + b*x + c*x^2})]) / (2 * \sqrt{c} * (e*f - d*g)^4) + (e^3 * (2*c*f - b*g) * \text{ArcTanh}[(b + 2*c*x) / (2 * \sqrt{c} * \sqrt{a + b*x + c*x^2})]) / (2 * \sqrt{c} * g * (e*f - d*g)^4) - (\sqrt{c} * e^2 * \text{ArcTanh}[(b + 2*c*x) / (2 * \sqrt{c} * \sqrt{a + b*x + c*x^2})]) / (g * (e*f - d*g)^3) + (e^2 * \sqrt{c*d^2 - b*d*e + a*e^2} * \text{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x) / (2 * \sqrt{c*d^2 - b*d*e + a*e^2} * \sqrt{a + b*x + c*x^2})]) / (e*f - d*g)^4 + ((b^2 - 4*a*c) * g * (2*c*f - b*g) * \text{ArcTanh}[(b*f - 2*a*g + (2*c*f - b*g)*x) / (2 * \sqrt{c*f^2 - b*f*g + a*g^2} * \sqrt{a + b*x + c*x^2})]) / (16 * (e*f - d*g) * (c*f^2 - b*f*g + a*g^2)^{(5/2)}) + ((b^2 - 4*a*c) * e * g * \text{ArcTanh}[(b*f - 2*a*g + (2*c*f - b*g)*x) / (2 * \sqrt{c*f^2 - b*f*g + a*g^2} * \sqrt{a + b*x + c*x^2})]) / (8 * (e*f - d*g)^2 * (c*f^2 - b*f*g + a*g^2)^{(3/2)}) + (e^2 * (2*c*f - b*g) * \text{ArcTanh}[(b*f - 2*a*g + (2*c*f - b*g)*x) / (2 * \sqrt{c*f^2 - b*f*g + a*g^2} * \sqrt{a + b*x + c*x^2})]) / (2 * g * (e*f - d*g)^3 * \sqrt{c*f^2 - b*f*g + a*g^2}) - (e^3 * \sqrt{c*f^2 - b*f*g + a*g^2} * \text{ArcTanh}[(b*f - 2*a*g + (2*c*f - b*g)*x) / (2 * \sqrt{c*f^2 - b*f*g + a*g^2} * \sqrt{a + b*x + c*x^2})]) / (g * (e*f - d*g)^4)$

**Rule 206**

Int[((a\_) + (b\_) \* (x\_)^2)^(-1), x\_Symbol] := Simp[(1 \* ArcTanh[(Rt[-b, 2] \* x) / Rt[a, 2]]) / (Rt[a, 2] \* Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt

$Q[a, 0] \parallel LtQ[b, 0]$

### Rule 621

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_) + (c_)*(x_)^2], x\_Symbol] \rightarrow \text{Dist}[2, \text{Subst}[\text{Int}[1/(4*c - x^2), x], x, (b + 2*c*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

### Rule 720

$\text{Int}[((d_) + (e_)*(x_))^{(m_)}*((a_) + (b_)*(x_) + (c_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow -\text{Simp}[(d + e*x)^{(m+1)}*(d*b - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^p / (2*(m+1)*(c*d^2 - b*d*e + a*e^2)), x] + \text{Dist}[(p*(b^2 - 4*a*c)) / (2*(m+1)*(c*d^2 - b*d*e + a*e^2)), \text{Int}[(d + e*x)^{(m+2)}*(a + b*x + c*x^2)^{(p-1)}, x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{EqQ}[m + 2*p + 2, 0] \ \&\& \ \text{GtQ}[p, 0]$

### Rule 724

$\text{Int}[1/(((d_) + (e_)*(x_))*\text{Sqrt}[(a_) + (b_)*(x_) + (c_)*(x_)^2]), x\_Symbol] \rightarrow \text{Dist}[-2, \text{Subst}[\text{Int}[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0]$

### Rule 730

$\text{Int}[((d_) + (e_)*(x_))^{(m_)}*((a_) + (b_)*(x_) + (c_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow \text{Simp}[(e*(d + e*x)^{(m+1)}*(a + b*x + c*x^2)^{(p+1)}) / ((m+1)*(c*d^2 - b*d*e + a*e^2)), x] + \text{Dist}[(2*c*d - b*e) / (2*(c*d^2 - b*d*e + a*e^2)), \text{Int}[(d + e*x)^{(m+1)}*(a + b*x + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, m, p\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{EqQ}[m + 2*p + 3, 0]$

### Rule 732

$\text{Int}[((d_) + (e_)*(x_))^{(m_)}*((a_) + (b_)*(x_) + (c_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow \text{Simp}[(d + e*x)^{(m+1)}*(a + b*x + c*x^2)^p / (e*(m+1)), x] - \text{Dist}[p/(e*(m+1)), \text{Int}[(d + e*x)^{(m+1)}*(b + 2*c*x)*(a + b*x + c*x^2)^{(p-1)}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, m\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ (\text{IntegerQ}[p] \parallel LtQ[m, -1]) \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ !\text{ILtQ}[m + 2*p + 1, 0] \ \&\& \ \text{IntQuadraticQ}[a, b, c, d, e, m, p, x]$

Rule 734

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x]
- Dist[p/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]
*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0]
&& GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) &&
!ILtQ[m + 2*p, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x]
+ Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 960

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x]
&& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx+cx^2}}{(d+ex)(f+gx)^4} dx &= \int \left( \frac{e^4 \sqrt{a+bx+cx^2}}{(ef-dg)^4(d+ex)} - \frac{g\sqrt{a+bx+cx^2}}{(ef-dg)(f+gx)^4} - \frac{eg\sqrt{a+bx+cx^2}}{(ef-dg)^2(f+gx)^3} - \frac{e^2g\sqrt{a+bx+cx^2}}{(ef-dg)^3(f+gx)^2} \right) dx \\
&= \frac{e^4 \int \frac{\sqrt{a+bx+cx^2}}{d+ex} dx}{(ef-dg)^4} - \frac{(e^3g) \int \frac{\sqrt{a+bx+cx^2}}{f+gx} dx}{(ef-dg)^4} - \frac{(e^2g) \int \frac{\sqrt{a+bx+cx^2}}{(f+gx)^2} dx}{(ef-dg)^3} - \frac{(eg) \int \frac{\sqrt{a+bx+cx^2}}{(f+gx)^3} dx}{(ef-dg)^2} \\
&= \frac{e^2\sqrt{a+bx+cx^2}}{(ef-dg)^3(f+gx)} - \frac{eg(bf-2ag+(2cf-bg)x)\sqrt{a+bx+cx^2}}{4(ef-dg)^2(cf^2-bfg+ag^2)(f+gx)^2} + \frac{g^2(a+bx+cx^2)}{3(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2} \\
&= \frac{e^2\sqrt{a+bx+cx^2}}{(ef-dg)^3(f+gx)} - \frac{g(2cf-bg)(bf-2ag+(2cf-bg)x)\sqrt{a+bx+cx^2}}{8(ef-dg)(cf^2-bfg+ag^2)^2(f+gx)^2} - \frac{eg(bf-2ag+(2cf-bg)x)\sqrt{a+bx+cx^2}}{4(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2} \\
&= \frac{e^2\sqrt{a+bx+cx^2}}{(ef-dg)^3(f+gx)} - \frac{g(2cf-bg)(bf-2ag+(2cf-bg)x)\sqrt{a+bx+cx^2}}{8(ef-dg)(cf^2-bfg+ag^2)^2(f+gx)^2} - \frac{eg(bf-2ag+(2cf-bg)x)\sqrt{a+bx+cx^2}}{4(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2} \\
&= \frac{e^2\sqrt{a+bx+cx^2}}{(ef-dg)^3(f+gx)} - \frac{g(2cf-bg)(bf-2ag+(2cf-bg)x)\sqrt{a+bx+cx^2}}{8(ef-dg)(cf^2-bfg+ag^2)^2(f+gx)^2} - \frac{eg(bf-2ag+(2cf-bg)x)\sqrt{a+bx+cx^2}}{4(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2}
\end{aligned}$$

**Mathematica [A]** time = 4.16, size = 858, normalized size = 0.92

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*x + c\*x^2]/((d + e\*x)\*(f + g\*x)^4), x]

[Out] 
$$\begin{aligned}
&((48e^2(ef-dg)\sqrt{a+x(b+cx)})/(f+gx) + (12eg^2(ef-dg)^2(-bf) + 2a^2g - 2c^2fx + b^2gx)\sqrt{a+x(b+cx)})/((cf^2+g(-bf+a^2g))(f+gx)^2) - (16g^2(-ef+d)^3(a+x(b+cx))^{3/2})/((cf^2+g(-bf+a^2g))(f+gx)^3) + 24e^2(((2cd+be)\text{ArcTanh}[(b+2cx)/(2\sqrt{c}\sqrt{a+x(b+cx)})])/\sqrt{c} + 2\sqrt{cd^2+e(-bd+a^2e)}\text{ArcTanh}[(-2ae+2cdx+b(d-ex))/(2\sqrt{cd^2+e(-bd+a^2e)}\sqrt{a+x(b+cx)})]) + (6(b^2-4ac)eg^2(ef-dg)^2\text{ArcTanh}[(-2ag+2cfx+b(f-gx))/(2\sqrt{cf^2+g(-bf+a^2g)}\sqrt{a+x(b+cx)})])/(cf^2+g(-bf+a^2g))^{3/2} - (3g(2cf-bg)(ef-dg)^3((2\sqrt{a+x(b+cx)})*(-2ag+2cfx+b(f-gx)))/((cf^2+g(-bf+a^2g))(f+gx)^2) + ((-b^2+4ac)\text{ArcTan}
\end{aligned}$$



$$\frac{h[(-2*a*g + 2*c*f*x + b*(f - g*x))/(2*Sqrt[c*f^2 + g*(-(b*f) + a*g)]*Sqrt[a + x*(b + c*x)])]/(c*f^2 + g*(-(b*f) + a*g))^{(3/2)}}{(c*f^2 + g*(-(b*f) + a*g)) - (24*e^2*(e*f - d*g)*(2*Sqrt[c]*ArcTanh[(b + 2*c*x)/(2*Sqrt[c]*Sqrt[a + x*(b + c*x)])]) - ((2*c*f - b*g)*ArcTanh[(-2*a*g + 2*c*f*x + b*(f - g*x))/(2*Sqrt[c*f^2 + g*(-(b*f) + a*g)]*Sqrt[a + x*(b + c*x)])])/Sqrt[c*f^2 + g*(-(b*f) + a*g)])]/g + (24*e^3*((2*c*f - b*g)*ArcTanh[(b + 2*c*x)/(2*Sqrt[c]*Sqrt[a + x*(b + c*x)])]) - 2*Sqrt[c]*Sqrt[c*f^2 + g*(-(b*f) + a*g)]*ArcTanh[(-2*a*g + 2*c*f*x + b*(f - g*x))/(2*Sqrt[c*f^2 + g*(-(b*f) + a*g)]*Sqrt[a + x*(b + c*x)])])]/(Sqrt[c]*g))/(48*(e*f - d*g)^4}$$

**IntegrateAlgebraic** [F] time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[Sqrt[a + b\*x + c\*x^2]/((d + e\*x)\*(f + g\*x)^4), x]

[Out] \$Aborted

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(1/2)/(e\*x+d)/(g\*x+f)^4,x, algorithm="fricas")

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(1/2)/(e\*x+d)/(g\*x+f)^4,x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.02, size = 11995, normalized size = 12.86

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)^(1/2)/(e\*x+d)/(g\*x+f)^4,x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^2 + bx + a}}{(ex + d)(gx + f)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(1/2)/(e\*x+d)/(g\*x+f)^4,x, algorithm="maxima")

[Out] integrate(sqrt(c\*x^2 + b\*x + a)/((e\*x + d)\*(g\*x + f)^4), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{cx^2 + bx + a}}{(f + gx)^4 (d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x + c\*x^2)^(1/2)/((f + g\*x)^4\*(d + e\*x)),x)

[Out] int((a + b\*x + c\*x^2)^(1/2)/((f + g\*x)^4\*(d + e\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + bx + cx^2}}{(d + ex)(f + gx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*\*(1/2)/(e\*x+d)/(g\*x+f)\*\*4,x)

[Out] Integral(sqrt(a + b\*x + c\*x\*\*2)/((d + e\*x)\*(f + g\*x)\*\*4), x)

$$3.605 \quad \int \frac{(f+gx)^3(a+bx+cx^2)^{3/2}}{d+ex} dx$$

**Optimal.** Leaf size=1098

$$\frac{(d+ex)(cx^2+bx+a)^{5/2}g^3}{6ce^2} + \frac{(36cef-22cdg-7beg)(cx^2+bx+a)^{5/2}g^2}{60c^2e^2} + \frac{(7b^3e^3g^3-4bce^2(9bef-3bdg+aeg))}{60c^2e^2}$$

**Rubi [A]** time = 3.86, antiderivative size = 1098, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {1653, 814, 843, 621, 206, 724}

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^3\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x), x]

[Out] -((3\*(7\*b^5\*e^5\*g^3 - 512\*c^5\*d^2\*(e\*f - d\*g)^3 + 128\*c^4\*e\*(5\*b\*d - 4\*a\*e)\*(e\*f - d\*g)^3 - 4\*b^3\*c\*e^4\*g^2\*(9\*b\*e\*f - 3\*b\*d\*g + 8\*a\*e\*g) + 8\*b\*c^2\*e^3\*g\*(2\*a^2\*e^2\*g^2 + 6\*a\*b\*e\*g\*(3\*e\*f - d\*g) + 3\*b^2\*(3\*e^2\*f^2 - 3\*d\*e\*f\*g + d^2\*g^2)) - 32\*b\*c^3\*e^2\*(2\*b\*(e\*f - d\*g)^3 + 3\*a\*e\*g\*(3\*e^2\*f^2 - 3\*d\*e\*f\*g + d^2\*g^2))) + 2\*c\*e\*(8\*c\*e\*(2\*c\*d - b\*e)\*(24\*c^2\*e^2\*f^3 + 7\*b^2\*d\*e\*g^3 - 4\*c\*d\*g^2\*(9\*b\*e\*f - 3\*b\*d\*g + a\*e\*g)) - 2\*(8\*c^2\*d^2 - 4\*b\*c\*d\*e - (3\*b^2\*e^2)/2 + 6\*a\*c\*e^2)\*g\*(7\*b^2\*e^2\*g^2 - 4\*c\*e\*g\*(9\*b\*e\*f - 3\*b\*d\*g + a\*e\*g) + 24\*c^2\*(3\*e^2\*f^2 - 3\*d\*e\*f\*g + d^2\*g^2)))\*x)\*Sqrt[a + b\*x + c\*x^2])/(1536\*c^4\*e^6) + ((7\*b^3\*e^3\*g^3 + 64\*c^3\*(e\*f - d\*g)^3 - 4\*b\*c\*e^2\*g^2\*(9\*b\*e\*f - 3\*b\*d\*g + a\*e\*g) + 24\*b\*c^2\*e\*g\*(3\*e^2\*f^2 - 3\*d\*e\*f\*g + d^2\*g^2) + 2\*c\*e\*g\*(7\*b^2\*e^2\*g^2 - 4\*c\*e\*g\*(9\*b\*e\*f - 3\*b\*d\*g + a\*e\*g) + 24\*c^2\*(3\*e^2\*f^2 - 3\*d\*e\*f\*g + d^2\*g^2)))\*x)\*(a + b\*x + c\*x^2)^(3/2))/(192\*c^3\*e^4) + (g^2\*(36\*c\*e\*f - 22\*c\*d\*g - 7\*b\*e\*g)\*(a + b\*x + c\*x^2)^(5/2))/(60\*c^2\*e^2) + (g^3\*(d + e\*x)\*(a + b\*x + c\*x^2)^(5/2))/(6\*c\*e^2) + ((4\*c\*e\*(2\*c\*d - b\*e)\*(8\*c\*e\*(b\*d - 2\*a\*e)\*(24\*c^2\*e^2\*f^3 + 7\*b^2\*d\*e\*g^3 - 4\*c\*d\*g^2\*(9\*b\*e\*f - 3\*b\*d\*g + a\*e\*g)) - d\*(8\*b\*c\*d - 3\*b^2\*e - 4\*a\*c\*e)\*g\*(7\*b^2\*e^2\*g^2 - 4\*c\*e\*g\*(9\*b\*e\*f - 3\*b\*d\*g + a\*e\*g) + 24\*c^2\*(3\*e^2\*f^2 - 3\*d\*e\*f\*g + d^2\*g^2))) - 2\*(4\*c^2\*d^2 - (b^2\*e^2)/2 - 2\*c\*e\*(b\*d - a\*e))\*(8\*c\*e\*(2\*c\*d - b\*e)\*(24\*c^2\*e^2\*f^3 + 7\*b^2\*d\*e\*g^3 - 4\*c\*d\*g^2\*(9\*b\*e\*f - 3\*b\*d\*g + a\*e\*g)) - 2\*(8\*c^2\*d^2 - 4\*b\*c\*d\*e - (3\*b^2\*e^2)/2 + 6\*a\*c\*e^2)\*g\*(7\*b^2\*e^2\*g^2 - 4\*c\*e\*g\*(9\*b\*e\*f - 3\*b\*d\*g + a\*e\*g) + 24\*c^2\*(3\*e^2\*f^2 - 3\*d\*e\*f\*g + d^2\*g^2))))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])]/(3072\*c^(9/2)\*e^7) + ((c\*d^2 - b\*d\*e + a\*e^2)^(3/2)\*(e\*f - d\*g)^3\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/e^7

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 724

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 814

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(c\*e\*f\*(m + 2\*p + 2) - g\*(c\*d + 2\*c\*d\*p - b\*e\*p) + g\*c\*e\*(m + 2\*p + 1)\*x)\*(a + b\*x + c\*x^2)^p)/(c\*e^2\*(m + 2\*p + 1)\*(m + 2\*p + 2)), x] - Dist[p/(c\*e^2\*(m + 2\*p + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p - 1)\*Simp[c\*e\*f\*(b\*d - 2\*a\*e)\*(m + 2\*p + 2) + g\*(a\*e\*(b\*e - 2\*c\*d\*m + b\*e\*m) + b\*d\*(b\*e\*p - c\*d - 2\*c\*d\*p)) + (c\*e\*f\*(2\*c\*d - b\*e)\*(m + 2\*p + 2) + g\*(b^2\*e^2\*(p + m + 1) - 2\*c^2\*d^2\*(1 + 2\*p) - c\*e\*(b\*d\*(m - 2\*p) + 2\*a\*e\*(m + 2\*p + 1)))]\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2\*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

Rule 843

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IGtQ[m, 0]

Rule 1653

Int[(Pq\_)\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p

```

_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, S
imp[(f*(d + e*x)^(m + q - 1)*(a + b*x + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q
+ 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + b
*x + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p +
1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(b*d*e*(p + 1) + a*e^2*(m + q - 1) - c*
d^2*(m + q + 2*p + 1) - e*(2*c*d - b*e)*(m + q + p)*x), x], x] /; GtQ[q
, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, d, e, m, p}, x] && Poly
Q[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !(IGtQ
[m, 0] && RationalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{(f + gx)^3 (a + bx + cx^2)^{3/2}}{d + ex} dx &= \frac{g^3(d + ex) (a + bx + cx^2)^{5/2}}{6ce^2} + \int \frac{(a+bx+cx^2)^{3/2} \left( \frac{1}{2}e(12ce^2f^3 - d(5bd+2ae)g^3) - eg(e(6bd+2ae)g^3 - d^2e) \right)}{6ce^2} dx \\
&= \frac{g^2(36cef - 22cdg - 7beg) (a + bx + cx^2)^{5/2}}{60c^2e^2} + \frac{g^3(d + ex) (a + bx + cx^2)^{5/2}}{6ce^2} \\
&= \frac{(7b^3e^3g^3 + 64c^3(ef - dg)^3 - 4bce^2g^2(9bef - 3bdg + aeg) + 24bc^2eg(3e^2f^2 - 2efg + dg^2)) (a + bx + cx^2)^{5/2}}{60c^2e^2} \\
&= -\frac{(3(7b^5e^5g^3 - 512c^5d^2(ef - dg)^3 + 128c^4e(5bd - 4ae)(ef - dg)^3 - 4b^3ce^4g^2(3ef^2 - 2efg + dg^2)) (a + bx + cx^2)^{5/2}}{60c^2e^2} \\
&= -\frac{(3(7b^5e^5g^3 - 512c^5d^2(ef - dg)^3 + 128c^4e(5bd - 4ae)(ef - dg)^3 - 4b^3ce^4g^2(3ef^2 - 2efg + dg^2)) (a + bx + cx^2)^{5/2}}{60c^2e^2} \\
&= -\frac{(3(7b^5e^5g^3 - 512c^5d^2(ef - dg)^3 + 128c^4e(5bd - 4ae)(ef - dg)^3 - 4b^3ce^4g^2(3ef^2 - 2efg + dg^2)) (a + bx + cx^2)^{5/2}}{60c^2e^2} \\
&= -\frac{(3(7b^5e^5g^3 - 512c^5d^2(ef - dg)^3 + 128c^4e(5bd - 4ae)(ef - dg)^3 - 4b^3ce^4g^2(3ef^2 - 2efg + dg^2)) (a + bx + cx^2)^{5/2}}{60c^2e^2}
\end{aligned}$$

**Mathematica [A]** time = 2.38, size = 743, normalized size = 0.68

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^3\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x),x]

[Out] (5120\*(e\*f - d\*g)^3\*(a + x\*(b + c\*x))^(3/2) + (1920\*e\*g\*(e\*f - d\*g)^2\*(b + 2\*c\*x)\*(a + x\*(b + c\*x))^(3/2))/c + (3072\*e^2\*g^2\*(e\*f - d\*g)\*(a + x\*(b + c\*x))^(5/2))/c + (2560\*e^3\*g^2\*(f + g\*x)\*(a + x\*(b + c\*x))^(5/2))/c + (360\*(b^2 - 4\*a\*c)\*e\*g\*(e\*f - d\*g)^2\*(-2\*sqrt[c]\*(b + 2\*c\*x)\*sqrt[a + x\*(b + c\*x)] + (b^2 - 4\*a\*c)\*ArcTanh[(b + 2\*c\*x)/(2\*sqrt[c]\*sqrt[a + x\*(b + c\*x)])]))/c^(5/2) - (60\*e^2\*g\*(-2\*c\*f + b\*g)\*(e\*f - d\*g)\*(2\*sqrt[c]\*(b + 2\*c\*x)\*sqrt[a + x\*(b + c\*x)]\*(-3\*b^2 + 8\*b\*c\*x + 4\*c\*(5\*a + 2\*c\*x^2)) + 3\*(b^2 - 4\*a\*c)^2\*ArcTanh[(b + 2\*c\*x)/(2\*sqrt[c]\*sqrt[a + x\*(b + c\*x)])]))/c^(7/2) + (e^3\*g\*(1792\*g\*(2\*c\*f - b\*g)\*(a + x\*(b + c\*x))^(5/2) + 5\*(24\*c^2\*f^2 + 7\*b^2\*g^2 - 4\*c\*g\*(6\*b\*f + a\*g))\*((16\*(b + 2\*c\*x)\*(a + x\*(b + c\*x))^(3/2))/c + (3\*(b^2 - 4\*a\*c)\*(-2\*sqrt[c]\*(b + 2\*c\*x)\*sqrt[a + x\*(b + c\*x)] + (b^2 - 4\*a\*c)\*ArcTanh[(b + 2\*c\*x)/(2\*sqrt[c]\*sqrt[a + x\*(b + c\*x)])]))/c^(5/2))))/c^2 + (960\*(e\*f - d\*g)^3\*(-((2\*c\*d - b\*e)\*(8\*c^2\*d^2 - b^2\*e^2 + 4\*c\*e\*(-2\*b\*d + 3\*a\*e))\*ArcTanh[(b + 2\*c\*x)/(2\*sqrt[c]\*sqrt[a + x\*(b + c\*x)])]) - 2\*sqrt[c]\*(e\*sqrt[a + x\*(b + c\*x)]\*(-(b^2\*e^2) + 4\*c^2\*d\*(-2\*d + e\*x) - 2\*c\*e\*(-5\*b\*d + 4\*a\*e + b\*e\*x)) + 8\*c\*(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2)\*ArcTanh[(-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x)/(2\*sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*sqrt[a + x\*(b + c\*x)]))])))/(c^(3/2)\*e^3)/(15360\*e^4)

IntegrateAlgebraic [F] time = 180.10, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[((f + g\*x)^3\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x),x]

[Out] \$Aborted

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(c\*x^2+b\*x+a)^(3/2)/(e\*x+d),x, algorithm="fricas")

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(c\*x^2+b\*x+a)^(3/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);;OUTPUT:Error: Bad Argument Type

maple [B] time = 0.03, size = 10058, normalized size = 9.16

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^3\*(c\*x^2+b\*x+a)^(3/2)/(e\*x+d),x)

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3\*(c\*x^2+b\*x+a)^(3/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a  
dditional constraints; using the 'assume' command before evaluation \*may\* h  
elp (example of legal syntax is 'assume(b\*e-2\*c\*d>0)', see `assume?` for mo  
re details)Is b\*e-2\*c\*d zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^3 (cx^2 + bx + a)^{3/2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^3\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x),x)

[Out] int(((f + g\*x)^3\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^3 (a + bx + cx^2)^{3/2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*3\*(c\*x\*\*2+b\*x+a)\*\*(3/2)/(e\*x+d),x)

[Out] Integral((f + g\*x)\*\*3\*(a + b\*x + c\*x\*\*2)\*\*(3/2)/(d + e\*x), x)

$$3.606 \quad \int \frac{(f+gx)^2(a+bx+cx^2)^{3/2}}{d+ex} dx$$

**Optimal.** Leaf size=662

$$\tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right) \left(96c^3e^2(-a^2e^2g(2ef-dg) - 2abe(ef-dg)^2 + b^2d(ef-dg)^2) + 16bc^2e^3(3a^2e^2g^2 + 3abe\right)$$

**Rubi [A]** time = 1.55, antiderivative size = 662, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {1653, 814, 843, 621, 206, 724}

Antiderivative was successfully verified.

[In] Int[((f + g\*x)^2\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x), x]

[Out] ((3\*b^4\*e^4\*g^2 + 128\*c^4\*d^2\*(e\*f - d\*g)^2 - 32\*c^3\*e\*(5\*b\*d - 4\*a\*e)\*(e\*f - d\*g)^2 - 6\*b^2\*c\*e^3\*g\*(2\*b\*e\*f - b\*d\*g + 2\*a\*e\*g) + 8\*b\*c^2\*e^2\*(2\*b\*(e\*f - d\*g)^2 + 3\*a\*e\*g\*(2\*e\*f - d\*g)) + 2\*c\*e\*((16\*c^2\*d^2 - 3\*b^2\*e^2 - 4\*c\*e\*(2\*b\*d - 3\*a\*e))\*g\*(4\*c\*e\*f - 2\*c\*d\*g - b\*e\*g) - 8\*c\*e\*(2\*c\*d - b\*e)\*(2\*c\*e\*f^2 - b\*d\*g^2))\*x)\*Sqrt[a + b\*x + c\*x^2])/(128\*c^3\*e^5) - ((3\*b^2\*e^2\*g^2 - 16\*c^2\*(e\*f - d\*g)^2 - 6\*b\*c\*e\*g\*(2\*e\*f - d\*g) - 6\*c\*e\*g\*(4\*c\*e\*f - 2\*c\*d\*g - b\*e\*g)\*x)\*(a + b\*x + c\*x^2)^(3/2))/(48\*c^2\*e^3) + (g^2\*(a + b\*x + c\*x^2)^(5/2))/(5\*c\*e) - ((3\*b^5\*e^5\*g^2 + 256\*c^5\*d^3\*(e\*f - d\*g)^2 - 384\*c^4\*d\*e\*(b\*d - a\*e)\*(e\*f - d\*g)^2 - 6\*b^3\*c\*e^4\*g\*(2\*b\*e\*f - b\*d\*g + 4\*a\*e\*g) + 16\*b\*c^2\*e^3\*(3\*a^2\*e^2\*g^2 + b^2\*(e\*f - d\*g)^2 + 3\*a\*b\*e\*g\*(2\*e\*f - d\*g)) + 96\*c^3\*e^2\*(b^2\*d\*(e\*f - d\*g)^2 - 2\*a\*b\*e\*(e\*f - d\*g)^2 - a^2\*e^2\*g\*(2\*e\*f - d\*g)))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(256\*c^(7/2)\*e^6) + (((c\*d^2 - b\*d\*e + a\*e^2)^(3/2)\*(e\*f - d\*g)^2\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])]))/e^6

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 621**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a,



b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 814

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(c\*e\*f\*(m + 2\*p + 2) - g\*(c\*d + 2\*c\*d\*p - b\*e\*p) + g\*c\*e\*(m + 2\*p + 1)\*x)\*(a + b\*x + c\*x^2)^p)/(c\*e^2\*(m + 2\*p + 1)\*(m + 2\*p + 2)), x] - Dist[p/(c\*e^2\*(m + 2\*p + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p - 1)\*Simp[c\*e\*f\*(b\*d - 2\*a\*e)\*(m + 2\*p + 2) + g\*(a\*e\*(b\*e - 2\*c\*d\*m + b\*e\*m) + b\*d\*(b\*e\*p - c\*d - 2\*c\*d\*p)) + (c\*e\*f\*(2\*c\*d - b\*e)\*(m + 2\*p + 2) + g\*(b^2\*e^2\*(p + m + 1) - 2\*c^2\*d^2\*(1 + 2\*p) - c\*e\*(b\*d\*(m - 2\*p) + 2\*a\*e\*(m + 2\*p + 1)))]\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2\*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 843

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 1653

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(d + e\*x)^(m + q - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*e^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(c\*e^q\*(m + q + 2\*p + 1)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p\*ExpandToSum[c\*e^q\*(m + q + 2\*p + 1)\*Pq - c\*f\*(m + q + 2\*p + 1)\*(d + e\*x)^q - f\*(d + e\*x)^(q - 2)\*(b\*d\*e\*(p + 1) + a\*e^2\*(m + q - 1) - c\*d^2\*(m + q + 2\*p + 1) - e\*(2\*c\*d - b\*e)\*(m + q + p)\*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2\*p + 1, 0] /; FreeQ[{a, b, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !(IGtQ[m, 0] && RationalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

### Rubi steps

$$\begin{aligned}
 \int \frac{(f + gx)^2 (a + bx + cx^2)^{3/2}}{d + ex} dx &= \frac{g^2 (a + bx + cx^2)^{5/2}}{5ce} + \int \frac{\left(\frac{5}{2}e(2cef^2 - bdg^2) + \frac{5}{2}eg(4cef - 2cdg - beg)x\right)(a + bx + cx^2)^{3/2}}{5ce^2} dx \\
 &= -\frac{(3b^2e^2g^2 - 16c^2(ef - dg)^2 - 6bceg(2ef - dg) - 6ceg(4cef - 2cdg - beg)x)}{48c^2e^3} \\
 &= \frac{(3b^4e^4g^2 + 128c^4d^2(ef - dg)^2 - 32c^3e(5bd - 4ae)(ef - dg)^2 - 6b^2ce^3g(2bef - dg))}{48c^2e^3} \\
 &= \frac{(3b^4e^4g^2 + 128c^4d^2(ef - dg)^2 - 32c^3e(5bd - 4ae)(ef - dg)^2 - 6b^2ce^3g(2bef - dg))}{48c^2e^3} \\
 &= \frac{(3b^4e^4g^2 + 128c^4d^2(ef - dg)^2 - 32c^3e(5bd - 4ae)(ef - dg)^2 - 6b^2ce^3g(2bef - dg))}{48c^2e^3} \\
 &= \frac{(3b^4e^4g^2 + 128c^4d^2(ef - dg)^2 - 32c^3e(5bd - 4ae)(ef - dg)^2 - 6b^2ce^3g(2bef - dg))}{48c^2e^3}
 \end{aligned}$$

**Mathematica [A]** time = 1.25, size = 536, normalized size = 0.81

$$\frac{1280e^2(f-dg)^2(a+x(b+cx))^{3/2} + 480e^2g(e^2f-dg)(b+2cx)(a+x(b+cx))^{3/2} + 768e^2g^2(a+x(b+cx))^{5/2} + (90(b^2-4ac)e^2g(e^2f-dg)(-2\sqrt{c}(b+2cx)\sqrt{a+x(b+cx)}) + (b^2-4ac)\operatorname{ArcTanh}[\frac{b+2cx}{2\sqrt{c}\sqrt{a+x(b+cx)}}])}{c^5} + \frac{15e^2g(2cf-bg)(16(b+2cx)(a+x(b+cx))^{3/2} + (3(b^2-4ac)(-2\sqrt{c}(b+2cx)\sqrt{a+x(b+cx)}) + (b^2-4ac)\operatorname{ArcTanh}[\frac{b+2cx}{2\sqrt{c}\sqrt{a+x(b+cx)}}])}{c^5} + \frac{240e^2(f-dg)^2(-((2cd-be)(8c^2d^2-b^2e^2+4ce(-2bd+3ae))\operatorname{ArcTanh}[\frac{b+2cx}{2\sqrt{c}\sqrt{a+x(b+cx)}}]) - 2\sqrt{c}(e\sqrt{a+x(b+cx)}(-b^2e^2+4cd^2d+e^2x)-2ce(-5bd+4ae+be^2x)) + 8c(c^2d^2+e(-bd+ae))^{3/2}\operatorname{ArcTanh}[\frac{-(bd)+2ae-2cdx+be^2x}{2\sqrt{c^2d^2+e(-bd+ae)}}]\sqrt{a+x(b+cx)}])}{c^{3/2}e^3} + \frac{3840e^3}{c^3}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)^2\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x), x]

[Out] (1280\*(e\*f - d\*g)^2\*(a + x\*(b + c\*x))^(3/2) + (480\*e\*g\*(e\*f - d\*g)\*(b + 2\*c\*x)\*(a + x\*(b + c\*x))^(3/2))/c + (768\*e^2\*g^2\*(a + x\*(b + c\*x))^(5/2))/c + (90\*(b^2 - 4\*a\*c)\*e\*g\*(e\*f - d\*g)\*(-2\*sqrt[c]\*(b + 2\*c\*x)\*sqrt[a + x\*(b + c\*x)] + (b^2 - 4\*a\*c)\*ArcTanh[(b + 2\*c\*x)/(2\*sqrt[c]\*sqrt[a + x\*(b + c\*x)])])/c^(5/2) + (15\*e^2\*g\*(2\*c\*f - b\*g)\*((16\*(b + 2\*c\*x)\*(a + x\*(b + c\*x))^(3/2))/c + (3\*(b^2 - 4\*a\*c)\*(-2\*sqrt[c]\*(b + 2\*c\*x)\*sqrt[a + x\*(b + c\*x)] + (b^2 - 4\*a\*c)\*ArcTanh[(b + 2\*c\*x)/(2\*sqrt[c]\*sqrt[a + x\*(b + c\*x)])]))/c^(5/2) + (240\*(e\*f - d\*g)^2\*(-((2\*c\*d - b\*e)\*(8\*c^2\*d^2 - b^2\*e^2 + 4\*c\*e\*(-2\*b\*d + 3\*a\*e))\*ArcTanh[(b + 2\*c\*x)/(2\*sqrt[c]\*sqrt[a + x\*(b + c\*x)])]) - 2\*sqrt[c]\*(e\*sqrt[a + x\*(b + c\*x)]\*(-(b^2\*e^2) + 4\*c^2\*d\*(-2\*d + e\*x) - 2\*c\*e\*(-5\*b\*d + 4\*a\*e + b\*e\*x)) + 8\*c\*(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2)\*ArcTanh[(-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x)/(2\*sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*sqrt[a + x\*(b + c\*x)])))/c^(3/2)\*e^3)/(3840\*e^3)

**IntegrateAlgebraic** [B] time = 85.15, size = 27845, normalized size = 42.06

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)^2\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x),x]

[Out] Result too large to show

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(c\*x^2+b\*x+a)^(3/2)/(e\*x+d),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(c\*x^2+b\*x+a)^(3/2)/(e\*x+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x):;OUTPUT:Error: Bad Argument Type

**maple** [B] time = 0.02, size = 6860, normalized size = 10.36

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^2\*(c\*x^2+b\*x+a)^(3/2)/(e\*x+d),x)

[Out] result too large to display

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2\*(c\*x^2+b\*x+a)^(3/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(b\*e-2\*c\*d>0)', see 'assume?' for more details)Is b\*e-2\*c\*d zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^2 (cx^2 + bx + a)^{3/2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f + g\*x)^2\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x), x)

[Out] int(((f + g\*x)^2\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^2 (a + bx + cx^2)^{3/2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*2\*(c\*x\*\*2+b\*x+a)\*\*(3/2)/(e\*x+d), x)

[Out] Integral((f + g\*x)\*\*2\*(a + b\*x + c\*x\*\*2)\*\*(3/2)/(d + e\*x), x)

$$3.607 \quad \int \frac{(f+gx)(a+bx+cx^2)^{3/2}}{d+ex} dx$$

**Optimal.** Leaf size=441

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)\left(48c^2e^2\left(a^2e^2g+2abe(ef-dg)+b^2(-d)(ef-dg)\right)-8b^2ce^3(3aeg-bdg+bef)+192c^3ad\right)}{128c^{5/2}e^5}$$

**Rubi [A]** time = 0.85, antiderivative size = 441, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$ , Rules used = {814, 843, 621, 206, 724}

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)\left(48c^2e^2\left(a^2e^2g+2abe(ef-dg)+b^2(-d)(ef-dg)\right)-8b^2ce^3(3aeg-bdg+bef)+192c^3ad\right)}{128c^{5/2}e^5}$$

Antiderivative was successfully verified.

[In] Int[((f + g\*x)\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x), x]

[Out] -((3\*b^3\*e^3\*g - 64\*c^3\*d^2\*(e\*f - d\*g) + 16\*c^2\*e\*(5\*b\*d - 4\*a\*e)\*(e\*f - d\*g) - 4\*b\*c\*e^2\*(2\*b\*e\*f - 2\*b\*d\*g + 3\*a\*e\*g) + 2\*c\*e\*(3\*b^2\*e^2\*g + 16\*c^2\*d\*(e\*f - d\*g) - 4\*c\*e\*(2\*b\*e\*f - 2\*b\*d\*g + 3\*a\*e\*g))\*x)\*Sqrt[a + b\*x + c\*x^2])/(64\*c^2\*e^4) + ((8\*c\*e\*f - 8\*c\*d\*g + 3\*b\*e\*g + 6\*c\*e\*g\*x)\*(a + b\*x + c\*x^2)^(3/2))/(24\*c\*e^2) + ((3\*b^4\*e^4\*g - 128\*c^4\*d^3\*(e\*f - d\*g) + 192\*c^3\*d\*e\*(b\*d - a\*e)\*(e\*f - d\*g) - 8\*b^2\*c\*e^3\*(b\*e\*f - b\*d\*g + 3\*a\*e\*g) + 48\*c^2\*e^2\*(a^2\*e^2\*g - b^2\*d\*(e\*f - d\*g) + 2\*a\*b\*e\*(e\*f - d\*g)))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(128\*c^(5/2)\*e^5) + ((c\*d^2 - b\*d\*e + a\*e^2)^(3/2)\*(e\*f - d\*g)\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/e^5

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2

$*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /;$  FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 814

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(c\*e\*f\*(m + 2\*p + 2) - g\*(c\*d + 2\*c\*d\*p - b\*e\*p) + g\*c\*e\*(m + 2\*p + 1)\*x)\*(a + b\*x + c\*x^2)^p)/(c\*e^2\*(m + 2\*p + 1)\*(m + 2\*p + 2)), x] - Dist[p/(c\*e^2\*(m + 2\*p + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p - 1)\*Simp[c\*e\*f\*(b\*d - 2\*a\*e)\*(m + 2\*p + 2) + g\*(a\*e\*(b\*e - 2\*c\*d\*m + b\*e\*m) + b\*d\*(b\*e\*p - c\*d - 2\*c\*d\*p)) + (c\*e\*f\*(2\*c\*d - b\*e)\*(m + 2\*p + 2) + g\*(b^2\*e^2\*(p + m + 1) - 2\*c^2\*d^2\*(1 + 2\*p) - c\*e\*(b\*d\*(m - 2\*p) + 2\*a\*e\*(m + 2\*p + 1)))]\*x, x], x] /;

FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2\*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 843

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /;

FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IGtQ[m, 0]

### Rubi steps

$$\int \frac{(f + gx)(a + bx + cx^2)^{3/2}}{d + ex} dx = \frac{(8cef - 8cdg + 3beg + 6ceg)(a + bx + cx^2)^{3/2}}{24ce^2} - \int \frac{\left(\frac{1}{2}(8ce(bd-2ae)f + 4acdeg - 2bd)\right)}{\dots} dx$$

$$= - \frac{(3b^3e^3g - 64c^3d^2(ef - dg) + 16c^2e(5bd - 4ae)(ef - dg) - 4bce^2(2bef - 2bd))}{24ce^2}$$

$$= - \frac{(3b^3e^3g - 64c^3d^2(ef - dg) + 16c^2e(5bd - 4ae)(ef - dg) - 4bce^2(2bef - 2bd))}{24ce^2}$$

$$= - \frac{(3b^3e^3g - 64c^3d^2(ef - dg) + 16c^2e(5bd - 4ae)(ef - dg) - 4bce^2(2bef - 2bd))}{24ce^2}$$

$$= - \frac{(3b^3e^3g - 64c^3d^2(ef - dg) + 16c^2e(5bd - 4ae)(ef - dg) - 4bce^2(2bef - 2bd))}{24ce^2}$$

**Mathematica [A]** time = 1.13, size = 420, normalized size = 0.95

$$\frac{\left(\operatorname{tanh}^{-1}\left(\frac{2bx}{\sqrt{a+bx+cx^2}}\right)\sqrt{c^2d^2+2bd(e-f)d+e^2d(d-e-f)}-8P^2a^2(3ag-bd+bf)-192c^3d^2d(e-f)+3P^2a^2+128c^3d^2(d-e-f)+2\sqrt{c}\sqrt{d^2+2bd(e-f)}\left(8c^2d(a-bd+bf+3g)+2(c-5d)(-d)+2b^2(6ag+8d+4g+bf-3g)+3P^2a^2-32c^2d(e-f)+128c^2d^2(d-e-f)\sqrt{a-b+cx^2}\right)\operatorname{tanh}^{-1}\left(\frac{2bx}{\sqrt{a+bx+cx^2}}\right)+\left(a+x(b+cx)\right)^{3/2}(3bge+c(-8dg+8f+6gx))}{16c^2e^2}$$

Antiderivative was successfully verified.

[In] Integrate[((f + g\*x)\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x), x]

[Out] ((a + x\*(b + c\*x))^(3/2)\*(3\*b\*e\*g + c\*(8\*e\*f - 8\*d\*g + 6\*e\*g\*x)) + (3\*(2\*Sqrt[c]\*e\*Sqrt[a + x\*(b + c\*x)]\*(-3\*b^3\*e^3\*g - 32\*c^3\*d\*(e\*f - d\*g)\*(-2\*d + e\*x) + 2\*b\*c\*e^2\*(6\*a\*e\*g + b\*(4\*e\*f - 4\*d\*g - 3\*e\*g\*x)) + 8\*c^2\*e\*(2\*b\*(e\*f - d\*g)\*(-5\*d + e\*x) + a\*e\*(8\*e\*f - 8\*d\*g + 3\*e\*g\*x))) + (3\*b^4\*e^4\*g + 12\*8\*c^4\*d^3\*(-(e\*f) + d\*g) - 192\*c^3\*d\*e\*(b\*d - a\*e)\*(-(e\*f) + d\*g) - 8\*b^2\*c\*e^3\*(b\*e\*f - b\*d\*g + 3\*a\*e\*g) + 48\*c^2\*e^2\*(a^2\*e^2\*g + 2\*a\*b\*e\*(e\*f - d\*g) + b^2\*d\*(-(e\*f) + d\*g)))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])] + 128\*c^(5/2)\*(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2)\*(-(e\*f) + d\*g)\*ArcTanh[(-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x)/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*Sqrt[a + x\*(b + c\*x)])])/(16\*c^(3/2)\*e^3)/(24\*c\*e^2)

**IntegrateAlgebraic [A]** time = 3.47, size = 687, normalized size = 1.56

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[((f + g\*x)\*(a + b\*x + c\*x^2)^(3/2))/(d + e\*x), x]

```
[Out] (Sqrt[a + b*x + c*x^2]*(192*c^3*d^2*e*f - 240*b*c^2*d^2*e^2*f + 24*b^2*c*e^3*f + 256*a*c^2*d^2*e^3*f - 192*c^3*d^3*g + 240*b*c^2*d^2*e*g - 24*b^2*c*d^2*e*g - 256*a*c^2*d^2*e^2*g - 9*b^3*e^3*g + 60*a*b*c^2*e^3*g - 96*c^3*d^2*f*x + 112*b*c^2*d^2*e^3*f*x + 96*c^3*d^2*e*g*x - 112*b*c^2*d^2*e^2*g*x + 6*b^2*c*e^3*g*x + 120*a*c^2*d^2*e^3*g*x + 64*c^3*d^2*e^3*f*x^2 - 64*c^3*d^2*e^2*g*x^2 + 72*b*c^2*d^2*e^3*g*x^2 + 48*c^3*d^2*e^3*g*x^3))/(192*c^2*d^4) - (2*(-(c*d^2*e*Sqrt[-(c*d^2) + b*d*e - a*e^2]*f) + b*d^2*e^2*Sqrt[-(c*d^2) + b*d*e - a*e^2]*f - a*e^3*Sqrt[-(c*d^2) + b*d*e - a*e^2]*f + c*d^3*Sqrt[-(c*d^2) + b*d*e - a*e^2]*g - b*d^2*e*Sqrt[-(c*d^2) + b*d*e - a*e^2]*g + a*d^2*e^2*Sqrt[-(c*d^2) + b*d*e - a*e^2]*g)*ArcTan[(Sqrt[c]*d + Sqrt[c]*e*x - e*Sqrt[a + b*x + c*x^2])/Sqrt[-(c*d^2) + b*d*e - a*e^2]])/e^5 + ((128*c^4*d^3*e*f - 192*b*c^3*d^2*e^2*f + 48*b^2*c^2*d^2*e^3*f + 192*a*c^3*d^2*e^3*f + 8*b^3*c^2*d^2*e^4*f - 96*a*b*c^2*d^2*e^4*f - 128*c^4*d^4*g + 192*b*c^3*d^3*e*g - 48*b^2*c^2*d^2*e^2*g - 192*a*c^3*d^2*e^2*g - 8*b^3*c*d^2*e^3*g + 96*a*b*c^2*d^2*e^3*g - 3*b^4*d^2*e^4*g + 24*a*b^2*c*d^2*e^4*g - 48*a^2*c^2*d^2*e^4*g)*Log[b + 2*c*x - 2*Sqrt[c]*Sqrt[a + b*x + c*x^2]])/(128*c^(5/2)*e^5)
```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)*(c*x^2+b*x+a)^(3/2)/(e*x+d),x, algorithm="fricas")
```

```
[Out] Timed out
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)*(c*x^2+b*x+a)^(3/2)/(e*x+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Error: Bad Argument Type
```

**maple** [B] time = 0.01, size = 4188, normalized size = 9.50

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x+f)*(c*x^2+b*x+a)^(3/2)/(e*x+d),x)
```

```
[Out] 1/3/e*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(3/2)*f+1/e*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*a*f+1/
```





$$) * c + 1/2 * (b * e^{-2 * c * d} / e) / c^{1/2} + ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * a * b * d * g + 1 / e^4 / ((a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * \ln(((b * e^{-2 * c * d} * (x + d / e) / e + 2 * (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2})) / (x + d / e)) * b^2 * d^3 * g + 3/2 / e^3 * \ln(((x + d / e) * c + 1/2 * (b * e^{-2 * c * d} / e) / c^{1/2} + ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2})) * c^{1/2} * d^2 * a * g - 3/2 / e^2 * \ln(((x + d / e) * c + 1/2 * (b * e^{-2 * c * d} / e) / c^{1/2} + ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2})) * c^{1/2} * d * a * f - 1 / e^5 / ((a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * \ln(((b * e^{-2 * c * d} * (x + d / e) / e + 2 * (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2})) / (x + d / e)) * c^2 * d^4 * f + 1 / e^6 / ((a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * \ln(((b * e^{-2 * c * d} * (x + d / e) / e + 2 * (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2})) / (x + d / e)) * c^2 * d^5 * g - 1/2 / e^2 * ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * x * c * d * f + 3/4 / e / c^{1/2} * \ln(((x + d / e) * c + 1/2 * (b * e^{-2 * c * d} / e) / c^{1/2} + ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2})) * a * b * f - 3/16 / e * g / c^{3/2} * \ln((c * x + 1/2 * b) / c^{1/2} + (c * x^2 + b * x + a)^{1/2}) * b^2 * a + 3/16 / e * g / c * (c * x^2 + b * x + a)^{1/2} * b * a - 3/32 / e * g / c * (c * x^2 + b * x + a)^{1/2} * x * b^2 + 3/2 / e^3 * \ln(((x + d / e) * c + 1/2 * (b * e^{-2 * c * d} / e) / c^{1/2} + ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2})) * c^{1/2} * d^2 * b * f + 3/8 / e^3 * \ln(((x + d / e) * c + 1/2 * (b * e^{-2 * c * d} / e) / c^{1/2} + ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2})) / c^{1/2} * b^2 * d^2 * g - 1/8 / e^2 / c * ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * b^2 * d * g + 1/2 / e^3 * ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * x * c * d^2 * g - 1/4 / e^2 * ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * x * b * d * g + 1 / e^2 / ((a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * \ln(((b * e^{-2 * c * d} * (x + d / e) / e + 2 * (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2}) * ((x + d / e)^{2 * c} + (b * e^{-2 * c * d} * (x + d / e) / e + (a * e^{-2 * b * d * e + c * d^2} / e^2)^{1/2})) / (x + d / e)) * a^2 * d * g$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*(c\*x^2+b\*x+a)^(3/2)/(e\*x+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(b\*e-2\*c\*d>0)', see `assume?` for more details)Is b\*e-2\*c\*d zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx) (cx^2 + bx + a)^{3/2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((f + g*x)*(a + b*x + c*x^2)^(3/2))/(d + e*x), x)`

[Out] `int(((f + g*x)*(a + b*x + c*x^2)^(3/2))/(d + e*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)(a + bx + cx^2)^{\frac{3}{2}}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)*(c*x**2+b*x+a)**(3/2)/(e*x+d), x)`

[Out] `Integral((f + g*x)*(a + b*x + c*x**2)**(3/2)/(d + e*x), x)`

$$3.608 \quad \int \frac{(a+bx+cx^2)^{3/2}}{d+ex} dx$$

Optimal. Leaf size=252

$$\frac{\sqrt{a+bx+cx^2} \left( -2ce(5bd-4ae) + b^2e^2 - 2cex(2cd-be) + 8c^2d^2 \right)}{8ce^3} - \frac{(2cd-be) \left( -4ce(2bd-3ae) - b^2e^2 + 8c^2d^2 \right)}{16c^{3/2}e^4} \operatorname{tanh}^{-1} \left( \frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}} \right) + \frac{(ae^2-bde+cd^2)^{3/2} \operatorname{tanh}^{-1} \left( \frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}} \right)}{e^4} + \frac{(a+bx+cx^2)^{3/2}}{3e}$$

**Rubi [A]** time = 0.35, antiderivative size = 252, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {734, 814, 843, 621, 206, 724}

$$\frac{\sqrt{a+bx+cx^2} \left( -2ce(5bd-4ae) + b^2e^2 - 2cex(2cd-be) + 8c^2d^2 \right)}{8ce^3} - \frac{(2cd-be) \left( -4ce(2bd-3ae) - b^2e^2 + 8c^2d^2 \right) \operatorname{tanh}^{-1} \left( \frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}} \right)}{16c^{3/2}e^4} + \frac{(ae^2-bde+cd^2)^{3/2} \operatorname{tanh}^{-1} \left( \frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}} \right)}{e^4} + \frac{(a+bx+cx^2)^{3/2}}{3e}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)^(3/2)/(d + e\*x), x]

[Out] ((8\*c^2\*d^2 + b^2\*e^2 - 2\*c\*e\*(5\*b\*d - 4\*a\*e) - 2\*c\*e\*(2\*c\*d - b\*e)\*x)\*Sqrt[a + b\*x + c\*x^2])/(8\*c\*e^3) + (a + b\*x + c\*x^2)^(3/2)/(3\*e) - ((2\*c\*d - b\*e)\*(8\*c^2\*d^2 - b^2\*e^2 - 4\*c\*e\*(2\*b\*d - 3\*a\*e))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(16\*c^(3/2)\*e^4) + ((c\*d^2 - b\*d\*e + a\*e^2)^(3/2)\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/e^4

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 734

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x]
- Dist[p/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]
*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0]
&& GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) &&
!ILtQ[m + 2*p, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

Rule 814

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x]
- Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x]
/; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx + cx^2)^{3/2}}{d + ex} dx &= \frac{(a + bx + cx^2)^{3/2}}{3e} - \frac{\int \frac{(bd - 2ae + (2cd - be)x)\sqrt{a + bx + cx^2}}{d + ex} dx}{2e} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a + bx + cx^2}}{8ce^3} + \frac{(a + bx + cx^2)^{3/2}}{3e} + \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a + bx + cx^2}}{8ce^3} + \frac{(a + bx + cx^2)^{3/2}}{3e} + \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a + bx + cx^2}}{8ce^3} + \frac{(a + bx + cx^2)^{3/2}}{3e} - \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a + bx + cx^2}}{8ce^3} + \frac{(a + bx + cx^2)^{3/2}}{3e} -
\end{aligned}$$

**Mathematica [A]** time = 0.41, size = 236, normalized size = 0.94

$$\frac{2\sqrt{c} \left( e\sqrt{a + x(b + cx)} (2ce(16ae - 15bd + 7bex) + 3b^2e^2 + 4c^2(6d^2 - 3dex + 2e^2x^2)) - 24c(e(ae - bd) + cd^2)^{3/2} \tanh^{-1}\left(\frac{2ae - bd + bex - 2cdx}{2\sqrt{a + x(b + cx)}\sqrt{c(ae - bd) + cd^2}}\right) - 3(2cd - be)(4ce(3ae - 2bd) - b^2e^2 + 8c^2d^2) \tanh^{-1}\left(\frac{b + 2cx}{2\sqrt{c}\sqrt{a + x(b + cx)}}\right) \right)}{48c^{3/2}e^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)^(3/2)/(d + e\*x), x]

[Out] (-3\*(2\*c\*d - b\*e)\*(8\*c^2\*d^2 - b^2\*e^2 + 4\*c\*e\*(-2\*b\*d + 3\*a\*e))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])] + 2\*Sqrt[c]\*(e\*Sqrt[a + x\*(b + c\*x)]\*(3\*b^2\*e^2 + 2\*c\*e\*(-15\*b\*d + 16\*a\*e + 7\*b\*e\*x) + 4\*c^2\*(6\*d^2 - 3\*d\*e\*x + 2\*e^2\*x^2)) - 24\*c\*(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2)\*ArcTanh[(-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x)/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*Sqrt[a + x\*(b + c\*x)])]))/(48\*c^(3/2)\*e^4)

**IntegrateAlgebraic [A]** time = 0.00, size = 278, normalized size = 1.10

$$\frac{\sqrt{a + bx + cx^2} (32ace^2 + 3b^2e^2 - 30bcde + 14bc^2x + 24c^2d^2 - 12c^2dex + 8c^2e^2x^2)}{24ce^3} + \frac{(-12abc^3 + 24ac^2d^2 + b^3e^3 + 6b^2cde^2 - 24bc^2d^2e + 16c^3d^3) \log\left(-2c^{3/2}\sqrt{a + bx + cx^2} + bc + 2c^2x\right)}{16c^{3/2}e^4} + \frac{2\sqrt{-ae^2 + bde - cd^2} (ae^2 - bde + cd^2) \tan^{-1}\left(\frac{-\sqrt{a + bx + cx^2} + \sqrt{c}d + \sqrt{c}x}{\sqrt{-ae^2 + bde - cd^2}}\right)}{e^4}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)^(3/2)/(d + e\*x), x]

[Out] (Sqrt[a + b\*x + c\*x^2]\*(24\*c^2\*d^2 - 30\*b\*c\*d\*e + 3\*b^2\*e^2 + 32\*a\*c\*e^2 - 12\*c^2\*d\*e\*x + 14\*b\*c\*e^2\*x + 8\*c^2\*e^2\*x^2))/(24\*c\*e^3) + (2\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*(c\*d^2 - b\*d\*e + a\*e^2)\*ArcTan[(Sqrt[c]\*d + Sqrt[c]\*e\*x -



```

)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*c^(1/2)*d^2*b-1/e^4*ln(((x+d/e)*c+1/2*(
b*e-2*c*d)/e)/c^(1/2)+((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2
)/e^2)^(1/2))*c^(3/2)*d^3-1/e/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*
d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((
x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/((x+d/e))*a
^2+2/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2
-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x+d/e)^2*c+(b*e-2*c*d
)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/((x+d/e))*a*b*d-2/e^3/((a*e^2-b*
d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2
*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-
b*d*e+c*d^2)/e^2)^(1/2))/((x+d/e))*a*c*d^2-1/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^(
1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*
d^2)/e^2)^(1/2)*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)
^(1/2))/((x+d/e))*b^2*d^2+2/e^4/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c
*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*
((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/((x+d/e))*
b*d^3*c-1/e^5/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(
a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x+d/e)^2*c+(b*e-
2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/((x+d/e))*c^2*d^4

```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)^(3/2)/(e*x+d),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(a*e^2-b*d*e>0)', see `assume?` for
more details)Is a*e^2-b*d*e                                +c*d^2 zero or nonze
ro?
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cx^2 + bx + a)^{3/2}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x + c*x^2)^(3/2)/(d + e*x),x)
```

```
[Out] int((a + b*x + c*x^2)^(3/2)/(d + e*x), x)
```



sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2)^{\frac{3}{2}}}{d + ex} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*2+b\*x+a)\*\*(3/2)/(e\*x+d), x)

[Out] Integral((a + b\*x + c\*x\*\*2)\*\*(3/2)/(d + e\*x), x)

$$3.609 \quad \int \frac{(a+bx+cx^2)^{3/2}}{(d+ex)(f+gx)} dx$$

**Optimal.** Leaf size=491

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)\left(-4cg(3bef^2 - ag(3ef - dg)) + bg^2(-4aeg + bdg + 3bef) + 8c^2ef^3\right)}{8\sqrt{c}eg^3(ef - dg)} + \frac{\sqrt{a+bx+cx^2}\left(ae^2 - d^2\right)}{e^2(ef - dg)}$$

**Rubi [A]** time = 0.84, antiderivative size = 491, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {895, 734, 843, 621, 206, 724, 814}

$$\frac{\tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)\left(-4cg(3be^2f - ag(3ef - dg)) + bg^2(-4aeg + bdg + 3bef) + 8c^2ef^3\right)}{8\sqrt{c}eg^3(ef - dg)} + \frac{\sqrt{a+bx+cx^2}\left(ae^2 - d^2\right)}{e^2(ef - dg)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)^(3/2)/((d + e\*x)\*(f + g\*x)), x]

[Out] ((c\*d^2 - b\*d\*e + a\*e^2)\*Sqrt[a + b\*x + c\*x^2])/(e^2\*(e\*f - d\*g)) - ((4\*c\*e\*f^2 - g\*(5\*b\*e\*f - b\*d\*g - 4\*a\*e\*g) - 2\*c\*g\*(e\*f - d\*g)\*x)\*Sqrt[a + b\*x + c\*x^2])/(4\*e\*g^2\*(e\*f - d\*g)) - ((2\*c\*d - b\*e)\*(c\*d^2 - b\*d\*e + a\*e^2)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(2\*Sqrt[c]\*e^3\*(e\*f - d\*g)) + ((8\*c^2\*e\*f^3 + b\*g^2\*(3\*b\*e\*f + b\*d\*g - 4\*a\*e\*g) - 4\*c\*g\*(3\*b\*e\*f^2 - a\*g\*(3\*e\*f - d\*g)))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(8\*Sqrt[c]\*e\*g^3\*(e\*f - d\*g)) + ((c\*d^2 - b\*d\*e + a\*e^2)^(3/2)\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/(e^3\*(e\*f - d\*g)) - ((c\*f^2 - b\*f\*g + a\*g^2)^(3/2)\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(g^3\*(e\*f - d\*g))

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 621**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

**Rule 724**

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

### Rule 734

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[p/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0]
&& GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0]
&& IntQuadraticQ[a, b, c, d, e, m, p, x]
```

### Rule 814

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 895

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_)/(((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))), x_Symbol]
:> Dist[(c*d^2 - b*d*e + a*e^2)/(e*(e*f - d*g)), Int[(a + b*x + c*x^2)^(p - 1)/(d + e*x), x], x] - Dist[1/(e*(e*f - d*g)), Int[(Simp[c*d*f - b*e*f + a*e*g - c*(e*f - d*g)*x, x]*(a + b*x + c*x^2)^(p - 1))/(f + g*x), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x]
&& NeQ[e*f - d*g,
```

0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && FractionQ[p]  
&& GtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + bx + cx^2)^{3/2}}{(d + ex)(f + gx)} dx &= -\frac{\int \frac{(cdf - bef + aeg - c(ef - dg)x) \sqrt{a + bx + cx^2}}{f + gx} dx}{e(ef - dg)} + \frac{(cd^2 - bde + ae^2) \int \frac{\sqrt{a + bx + cx^2}}{d + ex} dx}{e(ef - dg)} \\ &= \frac{(cd^2 - bde + ae^2) \sqrt{a + bx + cx^2}}{e^2(ef - dg)} - \frac{(4cef^2 - g(5bef - bdg - 4aeg) - 2cg(ef - dg)x) \sqrt{a + bx + cx^2}}{4eg^2(ef - dg)} \\ &= \frac{(cd^2 - bde + ae^2) \sqrt{a + bx + cx^2}}{e^2(ef - dg)} - \frac{(4cef^2 - g(5bef - bdg - 4aeg) - 2cg(ef - dg)x) \sqrt{a + bx + cx^2}}{4eg^2(ef - dg)} \\ &= \frac{(cd^2 - bde + ae^2) \sqrt{a + bx + cx^2}}{e^2(ef - dg)} - \frac{(4cef^2 - g(5bef - bdg - 4aeg) - 2cg(ef - dg)x) \sqrt{a + bx + cx^2}}{4eg^2(ef - dg)} \\ &= \frac{(cd^2 - bde + ae^2) \sqrt{a + bx + cx^2}}{e^2(ef - dg)} - \frac{(4cef^2 - g(5bef - bdg - 4aeg) - 2cg(ef - dg)x) \sqrt{a + bx + cx^2}}{4eg^2(ef - dg)} \end{aligned}$$

**Mathematica [A]** time = 1.07, size = 323, normalized size = 0.66

$$\frac{\tanh^{-1}\left(\frac{bx+2cx}{2\sqrt{c}\sqrt{a+x(b+cx)}}\right)(-12cex(-aeg+bdg+bef)+3b^2c^2g^2+8c^2(a^2g^2+defg+c^2f^2))}{\sqrt{c}} + \frac{2\left(-4g^3(ae-bd+cd)^{3/2}\tanh^{-1}\left(\frac{2ae-bd+cx}{2\sqrt{a+x(b+cx)}}\right)+eg\sqrt{a+x(b+cx)}(ef-dg)(5bfg+c(-4d(g-4ef+2gx))+4c^2(g(ae-bf)+cf)^2)\right)^{3/2}\tanh^{-1}\left(\frac{2ag-bf+bgs-2fx}{2\sqrt{a+x(b+cx)}}\sqrt{g(ae-bf)+cf^2}\right)}{8e^3g^3(ef-dg)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)^(3/2)/((d + e\*x)\*(f + g\*x)), x]

[Out] (((3\*b^2\*e^2\*g^2 - 12\*c\*e\*g\*(b\*e\*f + b\*d\*g - a\*e\*g) + 8\*c^2\*(e^2\*f^2 + d\*e\*f\*g + d^2\*g^2))\*ArcTanh[(b + 2\*c\*x)/(2\*sqrt[c]\*sqrt[a + x\*(b + c\*x)])])/sqrt[c] + (2\*(e\*g\*(e\*f - d\*g)\*sqrt[a + x\*(b + c\*x)]\*(5\*b\*e\*g + c\*(-4\*e\*f - 4\*d\*g + 2\*e\*g\*x)) - 4\*(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2)\*g^3\*ArcTanh[(-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x)/(2\*sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]]\*sqrt[a + x\*(b + c\*x)])) + 4\*e^3\*(c\*f^2 + g\*(-(b\*f) + a\*g))^(3/2)\*ArcTanh[(-(b\*f) + 2\*a\*g - 2\*c\*f\*x + b\*g\*x)/(2\*sqrt[c\*f^2 + g\*(-(b\*f) + a\*g)]]\*sqrt[a + x\*(b + c\*x)])))/(e\*f - d\*g)/(8\*e^3\*g^3)

**IntegrateAlgebraic [B]** time = 78.21, size = 2557, normalized size = 5.21

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)^(3/2)/((d + e\*x)\*(f + g\*x)),x]

[Out] (Sqrt[a + b\*x + c\*x^2]\*(-4\*a\*b^2\*e\*f - 4\*a\*b^2\*d\*g + 5\*b^3\*e\*g\*x^2) + c\*Sqrt[a + b\*x + c\*x^2]\*(-16\*a^2\*e\*f - 16\*a^2\*d\*g - 16\*a\*b\*e\*f\*x - 16\*a\*b\*d\*g\*x + 16\*a\*b\*e\*g\*x^2 + 20\*b^2\*e\*g\*x^3) + Sqrt[c]\*(16\*a^2\*b\*e\*f + 16\*a^2\*b\*d\*g + 12\*a\*b^2\*e\*f\*x + 12\*a\*b^2\*d\*g\*x - 2\*b^3\*e\*f\*x^2 - 2\*b^3\*d\*g\*x^2 - 19\*a\*b^2\*e\*g\*x^2 - 14\*b^3\*e\*g\*x^3) + c^2\*Sqrt[a + b\*x + c\*x^2]\*(-32\*a\*e\*f\*x^2 - 32\*a\*d\*g\*x^2 - 48\*b\*e\*f\*x^3 - 48\*b\*d\*g\*x^3 + 8\*a\*e\*g\*x^3 + 20\*b\*e\*g\*x^4) + c^(3/2)\*(16\*a^2\*e\*f\*x + 16\*a^2\*d\*g\*x + 40\*a\*b\*e\*f\*x^2 + 40\*a\*b\*d\*g\*x^2 + 4\*a^2\*e\*g\*x^2 + 16\*b^2\*e\*f\*x^3 + 16\*b^2\*d\*g\*x^3 - 24\*a\*b\*e\*g\*x^3 - 27\*b^2\*e\*g\*x^4) + c^3\*Sqrt[a + b\*x + c\*x^2]\*(-64\*e\*f\*x^4 - 64\*d\*g\*x^4 + 24\*e\*g\*x^5) + c^(5/2)\*(64\*a\*e\*f\*x^3 + 64\*a\*d\*g\*x^3 + 80\*b\*e\*f\*x^4 + 80\*b\*d\*g\*x^4 - 20\*a\*e\*g\*x^4 - 32\*b\*e\*g\*x^5) + c^(7/2)\*(64\*e\*f\*x^5 + 64\*d\*g\*x^5 - 24\*e\*g\*x^6))/(8\*b^2\*e^2\*g^2\*x^2 + 64\*c^2\*e^2\*g^2\*x^4 + 8\*c\*e^2\*g^2\*x^2\*(4\*a + 8\*b\*x) - 32\*b\*Sqrt[c]\*e^2\*g^2\*x^2\*Sqrt[a + b\*x + c\*x^2] - 64\*c^(3/2)\*e^2\*g^2\*x^3\*Sqrt[a + b\*x + c\*x^2]) - (2\*c^2\*d^4\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] - (e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])/(e^3\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*(e\*f - d\*g)) + (4\*b\*c\*d^3\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] - (e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])/(e^2\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*(e\*f - d\*g)) - (4\*a\*c\*d^2\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] - (e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])/(e\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*(e\*f - d\*g)) + (-1/2\*(a\*d^2\*Sqrt[a + b\*x + c\*x^2])/(e^2\*(e\*f - d\*g)) + (a\*f^2\*Sqrt[a + b\*x + c\*x^2])/(2\*g^2\*(e\*f - d\*g)) - (5\*b\*d\*x^2\*Sqrt[a + b\*x + c\*x^2])/(8\*e\*(e\*f - d\*g)) + (5\*b\*f\*x^2\*Sqrt[a + b\*x + c\*x^2])/(8\*g\*(e\*f - d\*g)) - (4\*a\*b\*d\*x^2\*ArcTan[-(Sqrt[c]\*d) - Sqrt[c]\*e\*x + e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])/(Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*(e\*f - d\*g)) + (2\*b^2\*d^2\*x^2\*ArcTan[-(Sqrt[c]\*d) - Sqrt[c]\*e\*x + e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])/(e\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*(e\*f - d\*g)) + (2\*a^2\*e\*x^2\*ArcTan[-(Sqrt[c]\*d) - Sqrt[c]\*e\*x + e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])/(Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*(e\*f - d\*g)) + (4\*a\*b\*f\*x^2\*ArcTan[-(Sqrt[c]\*f) - Sqrt[c]\*g\*x + g\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2])/(e\*(e\*f - d\*g)\*Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2]) - (2\*b^2\*f^2\*x^2\*ArcTan[-(Sqrt[c]\*f) - Sqrt[c]\*g\*x + g\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2])/(g\*(e\*f - d\*g)\*Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2]) - (2\*a^2\*g\*x^2\*ArcTan[-(Sqrt[c]\*f) - Sqrt[c]\*g\*x + g\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2])/(e\*(e\*f - d\*g)\*Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2]) + (2\*c^2\*f^4\*ArcTan[(Sqrt[c]\*f)/Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2] + (Sqrt[c]\*g\*x)/Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2] - (g\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2])/(g^3\*(e\*f - d\*g)\*Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2]) - (4\*b\*c\*f^3\*ArcTan[(Sqrt[c]\*f)/Sqrt[-(c\*f^2) +

$$b*f*g - a*g^2] + (\text{Sqrt}[c]*g*x)/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] - (g*\text{Sqrt}[a + b*x + c*x^2])/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]]/(g^2*(e*f - d*g)*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) + (4*a*c*f^2*\text{ArcTan}[(\text{Sqrt}[c]*f)/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] + (\text{Sqrt}[c]*g*x)/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] - (g*\text{Sqrt}[a + b*x + c*x^2])/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]]/(g*(e*f - d*g)*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) - (c^{(3/2)}*f^2*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2]])/(e*g^3) - (c^{(3/2)}*d*f*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2]])/(e^2*g^2) - (c^{(3/2)}*d^2*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2]])/(e^3*g) - (3*b^2*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2]])/(8*\text{Sqrt}[c]*e*g) + ((a*\text{Sqrt}[c]*f)/(2*e*g^2) + (a*\text{Sqrt}[c]*d)/(2*e^2*g) - (a*\text{Sqrt}[c]*x)/(8*e*g) - (3*b*\text{Sqrt}[c]*x^2)/(4*e*g) - (c^{(3/2)}*x^3)/(8*e*g) + (3*b*\text{Sqrt}[c]*f*x*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2]])/(2*e*g^2) + (3*b*\text{Sqrt}[c]*d*x*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2]])/(2*e^2*g) - (3*a*\text{Sqrt}[c]*x*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2]])/(2*e*g))/x$$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(3/2)/(e\*x+d)/(g\*x+f),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(3/2)/(e\*x+d)/(g\*x+f),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple** [B] time = 0.02, size = 4226, normalized size = 8.61

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)^(3/2)/(e\*x+d)/(g\*x+f),x)

[Out]  $-1/4/(d*g-e*f)*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*x*b-1/8/(d*g-e*f)/c*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c$



$$\begin{aligned} & *g-ef)/g^2*\ln(((x+f/g)*c+1/2*(b*g-2*c*f)/g)/c^{(1/2)}+((x+f/g)^2*c+(b*g-2*c*f) \\ & f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)})*c^{(1/2)}*f^2*b-1/(d*g-ef)/g^2/ \\ & ((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*\ln(((b*g-2*c*f)*(x+f/g)/g+2*(a*g^2-b*f*g+c* \\ & f^2)/g^2+2*((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g) \\ & /g+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)})/(x+f/g))*b^2*f^2-1/(d*g-ef)/g^4/((a*g^2 \\ & -b*f*g+c*f^2)/g^2)^{(1/2)}*\ln(((b*g-2*c*f)*(x+f/g)/g+2*(a*g^2-b*f*g+c*f^2)/g^ \\ & 2+2*((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g \\ & ^2-b*f*g+c*f^2)/g^2)^{(1/2)})/(x+f/g))*c^2*f^4-5/4/(d*g-ef)/g*((x+f/g)^2*c+( \\ & b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*b*f+3/4/(d*g-ef)/c^{(1/ \\ & 2)}*\ln(((x+f/g)*c+1/2*(b*g-2*c*f)/g)/c^{(1/2)}+((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g) \\ & )/g+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)})*a*b+2/(d*g-ef)/g/((a*g^2-b*f*g+c*f^2)/ \\ & g^2)^{(1/2)}*\ln(((b*g-2*c*f)*(x+f/g)/g+2*(a*g^2-b*f*g+c*f^2)/g^2+2*((a*g^2-b* \\ & f*g+c*f^2)/g^2)^{(1/2)}*((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2 \\ & )/g^2)^{(1/2)})/(x+f/g))*a*b*f+2/(d*g-ef)/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2 \\ & )}*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2 \\ & )/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1 \\ & /2)})/(x+d/e))*a*c*d^2+1/(d*g-ef)/g^2*((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a \\ & *g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*c*f^2-1/(d*g-ef)/g^3*\ln(((x+f/g)*c+1/2*(b*g-2 \\ & *c*f)/g)/c^{(1/2)}+((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2 \\ & )^{(1/2)})*c^{(3/2)}*f^3+5/4/(d*g-ef)/e*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a \\ & e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*b*d-3/4/(d*g-ef)/c^{(1/2)}*\ln(((x+d/e)*c+1/2*(b* \\ & e-2*c*d)/e)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/ \\ & e^2)^{(1/2)})*a*b-1/(d*g-ef)/e^2*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b \\ & *d*e+c*d^2)/e^2)^{(1/2)}*c*d^2+1/(d*g-ef)/e^3*\ln(((x+d/e)*c+1/2*(b*e-2*c*d)/ \\ & e)/c^{(1/2)}+((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2 \\ & )}*c^{(3/2)}*d^3 \end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(3/2)/(e\*x+d)/(g\*x+f),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see `assume?` for more details)Is d\*g-e\*f zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cx^2 + bx + a)^{3/2}}{(f + gx)(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((a + b*x + c*x^2)^(3/2)/((f + g*x)*(d + e*x)), x)`

[Out] `int((a + b*x + c*x^2)^(3/2)/((f + g*x)*(d + e*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2)^{\frac{3}{2}}}{(d + ex)(f + gx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)**(3/2)/(e*x+d)/(g*x+f), x)`

[Out] `Integral((a + b*x + c*x**2)**(3/2)/((d + e*x)*(f + g*x)), x)`

$$3.610 \quad \int \frac{(a+bx+cx^2)^{3/2}}{(d+ex)(f+gx)^2} dx$$

**Optimal.** Leaf size=787

$$\frac{\sqrt{a+bx+cx^2} \left( -2ce(5bd-4ae) + b^2e^2 - 2cex(2cd-be) + 8c^2d^2 \right)}{8ce(ef-dg)^2} - \frac{e\sqrt{a+bx+cx^2} \left( -2cg(5bf-4ag) + b^2g^2 - 2 \right)}{8cg^2(ef-dg)^2}$$

**Rubi [A]** time = 1.38, antiderivative size = 787, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 8, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$ , Rules used = {960, 734, 814, 843, 621, 206, 724, 732}

Antiderivative was successfully verified.

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)^(3/2)/((d + e\*x)\*(f + g\*x)^2), x]

[Out] ((8\*c^2\*d^2 + b^2\*e^2 - 2\*c\*e\*(5\*b\*d - 4\*a\*e) - 2\*c\*e\*(2\*c\*d - b\*e)\*x)\*Sqrt[a + b\*x + c\*x^2])/((8\*c\*e\*(e\*f - d\*g)^2) + (3\*(4\*c\*f - 3\*b\*g - 2\*c\*g\*x)\*Sqrt[a + b\*x + c\*x^2])/(4\*g^2\*(e\*f - d\*g)) - (e\*(8\*c^2\*f^2 + b^2\*g^2 - 2\*c\*g\*(5\*b\*f - 4\*a\*g) - 2\*c\*g\*(2\*c\*f - b\*g)\*x)\*Sqrt[a + b\*x + c\*x^2])/(8\*c\*g^2\*(e\*f - d\*g)^2) + (a + b\*x + c\*x^2)^(3/2)/((e\*f - d\*g)\*(f + g\*x)) - ((2\*c\*d - b\*e)\*(8\*c^2\*d^2 - b^2\*e^2 - 4\*c\*e\*(2\*b\*d - 3\*a\*e))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(16\*c^(3/2)\*e^2\*(e\*f - d\*g)^2) + (e\*(2\*c\*f - b\*g)\*(8\*c^2\*f^2 - b^2\*g^2 - 4\*c\*g\*(2\*b\*f - 3\*a\*g))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(16\*c^(3/2)\*g^3\*(e\*f - d\*g)^2) - (3\*(8\*c^2\*f^2 + b^2\*g^2 - 4\*c\*g\*(2\*b\*f - a\*g))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(8\*Sqrt[c]\*g^3\*(e\*f - d\*g)) + ((c\*d^2 - b\*d\*e + a\*e^2)^(3/2)\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2]))/(e^2\*(e\*f - d\*g)^2) + (3\*(2\*c\*f - b\*g)\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(2\*g^3\*(e\*f - d\*g)) - (e\*(c\*f^2 - b\*f\*g + a\*g^2)^(3/2)\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(g^3\*(e\*f - d\*g)^2)

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 621**

```
Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 724

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

### Rule 732

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 1)), x] - Dist[p/(e*(m + 1)), Int[(d + e*x)^(m + 1)*(b + 2*c*x)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[p, 0] && (IntegerQ[p] || LtQ[m, -1]) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

### Rule 734

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[p/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

### Rule 814

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p])
```

|| IntegersQ[2\*m, 2\*p])

### Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 960

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a+bx+cx^2)^{3/2}}{(d+ex)(f+gx)^2} dx &= \int \left( \frac{e^2(a+bx+cx^2)^{3/2}}{(ef-dg)^2(d+ex)} - \frac{g(a+bx+cx^2)^{3/2}}{(ef-dg)(f+gx)^2} - \frac{eg(a+bx+cx^2)^{3/2}}{(ef-dg)^2(f+gx)} \right) dx \\
&= \frac{e^2 \int \frac{(a+bx+cx^2)^{3/2}}{d+ex} dx}{(ef-dg)^2} - \frac{(eg) \int \frac{(a+bx+cx^2)^{3/2}}{f+gx} dx}{(ef-dg)^2} - \frac{g \int \frac{(a+bx+cx^2)^{3/2}}{(f+gx)^2} dx}{ef-dg} \\
&= \frac{(a+bx+cx^2)^{3/2}}{(ef-dg)(f+gx)} - \frac{e \int \frac{(bd-2ae+(2cd-be)x)\sqrt{a+bx+cx^2}}{d+ex} dx}{2(ef-dg)^2} + \frac{e \int \frac{(bf-2ag+(2cf-bg)x)\sqrt{a+bx+cx^2}}{f+gx} dx}{2(ef-dg)^2} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a+bx+cx^2}}{8ce(ef-dg)^2} + \frac{3(4cf - 3bg - 2ce)(f+gx)\sqrt{a+bx+cx^2}}{4g^2(ef-dg)^2} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a+bx+cx^2}}{8ce(ef-dg)^2} + \frac{3(4cf - 3bg - 2ce)(f+gx)\sqrt{a+bx+cx^2}}{4g^2(ef-dg)^2} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a+bx+cx^2}}{8ce(ef-dg)^2} + \frac{3(4cf - 3bg - 2ce)(f+gx)\sqrt{a+bx+cx^2}}{4g^2(ef-dg)^2} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a+bx+cx^2}}{8ce(ef-dg)^2} + \frac{3(4cf - 3bg - 2ce)(f+gx)\sqrt{a+bx+cx^2}}{4g^2(ef-dg)^2}
\end{aligned}$$

**Mathematica [A]** time = 1.40, size = 357, normalized size = 0.45

$$\frac{-2c^2(f+gx)(ae-bd+ce)^2 \operatorname{tanh}^{-1}\left(\frac{2ae-bd+2dx}{2\sqrt{(a+bx+cx^2)(d+ex)}}\right) + e\left(2b\sqrt{a+bx+cx^2}(d+ex)(g(f+gx)-ef)(g(f+gx)-ef) + c^2\sqrt{(g(-2ag+3bd-ber)+2f(2f-3d))}\operatorname{tanh}^{-1}\left(\frac{2ag-bf+2fx}{2\sqrt{(a+bx+cx^2)(f+gx)}}\right) - \sqrt{c(f+gx)(ef-dg)^2}\operatorname{tanh}^{-1}\left(\frac{b+2dx}{2\sqrt{(a+bx+cx^2)(d+ex)}}\right) - 3bg+2dg+4ef\right)}{2c^2g^3(f+gx)(ef-dg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)^(3/2)/((d + e\*x)\*(f + g\*x)^2), x]

[Out]  $(-\sqrt{c}(ef-dg)^2(4c*ef+2c*d*g-3b*ef)(f+g*x)*\operatorname{ArcTanh}\left(\frac{b+2c*x}{2\sqrt{c}\sqrt{a+x(b+c*x)}}\right) - 2(c*d^2+e*(-b*d)+a*e)^{3/2}*g^3*(f+g*x)*\operatorname{ArcTanh}\left(\frac{-(b*d)+2*a*e-2c*d*x+b*ef}{2\sqrt{c*d^2+e*(-b*d)+a*e}}\right)*\sqrt{a+x(b+c*x)}} + e*(2*g*(-ef)+d*g)*\sqrt{a+x(b+c*x)}*(e*g*(b*f-a*g)+c*d*g*(f+g*x)-c*ef*(2*f+g*x)) - e*\sqrt{c*f^2+g*(-b*f)+a*g}*(2*c*f*(2*ef-3*d*g)+g*(-b*ef)+3*b*d*g-2*a*ef)*(f+g*x)*\operatorname{ArcTanh}\left(\frac{-(b*f)+2*a*g-2c*f*x+b*g*x}{2\sqrt{c*f^2+g*(-b*f)+a*g}}\right)*\sqrt{a+x(b+c*x)}})/(2*e^2*g^3*(ef-dg)^2*(f+g*x))$

IntegrateAlgebraic [B] time = 149.46, size = 3744, normalized size = 4.76

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)^(3/2)/((d + e\*x)\*(f + g\*x)^2),x]

[Out] (Sqrt[a + b\*x + c\*x^2]\*(-32\*b^2\*e\*f^4\*g + 32\*a\*b\*e\*f^3\*g^2 - 48\*b^2\*e\*f^3\*g^2\*x + 48\*a\*b\*e\*f^2\*g^3\*x - 24\*b^2\*e\*f^2\*g^3\*x^2 + 24\*a\*b\*e\*f\*g^4\*x^2 - 4\*b^2\*e\*f\*g^4\*x^3 + 4\*a\*b\*e\*g^5\*x^3) + c\*Sqrt[a + b\*x + c\*x^2]\*(112\*b\*e\*f^5 - 16\*b\*d\*f^4\*g - 64\*a\*e\*f^4\*g + 184\*b\*e\*f^4\*g\*x - 40\*b\*d\*f^3\*g^2\*x - 96\*a\*e\*f^3\*g^2\*x + 108\*b\*e\*f^3\*g^2\*x^2 - 36\*b\*d\*f^2\*g^3\*x^2 - 48\*a\*e\*f^2\*g^3\*x^2 + 26\*b\*e\*f^2\*g^3\*x^3 - 14\*b\*d\*f\*g^4\*x^3 - 8\*a\*e\*f\*g^4\*x^3 + 2\*b\*e\*f\*g^4\*x^4 - 2\*b\*d\*g^5\*x^4) + Sqrt[c]\*(-24\*b^2\*e\*f^5 - 8\*b^2\*d\*f^4\*g + 96\*a\*b\*e\*f^4\*g - 64\*a^2\*e\*f^3\*g^2 + 4\*b^2\*e\*f^4\*g\*x - 20\*b^2\*d\*f^3\*g^2\*x + 112\*a\*b\*e\*f^3\*g^2\*x - 96\*a^2\*e\*f^2\*g^3\*x + 42\*b^2\*e\*f^3\*g^2\*x^2 - 18\*b^2\*d\*f^2\*g^3\*x^2 + 24\*a\*b\*e\*f^2\*g^3\*x^2 - 48\*a^2\*e\*f\*g^4\*x^2 + 27\*b^2\*e\*f^2\*g^3\*x^3 - 7\*b^2\*d\*f\*g^4\*x^3 - 12\*a\*b\*e\*f\*g^4\*x^3 - 8\*a^2\*e\*g^5\*x^3 + 5\*b^2\*e\*f\*g^4\*x^4 - b^2\*d\*g^5\*x^4 - 4\*a\*b\*e\*g^5\*x^4) + c^2\*Sqrt[a + b\*x + c\*x^2]\*(64\*e\*f^5\*x - 32\*d\*f^4\*g\*x + 128\*e\*f^4\*g\*x^2 - 80\*d\*f^3\*g^2\*x^2 + 96\*e\*f^3\*g^2\*x^3 - 72\*d\*f^2\*g^3\*x^3 + 28\*e\*f^2\*g^3\*x^4 - 28\*d\*f\*g^4\*x^4 + 4\*e\*f\*g^4\*x^5 - 4\*d\*g^5\*x^5) + c^(3/2)\*(-128\*a\*e\*f^5 + 64\*a\*d\*f^4\*g - 144\*b\*e\*f^5\*x + 32\*b\*d\*f^4\*g\*x - 192\*a\*e\*f^4\*g\*x + 160\*a\*d\*f^3\*g^2\*x - 248\*b\*e\*f^4\*g\*x^2 + 80\*b\*d\*f^3\*g^2\*x^2 - 96\*a\*e\*f^3\*g^2\*x^2 + 144\*a\*d\*f^2\*g^3\*x^2 - 156\*b\*e\*f^3\*g^2\*x^3 + 72\*b\*d\*f^2\*g^3\*x^3 - 16\*a\*e\*f^2\*g^3\*x^3 + 56\*a\*d\*f\*g^4\*x^3 - 40\*b\*e\*f^2\*g^3\*x^4 + 28\*b\*d\*f\*g^4\*x^4 + 8\*a\*d\*g^5\*x^4 - 4\*b\*e\*f\*g^4\*x^5 + 4\*b\*d\*g^5\*x^5) + c^(5/2)\*(-64\*e\*f^5\*x^2 + 32\*d\*f^4\*g\*x^2 - 128\*e\*f^4\*g\*x^3 + 80\*d\*f^3\*g^2\*x^3 - 96\*e\*f^3\*g^2\*x^4 + 72\*d\*f^2\*g^3\*x^4 - 28\*e\*f^2\*g^3\*x^5 + 28\*d\*f\*g^4\*x^5 - 4\*e\*f\*g^4\*x^6 + 4\*d\*g^5\*x^6))/(4\*b\*e\*g^2\*(e\*f - d\*g)\*(f + g\*x)\*(2\*f + g\*x)^3 + 8\*c\*e\*g^2\*(e\*f - d\*g)\*x\*(f + g\*x)\*(2\*f + g\*x)^3 - 8\*Sqrt[c]\*e\*g^2\*(e\*f - d\*g)\*(f + g\*x)\*(2\*f + g\*x)^3\*Sqrt[a + b\*x + c\*x^2]) + ((4\*a\*c\*d^2)/(Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])\*(e\*f - d\*g)^2) - (4\*b\*c\*d^3)/(e\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])\*(e\*f - d\*g)^2)\*ArcTan[(-(Sqrt[c]\*d) - Sqrt[c]\*e\*x + e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]] - (2\*c^2\*d^4\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] - (e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])/(e^2\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])\*(e\*f - d\*g)^2) - (2\*(b\*d - a\*e)^2\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] - (e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])/(Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])\*(e\*f - d\*g)^2) + ((-2\*b\*c\*e\*f^3)/(g^2\*(e\*f - d\*g)^2\*Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2]) + (4\*b\*c\*d\*f^2)/(g\*(e\*f - d\*g)^2\*Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2]) - (2\*a\*c\*e\*f^2)/(g\*(e\*f - d\*g)^2\*Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2]))\*ArcTan[(-(Sqrt[c]\*f) - Sqrt[c]\*g\*x + g\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*f^2) + b\*f\*g - a\*g^2]] + ((-8\*a\*c\*d\*f)/((e\*f - d\*g)^2\*Sqrt[-(c

$$\begin{aligned}
& *f^2) + b*f*g - a*g^2]) - (6*b*c*e*f^3)/(g^2*(e*f - d*g)^2*\text{Sqrt}[-(c*f^2) + \\
& b*f*g - a*g^2]) + (8*b*c*d*f^2)/(g*(e*f - d*g)^2*\text{Sqrt}[-(c*f^2) + b*f*g - a* \\
& g^2]) + (6*a*c*e*f^2)/(g*(e*f - d*g)^2*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]))* \text{Arc} \\
& \text{Tan}[(-(\text{Sqrt}[c]*f) - \text{Sqrt}[c]*g*x + g*\text{Sqrt}[a + b*x + c*x^2])/\text{Sqrt}[-(c*f^2) + \\
& b*f*g - a*g^2]) + ((-4*b^2*d*f)/((e*f - d*g)^2*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^ \\
& 2]) + (2*b^2*e*f^2)/(g*(e*f - d*g)^2*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) + (4*a \\
& *b*d*g)/((e*f - d*g)^2*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) - (2*a^2*e*g)/((e*f \\
& - d*g)^2*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]))* \text{ArcTan}[(-(\text{Sqrt}[c]*f) - \text{Sqrt}[c]*g* \\
& x + g*\text{Sqrt}[a + b*x + c*x^2])/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) + ((a*b)/((e*f \\
& - d*g)*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) - (b^2*f)/(g*(e*f - d*g)*\text{Sqrt}[-(c*f \\
& ^2) + b*f*g - a*g^2]))* \text{ArcTan}[(-(\text{Sqrt}[c]*f) - \text{Sqrt}[c]*g*x + g*\text{Sqrt}[a + b*x \\
& + c*x^2])/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) + ((-2*b*c*f^2)/(g^2*(-(e*f) + d* \\
& g)*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) + (2*a*c*f)/(g*(-(e*f) + d*g)*\text{Sqrt}[-(c*f \\
& ^2) + b*f*g - a*g^2]))* \text{ArcTan}[(-(\text{Sqrt}[c]*f) - \text{Sqrt}[c]*g*x + g*\text{Sqrt}[a + b*x \\
& + c*x^2])/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) - (4*c^2*e*f^4*\text{ArcTan}[(\text{Sqrt}[c]*f) \\
& ]/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] + (\text{Sqrt}[c]*g*x)/\text{Sqrt}[-(c*f^2) + b*f*g - a*g \\
& ^2] - (g*\text{Sqrt}[a + b*x + c*x^2])/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2])]/(g^3*(e*f \\
& - d*g)^2*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) + (6*c^2*d*f^3*\text{ArcTan}[(\text{Sqrt}[c]*f)/ \\
& \text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] + (\text{Sqrt}[c]*g*x)/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^ \\
& 2] - (g*\text{Sqrt}[a + b*x + c*x^2])/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2])]/(g^2*(e*f - \\
& d*g)^2*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) + (b*c*f^2*\text{ArcTan}[(\text{Sqrt}[c]*f)/\text{Sqrt} \\
& -(c*f^2) + b*f*g - a*g^2] + (\text{Sqrt}[c]*g*x)/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] - \\
& (g*\text{Sqrt}[a + b*x + c*x^2])/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2])]/(g^2*(-(e*f) + d \\
& *g)*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) - (3*b*\text{Sqrt}[c]*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c \\
& ]*\text{Sqrt}[a + b*x + c*x^2]])/(2*e*g^2) + ((-8*c^(3/2)*f^5)/(g^3*(-(e*f) + d*g) \\
& ) - (4*c^(3/2)*f^4*x)/(g^2*(-(e*f) + d*g)) - (4*c^(3/2)*d*f^3*x)/(e*g*(-(e* \\
& f) + d*g)) - (6*c^(3/2)*d*f^2*x^2)/(e*(-(e*f) + d*g)) + (2*c^(3/2)*f^3*x^2) \\
& /((g*(-(e*f) + d*g)) + (3*c^(3/2)*f^2*x^3)/(-(e*f) + d*g) - (3*c^(3/2)*d*f*g \\
& *x^3)/(e*(-(e*f) + d*g)) + (c^(3/2)*f*g*x^4)/(2*(-(e*f) + d*g)) - (c^(3/2)* \\
& d*g^2*x^4)/(2*e*(-(e*f) + d*g)) - (16*c^(3/2)*f^5*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c] \\
& ]*\text{Sqrt}[a + b*x + c*x^2])]/(g^3*(-(e*f) + d*g)) + (8*c^(3/2)*d*f^4*\text{Log}[b + 2* \\
& c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2])]/(e*g^2*(-(e*f) + d*g)) + (8*c^(3/2) \\
& *d^2*f^3*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2])]/(e^2*g*(-(e*f) + \\
& d*g)) + (12*c^(3/2)*d^2*f^2*x*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x \\
& ^2])]/(e^2*(-(e*f) + d*g)) - (24*c^(3/2)*f^4*x*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sq} \\
& \text{rt}[a + b*x + c*x^2])]/(g^2*(-(e*f) + d*g)) + (12*c^(3/2)*d*f^3*x*\text{Log}[b + 2* \\
& c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2])]/(e*g*(-(e*f) + d*g)) + (6*c^(3/2)*d \\
& *f^2*x^2*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2])]/(e*(-(e*f) + d*g \\
& )) - (12*c^(3/2)*f^3*x^2*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2])]/ \\
& (g*(-(e*f) + d*g)) + (6*c^(3/2)*d^2*f*g*x^2*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt} \\
& [a + b*x + c*x^2])]/(e^2*(-(e*f) + d*g)) - (2*c^(3/2)*f^2*x^3*\text{Log}[b + 2*c*x \\
& - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2])]/(-(e*f) + d*g) + (c^(3/2)*d*f*g*x^3*\text{Log} \\
& [b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2])]/(e*(-(e*f) + d*g)) + (c^(3/2) \\
& )*d^2*g^2*x^3*\text{Log}[b + 2*c*x - 2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x + c*x^2])]/(e^2*(-(e*f \\
& ) + d*g)))/(2*f + g*x)^3
\end{aligned}$$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(3/2)/(e\*x+d)/(g\*x+f)^2,x, algorithm="fricas")

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(3/2)/(e\*x+d)/(g\*x+f)^2,x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.02, size = 7959, normalized size = 10.11

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^2+b\*x+a)^(3/2)/(e\*x+d)/(g\*x+f)^2,x)

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a)^{\frac{3}{2}}}{(ex + d)(gx + f)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(3/2)/(e\*x+d)/(g\*x+f)^2,x, algorithm="maxima")

[Out] integrate((c\*x^2 + b\*x + a)^(3/2)/((e\*x + d)\*(g\*x + f)^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cx^2 + bx + a)^{\frac{3}{2}}}{(f + gx)^2 (d + ex)} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)^(3/2)/((f + g*x)^2*(d + e*x)), x)`

[Out] `int((a + b*x + c*x^2)^(3/2)/((f + g*x)^2*(d + e*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2)^{\frac{3}{2}}}{(d + ex)(f + gx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)**(3/2)/(e*x+d)/(g*x+f)**2, x)`

[Out] `Integral((a + b*x + c*x**2)**(3/2)/((d + e*x)*(f + g*x)**2), x)`

$$3.611 \quad \int \frac{(a+bx+cx^2)^{3/2}}{(d+ex)(f+gx)^3} dx$$

**Optimal.** Leaf size=1066

$$\frac{(2cf - bg)(8c^2f^2 - b^2g^2 - 4cg(2bf - 3ag)) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{cx^2+bx+a}}\right) e^2 (cf^2 - bgf + ag^2)^{3/2} \tanh^{-1}\left(\frac{bf-2ag+(2\sqrt{cf^2-bgf+ag^2})}{2\sqrt{cf^2-bgf+ag^2}}\right)}{16c^{3/2}g^3(ef - dg)^3} - \frac{g^3(ef - dg)^3}{g^3(ef - dg)^3}$$

**Rubi [A]** time = 1.71, antiderivative size = 1066, normalized size of antiderivative = 1.00, number of steps used = 30, number of rules used = 9, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.310$ , Rules used = {960, 734, 814, 843, 621, 206, 724, 732, 812}

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)^(3/2)/((d + e\*x)\*(f + g\*x)^3), x]

[Out] ((8\*c^2\*d^2 + b^2\*e^2 - 2\*c\*e\*(5\*b\*d - 4\*a\*e) - 2\*c\*e\*(2\*c\*d - b\*e)\*x)\*Sqrt[a + b\*x + c\*x^2])/(8\*c\*(e\*f - d\*g)^3) + (3\*e\*(4\*c\*f - 3\*b\*g - 2\*c\*g\*x)\*Sqrt[a + b\*x + c\*x^2])/(4\*g^2\*(e\*f - d\*g)^2) - (3\*(4\*c\*f - b\*g + 2\*c\*g\*x)\*Sqrt[a + b\*x + c\*x^2])/(4\*g^2\*(e\*f - d\*g)\*(f + g\*x)) - (e^2\*(8\*c^2\*f^2 + b^2\*g^2 - 2\*c\*g\*(5\*b\*f - 4\*a\*g) - 2\*c\*g\*(2\*c\*f - b\*g)\*x)\*Sqrt[a + b\*x + c\*x^2])/(8\*c\*g^2\*(e\*f - d\*g)^3) + (a + b\*x + c\*x^2)^(3/2)/(2\*(e\*f - d\*g)\*(f + g\*x)^2) + (e\*(a + b\*x + c\*x^2)^(3/2))/((e\*f - d\*g)^2\*(f + g\*x)) - ((2\*c\*d - b\*e)\*(8\*c^2\*d^2 - b^2\*e^2 - 4\*c\*e\*(2\*b\*d - 3\*a\*e))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(16\*c^(3/2)\*e\*(e\*f - d\*g)^3) + (3\*Sqrt[c]\*(2\*c\*f - b\*g)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(2\*g^3\*(e\*f - d\*g)) + (e^2\*(2\*c\*f - b\*g)\*(8\*c^2\*f^2 - b^2\*g^2 - 4\*c\*g\*(2\*b\*f - 3\*a\*g))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(16\*c^(3/2)\*g^3\*(e\*f - d\*g)^3) - (3\*e\*(8\*c^2\*f^2 + b^2\*g^2 - 4\*c\*g\*(2\*b\*f - a\*g))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(8\*Sqrt[c]\*g^3\*(e\*f - d\*g)^2) + ((c\*d^2 - b\*d\*e + a\*e^2)^(3/2)\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/(e\*(e\*f - d\*g)^3) + (3\*e\*(2\*c\*f - b\*g)\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(2\*g^3\*(e\*f - d\*g)^2) - (e^2\*(c\*f^2 - b\*f\*g + a\*g^2)^(3/2)\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(g^3\*(e\*f - d\*g)^3) - (3\*(8\*c^2\*f^2 + b^2\*g^2 - 4\*c\*g\*(2\*b\*f - a\*g))\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(8\*g^3\*(e\*f - d\*g)\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2])

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 732

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p)/(e\*(m + 1)), x] - Dist[p/(e\*(m + 1)), Int[(d + e\*x)^(m + 1)\*(b + 2\*c\*x)\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && GtQ[p, 0] && (IntegerQ[p] || LtQ[m, -1]) && NeQ[m, -1] && !ILtQ[m + 2\*p + 1, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]

### Rule 734

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p)/(e\*(m + 2\*p + 1)), x] - Dist[p/(e\*(m + 2\*p + 1)), Int[(d + e\*x)^m\*Simp[b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x, x]\*(a + b\*x + c\*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && GtQ[p, 0] && NeQ[m + 2\*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2\*p, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]

### Rule 812

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(e\*f\*(m + 2\*p + 2) - d\*g\*(2\*p + 1) + e\*g\*(m + 1)\*x)\*(a + b\*x + c\*x^2)^p)/(e^2\*(m + 1)\*(m + 2\*p + 2)), x] + Dist[p/(e^2\*(m + 1)\*(m + 2\*p + 2)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p - 1)\*Simp[g\*(b\*d + 2\*a\*e + 2\*a\*e\*m + 2\*b\*d\*p) - f\*b\*e\*(m + 2\*p + 2) + (g\*(2\*c\*d + b\*e + b\*e\*m + 4\*c\*d\*p) - 2\*c\*e\*f\*(m + 2\*p + 2))\*x,

```
x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || Eq
Q[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2*p
+ 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

### Rule 814

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2
) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p
)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m +
2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a
*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c
*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^
2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x]
/; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2
- b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[
m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p]
|| IntegersQ[2*m, 2*p])
```

### Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x +
c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p,
x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 960

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g
*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ
[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (
IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a+bx+cx^2)^{3/2}}{(d+ex)(f+gx)^3} dx &= \int \left( \frac{e^3(a+bx+cx^2)^{3/2}}{(ef-dg)^3(d+ex)} - \frac{g(a+bx+cx^2)^{3/2}}{(ef-dg)(f+gx)^3} - \frac{eg(a+bx+cx^2)^{3/2}}{(ef-dg)^2(f+gx)^2} - \frac{e^2g(a+bx+cx^2)^{3/2}}{(ef-dg)^3(f+gx)} \right) dx \\
&= \frac{e^3 \int \frac{(a+bx+cx^2)^{3/2}}{d+ex} dx}{(ef-dg)^3} - \frac{(e^2g) \int \frac{(a+bx+cx^2)^{3/2}}{f+gx} dx}{(ef-dg)^3} - \frac{(eg) \int \frac{(a+bx+cx^2)^{3/2}}{(f+gx)^2} dx}{(ef-dg)^2} - \frac{g \int \frac{(a+bx+cx^2)^{3/2}}{(f+gx)^3} dx}{ef-dg} \\
&= \frac{(a+bx+cx^2)^{3/2}}{2(ef-dg)(f+gx)^2} + \frac{e(a+bx+cx^2)^{3/2}}{(ef-dg)^2(f+gx)} - \frac{e^2 \int \frac{(bd-2ae+(2cd-be)x)\sqrt{a+bx+cx^2}}{d+ex} dx}{2(ef-dg)^3} + \frac{e^2 \int \frac{(bd-2ae+(2cd-be)x)\sqrt{a+bx+cx^2}}{d+ex} dx}{2(ef-dg)^3} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a+bx+cx^2}}{8c(ef-dg)^3} + \frac{3e(4cf - 3bg - 2cd)}{4g^2(ef-dg)^3} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a+bx+cx^2}}{8c(ef-dg)^3} + \frac{3e(4cf - 3bg - 2cd)}{4g^2(ef-dg)^3} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a+bx+cx^2}}{8c(ef-dg)^3} + \frac{3e(4cf - 3bg - 2cd)}{4g^2(ef-dg)^3} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x)\sqrt{a+bx+cx^2}}{8c(ef-dg)^3} + \frac{3e(4cf - 3bg - 2cd)}{4g^2(ef-dg)^3}
\end{aligned}$$

**Mathematica [A]** time = 3.27, size = 1036, normalized size = 0.97



Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)^(3/2)/((d + e\*x)\*(f + g\*x)^3), x]

[Out] ((2\*(a + x\*(b + c\*x))^(3/2))/((e\*f - d\*g)\*(f + g\*x)^2) + (4\*e\*(a + x\*(b + c\*x))^(3/2))/((e\*f - d\*g)^2\*(f + g\*x)) + (-((2\*c\*d - b\*e)\*(8\*c^2\*d^2 - b^2\*e^2 + 4\*c\*e\*(-2\*b\*d + 3\*a\*e))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])]) - 2\*Sqrt[c]\*(e\*Sqrt[a + x\*(b + c\*x)]\*(-(b^2\*e^2) + 4\*c^2\*d\*(-2\*d + e\*x) - 2\*c\*e\*(-5\*b\*d + 4\*a\*e + b\*e\*x)) + 8\*c\*(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2)\*ArcTanh[(-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x)/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*Sqrt[a + x\*(b + c\*x)])]))/(4\*c^(3/2)\*e\*(e\*f - d\*g)^3) - (3\*e\*((8\*c^2\*f^2 + b^2\*g^2 + 4\*c\*g\*(-2\*b\*f + a\*g))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])]) + 2\*Sqrt[c]\*(g\*(-4\*c\*f + 3\*b\*g + 2\*c\*g\*x)\*Sqrt[a + x\*(b + c\*x)] + 2\*(2\*c\*f - b\*g)\*Sqrt[c\*f^2 + g\*(-(b\*f) + a\*g)]\*ArcTanh[(-(b\*f) +

$$\frac{2*a*g - 2*c*f*x + b*g*x}{(2*\sqrt{c*f^2 + g*(-(b*f) + a*g)})*\sqrt{a + x*(b + c*x)}} \Big/ \Big( \frac{2*\sqrt{c}*g^3*(e*f - d*g)^2}{(f + g*x) - (\sqrt{a + x*(b + c*x)}*(b^2*g^2 + 2*c^2*f*(2*f - g*x) + c*g*(-5*b*f + 2*a*g + b*g*x))} \Big/ g^2 + (4*\sqrt{c}*(2*c*f - b*g)*(c*f^2 + g*(-(b*f) + a*g))*\text{ArcTanh}[(b + 2*c*x)/(2*\sqrt{c})*\sqrt{a + x*(b + c*x)}]) + (8*c^2*f^2 + b^2*g^2 + 4*c*g*(-2*b*f + a*g))*\sqrt{c*f^2 + g*(-(b*f) + a*g)} \Big) \Big/ \Big( \frac{2*\sqrt{c}*g^3}{(e*f - d*g)*(c*f^2 + g*(-(b*f) + a*g))} - (e^2*((2*c*f - b*g)*(8*c^2*f^2 - b^2*g^2 + 4*c*g*(-2*b*f + 3*a*g))*\text{ArcTanh}[(b + 2*c*x)/(2*\sqrt{c})*\sqrt{a + x*(b + c*x)}]) + 2*\sqrt{c}*(g*\sqrt{a + x*(b + c*x)}*(-(b^2*g^2) + 4*c^2*f*(-2*f + g*x) - 2*c*g*(-5*b*f + 4*a*g + b*g*x)) + 8*c*(c*f^2 + g*(-(b*f) + a*g))^{3/2}*\text{ArcTanh}[(b + 2*c*x)/(2*\sqrt{c})*\sqrt{a + x*(b + c*x)}]) \Big) \Big/ (4*c^{3/2}*g^3*(-(e*f) + d*g)^3) \Big/ 4$$

**IntegrateAlgebraic** [F] time = 180.19, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(a + b\*x + c\*x^2)^(3/2)/((d + e\*x)\*(f + g\*x)^3),x]

[Out] \$Aborted

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(3/2)/(e\*x+d)/(g\*x+f)^3,x, algorithm="fricas")

[Out] Timed out

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^2+b\*x+a)^(3/2)/(e\*x+d)/(g\*x+f)^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Evaluation time: 0.6Error: Bad Argument Type

**maple** [B] time = 0.02, size = 15927, normalized size = 14.94

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)^(3/2)/(e*x+d)/(g*x+f)^3,x)`

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^2 + bx + a)^{\frac{3}{2}}}{(ex + d)(gx + f)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)^(3/2)/(e*x+d)/(g*x+f)^3,x, algorithm="maxima")`

[Out] `integrate((c*x^2 + b*x + a)^(3/2)/((e*x + d)*(g*x + f)^3), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cx^2 + bx + a)^{\frac{3}{2}}}{(f + gx)^3 (d + ex)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)^(3/2)/((f + g*x)^3*(d + e*x)),x)`

[Out] `int((a + b*x + c*x^2)^(3/2)/((f + g*x)^3*(d + e*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx + cx^2)^{\frac{3}{2}}}{(d + ex)(f + gx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)**(3/2)/(e*x+d)/(g*x+f)**3,x)`

[Out] `Integral((a + b*x + c*x**2)**(3/2)/((d + e*x)*(f + g*x)**3), x)`

$$3.612 \quad \int \frac{(a+bx+cx^2)^{5/2}}{(d+ex)(f+gx)} dx$$

**Optimal.** Leaf size=886

$$\frac{\tanh^{-1}\left(\frac{bd-2ae+(2cd-be)x}{2\sqrt{cd^2-bed+ae^2}\sqrt{cx^2+bx+a}}\right)(cd^2-bed+ae^2)^{5/2}}{e^5(e f-dg)} + \frac{(cx^2+bx+a)^{3/2}(cd^2-bed+ae^2)}{3e^2(e f-dg)} - \frac{(2cd-be)(8c^2d^2-b^2)}{e^5(e f-dg)}$$

**Rubi [A]** time = 1.80, antiderivative size = 886, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {895, 734, 814, 843, 621, 206, 724}

Antiderivative was successfully verified.

[In] Int[(a + b\*x + c\*x^2)^(5/2)/((d + e\*x)\*(f + g\*x)), x]

[Out] ((c\*d^2 - b\*d\*e + a\*e^2)\*(8\*c^2\*d^2 + b^2\*e^2 - 2\*c\*e\*(5\*b\*d - 4\*a\*e) - 2\*c\*e\*(2\*c\*d - b\*e)\*x)\*Sqrt[a + b\*x + c\*x^2])/(8\*c\*e^4\*(e\*f - d\*g)) - ((64\*c^3\*e\*f^4 - 16\*c^2\*e\*f^2\*g\*(9\*b\*f - 8\*a\*g) - b^2\*g^3\*(5\*b\*e\*f + 3\*b\*d\*g - 8\*a\*e\*g) + 4\*c\*g^2\*(22\*b^2\*e\*f^2 + 16\*a^2\*e\*g^2 - 3\*a\*b\*g\*(13\*e\*f - d\*g)) - 2\*c\*g\*(16\*c^2\*e\*f^3 + b\*g^2\*(5\*b\*e\*f + 3\*b\*d\*g - 8\*a\*e\*g) - 4\*c\*g\*(6\*b\*e\*f^2 - a\*g\*(7\*e\*f - 3\*d\*g)))\*x)\*Sqrt[a + b\*x + c\*x^2])/(64\*c\*e\*g^4\*(e\*f - d\*g)) + ((c\*d^2 - b\*d\*e + a\*e^2)\*(a + b\*x + c\*x^2)^(3/2))/(3\*e^2\*(e\*f - d\*g)) - ((8\*c\*e\*f^2 - g\*(11\*b\*e\*f - 3\*b\*d\*g - 8\*a\*e\*g) - 6\*c\*g\*(e\*f - d\*g)\*x)\*(a + b\*x + c\*x^2)^(3/2))/(24\*e\*g^2\*(e\*f - d\*g)) - ((2\*c\*d - b\*e)\*(c\*d^2 - b\*d\*e + a\*e^2)\*(8\*c^2\*d^2 - b^2\*e^2 - 4\*c\*e\*(2\*b\*d - 3\*a\*e))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(16\*c^(3/2)\*e^5\*(e\*f - d\*g)) + ((128\*c^4\*e\*f^5 - 320\*c^3\*e\*f^3\*g\*(b\*f - a\*g) - b^3\*g^4\*(5\*b\*e\*f + 3\*b\*d\*g - 8\*a\*e\*g) + 48\*c^2\*g^2\*(5\*b^2\*e\*f^3 - 10\*a\*b\*e\*f^2\*g + a^2\*g^2\*(5\*e\*f - d\*g)) - 8\*b\*c\*g^3\*(5\*b^2\*e\*f^2 + 12\*a^2\*e\*g^2 - 3\*a\*b\*g\*(5\*e\*f + d\*g)))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(128\*c^(3/2)\*e\*g^5\*(e\*f - d\*g)) + ((c\*d^2 - b\*d\*e + a\*e^2)^(5/2)\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/(e^5\*(e\*f - d\*g)) - ((c\*f^2 - b\*f\*g + a\*g^2)^(5/2)\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(g^5\*(e\*f - d\*g))

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])



Rule 621

```
Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 724

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 734

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[p/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

Rule 814

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 843

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 895

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_)/(((d_.) + (e_.)*(x_))*((f_.) +
(g_.)*(x_))), x_Symbol] := Dist[(c*d^2 - b*d*e + a*e^2)/(e*(e*f - d*g)), I
nt[(a + b*x + c*x^2)^(p - 1)/(d + e*x), x], x] - Dist[1/(e*(e*f - d*g)), In
t[(Simp[c*d*f - b*e*f + a*e*g - c*(e*f - d*g)*x, x]*(a + b*x + c*x^2)^(p -
1))/(f + g*x), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g,
0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && FractionQ[p]
&& GtQ[p, 0]
```

Rubi steps

$$\int \frac{(a + bx + cx^2)^{5/2}}{(d + ex)(f + gx)} dx = -\frac{\int \frac{(cdf - bef + aeg - c(e f - dg)x)(a + bx + cx^2)^{3/2}}{f + gx} dx}{e(e f - dg)} + \frac{(cd^2 - bde + ae^2) \int \frac{(a + bx + cx^2)^{3/2}}{d + ex} dx}{e(e f - dg)}$$

$$= \frac{(cd^2 - bde + ae^2)(a + bx + cx^2)^{3/2}}{3e^2(e f - dg)} - \frac{(8cef^2 - g(11bef - 3bdg - 8aeg) - 6cg(e f - dg)x)}{24eg^2(e f - dg)}$$

$$= \frac{(cd^2 - bde + ae^2)(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x) \sqrt{a + bx + cx^2}}{8ce^4(e f - dg)} - \frac{(6c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x) \sqrt{a + bx + cx^2}}{8ce^4(e f - dg)}$$

$$= \frac{(cd^2 - bde + ae^2)(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x) \sqrt{a + bx + cx^2}}{8ce^4(e f - dg)} - \frac{(6c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x) \sqrt{a + bx + cx^2}}{8ce^4(e f - dg)}$$

$$= \frac{(cd^2 - bde + ae^2)(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x) \sqrt{a + bx + cx^2}}{8ce^4(e f - dg)} - \frac{(6c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x) \sqrt{a + bx + cx^2}}{8ce^4(e f - dg)}$$

**Mathematica [A]** time = 2.54, size = 647, normalized size = 0.73

-----

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x + c\*x^2)^(5/2)/((d + e\*x)\*(f + g\*x)),x]

```
[Out] (3*(5*b^4*e^4*g^4*(-(e*f) + d*g) - 40*b^2*c*e^3*g^3*(e*f - d*g)*(b*e*f + b*d*g - 3*a*e*g) + 320*c^3*e*g*(-(b*e^4*f^4) + a*e^4*f^3*g + b*d^4*g^4 - a*d^3*e*g^4) + 128*c^4*(e^5*f^5 - d^5*g^5) + 240*c^2*e^2*g^2*(e*f - d*g)*(a^2*e^2*g^2 - 2*a*b*e*g*(e*f + d*g) + b^2*(e^2*f^2 + d*e*f*g + d^2*g^2)))*ArcTanh[(b + 2*c*x)/(2*Sqrt[c]*Sqrt[a + x*(b + c*x)])] + 2*Sqrt[c]*(-(e*g*(-(e*f) + d*g)*Sqrt[a + x*(b + c*x)]*(15*b^3*e^3*g^3 + 2*b*c*e^2*g^2*(278*a*e*g + b*(-132*e*f - 132*d*g + 59*e*g*x)) - 16*c^3*(12*d^3*g^3 - 6*d^2*e*g^2*(-2*f + g*x) + 2*d*e^2*g*(6*f^2 - 3*f*g*x + 2*g^2*x^2) + e^3*(12*f^3 - 6*f^2*g*x + 4*f*g^2*x^2 - 3*g^3*x^3)) + 8*c^2*e*g*(a*e*g*(-56*e*f - 56*d*g + 27*e*g*x) + b*(54*d^2*g^2 + 2*d*e*g*(27*f - 13*g*x) + e^2*(54*f^2 - 26*f*g*x + 17*g^2*x^2)))) - 192*c*(c*d^2 + e*(-(b*d) + a*e))^(5/2)*g^5*ArcTanh[(-(b*d) + 2*a*e - 2*c*d*x + b*e*x)/(2*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*Sqrt[a + x*(b + c*x)])] + 192*c*e^5*(c*f^2 + g*(-(b*f) + a*g))^(5/2)*ArcTanh[(-(b*f) + 2*a*g - 2*c*f*x + b*g*x)/(2*Sqrt[c*f^2 + g*(-(b*f) + a*g)]*Sqrt[a + x*(b + c*x)])])]/(384*c^(3/2)*e^5*g^5*(e*f - d*g))
```

**IntegrateAlgebraic [F]** time = 180.14, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(a + b*x + c*x^2)^(5/2)/((d + e*x)*(f + g*x)),x]
```

```
[Out] $Aborted
```

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)^(5/2)/(e*x+d)/(g*x+f),x, algorithm="fricas")
```

```
[Out] Timed out
```

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^2+b*x+a)^(5/2)/(e*x+d)/(g*x+f),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Value
```

maple [B] time = 0.02, size = 9052, normalized size = 10.22

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^2+b*x+a)^(5/2)/(e*x+d)/(g*x+f),x)`

[Out] result too large to display

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^2+b*x+a)^(5/2)/(e*x+d)/(g*x+f),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d\*g-e\*f>0)', see 'assume?' for more details)Is d\*g-e\*f zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cx^2 + bx + a)^{5/2}}{(f + gx)(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x + c*x^2)^(5/2)/((f + g*x)*(d + e*x)),x)`

[Out] `int((a + b*x + c*x^2)^(5/2)/((f + g*x)*(d + e*x)), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**2+b*x+a)**(5/2)/(e*x+d)/(g*x+f),x)`

[Out] Timed out

$$3.613 \quad \int \frac{(f+gx)^4}{(d+ex)\sqrt{a+bx+cx^2}} dx$$

**Optimal.** Leaf size=431

$$\frac{g \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right) \left(8c^2eg(aeg(4ef-dg) + b(d^2g^2 - 4defg + 6e^2f^2)) - 6bce^2g^2(2aeg - bdg + 4bef) + 5\right)}{16c^{7/2}e^4}$$

**Rubi [A]** time = 1.37, antiderivative size = 431, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {1653, 843, 621, 206, 724}

$$\frac{g^2\sqrt{a+bx+cx^2}(-4c^2g(4c^2g-7bdg+18bf^2)+15g^2c^2+4c^2(11d^2g^2-36defg+36c^2f^2))}{24c^3} \cdot \frac{g \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right) \left(8c^2eg(aeg(4ef-dg) + b(d^2g^2 - 4defg + 6e^2f^2)) - 6bce^2g^2(2aeg - bdg + 4bef) + 5g^2c^2\right)}{16c^{7/2}e^4} + \frac{g^2(d+ex)\sqrt{a+bx+cx^2}(-5bdg-14bdg+24c^2f)}{12c^3} + \frac{(f-dg)^2 \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{e^4\sqrt{a^2-bde+ce^2}} + \frac{g^2(d+ex)^2\sqrt{a+bx+cx^2}}{3c^2}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^4/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] (g^2\*(15\*b^2\*e^2\*g^2 - 4\*c\*e\*g\*(18\*b\*e\*f - 7\*b\*d\*g + 4\*a\*e\*g) + 4\*c^2\*(36\*e^2\*f^2 - 36\*d\*e\*f\*g + 11\*d^2\*g^2))\*Sqrt[a + b\*x + c\*x^2]/(24\*c^3\*e^3) + (g^3\*(24\*c\*e\*f - 14\*c\*d\*g - 5\*b\*e\*g)\*(d + e\*x)\*Sqrt[a + b\*x + c\*x^2])/(12\*c^2\*e^3) + (g^4\*(d + e\*x)^2\*Sqrt[a + b\*x + c\*x^2])/(3\*c\*e^3) - (g\*(5\*b^3\*e^3\*g^3 - 6\*b\*c\*e^2\*g^2\*(4\*b\*e\*f - b\*d\*g + 2\*a\*e\*g) - 16\*c^3\*(4\*e^3\*f^3 - 6\*d\*e^2\*f^2\*g + 4\*d^2\*e\*f\*g^2 - d^3\*g^3) + 8\*c^2\*e\*g\*(a\*e\*g\*(4\*e\*f - d\*g) + b\*(6\*e^2\*f^2 - 4\*d\*e\*f\*g + d^2\*g^2)))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(16\*c^(7/2)\*e^4) + ((e\*f - d\*g)^4\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/(e^4\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2])

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2

$*a*e - b*d - (2*c*d - b*e)*x/\text{Sqrt}[a + b*x + c*x^2], x] /;$  FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 843

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Dist[g/e, Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] + Dist[(e\*f - d\*g)/e, Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !IGtQ[m, 0]

### Rule 1653

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f\*(d + e\*x)^(m + q - 1)\*(a + b\*x + c\*x^2)^(p + 1))/(c\*e^(q - 1)\*(m + q + 2\*p + 1)), x] + Dist[1/(c\*e^q\*(m + q + 2\*p + 1)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^p\*ExpandToSum[c\*e^q\*(m + q + 2\*p + 1)\*Pq - c\*f\*(m + q + 2\*p + 1)\*(d + e\*x)^q - f\*(d + e\*x)^(q - 2)\*(b\*d\*e\*(p + 1) + a\*e^2\*(m + q - 1) - c\*d^2\*(m + q + 2\*p + 1) - e\*(2\*c\*d - b\*e)\*(m + q + p)\*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2\*p + 1, 0] /; FreeQ[{a, b, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && !(IGtQ[m, 0] && RationalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

### Rubi steps

$$\begin{aligned}
\int \frac{(f + gx)^4}{(d + ex)\sqrt{a + bx + cx^2}} dx &= \frac{g^4(d + ex)^2\sqrt{a + bx + cx^2}}{3ce^3} + \frac{\int \frac{1}{2}e(6ce^3f^4 - d^2(bd + 4ae)g^4) - \frac{1}{2}eg(de(7bd + 8ae)g^3 - c(24e^3f^3 - 2d^3g^3))}{3ce^3} \\
&= \frac{g^3(24cef - 14cdg - 5beg)(d + ex)\sqrt{a + bx + cx^2}}{12c^2e^3} + \frac{g^4(d + ex)^2\sqrt{a + bx + cx^2}}{3ce^3} \\
&= \frac{g^2(15b^2e^2g^2 - 4ceg(18bef - 7bdg + 4aeg) + 4c^2(36e^2f^2 - 36defg + 11d^2g^2))}{24c^3e^3} \\
&= \frac{g^2(15b^2e^2g^2 - 4ceg(18bef - 7bdg + 4aeg) + 4c^2(36e^2f^2 - 36defg + 11d^2g^2))}{24c^3e^3} \\
&= \frac{g^2(15b^2e^2g^2 - 4ceg(18bef - 7bdg + 4aeg) + 4c^2(36e^2f^2 - 36defg + 11d^2g^2))}{24c^3e^3} \\
&= \frac{g^2(15b^2e^2g^2 - 4ceg(18bef - 7bdg + 4aeg) + 4c^2(36e^2f^2 - 36defg + 11d^2g^2))}{24c^3e^3}
\end{aligned}$$

**Mathematica [A]** time = 0.89, size = 553, normalized size = 1.28

$$\frac{e^2 g^4 (d + e x)^2 \sqrt{a + b x + c x^2}}{3 c e^3} + \frac{g^2 (15 b^2 e^2 g^2 - 4 c e g (18 b e f - 7 b d g + 4 a e g) + 4 c^2 (36 e^2 f^2 - 36 d e f g + 11 d^2 g^2))}{24 c^3 e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^4/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] ((48\*e\*g^2\*(e\*f - d\*g)^2\*Sqrt[a + x\*(b + c\*x)]/c + (24\*e^2\*g^2\*(e\*f - d\*g)\*(f + g\*x)\*Sqrt[a + x\*(b + c\*x)]/c + (16\*e^3\*g^2\*(f + g\*x)^2\*Sqrt[a + x\*(b + c\*x)]/c + (24\*e\*g\*(2\*c\*f - b\*g)\*(e\*f - d\*g)^2\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])])/c^(3/2) + (48\*g\*(e\*f - d\*g)^3\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])])/Sqrt[c] + (6\*e^2\*g\*(e\*f - d\*g)\*(6\*Sqrt[c]\*g\*(2\*c\*f - b\*g)\*Sqrt[a + x\*(b + c\*x)] + (8\*c^2\*f^2 + 3\*b^2\*g^2 - 4\*c\*g\*(2\*b\*f + a\*g))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])])/c^(5/2) + (e^3\*g\*((2\*g\*Sqrt[a + x\*(b + c\*x)]\*(15\*b^2\*g^2 + 4\*c^2\*f\*(16\*f + 5\*g\*x) - 2\*c\*g\*(27\*b\*f + 8\*a\*g + 5\*b\*g\*x))/c^2 + (3\*(2\*c\*f - b\*g)\*(8\*c^2\*f^2 + 5\*b^2\*g^2 - 4\*c\*g\*(2\*b\*f + 3\*a\*g))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])])/c^(5/2)))/c + (48\*(e\*f - d\*g)^4\*ArcTanh[(-2\*a\*e + 2\*c\*d\*x + b\*(d - e\*x))/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)])/Sqrt[a + x\*(b + c\*x)]])/Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]/(48\*e^4)

**IntegrateAlgebraic [A]** time = 2.71, size = 509, normalized size = 1.18

$$\frac{\sqrt{c^2 + d^2} (-144c^2f^2 + 144bd^2f - 72b^2d^2 - 144c^2d^2 + 24c^2d^2f - 96c^2d^2f^2 - 12c^2d^2f^3 + 144c^2d^2f^4 + 48c^2d^2f^5 + 36c^2d^2f^6) \log\left(\frac{2\sqrt{c^2 + d^2} + b + 2c}{-12bd^2f^2 - 6c^2d^2f + 3c^2d^2 + 36c^2d^2f^3 + 18c^2d^2f^4 - 24bd^2f^2 + 36c^2d^2f^3 - 32bd^2f^4 + 48bd^2f^5 + 16c^2d^2f^6 - 64bd^2f^7 + 96c^2d^2f^8 - 64c^2d^2f^9}\right) + 2\left(\frac{d^2f^2 - 4bd^2f + 4b^2d^2 + c^2d^2 + 2c^2d^2f}{d^2f^2 - 4bd^2f + 4b^2d^2 + c^2d^2 + 2c^2d^2f}\right) \operatorname{arctan}\left(\frac{d\sqrt{c^2 + d^2} + c}{d^2f^2 - 4bd^2f + 4b^2d^2 + c^2d^2 + 2c^2d^2f}\right)}{d^2(c^2 + d^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(f + g\*x)^4/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] (Sqrt[a + b\*x + c\*x^2]\*(144\*c^2\*e^2\*f^2\*g^2 - 96\*c^2\*d\*e\*f\*g^3 - 72\*b\*c\*e^2\*f\*g^3 + 24\*c^2\*d^2\*g^4 + 18\*b\*c\*d\*e\*g^4 + 15\*b^2\*e^2\*g^4 - 16\*a\*c\*e^2\*g^4 + 48\*c^2\*e^2\*f\*g^3\*x - 12\*c^2\*d\*e\*g^4\*x - 10\*b\*c\*e^2\*g^4\*x + 8\*c^2\*e^2\*g^4\*x^2))/(24\*c^3\*e^3) + (2\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*(e^4\*f^4 - 4\*d\*e^3\*f^3\*g + 6\*d^2\*e^2\*f^2\*g^2 - 4\*d^3\*e\*f\*g^3 + d^4\*g^4)\*ArcTan[(Sqrt[c]\*d + Sqrt[c]\*e\*x - e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]])/(e^4\*(c\*d^2 - b\*d\*e + a\*e^2)) + ((-64\*c^3\*e^3\*f^3\*g + 96\*c^3\*d\*e^2\*f^2\*g^2 + 48\*b\*c^2\*e^3\*f^2\*g^2 - 64\*c^3\*d^2\*e\*f\*g^3 - 32\*b\*c^2\*d\*e^2\*f\*g^3 - 24\*b^2\*c\*e^3\*f\*g^3 + 32\*a\*c^2\*e^3\*f\*g^3 + 16\*c^3\*d^3\*g^4 + 8\*b\*c^2\*d^2\*e\*g^4 + 6\*b^2\*c\*d\*e^2\*g^4 - 8\*a\*c^2\*d\*e^2\*g^4 + 5\*b^3\*e^3\*g^4 - 12\*a\*b\*c\*e^3\*g^4)\*Log[b + 2\*c\*x - 2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2]])/(16\*c^(7/2)\*e^4)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x);OUTPUT:Error: Bad Argument Type

**maple [B]** time = 0.03, size = 1597, normalized size = 3.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^4/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2),x)



```
[Out] -1/e/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d
*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x+d/e)^2*c+(b*e-2*c*d)*(x
+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x+d/e))*f^4+2*g^3/e^2*b/c^(3/2)*ln
((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))*d*f+2*g^3/e*x/c*(c*x^2+b*x+a)^(1/
2)*f+3/4*g^4/e^2*b/c^2*(c*x^2+b*x+a)^(1/2)*d-3*g^3/e*b/c^2*(c*x^2+b*x+a)^(1
/2)*f-3/8*g^4/e^2*b^2/c^(5/2)*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))*d
+3/2*g^3/e*b^2/c^(5/2)*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))*f+1/2*g^
4/e^2*a/c^(3/2)*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))*d-2*g^3/e*a/c^(
3/2)*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))*f-4*g^3/e^2/c*(c*x^2+b*x+a
)^(1/2)*d*f-1/2*g^4/e^3*b/c^(3/2)*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2
))*d^2-3*g^2/e*b/c^(3/2)*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))*f^2+4*
g^3/e^3*d^2*f*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))/c^(1/2)-6*g^2/e^2
*d*f^2*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))/c^(1/2)+4/e^4/((a*e^2-b*
d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2
*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-
b*d*e+c*d^2)/e^2)^(1/2))/(x+d/e))*g^3*f*d^3-6/e^3/((a*e^2-b*d*e+c*d^2)/e^2)
^(1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+
c*d^2)/e^2)^(1/2)*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^
2)^(1/2))/(x+d/e))*d^2*f^2*g^2+4/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b
*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(
1/2)*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x+
d/e))*d*f^3*g-1/e^5/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)
/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x+d/e)^2*c
+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x+d/e))*g^4*d^4+1/3
*g^4/e*x^2/c*(c*x^2+b*x+a)^(1/2)-5/12*g^4/e*b/c^2*x*(c*x^2+b*x+a)^(1/2)+3/4
*g^4/e*b/c^(5/2)*a*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))-1/2*g^4/e^2*
x/c*(c*x^2+b*x+a)^(1/2)*d+5/8*g^4/e*b^2/c^3*(c*x^2+b*x+a)^(1/2)-5/16*g^4/e*
b^3/c^(7/2)*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))-2/3*g^4/e/c^2*a*(c*
x^2+b*x+a)^(1/2)+g^4/e^3/c*(c*x^2+b*x+a)^(1/2)*d^2+6*g^2/e/c*(c*x^2+b*x+a)^(
1/2)*f^2-g^4/e^4*d^3*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))/c^(1/2)+4
*g/e*f^3*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))/c^(1/2)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^4/(e*x+d)/(c*x^2+b*x+a)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume((b/e-(2*c*d)/e^2)^2>0)', see `assum
e?` for more details)Is (b/e-(2*c*d)/e^2)^2      -(4*c      *((-b*d)/e)
+(c*d^2)/e^2+a)      /e^2 zero or nonzero?
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^4}{(d + ex) \sqrt{cx^2 + bx + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)^4/((d + e*x)*(a + b*x + c*x^2)^(1/2)),x)`

[Out] `int((f + g*x)^4/((d + e*x)*(a + b*x + c*x^2)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^4}{(d + ex) \sqrt{a + bx + cx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**4/(e*x+d)/(c*x**2+b*x+a)**(1/2),x)`

[Out] `Integral((f + g*x)**4/((d + e*x)*sqrt(a + b*x + c*x**2)), x)`

$$3.614 \quad \int \frac{(f+gx)^3}{(d+ex)\sqrt{a+bx+cx^2}} dx$$

**Optimal.** Leaf size=270

$$\frac{g \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right) \left(-4ceg(aeg - bdg + 3bef) + 3b^2e^2g^2 + 8c^2(d^2g^2 - 3defg + 3e^2f^2)\right)}{8c^{5/2}e^3} + 3g^2\sqrt{a+bx+cx^2}$$

**Rubi [A]** time = 0.71, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {1653, 843, 621, 206, 724}

$$\frac{g \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right) \left(-4ceg(aeg - bdg + 3bef) + 3b^2e^2g^2 + 8c^2(d^2g^2 - 3defg + 3e^2f^2)\right)}{8c^{5/2}e^3} + \frac{3g^2\sqrt{a+bx+cx^2}(-beg - 2cdg + 4cef)}{4c^2e^2} + \frac{(ef - dg)^3 \tanh^{-1}\left(\frac{-2ac+x(2cd-b)+bd}{2\sqrt{a+bx+cx^2}\sqrt{a^2-bde+cd^2}}\right)}{e^3\sqrt{a^2-bde+cd^2}} + \frac{g^3(d+ex)\sqrt{a+bx+cx^2}}{2ce^2}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^3/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]), x]

[Out] (3\*g^2\*(4\*c\*e\*f - 2\*c\*d\*g - b\*e\*g)\*Sqrt[a + b\*x + c\*x^2])/(4\*c^2\*e^2) + (g^3\*(d + e\*x)\*Sqrt[a + b\*x + c\*x^2])/(2\*c\*e^2) + (g\*(3\*b^2\*e^2\*g^2 - 4\*c\*e\*g\*(3\*b\*e\*f - b\*d\*g + a\*e\*g) + 8\*c^2\*(3\*e^2\*f^2 - 3\*d\*e\*f\*g + d^2\*g^2))\*ArcTan h[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(8\*c^(5/2)\*e^3) + ((e\*f - d\*g)^3\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/(e^3\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2])

**Rule 206**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt Q[a, 0] || LtQ[b, 0])

**Rule 621**

Int[1/Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

**Rule 724**

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1653

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + b*x + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + b*x + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(b*d*e*(p + 1) + a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - e*(2*c*d - b*e)*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !(IGtQ[m, 0] && RationalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\int \frac{(f + gx)^3}{(d + ex)\sqrt{a + bx + cx^2}} dx = \frac{g^3(d + ex)\sqrt{a + bx + cx^2}}{2ce^2} + \frac{\int \frac{\frac{1}{2}e(4ce^2f^3 - d(bd + 2ae)g^3) - eg(e(2bd + ae)g^2 - c(6e^2f^2 - d^2g^2))x + \frac{3}{2}e^2g^3}{(d + ex)\sqrt{a + bx + cx^2}} dx}{2ce^3}$$

$$= \frac{3g^2(4cef - 2cdg - beg)\sqrt{a + bx + cx^2}}{4c^2e^2} + \frac{g^3(d + ex)\sqrt{a + bx + cx^2}}{2ce^2} + \frac{\int \frac{\frac{1}{4}e^3(8c^2e^2f^3 - d^2g^3)}{\sqrt{a + bx + cx^2}} dx}{2ce^3}$$

$$= \frac{3g^2(4cef - 2cdg - beg)\sqrt{a + bx + cx^2}}{4c^2e^2} + \frac{g^3(d + ex)\sqrt{a + bx + cx^2}}{2ce^2} + \frac{(ef - dg)^3}{2ce^3}$$

$$= \frac{3g^2(4cef - 2cdg - beg)\sqrt{a + bx + cx^2}}{4c^2e^2} + \frac{g^3(d + ex)\sqrt{a + bx + cx^2}}{2ce^2} - \frac{(2(ef - dg))^3}{2ce^3}$$

$$= \frac{3g^2(4cef - 2cdg - beg)\sqrt{a + bx + cx^2}}{4c^2e^2} + \frac{g^3(d + ex)\sqrt{a + bx + cx^2}}{2ce^2} + \frac{g(3b^2e^2g^2 - d^2g^3)}{2ce^3}$$

**Mathematica [A]** time = 0.38, size = 358, normalized size = 1.33

$$\frac{c^2 g (-4c g (a g + 2b f) + 3b^2 g^2 + 8c^2 f^2) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right) + \frac{4c g (2cf - b g) (ef - dg) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{c^{5/2}} + \frac{6c^2 g^2 \sqrt{a+bx+cx^2} (2cf - b g)}{c^2} + \frac{8(ef - dg)^3 \tanh^{-1}\left(\frac{-2ae+bd-cx+2dx}{2\sqrt{a+bx+cx^2}}\right) \sqrt{e(ae-bd)+cd^2}}{\sqrt{e(ae-bd)+cd^2}} + \frac{8c g^2 \sqrt{a+bx+cx^2} (ef - dg)}{c} + \frac{8g(ef - dg)^2 \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{\sqrt{c}} + \frac{4c^2 g^2 (f+gx) \sqrt{a+bx+cx^2}}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^3/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]), x]

[Out] ((6\*e^2\*g^2\*(2\*c\*f - b\*g)\*Sqrt[a + x\*(b + c\*x)]/c^2 + (8\*e\*g^2\*(e\*f - d\*g)\*Sqrt[a + x\*(b + c\*x)]/c + (4\*e^2\*g^2\*(f + g\*x)\*Sqrt[a + x\*(b + c\*x)]/c + (4\*e\*g\*(2\*c\*f - b\*g)\*(e\*f - d\*g)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])])/c^(3/2) + (8\*g\*(e\*f - d\*g)^2\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])])/Sqrt[c] + (e^2\*g\*(8\*c^2\*f^2 + 3\*b^2\*g^2 - 4\*c\*g\*(2\*b\*f + a\*g))\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])])/c^(5/2) + (8\*(e\*f - d\*g)^3\*ArcTanh[(-2\*a\*e + 2\*c\*d\*x + b\*(d - e\*x))/(2\*Sqrt[c\*d^2 + e\*(-b\*d) + a\*e])]\*Sqrt[a + x\*(b + c\*x)]))/Sqrt[c\*d^2 + e\*(-b\*d) + a\*e])/ (8\*e^3)

**IntegrateAlgebraic [A]** time = 1.41, size = 308, normalized size = 1.14

$$\frac{\log\left(-2\sqrt{c}\sqrt{a+bx+cx^2}+b+2cx\right)\left(4ace^2g^3-3b^2e^2g^3-4bcdeg^3+12bc^2fg^2-8c^2d^2g^3+24c^2defg^2-24c^2e^2f^2g\right)}{8c^5e^2g^3} + \frac{\sqrt{a+bx+cx^2}\left(-3bge^3-4cdg^3+12cef^2g+2ceg^3x\right)}{4c^2e^2} - \frac{2\left(d^3g^3-3d^2efg^2+3de^2f^2g-e^3f^3\right)\sqrt{-ae^2+bde-cd^2}\tan^{-1}\left(\frac{-c\sqrt{a+bx+cx^2}+\sqrt{c}d+\sqrt{ca}}{\sqrt{-ae^2+bde-cd^2}}\right)}{e^3\left(ae^2-bde+cd^2\right)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(f + g\*x)^3/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]), x]

[Out] ((12\*c\*e\*f\*g^2 - 4\*c\*d\*g^3 - 3\*b\*e\*g^3 + 2\*c\*e\*g^3\*x)\*Sqrt[a + b\*x + c\*x^2])/ (4\*c^2\*e^2) - (2\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*(-(e^3\*f^3) + 3\*d\*e^2\*f^2\*g - 3\*d^2\*e\*f\*g^2 + d^3\*g^3)\*ArcTan[(Sqrt[c]\*d + Sqrt[c]\*e\*x - e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]])/(e^3\*(c\*d^2 - b\*d\*e + a\*e^2)) + (((-24\*c^2\*e^2\*f^2\*g + 24\*c^2\*d\*e\*f\*g^2 + 12\*b\*c\*e^2\*f\*g^2 - 8\*c^2\*d^2\*g^3 - 4\*b\*c\*d\*e\*g^3 - 3\*b^2\*e^2\*g^3 + 4\*a\*c\*e^2\*g^3)\*Log[b + 2\*c\*x - 2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2]])/(8\*c^(5/2)\*e^3)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2), x, algorithm="fricas")

[Out] Timed out

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^3/(e*x+d)/(c*x^2+b*x+a)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Error: Bad Argument Type
```

**maple [B]** time = 0.02, size = 1007, normalized size = 3.73

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((g*x+f)^3/(e*x+d)/(c*x^2+b*x+a)^(1/2),x)
```

```
[Out] 1/2*g^3/e*x/c*(c*x^2+b*x+a)^(1/2)-3/4*g^3/e*b/c^2*(c*x^2+b*x+a)^(1/2)+3/8*g
^3/e*b^2/c^(5/2)*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))-1/2*g^3/e*a/c
^(3/2)*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))-g^3/e^2/c*(c*x^2+b*x+a)^(
1/2)*d+3*g^2/e/c*(c*x^2+b*x+a)^(1/2)*f+1/2*g^3/e^2*b/c^(3/2)*ln((c*x+1/2*b)
/c^(1/2)+(c*x^2+b*x+a)^(1/2))*d-3/2*g^2/e*b/c^(3/2)*ln((c*x+1/2*b)/c^(1/2)+
(c*x^2+b*x+a)^(1/2))*f+g^3/e^3*d^2*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/
2))/c^(1/2)-3*g^2/e^2*d*f*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))/c^(1/
2)+3*g/e*f^2*ln((c*x+1/2*b)/c^(1/2)+(c*x^2+b*x+a)^(1/2))/c^(1/2)+1/e^4/((a*
e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)
/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(
a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x+d/e))*g^3*d^3-3/e^3/((a*e^2-b*d*e+c*d^2)/
e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*
d*e+c*d^2)/e^2)^(1/2))*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2
)/e^2)^(1/2))/(x+d/e))*d^2*f*g^2+3/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln((
(b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)
^(1/2))*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(
x+d/e))*d*f^2*g-1/e/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)
/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x+d/e)^2*c
+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x+d/e))*f^3
```

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)^3/(e*x+d)/(c*x^2+b*x+a)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume((b/e-(2*c*d)/e^2)^2>0)', see `assum
```

e?` for more details)Is  $(b/e - (2*c*d)/e^2)^2 - (4*c + (c*d^2)/e^2 + a) / e^2$  zero or nonzero?  $*((-b*d)/e)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^3}{(d + ex) \sqrt{cx^2 + bx + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)^3/((d + e\*x)\*(a + b\*x + c\*x^2)^(1/2)), x)

[Out] int((f + g\*x)^3/((d + e\*x)\*(a + b\*x + c\*x^2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^3}{(d + ex) \sqrt{a + bx + cx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*3/(e\*x+d)/(c\*x\*\*2+b\*x+a)\*\*(1/2), x)

[Out] Integral((f + g\*x)\*\*3/((d + e\*x)\*sqrt(a + b\*x + c\*x\*\*2)), x)

$$3.615 \quad \int \frac{(f+gx)^2}{(d+ex)\sqrt{a+bx+cx^2}} dx$$

**Optimal.** Leaf size=176

$$\frac{g \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)(-beg - 2cdg + 4cef)}{2c^{3/2}e^2} + \frac{(ef - dg)^2 \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{e^2\sqrt{ae^2 - bde + cd^2}} + \frac{g^2\sqrt{a + bx + cx^2}}{ce}$$

**Rubi [A]** time = 0.30, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {1653, 843, 621, 206, 724}

$$\frac{g \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)(-beg - 2cdg + 4cef)}{2c^{3/2}e^2} + \frac{(ef - dg)^2 \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{e^2\sqrt{ae^2 - bde + cd^2}} + \frac{g^2\sqrt{a + bx + cx^2}}{ce}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]), x]

[Out] (g^2\*Sqrt[a + b\*x + c\*x^2])/(c\*e) + (g\*(4\*c\*e\*f - 2\*c\*d\*g - b\*e\*g)\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(2\*c^(3/2)\*e^2) + ((e\*f - d\*g)^2\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/(e^2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2])

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]



Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1653

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + b*x + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + b*x + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(b*d*e*(p + 1) + a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - e*(2*c*d - b*e)*(m + q + p)*x), x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !(IGtQ[m, 0] && RationalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{(f + gx)^2}{(d + ex)\sqrt{a + bx + cx^2}} dx &= \frac{g^2\sqrt{a + bx + cx^2}}{ce} + \frac{\int \frac{\frac{1}{2}e(2cef^2 - bdg^2) + \frac{1}{2}eg(4cef - 2cdg - beg)x}{(d+ex)\sqrt{a+bx+cx^2}} dx}{ce^2} \\ &= \frac{g^2\sqrt{a + bx + cx^2}}{ce} + \frac{(ef - dg)^2 \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx}{e^2} + \frac{(g(4cef - 2cdg - beg)) \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx}{2ce^2} \\ &= \frac{g^2\sqrt{a + bx + cx^2}}{ce} - \frac{(2(ef - dg)^2) \text{Subst}\left(\int \frac{1}{4cd^2 - 4bde + 4ae^2 - x^2} dx, x, \frac{-bd + 2ae - (2cd - be)\sqrt{a+bx+cx^2}}{\sqrt{a+bx+cx^2}}\right)}{e^2} \\ &= \frac{g^2\sqrt{a + bx + cx^2}}{ce} + \frac{g(4cef - 2cdg - beg) \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{2c^{3/2}e^2} + \frac{(ef - dg)^2 \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx}{e^2} \end{aligned}$$

Mathematica [A] time = 0.48, size = 170, normalized size = 0.97

$$\frac{-\frac{g \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+x(b+cx)}}\right)(beg+2cdg-4cef)}{c^{3/2}} + \frac{2(ef-dg)^2 \tanh^{-1}\left(\frac{-2ae+b(d-ex)+2cdx}{2\sqrt{a+x(b+cx)}\sqrt{e(ae-bd)+cd^2}}\right)}{\sqrt{e(ae-bd)+cd^2}} + \frac{2eg^2\sqrt{a+x(b+cx)}}{c}}{2e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] ((2\*e\*g^2\*Sqrt[a + x\*(b + c\*x)])/c - (g\*(-4\*c\*e\*f + 2\*c\*d\*g + b\*e\*g)\*ArcTan h[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])])/c^(3/2) + (2\*(e\*f - d\*g)^2\*ArcTanh[(-2\*a\*e + 2\*c\*d\*x + b\*(d - e\*x))/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*Sqrt[a + x\*(b + c\*x)])]/Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)])/(2\*e^2)

**IntegrateAlgebraic [A]** time = 0.77, size = 210, normalized size = 1.19

$$\frac{\log\left(-2c^{3/2}\sqrt{a+bx+cx^2}+bc+2c^2x\right)\left(beg^2+2cdg^2-4cef g\right)}{2c^{3/2}e^2} + \frac{2\left(d^2g^2-2defg+e^2f^2\right)\sqrt{-ae^2+bde-cd^2}\tan^{-1}\left(\frac{-e\sqrt{a+bx+cx^2}+\sqrt{c}d+\sqrt{c}ex}{\sqrt{-ae^2+bde-cd^2}}\right)}{e^2\left(ae^2-bde+cd^2\right)} + \frac{g^2\sqrt{a+bx+cx^2}}{ce}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] (g^2\*Sqrt[a + b\*x + c\*x^2])/(c\*e) + (2\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*(e^2\*f^2 - 2\*d\*e\*f\*g + d^2\*g^2)\*ArcTan[(Sqrt[c]\*d + Sqrt[c]\*e\*x - e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]])/(e^2\*(c\*d^2 - b\*d\*e + a\*e^2)) + ((-4\*c\*e\*f\*g + 2\*c\*d\*g^2 + b\*e\*g^2)\*Log[b\*c + 2\*c^2\*x - 2\*c^(3/2)\*Sqrt[a + b\*x + c\*x^2]])/(2\*c^(3/2)\*e^2)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x);OUTPUT:Error: Bad Argument Type

**maple [B]** time = 0.02, size = 613, normalized size = 3.48

$$\frac{d^2g^2 \ln\left(\frac{(c-3d(-f))\sqrt{2d^2-2bd+2a}\sqrt{\frac{2d^2-2bd+2a}{c}}\sqrt{(c-f)^2+\frac{2d^2-2bd+2a}{c}}}{c}\right)}{\sqrt{2d^2-2bd+2a}} + \frac{2dfg \ln\left(\frac{(c-3d(-f))\sqrt{2d^2-2bd+2a}\sqrt{\frac{2d^2-2bd+2a}{c}}\sqrt{(c-f)^2+\frac{2d^2-2bd+2a}{c}}}{c}\right)}{\sqrt{2d^2-2bd+2a}} + \frac{f^2 \ln\left(\frac{(c-3d(-f))\sqrt{2d^2-2bd+2a}\sqrt{\frac{2d^2-2bd+2a}{c}}\sqrt{(c-f)^2+\frac{2d^2-2bd+2a}{c}}}{c}\right)}{\sqrt{2d^2-2bd+2a}} + \frac{d^2g^2 \ln\left(\frac{(c-f)^2+\sqrt{c^2+bx+a}}{2c}\right)}{2c^2} + \frac{d^2g^2 \ln\left(\frac{(c-f)^2+\sqrt{c^2+bx+a}}{\sqrt{c}}\right)}{\sqrt{c}} + \frac{2fg \ln\left(\frac{(c-f)^2+\sqrt{c^2+bx+a}}{\sqrt{c}}\right)}{\sqrt{c}} + \frac{\sqrt{c^2+bx+a}g^2}{ce}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((g*x+f)^2/(e*x+d)/(c*x^2+b*x+a)^{(1/2)}, x)$

[Out]  $g^2*(c*x^2+b*x+a)^{(1/2)}/c/e-1/2*g^2/e*b/c^{(3/2)}*\ln((c*x+1/2*b)/c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})-g^2/e^2*d*\ln((c*x+1/2*b)/c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})/c^{(1/2)}+2*g/e*f*\ln((c*x+1/2*b)/c^{(1/2)}+(c*x^2+b*x+a)^{(1/2)})/c^{(1/2)}-1/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*d^2*g^2+2/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*d*f*g-1/e/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))*f^2$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((g*x+f)^2/(e*x+d)/(c*x^2+b*x+a)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((b/e-(2\*c\*d)/e^2)^2>0)', see `assume?` for more details)Is (b/e-(2\*c\*d)/e^2)^2 -(4\*c\*((-(b\*d)/e)+(c\*d^2)/e^2+a))/e^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(f + gx)^2}{(d + ex) \sqrt{cx^2 + bx + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((f + g*x)^2/((d + e*x)*(a + b*x + c*x^2)^{(1/2)}), x)$

[Out]  $\text{int}((f + g*x)^2/((d + e*x)*(a + b*x + c*x^2)^{(1/2)}), x)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^2}{(d + ex) \sqrt{a + bx + cx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)**2/(e*x+d)/(c*x**2+b*x+a)**(1/2),x)
```

```
[Out] Integral((f + g*x)**2/((d + e*x)*sqrt(a + b*x + c*x**2)), x)
```

$$3.616 \quad \int \frac{f+gx}{(d+ex)\sqrt{a+bx+cx^2}} dx$$

Optimal. Leaf size=131

$$\frac{(ef - dg) \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{e\sqrt{ae^2 - bde + cd^2}} + \frac{g \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{\sqrt{c}e}$$

**Rubi** [A] time = 0.09, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {843, 621, 206, 724}

$$\frac{(ef - dg) \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{e\sqrt{ae^2 - bde + cd^2}} + \frac{g \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{\sqrt{c}e}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] (g\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])]/(Sqrt[c]\*e) + ((e\*f - d\*g)\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x]/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2]))/(e\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2])

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{f + gx}{(d + ex)\sqrt{a + bx + cx^2}} dx &= \frac{g \int \frac{1}{\sqrt{a+bx+cx^2}} dx}{e} + \frac{(ef - dg) \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx}{e} \\ &= \frac{(2g) \operatorname{Subst}\left(\int \frac{1}{4c-x^2} dx, x, \frac{b+2cx}{\sqrt{a+bx+cx^2}}\right)}{e} - \frac{(2(ef - dg)) \operatorname{Subst}\left(\int \frac{1}{4cd^2-4bde+4ae^2-x^2} dx\right)}{e} \\ &= \frac{g \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{\sqrt{c}e} + \frac{(ef - dg) \tanh^{-1}\left(\frac{bd-2ae+(2cd-be)x}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx+cx^2}}\right)}{e\sqrt{cd^2 - bde + ae^2}} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 126, normalized size = 0.96

$$\frac{\frac{(dg-ef) \tanh^{-1}\left(\frac{2ae-bd+bex-2cdx}{2\sqrt{a+x(b+cx)}\sqrt{e(ae-bd)+cd^2}}\right)}{\sqrt{e(ae-bd)+cd^2}} + \frac{g \tanh^{-1}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+x(b+cx)}}\right)}{\sqrt{c}}}{e}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]), x]

[Out] ((g\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)])])/Sqrt[c] + ((-(e\*f) + d\*g)\*ArcTanh[(-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x)/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)])\*Sqrt[a + x\*(b + c\*x)])])/Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]/e

**IntegrateAlgebraic [A]** time = 0.53, size = 152, normalized size = 1.16

$$\frac{2(dg - ef)\sqrt{-ae^2 + bde - cd^2} \tan^{-1}\left(\frac{-e\sqrt{a+bx+cx^2} + \sqrt{c}d + \sqrt{c}ex}{\sqrt{-ae^2 + bde - cd^2}}\right)}{e(ae^2 - bde + cd^2)} - \frac{g \log\left(-2\sqrt{c}e\sqrt{a + bx + cx^2} + be + 2cex\right)}{\sqrt{c}e}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(f + g\*x)/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]), x]

```
[Out] (-2*Sqrt[-(c*d^2) + b*d*e - a*e^2]*(-(e*f) + d*g)*ArcTan[(Sqrt[c]*d + Sqrt[
c]*e*x - e*Sqrt[a + b*x + c*x^2])/Sqrt[-(c*d^2) + b*d*e - a*e^2]])/(e*(c*d^
2 - b*d*e + a*e^2)) - (g*Log[b*e + 2*c*e*x - 2*Sqrt[c]*e*Sqrt[a + b*x + c*x
^2]])/(Sqrt[c]*e)
```

**fricas** [B] time = 31.64, size = 1071, normalized size = 8.18

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)/(e*x+d)/(c*x^2+b*x+a)^(1/2),x, algorithm="fricas")
```

```
[Out] [1/2*((c*d^2 - b*d*e + a*e^2)*sqrt(c)*g*log(-8*c^2*x^2 - 8*b*c*x - b^2 - 4*
sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(c) - 4*a*c) - sqrt(c*d^2 - b*d*e + a
*e^2)*(c*e*f - c*d*g)*log((8*a*b*d*e - 8*a^2*e^2 - (b^2 + 4*a*c)*d^2 - (8*c
^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^2 + 4*sqrt(c*d^2 - b*d*e + a*e^2)
*sqrt(c*x^2 + b*x + a)*(b*d - 2*a*e + (2*c*d - b*e)*x) - 2*(4*b*c*d^2 + 4*a
*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x)/(e^2*x^2 + 2*d*e*x + d^2)))/(c^2*d^2*e - b
*c*d*e^2 + a*c*e^3), 1/2*((c*d^2 - b*d*e + a*e^2)*sqrt(c)*g*log(-8*c^2*x^2
- 8*b*c*x - b^2 - 4*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(c) - 4*a*c) + 2*
sqrt(-c*d^2 + b*d*e - a*e^2)*(c*e*f - c*d*g)*arctan(-1/2*sqrt(-c*d^2 + b*d*
e - a*e^2)*sqrt(c*x^2 + b*x + a)*(b*d - 2*a*e + (2*c*d - b*e)*x)/(a*c*d^2 -
a*b*d*e + a^2*e^2 + (c^2*d^2 - b*c*d*e + a*c*e^2)*x^2 + (b*c*d^2 - b^2*d*e
+ a*b*e^2)*x)))/(c^2*d^2*e - b*c*d*e^2 + a*c*e^3), -1/2*(2*(c*d^2 - b*d*e
+ a*e^2)*sqrt(-c)*g*arctan(1/2*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(-c)/(
c^2*x^2 + b*c*x + a*c)) + sqrt(c*d^2 - b*d*e + a*e^2)*(c*e*f - c*d*g)*log((
8*a*b*d*e - 8*a^2*e^2 - (b^2 + 4*a*c)*d^2 - (8*c^2*d^2 - 8*b*c*d*e + (b^2 +
4*a*c)*e^2)*x^2 + 4*sqrt(c*d^2 - b*d*e + a*e^2)*sqrt(c*x^2 + b*x + a)*(b*d
- 2*a*e + (2*c*d - b*e)*x) - 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*
e)*x)/(e^2*x^2 + 2*d*e*x + d^2)))/(c^2*d^2*e - b*c*d*e^2 + a*c*e^3), -((c*d
^2 - b*d*e + a*e^2)*sqrt(-c)*g*arctan(1/2*sqrt(c*x^2 + b*x + a)*(2*c*x + b)
*sqrt(-c)/(c^2*x^2 + b*c*x + a*c)) - sqrt(-c*d^2 + b*d*e - a*e^2)*(c*e*f -
c*d*g)*arctan(-1/2*sqrt(-c*d^2 + b*d*e - a*e^2)*sqrt(c*x^2 + b*x + a)*(b*d
- 2*a*e + (2*c*d - b*e)*x)/(a*c*d^2 - a*b*d*e + a^2*e^2 + (c^2*d^2 - b*c*d*
e + a*c*e^2)*x^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x)))/(c^2*d^2*e - b*c*d*e^
2 + a*c*e^3)]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)/(e*x+d)/(c*x^2+b*x+a)^(1/2),x, algorithm="giac")
```

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);;OUTPUT:Error: Bad Argument Type

**maple [B]** time = 0.01, size = 349, normalized size = 2.66

$$d g \ln \left( \frac{\left( \frac{(b e - 2 c d) \left( x + \frac{d}{c} \right) + 2 a e^2 - 2 b d e + 2 c d^2}{c^2} + 2 \sqrt{\frac{a e^2 - b d e + c d^2}{c^2}} \sqrt{\frac{\left( x + \frac{d}{c} \right)^2}{c^2} + \frac{(b e - 2 c d) \left( x + \frac{d}{c} \right) + a e^2 - b d e + c d^2}{c^2}} \right)}{x + \frac{d}{c}} \right)}{\sqrt{\frac{a e^2 - b d e + c d^2}{c^2}} e^2} - f \ln \left( \frac{\left( \frac{(b e - 2 c d) \left( x + \frac{d}{c} \right) + 2 a e^2 - 2 b d e + 2 c d^2}{c^2} + 2 \sqrt{\frac{a e^2 - b d e + c d^2}{c^2}} \sqrt{\frac{\left( x + \frac{d}{c} \right)^2}{c^2} + \frac{(b e - 2 c d) \left( x + \frac{d}{c} \right) + a e^2 - b d e + c d^2}{c^2}} \right)}{x + \frac{d}{c}} \right)}{\sqrt{\frac{a e^2 - b d e + c d^2}{c^2}} e} + g \ln \left( \frac{c x + \frac{b}{\sqrt{c}} + \sqrt{c x^2 + b x + a}}{\sqrt{c} e} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2),x)

[Out]  $1/e * g * \ln((c*x + 1/2*b)/c^{(1/2)} + (c*x^2 + b*x + a)^{(1/2)})/c^{(1/2)} + 1/e^2 / ((a*e^2 - b*d * e + c*d^2)/e^2)^{(1/2)} * \ln(((b*e - 2*c*d)*(x+d/e)/e + 2*(a*e^2 - b*d*e + c*d^2)/e^2 + 2 * ((a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)} * ((x+d/e)^2 * c + (b*e - 2*c*d)*(x+d/e)/e + (a*e^2 - b * d * e + c*d^2)/e^2)^{(1/2)}) / (x+d/e) * d * g - 1/e / ((a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)} * \ln(((b*e - 2*c*d)*(x+d/e)/e + 2*(a*e^2 - b*d*e + c*d^2)/e^2 + 2 * ((a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)} * ((x+d/e)^2 * c + (b*e - 2*c*d)*(x+d/e)/e + (a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)}) / (x+d/e) * f$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* h elp (example of legal syntax is 'assume((b/e-(2\*c\*d)/e^2)^2>0)', see `assum e?` for more details)Is (b/e-(2\*c\*d)/e^2)^2 - (4\*c \* ((- (b\*d)/e) + (c\*d^2)/e^2 + a)) / e^2 zero or nonzero?

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{f + g x}{(d + e x) \sqrt{c x^2 + b x + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)/((d + e\*x)\*(a + b\*x + c\*x^2)^(1/2)),x)

[Out] int((f + g\*x)/((d + e\*x)\*(a + b\*x + c\*x^2)^(1/2)), x)



sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{f + gx}{(d + ex) \sqrt{a + bx + cx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)/(e*x+d)/(c*x**2+b*x+a)**(1/2), x)
```

```
[Out] Integral((f + g*x)/((d + e*x)*sqrt(a + b*x + c*x**2)), x)
```

$$3.617 \quad \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx$$

**Optimal.** Leaf size=79

$$\frac{\tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{\sqrt{ae^2-bde+cd^2}}$$

**Rubi [A]** time = 0.04, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {724, 206}

$$\frac{\tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{\sqrt{ae^2-bde+cd^2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])/Sqrt[c\*d^2 - b\*d\*e + a\*e^2]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] :> Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rubi steps

$$\begin{aligned} \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx &= -\left(2 \text{Subst}\left(\int \frac{1}{4cd^2 - 4bde + 4ae^2 - x^2} dx, x, \frac{-bd + 2ae - (2cd - be)x}{\sqrt{a + bx + cx^2}}\right)\right) \\ &= \frac{\tanh^{-1}\left(\frac{bd-2ae+(2cd-be)x}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx+cx^2}}\right)}{\sqrt{cd^2-bde+ae^2}} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 78, normalized size = 0.99

$$\frac{\tanh^{-1}\left(\frac{2ae-bd+bex-2cdx}{2\sqrt{a+x(b+cx)}\sqrt{e(ae-bd)+cd^2}}\right)}{\sqrt{e(ae-bd)+cd^2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] -(ArcTanh[(-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x)/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)])\*Sqrt[a + x\*(b + c\*x)])/Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)])

**IntegrateAlgebraic [A]** time = 0.00, size = 138, normalized size = 1.75

$$\frac{2\sqrt{-ae^2 + bde - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+bx+cx^2}}{\sqrt{-ae^2+bde-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2+bde-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2+bde-cd^2}}\right)}{ae^2 - bde + cd^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] (2\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] - (e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2])/(c\*d^2 - b\*d\*e + a\*e^2)

**fricas [B]** time = 0.55, size = 343, normalized size = 4.34

$$\left[ \frac{\log\left(\frac{8abde-8a^2d^2-(b^2+4ac)d^2-(8c^2d^2-8bcde+(b^2+4ac)^2)x^2-4\sqrt{cd^2-bde+ae^2}\sqrt{cx^2+bx+a}(bd-2ac+(2cd-be)x)-2(4bcd^2+4abc^2-(3b^2+4ac)de)x}{c^2x^2+2dex+d^2}\right)}{2\sqrt{cd^2-bde+ae^2}}, \frac{\sqrt{-cd^2+bde-ae^2} \arctan\left(\frac{\sqrt{-cd^2+bde-ae^2}\sqrt{cx^2+bx+a}(bd-2ac+(2cd-be)x)}{2(ae^2-abde+a^2d^2+(c^2d^2-bcde+ae^2)x^2+(bcd^2-b^2de+abc^2)x)}\right)}{cd^2-bde+ae^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2),x, algorithm="fricas")

[Out] [1/2\*log((8\*a\*b\*d\*e - 8\*a^2\*e^2 - (b^2 + 4\*a\*c)\*d^2 - (8\*c^2\*d^2 - 8\*b\*c\*d\*e + (b^2 + 4\*a\*c)\*e^2)\*x^2 - 4\*sqrt(c\*d^2 - b\*d\*e + a\*e^2)\*sqrt(c\*x^2 + b\*x + a)\*(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x) - 2\*(4\*b\*c\*d^2 + 4\*a\*b\*e^2 - (3\*b^2 + 4\*a\*c)\*d\*e)\*x)/(e^2\*x^2 + 2\*d\*e\*x + d^2))/sqrt(c\*d^2 - b\*d\*e + a\*e^2), sqrt(-c\*d^2 + b\*d\*e - a\*e^2)\*arctan(-1/2\*sqrt(-c\*d^2 + b\*d\*e - a\*e^2)\*sqrt(c\*x^2 + b\*x + a)\*(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(a\*c\*d^2 - a\*b\*d\*e + a^2\*e^2 + (c^2\*d^2 - b\*c\*d\*e + a\*c\*e^2)\*x^2 + (b\*c\*d^2 - b^2\*d\*e + a\*b\*e^2)\*x))/(c\*d^2 - b\*d\*e + a\*e^2)]

**giac** [A] time = 0.23, size = 72, normalized size = 0.91

$$\frac{2 \arctan\left(-\frac{(\sqrt{c}x - \sqrt{cx^2 + bx + a})e + \sqrt{cd}}{\sqrt{-cd^2 + bde - ae^2}}\right)}{\sqrt{-cd^2 + bde - ae^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2),x, algorithm="giac")

[Out] 2\*arctan(-((sqrt(c)\*x - sqrt(c\*x^2 + b\*x + a))\*e + sqrt(c)\*d)/sqrt(-c\*d^2 + b\*d\*e - a\*e^2))/sqrt(-c\*d^2 + b\*d\*e - a\*e^2)

**maple** [B] time = 0.01, size = 157, normalized size = 1.99

$$\frac{\ln\left(\frac{\frac{(be-2cd)\left(x+\frac{d}{e}\right)}{e} + \frac{2ae^2-2bde+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-bde+cd^2}{e^2}} \sqrt{\left(x+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x+\frac{d}{e}\right)}{e} + \frac{ae^2-bde+cd^2}{e^2}}}{x+\frac{d}{e}}\right)}{\sqrt{\frac{ae^2-bde+cd^2}{e^2}} e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2),x)

[Out] -1/e/((a\*e^2-b\*d\*e+c\*d^2)/e^2)^(1/2)\*ln(((b\*e-2\*c\*d)\*(x+d/e)/e+2\*(a\*e^2-b\*d\*e+c\*d^2)/e^2+2\*((a\*e^2-b\*d\*e+c\*d^2)/e^2)^(1/2)\*((x+d/e)^2\*c+(b\*e-2\*c\*d)\*(x+d/e)/e+(a\*e^2-b\*d\*e+c\*d^2)/e^2)^(1/2))/(x+d/e))

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x^2+b\*x+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-b\*d\*e>0)', see `assume?` for more details)Is a\*e^2-b\*d\*e +c\*d^2 positive, negative or zero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(d+ex)\sqrt{cx^2+bx+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d + e*x)*(a + b*x + c*x^2)^(1/2)), x)`

[Out] `int(1/((d + e*x)*(a + b*x + c*x^2)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex) \sqrt{a + bx + cx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)/(c*x**2+b*x+a)**(1/2), x)`

[Out] `Integral(1/((d + e*x)*sqrt(a + b*x + c*x**2)), x)`

$$3.618 \quad \int \frac{1}{(d+ex)(f+gx)\sqrt{a+bx+cx^2}} dx$$

Optimal. Leaf size=182

$$\frac{e \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{(ef-dg)\sqrt{ae^2-bde+cd^2}} - \frac{g \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right)}{(ef-dg)\sqrt{ag^2-bfg+cf^2}}$$

**Rubi [A]** time = 0.22, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {960, 724, 206}

$$\frac{e \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{(ef-dg)\sqrt{ae^2-bde+cd^2}} - \frac{g \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right)}{(ef-dg)\sqrt{ag^2-bfg+cf^2}}$$

Antiderivative was successfully verified.

```
[In] Int[1/((d + e*x)*(f + g*x)*Sqrt[a + b*x + c*x^2]), x]
```

```
[Out] (e*ArcTanh[(b*d - 2*a*e + (2*c*d - b*e)*x)/(2*Sqrt[c*d^2 - b*d*e + a*e^2]*Sqrt[a + b*x + c*x^2]))/(Sqrt[c*d^2 - b*d*e + a*e^2]*(e*f - d*g)) - (g*ArcTanh[(b*f - 2*a*g + (2*c*f - b*g)*x)/(2*Sqrt[c*f^2 - b*f*g + a*g^2]*Sqrt[a + b*x + c*x^2]))/((e*f - d*g)*Sqrt[c*f^2 - b*f*g + a*g^2])
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 724

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 960

```
Int[((d_) + (e_)*(x_)^m)*((f_) + (g_)*(x_)^n)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^p, x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (
```

IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

### Rubi steps

$$\begin{aligned} \int \frac{1}{(d+ex)(f+gx)\sqrt{a+bx+cx^2}} dx &= \int \left( \frac{e}{(ef-dg)(d+ex)\sqrt{a+bx+cx^2}} - \frac{g}{(ef-dg)(f+gx)\sqrt{a+bx+cx^2}} \right) dx \\ &= \frac{e \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx}{ef-dg} - \frac{g \int \frac{1}{(f+gx)\sqrt{a+bx+cx^2}} dx}{ef-dg} \\ &= \frac{(2e) \text{Subst} \left( \int \frac{1}{4cd^2-4bde+4ae^2-x^2} dx, x, \frac{-bd+2ae-(2cd-be)x}{\sqrt{a+bx+cx^2}} \right)}{ef-dg} + \frac{(2g) \text{Subst} \left( \int \frac{1}{4cf^2-4bfg+4ag^2-x^2} dx, x, \frac{-bf+2ag-(2cf-bg)x}{\sqrt{a+bx+cx^2}} \right)}{ef-dg} \\ &= \frac{e \tanh^{-1} \left( \frac{bd-2ae+(2cd-be)x}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx+cx^2}} \right)}{\sqrt{cd^2-bde+ae^2}(ef-dg)} - \frac{g \tanh^{-1} \left( \frac{bf-2ag+(2cf-bg)x}{2\sqrt{cf^2-bfg+ag^2}\sqrt{a+bx+cx^2}} \right)}{(ef-dg)\sqrt{cf^2-bfg+ag^2}} \end{aligned}$$

**Mathematica [A]** time = 0.25, size = 169, normalized size = 0.93

$$\frac{\frac{g \tanh^{-1} \left( \frac{-2ag+b(f-gx)+2cfx}{2\sqrt{a+x(b+cx)}\sqrt{g(ag-bf)+cf^2}} \right)}{\sqrt{g(ag-bf)+cf^2}} - \frac{e \tanh^{-1} \left( \frac{-2ae+b(d-ex)+2cdx}{2\sqrt{a+x(b+cx)}\sqrt{e(ae-bd)+cd^2}} \right)}{\sqrt{e(ae-bd)+cd^2}}}{dg-ef}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(f + g\*x)\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] (-((e\*ArcTanh[(-2\*a\*e + 2\*c\*d\*x + b\*(d - e\*x))/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)])\*Sqrt[a + x\*(b + c\*x)]])/Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]) + (g\*ArcTanh[(-2\*a\*g + 2\*c\*f\*x + b\*(f - g\*x))/(2\*Sqrt[c\*f^2 + g\*(-(b\*f) + a\*g)])\*Sqrt[a + x\*(b + c\*x)]])/Sqrt[c\*f^2 + g\*(-(b\*f) + a\*g)]/(-(e\*f) + d\*g)

**IntegrateAlgebraic [A]** time = 0.87, size = 299, normalized size = 1.64

$$\frac{2e\sqrt{-ae^2+bde-cd^2} \tan^{-1} \left( -\frac{e\sqrt{a+bx+cx^2}}{\sqrt{-ae^2+bde-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2+bde-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2+bde-cd^2}} \right)}{(dg-ef)(ae^2-bde+cd^2)} - \frac{2g\sqrt{-ag^2+bfg-cf^2} \tan^{-1} \left( -\frac{g\sqrt{a+bx+cx^2}}{\sqrt{-ag^2+bfg-cf^2}} + \frac{\sqrt{c}gx}{\sqrt{-ag^2+bfg-cf^2}} + \frac{\sqrt{c}f}{\sqrt{-ag^2+bfg-cf^2}} \right)}{(ef-dg)(ag^2-bfg+cf^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(f + g\*x)\*Sqrt[a + b\*x + c\*x^2]),x]

```
[Out] (-2*e*Sqrt[-(c*d^2) + b*d*e - a*e^2]*ArcTan[(Sqrt[c]*d)/Sqrt[-(c*d^2) + b*d
*e - a*e^2] + (Sqrt[c]*e*x)/Sqrt[-(c*d^2) + b*d*e - a*e^2] - (e*Sqrt[a + b*
x + c*x^2])/Sqrt[-(c*d^2) + b*d*e - a*e^2])/((c*d^2 - b*d*e + a*e^2)*(-(e*
f) + d*g)) - (2*g*Sqrt[-(c*f^2) + b*f*g - a*g^2]*ArcTan[(Sqrt[c]*f)/Sqrt[-(
c*f^2) + b*f*g - a*g^2] + (Sqrt[c]*g*x)/Sqrt[-(c*f^2) + b*f*g - a*g^2] - (g
*Sqrt[a + b*x + c*x^2])/Sqrt[-(c*f^2) + b*f*g - a*g^2])/((e*f - d*g)*(c*f^
2 - b*f*g + a*g^2))
```

**fricas [B]** time = 123.75, size = 1952, normalized size = 10.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x+d)/(g*x+f)/(c*x^2+b*x+a)^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/2*((c*d^2 - b*d*e + a*e^2)*sqrt(c*f^2 - b*f*g + a*g^2)*g*log((8*a*b*f*g
- 8*a^2*g^2 - (b^2 + 4*a*c)*f^2 - (8*c^2*f^2 - 8*b*c*f*g + (b^2 + 4*a*c)*g
^2)*x^2 - 4*sqrt(c*f^2 - b*f*g + a*g^2)*sqrt(c*x^2 + b*x + a)*(b*f - 2*a*g
+ (2*c*f - b*g)*x) - 2*(4*b*c*f^2 + 4*a*b*g^2 - (3*b^2 + 4*a*c)*f*g)*x)/(g^
2*x^2 + 2*f*g*x + f^2)) + (c*e*f^2 - b*e*f*g + a*e*g^2)*sqrt(c*d^2 - b*d*e
+ a*e^2)*log((8*a*b*d*e - 8*a^2*e^2 - (b^2 + 4*a*c)*d^2 - (8*c^2*d^2 - 8*b*
c*d*e + (b^2 + 4*a*c)*e^2)*x^2 + 4*sqrt(c*d^2 - b*d*e + a*e^2)*sqrt(c*x^2 +
b*x + a)*(b*d - 2*a*e + (2*c*d - b*e)*x) - 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b
^2 + 4*a*c)*d*e)*x)/(e^2*x^2 + 2*d*e*x + d^2)))/((c^2*d^2*e - b*c*d*e^2 + a
*c*e^3)*f^3 - (c^2*d^3 + a*b*e^3 - (b^2 - a*c)*d*e^2)*f^2*g + (b*c*d^3 + a^
2*e^3 - (b^2 - a*c)*d^2*e)*f*g^2 - (a*c*d^3 - a*b*d^2*e + a^2*d*e^2)*g^3),
-1/2*(2*(c*d^2 - b*d*e + a*e^2)*sqrt(-c*f^2 + b*f*g - a*g^2)*g*arctan(-1/2*
sqrt(-c*f^2 + b*f*g - a*g^2)*sqrt(c*x^2 + b*x + a)*(b*f - 2*a*g + (2*c*f -
b*g)*x)/(a*c*f^2 - a*b*f*g + a^2*g^2 + (c^2*f^2 - b*c*f*g + a*c*g^2)*x^2 +
(b*c*f^2 - b^2*f*g + a*b*g^2)*x)) + (c*e*f^2 - b*e*f*g + a*e*g^2)*sqrt(c*d^
2 - b*d*e + a*e^2)*log((8*a*b*d*e - 8*a^2*e^2 - (b^2 + 4*a*c)*d^2 - (8*c^2*
d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^2 + 4*sqrt(c*d^2 - b*d*e + a*e^2)*sq
rt(c*x^2 + b*x + a)*(b*d - 2*a*e + (2*c*d - b*e)*x) - 2*(4*b*c*d^2 + 4*a*b*
e^2 - (3*b^2 + 4*a*c)*d*e)*x)/(e^2*x^2 + 2*d*e*x + d^2)))/((c^2*d^2*e - b*c
*d*e^2 + a*c*e^3)*f^3 - (c^2*d^3 + a*b*e^3 - (b^2 - a*c)*d*e^2)*f^2*g + (b*
c*d^3 + a^2*e^3 - (b^2 - a*c)*d^2*e)*f*g^2 - (a*c*d^3 - a*b*d^2*e + a^2*d*e
^2)*g^3), -1/2*((c*d^2 - b*d*e + a*e^2)*sqrt(c*f^2 - b*f*g + a*g^2)*g*log((
8*a*b*f*g - 8*a^2*g^2 - (b^2 + 4*a*c)*f^2 - (8*c^2*f^2 - 8*b*c*f*g + (b^2 +
4*a*c)*g^2)*x^2 - 4*sqrt(c*f^2 - b*f*g + a*g^2)*sqrt(c*x^2 + b*x + a)*(b*f
- 2*a*g + (2*c*f - b*g)*x) - 2*(4*b*c*f^2 + 4*a*b*g^2 - (3*b^2 + 4*a*c)*f*
g)*x)/(g^2*x^2 + 2*f*g*x + f^2)) - 2*(c*e*f^2 - b*e*f*g + a*e*g^2)*sqrt(-c*
d^2 + b*d*e - a*e^2)*arctan(-1/2*sqrt(-c*d^2 + b*d*e - a*e^2)*sqrt(c*x^2 +
b*x + a)*(b*d - 2*a*e + (2*c*d - b*e)*x)/(a*c*d^2 - a*b*d*e + a^2*e^2 + (c^
2*d^2 - b*c*d*e + a*c*e^2)*x^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x)))/((c^2*d
^2*e - b*c*d*e^2 + a*c*e^3)*f^3 - (c^2*d^3 + a*b*e^3 - (b^2 - a*c)*d*e^2)*f
^2*g + (b*c*d^3 + a^2*e^3 - (b^2 - a*c)*d^2*e)*f*g^2 - (a*c*d^3 - a*b*d^2*e
```



+ a^2\*d\*e^2)\*g^3), -((c\*d^2 - b\*d\*e + a\*e^2)\*sqrt(-c\*f^2 + b\*f\*g - a\*g^2)\*g\*arctan(-1/2\*sqrt(-c\*f^2 + b\*f\*g - a\*g^2)\*sqrt(c\*x^2 + b\*x + a)\*(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(a\*c\*f^2 - a\*b\*f\*g + a^2\*g^2 + (c^2\*f^2 - b\*c\*f\*g + a\*c\*g^2)\*x^2 + (b\*c\*f^2 - b^2\*f\*g + a\*b\*g^2)\*x)) - (c\*e\*f^2 - b\*e\*f\*g + a\*e\*g^2)\*sqrt(-c\*d^2 + b\*d\*e - a\*e^2)\*arctan(-1/2\*sqrt(-c\*d^2 + b\*d\*e - a\*e^2)\*sqrt(c\*x^2 + b\*x + a)\*(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(a\*c\*d^2 - a\*b\*d\*e + a^2\*e^2 + (c^2\*d^2 - b\*c\*d\*e + a\*c\*e^2)\*x^2 + (b\*c\*d^2 - b^2\*d\*e + a\*b\*e^2)\*x)))/((c^2\*d^2\*e - b\*c\*d\*e^2 + a\*c\*e^3)\*f^3 - (c^2\*d^3 + a\*b\*e^3 - (b^2 - a\*c)\*d\*e^2)\*f^2\*g + (b\*c\*d^3 + a^2\*e^3 - (b^2 - a\*c)\*d^2\*e)\*f\*g^2 - (a\*c\*d^3 - a\*b\*d^2\*e + a^2\*d\*e^2)\*g^3)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

sage2

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a)^(1/2),x, algorithm="giac")

[Out] sage2

**maple** [A] time = 0.02, size = 327, normalized size = 1.80

$$\frac{\ln\left(\frac{(bc-2cf)\left(x+\frac{d}{c}\right)+\frac{2ae^2-2bde+2cd^2}{c^2}+2\sqrt{\frac{ae^2-bde+cd^2}{c^2}}\sqrt{\left(x+\frac{d}{c}\right)^2c+\frac{(bc-2cf)\left(x+\frac{d}{c}\right)+\frac{ae^2-bde+cd^2}{c^2}}}{x+\frac{d}{c}}\right)}{(dg-ef)\sqrt{\frac{ae^2-bde+cd^2}{c^2}}}-\frac{\ln\left(\frac{(bg-2cf)\left(x+\frac{f}{g}\right)+\frac{2ag^2-2bfg+2cf^2}{g^2}+2\sqrt{\frac{ag^2-bfg+cf^2}{g^2}}\sqrt{\left(x+\frac{f}{g}\right)^2c+\frac{(bg-2cf)\left(x+\frac{f}{g}\right)+\frac{ag^2-bfg+cf^2}{g^2}}}{x+\frac{f}{g}}\right)}{(dg-ef)\sqrt{\frac{ag^2-bfg+cf^2}{g^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a)^(1/2),x)

[Out] -1/(d\*g-e\*f)/((a\*g^2-b\*f\*g+c\*f^2)/g^2)^(1/2)\*ln(((b\*g-2\*c\*f)\*(x+f/g)/g+2\*(a\*g^2-b\*f\*g+c\*f^2)/g^2+2\*((a\*g^2-b\*f\*g+c\*f^2)/g^2)^(1/2)\*((x+f/g)^2\*c+(b\*g-2\*c\*f)\*(x+f/g)/g+(a\*g^2-b\*f\*g+c\*f^2)/g^2)^(1/2))/(x+f/g))+1/(d\*g-e\*f)/((a\*e^2-b\*d\*e+c\*d^2)/e^2)^(1/2)\*ln(((b\*e-2\*c\*d)\*(x+d/e)/e+2\*(a\*e^2-b\*d\*e+c\*d^2)/e^2+2\*((a\*e^2-b\*d\*e+c\*d^2)/e^2)^(1/2)\*((x+d/e)^2\*c+(b\*e-2\*c\*d)\*(x+d/e)/e+(a\*e^2-b\*d\*e+c\*d^2)/e^2)^(1/2))/(x+d/e))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^2 + bx + a}(ex + d)(gx + f)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c\*x^2 + b\*x + a)\*(e\*x + d)\*(g\*x + f)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(f + gx)(d + ex)\sqrt{cx^2 + bx + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((f + g\*x)\*(d + e\*x)\*(a + b\*x + c\*x^2)^(1/2)),x)

[Out] int(1/((f + g\*x)\*(d + e\*x)\*(a + b\*x + c\*x^2)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex)(f + gx)\sqrt{a + bx + cx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x\*\*2+b\*x+a)\*\*(1/2),x)

[Out] Integral(1/((d + e\*x)\*(f + g\*x)\*sqrt(a + b\*x + c\*x\*\*2)), x)

$$3.619 \quad \int \frac{1}{(d+ex)(f+gx)^2 \sqrt{a+bx+cx^2}} dx$$

**Optimal.** Leaf size=340

$$\frac{e^2 \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2} \sqrt{ae^2-bde+cd^2}}\right)}{(ef-dg)^2 \sqrt{ae^2-bde+cd^2}} + \frac{g^2 \sqrt{a+bx+cx^2}}{(f+gx)(ef-dg)(ag^2-bfg+cf^2)} - \frac{eg \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2} \sqrt{ag^2-bfg+cf^2}}\right)}{(ef-dg)^2 \sqrt{ag^2-bfg+cf^2}}$$

**Rubi [A]** time = 0.39, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {960, 724, 206, 730}

$$\frac{e^2 \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2} \sqrt{ae^2-bde+cd^2}}\right)}{(ef-dg)^2 \sqrt{ae^2-bde+cd^2}} + \frac{g^2 \sqrt{a+bx+cx^2}}{(f+gx)(ef-dg)(ag^2-bfg+cf^2)} - \frac{eg \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2} \sqrt{ag^2-bfg+cf^2}}\right)}{(ef-dg)^2 \sqrt{ag^2-bfg+cf^2}} - \frac{g(2cf-bg) \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2} \sqrt{ag^2-bfg+cf^2}}\right)}{2(ef-dg)(ag^2-bfg+cf^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(f + g\*x)^2\*Sqrt[a + b\*x + c\*x^2]), x]

[Out] (g^2\*Sqrt[a + b\*x + c\*x^2])/((e\*f - d\*g)\*(c\*f^2 - b\*f\*g + a\*g^2)\*(f + g\*x)) + (e^2\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2]))/(Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*(e\*f - d\*g)^2) - (g\*(2\*c\*f - b\*g)\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2]))/(2\*(e\*f - d\*g)\*(c\*f^2 - b\*f\*g + a\*g^2)^(3/2)) - (e\*g\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2]))/((e\*f - d\*g)^2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2])

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 724

Int[1/(((d\_) + (e\_)\*(x\_))\*Sqrt[(a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 730

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[(e\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((m + 1)\*(c\*

$d^2 - b*d*e + a*e^2$ ), x] + Dist[(2\*c\*d - b\*e)/(2\*(c\*d^2 - b\*d\*e + a\*e^2)),  
 Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e,  
 m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2  
 \*c\*d - b\*e, 0] && EqQ[m + 2\*p + 3, 0]

### Rule 960

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_  
 + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g  
 \*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ  
 [e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && (  
 IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

### Rubi steps

$$\begin{aligned} \int \frac{1}{(d+ex)(f+gx)^2\sqrt{a+bx+cx^2}} dx &= \int \left( \frac{e^2}{(ef-dg)^2(d+ex)\sqrt{a+bx+cx^2}} - \frac{g}{(ef-dg)(f+gx)^2\sqrt{a+bx+cx^2}} \right) dx \\ &= \frac{e^2 \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx}{(ef-dg)^2} - \frac{(eg) \int \frac{1}{(f+gx)\sqrt{a+bx+cx^2}} dx}{(ef-dg)^2} - \frac{g \int \frac{1}{(f+gx)^2\sqrt{a+bx+cx^2}} dx}{ef-dg} \\ &= \frac{g^2\sqrt{a+bx+cx^2}}{(ef-dg)(cf^2-bfg+ag^2)(f+gx)} - \frac{(2e^2) \text{Subst}\left(\int \frac{1}{4cd^2-4bde+4ae^2-x^2} dx\right)}{(ef-dg)^2} \\ &= \frac{g^2\sqrt{a+bx+cx^2}}{(ef-dg)(cf^2-bfg+ag^2)(f+gx)} + \frac{e^2 \tanh^{-1}\left(\frac{bd-2ae+(2cd-be)x}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx+cx^2}}\right)}{\sqrt{cd^2-bde+ae^2}(ef-dg)^2} \\ &= \frac{g^2\sqrt{a+bx+cx^2}}{(ef-dg)(cf^2-bfg+ag^2)(f+gx)} + \frac{e^2 \tanh^{-1}\left(\frac{bd-2ae+(2cd-be)x}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx+cx^2}}\right)}{\sqrt{cd^2-bde+ae^2}(ef-dg)^2} \end{aligned}$$

**Mathematica** [A] time = 0.95, size = 256, normalized size = 0.75

$$\frac{-\frac{2e^2 \tanh^{-1}\left(\frac{-2ae+b(d-ex)+2cdx}{2\sqrt{a+x(b+cx)}\sqrt{e(ae-bd)+cd^2}}\right)}{\sqrt{e(ae-bd)+cd^2}} + \frac{2g^2\sqrt{a+x(b+cx)}(dg-ef)}{(f+gx)(g(ag-bf)+cf^2)} + \frac{g(g(2aeg+bdg-3bef)+2cf(2ef-dg)) \tanh^{-1}\left(\frac{-2ag+b(f-gx)+2cfx}{2\sqrt{a+x(b+cx)}\sqrt{g(ag-bf)+cf^2}}\right)}{(g(ag-bf)+cf^2)^{3/2}}}{2(ef-dg)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(f + g\*x)^2\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] 
$$-1/2*((2*g^2*(-(e*f) + d*g)*Sqrt[a + x*(b + c*x)])/((c*f^2 + g*(-(b*f) + a*g))*(f + g*x)) - (2*e^2*ArcTanh[(-2*a*e + 2*c*d*x + b*(d - e*x))/(2*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*Sqrt[a + x*(b + c*x)])])/Sqrt[c*d^2 + e*(-(b*d) + a*e)] + (g*(2*c*f*(2*e*f - d*g) + g*(-3*b*e*f + b*d*g + 2*a*e*g))*ArcTanh[(-2*a*g + 2*c*f*x + b*(f - g*x))/(2*Sqrt[c*f^2 + g*(-(b*f) + a*g)]*Sqrt[a + x*(b + c*x)])])/((c*f^2 + g*(-(b*f) + a*g))^(3/2))/(e*f - d*g)^2$$

**IntegrateAlgebraic [B]** time = 21.82, size = 2266, normalized size = 6.66

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(f + g\*x)^2\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] 
$$\begin{aligned} &(-((b*Sqrt[c]*f*g^2*x^2)/(e*f - d*g)) + (2*a*Sqrt[c]*g^3*x^2)/(e*f - d*g) - \\ &(2*c^(3/2)*f*g^2*x^3)/(e*f - d*g) + (b*Sqrt[c]*g^3*x^3)/(e*f - d*g) + (2*c \\ &*f*g^2*x^2*Sqrt[a + b*x + c*x^2])/(e*f - d*g) - (b*g^3*x^2*Sqrt[a + b*x + c \\ &*x^2])/(e*f - d*g))/((f + g*x)*(b*f^3 - 2*a*f^2*g + (b*f^2*g - 2*a*f*g^2)*x \\ &+ (- (c*f^2*g) + b*f*g^2 - a*g^3)*x^2)*(b + 2*c*x - 2*Sqrt[c]*Sqrt[a + b*x \\ &+ c*x^2])) - (2*e^2*ArcTan[(Sqrt[c]*d)/Sqrt[-(c*d^2) + b*d*e - a*e^2] + (Sqrt[c]*e*x)/Sqrt[-(c*d^2) + b*d*e - a*e^2] - (e*Sqrt[a + b*x + c*x^2])/Sqrt[-(c*d^2) + b*d*e - a*e^2])]/(Sqrt[-(c*d^2) + b*d*e - a*e^2]*(e*f - d*g)^2) \\ &+ (-((b*Sqrt[c]*f^3*g)/((e*f - d*g)*(c*f^2 - b*f*g + a*g^2))) + (2*a*Sqrt[c] \\ &]*f^2*g^2)/((e*f - d*g)*(c*f^2 - b*f*g + a*g^2)) - (b*Sqrt[c]*f^2*g^2*x)/(( \\ &e*f - d*g)*(c*f^2 - b*f*g + a*g^2)) + (2*a*Sqrt[c]*f*g^3*x)/((e*f - d*g)*(c \\ &*f^2 - b*f*g + a*g^2)) - (b*f^2*g^2*Sqrt[a + b*x + c*x^2])/((e*f - d*g)*(c*f \\ &^2 - b*f*g + a*g^2)) + (2*a*f*g^3*Sqrt[a + b*x + c*x^2])/((e*f - d*g)*(c*f \\ &^2 - b*f*g + a*g^2)) + (b^2*f^3*g^2*ArcTan[(-(Sqrt[c]*f) - Sqrt[c]*g*x + g* \\ &Sqrt[a + b*x + c*x^2])/Sqrt[-(c*f^2) + b*f*g - a*g^2])]/((e*f - d*g)*Sqrt[- \\ &(c*f^2) + b*f*g - a*g^2]*(c*f^2 - b*f*g + a*g^2)) - (4*a*b*f^2*g^3*ArcTan[ \\ &- (Sqrt[c]*f) - Sqrt[c]*g*x + g*Sqrt[a + b*x + c*x^2])/Sqrt[-(c*f^2) + b*f*g \\ &- a*g^2])/((e*f - d*g)*Sqrt[-(c*f^2) + b*f*g - a*g^2]*(c*f^2 - b*f*g + a* \\ &g^2)) + (4*a^2*f*g^4*ArcTan[(-(Sqrt[c]*f) - Sqrt[c]*g*x + g*Sqrt[a + b*x + \\ &c*x^2])/Sqrt[-(c*f^2) + b*f*g - a*g^2])]/((e*f - d*g)*Sqrt[-(c*f^2) + b*f*g \\ &- a*g^2]*(c*f^2 - b*f*g + a*g^2)) + (b^2*f^2*g^3*x*ArcTan[(-(Sqrt[c]*f) - \\ &Sqrt[c]*g*x + g*Sqrt[a + b*x + c*x^2])/Sqrt[-(c*f^2) + b*f*g - a*g^2])]/((e \\ &*f - d*g)*Sqrt[-(c*f^2) + b*f*g - a*g^2]*(c*f^2 - b*f*g + a*g^2)) - (4*a*b* \\ &f*g^4*x*ArcTan[(-(Sqrt[c]*f) - Sqrt[c]*g*x + g*Sqrt[a + b*x + c*x^2])/Sqrt[ \\ &-(c*f^2) + b*f*g - a*g^2])]/((e*f - d*g)*Sqrt[-(c*f^2) + b*f*g - a*g^2]*(c* \\ &f^2 - b*f*g + a*g^2)) + (4*a^2*g^5*x*ArcTan[(-(Sqrt[c]*f) - Sqrt[c]*g*x + g \\ &*Sqrt[a + b*x + c*x^2])/Sqrt[-(c*f^2) + b*f*g - a*g^2])]/((e*f - d*g)*Sqrt[ \\ &-(c*f^2) + b*f*g - a*g^2]*(c*f^2 - b*f*g + a*g^2)) - (b*c*f^2*g^3*x^2*ArcTa \\ &n[(-(Sqrt[c]*f) - Sqrt[c]*g*x + g*Sqrt[a + b*x + c*x^2])/Sqrt[-(c*f^2) + b* \end{aligned}$$

$$\begin{aligned} & f*g - a*g^2] ] / ((e*f - d*g)*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] * (c*f^2 - b*f*g + \\ & a*g^2)) + (b^2*f*g^4*x^2*\text{ArcTan}[(-\text{Sqrt}[c]*f) - \text{Sqrt}[c]*g*x + g*\text{Sqrt}[a + b \\ & *x + c*x^2)]/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] ] / ((e*f - d*g)*\text{Sqrt}[-(c*f^2) + \\ & b*f*g - a*g^2] * (c*f^2 - b*f*g + a*g^2)) + (2*a*c*f*g^4*x^2*\text{ArcTan}[(-\text{Sqrt}[c] \\ & ]*f) - \text{Sqrt}[c]*g*x + g*\text{Sqrt}[a + b*x + c*x^2)]/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2 \\ & ] ] / ((e*f - d*g)*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] * (c*f^2 - b*f*g + a*g^2)) - \\ & (3*a*b*g^5*x^2*\text{ArcTan}[(-\text{Sqrt}[c]*f) - \text{Sqrt}[c]*g*x + g*\text{Sqrt}[a + b*x + c*x^2] \\ & )/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] ] / ((e*f - d*g)*\text{Sqrt}[-(c*f^2) + b*f*g - a*g \\ & ^2] * (c*f^2 - b*f*g + a*g^2)) + (2*a^2*g^6*x^2*\text{ArcTan}[(-\text{Sqrt}[c]*f) - \text{Sqrt}[c] \\ & ]*g*x + g*\text{Sqrt}[a + b*x + c*x^2)]/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] ] / (f*(e*f - \\ & d*g)*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] * (c*f^2 - b*f*g + a*g^2)) / (- (b*f^3) + \\ & 2*a*f^2*g + (- (b*f^2*g) + 2*a*f*g^2)*x + (c*f^2*g - b*f*g^2 + a*g^3)*x^2) + \\ & (4*e*g*\text{ArcTan}[\text{Sqrt}[c]*f]/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] + (\text{Sqrt}[c]*g*x)/\text{S} \\ & \text{qrt}[-(c*f^2) + b*f*g - a*g^2] - (g*\text{Sqrt}[a + b*x + c*x^2)]/\text{Sqrt}[-(c*f^2) + b \\ & *f*g - a*g^2] ] / ((e*f - d*g)^2*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] - (2*d*g^2*A \\ & \text{rcTan}[(\text{Sqrt}[c]*f)/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] + (\text{Sqrt}[c]*g*x)/\text{Sqrt}[-(c*f \\ & ^2) + b*f*g - a*g^2] - (g*\text{Sqrt}[a + b*x + c*x^2)]/\text{Sqrt}[-(c*f^2) + b*f*g - a \\ & g^2] ] / (f*(e*f - d*g)^2*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]) \end{aligned}$$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)^2/(c\*x^2+b\*x+a)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)^2/(c\*x^2+b\*x+a)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.02, size = 788, normalized size = 2.32

$$\frac{\frac{1}{2} \ln \left( \frac{(b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a} + (b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a}}{(b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a} + (b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a}} \right)}{2(dg - cf)(ag^2 - bfg + cf) \sqrt{\frac{d^2 - 2fg + f^2}{c}}} + \frac{cf \ln \left( \frac{(b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a} + (b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a}}{(b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a} + (b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a}} \right)}{(dg - cf)(ag^2 - bfg + cf) \sqrt{\frac{d^2 - 2fg + f^2}{c}}} + \frac{c \ln \left( \frac{(b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a} + (b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a}}{(b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a} + (b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a}} \right)}{(dg - cf) \sqrt{\frac{d^2 - 2fg + f^2}{c}}} + \frac{c \ln \left( \frac{(b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a} + (b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a}}{(b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a} + (b^2 - d^2) \sqrt{c} \sqrt{c x^2 + b x + a}} \right)}{(dg - cf) \sqrt{\frac{d^2 - 2fg + f^2}{c}}} + \frac{\sqrt{\left(x + \frac{b}{c}\right)^2 c + \frac{(b^2 - d^2)(c + a)}{c} + \frac{d^2 - 2fg + f^2}{c}}}{(dg - cf)(ag^2 - bfg + cf) \left(x + \frac{b}{c}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(g\*x+f)^2/(c\*x^2+b\*x+a)^(1/2),x)

[Out] 
$$-g/(d*g-e*f)/(a*g^2-b*f*g+c*f^2)/(x+f/g)*((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}+1/2*g/(d*g-e*f)/(a*g^2-b*f*g+c*f^2)/((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*\ln(((b*g-2*c*f)*(x+f/g)/g+2*(a*g^2-b*f*g+c*f^2)/g^2+2*((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2))*((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)})/(x+f/g))*b-1/(d*g-e*f)/(a*g^2-b*f*g+c*f^2)/((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*\ln(((b*g-2*c*f)*(x+f/g)/g+2*(a*g^2-b*f*g+c*f^2)/g^2+2*((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2))*((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)})/(x+f/g))*c*f+e/(d*g-e*f)^2/((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*\ln(((b*g-2*c*f)*(x+f/g)/g+2*(a*g^2-b*f*g+c*f^2)/g^2+2*((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2))*((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)})/(x+f/g))-e/(d*g-e*f)^2/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2))*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x+d/e))$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^2 + bx + a} (ex + d)(gx + f)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)^2/(c\*x^2+b\*x+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c\*x^2 + b\*x + a)\*(e\*x + d)\*(g\*x + f)^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(f + gx)^2 (d + ex) \sqrt{cx^2 + bx + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((f + g\*x)^2\*(d + e\*x)\*(a + b\*x + c\*x^2)^(1/2)),x)

[Out] int(1/((f + g\*x)^2\*(d + e\*x)\*(a + b\*x + c\*x^2)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex) (f + gx)^2 \sqrt{a + bx + cx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)\*\*2/(c\*x\*\*2+b\*x+a)\*\*(1/2),x)

[Out] Integral(1/((d + e\*x)\*(f + g\*x)\*\*2\*sqrt(a + b\*x + c\*x\*\*2)), x)

$$3.620 \quad \int \frac{1}{(d+ex)(f+gx)^3 \sqrt{a+bx+cx^2}} dx$$

**Optimal.** Leaf size=587

$$\frac{g(-4cg(ag+2bf)+3b^2g^2+8c^2f^2) \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right) + e^3 \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right) e^2g}{8(ef-dg)(ag^2-bfg+cf^2)^{5/2} + (ef-dg)^3\sqrt{ae^2-bde+cd^2}}$$

**Rubi [A]** time = 0.81, antiderivative size = 587, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 29, number of rules / integrand size = 0.207, Rules used = {960, 724, 206, 744, 806, 730}

$$\frac{g(-4cg(ag+2bf)+3b^2g^2+8c^2f^2) \tanh^{-1}\left(\frac{-2ag+x(2cf-bg)+bf}{2\sqrt{a+bx+cx^2}\sqrt{ag^2-bfg+cf^2}}\right) + e^3 \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right) e^2g}{8(ef-dg)(ag^2-bfg+cf^2)^{5/2} + (ef-dg)^3\sqrt{ae^2-bde+cd^2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(f + g\*x)^3\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] (g^2\*Sqrt[a + b\*x + c\*x^2])/(2\*(e\*f - d\*g)\*(c\*f^2 - b\*f\*g + a\*g^2)\*(f + g\*x)^2) + (3\*g^2\*(2\*c\*f - b\*g)\*Sqrt[a + b\*x + c\*x^2])/(4\*(e\*f - d\*g)\*(c\*f^2 - b\*f\*g + a\*g^2)^2\*(f + g\*x)) + (e\*g^2\*Sqrt[a + b\*x + c\*x^2])/((e\*f - d\*g)^2\*(c\*f^2 - b\*f\*g + a\*g^2)\*(f + g\*x)) + (e^3\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])]/(Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*(e\*f - d\*g)^3) - (e\*g\*(2\*c\*f - b\*g)\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(2\*(e\*f - d\*g)^2\*(c\*f^2 - b\*f\*g + a\*g^2)^(3/2)) - (e^2\*g\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(e\*f - d\*g)^3\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2] - (g\*(8\*c^2\*f^2 + 3\*b^2\*g^2 - 4\*c\*g\*(2\*b\*f + a\*g))\*ArcTanh[(b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)/(2\*Sqrt[c\*f^2 - b\*f\*g + a\*g^2]\*Sqrt[a + b\*x + c\*x^2])])/(8\*(e\*f - d\*g)\*(c\*f^2 - b\*f\*g + a\*g^2)^(5/2))

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 724**

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c,



d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 730

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[(2\*c\*d - b\*e)/(2\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && EqQ[m + 2\*p + 3, 0]

### Rule 744

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Simp[(e\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[1/((m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 1)\*Simp[c\*d\*(m + 1) - b\*e\*(m + p + 2) - c\*e\*(m + 2\*p + 3)\*x, x]\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && NeQ[m, -1] && ((LtQ[m, -1] && IntQuadraticQ[a, b, c, d, e, m, p, x]) || (SumSimplerQ[m, 1] && IntegerQ[p]) || ILtQ[Simplify[m + 2\*p + 3], 0])

### Rule 806

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] - Dist[(b\*(e\*f + d\*g) - 2\*(c\*d\*f + a\*e\*g))/(2\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

### Rule 960

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex)(f+gx)^3\sqrt{a+bx+cx^2}} dx &= \int \left( \frac{e^3}{(ef-dg)^3(d+ex)\sqrt{a+bx+cx^2}} - \frac{g}{(ef-dg)(f+gx)^3\sqrt{a+bx+cx^2}} \right) dx \\
&= \frac{e^3 \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx}{(ef-dg)^3} - \frac{(e^2g) \int \frac{1}{(f+gx)\sqrt{a+bx+cx^2}} dx}{(ef-dg)^3} - \frac{(eg) \int \frac{1}{(f+gx)^2\sqrt{a+bx+cx^2}} dx}{(ef-dg)} \\
&= \frac{g^2\sqrt{a+bx+cx^2}}{2(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2} + \frac{eg^2\sqrt{a+bx+cx^2}}{(ef-dg)^2(cf^2-bfg+ag^2)} \\
&= \frac{g^2\sqrt{a+bx+cx^2}}{2(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2} + \frac{3g^2(2cf-bg)\sqrt{a+bx+cx^2}}{4(ef-dg)(cf^2-bfg+ag^2)} \\
&= \frac{g^2\sqrt{a+bx+cx^2}}{2(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2} + \frac{3g^2(2cf-bg)\sqrt{a+bx+cx^2}}{4(ef-dg)(cf^2-bfg+ag^2)} \\
&= \frac{g^2\sqrt{a+bx+cx^2}}{2(ef-dg)(cf^2-bfg+ag^2)(f+gx)^2} + \frac{3g^2(2cf-bg)\sqrt{a+bx+cx^2}}{4(ef-dg)(cf^2-bfg+ag^2)}
\end{aligned}$$

**Mathematica [A]** time = 2.43, size = 549, normalized size = 0.94

$$\frac{g(ef-dg)^2 \left( \frac{6g\sqrt{a+bx+cx^2}(2cf-bg)}{(f+gx)(g(ag-bf)+cf)^2} - \frac{(-4g(ag+2bf)+3b^2g^2+8c^2f^2) \tanh^{-1}\left(\frac{-2ag+(f-g)+2cf}{2\sqrt{a+bx+cx^2}\sqrt{(ag-bf)+cf^2}}\right)}{(g(ag-bf)+cf)^2} \right) + \frac{8c^3 \tanh^{-1}\left(\frac{-2ag+(f-g)+2cf}{2\sqrt{a+bx+cx^2}\sqrt{(ag-bf)+cf^2}}\right)}{\sqrt{(a-bd)+c^2d^2}} + \frac{8g^2\sqrt{a+bx+cx^2}(ef-dg)}{(f+gx)(g(ag-bf)+cf)^2} - \frac{4g^2\sqrt{a+bx+cx^2}(ef-dg)^2}{(f+gx)^2(g(ag-bf)+cf)^2} + \frac{4g(bg-2cf)(ef-dg) \tanh^{-1}\left(\frac{-2ag+(f-g)+2cf}{2\sqrt{a+bx+cx^2}\sqrt{(ag-bf)+cf^2}}\right)}{(g(ag-bf)+cf)^2} - \frac{8e^2g \tanh^{-1}\left(\frac{-2ag+(f-g)+2cf}{2\sqrt{a+bx+cx^2}\sqrt{(ag-bf)+cf^2}}\right)}{\sqrt{(a-bd)+c^2d^2}}}{8(ef-dg)^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(f + g\*x)^3\*Sqrt[a + b\*x + c\*x^2]),x]

[Out] ((4\*g^2\*(e\*f - d\*g)^2\*Sqrt[a + x\*(b + c\*x)])/((c\*f^2 + g\*(-(b\*f) + a\*g))\*(f + g\*x)^2) + (8\*e\*g^2\*(e\*f - d\*g)\*Sqrt[a + x\*(b + c\*x)])/((c\*f^2 + g\*(-(b\*f) + a\*g))\*(f + g\*x)) + (8\*e^3\*ArcTanh[(-2\*a\*e + 2\*c\*d\*x + b\*(d - e\*x))/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*Sqrt[a + x\*(b + c\*x)])]/Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)] + (4\*e\*g\*(-2\*c\*f + b\*g)\*(e\*f - d\*g)\*ArcTanh[(-2\*a\*g + 2\*c\*f\*x + b\*(f - g\*x))/(2\*Sqrt[c\*f^2 + g\*(-(b\*f) + a\*g)]\*Sqrt[a + x\*(b + c\*x)])]/(c\*f^2 + g\*(-(b\*f) + a\*g))^(3/2) - (8\*e^2\*g\*ArcTanh[(-2\*a\*g + 2\*c\*f\*x + b\*(f - g\*x))/(2\*Sqrt[c\*f^2 + g\*(-(b\*f) + a\*g)]\*Sqrt[a + x\*(b + c\*x)])]/Sqrt[c\*f^2 + g\*(-(b\*f) + a\*g)] + g\*(e\*f - d\*g)^2\*((6\*g\*(2\*c\*f - b\*g)\*Sqrt[a + x\*(b + c\*x)])/((c\*f^2 + g\*(-(b\*f) + a\*g))^2\*(f + g\*x)) - ((8\*c^2\*f^2 + 3\*b^2\*g^2

$$- 4*c*g*(2*b*f + a*g))*ArcTanh[(-2*a*g + 2*c*f*x + b*(f - g*x))/(2*sqrt[c*f^2 + g*(-(b*f) + a*g)]*sqrt[a + x*(b + c*x)])]/(c*f^2 + g*(-(b*f) + a*g))^{5/2})/(8*(e*f - d*g)^3)$$

**IntegrateAlgebraic [F]** time = 180.02, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(f + g\*x)^3\*sqrt[a + b\*x + c\*x^2]),x]

[Out] \$Aborted

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)^3/(c\*x^2+b\*x+a)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac [B]** time = 3.26, size = 2256, normalized size = 3.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)^3/(c\*x^2+b\*x+a)^(1/2),x, algorithm="giac")

[Out] 
$$\frac{1}{4}*(8*c^2*d^2*f^2*g^3 - 8*b*c*d^2*f*g^4 + 3*b^2*d^2*g^5 - 4*a*c*d^2*g^5 - 24*c^2*d*f^3*g^2*e + 28*b*c*d*f^2*g^3*e - 10*b^2*d*f*g^4*e + 4*a*b*d*g^5*e + 24*c^2*f^4*g*e^2 - 36*b*c*f^3*g^2*e^2 + 15*b^2*f^2*g^3*e^2 + 20*a*c*f^2*g^3*e^2 - 20*a*b*f*g^4*e^2 + 8*a^2*g^5*e^2)*arctan(-((sqrt(c)*x - sqrt(c*x^2 + b*x + a))*g + sqrt(c)*f)/sqrt(-c*f^2 + b*f*g - a*g^2))/((c^2*d^3*f^4*g^3 - 2*b*c*d^3*f^3*g^4 + b^2*d^3*f^2*g^5 + 2*a*c*d^3*f^2*g^5 - 2*a*b*d^3*f*g^6 + a^2*d^3*g^7 - 3*c^2*d^2*f^5*g^2*e + 6*b*c*d^2*f^4*g^3*e - 3*b^2*d^2*f^3*g^4*e - 6*a*c*d^2*f^3*g^4*e + 6*a*b*d^2*f^2*g^5*e - 3*a^2*d^2*f*g^6*e + 3*c^2*d*f^6*g*e^2 - 6*b*c*d*f^5*g^2*e^2 + 3*b^2*d*f^4*g^3*e^2 + 6*a*c*d*f^4*g^3*e^2 - 6*a*b*d*f^3*g^4*e^2 + 3*a^2*d*f^2*g^5*e^2 - c^2*f^7*e^3 + 2*b*c*f^6*g*e^3 - b^2*f^5*g^2*e^3 - 2*a*c*f^5*g^2*e^3 + 2*a*b*f^4*g^3*e^3 - a^2*f^3*g^4*e^3)*sqrt(-c*f^2 + b*f*g - a*g^2)) + 2*arctan(((sqrt(c)*x - sqrt(c*x^2 + b*x + a))*e + sqrt(c)*d)/sqrt(-c*d^2 + b*d*e - a*e^2))*e^3/((d^3*g^3 - 3*d^2*f*g^2*e + 3*d*f^2*g*e^2 - f^3*e^3)*sqrt(-c*d^2 + b*d*e - a*e^2)) - 1/4*(8*(sqrt(c)*x - sqrt(c*x^2 + b*x + a))^3*c^2*d*f^2*g^3 - 8*(sqrt(c)*x - sqrt(c*x^2 + b*x + a))^3*b*c*d*f*g^4 + 3*(sqrt(c)*x - sqrt(c*x^2 + b*x + a))^3$$

$$\begin{aligned}
& 3b^2d^2g^5 - 4(\sqrt{c}x - \sqrt{cx^2 + bx + a})^3ac^2d^2g^5 - 16(\sqrt{c}x - \sqrt{cx^2 + bx + a})^3c^2f^3g^2e + 20(\sqrt{c}x - \sqrt{cx^2 + bx + a})^3b^2c^2f^2g^3e - 7(\sqrt{c}x - \sqrt{cx^2 + bx + a})^3b^2c^2f^2g^4e - 4(\sqrt{c}x - \sqrt{cx^2 + bx + a})^3ac^2f^2g^4e + 4(\sqrt{c}x - \sqrt{cx^2 + bx + a})^3ab^2c^2f^2g^4e + 24(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2c^{5/2}d^2f^3g^2 - 24(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2b^2c^{3/2}d^2f^2g^3 + 9(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2b^2c^{3/2}d^2f^2g^4 - 12(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2ac^{3/2}d^2f^2g^4 - 40(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2c^{5/2}f^4g^2e + 44(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2b^2c^{3/2}f^3g^2e - 13(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2b^2c^{3/2}f^3g^3e + 4(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2ac^{3/2}f^2g^3e - 4(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2ab^2c^{3/2}f^2g^4e + 8(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2a^2c^{3/2}f^2g^4e + 24(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2b^2c^2d^2f^3g^2 - 20(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2b^2c^2d^2f^2g^3 - 40(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2ac^2d^2f^2g^3 + 5(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2b^3d^2f^2g^4 + 28(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2ab^2c^2d^2f^2g^4 - 5(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2a^2c^2d^2f^2g^5 - 4(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2ac^2d^2f^2g^5 - 40(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2b^2c^2f^4g^2e + 40(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2b^2c^2f^3g^2e + 64(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2ac^2f^3g^2e - 9(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2b^3f^2g^3e - 72(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2ab^2c^2f^2g^3e + 13(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2ab^2c^2f^2g^4e + 28(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2ac^2f^2g^4e - 4(\sqrt{c}x - \sqrt{cx^2 + bx + a})^2b^2c^2f^2g^5e + 6b^2c^{3/2}d^2f^3g^2 - 3b^3c^{3/2}d^2f^2g^3 - 20ab^2c^{3/2}d^2f^2g^3 + 11ab^2c^{3/2}d^2f^2g^4 + 12a^2c^{3/2}d^2f^2g^4 - 8a^2b^2c^{3/2}d^2f^2g^5 - 10b^2c^{3/2}d^2f^2g^5 + 7b^3c^{3/2}d^2f^2g^2e + 32ab^2c^{3/2}d^2f^2g^2e - 27ab^2c^{3/2}d^2f^2g^3e - 20a^2c^{3/2}d^2f^2g^3e + 28a^2b^2c^{3/2}d^2f^2g^4e - 8a^3c^{3/2}d^2f^2g^5e)/((c^2d^2f^4g^2 - 2b^2c^2d^2f^3g^3 + b^2d^2f^2g^4 + 2ac^2d^2f^2g^4 - 2ab^2d^2f^2g^5 + a^2d^2f^2g^6 - 2c^2d^2f^5g^2e + 4b^2c^2d^2f^4g^2e - 2b^2d^2f^3g^3e - 4ac^2d^2f^3g^3e + 4ab^2d^2f^2g^4e - 2a^2d^2f^2g^5e + c^2f^6e^2 - 2b^2c^2f^5g^2e^2 + b^2f^4g^2e^2 + 2ac^2f^4g^2e^2 - 2ab^2f^3g^3e^2 + a^2f^2g^4e^2)*((\sqrt{c}x - \sqrt{cx^2 + bx + a})^2g + 2(\sqrt{c}x - \sqrt{cx^2 + bx + a})\sqrt{c}f + b^2f - a^2g)^2)
\end{aligned}$$

**maple [B]** time = 0.02, size = 1817, normalized size = 3.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(1/(e*x+d)/(g*x+f)^3/(c*x^2+b*x+a)^{(1/2)}, x)$

[Out]  $-1/2/(d*g-e*f)/(a*g^2-b*f*g+c*f^2)/(x+f/g)^2*((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}+3/4*g^2/(d*g-e*f)/(a*g^2-b*f*g+c*f^2)^2$

$$\begin{aligned} & / (x+f/g) * ((x+f/g)^{2c+(b*g-2*c*f)} * (x+f/g) / g + (a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * \\ & b-3/2 * g / (d*g-e*f) / (a*g^2-b*f*g+c*f^2)^2 / (x+f/g) * ((x+f/g)^{2c+(b*g-2*c*f)} * (x \\ & +f/g) / g + (a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * c*f-3/8 * g^2 / (d*g-e*f) / (a*g^2-b*f*g+c \\ & *f^2)^2 / ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * \ln(((b*g-2*c*f) * (x+f/g) / g + 2 * (a*g^2- \\ & b*f*g+c*f^2) / g^2 + 2 * ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * ((x+f/g)^{2c+(b*g-2*c*f)} \\ & * (x+f/g) / g + (a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)}) / (x+f/g) * b^2+3/2 * g / (d*g-e*f) / (a * \\ & g^2-b*f*g+c*f^2)^2 / ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * \ln(((b*g-2*c*f) * (x+f/g) / \\ & g + 2 * (a*g^2-b*f*g+c*f^2) / g^2 + 2 * ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * ((x+f/g)^{2c+ \\ & (b*g-2*c*f)} * (x+f/g) / g + (a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)}) / (x+f/g) * b*c*f-3/2 / (d \\ & *g-e*f) / (a*g^2-b*f*g+c*f^2)^2 / ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * \ln(((b*g-2*c*f) \\ & * (x+f/g) / g + 2 * (a*g^2-b*f*g+c*f^2) / g^2 + 2 * ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * (( \\ & x+f/g)^{2c+(b*g-2*c*f)} * (x+f/g) / g + (a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)}) / (x+f/g) * c \\ & ^2*f^2+1/2 / (d*g-e*f) * c / (a*g^2-b*f*g+c*f^2) / ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * \\ & \ln(((b*g-2*c*f) * (x+f/g) / g + 2 * (a*g^2-b*f*g+c*f^2) / g^2 + 2 * ((a*g^2-b*f*g+c*f^2) / \\ & g^2)^{(1/2)} * ((x+f/g)^{2c+(b*g-2*c*f)} * (x+f/g) / g + (a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} \\ & )) / (x+f/g) + g * e / (d*g-e*f)^2 / (a*g^2-b*f*g+c*f^2) / (x+f/g) * ((x+f/g)^{2c+(b*g-2 \\ & *c*f)} * (x+f/g) / g + (a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} - 1/2 * g * e / (d*g-e*f)^2 / (a*g^2-b \\ & *f*g+c*f^2) / ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * \ln(((b*g-2*c*f) * (x+f/g) / g + 2 * (a * \\ & g^2-b*f*g+c*f^2) / g^2 + 2 * ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * ((x+f/g)^{2c+(b*g-2 * \\ & c*f)} * (x+f/g) / g + (a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)}) / (x+f/g) * b+e / (d*g-e*f)^2 / (a * \\ & g^2-b*f*g+c*f^2) / ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * \ln(((b*g-2*c*f) * (x+f/g) / g + \\ & 2 * (a*g^2-b*f*g+c*f^2) / g^2 + 2 * ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * ((x+f/g)^{2c+(b \\ & *g-2*c*f)} * (x+f/g) / g + (a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)}) / (x+f/g) * c*f-e^2 / (d*g-e \\ & *f)^3 / ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * \ln(((b*g-2*c*f) * (x+f/g) / g + 2 * (a*g^2-b * \\ & f*g+c*f^2) / g^2 + 2 * ((a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)} * ((x+f/g)^{2c+(b*g-2*c*f)} * ( \\ & x+f/g) / g + (a*g^2-b*f*g+c*f^2) / g^2)^{(1/2)}) / (x+f/g) + e^2 / (d*g-e*f)^3 / (a * e^2-b \\ & *d * e + c * d^2) / e^2)^{(1/2)} * \ln(((b * e - 2 * c * d) * (x+d/e) / e + 2 * (a * e^2-b * d * e + c * d^2) / e^2 + \\ & 2 * ((a * e^2-b * d * e + c * d^2) / e^2)^{(1/2)} * ((x+d/e)^{2c+(b * e - 2 * c * d) * (x+d/e) / e + (a * e^2 \\ & - b * d * e + c * d^2) / e^2)^{(1/2)}) / (x+d/e) \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^2 + bx + a} (ex + d)(gx + f)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)^3/(c\*x^2+b\*x+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c\*x^2 + b\*x + a)\*(e\*x + d)\*(g\*x + f)^3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(f + gx)^3 (d + ex) \sqrt{cx^2 + bx + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((f + g*x)^3*(d + e*x)*(a + b*x + c*x^2)^(1/2)),x)`

[Out] `int(1/((f + g*x)^3*(d + e*x)*(a + b*x + c*x^2)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex)(f + gx)^3 \sqrt{a + bx + cx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)/(g*x+f)**3/(c*x**2+b*x+a)**(1/2),x)`

[Out] `Integral(1/((d + e*x)*(f + g*x)**3*sqrt(a + b*x + c*x**2)), x)`



```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

### Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

### Rule 1646

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> With[{Q = PolynomialQuotient[(d + e*x)^m*Pq, a + b*x + c*x^2, x], f = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 1]}, Simp[((b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*ExpandToSum[((p + 1)*(b^2 - 4*a*c)*Q)/(d + e*x)^m - ((2*p + 3)*(2*c*f - b*g))/(d + e*x)^m, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

### Rule 1653

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + b*x + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + b*x + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(b*d*e*(p + 1) + a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - e*(2*c*d - b*e)*(m + q + p)*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !(IGtQ[m, 0] && RationalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

### Rubi steps



$$\begin{aligned}
\int \frac{(f + gx)^4}{(d + ex)(a + bx + cx^2)^{3/2}} dx &= -\frac{2(ab^3dg^4 - b^2(c^2ef^4 + 4acdfg^3 + a^2eg^4) + 2ac(a^2eg^4 + c^2f^3(ef - 4dg) - \\
&= -\frac{2(ab^3dg^4 - b^2(c^2ef^4 + 4acdfg^3 + a^2eg^4) + 2ac(a^2eg^4 + c^2f^3(ef - 4dg) - \\
&= -\frac{2(ab^3dg^4 - b^2(c^2ef^4 + 4acdfg^3 + a^2eg^4) + 2ac(a^2eg^4 + c^2f^3(ef - 4dg) - \\
&= -\frac{2(ab^3dg^4 - b^2(c^2ef^4 + 4acdfg^3 + a^2eg^4) + 2ac(a^2eg^4 + c^2f^3(ef - 4dg) -
\end{aligned}$$

**Mathematica [A]** time = 2.46, size = 587, normalized size = 1.18

---

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^4/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] ((-2\*e\*(-3\*b^4\*d\*e\*g^4\*x + b^3\*g^3\*(3\*a\*e\*g\*(-d + e\*x) + c\*d\*x\*(8\*e\*f + d\*g - e\*g\*x)) + b^2\*(3\*a^2\*e^2\*g^4 + c^2\*(2\*e^2\*f^4 - 12\*d\*e\*f^2\*g^2\*x + d^2\*g^4\*x^2) + a\*c\*g^3\*(d^2\*g + e^2\*x\*(-8\*f + g\*x) + 4\*d\*e\*(2\*f + 3\*g\*x))) - 2\*b\*c\*(a^2\*e\*g^3\*(4\*e\*f - 5\*d\*g + 5\*e\*g\*x) + c^2\*e\*f^3\*(-(e\*f\*x) + d\*(f - 4\*g\*x)) + 2\*a\*c\*g\*(d^2\*g^3\*x + e^2\*f^2\*(2\*f - 3\*g\*x) + d\*e\*g\*(3\*f^2 + 6\*f\*g\*x - g^2\*x^2))) - 4\*c\*(2\*a^3\*e^2\*g^4 + c^3\*d\*e\*f^4\*x + a\*c^2\*(d^2\*g^4\*x^2 - 2\*d\*e\*f^2\*g\*(2\*f + 3\*g\*x) + e^2\*f^3\*(f + 4\*g\*x)) + a^2\*c\*g^2\*(d^2\*g^2 + d\*e\*g\*(4\*f + g\*x) + e^2\*(-6\*f^2 - 4\*f\*g\*x + g^2\*x^2))))/(c^2\*(b^2 - 4\*a\*c)\*(-(c\*d^2) + e\*(b\*d - a\*e))\*Sqrt[a + x\*(b + c\*x)]) + (2\*(e\*f - d\*g)^4\*Log[d + e\*x])/(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2) + (g^3\*(8\*c\*e\*f - 2\*c\*d\*g - 3\*b\*e\*g)\*Log[b + 2\*c\*x + 2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)]])/c^(5/2) - (2\*(e\*f - d\*g)^4\*Log[-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x + 2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*Sqrt[a + x\*(b + c\*x)])/(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2))/(2\*e^2)

IntegrateAlgebraic [B] time = 21.86, size = 5425, normalized size = 10.94

Result too large to show

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(f + g\*x)^4/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] Result too large to show

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="fricas")

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x):;OUTPUT:Error: Bad Argument Type

maple [B] time = 0.02, size = 4453, normalized size = 8.98

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^4/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x)

[Out] 
$$\frac{e}{(a^2e - b^2d + c^2d^2)^{1/2}} \frac{f^4 + 6f^2ge + 4g^2e^2}{(x+d/e)^2c + (b^2e - 2^2cd)(x+d/e) + a^2e - b^2d + c^2d^2} + \frac{6f^2ge + 4g^2e^2}{(x+d/e)^2c + (b^2e - 2^2cd)(x+d/e) + a^2e - b^2d + c^2d^2} \frac{e}{(x+d/e)} + \frac{4g^2e^2}{(x+d/e)^2c + (b^2e - 2^2cd)(x+d/e) + a^2e - b^2d + c^2d^2} \ln\left(\frac{(b^2e - 2^2cd)(x+d/e) + a^2e - b^2d + c^2d^2}{(x+d/e)^2c + (b^2e - 2^2cd)(x+d/e) + a^2e - b^2d + c^2d^2}\right) + \frac{4g^2e^2}{(x+d/e)^2c + (b^2e - 2^2cd)(x+d/e) + a^2e - b^2d + c^2d^2} \frac{e}{(x+d/e)} + \frac{4g^2e^2}{(x+d/e)^2c + (b^2e - 2^2cd)(x+d/e) + a^2e - b^2d + c^2d^2} \frac{e}{(x+d/e)} + \frac{4g^2e^2}{(x+d/e)^2c + (b^2e - 2^2cd)(x+d/e) + a^2e - b^2d + c^2d^2} \frac{e}{(x+d/e)}$$



$$2)^{(1/2)} * x * b * c * g^3 * f * d^3 - 12/e / (a * e^2 - b * d * e + c * d^2) / (4 * a * c - b^2) / ((x + d/e)^2 * c + (b * e - 2 * c * d) * (x + d/e) / e + (a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * x * b * c * d^2 * f^2 * g^2 + 8 * g^3 / e^3 * d^2 * f / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} * b - 12 * g^2 / e^2 * d * f^2 / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} * b - 3/2 * g^4 / e * b^3 / c^2 / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} * x + 2 * g^4 / e / c^2 * a * b^2 / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} + 16 * g / e * f^3 / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} * c * x - 4 * g^4 / e^4 * d^3 / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} * c * x - g^4 / e^3 * b^2 / c / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} * d^2 - 6 * g^2 / e * b^2 / c / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} * f^2 + 2 * g^3 / e * b^3 / c^2 / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} * f - 2 * g^4 / e^3 * b / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} * x * d^2 - 12 * g^2 / e * b / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} * x * f^2 - 1/e^3 / (a * e^2 - b * d * e + c * d^2) / (4 * a * c - b^2) / ((x + d/e)^2 * c + (b * e - 2 * c * d) * (x + d/e) / e + (a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * b^2 * g^4 * d^4 + 4/e^2 / (a * e^2 - b * d * e + c * d^2) / ((a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * \ln(((b * e - 2 * c * d) * (x + d/e) / e + 2 * (a * e^2 - b * d * e + c * d^2) / e^2 + 2 * ((a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * ((x + d/e)^2 * c + (b * e - 2 * c * d) * (x + d/e) / e + (a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)}) / (x + d/e)) * g^3 * f * d^3 - 6/e / (a * e^2 - b * d * e + c * d^2) / ((a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * \ln(((b * e - 2 * c * d) * (x + d/e) / e + 2 * (a * e^2 - b * d * e + c * d^2) / e^2 + 2 * ((a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * ((x + d/e)^2 * c + (b * e - 2 * c * d) * (x + d/e) / e + (a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)}) / (x + d/e)) * d^2 * f^2 * g^2 - 1/2 * g^4 / e^2 * b^3 / c^2 / (4 * a * c - b^2) / (c * x^2 + b * x + a)^{(1/2)} * d + 4 / (a * e^2 - b * d * e + c * d^2) / (4 * a * c - b^2) / ((x + d/e)^2 * c + (b * e - 2 * c * d) * (x + d/e) / e + (a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * b^2 * d * f^3 * g + 2 / (a * e^2 - b * d * e + c * d^2) / (4 * a * c - b^2) / ((x + d/e)^2 * c + (b * e - 2 * c * d) * (x + d/e) / e + (a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * b * c * d * f^4 + 4 / (a * e^2 - b * d * e + c * d^2) / (4 * a * c - b^2) / ((x + d/e)^2 * c + (b * e - 2 * c * d) * (x + d/e) / e + (a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * x * c^2 * d * f^4$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^4/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((b/e-(2\*c\*d)/e^2)^2>0)', see `assume?` for more details) Is (b/e-(2\*c\*d)/e^2)^2 - (4\*c \* ((-(b\*d)/e) + (c\*d^2)/e^2+a)) / e^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^4}{(d + ex)(cx^2 + bx + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)^4/((d + e*x)*(a + b*x + c*x^2)^(3/2)),x)`

[Out] `int((f + g*x)^4/((d + e*x)*(a + b*x + c*x^2)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^4}{(d + ex)(a + bx + cx^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**4/(e*x+d)/(c*x**2+b*x+a)**(3/2),x)`

[Out] `Integral((f + g*x)**4/((d + e*x)*(a + b*x + c*x**2)**(3/2)), x)`

$$3.622 \quad \int \frac{(f+gx)^3}{(d+ex)(a+bx+cx^2)^{3/2}} dx$$

Optimal. Leaf size=357

$$\frac{2(-x(cg^2(-2a^2eg + 3abdg - 3abef + 3b^2df) - b^2g^3(bd - ae) + c^2f(6ag(ef - dg) - bf(3dg + ef)) + 2c^3df^3) - b^2g^3(bd - ae) + c^2f(6ag(ef - dg) - bf(3dg + ef)) + 2c^3df^3)}{c(b^2 - 4ac)\sqrt{a + bx + cx^2}(ae^2)}$$

**Rubi [A]** time = 0.53, antiderivative size = 357, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {1646, 843, 621, 206, 724}

$$\frac{2(-x(cg^2(-2a^2eg + 3abdg - 3abef + 3b^2df) - b^2g^3(bd - ae) + c^2f(6ag(ef - dg) - bf(3dg + ef)) + 2c^3df^3) - b^2g^3(bd - ae) + c^2f(6ag(ef - dg) - bf(3dg + ef)) + 2c^3df^3)}{c(b^2 - 4ac)\sqrt{a + bx + cx^2}(ae^2)}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^3/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)), x]

[Out] (2\*(b^2\*(c\*e\*f^3 + a\*d\*g^3) - 2\*a\*c\*(c\*f^2\*(e\*f - 3\*d\*g) - a\*g^2\*(3\*e\*f - d\*g)) - b\*(c^2\*d\*f^3 + a^2\*e\*g^3 + 3\*a\*c\*f\*g\*(e\*f + d\*g)) - (2\*c^3\*d\*f^3 - b^2\*(b\*d - a\*e)\*g^3 + c\*g^2\*(3\*b^2\*d\*f - 3\*a\*b\*e\*f + 3\*a\*b\*d\*g - 2\*a^2\*e\*g) + c^2\*f\*(6\*a\*g\*(e\*f - d\*g) - b\*f\*(e\*f + 3\*d\*g)))\*x)/(c\*(b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)\*Sqrt[a + b\*x + c\*x^2]) + (g^3\*ArcTanh[(b + 2\*c\*x)/(2\*Sqrt[c]\*Sqrt[a + b\*x + c\*x^2])])/(c^(3/2)\*e) + ((e\*f - d\*g)^3\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/(e\*(c\*d^2 - b\*d\*e + a\*e^2)^(3/2))

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 621

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2], x\_Symbol] := Dist[2, Subst[Int[1/(4\*c - x^2), x], x, (b + 2\*c\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2

$*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0]$

### Rule 843

$\text{Int}[\{(d_.) + (e_.)*(x_.)\}^{(m_.)}*\{(f_.) + (g_.)*(x_.)\}*\{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2\}^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[g/e, \text{Int}[(d + e*x)^{(m + 1)}*(a + b*x + c*x^2)^p, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ !\text{IGtQ}[m, 0]$

### Rule 1646

$\text{Int}[(Pq_)*\{(d_.) + (e_.)*(x_.)\}^{(m_.)}*\{(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2\}^{(p_.)}, x\_Symbol] \rightarrow \text{With}[\{Q = \text{PolynomialQuotient}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[\{(b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^{(p + 1)}\}/\{(p + 1)*(b^2 - 4*a*c)\}, x] + \text{Dist}[1/\{(p + 1)*(b^2 - 4*a*c)\}, \text{Int}[(d + e*x)^m*(a + b*x + c*x^2)^{(p + 1)}*\text{ExpandToSum}[\{(p + 1)*(b^2 - 4*a*c)*Q\}/(d + e*x)^m - \{(2*p + 3)*(2*c*f - b*g)\}/(d + e*x)^m, x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{ILtQ}[m, 0]$

### Rubi steps

$$\int \frac{(f + gx)^3}{(d + ex)(a + bx + cx^2)^{3/2}} dx = \frac{2(b^2(cef^3 + adg^3) - 2ac(cf^2(ef - 3dg) - ag^2(3ef - dg)) - b(c^2df^3 + a^2eg^3)}{(d + ex)(a + bx + cx^2)^{3/2}}$$

$$= \frac{2(b^2(cef^3 + adg^3) - 2ac(cf^2(ef - 3dg) - ag^2(3ef - dg)) - b(c^2df^3 + a^2eg^3)}{(d + ex)(a + bx + cx^2)^{3/2}}$$

$$= \frac{2(b^2(cef^3 + adg^3) - 2ac(cf^2(ef - 3dg) - ag^2(3ef - dg)) - b(c^2df^3 + a^2eg^3)}{(d + ex)(a + bx + cx^2)^{3/2}}$$

$$= \frac{2(b^2(cef^3 + adg^3) - 2ac(cf^2(ef - 3dg) - ag^2(3ef - dg)) - b(c^2df^3 + a^2eg^3)}{(d + ex)(a + bx + cx^2)^{3/2}}$$

**Mathematica [A]** time = 1.04, size = 373, normalized size = 1.04

$$\frac{2(b^2d^2e^3 + 3acgd^2g(f+gx) + ef(f-gx) + c^2f^2(d(f-3gx) - f^2x)) + 2c(d^2d^2(dg - c(f+gx)) + acf(f(f+3gx) - 3d(f+gx) + c^2d^2f^2x) + b^2(a^2d^2ex - d) + c(3df^2x - f^2)) - b^3d^2g^2x}{c(4ac - b^2)\sqrt{b + cx + c^2}} + \frac{g^3 \log(2\sqrt{b + cx + c^2})}{c^{3/2}} + \frac{(ef - d^2)\log(d + ex)}{c^2(ae - bd) + cd^2} + \frac{(dg - ef^2)\log(2\sqrt{b + cx + c^2})\sqrt{(ae - bd) + cd^2} + 2ae - bd + bce - 2cdx}{c^2(ae - bd) + cd^2}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^3/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] (2\*(-(b^3\*d\*g^3\*x) + b^2\*(a\*g^3\*(-d + e\*x) + c\*(-(e\*f^3) + 3\*d\*f\*g^2\*x)) + b\*(a^2\*e\*g^3 + c^2\*f^2\*(-(e\*f\*x) + d\*(f - 3\*g\*x)) + 3\*a\*c\*g\*(e\*f\*(f - g\*x) + d\*g\*(f + g\*x))) + 2\*c\*(c^2\*d\*f^3\*x + a^2\*g^2\*(d\*g - e\*(3\*f + g\*x)) + a\*c\*f\*(-3\*d\*g\*(f + g\*x) + e\*f\*(f + 3\*g\*x))))/(c\*(-b^2 + 4\*a\*c)\*(c\*d^2 + e\*(-(b\*d) + a\*e))\*Sqrt[a + x\*(b + c\*x)]) + ((e\*f - d\*g)^3\*Log[d + e\*x])/(e\*(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2)) + (g^3\*Log[b + 2\*c\*x + 2\*Sqrt[c]\*Sqrt[a + x\*(b + c\*x)]])/(c^(3/2)\*e) + ((-(e\*f) + d\*g)^3\*Log[-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x + 2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*Sqrt[a + x\*(b + c\*x)]])/(e\*(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2))

**IntegrateAlgebraic [A]** time = 6.47, size = 437, normalized size = 1.22

$$\frac{2(-d^2 \log^3 - 2d^2 d g^3 + 6d^2 e f g^2 + 2d^2 c g^3 + a b^2 d g^3 - a b^2 d g^3 - 3a b c d f^2 - 3a b c d g^2 - 3a b c e f^2 g + 3a b c e f^2 g + 6a c^2 d f^2 g + 6a c^2 d f^2 g - 2a c^2 e f^3 - 6a c^2 e f^2 g + b^3 d g^3 - 3b^2 d f^2 g + b^2 e f^3 - b^2 e f^2 g - 2c^2 d f^3 x)}{c(4ac - b^2)\sqrt{b + cx + c^2}(ae - bde + cd^2)} + \frac{g^3 \log(-2c^2\sqrt{b + cx + c^2} + bce + 2c^2ex)}{c^{3/2}} + \frac{2(d^2g^3 - 3d^2efg^2 + 3d^2f^2g - c^2f^3) \arctan\left(\frac{c\sqrt{b + cx + c^2} + d + ex}{\sqrt{a + b x + c x^2}}\right)}{c^2(ae - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(f + g\*x)^3/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] (-2\*(-(b\*c^2\*d\*f^3) + b^2\*c\*e\*f^3 - 2\*a\*c^2\*e\*f^3 + 6\*a\*c^2\*d\*f^2\*g - 3\*a\*b\*c\*e\*f^2\*g - 3\*a\*b\*c\*d\*f\*g^2 + 6\*a^2\*c\*e\*f\*g^2 + a\*b^2\*d\*g^3 - 2\*a^2\*c\*d\*g^3 - a^2\*b\*e\*g^3 - 2\*c^3\*d\*f^3\*x + b\*c^2\*e\*f^3\*x + 3\*b\*c^2\*d\*f^2\*g\*x - 6\*a\*c^2\*e\*f^2\*g\*x - 3\*b^2\*c\*d\*f\*g^2\*x + 6\*a\*c^2\*d\*f\*g^2\*x + 3\*a\*b\*c\*e\*f\*g^2\*x + b^3\*d\*g^3\*x - 3\*a\*b\*c\*d\*g^3\*x - a\*b^2\*e\*g^3\*x + 2\*a^2\*c\*e\*g^3\*x))/(c\*(-b^2 + 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)\*Sqrt[a + b\*x + c\*x^2]) - (2\*(-(e^3\*f^3) + 3\*d\*e^2\*f^2\*g - 3\*d^2\*e\*f\*g^2 + d^3\*g^3)\*ArcTan[(Sqrt[c]\*d + Sqrt[c]\*e\*x - e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]])/(e\*(-(c\*d^2) + b\*d\*e - a\*e^2)^(3/2)) - (g^3\*Log[b\*c\*e + 2\*c^2\*e\*x - 2\*c^(3/2)\*e\*Sqrt[a + b\*x + c\*x^2]])/(c^(3/2)\*e)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="fricas")

[Out] Timed out



giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x);;OUTPUT>Error: Bad Argument Type

maple [B] time = 0.02, size = 3127, normalized size = 8.76

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)^3/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x)

[Out] 
$$\frac{e/(a^2e^2 - b^2d^2 + c^2d^2)/((x+d/e)^2c + (b^2e - 2cd)(x+d/e)/e + (a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot f^3 + g^3/e/c^{3/2} \cdot \ln((cx+1/2b)/c^{1/2} + (cx^2+bx+a)^{1/2}) + 6/e^2/(a^2e^2 - b^2d^2 + c^2d^2)/(4ac - b^2)/((x+d/e)^2c + (b^2e - 2cd)(x+d/e)/e + (a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot b^2cd^3 \cdot f \cdot g^2 + 2/(a^2e^2 - b^2d^2 + c^2d^2)/(4ac - b^2)/((x+d/e)^2c + (b^2e - 2cd)(x+d/e)/e + (a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot b^2cd \cdot f^3 - 6g^2/e^2 \cdot d \cdot f/(4ac - b^2)/(cx^2+bx+a)^{1/2} \cdot b + 12g/e \cdot f^2/(4ac - b^2)/(cx^2+bx+a)^{1/2} \cdot cx + 1/e^2/(a^2e^2 - b^2d^2 + c^2d^2)/(4ac - b^2)/((x+d/e)^2c + (b^2e - 2cd)(x+d/e)/e + (a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot b^2 \cdot g^3 \cdot d^3 + 3/(a^2e^2 - b^2d^2 + c^2d^2)/(4ac - b^2)/((x+d/e)^2c + (b^2e - 2cd)(x+d/e)/e + (a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot b^2 \cdot d^2 \cdot f \cdot g^2 - 2/e^3/(a^2e^2 - b^2d^2 + c^2d^2)/(4ac - b^2)/((x+d/e)^2c + (b^2e - 2cd)(x+d/e)/e + (a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot x \cdot b \cdot c \cdot f^3 - 4/e^3/(a^2e^2 - b^2d^2 + c^2d^2)/(4ac - b^2)/((x+d/e)^2c + (b^2e - 2cd)(x+d/e)/e + (a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot x \cdot b \cdot c \cdot g^3 + 2/e^2/(a^2e^2 - b^2d^2 + c^2d^2)/(4ac - b^2)/((x+d/e)^2c + (b^2e - 2cd)(x+d/e)/e + (a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot x \cdot b \cdot c \cdot g^3 \cdot d^3 - 6/e/(a^2e^2 - b^2d^2 + c^2d^2)/(4ac - b^2)/((x+d/e)^2c + (b^2e - 2cd)(x+d/e)/e + (a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot x \cdot b \cdot c \cdot d^2 \cdot f \cdot g^2 - 6/e/(a^2e^2 - b^2d^2 + c^2d^2)/(4ac - b^2)/((x+d/e)^2c + (b^2e - 2cd)(x+d/e)/e + (a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot b \cdot c \cdot d^2 \cdot f^2 \cdot g - 3g^2/e \cdot b^2/c/(4ac - b^2)/(cx^2+bx+a)^{1/2} \cdot f + 4g^3/e^3 \cdot d^2/(4ac - b^2)/(cx^2+bx+a)^{1/2} \cdot cx + 1/2 \cdot g^3/e \cdot b^3/c^2/(4ac - b^2)/(cx^2+bx+a)^{1/2} + 2g^3/e^3 \cdot d^2/(4ac - b^2)/(cx^2+bx+a)^{1/2} \cdot b + 6g/e \cdot f^2/(4ac - b^2)/(cx^2+bx+a)^{1/2} \cdot b + 3/(a^2e^2 - b^2d^2 + c^2d^2)/((a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot \ln((b^2e - 2cd)(x+d/e)/e + 2(a^2e^2 - b^2d^2 + c^2d^2)/e^2 + 2((a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2} \cdot ((x+d/e)^2c + (b^2e - 2cd)(x+d/e)/e + (a^2e^2 - b^2d^2 + c^2d^2)/e^2)^{1/2})/(x+d/e) \cdot d \cdot f$$

$$\begin{aligned} & \frac{2g-e}{(a^2e-bde+cd^2)} \frac{1}{(4ac-b^2)} \frac{1}{((x+d/e)^2c+(b^2e-2cd)(x+d/e)/e+(a^2e-bde+cd^2)/e^2)^{1/2}} \frac{b^2f^3+1/e^2}{(a^2e-bde+cd^2)} \frac{1}{((a^2e-bde+cd^2)/e^2)^{1/2}} \ln\left(\frac{(b^2e-2cd)(x+d/e)/e+2(a^2e-bde+cd^2)/e^2+2((a^2e-bde+cd^2)/e^2)^{1/2}((x+d/e)^2c+(b^2e-2cd)(x+d/e)/e+(a^2e-bde+cd^2)/e^2)^{1/2}}{(x+d/e)}\right) \\ & \frac{g^3d^3+g^3/e^2/c}{(cx^2+bx+a)^{1/2}} \frac{d-3g^2/e/c}{(cx^2+bx+a)^{1/2}} \frac{f-1/e^2}{(a^2e-bde+cd^2)} \frac{1}{((x+d/e)^2c+(b^2e-2cd)(x+d/e)/e+(a^2e-bde+cd^2)/e^2)^{1/2}} \frac{g^3d^3+g^3/e^2/c}{(4ac-b^2)} \frac{1}{(cx^2+bx+a)^{1/2}} \frac{x+2g^3/e^2b}{(4ac-b^2)} \frac{1}{(cx^2+bx+a)^{1/2}} \frac{x^2d-6g^2/e^2b}{(4ac-b^2)} \frac{1}{(cx^2+bx+a)^{1/2}} \frac{xf+g^3/e^2b^2/c}{(4ac-b^2)} \frac{1}{(cx^2+bx+a)^{1/2}} \frac{d+4}{(a^2e-bde+cd^2)} \frac{1}{(4ac-b^2)} \frac{1}{((x+d/e)^2c+(b^2e-2cd)(x+d/e)/e+(a^2e-bde+cd^2)/e^2)^{1/2}} \frac{xc^2df^3-3/e}{(a^2e-bde+cd^2)} \frac{1}{((a^2e-bde+cd^2)/e^2)^{1/2}} \ln\left(\frac{(b^2e-2cd)(x+d/e)/e+2(a^2e-bde+cd^2)/e^2+2((a^2e-bde+cd^2)/e^2)^{1/2}((x+d/e)^2c+(b^2e-2cd)(x+d/e)/e+(a^2e-bde+cd^2)/e^2)^{1/2}}{(x+d/e)}\right) \\ & \frac{d^2fg^2+3/e}{(a^2e-bde+cd^2)} \frac{1}{((x+d/e)^2c+(b^2e-2cd)(x+d/e)/e+(a^2e-bde+cd^2)/e^2)^{1/2}} \frac{d^2fg^2-3}{(a^2e-bde+cd^2)} \frac{1}{((x+d/e)^2c+(b^2e-2cd)(x+d/e)/e+(a^2e-bde+cd^2)/e^2)^{1/2}} \frac{df^2g-e}{(a^2e-bde+cd^2)} \frac{1}{((a^2e-bde+cd^2)/e^2)^{1/2}} \ln\left(\frac{(b^2e-2cd)(x+d/e)/e+2(a^2e-bde+cd^2)/e^2+2((a^2e-bde+cd^2)/e^2)^{1/2}((x+d/e)^2c+(b^2e-2cd)(x+d/e)/e+(a^2e-bde+cd^2)/e^2)^{1/2}}{(x+d/e)}\right) \\ & \frac{f^3-g^3/ex/c}{(cx^2+bx+a)^{1/2}} + \frac{1}{2} \frac{g^3/e^2b/c^2}{(cx^2+bx+a)^{1/2}} + \frac{6}{(a^2e-bde+cd^2)} \frac{1}{(4ac-b^2)} \frac{1}{((x+d/e)^2c+(b^2e-2cd)(x+d/e)/e+(a^2e-bde+cd^2)/e^2)^{1/2}} \frac{xc^2df^2g+12/e^2}{(a^2e-bde+cd^2)} \frac{1}{(4ac-b^2)} \frac{1}{((x+d/e)^2c+(b^2e-2cd)(x+d/e)/e+(a^2e-bde+cd^2)/e^2)^{1/2}} \frac{xc^2d^3f^2g-12/e}{(a^2e-bde+cd^2)} \frac{1}{(4ac-b^2)} \frac{1}{((x+d/e)^2c+(b^2e-2cd)(x+d/e)/e+(a^2e-bde+cd^2)/e^2)^{1/2}} \frac{xc^2d^2f^2g}{(a^2e-bde+cd^2)} \frac{1}{((a^2e-bde+cd^2)/e^2)^{1/2}} \end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^3/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2), x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((b/e-(2\*c\*d)/e^2)^2>0)', see `assume?` for more details) Is (b/e-(2\*c\*d)/e^2)^2 - (4\*c^2\*(b\*d)/e^2 + (c\*d^2)/e^2+a) / e^2 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f+gx)^3}{(d+ex)(cx^2+bx+a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)^3/((d + e*x)*(a + b*x + c*x^2)^(3/2)), x)`

[Out] `int((f + g*x)^3/((d + e*x)*(a + b*x + c*x^2)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^3}{(d + ex)(a + bx + cx^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)**3/(e*x+d)/(c*x**2+b*x+a)**(3/2), x)`

[Out] `Integral((f + g*x)**3/((d + e*x)*(a + b*x + c*x**2)**(3/2)), x)`

$$3.623 \quad \int \frac{(f+gx)^2}{(d+ex)(a+bx+cx^2)^{3/2}} dx$$

Optimal. Leaf size=240

$$\frac{2(-x(c(2ag(2ef-dg)-bf(2dg+ef))+bg^2(bd-ae)+2c^2df^2)-b(ag(dg+2ef)+cdf^2)+2a(aeg^2-cf(ef-dg)+b^2ef^2))}{(b^2-4ac)\sqrt{a+bx+cx^2}(ae^2-bde+cd^2)}$$

Rubi [A] time = 0.31, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {1646, 12, 724, 206}

$$\frac{2(-x(c(2ag(2ef-dg)-bf(2dg+ef))+bg^2(bd-ae)+2c^2df^2)-b(ag(dg+2ef)+cdf^2)+2a(aeg^2-cf(ef-dg)+b^2ef^2))}{(b^2-4ac)\sqrt{a+bx+cx^2}(ae^2-bde+cd^2)} + \frac{(ef-dg)^2 \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{(ae^2-bde+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)^2/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)), x]

[Out] (2\*(b^2\*e\*f^2 + 2\*a\*(a\*e\*g^2 - c\*f\*(e\*f - 2\*d\*g)) - b\*(c\*d\*f^2 + a\*g\*(2\*e\*f + d\*g)) - (2\*c^2\*d\*f^2 + b\*(b\*d - a\*e)\*g^2 + c\*(2\*a\*g\*(2\*e\*f - d\*g) - b\*f\*(e\*f + 2\*d\*g)))\*x)/((b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)\*Sqrt[a + b\*x + c\*x^2]) + ((e\*f - d\*g)^2\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2]])/(c\*d^2 - b\*d\*e + a\*e^2)^(3/2)

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 1646

```

Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p
_), x_Symbol] := With[{Q = PolynomialQuotient[(d + e*x)^m*Pq, a + b*x + c*x
^2, x], f = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x],
x, 0], g = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x
, 1]}, Simp[((b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^(p + 1))/((p
+ 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*ExpandToSum[((p + 1)*(b^2 - 4*a*c)*Q)/(d + e*x)^m
- ((2*p + 3)*(2*c*f - b*g))/(d + e*x)^m, x], x]] /; FreeQ[{a, b, c, d,
e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2
, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(f + gx)^2}{(d + ex)(a + bx + cx^2)^{3/2}} dx &= \frac{2(b^2ef^2 + 2a(aeg^2 - cf(ef - 2dg)) - b(cdf^2 + ag(2ef + dg)) - (2c^2df^2 + b^2ef^2))}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx + cx^2}} \\
&= \frac{2(b^2ef^2 + 2a(aeg^2 - cf(ef - 2dg)) - b(cdf^2 + ag(2ef + dg)) - (2c^2df^2 + b^2ef^2))}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx + cx^2}} \\
&= \frac{2(b^2ef^2 + 2a(aeg^2 - cf(ef - 2dg)) - b(cdf^2 + ag(2ef + dg)) - (2c^2df^2 + b^2ef^2))}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx + cx^2}} \\
&= \frac{2(b^2ef^2 + 2a(aeg^2 - cf(ef - 2dg)) - b(cdf^2 + ag(2ef + dg)) - (2c^2df^2 + b^2ef^2))}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx + cx^2}}
\end{aligned}$$

**Mathematica [A]** time = 0.63, size = 265, normalized size = 1.10

$$\frac{2(-2a^2eg^2 + abg(dg + 2ef - egx) - 2acd(g + gx) + 2acef(f + 2gx) + b^2(dg^2x - ef^2) + bcfd(f - 2gx) - ef^2x + 2c^2df^2x)}{(b^2 - 4ac)\sqrt{a + x(b + cx)}(e(bd - ae) - cd^2)} + \frac{(ef - dg)^2 \log(d + ex)}{(e(ae - bd) + cd^2)^{3/2}} - \frac{(ef - dg)^2 \log(2\sqrt{a + x(b + cx)}\sqrt{e(ae - bd) + cd^2} + 2ae - bd + bex - 2cdx)}{(e(ae - bd) + cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)^2/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] (2\*(-2\*a^2\*e\*g^2 + 2\*c^2\*d\*f^2\*x - 2\*a\*c\*d\*g\*(2\*f + g\*x) + 2\*a\*c\*e\*f\*(f + 2\*g\*x) + a\*b\*g\*(2\*e\*f + d\*g - e\*g\*x) + b^2\*(-(e\*f^2) + d\*g^2\*x) + b\*c\*f\*(-(e\*f\*x) + d\*(f - 2\*g\*x)))/((b^2 - 4\*a\*c)\*(-(c\*d^2) + e\*(b\*d - a\*e))\*Sqrt[a + x\*(b + c\*x)]) + ((e\*f - d\*g)^2\*Log[d + e\*x])/((c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2) - ((e\*f - d\*g)^2\*Log[-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x + 2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]]\*Sqrt[a + x\*(b + c\*x)]))/((c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2))

**IntegrateAlgebraic [A]** time = 1.36, size = 323, normalized size = 1.35

$$\frac{2(-2a^2eg^2 + abd^2 + 2abefg - abeg^2x - 4acdfg - 2acd^2x + 2acef^2 + 4acefgx + b^2d^2x - b^2ef^2 + bcd^2 - 2bcdfgx - bcef^2x + 2c^2df^2x)}{(b^2 - 4ac)\sqrt{a + bx + cx^2}(-ae^2 + bde - cd^2)} + \frac{2\left(\frac{c^2f^2\sqrt{-ae^2 + bde - cd^2} - 2defg\sqrt{-ae^2 + bde - cd^2} + d^2g^2\sqrt{-ae^2 + bde - cd^2}\right)\tan^{-1}\left(\frac{-c\sqrt{a+bx+cx^2} + \sqrt{d+e}\sqrt{cx}}{\sqrt{-ae^2 + bde - cd^2}}\right)}{(ae^2 - bde + cd^2)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(f + g\*x)^2/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] (2\*(b\*c\*d\*f^2 - b^2\*e\*f^2 + 2\*a\*c\*e\*f^2 - 4\*a\*c\*d\*f\*g + 2\*a\*b\*e\*f\*g + a\*b\*d\*g^2 - 2\*a^2\*e\*g^2 + 2\*c^2\*d\*f^2\*x - b\*c\*e\*f^2\*x - 2\*b\*c\*d\*f\*g\*x + 4\*a\*c\*e\*f\*g\*x + b^2\*d\*g^2\*x - 2\*a\*c\*d\*g^2\*x - a\*b\*e\*g^2\*x))/((b^2 - 4\*a\*c)\*(-(c\*d^2) + b\*d\*e - a\*e^2)\*Sqrt[a + b\*x + c\*x^2]) + (2\*(e^2\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*f^2 - 2\*d\*e\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*f\*g + d^2\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*g^2)\*ArcTan[(Sqrt[c]\*d + Sqrt[c]\*e\*x - e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]])/(c\*d^2 - b\*d\*e + a\*e^2)^2

**fricas [B]** time = 7.79, size = 2023, normalized size = 8.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="fricas")

[Out] [1/2\*(((a\*b^2 - 4\*a^2\*c)\*e^2\*f^2 - 2\*(a\*b^2 - 4\*a^2\*c)\*d\*e\*f\*g + (a\*b^2 - 4\*a^2\*c)\*d^2\*g^2 + ((b^2\*c - 4\*a\*c^2)\*e^2\*f^2 - 2\*(b^2\*c - 4\*a\*c^2)\*d\*e\*f\*g + (b^2\*c - 4\*a\*c^2)\*d^2\*g^2)\*x^2 + ((b^3 - 4\*a\*b\*c)\*e^2\*f^2 - 2\*(b^3 - 4\*a\*b\*c)\*d\*e\*f\*g + (b^3 - 4\*a\*b\*c)\*d^2\*g^2)\*x)\*sqrt(c\*d^2 - b\*d\*e + a\*e^2)\*log((8\*a\*b\*d\*e - 8\*a^2\*e^2 - (b^2 + 4\*a\*c)\*d^2 - (8\*c^2\*d^2 - 8\*b\*c\*d\*e + (b^2 + 4\*a\*c)\*e^2)\*x^2 - 4\*sqrt(c\*d^2 - b\*d\*e + a\*e^2)\*sqrt(c\*x^2 + b\*x + a)\*(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x) - 2\*(4\*b\*c\*d^2 + 4\*a\*b\*e^2 - (3\*b^2 + 4\*a\*c)\*d\*e)\*x)/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - 4\*((b\*c^2\*d^3 - 2\*(b^2\*c - a\*c^2)\*d^2\*e + (b^3 - a\*b\*c)\*d\*e^2 - (a\*b^2 - 2\*a^2\*c)\*e^3)\*f^2 - 2\*(2\*a\*c^2\*d^3 - 3\*a\*b\*c\*d^2\*e - a^2\*b\*e^3 + (a\*b^2 + 2\*a^2\*c)\*d^2\*e)\*f\*g + (a\*b\*c\*d^3 + 3\*a^2\*b\*d\*e^2 - 2\*a^3\*e^3 - (a\*b^2 + 2\*a^2\*c)\*d^2\*e)\*g^2 + ((2\*c^3\*d^3 - 3\*b\*c^2\*d^2\*e - a\*b\*c\*e^3 + (b^2\*c + 2\*a\*c^2)\*d^2\*e)\*f^2 - 2\*(b\*c^2\*d^3 + 3\*a\*b\*c\*d\*e^2 - 2\*a^2\*c\*e^3 - (b^2\*c + 2\*a\*c^2)\*d^2\*e)\*f\*g - (a^2\*b\*e^3 - (b^2\*c - 2\*a\*c^2)\*d^3 + (b^3 - a\*b\*c)\*d^2\*e - 2\*(a\*b^2 - a^2\*c)\*d^2\*e)\*g^2)\*x)\*sqrt(c\*x^2 + b\*x + a))/((a\*b^2\*c^2 - 4\*a^2\*c^3)\*d^4 - 2\*(a\*b^3\*c - 4\*a^2\*b\*c^2)\*d^3\*e + (a\*b^4 - 2\*a^2\*b^2\*c - 8\*a^3\*c^2)\*d^2\*e^2 - 2\*(a^2\*b^3 - 4\*a^3\*b\*c)\*d\*e^3 + (a^3\*b^2 - 4\*a^4\*c)\*e^4 + ((b^2\*c^3 - 4\*a\*c^4)\*d^4 - 2\*(b^3\*c^2 - 4\*a\*b\*c^3)\*d^3\*e + (b^4\*c - 2\*a\*b^2\*c^2 - 8\*a^2\*c^3)\*d^2\*e^2 - 2\*(a\*b^3\*c - 4\*a^2\*b\*c^2)\*d^2\*e^3 + (a^2\*b^2\*c - 4\*a^3\*c^2)\*e^4)\*x^2 + ((b^3\*c^2 - 4\*a\*b\*c^3)\*d^4 - 2\*(b^4\*c - 4\*a\*b^2\*c^2)\*d^3\*e + (b^5 - 2\*a\*b^3\*c - 8\*a^2\*b\*c^2)\*d^2\*e^2 - 2\*(a\*b^4 - 4\*a^2\*b^2\*c)\*d^2\*e^3 + (a^2\*b^3 - 4\*a^3\*b\*c)\*e^4)\*x), ((a\*b^2 - 4\*a^2\*c)\*e^2\*f^2 - 2\*(a\*b^2 - 4\*a^2\*c)\*d\*e\*f\*g + (a\*b^2 - 4\*a^2\*c)\*d^2\*g^2 + ((b^2\*c - 4\*a\*c^2)\*e^2\*f^2 - 2\*(b^2\*c - 4\*a\*c^2)\*d\*e\*f\*g + (b^2\*c

- 4\*a\*c^2)\*d^2\*g^2)\*x^2 + ((b^3 - 4\*a\*b\*c)\*e^2\*f^2 - 2\*(b^3 - 4\*a\*b\*c)\*d\*e\*f\*g + (b^3 - 4\*a\*b\*c)\*d^2\*g^2)\*x)\*sqrt(-c\*d^2 + b\*d\*e - a\*e^2)\*arctan(-1/2\*sqrt(-c\*d^2 + b\*d\*e - a\*e^2)\*sqrt(c\*x^2 + b\*x + a)\*(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(a\*c\*d^2 - a\*b\*d\*e + a^2\*e^2 + (c^2\*d^2 - b\*c\*d\*e + a\*c\*e^2)\*x^2 + (b\*c\*d^2 - b^2\*d\*e + a\*b\*e^2)\*x)) - 2\*((b\*c^2\*d^3 - 2\*(b^2\*c - a\*c^2)\*d^2\*e + (b^3 - a\*b\*c)\*d\*e^2 - (a\*b^2 - 2\*a^2\*c)\*e^3)\*f^2 - 2\*(2\*a\*c^2\*d^3 - 3\*a\*b\*c\*d^2\*e - a^2\*b\*e^3 + (a\*b^2 + 2\*a^2\*c)\*d\*e^2)\*f\*g + (a\*b\*c\*d^3 + 3\*a^2\*b\*d\*e^2 - 2\*a^3\*e^3 - (a\*b^2 + 2\*a^2\*c)\*d^2\*e)\*g^2 + ((2\*c^3\*d^3 - 3\*b\*c^2\*d^2\*e - a\*b\*c\*e^3 + (b^2\*c + 2\*a\*c^2)\*d\*e^2)\*f^2 - 2\*(b\*c^2\*d^3 + 3\*a\*b\*c\*d\*e^2 - 2\*a^2\*c\*e^3 - (b^2\*c + 2\*a\*c^2)\*d^2\*e)\*f\*g - (a^2\*b\*e^3 - (b^2\*c - 2\*a\*c^2)\*d^3 + (b^3 - a\*b\*c)\*d^2\*e - 2\*(a\*b^2 - a^2\*c)\*d\*e^2)\*g^2)\*x)\*sqrt(c\*x^2 + b\*x + a)/((a\*b^2\*c^2 - 4\*a^2\*c^3)\*d^4 - 2\*(a\*b^3\*c - 4\*a^2\*b\*c^2)\*d^3\*e + (a\*b^4 - 2\*a^2\*b^2\*c - 8\*a^3\*c^2)\*d^2\*e^2 - 2\*(a^2\*b^3 - 4\*a^3\*b\*c)\*d\*e^3 + (a^3\*b^2 - 4\*a^4\*c)\*e^4 + ((b^2\*c^3 - 4\*a\*c^4)\*d^4 - 2\*(b^3\*c^2 - 4\*a\*b\*c^3)\*d^3\*e + (b^4\*c - 2\*a\*b^2\*c^2 - 8\*a^2\*c^3)\*d^2\*e^2 - 2\*(a\*b^3\*c - 4\*a^2\*b\*c^2)\*d\*e^3 + (a^2\*b^2\*c - 4\*a^3\*c^2)\*e^4)\*x^2 + ((b^3\*c^2 - 4\*a\*b\*c^3)\*d^4 - 2\*(b^4\*c - 4\*a\*b^2\*c^2)\*d^3\*e + (b^5 - 2\*a\*b^3\*c - 8\*a^2\*b\*c^2)\*d^2\*e^2 - 2\*(a\*b^4 - 4\*a^2\*b^2\*c)\*d\*e^3 + (a^2\*b^3 - 4\*a^3\*b\*c)\*e^4)\*x)]

giac [B] time = 0.35, size = 757, normalized size = 3.15

$$\frac{2 \left( \frac{2 \left( b^3 c^2 d^3 f^2 - 2 b^2 c^2 d^3 f g + b^3 c d^3 g^2 - 2 a c^2 d^3 g^2 - 3 b^2 c^2 d^2 f^2 e + 2 b^2 c d^2 f g e + 4 a c^2 d^2 f g e - b^3 d^2 g^2 e + a b c d^2 g^2 e + b^2 c d f^2 e^2 + 2 a c^2 d f^2 e^2 - 6 a b c d f g e^2 + 2 a b^2 d g^2 e^2 - 2 a^2 c d g^2 e^2 - a b c f^2 e^3 + 4 a^2 c f g e^3 - a^2 b g^2 e^3 \right) x}{(b^2 c^2 d^4 - 4 a c^3 d^4 - 2 b^3 c d^3 e + 8 a b c^2 d^3 e + b^4 d^2 e^2 - 2 a b^2 c d^2 e^2 - 8 a^2 c^2 d^2 e^2 - 2 a b^3 d e^3 + 8 a^2 b c d e^3 + a^2 b^2 e^4 - 4 a^3 c e^4)} + (b c^2 d^3 f^2 - 4 a c^2 d^3 f g + a b c d^3 g^2 - 2 b^2 c d^2 f^2 e + 2 a c^2 d^2 f^2 e + 6 a b c d^2 f g e - a b^2 d^2 g^2 e - 2 a^2 c d^2 g^2 e + b^3 d f^2 e^2 - a b c d f^2 e^2 - 2 a b^2 d f g e^2 - 4 a^2 c d f g e^2 + 3 a^2 b d g^2 e^2 - a b^2 f^2 e^3 + 2 a^2 c f^2 e^3 + 2 a^2 b f g e^3 - 2 a^3 g^2 e^3) \right) / \sqrt{c x^2 + b x + a} + 2 \left( d^2 g^2 - 2 d f g e + f^2 e^2 \right) \arctan \left( - \left( \sqrt{c} x - \sqrt{c x^2 + b x + a} \right) e + \sqrt{c} d \right) / \sqrt{-c d^2 + b d e - a e^2} \right) / \left( (c d^2 - b d e + a e^2) \sqrt{-c d^2 + b d e - a e^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)^2/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="giac")

[Out] -2\*((2\*c^3\*d^3\*f^2 - 2\*b\*c^2\*d^3\*f\*g + b^2\*c\*d^3\*g^2 - 2\*a\*c^2\*d^3\*g^2 - 3\*b\*c^2\*d^2\*f^2\*e + 2\*b^2\*c\*d^2\*f\*g\*e + 4\*a\*c^2\*d^2\*f\*g\*e - b^3\*d^2\*g^2\*e + a\*b\*c\*d^2\*g^2\*e + b^2\*c\*d\*f^2\*e^2 + 2\*a\*c^2\*d\*f^2\*e^2 - 6\*a\*b\*c\*d\*f\*g\*e^2 + 2\*a\*b^2\*d\*g^2\*e^2 - 2\*a^2\*c\*d\*g^2\*e^2 - a\*b\*c\*f^2\*e^3 + 4\*a^2\*c\*f\*g\*e^3 - a^2\*b\*g^2\*e^3)\*x/(b^2\*c^2\*d^4 - 4\*a\*c^3\*d^4 - 2\*b^3\*c\*d^3\*e + 8\*a\*b\*c^2\*d^3\*e + b^4\*d^2\*e^2 - 2\*a\*b^2\*c\*d^2\*e^2 - 8\*a^2\*c^2\*d^2\*e^2 - 2\*a\*b^3\*d\*e^3 + 8\*a^2\*b\*c\*d\*e^3 + a^2\*b^2\*e^4 - 4\*a^3\*c\*e^4) + (b\*c^2\*d^3\*f^2 - 4\*a\*c^2\*d^3\*f\*g + a\*b\*c\*d^3\*g^2 - 2\*b^2\*c\*d^2\*f^2\*e + 2\*a\*c^2\*d^2\*f^2\*e + 6\*a\*b\*c\*d^2\*f\*g\*e - a\*b^2\*d^2\*g^2\*e - 2\*a^2\*c\*d^2\*g^2\*e + b^3\*d\*f^2\*e^2 - a\*b\*c\*d\*f^2\*e^2 - 2\*a\*b^2\*d\*f\*g\*e^2 - 4\*a^2\*c\*d\*f\*g\*e^2 + 3\*a^2\*b\*d\*g^2\*e^2 - a\*b^2\*f^2\*e^3 + 2\*a^2\*c\*f^2\*e^3 + 2\*a^2\*b\*f\*g\*e^3 - 2\*a^3\*g^2\*e^3)/(b^2\*c^2\*d^4 - 4\*a\*c^3\*d^4 - 2\*b^3\*c\*d^3\*e + 8\*a\*b\*c^2\*d^3\*e + b^4\*d^2\*e^2 - 2\*a\*b^2\*c\*d^2\*e^2 - 8\*a^2\*c^2\*d^2\*e^2 - 2\*a\*b^3\*d\*e^3 + 8\*a^2\*b\*c\*d\*e^3 + a^2\*b^2\*e^4 - 4\*a^3\*c\*e^4))/sqrt(c\*x^2 + b\*x + a) + 2\*(d^2\*g^2 - 2\*d\*f\*g\*e + f^2\*e^2)\*arctan(-((sqrt(c)\*x - sqrt(c\*x^2 + b\*x + a))\*e + sqrt(c)\*d)/sqrt(-c\*d^2 + b\*d\*e - a\*e^2))/((c\*d^2 - b\*d\*e + a\*e^2)\*sqrt(-c\*d^2 + b\*d\*e - a\*e^2))

maple [B] time = 0.02, size = 2123, normalized size = 8.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((g*x+f)^2/(e*x+d)/(c*x^2+b*x+a)^{3/2}, x)$

[Out] 
$$\frac{2}{(a e^2 - b d e + c d^2)} \left( \frac{(a e^2 - b d e + c d^2)}{e^2} \right)^{1/2} \ln \left( \frac{(b e - 2 c d) (x + d/e)}{e + 2 (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} / (x + d/e) * d * f * g - 1/e / (a e^2 - b d e + c d^2) / \left( \frac{(a e^2 - b d e + c d^2)}{e^2} \right)^{1/2} \ln \left( \frac{(b e - 2 c d) (x + d/e)}{e + 2 (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} / (x + d/e) * d^2 * g^2 - e / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * b^2 * f^2 + e / (a e^2 - b d e + c d^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * f^2 - g^2 / e / c / (c x^2 + b x + a)^{1/2} + 1/e / (a e^2 - b d e + c d^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * d^2 * g^2 + 4/e^2 / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * x * c^2 * d^3 * g^2 + 2/e^2 / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * b * c * d^3 * g^2 - 2 / (a e^2 - b d e + c d^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * d * f * g - e / (a e^2 - b d e + c d^2) / \left( \frac{(a e^2 - b d e + c d^2)}{e^2} \right)^{1/2} \ln \left( \frac{(b e - 2 c d) (x + d/e)}{e + 2 (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} / (x + d/e) * f^2 - 4/e / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * b * c * d^2 * f * g - 2/e / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * x * b * c * d^2 * g^2 + 4 / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * x * b * c * d * f * g + 2 / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * b^2 * d * f * g + 2 / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * b * c * d * f^2 - 4 * g^2 / e^2 * d / (4 a c - b^2) / (c x^2 + b x + a)^{1/2} * c * x + 8 * g / e * f / (4 a c - b^2) / (c x^2 + b x + a)^{1/2} * c * x + 4 / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * x * c^2 * d * f^2 - 1/e / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * b^2 * d^2 * g^2 - 2 * g^2 / e^2 * d / (4 a c - b^2) / (c x^2 + b x + a)^{1/2} * b + 4 * g / e * f / (4 a c - b^2) / (c x^2 + b x + a)^{1/2} * b - 2 * g^2 / e * b / (4 a c - b^2) / (c x^2 + b x + a)^{1/2} * x - g^2 / e * b^2 / c / (4 a c - b^2) / (c x^2 + b x + a)^{1/2} - 8/e / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * x * c^2 * d^2 * f * g - 2 * e / (a e^2 - b d e + c d^2) / (4 a c - b^2) / \left( \frac{(x + d/e)^2 * c + (b e - 2 c d) (x + d/e)}{e + (a e^2 - b d e + c d^2) / e^2} \right)^{1/2} * x * b * c * f^2$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((g\*x+f)^2/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume((b/e-(2\*c\*d)/e^2)^2>0)', see `assume?` for more details)Is (b/e-(2\*c\*d)/e^2)^2 - (4\*c\*d)/(e^2) zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f + gx)^2}{(d + ex)(cx^2 + bx + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)^2/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x)

[Out] int((f + g\*x)^2/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f + gx)^2}{(d + ex)(a + bx + cx^2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)\*\*2/(e\*x+d)/(c\*x\*\*2+b\*x+a)\*\*(3/2),x)

[Out] Integral((f + g\*x)\*\*2/((d + e\*x)\*(a + b\*x + c\*x\*\*2)\*\*(3/2)), x)

$$3.624 \quad \int \frac{f+gx}{(d+ex)(a+bx+cx^2)^{3/2}} dx$$

**Optimal.** Leaf size=187

$$\frac{e(ef - dg) \tanh^{-1} \left( \frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2} \sqrt{ae^2-bde+cd^2}} \right)}{(ae^2 - bde + cd^2)^{3/2}} - \frac{2 \left( cx(2aeg - b(dg + ef) + 2cdf) + abeg - 2acd g + 2acef + b^2(-e)f - bcd f \right)}{(b^2 - 4ac) \sqrt{a + bx + cx^2} (ae^2 - bde + cd^2)}$$

**Rubi [A]** time = 0.13, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {822, 12, 724, 206}

$$\frac{e(ef - dg) \tanh^{-1} \left( \frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2} \sqrt{ae^2-bde+cd^2}} \right)}{(ae^2 - bde + cd^2)^{3/2}} - \frac{2 \left( cx(2aeg - b(dg + ef) + 2cdf) + abeg - 2acd g + 2acef + b^2(-e)f + bcd f \right)}{(b^2 - 4ac) \sqrt{a + bx + cx^2} (ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[(f + g\*x)/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)), x]

[Out] (-2\*(b\*c\*d\*f - b^2\*e\*f + 2\*a\*c\*e\*f - 2\*a\*c\*d\*g + a\*b\*e\*g + c\*(2\*c\*d\*f + 2\*a\*e\*g - b\*(e\*f + d\*g))\*x))/((b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)\*Sqrt[a + b\*x + c\*x^2]) + (e\*(e\*f - d\*g)\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2]])/(c\*d^2 - b\*d\*e + a\*e^2)^(3/2)

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 822

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e + 2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m + b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rubi steps

$$\int \frac{f + gx}{(d + ex)(a + bx + cx^2)^{3/2}} dx = -\frac{2(bcdf - b^2ef + 2acef - 2acd g + abeg + c(2cdf + 2aeg - b(ef + dg))x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx + cx^2}} -$$

$$= -\frac{2(bcdf - b^2ef + 2acef - 2acd g + abeg + c(2cdf + 2aeg - b(ef + dg))x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx + cx^2}} +$$

$$= -\frac{2(bcdf - b^2ef + 2acef - 2acd g + abeg + c(2cdf + 2aeg - b(ef + dg))x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx + cx^2}} -$$

$$= -\frac{2(bcdf - b^2ef + 2acef - 2acd g + abeg + c(2cdf + 2aeg - b(ef + dg))x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx + cx^2}} +$$

**Mathematica [A]** time = 0.16, size = 183, normalized size = 0.98

$$\frac{2b(aeg + cd(f - gx) - cefx) + 4c(-adg + ae(f + gx) + cdfx) - 2b^2ef}{(b^2 - 4ac)\sqrt{a + x(b + cx)}(e(bd - ae) - cd^2)} + \frac{e(dg - ef)\tanh^{-1}\left(\frac{2ae - bd + bex - 2cdx}{2\sqrt{a + x(b + cx)}\sqrt{e(ae - bd) + cd^2}}\right)}{(e(ae - bd) + cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g\*x)/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)), x]

[Out] (-2\*b^2\*e\*f + 2\*b\*(a\*e\*g - c\*e\*f\*x + c\*d\*(f - g\*x)) + 4\*c\*(-(a\*d\*g) + c\*d\*f\*x + a\*e\*(f + g\*x)))/((b^2 - 4\*a\*c)\*(-(c\*d^2) + e\*(b\*d - a\*e))\*Sqrt[a + x\*(

$b + c*x)) + (e*(-(e*f) + d*g)*ArcTanh[(-(b*d) + 2*a*e - 2*c*d*x + b*e*x)/(2*sqrt[c*d^2 + e*(-(b*d) + a*e)]*sqrt[a + x*(b + c*x)])]/(c*d^2 + e*(-(b*d) + a*e))^(3/2)$

**IntegrateAlgebraic [A]** time = 0.99, size = 233, normalized size = 1.25

$$\frac{2(-abeg + 2acd g - 2acef - 2acegx + b^2ef - bcdf + bcdgx + bcefx - 2c^2dfx)}{(b^2 - 4ac)\sqrt{a + bx + cx^2}(-ae^2 + bde - cd^2)} - \frac{2(deg\sqrt{-ae^2 + bde - cd^2} - e^2f\sqrt{-ae^2 + bde - cd^2})\tan^{-1}\left(\frac{-e\sqrt{a+bx+cx^2} + \sqrt{c}d + \sqrt{c}ex}{\sqrt{-ae^2 + bde - cd^2}}\right)}{(ae^2 - bde + cd^2)^2}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[(f + g\*x)/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out]  $(-2*(-(b*c*d*f) + b^2*e*f - 2*a*c*e*f + 2*a*c*d*g - a*b*e*g - 2*c^2*d*f*x + b*c*e*f*x + b*c*d*g*x - 2*a*c*e*g*x))/((b^2 - 4*a*c)*(-(c*d^2) + b*d*e - a*e^2)*sqrt[a + b*x + c*x^2]) - (2*(-(e^2*sqrt[-(c*d^2) + b*d*e - a*e^2]*f) + d*e*sqrt[-(c*d^2) + b*d*e - a*e^2]*g)*ArcTan[(sqrt[c]*d + sqrt[c]*e*x - e*sqrt[a + b*x + c*x^2])/sqrt[-(c*d^2) + b*d*e - a*e^2]])/(c*d^2 - b*d*e + a*e^2)^2$

**fricas [B]** time = 5.00, size = 1663, normalized size = 8.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="fricas")

[Out]  $[-1/2*((a*b^2 - 4*a^2*c)*e^2*f - (a*b^2 - 4*a^2*c)*d*e*g + ((b^2*c - 4*a*c^2)*e^2*f - (b^2*c - 4*a*c^2)*d*e*g)*x^2 + ((b^3 - 4*a*b*c)*e^2*f - (b^3 - 4*a*b*c)*d*e*g)*x]*sqrt(c*d^2 - b*d*e + a*e^2)*log((8*a*b*d*e - 8*a^2*e^2 - (b^2 + 4*a*c)*d^2 - (8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^2 + 4*sqrt(c*d^2 - b*d*e + a*e^2)*sqrt(c*x^2 + b*x + a)*(b*d - 2*a*e + (2*c*d - b*e)*x) - 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x)/(e^2*x^2 + 2*d*e*x + d^2)) + 4*sqrt(c*x^2 + b*x + a)*((b*c^2*d^3 - 2*(b^2*c - a*c^2)*d^2*e + (b^3 - a*b*c)*d*e^2 - (a*b^2 - 2*a^2*c)*e^3)*f - (2*a*c^2*d^3 - 3*a*b*c*d^2*e - a^2*b*e^3 + (a*b^2 + 2*a^2*c)*d*e^2)*g + ((2*c^3*d^3 - 3*b*c^2*d^2*e - a*b*c*e^3 + (b^2*c + 2*a*c^2)*d*e^2)*f - (b*c^2*d^3 + 3*a*b*c*d*e^2 - 2*a^2*c*e^3 - (b^2*c + 2*a*c^2)*d^2*e)*g)*x)/((a*b^2*c^2 - 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 - 4*a^4*c)*e^4 + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*x^2 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c - 4*a*b^2*c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)*d^2*e^2 - 2*(a*b^4 - 4*a^2*b^2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x), (((a*b^2 - 4*a^2*c)*e^2*f - (a*b^2 - 4*a^2*c)*d*e*g + ((b^2*c - 4*a*c^2)*e^2*f - (b^2*c - 4*a*c^2)*d*e*g)*x^2 + ((b^3 - 4*a*b*c)*e^2*f - (b^3 - 4*a*b*c)*d*e*g)*x)$

```
) * e^2 * f - (b^3 - 4 * a * b * c) * d * e * g) * x) * sqrt(-c * d^2 + b * d * e - a * e^2) * arctan(-1 /
2 * sqrt(-c * d^2 + b * d * e - a * e^2) * sqrt(c * x^2 + b * x + a) * (b * d - 2 * a * e + (2 * c * d
- b * e) * x) / (a * c * d^2 - a * b * d * e + a^2 * e^2 + (c^2 * d^2 - b * c * d * e + a * c * e^2) * x^2
+ (b * c * d^2 - b^2 * d * e + a * b * e^2) * x)) - 2 * sqrt(c * x^2 + b * x + a) * ((b * c^2 * d^3 -
2 * (b^2 * c - a * c^2) * d^2 * e + (b^3 - a * b * c) * d * e^2 - (a * b^2 - 2 * a^2 * c) * e^3) * f -
(2 * a * c^2 * d^3 - 3 * a * b * c * d^2 * e - a^2 * b * e^3 + (a * b^2 + 2 * a^2 * c) * d * e^2) * g + ((
2 * c^3 * d^3 - 3 * b * c^2 * d^2 * e - a * b * c * e^3 + (b^2 * c + 2 * a * c^2) * d * e^2) * f - (b * c^2
* d^3 + 3 * a * b * c * d * e^2 - 2 * a^2 * c * e^3 - (b^2 * c + 2 * a * c^2) * d^2 * e) * g) * x) / ((a * b^
2 * c^2 - 4 * a^2 * c^3) * d^4 - 2 * (a * b^3 * c - 4 * a^2 * b * c^2) * d^3 * e + (a * b^4 - 2 * a^2 * b
^2 * c - 8 * a^3 * c^2) * d^2 * e^2 - 2 * (a^2 * b^3 - 4 * a^3 * b * c) * d * e^3 + (a^3 * b^2 - 4 * a^
4 * c) * e^4 + ((b^2 * c^3 - 4 * a * c^4) * d^4 - 2 * (b^3 * c^2 - 4 * a * b * c^3) * d^3 * e + (b^4 * c
- 2 * a * b^2 * c^2 - 8 * a^2 * c^3) * d^2 * e^2 - 2 * (a * b^3 * c - 4 * a^2 * b * c^2) * d * e^3 + (a
^2 * b^2 * c - 4 * a^3 * c^2) * e^4) * x^2 + ((b^3 * c^2 - 4 * a * b * c^3) * d^4 - 2 * (b^4 * c - 4 *
a * b^2 * c^2) * d^3 * e + (b^5 - 2 * a * b^3 * c - 8 * a^2 * b * c^2) * d^2 * e^2 - 2 * (a * b^4 - 4 * a
^2 * b^2 * c) * d * e^3 + (a^2 * b^3 - 4 * a^3 * b * c) * e^4) * x)]
```

**giac [B]** time = 0.32, size = 568, normalized size = 3.04

$$\frac{2 \left( \frac{(2c^3d^3f - 3b^2d^2g - 3bc^2d^2g + 2a^2d^2g + b^2cd^2f + 2a^2d^2f - 3abcdg^2 - abc f^3 + 2d^2cg^2)x}{\sqrt{cx^2 + bx + a}} + \frac{b^2d^3f - 2a^2d^3g - 2b^2cd^2f + 2a^2d^2f + 3abcd^2g + b^3d^2f - abcd f^2 - ab^2d^2g^2 - 2d^2cdg^2 - ab^2f^3 + 2d^2cf^3 + a^2b^2g^3}{b^2d^4 - 4ac^3d^4 - 2b^3cd^3e + 8abcd^3 + b^4d^3 - 4a^3d^4} \right) - 2(dge - fe^2) \arctan\left(\frac{(\sqrt{cx - \sqrt{cx^2 + bx + a}}) + \sqrt{ca}}{\sqrt{-cd^2 + bde - ae^2}}\right)}{(cd^2 - bde + ae^2)\sqrt{-cd^2 + bde - ae^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="giac")

```
[Out] -2*((2*c^3*d^3*f - b*c^2*d^3*g - 3*b*c^2*d^2*f*e + b^2*c*d^2*g*e + 2*a*c^2*
d^2*g*e + b^2*c*d*f*e^2 + 2*a*c^2*d*f*e^2 - 3*a*b*c*d*g*e^2 - a*b*c*f*e^3 +
2*a^2*c*g*e^3)*x/(b^2*c^2*d^4 - 4*a*c^3*d^4 - 2*b^3*c*d^3*e + 8*a*b*c^2*d^
3*e + b^4*d^2*e^2 - 2*a*b^2*c*d^2*e^2 - 8*a^2*c^2*d^2*e^2 - 2*a*b^3*d*e^3 +
8*a^2*b*c*d*e^3 + a^2*b^2*e^4 - 4*a^3*c*e^4) + (b*c^2*d^3*f - 2*a*c^2*d^3*
g - 2*b^2*c*d^2*f*e + 2*a*c^2*d^2*f*e + 3*a*b*c*d^2*g*e + b^3*d*f*e^2 - a*b
*c*d*f*e^2 - a*b^2*d*g*e^2 - 2*a^2*c*d*g*e^2 - a*b^2*f*e^3 + 2*a^2*c*f*e^3
+ a^2*b*g*e^3)/(b^2*c^2*d^4 - 4*a*c^3*d^4 - 2*b^3*c*d^3*e + 8*a*b*c^2*d^3*e
+ b^4*d^2*e^2 - 2*a*b^2*c*d^2*e^2 - 8*a^2*c^2*d^2*e^2 - 2*a*b^3*d*e^3 + 8*
a^2*b*c*d*e^3 + a^2*b^2*e^4 - 4*a^3*c*e^4))/sqrt(c*x^2 + b*x + a) - 2*(d*g*
e - f*e^2)*arctan(-(sqrt(c)*x - sqrt(c*x^2 + b*x + a))*e + sqrt(c)*d)/sqrt
(-c*d^2 + b*d*e - a*e^2)/((c*d^2 - b*d*e + a*e^2)*sqrt(-c*d^2 + b*d*e - a*
e^2))
```

**maple [B]** time = 0.01, size = 1261, normalized size = 6.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g\*x+f)/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x)

```
[Out] 2/e*g*(2*c*x+b)/(4*a*c-b^2)/(c*x^2+b*x+a)^(1/2)-1/(a*e^2-b*d*e+c*d^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*d*g+e/(a*e^2-b*d*e+c*d^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*f+2/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*x*b*c*d*g-2*e/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*x*b*c*f-4/e/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*x*c^2*d^2*g+4/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*x*c^2*d*f+1/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*b^2*d*g-e/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*b^2*f-2/e/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*b*c*d^2*g+2/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*b*c*d*f+1/(a*e^2-b*d*e+c*d^2)/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)))/(x+d/e))*d*g-e/(a*e^2-b*d*e+c*d^2)/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)))/(x+d/e))*f
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)/(e*x+d)/(c*x^2+b*x+a)^(3/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume((b/e-(2*c*d)/e^2)^2>0)', see `assume?` for more details)Is (b/e-(2*c*d)/e^2)^2 - (4*c*(b*d)/e^2 + (c*d^2)/e^2+a)) /e^2 zero or nonzero?
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{f + gx}{(d + ex)(cx^2 + bx + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f + g*x)/((d + e*x)*(a + b*x + c*x^2)^(3/2)),x)
```

```
[Out] int((f + g*x)/((d + e*x)*(a + b*x + c*x^2)^(3/2)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{f + gx}{(d + ex)(a + bx + cx^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x+f)/(e\*x+d)/(c\*x\*\*2+b\*x+a)\*\*(3/2), x)

[Out] Integral((f + g\*x)/((d + e\*x)\*(a + b\*x + c\*x\*\*2)\*\*(3/2)), x)

$$3.625 \quad \int \frac{1}{(d+ex)(a+bx+cx^2)^{3/2}} dx$$

**Optimal.** Leaf size=155

$$\frac{e^2 \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{(ae^2-bde+cd^2)^{3/2}} - \frac{2(2ace+b^2(-e)+cx(2cd-be)+bcd)}{(b^2-4ac)\sqrt{a+bx+cx^2}(ae^2-bde+cd^2)}$$

**Rubi [A]** time = 0.10, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {740, 12, 724, 206}

$$\frac{e^2 \tanh^{-1}\left(\frac{-2ae+x(2cd-be)+bd}{2\sqrt{a+bx+cx^2}\sqrt{ae^2-bde+cd^2}}\right)}{(ae^2-bde+cd^2)^{3/2}} - \frac{2(2ace+b^2(-e)+cx(2cd-be)+bcd)}{(b^2-4ac)\sqrt{a+bx+cx^2}(ae^2-bde+cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] (-2\*(b\*c\*d - b^2\*e + 2\*a\*c\*e + c\*(2\*c\*d - b\*e)\*x)/((b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)\*Sqrt[a + b\*x + c\*x^2]) + (e^2\*ArcTanh[(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(2\*Sqrt[c\*d^2 - b\*d\*e + a\*e^2]\*Sqrt[a + b\*x + c\*x^2])])/(c\*d^2 - b\*d\*e + a\*e^2)^(3/2)

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

Rule 740



```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[((d + e*x)^(m + 1)*(b*c*d - b^2*e + 2*a*c*e + c*(2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*Simp[b*c*d*e*(2*p - m + 2) + b^2*e^2*(m + p + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3) - c*e*(2*c*d - b*e)*(m + 2*p + 4)*x, x]*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && LtQ[p, -1] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(d+ex)(a+bx+cx^2)^{3/2}} dx &= -\frac{2(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a+bx+cx^2}} - \frac{2 \int -\frac{(b^2-4ac)e^2}{2(d+ex)\sqrt{a+bx+cx^2}} dx}{(b^2 - 4ac)(cd^2 - bde + ae^2)} \\ &= -\frac{2(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a+bx+cx^2}} + \frac{e^2 \int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx}{cd^2 - bde + ae^2} \\ &= -\frac{2(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a+bx+cx^2}} - \frac{(2e^2) \text{Subst}\left(\int \frac{1}{4cd^2-4bde+4ae^2-\dots} dx\right)}{cd^2 - bde + ae^2} \\ &= -\frac{2(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a+bx+cx^2}} + \frac{e^2 \tanh^{-1}\left(\frac{bd-2ae+(2cd-be)x}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx+cx^2}}\right)}{(cd^2 - bde + ae^2)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.26, size = 162, normalized size = 1.05

$$\frac{e^2(b^2-4ac) \tanh^{-1}\left(\frac{2ae-bd+bex-2cdx}{2\sqrt{a+x(b+cx)}\sqrt{e(ae-bd)+cd^2}}\right)}{(e(ae-bd)+cd^2)^{3/2}} + \frac{4c(ae+cdx)-2b^2e+2bc(d-ex)}{\sqrt{a+x(b+cx)}(e(ae-bd)+cd^2)}$$


---


$$4ac - b^2$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)), x]

[Out] ((-2\*b^2\*e + 4\*c\*(a\*e + c\*d\*x) + 2\*b\*c\*(d - e\*x))/((c\*d^2 + e\*(-(b\*d) + a\*e))\*Sqrt[a + x\*(b + c\*x)]) + ((b^2 - 4\*a\*c)\*e^2\*ArcTanh[(-(b\*d) + 2\*a\*e - 2\*c\*d\*x + b\*e\*x)/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]\*Sqrt[a + x\*(b + c\*x)])])/(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2))/(-b^2 + 4\*a\*c)

**IntegrateAlgebraic [A]** time = 0.00, size = 215, normalized size = 1.39

$$\frac{2e^2\sqrt{-ae^2 + bde - cd^2} \tan^{-1}\left(-\frac{e\sqrt{a+bx+cx^2}}{\sqrt{-ae^2+bde-cd^2}} + \frac{\sqrt{c}ex}{\sqrt{-ae^2+bde-cd^2}} + \frac{\sqrt{c}d}{\sqrt{-ae^2+bde-cd^2}}\right)}{(ae^2 - bde + cd^2)^2} - \frac{2(-2ace + b^2e - bcd + bcex - 2c^2dx)}{(b^2 - 4ac)\sqrt{a + bx + cx^2}(-ae^2 + bde - cd^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] (-2\*(-(b\*c\*d) + b^2\*e - 2\*a\*c\*e - 2\*c^2\*d\*x + b\*c\*e\*x))/((b^2 - 4\*a\*c)\*(-(c\*d^2) + b\*d\*e - a\*e^2)\*Sqrt[a + b\*x + c\*x^2]) + (2\*e^2\*Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]\*ArcTan[(Sqrt[c]\*d)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] + (Sqrt[c]\*e\*x)/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2] - (e\*Sqrt[a + b\*x + c\*x^2])/Sqrt[-(c\*d^2) + b\*d\*e - a\*e^2]])/(c\*d^2 - b\*d\*e + a\*e^2)^2

**fricas [B]** time = 0.91, size = 1349, normalized size = 8.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="fricas")

[Out] [1/2\*((b^2\*c - 4\*a\*c^2)\*e^2\*x^2 + (b^3 - 4\*a\*b\*c)\*e^2\*x + (a\*b^2 - 4\*a^2\*c)\*e^2)\*sqrt(c\*d^2 - b\*d\*e + a\*e^2)\*log((8\*a\*b\*d\*e - 8\*a^2\*e^2 - (b^2 + 4\*a\*c)\*d^2 - (8\*c^2\*d^2 - 8\*b\*c\*d\*e + (b^2 + 4\*a\*c)\*e^2)\*x^2 - 4\*sqrt(c\*d^2 - b\*d\*e + a\*e^2)\*sqrt(c\*x^2 + b\*x + a)\*(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x) - 2\*(4\*b\*c\*d^2 + 4\*a\*b\*e^2 - (3\*b^2 + 4\*a\*c)\*d\*e)\*x)/(e^2\*x^2 + 2\*d\*e\*x + d^2)) - 4\*(b\*c^2\*d^3 - 2\*(b^2\*c - a\*c^2)\*d^2\*e + (b^3 - a\*b\*c)\*d\*e^2 - (a\*b^2 - 2\*a^2\*c)\*e^3 + (2\*c^3\*d^3 - 3\*b\*c^2\*d^2\*e - a\*b\*c\*e^3 + (b^2\*c + 2\*a\*c^2)\*d\*e^2)\*x)\*sqrt(c\*x^2 + b\*x + a))/((a\*b^2\*c^2 - 4\*a^2\*c^3)\*d^4 - 2\*(a\*b^3\*c - 4\*a^2\*b\*c^2)\*d^3\*e + (a\*b^4 - 2\*a^2\*b^2\*c - 8\*a^3\*c^2)\*d^2\*e^2 - 2\*(a^2\*b^3 - 4\*a^3\*b\*c)\*d\*e^3 + (a^3\*b^2 - 4\*a^4\*c)\*e^4 + ((b^2\*c^3 - 4\*a\*c^4)\*d^4 - 2\*(b^3\*c^2 - 4\*a\*b\*c^3)\*d^3\*e + (b^4\*c - 2\*a\*b^2\*c^2 - 8\*a^2\*c^3)\*d^2\*e^2 - 2\*(a\*b^3\*c - 4\*a^2\*b\*c^2)\*d\*e^3 + (a^2\*b^2\*c - 4\*a^3\*c^2)\*e^4)\*x^2 + ((b^3\*c^2 - 4\*a\*b\*c^3)\*d^4 - 2\*(b^4\*c - 4\*a\*b^2\*c^2)\*d^3\*e + (b^5 - 2\*a\*b^3\*c - 8\*a^2\*b\*c^2)\*d^2\*e^2 - 2\*(a\*b^4 - 4\*a^2\*b^2\*c)\*d\*e^3 + (a^2\*b^3 - 4\*a^3\*b\*c)\*e^4)\*x), (((b^2\*c - 4\*a\*c^2)\*e^2\*x^2 + (b^3 - 4\*a\*b\*c)\*e^2\*x + (a\*b^2 - 4\*a^2\*c)\*e^2)\*sqrt(-c\*d^2 + b\*d\*e - a\*e^2)\*arctan(-1/2\*sqrt(-c\*d^2 + b\*d\*e - a\*e^2)\*sqrt(c\*x^2 + b\*x + a)\*(b\*d - 2\*a\*e + (2\*c\*d - b\*e)\*x)/(a\*c\*d^2 - a\*b\*d\*e + a^2\*e^2 + (c^2\*d^2 - b\*c\*d\*e + a\*c\*e^2)\*x^2 + (b\*c\*d^2 - b^2\*d\*e + a\*b\*e^2)\*x)) - 2\*(b\*c^2\*d^3 - 2\*(b^2\*c - a\*c^2)\*d^2\*e + (b^3 - a\*b\*c)\*d\*e^2 - (a\*b^2 - 2\*a^2\*c)\*e^3 + (2\*c^3\*d^3 - 3\*b\*c^2\*d^2\*e - a\*b\*c\*e^3 + (b^2\*c + 2\*a\*c^2)\*d\*e^2)\*x)\*sqrt(c\*x^2 + b\*x + a))/((a\*b^2\*c^2 - 4\*a^2\*c^3)\*d^4 - 2\*(a\*b^3\*c - 4\*a^2\*b\*c^2)\*d^3\*e + (a\*b^4 - 2\*a^2\*b^2\*c - 8\*a^3\*c^2)\*d^2\*e^2 - 2\*(a^2\*b^3 - 4\*a^3\*b\*c)\*d\*e^3 + (a^3\*b^2 - 4\*a^4\*c)\*e^4 + ((b^2\*c^3 - 4\*a

$$c^4*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*x^2 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c - 4*a*b^2*c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)*d^2*e^2 - 2*(a*b^4 - 4*a^2*b^2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x]$$

**giac [B]** time = 0.32, size = 447, normalized size = 2.88

$$\frac{2 \left( \frac{(2c^3d^3 - 3bc^2d^2e + 4a^2cd^2 - abcc^3)x}{(b^2c^2d^4 - 4ac^3d^3 + 8ab^2cd^2 + 4a^2d^2 - abcc^3)x} + \frac{bc^2d^3 - 2b^2cd^2e + 2ac^2d^2 + b^3d^2 - abcd^2 - ab^2c^3 + 2a^2c^3}{(b^2c^2d^4 - 4ac^3d^3 - 2b^3cd^2e + 8ab^2cd^2 - 2ab^2d^3 + 8a^2bcd^3 + a^2b^2d^4 - 4a^3c^4)} \right) + 2 \arctan \left( -\frac{(\sqrt{cx^2 + bx + a})e + \sqrt{cd}}{\sqrt{-cd^2 + bde - ae^2}} \right) e^2}{\sqrt{cx^2 + bx + a} \sqrt{-cd^2 + bde - ae^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="giac")

[Out]  $-2*((2*c^3*d^3 - 3*b*c^2*d^2*e + b^2*c*d*e^2 + 2*a*c^2*d*e^2 - a*b*c*e^3)*x / (b^2*c^2*d^4 - 4*a*c^3*d^4 - 2*b^3*c*d^3*e + 8*a*b*c^2*d^3*e + b^4*d^2*e^2 - 2*a*b^2*c*d^2*e^2 - 8*a^2*c^2*d^2*e^2 - 2*a*b^3*d*e^3 + 8*a^2*b*c*d*e^3 + a^2*b^2*e^4 - 4*a^3*c*e^4) + (b*c^2*d^3 - 2*b^2*c*d^2*e + 2*a*c^2*d^2*e + b^3*d*e^2 - a*b*c*d*e^2 - a*b^2*e^3 + 2*a^2*c*e^3) / (b^2*c^2*d^4 - 4*a*c^3*d^4 - 2*b^3*c*d^3*e + 8*a*b*c^2*d^3*e + b^4*d^2*e^2 - 2*a*b^2*c*d^2*e^2 - 8*a^2*c^2*d^2*e^2 - 2*a*b^3*d*e^3 + 8*a^2*b*c*d*e^3 + a^2*b^2*e^4 - 4*a^3*c*e^4)) / \text{sqrt}(c*x^2 + b*x + a) + 2*\arctan(-((\text{sqrt}(c)*x - \text{sqrt}(c*x^2 + b*x + a)))*e + \text{sqrt}(c)*d) / \text{sqrt}(-c*d^2 + b*d*e - a*e^2))*e^2 / ((c*d^2 - b*d*e + a*e^2)*\text{sqrt}(-c*d^2 + b*d*e - a*e^2))$

**maple [B]** time = 0.01, size = 603, normalized size = 3.89

$$\frac{\frac{2bcx}{(e^2 - bd + c\beta)(4ac - \beta)\sqrt{(e + \frac{1}{2})^2 - \frac{b^2 - 4ac}{4c}}} + \frac{4c^2d}{(e^2 - bd + c\beta)(4ac - \beta)\sqrt{(e + \frac{1}{2})^2 - \frac{b^2 - 4ac}{4c}}} + \frac{8c^2d}{(e^2 - bd + c\beta)(4ac - \beta)\sqrt{(e + \frac{1}{2})^2 - \frac{b^2 - 4ac}{4c}}} + \frac{8c^2d}{(e^2 - bd + c\beta)(4ac - \beta)\sqrt{(e + \frac{1}{2})^2 - \frac{b^2 - 4ac}{4c}}} + \frac{8c^2d}{(e^2 - bd + c\beta)(4ac - \beta)\sqrt{(e + \frac{1}{2})^2 - \frac{b^2 - 4ac}{4c}}} + \frac{8c^2d}{(e^2 - bd + c\beta)(4ac - \beta)\sqrt{(e + \frac{1}{2})^2 - \frac{b^2 - 4ac}{4c}}} + \frac{8c^2d}{(e^2 - bd + c\beta)(4ac - \beta)\sqrt{(e + \frac{1}{2})^2 - \frac{b^2 - 4ac}{4c}}} + \frac{8c^2d}{(e^2 - bd + c\beta)(4ac - \beta)\sqrt{(e + \frac{1}{2})^2 - \frac{b^2 - 4ac}{4c}}} + \frac{8c^2d}{(e^2 - bd + c\beta)(4ac - \beta)\sqrt{(e + \frac{1}{2})^2 - \frac{b^2 - 4ac}{4c}}} + \frac{8c^2d}{(e^2 - bd + c\beta)(4ac - \beta)\sqrt{(e + \frac{1}{2})^2 - \frac{b^2 - 4ac}{4c}}}}{(e^2 - bd + c\beta)\sqrt{(e + \frac{1}{2})^2 - \frac{b^2 - 4ac}{4c}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x)

[Out]  $e/(a*e^2 - b*d*e + c*d^2) / ((x+d/e)^2*c + (b*e - 2*c*d)*(x+d/e)/e + (a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)} - 2*e/(a*e^2 - b*d*e + c*d^2) / (4*a*c - b^2) / ((x+d/e)^2*c + (b*e - 2*c*d)*(x+d/e)/e + (a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)} * x*b*c + 4/(a*e^2 - b*d*e + c*d^2) / (4*a*c - b^2) / ((x+d/e)^2*c + (b*e - 2*c*d)*(x+d/e)/e + (a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)} * x*c^2*d - e/(a*e^2 - b*d*e + c*d^2) / (4*a*c - b^2) / ((x+d/e)^2*c + (b*e - 2*c*d)*(x+d/e)/e + (a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)} * b^2 + 2/(a*e^2 - b*d*e + c*d^2) / (4*a*c - b^2) / ((x+d/e)^2*c + (b*e - 2*c*d)*(x+d/e)/e + (a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)} * b*c*d - e/(a*e^2 - b*d*e + c*d^2) / ((a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)} * \ln(((b*e - 2*c*d)*(x+d/e)/e + 2*(a*e^2 - b*d*e + c*d^2)/e^2 + 2*((a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)} * ((x+d/e)^2*c + (b*e - 2*c*d)*(x+d/e)/e + (a*e^2 - b*d*e + c*d^2)/e^2)^{(1/2)}) / (x+d/e)$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a\*e^2-b\*d\*e>0)', see `assume?` for more details)Is a\*e^2-b\*d\*e +c\*d^2 positive, negative or zero?

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(d+ex)(cx^2+bx+a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x)

[Out] int(1/((d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d+ex)(a+bx+cx^2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(c\*x\*\*2+b\*x+a)\*\*(3/2),x)

[Out] Integral(1/((d + e\*x)\*(a + b\*x + c\*x\*\*2)\*\*(3/2)), x)

$$3.626 \quad \int \frac{1}{(d+ex)(f+gx)(a+bx+cx^2)^{3/2}} dx$$

Optimal. Leaf size=352

$$\frac{2e(2ace + b^2(-e) + cx(2cd - be) + bcd)}{(b^2 - 4ac)\sqrt{a + bx + cx^2}(ef - dg)(ae^2 - bde + cd^2)} + \frac{2g(2acg + b^2(-g) + cx(2cf - bg) + bcf)}{(b^2 - 4ac)\sqrt{a + bx + cx^2}(ef - dg)(ag^2 - bfg + cf^2)} +$$

**Rubi [A]** time = 0.44, antiderivative size = 352, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 29, number of rules / integrand size = 0.172, Rules used = {960, 740, 12, 724, 206}

$$\frac{2e(2ace + b^2(-e) + cx(2cd - be) + bcd)}{(b^2 - 4ac)\sqrt{a + bx + cx^2}(ef - dg)(ae^2 - bde + cd^2)} + \frac{2g(2acg + b^2(-g) + cx(2cf - bg) + bcf)}{(b^2 - 4ac)\sqrt{a + bx + cx^2}(ef - dg)(ag^2 - bfg + cf^2)} + \frac{e^3 \tanh^{-1}\left(\frac{-2ae + x(2cd - be) + bd}{2\sqrt{a + bx + cx^2}\sqrt{ae^2 - bde + cd^2}}\right)}{(ef - dg)(ae^2 - bde + cd^2)^{3/2}} - \frac{g^3 \tanh^{-1}\left(\frac{-2ag + x(2cf - bg) + bf}{2\sqrt{a + bx + cx^2}\sqrt{ag^2 - bfg + cf^2}}\right)}{(ef - dg)(ag^2 - bfg + cf^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x^2)^(3/2)), x]

[Out] 
$$\frac{-2e(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)\sqrt{a + bx + cx^2}} + \frac{(2g(bcf - b^2g + 2acg + c(2cf - bg)x))}{(b^2 - 4ac)(ef - dg)(cf^2 - bfg + ag^2)\sqrt{a + bx + cx^2}} + \frac{(e^3 \operatorname{ArcTanh}[(bd - 2ae + (2cd - be)x]/(2\sqrt{cd^2 - bde + ae^2}\sqrt{a + bx + cx^2})) - (g^3 \operatorname{ArcTanh}[(bf - 2ag + (2cf - bg)x]/(2\sqrt{cf^2 - bfg + ag^2}\sqrt{a + bx + cx^2})))/(ef - dg)(cf^2 - bfg + ag^2)^{3/2}}$$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c,

d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 740

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(b*c*d - b^2*e + 2*a*c*e + c*(2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*Simp[b*c*d*e*(2*p - m + 2) + b^2*e^2*(m + p + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3) - c*e*(2*c*d - b*e)*(m + 2*p + 4)*x, x]*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && LtQ[p, -1] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

### Rule 960

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex)(f+gx)(a+bx+cx^2)^{3/2}} dx &= \int \left( \frac{e}{(ef-dg)(d+ex)(a+bx+cx^2)^{3/2}} - \frac{g}{(ef-dg)(f+gx)(a+bx+cx^2)^{3/2}} \right) dx \\
&= \frac{e \int \frac{1}{(d+ex)(a+bx+cx^2)^{3/2}} dx}{ef-dg} - \frac{g \int \frac{1}{(f+gx)(a+bx+cx^2)^{3/2}} dx}{ef-dg} \\
&= -\frac{2e(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)\sqrt{a + bx + cx^2}} + \frac{2g}{(b^2 - 4ac)\sqrt{a + bx + cx^2}} \\
&= -\frac{2e(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)\sqrt{a + bx + cx^2}} + \frac{2g}{(b^2 - 4ac)\sqrt{a + bx + cx^2}} \\
&= -\frac{2e(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)\sqrt{a + bx + cx^2}} + \frac{2g}{(b^2 - 4ac)\sqrt{a + bx + cx^2}} \\
&= -\frac{2e(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)\sqrt{a + bx + cx^2}} + \frac{2g}{(b^2 - 4ac)\sqrt{a + bx + cx^2}}
\end{aligned}$$

**Mathematica [A]** time = 1.22, size = 317, normalized size = 0.90

$$\frac{-\frac{2e(-2c(ae+cdx)+b^2e+bc(ex-d))}{(b^2-4ac)\sqrt{a+x(b+cx)}(e(bd-ae)-cd^2)} + \frac{2g(-2c(ag+cfx)+b^2g+bc(gx-f))}{(b^2-4ac)\sqrt{a+x(b+cx)}(g(bf-ag)-cf^2)} + \frac{e^3 \tanh^{-1}\left(\frac{-2ae+b(d-ex)+2cdx}{2\sqrt{a+x(b+cx)}\sqrt{e(ae-bd)+cd^2}}\right)}{(e(ae-bd)+cd^2)^{3/2}} - \frac{g^3 \tanh^{-1}\left(\frac{-2ag+b(f-gx)+2cfx}{2\sqrt{a+x(b+cx)}\sqrt{g(ag-bf)+cf^2}}\right)}{(g(ag-bf)+cf^2)^{3/2}}}{ef-dg}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x^2)^(3/2)), x]

[Out] ((-2\*e\*(b^2\*e - 2\*c\*(a\*e + c\*d\*x) + b\*c\*(-d + e\*x)))/((b^2 - 4\*a\*c)\*(-(c\*d^2) + e\*(b\*d - a\*e))\*Sqrt[a + x\*(b + c\*x)]) + (2\*g\*(b^2\*g - 2\*c\*(a\*g + c\*f\*x) + b\*c\*(-f + g\*x)))/((b^2 - 4\*a\*c)\*(-(c\*f^2) + g\*(b\*f - a\*g))\*Sqrt[a + x\*(b + c\*x)]) + (e^3\*ArcTanh[(-2\*a\*e + 2\*c\*d\*x + b\*(d - e\*x))/(2\*Sqrt[c\*d^2 + e\*(-(b\*d) + a\*e)]]\*Sqrt[a + x\*(b + c\*x)])/(c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2) - (g^3\*ArcTanh[(-2\*a\*g + 2\*c\*f\*x + b\*(f - g\*x))/(2\*Sqrt[c\*f^2 + g\*(-(b\*f) + a\*g)]]\*Sqrt[a + x\*(b + c\*x)])/(c\*f^2 + g\*(-(b\*f) + a\*g))^(3/2))/(e\*f - d\*g)

**IntegrateAlgebraic [A]** time = 5.38, size = 463, normalized size = 1.32

$$\frac{2(-3abcex + 2ac^2dg + 2ac^2ef - 2ac^2egx + b^3cex - b^2cdg - b^2cef + b^2cex + bc^2df - bc^2dgs - bc^2efx + 2c^3dfx)}{(b^2 - 4ac)\sqrt{a + bx + cx^2}(-a^2 + bde - cd^2)(-ag^2 + bfg - cf^2)} \cdot \frac{2c^3\sqrt{-a^2 + bde - cd^2} \tan^{-1}\left(\frac{c\sqrt{a+bx+cx^2}}{\sqrt{-a^2+bde-cd^2}} + \frac{\sqrt{cex}}{\sqrt{-a^2+bde-cd^2}} + \frac{\sqrt{cd}}{\sqrt{-a^2+bde-cd^2}}\right)}{(dg - cf)(a^2 - bde + cd^2)} - \frac{2g^3\sqrt{-ag^2 + bfg - cf^2} \tan^{-1}\left(\frac{g\sqrt{a+bx+cx^2}}{\sqrt{-ag^2+bfg-cf^2}} + \frac{\sqrt{cex}}{\sqrt{-ag^2+bfg-cf^2}} + \frac{\sqrt{cd}}{\sqrt{-ag^2+bfg-cf^2}}\right)}{(ef - dg)(ag^2 - bfg + cf^2)}$$

Antiderivative was successfully verified.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] 
$$\frac{(-2*(b*c^2*d*f - b^2*c*e*f + 2*a*c^2*e*f - b^2*c*d*g + 2*a*c^2*d*g + b^3*e*g - 3*a*b*c*e*g + 2*c^3*d*f*x - b*c^2*e*f*x - b*c^2*d*g*x + b^2*c*e*g*x - 2*a*c^2*e*g*x))}{((b^2 - 4*a*c)*(-(c*d^2) + b*d*e - a*e^2)*(-(c*f^2) + b*f*g - a*g^2)*\text{Sqrt}[a + b*x + c*x^2])} - \frac{(2*e^3*\text{Sqrt}[-(c*d^2) + b*d*e - a*e^2]*\text{ArcTan}[(\text{Sqrt}[c]*d)/\text{Sqrt}[-(c*d^2) + b*d*e - a*e^2] + (\text{Sqrt}[c]*e*x)/\text{Sqrt}[-(c*d^2) + b*d*e - a*e^2] - (e*\text{Sqrt}[a + b*x + c*x^2])/\text{Sqrt}[-(c*d^2) + b*d*e - a*e^2])}{((c*d^2 - b*d*e + a*e^2)^2*(-(e*f) + d*g))} - \frac{(2*g^3*\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2]*\text{ArcTan}[(\text{Sqrt}[c]*f)/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] + (\text{Sqrt}[c]*g*x)/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2] - (g*\text{Sqrt}[a + b*x + c*x^2])/\text{Sqrt}[-(c*f^2) + b*f*g - a*g^2])}{((e*f - d*g)*(c*f^2 - b*f*g + a*g^2)^2)}$$

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="fricas")

[Out] Timed out

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index\_m & i,const vecteur & l) Error: Bad Argument Value

**maple [B]** time = 0.02, size = 1343, normalized size = 3.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(g\*x+f)/(c\*x^2+b\*x+a)^(3/2),x)



```
[Out] 1/(d*g-e*f)/(a*g^2-b*f*g+c*f^2)*g^2/((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^(1/2)-2/(d*g-e*f)*g^2/(a*g^2-b*f*g+c*f^2)/(4*a*c-b^2)/((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^(1/2)*x*b*c+4/(d*g-e*f)*g/(a*g^2-b*f*g+c*f^2)/(4*a*c-b^2)/((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^(1/2)*x*c^2*f-1/(d*g-e*f)*g^2/(a*g^2-b*f*g+c*f^2)/(4*a*c-b^2)/((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^(1/2)*b^2+2/(d*g-e*f)*g/(a*g^2-b*f*g+c*f^2)/(4*a*c-b^2)/((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^(1/2)*b*c*f-1/(d*g-e*f)/(a*g^2-b*f*g+c*f^2)*g^2/((a*g^2-b*f*g+c*f^2)/g^2)^(1/2)*ln(((b*g-2*c*f)*(x+f/g)/g+2*(a*g^2-b*f*g+c*f^2)/g^2+2*((a*g^2-b*f*g+c*f^2)/g^2)^(1/2)*((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^(1/2))/(x+f/g))-1/(d*g-e*f)/(a*e^2-b*d*e+c*d^2)*e^2/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)+2/(d*g-e*f)*e^2/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*x*b*c-4/(d*g-e*f)*e/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*x*c^2*d+1/(d*g-e*f)*e^2/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*b^2-2/(d*g-e*f)*e/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*b*c*d+1/(d*g-e*f)/(a*e^2-b*d*e+c*d^2)*e^2/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x+d/e))
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + bx + a)^{\frac{3}{2}}(ex + d)(gx + f)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x+d)/(g*x+f)/(c*x^2+b*x+a)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(1/((c*x^2 + b*x + a)^(3/2)*(e*x + d)*(g*x + f)), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(f + gx)(d + ex)(cx^2 + bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((f + g*x)*(d + e*x)*(a + b*x + c*x^2)^(3/2)),x)
```

```
[Out] int(1/((f + g*x)*(d + e*x)*(a + b*x + c*x^2)^(3/2)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex)(f + gx)(a + bx + cx^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)/(c\*x\*\*2+b\*x+a)\*\*(3/2), x)

[Out] Integral(1/((d + e\*x)\*(f + g\*x)\*(a + b\*x + c\*x\*\*2)\*\*(3/2)), x)

$$3.627 \quad \int \frac{1}{(d+ex)(f+gx)^2(a+bx+cx^2)^{3/2}} dx$$

Optimal. Leaf size=642

$$\frac{g^2 \sqrt{a+bx+cx^2} (-4cg(2ag+bf) + 3b^2g^2 + 4c^2f^2)}{(b^2-4ac)(f+gx)(ef-dg)(ag^2-bfg+cf^2)^2} - \frac{2e^2(2ace+b^2(-e)+cx(2cd-be)+bcd)}{(b^2-4ac)\sqrt{a+bx+cx^2}(ef-dg)^2(ae^2-bde+cd^2)} + \dots$$

Rubi [A] time = 0.91, antiderivative size = 642, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 6, integrand size = 29, number of rules / integrand size = 0.207, Rules used = {960, 740, 12, 724, 206, 806}

$$\frac{g^2 \sqrt{a+bx+cx^2} (-4cg(2ag+bf) + 3b^2g^2 + 4c^2f^2)}{(b^2-4ac)(f+gx)(ef-dg)(ag^2-bfg+cf^2)^2} - \frac{2e^2(2ace+b^2(-e)+cx(2cd-be)+bcd)}{(b^2-4ac)\sqrt{a+bx+cx^2}(ef-dg)^2(ae^2-bde+cd^2)} + \dots$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(f + g\*x)^2\*(a + b\*x + c\*x^2)^(3/2)), x]

[Out] 
$$\frac{(-2e^2(bcd - b^2e + 2ace + c(2cd - be)x)) / ((b^2 - 4ac)(c^2d^2 - b^2de + ae^2)(ef - dg)^2 \sqrt{a + bx + cx^2}) + (2eg(bcf - b^2g + 2acg + c(2cf - bg)x)) / ((b^2 - 4ac)(ef - dg)^2 (cf^2 - bfg + ag^2) \sqrt{a + bx + cx^2}) + (2g(bcf - b^2g + 2acg + c(2cf - bg)x)) / ((b^2 - 4ac)(ef - dg)(cf^2 - bfg + ag^2)(f + gx) \sqrt{a + bx + cx^2}) + (g^2(4c^2f^2 + 3b^2g^2 - 4cgbf + 2aag)) \sqrt{a + bx + cx^2} / ((b^2 - 4ac)(ef - dg)(cf^2 - bfg + ag^2)^2 (f + gx)) + (e^4 \operatorname{ArcTanh}[(bd - 2ae + (2cd - be)x) / (2\sqrt{c^2d^2 - b^2de + ae^2} \sqrt{a + bx + cx^2})]) / ((c^2d^2 - b^2de + ae^2)^{3/2} (ef - dg)^2) - (3g^3(2cf - bg) \operatorname{ArcTanh}[(bf - 2ag + (2cf - bg)x) / (2\sqrt{cf^2 - bfg + ag^2} \sqrt{a + bx + cx^2})]) / (2(ef - dg)(cf^2 - bfg + ag^2)^{5/2}) - (eg^3 \operatorname{ArcTanh}[(bf - 2ag + (2cf - bg)x) / (2\sqrt{cf^2 - bfg + ag^2} \sqrt{a + bx + cx^2})]) / ((ef - dg)^2 (cf^2 - bfg + ag^2)^{3/2})$$

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 740

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(b*c*d - b^2*e + 2*a*c*e + c*(2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*Simp[b*c*d*e*(2*p - m + 2) + b^2*e^2*(m + p + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3) - c*e*(2*c*d - b*e)*(m + 2*p + 4)*x, x]*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && LtQ[p, -1] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

Rule 806

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 960

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex)(f+gx)^2(a+bx+cx^2)^{3/2}} dx &= \int \left( \frac{e^2}{(ef-dg)^2(d+ex)(a+bx+cx^2)^{3/2}} - \frac{g}{(ef-dg)(f+gx)^2(a+bx+cx^2)^{3/2}} \right) dx \\
&= \frac{e^2 \int \frac{1}{(d+ex)(a+bx+cx^2)^{3/2}} dx}{(ef-dg)^2} - \frac{(eg) \int \frac{1}{(f+gx)(a+bx+cx^2)^{3/2}} dx}{(ef-dg)^2} - \frac{g \int \frac{1}{(f+gx)^2(a+bx+cx^2)^{3/2}} dx}{ef-dg} \\
&= -\frac{2e^2(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^2\sqrt{a + bx + cx^2}} + \frac{2g}{(b^2 - 4ac)\sqrt{a + bx + cx^2}} \\
&= -\frac{2e^2(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^2\sqrt{a + bx + cx^2}} + \frac{2g}{(b^2 - 4ac)\sqrt{a + bx + cx^2}} \\
&= -\frac{2e^2(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^2\sqrt{a + bx + cx^2}} + \frac{2g}{(b^2 - 4ac)\sqrt{a + bx + cx^2}} \\
&= -\frac{2e^2(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^2\sqrt{a + bx + cx^2}} + \frac{2g}{(b^2 - 4ac)\sqrt{a + bx + cx^2}}
\end{aligned}$$

**Mathematica [A]** time = 5.08, size = 623, normalized size = 0.97

$$\frac{\frac{3e^2g^2 - 2fg}{2(dg - ef)} \operatorname{tanh}^{-1} \left( \frac{2e^2 - 2d(a+cx) + b^2e + bc(cx-d)}{\sqrt{(a+bx+cx^2)(ef-dg)^2 - (b^2-4ac)(cd^2 - bde + ae^2)}} \right) - \frac{2g^2(-2(a+cx) + b^2e + bc(cx-d))}{(b^2-4ac)\sqrt{a+bx+cx^2}(ef-dg)^2} + \frac{2eg(-2(ax+cx) + b^2g + bc(cx-f))}{(b^2-4ac)\sqrt{a+bx+cx^2}(ef-dg)^2} - \frac{2g(-2(ax+cx) + b^2g + bc(cx-f))}{(b^2-4ac)(f+gx)\sqrt{a+bx+cx^2}(ef-dg)^2} + \frac{e^4 \operatorname{tanh}^{-1} \left( \frac{-2a+bd-cx+2de}{\sqrt{(a+bx+cx^2)(ef-dg)^2 - (b^2-4ac)(cd^2 - bde + ae^2)}} \right) - eg^3 \operatorname{tanh}^{-1} \left( \frac{-2a+bd-cx+2de}{\sqrt{(a+bx+cx^2)(ef-dg)^2 - (b^2-4ac)(cd^2 - bde + ae^2)}} \right)}{(ef-dg)^2 \sqrt{(a+bx+cx^2)(ef-dg)^2 - (b^2-4ac)(cd^2 - bde + ae^2)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(f + g\*x)^2\*(a + b\*x + c\*x^2)^(3/2)), x]

[Out]  $(-2e^2(b^2e - 2c(ae + cd*x) + b*c*(-d + e*x)))/((b^2 - 4ac)*(-(c*d^2 + e*(b*d - a*e))*(ef - dg)^2*\sqrt{a + x*(b + c*x)}) + (2e*g*(b^2*g - 2c*(a*g + c*f*x) + b*c*(-f + g*x)))/((b^2 - 4ac)*(ef - dg)^2*(-(c*f^2 + g*(b*f - a*g))*\sqrt{a + x*(b + c*x)}) - (2*g*(b^2*g - 2c*(a*g + c*f*x) + b*c*(-f + g*x)))/((b^2 - 4ac)*(-(ef) + dg)*(-(c*f^2 + g*(b*f - a*g))*(f + g*x)*\sqrt{a + x*(b + c*x)}) + (g^2*((-2*(4*c^2*f^2 + 3*b^2*g^2 - 4*c*g*(b*f + 2*a*g))*\sqrt{a + x*(b + c*x)})/((b^2 - 4ac)*(c*f^2 + g*(-(b*f) + a*g))^2*(f + g*x)) + (3*g*(-2*c*f + b*g)*\operatorname{ArcTanh}[(-(b*f) + 2*a*g - 2*c*f*x + b*g*x)/(2*\sqrt{c*f^2 + g*(-(b*f) + a*g)}*\sqrt{a + x*(b + c*x)})]))/(c*f^2 + g*(-(b*f) + a*g))^(5/2))/((2*(-(ef) + dg)) + (e^4*\operatorname{ArcTanh}[(-2*a*e + 2*c*d*x + b*(d - e*x))/(2*\sqrt{c*d^2 + e*(-(b*d) + a*e)}*\sqrt{a + x*(b + c*x)}}$

)])))/((c\*d^2 + e\*(-(b\*d) + a\*e))^(3/2)\*(e\*f - d\*g)^2) - (e\*g^3\*ArcTanh[(-2\*a\*g + 2\*c\*f\*x + b\*(f - g\*x))/(2\*sqrt[c\*f^2 + g\*(-(b\*f) + a\*g)]\*sqrt[a + x\*(b + c\*x)])])]/((e\*f - d\*g)^2\*(c\*f^2 + g\*(-(b\*f) + a\*g))^(3/2))

**IntegrateAlgebraic [F]** time = 180.07, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(f + g\*x)^2\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] \$Aborted

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)^2/(c\*x^2+b\*x+a)^(3/2),x, algorithm="fricas")

[Out] Timed out

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)^2/(c\*x^2+b\*x+a)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.03, size = 2807, normalized size = 4.37

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x+d)/(g\*x+f)^2/(c\*x^2+b\*x+a)^(3/2),x)

[Out]  $1/(d*g-e*f)^2*e^3/(a*e^2-b*d*e+c*d^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}+1/(d*g-e*f)^2*e/(a*g^2-b*f*g+c*f^2)*g^2/((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*\ln(((b*g-2*c*f)*(x+f/g)/g+2*(a*g^2-b*f*g+c*f^2)/g^2+2*((a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)}*((x+f/g)^2*c+(b*g-2*c*f)*(x+f/g)/g+(a*g^2-b*f*g+c*f^2)/g^2)^{(1/2)})/(x+f/g))-1/(d*g-e*f)^2*e^3/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)/((x+d/e)^2*c+(b*e-2*c*d)*(x+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}$

$$\begin{aligned}
& /2) * b^2 + 3/2 * g^3 / (d * g - e * f) / (a * g^2 - b * f * g + c * f^2)^2 / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * b^3 + 3 * g^2 / (d * g - e * f) / (a * g^2 - b * f * g + c * f^2)^2 / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * c * f - 1 / (d * g - e * f)^2 * e^3 / (a * e^2 - b * d * e + c * d^2) / ((a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * \ln(((b * e - 2 * c * d) * (x + d / e) / e + 2 * (a * e^2 - b * d * e + c * d^2) / e^2 + 2 * ((a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * ((x + d / e)^2 * c + (b * e - 2 * c * d) * (x + d / e) / e + (a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)}) / (x + d / e) - g / (d * g - e * f) / (a * g^2 - b * f * g + c * f^2) / (x + f / g) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} + 3 * g^3 / (d * g - e * f) / (a * g^2 - b * f * g + c * f^2)^2 / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * x * b^2 * c + 12 * g / (d * g - e * f) / (a * g^2 - b * f * g + c * f^2)^2 / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * x * c^3 * f^2 - 6 * g^2 / (d * g - e * f) / (a * g^2 - b * f * g + c * f^2)^2 / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * b^2 * c * f + 6 * g / (d * g - e * f) / (a * g^2 - b * f * g + c * f^2)^2 / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * b * c^2 * f^2 - 2 / (d * g - e * f)^2 * e^3 / (a * e^2 - b * d * e + c * d^2) / (4 * a * c - b^2) / ((x + d / e)^2 * c + (b * e - 2 * c * d) * (x + d / e) / e + (a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * x * b * c + 4 / (d * g - e * f)^2 * e^2 / (a * e^2 - b * d * e + c * d^2) / (4 * a * c - b^2) / ((x + d / e)^2 * c + (b * e - 2 * c * d) * (x + d / e) / e + (a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * x * c^2 * d + 2 / (d * g - e * f)^2 * e^2 / (a * e^2 - b * d * e + c * d^2) / (4 * a * c - b^2) / ((x + d / e)^2 * c + (b * e - 2 * c * d) * (x + d / e) / e + (a * e^2 - b * d * e + c * d^2) / e^2)^{(1/2)} * b * c * d - 12 * g^2 / (d * g - e * f) / (a * g^2 - b * f * g + c * f^2)^2 / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * x * b * c^2 * f^2 - 2 / (d * g - e * f)^2 * e * g / (a * g^2 - b * f * g + c * f^2) / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * b * c * f + 2 / (d * g - e * f)^2 * e * g^2 / (a * g^2 - b * f * g + c * f^2) / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * x * b * c - 3 / 2 * g^3 / (d * g - e * f) / (a * g^2 - b * f * g + c * f^2)^2 / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * b - 1 / (d * g - e * f)^2 * e / (a * g^2 - b * f * g + c * f^2) * g^2 / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} - 4 / (d * g - e * f)^2 * e * g / (a * g^2 - b * f * g + c * f^2) / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * x * c^2 * f - 3 * g^2 / (d * g - e * f) / (a * g^2 - b * f * g + c * f^2)^2 / ((a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * \ln(((b * g - 2 * c * f) * (x + f / g) / g + 2 * (a * g^2 - b * f * g + c * f^2) / g^2 + 2 * ((a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)}) / (x + f / g) * c * f - 8 * g / (d * g - e * f) * c^2 / (a * g^2 - b * f * g + c * f^2) / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * x - 4 * g / (d * g - e * f) * c / (a * g^2 - b * f * g + c * f^2) / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * b + 1 / (d * g - e * f)^2 * e * g^2 / (a * g^2 - b * f * g + c * f^2) / (4 * a * c - b^2) / ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * b^2 + 3 / 2 * g^3 / (d * g - e * f) / (a * g^2 - b * f * g + c * f^2)^2 / ((a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * \ln(((b * g - 2 * c * f) * (x + f / g) / g + 2 * (a * g^2 - b * f * g + c * f^2) / g^2 + 2 * ((a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)} * ((x + f / g)^2 * c + (b * g - 2 * c * f) * (x + f / g) / g + (a * g^2 - b * f * g + c * f^2) / g^2)^{(1/2)}) / (x + f / g) * b
\end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + bx + a)^{\frac{3}{2}}(ex + d)(gx + f)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)^2/(c\*x^2+b\*x+a)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((c\*x^2 + b\*x + a)^(3/2)\*(e\*x + d)\*(g\*x + f)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(f + gx)^2 (d + ex) (cx^2 + bx + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((f + g\*x)^2\*(d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)),x)

[Out] int(1/((f + g\*x)^2\*(d + e\*x)\*(a + b\*x + c\*x^2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex)(f + gx)^2 (a + bx + cx^2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)\*\*2/(c\*x\*\*2+b\*x+a)\*\*(3/2),x)

[Out] Integral(1/((d + e\*x)\*(f + g\*x)\*\*2\*(a + b\*x + c\*x\*\*2)\*\*(3/2)), x)



$$3.628 \quad \int \frac{1}{(d+ex)(f+gx)^3(a+bx+cx^2)^{3/2}} dx$$

Optimal. Leaf size=1064

$$\frac{\tanh^{-1}\left(\frac{bd-2ae+(2cd-be)x}{2\sqrt{cd^2-bed+ae^2}\sqrt{cx^2+bx+a}}\right)e^5}{(cd^2-bed+ae^2)^{3/2}(ef-dg)^3} - \frac{2(-eb^2+cdb+2ace+c(2cd-be)x)e^3}{(b^2-4ac)(cd^2-bed+ae^2)(ef-dg)^3\sqrt{cx^2+bx+a}} - \frac{g^3 \tanh^{-1}\left(\frac{bf-2ag}{2\sqrt{cf^2-bg}}\right)}{(ef-dg)^3(cf^2-bg)}$$

**Rubi [A]** time = 1.90, antiderivative size = 1064, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {960, 740, 12, 724, 206, 834, 806}

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x)\*(f + g\*x)^3\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] 
$$\begin{aligned} & (-2e^3(bcd - b^2e + 2ace + c(2cd - be)x))/((b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^3\sqrt{a + bx + cx^2}) + (2e^2g(bcf - b^2g + 2acg + c(2cf - bg)x))/((b^2 - 4ac)(ef - dg)^3(cf^2 - bfg + ag^2)\sqrt{a + bx + cx^2}) \\ & + (2g(bcf - b^2g + 2acg + c(2cf - bg)x))/((b^2 - 4ac)(ef - dg)(cf^2 - bfg + ag^2)(f + gx)^2\sqrt{a + bx + cx^2}) + (2e^2g(bcf - b^2g + 2acg + c(2cf - bg)x))/((b^2 - 4ac)(ef - dg)^2(cf^2 - bfg + ag^2)(f + gx)\sqrt{a + bx + cx^2}) \\ & + (g^2(8c^2f^2 + 5b^2g^2 - 4cg(2bf + 3ag))\sqrt{a + bx + cx^2})/(2(b^2 - 4ac)(ef - dg)(cf^2 - bfg + ag^2)^2(f + gx)^2) + (e^2g(4c^2f^2 + 3b^2g^2 - 4cg(bf + 2ag))\sqrt{a + bx + cx^2})/((b^2 - 4ac)(ef - dg)^2(cf^2 - bfg + ag^2)^2(f + gx)) \\ & + (g^2(2cf - bg)(8c^2f^2 + 15b^2g^2 - 4cg(2bf + 3ag))\sqrt{a + bx + cx^2})/(4(b^2 - 4ac)(ef - dg)(cf^2 - bfg + ag^2)^3(f + gx)) + (e^5\text{ArcTanh}[(bd - 2ae + (2cd - be)x)/(2\sqrt{cd^2 - bde + ae^2}\sqrt{a + bx + cx^2})])/((cd^2 - bde + ae^2)^{3/2}(ef - dg)^3) \\ & - (3e^3g^3(2cf - bg)\text{ArcTanh}[(bf - 2ag + (2cf - bg)x)/(2\sqrt{cf^2 - bfg + ag^2}\sqrt{a + bx + cx^2})])/((ef - dg)^2(cf^2 - bfg + ag^2)^{5/2}) - (e^2g^3\text{ArcTanh}[(bf - 2ag + (2cf - bg)x)/(2\sqrt{cf^2 - bfg + ag^2}\sqrt{a + bx + cx^2})])/((ef - dg)^3(cf^2 - bfg + ag^2)^{3/2}) \\ & - (3g^3(16c^2f^2 + 5b^2g^2 - 4cg(4bf + ag))\text{ArcTanh}[(bf - 2ag + (2cf - bg)x)/(2\sqrt{cf^2 - bfg + ag^2}\sqrt{a + bx + cx^2})])/((8(ef - dg)(cf^2 - bfg + ag^2)^{7/2})) \end{aligned}$$

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 724

Int[1/(((d\_.) + (e\_.)\*(x\_))\*Sqrt[(a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2]), x\_Symbol] := Dist[-2, Subst[Int[1/(4\*c\*d^2 - 4\*b\*d\*e + 4\*a\*e^2 - x^2), x], x, (2\*a\*e - b\*d - (2\*c\*d - b\*e)\*x)/Sqrt[a + b\*x + c\*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 740

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(b\*c\*d - b^2\*e + 2\*a\*c\*e + c\*(2\*c\*d - b\*e)\*x)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[1/((p + 1)\*(b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^m\*Simp[b\*c\*d\*e\*(2\*p - m + 2) + b^2\*e^2\*(m + p + 2) - 2\*c^2\*d^2\*(2\*p + 3) - 2\*a\*c\*e^2\*(m + 2\*p + 3) - c\*e\*(2\*c\*d - b\*e)\*(m + 2\*p + 4)\*x, x]\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && LtQ[p, -1] && IntQuadraticQ[a, b, c, d, e, m, p, x]

### Rule 806

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := -Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/(2\*(p + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] - Dist[(b\*(e\*f + d\*g) - 2\*(c\*d\*f + a\*e\*g))/(2\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && EqQ[Simplify[m + 2\*p + 3], 0]

### Rule 834

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((e\*f - d\*g)\*(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^(p + 1))/((m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[1/((m + 1)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^(m + 1)\*(a + b\*x + c\*x^2)^p\*Simp[(c\*d\*f - f\*b\*e + a\*e\*g)\*(m + 1) + b\*(d\*g - e\*f)\*(p + 1) - c\*(e\*f - d\*g)\*(m +

$2*p + 3)*x, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, p\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p])$

### Rule 960

$\text{Int}[(d_.) + (e_.)*(x_.)]^{(m_.)} * ((f_.) + (g_.)*(x_.)]^{(n_.)} * ((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m * (f + g*x)^n * (a + b*x + c*x^2)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ (\text{ILtQ}[m, 0] \ \&\& \ \text{ILtQ}[n, 0])) \ \&\& \ !(\text{IGtQ}[m, 0] \ || \ \text{IGtQ}[n, 0])$

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(d+ex)(f+gx)^3(a+bx+cx^2)^{3/2}} dx &= \int \left( \frac{e^3}{(ef-dg)^3(d+ex)(a+bx+cx^2)^{3/2}} - \frac{g}{(ef-dg)(f+gx)^3(a+bx+cx^2)^{3/2}} \right) dx \\
 &= \frac{e^3 \int \frac{1}{(d+ex)(a+bx+cx^2)^{3/2}} dx}{(ef-dg)^3} - \frac{(e^2g) \int \frac{1}{(f+gx)(a+bx+cx^2)^{3/2}} dx}{(ef-dg)^3} - \frac{(eg) \int \frac{1}{(f+gx)^3(a+bx+cx^2)^{3/2}} dx}{(ef-dg)^3} \\
 &= -\frac{2e^3(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^3\sqrt{a+bx+cx^2}} + \frac{2e^3g}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^3\sqrt{a+bx+cx^2}} \\
 &= -\frac{2e^3(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^3\sqrt{a+bx+cx^2}} + \frac{2e^3g}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^3\sqrt{a+bx+cx^2}} \\
 &= -\frac{2e^3(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^3\sqrt{a+bx+cx^2}} + \frac{2e^3g}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^3\sqrt{a+bx+cx^2}} \\
 &= -\frac{2e^3(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^3\sqrt{a+bx+cx^2}} + \frac{2e^3g}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^3\sqrt{a+bx+cx^2}} \\
 &= -\frac{2e^3(bcd - b^2e + 2ace + c(2cd - be)x)}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^3\sqrt{a+bx+cx^2}} + \frac{2e^3g}{(b^2 - 4ac)(cd^2 - bde + ae^2)(ef - dg)^3\sqrt{a+bx+cx^2}}
 \end{aligned}$$

**Mathematica [A]** time = 5.74, size = 1013, normalized size = 0.95

$$\frac{\sqrt{\frac{c^2 x^2 + 2 c d x + d^2}{c^2 x^2 + 2 c d x + d^2}}}{\sqrt{c^2 x^2 + 2 c d x + d^2}} \sqrt{\frac{c^2 x^2 + 2 c d x + d^2}{c^2 x^2 + 2 c d x + d^2}} \sqrt{\frac{c^2 x^2 + 2 c d x + d^2}{c^2 x^2 + 2 c d x + d^2}} \sqrt{\frac{c^2 x^2 + 2 c d x + d^2}{c^2 x^2 + 2 c d x + d^2}} \sqrt{\frac{c^2 x^2 + 2 c d x + d^2}{c^2 x^2 + 2 c d x + d^2}} \sqrt{\frac{c^2 x^2 + 2 c d x + d^2}{c^2 x^2 + 2 c d x + d^2}} \sqrt{\frac{c^2 x^2 + 2 c d x + d^2}{c^2 x^2 + 2 c d x + d^2}} \sqrt{\frac{c^2 x^2 + 2 c d x + d^2}{c^2 x^2 + 2 c d x + d^2}} \sqrt{\frac{c^2 x^2 + 2 c d x + d^2}{c^2 x^2 + 2 c d x + d^2}} \sqrt{\frac{c^2 x^2 + 2 c d x + d^2}{c^2 x^2 + 2 c d x + d^2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x)\*(f + g\*x)^3\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] 
$$\begin{aligned} & (-2e^3(b^2e - 2c(ae + cd*x) + b*c*(-d + e*x)))/((b^2 - 4ac)*(-(c*d \\ & ^2) + e*(b*d - a*e))*(e*f - d*g)^3\text{Sqrt}[a + x*(b + c*x)]) - (2e^2*g*(b^2*g \\ & - 2c*(a*g + c*f*x) + b*c*(-f + g*x)))/((b^2 - 4ac)*(-(e*f) + d*g)^3*(- \\ & (c*f^2) + g*(b*f - a*g))*\text{Sqrt}[a + x*(b + c*x)]) - (2*g*(b^2*g - 2c*(a*g + c \\ & *f*x) + b*c*(-f + g*x)))/((b^2 - 4ac)*(-(e*f) + d*g)*(-(c*f^2) + g*(b*f - \\ & a*g))*(f + g*x)^2*\text{Sqrt}[a + x*(b + c*x)]) + (2e*g*(b^2*g - 2c*(a*g + c*f* \\ & x) + b*c*(-f + g*x)))/((b^2 - 4ac)*(e*f - d*g)^2*(-(c*f^2) + g*(b*f - a*g \\ & ))*(f + g*x)*\text{Sqrt}[a + x*(b + c*x)]) + (e*g^2*((2*(4*c^2*f^2 + 3*b^2*g^2 - 4 \\ & *c*g*(b*f + 2*a*g))*\text{Sqrt}[a + x*(b + c*x)])/((b^2 - 4ac)*(c*f^2 + g*(-(b*f \\ & ) + a*g))^2*(f + g*x)) + (3*g*(2*c*f - b*g)*\text{ArcTanh}[(-(b*f) + 2*a*g - 2*c*f \\ & *x + b*g*x)/(2*\text{Sqrt}[c*f^2 + g*(-(b*f) + a*g)]*\text{Sqrt}[a + x*(b + c*x)])))/(c*f \\ & ^2 + g*(-(b*f) + a*g))^(5/2))/((2*(e*f - d*g)^2) - (g^2*((4*(8*c^2*f^2 + 5* \\ & b^2*g^2 - 4*c*g*(2*b*f + 3*a*g))*\text{Sqrt}[a + x*(b + c*x)])/(f + g*x)^2 + (2*(2 \\ & *c*f - b*g)*(8*c^2*f^2 + 15*b^2*g^2 - 4*c*g*(2*b*f + 13*a*g))*\text{Sqrt}[a + x*(b \\ & + c*x)])/((c*f^2 + g*(-(b*f) + a*g))*(f + g*x)) + (3*(b^2 - 4ac)*g*(16*c \\ & ^2*f^2 + 5*b^2*g^2 - 4*c*g*(4*b*f + a*g))*\text{ArcTanh}[(-(b*f) + 2*a*g - 2*c*f*x \\ & + b*g*x)/(2*\text{Sqrt}[c*f^2 + g*(-(b*f) + a*g)]*\text{Sqrt}[a + x*(b + c*x)])))/(c*f^2 \\ & + g*(-(b*f) + a*g))^(3/2)))/(8*(b^2 - 4ac)*(-(e*f) + d*g)*(c*f^2 + g*(-( \\ & b*f) + a*g))^2) - (e^5*\text{ArcTanh}[(-2*a*e + 2*c*d*x + b*(d - e*x))/(2*\text{Sqrt}[c*d \\ & ^2 + e*(-(b*d) + a*e)]*\text{Sqrt}[a + x*(b + c*x)])))/((c*d^2 + e*(-(b*d) + a*e)) \\ & ^{(3/2)}*(-(e*f) + d*g)^3) - (e^2*g^3*\text{ArcTanh}[(-2*a*g + 2*c*f*x + b*(f - g*x) \\ & )/(2*\text{Sqrt}[c*f^2 + g*(-(b*f) + a*g)]*\text{Sqrt}[a + x*(b + c*x)])))/((e*f - d*g)^3 \\ & *(c*f^2 + g*(-(b*f) + a*g))^(3/2)) \end{aligned}$$

**IntegrateAlgebraic [F]** time = 180.08, size = 0, normalized size = 0.00

\$Aborted

Verification is not applicable to the result.

[In] IntegrateAlgebraic[1/((d + e\*x)\*(f + g\*x)^3\*(a + b\*x + c\*x^2)^(3/2)),x]

[Out] \$Aborted

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)^3/(c\*x^2+b\*x+a)^(3/2),x, algorithm="fricas")

[Out] Timed out

**giac [B]** time = 21.91, size = 14731, normalized size = 13.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e\*x+d)/(g\*x+f)^3/(c\*x^2+b\*x+a)^(3/2),x, algorithm="giac")

[Out] 
$$-2*((2*c^9*d^3*f^9 - 9*b*c^8*d^3*f^8*g + 18*b^2*c^7*d^3*f^7*g^2 - 21*b^3*c^6*d^3*f^6*g^3 + 15*b^4*c^5*d^3*f^5*g^4 + 6*a*b^2*c^6*d^3*f^5*g^4 - 12*a^2*c^7*d^3*f^5*g^4 - 6*b^5*c^4*d^3*f^4*g^5 - 15*a*b^3*c^5*d^3*f^4*g^5 + 30*a^2*b*c^6*d^3*f^4*g^5 + b^6*c^3*d^3*f^3*g^6 + 12*a*b^4*c^4*d^3*f^3*g^6 - 18*a^2*b^2*c^5*d^3*f^3*g^6 - 16*a^3*c^6*d^3*f^3*g^6 - 3*a*b^5*c^3*d^3*f^2*g^7 - 3*a^2*b^3*c^4*d^3*f^2*g^7 + 24*a^3*b*c^5*d^3*f^2*g^7 + 3*a^2*b^4*c^3*d^3*f*g^8 - 6*a^3*b^2*c^4*d^3*f*g^8 - 6*a^4*c^5*d^3*f*g^8 - a^3*b^3*c^3*d^3*g^9 + 3*a^4*b*c^4*d^3*g^9 - 3*b*c^8*d^2*f^9*e + 15*b^2*c^7*d^2*f^8*g*e - 6*a*c^8*d^2*f^8*g*e - 33*b^3*c^6*d^2*f^7*g^2*e + 24*a*b*c^7*d^2*f^7*g^2*e + 41*b^4*c^5*d^2*f^6*g^3*e - 34*a*b^2*c^6*d^2*f^6*g^3*e - 16*a^2*c^7*d^2*f^6*g^3*e - 30*b^5*c^4*d^2*f^5*g^4*e + 9*a*b^3*c^5*d^2*f^5*g^4*e + 66*a^2*b*c^6*d^2*f^5*g^4*e + 12*b^6*c^3*d^2*f^4*g^5*e + 24*a*b^4*c^4*d^2*f^4*g^5*e - 96*a^2*b^2*c^5*d^2*f^4*g^5*e - 12*a^3*c^6*d^2*f^4*g^5*e - 2*b^7*c^2*d^2*f^3*g^6*e - 23*a*b^5*c^3*d^2*f^3*g^6*e + 49*a^2*b^3*c^4*d^2*f^3*g^6*e + 48*a^3*b*c^5*d^2*f^3*g^6*e + 6*a*b^6*c^2*d^2*f^2*g^7*e + 3*a^2*b^4*c^3*d^2*f^2*g^7*e - 54*a^3*b^2*c^4*d^2*f^2*g^7*e - 6*a^2*b^5*c^2*d^2*f*g^8*e + 15*a^3*b^3*c^3*d^2*f*g^8*e + 9*a^4*b*c^4*d^2*f*g^8*e + 2*a^3*b^4*c^2*d^2*g^9*e - 7*a^4*b^2*c^3*d^2*g^9*e + 2*a^5*c^4*d^2*g^9*e + b^2*c^7*d*f^9*e^2 + 2*a*c^8*d*f^9*e^2 - 6*b^3*c^6*d*f^8*g*e^2 - 3*a*b*c^7*d*f^8*g*e^2 + 15*b^4*c^5*d*f^7*g^2*e^2 - 6*a*b^2*c^6*d*f^7*g^2*e^2 - 20*b^5*c^4*d*f^6*g^3*e^2 + 13*a*b^3*c^5*d*f^6*g^3*e^2 + 16*a^2*b*c^6*d*f^6*g^3*e^2 + 15*b^6*c^3*d*f^5*g^4*e^2 - 48*a^2*b^2*c^5*d*f^5*g^4*e^2 - 12*a^3*c^6*d*f^5*g^4*e^2 - 6*b^7*c^2*d*f^4*g^5*e^2 - 15*a*b^5*c^3*d*f^4*g^5*e^2 + 51*a^2*b^3*c^4*d*f^4*g^5*e^2 + 42*a^3*b*c^5*d*f^4*g^5*e^2 + b^8*c*d*f^3*g^6*e^2 + 12*a*b^6*c^2*d*f^3*g^6*e^2 - 19*a^2*b^4*c^3*d*f^3*g^6*e^2 - 50*a^3*b^2*c^4*d*f^3*g^6*e^2 - 16*a^4*c^5*d*f^3*g^6*e^2 - 3*a*b^7*c*d*f^2*g^7*e^2 - 3*a^2*b^5*c^2*d*f^2*g^7*e^2 + 27*a^3*b^3*c^3*d*f^2*g^7*e^2 + 24*a^4*b*c^4*d*f^2*g^7*e^2 + 3*a^2*b^6*c*d*f*g^8*e^2 - 6*a^3*b^4*c^2*d*f*g^8*e^2 - 9*a^4*b^2*c^3*d*f*g^8*e^2 - 6*a^5*c^4*d*f*g^8*e^2 - a^3*b^5*c*d*g^9*e^2 + 3*a^4*b^3*c^2*d*g^9*e^2 + a^5*b*c^3*d*g^9*e^2 - a*b*c^7*f^9*e^3 + 6*a*b^2*c^6*f^8*g*e^3 - 6*a^2*c^7*f^8*g*e^3 - 15*a*b^3*c^5*f^7*g^2*e^3 + 24*a^2*b*c^6*f^7*g^2*e^3 + 20*a*b^4*c^4*f^6*g^3*e^3 - 34*a^2*b^2*c^5*f^6*g^3*e^3 - 16*a^3*c^6*f^6*g^3*e^3 - 15*a*b^5*c^3*f^5*g^4*e^3 + 15*a^2*b^3*c^4*f^5*g^4*e^3 + 54*a^3*b*c^5*f^5*g^4*e^3 + 6*a*b^6*c^2*f^4*g^5*e^3 + 9*a^2*b^4*c^3*f^4*g^5*e^3 - 66*a^3*b^2*c^4*f^4*g^5*e^3 - 12*a^4*c^5*f^4*g^5*e^3 - a*b^7*c*f^3*g^6*e^3 - 11*a^2*b^5*c^2*f^3*g^6*e^3 + 31*a^3*b^3*c^3$$

$$\begin{aligned}
& *f^3*g^6*e^3 + 32*a^4*b*c^4*f^3*g^6*e^3 + 3*a^2*b^6*c*f^2*g^7*e^3 - 30*a^4*b^2*c^3*f^2*g^7*e^3 - 3*a^3*b^5*c*f*g^8*e^3 + 9*a^4*b^3*c^2*f*g^8*e^3 + 3*a^5*b*c^3*f*g^8*e^3 + a^4*b^4*c*g^9*e^3 - 4*a^5*b^2*c^2*g^9*e^3 + 2*a^6*c^3*g^9*e^3) * x / (b^2*c^8*d^4*f^12 - 4*a*c^9*d^4*f^12 - 6*b^3*c^7*d^4*f^11*g + 24*a*b*c^8*d^4*f^11*g + 15*b^4*c^6*d^4*f^10*g^2 - 54*a*b^2*c^7*d^4*f^10*g^2 - 24*a^2*c^8*d^4*f^10*g^2 - 20*b^5*c^5*d^4*f^9*g^3 + 50*a*b^3*c^6*d^4*f^9*g^3 + 120*a^2*b*c^7*d^4*f^9*g^3 + 15*b^6*c^4*d^4*f^8*g^4 - 225*a^2*b^2*c^6*d^4*f^8*g^4 - 60*a^3*c^7*d^4*f^8*g^4 - 6*b^7*c^3*d^4*f^7*g^5 - 36*a*b^5*c^4*d^4*f^7*g^5 + 180*a^2*b^3*c^5*d^4*f^7*g^5 + 240*a^3*b*c^6*d^4*f^7*g^5 + b^8*c^2*d^4*f^6*g^6 + 26*a*b^6*c^3*d^4*f^6*g^6 - 30*a^2*b^4*c^4*d^4*f^6*g^6 - 340*a^3*b^2*c^5*d^4*f^6*g^6 - 80*a^4*c^6*d^4*f^6*g^6 - 6*a*b^7*c^2*d^4*f^5*g^7 - 36*a^2*b^5*c^3*d^4*f^5*g^7 + 180*a^3*b^3*c^4*d^4*f^5*g^7 + 240*a^4*b*c^5*d^4*f^5*g^7 + 15*a^2*b^6*c^2*d^4*f^4*g^8 - 225*a^4*b^2*c^4*d^4*f^4*g^8 - 60*a^5*c^5*d^4*f^4*g^8 - 20*a^3*b^5*c^2*d^4*f^3*g^9 + 50*a^4*b^3*c^3*d^4*f^3*g^9 + 120*a^5*b*c^4*d^4*f^3*g^9 + 15*a^4*b^4*c^2*d^4*f^2*g^10 - 54*a^5*b^2*c^3*d^4*f^2*g^10 - 24*a^6*c^4*d^4*f^2*g^10 - 6*a^5*b^3*c^2*d^4*f*g^11 + 24*a^6*b*c^3*d^4*f*g^11 + a^6*b^2*c^2*d^4*g^12 - 4*a^7*c^3*d^4*g^12 - 2*b^3*c^7*d^3*f^12*e + 8*a*b*c^8*d^3*f^12*e + 12*b^4*c^6*d^3*f^11*g*e - 48*a*b^2*c^7*d^3*f^11*g*e - 30*b^5*c^5*d^3*f^10*g^2*e + 108*a*b^3*c^6*d^3*f^10*g^2*e + 48*a^2*b*c^7*d^3*f^10*g^2*e + 40*b^6*c^4*d^3*f^9*g^3*e - 100*a*b^4*c^5*d^3*f^9*g^3*e - 240*a^2*b^2*c^6*d^3*f^9*g^3*e - 30*b^7*c^3*d^3*f^8*g^4*e + 450*a^2*b^3*c^5*d^3*f^8*g^4*e + 120*a^3*b*c^6*d^3*f^8*g^4*e + 12*b^8*c^2*d^3*f^7*g^5*e + 72*a*b^6*c^3*d^3*f^7*g^5*e - 360*a^2*b^4*c^4*d^3*f^7*g^5*e - 480*a^3*b^2*c^5*d^3*f^7*g^5*e - 2*b^9*c*d^3*f^6*g^6*e - 52*a*b^7*c^2*d^3*f^6*g^6*e + 60*a^2*b^5*c^3*d^3*f^6*g^6*e + 680*a^3*b^3*c^4*d^3*f^6*g^6*e + 160*a^4*b*c^5*d^3*f^6*g^6*e + 12*a*b^8*c*d^3*f^5*g^7*e + 72*a^2*b^6*c^2*d^3*f^5*g^7*e - 360*a^3*b^4*c^3*d^3*f^5*g^7*e - 480*a^4*b^2*c^4*d^3*f^5*g^7*e - 30*a^2*b^7*c*d^3*f^4*g^8*e + 450*a^4*b^3*c^3*d^3*f^4*g^8*e + 120*a^5*b*c^4*d^3*f^4*g^8*e + 40*a^3*b^6*c*d^3*f^3*g^9*e - 100*a^4*b^4*c^2*d^3*f^3*g^9*e - 240*a^5*b^2*c^3*d^3*f^3*g^9*e - 30*a^4*b^5*c*d^3*f^2*g^10*e + 108*a^5*b^3*c^2*d^3*f^2*g^10*e + 48*a^6*b*c^3*d^3*f^2*g^10*e + 12*a^5*b^4*c*d^3*f*g^11*e - 48*a^6*b^2*c^2*d^3*f*g^11*e - 2*a^6*b^3*c*d^3*g^12*e + 8*a^7*b*c^2*d^3*g^12*e + b^4*c^6*d^2*f^12*e^2 - 2*a*b^2*c^7*d^2*f^12*e^2 - 8*a^2*c^8*d^2*f^12*e^2 - 6*b^5*c^5*d^2*f^11*g*e^2 + 12*a*b^3*c^6*d^2*f^11*g*e^2 + 48*a^2*b*c^7*d^2*f^11*g*e^2 + 15*b^6*c^4*d^2*f^10*g^2*e^2 - 24*a*b^4*c^5*d^2*f^10*g^2*e^2 - 132*a^2*b^2*c^6*d^2*f^10*g^2*e^2 - 48*a^3*c^7*d^2*f^10*g^2*e^2 - 20*b^7*c^3*d^2*f^9*g^3*e^2 + 10*a*b^5*c^4*d^2*f^9*g^3*e^2 + 220*a^2*b^3*c^5*d^2*f^9*g^3*e^2 + 240*a^3*b*c^6*d^2*f^9*g^3*e^2 + 15*b^8*c^2*d^2*f^8*g^4*e^2 + 30*a*b^6*c^3*d^2*f^8*g^4*e^2 - 225*a^2*b^4*c^4*d^2*f^8*g^4*e^2 - 510*a^3*b^2*c^5*d^2*f^8*g^4*e^2 - 120*a^4*c^6*d^2*f^8*g^4*e^2 - 6*b^9*c*d^2*f^7*g^5*e^2 - 48*a*b^7*c^2*d^2*f^7*g^5*e^2 + 108*a^2*b^5*c^3*d^2*f^7*g^5*e^2 + 600*a^3*b^3*c^4*d^2*f^7*g^5*e^2 + 480*a^4*b*c^5*d^2*f^7*g^5*e^2 + b^10*d^2*f^6*g^6*e^2 + 28*a*b^8*c*d^2*f^6*g^6*e^2 + 22*a^2*b^6*c^2*d^2*f^6*g^6*e^2 - 400*a^3*b^4*c^3*d^2*f^6*g^6*e^2 - 760*a^4*b^2*c^4*d^2*f^6*g^6*e^2 - 160*a^5*c^5*d^2*f^6*g^6*e^2 - 6*a*b^9*d^2*f^5*g^7*e^2 - 48*a^2*b^7*c*d^2*f^5*g^7*e
\end{aligned}$$

$$\begin{aligned}
&^2 + 108a^3b^5c^2d^2f^5g^7e^2 + 600a^4b^3c^3d^2f^5g^7e^2 + 48 \\
&0a^5b^4c^4d^2f^5g^7e^2 + 15a^2b^8d^2f^4g^8e^2 + 30a^3b^6c^4d^2 \\
&f^4g^8e^2 - 225a^4b^4c^2d^2f^4g^8e^2 - 510a^5b^2c^3d^2f^4g^8 \\
&e^2 - 120a^6c^4d^2f^4g^8e^2 - 20a^3b^7d^2f^3g^9e^2 + 10a^4b \\
&^5c^4d^2f^3g^9e^2 + 220a^5b^3c^2d^2f^3g^9e^2 + 240a^6b^3c^3d^2 \\
&f^3g^9e^2 + 15a^4b^6d^2f^2g^10e^2 - 24a^5b^4c^4d^2f^2g^10e^2 - \\
&132a^6b^2c^2d^2f^2g^10e^2 - 48a^7c^3d^2f^2g^10e^2 - 6a^5b^5 \\
&d^2f^2g^11e^2 + 12a^6b^3c^4d^2f^2g^11e^2 + 48a^7b^3c^2d^2f^2g^11e^2 \\
&+ a^6b^4d^2g^12e^2 - 2a^7b^2c^4d^2g^12e^2 - 8a^8c^2d^2g^12e^2 \\
&- 2ab^3c^6d^2f^12e^3 + 8a^2b^3c^7d^2f^12e^3 + 12ab^4c^5d^2f^11g^ \\
&e^3 - 48a^2b^2c^6d^2f^11g^e^3 - 30ab^5c^4d^2f^10g^2e^3 + 108a^2b \\
&^3c^5d^2f^10g^2e^3 + 48a^3b^3c^6d^2f^10g^2e^3 + 40ab^6c^3d^2f^9g^ \\
&3e^3 - 100a^2b^4c^4d^2f^9g^3e^3 - 240a^3b^2c^5d^2f^9g^3e^3 - 30 \\
&ab^7c^2d^2f^8g^4e^3 + 450a^3b^3c^4d^2f^8g^4e^3 + 120a^4b^3c^5d^2f \\
&^8g^4e^3 + 12ab^8c^4d^2f^7g^5e^3 + 72a^2b^6c^2d^2f^7g^5e^3 - 360 \\
&a^3b^4c^3d^2f^7g^5e^3 - 480a^4b^2c^4d^2f^7g^5e^3 - 2ab^9d^2f^6g^ \\
&^6e^3 - 52a^2b^7c^4d^2f^6g^6e^3 + 60a^3b^5c^2d^2f^6g^6e^3 + 680a^ \\
&4b^3c^3d^2f^6g^6e^3 + 160a^5b^3c^4d^2f^6g^6e^3 + 12a^2b^8d^2f^5g^ \\
&7e^3 + 72a^3b^6c^4d^2f^5g^7e^3 - 360a^4b^4c^2d^2f^5g^7e^3 - 480a^ \\
&5b^2c^3d^2f^5g^7e^3 - 30a^3b^7d^2f^4g^8e^3 + 450a^5b^3c^2d^2f^4 \\
&g^8e^3 + 120a^6b^3c^3d^2f^4g^8e^3 + 40a^4b^6d^2f^3g^9e^3 - 100a^5 \\
&b^4c^4d^2f^3g^9e^3 - 240a^6b^2c^2d^2f^3g^9e^3 - 30a^5b^5d^2f^2g^10 \\
&e^3 + 108a^6b^3c^4d^2f^2g^10e^3 + 48a^7b^3c^2d^2f^2g^10e^3 + 12a^6 \\
&b^4d^2f^2g^11e^3 - 48a^7b^2c^4d^2f^2g^11e^3 - 2a^7b^3d^2g^12e^3 + 8a^8 \\
&b^3c^4d^2f^2g^12e^3 + a^2b^2c^6f^12e^4 - 4a^3c^7f^12e^4 - 6a^2b^3c^5 \\
&f^11g^e^4 + 24a^3b^3c^6f^11g^e^4 + 15a^2b^4c^4f^10g^2e^4 - 54a^ \\
&3b^2c^5f^10g^2e^4 - 24a^4c^6f^10g^2e^4 - 20a^2b^5c^3f^9g^3e^ \\
&^4 + 50a^3b^3c^4f^9g^3e^4 + 120a^4b^3c^5f^9g^3e^4 + 15a^2b^6c^ \\
&2f^8g^4e^4 - 225a^4b^2c^4f^8g^4e^4 - 60a^5c^5f^8g^4e^4 - 6a^ \\
&2b^7c^4f^7g^5e^4 - 36a^3b^5c^2f^7g^5e^4 + 180a^4b^3c^3f^7g^5 \\
&e^4 + 240a^5b^3c^4f^7g^5e^4 + a^2b^8f^6g^6e^4 + 26a^3b^6c^4f^6g^ \\
&6e^4 - 30a^4b^4c^2f^6g^6e^4 - 340a^5b^2c^3f^6g^6e^4 - 80a^6c^ \\
&^4f^6g^6e^4 - 6a^3b^7f^5g^7e^4 - 36a^4b^5c^4f^5g^7e^4 + 180a^5 \\
&b^3c^2f^5g^7e^4 + 240a^6b^3c^3f^5g^7e^4 + 15a^4b^6f^4g^8e^4 - \\
&225a^6b^2c^2f^4g^8e^4 - 60a^7c^3f^4g^8e^4 - 20a^5b^5f^3g^9 \\
&e^4 + 50a^6b^3c^4f^3g^9e^4 + 120a^7b^3c^2f^3g^9e^4 + 15a^6b^4f^2 \\
&g^10e^4 - 54a^7b^2c^4f^2g^10e^4 - 24a^8c^2f^2g^10e^4 - 6a^7b^3 \\
&f^2g^11e^4 + 24a^8b^3c^4f^2g^11e^4 + a^8b^2g^12e^4 - 4a^9c^4g^12e^4) \\
&+ (b^8c^8d^3f^9 - 6b^2c^7d^3f^8g + 6a^8c^8d^3f^8g + 15b^3c^6d^3 \\
&f^7g^2 - 24ab^3c^7d^3f^7g^2 - 20b^4c^5d^3f^6g^3 + 34ab^2c^6d^ \\
&^3f^6g^3 + 16a^2c^7d^3f^6g^3 + 15b^5c^4d^3f^5g^4 - 15ab^3c^5 \\
&d^3f^5g^4 - 54a^2b^3c^6d^3f^5g^4 - 6b^6c^3d^3f^4g^5 - 9ab^4c^ \\
&^4d^3f^4g^5 + 66a^2b^2c^5d^3f^4g^5 + 12a^3c^6d^3f^4g^5 + b^7 \\
&c^2d^3f^3g^6 + 11ab^5c^3d^3f^3g^6 - 31a^2b^3c^4d^3f^3g^6 - 3 \\
&2a^3b^3c^5d^3f^3g^6 - 3ab^6c^2d^3f^2g^7 + 30a^3b^2c^4d^3f^2g^7
\end{aligned}$$

$$\begin{aligned}
&g^7 + 3a^2b^5c^2d^3f^8g^8 - 9a^3b^3c^3d^3f^8g^8 - 3a^4b^3c^4d^3f^8g^8 - a^3b^4c^2d^3f^8g^9 + 4a^4b^2c^3d^3f^8g^9 - 2a^5c^4d^3f^8g^9 - 2b^2c^7d^2f^9e + 2a^2c^8d^2f^9e + 12b^3c^6d^2f^8g^9e - 21a^2b^3c^7d^2f^8g^9e - 30b^4c^5d^2f^7g^9e + 66a^2b^2c^6d^2f^7g^9e + 40b^5c^4d^2f^6g^9e - 89a^2b^3c^5d^2f^6g^9e - 32a^2b^3c^6d^2f^6g^9e - 30b^6c^3d^2f^5g^9e + 45a^2b^4c^4d^2f^5g^9e + 114a^2b^2c^5d^2f^5g^9e - 12a^3c^6d^2f^5g^9e + 12b^7c^2d^2f^4g^9e + 12a^2b^5c^3d^2f^4g^9e - 147a^2b^3c^4d^2f^4g^9e + 6a^3b^3c^5d^2f^4g^9e - 2b^8c^2d^2f^3g^9e - 21a^2b^6c^2d^2f^3g^9e + 74a^2b^4c^3d^2f^3g^9e + 46a^3b^2c^4d^2f^3g^9e - 16a^4c^5d^2f^3g^9e + 6a^2b^7c^2d^2f^2g^9e - 3a^2b^5c^2d^2f^2g^9e - 63a^3b^3c^3d^2f^2g^9e + 24a^4b^3c^4d^2f^2g^9e - 6a^2b^6c^2d^2f^2g^9e + 21a^3b^4c^2d^2f^2g^9e - 6a^5c^4d^2f^2g^9e + 2a^3b^5c^2d^2f^2g^9e - 9a^4b^3c^2d^2f^2g^9e + 7a^5b^3c^2d^2f^2g^9e + b^3c^6d^2f^9e^2 - a^2b^3c^7d^2f^9e^2 - 6b^4c^5d^2f^8g^9e^2 + 9a^2b^2c^6d^2f^8g^9e^2 + 6a^2c^7d^2f^8g^9e^2 + 15b^5c^4d^2f^7g^9e^2 - 27a^2b^3c^5d^2f^7g^9e^2 - 24a^2b^3c^6d^2f^7g^9e^2 - 20b^6c^3d^2f^6g^9e^2 + 35a^2b^4c^4d^2f^6g^9e^2 + 50a^2b^2c^5d^2f^6g^9e^2 + 16a^3c^6d^2f^6g^9e^2 + 15b^7c^2d^2f^5g^9e^2 - 15a^2b^5c^3d^2f^5g^9e^2 - 75a^2b^3c^4d^2f^5g^9e^2 - 42a^3b^3c^5d^2f^5g^9e^2 - 6b^8c^2d^2f^4g^9e^2 - 9a^2b^6c^2d^2f^4g^9e^2 + 72a^2b^4c^3d^2f^4g^9e^2 + 48a^3b^2c^4d^2f^4g^9e^2 + 12a^4c^5d^2f^4g^9e^2 + b^9d^2f^3g^9e^2 + 11a^2b^7c^2d^2f^3g^9e^2 - 32a^2b^5c^2d^2f^3g^9e^2 - 45a^3b^3c^3d^2f^3g^9e^2 - 16a^4b^3c^4d^2f^3g^9e^2 - 3a^2b^8d^2f^2g^9e^2 + 33a^3b^4c^2d^2f^2g^9e^2 + 6a^4b^2c^3d^2f^2g^9e^2 + 3a^2b^7d^2f^2g^9e^2 - 9a^3b^5c^2d^2f^2g^9e^2 - 6a^4b^3c^2d^2f^2g^9e^2 + 3a^5b^3c^2d^2f^2g^9e^2 - a^3b^6d^2f^2g^9e^2 + 4a^4b^4c^2d^2f^2g^9e^2 - a^5b^2c^2d^2f^2g^9e^2 - 2a^6c^3d^2f^2g^9e^2 - a^2b^2c^6f^9e^3 + 2a^2c^7f^9e^3 + 6a^2b^3c^5f^8g^9e^3 - 15a^2b^3c^6f^8g^9e^3 - 15a^2b^4c^4f^7g^9e^3 + 42a^2b^2c^5f^7g^9e^3 + 20a^2b^5c^3f^6g^9e^3 - 55a^2b^3c^4f^6g^9e^3 - 16a^3b^3c^5f^6g^9e^3 - 15a^2b^6c^2f^5g^9e^3 + 30a^2b^4c^3f^5g^9e^3 + 60a^3b^2c^4f^5g^9e^3 - 12a^4c^5f^5g^9e^3 + 6a^2b^7c^2f^4g^9e^3 + 3a^2b^5c^2f^4g^9e^3 - 81a^3b^3c^3f^4g^9e^3 + 18a^4b^3c^4f^4g^9e^3 - a^2b^8f^3g^9e^3 - 10a^2b^6c^2f^3g^9e^3 + 43a^3b^4c^2f^3g^9e^3 + 14a^4b^2c^3f^3g^9e^3 - 16a^5c^4f^3g^9e^3 + 3a^2b^7f^2g^9e^3 - 3a^3b^5c^2f^2g^9e^3 - 33a^4b^3c^2f^2g^9e^3 + 24a^5b^3c^3f^2g^9e^3 - 3a^3b^6f^2g^9e^3 + 12a^4b^4c^2f^2g^9e^3 - 3a^5b^2c^2f^2g^9e^3 - 6a^6c^3f^2g^9e^3 + a^4b^5f^2g^9e^3 - 5a^5b^3c^2f^2g^9e^3 + 5a^6b^3c^2f^2g^9e^3)/(b^2c^8d^4f^12 - 4a^2c^9d^4f^12 - 6b^3c^7d^4f^11g + 24a^2b^3c^8d^4f^11g + 15b^4c^6d^4f^10g^2 - 54a^2b^2c^7d^4f^10g^2 - 24a^2c^8d^4f^10g^2 - 20b^5c^5d^4f^9g^3 + 50a^2b^3c^6d^4f^9g^3 + 120a^2b^3c^7d^4f^9g^3 + 15b^6c^4d^4f^8g^4 - 225a^2b^2c^6d^4f^8g^4 - 60a^3c^7d^4f^8g^4 - 6b^7c^3d^4f^7g^5 - 36a^2b^5c^4d^4f^7g^5 + 180a^2b^3c^5d^4f^7g^5 + 240a^3b^3c^6d^4f^7g^5 + b^8c^2d^4f^6g^6 + 26a^2b^6c^3d^4f^6g^6 - 30a^2b^4c^4d^4f^6g^6 - 340a^3b^2c^
\end{aligned}$$



$$\begin{aligned}
& 5*d^4*f^6*g^6 - 80*a^4*c^6*d^4*f^6*g^6 - 6*a*b^7*c^2*d^4*f^5*g^7 - 36*a^2*b^5*c^3*d^4*f^5*g^7 + 180*a^3*b^3*c^4*d^4*f^5*g^7 + 240*a^4*b*c^5*d^4*f^5*g^7 \\
& + 15*a^2*b^6*c^2*d^4*f^4*g^8 - 225*a^4*b^2*c^4*d^4*f^4*g^8 - 60*a^5*c^5*d^4*f^4*g^8 - 20*a^3*b^5*c^2*d^4*f^3*g^9 + 50*a^4*b^3*c^3*d^4*f^3*g^9 + 120*a^5*b*c^4*d^4*f^3*g^9 \\
& + 15*a^4*b^4*c^2*d^4*f^2*g^10 - 54*a^5*b^2*c^3*d^4*f^2*g^10 - 24*a^6*c^4*d^4*f^2*g^10 - 6*a^5*b^3*c^2*d^4*f*g^11 + 24*a^6*b*c^3*d^4*f*g^11 \\
& + a^6*b^2*c^2*d^4*g^12 - 4*a^7*c^3*d^4*g^12 - 2*b^3*c^7*d^3*f^12*e + 8*a*b*c^8*d^3*f^12*e + 12*b^4*c^6*d^3*f^11*g*e - 48*a*b^2*c^7*d^3*f^11*g*e \\
& - 30*b^5*c^5*d^3*f^10*g^2*e + 108*a*b^3*c^6*d^3*f^10*g^2*e + 48*a^2*b*c^7*d^3*f^10*g^2*e + 40*b^6*c^4*d^3*f^9*g^3*e - 100*a*b^4*c^5*d^3*f^9*g^3*e \\
& - 240*a^2*b^2*c^6*d^3*f^9*g^3*e - 30*b^7*c^3*d^3*f^8*g^4*e + 450*a^2*b^3*c^5*d^3*f^8*g^4*e + 120*a^3*b*c^6*d^3*f^8*g^4*e + 12*b^8*c^2*d^3*f^7*g^5*e + 72*a*b^6*c^3*d^3*f^7*g^5*e \\
& - 360*a^2*b^4*c^4*d^3*f^7*g^5*e - 480*a^3*b^2*c^5*d^3*f^7*g^5*e - 2*b^9*c*d^3*f^6*g^6*e - 52*a*b^7*c^2*d^3*f^6*g^6*e + 60*a^2*b^5*c^3*d^3*f^6*g^6*e \\
& + 680*a^3*b^3*c^4*d^3*f^6*g^6*e + 160*a^4*b*c^5*d^3*f^6*g^6*e + 12*a*b^8*c*d^3*f^5*g^7*e + 72*a^2*b^6*c^2*d^3*f^5*g^7*e - 360*a^3*b^4*c^3*d^3*f^5*g^7*e \\
& - 480*a^4*b^2*c^4*d^3*f^5*g^7*e - 30*a^2*b^7*c*d^3*f^4*g^8*e + 450*a^4*b^3*c^3*d^3*f^4*g^8*e + 120*a^5*b*c^4*d^3*f^4*g^8*e + 40*a^3*b^6*c*d^3*f^3*g^9*e \\
& - 100*a^4*b^4*c^2*d^3*f^3*g^9*e - 240*a^5*b^2*c^3*d^3*f^3*g^9*e - 30*a^4*b^5*c*d^3*f^2*g^10*e + 108*a^5*b^3*c^2*d^3*f^2*g^10*e + 48*a^6*b*c^3*d^3*f^2*g^10*e \\
& + 12*a^5*b^4*c*d^3*f*g^11*e - 48*a^6*b^2*c^2*d^3*f*g^11*e - 2*a^6*b^3*c*d^3*g^12*e + 8*a^7*b*c^2*d^3*g^12*e + b^4*c^6*d^2*f^12*e^2 - 2*a*b^2*c^7*d^2*f^12*e^2 \\
& - 8*a^2*c^8*d^2*f^12*e^2 - 6*b^5*c^5*d^2*f^11*g*e^2 + 12*a*b^3*c^6*d^2*f^11*g*e^2 + 48*a^2*b*c^7*d^2*f^11*g*e^2 + 15*b^6*c^4*d^2*f^10*g^2*e^2 - 24*a*b^4*c^5*d^2*f^10*g^2*e^2 \\
& - 132*a^2*b^2*c^6*d^2*f^10*g^2*e^2 - 48*a^3*c^7*d^2*f^10*g^2*e^2 - 20*b^7*c^3*d^2*f^9*g^3*e^2 + 10*a*b^5*c^4*d^2*f^9*g^3*e^2 + 220*a^2*b^3*c^5*d^2*f^9*g^3*e^2 \\
& + 240*a^3*b*c^6*d^2*f^9*g^3*e^2 + 15*b^8*c^2*d^2*f^8*g^4*e^2 + 30*a*b^6*c^3*d^2*f^8*g^4*e^2 - 225*a^2*b^4*c^4*d^2*f^8*g^4*e^2 - 510*a^3*b^2*c^5*d^2*f^8*g^4*e^2 \\
& - 120*a^4*c^6*d^2*f^8*g^4*e^2 - 6*b^9*c*d^2*f^7*g^5*e^2 - 48*a*b^7*c^2*d^2*f^7*g^5*e^2 + 108*a^2*b^5*c^3*d^2*f^7*g^5*e^2 + 600*a^3*b^3*c^4*d^2*f^7*g^5*e^2 \\
& + 480*a^4*b*c^5*d^2*f^7*g^5*e^2 + b^10*d^2*f^6*g^6*e^2 + 28*a*b^8*c*d^2*f^6*g^6*e^2 + 22*a^2*b^6*c^2*d^2*f^6*g^6*e^2 - 400*a^3*b^4*c^3*d^2*f^6*g^6*e^2 \\
& - 760*a^4*b^2*c^4*d^2*f^6*g^6*e^2 - 160*a^5*c^5*d^2*f^6*g^6*e^2 - 6*a*b^9*d^2*f^5*g^7*e^2 - 48*a^2*b^7*c*d^2*f^5*g^7*e^2 + 108*a^3*b^5*c^2*d^2*f^5*g^7*e^2 \\
& + 600*a^4*b^3*c^3*d^2*f^5*g^7*e^2 + 480*a^5*b*c^4*d^2*f^5*g^7*e^2 + 15*a^2*b^8*d^2*f^4*g^8*e^2 + 30*a^3*b^6*c*d^2*f^4*g^8*e^2 - 225*a^4*b^4*c^2*d^2*f^4*g^8*e^2 \\
& - 510*a^5*b^2*c^3*d^2*f^4*g^8*e^2 - 120*a^6*c^4*d^2*f^4*g^8*e^2 - 20*a^3*b^7*d^2*f^3*g^9*e^2 + 10*a^4*b^5*c*d^2*f^3*g^9*e^2 + 220*a^5*b^3*c^2*d^2*f^3*g^9*e^2 \\
& + 240*a^6*b*c^3*d^2*f^3*g^9*e^2 + 15*a^4*b^6*d^2*f^2*g^10*e^2 - 24*a^5*b^4*c*d^2*f^2*g^10*e^2 - 132*a^6*b^2*c^2*d^2*f^2*g^10*e^2 - 48*a^7*c^3*d^2*f^2*g^10*e^2 \\
& - 6*a^5*b^5*d^2*f*g^11*e^2 + 12*a^6*b^3*c*d^2*f*g^11*e^2 + 48*a^7*b*c^2*d^2*f*g^11*e^2 + a^6*b^4*d^2*g^12*e^2 - 2*a^7*b^2*c*d^2*g^12*e^2 - 8*a^8*c^2*d^2*g^12*e^2 \\
& - 2*a*b^3*c^6*d*f^12*e^3 + 8*a^2*b*c^7*d*f^12*e^3 + 12*a*b^4*c^5*d*f^11*g*e^3 - 48*a^2*
\end{aligned}$$

$$\begin{aligned}
& b^2c^6d^11g^3e^3 - 30ab^5c^4d^10g^2e^3 + 108a^2b^3c^5d^10 \\
& g^2e^3 + 48a^3b^6c^4d^10g^2e^3 + 40ab^6c^3d^9g^3e^3 - 100a \\
& ^2b^4c^4d^9g^3e^3 - 240a^3b^2c^5d^9g^3e^3 - 30ab^7c^2d^8 \\
& g^4e^3 + 450a^3b^3c^4d^8g^4e^3 + 120a^4b^6c^5d^8g^4e^3 + \\
& 12ab^8c^4d^7g^5e^3 + 72a^2b^6c^2d^7g^5e^3 - 360a^3b^4c^3d \\
& ^7g^5e^3 - 480a^4b^2c^4d^7g^5e^3 - 2ab^9d^6g^6e^3 - 52a \\
& ^2b^7c^4d^6g^6e^3 + 60a^3b^5c^2d^6g^6e^3 + 680a^4b^3c^3d^6 \\
& g^6e^3 + 160a^5b^4c^4d^6g^6e^3 + 12a^2b^8d^5g^7e^3 + 72a^ \\
& ^3b^6c^4d^5g^7e^3 - 360a^4b^4c^2d^5g^7e^3 - 480a^5b^2c^3d^5 \\
& g^7e^3 - 30a^3b^7d^4g^8e^3 + 450a^5b^3c^2d^4g^8e^3 + 120 \\
& a^6b^6c^3d^4g^8e^3 + 40a^4b^6d^3g^9e^3 - 100a^5b^4c^3d^3g \\
& ^9e^3 - 240a^6b^2c^2d^3g^9e^3 - 30a^5b^5d^2g^10e^3 + 108a^ \\
& ^6b^3c^4d^2g^10e^3 + 48a^7b^2c^2d^2g^10e^3 + 12a^6b^4d^1g^11 \\
& e^3 - 48a^7b^2c^4d^1g^11e^3 - 2a^7b^3d^1g^12e^3 + 8a^8b^3c^4d^1 \\
& g^12e^3 + a^2b^2c^6f^12e^4 - 4a^3c^7f^12e^4 - 6a^2b^3c^5f^11g^1e^4 + \\
& 24a^3b^6c^6f^11g^1e^4 + 15a^2b^4c^4f^10g^2e^4 - 54a^3b^2c^5f^1 \\
& 0g^2e^4 - 24a^4c^6f^10g^2e^4 - 20a^2b^5c^3f^9g^3e^4 + 50a^3b \\
& ^3c^4f^9g^3e^4 + 120a^4b^6c^5f^9g^3e^4 + 15a^2b^6c^2f^8g^4e^4 \\
& - 225a^4b^2c^4f^8g^4e^4 - 60a^5c^5f^8g^4e^4 - 6a^2b^7c^3f^7g \\
& ^5e^4 - 36a^3b^5c^2f^7g^5e^4 + 180a^4b^3c^3f^7g^5e^4 + 240a^5 \\
& b^6c^4f^7g^5e^4 + a^2b^8f^6g^6e^4 + 26a^3b^6c^3f^6g^6e^4 - 30a^ \\
& ^4b^4c^2f^6g^6e^4 - 340a^5b^2c^3f^6g^6e^4 - 80a^6c^4f^6g^6e^ \\
& ^4 - 6a^3b^7f^5g^7e^4 - 36a^4b^5c^3f^5g^7e^4 + 180a^5b^3c^2f^5 \\
& g^7e^4 + 240a^6b^6c^3f^5g^7e^4 + 15a^4b^6f^4g^8e^4 - 225a^6b^2 \\
& c^2f^4g^8e^4 - 60a^7c^3f^4g^8e^4 - 20a^5b^5f^3g^9e^4 + 50a^6 \\
& b^3c^3f^3g^9e^4 + 120a^7b^6c^2f^3g^9e^4 + 15a^6b^4f^2g^10e^4 - 5 \\
& 4a^7b^2c^2f^2g^10e^4 - 24a^8c^2f^2g^10e^4 - 6a^7b^3f^1g^11e^4 + \\
& 24a^8b^2c^2f^1g^11e^4 + a^8b^2g^12e^4 - 4a^9c^2g^12e^4)) / \sqrt{cx^2 + \\
& bx + a} + 1/4 * (48c^2d^2f^2g^5 - 48b^2cd^2f^2g^6 + 15b^2d^2g^7 - 1 \\
& 2a^2cd^2g^7 - 120c^2d^3f^3g^4e + 132b^2cd^3f^3g^5e - 42b^2d^3f^3g^6 \\
& e + 12ab^2d^3g^7e + 80c^2f^4g^3e^2 - 100b^2c^3f^4g^4e^2 + 35b^2f^2g \\
& ^5e^2 + 28a^2c^3f^2g^5e^2 - 28ab^2c^3f^2g^6e^2 + 8a^2g^7e^2) * \arctan(-(( \\
& \sqrt{c})x - \sqrt{cx^2 + bx + a}) * g + \sqrt{c}) / \sqrt{-cf^2 + bfg - a \\
& ^2}) / ((c^3d^3f^6g^3 - 3b^2c^2d^3f^5g^4 + 3b^2c^2d^3f^4g^5 + 3a^2c^ \\
& ^2d^3f^4g^5 - b^3d^3f^3g^6 - 6ab^2c^3d^3f^3g^6 + 3ab^2d^3f^2g^7 \\
& + 3a^2c^3d^3f^2g^7 - 3a^2b^2d^3f^3g^8 + a^3d^3g^9 - 3c^3d^2f^7g^ \\
& ^2e + 9b^2c^2d^2f^6g^3e - 9b^2c^2d^2f^5g^4e - 9a^2c^2d^2f^5g^4e \\
& + 3b^3d^2f^4g^5e + 18ab^2c^2d^2f^4g^5e - 9ab^2d^2f^3g^6e - 9 \\
& a^2c^2d^2f^3g^6e + 9a^2b^2d^2f^2g^7e - 3a^3d^2f^2g^8e + 3c^3d^2 \\
& f^8g^2e - 9b^2c^2d^2f^7g^2e^2 + 9b^2c^2d^2f^6g^3e^2 + 9a^2c^2d^2f^6g \\
& ^3e^2 - 3b^3d^2f^5g^4e^2 - 18ab^2c^2d^2f^5g^4e^2 + 9ab^2d^2f^4g^5e \\
& ^2 + 9a^2c^2d^2f^4g^5e^2 - 9a^2b^2d^2f^3g^6e^2 + 3a^3d^2f^2g^7e^2 - \\
& c^3f^9e^3 + 3b^2c^2f^8g^2e^3 - 3b^2c^2f^7g^2e^3 - 3a^2c^2f^7g^2e^3 \\
& + b^3f^6g^3e^3 + 6ab^2c^2f^6g^3e^3 - 3ab^2f^5g^4e^3 - 3a^2c^2f^ \\
& ^5g^4e^3 + 3a^2b^2f^4g^5e^3 - a^3f^3g^6e^3) * \sqrt{-cf^2 + bfg - a}
\end{aligned}$$

$$\begin{aligned}
&g^2)) - 2*\arctan(-((\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})*e + \sqrt{c}*d)/\sqrt{ \\
&-c*d^2 + b*d*e - a*e^2))*e^5/((c*d^5*g^3 - 3*c*d^4*f*g^2*e - b*d^4*g^3*e + \\
&3*c*d^3*f^2*g*e^2 + 3*b*d^3*f*g^2*e^2 + a*d^3*g^3*e^2 - c*d^2*f^3*e^3 - 3*b \\
&*d^2*f^2*g*e^3 - 3*a*d^2*f*g^2*e^3 + b*d*f^3*e^4 + 3*a*d*f^2*g*e^4 - a*f^3* \\
&e^5)*\sqrt{-c*d^2 + b*d*e - a*e^2}) - 1/4*(24*(\sqrt{c}*x - \sqrt{c*x^2 + b*x \\
&+ a})^3*c^2*d*f^2*g^5 - 24*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^3*b*c*d*f*g^ \\
&6 + 7*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^3*b^2*d*g^7 - 4*(\sqrt{c}*x - \sqrt{ \\
&c*x^2 + b*x + a})^3*a*c*d*g^7 - 32*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^3*c \\
&^2*f^3*g^4*e + 36*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^3*b*c*f^2*g^5*e - 11* \\
&(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^3*b^2*f*g^6*e - 4*(\sqrt{c}*x - \sqrt{c*x \\
&^2 + b*x + a})^3*a*c*f*g^6*e + 4*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^3*a*b* \\
&g^7*e + 56*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^2*c^(5/2)*d*f^3*g^4 - 48*(sq \\
&rt(c)*x - \sqrt{c*x^2 + b*x + a})^2*b*c^(3/2)*d*f^2*g^5 + 13*(\sqrt{c}*x - sq \\
&rt(c*x^2 + b*x + a))^2*b^2*\sqrt{c}*d*f*g^6 - 28*(\sqrt{c}*x - \sqrt{c*x^2 + b \\
&*x + a})^2*a*c^(3/2)*d*f*g^6 + 8*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^2*a*b* \\
&\sqrt{c}*d*g^7 - 72*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^2*c^(5/2)*f^4*g^3*e \\
&+ 68*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^2*b*c^(3/2)*f^3*g^4*e - 17*(\sqrt{c} \\
&)*x - \sqrt{c*x^2 + b*x + a})^2*b^2*\sqrt{c}*f^2*g^5*e + 20*(\sqrt{c}*x - \sqrt{ \\
&c*x^2 + b*x + a})^2*a*c^(3/2)*f^2*g^5*e - 12*(\sqrt{c}*x - \sqrt{c*x^2 + b*x \\
&+ a})^2*a*b*\sqrt{c}*f*g^6*e + 8*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^2*a^2* \\
&\sqrt{c}*g^7*e + 56*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})*b*c^2*d*f^3*g^4 - 44 \\
&*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})*b^2*c*d*f^2*g^5 - 88*(\sqrt{c}*x - \sqrt{ \\
&c*x^2 + b*x + a})*a*c^2*d*f^2*g^5 + 9*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})* \\
&b^3*d*f*g^6 + 60*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})*a*b*c*d*f*g^6 - 9*(sq \\
&rt(c)*x - \sqrt{c*x^2 + b*x + a})*a*b^2*d*g^7 - 4*(\sqrt{c}*x - \sqrt{c*x^2 + b \\
&*x + a})*a^2*c*d*g^7 - 72*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})*b*c^2*f^4*g^3 \\
&*e + 64*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})*b^2*c*f^3*g^4*e + 112*(\sqrt{c}* \\
&x - \sqrt{c*x^2 + b*x + a})*a*c^2*f^3*g^4*e - 13*(\sqrt{c}*x - \sqrt{c*x^2 + b \\
&*x + a})*b^3*f^2*g^5*e - 104*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})*a*b*c*f^2* \\
&g^5*e + 17*(\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})*a*b^2*f*g^6*e + 28*(\sqrt{c}* \\
&x - \sqrt{c*x^2 + b*x + a})*a^2*c*f*g^6*e - 4*(\sqrt{c}*x - \sqrt{c*x^2 + b*x \\
&+ a})*a^2*b*g^7*e + 14*b^2*c^(3/2)*d*f^3*g^4 - 7*b^3*\sqrt{c}*d*f^2*g^5 - 44 \\
&*a*b*c^(3/2)*d*f^2*g^5 + 23*a*b^2*\sqrt{c}*d*f*g^6 + 28*a^2*c^(3/2)*d*f*g^6 \\
&- 16*a^2*b*\sqrt{c}*d*g^7 - 18*b^2*c^(3/2)*f^4*g^3*e + 11*b^3*\sqrt{c}*f^3*g^ \\
&4*e + 56*a*b*c^(3/2)*f^3*g^4*e - 39*a*b^2*\sqrt{c}*f^2*g^5*e - 36*a^2*c^(3/2 \\
&)*f^2*g^5*e + 36*a^2*b*\sqrt{c}*f*g^6*e - 8*a^3*\sqrt{c}*g^7*e)/((c^3*d^2*f^6 \\
&*g^2 - 3*b*c^2*d^2*f^5*g^3 + 3*b^2*c*d^2*f^4*g^4 + 3*a*c^2*d^2*f^4*g^4 - b^ \\
&3*d^2*f^3*g^5 - 6*a*b*c*d^2*f^3*g^5 + 3*a*b^2*d^2*f^2*g^6 + 3*a^2*c*d^2*f^2 \\
&*g^6 - 3*a^2*b*d^2*f*g^7 + a^3*d^2*g^8 - 2*c^3*d*f^7*g*e + 6*b*c^2*d*f^6*g^ \\
&2*e - 6*b^2*c*d*f^5*g^3*e - 6*a*c^2*d*f^5*g^3*e + 2*b^3*d*f^4*g^4*e + 12*a* \\
&b*c*d*f^4*g^4*e - 6*a*b^2*d*f^3*g^5*e - 6*a^2*c*d*f^3*g^5*e + 6*a^2*b*d*f^2 \\
&*g^6*e - 2*a^3*d*f*g^7*e + c^3*f^8*e^2 - 3*b*c^2*f^7*g*e^2 + 3*b^2*c*f^6*g^ \\
&2*e^2 + 3*a*c^2*f^6*g^2*e^2 - b^3*f^5*g^3*e^2 - 6*a*b*c*f^5*g^3*e^2 + 3*a*b \\
&^2*f^4*g^4*e^2 + 3*a^2*c*f^4*g^4*e^2 - 3*a^2*b*f^3*g^5*e^2 + a^3*f^2*g^6*e^ \\
&2)*((\sqrt{c}*x - \sqrt{c*x^2 + b*x + a})^2*g + 2*(\sqrt{c}*x - \sqrt{c*x^2 + b
\end{aligned}$$

$*x + a)) * \text{sqrt}(c) * f + b * f - a * g)^2)$

**maple** [B] time = 0.04, size = 5459, normalized size = 5.13

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x+d)/(g*x+f)^3/(c*x^2+b*x+a)^(3/2),x)`

[Out] result too large to display

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^2 + bx + a)^{\frac{3}{2}}(ex + d)(gx + f)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)/(g*x+f)^3/(c*x^2+b*x+a)^(3/2),x, algorithm="maxima")`

[Out] `integrate(1/((c*x^2 + b*x + a)^(3/2)*(e*x + d)*(g*x + f)^3), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(f + gx)^3 (d + ex) (cx^2 + bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((f + g*x)^3*(d + e*x)*(a + b*x + c*x^2)^(3/2)),x)`

[Out] `int(1/((f + g*x)^3*(d + e*x)*(a + b*x + c*x^2)^(3/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex)(f + gx)^3 (a + bx + cx^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x+d)/(g*x+f)**3/(c*x**2+b*x+a)**(3/2),x)`

[Out] `Integral(1/((d + e*x)*(f + g*x)**3*(a + b*x + c*x**2)**(3/2)), x)`

$$3.629 \quad \int (d + ex)^m (f + gx)^2 (a + bx + cx^2) dx$$

**Optimal.** Leaf size=220

$$\frac{(d + ex)^{m+3} (eg(aeg - 3bdg + 2bef) + c(6d^2g^2 - 6defg + e^2f^2))}{e^5(m+3)} + \frac{(ef - dg)^2 (d + ex)^{m+1} (ae^2 - bde + cd^2)}{e^5(m+1)} - \frac{(ef - dg)^2 (d + ex)^{m+1} (ae^2 - bde + cd^2)}{e^5(m+1)}$$

**Rubi [A]** time = 0.22, antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {947}

$$\frac{(d + ex)^{m+3} (eg(aeg - 3bdg + 2bef) + c(6d^2g^2 - 6defg + e^2f^2))}{e^5(m+3)} + \frac{(ef - dg)^2 (d + ex)^{m+1} (ae^2 - bde + cd^2)}{e^5(m+1)} - \frac{(ef - dg)(d + ex)^{m+2} (2cd(ef - 2dg) - e(2aeg - 3bdg + bef))}{e^5(m+2)} + \frac{g(d + ex)^{m+4} (beg - 4cdg + 2cef)}{e^5(m+4)} + \frac{cg^2(d + ex)^{m+5}}{e^5(m+5)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^m\*(f + g\*x)^2\*(a + b\*x + c\*x^2), x]

[Out] ((c\*d^2 - b\*d\*e + a\*e^2)\*(e\*f - d\*g)^2\*(d + e\*x)^(1 + m))/(e^5\*(1 + m)) - ((e\*f - d\*g)\*(2\*c\*d\*(e\*f - 2\*d\*g) - e\*(b\*e\*f - 3\*b\*d\*g + 2\*a\*e\*g))\*(d + e\*x)^(2 + m))/(e^5\*(2 + m)) + ((e\*g\*(2\*b\*e\*f - 3\*b\*d\*g + a\*e\*g) + c\*(e^2\*f^2 - 6\*d\*e\*f\*g + 6\*d^2\*g^2))\*(d + e\*x)^(3 + m))/(e^5\*(3 + m)) + (g\*(2\*c\*e\*f - 4\*c\*d\*g + b\*e\*g)\*(d + e\*x)^(4 + m))/(e^5\*(4 + m)) + (c\*g^2\*(d + e\*x)^(5 + m))/(e^5\*(5 + m))

**Rule 947**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && (IGtQ[m, 0] || (EqQ[m, -2] && EqQ[p, 1] && EqQ[2\*c\*d - b\*e, 0]))

**Rubi steps**

$$\int (d + ex)^m (f + gx)^2 (a + bx + cx^2) dx = \int \left( \frac{(cd^2 - bde + ae^2)(ef - dg)^2 (d + ex)^m}{e^4} + \frac{(ef - dg)(-2cd(ef - 2dg) - e^2f^2 + 6d^2g^2)}{e^5} \right) dx$$

$$= \frac{(cd^2 - bde + ae^2)(ef - dg)^2 (d + ex)^{1+m}}{e^5(1+m)} - \frac{(ef - dg)(2cd(ef - 2dg) - e^2f^2 + 6d^2g^2)}{e^5}$$

**Mathematica [A]** time = 0.27, size = 198, normalized size = 0.90

$$\frac{(d+ex)^{m+1} \left( \frac{(eg(aeg-3bdg+2bef)+c(6d^2g^2-6defg+e^2f^2))}{m+3} + \frac{(ef-dg)^2(e(ab-bd)+cd^2)}{m+1} + \frac{(d+ex)(ef-dg)(e(2aeg-3bdg+bef)+2cd(2dg-ef))}{m+2} + \frac{g(d+ex)^3(beg-4cdg+2cef)}{m+4} + \frac{cg^2(d+ex)^4}{m+5} \right)}{e^5}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^m\*(f + g\*x)^2\*(a + b\*x + c\*x^2), x]

[Out] ((d + e\*x)^(1 + m)\*(((c\*d^2 + e\*(-(b\*d) + a\*e))\*(e\*f - d\*g)^2)/(1 + m) + ((e\*f - d\*g)\*(2\*c\*d\*(-(e\*f) + 2\*d\*g) + e\*(b\*e\*f - 3\*b\*d\*g + 2\*a\*e\*g))\*(d + e\*x))/(2 + m) + ((e\*g\*(2\*b\*e\*f - 3\*b\*d\*g + a\*e\*g) + c\*(e^2\*f^2 - 6\*d\*e\*f\*g + 6\*d^2\*g^2))\*(d + e\*x)^2)/(3 + m) + (g\*(2\*c\*e\*f - 4\*c\*d\*g + b\*e\*g)\*(d + e\*x)^3)/(4 + m) + (c\*g^2\*(d + e\*x)^4)/(5 + m))/e^5

**IntegrateAlgebraic [F]** time = 0.11, size = 0, normalized size = 0.00

$$\int (d + ex)^m (f + gx)^2 (a + bx + cx^2) dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^m\*(f + g\*x)^2\*(a + b\*x + c\*x^2), x]

[Out] Defer[IntegrateAlgebraic] [(d + e\*x)^m\*(f + g\*x)^2\*(a + b\*x + c\*x^2), x]

**fricas [B]** time = 0.66, size = 1381, normalized size = 6.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)^2\*(c\*x^2+b\*x+a), x, algorithm="fricas")

[Out] (a\*d\*e^4\*f^2\*m^4 + (c\*e^5\*g^2\*m^4 + 10\*c\*e^5\*g^2\*m^3 + 35\*c\*e^5\*g^2\*m^2 + 50\*c\*e^5\*g^2\*m + 24\*c\*e^5\*g^2)\*x^5 + (60\*c\*e^5\*f\*g + 30\*b\*e^5\*g^2 + (2\*c\*e^5\*f\*g + (c\*d\*e^4 + b\*e^5)\*g^2)\*m^4 + (22\*c\*e^5\*f\*g + (6\*c\*d\*e^4 + 11\*b\*e^5)\*g^2)\*m^3 + (82\*c\*e^5\*f\*g + (11\*c\*d\*e^4 + 41\*b\*e^5)\*g^2)\*m^2 + (122\*c\*e^5\*f\*g + (6\*c\*d\*e^4 + 61\*b\*e^5)\*g^2)\*m)\*x^4 - (2\*a\*d^2\*e^3\*f\*g + (b\*d^2\*e^3 - 14\*a\*d\*e^4)\*f^2)\*m^3 + (40\*c\*e^5\*f^2 + 80\*b\*e^5\*f\*g + 40\*a\*e^5\*g^2 + (c\*e^5\*f^2 + 2\*(c\*d\*e^4 + b\*e^5)\*f\*g + (b\*d\*e^4 + a\*e^5)\*g^2)\*m^4 + 4\*(3\*c\*e^5\*f^2 + 2\*(2\*c\*d\*e^4 + 3\*b\*e^5)\*f\*g - (c\*d^2\*e^3 - 2\*b\*d\*e^4 - 3\*a\*e^5)\*g^2)\*m^3 + (49\*c\*e^5\*f^2 + 2\*(17\*c\*d\*e^4 + 49\*b\*e^5)\*f\*g - (12\*c\*d^2\*e^3 - 17\*b\*d\*e^4 - 49\*a\*e^5)\*g^2)\*m^2 + 2\*(39\*c\*e^5\*f^2 + 2\*(5\*c\*d\*e^4 + 39\*b\*e^5)\*f\*g - (4\*c\*d^2\*e^3 - 5\*b\*d\*e^4 - 39\*a\*e^5)\*g^2)\*m)\*x^3 + 20\*(2\*c\*d^3\*e^2 - 3\*b\*d^2\*e^3 + 6\*a\*d\*e^4)\*f^2 - 20\*(3\*c\*d^4\*e - 4\*b\*d^3\*e^2 + 6\*a\*d^2\*e^3)\*f\*g + 2\*(12\*c\*d^5 - 15\*b\*d^4\*e + 20\*a\*d^3\*e^2)\*g^2 + (2\*a\*d^3\*e^2\*g^2 + (2\*c\*d^3\*e^2 - 12\*b\*d^2\*e^3 + 71\*a\*d\*e^4)\*f^2 + 4\*(b\*d^3\*e^2 - 6\*a\*d^2\*e^3)\*f\*g)\*m^2 +

$$\begin{aligned} & (60*b*e^5*f^2 + 120*a*e^5*f*g + (a*d*e^4*g^2 + (c*d*e^4 + b*e^5)*f^2 + 2*( \\ & b*d*e^4 + a*e^5)*f*g)*m^4 + ((10*c*d*e^4 + 13*b*e^5)*f^2 - 2*(3*c*d^2*e^3 - \\ & 10*b*d*e^4 - 13*a*e^5)*f*g - (3*b*d^2*e^3 - 10*a*d*e^4)*g^2)*m^3 + ((29*c* \\ & d*e^4 + 59*b*e^5)*f^2 - 2*(18*c*d^2*e^3 - 29*b*d*e^4 - 59*a*e^5)*f*g + (12* \\ & c*d^3*e^2 - 18*b*d^2*e^3 + 29*a*d*e^4)*g^2)*m^2 + ((20*c*d*e^4 + 107*b*e^5) \\ & *f^2 - 2*(15*c*d^2*e^3 - 20*b*d*e^4 - 107*a*e^5)*f*g + (12*c*d^3*e^2 - 15*b \\ & *d^2*e^3 + 20*a*d*e^4)*g^2)*m)*x^2 + ((18*c*d^3*e^2 - 47*b*d^2*e^3 + 154*a* \\ & d*e^4)*f^2 - 2*(6*c*d^4*e - 18*b*d^3*e^2 + 47*a*d^2*e^3)*f*g - 6*(b*d^4*e - \\ & 3*a*d^3*e^2)*g^2)*m + (120*a*e^5*f^2 + (2*a*d*e^4*f*g + (b*d*e^4 + a*e^5)* \\ & f^2)*m^4 - 2*(a*d^2*e^3*g^2 + (c*d^2*e^3 - 6*b*d*e^4 - 7*a*e^5)*f^2 + 2*(b* \\ & d^2*e^3 - 6*a*d*e^4)*f*g)*m^3 - ((18*c*d^2*e^3 - 47*b*d*e^4 - 71*a*e^5)*f^2 \\ & - 2*(6*c*d^3*e^2 - 18*b*d^2*e^3 + 47*a*d*e^4)*f*g - 6*(b*d^3*e^2 - 3*a*d^2 \\ & *e^3)*g^2)*m^2 - 2*((20*c*d^2*e^3 - 30*b*d*e^4 - 77*a*e^5)*f^2 - 10*(3*c*d^ \\ & 3*e^2 - 4*b*d^2*e^3 + 6*a*d*e^4)*f*g + (12*c*d^4*e - 15*b*d^3*e^2 + 20*a*d^ \\ & 2*e^3)*g^2)*m)*x)*(e*x + d)^m/(e^5*m^5 + 15*e^5*m^4 + 85*e^5*m^3 + 225*e^5* \\ & m^2 + 274*e^5*m + 120*e^5) \end{aligned}$$

**giac [B]** time = 0.27, size = 2740, normalized size = 12.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)^2\*(c\*x^2+b\*x+a),x, algorithm="giac")

[Out] ((x\*e + d)^m\*c\*g^2\*m^4\*x^5\*e^5 + (x\*e + d)^m\*c\*d\*g^2\*m^4\*x^4\*e^4 + 2\*(x\*e + d)^m\*c\*f\*g\*m^4\*x^4\*e^5 + (x\*e + d)^m\*b\*g^2\*m^4\*x^4\*e^5 + 10\*(x\*e + d)^m\*c\*g^2\*m^3\*x^5\*e^5 + 2\*(x\*e + d)^m\*c\*d\*f\*g\*m^4\*x^3\*e^4 + (x\*e + d)^m\*b\*d\*g^2\*m^4\*x^3\*e^4 + 6\*(x\*e + d)^m\*c\*d\*g^2\*m^3\*x^4\*e^4 - 4\*(x\*e + d)^m\*c\*d^2\*g^2\*m^3\*x^3\*e^3 + (x\*e + d)^m\*c\*f^2\*m^4\*x^3\*e^5 + 2\*(x\*e + d)^m\*b\*f\*g\*m^4\*x^3\*e^5 + (x\*e + d)^m\*a\*g^2\*m^4\*x^3\*e^5 + 22\*(x\*e + d)^m\*c\*f\*g\*m^3\*x^4\*e^5 + 11\*(x\*e + d)^m\*b\*g^2\*m^3\*x^4\*e^5 + 35\*(x\*e + d)^m\*c\*g^2\*m^2\*x^5\*e^5 + (x\*e + d)^m\*c\*d\*f^2\*m^4\*x^2\*e^4 + 2\*(x\*e + d)^m\*b\*d\*f\*g\*m^4\*x^2\*e^4 + (x\*e + d)^m\*a\*d\*g^2\*m^4\*x^2\*e^4 + 16\*(x\*e + d)^m\*c\*d\*f\*g\*m^3\*x^3\*e^4 + 8\*(x\*e + d)^m\*b\*d\*g^2\*m^3\*x^3\*e^4 + 11\*(x\*e + d)^m\*c\*d\*g^2\*m^2\*x^4\*e^4 - 6\*(x\*e + d)^m\*c\*d^2\*f\*g\*m^3\*x^2\*e^3 - 3\*(x\*e + d)^m\*b\*d^2\*g^2\*m^3\*x^2\*e^3 - 12\*(x\*e + d)^m\*c\*d^2\*g^2\*m^2\*x^3\*e^3 + 12\*(x\*e + d)^m\*c\*d^3\*g^2\*m^2\*x^2\*e^2 + (x\*e + d)^m\*b\*f^2\*m^4\*x^2\*e^5 + 2\*(x\*e + d)^m\*a\*f\*g\*m^4\*x^2\*e^5 + 12\*(x\*e + d)^m\*c\*f^2\*m^3\*x^3\*e^5 + 24\*(x\*e + d)^m\*b\*f\*g\*m^3\*x^3\*e^5 + 12\*(x\*e + d)^m\*a\*g^2\*m^3\*x^3\*e^5 + 82\*(x\*e + d)^m\*c\*f\*g\*m^2\*x^4\*e^5 + 41\*(x\*e + d)^m\*b\*g^2\*m^2\*x^4\*e^5 + 50\*(x\*e + d)^m\*c\*g^2\*m\*x^5\*e^5 + (x\*e + d)^m\*b\*d\*f^2\*m^4\*x\*e^4 + 2\*(x\*e + d)^m\*a\*d\*f\*g\*m^4\*x\*e^4 + 10\*(x\*e + d)^m\*c\*d\*f^2\*m^3\*x^2\*e^4 + 20\*(x\*e + d)^m\*b\*d\*f\*g\*m^3\*x^2\*e^4 + 10\*(x\*e + d)^m\*a\*d\*g^2\*m^3\*x^2\*e^4 + 34\*(x\*e + d)^m\*c\*d\*f\*g\*m^2\*x^3\*e^4 + 17\*(x\*e + d)^m\*b\*d\*g^2\*m^2\*x^3\*e^4 + 6\*(x\*e + d)^m\*c\*d\*g^2\*m\*x^4\*e^4 - 2\*(x\*e + d)^m\*c\*d^2\*f^2\*m^3\*x\*e^3 - 4\*(x\*e + d)^m\*b\*d^2\*f\*g\*m^3\*x\*e^3 - 2\*(x\*e + d)^m\*a\*d^2\*g^2\*m^3\*x\*e^3 - 36\*(x\*e + d)^m\*c\*d^2\*f\*g\*

$$\begin{aligned}
& m^2 x^2 e^3 - 18(xe + d)^m b d^2 g^2 m^2 x^2 e^3 - 8(xe + d)^m c d^2 g^2 m^2 x^3 e^3 + 12(xe + d)^m c d^3 f g m^2 x e^2 + 6(xe + d)^m b d^3 g^2 m^2 x e^2 + 12(xe + d)^m c d^3 g^2 m^2 x^2 e^2 - 24(xe + d)^m c d^4 g^2 m^2 x e + (xe + d)^m a f^2 m^4 x e^5 + 13(xe + d)^m b f^2 m^3 x^2 e^5 + 26(xe + d)^m a f g m^3 x^2 e^5 + 49(xe + d)^m c f^2 m^2 x^3 e^5 + 98(xe + d)^m b f g m^2 x^3 e^5 + 49(xe + d)^m a g^2 m^2 x^3 e^5 + 122(xe + d)^m c f g m^2 x^4 e^5 + 61(xe + d)^m b g^2 m^2 x^4 e^5 + 24(xe + d)^m c g^2 x^5 e^5 + (xe + d)^m a d f^2 m^4 e^4 + 12(xe + d)^m b d f^2 m^3 x e^4 + 24(xe + d)^m a d f g m^3 x e^4 + 29(xe + d)^m c d f^2 m^2 x^2 e^4 + 58(xe + d)^m b d f g m^2 x^2 e^4 + 29(xe + d)^m a d g^2 m^2 x^2 e^4 + 20(xe + d)^m c d f g m^2 x^3 e^4 + 10(xe + d)^m b d g^2 m^2 x^3 e^4 - (xe + d)^m b d^2 f^2 m^3 e^3 - 2(xe + d)^m a d^2 f g m^3 e^3 - 18(xe + d)^m c d^2 f^2 m^2 x e^3 - 36(xe + d)^m b d^2 f g m^2 x e^3 - 18(xe + d)^m a d^2 g^2 m^2 x e^3 - 30(xe + d)^m c d^2 f g m^2 x^2 e^3 - 15(xe + d)^m b d^2 g^2 m^2 x^2 e^3 + 2(xe + d)^m c d^3 f^2 m^2 e^2 + 4(xe + d)^m b d^3 f g m^2 e^2 + 2(xe + d)^m a d^3 g^2 m^2 e^2 + 60(xe + d)^m c d^3 f g m^2 x e^2 + 30(xe + d)^m b d^3 g^2 m^2 x e^2 - 12(xe + d)^m c d^4 f g m^2 e - 6(xe + d)^m b d^4 g^2 m^2 e + 24(xe + d)^m c d^5 g^2 + 14(xe + d)^m a f^2 m^3 x e^5 + 59(xe + d)^m b f^2 m^2 x^2 e^5 + 118(xe + d)^m a f g m^2 x^2 e^5 + 78(xe + d)^m c f^2 m^2 x^3 e^5 + 156(xe + d)^m b f g m^2 x^3 e^5 + 78(xe + d)^m a g^2 m^2 x^3 e^5 + 60(xe + d)^m c f g x^4 e^5 + 30(xe + d)^m b g^2 x^4 e^5 + 14(xe + d)^m a d f^2 m^3 e^4 + 47(xe + d)^m b d f^2 m^2 x e^4 + 94(xe + d)^m a d f g m^2 x e^4 + 20(xe + d)^m c d f^2 m^2 x^2 e^4 + 40(xe + d)^m b d f g m^2 x^2 e^4 + 20(xe + d)^m a d g^2 m^2 x^2 e^4 - 12(xe + d)^m b d^2 f^2 m^2 e^3 - 24(xe + d)^m a d^2 f g m^2 e^3 - 40(xe + d)^m c d^2 f^2 m^2 x e^3 - 80(xe + d)^m b d^2 f g m^2 x e^3 - 40(xe + d)^m a d^2 g^2 m^2 x e^3 + 18(xe + d)^m c d^3 f^2 m^2 e^2 + 36(xe + d)^m b d^3 f g m^2 e^2 + 18(xe + d)^m a d^3 g^2 m^2 e^2 - 60(xe + d)^m c d^4 f g m^2 e - 30(xe + d)^m b d^4 g^2 m^2 e + 71(xe + d)^m a f^2 m^2 x e^5 + 107(xe + d)^m b f^2 m^2 x^2 e^5 + 214(xe + d)^m a f g m^2 x^2 e^5 + 40(xe + d)^m c f^2 x^3 e^5 + 80(xe + d)^m b f g x^3 e^5 + 40(xe + d)^m a g^2 x^3 e^5 + 71(xe + d)^m a d f^2 m^2 e^4 + 60(xe + d)^m b d f^2 m^2 x e^4 + 120(xe + d)^m a d f g m^2 x e^4 - 47(xe + d)^m b d^2 f^2 m^2 e^3 - 94(xe + d)^m a d^2 f g m^2 e^3 + 40(xe + d)^m c d^3 f^2 m^2 e^2 + 80(xe + d)^m b d^3 f g m^2 e^2 + 40(xe + d)^m a d^3 g^2 m^2 e^2 + 154(xe + d)^m a f^2 m^2 x e^5 + 60(xe + d)^m b f^2 x^2 e^5 + 120(xe + d)^m a f g x^2 e^5 + 154(xe + d)^m a d f^2 m^2 e^4 - 60(xe + d)^m b d^2 f^2 m^2 e^3 - 120(xe + d)^m a d^2 f g m^2 e^3 + 120(xe + d)^m a f^2 x e^5 + 120(xe + d)^m a d f^2 e^4) / (m^5 e^5 + 15 m^4 e^5 + 85 m^3 e^5 + 225 m^2 e^5 + 274 m e^5 + 120 e^5)
\end{aligned}$$

**maple [B]** time = 0.02, size = 1347, normalized size = 6.12

---

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((e*x+d)^m*(g*x+f)^2*(c*x^2+b*x+a),x)`

[Out]  $(e*x+d)^{(1+m)}*(c*e^4*g^2*m^4*x^4+b*e^4*g^2*m^4*x^3+2*c*e^4*f*g*m^4*x^3+10*c*e^4*g^2*m^3*x^4+a*e^4*g^2*m^4*x^2+2*b*e^4*f*g*m^4*x^2+11*b*e^4*g^2*m^3*x^3-4*c*d*e^3*g^2*m^3*x^3+c*e^4*f^2*m^4*x^2+22*c*e^4*f*g*m^3*x^3+35*c*e^4*g^2*m^2*x^4+2*a*e^4*f*g*m^4*x+12*a*e^4*g^2*m^3*x^2-3*b*d*e^3*g^2*m^3*x^2+b*e^4*f^2*m^4*x+24*b*e^4*f*g*m^3*x^2+41*b*e^4*g^2*m^2*x^3-6*c*d*e^3*f*g*m^3*x^2-24*c*d*e^3*g^2*m^2*x^3+12*c*e^4*f^2*m^3*x^2+82*c*e^4*f*g*m^2*x^3+50*c*e^4*g^2*m*x^4-2*a*d*e^3*g^2*m^3*x+a*e^4*f^2*m^4+26*a*e^4*f*g*m^3*x+49*a*e^4*g^2*m^2*x^2-4*b*d*e^3*f*g*m^3*x-24*b*d*e^3*g^2*m^2*x^2+13*b*e^4*f^2*m^3*x+98*b*e^4*f*g*m^2*x^2+61*b*e^4*g^2*m*x^3+12*c*d^2*e^2*g^2*m^2*x^2-2*c*d*e^3*f^2*m^3*x-48*c*d*e^3*f*g*m^2*x^2-44*c*d*e^3*g^2*m*x^3+49*c*e^4*f^2*m^2*x^2+122*c*e^4*f*g*m*x^3+24*c*e^4*g^2*x^4-2*a*d*e^3*f*g*m^3-20*a*d*e^3*g^2*m^2*x+14*a*e^4*f^2*m^3+118*a*e^4*f*g*m^2*x+78*a*e^4*g^2*m*x^2+6*b*d^2*e^2*g^2*m^2*x-b*d*e^3*f^2*m^3-40*b*d*e^3*f*g*m^2*x-51*b*d*e^3*g^2*m*x^2+59*b*e^4*f^2*m^2*x+156*b*e^4*f*g*m*x^2+30*b*e^4*g^2*x^3+12*c*d^2*e^2*f*g*m^2*x+36*c*d^2*e^2*g^2*m*x^2-20*c*d*e^3*f^2*m^2*x-102*c*d*e^3*f*g*m*x^2-24*c*d*e^3*g^2*x^3+78*c*e^4*f^2*m*x^2+60*c*e^4*f*g*x^3+2*a*d^2*e^2*g^2*m^2-24*a*d*e^3*f*g*m^2-58*a*d*e^3*g^2*m*x+71*a*e^4*f^2*m^2+214*a*e^4*f*g*m*x+40*a*e^4*g^2*x^2+4*b*d^2*e^2*f*g*m^2+36*b*d^2*e^2*g^2*m*x-12*b*d*e^3*f^2*m^2-116*b*d*e^3*f*g*m*x-30*b*d*e^3*g^2*x^2+107*b*e^4*f^2*m*x+80*b*e^4*f*g*x^2-24*c*d^3*e*g^2*m*x+2*c*d^2*e^2*f^2*m^2+72*c*d^2*e^2*f*g*m*x+24*c*d^2*e^2*g^2*x^2-58*c*d*e^3*f^2*m*x-60*c*d*e^3*f*g*x^2+40*c*e^4*f^2*x^2+18*a*d^2*e^2*g^2*m-94*a*d*e^3*f*g*m-40*a*d*e^3*g^2*x+154*a*e^4*f^2*m+120*a*e^4*f*g*x-6*b*d^3*e*g^2*m+36*b*d^2*e^2*f*g*m+30*b*d^2*e^2*g^2*x-47*b*d*e^3*f^2*m-80*b*d*e^3*f*g*x+60*b*e^4*f^2*x-12*c*d^3*e*f*g*m-24*c*d^3*e*g^2*x+18*c*d^2*e^2*f^2*m+60*c*d^2*e^2*f*g*x-40*c*d*e^3*f^2*x+40*a*d^2*e^2*g^2-120*a*d*e^3*f*g+120*a*e^4*f^2-30*b*d^3*e*g^2+80*b*d^2*e^2*f*g-60*b*d*e^3*f^2+24*c*d^4*g^2-60*c*d^3*e*f*g+40*c*d^2*e^2*f^2)/e^5/(m^5+15*m^4+85*m^3+225*m^2+274*m+120)$

**maxima [B]** time = 0.58, size = 684, normalized size = 3.11

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x+d)^m*(g*x+f)^2*(c*x^2+b*x+a),x, algorithm="maxima")`

[Out]  $(e^2*(m+1)*x^2+d*e*m*x-d^2)*(e*x+d)^m*b*f^2/((m^2+3*m+2)*e^2)+2*(e^2*(m+1)*x^2+d*e*m*x-d^2)*(e*x+d)^m*a*f*g/((m^2+3*m+2)*e^2)+(e*x+d)^{(m+1)}*a*f^2/(e*(m+1))+((m^2+3*m+2)*e^3*x^3+(m^2+m)*d*e^2*x^2-2*d^2*e*m*x+2*d^3)*(e*x+d)^m*c*f^2/((m^3+6*m^2+11*m+6)*e^3)+2*((m^2+3*m+2)*e^3*x^3+(m^2+m)*d*e^2*x^2-2*d^2*e*m*x+2*d^3)*(e*x+d)^m*b*f*g/((m^3+6*m^2+11*m+6)*e^3)+((m^2+3*m+2)*e^3*x^3+(m^2+m)*d*e^2*x^2-2*d^2*e*m*x+2*d^3)*(e*x+d)^m*a*g^2/((m^3+6*m^2+11*m+6)*e^3)+2*((m^3+6*m^2+11*m+6)*e^4*x^4+(m^3$

$$+ 3*m^2 + 2*m)*d*e^3*x^3 - 3*(m^2 + m)*d^2*e^2*x^2 + 6*d^3*e*m*x - 6*d^4)*(e*x + d)^m*c*f*g/((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^4) + ((m^3 + 6*m^2 + 11*m + 6)*e^4*x^4 + (m^3 + 3*m^2 + 2*m)*d*e^3*x^3 - 3*(m^2 + m)*d^2*e^2*x^2 + 6*d^3*e*m*x - 6*d^4)*(e*x + d)^m*b*g^2/((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^4) + ((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^5*x^5 + (m^4 + 6*m^3 + 11*m^2 + 6*m)*d*e^4*x^4 - 4*(m^3 + 3*m^2 + 2*m)*d^2*e^3*x^3 + 12*(m^2 + m)*d^3*e^2*x^2 - 24*d^4*e*m*x + 24*d^5)*(e*x + d)^m*c*g^2/((m^5 + 15*m^4 + 85*m^3 + 225*m^2 + 274*m + 120)*e^5)$$

mupad [B] time = 3.94, size = 1354, normalized size = 6.15

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((f + g*x)^2*(d + e*x)^m*(a + b*x + c*x^2), x)$

[Out]  $((d + e*x)^m*(24*c*d^5*g^2 + 40*a*d^3*e^2*g^2 - 60*b*d^2*e^3*f^2 + 40*c*d^3*e^2*f^2 + 120*a*d*e^4*f^2 - 30*b*d^4*e*g^2 - 120*a*d^2*e^3*f*g + 80*b*d^3*e^2*f*g + 154*a*d*e^4*f^2*m - 6*b*d^4*e*g^2*m + 71*a*d*e^4*f^2*m^2 + 14*a*d*e^4*f^2*m^3 + a*d*e^4*f^2*m^4 + 18*a*d^3*e^2*g^2*m - 47*b*d^2*e^3*f^2*m + 18*c*d^3*e^2*f^2*m - 60*c*d^4*e*f*g + 2*a*d^3*e^2*g^2*m^2 - 12*b*d^2*e^3*f^2*m^2 - b*d^2*e^3*f^2*m^3 + 2*c*d^3*e^2*f^2*m^2 - 12*c*d^4*e*f*g*m - 94*a*d^2*e^3*f*g*m + 36*b*d^3*e^2*f*g*m - 24*a*d^2*e^3*f*g*m^2 - 2*a*d^2*e^3*f*g*m^3 + 4*b*d^3*e^2*f*g*m^2))/(e^5*(274*m + 225*m^2 + 85*m^3 + 15*m^4 + m^5 + 120)) + (x*(d + e*x)^m*(120*a*e^5*f^2 + 71*a*e^5*f^2*m^2 + 14*a*e^5*f^2*m^3 + a*e^5*f^2*m^4 + 154*a*e^5*f^2*m + 60*b*d*e^4*f^2*m - 24*c*d^4*e*g^2*m - 40*a*d^2*e^3*g^2*m + 47*b*d*e^4*f^2*m^2 + 12*b*d*e^4*f^2*m^3 + b*d*e^4*f^2*m^4 + 30*b*d^3*e^2*g^2*m - 40*c*d^2*e^3*f^2*m - 18*a*d^2*e^3*g^2*m^2 - 2*a*d^2*e^3*g^2*m^3 + 6*b*d^3*e^2*g^2*m^2 - 18*c*d^2*e^3*f^2*m^2 - 2*c*d^2*e^3*f^2*m^3 + 120*a*d*e^4*f*g*m + 94*a*d*e^4*f*g*m^2 + 24*a*d*e^4*f*g*m^3 + 2*a*d*e^4*f*g*m^4 - 80*b*d^2*e^3*f*g*m + 60*c*d^3*e^2*f*g*m - 36*b*d^2*e^3*f*g*m^2 - 4*b*d^2*e^3*f*g*m^3 + 12*c*d^3*e^2*f*g*m^2))/(e^5*(274*m + 225*m^2 + 85*m^3 + 15*m^4 + m^5 + 120)) + (c*g^2*x^5*(d + e*x)^m*(50*m + 35*m^2 + 10*m^3 + m^4 + 24))/(274*m + 225*m^2 + 85*m^3 + 15*m^4 + m^5 + 120) + (x^2*(m + 1)*(d + e*x)^m*(60*b*e^3*f^2 + 12*b*e^3*f^2*m^2 + b*e^3*f^2*m^3 + 120*a*e^3*f*g + 47*b*e^3*f^2*m + 12*c*d^3*g^2*m + 20*a*d*e^2*g^2*m - 15*b*d^2*e*g^2*m + 20*c*d*e^2*f^2*m + 24*a*e^3*f*g*m^2 + 2*a*e^3*f*g*m^3 + 9*a*d*e^2*g^2*m^2 + a*d*e^2*g^2*m^3 - 3*b*d^2*e*g^2*m^2 + 9*c*d*e^2*f^2*m^2 + c*d*e^2*f^2*m^3 + 94*a*e^3*f*g*m + 40*b*d*e^2*f*g*m - 30*c*d^2*e*f*g*m + 18*b*d*e^2*f*g*m^2 + 2*b*d*e^2*f*g*m^3 - 6*c*d^2*e*f*g*m^2))/(e^3*(274*m + 225*m^2 + 85*m^3 + 15*m^4 + m^5 + 120)) + (x^3*(d + e*x)^m*(3*m + m^2 + 2)*(20*a*e^2*g^2 + 20*c*e^2*f^2 + a*e^2*g^2*m^2 + c*e^2*f^2*m^2 + 40*b*e^2*f*g + 9*a*e^2*g^2*m - 4*c*d^2*g^2*m + 9*c*e^2*f^2*m + b*d*e*g^2*m^2 + 2*b*e^2*f*g*m^2 + 5*b*d*e*g^2*m + 18*b*e^2*f*g*m + 2*c*d*e*f*g*m^2 + 10*c*d*e*f*g*m))/(e^2*(274*m + 225*m^2 + 85*m^3 + 15*m^4 + m^5 + 120)) + (g*x^4*(d + e*x)^m*(11*m +$

$$(6m^2 + m^3 + 6)(5b^2eg + 10c^2ef + b^2egm + c^2d^2gm + 2c^2efm)/(e(274m + 225m^2 + 85m^3 + 15m^4 + m^5 + 120))$$

sympy [A] time = 14.70, size = 15757, normalized size = 71.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*m\*(g\*x+f)\*\*2\*(c\*x\*\*2+b\*x+a),x)

[Out] Piecewise((d\*\*m\*(a\*f\*\*2\*x + a\*f\*g\*x\*\*2 + a\*g\*\*2\*x\*\*3/3 + b\*f\*\*2\*x\*\*2/2 + 2\*b\*f\*g\*x\*\*3/3 + b\*g\*\*2\*x\*\*4/4 + c\*f\*\*2\*x\*\*3/3 + c\*f\*g\*x\*\*4/2 + c\*g\*\*2\*x\*\*5/5), Eq(e, 0)), (-a\*d\*\*2\*e\*\*2\*g\*\*2/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 2\*a\*d\*e\*\*3\*f\*g/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 4\*a\*d\*e\*\*3\*g\*\*2\*x/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 3\*a\*e\*\*4\*f\*\*2/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 8\*a\*e\*\*4\*f\*g\*x/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 6\*a\*e\*\*4\*g\*\*2\*x\*\*2/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 3\*b\*d\*\*3\*e\*g\*\*2/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 2\*b\*d\*\*2\*e\*\*2\*f\*g/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 12\*b\*d\*\*2\*e\*\*2\*g\*\*2\*x/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - b\*d\*e\*\*3\*f\*\*2/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 8\*b\*d\*e\*\*3\*f\*g\*x/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 18\*b\*d\*e\*\*3\*g\*\*2\*x\*\*2/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 4\*b\*e\*\*4\*f\*\*2\*x/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 12\*b\*e\*\*4\*f\*g\*x\*\*2/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 12\*b\*e\*\*4\*g\*\*2\*x\*\*3/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) + 12\*c\*d\*\*4\*g\*\*2\*log(d/e + x)/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) + 25\*c\*d\*\*4\*g\*\*2/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 6\*c\*d\*\*3\*e\*f\*g/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) + 48\*c\*d\*\*3\*e\*g\*\*2\*x\*log(d/e + x)/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) + 88\*c\*d\*\*3\*e\*g\*\*2\*x/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - c\*d\*\*2\*e\*\*2\*f\*\*2/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) - 24\*c\*d\*\*2\*e\*\*2\*f\*g\*x/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) + 72\*c\*d\*\*2\*e\*\*2\*g\*\*2\*x\*\*2\*log(d/e + x)/(12\*d\*\*4\*e\*\*5 + 48\*d\*\*3\*e\*\*6\*x + 72\*d\*\*2\*e\*\*7\*x\*\*2 + 48\*d\*e\*\*8\*x\*\*3 + 12\*e\*\*9\*x\*\*4) + 108\*c\*d\*\*2\*e\*\*2\*g\*\*2\*x\*\*2/(12\*d\*\*4

$$\begin{aligned}
& e^{5x} + 48d^3e^{6x} + 72d^2e^{7x} + 48de^{8x} + 12e^{9x} \\
& - 4cd^3f^2x / (12d^4e^{5x} + 48d^3e^{6x} + 72d^2e^{7x} + 48de^{8x} + 12e^{9x}) - 36cd^3fgx^2 / (12d^4e^{5x} + 48d^3e^{6x} + 72d^2e^{7x} + 48de^{8x} + 12e^{9x}) + 48cd^3g^2x^3 \log(d/e + x) / (12d^4e^{5x} + 48d^3e^{6x} + 72d^2e^{7x} + 48de^{8x} + 12e^{9x}) + 48cd^3g^2x^3 / (12d^4e^{5x} + 48d^3e^{6x} + 72d^2e^{7x} + 48de^{8x} + 12e^{9x}) - 6ce^{4x}f^2x^2 / (12d^4e^{5x} + 48d^3e^{6x} + 72d^2e^{7x} + 48de^{8x} + 12e^{9x}) - 24ce^{4x}fgx^3 / (12d^4e^{5x} + 48d^3e^{6x} + 72d^2e^{7x} + 48de^{8x} + 12e^{9x}) + 12ce^{4x}g^2x^4 \log(d/e + x) / (12d^4e^{5x} + 48d^3e^{6x} + 72d^2e^{7x} + 48de^{8x} + 12e^{9x}), \text{Eq}(m, -5), (-2ad^2e^{2x}g^2 / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x})) - 2ad^3fg / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 6ad^3g^2x / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 2ae^{4x}f^2 / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 6ae^{4x}fgx / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 6ae^{4x}g^2x^2 / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) + 6bd^3e^{3x}g^2 \log(d/e + x) / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) + 11bd^3e^{3x}g^2 / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 4bd^2e^{2x}fg / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) + 18bd^2e^{2x}g^2x \log(d/e + x) / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) + 27bd^2e^{2x}g^2x / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - bd^3f^2 / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 12bd^3fgx / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) + 18bd^3g^2x^2 \log(d/e + x) / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) + 18bd^3g^2x^2 / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 3be^{4x}f^2x / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 12be^{4x}fgx^2 / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) + 6be^{4x}g^2x^3 \log(d/e + x) / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 24cd^4g^2 \log(d/e + x) / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 44cd^4g^2 / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) + 12cd^3efg \log(d/e + x) / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) + 22cd^3efg / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 72cd^3e^{3x}g^2x \log(d/e + x) / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 108cd^3e^{3x}g^2x / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 2cd^2e^{2x}f^2 / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) + 36cd^2e^{2x}fgx \log(d/e + x) / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) + 54cd^2e^{2x}fgx / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 72cd^2e^{2x}g^2x^2 \log(d/e + x) / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 72cd^2e^{2x}g^2x^2 / (6d^3e^{5x} + 18d^2e^{6x} + 18de^{7x} + 6e^{8x}) - 6cd
\end{aligned}$$

$$\begin{aligned}
& e^{3f^2x}/(6d^3e^5 + 18d^2e^6x + 18de^7x^2 + 6e^8x^3) \\
& + 36cd^3e^3f^2g^2x^2 \log(d/e + x)/(6d^3e^5 + 18d^2e^6x + 18de^7x^2 + 6e^8x^3) + 36cd^3e^3f^2g^2x^2/(6d^3e^5 + 18d^2e^6x \\
& + 18de^7x^2 + 6e^8x^3) - 24cd^3e^3g^2x^3 \log(d/e + x)/(6d^3e^5 + 18d^2e^6x + 18de^7x^2 + 6e^8x^3) - 6ce^4f^2x^2 \\
& / (6d^3e^5 + 18d^2e^6x + 18de^7x^2 + 6e^8x^3) + 12ce^4f^2g^2x^3 \log(d/e + x)/(6d^3e^5 + 18d^2e^6x + 18de^7x^2 + 6e^8x^3) \\
& + 6ce^4g^2x^4/(6d^3e^5 + 18d^2e^6x + 18de^7x^2 + 6e^8x^3), \text{Eq}(m, -4), (2ad^2e^2g^2 \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) + 3ad^2e^2g^2/(2d^2e^5 + 4de^6x \\
& + 2e^7x^2) - 2ad^3efg/(2d^2e^5 + 4de^6x + 2e^7x^2) + 4ad^3g^2x \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& + 4ad^3g^2x/(2d^2e^5 + 4de^6x + 2e^7x^2) - ae^4f^2/(2d^2e^5 + 4de^6x + 2e^7x^2) - 4ae^4fg^2x/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& + 2ae^4g^2x^2 \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) - 6bd^3e^2g^2 \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) - 9bd^3e^2g^2/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& + 4bd^2e^2fg \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) + 6bd^2e^2fg/(2d^2e^5 + 4de^6x + 2e^7x^2) - 12bd^2e^2g^2x \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& - 12bd^2e^2g^2x/(2d^2e^5 + 4de^6x + 2e^7x^2) - bd^3ef^2/(2d^2e^5 + 4de^6x + 2e^7x^2) + 8bd^3efg^2x \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& + 8bd^3efg^2x/(2d^2e^5 + 4de^6x + 2e^7x^2) - 6bd^3e^2g^2x^2 \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) - 2bd^4ef^2x/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& + 4bd^4efg^2x^2 \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) + 2bd^4e^2g^2x^3/(2d^2e^5 + 4de^6x + 2e^7x^2) + 12cd^4g^2 \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& + 18cd^4g^2/(2d^2e^5 + 4de^6x + 2e^7x^2) - 12cd^3efg \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) - 18cd^3efg/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& + 24cd^3e^2g^2x \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) + 24cd^3e^2g^2x/(2d^2e^5 + 4de^6x + 2e^7x^2) + 2cd^2e^2f^2 \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& + 3cd^2e^2f^2/(2d^2e^5 + 4de^6x + 2e^7x^2) - 24cd^2e^2fg^2x \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) - 24cd^2e^2fg^2x/(2d^2e^5 + 4de^6x + 2e^7x^2) + 12cd^2e^2g^2x^2 \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& + 4cd^3ef^2x \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) + 4cd^3ef^2x/(2d^2e^5 + 4de^6x + 2e^7x^2) - 12cd^3efg^2x^2 \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& - 4cd^3efg^2x^2/(2d^2e^5 + 4de^6x + 2e^7x^2) + 2ce^4f^2x^2 \log(d/e + x)/(2d^2e^5 + 4de^6x + 2e^7x^2) + 4ce^4fg^2x^3/(2d^2e^5 + 4de^6x + 2e^7x^2) \\
& + ce^4g^2x^4/(2d^2e^5 + 4de^6x + 2e^7x^2), \text{Eq}(m, -3), (-12ad^2e^2g^2 \log(d/e + x)/(6d^5 + 6e^6x) - 12ad^2e^2g^2/(6d^5 + 6e^6x) + 12ad^3e^3
\end{aligned}$$

$$\begin{aligned}
& *f*g*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) + 12*a*d*e**3*f*g/(6*d*e**5 + 6*e**6*x) - 12*a*d*e**3*g**2*x*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) - 6*a*e**4*f**2/(6*d*e**5 + 6*e**6*x) + 12*a*e**4*f*g*x*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) \\
& ) + 6*a*e**4*g**2*x**2/(6*d*e**5 + 6*e**6*x) + 18*b*d**3*e*g**2*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) + 18*b*d**3*e*g**2/(6*d*e**5 + 6*e**6*x) - 24*b*d**2*e**2*f*g*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) - 24*b*d**2*e**2*f*g/(6*d*e**5 + 6*e**6*x) \\
& + 18*b*d**2*e**2*g**2*x*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) + 6*b*d*e**3*f**2*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) + 6*b*d*e**3*f**2/(6*d*e**5 + 6*e**6*x) - 24*b*d*e**3*f*g*x*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) - 9*b*d*e**3*g**2*x**2/(6*d*e**5 + 6*e**6*x) + 6*b*e**4*f**2*x*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) \\
& + 12*b*e**4*f*g*x**2/(6*d*e**5 + 6*e**6*x) + 3*b*e**4*g**2*x**3/(6*d*e**5 + 6*e**6*x) - 24*c*d**4*g**2*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) - 24*c*d**4*g**2/(6*d*e**5 + 6*e**6*x) + 36*c*d**3*e*f*g*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) + 36*c*d**3*e*f*g/(6*d*e**5 + 6*e**6*x) - 24*c*d**3*e*g**2*x*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) - 12*c*d**2*e**2*f**2*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) - 12*c*d**2*e**2*f**2/(6*d*e**5 + 6*e**6*x) + 36*c*d**2*e**2*f*g*x*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) + 12*c*d**2*e**2*g**2*x**2/(6*d*e**5 + 6*e**6*x) - 12*c*d*e**3*f**2*x*\log(d/e + x)/(6*d*e**5 + 6*e**6*x) - 18*c*d*e**3*f*g*x**2/(6*d*e**5 + 6*e**6*x) - 4*c*d*e**3*g**2*x**3/(6*d*e**5 + 6*e**6*x) + 6*c*e**4*f**2*x**2/(6*d*e**5 + 6*e**6*x) + 6*c*e**4*f*g*x**3/(6*d*e**5 + 6*e**6*x) + 2*c*e**4*g**2*x**4/(6*d*e**5 + 6*e**6*x) \\
& ), Eq(m, -2)), (a*d**2*g**2*\log(d/e + x)/e**3 - 2*a*d*f*g*\log(d/e + x)/e**2 - a*d*g**2*x/e**2 + a*f**2*\log(d/e + x)/e + 2*a*f*g*x/e + a*g**2*x**2/(2*e) - b*d**3*g**2*\log(d/e + x)/e**4 + 2*b*d**2*f*g*\log(d/e + x)/e**3 + b*d**2*g**2*x/e**3 - b*d*f**2*\log(d/e + x)/e**2 - 2*b*d*f*g*x/e**2 - b*d*g**2*x**2/(2*e**2) + b*f**2*x/e + b*f*g*x**2/e + b*g**2*x**3/(3*e) + c*d**4*g**2*\log(d/e + x)/e**5 - 2*c*d**3*f*g*\log(d/e + x)/e**4 - c*d**3*g**2*x/e**4 + c*d**2*f**2*\log(d/e + x)/e**3 + 2*c*d**2*f*g*x/e**3 + c*d**2*g**2*x**2/(2*e**3) - c*d*f**2*x/e**2 - c*d*f*g*x**2/e**2 - c*d*g**2*x**3/(3*e**2) + c*f**2*x**2/(2*e) + 2*c*f*g*x**3/(3*e) + c*g**2*x**4/(4*e), Eq(m, -1)), (2*a*d**3*e**2*g**2*m**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 18*a*d**3*e**2*g**2*m*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 40*a*d**3*e**2*g**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) - 2*a*d**2*e**3*f*g*m**3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) - 24*a*d**2*e**3*f*g*m**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) - 94*a*d**2*e**3*f*g*m*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) - 120*a*d**2*e**3*f*g*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) - 2*a*d**2*e**3*g**2*m**3*x*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) - 18*a*d**2*e**3*g**2*m**2*x*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) - 40*a*d**2*e**3*g**2*m*x*(d + e*x)**m/(e**5*m**5 + 15*e
\end{aligned}$$

$$\begin{aligned}
& *5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + a*d*e**4* \\
& f**2*m**4*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5* \\
& m**2 + 274*e**5*m + 120*e**5) + 14*a*d*e**4*f**2*m**3*(d + e*x)**m/(e**5*m* \\
& **5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + \\
& 71*a*d*e**4*f**2*m**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m** \\
& 3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 154*a*d*e**4*f**2*m*(d + e*x)* \\
& *m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + \\
& 120*e**5) + 120*a*d*e**4*f**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e \\
& **5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 2*a*d*e**4*f*g*m**4*x*( \\
& d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274* \\
& e**5*m + 120*e**5) + 24*a*d*e**4*f*g*m**3*x*(d + e*x)**m/(e**5*m**5 + 15*e* \\
& *5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 94*a*d*e* \\
& *4*f*g*m**2*x*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e \\
& **5*m**2 + 274*e**5*m + 120*e**5) + 120*a*d*e**4*f*g*m*x*(d + e*x)**m/(e**5 \\
& *m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5 \\
& ) + a*d*e**4*g**2*m**4*x**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e** \\
& 5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 10*a*d*e**4*g**2*m**3*x** \\
& 2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 2 \\
& 74*e**5*m + 120*e**5) + 29*a*d*e**4*g**2*m**2*x**2*(d + e*x)**m/(e**5*m**5 \\
& + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 20 \\
& *a*d*e**4*g**2*m*x**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 \\
& + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + a*e**5*f**2*m**4*x*(d + e*x)**m \\
& /(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 12 \\
& 0*e**5) + 14*a*e**5*f**2*m**3*x*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85 \\
& *e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 71*a*e**5*f**2*m**2*x \\
& *(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 27 \\
& 4*e**5*m + 120*e**5) + 154*a*e**5*f**2*m*x*(d + e*x)**m/(e**5*m**5 + 15*e** \\
& 5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 120*a*e**5 \\
& *f**2*x*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m* \\
& **2 + 274*e**5*m + 120*e**5) + 2*a*e**5*f*g*m**4*x**2*(d + e*x)**m/(e**5*m** \\
& 5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + \\
& 26*a*e**5*f*g*m**3*x**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m* \\
& **3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 118*a*e**5*f*g*m**2*x**2*(d + \\
& e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e** \\
& 5*m + 120*e**5) + 214*a*e**5*f*g*m*x**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m \\
& **4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 120*a*e**5*f* \\
& g*x**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m** \\
& 2 + 274*e**5*m + 120*e**5) + a*e**5*g**2*m**4*x**3*(d + e*x)**m/(e**5*m**5 \\
& + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 12 \\
& *a*e**5*g**2*m**3*x**3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m** \\
& 3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 49*a*e**5*g**2*m**2*x**3*(d + \\
& e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5 \\
& *m + 120*e**5) + 78*a*e**5*g**2*m*x**3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m* \\
& **4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 40*a*e**5*g**2 \\
& *x**3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2
\end{aligned}$$

$$\begin{aligned}
& + 274e^{5m} + 120e^5) - 6bd^{44}eg^{2m}(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) - 30bd^{44}eg^{2m}(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 4bd^{33}e^2fg^{m^2}(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) \\
& + 36bd^{33}e^2fg^m(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 80bd^{33}e^2fg(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 6bd^{33}e^2g^{m^2}m^2x(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 30bd^{33}e^2g^{m^2}m^2x(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) - bd^{22}e^3f^{m^3}(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) - 12bd^{22}e^3f^{m^2}m^2(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) - 47bd^{22}e^3f^{m^2}m(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) - 60bd^{22}e^3f^{m^2}(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) - 4bd^{22}e^3fg^{m^3}x(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) - 36bd^{22}e^3fg^{m^2}x(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) - 80bd^{22}e^3fg^mx(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) - 3bd^{22}e^3g^{m^2}m^3x^2(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) - 18bd^{22}e^3g^{m^2}m^2x^2(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) - 15bd^{22}e^3g^{m^2}m^2x^2(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + bd^{e44}f^{m^4}x(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 12bd^{e44}f^{m^3}x^2(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 47bd^{e44}f^{m^2}m^2x^2(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 60bd^{e44}f^{m^2}m^2x^2(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 2bd^{e44}fg^{m^4}x^2(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 20bd^{e44}fg^{m^3}x^2(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 58bd^{e44}fg^{m^2}x^2(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 40bd^{e44}fg^{m^2}x^2(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + bd^{e44}g^{m^2}m^4x^3(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 8bd^{e44}g^{m^2}m^3x^3(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5) + 17bd^{e44}g^{m^2}m^2x^3(d+e)^m / (e^{5m^5} + 15e^{5m^4} + 85e^{5m^3} + 225e^{5m^2} + 274e^{5m} + 120e^5)
\end{aligned}$$



$$\begin{aligned}
& m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 10*b*d*e^{**4}*g^{**2}*m*x^{**3}*(d + e*x)^{**m}/(e^{**5} \\
& m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5} \\
& ) + b*e^{**5}*f^{**2}*m^{**4}*x^{**2}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}* \\
& m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 13*b*e^{**5}*f^{**2}*m^{**3}*x^{**2}*(d \\
& + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e \\
& **5*m + 120*e^{**5}) + 59*b*e^{**5}*f^{**2}*m^{**2}*x^{**2}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e \\
& **5*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 107*b*e \\
& *5*f^{**2}*m*x^{**2}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225* \\
& e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 60*b*e^{**5}*f^{**2}*x^{**2}*(d + e*x)^{**m}/(e^{**5} \\
& m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5} \\
& ) + 2*b*e^{**5}*f*g*m^{**4}*x^{**3}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5} \\
& m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 24*b*e^{**5}*f*g*m^{**3}*x^{**3}*(d \\
& + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e \\
& **5*m + 120*e^{**5}) + 98*b*e^{**5}*f*g*m^{**2}*x^{**3}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e \\
& *5*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 156*b*e \\
& 5*f*g*m*x^{**3}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e \\
& *5*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 80*b*e^{**5}*f*g*x^{**3}*(d + e*x)^{**m}/(e^{**5}*m \\
& *5 + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + \\
& b*e^{**5}*g^{**2}*m^{**4}*x^{**4}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{** \\
& 3 + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 11*b*e^{**5}*g^{**2}*m^{**3}*x^{**4}*(d + \\
& e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5} \\
& m + 120*e^{**5}) + 41*b*e^{**5}*g^{**2}*m^{**2}*x^{**4}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5} \\
& m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 61*b*e^{**5}*g \\
& **2*m*x^{**4}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5} \\
& m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 30*b*e^{**5}*g^{**2}*x^{**4}*(d + e*x)^{**m}/(e^{**5}*m^{** \\
& 5 + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + \\
& 24*c*d^{**5}*g^{**2}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225* \\
& e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) - 12*c*d^{**4}*e*f*g*m*(d + e*x)^{**m}/(e^{**5}*m \\
& **5 + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) \\
& - 60*c*d^{**4}*e*f*g*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 2 \\
& 25*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) - 24*c*d^{**4}*e*g^{**2}*m*x*(d + e*x)^{**m}/( \\
& e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120* \\
& e^{**5}) + 2*c*d^{**3}*e^{**2}*f^{**2}*m^{**2}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85 \\
& *e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 18*c*d^{**3}*e^{**2}*f^{**2}*m \\
& *(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 27 \\
& 4*e^{**5}*m + 120*e^{**5}) + 40*c*d^{**3}*e^{**2}*f^{**2}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e \\
& **5*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 12*c*d^{**3} \\
& e^{**2}*f*g*m^{**2}*x*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225 \\
& *e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 60*c*d^{**3}*e^{**2}*f*g*m*x*(d + e*x)^{**m}/( \\
& e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120* \\
& e^{**5}) + 12*c*d^{**3}*e^{**2}*g^{**2}*m^{**2}*x^{**2}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{** \\
& 4 + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) + 12*c*d^{**3}*e^{**2} \\
& g^{**2}*m*x^{**2}*(d + e*x)^{**m}/(e^{**5}*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e \\
& 5*m^{**2} + 274*e^{**5}*m + 120*e^{**5}) - 2*c*d^{**2}*e^{**3}*f^{**2}*m^{**3}*x*(d + e*x)^{**m}/(e \\
& **5*m^{**5} + 15*e^{**5}*m^{**4} + 85*e^{**5}*m^{**3} + 225*e^{**5}*m^{**2} + 274*e^{**5}*m + 120*e
\end{aligned}$$

$$\begin{aligned}
& **5) - 18*c*d**2*e**3*f**2*m**2*x*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + \\
& 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) - 40*c*d**2*e**3*f**2 \\
& *m*x*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 \\
& + 274*e**5*m + 120*e**5) - 6*c*d**2*e**3*f*g*m**3*x**2*(d + e*x)**m/(e**5*m** \\
& **5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) \\
& - 36*c*d**2*e**3*f*g*m**2*x**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85* \\
& e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) - 30*c*d**2*e**3*f*g*m*x \\
& **2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + \\
& 274*e**5*m + 120*e**5) - 4*c*d**2*e**3*g**2*m**3*x**3*(d + e*x)**m/(e**5*m** \\
& **5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) \\
& - 12*c*d**2*e**3*g**2*m**2*x**3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85 \\
& *e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) - 8*c*d**2*e**3*g**2*m* \\
& x**3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 \\
& + 274*e**5*m + 120*e**5) + c*d*e**4*f**2*m**4*x**2*(d + e*x)**m/(e**5*m**5 \\
& + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 10 \\
& *c*d*e**4*f**2*m**3*x**2*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m \\
& **3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 29*c*d*e**4*f**2*m**2*x**2*( \\
& d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274* \\
& e**5*m + 120*e**5) + 20*c*d*e**4*f**2*m*x**2*(d + e*x)**m/(e**5*m**5 + 15*e \\
& **5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 2*c*d*e* \\
& **4*f*g*m**4*x**3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 22 \\
& 5*e**5*m**2 + 274*e**5*m + 120*e**5) + 16*c*d*e**4*f*g*m**3*x**3*(d + e*x)* \\
& *m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + \\
& 120*e**5) + 34*c*d*e**4*f*g*m**2*x**3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m** \\
& 4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 20*c*d*e**4*f*g \\
& *m*x**3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m* \\
& **2 + 274*e**5*m + 120*e**5) + c*d*e**4*g**2*m**4*x**4*(d + e*x)**m/(e**5*m* \\
& **5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + \\
& 6*c*d*e**4*g**2*m**3*x**4*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5 \\
& *m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 11*c*d*e**4*g**2*m**2*x**4 \\
& *(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 27 \\
& 4*e**5*m + 120*e**5) + 6*c*d*e**4*g**2*m*x**4*(d + e*x)**m/(e**5*m**5 + 15* \\
& e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + c*e**5* \\
& f**2*m**4*x**3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225* \\
& e**5*m**2 + 274*e**5*m + 120*e**5) + 12*c*e**5*f**2*m**3*x**3*(d + e*x)**m/ \\
& (e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120 \\
& *e**5) + 49*c*e**5*f**2*m**2*x**3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + \\
& 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 78*c*e**5*f**2*m*x* \\
& **3*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + \\
& 274*e**5*m + 120*e**5) + 40*c*e**5*f**2*x**3*(d + e*x)**m/(e**5*m**5 + 15*e \\
& **5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 2*c*e**5 \\
& *f*g*m**4*x**4*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225* \\
& e**5*m**2 + 274*e**5*m + 120*e**5) + 22*c*e**5*f*g*m**3*x**4*(d + e*x)**m/( \\
& e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120* \\
& e**5) + 82*c*e**5*f*g*m**2*x**4*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85
\end{aligned}$$

```

*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 122*c*e**5*f*g*m*x**4
*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 27
4*e**5*m + 120*e**5) + 60*c*e**5*f*g*x**4*(d + e*x)**m/(e**5*m**5 + 15*e**5
*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + c*e**5*g**2
*m**4*x**5*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5
*m**2 + 274*e**5*m + 120*e**5) + 10*c*e**5*g**2*m**3*x**5*(d + e*x)**m/(e**
5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**
5) + 35*c*e**5*g**2*m**2*x**5*(d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e
**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5) + 50*c*e**5*g**2*m*x**5*(
d + e*x)**m/(e**5*m**5 + 15*e**5*m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*
e**5*m + 120*e**5) + 24*c*e**5*g**2*x**5*(d + e*x)**m/(e**5*m**5 + 15*e**5*
m**4 + 85*e**5*m**3 + 225*e**5*m**2 + 274*e**5*m + 120*e**5), True))

```

$$3.630 \quad \int (d + ex)^m (f + gx) (a + bx + cx^2) dx$$

**Optimal.** Leaf size=144

$$\frac{(ef - dg)(d + ex)^{m+1} (ae^2 - bde + cd^2)}{e^4(m+1)} - \frac{(d + ex)^{m+2} (cd(2ef - 3dg) - e(aeg - 2bdg + bef))}{e^4(m+2)} + \frac{(d + ex)^{m+3} (beg - 3cdg + cef)}{e^4(m+3)}$$

**Rubi [A]** time = 0.11, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {771}

$$\frac{(ef - dg)(d + ex)^{m+1} (ae^2 - bde + cd^2)}{e^4(m+1)} - \frac{(d + ex)^{m+2} (cd(2ef - 3dg) - e(aeg - 2bdg + bef))}{e^4(m+2)} + \frac{(d + ex)^{m+3} (beg - 3cdg + cef)}{e^4(m+3)} + \frac{cg(d + ex)^{m+4}}{e^4(m+4)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^m\*(f + g\*x)\*(a + b\*x + c\*x^2), x]

[Out] ((c\*d^2 - b\*d\*e + a\*e^2)\*(e\*f - d\*g)\*(d + e\*x)^(1 + m))/(e^4\*(1 + m)) - ((c\*d\*(2\*e\*f - 3\*d\*g) - e\*(b\*e\*f - 2\*b\*d\*g + a\*e\*g))\*(d + e\*x)^(2 + m))/(e^4\*(2 + m)) + ((c\*e\*f - 3\*c\*d\*g + b\*e\*g)\*(d + e\*x)^(3 + m))/(e^4\*(3 + m)) + (c\*g\*(d + e\*x)^(4 + m))/(e^4\*(4 + m))

**Rule 771**

Int[((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((f\_.) + (g\_.)\*(x\_))\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

**Rubi steps**

$$\begin{aligned} \int (d + ex)^m (f + gx) (a + bx + cx^2) dx &= \int \left( \frac{(cd^2 - bde + ae^2)(ef - dg)(d + ex)^m}{e^3} + \frac{(-cd(2ef - 3dg) + e(bef - 2bdg))}{e^3} \right) dx \\ &= \frac{(cd^2 - bde + ae^2)(ef - dg)(d + ex)^{1+m}}{e^4(1+m)} - \frac{(cd(2ef - 3dg) - e(bef - 2bdg))}{e^4(2+m)} \end{aligned}$$

**Mathematica [A]** time = 0.33, size = 180, normalized size = 1.25

$$\frac{(d + ex)^{m+1} \left( \frac{(d+ex)(c(2aeg(m+3)+bdg(m-2)+bef(m+4))-b^2e^2g(m+2)+2e^2d(3dg-ef(m+4)))}{e^2(m+2)} - \frac{(e(ac-bd)+cd^2)(beg(m+1)+6cdg-2cef(m+4))}{e^2(m+1)} + (a+x(b+cx))(beg+c(-3dg+ef(m+4))+eg(m+3)x) \right)}{ce^2(m+3)(m+4)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x)^m*(f + g*x)*(a + b*x + c*x^2), x]
```

```
[Out] ((d + e*x)^(1 + m)*(-(((c*d^2 + e*(-(b*d) + a*e))*(6*c*d*g + b*e*g*(1 + m)
- 2*c*e*f*(4 + m)))/(e^2*(1 + m))) + ((-(b^2*e^2*g*(2 + m)) + 2*c^2*d*(3*d*
g - e*f*(4 + m)) + c*e*(b*d*g*(-2 + m) + 2*a*e*g*(3 + m) + b*e*f*(4 + m)))*
(d + e*x))/(e^2*(2 + m)) + (a + x*(b + c*x))*(b*e*g + c*(-3*d*g + e*f*(4 +
m) + e*g*(3 + m)*x)))/(c*e^2*(3 + m)*(4 + m))
```

**IntegrateAlgebraic** [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (d + ex)^m (f + gx) (a + bx + cx^2) dx$$

Verification is not applicable to the result.

```
[In] IntegrateAlgebraic[(d + e*x)^m*(f + g*x)*(a + b*x + c*x^2), x]
```

```
[Out] Defer[IntegrateAlgebraic] [(d + e*x)^m*(f + g*x)*(a + b*x + c*x^2), x]
```

**fricas** [B] time = 0.43, size = 613, normalized size = 4.26

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x+d)^m*(g*x+f)*(c*x^2+b*x+a), x, algorithm="fricas")
```

```
[Out] (a*d*e^3*f*m^3 + (c*e^4*g*m^3 + 6*c*e^4*g*m^2 + 11*c*e^4*g*m + 6*c*e^4*g)*x
^4 + (8*c*e^4*f + 8*b*e^4*g + (c*e^4*f + (c*d*e^3 + b*e^4)*g)*m^3 + (7*c*e^
4*f + (3*c*d*e^3 + 7*b*e^4)*g)*m^2 + 2*(7*c*e^4*f + (c*d*e^3 + 7*b*e^4)*g)*
m)*x^3 - (a*d^2*e^2*g + (b*d^2*e^2 - 9*a*d*e^3)*f)*m^2 + (12*b*e^4*f + 12*a
*e^4*g + ((c*d*e^3 + b*e^4)*f + (b*d*e^3 + a*e^4)*g)*m^3 + ((5*c*d*e^3 + 8*
b*e^4)*f - (3*c*d^2*e^2 - 5*b*d*e^3 - 8*a*e^4)*g)*m^2 + ((4*c*d*e^3 + 19*b*
e^4)*f - (3*c*d^2*e^2 - 4*b*d*e^3 - 19*a*e^4)*g)*m)*x^2 + 4*(2*c*d^3*e - 3*
b*d^2*e^2 + 6*a*d*e^3)*f - 2*(3*c*d^4 - 4*b*d^3*e + 6*a*d^2*e^2)*g + ((2*c*
d^3*e - 7*b*d^2*e^2 + 26*a*d*e^3)*f + (2*b*d^3*e - 7*a*d^2*e^2)*g)*m + (24*
a*e^4*f + (a*d*e^3*g + (b*d*e^3 + a*e^4)*f)*m^3 - ((2*c*d^2*e^2 - 7*b*d*e^3
- 9*a*e^4)*f + (2*b*d^2*e^2 - 7*a*d*e^3)*g)*m^2 - 2*((4*c*d^2*e^2 - 6*b*d*
e^3 - 13*a*e^4)*f - (3*c*d^3*e - 4*b*d^2*e^2 + 6*a*d*e^3)*g)*m)*x*(e*x + d
)^m/(e^4*m^4 + 10*e^4*m^3 + 35*e^4*m^2 + 50*e^4*m + 24*e^4)
```

**giac** [B] time = 0.20, size = 1162, normalized size = 8.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)\*(c\*x^2+b\*x+a),x, algorithm="giac")

[Out]  $((x*e + d)^m*c*g*m^3*x^4*e^4 + (x*e + d)^m*c*d*g*m^3*x^3*e^3 + (x*e + d)^m*c*f*m^3*x^3*e^4 + (x*e + d)^m*b*g*m^3*x^3*e^4 + 6*(x*e + d)^m*c*g*m^2*x^4*e^4 + (x*e + d)^m*c*d*f*m^3*x^2*e^3 + (x*e + d)^m*b*d*g*m^3*x^2*e^3 + 3*(x*e + d)^m*c*d*g*m^2*x^3*e^3 - 3*(x*e + d)^m*c*d^2*g*m^2*x^2*e^2 + (x*e + d)^m*b*f*m^3*x^2*e^4 + (x*e + d)^m*a*g*m^3*x^2*e^4 + 7*(x*e + d)^m*c*f*m^2*x^3*e^4 + 7*(x*e + d)^m*b*g*m^2*x^3*e^4 + 11*(x*e + d)^m*c*g*m*x^4*e^4 + (x*e + d)^m*b*d*f*m^3*x*e^3 + (x*e + d)^m*a*d*g*m^3*x*e^3 + 5*(x*e + d)^m*c*d*f*m^2*x^2*e^3 + 5*(x*e + d)^m*b*d*g*m^2*x^2*e^3 + 2*(x*e + d)^m*c*d*g*m*x^3*e^3 - 2*(x*e + d)^m*c*d^2*f*m^2*x*e^2 - 2*(x*e + d)^m*b*d^2*g*m^2*x*e^2 - 3*(x*e + d)^m*c*d^2*g*m*x^2*e^2 + 6*(x*e + d)^m*c*d^3*g*m*x*e + (x*e + d)^m*a*f*m^3*x*e^4 + 8*(x*e + d)^m*b*f*m^2*x^2*e^4 + 8*(x*e + d)^m*a*g*m^2*x^2*e^4 + 14*(x*e + d)^m*c*f*m*x^3*e^4 + 14*(x*e + d)^m*b*g*m*x^3*e^4 + 6*(x*e + d)^m*c*g*x^4*e^4 + (x*e + d)^m*a*d*f*m^3*e^3 + 7*(x*e + d)^m*b*d*f*m^2*x*e^3 + 7*(x*e + d)^m*a*d*g*m^2*x*e^3 + 4*(x*e + d)^m*c*d*f*m*x^2*e^3 + 4*(x*e + d)^m*b*d*g*m*x^2*e^3 - (x*e + d)^m*b*d^2*f*m^2*e^2 - (x*e + d)^m*a*d^2*g*m^2*e^2 - 8*(x*e + d)^m*c*d^2*f*m*x*e^2 - 8*(x*e + d)^m*b*d^2*g*m*x*e^2 + 2*(x*e + d)^m*c*d^3*f*m*e + 2*(x*e + d)^m*b*d^3*g*m*e - 6*(x*e + d)^m*c*d^4*g + 9*(x*e + d)^m*a*f*m^2*x*e^4 + 19*(x*e + d)^m*b*f*m*x^2*e^4 + 19*(x*e + d)^m*a*g*m*x^2*e^4 + 8*(x*e + d)^m*c*f*x^3*e^4 + 8*(x*e + d)^m*b*g*x^3*e^4 + 9*(x*e + d)^m*a*d*f*m^2*e^3 + 12*(x*e + d)^m*b*d*f*m*x*e^3 + 12*(x*e + d)^m*a*d*g*m*x*e^3 - 7*(x*e + d)^m*b*d^2*f*m*e^2 - 7*(x*e + d)^m*a*d^2*g*m*e^2 + 8*(x*e + d)^m*c*d^3*f*m*e + 8*(x*e + d)^m*b*d^3*g*m*e + 26*(x*e + d)^m*a*f*m*x*e^4 + 12*(x*e + d)^m*b*f*x^2*e^4 + 12*(x*e + d)^m*a*g*x^2*e^4 + 26*(x*e + d)^m*a*d*f*m*e^3 - 12*(x*e + d)^m*b*d^2*f*m*e^2 - 12*(x*e + d)^m*a*d^2*g*m*e^2 + 24*(x*e + d)^m*a*f*x*e^4 + 24*(x*e + d)^m*a*d*f*m^3)/(m^4*e^4 + 10*m^3*e^4 + 35*m^2*e^4 + 50*m*e^4 + 24*e^4)$

**maple [B]** time = 0.01, size = 503, normalized size = 3.49

Copyright (C) 2008-2011 Free Software Foundation, Inc. GNU GPL. This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version. This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details. You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^m\*(g\*x+f)\*(c\*x^2+b\*x+a),x)

[Out]  $-(e*x+d)^{(m+1)}*(-c*e^3*g*m^3*x^3-b*e^3*g*m^3*x^2-c*e^3*f*m^3*x^2-6*c*e^3*g*m^2*x^3-a*e^3*g*m^3*x-b*e^3*f*m^3*x-7*b*e^3*g*m^2*x^2+3*c*d*e^2*g*m^2*x^2-7*c*e^3*f*m^2*x^2-11*c*e^3*g*m*x^3-a*e^3*f*m^3-8*a*e^3*g*m^2*x+2*b*d*e^2*g*m^2*x-8*b*e^3*f*m^2*x-14*b*e^3*g*m*x^2+2*c*d*e^2*f*m^2*x+9*c*d*e^2*g*m*x^2-14*c*e^3*f*m*x^2-6*c*e^3*g*x^3+a*d*e^2*g*m^2-9*a*e^3*f*m^2-19*a*e^3*g*m*x+b*d*e^2*f*m^2+10*b*d*e^2*g*m*x-19*b*e^3*f*m*x-8*b*e^3*g*x^2-6*c*d^2*e*g*m*x+10*c*d*e^2*f*m*x+6*c*d*e^2*g*x^2-8*c*e^3*f*x^2+7*a*d*e^2*g*m-26*a*e^3*f*m-12*a*e^3*g*x-2*b*d^2*e*g*m+7*b*d*e^2*f*m+8*b*d*e^2*g*x-12*b*e^3*f*x-2*c*d^2*e*f*m-6*c*d^2*e*g*x+8*c*d*e^2*f*x+12*a*d*e^2*g-24*a*e^3*f-8*b*d^2*e*g+12*b*d*e^2*f+6*c*d^3*g-8*c*d^2*e*f)/e^4/(m^4+10*m^3+35*m^2+50*m+24)$

**maxima [B]** time = 0.52, size = 352, normalized size = 2.44

$$\frac{(c^2(m+1)^2 + demx - d^2)(cx + d)^2}{(m^2 + 3m + 2)^2} + \frac{(c^2(m+1)^2 + demx - d^2)(cx + d)^2}{(m^2 + 3m + 2)^2} + \frac{cx + d}{c(m+1)} + \frac{((m^2 + 3m + 2)^2 c^2 + (m^2 + m)d^2 - 2demx + 2d^2)(cx + d)^2}{(m^2 + 6m^2 + 11m + 6)^2} + \frac{((m^2 + 3m + 2)^2 c^2 + (m^2 + m)d^2 - 2demx + 2d^2)(cx + d)^2}{(m^2 + 6m^2 + 11m + 6)^2} + \frac{((m^2 + 6m^2 + 11m + 6)^2 c^2 + (m^2 + 3m + 2)m)d^2 - 3(m^2 + m)d^2 + 6demx - 6d^2)(cx + d)^2}{(m^2 + 10m^3 + 35m^2 + 50m + 24)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)\*(c\*x^2+b\*x+a),x, algorithm="maxima")

[Out]  $(e^{2*(m+1)*x^2 + d*e*m*x - d^2}*(e*x + d)^m*b*f/((m^2 + 3*m + 2)*e^2) + (e^{2*(m+1)*x^2 + d*e*m*x - d^2}*(e*x + d)^m*a*g/((m^2 + 3*m + 2)*e^2) + (e*x + d)^{(m+1)}*a*f/(e*(m+1)) + ((m^2 + 3*m + 2)*e^3*x^3 + (m^2 + m)*d*e^{2*x^2 - 2*d^2*e*m*x + 2*d^3})*(e*x + d)^m*c*f/((m^3 + 6*m^2 + 11*m + 6)*e^3) + ((m^2 + 3*m + 2)*e^3*x^3 + (m^2 + m)*d*e^{2*x^2 - 2*d^2*e*m*x + 2*d^3})*(e*x + d)^m*b*g/((m^3 + 6*m^2 + 11*m + 6)*e^3) + ((m^3 + 6*m^2 + 11*m + 6)*e^{4*x^4 + (m^3 + 3*m^2 + 2*m)*d*e^3*x^3 - 3*(m^2 + m)*d^2*e^2*x^2 + 6*d^3*e*m*x - 6*d^4})*(e*x + d)^m*c*g/((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^4)$

**mupad [B]** time = 3.59, size = 602, normalized size = 4.18

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)\*(d + e\*x)^m\*(a + b\*x + c\*x^2),x)

[Out]  $((d + e*x)^m*(24*a*d*e^3*f - 6*c*d^4*g + 8*b*d^3*e*g + 8*c*d^3*e*f - 12*a*d^2*e^2*g - 12*b*d^2*e^2*f + 9*a*d*e^3*f*m^2 + a*d*e^3*f*m^3 - 7*a*d^2*e^2*g*m - 7*b*d^2*e^2*f*m - a*d^2*e^2*g*m^2 - b*d^2*e^2*f*m^2 + 26*a*d*e^3*f*m + 2*b*d^3*e*g*m + 2*c*d^3*e*f*m))/(e^4*(50*m + 35*m^2 + 10*m^3 + m^4 + 24)) + (x*(d + e*x)^m*(24*a*e^4*f + 26*a*e^4*f*m + 9*a*e^4*f*m^2 + a*e^4*f*m^3 + 7*a*d*e^3*g*m^2 + 7*b*d*e^3*f*m^2 + a*d*e^3*g*m^3 + b*d*e^3*f*m^3 - 8*b*d^2*e^2*g*m - 8*c*d^2*e^2*f*m - 2*b*d^2*e^2*g*m^2 - 2*c*d^2*e^2*f*m^2 + 12*a*d*e^3*g*m + 12*b*d*e^3*f*m + 6*c*d^3*e*g*m))/(e^4*(50*m + 35*m^2 + 10*m^3 + m^4 + 24)) + (x^2*(m + 1)*(d + e*x)^m*(12*a*e^2*g + 12*b*e^2*f + 7*a*e^2*g*m + 7*b*e^2*f*m - 3*c*d^2*g*m + a*e^2*g*m^2 + b*e^2*f*m^2 + 4*b*d*e*g*m + 4*c*d*e*f*m + b*d*e*g*m^2 + c*d*e*f*m^2))/(e^2*(50*m + 35*m^2 + 10*m^3 + m^4 + 24)) + (c*g*x^4*(d + e*x)^m*(11*m + 6*m^2 + m^3 + 6))/(50*m + 35*m^2 + 10*m^3 + m^4 + 24) + (x^3*(d + e*x)^m*(3*m + m^2 + 2)*(4*b*e*g + 4*c*e*f + b*e*g*m + c*d*g*m + c*e*f*m))/(e*(50*m + 35*m^2 + 10*m^3 + m^4 + 24))$

**sympy [A]** time = 5.86, size = 5930, normalized size = 41.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*m\*(g\*x+f)\*(c\*x\*\*2+b\*x+a),x)

```
[Out] Piecewise((d**m*(a*f*x + a*g*x**2/2 + b*f*x**2/2 + b*g*x**3/3 + c*f*x**3/3
+ c*g*x**4/4), Eq(e, 0)), (-a*d**2*g/(6*d**3*e**4 + 18*d**2*e**5*x + 18*d
**6*x**2 + 6*e**7*x**3) - 2*a*e**3*f/(6*d**3*e**4 + 18*d**2*e**5*x + 18*d
**6*x**2 + 6*e**7*x**3) - 3*a*e**3*g*x/(6*d**3*e**4 + 18*d**2*e**5*x + 18
*d**6*x**2 + 6*e**7*x**3) - 2*b*d**2*e*g/(6*d**3*e**4 + 18*d**2*e**5*x +
18*d**6*x**2 + 6*e**7*x**3) - b*d**2*f/(6*d**3*e**4 + 18*d**2*e**5*x +
18*d**6*x**2 + 6*e**7*x**3) - 6*b*d**2*g*x/(6*d**3*e**4 + 18*d**2*e**5*
x + 18*d**6*x**2 + 6*e**7*x**3) - 3*b*e**3*f*x/(6*d**3*e**4 + 18*d**2*e**
5*x + 18*d**6*x**2 + 6*e**7*x**3) - 6*b*e**3*g*x**2/(6*d**3*e**4 + 18*d**
2*e**5*x + 18*d**6*x**2 + 6*e**7*x**3) + 6*c*d**3*g*log(d/e + x)/(6*d**3*
e**4 + 18*d**2*e**5*x + 18*d**6*x**2 + 6*e**7*x**3) + 11*c*d**3*g/(6*d**3
*e**4 + 18*d**2*e**5*x + 18*d**6*x**2 + 6*e**7*x**3) - 2*c*d**2*e*f/(6*d*
**3*e**4 + 18*d**2*e**5*x + 18*d**6*x**2 + 6*e**7*x**3) + 18*c*d**2*e*g*x
*log(d/e + x)/(6*d**3*e**4 + 18*d**2*e**5*x + 18*d**6*x**2 + 6*e**7*x**3)
+ 27*c*d**2*e*g*x/(6*d**3*e**4 + 18*d**2*e**5*x + 18*d**6*x**2 + 6*e**7*x
**3) - 6*c*d**2*f*x/(6*d**3*e**4 + 18*d**2*e**5*x + 18*d**6*x**2 + 6*e*
**7*x**3) + 18*c*d**2*g*x**2*log(d/e + x)/(6*d**3*e**4 + 18*d**2*e**5*x +
18*d**6*x**2 + 6*e**7*x**3) + 18*c*d**2*g*x**2/(6*d**3*e**4 + 18*d**2*e
**5*x + 18*d**6*x**2 + 6*e**7*x**3) - 6*c*e**3*f*x**2/(6*d**3*e**4 + 18*d
**2*e**5*x + 18*d**6*x**2 + 6*e**7*x**3) + 6*c*e**3*g*x**3*log(d/e + x)/(
6*d**3*e**4 + 18*d**2*e**5*x + 18*d**6*x**2 + 6*e**7*x**3), Eq(m, -4)), (
-a*d**2*g/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2) - a*e**3*f/(2*d**2*e**
4 + 4*d**5*x + 2*e**6*x**2) - 2*a*e**3*g*x/(2*d**2*e**4 + 4*d**5*x + 2*
e**6*x**2) + 2*b*d**2*e*g*log(d/e + x)/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x
**2) + 3*b*d**2*e*g/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2) - b*d**2*f/(
2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2) + 4*b*d**2*g*x*log(d/e + x)/(2*d*
**2*e**4 + 4*d**5*x + 2*e**6*x**2) + 4*b*d**2*g*x/(2*d**2*e**4 + 4*d**5*
x + 2*e**6*x**2) - 2*b*e**3*f*x/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2)
+ 2*b*e**3*g*x**2*log(d/e + x)/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2) - 6
*c*d**3*g*log(d/e + x)/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2) - 9*c*d**3*
g/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2) + 2*c*d**2*e*f*log(d/e + x)/(2*d
**2*e**4 + 4*d**5*x + 2*e**6*x**2) + 3*c*d**2*e*f/(2*d**2*e**4 + 4*d**5
*x + 2*e**6*x**2) - 12*c*d**2*e*g*x*log(d/e + x)/(2*d**2*e**4 + 4*d**5*x
+ 2*e**6*x**2) - 12*c*d**2*e*g*x/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2) +
4*c*d**2*f*x*log(d/e + x)/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2) + 4*c
*d**2*f*x/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2) - 6*c*d**2*g*x**2*lo
g(d/e + x)/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2) + 2*c*e**3*f*x**2*log(d
/e + x)/(2*d**2*e**4 + 4*d**5*x + 2*e**6*x**2) + 2*c*e**3*g*x**3/(2*d**2*
e**4 + 4*d**5*x + 2*e**6*x**2), Eq(m, -3)), (2*a*d**2*g*log(d/e + x)/(2
*d**4 + 2*e**5*x) + 2*a*d**2*g/(2*d**4 + 2*e**5*x) - 2*a*e**3*f/(2*d*
e**4 + 2*e**5*x) + 2*a*e**3*g*x*log(d/e + x)/(2*d**4 + 2*e**5*x) - 4*b*d*
**2*e*g*log(d/e + x)/(2*d**4 + 2*e**5*x) - 4*b*d**2*e*g/(2*d**4 + 2*e**5
*x) + 2*b*d**2*f*log(d/e + x)/(2*d**4 + 2*e**5*x) + 2*b*d**2*f/(2*d**
4 + 2*e**5*x) - 4*b*d**2*g*x*log(d/e + x)/(2*d**4 + 2*e**5*x) + 2*b*e
**3*f*x*log(d/e + x)/(2*d**4 + 2*e**5*x) + 2*b*e**3*g*x**2/(2*d**4 + 2*
```





```

**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + b*d*e**3*g*m
**3*x**2*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m
+ 24*e**4) + 5*b*d*e**3*g*m**2*x**2*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3
+ 35*e**4*m**2 + 50*e**4*m + 24*e**4) + 4*b*d*e**3*g*m*x**2*(d + e*x)**m/(e
**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + b*e**4*f*m*
*3*x**2*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m +
24*e**4) + 8*b*e**4*f*m**2*x**2*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 3
5*e**4*m**2 + 50*e**4*m + 24*e**4) + 19*b*e**4*f*m*x**2*(d + e*x)**m/(e**4*
m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + 12*b*e**4*f*x**
2*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e*
**4) + b*e**4*g*m**3*x**3*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m
**2 + 50*e**4*m + 24*e**4) + 7*b*e**4*g*m**2*x**3*(d + e*x)**m/(e**4*m**4 +
10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + 14*b*e**4*g*m*x**3*(d
+ e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4)
+ 8*b*e**4*g*x**3*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 5
0*e**4*m + 24*e**4) - 6*c*d**4*g*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 3
5*e**4*m**2 + 50*e**4*m + 24*e**4) + 2*c*d**3*e*f*m*(d + e*x)**m/(e**4*m**4
+ 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + 8*c*d**3*e*f*(d + e
*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + 6*
c*d**3*e*g*m*x*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*
e**4*m + 24*e**4) - 2*c*d**2*e**2*f*m**2*x*(d + e*x)**m/(e**4*m**4 + 10*e**4
*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) - 8*c*d**2*e**2*f*m*x*(d + e*x)
**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) - 3*c*d
**2*e**2*g*m**2*x**2*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2
+ 50*e**4*m + 24*e**4) - 3*c*d**2*e**2*g*m*x**2*(d + e*x)**m/(e**4*m**4 + 1
0*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + c*d*e**3*f*m**3*x**2*(d
+ e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4)
+ 5*c*d*e**3*f*m**2*x**2*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m
**2 + 50*e**4*m + 24*e**4) + 4*c*d*e**3*f*m*x**2*(d + e*x)**m/(e**4*m**4 +
10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + c*d*e**3*g*m**3*x**3*(
d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4)
+ 3*c*d*e**3*g*m**2*x**3*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*
m**2 + 50*e**4*m + 24*e**4) + 2*c*d*e**3*g*m*x**3*(d + e*x)**m/(e**4*m**4 +
10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + c*e**4*f*m**3*x**3*(d
+ e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4)
+ 7*c*e**4*f*m**2*x**3*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**
2 + 50*e**4*m + 24*e**4) + 14*c*e**4*f*m*x**3*(d + e*x)**m/(e**4*m**4 + 10*
e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + 8*c*e**4*f*x**3*(d + e*x)
**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + c*e**
4*g*m**3*x**4*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e*
**4*m + 24*e**4) + 6*c*e**4*g*m**2*x**4*(d + e*x)**m/(e**4*m**4 + 10*e**4*m*
**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + 11*c*e**4*g*m*x**4*(d + e*x)**m/
(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m + 24*e**4) + 6*c*e**4*
g*x**4*(d + e*x)**m/(e**4*m**4 + 10*e**4*m**3 + 35*e**4*m**2 + 50*e**4*m +
24*e**4), True))

```

$$3.631 \quad \int (d + ex)^m (f + gx)^2 (a + bx + cx^2)^2 dx$$

Optimal. Leaf size=525

$$\frac{(d + ex)^{m+3} \left( e^2 (a^2 e^2 g^2 + 2abeg(2ef - 3dg) + b^2 (6d^2 g^2 - 6defg + e^2 f^2)) + 2ce \left( ae (6d^2 g^2 - 6defg + e^2 f^2) - b^2 \right) \right)}{e^7 (m + 3)}$$

**Rubi** [A] time = 0.61, antiderivative size = 525, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {947}

$\frac{4 \times \text{rule}[1] \text{ (rule}[2] - 2abeg \cdot 2ef - 3dg) + b^2 (6d^2 g^2 - 6defg + e^2 f^2)}{e^7 (m+3)}$ ,  $\frac{2 \times \text{rule}[1] \text{ (rule}[2] - 2abeg \cdot 2ef - 3dg) + b^2 (6d^2 g^2 - 6defg + e^2 f^2)}{e^7 (m+3)}$ ,  $\frac{4 \times \text{rule}[1] \text{ (rule}[2] - 2abeg \cdot 2ef - 3dg) + b^2 (6d^2 g^2 - 6defg + e^2 f^2)}{e^7 (m+3)}$ ,  $\frac{2 \times \text{rule}[1] \text{ (rule}[2] - 2abeg \cdot 2ef - 3dg) + b^2 (6d^2 g^2 - 6defg + e^2 f^2)}{e^7 (m+3)}$ ,  $\frac{4 \times \text{rule}[1] \text{ (rule}[2] - 2abeg \cdot 2ef - 3dg) + b^2 (6d^2 g^2 - 6defg + e^2 f^2)}{e^7 (m+3)}$ ,  $\frac{2 \times \text{rule}[1] \text{ (rule}[2] - 2abeg \cdot 2ef - 3dg) + b^2 (6d^2 g^2 - 6defg + e^2 f^2)}{e^7 (m+3)}$ ,  $\frac{4 \times \text{rule}[1] \text{ (rule}[2] - 2abeg \cdot 2ef - 3dg) + b^2 (6d^2 g^2 - 6defg + e^2 f^2)}{e^7 (m+3)}$ ,  $\frac{2 \times \text{rule}[1] \text{ (rule}[2] - 2abeg \cdot 2ef - 3dg) + b^2 (6d^2 g^2 - 6defg + e^2 f^2)}{e^7 (m+3)}$ ,  $\frac{4 \times \text{rule}[1] \text{ (rule}[2] - 2abeg \cdot 2ef - 3dg) + b^2 (6d^2 g^2 - 6defg + e^2 f^2)}{e^7 (m+3)}$ ,  $\frac{2 \times \text{rule}[1] \text{ (rule}[2] - 2abeg \cdot 2ef - 3dg) + b^2 (6d^2 g^2 - 6defg + e^2 f^2)}{e^7 (m+3)}$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^m\*(f + g\*x)^2\*(a + b\*x + c\*x^2)^2,x]

[Out] ((c\*d^2 - b\*d\*e + a\*e^2)^2\*(e\*f - d\*g)^2\*(d + e\*x)^(1 + m))/(e^7\*(1 + m)) - (2\*(c\*d^2 - b\*d\*e + a\*e^2)\*(e\*f - d\*g)\*(c\*d\*(2\*e\*f - 3\*d\*g) - e\*(b\*e\*f - 2\*b\*d\*g + a\*e\*g))\*(d + e\*x)^(2 + m))/(e^7\*(2 + m)) + ((c^2\*d^2\*(6\*e^2\*f^2 - 20\*d\*e\*f\*g + 15\*d^2\*g^2) + e^2\*(a^2\*e^2\*g^2 + 2\*a\*b\*e\*g\*(2\*e\*f - 3\*d\*g) + b^2\*(e^2\*f^2 - 6\*d\*e\*f\*g + 6\*d^2\*g^2)) + 2\*c\*e\*(a\*e\*(e^2\*f^2 - 6\*d\*e\*f\*g + 6\*d^2\*g^2) - b\*d\*(3\*e^2\*f^2 - 12\*d\*e\*f\*g + 10\*d^2\*g^2)))\*(d + e\*x)^(3 + m))/(e^7\*(3 + m)) + (2\*(b\*e^2\*g\*(b\*e\*f - 2\*b\*d\*g + a\*e\*g) - 2\*c^2\*d\*(e^2\*f^2 - 5\*d\*e\*f\*g + 5\*d^2\*g^2) + c\*e\*(2\*a\*e\*g\*(e\*f - 2\*d\*g) + b\*(e^2\*f^2 - 8\*d\*e\*f\*g + 10\*d^2\*g^2)))\*(d + e\*x)^(4 + m))/(e^7\*(4 + m)) + ((b^2\*e^2\*g^2 + 2\*c\*e\*g\*(2\*b\*e\*f - 5\*b\*d\*g + a\*e\*g) + c^2\*(e^2\*f^2 - 10\*d\*e\*f\*g + 15\*d^2\*g^2))\*(d + e\*x)^(5 + m))/(e^7\*(5 + m)) + (2\*c\*g\*(c\*e\*f - 3\*c\*d\*g + b\*e\*g)\*(d + e\*x)^(6 + m))/(e^7\*(6 + m)) + (c^2\*g^2\*(d + e\*x)^(7 + m))/(e^7\*(7 + m))

Rule 947

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)^n\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && (IGtQ[m, 0] || (EqQ[m, -2] && EqQ[p, 1] && EqQ[2\*c\*d - b\*e, 0]))

Rubi steps

$$\int (d + ex)^m (f + gx)^2 (a + bx + cx^2)^2 dx = \int \left( \frac{(cd^2 - bde + ae^2)^2 (ef - dg)^2 (d + ex)^m}{e^6} + \frac{2(cd^2 - bde + ae^2)(ef - dg)(d + ex)^{m+1}}{e^6} \right) dx$$

$$= \frac{(cd^2 - bde + ae^2)^2 (ef - dg)^2 (d + ex)^{1+m}}{e^7(1+m)} - \frac{2(cd^2 - bde + ae^2)(ef - dg)(d + ex)^{m+1}}{e^7}$$

**Mathematica [A]** time = 0.77, size = 492, normalized size = 0.94

$$\frac{(d + ex)^{m+1} \left( \frac{(cd^2 - bde + ae^2)^2 (ef - dg)^2 (d + ex)^m}{e^6} + \frac{2(cd^2 - bde + ae^2)(ef - dg)(d + ex)^{m+1}}{e^6} \right)}{e^7(1+m)} - \frac{2(cd^2 - bde + ae^2)(ef - dg)(d + ex)^{m+1}}{e^7}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^m\*(f + g\*x)^2\*(a + b\*x + c\*x^2)^2,x]

[Out] ((d + e\*x)^(1 + m)\*(((c\*d^2 + e\*(-(b\*d) + a\*e))^2\*(e\*f - d\*g)^2)/(1 + m) - (2\*(c\*d^2 + e\*(-(b\*d) + a\*e))\*(-(e\*f) + d\*g)\*(c\*d\*(-2\*e\*f + 3\*d\*g) + e\*(b\*e\*f - 2\*b\*d\*g + a\*e\*g))\*(d + e\*x))/(2 + m) + ((c^2\*d^2\*(6\*e^2\*f^2 - 20\*d\*e\*f\*g + 15\*d^2\*g^2) + e^2\*(a^2\*e^2\*g^2 + 2\*a\*b\*e\*g\*(2\*e\*f - 3\*d\*g) + b^2\*(e^2\*f^2 - 6\*d\*e\*f\*g + 6\*d^2\*g^2)) + 2\*c\*e\*(b\*d\*(-3\*e^2\*f^2 + 12\*d\*e\*f\*g - 10\*d^2\*g^2) + a\*e\*(e^2\*f^2 - 6\*d\*e\*f\*g + 6\*d^2\*g^2)))\*(d + e\*x)^2)/(3 + m) + (2\*(b\*e^2\*g\*(b\*e\*f - 2\*b\*d\*g + a\*e\*g) - 2\*c^2\*d\*(e^2\*f^2 - 5\*d\*e\*f\*g + 5\*d^2\*g^2) + c\*e\*(2\*a\*e\*g\*(e\*f - 2\*d\*g) + b\*(e^2\*f^2 - 8\*d\*e\*f\*g + 10\*d^2\*g^2)))\*(d + e\*x)^3)/(4 + m) + ((b^2\*e^2\*g^2 + 2\*c\*e\*g\*(2\*b\*e\*f - 5\*b\*d\*g + a\*e\*g) + c^2\*(e^2\*f^2 - 10\*d\*e\*f\*g + 15\*d^2\*g^2))\*(d + e\*x)^4)/(5 + m) + (2\*c\*g\*(c\*e\*f - 3\*c\*d\*g + b\*e\*g)\*(d + e\*x)^5)/(6 + m) + (c^2\*g^2\*(d + e\*x)^6)/(7 + m))/e^7

**IntegrateAlgebraic [F]** time = 0.63, size = 0, normalized size = 0.00

$$\int (d + ex)^m (f + gx)^2 (a + bx + cx^2)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^m\*(f + g\*x)^2\*(a + b\*x + c\*x^2)^2,x]

[Out] Defer[IntegrateAlgebraic] [(d + e\*x)^m\*(f + g\*x)^2\*(a + b\*x + c\*x^2)^2, x]

**fricas [B]** time = 0.53, size = 4747, normalized size = 9.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)^2\*(c\*x^2+b\*x+a)^2,x, algorithm="fricas")

[Out]  $(a^2*d*e^6*f^2*m^6 + (c^2*e^7*g^2*m^6 + 21*c^2*e^7*g^2*m^5 + 175*c^2*e^7*g^2*m^4 + 735*c^2*e^7*g^2*m^3 + 1624*c^2*e^7*g^2*m^2 + 1764*c^2*e^7*g^2*m + 720*c^2*e^7*g^2)*x^7 + (1680*c^2*e^7*f*g + 1680*b*c*e^7*g^2 + (2*c^2*e^7*f*g + (c^2*d*e^6 + 2*b*c*e^7)*g^2)*m^6 + (44*c^2*e^7*f*g + (15*c^2*d*e^6 + 44*b*c*e^7)*g^2)*m^5 + 5*(76*c^2*e^7*f*g + (17*c^2*d*e^6 + 76*b*c*e^7)*g^2)*m^4 + 5*(328*c^2*e^7*f*g + (45*c^2*d*e^6 + 328*b*c*e^7)*g^2)*m^3 + 2*(1849*c^2*e^7*f*g + (137*c^2*d*e^6 + 1849*b*c*e^7)*g^2)*m^2 + 4*(1019*c^2*e^7*f*g + (30*c^2*d*e^6 + 1019*b*c*e^7)*g^2)*m)*x^6 - (2*a^2*d^2*e^5*f*g + (2*a*b*d^2*e^5 - 27*a^2*d*e^6)*f^2)*m^5 + (1008*c^2*e^7*f^2 + 4032*b*c*e^7*f*g + 1008*(b^2 + 2*a*c)*e^7*g^2 + (c^2*e^7*f^2 + 2*(c^2*d*e^6 + 2*b*c*e^7)*f*g + (2*b*c*d*e^6 + (b^2 + 2*a*c)*e^7)*g^2)*m^6 + (23*c^2*e^7*f^2 + 2*(17*c^2*d*e^6 + 46*b*c*e^7)*f*g - (6*c^2*d^2*e^5 - 34*b*c*d*e^6 - 23*(b^2 + 2*a*c)*e^7)*g^2)*m^5 + 3*(69*c^2*e^7*f^2 + 2*(35*c^2*d*e^6 + 138*b*c*e^7)*f*g - (20*c^2*d^2*e^5 - 70*b*c*d*e^6 - 69*(b^2 + 2*a*c)*e^7)*g^2)*m^4 + 5*(185*c^2*e^7*f^2 + 2*(59*c^2*d*e^6 + 370*b*c*e^7)*f*g - (42*c^2*d^2*e^5 - 118*b*c*d*e^6 - 185*(b^2 + 2*a*c)*e^7)*g^2)*m^3 + 4*(536*c^2*e^7*f^2 + (187*c^2*d*e^6 + 2144*b*c*e^7)*f*g - (75*c^2*d^2*e^5 - 187*b*c*d*e^6 - 536*(b^2 + 2*a*c)*e^7)*g^2)*m^2 + 12*(201*c^2*e^7*f^2 + 4*(7*c^2*d*e^6 + 201*b*c*e^7)*f*g - (12*c^2*d^2*e^5 - 28*b*c*d*e^6 - 201*(b^2 + 2*a*c)*e^7)*g^2)*m)*x^5 + (2*a^2*d^3*e^4*g^2 - (50*a*b*d^2*e^5 - 295*a^2*d*e^6 - 2*(b^2 + 2*a*c)*d^3*e^4)*f^2 + 2*(4*a*b*d^3*e^4 - 25*a^2*d^2*e^5)*f*g)*m^4 + (2520*b*c*e^7*f^2 + 2520*a*b*e^7*g^2 + 2520*(b^2 + 2*a*c)*e^7*f*g + ((c^2*d*e^6 + 2*b*c*e^7)*f^2 + 2*(2*b*c*d*e^6 + (b^2 + 2*a*c)*e^7)*f*g + (2*a*b*e^7 + (b^2 + 2*a*c)*d*e^6)*g^2)*m^6 + ((19*c^2*d*e^6 + 48*b*c*e^7)*f^2 - 2*(5*c^2*d^2*e^5 - 38*b*c*d*e^6 - 24*(b^2 + 2*a*c)*e^7)*f*g - (10*b*c*d^2*e^5 - 48*a*b*e^7 - 19*(b^2 + 2*a*c)*d*e^6)*g^2)*m^5 + ((131*c^2*d*e^6 + 452*b*c*e^7)*f^2 - 2*(65*c^2*d^2*e^5 - 262*b*c*d*e^6 - 226*(b^2 + 2*a*c)*e^7)*f*g + (30*c^2*d^3*e^4 - 130*b*c*d^2*e^5 + 452*a*b*e^7 + 131*(b^2 + 2*a*c)*d*e^6)*g^2)*m^4 + ((401*c^2*d*e^6 + 2112*b*c*e^7)*f^2 - 2*(265*c^2*d^2*e^5 - 802*b*c*d*e^6 - 1056*(b^2 + 2*a*c)*e^7)*f*g + (180*c^2*d^3*e^4 - 530*b*c*d^2*e^5 + 2112*a*b*e^7 + 401*(b^2 + 2*a*c)*d*e^6)*g^2)*m^3 + 10*((54*c^2*d*e^6 + 509*b*c*e^7)*f^2 - (83*c^2*d^2*e^5 - 216*b*c*d*e^6 - 509*(b^2 + 2*a*c)*e^7)*f*g + (33*c^2*d^3*e^4 - 83*b*c*d^2*e^5 + 509*a*b*e^7 + 54*(b^2 + 2*a*c)*d*e^6)*g^2)*m^2 + 12*(3*(7*c^2*d*e^6 + 164*b*c*e^7)*f^2 - (35*c^2*d^2*e^5 - 84*b*c*d*e^6 - 492*(b^2 + 2*a*c)*e^7)*f*g + (15*c^2*d^3*e^4 - 35*b*c*d^2*e^5 + 492*a*b*e^7 + 21*(b^2 + 2*a*c)*d*e^6)*g^2)*m)*x^4 - ((12*b*c*d^4*e^3 + 490*a*b*d^2*e^5 - 1665*a^2*d*e^6 - 44*(b^2 + 2*a*c)*d^3*e^4)*f^2 - 2*(88*a*b*d^3*e^4 - 245*a^2*d^2*e^5 - 6*(b^2 + 2*a*c)*d^4*e^3)*f*g + 4*(3*a*b*d^4*e^3 - 11*a^2*d^3*e^4)*g^2)*m^3 + (6720*a*b*e^7*f*g + 1680*a^2*e^7*g^2 + 1680*(b^2 + 2*a*c)*e^7*f^2 + ((2*b*c*d*e^6 + (b^2 + 2*a*c)*e^7)*f^2 + 2*(2*a*b*e^7 + (b^2 + 2*a*c)*d*e^6)*f*g + (2*a*b*d*e^6 + a^2*e^7)*g^2)*m^6 - ((4*c^2*d^2*e^5 - 42*b*c*d*e^6 - 25*(b^2 + 2*a*c)*e^7)*f^2 + 2*(8*b*c*d^2*e^5 - 50*a*b*e^7 - 21*(b^2 + 2*a*c)*d*e^6)*f*g - (42*a*b*d*e^6 + 25*a^2*e^7 - 4*(b^2 + 2*a*c)*d^2*e^5)*g^2)*m^5$

$$\begin{aligned}
& - ((64*c^2*d^2*e^5 - 326*b*c*d*e^6 - 247*(b^2 + 2*a*c)*e^7)*f^2 - 2*(20*c^2*d^3*e^4 - 128*b*c*d^2*e^5 + 494*a*b*e^7 + 163*(b^2 + 2*a*c)*d*e^6)*f*g - (40*b*c*d^3*e^4 + 326*a*b*d*e^6 + 247*a^2*e^7 - 64*(b^2 + 2*a*c)*d^2*e^5)*g^2)*m^4 - ((332*c^2*d^2*e^5 - 1134*b*c*d*e^6 - 1219*(b^2 + 2*a*c)*e^7)*f^2 - 2*(200*c^2*d^3*e^4 - 664*b*c*d^2*e^5 + 2438*a*b*e^7 + 567*(b^2 + 2*a*c)*d*e^6)*f*g + (120*c^2*d^4*e^3 - 400*b*c*d^3*e^4 - 1134*a*b*d*e^6 - 1219*a^2*e^7 + 332*(b^2 + 2*a*c)*d^2*e^5)*g^2)*m^3 - 8*((76*c^2*d^2*e^5 - 211*b*c*d*e^6 - 389*(b^2 + 2*a*c)*e^7)*f^2 - (115*c^2*d^3*e^4 - 304*b*c*d^2*e^5 + 1556*a*b*e^7 + 211*(b^2 + 2*a*c)*d*e^6)*f*g + (45*c^2*d^4*e^3 - 115*b*c*d^3*e^4 - 211*a*b*d*e^6 - 389*a^2*e^7 + 76*(b^2 + 2*a*c)*d^2*e^5)*g^2)*m^2 - 4*((84*c^2*d^2*e^5 - 210*b*c*d*e^6 - 949*(b^2 + 2*a*c)*e^7)*f^2 - 2*(70*c^2*d^3*e^4 - 168*b*c*d^2*e^5 + 1898*a*b*e^7 + 105*(b^2 + 2*a*c)*d*e^6)*f*g + (60*c^2*d^4*e^3 - 140*b*c*d^3*e^4 - 210*a*b*d*e^6 - 949*a^2*e^7 + 84*(b^2 + 2*a*c)*d^2*e^5)*g^2)*m)*x^3 + 168*(6*c^2*d^5*e^2 - 15*b*c*d^4*e^3 - 30*a*b*d^2*e^5 + 30*a^2*d*e^6 + 10*(b^2 + 2*a*c)*d^3*e^4)*f^2 - 168*(10*c^2*d^6*e - 24*b*c*d^5*e^2 - 40*a*b*d^3*e^4 + 30*a^2*d^2*e^5 + 15*(b^2 + 2*a*c)*d^4*e^3)*f*g + 24*(30*c^2*d^7 - 70*b*c*d^6*e - 105*a*b*d^4*e^3 + 70*a^2*d^3*e^4 + 42*(b^2 + 2*a*c)*d^5*e^2)*g^2 + 2*((12*c^2*d^5*e^2 - 108*b*c*d^4*e^3 - 1175*a*b*d^2*e^5 + 2552*a^2*d*e^6 + 179*(b^2 + 2*a*c)*d^3*e^4)*f^2 + (48*b*c*d^5*e^2 + 716*a*b*d^3*e^4 - 1175*a^2*d^2*e^5 - 108*(b^2 + 2*a*c)*d^4*e^3)*f*g - (108*a*b*d^4*e^3 - 179*a^2*d^3*e^4 - 12*(b^2 + 2*a*c)*d^5*e^2)*g^2)*m^2 + (5040*a*b*e^7*f^2 + 5040*a^2*e^7*f*g + (a^2*d*e^6*g^2 + (2*a*b*e^7 + (b^2 + 2*a*c)*d*e^6)*f^2 + 2*(2*a*b*d*e^6 + a^2*e^7)*f*g)*m^6 - ((6*b*c*d^2*e^5 - 52*a*b*e^7 - 23*(b^2 + 2*a*c)*d*e^6)*f^2 - 2*(46*a*b*d*e^6 + 26*a^2*e^7 - 3*(b^2 + 2*a*c)*d^2*e^5)*f*g + (6*a*b*d^2*e^5 - 23*a^2*d*e^6)*g^2)*m^5 + 3*((4*c^2*d^3*e^4 - 38*b*c*d^2*e^5 + 180*a*b*e^7 + 67*(b^2 + 2*a*c)*d*e^6)*f^2 + 2*(8*b*c*d^3*e^4 + 134*a*b*d*e^6 + 90*a^2*e^7 - 19*(b^2 + 2*a*c)*d^2*e^5)*f*g - (38*a*b*d^2*e^5 - 67*a^2*d*e^6 - 4*(b^2 + 2*a*c)*d^3*e^4)*g^2)*m^4 + ((168*c^2*d^3*e^4 - 750*b*c*d^2*e^5 + 2840*a*b*e^7 + 817*(b^2 + 2*a*c)*d*e^6)*f^2 - 2*(60*c^2*d^4*e^3 - 336*b*c*d^3*e^4 - 1634*a*b*d*e^6 - 1420*a^2*e^7 + 375*(b^2 + 2*a*c)*d^2*e^5)*f*g - (120*b*c*d^4*e^3 + 750*a*b*d^2*e^5 - 817*a^2*d*e^6 - 168*(b^2 + 2*a*c)*d^3*e^4)*g^2)*m^3 + 2*((330*c^2*d^3*e^4 - 951*b*c*d^2*e^5 + 3929*a*b*e^7 + 739*(b^2 + 2*a*c)*d*e^6)*f^2 - (480*c^2*d^4*e^3 - 1320*b*c*d^3*e^4 - 2956*a*b*d*e^6 - 3929*a^2*e^7 + 951*(b^2 + 2*a*c)*d^2*e^5)*f*g + (180*c^2*d^5*e^2 - 480*b*c*d^4*e^3 - 951*a*b*d^2*e^5 + 739*a^2*d*e^6 + 330*(b^2 + 2*a*c)*d^3*e^4)*g^2)*m^2 + 12*((42*c^2*d^3*e^4 - 105*b*c*d^2*e^5 + 879*a*b*e^7 + 70*(b^2 + 2*a*c)*d*e^6)*f^2 - (70*c^2*d^4*e^3 - 168*b*c*d^3*e^4 - 280*a*b*d*e^6 - 879*a^2*e^7 + 105*(b^2 + 2*a*c)*d^2*e^5)*f*g + (30*c^2*d^5*e^2 - 70*b*c*d^4*e^3 - 105*a*b*d^2*e^5 + 70*a^2*d*e^6 + 42*(b^2 + 2*a*c)*d^3*e^4)*g^2)*m)*x^2 + 4*((78*c^2*d^5*e^2 - 321*b*c*d^4*e^3 - 1377*a*b*d^2*e^5 + 2007*a^2*d*e^6 + 319*(b^2 + 2*a*c)*d^3*e^4)*f^2 - (60*c^2*d^6*e - 312*b*c*d^5*e^2 - 1276*a*b*d^3*e^4 + 1377*a^2*d^2*e^5 + 321*(b^2 + 2*a*c)*d^4*e^3)*f*g - (60*b*c*d^6*e + 321*a*b*d^4*e^3 - 319*a^2*d^3*e^4 - 78*(b^2 + 2*a*c)*d^5*e^2)*g^2)*m + (5040*a^2*e^7*f^2 + (2*a^2*d*e^6*f*g + (2*a*b*d*e^6 + a^2*e^7)*f^2)*m^6 - (2*a^2*d^2*e^5*g^2 - (50*a*b*d*
\end{aligned}$$

$$\begin{aligned}
& e^6 + 27a^2e^7 - 2(b^2 + 2ac)d^2e^5)fg^2 + 2(4abd^2e^5 - 25a^2 \\
& *d^6)fg)m^5 + ((12bcd^3e^4 + 490abd^2e^5 + 295a^2e^7 - 44(b^2 \\
& + 2ac)d^2e^5)fg^2 - 2(88abd^2e^5 - 245a^2d^6 - 6(b^2 + 2ac) \\
& )d^3e^4)fg + 4(3abd^3e^4 - 11a^2d^2e^5)g^2)m^4 - ((24c^2d^4 \\
& *e^3 - 216bcd^3e^4 - 2350abd^2e^5 - 1665a^2e^7 + 358(b^2 + 2ac) \\
& )d^2e^5)fg^2 + 2(48bcd^4e^3 + 716abd^2e^5 - 1175a^2d^6 - 108( \\
& b^2 + 2ac)d^3e^4)fg - 2(108abd^3e^4 - 179a^2d^2e^5 - 12(b^2 \\
& + 2ac)d^4e^3)g^2)m^3 - 4((78c^2d^4e^3 - 321bcd^3e^4 - 1377a \\
& *bd^2e^5 - 1276a^2e^7 + 319(b^2 + 2ac)d^2e^5)fg^2 - (60c^2d^5e^2 - \\
& 312bcd^4e^3 - 1276abd^2e^5 + 1377a^2d^6 + 321(b^2 + 2ac)d^ \\
& 3e^4)fg - (60bcd^5e^2 + 321abd^3e^4 - 319a^2d^2e^5 - 78(b^2 \\
& + 2ac)d^4e^3)g^2)m^2 - 12((84c^2d^4e^3 - 210bcd^3e^4 - 420a \\
& *bd^2e^5 - 669a^2e^7 + 140(b^2 + 2ac)d^2e^5)fg^2 - 14(10c^2d^5e^2 \\
& - 24bcd^4e^3 - 40abd^2e^5 + 30a^2d^6 + 15(b^2 + 2ac)d^3e^ \\
& 4)fg + 2(30c^2d^6e - 70bcd^5e^2 - 105abd^3e^4 + 70a^2d^2e^ \\
& 5 + 42(b^2 + 2ac)d^4e^3)g^2)m)x)(ex + d)^m/(e^7m^7 + 28e^7m^6 \\
& + 322e^7m^5 + 1960e^7m^4 + 6769e^7m^3 + 13132e^7m^2 + 13068e^7m + \\
& 5040e^7)
\end{aligned}$$

**giac [B]** time = 0.55, size = 10489, normalized size = 19.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((ex+d)^m\*(gx+f)^2\*(cx^2+bx+a)^2,x, algorithm="giac")

[Out] ((x\*e + d)^m\*c^2\*g^2\*m^6\*x^7\*e^7 + (x\*e + d)^m\*c^2\*d\*g^2\*m^6\*x^6\*e^6 + 2\*(x \*e + d)^m\*c^2\*f\*g\*m^6\*x^6\*e^7 + 2\*(x\*e + d)^m\*b\*c\*g^2\*m^6\*x^6\*e^7 + 21\*(x\*e + d)^m\*c^2\*g^2\*m^5\*x^7\*e^7 + 2\*(x\*e + d)^m\*c^2\*d\*f\*g\*m^6\*x^5\*e^6 + 2\*(x\*e + d)^m\*b\*c\*d\*g^2\*m^6\*x^5\*e^6 + 15\*(x\*e + d)^m\*c^2\*d\*g^2\*m^5\*x^6\*e^6 - 6\*(x\*e + d)^m\*c^2\*d^2\*g^2\*m^5\*x^5\*e^5 + (x\*e + d)^m\*c^2\*f^2\*m^6\*x^5\*e^7 + 4\*(x\*e + d)^m\*b\*c\*f\*g\*m^6\*x^5\*e^7 + (x\*e + d)^m\*b^2\*g^2\*m^6\*x^5\*e^7 + 2\*(x\*e + d)^m\*a\*c\*g^2\*m^6\*x^5\*e^7 + 44\*(x\*e + d)^m\*c^2\*f\*g\*m^5\*x^6\*e^7 + 44\*(x\*e + d)^m\*b\*c\*g^2\*m^5\*x^6\*e^7 + 175\*(x\*e + d)^m\*c^2\*g^2\*m^4\*x^7\*e^7 + (x\*e + d)^m\*c^2\*d\*f^2\*m^6\*x^4\*e^6 + 4\*(x\*e + d)^m\*b\*c\*d\*f\*g\*m^6\*x^4\*e^6 + (x\*e + d)^m\*b^2\*d\*g^2\*m^6\*x^4\*e^6 + 2\*(x\*e + d)^m\*a\*c\*d\*g^2\*m^6\*x^4\*e^6 + 34\*(x\*e + d)^m\*c^2\*d\*f\*g\*m^5\*x^5\*e^6 + 34\*(x\*e + d)^m\*b\*c\*d\*g^2\*m^5\*x^5\*e^6 + 85\*(x\*e + d)^m\*c^2\*d\*g^2\*m^4\*x^6\*e^6 - 10\*(x\*e + d)^m\*c^2\*d^2\*f\*g\*m^5\*x^4\*e^5 - 10\*(x\*e + d)^m\*b\*c\*d^2\*g^2\*m^5\*x^4\*e^5 - 60\*(x\*e + d)^m\*c^2\*d^2\*g^2\*m^4\*x^5\*e^5 + 30\*(x\*e + d)^m\*c^2\*d^3\*g^2\*m^4\*x^4\*e^4 + 2\*(x\*e + d)^m\*b\*c\*f^2\*m^6\*x^4\*e^7 + 2\*(x\*e + d)^m\*b^2\*f\*g\*m^6\*x^4\*e^7 + 4\*(x\*e + d)^m\*a\*c\*f\*g\*m^6\*x^4\*e^7 + 2\*(x\*e + d)^m\*a\*b\*g^2\*m^6\*x^4\*e^7 + 23\*(x\*e + d)^m\*c^2\*f^2\*m^5\*x^5\*e^7 + 92\*(x\*e + d)^m\*b\*c\*f\*g\*m^5\*x^5\*e^7 + 23\*(x\*e + d)^m\*b^2\*g^2\*m^5\*x^5\*e^7 + 46\*(x\*e + d)^m\*a\*c\*g^2\*m^5\*x^5\*e^7 + 380\*(x\*e + d)^m\*c^2\*f\*g\*m^4\*x^6\*e^7 + 380\*(x\*e + d)^m\*b\*c\*g^2\*m^4\*x^6\*e^7 + 735\*(x\*e + d)^m\*c^2\*g^2\*m^3\*x^7\*e^7 + 2\*(

$$\begin{aligned}
& x^e + d)^m * b * c * d * f^2 * m^6 * x^3 * e^6 + 2 * (x^e + d)^m * b^2 * d * f * g * m^6 * x^3 * e^6 + 4 * \\
& (x^e + d)^m * a * c * d * f * g * m^6 * x^3 * e^6 + 2 * (x^e + d)^m * a * b * d * g^2 * m^6 * x^3 * e^6 + 1 \\
& 9 * (x^e + d)^m * c^2 * d * f^2 * m^5 * x^4 * e^6 + 76 * (x^e + d)^m * b * c * d * f * g * m^5 * x^4 * e^6 \\
& + 19 * (x^e + d)^m * b^2 * d * g^2 * m^5 * x^4 * e^6 + 38 * (x^e + d)^m * a * c * d * g^2 * m^5 * x^4 * e^6 \\
& + 210 * (x^e + d)^m * c^2 * d * f * g * m^4 * x^5 * e^6 + 210 * (x^e + d)^m * b * c * d * g^2 * m^4 * \\
& x^5 * e^6 + 225 * (x^e + d)^m * c^2 * d * g^2 * m^3 * x^6 * e^6 - 4 * (x^e + d)^m * c^2 * d^2 * f^2 * \\
& m^5 * x^3 * e^5 - 16 * (x^e + d)^m * b * c * d^2 * f * g * m^5 * x^3 * e^5 - 4 * (x^e + d)^m * b^2 * d \\
& ^2 * g^2 * m^5 * x^3 * e^5 - 8 * (x^e + d)^m * a * c * d^2 * g^2 * m^5 * x^3 * e^5 - 130 * (x^e + d)^m * \\
& c^2 * d^2 * f * g * m^4 * x^4 * e^5 - 130 * (x^e + d)^m * b * c * d^2 * g^2 * m^4 * x^4 * e^5 - 210 * ( \\
& x^e + d)^m * c^2 * d^2 * g^2 * m^3 * x^5 * e^5 + 40 * (x^e + d)^m * c^2 * d^3 * f * g * m^4 * x^3 * e^4 \\
& + 40 * (x^e + d)^m * b * c * d^3 * g^2 * m^4 * x^3 * e^4 + 180 * (x^e + d)^m * c^2 * d^3 * g^2 * m^3 \\
& * x^4 * e^4 - 120 * (x^e + d)^m * c^2 * d^4 * g^2 * m^3 * x^3 * e^3 + (x^e + d)^m * b^2 * f^2 * m^6 * \\
& x^3 * e^7 + 2 * (x^e + d)^m * a * c * f^2 * m^6 * x^3 * e^7 + 4 * (x^e + d)^m * a * b * f * g * m^6 * x \\
& ^3 * e^7 + (x^e + d)^m * a^2 * g^2 * m^6 * x^3 * e^7 + 48 * (x^e + d)^m * b * c * f^2 * m^5 * x^4 * e \\
& ^7 + 48 * (x^e + d)^m * b^2 * f * g * m^5 * x^4 * e^7 + 96 * (x^e + d)^m * a * c * f * g * m^5 * x^4 * e \\
& ^7 + 48 * (x^e + d)^m * a * b * g^2 * m^5 * x^4 * e^7 + 207 * (x^e + d)^m * c^2 * f^2 * m^4 * x^5 * e \\
& ^7 + 828 * (x^e + d)^m * b * c * f * g * m^4 * x^5 * e^7 + 207 * (x^e + d)^m * b^2 * g^2 * m^4 * x^5 * e \\
& ^7 + 414 * (x^e + d)^m * a * c * g^2 * m^4 * x^5 * e^7 + 1640 * (x^e + d)^m * c^2 * f * g * m^3 * x^6 \\
& * e^7 + 1640 * (x^e + d)^m * b * c * g^2 * m^3 * x^6 * e^7 + 1624 * (x^e + d)^m * c^2 * g^2 * m^2 * \\
& x^7 * e^7 + (x^e + d)^m * b^2 * d * f^2 * m^6 * x^2 * e^6 + 2 * (x^e + d)^m * a * c * d * f^2 * m^6 * x \\
& ^2 * e^6 + 4 * (x^e + d)^m * a * b * d * f * g * m^6 * x^2 * e^6 + (x^e + d)^m * a^2 * d * g^2 * m^6 * x \\
& ^2 * e^6 + 42 * (x^e + d)^m * b * c * d * f^2 * m^5 * x^3 * e^6 + 42 * (x^e + d)^m * b^2 * d * f * g * m^5 \\
& * x^3 * e^6 + 84 * (x^e + d)^m * a * c * d * f * g * m^5 * x^3 * e^6 + 42 * (x^e + d)^m * a * b * d * g^2 * \\
& m^5 * x^3 * e^6 + 131 * (x^e + d)^m * c^2 * d * f^2 * m^4 * x^4 * e^6 + 524 * (x^e + d)^m * b * c * d \\
& * f * g * m^4 * x^4 * e^6 + 131 * (x^e + d)^m * b^2 * d * g^2 * m^4 * x^4 * e^6 + 262 * (x^e + d)^m * \\
& a * c * d * g^2 * m^4 * x^4 * e^6 + 590 * (x^e + d)^m * c^2 * d * f * g * m^3 * x^5 * e^6 + 590 * (x^e + \\
& d)^m * b * c * d * g^2 * m^3 * x^5 * e^6 + 274 * (x^e + d)^m * c^2 * d * g^2 * m^2 * x^6 * e^6 - 6 * (x^e \\
& + d)^m * b * c * d^2 * f^2 * m^5 * x^2 * e^5 - 6 * (x^e + d)^m * b^2 * d^2 * f * g * m^5 * x^2 * e^5 - 1 \\
& 2 * (x^e + d)^m * a * c * d^2 * f * g * m^5 * x^2 * e^5 - 6 * (x^e + d)^m * a * b * d^2 * g^2 * m^5 * x^2 * e \\
& ^5 - 64 * (x^e + d)^m * c^2 * d^2 * f^2 * m^4 * x^3 * e^5 - 256 * (x^e + d)^m * b * c * d^2 * f * g * m \\
& ^4 * x^3 * e^5 - 64 * (x^e + d)^m * b^2 * d^2 * g^2 * m^4 * x^3 * e^5 - 128 * (x^e + d)^m * a * c * d \\
& ^2 * g^2 * m^4 * x^3 * e^5 - 530 * (x^e + d)^m * c^2 * d^2 * f * g * m^3 * x^4 * e^5 - 530 * (x^e + d \\
& )^m * b * c * d^2 * g^2 * m^3 * x^4 * e^5 - 300 * (x^e + d)^m * c^2 * d^2 * g^2 * m^2 * x^5 * e^5 + 12 * \\
& (x^e + d)^m * c^2 * d^3 * f^2 * m^4 * x^2 * e^4 + 48 * (x^e + d)^m * b * c * d^3 * f * g * m^4 * x^2 * e^4 \\
& + 12 * (x^e + d)^m * b^2 * d^3 * g^2 * m^4 * x^2 * e^4 + 24 * (x^e + d)^m * a * c * d^3 * g^2 * m^4 \\
& * x^2 * e^4 + 400 * (x^e + d)^m * c^2 * d^3 * f * g * m^3 * x^3 * e^4 + 400 * (x^e + d)^m * b * c * d^ \\
& 3 * g^2 * m^3 * x^3 * e^4 + 330 * (x^e + d)^m * c^2 * d^3 * g^2 * m^2 * x^4 * e^4 - 120 * (x^e + d)^m * \\
& c^2 * d^4 * f * g * m^3 * x^2 * e^3 - 120 * (x^e + d)^m * b * c * d^4 * g^2 * m^3 * x^2 * e^3 - 360 * \\
& (x^e + d)^m * c^2 * d^4 * g^2 * m^2 * x^3 * e^3 + 360 * (x^e + d)^m * c^2 * d^5 * g^2 * m^2 * x^2 * e^2 \\
& ^2 + 2 * (x^e + d)^m * a * b * f^2 * m^6 * x^2 * e^7 + 2 * (x^e + d)^m * a^2 * f * g * m^6 * x^2 * e^7 \\
& + 25 * (x^e + d)^m * b^2 * f^2 * m^5 * x^3 * e^7 + 50 * (x^e + d)^m * a * c * f^2 * m^5 * x^3 * e^7 + \\
& 100 * (x^e + d)^m * a * b * f * g * m^5 * x^3 * e^7 + 25 * (x^e + d)^m * a^2 * g^2 * m^5 * x^3 * e^7 + \\
& 452 * (x^e + d)^m * b * c * f^2 * m^4 * x^4 * e^7 + 452 * (x^e + d)^m * b^2 * f * g * m^4 * x^4 * e^7 \\
& + 904 * (x^e + d)^m * a * c * f * g * m^4 * x^4 * e^7 + 452 * (x^e + d)^m * a * b * g^2 * m^4 * x^4 * e^7 \\
& + 925 * (x^e + d)^m * c^2 * f^2 * m^3 * x^5 * e^7 + 3700 * (x^e + d)^m * b * c * f * g * m^3 * x^5 * e^7
\end{aligned}$$



$$\begin{aligned}
&^7 + 925*(x*e + d)^m*b^2*g^2*m^3*x^5*e^7 + 1850*(x*e + d)^m*a*c*g^2*m^3*x^5 \\
&*e^7 + 3698*(x*e + d)^m*c^2*f*g*m^2*x^6*e^7 + 3698*(x*e + d)^m*b*c*g^2*m^2* \\
&x^6*e^7 + 1764*(x*e + d)^m*c^2*g^2*m*x^7*e^7 + 2*(x*e + d)^m*a*b*d*f^2*m^6* \\
&x^e^6 + 2*(x*e + d)^m*a^2*d*f*g*m^6*x^e^6 + 23*(x*e + d)^m*b^2*d*f^2*m^5*x^ \\
&2*e^6 + 46*(x*e + d)^m*a*c*d*f^2*m^5*x^2*e^6 + 92*(x*e + d)^m*a*b*d*f*g*m^5 \\
&*x^2*e^6 + 23*(x*e + d)^m*a^2*d*g^2*m^5*x^2*e^6 + 326*(x*e + d)^m*b*c*d*f^2 \\
&*m^4*x^3*e^6 + 326*(x*e + d)^m*b^2*d*f*g*m^4*x^3*e^6 + 652*(x*e + d)^m*a*c* \\
&d*f*g*m^4*x^3*e^6 + 326*(x*e + d)^m*a*b*d*g^2*m^4*x^3*e^6 + 401*(x*e + d)^m \\
&*c^2*d*f^2*m^3*x^4*e^6 + 1604*(x*e + d)^m*b*c*d*f*g*m^3*x^4*e^6 + 401*(x*e \\
&+ d)^m*b^2*d*g^2*m^3*x^4*e^6 + 802*(x*e + d)^m*a*c*d*g^2*m^3*x^4*e^6 + 748* \\
&(x*e + d)^m*c^2*d*f*g*m^2*x^5*e^6 + 748*(x*e + d)^m*b*c*d*g^2*m^2*x^5*e^6 + \\
&120*(x*e + d)^m*c^2*d*g^2*m*x^6*e^6 - 2*(x*e + d)^m*b^2*d^2*f^2*m^5*x^e^5 \\
&- 4*(x*e + d)^m*a*c*d^2*f^2*m^5*x^e^5 - 8*(x*e + d)^m*a*b*d^2*f*g*m^5*x^e^5 \\
&- 2*(x*e + d)^m*a^2*d^2*g^2*m^5*x^e^5 - 114*(x*e + d)^m*b*c*d^2*f^2*m^4*x^ \\
&2*e^5 - 114*(x*e + d)^m*b^2*d^2*f*g*m^4*x^2*e^5 - 228*(x*e + d)^m*a*c*d^2*f \\
&*g*m^4*x^2*e^5 - 114*(x*e + d)^m*a*b*d^2*g^2*m^4*x^2*e^5 - 332*(x*e + d)^m* \\
&c^2*d^2*f^2*m^3*x^3*e^5 - 1328*(x*e + d)^m*b*c*d^2*f*g*m^3*x^3*e^5 - 332*(x \\
&*e + d)^m*b^2*d^2*g^2*m^3*x^3*e^5 - 664*(x*e + d)^m*a*c*d^2*g^2*m^3*x^3*e^5 \\
&- 830*(x*e + d)^m*c^2*d^2*f*g*m^2*x^4*e^5 - 830*(x*e + d)^m*b*c*d^2*g^2*m^ \\
&2*x^4*e^5 - 144*(x*e + d)^m*c^2*d^2*g^2*m*x^5*e^5 + 12*(x*e + d)^m*b*c*d^3*f \\
&^2*m^4*x^e^4 + 12*(x*e + d)^m*b^2*d^3*f*g*m^4*x^e^4 + 24*(x*e + d)^m*a*c*d \\
&^3*f*g*m^4*x^e^4 + 12*(x*e + d)^m*a*b*d^3*g^2*m^4*x^e^4 + 168*(x*e + d)^m*c \\
&^2*d^3*f^2*m^3*x^2*e^4 + 672*(x*e + d)^m*b*c*d^3*f*g*m^3*x^2*e^4 + 168*(x*e \\
&+ d)^m*b^2*d^3*g^2*m^3*x^2*e^4 + 336*(x*e + d)^m*a*c*d^3*g^2*m^3*x^2*e^4 + \\
&920*(x*e + d)^m*c^2*d^3*f*g*m^2*x^3*e^4 + 920*(x*e + d)^m*b*c*d^3*g^2*m^2* \\
&x^3*e^4 + 180*(x*e + d)^m*c^2*d^3*g^2*m*x^4*e^4 - 24*(x*e + d)^m*c^2*d^4*f^ \\
&2*m^3*x^e^3 - 96*(x*e + d)^m*b*c*d^4*f*g*m^3*x^e^3 - 24*(x*e + d)^m*b^2*d^4 \\
&*g^2*m^3*x^e^3 - 48*(x*e + d)^m*a*c*d^4*g^2*m^3*x^e^3 - 960*(x*e + d)^m*c^2 \\
&*d^4*f*g*m^2*x^2*e^3 - 960*(x*e + d)^m*b*c*d^4*g^2*m^2*x^2*e^3 - 240*(x*e + \\
&d)^m*c^2*d^4*g^2*m*x^3*e^3 + 240*(x*e + d)^m*c^2*d^5*f*g*m^2*x^e^2 + 240*( \\
&x*e + d)^m*b*c*d^5*g^2*m^2*x^e^2 + 360*(x*e + d)^m*c^2*d^5*g^2*m*x^2*e^2 - \\
&720*(x*e + d)^m*c^2*d^6*g^2*m*x^e + (x*e + d)^m*a^2*f^2*m^6*x^e^7 + 52*(x*e \\
&+ d)^m*a*b*f^2*m^5*x^2*e^7 + 52*(x*e + d)^m*a^2*f*g*m^5*x^2*e^7 + 247*(x*e \\
&+ d)^m*b^2*f^2*m^4*x^3*e^7 + 494*(x*e + d)^m*a*c*f^2*m^4*x^3*e^7 + 988*(x \\
&e + d)^m*a*b*f*g*m^4*x^3*e^7 + 247*(x*e + d)^m*a^2*g^2*m^4*x^3*e^7 + 2112*( \\
&x*e + d)^m*b*c*f^2*m^3*x^4*e^7 + 2112*(x*e + d)^m*b^2*f*g*m^3*x^4*e^7 + 422 \\
&4*(x*e + d)^m*a*c*f*g*m^3*x^4*e^7 + 2112*(x*e + d)^m*a*b*g^2*m^3*x^4*e^7 + \\
&2144*(x*e + d)^m*c^2*f^2*m^2*x^5*e^7 + 8576*(x*e + d)^m*b*c*f*g*m^2*x^5*e^7 \\
&+ 2144*(x*e + d)^m*b^2*g^2*m^2*x^5*e^7 + 4288*(x*e + d)^m*a*c*g^2*m^2*x^5* \\
&e^7 + 4076*(x*e + d)^m*c^2*f*g*m*x^6*e^7 + 4076*(x*e + d)^m*b*c*g^2*m*x^6*e \\
&^7 + 720*(x*e + d)^m*c^2*g^2*x^7*e^7 + (x*e + d)^m*a^2*d*f^2*m^6*e^6 + 50*( \\
&x*e + d)^m*a*b*d*f^2*m^5*x^e^6 + 50*(x*e + d)^m*a^2*d*f*g*m^5*x^e^6 + 201*( \\
&x*e + d)^m*b^2*d*f^2*m^4*x^2*e^6 + 402*(x*e + d)^m*a*c*d*f^2*m^4*x^2*e^6 + \\
&804*(x*e + d)^m*a*b*d*f*g*m^4*x^2*e^6 + 201*(x*e + d)^m*a^2*d*g^2*m^4*x^2*e \\
&^6 + 1134*(x*e + d)^m*b*c*d*f^2*m^3*x^3*e^6 + 1134*(x*e + d)^m*b^2*d*f*g*m^
\end{aligned}$$

$$\begin{aligned}
& 3*x^3*e^6 + 2268*(x*e + d)^m*a*c*d*f*g*m^3*x^3*e^6 + 1134*(x*e + d)^m*a*b*d \\
& *g^2*m^3*x^3*e^6 + 540*(x*e + d)^m*c^2*d*f^2*m^2*x^4*e^6 + 2160*(x*e + d)^m \\
& *b*c*d*f*g*m^2*x^4*e^6 + 540*(x*e + d)^m*b^2*d*g^2*m^2*x^4*e^6 + 1080*(x*e \\
& + d)^m*a*c*d*g^2*m^2*x^4*e^6 + 336*(x*e + d)^m*c^2*d*f*g*m*x^5*e^6 + 336*(x \\
& *e + d)^m*b*c*d*g^2*m*x^5*e^6 - 2*(x*e + d)^m*a*b*d^2*f^2*m^5*e^5 - 2*(x*e \\
& + d)^m*a^2*d^2*f*g*m^5*e^5 - 44*(x*e + d)^m*b^2*d^2*f^2*m^4*x*e^5 - 88*(x*e \\
& + d)^m*a*c*d^2*f^2*m^4*x*e^5 - 176*(x*e + d)^m*a*b*d^2*f*g*m^4*x*e^5 - 44* \\
& (x*e + d)^m*a^2*d^2*g^2*m^4*x*e^5 - 750*(x*e + d)^m*b*c*d^2*f^2*m^3*x^2*e^5 \\
& - 750*(x*e + d)^m*b^2*d^2*f*g*m^3*x^2*e^5 - 1500*(x*e + d)^m*a*c*d^2*f*g*m \\
& ^3*x^2*e^5 - 750*(x*e + d)^m*a*b*d^2*g^2*m^3*x^2*e^5 - 608*(x*e + d)^m*c^2* \\
& d^2*f^2*m^2*x^3*e^5 - 2432*(x*e + d)^m*b*c*d^2*f*g*m^2*x^3*e^5 - 608*(x*e + \\
& d)^m*b^2*d^2*g^2*m^2*x^3*e^5 - 1216*(x*e + d)^m*a*c*d^2*g^2*m^2*x^3*e^5 - \\
& 420*(x*e + d)^m*c^2*d^2*f*g*m*x^4*e^5 - 420*(x*e + d)^m*b*c*d^2*g^2*m*x^4*e \\
& ^5 + 2*(x*e + d)^m*b^2*d^3*f^2*m^4*e^4 + 4*(x*e + d)^m*a*c*d^3*f^2*m^4*e^4 \\
& + 8*(x*e + d)^m*a*b*d^3*f*g*m^4*e^4 + 2*(x*e + d)^m*a^2*d^3*g^2*m^4*e^4 + 2 \\
& 16*(x*e + d)^m*b*c*d^3*f^2*m^3*x*e^4 + 216*(x*e + d)^m*b^2*d^3*f*g*m^3*x*e^ \\
& 4 + 432*(x*e + d)^m*a*c*d^3*f*g*m^3*x*e^4 + 216*(x*e + d)^m*a*b*d^3*g^2*m^3 \\
& *x*e^4 + 660*(x*e + d)^m*c^2*d^3*f^2*m^2*x^2*e^4 + 2640*(x*e + d)^m*b*c*d^3 \\
& *f*g*m^2*x^2*e^4 + 660*(x*e + d)^m*b^2*d^3*g^2*m^2*x^2*e^4 + 1320*(x*e + d) \\
& ^m*a*c*d^3*g^2*m^2*x^2*e^4 + 560*(x*e + d)^m*c^2*d^3*f*g*m*x^3*e^4 + 560*(x \\
& *e + d)^m*b*c*d^3*g^2*m*x^3*e^4 - 12*(x*e + d)^m*b*c*d^4*f^2*m^3*e^3 - 12*( \\
& x*e + d)^m*b^2*d^4*f*g*m^3*e^3 - 24*(x*e + d)^m*a*c*d^4*f*g*m^3*e^3 - 12*(x \\
& *e + d)^m*a*b*d^4*g^2*m^3*e^3 - 312*(x*e + d)^m*c^2*d^4*f^2*m^2*x*e^3 - 124 \\
& 8*(x*e + d)^m*b*c*d^4*f*g*m^2*x*e^3 - 312*(x*e + d)^m*b^2*d^4*g^2*m^2*x*e^3 \\
& - 624*(x*e + d)^m*a*c*d^4*g^2*m^2*x*e^3 - 840*(x*e + d)^m*c^2*d^4*f*g*m*x^ \\
& 2*e^3 - 840*(x*e + d)^m*b*c*d^4*g^2*m*x^2*e^3 + 24*(x*e + d)^m*c^2*d^5*f^2* \\
& m^2*e^2 + 96*(x*e + d)^m*b*c*d^5*f*g*m^2*e^2 + 24*(x*e + d)^m*b^2*d^5*g^2*m \\
& ^2*e^2 + 48*(x*e + d)^m*a*c*d^5*g^2*m^2*e^2 + 1680*(x*e + d)^m*c^2*d^5*f*g* \\
& m*x*e^2 + 1680*(x*e + d)^m*b*c*d^5*g^2*m*x*e^2 - 240*(x*e + d)^m*c^2*d^6*f* \\
& g*m*e - 240*(x*e + d)^m*b*c*d^6*g^2*m*e + 720*(x*e + d)^m*c^2*d^7*g^2 + 27* \\
& (x*e + d)^m*a^2*f^2*m^5*x*e^7 + 540*(x*e + d)^m*a*b*f^2*m^4*x^2*e^7 + 540*( \\
& x*e + d)^m*a^2*f*g*m^4*x^2*e^7 + 1219*(x*e + d)^m*b^2*f^2*m^3*x^3*e^7 + 243 \\
& 8*(x*e + d)^m*a*c*f^2*m^3*x^3*e^7 + 4876*(x*e + d)^m*a*b*f*g*m^3*x^3*e^7 + \\
& 1219*(x*e + d)^m*a^2*g^2*m^3*x^3*e^7 + 5090*(x*e + d)^m*b*c*f^2*m^2*x^4*e^7 \\
& + 5090*(x*e + d)^m*b^2*f*g*m^2*x^4*e^7 + 10180*(x*e + d)^m*a*c*f*g*m^2*x^4 \\
& *e^7 + 5090*(x*e + d)^m*a*b*g^2*m^2*x^4*e^7 + 2412*(x*e + d)^m*c^2*f^2*m*x^ \\
& 5*e^7 + 9648*(x*e + d)^m*b*c*f*g*m*x^5*e^7 + 2412*(x*e + d)^m*b^2*g^2*m*x^5 \\
& *e^7 + 4824*(x*e + d)^m*a*c*g^2*m*x^5*e^7 + 1680*(x*e + d)^m*c^2*f*g*x^6*e^ \\
& 7 + 1680*(x*e + d)^m*b*c*g^2*x^6*e^7 + 27*(x*e + d)^m*a^2*d*f^2*m^5*e^6 + 4 \\
& 90*(x*e + d)^m*a*b*d*f^2*m^4*x*e^6 + 490*(x*e + d)^m*a^2*d*f*g*m^4*x*e^6 + \\
& 817*(x*e + d)^m*b^2*d*f^2*m^3*x^2*e^6 + 1634*(x*e + d)^m*a*c*d*f^2*m^3*x^2* \\
& e^6 + 3268*(x*e + d)^m*a*b*d*f*g*m^3*x^2*e^6 + 817*(x*e + d)^m*a^2*d*g^2*m^ \\
& 3*x^2*e^6 + 1688*(x*e + d)^m*b*c*d*f^2*m^2*x^3*e^6 + 1688*(x*e + d)^m*b^2*d \\
& *f*g*m^2*x^3*e^6 + 3376*(x*e + d)^m*a*c*d*f*g*m^2*x^3*e^6 + 1688*(x*e + d)^ \\
& m*a*b*d*g^2*m^2*x^3*e^6 + 252*(x*e + d)^m*c^2*d*f^2*m*x^4*e^6 + 1008*(x*e +
\end{aligned}$$

$$\begin{aligned}
& d^m b^c d^m f^g m^m x^4 e^6 + 252(xe + d)^m b^2 d^m g^2 m^m x^4 e^6 + 504(xe + d)^m a^c d^m g^2 m^m x^4 e^6 - 50(xe + d)^m a^b d^2 f^2 m^4 e^5 - 50(xe + d)^m a^2 d^2 f^g m^4 e^5 - 358(xe + d)^m b^2 d^2 f^2 m^3 x e^5 - 716(xe + d)^m a^c d^2 f^2 m^3 x e^5 - 1432(xe + d)^m a^b d^2 f^g m^3 x e^5 - 358(xe + d)^m a^2 d^2 g^2 m^3 x e^5 - 1902(xe + d)^m b^c d^2 f^2 m^2 x^2 e^5 - 1902(xe + d)^m b^2 d^2 f^g m^2 x^2 e^5 - 3804(xe + d)^m a^c d^2 f^g m^2 x^2 e^5 - 1902(xe + d)^m a^b d^2 g^2 m^2 x^2 e^5 - 336(xe + d)^m c^2 d^2 f^2 m^m x^3 e^5 - 1344(xe + d)^m b^c d^2 f^g m^m x^3 e^5 - 336(xe + d)^m b^2 d^2 g^2 m^m x^3 e^5 - 672(xe + d)^m a^c d^2 g^2 m^m x^3 e^5 + 44(xe + d)^m b^2 d^3 f^2 m^3 e^4 + 88(xe + d)^m a^c d^3 f^2 m^3 e^4 + 176(xe + d)^m a^b d^3 f^g m^3 e^4 + 44(xe + d)^m a^2 d^3 g^2 m^3 e^4 + 1284(xe + d)^m b^c d^3 f^2 m^2 x e^4 + 1284(xe + d)^m b^2 d^3 f^g m^2 x e^4 + 2568(xe + d)^m a^c d^3 f^g m^2 x e^4 + 1284(xe + d)^m a^b d^3 g^2 m^2 x e^4 + 504(xe + d)^m c^2 d^3 f^2 m^m x^2 e^4 + 2016(xe + d)^m b^c d^3 f^g m^m x^2 e^4 + 504(xe + d)^m b^2 d^3 g^2 m^m x^2 e^4 + 1008(xe + d)^m a^c d^3 g^2 m^m x^2 e^4 - 216(xe + d)^m b^c d^4 f^2 m^2 e^3 - 216(xe + d)^m b^2 d^4 f^g m^2 e^3 - 432(xe + d)^m a^c d^4 f^g m^2 e^3 - 216(xe + d)^m a^b d^4 g^2 m^2 e^3 - 1008(xe + d)^m c^2 d^4 f^2 m^m x e^3 - 4032(xe + d)^m b^c d^4 f^g m^m x e^3 - 1008(xe + d)^m b^2 d^4 g^2 m^m x e^3 - 2016(xe + d)^m a^c d^4 g^2 m^m x e^3 + 312(xe + d)^m c^2 d^5 f^2 m^m e^2 + 1248(xe + d)^m b^c d^5 f^g m^m e^2 + 312(xe + d)^m b^2 d^5 g^2 m^m e^2 + 624(xe + d)^m a^c d^5 g^2 m^m e^2 - 1680(xe + d)^m c^2 d^6 f^g e - 1680(xe + d)^m b^c d^6 g^2 e + 295(xe + d)^m a^2 f^2 m^4 x e^7 + 2840(xe + d)^m a^b f^2 m^3 x^2 e^7 + 2840(xe + d)^m a^2 f^g m^3 x^2 e^7 + 3112(xe + d)^m b^2 f^2 m^2 x^3 e^7 + 6224(xe + d)^m a^c f^2 m^2 x^3 e^7 + 12448(xe + d)^m a^b f^g m^2 x^3 e^7 + 3112(xe + d)^m a^2 g^2 m^2 x^3 e^7 + 5904(xe + d)^m b^c f^2 m^m x^4 e^7 + 5904(xe + d)^m b^2 f^g m^m x^4 e^7 + 11808(xe + d)^m a^c f^g m^m x^4 e^7 + 5904(xe + d)^m a^b g^2 m^m x^4 e^7 + 1008(xe + d)^m c^2 f^2 m^m x^5 e^7 + 4032(xe + d)^m b^c f^g m^m x^5 e^7 + 1008(xe + d)^m b^2 g^2 m^m x^5 e^7 + 2016(xe + d)^m a^c g^2 m^m x^5 e^7 + 295(xe + d)^m a^2 d^m f^2 m^4 e^6 + 2350(xe + d)^m a^b d^m f^2 m^3 x e^6 + 2350(xe + d)^m a^2 d^m f^g m^3 x e^6 + 1478(xe + d)^m b^2 d^m f^2 m^2 x^2 e^6 + 2956(xe + d)^m a^c d^m f^2 m^2 x^2 e^6 + 5912(xe + d)^m a^b d^m f^g m^2 x^2 e^6 + 1478(xe + d)^m a^2 d^m g^2 m^2 x^2 e^6 + 840(xe + d)^m b^c d^m f^2 m^m x^3 e^6 + 840(xe + d)^m b^2 d^m f^g m^m x^3 e^6 + 1680(xe + d)^m a^c d^m f^g m^m x^3 e^6 + 840(xe + d)^m a^b d^m g^2 m^m x^3 e^6 - 490(xe + d)^m a^b d^2 f^2 m^3 e^5 - 490(xe + d)^m a^2 d^2 f^g m^3 e^5 - 1276(xe + d)^m b^2 d^2 f^2 m^2 x e^5 - 2552(xe + d)^m a^c d^2 f^2 m^2 x e^5 - 5104(xe + d)^m a^b d^2 f^g m^2 x e^5 - 1276(xe + d)^m a^2 d^2 g^2 m^2 x e^5 - 1260(xe + d)^m b^c d^2 f^2 m^m x^2 e^5 - 1260(xe + d)^m b^2 d^2 f^g m^m x^2 e^5 - 2520(xe + d)^m a^c d^2 f^g m^m x^2 e^5 - 1260(xe + d)^m a^b d^2 g^2 m^m x^2 e^5 + 358(xe + d)^m b^2 d^3 f^2 m^2 e^4 + 716(xe + d)^m a^c d^3 f^2 m^2 e^4 + 1432(xe + d)^m a^b d^3 f^g m^2 e^4 + 358(xe + d)^m a^2 d^3 g^2 m^2 e^4 + 2520(xe + d)^m b^c d^3 f^2 m^m x e^4 + 2520(xe + d)^m b^2 d^3 f^g m^m x e^4 + 5040(xe + d)^m a^c d^3 f^g m^m x e^4 + 2520(xe + d)^m a^b d^3 g^2 m^m x e^4 - 1284*
\end{aligned}$$

$$\begin{aligned}
& (x^e + d)^m b^c d^4 f^2 m^e^3 - 1284(x^e + d)^m b^2 d^4 f g m^e^3 - 2568(x^e + d)^m a^c d^4 f g m^e^3 - 1284(x^e + d)^m a^b d^4 g^2 m^e^3 + 1008(x^e + d)^m c^2 d^5 f^2 e^2 + 4032(x^e + d)^m b^c d^5 f g e^2 + 1008(x^e + d)^m b^2 d^5 g^2 e^2 + 2016(x^e + d)^m a^c d^5 g^2 e^2 + 1665(x^e + d)^m a^2 f^2 m^3 x^e^7 + 7858(x^e + d)^m a^b f^2 m^2 x^2 e^7 + 7858(x^e + d)^m a^2 f g m^2 x^2 e^7 + 3796(x^e + d)^m b^2 f^2 m x^3 e^7 + 7592(x^e + d)^m a^c f^2 m x^3 e^7 + 15184(x^e + d)^m a^b f g m x^3 e^7 + 3796(x^e + d)^m a^2 g^2 m x^3 e^7 + 2520(x^e + d)^m b^c f^2 x^4 e^7 + 2520(x^e + d)^m b^2 f g x^4 e^7 + 5040(x^e + d)^m a^c f g x^4 e^7 + 2520(x^e + d)^m a^b g^2 x^4 e^7 + 1665(x^e + d)^m a^2 d f^2 m^3 e^6 + 5508(x^e + d)^m a^b d f^2 m^2 x e^6 + 5508(x^e + d)^m a^2 d f g m^2 x e^6 + 840(x^e + d)^m b^2 d f^2 m x^2 e^6 + 1680(x^e + d)^m a^c d f^2 m x^2 e^6 + 3360(x^e + d)^m a^b d f g m x^2 e^6 + 840(x^e + d)^m a^2 d g^2 m x^2 e^6 - 2350(x^e + d)^m a^b d^2 f^2 m^2 e^5 - 2350(x^e + d)^m a^2 d^2 f g m^2 e^5 - 1680(x^e + d)^m b^2 d^2 f^2 m x e^5 - 3360(x^e + d)^m a^c d^2 f^2 m x e^5 - 6720(x^e + d)^m a^b d^2 f g m x e^5 - 1680(x^e + d)^m a^2 d^2 g^2 m x e^5 + 1276(x^e + d)^m b^2 d^3 f^2 m e^4 + 2552(x^e + d)^m a^c d^3 f^2 m e^4 + 5104(x^e + d)^m a^b d^3 f g m e^4 + 1276(x^e + d)^m a^2 d^3 g^2 m e^4 - 2520(x^e + d)^m b^c d^4 f^2 e^3 - 2520(x^e + d)^m b^2 d^4 f g e^3 - 5040(x^e + d)^m a^c d^4 f g e^3 - 2520(x^e + d)^m a^b d^4 g^2 e^3 + 5104(x^e + d)^m a^2 f^2 m^2 x e^7 + 10548(x^e + d)^m a^b f^2 m x^2 e^7 + 10548(x^e + d)^m a^2 f g m x^2 e^7 + 1680(x^e + d)^m b^2 f^2 x^3 e^7 + 3360(x^e + d)^m a^c f^2 x^3 e^7 + 6720(x^e + d)^m a^b f g x^3 e^7 + 1680(x^e + d)^m a^2 g^2 x^3 e^7 + 5104(x^e + d)^m a^2 d f^2 m^2 e^6 + 5040(x^e + d)^m a^b d f^2 m x e^6 + 5040(x^e + d)^m a^2 d f g m x e^6 - 5508(x^e + d)^m a^b d^2 f^2 m e^5 - 5508(x^e + d)^m a^2 d^2 f g m e^5 + 1680(x^e + d)^m b^2 d^3 f^2 e^4 + 3360(x^e + d)^m a^c d^3 f^2 e^4 + 6720(x^e + d)^m a^b d^3 f g e^4 + 1680(x^e + d)^m a^2 d^3 g^2 e^4 + 8028(x^e + d)^m a^2 f^2 m x e^7 + 5040(x^e + d)^m a^b f^2 x^2 e^7 + 5040(x^e + d)^m a^2 f g x^2 e^7 + 8028(x^e + d)^m a^2 d f^2 m e^6 - 5040(x^e + d)^m a^b d^2 f^2 e^5 - 5040(x^e + d)^m a^2 d^2 f g e^5 + 5040(x^e + d)^m a^2 f^2 x e^7 + 5040(x^e + d)^m a^2 d f^2 e^6) / (m^7 e^7 + 28 m^6 e^7 + 322 m^5 e^7 + 1960 m^4 e^7 + 6769 m^3 e^7 + 13132 m^2 e^7 + 13068 m e^7 + 5040 e^7)
\end{aligned}$$

**maple [B]** time = 0.04, size = 5890, normalized size = 11.22

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x+d)^m\*(g\*x+f)^2\*(c\*x^2+b\*x+a)^2,x)

[Out] result too large to display

**maxima [B]** time = 0.79, size = 2034, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)^2\*(c\*x^2+b\*x+a)^2,x, algorithm="maxima")

[Out] 
$$2*(e^{2*(m+1)}x^2 + d*e*m*x - d^2)*(e*x + d)^m*a*b*f^2/((m^2 + 3*m + 2)*e^2) + 2*(e^{2*(m+1)}x^2 + d*e*m*x - d^2)*(e*x + d)^m*a^2*f*g/((m^2 + 3*m + 2)*e^2) + (e*x + d)^{(m+1)}*a^2*f^2/(e*(m+1)) + ((m^2 + 3*m + 2)*e^3*x^3 + (m^2 + m)*d*e^2*x^2 - 2*d^2*e*m*x + 2*d^3)*(e*x + d)^m*b^2*f^2/((m^3 + 6*m^2 + 11*m + 6)*e^3) + 2*((m^2 + 3*m + 2)*e^3*x^3 + (m^2 + m)*d*e^2*x^2 - 2*d^2*e*m*x + 2*d^3)*(e*x + d)^m*a*c*f^2/((m^3 + 6*m^2 + 11*m + 6)*e^3) + 4*((m^2 + 3*m + 2)*e^3*x^3 + (m^2 + m)*d*e^2*x^2 - 2*d^2*e*m*x + 2*d^3)*(e*x + d)^m*a*b*f*g/((m^3 + 6*m^2 + 11*m + 6)*e^3) + ((m^2 + 3*m + 2)*e^3*x^3 + (m^2 + m)*d*e^2*x^2 - 2*d^2*e*m*x + 2*d^3)*(e*x + d)^m*a^2*g^2/((m^3 + 6*m^2 + 11*m + 6)*e^3) + 2*((m^3 + 6*m^2 + 11*m + 6)*e^4*x^4 + (m^3 + 3*m^2 + 2*m)*d*e^3*x^3 - 3*(m^2 + m)*d^2*e^2*x^2 + 6*d^3*e*m*x - 6*d^4)*(e*x + d)^m*b*c*f^2/((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^4) + 2*((m^3 + 6*m^2 + 11*m + 6)*e^4*x^4 + (m^3 + 3*m^2 + 2*m)*d*e^3*x^3 - 3*(m^2 + m)*d^2*e^2*x^2 + 6*d^3*e*m*x - 6*d^4)*(e*x + d)^m*b^2*f*g/((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^4) + 4*((m^3 + 6*m^2 + 11*m + 6)*e^4*x^4 + (m^3 + 3*m^2 + 2*m)*d*e^3*x^3 - 3*(m^2 + m)*d^2*e^2*x^2 + 6*d^3*e*m*x - 6*d^4)*(e*x + d)^m*a*c*f*g/((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^4) + 2*((m^3 + 6*m^2 + 11*m + 6)*e^4*x^4 + (m^3 + 3*m^2 + 2*m)*d*e^3*x^3 - 3*(m^2 + m)*d^2*e^2*x^2 + 6*d^3*e*m*x - 6*d^4)*(e*x + d)^m*a*b*g^2/((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^4) + ((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^5*x^5 + (m^4 + 6*m^3 + 11*m^2 + 6*m)*d*e^4*x^4 - 4*(m^3 + 3*m^2 + 2*m)*d^2*e^3*x^3 + 12*(m^2 + m)*d^3*e^2*x^2 - 24*d^4*e*m*x + 24*d^5)*(e*x + d)^m*c^2*f^2/((m^5 + 15*m^4 + 85*m^3 + 225*m^2 + 274*m + 120)*e^5) + 4*((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^5*x^5 + (m^4 + 6*m^3 + 11*m^2 + 6*m)*d*e^4*x^4 - 4*(m^3 + 3*m^2 + 2*m)*d^2*e^3*x^3 + 12*(m^2 + m)*d^3*e^2*x^2 - 24*d^4*e*m*x + 24*d^5)*(e*x + d)^m*b*c*f*g/((m^5 + 15*m^4 + 85*m^3 + 225*m^2 + 274*m + 120)*e^5) + ((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^5*x^5 + (m^4 + 6*m^3 + 11*m^2 + 6*m)*d*e^4*x^4 - 4*(m^3 + 3*m^2 + 2*m)*d^2*e^3*x^3 + 12*(m^2 + m)*d^3*e^2*x^2 - 24*d^4*e*m*x + 24*d^5)*(e*x + d)^m*b^2*g^2/((m^5 + 15*m^4 + 85*m^3 + 225*m^2 + 274*m + 120)*e^5) + 2*((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^5*x^5 + (m^4 + 6*m^3 + 11*m^2 + 6*m)*d*e^4*x^4 - 4*(m^3 + 3*m^2 + 2*m)*d^2*e^3*x^3 + 12*(m^2 + m)*d^3*e^2*x^2 - 24*d^4*e*m*x + 24*d^5)*(e*x + d)^m*a*c*g^2/((m^5 + 15*m^4 + 85*m^3 + 225*m^2 + 274*m + 120)*e^5) + 2*((m^5 + 15*m^4 + 85*m^3 + 225*m^2 + 274*m + 120)*e^6*x^6 + (m^5 + 10*m^4 + 35*m^3 + 50*m^2 + 24*m)*d*e^5*x^5 - 5*(m^4 + 6*m^3 + 11*m^2 + 6*m)*d^2*e^4*x^4 + 20*(m^3 + 3*m^2 + 2*m)*d^3*e^3*x^3 - 60*(m^2 + m)*d^4*e^2*x^2 + 120*d^5*e*m*x - 120*d^6)*(e*x + d)^m*c^2*f*g/((m^6 + 21*m^5 + 175*m^4 + 735*m^3 + 1624*m^2 + 1764*m + 720)*e^6) + 2*((m^5 + 15*m^4 + 85*m^3 + 225*m^2 + 274*m + 120)*e^6*x^6 + (m^5 + 10*m^4 + 35*m^3 + 50*m^2 + 24*m)*d*e^5*x^5 - 5*(m^4 + 6*m^3 + 11*m^2 + 6*m)*d^2*e^4*x^4 + 20*(m^3 + 3*m^2 + 2*m)*d^3*e^3*x^3 - 60*(m^2 + m)*d^4*e^2*x^2 + 120*d^5*e*m*x - 120*d^6)*(e*x + d)^m*b*c*g^2/((m^6 + 21*m^5 + 175*m^4 + 735*m^3 + 1624*m^2 +$$

$$1764*m + 720)*e^6) + ((m^6 + 21*m^5 + 175*m^4 + 735*m^3 + 1624*m^2 + 1764*m + 720)*e^7*x^7 + (m^6 + 15*m^5 + 85*m^4 + 225*m^3 + 274*m^2 + 120*m)*d*e^6*x^6 - 6*(m^5 + 10*m^4 + 35*m^3 + 50*m^2 + 24*m)*d^2*e^5*x^5 + 30*(m^4 + 6*m^3 + 11*m^2 + 6*m)*d^3*e^4*x^4 - 120*(m^3 + 3*m^2 + 2*m)*d^4*e^3*x^3 + 360*(m^2 + m)*d^5*e^2*x^2 - 720*d^6*e*m*x + 720*d^7)*(e*x + d)^m*c^2*g^2/((m^7 + 28*m^6 + 322*m^5 + 1960*m^4 + 6769*m^3 + 13132*m^2 + 13068*m + 5040)*e^7)$$

**mupad [B]** time = 5.38, size = 4871, normalized size = 9.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((f + g*x)^2*(d + e*x)^m*(a + b*x + c*x^2)^2, x)$

[Out]  $((d + e*x)^m*(720*c^2*d^7*g^2 + 5040*a^2*d*e^6*f^2 + 1680*a^2*d^3*e^4*g^2 + 1680*b^2*d^3*e^4*f^2 + 1008*b^2*d^5*e^2*g^2 + 1008*c^2*d^5*e^2*f^2 - 1680*b*c*d^6*e*g^2 - 1680*c^2*d^6*e*f*g + 358*a^2*d^3*e^4*g^2*m^2 + 358*b^2*d^3*e^4*f^2*m^2 + 44*a^2*d^3*e^4*g^2*m^3 + 44*b^2*d^3*e^4*f^2*m^3 + 2*a^2*d^3*e^4*g^2*m^4 + 2*b^2*d^3*e^4*f^2*m^4 + 24*b^2*d^5*e^2*g^2*m^2 + 24*c^2*d^5*e^2*f^2*m^2 - 5040*a*b*d^2*e^5*f^2 - 2520*a*b*d^4*e^3*g^2 + 3360*a*c*d^3*e^4*f^2 + 2016*a*c*d^5*e^2*g^2 - 2520*b*c*d^4*e^3*f^2 - 5040*a^2*d^2*e^5*f*g - 2520*b^2*d^4*e^3*f*g + 8028*a^2*d*e^6*f^2*m + 5104*a^2*d*e^6*f^2*m^2 + 1665*a^2*d*e^6*f^2*m^3 + 295*a^2*d*e^6*f^2*m^4 + 27*a^2*d*e^6*f^2*m^5 + a^2*d*e^6*f^2*m^6 + 1276*a^2*d^3*e^4*g^2*m + 1276*b^2*d^3*e^4*f^2*m + 312*b^2*d^5*e^2*g^2*m + 312*c^2*d^5*e^2*f^2*m - 2350*a*b*d^2*e^5*f^2*m^2 - 490*a*b*d^2*e^5*f^2*m^3 - 50*a*b*d^2*e^5*f^2*m^4 - 2*a*b*d^2*e^5*f^2*m^5 - 216*a*b*d^4*e^3*g^2*m^2 + 716*a*c*d^3*e^4*f^2*m^2 - 12*a*b*d^4*e^3*g^2*m^3 + 88*a*c*d^3*e^4*f^2*m^3 + 4*a*c*d^3*e^4*f^2*m^4 + 48*a*c*d^5*e^2*g^2*m^2 - 216*b*c*d^4*e^3*f^2*m^2 - 12*b*c*d^4*e^3*f^2*m^3 - 2350*a^2*d^2*e^5*f*g*m^2 - 490*a^2*d^2*e^5*f*g*m^3 - 50*a^2*d^2*e^5*f*g*m^4 - 2*a^2*d^2*e^5*f*g*m^5 - 216*b^2*d^4*e^3*f*g*m^2 - 12*b^2*d^4*e^3*f*g*m^3 + 6720*a*b*d^3*e^4*f*g - 5040*a*c*d^4*e^3*f*g + 4032*b*c*d^5*e^2*f*g - 240*b*c*d^6*e*f*g*m - 5508*a*b*d^2*e^5*f^2*m - 1284*a*b*d^4*e^3*g^2*m + 2552*a*c*d^3*e^4*f^2*m + 624*a*c*d^5*e^2*g^2*m - 1284*b*c*d^4*e^3*f^2*m - 5508*a^2*d^2*e^5*f*g*m - 1284*b^2*d^4*e^3*f*g*m + 1432*a*b*d^3*e^4*f*g*m^2 + 176*a*b*d^3*e^4*f*g*m^3 + 8*a*b*d^3*e^4*f*g*m^4 - 432*a*c*d^4*e^3*f*g*m^2 - 24*a*c*d^4*e^3*f*g*m^3 + 96*b*c*d^5*e^2*f*g*m^2 + 5104*a*b*d^3*e^4*f*g*m - 2568*a*c*d^4*e^3*f*g*m + 1248*b*c*d^5*e^2*f*g*m)/(e^7*(13068*m + 13132*m^2 + 6769*m^3 + 1960*m^4 + 322*m^5 + 28*m^6 + m^7 + 5040)) + (x*(d + e*x)^m*(5040*a^2*e^7*f^2 + 8028*a^2*e^7*f^2*m + 5104*a^2*e^7*f^2*m^2 + 1665*a^2*e^7*f^2*m^3 + 295*a^2*e^7*f^2*m^4 + 27*a^2*e^7*f^2*m^5 + a^2*e^7*f^2*m^6 - 1276*a^2*d^2*e^5*g^2*m^2 - 1276*b^2*d^2*e^5*f^2*m^2 - 358*a^2*d^2*e^5*g^2*m^3 - 358*b^2*d^2*e^5*f^2*m^3 - 44*a^2*d^2*e^5*g^2*m^4 - 44*b^2*d^2*e^5*f^2*m^4 - 2*a^2*d^2*e^5*g^2*m^5 - 2*b^2*d^2*e^5*f^2*m^5 - 312*b^2*d^4*e^3*g^2*m^2 - 312*c^2*d^4*e^3$

$$\begin{aligned}
& f^2m^2 - 24b^2d^4e^3g^2m^3 - 24c^2d^4e^3f^2m^3 - 720c^2d^6e^* \\
& g^2m - 1680a^2d^2e^5g^2m - 1680b^2d^2e^5f^2m - 1008b^2d^4e^3* \\
& g^2m - 1008c^2d^4e^3f^2m + 1284a^*b^d^3e^4g^2m^2 - 2552a^*c^d^2e^ \\
& 5f^2m^2 + 216a^*b^d^3e^4g^2m^3 - 716a^*c^d^2e^5f^2m^3 + 12a^*b^d^3* \\
& e^4g^2m^4 - 88a^*c^d^2e^5f^2m^4 - 4a^*c^d^2e^5f^2m^5 - 624a^*c^d^4* \\
& e^3g^2m^2 + 1284b^*c^d^3e^4f^2m^2 - 48a^*c^d^4e^3g^2m^3 + 216b^*c^d \\
& ^3e^4f^2m^3 + 12b^*c^d^3e^4f^2m^4 + 240b^*c^d^5e^2g^2m^2 + 1284b^ \\
& 2d^3e^4f^*g^m^2 + 216b^2d^3e^4f^*g^m^3 + 12b^2d^3e^4f^*g^m^4 + 240* \\
& c^2d^5e^2f^*g^m^2 + 5040a^*b^d^*e^6f^2m + 5040a^2d^*e^6f^*g^m + 5508a^* \\
& b^d^*e^6f^2m^2 + 2350a^*b^d^*e^6f^2m^3 + 490a^*b^d^*e^6f^2m^4 + 50a^*b^d \\
& ^*e^6f^2m^5 + 2a^*b^d^*e^6f^2m^6 + 2520a^*b^d^3e^4g^2m - 3360a^*c^d^2* \\
& e^5f^2m - 2016a^*c^d^4e^3g^2m + 2520b^*c^d^3e^4f^2m + 1680b^*c^d^5* \\
& e^2g^2m + 5508a^2d^*e^6f^*g^m^2 + 2350a^2d^*e^6f^*g^m^3 + 490a^2d^*e^6 \\
& ^*f^*g^m^4 + 50a^2d^*e^6f^*g^m^5 + 2a^2d^*e^6f^*g^m^6 + 2520b^2d^3e^4f^* \\
& g^m + 1680c^2d^5e^2f^*g^m - 5104a^*b^d^2e^5f^*g^m^2 - 1432a^*b^d^2e^5* \\
& f^*g^m^3 - 176a^*b^d^2e^5f^*g^m^4 - 8a^*b^d^2e^5f^*g^m^5 + 2568a^*c^d^3e^ \\
& 4f^*g^m^2 + 432a^*c^d^3e^4f^*g^m^3 + 24a^*c^d^3e^4f^*g^m^4 - 1248b^*c^d^4 \\
& ^*e^3f^*g^m^2 - 96b^*c^d^4e^3f^*g^m^3 - 6720a^*b^d^2e^5f^*g^m + 5040a^*c^d \\
& ^3e^4f^*g^m - 4032b^*c^d^4e^3f^*g^m)/(e^7*(13068m + 13132m^2 + 6769m^ \\
& 3 + 1960m^4 + 322m^5 + 28m^6 + m^7 + 5040)) + (x^3*(d + e*x)^m*(3m + m^ \\
& 2 + 2)*(840a^2e^4g^2 + 840b^2e^4f^2 + 638a^2e^4g^2m + 638b^2e^4 \\
& ^*f^2m - 120c^2d^4g^2m + 179a^2e^4g^2m^2 + 179b^2e^4f^2m^2 + 22 \\
& ^*a^2e^4g^2m^3 + 22b^2e^4f^2m^3 + a^2e^4g^2m^4 + b^2e^4f^2m^4 + \\
& 1680a^*c^e^4f^2 + 1276a^*c^e^4f^2m - 52b^2d^2e^2g^2m^2 - 52c^2d^ \\
& 2e^2f^2m^2 - 4b^2d^2e^2g^2m^3 - 4c^2d^2e^2f^2m^3 + 358a^*c^e^4 \\
& ^*f^2m^2 + 44a^*c^e^4f^2m^3 + 2a^*c^e^4f^2m^4 + 3360a^*b^e^4f^*g - 168* \\
& b^2d^2e^2g^2m - 168c^2d^2e^2f^2m + 2552a^*b^e^4f^*g^m - 104a^*c^d^ \\
& 2e^2g^2m^2 - 8a^*c^d^2e^2g^2m^3 + 420a^*b^d^*e^3g^2m + 420b^*c^d^*e^3 \\
& ^*f^2m + 280b^*c^d^3e^*g^2m + 716a^*b^e^4f^*g^m^2 + 88a^*b^e^4f^*g^m^3 + 4 \\
& ^*a^*b^e^4f^*g^m^4 + 420b^2d^*e^3f^*g^m + 280c^2d^3e^*f^*g^m + 214a^*b^d^*e^ \\
& 3g^2m^2 + 36a^*b^d^*e^3g^2m^3 + 2a^*b^d^*e^3g^2m^4 - 336a^*c^d^2e^2g^ \\
& 2m + 214b^*c^d^*e^3f^2m^2 + 36b^*c^d^*e^3f^2m^3 + 2b^*c^d^*e^3f^2m^4 + \\
& 40b^*c^d^3e^*g^2m^2 + 214b^2d^*e^3f^*g^m^2 + 36b^2d^*e^3f^*g^m^3 + 2b^2 \\
& ^*d^*e^3f^*g^m^4 + 40c^2d^3e^*f^*g^m^2 - 208b^*c^d^2e^2f^*g^m^2 - 16b^*c^d^ \\
& 2e^2f^*g^m^3 + 840a^*c^d^*e^3f^*g^m + 428a^*c^d^*e^3f^*g^m^2 + 72a^*c^d^*e^3 \\
& ^*f^*g^m^3 + 4a^*c^d^*e^3f^*g^m^4 - 672b^*c^d^2e^2f^*g^m)/(e^4*(13068m + 131 \\
& 32m^2 + 6769m^3 + 1960m^4 + 322m^5 + 28m^6 + m^7 + 5040)) + (x^5*(d + \\
& e*x)^m*(50m + 35m^2 + 10m^3 + m^4 + 24)*(42b^2e^2g^2 + 42c^2e^2f^2 \\
& + 13b^2e^2g^2m - 6c^2d^2g^2m + 13c^2e^2f^2m + b^2e^2g^2m^2 \\
& + c^2e^2f^2m^2 + 84a^*c^e^2g^2 + 26a^*c^e^2g^2m + 2a^*c^e^2g^2m^2 + \\
& 168b^*c^e^2f^*g + 14b^*c^d^*e^*g^2m + 52b^*c^e^2f^*g^m + 14c^2d^*e^*f^*g^m + \\
& 2b^*c^d^*e^*g^2m^2 + 4b^*c^e^2f^*g^m^2 + 2c^2d^*e^*f^*g^m^2))/(e^2*(13068m \\
& + 13132m^2 + 6769m^3 + 1960m^4 + 322m^5 + 28m^6 + m^7 + 5040)) + (x^2* \\
& (m + 1)*(d + e*x)^m*(360c^2d^5g^2m + 5040a^*b^e^5f^2 + 5040a^2e^5f^* \\
& g + 5508a^*b^e^5f^2m + 5508a^2e^5f^*g^m + 156b^2d^3e^2g^2m^2 + 156
\end{aligned}$$

```

*c^2*d^3*e^2*f^2*m^2 + 12*b^2*d^3*e^2*g^2*m^3 + 12*c^2*d^3*e^2*f^2*m^3 + 23
50*a*b*e^5*f^2*m^2 + 490*a*b*e^5*f^2*m^3 + 50*a*b*e^5*f^2*m^4 + 2*a*b*e^5*f
^2*m^5 + 840*a^2*d*e^4*g^2*m + 840*b^2*d*e^4*f^2*m + 2350*a^2*e^5*f*g*m^2 +
490*a^2*e^5*f*g*m^3 + 50*a^2*e^5*f*g*m^4 + 2*a^2*e^5*f*g*m^5 + 638*a^2*d*e
^4*g^2*m^2 + 638*b^2*d*e^4*f^2*m^2 + 179*a^2*d*e^4*g^2*m^3 + 179*b^2*d*e^4*
f^2*m^3 + 22*a^2*d*e^4*g^2*m^4 + 22*b^2*d*e^4*f^2*m^4 + a^2*d*e^4*g^2*m^5 +
b^2*d*e^4*f^2*m^5 + 504*b^2*d^3*e^2*g^2*m + 504*c^2*d^3*e^2*f^2*m - 642*a*
b*d^2*e^3*g^2*m^2 - 108*a*b*d^2*e^3*g^2*m^3 - 6*a*b*d^2*e^3*g^2*m^4 + 312*a
*c*d^3*e^2*g^2*m^2 - 642*b*c*d^2*e^3*f^2*m^2 + 24*a*c*d^3*e^2*g^2*m^3 - 108
*b*c*d^2*e^3*f^2*m^3 - 6*b*c*d^2*e^3*f^2*m^4 - 642*b^2*d^2*e^3*f*g*m^2 - 10
8*b^2*d^2*e^3*f*g*m^3 - 6*b^2*d^2*e^3*f*g*m^4 + 1680*a*c*d*e^4*f^2*m - 840*
b*c*d^4*e*g^2*m - 840*c^2*d^4*e*f*g*m - 1260*a*b*d^2*e^3*g^2*m + 1276*a*c*d
*e^4*f^2*m^2 + 358*a*c*d*e^4*f^2*m^3 + 44*a*c*d*e^4*f^2*m^4 + 2*a*c*d*e^4*f
^2*m^5 + 1008*a*c*d^3*e^2*g^2*m - 1260*b*c*d^2*e^3*f^2*m - 120*b*c*d^4*e*g^
2*m^2 - 1260*b^2*d^2*e^3*f*g*m - 120*c^2*d^4*e*f*g*m^2 - 1284*a*c*d^2*e^3*f
*g*m^2 - 216*a*c*d^2*e^3*f*g*m^3 - 12*a*c*d^2*e^3*f*g*m^4 + 624*b*c*d^3*e^2
*f*g*m^2 + 48*b*c*d^3*e^2*f*g*m^3 + 3360*a*b*d*e^4*f*g*m + 2552*a*b*d*e^4*f
*g*m^2 + 716*a*b*d*e^4*f*g*m^3 + 88*a*b*d*e^4*f*g*m^4 + 4*a*b*d*e^4*f*g*m^5
- 2520*a*c*d^2*e^3*f*g*m + 2016*b*c*d^3*e^2*f*g*m)/(e^5*(13068*m + 13132*
m^2 + 6769*m^3 + 1960*m^4 + 322*m^5 + 28*m^6 + m^7 + 5040)) + (c^2*g^2*x^7*
(d + e*x)^m*(1764*m + 1624*m^2 + 735*m^3 + 175*m^4 + 21*m^5 + m^6 + 720))/(
13068*m + 13132*m^2 + 6769*m^3 + 1960*m^4 + 322*m^5 + 28*m^6 + m^7 + 5040)
+ (x^4*(d + e*x)^m*(11*m + 6*m^2 + m^3 + 6)*(30*c^2*d^3*g^2*m + 420*a*b*e^3
*g^2 + 420*b*c*e^3*f^2 + 420*b^2*e^3*f*g + 214*a*b*e^3*g^2*m + 214*b*c*e^3*
f^2*m + 214*b^2*e^3*f*g*m + 36*a*b*e^3*g^2*m^2 + 2*a*b*e^3*g^2*m^3 + 36*b*c
*e^3*f^2*m^2 + 2*b*c*e^3*f^2*m^3 + 42*b^2*d*e^2*g^2*m + 42*c^2*d*e^2*f^2*m
+ 36*b^2*e^3*f*g*m^2 + 2*b^2*e^3*f*g*m^3 + 840*a*c*e^3*f*g + 13*b^2*d*e^2*g
^2*m^2 + 13*c^2*d*e^2*f^2*m^2 + b^2*d*e^2*g^2*m^3 + c^2*d*e^2*f^2*m^3 + 428
*a*c*e^3*f*g*m + 84*a*c*d*e^2*g^2*m - 70*b*c*d^2*e*g^2*m + 72*a*c*e^3*f*g*m
^2 + 4*a*c*e^3*f*g*m^3 - 70*c^2*d^2*e*f*g*m + 26*a*c*d*e^2*g^2*m^2 + 2*a*c*
d*e^2*g^2*m^3 - 10*b*c*d^2*e*g^2*m^2 - 10*c^2*d^2*e*f*g*m^2 + 168*b*c*d*e^2
*f*g*m + 52*b*c*d*e^2*f*g*m^2 + 4*b*c*d*e^2*f*g*m^3))/(e^3*(13068*m + 13132
*m^2 + 6769*m^3 + 1960*m^4 + 322*m^5 + 28*m^6 + m^7 + 5040)) + (c*g*x^6*(d
+ e*x)^m*(14*b*e*g + 14*c*e*f + 2*b*e*g*m + c*d*g*m + 2*c*e*f*m)*(274*m + 2
25*m^2 + 85*m^3 + 15*m^4 + m^5 + 120))/(e*(13068*m + 13132*m^2 + 6769*m^3 +
1960*m^4 + 322*m^5 + 28*m^6 + m^7 + 5040))

```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*m\*(g\*x+f)\*\*2\*(c\*x\*\*2+b\*x+a)\*\*2,x)

[Out] Timed out



$$3.632 \quad \int (d + ex)^m (f + gx) (a + bx + cx^2)^2 dx$$

Optimal. Leaf size=311

$$\frac{(d + ex)^{m+4} (2ce(aeg - 4bdg + bef) + b^2e^2g - 2c^2d(2ef - 5dg))}{e^6(m + 4)} + \frac{(d + ex)^{m+3} (2ce(ae(ef - 3dg) - 3bd(ef - 2dg) + c^2d(2ef - 5dg)))}{e^6(m + 3)}$$

**Rubi** [A] time = 0.39, antiderivative size = 311, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {771}

$$\frac{(d + ex)^{m+4} (2ce(aeg - 4bdg + bef) + b^2e^2g - 2c^2d(2ef - 5dg))}{e^6(m + 4)} + \frac{(d + ex)^{m+3} (2ce(ae(ef - 3dg) - 3bd(ef - 2dg) + c^2d(2ef - 5dg)))}{e^6(m + 3)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x)^m\*(f + g\*x)\*(a + b\*x + c\*x^2)^2,x]

[Out] ((c\*d^2 - b\*d\*e + a\*e^2)^2\*(e\*f - d\*g)\*(d + e\*x)^(1 + m))/(e^6\*(1 + m)) - ((c\*d^2 - b\*d\*e + a\*e^2)\*(c\*d\*(4\*e\*f - 5\*d\*g) - e\*(2\*b\*e\*f - 3\*b\*d\*g + a\*e\*g))\*(d + e\*x)^(2 + m))/(e^6\*(2 + m)) + ((2\*c^2\*d^2\*(3\*e\*f - 5\*d\*g) + b\*e^2\*(b\*e\*f - 3\*b\*d\*g + 2\*a\*e\*g) + 2\*c\*e\*(a\*e\*(e\*f - 3\*d\*g) - 3\*b\*d\*(e\*f - 2\*d\*g)))\*(d + e\*x)^(3 + m))/(e^6\*(3 + m)) + ((b^2\*e^2\*g - 2\*c^2\*d\*(2\*e\*f - 5\*d\*g) + 2\*c\*e\*(b\*e\*f - 4\*b\*d\*g + a\*e\*g))\*(d + e\*x)^(4 + m))/(e^6\*(4 + m)) + (c\*(c\*e\*f - 5\*c\*d\*g + 2\*b\*e\*g)\*(d + e\*x)^(5 + m))/(e^6\*(5 + m)) + (c^2\*g\*(d + e\*x)^(6 + m))/(e^6\*(6 + m))

### Rule 771

Int[((d\_.) + (e\_.)\*(x\_.))^(m\_.)\*((f\_.) + (g\_.)\*(x\_.))\*((a\_.) + (b\_.)\*(x\_.) + (c\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x)^m\*(f + g\*x)\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

### Rubi steps

$$\int (d + ex)^m (f + gx) (a + bx + cx^2)^2 dx = \int \left( \frac{(cd^2 - bde + ae^2)^2 (ef - dg)(d + ex)^m}{e^5} + \frac{(cd^2 - bde + ae^2)(-cd(4ef - 5dg) + b^2e^2g - 2c^2d(2ef - 5dg))}{e^6} (d + ex)^{m+1} \right) dx$$

$$= \frac{(cd^2 - bde + ae^2)^2 (ef - dg)(d + ex)^{1+m}}{e^6(1 + m)} - \frac{(cd^2 - bde + ae^2)(cd(4ef - 5dg) + b^2e^2g - 2c^2d(2ef - 5dg))}{e^6}$$

**Mathematica [B]** time = 1.52, size = 655, normalized size = 2.11

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x)^m\*(f + g\*x)\*(a + b\*x + c\*x^2)^2,x]

[Out] ((d + e\*x)^(1 + m)\*((a + x\*(b + c\*x))^2\*(2\*b\*e\*g + c\*(-5\*d\*g + e\*f\*(6 + m) + e\*g\*(5 + m)\*x)) + (2\*((c\*d^2 + e\*(-(b\*d) + a\*e))\*(b^3\*e^3\*g\*(3 + 4\*m + m^2) + 12\*c^3\*d^2\*(-5\*d\*g + e\*f\*(6 + m)) - b\*c\*e^2\*(1 + m)\*(b\*d\*g\*(-6 + m) + b\*e\*f\*(6 + m) + 2\*a\*e\*g\*(9 + 2\*m)) + 2\*c^2\*e\*(-3\*b\*d\*(d\*g\*(-9 + m) + 2\*e\*f\*(6 + m)) + 2\*a\*e\*(d\*g\*(-15 + m + m^2) + e\*f\*(24 + 10\*m + m^2)))))/(e^2\*(1 + m)) + ((b^4\*e^4\*g\*(6 + 5\*m + m^2) + 12\*c^4\*d^3\*(5\*d\*g - e\*f\*(6 + m)) - b^2\*2\*c\*e^3\*(2 + m)\*(b\*e\*f\*(6 + m) + b\*d\*g\*(-3 + 2\*m) + a\*e\*g\*(21 + 5\*m)) + 2\*c^3\*d\*e\*(3\*b\*d\*(d\*g\*(-14 + m) + 3\*e\*f\*(6 + m)) - 2\*a\*e\*(d\*g\*(-30 - 4\*m + m^2) + e\*f\*(42 + 19\*m + 2\*m^2))) + c^2\*e^2\*(4\*a^2\*e^2\*g\*(15 + 8\*m + m^2) + b^2\*d\*(d\*g\*(6 - 13\*m + m^2) + 2\*e\*f\*(-6 + 5\*m + m^2)) + 2\*a\*b\*e\*(e\*f\*(42 + 19\*m + 2\*m^2) + d\*g\*(-18 + 11\*m + 4\*m^2))))\*(d + e\*x))/(e^2\*(2 + m)) - (c\*e\*(4 + m)\*(b\*d\*(-5\*c\*d + 2\*b\*e)\*g - 2\*a\*c\*d\*e\*g\*m + a\*b\*e^2\*g\*(1 + m) + c\*e\*(b\*d - 2\*a\*e)\*f\*(6 + m)) - (3\*c\*d - b\*e)\*(b^2\*e^2\*g\*(3 + m) + 2\*c^2\*d\*(-5\*d\*g + e\*f\*(6 + m)) - c\*e\*(b\*d\*g\*(-4 + m) + 2\*a\*e\*g\*(5 + m) + b\*e\*f\*(6 + m))) + c\*e\*(3 + m)\*(b^2\*e^2\*g\*(3 + m) + 2\*c^2\*d\*(-5\*d\*g + e\*f\*(6 + m)) - c\*e\*(b\*d\*g\*(-4 + m) + 2\*a\*e\*g\*(5 + m) + b\*e\*f\*(6 + m)))\*x\*(a + x\*(b + c\*x)))/(c\*e^2\*(3 + m)\*(4 + m)))/(c\*e^2\*(5 + m)\*(6 + m))

**IntegrateAlgebraic [F]** time = 0.14, size = 0, normalized size = 0.00

$$\int (d + ex)^m (f + gx) (a + bx + cx^2)^2 dx$$

Verification is not applicable to the result.

[In] IntegrateAlgebraic[(d + e\*x)^m\*(f + g\*x)\*(a + b\*x + c\*x^2)^2,x]

[Out] Defer[IntegrateAlgebraic] [(d + e\*x)^m\*(f + g\*x)\*(a + b\*x + c\*x^2)^2, x]

**fricas [B]** time = 0.45, size = 2368, normalized size = 7.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)\*(c\*x^2+b\*x+a)^2,x, algorithm="fricas")

[Out] (a^2\*d\*e^5\*f\*m^5 + (c^2\*e^6\*g\*m^5 + 15\*c^2\*e^6\*g\*m^4 + 85\*c^2\*e^6\*g\*m^3 + 25\*c^2\*e^6\*g\*m^2 + 274\*c^2\*e^6\*g\*m + 120\*c^2\*e^6\*g)\*x^6 + (144\*c^2\*e^6\*f + 288\*b\*c\*e^6\*g + (c^2\*e^6\*f + (c^2\*d\*e^5 + 2\*b\*c\*e^6)\*g)\*m^5 + 2\*(8\*c^2\*e^6\*

$$\begin{aligned}
& f + (5c^2d^5e^5 + 16b^2c^2e^6) * g) * m^4 + 5 * (19c^2e^6 * f + (7c^2d^5e^5 + 38 \\
& * b^2c^2e^6) * g) * m^3 + 10 * (26c^2e^6 * f + (5c^2d^5e^5 + 52b^2c^2e^6) * g) * m^2 + 1 \\
& 2 * (27c^2e^6 * f + 2 * (c^2d^5e^5 + 27b^2c^2e^6) * g) * m * x^5 - (a^2d^2e^4 * g + 2 \\
& * (a * b * d^2e^4 - 10a^2d^2e^5) * f) * m^4 + (360b^2c^2e^6 * f + 180 * (b^2 + 2a * c) * e \\
& ^6 * g + ((c^2d^5e^5 + 2b^2c^2e^6) * f + (2b^2c^2d^5e^5 + (b^2 + 2a * c) * e^6) * g) * m^ \\
& 5 + (2 * (6c^2d^5e^5 + 17b^2c^2e^6) * f - (5c^2d^2e^4 - 24b^2c^2d^2e^5 - 17 * (b \\
& ^2 + 2a * c) * e^6) * g) * m^4 + ((47c^2d^5e^5 + 214b^2c^2e^6) * f - (30c^2d^2e^4 \\
& - 94b^2c^2d^2e^5 - 107 * (b^2 + 2a * c) * e^6) * g) * m^3 + (2 * (36c^2d^5e^5 + 307b^2 \\
& c^2e^6) * f - (55c^2d^2e^4 - 144b^2c^2d^2e^5 - 307 * (b^2 + 2a * c) * e^6) * g) * m^2 \\
& + 6 * (6 * (c^2d^5e^5 + 22b^2c^2e^6) * f - (5c^2d^2e^4 - 12b^2c^2d^2e^5 - 66 * (b^2 \\
& + 2a * c) * e^6) * g) * m) * x^4 - ((36a * b * d^2e^4 - 155a^2d^2e^5 - 2 * (b^2 + 2a * \\
& c) * d^3e^3) * f - 2 * (2a * b * d^3e^3 - 9a^2d^2e^4) * g) * m^3 + (480a * b * e^6 * g + \\
& 240 * (b^2 + 2a * c) * e^6 * f + ((2b^2c^2d^5e^5 + (b^2 + 2a * c) * e^6) * f + (2a * b * e^ \\
& 6 + (b^2 + 2a * c) * d * e^5) * g) * m^5 - 2 * ((2c^2d^2e^4 - 14b^2c^2d^2e^5 - 9 * (b^2 \\
& + 2a * c) * e^6) * f + (4b^2c^2d^2e^4 - 18a * b * e^6 - 7 * (b^2 + 2a * c) * d * e^5) * g) * \\
& m^4 - ((36c^2d^2e^4 - 130b^2c^2d^2e^5 - 121 * (b^2 + 2a * c) * e^6) * f - (20c^2 \\
& * d^3e^3 - 72b^2c^2d^2e^4 + 242a * b * e^6 + 65 * (b^2 + 2a * c) * d * e^5) * g) * m^3 - \\
& 4 * ((20c^2d^2e^4 - 56b^2c^2d^2e^5 - 93 * (b^2 + 2a * c) * e^6) * f - (15c^2d^3e^ \\
& ^3 - 40b^2c^2d^2e^4 + 186a * b * e^6 + 28 * (b^2 + 2a * c) * d * e^5) * g) * m^2 - 4 * ((12 \\
& * c^2d^2e^4 - 30b^2c^2d^2e^5 - 127 * (b^2 + 2a * c) * e^6) * f - (10c^2d^3e^3 - \\
& 24b^2c^2d^2e^4 + 254a * b * e^6 + 15 * (b^2 + 2a * c) * d * e^5) * g) * m) * x^3 - (2 * (6b^2 \\
& c^2d^4e^2 + 119a * b * d^2e^4 - 290a^2d^2e^5 - 15 * (b^2 + 2a * c) * d^3e^3) * f - \\
& (60a * b * d^3e^3 - 119a^2d^2e^4 - 6 * (b^2 + 2a * c) * d^4e^2) * g) * m^2 + (720 \\
& * a * b * e^6 * f + 360a^2e^6 * g + ((2a * b * e^6 + (b^2 + 2a * c) * d * e^5) * f + (2a * b * \\
& d * e^5 + a^2e^6) * g) * m^5 - (2 * (3b^2c^2d^2e^4 - 19a * b * e^6 - 8 * (b^2 + 2a * c) * \\
& d * e^5) * f - (32a * b * d * e^5 + 19a^2e^6 - 3 * (b^2 + 2a * c) * d^2e^4) * g) * m^4 + ( \\
& (12c^2d^3e^3 - 72b^2c^2d^2e^4 + 274a * b * e^6 + 89 * (b^2 + 2a * c) * d * e^5) * f \\
& + (24b^2c^2d^3e^3 + 178a * b * d * e^5 + 137a^2e^6 - 36 * (b^2 + 2a * c) * d^2e^4) \\
& * g) * m^3 + (2 * (42c^2d^3e^3 - 123b^2c^2d^2e^4 + 461a * b * e^6 + 97 * (b^2 + 2a \\
& * c) * d * e^5) * f - (60c^2d^4e^2 - 168b^2c^2d^3e^3 - 388a * b * d * e^5 - 461a^2 \\
& * e^6 + 123 * (b^2 + 2a * c) * d^2e^4) * g) * m^2 + 6 * (2 * (6c^2d^3e^3 - 15b^2c^2d^2 \\
& * e^4 + 117a * b * e^6 + 10 * (b^2 + 2a * c) * d * e^5) * f - (10c^2d^4e^2 - 24b^2c^2d \\
& ^3e^3 - 40a * b * d * e^5 - 117a^2e^6 + 15 * (b^2 + 2a * c) * d^2e^4) * g) * m) * x^2 + \\
& 24 * (6c^2d^5e^5 - 15b^2c^2d^4e^2 - 30a * b * d^2e^4 + 30a^2d^2e^5 + 10 * (b^2 \\
& + 2a * c) * d^3e^3) * f - 12 * (10c^2d^6 - 24b^2c^2d^5e^5 - 40a * b * d^3e^3 + 30a \\
& ^2d^2e^4 + 15 * (b^2 + 2a * c) * d^4e^2) * g + 2 * (2 * (6c^2d^5e^5 - 33b^2c^2d^4e^ \\
& e^2 - 171a * b * d^2e^4 + 261a^2d^2e^5 + 37 * (b^2 + 2a * c) * d^3e^3) * f + (24b^2 \\
& * c^2d^5e^5 + 148a * b * d^3e^3 - 171a^2d^2e^4 - 33 * (b^2 + 2a * c) * d^4e^2) * g) \\
& * m + (720a^2e^6 * f + (a^2d^2e^5 * g + (2a * b * d * e^5 + a^2e^6) * f) * m^5 + 2 * ((1 \\
& 8a * b * d * e^5 + 10a^2e^6 - (b^2 + 2a * c) * d^2e^4) * f - (2a * b * d^2e^4 - 9a^2 \\
& * d * e^5) * g) * m^4 + ((12b^2c^2d^3e^3 + 238a * b * d * e^5 + 155a^2e^6 - 30 * (b^2 \\
& + 2a * c) * d^2e^4) * f - (60a * b * d^2e^4 - 119a^2d^2e^5 - 6 * (b^2 + 2a * c) * d^3 \\
& * e^3) * g) * m^3 - 2 * (2 * (6c^2d^4e^2 - 33b^2c^2d^3e^3 - 171a * b * d * e^5 - 145a \\
& ^2e^6 + 37 * (b^2 + 2a * c) * d^2e^4) * f + (24b^2c^2d^4e^2 + 148a * b * d^2e^4 - \\
& 171a^2d^2e^5 - 33 * (b^2 + 2a * c) * d^3e^3) * g) * m^2 - 12 * ((12c^2d^4e^2 - 30
\end{aligned}$$

$$*b*c*d^3*e^3 - 60*a*b*d*e^5 - 87*a^2*e^6 + 20*(b^2 + 2*a*c)*d^2*e^4)*f - (10*c^2*d^5*e - 24*b*c*d^4*e^2 - 40*a*b*d^2*e^4 + 30*a^2*d*e^5 + 15*(b^2 + 2*a*c)*d^3*e^3)*g)*m)*x)*(e*x + d)^m/(e^6*m^6 + 21*e^6*m^5 + 175*e^6*m^4 + 735*e^6*m^3 + 1624*e^6*m^2 + 1764*e^6*m + 720*e^6)$$

**giac [B]** time = 0.35, size = 4940, normalized size = 15.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)\*(c\*x^2+b\*x+a)^2,x, algorithm="giac")

[Out] ((x\*e + d)^m\*c^2\*g\*m^5\*x^6\*e^6 + (x\*e + d)^m\*c^2\*d\*g\*m^5\*x^5\*e^5 + (x\*e + d)^m\*c^2\*f\*m^5\*x^5\*e^6 + 2\*(x\*e + d)^m\*b\*c\*g\*m^5\*x^5\*e^6 + 15\*(x\*e + d)^m\*c^2\*g\*m^4\*x^6\*e^6 + (x\*e + d)^m\*c^2\*d\*f\*m^5\*x^4\*e^5 + 2\*(x\*e + d)^m\*b\*c\*d\*g\*m^5\*x^4\*e^5 + 10\*(x\*e + d)^m\*c^2\*d\*g\*m^4\*x^5\*e^5 - 5\*(x\*e + d)^m\*c^2\*d^2\*g\*m^4\*x^4\*e^4 + 2\*(x\*e + d)^m\*b\*c\*f\*m^5\*x^4\*e^6 + (x\*e + d)^m\*b^2\*g\*m^5\*x^4\*e^6 + 2\*(x\*e + d)^m\*a\*c\*g\*m^5\*x^4\*e^6 + 16\*(x\*e + d)^m\*c^2\*f\*m^4\*x^5\*e^6 + 32\*(x\*e + d)^m\*b\*c\*g\*m^4\*x^5\*e^6 + 85\*(x\*e + d)^m\*c^2\*g\*m^3\*x^6\*e^6 + 2\*(x\*e + d)^m\*b\*c\*d\*f\*m^5\*x^3\*e^5 + (x\*e + d)^m\*b^2\*d\*g\*m^5\*x^3\*e^5 + 2\*(x\*e + d)^m\*a\*c\*d\*g\*m^5\*x^3\*e^5 + 12\*(x\*e + d)^m\*c^2\*d\*f\*m^4\*x^4\*e^5 + 24\*(x\*e + d)^m\*b\*c\*d\*g\*m^4\*x^4\*e^5 + 35\*(x\*e + d)^m\*c^2\*d\*g\*m^3\*x^5\*e^5 - 4\*(x\*e + d)^m\*c^2\*d^2\*f\*m^4\*x^3\*e^4 - 8\*(x\*e + d)^m\*b\*c\*d^2\*g\*m^4\*x^3\*e^4 - 30\*(x\*e + d)^m\*c^2\*d^2\*g\*m^3\*x^4\*e^4 + 20\*(x\*e + d)^m\*c^2\*d^3\*g\*m^3\*x^3\*e^3 + (x\*e + d)^m\*b^2\*f\*m^5\*x^3\*e^6 + 2\*(x\*e + d)^m\*a\*c\*f\*m^5\*x^3\*e^6 + 2\*(x\*e + d)^m\*a\*b\*g\*m^5\*x^3\*e^6 + 34\*(x\*e + d)^m\*b\*c\*f\*m^4\*x^4\*e^6 + 17\*(x\*e + d)^m\*b^2\*g\*m^4\*x^4\*e^6 + 34\*(x\*e + d)^m\*a\*c\*g\*m^4\*x^4\*e^6 + 95\*(x\*e + d)^m\*c^2\*f\*m^3\*x^5\*e^6 + 190\*(x\*e + d)^m\*b\*c\*g\*m^3\*x^5\*e^6 + 225\*(x\*e + d)^m\*c^2\*g\*m^2\*x^6\*e^6 + (x\*e + d)^m\*b^2\*d\*f\*m^5\*x^2\*e^5 + 2\*(x\*e + d)^m\*a\*c\*d\*f\*m^5\*x^2\*e^5 + 2\*(x\*e + d)^m\*a\*b\*d\*g\*m^5\*x^2\*e^5 + 28\*(x\*e + d)^m\*b\*c\*d\*f\*m^4\*x^3\*e^5 + 14\*(x\*e + d)^m\*b^2\*d\*g\*m^4\*x^3\*e^5 + 28\*(x\*e + d)^m\*a\*c\*d\*g\*m^4\*x^3\*e^5 + 47\*(x\*e + d)^m\*c^2\*d\*f\*m^3\*x^4\*e^5 + 94\*(x\*e + d)^m\*b\*c\*d\*g\*m^3\*x^4\*e^5 + 50\*(x\*e + d)^m\*c^2\*d\*g\*m^2\*x^5\*e^5 - 6\*(x\*e + d)^m\*b\*c\*d^2\*f\*m^4\*x^2\*e^4 - 3\*(x\*e + d)^m\*b^2\*d^2\*g\*m^4\*x^2\*e^4 - 6\*(x\*e + d)^m\*a\*c\*d^2\*g\*m^4\*x^2\*e^4 - 36\*(x\*e + d)^m\*c^2\*d^2\*f\*m^3\*x^3\*e^4 - 72\*(x\*e + d)^m\*b\*c\*d^2\*g\*m^3\*x^3\*e^4 - 55\*(x\*e + d)^m\*c^2\*d^2\*g\*m^2\*x^4\*e^4 + 12\*(x\*e + d)^m\*c^2\*d^3\*f\*m^3\*x^2\*e^3 + 24\*(x\*e + d)^m\*b\*c\*d^3\*g\*m^3\*x^2\*e^3 + 60\*(x\*e + d)^m\*c^2\*d^3\*g\*m^2\*x^3\*e^3 - 60\*(x\*e + d)^m\*c^2\*d^4\*g\*m^2\*x^2\*e^2 + 2\*(x\*e + d)^m\*a\*b\*f\*m^5\*x^2\*e^6 + (x\*e + d)^m\*a^2\*g\*m^5\*x^2\*e^6 + 18\*(x\*e + d)^m\*b^2\*f\*m^4\*x^3\*e^6 + 36\*(x\*e + d)^m\*a\*c\*f\*m^4\*x^3\*e^6 + 36\*(x\*e + d)^m\*a\*b\*g\*m^4\*x^3\*e^6 + 214\*(x\*e + d)^m\*b\*c\*f\*m^3\*x^4\*e^6 + 107\*(x\*e + d)^m\*b^2\*g\*m^3\*x^4\*e^6 + 214\*(x\*e + d)^m\*a\*c\*g\*m^3\*x^4\*e^6 + 260\*(x\*e + d)^m\*c^2\*f\*m^2\*x^5\*e^6 + 520\*(x\*e + d)^m\*b\*c\*g\*m^2\*x^5\*e^6 + 274\*(x\*e + d)^m\*c^2\*g\*m\*x^6\*e^6 + 2\*(x\*e + d)^m\*a\*b\*d\*f\*m^5\*x^5\*e^5 + (x\*e + d)^m\*a^2\*d\*g\*m^5\*x^5\*e^5 + 16\*(x\*e + d)^m\*b^2\*d\*f\*m^4\*x^2\*e^5 + 32\*(x\*e + d)^m\*a\*c\*d\*f\*m^4\*x^2\*e^5 + 32\*(x\*e + d)^m\*a\*b\*d\*g\*m^4\*x^2\*e^5

$$\begin{aligned}
& + 130*(x*e + d)^m*b*c*d*f*m^3*x^3*e^5 + 65*(x*e + d)^m*b^2*d*g*m^3*x^3*e^5 \\
& + 130*(x*e + d)^m*a*c*d*g*m^3*x^3*e^5 + 72*(x*e + d)^m*c^2*d*f*m^2*x^4*e^5 \\
& + 144*(x*e + d)^m*b*c*d*g*m^2*x^4*e^5 + 24*(x*e + d)^m*c^2*d*g*m*x^5*e^5 - \\
& 2*(x*e + d)^m*b^2*d^2*f*m^4*x*e^4 - 4*(x*e + d)^m*a*c*d^2*f*m^4*x*e^4 - 4* \\
& (x*e + d)^m*a*b*d^2*g*m^4*x*e^4 - 72*(x*e + d)^m*b*c*d^2*f*m^3*x^2*e^4 - 36 \\
& *(x*e + d)^m*b^2*d^2*g*m^3*x^2*e^4 - 72*(x*e + d)^m*a*c*d^2*g*m^3*x^2*e^4 - \\
& 80*(x*e + d)^m*c^2*d^2*f*m^2*x^3*e^4 - 160*(x*e + d)^m*b*c*d^2*g*m^2*x^3*e \\
& ^4 - 30*(x*e + d)^m*c^2*d^2*g*m*x^4*e^4 + 12*(x*e + d)^m*b*c*d^3*f*m^3*x*e^ \\
& 3 + 6*(x*e + d)^m*b^2*d^3*g*m^3*x*e^3 + 12*(x*e + d)^m*a*c*d^3*g*m^3*x*e^3 \\
& + 84*(x*e + d)^m*c^2*d^3*f*m^2*x^2*e^3 + 168*(x*e + d)^m*b*c*d^3*g*m^2*x^2* \\
& e^3 + 40*(x*e + d)^m*c^2*d^3*g*m*x^3*e^3 - 24*(x*e + d)^m*c^2*d^4*f*m^2*x*e \\
& ^2 - 48*(x*e + d)^m*b*c*d^4*g*m^2*x*e^2 - 60*(x*e + d)^m*c^2*d^4*g*m*x^2*e^ \\
& 2 + 120*(x*e + d)^m*c^2*d^5*g*m*x*e + (x*e + d)^m*a^2*f*m^5*x*e^6 + 38*(x*e \\
& + d)^m*a*b*f*m^4*x^2*e^6 + 19*(x*e + d)^m*a^2*g*m^4*x^2*e^6 + 121*(x*e + d \\
& )^m*b^2*f*m^3*x^3*e^6 + 242*(x*e + d)^m*a*c*f*m^3*x^3*e^6 + 242*(x*e + d)^m \\
& *a*b*g*m^3*x^3*e^6 + 614*(x*e + d)^m*b*c*f*m^2*x^4*e^6 + 307*(x*e + d)^m*b^ \\
& 2*g*m^2*x^4*e^6 + 614*(x*e + d)^m*a*c*g*m^2*x^4*e^6 + 324*(x*e + d)^m*c^2*f \\
& *m*x^5*e^6 + 648*(x*e + d)^m*b*c*g*m*x^5*e^6 + 120*(x*e + d)^m*c^2*g*x^6*e^ \\
& 6 + (x*e + d)^m*a^2*d*f*m^5*e^5 + 36*(x*e + d)^m*a*b*d*f*m^4*x*e^5 + 18*(x* \\
& e + d)^m*a^2*d*g*m^4*x*e^5 + 89*(x*e + d)^m*b^2*d*f*m^3*x^2*e^5 + 178*(x*e \\
& + d)^m*a*c*d*f*m^3*x^2*e^5 + 178*(x*e + d)^m*a*b*d*g*m^3*x^2*e^5 + 224*(x*e \\
& + d)^m*b*c*d*f*m^2*x^3*e^5 + 112*(x*e + d)^m*b^2*d*g*m^2*x^3*e^5 + 224*(x* \\
& e + d)^m*a*c*d*g*m^2*x^3*e^5 + 36*(x*e + d)^m*c^2*d*f*m*x^4*e^5 + 72*(x*e + \\
& d)^m*b*c*d*g*m*x^4*e^5 - 2*(x*e + d)^m*a*b*d^2*f*m^4*e^4 - (x*e + d)^m*a^2 \\
& *d^2*g*m^4*e^4 - 30*(x*e + d)^m*b^2*d^2*f*m^3*x*e^4 - 60*(x*e + d)^m*a*c*d^ \\
& 2*f*m^3*x*e^4 - 60*(x*e + d)^m*a*b*d^2*g*m^3*x*e^4 - 246*(x*e + d)^m*b*c*d^ \\
& 2*f*m^2*x^2*e^4 - 123*(x*e + d)^m*b^2*d^2*g*m^2*x^2*e^4 - 246*(x*e + d)^m*a \\
& *c*d^2*g*m^2*x^2*e^4 - 48*(x*e + d)^m*c^2*d^2*f*m*x^3*e^4 - 96*(x*e + d)^m* \\
& b*c*d^2*g*m*x^3*e^4 + 2*(x*e + d)^m*b^2*d^3*f*m^3*e^3 + 4*(x*e + d)^m*a*c*d \\
& ^3*f*m^3*e^3 + 4*(x*e + d)^m*a*b*d^3*g*m^3*e^3 + 132*(x*e + d)^m*b*c*d^3*f* \\
& m^2*x*e^3 + 66*(x*e + d)^m*b^2*d^3*g*m^2*x*e^3 + 132*(x*e + d)^m*a*c*d^3*g* \\
& m^2*x*e^3 + 72*(x*e + d)^m*c^2*d^3*f*m*x^2*e^3 + 144*(x*e + d)^m*b*c*d^3*g* \\
& m*x^2*e^3 - 12*(x*e + d)^m*b*c*d^4*f*m^2*e^2 - 6*(x*e + d)^m*b^2*d^4*g*m^2* \\
& e^2 - 12*(x*e + d)^m*a*c*d^4*g*m^2*e^2 - 144*(x*e + d)^m*c^2*d^4*f*m*x*e^2 \\
& - 288*(x*e + d)^m*b*c*d^4*g*m*x*e^2 + 24*(x*e + d)^m*c^2*d^5*f*m*e + 48*(x* \\
& e + d)^m*b*c*d^5*g*m*e - 120*(x*e + d)^m*c^2*d^6*g + 20*(x*e + d)^m*a^2*f*m \\
& ^4*x*e^6 + 274*(x*e + d)^m*a*b*f*m^3*x^2*e^6 + 137*(x*e + d)^m*a^2*g*m^3*x^ \\
& 2*e^6 + 372*(x*e + d)^m*b^2*f*m^2*x^3*e^6 + 744*(x*e + d)^m*a*c*f*m^2*x^3*e \\
& ^6 + 744*(x*e + d)^m*a*b*g*m^2*x^3*e^6 + 792*(x*e + d)^m*b*c*f*m*x^4*e^6 + \\
& 396*(x*e + d)^m*b^2*g*m*x^4*e^6 + 792*(x*e + d)^m*a*c*g*m*x^4*e^6 + 144*(x* \\
& e + d)^m*c^2*f*x^5*e^6 + 288*(x*e + d)^m*b*c*g*x^5*e^6 + 20*(x*e + d)^m*a^2 \\
& *d*f*m^4*e^5 + 238*(x*e + d)^m*a*b*d*f*m^3*x*e^5 + 119*(x*e + d)^m*a^2*d*g* \\
& m^3*x*e^5 + 194*(x*e + d)^m*b^2*d*f*m^2*x^2*e^5 + 388*(x*e + d)^m*a*c*d*f*m \\
& ^2*x^2*e^5 + 388*(x*e + d)^m*a*b*d*g*m^2*x^2*e^5 + 120*(x*e + d)^m*b*c*d*f* \\
& m*x^3*e^5 + 60*(x*e + d)^m*b^2*d*g*m*x^3*e^5 + 120*(x*e + d)^m*a*c*d*g*m*x^
\end{aligned}$$

$$\begin{aligned}
& 3e^5 - 36*(xe + d)^{m*a*b*d^2*f*m^3e^4} - 18*(xe + d)^{m*a^2*d^2*g*m^3e^4} \\
& - 148*(xe + d)^{m*b^2*d^2*f*m^2*x^e^4} - 296*(xe + d)^{m*a*c*d^2*f*m^2*x^e^4} \\
& - 296*(xe + d)^{m*a*b*d^2*g*m^2*x^e^4} - 180*(xe + d)^{m*b*c*d^2*f*m*x^2e^4} \\
& - 90*(xe + d)^{m*b^2*d^2*g*m*x^2e^4} - 180*(xe + d)^{m*a*c*d^2*g*m*x^2e^4} \\
& + 30*(xe + d)^{m*b^2*d^3*f*m^2e^3} + 60*(xe + d)^{m*a*c*d^3*f*m^2e^3} + \\
& 60*(xe + d)^{m*a*b*d^3*g*m^2e^3} + 360*(xe + d)^{m*b*c*d^3*f*m*x^e^3} + 180* \\
& (xe + d)^{m*b^2*d^3*g*m*x^e^3} + 360*(xe + d)^{m*a*c*d^3*g*m*x^e^3} - 132*(x \\
& e + d)^{m*b*c*d^4*f*m^e^2} - 66*(xe + d)^{m*b^2*d^4*g*m^e^2} - 132*(xe + d)^{m \\
& *a*c*d^4*g*m^e^2} + 144*(xe + d)^{m*c^2*d^5*f^e} + 288*(xe + d)^{m*b*c*d^5*g^* \\
& e} + 155*(xe + d)^{m*a^2*f*m^3*x^e^6} + 922*(xe + d)^{m*a*b*f*m^2*x^2e^6} + 4 \\
& 61*(xe + d)^{m*a^2*g*m^2*x^2e^6} + 508*(xe + d)^{m*b^2*f*m*x^3e^6} + 1016*( \\
& xe + d)^{m*a*c*f*m*x^3e^6} + 1016*(xe + d)^{m*a*b*g*m*x^3e^6} + 360*(xe + \\
& d)^{m*b*c*f*x^4e^6} + 180*(xe + d)^{m*b^2*g*x^4e^6} + 360*(xe + d)^{m*a*c*g^* \\
& x^4e^6} + 155*(xe + d)^{m*a^2*d*f*m^3e^5} + 684*(xe + d)^{m*a*b*d*f*m^2*x^e^5} \\
& + 342*(xe + d)^{m*a^2*d*g*m^2*x^e^5} + 120*(xe + d)^{m*b^2*d*f*m*x^2e^5} \\
& + 240*(xe + d)^{m*a*c*d*f*m*x^2e^5} + 240*(xe + d)^{m*a*b*d*g*m*x^2e^5} - 2 \\
& 38*(xe + d)^{m*a*b*d^2*f*m^2e^4} - 119*(xe + d)^{m*a^2*d^2*g*m^2e^4} - 240* \\
& (xe + d)^{m*b^2*d^2*f*m*x^e^4} - 480*(xe + d)^{m*a*c*d^2*f*m*x^e^4} - 480*(x \\
& e + d)^{m*a*b*d^2*g*m*x^e^4} + 148*(xe + d)^{m*b^2*d^3*f*m^e^3} + 296*(xe + d \\
& )^{m*a*c*d^3*f*m^e^3} + 296*(xe + d)^{m*a*b*d^3*g*m^e^3} - 360*(xe + d)^{m*b*c \\
& *d^4*f^e^2} - 180*(xe + d)^{m*b^2*d^4*g^e^2} - 360*(xe + d)^{m*a*c*d^4*g^e^2} \\
& + 580*(xe + d)^{m*a^2*f*m^2*x^e^6} + 1404*(xe + d)^{m*a*b*f*m*x^2e^6} + 702* \\
& (xe + d)^{m*a^2*g*m*x^2e^6} + 240*(xe + d)^{m*b^2*f*x^3e^6} + 480*(xe + d) \\
& ^{m*a*c*f*x^3e^6} + 480*(xe + d)^{m*a*b*g*x^3e^6} + 580*(xe + d)^{m*a^2*d*f^* \\
& m^2e^5} + 720*(xe + d)^{m*a*b*d*f*m*x^e^5} + 360*(xe + d)^{m*a^2*d*g*m*x^e^5} \\
& - 684*(xe + d)^{m*a*b*d^2*f*m^e^4} - 342*(xe + d)^{m*a^2*d^2*g*m^e^4} + 240* \\
& (xe + d)^{m*b^2*d^3*f^e^3} + 480*(xe + d)^{m*a*c*d^3*f^e^3} + 480*(xe + d)^{m \\
& *a*b*d^3*g^e^3} + 1044*(xe + d)^{m*a^2*f*m*x^e^6} + 720*(xe + d)^{m*a*b*f*x^2 \\
& *e^6} + 360*(xe + d)^{m*a^2*g*x^2e^6} + 1044*(xe + d)^{m*a^2*d*f*m^e^5} - 720 \\
& *(xe + d)^{m*a*b*d^2*f^e^4} - 360*(xe + d)^{m*a^2*d^2*g^e^4} + 720*(xe + d)^{ \\
& m*a^2*f*x^e^6} + 720*(xe + d)^{m*a^2*d*f^e^5}/(m^6e^6 + 21*m^5e^6 + 175*m^ \\
& 4e^6 + 735*m^3e^6 + 1624*m^2e^6 + 1764*m^e^6 + 720e^6)
\end{aligned}$$

**maple [B]** time = 0.02, size = 2563, normalized size = 8.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((e*x+d)^m*(g*x+f)*(c*x^2+b*x+a)^2, x)$

[Out]  $-(e*x+d)^{(m+1)}*(-c^2*e^5*g*m^5*x^5-2*b*c*e^5*g*m^5*x^4-c^2*e^5*f*m^5*x^4-15*c^2*e^5*g*m^4*x^5-2*a*c*e^5*g*m^5*x^3-b^2*e^5*g*m^5*x^3-2*b*c*e^5*f*m^5*x^3-32*b*c*e^5*g*m^4*x^4+5*c^2*d*e^4*g*m^4*x^4-16*c^2*e^5*f*m^4*x^4-85*c^2*e^5*g*m^3*x^5-2*a*b*e^5*g*m^5*x^2-2*a*c*e^5*f*m^5*x^2-34*a*c*e^5*g*m^4*x^3-b^2*e^5*f*m^5*x^2-17*b^2*e^5*g*m^4*x^3+8*b*c*d*e^4*g*m^4*x^3-34*b*c*e^5*f*m^4$

$x^3-190*b*c*e^5*g*m^3*x^4+4*c^2*d*e^4*f*m^4*x^3+50*c^2*d*e^4*g*m^3*x^4-95*c^2*e^5*f*m^3*x^4-225*c^2*e^5*g*m^2*x^5-a^2*e^5*g*m^5*x-2*a*b*e^5*f*m^5*x-36*a*b*e^5*g*m^4*x^2+6*a*c*d*e^4*g*m^4*x^2-36*a*c*e^5*f*m^4*x^2-214*a*c*e^5*g*m^3*x^3+3*b^2*d*e^4*g*m^4*x^2-18*b^2*e^5*f*m^4*x^2-107*b^2*e^5*g*m^3*x^3+6*b*c*d*e^4*f*m^4*x^2+96*b*c*d*e^4*g*m^3*x^3-214*b*c*e^5*f*m^3*x^3-520*b*c*e^5*g*m^2*x^4-20*c^2*d^2*e^3*g*m^3*x^3+48*c^2*d*e^4*f*m^3*x^3+175*c^2*d*e^4*g*m^2*x^4-260*c^2*e^5*f*m^2*x^4-274*c^2*e^5*g*m*x^5-a^2*e^5*f*m^5-19*a^2*e^5*g*m^4*x+4*a*b*d*e^4*g*m^4*x-38*a*b*e^5*f*m^4*x-242*a*b*e^5*g*m^3*x^2+4*a*c*d*e^4*f*m^4*x+84*a*c*d*e^4*g*m^3*x^2-242*a*c*e^5*f*m^3*x^2-614*a*c*e^5*g*m^2*x^3+2*b^2*d*e^4*f*m^4*x+42*b^2*d*e^4*g*m^3*x^2-121*b^2*e^5*f*m^3*x^2-307*b^2*e^5*g*m^2*x^3-24*b*c*d^2*e^3*g*m^3*x^2+84*b*c*d*e^4*f*m^3*x^2+376*b*c*d*e^4*g*m^2*x^3-614*b*c*e^5*f*m^2*x^3-648*b*c*e^5*g*m*x^4-12*c^2*d^2*e^3*f*m^3*x^2-120*c^2*d^2*e^3*g*m^2*x^3+188*c^2*d*e^4*f*m^2*x^3+250*c^2*d*e^4*g*m*x^4-324*c^2*e^5*f*m*x^4-120*c^2*e^5*g*x^5+a^2*d*e^4*g*m^4-20*a^2*e^5*f*m^4-137*a^2*e^5*g*m^3*x+2*a*b*d*e^4*f*m^4+64*a*b*d*e^4*g*m^3*x-274*a*b*e^5*f*m^3*x-744*a*b*e^5*g*m^2*x^2-12*a*c*d^2*e^3*g*m^3*x+64*a*c*d*e^4*f*m^3*x+390*a*c*d*e^4*g*m^2*x^2-744*a*c*e^5*f*m^2*x^2-792*a*c*e^5*g*m*x^3-6*b^2*d^2*e^3*g*m^3*x+32*b^2*d*e^4*f*m^3*x+195*b^2*d*e^4*g*m^2*x^2-372*b^2*e^5*f*m^2*x^2-396*b^2*e^5*g*m*x^3-12*b*c*d^2*e^3*f*m^3*x-216*b*c*d^2*e^3*g*m^2*x^2+390*b*c*d*e^4*f*m^2*x^2+576*b*c*d*e^4*g*m*x^3-792*b*c*e^5*f*m*x^3-288*b*c*e^5*g*x^4+60*c^2*d^3*e^2*g*m^2*x^2-108*c^2*d^2*e^3*f*m^2*x^2-220*c^2*d^2*e^3*g*m*x^3+288*c^2*d*e^4*f*m*x^3+120*c^2*d*e^4*g*x^4-144*c^2*e^5*f*x^4+18*a^2*d*e^4*g*m^3-155*a^2*e^5*f*m^3-461*a^2*e^5*g*m^2*x-4*a*b*d^2*e^3*g*m^3+36*a*b*d*e^4*f*m^3+356*a*b*d*e^4*g*m^2*x-922*a*b*e^5*f*m^2*x-1016*a*b*e^5*g*m*x^2-4*a*c*d^2*e^3*f*m^3-144*a*c*d^2*e^3*g*m^2*x+356*a*c*d*e^4*f*m^2*x+672*a*c*d*e^4*g*m*x^2-1016*a*c*e^5*f*m*x^2-360*a*c*e^5*g*x^3-2*b^2*d^2*e^3*f*m^3-72*b^2*d^2*e^3*g*m^2*x+178*b^2*d*e^4*f*m^2*x+336*b^2*d*e^4*g*m*x^2-508*b^2*e^5*f*m*x^2-180*b^2*e^5*g*x^3+48*b*c*d^3*e^2*g*m^2*x-144*b*c*d^2*e^3*f*m^2*x-480*b*c*d^2*e^3*g*m*x^2+672*b*c*d*e^4*f*m*x^2+288*b*c*d*e^4*g*x^3-360*b*c*e^5*f*x^3+24*c^2*d^3*e^2*f*m^2*x+180*c^2*d^3*e^2*g*m*x^2-240*c^2*d^2*e^3*f*m*x^2-120*c^2*d^2*e^3*g*x^3+144*c^2*d*e^4*f*x^3+119*a^2*d*e^4*g*m^2-580*a^2*e^5*f*m^2-702*a^2*e^5*g*m*x-60*a*b*d^2*e^3*g*m^2+238*a*b*d*e^4*f*m^2+776*a*b*d*e^4*g*m*x-1404*a*b*e^5*f*m*x-480*a*b*e^5*g*x^2+12*a*c*d^3*e^2*g*m^2-60*a*c*d^2*e^3*f*m^2-492*a*c*d^2*e^3*g*m*x+776*a*c*d*e^4*f*m*x+360*a*c*d*e^4*g*x^2-480*a*c*e^5*f*x^2+6*b^2*d^3*e^2*g*m^2-30*b^2*d^2*e^3*f*m^2-246*b^2*d^2*e^3*g*m*x+388*b^2*d*e^4*f*m*x+180*b^2*d*e^4*g*x^2-240*b^2*e^5*f*x^2+12*b*c*d^3*e^2*f*m^2+336*b*c*d^3*e^2*g*m*x-492*b*c*d^2*e^3*f*m*x-288*b*c*d^2*e^3*g*x^2+360*b*c*d*e^4*f*x^2-120*c^2*d^4*e*g*m*x+168*c^2*d^3*e^2*f*m*x+120*c^2*d^3*e^2*g*x^2-144*c^2*d^2*e^3*f*x^2+342*a^2*d*e^4*g*m-1044*a^2*e^5*f*m-360*a^2*e^5*g*x-296*a*b*d^2*e^3*g*m+684*a*b*d*e^4*f*m+480*a*b*d*e^4*g*x-720*a*b*e^5*f*x+132*a*c*d^3*e^2*g*m-296*a*c*d^2*e^3*f*m-360*a*c*d^2*e^3*g*x+480*a*c*d*e^4*f*x+66*b^2*d^3*e^2*g*m-148*b^2*d^2*e^3*f*m-180*b^2*d^2*e^3*g*x+240*b^2*d*e^4*f*x-48*b*c*d^4*e*g*m+132*b*c*d^3*e^2*f*m+288*b*c*d^3*e^2*g*x-360*b*c*d^2*e^3*f*x-24*c^2*d^4*e*f*m-120*c^2*d^4*e*g*x+144*c^2*d^3*e^2*f*x+360*a^2*d*e^4*g-720*a^2*e^5*f-480*a*b*d^2*e^3*g+720*a*b*d*e^4*f+360*a*c*d^3*e^2$

\*g-480\*a\*c\*d^2\*e^3\*f+180\*b^2\*d^3\*e^2\*g-240\*b^2\*d^2\*e^3\*f-288\*b\*c\*d^4\*e\*g+36  
0\*b\*c\*d^3\*e^2\*f+120\*c^2\*d^5\*g-144\*c^2\*d^4\*e\*f)/e^6/(m^6+21\*m^5+175\*m^4+735\*  
m^3+1624\*m^2+1764\*m+720)

**maxima [B]** time = 0.67, size = 1118, normalized size = 3.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)^m\*(g\*x+f)\*(c\*x^2+b\*x+a)^2,x, algorithm="maxima")

[Out]  $2*(e^2*(m+1)*x^2 + d*e*m*x - d^2)*(e*x + d)^m*a*b*f/((m^2 + 3*m + 2)*e^2) + (e^2*(m+1)*x^2 + d*e*m*x - d^2)*(e*x + d)^m*a^2*g/((m^2 + 3*m + 2)*e^2) + (e*x + d)^{(m+1)}*a^2*f/(e*(m+1)) + ((m^2 + 3*m + 2)*e^3*x^3 + (m^2 + m)*d*e^2*x^2 - 2*d^2*e*m*x + 2*d^3)*(e*x + d)^m*b^2*f/((m^3 + 6*m^2 + 11*m + 6)*e^3) + 2*((m^2 + 3*m + 2)*e^3*x^3 + (m^2 + m)*d*e^2*x^2 - 2*d^2*e*m*x + 2*d^3)*(e*x + d)^m*a*c*f/((m^3 + 6*m^2 + 11*m + 6)*e^3) + 2*((m^2 + 3*m + 2)*e^3*x^3 + (m^2 + m)*d*e^2*x^2 - 2*d^2*e*m*x + 2*d^3)*(e*x + d)^m*a*b*g/((m^3 + 6*m^2 + 11*m + 6)*e^3) + 2*((m^3 + 6*m^2 + 11*m + 6)*e^4*x^4 + (m^3 + 3*m^2 + 2*m)*d*e^3*x^3 - 3*(m^2 + m)*d^2*e^2*x^2 + 6*d^3*e*m*x - 6*d^4)*(e*x + d)^m*b*c*f/((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^4) + ((m^3 + 6*m^2 + 11*m + 6)*e^4*x^4 + (m^3 + 3*m^2 + 2*m)*d*e^3*x^3 - 3*(m^2 + m)*d^2*e^2*x^2 + 6*d^3*e*m*x - 6*d^4)*(e*x + d)^m*b^2*g/((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^4) + 2*((m^3 + 6*m^2 + 11*m + 6)*e^4*x^4 + (m^3 + 3*m^2 + 2*m)*d*e^3*x^3 - 3*(m^2 + m)*d^2*e^2*x^2 + 6*d^3*e*m*x - 6*d^4)*(e*x + d)^m*a*c*g/((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^4) + ((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^5*x^5 + (m^4 + 6*m^3 + 11*m^2 + 6*m)*d*e^4*x^4 - 4*(m^3 + 3*m^2 + 2*m)*d^2*e^3*x^3 + 12*(m^2 + m)*d^3*e^2*x^2 - 24*d^4*e*m*x + 24*d^5)*(e*x + d)^m*c^2*f/((m^5 + 15*m^4 + 85*m^3 + 225*m^2 + 274*m + 120)*e^5) + 2*((m^4 + 10*m^3 + 35*m^2 + 50*m + 24)*e^5*x^5 + (m^4 + 6*m^3 + 11*m^2 + 6*m)*d*e^4*x^4 - 4*(m^3 + 3*m^2 + 2*m)*d^2*e^3*x^3 + 12*(m^2 + m)*d^3*e^2*x^2 - 24*d^4*e*m*x + 24*d^5)*(e*x + d)^m*b*c*g/((m^5 + 15*m^4 + 85*m^3 + 225*m^2 + 274*m + 120)*e^5) + ((m^5 + 15*m^4 + 85*m^3 + 225*m^2 + 274*m + 120)*e^6*x^6 + (m^5 + 10*m^4 + 35*m^3 + 50*m^2 + 24*m)*d*e^5*x^5 - 5*(m^4 + 6*m^3 + 11*m^2 + 6*m)*d^2*e^4*x^4 + 20*(m^3 + 3*m^2 + 2*m)*d^3*e^3*x^3 - 60*(m^2 + m)*d^4*e^2*x^2 + 120*d^5*e*m*x - 120*d^6)*(e*x + d)^m*c^2*g/((m^6 + 21*m^5 + 175*m^4 + 735*m^3 + 1624*m^2 + 1764*m + 720)*e^6)$

**mupad [B]** time = 4.38, size = 2307, normalized size = 7.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f + g\*x)\*(d + e\*x)^m\*(a + b\*x + c\*x^2)^2,x)

[Out]  $((d + e*x)^m*(240*b^2*d^3*e^3*f - 360*a^2*d^2*e^4*g - 120*c^2*d^6*g - 180*b$



$$\begin{aligned}
& ^2*d^4*e^2*g + 720*a^2*d*e^5*f + 144*c^2*d^5*e*f - 720*a*b*d^2*e^4*f + 480* \\
& a*b*d^3*e^3*g + 480*a*c*d^3*e^3*f - 360*a*c*d^4*e^2*g - 360*b*c*d^4*e^2*f + \\
& 1044*a^2*d*e^5*f*m + 24*c^2*d^5*e*f*m + 580*a^2*d*e^5*f*m^2 + 155*a^2*d*e^ \\
& 5*f*m^3 + 20*a^2*d*e^5*f*m^4 + a^2*d*e^5*f*m^5 - 342*a^2*d^2*e^4*g*m + 148* \\
& b^2*d^3*e^3*f*m - 66*b^2*d^4*e^2*g*m + 288*b*c*d^5*e*g - 119*a^2*d^2*e^4*g* \\
& m^2 + 30*b^2*d^3*e^3*f*m^2 - 18*a^2*d^2*e^4*g*m^3 + 2*b^2*d^3*e^3*f*m^3 - a \\
& ^2*d^2*e^4*g*m^4 - 6*b^2*d^4*e^2*g*m^2 + 48*b*c*d^5*e*g*m - 684*a*b*d^2*e^4 \\
& *f*m + 296*a*b*d^3*e^3*g*m + 296*a*c*d^3*e^3*f*m - 132*a*c*d^4*e^2*g*m - 13 \\
& 2*b*c*d^4*e^2*f*m - 238*a*b*d^2*e^4*f*m^2 - 36*a*b*d^2*e^4*f*m^3 - 2*a*b*d^ \\
& 2*e^4*f*m^4 + 60*a*b*d^3*e^3*g*m^2 + 60*a*c*d^3*e^3*f*m^2 + 4*a*b*d^3*e^3*g \\
& *m^3 + 4*a*c*d^3*e^3*f*m^3 - 12*a*c*d^4*e^2*g*m^2 - 12*b*c*d^4*e^2*f*m^2))/ \\
& (e^6*(1764*m + 1624*m^2 + 735*m^3 + 175*m^4 + 21*m^5 + m^6 + 720)) + (x*(d \\
& + e*x)^m*(720*a^2*e^6*f + 580*a^2*e^6*f*m^2 + 155*a^2*e^6*f*m^3 + 20*a^2*e^ \\
& 6*f*m^4 + a^2*e^6*f*m^5 + 1044*a^2*e^6*f*m + 360*a^2*d*e^5*g*m + 120*c^2*d^ \\
& 5*e*g*m - 240*b^2*d^2*e^4*f*m + 342*a^2*d*e^5*g*m^2 + 119*a^2*d*e^5*g*m^3 + \\
& 18*a^2*d*e^5*g*m^4 + a^2*d*e^5*g*m^5 + 180*b^2*d^3*e^3*g*m - 144*c^2*d^4*e \\
& ^2*f*m - 148*b^2*d^2*e^4*f*m^2 - 30*b^2*d^2*e^4*f*m^3 - 2*b^2*d^2*e^4*f*m^4 \\
& + 66*b^2*d^3*e^3*g*m^2 - 24*c^2*d^4*e^2*f*m^2 + 6*b^2*d^3*e^3*g*m^3 + 720* \\
& a*b*d*e^5*f*m + 684*a*b*d*e^5*f*m^2 + 238*a*b*d*e^5*f*m^3 + 36*a*b*d*e^5*f* \\
& m^4 + 2*a*b*d*e^5*f*m^5 - 480*a*b*d^2*e^4*g*m - 480*a*c*d^2*e^4*f*m + 360*a \\
& *c*d^3*e^3*g*m + 360*b*c*d^3*e^3*f*m - 288*b*c*d^4*e^2*g*m - 296*a*b*d^2*e^ \\
& 4*g*m^2 - 296*a*c*d^2*e^4*f*m^2 - 60*a*b*d^2*e^4*g*m^3 - 60*a*c*d^2*e^4*f*m \\
& ^3 - 4*a*b*d^2*e^4*g*m^4 - 4*a*c*d^2*e^4*f*m^4 + 132*a*c*d^3*e^3*g*m^2 + 13 \\
& 2*b*c*d^3*e^3*f*m^2 + 12*a*c*d^3*e^3*g*m^3 + 12*b*c*d^3*e^3*f*m^3 - 48*b*c* \\
& d^4*e^2*g*m^2))/(e^6*(1764*m + 1624*m^2 + 735*m^3 + 175*m^4 + 21*m^5 + m^6 \\
& + 720)) + (x^3*(d + e*x)^m*(3*m + m^2 + 2)*(120*b^2*e^3*f + 15*b^2*e^3*f*m^ \\
& 2 + b^2*e^3*f*m^3 + 240*a*b*e^3*g + 240*a*c*e^3*f + 74*b^2*e^3*f*m + 20*c^2 \\
& *d^3*g*m + 30*a*b*e^3*g*m^2 + 30*a*c*e^3*f*m^2 + 2*a*b*e^3*g*m^3 + 2*a*c*e^ \\
& 3*f*m^3 + 30*b^2*d*e^2*g*m - 24*c^2*d^2*e*f*m + 11*b^2*d*e^2*g*m^2 - 4*c^2* \\
& d^2*e*f*m^2 + b^2*d*e^2*g*m^3 + 148*a*b*e^3*g*m + 148*a*c*e^3*f*m + 60*a*c* \\
& d*e^2*g*m + 60*b*c*d*e^2*f*m - 48*b*c*d^2*e*g*m + 22*a*c*d*e^2*g*m^2 + 22*b \\
& *c*d*e^2*f*m^2 + 2*a*c*d*e^2*g*m^3 + 2*b*c*d*e^2*f*m^3 - 8*b*c*d^2*e*g*m^2) \\
& )/(e^3*(1764*m + 1624*m^2 + 735*m^3 + 175*m^4 + 21*m^5 + m^6 + 720)) + (x^4 \\
& *(d + e*x)^m*(11*m + 6*m^2 + m^3 + 6)*(30*b^2*e^2*g + b^2*e^2*g*m^2 + 60*a* \\
& c*e^2*g + 60*b*c*e^2*f + 11*b^2*e^2*g*m - 5*c^2*d^2*g*m + 2*a*c*e^2*g*m^2 + \\
& 2*b*c*e^2*f*m^2 + c^2*d*e*f*m^2 + 22*a*c*e^2*g*m + 22*b*c*e^2*f*m + 6*c^2* \\
& d*e*f*m + 2*b*c*d*e*g*m^2 + 12*b*c*d*e*g*m))/(e^2*(1764*m + 1624*m^2 + 735* \\
& m^3 + 175*m^4 + 21*m^5 + m^6 + 720)) + (c^2*g*x^6*(d + e*x)^m*(274*m + 225* \\
& m^2 + 85*m^3 + 15*m^4 + m^5 + 120))/(1764*m + 1624*m^2 + 735*m^3 + 175*m^4 \\
& + 21*m^5 + m^6 + 720) + (x^2*(m + 1)*(d + e*x)^m*(360*a^2*e^4*g + 119*a^2*e \\
& ^4*g*m^2 + 18*a^2*e^4*g*m^3 + a^2*e^4*g*m^4 + 720*a*b*e^4*f + 342*a^2*e^4*g \\
& *m - 60*c^2*d^4*g*m + 238*a*b*e^4*f*m^2 + 36*a*b*e^4*f*m^3 + 2*a*b*e^4*f*m^ \\
& 4 + 120*b^2*d*e^3*f*m + 72*c^2*d^3*e*f*m + 74*b^2*d*e^3*f*m^2 + 15*b^2*d*e^ \\
& 3*f*m^3 + b^2*d*e^3*f*m^4 - 90*b^2*d^2*e^2*g*m + 12*c^2*d^3*e*f*m^2 + 684*a \\
& *b*e^4*f*m - 33*b^2*d^2*e^2*g*m^2 - 3*b^2*d^2*e^2*g*m^3 + 240*a*b*d*e^3*g*m
\end{aligned}$$

$$\begin{aligned}
& + 240*a*c*d*e^3*f*m + 144*b*c*d^3*e*g*m + 148*a*b*d*e^3*g*m^2 + 148*a*c*d* \\
& e^3*f*m^2 + 30*a*b*d*e^3*g*m^3 + 30*a*c*d*e^3*f*m^3 + 2*a*b*d*e^3*g*m^4 + 2 \\
& *a*c*d*e^3*f*m^4 - 180*a*c*d^2*e^2*g*m - 180*b*c*d^2*e^2*f*m + 24*b*c*d^3*e \\
& *g*m^2 - 66*a*c*d^2*e^2*g*m^2 - 66*b*c*d^2*e^2*f*m^2 - 6*a*c*d^2*e^2*g*m^3 \\
& - 6*b*c*d^2*e^2*f*m^3)/(e^4*(1764*m + 1624*m^2 + 735*m^3 + 175*m^4 + 21*m^ \\
& 5 + m^6 + 720)) + (c*x^5*(d + e*x)^m*(50*m + 35*m^2 + 10*m^3 + m^4 + 24)*(1 \\
& 2*b*e*g + 6*c*e*f + 2*b*e*g*m + c*d*g*m + c*e*f*m))/(e*(1764*m + 1624*m^2 + \\
& 735*m^3 + 175*m^4 + 21*m^5 + m^6 + 720))
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x+d)\*\*m\*(g\*x+f)\*(c\*x\*\*2+b\*x+a)\*\*2,x)

[Out] Timed out

# Chapter 4

# Appendix

## Local contents

- 4.1 Download section . . . . .3856
- 4.2 Listing of Grading functions . . . . .3856

## 4.1 Download section

The following zip files contain the raw integrals used in this test.

This is a subset of Rubi test suite thanks to Albert Rich, which includes only the algebraic integrals with elementray optimal antiderivatives. It also includes a subset of a test file provided thanks to Sam Blake.

**Mathematica format** Mathematica\_syntax\_CAS\_integration\_elementary\_version.zip

**Maple and Mupad format** Maple\_syntax\_CAS\_integration\_elementary\_version.zip

**Sympy format** SYMPY\_syntax\_CAS\_integration\_elementary\_version.zip

**Sage math format** SAGE\_syntax\_CAS\_integration\_elementary\_version.zip

## 4.2 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.2.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
```

```

If[ExpnType[result]<=ExpnType[optimal],
  If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
    If[LeafCount[result]<=2*LeafCount[optimal],
      "A",
      "B"],
    "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]]],
  If[Head[expn]===Plus || Head[expn]===Times,
    Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
  If[ElementaryFunctionQ[Head[expn]],
    Max[3,ExpnType[expn[[1]]]],
  If[SpecialFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
  If[HypergeometricFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
  If[AppellFunctionQ[Head[expn]],

```

```

    Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
    If[Head[expn]===RootSum,
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
    If[Head[expn]===Integrate || Head[expn]===Int,
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
    9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

AppellFunctionQ[func_] :=
  MemberQ[{AppellF1}, func]

```

## 4.2.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```



```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:
```

### 4.2.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
                 asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
                 asinh,acosh,atanh,acoth,asech,acsch
                 ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
                 fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
                 gamma,loggamma,digamma,zeta,polylog,LambertW,
                 elliptic_f,elliptic_e,elliptic_pi,exp_polar
                 ]

def is_hypergeometric_function(func):
  return func in [hyper]

def is_appell_function(func):
  return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
    ))
    else:
        return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type
(expn,'`*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

## 4.2.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: # isinstance(expr, Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```



```

        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(4,m1) #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(5,m1) #max(5,m1)
    elif is_appell_function(expn.operator()):
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(6,m1) #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```