

Computer Algebra Independent Integration Tests

Summer 2023 edition

4-Trig-functions/4.5-Secant/116-4.5.10-c+d-x^m-a+b-secⁿ

Nasser M. Abbasi

September 5, 2023

Compiled on September 5, 2023 at 1:34pm

Contents

1	Introduction	3
2	detailed summary tables of results	21
3	Listing of integrals	37
4	Appendix	321

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Time and leaf size Performance	8
1.4	Performance based on number of rules Rubi used	10
1.5	Performance based on number of steps Rubi used	11
1.6	Solved integrals histogram based on leaf size of result	12
1.7	Solved integrals histogram based on CPU time used	13
1.8	Leaf size vs. CPU time used	14
1.9	list of integrals with no known antiderivative	15
1.10	List of integrals solved by CAS but has no known antiderivative	15
1.11	list of integrals solved by CAS but failed verification	15
1.12	Timing	16
1.13	Verification	16
1.14	Important notes about some of the results	16
1.15	Design of the test system	19

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [46]. This is test number [116].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 13.3.1 (August 16, 2023) on windows 10.
2. Rubi 4.16.1 (Dec 19, 2018) on Mathematica 13.3 on windows 10
3. Maple 2023.1 (July, 12, 2023) on windows 10.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.3.0 on Linux via sagemath 10.1 (Aug 20, 2023).
5. FriCAS 1.3.9 (July 8, 2023) based on sbcl 2.3.0 on Linux via sagemath 10.1 (Aug 20, 2023).
6. Giac/Xcas 1.9.0-57 (June 26, 2023) on Linux via sagemath 10.1 (Aug 20, 2023).
7. Sympy 1.12 (May 10, 2023) Using Python 3.11.3 on Linux.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or `Hypergeometric2F1` functions. `RootSum` and `RootOf` are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (46)	0.00 (0)
Mathematica	100.00 (46)	0.00 (0)
Fricas	100.00 (46)	0.00 (0)
Maple	91.30 (42)	8.70 (4)
Maxima	78.26 (36)	21.74 (10)
Mupad	52.17 (24)	47.83 (22)
Giac	52.17 (24)	47.83 (22)
Sympy	43.48 (20)	56.52 (26)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	52.174	0.000	0.000	47.826
Mathematica	41.304	10.870	0.000	47.826
Maple	13.043	30.435	0.000	56.522
Fricas	4.348	47.826	0.000	47.826
Giac	0.000	4.348	0.000	95.652
Mupad	0.000	4.348	0.000	95.652
Maxima	0.000	30.435	0.000	69.565
Sympy	0.000	0.000	0.000	100.000

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of

error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Mathematica	0	0.00	0.00	0.00
Fricas	0	0.00	0.00	0.00
Maple	4	100.00	0.00	0.00
Maxima	10	40.00	0.00	60.00
Mupad	22	0.00	100.00	0.00
Giac	22	100.00	0.00	0.00
Sympy	26	92.31	7.69	0.00

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Fricas	0.33
Rubi	0.38
Maple	0.66
Sympy	2.53
Maxima	3.43
Giac	4.25
Mathematica	8.27
Mupad	14.01

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Sympy	32.35	1.66	19.50	0.97
Mupad	35.08	1.23	24.00	1.20
Giac	63.25	1.40	22.00	1.10
Rubi	180.33	1.00	80.00	1.00
Maple	278.38	1.64	20.00	1.00
Fricas	713.30	2.92	141.00	2.80
Mathematica	872.39	1.81	95.50	1.10
Maxima	1101.83	28.19	516.00	8.01

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram show that the percentage of solved integrals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fricas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{4, 5, 9, 10, 14, 15, 19, 20, 21, 22, 23, 27, 28, 32, 33, 37, 38, 42, 43, 44, 45, 46}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {}

Mathematica {12, 16, 17, 41}

Maple {}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
```

```
x, aa = expr.operator(), expr.operands()
if x is None:
    return 1
else:
    return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
June 27, 2023
Design v1.0a

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	22
2.2	Detailed conclusion table per each integral for all CAS systems	25
2.3	Detailed conclusion table specific for Rubi results	35

2.1 List of integrals sorted by grade for each CAS

Rubi	22
Mma	22
Maple	23
Fricas	23
Maxima	23
Giac	23
Mupad	24
Sympy	24

Rubi

A grade { 1, 2, 3, 6, 7, 8, 11, 12, 13, 16, 17, 18, 24, 25, 26, 29, 30, 31, 34, 35, 36, 39, 40, 41 }

B grade { }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 6, 7, 8, 11, 13, 18, 24, 25, 26, 29, 30, 31, 34, 35, 36, 41 }

B grade { 12, 16, 17, 39, 40 }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple**A grade** { 3, 8, 13, 18, 26, 31 }**B grade** { 1, 2, 6, 7, 11, 12, 16, 17, 24, 25, 29, 30, 36, 41 }**C grade** { }**F normal fail** { 34, 35, 39, 40 }**F(-1) timeout fail** { }**F(-2) exception fail** { }**Fricas****A grade** { 13, 18 }**B grade** { 1, 2, 3, 6, 7, 8, 11, 12, 16, 17, 24, 25, 26, 29, 30, 31, 34, 35, 36, 39, 40, 41 }**C grade** { }**F normal fail** { }**F(-1) timeout fail** { }**F(-2) exception fail** { }**Maxima****A grade** { }**B grade** { 1, 2, 6, 7, 11, 12, 13, 16, 17, 18, 24, 25, 29, 30 }**C grade** { }**F normal fail** { 3, 8, 26, 31 }**F(-1) timeout fail** { }**F(-2) exception fail** { 34, 35, 36, 39, 40, 41 }**Giac****A grade** { }**B grade** { 13, 18 }**C grade** { }**F normal fail** { 1, 2, 3, 6, 7, 8, 11, 12, 16, 17, 24, 25, 26, 29, 30, 31, 34, 35, 36, 39, 40, 41 }**F(-1) timeout fail** { }**F(-2) exception fail** { }

Mupad

A grade { }

B grade { 13, 18 }

C grade { }

F normal fail { }

F(-1) timedout fail { 1, 2, 3, 6, 7, 8, 11, 12, 16, 17, 24, 25, 26, 29, 30, 31, 34, 35, 36, 39, 40, 41
}

F(-2) exception fail { }

Sympy

A grade { }

B grade { }

C grade { }

F normal fail { 1, 2, 3, 6, 7, 8, 11, 12, 13, 16, 17, 18, 24, 25, 26, 29, 30, 31, 34, 35, 36, 39, 40, 41
}

F(-1) timedout fail { 21, 44 }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	B	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	227	227	218	756	936	1085	0	0	0
N.S.	1	1.00	0.96	3.33	4.12	4.78	0.00	0.00	0.00
time (sec)	N/A	0.257	0.125	1.459	0.432	0.345	0.000	0.000	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	B	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	151	440	516	675	0	0	0
N.S.	1	1.00	0.96	2.80	3.29	4.30	0.00	0.00	0.00
time (sec)	N/A	0.174	0.152	1.340	0.400	0.344	0.000	0.000	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	87	142	0	343	0	0	0
N.S.	1	1.00	0.94	1.53	0.00	3.69	0.00	0.00	0.00
time (sec)	N/A	0.082	0.062	0.389	0.000	0.330	0.000	0.000	0.000

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	116	20	22	20	22
N.S.	1	1.00	1.11	1.00	6.44	1.11	1.22	1.11	1.22
time (sec)	N/A	0.031	6.839	0.436	0.540	0.302	0.655	0.395	12.767

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	172	31	46	20	22
N.S.	1	1.00	1.11	1.00	9.56	1.72	2.56	1.11	1.22
time (sec)	N/A	0.032	5.629	0.501	0.593	0.269	2.549	2.127	13.044

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	B	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	371	371	329	1517	3403	1887	0	0	0
N.S.	1	1.00	0.89	4.09	9.17	5.09	0.00	0.00	0.00
time (sec)	N/A	0.543	2.046	1.705	0.709	0.376	0.000	0.000	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	B	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	262	262	232	679	1704	1096	0	0	0
N.S.	1	1.00	0.89	2.59	6.50	4.18	0.00	0.00	0.00
time (sec)	N/A	0.380	2.730	1.731	0.465	0.344	0.000	0.000	0.000

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	123	191	0	525	0	0	0
N.S.	1	1.00	0.92	1.43	0.00	3.92	0.00	0.00	0.00
time (sec)	N/A	0.159	1.108	0.418	0.000	0.311	0.000	0.000	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	507	37	41	22	24
N.S.	1	1.00	1.10	1.00	25.35	1.85	2.05	1.10	1.20
time (sec)	N/A	0.061	30.852	0.759	1.029	0.289	1.069	1.342	13.128

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	624	48	76	22	24
N.S.	1	1.00	1.10	1.00	31.20	2.40	3.80	1.10	1.20
time (sec)	N/A	0.059	24.751	0.956	1.378	0.282	2.133	29.705	13.161

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	B	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	216	417	1285	516	0	0	0
N.S.	1	1.00	1.42	2.74	8.45	3.39	0.00	0.00	0.00
time (sec)	N/A	0.408	2.107	0.551	0.456	0.296	0.000	0.000	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	B	B	B	B	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	119	119	528	236	377	292	0	0	0
N.S.	1	1.00	4.44	1.98	3.17	2.45	0.00	0.00	0.00
time (sec)	N/A	0.295	6.693	0.529	0.426	0.269	0.000	0.000	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	B	A	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	67	67	104	53	273	99	0	248	79
N.S.	1	1.00	1.55	0.79	4.07	1.48	0.00	3.70	1.18
time (sec)	N/A	0.117	1.000	0.463	0.314	0.291	0.000	0.319	13.613

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	391	27	27	22	24
N.S.	1	1.00	1.10	1.00	19.55	1.35	1.35	1.10	1.20
time (sec)	N/A	0.070	7.803	0.480	0.522	0.245	1.052	0.302	13.254

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	522	51	58	22	24
N.S.	1	1.00	1.10	1.00	26.10	2.55	2.90	1.10	1.20
time (sec)	N/A	0.063	6.312	0.414	0.901	0.266	2.118	0.566	13.149

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	B	B	B	B	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	288	288	1447	810	4283	933	0	0	0
N.S.	1	1.00	5.02	2.81	14.87	3.24	0.00	0.00	0.00
time (sec)	N/A	0.870	7.953	0.656	1.332	0.304	0.000	0.000	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	B	B	B	B	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	925	453	1035	493	0	0	0
N.S.	1	1.00	4.04	1.98	4.52	2.15	0.00	0.00	0.00
time (sec)	N/A	0.574	7.169	0.584	0.781	0.296	0.000	0.000	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	B	A	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	140	140	172	86	1058	183	0	798	247
N.S.	1	1.00	1.23	0.61	7.56	1.31	0.00	5.70	1.76
time (sec)	N/A	0.222	1.977	0.615	0.356	0.290	0.000	0.565	19.320

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	3956	57	54	22	24
N.S.	1	1.00	1.10	1.00	197.80	2.85	2.70	1.10	1.20
time (sec)	N/A	0.060	13.653	0.444	10.617	0.292	1.967	0.315	14.134

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	4471	99	105	22	24
N.S.	1	1.00	1.10	1.00	223.55	4.95	5.25	1.10	1.20
time (sec)	N/A	0.056	15.908	0.440	38.235	0.271	7.338	1.185	14.172

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	22	22	0	22	24
N.S.	1	1.00	1.10	1.00	1.10	1.10	0.00	1.10	1.20
time (sec)	N/A	0.054	1.225	0.323	0.647	0.282	0.000	0.400	13.490

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	124	20	24	20	22
N.S.	1	1.00	1.11	1.00	6.89	1.11	1.33	1.11	1.22
time (sec)	N/A	0.029	11.379	0.321	0.363	0.280	5.083	0.287	13.550

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	22	22	17	22	24
N.S.	1	1.00	1.10	1.00	1.10	1.10	0.85	1.10	1.20
time (sec)	N/A	0.057	1.219	0.184	0.573	0.268	1.820	0.303	13.379

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	B	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	227	227	365	756	936	1085	0	0	0
N.S.	1	1.00	1.61	3.33	4.12	4.78	0.00	0.00	0.00
time (sec)	N/A	0.239	0.478	1.012	0.423	0.336	0.000	0.000	0.000

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	B	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	203	440	516	675	0	0	0
N.S.	1	1.00	1.29	2.80	3.29	4.30	0.00	0.00	0.00
time (sec)	N/A	0.153	0.252	0.984	0.382	0.324	0.000	0.000	0.000

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	104	142	0	343	0	0	0
N.S.	1	1.00	1.12	1.53	0.00	3.69	0.00	0.00	0.00
time (sec)	N/A	0.082	0.013	0.296	0.000	0.274	0.000	0.000	0.000

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	116	20	15	20	22
N.S.	1	1.00	1.11	1.00	6.44	1.11	0.83	1.11	1.22
time (sec)	N/A	0.032	0.995	0.326	0.489	0.258	0.680	0.414	13.145

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	172	31	17	20	22
N.S.	1	1.00	1.11	1.00	9.56	1.72	0.94	1.11	1.22
time (sec)	N/A	0.031	1.529	0.526	0.519	0.260	2.616	2.205	13.624

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	B	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	364	364	646	1489	3267	1823	0	0	0
N.S.	1	1.00	1.77	4.09	8.98	5.01	0.00	0.00	0.00
time (sec)	N/A	0.535	2.593	1.649	0.720	0.375	0.000	0.000	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	B	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	257	257	356	662	1641	1056	0	0	0
N.S.	1	1.00	1.39	2.58	6.39	4.11	0.00	0.00	0.00
time (sec)	N/A	0.378	1.541	1.375	0.473	0.366	0.000	0.000	0.000

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	131	131	151	190	0	505	0	0	0
N.S.	1	1.00	1.15	1.45	0.00	3.85	0.00	0.00	0.00
time (sec)	N/A	0.149	0.547	0.493	0.000	0.325	0.000	0.000	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	501	36	17	22	24
N.S.	1	1.00	1.10	1.00	25.05	1.80	0.85	1.10	1.20
time (sec)	N/A	0.063	46.000	0.936	1.050	0.270	1.017	2.190	13.948

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	618	47	19	22	24
N.S.	1	1.00	1.10	1.00	30.90	2.35	0.95	1.10	1.20
time (sec)	N/A	0.057	28.327	0.649	1.459	0.272	2.037	53.580	13.595

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F(-2)	B	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	526	526	449	0	0	2309	0	0	0
N.S.	1	1.00	0.85	0.00	0.00	4.39	0.00	0.00	0.00
time (sec)	N/A	1.277	1.442	0.000	0.000	0.516	0.000	0.000	0.000

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F(-2)	B	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	394	394	338	0	0	1625	0	0	0
N.S.	1	1.00	0.86	0.00	0.00	4.12	0.00	0.00	0.00
time (sec)	N/A	1.372	1.122	0.000	0.000	0.459	0.000	0.000	0.000

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	F(-2)	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	257	257	214	516	0	1041	0	0	0
N.S.	1	1.00	0.83	2.01	0.00	4.05	0.00	0.00	0.00
time (sec)	N/A	0.751	0.725	0.560	0.000	0.451	0.000	0.000	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	298	27	17	22	24
N.S.	1	1.00	1.10	1.00	14.90	1.35	0.85	1.10	1.20
time (sec)	N/A	0.102	1.743	0.456	0.843	0.265	1.013	0.353	13.376

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	439	51	19	22	24
N.S.	1	1.00	1.10	1.00	21.95	2.55	0.95	1.10	1.20
time (sec)	N/A	0.094	12.303	0.413	1.331	0.278	2.025	0.793	13.353

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	B	F	F(-2)	B	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	1523	1523	20116	0	0	7008	0	0	0
N.S.	1	1.00	13.21	0.00	0.00	4.60	0.00	0.00	0.00
time (sec)	N/A	3.542	22.307	0.000	0.000	0.714	0.000	0.000	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	B	F	F(-2)	B	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	1117	1117	11147	0	0	4274	0	0	0
N.S.	1	1.00	9.98	0.00	0.00	3.83	0.00	0.00	0.00
time (sec)	N/A	2.475	20.077	0.000	0.000	0.638	0.000	0.000	0.000

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	F(-2)	B	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	582	582	1037	1289	0	2080	0	0	0
N.S.	1	1.00	1.78	2.21	0.00	3.57	0.00	0.00	0.00
time (sec)	N/A	1.236	11.645	0.639	0.000	0.491	0.000	0.000	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	2279	55	19	22	24
N.S.	1	1.00	1.10	1.00	113.95	2.75	0.95	1.10	1.20
time (sec)	N/A	0.066	22.663	0.493	13.539	0.291	1.916	0.512	16.839

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	2918	96	20	22	24
N.S.	1	1.00	1.10	1.00	145.90	4.80	1.00	1.10	1.20
time (sec)	N/A	0.065	41.364	0.394	39.391	0.301	7.220	3.119	17.963

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	22	22	0	22	24
N.S.	1	1.00	1.10	1.00	1.10	1.10	0.00	1.10	1.20
time (sec)	N/A	0.062	2.654	0.434	0.731	0.295	0.000	0.438	14.158

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	124	20	17	20	22
N.S.	1	1.00	1.11	1.00	6.89	1.11	0.94	1.11	1.22
time (sec)	N/A	0.033	0.662	0.174	0.388	0.285	4.680	0.298	12.978

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	22	22	17	22	24
N.S.	1	1.00	1.10	1.00	1.10	1.10	0.85	1.10	1.20
time (sec)	N/A	0.068	0.883	0.175	0.530	0.256	1.518	0.362	13.157

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [40] had the largest ratio of [.550000000000000044]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	11	6	1.00	18	0.333
2	A	9	5	1.00	18	0.278
3	A	7	4	1.00	16	0.250
4	N/A	0	0	1.00	18	0.000
5	N/A	0	0	1.00	18	0.000
6	A	17	9	1.00	20	0.450
7	A	14	10	1.00	20	0.500
8	A	9	6	1.00	18	0.333
9	N/A	0	0	1.00	20	0.000
10	N/A	0	0	1.00	20	0.000
11	A	9	8	1.00	20	0.400
12	A	8	7	1.00	20	0.350
13	A	5	4	1.00	18	0.222
14	N/A	0	0	1.00	20	0.000
15	N/A	0	0	1.00	20	0.000
16	A	19	10	1.00	20	0.500
17	A	17	10	1.00	20	0.500
18	A	9	5	1.00	18	0.278
19	N/A	0	0	1.00	20	0.000
20	N/A	0	0	1.00	20	0.000
21	N/A	0	0	1.00	20	0.000
22	N/A	0	0	1.00	18	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
23	N/A	0	0	1.00	20	0.000
24	A	11	6	1.00	18	0.333
25	A	9	5	1.00	18	0.278
26	A	7	4	1.00	16	0.250
27	N/A	0	0	1.00	18	0.000
28	N/A	0	0	1.00	18	0.000
29	A	17	9	1.00	20	0.450
30	A	14	10	1.00	20	0.500
31	A	9	6	1.00	18	0.333
32	N/A	0	0	1.00	20	0.000
33	N/A	0	0	1.00	20	0.000
34	A	14	8	1.00	20	0.400
35	A	12	7	1.00	20	0.350
36	A	10	6	1.00	18	0.333
37	N/A	0	0	1.00	20	0.000
38	N/A	0	0	1.00	20	0.000
39	A	36	10	1.00	20	0.500
40	A	30	11	1.00	20	0.550
41	A	21	9	1.00	18	0.500
42	N/A	0	0	1.00	20	0.000
43	N/A	0	0	1.00	20	0.000
44	N/A	0	0	1.00	20	0.000
45	N/A	0	0	1.00	18	0.000
46	N/A	0	0	1.00	20	0.000

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int (c + dx)^3 (a + a \sec(e + fx)) dx$	39
3.2	$\int (c + dx)^2 (a + a \sec(e + fx)) dx$	47
3.3	$\int (c + dx) (a + a \sec(e + fx)) dx$	54
3.4	$\int \frac{a + a \sec(e + fx)}{c + dx} dx$	59
3.5	$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx$	62
3.6	$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx$	65
3.7	$\int (c + dx)^2 (a + a \sec(e + fx))^2 dx$	77
3.8	$\int (c + dx) (a + a \sec(e + fx))^2 dx$	86
3.9	$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx$	92
3.10	$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx$	95
3.11	$\int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx$	99
3.12	$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx$	106
3.13	$\int \frac{c + dx}{a + a \sec(e + fx)} dx$	112
3.14	$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx$	117
3.15	$\int \frac{1}{(c + dx)^2 (a + a \sec(e + fx))} dx$	120
3.16	$\int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx$	124
3.17	$\int \frac{(c + dx)^2}{(a + a \sec(e + fx))^2} dx$	137
3.18	$\int \frac{c + dx}{(a + a \sec(e + fx))^2} dx$	146
3.19	$\int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx$	153
3.20	$\int \frac{1}{(c + dx)^2 (a + a \sec(e + fx))^2} dx$	158
3.21	$\int (c + dx)^m (a + a \sec(e + fx))^n dx$	164
3.22	$\int (c + dx)^m (a + a \sec(e + fx)) dx$	167
3.23	$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx$	170
3.24	$\int (c + dx)^3 (a + b \sec(e + fx)) dx$	173

3.25	$\int (c + dx)^2 (a + b \sec(e + fx)) dx$	181
3.26	$\int (c + dx) (a + b \sec(e + fx)) dx$	188
3.27	$\int \frac{a + b \sec(e + fx)}{c + dx} dx$	193
3.28	$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx$	196
3.29	$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx$	199
3.30	$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx$	211
3.31	$\int (c + dx) (a + b \sec(e + fx))^2 dx$	220
3.32	$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx$	226
3.33	$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx$	229
3.34	$\int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx$	233
3.35	$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx$	242
3.36	$\int \frac{c + dx}{a + b \sec(e + fx)} dx$	249
3.37	$\int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx$	255
3.38	$\int \frac{1}{(c + dx)^2 (a + b \sec(e + fx))} dx$	258
3.39	$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx$	262
3.40	$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx$	274
3.41	$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx$	290
3.42	$\int \frac{1}{(c + dx)(a + b \sec(e + fx))^2} dx$	301
3.43	$\int \frac{1}{(c + dx)^2 (a + b \sec(e + fx))^2} dx$	306
3.44	$\int (c + dx)^m (a + b \sec(e + fx))^n dx$	311
3.45	$\int (c + dx)^m (a + b \sec(e + fx)) dx$	314
3.46	$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx$	317

3.1 $\int (c + dx)^3 (a + a \sec(e + fx)) dx$

Optimal result	39
Rubi [A] (verified)	40
Mathematica [A] (verified)	43
Maple [B] (verified)	43
Fricas [B] (verification not implemented)	44
Sympy [F]	45
Maxima [B] (verification not implemented)	45
Giac [F]	46
Mupad [F(-1)]	46

Optimal result

Integrand size = 18, antiderivative size = 227

$$\begin{aligned}
 \int (c + dx)^3 (a + a \sec(e + fx)) dx = & \frac{a(c + dx)^4}{4d} - \frac{2ia(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \\
 & + \frac{3iad(c + dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
 & - \frac{3iad(c + dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
 & - \frac{6ad^2(c + dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
 & + \frac{6ad^2(c + dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
 & - \frac{6iad^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} \\
 & + \frac{6iad^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4}
 \end{aligned}$$

```
[Out] 1/4*a*(d*x+c)^4/d-2*I*a*(d*x+c)^3*arctan(exp(I*(f*x+e)))/f+3*I*a*d*(d*x+c)^2*polylog(2,-I*exp(I*(f*x+e)))/f^2-3*I*a*d*(d*x+c)^2*polylog(2,I*exp(I*(f*x+e)))/f^2-6*a*d^2*(d*x+c)*polylog(3,-I*exp(I*(f*x+e)))/f^3+6*a*d^2*(d*x+c)*polylog(3,I*exp(I*(f*x+e)))/f^3-6*I*a*d^3*polylog(4,-I*exp(I*(f*x+e)))/f^4+6*I*a*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4
```

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4275, 4266, 2611, 6744, 2320, 6724}

$$\int (c + dx)^3 (a + a \sec(e + fx)) dx = -\frac{2ia(c + dx)^3 \arctan(e^{i(e+fx)})}{f} - \frac{6ad^2(c + dx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{6ad^2(c + dx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{3iad(c + dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{3iad(c + dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{a(c + dx)^4}{4d} - \frac{6iad^3 \text{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \frac{6iad^3 \text{PolyLog}(4, ie^{i(e+fx)})}{f^4}$$

[In] Int[(c + d*x)^3*(a + a*Sec[e + f*x]),x]

[Out] (a*(c + d*x)^4)/(4*d) - ((2*I)*a*(c + d*x)^3*ArcTan[E^(I*(e + f*x))])/f + ((3*I)*a*d*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((3*I)*a*d*(c + d*x)^2*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (6*a*d^2*(c + d*x)*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (6*a*d^2*(c + d*x)*PolyLog[3, I*E^(I*(e + f*x))])/f^3 - ((6*I)*a*d^3*PolyLog[4, (-I)*E^(I*(e + f*x))])/f^4 + ((6*I)*a*d^3*PolyLog[4, I*E^(I*(e + f*x))])/f^4

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
```


$f, g, n\}, x] \&\& \text{GtQ}[m, 0]$

Rule 4266

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] &\& IntegerQ[2*k] &\& IGtQ[m, 0]
```

Rule 4275

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] &\& IGtQ[m, 0] &\& IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] &\& EqQ[b*d, a*e]
```

Rule 6744

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(p_.)], x_Symbol]
:> Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] &\& GtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \text{integral} &= \int (a(c + dx)^3 + a(c + dx)^3 \sec(e + fx)) dx \\ &= \frac{a(c + dx)^4}{4d} + a \int (c + dx)^3 \sec(e + fx) dx \\ &= \frac{a(c + dx)^4}{4d} - \frac{2ia(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \\ &\quad - \frac{(3ad) \int (c + dx)^2 \log(1 - ie^{i(e+fx)}) dx}{f} + \frac{(3ad) \int (c + dx)^2 \log(1 + ie^{i(e+fx)}) dx}{f} \end{aligned}$$

$$\begin{aligned}
&= \frac{a(c+dx)^4}{4d} - \frac{2ia(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3iad(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{3iad(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&- \frac{(6iad^2) \int (c+dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)}) dx}{f^2} \\
&+ \frac{(6iad^2) \int (c+dx) \operatorname{PolyLog}(2, ie^{i(e+fx)}) dx}{f^2} \\
&= \frac{a(c+dx)^4}{4d} - \frac{2ia(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3iad(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{3iad(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&- \frac{6ad^2(c+dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{6ad^2(c+dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&+ \frac{(6ad^3) \int \operatorname{PolyLog}(3, -ie^{i(e+fx)}) dx}{f^3} - \frac{(6ad^3) \int \operatorname{PolyLog}(3, ie^{i(e+fx)}) dx}{f^3} \\
&= \frac{a(c+dx)^4}{4d} - \frac{2ia(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3iad(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{3iad(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&- \frac{6ad^2(c+dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{6ad^2(c+dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&- \frac{(6iad^3) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(3, -ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^4} \\
&+ \frac{(6iad^3) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(3, ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^4} \\
&= \frac{a(c+dx)^4}{4d} - \frac{2ia(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3iad(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{3iad(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&- \frac{6ad^2(c+dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{6ad^2(c+dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&- \frac{6iad^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \frac{6iad^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 218, normalized size of antiderivative = 0.96

$$\int (c + dx)^3 (a + a \sec(e + fx)) dx = a \left(\frac{(c + dx)^4}{4d} - \frac{2i(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \right) + \frac{3id(f^2(c + dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)}) + 2idf(c + dx) \text{PolyLog}(3, -ie^{i(e+fx)}) - 2d^2 \text{PolyLog}(4, -ie^{i(e+fx)}))}{f^4} + \frac{3d(-if^2(c + dx)^2 \text{PolyLog}(2, ie^{i(e+fx)}) + 2d(f(c + dx) \text{PolyLog}(3, ie^{i(e+fx)}) + id \text{PolyLog}(4, ie^{i(e+fx)}))}{f^4}$$

[In] Integrate[(c + d*x)^3*(a + a*Sec[e + f*x]),x]

[Out] a*((c + d*x)^4/(4*d) - ((2*I)*(c + d*x)^3*ArcTan[E^(I*(e + f*x))])/f + ((3*I)*d*(f^2*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(e + f*x))] + (2*I)*d*f*(c + d*x)*PolyLog[3, (-I)*E^(I*(e + f*x))] - 2*d^2*PolyLog[4, (-I)*E^(I*(e + f*x))])/f^4 + (3*d*((-I)*f^2*(c + d*x)^2*PolyLog[2, I*E^(I*(e + f*x))] + 2*d*(f*(c + d*x)*PolyLog[3, I*E^(I*(e + f*x))] + I*d*PolyLog[4, I*E^(I*(e + f*x))]))/f^4)

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 755 vs. 2(200) = 400.

Time = 1.46 (sec) , antiderivative size = 756, normalized size of antiderivative = 3.33

method	result
risch	$\frac{6a d^3 \text{polylog}(3, ie^{i(fx+e)})x}{f^3} + \frac{2ia d^3 e^3 \arctan(e^{i(fx+e)})}{f^4} + \frac{3a e^2 c d^2 \ln(1+ie^{i(fx+e)})}{f^3} + \frac{3a d^2 c \ln(1-ie^{i(fx+e)})x^2}{f} + \frac{3a c^2 d \ln(1+ie^{i(fx+e)})}{f^3}$

[In] int((d*x+c)^3*(a+a*sec(f*x+e)),x,method=_RETURNVERBOSE)

[Out] a*d^2*c*x^3+3/2*a*d*c^2*x^2+a*c^3*x+6/f^3*a*d^3*polylog(3,I*exp(I*(f*x+e)))*x+1/f^4*a*e^3*d^3*ln(1-I*exp(I*(f*x+e)))-1/f*a*d^3*ln(1+I*exp(I*(f*x+e)))*x^3+1/f*a*d^3*ln(1-I*exp(I*(f*x+e)))*x^3-6/f^3*a*d^3*polylog(3,-I*exp(I*(f*x+e)))*x+6/f^3*a*d^2*c*polylog(3,I*exp(I*(f*x+e)))-1/f^4*a*e^3*d^3*ln(1+I*exp(I*(f*x+e)))-6/f^3*a*d^2*c*polylog(3,-I*exp(I*(f*x+e)))-2*I/f*a*c^3*arctan(exp(I*(f*x+e)))+1/4*a*d^3*x^4+1/4*a/d*c^4-6*I*a*d^3*polylog(4,-I*exp(I*(f*x+e)))/f^4+2*I/f^4*a*d^3*e^3*arctan(exp(I*(f*x+e)))-6*I/f^3*a*c*d^2*e^2*arctan(exp(I*(f*x+e)))+6*I/f^2*a*c^2*d*e*arctan(exp(I*(f*x+e)))+6*I/f^2*a*d^2*c*polylog(2,-I*exp(I*(f*x+e)))*x-6*I/f^2*a*d^2*c*polylog(2,I*exp(I*(f*x+e)))*x+3/f^3*a*e^2*c*d^2*ln(1+I*exp(I*(f*x+e)))+3/f*a*d^2*c*ln(1-I*exp(I*(f*x+e)))*x^2+3/f*a*c^2*d*ln(1-I*exp(I*(f*x+e)))*x+3/f^2*a*c^2*d*ln(1-I*exp(I*(f*x+e)))*e-3/f*a*c^2*d*ln(1+I*exp(I*(f*x+e)))*x-3/f^2*a*c^2*d*ln(1+I*exp(I*(f*x+e)))*x

```
(f*x+e)))e-3/f*a*d^2*c*ln(1+I*exp(I*(f*x+e)))*x^2-3/f^3*a*e^2*c*d^2*ln(1-I
*exp(I*(f*x+e)))-3*I/f^2*a*d^3*polylog(2,I*exp(I*(f*x+e)))*x^2+3*I/f^2*a*d^
3*polylog(2,-I*exp(I*(f*x+e)))*x^2-3*I/f^2*a*c^2*d*polylog(2,I*exp(I*(f*x+e
)))+3*I/f^2*a*c^2*d*polylog(2,-I*exp(I*(f*x+e)))+6*I*a*d^3*polylog(4,I*exp(
I*(f*x+e)))/f^4
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1085 vs. $2(187) = 374$.

Time = 0.35 (sec) , antiderivative size = 1085, normalized size of antiderivative = 4.78

$$\int (c + dx)^3 (a + a \sec(e + fx)) dx = \text{Too large to display}$$

```
[In] integrate((d*x+c)^3*(a+a*sec(f*x+e)),x, algorithm="fricas")
```

```
[Out] 1/4*(a*d^3*f^4*x^4 + 4*a*c*d^2*f^4*x^3 + 6*a*c^2*d*f^4*x^2 + 4*a*c^3*f^4*x
+ 12*I*a*d^3*polylog(4, I*cos(f*x + e) + sin(f*x + e)) + 12*I*a*d^3*polylog
(4, I*cos(f*x + e) - sin(f*x + e)) - 12*I*a*d^3*polylog(4, -I*cos(f*x + e)
+ sin(f*x + e)) - 12*I*a*d^3*polylog(4, -I*cos(f*x + e) - sin(f*x + e)) - 6
*(I*a*d^3*f^2*x^2 + 2*I*a*c*d^2*f^2*x + I*a*c^2*d*f^2)*dilog(I*cos(f*x + e)
+ sin(f*x + e)) - 6*(I*a*d^3*f^2*x^2 + 2*I*a*c*d^2*f^2*x + I*a*c^2*d*f^2)*
dilog(I*cos(f*x + e) - sin(f*x + e)) - 6*(-I*a*d^3*f^2*x^2 - 2*I*a*c*d^2*f^
2*x - I*a*c^2*d*f^2)*dilog(-I*cos(f*x + e) + sin(f*x + e)) - 6*(-I*a*d^3*f^
2*x^2 - 2*I*a*c*d^2*f^2*x - I*a*c^2*d*f^2)*dilog(-I*cos(f*x + e) - sin(f*x
+ e)) - 2*(a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^2*d*e*f^2 - a*c^3*f^3)*log(c
os(f*x + e) + I*sin(f*x + e) + I) + 2*(a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^
2*d*e*f^2 - a*c^3*f^3)*log(cos(f*x + e) - I*sin(f*x + e) + I) + 2*(a*d^3*f^
3*x^3 + 3*a*c*d^2*f^3*x^2 + 3*a*c^2*d*f^3*x + a*d^3*e^3 - 3*a*c*d^2*e^2*f +
3*a*c^2*d*e*f^2)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(a*d^3*f^3*x^3
+ 3*a*c*d^2*f^3*x^2 + 3*a*c^2*d*f^3*x + a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*
c^2*d*e*f^2)*log(I*cos(f*x + e) - sin(f*x + e) + 1) + 2*(a*d^3*f^3*x^3 + 3*
a*c*d^2*f^3*x^2 + 3*a*c^2*d*f^3*x + a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^2*d
*e*f^2)*log(-I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(a*d^3*f^3*x^3 + 3*a*c*
d^2*f^3*x^2 + 3*a*c^2*d*f^3*x + a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^2*d*e*f
^2)*log(-I*cos(f*x + e) - sin(f*x + e) + 1) - 2*(a*d^3*e^3 - 3*a*c*d^2*e^2*
f + 3*a*c^2*d*e*f^2 - a*c^3*f^3)*log(-cos(f*x + e) + I*sin(f*x + e) + I) +
2*(a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^2*d*e*f^2 - a*c^3*f^3)*log(-cos(f*x
+ e) - I*sin(f*x + e) + I) - 12*(a*d^3*f*x + a*c*d^2*f)*polylog(3, I*cos(f*
x + e) + sin(f*x + e)) + 12*(a*d^3*f*x + a*c*d^2*f)*polylog(3, I*cos(f*x +
e) - sin(f*x + e)) - 12*(a*d^3*f*x + a*c*d^2*f)*polylog(3, -I*cos(f*x + e)
+ sin(f*x + e)) + 12*(a*d^3*f*x + a*c*d^2*f)*polylog(3, -I*cos(f*x + e) - s
in(f*x + e))/f^4
```

Sympy [F]

$$\int (c + dx)^3 (a + a \sec(e + fx)) dx = a \left(\int c^3 dx + \int c^3 \sec(e + fx) dx + \int d^3 x^3 dx \right. \\ \left. + \int 3cd^2 x^2 dx + \int 3c^2 dx dx + \int d^3 x^3 \sec(e + fx) dx \right. \\ \left. + \int 3cd^2 x^2 \sec(e + fx) dx + \int 3c^2 dx \sec(e + fx) dx \right)$$

[In] integrate((d*x+c)**3*(a+a*sec(f*x+e)),x)

[Out] a*(Integral(c**3, x) + Integral(c**3*sec(e + f*x), x) + Integral(d**3*x**3, x) + Integral(3*c*d**2*x**2, x) + Integral(3*c**2*d*x, x) + Integral(d**3*x**3*sec(e + f*x), x) + Integral(3*c*d**2*x**2*sec(e + f*x), x) + Integral(3*c**2*d*x*sec(e + f*x), x))

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 936 vs. 2(187) = 374.

Time = 0.43 (sec) , antiderivative size = 936, normalized size of antiderivative = 4.12

$$\int (c + dx)^3 (a + a \sec(e + fx)) dx = \text{Too large to display}$$

[In] integrate((d*x+c)^3*(a+a*sec(f*x+e)),x, algorithm="maxima")

[Out] 1/4*(4*(f*x + e)*a*c^3 + (f*x + e)^4*a*d^3/f^3 - 4*(f*x + e)^3*a*d^3*e/f^3 + 6*(f*x + e)^2*a*d^3*e^2/f^3 - 4*(f*x + e)*a*d^3*e^3/f^3 + 4*(f*x + e)^3*a*c*d^2/f^2 - 12*(f*x + e)^2*a*c*d^2*e/f^2 + 12*(f*x + e)*a*c*d^2*e^2/f^2 + 6*(f*x + e)^2*a*c^2*d/f - 12*(f*x + e)*a*c^2*d*e/f + 4*a*c^3*log(sec(f*x + e) + tan(f*x + e)) - 4*a*d^3*e^3*log(sec(f*x + e) + tan(f*x + e))/f^3 + 12*a*c*d^2*e^2*log(sec(f*x + e) + tan(f*x + e))/f^2 - 12*a*c^2*d*e*log(sec(f*x + e) + tan(f*x + e))/f + 2*(12*I*a*d^3*polylog(4, I*e^(I*f*x + I*e)) - 12*I*a*d^3*polylog(4, -I*e^(I*f*x + I*e)) - 2*(I*(f*x + e)^3*a*d^3 + 3*(-I*a*d^3*e + I*a*c*d^2*f)*(f*x + e)^2 + 3*(I*a*d^3*e^2 - 2*I*a*c*d^2*e*f + I*a*c^2*d*f^2)*(f*x + e))*arctan2(cos(f*x + e), sin(f*x + e) + 1) - 2*(I*(f*x + e)^3*a*d^3 + 3*(-I*a*d^3*e + I*a*c*d^2*f)*(f*x + e)^2 + 3*(I*a*d^3*e^2 - 2*I*a*c*d^2*e*f + I*a*c^2*d*f^2)*(f*x + e))*arctan2(cos(f*x + e), -sin(f*x + e) + 1) - 6*(I*(f*x + e)^2*a*d^3 + I*a*d^3*e^2 - 2*I*a*c*d^2*e*f + I*a*c^2*d*f^2 + 2*(-I*a*d^3*e + I*a*c*d^2*f)*(f*x + e))*dilog(I*e^(I*f*x + I*e)) - 6*(-I*(f*x + e)^2*a*d^3 - I*a*d^3*e^2 + 2*I*a*c*d^2*e*f - I*a*c^2*d*f^2 + 2*(I*a*d^3*e - I*a*c*d^2*f)*(f*x + e))*dilog(-I*e^(I*f*x + I*e)) + ((f*x + e)

$$\begin{aligned} &^3 a d^3 - 3(a d^3 e - a c d^2 f)(f x + e)^2 + 3(a d^3 e^2 - 2 a c d^2 e \\ & f + a c^2 d f^2)(f x + e) \log(\cos(f x + e)^2 + \sin(f x + e)^2 + 2 \sin(f x \\ & + e) + 1) - ((f x + e)^3 a d^3 - 3(a d^3 e - a c d^2 f)(f x + e)^2 + 3 \\ & (a d^3 e^2 - 2 a c d^2 e f + a c^2 d f^2)(f x + e) \log(\cos(f x + e)^2 + \sin \\ & (f x + e)^2 - 2 \sin(f x + e) + 1) + 12((f x + e) a d^3 - a d^3 e + a c d \\ & ^2 f) \operatorname{polylog}(3, I e^{(I f x + I e)}) - 12((f x + e) a d^3 - a d^3 e + a c d \\ & ^2 f) \operatorname{polylog}(3, -I e^{(I f x + I e)}) / f^3 / f \end{aligned}$$

Giac [F]

$$\int (c + dx)^3 (a + a \sec(e + fx)) dx = \int (dx + c)^3 (a \sec(fx + e) + a) dx$$

[In] integrate((d*x+c)^3*(a+a*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^3*(a*sec(f*x + e) + a), x)

Mupad [F(-1)]

Timed out.

$$\int (c + dx)^3 (a + a \sec(e + fx)) dx = \int \left(a + \frac{a}{\cos(e + fx)} \right) (c + dx)^3 dx$$

[In] int((a + a/cos(e + f*x))*(c + d*x)^3,x)

[Out] int((a + a/cos(e + f*x))*(c + d*x)^3, x)

3.2 $\int (c + dx)^2 (a + a \sec(e + fx)) dx$

Optimal result	47
Rubi [A] (verified)	47
Mathematica [A] (verified)	50
Maple [B] (verified)	50
Fricas [B] (verification not implemented)	51
Sympy [F]	51
Maxima [B] (verification not implemented)	52
Giac [F]	52
Mupad [F(-1)]	53

Optimal result

Integrand size = 18, antiderivative size = 157

$$\int (c + dx)^2 (a + a \sec(e + fx)) dx = \frac{a(c + dx)^3}{3d} - \frac{2ia(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{2iad(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2iad(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{2ad^2 \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{2ad^2 \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3}$$

```
[Out] 1/3*a*(d*x+c)^3/d-2*I*a*(d*x+c)^2*arctan(exp(I*(f*x+e)))/f+2*I*a*d*(d*x+c)*
polylog(2,-I*exp(I*(f*x+e)))/f^2-2*I*a*d*(d*x+c)*polylog(2,I*exp(I*(f*x+e))
)/f^2-2*a*d^2*polylog(3,-I*exp(I*(f*x+e)))/f^3+2*a*d^2*polylog(3,I*exp(I*(f
*x+e)))/f^3
```

Rubi [A] (verified)

Time = 0.17 (sec) , antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used

= {4275, 4266, 2611, 2320, 6724}

$$\int (c + dx)^2 (a + a \sec(e + fx)) dx = -\frac{2ia(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{2iad(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2iad(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{a(c + dx)^3}{3d} - \frac{2ad^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{2ad^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3}$$

[In] Int[(c + d*x)^2*(a + a*Sec[e + f*x]),x]

[Out] (a*(c + d*x)^3)/(3*d) - ((2*I)*a*(c + d*x)^2*ArcTan[E^(I*(e + f*x))])/f + (2*I)*a*d*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))]/f^2 - ((2*I)*a*d*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (2*a*d^2*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (2*a*d^2*PolyLog[3, I*E^(I*(e + f*x))])/f^3

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 4266

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4275


```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)
, x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int (a(c + dx)^2 + a(c + dx)^2 \sec(e + fx)) dx \\
&= \frac{a(c + dx)^3}{3d} + a \int (c + dx)^2 \sec(e + fx) dx \\
&= \frac{a(c + dx)^3}{3d} - \frac{2ia(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad - \frac{(2ad) \int (c + dx) \log(1 - ie^{i(e+fx)}) dx}{f} + \frac{(2ad) \int (c + dx) \log(1 + ie^{i(e+fx)}) dx}{f} \\
&= \frac{a(c + dx)^3}{3d} - \frac{2ia(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{2iad(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2iad(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{(2iad^2) \int \text{PolyLog}(2, -ie^{i(e+fx)}) dx}{f^2} + \frac{(2iad^2) \int \text{PolyLog}(2, ie^{i(e+fx)}) dx}{f^2} \\
&= \frac{a(c + dx)^3}{3d} - \frac{2ia(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{2iad(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{2iad(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{(2ad^2) \text{Subst}\left(\int \frac{\text{PolyLog}(2, -ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^3} \\
&\quad + \frac{(2ad^2) \text{Subst}\left(\int \frac{\text{PolyLog}(2, ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^3} \\
&= \frac{a(c + dx)^3}{3d} - \frac{2ia(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{2iad(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2iad(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{2ad^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{2ad^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.15 (sec) , antiderivative size = 151, normalized size of antiderivative = 0.96

$$\int (c + dx)^2 (a + a \sec(e + fx)) dx$$

$$= a \left(\frac{(c + dx)^3}{3d} - \frac{2i(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \right. \\ \left. + \frac{2id(f(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)}) + id \operatorname{PolyLog}(3, -ie^{i(e+fx)}))}{f^3} \right. \\ \left. + \frac{2d(-if(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)}) + d \operatorname{PolyLog}(3, ie^{i(e+fx)}))}{f^3} \right)$$

[In] Integrate[(c + d*x)^2*(a + a*Sec[e + f*x]),x]

[Out] a*((c + d*x)^3/(3*d) - ((2*I)*(c + d*x)^2*ArcTan[E^(I*(e + f*x))])/f + ((2*I)*d*(f*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))] + I*d*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (2*d*((-I)*f*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))] + d*PolyLog[3, I*E^(I*(e + f*x))])/f^3)

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 439 vs. 2(138) = 276.

Time = 1.34 (sec) , antiderivative size = 440, normalized size of antiderivative = 2.80

method	result
risch	$\frac{ad^2x^3}{3} + adcx^2 + ac^2x + \frac{ac^3}{3d} - \frac{ae^2d^2 \ln(1 - ie^{i(fx+e)})}{f^3} + \frac{2acd \ln(1 - ie^{i(fx+e)})e}{f^2} + \frac{2ad^2 \operatorname{polylog}(3, ie^{i(fx+e)})}{f^3} + \frac{2acd}{f^3}$

[In] int((d*x+c)^2*(a+a*sec(f*x+e)),x,method=_RETURNVERBOSE)

[Out] 1/3*a*d^2*x^3+a*d*c*x^2+a*c^2*x+1/3*a/d*c^3-1/f^3*a*e^2*d^2*ln(1-I*exp(I*(f*x+e)))+2/f^2*a*c*d*ln(1-I*exp(I*(f*x+e)))*e+2*a*d^2*polylog(3,I*exp(I*(f*x+e)))/f^3+2/f*a*c*d*ln(1-I*exp(I*(f*x+e)))*x+2*I/f^2*a*c*d*polylog(2,-I*exp(I*(f*x+e)))+2*I/f^2*a*d^2*polylog(2,-I*exp(I*(f*x+e)))*x+4*I/f^2*a*c*d*e*a*rctan(exp(I*(f*x+e)))-2*I/f^3*a*d^2*e^2*arctan(exp(I*(f*x+e)))+1/f^3*a*e^2*d^2*ln(1+I*exp(I*(f*x+e)))-2*a*d^2*polylog(3,-I*exp(I*(f*x+e)))/f^3-2*I/f^2*a*c*d*polylog(2,I*exp(I*(f*x+e)))+1/f*a*d^2*ln(1-I*exp(I*(f*x+e)))*x^2-1/f*a*d^2*ln(1+I*exp(I*(f*x+e)))*x^2-2*I/f*a*c^2*arctan(exp(I*(f*x+e)))-2/f*a*c*d*ln(1+I*exp(I*(f*x+e)))*x-2/f^2*a*c*d*ln(1+I*exp(I*(f*x+e)))*e-2*I/f^2*a*d^2*polylog(2,I*exp(I*(f*x+e)))*x

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 675 vs. $2(129) = 258$.

Time = 0.34 (sec) , antiderivative size = 675, normalized size of antiderivative = 4.30

$$\int (c + dx)^2 (a + a \sec(e + fx)) dx$$

$$= \frac{2ad^2 f^3 x^3 + 6acd f^3 x^2 + 6ac^2 f^3 x - 6ad^2 \text{polylog}(3, i \cos(fx + e) + \sin(fx + e)) + 6ad^2 \text{polylog}(3, i \cos(fx + e) - \sin(fx + e)) - 6ad^2 \text{polylog}(3, -i \cos(fx + e) + \sin(fx + e)) + 6ad^2 \text{polylog}(3, -i \cos(fx + e) - \sin(fx + e)) - 6(Iad^2 f^2 x + Iacdf) \text{dilog}(I \cos(fx + e) + \sin(fx + e)) - 6(Iad^2 f^2 x + Iacdf) \text{dilog}(I \cos(fx + e) - \sin(fx + e)) - 6(-Iad^2 f^2 x - Iacdf) \text{dilog}(-I \cos(fx + e) + \sin(fx + e)) - 6(-Iad^2 f^2 x - Iacdf) \text{dilog}(-I \cos(fx + e) - \sin(fx + e)) + 3(ad^2 e^2 - 2acd e f + ac^2 f^2) \log(\cos(fx + e) + I \sin(fx + e) + I) - 3(ad^2 e^2 - 2acd e f + ac^2 f^2) \log(\cos(fx + e) - I \sin(fx + e) + I) + 3(ad^2 f^2 x^2 + 2acd f^2 x - ad^2 e^2 + 2acd e f) \log(I \cos(fx + e) + \sin(fx + e) + 1) - 3(ad^2 f^2 x^2 + 2acd f^2 x - ad^2 e^2 + 2acd e f) \log(I \cos(fx + e) - \sin(fx + e) + 1) + 3(ad^2 f^2 x^2 + 2acd f^2 x - ad^2 e^2 + 2acd e f) \log(-I \cos(fx + e) + \sin(fx + e) + 1) - 3(ad^2 f^2 x^2 + 2acd f^2 x - ad^2 e^2 + 2acd e f) \log(-I \cos(fx + e) - \sin(fx + e) + 1) + 3(ad^2 e^2 - 2acd e f + ac^2 f^2) \log(-\cos(fx + e) + I \sin(fx + e) + I) - 3(ad^2 e^2 - 2acd e f + ac^2 f^2) \log(-\cos(fx + e) - I \sin(fx + e) + I)}{f^3}$$

[In] integrate((d*x+c)^2*(a+a*sec(f*x+e)),x, algorithm="fricas")

[Out] 1/6*(2*a*d^2*f^3*x^3 + 6*a*c*d*f^3*x^2 + 6*a*c^2*f^3*x - 6*a*d^2*polylog(3, I*cos(f*x + e) + sin(f*x + e)) + 6*a*d^2*polylog(3, I*cos(f*x + e) - sin(f*x + e)) - 6*a*d^2*polylog(3, -I*cos(f*x + e) + sin(f*x + e)) + 6*a*d^2*polylog(3, -I*cos(f*x + e) - sin(f*x + e)) - 6*(I*a*d^2*f*x + I*a*c*d*f)*dilog(I*cos(f*x + e) + sin(f*x + e)) - 6*(I*a*d^2*f*x + I*a*c*d*f)*dilog(I*cos(f*x + e) - sin(f*x + e)) - 6*(-I*a*d^2*f*x - I*a*c*d*f)*dilog(-I*cos(f*x + e) + sin(f*x + e)) - 6*(-I*a*d^2*f*x - I*a*c*d*f)*dilog(-I*cos(f*x + e) - sin(f*x + e)) + 3*(a*d^2*e^2 - 2*a*c*d*e*f + a*c^2*f^2)*log(cos(f*x + e) + I*sin(f*x + e) + I) - 3*(a*d^2*e^2 - 2*a*c*d*e*f + a*c^2*f^2)*log(cos(f*x + e) - I*sin(f*x + e) + I) + 3*(a*d^2*f^2*x^2 + 2*a*c*d*f^2*x - a*d^2*e^2 + 2*a*c*d*e*f)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - 3*(a*d^2*f^2*x^2 + 2*a*c*d*f^2*x - a*d^2*e^2 + 2*a*c*d*e*f)*log(I*cos(f*x + e) - sin(f*x + e) + 1) + 3*(a*d^2*f^2*x^2 + 2*a*c*d*f^2*x - a*d^2*e^2 + 2*a*c*d*e*f)*log(-I*cos(f*x + e) + sin(f*x + e) + 1) - 3*(a*d^2*f^2*x^2 + 2*a*c*d*f^2*x - a*d^2*e^2 + 2*a*c*d*e*f)*log(-I*cos(f*x + e) - sin(f*x + e) + 1) + 3*(a*d^2*e^2 - 2*a*c*d*e*f + a*c^2*f^2)*log(-cos(f*x + e) + I*sin(f*x + e) + I) - 3*(a*d^2*e^2 - 2*a*c*d*e*f + a*c^2*f^2)*log(-cos(f*x + e) - I*sin(f*x + e) + I))/f^3

Sympy [F]

$$\int (c + dx)^2 (a + a \sec(e + fx)) dx = a \left(\int c^2 dx + \int c^2 \sec(e + fx) dx + \int d^2 x^2 dx + \int 2cdx dx + \int d^2 x^2 \sec(e + fx) dx + \int 2cdx \sec(e + fx) dx \right)$$

[In] integrate((d*x+c)**2*(a+a*sec(f*x+e)),x)

[Out] a*(Integral(c**2, x) + Integral(c**2*sec(e + f*x), x) + Integral(d**2*x**2, x) + Integral(2*c*d*x, x) + Integral(d**2*x**2*sec(e + f*x), x) + Integral(2*c*d*x*sec(e + f*x), x))

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 516 vs. $2(129) = 258$.

Time = 0.40 (sec) , antiderivative size = 516, normalized size of antiderivative = 3.29

$$\int (c + dx)^2 (a + a \sec(e + fx)) dx$$

$$= \frac{6(fx + e)ac^2 + \frac{2(fx+e)^3ad^2}{f^2} - \frac{6(fx+e)^2ad^2e}{f^2} + \frac{6(fx+e)ad^2e^2}{f^2} + \frac{6(fx+e)^2acd}{f} - \frac{12(fx+e)acde}{f} + 6ac^2 \log(\sec(fx + e))}{1}$$

[In] integrate((d*x+c)^2*(a+a*sec(f*x+e)),x, algorithm="maxima")

[Out] $\frac{1}{6} * (6 * (f * x + e) * a * c^2 + 2 * (f * x + e)^3 * a * d^2 / f^2 - 6 * (f * x + e)^2 * a * d^2 * e / f^2 + 6 * (f * x + e) * a * d^2 * e^2 / f^2 + 6 * (f * x + e)^2 * a * c * d / f - 12 * (f * x + e) * a * c * d * e / f + 6 * a * c^2 * \log(\sec(f * x + e) + \tan(f * x + e)) + 6 * a * d^2 * e^2 * \log(\sec(f * x + e) + \tan(f * x + e)) / f^2 - 12 * a * c * d * e * \log(\sec(f * x + e) + \tan(f * x + e)) / f + 3 * (4 * a * d^2 * \text{polylog}(3, I * e^{(I * f * x + I * e)}) - 4 * a * d^2 * \text{polylog}(3, -I * e^{(I * f * x + I * e)}) - 2 * (I * (f * x + e)^2 * a * d^2 + 2 * (-I * a * d^2 * e + I * a * c * d * f) * (f * x + e)) * \arctan2(\cos(f * x + e), \sin(f * x + e) + 1) - 2 * (I * (f * x + e)^2 * a * d^2 + 2 * (-I * a * d^2 * e + I * a * c * d * f) * (f * x + e)) * \arctan2(\cos(f * x + e), -\sin(f * x + e) + 1) - 4 * (I * (f * x + e) * a * d^2 - I * a * d^2 * e + I * a * c * d * f) * \text{dilog}(I * e^{(I * f * x + I * e)}) - 4 * (-I * (f * x + e) * a * d^2 + I * a * d^2 * e - I * a * c * d * f) * \text{dilog}(-I * e^{(I * f * x + I * e)}) + ((f * x + e)^2 * a * d^2 - 2 * (a * d^2 * e - a * c * d * f) * (f * x + e)) * \log(\cos(f * x + e)^2 + \sin(f * x + e)^2 + 2 * \sin(f * x + e) + 1) - ((f * x + e)^2 * a * d^2 - 2 * (a * d^2 * e - a * c * d * f) * (f * x + e)) * \log(\cos(f * x + e)^2 + \sin(f * x + e)^2 - 2 * \sin(f * x + e) + 1)) / f^2) / f$

Giac [F]

$$\int (c + dx)^2 (a + a \sec(e + fx)) dx = \int (dx + c)^2 (a \sec(fx + e) + a) dx$$

[In] integrate((d*x+c)^2*(a+a*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^2*(a*sec(f*x + e) + a), x)

Mupad [F(-1)]

Timed out.

$$\int (c + dx)^2 (a + a \sec(e + fx)) dx = \int \left(a + \frac{a}{\cos(e + fx)} \right) (c + dx)^2 dx$$

```
[In] int((a + a/cos(e + f*x))*(c + d*x)^2,x)
```

```
[Out] int((a + a/cos(e + f*x))*(c + d*x)^2, x)
```

3.3 $\int (c + dx)(a + a \sec(e + fx)) dx$

Optimal result	54
Rubi [A] (verified)	54
Mathematica [A] (verified)	56
Maple [A] (verified)	56
Fricas [B] (verification not implemented)	57
Sympy [F]	57
Maxima [F]	58
Giac [F]	58
Mupad [F(-1)]	58

Optimal result

Integrand size = 16, antiderivative size = 93

$$\int (c + dx)(a + a \sec(e + fx)) dx = \frac{a(c + dx)^2}{2d} - \frac{2ia(c + dx) \arctan(e^{i(e+fx)})}{f} + \frac{iad \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{iad \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2}$$

[Out] $1/2*a*(d*x+c)^2/d-2*I*a*(d*x+c)*\arctan(\exp(I*(f*x+e)))/f+I*a*d*\operatorname{polylog}(2,-I*\exp(I*(f*x+e)))/f^2-I*a*d*\operatorname{polylog}(2,I*\exp(I*(f*x+e)))/f^2$

Rubi [A] (verified)

Time = 0.08 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4275, 4266, 2317, 2438}

$$\int (c + dx)(a + a \sec(e + fx)) dx = -\frac{2ia(c + dx) \arctan(e^{i(e+fx)})}{f} + \frac{a(c + dx)^2}{2d} + \frac{iad \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{iad \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2}$$

[In] $\operatorname{Int}[(c + d*x)*(a + a*\operatorname{Sec}[e + f*x]),x]$

[Out] $(a*(c + d*x)^2)/(2*d) - ((2*I)*a*(c + d*x)*ArcTan[E^(I*(e + f*x))])/f + (I*a*d*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - (I*a*d*PolyLog[2, I*E^(I*(e + f*x))])/f^2$

Rule 2317

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4266

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4275

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \int (a(c + dx) + a(c + dx) \sec(e + fx)) dx \\
 &= \frac{a(c + dx)^2}{2d} + a \int (c + dx) \sec(e + fx) dx \\
 &= \frac{a(c + dx)^2}{2d} - \frac{2ia(c + dx) \arctan(e^{i(e+fx)})}{f} \\
 &\quad - \frac{(ad) \int \log(1 - ie^{i(e+fx)}) dx}{f} + \frac{(ad) \int \log(1 + ie^{i(e+fx)}) dx}{f} \\
 &= \frac{a(c + dx)^2}{2d} - \frac{2ia(c + dx) \arctan(e^{i(e+fx)})}{f} \\
 &\quad + \frac{(iad) \text{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^2} - \frac{(iad) \text{Subst}\left(\int \frac{\log(1+ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^2}
 \end{aligned}$$

$$= \frac{a(c+dx)^2}{2d} - \frac{2ia(c+dx) \arctan(e^{i(e+fx)})}{f} + \frac{iad \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{iad \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2}$$

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 87, normalized size of antiderivative = 0.94

$$\int (c+dx)(a+a \sec(e+fx)) dx = \frac{a(f(fx(2c+dx) - 4i(c+dx) \arctan(e^{i(e+fx)})) + 2id \operatorname{PolyLog}(2, -ie^{i(e+fx)}) - 2id \operatorname{PolyLog}(2, ie^{i(e+fx)}))}{2f^2}$$

[In] Integrate[(c + d*x)*(a + a*Sec[e + f*x]),x]

[Out] (a*(f*(f*x*(2*c + d*x) - (4*I)*(c + d*x)*ArcTan[E^(I*(e + f*x))])) + (2*I)*d*PolyLog[2, (-I)*E^(I*(e + f*x))] - (2*I)*d*PolyLog[2, I*E^(I*(e + f*x))])/(2*f^2)

Maple [A] (verified)

Time = 0.39 (sec) , antiderivative size = 142, normalized size of antiderivative = 1.53

method	result
parts	$a\left(\frac{1}{2}dx^2 + xc\right) + \frac{a\left(\frac{d(-(fx+e)\ln(1+ie^{i(fx+e)})+(fx+e)\ln(1-ie^{i(fx+e)}))+i\operatorname{dilog}(1+ie^{i(fx+e)})-i\operatorname{dilog}(1-ie^{i(fx+e)})}{f}\right)}{f}$
derivativedivides	$\frac{ac\ln(\sec(fx+e))+\tan(fx+e)-\frac{ade\ln(\sec(fx+e))+\tan(fx+e)}{f}+\frac{ad(-(fx+e)\ln(1+ie^{i(fx+e)})+(fx+e)\ln(1-ie^{i(fx+e)}))+i\operatorname{dilog}(1+ie^{i(fx+e)})-i\operatorname{dilog}(1-ie^{i(fx+e)})}{f}}{f}$
default	$\frac{ac\ln(\sec(fx+e))+\tan(fx+e)-\frac{ade\ln(\sec(fx+e))+\tan(fx+e)}{f}+\frac{ad(-(fx+e)\ln(1+ie^{i(fx+e)})+(fx+e)\ln(1-ie^{i(fx+e)}))+i\operatorname{dilog}(1+ie^{i(fx+e)})-i\operatorname{dilog}(1-ie^{i(fx+e)})}{f}}{f}$
risch	$\frac{adx^2}{2} + axc - \frac{2iac \arctan(e^{i(fx+e)})}{f} - \frac{ad \ln(1+ie^{i(fx+e)})x}{f} - \frac{ad \ln(1+ie^{i(fx+e)})e}{f^2} + \frac{ad \ln(1-ie^{i(fx+e)})x}{f} +$

[In] int((d*x+c)*(a+a*sec(f*x+e)),x,method=_RETURNVERBOSE)

[Out] a*(1/2*d*x^2+x*c)+a/f*(1/f*d*(-(f*x+e)*ln(1+I*exp(I*(f*x+e)))+(f*x+e)*ln(1-I*exp(I*(f*x+e)))+I*dilog(1+I*exp(I*(f*x+e)))-I*dilog(1-I*exp(I*(f*x+e))))+c*ln(sec(f*x+e)+tan(f*x+e))-e/f*d*ln(sec(f*x+e)+tan(f*x+e))

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 343 vs. $2(73) = 146$.

Time = 0.33 (sec) , antiderivative size = 343, normalized size of antiderivative = 3.69

$$\int (c + dx)(a + a \sec(e + fx)) dx$$

$$= \frac{adf^2x^2 + 2acf^2x - i adLi_2(i \cos(fx + e) + \sin(fx + e)) - i adLi_2(i \cos(fx + e) - \sin(fx + e)) + i adLi_2(-i \cos(fx + e) + \sin(fx + e)) - i adLi_2(-i \cos(fx + e) - \sin(fx + e)) + (a*d*e - a*c*f)*\log(\cos(f*x + e) + I*\sin(f*x + e) + I) + (a*d*e - a*c*f)*\log(\cos(f*x + e) - I*\sin(f*x + e) + I) + (a*d*f*x + a*d*e)*\log(I*\cos(f*x + e) + \sin(f*x + e) + 1) - (a*d*f*x + a*d*e)*\log(I*\cos(f*x + e) - \sin(f*x + e) + 1) + (a*d*f*x + a*d*e)*\log(-I*\cos(f*x + e) + \sin(f*x + e) + 1) - (a*d*f*x + a*d*e)*\log(-I*\cos(f*x + e) - \sin(f*x + e) + 1) - (a*d*e - a*c*f)*\log(-\cos(f*x + e) + I*\sin(f*x + e) + I) + (a*d*e - a*c*f)*\log(-\cos(f*x + e) - I*\sin(f*x + e) + I))/f^2}$$

[In] integrate((d*x+c)*(a+a*sec(f*x+e)),x, algorithm="fricas")

[Out] 1/2*(a*d*f^2*x^2 + 2*a*c*f^2*x - I*a*d*dilog(I*cos(f*x + e) + sin(f*x + e)) - I*a*d*dilog(I*cos(f*x + e) - sin(f*x + e)) + I*a*d*dilog(-I*cos(f*x + e) + sin(f*x + e)) + I*a*d*dilog(-I*cos(f*x + e) - sin(f*x + e)) - (a*d*e - a*c*f)*log(cos(f*x + e) + I*sin(f*x + e) + I) + (a*d*e - a*c*f)*log(cos(f*x + e) - I*sin(f*x + e) + I) + (a*d*f*x + a*d*e)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - (a*d*f*x + a*d*e)*log(I*cos(f*x + e) - sin(f*x + e) + 1) + (a*d*f*x + a*d*e)*log(-I*cos(f*x + e) + sin(f*x + e) + 1) - (a*d*f*x + a*d*e)*log(-I*cos(f*x + e) - sin(f*x + e) + 1) - (a*d*e - a*c*f)*log(-cos(f*x + e) + I*sin(f*x + e) + I) + (a*d*e - a*c*f)*log(-cos(f*x + e) - I*sin(f*x + e) + I))/f^2

Sympy [F]

$$\int (c + dx)(a + a \sec(e + fx)) dx = a \left(\int c dx + \int c \sec(e + fx) dx + \int dx dx + \int dx \sec(e + fx) dx \right)$$

[In] integrate((d*x+c)*(a+a*sec(f*x+e)),x)

[Out] a*(Integral(c, x) + Integral(c*sec(e + f*x), x) + Integral(d*x, x) + Integral(d*x*sec(e + f*x), x))

Maxima [F]

$$\int (c + dx)(a + a \sec(e + fx)) dx = \int (dx + c)(a \sec(fx + e) + a) dx$$

[In] integrate((d*x+c)*(a+a*sec(f*x+e)),x, algorithm="maxima")

[Out] 1/2*(a*d*f*x^2 + 2*a*c*f*x + 4*a*d*f*integrate((x*cos(2*f*x + 2*e)*cos(f*x + e) + x*sin(2*f*x + 2*e)*sin(f*x + e) + x*cos(f*x + e))/(cos(2*f*x + 2*e)^2 + sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1), x) + a*c*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) - a*c*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1))/f

Giac [F]

$$\int (c + dx)(a + a \sec(e + fx)) dx = \int (dx + c)(a \sec(fx + e) + a) dx$$

[In] integrate((d*x+c)*(a+a*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)*(a*sec(f*x + e) + a), x)

Mupad [F(-1)]

Timed out.

$$\int (c + dx)(a + a \sec(e + fx)) dx = \int \left(a + \frac{a}{\cos(e + fx)} \right) (c + dx) dx$$

[In] int((a + a/cos(e + f*x))*(c + d*x),x)

[Out] int((a + a/cos(e + f*x))*(c + d*x), x)

3.4 $\int \frac{a+a \sec(e+fx)}{c+dx} dx$

Optimal result	59
Rubi [N/A]	59
Mathematica [N/A]	60
Maple [N/A] (verified)	60
Fricas [N/A]	60
Sympy [N/A]	60
Maxima [N/A]	61
Giac [N/A]	61
Mupad [N/A]	61

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \text{Int}\left(\frac{a + a \sec(e + fx)}{c + dx}, x\right)$$

[Out] Unintegrable((a+a*sec(f*x+e))/(d*x+c),x)

Rubi [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \int \frac{a + a \sec(e + fx)}{c + dx} dx$$

[In] Int[(a + a*Sec[e + f*x])/(c + d*x),x]

[Out] Defer[Int] [(a + a*Sec[e + f*x])/(c + d*x), x]

Rubi steps

$$\text{integral} = \int \frac{a + a \sec(e + fx)}{c + dx} dx$$

Mathematica [N/A]

Not integrable

Time = 6.84 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \int \frac{a + a \sec(e + fx)}{c + dx} dx$$

[In] Integrate[(a + a*Sec[e + f*x])/(c + d*x),x]

[Out] Integrate[(a + a*Sec[e + f*x])/(c + d*x), x]

Maple [N/A] (verified)

Not integrable

Time = 0.44 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + a \sec(fx + e)}{dx + c} dx$$

[In] int((a+a*sec(f*x+e))/(d*x+c),x)

[Out] int((a+a*sec(f*x+e))/(d*x+c),x)

Fricas [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \int \frac{a \sec(fx + e) + a}{dx + c} dx$$

[In] integrate((a+a*sec(f*x+e))/(d*x+c),x, algorithm="fricas")

[Out] integral((a*sec(f*x + e) + a)/(d*x + c), x)

Sympy [N/A]

Not integrable

Time = 0.66 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = a \left(\int \frac{\sec(e + fx)}{c + dx} dx + \int \frac{1}{c + dx} dx \right)$$

[In] integrate((a+a*sec(f*x+e))/(d*x+c),x)

[Out] a*(Integral(sec(e + f*x)/(c + d*x), x) + Integral(1/(c + d*x), x))

Maxima [N/A]

Not integrable

Time = 0.54 (sec) , antiderivative size = 116, normalized size of antiderivative = 6.44

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \int \frac{a \sec(fx + e) + a}{dx + c} dx$$

[In] integrate((a+a*sec(f*x+e))/(d*x+c),x, algorithm="maxima")

[Out] (2*a*d*integrate((cos(2*f*x + 2*e)*cos(f*x + e) + sin(2*f*x + 2*e)*sin(f*x + e) + cos(f*x + e))/((d*x + c)*cos(2*f*x + 2*e)^2 + (d*x + c)*sin(2*f*x + 2*e)^2 + d*x + 2*(d*x + c)*cos(2*f*x + 2*e) + c), x) + a*log(d*x + c))/d

Giac [N/A]

Not integrable

Time = 0.40 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \int \frac{a \sec(fx + e) + a}{dx + c} dx$$

[In] integrate((a+a*sec(f*x+e))/(d*x+c),x, algorithm="giac")

[Out] integrate((a*sec(f*x + e) + a)/(d*x + c), x)

Mupad [N/A]

Not integrable

Time = 12.77 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \int \frac{a + \frac{a}{\cos(e+fx)}}{c + dx} dx$$

[In] int((a + a/cos(e + f*x))/(c + d*x),x)

[Out] int((a + a/cos(e + f*x))/(c + d*x), x)

3.5 $\int \frac{a+a \sec(e+fx)}{(c+dx)^2} dx$

Optimal result	62
Rubi [N/A]	62
Mathematica [N/A]	63
Maple [N/A] (verified)	63
Fricas [N/A]	63
Sympy [N/A]	63
Maxima [N/A]	64
Giac [N/A]	64
Mupad [N/A]	64

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \text{Int}\left(\frac{a + a \sec(e + fx)}{(c + dx)^2}, x\right)$$

[Out] Unintegrable((a+a*sec(f*x+e))/(d*x+c)^2,x)

Rubi [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx$$

[In] Int[(a + a*Sec[e + f*x])/(c + d*x)^2,x]

[Out] Defer[Int][(a + a*Sec[e + f*x])/(c + d*x)^2, x]

Rubi steps

$$\text{integral} = \int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx$$

Mathematica [N/A]

Not integrable

Time = 5.63 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx$$

[In] Integrate[(a + a*Sec[e + f*x])/(c + d*x)^2,x]

[Out] Integrate[(a + a*Sec[e + f*x])/(c + d*x)^2, x]

Maple [N/A] (verified)

Not integrable

Time = 0.50 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + a \sec(fx + e)}{(dx + c)^2} dx$$

[In] int((a+a*sec(f*x+e))/(d*x+c)^2,x)

[Out] int((a+a*sec(f*x+e))/(d*x+c)^2,x)

Fricas [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.72

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a \sec(fx + e) + a}{(dx + c)^2} dx$$

[In] integrate((a+a*sec(f*x+e))/(d*x+c)^2,x, algorithm="fricas")

[Out] integral((a*sec(f*x + e) + a)/(d^2*x^2 + 2*c*d*x + c^2), x)

Sympy [N/A]

Not integrable

Time = 2.55 (sec) , antiderivative size = 46, normalized size of antiderivative = 2.56

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = a \left(\int \frac{\sec(e + fx)}{c^2 + 2cdx + d^2x^2} dx + \int \frac{1}{c^2 + 2cdx + d^2x^2} dx \right)$$

[In] integrate((a+a*sec(f*x+e))/(d*x+c)**2,x)

[Out] a*(Integral(sec(e + f*x)/(c**2 + 2*c*d*x + d**2*x**2), x) + Integral(1/(c**2 + 2*c*d*x + d**2*x**2), x))

Maxima [N/A]

Not integrable

Time = 0.59 (sec) , antiderivative size = 172, normalized size of antiderivative = 9.56

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a \sec(fx + e) + a}{(dx + c)^2} dx$$

[In] integrate((a+a*sec(f*x+e))/(d*x+c)^2,x, algorithm="maxima")

[Out] (2*(a*d^2*x + a*c*d)*integrate((cos(2*f*x + 2*e)*cos(f*x + e) + sin(2*f*x + 2*e)*sin(f*x + e) + cos(f*x + e))/(d^2*x^2 + 2*c*d*x + (d^2*x^2 + 2*c*d*x + c^2)*cos(2*f*x + 2*e)^2 + (d^2*x^2 + 2*c*d*x + c^2)*sin(2*f*x + 2*e)^2 + c^2 + 2*(d^2*x^2 + 2*c*d*x + c^2)*cos(2*f*x + 2*e)), x) - a)/(d^2*x + c*d)

Giac [N/A]

Not integrable

Time = 2.13 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a \sec(fx + e) + a}{(dx + c)^2} dx$$

[In] integrate((a+a*sec(f*x+e))/(d*x+c)^2,x, algorithm="giac")

[Out] integrate((a*sec(f*x + e) + a)/(d*x + c)^2, x)

Mupad [N/A]

Not integrable

Time = 13.04 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + \frac{a}{\cos(e+fx)}}{(c + dx)^2} dx$$

[In] int((a + a/cos(e + f*x))/(c + d*x)^2,x)

[Out] int((a + a/cos(e + f*x))/(c + d*x)^2, x)

3.6 $\int (c + dx)^3 (a + a \sec(e + fx))^2 dx$

Optimal result	65
Rubi [A] (verified)	66
Mathematica [A] (verified)	71
Maple [B] (verified)	71
Fricas [B] (verification not implemented)	72
Sympy [F]	74
Maxima [B] (verification not implemented)	74
Giac [F]	76
Mupad [F(-1)]	76

Optimal result

Integrand size = 20, antiderivative size = 371

$$\begin{aligned}
 \int (c + dx)^3 (a + a \sec(e + fx))^2 dx = & -\frac{ia^2(c + dx)^3}{f} + \frac{a^2(c + dx)^4}{4d} \\
 & - \frac{4ia^2(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \\
 & + \frac{3a^2d(c + dx)^2 \log(1 + e^{2i(e+fx)})}{f^2} \\
 & + \frac{6ia^2d(c + dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
 & - \frac{6ia^2d(c + dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
 & - \frac{3ia^2d^2(c + dx) \operatorname{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\
 & - \frac{12a^2d^2(c + dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
 & + \frac{12a^2d^2(c + dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
 & + \frac{3a^2d^3 \operatorname{PolyLog}(3, -e^{2i(e+fx)})}{2f^4} \\
 & - \frac{12ia^2d^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} \\
 & + \frac{12ia^2d^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4} \\
 & + \frac{a^2(c + dx)^3 \tan(e + fx)}{f}
 \end{aligned}$$

```
[Out] -I*a^2*(d*x+c)^3/f+1/4*a^2*(d*x+c)^4/d-4*I*a^2*(d*x+c)^3*arctan(exp(I*(f*x+
e)))/f+3*a^2*d*(d*x+c)^2*ln(1+exp(2*I*(f*x+e)))/f^2+6*I*a^2*d*(d*x+c)^2*pol
ylog(2,-I*exp(I*(f*x+e)))/f^2-6*I*a^2*d*(d*x+c)^2*polylog(2,I*exp(I*(f*x+e)
))/f^2-3*I*a^2*d^2*(d*x+c)*polylog(2,-exp(2*I*(f*x+e)))/f^3-12*a^2*d^2*(d*x
+c)*polylog(3,-I*exp(I*(f*x+e)))/f^3+12*a^2*d^2*(d*x+c)*polylog(3,I*exp(I*(
f*x+e)))/f^3+3/2*a^2*d^3*polylog(3,-exp(2*I*(f*x+e)))/f^4-12*I*a^2*d^3*poly
log(4,-I*exp(I*(f*x+e)))/f^4+12*I*a^2*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4+a
^2*(d*x+c)^3*tan(f*x+e)/f
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 371, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {4275, 4266, 2611, 6744, 2320, 6724, 4269, 3800, 2221}

$$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx = -\frac{4ia^2(c + dx)^3 \arctan(e^{i(e+fx)})}{f} - \frac{3ia^2d^2(c + dx) \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} - \frac{12a^2d^2(c + dx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{12a^2d^2(c + dx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{6ia^2d(c + dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{6ia^2d(c + dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{3a^2d(c + dx)^2 \log(1 + e^{2i(e+fx)})}{f^2} + \frac{a^2(c + dx)^3 \tan(e + fx)}{f} - \frac{ia^2(c + dx)^3}{f} + \frac{a^2(c + dx)^4}{4d} + \frac{3a^2d^3 \text{PolyLog}(3, -e^{2i(e+fx)})}{2f^4} - \frac{12ia^2d^3 \text{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \frac{12ia^2d^3 \text{PolyLog}(4, ie^{i(e+fx)})}{f^4}$$

```
[In] Int[(c + d*x)^3*(a + a*Sec[e + f*x])^2,x]
```

```
[Out] ((-I)*a^2*(c + d*x)^3)/f + (a^2*(c + d*x)^4)/(4*d) - ((4*I)*a^2*(c + d*x)^3
*ArcTan[E^(I*(e + f*x))])/f + (3*a^2*d*(c + d*x)^2*Log[1 + E^((2*I)*(e + f*
```

$$\begin{aligned} & x)]]/f^2 + ((6*I)*a^2*d*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(e + f*x))]/f^2 \\ & - ((6*I)*a^2*d*(c + d*x)^2*PolyLog[2, I*E^(I*(e + f*x))]/f^2 - ((3*I)*a^2* \\ & d^2*(c + d*x)*PolyLog[2, -E^((2*I)*(e + f*x))]/f^3 - (12*a^2*d^2*(c + d*x) \\ & *PolyLog[3, (-I)*E^(I*(e + f*x))]/f^3 + (12*a^2*d^2*(c + d*x)*PolyLog[3, I \\ & *E^(I*(e + f*x))]/f^3 + (3*a^2*d^3*PolyLog[3, -E^((2*I)*(e + f*x))]/(2*f^ \\ & 4) - ((12*I)*a^2*d^3*PolyLog[4, (-I)*E^(I*(e + f*x))]/f^4 + ((12*I)*a^2*d^ \\ & 3*PolyLog[4, I*E^(I*(e + f*x))]/f^4 + (a^2*(c + d*x)^3*Tan[e + f*x])/f \end{aligned}$$

Rule 2221

$$\text{Int}[(((F_)^((g_)*(e_) + (f_)*(x_)))^{(n_)*((c_) + (d_)*(x_))^{(m_)} / ((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^{(n_)}), x_Symbol] \rightarrow \text{Simp} [((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a], x] - \text{Dist}[d*(m/(b*f*g*n*Log[F])), \text{Int}[(c + d*x)^{(m-1)}*Log[1 + b*((F^(g*(e + f*x)))^n/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \text{IGtQ}[m, 0]$$

Rule 2320

$$\text{Int}[u_, x_Symbol] \rightarrow \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_)*((a_)*(v_)^{(n)})^{(m)} /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m*n] \&\& !\text{MatchQ}[u, E^((c_)*((a_) + (b_)*x))* (F_) [v_] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{InverseFunctionQ}[F[x]]]$$

Rule 2611

$$\text{Int}[\text{Log}[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^{(n_)})]*(f_) + (g_) * (x_)^{(m_)}, x_Symbol] \rightarrow \text{Simp}[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + \text{Dist}[g*(m/(b*c*n*Log[F])), \text{Int}[(f + g*x)^{(m-1)}*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$$

Rule 3800

$$\text{Int}[((c_) + (d_)*(x_))^{(m_)}*\text{tan}[(e_) + (f_)*(x_)], x_Symbol] \rightarrow \text{Simp}[I * ((c + d*x)^{(m+1)}/(d*(m+1))), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m*(E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x)))], x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0]$$

Rule 4266

$$\text{Int}[\text{csc}[(e_) + \text{Pi}*(k_) + (f_)*(x_)]*((c_) + (d_)*(x_))^{(m_)}, x_Symbol] \rightarrow \text{Simp}[-2*(c + d*x)^m*(\text{ArcTanh}[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-\text{Dist}[d*(m/f), \text{Int}[(c + d*x)^{(m-1)}*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + \text{Dist}[d*(m/f), \text{Int}[(c + d*x)^{(m-1)}*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IntegerQ}[2*k] \&\& \text{IGtQ}[m, 0]$$

Rule 4269

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp
[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*
Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 4275

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.),
x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6744

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int (a^2(c + dx)^3 + 2a^2(c + dx)^3 \sec(e + fx) + a^2(c + dx)^3 \sec^2(e + fx)) dx \\
&= \frac{a^2(c + dx)^4}{4d} + a^2 \int (c + dx)^3 \sec^2(e + fx) dx + (2a^2) \int (c + dx)^3 \sec(e + fx) dx \\
&= \frac{a^2(c + dx)^4}{4d} - \frac{4ia^2(c + dx)^3 \arctan(e^{i(e+fx)})}{f} + \frac{a^2(c + dx)^3 \tan(e + fx)}{f} \\
&\quad - \frac{(3a^2d) \int (c + dx)^2 \tan(e + fx) dx}{f} - \frac{(6a^2d) \int (c + dx)^2 \log(1 - ie^{i(e+fx)}) dx}{f} \\
&\quad + \frac{(6a^2d) \int (c + dx)^2 \log(1 + ie^{i(e+fx)}) dx}{f}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ia^2(c+dx)^3}{f} + \frac{a^2(c+dx)^4}{4d} - \frac{4ia^2(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{6ia^2d(c+dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{6ia^2d(c+dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&+ \frac{a^2(c+dx)^3 \tan(e+fx)}{f} - \frac{(12ia^2d^2) \int (c+dx) \text{PolyLog}(2, -ie^{i(e+fx)}) dx}{f^2} \\
&+ \frac{(12ia^2d^2) \int (c+dx) \text{PolyLog}(2, ie^{i(e+fx)}) dx}{f^2} + \frac{(6ia^2d) \int \frac{e^{2i(e+fx)}(c+dx)^2}{1+e^{2i(e+fx)}} dx}{f} \\
&= -\frac{ia^2(c+dx)^3}{f} + \frac{a^2(c+dx)^4}{4d} - \frac{4ia^2(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3a^2d(c+dx)^2 \log(1+e^{2i(e+fx)})}{f^2} + \frac{6ia^2d(c+dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&- \frac{6ia^2d(c+dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{12a^2d^2(c+dx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
&+ \frac{12a^2d^2(c+dx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{a^2(c+dx)^3 \tan(e+fx)}{f} \\
&+ \frac{(12a^2d^3) \int \text{PolyLog}(3, -ie^{i(e+fx)}) dx}{f^3} - \frac{(12a^2d^3) \int \text{PolyLog}(3, ie^{i(e+fx)}) dx}{f^3} \\
&- \frac{(6a^2d^2) \int (c+dx) \log(1+e^{2i(e+fx)}) dx}{f^2} \\
&= -\frac{ia^2(c+dx)^3}{f} + \frac{a^2(c+dx)^4}{4d} - \frac{4ia^2(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3a^2d(c+dx)^2 \log(1+e^{2i(e+fx)})}{f^2} + \frac{6ia^2d(c+dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&- \frac{6ia^2d(c+dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{3ia^2d^2(c+dx) \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\
&- \frac{12a^2d^2(c+dx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{12a^2d^2(c+dx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&+ \frac{a^2(c+dx)^3 \tan(e+fx)}{f} - \frac{(12ia^2d^3) \text{Subst}\left(\int \frac{\text{PolyLog}(3, -ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^4} \\
&+ \frac{(12ia^2d^3) \text{Subst}\left(\int \frac{\text{PolyLog}(3, ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^4} \\
&+ \frac{(3ia^2d^3) \int \text{PolyLog}(2, -e^{2i(e+fx)}) dx}{f^3}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ia^2(c+dx)^3}{f} + \frac{a^2(c+dx)^4}{4d} - \frac{4ia^2(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3a^2d(c+dx)^2 \log(1+e^{2i(e+fx)})}{f^2} + \frac{6ia^2d(c+dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&- \frac{6ia^2d(c+dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{3ia^2d^2(c+dx) \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\
&- \frac{12a^2d^2(c+dx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{12a^2d^2(c+dx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&- \frac{12ia^2d^3 \text{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \frac{12ia^2d^3 \text{PolyLog}(4, ie^{i(e+fx)})}{f^4} \\
&+ \frac{a^2(c+dx)^3 \tan(e+fx)}{f} + \frac{(3a^2d^3) \text{Subst}\left(\int \frac{\text{PolyLog}(2, -x)}{x} dx, x, e^{2i(e+fx)}\right)}{2f^4} \\
&= -\frac{ia^2(c+dx)^3}{f} + \frac{a^2(c+dx)^4}{4d} - \frac{4ia^2(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3a^2d(c+dx)^2 \log(1+e^{2i(e+fx)})}{f^2} + \frac{6ia^2d(c+dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&- \frac{6ia^2d(c+dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{3ia^2d^2(c+dx) \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\
&- \frac{12a^2d^2(c+dx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{12a^2d^2(c+dx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&+ \frac{3a^2d^3 \text{PolyLog}(3, -e^{2i(e+fx)})}{2f^4} - \frac{12ia^2d^3 \text{PolyLog}(4, -ie^{i(e+fx)})}{f^4} \\
&+ \frac{12ia^2d^3 \text{PolyLog}(4, ie^{i(e+fx)})}{f^4} + \frac{a^2(c+dx)^3 \tan(e+fx)}{f}
\end{aligned}$$

Mathematica [A] (verified)

Time = 2.05 (sec) , antiderivative size = 329, normalized size of antiderivative = 0.89

$$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx$$

$$= \frac{1}{4} a^2 \left(-\frac{4i(c + dx)^3}{f} + \frac{(c + dx)^4}{d} - \frac{16i(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \right.$$

$$+ \frac{24id(c + dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{24id(c + dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2}$$

$$+ \frac{6d(2f^2(c + dx)^2 \log(1 + e^{2i(e+fx)}) - 2idf(c + dx) \operatorname{PolyLog}(2, -e^{2i(e+fx)}) + d^2 \operatorname{PolyLog}(3, -e^{2i(e+fx)}))}{f^4}$$

$$- \frac{48d^2(f(c + dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)}) + id \operatorname{PolyLog}(4, -ie^{i(e+fx)}))}{f^4}$$

$$+ \frac{48d^2(f(c + dx) \operatorname{PolyLog}(3, ie^{i(e+fx)}) + id \operatorname{PolyLog}(4, ie^{i(e+fx)}))}{f^4}$$

$$\left. + \frac{4(c + dx)^3 \tan(e + fx)}{f} \right)$$

[In] Integrate[(c + d*x)^3*(a + a*Sec[e + f*x])^2,x]

[Out] (a^2*(((4*I)*(c + d*x)^3)/f + (c + d*x)^4/d - ((16*I)*(c + d*x)^3*ArcTan[E^(I*(e + f*x))])/f + ((24*I)*d*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((24*I)*d*(c + d*x)^2*PolyLog[2, I*E^(I*(e + f*x))])/f^2 + (6*d*(2*f^2*(c + d*x)^2*Log[1 + E^((2*I)*(e + f*x))] - (2*I)*d*f*(c + d*x)*PolyLog[2, -E^((2*I)*(e + f*x))] + d^2*PolyLog[3, -E^((2*I)*(e + f*x))]))/f^4 - (48*d^2*(f*(c + d*x)*PolyLog[3, (-I)*E^(I*(e + f*x))] + I*d*PolyLog[4, (-I)*E^(I*(e + f*x))])/f^4 + (48*d^2*(f*(c + d*x)*PolyLog[3, I*E^(I*(e + f*x))] + I*d*PolyLog[4, I*E^(I*(e + f*x))])/f^4 + (4*(c + d*x)^3*Tan[e + f*x])/f)/4

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1516 vs. 2(334) = 668.

Time = 1.70 (sec) , antiderivative size = 1517, normalized size of antiderivative = 4.09

method	result	size
risch	Expression too large to display	1517

[In] int((d*x+c)^3*(a+a*sec(f*x+e))^2,x,method=_RETURNVERBOSE)

```
[Out] 4*I/f^4*a^2*d^3*e^3*arctan(exp(I*(f*x+e)))+6*I/f^3*a^2*d^3*e^2*x-6*I/f^3*a^
2*d^3*polylog(2,-I*exp(I*(f*x+e)))*x-6*I/f^4*a^2*d^3*polylog(2,-I*exp(I*(f*
x+e)))*e-6*I/f^3*a^2*d^3*polylog(2,I*exp(I*(f*x+e)))*x-6*I/f^4*a^2*d^3*poly
log(2,I*exp(I*(f*x+e)))*e-6*I/f^2*a^2*c^2*d*polylog(2,I*exp(I*(f*x+e)))-6*I
/f*a^2*c*d^2*x^2-3*I/f^3*a^2*c*d^2*polylog(2,-exp(2*I*(f*x+e)))+3*I/f^4*a^2
*e*d^3*polylog(2,-exp(2*I*(f*x+e)))+6*I/f^2*a^2*d^3*polylog(2,-I*exp(I*(f*x
+e)))*x^2-6*I/f^2*a^2*d^3*polylog(2,I*exp(I*(f*x+e)))*x^2+6*I/f^2*a^2*c^2*d
*polylog(2,-I*exp(I*(f*x+e)))-6*I/f^3*a^2*e^2*c*d^2+6/f^4*a^2*d^3*polylog(3
,-I*exp(I*(f*x+e)))+6/f^4*a^2*d^3*polylog(3,I*exp(I*(f*x+e)))-6/f*a^2*d^2*c
*ln(1+I*exp(I*(f*x+e)))*x^2+6/f*a^2*d^2*c*ln(1-I*exp(I*(f*x+e)))*x^2-6/f^3*a
^2*e*d^3*ln(1+exp(2*I*(f*x+e)))*x+12/f^3*a^2*c*d^2*e*ln(exp(I*(f*x+e)))+6/
f^3*a^2*d^3*ln(1+I*exp(I*(f*x+e)))*e*x+6/f^2*a^2*c^2*d*ln(1-I*exp(I*(f*x+e
)))*e-6/f^2*a^2*c^2*d*ln(1+I*exp(I*(f*x+e)))*e+6/f^2*a^2*c*d^2*ln(1+exp(2*I
*(f*x+e)))*x+6/f*a^2*c^2*d*ln(1-I*exp(I*(f*x+e)))*x-6/f*a^2*c^2*d*ln(1+I*exp
(I*(f*x+e)))*x-6/f^3*a^2*e^2*c*d^2*ln(1-I*exp(I*(f*x+e)))+6/f^3*a^2*e^2*c*d
^2*ln(1+I*exp(I*(f*x+e)))+6/f^3*a^2*d^3*ln(1-I*exp(I*(f*x+e)))*e*x+1/4*a^2*
d^3*x^4+1/4*a^2/d*c^4+a^2*d^2*c*x^3+3/2*a^2*d*c^2*x^2+a^2*c^3*x+2*I*a^2*(d^
3*x^3+3*c*d^2*x^2+3*c^2*d*x+c^3)/f/(1+exp(2*I*(f*x+e)))+12*I/f^2*a^2*c^2*d*
e*arctan(exp(I*(f*x+e)))-12*I/f^2*a^2*d^2*c*polylog(2,I*exp(I*(f*x+e)))*x+1
2*I/f^2*a^2*d^2*c*polylog(2,-I*exp(I*(f*x+e)))*x-12*I/f^2*a^2*c*d^2*e*x-12*
I/f^3*a^2*c*d^2*e^2*arctan(exp(I*(f*x+e)))+12/f^3*a^2*d^2*c*polylog(3,I*exp
(I*(f*x+e)))-3/f^4*a^2*d^3*e^2*ln(1+exp(2*I*(f*x+e)))-6/f^4*a^2*d^3*e^2*ln(
exp(I*(f*x+e)))-12/f^3*a^2*d^3*polylog(3,-I*exp(I*(f*x+e)))*x+12/f^3*a^2*d^
3*polylog(3,I*exp(I*(f*x+e)))*x+2/f^4*a^2*e^3*d^3*ln(1-I*exp(I*(f*x+e)))-2/
f^4*a^2*e^3*d^3*ln(1+I*exp(I*(f*x+e)))+3/f^2*a^2*d^3*ln(1+I*exp(I*(f*x+e))
)*x^2+3/f^2*a^2*d^3*ln(1-I*exp(I*(f*x+e)))*x^2+2/f*a^2*d^3*ln(1-I*exp(I*(f*x
+e)))*x^3+3/f^4*a^2*d^3*ln(1+I*exp(I*(f*x+e)))*e^2-2/f*a^2*d^3*ln(1+I*exp(I
*(f*x+e)))*x^3+3/f^4*a^2*d^3*ln(1-I*exp(I*(f*x+e)))*e^2+3/f^2*a^2*c^2*d*ln(
1+exp(2*I*(f*x+e)))-6/f^2*a^2*c^2*d*ln(exp(I*(f*x+e)))-12/f^3*a^2*d^2*c*pol
ylog(3,-I*exp(I*(f*x+e)))-2*I/f*a^2*d^3*x^3+4*I/f^4*a^2*e^3*d^3-4*I/f*a^2*c
^3*arctan(exp(I*(f*x+e)))-12*I*a^2*d^3*polylog(4,-I*exp(I*(f*x+e)))/f^4+12*
I*a^2*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1887 vs. $2(318) = 636$.

Time = 0.38 (sec) , antiderivative size = 1887, normalized size of antiderivative = 5.09

$$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx = \text{Too large to display}$$

```
[In] integrate((d*x+c)^3*(a+a*sec(f*x+e))^2,x, algorithm="fricas")
```



```
[Out] 1/4*(24*I*a^2*d^3*cos(f*x + e)*polylog(4, I*cos(f*x + e) + sin(f*x + e)) +
24*I*a^2*d^3*cos(f*x + e)*polylog(4, I*cos(f*x + e) - sin(f*x + e)) - 24*I*
a^2*d^3*cos(f*x + e)*polylog(4, -I*cos(f*x + e) + sin(f*x + e)) - 24*I*a^2*
d^3*cos(f*x + e)*polylog(4, -I*cos(f*x + e) - sin(f*x + e)) - 12*(I*a^2*d^3
*f^2*x^2 + I*a^2*c^2*d*f^2 - I*a^2*c*d^2*f + I*(2*a^2*c*d^2*f^2 - a^2*d^3*f
)*x)*cos(f*x + e)*dilog(I*cos(f*x + e) + sin(f*x + e)) - 12*(I*a^2*d^3*f^2*
x^2 + I*a^2*c^2*d*f^2 + I*a^2*c*d^2*f + I*(2*a^2*c*d^2*f^2 + a^2*d^3*f)*x)*
cos(f*x + e)*dilog(I*cos(f*x + e) - sin(f*x + e)) - 12*(-I*a^2*d^3*f^2*x^2
- I*a^2*c^2*d*f^2 + I*a^2*c*d^2*f - I*(2*a^2*c*d^2*f^2 - a^2*d^3*f)*x)*cos(
f*x + e)*dilog(-I*cos(f*x + e) + sin(f*x + e)) - 12*(-I*a^2*d^3*f^2*x^2 - I
*a^2*c^2*d*f^2 - I*a^2*c*d^2*f - I*(2*a^2*c*d^2*f^2 + a^2*d^3*f)*x)*cos(f*x
+ e)*dilog(-I*cos(f*x + e) - sin(f*x + e)) - 2*(2*a^2*d^3*e^3 - 2*a^2*c^3*
f^3 - 3*a^2*d^3*e^2 + 3*(2*a^2*c^2*d*e - a^2*c^2*d)*f^2 - 6*(a^2*c*d^2*e^2
- a^2*c*d^2*e)*f)*cos(f*x + e)*log(cos(f*x + e) + I*sin(f*x + e) + I) + 2*(
2*a^2*d^3*e^3 - 2*a^2*c^3*f^3 + 3*a^2*d^3*e^2 + 3*(2*a^2*c^2*d*e + a^2*c^2*d
)*f^2 - 6*(a^2*c*d^2*e^2 + a^2*c*d^2*e)*f)*cos(f*x + e)*log(cos(f*x + e) -
I*sin(f*x + e) + I) + 2*(2*a^2*d^3*f^3*x^3 + 2*a^2*d^3*e^3 + 6*a^2*c^2*d*e
*f^2 - 3*a^2*d^3*e^2 + 3*(2*a^2*c*d^2*f^3 + a^2*d^3*f^2)*x^2 - 6*(a^2*c*d^2
*e^2 - a^2*c*d^2*e)*f + 6*(a^2*c^2*d*f^3 + a^2*c*d^2*f^2)*x)*cos(f*x + e)*l
og(I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(2*a^2*d^3*f^3*x^3 + 2*a^2*d^3*e^
3 + 6*a^2*c^2*d*e*f^2 + 3*a^2*d^3*e^2 + 3*(2*a^2*c*d^2*f^3 - a^2*d^3*f^2)*x
^2 - 6*(a^2*c*d^2*e^2 + a^2*c*d^2*e)*f + 6*(a^2*c^2*d*f^3 - a^2*c*d^2*f^2)*
x)*cos(f*x + e)*log(I*cos(f*x + e) - sin(f*x + e) + 1) + 2*(2*a^2*d^3*f^3*x
^3 + 2*a^2*d^3*e^3 + 6*a^2*c^2*d*e*f^2 - 3*a^2*d^3*e^2 + 3*(2*a^2*c*d^2*f^3
+ a^2*d^3*f^2)*x^2 - 6*(a^2*c*d^2*e^2 - a^2*c*d^2*e)*f + 6*(a^2*c^2*d*f^3
+ a^2*c*d^2*f^2)*x)*cos(f*x + e)*log(-I*cos(f*x + e) + sin(f*x + e) + 1) -
2*(2*a^2*d^3*f^3*x^3 + 2*a^2*d^3*e^3 + 6*a^2*c^2*d*e*f^2 + 3*a^2*d^3*e^2 +
3*(2*a^2*c*d^2*f^3 - a^2*d^3*f^2)*x^2 - 6*(a^2*c*d^2*e^2 + a^2*c*d^2*e)*f +
6*(a^2*c^2*d*f^3 - a^2*c*d^2*f^2)*x)*cos(f*x + e)*log(-I*cos(f*x + e) - si
n(f*x + e) + 1) - 2*(2*a^2*d^3*e^3 - 2*a^2*c^3*f^3 - 3*a^2*d^3*e^2 + 3*(2*a
^2*c^2*d*e - a^2*c^2*d)*f^2 - 6*(a^2*c*d^2*e^2 - a^2*c*d^2*e)*f)*cos(f*x +
e)*log(-cos(f*x + e) + I*sin(f*x + e) + I) + 2*(2*a^2*d^3*e^3 - 2*a^2*c^3*f
^3 + 3*a^2*d^3*e^2 + 3*(2*a^2*c^2*d*e + a^2*c^2*d)*f^2 - 6*(a^2*c*d^2*e^2 +
a^2*c*d^2*e)*f)*cos(f*x + e)*log(-cos(f*x + e) - I*sin(f*x + e) + I) - 12*
(2*a^2*d^3*f*x + 2*a^2*c*d^2*f - a^2*d^3)*cos(f*x + e)*polylog(3, I*cos(f*x
+ e) + sin(f*x + e)) + 12*(2*a^2*d^3*f*x + 2*a^2*c*d^2*f + a^2*d^3)*cos(f*
x + e)*polylog(3, I*cos(f*x + e) - sin(f*x + e)) - 12*(2*a^2*d^3*f*x + 2*a^
2*c*d^2*f - a^2*d^3)*cos(f*x + e)*polylog(3, -I*cos(f*x + e) + sin(f*x + e)
) + 12*(2*a^2*d^3*f*x + 2*a^2*c*d^2*f + a^2*d^3)*cos(f*x + e)*polylog(3, -I
*cos(f*x + e) - sin(f*x + e)) + (a^2*d^3*f^4*x^4 + 4*a^2*c*d^2*f^4*x^3 + 6*
a^2*c^2*d*f^4*x^2 + 4*a^2*c^3*f^4*x)*cos(f*x + e) + 4*(a^2*d^3*f^3*x^3 + 3*
a^2*c*d^2*f^3*x^2 + 3*a^2*c^2*d*f^3*x + a^2*c^3*f^3)*sin(f*x + e))/(f^4*cos
(f*x + e))
```

Sympy [F]

$$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx = a^2 \left(\int c^3 dx + \int 2c^3 \sec(e + fx) dx \right. \\ \left. + \int c^3 \sec^2(e + fx) dx + \int d^3 x^3 dx + \int 3cd^2 x^2 dx \right. \\ \left. + \int 3c^2 dx dx + \int 2d^3 x^3 \sec(e + fx) dx \right. \\ \left. + \int d^3 x^3 \sec^2(e + fx) dx + \int 6cd^2 x^2 \sec(e + fx) dx \right. \\ \left. + \int 3cd^2 x^2 \sec^2(e + fx) dx + \int 6c^2 dx \sec(e + fx) dx \right. \\ \left. + \int 3c^2 dx \sec^2(e + fx) dx \right)$$

[In] integrate((d*x+c)**3*(a+a*sec(f*x+e))**2,x)

[Out] a**2*(Integral(c**3, x) + Integral(2*c**3*sec(e + f*x), x) + Integral(c**3*sec(e + f*x)**2, x) + Integral(d**3*x**3, x) + Integral(3*c*d**2*x**2, x) + Integral(3*c**2*d*x, x) + Integral(2*d**3*x**3*sec(e + f*x), x) + Integral(d**3*x**3*sec(e + f*x)**2, x) + Integral(6*c*d**2*x**2*sec(e + f*x), x) + Integral(3*c*d**2*x**2*sec(e + f*x)**2, x) + Integral(6*c**2*d*x*sec(e + f*x), x) + Integral(3*c**2*d*x*sec(e + f*x)**2, x))

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 3403 vs. $2(318) = 636$.

Time = 0.71 (sec) , antiderivative size = 3403, normalized size of antiderivative = 9.17

$$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx = \text{Too large to display}$$

[In] integrate((d*x+c)^3*(a+a*sec(f*x+e))^2,x, algorithm="maxima")

[Out] 1/4*(4*(f*x + e)*a^2*c^3 + (f*x + e)^4*a^2*d^3/f^3 - 4*(f*x + e)^3*a^2*d^3*e/f^3 + 6*(f*x + e)^2*a^2*d^3*e^2/f^3 - 4*(f*x + e)*a^2*d^3*e^3/f^3 + 4*(f*x + e)^3*a^2*c*d^2/f^2 - 12*(f*x + e)^2*a^2*c*d^2*e/f^2 + 12*(f*x + e)*a^2*c*d^2*e^2/f^2 + 6*(f*x + e)^2*a^2*c^2*d/f - 12*(f*x + e)*a^2*c^2*d*e/f + 8*a^2*c^3*log(sec(f*x + e) + tan(f*x + e)) - 8*a^2*d^3*e^3*log(sec(f*x + e) + tan(f*x + e))/f^3 + 24*a^2*c*d^2*e^2*log(sec(f*x + e) + tan(f*x + e))/f^2 - 24*a^2*c^2*d*e*log(sec(f*x + e) + tan(f*x + e))/f - 4*(4*a^2*d^3*e^3 - 12*a^2*c*d^2*e^2*f + 12*a^2*c^2*d*e*f^2 - 4*a^2*c^3*f^3 + 4*((f*x + e)^3*a^2*

$$\begin{aligned}
& d^3 - 3*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e)^2 + 3*(a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*(f*x + e) + ((f*x + e)^3*a^2*d^3 - 3*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e)^2 + 3*(a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*(f*x + e))*\cos(2*f*x + 2*e) + (I*(f*x + e)^3*a^2*d^3 + 3*(-I*a^2*d^3*e + I*a^2*c*d^2*f)*(f*x + e)^2 + 3*(I*a^2*d^3*e^2 - 2*I*a^2*c*d^2*e*f + I*a^2*c^2*d*f^2)*(f*x + e))*\sin(2*f*x + 2*e))*\arctan2(\cos(f*x + e), \sin(f*x + e) + 1) + 4*((f*x + e)^3*a^2*d^3 - 3*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e)^2 + 3*(a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*(f*x + e))*\cos(2*f*x + 2*e) + (I*(f*x + e)^3*a^2*d^3 + 3*(-I*a^2*d^3*e + I*a^2*c*d^2*f)*(f*x + e)^2 + 3*(I*a^2*d^3*e^2 - 2*I*a^2*c*d^2*e*f + I*a^2*c^2*d*f^2)*(f*x + e))*\sin(2*f*x + 2*e))*\arctan2(\cos(f*x + e), -\sin(f*x + e) + 1) - 6*((f*x + e)^2*a^2*d^3 + a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2 - 2*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e))*\cos(2*f*x + 2*e) - (-I*(f*x + e)^2*a^2*d^3 - I*a^2*d^3*e^2 + 2*I*a^2*c*d^2*e*f - I*a^2*c^2*d*f^2 + 2*(I*a^2*d^3*e - I*a^2*c*d^2*f)*(f*x + e))*\sin(2*f*x + 2*e))*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e) + 1) + 4*((f*x + e)^3*a^2*d^3 - 3*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e)^2 + 3*(a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*(f*x + e))*\cos(2*f*x + 2*e) + 6*((f*x + e)*a^2*d^3 - a^2*d^3*e + a^2*c*d^2*f + ((f*x + e)*a^2*d^3 - a^2*d^3*e + a^2*c*d^2*f)*\cos(2*f*x + 2*e) + (I*(f*x + e)*a^2*d^3 - I*a^2*d^3*e + I*a^2*c*d^2*f)*\sin(2*f*x + 2*e))*\operatorname{dilog}(-e^{(2*I*f*x + 2*I*e)}) + 12*((f*x + e)^2*a^2*d^3 + a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2 - 2*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e) + ((f*x + e)^2*a^2*d^3 + a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2 - 2*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e))*\cos(2*f*x + 2*e) + (I*(f*x + e)^2*a^2*d^3 + I*a^2*d^3*e^2 - 2*I*a^2*c*d^2*e*f + I*a^2*c^2*d*f^2 + 2*(-I*a^2*d^3*e + I*a^2*c*d^2*f)*(f*x + e))*\sin(2*f*x + 2*e))*\operatorname{dilog}(I*e^{(I*f*x + I*e)}) - 12*((f*x + e)^2*a^2*d^3 + a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2 - 2*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e) + ((f*x + e)^2*a^2*d^3 + a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2 - 2*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e))*\cos(2*f*x + 2*e) - (-I*(f*x + e)^2*a^2*d^3 - I*a^2*d^3*e^2 + 2*I*a^2*c*d^2*e*f - I*a^2*c^2*d*f^2 + 2*(I*a^2*d^3*e - I*a^2*c*d^2*f)*(f*x + e))*\sin(2*f*x + 2*e))*\operatorname{dilog}(-I*e^{(I*f*x + I*e)}) + 3*(I*(f*x + e)^2*a^2*d^3 + I*a^2*d^3*e^2 - 2*I*a^2*c*d^2*e*f + I*a^2*c^2*d*f^2 + 2*(-I*a^2*d^3*e + I*a^2*c*d^2*f)*(f*x + e) + (I*(f*x + e)^2*a^2*d^3 + I*a^2*d^3*e^2 - 2*I*a^2*c*d^2*e*f + I*a^2*c^2*d*f^2 + 2*(-I*a^2*d^3*e + I*a^2*c*d^2*f)*(f*x + e))*\cos(2*f*x + 2*e) - ((f*x + e)^2*a^2*d^3 + a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2 - 2*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e))*\sin(2*f*x + 2*e))*\log(\cos(2*f*x + 2*e)^2 + \sin(2*f*x + 2*e)^2 + 2*\cos(2*f*x + 2*e) + 1) + 2*(I*(f*x + e)^3*a^2*d^3 + 3*(-I*a^2*d^3*e + I*a^2*c*d^2*f)*(f*x + e)^2 + 3*(I*a^2*d^3*e^2 - 2*I*a^2*c*d^2*e*f + I*a^2*c^2*d*f^2)*(f*x + e) + (I*(f*x + e)^3*a^2*d^3 + 3*(-I*a^2*d^3*e + I*a^2*c*d^2*f)*(f*x + e)^2 + 3*(I*a^2*d^3*e^2 - 2*I*a^2*c*d^2*e*f + I*a^2*c^2*d*f^2)*(f*x + e))*\cos(2*f*x + 2*e) - ((f*x + e)^3*a^2*d^3 - 3*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e)^2
\end{aligned}$$

$$\begin{aligned}
& + 3*(a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*(f*x + e))*\sin(2*f*x + \\
& 2*e))*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\sin(f*x + e) + 1) + 2*(-I*(f \\
& *x + e)^3*a^2*d^3 + 3*(I*a^2*d^3*e - I*a^2*c*d^2*f)*(f*x + e)^2 + 3*(-I*a^2 \\
& *d^3*e^2 + 2*I*a^2*c*d^2*e*f - I*a^2*c^2*d*f^2)*(f*x + e) + (-I*(f*x + e)^3 \\
& *a^2*d^3 + 3*(I*a^2*d^3*e - I*a^2*c*d^2*f)*(f*x + e)^2 + 3*(-I*a^2*d^3*e^2 \\
& + 2*I*a^2*c*d^2*e*f - I*a^2*c^2*d*f^2)*(f*x + e))*\cos(2*f*x + 2*e) + ((f*x \\
& + e)^3*a^2*d^3 - 3*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e)^2 + 3*(a^2*d^3*e^2 - \\
& 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*(f*x + e))*\sin(2*f*x + 2*e))*\log(\cos(f*x \\
& + e)^2 + \sin(f*x + e)^2 - 2*\sin(f*x + e) + 1) - 24*(a^2*d^3*\cos(2*f*x + 2*e \\
&) + I*a^2*d^3*\sin(2*f*x + 2*e) + a^2*d^3)*\text{polylog}(4, I*e^(I*f*x + I*e)) + 2 \\
& 4*(a^2*d^3*\cos(2*f*x + 2*e) + I*a^2*d^3*\sin(2*f*x + 2*e) + a^2*d^3)*\text{polylog} \\
& (4, -I*e^(I*f*x + I*e)) + 3*(I*a^2*d^3*\cos(2*f*x + 2*e) - a^2*d^3*\sin(2*f*x \\
& + 2*e) + I*a^2*d^3)*\text{polylog}(3, -e^(2*I*f*x + 2*I*e)) + 24*(I*(f*x + e)*a^2 \\
& *d^3 - I*a^2*d^3*e + I*a^2*c*d^2*f + (I*(f*x + e)*a^2*d^3 - I*a^2*d^3*e + I \\
& *a^2*c*d^2*f)*\cos(2*f*x + 2*e) - ((f*x + e)*a^2*d^3 - a^2*d^3*e + a^2*c*d^2 \\
& *f)*\sin(2*f*x + 2*e))*\text{polylog}(3, I*e^(I*f*x + I*e)) + 24*(-I*(f*x + e)*a^2* \\
& d^3 + I*a^2*d^3*e - I*a^2*c*d^2*f + (-I*(f*x + e)*a^2*d^3 + I*a^2*d^3*e - I \\
& *a^2*c*d^2*f)*\cos(2*f*x + 2*e) + ((f*x + e)*a^2*d^3 - a^2*d^3*e + a^2*c*d^2 \\
& *f)*\sin(2*f*x + 2*e))*\text{polylog}(3, -I*e^(I*f*x + I*e)) + 4*(I*(f*x + e)^3*a^2 \\
& *d^3 + 3*(-I*a^2*d^3*e + I*a^2*c*d^2*f)*(f*x + e)^2 + 3*(I*a^2*d^3*e^2 - 2* \\
& I*a^2*c*d^2*e*f + I*a^2*c^2*d*f^2)*(f*x + e))*\sin(2*f*x + 2*e))/(-2*I*f^3*c \\
& \os(2*f*x + 2*e) + 2*f^3*\sin(2*f*x + 2*e) - 2*I*f^3))/f
\end{aligned}$$

Giac [F]

$$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx = \int (dx + c)^3 (a \sec(fx + e) + a)^2 dx$$

[In] integrate((d*x+c)^3*(a+a*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^3*(a*sec(f*x + e) + a)^2, x)

Mupad [F(-1)]

Timed out.

$$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx = \int \left(a + \frac{a}{\cos(e + fx)} \right)^2 (c + dx)^3 dx$$

[In] int((a + a/cos(e + f*x))^2*(c + d*x)^3,x)

[Out] int((a + a/cos(e + f*x))^2*(c + d*x)^3, x)

3.7 $\int (c + dx)^2 (a + a \sec(e + fx))^2 dx$

Optimal result	77
Rubi [A] (verified)	78
Mathematica [A] (verified)	81
Maple [B] (verified)	82
Fricas [B] (verification not implemented)	82
Sympy [F]	83
Maxima [B] (verification not implemented)	84
Giac [F]	85
Mupad [F(-1)]	85

Optimal result

Integrand size = 20, antiderivative size = 262

$$\int (c + dx)^2 (a + a \sec(e + fx))^2 dx = -\frac{ia^2(c + dx)^2}{f} + \frac{a^2(c + dx)^3}{3d} - \frac{4ia^2(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{2a^2d(c + dx) \log(1 + e^{2i(e+fx)})}{f^2} + \frac{4ia^2d(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{4ia^2d(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{ia^2d^2 \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} - \frac{4a^2d^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{4a^2d^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{a^2(c + dx)^2 \tan(e + fx)}{f}$$

```
[Out] -I*a^2*(d*x+c)^2/f+1/3*a^2*(d*x+c)^3/d-4*I*a^2*(d*x+c)^2*arctan(exp(I*(f*x+
e)))/f+2*a^2*d*(d*x+c)*ln(1+exp(2*I*(f*x+e)))/f^2+4*I*a^2*d*(d*x+c)*polylog
(2,-I*exp(I*(f*x+e)))/f^2-4*I*a^2*d*(d*x+c)*polylog(2,I*exp(I*(f*x+e)))/f^2
-I*a^2*d^2*polylog(2,-exp(2*I*(f*x+e)))/f^3-4*a^2*d^2*polylog(3,-I*exp(I*(f
*x+e)))/f^3+4*a^2*d^2*polylog(3,I*exp(I*(f*x+e)))/f^3+a^2*(d*x+c)^2*tan(f*x
+e)/f
```

Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4275, 4266, 2611, 2320, 6724, 4269, 3800, 2221, 2317, 2438}

$$\int (c + dx)^2 (a + a \sec(e + fx))^2 dx = -\frac{4ia^2(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{4ia^2d(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{4ia^2d(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{2a^2d(c + dx) \log(1 + e^{2i(e+fx)})}{f^2} + \frac{a^2(c + dx)^2 \tan(e + fx)}{f} - \frac{ia^2(c + dx)^2}{f} + \frac{a^2(c + dx)^3}{3d} - \frac{ia^2d^2 \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} - \frac{4a^2d^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{4a^2d^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3}$$

[In] Int[(c + d*x)^2*(a + a*Sec[e + f*x])^2,x]

[Out] ((-I)*a^2*(c + d*x)^2)/f + (a^2*(c + d*x)^3)/(3*d) - ((4*I)*a^2*(c + d*x)^2*ArcTan[E^(I*(e + f*x))])/f + (2*a^2*d*(c + d*x)*Log[1 + E^((2*I)*(e + f*x))])/f^2 + ((4*I)*a^2*d*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((4*I)*a^2*d*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (I*a^2*d^2*PolyLog[2, -E^((2*I)*(e + f*x))])/f^3 - (4*a^2*d^2*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (4*a^2*d^2*PolyLog[3, I*E^(I*(e + f*x))])/f^3 + (a^2*(c + d*x)^2*Tan[e + f*x])/f

Rule 2221

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp[(((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))]

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2320

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 2611

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_)^(m_.), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3800

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 4266

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4269

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 4275

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int (a^2(c + dx)^2 + 2a^2(c + dx)^2 \sec(e + fx) + a^2(c + dx)^2 \sec^2(e + fx)) dx \\
&= \frac{a^2(c + dx)^3}{3d} + a^2 \int (c + dx)^2 \sec^2(e + fx) dx + (2a^2) \int (c + dx)^2 \sec(e + fx) dx \\
&= \frac{a^2(c + dx)^3}{3d} - \frac{4ia^2(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{a^2(c + dx)^2 \tan(e + fx)}{f} - \frac{(2a^2d) \int (c + dx) \tan(e + fx) dx}{f} \\
&\quad - \frac{(4a^2d) \int (c + dx) \log(1 - ie^{i(e+fx)}) dx}{f} + \frac{(4a^2d) \int (c + dx) \log(1 + ie^{i(e+fx)}) dx}{f} \\
&= -\frac{ia^2(c + dx)^2}{f} + \frac{a^2(c + dx)^3}{3d} - \frac{4ia^2(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{4ia^2d(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{4ia^2d(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&\quad + \frac{a^2(c + dx)^2 \tan(e + fx)}{f} - \frac{(4ia^2d^2) \int \text{PolyLog}(2, -ie^{i(e+fx)}) dx}{f^2} \\
&\quad + \frac{(4ia^2d^2) \int \text{PolyLog}(2, ie^{i(e+fx)}) dx}{f^2} + \frac{(4ia^2d) \int \frac{e^{2i(e+fx)(c+dx)}}{1+e^{2i(e+fx)}} dx}{f} \\
&= -\frac{ia^2(c + dx)^2}{f} + \frac{a^2(c + dx)^3}{3d} - \frac{4ia^2(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{2a^2d(c + dx) \log(1 + e^{2i(e+fx)})}{f^2} + \frac{4ia^2d(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{4ia^2d(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{a^2(c + dx)^2 \tan(e + fx)}{f} \\
&\quad - \frac{(4a^2d^2) \text{Subst}\left(\int \frac{\text{PolyLog}(2, -ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^3} \\
&\quad + \frac{(4a^2d^2) \text{Subst}\left(\int \frac{\text{PolyLog}(2, ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^3} - \frac{(2a^2d^2) \int \log(1 + e^{2i(e+fx)}) dx}{f^2}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ia^2(c+dx)^2}{f} + \frac{a^2(c+dx)^3}{3d} - \frac{4ia^2(c+dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{2a^2d(c+dx) \log(1+e^{2i(e+fx)})}{f^2} + \frac{4ia^2d(c+dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{4ia^2d(c+dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{4a^2d^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
&\quad + \frac{4a^2d^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{a^2(c+dx)^2 \tan(e+fx)}{f} \\
&\quad + \frac{(ia^2d^2) \text{Subst}\left(\int \frac{\log(1+x)}{x} dx, x, e^{2i(e+fx)}\right)}{f^3} \\
&= -\frac{ia^2(c+dx)^2}{f} + \frac{a^2(c+dx)^3}{3d} - \frac{4ia^2(c+dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{2a^2d(c+dx) \log(1+e^{2i(e+fx)})}{f^2} + \frac{4ia^2d(c+dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{4ia^2d(c+dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{ia^2d^2 \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} - \frac{4a^2d^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
&\quad + \frac{4a^2d^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{a^2(c+dx)^2 \tan(e+fx)}{f}
\end{aligned}$$

Mathematica [A] (verified)

Time = 2.73 (sec) , antiderivative size = 232, normalized size of antiderivative = 0.89

$$\begin{aligned}
&\int (c+dx)^2 (a+a \sec(e+fx))^2 dx \\
&= \frac{1}{3} a^2 \left(\frac{(c+dx)^3}{d} - \frac{12i(c+dx)^2 \arctan(e^{i(e+fx)})}{f} \right. \\
&\quad - \frac{3i(f(c+dx)(f(c+dx)+2id \log(1+e^{2i(e+fx)})) + d^2 \text{PolyLog}(2, -e^{2i(e+fx)}))}{f^3} \\
&\quad + \frac{12id(f(c+dx) \text{PolyLog}(2, -ie^{i(e+fx)}) + id \text{PolyLog}(3, -ie^{i(e+fx)}))}{f^3} \\
&\quad + \frac{12d(-if(c+dx) \text{PolyLog}(2, ie^{i(e+fx)}) + d \text{PolyLog}(3, ie^{i(e+fx)}))}{f^3} \\
&\quad \left. + \frac{3(c+dx)^2 \tan(e+fx)}{f} \right)
\end{aligned}$$

[In] Integrate[(c + d*x)^2*(a + a*Sec[e + f*x])^2,x]

```
[Out] (a^2*((c + d*x)^3/d - ((12*I)*(c + d*x)^2*ArcTan[E^(I*(e + f*x))])/f - ((3*I)*(f*(c + d*x)*(f*(c + d*x) + (2*I)*d*Log[1 + E^((2*I)*(e + f*x))]) + d^2*PolyLog[2, -E^((2*I)*(e + f*x))]))/f^3 + ((12*I)*d*(f*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))] + I*d*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (12*d*((-I)*f*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))] + d*PolyLog[3, I*E^(I*(e + f*x))]))/f^3 + (3*(c + d*x)^2*Tan[e + f*x])/f)/3
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 678 vs. 2(237) = 474.

Time = 1.73 (sec) , antiderivative size = 679, normalized size of antiderivative = 2.59

method	result
risch	$\frac{2a^2d^2 \ln(1-ie^{i(fx+e)})x^2}{f} + \frac{2a^2e^2d^2 \ln(1+ie^{i(fx+e)})}{f^3} + \frac{2a^2d^2 \ln(1+e^{2i(fx+e)})x}{f^2} + \frac{4a^2d^2e \ln(e^{i(fx+e)})}{f^3} + \frac{2a^2cd \ln(1+e^{2i(fx+e)})}{f^2}$

```
[In] int((d*x+c)^2*(a+a*sec(f*x+e))^2,x,method=_RETURNVERBOSE)
```

```
[Out] -2/f*a^2*d^2*ln(1+I*exp(I*(f*x+e)))*x^2+2/f*a^2*d^2*ln(1-I*exp(I*(f*x+e)))*x^2+2/f^3*a^2*e^2*d^2*ln(1+I*exp(I*(f*x+e)))+2/f^2*a^2*d^2*ln(1+exp(2*I*(f*x+e)))*x+4/f^3*a^2*d^2*e*ln(exp(I*(f*x+e)))+2/f^2*a^2*c*d*ln(1+exp(2*I*(f*x+e)))-4/f^2*a^2*c*d*ln(exp(I*(f*x+e)))-2/f^3*a^2*e^2*d^2*ln(1-I*exp(I*(f*x+e)))-2*I/f*a^2*d^2*x^2-4*I/f*a^2*c^2*arctan(exp(I*(f*x+e)))-2*I/f^3*a^2*e^2*d^2+2*I*a^2*(d^2*x^2+2*c*d*x+c^2)/f/(1+exp(2*I*(f*x+e)))+a^2*d*c*x^2+a^2*c^2*x-4/f*a^2*c*d*ln(1+I*exp(I*(f*x+e)))*x+4/f^2*a^2*c*d*ln(1-I*exp(I*(f*x+e)))*e+4/f*a^2*c*d*ln(1-I*exp(I*(f*x+e)))*x-4/f^2*a^2*c*d*ln(1+I*exp(I*(f*x+e)))*e-4*I/f^3*a^2*d^2*e^2*arctan(exp(I*(f*x+e)))-4*I/f^2*a^2*d^2*e*x-4*I/f^2*a^2*d^2*polylog(2,I*exp(I*(f*x+e)))*x+4*I/f^2*a^2*d^2*polylog(2,-I*exp(I*(f*x+e)))*x-4*I/f^2*a^2*c*d*polylog(2,I*exp(I*(f*x+e)))+4*I/f^2*a^2*c*d*polylog(2,-I*exp(I*(f*x+e)))+8*I/f^2*a^2*c*d*e*arctan(exp(I*(f*x+e)))+1/3*a^2*d^2*x^3+1/3*a^2/d*c^3-I*a^2*d^2*polylog(2,-exp(2*I*(f*x+e)))/f^3-4*a^2*d^2*polylog(3,-I*exp(I*(f*x+e)))/f^3+4*a^2*d^2*polylog(3,I*exp(I*(f*x+e)))/f^3
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1096 vs. 2(225) = 450.

Time = 0.34 (sec) , antiderivative size = 1096, normalized size of antiderivative = 4.18

$$\int (c + dx)^2 (a + a \sec(e + fx))^2 dx = \text{Too large to display}$$

```
[In] integrate((d*x+c)^2*(a+a*sec(f*x+e))^2,x, algorithm="fricas")
```

```
[Out] -1/3*(6*a^2*d^2*cos(f*x + e)*polylog(3, I*cos(f*x + e) + sin(f*x + e)) - 6*
a^2*d^2*cos(f*x + e)*polylog(3, I*cos(f*x + e) - sin(f*x + e)) + 6*a^2*d^2*
cos(f*x + e)*polylog(3, -I*cos(f*x + e) + sin(f*x + e)) - 6*a^2*d^2*cos(f*x
+ e)*polylog(3, -I*cos(f*x + e) - sin(f*x + e)) + 3*(2*I*a^2*d^2*f*x + 2*I
*a^2*c*d*f - I*a^2*d^2)*cos(f*x + e)*dilog(I*cos(f*x + e) + sin(f*x + e)) +
3*(2*I*a^2*d^2*f*x + 2*I*a^2*c*d*f + I*a^2*d^2)*cos(f*x + e)*dilog(I*cos(f
*x + e) - sin(f*x + e)) + 3*(-2*I*a^2*d^2*f*x - 2*I*a^2*c*d*f + I*a^2*d^2)*
cos(f*x + e)*dilog(-I*cos(f*x + e) + sin(f*x + e)) + 3*(-2*I*a^2*d^2*f*x -
2*I*a^2*c*d*f - I*a^2*d^2)*cos(f*x + e)*dilog(-I*cos(f*x + e) - sin(f*x + e
)) - 3*(a^2*d^2*e^2 + a^2*c^2*f^2 - a^2*d^2*e - (2*a^2*c*d*e - a^2*c*d)*f)*
cos(f*x + e)*log(cos(f*x + e) + I*sin(f*x + e) + I) + 3*(a^2*d^2*e^2 + a^2*
c^2*f^2 + a^2*d^2*e - (2*a^2*c*d*e + a^2*c*d)*f)*cos(f*x + e)*log(cos(f*x +
e) - I*sin(f*x + e) + I) - 3*(a^2*d^2*f^2*x^2 - a^2*d^2*e^2 + 2*a^2*c*d*e*f
+ a^2*d^2*e + (2*a^2*c*d*f^2 + a^2*d^2*f)*x)*cos(f*x + e)*log(I*cos(f*x +
e) + sin(f*x + e) + 1) + 3*(a^2*d^2*f^2*x^2 - a^2*d^2*e^2 + 2*a^2*c*d*e*f
- a^2*d^2*e + (2*a^2*c*d*f^2 - a^2*d^2*f)*x)*cos(f*x + e)*log(I*cos(f*x + e
) - sin(f*x + e) + 1) - 3*(a^2*d^2*f^2*x^2 - a^2*d^2*e^2 + 2*a^2*c*d*e*f +
a^2*d^2*e + (2*a^2*c*d*f^2 + a^2*d^2*f)*x)*cos(f*x + e)*log(-I*cos(f*x + e)
+ sin(f*x + e) + 1) + 3*(a^2*d^2*f^2*x^2 - a^2*d^2*e^2 + 2*a^2*c*d*e*f - a
^2*d^2*e + (2*a^2*c*d*f^2 - a^2*d^2*f)*x)*cos(f*x + e)*log(-I*cos(f*x + e)
- sin(f*x + e) + 1) - 3*(a^2*d^2*e^2 + a^2*c^2*f^2 - a^2*d^2*e - (2*a^2*c*d
*e - a^2*c*d)*f)*cos(f*x + e)*log(-cos(f*x + e) + I*sin(f*x + e) + I) + 3*(
a^2*d^2*e^2 + a^2*c^2*f^2 + a^2*d^2*e - (2*a^2*c*d*e + a^2*c*d)*f)*cos(f*x
+ e)*log(-cos(f*x + e) - I*sin(f*x + e) + I) - (a^2*d^2*f^3*x^3 + 3*a^2*c*d
*f^3*x^2 + 3*a^2*c^2*f^3*x)*cos(f*x + e) - 3*(a^2*d^2*f^2*x^2 + 2*a^2*c*d*f
^2*x + a^2*c^2*f^2)*sin(f*x + e))/(f^3*cos(f*x + e))
```

Sympy [F]

$$\int (c + dx)^2 (a + a \sec(e + fx))^2 dx = a^2 \left(\int c^2 dx + \int 2c^2 \sec(e + fx) dx \right. \\ \left. + \int c^2 \sec^2(e + fx) dx + \int d^2 x^2 dx + \int 2cdx dx \right. \\ \left. + \int 2d^2 x^2 \sec(e + fx) dx + \int d^2 x^2 \sec^2(e + fx) dx \right. \\ \left. + \int 4cdx \sec(e + fx) dx + \int 2cdx \sec^2(e + fx) dx \right)$$

```
[In] integrate((d*x+c)**2*(a+a*sec(f*x+e))**2,x)
```

```
[Out] a**2*(Integral(c**2, x) + Integral(2*c**2*sec(e + f*x), x) + Integral(c**2*
sec(e + f*x)**2, x) + Integral(d**2*x**2, x) + Integral(2*c*d*x, x) + Integ
ral(2*d**2*x**2*sec(e + f*x), x) + Integral(d**2*x**2*sec(e + f*x)**2, x) +
Integral(4*c*d*x*sec(e + f*x), x) + Integral(2*c*d*x*sec(e + f*x)**2, x))
```

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1704 vs. $2(225) = 450$.

Time = 0.46 (sec) , antiderivative size = 1704, normalized size of antiderivative = 6.50

$$\int (c + dx)^2 (a + a \sec(e + fx))^2 dx = \text{Too large to display}$$

[In] integrate((d*x+c)^2*(a+a*sec(f*x+e))^2,x, algorithm="maxima")

[Out] $\frac{1}{3}(3(fx + e)a^2c^2 + (fx + e)^3a^2d^2/f^2 - 3(fx + e)^2a^2d^2e/f^2 + 3(fx + e)a^2d^2e^2/f^2 + 3(fx + e)^2a^2cd/f - 6(fx + e)a^2cde/f + 6a^2c^2\log(\sec(fx + e) + \tan(fx + e)) + 6a^2d^2e^2\log(\sec(fx + e) + \tan(fx + e))/f^2 - 12a^2cde\log(\sec(fx + e) + \tan(fx + e))/f + 3(2a^2d^2e^2 - 4a^2cde f + 2a^2c^2f^2 - 2((fx + e)^2a^2d^2 - 2(a^2d^2e - a^2cdf)(fx + e) + ((fx + e)^2a^2d^2 - 2(a^2d^2e - a^2cdf)(fx + e))\cos(2fx + 2e) + (I(fx + e)^2a^2d^2 + 2(-Ia^2d^2e + Ia^2cdf)(fx + e))\sin(2fx + 2e))\arctan2(\cos(fx + e), \sin(fx + e) + 1) - 2((fx + e)^2a^2d^2 - 2(a^2d^2e - a^2cdf)(fx + e) + ((fx + e)^2a^2d^2 - 2(a^2d^2e - a^2cdf)(fx + e))\cos(2fx + 2e) + (I(fx + e)^2a^2d^2 + 2(-Ia^2d^2e + Ia^2cdf)(fx + e))\sin(2fx + 2e))\arctan2(\cos(fx + e), -\sin(fx + e) + 1) + 2((fx + e)a^2d^2 - a^2d^2e + a^2cdf + ((fx + e)a^2d^2 - a^2d^2e + a^2cdf)\cos(2fx + 2e) - (-I(fx + e)a^2d^2 + Ia^2d^2e - Ia^2cdf)\sin(2fx + 2e))\arctan2(\sin(2fx + 2e), \cos(2fx + 2e) + 1) - 2((fx + e)^2a^2d^2 - 2(a^2d^2e - a^2cdf)(fx + e))\cos(2fx + 2e) - (a^2d^2\cos(2fx + 2e) + Ia^2d^2\sin(2fx + 2e) + a^2d^2)\operatorname{dilog}(-e^{(2Ifx + 2Ie)}) - 4((fx + e)a^2d^2 - a^2d^2e + a^2cdf + ((fx + e)a^2d^2 - a^2d^2e + a^2cdf)\cos(2fx + 2e) + (I(fx + e)a^2d^2 - Ia^2d^2e + Ia^2cdf)\sin(2fx + 2e))\operatorname{dilog}(Ie^{(Ifx + Ie)}) + 4((fx + e)a^2d^2 - a^2d^2e + a^2cdf + ((fx + e)a^2d^2 - a^2d^2e + a^2cdf)\cos(2fx + 2e) - (-I(fx + e)a^2d^2 + Ia^2d^2e - Ia^2cdf)\sin(2fx + 2e))\operatorname{dilog}(-Ie^{(Ifx + Ie)}) + (-I(fx + e)a^2d^2 + Ia^2d^2e - Ia^2cdf + (-I(fx + e)a^2d^2 + Ia^2d^2e - Ia^2cdf)\cos(2fx + 2e) + ((fx + e)a^2d^2 - a^2d^2e + a^2cdf)\sin(2fx + 2e))\log(\cos(2fx + 2e)^2 + \sin(2fx + 2e)^2 + 2\cos(2fx + 2e) + 1) + (-I(fx + e)^2a^2d^2 - 2(-Ia^2d^2e + Ia^2cdf)(fx + e) + (-I(fx + e)^2a^2d^2 - 2(-Ia^2d^2e + Ia^2cdf)(fx + e))\cos(2fx + 2e) + ((fx + e)^2a^2d^2 - 2(a^2d^2e - a^2cdf)(fx + e))\sin(2fx + 2e))\log(\cos(fx + e)^2 + \sin(fx + e)^2 + 2\sin(fx + e) + 1) + (I(fx + e)^2a^2d^2 - 2(Ia^2d^2e - Ia^2cdf)(fx + e) + (I(fx + e)^2a^2d^2 - 2(Ia^2d^2e - Ia^2cdf)(fx + e))\cos(2fx + 2e) - ((fx + e)^2a^2d^2 - 2(a^2d^2e - a^2cdf)(fx + e))\sin(2fx + 2e))\log(\cos(fx + e)^2 + \sin(fx + e)^2 - 2\sin(fx +$

$e) + 1) - 4*(I*a^2*d^2*\cos(2*f*x + 2*e) - a^2*d^2*\sin(2*f*x + 2*e) + I*a^2*d^2)*\text{polylog}(3, I*e^(I*f*x + I*e)) - 4*(-I*a^2*d^2*\cos(2*f*x + 2*e) + a^2*d^2*\sin(2*f*x + 2*e) - I*a^2*d^2)*\text{polylog}(3, -I*e^(I*f*x + I*e)) - 2*(I*(f*x + e)^2*a^2*d^2 + 2*(-I*a^2*d^2*e + I*a^2*c*d*f)*(f*x + e))*\sin(2*f*x + 2*e))/(-I*f^2*\cos(2*f*x + 2*e) + f^2*\sin(2*f*x + 2*e) - I*f^2))/f$

Giac [F]

$$\int (c + dx)^2 (a + a \sec(e + fx))^2 dx = \int (dx + c)^2 (a \sec(fx + e) + a)^2 dx$$

[In] integrate((d*x+c)^2*(a+a*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^2*(a*sec(f*x + e) + a)^2, x)

Mupad [F(-1)]

Timed out.

$$\int (c + dx)^2 (a + a \sec(e + fx))^2 dx = \int \left(a + \frac{a}{\cos(e + fx)} \right)^2 (c + dx)^2 dx$$

[In] int((a + a/cos(e + f*x))^2*(c + d*x)^2,x)

[Out] int((a + a/cos(e + f*x))^2*(c + d*x)^2, x)

3.8 $\int (c + dx)(a + a \sec(e + fx))^2 dx$

Optimal result	86
Rubi [A] (verified)	86
Mathematica [A] (verified)	88
Maple [A] (verified)	89
Fricas [B] (verification not implemented)	89
Sympy [F]	90
Maxima [F]	90
Giac [F]	91
Mupad [F(-1)]	91

Optimal result

Integrand size = 18, antiderivative size = 134

$$\int (c + dx)(a + a \sec(e + fx))^2 dx = \frac{a^2(c + dx)^2}{2d} - \frac{4ia^2(c + dx) \arctan(e^{i(e+fx)})}{f} + \frac{a^2d \log(\cos(e + fx))}{f^2} + \frac{2ia^2d \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2ia^2d \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{a^2(c + dx) \tan(e + fx)}{f}$$

[Out] $1/2*a^2*(d*x+c)^2/d-4*I*a^2*(d*x+c)*\arctan(\exp(I*(f*x+e)))/f+a^2*d*\ln(\cos(f*x+e))/f^2+2*I*a^2*d*\operatorname{polylog}(2,-I*\exp(I*(f*x+e)))/f^2-2*I*a^2*d*\operatorname{polylog}(2,I*\exp(I*(f*x+e)))/f^2+a^2*(d*x+c)*\tan(f*x+e)/f$

Rubi [A] (verified)

Time = 0.16 (sec) , antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4275, 4266, 2317, 2438, 4269, 3556}

$$\int (c + dx)(a + a \sec(e + fx))^2 dx = -\frac{4ia^2(c + dx) \arctan(e^{i(e+fx)})}{f} + \frac{a^2(c + dx) \tan(e + fx)}{f} + \frac{a^2(c + dx)^2}{2d} + \frac{2ia^2d \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2ia^2d \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{a^2d \log(\cos(e + fx))}{f^2}$$

[In] Int[(c + d*x)*(a + a*Sec[e + f*x])^2,x]

[Out] (a^2*(c + d*x)^2)/(2*d) - ((4*I)*a^2*(c + d*x)*ArcTan[E^(I*(e + f*x))])/f + (a^2*d*Log[Cos[e + f*x]])/f^2 + ((2*I)*a^2*d*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((2*I)*a^2*d*PolyLog[2, I*E^(I*(e + f*x))])/f^2 + (a^2*(c + d*x)*Tan[e + f*x])/f

Rule 2317

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3556

Int[tan[(c_) + (d_)*(x_)], x_Symbol] := Simp[-Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4266

Int[csc[(e_) + Pi*(k_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4269

Int[csc[(e_) + (f_)*(x_)]^2*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 4275

Int[(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rubi steps

$$\text{integral} = \int (a^2(c + dx) + 2a^2(c + dx) \sec(e + fx) + a^2(c + dx) \sec^2(e + fx)) dx$$

$$\begin{aligned}
&= \frac{a^2(c+dx)^2}{2d} + a^2 \int (c+dx) \sec^2(e+fx) dx + (2a^2) \int (c+dx) \sec(e+fx) dx \\
&= \frac{a^2(c+dx)^2}{2d} - \frac{4ia^2(c+dx) \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{a^2(c+dx) \tan(e+fx)}{f} - \frac{(a^2d) \int \tan(e+fx) dx}{f} \\
&\quad - \frac{(2a^2d) \int \log(1-ie^{i(e+fx)}) dx}{f} + \frac{(2a^2d) \int \log(1+ie^{i(e+fx)}) dx}{f} \\
&= \frac{a^2(c+dx)^2}{2d} - \frac{4ia^2(c+dx) \arctan(e^{i(e+fx)})}{f} + \frac{a^2d \log(\cos(e+fx))}{f^2} \\
&\quad + \frac{a^2(c+dx) \tan(e+fx)}{f} + \frac{(2ia^2d) \text{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^2} \\
&\quad - \frac{(2ia^2d) \text{Subst}\left(\int \frac{\log(1+ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^2} \\
&= \frac{a^2(c+dx)^2}{2d} - \frac{4ia^2(c+dx) \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{a^2d \log(\cos(e+fx))}{f^2} + \frac{2ia^2d \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{2ia^2d \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{a^2(c+dx) \tan(e+fx)}{f}
\end{aligned}$$

Mathematica [A] (verified)

Time = 1.11 (sec) , antiderivative size = 123, normalized size of antiderivative = 0.92

$$\begin{aligned}
&\int (c+dx)(a+a \sec(e+fx))^2 dx \\
&= \frac{a^2(f^2(c+dx)^2 - 8idf(c+dx) \arctan(e^{i(e+fx)}) + 2d^2 \log(\cos(e+fx)) + 4id^2 \text{PolyLog}(2, -ie^{i(e+fx)}) - 4id^2 \text{PolyLog}(2, ie^{i(e+fx)})}{2df^2}
\end{aligned}$$

[In] Integrate[(c + d*x)*(a + a*Sec[e + f*x])^2,x]

[Out] (a^2*(f^2*(c + d*x)^2 - (8*I)*d*f*(c + d*x)*ArcTan[E^(I*(e + f*x))]) + 2*d^2*Log[Cos[e + f*x]] + (4*I)*d^2*PolyLog[2, (-I)*E^(I*(e + f*x))] - (4*I)*d^2*PolyLog[2, I*E^(I*(e + f*x))] + 2*d*f*(c + d*x)*Tan[e + f*x])/(2*d*f^2)

Maple [A] (verified)

Time = 0.42 (sec) , antiderivative size = 191, normalized size of antiderivative = 1.43

method	result
parts	$a^2 \left(\frac{1}{2} dx^2 + xc \right) + \frac{a^2 d \tan(fx+e)x}{f} + \frac{a^2 d \ln(\cos(fx+e))}{f^2} + \frac{a^2 c \tan(fx+e)}{f} + \frac{2a^2 \left(\frac{d(-(fx+e) \ln(1+ie^{i(fx+e)}))}{f} \right)}{f}$
derivativedivides	$\frac{a^2 c \tan(fx+e) - \frac{a^2 de \tan(fx+e)}{f} + \frac{a^2 d((fx+e) \tan(fx+e) + \ln(\cos(fx+e)))}{f} + 2a^2 c \ln(\sec(fx+e) + \tan(fx+e)) - \frac{2a^2 de \ln(\sec(fx+e) + \tan(fx+e))}{f}}{f}$
default	$\frac{a^2 c \tan(fx+e) - \frac{a^2 de \tan(fx+e)}{f} + \frac{a^2 d((fx+e) \tan(fx+e) + \ln(\cos(fx+e)))}{f} + 2a^2 c \ln(\sec(fx+e) + \tan(fx+e)) - \frac{2a^2 de \ln(\sec(fx+e) + \tan(fx+e))}{f}}{f}$
risch	$\frac{a^2 dx^2}{2} + a^2 xc + \frac{2ia^2(dx+c)}{f(1+e^{2i(fx+e)})} + \frac{a^2 d \ln(1+e^{2i(fx+e)})}{f^2} - \frac{2a^2 d \ln(e^{i(fx+e)})}{f^2} - \frac{4ia^2 c \arctan(e^{i(fx+e)})}{f} + \frac{4a^2 d \arctan(e^{i(fx+e)})}{f}$

[In] int((d*x+c)*(a+a*sec(f*x+e))^2,x,method=_RETURNVERBOSE)

[Out] $a^2*(1/2*d*x^2+x*c)+a^2/f*d*\tan(f*x+e)*x+a^2*d*\ln(\cos(f*x+e))/f^2+a^2/f*c*\tan(f*x+e)+2*a^2/f*(1/f*d*(-(f*x+e)*\ln(1+I*\exp(I*(f*x+e)))+(f*x+e)*\ln(1-I*\exp(I*(f*x+e))))+I*dilog(1+I*\exp(I*(f*x+e)))-I*dilog(1-I*\exp(I*(f*x+e)))+c*\ln(\sec(f*x+e)+\tan(f*x+e))-e/f*d*\ln(\sec(f*x+e)+\tan(f*x+e))$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 525 vs. 2(114) = 228.

Time = 0.31 (sec) , antiderivative size = 525, normalized size of antiderivative = 3.92

$$\int (c + dx)(a + a \sec(e + fx))^2 dx$$

$$= \frac{-2ia^2d \cos(fx + e) \operatorname{Li}_2(i \cos(fx + e) + \sin(fx + e)) - 2ia^2d \cos(fx + e) \operatorname{Li}_2(i \cos(fx + e) - \sin(fx + e)) - 2ia^2d \cos(fx + e) \operatorname{Li}_2(-i \cos(fx + e) + \sin(fx + e)) - 2ia^2d \cos(fx + e) \operatorname{Li}_2(-i \cos(fx + e) - \sin(fx + e))}{f^2}$$

[In] integrate((d*x+c)*(a+a*sec(f*x+e))^2,x, algorithm="fricas")

[Out] $1/2*(-2*I*a^2*d*\cos(f*x + e)*dilog(I*\cos(f*x + e) + \sin(f*x + e)) - 2*I*a^2*d*\cos(f*x + e)*dilog(I*\cos(f*x + e) - \sin(f*x + e)) + 2*I*a^2*d*\cos(f*x + e)*dilog(-I*\cos(f*x + e) + \sin(f*x + e)) + 2*I*a^2*d*\cos(f*x + e)*dilog(-I*\cos(f*x + e) - \sin(f*x + e)) - (2*a^2*d*e - 2*a^2*c*f - a^2*d)*\cos(f*x + e)*\log(\cos(f*x + e) + I*\sin(f*x + e) + I) + (2*a^2*d*e - 2*a^2*c*f + a^2*d)*\cos(f*x + e)*\log(\cos(f*x + e) - I*\sin(f*x + e) + I) + 2*(a^2*d*f*x + a^2*d*e)*\cos(f*x + e)*\log(I*\cos(f*x + e) + \sin(f*x + e) + 1) - 2*(a^2*d*f*x + a^2*d*e)*\cos(f*x + e)*\log(I*\cos(f*x + e) - \sin(f*x + e) + 1) + 2*(a^2*d*f*x + a^2*d*e)*\cos(f*x + e)*\log(-I*\cos(f*x + e) + \sin(f*x + e) + 1) - 2*(a^2*d*f*x + a^2*d*e)*\cos(f*x + e)*\log(-I*\cos(f*x + e) - \sin(f*x + e) + 1) - (2*a^2*d$

$e - 2a^2cf - a^2d) \cos(fx + e) \log(-\cos(fx + e) + I \sin(fx + e) + I) + (2a^2de - 2a^2cf + a^2d) \cos(fx + e) \log(-\cos(fx + e) - I \sin(fx + e) + I) + (a^2df^2x^2 + 2a^2cf^2x) \cos(fx + e) + 2(a^2dfx + a^2cf) \sin(fx + e) / (f^2 \cos(fx + e))$

Sympy [F]

$$\int (c + dx)(a + a \sec(e + fx))^2 dx = a^2 \left(\int c dx + \int 2c \sec(e + fx) dx + \int c \sec^2(e + fx) dx + \int dx dx + \int 2dx \sec(e + fx) dx + \int dx \sec^2(e + fx) dx \right)$$

[In] integrate((d*x+c)*(a+a*sec(f*x+e))**2,x)

[Out] a**2*(Integral(c, x) + Integral(2*c*sec(e + f*x), x) + Integral(c*sec(e + f*x)**2, x) + Integral(d*x, x) + Integral(2*d*x*sec(e + f*x), x) + Integral(d*x*sec(e + f*x)**2, x))

Maxima [F]

$$\int (c + dx)(a + a \sec(e + fx))^2 dx = \int (dx + c)(a \sec(fx + e) + a)^2 dx$$

[In] integrate((d*x+c)*(a+a*sec(f*x+e))^2,x, algorithm="maxima")

[Out] 1/2*(a^2*d*f^2*x^2 + 2*a^2*c*f^2*x + (a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*cos(2*f*x + 2*e)^2 + (a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*sin(2*f*x + 2*e)^2 + 2*(a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*cos(2*f*x + 2*e) + 8*(a^2*d*f^3*cos(2*f*x + 2*e)^2 + a^2*d*f^3*sin(2*f*x + 2*e)^2 + 2*a^2*d*f^3*cos(2*f*x + 2*e) + a^2*d*f^3)*integrate((x*cos(2*f*x + 2*e)*cos(f*x + e) + x*sin(2*f*x + 2*e)*sin(f*x + e) + x*cos(f*x + e))/(f*cos(2*f*x + 2*e)^2 + f*sin(2*f*x + 2*e)^2 + 2*f*cos(2*f*x + 2*e) + f), x) + (a^2*d*cos(2*f*x + 2*e)^2 + a^2*d*sin(2*f*x + 2*e)^2 + 2*a^2*d*cos(2*f*x + 2*e) + a^2*d)*log(cos(2*f*x + 2*e)^2 + sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1) + 2*(a^2*c*f*cos(2*f*x + 2*e)^2 + a^2*c*f*sin(2*f*x + 2*e)^2 + 2*a^2*c*f*cos(2*f*x + 2*e) + a^2*c*f)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) - 2*(a^2*c*f*cos(2*f*x + 2*e)^2 + a^2*c*f*sin(2*f*x + 2*e)^2 + 2*a^2*c*f*cos(2*f*x + 2*e) + a^2*c*f)*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1) + 4*(a^2*d*f*x + a^2*c*f)*sin(2*f*x + 2*e)/(f^2*cos(2*f*x + 2*e)^2 + f^2*sin(2*f*x + 2*e)^2 + 2*f^2*cos(2*f*x + 2*e) + f^2)

Giac [F]

$$\int (c + dx)(a + a \sec(e + fx))^2 dx = \int (dx + c)(a \sec(fx + e) + a)^2 dx$$

[In] integrate((d*x+c)*(a+a*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)*(a*sec(f*x + e) + a)^2, x)

Mupad [F(-1)]

Timed out.

$$\int (c + dx)(a + a \sec(e + fx))^2 dx = \int \left(a + \frac{a}{\cos(e + fx)} \right)^2 (c + dx) dx$$

[In] int((a + a/cos(e + f*x))^2*(c + d*x),x)

[Out] int((a + a/cos(e + f*x))^2*(c + d*x), x)

3.9 $\int \frac{(a+a \sec(e+fx))^2}{c+dx} dx$

Optimal result	92
Rubi [N/A]	92
Mathematica [N/A]	93
Maple [N/A] (verified)	93
Fricas [N/A]	93
Sympy [N/A]	93
Maxima [N/A]	94
Giac [N/A]	94
Mupad [N/A]	94

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = \text{Int}\left(\frac{(a + a \sec(e + fx))^2}{c + dx}, x\right)$$

[Out] Unintegrable((a+a*sec(f*x+e))^2/(d*x+c),x)

Rubi [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = \int \frac{(a + a \sec(e + fx))^2}{c + dx} dx$$

[In] Int[(a + a*Sec[e + f*x])^2/(c + d*x),x]

[Out] Defer[Int] [(a + a*Sec[e + f*x])^2/(c + d*x), x]

Rubi steps

$$\text{integral} = \int \frac{(a + a \sec(e + fx))^2}{c + dx} dx$$

Mathematica [N/A]

Not integrable

Time = 30.85 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = \int \frac{(a + a \sec(e + fx))^2}{c + dx} dx$$

[In] Integrate[(a + a*Sec[e + f*x])^2/(c + d*x), x]

[Out] Integrate[(a + a*Sec[e + f*x])^2/(c + d*x), x]

Maple [N/A] (verified)

Not integrable

Time = 0.76 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + a \sec(fx + e))^2}{dx + c} dx$$

[In] int((a+a*sec(f*x+e))^2/(d*x+c), x)

[Out] int((a+a*sec(f*x+e))^2/(d*x+c), x)

Fricas [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.85

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = \int \frac{(a \sec(fx + e) + a)^2}{dx + c} dx$$

[In] integrate((a+a*sec(f*x+e))^2/(d*x+c), x, algorithm="fricas")

[Out] integral((a^2*sec(f*x + e)^2 + 2*a^2*sec(f*x + e) + a^2)/(d*x + c), x)

Sympy [N/A]

Not integrable

Time = 1.07 (sec) , antiderivative size = 41, normalized size of antiderivative = 2.05

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = a^2 \left(\int \frac{2 \sec(e + fx)}{c + dx} dx + \int \frac{\sec^2(e + fx)}{c + dx} dx + \int \frac{1}{c + dx} dx \right)$$

[In] integrate((a+a*sec(f*x+e))**2/(d*x+c), x)

[Out] a**2*(Integral(2*sec(e + f*x)/(c + d*x), x) + Integral(sec(e + f*x)**2/(c + d*x), x) + Integral(1/(c + d*x), x))

Maxima [N/A]

Not integrable

Time = 1.03 (sec) , antiderivative size = 507, normalized size of antiderivative = 25.35

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = \int \frac{(a \sec(fx + e) + a)^2}{dx + c} dx$$

[In] integrate((a+a*sec(f*x+e))^2/(d*x+c),x, algorithm="maxima")

```
[Out] ((a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e)^2*log(d*x + c) + 2*a^2*d*sin(2*f*x + 2*e) + (a^2*d*f*x + a^2*c*f)*log(d*x + c)*sin(2*f*x + 2*e)^2 + 2*(a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e)*log(d*x + c) + (d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(2*f*x + 2*e)^2 + (d^2*f*x + c*d*f)*sin(2*f*x + 2*e)^2 + 2*(d^2*f*x + c*d*f)*cos(2*f*x + 2*e))*integrate(2*(2*(a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e)*cos(f*x + e) + 2*(a^2*d*f*x + a^2*c*f)*cos(f*x + e) + (a^2*d + 2*(a^2*d*f*x + a^2*c*f)*sin(f*x + e))*sin(2*f*x + 2*e))/(d^2*f*x^2 + 2*c*d*f*x + c^2*f + (d^2*f*x^2 + 2*c*d*f*x + c^2*f)*cos(2*f*x + 2*e)^2 + (d^2*f*x^2 + 2*c*d*f*x + c^2*f)*sin(2*f*x + 2*e)^2 + 2*(d^2*f*x^2 + 2*c*d*f*x + c^2*f)*cos(2*f*x + 2*e)), x) + (a^2*d*f*x + a^2*c*f)*log(d*x + c))/(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(2*f*x + 2*e)^2 + (d^2*f*x + c*d*f)*sin(2*f*x + 2*e)^2 + 2*(d^2*f*x + c*d*f)*cos(2*f*x + 2*e))
```

Giac [N/A]

Not integrable

Time = 1.34 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = \int \frac{(a \sec(fx + e) + a)^2}{dx + c} dx$$

[In] integrate((a+a*sec(f*x+e))^2/(d*x+c),x, algorithm="giac")

[Out] integrate((a*sec(f*x + e) + a)^2/(d*x + c), x)

Mupad [N/A]

Not integrable

Time = 13.13 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = \int \frac{\left(a + \frac{a}{\cos(e+fx)}\right)^2}{c + dx} dx$$

[In] int((a + a/cos(e + f*x))^2/(c + d*x),x)

[Out] int((a + a/cos(e + f*x))^2/(c + d*x), x)

$$3.10 \quad \int \frac{(a+a \sec(e+fx))^2}{(c+dx)^2} dx$$

Optimal result	95
Rubi [N/A]	95
Mathematica [N/A]	96
Maple [N/A] (verified)	96
Fricas [N/A]	96
Sympy [N/A]	97
Maxima [N/A]	97
Giac [N/A]	98
Mupad [N/A]	98

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \text{Int}\left(\frac{(a + a \sec(e + fx))^2}{(c + dx)^2}, x\right)$$

[Out] Unintegrable((a+a*sec(f*x+e))^2/(d*x+c)^2,x)

Rubi [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx$$

[In] Int[(a + a*Sec[e + f*x])^2/(c + d*x)^2,x]

[Out] Defer[Int] [(a + a*Sec[e + f*x])^2/(c + d*x)^2, x]

Rubi steps

$$\text{integral} = \int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx$$

Mathematica [N/A]

Not integrable

Time = 24.75 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx$$

[In] Integrate[(a + a*Sec[e + f*x])^2/(c + d*x)^2,x]

[Out] Integrate[(a + a*Sec[e + f*x])^2/(c + d*x)^2, x]

Maple [N/A] (verified)

Not integrable

Time = 0.96 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + a \sec(fx + e))^2}{(dx + c)^2} dx$$

[In] int((a+a*sec(f*x+e))^2/(d*x+c)^2,x)

[Out] int((a+a*sec(f*x+e))^2/(d*x+c)^2,x)

Fricas [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 48, normalized size of antiderivative = 2.40

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

[In] integrate((a+a*sec(f*x+e))^2/(d*x+c)^2,x, algorithm="fricas")

[Out] integral((a^2*sec(f*x + e)^2 + 2*a^2*sec(f*x + e) + a^2)/(d^2*x^2 + 2*c*d*x + c^2), x)

Sympy [N/A]

Not integrable

Time = 2.13 (sec) , antiderivative size = 76, normalized size of antiderivative = 3.80

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = a^2 \left(\int \frac{2 \sec(e + fx)}{c^2 + 2cdx + d^2x^2} dx + \int \frac{\sec^2(e + fx)}{c^2 + 2cdx + d^2x^2} dx + \int \frac{1}{c^2 + 2cdx + d^2x^2} dx \right)$$

```
[In] integrate((a+a*sec(f*x+e))**2/(d*x+c)**2,x)
```

```
[Out] a**2*(Integral(2*sec(e + f*x)/(c**2 + 2*c*d*x + d**2*x**2), x) + Integral(sec(e + f*x)**2/(c**2 + 2*c*d*x + d**2*x**2), x) + Integral(1/(c**2 + 2*c*d*x + d**2*x**2), x))
```

Maxima [N/A]

Not integrable

Time = 1.38 (sec) , antiderivative size = 624, normalized size of antiderivative = 31.20

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

```
[In] integrate((a+a*sec(f*x+e))^2/(d*x+c)^2,x, algorithm="maxima")
```

```
[Out] -(a^2*d*f*x + a^2*c*f - 2*a^2*d*sin(2*f*x + 2*e) + (a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e)^2 + (a^2*d*f*x + a^2*c*f)*sin(2*f*x + 2*e)^2 + 2*(a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e) - (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e)^2 + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*sin(2*f*x + 2*e)^2 + 2*(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e))*integrate(4*((a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e)*cos(f*x + e) + (a^2*d*f*x + a^2*c*f)*cos(f*x + e) + (a^2*d + (a^2*d*f*x + a^2*c*f)*sin(f*x + e))*sin(2*f*x + 2*e))/(d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f + (d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*cos(2*f*x + 2*e)^2 + (d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*sin(2*f*x + 2*e)^2 + 2*(d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*cos(2*f*x + 2*e)), x))/(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e)^2 + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*sin(2*f*x + 2*e)^2 + 2*(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e))
```

Giac [N/A]

Not integrable

Time = 29.71 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

[In] integrate((a+a*sec(f*x+e))^2/(d*x+c)^2,x, algorithm="giac")

[Out] integrate((a*sec(f*x + e) + a)^2/(d*x + c)^2, x)

Mupad [N/A]

Not integrable

Time = 13.16 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{\left(a + \frac{a}{\cos(e+fx)}\right)^2}{(c + dx)^2} dx$$

[In] int((a + a/cos(e + f*x))^2/(c + d*x)^2,x)

[Out] int((a + a/cos(e + f*x))^2/(c + d*x)^2, x)

3.11 $\int \frac{(c+dx)^3}{a+a \sec(e+fx)} dx$

Optimal result	99
Rubi [A] (verified)	99
Mathematica [A] (verified)	102
Maple [B] (verified)	102
Fricas [B] (verification not implemented)	103
Sympy [F]	104
Maxima [B] (verification not implemented)	104
Giac [F]	105
Mupad [F(-1)]	105

Optimal result

Integrand size = 20, antiderivative size = 152

$$\int \frac{(c+dx)^3}{a+a \sec(e+fx)} dx = \frac{i(c+dx)^3}{af} + \frac{(c+dx)^4}{4ad} - \frac{6d(c+dx)^2 \log(1+e^{i(e+fx)})}{af^2} + \frac{12id^2(c+dx) \text{PolyLog}(2, -e^{i(e+fx)})}{af^3} - \frac{12d^3 \text{PolyLog}(3, -e^{i(e+fx)})}{af^4} - \frac{(c+dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}$$

[Out] $I*(d*x+c)^3/a/f+1/4*(d*x+c)^4/a/d-6*d*(d*x+c)^2*\ln(1+\exp(I*(f*x+e)))/a/f^2+12*I*d^2*(d*x+c)*\text{polylog}(2,-\exp(I*(f*x+e)))/a/f^3-12*d^3*\text{polylog}(3,-\exp(I*(f*x+e)))/a/f^4-(d*x+c)^3*\tan(1/2*f*x+1/2*e)/a/f$

Rubi [A] (verified)

Time = 0.41 (sec) , antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {4276, 3399, 4269, 3800, 2221, 2611, 2320, 6724}

$$\int \frac{(c+dx)^3}{a+a \sec(e+fx)} dx = \frac{12id^2(c+dx) \text{PolyLog}(2, -e^{i(e+fx)})}{af^3} - \frac{6d(c+dx)^2 \log(1+e^{i(e+fx)})}{af^2} - \frac{(c+dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{i(c+dx)^3}{af} + \frac{(c+dx)^4}{4ad} - \frac{12d^3 \text{PolyLog}(3, -e^{i(e+fx)})}{af^4}$$

[In] $\text{Int}[(c+d*x)^3/(a+a*\text{Sec}[e+f*x]),x]$

```
[Out] (I*(c + d*x)^3)/(a*f) + (c + d*x)^4/(4*a*d) - (6*d*(c + d*x)^2*Log[1 + E^(I
*(e + f*x))]/(a*f^2) + ((12*I)*d^2*(c + d*x)*PolyLog[2, -E^(I*(e + f*x))])
/(a*f^3) - (12*d^3*PolyLog[3, -E^(I*(e + f*x))]/(a*f^4) - ((c + d*x)^3*Tan
[e/2 + (f*x)/2])/a*f)
```

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3399

```
Int[(((c_) + (d_)*(x_))^(m_))*((a_) + (b_)*sin[(e_) + (f_)*(x_)]^(n_))
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1/2)*(e + Pi*(a/(2*b)))] +
f*(x/2)]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3800

```
Int[(((c_) + (d_)*(x_))^(m_))*tan[(e_) + (f_)*(x_)], x_Symbol] := Simp[I
*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4269

```
Int[csc[(e_) + (f_)*(x_)]^2*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp
[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*
```

$\text{Cot}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{GtQ}[m, 0]$

Rule 4276

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x])^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{ILtQ}[n, 0] \&\& \text{IGtQ}[m, 0]$

Rule 6724

$\text{Int}[\text{PolyLog}[n_, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]/((d_.) + (e_.)*(x_.)), x_Symbol] :> \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x\} \&\& \text{EqQ}[b*d, a*e]$

Rubi steps

$$\begin{aligned}
 \text{integral} &= \int \left(\frac{(c + dx)^3}{a} - \frac{(c + dx)^3}{a + a \cos(e + fx)} \right) dx \\
 &= \frac{(c + dx)^4}{4ad} - \int \frac{(c + dx)^3}{a + a \cos(e + fx)} dx \\
 &= \frac{(c + dx)^4}{4ad} - \frac{\int (c + dx)^3 \csc^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{2a} \\
 &= \frac{(c + dx)^4}{4ad} - \frac{(c + dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{(3d) \int (c + dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{af} \\
 &= \frac{i(c + dx)^3}{af} + \frac{(c + dx)^4}{4ad} - \frac{(c + dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{(6id) \int \frac{e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}(c + dx)^2}{1 + e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}} dx}{af} \\
 &= \frac{i(c + dx)^3}{af} + \frac{(c + dx)^4}{4ad} - \frac{6d(c + dx)^2 \log(1 + e^{i(e + fx)})}{af^2} \\
 &\quad - \frac{(c + dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{(12d^2) \int (c + dx) \log\left(1 + e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}\right) dx}{af^2} \\
 &= \frac{i(c + dx)^3}{af} + \frac{(c + dx)^4}{4ad} - \frac{6d(c + dx)^2 \log(1 + e^{i(e + fx)})}{af^2} \\
 &\quad + \frac{12id^2(c + dx) \text{PolyLog}\left(2, -e^{i(e + fx)}\right)}{af^3} - \frac{(c + dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} \\
 &\quad - \frac{(12id^3) \int \text{PolyLog}\left(2, -e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}\right) dx}{af^3}
 \end{aligned}$$

$$\begin{aligned}
&= \frac{i(c+dx)^3}{af} + \frac{(c+dx)^4}{4ad} - \frac{6d(c+dx)^2 \log(1+e^{i(e+fx)})}{af^2} \\
&\quad + \frac{12id^2(c+dx) \operatorname{PolyLog}(2, -e^{i(e+fx)})}{af^3} - \frac{(c+dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} \\
&\quad - \frac{(12d^3) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(2, -x)}{x} dx, x, e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}\right)}{af^4} \\
&= \frac{i(c+dx)^3}{af} + \frac{(c+dx)^4}{4ad} - \frac{6d(c+dx)^2 \log(1+e^{i(e+fx)})}{af^2} \\
&\quad + \frac{12id^2(c+dx) \operatorname{PolyLog}(2, -e^{i(e+fx)})}{af^3} \\
&\quad - \frac{12d^3 \operatorname{PolyLog}(3, -e^{i(e+fx)})}{af^4} - \frac{(c+dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}
\end{aligned}$$

Mathematica [A] (verified)

Time = 2.11 (sec) , antiderivative size = 216, normalized size of antiderivative = 1.42

$$\int \frac{(c+dx)^3}{a+a \sec(e+fx)} dx$$

$$= \frac{\cos\left(\frac{1}{2}(e+fx)\right) \sec(e+fx) \left(x(4c^3 + 6c^2 dx + 4cd^2 x^2 + d^3 x^3) \cos\left(\frac{1}{2}(e+fx)\right) + \frac{8 \cos\left(\frac{1}{2}(e+fx)\right) \left(-\frac{if^3(c+dx)^3}{1+e^{ie}} - 3d \right)}{2a(1 + \sec(e+fx))} \right)}{2a(1 + \sec(e+fx))}$$

[In] Integrate[(c + d*x)^3/(a + a*Sec[e + f*x]),x]

[Out] (Cos[(e + f*x)/2]*Sec[e + f*x]*(x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3)*Cos[(e + f*x)/2] + (8*Cos[(e + f*x)/2]*((-I)*f^3*(c + d*x)^3)/(1 + E^(I*e)) - 3*d*f^2*(c + d*x)^2*Log[1 + E^((-I)*(e + f*x))] - (6*I)*d^2*f*(c + d*x)*PolyLog[2, -E^((-I)*(e + f*x))] - 6*d^3*PolyLog[3, -E^((-I)*(e + f*x))])/f^4 - (4*(c + d*x)^3*Sec[e/2]*Sin[(f*x)/2])/f)/(2*a*(1 + Sec[e + f*x]))

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 416 vs. $2(138) = 276$.

Time = 0.55 (sec) , antiderivative size = 417, normalized size of antiderivative = 2.74

method	result
risch	$\frac{d^3 x^4}{4a} + \frac{d^2 c x^3}{a} + \frac{3d c^2 x^2}{2a} + \frac{c^3 x}{a} + \frac{c^4}{4ad} + \frac{12id^2 c \operatorname{polylog}(2, -e^{i(fx+e)})}{af^3} - \frac{2i(d^3 x^3 + 3c d^2 x^2 + 3c^2 dx + c^3)}{fa(e^{i(fx+e)} + 1)} + \frac{6d^3 e^2 \ln(e^{i(fx+e)})}{af^4}$

[In] `int((d*x+c)^3/(a+a*sec(f*x+e)),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{4} \frac{d^3 x^4 + 4cd^2 x^3 + 6c^2 d x^2 + 4c^3 x + d^3}{a + a \sec(fx + e)} - 2I \frac{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3}{f(a + a \sec(fx + e))} + 6 \frac{d^3 e^2 \ln(\exp(I(fx + e)))}{af^4} - 6 \frac{d^3 \ln(\exp(I(fx + e)))}{af^2} + 12 \frac{d^3 \operatorname{polylog}(2, -\exp(I(fx + e)))}{af^4} - 6 \frac{d^3 \operatorname{polylog}(3, -\exp(I(fx + e)))}{af^4} + 2 \frac{d^3 \ln(\exp(I(fx + e)))}{af^2} - 12 \frac{d^2 \ln(\exp(I(fx + e)))}{af^4} + 6 \frac{d^2 \ln(\exp(I(fx + e)))}{af^2} - 4 \frac{d^3 e^3}{af^4} + 6 \frac{d^2 c x^2}{af^4} - 6 \frac{d^3 e^2 x}{af^3} + 12 \frac{d^3 \operatorname{polylog}(2, -\exp(I(fx + e)))}{af^3} + 6 \frac{d^2 c e^2}{af^3} - 12 \frac{d^2 c e x}{af^3} - 12 \frac{d^2 e c \ln(\exp(I(fx + e)))}{af^3}$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 516 vs. $2(135) = 270$.

Time = 0.30 (sec) , antiderivative size = 516, normalized size of antiderivative = 3.39

$$\int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx$$

$$\frac{d^3 f^4 x^4 + 4cd^2 f^4 x^3 + 6c^2 d f^4 x^2 + 4c^3 f^4 x + (d^3 f^4 x^4 + 4cd^2 f^4 x^3 + 6c^2 d f^4 x^2 + 4c^3 f^4 x) \cos(fx + e) - 24$$

[In] `integrate((d*x+c)^3/(a+a*sec(f*x+e)),x, algorithm="fricas")`

[Out] $\frac{1}{4} (d^3 f^4 x^4 + 4cd^2 f^4 x^3 + 6c^2 d f^4 x^2 + 4c^3 f^4 x + (d^3 f^4 x^4 + 4cd^2 f^4 x^3 + 6c^2 d f^4 x^2 + 4c^3 f^4 x) \cos(fx + e) - 24 (I d^3 f x + I c d^2 f + (I d^3 f x + I c d^2 f) \cos(fx + e)) \operatorname{dilog}(-\cos(fx + e) + I \sin(fx + e)) - 24 (-I d^3 f x - I c d^2 f + (-I d^3 f x - I c d^2 f) \cos(fx + e)) \operatorname{dilog}(-\cos(fx + e) - I \sin(fx + e)) - 12 (d^3 f^2 x^2 + 2cd^2 f^2 x + c^2 d f^2 + (d^3 f^2 x^2 + 2cd^2 f^2 x + c^2 d f^2) \cos(fx + e)) \log(\cos(fx + e) + I \sin(fx + e) + 1) - 12 (d^3 f^2 x^2 + 2cd^2 f^2 x + c^2 d f^2 + (d^3 f^2 x^2 + 2cd^2 f^2 x + c^2 d f^2) \cos(fx + e)) \log(\cos(fx + e) - I \sin(fx + e) + 1) - 24 (d^3 \cos(fx + e) + d^3) \operatorname{polylog}(3, -\cos(fx + e) + I \sin(fx + e)) - 24 (d^3 \cos(fx + e) + d^3) \operatorname{polylog}(3, -\cos(fx + e) - I \sin(fx + e)) - 4 (d^3 f^3 x^3 + 3cd^2 f^3 x^2 + 3c^2 d f^3 x + c^3 f^3) \sin(fx + e)) / (af^4 \cos(fx + e) + af^4)$

Sympy [F]

$$\int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx$$

$$= \frac{\int \frac{c^3}{\sec(e+fx)+1} dx + \int \frac{d^3 x^3}{\sec(e+fx)+1} dx + \int \frac{3cd^2 x^2}{\sec(e+fx)+1} dx + \int \frac{3c^2 dx}{\sec(e+fx)+1} dx}{a}$$

```
[In] integrate((d*x+c)**3/(a+a*sec(f*x+e)),x)
```

```
[Out] (Integral(c**3/(sec(e + f*x) + 1), x) + Integral(d**3*x**3/(sec(e + f*x) + 1), x) + Integral(3*c*d**2*x**2/(sec(e + f*x) + 1), x) + Integral(3*c**2*d*x/(sec(e + f*x) + 1), x))/a
```

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1285 vs. $2(135) = 270$.

Time = 0.46 (sec) , antiderivative size = 1285, normalized size of antiderivative = 8.45

$$\int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx = \text{Too large to display}$$

```
[In] integrate((d*x+c)^3/(a+a*sec(f*x+e)),x, algorithm="maxima")
```

```
[Out] 1/2*(6*c*d^2*e^2*(2*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/(a*f^2) - sin(f*x + e)/(a*f^2*(cos(f*x + e) + 1))) - 6*c^2*d*e*(2*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/(a*f) - sin(f*x + e)/(a*f*(cos(f*x + e) + 1))) - 6*((f*x + e)^2*cos(f*x + e)^2 + (f*x + e)^2*sin(f*x + e)^2 + 2*(f*x + e)^2*cos(f*x + e) + (f*x + e)^2 - 2*(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1) - 4*(f*x + e)*sin(f*x + e))*c*d^2*e/(a*f^2*cos(f*x + e)^2 + a*f^2*sin(f*x + e)^2 + 2*a*f^2*cos(f*x + e) + a*f^2) + 2*c^3*(2*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/a - sin(f*x + e)/(a*(cos(f*x + e) + 1))) + 3*((f*x + e)^2*cos(f*x + e)^2 + (f*x + e)^2*sin(f*x + e)^2 + 2*(f*x + e)^2*cos(f*x + e) + (f*x + e)^2 - 2*(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1) - 4*(f*x + e)*sin(f*x + e))*c^2*d/(a*f*cos(f*x + e)^2 + a*f*sin(f*x + e)^2 + 2*a*f*cos(f*x + e) + a*f) - 2*(I*(f*x + e)^4*d^3 + 6*I*(f*x + e)^2*d^3*e^2 - 4*I*(f*x + e)*d^3*e^3 - 8*d^3*e^3 - 4*(I*d^3*e - I*c*d^2*f)*(f*x + e)^3 + 24*((f*x + e)^2*d^3 + d^3*e^2 - 2*(d^3*e - c*d^2*f)*(f*x + e) + ((f*x + e)^2*d^3 + d^3*e^2 - 2*(d^3*e - c*d^2*f)*(f*x + e))*cos(f*x + e) - (-I*(f*x + e)^2*d^3 - I*d^3*e^2 + 2*(I*d^3*e - I*c*d^2*f)*(f*x + e))*sin(f*x + e))*arctan2(sin(f*x + e), cos(f*x + e) + 1) + (I*(f*x + e)^4*d^3 - 4*(I*d^3*e - I*c*d^2*f + 2*d^3)*(f*x + e)^3 - 6*(-I*
```


$$d^3e^2 - 4d^3e + 4cd^2f)(fx + e)^2 - 4(I d^3e^3 + 6d^3e^2)(fx + e) \cos(fx + e) - 48((fx + e)d^3 - d^3e + cd^2f + ((fx + e)d^3 - d^3e + cd^2f) \cos(fx + e) + (I(fx + e)d^3 - I d^3e + I cd^2f) \sin(fx + e)) \operatorname{dilog}(-e^{(I fx + I e)}) - 12(I(fx + e)^2 d^3 + I d^3e^2 + 2(-I d^3e + I cd^2f)(fx + e) + (I(fx + e)^2 d^3 + I d^3e^2 + 2(-I d^3e + I cd^2f)(fx + e)) \cos(fx + e) - ((fx + e)^2 d^3 + d^3e^2 - 2(d^3e - cd^2f)(fx + e)) \sin(fx + e)) \log(\cos(fx + e)^2 + \sin(fx + e)^2 + 2 \cos(fx + e) + 1) - 48(I d^3 \cos(fx + e) - d^3 \sin(fx + e) + I d^3) \operatorname{polylog}(3, -e^{(I fx + I e)}) - ((fx + e)^4 d^3 - 4(d^3e - cd^2f - 2I d^3)(fx + e)^3 + 6(d^3e^2 - 4I d^3e + 4I cd^2f)(fx + e)^2 - 4(d^3e^3 - 6I d^3e^2)(fx + e)) \sin(fx + e)) / (-4I a f^3 \cos(fx + e) + 4a f^3 \sin(fx + e) - 4I a f^3) / f$$

Giac [F]

$$\int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx = \int \frac{(dx + c)^3}{a \sec(fx + e) + a} dx$$

[In] integrate((d*x+c)^3/(a+a*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^3/(a*sec(f*x + e) + a), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx = \int \frac{(c + dx)^3}{a + \frac{a}{\cos(e + fx)}} dx$$

[In] int((c + d*x)^3/(a + a/cos(e + f*x)),x)

[Out] int((c + d*x)^3/(a + a/cos(e + f*x)), x)

3.12 $\int \frac{(c+dx)^2}{a+a \sec(e+fx)} dx$

Optimal result	106
Rubi [A] (verified)	106
Mathematica [B] (warning: unable to verify)	108
Maple [B] (verified)	109
Fricas [B] (verification not implemented)	110
Sympy [F]	110
Maxima [B] (verification not implemented)	111
Giac [F]	111
Mupad [F(-1)]	111

Optimal result

Integrand size = 20, antiderivative size = 119

$$\int \frac{(c+dx)^2}{a+a \sec(e+fx)} dx = \frac{i(c+dx)^2}{af} + \frac{(c+dx)^3}{3ad} - \frac{4d(c+dx) \log(1+e^{i(e+fx)})}{af^2} + \frac{4id^2 \text{PolyLog}(2, -e^{i(e+fx)})}{af^3} - \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}$$

[Out] $I*(d*x+c)^2/a/f+1/3*(d*x+c)^3/a/d-4*d*(d*x+c)*\ln(1+\exp(I*(f*x+e)))/a/f^2+4*I*d^2*\text{polylog}(2,-\exp(I*(f*x+e)))/a/f^3-(d*x+c)^2*\tan(1/2*f*x+1/2*e)/a/f$

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {4276, 3399, 4269, 3800, 2221, 2317, 2438}

$$\int \frac{(c+dx)^2}{a+a \sec(e+fx)} dx = -\frac{4d(c+dx) \log(1+e^{i(e+fx)})}{af^2} - \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{i(c+dx)^2}{af} + \frac{(c+dx)^3}{3ad} + \frac{4id^2 \text{PolyLog}(2, -e^{i(e+fx)})}{af^3}$$

[In] $\text{Int}[(c+d*x)^2/(a+a*\text{Sec}[e+f*x]),x]$

[Out] $(I*(c+d*x)^2)/(a*f) + (c+d*x)^3/(3*a*d) - (4*d*(c+d*x)*\text{Log}[1+E^{I*(e+f*x)}])/(a*f^2) + ((4*I)*d^2*\text{PolyLog}[2,-E^{I*(e+f*x)}])/(a*f^3) - ((c+d*x)^2*\text{Tan}[e/2+(f*x)/2])/(a*f)$

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*(c_) + (d_)*(x_)))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3399

```
Int[(((c_) + (d_)*(x_))^(m_))*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(n_)
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1/2)*(e + Pi*(a/(2*b))) +
f*(x/2)]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3800

```
Int[(((c_) + (d_)*(x_))^(m_))*tan[(e_) + (f_)*(x_)], x_Symbol] := Simp[I
*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4269

```
Int[csc[(e_) + (f_)*(x_)]^2*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp
[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*
Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 4276

```
Int[(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(n_)*((c_) + (d_)*(x_))^(m_)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Si
n[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGt
Q[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int \left(\frac{(c+dx)^2}{a} - \frac{(c+dx)^2}{a+a\cos(e+fx)} \right) dx \\
&= \frac{(c+dx)^3}{3ad} - \int \frac{(c+dx)^2}{a+a\cos(e+fx)} dx \\
&= \frac{(c+dx)^3}{3ad} - \frac{\int (c+dx)^2 \csc^2\left(\frac{e+\pi}{2} + \frac{fx}{2}\right) dx}{2a} \\
&= \frac{(c+dx)^3}{3ad} - \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{(2d) \int (c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{af} \\
&= \frac{i(c+dx)^2}{af} + \frac{(c+dx)^3}{3ad} - \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{(4id) \int \frac{e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}(c+dx)}{1+e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}} dx}{af} \\
&= \frac{i(c+dx)^2}{af} + \frac{(c+dx)^3}{3ad} - \frac{4d(c+dx) \log(1+e^{i(e+fx)})}{af^2} \\
&\quad - \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{(4d^2) \int \log\left(1+e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}\right) dx}{af^2} \\
&= \frac{i(c+dx)^2}{af} + \frac{(c+dx)^3}{3ad} - \frac{4d(c+dx) \log(1+e^{i(e+fx)})}{af^2} \\
&\quad - \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{(4id^2) \text{Subst}\left(\int \frac{\log(1+x)}{x} dx, x, e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}\right)}{af^3} \\
&= \frac{i(c+dx)^2}{af} + \frac{(c+dx)^3}{3ad} - \frac{4d(c+dx) \log(1+e^{i(e+fx)})}{af^2} \\
&\quad + \frac{4id^2 \text{PolyLog}\left(2, -e^{i(e+fx)}\right)}{af^3} - \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}
\end{aligned}$$

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 528 vs. $2(119) = 238$.

Time = 6.69 (sec) , antiderivative size = 528, normalized size of antiderivative = 4.44

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx = \frac{2x(3c^2 + 3cdx + d^2x^2) \cos^2\left(\frac{e}{2} + \frac{fx}{2}\right) \sec(e + fx)}{3(a + a \sec(e + fx))} - \frac{8cd \cos^2\left(\frac{e}{2} + \frac{fx}{2}\right) \sec\left(\frac{e}{2}\right) \sec(e + fx) \left(\cos\left(\frac{e}{2}\right) \log\left(\cos\left(\frac{e}{2}\right) \cos\left(\frac{fx}{2}\right) - \sin\left(\frac{e}{2}\right) \sin\left(\frac{fx}{2}\right)\right) + \frac{1}{2}fx \sin\left(\frac{e}{2}\right)\right)}{f^2(a + a \sec(e + fx)) \left(\cos^2\left(\frac{e}{2}\right) + \sin^2\left(\frac{e}{2}\right)\right)} - \frac{8d^2 \cos^2\left(\frac{e}{2} + \frac{fx}{2}\right) \csc\left(\frac{e}{2}\right) \left(\frac{1}{4}e^{-i \arctan(\cot(\frac{e}{2}))} f^2 x^2 - \frac{\cot(\frac{e}{2}) \left(\frac{1}{2}i f x (-\pi - 2 \arctan(\cot(\frac{e}{2}))) - \pi \log(1 + e^{-i f x}) - 2\left(\frac{fx}{2} - \arctan(\cot(\frac{e}{2}))\right)\right)}{f^2}\right)}{f^3(a + a \sec(e + fx))} - \frac{2 \cos\left(\frac{e}{2} + \frac{fx}{2}\right) \sec\left(\frac{e}{2}\right) \sec(e + fx) \left(c^2 \sin\left(\frac{fx}{2}\right) + 2cdx \sin\left(\frac{fx}{2}\right) + d^2x^2 \sin\left(\frac{fx}{2}\right)\right)}{f(a + a \sec(e + fx))}$$

[In] Integrate[(c + d*x)^2/(a + a*Sec[e + f*x]),x]

[Out] (2*x*(3*c^2 + 3*c*d*x + d^2*x^2)*Cos[e/2 + (f*x)/2]^2*Sec[e + f*x])/(3*(a + a*Sec[e + f*x])) - (8*c*d*Cos[e/2 + (f*x)/2]^2*Sec[e/2]*Sec[e + f*x]*(Cos[e/2]*Log[Cos[e/2]*Cos[(f*x)/2] - Sin[e/2]*Sin[(f*x)/2]] + (f*x*Sin[e/2])/2)/(f^2*(a + a*Sec[e + f*x])*(Cos[e/2]^2 + Sin[e/2]^2)) - (8*d^2*Cos[e/2 + (f*x)/2]^2*Csc[e/2]*((f^2*x^2)/(4*E^(I*ArcTan[Cot[e/2]])) - (Cot[e/2]*((I/2)*f*x*(-Pi - 2*ArcTan[Cot[e/2]])) - Pi*Log[1 + E^((-I)*f*x)] - 2*((f*x)/2 - ArcTan[Cot[e/2]])*Log[1 - E^((2*I)*((f*x)/2 - ArcTan[Cot[e/2]]))]) + Pi*Log[Cos[(f*x)/2]] - 2*ArcTan[Cot[e/2]]*Log[Sin[(f*x)/2 - ArcTan[Cot[e/2]]]]) + I*PolyLog[2, E^((2*I)*((f*x)/2 - ArcTan[Cot[e/2]]))])/Sqrt[1 + Cot[e/2]^2]*Sec[e/2]*Sec[e + f*x])/(f^3*(a + a*Sec[e + f*x])*Sqrt[Csc[e/2]^2*(Cos[e/2]^2 + Sin[e/2]^2)) - (2*Cos[e/2 + (f*x)/2]*Sec[e/2]*Sec[e + f*x]*(c^2*Sin[(f*x)/2] + 2*c*d*x*Sin[(f*x)/2] + d^2*x^2*Sin[(f*x)/2]))/(f*(a + a*Sec[e + f*x]))

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 235 vs. 2(107) = 214.

Time = 0.53 (sec) , antiderivative size = 236, normalized size of antiderivative = 1.98

method	result
risch	$\frac{d^2x^3}{3a} + \frac{dcx^2}{a} + \frac{c^2x}{a} + \frac{c^3}{3ad} - \frac{2i(d^2x^2+2cdx+c^2)}{fa(e^{i(fx+e)}+1)} - \frac{4dc \ln(e^{i(fx+e)}+1)}{af^2} + \frac{4dc \ln(e^{i(fx+e)})}{af^2} + \frac{2id^2x^2}{af} + \frac{4id^2ex}{af^2} + \frac{2id^2c}{af}$

[In] int((d*x+c)^2/(a+a*sec(f*x+e)),x,method=_RETURNVERBOSE)

[Out] 1/3/a*d^2*x^3+1/a*d*c*x^2+1/a*c^2*x+1/3/a/d*c^3-2*I*(d^2*x^2+2*c*d*x+c^2)/f/a/(exp(I*(f*x+e))+1)-4/a/f^2*d*c*ln(exp(I*(f*x+e))+1)+4/a/f^2*d*c*ln(exp(I

$(f*x+e)))+2*I/a/f*d^2*x^2+4*I/a/f^2*d^2*e*x+2*I/a/f^3*d^2*e^2-4/a/f^2*d^2*\ln(\exp(I*(f*x+e))+1)*x+4*I*d^2*polylog(2,-\exp(I*(f*x+e)))/a/f^3-4/a/f^3*d^2*e*\ln(\exp(I*(f*x+e)))$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 292 vs. $2(104) = 208$.

Time = 0.27 (sec) , antiderivative size = 292, normalized size of antiderivative = 2.45

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx$$

$$= \frac{d^2 f^3 x^3 + 3 c d f^3 x^2 + 3 c^2 f^3 x + (d^2 f^3 x^3 + 3 c d f^3 x^2 + 3 c^2 f^3 x) \cos(fx + e) - 6 (i d^2 \cos(fx + e) + i d^2) \text{Li}_2(\dots)}{a^2 f^3 \cos(fx + e) + a f^3}$$

[In] integrate((d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="fricas")

[Out] $\frac{1}{3}*(d^2*f^3*x^3 + 3*c*d*f^3*x^2 + 3*c^2*f^3*x + (d^2*f^3*x^3 + 3*c*d*f^3*x^2 + 3*c^2*f^3*x)*\cos(f*x + e) - 6*(I*d^2*\cos(f*x + e) + I*d^2)*\text{dilog}(-\cos(f*x + e) + I*\sin(f*x + e)) - 6*(-I*d^2*\cos(f*x + e) - I*d^2)*\text{dilog}(-\cos(f*x + e) - I*\sin(f*x + e)) - 6*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*\cos(f*x + e))*\log(\cos(f*x + e) + I*\sin(f*x + e) + 1) - 6*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*\cos(f*x + e))*\log(\cos(f*x + e) - I*\sin(f*x + e) + 1) - 3*(d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2)*\sin(f*x + e))/(a*f^3*\cos(f*x + e) + a*f^3)$

Sympy [F]

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx = \frac{\int \frac{c^2}{\sec(e+fx)+1} dx + \int \frac{d^2 x^2}{\sec(e+fx)+1} dx + \int \frac{2cdx}{\sec(e+fx)+1} dx}{a}$$

[In] integrate((d*x+c)**2/(a+a*sec(f*x+e)),x)

[Out] $(\text{Integral}(c**2/(\sec(e + f*x) + 1), x) + \text{Integral}(d**2*x**2/(\sec(e + f*x) + 1), x) + \text{Integral}(2*c*d*x/(\sec(e + f*x) + 1), x))/a$

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 377 vs. $2(104) = 208$.

Time = 0.43 (sec) , antiderivative size = 377, normalized size of antiderivative = 3.17

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx = \frac{i d^2 f^3 x^3 + 3i c d f^3 x^2 + 3i c^2 f^3 x + 6 c^2 f^2 + 12 (d^2 f x + c d f + (d^2 f x + c d f) \cos(fx + e) - (-i d^2 f x - i c d f))}{\dots}$$

[In] integrate((d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="maxima")

[Out] $-(I*d^2*f^3*x^3 + 3*I*c*d*f^3*x^2 + 3*I*c^2*f^3*x + 6*c^2*f^2 + 12*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*\cos(f*x + e) - (-I*d^2*f*x - I*c*d*f)*\sin(f*x + e))*\arctan2(\sin(f*x + e), \cos(f*x + e) + 1) + (I*d^2*f^3*x^3 - 3*(-I*c*d*f^3 + 2*d^2*f^2)*x^2 - 3*(-I*c^2*f^3 + 4*c*d*f^2)*x)*\cos(f*x + e) - 12*(d^2*\cos(f*x + e) + I*d^2*\sin(f*x + e) + d^2)*\operatorname{dilog}(-e^{(I*f*x + I*e)}) - 6*(I*d^2*f*x + I*c*d*f + (I*d^2*f*x + I*c*d*f)*\cos(f*x + e) - (d^2*f*x + c*d*f)*\sin(f*x + e))*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1) - (d^2*f^3*x^3 + 3*(c*d*f^3 + 2*I*d^2*f^2)*x^2 + 3*(c^2*f^3 + 4*I*c*d*f^2)*x)*\sin(f*x + e))/(-3*I*a*f^3*\cos(f*x + e) + 3*a*f^3*\sin(f*x + e) - 3*I*a*f^3)$

Giac [F]

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx = \int \frac{(dx + c)^2}{a \sec(fx + e) + a} dx$$

[In] integrate((d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^2/(a*sec(f*x + e) + a), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx = \int \frac{(c + dx)^2}{a + \frac{a}{\cos(e + fx)}} dx$$

[In] int((c + d*x)^2/(a + a/cos(e + f*x)),x)

[Out] int((c + d*x)^2/(a + a/cos(e + f*x)), x)

3.13 $\int \frac{c+dx}{a+a \sec(e+fx)} dx$

Optimal result	112
Rubi [A] (verified)	112
Mathematica [A] (verified)	113
Maple [A] (verified)	114
Fricas [A] (verification not implemented)	114
Sympy [F]	114
Maxima [B] (verification not implemented)	115
Giac [B] (verification not implemented)	115
Mupad [B] (verification not implemented)	116

Optimal result

Integrand size = 18, antiderivative size = 67

$$\int \frac{c+dx}{a+a \sec(e+fx)} dx = \frac{(c+dx)^2}{2ad} - \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2} - \frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}$$

[Out] $1/2*(d*x+c)^2/a/d-2*d*\ln(\cos(1/2*f*x+1/2*e))/a/f^2-(d*x+c)*\tan(1/2*f*x+1/2*e)/a/f$

Rubi [A] (verified)

Time = 0.12 (sec) , antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {4276, 3399, 4269, 3556}

$$\int \frac{c+dx}{a+a \sec(e+fx)} dx = -\frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{(c+dx)^2}{2ad} - \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2}$$

[In] Int[(c + d*x)/(a + a*Sec[e + f*x]),x]

[Out] $(c + d*x)^2/(2*a*d) - (2*d*\text{Log}[\text{Cos}[e/2 + (f*x)/2]])/(a*f^2) - ((c + d*x)*\text{Tan}[e/2 + (f*x)/2])/(a*f)$

Rule 3399

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1/2)*(e + Pi*(a/(2*b)))] + f*(x/2)]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3556


```
Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := Simp[-Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 4269

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Simp
[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*
Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 4276

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Si
n[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGt
Q[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int \left(\frac{c+dx}{a} - \frac{c+dx}{a+a\cos(e+fx)} \right) dx \\
&= \frac{(c+dx)^2}{2ad} - \int \frac{c+dx}{a+a\cos(e+fx)} dx \\
&= \frac{(c+dx)^2}{2ad} - \frac{\int (c+dx) \csc^2\left(\frac{e+\pi}{2} + \frac{fx}{2}\right) dx}{2a} \\
&= \frac{(c+dx)^2}{2ad} - \frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{d \int \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{af} \\
&= \frac{(c+dx)^2}{2ad} - \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2} - \frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}
\end{aligned}$$

Mathematica [A] (verified)

Time = 1.00 (sec) , antiderivative size = 104, normalized size of antiderivative = 1.55

$$\begin{aligned}
&\int \frac{c+dx}{a+a\sec(e+fx)} dx \\
&= \frac{\cos\left(\frac{1}{2}(e+fx)\right) \sec(e+fx) \left(-2f(c+dx) \sec\left(\frac{e}{2}\right) \sin\left(\frac{fx}{2}\right) + \cos\left(\frac{1}{2}(e+fx)\right) (f^2x(2c+dx) - 4d \log(\cos\right.}{af^2(1+\sec(e+fx))}
\end{aligned}$$

```
[In] Integrate[(c + d*x)/(a + a*Sec[e + f*x]),x]
```

```
[Out] (Cos[(e + f*x)/2]*Sec[e + f*x]*(-2*f*(c + d*x)*Sec[e/2]*Sin[(f*x)/2] + Cos[
(e + f*x)/2]*(f^2*x*(2*c + d*x) - 4*d*Log[Cos[(e + f*x)/2]] - 2*d*f*x*Tan[e
/2]))/(a*f^2*(1 + Sec[e + f*x]))
```

Maple [A] (verified)

Time = 0.46 (sec) , antiderivative size = 53, normalized size of antiderivative = 0.79

method	result	size
parallelrisch	$\frac{d \ln \left(\sec \left(\frac{fx}{2} + \frac{e}{2} \right) \right)^2 + \left((-dx-c) \tan \left(\frac{fx}{2} + \frac{e}{2} \right) + fx \left(\frac{dx}{2} + c \right) \right) f}{a f^2}$	53
norman	$\frac{cx}{a} + \frac{dx^2}{2a} - \frac{c \tan \left(\frac{fx}{2} + \frac{e}{2} \right)}{af} - \frac{dx \tan \left(\frac{fx}{2} + \frac{e}{2} \right)}{af} + \frac{d \ln \left(1 + \tan \left(\frac{fx}{2} + \frac{e}{2} \right) \right)^2}{a f^2}$	76
risch	$\frac{dx^2}{2a} + \frac{cx}{a} + \frac{2idx}{af} + \frac{2ide}{a f^2} - \frac{2i(dx+c)}{fa(e^{i(fx+e)}+1)} - \frac{2d \ln(e^{i(fx+e)}+1)}{a f^2}$	87

[In] int((d*x+c)/(a+a*sec(f*x+e)),x,method=_RETURNVERBOSE)

[Out] (d*ln(sec(1/2*f*x+1/2*e)^2)+((-d*x-c)*tan(1/2*f*x+1/2*e)+f*x*(1/2*d*x+c))*f)/a/f^2

Fricas [A] (verification not implemented)

none

Time = 0.29 (sec) , antiderivative size = 99, normalized size of antiderivative = 1.48

$$\int \frac{c + dx}{a + a \sec(e + fx)} dx = \frac{df^2 x^2 + 2cf^2 x + (df^2 x^2 + 2cf^2 x) \cos(fx + e) - 2(d \cos(fx + e) + d) \log\left(\frac{1}{2} \cos(fx + e) + \frac{1}{2}\right) - 2(df x + c) \sin(fx + e)}{2(a f^2 \cos(fx + e) + a f^2)}$$

[In] integrate((d*x+c)/(a+a*sec(f*x+e)),x, algorithm="fricas")

[Out] 1/2*(d*f^2*x^2 + 2*c*f^2*x + (d*f^2*x^2 + 2*c*f^2*x)*cos(f*x + e) - 2*(d*cos(f*x + e) + d)*log(1/2*cos(f*x + e) + 1/2) - 2*(d*f*x + c*f)*sin(f*x + e))/(a*f^2*cos(f*x + e) + a*f^2)

Sympy [F]

$$\int \frac{c + dx}{a + a \sec(e + fx)} dx = \frac{\int \frac{c}{\sec(e+fx)+1} dx + \int \frac{dx}{\sec(e+fx)+1} dx}{a}$$

[In] integrate((d*x+c)/(a+a*sec(f*x+e)),x)

[Out] (Integral(c/(sec(e + f*x) + 1), x) + Integral(d*x/(sec(e + f*x) + 1), x))/a

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 273 vs. 2(57) = 114.

Time = 0.31 (sec) , antiderivative size = 273, normalized size of antiderivative = 4.07

$$\int \frac{c + dx}{a + a \sec(e + fx)} dx =$$

$$2de \left(\frac{2 \arctan\left(\frac{\sin(fx+e)}{\cos(fx+e)+1}\right)}{af} - \frac{\sin(fx+e)}{af(\cos(fx+e)+1)} \right) - 2c \left(\frac{2 \arctan\left(\frac{\sin(fx+e)}{\cos(fx+e)+1}\right)}{a} - \frac{\sin(fx+e)}{a(\cos(fx+e)+1)} \right) - \frac{(fx+e)^2 \cos(fx+e)}{af}$$

[In] integrate((d*x+c)/(a+a*sec(f*x+e)),x, algorithm="maxima")

[Out] -1/2*(2*d*e*(2*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/(a*f) - sin(f*x + e)/(a*f*(cos(f*x + e) + 1))) - 2*c*(2*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/a - sin(f*x + e)/(a*(cos(f*x + e) + 1))) - ((f*x + e)^2*cos(f*x + e)^2 + (f*x + e)^2*sin(f*x + e)^2 + 2*(f*x + e)^2*cos(f*x + e) + (f*x + e)^2 - 2*(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1) - 4*(f*x + e)*sin(f*x + e))*d/(a*f*cos(f*x + e)^2 + a*f*sin(f*x + e)^2 + 2*a*f*cos(f*x + e) + a*f))/f

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 248 vs. 2(57) = 114.

Time = 0.32 (sec) , antiderivative size = 248, normalized size of antiderivative = 3.70

$$\int \frac{c + dx}{a + a \sec(e + fx)} dx$$

$$df^2x^2 \tan\left(\frac{1}{2}fx\right) \tan\left(\frac{1}{2}e\right) + 2cf^2x \tan\left(\frac{1}{2}fx\right) \tan\left(\frac{1}{2}e\right) - df^2x^2 - 2cf^2x + 2dfx \tan\left(\frac{1}{2}fx\right) + 2dfx \tan\left(\frac{1}{2}e\right)$$

[In] integrate((d*x+c)/(a+a*sec(f*x+e)),x, algorithm="giac")

[Out] 1/2*(d*f^2*x^2*tan(1/2*f*x)*tan(1/2*e) + 2*c*f^2*x*tan(1/2*f*x)*tan(1/2*e) - d*f^2*x^2 - 2*c*f^2*x + 2*d*f*x*tan(1/2*f*x) + 2*d*f*x*tan(1/2*e) - 2*d*log(4*(tan(1/2*f*x)^2*tan(1/2*e)^2 - 2*tan(1/2*f*x)*tan(1/2*e) + 1)/(tan(1/2*f*x)^2*tan(1/2*e)^2 + tan(1/2*f*x)^2 + tan(1/2*e)^2 + 1))*tan(1/2*f*x)*tan(1/2*e) + 2*c*f*tan(1/2*f*x) + 2*c*f*tan(1/2*e) + 2*d*log(4*(tan(1/2*f*x)^2*tan(1/2*e)^2 - 2*tan(1/2*f*x)*tan(1/2*e) + 1)/(tan(1/2*f*x)^2*tan(1/2*e)^2 + tan(1/2*f*x)^2 + tan(1/2*e)^2 + 1)))/(a*f^2*tan(1/2*f*x)*tan(1/2*e) - a*f^2)

Mupad [B] (verification not implemented)

Time = 13.61 (sec) , antiderivative size = 79, normalized size of antiderivative = 1.18

$$\int \frac{c + dx}{a + a \sec(e + fx)} dx = \frac{dx^2}{2a} - \frac{2d \ln(e^{e1i} e^{fx1i} + 1)}{af^2} - \frac{(c + dx) 2i}{af (e^{e1i+fx1i} + 1)} + \frac{x(c f + d 2i)}{af}$$

[In] int((c + d*x)/(a + a/cos(e + f*x)),x)

[Out] (d*x^2)/(2*a) - (2*d*log(exp(e*1i)*exp(f*x*1i) + 1))/(a*f^2) - ((c + d*x)*2i)/(a*f*(exp(e*1i + f*x*1i) + 1)) + (x*(d*2i + c*f))/(a*f)

3.14 $\int \frac{1}{(c+dx)(a+a \sec(e+fx))} dx$

Optimal result	117
Rubi [N/A]	117
Mathematica [N/A]	118
Maple [N/A] (verified)	118
Fricas [N/A]	118
Sympy [N/A]	118
Maxima [N/A]	119
Giac [N/A]	119
Mupad [N/A]	119

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)(a+a \sec(e+fx))} dx = \text{Int}\left(\frac{1}{(c+dx)(a+a \sec(e+fx))}, x\right)$$

[Out] Unintegrable(1/(d*x+c)/(a+a*sec(f*x+e)), x)

Rubi [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)(a+a \sec(e+fx))} dx = \int \frac{1}{(c+dx)(a+a \sec(e+fx))} dx$$

[In] Int[1/((c + d*x)*(a + a*Sec[e + f*x])), x]

[Out] Defer[Int][1/((c + d*x)*(a + a*Sec[e + f*x])), x]

Rubi steps

$$\text{integral} = \int \frac{1}{(c+dx)(a+a \sec(e+fx))} dx$$

Mathematica [N/A]

Not integrable

Time = 7.80 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx = \int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx$$

[In] Integrate[1/((c + d*x)*(a + a*Sec[e + f*x])),x]

[Out] Integrate[1/((c + d*x)*(a + a*Sec[e + f*x])), x]

Maple [N/A] (verified)

Not integrable

Time = 0.48 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)(a + a \sec(fx + e))} dx$$

[In] int(1/(d*x+c)/(a+a*sec(f*x+e)),x)

[Out] int(1/(d*x+c)/(a+a*sec(f*x+e)),x)

Fricas [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.35

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx = \int \frac{1}{(dx + c)(a \sec(fx + e) + a)} dx$$

[In] integrate(1/(d*x+c)/(a+a*sec(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d*x + a*c + (a*d*x + a*c)*sec(f*x + e)), x)

Sympy [N/A]

Not integrable

Time = 1.05 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.35

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx = \frac{\int \frac{1}{c \sec(e+fx)+c+dx \sec(e+fx)+dx} dx}{a}$$

[In] integrate(1/(d*x+c)/(a+a*sec(f*x+e)),x)

[Out] Integral(1/(c*sec(e + f*x) + c + d*x*sec(e + f*x) + d*x), x)/a

Maxima [N/A]

Not integrable

Time = 0.52 (sec) , antiderivative size = 391, normalized size of antiderivative = 19.55

$$\int \frac{1}{(c+dx)(a+a\sec(e+fx))} dx = \int \frac{1}{(dx+c)(a\sec(fx+e)+a)} dx$$

[In] integrate(1/(d*x+c)/(a+a*sec(f*x+e)),x, algorithm="maxima")

```
[Out] ((d*f*x + c*f)*cos(f*x + e)^2*log(d*x + c) + (d*f*x + c*f)*log(d*x + c)*sin
(f*x + e)^2 + 2*(d*f*x + c*f)*cos(f*x + e)*log(d*x + c) - 2*(a*d^3*f*x + a*
c*d^2*f + (a*d^3*f*x + a*c*d^2*f)*cos(f*x + e)^2 + (a*d^3*f*x + a*c*d^2*f)*
sin(f*x + e)^2 + 2*(a*d^3*f*x + a*c*d^2*f)*cos(f*x + e))*integrate(sin(f*x
+ e)/(a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f + (a*d^2*f*x^2 + 2*a*c*d*f*x + a*
c^2*f)*cos(f*x + e)^2 + (a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f)*sin(f*x + e)^
2 + 2*(a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f)*cos(f*x + e)), x) + (d*f*x + c*
f)*log(d*x + c) - 2*d*sin(f*x + e))/(a*d^2*f*x + a*c*d*f + (a*d^2*f*x + a*c
*d*f)*cos(f*x + e)^2 + (a*d^2*f*x + a*c*d*f)*sin(f*x + e)^2 + 2*(a*d^2*f*x
+ a*c*d*f)*cos(f*x + e))
```

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)(a+a\sec(e+fx))} dx = \int \frac{1}{(dx+c)(a\sec(fx+e)+a)} dx$$

[In] integrate(1/(d*x+c)/(a+a*sec(f*x+e)),x, algorithm="giac")

[Out] integrate(1/((d*x + c)*(a*sec(f*x + e) + a)), x)

Mupad [N/A]

Not integrable

Time = 13.25 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c+dx)(a+a\sec(e+fx))} dx = \int \frac{1}{\left(a + \frac{a}{\cos(e+fx)}\right) (c+dx)} dx$$

[In] int(1/((a + a/cos(e + f*x))*(c + d*x)),x)

[Out] int(1/((a + a/cos(e + f*x))*(c + d*x)), x)

3.15 $\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))} dx$

Optimal result	120
Rubi [N/A]	120
Mathematica [N/A]	121
Maple [N/A] (verified)	121
Fricas [N/A]	121
Sympy [N/A]	122
Maxima [N/A]	122
Giac [N/A]	123
Mupad [N/A]	123

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))} dx = \text{Int}\left(\frac{1}{(c+dx)^2(a+a \sec(e+fx))}, x\right)$$

[Out] Unintegrable(1/(d*x+c)^2/(a+a*sec(f*x+e)),x)

Rubi [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))} dx = \int \frac{1}{(c+dx)^2(a+a \sec(e+fx))} dx$$

[In] Int[1/((c + d*x)^2*(a + a*Sec[e + f*x])),x]

[Out] Defer[Int][1/((c + d*x)^2*(a + a*Sec[e + f*x])), x]

Rubi steps

$$\text{integral} = \int \frac{1}{(c+dx)^2(a+a \sec(e+fx))} dx$$

Mathematica [N/A]

Not integrable

Time = 6.31 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx = \int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx$$

[In] Integrate[1/((c + d*x)^2*(a + a*Sec[e + f*x])),x]

[Out] Integrate[1/((c + d*x)^2*(a + a*Sec[e + f*x])), x]

Maple [N/A] (verified)

Not integrable

Time = 0.41 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)^2(a + a \sec(fx + e))} dx$$

[In] int(1/(d*x+c)^2/(a+a*sec(f*x+e)),x)

[Out] int(1/(d*x+c)^2/(a+a*sec(f*x+e)),x)

Fricas [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 51, normalized size of antiderivative = 2.55

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)} dx$$

[In] integrate(1/(d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d^2*x^2 + 2*a*c*d*x + a*c^2 + (a*d^2*x^2 + 2*a*c*d*x + a*c^2)*sec(f*x + e)), x)

Sympy [N/A]

Not integrable

Time = 2.12 (sec) , antiderivative size = 58, normalized size of antiderivative = 2.90

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx = \frac{\int \frac{1}{c^2 \sec(e + fx) + c^2 + 2cdx \sec(e + fx) + 2cdx + d^2x^2 \sec(e + fx) + d^2x^2} dx}{a}$$

`[In] integrate(1/(d*x+c)**2/(a+a*sec(f*x+e)),x)``[Out] Integral(1/(c**2*sec(e + f*x) + c**2 + 2*c*d*x*sec(e + f*x) + 2*c*d*x + d**2*x**2*sec(e + f*x) + d**2*x**2), x)/a`**Maxima [N/A]**

Not integrable

Time = 0.90 (sec) , antiderivative size = 522, normalized size of antiderivative = 26.10

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)} dx$$

`[In] integrate(1/(d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="maxima")`

```
[Out] -(d*f*x + (d*f*x + c*f)*cos(f*x + e)^2 + (d*f*x + c*f)*sin(f*x + e)^2 + c*f
+ 2*(d*f*x + c*f)*cos(f*x + e) + 4*(a*d^4*f*x^2 + 2*a*c*d^3*f*x + a*c^2*d^
2*f + (a*d^4*f*x^2 + 2*a*c*d^3*f*x + a*c^2*d^2*f)*cos(f*x + e)^2 + (a*d^4*f
*x^2 + 2*a*c*d^3*f*x + a*c^2*d^2*f)*sin(f*x + e)^2 + 2*(a*d^4*f*x^2 + 2*a*c
*d^3*f*x + a*c^2*d^2*f)*cos(f*x + e))*integrate(sin(f*x + e)/(a*d^3*f*x^3 +
3*a*c*d^2*f*x^2 + 3*a*c^2*d*f*x + a*c^3*f + (a*d^3*f*x^3 + 3*a*c*d^2*f*x^2
+ 3*a*c^2*d*f*x + a*c^3*f)*cos(f*x + e)^2 + (a*d^3*f*x^3 + 3*a*c*d^2*f*x^2
+ 3*a*c^2*d*f*x + a*c^3*f)*sin(f*x + e)^2 + 2*(a*d^3*f*x^3 + 3*a*c*d^2*f*x
^2 + 3*a*c^2*d*f*x + a*c^3*f)*cos(f*x + e)), x) + 2*d*sin(f*x + e))/(a*d^3*
f*x^2 + 2*a*c*d^2*f*x + a*c^2*d*f + (a*d^3*f*x^2 + 2*a*c*d^2*f*x + a*c^2*d*
f)*cos(f*x + e)^2 + (a*d^3*f*x^2 + 2*a*c*d^2*f*x + a*c^2*d*f)*sin(f*x + e)^
2 + 2*(a*d^3*f*x^2 + 2*a*c*d^2*f*x + a*c^2*d*f)*cos(f*x + e))
```

Giac [N/A]

Not integrable

Time = 0.57 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)} dx$$

[In] integrate(1/(d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="giac")

[Out] integrate(1/((d*x + c)^2*(a*sec(f*x + e) + a)), x)

Mupad [N/A]

Not integrable

Time = 13.15 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx = \int \frac{1}{\left(a + \frac{a}{\cos(e+fx)}\right) (c + dx)^2} dx$$

[In] int(1/((a + a/cos(e + f*x))*(c + d*x)^2),x)

[Out] int(1/((a + a/cos(e + f*x))*(c + d*x)^2), x)

3.16 $\int \frac{(c+dx)^3}{(a+a \sec(e+fx))^2} dx$

Optimal result	124
Rubi [A] (verified)	125
Mathematica [B] (warning: unable to verify)	129
Maple [B] (verified)	131
Fricas [B] (verification not implemented)	131
Sympy [F]	132
Maxima [B] (verification not implemented)	133
Giac [F]	135
Mupad [F(-1)]	136

Optimal result

Integrand size = 20, antiderivative size = 288

$$\int \frac{(c+dx)^3}{(a+a \sec(e+fx))^2} dx = \frac{5i(c+dx)^3}{3a^2f} + \frac{(c+dx)^4}{4a^2d} - \frac{10d(c+dx)^2 \log(1+e^{i(e+fx)})}{a^2f^2}$$

$$+ \frac{4d^3 \log(\cos(\frac{e}{2} + \frac{fx}{2}))}{a^2f^4}$$

$$+ \frac{20id^2(c+dx) \text{PolyLog}(2, -e^{i(e+fx)})}{a^2f^3}$$

$$- \frac{20d^3 \text{PolyLog}(3, -e^{i(e+fx)})}{a^2f^4} - \frac{d(c+dx)^2 \sec^2(\frac{e}{2} + \frac{fx}{2})}{2a^2f^2}$$

$$+ \frac{2d^2(c+dx) \tan(\frac{e}{2} + \frac{fx}{2})}{a^2f^3} - \frac{5(c+dx)^3 \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f}$$

$$+ \frac{(c+dx)^3 \sec^2(\frac{e}{2} + \frac{fx}{2}) \tan(\frac{e}{2} + \frac{fx}{2})}{6a^2f}$$

```
[Out] 5/3*I*(d*x+c)^3/a^2/f+1/4*(d*x+c)^4/a^2/d-10*d*(d*x+c)^2*ln(1+exp(I*(f*x+e)
))/a^2/f^2+4*d^3*ln(cos(1/2*f*x+1/2*e))/a^2/f^4+20*I*d^2*(d*x+c)*polylog(2,
-exp(I*(f*x+e)))/a^2/f^3-20*d^3*polylog(3,-exp(I*(f*x+e)))/a^2/f^4-1/2*d*(d
*x+c)^2*sec(1/2*f*x+1/2*e)^2/a^2/f^2+2*d^2*(d*x+c)*tan(1/2*f*x+1/2*e)/a^2/f
^3-5/3*(d*x+c)^3*tan(1/2*f*x+1/2*e)/a^2/f+1/6*(d*x+c)^3*sec(1/2*f*x+1/2*e)^
2*tan(1/2*f*x+1/2*e)/a^2/f
```

Rubi [A] (verified)

Time = 0.87 (sec) , antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4276, 3399, 4271, 4269, 3556, 3800, 2221, 2611, 2320, 6724}

$$\int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx = \frac{20id^2(c + dx) \text{PolyLog}(2, -e^{i(e+fx)})}{a^2 f^3} + \frac{2d^2(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2 f^3} - \frac{10d(c + dx)^2 \log(1 + e^{i(e+fx)})}{a^2 f^2} - \frac{d(c + dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2 f^2} - \frac{5(c + dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f} + \frac{(c + dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f} + \frac{5i(c + dx)^3}{3a^2 f} + \frac{(c + dx)^4}{4a^2 d} - \frac{20d^3 \text{PolyLog}(3, -e^{i(e+fx)})}{a^2 f^4} + \frac{4d^3 \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{a^2 f^4}$$

[In] Int[(c + d*x)^3/(a + a*Sec[e + f*x])^2,x]

[Out] (((5*I)/3)*(c + d*x)^3)/(a^2*f) + (c + d*x)^4/(4*a^2*d) - (10*d*(c + d*x)^2*Log[1 + E^(I*(e + f*x))])/(a^2*f^2) + (4*d^3*Log[Cos[e/2 + (f*x)/2]])/(a^2*f^4) + ((20*I)*d^2*(c + d*x)*PolyLog[2, -E^(I*(e + f*x))])/(a^2*f^3) - (20*d^3*PolyLog[3, -E^(I*(e + f*x))])/(a^2*f^4) - (d*(c + d*x)^2*Sec[e/2 + (f*x)/2]^2)/(2*a^2*f^2) + (2*d^2*(c + d*x)*Tan[e/2 + (f*x)/2])/(a^2*f^3) - (5*(c + d*x)^3*Tan[e/2 + (f*x)/2])/(3*a^2*f) + ((c + d*x)^3*Sec[e/2 + (f*x)/2]^2*Tan[e/2 + (f*x)/2])/(6*a^2*f)

Rule 2221

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2320

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*(a_) + (b_)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3399

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1/2)*(e + Pi*(a/(2*b))) +
f*(x/2)]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3556

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[-Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3800

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[I
*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4269

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp
[(-c + d*x)^m*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*
Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 4271

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^n*((c_.) + (d_.)*(x_))^(m_.), x_Symbo
l] := Simp[(-b^2)*(c + d*x)^m*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n
- 1))), x] + (Dist[b^2*d^2*m*(m - 1)/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)
^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[b^2*((n - 2)/(n - 1)), Int
[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[b^2*d*m*(c + d*x)^(m -
1)*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /; FreeQ[{b, c, d
, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 4276

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^n*((c_.) + (d_.)*(x_))^(m_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Si
```

$n[e + f*x]^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{ILtQ}[n, 0] \&\& \text{IGtQ}[m, 0]$

Rule 6724

$\text{Int}[\text{PolyLog}[n, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]/((d_.) + (e_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x\} \&\& \text{EqQ}[b*d, a*e]$

Rubi steps

$$\begin{aligned}
 \text{integral} &= \int \left(\frac{(c + dx)^3}{a^2} + \frac{(c + dx)^3}{a^2(1 + \cos(e + fx))^2} - \frac{2(c + dx)^3}{a^2(1 + \cos(e + fx))} \right) dx \\
 &= \frac{(c + dx)^4}{4a^2d} + \frac{\int \frac{(c+dx)^3}{(1+\cos(e+fx))^2} dx}{a^2} - \frac{2 \int \frac{(c+dx)^3}{1+\cos(e+fx)} dx}{a^2} \\
 &= \frac{(c + dx)^4}{4a^2d} + \frac{\int (c + dx)^3 \csc^4\left(\frac{e+\pi}{2} + \frac{fx}{2}\right) dx}{4a^2} - \frac{\int (c + dx)^3 \csc^2\left(\frac{e+\pi}{2} + \frac{fx}{2}\right) dx}{a^2} \\
 &= \frac{(c + dx)^4}{4a^2d} - \frac{d(c + dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2f^2} - \frac{2(c + dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2f} \\
 &\quad + \frac{(c + dx)^3 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} + \frac{\int (c + dx)^3 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{6a^2} \\
 &\quad + \frac{d^2 \int (c + dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{a^2f^2} + \frac{(6d) \int (c + dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{a^2f} \\
 &= \frac{2i(c + dx)^3}{a^2f} + \frac{(c + dx)^4}{4a^2d} - \frac{d(c + dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2f^2} \\
 &\quad + \frac{2d^2(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2f^3} - \frac{5(c + dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f} \\
 &\quad + \frac{(c + dx)^3 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} - \frac{(2d^3) \int \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{a^2f^3} \\
 &\quad - \frac{(12id) \int \frac{e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}(c+dx)^2}{1+e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}} dx}{a^2f} - \frac{d \int (c + dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{a^2f}
 \end{aligned}$$

$$\begin{aligned}
&= \frac{5i(c+dx)^3}{3a^2f} + \frac{(c+dx)^4}{4a^2d} - \frac{12d(c+dx)^2 \log(1+e^{i(e+fx)})}{a^2f^2} \\
&+ \frac{4d^3 \log(\cos(\frac{e}{2} + \frac{fx}{2}))}{a^2f^4} - \frac{d(c+dx)^2 \sec^2(\frac{e}{2} + \frac{fx}{2})}{2a^2f^2} + \frac{2d^2(c+dx) \tan(\frac{e}{2} + \frac{fx}{2})}{a^2f^3} \\
&- \frac{5(c+dx)^3 \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f} + \frac{(c+dx)^3 \sec^2(\frac{e}{2} + \frac{fx}{2}) \tan(\frac{e}{2} + \frac{fx}{2})}{6a^2f} \\
&+ \frac{(24d^2) \int (c+dx) \log\left(1+e^{2i(\frac{e}{2} + \frac{fx}{2})}\right) dx}{a^2f^2} + \frac{(2id) \int \frac{e^{2i(\frac{e}{2} + \frac{fx}{2})(c+dx)^2} dx}{1+e^{2i(\frac{e}{2} + \frac{fx}{2})}}}{a^2f} \\
&= \frac{5i(c+dx)^3}{3a^2f} + \frac{(c+dx)^4}{4a^2d} - \frac{10d(c+dx)^2 \log(1+e^{i(e+fx)})}{a^2f^2} \\
&+ \frac{4d^3 \log(\cos(\frac{e}{2} + \frac{fx}{2}))}{a^2f^4} + \frac{24id^2(c+dx) \text{PolyLog}(2, -e^{i(e+fx)})}{a^2f^3} \\
&- \frac{d(c+dx)^2 \sec^2(\frac{e}{2} + \frac{fx}{2})}{2a^2f^2} + \frac{2d^2(c+dx) \tan(\frac{e}{2} + \frac{fx}{2})}{a^2f^3} - \frac{5(c+dx)^3 \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f} \\
&+ \frac{(c+dx)^3 \sec^2(\frac{e}{2} + \frac{fx}{2}) \tan(\frac{e}{2} + \frac{fx}{2})}{6a^2f} - \frac{(24id^3) \int \text{PolyLog}\left(2, -e^{2i(\frac{e}{2} + \frac{fx}{2})}\right) dx}{a^2f^3} \\
&- \frac{(4d^2) \int (c+dx) \log\left(1+e^{2i(\frac{e}{2} + \frac{fx}{2})}\right) dx}{a^2f^2} \\
&= \frac{5i(c+dx)^3}{3a^2f} + \frac{(c+dx)^4}{4a^2d} - \frac{10d(c+dx)^2 \log(1+e^{i(e+fx)})}{a^2f^2} \\
&+ \frac{4d^3 \log(\cos(\frac{e}{2} + \frac{fx}{2}))}{a^2f^4} + \frac{20id^2(c+dx) \text{PolyLog}(2, -e^{i(e+fx)})}{a^2f^3} \\
&- \frac{d(c+dx)^2 \sec^2(\frac{e}{2} + \frac{fx}{2})}{2a^2f^2} + \frac{2d^2(c+dx) \tan(\frac{e}{2} + \frac{fx}{2})}{a^2f^3} \\
&- \frac{5(c+dx)^3 \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f} + \frac{(c+dx)^3 \sec^2(\frac{e}{2} + \frac{fx}{2}) \tan(\frac{e}{2} + \frac{fx}{2})}{6a^2f} \\
&- \frac{(24d^3) \text{Subst}\left(\int \frac{\text{PolyLog}(2, -x)}{x} dx, x, e^{2i(\frac{e}{2} + \frac{fx}{2})}\right)}{a^2f^4} \\
&+ \frac{(4id^3) \int \text{PolyLog}\left(2, -e^{2i(\frac{e}{2} + \frac{fx}{2})}\right) dx}{a^2f^3}
\end{aligned}$$

$$\begin{aligned}
&= \frac{5i(c+dx)^3}{3a^2f} + \frac{(c+dx)^4}{4a^2d} - \frac{10d(c+dx)^2 \log(1+e^{i(e+fx)})}{a^2f^2} + \frac{4d^3 \log(\cos(\frac{e}{2} + \frac{fx}{2}))}{a^2f^4} \\
&\quad + \frac{20id^2(c+dx) \text{PolyLog}(2, -e^{i(e+fx)})}{a^2f^3} - \frac{24d^3 \text{PolyLog}(3, -e^{i(e+fx)})}{a^2f^4} \\
&\quad - \frac{d(c+dx)^2 \sec^2(\frac{e}{2} + \frac{fx}{2})}{2a^2f^2} + \frac{2d^2(c+dx) \tan(\frac{e}{2} + \frac{fx}{2})}{a^2f^3} \\
&\quad - \frac{5(c+dx)^3 \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f} + \frac{(c+dx)^3 \sec^2(\frac{e}{2} + \frac{fx}{2}) \tan(\frac{e}{2} + \frac{fx}{2})}{6a^2f} \\
&\quad + \frac{(4d^3) \text{Subst}\left(\int \frac{\text{PolyLog}(2, -x)}{x} dx, x, e^{2i(\frac{e}{2} + \frac{fx}{2})}\right)}{a^2f^4} \\
&= \frac{5i(c+dx)^3}{3a^2f} + \frac{(c+dx)^4}{4a^2d} - \frac{10d(c+dx)^2 \log(1+e^{i(e+fx)})}{a^2f^2} + \frac{4d^3 \log(\cos(\frac{e}{2} + \frac{fx}{2}))}{a^2f^4} \\
&\quad + \frac{20id^2(c+dx) \text{PolyLog}(2, -e^{i(e+fx)})}{a^2f^3} - \frac{20d^3 \text{PolyLog}(3, -e^{i(e+fx)})}{a^2f^4} \\
&\quad - \frac{d(c+dx)^2 \sec^2(\frac{e}{2} + \frac{fx}{2})}{2a^2f^2} + \frac{2d^2(c+dx) \tan(\frac{e}{2} + \frac{fx}{2})}{a^2f^3} \\
&\quad - \frac{5(c+dx)^3 \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f} + \frac{(c+dx)^3 \sec^2(\frac{e}{2} + \frac{fx}{2}) \tan(\frac{e}{2} + \frac{fx}{2})}{6a^2f}
\end{aligned}$$

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 1447 vs. 2(288) = 576.

Time = 7.95 (sec) , antiderivative size = 1447, normalized size of antiderivative = 5.02

$$\begin{aligned}
&\int \frac{(c+dx)^3}{(a+a \sec(e+fx))^2} dx = \\
&\quad - \frac{20id^3 e^{-\frac{ie}{2}} \cos^4(\frac{e}{2} + \frac{fx}{2}) (f^2 x^2 (fx - 3i(1+e^{ie}) \log(1+e^{-i(e+fx)})) + 6(1+e^{ie}) fx \text{PolyLog}(2, -e^{-i(e+fx)}))}{3f^4(a+a \sec(e+fx))^2} \\
&\quad + \frac{16d^3 \cos^4(\frac{e}{2} + \frac{fx}{2}) \sec(\frac{e}{2}) \sec^2(e+fx) (\cos(\frac{e}{2}) \log(\cos(\frac{e}{2}) \cos(\frac{fx}{2}) - \sin(\frac{e}{2}) \sin(\frac{fx}{2})) + \frac{1}{2} fx \sin(\frac{e}{2}))}{f^4(a+a \sec(e+fx))^2 (\cos^2(\frac{e}{2}) + \sin^2(\frac{e}{2}))} \\
&\quad - \frac{40c^2 d \cos^4(\frac{e}{2} + \frac{fx}{2}) \sec(\frac{e}{2}) \sec^2(e+fx) (\cos(\frac{e}{2}) \log(\cos(\frac{e}{2}) \cos(\frac{fx}{2}) - \sin(\frac{e}{2}) \sin(\frac{fx}{2})) + \frac{1}{2} fx \sin(\frac{e}{2}))}{f^2(a+a \sec(e+fx))^2 (\cos^2(\frac{e}{2}) + \sin^2(\frac{e}{2}))} \\
&\quad - \frac{80cd^2 \cos^4(\frac{e}{2} + \frac{fx}{2}) \csc(\frac{e}{2}) \left(\frac{1}{4} e^{-i \arctan(\cot(\frac{e}{2}))} f^2 x^2 - \frac{\cot(\frac{e}{2}) \left(\frac{1}{2} i fx (-\pi - 2 \arctan(\cot(\frac{e}{2}))) - \pi \log(1+e^{-i fx}) - 2 \left(\frac{fx}{2} - \arctan(\cot(\frac{e}{2})) \right) \right)}{f^2} \right)}{f^3(a+a \sec(e+fx))^2} \\
&\quad + \frac{\cos(\frac{e}{2} + \frac{fx}{2}) \sec(\frac{e}{2}) \sec^2(e+fx) (-24c^2 df \cos(\frac{fx}{2}) - 48cd^2 fx \cos(\frac{fx}{2}) + 36c^3 f^3 x \cos(\frac{fx}{2}) - 24d^3 f x^2 \cos(\frac{fx}{2}))}{f^3(a+a \sec(e+fx))^2}
\end{aligned}$$

[In] Integrate[(c + d*x)^3/(a + a*Sec[e + f*x])^2,x]

[Out] (((-20*I)/3)*d^3*cos[e/2 + (f*x)/2]^4*(f^2*x^2*(f*x - (3*I)*(1 + E^(I*e))*Log[1 + E^((-I)*(e + f*x))]) + 6*(1 + E^(I*e))*f*x*PolyLog[2, -E^((-I)*(e + f*x))] - (6*I)*(1 + E^(I*e))*PolyLog[3, -E^((-I)*(e + f*x))])*Sec[e/2]*Sec[e + f*x]^2)/(E^((I/2)*e)*f^4*(a + a*Sec[e + f*x])^2) + (16*d^3*cos[e/2 + (f*x)/2]^4*Sec[e/2]*Sec[e + f*x]^2*(Cos[e/2]*Log[Cos[e/2]*Cos[(f*x)/2] - Sin[e/2]*Sin[(f*x)/2]] + (f*x*sin[e/2])/2))/(f^4*(a + a*Sec[e + f*x])^2*(Cos[e/2]^2 + Sin[e/2]^2)) - (40*c^2*d*cos[e/2 + (f*x)/2]^4*Sec[e/2]*Sec[e + f*x]^2*(Cos[e/2]*Log[Cos[e/2]*Cos[(f*x)/2] - Sin[e/2]*Sin[(f*x)/2]] + (f*x*sin[e/2])/2))/(f^2*(a + a*Sec[e + f*x])^2*(Cos[e/2]^2 + Sin[e/2]^2)) - (80*c*d^2*cos[e/2 + (f*x)/2]^4*Csc[e/2]*((f^2*x^2)/(4*E^(I*ArcTan[Cot[e/2]])) - (Cot[e/2]*((I/2)*f*x*(-Pi - 2*ArcTan[Cot[e/2]]) - Pi*Log[1 + E^((-I)*f*x]) - 2*((f*x)/2 - ArcTan[Cot[e/2]])*Log[1 - E^((2*I)*((f*x)/2 - ArcTan[Cot[e/2]])]) + Pi*Log[Cos[(f*x)/2]] - 2*ArcTan[Cot[e/2]]*Log[Sin[(f*x)/2 - ArcTan[Cot[e/2]]]]) + I*PolyLog[2, E^((2*I)*((f*x)/2 - ArcTan[Cot[e/2]])]))/Sqrt[1 + Cot[e/2]^2])*Sec[e/2]*Sec[e + f*x]^2)/(f^3*(a + a*Sec[e + f*x])^2*Sqrt[Csc[e/2]^2*(Cos[e/2]^2 + Sin[e/2]^2)) + (Cos[e/2 + (f*x)/2]*Sec[e/2]*Sec[e + f*x]^2*(-24*c^2*d*f*cos[(f*x)/2] - 48*c*d^2*f*x*cos[(f*x)/2] + 36*c^3*f^3*x*cos[(f*x)/2] - 24*d^3*f*x^2*cos[(f*x)/2] + 54*c^2*d*f^3*x^2*cos[(f*x)/2] + 36*c*d^2*f^3*x^3*cos[(f*x)/2] + 9*d^3*f^3*x^4*cos[(f*x)/2] - 24*c^2*d*f*cos[e + (f*x)/2] - 48*c*d^2*f*x*cos[e + (f*x)/2] + 36*c^3*f^3*x*cos[e + (f*x)/2] - 24*d^3*f*x^2*cos[e + (f*x)/2] + 54*c^2*d*f^3*x^2*cos[e + (f*x)/2] + 36*c*d^2*f^3*x^3*cos[e + (f*x)/2] + 9*d^3*f^3*x^4*cos[e + (f*x)/2] + 12*c^3*f^3*x*cos[e + (3*f*x)/2] + 18*c^2*d*f^3*x^2*cos[e + (3*f*x)/2] + 12*c*d^2*f^3*x^3*cos[e + (3*f*x)/2] + 3*d^3*f^3*x^4*cos[e + (3*f*x)/2] + 12*c^3*f^3*x*cos[2*e + (3*f*x)/2] + 18*c^2*d*f^3*x^2*cos[2*e + (3*f*x)/2] + 12*c*d^2*f^3*x^3*cos[2*e + (3*f*x)/2] + 3*d^3*f^3*x^4*cos[2*e + (3*f*x)/2] + 96*c*d^2*Sin[(f*x)/2] - 72*c^3*f^2*Sin[(f*x)/2] + 96*d^3*x*Sin[(f*x)/2] - 216*c^2*d*f^2*x*Sin[(f*x)/2] - 216*c*d^2*f^2*x^2*Sin[(f*x)/2] - 72*d^3*f^2*x^3*Sin[(f*x)/2] - 48*c*d^2*Sin[e + (f*x)/2] + 48*c^3*f^2*Sin[e + (f*x)/2] - 48*d^3*x*Sin[e + (f*x)/2] + 144*c^2*d*f^2*x*Sin[e + (f*x)/2] + 144*c*d^2*f^2*x^2*Sin[e + (f*x)/2] + 48*d^3*f^2*x^3*Sin[e + (f*x)/2] + 48*c*d^2*Sin[e + (3*f*x)/2] - 40*c^3*f^2*Sin[e + (3*f*x)/2] + 48*d^3*x*Sin[e + (3*f*x)/2] - 120*c^2*d*f^2*x*Sin[e + (3*f*x)/2] - 120*c*d^2*f^2*x^2*Sin[e + (3*f*x)/2] - 40*d^3*f^2*x^3*Sin[e + (3*f*x)/2]))/(24*f^3*(a + a*Sec[e + f*x])^2)

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 809 vs. $2(246) = 492$.

Time = 0.66 (sec) , antiderivative size = 810, normalized size of antiderivative = 2.81

method	result
risch	$\frac{d^3 x^4}{4a^2} + \frac{d^2 c x^3}{a^2} + \frac{3d c^2 x^2}{2a^2} + \frac{c^3 x}{a^2} + \frac{c^4}{4a^2 d} + \frac{20i d^2 c e x}{a^2 f^2} - \frac{2i(6d^3 f^2 x^3 e^{2i(fx+e)} - 6ic d^2 f x e^{i(fx+e)} + 18c d^2 f^2 x^2 e^{2i(fx+e)} + 9d^3$

[In] `int((d*x+c)^3/(a+a*sec(f*x+e))^2,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{4} \frac{d^3 x^4}{a^2} + \frac{d^2 c x^3}{a^2} + \frac{3d c^2 x^2}{2a^2} + \frac{c^3 x}{a^2} + \frac{c^4}{4a^2 d} + \frac{20i d^2 c e x}{a^2 f^2} - \frac{2i(6d^3 f^2 x^3 e^{2i(fx+e)} - 6ic d^2 f x e^{i(fx+e)} + 18c d^2 f^2 x^2 e^{2i(fx+e)} + 9d^3 f^2 x^3 e^{i(fx+e)} - 6i c d^2 f x x e^{2i(fx+e)} - 3i c^2 d f x e^{i(fx+e)} + 18c^2 d f^2 x x e^{2i(fx+e)} + 27c d^2 f^2 x^2 e^{i(fx+e)} + 5d^3 f^2 x^3 - 3i d^3 f x^2 e^{i(fx+e)} - 3i d^3 f x^2 e^{2i(fx+e)} + 6c^3 f^2 e^{2i(fx+e)} + 27c^2 d f^2 x e^{i(fx+e)} + 15c d^2 f^2 x^2 - 3i c^2 d f e^{2i(fx+e)} + 9c^3 f^2 e^{i(fx+e)} + 15c^2 d f^2 x - 6d^3 x e^{2i(fx+e)} + 5c^3 f^2 - 6c d^2 e^{2i(fx+e)} - 12d^3 x e^{i(fx+e)} - 12c d^2 e^{i(fx+e)} - 6d^3 x - 6c d^2) / f^3 a^2 / (\exp(i(fx+e)) + 1)^3 - 10/a^2 / f^2 d^3 \ln(\exp(i(fx+e)) + 1) x^2 + 10i/a^2 / f d^2 c x^2 - 20/a^2 / f^3 d^2 c e \ln(\exp(i(fx+e))) + 10/3 * i/a^2 / f d^3 x^3 - 20/3 i/a^2 / f^4 d^3 e^3 - 10i/a^2 / f^3 d^3 e^2 x + 20i/a^2 / f^3 d^2 c \operatorname{polylog}(2, -\exp(i(fx+e))) + 4/a^2 / f^4 d^3 \ln(\exp(i(fx+e)) + 1) - 4/a^2 / f^4 d^3 \ln(\exp(i(fx+e))) - 20d^3 \operatorname{polylog}(3, -\exp(i(fx+e))) / a^2 / f^4 + 20i/a^2 / f^3 d^3 \operatorname{polylog}(2, -\exp(i(fx+e))) x - 20/a^2 / f^2 d^2 c \ln(\exp(i(fx+e)) + 1) x - 10/a^2 / f^2 d^2 c^2 \ln(\exp(i(fx+e)) + 1) + 10/a^2 / f^2 d^2 c^2 \ln(\exp(i(fx+e))) + 10/a^2 / f^4 d^3 e^2 \ln(\exp(i(fx+e))) + 10i/a^2 / f^3 d^2 c e^2$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 933 vs. $2(243) = 486$.

Time = 0.30 (sec) , antiderivative size = 933, normalized size of antiderivative = 3.24

$$\int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx$$

$$= \frac{3d^3 f^4 x^4 + 12cd^2 f^4 x^3 - 12c^2 d f^2 + 6(3c^2 d f^4 - 2d^3 f^2)x^2 + 3(d^3 f^4 x^4 + 4cd^2 f^4 x^3 + 6c^2 d f^4 x^2 + 4c^3 f^4 x)}{}$$

[In] `integrate((d*x+c)^3/(a+a*sec(f*x+e))^2,x, algorithm="fricas")`

[Out] $\frac{1}{12} (3d^3 f^4 x^4 + 12c d^2 f^4 x^3 - 12c^2 d f^2 + 6(3c^2 d f^4 - 2d^3 f^2)x^2 + 3(d^3 f^4 x^4 + 4c d^2 f^4 x^3 + 6c^2 d f^4 x^2 + 4c^3 f^4 x$

$$\begin{aligned}
&^4*x)*\cos(f*x + e)^2 + 12*(c^3*f^4 - 2*c*d^2*f^2)*x + 6*(d^3*f^4*x^4 + 4*c* \\
&d^2*f^4*x^3 - 2*c^2*d*f^2 + 2*(3*c^2*d*f^4 - d^3*f^2)*x^2 + 4*(c^3*f^4 - c* \\
&d^2*f^2)*x)*\cos(f*x + e) - 120*(I*d^3*f*x + I*c*d^2*f + (I*d^3*f*x + I*c*d^ \\
&2*f)*\cos(f*x + e)^2 + 2*(I*d^3*f*x + I*c*d^2*f)*\cos(f*x + e))*\operatorname{dilog}(-\cos(f* \\
&x + e) + I*\sin(f*x + e)) - 120*(-I*d^3*f*x - I*c*d^2*f + (-I*d^3*f*x - I*c* \\
&d^2*f)*\cos(f*x + e)^2 + 2*(-I*d^3*f*x - I*c*d^2*f)*\cos(f*x + e))*\operatorname{dilog}(-\cos \\
&(f*x + e) - I*\sin(f*x + e)) - 12*(5*d^3*f^2*x^2 + 10*c*d^2*f^2*x + 5*c^2*d* \\
&f^2 - 2*d^3 + (5*d^3*f^2*x^2 + 10*c*d^2*f^2*x + 5*c^2*d*f^2 - 2*d^3)*\cos(f* \\
&x + e)^2 + 2*(5*d^3*f^2*x^2 + 10*c*d^2*f^2*x + 5*c^2*d*f^2 - 2*d^3)*\cos(f*x \\
&+ e))*\log(\cos(f*x + e) + I*\sin(f*x + e) + 1) - 12*(5*d^3*f^2*x^2 + 10*c*d^ \\
&2*f^2*x + 5*c^2*d*f^2 - 2*d^3 + (5*d^3*f^2*x^2 + 10*c*d^2*f^2*x + 5*c^2*d*f \\
&^2 - 2*d^3)*\cos(f*x + e)^2 + 2*(5*d^3*f^2*x^2 + 10*c*d^2*f^2*x + 5*c^2*d*f^ \\
&2 - 2*d^3)*\cos(f*x + e))*\log(\cos(f*x + e) - I*\sin(f*x + e) + 1) - 120*(d^3* \\
&\cos(f*x + e)^2 + 2*d^3*\cos(f*x + e) + d^3)*\operatorname{polylog}(3, -\cos(f*x + e) + I*\sin \\
&(f*x + e)) - 120*(d^3*\cos(f*x + e)^2 + 2*d^3*\cos(f*x + e) + d^3)*\operatorname{polylog}(3, \\
&-\cos(f*x + e) - I*\sin(f*x + e)) - 4*(4*d^3*f^3*x^3 + 12*c*d^2*f^3*x^2 + 4* \\
&c^3*f^3 - 6*c*d^2*f + 6*(2*c^2*d*f^3 - d^3*f)*x + (5*d^3*f^3*x^3 + 15*c*d^2 \\
&*f^3*x^2 + 5*c^3*f^3 - 6*c*d^2*f + 3*(5*c^2*d*f^3 - 2*d^3*f)*x)*\cos(f*x + e \\
&))*\sin(f*x + e))/(a^2*f^4*\cos(f*x + e)^2 + 2*a^2*f^4*\cos(f*x + e) + a^2*f^4 \\
&)
\end{aligned}$$

Sympy [F]

$$\begin{aligned}
&\int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx \\
&= \frac{\int \frac{c^3}{\sec^2(e+fx)+2\sec(e+fx)+1} dx + \int \frac{d^3x^3}{\sec^2(e+fx)+2\sec(e+fx)+1} dx + \int \frac{3cd^2x^2}{\sec^2(e+fx)+2\sec(e+fx)+1} dx + \int \frac{3c^2dx}{\sec^2(e+fx)+2\sec(e+fx)+1} dx}{a^2}
\end{aligned}$$

[In] integrate((d*x+c)**3/(a+a*sec(f*x+e))**2,x)

[Out] (Integral(c**3/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x) + Integral(d**3*x**3/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x) + Integral(3*c*d**2*x**2/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x) + Integral(3*c**2*d*x/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x))/a**2

$$\begin{aligned}
& *f*x + 2*e) + 18*(f*x + e)*\sin(f*x + e))*\cos(3*f*x + 3*e) + 2*(9*(f*x + e)^2 + 3*(9*(f*x + e)^2 - 4)*\cos(f*x + e) + 18*(f*x + e)*\sin(f*x + e) - 2)*\cos(2*f*x + 2*e) + 2*(9*(f*x + e)^2 - 2)*\cos(f*x + e) - 10*(2*(3*\cos(2*f*x + 2*e) + 3*\cos(f*x + e) + 1)*\cos(3*f*x + 3*e) + \cos(3*f*x + 3*e)^2 + 6*(3*\cos(f*x + e) + 1)*\cos(2*f*x + 2*e) + 9*\cos(2*f*x + 2*e)^2 + 9*\cos(f*x + e)^2 + 6*(\sin(2*f*x + 2*e) + \sin(f*x + e))*\sin(3*f*x + 3*e) + \sin(3*f*x + 3*e)^2 + 9*\sin(2*f*x + 2*e)^2 + 18*\sin(2*f*x + 2*e)*\sin(f*x + e) + 9*\sin(f*x + e)^2 + 6*\cos(f*x + e) + 1)*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1) - 2*(10*f*x + 12*(f*x + e)*\cos(2*f*x + 2*e) + 18*(f*x + e)*\cos(f*x + e) - (9*(f*x + e)^2 - 2)*\sin(2*f*x + 2*e) - (9*(f*x + e)^2 - 2)*\sin(f*x + e) + 10*e)*\sin(3*f*x + 3*e) - 6*(6*f*x + 6*(f*x + e)*\cos(f*x + e) - (9*(f*x + e)^2 - 4)*\sin(f*x + e) + 6*e)*\sin(2*f*x + 2*e) - 24*(f*x + e)*\sin(f*x + e)) * c^2 * d / (a^2 * f * \cos(3*f*x + 3*e)^2 + 9*a^2*f*\cos(2*f*x + 2*e)^2 + 9*a^2*f*\cos(f*x + e)^2 + a^2*f*\sin(3*f*x + 3*e)^2 + 9*a^2*f*\sin(2*f*x + 2*e)^2 + 18*a^2*f*\sin(2*f*x + 2*e)*\sin(f*x + e) + 9*a^2*f*\sin(f*x + e)^2 + 6*a^2*f*\cos(f*x + e) + a^2*f + 2*(3*a^2*f*\cos(2*f*x + 2*e) + 3*a^2*f*\cos(f*x + e) + a^2*f)*\cos(3*f*x + 3*e) + 6*(3*a^2*f*\cos(f*x + e) + a^2*f)*\cos(2*f*x + 2*e) + 6*(a^2*f*\sin(2*f*x + 2*e) + a^2*f*\sin(f*x + e))*\sin(3*f*x + 3*e)) + 6*(3*I*(f*x + e)^4*d^3 + 18*I*(f*x + e)^2*d^3*e^2 - 12*I*(f*x + e)*d^3*e^3 - 40*d^3*e^3 - 12*(I*d^3*e - I*c*d^2*f)*(f*x + e)^3 + 48*d^3*e - 48*c*d^2*f + 24*(5*(f*x + e)^2*d^3 + 5*d^3*e^2 - 2*d^3 - 10*(d^3*e - c*d^2*f)*(f*x + e) + (5*(f*x + e)^2*d^3 + 5*d^3*e^2 - 2*d^3 - 10*(d^3*e - c*d^2*f)*(f*x + e))*\cos(3*f*x + 3*e) + 3*(5*(f*x + e)^2*d^3 + 5*d^3*e^2 - 2*d^3 - 10*(d^3*e - c*d^2*f)*\cos(2*f*x + 2*e) + 3*(5*(f*x + e)^2*d^3 + 5*d^3*e^2 - 2*d^3 - 10*(d^3*e - c*d^2*f)*(f*x + e))*\cos(f*x + e) - (-5*I*(f*x + e)^2*d^3 - 5*I*d^3*e^2 + 2*I*d^3 + 10*(I*d^3*e - I*c*d^2*f)*(f*x + e))*\sin(3*f*x + 3*e) - 3*(-5*I*(f*x + e)^2*d^3 - 5*I*d^3*e^2 + 2*I*d^3 + 10*(I*d^3*e - I*c*d^2*f)*(f*x + e))*\sin(2*f*x + 2*e) - 3*(-5*I*(f*x + e)^2*d^3 - 5*I*d^3*e^2 + 2*I*d^3 + 10*(I*d^3*e - I*c*d^2*f)*(f*x + e))*\sin(f*x + e))*\arctan2(\sin(f*x + e), \cos(f*x + e) + 1) + (3*I*(f*x + e)^4*d^3 - 4*(3*I*d^3*e - 3*I*c*d^2*f + 10*d^3)*(f*x + e)^3 - 6*(-3*I*d^3*e^2 - 20*d^3*e + 20*c*d^2*f)*(f*x + e)^2 - 12*(I*d^3*e^3 + 10*d^3*e^2 - 4*d^3)*(f*x + e))*\cos(3*f*x + 3*e) - 3*(-3*I*(f*x + e)^4*d^3 + 16*d^3*e^3 + 8*I*d^3*e^2 + 12*(I*d^3*e - I*c*d^2*f + 2*d^3)*(f*x + e)^3 - 16*d^3*e + 16*c*d^2*f + 2*(-9*I*d^3*e^2 - 36*d^3*e + 36*c*d^2*f + 4*I*d^3)*(f*x + e)^2 + 4*(3*I*d^3*e^3 + 18*d^3*e^2 - 4*I*d^3*e + 4*I*c*d^2*f - 8*d^3)*(f*x + e))*\cos(2*f*x + 2*e) - 3*(-3*I*(f*x + e)^4*d^3 + 24*d^3*e^3 + 8*I*d^3*e^2 + 4*(3*I*d^3*e - 3*I*c*d^2*f + 4*d^3)*(f*x + e)^3 - 32*d^3*e + 32*c*d^2*f + 2*(-9*I*d^3*e^2 - 24*d^3*e + 24*c*d^2*f + 4*I*d^3)*(f*x + e)^2 + 4*(3*I*d^3*e^3 + 12*d^3*e^2 - 4*I*d^3*e + 4*I*c*d^2*f - 4*d^3)*(f*x + e))*\cos(f*x + e) - 240*((f*x + e)*d^3 - d^3*e + c*d^2*f + ((f*x + e)*d^3 - d^3*e + c*d^2*f)*\cos(3*f*x + 3*e) + 3*((f*x + e)*d^3 - d^3*e + c*d^2*f)*\cos(2*f*x + 2*e) + 3*((f*x + e)*d^3 - d^3*e + c*d^2*f)*\cos(f*x + e) + (I*(f*x + e)*d^3 - I*d^3*e + I*c*d^2*f)*\sin(3*f*x + 3*e) + 3*(I*(f*x + e)*d^3 - I*d^3*e + I*c*d^2*f)*\sin(2*f*x + 2*e) + 3*(I*(f*x + e)*d^3 - I*d^3*e + I*c*d^2*f)*\sin(f*x + e))*\operatorname{dilog}(-e^{I*f*x + I*e}) - 12*(5*I*(f*x + e)^
\end{aligned}$$

```

2*d^3 + 5*I*d^3*e^2 - 2*I*d^3 + 10*(-I*d^3*e + I*c*d^2*f)*(f*x + e) + (5*I*
(f*x + e)^2*d^3 + 5*I*d^3*e^2 - 2*I*d^3 + 10*(-I*d^3*e + I*c*d^2*f)*(f*x +
e))*cos(3*f*x + 3*e) + 3*(5*I*(f*x + e)^2*d^3 + 5*I*d^3*e^2 - 2*I*d^3 + 10*
(-I*d^3*e + I*c*d^2*f)*(f*x + e))*cos(2*f*x + 2*e) + 3*(5*I*(f*x + e)^2*d^3
+ 5*I*d^3*e^2 - 2*I*d^3 + 10*(-I*d^3*e + I*c*d^2*f)*(f*x + e))*cos(f*x + e
) - (5*(f*x + e)^2*d^3 + 5*d^3*e^2 - 2*d^3 - 10*(d^3*e - c*d^2*f)*(f*x + e)
)*sin(3*f*x + 3*e) - 3*(5*(f*x + e)^2*d^3 + 5*d^3*e^2 - 2*d^3 - 10*(d^3*e -
c*d^2*f)*(f*x + e))*sin(2*f*x + 2*e) - 3*(5*(f*x + e)^2*d^3 + 5*d^3*e^2 -
2*d^3 - 10*(d^3*e - c*d^2*f)*(f*x + e))*sin(f*x + e))*log(cos(f*x + e)^2 +
sin(f*x + e)^2 + 2*cos(f*x + e) + 1) - 240*(I*d^3*cos(3*f*x + 3*e) + 3*I*d^
3*cos(2*f*x + 2*e) + 3*I*d^3*cos(f*x + e) - d^3*sin(3*f*x + 3*e) - 3*d^3*si
n(2*f*x + 2*e) - 3*d^3*sin(f*x + e) + I*d^3)*polylog(3, -e^(I*f*x + I*e)) -
(3*(f*x + e)^4*d^3 - 4*(3*d^3*e - 3*c*d^2*f - 10*I*d^3)*(f*x + e)^3 + 6*(3
*d^3*e^2 - 20*I*d^3*e + 20*I*c*d^2*f)*(f*x + e)^2 - 12*(d^3*e^3 - 10*I*d^3*
e^2 + 4*I*d^3)*(f*x + e))*sin(3*f*x + 3*e) - 3*(3*(f*x + e)^4*d^3 + 16*I*d^
3*e^3 - 8*d^3*e^2 - 12*(d^3*e - c*d^2*f - 2*I*d^3)*(f*x + e)^3 - 16*I*d^3*e
+ 16*I*c*d^2*f + 2*(9*d^3*e^2 - 36*I*d^3*e + 36*I*c*d^2*f - 4*d^3)*(f*x +
e)^2 - 4*(3*d^3*e^3 - 18*I*d^3*e^2 - 4*d^3*e + 4*c*d^2*f + 8*I*d^3)*(f*x +
e))*sin(2*f*x + 2*e) - 3*(3*(f*x + e)^4*d^3 + 24*I*d^3*e^3 - 8*d^3*e^2 - 4*
(3*d^3*e - 3*c*d^2*f - 4*I*d^3)*(f*x + e)^3 - 32*I*d^3*e + 32*I*c*d^2*f + 2
*(9*d^3*e^2 - 24*I*d^3*e + 24*I*c*d^2*f - 4*d^3)*(f*x + e)^2 - 4*(3*d^3*e^3
- 12*I*d^3*e^2 - 4*d^3*e + 4*c*d^2*f + 4*I*d^3)*(f*x + e))*sin(f*x + e))/(
-12*I*a^2*f^3*cos(3*f*x + 3*e) - 36*I*a^2*f^3*cos(2*f*x + 2*e) - 36*I*a^2*f
^3*cos(f*x + e) + 12*a^2*f^3*sin(3*f*x + 3*e) + 36*a^2*f^3*sin(2*f*x + 2*e)
+ 36*a^2*f^3*sin(f*x + e) - 12*I*a^2*f^3))/f

```

Giac [F]

$$\int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx = \int \frac{(dx + c)^3}{(a \sec(fx + e) + a)^2} dx$$

[In] integrate((d*x+c)^3/(a+a*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^3/(a*sec(f*x + e) + a)^2, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx = \text{Hanged}$$

```
[In] int((c + d*x)^3/(a + a/cos(e + f*x))^2,x)
```

```
[Out] \text{Hanged}
```


$$3.17 \quad \int \frac{(c+dx)^2}{(a+a \sec(e+fx))^2} dx$$

Optimal result	137
Rubi [A] (verified)	137
Mathematica [B] (warning: unable to verify)	141
Maple [B] (verified)	142
Fricas [B] (verification not implemented)	143
Sympy [F]	143
Maxima [B] (verification not implemented)	144
Giac [F]	145
Mupad [F(-1)]	145

Optimal result

Integrand size = 20, antiderivative size = 229

$$\int \frac{(c+dx)^2}{(a+a \sec(e+fx))^2} dx = \frac{5i(c+dx)^2}{3a^2 f} + \frac{(c+dx)^3}{3a^2 d} - \frac{20d(c+dx) \log(1+e^{i(e+fx)})}{3a^2 f^2}$$

$$+ \frac{20id^2 \text{PolyLog}(2, -e^{i(e+fx)})}{3a^2 f^3} - \frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^2}$$

$$+ \frac{2d^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^3} - \frac{5(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f}$$

$$+ \frac{(c+dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f}$$

```
[Out] 5/3*I*(d*x+c)^2/a^2/f+1/3*(d*x+c)^3/a^2/d-20/3*d*(d*x+c)*ln(1+exp(I*(f*x+e)))/a^2/f^2+20/3*I*d^2*polylog(2,-exp(I*(f*x+e)))/a^2/f^3-1/3*d*(d*x+c)*sec(1/2*f*x+1/2*e)^2/a^2/f^2+2/3*d^2*tan(1/2*f*x+1/2*e)/a^2/f^3-5/3*(d*x+c)^2*tan(1/2*f*x+1/2*e)/a^2/f+1/6*(d*x+c)^2*sec(1/2*f*x+1/2*e)^2*tan(1/2*f*x+1/2*e)/a^2/f
```

Rubi [A] (verified)

Time = 0.57 (sec) , antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules

used = {4276, 3399, 4271, 3852, 8, 4269, 3800, 2221, 2317, 2438}

$$\int \frac{(c+dx)^2}{(a+a\sec(e+fx))^2} dx = -\frac{20d(c+dx)\log(1+e^{i(e+fx)})}{3a^2f^2} - \frac{d(c+dx)\sec^2\left(\frac{e}{2}+\frac{fx}{2}\right)}{3a^2f^2} - \frac{5(c+dx)^2\tan\left(\frac{e}{2}+\frac{fx}{2}\right)}{3a^2f} + \frac{(c+dx)^2\tan\left(\frac{e}{2}+\frac{fx}{2}\right)\sec^2\left(\frac{e}{2}+\frac{fx}{2}\right)}{6a^2f} + \frac{5i(c+dx)^2}{3a^2f} + \frac{(c+dx)^3}{3a^2d} + \frac{20id^2\text{PolyLog}\left(2,-e^{i(e+fx)}\right)}{3a^2f^3} + \frac{2d^2\tan\left(\frac{e}{2}+\frac{fx}{2}\right)}{3a^2f^3}$$

[In] Int[(c + d*x)^2/(a + a*Sec[e + f*x])^2,x]

[Out] (((5*I)/3)*(c + d*x)^2)/(a^2*f) + (c + d*x)^3/(3*a^2*d) - (20*d*(c + d*x)*Log[1 + E^(I*(e + f*x))])/(3*a^2*f^2) + (((20*I)/3)*d^2*PolyLog[2, -E^(I*(e + f*x))])/(a^2*f^3) - (d*(c + d*x)*Sec[e/2 + (f*x)/2]^2)/(3*a^2*f^2) + (2*d^2*Tan[e/2 + (f*x)/2])/(3*a^2*f^3) - (5*(c + d*x)^2*Tan[e/2 + (f*x)/2])/(3*a^2*f) + ((c + d*x)^2*Sec[e/2 + (f*x)/2]^2*Tan[e/2 + (f*x)/2])/(6*a^2*f)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2221

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[(((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3399

Int[(((c_) + (d_)*(x_))^(m_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(n_)), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1/2)*(e + Pi*(a/(2*b)))] +

$f*(x/2)]^{(2*n)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[n] \&\& (\text{GtQ}[n, 0] \mid\mid \text{IGtQ}[m, 0])$

Rule 3800

$\text{Int}[(c + d*x)^m * \tan(e + f*x), x_Symbol] \rightarrow \text{Simp}[I * ((c + d*x)^{m+1} / (d*(m+1))), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m * (E^{2*I*(e + f*x)}) / (1 + E^{2*I*(e + f*x)})], x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{IGtQ}[m, 0]$

Rule 3852

$\text{Int}[\text{csc}(c + d*x)^n, x_Symbol] \rightarrow \text{Dist}[-d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}], x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x\} \&\& \text{IGtQ}[n/2, 0]$

Rule 4269

$\text{Int}[\text{csc}(e + f*x)^2 * (c + d*x)^m, x_Symbol] \rightarrow \text{Simp}[(-c + d*x)^m * (\text{Cot}[e + f*x] / f), x] + \text{Dist}[d*(m/f), \text{Int}[(c + d*x)^{m-1} * \text{Cot}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{GtQ}[m, 0]$

Rule 4271

$\text{Int}[(\text{csc}(e + f*x) * (b + a))^{n-1} * (c + d*x)^m, x_Symbol] \rightarrow \text{Simp}[(-b^2)^m * (c + d*x)^m * \text{Cot}[e + f*x] * ((b * \text{Csc}[e + f*x])^{n-2} / (f * (n-1))), x] + (\text{Dist}[b^2 * d^2 * m * ((m-1) / (f^2 * (n-1) * (n-2))), \text{Int}[(c + d*x)^{m-2} * (b * \text{Csc}[e + f*x])^{n-2}, x], x] + \text{Dist}[b^2 * ((n-2) / (n-1)), \text{Int}[(c + d*x)^m * (b * \text{Csc}[e + f*x])^{n-2}, x], x] - \text{Simp}[b^2 * d * m * (c + d*x)^{m-1} * ((b * \text{Csc}[e + f*x])^{n-2} / (f^2 * (n-1) * (n-2))), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[n, 2] \&\& \text{GtQ}[m, 1]$

Rule 4276

$\text{Int}[(\text{csc}(e + f*x) * (b + a))^{n-1} * (c + d*x)^m, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1 / (\text{Sin}[e + f*x]^n / (b + a * \text{Sin}[e + f*x]^n)], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{ILtQ}[n, 0] \&\& \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \text{integral} &= \int \left(\frac{(c + dx)^2}{a^2} + \frac{(c + dx)^2}{a^2(1 + \cos(e + fx))^2} - \frac{2(c + dx)^2}{a^2(1 + \cos(e + fx))} \right) dx \\ &= \frac{(c + dx)^3}{3a^2d} + \frac{\int \frac{(c+dx)^2}{(1+\cos(e+fx))^2} dx}{a^2} - \frac{2 \int \frac{(c+dx)^2}{1+\cos(e+fx)} dx}{a^2} \end{aligned}$$

$$\begin{aligned}
&= \frac{(c+dx)^3}{3a^2d} + \frac{\int (c+dx)^2 \csc^4\left(\frac{e+\pi}{2} + \frac{fx}{2}\right) dx}{4a^2} - \frac{\int (c+dx)^2 \csc^2\left(\frac{e+\pi}{2} + \frac{fx}{2}\right) dx}{a^2} \\
&= \frac{(c+dx)^3}{3a^2d} - \frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f^2} - \frac{2(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2f} \\
&\quad + \frac{(c+dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} + \frac{\int (c+dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{6a^2} \\
&\quad + \frac{d^2 \int \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{3a^2f^2} + \frac{(4d) \int (c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{a^2f} \\
&= \frac{2i(c+dx)^2}{a^2f} + \frac{(c+dx)^3}{3a^2d} - \frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f^2} - \frac{5(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f} \\
&\quad + \frac{(c+dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} - \frac{(2d^2) \text{Subst}\left(\int 1 dx, x, -\tan\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{3a^2f^3} \\
&\quad - \frac{(8id) \int \frac{e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}(c+dx)}{1+e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}} dx}{a^2f} - \frac{(2d) \int (c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{3a^2f} \\
&= \frac{5i(c+dx)^2}{3a^2f} + \frac{(c+dx)^3}{3a^2d} - \frac{8d(c+dx) \log(1+e^{i(e+fx)})}{a^2f^2} \\
&\quad - \frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f^2} + \frac{2d^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f^3} \\
&\quad - \frac{5(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f} + \frac{(c+dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} \\
&\quad + \frac{(8d^2) \int \log\left(1+e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}\right) dx}{a^2f^2} + \frac{(4id) \int \frac{e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}(c+dx)}{1+e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}} dx}{3a^2f} \\
&= \frac{5i(c+dx)^2}{3a^2f} + \frac{(c+dx)^3}{3a^2d} - \frac{20d(c+dx) \log(1+e^{i(e+fx)})}{3a^2f^2} - \frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f^2} \\
&\quad + \frac{2d^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f^3} - \frac{5(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f} + \frac{(c+dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} \\
&\quad - \frac{(8id^2) \text{Subst}\left(\int \frac{\log(1+x)}{x} dx, x, e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}\right)}{a^2f^3} - \frac{(4d^2) \int \log\left(1+e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}\right) dx}{3a^2f^2}
\end{aligned}$$

$$\begin{aligned}
&= \frac{5i(c+dx)^2}{3a^2f} + \frac{(c+dx)^3}{3a^2d} - \frac{20d(c+dx)\log(1+e^{i(e+fx)})}{3a^2f^2} \\
&\quad + \frac{8id^2 \text{PolyLog}(2, -e^{i(e+fx)})}{a^2f^3} - \frac{d(c+dx)\sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f^2} \\
&\quad + \frac{2d^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f^3} - \frac{5(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f} \\
&\quad + \frac{(c+dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} + \frac{(4id^2) \text{Subst}\left(\int \frac{\log(1+x)}{x} dx, x, e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}\right)}{3a^2f^3} \\
&= \frac{5i(c+dx)^2}{3a^2f} + \frac{(c+dx)^3}{3a^2d} - \frac{20d(c+dx)\log(1+e^{i(e+fx)})}{3a^2f^2} \\
&\quad + \frac{20id^2 \text{PolyLog}(2, -e^{i(e+fx)})}{3a^2f^3} - \frac{d(c+dx)\sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f^2} + \frac{2d^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f^3} \\
&\quad - \frac{5(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f} + \frac{(c+dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f}
\end{aligned}$$

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 925 vs. $2(229) = 458$.

Time = 7.17 (sec) , antiderivative size = 925, normalized size of antiderivative = 4.04

$$\begin{aligned}
&\int \frac{(c+dx)^2}{(a+a\sec(e+fx))^2} dx = \\
&\quad \frac{80cd \cos^4\left(\frac{e}{2} + \frac{fx}{2}\right) \sec\left(\frac{e}{2}\right) \sec^2(e+fx) \left(\cos\left(\frac{e}{2}\right) \log\left(\cos\left(\frac{e}{2}\right) \cos\left(\frac{fx}{2}\right) - \sin\left(\frac{e}{2}\right) \sin\left(\frac{fx}{2}\right)\right) + \frac{1}{2}fx \sin\left(\frac{e}{2}\right)\right)}{3f^2(a+a\sec(e+fx))^2 \left(\cos^2\left(\frac{e}{2}\right) + \sin^2\left(\frac{e}{2}\right)\right)} \\
&\quad - \frac{80d^2 \cos^4\left(\frac{e}{2} + \frac{fx}{2}\right) \csc\left(\frac{e}{2}\right) \left(\frac{1}{4}e^{-i \arctan(\cot(\frac{e}{2}))} f^2 x^2 - \frac{\cot(\frac{e}{2}) \left(\frac{1}{2}ifx(-\pi - 2 \arctan(\cot(\frac{e}{2}))) - \pi \log(1+e^{-ifx}) - 2\left(\frac{fx}{2} - \arctan(\cot(\frac{e}{2}))\right)\right)}{4}\right)}{3f^3(a+a\sec(e+fx))^2} \\
&\quad + \frac{\cos\left(\frac{e}{2} + \frac{fx}{2}\right) \sec\left(\frac{e}{2}\right) \sec^2(e+fx) \left(-4cdf \cos\left(\frac{fx}{2}\right) - 4d^2fx \cos\left(\frac{fx}{2}\right) + 9c^2f^3x \cos\left(\frac{fx}{2}\right) + 9cdf^3x^2 \cos\left(\frac{fx}{2}\right)\right)}{3f^3(a+a\sec(e+fx))^2}
\end{aligned}$$

[In] Integrate[(c + d*x)^2/(a + a*Sec[e + f*x])^2,x]

[Out] $(-80*c*d*\text{Cos}[e/2 + (f*x)/2]^4*\text{Sec}[e/2]*\text{Sec}[e + f*x]^2*(\text{Cos}[e/2]*\text{Log}[\text{Cos}[e/2]*\text{Cos}[(f*x)/2] - \text{Sin}[e/2]*\text{Sin}[(f*x)/2]] + (f*x*\text{Sin}[e/2])/2))/ (3*f^2*(a + a*\text{Sec}[e + f*x])^2*(\text{Cos}[e/2]^2 + \text{Sin}[e/2]^2)) - (80*d^2*\text{Cos}[e/2 + (f*x)/2]^4*\text{Csc}[e/2]*((f^2*x^2)/(4*E^{(I*\text{ArcTan}[\text{Cot}[e/2])})) - (\text{Cot}[e/2]*((I/2)*f*x*(-\text{Pi} - 2*\text{ArcTan}[\text{Cot}[e/2])) - \text{Pi}*\text{Log}[1 + E^{((-I)*f*x]} - 2*((f*x)/2 - \text{ArcTan}[\text{Cot}[e/2]])]*\text{Log}[1 - E^{((2*I)*((f*x)/2 - \text{ArcTan}[\text{Cot}[e/2])})})] + \text{Pi}*\text{Log}[\text{Cos}[(f*x)/2]$

$$\begin{aligned} &] - 2*\text{ArcTan}[\text{Cot}[e/2]]*\text{Log}[\text{Sin}[(f*x)/2 - \text{ArcTan}[\text{Cot}[e/2]]]] + I*\text{PolyLog}[2, \\ & E^{((2*I)*((f*x)/2 - \text{ArcTan}[\text{Cot}[e/2]]))}]/\text{Sqrt}[1 + \text{Cot}[e/2]^2]*\text{Sec}[e/2]*\text{Sec} \\ & c[e + f*x]^2/(3*f^3*(a + a*\text{Sec}[e + f*x])^2*\text{Sqrt}[\text{Csc}[e/2]^2*(\text{Cos}[e/2]^2 + \text{Sin} \\ & [e/2]^2)] + (\text{Cos}[e/2 + (f*x)/2]*\text{Sec}[e/2]*\text{Sec}[e + f*x]^2*(-4*c*d*f*\text{Cos}[(f \\ & *x)/2] - 4*d^2*f*x*\text{Cos}[(f*x)/2] + 9*c^2*f^3*x*\text{Cos}[(f*x)/2] + 9*c*d*f^3*x^2* \\ & \text{Cos}[(f*x)/2] + 3*d^2*f^3*x^3*\text{Cos}[(f*x)/2] - 4*c*d*f*\text{Cos}[e + (f*x)/2] - 4*d^ \\ & 2*f*x*\text{Cos}[e + (f*x)/2] + 9*c^2*f^3*x*\text{Cos}[e + (f*x)/2] + 9*c*d*f^3*x^2*\text{Cos}[e \\ & + (f*x)/2] + 3*d^2*f^3*x^3*\text{Cos}[e + (f*x)/2] + 3*c^2*f^3*x*\text{Cos}[e + (3*f*x)/ \\ & 2] + 3*c*d*f^3*x^2*\text{Cos}[e + (3*f*x)/2] + d^2*f^3*x^3*\text{Cos}[e + (3*f*x)/2] + 3* \\ & c^2*f^3*x*\text{Cos}[2*e + (3*f*x)/2] + 3*c*d*f^3*x^2*\text{Cos}[2*e + (3*f*x)/2] + d^2*f \\ & ^3*x^3*\text{Cos}[2*e + (3*f*x)/2] + 8*d^2*\text{Sin}[(f*x)/2] - 18*c^2*f^2*\text{Sin}[(f*x)/2] \\ & - 36*c*d*f^2*x*\text{Sin}[(f*x)/2] - 18*d^2*f^2*x^2*\text{Sin}[(f*x)/2] - 4*d^2*\text{Sin}[e + (\\ & f*x)/2] + 12*c^2*f^2*\text{Sin}[e + (f*x)/2] + 24*c*d*f^2*x*\text{Sin}[e + (f*x)/2] + 12* \\ & d^2*f^2*x^2*\text{Sin}[e + (f*x)/2] + 4*d^2*\text{Sin}[e + (3*f*x)/2] - 10*c^2*f^2*\text{Sin}[e \\ & + (3*f*x)/2] - 20*c*d*f^2*x*\text{Sin}[e + (3*f*x)/2] - 10*d^2*f^2*x^2*\text{Sin}[e + (3* \\ & f*x)/2]))/(6*f^3*(a + a*\text{Sec}[e + f*x])^2) \end{aligned}$$

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 452 vs. $2(187) = 374$.

Time = 0.58 (sec) , antiderivative size = 453, normalized size of antiderivative = 1.98

method	result
risch	$\frac{d^2x^3}{3a^2} + \frac{dcx^2}{a^2} + \frac{c^2x}{a^2} + \frac{c^3}{3a^2d} - \frac{2i(6d^2f^2x^2e^{2i(fx+e)} - 2id^2fxe^{i(fx+e)} + 12cd f^2x e^{2i(fx+e)} + 9d^2 f^2x^2 e^{i(fx+e)} - 2id^2 fxe^{2i(fx+e)})}{3a^2d}$

[In] `int((d*x+c)^2/(a+a*sec(f*x+e))^2,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{3}a^{-2}d^2x^3 + \frac{1}{a^2}d^2cx^2 + \frac{1}{a^2}c^2x + \frac{1}{3}a^{-2}d^2c^3 - \frac{2}{3}I*(6*d^2*f^2*x^2*\exp(2*I*(f*x+e)) - 2*I*d^2*f*x*\exp(I*(f*x+e)) + 12*c*d*f^2*x*\exp(2*I*(f*x+e)) + 9*d^2*f^2*x^2*\exp(I*(f*x+e)) - 2*I*d^2*f*x*\exp(2*I*(f*x+e)) - 2*I*c*d*f*\exp(I*(f*x+e)) + 6*c^2*f^2*\exp(2*I*(f*x+e)) + 18*c*d*f^2*x*\exp(I*(f*x+e)) + 5*d^2*f^2*x^2 - 2*I*c*d*f*\exp(2*I*(f*x+e)) + 9*c^2*f^2*\exp(I*(f*x+e)) + 10*c*d*f^2*x + 5*c^2*f^2 - 2*d^2*\exp(2*I*(f*x+e)) - 4*d^2*\exp(I*(f*x+e)) - 2*d^2)/f^3/a^2/(\exp(I*(f*x+e))+1)^3 + 20/3/a^2*d/f^2*c*\ln(\exp(I*(f*x+e))) - 20/3/a^2*d/f^2*c*\ln(\exp(I*(f*x+e))+1) + 10/3*I/a^2*d^2/f*x^2 + 20/3*I/a^2*d^2/f^2*e*x + 10/3*I/a^2*d^2/f^3*e^2 - 20/3/a^2*d^2/f^2*\ln(\exp(I*(f*x+e))+1)*x + 20/3*I*d^2*polylog(2, -\exp(I*(f*x+e)))/a^2/f^3 - 20/3/a^2*d^2/f^3*e*\ln(\exp(I*(f*x+e)))$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 493 vs. $2(184) = 368$.

Time = 0.30 (sec) , antiderivative size = 493, normalized size of antiderivative = 2.15

$$\int \frac{(c + dx)^2}{(a + a \sec(e + fx))^2} dx$$

$$= \frac{d^2 f^3 x^3 + 3 c d f^3 x^2 - 2 c d f + (d^2 f^3 x^3 + 3 c d f^3 x^2 + 3 c^2 f^3 x) \cos(fx + e)^2 + (3 c^2 f^3 - 2 d^2 f)x + 2(d^2 f^3 x^3$$

[In] integrate((d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="fricas")

[Out] 1/3*(d^2*f^3*x^3 + 3*c*d*f^3*x^2 - 2*c*d*f + (d^2*f^3*x^3 + 3*c*d*f^3*x^2 + 3*c^2*f^3*x)*cos(f*x + e)^2 + (3*c^2*f^3 - 2*d^2*f)*x + 2*(d^2*f^3*x^3 + 3*c*d*f^3*x^2 - c*d*f + (3*c^2*f^3 - d^2*f)*x)*cos(f*x + e) - 10*(I*d^2*cos(f*x + e)^2 + 2*I*d^2*cos(f*x + e) + I*d^2)*dilog(-cos(f*x + e) + I*sin(f*x + e)) - 10*(-I*d^2*cos(f*x + e)^2 - 2*I*d^2*cos(f*x + e) - I*d^2)*dilog(-cos(f*x + e) - I*sin(f*x + e)) - 10*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(f*x + e)^2 + 2*(d^2*f*x + c*d*f)*cos(f*x + e))*log(cos(f*x + e) + I*sin(f*x + e) + 1) - 10*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(f*x + e)^2 + 2*(d^2*f*x + c*d*f)*cos(f*x + e))*log(cos(f*x + e) - I*sin(f*x + e) + 1) - (4*d^2*f^2*x^2 + 8*c*d*f^2*x + 4*c^2*f^2 - 2*d^2 + (5*d^2*f^2*x^2 + 10*c*d*f^2*x + 5*c^2*f^2 - 2*d^2)*cos(f*x + e))*sin(f*x + e))/(a^2*f^3*cos(f*x + e)^2 + 2*a^2*f^3*cos(f*x + e) + a^2*f^3)

Sympy [F]

$$\int \frac{(c + dx)^2}{(a + a \sec(e + fx))^2} dx$$

$$= \frac{\int \frac{c^2}{\sec^2(e+fx)+2\sec(e+fx)+1} dx + \int \frac{d^2 x^2}{\sec^2(e+fx)+2\sec(e+fx)+1} dx + \int \frac{2cdx}{\sec^2(e+fx)+2\sec(e+fx)+1} dx}{a^2}$$

[In] integrate((d*x+c)**2/(a+a*sec(f*x+e))**2,x)

[Out] (Integral(c**2/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x) + Integral(d**2*x**2/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x) + Integral(2*c*d*x/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x))/a**2

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1035 vs. $2(184) = 368$.

Time = 0.78 (sec) , antiderivative size = 1035, normalized size of antiderivative = 4.52

$$\int \frac{(c + dx)^2}{(a + a \sec(e + fx))^2} dx = \text{Too large to display}$$

[In] integrate((d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="maxima")

[Out] $-(I*d^2*f^3*x^3 + 3*I*c*d*f^3*x^2 + 3*I*c^2*f^3*x + 10*c^2*f^2 - 4*d^2 + 20*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*\cos(3*f*x + 3*e) + 3*(d^2*f*x + c*d*f)*\cos(2*f*x + 2*e) + 3*(d^2*f*x + c*d*f)*\cos(f*x + e) - (-I*d^2*f*x - I*c*d*f)*\sin(3*f*x + 3*e) - 3*(-I*d^2*f*x - I*c*d*f)*\sin(2*f*x + 2*e) - 3*(-I*d^2*f*x - I*c*d*f)*\sin(f*x + e))*\arctan2(\sin(f*x + e), \cos(f*x + e) + 1) + (I*d^2*f^3*x^3 + (3*I*c*d*f^3 - 10*d^2*f^2)*x^2 + (3*I*c^2*f^3 - 20*c*d*f^2)*x)*\cos(3*f*x + 3*e) + (3*I*d^2*f^3*x^3 + 12*c^2*f^2 - 4*I*c*d*f - 9*(-I*c*d*f^3 + 2*d^2*f^2)*x^2 - 4*d^2 + (9*I*c^2*f^3 - 36*c*d*f^2 - 4*I*d^2*f)*x)*\cos(2*f*x + 2*e) + (3*I*d^2*f^3*x^3 + 18*c^2*f^2 - 4*I*c*d*f - 3*(-3*I*c*d*f^3 + 4*d^2*f^2)*x^2 - 8*d^2 + (9*I*c^2*f^3 - 24*c*d*f^2 - 4*I*d^2*f)*x)*\cos(f*x + e) - 20*(d^2*\cos(3*f*x + 3*e) + 3*d^2*\cos(2*f*x + 2*e) + 3*d^2*\cos(f*x + e) + I*d^2*\sin(3*f*x + 3*e) + 3*I*d^2*\sin(2*f*x + 2*e) + 3*I*d^2*\sin(f*x + e) + d^2)*\operatorname{dilog}(-e^{(I*f*x + I*e)}) - 10*(I*d^2*f*x + I*c*d*f + (I*d^2*f*x + I*c*d*f)*\cos(3*f*x + 3*e) + 3*(I*d^2*f*x + I*c*d*f)*\cos(2*f*x + 2*e) + 3*(I*d^2*f*x + I*c*d*f)*\cos(f*x + e) - (d^2*f*x + c*d*f)*\sin(3*f*x + 3*e) - 3*(d^2*f*x + c*d*f)*\sin(2*f*x + 2*e) - 3*(d^2*f*x + c*d*f)*\sin(f*x + e))*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1) - (d^2*f^3*x^3 + (3*c*d*f^3 + 10*I*d^2*f^2)*x^2 + (3*c^2*f^3 + 20*I*c*d*f^2)*x)*\sin(3*f*x + 3*e) - (3*d^2*f^3*x^3 - 12*I*c^2*f^2 - 4*c*d*f + 9*(c*d*f^3 + 2*I*d^2*f^2)*x^2 + 4*I*d^2 + (9*c^2*f^3 + 36*I*c*d*f^2 - 4*d^2*f)*x)*\sin(2*f*x + 2*e) - (3*d^2*f^3*x^3 - 18*I*c^2*f^2 - 4*c*d*f + 3*(3*c*d*f^3 + 4*I*d^2*f^2)*x^2 + 8*I*d^2 + (9*c^2*f^3 + 24*I*c*d*f^2 - 4*d^2*f)*x)*\sin(f*x + e))/(-3*I*a^2*f^3*\cos(3*f*x + 3*e) - 9*I*a^2*f^3*\cos(2*f*x + 2*e) - 9*I*a^2*f^3*\cos(f*x + e) + 3*a^2*f^3*\sin(3*f*x + 3*e) + 9*a^2*f^3*\sin(2*f*x + 2*e) + 9*a^2*f^3*\sin(f*x + e) - 3*I*a^2*f^3)$

Giac [F]

$$\int \frac{(c + dx)^2}{(a + a \sec(e + fx))^2} dx = \int \frac{(dx + c)^2}{(a \sec(fx + e) + a)^2} dx$$

[In] integrate((d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^2/(a*sec(f*x + e) + a)^2, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{(c + dx)^2}{(a + a \sec(e + fx))^2} dx = \text{Hanged}$$

[In] int((c + d*x)^2/(a + a/cos(e + f*x))^2,x)

[Out] \text{Hanged}

3.18 $\int \frac{c+dx}{(a+a \sec(e+fx))^2} dx$

Optimal result	146
Rubi [A] (verified)	146
Mathematica [A] (verified)	148
Maple [A] (verified)	148
Fricas [A] (verification not implemented)	149
Sympy [F]	149
Maxima [B] (verification not implemented)	150
Giac [B] (verification not implemented)	151
Mupad [B] (verification not implemented)	151

Optimal result

Integrand size = 18, antiderivative size = 140

$$\int \frac{c+dx}{(a+a \sec(e+fx))^2} dx = \frac{(c+dx)^2}{2a^2d} - \frac{10d \log(\cos(\frac{e}{2} + \frac{fx}{2}))}{3a^2f^2} - \frac{d \sec^2(\frac{e}{2} + \frac{fx}{2})}{6a^2f^2} - \frac{5(c+dx) \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f} + \frac{(c+dx) \sec^2(\frac{e}{2} + \frac{fx}{2}) \tan(\frac{e}{2} + \frac{fx}{2})}{6a^2f}$$

[Out] $1/2*(d*x+c)^2/a^2/d-10/3*d*\ln(\cos(1/2*f*x+1/2*e))/a^2/f^2-1/6*d*\sec(1/2*f*x+1/2*e)^2/a^2/f^2-5/3*(d*x+c)*\tan(1/2*f*x+1/2*e)/a^2/f+1/6*(d*x+c)*\sec(1/2*f*x+1/2*e)^2*\tan(1/2*f*x+1/2*e)/a^2/f$

Rubi [A] (verified)

Time = 0.22 (sec) , antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {4276, 3399, 4270, 4269, 3556}

$$\int \frac{c+dx}{(a+a \sec(e+fx))^2} dx = -\frac{5(c+dx) \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f} + \frac{(c+dx) \tan(\frac{e}{2} + \frac{fx}{2}) \sec^2(\frac{e}{2} + \frac{fx}{2})}{6a^2f} + \frac{(c+dx)^2}{2a^2d} - \frac{d \sec^2(\frac{e}{2} + \frac{fx}{2})}{6a^2f^2} - \frac{10d \log(\cos(\frac{e}{2} + \frac{fx}{2}))}{3a^2f^2}$$

[In] Int[(c + d*x)/(a + a*Sec[e + f*x])^2,x]

[Out] $(c + d*x)^2/(2*a^2*d) - (10*d*\text{Log}[\text{Cos}[e/2 + (f*x)/2]])/(3*a^2*f^2) - (d*\text{Sec}[e/2 + (f*x)/2]^2)/(6*a^2*f^2) - (5*(c + d*x)*\text{Tan}[e/2 + (f*x)/2])/(3*a^2*f) + ((c + d*x)*\text{Sec}[e/2 + (f*x)/2]^2*\text{Tan}[e/2 + (f*x)/2])/(6*a^2*f)$

Rule 3399

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1/2)*(e + Pi*(a/(2*b))) +
f*(x/2)]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3556

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[-Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 4269

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp
[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*
Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 4270

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_)), x_Symbol] :=
Simp[(-b^2)*(c + d*x)*Cot[e + f*x]*((b*Csc[e + f*x])^(n - 2)/(f*(n - 1))),
x] + (Dist[b^2*((n - 2)/(n - 1)), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2),
x], x] - Simp[b^2*d*((b*Csc[e + f*x])^(n - 2)/(f^2*(n - 1)*(n - 2))), x]) /
; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 4276

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Si
n[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGt
Q[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int \left(\frac{c + dx}{a^2} + \frac{c + dx}{a^2(1 + \cos(e + fx))^2} - \frac{2(c + dx)}{a^2(1 + \cos(e + fx))} \right) dx \\
&= \frac{(c + dx)^2}{2a^2d} + \frac{\int \frac{c+dx}{(1+\cos(e+fx))^2} dx}{a^2} - \frac{2 \int \frac{c+dx}{1+\cos(e+fx)} dx}{a^2} \\
&= \frac{(c + dx)^2}{2a^2d} + \frac{\int (c + dx) \csc^4 \left(\frac{e+\pi}{2} + \frac{fx}{2} \right) dx}{4a^2} - \frac{\int (c + dx) \csc^2 \left(\frac{e+\pi}{2} + \frac{fx}{2} \right) dx}{a^2}
\end{aligned}$$

$$\begin{aligned}
&= \frac{(c+dx)^2}{2a^2d} - \frac{d \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f^2} - \frac{2(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2f} \\
&\quad + \frac{(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} \\
&\quad + \frac{\int (c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{6a^2} + \frac{(2d) \int \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{a^2f} \\
&= \frac{(c+dx)^2}{2a^2d} - \frac{4d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{a^2f^2} - \frac{d \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f^2} - \frac{5(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f} \\
&\quad + \frac{(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} - \frac{d \int \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{3a^2f} \\
&= \frac{(c+dx)^2}{2a^2d} - \frac{10d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{3a^2f^2} - \frac{d \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f^2} \\
&\quad - \frac{5(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f} + \frac{(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f}
\end{aligned}$$

Mathematica [A] (verified)

Time = 1.98 (sec) , antiderivative size = 172, normalized size of antiderivative = 1.23

$$\int \frac{c+dx}{(a+a \sec(e+fx))^2} dx
= \frac{2 \cos\left(\frac{1}{2}(e+fx)\right) \sec^2(e+fx) \left(f(c+dx) \sec\left(\frac{e}{2}\right) \sin\left(\frac{fx}{2}\right) - 10f(c+dx) \cos^2\left(\frac{1}{2}(e+fx)\right) \sec\left(\frac{e}{2}\right) \sin\left(\frac{fx}{2}\right) - 3a\right)}{3a}$$

[In] Integrate[(c + d*x)/(a + a*Sec[e + f*x])^2,x]

[Out] (2*Cos[(e + f*x)/2]*Sec[e + f*x]^2*(f*(c + d*x)*Sec[e/2]*Sin[(f*x)/2] - 10*f*(c + d*x)*Cos[(e + f*x)/2]^2*Sec[e/2]*Sin[(f*x)/2] + Cos[(e + f*x)/2]^3*(3*f^2*x*(2*c + d*x) - 20*d*Log[Cos[(e + f*x)/2]] - 10*d*f*x*Tan[e/2]) + Cos[(e + f*x)/2]*(-d + f*(c + d*x)*Tan[e/2]))/(3*a^2*f^2*(1 + Sec[e + f*x])^2)

Maple [A] (verified)

Time = 0.62 (sec) , antiderivative size = 86, normalized size of antiderivative = 0.61

method	result
parallelrisc	$\frac{10d \ln\left(\sec\left(\frac{fx}{2} + \frac{e}{2}\right)\right)^2 + (dx+c)f \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^3 - d \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 - 9 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)f(dx+c) + 6f^2\left(\frac{dx}{2} + c\right)x}{6a^2 f^2}$
norman	$\frac{\frac{cx}{a} + \frac{dx^2}{2a} - \frac{3c \tan\left(\frac{fx}{2} + \frac{e}{2}\right)}{2af} + \frac{c \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^3}{6af} - \frac{d \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2}{6af^2} - \frac{3dx \tan\left(\frac{fx}{2} + \frac{e}{2}\right)}{2af} + \frac{dx \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^3}{6af}}{a} + \frac{5d \ln\left(1 + \tan\left(\frac{fx}{2} + \frac{e}{2}\right)\right)^2}{3a^2 f^2}$
risc	$\frac{dx^2}{2a^2} + \frac{xc}{a^2} + \frac{10idx}{3a^2 f} + \frac{10ide}{3a^2 f^2} - \frac{2i(6dfx e^{2i(fx+e)} - id e^{2i(fx+e)} + 6cf e^{2i(fx+e)} + 9dfx e^{i(fx+e)} - id e^{i(fx+e)} + 9cf e^{i(fx+e)})}{3f^2 a^2 (e^{i(fx+e)} + 1)^3}$

[In] int((d*x+c)/(a+a*sec(f*x+e))^2,x,method=_RETURNVERBOSE)

[Out] 1/6*(10*d*ln(sec(1/2*f*x+1/2*e)^2)+(d*x+c)*f*tan(1/2*f*x+1/2*e)^3-d*tan(1/2*f*x+1/2*e)^2-9*tan(1/2*f*x+1/2*e)*f*(d*x+c)+6*f^2*(1/2*d*x+c)*x)/a^2/f^2

Fricas [A] (verification not implemented)

none

Time = 0.29 (sec) , antiderivative size = 183, normalized size of antiderivative = 1.31

$$\int \frac{c + dx}{(a + a \sec(e + fx))^2} dx = \frac{3df^2x^2 + 6cf^2x + 3(df^2x^2 + 2cf^2x) \cos(fx + e)^2 + 2(3df^2x^2 + 6cf^2x - d) \cos(fx + e) - 10(d \cos(fx + e) + c) \log\left(\frac{1 + \cos(fx + e)}{2}\right) - 2(4dfx + 4cf + 5(dfx + cf) \cos(fx + e)) \sin(fx + e) - 2d}{6(a^2 f^2 \cos(fx + e) + a^2)}$$

[In] integrate((d*x+c)/(a+a*sec(f*x+e))^2,x, algorithm="fricas")

[Out] 1/6*(3*d*f^2*x^2 + 6*c*f^2*x + 3*(d*f^2*x^2 + 2*c*f^2*x)*cos(f*x + e)^2 + 2*(3*d*f^2*x^2 + 6*c*f^2*x - d)*cos(f*x + e) - 10*(d*cos(f*x + e)^2 + 2*d*cos(f*x + e) + d)*log(1/2*cos(f*x + e) + 1/2) - 2*(4*d*f*x + 4*c*f + 5*(d*f*x + c*f)*cos(f*x + e))*sin(f*x + e) - 2*d)/(a^2*f^2*cos(f*x + e)^2 + 2*a^2*f^2*cos(f*x + e) + a^2*f^2)

Sympy [F]

$$\int \frac{c + dx}{(a + a \sec(e + fx))^2} dx = \frac{\int \frac{c}{\sec^2(e+fx)+2\sec(e+fx)+1} dx + \int \frac{dx}{\sec^2(e+fx)+2\sec(e+fx)+1} dx}{a^2}$$

[In] integrate((d*x+c)/(a+a*sec(f*x+e))**2,x)

[Out] (Integral(c/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x) + Integral(d*x/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x))/a**2

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1058 vs. $2(110) = 220$.

Time = 0.36 (sec) , antiderivative size = 1058, normalized size of antiderivative = 7.56

$$\int \frac{c + dx}{(a + a \sec(e + fx))^2} dx = \text{Too large to display}$$

[In] integrate((d*x+c)/(a+a*sec(f*x+e))^2,x, algorithm="maxima")

[Out] $\frac{1}{6}d e \left(\frac{9 \sin(fx + e)}{\cos(fx + e) + 1} - \frac{\sin^3(fx + e)}{\cos(fx + e) + 1} \right) / (a^2 f) - 12 \arctan\left(\frac{\sin(fx + e)}{\cos(fx + e) + 1}\right) / (a^2 f) - c \left(\frac{9 \sin(fx + e)}{\cos(fx + e) + 1} - \frac{\sin^3(fx + e)}{\cos(fx + e) + 1} \right) / a^2 - 12 \arctan\left(\frac{\sin(fx + e)}{\cos(fx + e) + 1}\right) / a^2 + (3(fx + e)^2 \cos(3fx + 3e)^2 + 3(fx + e)^2 \sin(3fx + 3e)^2 + 3(9(fx + e)^2 - 4) \cos(2fx + 2e)^2 + 3(9(fx + e)^2 - 4) \cos(fx + e)^2 + 3(9(fx + e)^2 - 4) \sin(2fx + 2e)^2 + 3(9(fx + e)^2 - 4) \sin(fx + e)^2 + 3(fx + e)^2 + 2(3(fx + e)^2 + (9(fx + e)^2 - 2) \cos(2fx + 2e) + (9(fx + e)^2 - 2) \cos(fx + e) + 12(fx + e) \sin(2fx + 2e) + 18(fx + e) \sin(fx + e)) \cos(3fx + 3e) + 2(9(fx + e)^2 + 3(9(fx + e)^2 - 4) \cos(fx + e) + 18(fx + e) \sin(fx + e) - 2) \cos(2fx + 2e) + 2(9(fx + e)^2 - 2) \cos(fx + e) - 10(2(3 \cos(2fx + 2e) + 3 \cos(fx + e) + 1) \cos(3fx + 3e) + \cos(3fx + 3e)^2 + 6(3 \cos(fx + e) + 1) \cos(2fx + 2e) + 9 \cos(2fx + 2e)^2 + 9 \cos(fx + e)^2 + 6(\sin(2fx + 2e) + \sin(fx + e)) \sin(3fx + 3e) + \sin(3fx + 3e)^2 + 9 \sin(2fx + 2e)^2 + 18 \sin(2fx + 2e) \sin(fx + e) + 9 \sin(fx + e)^2 + 6 \cos(fx + e) + 1) \log(\cos(fx + e)^2 + \sin(fx + e)^2 + 2 \cos(fx + e) + 1) - 2(10fx + 12(fx + e) \cos(2fx + 2e) + 18(fx + e) \cos(fx + e) - (9(fx + e)^2 - 2) \sin(2fx + 2e) - (9(fx + e)^2 - 2) \sin(fx + e) + 10e) \sin(3fx + 3e) - 6(6fx + 6(fx + e) \cos(fx + e) - (9(fx + e)^2 - 4) \sin(fx + e) + 6e) \sin(2fx + 2e) - 24(fx + e) \sin(fx + e)) d / (a^2 f \cos(3fx + 3e)^2 + 9a^2 f \cos(2fx + 2e)^2 + 9a^2 f \cos(fx + e)^2 + a^2 f \sin(3fx + 3e)^2 + 9a^2 f \sin(2fx + 2e)^2 + 18a^2 f \sin(2fx + 2e) \sin(fx + e) + 9a^2 f \sin(fx + e)^2 + 6a^2 f \cos(fx + e) + a^2 f + 2(3a^2 f \cos(2fx + 2e) + 3a^2 f \cos(fx + e) + a^2 f) \cos(3fx + 3e) + 6(3a^2 f \cos(fx + e) + a^2 f) \cos(2fx + 2e) + 6(a^2 f \sin(2fx + 2e) + a^2 f \sin(fx + e)) \sin(3fx + 3e)) / f$

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 798 vs. $2(110) = 220$.

Time = 0.56 (sec) , antiderivative size = 798, normalized size of antiderivative = 5.70

$$\int \frac{c + dx}{(a + a \sec(e + fx))^2} dx = \text{Too large to display}$$

[In] integrate((d*x+c)/(a+a*sec(f*x+e))^2,x, algorithm="giac")

[Out] $\frac{1}{6} * (3 * d * f^2 * x^2 * \tan(1/2 * f * x)^3 * \tan(1/2 * e)^3 + 6 * c * f^2 * x * \tan(1/2 * f * x)^3 * \tan(1/2 * e)^3 - 9 * d * f^2 * x^2 * \tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 - 18 * c * f^2 * x * \tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 + 9 * d * f * x * \tan(1/2 * f * x)^3 * \tan(1/2 * e)^2 + 9 * d * f * x * \tan(1/2 * f * x)^2 * \tan(1/2 * e)^3 - 10 * d * \log(4 * (\tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 - 2 * \tan(1/2 * f * x) * \tan(1/2 * e) + 1) / (\tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 + \tan(1/2 * f * x)^2 + \tan(1/2 * e)^2 + 1)) * \tan(1/2 * f * x)^3 * \tan(1/2 * e)^3 + 9 * d * f^2 * x^2 * \tan(1/2 * f * x) * \tan(1/2 * e) + 9 * c * f * \tan(1/2 * f * x)^3 * \tan(1/2 * e)^2 + 9 * c * f * \tan(1/2 * f * x)^2 * \tan(1/2 * e)^3 - d * \tan(1/2 * f * x)^3 * \tan(1/2 * e)^3 - d * f * x * \tan(1/2 * f * x)^3 + 18 * c * f^2 * x * \tan(1/2 * f * x) * \tan(1/2 * e) - 21 * d * f * x * \tan(1/2 * f * x)^2 * \tan(1/2 * e) - 21 * d * f * x * \tan(1/2 * f * x) * \tan(1/2 * e)^2 + 30 * d * \log(4 * (\tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 - 2 * \tan(1/2 * f * x) * \tan(1/2 * e) + 1) / (\tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 + \tan(1/2 * f * x)^2 + \tan(1/2 * e)^2 + 1)) * \tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 - d * f * x * \tan(1/2 * e)^3 - 3 * d * f^2 * x^2 - c * f * \tan(1/2 * f * x)^3 - 21 * c * f * \tan(1/2 * f * x)^2 * \tan(1/2 * e) - d * \tan(1/2 * f * x)^3 * \tan(1/2 * e) - 21 * c * f * \tan(1/2 * f * x) * \tan(1/2 * e)^2 + d * \tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 - c * f * \tan(1/2 * e)^3 - d * \tan(1/2 * f * x) * \tan(1/2 * e)^3 - 6 * c * f^2 * x + 9 * d * f * x * \tan(1/2 * f * x) + 9 * d * f * x * \tan(1/2 * e) - 30 * d * \log(4 * (\tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 - 2 * \tan(1/2 * f * x) * \tan(1/2 * e) + 1) / (\tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 + \tan(1/2 * f * x)^2 + \tan(1/2 * e)^2 + 1)) * \tan(1/2 * f * x) * \tan(1/2 * e) + 9 * c * f * \tan(1/2 * f * x) + d * \tan(1/2 * f * x)^2 + 9 * c * f * \tan(1/2 * e) - d * \tan(1/2 * f * x) * \tan(1/2 * e) + d * \tan(1/2 * e)^2 + 10 * d * \log(4 * (\tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 - 2 * \tan(1/2 * f * x) * \tan(1/2 * e) + 1) / (\tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 + \tan(1/2 * f * x)^2 + \tan(1/2 * e)^2 + 1)) + d) / (a^2 * f^2 * \tan(1/2 * f * x)^3 * \tan(1/2 * e)^3 - 3 * a^2 * f^2 * \tan(1/2 * f * x)^2 * \tan(1/2 * e)^2 + 3 * a^2 * f^2 * \tan(1/2 * f * x) * \tan(1/2 * e) - a^2 * f^2)$

Mupad [B] (verification not implemented)

Time = 19.32 (sec) , antiderivative size = 247, normalized size of antiderivative = 1.76

$$\int \frac{c + dx}{(a + a \sec(e + fx))^2} dx = \frac{dx^2}{2a^2} - \frac{(c+dx)^{4i}}{3a^2f} + \frac{e^{e^{1i+fx}1i}(c+dx)^{4i}}{3a^2f} + \frac{e^{e^{2i+fx}2i}(c+dx)^{4i}}{3a^2f} - \frac{10d \ln(e^{e^{1i}fx}1i + 1)}{3a^2f^2} - \frac{(4cf + 4dfx - d1i)2i}{3a^2f^2(e^{e^{1i+fx}1i} + 1)} + \frac{(cf + dfx - d1i)2i}{3a^2f^2(2e^{e^{1i+fx}1i} + e^{e^{2i+fx}2i} + 1)} + \frac{x(3cf + d10i)}{3a^2f}$$

[In] int((c + d*x)/(a + a/cos(e + f*x))^2,x)

[Out] $(d*x^2)/(2*a^2) - (((c + d*x)*4i)/(3*a^2*f) + (\exp(e*1i + f*x*1i)*(c + d*x)*4i)/(3*a^2*f) + (\exp(e*2i + f*x*2i)*(c + d*x)*4i)/(3*a^2*f))/(3*\exp(e*1i + f*x*1i) + 3*\exp(e*2i + f*x*2i) + \exp(e*3i + f*x*3i) + 1) - (10*d*\log(\exp(e*1i)*\exp(f*x*1i) + 1))/(3*a^2*f^2) - ((4*c*f - d*1i + 4*d*f*x)*2i)/(3*a^2*f^2*(\exp(e*1i + f*x*1i) + 1)) + ((c*f - d*1i + d*f*x)*2i)/(3*a^2*f^2*(2*\exp(e*1i + f*x*1i) + \exp(e*2i + f*x*2i) + 1)) + (x*(d*10i + 3*c*f))/(3*a^2*f)$

$$3.19 \quad \int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx$$

Optimal result	153
Rubi [N/A]	153
Mathematica [N/A]	154
Maple [N/A] (verified)	154
Fricas [N/A]	154
Sympy [N/A]	155
Maxima [N/A]	155
Giac [N/A]	157
Mupad [N/A]	157

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx = \text{Int}\left(\frac{1}{(c+dx)(a+a \sec(e+fx))^2}, x\right)$$

[Out] Unintegrable(1/(d*x+c)/(a+a*sec(f*x+e))^2,x)

Rubi [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx = \int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx$$

[In] Int[1/((c + d*x)*(a + a*Sec[e + f*x]))^2], x]

[Out] Defer[Int][1/((c + d*x)*(a + a*Sec[e + f*x]))^2), x]

Rubi steps

$$\text{integral} = \int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx$$

Mathematica [N/A]

Not integrable

Time = 13.65 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx = \int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx$$

[In] Integrate[1/((c + d*x)*(a + a*Sec[e + f*x])^2), x]

[Out] Integrate[1/((c + d*x)*(a + a*Sec[e + f*x])^2), x]

Maple [N/A] (verified)

Not integrable

Time = 0.44 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)(a + a \sec(fx + e))^2} dx$$

[In] int(1/(d*x+c)/(a+a*sec(f*x+e))^2,x)

[Out] int(1/(d*x+c)/(a+a*sec(f*x+e))^2,x)

Fricas [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 57, normalized size of antiderivative = 2.85

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)(a \sec(fx + e) + a)^2} dx$$

[In] integrate(1/(d*x+c)/(a+a*sec(f*x+e))^2,x, algorithm="fricas")

[Out] integral(1/(a^2*d*x + a^2*c + (a^2*d*x + a^2*c)*sec(f*x + e)^2 + 2*(a^2*d*x + a^2*c)*sec(f*x + e)), x)

Sympy [N/A]

Not integrable

Time = 1.97 (sec) , antiderivative size = 54, normalized size of antiderivative = 2.70

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx = \int \frac{1}{\frac{c \sec^2(e + fx) + 2c \sec(e + fx) + c + dx \sec^2(e + fx) + 2dx \sec(e + fx) + dx}{a^2}} dx$$

[In] integrate(1/(d*x+c)/(a+a*sec(f*x+e))**2,x)

[Out] Integral(1/(c*sec(e + f*x)**2 + 2*c*sec(e + f*x) + c + d*x*sec(e + f*x)**2 + 2*d*x*sec(e + f*x) + d*x), x)/a**2

Maxima [N/A]

Not integrable

Time = 10.62 (sec) , antiderivative size = 3956, normalized size of antiderivative = 197.80

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)(a \sec(fx + e) + a)^2} dx$$

[In] integrate(1/(d*x+c)/(a+a*sec(f*x+e))^2,x, algorithm="maxima")

```
[Out] 1/3*(3*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*cos(3*f*x
+ 3*e)^2*log(d*x + c) + 3*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x +
c^3*f^3)*log(d*x + c)*sin(3*f*x + 3*e)^2 + 3*(2*d^3*f*x + 2*c*d^2*f + 9*(d^
3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(2*
f*x + 2*e)^2 + 3*(2*d^3*f*x + 2*c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2
+ 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(f*x + e)^2 + 3*(2*d^3*f*x + 2*
c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d
*x + c))*sin(2*f*x + 2*e)^2 + 3*(2*d^3*f*x + 2*c*d^2*f + 9*(d^3*f^3*x^3 + 3
*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*sin(f*x + e)^2 + 2*
((d^3*f*x + c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^
3*f^3)*log(d*x + c))*cos(2*f*x + 2*e) + (d^3*f*x + c*d^2*f + 9*(d^3*f^3*x^3
+ 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(f*x + e) +
3*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c) +
2*(3*d^3*f^2*x^2 + 6*c*d^2*f^2*x + 3*c^2*d*f^2 - d^3)*sin(2*f*x + 2*e) + (9
*d^3*f^2*x^2 + 18*c*d^2*f^2*x + 9*c^2*d*f^2 - 4*d^3)*sin(f*x + e))*cos(3*f*
x + 3*e) + 2*(d^3*f*x + c*d^2*f + 3*(2*d^3*f*x + 2*c*d^2*f + 9*(d^3*f^3*x^3
+ 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(f*x + e) +
9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c) +
3*(3*d^3*f^2*x^2 + 6*c*d^2*f^2*x + 3*c^2*d*f^2 - 2*d^3)*sin(f*x + e))*cos(2
*f*x + 2*e) + 2*(d^3*f*x + c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c
^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(f*x + e) - 3*(a^2*d^4*f^3*x^3 + 3*a
```

$$\begin{aligned}
& ^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a^2*c^3*d*f^3 + (a^2*d^4*f^3*x^3 + \\
& 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a^2*c^3*d*f^3)*\cos(3*f*x + 3*e) \\
&)^2 + 9*(a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a^2*c \\
& ^3*d*f^3)*\cos(2*f*x + 2*e)^2 + 9*(a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + \\
& 3*a^2*c^2*d^2*f^3*x + a^2*c^3*d*f^3)*\cos(f*x + e)^2 + (a^2*d^4*f^3*x^3 + 3* \\
& a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a^2*c^3*d*f^3)*\sin(3*f*x + 3*e)^2 \\
& + 9*(a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a^2*c^3 \\
& *d*f^3)*\sin(2*f*x + 2*e)^2 + 18*(a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3* \\
& a^2*c^2*d^2*f^3*x + a^2*c^3*d*f^3)*\sin(2*f*x + 2*e)*\sin(f*x + e) + 9*(a^2*d \\
& ^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a^2*c^3*d*f^3)*\sin \\
& (f*x + e)^2 + 2*(a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x \\
& x + a^2*c^3*d*f^3 + 3*(a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2 \\
& ^2*f^3*x + a^2*c^3*d*f^3)*\cos(2*f*x + 2*e) + 3*(a^2*d^4*f^3*x^3 + 3*a^2*c*d^3 \\
& ^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a^2*c^3*d*f^3)*\cos(f*x + e))*\cos(3*f*x + \\
& 3*e) + 6*(a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a^2 \\
& *c^3*d*f^3 + 3*(a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x \\
& + a^2*c^3*d*f^3)*\cos(f*x + e))*\cos(2*f*x + 2*e) + 6*(a^2*d^4*f^3*x^3 + 3*a \\
& ^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a^2*c^3*d*f^3)*\cos(f*x + e) + 6*((\\
& a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a^2*c^3*d*f^3 \\
&)*\sin(2*f*x + 2*e) + (a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2 \\
& *f^3*x + a^2*c^3*d*f^3)*\sin(f*x + e))*\sin(3*f*x + 3*e))*\integrate(2/3*(5*d^ \\
& ^3*f^2*x^2 + 10*c*d^2*f^2*x + 5*c^2*d*f^2 - 6*d^3)*\sin(f*x + e)/(a^2*d^4*f^3 \\
& *x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^ \\
& 2*c^4*f^3 + (a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 \\
& + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\cos(f*x + e)^2 + (a^2*d^4*f^3*x^4 + 4*a^ \\
& 2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)* \\
& \sin(f*x + e)^2 + 2*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f \\
& ^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\cos(f*x + e)), x) + 3*(d^3*f^3*x^ \\
& ^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*\log(d*x + c) - 2*(5*d^3*f^2* \\
& x^2 + 10*c*d^2*f^2*x + 5*c^2*d*f^2 - 2*d^3 + 2*(3*d^3*f^2*x^2 + 6*c*d^2*f^2 \\
& *x + 3*c^2*d*f^2 - d^3)*\cos(2*f*x + 2*e) + (9*d^3*f^2*x^2 + 18*c*d^2*f^2*x \\
& + 9*c^2*d*f^2 - 4*d^3)*\cos(f*x + e) - (d^3*f*x + c*d^2*f + 9*(d^3*f^3*x^3 + \\
& 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*\log(d*x + c))*\sin(2*f*x + 2*e) \\
& - (d^3*f*x + c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c \\
& ^3*f^3)*\log(d*x + c))*\sin(f*x + e))*\sin(3*f*x + 3*e) - 2*(9*d^3*f^2*x^2 + 1 \\
& 8*c*d^2*f^2*x + 9*c^2*d*f^2 - 4*d^3 + 3*(3*d^3*f^2*x^2 + 6*c*d^2*f^2*x + 3* \\
& c^2*d*f^2 - 2*d^3)*\cos(f*x + e) - 3*(2*d^3*f*x + 2*c*d^2*f + 9*(d^3*f^3*x^3 \\
& + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*\log(d*x + c))*\sin(f*x + e))*s \\
& \sin(2*f*x + 2*e) - 4*(3*d^3*f^2*x^2 + 6*c*d^2*f^2*x + 3*c^2*d*f^2 - d^3)*\sin \\
& (f*x + e))/(a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a \\
& ^2*c^3*d*f^3 + (a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x \\
& + a^2*c^3*d*f^3)*\cos(3*f*x + 3*e)^2 + 9*(a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3 \\
& *x^2 + 3*a^2*c^2*d^2*f^3*x + a^2*c^3*d*f^3)*\cos(2*f*x + 2*e)^2 + 9*(a^2*d^4 \\
& *f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x + a^2*c^3*d*f^3)*\cos(f \\
& *x + e)^2 + (a^2*d^4*f^3*x^3 + 3*a^2*c*d^3*f^3*x^2 + 3*a^2*c^2*d^2*f^3*x +
\end{aligned}$$

$a^2c^3d^3f^3 \sin(3fx + 3e)^2 + 9(a^2d^4f^3x^3 + 3a^2cd^3f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3d^3f^3) \sin(2fx + 2e)^2 + 18(a^2d^4f^3x^3 + 3a^2cd^3f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3d^3f^3) \sin(2fx + 2e) \sin(fx + e) + 9(a^2d^4f^3x^3 + 3a^2cd^3f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3d^3f^3) \sin(fx + e)^2 + 2(a^2d^4f^3x^3 + 3a^2cd^3f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3d^3f^3) \cos(2fx + 2e) + 3(a^2d^4f^3x^3 + 3a^2cd^3f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3d^3f^3) \cos(fx + e) \cos(3fx + 3e) + 6(a^2d^4f^3x^3 + 3a^2cd^3f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3d^3f^3) \cos(fx + e) \cos(2fx + 2e) + 6(a^2d^4f^3x^3 + 3a^2cd^3f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3d^3f^3) \cos(fx + e) + 6((a^2d^4f^3x^3 + 3a^2cd^3f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3d^3f^3) \sin(2fx + 2e) + (a^2d^4f^3x^3 + 3a^2cd^3f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3d^3f^3) \sin(fx + e)) \sin(3fx + 3e)$

Giac [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx = \int \frac{1}{(dx+c)(a \sec(fx+e)+a)^2} dx$$

[In] integrate(1/(d*x+c)/(a+a*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate(1/((d*x + c)*(a*sec(f*x + e) + a)^2), x)

Mupad [N/A]

Not integrable

Time = 14.13 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx = \int \frac{1}{\left(a + \frac{a}{\cos(e+fx)}\right)^2 (c+dx)} dx$$

[In] int(1/((a + a/cos(e + f*x))^2*(c + d*x)),x)

[Out] int(1/((a + a/cos(e + f*x))^2*(c + d*x)), x)

$$3.20 \quad \int \frac{1}{(c+dx)^2(a+a \sec(e+fx))^2} dx$$

Optimal result	158
Rubi [N/A]	158
Mathematica [N/A]	159
Maple [N/A] (verified)	159
Fricas [N/A]	159
Sympy [N/A]	160
Maxima [N/A]	160
Giac [N/A]	162
Mupad [N/A]	163

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))^2} dx = \text{Int}\left(\frac{1}{(c+dx)^2(a+a \sec(e+fx))^2}, x\right)$$

[Out] Unintegrable(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x)

Rubi [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))^2} dx = \int \frac{1}{(c+dx)^2(a+a \sec(e+fx))^2} dx$$

[In] Int[1/((c + d*x)^2*(a + a*Sec[e + f*x])^2), x]

[Out] Defer[Int][1/((c + d*x)^2*(a + a*Sec[e + f*x])^2), x]

Rubi steps

$$\text{integral} = \int \frac{1}{(c+dx)^2(a+a \sec(e+fx))^2} dx$$

Mathematica [N/A]

Not integrable

Time = 15.91 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx = \int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx$$

[In] Integrate[1/((c + d*x)^2*(a + a*Sec[e + f*x])^2), x]

[Out] Integrate[1/((c + d*x)^2*(a + a*Sec[e + f*x])^2), x]

Maple [N/A] (verified)

Not integrable

Time = 0.44 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)^2(a + a \sec(fx + e))^2} dx$$

[In] int(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x)

[Out] int(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x)

Fricas [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 99, normalized size of antiderivative = 4.95

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)^2} dx$$

[In] integrate(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="fricas")

[Out] integral(1/(a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2 + (a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2)*sec(f*x + e)^2 + 2*(a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2)*sec(f*x + e)), x)

Sympy [N/A]

Not integrable

Time = 7.34 (sec) , antiderivative size = 105, normalized size of antiderivative = 5.25

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx$$

$$= \frac{\int \frac{1}{c^2 \sec^2(e+fx) + 2c^2 \sec(e+fx) + c^2 + 2cdx \sec^2(e+fx) + 4cdx \sec(e+fx) + 2cdx + d^2 x^2 \sec^2(e+fx) + 2d^2 x^2 \sec(e+fx) + d^2 x^2} dx}{a^2}$$

[In] integrate(1/(d*x+c)**2/(a+a*sec(f*x+e))**2,x)

[Out] Integral(1/(c**2*sec(e + f*x)**2 + 2*c**2*sec(e + f*x) + c**2 + 2*c*d*x*sec(e + f*x)**2 + 4*c*d*x*sec(e + f*x) + 2*c*d*x + d**2*x**2*sec(e + f*x)**2 + 2*d**2*x**2*sec(e + f*x) + d**2*x**2), x)/a**2

Maxima [N/A]

Not integrable

Time = 38.23 (sec) , antiderivative size = 4471, normalized size of antiderivative = 223.55

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)^2} dx$$

[In] integrate(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="maxima")

[Out] $-1/3*(3*d^3*f^3*x^3 + 9*c*d^2*f^3*x^2 + 9*c^2*d*f^3*x + 3*c^3*f^3 + 3*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*\cos(3*f*x + 3*e)^2 + 3*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 4*c*d^2*f + (27*c^2*d*f^3 - 4*d^3*f)*x)*\cos(2*f*x + 2*e)^2 + 3*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 4*c*d^2*f + (27*c^2*d*f^3 - 4*d^3*f)*x)*\cos(f*x + e)^2 + 3*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*\sin(3*f*x + 3*e)^2 + 3*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 4*c*d^2*f + (27*c^2*d*f^3 - 4*d^3*f)*x)*\sin(2*f*x + 2*e)^2 + 3*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 4*c*d^2*f + (27*c^2*d*f^3 - 4*d^3*f)*x)*\sin(f*x + e)^2 + 2*(3*d^3*f^3*x^3 + 9*c*d^2*f^3*x^2 + 9*c^2*d*f^3*x + 3*c^3*f^3 + (9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 2*c*d^2*f + (27*c^2*d*f^3 - 2*d^3*f)*x)*\cos(2*f*x + 2*e) + (9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 2*c*d^2*f + (27*c^2*d*f^3 - 2*d^3*f)*x)*\cos(f*x + e) - 6*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 - d^3)*\sin(2*f*x + 2*e) - 3*(3*d^3*f^2*x^2 + 6*c*d^2*f^2*x + 3*c^2*d*f^2 - 4*d^3)*\sin(f*x + e))*\cos(3*f*x + 3*e) + 2*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 2*c*d^2*f + (27*c^2*d*f^3 - 2*d^3*f)*x + 3*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 4*c*d^2*f + (27*c^2*d*f^3 - 4*d^3*f)*x)*\cos(f*x + e) - 9*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 - 2*d^3)*\sin$

$$\begin{aligned}
& (f*x + e)) * \cos(2*f*x + 2*e) + 2*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 \\
& ^3 - 2*c*d^2*f + (27*c^2*d*f^3 - 2*d^3*f)*x) * \cos(f*x + e) + 3*(a^2*d^5*f^3* \\
& x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a \\
& ^2*c^4*d*f^3 + (a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x \\
& ^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3) * \cos(3*f*x + 3*e)^2 + 9*(a^2*d^5*f \\
& ^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x \\
& + a^2*c^4*d*f^3) * \cos(2*f*x + 2*e)^2 + 9*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3* \\
& x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3) * \cos(f*x \\
& + e)^2 + (a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4 \\
& *a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3) * \sin(3*f*x + 3*e)^2 + 9*(a^2*d^5*f^3*x^4 \\
& + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c \\
& ^4*d*f^3) * \sin(2*f*x + 2*e)^2 + 18*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + \\
& 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3) * \sin(2*f*x + 2 \\
& *e) * \sin(f*x + e) + 9*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3 \\
& *f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3) * \sin(f*x + e)^2 + 2*(a^2*d^5 \\
& *f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3* \\
& x + a^2*c^4*d*f^3 + 3*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^ \\
& 3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3) * \cos(2*f*x + 2*e) + 3*(a^2* \\
& d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f \\
& ^3*x + a^2*c^4*d*f^3) * \cos(f*x + e) * \cos(3*f*x + 3*e) + 6*(a^2*d^5*f^3*x^4 + \\
& 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^ \\
& 4*d*f^3 + 3*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 \\
& + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3) * \cos(f*x + e)) * \cos(2*f*x + 2*e) + 6*(\\
& a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d \\
& ^2*f^3*x + a^2*c^4*d*f^3) * \cos(f*x + e) + 6*((a^2*d^5*f^3*x^4 + 4*a^2*c*d^4* \\
& f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3) * \sin(\\
& 2*f*x + 2*e) + (a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x \\
& ^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3) * \sin(f*x + e)) * \sin(3*f*x + 3*e)) * i \\
& ntegrate(4/3*(5*d^3*f^2*x^2 + 10*c*d^2*f^2*x + 5*c^2*d*f^2 - 12*d^3) * \sin(f*x \\
& + e) / (a^2*d^5*f^3*x^5 + 5*a^2*c*d^4*f^3*x^4 + 10*a^2*c^2*d^3*f^3*x^3 + 10 \\
& *a^2*c^3*d^2*f^3*x^2 + 5*a^2*c^4*d*f^3*x + a^2*c^5*f^3 + (a^2*d^5*f^3*x^5 + \\
& 5*a^2*c*d^4*f^3*x^4 + 10*a^2*c^2*d^3*f^3*x^3 + 10*a^2*c^3*d^2*f^3*x^2 + 5* \\
& a^2*c^4*d*f^3*x + a^2*c^5*f^3) * \cos(f*x + e)^2 + (a^2*d^5*f^3*x^5 + 5*a^2*c* \\
& d^4*f^3*x^4 + 10*a^2*c^2*d^3*f^3*x^3 + 10*a^2*c^3*d^2*f^3*x^2 + 5*a^2*c^4*d \\
& *f^3*x + a^2*c^5*f^3) * \sin(f*x + e)^2 + 2*(a^2*d^5*f^3*x^5 + 5*a^2*c*d^4*f^3 \\
& *x^4 + 10*a^2*c^2*d^3*f^3*x^3 + 10*a^2*c^3*d^2*f^3*x^2 + 5*a^2*c^4*d*f^3*x \\
& + a^2*c^5*f^3) * \cos(f*x + e)), x) + 2*(5*d^3*f^2*x^2 + 10*c*d^2*f^2*x + 5*c^ \\
& 2*d*f^2 - 6*d^3 + 6*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 - d^3) * \cos(2*f \\
& *x + 2*e) + 3*(3*d^3*f^2*x^2 + 6*c*d^2*f^2*x + 3*c^2*d*f^2 - 4*d^3) * \cos(f*x \\
& + e) + (9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 2*c*d^2*f + (27*c^2 \\
& *d*f^3 - 2*d^3*f)*x) * \sin(2*f*x + 2*e) + (9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + \\
& 9*c^3*f^3 - 2*c*d^2*f + (27*c^2*d*f^3 - 2*d^3*f)*x) * \sin(f*x + e)) * \sin(3*f* \\
& x + 3*e) + 6*(3*d^3*f^2*x^2 + 6*c*d^2*f^2*x + 3*c^2*d*f^2 - 4*d^3 + 3*(d^3* \\
& f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 - 2*d^3) * \cos(f*x + e) + (9*d^3*f^3*x^3 \\
& + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 4*c*d^2*f + (27*c^2*d*f^3 - 4*d^3*f)*x) * si
\end{aligned}$$

```

n(f*x + e))*sin(2*f*x + 2*e) + 12*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2
- d^3)*sin(f*x + e))/(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3
*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3 + (a^2*d^5*f^3*x^4 + 4*a^2*c
*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3)
*cos(3*f*x + 3*e)^2 + 9*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*
d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3)*cos(2*f*x + 2*e)^2 + 9*(
a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d
^2*f^3*x + a^2*c^4*d*f^3)*cos(f*x + e)^2 + (a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f
^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3)*sin(3
*f*x + 3*e)^2 + 9*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^
3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3)*sin(2*f*x + 2*e)^2 + 18*(a^2*d
^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^
3*x + a^2*c^4*d*f^3)*sin(2*f*x + 2*e)*sin(f*x + e) + 9*(a^2*d^5*f^3*x^4 + 4
*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*
d*f^3)*sin(f*x + e)^2 + 2*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^
2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3 + 3*(a^2*d^5*f^3*x^4 +
4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4
*d*f^3)*cos(2*f*x + 2*e) + 3*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2
*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3)*cos(f*x + e))*cos(3
*f*x + 3*e) + 6*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*
x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3 + 3*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^
4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3))*co
s(f*x + e))*cos(2*f*x + 2*e) + 6*(a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6
*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3)*cos(f*x + e) +
6*((a^2*d^5*f^3*x^4 + 4*a^2*c*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c
^3*d^2*f^3*x + a^2*c^4*d*f^3)*sin(2*f*x + 2*e) + (a^2*d^5*f^3*x^4 + 4*a^2*c
*d^4*f^3*x^3 + 6*a^2*c^2*d^3*f^3*x^2 + 4*a^2*c^3*d^2*f^3*x + a^2*c^4*d*f^3)
*sin(f*x + e))*sin(3*f*x + 3*e))

```

Giac [N/A]

Not integrable

Time = 1.18 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)^2} dx$$

[In] integrate(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate(1/((d*x + c)^2*(a*sec(f*x + e) + a)^2), x)

Mupad [N/A]

Not integrable

Time = 14.17 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)^2 (a + a \sec(e + fx))^2} dx = \int \frac{1}{\left(a + \frac{a}{\cos(e + fx)}\right)^2 (c + dx)^2} dx$$

```
[In] int(1/((a + a/cos(e + f*x))^2*(c + d*x)^2),x)
```

```
[Out] int(1/((a + a/cos(e + f*x))^2*(c + d*x)^2), x)
```

3.21 $\int (c + dx)^m (a + a \sec(e + fx))^n dx$

Optimal result	164
Rubi [N/A]	164
Mathematica [N/A]	165
Maple [N/A] (verified)	165
Fricas [N/A]	165
Sympy [F(-1)]	165
Maxima [N/A]	166
Giac [N/A]	166
Mupad [N/A]	166

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \text{Int}((c + dx)^m (a + a \sec(e + fx))^n, x)$$

[Out] Unintegrable((d*x+c)^m*(a+a*sec(f*x+e))^n,x)

Rubi [N/A]

Not integrable

Time = 0.05 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int (c + dx)^m (a + a \sec(e + fx))^n dx$$

[In] Int[(c + d*x)^m*(a + a*Sec[e + f*x])^n,x]

[Out] Defer[Int][(c + d*x)^m*(a + a*Sec[e + f*x])^n, x]

Rubi steps

$$\text{integral} = \int (c + dx)^m (a + a \sec(e + fx))^n dx$$

Mathematica [N/A]

Not integrable

Time = 1.23 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int (c + dx)^m (a + a \sec(e + fx))^n dx$$

[In] Integrate[(c + d*x)^m*(a + a*Sec[e + f*x])^n,x]

[Out] Integrate[(c + d*x)^m*(a + a*Sec[e + f*x])^n, x]

Maple [N/A] (verified)

Not integrable

Time = 0.32 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int (dx + c)^m (a + a \sec(fx + e))^n dx$$

[In] int((d*x+c)^m*(a+a*sec(f*x+e))^n,x)

[Out] int((d*x+c)^m*(a+a*sec(f*x+e))^n,x)

Fricas [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int (dx + c)^m (a \sec(fx + e) + a)^n dx$$

[In] integrate((d*x+c)^m*(a+a*sec(f*x+e))^n,x, algorithm="fricas")

[Out] integral((d*x + c)^m*(a*sec(f*x + e) + a)^n, x)

Sympy [F(-1)]

Timed out.

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \text{Timed out}$$

[In] integrate((d*x+c)**m*(a+a*sec(f*x+e))**n,x)

[Out] Timed out

Maxima [N/A]

Not integrable

Time = 0.65 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int (dx + c)^m (a \sec(fx + e) + a)^n dx$$

[In] integrate((d*x+c)^m*(a+a*sec(f*x+e))^n,x, algorithm="maxima")

[Out] integrate((d*x + c)^m*(a*sec(f*x + e) + a)^n, x)

Giac [N/A]

Not integrable

Time = 0.40 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int (dx + c)^m (a \sec(fx + e) + a)^n dx$$

[In] integrate((d*x+c)^m*(a+a*sec(f*x+e))^n,x, algorithm="giac")

[Out] integrate((d*x + c)^m*(a*sec(f*x + e) + a)^n, x)

Mupad [N/A]

Not integrable

Time = 13.49 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int \left(a + \frac{a}{\cos(e + fx)} \right)^n (c + dx)^m dx$$

[In] int((a + a/cos(e + f*x))^n*(c + d*x)^m,x)

[Out] int((a + a/cos(e + f*x))^n*(c + d*x)^m, x)

3.22 $\int (c + dx)^m (a + a \sec(e + fx)) dx$

Optimal result	167
Rubi [N/A]	167
Mathematica [N/A]	168
Maple [N/A] (verified)	168
Fricas [N/A]	168
Sympy [N/A]	168
Maxima [N/A]	169
Giac [N/A]	169
Mupad [N/A]	169

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \text{Int}((c + dx)^m (a + a \sec(e + fx)), x)$$

[Out] Unintegrable((d*x+c)^m*(a+a*sec(f*x+e)),x)

Rubi [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \int (c + dx)^m (a + a \sec(e + fx)) dx$$

[In] Int[(c + d*x)^m*(a + a*Sec[e + f*x]),x]

[Out] Defer[Int] [(c + d*x)^m*(a + a*Sec[e + f*x]), x]

Rubi steps

$$\text{integral} = \int (c + dx)^m (a + a \sec(e + fx)) dx$$

Mathematica [N/A]

Not integrable

Time = 11.38 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \int (c + dx)^m (a + a \sec(e + fx)) dx$$

[In] Integrate[(c + d*x)^m*(a + a*Sec[e + f*x]),x]

[Out] Integrate[(c + d*x)^m*(a + a*Sec[e + f*x]), x]

Maple [N/A] (verified)

Not integrable

Time = 0.32 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int (dx + c)^m (a + a \sec(fx + e)) dx$$

[In] int((d*x+c)^m*(a+a*sec(f*x+e)),x)

[Out] int((d*x+c)^m*(a+a*sec(f*x+e)),x)

Fricas [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \int (a \sec(fx + e) + a)(dx + c)^m dx$$

[In] integrate((d*x+c)^m*(a+a*sec(f*x+e)),x, algorithm="fricas")

[Out] integral((a*sec(f*x + e) + a)*(d*x + c)^m, x)

Sympy [N/A]

Not integrable

Time = 5.08 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.33

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = a \left(\int (c + dx)^m \sec(e + fx) dx + \int (c + dx)^m dx \right)$$

[In] integrate((d*x+c)**m*(a+a*sec(f*x+e)),x)

[Out] a*(Integral((c + d*x)**m*sec(e + f*x), x) + Integral((c + d*x)**m, x))

Maxima [N/A]

Not integrable

Time = 0.36 (sec) , antiderivative size = 124, normalized size of antiderivative = 6.89

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \int (a \sec(fx + e) + a)(dx + c)^m dx$$

```
[In] integrate((d*x+c)^m*(a+a*sec(f*x+e)),x, algorithm="maxima")
```

```
[Out] 2*a*integrate(((d*x + c)^m*cos(2*f*x + 2*e)*cos(f*x + e) + (d*x + c)^m*sin(
2*f*x + 2*e)*sin(f*x + e) + (d*x + c)^m*cos(f*x + e))/(cos(2*f*x + 2*e)^2 +
sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1), x) + (d*x + c)^(m + 1)*a/(d*
(m + 1))
```

Giac [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \int (a \sec(fx + e) + a)(dx + c)^m dx$$

```
[In] integrate((d*x+c)^m*(a+a*sec(f*x+e)),x, algorithm="giac")
```

```
[Out] integrate((a*sec(f*x + e) + a)*(d*x + c)^m, x)
```

Mupad [N/A]

Not integrable

Time = 13.55 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \int \left(a + \frac{a}{\cos(e + fx)} \right) (c + dx)^m dx$$

```
[In] int((a + a/cos(e + f*x))*(c + d*x)^m,x)
```

```
[Out] int((a + a/cos(e + f*x))*(c + d*x)^m, x)
```

3.23 $\int \frac{(c+dx)^m}{a+a \sec(e+fx)} dx$

Optimal result	170
Rubi [N/A]	170
Mathematica [N/A]	171
Maple [N/A] (verified)	171
Fricas [N/A]	171
Sympy [N/A]	171
Maxima [N/A]	172
Giac [N/A]	172
Mupad [N/A]	172

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(c+dx)^m}{a+a \sec(e+fx)} dx = \text{Int}\left(\frac{(c+dx)^m}{a+a \sec(e+fx)}, x\right)$$

[Out] Unintegrable((d*x+c)^m/(a+a*sec(f*x+e)),x)

Rubi [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(c+dx)^m}{a+a \sec(e+fx)} dx = \int \frac{(c+dx)^m}{a+a \sec(e+fx)} dx$$

[In] Int[(c + d*x)^m/(a + a*Sec[e + f*x]),x]

[Out] Defer[Int][(c + d*x)^m/(a + a*Sec[e + f*x]), x]

Rubi steps

$$\text{integral} = \int \frac{(c+dx)^m}{a+a \sec(e+fx)} dx$$

Mathematica [N/A]

Not integrable

Time = 1.22 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx$$

[In] Integrate[(c + d*x)^m/(a + a*Sec[e + f*x]),x]

[Out] Integrate[(c + d*x)^m/(a + a*Sec[e + f*x]), x]

Maple [N/A] (verified)

Not integrable

Time = 0.18 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(dx + c)^m}{a + a \sec(fx + e)} dx$$

[In] int((d*x+c)^m/(a+a*sec(f*x+e)),x)

[Out] int((d*x+c)^m/(a+a*sec(f*x+e)),x)

Fricas [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \int \frac{(dx + c)^m}{a \sec(fx + e) + a} dx$$

[In] integrate((d*x+c)^m/(a+a*sec(f*x+e)),x, algorithm="fricas")

[Out] integral((d*x + c)^m/(a*sec(f*x + e) + a), x)

Sympy [N/A]

Not integrable

Time = 1.82 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \frac{\int \frac{(c+dx)^m}{\sec(e+fx)+1} dx}{a}$$

[In] integrate((d*x+c)**m/(a+a*sec(f*x+e)),x)

[Out] Integral((c + d*x)**m/(sec(e + f*x) + 1), x)/a

Maxima [N/A]

Not integrable

Time = 0.57 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \int \frac{(dx + c)^m}{a \sec(fx + e) + a} dx$$

[In] integrate((d*x+c)^m/(a+a*sec(f*x+e)),x, algorithm="maxima")

[Out] integrate((d*x + c)^m/(a*sec(f*x + e) + a), x)

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \int \frac{(dx + c)^m}{a \sec(fx + e) + a} dx$$

[In] integrate((d*x+c)^m/(a+a*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^m/(a*sec(f*x + e) + a), x)

Mupad [N/A]

Not integrable

Time = 13.38 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \int \frac{(c + dx)^m}{a + \frac{a}{\cos(e+fx)}} dx$$

[In] int((c + d*x)^m/(a + a/cos(e + f*x)),x)

[Out] int((c + d*x)^m/(a + a/cos(e + f*x)), x)

3.24 $\int (c + dx)^3 (a + b \sec(e + fx)) dx$

Optimal result	173
Rubi [A] (verified)	174
Mathematica [A] (verified)	177
Maple [B] (verified)	177
Fricas [B] (verification not implemented)	178
Sympy [F]	179
Maxima [B] (verification not implemented)	179
Giac [F]	180
Mupad [F(-1)]	180

Optimal result

Integrand size = 18, antiderivative size = 227

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx = \frac{a(c + dx)^4}{4d} - \frac{2ib(c + dx)^3 \arctan(e^{i(e+fx)})}{f} + \frac{3ibd(c + dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{3ibd(c + dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{6bd^2(c + dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{6bd^2(c + dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} - \frac{6ibd^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \frac{6ibd^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4}$$

```
[Out] 1/4*a*(d*x+c)^4/d-2*I*b*(d*x+c)^3*arctan(exp(I*(f*x+e)))/f+3*I*b*d*(d*x+c)^2*polylog(2,-I*exp(I*(f*x+e)))/f^2-3*I*b*d*(d*x+c)^2*polylog(2,I*exp(I*(f*x+e)))/f^2-6*b*d^2*(d*x+c)*polylog(3,-I*exp(I*(f*x+e)))/f^3+6*b*d^2*(d*x+c)*polylog(3,I*exp(I*(f*x+e)))/f^3-6*I*b*d^3*polylog(4,-I*exp(I*(f*x+e)))/f^4+6*I*b*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4
```

Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4275, 4266, 2611, 6744, 2320, 6724}

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx = \frac{a(c + dx)^4}{4d} - \frac{2ib(c + dx)^3 \arctan(e^{i(e+fx)})}{f} - \frac{6bd^2(c + dx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{6bd^2(c + dx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{3ibd(c + dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{3ibd(c + dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{6ibd^3 \text{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \frac{6ibd^3 \text{PolyLog}(4, ie^{i(e+fx)})}{f^4}$$

[In] Int[(c + d*x)^3*(a + b*Sec[e + f*x]),x]

[Out] (a*(c + d*x)^4)/(4*d) - ((2*I)*b*(c + d*x)^3*ArcTan[E^(I*(e + f*x))])/f + ((3*I)*b*d*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((3*I)*b*d*(c + d*x)^2*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (6*b*d^2*(c + d*x)*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (6*b*d^2*(c + d*x)*PolyLog[3, I*E^(I*(e + f*x))])/f^3 - ((6*I)*b*d^3*PolyLog[4, (-I)*E^(I*(e + f*x))])/f^4 + ((6*I)*b*d^3*PolyLog[4, I*E^(I*(e + f*x))])/f^4

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_.))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
```

$f, g, n\}, x] \&\& \text{GtQ}[m, 0]$

Rule 4266

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4275

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6744

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(p_.)], x_Symbol]
:> Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \text{integral} &= \int (a(c + dx)^3 + b(c + dx)^3 \sec(e + fx)) dx \\ &= \frac{a(c + dx)^4}{4d} + b \int (c + dx)^3 \sec(e + fx) dx \\ &= \frac{a(c + dx)^4}{4d} - \frac{2ib(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \\ &\quad - \frac{(3bd) \int (c + dx)^2 \log(1 - ie^{i(e+fx)}) dx}{f} + \frac{(3bd) \int (c + dx)^2 \log(1 + ie^{i(e+fx)}) dx}{f} \end{aligned}$$

$$\begin{aligned}
&= \frac{a(c+dx)^4}{4d} - \frac{2ib(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3ibd(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{3ibd(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&- \frac{(6ibd^2) \int (c+dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)}) dx}{f^2} \\
&+ \frac{(6ibd^2) \int (c+dx) \operatorname{PolyLog}(2, ie^{i(e+fx)}) dx}{f^2} \\
&= \frac{a(c+dx)^4}{4d} - \frac{2ib(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3ibd(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{3ibd(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&- \frac{6bd^2(c+dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{6bd^2(c+dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&+ \frac{(6bd^3) \int \operatorname{PolyLog}(3, -ie^{i(e+fx)}) dx}{f^3} - \frac{(6bd^3) \int \operatorname{PolyLog}(3, ie^{i(e+fx)}) dx}{f^3} \\
&= \frac{a(c+dx)^4}{4d} - \frac{2ib(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3ibd(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{3ibd(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&- \frac{6bd^2(c+dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{6bd^2(c+dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&- \frac{(6ibd^3) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(3, -ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^4} \\
&+ \frac{(6ibd^3) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(3, ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^4} \\
&= \frac{a(c+dx)^4}{4d} - \frac{2ib(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3ibd(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{3ibd(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&- \frac{6bd^2(c+dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{6bd^2(c+dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&- \frac{6ibd^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \frac{6ibd^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.48 (sec) , antiderivative size = 365, normalized size of antiderivative = 1.61

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx$$

$$= \frac{4ac^3 f^4 x + 6ac^2 d f^4 x^2 + 4acd^2 f^4 x^3 + ad^3 f^4 x^4 - 24ibc^2 d f^3 x \arctan(e^{i(e+fx)}) - 24ibcd^2 f^3 x^2 \arctan(e^{i(e+fx)}}}{}$$

[In] Integrate[(c + d*x)^3*(a + b*Sec[e + f*x]),x]

[Out] (4*a*c^3*f^4*x + 6*a*c^2*d*f^4*x^2 + 4*a*c*d^2*f^4*x^3 + a*d^3*f^4*x^4 - (24*I)*b*c^2*d*f^3*x*ArcTan[E^(I*(e + f*x))] - (24*I)*b*c*d^2*f^3*x^2*ArcTan[E^(I*(e + f*x))] - (8*I)*b*d^3*f^3*x^3*ArcTan[E^(I*(e + f*x))] + 4*b*c^3*f^3*ArcTanh[Sin[e + f*x]] + (12*I)*b*d*f^2*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(e + f*x))] - (12*I)*b*d*f^2*(c + d*x)^2*PolyLog[2, I*E^(I*(e + f*x))] - 24*b*c*d^2*f*PolyLog[3, (-I)*E^(I*(e + f*x))] - 24*b*d^3*f*x*PolyLog[3, (-I)*E^(I*(e + f*x))] + 24*b*c*d^2*f*PolyLog[3, I*E^(I*(e + f*x))] + 24*b*d^3*f*x*PolyLog[3, I*E^(I*(e + f*x))] - (24*I)*b*d^3*PolyLog[4, (-I)*E^(I*(e + f*x))] + (24*I)*b*d^3*PolyLog[4, I*E^(I*(e + f*x))])/(4*f^4)

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 755 vs. 2(200) = 400.

Time = 1.01 (sec) , antiderivative size = 756, normalized size of antiderivative = 3.33

method	result
risch	$-\frac{6ibc^2e^2 \arctan(e^{i(fx+e)})}{f^3} + \frac{6ibc^2de \arctan(e^{i(fx+e)})}{f^2} - \frac{6ibd^2c \operatorname{polylog}(2,ie^{i(fx+e)})x}{f^2} + \frac{6ibd^2c \operatorname{polylog}(2,-ie^{i(fx+e)})x}{f^2} +$

[In] int((d*x+c)^3*(a+b*sec(f*x+e)),x,method=_RETURNVERBOSE)

[Out] 3/f*b*d^2*c*ln(1-I*exp(I*(f*x+e)))*x^2+3/f^3*b*e^2*c*d^2*ln(1+I*exp(I*(f*x+e)))-3/f*b*d^2*c*ln(1+I*exp(I*(f*x+e)))*x^2-3/f^3*b*e^2*c*d^2*ln(1-I*exp(I*(f*x+e)))+6*I*b*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4+6/f^3*b*d^2*c*polylog(3,I*exp(I*(f*x+e)))-1/f^4*b*e^3*d^3*ln(1+I*exp(I*(f*x+e)))-6/f^3*b*d^3*polylog(3,-I*exp(I*(f*x+e)))*x+1/f*b*d^3*ln(1-I*exp(I*(f*x+e)))*x^3-1/f*b*d^3*ln(1+I*exp(I*(f*x+e)))*x^3-6/f^3*b*d^2*c*polylog(3,-I*exp(I*(f*x+e)))+6/f^3*b*d^3*polylog(3,I*exp(I*(f*x+e)))*x+1/f^4*b*e^3*d^3*ln(1-I*exp(I*(f*x+e)))+a*d^2*c*x^3+3/2*a*d*c^2*x^2+a*c^3*x-6*I/f^3*b*c*d^2*e^2*arctan(exp(I*(f*x+e)))+6*I/f^2*b*c^2*d*e*arctan(exp(I*(f*x+e)))-6*I/f^2*b*d^2*c*polylog(2,I*exp(I*(f*x+e)))*x+1/4*a*d^3*x^4+1/4*a/d*c^4+3/f*b*c^2*d*ln(1-I*exp(I*(f*x+e)))*x+3/f^2*b*c^2*d*ln(1-I*exp(I*(f*x+e)))*e-3/f*b*c^2*d*ln(1+I*exp(I*(f*x+e)))*x-3/f^2*b*c^2*d*ln(1+I*exp(I*(f*x+e)))*e-3*I/f^2*b*d^3*polylog(2,I*exp(I*(f*x+e)))

```
(f*x+e))*x^2+6*I/f^2*b*d^2*c*polylog(2,-I*exp(I*(f*x+e)))*x+3*I/f^2*b*d^3*
polylog(2,-I*exp(I*(f*x+e)))*x^2-3*I/f^2*b*c^2*d*polylog(2,I*exp(I*(f*x+e))
)+3*I/f^2*b*c^2*d*polylog(2,-I*exp(I*(f*x+e)))+2*I/f^4*b*d^3*e^3*arctan(exp
(I*(f*x+e)))-6*I*b*d^3*polylog(4,-I*exp(I*(f*x+e)))/f^4-2*I/f*b*c^3*arctan(
exp(I*(f*x+e)))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1085 vs. $2(187) = 374$.

Time = 0.34 (sec) , antiderivative size = 1085, normalized size of antiderivative = 4.78

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx = \text{Too large to display}$$

```
[In] integrate((d*x+c)^3*(a+b*sec(f*x+e)),x, algorithm="fricas")
```

```
[Out] 1/4*(a*d^3*f^4*x^4 + 4*a*c*d^2*f^4*x^3 + 6*a*c^2*d*f^4*x^2 + 4*a*c^3*f^4*x
+ 12*I*b*d^3*polylog(4, I*cos(f*x + e) + sin(f*x + e)) + 12*I*b*d^3*polylog
(4, I*cos(f*x + e) - sin(f*x + e)) - 12*I*b*d^3*polylog(4, -I*cos(f*x + e)
+ sin(f*x + e)) - 12*I*b*d^3*polylog(4, -I*cos(f*x + e) - sin(f*x + e)) - 6
*(I*b*d^3*f^2*x^2 + 2*I*b*c*d^2*f^2*x + I*b*c^2*d*f^2)*dilog(I*cos(f*x + e)
+ sin(f*x + e)) - 6*(I*b*d^3*f^2*x^2 + 2*I*b*c*d^2*f^2*x + I*b*c^2*d*f^2)*
dilog(I*cos(f*x + e) - sin(f*x + e)) - 6*(-I*b*d^3*f^2*x^2 - 2*I*b*c*d^2*f^
2*x - I*b*c^2*d*f^2)*dilog(-I*cos(f*x + e) + sin(f*x + e)) - 6*(-I*b*d^3*f^
2*x^2 - 2*I*b*c*d^2*f^2*x - I*b*c^2*d*f^2)*dilog(-I*cos(f*x + e) - sin(f*x
+ e)) - 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*log(c
os(f*x + e) + I*sin(f*x + e) + I) + 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^
2*d*e*f^2 - b*c^3*f^3)*log(cos(f*x + e) - I*sin(f*x + e) + I) + 2*(b*d^3*f^
3*x^3 + 3*b*c*d^2*f^3*x^2 + 3*b*c^2*d*f^3*x + b*d^3*e^3 - 3*b*c*d^2*e^2*f +
3*b*c^2*d*e*f^2)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(b*d^3*f^3*x^3
+ 3*b*c*d^2*f^3*x^2 + 3*b*c^2*d*f^3*x + b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*
c^2*d*e*f^2)*log(I*cos(f*x + e) - sin(f*x + e) + 1) + 2*(b*d^3*f^3*x^3 + 3*
b*c*d^2*f^3*x^2 + 3*b*c^2*d*f^3*x + b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d
*e*f^2)*log(-I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(b*d^3*f^3*x^3 + 3*b*c*
d^2*f^3*x^2 + 3*b*c^2*d*f^3*x + b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f
^2)*log(-I*cos(f*x + e) - sin(f*x + e) + 1) - 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*
f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*log(-cos(f*x + e) + I*sin(f*x + e) + I) +
2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*log(-cos(f*x
+ e) - I*sin(f*x + e) + I) - 12*(b*d^3*f*x + b*c*d^2*f)*polylog(3, I*cos(f*
x + e) + sin(f*x + e)) + 12*(b*d^3*f*x + b*c*d^2*f)*polylog(3, I*cos(f*x +
e) - sin(f*x + e)) - 12*(b*d^3*f*x + b*c*d^2*f)*polylog(3, -I*cos(f*x + e)
+ sin(f*x + e)) + 12*(b*d^3*f*x + b*c*d^2*f)*polylog(3, -I*cos(f*x + e) - s
in(f*x + e))/f^4
```

SymPy [F]

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx = \int (a + b \sec(e + fx)) (c + dx)^3 dx$$

```
[In] integrate((d*x+c)**3*(a+b*sec(f*x+e)),x)
```

```
[Out] Integral((a + b*sec(e + f*x))*(c + d*x)**3, x)
```

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 936 vs. $2(187) = 374$.

Time = 0.42 (sec) , antiderivative size = 936, normalized size of antiderivative = 4.12

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx = \text{Too large to display}$$

```
[In] integrate((d*x+c)^3*(a+b*sec(f*x+e)),x, algorithm="maxima")
```

```
[Out] 1/4*(4*(f*x + e)*a*c^3 + (f*x + e)^4*a*d^3/f^3 - 4*(f*x + e)^3*a*d^3*e/f^3 + 6*(f*x + e)^2*a*d^3*e^2/f^3 - 4*(f*x + e)*a*d^3*e^3/f^3 + 4*(f*x + e)^3*a*c*d^2/f^2 - 12*(f*x + e)^2*a*c*d^2*e/f^2 + 12*(f*x + e)*a*c*d^2*e^2/f^2 + 6*(f*x + e)^2*a*c^2*d/f - 12*(f*x + e)*a*c^2*d*e/f + 4*b*c^3*log(sec(f*x + e) + tan(f*x + e)) - 4*b*d^3*e^3*log(sec(f*x + e) + tan(f*x + e))/f^3 + 12*b*c*d^2*e^2*log(sec(f*x + e) + tan(f*x + e))/f^2 - 12*b*c^2*d*e*log(sec(f*x + e) + tan(f*x + e))/f + 2*(12*I*b*d^3*polylog(4, I*e^(I*f*x + I*e)) - 12*I*b*d^3*polylog(4, -I*e^(I*f*x + I*e)) - 2*(I*(f*x + e)^3*b*d^3 + 3*(-I*b*d^3*e + I*b*c*d^2*f)*(f*x + e)^2 + 3*(I*b*d^3*e^2 - 2*I*b*c*d^2*e*f + I*b*c^2*d*f^2)*(f*x + e))*arctan2(cos(f*x + e), sin(f*x + e) + 1) - 2*(I*(f*x + e)^3*b*d^3 + 3*(-I*b*d^3*e + I*b*c*d^2*f)*(f*x + e)^2 + 3*(I*b*d^3*e^2 - 2*I*b*c*d^2*e*f + I*b*c^2*d*f^2)*(f*x + e))*arctan2(cos(f*x + e), -sin(f*x + e) + 1) - 6*(I*(f*x + e)^2*b*d^3 + I*b*d^3*e^2 - 2*I*b*c*d^2*e*f + I*b*c^2*d*f^2 + 2*(-I*b*d^3*e + I*b*c*d^2*f)*(f*x + e))*dilog(I*e^(I*f*x + I*e)) - 6*(-I*(f*x + e)^2*b*d^3 - I*b*d^3*e^2 + 2*I*b*c*d^2*e*f - I*b*c^2*d*f^2 + 2*(I*b*d^3*e - I*b*c*d^2*f)*(f*x + e))*dilog(-I*e^(I*f*x + I*e)) + ((f*x + e)^3*b*d^3 - 3*(b*d^3*e - b*c*d^2*f)*(f*x + e)^2 + 3*(b*d^3*e^2 - 2*b*c*d^2*e*f + b*c^2*d*f^2)*(f*x + e))*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) - ((f*x + e)^3*b*d^3 - 3*(b*d^3*e - b*c*d^2*f)*(f*x + e)^2 + 3*(b*d^3*e^2 - 2*b*c*d^2*e*f + b*c^2*d*f^2)*(f*x + e))*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1) + 12*((f*x + e)*b*d^3 - b*d^3*e + b*c*d^2*f)*polylog(3, I*e^(I*f*x + I*e)) - 12*((f*x + e)*b*d^3 - b*d^3*e + b*c*d^2*f)*polylog(3, -I*e^(I*f*x + I*e)))/f^3)/f
```

Giac [F]

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx = \int (dx + c)^3 (b \sec(fx + e) + a) dx$$

[In] integrate((d*x+c)^3*(a+b*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^3*(b*sec(f*x + e) + a), x)

Mupad [F(-1)]

Timed out.

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx = \int \left(a + \frac{b}{\cos(e + fx)} \right) (c + dx)^3 dx$$

[In] int((a + b/cos(e + f*x))*(c + d*x)^3,x)

[Out] int((a + b/cos(e + f*x))*(c + d*x)^3, x)

3.25 $\int (c + dx)^2 (a + b \sec(e + fx)) dx$

Optimal result	181
Rubi [A] (verified)	181
Mathematica [A] (verified)	184
Maple [B] (verified)	184
Fricas [B] (verification not implemented)	185
Sympy [F]	185
Maxima [B] (verification not implemented)	186
Giac [F]	186
Mupad [F(-1)]	187

Optimal result

Integrand size = 18, antiderivative size = 157

$$\int (c + dx)^2 (a + b \sec(e + fx)) dx = \frac{a(c + dx)^3}{3d} - \frac{2ib(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{2ibd(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2ibd(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{2bd^2 \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{2bd^2 \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3}$$

```
[Out] 1/3*a*(d*x+c)^3/d-2*I*b*(d*x+c)^2*arctan(exp(I*(f*x+e)))/f+2*I*b*d*(d*x+c)*
polylog(2,-I*exp(I*(f*x+e)))/f^2-2*I*b*d*(d*x+c)*polylog(2,I*exp(I*(f*x+e))
)/f^2-2*b*d^2*polylog(3,-I*exp(I*(f*x+e)))/f^3+2*b*d^2*polylog(3,I*exp(I*(f
*x+e)))/f^3
```

Rubi [A] (verified)

Time = 0.15 (sec) , antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used

= {4275, 4266, 2611, 2320, 6724}

$$\int (c + dx)^2 (a + b \sec(e + fx)) dx = \frac{a(c + dx)^3}{3d} - \frac{2ib(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{2ibd(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2ibd(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{2bd^2 \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{2bd^2 \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3}$$

[In] Int[(c + d*x)^2*(a + b*Sec[e + f*x]),x]

[Out] (a*(c + d*x)^3)/(3*d) - ((2*I)*b*(c + d*x)^2*ArcTan[E^(I*(e + f*x))])/f + (2*I)*b*d*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))]/f^2 - ((2*I)*b*d*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (2*b*d^2*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (2*b*d^2*PolyLog[3, I*E^(I*(e + f*x))])/f^3

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 4266

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4275

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)
, x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int (a(c + dx)^2 + b(c + dx)^2 \sec(e + fx)) dx \\
&= \frac{a(c + dx)^3}{3d} + b \int (c + dx)^2 \sec(e + fx) dx \\
&= \frac{a(c + dx)^3}{3d} - \frac{2ib(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad - \frac{(2bd) \int (c + dx) \log(1 - ie^{i(e+fx)}) dx}{f} + \frac{(2bd) \int (c + dx) \log(1 + ie^{i(e+fx)}) dx}{f} \\
&= \frac{a(c + dx)^3}{3d} - \frac{2ib(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{2ibd(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2ibd(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{(2ibd^2) \int \text{PolyLog}(2, -ie^{i(e+fx)}) dx}{f^2} + \frac{(2ibd^2) \int \text{PolyLog}(2, ie^{i(e+fx)}) dx}{f^2} \\
&= \frac{a(c + dx)^3}{3d} - \frac{2ib(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{2ibd(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{2ibd(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{(2bd^2) \text{Subst}\left(\int \frac{\text{PolyLog}(2, -ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^3} \\
&\quad + \frac{(2bd^2) \text{Subst}\left(\int \frac{\text{PolyLog}(2, ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^3} \\
&= \frac{a(c + dx)^3}{3d} - \frac{2ib(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{2ibd(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2ibd(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{2bd^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{2bd^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.25 (sec) , antiderivative size = 203, normalized size of antiderivative = 1.29

$$\int (c + dx)^2 (a + b \sec(e + fx)) dx = ac^2x + acdx^2 + \frac{1}{3}ad^2x^3 - \frac{4ibcdx \arctan(e^{i(e+fx)})}{f} - \frac{2ibd^2x^2 \arctan(e^{i(e+fx)})}{f} + \frac{bc^2 \operatorname{arctanh}(\sin(e + fx))}{f} + \frac{2ibd(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2ibd(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{2bd^2 \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{2bd^2 \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3}$$

[In] Integrate[(c + d*x)^2*(a + b*Sec[e + f*x]),x]

[Out] a*c^2*x + a*c*d*x^2 + (a*d^2*x^3)/3 - ((4*I)*b*c*d*x*ArcTan[E^(I*(e + f*x))])/f - ((2*I)*b*d^2*x^2*ArcTan[E^(I*(e + f*x))])/f + (b*c^2*ArcTanh[Sin[e + f*x]])/f + ((2*I)*b*d*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((2*I)*b*d*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (2*b*d^2*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (2*b*d^2*PolyLog[3, I*E^(I*(e + f*x))])/f^3

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 439 vs. 2(138) = 276.

Time = 0.98 (sec) , antiderivative size = 440, normalized size of antiderivative = 2.80

method	result
risch	$\frac{ad^2x^3}{3} + adcx^2 + ac^2x + \frac{ac^3}{3d} + \frac{bd^2 \ln(1 - ie^{i(fx+e)})x^2}{f} + \frac{2bcd \ln(1 - ie^{i(fx+e)})e}{f^2} - \frac{2bcd \ln(1 + ie^{i(fx+e)})e}{f^2} - \frac{2bcd \ln(1 + ie^{i(fx+e)})}{f^2}$

[In] int((d*x+c)^2*(a+b*sec(f*x+e)),x,method=_RETURNVERBOSE)

[Out] 1/3*a*d^2*x^3+a*d*c*x^2+a*c^2*x+1/3*a/d*c^3+1/f*b*d^2*ln(1-I*exp(I*(f*x+e)))*x^2+2/f^2*b*c*d*ln(1-I*exp(I*(f*x+e)))*e-2/f^2*b*c*d*ln(1+I*exp(I*(f*x+e)))*e-2/f*b*c*d*ln(1+I*exp(I*(f*x+e)))*x-2*I/f^2*b*d^2*polylog(2,I*exp(I*(f*x+e)))*x-1/f*b*d^2*ln(1+I*exp(I*(f*x+e)))*x^2+1/f^3*b*e^2*d^2*ln(1+I*exp(I*(f*x+e)))+4*I/f^2*b*c*d*e*arctan(exp(I*(f*x+e)))+2*I/f^2*b*c*d*polylog(2,-I*exp(I*(f*x+e)))-2*I/f^3*b*d^2*e^2*arctan(exp(I*(f*x+e)))-2*I/f*b*c^2*arctan(exp(I*(f*x+e)))+2*I/f^2*b*d^2*polylog(2,-I*exp(I*(f*x+e)))*x+2*b*d^2*poly


```
log(3,I*exp(I*(f*x+e)))/f^3+2/f*b*c*d*ln(1-I*exp(I*(f*x+e)))*x-2*I/f^2*b*c*
d*polylog(2,I*exp(I*(f*x+e)))-2*b*d^2*polylog(3,-I*exp(I*(f*x+e)))/f^3-1/f^
3*b*e^2*d^2*ln(1-I*exp(I*(f*x+e)))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 675 vs. $2(129) = 258$.

Time = 0.32 (sec) , antiderivative size = 675, normalized size of antiderivative = 4.30

$$\int (c + dx)^2 (a + b \sec(e + fx)) dx$$

$$= \frac{2ad^2 f^3 x^3 + 6acd f^3 x^2 + 6ac^2 f^3 x - 6bd^2 \operatorname{polylog}(3, i \cos(fx + e) + \sin(fx + e)) + 6bd^2 \operatorname{polylog}(3, i \cos(fx + e) - \sin(fx + e)) - 6bd^2 \operatorname{polylog}(3, -i \cos(fx + e) + \sin(fx + e)) + 6bd^2 \operatorname{polylog}(3, -i \cos(fx + e) - \sin(fx + e)) - 6(Ibd^2fx + Ibcdf) \operatorname{dilog}(I \cos(fx + e) + \sin(fx + e)) - 6(Ibd^2fx + Ibcdf) \operatorname{dilog}(I \cos(fx + e) - \sin(fx + e)) - 6(-Ibd^2fx - Ibcdf) \operatorname{dilog}(-I \cos(fx + e) + \sin(fx + e)) - 6(-Ibd^2fx - Ibcdf) \operatorname{dilog}(-I \cos(fx + e) - \sin(fx + e)) + 3(bd^2e^2 - 2b*c*d*e*f + b*c^2*f^2) \log(\cos(fx + e) + I \sin(fx + e) + I) - 3(bd^2e^2 - 2b*c*d*e*f + b*c^2*f^2) \log(\cos(fx + e) - I \sin(fx + e) + I) + 3(bd^2f^2*x^2 + 2b*c*d*f^2*x - bd^2e^2 + 2b*c*d*e*f) \log(I \cos(fx + e) + \sin(fx + e) + 1) - 3(bd^2f^2*x^2 + 2b*c*d*f^2*x - bd^2e^2 + 2b*c*d*e*f) \log(I \cos(fx + e) - \sin(fx + e) + 1) + 3(bd^2f^2*x^2 + 2b*c*d*f^2*x - bd^2e^2 + 2b*c*d*e*f) \log(-I \cos(fx + e) + \sin(fx + e) + 1) - 3(bd^2f^2*x^2 + 2b*c*d*f^2*x - bd^2e^2 + 2b*c*d*e*f) \log(-I \cos(fx + e) - \sin(fx + e) + 1) + 3(bd^2e^2 - 2b*c*d*e*f + b*c^2*f^2) \log(-\cos(fx + e) + I \sin(fx + e) + I) - 3(bd^2e^2 - 2b*c*d*e*f + b*c^2*f^2) \log(-\cos(fx + e) - I \sin(fx + e) + I)}{f^3}$$

```
[In] integrate((d*x+c)^2*(a+b*sec(f*x+e)),x, algorithm="fricas")
```

```
[Out] 1/6*(2*a*d^2*f^3*x^3 + 6*a*c*d*f^3*x^2 + 6*a*c^2*f^3*x - 6*b*d^2*polylog(3,
I*cos(f*x + e) + sin(f*x + e)) + 6*b*d^2*polylog(3, I*cos(f*x + e) - sin(f
*x + e)) - 6*b*d^2*polylog(3, -I*cos(f*x + e) + sin(f*x + e)) + 6*b*d^2*pol
ylog(3, -I*cos(f*x + e) - sin(f*x + e)) - 6*(I*b*d^2*f*x + I*b*c*d*f)*dilog
(I*cos(f*x + e) + sin(f*x + e)) - 6*(I*b*d^2*f*x + I*b*c*d*f)*dilog(I*cos(f
*x + e) - sin(f*x + e)) - 6*(-I*b*d^2*f*x - I*b*c*d*f)*dilog(-I*cos(f*x + e
) + sin(f*x + e)) - 6*(-I*b*d^2*f*x - I*b*c*d*f)*dilog(-I*cos(f*x + e) - si
n(f*x + e)) + 3*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*log(cos(f*x + e) + I*
sin(f*x + e) + I) - 3*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*log(cos(f*x + e
) - I*sin(f*x + e) + I) + 3*(b*d^2*f^2*x^2 + 2*b*c*d*f^2*x - b*d^2*e^2 + 2*
b*c*d*e*f)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - 3*(b*d^2*f^2*x^2 + 2*b*
c*d*f^2*x - b*d^2*e^2 + 2*b*c*d*e*f)*log(I*cos(f*x + e) - sin(f*x + e) + 1)
+ 3*(b*d^2*f^2*x^2 + 2*b*c*d*f^2*x - b*d^2*e^2 + 2*b*c*d*e*f)*log(-I*cos(f
*x + e) + sin(f*x + e) + 1) - 3*(b*d^2*f^2*x^2 + 2*b*c*d*f^2*x - b*d^2*e^2
+ 2*b*c*d*e*f)*log(-I*cos(f*x + e) - sin(f*x + e) + 1) + 3*(b*d^2*e^2 - 2*b
*c*d*e*f + b*c^2*f^2)*log(-cos(f*x + e) + I*sin(f*x + e) + I) - 3*(b*d^2*e^
2 - 2*b*c*d*e*f + b*c^2*f^2)*log(-cos(f*x + e) - I*sin(f*x + e) + I))/f^3
```

Sympy [F]

$$\int (c + dx)^2 (a + b \sec(e + fx)) dx = \int (a + b \sec(e + fx)) (c + dx)^2 dx$$

```
[In] integrate((d*x+c)**2*(a+b*sec(f*x+e)),x)
```

```
[Out] Integral((a + b*sec(e + f*x))*(c + d*x)**2, x)
```

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 516 vs. $2(129) = 258$.

Time = 0.38 (sec) , antiderivative size = 516, normalized size of antiderivative = 3.29

$$\int (c + dx)^2 (a + b \sec(e + fx)) dx$$

$$= \frac{6(fx + e)ac^2 + \frac{2(fx+e)^3 ad^2}{f^2} - \frac{6(fx+e)^2 ad^2 e}{f^2} + \frac{6(fx+e) ad^2 e^2}{f^2} + \frac{6(fx+e)^2 acd}{f} - \frac{12(fx+e) acde}{f} + 6bc^2 \log(\sec(fx + e))}{1}$$

[In] integrate((d*x+c)^2*(a+b*sec(f*x+e)),x, algorithm="maxima")

[Out] $\frac{1}{6} * (6 * (f * x + e) * a * c^2 + 2 * (f * x + e)^3 * a * d^2 / f^2 - 6 * (f * x + e)^2 * a * d^2 * e / f^2 + 6 * (f * x + e) * a * d^2 * e^2 / f^2 + 6 * (f * x + e)^2 * a * c * d / f - 12 * (f * x + e) * a * c * d * e / f + 6 * b * c^2 * \log(\sec(f * x + e) + \tan(f * x + e)) + 6 * b * d^2 * e^2 * \log(\sec(f * x + e) + \tan(f * x + e)) / f^2 - 12 * b * c * d * e * \log(\sec(f * x + e) + \tan(f * x + e)) / f + 3 * (4 * b * d^2 * \text{polylog}(3, I * e^{(I * f * x + I * e)}) - 4 * b * d^2 * \text{polylog}(3, -I * e^{(I * f * x + I * e)}) - 2 * (I * (f * x + e)^2 * b * d^2 + 2 * (-I * b * d^2 * e + I * b * c * d * f) * (f * x + e)) * \arctan2(\cos(f * x + e), \sin(f * x + e) + 1) - 2 * (I * (f * x + e)^2 * b * d^2 + 2 * (-I * b * d^2 * e + I * b * c * d * f) * (f * x + e)) * \arctan2(\cos(f * x + e), -\sin(f * x + e) + 1) - 4 * (I * (f * x + e) * b * d^2 - I * b * d^2 * e + I * b * c * d * f) * \text{dilog}(I * e^{(I * f * x + I * e)}) - 4 * (-I * (f * x + e) * b * d^2 + I * b * d^2 * e - I * b * c * d * f) * \text{dilog}(-I * e^{(I * f * x + I * e)}) + ((f * x + e)^2 * b * d^2 - 2 * (b * d^2 * e - b * c * d * f) * (f * x + e)) * \log(\cos(f * x + e)^2 + \sin(f * x + e)^2 + 2 * \sin(f * x + e) + 1) - ((f * x + e)^2 * b * d^2 - 2 * (b * d^2 * e - b * c * d * f) * (f * x + e)) * \log(\cos(f * x + e)^2 + \sin(f * x + e)^2 - 2 * \sin(f * x + e) + 1)) / f^2) / f$

Giac [F]

$$\int (c + dx)^2 (a + b \sec(e + fx)) dx = \int (dx + c)^2 (b \sec(fx + e) + a) dx$$

[In] integrate((d*x+c)^2*(a+b*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^2*(b*sec(f*x + e) + a), x)

Mupad [F(-1)]

Timed out.

$$\int (c + dx)^2 (a + b \sec(e + fx)) dx = \int \left(a + \frac{b}{\cos(e + fx)} \right) (c + dx)^2 dx$$

```
[In] int((a + b/cos(e + f*x))*(c + d*x)^2,x)
```

```
[Out] int((a + b/cos(e + f*x))*(c + d*x)^2, x)
```

3.26 $\int (c + dx)(a + b \sec(e + fx)) dx$

Optimal result	188
Rubi [A] (verified)	188
Mathematica [A] (verified)	190
Maple [A] (verified)	190
Fricas [B] (verification not implemented)	191
Sympy [F]	191
Maxima [F]	191
Giac [F]	192
Mupad [F(-1)]	192

Optimal result

Integrand size = 16, antiderivative size = 93

$$\int (c + dx)(a + b \sec(e + fx)) dx = \frac{a(c + dx)^2}{2d} - \frac{2ib(c + dx) \arctan(e^{i(e+fx)})}{f} + \frac{ibd \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{ibd \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2}$$

[Out] 1/2*a*(d*x+c)^2/d-2*I*b*(d*x+c)*arctan(exp(I*(f*x+e)))/f+I*b*d*polylog(2,-I*exp(I*(f*x+e)))/f^2-I*b*d*polylog(2,I*exp(I*(f*x+e)))/f^2

Rubi [A] (verified)

Time = 0.08 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4275, 4266, 2317, 2438}

$$\int (c + dx)(a + b \sec(e + fx)) dx = \frac{a(c + dx)^2}{2d} - \frac{2ib(c + dx) \arctan(e^{i(e+fx)})}{f} + \frac{ibd \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{ibd \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2}$$

[In] Int[(c + d*x)*(a + b*Sec[e + f*x]),x]

[Out] (a*(c + d*x)^2)/(2*d) - ((2*I)*b*(c + d*x)*ArcTan[E^(I*(e + f*x))])/f + (I*b*d*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - (I*b*d*PolyLog[2, I*E^(I*(e + f*x))])/f^2

Rule 2317

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4266

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4275

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \int (a(c + dx) + b(c + dx) \sec(e + fx)) dx \\
 &= \frac{a(c + dx)^2}{2d} + b \int (c + dx) \sec(e + fx) dx \\
 &= \frac{a(c + dx)^2}{2d} - \frac{2ib(c + dx) \arctan(e^{i(e+fx)})}{f} \\
 &\quad - \frac{(bd) \int \log(1 - ie^{i(e+fx)}) dx}{f} + \frac{(bd) \int \log(1 + ie^{i(e+fx)}) dx}{f} \\
 &= \frac{a(c + dx)^2}{2d} - \frac{2ib(c + dx) \arctan(e^{i(e+fx)})}{f} \\
 &\quad + \frac{(ibd) \text{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^2} - \frac{(ibd) \text{Subst}\left(\int \frac{\log(1+ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^2} \\
 &= \frac{a(c + dx)^2}{2d} - \frac{2ib(c + dx) \arctan(e^{i(e+fx)})}{f} \\
 &\quad + \frac{ibd \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{ibd \text{PolyLog}(2, ie^{i(e+fx)})}{f^2}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 104, normalized size of antiderivative = 1.12

$$\int (c + dx)(a + b \sec(e + fx)) dx = acx + \frac{1}{2}adx^2 - \frac{2ibdx \arctan(e^{ie+ifx})}{f} + \frac{b \operatorname{arctanh}(\sin(e + fx))}{f} + \frac{ibd \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{ibd \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2}$$

`[In] Integrate[(c + d*x)*(a + b*Sec[e + f*x]),x]`

```
[Out] a*c*x + (a*d*x^2)/2 - ((2*I)*b*d*x*ArcTan[E^(I*e + I*f*x)])/f + (b*c*ArcTan
h[Sin[e + f*x]])/f + (I*b*d*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - (I*b*d*
PolyLog[2, I*E^(I*(e + f*x))])/f^2
```

Maple [A] (verified)

Time = 0.30 (sec) , antiderivative size = 142, normalized size of antiderivative = 1.53

method	result
parts	$a\left(\frac{1}{2}dx^2 + xc\right) + \frac{b\left(\frac{d(-(fx+e)\ln(1+ie^{i(fx+e)})+(fx+e)\ln(1-ie^{i(fx+e)})+i\operatorname{dilog}(1+ie^{i(fx+e)})-i\operatorname{dilog}(1-ie^{i(fx+e)}))}{f}\right)}{f}$
derivativedivides	$\frac{ac(fx+e) - \frac{ade(fx+e)}{f} + \frac{ad(fx+e)^2}{2f} + bc\ln(\sec(fx+e)+\tan(fx+e)) - \frac{bde\ln(\sec(fx+e)+\tan(fx+e))}{f} + \frac{bd(-(fx+e)\ln(1+ie^{i(fx+e)})}{f}}$
default	$\frac{ac(fx+e) - \frac{ade(fx+e)}{f} + \frac{ad(fx+e)^2}{2f} + bc\ln(\sec(fx+e)+\tan(fx+e)) - \frac{bde\ln(\sec(fx+e)+\tan(fx+e))}{f} + \frac{bd(-(fx+e)\ln(1+ie^{i(fx+e)})}{f}}$
risch	$\frac{adx^2}{2} + axc - \frac{2ibc \arctan(e^{i(fx+e)})}{f} - \frac{bd \ln(1+ie^{i(fx+e)})x}{f} - \frac{bd \ln(1+ie^{i(fx+e)})e}{f^2} + \frac{bd \ln(1-ie^{i(fx+e)})x}{f} + \frac{bd \ln(1-ie^{i(fx+e)})e}{f^2}$

`[In] int((d*x+c)*(a+b*sec(f*x+e)),x,method=_RETURNVERBOSE)`

```
[Out] a*(1/2*d*x^2+x*c)+b/f*(1/f*d*(-(f*x+e)*ln(1+I*exp(I*(f*x+e)))+(f*x+e)*ln(1-
I*exp(I*(f*x+e)))+I*dilog(1+I*exp(I*(f*x+e)))-I*dilog(1-I*exp(I*(f*x+e))))+
c*ln(sec(f*x+e)+tan(f*x+e))-e/f*d*ln(sec(f*x+e)+tan(f*x+e))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 343 vs. $2(73) = 146$.

Time = 0.27 (sec) , antiderivative size = 343, normalized size of antiderivative = 3.69

$$\int (c + dx)(a + b \sec(e + fx)) dx$$

$$= \frac{adf^2x^2 + 2acfx - i bdLi_2(i \cos(fx + e) + \sin(fx + e)) - i bdLi_2(i \cos(fx + e) - \sin(fx + e)) + i bdLi_2(-i \cos(fx + e) + \sin(fx + e)) - i bdLi_2(-i \cos(fx + e) - \sin(fx + e))}{f^2}$$

[In] integrate((d*x+c)*(a+b*sec(f*x+e)),x, algorithm="fricas")

[Out] $\frac{1}{2}*(a*d*f^2*x^2 + 2*a*c*f^2*x - I*b*d*dilog(I*\cos(f*x + e) + \sin(f*x + e)) - I*b*d*dilog(I*\cos(f*x + e) - \sin(f*x + e)) + I*b*d*dilog(-I*\cos(f*x + e) + \sin(f*x + e)) + I*b*d*dilog(-I*\cos(f*x + e) - \sin(f*x + e)) - (b*d*e - b*c*f)*\log(\cos(f*x + e) + I*\sin(f*x + e) + I) + (b*d*e - b*c*f)*\log(\cos(f*x + e) - I*\sin(f*x + e) + I) + (b*d*f*x + b*d*e)*\log(I*\cos(f*x + e) + \sin(f*x + e) + 1) - (b*d*f*x + b*d*e)*\log(I*\cos(f*x + e) - \sin(f*x + e) + 1) + (b*d*f*x + b*d*e)*\log(-I*\cos(f*x + e) + \sin(f*x + e) + 1) - (b*d*f*x + b*d*e)*\log(-I*\cos(f*x + e) - \sin(f*x + e) + 1) - (b*d*e - b*c*f)*\log(-\cos(f*x + e) + I*\sin(f*x + e) + I) + (b*d*e - b*c*f)*\log(-\cos(f*x + e) - I*\sin(f*x + e) + I))/f^2$

Sympy [F]

$$\int (c + dx)(a + b \sec(e + fx)) dx = \int (a + b \sec(e + fx))(c + dx) dx$$

[In] integrate((d*x+c)*(a+b*sec(f*x+e)),x)

[Out] Integral((a + b*sec(e + f*x))*(c + d*x), x)

Maxima [F]

$$\int (c + dx)(a + b \sec(e + fx)) dx = \int (dx + c)(b \sec(fx + e) + a) dx$$

[In] integrate((d*x+c)*(a+b*sec(f*x+e)),x, algorithm="maxima")

[Out] $\frac{1}{2}*(a*d*f*x^2 + 2*a*c*f*x + 4*b*d*f*\text{integrate}((x*\cos(2*f*x + 2*e))*\cos(f*x + e) + x*\sin(2*f*x + 2*e)*\sin(f*x + e) + x*\cos(f*x + e))/(\cos(2*f*x + 2*e)^2 + \sin(2*f*x + 2*e)^2 + 2*\cos(2*f*x + 2*e) + 1), x) + b*c*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\sin(f*x + e) + 1) - b*c*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 - 2*\sin(f*x + e) + 1))/f$

Giac [F]

$$\int (c + dx)(a + b \sec(e + fx)) dx = \int (dx + c)(b \sec(fx + e) + a) dx$$

[In] integrate((d*x+c)*(a+b*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)*(b*sec(f*x + e) + a), x)

Mupad [F(-1)]

Timed out.

$$\int (c + dx)(a + b \sec(e + fx)) dx = \int \left(a + \frac{b}{\cos(e + fx)} \right) (c + dx) dx$$

[In] int((a + b/cos(e + f*x))*(c + d*x),x)

[Out] int((a + b/cos(e + f*x))*(c + d*x), x)

3.27 $\int \frac{a+b \sec(e+fx)}{c+dx} dx$

Optimal result	193
Rubi [N/A]	193
Mathematica [N/A]	194
Maple [N/A] (verified)	194
Fricas [N/A]	194
Sympy [N/A]	194
Maxima [N/A]	195
Giac [N/A]	195
Mupad [N/A]	195

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \text{Int}\left(\frac{a + b \sec(e + fx)}{c + dx}, x\right)$$

[Out] Unintegrable((a+b*sec(f*x+e))/(d*x+c),x)

Rubi [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{a + b \sec(e + fx)}{c + dx} dx$$

[In] Int[(a + b*Sec[e + f*x])/(c + d*x),x]

[Out] Defer[Int] [(a + b*Sec[e + f*x])/(c + d*x), x]

Rubi steps

$$\text{integral} = \int \frac{a + b \sec(e + fx)}{c + dx} dx$$

Mathematica [N/A]

Not integrable

Time = 1.00 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{a + b \sec(e + fx)}{c + dx} dx$$

[In] Integrate[(a + b*Sec[e + f*x])/(c + d*x),x]

[Out] Integrate[(a + b*Sec[e + f*x])/(c + d*x), x]

Maple [N/A] (verified)

Not integrable

Time = 0.33 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \sec(fx + e)}{dx + c} dx$$

[In] int((a+b*sec(f*x+e))/(d*x+c),x)

[Out] int((a+b*sec(f*x+e))/(d*x+c),x)

Fricas [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{b \sec(fx + e) + a}{dx + c} dx$$

[In] integrate((a+b*sec(f*x+e))/(d*x+c),x, algorithm="fricas")

[Out] integral((b*sec(f*x + e) + a)/(d*x + c), x)

Sympy [N/A]

Not integrable

Time = 0.68 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{a + b \sec(e + fx)}{c + dx} dx$$

[In] integrate((a+b*sec(f*x+e))/(d*x+c),x)

[Out] Integral((a + b*sec(e + f*x))/(c + d*x), x)

Maxima [N/A]

Not integrable

Time = 0.49 (sec) , antiderivative size = 116, normalized size of antiderivative = 6.44

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{b \sec(fx + e) + a}{dx + c} dx$$

[In] integrate((a+b*sec(f*x+e))/(d*x+c),x, algorithm="maxima")

[Out] (2*b*d*integrate((cos(2*f*x + 2*e)*cos(f*x + e) + sin(2*f*x + 2*e)*sin(f*x + e) + cos(f*x + e))/((d*x + c)*cos(2*f*x + 2*e)^2 + (d*x + c)*sin(2*f*x + 2*e)^2 + d*x + 2*(d*x + c)*cos(2*f*x + 2*e) + c), x) + a*log(d*x + c))/d

Giac [N/A]

Not integrable

Time = 0.41 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{b \sec(fx + e) + a}{dx + c} dx$$

[In] integrate((a+b*sec(f*x+e))/(d*x+c),x, algorithm="giac")

[Out] integrate((b*sec(f*x + e) + a)/(d*x + c), x)

Mupad [N/A]

Not integrable

Time = 13.15 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{a + \frac{b}{\cos(e+fx)}}{c + dx} dx$$

[In] int((a + b/cos(e + f*x))/(c + d*x),x)

[Out] int((a + b/cos(e + f*x))/(c + d*x), x)

3.28 $\int \frac{a+b \sec(e+fx)}{(c+dx)^2} dx$

Optimal result	196
Rubi [N/A]	196
Mathematica [N/A]	197
Maple [N/A] (verified)	197
Fricas [N/A]	197
Sympy [N/A]	197
Maxima [N/A]	198
Giac [N/A]	198
Mupad [N/A]	198

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \text{Int}\left(\frac{a + b \sec(e + fx)}{(c + dx)^2}, x\right)$$

[Out] Unintegrable((a+b*sec(f*x+e))/(d*x+c)^2,x)

Rubi [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx$$

[In] Int[(a + b*Sec[e + f*x])/(c + d*x)^2,x]

[Out] Defer[Int][(a + b*Sec[e + f*x])/(c + d*x)^2, x]

Rubi steps

$$\text{integral} = \int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx$$

Mathematica [N/A]

Not integrable

Time = 1.53 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx$$

[In] Integrate[(a + b*Sec[e + f*x])/(c + d*x)^2,x]

[Out] Integrate[(a + b*Sec[e + f*x])/(c + d*x)^2, x]

Maple [N/A] (verified)

Not integrable

Time = 0.53 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \sec(fx + e)}{(dx + c)^2} dx$$

[In] int((a+b*sec(f*x+e))/(d*x+c)^2,x)

[Out] int((a+b*sec(f*x+e))/(d*x+c)^2,x)

Fricas [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.72

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{b \sec(fx + e) + a}{(dx + c)^2} dx$$

[In] integrate((a+b*sec(f*x+e))/(d*x+c)^2,x, algorithm="fricas")

[Out] integral((b*sec(f*x + e) + a)/(d^2*x^2 + 2*c*d*x + c^2), x)

Sympy [N/A]

Not integrable

Time = 2.62 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx$$

[In] integrate((a+b*sec(f*x+e))/(d*x+c)**2,x)

[Out] Integral((a + b*sec(e + f*x))/(c + d*x)**2, x)

Maxima [N/A]

Not integrable

Time = 0.52 (sec) , antiderivative size = 172, normalized size of antiderivative = 9.56

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{b \sec(fx + e) + a}{(dx + c)^2} dx$$

[In] integrate((a+b*sec(f*x+e))/(d*x+c)^2,x, algorithm="maxima")

[Out] (2*(b*d^2*x + b*c*d)*integrate((cos(2*f*x + 2*e)*cos(f*x + e) + sin(2*f*x + 2*e)*sin(f*x + e) + cos(f*x + e))/(d^2*x^2 + 2*c*d*x + (d^2*x^2 + 2*c*d*x + c^2)*cos(2*f*x + 2*e)^2 + (d^2*x^2 + 2*c*d*x + c^2)*sin(2*f*x + 2*e)^2 + c^2 + 2*(d^2*x^2 + 2*c*d*x + c^2)*cos(2*f*x + 2*e)), x) - a)/(d^2*x + c*d)

Giac [N/A]

Not integrable

Time = 2.20 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{b \sec(fx + e) + a}{(dx + c)^2} dx$$

[In] integrate((a+b*sec(f*x+e))/(d*x+c)^2,x, algorithm="giac")

[Out] integrate((b*sec(f*x + e) + a)/(d*x + c)^2, x)

Mupad [N/A]

Not integrable

Time = 13.62 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + \frac{b}{\cos(e+fx)}}{(c + dx)^2} dx$$

[In] int((a + b/cos(e + f*x))/(c + d*x)^2,x)

[Out] int((a + b/cos(e + f*x))/(c + d*x)^2, x)

3.29 $\int (c + dx)^3 (a + b \sec(e + fx))^2 dx$

Optimal result	199
Rubi [A] (verified)	200
Mathematica [A] (verified)	204
Maple [B] (verified)	205
Fricas [B] (verification not implemented)	206
Sympy [F]	207
Maxima [B] (verification not implemented)	207
Giac [F]	209
Mupad [F(-1)]	210

Optimal result

Integrand size = 20, antiderivative size = 364

$$\begin{aligned}
 \int (c + dx)^3 (a + b \sec(e + fx))^2 dx = & -\frac{ib^2(c + dx)^3}{f} + \frac{a^2(c + dx)^4}{4d} \\
 & - \frac{4iab(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \\
 & + \frac{3b^2d(c + dx)^2 \log(1 + e^{2i(e+fx)})}{f^2} \\
 & + \frac{6iabd(c + dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
 & - \frac{6iabd(c + dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
 & - \frac{3ib^2d^2(c + dx) \operatorname{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\
 & - \frac{12abd^2(c + dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
 & + \frac{12abd^2(c + dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
 & + \frac{3b^2d^3 \operatorname{PolyLog}(3, -e^{2i(e+fx)})}{2f^4} \\
 & - \frac{12iabd^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} \\
 & + \frac{12iabd^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4} \\
 & + \frac{b^2(c + dx)^3 \tan(e + fx)}{f}
 \end{aligned}$$

```
[Out] -I*b^2*(d*x+c)^3/f+1/4*a^2*(d*x+c)^4/d-4*I*a*b*(d*x+c)^3*arctan(exp(I*(f*x+
e)))/f+3*b^2*d*(d*x+c)^2*ln(1+exp(2*I*(f*x+e)))/f^2+6*I*a*b*d*(d*x+c)^2*pol
ylog(2,-I*exp(I*(f*x+e)))/f^2-6*I*a*b*d*(d*x+c)^2*polylog(2,I*exp(I*(f*x+e)
))/f^2-3*I*b^2*d^2*(d*x+c)*polylog(2,-exp(2*I*(f*x+e)))/f^3-12*a*b*d^2*(d*x
+c)*polylog(3,-I*exp(I*(f*x+e)))/f^3+12*a*b*d^2*(d*x+c)*polylog(3,I*exp(I*(
f*x+e)))/f^3+3/2*b^2*d^3*polylog(3,-exp(2*I*(f*x+e)))/f^4-12*I*a*b*d^3*pol
ylog(4,-I*exp(I*(f*x+e)))/f^4+12*I*a*b*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4+b
^2*(d*x+c)^3*tan(f*x+e)/f
```

Rubi [A] (verified)

Time = 0.53 (sec) , antiderivative size = 364, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {4275, 4266, 2611, 6744, 2320, 6724, 4269, 3800, 2221}

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \frac{a^2(c + dx)^4}{4d} - \frac{4iab(c + dx)^3 \arctan(e^{i(e+fx)})}{f} - \frac{12abd^2(c + dx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{12abd^2(c + dx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{6iabd(c + dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{6iabd(c + dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{12iabd^3 \text{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \frac{12iabd^3 \text{PolyLog}(4, ie^{i(e+fx)})}{f^4} - \frac{3ib^2d^2(c + dx) \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} + \frac{3b^2d(c + dx)^2 \log(1 + e^{2i(e+fx)})}{f^2} + \frac{b^2(c + dx)^3 \tan(e + fx)}{f} - \frac{ib^2(c + dx)^3}{f} + \frac{3b^2d^3 \text{PolyLog}(3, -e^{2i(e+fx)})}{2f^4}$$

```
[In] Int[(c + d*x)^3*(a + b*Sec[e + f*x])^2,x]
```

```
[Out] ((-I)*b^2*(c + d*x)^3)/f + (a^2*(c + d*x)^4)/(4*d) - ((4*I)*a*b*(c + d*x)^3
*ArcTan[E^(I*(e + f*x))])/f + (3*b^2*d*(c + d*x)^2*Log[1 + E^((2*I)*(e + f*
```



```
x)))]/f^2 + ((6*I)*a*b*d*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(e + f*x))]/f^2
- ((6*I)*a*b*d*(c + d*x)^2*PolyLog[2, I*E^(I*(e + f*x))]/f^2 - ((3*I)*b^2*
d^2*(c + d*x)*PolyLog[2, -E^((2*I)*(e + f*x))]/f^3 - (12*a*b*d^2*(c + d*x)
*PolyLog[3, (-I)*E^(I*(e + f*x))]/f^3 + (12*a*b*d^2*(c + d*x)*PolyLog[3, I
*E^(I*(e + f*x))]/f^3 + (3*b^2*d^3*PolyLog[3, -E^((2*I)*(e + f*x))]/(2*f^
4) - ((12*I)*a*b*d^3*PolyLog[4, (-I)*E^(I*(e + f*x))]/f^4 + ((12*I)*a*b*d^
3*PolyLog[4, I*E^(I*(e + f*x))]/f^4 + (b^2*(c + d*x)^3*Tan[e + f*x])/f
```

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*(f_) + (g_)
*(x_)^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3800

```
Int[((c_) + (d_)*(x_))^(m_)*tan[(e_) + (f_)*(x_)], x_Symbol] := Simp[I
*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x)))], x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4266

```
Int[csc[(e_) + Pi*(k_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol
] := Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Di
st[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x)
)], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4269

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp
[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*
Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 4275

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.),
x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6744

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int (a^2(c + dx)^3 + 2ab(c + dx)^3 \sec(e + fx) + b^2(c + dx)^3 \sec^2(e + fx)) dx \\
&= \frac{a^2(c + dx)^4}{4d} + (2ab) \int (c + dx)^3 \sec(e + fx) dx + b^2 \int (c + dx)^3 \sec^2(e + fx) dx \\
&= \frac{a^2(c + dx)^4}{4d} - \frac{4iab(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{b^2(c + dx)^3 \tan(e + fx)}{f} - \frac{(6abd) \int (c + dx)^2 \log(1 - ie^{i(e+fx)}) dx}{f} \\
&\quad + \frac{(6abd) \int (c + dx)^2 \log(1 + ie^{i(e+fx)}) dx}{f} - \frac{(3b^2d) \int (c + dx)^2 \tan(e + fx) dx}{f}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ib^2(c+dx)^3}{f} + \frac{a^2(c+dx)^4}{4d} - \frac{4iab(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{6iabd(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{6iabd(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&\quad + \frac{b^2(c+dx)^3 \tan(e+fx)}{f} - \frac{(12iabd^2) \int (c+dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)}) dx}{f^2} \\
&\quad + \frac{(12iabd^2) \int (c+dx) \operatorname{PolyLog}(2, ie^{i(e+fx)}) dx}{f^2} + \frac{(6ib^2d) \int \frac{e^{2i(e+fx)}(c+dx)^2}{1+e^{2i(e+fx)}} dx}{f} \\
&= -\frac{ib^2(c+dx)^3}{f} + \frac{a^2(c+dx)^4}{4d} - \frac{4iab(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{3b^2d(c+dx)^2 \log(1+e^{2i(e+fx)})}{f^2} + \frac{6iabd(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{6iabd(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{12abd^2(c+dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
&\quad + \frac{12abd^2(c+dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{b^2(c+dx)^3 \tan(e+fx)}{f} \\
&\quad + \frac{(12abd^3) \int \operatorname{PolyLog}(3, -ie^{i(e+fx)}) dx}{f^3} - \frac{(12abd^3) \int \operatorname{PolyLog}(3, ie^{i(e+fx)}) dx}{f^3} \\
&\quad - \frac{(6b^2d^2) \int (c+dx) \log(1+e^{2i(e+fx)}) dx}{f^2} \\
&= -\frac{ib^2(c+dx)^3}{f} + \frac{a^2(c+dx)^4}{4d} - \frac{4iab(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{3b^2d(c+dx)^2 \log(1+e^{2i(e+fx)})}{f^2} + \frac{6iabd(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{6iabd(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{3ib^2d^2(c+dx) \operatorname{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\
&\quad - \frac{12abd^2(c+dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{12abd^2(c+dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&\quad + \frac{b^2(c+dx)^3 \tan(e+fx)}{f} - \frac{(12iabd^3) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(3, -ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^4} \\
&\quad + \frac{(12iabd^3) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(3, ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^4} \\
&\quad + \frac{(3ib^2d^3) \int \operatorname{PolyLog}(2, -e^{2i(e+fx)}) dx}{f^3}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ib^2(c+dx)^3}{f} + \frac{a^2(c+dx)^4}{4d} - \frac{4iab(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3b^2d(c+dx)^2 \log(1+e^{2i(e+fx)})}{f^2} + \frac{6iabd(c+dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&- \frac{6iabd(c+dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{3ib^2d^2(c+dx) \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\
&- \frac{12abd^2(c+dx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{12abd^2(c+dx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&- \frac{12iabd^3 \text{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \frac{12iabd^3 \text{PolyLog}(4, ie^{i(e+fx)})}{f^4} \\
&+ \frac{b^2(c+dx)^3 \tan(e+fx)}{f} + \frac{(3b^2d^3) \text{Subst}\left(\int \frac{\text{PolyLog}(2, -x)}{x} dx, x, e^{2i(e+fx)}\right)}{2f^4} \\
&= -\frac{ib^2(c+dx)^3}{f} + \frac{a^2(c+dx)^4}{4d} - \frac{4iab(c+dx)^3 \arctan(e^{i(e+fx)})}{f} \\
&+ \frac{3b^2d(c+dx)^2 \log(1+e^{2i(e+fx)})}{f^2} + \frac{6iabd(c+dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&- \frac{6iabd(c+dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{3ib^2d^2(c+dx) \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\
&- \frac{12abd^2(c+dx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{12abd^2(c+dx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
&+ \frac{3b^2d^3 \text{PolyLog}(3, -e^{2i(e+fx)})}{2f^4} - \frac{12iabd^3 \text{PolyLog}(4, -ie^{i(e+fx)})}{f^4} \\
&+ \frac{12iabd^3 \text{PolyLog}(4, ie^{i(e+fx)})}{f^4} + \frac{b^2(c+dx)^3 \tan(e+fx)}{f}
\end{aligned}$$

Mathematica [A] (verified)

Time = 2.59 (sec) , antiderivative size = 646, normalized size of antiderivative = 1.77

$$\int (c+dx)^3 (a+b \sec(e+fx))^2 dx$$

$$= \frac{4a^2c^3f^4x - 12ib^2cd^2f^3x^2 + 6a^2c^2df^4x^2 - 4ib^2d^3f^3x^3 + 4a^2cd^2f^4x^3 + a^2d^3f^4x^4 - 48iabc^2df^3x \arctan(e^{i(e+fx)})}{1}$$

[In] Integrate[(c + d*x)^3*(a + b*Sec[e + f*x])^2,x]

[Out] (4*a^2*c^3*f^4*x - (12*I)*b^2*c*d^2*f^3*x^2 + 6*a^2*c^2*d*f^4*x^2 - (4*I)*b^2*d^3*f^3*x^3 + 4*a^2*c*d^2*f^4*x^3 + a^2*d^3*f^4*x^4 - (48*I)*a*b*c^2*d*f^3*x*ArcTan[E^(I*(e + f*x))] - (48*I)*a*b*c*d^2*f^3*x^2*ArcTan[E^(I*(e + f*x))] - (16*I)*a*b*d^3*f^3*x^3*ArcTan[E^(I*(e + f*x))] + 8*a*b*c^3*f^3*ArcTanh[Sin[e + f*x]] + 24*b^2*c*d^2*f^2*x*Log[1 + E^((2*I)*(e + f*x))] + 12*b^2

$$\begin{aligned} & *d^3f^2x^2\text{Log}[1 + E^{((2I)*(e + f*x))}] + 12*b^2c^2d*f^2\text{Log}[\text{Cos}[e + f*x]] \\ & + (24*I)*a*b*d*f^2*(c + d*x)^2*\text{PolyLog}[2, (-I)*E^{(I*(e + f*x))}] - (24*I) \\ &)*a*b*d*f^2*(c + d*x)^2*\text{PolyLog}[2, I*E^{(I*(e + f*x))}] - (12*I)*b^2*c*d^2*f* \\ & \text{PolyLog}[2, -E^{((2I)*(e + f*x))}] - (12*I)*b^2*d^3*f*x*\text{PolyLog}[2, -E^{((2I)*} \\ & (e + f*x))] - 48*a*b*c*d^2*f*\text{PolyLog}[3, (-I)*E^{(I*(e + f*x))}] - 48*a*b*d^3* \\ & f*x*\text{PolyLog}[3, (-I)*E^{(I*(e + f*x))}] + 48*a*b*c*d^2*f*\text{PolyLog}[3, I*E^{(I*(e} \\ & + f*x))] + 48*a*b*d^3*f*x*\text{PolyLog}[3, I*E^{(I*(e + f*x))}] + 6*b^2*d^3*\text{PolyLog} \\ & [3, -E^{((2I)*(e + f*x))}] - (48*I)*a*b*d^3*\text{PolyLog}[4, (-I)*E^{(I*(e + f*x))}] \\ & + (48*I)*a*b*d^3*\text{PolyLog}[4, I*E^{(I*(e + f*x))}] + 4*b^2*c^3*f^3*\text{Tan}[e + f*x] \\ &] + 12*b^2*c^2*d*f^3*x*\text{Tan}[e + f*x] + 12*b^2*c*d^2*f^3*x^2*\text{Tan}[e + f*x] + 4 \\ & *b^2*d^3*f^3*x^3*\text{Tan}[e + f*x])/(4*f^4) \end{aligned}$$

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1488 vs. $2(327) = 654$.

Time = 1.65 (sec) , antiderivative size = 1489, normalized size of antiderivative = 4.09

method	result	size
risch	Expression too large to display	1489

[In] `int((d*x+c)^3*(a+b*sec(f*x+e))^2,x,method=_RETURNVERBOSE)`

[Out]
$$\begin{aligned} & 6/f^2*b^2*c*d^2*\ln(1+\exp(2*I*(f*x+e)))*x-12/f^3*b*d^3*a*\text{polylog}(3,-I*\exp(I* \\ & (f*x+e)))*x+12/f^3*b*d^2*c*a*\text{polylog}(3,I*\exp(I*(f*x+e)))+2/f^4*b*a*e^3*d^3* \\ & \ln(1-I*\exp(I*(f*x+e)))-2/f^4*b*a*e^3*d^3*\ln(1+I*\exp(I*(f*x+e)))-4*I/f*b*a*c \\ & ^3*\arctan(\exp(I*(f*x+e)))+6*I/f^3*b^2*d^3*e^2*x-6*I/f^3*b^2*d^3*\text{polylog}(2,I \\ & * \exp(I*(f*x+e)))*x-6*I/f^4*b^2*d^3*\text{polylog}(2,I*\exp(I*(f*x+e)))*e+6/f^4*b^2* \\ & d^3*\text{polylog}(3,I*\exp(I*(f*x+e)))+6/f^4*b^2*d^3*\text{polylog}(3,-I*\exp(I*(f*x+e)))+ \\ & 6/f*b*d^2*c*a*\ln(1-I*\exp(I*(f*x+e)))*x^2-6/f^3*b*e^2*a*c*d^2*\ln(1-I*\exp(I*(\\ & f*x+e)))-6/f*b*a*c^2*d*\ln(1+I*\exp(I*(f*x+e)))*x+6/f*b*a*c^2*d*\ln(1-I*\exp(I* \\ & (f*x+e)))*x+2*I*b^2*(d^3*x^3+3*c*d^2*x^2+3*c^2*d*x+c^3)/f/(1+\exp(2*I*(f*x+e \\ &))) + 12/f^3*b^2*c*d^2*e*\ln(\exp(I*(f*x+e)))-12*I*a*b*d^3*\text{polylog}(4,-I*\exp(I*(\\ & f*x+e)))/f^4+12*I*a*b*d^3*\text{polylog}(4,I*\exp(I*(f*x+e)))/f^4-6*I/f^4*b^2*d^3*p \\ & olylog(2,-I*\exp(I*(f*x+e)))*e-6*I/f*b^2*c*d^2*x^2-6*I/f^3*b^2*c*d^2*e^2+a^2 \\ & *d^2*c*x^3+3/2*a^2*d*c^2*x^2+a^2*c^3*x+6/f^2*b*a*c^2*d*\ln(1-I*\exp(I*(f*x+e \\ &)))*e+6/f^3*b*e^2*a*c*d^2*\ln(1+I*\exp(I*(f*x+e)))-6/f^2*b*a*c^2*d*\ln(1+I*\exp(\\ & I*(f*x+e)))*e-6/f*b*d^2*c*a*\ln(1+I*\exp(I*(f*x+e)))*x^2-12*I/f^2*b^2*c*d^2*e \\ & *x+4*I/f^4*b*a*d^3*e^3*\arctan(\exp(I*(f*x+e)))+6*I/f^2*b*a*c^2*d*\text{polylog}(2,- \\ & I*\exp(I*(f*x+e)))-6*I/f^2*b*a*c^2*d*\text{polylog}(2,I*\exp(I*(f*x+e)))-6*I/f^2*b*d \\ & ^3*a*\text{polylog}(2,I*\exp(I*(f*x+e)))*x^2+6*I/f^2*b*d^3*a*\text{polylog}(2,-I*\exp(I*(f* \\ & x+e)))*x^2+12/f^3*b*d^3*a*\text{polylog}(3,I*\exp(I*(f*x+e)))*x+6/f^3*b^2*d^3*\ln(1- \\ & I*\exp(I*(f*x+e)))*e*x+6/f^3*b^2*d^3*\ln(1+I*\exp(I*(f*x+e)))*e*x-2/f*b*d^3*a* \\ & \ln(1+I*\exp(I*(f*x+e)))*x^3+2/f*b*d^3*a*\ln(1-I*\exp(I*(f*x+e)))*x^3-12*I/f^3* \\ & b*a*c*d^2*e^2*\arctan(\exp(I*(f*x+e)))+12*I/f^2*b*d^2*c*a*\text{polylog}(2,-I*\exp(I* \end{aligned}$$

```
(f*x+e))*x-12*I/f^2*b*d^2*c*a*polylog(2,I*exp(I*(f*x+e)))*x+12*I/f^2*b*a*c
^2*d*e*arctan(exp(I*(f*x+e)))-6/f^3*b^2*e*d^3*ln(1+exp(2*I*(f*x+e)))*x-12/f
^3*b*d^2*c*a*polylog(3,-I*exp(I*(f*x+e)))+3/f^4*b^2*d^3*ln(1-I*exp(I*(f*x+e
)))e^2-3/f^4*b^2*e^2*d^3*ln(1+exp(2*I*(f*x+e)))+3/f^2*b^2*c^2*d*ln(1+exp(2
*I*(f*x+e)))+3/f^4*b^2*d^3*ln(1+I*exp(I*(f*x+e)))*e^2+3/f^2*b^2*d^3*ln(1-I*
exp(I*(f*x+e)))*x^2-6/f^2*b^2*c^2*d*ln(exp(I*(f*x+e)))+3/f^2*b^2*d^3*ln(1+I
*exp(I*(f*x+e)))*x^2-6/f^4*b^2*d^3*e^2*ln(exp(I*(f*x+e)))-2*I/f*b^2*d^3*x^3
+4*I/f^4*b^2*d^3*e^3-3*I/f^3*b^2*c*d^2*polylog(2,-exp(2*I*(f*x+e)))+1/4*a^2
*d^3*x^4+1/4*a^2/d*c^4+3*I/f^4*b^2*e*d^3*polylog(2,-exp(2*I*(f*x+e)))-6*I/f
^3*b^2*d^3*polylog(2,-I*exp(I*(f*x+e)))*x
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1823 vs. $2(311) = 622$.

Time = 0.38 (sec) , antiderivative size = 1823, normalized size of antiderivative = 5.01

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \text{Too large to display}$$

```
[In] integrate((d*x+c)^3*(a+b*sec(f*x+e))^2,x, algorithm="fricas")
```

```
[Out] 1/4*(24*I*a*b*d^3*cos(f*x + e)*polylog(4, I*cos(f*x + e) + sin(f*x + e)) +
24*I*a*b*d^3*cos(f*x + e)*polylog(4, I*cos(f*x + e) - sin(f*x + e)) - 24*I*
a*b*d^3*cos(f*x + e)*polylog(4, -I*cos(f*x + e) + sin(f*x + e)) - 24*I*a*b*
d^3*cos(f*x + e)*polylog(4, -I*cos(f*x + e) - sin(f*x + e)) - 12*(I*a*b*d^3
*f^2*x^2 + I*a*b*c^2*d*f^2 - I*b^2*c*d^2*f + I*(2*a*b*c*d^2*f^2 - b^2*d^3*f
)*x)*cos(f*x + e)*dilog(I*cos(f*x + e) + sin(f*x + e)) - 12*(I*a*b*d^3*f^2*
x^2 + I*a*b*c^2*d*f^2 + I*b^2*c*d^2*f + I*(2*a*b*c*d^2*f^2 + b^2*d^3*f)*x)*
cos(f*x + e)*dilog(I*cos(f*x + e) - sin(f*x + e)) - 12*(-I*a*b*d^3*f^2*x^2
- I*a*b*c^2*d*f^2 + I*b^2*c*d^2*f - I*(2*a*b*c*d^2*f^2 - b^2*d^3*f)*x)*cos(
f*x + e)*dilog(-I*cos(f*x + e) + sin(f*x + e)) - 12*(-I*a*b*d^3*f^2*x^2 - I
*a*b*c^2*d*f^2 - I*b^2*c*d^2*f - I*(2*a*b*c*d^2*f^2 + b^2*d^3*f)*x)*cos(f*x
+ e)*dilog(-I*cos(f*x + e) - sin(f*x + e)) - 2*(2*a*b*d^3*e^3 - 2*a*b*c^3*
f^3 - 3*b^2*d^3*e^2 + 3*(2*a*b*c^2*d*e - b^2*c^2*d)*f^2 - 6*(a*b*c*d^2*e^2
- b^2*c*d^2*e)*f)*cos(f*x + e)*log(cos(f*x + e) + I*sin(f*x + e) + I) + 2*(
2*a*b*d^3*e^3 - 2*a*b*c^3*f^3 + 3*b^2*d^3*e^2 + 3*(2*a*b*c^2*d*e + b^2*c^2*
d)*f^2 - 6*(a*b*c*d^2*e^2 + b^2*c*d^2*e)*f)*cos(f*x + e)*log(cos(f*x + e) -
I*sin(f*x + e) + I) + 2*(2*a*b*d^3*f^3*x^3 + 2*a*b*d^3*e^3 + 6*a*b*c^2*d*e
*f^2 - 3*b^2*d^3*e^2 + 3*(2*a*b*c*d^2*f^3 + b^2*d^3*f^2)*x^2 - 6*(a*b*c*d^2
*e^2 - b^2*c*d^2*e)*f + 6*(a*b*c^2*d*f^3 + b^2*c*d^2*f^2)*x)*cos(f*x + e)*l
og(I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(2*a*b*d^3*f^3*x^3 + 2*a*b*d^3*e^
3 + 6*a*b*c^2*d*e*f^2 + 3*b^2*d^3*e^2 + 3*(2*a*b*c*d^2*f^3 - b^2*d^3*f^2)*x
^2 - 6*(a*b*c*d^2*e^2 + b^2*c*d^2*e)*f + 6*(a*b*c^2*d*f^3 - b^2*c*d^2*f^2)*
x)*cos(f*x + e)*log(I*cos(f*x + e) - sin(f*x + e) + 1) + 2*(2*a*b*d^3*f^3*x
```

$$\begin{aligned} &^3 + 2*a*b*d^3*e^3 + 6*a*b*c^2*d*e*f^2 - 3*b^2*d^3*e^2 + 3*(2*a*b*c*d^2*f^3 \\ &+ b^2*d^3*f^2)*x^2 - 6*(a*b*c*d^2*e^2 - b^2*c*d^2*e)*f + 6*(a*b*c^2*d*f^3 \\ &+ b^2*c*d^2*f^2)*x)*\cos(f*x + e)*\log(-I*\cos(f*x + e) + \sin(f*x + e) + 1) - \\ &2*(2*a*b*d^3*f^3*x^3 + 2*a*b*d^3*e^3 + 6*a*b*c^2*d*e*f^2 + 3*b^2*d^3*e^2 + \\ &3*(2*a*b*c*d^2*f^3 - b^2*d^3*f^2)*x^2 - 6*(a*b*c*d^2*e^2 + b^2*c*d^2*e)*f + \\ &6*(a*b*c^2*d*f^3 - b^2*c*d^2*f^2)*x)*\cos(f*x + e)*\log(-I*\cos(f*x + e) - \sin \\ &(f*x + e) + 1) - 2*(2*a*b*d^3*e^3 - 2*a*b*c^3*f^3 - 3*b^2*d^3*e^2 + 3*(2*a \\ &*b*c^2*d*e - b^2*c^2*d)*f^2 - 6*(a*b*c*d^2*e^2 - b^2*c*d^2*e)*f)*\cos(f*x + \\ &e)*\log(-\cos(f*x + e) + I*\sin(f*x + e) + I) + 2*(2*a*b*d^3*e^3 - 2*a*b*c^3*f \\ &^3 + 3*b^2*d^3*e^2 + 3*(2*a*b*c^2*d*e + b^2*c^2*d)*f^2 - 6*(a*b*c*d^2*e^2 + \\ &b^2*c*d^2*e)*f)*\cos(f*x + e)*\log(-\cos(f*x + e) - I*\sin(f*x + e) + I) - 12* \\ &(2*a*b*d^3*f*x + 2*a*b*c*d^2*f - b^2*d^3)*\cos(f*x + e)*\text{polylog}(3, I*\cos(f*x \\ &+ e) + \sin(f*x + e)) + 12*(2*a*b*d^3*f*x + 2*a*b*c*d^2*f + b^2*d^3)*\cos(f* \\ &x + e)*\text{polylog}(3, I*\cos(f*x + e) - \sin(f*x + e)) - 12*(2*a*b*d^3*f*x + 2*a* \\ &b*c*d^2*f - b^2*d^3)*\cos(f*x + e)*\text{polylog}(3, -I*\cos(f*x + e) + \sin(f*x + e) \\ &) + 12*(2*a*b*d^3*f*x + 2*a*b*c*d^2*f + b^2*d^3)*\cos(f*x + e)*\text{polylog}(3, -I \\ &*\cos(f*x + e) - \sin(f*x + e)) + (a^2*d^3*f^4*x^4 + 4*a^2*c*d^2*f^4*x^3 + 6* \\ &a^2*c^2*d*f^4*x^2 + 4*a^2*c^3*f^4*x)*\cos(f*x + e) + 4*(b^2*d^3*f^3*x^3 + 3* \\ &b^2*c*d^2*f^3*x^2 + 3*b^2*c^2*d*f^3*x + b^2*c^3*f^3)*\sin(f*x + e))/(f^4*\cos \\ &(f*x + e)) \end{aligned}$$

Sympy [F]

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \int (a + b \sec(e + fx))^2 (c + dx)^3 dx$$

[In] integrate((d*x+c)**3*(a+b*sec(f*x+e))**2,x)

[Out] Integral((a + b*sec(e + f*x))**2*(c + d*x)**3, x)

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 3267 vs. $2(311) = 622$.

Time = 0.72 (sec) , antiderivative size = 3267, normalized size of antiderivative = 8.98

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \text{Too large to display}$$

[In] integrate((d*x+c)^3*(a+b*sec(f*x+e))^2,x, algorithm="maxima")

[Out] $\frac{1}{4}(4*(f*x + e)*a^2*c^3 + (f*x + e)^4*a^2*d^3/f^3 - 4*(f*x + e)^3*a^2*d^3*e/f^3 + 6*(f*x + e)^2*a^2*d^3*e^2/f^3 - 4*(f*x + e)*a^2*d^3*e^3/f^3 + 4*(f*$

$$\begin{aligned}
& x + e)^3 a^2 c^2 d^2 / f^2 - 12 (f x + e)^2 a^2 c^2 d^2 e / f^2 + 12 (f x + e) a^2 c^2 d^2 e^2 / f^2 + 6 (f x + e)^2 a^2 c^2 d^2 e / f - 12 (f x + e) a^2 c^2 d^2 e / f + 8 a^2 b^3 c^3 \log(\sec(f x + e) + \tan(f x + e)) - 8 a^2 b^3 d^3 e^3 \log(\sec(f x + e) + \tan(f x + e)) / f^3 + 24 a^2 b^3 c^2 d^2 e^2 \log(\sec(f x + e) + \tan(f x + e)) / f^2 - 24 a^2 b^3 c^2 d^2 e \log(\sec(f x + e) + \tan(f x + e)) / f - 4 (4 b^2 d^3 e^3 - 12 b^2 c^2 d^2 e^2 f + 12 b^2 c^2 d^2 e f^2 - 4 b^2 c^3 f^3 + 4 ((f x + e)^3 a^2 b^3 d^3 - 3 (a^2 b^3 d^3 e - a^2 b^3 c^2 d^2 f) (f x + e)^2 + 3 (a^2 b^3 d^3 e^2 - 2 a^2 b^3 c^2 d^2 e f + a^2 b^3 c^2 d^2 f^2) (f x + e) + ((f x + e)^3 a^2 b^3 d^3 - 3 (a^2 b^3 d^3 e - a^2 b^3 c^2 d^2 f) (f x + e)^2 + 3 (a^2 b^3 d^3 e^2 - 2 a^2 b^3 c^2 d^2 e f + a^2 b^3 c^2 d^2 f^2) (f x + e)) \cos(2 f x + 2 e) + (I (f x + e)^3 a^2 b^3 d^3 + 3 (-I a^2 b^3 d^3 e + I a^2 b^3 c^2 d^2 f) (f x + e)^2 + 3 (I a^2 b^3 d^3 e^2 - 2 I a^2 b^3 c^2 d^2 e f + I a^2 b^3 c^2 d^2 f^2) (f x + e)) \sin(2 f x + 2 e) * \arctan 2(\cos(f x + e), \sin(f x + e) + 1) + 4 ((f x + e)^3 a^2 b^3 d^3 - 3 (a^2 b^3 d^3 e - a^2 b^3 c^2 d^2 f) (f x + e)^2 + 3 (a^2 b^3 d^3 e^2 - 2 a^2 b^3 c^2 d^2 e f + a^2 b^3 c^2 d^2 f^2) (f x + e) + ((f x + e)^3 a^2 b^3 d^3 - 3 (a^2 b^3 d^3 e - a^2 b^3 c^2 d^2 f) (f x + e)^2 + 3 (a^2 b^3 d^3 e^2 - 2 a^2 b^3 c^2 d^2 e f + a^2 b^3 c^2 d^2 f^2) (f x + e)) \cos(2 f x + 2 e) + (I (f x + e)^3 a^2 b^3 d^3 + 3 (-I a^2 b^3 d^3 e + I a^2 b^3 c^2 d^2 f) (f x + e)^2 + 3 (I a^2 b^3 d^3 e^2 - 2 I a^2 b^3 c^2 d^2 e f + I a^2 b^3 c^2 d^2 f^2) (f x + e)) \sin(2 f x + 2 e) * \arctan 2(\cos(f x + e), -\sin(f x + e) + 1) - 6 ((f x + e)^2 b^2 d^3 + b^2 d^3 e^2 - 2 b^2 c^2 d^2 e f + b^2 c^2 d^2 f^2 - 2 (b^2 d^3 e - b^2 c^2 d^2 f) (f x + e)) \cos(2 f x + 2 e) - (-I (f x + e)^2 b^2 d^3 - I b^2 d^3 e^2 + 2 I b^2 c^2 d^2 e f - I b^2 c^2 d^2 f^2 + 2 (I b^2 d^3 e - I b^2 c^2 d^2 f) (f x + e)) \sin(2 f x + 2 e) * \arctan 2(\sin(2 f x + 2 e), \cos(2 f x + 2 e) + 1) + 4 ((f x + e)^3 b^2 d^3 - 3 (b^2 d^3 e - b^2 c^2 d^2 f) (f x + e)^2 + 3 (b^2 d^3 e^2 - 2 b^2 c^2 d^2 e f + b^2 c^2 d^2 f^2) (f x + e)) \cos(2 f x + 2 e) + 6 ((f x + e) b^2 d^3 - b^2 d^3 e + b^2 c^2 d^2 f) \cos(2 f x + 2 e) + (I (f x + e) b^2 d^3 - I b^2 d^3 e + I b^2 c^2 d^2 f) \sin(2 f x + 2 e) * \operatorname{dilog}(-e^{(2 I f x + 2 I e)}) + 12 ((f x + e)^2 a^2 b^3 d^3 + a^2 b^3 d^3 e^2 - 2 a^2 b^3 c^2 d^2 e f + a^2 b^3 c^2 d^2 f^2 - 2 (a^2 b^3 d^3 e - a^2 b^3 c^2 d^2 f) (f x + e) + ((f x + e)^2 a^2 b^3 d^3 + a^2 b^3 d^3 e^2 - 2 a^2 b^3 c^2 d^2 e f + a^2 b^3 c^2 d^2 f^2 - 2 (a^2 b^3 d^3 e - a^2 b^3 c^2 d^2 f) (f x + e)) \cos(2 f x + 2 e) + (I (f x + e)^2 a^2 b^3 d^3 + I a^2 b^3 d^3 e^2 - 2 I a^2 b^3 c^2 d^2 e f + I a^2 b^3 c^2 d^2 f^2 + 2 (-I a^2 b^3 d^3 e + I a^2 b^3 c^2 d^2 f) (f x + e)) \sin(2 f x + 2 e) * \operatorname{dilog}(I e^{(I f x + I e)}) - 12 ((f x + e)^2 a^2 b^3 d^3 + a^2 b^3 d^3 e^2 - 2 a^2 b^3 c^2 d^2 e f + a^2 b^3 c^2 d^2 f^2 - 2 (a^2 b^3 d^3 e - a^2 b^3 c^2 d^2 f) (f x + e) + ((f x + e)^2 a^2 b^3 d^3 + a^2 b^3 d^3 e^2 - 2 a^2 b^3 c^2 d^2 e f + a^2 b^3 c^2 d^2 f^2 - 2 (a^2 b^3 d^3 e - a^2 b^3 c^2 d^2 f) (f x + e)) \cos(2 f x + 2 e) - (-I (f x + e)^2 a^2 b^3 d^3 - I a^2 b^3 d^3 e^2 + 2 I a^2 b^3 c^2 d^2 e f - I a^2 b^3 c^2 d^2 f^2 + 2 (I a^2 b^3 d^3 e - I a^2 b^3 c^2 d^2 f) (f x + e)) \sin(2 f x + 2 e) * \operatorname{dilog}(-I e^{(I f x + I e)}) + 3 (I (f x + e)^2 b^2 d^3 + I b^2 d^3 e^2 - 2 I b^2 c^2 d^2 e f + I b^2 c^2 d^2 f^2 + 2 (-I b^2 d^3 e + I b^2 c^2 d^2 f) (f x + e) + (I (f x + e)^2 b^2 d^3 + I b^2 d^3 e^2 - 2 I b^2 c^2 d^2 e f + I b^2 c^2 d^2 f^2 + 2 (-I b^2 d^3 e + I b^2 c^2 d^2 f) (f x + e)) \cos(2 f x + 2 e) - ((f x + e)^2 b^2 d^3 + b^2 d^3 e^2 - 2 b^2 c^2 d^2 e f + b^2 c^2 d^2 f^2 - 2 (b^2 d^3 e - b^2 c^2 d^2 f) (f x + e)) \operatorname{si}
\end{aligned}$$


```

n(2*f*x + 2*e))*log(cos(2*f*x + 2*e)^2 + sin(2*f*x + 2*e)^2 + 2*cos(2*f*x +
2*e) + 1) + 2*(I*(f*x + e)^3*a*b*d^3 + 3*(-I*a*b*d^3*e + I*a*b*c*d^2*f)*(f
*x + e)^2 + 3*(I*a*b*d^3*e^2 - 2*I*a*b*c*d^2*e*f + I*a*b*c^2*d*f^2)*(f*x +
e) + (I*(f*x + e)^3*a*b*d^3 + 3*(-I*a*b*d^3*e + I*a*b*c*d^2*f)*(f*x + e)^2
+ 3*(I*a*b*d^3*e^2 - 2*I*a*b*c*d^2*e*f + I*a*b*c^2*d*f^2)*(f*x + e))*cos(2*
f*x + 2*e) - ((f*x + e)^3*a*b*d^3 - 3*(a*b*d^3*e - a*b*c*d^2*f)*(f*x + e)^2
+ 3*(a*b*d^3*e^2 - 2*a*b*c*d^2*e*f + a*b*c^2*d*f^2)*(f*x + e))*sin(2*f*x +
2*e))*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) + 2*(-I*(f
*x + e)^3*a*b*d^3 + 3*(I*a*b*d^3*e - I*a*b*c*d^2*f)*(f*x + e)^2 + 3*(-I*a*b
*d^3*e^2 + 2*I*a*b*c*d^2*e*f - I*a*b*c^2*d*f^2)*(f*x + e) + (-I*(f*x + e)^3
*a*b*d^3 + 3*(I*a*b*d^3*e - I*a*b*c*d^2*f)*(f*x + e)^2 + 3*(-I*a*b*d^3*e^2
+ 2*I*a*b*c*d^2*e*f - I*a*b*c^2*d*f^2)*(f*x + e))*cos(2*f*x + 2*e) + ((f*x
+ e)^3*a*b*d^3 - 3*(a*b*d^3*e - a*b*c*d^2*f)*(f*x + e)^2 + 3*(a*b*d^3*e^2 -
2*a*b*c*d^2*e*f + a*b*c^2*d*f^2)*(f*x + e))*sin(2*f*x + 2*e))*log(cos(f*x
+ e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1) - 24*(a*b*d^3*cos(2*f*x + 2*e
) + I*a*b*d^3*sin(2*f*x + 2*e) + a*b*d^3)*polylog(4, I*e^(I*f*x + I*e)) + 2
4*(a*b*d^3*cos(2*f*x + 2*e) + I*a*b*d^3*sin(2*f*x + 2*e) + a*b*d^3)*polylog
(4, -I*e^(I*f*x + I*e)) + 3*(I*b^2*d^3*cos(2*f*x + 2*e) - b^2*d^3*sin(2*f*x
+ 2*e) + I*b^2*d^3)*polylog(3, -e^(2*I*f*x + 2*I*e)) + 24*(I*(f*x + e)*a*b
*d^3 - I*a*b*d^3*e + I*a*b*c*d^2*f + (I*(f*x + e)*a*b*d^3 - I*a*b*d^3*e + I
*a*b*c*d^2*f)*cos(2*f*x + 2*e) - ((f*x + e)*a*b*d^3 - a*b*d^3*e + a*b*c*d^2
*f)*sin(2*f*x + 2*e))*polylog(3, I*e^(I*f*x + I*e)) + 24*(-I*(f*x + e)*a*b
*d^3 + I*a*b*d^3*e - I*a*b*c*d^2*f + (-I*(f*x + e)*a*b*d^3 + I*a*b*d^3*e - I
*a*b*c*d^2*f)*cos(2*f*x + 2*e) + ((f*x + e)*a*b*d^3 - a*b*d^3*e + a*b*c*d^2
*f)*sin(2*f*x + 2*e))*polylog(3, -I*e^(I*f*x + I*e)) + 4*(I*(f*x + e)^3*b^2
*d^3 + 3*(-I*b^2*d^3*e + I*b^2*c*d^2*f)*(f*x + e)^2 + 3*(I*b^2*d^3*e^2 - 2*
I*b^2*c*d^2*e*f + I*b^2*c^2*d*f^2)*(f*x + e))*sin(2*f*x + 2*e))/(-2*I*f^3*c
os(2*f*x + 2*e) + 2*f^3*sin(2*f*x + 2*e) - 2*I*f^3))/f

```

Giac [F]

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \int (dx + c)^3 (b \sec(fx + e) + a)^2 dx$$

```
[In] integrate((d*x+c)^3*(a+b*sec(f*x+e))^2,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^3*(b*sec(f*x + e) + a)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \int \left(a + \frac{b}{\cos(e + fx)} \right)^2 (c + dx)^3 dx$$

```
[In] int((a + b/cos(e + f*x))^2*(c + d*x)^3,x)
```

```
[Out] int((a + b/cos(e + f*x))^2*(c + d*x)^3, x)
```

3.30 $\int (c + dx)^2 (a + b \sec(e + fx))^2 dx$

Optimal result	211
Rubi [A] (verified)	212
Mathematica [A] (verified)	215
Maple [B] (verified)	216
Fricas [B] (verification not implemented)	216
Sympy [F]	217
Maxima [B] (verification not implemented)	217
Giac [F]	219
Mupad [F(-1)]	219

Optimal result

Integrand size = 20, antiderivative size = 257

$$\begin{aligned}
 \int (c + dx)^2 (a + b \sec(e + fx))^2 dx = & -\frac{ib^2(c + dx)^2}{f} + \frac{a^2(c + dx)^3}{3d} \\
 & - \frac{4iab(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
 & + \frac{2b^2d(c + dx) \log(1 + e^{2i(e+fx)})}{f^2} \\
 & + \frac{4iabd(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
 & - \frac{4iabd(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
 & - \frac{ib^2d^2 \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\
 & - \frac{4abd^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
 & + \frac{4abd^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
 & + \frac{b^2(c + dx)^2 \tan(e + fx)}{f}
 \end{aligned}$$

```
[Out] -I*b^2*(d*x+c)^2/f+1/3*a^2*(d*x+c)^3/d-4*I*a*b*(d*x+c)^2*arctan(exp(I*(f*x+
e)))/f+2*b^2*d*(d*x+c)*ln(1+exp(2*I*(f*x+e)))/f^2+4*I*a*b*d*(d*x+c)*polylog
(2,-I*exp(I*(f*x+e)))/f^2-4*I*a*b*d*(d*x+c)*polylog(2,I*exp(I*(f*x+e)))/f^2
-I*b^2*d^2*polylog(2,-exp(2*I*(f*x+e)))/f^3-4*a*b*d^2*polylog(3,-I*exp(I*(f
*x+e)))/f^3+4*a*b*d^2*polylog(3,I*exp(I*(f*x+e)))/f^3+b^2*(d*x+c)^2*tan(f*x
+e)/f
```

Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4275, 4266, 2611, 2320, 6724, 4269, 3800, 2221, 2317, 2438}

$$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx = \frac{a^2(c + dx)^3}{3d} - \frac{4iab(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{4iabd(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{4iabd(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{4abd^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{4abd^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{2b^2d(c + dx) \log(1 + e^{2i(e+fx)})}{f^2} + \frac{b^2(c + dx)^2 \tan(e + fx)}{f} - \frac{ib^2(c + dx)^2}{f} - \frac{ib^2d^2 \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3}$$

[In] Int[(c + d*x)^2*(a + b*Sec[e + f*x])^2,x]

[Out] ((-I)*b^2*(c + d*x)^2)/f + (a^2*(c + d*x)^3)/(3*d) - ((4*I)*a*b*(c + d*x)^2*ArcTan[E^(I*(e + f*x))])/f + (2*b^2*d*(c + d*x)*Log[1 + E^((2*I)*(e + f*x))])/f^2 + ((4*I)*a*b*d*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((4*I)*a*b*d*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (I*b^2*d^2*PolyLog[2, -E^((2*I)*(e + f*x))])/f^3 - (4*a*b*d^2*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (4*a*b*d^2*PolyLog[3, I*E^(I*(e + f*x))])/f^3 + (b^2*(c + d*x)^2*Tan[e + f*x])/f

Rule 2221

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp[(((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))]

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2320

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 2611

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_)^(m_.), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a + b*x))))^n]/(b*c*n*Log[F]), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3800

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[I*((c + d*x)^(m + 1)/(d*(m + 1))), x] - Dist[2*I, Int[(c + d*x)^m*(E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 4266

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4269

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 4275

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int (a^2(c + dx)^2 + 2ab(c + dx)^2 \sec(e + fx) + b^2(c + dx)^2 \sec^2(e + fx)) dx \\
&= \frac{a^2(c + dx)^3}{3d} + (2ab) \int (c + dx)^2 \sec(e + fx) dx + b^2 \int (c + dx)^2 \sec^2(e + fx) dx \\
&= \frac{a^2(c + dx)^3}{3d} - \frac{4iab(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{b^2(c + dx)^2 \tan(e + fx)}{f} - \frac{(4abd) \int (c + dx) \log(1 - ie^{i(e+fx)}) dx}{f} \\
&\quad + \frac{(4abd) \int (c + dx) \log(1 + ie^{i(e+fx)}) dx}{f} - \frac{(2b^2d) \int (c + dx) \tan(e + fx) dx}{f} \\
&= -\frac{ib^2(c + dx)^2}{f} + \frac{a^2(c + dx)^3}{3d} - \frac{4iab(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{4iabd(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{4iabd(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&\quad + \frac{b^2(c + dx)^2 \tan(e + fx)}{f} - \frac{(4iabd^2) \int \text{PolyLog}(2, -ie^{i(e+fx)}) dx}{f^2} \\
&\quad + \frac{(4iabd^2) \int \text{PolyLog}(2, ie^{i(e+fx)}) dx}{f^2} + \frac{(4ib^2d) \int \frac{e^{2i(e+fx)}(c+dx)}{1+e^{2i(e+fx)}} dx}{f} \\
&= -\frac{ib^2(c + dx)^2}{f} + \frac{a^2(c + dx)^3}{3d} - \frac{4iab(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{2b^2d(c + dx) \log(1 + e^{2i(e+fx)})}{f^2} + \frac{4iabd(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{4iabd(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{b^2(c + dx)^2 \tan(e + fx)}{f} \\
&\quad - \frac{(4abd^2) \text{Subst}\left(\int \frac{\text{PolyLog}(2, -ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^3} \\
&\quad + \frac{(4abd^2) \text{Subst}\left(\int \frac{\text{PolyLog}(2, ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^3} - \frac{(2b^2d^2) \int \log(1 + e^{2i(e+fx)}) dx}{f^2}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ib^2(c+dx)^2}{f} + \frac{a^2(c+dx)^3}{3d} - \frac{4iab(c+dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{2b^2d(c+dx) \log(1+e^{2i(e+fx)})}{f^2} + \frac{4iabd(c+dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{4iabd(c+dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{4abd^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
&\quad + \frac{4abd^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{b^2(c+dx)^2 \tan(e+fx)}{f} \\
&\quad + \frac{(ib^2d^2) \text{Subst}\left(\int \frac{\log(1+x)}{x} dx, x, e^{2i(e+fx)}\right)}{f^3} \\
&= -\frac{ib^2(c+dx)^2}{f} + \frac{a^2(c+dx)^3}{3d} - \frac{4iab(c+dx)^2 \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{2b^2d(c+dx) \log(1+e^{2i(e+fx)})}{f^2} + \frac{4iabd(c+dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{4iabd(c+dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{ib^2d^2 \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} - \frac{4abd^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
&\quad + \frac{4abd^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{b^2(c+dx)^2 \tan(e+fx)}{f}
\end{aligned}$$

Mathematica [A] (verified)

Time = 1.54 (sec) , antiderivative size = 356, normalized size of antiderivative = 1.39

$$\int (c+dx)^2 (a+b \sec(e+fx))^2 dx$$

$$= \frac{3a^2c^2f^3x - 3ib^2d^2f^2x^2 + 3a^2cdf^3x^2 + a^2d^2f^3x^3 - 24iabcdf^2x \arctan(e^{i(e+fx)}) - 12iabd^2f^2x^2 \arctan(e^{i(e+fx)})}{f^3}$$

[In] Integrate[(c + d*x)^2*(a + b*Sec[e + f*x])^2,x]

[Out] (3*a^2*c^2*f^3*x - (3*I)*b^2*d^2*f^2*x^2 + 3*a^2*c*d*f^3*x^2 + a^2*d^2*f^3*x^3 - (24*I)*a*b*c*d*f^2*x*ArcTan[E^(I*(e + f*x))] - (12*I)*a*b*d^2*f^2*x^2*ArcTan[E^(I*(e + f*x))] + 6*a*b*c^2*f^2*ArcTanh[Sin[e + f*x]] + 6*b^2*d^2*f*x*Log[1 + E^((2*I)*(e + f*x))] + 6*b^2*c*d*f*Log[Cos[e + f*x]] + (12*I)*a*b*d*f*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))] - (12*I)*a*b*d*f*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))] - (3*I)*b^2*d^2*PolyLog[2, -E^((2*I)*(e + f*x))] - 12*a*b*d^2*PolyLog[3, (-I)*E^(I*(e + f*x))] + 12*a*b*d^2*PolyLog[3, I*E^(I*(e + f*x))] + 3*b^2*c^2*f^2*Tan[e + f*x] + 6*b^2*c*d*f^2*x*Tan[e + f*x] + 3*b^2*d^2*f^2*x^2*Tan[e + f*x])/(3*f^3)

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 661 vs. $2(232) = 464$.

Time = 1.38 (sec) , antiderivative size = 662, normalized size of antiderivative = 2.58

method	result
risch	$\frac{4ab d^2 \operatorname{polylog}(3, ie^{i(fx+e)})}{f^3} - \frac{4ab d^2 \operatorname{polylog}(3, -ie^{i(fx+e)})}{f^3} + a^2 d c x^2 + a^2 c^2 x + \frac{4abcd \ln(1 - ie^{i(fx+e)}) e}{f^2} - \frac{4iba d^2 \operatorname{polylog}(3, ie^{i(fx+e)})}{f^3}$

```
[In] int((d*x+c)^2*(a+b*sec(f*x+e))^2,x,method=_RETURNVERBOSE)
```

```
[Out] -4*a*b*d^2*polylog(3,-I*exp(I*(f*x+e)))/f^3+4*a*b*d^2*polylog(3,I*exp(I*(f*x+e)))/f^3-I*b^2*d^2*polylog(2,-exp(2*I*(f*x+e)))/f^3+4/f^2*b*a*c*d*ln(1-I*exp(I*(f*x+e)))*e-4*I/f^2*b*a*d^2*polylog(2,I*exp(I*(f*x+e)))*x+4*I/f^2*b*a*d^2*polylog(2,-I*exp(I*(f*x+e)))*x+4*I/f^2*b*a*c*d*polylog(2,-I*exp(I*(f*x+e)))-4*I/f^2*b*a*c*d*polylog(2,I*exp(I*(f*x+e)))-4*I/f^3*b*a*d^2*e^2*arctan(exp(I*(f*x+e)))-4/f*b*a*c*d*ln(1+I*exp(I*(f*x+e)))*x+4/f*b*a*c*d*ln(1-I*exp(I*(f*x+e)))*x-4/f^2*b*a*c*d*ln(1+I*exp(I*(f*x+e)))*e-2/f*b*a*d^2*ln(1+I*exp(I*(f*x+e)))*x^2+2/f*b*a*d^2*ln(1-I*exp(I*(f*x+e)))*x^2+2/f^3*b*e^2*d^2*a*ln(1+I*exp(I*(f*x+e)))-2/f^3*b*e^2*d^2*a*ln(1-I*exp(I*(f*x+e)))-4*I/f^2*b^2*d^2*e*x-4*I/f*b*a*c^2*arctan(exp(I*(f*x+e)))+a^2*d*c*x^2+a^2*c^2*x+1/3*a^2*d^2*x^3+1/3*a^2/d*c^3+2*I*b^2*(d^2*x^2+2*c*d*x+c^2)/f/(1+exp(2*I*(f*x+e)))+4/f^3*b^2*d^2*e*ln(exp(I*(f*x+e)))+2/f^2*b^2*c*d*ln(1+exp(2*I*(f*x+e)))-4/f^2*b^2*c*d*ln(exp(I*(f*x+e)))+2/f^2*b^2*d^2*ln(1+exp(2*I*(f*x+e)))*x-2*I/f*b^2*d^2*x^2-2*I/f^3*b^2*d^2*e^2+8*I/f^2*b*a*c*d*e*arctan(exp(I*(f*x+e)))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1056 vs. $2(220) = 440$.

Time = 0.37 (sec) , antiderivative size = 1056, normalized size of antiderivative = 4.11

$$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx = \text{Too large to display}$$

```
[In] integrate((d*x+c)^2*(a+b*sec(f*x+e))^2,x, algorithm="fricas")
```

```
[Out] -1/3*(6*a*b*d^2*cos(f*x + e)*polylog(3, I*cos(f*x + e) + sin(f*x + e)) - 6*a*b*d^2*cos(f*x + e)*polylog(3, I*cos(f*x + e) - sin(f*x + e)) + 6*a*b*d^2*cos(f*x + e)*polylog(3, -I*cos(f*x + e) + sin(f*x + e)) - 6*a*b*d^2*cos(f*x + e)*polylog(3, -I*cos(f*x + e) - sin(f*x + e)) + 3*(2*I*a*b*d^2*f*x + 2*I*a*b*c*d*f - I*b^2*d^2)*cos(f*x + e)*dilog(I*cos(f*x + e) + sin(f*x + e)) + 3*(2*I*a*b*d^2*f*x + 2*I*a*b*c*d*f + I*b^2*d^2)*cos(f*x + e)*dilog(I*cos(f*x + e) - sin(f*x + e)) + 3*(-2*I*a*b*d^2*f*x - 2*I*a*b*c*d*f + I*b^2*d^2)*
```



```

cos(f*x + e)*dilog(-I*cos(f*x + e) + sin(f*x + e)) + 3*(-2*I*a*b*d^2*f*x -
2*I*a*b*c*d*f - I*b^2*d^2)*cos(f*x + e)*dilog(-I*cos(f*x + e) - sin(f*x + e
)) - 3*(a*b*d^2*e^2 + a*b*c^2*f^2 - b^2*d^2*e - (2*a*b*c*d*e - b^2*c*d)*f)*
cos(f*x + e)*log(cos(f*x + e) + I*sin(f*x + e) + I) + 3*(a*b*d^2*e^2 + a*b*
c^2*f^2 + b^2*d^2*e - (2*a*b*c*d*e + b^2*c*d)*f)*cos(f*x + e)*log(cos(f*x +
e) - I*sin(f*x + e) + I) - 3*(a*b*d^2*f^2*x^2 - a*b*d^2*e^2 + 2*a*b*c*d*e*f
+ b^2*d^2*e + (2*a*b*c*d*f^2 + b^2*d^2*f)*x)*cos(f*x + e)*log(I*cos(f*x +
e) + sin(f*x + e) + 1) + 3*(a*b*d^2*f^2*x^2 - a*b*d^2*e^2 + 2*a*b*c*d*e*f
- b^2*d^2*e + (2*a*b*c*d*f^2 - b^2*d^2*f)*x)*cos(f*x + e)*log(I*cos(f*x + e
) - sin(f*x + e) + 1) - 3*(a*b*d^2*f^2*x^2 - a*b*d^2*e^2 + 2*a*b*c*d*e*f +
b^2*d^2*e + (2*a*b*c*d*f^2 + b^2*d^2*f)*x)*cos(f*x + e)*log(-I*cos(f*x + e)
+ sin(f*x + e) + 1) + 3*(a*b*d^2*f^2*x^2 - a*b*d^2*e^2 + 2*a*b*c*d*e*f - b
^2*d^2*e + (2*a*b*c*d*f^2 - b^2*d^2*f)*x)*cos(f*x + e)*log(-I*cos(f*x + e)
- sin(f*x + e) + 1) - 3*(a*b*d^2*e^2 + a*b*c^2*f^2 - b^2*d^2*e - (2*a*b*c*d
*e - b^2*c*d)*f)*cos(f*x + e)*log(-cos(f*x + e) + I*sin(f*x + e) + I) + 3*(
a*b*d^2*e^2 + a*b*c^2*f^2 + b^2*d^2*e - (2*a*b*c*d*e + b^2*c*d)*f)*cos(f*x
+ e)*log(-cos(f*x + e) - I*sin(f*x + e) + I) - (a^2*d^2*f^3*x^3 + 3*a^2*c*d
*f^3*x^2 + 3*a^2*c^2*f^3*x)*cos(f*x + e) - 3*(b^2*d^2*f^2*x^2 + 2*b^2*c*d*f
^2*x + b^2*c^2*f^2)*sin(f*x + e))/(f^3*cos(f*x + e))

```

Sympy [F]

$$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx = \int (a + b \sec(e + fx))^2 (c + dx)^2 dx$$

```
[In] integrate((d*x+c)**2*(a+b*sec(f*x+e))**2,x)
```

```
[Out] Integral((a + b*sec(e + f*x))**2*(c + d*x)**2, x)
```

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1641 vs. 2(220) = 440.

Time = 0.47 (sec) , antiderivative size = 1641, normalized size of antiderivative = 6.39

$$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx = \text{Too large to display}$$

```
[In] integrate((d*x+c)^2*(a+b*sec(f*x+e))^2,x, algorithm="maxima")
```

```
[Out] 1/3*(3*(f*x + e)*a^2*c^2 + (f*x + e)^3*a^2*d^2/f^2 - 3*(f*x + e)^2*a^2*d^2*
e/f^2 + 3*(f*x + e)*a^2*d^2*e^2/f^2 + 3*(f*x + e)^2*a^2*c*d/f - 6*(f*x + e)
*a^2*c*d*e/f + 6*a*b*c^2*log(sec(f*x + e) + tan(f*x + e)) + 6*a*b*d^2*e^2*1
```

$$\begin{aligned} & \log(\sec(f*x + e) + \tan(f*x + e))/f^2 - 12*a*b*c*d*e*\log(\sec(f*x + e) + \tan(f*x + e))/f + 3*(2*b^2*d^2*e^2 - 4*b^2*c*d*e*f + 2*b^2*c^2*f^2 - 2*((f*x + e)^2*a*b*d^2 - 2*(a*b*d^2*e - a*b*c*d*f)*(f*x + e) + ((f*x + e)^2*a*b*d^2 - 2*(a*b*d^2*e - a*b*c*d*f)*(f*x + e))*\cos(2*f*x + 2*e) + (I*(f*x + e)^2*a*b*d^2 + 2*(-I*a*b*d^2*e + I*a*b*c*d*f)*(f*x + e))*\sin(2*f*x + 2*e))*\arctan2(\cos(f*x + e), \sin(f*x + e) + 1) - 2*((f*x + e)^2*a*b*d^2 - 2*(a*b*d^2*e - a*b*c*d*f)*(f*x + e) + ((f*x + e)^2*a*b*d^2 - 2*(a*b*d^2*e - a*b*c*d*f)*(f*x + e))*\cos(2*f*x + 2*e) + (I*(f*x + e)^2*a*b*d^2 + 2*(-I*a*b*d^2*e + I*a*b*c*d*f)*(f*x + e))*\sin(2*f*x + 2*e))*\arctan2(\cos(f*x + e), -\sin(f*x + e) + 1) + 2*((f*x + e)*b^2*d^2 - b^2*d^2*e + b^2*c*d*f + ((f*x + e)*b^2*d^2 - b^2*d^2*e + b^2*c*d*f)*\cos(2*f*x + 2*e) - (-I*(f*x + e)*b^2*d^2 + I*b^2*d^2*e - I*b^2*c*d*f)*\sin(2*f*x + 2*e))*\arctan2(\sin(2*f*x + 2*e), \cos(2*f*x + 2*e) + 1) - 2*((f*x + e)^2*b^2*d^2 - 2*(b^2*d^2*e - b^2*c*d*f)*(f*x + e))*\cos(2*f*x + 2*e) - (b^2*d^2*\cos(2*f*x + 2*e) + I*b^2*d^2*\sin(2*f*x + 2*e) + b^2*d^2)*\operatorname{dilog}(-e^(2*I*f*x + 2*I*e)) - 4*((f*x + e)*a*b*d^2 - a*b*d^2*e + a*b*c*d*f + ((f*x + e)*a*b*d^2 - a*b*d^2*e + a*b*c*d*f)*\cos(2*f*x + 2*e) + (I*(f*x + e)*a*b*d^2 - I*a*b*d^2*e + I*a*b*c*d*f)*\sin(2*f*x + 2*e))*\operatorname{dilog}(I*e^(I*f*x + I*e)) + 4*((f*x + e)*a*b*d^2 - a*b*d^2*e + a*b*c*d*f + ((f*x + e)*a*b*d^2 - a*b*d^2*e + a*b*c*d*f)*\cos(2*f*x + 2*e) - (-I*(f*x + e)*a*b*d^2 + I*a*b*d^2*e - I*a*b*c*d*f)*\sin(2*f*x + 2*e))*\operatorname{dilog}(-I*e^(I*f*x + I*e)) + (-I*(f*x + e)*b^2*d^2 + I*b^2*d^2*e - I*b^2*c*d*f + (-I*(f*x + e)*b^2*d^2 + I*b^2*d^2*e - I*b^2*c*d*f)*\cos(2*f*x + 2*e) + ((f*x + e)*b^2*d^2 - b^2*d^2*e + b^2*c*d*f)*\sin(2*f*x + 2*e))*\log(\cos(2*f*x + 2*e)^2 + \sin(2*f*x + 2*e)^2 + 2*\cos(2*f*x + 2*e) + 1) + (-I*(f*x + e)^2*a*b*d^2 - 2*(-I*a*b*d^2*e + I*a*b*c*d*f)*(f*x + e) + (-I*(f*x + e)^2*a*b*d^2 - 2*(-I*a*b*d^2*e + I*a*b*c*d*f)*(f*x + e))*\cos(2*f*x + 2*e) + ((f*x + e)^2*a*b*d^2 - 2*(a*b*d^2*e - a*b*c*d*f)*(f*x + e))*\sin(2*f*x + 2*e))*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\sin(f*x + e) + 1) + (I*(f*x + e)^2*a*b*d^2 - 2*(I*a*b*d^2*e - I*a*b*c*d*f)*(f*x + e) + (I*(f*x + e)^2*a*b*d^2 - 2*(I*a*b*d^2*e - I*a*b*c*d*f)*(f*x + e))*\cos(2*f*x + 2*e) - ((f*x + e)^2*a*b*d^2 - 2*(a*b*d^2*e - a*b*c*d*f)*(f*x + e))*\sin(2*f*x + 2*e))*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 - 2*\sin(f*x + e) + 1) - 4*(I*a*b*d^2*\cos(2*f*x + 2*e) - a*b*d^2*\sin(2*f*x + 2*e) + I*a*b*d^2)*\operatorname{polylog}(3, I*e^(I*f*x + I*e)) - 4*(-I*a*b*d^2*\cos(2*f*x + 2*e) + a*b*d^2*\sin(2*f*x + 2*e) - I*a*b*d^2)*\operatorname{polylog}(3, -I*e^(I*f*x + I*e)) - 2*(I*(f*x + e)^2*b^2*d^2 + 2*(-I*b^2*d^2*e + I*b^2*c*d*f)*(f*x + e))*\sin(2*f*x + 2*e))/(-I*f^2*\cos(2*f*x + 2*e) + f^2*\sin(2*f*x + 2*e) - I*f^2))/f \end{aligned}$$

Giac [F]

$$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx = \int (dx + c)^2 (b \sec(fx + e) + a)^2 dx$$

[In] integrate((d*x+c)^2*(a+b*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^2*(b*sec(f*x + e) + a)^2, x)

Mupad [F(-1)]

Timed out.

$$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx = \int \left(a + \frac{b}{\cos(e + fx)} \right)^2 (c + dx)^2 dx$$

[In] int((a + b/cos(e + f*x))^2*(c + d*x)^2,x)

[Out] int((a + b/cos(e + f*x))^2*(c + d*x)^2, x)

3.31 $\int (c + dx)(a + b \sec(e + fx))^2 dx$

Optimal result	220
Rubi [A] (verified)	220
Mathematica [A] (verified)	222
Maple [A] (verified)	223
Fricas [B] (verification not implemented)	223
Sympy [F]	224
Maxima [F]	224
Giac [F]	225
Mupad [F(-1)]	225

Optimal result

Integrand size = 18, antiderivative size = 131

$$\int (c + dx)(a + b \sec(e + fx))^2 dx = \frac{a^2(c + dx)^2}{2d} - \frac{4iab(c + dx) \arctan(e^{i(e+fx)})}{f} + \frac{b^2 d \log(\cos(e + fx))}{f^2} + \frac{2iabd \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2iabd \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{b^2(c + dx) \tan(e + fx)}{f}$$

[Out] $1/2*a^2*(d*x+c)^2/d-4*I*a*b*(d*x+c)*\arctan(\exp(I*(f*x+e)))/f+b^2*d*\ln(\cos(f*x+e))/f^2+2*I*a*b*d*\operatorname{polylog}(2,-I*\exp(I*(f*x+e)))/f^2-2*I*a*b*d*\operatorname{polylog}(2,I*\exp(I*(f*x+e)))/f^2+b^2*(d*x+c)*\tan(f*x+e)/f$

Rubi [A] (verified)

Time = 0.15 (sec) , antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4275, 4266, 2317, 2438, 4269, 3556}

$$\int (c + dx)(a + b \sec(e + fx))^2 dx = \frac{a^2(c + dx)^2}{2d} - \frac{4iab(c + dx) \arctan(e^{i(e+fx)})}{f} + \frac{2iabd \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2iabd \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{b^2(c + dx) \tan(e + fx)}{f} + \frac{b^2 d \log(\cos(e + fx))}{f^2}$$

[In] Int[(c + d*x)*(a + b*Sec[e + f*x])^2,x]

[Out] (a^2*(c + d*x)^2)/(2*d) - ((4*I)*a*b*(c + d*x)*ArcTan[E^(I*(e + f*x))])/f + (b^2*d*Log[Cos[e + f*x]])/f^2 + ((2*I)*a*b*d*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((2*I)*a*b*d*PolyLog[2, I*E^(I*(e + f*x))])/f^2 + (b^2*(c + d*x)*Tan[e + f*x])/f

Rule 2317

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3556

Int[tan[(c_) + (d_)*(x_)], x_Symbol] :> Simp[-Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4266

Int[csc[(e_) + Pi*(k_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Simp[-2*(c + d*x)^m*(ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f), x] + (-Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4269

Int[csc[(e_) + (f_)*(x_)]^2*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Simp[(-(c + d*x)^m)*(Cot[e + f*x]/f), x] + Dist[d*(m/f), Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 4275

Int[(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rubi steps

$$\text{integral} = \int (a^2(c + dx) + 2ab(c + dx) \sec(e + fx) + b^2(c + dx) \sec^2(e + fx)) dx$$

$$\begin{aligned}
&= \frac{a^2(c+dx)^2}{2d} + (2ab) \int (c+dx) \sec(e+fx) dx + b^2 \int (c+dx) \sec^2(e+fx) dx \\
&= \frac{a^2(c+dx)^2}{2d} - \frac{4iab(c+dx) \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{b^2(c+dx) \tan(e+fx)}{f} - \frac{(2abd) \int \log(1-ie^{i(e+fx)}) dx}{f} \\
&\quad + \frac{(2abd) \int \log(1+ie^{i(e+fx)}) dx}{f} - \frac{(b^2d) \int \tan(e+fx) dx}{f} \\
&= \frac{a^2(c+dx)^2}{2d} - \frac{4iab(c+dx) \arctan(e^{i(e+fx)})}{f} + \frac{b^2d \log(\cos(e+fx))}{f^2} \\
&\quad + \frac{b^2(c+dx) \tan(e+fx)}{f} + \frac{(2iabd) \text{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^2} \\
&\quad - \frac{(2iabd) \text{Subst}\left(\int \frac{\log(1+ix)}{x} dx, x, e^{i(e+fx)}\right)}{f^2} \\
&= \frac{a^2(c+dx)^2}{2d} - \frac{4iab(c+dx) \arctan(e^{i(e+fx)})}{f} \\
&\quad + \frac{b^2d \log(\cos(e+fx))}{f^2} + \frac{2iabd \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
&\quad - \frac{2iabd \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{b^2(c+dx) \tan(e+fx)}{f}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.55 (sec) , antiderivative size = 151, normalized size of antiderivative = 1.15

$$\begin{aligned}
&\int (c+dx)(a+b\sec(e+fx))^2 dx \\
&= \frac{2a^2cf^2x + a^2df^2x^2 - 8iabdfx \arctan(e^{i(e+fx)}) + 4abcf \arctanh(\sin(e+fx)) + 2b^2d \log(\cos(e+fx)) + 4iabdfx \arctan(e^{i(e+fx)})}{2f^2}
\end{aligned}$$

[In] Integrate[(c + d*x)*(a + b*Sec[e + f*x])^2,x]

[Out] (2*a^2*c*f^2*x + a^2*d*f^2*x^2 - (8*I)*a*b*d*f*x*ArcTan[E^(I*(e + f*x))]) + 4*a*b*c*f*ArcTanh[Sin[e + f*x]] + 2*b^2*d*Log[Cos[e + f*x]] + (4*I)*a*b*d*PolyLog[2, (-I)*E^(I*(e + f*x))] - (4*I)*a*b*d*PolyLog[2, I*E^(I*(e + f*x))] + 2*b^2*c*f*Tan[e + f*x] + 2*b^2*d*f*x*Tan[e + f*x])/(2*f^2)

Maple [A] (verified)

Time = 0.49 (sec) , antiderivative size = 190, normalized size of antiderivative = 1.45

method	result
parts	$a^2 \left(\frac{1}{2} dx^2 + xc \right) + \frac{b^2 d \tan(fx+e)x}{f} + \frac{b^2 d \ln(\cos(fx+e))}{f^2} + \frac{b^2 c \tan(fx+e)}{f} + \frac{2ab \left(\frac{d(-fx+e) \ln(1+ie^{i(fx+e)})}{f} \right)}{f}$
derivativedivides	$\frac{a^2 c(fx+e) - \frac{a^2 de(fx+e)}{f} + \frac{a^2 d(fx+e)^2}{2f} + 2abc \ln(\sec(fx+e) + \tan(fx+e)) - \frac{2abde \ln(\sec(fx+e) + \tan(fx+e))}{f} + \frac{2abd(-fx+e)}{f}}{f}$
default	$\frac{a^2 c(fx+e) - \frac{a^2 de(fx+e)}{f} + \frac{a^2 d(fx+e)^2}{2f} + 2abc \ln(\sec(fx+e) + \tan(fx+e)) - \frac{2abde \ln(\sec(fx+e) + \tan(fx+e))}{f} + \frac{2abd(-fx+e)}{f}}{f}$
risch	$\frac{a^2 dx^2}{2} + a^2 xc + \frac{2ib^2(dx+c)}{f(1+e^{2i(fx+e)})} + \frac{b^2 d \ln(1+e^{2i(fx+e)})}{f^2} - \frac{2b^2 d \ln(e^{i(fx+e)})}{f^2} - \frac{4ibac \arctan(e^{i(fx+e)})}{f} + 4i$

[In] int((d*x+c)*(a+b*sec(f*x+e))^2,x,method=_RETURNVERBOSE)

[Out] $a^2 \left(\frac{1}{2} dx^2 + xc \right) + \frac{b^2 d \tan(fx+e)x}{f} + \frac{b^2 d \ln(\cos(fx+e))}{f^2} + \frac{b^2 c \tan(fx+e)}{f} + \frac{2ab \left(\frac{d(-fx+e) \ln(1+ie^{i(fx+e)})}{f} \right)}{f}$
 $\frac{a^2 c(fx+e) - \frac{a^2 de(fx+e)}{f} + \frac{a^2 d(fx+e)^2}{2f} + 2abc \ln(\sec(fx+e) + \tan(fx+e)) - \frac{2abde \ln(\sec(fx+e) + \tan(fx+e))}{f} + \frac{2abd(-fx+e)}{f}}{f}$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 505 vs. 2(111) = 222.

Time = 0.33 (sec) , antiderivative size = 505, normalized size of antiderivative = 3.85

$$\int (c + dx)(a + b \sec(e + fx))^2 dx$$

$$= \frac{-2iabd \cos(fx + e) \operatorname{Li}_2(i \cos(fx + e) + \sin(fx + e)) - 2iabd \cos(fx + e) \operatorname{Li}_2(i \cos(fx + e) - \sin(fx + e))}{f}$$

[In] integrate((d*x+c)*(a+b*sec(f*x+e))^2,x, algorithm="fricas")

[Out] $\frac{1}{2} \left(-2Ia^2 b d \cos(fx + e) \operatorname{dilog}(I \cos(fx + e) + \sin(fx + e)) - 2Ia^2 b d \cos(fx + e) \operatorname{dilog}(I \cos(fx + e) - \sin(fx + e)) + 2Ia^2 b d \cos(fx + e) \operatorname{dilog}(-I \cos(fx + e) + \sin(fx + e)) + 2Ia^2 b d \cos(fx + e) \operatorname{dilog}(-I \cos(fx + e) - \sin(fx + e)) - (2a^2 b d e - 2a^2 b c f - b^2 d) \cos(fx + e) \log(\cos(fx + e) + I \sin(fx + e) + I) + (2a^2 b d e - 2a^2 b c f + b^2 d) \cos(fx + e) \log(\cos(fx + e) - I \sin(fx + e) + I) + 2(a^2 b d f x + a^2 b d e) \cos(fx + e) \log(I \cos(fx + e) + \sin(fx + e) + 1) - 2(a^2 b d f x + a^2 b d e) \cos(fx + e) \log(I \cos(fx + e) - \sin(fx + e) + 1) + 2(a^2 b d f x + a^2 b d e) \cos(fx + e) \log(-I \cos(fx + e) + \sin(fx + e) + 1) - 2(a^2 b d f x + a^2 b d e) \cos(fx + e) \log(-I \cos(fx + e) - \sin(fx + e) + 1) - (2a^2 b d$

```
*e - 2*a*b*c*f - b^2*d)*cos(f*x + e)*log(-cos(f*x + e) + I*sin(f*x + e) + I
) + (2*a*b*d*e - 2*a*b*c*f + b^2*d)*cos(f*x + e)*log(-cos(f*x + e) - I*sin(
f*x + e) + I) + (a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*cos(f*x + e) + 2*(b^2*d*f*x
+ b^2*c*f)*sin(f*x + e))/(f^2*cos(f*x + e))
```

Sympy [F]

$$\int (c + dx)(a + b \sec(e + fx))^2 dx = \int (a + b \sec(e + fx))^2 (c + dx) dx$$

```
[In] integrate((d*x+c)*(a+b*sec(f*x+e))**2,x)
```

```
[Out] Integral((a + b*sec(e + f*x))**2*(c + d*x), x)
```

Maxima [F]

$$\int (c + dx)(a + b \sec(e + fx))^2 dx = \int (dx + c)(b \sec(fx + e) + a)^2 dx$$

```
[In] integrate((d*x+c)*(a+b*sec(f*x+e))^2,x, algorithm="maxima")
```

```
[Out] 1/2*(a^2*d*f^2*x^2 + 2*a^2*c*f^2*x + (a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*cos(2*
f*x + 2*e)^2 + (a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*sin(2*f*x + 2*e)^2 + 2*(a^2*
d*f^2*x^2 + 2*a^2*c*f^2*x)*cos(2*f*x + 2*e) + 8*(a*b*d*f^3*cos(2*f*x + 2*e)
^2 + a*b*d*f^3*sin(2*f*x + 2*e)^2 + 2*a*b*d*f^3*cos(2*f*x + 2*e) + a*b*d*f^
3)*integrate((x*cos(2*f*x + 2*e)*cos(f*x + e) + x*sin(2*f*x + 2*e)*sin(f*x
+ e) + x*cos(f*x + e))/(f*cos(2*f*x + 2*e)^2 + f*sin(2*f*x + 2*e)^2 + 2*f*c
os(2*f*x + 2*e) + f), x) + (b^2*d*cos(2*f*x + 2*e)^2 + b^2*d*sin(2*f*x + 2*
e)^2 + 2*b^2*d*cos(2*f*x + 2*e) + b^2*d)*log(cos(2*f*x + 2*e)^2 + sin(2*f*x
+ 2*e)^2 + 2*cos(2*f*x + 2*e) + 1) + 2*(a*b*c*f*cos(2*f*x + 2*e)^2 + a*b*c
*f*sin(2*f*x + 2*e)^2 + 2*a*b*c*f*cos(2*f*x + 2*e) + a*b*c*f)*log(cos(f*x +
e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) - 2*(a*b*c*f*cos(2*f*x + 2*e)^
2 + a*b*c*f*sin(2*f*x + 2*e)^2 + 2*a*b*c*f*cos(2*f*x + 2*e) + a*b*c*f)*log(
cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1) + 4*(b^2*d*f*x + b^2*
c*f)*sin(2*f*x + 2*e))/(f^2*cos(2*f*x + 2*e)^2 + f^2*sin(2*f*x + 2*e)^2 + 2
*f^2*cos(2*f*x + 2*e) + f^2)
```


Giac [F]

$$\int (c + dx)(a + b \sec(e + fx))^2 dx = \int (dx + c)(b \sec(fx + e) + a)^2 dx$$

[In] integrate((d*x+c)*(a+b*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)*(b*sec(f*x + e) + a)^2, x)

Mupad [F(-1)]

Timed out.

$$\int (c + dx)(a + b \sec(e + fx))^2 dx = \int \left(a + \frac{b}{\cos(e + fx)} \right)^2 (c + dx) dx$$

[In] int((a + b/cos(e + f*x))^2*(c + d*x),x)

[Out] int((a + b/cos(e + f*x))^2*(c + d*x), x)

3.32 $\int \frac{(a+b \sec(e+fx))^2}{c+dx} dx$

Optimal result	226
Rubi [N/A]	226
Mathematica [N/A]	227
Maple [N/A] (verified)	227
Fricas [N/A]	227
Sympy [N/A]	227
Maxima [N/A]	228
Giac [N/A]	228
Mupad [N/A]	228

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \text{Int}\left(\frac{(a + b \sec(e + fx))^2}{c + dx}, x\right)$$

[Out] Unintegrable((a+b*sec(f*x+e))^2/(d*x+c),x)

Rubi [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \int \frac{(a + b \sec(e + fx))^2}{c + dx} dx$$

[In] Int[(a + b*Sec[e + f*x])^2/(c + d*x),x]

[Out] Defer[Int][(a + b*Sec[e + f*x])^2/(c + d*x), x]

Rubi steps

$$\text{integral} = \int \frac{(a + b \sec(e + fx))^2}{c + dx} dx$$

Mathematica [N/A]

Not integrable

Time = 46.00 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \int \frac{(a + b \sec(e + fx))^2}{c + dx} dx$$

[In] Integrate[(a + b*Sec[e + f*x])^2/(c + d*x), x]

[Out] Integrate[(a + b*Sec[e + f*x])^2/(c + d*x), x]

Maple [N/A] (verified)

Not integrable

Time = 0.94 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \sec(fx + e))^2}{dx + c} dx$$

[In] int((a+b*sec(f*x+e))^2/(d*x+c), x)

[Out] int((a+b*sec(f*x+e))^2/(d*x+c), x)

Fricas [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.80

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \int \frac{(b \sec(fx + e) + a)^2}{dx + c} dx$$

[In] integrate((a+b*sec(f*x+e))^2/(d*x+c), x, algorithm="fricas")

[Out] integral((b^2*sec(f*x + e)^2 + 2*a*b*sec(f*x + e) + a^2)/(d*x + c), x)

Sympy [N/A]

Not integrable

Time = 1.02 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \int \frac{(a + b \sec(e + fx))^2}{c + dx} dx$$

[In] integrate((a+b*sec(f*x+e))**2/(d*x+c), x)

[Out] Integral((a + b*sec(e + f*x))**2/(c + d*x), x)

Maxima [N/A]

Not integrable

Time = 1.05 (sec) , antiderivative size = 501, normalized size of antiderivative = 25.05

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \int \frac{(b \sec(fx + e) + a)^2}{dx + c} dx$$

[In] integrate((a+b*sec(f*x+e))^2/(d*x+c),x, algorithm="maxima")

```
[Out] ((a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e)^2*log(d*x + c) + 2*b^2*d*sin(2*f*x + 2*e) + (a^2*d*f*x + a^2*c*f)*log(d*x + c)*sin(2*f*x + 2*e)^2 + 2*(a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e)*log(d*x + c) + (d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(2*f*x + 2*e)^2 + (d^2*f*x + c*d*f)*sin(2*f*x + 2*e)^2 + 2*(d^2*f*x + c*d*f)*cos(2*f*x + 2*e))*integrate(2*(2*(a*b*d*f*x + a*b*c*f)*cos(2*f*x + 2*e)*cos(f*x + e) + 2*(a*b*d*f*x + a*b*c*f)*cos(f*x + e) + (b^2*d + 2*(a*b*d*f*x + a*b*c*f)*sin(f*x + e))*sin(2*f*x + 2*e))/(d^2*f*x^2 + 2*c*d*f*x + c^2*f + (d^2*f*x^2 + 2*c*d*f*x + c^2*f)*cos(2*f*x + 2*e)^2 + (d^2*f*x^2 + 2*c*d*f*x + c^2*f)*sin(2*f*x + 2*e)^2 + 2*(d^2*f*x^2 + 2*c*d*f*x + c^2*f)*cos(2*f*x + 2*e)), x) + (a^2*d*f*x + a^2*c*f)*log(d*x + c)/(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(2*f*x + 2*e)^2 + (d^2*f*x + c*d*f)*sin(2*f*x + 2*e)^2 + 2*(d^2*f*x + c*d*f)*cos(2*f*x + 2*e))
```

Giac [N/A]

Not integrable

Time = 2.19 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \int \frac{(b \sec(fx + e) + a)^2}{dx + c} dx$$

[In] integrate((a+b*sec(f*x+e))^2/(d*x+c),x, algorithm="giac")

[Out] integrate((b*sec(f*x + e) + a)^2/(d*x + c), x)

Mupad [N/A]

Not integrable

Time = 13.95 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \int \frac{\left(a + \frac{b}{\cos(e+fx)}\right)^2}{c + dx} dx$$

[In] int((a + b/cos(e + f*x))^2/(c + d*x),x)

[Out] int((a + b/cos(e + f*x))^2/(c + d*x), x)

3.33 $\int \frac{(a+b \sec(e+fx))^2}{(c+dx)^2} dx$

Optimal result	229
Rubi [N/A]	229
Mathematica [N/A]	230
Maple [N/A] (verified)	230
Fricas [N/A]	230
Sympy [N/A]	231
Maxima [N/A]	231
Giac [N/A]	232
Mupad [N/A]	232

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \text{Int}\left(\frac{(a + b \sec(e + fx))^2}{(c + dx)^2}, x\right)$$

[Out] Unintegrable((a+b*sec(f*x+e))^2/(d*x+c)^2,x)

Rubi [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx$$

[In] Int[(a + b*Sec[e + f*x])^2/(c + d*x)^2,x]

[Out] Defer[Int] [(a + b*Sec[e + f*x])^2/(c + d*x)^2, x]

Rubi steps

$$\text{integral} = \int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx$$

Mathematica [N/A]

Not integrable

Time = 28.33 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx$$

[In] Integrate[(a + b*Sec[e + f*x])^2/(c + d*x)^2,x]

[Out] Integrate[(a + b*Sec[e + f*x])^2/(c + d*x)^2, x]

Maple [N/A] (verified)

Not integrable

Time = 0.65 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \sec(fx + e))^2}{(dx + c)^2} dx$$

[In] int((a+b*sec(f*x+e))^2/(d*x+c)^2,x)

[Out] int((a+b*sec(f*x+e))^2/(d*x+c)^2,x)

Fricas [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 47, normalized size of antiderivative = 2.35

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(b \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

[In] integrate((a+b*sec(f*x+e))^2/(d*x+c)^2,x, algorithm="fricas")

[Out] integral((b^2*sec(f*x + e)^2 + 2*a*b*sec(f*x + e) + a^2)/(d^2*x^2 + 2*c*d*x + c^2), x)

Sympy [N/A]

Not integrable

Time = 2.04 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx$$

[In] integrate((a+b*sec(f*x+e))**2/(d*x+c)**2,x)

[Out] Integral((a + b*sec(e + f*x))**2/(c + d*x)**2, x)

Maxima [N/A]

Not integrable

Time = 1.46 (sec) , antiderivative size = 618, normalized size of antiderivative = 30.90

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(b \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

[In] integrate((a+b*sec(f*x+e))^2/(d*x+c)^2,x, algorithm="maxima")

```
[Out] -(a^2*d*f*x + a^2*c*f - 2*b^2*d*sin(2*f*x + 2*e) + (a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e)^2 + (a^2*d*f*x + a^2*c*f)*sin(2*f*x + 2*e)^2 + 2*(a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e) - (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e)^2 + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*sin(2*f*x + 2*e)^2 + 2*(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e))*integrate(4*((a*b*d*f*x + a*b*c*f)*cos(2*f*x + 2*e)*cos(f*x + e) + (a*b*d*f*x + a*b*c*f)*cos(f*x + e) + (b^2*d + (a*b*d*f*x + a*b*c*f)*sin(f*x + e))*sin(2*f*x + 2*e))/(d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f + (d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*cos(2*f*x + 2*e)^2 + (d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*sin(2*f*x + 2*e)^2 + 2*(d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*cos(2*f*x + 2*e)), x)/(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e)^2 + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*sin(2*f*x + 2*e)^2 + 2*(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e))
```

Giac [N/A]

Not integrable

Time = 53.58 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(b \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

[In] integrate((a+b*sec(f*x+e))^2/(d*x+c)^2,x, algorithm="giac")

[Out] integrate((b*sec(f*x + e) + a)^2/(d*x + c)^2, x)

Mupad [N/A]

Not integrable

Time = 13.60 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{\left(a + \frac{b}{\cos(e+fx)}\right)^2}{(c + dx)^2} dx$$

[In] int((a + b/cos(e + f*x))^2/(c + d*x)^2,x)

[Out] int((a + b/cos(e + f*x))^2/(c + d*x)^2, x)

3.34 $\int \frac{(c+dx)^3}{a+b \sec(e+fx)} dx$

Optimal result	233
Rubi [A] (verified)	234
Mathematica [A] (verified)	238
Maple [F]	239
Fricas [B] (verification not implemented)	239
Sympy [F]	240
Maxima [F(-2)]	241
Giac [F]	241
Mupad [F(-1)]	241

Optimal result

Integrand size = 20, antiderivative size = 526

$$\int \frac{(c+dx)^3}{a+b \sec(e+fx)} dx = \frac{(c+dx)^4}{4ad} + \frac{ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f}$$

$$- \frac{ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f}$$

$$+ \frac{3bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2}$$

$$- \frac{3bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2}$$

$$+ \frac{6ibd^2(c+dx) \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3}$$

$$- \frac{6ibd^2(c+dx) \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3}$$

$$- \frac{6bd^3 \text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^4} + \frac{6bd^3 \text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^4}$$

```
[Out] 1/4*(d*x+c)^4/a/d+I*b*(d*x+c)^3*ln(1+a*exp(I*(f*x+e)))/(b-(-a^2+b^2)^(1/2))
/a/f/(-a^2+b^2)^(1/2)-I*b*(d*x+c)^3*ln(1+a*exp(I*(f*x+e)))/(b+(-a^2+b^2)^(1/2))
/a/f/(-a^2+b^2)^(1/2)+3*b*d*(d*x+c)^2*polylog(2,-a*exp(I*(f*x+e)))/(b-(-a^2+b^2)^(1/2))
/a/f^2/(-a^2+b^2)^(1/2)-3*b*d*(d*x+c)^2*polylog(2,-a*exp(I*(f*x+e)))/(b+(-a^2+b^2)^(1/2))
/a/f^2/(-a^2+b^2)^(1/2)+6*I*b*d^2*(d*x+c)*polylog(3,-a*exp(I*(f*x+e)))/(b-(-a^2+b^2)^(1/2))
/a/f^3/(-a^2+b^2)^(1/2)-6*I*b
```

$$*d^2*(d*x+c)*polylog(3,-a*\exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a/f^3/(-a^2+b^2)^(1/2)-6*b*d^3*polylog(4,-a*\exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a/f^4/(-a^2+b^2)^(1/2)+6*b*d^3*polylog(4,-a*\exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a/f^4/(-a^2+b^2)^(1/2)$$

Rubi [A] (verified)

Time = 1.28 (sec) , antiderivative size = 526, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {4276, 3402, 2296, 2221, 2611, 6744, 2320, 6724}

$$\int \frac{(c+dx)^3}{a+b\sec(e+fx)} dx = \frac{6ibd^2(c+dx)\text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af^3\sqrt{b^2-a^2}} - \frac{6ibd^2(c+dx)\text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{af^3\sqrt{b^2-a^2}} + \frac{3bd(c+dx)^2\text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af^2\sqrt{b^2-a^2}} - \frac{3bd(c+dx)^2\text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{af^2\sqrt{b^2-a^2}} + \frac{ib(c+dx)^3\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af\sqrt{b^2-a^2}} - \frac{ib(c+dx)^3\log\left(1+\frac{ae^{i(e+fx)}}{\sqrt{b^2-a^2}+b}\right)}{af\sqrt{b^2-a^2}} - \frac{6bd^3\text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af^4\sqrt{b^2-a^2}} + \frac{6bd^3\text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{af^4\sqrt{b^2-a^2}} + \frac{(c+dx)^4}{4ad}$$

[In] Int[(c + d*x)^3/(a + b*Sec[e + f*x]),x]

[Out] (c + d*x)^4/(4*a*d) + (I*b*(c + d*x)^3*Log[1 + (a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2]])/(a*Sqrt[-a^2 + b^2]*f) - (I*b*(c + d*x)^3*Log[1 + (a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2]])/(a*Sqrt[-a^2 + b^2]*f) + (3*b*d*(c + d*x)^2*PolyLog[2, -((a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2]])]/(a*Sqrt[-a^2 + b^2]*f^2) - (3*b*d*(c + d*x)^2*PolyLog[2, -((a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2]])]/(a*Sqrt[-a^2 + b^2]*f^2) + ((6*I)*b*d^2*(c + d*x)*PolyLog[3, -((a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2]])]/(a*Sqrt[-a^2 + b^2]*f^3) - ((6*I)*b*d^2*(c + d*x)*PolyLog[3, -((a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2]])]/(a*Sqrt[-a^2 + b^2]*f^3) - (6*b*d^3*PolyLog[4, -((a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2]])]/(a*Sqrt[-a^2 + b^2]*f^4) + (6*b*d^3*PolyLog[4, -((a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2]])]/(a*Sqrt[-a^2 + b^2]*f^4)

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2296

```
Int[((F_)^(u_)*((f_) + (g_)*(x_))^(m_))/((a_) + (b_)*(F_)^(u_) + (c_)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*(c/q), Int[
(f + g*x)^m*(F^u/(b - q + 2*c*F^u)), x], x] - Dist[2*(c/q), Int[(f + g*x)^m
*(F^u/(b + q + 2*c*F^u)), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n/(b*c*n*Log[F])]), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3402

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*sin[(e_) + Pi*(k_) + (f_)*(
x_)]), x_Symbol] := Dist[2, Int[(c + d*x)^m*E^(I*Pi*(k - 1/2))*E^(I*(e + f
*x))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi)*E^(2*I*(e
+ f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 4276

```
Int[(csc[(e_) + (f_)*(x_)]*(b_) + (a_))^(n_)*((c_) + (d_)*(x_))^(m_)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Si
n[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGt
Q[m, 0]
```

Rule 6724

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 6744

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] :> Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \int \left(\frac{(c + dx)^3}{a} - \frac{b(c + dx)^3}{a(b + a \cos(e + fx))} \right) dx \\
 &= \frac{(c + dx)^4}{4ad} - \frac{b \int \frac{(c+dx)^3}{b+a \cos(e+fx)} dx}{a} \\
 &= \frac{(c + dx)^4}{4ad} - \frac{(2b) \int \frac{e^{i(e+fx)}(c+dx)^3}{a+2be^{i(e+fx)}+ae^{2i(e+fx)}} dx}{a} \\
 &= \frac{(c + dx)^4}{4ad} - \frac{(2b) \int \frac{e^{i(e+fx)}(c+dx)^3}{2b-2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{\sqrt{-a^2 + b^2}} + \frac{(2b) \int \frac{e^{i(e+fx)}(c+dx)^3}{2b+2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{\sqrt{-a^2 + b^2}} \\
 &= \frac{(c + dx)^4}{4ad} + \frac{ib(c + dx)^3 \log \left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2 + b^2}f} - \frac{ib(c + dx)^3 \log \left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2 + b^2}f} \\
 &\quad - \frac{(3ibd) \int (c + dx)^2 \log \left(1 + \frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}} \right) dx}{a\sqrt{-a^2 + b^2}f} \\
 &\quad + \frac{(3ibd) \int (c + dx)^2 \log \left(1 + \frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}} \right) dx}{a\sqrt{-a^2 + b^2}f}
 \end{aligned}$$

$$\begin{aligned}
&= \frac{(c+dx)^4}{4ad} + \frac{ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} - \frac{ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} \\
&+ \frac{3bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} - \frac{3bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} \\
&- \frac{(6bd^2) \int (c+dx) \text{PolyLog}\left(2, -\frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right) dx}{a\sqrt{-a^2+b^2}f^2} \\
&+ \frac{(6bd^2) \int (c+dx) \text{PolyLog}\left(2, -\frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right) dx}{a\sqrt{-a^2+b^2}f^2} \\
&= \frac{(c+dx)^4}{4ad} + \frac{ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} - \frac{ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} \\
&+ \frac{3bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} - \frac{3bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} \\
&+ \frac{6ibd^2(c+dx) \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3} - \frac{6ibd^2(c+dx) \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3} \\
&- \frac{(6ibd^3) \int \text{PolyLog}\left(3, -\frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right) dx}{a\sqrt{-a^2+b^2}f^3} + \frac{(6ibd^3) \int \text{PolyLog}\left(3, -\frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right) dx}{a\sqrt{-a^2+b^2}f^3} \\
&= \frac{(c+dx)^4}{4ad} + \frac{ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} - \frac{ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} \\
&+ \frac{3bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} - \frac{3bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} \\
&+ \frac{6ibd^2(c+dx) \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3} \\
&- \frac{6ibd^2(c+dx) \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3} \\
&- \frac{(6bd^3) \text{Subst}\left(\int \frac{\text{PolyLog}\left(3, -\frac{ax}{b+\sqrt{-a^2+b^2}}\right)}{x} dx, x, e^{i(e+fx)}\right)}{a\sqrt{-a^2+b^2}f^4} \\
&+ \frac{(6bd^3) \text{Subst}\left(\int \frac{\text{PolyLog}\left(3, -\frac{ax}{b+\sqrt{-a^2+b^2}}\right)}{x} dx, x, e^{i(e+fx)}\right)}{a\sqrt{-a^2+b^2}f^4}
\end{aligned}$$

$$\begin{aligned}
&= \frac{(c+dx)^4}{4ad} + \frac{ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} - \frac{ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} \\
&+ \frac{3bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} - \frac{3bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} \\
&+ \frac{6ibd^2(c+dx) \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3} \\
&- \frac{6ibd^2(c+dx) \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3} \\
&- \frac{6bd^3 \text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^4} + \frac{6bd^3 \text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^4}
\end{aligned}$$

Mathematica [A] (verified)

Time = 1.44 (sec) , antiderivative size = 449, normalized size of antiderivative = 0.85

$$\int \frac{(c+dx)^3}{a+b\sec(e+fx)} dx$$

$$= \frac{(b+a\cos(e+fx)) \left(x(4c^3+6c^2dx+4cd^2x^2+d^3x^3) + \frac{4ib \left((c+dx)^3 \log\left(1 - \frac{ae^{i(e+fx)}}{-b+\sqrt{-a^2+b^2}}\right) - (c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right) \right)}{f^3} \right)}{4a^2(a+b\sec(e+fx))}$$

[In] Integrate[(c + d*x)^3/(a + b*Sec[e + f*x]),x]

[Out] ((b + a*Cos[e + f*x])*(x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3) + ((4*I)*b*((c + d*x)^3*Log[1 - (a*E^(I*(e + f*x))]/(-b + Sqrt[-a^2 + b^2])) - (c + d*x)^3*Log[1 + (a*E^(I*(e + f*x))]/(b + Sqrt[-a^2 + b^2])) + (3*d*((-I)*f^2*(c + d*x)^2*PolyLog[2, (a*E^(I*(e + f*x))]/(-b + Sqrt[-a^2 + b^2])) + 2*d*(f*(c + d*x)*PolyLog[3, (a*E^(I*(e + f*x))]/(-b + Sqrt[-a^2 + b^2])) + I*d*PolyLog[4, (a*E^(I*(e + f*x))]/(-b + Sqrt[-a^2 + b^2]))))/f^3 + ((3*I)*d*(f^2*(c + d*x)^2*PolyLog[2, -((a*E^(I*(e + f*x))]/(b + Sqrt[-a^2 + b^2]))] + (2*I)*d*f*(c + d*x)*PolyLog[3, -((a*E^(I*(e + f*x))]/(b + Sqrt[-a^2 + b^2]))] - 2*d^2*PolyLog[4, -((a*E^(I*(e + f*x))]/(b + Sqrt[-a^2 + b^2])))]))/f^3)/(Sqrt[-a^2 + b^2]*f)*Sec[e + f*x])/(4*a*(a + b*Sec[e + f*x]))

Maple [F]

$$\int \frac{(dx + c)^3}{a + b \sec(fx + e)} dx$$

[In] int((d*x+c)^3/(a+b*sec(f*x+e)),x)

[Out] int((d*x+c)^3/(a+b*sec(f*x+e)),x)

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 2309 vs. $2(466) = 932$.

Time = 0.52 (sec) , antiderivative size = 2309, normalized size of antiderivative = 4.39

$$\int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx = \text{Too large to display}$$

[In] integrate((d*x+c)^3/(a+b*sec(f*x+e)),x, algorithm="fricas")

[Out] $\frac{1}{4} * ((a^2 - b^2) * d^3 * f^4 * x^4 + 4 * (a^2 - b^2) * c * d^2 * f^4 * x^3 + 6 * (a^2 - b^2) * c^2 * d * f^4 * x^2 + 4 * (a^2 - b^2) * c^3 * f^4 * x + 12 * a * b * d^3 * \sqrt{-(a^2 - b^2) / a^2}) * \text{polylog}(4, -(b * \cos(f * x + e) + I * b * \sin(f * x + e) + (a * \cos(f * x + e) + I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2})) / a - 12 * a * b * d^3 * \sqrt{-(a^2 - b^2) / a^2}) * \text{polylog}(4, -(b * \cos(f * x + e) + I * b * \sin(f * x + e) - (a * \cos(f * x + e) + I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2})) / a + 12 * a * b * d^3 * \sqrt{-(a^2 - b^2) / a^2}) * \text{polylog}(4, -(b * \cos(f * x + e) - I * b * \sin(f * x + e) + (a * \cos(f * x + e) - I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2})) / a - 12 * a * b * d^3 * \sqrt{-(a^2 - b^2) / a^2}) * \text{polylog}(4, -(b * \cos(f * x + e) - I * b * \sin(f * x + e) - (a * \cos(f * x + e) - I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2})) / a - 6 * (a * b * d^3 * f^2 * x^2 + 2 * a * b * c * d^2 * f^2 * x + a * b * c^2 * d * f^2) * \sqrt{-(a^2 - b^2) / a^2}) * \text{dilog}(-(b * \cos(f * x + e) + I * b * \sin(f * x + e) + (a * \cos(f * x + e) + I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2}) + a) / a + 1) + 6 * (a * b * d^3 * f^2 * x^2 + 2 * a * b * c * d^2 * f^2 * x + a * b * c^2 * d * f^2) * \sqrt{-(a^2 - b^2) / a^2}) * \text{dilog}(-(b * \cos(f * x + e) + I * b * \sin(f * x + e) - (a * \cos(f * x + e) + I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2}) + a) / a + 1) - 6 * (a * b * d^3 * f^2 * x^2 + 2 * a * b * c * d^2 * f^2 * x + a * b * c^2 * d * f^2) * \sqrt{-(a^2 - b^2) / a^2}) * \text{dilog}(-(b * \cos(f * x + e) - I * b * \sin(f * x + e) + (a * \cos(f * x + e) - I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2}) + a) / a + 1) + 6 * (a * b * d^3 * f^2 * x^2 + 2 * a * b * c * d^2 * f^2 * x + a * b * c^2 * d * f^2) * \sqrt{-(a^2 - b^2) / a^2}) * \text{dilog}(-(b * \cos(f * x + e) - I * b * \sin(f * x + e) - (a * \cos(f * x + e) - I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2}) + a) / a + 1) - 2 * (I * a * b * d^3 * e^3 - 3 * I * a * b * c * d^2 * e^2 * f + 3 * I * a * b * c^2 * d * e * f^2 - I * a * b * c^3 * f^3) * \sqrt{-(a^2 - b^2) / a^2}) * \log(2 * a * \cos(f * x + e) + 2 * I * a * \sin(f * x + e) + 2 * a * \sqrt{-(a^2 - b^2) / a^2}) + 2 * b) - 2 * (-I * a * b * d^3 * e^3 + 3 * I * a * b * c * d^2 * e^2 * f - 3 * I * a * b * c^2 * d * e * f^2 + I * a * b * c^3 * f^3) * \sqrt{-(a^2 - b^2) / a^2}) * \log(2 * a * \cos(f * x + e) - 2 * I * a * \sin(f * x + e) + 2 * a * \sqrt{-(a^2 - b^2) / a^2}) + 2 * b) - 2 * (I * a * b * d^3 * e^3 -$

```

3*I*a*b*c*d^2*e^2*f + 3*I*a*b*c^2*d*e*f^2 - I*a*b*c^3*f^3)*sqrt(-(a^2 - b^2
)/a^2)*log(-2*a*cos(f*x + e) + 2*I*a*sin(f*x + e) + 2*a*sqrt(-(a^2 - b^2)/a
^2) - 2*b) - 2*(-I*a*b*d^3*e^3 + 3*I*a*b*c*d^2*e^2*f - 3*I*a*b*c^2*d*e*f^2
+ I*a*b*c^3*f^3)*sqrt(-(a^2 - b^2)/a^2)*log(-2*a*cos(f*x + e) - 2*I*a*sin(f
*x + e) + 2*a*sqrt(-(a^2 - b^2)/a^2) - 2*b) - 2*(I*a*b*d^3*f^3*x^3 + 3*I*a*
b*c*d^2*f^3*x^2 + 3*I*a*b*c^2*d*f^3*x + I*a*b*d^3*e^3 - 3*I*a*b*c*d^2*e^2*f
+ 3*I*a*b*c^2*d*e*f^2)*sqrt(-(a^2 - b^2)/a^2)*log((b*cos(f*x + e) + I*b*si
n(f*x + e) + (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a
)/a) - 2*(-I*a*b*d^3*f^3*x^3 - 3*I*a*b*c*d^2*f^3*x^2 - 3*I*a*b*c^2*d*f^3*x
- I*a*b*d^3*e^3 + 3*I*a*b*c*d^2*e^2*f - 3*I*a*b*c^2*d*e*f^2)*sqrt(-(a^2 - b
^2)/a^2)*log((b*cos(f*x + e) + I*b*sin(f*x + e) - (a*cos(f*x + e) + I*a*sin
(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a) - 2*(-I*a*b*d^3*f^3*x^3 - 3*I*a*b
*c*d^2*f^3*x^2 - 3*I*a*b*c^2*d*f^3*x - I*a*b*d^3*e^3 + 3*I*a*b*c*d^2*e^2*f
- 3*I*a*b*c^2*d*e*f^2)*sqrt(-(a^2 - b^2)/a^2)*log((b*cos(f*x + e) - I*b*si
n(f*x + e) + (a*cos(f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a
)/a) - 2*(I*a*b*d^3*f^3*x^3 + 3*I*a*b*c*d^2*f^3*x^2 + 3*I*a*b*c^2*d*f^3*x +
I*a*b*d^3*e^3 - 3*I*a*b*c*d^2*e^2*f + 3*I*a*b*c^2*d*e*f^2)*sqrt(-(a^2 - b^2
)/a^2)*log((b*cos(f*x + e) - I*b*sin(f*x + e) - (a*cos(f*x + e) - I*a*sin(f
*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a) + 12*(-I*a*b*d^3*f*x - I*a*b*c*d^2*
f)*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x + e) + I*b*sin(f*x + e) +
(a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2))/a) + 12*(I*a*b*
d^3*f*x + I*a*b*c*d^2*f)*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x + e)
+ I*b*sin(f*x + e) - (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)
/a^2))/a) + 12*(I*a*b*d^3*f*x + I*a*b*c*d^2*f)*sqrt(-(a^2 - b^2)/a^2)*polyl
og(3, -(b*cos(f*x + e) - I*b*sin(f*x + e) + (a*cos(f*x + e) - I*a*sin(f*x +
e))*sqrt(-(a^2 - b^2)/a^2))/a) + 12*(-I*a*b*d^3*f*x - I*a*b*c*d^2*f)*sqrt(
-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x + e) - I*b*sin(f*x + e) - (a*cos(f
*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2))/a))/((a^3 - a*b^2)*f^4)

```

Sympy [F]

$$\int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx$$

```
[In] integrate((d*x+c)**3/(a+b*sec(f*x+e)),x)
```

```
[Out] Integral((c + d*x)**3/(a + b*sec(e + f*x)), x)
```


Maxima [F(-2)]

Exception generated.

$$\int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx = \text{Exception raised: ValueError}$$

[In] integrate((d*x+c)^3/(a+b*sec(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a^2-4*b^2>0)', see 'assume?' for more details)

Giac [F]

$$\int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx = \int \frac{(dx + c)^3}{b \sec(fx + e) + a} dx$$

[In] integrate((d*x+c)^3/(a+b*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^3/(b*sec(f*x + e) + a), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^3}{a + \frac{b}{\cos(e+fx)}} dx$$

[In] int((c + d*x)^3/(a + b/cos(e + f*x)),x)

[Out] int((c + d*x)^3/(a + b/cos(e + f*x)), x)

3.35 $\int \frac{(c+dx)^2}{a+b \sec(e+fx)} dx$

Optimal result	242
Rubi [A] (verified)	243
Mathematica [A] (verified)	246
Maple [F]	246
Fricas [B] (verification not implemented)	246
Sympy [F]	248
Maxima [F(-2)]	248
Giac [F]	248
Mupad [F(-1)]	248

Optimal result

Integrand size = 20, antiderivative size = 394

$$\int \frac{(c+dx)^2}{a+b \sec(e+fx)} dx = \frac{(c+dx)^3}{3ad} + \frac{ib(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f}$$

$$- \frac{ib(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f}$$

$$+ \frac{2bd(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2}$$

$$- \frac{2bd(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2}$$

$$+ \frac{2ibd^2 \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3}$$

$$- \frac{2ibd^2 \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3}$$

```
[Out] 1/3*(d*x+c)^3/a/d+I*b*(d*x+c)^2*ln(1+a*exp(I*(f*x+e)))/(b-(-a^2+b^2)^(1/2))
/a/f/(-a^2+b^2)^(1/2)-I*b*(d*x+c)^2*ln(1+a*exp(I*(f*x+e)))/(b+(-a^2+b^2)^(1/2))
/a/f/(-a^2+b^2)^(1/2)+2*b*d*(d*x+c)*polylog(2,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))
/a/f^2/(-a^2+b^2)^(1/2)-2*b*d*(d*x+c)*polylog(2,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))
/a/f^2/(-a^2+b^2)^(1/2)+2*I*b*d^2*polylog(3,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))
/a/f^3/(-a^2+b^2)^(1/2)-2*I*b*d^2*polylog(3,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))
/a/f^3/(-a^2+b^2)^(1/2)
```

Rubi [A] (verified)

Time = 1.37 (sec) , antiderivative size = 394, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {4276, 3402, 2296, 2221, 2611, 2320, 6724}

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx = \frac{2bd(c + dx) \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b - \sqrt{b^2 - a^2}}\right)}{af^2 \sqrt{b^2 - a^2}} - \frac{2bd(c + dx) \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b + \sqrt{b^2 - a^2}}\right)}{af^2 \sqrt{b^2 - a^2}} + \frac{ib(c + dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b - \sqrt{b^2 - a^2}}\right)}{af \sqrt{b^2 - a^2}} - \frac{ib(c + dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{\sqrt{b^2 - a^2} + b}\right)}{af \sqrt{b^2 - a^2}} + \frac{2ibd^2 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b - \sqrt{b^2 - a^2}}\right)}{af^3 \sqrt{b^2 - a^2}} - \frac{2ibd^2 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b + \sqrt{b^2 - a^2}}\right)}{af^3 \sqrt{b^2 - a^2}} + \frac{(c + dx)^3}{3ad}$$

[In] Int[(c + d*x)^2/(a + b*Sec[e + f*x]),x]

[Out] (c + d*x)^3/(3*a*d) + (I*b*(c + d*x)^2*Log[1 + (a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2]])/(a*Sqrt[-a^2 + b^2]*f) - (I*b*(c + d*x)^2*Log[1 + (a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2]])/(a*Sqrt[-a^2 + b^2]*f) + (2*b*d*(c + d*x)*PolyLog[2, -((a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2]])]/(a*Sqrt[-a^2 + b^2]*f^2) - (2*b*d*(c + d*x)*PolyLog[2, -((a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2]])]/(a*Sqrt[-a^2 + b^2]*f^2) + ((2*I)*b*d^2*PolyLog[3, -((a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2]])]/(a*Sqrt[-a^2 + b^2]*f^3) - ((2*I)*b*d^2*PolyLog[3, -((a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2]])]/(a*Sqrt[-a^2 + b^2]*f^3)

Rule 2221

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[(((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2296

Int[((F_)^(u_)*((f_) + (g_)*(x_))^(m_))/((a_) + (b_)*(F_)^(u_) + (c_) * (F_)^(v_)), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*(c/q), Int[(f + g*x)^m*(F^u/(b - q + 2*c*F^u)), x], x] - Dist[2*(c/q), Int[(f + g*x)^m * (F^u/(b + q + 2*c*F^u)), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,

2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3402

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(
x_)]), x_Symbol] := Dist[2, Int[(c + d*x)^m*E^(I*Pi*(k - 1/2))*E^(I*(e + f
*x))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi)*E^(2*I*(e
+ f*x)))]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 4276

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Si
n[e + f*x]^n)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGt
Q[m, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \text{integral} &= \int \left(\frac{(c+dx)^2}{a} - \frac{b(c+dx)^2}{a(b+a\cos(e+fx))} \right) dx \\ &= \frac{(c+dx)^3}{3ad} - \frac{b \int \frac{(c+dx)^2}{b+a\cos(e+fx)} dx}{a} \end{aligned}$$

$$\begin{aligned}
&= \frac{(c+dx)^3}{3ad} - \frac{(2b) \int \frac{e^{i(e+fx)}(c+dx)^2}{a+2be^{i(e+fx)}+ae^{2i(e+fx)}} dx}{a} \\
&= \frac{(c+dx)^3}{3ad} - \frac{(2b) \int \frac{e^{i(e+fx)}(c+dx)^2}{2b-2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{\sqrt{-a^2+b^2}} + \frac{(2b) \int \frac{e^{i(e+fx)}(c+dx)^2}{2b+2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{\sqrt{-a^2+b^2}} \\
&= \frac{(c+dx)^3}{3ad} + \frac{ib(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} - \frac{ib(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} \\
&\quad - \frac{(2ibd) \int (c+dx) \log\left(1 + \frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right) dx}{a\sqrt{-a^2+b^2}f} + \frac{(2ibd) \int (c+dx) \log\left(1 + \frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right) dx}{a\sqrt{-a^2+b^2}f} \\
&= \frac{(c+dx)^3}{3ad} + \frac{ib(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} - \frac{ib(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} \\
&\quad + \frac{2bd(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} - \frac{2bd(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} \\
&\quad - \frac{(2bd^2) \int \text{PolyLog}\left(2, -\frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right) dx}{a\sqrt{-a^2+b^2}f^2} + \frac{(2bd^2) \int \text{PolyLog}\left(2, -\frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right) dx}{a\sqrt{-a^2+b^2}f^2} \\
&= \frac{(c+dx)^3}{3ad} + \frac{ib(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} - \frac{ib(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} \\
&\quad + \frac{2bd(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} - \frac{2bd(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} \\
&\quad + \frac{(2ibd^2) \text{Subst}\left(\int \frac{\text{PolyLog}\left(2, -\frac{ax}{b+\sqrt{-a^2+b^2}}\right)}{x} dx, x, e^{i(e+fx)}\right)}{a\sqrt{-a^2+b^2}f^3} \\
&\quad - \frac{(2ibd^2) \text{Subst}\left(\int \frac{\text{PolyLog}\left(2, -\frac{ax}{b-\sqrt{-a^2+b^2}}\right)}{x} dx, x, e^{i(e+fx)}\right)}{a\sqrt{-a^2+b^2}f^3} \\
&= \frac{(c+dx)^3}{3ad} + \frac{ib(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} - \frac{ib(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} \\
&\quad + \frac{2bd(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} - \frac{2bd(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} \\
&\quad + \frac{2ibd^2 \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3} - \frac{2ibd^2 \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3}
\end{aligned}$$

Mathematica [A] (verified)

Time = 1.12 (sec) , antiderivative size = 338, normalized size of antiderivative = 0.86

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx$$

$$(b + a \cos(e + fx)) \left(x(3c^2 + 3cdx + d^2x^2) + \frac{3ib \left((c+dx)^2 \log\left(1 - \frac{ae^i(e+fx)}{-b + \sqrt{-a^2 + b^2}}\right) - (c+dx)^2 \log\left(1 + \frac{ae^i(e+fx)}{b + \sqrt{-a^2 + b^2}}\right) + \frac{2d(-if(c+dx))}{\dots} \right)}{3a(a + b \sec(e + fx))} \right)$$

[In] Integrate[(c + d*x)^2/(a + b*Sec[e + f*x]),x]

[Out] ((b + a*Cos[e + f*x])*(x*(3*c^2 + 3*c*d*x + d^2*x^2) + ((3*I)*b*((c + d*x)^2*Log[1 - (a*E^(I*(e + f*x))]/(-b + Sqrt[-a^2 + b^2])] - (c + d*x)^2*Log[1 + (a*E^(I*(e + f*x))]/(b + Sqrt[-a^2 + b^2])]) + (2*d*((-I)*f*(c + d*x)*PolyLog[2, (a*E^(I*(e + f*x))]/(-b + Sqrt[-a^2 + b^2])] + d*PolyLog[3, (a*E^(I*(e + f*x))]/(-b + Sqrt[-a^2 + b^2])]))/f^2 + ((2*I)*d*(f*(c + d*x)*PolyLog[2, -((a*E^(I*(e + f*x))]/(b + Sqrt[-a^2 + b^2])])) + I*d*PolyLog[3, -((a*E^(I*(e + f*x))]/(b + Sqrt[-a^2 + b^2])]))/f^2))/(Sqrt[-a^2 + b^2]*f)*Sec[e + f*x])/(3*a*(a + b*Sec[e + f*x]))

Maple [F]

$$\int \frac{(dx + c)^2}{a + b \sec(fx + e)} dx$$

[In] int((d*x+c)^2/(a+b*sec(f*x+e)),x)

[Out] int((d*x+c)^2/(a+b*sec(f*x+e)),x)

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1625 vs. 2(346) = 692.

Time = 0.46 (sec) , antiderivative size = 1625, normalized size of antiderivative = 4.12

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx = \text{Too large to display}$$

[In] integrate((d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="fricas")

[Out] 1/6*(2*(a^2 - b^2)*d^2*f^3*x^3 + 6*(a^2 - b^2)*c*d*f^3*x^2 + 6*(a^2 - b^2)*c^2*f^3*x - 6*I*a*b*d^2*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x + e)

$$\begin{aligned}
& + I*b*\sin(f*x + e) + (a*\cos(f*x + e) + I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2})/a) + 6*I*a*b*d^2*\sqrt{-(a^2 - b^2)/a^2})*\text{polylog}(3, -(b*\cos(f*x + e) + I*b*\sin(f*x + e) - (a*\cos(f*x + e) + I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2}))/a) + 6*I*a*b*d^2*\sqrt{-(a^2 - b^2)/a^2})*\text{polylog}(3, -(b*\cos(f*x + e) - I*b*\sin(f*x + e) + (a*\cos(f*x + e) - I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2}))/a) - 6*I*a*b*d^2*\sqrt{-(a^2 - b^2)/a^2})*\text{polylog}(3, -(b*\cos(f*x + e) - I*b*\sin(f*x + e) - (a*\cos(f*x + e) - I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2}))/a) - 6*(a*b*d^2*f*x + a*b*c*d*f)*\sqrt{-(a^2 - b^2)/a^2})*\text{dilog}(-(b*\cos(f*x + e) + I*b*\sin(f*x + e) + (a*\cos(f*x + e) + I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2} + a)/a + 1) + 6*(a*b*d^2*f*x + a*b*c*d*f)*\sqrt{-(a^2 - b^2)/a^2})*\text{dilog}(-(b*\cos(f*x + e) + I*b*\sin(f*x + e) - (a*\cos(f*x + e) + I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2} + a)/a + 1) - 6*(a*b*d^2*f*x + a*b*c*d*f)*\sqrt{-(a^2 - b^2)/a^2})*\text{dilog}(-(b*\cos(f*x + e) - I*b*\sin(f*x + e) + (a*\cos(f*x + e) - I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2} + a)/a + 1) + 6*(a*b*d^2*f*x + a*b*c*d*f)*\sqrt{-(a^2 - b^2)/a^2})*\text{dilog}(-(b*\cos(f*x + e) - I*b*\sin(f*x + e) - (a*\cos(f*x + e) - I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2} + a)/a + 1) + 3*(I*a*b*d^2*e^2 - 2*I*a*b*c*d*e*f + I*a*b*c^2*f^2)*\sqrt{-(a^2 - b^2)/a^2})*\log(2*a*\cos(f*x + e) + 2*I*a*\sin(f*x + e) + 2*a*\sqrt{-(a^2 - b^2)/a^2} + 2*b) + 3*(-I*a*b*d^2*e^2 + 2*I*a*b*c*d*e*f - I*a*b*c^2*f^2)*\sqrt{-(a^2 - b^2)/a^2})*\log(2*a*\cos(f*x + e) - 2*I*a*\sin(f*x + e) + 2*a*\sqrt{-(a^2 - b^2)/a^2} + 2*b) + 3*(I*a*b*d^2*e^2 - 2*I*a*b*c*d*e*f + I*a*b*c^2*f^2)*\sqrt{-(a^2 - b^2)/a^2})*\log(-2*a*\cos(f*x + e) + 2*I*a*\sin(f*x + e) + 2*a*\sqrt{-(a^2 - b^2)/a^2} - 2*b) + 3*(-I*a*b*d^2*e^2 + 2*I*a*b*c*d*e*f - I*a*b*c^2*f^2)*\sqrt{-(a^2 - b^2)/a^2})*\log(-2*a*\cos(f*x + e) - 2*I*a*\sin(f*x + e) + 2*a*\sqrt{-(a^2 - b^2)/a^2} - 2*b) + 3*(-I*a*b*d^2*f^2*x^2 - 2*I*a*b*c*d*f^2*x + I*a*b*d^2*e^2 - 2*I*a*b*c*d*e*f)*\sqrt{-(a^2 - b^2)/a^2})*\log((b*\cos(f*x + e) + I*b*\sin(f*x + e) + (a*\cos(f*x + e) + I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2} + a)/a) + 3*(I*a*b*d^2*f^2*x^2 + 2*I*a*b*c*d*f^2*x - I*a*b*d^2*e^2 + 2*I*a*b*c*d*e*f)*\sqrt{-(a^2 - b^2)/a^2})*\log((b*\cos(f*x + e) + I*b*\sin(f*x + e) - (a*\cos(f*x + e) + I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2} + a)/a) + 3*(I*a*b*d^2*f^2*x^2 + 2*I*a*b*c*d*f^2*x - I*a*b*d^2*e^2 + 2*I*a*b*c*d*e*f)*\sqrt{-(a^2 - b^2)/a^2})*\log((b*\cos(f*x + e) - I*b*\sin(f*x + e) + (a*\cos(f*x + e) - I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2} + a)/a) + 3*(-I*a*b*d^2*f^2*x^2 - 2*I*a*b*c*d*f^2*x + I*a*b*d^2*e^2 - 2*I*a*b*c*d*e*f)*\sqrt{-(a^2 - b^2)/a^2})*\log((b*\cos(f*x + e) - I*b*\sin(f*x + e) - (a*\cos(f*x + e) - I*a*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/a^2} + a)/a))/((a^3 - a*b^2)*f^3)
\end{aligned}$$

Sympy [F]

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx$$

[In] integrate((d*x+c)**2/(a+b*sec(f*x+e)),x)

[Out] Integral((c + d*x)**2/(a + b*sec(e + f*x)), x)

Maxima [F(-2)]

Exception generated.

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx = \text{Exception raised: ValueError}$$

[In] integrate((d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a^2-4*b^2>0)', see 'assume?' for more details)

Giac [F]

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx = \int \frac{(dx + c)^2}{b \sec(fx + e) + a} dx$$

[In] integrate((d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^2/(b*sec(f*x + e) + a), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^2}{a + \frac{b}{\cos(e+fx)}} dx$$

[In] int((c + d*x)^2/(a + b/cos(e + f*x)),x)

[Out] int((c + d*x)^2/(a + b/cos(e + f*x)), x)

3.36 $\int \frac{c+dx}{a+b \sec(e+fx)} dx$

Optimal result	249
Rubi [A] (verified)	249
Mathematica [A] (verified)	252
Maple [B] (verified)	252
Fricas [B] (verification not implemented)	253
Sympy [F]	254
Maxima [F(-2)]	254
Giac [F]	254
Mupad [F(-1)]	254

Optimal result

Integrand size = 18, antiderivative size = 257

$$\int \frac{c+dx}{a+b \sec(e+fx)} dx = \frac{(c+dx)^2}{2ad} + \frac{ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f}$$

$$- \frac{ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f}$$

$$+ \frac{bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} - \frac{bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2}$$

```
[Out] 1/2*(d*x+c)^2/a/d+I*b*(d*x+c)*ln(1+a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a
/f/(-a^2+b^2)^(1/2)-I*b*(d*x+c)*ln(1+a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2))
/a/f/(-a^2+b^2)^(1/2)+b*d*polylog(2,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2))
/a/f^2/(-a^2+b^2)^(1/2)-b*d*polylog(2,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)
))/a/f^2/(-a^2+b^2)^(1/2)
```

Rubi [A] (verified)

Time = 0.75 (sec) , antiderivative size = 257, normalized size of antiderivative = 1.00,
 number of steps used = 10, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used

= {4276, 3402, 2296, 2221, 2317, 2438}

$$\int \frac{c + dx}{a + b \sec(e + fx)} dx = \frac{ib(c + dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b - \sqrt{b^2 - a^2}}\right)}{af\sqrt{b^2 - a^2}} - \frac{ib(c + dx) \log\left(1 + \frac{ae^{i(e+fx)}}{\sqrt{b^2 - a^2} + b}\right)}{af\sqrt{b^2 - a^2}} + \frac{bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b - \sqrt{b^2 - a^2}}\right)}{af^2\sqrt{b^2 - a^2}} - \frac{bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b + \sqrt{b^2 - a^2}}\right)}{af^2\sqrt{b^2 - a^2}} + \frac{(c + dx)^2}{2ad}$$

[In] Int[(c + d*x)/(a + b*Sec[e + f*x]),x]

[Out] (c + d*x)^2/(2*a*d) + (I*b*(c + d*x)*Log[1 + (a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*f) - (I*b*(c + d*x)*Log[1 + (a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*f) + (b*d*PolyLog[2, -((a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*f^2) - (b*d*PolyLog[2, -((a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2]))])/(a*Sqrt[-a^2 + b^2]*f^2)

Rule 2221

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2296

Int[(((F_)^(u_))*((f_) + (g_)*(x_))^(m_)]/((a_) + (b_)*(F_)^(u_) + (c_)*(F_)^(v_)), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*(c/q), Int[(f + g*x)^m*(F^u/(b - q + 2*c*F^u)), x], x] - Dist[2*(c/q), Int[(f + g*x)^m*(F^u/(b + q + 2*c*F^u)), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_)*((d_) + (e_)*(x_))^(n_)]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3402

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)]), x_Symbol] :> Dist[2, Int[(c + d*x)^m*E^(I*Pi*(k - 1/2))*(E^(I*(e + f*x)))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))]], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 4276

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n)], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int \left(\frac{c + dx}{a} - \frac{b(c + dx)}{a(b + a \cos(e + fx))} \right) dx \\
&= \frac{(c + dx)^2}{2ad} - \frac{b \int \frac{c+dx}{b+a \cos(e+fx)} dx}{a} \\
&= \frac{(c + dx)^2}{2ad} - \frac{(2b) \int \frac{e^{i(e+fx)}(c+dx)}{a+2be^{i(e+fx)}+ae^{2i(e+fx)}} dx}{a} \\
&= \frac{(c + dx)^2}{2ad} - \frac{(2b) \int \frac{e^{i(e+fx)}(c+dx)}{2b-2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{\sqrt{-a^2+b^2}} + \frac{(2b) \int \frac{e^{i(e+fx)}(c+dx)}{2b+2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{\sqrt{-a^2+b^2}} \\
&= \frac{(c + dx)^2}{2ad} + \frac{ib(c + dx) \log \left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f} - \frac{ib(c + dx) \log \left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f} \\
&\quad - \frac{(ibd) \int \log \left(1 + \frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}} \right) dx}{a\sqrt{-a^2+b^2}f} + \frac{(ibd) \int \log \left(1 + \frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}} \right) dx}{a\sqrt{-a^2+b^2}f} \\
&= \frac{(c + dx)^2}{2ad} + \frac{ib(c + dx) \log \left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f} - \frac{ib(c + dx) \log \left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f} \\
&\quad - \frac{(bd) \text{Subst} \left(\int \frac{\log \left(1 + \frac{2ax}{2b-2\sqrt{-a^2+b^2}} \right)}{x} dx, x, e^{i(e+fx)} \right)}{a\sqrt{-a^2+b^2}f^2} \\
&\quad + \frac{(bd) \text{Subst} \left(\int \frac{\log \left(1 + \frac{2ax}{2b+2\sqrt{-a^2+b^2}} \right)}{x} dx, x, e^{i(e+fx)} \right)}{a\sqrt{-a^2+b^2}f^2}
\end{aligned}$$

$$= \frac{(c+dx)^2}{2ad} + \frac{ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} - \frac{ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f}$$

$$+ \frac{bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} - \frac{bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2}$$

Mathematica [A] (verified)

Time = 0.72 (sec) , antiderivative size = 214, normalized size of antiderivative = 0.83

$$\int \frac{c+dx}{a+b \sec(e+fx)} dx$$

$$= \frac{f\left(\sqrt{-a^2+b^2}fx(2c+dx) + 2ib(c+dx) \log\left(1 - \frac{ae^{i(e+fx)}}{-b+\sqrt{-a^2+b^2}}\right) - 2ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)\right) + 2bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{2a\sqrt{-a^2+b^2}f^2}$$

[In] Integrate[(c + d*x)/(a + b*Sec[e + f*x]),x]

[Out] (f*(Sqrt[-a^2 + b^2]*f*x*(2*c + d*x) + (2*I)*b*(c + d*x)*Log[1 - (a*E^(I*(e + f*x)))/(-b + Sqrt[-a^2 + b^2])] - (2*I)*b*(c + d*x)*Log[1 + (a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])] + 2*b*d*PolyLog[2, (a*E^(I*(e + f*x)))/(-b + Sqrt[-a^2 + b^2])] - 2*b*d*PolyLog[2, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(2*a*Sqrt[-a^2 + b^2]*f^2)

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 515 vs. 2(229) = 458.

Time = 0.56 (sec) , antiderivative size = 516, normalized size of antiderivative = 2.01

method	result
risch	$\frac{dx^2}{2a} + \frac{cx}{a} + \frac{2ibc \arctan\left(\frac{2ae^{i(fx+e)}+2b}{2\sqrt{a^2-b^2}}\right)}{fa\sqrt{a^2-b^2}} + \frac{ibd \ln\left(\frac{-ae^{i(fx+e)}+\sqrt{-a^2+b^2}-b}{-b+\sqrt{-a^2+b^2}}\right)x}{fa\sqrt{-a^2+b^2}} - \frac{ibd \ln\left(\frac{ae^{i(fx+e)}+\sqrt{-a^2+b^2}+b}{b+\sqrt{-a^2+b^2}}\right)x}{fa\sqrt{-a^2+b^2}} + \dots$

[In] int((d*x+c)/(a+b*sec(f*x+e)),x,method=_RETURNVERBOSE)

[Out] 1/2*d/a*x^2+c/a*x+2*I/f/a*b*c/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*exp(I*(f*x+e))+2*b)/(a^2-b^2)^(1/2))+I/f/a*b*d/(-a^2+b^2)^(1/2)*ln((-a*exp(I*(f*x+e))+(-a^2+b^2)^(1/2)-b)/(-b+(-a^2+b^2)^(1/2)))*x-I/f/a*b*d/(-a^2+b^2)^(1/2)*ln((a*exp(I*(f*x+e))+(-a^2+b^2)^(1/2)+b)/(b+(-a^2+b^2)^(1/2)))*x+I/f^2/a*b*d/(-a^2+b^2)^(1/2)*ln((-a*exp(I*(f*x+e))+(-a^2+b^2)^(1/2)-b)/(-b+(-a^2+b^2)^(1/2)))*e-I/f^2/a*b*d/(-a^2+b^2)^(1/2)*ln((a*exp(I*(f*x+e))+(-a^2+b^2)^(1/2)+b)/(b+(-a^2+b^2)^(1/2)))*e+1/f^2/a*b*d/(-a^2+b^2)^(1/2)*dilog((-a*exp(I*(f*x+e))+(-a^2+b^2)^(1/2)-b)/(-b+(-a^2+b^2)^(1/2)))-1/f^2/a*b*d/(-a^2+b^2)^(1/2)

```
*dilog((a*exp(I*(f*x+e))+(-a^2+b^2)^(1/2)+b)/(b+(-a^2+b^2)^(1/2)))-2*I/f^2/
a*b*d*e/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*exp(I*(f*x+e))+2*b)/(a^2-b^2)^(1/2)
)
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1041 vs. $2(225) = 450$.

Time = 0.45 (sec) , antiderivative size = 1041, normalized size of antiderivative = 4.05

$$\int \frac{c + dx}{a + b \sec(e + fx)} dx = \text{Too large to display}$$

```
[In] integrate((d*x+c)/(a+b*sec(f*x+e)),x, algorithm="fricas")
```

```
[Out] 1/2*((a^2 - b^2)*d*f^2*x^2 + 2*(a^2 - b^2)*c*f^2*x - a*b*d*sqrt(-(a^2 - b^2
)/a^2)*dilog(-(b*cos(f*x + e) + I*b*sin(f*x + e) + (a*cos(f*x + e) + I*a*si
n(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) + a*b*d*sqrt(-(a^2 - b^2)/a^
2)*dilog(-(b*cos(f*x + e) + I*b*sin(f*x + e) - (a*cos(f*x + e) + I*a*sin(f*
x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - a*b*d*sqrt(-(a^2 - b^2)/a^2)*d
ilog(-(b*cos(f*x + e) - I*b*sin(f*x + e) + (a*cos(f*x + e) - I*a*sin(f*x +
e))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) + a*b*d*sqrt(-(a^2 - b^2)/a^2)*dilog
(-(b*cos(f*x + e) - I*b*sin(f*x + e) - (a*cos(f*x + e) - I*a*sin(f*x + e))*
sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - (I*a*b*d*e - I*a*b*c*f)*sqrt(-(a^2 - b
^2)/a^2)*log(2*a*cos(f*x + e) + 2*I*a*sin(f*x + e) + 2*a*sqrt(-(a^2 - b^2)/
a^2) + 2*b) - (-I*a*b*d*e + I*a*b*c*f)*sqrt(-(a^2 - b^2)/a^2)*log(2*a*cos(f
*x + e) - 2*I*a*sin(f*x + e) + 2*a*sqrt(-(a^2 - b^2)/a^2) + 2*b) - (I*a*b*d
*e - I*a*b*c*f)*sqrt(-(a^2 - b^2)/a^2)*log(-2*a*cos(f*x + e) + 2*I*a*sin(f*
x + e) + 2*a*sqrt(-(a^2 - b^2)/a^2) - 2*b) - (-I*a*b*d*e + I*a*b*c*f)*sqrt(
-(a^2 - b^2)/a^2)*log(-2*a*cos(f*x + e) - 2*I*a*sin(f*x + e) + 2*a*sqrt(-(a
^2 - b^2)/a^2) - 2*b) - (I*a*b*d*f*x + I*a*b*d*e)*sqrt(-(a^2 - b^2)/a^2)*lo
g((b*cos(f*x + e) + I*b*sin(f*x + e) + (a*cos(f*x + e) + I*a*sin(f*x + e))*
sqrt(-(a^2 - b^2)/a^2) + a)/a) - (-I*a*b*d*f*x - I*a*b*d*e)*sqrt(-(a^2 - b^
2)/a^2)*log((b*cos(f*x + e) + I*b*sin(f*x + e) - (a*cos(f*x + e) + I*a*sin(
f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a) - (-I*a*b*d*f*x - I*a*b*d*e)*sqrt(
-(a^2 - b^2)/a^2)*log((b*cos(f*x + e) - I*b*sin(f*x + e) + (a*cos(f*x + e)
- I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a) - (I*a*b*d*f*x + I*a*b*d
*e)*sqrt(-(a^2 - b^2)/a^2)*log((b*cos(f*x + e) - I*b*sin(f*x + e) - (a*cos(
f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a))/((a^3 - a*b^2)
*f^2)
```

Sympy [F]

$$\int \frac{c + dx}{a + b \sec(e + fx)} dx = \int \frac{c + dx}{a + b \sec(e + fx)} dx$$

[In] `integrate((d*x+c)/(a+b*sec(f*x+e)),x)`

[Out] `Integral((c + d*x)/(a + b*sec(e + f*x)), x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{c + dx}{a + b \sec(e + fx)} dx = \text{Exception raised: ValueError}$$

[In] `integrate((d*x+c)/(a+b*sec(f*x+e)),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a^2-4*b^2>0)', see 'assume?' for more details)

Giac [F]

$$\int \frac{c + dx}{a + b \sec(e + fx)} dx = \int \frac{dx + c}{b \sec(fx + e) + a} dx$$

[In] `integrate((d*x+c)/(a+b*sec(f*x+e)),x, algorithm="giac")`

[Out] `integrate((d*x + c)/(b*sec(f*x + e) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{c + dx}{a + b \sec(e + fx)} dx = \int \frac{c + dx}{a + \frac{b}{\cos(e + fx)}} dx$$

[In] `int((c + d*x)/(a + b/cos(e + f*x)),x)`

[Out] `int((c + d*x)/(a + b/cos(e + f*x)), x)`

$$3.37 \quad \int \frac{1}{(c+dx)(a+b \sec(e+fx))} dx$$

Optimal result	255
Rubi [N/A]	255
Mathematica [N/A]	256
Maple [N/A] (verified)	256
Fricas [N/A]	256
Sympy [N/A]	256
Maxima [N/A]	257
Giac [N/A]	257
Mupad [N/A]	257

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)(a+b \sec(e+fx))} dx = \text{Int}\left(\frac{1}{(c+dx)(a+b \sec(e+fx))}, x\right)$$

[Out] Unintegrable(1/(d*x+c)/(a+b*sec(f*x+e)), x)

Rubi [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)(a+b \sec(e+fx))} dx = \int \frac{1}{(c+dx)(a+b \sec(e+fx))} dx$$

[In] Int[1/((c + d*x)*(a + b*Sec[e + f*x])), x]

[Out] Defer[Int][1/((c + d*x)*(a + b*Sec[e + f*x])), x]

Rubi steps

$$\text{integral} = \int \frac{1}{(c+dx)(a+b \sec(e+fx))} dx$$

Mathematica [N/A]

Not integrable

Time = 1.74 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx = \int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx$$

[In] Integrate[1/((c + d*x)*(a + b*Sec[e + f*x])),x]

[Out] Integrate[1/((c + d*x)*(a + b*Sec[e + f*x])), x]

Maple [N/A] (verified)

Not integrable

Time = 0.46 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)(a + b \sec(fx + e))} dx$$

[In] int(1/(d*x+c)/(a+b*sec(f*x+e)),x)

[Out] int(1/(d*x+c)/(a+b*sec(f*x+e)),x)

Fricas [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.35

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx = \int \frac{1}{(dx + c)(b \sec(fx + e) + a)} dx$$

[In] integrate(1/(d*x+c)/(a+b*sec(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d*x + a*c + (b*d*x + b*c)*sec(f*x + e)), x)

Sympy [N/A]

Not integrable

Time = 1.01 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx = \int \frac{1}{(a + b \sec(e + fx))(c + dx)} dx$$

[In] integrate(1/(d*x+c)/(a+b*sec(f*x+e)),x)

[Out] Integral(1/((a + b*sec(e + f*x))*(c + d*x)), x)

Maxima [N/A]

Not integrable

Time = 0.84 (sec) , antiderivative size = 298, normalized size of antiderivative = 14.90

$$\int \frac{1}{(c+dx)(a+b\sec(e+fx))} dx = \int \frac{1}{(dx+c)(b\sec(fx+e)+a)} dx$$

[In] integrate(1/(d*x+c)/(a+b*sec(f*x+e)),x, algorithm="maxima")

```
[Out] -(2*a*b*d*integrate((a*cos(2*f*x + 2*e)*cos(f*x + e) + 2*b*cos(f*x + e)^2 +
a*sin(2*f*x + 2*e)*sin(f*x + e) + 2*b*sin(f*x + e)^2 + a*cos(f*x + e))/(a^
3*d*x + a^3*c + (a^3*d*x + a^3*c)*cos(2*f*x + 2*e)^2 + 4*(a*b^2*d*x + a*b^2
*c)*cos(f*x + e)^2 + (a^3*d*x + a^3*c)*sin(2*f*x + 2*e)^2 + 4*(a^2*b*d*x +
a^2*b*c)*sin(2*f*x + 2*e)*sin(f*x + e) + 4*(a*b^2*d*x + a*b^2*c)*sin(f*x +
e)^2 + 2*(a^3*d*x + a^3*c + 2*(a^2*b*d*x + a^2*b*c)*cos(f*x + e))*cos(2*f*x
+ 2*e) + 4*(a^2*b*d*x + a^2*b*c)*cos(f*x + e)), x) - log(d*x + c))/(a*d)
```

Giac [N/A]

Not integrable

Time = 0.35 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)(a+b\sec(e+fx))} dx = \int \frac{1}{(dx+c)(b\sec(fx+e)+a)} dx$$

[In] integrate(1/(d*x+c)/(a+b*sec(f*x+e)),x, algorithm="giac")

[Out] integrate(1/((d*x + c)*(b*sec(f*x + e) + a)), x)

Mupad [N/A]

Not integrable

Time = 13.38 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c+dx)(a+b\sec(e+fx))} dx = \int \frac{1}{\left(a + \frac{b}{\cos(e+fx)}\right)(c+dx)} dx$$

[In] int(1/((a + b/cos(e + f*x))*(c + d*x)),x)

[Out] int(1/((a + b/cos(e + f*x))*(c + d*x)), x)

$$3.38 \quad \int \frac{1}{(c+dx)^2(a+b \sec(e+fx))} dx$$

Optimal result	258
Rubi [N/A]	258
Mathematica [N/A]	259
Maple [N/A] (verified)	259
Fricas [N/A]	259
Sympy [N/A]	260
Maxima [N/A]	260
Giac [N/A]	260
Mupad [N/A]	261

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)^2(a+b \sec(e+fx))} dx = \text{Int}\left(\frac{1}{(c+dx)^2(a+b \sec(e+fx))}, x\right)$$

[Out] Unintegrable(1/(d*x+c)^2/(a+b*sec(f*x+e)),x)

Rubi [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a+b \sec(e+fx))} dx = \int \frac{1}{(c+dx)^2(a+b \sec(e+fx))} dx$$

[In] Int[1/((c + d*x)^2*(a + b*Sec[e + f*x])),x]

[Out] Defer[Int][1/((c + d*x)^2*(a + b*Sec[e + f*x])), x]

Rubi steps

$$\text{integral} = \int \frac{1}{(c+dx)^2(a+b \sec(e+fx))} dx$$

Mathematica [N/A]

Not integrable

Time = 12.30 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))} dx = \int \frac{1}{(c + dx)^2(a + b \sec(e + fx))} dx$$

[In] Integrate[1/((c + d*x)^2*(a + b*Sec[e + f*x])),x]

[Out] Integrate[1/((c + d*x)^2*(a + b*Sec[e + f*x])), x]

Maple [N/A] (verified)

Not integrable

Time = 0.41 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)^2 (a + b \sec (fx + e))} dx$$

[In] int(1/(d*x+c)^2/(a+b*sec(f*x+e)),x)

[Out] int(1/(d*x+c)^2/(a+b*sec(f*x+e)),x)

Fricas [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 51, normalized size of antiderivative = 2.55

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))} dx = \int \frac{1}{(dx + c)^2(b \sec (fx + e) + a)} dx$$

[In] integrate(1/(d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d^2*x^2 + 2*a*c*d*x + a*c^2 + (b*d^2*x^2 + 2*b*c*d*x + b*c^2)*sec(f*x + e)), x)

Sympy [N/A]

Not integrable

Time = 2.02 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))} dx = \int \frac{1}{(a+b\sec(e+fx))(c+dx)^2} dx$$

[In] integrate(1/(d*x+c)**2/(a+b*sec(f*x+e)),x)

[Out] Integral(1/((a + b*sec(e + f*x))*(c + d*x)**2), x)

Maxima [N/A]

Not integrable

Time = 1.33 (sec) , antiderivative size = 439, normalized size of antiderivative = 21.95

$$\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))} dx = \int \frac{1}{(dx+c)^2(b\sec(fx+e)+a)} dx$$

[In] integrate(1/(d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="maxima")

[Out] $-(2*(a*b*d^2*x + a*b*c*d)*\text{integrate}((a*\cos(2*f*x + 2*e))*\cos(f*x + e) + 2*b*\cos(f*x + e)^2 + a*\sin(2*f*x + 2*e)*\sin(f*x + e) + 2*b*\sin(f*x + e)^2 + a*\cos(f*x + e))/(a^3*d^2*x^2 + 2*a^3*c*d*x + a^3*c^2 + (a^3*d^2*x^2 + 2*a^3*c*d*x + a^3*c^2)*\cos(2*f*x + 2*e)^2 + 4*(a*b^2*d^2*x^2 + 2*a*b^2*c*d*x + a*b^2*c^2)*\cos(f*x + e)^2 + (a^3*d^2*x^2 + 2*a^3*c*d*x + a^3*c^2)*\sin(2*f*x + 2*e)^2 + 4*(a^2*b*d^2*x^2 + 2*a^2*b*c*d*x + a^2*b*c^2)*\sin(2*f*x + 2*e)*\sin(f*x + e) + 4*(a*b^2*d^2*x^2 + 2*a*b^2*c*d*x + a*b^2*c^2)*\sin(f*x + e)^2 + 2*(a^3*d^2*x^2 + 2*a^3*c*d*x + a^3*c^2 + 2*(a^2*b*d^2*x^2 + 2*a^2*b*c*d*x + a^2*b*c^2)*\cos(f*x + e))*\cos(2*f*x + 2*e) + 4*(a^2*b*d^2*x^2 + 2*a^2*b*c*d*x + a^2*b*c^2)*\cos(f*x + e)), x) + 1)/(a*d^2*x + a*c*d)$

Giac [N/A]

Not integrable

Time = 0.79 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))} dx = \int \frac{1}{(dx+c)^2(b\sec(fx+e)+a)} dx$$

[In] integrate(1/(d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="giac")

[Out] integrate(1/((d*x + c)^2*(b*sec(f*x + e) + a)), x)

Mupad [N/A]

Not integrable

Time = 13.35 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))} dx = \int \frac{1}{\left(a + \frac{b}{\cos(e+fx)}\right) (c + dx)^2} dx$$

```
[In] int(1/((a + b/cos(e + f*x))*(c + d*x)^2), x)
```

```
[Out] int(1/((a + b/cos(e + f*x))*(c + d*x)^2), x)
```

3.39 $\int \frac{(c+dx)^3}{(a+b \sec(e+fx))^2} dx$

Optimal result	263
Rubi [A] (verified)	264
Mathematica [B] (verified)	272
Maple [F]	272
Fricas [B] (verification not implemented)	272
Sympy [F]	273
Maxima [F(-2)]	273
Giac [F]	273
Mupad [F(-1)]	273

Optimal result

Integrand size = 20, antiderivative size = 1523

$$\begin{aligned}
\int \frac{(c+dx)^3}{(a+b\sec(e+fx))^2} dx = & -\frac{ib^2(c+dx)^3}{a^2(a^2-b^2)f} + \frac{(c+dx)^4}{4a^2d} + \frac{3b^2d(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
& + \frac{3b^2d(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
& - \frac{ib^3(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
& + \frac{2ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
& + \frac{ib^3(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
& - \frac{2ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
& - \frac{6ib^2d^2(c+dx) \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} \\
& - \frac{6ib^2d^2(c+dx) \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} \\
& - \frac{3b^3d(c+dx)^2 \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
& + \frac{6bd(c+dx)^2 \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
& + \frac{3b^3d(c+dx)^2 \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
& - \frac{6bd(c+dx)^2 \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
& + \frac{6b^2d^3 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^4} \\
& + \frac{6b^2d^3 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^4} \\
& - \frac{6ib^3d^2(c+dx) \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^3} \\
& + \frac{12ibd^2(c+dx) \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^3} \\
& + \frac{6ib^3d^2(c+dx) \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^3}
\end{aligned}$$

```
[Out] -6*I*b^2*d^2*(d*x+c)*polylog(2,-a*exp(I*(f*x+e))/(b-I*(a^2-b^2)^(1/2)))/a^2
/(a^2-b^2)/f^3-6*I*b^2*d^2*(d*x+c)*polylog(2,-a*exp(I*(f*x+e))/(b+I*(a^2-b^
2)^(1/2)))/a^2/(a^2-b^2)/f^3-6*I*b^3*d^2*(d*x+c)*polylog(3,-a*exp(I*(f*x+e)
)/(b-(a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f^3-12*I*b*d^2*(d*x+c)*polylog
(3,-a*exp(I*(f*x+e))/(b+(a^2+b^2)^(1/2)))/a^2/f^3/(-a^2+b^2)^(1/2)+b^2*(d*
x+c)^3*sin(f*x+e)/a/(a^2-b^2)/f/(b+a*cos(f*x+e))+1/4*(d*x+c)^4/a^2/d+3*b^2*
d*(d*x+c)^2*ln(1+a*exp(I*(f*x+e))/(b-I*(a^2-b^2)^(1/2)))/a^2/(a^2-b^2)/f^2+
3*b^2*d*(d*x+c)^2*ln(1+a*exp(I*(f*x+e))/(b+I*(a^2-b^2)^(1/2)))/a^2/(a^2-b^2
)/f^2-3*b^3*d*(d*x+c)^2*polylog(2,-a*exp(I*(f*x+e))/(b-(a^2+b^2)^(1/2)))/a
^2/(-a^2+b^2)^(3/2)/f^2+3*b^3*d*(d*x+c)^2*polylog(2,-a*exp(I*(f*x+e))/(b+(-
a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f^2+6*b*d*(d*x+c)^2*polylog(2,-a*exp(
I*(f*x+e))/(b-(a^2+b^2)^(1/2)))/a^2/f^2/(-a^2+b^2)^(1/2)-6*b*d*(d*x+c)^2*p
olylog(2,-a*exp(I*(f*x+e))/(b+(a^2+b^2)^(1/2)))/a^2/f^2/(-a^2+b^2)^(1/2)-I
*b^3*(d*x+c)^3*ln(1+a*exp(I*(f*x+e))/(b-(a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(
3/2)/f-2*I*b*(d*x+c)^3*ln(1+a*exp(I*(f*x+e))/(b+(a^2+b^2)^(1/2)))/a^2/f/(-
a^2+b^2)^(1/2)+2*I*b*(d*x+c)^3*ln(1+a*exp(I*(f*x+e))/(b-(a^2+b^2)^(1/2)))/
a^2/f/(-a^2+b^2)^(1/2)+I*b^3*(d*x+c)^3*ln(1+a*exp(I*(f*x+e))/(b+(a^2+b^2)^(
1/2)))/a^2/(-a^2+b^2)^(3/2)/f+6*I*b^3*d^2*(d*x+c)*polylog(3,-a*exp(I*(f*x+
e))/(b+(a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f^3+12*I*b*d^2*(d*x+c)*polyl
og(3,-a*exp(I*(f*x+e))/(b-(a^2+b^2)^(1/2)))/a^2/f^3/(-a^2+b^2)^(1/2)+6*b^2
*d^3*polylog(3,-a*exp(I*(f*x+e))/(b-I*(a^2-b^2)^(1/2)))/a^2/(a^2-b^2)/f^4+6
*b^2*d^3*polylog(3,-a*exp(I*(f*x+e))/(b+I*(a^2-b^2)^(1/2)))/a^2/(a^2-b^2)/f
^4+6*b^3*d^3*polylog(4,-a*exp(I*(f*x+e))/(b-(a^2+b^2)^(1/2)))/a^2/(-a^2+b^
2)^(3/2)/f^4-6*b^3*d^3*polylog(4,-a*exp(I*(f*x+e))/(b+(a^2+b^2)^(1/2)))/a^
2/(-a^2+b^2)^(3/2)/f^4-12*b*d^3*polylog(4,-a*exp(I*(f*x+e))/(b-(a^2+b^2)^(
1/2)))/a^2/f^4/(-a^2+b^2)^(1/2)+12*b*d^3*polylog(4,-a*exp(I*(f*x+e))/(b+(-a
^2+b^2)^(1/2)))/a^2/f^4/(-a^2+b^2)^(1/2)-I*b^2*(d*x+c)^3/a^2/(a^2-b^2)/f
```

Rubi [A] (verified)

Time = 3.54 (sec) , antiderivative size = 1523, normalized size of antiderivative = 1.00,
 number of steps used = 36, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules

used = {4276, 3405, 3402, 2296, 2221, 2611, 6744, 2320, 6724, 4618}

$$\begin{aligned}
\int \frac{(c+dx)^3}{(a+b\sec(e+fx))^2} dx &= \frac{(c+dx)^4}{4a^2d} + \frac{2ib \log\left(\frac{e^{i(e+fx)}a}{b-\sqrt{b^2-a^2}} + 1\right) (c+dx)^3}{a^2\sqrt{b^2-a^2}f} \\
&- \frac{ib^3 \log\left(\frac{e^{i(e+fx)}a}{b-\sqrt{b^2-a^2}} + 1\right) (c+dx)^3}{a^2(b^2-a^2)^{3/2}f} \\
&- \frac{2ib \log\left(\frac{e^{i(e+fx)}a}{b+\sqrt{b^2-a^2}} + 1\right) (c+dx)^3}{a^2\sqrt{b^2-a^2}f} \\
&+ \frac{ib^3 \log\left(\frac{e^{i(e+fx)}a}{b+\sqrt{b^2-a^2}} + 1\right) (c+dx)^3}{a^2(b^2-a^2)^{3/2}f} \\
&+ \frac{b^2 \sin(e+fx)(c+dx)^3}{a(a^2-b^2)f(b+a\cos(e+fx))} - \frac{ib^2(c+dx)^3}{a^2(a^2-b^2)f} \\
&+ \frac{3b^2d \log\left(\frac{e^{i(e+fx)}a}{b-i\sqrt{a^2-b^2}} + 1\right) (c+dx)^2}{a^2(a^2-b^2)f^2} \\
&+ \frac{3b^2d \log\left(\frac{e^{i(e+fx)}a}{b+i\sqrt{a^2-b^2}} + 1\right) (c+dx)^2}{a^2(a^2-b^2)f^2} \\
&+ \frac{6bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right) (c+dx)^2}{a^2\sqrt{b^2-a^2}f^2} \\
&- \frac{3b^3d \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right) (c+dx)^2}{a^2(b^2-a^2)^{3/2}f^2} \\
&- \frac{6bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) (c+dx)^2}{a^2\sqrt{b^2-a^2}f^2} \\
&+ \frac{3b^3d \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) (c+dx)^2}{a^2(b^2-a^2)^{3/2}f^2} \\
&- \frac{6ib^2d^2 \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right) (c+dx)}{a^2(a^2-b^2)f^3} \\
&- \frac{6ib^2d^2 \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right) (c+dx)}{a^2(a^2-b^2)f^3} \\
&+ \frac{12ibd^2 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right) (c+dx)}{a^2\sqrt{b^2-a^2}f^3} \\
&- \frac{6ib^3d^2 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right) (c+dx)}{a^2(b^2-a^2)^{3/2}f^3} \\
&- \frac{12ibd^2 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) (c+dx)}{a^2\sqrt{b^2-a^2}f^3} \\
&+ \frac{6ib^3d^2 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) (c+dx)}{a^2(b^2-a^2)^{3/2}f^3}
\end{aligned}$$

[In] Int[(c + d*x)^3/(a + b*Sec[e + f*x])^2,x]

[Out] ((-I)*b^2*(c + d*x)^3)/(a^2*(a^2 - b^2)*f) + (c + d*x)^4/(4*a^2*d) + (3*b^2*d*(c + d*x)^2*Log[1 + (a*E^(I*(e + f*x)))/(b - I*Sqrt[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^2) + (3*b^2*d*(c + d*x)^2*Log[1 + (a*E^(I*(e + f*x)))/(b + I*Sqrt[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^2) - (I*b^3*(c + d*x)^3*Log[1 + (a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f) + ((2*I)*b*(c + d*x)^3*Log[1 + (a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f) + (I*b^3*(c + d*x)^3*Log[1 + (a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f) - ((2*I)*b*(c + d*x)^3*Log[1 + (a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f) - ((6*I)*b^2*d^2*(c + d*x)*PolyLog[2, -(a*E^(I*(e + f*x)))/(b - I*Sqrt[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^3) - ((6*I)*b^2*d^2*(c + d*x)*PolyLog[2, -(a*E^(I*(e + f*x)))/(b + I*Sqrt[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^3) - (3*b^3*d*(c + d*x)^2*PolyLog[2, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f^2) + (6*b*d*(c + d*x)^2*PolyLog[2, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(b - Sqrt[-a^2 + b^2])/(a^2*Sqrt[-a^2 + b^2]*f^2) + (3*b^3*d*(c + d*x)^2*PolyLog[2, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f^2) - (6*b*d*(c + d*x)^2*PolyLog[2, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f^2) + (6*b^2*d^3*PolyLog[3, -(a*E^(I*(e + f*x)))/(b - I*Sqrt[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^4) + (6*b^2*d^3*PolyLog[3, -(a*E^(I*(e + f*x)))/(b + I*Sqrt[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^4) - ((6*I)*b^3*d^2*(c + d*x)*PolyLog[3, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f^3) + ((12*I)*b*d^2*(c + d*x)*PolyLog[3, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f^3) + ((6*I)*b^3*d^2*(c + d*x)*PolyLog[3, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f^3) - ((12*I)*b*d^2*(c + d*x)*PolyLog[3, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f^3) + (6*b^3*d^3*PolyLog[4, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f^4) - (12*b*d^3*PolyLog[4, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f^4) - (6*b^3*d^3*PolyLog[4, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f^4) + (12*b*d^3*PolyLog[4, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f^4) + (b^2*(c + d*x)^3*Sin[e + f*x])/(a*(a^2 - b^2)*f*(b + a*Cos[e + f*x]))

Rule 2221

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2296

Int[(((F_)^(u_)*((f_) + (g_)*(x_))^(m_))/((a_) + (b_)*(F_)^(u_) + (c_))

```

*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*(c/q), Int[
(f + g*x)^m*(F^u/(b - q + 2*c*F^u)), x], x] - Dist[2*(c/q), Int[(f + g*x)^m
*(F^u/(b + q + 2*c*F^u)), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

```

Rule 2320

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rule 2611

```

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]

```

Rule 3402

```

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(
x_)]), x_Symbol] := Dist[2, Int[(c + d*x)^m*E^(I*Pi*(k - 1/2))*E^(I*(e + f
*x))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi)*E^(2*I*(e
+ f*x)))]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]

```

Rule 3405

```

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^2, x_
Symbol] := Simp[b*(c + d*x)^m*(Cos[e + f*x]/(f*(a^2 - b^2)*(a + b*Sin[e + f
*x]))], x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x],
x] - Dist[b*d*(m/(f*(a^2 - b^2))), Int[(c + d*x)^(m - 1)*(Cos[e + f*x]/(a
+ b*Sin[e + f*x])), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^
2, 0] && IGtQ[m, 0]

```

Rule 4276

```

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Si
n[e + f*x]^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGt
Q[m, 0]

```

Rule 4618

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)
*(x_)]*(b_.) + (a_.)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1)))
, x] + (Int[(e + f*x)^m*(E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2] + I*b*E^(
I*(c + d*x)))]), x] + Int[(e + f*x)^m*(E^(I*(c + d*x)))/(I*a + Rt[-a^2 + b^2,
2] + I*b*E^(I*(c + d*x)))]), x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m,
0] && NegQ[a^2 - b^2]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6744

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_)))]^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int \left(\frac{(c+dx)^3}{a^2} + \frac{b^2(c+dx)^3}{a^2(b+a\cos(e+fx))^2} - \frac{2b(c+dx)^3}{a^2(b+a\cos(e+fx))} \right) dx \\
&= \frac{(c+dx)^4}{4a^2d} - \frac{(2b) \int \frac{(c+dx)^3}{b+a\cos(e+fx)} dx}{a^2} + \frac{b^2 \int \frac{(c+dx)^3}{(b+a\cos(e+fx))^2} dx}{a^2} \\
&= \frac{(c+dx)^4}{4a^2d} + \frac{b^2(c+dx)^3 \sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))} - \frac{(4b) \int \frac{e^{i(e+fx)}(c+dx)^3}{a+2be^{i(e+fx)}+ae^{2i(e+fx)}} dx}{a^2} \\
&\quad - \frac{b^3 \int \frac{(c+dx)^3}{b+a\cos(e+fx)} dx}{a^2(a^2-b^2)} - \frac{(3b^2d) \int \frac{(c+dx)^2 \sin(e+fx)}{b+a\cos(e+fx)} dx}{a(a^2-b^2)f} \\
&= -\frac{ib^2(c+dx)^3}{a^2(a^2-b^2)f} + \frac{(c+dx)^4}{4a^2d} + \frac{b^2(c+dx)^3 \sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))} \\
&\quad - \frac{(2b^3) \int \frac{e^{i(e+fx)}(c+dx)^3}{a+2be^{i(e+fx)}+ae^{2i(e+fx)}} dx}{a^2(a^2-b^2)} - \frac{(4b) \int \frac{e^{i(e+fx)}(c+dx)^3}{2b-2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{a\sqrt{-a^2+b^2}} \\
&\quad + \frac{(4b) \int \frac{e^{i(e+fx)}(c+dx)^3}{2b+2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{a\sqrt{-a^2+b^2}} \\
&\quad - \frac{(3b^2d) \int \frac{e^{i(e+fx)}(c+dx)^2}{ib-\sqrt{a^2-b^2}+iae^{i(e+fx)}} dx}{a(a^2-b^2)f} - \frac{(3b^2d) \int \frac{e^{i(e+fx)}(c+dx)^2}{ib+\sqrt{a^2-b^2}+iae^{i(e+fx)}} dx}{a(a^2-b^2)f}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ib^2(c+dx)^3}{a^2(a^2-b^2)f} + \frac{(c+dx)^4}{4a^2d} + \frac{3b^2d(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
&+ \frac{3b^2d(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} + \frac{2ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
&- \frac{2ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} + \frac{b^2(c+dx)^3 \sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))} \\
&+ \frac{(2b^3) \int \frac{e^{i(e+fx)}(c+dx)^3}{2b-2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{a(-a^2+b^2)^{3/2}} - \frac{(2b^3) \int \frac{e^{i(e+fx)}(c+dx)^3}{2b+2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{a(-a^2+b^2)^{3/2}} \\
&- \frac{(6b^2d^2) \int (c+dx) \log\left(1 + \frac{iae^{i(e+fx)}}{ib-\sqrt{a^2-b^2}}\right) dx}{a^2(a^2-b^2)f^2} \\
&- \frac{(6b^2d^2) \int (c+dx) \log\left(1 + \frac{iae^{i(e+fx)}}{ib+\sqrt{a^2-b^2}}\right) dx}{a^2(a^2-b^2)f^2} \\
&- \frac{(6ibd) \int (c+dx)^2 \log\left(1 + \frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right) dx}{a^2\sqrt{-a^2+b^2}f} \\
&+ \frac{(6ibd) \int (c+dx)^2 \log\left(1 + \frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right) dx}{a^2\sqrt{-a^2+b^2}f}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ib^2(c+dx)^3}{a^2(a^2-b^2)f} + \frac{(c+dx)^4}{4a^2d} + \frac{3b^2d(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
&+ \frac{3b^2d(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} - \frac{ib^3(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&+ \frac{2ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} + \frac{ib^3(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&- \frac{2ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} - \frac{6ib^2d^2(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} \\
&- \frac{6ib^2d^2(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} \\
&+ \frac{6bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
&- \frac{6bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} + \frac{b^2(c+dx)^3 \sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))} \\
&+ \frac{(6ib^2d^3) \int \text{PolyLog}\left(2, -\frac{iae^{i(e+fx)}}{ib-\sqrt{a^2-b^2}}\right) dx}{a^2(a^2-b^2)f^3} + \frac{(6ib^2d^3) \int \text{PolyLog}\left(2, -\frac{iae^{i(e+fx)}}{ib+\sqrt{a^2-b^2}}\right) dx}{a^2(a^2-b^2)f^3} \\
&- \frac{(12bd^2) \int (c+dx) \text{PolyLog}\left(2, -\frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right) dx}{a^2\sqrt{-a^2+b^2}f^2} \\
&+ \frac{(12bd^2) \int (c+dx) \text{PolyLog}\left(2, -\frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right) dx}{a^2\sqrt{-a^2+b^2}f^2} \\
&+ \frac{(3ib^3d) \int (c+dx)^2 \log\left(1 + \frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right) dx}{a^2(-a^2+b^2)^{3/2}f} \\
&- \frac{(3ib^3d) \int (c+dx)^2 \log\left(1 + \frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right) dx}{a^2(-a^2+b^2)^{3/2}f}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ib^2(c+dx)^3}{a^2(a^2-b^2)f} + \frac{(c+dx)^4}{4a^2d} + \frac{3b^2d(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
&+ \frac{3b^2d(c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} - \frac{ib^3(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&+ \frac{2ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} + \frac{ib^3(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&- \frac{2ib(c+dx)^3 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} - \frac{6ib^2d^2(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} \\
&- \frac{6ib^2d^2(c+dx) \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} \\
&- \frac{3b^3d(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&+ \frac{6bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
&+ \frac{3b^3d(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&- \frac{6bd(c+dx)^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
&+ \frac{12ibd^2(c+dx) \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^3} \\
&- \frac{12ibd^2(c+dx) \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^3} + \frac{b^2(c+dx)^3 \sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))} \\
&+ \frac{(6b^2d^3) \text{Subst}\left(\int \frac{\text{PolyLog}\left(2, -\frac{iax}{ib+\sqrt{a^2-b^2}}\right)}{x} dx, x, e^{i(e+fx)}\right)}{a^2(a^2-b^2)f^4} \\
&+ \frac{(6b^2d^3) \text{Subst}\left(\int \frac{\text{PolyLog}\left(2, -\frac{iax}{ib+\sqrt{a^2-b^2}}\right)}{x} dx, x, e^{i(e+fx)}\right)}{a^2(a^2-b^2)f^4} \\
&- \frac{(12ibd^3) \int \text{PolyLog}\left(3, -\frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right) dx}{a^2\sqrt{-a^2+b^2}f^3} \\
&+ \frac{(12ibd^3) \int \text{PolyLog}\left(3, -\frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right) dx}{a^2\sqrt{-a^2+b^2}f^3} \\
&+ \frac{(6b^3d^2) \int (c+dx) \text{PolyLog}\left(2, -\frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right) dx}{a^2(-a^2+b^2)^{3/2}f^2} \\
&+ \frac{(6b^3d^2) \int (c+dx) \text{PolyLog}\left(2, -\frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right) dx}{a^2(-a^2+b^2)^{3/2}f^2}
\end{aligned}$$

= Too large to display

Mathematica [B] (verified)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 20116 vs. $2(1523) = 3046$.

Time = 22.31 (sec) , antiderivative size = 20116, normalized size of antiderivative = 13.21

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \text{Result too large to show}$$

[In] Integrate[(c + d*x)^3/(a + b*Sec[e + f*x])^2,x]

[Out] Result too large to show

Maple [F]

$$\int \frac{(dx + c)^3}{(a + b \sec(fx + e))^2} dx$$

[In] int((d*x+c)^3/(a+b*sec(f*x+e))^2,x)

[Out] int((d*x+c)^3/(a+b*sec(f*x+e))^2,x)

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 7008 vs. $2(1361) = 2722$.

Time = 0.71 (sec) , antiderivative size = 7008, normalized size of antiderivative = 4.60

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \text{Too large to display}$$

[In] integrate((d*x+c)^3/(a+b*sec(f*x+e))^2,x, algorithm="fricas")

[Out] Too large to include

Sympy [F]

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx$$

[In] `integrate((d*x+c)**3/(a+b*sec(f*x+e))**2,x)`

[Out] `Integral((c + d*x)**3/(a + b*sec(e + f*x))**2, x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \text{Exception raised: ValueError}$$

[In] `integrate((d*x+c)^3/(a+b*sec(f*x+e))^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a^2-4*b^2>0)', see 'assume?' for more de

Giac [F]

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \int \frac{(dx + c)^3}{(b \sec(fx + e) + a)^2} dx$$

[In] `integrate((d*x+c)^3/(a+b*sec(f*x+e))^2,x, algorithm="giac")`

[Out] `integrate((d*x + c)^3/(b*sec(f*x + e) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \text{Hanged}$$

[In] `int((c + d*x)^3/(a + b/cos(e + f*x))^2,x)`

[Out] `\text{Hanged}`

3.40 $\int \frac{(c+dx)^2}{(a+b \sec(e+fx))^2} dx$

Optimal result	275
Rubi [A] (verified)	276
Mathematica [B] (verified)	285
Maple [F]	286
Fricas [B] (verification not implemented)	286
Sympy [F]	288
Maxima [F(-2)]	288
Giac [F]	289
Mupad [F(-1)]	289

Optimal result

Integrand size = 20, antiderivative size = 1117

$$\begin{aligned}
 \int \frac{(c+dx)^2}{(a+b\sec(e+fx))^2} dx = & -\frac{ib^2(c+dx)^2}{a^2(a^2-b^2)f} + \frac{(c+dx)^3}{3a^2d} + \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
 & + \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
 & - \frac{ib^3(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
 & + \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
 & + \frac{ib^3(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
 & - \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
 & - \frac{2ib^2d^2\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} \\
 & - \frac{2ib^2d^2\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} \\
 & - \frac{2b^3d(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
 & + \frac{4bd(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
 & + \frac{2b^3d(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
 & - \frac{4bd(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
 & - \frac{2ib^3d^2\text{PolyLog}\left(3,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^3} \\
 & + \frac{4ibd^2\text{PolyLog}\left(3,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^3} \\
 & + \frac{2ib^3d^2\text{PolyLog}\left(3,-\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^3} \\
 & - \frac{4ibd^2\text{PolyLog}\left(3,-\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^3} \\
 & + b^2(c+dx)^2\sin(e+fx)
 \end{aligned}$$

```
[Out] I*b^3*(d*x+c)^2*ln(1+a*exp(I*(f*x+e)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/f+1/3*(d*x+c)^3/a^2/d+2*b^2*d*(d*x+c)*ln(1+a*exp(I*(f*x+e)))/(b-I*(a^2-b^2)^(1/2))/a^2/(a^2-b^2)/f^2+2*b^2*d*(d*x+c)*ln(1+a*exp(I*(f*x+e)))/(b+I*(a^2-b^2)^(1/2))/a^2/(a^2-b^2)/f^2-2*I*b*(d*x+c)^2*ln(1+a*exp(I*(f*x+e)))/(b+(-a^2+b^2)^(1/2))/a^2/f/(-a^2+b^2)^(1/2)-2*I*b^3*d^2*polylog(3,-a*exp(I*(f*x+e)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/f^3+4*I*b*d^2*polylog(3,-a*exp(I*(f*x+e)))/(b-(-a^2+b^2)^(1/2))/a^2/f^3/(-a^2+b^2)^(1/2)-4*I*b*d^2*polylog(3,-a*exp(I*(f*x+e)))/(b+(-a^2+b^2)^(1/2))/a^2/f^3/(-a^2+b^2)^(1/2)-2*b^3*d*(d*x+c)*polylog(2,-a*exp(I*(f*x+e)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/f^2+2*b^3*d*(d*x+c)*polylog(2,-a*exp(I*(f*x+e)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/f^2+2*I*b*(d*x+c)^2*ln(1+a*exp(I*(f*x+e)))/(b-(-a^2+b^2)^(1/2))/a^2/f/(-a^2+b^2)^(1/2)-2*I*b^2*d^2*polylog(2,-a*exp(I*(f*x+e)))/(b-I*(a^2-b^2)^(1/2))/a^2/(a^2-b^2)/f^3+b^2*(d*x+c)^2*sin(f*x+e)/a/(a^2-b^2)/f/(b+a*cos(f*x+e))-2*I*b^2*d^2*polylog(2,-a*exp(I*(f*x+e)))/(b+I*(a^2-b^2)^(1/2))/a^2/(a^2-b^2)/f^3-I*b^3*(d*x+c)^2*ln(1+a*exp(I*(f*x+e)))/(b-(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/f+4*b*d*(d*x+c)*polylog(2,-a*exp(I*(f*x+e)))/(b-(-a^2+b^2)^(1/2))/a^2/f^2/(-a^2+b^2)^(1/2)-4*b*d*(d*x+c)*polylog(2,-a*exp(I*(f*x+e)))/(b+(-a^2+b^2)^(1/2))/a^2/f^2/(-a^2+b^2)^(1/2)-I*b^2*(d*x+c)^2/a^2/(a^2-b^2)/f+2*I*b^3*d^2*polylog(3,-a*exp(I*(f*x+e)))/(b+(-a^2+b^2)^(1/2))/a^2/(-a^2+b^2)^(3/2)/f^3
```

Rubi [A] (verified)

Time = 2.48 (sec) , antiderivative size = 1117, normalized size of antiderivative = 1.00, number of steps used = 30, number of rules used = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.550$, Rules

used = {4276, 3405, 3402, 2296, 2221, 2611, 2320, 6724, 4618, 2317, 2438}

$$\begin{aligned}
\int \frac{(c+dx)^2}{(a+b\sec(e+fx))^2} dx = & -\frac{i(c+dx)^2 \log\left(\frac{e^{i(e+fx)}a}{b-\sqrt{b^2-a^2}}+1\right) b^3}{a^2(b^2-a^2)^{3/2} f} \\
& +\frac{i(c+dx)^2 \log\left(\frac{e^{i(e+fx)}a}{b+\sqrt{b^2-a^2}}+1\right) b^3}{a^2(b^2-a^2)^{3/2} f} \\
& -\frac{2d(c+dx) \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right) b^3}{a^2(b^2-a^2)^{3/2} f^2} \\
& +\frac{2d(c+dx) \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) b^3}{a^2(b^2-a^2)^{3/2} f^2} \\
& -\frac{2id^2 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right) b^3}{a^2(b^2-a^2)^{3/2} f^3} \\
& +\frac{2id^2 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) b^3}{a^2(b^2-a^2)^{3/2} f^3} -\frac{i(c+dx)^2 b^2}{a^2(a^2-b^2) f} \\
& +\frac{2d(c+dx) \log\left(\frac{e^{i(e+fx)}a}{b-i\sqrt{a^2-b^2}}+1\right) b^2}{a^2(a^2-b^2) f^2} \\
& +\frac{2d(c+dx) \log\left(\frac{e^{i(e+fx)}a}{b+i\sqrt{a^2-b^2}}+1\right) b^2}{a^2(a^2-b^2) f^2} \\
& -\frac{2id^2 \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right) b^2}{a^2(a^2-b^2) f^3} \\
& -\frac{2id^2 \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right) b^2}{a^2(a^2-b^2) f^3} \\
& +\frac{(c+dx)^2 \sin(e+fx) b^2}{a(a^2-b^2) f(b+a\cos(e+fx))} \\
& +\frac{2i(c+dx)^2 \log\left(\frac{e^{i(e+fx)}a}{b-\sqrt{b^2-a^2}}+1\right) b}{a^2\sqrt{b^2-a^2} f} \\
& -\frac{2i(c+dx)^2 \log\left(\frac{e^{i(e+fx)}a}{b+\sqrt{b^2-a^2}}+1\right) b}{a^2\sqrt{b^2-a^2} f} \\
& +\frac{4d(c+dx) \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right) b}{a^2\sqrt{b^2-a^2} f^2} \\
& -\frac{4d(c+dx) \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) b}{a^2\sqrt{b^2-a^2} f^2} \\
& +\frac{4id^2 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right) b}{a^2\sqrt{b^2-a^2} f^3} \\
& -\frac{4id^2 \operatorname{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) b}{a^2\sqrt{b^2-a^2} f^3} +\frac{(c+dx)^3}{3a^2 d}
\end{aligned}$$

[In] Int[(c + d*x)^2/(a + b*Sec[e + f*x])^2,x]

[Out] ((-I)*b^2*(c + d*x)^2)/(a^2*(a^2 - b^2)*f) + (c + d*x)^3/(3*a^2*d) + (2*b^2*d*(c + d*x)*Log[1 + (a*E^(I*(e + f*x)))/(b - I*Sqrt[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^2) + (2*b^2*d*(c + d*x)*Log[1 + (a*E^(I*(e + f*x)))/(b + I*Sqrt[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^2) - (I*b^3*(c + d*x)^2*Log[1 + (a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f) + ((2*I)*b*(c + d*x)^2*Log[1 + (a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f) + (I*b^3*(c + d*x)^2*Log[1 + (a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f) - ((2*I)*b*(c + d*x)^2*Log[1 + (a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f) - ((2*I)*b^2*d^2*PolyLog[2, -(a*E^(I*(e + f*x)))/(b - I*Sqrt[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^3) - ((2*I)*b^2*d^2*PolyLog[2, -(a*E^(I*(e + f*x)))/(b + I*Sqrt[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^3) - (2*b^3*d*(c + d*x)*PolyLog[2, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f^2) + (4*b*d*(c + d*x)*PolyLog[2, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f^2) + (2*b^3*d*(c + d*x)*PolyLog[2, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f^2) - (4*b*d*(c + d*x)*PolyLog[2, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f^2) - ((2*I)*b^3*d^2*PolyLog[3, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f^3) + ((4*I)*b*d^2*PolyLog[3, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f^3) + ((2*I)*b^3*d^2*PolyLog[3, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^(3/2)*f^3) - ((4*I)*b*d^2*PolyLog[3, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a^2*Sqrt[-a^2 + b^2]*f^3) + (b^2*(c + d*x)^2*Sin[e + f*x])/(a*(a^2 - b^2)*f*(b + a*Cos[e + f*x]))

Rule 2221

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2296

Int[(((F_)^(u_))*((f_) + (g_)*(x_))^(m_)]/((a_) + (b_)*(F_)^(u_) + (c_)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*(c/q), Int[(f + g*x)^m*(F^u/(b - q + 2*c*F^u)), x], x] - Dist[2*(c/q), Int[(f + g*x)^m*(F^u/(b + q + 2*c*F^u)), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))]

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2320

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 2611

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_)^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3402

Int[((c_.) + (d_.)*(x_)^(m_.))/((a_) + (b_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[(c + d*x)^m*E^(I*Pi*(k - 1/2))*(E^(I*(e + f*x)))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3405

Int[((c_.) + (d_.)*(x_)^(m_.))/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[b*(c + d*x)^m*(Cos[e + f*x]/(f*(a^2 - b^2)*(a + b*Sin[e + f*x]))), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x], x] - Dist[b*d*(m/(f*(a^2 - b^2))), Int[(c + d*x)^(m - 1)*(Cos[e + f*x]/(a + b*Sin[e + f*x])), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 4276

Int[(csc[(e_.) + (f_.)*(x_)])*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_)^(m_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]

Rule 4618

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)])/(Cos[(c_.) + (d_.)
*(x_)]*(b_.) + (a_)), x_Symbol] := Simp[I*((e + f*x)^(m + 1)/(b*f*(m + 1)))
, x] + (Int[(e + f*x)^m*(E^(I*(c + d*x)))/(I*a - Rt[-a^2 + b^2, 2] + I*b*E^(
I*(c + d*x)))) , x] + Int[(e + f*x)^m*(E^(I*(c + d*x)))/(I*a + Rt[-a^2 + b^2,
2] + I*b*E^(I*(c + d*x)))) , x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m,
0] && NegQ[a^2 - b^2]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \int \left(\frac{(c+dx)^2}{a^2} + \frac{b^2(c+dx)^2}{a^2(b+a\cos(e+fx))^2} - \frac{2b(c+dx)^2}{a^2(b+a\cos(e+fx))} \right) dx \\
&= \frac{(c+dx)^3}{3a^2d} - \frac{(2b) \int \frac{(c+dx)^2}{b+a\cos(e+fx)} dx}{a^2} + \frac{b^2 \int \frac{(c+dx)^2}{(b+a\cos(e+fx))^2} dx}{a^2} \\
&= \frac{(c+dx)^3}{3a^2d} + \frac{b^2(c+dx)^2 \sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))} - \frac{(4b) \int \frac{e^{i(e+fx)}(c+dx)^2}{a+2be^{i(e+fx)}+ae^{2i(e+fx)}} dx}{a^2} \\
&\quad - \frac{b^3 \int \frac{(c+dx)^2}{b+a\cos(e+fx)} dx}{a^2(a^2-b^2)} - \frac{(2b^2d) \int \frac{(c+dx)\sin(e+fx)}{b+a\cos(e+fx)} dx}{a(a^2-b^2)f} \\
&= -\frac{ib^2(c+dx)^2}{a^2(a^2-b^2)f} + \frac{(c+dx)^3}{3a^2d} + \frac{b^2(c+dx)^2 \sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))} \\
&\quad - \frac{(2b^3) \int \frac{e^{i(e+fx)}(c+dx)^2}{a+2be^{i(e+fx)}+ae^{2i(e+fx)}} dx}{a^2(a^2-b^2)} - \frac{(4b) \int \frac{e^{i(e+fx)}(c+dx)^2}{2b-2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{a\sqrt{-a^2+b^2}} \\
&\quad + \frac{(4b) \int \frac{e^{i(e+fx)}(c+dx)^2}{2b+2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{a\sqrt{-a^2+b^2}} \\
&\quad - \frac{(2b^2d) \int \frac{e^{i(e+fx)}(c+dx)}{ib-\sqrt{a^2-b^2}+iae^{i(e+fx)}} dx}{a(a^2-b^2)f} - \frac{(2b^2d) \int \frac{e^{i(e+fx)}(c+dx)}{ib+\sqrt{a^2-b^2}+iae^{i(e+fx)}} dx}{a(a^2-b^2)f}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ib^2(c+dx)^2}{a^2(a^2-b^2)f} + \frac{(c+dx)^3}{3a^2d} + \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
&+ \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} + \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
&- \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} + \frac{b^2(c+dx)^2\sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))} \\
&+ \frac{(2b^3)\int\frac{e^{i(e+fx)}(c+dx)^2}{2b-2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}}dx}{a(-a^2+b^2)^{3/2}} - \frac{(2b^3)\int\frac{e^{i(e+fx)}(c+dx)^2}{2b+2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}}dx}{a(-a^2+b^2)^{3/2}} \\
&- \frac{(2b^2d^2)\int\log\left(1+\frac{iae^{i(e+fx)}}{ib-\sqrt{a^2-b^2}}\right)dx}{a^2(a^2-b^2)f^2} - \frac{(2b^2d^2)\int\log\left(1+\frac{iae^{i(e+fx)}}{ib+\sqrt{a^2-b^2}}\right)dx}{a^2(a^2-b^2)f^2} \\
&- \frac{(4ibd)\int(c+dx)\log\left(1+\frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right)dx}{a^2\sqrt{-a^2+b^2}f} \\
&+ \frac{(4ibd)\int(c+dx)\log\left(1+\frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right)dx}{a^2\sqrt{-a^2+b^2}f}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ib^2(c+dx)^2}{a^2(a^2-b^2)f} + \frac{(c+dx)^3}{3a^2d} + \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
&+ \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} - \frac{ib^3(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-i\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&+ \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} + \frac{ib^3(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&- \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} + \frac{4bd(c+dx)\text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
&- \frac{4bd(c+dx)\text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} + \frac{b^2(c+dx)^2\sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))} \\
&+ \frac{(2ib^2d^2)\text{Subst}\left(\int\frac{\log\left(1+\frac{iax}{ib-\sqrt{a^2-b^2}}\right)}{x}dx, x, e^{i(e+fx)}\right)}{a^2(a^2-b^2)f^3} \\
&+ \frac{(2ib^2d^2)\text{Subst}\left(\int\frac{\log\left(1+\frac{iax}{ib+\sqrt{a^2-b^2}}\right)}{x}dx, x, e^{i(e+fx)}\right)}{a^2(a^2-b^2)f^3} \\
&- \frac{(4bd^2)\int\text{PolyLog}\left(2, -\frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right)dx}{a^2\sqrt{-a^2+b^2}f^2} \\
&+ \frac{(4bd^2)\int\text{PolyLog}\left(2, -\frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right)dx}{a^2\sqrt{-a^2+b^2}f^2} \\
&+ \frac{(2ib^3d)\int(c+dx)\log\left(1+\frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right)dx}{a^2(-a^2+b^2)^{3/2}f} \\
&- \frac{(2ib^3d)\int(c+dx)\log\left(1+\frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right)dx}{a^2(-a^2+b^2)^{3/2}f}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ib^2(c+dx)^2}{a^2(a^2-b^2)f} + \frac{(c+dx)^3}{3a^2d} + \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
&+ \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} - \frac{ib^3(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&+ \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} + \frac{ib^3(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&- \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b+i\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} - \frac{2ib^2d^2\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} \\
&- \frac{2ib^2d^2\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} - \frac{2b^3d(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&+ \frac{4bd(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} + \frac{2b^3d(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&- \frac{4bd(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} + \frac{b^2(c+dx)^2\sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))} \\
&+ \frac{(4ibd^2)\text{Subst}\left(\int\frac{\text{PolyLog}\left(2,-\frac{ax}{b+i\sqrt{-a^2+b^2}}\right)}{x}dx,x,e^{i(e+fx)}\right)}{a^2\sqrt{-a^2+b^2}f^3} \\
&- \frac{(4ibd^2)\text{Subst}\left(\int\frac{\text{PolyLog}\left(2,-\frac{ax}{b+i\sqrt{-a^2+b^2}}\right)}{x}dx,x,e^{i(e+fx)}\right)}{a^2\sqrt{-a^2+b^2}f^3} \\
&+ \frac{(2b^3d^2)\int\text{PolyLog}\left(2,-\frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right)dx}{a^2(-a^2+b^2)^{3/2}f^2} \\
&- \frac{(2b^3d^2)\int\text{PolyLog}\left(2,-\frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right)dx}{a^2(-a^2+b^2)^{3/2}f^2}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ib^2(c+dx)^2}{a^2(a^2-b^2)f} + \frac{(c+dx)^3}{3a^2d} + \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
&+ \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} - \frac{ib^3(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&+ \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} + \frac{ib^3(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&- \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} - \frac{2ib^2d^2\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} \\
&- \frac{2ib^2d^2\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} - \frac{2b^3d(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&+ \frac{4bd(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} + \frac{2b^3d(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&- \frac{4bd(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} + \frac{4ibd^2\text{PolyLog}\left(3,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^3} \\
&- \frac{4ibd^2\text{PolyLog}\left(3,-\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^3} + \frac{b^2(c+dx)^2\sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))} \\
&- \frac{(2ib^3d^2)\text{Subst}\left(\int\frac{\text{PolyLog}\left(2,\frac{ax}{-b+\sqrt{-a^2+b^2}}\right)}{x}dx,x,e^{i(e+fx)}\right)}{a^2(-a^2+b^2)^{3/2}f^3} \\
&+ \frac{(2ib^3d^2)\text{Subst}\left(\int\frac{\text{PolyLog}\left(2,-\frac{ax}{b+\sqrt{-a^2+b^2}}\right)}{x}dx,x,e^{i(e+fx)}\right)}{a^2(-a^2+b^2)^{3/2}f^3}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{ib^2(c+dx)^2}{a^2(a^2-b^2)f} + \frac{(c+dx)^3}{3a^2d} + \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} \\
&+ \frac{2b^2d(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^2} - \frac{ib^3(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&+ \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} + \frac{ib^3(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
&- \frac{2ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} - \frac{2ib^2d^2\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} \\
&- \frac{2ib^2d^2\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^3} - \frac{2b^3d(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&+ \frac{4bd(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} + \frac{2b^3d(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&- \frac{4bd(c+dx)\text{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} - \frac{2ib^3d^2\text{PolyLog}\left(3,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^3} \\
&+ \frac{4ibd^2\text{PolyLog}\left(3,-\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^3} + \frac{2ib^3d^2\text{PolyLog}\left(3,-\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^3} \\
&- \frac{4ibd^2\text{PolyLog}\left(3,-\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^3} + \frac{b^2(c+dx)^2\sin(e+fx)}{a(a^2-b^2)f(b+a\cos(e+fx))}
\end{aligned}$$

Mathematica [B] (verified)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 11147 vs. $2(1117) = 2234$.

Time = 20.08 (sec) , antiderivative size = 11147, normalized size of antiderivative = 9.98

$$\int \frac{(c+dx)^2}{(a+b\sec(e+fx))^2} dx = \text{Result too large to show}$$

[In] Integrate[(c + d*x)^2/(a + b*Sec[e + f*x])^2,x]

[Out] Result too large to show

Maple [F]

$$\int \frac{(dx + c)^2}{(a + b \sec(fx + e))^2} dx$$

[In] int((d*x+c)^2/(a+b*sec(f*x+e))^2,x)

[Out] int((d*x+c)^2/(a+b*sec(f*x+e))^2,x)

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 4274 vs. 2(991) = 1982.

Time = 0.64 (sec) , antiderivative size = 4274, normalized size of antiderivative = 3.83

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \text{Too large to display}$$

[In] integrate((d*x+c)^2/(a+b*sec(f*x+e))^2,x, algorithm="fricas")

[Out] 1/6*(2*(a^4*b - 2*a^2*b^3 + b^5)*d^2*f^3*x^3 + 6*(a^4*b - 2*a^2*b^3 + b^5)*c*d*f^3*x^2 + 6*(a^4*b - 2*a^2*b^3 + b^5)*c^2*f^3*x - 6*(I*(2*a^4*b - a^2*b^3)*d^2*cos(f*x + e) + I*(2*a^3*b^2 - a*b^4)*d^2)*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x + e) + I*b*sin(f*x + e) + (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2))/a) - 6*(-I*(2*a^4*b - a^2*b^3)*d^2*cos(f*x + e) - I*(2*a^3*b^2 - a*b^4)*d^2)*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x + e) + I*b*sin(f*x + e) - (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2))/a) - 6*(-I*(2*a^4*b - a^2*b^3)*d^2*cos(f*x + e) - I*(2*a^3*b^2 - a*b^4)*d^2)*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x + e) - I*b*sin(f*x + e) + (a*cos(f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2))/a) - 6*(I*(2*a^4*b - a^2*b^3)*d^2*cos(f*x + e) + I*(2*a^3*b^2 - a*b^4)*d^2)*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x + e) - I*b*sin(f*x + e) - (a*cos(f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2))/a) + 2*((a^5 - 2*a^3*b^2 + a*b^4)*d^2*f^3*x^3 + 3*(a^5 - 2*a^3*b^2 + a*b^4)*c*d*f^3*x^2 + 3*(a^5 - 2*a^3*b^2 + a*b^4)*c^2*f^3*x)*cos(f*x + e) - 6*(I*(a^3*b^2 - a*b^4)*d^2*cos(f*x + e) + I*(a^2*b^3 - b^5)*d^2 + ((2*a^3*b^2 - a*b^4)*d^2*f*x + (2*a^3*b^2 - a*b^4)*c*d*f + ((2*a^4*b - a^2*b^3)*d^2*f*x + (2*a^4*b - a^2*b^3)*c*d*f)*cos(f*x + e))*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) + I*b*sin(f*x + e) + (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - 6*(I*(a^3*b^2 - a*b^4)*d^2*cos(f*x + e) + I*(a^2*b^3 - b^5)*d^2 - ((2*a^3*b^2 - a*b^4)*d^2*f*x + (2*a^3*b^2 - a*b^4)*c*d*f + ((2*a^4*b - a^2*b^3)*d^2*f*x + (2*a^4*b - a^2*b^3)*c*d*f)*cos(f*x + e))*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) + I*b*sin(f*x + e) - (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - 6*(-I*(a^3*b^2 - a*b^4)*d^2*cos(f*x + e) - I*(a^2*b^3 - b^5)*d^2 + ((2*a^3*b^2 - a*b^4)*d^2*f*x +


```

+ e) - (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a) +
  3*(2*(a^2*b^3 - b^5)*d^2*f*x + 2*(a^2*b^3 - b^5)*d^2*e + 2*((a^3*b^2 - a*b
^4)*d^2*f*x + (a^3*b^2 - a*b^4)*d^2*e)*cos(f*x + e) - (-I*(2*a^3*b^2 - a*b^
4)*d^2*f^2*x^2 - 2*I*(2*a^3*b^2 - a*b^4)*c*d*f^2*x + I*(2*a^3*b^2 - a*b^4)*
d^2*e^2 - 2*I*(2*a^3*b^2 - a*b^4)*c*d*e*f + (-I*(2*a^4*b - a^2*b^3)*d^2*f^2
*x^2 - 2*I*(2*a^4*b - a^2*b^3)*c*d*f^2*x + I*(2*a^4*b - a^2*b^3)*d^2*e^2 -
2*I*(2*a^4*b - a^2*b^3)*c*d*e*f)*cos(f*x + e))*sqrt(-(a^2 - b^2)/a^2))*log(
(b*cos(f*x + e) - I*b*sin(f*x + e) + (a*cos(f*x + e) - I*a*sin(f*x + e))*sq
rt(-(a^2 - b^2)/a^2) + a)/a) + 3*(2*(a^2*b^3 - b^5)*d^2*f*x + 2*(a^2*b^3 -
b^5)*d^2*e + 2*((a^3*b^2 - a*b^4)*d^2*f*x + (a^3*b^2 - a*b^4)*d^2*e)*cos(f*
x + e) - (I*(2*a^3*b^2 - a*b^4)*d^2*f^2*x^2 + 2*I*(2*a^3*b^2 - a*b^4)*c*d*f
^2*x - I*(2*a^3*b^2 - a*b^4)*d^2*e^2 + 2*I*(2*a^3*b^2 - a*b^4)*c*d*e*f + (I
*(2*a^4*b - a^2*b^3)*d^2*f^2*x^2 + 2*I*(2*a^4*b - a^2*b^3)*c*d*f^2*x - I*(2
*a^4*b - a^2*b^3)*d^2*e^2 + 2*I*(2*a^4*b - a^2*b^3)*c*d*e*f)*cos(f*x + e))*
sqrt(-(a^2 - b^2)/a^2))*log((b*cos(f*x + e) - I*b*sin(f*x + e) - (a*cos(f*x
+ e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a) + 6*((a^3*b^2 - a*
b^4)*d^2*f^2*x^2 + 2*(a^3*b^2 - a*b^4)*c*d*f^2*x + (a^3*b^2 - a*b^4)*c^2*f^
2)*sin(f*x + e))/((a^7 - 2*a^5*b^2 + a^3*b^4)*f^3*cos(f*x + e) + (a^6*b - 2
*a^4*b^3 + a^2*b^5)*f^3)

```

Sympy [F]

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx$$

```
[In] integrate((d*x+c)**2/(a+b*sec(f*x+e))**2,x)
```

```
[Out] Integral((c + d*x)**2/(a + b*sec(e + f*x))**2, x)
```

Maxima [F(-2)]

Exception generated.

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \text{Exception raised: ValueError}$$

```
[In] integrate((d*x+c)^2/(a+b*sec(f*x+e))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(4*a^2-4*b^2>0)', see 'assume?' for
more de
```


Giac [F]

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \int \frac{(dx + c)^2}{(b \sec(fx + e) + a)^2} dx$$

[In] integrate((d*x+c)^2/(a+b*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^2/(b*sec(f*x + e) + a)^2, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \text{Hanged}$$

[In] int((c + d*x)^2/(a + b/cos(e + f*x))^2,x)

[Out] \text{Hanged}

3.41 $\int \frac{c+dx}{(a+b \sec(e+fx))^2} dx$

Optimal result	290
Rubi [A] (verified)	291
Mathematica [A] (warning: unable to verify)	296
Maple [B] (verified)	297
Fricas [B] (verification not implemented)	298
Sympy [F]	299
Maxima [F(-2)]	299
Giac [F]	299
Mupad [F(-1)]	300

Optimal result

Integrand size = 18, antiderivative size = 582

$$\begin{aligned}
 \int \frac{c+dx}{(a+b \sec(e+fx))^2} dx = & \frac{(c+dx)^2}{2a^2d} - \frac{ib^3(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
 & + \frac{2ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
 & + \frac{ib^3(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} \\
 & - \frac{2ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
 & + \frac{b^2d \log(b+a \cos(e+fx))}{a^2(a^2-b^2)f^2} - \frac{b^3d \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
 & + \frac{2bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
 & + \frac{b^3d \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
 & - \frac{2bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
 & + \frac{b^2(c+dx) \sin(e+fx)}{a(a^2-b^2)f(b+a \cos(e+fx))}
 \end{aligned}$$

[Out] 1/2*(d*x+c)^2/a^2/d+b^2*d*ln(b+a*cos(f*x+e))/a^2/(a^2-b^2)/f^2-I*b^3*(d*x+c)*ln(1+a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f+I*b^3*

$(d*x+c)*\ln(1+a*\exp(I*(f*x+e)))/(b+(-a^2+b^2)^{(1/2)})/a^2/(-a^2+b^2)^{(3/2)}/f-$
 $b^3*d*polylog(2,-a*\exp(I*(f*x+e))/(b-(-a^2+b^2)^{(1/2)})/a^2/(-a^2+b^2)^{(3/2)}/f^2+b^3*d*polylog(2,-a*\exp(I*(f*x+e))/(b+(-a^2+b^2)^{(1/2)})/a^2/(-a^2+b^2)^{(3/2)}/f^2+b^2*(d*x+c)*\sin(f*x+e)/a/(a^2-b^2)/f/(b+a*\cos(f*x+e))+2*I*b*(d*x+c)*\ln(1+a*\exp(I*(f*x+e))/(b-(-a^2+b^2)^{(1/2)})/a^2/f/(-a^2+b^2)^{(1/2)}-2*I*b*(d*x+c)*\ln(1+a*\exp(I*(f*x+e))/(b+(-a^2+b^2)^{(1/2)})/a^2/f/(-a^2+b^2)^{(1/2)}+2*b*d*polylog(2,-a*\exp(I*(f*x+e))/(b-(-a^2+b^2)^{(1/2)})/a^2/f^2/(-a^2+b^2)^{(1/2)}-2*b*d*polylog(2,-a*\exp(I*(f*x+e))/(b+(-a^2+b^2)^{(1/2)})/a^2/f^2/(-a^2+b^2)^{(1/2)})$

Rubi [A] (verified)

Time = 1.24 (sec) , antiderivative size = 582, normalized size of antiderivative = 1.00,
 number of steps used = 21, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used
 = {4276, 3405, 3402, 2296, 2221, 2317, 2438, 2747, 31}

$$\begin{aligned}
 \int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = & \frac{2ib(c + dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{a^2 f \sqrt{b^2 - a^2}} \\
 & - \frac{2ib(c + dx) \log\left(1 + \frac{ae^{i(e+fx)}}{\sqrt{b^2-a^2}+b}\right)}{a^2 f \sqrt{b^2 - a^2}} \\
 & + \frac{b^2(c + dx) \sin(e + fx)}{af(a^2 - b^2)(a \cos(e + fx) + b)} \\
 & + \frac{2bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{a^2 f^2 \sqrt{b^2 - a^2}} - \frac{2bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{a^2 f^2 \sqrt{b^2 - a^2}} \\
 & + \frac{b^2 d \log(a \cos(e + fx) + b)}{a^2 f^2 (a^2 - b^2)} - \frac{ib^3(c + dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{a^2 f (b^2 - a^2)^{3/2}} \\
 & + \frac{ib^3(c + dx) \log\left(1 + \frac{ae^{i(e+fx)}}{\sqrt{b^2-a^2}+b}\right)}{a^2 f (b^2 - a^2)^{3/2}} \\
 & - \frac{b^3 d \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{a^2 f^2 (b^2 - a^2)^{3/2}} \\
 & + \frac{b^3 d \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{a^2 f^2 (b^2 - a^2)^{3/2}} + \frac{(c + dx)^2}{2a^2 d}
 \end{aligned}$$

[In] Int[(c + d*x)/(a + b*Sec[e + f*x])^2,x]

[Out] $(c + d*x)^2/(2*a^2*d) - (I*b^3*(c + d*x)*\operatorname{Log}[1 + (a*E^{(I*(e + f*x))})]/(b - \operatorname{Sqrt}[-a^2 + b^2]))/(a^2*(-a^2 + b^2)^{(3/2)*f}) + ((2*I)*b*(c + d*x)*\operatorname{Log}[1 + (a*E^{(I*(e + f*x))})]/(b - \operatorname{Sqrt}[-a^2 + b^2]))/(a^2*\operatorname{Sqrt}[-a^2 + b^2]*f) + (I*b^3*(c + d*x)*\operatorname{Log}[1 + (a*E^{(I*(e + f*x))})]/(b + \operatorname{Sqrt}[-a^2 + b^2]))/(a^2*(-a$

$$\begin{aligned} & \sqrt{-a^2 + b^2}^{3/2} f - ((2I) * b * (c + d * x) * \text{Log}[1 + (a * E^{(I * (e + f * x))}) / (b + \text{Sqrt}[-a^2 + b^2])]) / (a^2 * \text{Sqrt}[-a^2 + b^2] * f) + (b^2 * d * \text{Log}[b + a * \text{Cos}[e + f * x]]) / (a^2 * (a^2 - b^2) * f^2) - (b^3 * d * \text{PolyLog}[2, -((a * E^{(I * (e + f * x))}) / (b - \text{Sqrt}[-a^2 + b^2]))]) / (a^2 * (-a^2 + b^2)^{3/2} * f^2) + (2 * b * d * \text{PolyLog}[2, -((a * E^{(I * (e + f * x))}) / (b - \text{Sqrt}[-a^2 + b^2]))]) / (a^2 * \text{Sqrt}[-a^2 + b^2] * f^2) + (b^3 * d * \text{PolyLog}[2, -((a * E^{(I * (e + f * x))}) / (b + \text{Sqrt}[-a^2 + b^2]))]) / (a^2 * (-a^2 + b^2)^{3/2} * f^2) - (2 * b * d * \text{PolyLog}[2, -((a * E^{(I * (e + f * x))}) / (b + \text{Sqrt}[-a^2 + b^2]))]) / (a^2 * \text{Sqrt}[-a^2 + b^2] * f^2) + (b^2 * (c + d * x) * \text{Sin}[e + f * x]) / (a * (a^2 - b^2) * f * (b + a * \text{Cos}[e + f * x])) \end{aligned}$$

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 2221

```
Int[(((F_)^((g_.)*(e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*(e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2296

```
Int[(((F_)^(u_.)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_.) + (c_.)*(F_)^(v_.)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*(c/q), Int[(f + g*x)^m*(F^u/(b - q + 2*c*F^u)), x], x] - Dist[2*(c/q), Int[(f + g*x)^m*(F^u/(b + q + 2*c*F^u)), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.))], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2747

```
Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sine[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[p]
```

- 1)/2] && NeQ[a^2 - b^2, 0]

Rule 3402

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)]), x_Symbol] :> Dist[2, Int[(c + d*x)^m*E^(I*Pi*(k - 1/2))*(E^(I*(e + f*x)))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi)*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3405

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> Simp[b*(c + d*x)^m*(Cos[e + f*x]/(f*(a^2 - b^2)*(a + b*Sin[e + f*x]))], x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x], x] - Dist[b*d*(m/(f*(a^2 - b^2))), Int[(c + d*x)^(m - 1)*(Cos[e + f*x]/(a + b*Sin[e + f*x])), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 4276

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \int \left(\frac{c + dx}{a^2} + \frac{b^2(c + dx)}{a^2(b + a \cos(e + fx))^2} - \frac{2b(c + dx)}{a^2(b + a \cos(e + fx))} \right) dx \\
 &= \frac{(c + dx)^2}{2a^2d} - \frac{(2b) \int \frac{c+dx}{b+a \cos(e+fx)} dx}{a^2} + \frac{b^2 \int \frac{c+dx}{(b+a \cos(e+fx))^2} dx}{a^2} \\
 &= \frac{(c + dx)^2}{2a^2d} + \frac{b^2(c + dx) \sin(e + fx)}{a(a^2 - b^2) f(b + a \cos(e + fx))} - \frac{(4b) \int \frac{e^{i(e+fx)}(c+dx)}{a+2be^{i(e+fx)}+ae^{2i(e+fx)}} dx}{a^2} \\
 &\quad - \frac{b^3 \int \frac{c+dx}{b+a \cos(e+fx)} dx}{a^2(a^2 - b^2)} - \frac{(b^2d) \int \frac{\sin(e+fx)}{b+a \cos(e+fx)} dx}{a(a^2 - b^2) f} \\
 &= \frac{(c + dx)^2}{2a^2d} + \frac{b^2(c + dx) \sin(e + fx)}{a(a^2 - b^2) f(b + a \cos(e + fx))} \\
 &\quad - \frac{(2b^3) \int \frac{e^{i(e+fx)}(c+dx)}{a+2be^{i(e+fx)}+ae^{2i(e+fx)}} dx}{a^2(a^2 - b^2)} - \frac{(4b) \int \frac{e^{i(e+fx)}(c+dx)}{2b-2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{a\sqrt{-a^2 + b^2}} \\
 &\quad + \frac{(4b) \int \frac{e^{i(e+fx)}(c+dx)}{2b+2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{a\sqrt{-a^2 + b^2}} + \frac{(b^2d) \text{Subst}\left(\int \frac{1}{b+x} dx, x, a \cos(e + fx)\right)}{a^2(a^2 - b^2) f^2}
 \end{aligned}$$

$$\begin{aligned}
&= \frac{(c+dx)^2}{2a^2d} + \frac{2ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} - \frac{2ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
&\quad + \frac{b^2d \log(b+a \cos(e+fx))}{a^2(a^2-b^2)f^2} + \frac{b^2(c+dx) \sin(e+fx)}{a(a^2-b^2)f(b+a \cos(e+fx))} \\
&\quad + \frac{(2b^3) \int \frac{e^{i(e+fx)}(c+dx)}{2b-2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{a(-a^2+b^2)^{3/2}} - \frac{(2b^3) \int \frac{e^{i(e+fx)}(c+dx)}{2b+2\sqrt{-a^2+b^2}+2ae^{i(e+fx)}} dx}{a(-a^2+b^2)^{3/2}} \\
&\quad - \frac{(2ibd) \int \log\left(1 + \frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right) dx}{a^2\sqrt{-a^2+b^2}f} + \frac{(2ibd) \int \log\left(1 + \frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right) dx}{a^2\sqrt{-a^2+b^2}f} \\
&= \frac{(c+dx)^2}{2a^2d} - \frac{ib^3(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} + \frac{2ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
&\quad + \frac{ib^3(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} - \frac{2ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
&\quad + \frac{b^2d \log(b+a \cos(e+fx))}{a^2(a^2-b^2)f^2} + \frac{b^2(c+dx) \sin(e+fx)}{a(a^2-b^2)f(b+a \cos(e+fx))} \\
&\quad - \frac{(2bd) \text{Subst}\left(\int \frac{\log\left(1 + \frac{2ax}{2b-2\sqrt{-a^2+b^2}}\right)}{x} dx, x, e^{i(e+fx)}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
&\quad + \frac{(2bd) \text{Subst}\left(\int \frac{\log\left(1 + \frac{2ax}{2b+2\sqrt{-a^2+b^2}}\right)}{x} dx, x, e^{i(e+fx)}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
&\quad + \frac{(ib^3d) \int \log\left(1 + \frac{2ae^{i(e+fx)}}{2b-2\sqrt{-a^2+b^2}}\right) dx}{a^2(-a^2+b^2)^{3/2}f} - \frac{(ib^3d) \int \log\left(1 + \frac{2ae^{i(e+fx)}}{2b+2\sqrt{-a^2+b^2}}\right) dx}{a^2(-a^2+b^2)^{3/2}f}
\end{aligned}$$

$$\begin{aligned}
&= \frac{(c+dx)^2}{2a^2d} - \frac{ib^3(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} + \frac{2ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
&+ \frac{ib^3(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} - \frac{2ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
&+ \frac{b^2d \log(b+a \cos(e+fx))}{a^2(a^2-b^2)f^2} + \frac{2bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} \\
&- \frac{2bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} + \frac{b^2(c+dx) \sin(e+fx)}{a(a^2-b^2)f(b+a \cos(e+fx))} \\
&+ \frac{(b^3d) \operatorname{Subst}\left(\int \frac{\log\left(1 + \frac{2ax}{2b-2\sqrt{-a^2+b^2}}\right)}{x} dx, x, e^{i(e+fx)}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&- \frac{(b^3d) \operatorname{Subst}\left(\int \frac{\log\left(1 + \frac{2ax}{2b+2\sqrt{-a^2+b^2}}\right)}{x} dx, x, e^{i(e+fx)}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&= \frac{(c+dx)^2}{2a^2d} - \frac{ib^3(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} + \frac{2ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
&+ \frac{ib^3(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f} - \frac{2ib(c+dx) \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f} \\
&+ \frac{b^2d \log(b+a \cos(e+fx))}{a^2(a^2-b^2)f^2} - \frac{b^3d \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&+ \frac{2bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} + \frac{b^3d \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2(-a^2+b^2)^{3/2}f^2} \\
&- \frac{2bd \operatorname{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a^2\sqrt{-a^2+b^2}f^2} + \frac{b^2(c+dx) \sin(e+fx)}{a(a^2-b^2)f(b+a \cos(e+fx))}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 11.64 (sec) , antiderivative size = 1037, normalized size of antiderivative = 1.78

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx$$

$$= \frac{(e + fx)(-2de + 2cf + d(e + fx))(b + a \cos(e + fx))^2 \sec^2(e + fx)}{2a^2 f^2 (a + b \sec(e + fx))^2}$$

$$+ \frac{(b + a \cos(e + fx)) \sec^2(e + fx) (b^2 d e \sin(e + fx) - b^2 c f \sin(e + fx) - b^2 d (e + fx) \sin(e + fx))}{a(-a + b)(a + b) f^2 (a + b \sec(e + fx))^2}$$

$$+ \frac{b \cos^2\left(\frac{1}{2}(e + fx)\right) (b + a \cos(e + fx)) \left(-\frac{2(2a^2 - b^2)(de - cf) \arctan\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(e + fx)\right)}{\sqrt{-a-b}}\right)}{\sqrt{-a-b}\sqrt{a-b}} \right) - bd \log\left(\sec^2\left(\frac{1}{2}(e + fx)\right)\right)}{1}$$

[In] Integrate[(c + d*x)/(a + b*Sec[e + f*x])^2,x]

```
[Out] ((e + f*x)*(-2*d*e + 2*c*f + d*(e + f*x))*(b + a*Cos[e + f*x])^2*Sec[e + f*x]^2)/(2*a^2*f^2*(a + b*Sec[e + f*x])^2) + ((b + a*Cos[e + f*x])*Sec[e + f*x]^2*(b^2*d*e*Sin[e + f*x] - b^2*c*f*Sin[e + f*x] - b^2*d*(e + f*x)*Sin[e + f*x]))/(a*(-a + b)*(a + b)*f^2*(a + b*Sec[e + f*x])^2) + (b*Cos[(e + f*x)/2]^2*(b + a*Cos[e + f*x])*((-2*(2*a^2 - b^2)*(d*e - c*f)*ArcTan[(Sqrt[a - b]*Tan[(e + f*x)/2])/Sqrt[-a - b]])/(Sqrt[-a - b]*Sqrt[a - b]) - b*d*Log[Sec[(e + f*x)/2]^2] + b*d*Log[-((b + a*Cos[e + f*x])*Sec[(e + f*x)/2]^2)] - (I*(2*a^2 - b^2)*d*(Log[1 + I*Tan[(e + f*x)/2]]*Log[(I*(Sqrt[a + b] - Sqrt[a - b])*Tan[(e + f*x)/2]])/(Sqrt[a - b] + I*Sqrt[a + b])) - Log[1 - I*Tan[(e + f*x)/2]]*Log[(Sqrt[a + b] - Sqrt[a - b])*Tan[(e + f*x)/2]]/(I*Sqrt[a - b] + Sqrt[a + b])) + Log[1 - I*Tan[(e + f*x)/2]]*Log[(I*(Sqrt[a + b] + Sqrt[a - b])*Tan[(e + f*x)/2]])/(Sqrt[a - b] + I*Sqrt[a + b])) - Log[1 + I*Tan[(e + f*x)/2]]*Log[(Sqrt[a + b] + Sqrt[a - b])*Tan[(e + f*x)/2]]/(I*Sqrt[a - b] + Sqrt[a + b])) - PolyLog[2, (Sqrt[a - b]*(1 - I*Tan[(e + f*x)/2]))/(Sqrt[a - b] - I*Sqrt[a + b])] + PolyLog[2, (Sqrt[a - b]*(1 - I*Tan[(e + f*x)/2]))/(Sqrt[a - b] + I*Sqrt[a + b])] - PolyLog[2, (Sqrt[a - b]*(1 + I*Tan[(e + f*x)/2]))/(Sqrt[a - b] - I*Sqrt[a + b])] + PolyLog[2, (Sqrt[a - b]*(1 + I*Tan[(e + f*x)/2]))/(Sqrt[a - b] + I*Sqrt[a + b])])]/(Sqrt[a - b]*Sqrt[a + b]))*Sec[e + f*x]^2*((2*a^2 - b^2)*(c*f + d*f*x) + a*b*d*Sin[e + f*x])*(Sqrt[a + b] - Sqrt[a - b])*Tan[(e + f*x)/2]*(Sqrt[a + b] + Sqrt[a - b])*Tan[(e + f*x)/2]))/(a^2*(a^2 - b^2)*f^2*(a + b*Sec[e + f*x])^2*(-((2*a^2 - b^2)*(d*e - c*f - I*d*Log[1 - I*Tan[(e + f*x)/2]] + I*d*Log[1 + I*Tan[(e + f*x)/2]])) + a*b*d*Sin[e + f*x]))
```


Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1288 vs. $2(528) = 1056$.

Time = 0.64 (sec) , antiderivative size = 1289, normalized size of antiderivative = 2.21

method	result	size
risch	Expression too large to display	1289

[In] `int((d*x+c)/(a+b*sec(f*x+e))^2,x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{2} \frac{d}{a^2} x^2 + \frac{1}{a^2} x c + \frac{2 I}{f} \frac{1}{(a^2 - b^2)^{1/2}} \frac{b d}{(-a^2 + b^2)^{1/2}} \ln\left(\frac{-a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} - b}{(-b + (-a^2 + b^2)^{1/2})}\right) x - \frac{4 I}{f^2} \frac{1}{(a^2 - b^2)^{3/2}} \frac{b d e \arctan\left(\frac{1}{2} \frac{2 a \exp(I(f x + e)) + 2 b}{(a^2 - b^2)^{1/2}}\right) + \frac{1}{f} \frac{2}{(a^2 - b^2)^{1/2}} \frac{1}{a^2 b^3 d} \frac{1}{(-a^2 + b^2)^{1/2}} \operatorname{dilog}\left(\frac{a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} + b}{(b + (-a^2 + b^2)^{1/2})}\right) - \frac{2}{f^2} \frac{1}{(a^2 - b^2)^{1/2}} \frac{b d}{(-a^2 + b^2)^{1/2}} \operatorname{dilog}\left(\frac{a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} + b}{(b + (-a^2 + b^2)^{1/2})}\right) + \frac{2}{f^2} \frac{1}{(a^2 - b^2)^{1/2}} \frac{b d}{(-a^2 + b^2)^{1/2}} \operatorname{dilog}\left(\frac{-a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} - b}{(-b + (-a^2 + b^2)^{1/2})}\right) - \frac{1}{f^2} \frac{1}{(a^2 - b^2)^{1/2}} \frac{1}{a^2 b^3 d} \frac{1}{(-a^2 + b^2)^{1/2}} \operatorname{dilog}\left(\frac{-a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} - b}{(-b + (-a^2 + b^2)^{1/2})}\right) - \frac{2 I}{f^2} \frac{1}{(a^2 - b^2)^{1/2}} \frac{b d}{(-a^2 + b^2)^{1/2}} \ln\left(\frac{a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} + b}{(b + (-a^2 + b^2)^{1/2})}\right) e - \frac{I}{f} \frac{1}{(a^2 - b^2)^{1/2}} \frac{1}{a^2 b^3 d} \frac{1}{(-a^2 + b^2)^{1/2}} \ln\left(\frac{-a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} - b}{(-b + (-a^2 + b^2)^{1/2})}\right) x + \frac{2 I b^2 (d x + c) (\exp(I(f x + e)) b + a)}{a^2 (a^2 - b^2)^{1/2}} \frac{1}{f (\exp(2 I(f x + e)) a + 2 \exp(I(f x + e)) b + a) - I} \frac{1}{f^2} \frac{1}{(a^2 - b^2)^{1/2}} \frac{1}{a^2 b^3 d} \frac{1}{(-a^2 + b^2)^{1/2}} \ln\left(\frac{-a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} - b}{(-b + (-a^2 + b^2)^{1/2})}\right) e + \frac{2 I}{f^2} \frac{1}{(a^2 - b^2)^{3/2}} \frac{1}{a^2 b^3 d e} \arctan\left(\frac{1}{2} \frac{2 a \exp(I(f x + e)) + 2 b}{(a^2 - b^2)^{1/2}}\right) + \frac{2 I}{f^2} \frac{1}{(a^2 - b^2)^{1/2}} \frac{b d}{(-a^2 + b^2)^{1/2}} \ln\left(\frac{-a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} - b}{(-b + (-a^2 + b^2)^{1/2})}\right) e + \frac{4 I}{f} \frac{1}{(a^2 - b^2)^{3/2}} \frac{b c \arctan\left(\frac{1}{2} \frac{2 a \exp(I(f x + e)) + 2 b}{(a^2 - b^2)^{1/2}}\right) - \frac{2}{f} \frac{1}{(a^2 - b^2)^{1/2}} \frac{1}{a^2 b^2 d} \ln(\exp(I(f x + e))) + \frac{1}{f^2} \frac{1}{(a^2 - b^2)^{1/2}} \frac{1}{a^2 b^2 d} \ln(\exp(2 I(f x + e)) a + 2 \exp(I(f x + e)) b + a) + \frac{I}{f} \frac{1}{(a^2 - b^2)^{1/2}} \frac{1}{a^2 b^3 d} \frac{1}{(-a^2 + b^2)^{1/2}} \ln\left(\frac{a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} + b}{(b + (-a^2 + b^2)^{1/2})}\right) x - \frac{2 I}{f} \frac{1}{(a^2 - b^2)^{3/2}} \frac{1}{a^2 b^3 c} \arctan\left(\frac{1}{2} \frac{2 a \exp(I(f x + e)) + 2 b}{(a^2 - b^2)^{1/2}}\right) + \frac{I}{f^2} \frac{1}{(a^2 - b^2)^{1/2}} \frac{1}{a^2 b^3 d} \frac{1}{(-a^2 + b^2)^{1/2}} \ln\left(\frac{a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} + b}{(b + (-a^2 + b^2)^{1/2})}\right) e - \frac{2 I}{f} \frac{1}{(a^2 - b^2)^{1/2}} \frac{b d}{(-a^2 + b^2)^{1/2}} \ln\left(\frac{a \exp(I(f x + e)) + (-a^2 + b^2)^{1/2} + b}{(b + (-a^2 + b^2)^{1/2})}\right) x$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 2080 vs. $2(520) = 1040$.

Time = 0.49 (sec) , antiderivative size = 2080, normalized size of antiderivative = 3.57

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \text{Too large to display}$$

[In] integrate((d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="fricas")

[Out] $\frac{1}{2} * ((a^4 * b - 2 * a^2 * b^3 + b^5) * d * f^2 * x^2 + 2 * (a^4 * b - 2 * a^2 * b^3 + b^5) * c * f^2 * x - ((2 * a^4 * b - a^2 * b^3) * d * \cos(f * x + e) + (2 * a^3 * b^2 - a * b^4) * d) * \sqrt{-(a^2 - b^2) / a^2} * \operatorname{dilog}(-(b * \cos(f * x + e) + I * b * \sin(f * x + e) + (a * \cos(f * x + e) + I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} + a) / a + 1) + ((2 * a^4 * b - a^2 * b^3) * d * \cos(f * x + e) + (2 * a^3 * b^2 - a * b^4) * d) * \sqrt{-(a^2 - b^2) / a^2} * \operatorname{dilog}(-(b * \cos(f * x + e) + I * b * \sin(f * x + e) - (a * \cos(f * x + e) + I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} + a) / a + 1) - ((2 * a^4 * b - a^2 * b^3) * d * \cos(f * x + e) + (2 * a^3 * b^2 - a * b^4) * d) * \sqrt{-(a^2 - b^2) / a^2} * \operatorname{dilog}(-(b * \cos(f * x + e) - I * b * \sin(f * x + e) + (a * \cos(f * x + e) - I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} + a) / a + 1) + ((2 * a^4 * b - a^2 * b^3) * d * \cos(f * x + e) + (2 * a^3 * b^2 - a * b^4) * d) * \sqrt{-(a^2 - b^2) / a^2} * \operatorname{dilog}(-(b * \cos(f * x + e) - I * b * \sin(f * x + e) - (a * \cos(f * x + e) - I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} + a) / a + 1) + (-I * (2 * a^3 * b^2 - a * b^4) * d * f * x - I * (2 * a^3 * b^2 - a * b^4) * d * e + (-I * (2 * a^4 * b - a^2 * b^3) * d * f * x - I * (2 * a^4 * b - a^2 * b^3) * d * e) * \cos(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} * \log((b * \cos(f * x + e) + I * b * \sin(f * x + e) + (a * \cos(f * x + e) + I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} + a) / a) + (I * (2 * a^3 * b^2 - a * b^4) * d * f * x + I * (2 * a^3 * b^2 - a * b^4) * d * e + (I * (2 * a^4 * b - a^2 * b^3) * d * f * x + I * (2 * a^4 * b - a^2 * b^3) * d * e) * \cos(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} * \log((b * \cos(f * x + e) + I * b * \sin(f * x + e) - (a * \cos(f * x + e) + I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} + a) / a) + (I * (2 * a^3 * b^2 - a * b^4) * d * f * x + I * (2 * a^3 * b^2 - a * b^4) * d * e + (I * (2 * a^4 * b - a^2 * b^3) * d * f * x + I * (2 * a^4 * b - a^2 * b^3) * d * e) * \cos(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} * \log((b * \cos(f * x + e) - I * b * \sin(f * x + e) + (a * \cos(f * x + e) - I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} + a) / a) + (-I * (2 * a^3 * b^2 - a * b^4) * d * f * x - I * (2 * a^3 * b^2 - a * b^4) * d * e + (-I * (2 * a^4 * b - a^2 * b^3) * d * f * x - I * (2 * a^4 * b - a^2 * b^3) * d * e) * \cos(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} * \log((b * \cos(f * x + e) - I * b * \sin(f * x + e) - (a * \cos(f * x + e) - I * a * \sin(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2} + a) / a) + ((a^5 - 2 * a^3 * b^2 + a * b^4) * d * f^2 * x^2 + 2 * (a^5 - 2 * a^3 * b^2 + a * b^4) * c * f^2 * x) * \cos(f * x + e) + ((a^3 * b^2 - a * b^4) * d * \cos(f * x + e) + (a^2 * b^3 - b^5) * d + (-I * (2 * a^3 * b^2 - a * b^4) * d * e + I * (2 * a^3 * b^2 - a * b^4) * c * f + (-I * (2 * a^4 * b - a^2 * b^3) * d * e + I * (2 * a^4 * b - a^2 * b^3) * c * f) * \cos(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2}) * \log(2 * a * \cos(f * x + e) + 2 * I * a * \sin(f * x + e) + 2 * a * \sqrt{-(a^2 - b^2) / a^2} + 2 * b) + ((a^3 * b^2 - a * b^4) * d * \cos(f * x + e) + (a^2 * b^3 - b^5) * d + (I * (2 * a^3 * b^2 - a * b^4) * d * e - I * (2 * a^3 * b^2 - a * b^4) * c * f + (I * (2 * a^4 * b - a^2 * b^3) * d * e - I * (2 * a^4 * b - a^2 * b^3) * c * f) * \cos(f * x + e)) * \sqrt{-(a^2 - b^2) / a^2}) * \log(2 * a * \cos(f * x +$

$$e) - 2Ia\sin(fx + e) + 2a\sqrt{-(a^2 - b^2)/a^2} + 2b) + ((a^3b^2 - ab^4)d\cos(fx + e) + (a^2b^3 - b^5)d + (-I(2a^3b^2 - ab^4)d^2e + I(2a^3b^2 - ab^4)cf + (-I(2a^4b - a^2b^3)d^2e + I(2a^4b - a^2b^3)cf)\cos(fx + e))\sqrt{-(a^2 - b^2)/a^2})\log(-2a\cos(fx + e) + 2Ia\sin(fx + e) + 2a\sqrt{-(a^2 - b^2)/a^2} - 2b) + ((a^3b^2 - ab^4)d\cos(fx + e) + (a^2b^3 - b^5)d + (I(2a^3b^2 - ab^4)d^2e - I(2a^3b^2 - ab^4)cf + (I(2a^4b - a^2b^3)d^2e - I(2a^4b - a^2b^3)cf)\cos(fx + e))\sqrt{-(a^2 - b^2)/a^2})\log(-2a\cos(fx + e) - 2Ia\sin(fx + e) + 2a\sqrt{-(a^2 - b^2)/a^2} - 2b) + 2((a^3b^2 - ab^4)d^2fx + (a^3b^2 - ab^4)cf)\sin(fx + e))/((a^7 - 2a^5b^2 + a^3b^4)f^2\cos(fx + e) + (a^6b - 2a^4b^3 + a^2b^5)f^2)$$

Sympy [F]

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \int \frac{c + dx}{(a + b \sec(e + fx))^2} dx$$

[In] integrate((d*x+c)/(a+b*sec(f*x+e))**2,x)

[Out] Integral((c + d*x)/(a + b*sec(e + f*x))**2, x)

Maxima [F(-2)]

Exception generated.

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \text{Exception raised: ValueError}$$

[In] integrate((d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a^2-4*b^2>0)', see 'assume?' for more details)

Giac [F]

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \int \frac{dx + c}{(b \sec(fx + e) + a)^2} dx$$

[In] integrate((d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)/(b*sec(f*x + e) + a)^2, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \text{Hanged}$$

```
[In] int((c + d*x)/(a + b/cos(e + f*x))^2,x)
```

```
[Out] \text{Hanged}
```

$$3.42 \quad \int \frac{1}{(c+dx)(a+b \sec(e+fx))^2} dx$$

Optimal result	301
Rubi [N/A]	301
Mathematica [N/A]	302
Maple [N/A] (verified)	302
Fricas [N/A]	302
Sympy [N/A]	303
Maxima [N/A]	303
Giac [N/A]	304
Mupad [N/A]	305

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)(a+b \sec(e+fx))^2} dx = \text{Int}\left(\frac{1}{(c+dx)(a+b \sec(e+fx))^2}, x\right)$$

[Out] Unintegrable(1/(d*x+c)/(a+b*sec(f*x+e))^2,x)

Rubi [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)(a+b \sec(e+fx))^2} dx = \int \frac{1}{(c+dx)(a+b \sec(e+fx))^2} dx$$

[In] Int[1/((c + d*x)*(a + b*Sec[e + f*x])^2), x]

[Out] Defer[Int][1/((c + d*x)*(a + b*Sec[e + f*x])^2), x]

Rubi steps

$$\text{integral} = \int \frac{1}{(c+dx)(a+b \sec(e+fx))^2} dx$$

Mathematica [N/A]

Not integrable

Time = 22.66 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)(a+b\sec(e+fx))^2} dx = \int \frac{1}{(c+dx)(a+b\sec(e+fx))^2} dx$$

[In] Integrate[1/((c + d*x)*(a + b*Sec[e + f*x])^2), x]

[Out] Integrate[1/((c + d*x)*(a + b*Sec[e + f*x])^2), x]

Maple [N/A] (verified)

Not integrable

Time = 0.49 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx+c)(a+b\sec(fx+e))^2} dx$$

[In] int(1/(d*x+c)/(a+b*sec(f*x+e))^2,x)

[Out] int(1/(d*x+c)/(a+b*sec(f*x+e))^2,x)

Fricas [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 55, normalized size of antiderivative = 2.75

$$\int \frac{1}{(c+dx)(a+b\sec(e+fx))^2} dx = \int \frac{1}{(dx+c)(b\sec(fx+e)+a)^2} dx$$

[In] integrate(1/(d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="fricas")

[Out] integral(1/(a^2*d*x + a^2*c + (b^2*d*x + b^2*c)*sec(f*x + e)^2 + 2*(a*b*d*x + a*b*c)*sec(f*x + e)), x)

Sympy [N/A]

Not integrable

Time = 1.92 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{1}{(c+dx)(a+b\sec(e+fx))^2} dx = \int \frac{1}{(a+b\sec(e+fx))^2(c+dx)} dx$$

[In] integrate(1/(d*x+c)/(a+b*sec(f*x+e))**2,x)

[Out] Integral(1/((a + b*sec(e + f*x))**2*(c + d*x)), x)

Maxima [N/A]

Not integrable

Time = 13.54 (sec) , antiderivative size = 2279, normalized size of antiderivative = 113.95

$$\int \frac{1}{(c+dx)(a+b\sec(e+fx))^2} dx = \int \frac{1}{(dx+c)(b\sec(fx+e)+a)^2} dx$$

[In] integrate(1/(d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="maxima")

```
[Out] (2*a*b^3*d*sin(f*x + e) + ((a^4 - a^2*b^2)*d*f*x + (a^4 - a^2*b^2)*c*f)*cos
(2*f*x + 2*e)^2*log(d*x + c) + 4*((a^2*b^2 - b^4)*d*f*x + (a^2*b^2 - b^4)*c
*f)*cos(f*x + e)^2*log(d*x + c) + ((a^4 - a^2*b^2)*d*f*x + (a^4 - a^2*b^2)*
c*f)*log(d*x + c)*sin(2*f*x + 2*e)^2 + 4*((a^2*b^2 - b^4)*d*f*x + (a^2*b^2
- b^4)*c*f)*log(d*x + c)*sin(f*x + e)^2 + 4*((a^3*b - a*b^3)*d*f*x + (a^3*b
- a*b^3)*c*f)*cos(f*x + e)*log(d*x + c) - 2*(a*b^3*d*sin(f*x + e) - 2*((a^
3*b - a*b^3)*d*f*x + (a^3*b - a*b^3)*c*f)*cos(f*x + e)*log(d*x + c) - ((a^4
- a^2*b^2)*d*f*x + (a^4 - a^2*b^2)*c*f)*log(d*x + c))*cos(2*f*x + 2*e) - (
(a^6 - a^4*b^2)*d^2*f*x + (a^6 - a^4*b^2)*c*d*f + ((a^6 - a^4*b^2)*d^2*f*x
+ (a^6 - a^4*b^2)*c*d*f)*cos(2*f*x + 2*e)^2 + 4*((a^4*b^2 - a^2*b^4)*d^2*f*
x + (a^4*b^2 - a^2*b^4)*c*d*f)*cos(f*x + e)^2 + ((a^6 - a^4*b^2)*d^2*f*x +
(a^6 - a^4*b^2)*c*d*f)*sin(2*f*x + 2*e)^2 + 4*((a^5*b - a^3*b^3)*d^2*f*x +
(a^5*b - a^3*b^3)*c*d*f)*sin(2*f*x + 2*e)*sin(f*x + e) + 4*((a^4*b^2 - a^2*
b^4)*d^2*f*x + (a^4*b^2 - a^2*b^4)*c*d*f)*sin(f*x + e)^2 + 2*((a^6 - a^4*b^
2)*d^2*f*x + (a^6 - a^4*b^2)*c*d*f + 2*((a^5*b - a^3*b^3)*d^2*f*x + (a^5*b
- a^3*b^3)*c*d*f)*cos(f*x + e))*cos(2*f*x + 2*e) + 4*((a^5*b - a^3*b^3)*d^2
*f*x + (a^5*b - a^3*b^3)*c*d*f)*cos(f*x + e))*integrate(-2*(a*b^3*d*sin(f*x
+ e) - 2*((2*a^2*b^2 - b^4)*d*f*x + (2*a^2*b^2 - b^4)*c*f)*cos(f*x + e)^2
- 2*((2*a^2*b^2 - b^4)*d*f*x + (2*a^2*b^2 - b^4)*c*f)*sin(f*x + e)^2 - (a*b
^3*d*sin(f*x + e) + ((2*a^3*b - a*b^3)*d*f*x + (2*a^3*b - a*b^3)*c*f)*cos(f
*x + e))*cos(2*f*x + 2*e) - ((2*a^3*b - a*b^3)*d*f*x + (2*a^3*b - a*b^3)*c*
f)*cos(f*x + e) + (a*b^3*d*cos(f*x + e) + a^2*b^2*d - ((2*a^3*b - a*b^3)*d*
```

```
f*x + (2*a^3*b - a*b^3)*c*f)*sin(f*x + e))*sin(2*f*x + 2*e))/((a^6 - a^4*b^
2)*d^2*f*x^2 + 2*(a^6 - a^4*b^2)*c*d*f*x + (a^6 - a^4*b^2)*c^2*f + ((a^6 -
a^4*b^2)*d^2*f*x^2 + 2*(a^6 - a^4*b^2)*c*d*f*x + (a^6 - a^4*b^2)*c^2*f)*cos
(2*f*x + 2*e)^2 + 4*((a^4*b^2 - a^2*b^4)*d^2*f*x^2 + 2*(a^4*b^2 - a^2*b^4)*
c*d*f*x + (a^4*b^2 - a^2*b^4)*c^2*f)*cos(f*x + e)^2 + ((a^6 - a^4*b^2)*d^2*
f*x^2 + 2*(a^6 - a^4*b^2)*c*d*f*x + (a^6 - a^4*b^2)*c^2*f)*sin(2*f*x + 2*e)
^2 + 4*((a^5*b - a^3*b^3)*d^2*f*x^2 + 2*(a^5*b - a^3*b^3)*c*d*f*x + (a^5*b
- a^3*b^3)*c^2*f)*sin(2*f*x + 2*e)*sin(f*x + e) + 4*((a^4*b^2 - a^2*b^4)*d^
2*f*x^2 + 2*(a^4*b^2 - a^2*b^4)*c*d*f*x + (a^4*b^2 - a^2*b^4)*c^2*f)*sin(f*
x + e)^2 + 2*((a^6 - a^4*b^2)*d^2*f*x^2 + 2*(a^6 - a^4*b^2)*c*d*f*x + (a^6
- a^4*b^2)*c^2*f + 2*((a^5*b - a^3*b^3)*d^2*f*x^2 + 2*(a^5*b - a^3*b^3)*c*d
*f*x + (a^5*b - a^3*b^3)*c^2*f)*cos(f*x + e))*cos(2*f*x + 2*e) + 4*((a^5*b
- a^3*b^3)*d^2*f*x^2 + 2*(a^5*b - a^3*b^3)*c*d*f*x + (a^5*b - a^3*b^3)*c^2*
f)*cos(f*x + e)), x) + ((a^4 - a^2*b^2)*d*f*x + (a^4 - a^2*b^2)*c*f)*log(d*
x + c) + 2*(a*b^3*d*cos(f*x + e) + a^2*b^2*d + 2*((a^3*b - a*b^3)*d*f*x + (
a^3*b - a*b^3)*c*f)*log(d*x + c)*sin(f*x + e))*sin(2*f*x + 2*e))/((a^6 - a^
4*b^2)*d^2*f*x + (a^6 - a^4*b^2)*c*d*f + ((a^6 - a^4*b^2)*d^2*f*x + (a^6 -
a^4*b^2)*c*d*f)*cos(2*f*x + 2*e)^2 + 4*((a^4*b^2 - a^2*b^4)*d^2*f*x + (a^4*
b^2 - a^2*b^4)*c*d*f)*cos(f*x + e)^2 + ((a^6 - a^4*b^2)*d^2*f*x + (a^6 - a^
4*b^2)*c*d*f)*sin(2*f*x + 2*e)^2 + 4*((a^5*b - a^3*b^3)*d^2*f*x + (a^5*b -
a^3*b^3)*c*d*f)*sin(2*f*x + 2*e)*sin(f*x + e) + 4*((a^4*b^2 - a^2*b^4)*d^2*
f*x + (a^4*b^2 - a^2*b^4)*c*d*f)*sin(f*x + e)^2 + 2*((a^6 - a^4*b^2)*d^2*f*
x + (a^6 - a^4*b^2)*c*d*f + 2*((a^5*b - a^3*b^3)*d^2*f*x + (a^5*b - a^3*b^3
)*c*d*f)*cos(f*x + e))*cos(2*f*x + 2*e) + 4*((a^5*b - a^3*b^3)*d^2*f*x + (a
^5*b - a^3*b^3)*c*d*f)*cos(f*x + e))
```

Giac [N/A]

Not integrable

Time = 0.51 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)(b \sec(fx + e) + a)^2} dx$$

[In] integrate(1/(d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate(1/((d*x + c)*(b*sec(f*x + e) + a)^2), x)

Mupad [N/A]

Not integrable

Time = 16.84 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))^2} dx = \int \frac{1}{\left(a + \frac{b}{\cos(e + fx)}\right)^2 (c + dx)} dx$$

```
[In] int(1/((a + b/cos(e + f*x))^2*(c + d*x)),x)
```

```
[Out] int(1/((a + b/cos(e + f*x))^2*(c + d*x)), x)
```

3.43 $\int \frac{1}{(c+dx)^2(a+b \sec(e+fx))^2} dx$

Optimal result	306
Rubi [N/A]	306
Mathematica [N/A]	307
Maple [N/A] (verified)	307
Fricas [N/A]	307
Sympy [N/A]	308
Maxima [N/A]	308
Giac [N/A]	310
Mupad [N/A]	310

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)^2(a+b \sec(e+fx))^2} dx = \text{Int}\left(\frac{1}{(c+dx)^2(a+b \sec(e+fx))^2}, x\right)$$

[Out] Unintegrable(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x)

Rubi [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a+b \sec(e+fx))^2} dx = \int \frac{1}{(c+dx)^2(a+b \sec(e+fx))^2} dx$$

[In] Int[1/((c + d*x)^2*(a + b*Sec[e + f*x])^2), x]

[Out] Defer[Int][1/((c + d*x)^2*(a + b*Sec[e + f*x])^2), x]

Rubi steps

$$\text{integral} = \int \frac{1}{(c+dx)^2(a+b \sec(e+fx))^2} dx$$

Mathematica [N/A]

Not integrable

Time = 41.36 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))^2} dx = \int \frac{1}{(c + dx)^2(a + b \sec(e + fx))^2} dx$$

[In] Integrate[1/((c + d*x)^2*(a + b*Sec[e + f*x])^2), x]

[Out] Integrate[1/((c + d*x)^2*(a + b*Sec[e + f*x])^2), x]

Maple [N/A] (verified)

Not integrable

Time = 0.39 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)^2(a + b \sec(fx + e))^2} dx$$

[In] int(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x)

[Out] int(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x)

Fricas [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 96, normalized size of antiderivative = 4.80

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)^2(b \sec(fx + e) + a)^2} dx$$

[In] integrate(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x, algorithm="fricas")

```
[Out] integral(1/(a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2 + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sec(f*x + e)^2 + 2*(a*b*d^2*x^2 + 2*a*b*c*d*x + a*b*c^2)*sec(f*x + e)), x)
```


$$\begin{aligned}
& f*x + (2*a^2*b^2 - b^4)*c*f)*\sin(f*x + e)^2 - (2*a*b^3*d*\sin(f*x + e) + ((2 \\
& *a^3*b - a*b^3)*d*f*x + (2*a^3*b - a*b^3)*c*f)*\cos(f*x + e))*\cos(2*f*x + 2* \\
& e) - ((2*a^3*b - a*b^3)*d*f*x + (2*a^3*b - a*b^3)*c*f)*\cos(f*x + e) + (2*a* \\
& b^3*d*\cos(f*x + e) + 2*a^2*b^2*d - ((2*a^3*b - a*b^3)*d*f*x + (2*a^3*b - a* \\
& b^3)*c*f)*\sin(f*x + e))*\sin(2*f*x + 2*e))/((a^6 - a^4*b^2)*d^3*f*x^3 + 3*(a \\
& ^6 - a^4*b^2)*c*d^2*f*x^2 + 3*(a^6 - a^4*b^2)*c^2*d*f*x + (a^6 - a^4*b^2)*c \\
& ^3*f + ((a^6 - a^4*b^2)*d^3*f*x^3 + 3*(a^6 - a^4*b^2)*c*d^2*f*x^2 + 3*(a^6 \\
& - a^4*b^2)*c^2*d*f*x + (a^6 - a^4*b^2)*c^3*f)*\cos(2*f*x + 2*e)^2 + 4*((a^4* \\
& b^2 - a^2*b^4)*d^3*f*x^3 + 3*(a^4*b^2 - a^2*b^4)*c*d^2*f*x^2 + 3*(a^4*b^2 - \\
& a^2*b^4)*c^2*d*f*x + (a^4*b^2 - a^2*b^4)*c^3*f)*\cos(f*x + e)^2 + ((a^6 - a \\
& ^4*b^2)*d^3*f*x^3 + 3*(a^6 - a^4*b^2)*c*d^2*f*x^2 + 3*(a^6 - a^4*b^2)*c^2*d \\
& *f*x + (a^6 - a^4*b^2)*c^3*f)*\sin(2*f*x + 2*e)^2 + 4*((a^5*b - a^3*b^3)*d^3 \\
& *f*x^3 + 3*(a^5*b - a^3*b^3)*c*d^2*f*x^2 + 3*(a^5*b - a^3*b^3)*c^2*d*f*x + \\
& (a^5*b - a^3*b^3)*c^3*f)*\sin(2*f*x + 2*e)*\sin(f*x + e) + 4*((a^4*b^2 - a^2* \\
& b^4)*d^3*f*x^3 + 3*(a^4*b^2 - a^2*b^4)*c*d^2*f*x^2 + 3*(a^4*b^2 - a^2*b^4)* \\
& c^2*d*f*x + (a^4*b^2 - a^2*b^4)*c^3*f)*\sin(f*x + e)^2 + 2*((a^6 - a^4*b^2)* \\
& d^3*f*x^3 + 3*(a^6 - a^4*b^2)*c*d^2*f*x^2 + 3*(a^6 - a^4*b^2)*c^2*d*f*x + (\\
& a^6 - a^4*b^2)*c^3*f + 2*((a^5*b - a^3*b^3)*d^3*f*x^3 + 3*(a^5*b - a^3*b^3) \\
& *c*d^2*f*x^2 + 3*(a^5*b - a^3*b^3)*c^2*d*f*x + (a^5*b - a^3*b^3)*c^3*f)*\cos \\
& (f*x + e))*\cos(2*f*x + 2*e) + 4*((a^5*b - a^3*b^3)*d^3*f*x^3 + 3*(a^5*b - a \\
& ^3*b^3)*c*d^2*f*x^2 + 3*(a^5*b - a^3*b^3)*c^2*d*f*x + (a^5*b - a^3*b^3)*c^3 \\
& *f)*\cos(f*x + e)), x) + 2*(a*b^3*d*\cos(f*x + e) + a^2*b^2*d - 2*((a^3*b - a \\
& *b^3)*d*f*x + (a^3*b - a*b^3)*c*f)*\sin(f*x + e))*\sin(2*f*x + 2*e))/((a^6 - \\
& a^4*b^2)*d^3*f*x^2 + 2*(a^6 - a^4*b^2)*c*d^2*f*x + (a^6 - a^4*b^2)*c^2*d*f \\
& + ((a^6 - a^4*b^2)*d^3*f*x^2 + 2*(a^6 - a^4*b^2)*c*d^2*f*x + (a^6 - a^4*b^2) \\
&)*c^2*d*f)*\cos(2*f*x + 2*e)^2 + 4*((a^4*b^2 - a^2*b^4)*d^3*f*x^2 + 2*(a^4*b \\
& ^2 - a^2*b^4)*c*d^2*f*x + (a^4*b^2 - a^2*b^4)*c^2*d*f)*\cos(f*x + e)^2 + ((a \\
& ^6 - a^4*b^2)*d^3*f*x^2 + 2*(a^6 - a^4*b^2)*c*d^2*f*x + (a^6 - a^4*b^2)*c^2 \\
& *d*f)*\sin(2*f*x + 2*e)^2 + 4*((a^5*b - a^3*b^3)*d^3*f*x^2 + 2*(a^5*b - a^3* \\
& b^3)*c*d^2*f*x + (a^5*b - a^3*b^3)*c^2*d*f)*\sin(2*f*x + 2*e)*\sin(f*x + e) + \\
& 4*((a^4*b^2 - a^2*b^4)*d^3*f*x^2 + 2*(a^4*b^2 - a^2*b^4)*c*d^2*f*x + (a^4* \\
& b^2 - a^2*b^4)*c^2*d*f)*\sin(f*x + e)^2 + 2*((a^6 - a^4*b^2)*d^3*f*x^2 + 2*(\\
& a^6 - a^4*b^2)*c*d^2*f*x + (a^6 - a^4*b^2)*c^2*d*f + 2*((a^5*b - a^3*b^3)*d \\
& ^3*f*x^2 + 2*(a^5*b - a^3*b^3)*c*d^2*f*x + (a^5*b - a^3*b^3)*c^2*d*f)*\cos(f \\
& *x + e))*\cos(2*f*x + 2*e) + 4*((a^5*b - a^3*b^3)*d^3*f*x^2 + 2*(a^5*b - a^3 \\
& *b^3)*c*d^2*f*x + (a^5*b - a^3*b^3)*c^2*d*f)*\cos(f*x + e))
\end{aligned}$$

Giac [N/A]

Not integrable

Time = 3.12 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))^2} dx = \int \frac{1}{(dx+c)^2(b\sec(fx+e)+a)^2} dx$$

[In] integrate(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x, algorithm="giac")

[Out] integrate(1/((d*x + c)^2*(b*sec(f*x + e) + a)^2), x)

Mupad [N/A]

Not integrable

Time = 17.96 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))^2} dx = \int \frac{1}{\left(a + \frac{b}{\cos(e+fx)}\right)^2 (c+dx)^2} dx$$

[In] int(1/((a + b/cos(e + f*x))^2*(c + d*x)^2),x)

[Out] int(1/((a + b/cos(e + f*x))^2*(c + d*x)^2), x)

3.44 $\int (c + dx)^m (a + b \sec(e + fx))^n dx$

Optimal result	311
Rubi [N/A]	311
Mathematica [N/A]	312
Maple [N/A] (verified)	312
Fricas [N/A]	312
Sympy [F(-1)]	312
Maxima [N/A]	313
Giac [N/A]	313
Mupad [N/A]	313

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \text{Int}((c + dx)^m (a + b \sec(e + fx))^n, x)$$

[Out] Unintegrable((d*x+c)^m*(a+b*sec(f*x+e))^n,x)

Rubi [N/A]

Not integrable

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int (c + dx)^m (a + b \sec(e + fx))^n dx$$

[In] Int[(c + d*x)^m*(a + b*Sec[e + f*x])^n,x]

[Out] Defer[Int] [(c + d*x)^m*(a + b*Sec[e + f*x])^n, x]

Rubi steps

$$\text{integral} = \int (c + dx)^m (a + b \sec(e + fx))^n dx$$

Mathematica [N/A]

Not integrable

Time = 2.65 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int (c + dx)^m (a + b \sec(e + fx))^n dx$$

[In] Integrate[(c + d*x)^m*(a + b*Sec[e + f*x])^n,x]

[Out] Integrate[(c + d*x)^m*(a + b*Sec[e + f*x])^n, x]

Maple [N/A] (verified)

Not integrable

Time = 0.43 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int (dx + c)^m (a + b \sec(fx + e))^n dx$$

[In] int((d*x+c)^m*(a+b*sec(f*x+e))^n,x)

[Out] int((d*x+c)^m*(a+b*sec(f*x+e))^n,x)

Fricas [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int (dx + c)^m (b \sec(fx + e) + a)^n dx$$

[In] integrate((d*x+c)^m*(a+b*sec(f*x+e))^n,x, algorithm="fricas")

[Out] integral((d*x + c)^m*(b*sec(f*x + e) + a)^n, x)

Sympy [F(-1)]

Timed out.

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \text{Timed out}$$

[In] integrate((d*x+c)**m*(a+b*sec(f*x+e))**n,x)

[Out] Timed out

Maxima [N/A]

Not integrable

Time = 0.73 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int (dx + c)^m (b \sec(fx + e) + a)^n dx$$

[In] integrate((d*x+c)^m*(a+b*sec(f*x+e))^n,x, algorithm="maxima")

[Out] integrate((d*x + c)^m*(b*sec(f*x + e) + a)^n, x)

Giac [N/A]

Not integrable

Time = 0.44 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int (dx + c)^m (b \sec(fx + e) + a)^n dx$$

[In] integrate((d*x+c)^m*(a+b*sec(f*x+e))^n,x, algorithm="giac")

[Out] integrate((d*x + c)^m*(b*sec(f*x + e) + a)^n, x)

Mupad [N/A]

Not integrable

Time = 14.16 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int \left(a + \frac{b}{\cos(e + fx)} \right)^n (c + dx)^m dx$$

[In] int((a + b/cos(e + f*x))^n*(c + d*x)^m,x)

[Out] int((a + b/cos(e + f*x))^n*(c + d*x)^m, x)

3.45 $\int (c + dx)^m (a + b \sec(e + fx)) dx$

Optimal result	314
Rubi [N/A]	314
Mathematica [N/A]	315
Maple [N/A] (verified)	315
Fricas [N/A]	315
Sympy [N/A]	315
Maxima [N/A]	316
Giac [N/A]	316
Mupad [N/A]	316

Optimal result

Integrand size = 18, antiderivative size = 18

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \text{Int}((c + dx)^m (a + b \sec(e + fx)), x)$$

[Out] Unintegrable((d*x+c)^m*(a+b*sec(f*x+e)),x)

Rubi [N/A]

Not integrable

Time = 0.03 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int (c + dx)^m (a + b \sec(e + fx)) dx$$

[In] Int[(c + d*x)^m*(a + b*Sec[e + f*x]),x]

[Out] Defer[Int][(c + d*x)^m*(a + b*Sec[e + f*x]), x]

Rubi steps

$$\text{integral} = \int (c + dx)^m (a + b \sec(e + fx)) dx$$

Mathematica [N/A]

Not integrable

Time = 0.66 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int (c + dx)^m (a + b \sec(e + fx)) dx$$

[In] Integrate[(c + d*x)^m*(a + b*Sec[e + f*x]),x]

[Out] Integrate[(c + d*x)^m*(a + b*Sec[e + f*x]), x]

Maple [N/A] (verified)

Not integrable

Time = 0.17 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int (dx + c)^m (a + b \sec(fx + e)) dx$$

[In] int((d*x+c)^m*(a+b*sec(f*x+e)),x)

[Out] int((d*x+c)^m*(a+b*sec(f*x+e)),x)

Fricas [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int (b \sec(fx + e) + a)(dx + c)^m dx$$

[In] integrate((d*x+c)^m*(a+b*sec(f*x+e)),x, algorithm="fricas")

[Out] integral((b*sec(f*x + e) + a)*(d*x + c)^m, x)

Sympy [N/A]

Not integrable

Time = 4.68 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int (a + b \sec(e + fx)) (c + dx)^m dx$$

[In] integrate((d*x+c)**m*(a+b*sec(f*x+e)),x)

[Out] Integral((a + b*sec(e + f*x))*(c + d*x)**m, x)

Maxima [N/A]

Not integrable

Time = 0.39 (sec) , antiderivative size = 124, normalized size of antiderivative = 6.89

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int (b \sec(fx + e) + a)(dx + c)^m dx$$

```
[In] integrate((d*x+c)^m*(a+b*sec(f*x+e)),x, algorithm="maxima")
```

```
[Out] 2*b*integrate(((d*x + c)^m*cos(2*f*x + 2*e)*cos(f*x + e) + (d*x + c)^m*sin(
2*f*x + 2*e)*sin(f*x + e) + (d*x + c)^m*cos(f*x + e))/(cos(2*f*x + 2*e)^2 +
sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1), x) + (d*x + c)^(m + 1)*a/(d*
(m + 1))
```

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int (b \sec(fx + e) + a)(dx + c)^m dx$$

```
[In] integrate((d*x+c)^m*(a+b*sec(f*x+e)),x, algorithm="giac")
```

```
[Out] integrate((b*sec(f*x + e) + a)*(d*x + c)^m, x)
```

Mupad [N/A]

Not integrable

Time = 12.98 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int \left(a + \frac{b}{\cos(e + fx)} \right) (c + dx)^m dx$$

```
[In] int((a + b/cos(e + f*x))*(c + d*x)^m,x)
```

```
[Out] int((a + b/cos(e + f*x))*(c + d*x)^m, x)
```

$$3.46 \quad \int \frac{(c+dx)^m}{a+b \sec(e+fx)} dx$$

Optimal result	317
Rubi [N/A]	317
Mathematica [N/A]	318
Maple [N/A] (verified)	318
Fricas [N/A]	318
Sympy [N/A]	318
Maxima [N/A]	319
Giac [N/A]	319
Mupad [N/A]	319

Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(c+dx)^m}{a+b \sec(e+fx)} dx = \text{Int}\left(\frac{(c+dx)^m}{a+b \sec(e+fx)}, x\right)$$

[Out] Unintegrable((d*x+c)^m/(a+b*sec(f*x+e)),x)

Rubi [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(c+dx)^m}{a+b \sec(e+fx)} dx = \int \frac{(c+dx)^m}{a+b \sec(e+fx)} dx$$

[In] Int[(c + d*x)^m/(a + b*Sec[e + f*x]),x]

[Out] Defer[Int] [(c + d*x)^m/(a + b*Sec[e + f*x]), x]

Rubi steps

$$\text{integral} = \int \frac{(c+dx)^m}{a+b \sec(e+fx)} dx$$

Mathematica [N/A]

Not integrable

Time = 0.88 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx$$

[In] Integrate[(c + d*x)^m/(a + b*Sec[e + f*x]),x]

[Out] Integrate[(c + d*x)^m/(a + b*Sec[e + f*x]), x]

Maple [N/A] (verified)

Not integrable

Time = 0.18 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(dx + c)^m}{a + b \sec(fx + e)} dx$$

[In] int((d*x+c)^m/(a+b*sec(f*x+e)),x)

[Out] int((d*x+c)^m/(a+b*sec(f*x+e)),x)

Fricas [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \int \frac{(dx + c)^m}{b \sec(fx + e) + a} dx$$

[In] integrate((d*x+c)^m/(a+b*sec(f*x+e)),x, algorithm="fricas")

[Out] integral((d*x + c)^m/(b*sec(f*x + e) + a), x)

Sympy [N/A]

Not integrable

Time = 1.52 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx$$

[In] integrate((d*x+c)**m/(a+b*sec(f*x+e)),x)

[Out] Integral((c + d*x)**m/(a + b*sec(e + f*x)), x)

Maxima [N/A]

Not integrable

Time = 0.53 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \int \frac{(dx + c)^m}{b \sec(fx + e) + a} dx$$

[In] integrate((d*x+c)^m/(a+b*sec(f*x+e)),x, algorithm="maxima")

[Out] integrate((d*x + c)^m/(b*sec(f*x + e) + a), x)

Giac [N/A]

Not integrable

Time = 0.36 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \int \frac{(dx + c)^m}{b \sec(fx + e) + a} dx$$

[In] integrate((d*x+c)^m/(a+b*sec(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^m/(b*sec(f*x + e) + a), x)

Mupad [N/A]

Not integrable

Time = 13.16 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^m}{a + \frac{b}{\cos(e+fx)}} dx$$

[In] int((c + d*x)^m/(a + b/cos(e + f*x)),x)

[Out] int((c + d*x)^m/(a + b/cos(e + f*x)), x)

CHAPTER 4

APPENDIX

4.1 Listing of Grading functions 321

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*      Small rewrite of logic in main function to make it*)
(*      match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
```

```

(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*   is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*   antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCo
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count is
        ]
      ,(*ELSE*)
      finalresult={"C","Result contains complex when optimal does not."}
    ]
    ,(*ELSE*)(*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A",""}
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal. $"
    ]
  ]
  ,(*ELSE*) (*expnResult>expnOptimal*)
  If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order "<>
    ,
    finalresult={"F","Contains unresolved integral."}
  ]
];

  finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)

```

```

(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
    If[ListQ[expn],
      Max[Map[ExpnType, expn]],
      If[Head[expn]===Power,
        If[IntegerQ[expn[[2]]],
          ExpnType[expn[[1]]],
          If[Head[expn[[2]]]===Rational,
            If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
              1,
              Max[ExpnType[expn[[1]], 2]],
            Max[ExpnType[expn[[1]], ExpnType[expn[[2]], 3]],
          If[Head[expn]===Plus || Head[expn]===Times,
            Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
          If[ElementaryFunctionQ[Head[expn]],
            Max[3, ExpnType[expn[[1]]],
          If[SpecialFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
          If[HypergeometricFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
          If[AppellFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
          If[Head[expn]===RootSum,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
          If[Head[expn]===Integrate || Head[expn]===Int,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
          9]]]]]]]]]]

```

```

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,

```

```

    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

AppellFunctionQ[func_] :=
  MemberQ[{AppellF1}, func]

```

Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result, optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);

```

```

#do NOT call ExpnType() if leaf size is too large. Recursion problem
if leaf_count_result > 500000 then
    return "B","result has leaf size over 500,000. Avoiding possible recursion issues
fi;

leaf_count_optimal := leafcount(optimal);
ExpnType_result := ExpnType(result);
ExpnType_optimal := ExpnType(optimal);

if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 ("
```

```

                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf_c
    end if
else #result contains complex but optimal is not
    if debug then
        print("result contains complex but optimal is not");
    fi;
    return "C","Result contains complex when optimal does not.";
fi;
else # result do not contain complex
    # this assumes optimal do not as well. No check is needed here.
    if debug then
        print("result do not contain complex, this assumes optimal do not as well")
    fi;
    if leaf_count_result<=2*leaf_count_optimal then
        if debug then
            print("leaf_count_result<=2*leaf_count_optimal");
        fi;
        return "A"," ";
    else
        if debug then
            print("leaf_count_result>2*leaf_count_optimal");
        fi;
        return "B",cat("Leaf count of result is larger than twice the leaf count of opt
                                convert(leaf_count_result,string)," $ vs. $2(",
                                convert(leaf_count_optimal,string)," )=",convert(2*leaf_count
    fi;
fi;
else #ExpnType(result) > ExpnType(optimal)
    if debug then
        print("ExpnType(result) > ExpnType(optimal)");
    fi;
    return "C",cat("Result contains higher order function than in optimal. Order ",
        convert(ExpnType_result,string)," vs. order ",
        convert(ExpnType_optimal,string),".");
fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

```

```

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+`) or type(expn,'*`) then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else

```

```

9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u), u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```


Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
                    asinh,acosh,atanh,acoth,asech,acsch
                    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
                    gamma,loggamma,digamma,zeta,polylog,LambertW,
                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
                    ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

```

```

except AttributeError as error:
    return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnTy
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type(expn,'*')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:

```

```

    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print ("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""
    else:
        if expnType_result <= expnType_optimal:
            if result.has(I):
                if optimal.has(I): #both result and optimal complex
                    if leaf_count_result <= 2*leaf_count_optimal:
                        grade = "A"
                        grade_annotation = ""
                    else:
                        grade = "B"
                        grade_annotation = "Both result and optimal contain complex but leaf count of result is large"
                else: #result contains complex but optimal is not
                    grade = "C"
                    grade_annotation = "Result contains complex when optimal does not."
            else: # result do not contain complex, this assumes optimal do not as well
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result)
            else:
                grade = "C"
                grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType_result)

```

```

# print("Before returning. grade=", grade, " grade_annotation=", grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

# Dec 24, 2019. Nasser: Ported original Maple grading function by
# Albert Rich to use with Sagemath. This is used to
# grade Fricas, Giac and Maxima results.
# Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
# 'arctan2', 'floor', 'abs', 'log_integral'
# June 4, 2022 Made default grade_annotation "none" instead of "" due
# issue later when reading the file.
# July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    # print("Enter tree_size, expr is ", expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: # isinstance(expr, Pow):
        if expr.operands()[1] == 1/2: # expr.args[1] == Rational(1,2):
            if debug: print("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

```

```

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func , " is special_function")
        else:
            print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in sagemath

```

```

def is_atom(expn):

    #debug=False
    if debug:
        print ("Enter is_atom, expn=",expn)

    if not hasattr(expn, 'parent'):
        return False

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-t
    try:
        if expn.parent() is SR:
            return expn.operator() is None
        if expn.parent() in (ZZ, QQ, AA, QQbar):
            return expn in expn.parent() # Should always return True
        if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
            return expn in expn.parent().base_ring() or expn in expn.parent().gens()

        return False

    except AttributeError as error:
        print("Exception,AttributeError in is_atom")
        print ("caught exception" , type(error).__name__ )
        return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)

```

```

    return 1
  else:
    return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
  else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn.
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isinst
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    if debug:
        print ("Enter grade_antiderivative for sagemath")
        print("Enter grade_antiderivative, result=",result)
        print("Enter grade_antiderivative, optimal=",optimal)
        print("type(anti)=",type(result))
        print("type(optimal)=",type(optimal))

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    #if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger than"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. " + str(leaf_c

else:
    grade = "C"
    grade_annotation = "Result contains higher order function than in optimal. Order " + str(expnType_result)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```